

GEOCHEMICAL EXPLORATION
OF THE
HEN 1 CLAIM
(93A/6)
CARIBOO MINING DIVISION
BRITISH COLUMBIA

Latitude 52 28' 54"N
Longitude 121 01' 38"W

by
R. Yorston
Geologist

August, 2006

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

28,509

CONTENTS

	Page
1. SUMMARY	1
2. INTRODUCTION	3
2.1 Location and Access	3
2.2 History	3
2.3 Mineral Tenements	3
3. SOIL AND ROCK GEOCHEMISTRY	7
3.1 Methods and Results	7
3.2 Rock Sample Descriptions	8
4. CONCLUSIONS	11
5. REFERENCES	12
6. CERTIFICATE OF QUALIFICATIONS	13
7. STATEMENT OF EXPENDITURES	14
 FIGURES	
1. Property Location Map	2
2. Location Map	4
3. Topography and Claim	5
4. Claim Map Showing Grid	6
5. Plot of Soil Sample Values	9
6. Plot of Soil Sample Values	10

SUMMARY

Work on the Hen 1 claim occurred during the period of Oct. 28 - Nov. 1, 2005 and June 19 - June 25, 2006.

The work consisted of:

- a) follow-up sampling of the 1995 diamond drill core.
- b) restoring and resampling parts of the grid where soil samples were previously analysed for gold only.
- c) minor expansion of the original soil sample grid and analysing the new samples for gold plus the 30 element ICP.




Fig. 1
Property location map
After Bailey, 1992

2. INTRODUCTION

2.1 Location and Access

The Hen 1 claim is located to the south of Quesnel Lake, about 30 km. northeast of the town of Horsefly, 80 km. east of Williams Lake in south central B.C.(figure 1). The claim is reached via an all-weather gravel road from Horsefly to near Elysia Resort on the south shore of Quesnel Lake and thence by four-wheel-drive vehicle road to the center of the property, north of Hen Ingram Lake (figures 2&3).

Most parts of the claim is covered by spruce and deciduos trees. Areas of extensive bulldozer stripping from the 1965 exploration activity are locally overgrown with 2 metre high saplings.

2.2 History

Work on the property began in 1965 by Helicon Explorations in their search for porphyry copper mineralization. The work consisted of IP survey, bulldozer trenching and diamond drilling. Asses. rpt. 683 by Hallof.

In 1981 rock sampling and percussion drilling was done in trench 1965-1. Asses. rpt. 9122 by Jones.

In 1986 geologic mapping and sampling was done in trench 1965-1. Asses. rpt. 15231 by Price.

In 1989 Tulloch Resources established a cut grid for control and did geologic mapping, soil and rock sampling and a magnetometer survey. Asses. rpt. 18941 by Medford.

In 1992 Double Creek Mining did geologic mapping and sampling of two 1965 bulldozer trenches. Asses. rpt. 22587 by Bailey.

In 1992 Double Creek Mining did prospecting, rock and soil sampling and VLF EM and magnetometer surveys. Asses. rpt. 22898 by Bailey.

In 1994 Double Creek did excavator trenching and rock and soil sampling. Asses. rpt. 23482 by Price.

In 1995 Double Creek did 2000 feet of NQ diamond drilling in 6 holes. They also did more excavator trenching and rock sampling. Asses. rpt. 24052 by Price.

2.3 Mineral Tenements

The property consists of one 20 unit claim. The tenure number is 404351.
The new expiry date is July 27, 2010.





Fig. 2
Location Map, Hen Ingram Lake Area
After Bailey 1992



121 00/52 50

Fig. 3
Topography and claim.




Fig 4.
Claim map.
Showing Grid

3. SOIL AND ROCK GEOCHEMISTRY

3.1 Methods and results

A total of 199 soil samples, 4 rock samples and 31 follow-up drill core samples were taken and analysed at Acme Laboratory of Vancouver B.C.

Of the soils 145 samples were analysed by the 30 element ICP method. Originally the samples from these locations had previously been analyzed for gold only.

The remaining 54 soil samples were taken at previously unsampled locations and they were analysed by the 30 element ICP plus gold analysis. Refer to analysis sheets in the appendix to distinguish the two different groups of soil analysis.

The rock samples and all follow-up drill core samples were analysed by the 30 element ICP plus gold analysis.

The soil samples consisted of B-horizon material taken from holes dug by using maddocks. *Average sample depth was 25 cm.*

Soil sample values vary up to 533ppm Cu on line 108N and 24ppb Au also on line 108N.

The plot of values (figures 5&6) expand the original copper soil anomaly to the northwest and to a lesser extent to the southeast.

The rock sample locations are given with the rock descriptions on page 8.

The drill core sampling results further delineate the previous anomalous zones and a few values to 280ppb Au and 240ppm Cu contribute to the previous anomalies. Analysis sheets are included in the appendix.


3.2 Rock Sample Descriptions

- BY-1 101+90N - 99+65E Very fine grained dark grey dyke? About 20% fine disseminated pyrite.
Cu 58ppm Au 1.4ppb
- BY-2 102+10N - 97+20E Similar to BY-1 leached and microfractures with py, epidote and quartz. About 10% pyrite.
Cu 18ppm Au 70.3ppb
- BY-3 102N - 100+25E Float. Leached, crumbly gossanous.
Cu 90ppm Au 389.7ppb



90E

95E



Soil Values

Cu ppm

As ppb (analysed only at
new sample
locations.)




Figure 5




Figure 6

4. CONCLUSIONS

Resampling soils at original grid stations where the first samples had only gold analysis and analysing the new samples for the 30 element ICP has improved the original copper geochemical anomaly particularly to the northwest.

The limited grid expansion sampling only weakly enhanced gold or copper zones.

The drill core follow-up sampling delineated the original anomalous zones.

As outlined in the recommendations by D.G. Bailey several buried drill targets remain to be tested.

5. REFERENCES


Previous work done on the property is shown in B.C. Department of Mines assessment reports: 683,9122, 15231,18941,22898,22587,23428 and 24052.

A brief description of the work done in each of the assesment reports is listed in the History section of this report.

6. CERTIFICATE OF QUALIFICATIONS

I, Robert Yorston of 5624 Cowichan Lake road, Duncan, B. C. certify that:

1. I hold a B.Sc. degree in geology from U.B.C. (1972)
2. I have worked in Canada, U.S.A. and Mexico.
3. I participated in the fieldwork on the Hen 1 claim from which this report is derived.

A handwritten signature in cursive script that reads "Robert Yorston". The signature is written in black ink and is centered on the page.

7. STATEMENT OF EXPENDITURES

PERSONNEL	\$
R. Yorston; Geologist 11 days @ \$300/day	3300
V. Guinet; Prospector 11 days @ \$275/day	3025
DISBURSMENTS	
Analysis (Acme Laboratories)	2947.45
Materials and supplies	62.92
Accomodation, meals	1491.91
Fuel	607.52
4 wheel drive truck @ \$60/day	660
Drafting and report	500
Total	12602.80

APPENDIX
ANALYTICAL RESULTS



GEOCHEMICAL ANALYSIS CERTIFICATE



Guinet Management PROJECT HEN File # A603113 Page 1
310 Nigel Ave, Vancouver BC V5Y 2L9 Submitted by: Vic Guinet


SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
G-1	<1	1	3	45	<.3	3	4	562	1.90	<2	<8	<2	4	67	<.5	<3	3	38	.57	.078	7	7	.59	213	.13	<3	.99	.09	.49	<2
112N 89+00E	7	230	11	220	2.9	252	25	1509	6.16	10	<8	<2	5	82	2.7	5	18	128	1.36	.091	20	181	1.71	182	.11	11	5.11	.02	.32	<2
112N 89+25E	3	91	11	107	.5	124	16	803	3.42	9	<8	<2	3	47	.5	3	7	87	.72	.037	10	106	1.22	83	.10	4	2.23	.02	.16	<2
112N 89+50E	2	60	12	295	.5	119	27	420	3.58	5	<8	<2	3	27	.7	<3	5	91	.34	.069	6	97	1.17	82	.12	<3	2.82	.01	.10	<2
112N 89+75E	21	20	17	67	.5	18	3	186	3.89	27	<8	<2	2	29	<.5	5	12	404	.43	.086	7	51	.18	69	.10	<3	.83	.01	.09	<2
112N 94+50E	5	15	8	64	<.3	30	5	221	1.57	2	<8	<2	3	17	.8	<3	3	90	.22	.038	6	36	.68	59	.12	<3	.93	.01	.05	<2
112N 95+00E	3	39	9	150	<.3	73	14	576	2.86	6	<8	<2	4	39	1.1	<3	<3	80	.41	.216	7	76	.95	93	.10	<3	1.84	.01	.10	<2
112N 95+50E	2	35	8	129	.5	71	13	340	2.78	3	<8	<2	3	19	<.5	<3	4	80	.25	.104	7	73	.94	87	.09	<3	2.00	.01	.08	<2
112N 96+00E	2	29	13	123	.5	49	10	324	3.43	6	<8	<2	3	23	<.5	3	6	103	.28	.200	7	77	.78	111	.11	<3	1.99	.01	.08	<2
112N 96+50E	2	48	11	146	<.3	76	16	392	2.95	4	<8	<2	2	26	<.5	<3	3	84	.26	.145	7	72	1.04	78	.10	<3	2.11	.01	.08	<2
112N 97+00E	2	46	14	163	<.3	76	18	1318	3.67	7	<8	<2	3	21	<.5	<3	5	100	.26	.180	5	87	1.20	83	.13	<3	2.05	.01	.08	<2
112N 97+50E	<1	152	18	159	<.3	89	35	1244	6.42	<2	<8	<2	2	104	<.5	<3	16	203	.86	.185	3	182	1.79	93	.16	3	3.40	.02	.21	<2
112N 98+00E	1	27	12	175	.3	54	11	339	2.71	4	<8	<2	2	20	.5	<3	5	86	.27	.111	5	101	1.14	63	.14	4	1.93	.01	.10	<2
112N 98+50E	2	54	11	114	.7	65	11	482	2.83	<2	<8	<2	<2	54	<.5	<3	<3	79	.22	.056	7	76	.82	93	.12	<3	1.89	.02	.07	<2
112N 99+00E	1	24	9	104	<.3	57	13	1022	2.00	2	<8	<2	2	20	.5	<3	<3	61	.33	.067	5	52	.80	98	.10	<3	1.62	.01	.06	<2
RE 112N 99+00E	1	24	9	105	.3	59	13	1053	2.04	<2	<8	<2	2	19	.5	<3	<3	62	.33	.067	5	52	.81	98	.11	<3	1.64	.01	.06	<2
112N 99+50E	2	37	11	141	.5	63	13	736	2.69	3	<8	<2	2	30	.6	<3	3	66	.29	.213	7	51	.81	77	.08	<3	1.97	.01	.08	<2
112N 100+00E	1	23	8	178	2.4	77	19	2006	2.35	<2	<8	<2	2	32	.9	<3	<3	67	.44	.135	4	93	1.21	114	.10	<3	2.11	.01	.10	<2
111N 93+50E	2	39	10	107	<.3	55	10	299	2.41	5	<8	<2	3	26	.5	<3	4	64	.33	.068	9	64	.83	50	.09	<3	1.48	.02	.08	<2
111N 94+00E	1	34	10	116	.3	52	13	441	2.08	4	<8	<2	2	26	.8	<3	<3	58	.30	.052	10	64	.66	103	.09	3	1.32	.01	.07	<2
111N 94+50E	3	26	8	81	<.3	35	7	436	2.17	<2	<8	<2	3	24	.5	<3	<3	66	.29	.095	9	45	.68	76	.08	4	1.54	.01	.08	2
111N 95+00E	2	27	9	258	.3	106	20	371	3.31	3	<8	<2	2	24	.6	<3	7	73	.27	.207	6	98	1.05	86	.10	<3	2.14	.01	.09	<2
111N 95+50E	2	44	11	167	<.3	81	18	390	3.20	3	<8	<2	3	32	<.5	<3	7	82	.36	.081	7	82	1.01	79	.12	<3	2.02	.01	.11	<2
111N 96+00E	3	62	14	183	.3	153	19	1493	3.39	3	<8	<2	4	34	.9	<3	4	77	.61	.045	9	94	1.27	98	.11	3	2.59	.02	.13	<2
111N 96+50E	1	40	13	139	<.3	149	24	701	3.47	2	<8	<2	3	52	<.5	3	6	101	.55	.069	4	106	2.13	71	.18	<3	2.50	.02	.12	<2
111N 97+00E	1	18	10	102	.3	30	9	484	1.71	2	<8	<2	2	21	.5	<3	<3	54	.27	.082	8	53	.65	70	.09	<3	1.05	.01	.08	<2
111N 97+50E	3	36	11	105	.4	47	8	362	2.76	2	<8	<2	2	21	<.5	<3	<3	84	.21	.139	7	74	1.10	66	.09	<3	1.80	.01	.07	<2
111N 98+50E	4	103	14	226	.9	239	20	4879	4.86	8	<8	<2	4	65	2.1	5	9	96	1.00	.068	14	97	1.31	147	.09	7	2.56	.03	.19	<2
111N 99+00E	2	87	11	228	<.3	146	26	553	3.67	8	<8	<2	3	46	<.5	3	6	97	.47	.045	6	132	1.58	62	.15	4	2.26	.02	.16	<2
111N 99+50E	5	88	13	402	.9	155	21	2020	3.73	7	<8	<2	4	41	1.7	3	5	85	.63	.036	9	93	1.12	93	.10	<3	2.47	.02	.15	<2
111N 100+00E	2	31	12	255	<.3	53	15	1204	2.25	3	<8	<2	2	53	1.6	3	<3	79	.42	.052	6	83	1.03	94	.13	4	1.40	.01	.14	<2
109N 89+00E	2	43	10	138	<.3	62	16	258	3.57	5	<8	<2	2	30	<.5	3	8	90	.30	.107	6	73	.91	70	.11	<3	2.06	.01	.10	<2
109N 89+50E	5	83	14	75	.3	79	19	428	3.74	12	<8	<2	2	34	<.5	<3	7	96	.66	.034	7	87	.97	57	.12	<3	2.14	.02	.10	<2
109N 90+00E	4	36	12	237	<.3	59	14	328	3.74	6	<8	<2	3	33	<.5	3	7	143	.35	.127	7	75	1.01	107	.14	<3	1.85	.01	.09	<2
109N 90+50E	2	12	10	55	<.3	19	4	127	1.57	3	<8	<2	2	18	<.5	4	3	56	.21	.061	8	35	.37	42	.12	3	.76	.01	.06	2
STANDARD DS6	11	118	32	141	<.3	23	10	703	2.73	19	9	<2	3	40	5.9	4	6	52	.82	.076	13	164	.57	152	.07	17	1.90	.08	.15	3

GROUP 1D - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: SOIL SS80 60C Samples beginning 'RE' are Retruns and 'RRE' are Reject Retruns.

Data FA

DATE RECEIVED: JUN 26 2006 DATE REPORT MAILED: 07-07-2006 P04:59

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.





SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
G-1	<1	1	3	47	<.3	3	4	555	1.83	<2	<8	<2	4	61	<.5	<3	6	41	.52	.073	6	7	.56	202	.12	<3	.92	.08	.46	<2
109N 91+00E	1	18	<3	59	<.3	38	8	245	2.43	7	<8	<2	2	31	<.5	<3	7	87	.35	.070	6	80	.59	73	.10	<3	1.33	.01	.08	<2
109N 91+50E	3	275	3	134	<.3	319	34	425	3.99	22	<8	<2	2	30	<.5	<3	15	151	.44	.045	5	161	1.60	48	.15	3	2.39	.02	.15	<2
109N 92+00E	1	24	5	95	<.3	42	9	175	4.02	12	<8	<2	3	23	<.5	3	15	156	.36	.108	4	101	.58	75	.14	<3	1.51	.01	.06	<2
109N 92+50E	2	43	3	115	<.3	84	15	234	3.47	8	<8	<2	3	26	<.5	3	13	120	.41	.120	5	112	1.01	59	.11	<3	2.04	.01	.11	<2
109N 93+00E	2	19	7	63	<.3	31	8	221	2.70	5	<8	<2	3	14	<.5	<3	8	99	.20	.025	6	58	.56	49	.13	<3	1.18	.01	.06	<2
RE 109N 93+00E	2	19	5	63	<.3	31	8	225	2.76	6	<8	<2	3	15	<.5	3	9	100	.21	.025	6	59	.57	50	.13	<3	1.20	.01	.06	<2
109N 93+50E	2	35	21	148	<.3	75	18	408	3.12	4	<8	<2	2	17	<.5	<3	10	116	.28	.098	4	74	1.55	85	.15	<3	1.92	.01	.16	<2
109N 94+00E	1	40	4	144	<.3	89	16	254	3.31	7	<8	<2	2	22	<.5	<3	8	96	.26	.101	4	141	1.08	68	.12	<3	1.90	.01	.07	<2
109N 94+50E	2	165	<3	139	<.3	293	48	439	5.59	10	<8	<2	2	36	<.5	4	20	161	.38	.054	3	366	3.06	70	.19	<3	3.48	.01	.14	<2
109N 95+00E	1	57	6	188	<.3	112	22	352	3.53	7	<8	<2	2	26	<.5	4	9	125	.38	.135	3	244	1.50	75	.16	<3	1.97	.01	.08	<2
109N 95+50E	1	49	7	66	<.3	55	11	269	2.58	7	<8	<2	3	27	<.5	4	11	75	.29	.018	7	82	.86	49	.10	<3	1.63	.02	.07	<2
109N 96+00E	1	32	3	65	<.3	48	10	224	2.47	7	<8	<2	2	29	<.5	3	6	80	.20	.024	7	75	.81	41	.10	<3	1.40	.01	.06	<2
109N 96+50E	1	70	4	253	.4	100	23	418	3.77	9	<8	<2	2	31	<.5	<3	14	122	.34	.159	4	164	1.34	63	.13	<3	2.32	.01	.12	<2
109N 97+00E	1	92	3	158	<.3	76	18	344	3.74	13	<8	<2	3	21	<.5	<3	15	118	.31	.122	6	109	.91	68	.12	<3	1.89	.01	.09	<2
109N 97+50E	2	34	4	121	<.3	46	11	904	3.46	5	<8	<2	2	42	<.5	<3	10	83	.37	.087	7	68	.62	68	.12	<3	1.68	.01	.07	<2
109N 98+00E	1	54	5	125	<.3	69	13	301	2.69	6	<8	<2	2	27	<.5	<3	8	80	.20	.094	6	99	.96	57	.10	<3	1.89	.01	.08	<2
109N 98+50E	2	53	5	205	<.3	80	19	366	3.30	9	<8	<2	2	30	<.5	<3	8	96	.36	.140	4	119	.95	49	.11	<3	2.17	.01	.10	<2
109N 99+00E	1	37	7	128	<.3	62	13	312	2.77	8	<8	<2	3	41	<.5	<3	9	85	.40	.129	7	81	1.01	79	.11	<3	1.57	.01	.10	2
109N 99+50E	2	35	7	149	<.3	49	13	495	2.60	6	<8	<2	3	43	.5	<3	9	90	.25	.034	7	63	.79	80	.10	<3	1.52	.01	.07	<2
109N 100E	2	80	10	583	.3	153	20	407	3.86	8	<8	<2	3	19	1.6	<3	11	106	.23	.067	6	102	1.17	96	.11	<3	2.91	.01	.11	<2
108N 89+00E	2	26	5	96	.6	36	9	200	3.69	6	<8	<2	3	16	<.5	3	13	118	.16	.159	7	67	.74	49	.11	<3	1.58	.01	.07	<2
108N 89+50E	4	73	7	116	<.3	81	15	281	4.78	10	<8	<2	2	24	<.5	3	19	177	.31	.059	5	183	1.34	58	.16	<3	2.07	.01	.10	<2
108N 90+00E	5	55	6	78	<.3	40	8	144	3.37	10	<8	<2	3	19	<.5	4	10	158	.12	.021	5	72	.63	37	.16	<3	1.32	.01	.06	<2
108N 90+50E	3	41	8	121	<.3	57	13	243	2.95	7	<8	<2	3	18	<.5	3	12	118	.16	.060	6	74	.77	58	.11	<3	1.71	.01	.07	2
108N 91+00E	2	51	4	97	<.3	70	14	229	3.68	5	<8	<2	3	19	<.5	3	15	132	.22	.060	5	104	.95	57	.14	<3	2.01	.01	.14	<2
108N 91+50E	4	533	7	353	<.3	389	43	810	5.28	13	<8	<2	3	33	<.5	4	20	147	.52	.092	5	180	1.98	71	.16	<3	4.27	.02	.15	<2
108N 92+00E	1	71	<3	56	<.3	249	30	243	4.39	8	<8	<2	<2	108	<.5	<3	20	134	1.20	.064	4	45	3.84	83	.17	9	4.80	.18	.39	<2
108N 92+50E	3	15	6	68	<.3	28	6	234	1.96	4	<8	<2	2	19	<.5	<3	7	79	.30	.046	7	49	.45	45	.10	<3	1.01	.01	.09	<2
108N 93+00E	2	23	7	60	<.3	40	9	381	2.10	5	<8	<2	2	25	<.5	<3	6	76	.32	.093	7	54	.42	91	.08	<3	1.18	.01	.09	<2
108N 93+50E	1	21	5	70	<.3	37	8	201	2.37	6	<8	<2	2	14	<.5	<3	9	75	.20	.035	7	56	.52	43	.09	<3	1.25	.01	.07	<2
108N 94+00E	2	29	4	91	<.3	54	13	274	2.32	6	<8	<2	2	15	.5	5	9	70	.26	.025	7	71	.60	49	.11	<3	1.42	.01	.07	<2
108N 94+50E	1	88	4	119	<.3	94	19	262	2.95	7	<8	<2	2	21	<.5	<3	9	88	.32	.098	4	143	1.06	50	.11	4	1.68	.01	.09	<2
108N 95+00E	1	47	3	77	<.3	55	13	305	2.59	5	<8	<2	4	23	<.5	3	6	71	.24	.071	8	71	.82	65	.08	<3	1.67	.01	.08	<2
108N 95+50E	1	26	3	93	<.3	140	18	325	2.97	3	<8	<2	<2	32	<.5	3	10	79	.54	.042	2	159	2.04	49	.16	4	2.07	.02	.12	<2
STANDARD DS6	11	121	27	139	<.3	22	9	679	2.64	19	9	<2	4	37	5.9	4	6	56	.78	.073	12	187	.53	145	.07	16	1.75	.07	.14	4

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm
G-1	<1	2	<3	42	<.3	3	4	560	1.90	<2	<8	<2	5	65	<.5	<3	3	36	.55	.075	7	7	.56	210	.12	4	.95	.09	.48	<2
108N 96+00E	1	121	8	94	<.3	159	29	564	5.02	7	10	<2	2	34	<.5	3	14	226	.82	.159	4	334	2.26	68	.19	<3	2.88	.01	.10	<2
108N 96+50E	1	80	7	147	.3	110	24	690	4.91	11	<8	<2	2	28	<.5	<3	13	145	.24	.242	4	220	1.46	69	.15	<3	2.65	.01	.09	<2
108N 97+00E	1	90	<3	102	<.3	170	30	498	6.23	8	<8	2	3	29	<.5	3	20	180	.55	.183	4	316	2.75	71	.16	<3	3.22	.01	.09	<2
108N 97+50E	1	80	5	98	<.3	97	21	545	3.34	10	<8	<2	3	22	<.5	<3	5	81	.30	.089	5	111	1.10	61	.12	<3	2.09	.02	.11	<2
108N 98+00E	1	36	10	72	.3	43	8	256	2.53	8	<8	<2	2	20	<.5	3	4	69	.27	.073	7	71	.67	61	.11	<3	1.52	.01	.07	<2
108N 98+50E	<1	55	12	117	.3	130	23	740	4.55	12	<8	<2	<2	130	<.5	13	12	154	.61	.110	3	197	2.07	84	.22	<3	2.51	.02	.16	<2
108N 99+00E	1	14	5	44	<.3	27	9	339	2.24	5	<8	<2	2	20	.6	5	<3	101	.45	.055	4	41	.64	110	.20	<3	1.42	.02	.07	<2
108N 99+50E	1	120	7	171	<.3	85	30	485	4.75	6	<8	<2	2	55	<.5	4	15	142	.47	.178	3	173	1.24	97	.18	<3	2.68	.02	.19	<2
108N 100+00E	1	107	7	132	<.3	66	34	1134	4.70	4	<8	<2	2	29	<.5	3	11	117	.36	.094	5	40	.77	99	.20	<3	2.27	.02	.21	<2
107N 89+00E	2	13	4	49	<.3	15	5	183	2.18	5	<8	<2	2	17	<.5	<3	4	70	.24	.053	6	39	.26	28	.10	<3	.86	.01	.05	<2
107N 89+50E	1	11	7	37	<.3	14	4	120	1.29	5	<8	<2	2	16	<.5	<3	3	52	.23	.032	7	31	.29	39	.11	<3	.74	.01	.05	<2
107N 90+00E	2	19	11	39	<.3	23	7	172	2.04	4	<8	<2	2	22	<.5	<3	5	70	.21	.055	8	45	.42	51	.11	<3	.95	.01	.07	<2
107N 90+50E	3	74	5	76	<.3	71	15	326	3.05	9	8	<2	3	32	<.5	4	4	87	.40	.104	7	83	1.03	80	.12	4	1.89	.01	.11	<2
107N 91+00E	4	44	4	95	<.3	55	12	230	3.64	9	<8	<2	3	29	<.5	3	7	115	.27	.120	7	89	.76	91	.13	4	1.88	.01	.09	<2
107N 91+50E	2	149	6	118	<.3	134	25	834	4.30	7	9	<2	<2	25	<.5	3	13	129	.37	.135	4	156	1.88	96	.15	<3	2.12	.02	.11	<2
107N 92+00E	3	23	10	62	<.3	42	7	167	2.62	7	<8	<2	3	24	<.5	<3	3	100	.17	.093	7	72	.58	51	.12	<3	1.32	.01	.06	<2
107N 92+50E	5	82	<3	26	<.3	62	8	205	5.61	5	<8	<2	<2	24	<.5	5	18	192	.59	.088	4	70	1.47	68	.25	<3	2.00	.02	.14	<2
107N 93+00E	2	139	6	70	<.3	134	23	348	3.64	8	<8	<2	3	36	<.5	4	8	106	.49	.068	5	184	1.66	64	.16	<3	2.14	.02	.21	<2
RE 107N 93+00E	2	138	6	71	<.3	134	23	356	3.59	8	<8	<2	3	36	<.5	3	7	107	.50	.068	5	193	1.67	64	.16	3	2.16	.02	.21	<2
107N 93+50E	12	59	5	113	<.3	136	24	950	3.83	12	<8	<2	2	39	<.5	3	7	215	.59	.125	4	150	2.12	59	.13	<3	2.49	.02	.10	<2
107N 94+00E	4	14	6	218	<.3	49	12	543	2.43	7	<8	<2	2	16	.7	<3	3	172	.27	.173	5	70	1.34	40	.10	6	1.80	.01	.05	<2
107N 94+50E	1	18	<3	53	<.3	32	9	299	2.03	7	<8	<2	3	18	<.5	3	3	57	.27	.073	9	56	.61	58	.10	<3	1.13	.01	.08	<2
107N 95+00E	2	34	4	83	<.3	48	11	374	2.86	7	<8	<2	2	24	.6	3	3	86	.40	.056	8	71	.88	51	.15	4	1.57	.01	.11	<2
107N 95+50E	2	42	4	157	<.3	168	32	315	3.44	3	<8	<2	2	122	<.5	4	8	89	.38	.051	4	120	1.90	102	.16	<3	2.51	.02	.17	<2
107N 96+00E	1	277	8	116	<.3	159	28	430	6.00	4	9	<2	2	23	<.5	7	19	207	.46	.168	5	228	2.15	61	.23	<3	3.94	.01	.27	<2
107N 96+50E	1	14	8	102	<.3	38	10	185	2.93	3	<8	<2	3	13	.5	<3	5	81	.17	.088	7	65	.46	91	.12	<3	1.99	.01	.06	<2
107N 97+00E	2	60	12	154	.3	28	11	429	3.64	<2	12	<2	3	48	<.5	3	7	73	.25	.158	9	36	.53	99	.11	<3	1.75	.02	.10	<2
107N 97+50E	1	44	<3	56	<.3	19	7	176	2.31	2	<8	<2	2	19	<.5	3	4	50	.27	.073	7	26	.66	66	.13	<3	1.29	.02	.11	<2
107N 98+00E	2	23	6	224	<.3	43	12	290	2.60	4	<8	<2	2	223	.5	<3	<3	64	.48	.062	7	54	.67	165	.17	<3	2.14	.02	.16	<2
107N 98+50E	1	11	6	67	<.3	20	6	390	1.45	3	<8	<2	2	18	<.5	<3	<3	46	.28	.054	7	46	.37	64	.08	<3	.87	.01	.06	<2
107N 99+00E	2	33	5	82	<.3	43	9	318	2.30	4	8	<2	3	21	<.5	<3	3	65	.27	.033	8	59	.78	52	.10	<3	1.34	.01	.09	<2
107N 99+50E	2	68	8	105	.3	104	19	457	3.28	13	<8	<2	3	24	<.5	3	8	97	.38	.077	6	108	.98	50	.13	4	1.74	.01	.13	<2
107N 100+00E	1	27	7	130	<.3	84	17	359	2.94	8	<8	<2	4	22	<.5	4	5	70	.24	.118	8	84	.93	90	.10	<3	1.87	.01	.08	<2
97N 89+00E	2	28	<3	55	<.3	33	7	157	2.27	2	8	<2	3	22	<.5	4	6	56	.35	.046	9	57	.53	36	.09	<3	1.27	.01	.08	<2
STANDARD DS6	11	119	29	134	<.3	23	10	699	2.70	22	8	<2	4	39	6.0	4	6	51	.80	.074	13	186	.55	151	.07	15	1.81	.08	.15	3

Sample type: SDIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm
G-1	<1	1	4	42	<.3	3	4	526	1.80	<2	<8	<2	4	57	<.5	<3	<3	34	.51	.071	6	6	.56	200	.12	<3	.89	.08	.45	2
97N 89+50E	1	29	4	66	<.3	46	10	231	2.02	2	<8	<2	3	16	<.5	<3	<3	48	.29	.065	9	43	.64	36	.07	3	1.23	.01	.07	<2
97N 90+00E	2	54	6	90	<.3	66	13	424	2.79	3	<8	<2	4	29	<.5	<3	<3	68	.48	.028	12	60	.78	59	.09	3	1.87	.02	.07	<2
97N 90+50E	2	44	6	96	<.3	68	16	267	2.51	3	<8	<2	4	17	<.5	<3	<3	58	.26	.058	8	50	.74	38	.09	3	1.62	.01	.07	<2
97N 91+00E	2	84	11	237	<.3	128	30	425	4.56	10	<8	<2	2	38	.5	<3	<3	137	.30	.137	5	87	1.39	78	.15	3	2.43	.02	.11	<2
97N 91+50E	1	48	<3	55	<.3	41	18	496	4.77	6	<8	<2	<2	54	<.5	3	<3	154	.52	.079	2	102	1.90	155	.34	4	2.80	.02	.19	<2
97N 92+00E	3	98	9	71	<.3	66	15	227	3.24	5	<8	<2	5	18	<.5	<3	<3	87	.13	.043	9	59	.76	47	.11	<3	2.29	.01	.06	2
97N 92+50E	3	69	7	84	<.3	58	12	306	3.50	5	<8	<2	3	25	<.5	<3	<3	105	.18	.074	7	54	.70	69	.10	<3	2.09	.01	.06	<2
97N 93+00E	6	188	10	124	<.3	144	25	314	4.48	10	<8	<2	5	21	<.5	3	<3	125	.16	.063	11	80	1.18	67	.13	4	2.91	.01	.09	<2
97N 93+50E	2	105	5	217	<.3	139	34	434	4.42	6	<8	<2	2	62	<.5	<3	<3	129	.35	.036	4	214	3.00	39	.22	6	3.20	.01	.05	<2
97N 94+00E	5	68	7	87	.3	53	18	378	4.96	9	<8	<2	3	36	<.5	<3	<3	196	.18	.098	5	46	.61	65	.11	5	2.03	.01	.09	2
97N 94+50E	14	168	6	126	<.3	39	20	346	13.36	10	<8	<2	4	27	<.5	<3	<3	202	.25	.216	7	36	.27	82	.09	7	2.27	.01	.06	<2
97N 95+00E	7	143	7	125	<.3	106	20	410	5.94	5	<8	<2	3	28	<.5	<3	3	185	.25	.093	6	64	1.00	78	.11	<3	2.89	.01	.07	<2
97N 95+50E	11	87	12	151	<.3	69	12	482	4.83	13	<8	<2	5	28	<.5	4	<3	199	.20	.139	8	67	.76	100	.10	4	2.81	.01	.08	<2
97N 96+00E	6	37	7	238	<.3	54	13	401	2.78	7	<8	<2	3	23	1.3	<3	3	74	.32	.093	8	45	.63	71	.08	<3	1.64	.01	.10	<2
RE 97N 96+00E	5	38	10	243	<.3	55	14	409	2.82	6	<8	<2	4	23	1.5	<3	3	75	.32	.093	7	46	.64	72	.08	<3	1.68	.01	.10	<2
97N 96+50E	2	56	6	187	<.3	75	16	363	3.21	5	<8	<2	3	17	.7	<3	<3	81	.25	.162	7	50	.70	82	.09	<3	2.03	.01	.10	<2
97N 97+00E	2	48	7	112	<.3	60	14	302	2.25	3	<8	<2	3	13	<.5	<3	<3	68	.19	.035	8	40	.62	61	.08	<3	1.62	.01	.07	<2
97N 97+50E	3	44	7	120	<.3	55	11	188	2.80	4	<8	<2	3	15	.5	<3	<3	88	.26	.045	7	52	.53	32	.08	<3	1.43	.01	.07	2
97N 98+00E	2	24	6	93	<.3	41	11	263	2.01	3	<8	<2	3	15	<.5	<3	<3	52	.27	.049	8	35	.59	46	.07	5	1.24	.01	.06	<2
97N 98+50E	2	7	5	59	<.3	18	5	722	1.63	<2	<8	<2	3	21	<.5	3	<3	50	.23	.044	7	24	.26	57	.07	<3	.87	.01	.04	<2
97N 99+00E	2	25	10	110	<.3	47	10	235	2.50	3	<8	<2	4	25	<.5	3	<3	60	.19	.055	8	38	.58	71	.07	<3	1.83	.01	.07	<2
97N 99+50E	2	20	6	100	<.3	37	8	244	2.56	4	<8	<2	3	15	<.5	<3	<3	63	.20	.091	8	36	.48	72	.08	<3	1.75	.01	.07	<2
97N 100+00E	3	20	9	82	<.3	29	6	239	2.34	2	<8	<2	3	15	<.5	<3	<3	73	.29	.045	8	35	.61	61	.07	<3	1.67	.01	.06	<2
96N 89+00E	2	29	8	84	<.3	51	16	290	2.44	2	<8	<2	4	16	<.5	<3	<3	56	.26	.072	9	51	.73	55	.08	<3	1.40	.01	.06	<2
96N 89+50E	1	45	5	82	<.3	59	15	501	2.23	2	<8	<2	4	22	.6	<3	<3	55	.40	.023	13	53	.75	48	.09	6	1.37	.02	.07	<2
96N 90+00E	1	15	3	82	<.3	29	7	167	1.84	<2	<8	<2	2	15	<.5	4	<3	48	.28	.041	8	35	.40	25	.07	<3	1.01	.01	.06	<2
96N 90+50E	2	17	5	101	<.3	36	8	235	2.10	3	<8	<2	3	13	<.5	3	<3	59	.21	.049	10	36	.52	44	.08	<3	1.21	.02	.05	<2
96N 91+00E	2	50	7	163	<.3	62	14	445	3.78	4	<8	<2	3	17	.5	<3	<3	98	.31	.122	6	60	.66	64	.11	<3	2.42	.01	.07	<2
96N 91+50E	3	70	5	121	<.3	88	15	336	3.93	4	<8	<2	4	16	<.5	<3	<3	104	.25	.072	7	75	.84	80	.12	<3	3.20	.01	.10	<2
96N 92+00E	2	67	4	295	<.3	95	25	465	4.18	4	<8	<2	2	29	.6	<3	<3	129	.43	.142	5	65	.94	74	.15	5	2.27	.02	.09	<2
96N 92+50E	<1	56	<3	142	<.3	27	24	1075	4.71	<2	<8	<2	<2	27	<.5	<3	<3	158	.41	.124	3	32	1.17	151	.27	5	2.21	.02	.28	<2
96N 93+00E	3	83	4	159	<.3	94	21	272	3.34	2	<8	<2	3	20	<.5	<3	<3	85	.24	.029	8	55	.77	48	.11	4	2.01	.01	.07	<2
96N 93+50E	11	150	6	86	<.3	23	10	516	10.01	16	<8	<2	3	20	<.5	<3	<3	293	.22	.187	6	51	.31	61	.13	7	1.92	.01	.04	<2
96N 94+00E	4	38	3	110	<.3	52	14	349	3.22	4	<8	<2	2	16	<.5	3	<3	99	.22	.053	7	47	.64	58	.10	<3	1.75	.01	.07	<2
STANDARD DS6	11	115	32	138	<.3	23	10	701	2.72	19	<8	<2	4	39	5.8	3	5	50	.80	.076	12	161	.57	150	.07	17	1.85	.08	.15	4

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
G-1	<1	2	<3	45	<.3	3	4	580	1.96	2	<8	<2	5	66	<.5	4	<3	38	.57	.076	7	7	.58	211	.13	5	.97	.09	.48	<2
96N 94+50E	2	35	10	96	<.3	47	10	267	2.30	5	<8	<2	3	14	<.5	<3	<3	67	.21	.049	7	47	.46	59	.09	4	1.60	.01	.05	<2
96N 95+00E	2	97	8	147	<.3	94	20	529	2.83	5	<8	<2	3	35	<.5	<3	<3	88	.39	.020	7	66	1.03	73	.18	6	1.75	.03	.06	2
96N 95+50E	2	58	6	183	<.3	85	24	880	3.85	6	<8	<2	4	24	.5	<3	5	101	.27	.049	8	57	.63	119	.13	5	2.65	.02	.11	<2
96N 96+00E	6	92	6	162	<.3	77	21	465	4.67	6	<8	<2	2	28	<.5	3	8	121	.33	.067	7	50	.67	85	.10	4	2.35	.01	.08	<2
96N 96+50E	4	40	12	175	<.3	59	13	334	2.70	6	<8	<2	4	14	<.5	4	<3	76	.24	.045	10	43	.73	92	.08	3	2.08	.02	.08	<2
96N 97+00E	7	17	13	26	<.3	7	2	276	2.52	18	<8	<2	<2	12	<.5	3	<3	148	.08	.036	6	26	.07	74	.07	<3	.65	.01	.03	<2
96N 97+50E	4	39	11	376	<.3	69	18	687	3.13	8	<8	<2	3	40	2.1	<3	<3	111	.38	.109	8	48	.64	105	.10	3	1.84	.01	.10	2
RE 96N 97+50E	4	37	10	370	<.3	68	17	684	3.09	7	<8	<2	3	39	2.0	<3	<3	108	.37	.109	8	48	.63	103	.10	5	1.84	.01	.10	<2
96N 98+00E	4	21	8	113	<.3	38	8	270	2.20	5	<8	<2	3	15	.5	<3	<3	76	.25	.037	8	38	.50	62	.10	<3	1.12	.01	.05	<2
96N 98+50E	3	13	11	113	<.3	22	5	149	2.19	5	<8	<2	3	14	.6	3	<3	65	.20	.119	8	33	.34	52	.09	4	1.31	.01	.05	<2
96N 99+00E	7	175	12	257	<.3	276	23	3971	4.77	8	<8	2	6	47	<.5	3	5	105	.65	.090	30	121	1.32	199	.06	17	4.39	.02	.25	<2
96N 99+50E	4	17	6	87	<.3	27	7	187	2.52	5	<8	<2	2	13	<.5	<3	<3	77	.18	.045	9	37	.47	47	.10	<3	1.38	.01	.05	<2
96N 100E	4	13	8	89	<.3	25	7	180	2.60	4	<8	<2	2	10	<.5	<3	3	74	.15	.020	8	36	.41	41	.10	3	1.34	.01	.05	2
STANDARD DS6	12	120	28	133	<.3	23	10	692	2.65	21	<8	<2	3	39	5.7	5	6	51	.78	.073	12	158	.54	147	.07	16	1.80	.07	.15	4

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



GEOCHEMICAL ANALYSIS CERTIFICATE



Guinet Management PROJECT HEN File # A603111 Page 1
310 Nigel Ave, Vancouver BC V5Y 2L9 Submitted by: Vic Guinet

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Sample gm
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm
G-1	.2	2.0	2.8	43	<.1	3.4	3.9	467	1.76	<.5	2.5	2.4	3.9	70	<.1	<.1	.1	35	.57	.076	7	11	.60	212	.137	<.1	.98	.107	.50	<.1	.01	2.9	3	.07	5	<.5	15.0
113N 87+00E	1.4	27.6	7.1	74	.2	77.7	8.7	219	2.26	3.7	.3	3.0	1.9	20	.5	.5	.1	74	.22	.032	8	61	.76	49	.124	2	1.29	.010	.07	.2	.02	1.9	1	.06	6	<.5	15.0
113N 87+50E	1.6	34.4	7.6	135	.3	65.0	16.5	283	3.14	4.9	.4	2.2	2.3	21	.5	.7	.2	89	.25	.159	8	77	.94	95	.106	1	2.11	.013	.09	.2	.03	2.8	1	.06	8	.5	15.0
113N 88+00E	2.7	88.4	6.2	125	.3	104.6	23.7	347	3.22	7.9	.7	7.3	2.8	18	.4	.9	.1	98	.25	.040	10	96	1.06	72	.118	4	2.43	.010	.09	.2	.03	3.9	2	.06	7	.9	15.0
113N 88+50E	1.9	44.6	7.5	258	.4	77.1	15.4	360	3.17	6.9	.4	4.6	2.3	16	1.2	.9	.2	90	.21	.091	7	85	.98	79	.108	1	2.29	.009	.09	.2	.05	2.8	2	<.05	8	.5	15.0
113N 89+00E	2.1	47.7	6.2	108	.4	94.2	18.0	350	3.20	6.5	.4	14.1	2.2	26	.5	.7	.1	85	.28	.111	7	88	1.25	103	.125	2	2.25	.012	.12	.2	.04	2.5	1	<.05	7	.7	15.0
113N 94+25E	1.2	16.0	10.1	249	.4	15.6	8.7	554	2.60	3.0	.3	.5	1.8	24	.6	.6	.3	45	.19	.158	10	21	.32	56	.090	<.1	1.29	.009	.05	.2	.02	2.8	1	<.05	8	<.5	15.0
113N 94+50E	.9	21.0	15.6	336	.3	42.4	12.7	941	2.79	2.4	.3	1.4	1.3	143	.6	.3	.2	55	.66	.099	7	33	1.02	87	.142	2	2.12	.016	.13	.2	.02	4.7	2	.08	10	.8	15.0
113N 94+75E	1.9	36.4	16.4	234	.7	58.6	15.2	482	3.03	3.2	.4	2.8	2.1	105	.4	.8	.3	68	.45	.062	9	41	.83	69	.154	2	2.07	.011	.12	.3	.05	4.3	2	<.05	9	1.1	15.0
113N 95+00E	1.2	94.8	18.6	290	.4	122.9	25.6	494	3.48	6.2	.4	8.8	1.8	501	.4	.9	.3	93	.80	.074	8	51	1.39	124	.177	2	3.37	.014	.26	.2	.03	5.0	3	.07	11	1.1	15.0
112+50N 86+65E	1.9	24.6	7.2	64	.2	54.5	10.4	202	3.00	4.5	.3	7.8	1.9	32	.3	.5	.1	88	.31	.025	7	61	1.21	57	.159	2	1.76	.014	.06	.1	.02	2.1	1	.06	8	.6	15.0
112+50N 87+00E	1.5	26.4	6.5	137	.3	58.2	15.4	279	2.60	4.6	.3	2.8	1.9	30	.7	.7	.2	80	.40	.142	7	62	.93	60	.122	2	1.61	.009	.09	.2	.02	2.3	1	<.05	7	.5	15.0
112+50N 87+50E	1.4	25.9	7.2	188	.1	54.8	11.8	265	2.70	3.3	.4	1.4	2.2	25	.6	.5	.2	81	.30	.103	8	58	.82	67	.112	2	1.62	.012	.08	.2	.02	2.5	1	<.05	7	.5	15.0
112+50N 88+00E	1.8	46.9	6.8	148	.2	72.3	15.9	323	2.79	4.4	.5	4.8	2.9	20	.6	.7	.2	72	.25	.072	9	81	1.00	82	.119	2	2.18	.012	.09	.2	.04	3.0	1	<.05	6	.8	15.0
112+50N 88+50E	2.4	24.0	6.3	133	.3	53.8	12.1	276	2.98	3.7	.4	1.7	2.2	22	.6	.5	.1	91	.29	.086	8	76	.79	71	.127	2	1.81	.011	.08	.2	.02	2.5	1	<.05	8	.6	15.0
112+50N 89+00E	1.7	31.5	6.8	100	.2	72.4	11.2	208	2.53	4.9	.5	2.5	2.1	29	.9	.6	.1	77	.37	.041	8	70	.80	53	.135	4	1.63	.013	.09	.2	.03	2.6	1	<.05	6	.7	15.0
112N 86+00E	1.6	41.6	5.7	228	.4	83.5	21.1	318	3.65	4.4	.3	3.7	2.0	22	.9	.8	.1	94	.28	.063	7	87	1.25	122	.120	4	2.39	.012	.10	.2	.03	3.4	1	<.05	8	<.5	15.0
112N 86+50E	1.5	21.1	6.8	130	.3	46.0	10.8	448	3.10	5.3	.4	5.9	2.0	22	.5	1.0	.2	86	.29	.095	7	59	.72	106	.116	2	1.74	.009	.08	.3	.04	2.7	1	<.05	8	<.5	15.0
112N 87+00E	1.4	12.7	5.7	65	.3	26.1	6.6	184	1.75	1.9	.3	2.4	1.6	19	.4	.4	.1	66	.29	.057	7	48	.53	49	.117	<.1	1.10	.010	.07	.2	.01	1.8	1	<.05	7	<.5	15.0
112N 87+50E	2.2	36.3	6.7	88	.1	68.9	14.2	270	2.91	4.2	.4	3.1	2.0	21	.2	.8	.1	98	.30	.029	7	66	.86	68	.132	4	1.68	.012	.07	.2	.02	2.3	1	<.05	7	.5	15.0
112N 88+00E	1.2	22.4	7.8	80	.2	37.8	8.6	226	2.44	3.9	.3	6.5	2.2	18	.3	.5	.2	69	.22	.121	7	55	.59	75	.100	<.1	1.48	.010	.07	.1	.03	2.2	1	<.05	7	.6	15.0
112N 88+25E	1.3	40.4	5.6	89	.1	54.6	14.2	396	3.24	3.6	.4	7.3	1.8	17	.3	.6	.1	101	.30	.093	6	81	1.21	70	.169	1	1.99	.014	.09	.1	.02	2.6	1	.06	8	.5	15.0
112N 88+50E	.8	8.7	6.7	41	.2	18.9	5.3	179	.86	1.2	.2	<.5	1.4	13	.8	.2	.1	29	.19	.023	8	37	.30	37	.065	1	.58	.008	.05	.1	.01	1.1	1	<.05	4	<.5	15.0
112N 88+75E	6.1	221.3	14.7	202	3.9	243.8	28.7	2369	6.36	13.5	5.0	6.8	4.9	61	2.8	2.1	.4	144	1.32	.078	30	196	1.88	178	.119	11	4.45	.016	.32	.2	.27	12.6	4	1.1	12	4.3	7.5
112N 104+25E	2.8	23.7	16.7	300	1.6	32.5	7.1	326	2.10	4.7	.8	<.5	2.7	17	3.3	2.0	.2	173	.50	.098	7	88	1.03	51	.162	<.1	2.27	.011	.06	.4	.06	5.1	3	<.05	10	3.2	15.0
112N 104+50E	1.2	31.6	11.7	216	.8	25.6	8.9	300	2.81	4.7	.4	1.5	2.0	51	.6	.8	.3	80	.45	.162	6	40	.56	91	.116	2	2.30	.011	.13	.2	.05	3.9	1	<.05	11	1.1	15.0
112N 104+75E	2.3	32.3	16.6	172	.8	20.7	5.6	761	2.88	3.3	.5	5.2	2.0	164	.4	.6	.2	56	.37	.219	7	34	.56	208	.084	<.1	2.84	.021	.14	.2	.14	3.2	2	<.05	9	1.6	7.5
RE 112N 104+75E	2.1	32.4	15.9	174	.8	20.0	5.8	758	2.92	3.6	.5	2.8	2.0	163	.5	.5	.2	58	.37	.224	7	34	.57	198	.084	1	2.80	.021	.14	.2	.13	3.5	2	<.05	10	2.0	7.5
112N 105+00E	1.7	18.3	4.6	142	.4	19.1	9.0	729	2.93	3.0	.3	.8	1.5	39	.5	.9	.1	62	.22	.080	6	25	.89	66	.117	<.1	1.87	.011	.06	.1	.03	3.7	1	<.05	10	.9	15.0
111N 104+25E	2.9	35.8	11.0	307	1.2	78.2	11.4	434	2.70	3.5	.4	2.1	2.0	26	1.3	1.5	.2	101	.27	.066	8	71	.72	84	.101	3	2.06	.014	.08	.3	.04	2.7	2	<.05	8	1.4	15.0
111N 104+50E	2.2	29.4	7.3	207	.5	55.9	7.8	413	2.47	3.7	.3	.8	1.9	14	1.2	.9	.2	85	.19	.051	8	53	.85	65	.111	1	1.72	.009	.07	.2	.02	3.2	2	<.05	9	.9	15.0
111N 104+75E	1.6	20.5	7.1	135	1.0	33.3	7.0	427	1.99	1.6	.3	1.5	1.6	23	.4	.4	.2	72	.23	.038	7	57	.73	55	.118	1	1.51	.009	.07	.2	.04	2.9	1	<.05	8	.6	15.0
111N 105+00E	2.2	37.8	9.7	273	.5	84.1	17.2	564	3.73	4.2	.3	.7	1.9	53	.7	1.0	.2	85	.24	.148	7	78	.88	96	.104	1	2.55	.011	.10	.3	.03	2.8	2	<.05	11	.7	15.0
109N 86+00E	1.2	19.8	5.7	61	.1	24.4	7.9	222	1.81	3.8	.3	17.5	1.7	17	.4	.4	.1	54	.19	.070	7	34	.34	50	.080	1	.93	.008	.06	.1							



Guinet Management PROJECT HEN FILE # A603111



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Sample
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm
G-1	.2	1.7	2.5	45	<.1	3.6	3.9	522	2.00	<.5	2.5	.6	3.8	67	<.1	<.1	.1	37	.55	.067	7	8	.58	203	.142	2	.95	.081	.46	1<.01	2.0	.4	<.05	5	<.5	15.0	
109N 87+00E	.7	4.7	4.4	20	.2	9.4	2.8	57	1.25	1.8	.2	2.5	1.8	12	.2	.2	.1	41	.16	.077	6	23	.15	23	.046	3	.69	.004	.03	.1	.02	1.0	<.1	<.05	3	<.5	15.0
109N 87+50E	1.5	12.2	5.1	30	.2	16.8	4.1	92	2.03	2.7	.3	2.7	2.2	6	.2	.3	.1	58	.06	.014	7	27	.30	35	.088	3	.92	.005	.03	.2	.02	1.1	.1	<.05	5	.6	15.0
109N 88+00E	2.1	13.8	4.1	60	<.1	28.6	8.6	134	2.56	2.6	.3	3.9	2.2	16	.2	.3	.1	65	.14	.020	8	41	.52	38	.115	4	1.11	.007	.04	.2	.02	1.3	.1	<.05	6	.5	15.0
109N 88+50E	1.9	38.5	6.5	158	.2	64.9	16.0	228	3.96	5.0	.4	1.7	2.6	21	.4	.4	.2	86	.21	.133	8	76	.84	77	.124	3	2.27	.009	.08	.2	.03	2.4	.2	<.05	8	<.5	15.0
108N 86+00E	1.7	33.5	4.9	48	<.1	37.7	6.1	126	2.31	4.3	.4	.6	3.7	13	.2	.5	.1	48	.16	.035	10	34	.49	31	.076	2	1.18	.007	.06	.2	.01	1.6	.1	<.05	4	.5	15.0
108N 86+50E	1.7	43.6	6.1	91	.2	43.4	11.4	204	2.43	7.0	.4	12.8	2.3	19	.4	.4	.1	72	.24	.106	8	51	.66	55	.106	3	1.32	.010	.07	.1	.01	1.9	.1	<.05	6	.8	15.0
108N 87+00E	1.0	15.4	6.1	66	.2	24.2	6.9	144	2.24	3.3	.3	<.5	2.2	12	.3	.2	.1	55	.15	.095	7	36	.43	42	.075	1	1.09	.007	.05	.2	.02	1.5	.1	<.05	5	<.5	15.0
108N 88+50E	4.5	33.8	6.6	78	.2	45.2	10.7	207	3.15	4.8	.4	24.2	1.6	24	.4	.5	.2	106	.30	.031	7	64	.69	37	.136	3	1.56	.011	.06	.3	.03	1.9	.1	<.05	7	1.1	15.0
107N 86+00E	1.2	10.2	7.8	82	.2	16.2	6.3	148	2.35	4.5	.3	<.5	2.4	11	.7	.3	.2	76	.14	.134	6	34	.32	44	.110	2	.92	.005	.05	.2	.01	1.4	.1	<.05	8	.6	15.0
107N 86+50E	4.7	118.7	4.4	76	.3	108.8	18.2	280	4.96	9.4	.5	5.9	1.6	21	.3	.9	.2	180	.37	.055	5	156	1.52	51	.188	4	2.36	.012	.13	.4	.02	4.6	.2	<.05	10	.9	15.0
107N 87+00E	2.9	87.0	6.7	122	.6	94.7	19.2	452	3.28	6.1	1.1	7.8	2.2	38	.6	.7	.2	100	.48	.042	10	83	1.13	58	.131	3	1.98	.019	.09	.2	.04	3.4	.1	<.05	7	.5	15.0
107N 87+50E	.6	7.9	3.2	54	.2	94.0	14.2	215	3.66	3.6	.1	1.3	.8	37	.4	.1	.1	126	.79	.109	3	89	1.71	106	.330	3	2.04	.020	.20	<.1	.01	1.6	.2	<.05	13	<.5	15.0
107N 88+00E	3.1	115.6	9.2	153	.8	100.5	18.7	746	3.58	8.4	3.7	6.2	2.6	46	1.1	.7	.2	86	.59	.047	20	84	.82	85	.107	3	2.51	.015	.13	.2	.08	5.2	.2	<.05	7	.7	7.5
107N 88+50E	3.0	82.4	9.0	92	.6	81.2	18.1	419	2.96	7.8	1.3	6.7	2.0	33	.8	.7	.2	81	.69	.031	13	67	.80	66	.121	7	1.92	.015	.10	.2	.05	3.4	.1	<.05	7	1.0	15.0
93N 93+75E	1.7	28.2	6.3	118	.3	47.9	10.7	208	2.68	2.9	.4	4.3	2.4	14	.3	.3	.2	61	.19	.094	7	53	.55	60	.079	1	1.92	.010	.05	.2	.04	1.9	.1	<.05	7	<.5	15.0
93N 94+00E	1.5	40.4	5.4	118	.1	66.2	18.3	296	3.17	3.3	.4	2.2	2.3	20	.3	.4	.1	84	.27	.061	7	61	.75	62	.155	4	2.35	.015	.08	.2	.02	2.4	.1	<.05	8	<.5	15.0
93N 94+25E	2.1	28.9	6.2	123	.1	83.4	14.2	254	2.60	3.5	.4	2.6	2.6	18	.4	.5	.1	67	.26	.066	8	51	.74	60	.102	2	1.82	.014	.06	.2	.02	2.2	.1	<.05	6	.7	15.0
93N 94+50E	1.2	48.3	4.9	160	.2	84.3	14.6	422	2.04	1.6	.7	1.7	2.3	21	.3	.3	.1	53	.34	.023	11	54	.80	68	.102	5	1.69	.017	.06	.1	.02	3.3	.2	<.05	5	.5	15.0
93N 94+75E	2.1	34.1	7.9	221	.2	63.5	15.2	274	3.54	4.6	.4	2.3	1.8	19	.6	.5	.2	115	.22	.069	7	58	.67	62	.138	3	1.86	.014	.06	.2	.02	2.5	.1	<.05	11	.8	7.5
RE 93N 94+75E	2.5	35.8	8.1	220	.2	64.8	14.8	265	3.57	5.0	.3	.8	1.8	19	.5	.4	.2	124	.21	.064	7	55	.69	64	.132	13	1.87	.015	.07	.2	.02	2.4	.1	<.05	11	.9	7.5
93N 95+00E	1.8	36.4	8.2	168	.1	67.9	15.9	271	3.42	3.8	.4	7.7	2.0	30	.5	.4	.2	88	.31	.095	7	56	.68	95	.117	1	1.96	.015	.08	.1	.03	1.9	.1	<.05	9	<.5	15.0
93N 95+25E	1.9	94.8	8.0	215	.2	164.3	40.0	727	2.90	3.7	.7	3.4	2.9	22	.5	.7	.2	74	.35	.026	11	72	.85	92	.109	7	2.66	.015	.10	.2	.03	3.7	.3	<.05	7	.5	15.0
STANDARD DS7	19.7	113.0	74.6	401	.9	52.7	9.9	614	2.38	45.4	5.4	74.4	4.9	74	6.2	6.0	4.8	85	.91	.073	12	164	1.07	370	.134	40	.97	.074	.44	4.0	.22	2.3	4.7	.22	5	4.1	15.0

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



GEOCHEMICAL ANALYSIS CERTIFICATE



Guinet Management PROJECT HEN File # A603112 -
310 Nigel Ave, Vancouver BC V5Y 2L9 Submitted by: Vic Guinet

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
G-1	<1	2	6	46	<.3	3	4	590	2.05	<2	<8	<2	5	88	<.5	<3	<3	37	.65	.070	12	12	.61	224	.14	<3	1.21	.14	.56	<2
BY-1	2	58	6	7	<.3	37	7	90	1.84	3	<8	<2	4	37	<.5	<3	<3	24	.58	.080	17	33	.27	65	.16	<3	.60	.12	.10	<2
BY-2	1	18	<3	40	<.3	13	3	144	1.72	8	<8	<2	3	5	<.5	<3	<3	9	.36	.098	9	7	.04	27	.17	<3	.18	.05	.06	<2
BY-3	3	90	5	7	.5	15	9	271	7.33	<2	<8	<2	<2	8	<.5	4	<3	22	.15	.076	12	14	.28	46	.17	<3	.48	.01	.16	<2
STANDARD DS7	19	101	67	398	.8	51	8	641	2.39	44	<8	<2	5	76	5.8	5	4	80	.96	.073	13	161	1.07	385	.13	35	1.04	.08	.45	4

GROUP 1D - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
- SAMPLE TYPE: ROCK R150

Date 1/4 FA _____ DATE RECEIVED: JUN 26 2006 DATE REPORT MAILED: 2006-07-10 11:00 AM



ACME ANALYTICAL LABORATORIES LTD.
(ISO 9001 Accredited Co.)

852 E. HASTINGS ST. VANCOUVER BC V6A 1R6

PHONE (604) 253-3158 FAX (604) 253-1716



GEOCHEMICAL ANALYSIS CERTIFICATE



Guinet Management PROJECT HEN File # A603112
310 Nigel Ave, Vancouver BC V5Y 2L9 Submitted by: Vic Guinet

SAMPLE#	Au* ppb
G-1	.9
BY-1	1.4
BY-2	70.3
BY-3	389.7
STANDARD AU-R	448.6

AU* GROUP 3A - IGNITED, ACID LEACHED, ANALYZED BY ICP-MS. (15 gm)
- SAMPLE TYPE: ROCK R150

2006-07-13 10:00

Date *1/1* FA _____

DATE RECEIVED: JUN 26 2006 DATE REPORT MAILED:





GEOCHEMICAL ANALYSIS CERTIFICATE



Gulnet Management PROJECT HEN File # A507141

310 Nigel Ave, Vancouver BC V5Y 2L9 Submitted by: Vic Gulnet

SAMPLE#	No	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ce	P	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Au*	Sample
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppb	kg
G-1	1	<1	6	39	<.3	3	4	491	1.69	<2	<8	<2	2	50	<.5	<3	<3	33	.37	.063	6	7	.56	193	.11	<3	.81	.04	.43	<2	.6	-
DDH 95-2 30.5-31.7	1	125	5	47	<.3	66	30	567	4.71	10	<8	<2	<2	59	<.5	6	<3	160	1.03	.135	5	204	2.00	45	.16	21	1.65	.06	.52	<2	1.7	1.62
DDH 95-2 38.8-40.8	21	70	<3	1	<.3	32	10	55	1.14	12	<8	<2	4	9	<.5	<3	3	36	.60	.092	29	21	.11	24	.19	18	.14	.06	.09	<2	2.5	4.63
DDH 95-2 45.1-48.8	21	85	3	<1	<.3	31	29	64	1.05	59	<8	<2	4	8	<.5	<3	<3	21	.66	.094	26	12	.14	20	.18	130	.12	.05	.08	<2	7.4	7.50
DDH 95-2 53.5-55.5	17	207	4	<1	<.3	32	21	41	1.72	22	<8	<2	4	6	<.5	<3	<3	22	.49	.084	25	11	.08	15	.16	16	.10	.05	.07	<2	6.3	2.92
DDH 95-3 5.5-6.7	4	117	<3	5	<.3	18	17	274	2.08	4	<8	<2	2	15	<.5	<3	<3	22	.96	.084	12	21	.19	42	.16	<3	.32	.06	.09	<2	2.1	1.18
DDH 95-3 10.7-12.2	4	127	6	11	<.3	27	21	137	2.57	4	<8	<2	<2	29	<.5	<3	<3	74	.50	.100	12	32	1.03	112	.18	4	.84	.07	.31	<2	280.4	1.88
DDH 95-3 25.2-26.7	3	216	6	5	<.3	43	26	55	2.02	5	<8	<2	3	9	<.5	3	<3	25	.54	.087	6	39	.25	36	.16	4	.21	.04	.09	<2	4.1	2.68
DDH 95-3 26.7-28.3	2	133	6	8	<.3	43	21	99	2.04	11	<8	<2	3	33	<.5	3	<3	60	.65	.101	13	51	.68	62	.16	3	.63	.09	.31	<2	9.1	3.00
DDH 95-3 34.1-36.9	1	151	6	27	<.3	22	17	126	2.03	4	<8	<2	2	17	<.5	<3	<3	40	.73	.069	5	39	.61	80	.14	<3	.48	.07	.19	2	4.2	3.20
DDH 95-3 42.2-44.2	1	47	9	26	<.3	123	76	329	2.54	136	<8	<2	<2	84	<.5	5	<3	84	.81	.100	7	136	1.46	54	.17	6	1.27	.08	.36	2	25.1	3.66
DDH 95-3 49.4-50.9	18	105	9	10	<.3	20	21	190	1.39	19	<8	<2	2	11	<.5	<3	<3	79	.71	.123	15	126	.33	30	.08	<3	.27	.03	.05	2	4.4	2.76
DDH 95-3 52.3-54.3	7	162	25	48	<.3	41	25	147	2.18	4	<8	<2	2	14	<.5	<3	<3	74	.88	.162	26	78	.36	41	.12	<3	.34	.04	.09	<2	3.2	3.48
DDH 95-3 66.9-68.3	1	43	8	15	<.3	144	23	184	1.78	25	<8	<2	2	28	<.5	3	<3	36	.59	.066	6	76	1.50	62	.14	3	.90	.05	.32	2	1.8	3.90
DDH 95-3 123.0-124.5	1	115	5	13	<.3	403	49	296	4.15	7	<8	<2	<2	32	<.5	4	<3	100	.70	.067	2	222	3.42	167	.15	9	1.99	.07	1.13	<2	3.2	3.70
DDH 95-3 128.6-131.1	<1	52	4	9	<.3	269	36	315	2.98	12	<8	<2	<2	39	<.5	6	<3	90	1.05	.091	2	133	2.77	173	.18	<3	1.89	.10	.78	2	5.8	5.50
DDH 95-4 22.9-23.6	<1	18	<3	13	<.3	383	38	411	5.67	102	<8	<2	<2	42	<.5	<3	<3	138	.60	.082	5	371	4.38	204	.24	6	3.08	.07	2.22	<2	28.3	1.08
DDH 95-4 50.6-52.1	25	40	3	7	<.3	65	30	1125	5.85	5	<8	<2	<2	22	.5	6	<3	148	1.42	.097	6	165	2.27	40	.21	<3	1.98	.05	.20	<2	13.9	3.30
DDH 95-4 95.0-96.7	3	28	4	19	<.3	160	21	381	3.05	10	<8	<2	<2	61	<.5	5	<3	101	1.03	.107	4	213	1.88	31	.16	28	1.61	.07	.14	<2	6.9	4.06
DDH 95-4 111.5-112.8	1	170	31	45	<.3	62	28	253	3.06	3	<8	<2	<2	51	<.5	<3	<3	76	1.83	.143	4	31	.77	58	.23	21	1.54	.07	.18	<2	2.9	3.12
DDH 95-5 11.7-13.2	3	172	3	4	<.3	67	17	137	2.89	5	<8	<2	4	37	<.5	4	<3	118	.48	.089	14	85	1.15	63	.17	9	1.16	.12	.61	<2	10.2	2.82
DDH 95-5 13.2-14.7	2	141	6	8	<.3	156	24	264	3.59	12	<8	<2	<2	84	<.5	4	<3	123	.77	.104	7	137	1.92	86	.19	5	1.82	.14	1.01	2	6.7	3.02
DDH 95-5 19.8-22.6	2	60	<3	4	<.3	23	19	135	1.64	36	<8	<2	2	24	<.5	<3	<3	35	.43	.127	21	25	.39	70	.13	<3	.48	.08	.21	<2	3.1	4.62
DDH 95-5 36.7-38.3	2	52	5	17	<.3	34	10	244	2.64	3	<8	<2	2	44	<.5	3	<3	78	.43	.068	8	46	1.65	163	.21	4	1.59	.13	1.04	<2	3.7	2.70
DDH 95-5 38.3-39.8	2	100	12	10	<.3	54	13	190	2.78	9	<8	<2	3	50	<.5	<3	<3	95	.40	.067	9	61	1.59	102	.19	11	1.44	.11	.84	<2	5.5	2.42
DDH 95-5 64.6-65.9	2	80	<3	13	<.3	16	13	348	2.99	5	<8	<2	<2	39	<.5	<3	<3	122	2.23	.114	5	13	1.14	46	.21	15	2.03	.05	.22	<2	7.2	3.18
DDH 95-5 65.9-67.4	2	10	8	20	<.3	12	11	644	2.76	11	<8	<2	<2	44	<.5	6	<3	126	3.94	.107	12	12	1.33	44	.18	13	1.66	.05	.20	2	30.7	3.28
DDH 95-5 69.0-71.0	2	60	17	57	<.3	174	43	450	3.57	51	<8	<2	<2	43	.5	6	<3	90	1.21	.118	5	150	2.06	192	.22	12	1.72	.09	.76	<2	109.0	4.82
RE DDH 95-5 69.0-71.0	3	62	17	61	<.3	178	44	459	3.66	47	<8	<2	<2	43	.7	5	<3	93	1.22	.119	5	155	2.11	198	.23	16	1.78	.09	.78	<2	101.9	-
RRE DDH 95-5 69.0-71.0	1	64	25	59	<.3	180	47	462	3.68	50	<8	<2	<2	43	.8	5	<3	93	1.26	.120	5	150	2.13	197	.23	11	1.76	.09	.78	<2	138.5	-
DDH 95-5 77.6-79.6	1	24	<3	24	<.3	438	45	329	3.98	20	<8	<2	<2	32	<.5	3	<3	64	.90	.066	2	269	4.19	157	.15	9	2.42	.06	.96	<2	14.4	4.80
DDH 95-5 104.5-106.5	2	35	4	20	<.3	24	15	494	3.61	6	<8	<2	<2	30	<.5	3	<3	129	1.75	.137	12	16	1.33	56	.22	13	1.90	.06	.21	<2	16.0	4.68
DDH 95-5 106.5-108.5	2	99	5	17	<.3	23	18	393	3.68	4	<8	<2	<2	28	<.5	<3	<3	124	1.77	.140	12	14	1.24	87	.22	11	1.82	.05	.30	<2	36.9	4.90
DDH 95-5 108.5-110.6	3	100	25	95	<.3	18	12	343	2.52	4	<8	<2	<2	24	1.2	3	<3	94	1.50	.128	12	12	.91	57	.19	21	1.39	.05	.17	<2	161.4	4.64
STANDARD DS6/AU-R	12	123	29	141	<.3	24	12	694	2.94	22	<8	<2	3	42	6.0	4	5	60	.85	.078	15	184	.64	170	.09	16	1.91	.08	.17	3	467.5	-

GROUP 10 - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.

(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.

ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB

- SAMPLE TYPE: DRILL CORE R150 AU* IGNITED, ACID LEACHED, ANALYZED BY ICP-MS. (15 gm)

Samples beginning 'RE' are Retuns and 'RRE' are Reject Retuns.

Data FA

DATE RECEIVED: NOV 1 2005 DATE REPORT MAILED: Nov 29/05

