

**DRILL HOLE
REPORT**

BQ PROPERTY

Mineral Tenure Numbers:
510240, 510241, 510243, 510244,
528505, 530415, 530417, 530418,
531011, 531015, 531390, 531392,
531393, 531395, 531396.

Omineca Mining Division

**NORTHWESTERN
BRITISH COLUMBIA**

NTS: 93L13 /14
Latitude: 127° 33'
Longitude: 54° 57'

Owned by
Mr. David Hayward
Ms. Rebecca Brook
Mr. Maurice Fournier
Endurance Gold Corporation

Operator
ENDURANCE GOLD CORPORATION
#906, 1112 West Pender Street
Vancouver, B.C. V6E 2S1

by

John J. Watkins, P. Geo.
johnjw@shaw.ca

September 7, 2006

GEOLOGICAL SURVEY BRANCH
ASSESSMENT DIVISION

20, 0, 45



TABLE OF CONTENTS

	<u>Page</u>
SUMMARY	3
INTRODUCTION AND TERMS OF REFERENCE	5
PROPERTY DESCRIPTION AND LOCATION	5
ACCESSIBILITY, CLIMATE AND PHYSIOGRAPHY	7
PROPERTY HISTORY	7
GEOLOGICAL SETTING	8
DRILL HOLE PROGRAM	10
DISCUSSION	19
RECOMMENDATIONS	19
REFERENCES	21

LIST OF FIGURES

1. BQ property location map	5
2. BQ property claim map	6
3. Drill hole plan with significant gold intercepts	13
4. Geology section 593510E with significant Au intercepts in drill holes	14
5. Geology section 593620E with significant Au intercepts in drill holes	15
6. Geology section 593740E with significant Au intercepts in drill holes	16
7. Geology section 593830E with significant Au intercepts in drill holes	17
8. Geology section 593930E with significant Au intercepts in drill holes	18
9. Schematic model showing the relative position of the BQ property in an intrusion centered base- and precious-metal district	20

LIST OF TABLES

1. BQ property mineral claim summary	6
2. Drill hole location summary	10
3. Significant analytical results in all BQ property drill holes	11, 12

APPENDICES

1. Drill hole logs with analytical results.
2. Certificates of analytical results.
3. Quality assurance.
4. Cost statement.
5. Statement of qualifications.

SUMMARY

Endurance Gold Corporation is earning a 100% interest in the BQ property by making cash payments totalling \$70,000 and issuing 250,000 shares over a three year period. The Company has already met its \$100,000 expenditure commitment on the property, having spent to date approximately \$450,000 in direct exploration costs.

Endurance Gold Corporation recently completed an eight hole, 1,491 metre diamond drilling program on the property, designed to test for the continuation of mineralization intersected in an earlier drill hole, hole BQ-03, which returned 0.776 gpt Au over 33.05 metres. One hole (BQ-09) tested a separate and unmineralized IP anomaly.

Significant results using a cut-off grade of 0.50 g/t Au or 1.0% Zn.

Hole Number	From (m)	To (m)	Width (m)	Au Grade (g/t)
BQ-04	207.90	209.40	1.50	0.72
BQ-05	146.00	147.50	1.50	1.14
	167.60	168.30	0.70	1.38
BQ-06	21.00	21.50	0.50	0.23 and 1.94% Zn
BQ-07	18.00	20.80	2.10	3.47 and 2.64% Zn
		includes	0.60	8.43
	21.95	22.45	1.00	1.31 and 4.18% Zn
BQ-08	43.50	47.50	4.00	3.03
		Includes	1.30	7.21
	53.00	54.50	1.50	1.08
	90.00	91.00	1.00	1.09
	124.90	126.30	1.40	0.60
BQ-09	No significant results			
BQ-10	57.00	62.00	5.00	1.34
	65.00	69.5	4.50	0.92
	75.00	75.50	0.50	1.34
	80.00	81.50	1.50	0.85
	92.85	93.75	0.90	0.51
	103.20	104.20	1.00	1.99
	116.50	116.90	0.40	0.98
	120.20	121.50	1.30	0.85
BQ-11	No significant results			

The gold mineralization intersected in drill holes to date is hosted within a large zone of intense phyllic/argillic (sericite-quartz-carbonate-clay?) alteration. Heavy sulphide mineralization is in the form of veins, networks, "spots" or clots, and includes pyrite, arsenopyrite, pyrrhotite, sphalerite and chalcopyrite over a strike length of 400 metres. Gold occurs associated primarily with arsenopyrite, pyrrhotite and chalcopyrite veins and stringers, as very fine (<10 micron) grained mineralization.

The gold mineralization identified on the BQ Property is best described as sediment-hosted gold mineralization generated where steep faults have intersected receptive, permeable lithologies on the fringes of the intrusion-centered districts. The Smithers district can be viewed as an intrusion-centered mineral district with a number of porphyry Mo, Cu and Cu-Au deposits, and numerous Ag-bearing base metal vein systems and replacement deposits. At BQ altered felsic

rocks, quartz feldspar porphyry and massive rhyolite intrude the stratigraphic section and are, at least in part, fault controlled. Significant precious and base metal mineralization may be present confined to fault zones and as irregular shaped replacements in the adjoining rocks.

The geological setting of the BQ property needs to be better understood and a major exploration effort is strongly recommended.

Consideration for additional exploration work:

- A test electromagnetic survey over the mineralized area is recommended. Heavy sulphide mineralization seen in drill core responds positively to an ohm-meter test and is weakly to moderately conductive.
- The gold mineralization may be associated with magnetic pyrrhotite. A detailed, tightly spaced, magnetometer survey may help in following the gold mineralization.
- Extend the present grid base line for two kilometers east with cross lines to 100 meters at 200 meter spacing. Follow up with a soil geochemistry and geophysical surveys.
- Property scale geological mapping and rock sampling.
- A reconnaissance style soil survey over the total property area and beyond.
- Significant gold mineralization has been cut in four drill holes over a strike length of 225 metres. Additional drill holes are needed to better visualize and constrain this gold mineralization. It needs to be kept in mind that at Carlin, as at most gold camps, it takes sustained exploration to identify ore bodies.

INTRODUCTION AND TERMS OF REFERENCE

Endurance Gold Corporation cored eight diamond drill holes totalling 1,490.6 meters on the BQ property starting on June 27th, 2006. Seven of the drill holes tested for the continuation of gold mineralization identified in an earlier Endurance drilled hole (Watkins, 2006). This report describes and discusses the results of the eight hole drill program and makes recommendations for additional work.

PROPERTY DESCRIPTION AND LOCATION

The BQ property is located 650 km north-northwest of Vancouver, in west central British Columbia (Figure 1) approximately 26 km due west of the town of Smithers. Smithers is a modern community located on Highway 16 and on a main railway line.



Map Center: 54.4781N 124.7082W

Figure 1. BQ property location map.

The BQ property comprises 15 contiguous mineral claims covering 6,668.1 hectares (Table 1, Figure 2).

Table 1. BQ property mineral claim summary.

Tenure No.	Claim Name	Size (hectares)	Good To
510240	BQ1	371.6	April 6, 2008
510241	BQ2	445.7	April 6, 2008
510243	BQ1	427.1	April 6, 2008
510244	BQ4	18.5	April 6, 2008
528505		1,486.0	September 17, 2010
530415	Milagro Extension 1	297.2	March 22, 2008
530417	Milagro Extension 2	297.2	March 22, 2008
530418	Milagro Extension 3	222.9	March 22, 2008
531011	Milagro 3	445.8	April 02, 2008
531015	Milagro 7	445.8	April 02, 2008
531390		446.0	April 06, 2008
531392	Milagro 16	446.1	April 06, 2008
531393	Milagro 17	446.0	April 06, 2008
531395	Milagro 18	446.1	April 06, 2008
531396	Milagro 19	446.1	April 06, 2008




Figure 1. BQ property map at a scale of 1:109,590. True north is directed up and follows the claim boundaries.

ACCESSIBILITY, PHYSIOGRAPHY AND CLIMATE

Access onto the property is from Highway 16 and the Kitseuguecla Lake road located 25 km northwest of Smithers. Follow the Kitseuguecla Lake road to kilometre sign post 6025 which is located near the area drill tested.

Elevation on the property ranges from 670m to 1250m. The claim group is centered on a prominent east-west elongated, steep sided set of hills to 1250m elevation, The north edge of the claim group covers the lower slopes of Rocky Ridge which are jagged peaks to 2150m elevation and is the southern limit of the Rocher Deboule Range.

Climate is usually hot and sometimes dry in the summer months, with relatively pleasant winters with snow falls that can be extreme.

The BQ property straddles the height of land separating two drainages. Creeks on the eastern two-thirds of the property drain eastward, entering the Bulkley River via Trout Creek six kilometers from the properties eastern boundary. The Bulkley River is a tributary of the Skeena River. Drainage off the western one-third of the property is to the northwest via Kitseuguecla River which enters the Skeena River eighteen kilometers from the property. Lands covered by the easterly flowing drainage and lands covered by the northwest flowing drainage lie within the traditional territories of the Wet'suwet'en and the Gitksan first nations, respectively.

A number of farms cover the southern edge of the property. Most of the lower mountain slopes on the property have been logged and, in part, are covered by thick second growth. A number of areas on the property have recently been clear-cut logged.

PROPERTY HISTORY

Sphalerite mineralization was discovered on the property in 1994 by Rob Redding. In 1995 Dave McCurdy acquired the property, did some prospecting work, and allowed the ground to revert back to the Crown.

In 2003 David Hayward and Wes Brook staked the claims and added claims that make up the core claims of the BQ property.

On September 7, 2005 Endurance Gold Corporation optioned the BQ property. Endurance is earning a 100% interest in the property through making cash payments of \$70,000 and issuing 250,000 shares over a three-year period, as well as completing a minimum of \$100,000 in exploration during the same period. To date Endurance Gold has spent about \$450,000 on direct exploration cost on the BQ property. Work to date includes:

- In September of 2005 Endurance Gold carried out reconnaissance soil, stream sediment and rock sampling surveys over the BQ property (Watkins, 2005).
- In October of 2005 six reconnaissance lines totalling 3.1 kilometers were cut over the mineral showings area, 127 soil samples were collected and ground geophysical (IP/resistivity and magnetometer) surveys were run (Watkins, 2006).

- In January of 2006 a larger grid was cut, centered on the reconnaissance grid, with 100 meter spaced lines over a 1 by 2 kilometer area.
- On February 17 of 2006, four of the core mineral claims (Tenure nos. 405120, 405121, 405122, 405123) were converted from "Heritage Status" to New Claim Tenure No. 528505.
- Additional claims were added to the BQ property to include the area of influence as defined in the Endurance Gold Corporation / property vendors agreement.
- In March of 2006 three cored holes were drilled totalling 526.1 meters, and 496 core samples were submitted for assay and geochemistry (Watkins, 2006).
- Reject samples from the anomalous gold zone in hole BQ-03 were re-assayed at a second laboratory.
- A petrographic study with report (Leitch, 2006) on samples from drill hole BQ-03 and from two surface samples.
- In June of 2006 IP, resistivity, magnetometer and differential GPS surveys were run over the 1 by 2 kilometre grid.
- In July of 2006 eight cored holes were drilled totalling 1,490.6 meters from which 708 samples were submitted for gold assay and geochemistry.
- In July of 2006 reconnaissance stream silt and soil sampling traverse up Schippers Creek.

GEOLOGICAL SETTING

The BQ property is underlain by shallow dipping Skeena Group, Cretaceous age, non-marine sedimentary, by volcanic rocks of the Rocky Ridge Formation (Bassett and Kleinspehn, 1996), and intruded by hypabyssal felsic bodies.

The property is centered on a prominent set of east-west trending hills referred to here as Rhyolite Hills and shown on BC government geology maps as part of the Eocene age Nanika suite of intrusions. Two surface samples collected from the western parts of the hills are described petrographically as altered felsic hypabyssal intrusive rocks characterized by abundant Kspar-quartz in a groundmass, hosting phenocrysts of relict (sericite-carbonate altered) plagioclase and spots or xenoliths that locally contain schorlitic tourmaline (Leitch, 2006). The overall form of the hills suggests they are part of a shallow to moderate southerly dipping sill. This felsic body is probably bound at its eastern contact by a district-scale northwest directed fault that follows much of the course of Schippers Creek. Rare bedrock exposures seen south of the hills are underlain by unaltered blocky basalt flow rocks of the Rocky Ridge Formation.

The northern side of the Rhyolite Hills is steep and is probably bound by a significant, steeply dipping east-west directed fault(s). Exploration work to date has focused on a one kilometre wide corridor with rare bedrock exposures north of this fault. Here, IP surveys and drilling has identified a large sulphide-rich hydrothermally altered zone, hosted in epiclastic and volcanoclastic rocks.

Wide intervals of intense phyllic/argillic (sericite-quartz-carbonate-clay) alteration (Leitch, 2006) characterize most of the drill holes. The strongest alteration is principally associated with a network of carbonate-sulphide-sericite veinlets. Carbonate may be Fe-Mg bearing (dolomite or ankerite?, locally possibly siderite) as well as calcite, especially in the veins and surrounding sulphides. Sulphide veins and networks, or locally "spots" or clots, mainly include pyrite (locally with marcasite?), arsenopyrite, pyrrhotite, and minor chalcopyrite. Sulphosalts (possibly Pb-Sb, could be boulangerite and/or jamesonite?) are rarely noted, apparently associated with pyrrhotite and

traces of native Bi and Au (?) mostly <10 microns in size, contained within arsenopyrite. Elevated Au values seem to be most closely associated with more abundant pyrrhotite (which is strongly magnetic), arsenopyrite, chalcopyrite, chlorite and elevated As, Bi and Cu values, and less so with elevated Pb -Sb -Zn.

Numerous faults, most probably steeply dipping, disrupt the stratigraphic section. A number of these faults are east-west directed. The orientation of the stratigraphy appears to be shallow northerly dipping with a best guess strike in the area of the drill holes at about 130°.

Intruding the mineralized and altered stratigraphic section are quartz feldspar porphyry (QFP) and fine grained rhyolite stocks and/or dykes that are strongly sericite altered. There is clear evidence that these intrusions are intruding, at least in part, fault zones.

Immediately north of the property boundary, high on Rocky Ridge, Bassett and Kleinspehn (1996) describe outcrops composed of interbedded alkaline basaltic lava and pyroclastic flows with subaerial depositional features.

DRILL HOLE PROGRAM

To date 11 cored diamond drill holes totalling 2,216.7 metres have tested the BQ property (Table 2). The first three holes were drilled on the property in March of 2006 followed by eight holes totalling 1,490.6 meters were drilled from June 27 to July 12, 2006 by Driftwood Diamond Drilling Ltd of Smithers, BC. These holes, BQ-04 to -11, are the subject of this report. Seven of the holes tested the main anomaly area where an earlier drill hole, BQ-03, returned gold values (Watkins, 2006). Drill hole locations on the main anomaly area are shown in map view, Figure 3, and in cross-sectional views on figures 4 to 8. One drill hole, BQ-09, tested a separate geophysical anomaly located 800 meters northwest of the main anomaly. Drill hole logs, analytical certificates and drill hole related costs are appended.

Table 2. Location summary of all holes drilled on the BQ property.

DRILL HOLE ID	UTM LOCATION *			DIP	AZIMUTH	LENGTH
	EAST	NORTH	ELEVATION			
BQ-01**	593513	6090539	971 m	-45°	360°	178.1 m
BQ-02**	593510	6090641	980 m	-49°	360°	160.4 m
BQ-03**	593624	6090646	991 m	-49°	360°	187.4 m
BQ-04	593614	6090781	977 m	-64°	180°	236.8 m
BQ-05	593622	6090666	992 m	-50.5°	180°	194.8 m
BQ-06	593830	6090622	1003 m	-45°	180°	133.2 m
BQ-07	593830	6090622	1003 m	-64°	360°	142.3 m
BQ-08	593738	6090618	1004 m	-46°	360°	168.9 m
BQ-09	592810	6090900	975 m	-48°	180°	163.3 m
BQ-10	593614	6090736	987 m	-64.5°	180°	260.9 m
BQ-11	593930	6090701	1009 m	-50.5°	180°	193.3 m

* all drill hole collar locations surveyed using a hand held GPS unit.

** holes drilled in the earlier program.

Diamond drill core was sampled in lengths of up to 1.5 meters. The sample ID numbered tag was stapled in place at the start of each interval to be sampled and labelled with its respective start and finish depths. The core was then cut in half following a line drawn along the long axis of the core by the logging geologist. One half of the cut core remained in the core tray for future reference and the other half placed in a numbered sample bag, along with the appropriate sample tag, and securely tied shut. Individual samples were placed in labelled rice sacks, about 10 samples per sack, closed shut using cable ties and transported directly to ALS Chemex's facility in North Vancouver by Bandstra Transport Ltd. of Smithers.

A total of 722 samples were submitted to ALS Chemex of North Vancouver for geochemical analysis and gold assay. To monitor quality assurance every 50th sample in the sample sequence was a blank unmineralized sample. Repeat analysis were carried out on 13 samples in which the drill core was split into quarters and two of the quartered samples from the same interval submitted for analysis. The analytical results of blank and quartered samples are given in Appendix 3. All samples submitted to ALS Chemex were analyzed for gold by fire assay on a 30 gram sample weight, and for 34 elements using aqua regia digestion and ICPAES (inductively coupled plasma with atomic emission spectroscopy). Of the 722 samples analysed 100, or 14%, returned anomalous gold concentrations of >100 ppb Au. Twenty-seven of the 722 samples returned significant gold values of >0.50 g/t Au.


Significant drill hole intercepts are summarized in Table 3 and shown on figures 3 to 8. Intercepts are considered significant at >0.50 g/t Au or >1.0% Zn.


Table 3. Significant analytical results in BQ property drill holes calculated using a cut-off of 0.50 g/t Au or 1.0% Zn.


HOLE ID	From m	To m	Width m	Au g/t	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	As ppm	Bi ppm	Sb ppm	
BQ-01	64.80	65.50	0.70	0.025	6.6	749	1105	6.76	>10.0	204	10	569	
	128.10	128.35	0.25	0.889	3.3	1295	161	419	>10.0	>10000	271	229	
BQ-02	109.50	111.30	1.80	0.066	0.1	133	12	2.45%	3.87	2224	<2	15	
	121.00	122.00	1.00	0.003	0.5	93	10	3.31%	1.83	<5	<2	5	
	124.00	124.50	0.50	0.043	1.9	651	23	1.59%	2.16	8070	7	25	
	130.00	131.00	1.00	0.093	1.7	168	184	1.01%	2.48	6590	3	22	
	151.80	152.70	0.90	0.018	3	170	240	1.27%	2.14	1530	4	167	
BQ-03	21.00	22.00	1.00	0.916	0.5	200	30	43	4.50	>10000	31	29	
	50.00	51.00	1.00	1.145	1.9	166	191	527	3.44	9740	224	97	
	52.60	53.20	0.60	0.119	3.6	432	359	3.22%	9.82	8270	108	107	
	74.70	76.30	1.60	0.041	4.8	349	4213	7.19%	7.97	5064	11	1706	
	78.00	79.00	1.00	0.807	<0.5	348	8	41	6.62	>10000	170	41	
	81.00	82.75	1.75	1.299	<0.5	549	19	32	8.23	>8483	185	27	
	85.60	89.00	3.40	1.343	<0.5	474	11	51	7.13	>10000	209	56	
	89.70	92.35	2.65	2.62	0.5	688	10	45	>9.10	>10000	191	71	
	includes	89.70	90.25	0.55	6.79								
		92.70	95.50	2.80	1.042	0.4	570	10	41	>7.06	>10000	66	46
		96.50	97.00	0.50	1.11	1.2	1135	15	51	>10.0	>10000	127	30
		101.60	102.40	0.80	1.465	0.9	260	52	82	4.77	>10000	91	56
		103.00	105.00	2.00	0.832	<0.5	306	6	89	3.58	90	65	8
		108.00	109.00	1.00	0.823	<0.5	333	22	77	5.63	288	88	11
		109.90	110.05	0.15	0.728	0.5	737	7	56	>10.0	>10000	80	77
	143.00	143.50	0.50	0.003	2	656	18	2.65%	7.37	220	16	14	
	162.50	163.00	0.50	0.246	67.9	0	5	1.20%	7.50	>10000	49	88	
	163.45	164.00	0.55	0.001	<0.5	89	<2	1.30%	0.81	16	3	<5	
	181.50	182.00	0.50	0.001	<0.5	39	<2	1.06%	0.63	92	2	9	

Table 3 cont'd.


HOLE ID	From m	To m	Width m	Au g/t	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	As ppm	Bi ppm	Sb ppm
BQ-04	207.90	209.40	1.50	0.715	0.9	666	59	32	>10.0	9860	189	29
BQ-05	146.00	147.50	1.50	1.14	0.9	168	56	2190	1.84	4730	8	15
	167.60	168.30	0.70	1.375	22.6	1830	791	3500	>10.0	10000	171	537
BQ-06	21.00	21.50	0.50	0.234	10.2	124	2930	1.94%	5.05	10000	13	1705
BQ-07	18.70	20.80	2.10	3.466	2.9	669	63	2.64%	>10.0	>3621	20	17
includes	20.20	20.80	0.60	8.43								
	21.95	22.45	1.00	1.313	2.5	634	193	4.18%	>10.0	327	12	28
BQ-08	43.50	47.50	4.00	3.03	0.3	125	11	54	3.59	745	37	3
includes	43.50	44.80	1.30	7.21								
	53.00	54.50	1.50	1.075	0.4	223	2	47	5.26	235	48	3
	90.00	91.00	1.00	1.09	0.7	258	22	30	5.63	394	20	3
	124.90	126.30	1.40	0.598	0.2	459	59	22	10.00	2350	73	17
BQ-10	57.00	62.00	5.00	1.338	0.7	466	14	31	6.67	>10000	90	47
	65.00	69.50	4.50	0.917	0.4	361	8	57	5.36	>4947	62	11
	75.00	75.50	0.50	1.34	0.6	952	8	58	7.18	610	82	11
	80.00	81.50	1.50	0.849	0.4	409	8	46	5.16	8810	54	12
	92.85	93.75	0.90	0.505	0.4	239	26	36	4.48	>10000	166	14
	103.20	104.20	1.00	1.99	0.4	256	24	41	5.12	>10000	313	27
	116.50	116.90	0.40	0.982	0.2	969	9	18	10.00	>10000	89	33
	120.20	121.50	1.30	0.849	0.2	348	10	20	7.89	>10000	44	22









BQ PROPERTY
 Figure 5
 SECTION 593615E
 MAIN TARGET AREA
 PRIMARY LITHOLOGIES
 SIGNIFICANT AU INTERCEPTS
 Scale 1:1500 Sept 7, 2006



BQ PROPERTY
 Figure 6
 SECTION 593740E
 MAIN TARGET AREA
 PRIMARY LITHOLOGIES
 SIGNIFICANT AU INTERCEPTS
 Scale 1:1500 Sept 7, 2006





BQ PROPERTY
 Figure 8
 SECTION 593930E
 MAIN TARGET AREA
 PRIMARY LITHOLOGIES
 SIGNIFICANT AU INTERCEPTS

Scale 1:1500 Sept 7, 2006

DISCUSSION

On the BQ property we have:

- The first significant gold mineralization identified in the Smithers district, best known for its porphyry Cu, Cu-Au, Mo deposits and silver-rich base metal veins.
- The presence of a large sulphide-rich system with significant quantities of As, Sb and Bi hosted in a large and intense phyllic/argillic altered zone.
- Micron-sized gold identified.
- The presence of a permeable host lithology; conglomerate, siltstone, fossil debris.
- The presence of significant carbonate and carbonaceous-rich beds.
- Mineralization lies adjacent to high-angle faults.
- These faults contain hydrothermally altered igneous (felsic) dykes.
- The presence of a nearby, large high-level, felsic intrusion containing tourmaline.

The gold mineralization identified on the BQ property is best described as sediment-hosted gold mineralization generated where steep faults have intersected receptive, permeable lithologies on the fringes of the intrusion-centered districts. As discussed by Sillitoe and Bonham (1990) these deposits are hosted by a variety of permeable sedimentary rocks, especially thinly bedded, silty dolomites or limestones, cut by high-angle faults. Nearly all the deposits contain felsic intrusive rocks, commonly in the form of dykes and sills. Orebodies may be confined to fault zones or may be irregular shaped replacements in the adjoining rocks. The model involves the supply of gold from epizonal intrusions and is formed as distal replacement deposits. Typically, these intrusion-centered mineral districts are characterized by porphyry Cu-Mo-Au. This grades outward through Cu-Au and/or W-Mo skarns to Au- and/or Ag-bearing Zn-Pb skarns or carbonate replacements and, in the most distal parts of the district, to sediment-hosted Au deposits deficient in base metals but carrying abundant As and Sb. The Smithers area can be viewed as an intrusion-centered mineral district with a number of porphyry Mo, Cu and Cu-Au systems, and numerous Ag-bearing base metal vein systems and replacements.

A relatively large, elongate east-west, positive aeromagnetic anomaly lies immediately north of the BQ property (see BCGS webpage) and is not unlike aeromagnetic anomalies at the nearby Louise Lake Cu-Au porphyry deposit and at the Pink Pearl intrusive hosted molybdenum deposit. These positive magnetic features indicate the presence of underlying plutonic complexes.

RECOMMENDATIONS

The geological setting of the BQ property needs to be better understood and a major exploration effort is strongly recommended. The identification of gold mineralization contained within a large sulphide-rich hydrothermally altered body hosted in faulted and felsic intruded carbonate-rich sedimentary rocks demonstrates the potential for the existence of Carlin-type, sediment hosted, gold mineralization on the BQ property. The potential for the existence of such a gold system justifies additional exploration work on the BQ property.

Consideration for additional exploration work:

- A test electromagnetic survey over the mineralized area is recommended. Heavy sulphide mineralization seen in drill core responds positively to an ohm-meter test and is weakly to moderately conductive.

- The gold mineralization may be associated with magnetic pyrrhotite. A detailed, tightly spaced, magnetometer survey may help in following the gold mineralization.
- Extend the present grid base line for two kilometers east with cross lines to 100 meters at 200 meter spacing. Follow up with a soil geochemistry and geophysical surveys.
- Property scale geological mapping and rock sampling.
- A reconnaissance style soil survey over the total property area and beyond.
- Significant gold mineralization has been cut in four drill holes over a strike length of 225 metres. Additional drill holes are needed to better visualize and constrain this gold mineralization. It needs to be kept in mind that at Carlin, as at most gold camps, it takes sustained exploration to identify ore bodies.




Figure 9. Schematic model showing the relative position of the BQ property in an intrusion centered base- and precious-metal district (modified from Sillitoe and Bonham, 1990).

REFERENCES

Bassett and Kleinspehn (1996) Mid-Cretaceous transtension in the Canadian Cordillera: Evidence from the Rocky Ridge volcanics of the Skeena Group, *Tectonics*, Vol. 15, No. 4. p 727-746.

Leitch, C.H.B. (2006) Petrographic report on 18 samples from Endurance Gold property near Smithers, B.C. *prepared for* Endurance Gold Corporation *by* Vancouver Petrographics Ltd., June 4, 2006.

Sillitoe, R.H. and Bonham, H.F. (1990) Sediment-hosted gold deposits: Distal products of magmatic-hydrothermal systems, *Geology*, vol. 18, p. 157-161.

Watkins, J.J. (2005) Evaluation of the mine potential of the BQ Property, Omineca Mining Division, NTS: 93L 13 / 14, *prepared for* Endurance Gold Corporation, October 10, 2005.

Watkins, J.J. (2006a) Report on soil, IP/resistivity and magnetometer surveys, BQ Property, Omineca Mining Division, NTS: 93L 13/14, *prepared for* Endurance Gold Corporation, February 13, 2006.

Watkins, J.J. (2006b) Drill hole report BQ property, Omineca Mining Division, NTS: 93L 13 / 14, *prepared for* Endurance Gold Corporation, May 1, 2006.

Appendix 1.

Drill hole logs with analytical results

Drill Hole ID: BQ-04

Location:

UTM (NAD 83): 593614E, 6090781N, 877m elevation

Reconn grid: L-100W @ 130S

Mineral Claim Tenure No. 528505

Dip / Azimuth / Length: -64° / 180° / 236.83 m

Acid tests:

161m @ -62°

236m @ -61°

Date Started: June 28, 2006

Date Finished: June 28, 2006

Logged By: JJ Watkins, P. Geo.

Date Logged: June 27, 28 and 29, 2006

Drill Contractor: Driftwood Diamond Drilling Ltd.

Core Size: NQ

Casing: 6.10 m of casing left in hole.

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
0.00	6.10	Overburden	OB														
6.10	12.60	Strong sericite + sulphide altered siltst. Fg, light apple green, spotted thru with upto 5% sulphides as diss Sph, Aspy, (Py). Minor fine discontinuous Sph seams. No primary features evident, vfg, massive, siliceous with v strong pervasive ser. Strg to mod broken thru most at 45° to 60°. LC broken lost.	Ser sst (5)	C180001	6.10	8.50	2.40	0.002	0.40	65	15	64	0.39	2.59	781	3	4
				C180002	8.50	10.00	1.50	0.003	0.40	146	13	99	0.53	2.45	1140	3	6
				C180003	11.00	12.60	1.60	0.027	2.20	823	25	233	1.44	3.28	765	4	30
12.60	13.2	Medium green with vague clasts. Probable same unit as above, less alt'd. 10% Py as vcg patches commonly with drizzly qtz as veins to 5cm at 40° to 70°. Minor cg Aspy, (Sph). 10% vague qtz stockwork. LC grades.	Ser sst (10)	C180004	12.60	13.90	1.30		4.50	457	126	170	3.89	8.49	9410	29	33
13.20	23.60	To 13.90: primary litho?, probable contact zone to QFP. 5% Py as cg seams at 45° and ~0°. After 13.90: large feldspar megacrysts, fewer large qtz-eyes in an apple green sericite + calcite groundmass. To 18.00: <1% diss black Sph. Fractured thru at 45° -60°. Rare shear at 40°. From 23.10 to 23.60: badly broken. LC broken lost.	Ser QFP (5)	C180005	13.90	15.00	1.10	0.007	1.00	34	146	1355	0.25	4.39	222	<2	5
				C180006	15.00	16.50	1.50	0.002	0.20	24	25	500	0.07	3.45	75	<2	<2
				C180007	16.50	18.00	1.50	<0.001	<0.2	8	15	1240	0.09	3.09	36	<2	<2
23.60	26.65	CH +ser alt'd lapilli tuff with patchy & seams of Py (Sph) (Aspy). In part badly broken with minor calcite gouge. Vague FP? lapilli. Clast supported. 5% total sulphides. LC broken lost.	FP LT (5)	C180008	23.60	25.00	1.40	0.025	0.70	474	10	71	3.50	8.75	2010	28	5
				C180009	25.00	26.50	1.50	0.002	0.40	265	4	128	1.70	7.07	389	5	<2
26.65	28.00	Crushed F(Q)P Fspar phenos alt'd to clay. Badly broken thru.	Crsh'd QFP	C180010	26.50	28.00	1.50	0.001	0.30	132	3	201	0.67	5.42	80	9	<2

SAMPLE ID	From m	To m	Width m	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm
C180001	6.10	8.50	2.40	0.7	20	50	<0.5	0.06	<0.5	2	18	<10	<1	0.35	<10	0.08	389	1	0.01	4	70	1	7	<0.01	<10	<10	1	<10
C180002	8.50	10.00	1.50	0.54	20	40	<0.5	0.05	<0.5	<1	2	<10	1	0.27	<10	0.07	332	1	0.01	<1	50	1	7	<0.01	<10	<10	<1	<10
C180003	11.00	12.60	1.60	0.65	20	30	<0.5	0.09	1.6	<1	17	<10	<1	0.32	<10	0.07	623	1	0.01	1	30	1	10	<0.01	<10	<10	1	<10
C180004	12.60	13.90	1.30	0.83	10	80	<0.5	0.45	0.9	38	9	<10	<1	0.36	<10	0.37	4190	2	0.01	15	530	3	15	<0.01	<10	<10	15	<10
C180005	13.90	15.00	1.10	0.96	10	150	<0.5	1.76	7.5	6	31	<10	1	0.42	10	0.81	2900	2	0.01	14	660	4	32	<0.01	<10	<10	25	<10
C180006	15.00	16.50	1.50	0.78	10	120	<0.5	3	3.1	7	12	<10	<1	0.31	10	0.85	1385	2	0.01	15	690	4	61	<0.01	<10	<10	26	<10
C180007	16.50	18.00	1.50	0.94	10	130	0.5	3.28	8.1	7	27	<10	<1	0.35	10	0.84	1080	2	0.02	14	700	4	84	<0.01	<10	<10	27	<10
C180008	23.60	25.00	1.40	1.05	10	80	<0.5	3.6	<0.5	12	4	<10	<1	0.39	<10	0.53	1385	<1	0.03	9	1790	7	67	<0.01	<10	<10	56	<10
C180009	25.00	26.50	1.50	1.39	10	130	<0.5	4.37	<0.5	9	14	<10	1	0.47	<10	0.62	1480	1	0.04	7	1720	8	92	<0.01	<10	<10	65	<10
C180010	26.50	28.00	1.50	1.01	10	100	<0.5	2.27	0.8	3	7	<10	<1	0.25	10	0.47	1110	1	0.05	7	840	5	59	<0.01	<10	<10	36	<10

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
		No sulphides.															
		In part qtz healed.															
		LC broken at 70°?															
28.00	32.00	Chl (+ser) alt'd heterolithic lapilli tuff and lapilli tuff agglomerate	FP LT-LTA (3)	C180011	28.00	29.50	1.50	0.011	0.40	281	3	658	2.27	7.17	3760	11	4
		As before with increase in chlorite with depth, in part weakly sil healed.		C180012	28.50	30.50	1.00	0.002	0.50	418	8	112	3.30	11	188	12	<2
		3% sulphides as patchy Py with rare seams at 20°.		C180013	30.50	32.00	1.50	0.001	0.30	182	7	118	1.34	7.81	68	6	<2
		LC broken lost.															
32.00	34.60	Fault zone with calcite + clay gouge thru.	FLT														
		Badly broken with lost core.															
34.60	39.65	Chl alt'd LTA as before but with mod -strg chl thru.	Chl LTA (1)														
		Dark green with ser lapilli increasing with depth.															
		At 35.65: 10cm cc + clay gouge at ?															
		1-2% Py as patches, wk light seam at ~30°.															
		LC very gradational.															
39.65	64.95	LTA typical med grey to dark (hard) grey groundmass with lapilli + agglomerate	FP LTA (5)	C180014	45.30	46.30	1.00	0.001	0.20	184	4	85	1.38	5.78	43	2	<2
		of FP clasts alt'd weak to strg ser.		C180015	46.30	47.00	0.70	0.001	0.30	247	6	58	2.10	5.54	61	<2	2
		Weak (mod) chl groundmass.		C180016	52.90	54.30	1.40	0.003	0.20	229	3	71	1.40	5.44	1415	<2	3
		Scattered cc + qtz vnlts, some to 5cm most at 30° -40°.		C180017	54.30	55.30	1.00	0.188	0.40	246	11	91	1.69	7.78	2820	20	10
		Overall sulphides at 3-5% as cg Py patches, wispy Po most as seams at 30°-40°.		C180018	55.30	56.30	1.00	0.061	0.40	367	9	84	2.71	9.44	1770	12	5
		First Po appears at 55.80m.		C180019	56.30	57.50	1.20	0.004	<0.2	156	4	81	0.68	4.82	349	<2	<2
		Rare seams of cg Aspy at 45°.		C180020	57.50	58.70	1.20	0.018	0.30	270	5	41	2.39	6.53	5670	2	2
		Strg patchy, diss cc.		C180021	58.70	60.00	1.30	0.018	0.50	402	9	60	3.23	8.65	5400	2	8
		From 48.30 to 47.00: strg cc + qtz shear with 10% patchy Py (Po), ((Cpy)) sh'd 10-30°.		C180022	60.00	61.20	1.20	0.073	0.70	377	15	126	4.13	8.14	>10000	29	16
		LC sharp at 45°.		C180023	61.20	62.50	1.30	0.014	0.30	203	5	46	1.30	5.89	3220	<2	2
				C180024	62.50	63.50	1.00	0.016	0.20	170	6	49	1.42	6.47	1810	2	3
				C180025	63.50	64.95	1.45	0.005	0.40	146	8	658	1.14	6.48	546	<2	<2
64.95	91.25	Massive with fspar megacrysts, less qtz-eyes.	Ser QFP														
		To 72.50: apple green thru.															
		From 72.50 to 74.50: less alt'd light grey groundmass.															
		After 74.50: apple green as before.															
		After 90.00: vuggy after clay-rich fspars.															
		Scattered tight shears at 30° -40°.															
		After 90.80: 3% spots of Sph.															
		LC sharp tight shear at 30°.															
91.25	97.00	Chl -ser alt'd siltst	Chl -ser sst (15)	C180026	91.25	92.20	0.95	0.020	0.20	438	13	38	7.60	13.36	4630	51	9
		Primary textures gone.		C180027	92.20	93.20	1.00		<0.2	148	4	49	2.46	7.56	1435	17	2
		Dull apple green, mottled light to medium grey after chlorite?		C180028	93.20	94.55	1.35	0.067	<0.2	322	7	47	7.62	16	>10000	41	18
		From 91.25 to 92.20: 10 -15% sulphides as vug Aspy at top contact grading to		C180029	94.55	96.00	1.45	0.097	<0.2	330	3	54	7.23	16.9	>10000	77	28
		whispy pulled fg Py seams approaching a stockwork. This mineralization appears		C180030	96.00	97.00	1.00	0.010	<0.2	206	5	81	3.64	12	942	11	2
		to follow the QFP contact.															
		From 92.20 to 97.00: strong calcite alt'd mottled in part by a weak chlorite stockwork															
		on weak to moderate sericite. 3% fg Py (Aspy).															

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
		From 94.00 to 94.55: 30% sulphides as cg Aspy +Py in part veined over 5-10cm at 40° to 20°.															
		LC sharp at 30°.															
97.00	97.20	QFP dyke. Typical, vuggy after clay alt'd fspars.	QFP	C180031	97.00	97.80	0.80	0.007	<0.2	150	5	95	2.72	12.1	2780	8	3
		LC sharp at 80°.															
97.20	98.20	Chl -ser alt'd siltst As before. After 97.80: light shear at 20°.	Chl ser sst(40)	C180032	97.80	98.20	0.40	0.196	0.20	599	9	59	>10.0	23.5	>10000	129	35
		From 97.80 to 98.20: 40% sulphides as cg +fg Aspy, blotchy cg Py, mineralized shear at 20°.															
		LC sharp at 20°.															
98.20	101.30	QFP dyke. Typical with fspar megacrysts, fewer qtz-eyes. Mod pervasive sericite alt'd. In part vuggy after clay alt'd fspars.	Ser QFP														
		LC sharp at 85°.															
101.30	104.30	Ser -chl alt'd siltst Similar to above but with ser -sulphide stockwork.	Ser chl sst (E507)	C180033	101.30	102.50	1.20	0.019	<0.2	164	4	75	2.96	10.25	617	6	<2
		5 -7% sulphides as vfg Py +(Aspy) as a fine stockwork and seams at 30°.		C180034	102.50	103.50	1.00	0.011	<0.2	188	3	79	3.54	11.3	241	8	2
		Mod strong patchy calcite.		C180035	103.50	104.30	0.80	0.021	<0.2	289	5	78	4.83	12.7	382	23	3
		LC sharp at 30°.															
104.30	116.70	QFP dyke. Typical with fspar megacrysts, fewer qtz-eyes. Vugging after clay to 106.00.	QFP														
		From 113.00 to 116.10: moderate broken thru at 30° -60°.															
		LC broken sharp at 55°.															
116.70	123.50	Strong ser alt'd siltst 10 -15% sulphides as stockwork and seams at 30° and 60°.	Ser sst (10-15)	C180036	116.70	117.70	1.00	0.343	1.20	525	50	509	7.64	18.4	4850	81	14
		Sulphides as vfg Py.		C180037	117.70	119.00	1.30	0.033	<0.2	535	8	49	7.23	13.4	94	11	3
		Mod to strg patchy calcite.		C180038	119.00	120.50	1.50	0.048	<0.2	293	8	54	4.47	10.55	410	14	<2
		LC broken sharp at 55°.		C180039	120.50	122.00	1.50	0.011	<0.2	301	4	49	4.42	10.2	443	5	2
				C180040	122.00	123.50	1.50	0.069	0.40	553	46	51	8.40	17	1050	144	18
123.50	127.50	Dacite dyke? Light to medium grey, weak patchy ser, wk perv chl vaguely flow banded at 45°.	Dac (3)	C180041	123.50	125.00	1.50	0.056	0.80	366	79	180	7.29	12.3	253	27	19
		Possible flow.		C180042	125.00	128.00	1.00	0.007	<0.2	205	12	63	3.61	8.51	153	7	<2
		3% sulphides as diss cubic Py, rare 1-2cm patches.		C180043	128.00	127.50	1.50	0.007	<0.2	120	9	32	2.96	6.24	97	5	3
		LC broken sharp at 80°.															
127.50	131.55	Ser -sulphide alt'd pebble conglomerate. Distinct round pebbles of various lithos that includes v strong ser alt'd clasts.	Ser cong (10)	C180044	127.50	129.00	1.50	0.021	<0.2	154	4	18	3.60	5.91	861	11	<2
		Some talc clasts.		C180045	129.00	130.50	1.50	0.008	<0.2	338	7	21	6.18	10.4	392	9	<2
		Near top contact, vague, contorted argillite beds at ~40°.		C180046	130.50	131.55	1.05	0.032	<0.2	188	6	20	4.47	7.64	380	7	4
		10% sulphides as Po seams, patchy Py, trace Aspy.															

SAMPLE ID	From m	To m	Width m	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm
C180031	97.00	97.80	0.80	1.34	10	140	<0.5	2.9	<0.5	28	7	<10	<1	0.22	<10	1.1	1705	<1	0.04	8	970	12	79	<0.01	10	<10	104	<10
C180032	97.80	98.20	0.40	1.2	<10	20	<0.5	0.78	<0.5	178	6	<10	<1	0.17	<10	0.68	1045	1	0.06	18	590	9	40	<0.01	10	<10	63	<10
C180033	101.30	102.50	1.20	1.94	10	110	<0.5	4.02	<0.5	16	9	<10	<1	0.38	<10	0.91	1575	<1	0.09	11	1380	13	95	<0.01	<10	<10	122	<10
C180034	102.50	103.50	1.00	1.51	10	110	<0.5	3.8	<0.5	17	5	<10	<1	0.37	<10	0.93	1545	<1	0.05	10	1540	13	81	0.01	10	<10	122	<10
C180035	103.50	104.30	0.80	1.46	10	80	<0.5	3.76	<0.5	11	9	<10	1	0.37	<10	0.99	1460	<1	0.04	14	1270	12	88	0.01	<10	<10	112	<10
C180036	116.70	117.70	1.00	1.14	10	50	<0.5	3.37	2.1	25	10	<10	<1	0.27	<10	1.06	1605	<1	0.04	10	980	16	88	<0.01	10	<10	113	<10
C180037	117.70	119.00	1.30	1.43	<10	50	<0.5	3.88	<0.5	4	22	<10	<1	0.37	<10	0.94	973	<1	0.07	8	1310	18	91	<0.01	<10	<10	128	<10
C180038	119.00	120.50	1.50	1.13	<10	80	0.5	3.41	<0.5	10	6	<10	1	0.25	<10	0.9	1090	<1	0.1	9	1210	16	104	<0.01	<10	<10	125	<10
C180039	120.50	122.00	1.50	1.57	10	80	<0.5	3.78	<0.5	6	11	<10	1	0.31	<10	1.04	1090	<1	0.1	7	1390	13	112	<0.01	10	<10	125	<10
C180040	122.00	123.50	1.50	0.9	<10	80	<0.5	3.17	<0.5	14	3	<10	<1	0.26	<10	1.09	1320	<1	0.05	5	1030	10	83	<0.01	10	<10	83	<10
C180041	123.50	125.00	1.50	1.02	10	50	<0.5	2.85	0.7	5	19	<10	1	0.52	<10	0.81	1335	<1	0.03	9	740	9	50	<0.01	10	<10	49	<10
C180042	125.00	128.00	1.00	1	10	70	<0.5	3.19	<0.5	7	6	<10	1	0.44	<10	0.89	1075	<1	0.05	9	700	8	58	<0.01	<10	<10	53	<10
C180043	128.00	127.50	1.50	1.1	10	100	<0.5	3.75	<0.5	6	23	<10	<1	0.43	<10	0.44	887	<1	0.1	13	560	8	75	<0.01	10	<10	46	<10
C180044	127.50	129.00	1.50	0.88	<10	50	<0.5	3.14	<0.5	11	3	<10	<1	0.27	<10	0.23	456	<1	0.17	5	530	5	84	<0.01	<10	<10	22	<10
C180045	129.00	130.50	1.50	1.06	<10	40	<0.5	2.95	<0.5	8	3	<10	<1	0.36	<10	0.52	498	<1	0.11	2	500	5	66	<0.01	<10	<10	25	<10
C180046	130.50	131.55	1.05	1.33	<10	80	<0.5	3.28	<0.5	3	5	<10	<1	0.36	<10	0.35	485	1	0.17	7	750	7	78	<0.01	<10	<10	37	<10

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
		LC sharp at 60°.															
131.55	131.85	Dacite dyke?	Dac (3)														
		As before with vague banding at 60°.															
		3% diss Py.															
		LC sharp at 45°.															
131.85	138.10	Fine pebbly siltstone.	Mx'd sst, FP (5)	C180047	131.55	132.50	0.95	0.394	<0.2	123	5	34	3.18	5.75	656	25	<2
		Mixed lithos that includes scattered subround lapilli of ser alt'd FP to 3cm.		C180048	132.50	134.00	1.50	0.008	<0.2	166	5	22	4.37	8	193	5	2
		5% sulphides as irregular seams, frags (replacements), patches of vfg Py.		C180049	134.00	135.50	1.50	0.006	<0.2	153	8	23	3.34	6.77	46	14	3
		LC grades quickly.		C180051	135.50	137.00	1.50	0.004	<0.2	221	6	18	4.54	8.84	42	26	<2
				C180052R	135.50	137.00	1.50	0.003	<0.2	217	7	19	4.76	8.63	37	28	<2
				C180053	137.00	138.10	1.10	0.005	<0.2	185	8	19	4.76	8.45	60	33	<2
138.10	142.60	Ser -sulphide alt'd siltstone.	Ser sst (10)	C180054	138.10	139.50	1.40	0.005	<0.2	152	5	25	3.33	6.38	111	12	<2
		Apple green, fg uniform.		C180055	139.50	141.00	1.50	0.002	<0.2	114	6	26	2.79	5.87	73	13	<2
		Vague banding So? at 60°.		C180056	141.00	142.60	1.60	0.004	<0.2	127	8	31	2.85	5.87	227	11	<2
		Weak pervasive calcite.															
		5% calcite seams most at 60°.															
		Very weak chl stockwork.															
		LC sharp calcite shear at 80°.															
142.60	150.00	Ser -sulphide alt'd pebble conglomerate.	Ser congl (5)	C180057	142.60	144.00	1.40	0.128	0.40	508	33	503	9.64	14.8	>10000	44	10
		As before with various lithos, some v strg ser alt'd, patchy clay swelling.		C180058	144.00	145.50	1.50	0.028	<0.2	297	14	27	8.32	11.6	4730	12	5
		Strong patchy calcite.		C180059	145.50	147.00	1.50	0.010	<0.2	283	11	23	6.89	9.83	1110	18	3
		5% sulphides as patchy Py, diss Py, minor diss Aspy.		C180060	147.00	148.50	1.50	0.005	<0.2	283	10	21	4.67	8.07	597	17	4
		5% calcite veinlets.		C180061	148.50	150.00	1.50	0.009	<0.2	354	12	17	5.86	9.36	1700	87	3
		LC sharp at 40°, light shear.															
150.00	171.80	Ser -sulphide alt'd siltstone?	Ser sst (7-10)	C180062	150.00	151.50	1.50	0.004	<0.2	314	8	23	6.52	10.7	491	14	2
		Apple green to creamy grey green.		C180063	151.50	153.00	1.50	0.002	<0.2	277	6	24	6.37	9.62	29	9	<2
		Weak pervasive calcite, local strong calcite, 5% calcite veinlets.		C180064	153.00	154.00	1.00	0.060	<0.2	275	10	26	6.31	10.5	6740	78	6
		Intervals to 30 cm wide of coarser grained beds with bivalves replaced by sulphide.		C180065	154.00	155.50	1.50	0.008	<0.2	141	7	28	3.10	5.8	1420	12	<2
		7-10% sulphide primarily as Po (Py) replacing bivalves and as vrites to 2cm		C180066	155.50	157.00	1.50	0.010	<0.2	189	9	21	4.44	7.39	2760	86	3
		most at 45°, and as patchy fg Aspy.		C180067	157.00	158.00	1.00	0.023	<0.2	291	9	17	6.40	10.5	2680	10	3
		LC grades.		C180068	158.00	159.00	1.00	0.008	<0.2	348	6	14	8.01	12.75	1245	12	2
				C180069	159.00	160.50	1.50	0.023	<0.2	278	9	30	6.74	9.45	2270	51	6
				C180070	160.50	161.50	1.00	0.062	0.40	348	94	18	8.13	12	3240	847	47
				C180071	161.50	163.00	1.50	0.004	<0.2	89	4	17	1.48	3.22	249	6	<2
				C180072	163.00	164.50	1.50	0.008	<0.2	108	5	17	2.37	4.31	557	7	<2
				C180073	164.50	166.00	1.50	0.028	<0.2	55	10	35	1.20	2.81	25	2	<2
				C180074	166.00	167.50	1.50	0.005	<0.2	73	5	31	1.74	3.93	22	5	<2
				C180075	167.50	168.60	1.10	0.010	<0.2	147	3	18	3.37	6.21	112	13	4
				C180076	168.60	170.00	1.40	0.116	<0.2	200	10	70	4.97	8.53	1690	101	5
				C180077	170.00	171.00	1.00	0.011	<0.2	165	8	93	3.82	7.64	63	7	3
				C180078	171.00	171.80	0.80	0.005	<0.2	185	6	36	4.69	8.79	144	10	3
171.80	173.40	Massive sulphide as veins? to 10cm totaling 40%.	MS (40)	C180079	171.80	172.60	0.80	0.051	<0.2	496	12	30	>10.0	19	4020	35	6
		Po + fg Aspy vring at 10 -20°.		C180080	172.60	173.40	0.80	0.126	0.40	873	9	41	>10.0	33.8	>10000	56	14

SAMPLE ID	From m	To m	Width m	Al %	B ppm	Be ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	
C180125	221.00	222.50	1.50	1.02	10	60	<0.5	2.07	<0.5	5	9	<10	<1	0.5	<10	0.31	644	1	0.05	8	550	6	64	<0.01	<10	<10	26	<10	
C180126	222.50	224.00	1.50	0.99	10	120	<0.5	2.77	<0.5	1	5	<10	<1	0.48	<10	0.57	841	1	0.04	6	450	8	58	<0.01	<10	<10	30	<10	
C180127	224.00	225.45	1.45	1.12	10	70	<0.5	2.3	<0.5	16	11	<10	<1	0.54	<10	0.55	1060	2	0.05	11	660	8	54	<0.01	<10	<10	36	<10	
C180128	225.45	226.50	1.05	1.21	10	50	<0.5	2.75	1.1	19	8	<10	<1	0.66	<10	0.68	1185	2	0.03	9	770	10	39	0.01	<10	<10	46	<10	
C180129	226.50	227.35	0.85	1.28	10	30	<0.5	3.31	<0.5	10	22	<10	<1	0.66	<10	0.73	1290	2	0.03	12	630	10	43	0.01	10	<10	49	<10	
C180130	227.35	228.50	1.15	1.14	10	30	<0.5	2.79	<0.5	7	7	<10	<1	0.57	<10	0.48	1140	2	0.02	18	1380	11	42	0.01	10	<10	52	10	
C180131	228.50	230.00	1.50	1.04	10	50	<0.5	2.78	<0.5	53	17	<10	<1	0.52	<10	0.58	977	3	0.02	12	1040	7	54	0.01	10	<10	37	<10	
C180132	230.00	231.50	1.50	0.85	10	60	<0.5	2.22	<0.5	22	3	<10	<1	0.43	<10	0.55	976	3	0.02	7	630	5	41	<0.01	<10	<10	23	<10	
C180133	231.50	233.00	1.50	1	10	70	<0.5	2.85	<0.5	1	17	<10	<1	0.51	<10	0.7	1105	<1	0.04	4	470	5	52	<0.01	<10	<10	23	<10	
C180134	233.00	234.50	1.50	0.8	10	110	<0.5	3.02	<0.5	1	5	<10	<1	0.41	<10	0.75	1030	<1	0.04	6	470	6	56	<0.01	<10	<10	29	<10	
C180135	234.50	236.00	1.50	0.98	10	120	<0.5	2.87	<0.5	1	17	<10	<1	0.5	<10	0.72	1045	<1	0.05	7	470	6	53	<0.01	<10	<10	28	<10	
C180136	236.00	236.83	0.83	0.78	10	100	<0.5	3.89	<0.5	2	5	<10	<1	0.4	<10	0.88	1460	<1	0.04	5	470	5	69	<0.01	<10	<10	27	<10	

SAMPLE ID	From m	To m	Width m	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	
C180047	131.55	132.50	0.95	1.39	10	80	<0.5	3.22	<0.5	8	5	<10	<1	0.38	<10	0.31	526	1	0.18	7	550	7	80	<0.01	<10	<10	43	<10	
C180048	132.50	134.00	1.50	1	<10	70	<0.5	4.45	<0.5	5	5	<10	1	0.35	<10	0.84	798	<1	0.1	6	540	7	80	<0.01	10	<10	38	<10	
C180049	134.00	135.50	1.50	1.06	<10	80	<0.5	2.8	<0.5	4	4	<10	<1	0.41	<10	0.37	532	<1	0.1	6	650	6	65	<0.01	<10	<10	35	<10	
C180051	135.50	137.00	1.50	1.16	10	80	<0.5	2.58	<0.5	4	4	<10	1	0.47	<10	0.59	515	1	0.09	8	680	8	63	<0.01	10	<10	37	10	
C180052R	135.50	137.00	1.50	1.03	<10	50	<0.5	2.27	<0.5	5	5	<10	<1	0.41	<10	0.5	458	<1	0.09	6	640	6	57	<0.01	<10	<10	35	<10	
C180053	137.00	138.10	1.10	1.26	10	50	<0.5	2.29	<0.5	6	5	<10	<1	0.51	<10	0.54	453	1	0.08	6	650	6	67	<0.01	<10	<10	38	<10	
C180054	138.10	139.50	1.40	1.01	<10	70	<0.5	2.42	<0.5	6	8	<10	1	0.46	<10	0.47	484	<1	0.08	6	440	6	60	<0.01	<10	<10	31	<10	
C180055	139.50	141.00	1.50	1.09	<10	90	<0.5	3.08	<0.5	3	6	<10	<1	0.39	<10	0.45	552	<1	0.11	6	440	6	74	<0.01	<10	<10	33	<10	
C180056	141.00	142.80	1.80	0.95	<10	100	<0.5	3.29	<0.5	5	6	<10	<1	0.36	<10	0.46	578	<1	0.1	4	420	6	86	<0.01	<10	<10	33	<10	
C180057	142.80	144.00	1.40	1.17	<10	30	<0.5	2.81	3.4	53	2	<10	<1	0.58	<10	0.32	690	<1	0.04	4	870	7	72	0.01	<10	<10	28	<10	
C180058	144.00	145.50	1.50	1.43	10	40	<0.5	1.94	<0.5	20	3	<10	<1	0.57	<10	0.38	575	<1	0.06	3	1050	7	52	0.01	<10	<10	28	<10	
C180059	145.50	147.00	1.50	1.19	10	50	<0.5	4.43	<0.5	8	16	<10	<1	0.4	<10	0.32	606	1	0.06	3	1250	7	120	<0.01	<10	<10	28	<10	
C180060	147.00	148.50	1.50	1.15	10	80	<0.5	3.44	<0.5	9	2	<10	<1	0.34	<10	0.34	491	1	0.08	4	1470	6	91	<0.01	<10	<10	26	<10	
C180061	148.50	150.00	1.50	1.18	10	70	<0.5	2.88	<0.5	15	15	<10	<1	0.52	<10	0.31	504	1	0.08	5	1470	6	74	<0.01	<10	<10	27	<10	
C180062	150.00	151.50	1.50	0.98	<10	50	<0.5	1.92	<0.5	1	6	<10	1	0.44	<10	0.39	513	<1	0.03	6	700	8	49	<0.01	10	<10	36	<10	
C180063	151.50	153.00	1.50	1.18	10	50	<0.5	1.57	<0.5	1	18	<10	<1	0.63	<10	0.39	551	1	0.02	8	820	8	24	0.01	10	<10	40	<10	
C180064	153.00	154.00	1.00	1.08	<10	40	<0.5	2.65	<0.5	7	3	<10	<1	0.51	<10	0.34	684	1	0.07	7	640	6	44	0.01	<10	<10	30	<10	
C180065	154.00	155.50	1.50	1.16	10	70	<0.5	2.81	<0.5	6	21	<10	<1	0.48	<10	0.21	599	<1	0.09	8	510	6	60	<0.01	<10	<10	32	<10	
C180066	155.50	157.00	1.50	0.93	<10	90	<0.5	2.55	<0.5	28	6	<10	<1	0.48	<10	0.29	652	<1	0.06	9	480	8	49	<0.01	<10	<10	27	<10	
C180067	157.00	158.00	1.00	1.48	10	30	<0.5	1.83	<0.5	8	18	<10	<1	0.72	<10	0.3	574	<1	0.05	9	560	7	39	0.01	10	<10	39	<10	
C180068	158.00	159.00	1.00	1.12	<10	80	<0.5	2.09	<0.5	4	4	<10	<1	0.81	<10	0.38	631	1	0.03	6	570	7	33	0.01	<10	<10	33	<10	
C180069	159.00	160.50	1.50	1.03	10	30	<0.5	2.31	<0.5	4	16	<10	<1	0.49	<10	0.25	692	1	0.06	8	490	7	61	<0.01	<10	<10	31	<10	
C180070	160.50	161.50	1.00	1.05	10	50	<0.5	2.12	<0.5	7	3	<10	<1	0.52	<10	0.3	847	1	0.03	4	470	5	82	0.01	<10	<10	17	<10	
C180071	161.50	163.00	1.50	1.08	10	160	<0.5	3.05	<0.5	3	3	<10	1	0.56	<10	0.22	603	<1	0.05	5	350	4	51	<0.01	<10	<10	13	<10	
C180072	163.00	164.50	1.50	0.78	10	130	<0.5	3.16	<0.5	6	2	<10	1	0.36	<10	0.22	553	1	0.06	10	410	4	54	<0.01	<10	<10	10	<10	
C180073	164.50	166.00	1.50	1.02	10	180	<0.5	3.54	<0.5	2	3	<10	<1	0.43	<10	0.24	543	1	0.1	6	440	3	56	<0.01	<10	<10	12	<10	
C180074	166.00	167.50	1.50	0.91	10	140	<0.5	4.27	<0.5	2	3	<10	<1	0.35	<10	0.35	648	<1	0.1	7	450	4	69	<0.01	<10	<10	14	<10	
C180075	167.50	168.80	1.10	1.48	10	110	<0.5	4.53	<0.5	2	4	<10	<1	0.62	10	0.74	613	1	0.08	13	1540	6	68	<0.01	<10	<10	22	<10	
C180076	168.80	170.00	1.40	0.96	10	100	<0.5	3.52	0.5	10	4	<10	1	0.39	<10	0.79	616	1	0.07	13	480	7	68	<0.01	<10	<10	36	<10	
C180077	170.00	171.00	1.00	1.32	10	110	<0.5	3.07	<0.5	3	6	<10	<1	0.53	<10	0.73	665	1	0.07	15	550	8	66	<0.01	<10	<10	48	<10	
C180078	171.00	171.80	0.80	0.97	10	90	<0.5	3.47	<0.5	1	6	<10	<1	0.4	<10	0.72	692	1	0.06	11	660	7	106	<0.01	<10	<10	46	<10	
C180079	171.80	172.80	0.80	0.96	10	10	<0.5	1.96	0.7	43	3	<10	<1	0.39	<10	0.46	680	2	0.06	10	1150	7	66	<0.01	10	<10	35	<10	
C180080	172.80	173.40	0.80	0.69	<10	10	<0.5	1.86	<0.5	173	<1	<10	1	0.2	<10	0.41	673	2	0.02	13	150	4	69	<0.01	10	<10	27	<10	

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
		LC calcite shear over 5cm at 30-45°.															
173.40	177.80	Ser -sulphide -(chlorite) alt'd siltstone.	Ser (chl) sst (5)	C180081	173.40	174.50	1.10	0.007	<0.2	128	5	29	2.77	6.4	169	6	<2
		Grey apple green, irregularly mottled thru with darker grey chlorite?		C180082	174.50	175.55	1.05	0.362	<0.2	234	6	17	7.66	11.05	>10000	39	8
		Weak -(moderate) pervasive calcite.		C180083	175.55	177.00	1.45	0.010	<0.2	132	4	42	2.79	6.54	195	5	<2
		5% sulphides as patchy disseminations of Py (Po) (Aspy) and as scattered Aspy veins to 1cm at 70°.															
		LC sharp tight shear at 35°.															
177.80	178.10	Heeled shear.	Hfd sh (3)	C180084	177.00	178.10	1.10	0.173	1.00	298	381	3240	6.99	12.25	3980	33	112
		Sharp contacts at 30° and 45°.															
		Internally shear at 10-15°.															
		In part silica heeled.															
		Weak patchy calcite.															
		3% diss Py.															
		LC sharp shear at 45°.															
178.10	190.50	Ser -sulphide altered siltst?	Ser sst (15-20)	C180085	178.10	179.10	1.00	0.046	2.00	208	471	2810	5.48	9.7	3350	34	157
		Strong pervasive ser thru, dull apple green. Local strg pervasive calcite.		C180086	179.10	180.10	1.00	0.058	0.50	649	19	35	>10.0	30.3	>10000	109	19
		15% increasing to 20% sulphides with depth.		C180087	180.10	180.85	0.75	0.007	0.20	167	10	149	4.81	7.57	3430	17	3
		Sulphides as irregular diss patches of fg Aspy +fg Py that increase with depth, as		C180088	180.85	181.20	0.35	0.369	0.60	844	21	299	>10.0	36.1	>10000	208	28
		Irregular patchy Py and blotchy Po in part pseudomorphing bivalves, as Py +Po +(Aspy)		C180089	181.20	182.50	1.30	0.031	0.20	188	12	98	6.38	8.88	5820	21	8
		veins to 1cm most at 40°.		C180090	182.50	184.00	1.50	0.044	0.40	290	19	35	8.16	12.35	9660	77	5
		At 180.85: sharp tight shear at 30°.		C180091	184.00	185.50	1.50	0.067	<0.2	229	10	27	7.41	11.45	>10000	110	10
		From 180.85 to 181.20: 60% sulphides, Aspy +Py +Po at 40°.		C180092	185.50	187.00	1.50	0.451	<0.2	386	14	22	>10.0	18.4	>10000	468	18
		At 187.30: strong 2cm wide shear at 30°.		C180093	187.00	188.00	1.00	0.055	<0.2	295	11	21	8.72	13.3	>10000	228	11
		LC marked at strong shear at 30°.		C180094	188.00	189.00	1.00	0.059	<0.2	148	7	16	4.70	7.58	>10000	80	8
				C180095	189.00	189.60	0.60	0.107	<0.2	124	6	49	4.26	7.1	>10000	39	11
				C180096	189.80	190.50	0.90	0.324	0.50	393	12	16	>10.0	24.3	>10000	282	74
190.50	191.20	Complex shear.	Sh (5, 0°-10°, 30°)	C180097	190.50	191.20	0.70	0.139	0.40	171	33	137	6.71	10.95	5780	32	20
		Two shear directions evident.															
		At 0° to 10° and all x-cut by 30° tight shears.															
		5% whispy fg Py															
		LC sharp tight shear at 45°.															
191.20	192.40	Silicified shear?	Sil'd sh (10, 45°)	C180098	191.20	192.40	1.20	0.039	0.30	156	112	471	6.27	11.1	4500	19	41
		Silica heeled with vague shearing.															
		10% Py as vfg irregular seams most at 45°.															
		LC marked by 1cm fine breccia dikelet at 60°.															
192.40	198.50	Ser -(sulphide) alt'd siltst.	Ser sst (<5)	C180099	192.40	194.00	1.60	0.018	0.40	90	18	73	2.86	4.41	2340	86	15
		Dull apple green, fg, massive and uniform thru.		C180101	194.00	195.00	1.00	0.018	0.40	85	21	48	2.59	4.48	1570	100	6
		< 5% sulphides as irregular vfg patches of Py +(Aspy).		C180102	194.00	195.00	1.00	0.020	0.40	68	12	38	1.85	3.62	1700	68	6
		Weak pervasive calcite.		C180103	195.00	196.50	1.50	0.068	<0.2	78	5	13	2.81	4.48	5580	89	9
		5% calcite veinlets at 45°.		C180104	196.50	197.50	1.00	0.006	<0.2	99	6	40	3.11	4.9	363	67	3
		LC grades with increase in sulphide content.		C180105	197.50	198.50	1.00	0.017	0.90	67	356	228	1.88	4.03	1400	86	53
198.50	201.05	Ser -sulphide alt'd siltst.	Ser sst (10)	C180106	198.50	200.00	1.50	0.180	0.20	190	11	32	6.96	11.35	>10000	200	21

SAMPLE ID	From m	To m	Width m	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm
C180081	173.40	174.50	1.10	1.18	10	110	<0.5	4.18	<0.5	1	6	<10	<1	0.52	<10	0.59	777	<1	0.07	10	520	7	112	<0.01	<10	<10	38	<10
C180082	174.50	175.55	1.05	1.11	10	30	<0.5	2.78	<0.5	42	5	<10	<1	0.53	<10	0.71	678	2	0.06	10	650	6	52	<0.01	<10	<10	30	<10
C180083	175.55	177.00	1.45	1.18	10	130	<0.5	2.58	<0.5	3	6	<10	<1	0.56	<10	0.49	770	<1	0.08	11	580	7	64	<0.01	<10	<10	40	<10
C180084	177.00	178.10	1.10	1.27	10	30	<0.5	2.82	18.5	10	6	<10	<1	0.66	<10	0.78	3910	<1	0.04	11	1340	8	74	0.01	10	<10	49	<10
C180085	178.10	179.10	1.00	1.22	20	20	<0.5	1.14	15.4	3	3	<10	<1	0.66	<10	0.24	6780	1	0.03	5	1200	6	49	<0.01	<10	<10	28	<10
C180086	179.10	180.10	1.00	0.67	<10	10	<0.5	1	<0.5	15	<1	<10	<1	0.38	<10	0.19	1010	2	0.02	9	1080	4	23	<0.01	10	<10	24	<10
C180087	180.10	180.85	0.75	0.84	10	30	<0.5	2.15	1	8	3	<10	<1	0.51	<10	0.08	896	2	0.02	11	560	4	57	<0.01	<10	<10	14	<10
C180088	180.85	181.20	0.35	0.38	<10	10	<0.5	0.39	<0.5	41	<1	<10	<1	0.25	<10	0.1	673	3	0.01	11	170	4	10	<0.01	10	<10	13	<10
C180089	181.20	182.50	1.30	1.08	10	30	<0.5	2.83	<0.5	5	4	<10	<1	0.84	<10	0.09	1225	1	0.03	6	520	6	58	<0.01	10	<10	22	<10
C180090	182.50	184.00	1.50	0.84	10	20	<0.5	2.17	<0.5	12	12	<10	<1	0.53	<10	0.1	765	3	0.02	5	600	6	59	<0.01	<10	<10	22	<10
C180091	184.00	185.50	1.50	0.84	10	20	<0.5	1.95	<0.5	30	3	<10	<1	0.52	<10	0.09	713	5	0.02	10	480	6	43	<0.01	10	<10	25	<10
C180092	185.50	187.00	1.50	0.88	10	20	<0.5	2.96	<0.5	18	13	<10	<1	0.52	<10	0.15	1025	2	0.02	4	1000	4	42	<0.01	10	<10	22	<10
C180093	187.00	188.00	1.00	0.92	10	20	<0.5	2.43	<0.5	15	3	<10	<1	0.54	<10	0.12	782	3	0.02	9	940	5	41	<0.01	10	<10	18	<10
C180094	188.00	189.00	1.00	0.77	10	30	<0.5	2.86	<0.5	11	20	<10	<1	0.47	<10	0.09	717	3	0.02	7	450	5	57	<0.01	<10	<10	15	<10
C180095	189.00	189.80	0.80	0.83	10	40	<0.5	4.05	<0.5	11	4	<10	<1	0.44	<10	0.11	978	2	0.03	6	440	6	62	<0.01	<10	<10	21	<10
C180096	189.80	190.50	0.90	0.87	<10	10	<0.5	1.08	<0.5	98	24	<10	<1	0.34	<10	0.12	996	8	0.02	25	300	5	25	<0.01	10	<10	12	<10
C180097	190.50	191.20	0.70	0.91	20	20	0.8	2.03	0.7	27	4	<10	<1	0.43	<10	0.5	1485	1	0.07	10	1050	10	136	<0.01	<10	<10	41	<10
C180098	191.20	192.40	1.20	1.14	20	20	<0.5	1.56	1.7	23	20	<10	<1	0.6	<10	0.51	2220	1	0.05	13	930	11	68	<0.01	<10	<10	55	<10
C180099	192.40	194.00	1.60	0.73	10	70	<0.5	1.92	<0.5	4	4	<10	<1	0.44	<10	0.1	835	1	0.02	8	280	3	55	<0.01	<10	<10	10	<10
C180101	194.00	195.00	1.00	0.68	10	90	<0.5	2.8	<0.5	2	3	<10	<1	0.41	<10	0.18	790	2	0.02	8	280	3	67	<0.01	10	<10	10	<10
C180102	194.00	195.00	1.00	0.88	10	160	<0.5	3.01	<0.5	3	21	<10	<1	0.52	<10	0.18	836	3	0.02	7	300	3	72	<0.01	<10	<10	11	<10
C180103	195.00	196.50	1.50	0.69	10	130	<0.5	2.91	<0.5	5	3	<10	<1	0.42	<10	0.21	637	2	0.02	2	270	4	69	<0.01	<10	<10	11	<10
C180104	196.50	197.50	1.00	0.93	10	50	<0.5	2.87	<0.5	1	2	<10	<1	0.58	<10	0.22	823	1	0.02	4	280	4	66	<0.01	<10	<10	11	<10
C180105	197.50	198.50	1.00	0.82	10	140	<0.5	2.89	1.1	1	3	<10	<1	0.49	<10	0.19	3680	1	0.02	3	250	3	63	<0.01	<10	<10	11	<10
C180106	198.50	200.00	1.50	0.87	20	30	<0.5	2.46	<0.5	54	3	<10	<1	0.52	<10	0.14	723	2	0.03	10	480	7	87	<0.01	10	<10	31	<10

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
		Marked increase in sulphides to 10 -15% as vfg diss patches of Py +Aspy.		C180107	200.00	201.05	1.05	0.092	0.80	301	82	122	9.22	16.1	>10000	205	25
		Rare round clast to 5mm.															
		Weak banding (shear?) at 45°.															
		Minor remnant argillite laths.															
		Weak to local moderate pervasive calcite.															
		LC tight shear at 40°.															
201.05	203.55	Sulphides pseudomorphing brachiopod shells hosted in a cg siltst.	Shells(10-20)	C180108	201.05	202.50	1.45	0.092	1.00	261	37	280	7.39	11.95	7430	30	14
		Total sulphides at 10 -20% increasing with depth.		C180109	202.50	203.55	1.05	0.187	1.90	413	89	1155	>10.0	16.6	>10000	64	33
		Sulphide in primarily Po with minor fg Aspy.															
		Rare Po vnet at 30°.															
		Mod to local strong pervasive calcite.															
		LC sharp tight shear at 20°.															
203.55	206.00	(Ser) -silt'd -(sulphide) siltst?	(Ser) silt'd sst (5)	C180110	203.55	205.00	1.45	0.361	1.30	111	63	146	3.48	5.86	4500	57	12
		Light grey, hard, no primary textures.		C180111	205.00	206.00	1.00	0.010	0.30	83	24	49	2.04	4.47	526	12	5
		5% sulphides as irregular patches, minor seam as vfg Py.															
		No Po.															
		Local weak pervasive calcite.															
		Weakly shattered with 5% qtz-calcite filling.															
		Rare tight shear at 20°.															
		LC broken sharp at 60°.															
206.00	209.40	(Ser) -sulphide -siltified alt'd siltst.	(Ser) silt'd sst (15)	C180112	206.00	207.00	1.00	0.010	0.40	197	37	75	4.47	7.71	843	26	10
		Light grey green, hard with 10 -20% sulphides as SMS patches of fg Py + (Aspy), minor cg Py.		C180113	207.00	207.90	0.90	0.028	0.70	235	58	142	5.31	9.17	2290	80	13
		No calcite.		C180114	207.90	208.40	1.50	0.716	0.90	666	59	32	>10.0	21.4	9860	189	28
		LC sharp tight shear at 30°.															
209.40	214.00	(Ser) -(silt'd) -(sulphide) altered siltst.	(Ser silt'd) sst (<5)	C180115	209.40	211.00	1.60	0.008	<0.2	129	7	43	3.23	6.66	487	12	3
		Weak to mod pervasive sericite.		C180116	211.00	212.00	1.00	0.016	0.20	234	11	69	4.90	9.05	677	27	6
		Hard.		C180117	212.00	213.50	1.50	0.008	0.20	141	5	59	3.32	6.62	720	8	5
		Local moderate pervasive calcite.		C180118	213.50	214.80	1.30	0.007	0.30	178	22	96	4.21	8.15	481	20	7
		<5% sulphides as diss patches and brac replacement by fg Po, Py, (Aspy).															
		At 211.80: 5cm sulphide vein shear.															
		LC grades with increase in sulphide content.															
214.00	218.00	(Ser) -sulphide alt'd cg siltst.	(Ser) sst (20)	C180119	214.80	215.80	1.00	0.035	1.90	395	161	65	8.24	13.8	1230	232	44
		Medium grey green with patchy strong sericite.		C180120	215.80	216.35	0.55	0.043	2.50	660	184	33	>10.0	22.6	2580	160	67
		Vague clasts to 1 -2cm.		C180121	216.35	217.00	0.65	0.037	1.70	441	148	42	8.39	15.9	3430	116	49
		No calcite.		C180122	217.00	218.00	1.00	0.017	0.60	418	53	127	8.34	14.8	1165	36	18
		20% sulphides as primarily vfg Py +Aspy, some Po that prefers brac shells and as rare seams at 40°.															
		From 215.80 to 216.35: SMS as 60% vfg Aspy +(Py).															
		LC grades.															
218.00	225.45	Ser -(sulphide) alt'd siltst.	Ser sst (<5)	C180123	218.00	219.50	1.50	0.008	0.30	171	29	190	4.09	7.58	900	20	12
		Medium to strong pervasive sericite.		C180124	219.50	221.00	1.50	0.006	0.20	103	14	33	2.83	5.57	1200	29	5

SAMPLE ID	From m	To m	Width m	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm
C180107	200.00	201.05	1.05	0.75	10	20	<0.5	2.06	<0.5	25	2	<10	<1	0.41	<10	0.3	1275	2	0.03	11	430	6	60	<0.01	<10	<10	27	<10
C180108	201.05	202.50	1.45	0.84	10	40	<0.5	3.87	1	10	3	<10	<1	0.51	<10	0.29	2250	1	0.02	10	590	6	58	<0.01	10	<10	25	<10
C180109	202.50	203.55	1.05	0.74	<10	30	<0.5	2.58	4.9	14	1	<10	<1	0.43	<10	0.34	2760	2	0.02	25	560	7	36	<0.01	10	<10	28	<10
C180110	203.55	205.00	1.45	0.92	10	50	<0.5	2.96	0.6	8	4	<10	<1	0.56	<10	0.29	1390	1	0.02	14	690	7	65	<0.01	<10	<10	24	<10
C180111	205.00	206.00	1.00	0.84	10	110	<0.5	3.56	<0.5	4	4	<10	<1	0.48	<10	0.32	1065	1	0.03	7	420	7	103	<0.01	<10	<10	25	<10
C180112	206.00	207.00	1.00	1	10	40	<0.5	2.44	<0.5	8	3	<10	<1	0.56	<10	0.39	1245	1	0.02	5	430	6	43	<0.01	10	<10	22	<10
C180113	207.00	207.90	0.90	1.16	10	30	<0.5	2.16	0.5	3	3	<10	<1	0.61	<10	0.45	1055	1	0.03	4	430	7	37	<0.01	10	<10	29	<10
C180114	207.90	209.40	1.50	0.9	<10	20	<0.5	1.56	<0.5	4	2	<10	<1	0.45	<10	0.5	1205	2	0.02	7	580	8	28	<0.01	10	<10	33	<10
C180115	209.40	211.00	1.60	1.2	10	50	<0.5	2.31	<0.5	2	7	<10	<1	0.61	<10	0.49	1040	<1	0.03	4	530	7	45	0.01	<10	<10	39	<10
C180116	211.00	212.00	1.00	0.97	10	30	<0.5	2.01	<0.5	4	7	<10	1	0.49	<10	0.49	1045	1	0.02	6	530	8	35	<0.01	10	<10	37	<10
C180117	212.00	213.50	1.50	1.15	10	80	<0.5	2.79	<0.5	12	5	<10	<1	0.63	<10	0.45	1055	1	0.03	6	490	7	41	<0.01	<10	<10	35	<10
C180118	213.50	214.80	1.30	1.02	10	60	<0.5	2.83	<0.5	7	7	<10	<1	0.53	<10	0.6	1370	1	0.02	10	1000	9	41	<0.01	<10	<10	47	<10
C180119	214.80	215.80	1.00	1.5	10	30	<0.5	2.61	<0.5	16	10	<10	<1	0.72	<10	0.67	1370	2	0.02	14	2160	12	33	0.01	<10	<10	66	<10
C180120	215.80	216.35	0.55	1.16	10	30	<0.5	1.82	<0.5	6	8	<10	<1	0.58	<10	0.49	1365	3	0.02	18	2510	9	18	0.01	10	<10	49	<10
C180121	216.35	217.00	0.65	1.32	10	60	<0.5	2.55	<0.5	12	11	<10	<1	0.67	<10	0.69	1545	3	0.02	12	2340	11	27	0.01	<10	<10	60	<10
C180122	217.00	218.00	1.00	1.12	<10	40	<0.5	2.3	<0.5	6	9	<10	<1	0.58	<10	0.64	1315	1	0.02	14	1420	10	30	0.01	10	<10	52	<10
C180123	218.00	219.50	1.50	1.2	10	60	<0.5	3.25	0.9	9	10	<10	<1	0.62	<10	0.72	1365	2	0.02	11	1280	11	49	0.01	<10	<10	48	<10
C180124	219.50	221.00	1.50	0.9	10	50	<0.5	3.94	<0.5	3	5	<10	<1	0.5	<10	0.43	1085	1	0.03	9	570	6	74	<0.01	<10	<10	29	<10

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
		Fg massive with vague 1-2mm round clasts and brac sulphide.		C180125	221.00	222.50	1.50	0.007	0.20	92	7	53	2.98	5.21	1150	19	2
		moderate pervasive calcite.		C180128	222.50	224.00	1.50	0.005	0.20	88	3	37	2.82	5.9	112	12	2
		Rare calcite -(qtz) veining at 80°.		C180127	224.00	225.45	1.45	0.013	0.20	133	8	108	3.05	6.44	926	9	5
		At 226.60: 10cm 30% sulphides in shear at 85°.															
		LC grades quickly with increase in sulphide content.															
225.45	226.50	Ser -sulphide alt'd pebble stone.	Ser congl (30)	C180128	225.45	226.50	1.05	0.031	0.30	218	26	267	4.75	8.12	2950	23	7
		30% sulphides as irregular MS patches of fg Aspy +Py.		C180129	226.50	227.35	0.85	0.009	0.40	269	24	135	6.38	10.05	800	28	8
		Rare Po as seams at 35°.		C180130	227.35	228.50	1.15	0.009	0.30	402	13	75	9.14	15.9	1085	17	8
		LC grades quickly.															
226.50	236.83	Ser -(sulphide) alt'd siltst.	Ser sst (<5)	C180131	228.50	230.00	1.50	0.010	<0.2	150	5	48	4.18	8.12	3180	7	5
		Typical fg, fairly featureless with some cg pebble stone intervals.		C180132	230.00	231.50	1.50	0.013	<0.2	164	4	121	3.92	7.57	1440	10	5
		<5% sulphides as patchy SMS of Aspy +Py, scattered Aspy -Py seams at 30° -50°.		C180133	231.50	233.00	1.50	0.005	<0.2	103	12	70	2.61	5.63	152	9	4
		Local weak pervasive calcite.		C180134	233.00	234.50	1.50	0.004	<0.2	93	6	39	2.66	5.72	110	16	4
		Scattered calcite -(qtz) seams at 30° -80°.		C180135	234.50	236.00	1.50	0.001	<0.2	95	11	39	2.37	5.51	33	23	3
				C180136	236.00	236.83	0.83	0.002	0.40	80	19	143	2.21	5.58	199	20	6
	236.83	End of hole.															

Drill Hole ID: BQ-05

Location:

UTM (NAD 83): 593622E, 6090666N, 992m elevation

Grid: L-100W @ 245S

Mineral Claim Tenure No. 528505

Dip / Azimuth / Length: -50.5° / 360° / 194.8m

Acid tests:

88m @ -49°

161m @ -51°

Date Started: June 28, 2006

Date Finished: June 29, 2006

Logged By: JJ Watkins, P.Geol.

Date Logged: June 29, 30, July 1, 2006

Drill Contractor: Driftwood Diamond Drilling Ltd.

Core Size: NQ2

Casing: pulled from hole.

From	TO	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
0.00	12.20	Casing, overburden.	OB														
12.20	23.20	Ser -sulphide alt'd siltst.	Ser est (7-10)	C180137	12.19	13.00	0.81	0.173	0.30	227	13	46	3.91	7.34	2890	15	3
		Light creamy grey green.		C180138	13.00	14.50	1.50	0.046	0.40	245	13	133	4.27	7.84	2610	34	6
		7 -10% sulphides as irregular patches of fg Py +(Aspy), as irregular Po-rich		C180139	14.50	16.00	1.50	0.067	0.30	166	39	492	3.08	6.15	6690	10	9
		seams with vfg (Aspy), as Po open space filling with minor blotchy Cpy, and as		C180140	16.00	17.50	1.50	0.078	0.50	306	32	70	5.96	10.10	4370	5	6
		minor dias fg Aspy +Py.		C180141	17.50	18.50	1.00	0.037	0.30	466	4	25	7.92	12.50	692	10	5
		Minor weak pervasive calcite, scattered calcite vlets most at 40°.		C180142	18.50	20.00	1.50	0.066	0.30	247	10	38	4.58	8.34	6540	42	7
		LC loat		C180143	20.00	21.50	1.50	0.067	0.30	225	12	34	4.31	7.92	6870	128	16
				C180144	21.50	22.50	1.00	0.036	0.50	198	18	46	3.32	6.67	1800	10	21
				C180145	22.50	23.20	0.70	0.076	4.80	391	92	1080	5.88	10.16	8460	15	284
23.20	23.80	Fault	FLT (3, 80°)	C180146	23.20	23.80	0.60	0.086	6.00	296	952	6650	4.78	10.95	7070	57	633
		Healed breccia +gouge probably at ~60°.															
		LC broken sharp with gouge at 80°.															
23.80	24.70	Dacitic dyke or remnant less alt'd interval.	Dac (3)	C180147	23.80	24.70	0.90	0.010	0.90	167	47	186	2.61	7.88	360	2	45
		Vague banding at 60° with 3% pyritic laths.															
		Possible silicified volcanoclastic?															
		LC sharp at 60°.															
24.70	34.70	Fspar (qtz) porphyry agglomerate.	F(Q)P A (1)	C180148	24.70	25.80	1.10	0.004	0.60	63	62	454	0.97	7.08	29	3	21
		Feldspar rich clasts, some with rare qtz-eyes.		C180149	25.80	27.00	1.20	0.001	0.40	35	166	495	0.25	6.16	9	<2	38
		Light creamy grey green after ser +silica with remnant less alt'd patches		C180151	27.00	28.00	1.00	<0.001	0.30	22	295	359	0.21	6.35	4	<2	65
		decreasing with depth.		C180152	27.00	28.00	1.00	0.001	0.40	35	34	273	0.39	6.01	3	<2	16
		Total sulphide at ~1% as scattered Po patches, as dias ZnS, and as rare		C180153	28.00	29.00	1.00	0.006	1.10	52	635	2260	1.26	8.27	21	2	263
		ZnS seams to 1cm at 70° -80°.		C180154	29.00	30.00	1.00	0.001	0.20	18	34	155	0.02	6.64	9	<2	12
		Patchy silica flooding.		C180155	31.70	31.90	0.20	0.004	2.40	57	3170	7250	0.56	7.27	4	<2	1355
		Sections of fine black spotting some v hard, tourmaline?		C180156	31.90	32.70	0.80	0.001	0.60	19	888	990	0.15	7.80	<2	<2	166
		Scattered calcite -rich gouge some with ZnS at 75°.															
		At 32.80: 2cm wide qtz +cg ZnS +electrum? (dull, metallic, soft).															
		LC grades quickly.															
34.70	36.55	Ser alt'd lapilli stone.	Ser Lpst														
		Apple green with angular to subround lapilli, clast supported.															
		Unsorted with qtz -rich clasts.															

SAMPLE ID	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm
C180137	0.82	10	50	<0.5	3.11	<0.5	13	5	<10	<1	0.36	<10	0.43	718	<1	0.04	9	380	7	44	<0.01	<10	<10	32	<10
C180138	0.63	<10	40	<0.5	2.56	<0.5	14	5	<10	<1	0.27	<10	0.37	984	<1	0.04	13	350	6	42	<0.01	<10	<10	30	<10
C180139	0.72	<10	60	<0.5	2.87	1.7	22	5	<10	<1	0.37	<10	0.4	1345	<1	0.04	10	380	6	44	<0.01	<10	<10	34	<10
C180140	0.59	10	40	<0.5	1.34	<0.5	7	4	<10	<1	0.31	<10	0.44	1180	<1	0.02	5	300	6	24	<0.01	10	<10	22	<10
C180141	0.55	10	30	<0.5	3.02	<0.5	1	3	<10	<1	0.3	<10	0.49	881	<1	0.02	5	300	5	54	<0.01	<10	<10	24	<10
C180142	0.82	10	70	<0.5	2.43	<0.5	14	5	<10	<1	0.32	<10	0.46	894	<1	0.03	6	380	6	44	<0.01	<10	<10	28	<10
C180143	0.81	10	40	<0.5	2.16	<0.5	16	7	<10	<1	0.43	<10	0.55	1160	<1	0.03	7	370	7	49	<0.01	<10	<10	28	<10
C180144	0.88	10	60	<0.5	1.44	<0.5	3	5	<10	<1	0.36	<10	0.48	1165	<1	0.03	4	390	7	32	<0.01	<10	<10	29	<10
C180145	0.83	10	70	<0.5	2.89	5.4	10	3	<10	1	0.49	<10	0.68	3070	1	0.02	11	920	7	35	<0.01	<10	<10	30	<10
C180146	0.57	10	70	<0.5	0.97	39.9	80	5	<10	1	0.37	<10	0.48	16850	2	0.01	16	620	10	19	<0.01	<10	<10	29	<10
C180147	0.74	10	90	<0.5	2.64	0.7	13	4	<10	<1	0.46	<10	1.05	2320	2	0.01	23	530	7	31	<0.01	<10	<10	33	<10
C180148	0.74	10	70	<0.5	4	1.2	<1	1	<10	<1	0.4	10	1.54	2670	<1	0.02	4	1370	7	56	<0.01	<10	<10	46	<10
C180149	0.81	10	70	0.5	3.21	1.3	<1	1	<10	<1	0.42	10	1.59	2450	<1	0.01	1	1690	6	55	<0.01	<10	<10	53	<10
C180151	0.75	10	70	<0.5	3.28	0.7	2	<1	<10	1	0.37	10	1.69	4270	<1	0.01	3	1690	6	57	<0.01	<10	<10	48	<10
C180152	0.64	10	70	<0.5	3.49	0.5	1	<1	<10	1	0.32	10	1.67	2380	<1	0.01	2	1650	6	61	<0.01	<10	<10	43	<10
C180153	0.81	10	150	<0.5	2.73	10	4	2	<10	<1	0.41	<10	1.65	6280	<1	0.01	8	1910	7	69	<0.01	<10	<10	55	<10
C180154	0.71	10	70	<0.5	3.44	<0.5	3	2	<10	<1	0.26	10	1.89	2430	<1	0.01	4	2700	9	76	<0.01	<10	<10	77	<10
C180155	0.67	10	100	<0.5	3.83	39	2	1	<10	<1	0.35	10	1.87	5980	<1	0.01	7	2210	8	116	<0.01	<10	<10	61	<10
C180156	0.66	20	60	<0.5	3.08	3.2	3	1	<10	1	0.29	10	1.94	8700	<1	0.01	5	2050	9	89	<0.01	10	<10	69	<10

From	TO	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
		No sulphides.															
		No calcite.															
		Qtz -ser healed groundmass.															
		LC marked at 1cm wide qtz healed shear at 35°.															
36.55	37.85	Ser -(silica) alt'd FP agglomerate.	Ser FP A														
		As before.															
		Some clasts with fine black spotting.															
		No sulphides.															
		LC sharp tight shear at 45°.															
37.85	38.80	Silica healed sheared agglomerate.	Sil'd h'd sh'd A (5)	C180157	37.85	38.80	0.75	0.011	0.80	80	210	263	1.94	7.65	334	9	47
		Qtz -Py flooded grading to Py healed shear at 60°.															
		5% whispy vfg Py.															
		LC sharp at 60°.															
38.80	53.35	Ser alt'd FP agglomerate.	Ser FP A (Tr)														
		As before, creamy grey green with rare less alt'd remnants.															
		In part silica healed.															
		Trace sulphides with qtz -calcite vlets with minor Po, Py, ZnS.															
		Local weak chlorite in groundmass.															
		Minor local black spotting.															
		No calcite.															
		After 47.00: 5 - 10% qtz calcite vlets to 5cm at 30°.															
		LC broken against MS vn at 70°.															
53.35	97.00	Ser -sulphide alt'd FP agglomerate.	Ser FP A (10)	C180158	53.35	54.50	1.15	0.018	0.70	184	28	772	4.72	9.87	1280	44	6
		Apple green to creamy green with strong pervasive sericite + patchy sil'n.		C180159	54.50	56.00	1.50	<0.001	<0.2	40	8	62	1.11	4.34	61	<2	<2
		Strong pervasive calcite.		C180160	56.00	57.50	1.50	0.001	<0.2	45	7	34	1.22	4.40	43	<2	3
		10% sulphides as a weak stockwork of vfg Py, Po, (ZnS) decreasing with depth, a		C180161	57.50	59.00	1.50	0.002	0.20	34	12	49	1.04	4.97	57	<2	<2
		s rare veins to 1cm, ad minor fg patchy diss Py +Aspy		C180162	59.00	60.50	1.50	<0.001	<0.2	18	3	39	0.80	4.21	9	<2	<2
		Po starts after 68.00.		C180163	60.50	62.00	1.50	0.004	<0.2	12	4	35	0.40	3.70	29	<2	<2
		From 67.10 to 67.80: badly broken fault?		C180164	62.00	63.50	1.50	0.005	0.20	90	8	39	2.88	6.47	29	6	4
		LC v gradational into patchy weak ser alt'd and change from Po dominate to Py.		C180165	63.50	65.00	1.50	0.002	0.30	57	5	30	1.21	4.88	15	<2	3
				C180166	65.00	66.50	1.50	0.005	<0.2	81	4	42	2.10	6.55	286	18	<2
				C180167	66.50	68.00	1.50	0.014	0.30	54	9	27	3.28	6.46	4400	8	4
				C180168	68.00	69.50	1.50	0.001	<0.2	40	4	59	1.84	5.64	176	<2	<2
				C180169	69.50	71.00	1.50	<0.001	<0.2	31	3	60	1.30	7.20	27	<2	<2
				C180170	71.00	72.50	1.50	0.005	<0.2	54	5	67	2.30	8.85	234	<2	2
				C180171	72.50	74.00	1.50	0.003	<0.2	15	8	67	0.80	5.25	1635	<2	2
				C180172	74.00	75.50	1.50	<0.001	<0.2	18	6	52	0.87	5.93	44	<2	4
				C180173	75.50	77.00	1.50	0.002	0.20	32	4	42	1.73	5.54	96	<2	<2
				C180174	77.00	78.50	1.50	0.015	<0.2	47	7	31	2.12	6.11	1230	8	2
				C180175	78.50	80.00	1.50	0.003	0.20	70	9	36	2.94	6.86	191	5	5
				C180176	80.00	81.50	1.50	0.009	0.20	60	14	47	3.14	5.83	723	7	5
				C180177	81.50	83.00	1.50	<0.001	0.20	34	8	48	1.44	5.16	14	<2	<2

SAMPLE ID	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm
C180157	0.68	10	100	<0.5	5	<0.5	19	2	<10	<1	0.33	10	1.88	2360	1	0.02	11	1390	11	146	<0.01	<10	<10	63	<10
C180158	0.62	10	40	<0.5	6.42	3.4	14	1	<10	<1	0.3	<10	0.72	1450	<1	0.01	5	1490	7	116	<0.01	10	<10	39	<10
C180159	0.63	10	120	<0.5	6.59	<0.5	1	1	<10	<1	0.42	10	0.54	1050	<1	0.02	2	1810	7	182	<0.01	<10	<10	28	<10
C180160	0.57	10	110	<0.5	6.51	<0.5	<1	1	<10	<1	0.34	10	0.59	1005	<1	0.03	1	1970	7	198	<0.01	<10	<10	30	<10
C180161	0.62	10	130	<0.5	6.51	<0.5	2	1	<10	<1	0.37	10	0.61	1145	<1	0.03	2	2000	7	180	<0.01	<10	<10	36	<10
C180162	0.53	10	100	<0.5	6.56	<0.5	<1	1	<10	<1	0.31	10	0.56	1080	<1	0.04	1	1920	7	182	<0.01	<10	<10	37	<10
C180163	0.66	10	170	<0.5	6.85	<0.5	<1	1	<10	1	0.39	10	0.49	1010	<1	0.03	1	1980	7	196	<0.01	<10	<10	34	<10
C180164	0.55	10	120	<0.5	6.36	<0.5	5	1	<10	1	0.36	10	0.47	1050	<1	0.02	3	1800	6	220	<0.01	<10	<10	26	<10
C180165	0.69	10	150	<0.5	6.61	<0.5	2	1	<10	<1	0.42	10	0.59	1120	<1	0.03	1	1830	7	228	<0.01	<10	<10	27	<10
C180166	0.64	10	130	<0.5	5.46	<0.5	4	1	<10	1	0.35	10	0.77	1130	<1	0.03	3	1720	7	194	<0.01	<10	<10	40	<10
C180167	0.59	10	100	<0.5	6.13	<0.5	71	<1	<10	<1	0.34	10	0.52	970	<1	0.03	5	1760	7	190	<0.01	<10	<10	35	<10
C180168	0.53	10	130	<0.5	6.37	<0.5	7	1	<10	<1	0.32	10	0.61	1080	1	0.03	2	1830	7	221	<0.01	<10	<10	32	<10
C180169	0.95	10	110	<0.5	5.18	<0.5	3	1	<10	<1	0.32	10	1.05	1340	<1	0.05	4	1910	8	154	<0.01	10	<10	71	<10
C180170	0.65	10	90	<0.5	3.61	<0.5	22	1	<10	<1	0.27	10	1.06	1185	<1	0.05	5	1830	7	143	<0.01	<10	<10	87	<10
C180171	0.76	10	110	<0.5	5.86	<0.5	56	1	<10	<1	0.32	10	0.84	1315	2	0.03	2	1890	7	168	<0.01	<10	<10	55	10
C180172	0.73	10	110	<0.5	5.54	<0.5	4	1	<10	<1	0.28	10	0.91	1270	<1	0.04	1	2030	8	170	<0.01	<10	<10	68	<10
C180173	0.84	10	130	<0.5	6.2	<0.5	5	1	<10	<1	0.33	10	0.61	1095	<1	0.03	<1	1980	8	162	<0.01	<10	<10	50	<10
C180174	0.54	10	130	<0.5	5.96	<0.5	35	1	<10	<1	0.32	10	0.63	1120	<1	0.02	<1	1850	7	210	<0.01	<10	<10	31	<10
C180175	0.63	<10	80	<0.5	6.16	<0.5	11	1	<10	<1	0.32	10	0.54	1070	1	0.03	1	1830	7	178	<0.01	<10	<10	42	<10
C180176	0.55	<10	70	<0.5	5.52	<0.5	23	1	<10	<1	0.31	10	0.39	903	3	0.02	1	1810	6	153	<0.01	<10	<10	36	<10
C180177	0.74	<10	140	<0.5	6.61	<0.5	4	1	<10	1	0.33	10	0.62	1040	<1	0.03	2	2030	7	196	<0.01	<10	<10	60	<10

From	TO	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
				C180178	83.00	84.50	1.50	0.002	0.20	29	6	42	1.22	4.19	319	<2	3
				C180179	84.50	86.00	1.50	0.002	<0.2	45	7	44	1.86	6.33	37	<2	<2
				C180180	86.00	87.50	1.50	0.023	0.20	55	11	49	2.64	7.13	>10000	14	16
				C180181	87.50	89.00	1.50	0.001	0.20	78	10	71	2.46	6.48	53	<2	3
				C180182	89.00	90.50	1.50	0.009	0.20	97	18	72	1.97	6.45	322	4	4
				C180183	90.50	92.00	1.50	0.012	0.50	188	28	128	2.74	7.11	626	6	7
				C180184	92.00	93.50	1.50	0.003	<0.2	30	5	61	0.64	5.89	41	<2	5
				C180185	93.50	95.00	1.50	0.004	0.40	101	21	66	2.16	6.42	139	4	2
				C180186	95.00	96.50	1.50	0.013	0.40	88	16	423	1.90	5.22	541	<2	7
97.00	102.90	((Ser)) alt'd FP agglomerate	((Ser)) FPA (<5)	C180187	96.50	98.00	1.50	0.046	1.10	275	42	340	4.86	8.49	4570	16	22
		Relatively fresh looking with 10 -20% light grey silica flooding.		C180188	98.00	99.50	1.50	0.052	1.20	254	52	184	6.25	8.92	3460	21	25
		<5% Py + (fg -mg Aspy) primarily as irregular seams to 3cm at 30° -45°.		C180189	99.50	101.00	1.50	0.003	0.30	90	9	101	1.96	6.70	49	<2	2
		Strong patchy diss calcite.		C180190	101.00	102.50	1.50	0.003	<0.2	42	5	26	0.81	4.51	205	<2	<2
		LC grades with the reappearance of Po (no Py) and an increase in ser.		C180191	102.50	104.00	1.50	0.023	0.30	140	7	42	3.48	6.54	2740	3	<2
102.90	122.00	Ser -(sulphide) alt'd FP agglomerate.	Ser FPA (<5)	C180192	104.00	105.50	1.50	0.001	0.20	65	2	61	1.64	6.53	368	<2	2
		As before.		C180193	105.50	107.00	1.50	0.003	0.30	19	11	73	0.51	6.31	2950	7	3
		Apple green ser alt'd thru.		C180194	107.00	108.50	1.50	0.005	<0.2	6	12	73	0.14	5.27	118	<2	3
		With primary textures evident as remnant patches of dark grey FP.		C180195	108.50	110.00	1.50	0.001	<0.2	28	3	45	0.74	5.09	397	<2	<2
		<5% sulphides as primarily Po with fg Aspy that appear to follow seams most at		C180196	110.00	111.50	1.50	0.002	0.20	13	9	61	0.25	5.36	231	<2	2
		40° -50° with calcite.		C180197	111.50	113.00	1.50	0.012	0.30	12	10	100	0.83	8.73	>10000	13	7
		After 120.50: sulphide content decreases with depth.		C180198	113.00	114.50	1.50	<0.001	0.20	4	6	112	0.07	8.30	29	<2	3
		LC v gradational.		C180199	114.50	116.00	1.50	<0.001	<0.2	13	7	91	0.24	8.40	187	<2	<2
				C180201	116.00	117.00	1.00	0.003	0.30	80	10	92	1.17	9.11	327	3	5
				C180202	116.00	117.00	1.00	0.004	0.20	62	14	76	1.00	9.07	801	8	3
				C180203	117.00	118.50	1.50	0.002	0.20	127	7	47	2.85	7.47	130	5	4
				C180204	118.50	120.00	1.50	0.002	0.20	152	7	39	3.07	7.90	317	8	<2
				C180205	120.00	121.00	1.00	0.008	0.50	239	24	83	4.86	13.25	988	14	9
				C180206	121.00	122.00	1.00	0.025	2.80	373	182	62	7.33	19.20	1050	149	56
122.00	124.80	Weakly alt'd FP agglomerate, in part massive.	FPA														
		Medium -dark grey, possibly weak chl thru.															
		Vague banding at 30°.															
		No sulphides except for a 2cm Po-rich seam at 60° at 122.25.															
		Becomes darker with depth (more chl?).															
		Moderate pervasive calcite.															
		LC sharp against flow banded QFP dyke at 30° -50°.															
124.80	136.35	Ser -(chl) alt'd QFP	Ser (chl) QFP														
		Apple green, well banded contact zones over 2m at TC and 1m at LC.															
		Banded ser/chl at 30° -45°.															
		LC sharp at 45°.															
136.35	143.10	((Ser) -((chl)) -((S)) alt'd FP agglomerate.	((Ser) ((chl)) FPA (3)	C180207	136.35	137.00	0.65	0.012	0.40	241	12	39	5.55	11.05	944	<2	3
		Typical but with weak ser alt'd blocks in a medium grey chl alt'd gdmes.		C180208	137.00	138.00	1.00	<0.001	<0.2	128	2	33	2.50	7.07	81	2	2
		<3% sulphides as Po-rich veins to 5cm at 45° -70°.		C180209	138.00	139.50	1.50	0.003	0.30	277	13	47	5.06	11.05	605	9	4

From	To	DESCRIPTION	LITHO	SAMPLE	From	To	Width	Au	Ag	Cu	Pb	Zn	S	Fe	As	Bi	Sb
		Weak calcite thru gdrms, mod calcite altered blocks.		C180210	139.50	141.00	1.50	0.006	0.30	237	15	57	4.80	9.57	1160	16	8
		At 137.00: strong light shear at 35°.		C180211	141.00	142.00	1.00	0.005	0.40	220	17	114	3.80	8.32	525	21	4
		LC marked by 5cm calcite (-qtz) vring at 30°.		C180212	142.00	143.10	1.10	0.004	0.40	200	14	37	4.13	8.90	365	10	3
	149.15	((Ser)) alt'd massive fg FP.	((Ser)) FP (5)	C180213	143.10	144.50	1.40	0.015	0.40	220	20	68	3.98	9.29	758	15	3
		5% sulphides primarily as a fine Po-rich stockwork, less Py associated with calcite		C180214	146.00	146.50	1.50	0.024	0.30	96	12	84	1.62	8.95	1485	5	2
		vehicle, as rare cg Zns + calcite vrite to 1cm.		C180215	146.00	147.50	1.50	1.140	0.90	188	56	2190	1.84	9.30	4730	8	15
		At 147.30: 5cm massive Po + cg Aspy vein + (Zns) at 45°.		C180216	147.50	148.20	0.70	0.005	0.30	14	18	162	0.22	6.71	197	<2	<2
		After 146.20: crushed with 20% cg calcite stockwork.															
		LC vague.															
149.15	154.80	(Ser) alt'd FP lapill agglomerate.	(Ser) FP LA	C180217	153.20	153.40	0.20	0.006	0.30	338	12	62	6.69	16.70	281	69	7
		Moderate to strong pervasive calcite.															
		Grey green with dark (cht?) gdrms.		C180218	153.40	155.00	1.60	0.001	0.20	57	3	84	1.28	8.44	1285	6	<2
		Clast supported.															
		Rare Po-rich vein to 5cm with trace Cpy at 75°.															
		At 153.30: 5cm mav Po (Cpy) vein at 80°.															
		LC broken lost.															
154.80	157.35	(Ser - sulphide) alt'd fg QFP dyke.	Ser QFP (5)	C180219	155.00	156.50	1.50	0.004	0.20	87	8	96	1.68	10.00	1105	9	5
		Dull apple green and apple green with fine (<1mm) feldspars and qtz-eyes thru.		C180220	156.50	157.50	1.00	0.002	0.20	133	8	89	2.57	10.36	333	22	5
		Moderate pervasive calcite thru dull intervals, v weak perv calcite in apple gm intervals.															
		5% sulphides as discontinuous Py-rich seams, rare discontinuous seams to 5mm.															
		(trace Cpy).															
		LC mark at first appearance of bx dyking at 85°.															
157.35	159.80	Brocda dyke	Bx dy (5)	C180221	157.50	158.20	0.70	0.004	0.30	231	10	77	4.34	12.10	969	40	6
		Angular frags of above unit large to fine shards.		C180222	158.20	159.00	0.80	0.001	0.30	51	15	138	0.82	8.78	259	<2	<2
		Clast supported in a dark grey siliceous gdrms.		C180223	159.00	159.80	0.80	0.006	0.30	86	9	108	1.80	9.46	4730	14	3
		Very minor calcite.															
		<5% sulphides as irregular patches and vnts of Po at 25°.															
		After 159.00: grades into mottled brocda.															
		At 159.40: strong gouge shear at 40°.															
		LC broken lost.															
159.80	162.50	Massive feldspathic dyke.	Dac (2)	C180224	159.80	160.50	0.70	0.002	0.30	166	8	85	2.49	10.20	429	11	<2
		Massive, hard with <1mm fspars thru.		C180225	160.50	161.50	1.00	0.002	0.20	119	2	94	1.75	9.64	47	<2	<2
		To 160.50: apple green after ser.		C180226	161.50	162.50	1.00	<0.001	0.20	74	4	106	1.12	8.37	248	<2	<2
		After 160.50: dark green grading to light green after 162.00.															
		2% sulphides of fine Py + (ep) seams at various angles.															
		At 160.30: 5cm calcite + Py vein at 45°.															
		LC sharp light shear at 45°.															
162.50	164.90	Mottled ser - (sulphide) alt'd FP brocda.	Ser FP bx	C180227	162.50	163.30	0.80	0.016	1.10	266	39	112	4.50	13.00	>10000	30	8
		Similar to mottled bx above previous unit.		C180228	163.30	164.10	0.80	0.024	2.20	221	126	159	3.42	10.30	8050	18	17
		Apple green, hard, no calcite.		C180229	164.10	164.90	0.80	0.074	1.70	340	122	259	4.13	8.99	6500	10	7
		Becomes dark grey after 164.00.															
		At 164.00: broken shear at 60°?															

SAMPLE ID	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	
C180210	0.68	<10	90	<0.5	3.18	<0.5	12	1	<10	<1	0.4	10	0.42	1515	1	0.01	5	1300	6	46	<0.01	<10	<10	35	<10	
C180211	0.69	10	110	<0.5	3.93	<0.5	6	3	<10	<1	0.43	10	0.6	1535	1	0.01	7	1270	11	65	<0.01	<10	<10	50	<10	
C180212	0.68	10	80	<0.5	4.4	<0.5	6	<1	<10	<1	0.4	<10	0.67	1590	1	0.01	5	1560	8	66	<0.01	<10	<10	41	<10	
C180213	1.1	10	100	<0.5	4.36	<0.5	3	1	<10	<1	0.45	10	0.83	1415	1	0.01	4	1610	8	99	<0.01	<10	<10	78	<10	
C180214	2.05	<10	80	<0.5	3.73	<0.5	3	1	<10	<1	0.35	10	1.64	1455	1	0.02	1	1670	9	80	0.01	<10	<10	114	<10	
C180215	3.02	<10	60	<0.5	3.31	12.7	4	1	<10	<1	0.37	10	1.77	1725	1	0.01	2	1640	8	72	0.01	<10	<10	115	<10	
C180216	2.09	<10	60	<0.5	5.18	<0.5	8	1	<10	1	0.38	10	1.48	1930	1	0.01	2	1630	8	103	0.01	10	<10	91	<10	
C180217	1.11	10	60	<0.5	3.84	<0.5	8	4	<10	<1	0.44	<10	1.25	1175	5	0.02	16	1410	9	114	<0.01	<10	<10	73	<10	
C180218	1.33	10	80	<0.5	4	<0.5	15	6	<10	<1	0.42	<10	1.63	1270	2	0.01	6	1690	11	128	<0.01	<10	<10	92	<10	
C180219	1.32	20	90	<0.5	3.18	<0.5	15	4	<10	<1	0.4	10	2.01	1210	1	0.03	11	1470	18	138	<0.01	<10	<10	135	<10	
C180220	2.27	10	70	<0.5	2.66	<0.5	2	6	<10	<1	0.35	10	1.7	980	1	0.02	12	1480	19	104	0.01	<10	<10	169	<10	
C180221	1.39	10	50	<0.5	2.75	<0.5	6	3	<10	1	0.37	<10	1.61	982	1	0.02	12	1490	14	79	0.01	<10	<10	112	<10	
C180222	1.4	10	60	<0.5	3.1	<0.5	3	4	<10	1	0.41	10	1.96	1700	1	0.02	2	1360	14	91	0.01	<10	<10	98	<10	
C180223	0.97	10	60	<0.5	3.61	<0.5	24	3	<10	<1	0.46	<10	1.88	1720	1	0.02	5	1510	11	132	0.01	<10	<10	82	<10	
C180224	1.18	10	70	<0.5	2.72	<0.5	7	4	<10	<1	0.47	<10	1.72	1255	1	0.02	11	1320	15	90	0.01	<10	<10	117	<10	
C180225	5.15	<10	130	<0.5	4	<0.5	7	7	10	<1	1.23	10	2.3	1060	1	0.23	13	1320	23	213	0.15	<10	<10	211	<10	
C180226	5.35	<10	90	<0.5	3.81	<0.5	10	8	10	<1	0.63	10	2.25	1225	1	0.19	9	1370	21	190	0.06	<10	<10	203	<10	
C180227	1.55	<10	60	<0.5	2.07	<0.5	51	2	<10	<1	0.5	<10	1.4	1605	1	0.01	8	920	9	44	0.01	<10	<10	73	<10	
C180228	0.97	10	60	<0.5	1.9	<0.5	20	1	<10	<1	0.51	<10	0.91	1790	1	0.01	4	1230	7	41	0.01	<10	<10	41	<10	
C180229	0.75	<10	60	<0.5	0.98	1.2	15	3	<10	1	0.49	<10	0.44	1765	1	0.01	6	370	6	22	<0.01	10	<10	24	<10	

From	TO	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
164.90	167.60	Black tuff to black lapilli tuff.	FP T LT (1-2)	C180230	164.90	165.80	0.90	0.013	1.20	86	72	270	1.30	4.65	1830	6	6
		To 167.60: black (dark grey) tuff.		C180231	165.80	166.80	0.80	0.006	1.20	55	69	150	0.97	4.37	171	16	2
		After 167.60: black (dark grey) gdmss with FP lapilli and cg tuff, many with reaction rims floating in a dark grey gdmss.		C180232	166.60	167.60	1.00	0.092	3.30	72	192	613	1.14	6.57	4830	148	17
		1-2% Py as rare vnits.															
		Moderate pervasive calcite.															
		LC sharp against MS.															
167.60	168.30	SMS -MS vein	SMS vn (20-30, 30°)	C180233	167.60	168.30	0.70	1.375	22.60	1830	791	3500	>10.0	26.80	>10000	171	537
		Aspy-rich, 20-30% cg Py, 1% Cpy as irregular broken band at 30°.															
		No calcite.															
		Internal tight sulphide gouge shear at 10°.															
		LC sharp tight at 40°.															
168.30	175.10	Black lapilli tuff as above.	BIK LT	C180234	168.30	169.00	0.70	0.009	1.00	73	124	523	0.75	6.39	305	2	5
		After 174.80: black, hard with no lapilli.															
		Minor diss Py.															
		5% irregular calcite vnits.		C180235	174.60	175.10	0.50	0.013	3.30	183	100	890	2.32	6.56	562	4	39
175.10	180.10	Ser alt'd rhyolite intrusive.	Ser R (3)	C180236	175.10	176.50	1.40	0.009	0.80	14	321	1440	0.24	1.84	269	<2	66
		Apple green, fg granular with scattered fspars to 1mm.		C180237	176.50	178.00	1.50	0.017	2.80	25	293	991	0.31	1.41	1270	<2	73
		No calcite.		C180238	178.00	179.50	1.50	0.030	2.10	52	174	805	1.12	2.85	4160	3	66
		From 177.00 -177.60: shattered by 20° shear.		C180239	179.50	180.10	0.60	0.034	0.90	30	40	120	0.87	1.71	396	<2	18
		3% Py as fine vnits at 75°.															
		LC broken lost.															
180.10	181.20	Black siliceous chert? + gouge	FLT (5)														
		5% sulphides as Py-rich frags in gouge.															
		LC lost.		C180240	180.10	180.80	0.70	0.151	15.20	183	5510	>10000	6.82	7.07	777	2	2050
181.20	182.20	Lost core	LC	C180241	180.80	182.30	1.50	0.008	2.40	41	33	126	1.84	4.39	142	2	24
182.20	184.30	Black hard chert?	Blk (G) ch	C180242	182.30	183.30	1.00	0.011	0.90	63	214	1520	1.18	5.85	295	<2	35
		Moderately broken thru at 60°.		C180243	183.30	184.30	1.00	<0.001	0.20	26	<2	48	0.39	4.81	19	<2	6
		Graphitic slips, in part brecciated.															
		Scatt calcite vnits.															
		Minor diss fg Aspy.															
		LC sharp intrusive at ~ 70°.															
184.30	190.80	Ser alt'd rhyolite intrusive.	Ser R (1)	C180244	184.30	185.30	1.00	0.001	0.20	41	4	47	0.45	4.31	199	<2	8
		Fg, aphanitic, hard, light creamy grey green.		C180245	185.30	186.30	1.00	0.008	0.50	72	15	64	1.62	5.46	158	<2	16
		In part insitued shattered.		C180246	186.30	187.30	1.00	0.001	<0.2	3	<2	40	0.05	3.44	14	<2	<2
		1% sulphides as scattered mottled patches as fg Py, Aspy.		C180247	187.30	187.90	0.60	0.004	0.30	101	15	91	1.20	9.74	89	2	12
		Scattered healed shears at 70°.															
		LC sharp at 50°.															
190.80	192.70	Ser alt'd QFP.	Ser QFP														
		Light apple green with remnant dark patches.															
		Weak patchy calcite.															
		LC sharp tight calcite shear at 30°.															

SAMPLE ID	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm
C180230	0.61	10	60	<0.5	4.68	1.1	24	3	<10	<1	0.37	<10	0.44	3680	2	0.01	9	430	7	98	<0.01	10	<10	42	<10
C180231	0.96	10	70	<0.5	2.73	0.5	1	5	<10	<1	0.58	<10	0.44	1960	1	0.01	3	980	7	59	<0.01	<10	<10	46	<10
C180232	0.76	10	80	<0.5	1.88	2.7	15	5	<10	<1	0.45	<10	0.63	3330	1	0.01	7	1070	9	40	<0.01	<10	<10	55	<10
C180233	0.54	<10	<10	<0.5	1.1	19.1	6	<1	<10	2	0.28	<10	0.57	11400	2	0.01	4	1850	6	25	<0.01	<10	<10	28	<10
C180234	0.77	10	60	0.5	1.99	2.1	1	5	<10	<1	0.4	<10	0.75	2160	1	0.01	9	930	7	43	<0.01	10	<10	45	<10
C180235	0.78	10	70	0.9	0.44	3	20	2	<10	<1	0.44	<10	0.3	5120	4	0.03	7	520	6	25	<0.01	10	<10	27	<10
C180236	0.65	10	130	<0.5	0.31	7.6	1	1	<10	<1	0.46	20	0.08	5530	3	0.01	<1	180	1	13	<0.01	10	<10	1	<10
C180237	0.62	10	120	<0.5	0.23	5.3	2	1	<10	<1	0.41	20	0.07	3040	3	0.02	<1	190	1	17	<0.01	10	<10	1	<10
C180238	0.66	10	90	<0.5	0.28	4	1	1	<10	<1	0.46	10	0.09	3910	3	0.01	<1	230	1	12	<0.01	10	<10	1	<10
C180239	0.68	10	80	<0.5	0.49	0.7	1	1	<10	<1	0.47	10	0.08	1685	2	0.01	<1	190	1	14	<0.01	<10	<10	<1	<10
C180240	0.62	<10	50	0.6	0.83	72.8	25	1	<10	2	0.27	<10	0.25	7910	5	0.03	7	250	7	38	<0.01	<10	<10	28	<10
C180241	0.64	10	70	0.6	0.39	0.5	10	1	<10	<1	0.35	<10	0.24	4140	2	0.03	4	150	6	31	<0.01	<10	<10	14	<10
C180242	0.58	10	70	0.7	0.99	8.2	20	<1	<10	<1	0.3	<10	0.42	16650	4	0.04	4	200	7	47	<0.01	10	<10	17	<10
C180243	0.57	10	80	0.7	0.34	<0.5	7	1	<10	<1	0.3	<10	0.4	1685	1	0.04	2	80	5	39	<0.01	<10	<10	19	<10
C180244	0.48	10	100	0.5	0.34	<0.5	15	1	<10	<1	0.25	10	0.35	1495	2	0.04	6	40	4	32	<0.01	<10	<10	16	<10
C180245	0.57	10	60	<0.5	0.18	<0.5	22	1	<10	<1	0.28	<10	0.34	1870	1	0.04	5	50	4	26	<0.01	<10	<10	12	<10
C180246	0.52	10	60	0.5	0.16	<0.5	10	1	<10	<1	0.25	<10	0.29	944	<1	0.05	4	40	5	33	<0.01	<10	<10	12	<10
C180247	0.57	10	40	<0.5	0.89	<0.5	12	1	<10	<1	0.25	<10	0.82	3910	1	0.06	3	800	6	34	<0.01	10	<10	17	<10

From	TO	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
		No sulphides.															
192.70	194.77	Ser alt'd rhyolite intrusive.															
		As before with scatt healed shear beccia at 45°.	Ser R (1, 45°)														
	194.77	End of hole.															

SAMPLE ID	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	

Drill Hole ID:

BQ-06

Location:

UTM (NAD 83): 593830E, 6090622N, 1003m elevation

Reconn grid: L-100E @ 300S

Mineral Claim Tenure No. 528505

Dip / Azimuth / Length: -45° / 180° / 133.2 m

Acid tests:

69m @ -48°

130m @ -47°

Date Started: June 30, 2006

Date Finished: July 1, 2006

Logged By: JJ Watkins, P.Geo.

Date Logged: July 2, 2006

Drill Contractor: Driftwood Diamond Drilling Ltd.

Core Size: NQ2

Casing: pulled from hole..

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
0.00	6.10	Casing	OB														
6.10	7.10	Lost	LC														
7.10	10.40	Ser -sulphide alt'd siltst.	Ser sst (15)	C180248	7.10	8.00	0.90	0.017	0.30	180	18	54	3.94	6.76	1610	16	8
		Dull apple green, vfg uniform with ghost So at 70°.		C180249	8.00	9.00	1.00	0.003	1.20	117	61	132	2.72	5.06	169	15	5
		15% sulphides as irregular stringers of Py, as patchy diss Py +(Aspy), and		C180251	9.00	9.50	0.50	0.008	7.10	240	515	894	4.42	10.85	1455	32	18
		as rare Py replacement of shell frags.		C180252	9.00	9.50	0.50	0.009	6.90	214	495	1035	4.97	11.3	1640	34	15
		vague seams at 80° -70°.		C180253	9.50	10.40	0.90	0.025	1.30	257	55	183	4.13	9.44	1555	28	12
		LC lost.															
10.40	11.30	Lost core.	LC														
11.30	13.60	Ser -(sulphide) alt'd siltst.	Ser sst (2)	C180254	11.28	11.50	0.22	0.012	1.90	1265	53	101	>10.0	28.4	955	57	62
		As above.		C180255	11.50	13.00	1.50	0.002	0.20	103	14	41	1.62	5.5	34	8	5
		2% sulphides as Py +(Aspy) seams most at 45°, minor vfg diss Aspy.		C180256	13.00	13.80	0.80	0.001	0.50	65	8	39	1.14	5.03	18	7	3
		Weak pervasive calcite.															
		LC grades quickly into crushed rock.															
13.60	13.80	Fault	FLT (10, 30°)	C180257	13.60	13.80	0.20	0.082	2.40	123	35	369	4.47	7.65	7640	16	27
		Crushed with Py-rich gouge at 30°															
		10% Py as broken seams and diss.															
13.80	14.35	Lost core.	LC														
14.35	15.80	Ser sulphide silicified alt'd siltst.	Ser sil'd sst (5)	C180258	14.33	15.00	0.67	0.058	10.20	149	176	715	>10.0	16.8	1280	11	180
		As before, no calcite.		C180259	15.00	16.00	1.00	0.040	7.40	63	221	370	5.66	10.85	554	6	127
		To 14.80: grades from v strong ser to sil'd +(ser). 15% sulphides as x'n Py-															
		rich seams and diss decreasing with depth.															
		After 14.80: light grey (green), hard silicified, vague insitue shattered, 5%															
		irregular fg Py +(Aspy) seams.															
		After 15.50: becomes badly broken.															
15.80	18.00	Lost core.	LC														
16.00	25.20	Ser alt'd QFP	Ser QFP	C180260	16.00	17.50	1.50	0.069	1.80	29	206	5790	1.20	2.24	234	2	71
		Apple green, strong ser alt'd thru with grey spotting.		C180261	17.50	19.00	1.50	0.003	5.30	21	662	1310	0.21	2.81	466	<2	330
		Rare irregular seams of chlorite.		C180262	19.00	20.00	1.00	0.005	2.90	13	511	2180	0.21	2.39	140	<2	174
		Overall sulphides at 1% as rare fine Py most at 45°, as cracks and veins to		C180263	20.00	21.00	1.00	0.001	0.70	12	155	381	0.21	1.4	49	<2	45
		10cm of ankente? +(chl) +vfg Py with cg ZnS with trace of electrum.		C180264	21.00	21.50	0.50	0.234	10.20	124	2930	19400	5.05	11.6	>10000	13	1705

SAMPLE ID	From m	To m	Width m	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm
C180248	7.10	8.00	0.90	0.69	10	90	<0.5	3.12	<0.5	6	18	<10	<1	0.39	<10	0.38	1125	1	0.02	6	440	7	45	<0.01	<10	<10	24	<10
C180249	8.00	9.00	1.00	0.58	10	90	<0.5	2.27	0.6	1	3	<10	<1	0.35	<10	0.34	1275	1	0.01	3	470	7	33	<0.01	<10	<10	18	<10
C180251	9.00	9.50	0.50	0.63	10	80	<0.5	1.36	4	2	10	<10	<1	0.34	<10	0.74	2180	1	0.01	6	730	9	18	<0.01	<10	<10	37	<10
C180252	9.00	9.50	0.50	0.61	<10	70	<0.5	1.1	4.5	3	5	<10	<1	0.32	<10	0.67	2530	1	0.01	7	880	10	18	<0.01	10	<10	41	<10
C180253	9.50	10.40	0.90	0.59	<10	70	<0.5	2.09	0.7	13	2	<10	<1	0.31	<10	0.81	1890	1	0.01	4	520	8	19	<0.01	10	<10	31	<10
C180254	11.28	11.50	0.22	0.51	<10	20	<0.5	1.82	<0.5	5	4	<10	2	0.24	<10	0.52	1560	2	0.01	48	280	7	21	<0.01	10	<10	21	<10
C180255	11.50	13.00	1.50	0.54	10	60	<0.5	2.72	<0.5	<1	3	<10	<1	0.33	<10	0.74	1655	<1	0.01	4	480	8	31	<0.01	<10	<10	31	<10
C180256	13.00	13.60	0.60	0.58	10	60	<0.5	2.24	<0.5	<1	3	<10	<1	0.35	<10	0.62	1755	<1	0.01	3	470	8	30	<0.01	<10	<10	30	<10
C180257	13.60	13.80	0.20	0.48	10	70	<0.5	1.54	0.7	6	3	<10	<1	0.28	<10	0.5	5180	2	0.01	6	380	7	31	<0.01	10	<10	20	<10
C180258	14.33	15.00	0.67	0.52	10	10	<0.5	0.46	0.7	23	2	<10	<1	0.31	<10	0.31	16750	1	0.01	11	660	6	10	<0.01	<10	<10	18	<10
C180259	15.00	16.00	1.00	0.64	10	60	<0.5	0.58	<0.5	13	11	<10	<1	0.4	<10	0.4	21100	1	0.01	8	510	7	12	<0.01	10	<10	23	<10
C180260	16.00	17.50	1.50	0.45	<10	100	<0.5	0.35	34.9	1	1	<10	<1	0.32	10	0.13	5010	2	0.01	<1	210	1	10	<0.01	<10	<10	1	<10
C180261	17.50	19.00	1.50	0.42	10	80	<0.5	0.4	3.9	3	1	<10	<1	0.28	10	0.2	10600	2	0.01	2	230	1	12	<0.01	<10	<10	1	<10
C180262	19.00	20.00	1.00	0.53	10	100	<0.5	0.31	7.4	2	18	<10	<1	0.34	10	0.14	10500	3	0.01	3	240	1	11	<0.01	<10	<10	1	<10
C180263	20.00	21.00	1.00	0.46	10	120	<0.5	1.06	1.6	1	1	<10	<1	0.3	20	0.18	3470	4	0.01	<1	250	1	24	<0.01	<10	<10	1	<10
C180264	21.00	21.50	0.50	0.35	<10	60	<0.5	0.67	83.7	7	<1	<10	4	0.24	<10	0.28	49700	2	0.01	2	150	1	12	<0.01	10	10	1	10

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
		At 21.10: 10cm ank vn at 70°.		C180265	21.50	22.50	1.00	0.001	1.50	18	388	1236	0.23	1.41	70	<2	90
		At 21.40: 5cm ank vn at 60°.		C180266	22.50	23.00	0.50	0.031	1.70	33	248	4810	1.90	2.48	303	<2	83
		LC sharp intrusive at -60°.		C180267	23.00	24.00	1.00	0.034	2.20	20	846	323	0.57	1.55	384	4	150
				C180268	24.00	25.20	1.20	<0.001	<0.2	10	34	76	0.15	1.38	72	<2	13
25.20	29.90	(Ser) sulphide alt'd siltst.	(Ser) sst (5)	C180269	25.20	26.00	0.80	0.001	0.30	120	21	69	4.38	9.38	144	<2	24
		To 25.30: Ser (carb) banded at 60° with 10% blotchy Py.		C180270	26.00	27.30	1.30	0.070	2.20	176	210	2370	5.60	12.2	2260	6	52
		From 25.30 to 27.30: mottled with patchy strong ser +cg Py, and Py replaced shell debris.		C180271	27.30	28.80	1.50	0.005	0.80	128	32	92	3.10	9.83	489	<2	21
		Total sulphides at 5%.		C180272	28.80	29.90	1.10	0.001	0.40	127	18	68	3.51	10.1	73	<2	12
		At 27.30: 3cm cg Py +(ZnS) +(calc) at 30°.															
		After 27.30: total sulph at 1% as rare mottled fg Py patches, as rare Py shell debris.															
		vague So at 70°.															
		LC broken, lost.															
29.90	30.80	Broken ser alt'd rhyolite dyke.	Bkn R dy (3)	C180273	29.90	30.80	0.90	0.006	0.60	49	60	147	1.29	9.3	275	<2	17
		Fg, dull apple green with mottled strong ser on amygdules?															
		V weakly shattered with calc filling.															
		3% wispy fg Py.															
		LC lost.															
30.80	31.15	Fault	FLT (30°)	C180274	30.80	31.30	0.50	0.168	13.90	138	912	1720	8.57	13.2	>10000	7	293
		Partly lost.															
		Broken Py +ank veined with gouge at 30°.															
		LC knife sharp with gouge.															
31.15	38.80	Fg -mg (ser) (sulph) alt'd siltst.	(ser) sst (<5)	C180275	31.30	32.50	1.20	0.033	1.20	175	26	66	6.84	12.05	5180	6	35
		Fg with defineablr cg intervals.		C180276	32.50	33.50	1.00	0.014	0.50	123	15	671	4.21	7.98	3380	2	19
		With intervals to 50cm of much shell debris.		C180277	33.50	34.50	1.00	0.011	1.40	126	24	219	2.97	6.03	2680	6	21
		V weak calc alt'd to 33.00.		C180278	34.50	35.50	1.00	0.004	2.00	249	75	277	5.08	8.89	370	38	41
		After 35.00: grades quickly to v weak calc alt'd.		C180279	35.50	36.80	1.30	0.025	1.00	181	41	144	3.52	7.32	3750	19	18
		Total sulph content at <5% as Py shell debris, as Py patches and rare broken veins to 1cm at 80°.															
		At 34.20: 20cm with 20% Py +ser +ank.															
		LC grades quickly.															
36.80	41.00	Ser -sulph -ank alt'd siltst	Ser sst (15)	C180280	36.80	37.80	1.00	0.015	1.70	444	57	492	6.17	13.3	1310	23	19
		Fg -mg siltst.		C180281	37.80	38.80	1.00	0.025	3.60	518	204	303	7.76	16.5	7330	134	56
		15% Py as mottled patches and pseudo -banding at 45° with ank, and irregular patchy (shell replacement intervals over 30cm.		C180282	38.80	39.80	1.00	0.032	2.30	510	112	674	6.93	15.8	9330	67	34
		Trace Cpy.		C180283	39.80	41.00	1.20	0.025	2.80	722	102	158	>10.0	19.5	>10000	52	33
		Minor fg Aspy toward LC															
		LC vague.															
41.00	46.10	Silicified -sulph -ser alt'd FP lapilli tuff.	Sil'd ser FP LT (15)	C180284	41.00	42.00	1.00	0.024	2.20	582	64	200	9.36	16.6	>10000	26	26
		Differs from above with sil'd intervals and large lapilli of ser alt'd FP.		C180285	42.00	43.00	1.00	0.012	4.40	723	136	119	9.22	18.3	2390	48	33
		No calcite.		C180286	43.00	44.00	1.00	0.013	2.90	397	66	226	6.43	11.55	2890	29	30

SAMPLE ID	From m	To m	Width m	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	
C180265	21.50	22.50	1.00	0.55	10	110	<0.5	1.52	6.2	1	21	<10	<1	0.35	20	0.25	3120	3	0.01	2	280	1	25	<0.01	<10	<10	2	<10	
C180266	22.50	23.00	0.50	0.45	<10	90	<0.5	1.36	26.1	3	2	<10	<1	0.32	10	0.23	2390	3	0.01	1	270	1	21	<0.01	<10	<10	2	<10	
C180267	23.00	24.00	1.00	0.54	10	120	<0.5	1.4	1.4	3	2	<10	<1	0.34	10	0.24	2190	4	0.01	1	310	1	27	<0.01	<10	<10	2	<10	
C180268	24.00	25.20	1.20	0.51	10	80	<0.5	1.3	<0.5	2	17	<10	<1	0.32	20	0.29	1010	3	0.01	1	250	2	26	<0.01	<10	<10	3	<10	
C180269	25.20	26.00	0.80	0.69	10	70	<0.5	1.41	<0.5	21	6	<10	<1	0.44	<10	0.61	1450	1	0.01	19	800	10	25	<0.01	<10	<10	42	<10	
C180270	26.00	27.30	1.30	0.71	10	60	<0.5	1.95	12.4	26	6	<10	1	0.38	<10	0.81	3080	1	0.02	13	670	9	29	<0.01	<10	<10	44	<10	
C180271	27.30	28.80	1.50	0.79	10	90	<0.5	2.23	<0.5	26	13	<10	<1	0.48	<10	0.99	2320	1	0.01	10	520	10	23	<0.01	<10	<10	58	<10	
C180272	28.80	29.90	1.10	0.64	10	70	<0.5	1.95	<0.5	29	6	<10	1	0.4	<10	0.93	1805	1	0.01	13	460	8	23	<0.01	10	<10	44	<10	
C180273	29.90	30.80	0.90	0.77	20	70	<0.5	2.13	<0.5	9	4	<10	<1	0.41	<10	1.2	2700	1	0.01	6	1080	8	35	<0.01	<10	<10	43	<10	
C180274	30.80	31.30	0.50	0.79	10	10	<0.5	1.35	5.9	74	5	<10	2	0.43	<10	0.58	7580	1	0.01	7	1240	7	39	<0.01	<10	<10	34	<10	
C180275	31.30	32.50	1.20	0.57	10	20	<0.5	0.56	<0.5	38	5	<10	<1	0.37	<10	0.33	1900	1	0.01	17	790	9	12	<0.01	<10	<10	27	<10	
C180276	32.50	33.50	1.00	0.55	10	70	<0.5	5.06	2.9	28	3	<10	1	0.37	<10	0.31	2620	1	0.01	11	530	7	49	<0.01	<10	<10	18	<10	
C180277	33.50	34.50	1.00	0.65	10	80	<0.5	4.67	1	21	8	<10	<1	0.44	<10	0.23	2020	1	0.01	12	900	6	53	<0.01	<10	<10	17	<10	
C180278	34.50	35.50	1.00	0.54	10	60	<0.5	4.65	0.9	4	3	<10	1	0.39	<10	0.31	2410	1	0.01	9	500	6	41	<0.01	<10	<10	18	<10	
C180279	35.50	36.80	1.30	0.56	10	60	<0.5	2.07	0.7	18	2	<10	<1	0.39	<10	0.31	1885	1	0.01	7	500	7	29	<0.01	<10	<10	16	<10	
C180280	36.80	37.80	1.00	0.64	10	40	<0.5	0.78	2.4	6	10	<10	<1	0.44	<10	0.43	2950	1	0.01	5	520	7	12	<0.01	<10	<10	18	<10	
C180281	37.80	38.80	1.00	0.47	<10	20	<0.5	0.38	1.4	9	3	<10	<1	0.33	<10	0.36	1875	1	0.01	7	400	6	8	<0.01	<10	<10	18	<10	
C180282	38.80	39.80	1.00	0.55	10	40	<0.5	0.34	3.3	6	2	<10	<1	0.36	<10	0.31	1350	2	0.01	5	780	6	9	<0.01	<10	<10	21	<10	
C180283	39.80	41.00	1.20	0.63	<10	20	<0.5	0.37	0.5	5	9	<10	1	0.4	<10	0.17	813	2	0.01	4	590	4	10	<0.01	<10	<10	15	<10	
C180284	41.00	42.00	1.00	0.53	10	20	<0.5	0.43	0.8	20	2	<10	<1	0.35	<10	0.26	1390	1	0.01	6	910	6	10	<0.01	<10	<10	17	<10	
C180285	42.00	43.00	1.00	0.6	<10	40	<0.5	0.49	<0.5	3	1	<10	<1	0.39	<10	0.34	1680	1	0.01	5	810	5	9	<0.01	<10	<10	15	<10	
C180286	43.00	44.00	1.00	0.57	10	20	<0.5	1	0.9	9	6	<10	<1	0.37	<10	0.32	1520	1	0.01	9	680	6	19	<0.01	<10	<10	22	<10	

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
		Overall sulphides at 10% as Po -(Py) -(Aspy) as irregular patches and rare bands at 45°, and as Po vnits at 60°.		C180287	44.00	45.00	1.00	0.001	0.40	90	14	149	2.12	6.7	785	3	16
		After 45.10: 20% sulph as Po -(Aspy) probably as replaced shell debris bed at 80°.		C180288	45.00	46.10	1.10	0.108	2.80	667	68	53	9.89	20.4	>10000	48	39
		LC sharp calc shear at 70°.															
46.10	51.20	Ser -(sulph) alt'd siltst.	Ser sst (5)	C180289	46.10	46.80	0.70	0.024	2.30	223	105	53	4.18	10.8	2690	62	23
		Apple green with weak pervasive calcite.		C180290	46.80	48.00	1.20	<0.001	0.20	54	9	47	1.10	7.35	238	2	4
		Fg granular to mg siltst with vague So at 70°.		C180291	48.00	49.50	1.50	<0.001	<0.2	58	7	92	1.40	8.21	209	<2	6
		5% sulph as scattered Po +calc vnits most at 80°.		C180292	49.50	51.00	1.50	0.001	<0.2	42	8	61	1.10	7.57	313	2	5
		LC possible calc shear at 60°.															
51.20	57.20	(Ser) (sulph) altered lapilli agglomerate.	(Ser) LA (5)	C180293	51.00	52.50	1.50	<0.001	0.20	57	8	70	1.34	7.37	33	<2	3
		Probable agglomerate grading to lapilli agglomerate with depth.		C180294	52.50	53.95	1.45	<0.001	<0.2	38	7	118	0.89	8.29	7	<2	<2
		Weak to patchy strong calcite with depth.		C180295	53.95	54.20	0.25	0.090	0.50	150	20	98	4.99	16.2	>10000	42	39
		5% sulph as Po seams at 30° and 60° -70°, as replaced shell debris to LC.		C180296	54.20	55.20	1.00	<0.001	0.20	120	8	63	2.74	10.15	110	<2	3
		At 54.00: 5cm Po -Aspy -(Cpy) -calc vein at 35°.		C180297	55.20	56.20	1.00	<0.001	<0.2	41	9	80	0.82	6.84	15	<2	3
				C180298	56.20	57.20	1.00	<0.001	<0.2	64	16	72	1.15	6.49	76	<2	4
57.20	64.30	Ser -sulph alt'd siltst.	Ser sst (10)	C180299	57.20	58.50	1.30	0.001	0.30	177	12	25	3.31	7.48	173	3	7
		Fg with short mg-cg intervals creamy green with strg pervasive calc +ser.		C180301	58.50	60.00	1.50	<0.001	0.20	121	6	42	2.86	7.9	217	2	5
		10% sulph as irregular Po vnits most at ~45°, as scattered irregular patches of heavy Po over 10cm with ser (shell debris), and rare Po vein to 2cm at 45°.		C180302	60.00	61.50	1.50	0.001	<0.2	138	11	46	3.16	9.64	244	2	2
		LC sheared? Lost.		C180303	61.50	63.00	1.50	<0.001	<0.2	47	5	41	1.31	6	314	<2	2
				C180304	63.00	64.30	1.30	<0.001	<0.2	51	6	53	1.48	7.13	70	<2	3
64.30	66.70	Ser alt'd cg siltst mixed with FP lapilli anf cg tuff.	Mx'd (<1)	C180305	64.30	65.00	0.70	0.002	<0.2	87	8	38	2.50	6.89	216	4	7
		Patchy strong calc with siltst-rich intervals.		C180306	65.00	65.90	0.90	0.002	<0.2	120	8	30	3.69	8.18	150	2	8
		So at 70° -80°.		C180307	65.90	66.30	0.40	<0.001	0.20	58	4	26	1.70	4.92	82	2	5
		<1% sulph as scattered Po seams.		C180308	66.30	67.00	0.70	<0.001	<0.2	37	4	39	1.04	4.37	100	<2	3
		From 65.90 to 66.30: in part broken with gouge with 20cm of calc -qtz vein breccia at 40°.															
		LC grades quickly.															
66.70	81.00	Calc alt'd FP agglomerate.	FP A (1)	C180309	67.00	68.00	1.00	<0.001	0.20	40	9	48	1.26	4.77	22	2	4
		Intense calc alt'd thru.		C180310	67.00	68.00	1.00	<0.001	0.20	42	6	58	1.09	4.68	24	<2	<2
		Dull green mottled grey with patchy weak ser.		C180311	68.00	68.50	0.50	<0.001	0.20	79	6	42	2.84	6.26	8	3	2
		Clast supported.		C180312	68.50	70.00	1.50	<0.001	<0.2	45	7	49	1.50	5.4	11	3	<2
		1% sulph as fine irregular tight Po-rich seams (weak stockwork).		C180313	70.00	71.50	1.50	<0.001	<0.2	60	27	89	1.72	5.6	62	2	6
		At 68.30: 2cm Py-rich vnit at 80°.		C180314	71.50	73.00	1.50	<0.001	<0.2	56	10	44	2.01	6.73	13	<2	4
		After 68.80: Po only, no Py.		C180315	73.00	74.50	1.50	<0.001	<0.2	38	12	58	1.17	6.13	12	2	6
		LC marked at first appearance of shell debris.		C180316	74.50	76.00	1.50	<0.001	<0.2	18	6	82	0.53	6.07	4	<2	<2
				C180317	76.00	77.50	1.50	<0.001	<0.2	16	4	72	0.51	5.83	3	<2	4
				C180318	77.50	79.00	1.50	<0.001	<0.2	31	5	48	1.01	5.48	10	<2	<2
				C180319	79.00	80.00	1.00	<0.001	<0.2	28	6	63	0.88	5.68	4	<2	5
				C180320	80.00	81.00	1.00	<0.001	0.30	32	4	32	1.36	3.96	32	<2	3
81.00	89.60	Calc -rich fg sed with shell debris.	Shells (<1)	C180323	84.00	85.00	1.00	<0.001	<0.2	47	6	26	1.45	4.44	340	2	3

SAMPLE ID	From m	To m	Width m	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	
C180287	44.00	45.00	1.00	0.67	10	100	<0.5	1.72	<0.5	5	1	<10	1	0.46	<10	0.36	2340	<1	0.01	8	1080	8	31	<0.01	<10	<10	37	<10	
C180288	45.00	46.10	1.10	0.58	<10	30	<0.5	1.14	<0.5	22	3	<10	<1	0.31	<10	0.44	2060	1	0.01	9	1480	7	19	<0.01	<10	<10	35	<10	
C180289	46.10	46.80	0.70	0.64	10	70	<0.5	1.19	<0.5	7	9	<10	<1	0.39	<10	0.5	1915	1	0.01	5	380	7	14	<0.01	<10	<10	28	<10	
C180290	46.80	48.00	1.20	0.63	10	50	<0.5	1.86	<0.5	3	5	<10	<1	0.35	<10	0.67	1690	<1	0.01	3	490	8	24	<0.01	<10	<10	40	<10	
C180291	48.00	49.50	1.50	0.67	10	60	<0.5	2.19	<0.5	4	6	<10	<1	0.33	<10	0.77	1875	<1	0.01	6	410	9	31	<0.01	<10	<10	44	<10	
C180292	49.50	51.00	1.50	0.69	10	50	<0.5	2.39	<0.5	5	11	<10	<1	0.34	<10	0.77	1690	1	0.01	8	490	9	32	<0.01	10	<10	55	<10	
C180293	51.00	52.50	1.50	0.77	10	100	<0.5	3.9	<0.5	2	3	<10	1	0.32	10	0.74	1805	1	0.01	7	1280	7	63	<0.01	<10	<10	56	<10	
C180294	52.50	53.95	1.45	1.37	10	80	<0.5	3.51	<0.5	3	1	<10	1	0.35	10	0.99	1985	<1	0.01	5	1500	10	58	<0.01	<10	<10	98	<10	
C180295	53.95	54.20	0.25	1.67	<10	50	<0.5	4.29	<0.5	977	2	<10	1	0.34	<10	0.84	1770	2	0.01	31	1180	7	45	0.01	10	<10	66	70	
C180296	54.20	55.20	1.00	1	<10	60	<0.5	2.95	<0.5	5	1	<10	<1	0.31	<10	0.89	1715	<1	0.01	8	1300	7	47	<0.01	10	<10	66	<10	
C180297	55.20	58.20	1.00	0.93	10	80	<0.5	3.7	<0.5	2	2	<10	<1	0.33	10	0.77	1620	<1	0.01	3	1580	7	63	<0.01	<10	<10	72	<10	
C180298	56.20	57.20	1.00	0.76	10	90	<0.5	5.85	<0.5	5	3	<10	<1	0.39	10	0.88	1755	<1	0.02	3	1200	6	84	<0.01	<10	<10	80	<10	
C180299	57.20	58.50	1.30	0.6	<10	70	<0.5	3.92	<0.5	9	3	<10	<1	0.35	<10	0.37	1420	1	0.01	8	600	6	48	<0.01	<10	<10	33	<10	
C180301	58.50	60.00	1.50	0.67	<10	70	<0.5	3.86	<0.5	8	10	<10	1	0.34	<10	0.43	1460	1	0.01	8	480	9	52	<0.01	<10	<10	50	<10	
C180302	60.00	61.50	1.50	1.03	<10	80	<0.5	3.31	<0.5	15	7	<10	<1	0.38	<10	0.56	1460	1	0.01	11	940	8	50	<0.01	<10	<10	58	<10	
C180303	61.50	63.00	1.50	0.91	<10	100	<0.5	3.48	<0.5	12	18	<10	1	0.38	<10	0.51	1275	1	0.02	10	470	8	58	<0.01	<10	<10	52	<10	
C180304	63.00	64.30	1.30	0.94	<10	80	<0.5	4.48	<0.5	5	16	<10	<1	0.36	<10	0.85	1380	<1	0.02	10	430	11	71	<0.01	<10	<10	66	<10	
C180305	64.30	65.00	0.70	0.61	<10	80	<0.5	4	<0.5	11	5	<10	1	0.31	<10	0.48	1130	1	0.02	12	650	7	70	<0.01	<10	<10	48	<10	
C180306	65.00	65.90	0.90	0.68	<10	80	<0.5	4.91	<0.5	10	9	<10	<1	0.33	<10	0.42	1215	1	0.03	12	610	7	75	<0.01	<10	<10	55	<10	
C180307	65.90	66.30	0.40	0.48	<10	100	<0.5	15.1	<0.5	4	9	<10	<1	0.22	<10	0.73	1165	2	0.03	7	440	8	286	<0.01	<10	<10	48	<10	
C180308	66.30	67.00	0.70	0.77	<10	100	<0.5	5.41	<0.5	6	13	<10	1	0.28	<10	0.33	1130	1	0.05	7	740	11	85	<0.01	<10	<10	79	<10	
C180309	67.00	68.00	1.00	1.09	<10	90	<0.5	7.91	<0.5	3	5	<10	<1	0.27	10	0.45	1385	1	0.09	4	2080	11	124	<0.01	<10	<10	106	<10	
C180310	67.00	68.00	1.00	0.98	<10	80	<0.5	7.79	<0.5	3	2	<10	1	0.23	10	0.45	1350	<1	0.08	3	2180	11	124	<0.01	<10	<10	96	<10	
C180311	68.00	68.50	0.50	1.09	<10	70	<0.5	7.17	<0.5	5	2	<10	<1	0.17	10	0.45	1275	1	0.07	5	2040	11	120	<0.01	<10	<10	107	<10	
C180312	68.50	70.00	1.50	1.76	<10	70	<0.5	7.69	<0.5	5	6	<10	<1	0.19	10	0.59	1395	1	0.09	5	1900	12	130	<0.01	<10	<10	133	<10	
C180313	70.00	71.50	1.50	1.55	<10	70	<0.5	7.75	<0.5	10	2	<10	<1	0.18	10	0.57	1500	1	0.06	5	1880	10	125	<0.01	<10	<10	115	<10	
C180314	71.50	73.00	1.50	2.14	<10	100	<0.5	7.76	<0.5	8	2	10	2	0.19	10	0.7	1665	1	0.07	6	1930	11	122	<0.01	<10	<10	115	<10	
C180315	73.00	74.50	1.50	2.4	<10	70	<0.5	7.39	<0.5	8	6	10	1	0.23	<10	0.73	1675	1	0.07	8	1930	12	122	<0.01	<10	<10	138	<10	
C180316	74.50	76.00	1.50	2.76	<10	70	<0.5	6.79	<0.5	9	3	10	<1	0.22	10	0.86	1730	<1	0.05	5	1880	11	106	0.01	<10	<10	137	<10	
C180317	76.00	77.50	1.50	2.75	<10	70	<0.5	8.25	<0.5	7	2	<10	1	0.24	10	0.84	1620	<1	0.06	7	2040	10	110	<0.01	<10	<10	121	<10	
C180318	77.50	79.00	1.50	2.4	<10	110	<0.5	6.74	<0.5	8	5	10	<1	0.29	10	0.67	1475	1	0.08	5	2020	9	112	<0.01	<10	<10	123	<10	
C180319	79.00	80.00	1.00	2.38	<10	80	<0.5	7.18	<0.5	7	3	10	<1	0.21	10	0.73	1605	1	0.09	4	1900	12	114	<0.01	<10	<10	138	<10	
C180320	80.00	81.00	1.00	1.37	<10	40	<0.5	11.5	<0.5	8	5	<10	<1	0.17	<10	0.36	1490	1	0.09	7	990	8	118	<0.01	<10	<10	68	<10	
C180323	84.00	85.00	1.00	1.17	<10	50	<0.5	10.05	<0.5	17	10	<10	<1	0.22	<10	0.32	1425	1	0.04	10	610	9	95	<0.01	<10	<10	58	<10	

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
		Mottled light/dark grey.		C180324	85.00	86.50	1.50	0.001	<0.2	33	7	23	1.32	3.52	69	<2	3
		Shell debris not sulph replaced.		C180325	86.50	88.00	1.50	<0.001	0.30	47	8	28	1.60	4.09	37	<2	3
		Rare shears with weak diss Py haloes.		C180326	88.00	88.80	0.80	<0.001	<0.2	49	5	33	1.92	4.8	86	3	3
		So at 45°.		C180327	88.80	90.00	1.20	0.003	<0.2	71	7	36	2.42	6.32	415	5	3
		<1% sulph as minor Po seams and scattered diss Py.															
89.60	105.50	Strong calc alt'd FP agglomerate.	FP A (<1)	C180328	90.00	91.00	1.00	<0.001	<0.2	28	8	32	0.98	4.04	39	<2	3
		<1% Po as seams at 30°.		C180329	91.00	92.00	1.00	<0.001	<0.2	65	7	58	2.06	7.9	4	<2	2
		From 100.25 to 100.60: light grey sil'd hard as haloes to calc-rich 1-2cm veins at 30°.		C180330	99.75	100.25	0.50	<0.001	<0.2	40	9	109	1.41	6.42	12	<2	3
		<1% sulph as diss Py, minor Aspy.		C180331	100.25	100.80	0.35	<0.001	<0.2	20	4	128	0.69	3.05	<2	<2	4
				C180332	100.80	101.60	1.00	<0.001	<0.2	44	11	48	1.32	5.75	8	4	3
		LC broken shear at 80°.		C180333	106.00	107.00	1.00	<0.001	0.20	60	9	33	2.09	5.76	206	<2	3
105.60	109.50	Strg calc alt'd ser fg sed.	Ser sst, shells (1-2)	C180334	107.00	108.00	1.00	<0.001	0.20	58	8	33	1.94	5.28	108	2	4
		Fg uniform to 107.60.		C180335	108.00	109.50	1.50	<0.001	<0.2	53	5	32	1.77	5.04	79	<2	2
		After 107.60: much shell debris.															
		1-2% sulph as scattered Po seams and diss Py in shell debris.															
		LC sharp, primary at 80°.															
109.50	133.20	Strg calc alt'd FP agglomerate.	FP A (1-2)	C180336	109.50	111.00	1.50	<0.001	0.20	99	10	34	3.00	7.51	85	3	2
		As before.															
		Very strg calc thru.		C180337	118.80	119.80	0.80	<0.001	<0.2	4	4	109	0.14	5.82	106	<2	<2
		From 118.80 to 120.20: ser haloes with 1% fine Py vnits following four equally spaced light shears at 30°.		C180338	119.80	120.20	0.60	<0.001	<0.2	1	7	114	0.03	6.15	20	<2	4
		After 127.00: 2% Po in rare shears at 45°.		C180339	124.60	126.00	1.40	<0.001	<0.2	22	6	81	0.78	6.38	80	<2	<2
				C180340	126.00	127.50	1.50	<0.001	0.20	55	6	68	1.86	7.95	212	2	5
				C180341	127.50	129.00	1.50	<0.001	<0.2	58	9	80	1.77	6.85	55	2	2
				C180342	129.00	130.50	1.50	<0.001	0.20	24	7	97	0.66	6.56	16	3	5
				C180343	130.50	132.00	1.50	<0.001	<0.2	19	7	99	0.52	6.12	24	<2	8
				C180344	132.00	133.20	1.20	<0.001	<0.2	6	2	74	0.17	5.88	8	<2	6
	133.20	End of hole															

SAMPLE ID	From m	To m	Width m	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm
C180324	85.00	86.50	1.50	1.16	<10	70	<0.5	14	<0.5	5	9	<10	<1	0.18	<10	0.28	1520	1	0.07	5	480	7	110	<0.01	10	<10	43	<10
C180325	86.50	88.00	1.50	1.1	<10	50	<0.5	15.1	<0.5	6	7	<10	<1	0.18	<10	0.31	1640	2	0.05	6	1300	6	119	<0.01	<10	<10	42	<10
C180326	88.00	88.80	0.80	1.36	<10	100	<0.5	8.3	<0.5	9	10	<10	1	0.18	<10	0.32	1150	1	0.09	8	1300	7	107	<0.01	<10	<10	58	<10
C180327	88.80	90.00	1.20	1.53	<10	70	<0.5	8.14	<0.5	26	12	<10	1	0.22	<10	0.41	1365	1	0.07	8	920	8	102	<0.01	<10	<10	72	<10
C180328	90.00	91.00	1.00	1.62	<10	80	<0.5	8.42	<0.5	5	5	<10	<1	0.21	<10	0.45	1375	1	0.08	5	920	8	117	<0.01	<10	<10	93	<10
C180329	91.00	92.00	1.00	2.54	<10	80	<0.5	5.19	<0.5	10	7	10	<1	0.21	<10	0.84	1350	1	0.08	7	1160	10	101	<0.01	<10	<10	118	<10
C180330	99.75	100.25	0.50	2.18	<10	90	<0.5	7.16	<0.5	18	5	10	1	0.25	10	0.81	1635	1	0.06	9	1380	11	130	<0.01	<10	<10	120	<10
C180331	100.25	100.60	0.35	1.02	<10	90	<0.5	7.18	0.6	8	1	<10	<1	0.21	<10	0.37	1245	<1	0.04	3	540	3	106	<0.01	<10	<10	32	<10
C180332	100.60	101.60	1.00	1.88	<10	70	<0.5	7.69	<0.5	13	5	10	<1	0.26	10	0.81	1535	<1	0.06	8	1420	13	138	<0.01	<10	<10	122	<10
C180333	106.00	107.00	1.00	1.64	<10	90	<0.5	4.53	<0.5	19	17	<10	<1	0.3	<10	0.47	817	1	0.05	12	510	8	89	<0.01	<10	<10	69	<10
C180334	107.00	108.00	1.00	1.45	<10	100	<0.5	4.26	<0.5	11	16	<10	<1	0.28	<10	0.43	788	2	0.07	9	870	8	92	<0.01	<10	<10	66	<10
C180335	108.00	109.50	1.50	1.39	<10	80	<0.5	9.44	<0.5	8	11	<10	<1	0.21	<10	0.44	1265	1	0.06	10	1110	8	126	<0.01	<10	<10	53	<10
C180336	109.50	111.00	1.50	1.79	<10	70	<0.5	6.32	<0.5	10	10	<10	<1	0.25	<10	0.58	1145	7	0.1	9	1480	11	133	<0.01	<10	<10	108	<10
C180337	118.80	119.60	0.80	2.44	<10	80	0.5	4.98	<0.5	7	3	<10	1	0.25	10	1.51	1540	<1	0.03	5	1780	9	174	0.01	<10	<10	105	<10
C180338	118.60	120.20	0.80	2.9	10	60	<0.5	4.85	<0.5	8	3	<10	1	0.27	10	1.93	1595	1	0.04	3	1780	9	184	0.01	<10	<10	107	<10
C180339	124.60	126.00	1.40	3.03	<10	100	<0.5	4.9	<0.5	14	4	10	2	0.26	10	1.48	1375	<1	0.04	4	1330	13	143	0.01	<10	<10	160	<10
C180340	126.00	127.50	1.50	2.78	<10	80	<0.5	5.47	<0.5	25	5	10	1	0.24	<10	1.35	1610	2	0.03	5	1420	9	110	0.01	<10	<10	112	<10
C180341	127.50	128.00	1.50	2.21	<10	80	<0.5	4.63	<0.5	14	4	<10	<1	0.24	10	1.02	1245	1	0.03	9	1530	9	97	0.01	<10	<10	99	<10
C180342	129.00	130.50	1.50	3.24	<10	70	<0.5	5.54	<0.5	8	4	10	<1	0.28	10	1.55	1545	<1	0.04	4	1840	10	119	0.01	<10	<10	117	<10
C180343	130.50	132.00	1.50	3.23	<10	50	<0.5	4.66	<0.5	5	3	10	<1	0.23	10	1.59	1350	1	0.05	4	1740	9	108	0.01	<10	<10	102	<10
C180344	132.00	133.20	1.20	3.44	<10	80	<0.5	4.52	<0.5	1	4	10	<1	0.28	10	1.71	1330	1	0.04	5	1620	8	112	0.01	<10	<10	96	<10

Drill Hole ID: BQ-07

Location:

UTM (NAD 83): 593830E, 6090622N, 1003m elevation

Grid: L-100E @ 300S

Mineral Claim Tenure No. 528505

Dip / Azimuth / Length: -64° / 360° / 142.34m

Acid tests:

51m @ -64°

142m @ -64°

Date Started: June 30, 2006

Date Finished: July 1, 2006

Logged By: JJ Watkins, P.Geol.

Date Logged: July 3, 2006

Drill Contractor: Driftwood Diamond Drilling Ltd.

Core Size: NQ2

Casing: pulled from hole.

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
0.00	4.57	Casing, overburen															
5.57	4.90	Lost core.															
4.90	7.10	Ser alt'd siltst.	Ser sst (2)	C180345	4.90	6.00	1.10	0.002	<0.2	30	8	23	1.25	2.95	96	<2	<2
		Dull apple green with fine medium grey seams ramified thru.		C180346	6.00	7.10	1.10	0.003	<0.2	42	4	20	0.83	3.28	1610	<2	<2
		2% diss cubic Py thru.															
		Mod (strg) pervasive calc.															
		At 5.10: tight shear at 25°.															
7.10	12.00	Broken, sheared ser alt'd siltst.	Bkn ser est (3)	C180347	7.10	8.50	1.40	0.003	<0.2	28	8	22	1.16	2.39	154	<2	<2
		Light apple green with dark grey stockwork thru.		C180348	8.50	10.00	1.50	0.008	<0.2	62	9	18	2.75	3.72	1915	<2	3
		Broken thru at 30°.		C180349	10.00	11.00	1.00	0.004	0.4	32	8	36	1.20	2.83	328	<2	3
		V strong pervasive calcite.		C180351	11.00	12.00	1.00	0.003	0.7	81	49	254	2.02	4.86	911	<2	<2
		2-3% diss Py thru.															
		At 7.20: 10cm strong calc filled shear at 30°.															
		At 8.23: ~10cm lost core.															
		From 10.10 to 10.60: broken with lost core.															
		After 9.00: unmineralized shell debris thru.															
		From 10.60 to 12.00: broken thru at 30°.															
		LC lost.															
12.00	18.55	Creamy grey green ser alt'd siltst.	Ser sst (2)	C180352	12.00	13.50	1.50	0.005	0.200	81	8	44	1.16	3.76	74	<2	<2
		Weakly mottled with dark grey patches.		C180353	13.50	15.00	1.50	0.008	0.2	95	11	44	1.52	4.40	198	<2	3
		Strg pervasive calc thru.		C180354	15.00	16.50	1.50	0.005	0.4	132	22	74	1.42	5.22	217	<2	<2
		1-2% vfg Py thru.		C180355	16.50	18.00	1.50	0.006	0.2	82	5	52	1.52	3.53	209	<2	3
		Minor unmineralized shell debris.															
		After 18.00: broken, in part sheared at 30° and bleached creamy grey.															
		LC broken with gouge.															
18.55	18.80	Fault	FLT (10)	C180356	18.00	18.70	0.70	0.301	2.2	385	106	27700	8.79	16.80	730	4	9
		Gouge calc + clay with 10% x'n Py, 3% ZnS.															
		LC lost.		C180357	18.70	20.20	1.50	1.480	2.2	405	45	30100	9.82	16.90	1070	3	6
18.80	19.50	Lost core.	LC														
19.50	22.45	Ser alt'd siltst with intervals to 30cm of unmineralized shell debris.	Ser sst (5)	C180358	20.20	20.80	0.60	8.430	4.5	1330	109	17100	>10.0	20.20	>10000	63	44
		Overall sulph content at 5% as diss Py, as Py (Po) replaced shells.		C180359	20.80	21.95	1.15	0.013	0.2	52	24	285	0.59	4.04	117	<2	<2

SAMPLE ID	From m	To m	Width m	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm
C180345	4.90	6.00	1.10	0.58	10	130	<0.5	3.02	<0.5	<1	5	<10	<1	0.29	<10	0.34	749	<1	0.03	4	340	7	68	<0.01	<10	<10	25	<10
C180346	6.00	7.10	1.10	0.59	10	130	<0.5	3.08	<0.5	12	3	<10	<1	0.31	<10	0.33	863	1	0.02	6	310	6	66	<0.01	<10	<10	20	<10
C180347	7.10	8.50	1.40	0.57	<10	110	<0.5	6.96	<0.5	3	2	<10	<1	0.23	<10	0.18	939	<1	0.04	5	370	5	132	<0.01	<10	<10	17	<10
C180348	8.50	10.00	1.50	0.58	10	110	<0.5	6.39	<0.5	24	2	<10	<1	0.31	<10	0.14	1200	<1	0.02	4	510	5	138	<0.01	<10	<10	12	<10
C180349	10.00	11.00	1.00	0.32	10	80	<0.5	17.8	<0.5	5	2	<10	<1	0.15	<10	0.32	2440	1	0.02	4	890	8	214	<0.01	<10	<10	27	<10
C180351	11.00	12.00	1.00	0.63	10	110	<0.5	6.13	1	2	3	<10	<1	0.35	<10	0.36	1640	<1	0.02	4	590	9	82	<0.01	<10	<10	31	<10
C180352	12.00	13.50	1.50	0.58	10	80	<0.5	3.09	<0.5	2	6	<10	<1	0.35	<10	0.58	1355	<1	0.02	5	480	8	45	<0.01	<10	<10	39	<10
C180353	13.50	15.00	1.50	0.48	<10	70	<0.5	5.54	<0.5	7	7	<10	<1	0.28	<10	0.62	1660	<1	0.01	6	740	10	70	<0.01	<10	<10	46	<10
C180354	15.00	16.50	1.50	0.7	10	90	<0.5	4.94	<0.5	4	6	<10	<1	0.39	<10	0.61	1765	<1	0.02	8	650	10	85	<0.01	<10	<10	45	<10
C180355	16.50	18.00	1.50	0.7	10	110	<0.5	6.24	<0.5	3	6	<10	<1	0.42	<10	0.31	1505	<1	0.02	6	510	8	98	<0.01	<10	<10	36	<10
C180356	18.00	18.70	0.70	0.6	<10	30	<0.5	5.02	131.5	7	3	<10	<1	0.3	<10	0.87	4430	<1	0.02	2	1480	10	83	<0.01	<10	<10	37	<10
C180357	18.70	20.20	1.50	0.4	<10	40	<0.5	0.93	162.5	3	1	<10	<1	0.23	<10	0.46	1685	<1	0.01	5	870	7	18	<0.01	<10	<10	28	<10
C180358	20.20	20.80	0.60	0.52	<10	30	<0.5	0.7	99.7	10	2	<10	<1	0.32	<10	0.33	1180	<1	<0.01	10	480	6	16	<0.01	<10	<10	24	10
C180359	20.80	21.95	1.15	0.62	10	110	<0.5	5.16	1.5	2	4	<10	<1	0.34	<10	0.43	1595	<1	0.02	2	580	9	99	<0.01	<10	<10	38	<10

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
		At 20.42: 10cm of massive og Py +og ZnS.		C180360	21.95	22.45	0.50	1.220	2.1	607	153	36200	>10.0	22.00	338	11	25
		From 21.95 to 22.45: 20% Py as shell debris replacement.		C180361	21.95	22.45	0.50	1.405	2.8	660	232	47400	>10.0	21.40	318	13	31
		LC grades quickly.															
22.45	47.00	Ser alt'd siltst.	Ser sst (1-3)	C180362	22.45	22.90	0.45	0.011	0.2	21	14	287	0.57	1.93	105	<2	<2
		As before.															
		Light apple green, granular.															
		Strg pervasive calc thru.		C180363	23.50	25.00	1.50	0.005	0.2	24	4	165	0.73	2.42	114	<2	<2
		Weak stockwork of darker grey chlorite?		C180364	25.00	26.50	1.50	0.002	<0.2	19	6	46	0.46	2.40	118	<2	<2
		1-3% diss Py, rare whispy bands.		C180365	26.50	28.00	1.50	0.003	<0.2	11	7	35	0.69	2.26	92	<2	<2
		Vague So at 60°.		C180366	28.00	29.50	1.50	0.003	<0.2	60	6	35	2.42	4.62	210	<2	<2
		At 29.10: gouge seam at 75°.		C180367	29.50	31.00	1.50	<0.001	<0.2	11	4	15	0.32	1.20	25	<2	2
		At 34.40: strongly broken shear at 35°.		C180368	31.00	32.50	1.50	<0.001	<0.2	16	4	18	0.71	1.38	59	<2	2
		At 36.60: crushed shear over 10cm at 40°.		C180369	32.50	34.00	1.50	0.001	<0.2	34	14	52	0.74	1.74	14	<2	<2
		From 22.90 to 23.50: lost core.		C180370	34.00	35.50	1.50	0.001	0.7	93	26	77	1.94	3.74	329	<2	4
		LC broken lost, possible clay gouge.		C180371	35.50	37.00	1.50	0.002	0.2	69	13	72	1.68	2.83	97	<2	3
				C180372	37.00	38.50	1.50	0.001	0.2	46	14	121	0.72	2.06	264	<2	3
				C180373	38.50	40.00	1.50	0.001	<0.2	22	5	92	0.34	1.56	69	<2	<2
				C180374	40.00	41.50	1.50	0.001	<0.2	28	4	45	0.74	2.11	95	<2	<2
				C180375	41.50	43.00	1.50	0.005	<0.2	21	5	30	1.08	2.38	763	<2	3
				C180376	43.00	44.00	1.00	0.004	<0.2	21	5	93	1.79	2.60	69	<2	2
				C180377	44.00	45.00	1.00	0.014	0.6	53	17	24	2.87	3.50	280	7	5
				C180378	45.00	46.00	1.00	0.002	<0.2	5	3	23	0.61	1.54	57	<2	<2
				C180379	46.00	47.00	1.00	0.005	0.2	60	9	17	2.63	4.20	89	<2	5
47.00	51.10	FP lapilli tuff.	FP LT (3)	C180380	47.00	48.50	1.50	0.006	0.3	40	8	52	2.34	5.88	617	<2	<2
		Medium grey green.		C180381	48.50	50.00	1.50	0.004	<0.2	33	9	52	2.96	5.92	933	<2	4
		Fg granular with distinct angular FP lapilli.		C180382	50.00	51.10	1.10	0.001	<0.2	28	5	51	1.79	5.13	258	<2	2
		3% patchy Py.															
		strong pervasive calc.															
		Weak chl.															
		10% calc vnlts most at 80°.															
		LC grades into shell debris.															
51.10	72.60	Light to medium grey siltst.	Chaotic sst														
		Inpart ramified thru by weak dark grey stockwork.															
		Scattered intervals with good So at 50° -60°.															
		Minor patchy Py.															
		Moderate -strong pervasive calcite to 54.00.															
		After 54.00: weak with some patchy moderate pervsive calc.															
		At 51.30: 5cm calc -clay gouge at 40°.															
		To 51.80: V strong calc with fossil debris.															
		After 51.80: no fossil debris present.															
		LC sharp, primary at 70°.															
72.60	77.50	Mixed siltst, FP crystal tuff	Mx'd (<1)	C180383	72.60	73.20	0.60	0.002	<0.2	14	7	99	0.84	4.75	49	<2	<2

SAMPLE ID	From m	To m	Width m	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm
C180360	21.95	22.45	0.50	0.37	<10	40	<0.5	2.18	191.5	<1	2	<10	<1	0.19	<10	0.7	5930	<1	<0.01	13	500	8	45	<0.01	<10	<10	31	20
C180361	21.95	22.45	0.50	0.33	<10	40	<0.5	2.75	242	2	3	<10	<1	0.17	<10	0.8	5240	<1	<0.01	13	510	8	51	<0.01	<10	<10	30	10
C180362	22.45	22.90	0.45	0.46	<10	100	<0.5	8.45	1.4	5	2	<10	<1	0.18	<10	0.23	1380	1	0.04	4	540	7	176	<0.01	<10	<10	29	<10
C180363	23.50	25.00	1.50	0.52	<10	120	<0.5	7.65	0.8	3	3	<10	<1	0.23	<10	0.3	1310	1	0.04	6	540	8	123	<0.01	<10	<10	34	<10
C180364	25.00	26.50	1.50	0.8	<10	90	<0.5	10.2	<0.5	5	5	<10	<1	0.26	<10	0.35	1610	<1	0.04	7	670	10	165	<0.01	<10	<10	46	<10
C180365	26.50	28.00	1.50	0.8	<10	120	<0.5	9.57	<0.5	4	3	<10	<1	0.24	<10	0.34	1400	2	0.04	5	600	8	241	<0.01	<10	<10	32	<10
C180366	28.00	29.50	1.50	0.43	<10	90	<0.5	8.12	<0.5	1	3	<10	<1	0.19	<10	0.35	1575	<1	0.03	5	520	8	174	<0.01	<10	<10	32	<10
C180367	29.50	31.00	1.50	0.39	<10	100	<0.5	6.26	<0.5	1	2	<10	<1	0.22	<10	0.15	1135	1	0.03	3	380	4	118	<0.01	<10	<10	10	<10
C180368	31.00	32.50	1.50	0.48	<10	90	<0.5	8.61	<0.5	1	2	<10	<1	0.25	<10	0.13	1520	1	0.03	3	1220	4	184	<0.01	<10	<10	11	<10
C180369	32.50	34.00	1.50	0.42	10	100	<0.5	2.89	<0.5	<1	1	<10	<1	0.28	<10	0.11	1090	1	0.01	2	400	3	60	<0.01	<10	<10	5	<10
C180370	34.00	35.50	1.50	0.34	<10	100	<0.5	2.96	<0.5	9	1	<10	<1	0.23	<10	0.18	1855	<1	0.01	6	350	4	75	<0.01	<10	<10	9	<10
C180371	35.50	37.00	1.50	0.36	10	90	<0.5	3.32	<0.5	2	1	<10	<1	0.24	<10	0.14	1190	<1	0.01	4	340	4	73	<0.01	<10	<10	7	<10
C180372	37.00	38.50	1.50	0.56	10	130	<0.5	3.25	0.8	8	1	<10	<1	0.35	<10	0.14	1165	<1	0.01	4	550	4	74	<0.01	<10	<10	10	<10
C180373	38.50	40.00	1.50	0.49	10	110	<0.5	3.94	<0.5	2	2	<10	<1	0.31	<10	0.17	1220	1	0.01	3	360	5	84	<0.01	<10	<10	12	<10
C180374	40.00	41.50	1.50	0.4	10	90	<0.5	3.26	<0.5	2	2	<10	<1	0.25	<10	0.22	1125	<1	0.02	2	390	5	84	<0.01	<10	<10	14	<10
C180375	41.50	43.00	1.50	0.44	10	140	<0.5	4.87	<0.5	22	2	<10	<1	0.24	<10	0.21	1215	1	0.02	10	910	5	136	<0.01	<10	<10	14	<10
C180376	43.00	44.00	1.00	0.59	10	160	<0.5	3.93	<0.5	<1	2	<10	<1	0.32	<10	0.16	912	<1	0.03	2	410	5	107	<0.01	<10	<10	11	<10
C180377	44.00	45.00	1.00	0.36	10	100	<0.5	3.51	<0.5	3	1	<10	<1	0.22	<10	0.12	853	<1	0.02	13	420	6	109	<0.01	<10	<10	7	<10
C180378	45.00	46.00	1.00	0.39	10	140	<0.5	3.98	<0.5	1	1	<10	<1	0.23	<10	0.2	877	<1	0.02	1	480	4	131	<0.01	<10	<10	11	<10
C180379	46.00	47.00	1.00	0.38	10	100	<0.5	4.04	<0.5	4	1	<10	<1	0.24	<10	0.22	1060	<1	0.02	17	350	5	115	<0.01	<10	<10	13	<10
C180380	47.00	48.50	1.50	0.45	<10	80	<0.5	4.19	<0.5	12	4	<10	<1	0.21	<10	0.62	1070	<1	0.03	15	740	9	135	<0.01	<10	<10	44	<10
C180381	48.50	50.00	1.50	0.57	<10	70	<0.5	9.68	<0.5	22	6	<10	<1	0.28	<10	0.57	1915	<1	0.04	11	1730	9	323	<0.01	<10	<10	49	<10
C180382	50.00	51.10	1.10	0.51	10	100	<0.5	7.77	<0.5	25	5	<10	<1	0.3	<10	0.72	1675	<1	0.03	8	1240	9	255	<0.01	<10	<10	48	<10
C180383	72.60	73.20	0.60	0.65	10	140	<0.5	4.06	<0.5	10	6	<10	<1	0.25	<10	1.25	1335	<1	0.1	5	960	11	156	<0.01	<10	<10	76	<10

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
		As before but with fspar xls thru and rare lapilli of FP.		C180384	76.50	77.50	1.00	<0.001	<0.2	24	11	80	0.85	5.49	17	<2	<2
		Weak to patchy strg calc.															
		<1% Py as seam at 50°, irregular patches.															
		LC looks primary at 60°.															
77.50	77.90	Limestone	Lmat (2)	C180385	77.50	77.90	0.40	0.001	<0.2	16	6	59	1.34	4.80	42	<2	<2
		Crmy grey with black shell debris.															
		V strong pervasive calcite.															
		Weak ser.															
		2% dis cubic Py thru.															
		LC broken.															
77.90	82.35	Light grey green siltst, chaotic ramified thru by dark grey gdrms.	Chaotic sst (<1)														
		Scattered tight shears at 30°.															
		Weak to patchy strong calc.															
		<1% Py as dis cg Py.															
		LC broken sharp at 75°.															
82.35	84.80	FP lapilli tuff	FP LT														
		Medium grey with some dark grey lapilli.															
		Fine FP thru with vague larger clasts and distinct scattered ser lapilli.															
		V weak calc.															
		LC lost.		C180386	83.80	84.80	1.00	<0.001	<0.2	18	4	192	0.46	4.46	27	<2	<2
84.80	95.10	Light grey (green) siltst.	Chaotic sst (2)	C180387	84.80	85.80	1.00	<0.001	<0.2	18	5	132	1.24	4.30	28	<2	2
		Ramified thru by darker grey chl?															
		Same as before															
		Moderate pervasive calc thru.															
		5% calc filled fractures.															
		2% Py as scattered cg x'n patches.															
		At 92.50: 20cm dark grey/black fg granular, probably carbonaceous (NOTE:															
		weak ohm meter kick) at 40°.															
		At 93.40: 15cm dark grey/black fg granular at 40°.		C180388	92.50	94.00	1.50	0.001	0.2	22	10	281	1.74	4.30	46	<2	3
		LC marked by change from pervasive calc to no calc and overall to lighter grey.		C180389	95.10	95.90	0.80	0.006	<0.2	11	6	168	1.11	4.08	27	<2	2
95.10	106.90	As before but calc free to v weak calc.	Chaotic sst (<1)	C180390	95.90	96.90	1.00	<0.001	<0.2	14	8	181	0.89	4.21	25	<2	<2
		Moderate siltified with weak wispy ser.		C180391	96.90	97.50	0.80	<0.001	<0.2	25	16	150	1.52	4.68	73	<2	5
		Weak (moderate) ramified thru with dark grey chl.															
		Scattered one/m tight black chl +calc shears at 40°.		C180392	101.00	102.10	1.10	0.001	<0.2	9	5	69	0.29	3.69	25	<2	<2
		<1% Py as tight seams with calc at 30°-40° and as large x'n clusters.		C180393	102.10	102.80	0.50	<0.001	<0.2	22	11	110	0.74	4.61	19	<2	2
				C180394	105.40	105.90	0.50	<0.001	<0.2	12	3	49	0.93	3.56	58	<2	3
				C180395	105.90	106.90	1.00	0.001	<0.2	16	10	51	1.50	4.16	53	<2	6
106.90	119.80	Mod silt'd crushed grey siltst with v weak ramified dark grey thru as before.	Silt'd crst'd sst (3)	C180396	106.90	108.40	1.50	<0.001	<0.2	9	9	297	1.06	3.90	66	<2	2
		Masked by silt'n?		C180397	108.40	109.90	1.50	<0.001	<0.2	13	4	47	0.59	3.53	16	<2	4
		30% of unit is crushed, in places to gouge, along 30° surfaces.		C180398	109.90	111.40	1.50	0.001	<0.2	9	8	138	1.80	4.42	44	<2	5
		Some shattered with calc filling.		C180399	111.40	112.90	1.50	0.001	<0.2	15	16	172	2.39	4.44	66	<2	8
		1-3% Py as large x'n patches, scattered seams at 40°.		C180401	112.90	114.40	1.50	<0.001	<0.2	16	6	186	0.98	3.56	38	<2	4

SAMPLE ID	From m	To m	Width m	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm
C180384	76.50	77.50	1.00	0.44	<10	130	<0.5	4.48	<0.5	11	7	<10	1	0.16	<10	1.16	1700	<1	0.08	11	740	11	182	<0.01	<10	<10	56	<10
C180385	77.50	77.90	0.40	0.32	<10	100	<0.5	11.45	<0.5	7	4	<10	<1	0.12	<10	0.98	2340	1	0.06	7	340	9	357	<0.01	<10	<10	38	<10
C180386	83.60	84.60	1.00	0.65	10	150	<0.5	4.93	0.8	7	7	<10	<1	0.28	<10	1.16	1535	<1	0.09	3	720	11	164	<0.01	<10	<10	56	<10
C180387	84.60	85.60	1.00	0.51	10	120	<0.5	7.08	<0.5	7	5	<10	<1	0.2	<10	0.86	1625	1	0.08	5	550	9	192	<0.01	<10	<10	39	<10
C180388	92.50	94.00	1.50	0.38	10	80	<0.5	2.63	1.4	9	2	<10	<1	0.17	<10	0.54	1055	<1	0.05	7	600	4	115	<0.01	<10	<10	15	<10
C180389	95.10	95.90	0.80	0.41	<10	80	<0.5	3.26	0.6	8	6	<10	<1	0.12	<10	0.85	1245	<1	0.11	5	620	10	113	<0.01	<10	<10	48	<10
C180390	95.90	96.90	1.00	0.62	<10	180	<0.5	2.88	0.6	11	5	<10	<1	0.2	<10	0.77	1300	<1	0.1	7	630	9	114	<0.01	<10	<10	38	<10
C180391	96.90	97.50	0.60	0.64	10	210	<0.5	2.98	<0.5	17	5	<10	<1	0.23	<10	0.81	1375	<1	0.09	7	690	8	106	<0.01	<10	<10	35	<10
C180392	101.00	102.10	1.10	0.43	10	110	<0.5	3.1	<0.5	5	5	<10	<1	0.19	<10	1.1	1575	<1	0.06	4	670	6	105	<0.01	<10	<10	33	<10
C180393	102.10	102.80	0.50	0.57	10	90	<0.5	1.86	<0.5	11	6	<10	1	0.2	<10	0.88	1595	<1	0.09	7	600	8	82	<0.01	<10	<10	42	<10
C180394	105.40	105.90	0.50	0.38	10	70	<0.5	3.58	<0.5	7	3	<10	<1	0.18	<10	0.76	1620	<1	0.05	3	790	4	126	<0.01	<10	<10	18	<10
C180395	105.90	106.90	1.00	0.41	10	70	<0.5	3.27	<0.5	12	3	<10	<1	0.19	<10	0.84	1800	<1	0.05	6	770	4	108	<0.01	<10	<10	18	<10
C180396	106.90	108.40	1.50	0.45	10	80	<0.5	8.48	1.4	9	3	<10	<1	0.16	<10	0.81	2690	<1	0.06	3	1170	6	239	<0.01	<10	<10	23	<10
C180397	108.40	109.90	1.50	0.55	10	110	<0.5	4.13	<0.5	6	3	<10	<1	0.24	<10	0.95	1715	1	0.04	5	800	4	100	<0.01	<10	<10	16	<10
C180398	109.90	111.40	1.50	0.41	10	80	<0.5	4.42	<0.5	8	2	<10	1	0.18	<10	0.74	1865	<1	0.04	6	660	5	106	<0.01	<10	<10	16	<10
C180399	111.40	112.90	1.50	0.4	10	90	<0.5	5.34	0.8	9	2	<10	<1	0.19	<10	0.69	1830	<1	0.04	6	1080	4	125	<0.01	<10	<10	14	<10
C180401	112.90	114.40	1.50	0.58	10	120	0.5	3.56	0.9	6	3	<10	<1	0.26	<10	0.97	1575	1	0.05	3	750	5	128	<0.01	<10	<10	15	<10

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
		Trace Aspy.		C180402	114.40	115.90	1.50	0.003	<0.2	15	8	253	1.34	3.94	42	<2	5
		LC grades.		C180403	115.90	117.40	1.50	0.001	<0.2	20	12	386	1.75	4.22	47	<2	5
				C180404	117.40	118.40	1.00	0.001	<0.2	20	8	175	0.99	3.58	24	<2	5
				C180405	118.40	119.80	1.40	0.002	<0.2	16	5	124	1.13	3.45	48	<2	3
119.80	121.25	Carb rock	Carb rk														
		Fg aphanitic, calc-rich, light grey.															
		20% as shear bound as aphanitic sil'd banded at 30°.															
		No sulphide.															
		LC sharp.															
121.25	121.55	Healed fault zone totally intact.	FLT 40°														
		With light fg carb rock frags floating in sheared gdmse at 40°.															
		LC sheared at 40°.															
121.55	134.25	Black siltst.	Blk sst (1)														
		Dark grey (black), fg massive, uniform with a fine trachytic texture (carb xls)															
		No primary features.															
		Zero to local weak pervasive calc, 5% calc filled tension vnts at 70° -80°.															
		1% Py as large scattered x'n patches.															
		LC sharp tight shear at 80°.															
134.25	135.70	Sil'd crushed grey siltst as before.	Sil'd crush'd sst (3)	C180406	134.25	135.70	1.45	<0.001	<0.2	12	5	82	0.64	4.28	27	<2	2
		Zero to patchy weak calc.															
		10% calc tension vnts.															
		3% Py as patchy diss.															
		LC broken sharp.															
135.70	142.65	Black siltst.	Blk sst (1)														
		As before, weakly conductive.															
	142.65	End of hole															

Drill Hole ID:

BQ-08

Location:

UTM (NAD 83): 593738E, 6090618N, 1004m elevation

Grid: L-000 @ 300S

Mineral Claim Tenure No. 528505

Dip / Azimuth / Length: -45° / 380° / 186.66 m

Acid tests:

62m @ -45°

138m @ -44°

Date Started: July 3, 2006

Date Finished: July 5, 2006

Logged By: JJ Watkins, P. Geo.

Date Logged: July 5, 2006

Drill Contractor: Driftwood Diamond Drilling Ltd.

Core Size: NQ2

Casing: pulled from hole..

From	To	DESCRIPTION	LITHO	SAMPLE	From	To	Width	Au	Ag	Cu	Pb	Zn	S	Fe	As	Bi	Sb
				ID	m	m	m	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	ppm
0.00	6.10	Casing															
6.10	28.50	Dull apple green grey, fg -mg siltst.	Ser sst (15)	180407	6.10	7.50	1.40	0.019	0.5	79	9	180	1.62	3.87	264	3	2
		Locally good So at 50°.		180408	7.50	9.00	1.50	0.028	0.7	137	15	129	3.29	5.86	2780	7	5
		15% sulph as vfg Py in irregular patched and seams to 3cm with ((Aspy)),		180409	9.00	10.36	1.36	0.019	0.4	116	11	177	2.64	5.38	2080	4	2
		as scattered Po seams to 5mm at 70° -80°, and as local weak Py stwk.		180410	10.75	12.00	1.25	0.041	0.4	220	6	314	5.54	9.03	1755	3	2
		From 20.50 to 23.10: core follows narrow 1-3cm breccia dyke of angular		180411	12.00	13.00	1.00	0.037	0.4	364	10	473	8.39	12.85	1225	4	<2
		siltst frags in a dark grey gdmss.		180412	13.00	14.50	1.50	0.019	0.3	212	6	296	5.63	8.76	953	<2	8
		Weak -moderate pervasive calc thru.		180413	14.50	15.50	1.00	0.231	0.3	211	9	297	5.68	9.27	819	7	3
		LC grades with colour change.		180414	15.50	16.10	0.60	0.382	0.8	492	21	396	>10.0	18.6	4470	14	10
				180415	15.50	16.10	0.60	0.134	0.7	485	21	398	>10.0	17.7	2820	10	6
				180416	16.10	17.50	1.40	0.059	0.4	257	14	188	6.64	10.4	1620	3	7
				180417	17.50	19.00	1.50	0.039	0.3	148	4	15	4.48	6.49	2690	<2	<2
				180418	19.00	20.50	1.50	0.036	0.3	169	7	64	4.25	6.68	1290	2	2
				180419	20.50	22.00	1.50	0.084	0.3	188	11	122	4.93	7.76	2220	4	<2
				180420	22.00	23.10	1.10	0.036	0.3	126	14	61	3.43	5.78	1765	7	3
				180421	23.10	24.50	1.40	0.035	0.3	266	10	28	6.48	10.7	1930	4	4
				180422	24.50	26.00	1.50	0.036	0.2	124	7	70	2.5	6.53	962	2	4
				180423	26.00	27.50	1.50	0.031	0.3	188	7	53	3.24	7.52	1430	<2	3
				180424	27.50	28.50	1.00	0.042	0.6	367	10	50	6.09	9.81	1350	3	<2
28.50	37.50	V light creamy grey green, ser alt'd siltst.	Ser sst (5)	180425	28.50	30.00	1.50	0.015	0.2	69	11	88	1.28	3.61	310	<2	4
		5% sulphides as irregular patches of fg Py -((Aspy)), as rare Po seams and		180426	30.00	31.50	1.50	0.007	0.2	36	14	148	0.58	3.07	73	<2	<2
		fracture filling.		180427	31.50	33.00	1.50	0.009	0.2	97	6	218	1.74	4.08	582	<2	2
		From 34.00 to 34.80: broken at 10° -20° with healed broken gouge.		180428	33.00	34.50	1.50	0.009	0.2	51	7	85	1.04	3.57	775	<2	<2
		At 34.80: gouge frags of cg ZnS.		180429	34.50	36.00	1.50	0.021	0.3	48	3	2970	1.22	3.72	114	<2	5
		LC marked against heavy sulphides at 70°.		180430	36.00	37.50	1.50	0.007	0.3	49	3	221	0.77	3.5	148	<2	<2
37.50	38.25	40% sulph as Py-rich in two SMS bands totaling 40cm in qtz-rich host	SMS (40)	180431	37.50	38.25	0.75	0.055	0.9	640	20	1640	>10.0	20.3	1140	5	8
		at 50° -80°.															
		1cm msy Po seam at LC at 60°.															
38.25	40.60	(Ser) alt'd siltst.	(Ser) sst (1-2)	180432	38.25	39.50	1.25	0.028	0.3	130	7	241	1.8	6.44	460	<2	<2
		light creamy grey green with wispy darker grey mottled patches.		180433	39.50	40.60	1.10	0.025	0.2	104	3	99	1.58	5.61	859	<2	<2
		Vague So at 65°.															

SAMPLE ID	From m	To m	Width m	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm
180407	6.10	7.50	1.40	0.63	10	120	<0.5	3.18	0.9	2	3	<10	<1	0.42	<10	0.32	1505	<1	0.02	7	480	7	63	<0.01	<10	<10	22	<10
180408	7.50	9.00	1.50	0.6	10	80	<0.5	2.62	<0.5	23	3	<10	<1	0.42	<10	0.25	1275	<1	0.01	13	560	6	57	<0.01	<10	<10	20	<10
180409	9.00	10.36	1.36	0.55	<10	110	<0.5	3	0.9	16	4	<10	<1	0.39	<10	0.23	1525	<1	0.01	14	480	6	59	<0.01	<10	<10	20	<10
180410	10.75	12.00	1.25	0.5	<10	80	<0.5	3.04	1.8	12	3	<10	<1	0.35	<10	0.15	1560	1	0.01	13	890	6	61	<0.01	<10	<10	17	<10
180411	12.00	13.00	1.00	0.37	<10	30	<0.5	2.75	2.7	13	<1	<10	<1	0.29	<10	0.08	1385	4	0.01	10	540	5	60	<0.01	<10	<10	14	<10
180412	13.00	14.50	1.50	0.48	<10	80	<0.5	2.97	1.3	3	1	<10	<1	0.35	<10	0.06	1250	<1	0.01	8	470	4	62	<0.01	<10	<10	13	400
180413	14.50	15.50	1.00	0.53	<10	80	<0.5	3.47	1.4	4	1	<10	2	0.36	<10	0.08	1570	1	0.02	11	680	6	81	<0.01	10	<10	15	<10
180414	15.50	16.10	0.60	0.51	<10	10	<0.5	1.2	1.6	30	<1	<10	<1	0.35	<10	0.1	1260	7	0.01	22	520	4	28	<0.01	<10	<10	13	<10
180415	15.50	16.10	0.60	0.49	<10	10	<0.5	1.12	1.8	18	<1	<10	<1	0.34	<10	0.1	1210	5	0.01	23	530	4	26	<0.01	<10	<10	13	<10
180416	16.10	17.50	1.40	0.6	<10	40	<0.5	3.01	<0.5	12	<1	<10	<1	0.38	<10	0.15	1285	3	0.02	18	650	5	70	<0.01	<10	<10	14	<10
180417	17.50	19.00	1.50	0.59	<10	80	<0.5	2.91	<0.5	14	1	<10	<1	0.4	<10	0.1	748	2	0.02	9	330	4	83	<0.01	<10	<10	10	<10
180418	19.00	20.50	1.50	0.51	<10	50	<0.5	2.69	<0.5	11	1	<10	<1	0.35	<10	0.1	818	1	0.01	12	420	4	81	<0.01	<10	<10	12	<10
180419	20.50	22.00	1.50	0.59	10	30	<0.5	3.1	<0.5	23	1	<10	<1	0.39	<10	0.08	1290	2	0.02	14	530	5	86	<0.01	<10	<10	12	<10
180420	22.00	23.10	1.10	0.58	<10	50	<0.5	3.35	<0.5	14	3	<10	<1	0.35	<10	0.25	1100	<1	0.02	11	620	7	91	<0.01	<10	<10	23	<10
180421	23.10	24.50	1.40	0.55	<10	30	<0.5	3.48	<0.5	16	4	<10	2	0.28	<10	0.42	1145	<1	0.02	18	580	8	87	<0.01	<10	<10	41	<10
180422	24.50	26.00	1.50	0.63	10	100	<0.5	4.22	<0.5	12	6	<10	1	0.28	<10	0.58	1385	<1	0.04	9	850	9	86	<0.01	<10	<10	48	<10
180423	26.00	27.50	1.50	0.71	<10	110	0.5	4.5	<0.5	17	5	<10	2	0.3	<10	0.51	1570	<1	0.04	21	1370	10	93	<0.01	<10	<10	81	<10
180424	27.50	28.50	1.00	0.63	<10	50	<0.5	3.91	<0.5	10	2	<10	<1	0.26	<10	0.38	1240	1	0.04	14	1700	5	79	<0.01	<10	<10	24	<10
180425	28.50	30.00	1.50	0.64	<10	110	<0.5	3.79	<0.5	4	3	<10	<1	0.29	<10	0.55	1320	<1	0.04	15	500	5	81	<0.01	<10	<10	23	<10
180426	30.00	31.50	1.50	0.55	<10	90	0.5	3.46	0.5	1	3	<10	1	0.23	<10	0.53	1500	<1	0.04	7	400	5	75	<0.01	10	<10	24	<10
180427	31.50	33.00	1.50	0.7	<10	90	0.5	4.43	1.1	7	3	<10	<1	0.37	<10	0.64	1425	<1	0.02	11	1200	7	87	<0.01	<10	<10	29	<10
180428	33.00	34.50	1.50	0.51	<10	60	0.5	3.98	<0.5	9	3	<10	<1	0.24	<10	0.47	1480	<1	0.03	9	350	6	75	<0.01	<10	<10	30	<10
180429	34.50	36.00	1.50	0.54	<10	90	<0.5	3.28	20.1	1	3	<10	<1	0.28	<10	0.54	1410	<1	0.02	8	440	6	73	<0.01	<10	<10	27	<10
180430	36.00	37.50	1.50	0.55	<10	70	0.5	3.64	1.2	1	4	<10	<1	0.28	<10	0.46	1645	<1	0.02	11	360	7	88	<0.01	10	<10	32	<10
180431	37.50	38.25	0.75	0.52	<10	10	<0.5	1.41	8.4	17	1	<10	1	0.22	<10	0.55	1390	<1	0.02	27	950	7	37	<0.01	<10	<10	42	<10
180432	38.25	39.50	1.25	0.59	<10	100	0.5	4.41	1.2	14	5	<10	<1	0.25	<10	0.83	1815	<1	0.02	13	850	11	84	<0.01	<10	<10	73	<10
180433	39.50	40.60	1.10	0.64	<10	80	0.5	4.28	<0.5	35	5	<10	<1	0.28	<10	0.78	1640	<1	0.03	13	500	10	80	<0.01	<10	<10	63	<10

From	To	DESCRIPTION	LITHO	SAMPLE	From	To	Width	Au	Ag	Cu	Pb	Zn	S	Fe	As	Bi	Sb
				ID	m	m	m	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	ppm
		1-2% Py in localized shell debris.															
		LC broken sharp at 85°.															
40.60	42.20	Ser alt'd QFP dyke.	Ser QFP														
		Typical apple green, in part broken.															
		No sulph.															
		LC sharp intrusive at ~90°.															
42.20	50.00	Ser alt'd siltst	Ser sst (3)	180434	42.20	43.50	1.30	0.018	<0.2	84	3	38	2.01	5.59	112	<2	2
		As before.		180435	43.50	44.80	1.30	7.21	0.2	77	6	34	2.18	5.62	504	29	3
		3% sulph as scattered patches of vfg Py -(Aspy).		180436	44.80	46.00	1.20	0.771	0.2	142	9	50	4.85	9.59	1255	45	<2
		Rare 1cm Py seam at 40°.		180437	46.00	47.50	1.50	1.215	0.4	152	16	74	3.8	9.68	547	38	4
		Trace Po in seams at 45°		180438	47.50	49.00	1.50	0.134	<0.2	42	2	78	1.13	6.73	69	4	<2
		From 47.00 to 48.30: with fine fspar xls thru.		180439	49.00	50.00	1.00	0.01	<0.2	25	2	73	0.63	5.83	52	<2	<2
		LC sharp primary at 60°.															
50.00	55.55	Mixed siltst with intervals rich in fspar xls, with angular argillite shards and	Mx'd xT sst arg (<5)	180440	50.00	51.50	1.50	0.018	<0.2	37	4	66	1.04	4.95	154	<2	2
		with fossil frags.		180441	51.50	53.00	1.50	0.169	0.2	84	6	57	2.74	7.3	96	7	3
		Weak to moderate pervasive calc.		180442	53.00	54.50	1.50	1.075	0.4	223	2	47	5.26	10.5	235	48	3
		At 54.40: healed shear at 40°.		180443	54.50	55.55	1.05	0.297	0.3	290	3	58	5	11.35	284	12	2
		<5% sulph as patchy fg Py +(Aspy), as rare Po seams at 90° & 35°, and															
		as rare bands of x'n Py over 5cm.															
		LC 5cm carb +qtz shear at 80°.	(Ser) sst (1)														
55.55	69.20	(Ser) dull light grey green siltst		180444	55.55	57.00	1.45	0.188	0.3	58	<2	58	1.3	5.61	44	4	<2
		Weak grey stwk of chl?		180445	57.00	58.50	1.50	0.218	0.2	41	6	40	1.24	4.76	28	8	<2
		1% diss Py and vfg Py +(Aspy).		180446	58.50	60.00	1.50	0.223	0.2	73	3	47	1.51	5.51	51	6	<2
		Vague banding at 85°.		180447	60.00	61.50	1.50	0.315	0.3	79	9	35	2.76	5.5	139	7	<2
		Mod pervasive calc thru.		180448	61.50	63.00	1.50	0.043	0.3	67	3	37	1.5	4.4	138	2	<2
		At 64.00: broken, crushed over 10cm.		180449	63.00	64.50	1.50	0.073	0.2	178	4	42	3.26	7.53	716	3	3
		At 64.90: strg calc shear at 35°.		180451	64.50	66.00	1.50	0.331	0.3	224	17	33	4.88	9.75	1040	10	<2
		LC sharp against gouge at 85°.		180452	66.00	67.50	1.50	0.137	0.2	83	4	31	1.68	4.41	971	3	4
				180453	67.50	68.30	0.80	0.055	0.3	82	5	69	1.39	3.97	67	2	2
				180454	68.30	69.20	0.90	0.193	0.2	133	8	33	2.84	6.15	1565	7	3
				180455	68.30	69.20	1.00	0.263	0.2	112	8	32	2.42	5.74	1105	7	4
69.20	69.30	Fault	FLT (45°)														
		Gouge rich.															
		LC broken sharp at 45°.															
69.30	74.40	Mixed siltst, FP T	Mx'd sst, FP T (1)	180456	69.20	70.80	1.30	0.195	0.4	256	11	33	4.31	8.67	738	11	<2
		Fine fspar thru with minor black arg frags.		180457	70.80	72.00	1.40	0.152	0.3	187	4	54	3.05	6.94	1565	8	<2
		Weak ser, v weak chl?		180458	72.00	73.00	1.00	0.066	0.2	139	2	30	2.45	5.59	171	4	<2
		1% sulph as diss Py, minor vfg diss cluster with (Aspy), rare Py-rich patches.		180459	73.00	74.00	1.00	0.15	0.3	242	7	31	3.9	7.44	2220	11	2
		At 70.60: 5mm gouge shear at 60°.		180460	74.00	74.50	0.50	0.308	0.7	1010	18	17	>10.0	23.6	1680	14	12
		After 74.00: 10% Py +Po +(Aspy) in shell debris with round pebbles.															
		LC vague.	(Ser) chaotic sst (<5)														
74.40	107.35	(Ser) (S) alt'd chaotic siltst.		180461	74.50	76.00	1.50	0.228	0.4	358	8	27	8.19	10.15	1935	12	2

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
		Dull creamy grey green becoming cream grey after 81.00 to 85.50.		180462	76.00	77.50	1.50	0.068	0.2	169	5	24	2.86	5.88	1465	4	3
		From 85.50 to 87.8: medium to light grey.		180463	77.50	79.00	1.50	0.039	<0.2	102	5	27	1.92	4.36	1370	3	<2
		From 87.80 to 90.50: strong ser thru.		180464	79.00	80.50	1.50	0.06	0.2	172	9	20	2.75	5.39	544	7	<2
		Rare well bedded intervals to 10cm at So 60° -70°.		180465	80.50	82.00	1.50	0.059	0.2	207	3	24	3.19	6.66	2030	4	<2
		<5% sulphides decreasing with depth as fg diss patches of Py ((Aspy)),		180466	82.00	83.50	1.50	0.168	0.2	155	4	14	2.44	4.85	5830	5	3
		as scatt Po-rich seams, and as x'n Py clusters.		180467	83.50	85.00	1.50	0.085	0.2	139	6	18	2.3	4.96	4480	6	<2
		Weak pervasive to patchy medium pervasive calc.		180468	85.00	86.50	1.50	0.025	0.3	126	4	36	2.66	5.3	1630	4	2
		5 -10% calc filled fractures thru.		180469	86.50	88.00	1.50	0.052	0.2	95	10	30	3.43	5.28	73	2	5
		LC sharp at 85°.		180470	88.00	89.00	1.00	0.11	0.3	182	15	37	3.35	6.74	299	10	<2
				180471	89.00	90.00	1.00	0.357	0.3	290	10	22	4.61	9.04	666	14	3
				180472	90.00	91.00	1.00	1.09	0.7	258	22	30	5.63	9.11	394	20	3
				180473	91.00	92.00	1.00	0.112	0.2	58	5	34	0.46	3.11	24	4	<2
				180474	92.00	93.50	1.50	0.014	0.2	36	3	33	0.94	3.72	48	<2	2
				180475	93.50	95.00	1.50	0.023	<0.2	97	12	54	1.68	4.56	95	3	3
				180476	95.00	96.50	1.50	0.005	<0.2	34	5	58	0.55	3.23	341	2	<2
				180477	96.50	98.00	1.50	0.028	0.2	231	11	46	2.87	6.47	1686	5	4
				180478	98.00	99.50	1.50	0.009	<0.2	82	4	49	0.62	4.74	212	3	<2
				180479	104.00	104.50	0.50	0.009	<0.2	122	8	57	2.22	5.86	168	2	2
107.35	110.10	Siltst?	Sst?														
		Medium grey to dark grey.															
		Fg fairly uniform.															
		Strong pervasive calc.															
		No sulp.															
		LC sharp at 85°.															
110.10	117.10	(Ser) (ch) alt'd chaotic siltst.	(Ser) chaotic sst (1-2%)	180480	110.10	110.60	0.50	0.015	0.2	260	9	32	3.05	5.86	43	2	<2
		As before but in part with distinct and vague frags in a darker grey chl? gdmss.															
		1 -2% sulp as scattered patchy x'n Py increasing with depth.		180481	113.20	113.70	0.50	0.011	0.2	188	23	29	5.05	6.35	20	4	7
		LC distinct at 85°.															
117.10	121.80	Mx'd FP xT + siltst.	Mx'd FP xT, sst (5)	180482	117.10	118.50	1.40	0.032	<0.2	372	9	46	6.17	14.9	1040	15	2
		With hard, more massive intervals (Dac?).		180483	118.50	120.00	1.50	0.012	<0.2	89	13	42	4.66	7.55	51	2	5
		Mod pervasive calc thru.		180484	120.00	121.50	1.50	0.009	<0.2	71	11	41	2.69	5.42	32	2	3
		Fine fspar thru that are in part gone to clay.															
		5% sulphides as irregular seams, patches of fg Py, as scattered patches of gougie x'n Py.															
		LC sharp at broken shear at 30°.															
121.80	124.90	Chaotic (ser) (S) alt'd siltst.	(Ser) chaotic sst (5)	180485	121.50	122.25	0.75	0.005	<0.2	101	4	26	1.46	4.6	20	3	<2
		As before.		180486	122.25	123.00	0.75	0.058	<0.2	322	27	26	8.85	15.3	810	30	5
		5% sulp as Po replacing shell debris, and as intervals (124-124.24) of diss		180487	123.00	123.80	0.80	0.01	<0.2	144	14	27	2.82	6.67	98	19	4

SAMPLE ID	From m	To m	Width m	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm
180462	76.00	77.50	1.50	0.64	10	70	<0.5	3.83	<0.5	22	7	<10	<1	0.25	<10	0.36	725	3	0.05	10	480	8	83	<0.01	<10	<10	32	<10
180463	77.50	79.00	1.50	0.63	10	130	<0.5	4.04	<0.5	10	6	<10	1	0.24	<10	0.41	806	3	0.06	10	460	9	86	<0.01	<10	<10	38	<10
180464	79.00	80.50	1.50	0.67	10	100	<0.5	4.51	<0.5	7	7	<10	<1	0.25	<10	0.31	743	4	0.07	13	500	9	89	<0.01	10	<10	32	<10
180465	80.50	82.00	1.50	0.66	<10	40	<0.5	3.46	<0.5	18	6	<10	<1	0.22	<10	0.45	893	1	0.06	13	800	10	91	<0.01	<10	<10	43	<10
180466	82.00	83.50	1.50	0.67	10	90	<0.5	4.07	<0.5	20	4	<10	<1	0.23	<10	0.41	803	2	0.07	11	560	9	147	<0.01	<10	<10	30	<10
180467	83.50	85.00	1.50	0.63	<10	100	<0.5	4.87	<0.5	20	5	<10	<1	0.21	<10	0.4	740	1	0.06	10	950	9	142	<0.01	<10	<10	32	<10
180468	85.00	86.50	1.50	0.71	10	50	<0.5	4.6	<0.5	12	4	<10	1	0.24	<10	0.44	799	1	0.06	12	550	9	118	<0.01	<10	<10	35	<10
180469	86.50	88.00	1.50	0.76	10	50	<0.5	3.87	<0.5	1	3	<10	<1	0.32	<10	0.48	837	<1	0.03	9	1240	6	83	<0.01	<10	<10	23	<10
180470	88.00	89.00	1.00	0.89	<10	40	<0.5	4.41	<0.5	7	4	<10	2	0.26	<10	0.42	993	<1	0.07	11	520	7	98	<0.01	<10	<10	29	<10
180471	89.00	90.00	1.00	0.54	<10	50	<0.5	3.36	<0.5	13	4	<10	1	0.2	<10	0.39	905	<1	0.08	15	500	7	86	<0.01	<10	<10	29	<10
180472	90.00	91.00	1.00	0.71	<10	30	<0.5	2.85	<0.5	7	4	<10	1	0.26	<10	0.32	816	<1	0.09	13	550	6	83	<0.01	<10	<10	27	<10
180473	91.00	92.00	1.00	0.88	<10	110	<0.5	4.08	<0.5	2	5	<10	<1	0.3	<10	0.62	1045	1	0.06	5	610	6	83	<0.01	<10	<10	27	<10
180474	92.00	93.50	1.50	0.79	10	140	<0.5	3.53	<0.5	1	6	<10	<1	0.31	<10	0.7	1130	<1	0.07	6	690	7	73	<0.01	<10	<10	35	<10
180475	93.50	95.00	1.50	0.58	10	110	<0.5	3.52	<0.5	6	8	<10	<1	0.21	<10	0.56	969	<1	0.05	8	610	8	106	<0.01	<10	<10	39	<10
180476	95.00	96.50	1.50	0.73	10	120	<0.5	3.91	<0.5	8	9	<10	<1	0.28	<10	0.58	948	1	0.06	8	520	9	67	<0.01	<10	<10	42	<10
180477	96.50	98.00	1.50	0.65	10	110	<0.5	3.39	<0.5	16	8	<10	1	0.22	<10	0.69	917	1	0.07	9	480	9	88	<0.01	<10	<10	42	<10
180478	98.00	99.50	1.50	0.78	10	150	<0.5	3.16	<0.5	8	12	<10	<1	0.27	<10	1	924	2	0.07	4	490	9	65	<0.01	<10	<10	47	<10
180479	104.00	104.50	0.50	0.66	10	120	<0.5	3.64	<0.5	9	6	<10	<1	0.22	<10	0.47	1180	1	0.08	11	1220	9	91	<0.01	<10	<10	41	<10
180480	110.10	110.60	0.50	0.82	10	50	<0.5	4.5	<0.5	12	9	<10	<1	0.21	<10	0.75	801	3	0.14	10	880	10	180	<0.01	<10	<10	37	<10
180481	113.20	113.70	0.50	0.55	10	30	<0.5	3.83	<0.5	10	6	<10	<1	0.16	<10	0.45	570	3	0.12	8	450	9	82	<0.01	<10	<10	32	<10
180482	117.10	118.50	1.40	1.01	10	20	<0.5	4.38	<0.5	42	9	<10	<1	0.2	<10	0.9	1055	<1	0.12	9	1780	12	118	<0.01	<10	<10	77	<10
180483	118.50	120.00	1.50	0.68	10	40	<0.5	3.88	<0.5	6	7	<10	<1	0.19	<10	0.77	858	<1	0.14	9	640	11	108	<0.01	<10	<10	61	<10
180484	120.00	121.50	1.50	0.79	10	110	<0.5	4.1	<0.5	4	12	<10	<1	0.22	<10	0.64	777	<1	0.13	10	670	10	136	<0.01	<10	<10	60	<10
180485	121.50	122.25	0.75	0.79	10	110	<0.5	4.84	<0.5	6	8	<10	<1	0.19	<10	0.7	666	<1	0.13	9	820	10	237	<0.01	<10	<10	49	<10
180486	122.25	123.00	0.75	0.67	10	10	<0.5	2.63	<0.5	42	12	<10	<1	0.16	<10	0.78	674	1	0.13	7	770	8	95	<0.01	<10	<10	47	<10
180487	123.00	123.80	0.80	0.69	10	70	<0.5	2.93	<0.5	13	8	<10	1	0.19	<10	0.67	542	<1	0.14	7	360	9	92	<0.01	<10	<10	45	<10

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
		x'n Py in part gougy.		180488	123.80	124.30	0.50	0.035	<0.2	49	53	15	>10.0	13.75	109	9	24
		Moderate (weak) patchy calc.		180489	124.30	124.90	0.60	0.003	<0.2	59	3	42	0.79	3.37	59	5	<2
		LC grades quickly.															
124.90	127.00	Mx'd shell debris, chaotic siltst, (FP xT)	Mx'd shells, est, FPxT (20)	180490	124.90	126.30	1.40	0.598	0.2	459	59	22	>10.0	24.2	2350	73	17
		20% sulph as Po replacing shells, Po whelps at 55°.		180491	126.30	127.80	1.50	0.045	<0.2	176	18	43	5.51	10.95	172	18	3
		LC broken sharp at 60°.															
127.00	130.15	Clay ser alt'd FP breccia	Ser FP bx	180492	127.80	129.00	1.20	0.015	<0.2	62	9	47	1.88	4.81	39	5	<2
		To 129.00: Vuggy, gouge after clay grading to fg light grey FP.		180493	129.00	130.15	1.15	0.013	<0.2	122	9	44	3.41	7.28	18	9	<2
		Probably initiated bx'd with dark grey chl? gdmss.															
		2% sulph as intervals of diss fg Py +rare Po seams at 75°.															
		LC distinct probably a light shear at 85°.															
130.15	136.00	Chaotic siltst.	Chaotic sst (1-3)	180494	130.15	131.00	0.85	0.028	<0.2	119	14	43	3.69	7.33	17	10	2
		As before.		180495	131.00	132.00	1.00	0.018	<0.2	21	<2	31	0.93	3.42	32	<2	<2
		1% patchy x'n Py.		180496	132.00	133.50	1.50	0.033	<0.2	70	2	43	1.48	5.03	13	2	<2
		Light grey with dark grey ramified thru gdmss.		180497	133.50	135.00	1.50	0.079	<0.2	333	11	48	>10.0	17.8	154	5	4
		Moderate pervasive calc.															
		After 132.00: sulph increasing to 3% as rare Po replaced shells.															
		After 132.00: becomes mixed with fspar?-rich cg tuff? and xls now alt'd white to calc +clay to 133.50.															
		At 134.10: 15cm bed of shards, angular frags, clast supported in dark grey gdmss.															
		At 135.60: 20cm bed of packed shards and frags of arg at 40°.															
		After 135.60: creamy grey siltst with minor crushing due to calc +caly alt'd fspar xls.															
		LC sharp at 40° and could be primary.		180498	135.00	136.50	1.50	0.034	<0.2	102	8	30	4.48	7.27	42	3	<2
136.00	138.50	Single bed of unsorted, packed angular debris of arg.	Arg debris (5)	180499	136.50	137.50	1.00	0.03	<0.2	103	5	30	4.17	7.92	4	4	2
		In part broken and crushed following patchy strong clay +calc.															
		5% sulphides as patchy gdmss Py.															
		LC sharp, primary at 35°.															
136.50	143.40	Ser (S) alt'd siltst.	Ser sst (<5)	180501	137.50	139.00	1.50	0.188	<0.2	58	8	47	2.8	5.52	41	4	2
		Light green grey, typical with v weak darker grey stockwork.		180502	139.00	140.50	1.50	0.084	<0.2	62	5	41	2.37	5.35	15	3	<2
		Short intervals of fine black shell debris.		180503	140.50	142.00	1.50	0.009	<0.2	29	4	435	1.15	3.69	28	2	<2
		Scattered intervals (beds?) to 5cm of clastic debris (as before).		180504	142.00	143.40	1.40	0.038	<0.2	28	8	55	1.23	4.04	189	2	2
		<5% sulph as patchy cg Py, diss intervals of Py, and as Po-rich irregular patches in part replacing shell debris.															
		Weak -moderate pervasive calc thru.															
		LC broken sharp at 75°.															
143.40	146.70	Mixed lithologies.	Mx'd lithos (<1)	180505	145.90	146.70	0.80	0.005	<0.2	35	15	74	1.25	4.87	13	<2	3
		50% as beds of crser heterolithic cg siltst.															
		Good So at 70° -90°.															
		50% as light grey (green) to darker grey chaotic siltst as seen before.															
		Weak to strong pervasive calc best in crser clastic intervals.															
		<1% Py as diss patches.															

SAMPLE ID	From m	To m	Width m	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm
180488	123.80	124.30	0.50	0.67	10	10	<0.5	1.92	<0.5	8	14	<10	<1	0.17	<10	0.22	225	1	0.16	6	420	5	76	<0.01	<10	<10	21	<10
180489	124.30	124.90	0.60	0.72	10	200	<0.5	3.3	<0.5	7	7	<10	<1	0.21	<10	0.47	546	<1	0.18	8	480	9	95	<0.01	<10	<10	40	<10
180490	124.90	126.30	1.40	0.57	10	10	<0.5	2.28	<0.5	64	14	<10	<1	0.13	<10	0.88	631	1	0.08	7	1300	8	81	<0.01	<10	<10	41	<10
180491	126.30	127.80	1.50	0.88	10	30	<0.5	3.38	<0.5	20	7	<10	<1	0.24	<10	0.81	901	<1	0.14	11	1120	10	108	<0.01	<10	<10	81	<10
180492	127.80	129.00	1.20	0.82	10	120	<0.5	3.88	<0.5	6	17	<10	1	0.21	<10	0.52	553	<1	0.22	11	780	11	110	<0.01	<10	<10	57	<10
180493	129.00	130.15	1.15	0.68	10	60	<0.5	3.53	<0.5	10	9	<10	<1	0.18	<10	0.57	708	<1	0.15	15	420	12	94	<0.01	<10	<10	58	<10
180494	130.15	131.00	0.85	0.74	10	50	<0.5	4.46	<0.5	8	8	<10	<1	0.2	<10	0.73	744	<1	0.18	10	700	9	150	<0.01	<10	<10	44	<10
180495	131.00	132.00	1.00	0.69	10	180	<0.5	4.54	<0.5	2	9	<10	<1	0.22	<10	0.63	882	<1	0.14	11	500	11	123	<0.01	<10	<10	52	<10
180496	132.00	133.50	1.50	0.79	10	160	<0.5	4.57	<0.5	3	6	<10	<1	0.26	<10	0.71	1015	1	0.12	15	710	11	127	<0.01	<10	<10	71	<10
180497	133.50	135.00	1.50	0.74	10	10	<0.5	4.02	<0.5	28	6	<10	<1	0.2	<10	0.79	1155	1	0.11	20	1460	9	102	<0.01	<10	<10	44	<10
180498	135.00	136.50	1.50	0.75	10	30	<0.5	2.94	<0.5	10	6	<10	<1	0.25	<10	0.49	682	1	0.14	9	620	8	86	<0.01	<10	<10	37	<10
180499	136.50	137.50	1.00	0.83	10	40	<0.5	3.29	<0.5	8	10	<10	<1	0.31	<10	0.6	836	1	0.13	13	780	10	92	<0.01	<10	<10	47	<10
180501	137.50	139.00	1.50	0.68	10	80	<0.5	4.4	<0.5	5	11	<10	<1	0.23	<10	0.58	940	1	0.13	10	800	7	130	<0.01	<10	<10	29	<10
180502	139.00	140.50	1.50	0.65	10	80	<0.5	4.2	<0.5	10	6	<10	1	0.21	<10	0.51	1100	1	0.11	8	500	6	126	<0.01	<10	<10	24	<10
180503	140.50	142.00	1.50	0.59	10	150	<0.5	4.79	2.3	11	12	<10	<1	0.23	<10	0.37	1140	1	0.1	6	340	6	118	<0.01	<10	<10	19	<10
180504	142.00	143.40	1.40	0.65	10	140	<0.5	10.7	<0.5	17	6	<10	<1	0.17	<10	0.54	2560	<1	0.13	8	730	8	232	<0.01	<10	<10	34	<10
180505	145.90	146.70	0.80	0.59	10	130	<0.5	6.14	<0.5	12	13	<10	<1	0.11	<10	0.55	1595	2	0.17	7	900	11	156	<0.01	<10	<10	50	<10

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
		LC grades quickly from cg siltst to typical chaotic siltst at 75°.															
146.70	149.25	(Ser) alt'd chaotic siltst.	(Ser) chaotic sst (<1)	180506	146.70	147.75	1.05	0.002	<0.2	4	2	85	0.21	3.59	75	<2	<2
		As before with weak dark grey stockwork thru.		180507	147.75	148.25	1.50	0.001	<0.2	18	7	104	0.47	4.87	18	<2	<2
		<1% Py as crse x'n patches.															
		Scattered tight shears at 30° -40°.															
		At 148.00: 15cm crushed cg siltst with 1-2% ZnS xls diss thru.															
		LC sharp primary at 60° -80°.															
149.25	155.00	Mixed lithologies of siltst with floating FP lapilli, siltst as before but generally darker grey, minor argillite.	Mx'd lithos (<1)	180508	150.50	152.00	1.50	0.002	0.3	34	17	662	1.44	5.3	27	5	4
		Scattered healed shears at 30°.															
		Shell debris in crser clastics.															
		<1% Py as scattered cg patches.															
		From 153.70 to 154.20: good crse heterolithic debris bed, angular clast supported with clasts to 5cm.															
		Good So at 70° -90°.															
155.00	155.90	Ser alt'd chaotic siltst.	Ser chaotic sst														
		Typical, strong pervasive calc.															
		LC grades.															
155.90	168.86	Mixed lithologies.	Mx'd lithos (<1)														
		Predom grey to darker grey chaotic siltst.		180509	160.00	161.00	1.00	0.027	0.3	68	18	361	2.02	5.61	1955	2	6
		With intervals (beds?) of heterolithic angular debris.		180510	160.00	161.00	1.00	0.008	<0.2	36	10	277	1.21	4.95	392	<2	3
		Rare FP lapilli floating in siltst.															
		Scattered beds of cg siltst.		180511	164.00	165.00	1.00	0.002	0.4	40	14	352	1.42	5.39	74	<2	<2
		Strong pervasive calc.															
		From 161.80 to 162.00: badly broken at 20° and bleached creamy grey silts.															
		At 163.40: badly broken with graphitic gouge (conducts) probably at 30°.															
		At 165.40: NOTE 10cm of strg ser alt'd rhyolite intruding into heterolithic debris.															
		From 168.60 to 168.86: calc shear vein. Shattered heterolithic debris flooded with qtz -calc. 2% diss Py with some fine Py vnits in clasts.		180512	168.60	168.86	0.26	0.006	0.3	59	21	1590	1.91	4.86	590	3	8
	168.86	End of hole.															

SAMPLE ID	From m	To m	Width m	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm
180506	146.70	147.75	1.05	0.73	10	150	<0.5	5.56	<0.5	8	6	<10	<1	0.17	<10	0.52	1900	<1	0.18	4	500	10	138	<0.01	<10	<10	43	<10
180507	147.75	149.25	1.50	0.67	10	150	<0.5	4.4	<0.5	12	13	<10	<1	0.15	<10	0.88	1890	<1	0.17	9	510	10	112	<0.01	<10	<10	57	<10
180508	150.50	152.00	1.50	0.87	10	90	<0.5	5.82	3.4	14	12	<10	<1	0.18	<10	0.5	2090	1	0.15	18	420	11	141	<0.01	<10	<10	48	<10
180509	160.00	161.00	1.00	0.6	10	80	0.6	5.13	1.8	29	12	<10	1	0.22	<10	0.49	2920	1	0.04	17	560	5	122	<0.01	<10	<10	29	<10
180510	160.00	161.00	1.00	0.62	10	80	0.6	7.22	1.4	12	7	<10	1	0.22	<10	0.54	2550	1	0.05	10	600	8	205	<0.01	<10	<10	32	<10
180511	164.00	165.00	1.00	0.55	<10	80	0.5	8.5	1.9	14	6	<10	1	0.18	<10	0.57	2840	<1	0.04	11	620	7	247	<0.01	<10	<10	35	<10
180512	168.60	168.86	0.26	0.58	10	90	0.5	8.05	10.4	21	2	<10	<1	0.25	<10	0.54	2410	2	0.04	9	780	4	149	<0.01	<10	<10	23	<10

Drill Hole ID: BQ-09
 Location:
 UTM (NAD 83): 592810E, 6090900N, 975m elevation
 Grid: L900W @ BL
 Mineral Claim Tenure No. 528505
 Dip / Azimuth / Length: -48° / 180° / 160.32m
 Acid tests:
 54m @ -48°
 160m @ -47°
 Date Started: July 6, 2006
 Date Finished: July 7, 2006
 Logged By: JJ Watkins, P.Geo.
 Date Logged: July 7, 8, 2006
 Drill Contractor: Driftwood Diamond Drilling Ltd.
 Core Size: NQ2
 Casing: pulled from hole..
 Comments: No samples collected for chemical analysis.
 Core recovery at 100% thru.
 Road into drill site from 6000 Road deactivated on July 8th. Drill pad left intact.

From	To	DESCRIPTION	LITHO
0.00	3.05	Casing: pulled from hole..	OB
3.05	34.50	Massive fg to mg siltst, grey to light grey with dark grey to black intervals from 9.00 to 9.90, 10.40 to 13.30, 21.10 to 21.90 (badly broken with graphitic slips, 24.50 to 25.20 (with graphitic slips) From 12.20 to 12.40: irregular veining of xfn carbon (coal). V weak to minor locally strong calc over 10cm. Scattered white calc vnts increasing with depth at 45° -60°. Local well developed bedding ranging from 40° -60°. At 16.40: badly broken over 10cm with 2mm coal seam(s). LC marked by strong shear graphitic +calc vnts at 30°.	Set
34.50	35.20	FP dyke. Medium brown thru with numerous fspars to 1mm. All strongly calc alt'd. The dyke is intruded into (graphitic) sheared argillite. LC sharp with fingers of dyke into sheared argillite.	FP dyke
35.20	73.60	Grey /dark grey / black siltst. So at 45° decreasing to 30° with depth. Scattered graphitic slips. Calcite: non to v weak to LC From 44.80 to 45.30: black +calc vnts healed shear at 30° with graphitic gouge after 45.10. At 49.00: 5cm with coal as vague irregular filling into black fg siltst.	Blk / grey sst
73.60	75.80	Pebble conglomerate / coarse siltst. At 40°. LC marked at qtz -carb veins over 10 cm at 45°.	Peb congl / sst
75.80	77.90	Bleached, clay altered conglomerate / siltst. Bfd white centered on unit with very gradational contacts. Broken thru with very white clay? painted on all surfaces and thru grdmass. Rare qtz -carb shear at 60°. LC gradational.	Clay alt'd peb congl / sst
77.90	85.90	Mg siltst, thick bedded, medium grey with v weak apple green ser following So at 30°. Scattered calc veins at 30°. Rare qtz -carb shear at 80°. Mod (some strg) pervasive calc. LC sharp at 45°.	Mg sst
85.90	92.40	Black / grey siltst. As before, So at 30°. At 92.30: first graphitic slip at 30°. LC grades quickly.	Blk / grey sst
92.40	94.70	Black, fg, uniform with xfn carbon as as 5cm seam. LC lost.	Blk sst (coal)
94.70	94.90	Fault Much graphitic gouge at 30°.	G FLT

From	To	DESCRIPTION	LITHO
		Conductive.	
		LC sharp surface at 30°.	
94.70	120.70	Black / grey siltst.	Blk / grey sst ((coal))
		In part banded at 30°.	
		Scattered x'n carbon: At 99.10: minor, At 99.60: 8cm thick at 45°, At 101.40:	
		2cm at 30°, At 101.8: broken >10cm, At 119.20: 30cm at 20°, At 119.30: 2cm	
		at 20°, At 119.40: 2cm at 20. After 119.40: scattered wisps.	
		LC sharp surface at 30°.	
120.70	122.20	Graphite-rich fault.	G FLT
		Badly broken, shinny graphite rich with massive graphite.	
		With contorted frags of siltst.	
		LC sharp surface at 30°.	
122.20	125.20	Grey dark grey siltst.	Blk / grey sst
		Scattered gouge seams at 65°.	
125.20	126.50	Fault	G FLT
		Broken with graphite -calc gouge sheared at 40°.	
126.50	160.32	Blk / grey siltst.	Blk / grey sst
		As before.	
		At 129.10: 5cm x'n carbon.	
	160.32	EOH	

Drill Hole ID: BQ-10

Location:

UTM (NAD 83): 593614E, 8080736N, 987m elevation

Grid: L200W at 45m on line south of BQ-04.

Mineral Claim Tenure No. 528505

Dip / Azimuth / Length: -84.5° / 180° / 260.91 m

Acid tests:

53 m @ -82°

145 m @ -83°

220 m @ -81

Date Started: July 8, 2006

Date Finished: July 10, 2006

Logged By: JJ Watkins, P.Geol.

Date Logged: July 9, 10, 11, 2006

Drill Contractor: Driftwood Diamond Drilling Ltd.

Core Size: NQ2

Casing: pulled from hole..

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	As ppm	Bi ppm	Sb ppm
0.00	6.71	Casing	OB													
6.71	7.20	Lost	LC													
7.20	24.40	FP lapilli tuff agglomerate. Typical, relatively fresh looking, unsorted with lapilli and blocks of FP floating in a darker grey (chloritic?) x'n mush. Scattered v rare lapilli, lath shaped, of black hard chert? Broken in part with gouge to 13.00. From 12.00 to 13.00: 60% lost. Strong pervasive calc. Rare tight chert seam at various angles. Some blocks alt'd bleached creamy grey. <1% sulphides as cg x'n Py, as v rare fg Py with black chert lapilli. LC lost.	FP LTA (<1)													
24.40	26.10	Badly broken with calc (clay?) gouge. V strg calc. Less broken after 25.50 and could be bound by 80° shear. 1% x'n Py dis thru. LC lost.	FLT (1)													
26.10	56.40	Sil'd dac (sulphide) alt'd FP LTA. LTA as before but now being masked by intervals, with distinct contacts, and increasing with depth of probably sil'd tuff (this has been logged as dacite). So in dac at 70° -80°. Strong pervasive calc. 1 to 3% sulphides increasing with depth. Po +Py to 47.35 as dis clusters of x'n Py, Po as whisps, seams to veinlets After 43.00 at 70° -80° with some at 0° -10°. At 33.80: 7cm MS of Po +40% cg x'n Py at 80°. After 47.35: Po only with first (Aspy) as fine dis following Po seams at 70°. At 33.70: 10 cm of insitued calc -clay gouge. From 36.80 -37.20: Insitued gouge with cg x'n Py.	Dec (S) alt'd FP LTA (3)	C180513	26.50	28.00	1.50	0.013	<0.2	149	7	42	2.36	405	5	5
				C180514	28.00	29.50	1.50	0.021	0.6	216	19	97	3.18	1795	15	9
				C180531	29.50	50.00	20.50	0.008	0.9	173	20	94	2.54	144	12	5
				C180515	31.00	32.50	1.50	0.021	2.3	152	62	226	2.67	404	21	13
				C180516	32.50	33.50	1.00	0.011	0.4	174	18	59	2.43	191	13	9
				C180517	33.50	34.00	0.50	0.070	0.4	629	12	49	7.07	2350	27	9
				C180518	34.00	35.50	1.50	0.036	<0.2	179	4	36	2.82	6080	10	9
				C180519	35.50	37.00	1.50	0.031	<0.2	286	5	33	4.30	1980	10	4
				C180520	37.00	38.50	1.50	0.014	<0.2	207	3	39	2.08	569	4	<2
				C180521	38.50	40.00	1.50	0.022	<0.2	189	2	36	2.42	2280	5	6
				C180522	40.00	41.50	1.50	0.023	<0.2	175	2	31	2.77	534	37	6
				C180523	41.50	43.00	1.50	0.027	<0.2	266	6	43	3.25	1045	8	4

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	As ppm	Bi ppm	Sb ppm
		From 52.00 -52.75: 40% Po at 40°.		C180524	43.00	44.50	1.50	0.023	0.3	462	5	51	5.41	146	16	10
		After 52.75: 1% Po (Py).		C180525	44.50	46.00	1.50	0.080	0.7	643	8	52	7.37	1365	29	11
		From 53.64 -53.90: lost core, no evidence for a structure.		C180526	46.00	47.00	1.00	0.013	0.2	179	2	39	3.20	56	5	5
		LC very gradational and marked at first marked increase in Aspy.		C180527	47.00	48.00	1.00	0.045	0.4	201	6	49	2.96	73	12	4
				C180528	48.00	48.50	0.50	0.051	0.7	389	7	85	5.45	>10000	14	14
				C180529	48.00	48.50	0.50	0.036	0.8	395	10	51	6.26	7220	17	10
				C180530	48.50	50.00	1.50	0.017	0.3	186	4	37	1.82	87	7	4
				C180532	50.00	51.50	1.50	0.039	0.4	191	8	95	2.49	124	10	5
				C180533	51.50	52.50	1.00	0.011	0.2	215	4	51	2.50	177	2	3
				C180534	52.50	53.00	0.50	0.009	0.5	1010	11	43	8.70	204	5	2
				C180535	53.00	54.50	1.50	0.055	0.3	336	7	35	3.76	2250	12	2
				C180536	54.50	56.00	1.50	0.014	0.5	439	10	39	6.37	441	23	7
56.40	84.00	Ser sulphide alt'd FP agglomerate.	Ser FP A (15)	C180537	56.00	57.00	1.00	0.068	0.7	485	16	38	6.45	1120	24	7
		An unbroken unit of stockwork sulphides cutting dull green to patchy apple green FP-rich unit, probably a coarse Vc.		C180538	57.00	58.00	1.00	1.285	0.5	288	11	22	4.51	>10000	66	28
		10 -20% total sulphides as Po most as veinlets at 80° and 45°, as irregular patches of heavy Aspy +(Po) +((Py)) some tending to be veins at 80°.		C180539	58.00	59.00	1.00	1.825	1	426	24	23	8.92	>10000	161	84
		From 57.85 to 59.00: 20 -30% Aspy with Py +Po.		C180540	59.00	60.50	1.50	0.645	0.4	267	12	39	4.52	>10000	27	27
		Scattered Po healed shears at 30°.		C180541	60.50	62.00	1.50	1.740	0.9	594	13	33	8.77	>10000	122	47
		No calc after ~85.00.		C180542	62.00	63.50	1.50	0.300	0.3	498	10	58	6.16	>10000	39	13
		At 84.00: 20cm qtz -carb shear at 80°.		C180543	63.50	65.00	1.50	0.320	0.2	580	12	65	4.35	2080	42	4
		At 84.70: 5cm crushed gouge at 80°?		C180544	65.00	66.50	1.50	1.635	0.5	643	10	52	6.20	>10000	109	25
		LC very gradational, difficult to pick.		C180545	66.50	68.00	1.50	0.519	0.3	535	8	68	4.97	2020	39	3
				C180546	68.00	69.50	1.50	0.597	0.3	494	7	52	4.91	2820	39	4
				C180547	69.50	71.00	1.50	0.168	<0.2	285	5	77	3.37	367	25	6
				C180548	71.00	72.50	1.50	0.161	0.4	485	12	65	4.91	497	29	8
				C180549	72.50	74.00	1.50	0.451	0.2	407	6	60	3.82	272	27	3
				C180551	74.00	75.00	1.00	0.359	0.3	467	10	51	4.29	791	42	5
				C180552	75.00	75.50	0.50	1.175	0.6	784	9	55	7.09	572	69	12
				C180553	75.00	75.50	0.50	1.505	0.6	1120	6	61	7.27	647	84	9
				C180554	75.50	77.00	1.50	0.492	0.3	521	6	57	5.10	487	47	8
				C180555	77.00	78.50	1.50	0.186	0.3	442	9	52	4.92	738	61	6
				C180556	78.50	80.00	1.50	0.327	0.3	432	9	50	5.40	5560	44	10
				C180557	80.00	81.50	1.50	0.849	0.4	409	8	46	5.16	8810	54	12
				C180558	81.50	83.00	1.50	0.461	<0.2	198	9	27	3.15	>10000	191	15
				C180559	83.00	84.50	1.50	0.048	0.4	413	11	48	5.33	1010	30	8
84.00	91.80	Ser sulphide alt'd siltst.	Ser sst (10)	C180560	84.50	86.00	1.50	0.034	0.2	206	9	29	3.11	3050	42	7
		Typical fq apple green to creamy grey.		C180561	86.00	87.50	1.50	0.432	0.4	293	17	47	5.81	>10000	23	26
		Weak (mod) pervasive calc.		C180562	87.50	89.00	1.50	0.334	0.3	243	8	27	4.60	>10000	18	16
		10% sulph as patchy fq Po to 5%, Aspy as fq disc patches and a 1cm Po +Aspy veinlets.		C180563	89.00	90.50	1.50	0.094	<0.2	177	5	24	2.65	5430	6	6
		From 87.30 -88.00: patchy crushed intervals at 80°.		C180564	90.50	91.80	1.30	0.021	0.2	174	12	31	2.78	3010	3	7
		LC distinct at 80°.														
91.80	92.85	Alt'd pebble conglomerate	Alt'd congl (5)	C180565	91.80	92.85	1.05	0.012	0.2	289	10	53	4.03	1200	6	2

SAMPLE ID	From m	To m	Width m	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm
C180524	43.00	44.50	1.50	1.12	10	90	<0.5	3.42	<0.5	6	6	12.30	<10	<1	0.31	<10	0.74	1630	1	0.04	9	1020	9	50	<0.01	<10	<10	59	<10
C180525	44.50	46.00	1.50	1.29	10	70	<0.5	2.69	<0.5	48	4	16.30	<10	<1	0.44	<10	0.68	1490	<1	0.03	16	1230	8	46	<0.01	<10	<10	53	<10
C180526	46.00	47.00	1.00	0.8	10	100	<0.5	3.42	<0.5	2	2	6.89	<10	<1	0.36	<10	0.39	1410	<1	0.03	7	650	7	52	<0.01	<10	<10	45	<10
C180527	47.00	48.00	1.00	1.11	10	160	<0.5	4.43	<0.5	3	3	6.54	<10	<1	0.53	<10	0.44	1470	<1	0.03	10	580	7	57	<0.01	<10	<10	47	<10
C180528	48.00	48.50	0.50	0.84	10	100	<0.5	3.66	<0.5	192	1	11.65	<10	<1	0.36	<10	0.64	1620	<1	0.02	13	720	7	49	<0.01	<10	<10	53	<10
C180529	48.00	48.50	0.50	0.93	10	110	<0.5	3.56	<0.5	114	<1	12.75	<10	<1	0.39	<10	0.64	1630	<1	0.03	12	620	8	45	<0.01	<10	<10	55	<10
C180530	48.50	50.00	1.50	0.76	10	110	<0.5	3.53	<0.5	3	4	5.64	<10	<1	0.36	<10	0.46	1310	1	0.03	9	700	7	82	<0.01	<10	<10	45	<10
C180532	50.00	51.50	1.50	0.82	10	90	<0.5	3.49	<0.5	2	6	7.22	<10	1	0.33	<10	0.61	1560	<1	0.02	8	680	9	97	<0.01	<10	<10	63	<10
C180533	51.50	52.50	1.00	1	<10	100	<0.5	3.29	<0.5	3	5	6.97	<10	<1	0.34	<10	0.53	1270	<1	0.03	8	740	10	64	<0.01	<10	<10	63	<10
C180534	52.50	53.00	0.50	0.86	<10	70	<0.5	2.09	0.5	6	<1	20.20	<10	1	0.29	<10	0.54	968	<1	0.02	30	470	7	32	<0.01	<10	<10	54	<10
C180535	53.00	54.50	1.50	0.94	<10	110	<0.5	4.09	<0.5	7	4	8.14	<10	1	0.34	<10	0.54	997	<1	0.02	9	630	8	83	<0.01	<10	<10	49	<10
C180536	54.50	56.00	1.50	0.88	10	90	<0.5	3	<0.5	11	5	10.45	<10	<1	0.36	<10	0.57	1170	<1	0.02	9	1070	9	48	<0.01	<10	<10	48	<10
C180537	56.00	57.00	1.00	0.86	<10	90	<0.5	2.36	<0.5	17	2	11.40	<10	<1	0.34	<10	0.34	1170	<1	0.04	10	670	9	52	<0.01	10	<10	48	<10
C180538	57.00	58.00	1.00	0.8	<10	110	<0.5	3.65	<0.5	81	2	8.13	<10	1	0.36	<10	0.34	1270	<1	0.03	15	710	7	53	<0.01	<10	<10	27	<10
C180539	58.00	59.00	1.00	0.74	<10	70	<0.5	2.11	0.5	74	1	16.10	<10	<1	0.33	<10	0.31	995	<1	0.02	9	530	5	33	<0.01	<10	<10	27	<10
C180540	59.00	60.50	1.50	0.95	<10	120	<0.5	3.77	<0.5	23	3	6.73	<10	<1	0.38	<10	0.54	1390	<1	0.04	11	830	10	51	<0.01	<10	<10	54	<10
C180541	60.50	62.00	1.50	0.93	<10	60	<0.5	2.73	<0.5	27	6	17.00	<10	<1	0.36	<10	0.53	1050	<1	0.03	17	900	12	33	<0.01	<10	<10	58	<10
C180542	62.00	63.50	1.50	1.69	<10	170	<0.5	3.57	<0.5	9	22	12.80	10	<1	0.43	<10	1.07	1320	<1	0.05	12	1780	22	85	0.01	<10	<10	130	10
C180543	63.50	65.00	1.50	2.28	<10	160	<0.5	3.54	<0.5	12	29	13.16	<10	<1	0.32	<10	1.33	1300	<1	0.08	14	1700	23	85	0.01	<10	<10	156	<10
C180544	65.00	66.50	1.50	1.52	<10	50	<0.5	2.29	<0.5	30	19	16.30	<10	1	0.29	<10	1.07	939	<1	0.05	12	1260	18	54	<0.01	10	<10	118	<10
C180545	66.50	68.00	1.50	2.1	<10	190	<0.5	3.34	<0.5	12	27	14.60	10	<1	0.32	<10	1.64	1350	<1	0.07	15	1710	26	81	0.01	<10	<10	155	<10
C180546	68.00	69.50	1.50	1.31	<10	180	<0.5	3.65	<0.5	13	20	12.20	<10	1	0.31	<10	1.39	1090	<1	0.05	12	1580	22	80	<0.01	<10	<10	120	<10
C180547	69.50	71.00	1.50	1.74	<10	160	<0.5	3.12	<0.5	13	25	10.45	10	<1	0.24	<10	1.7	1240	<1	0.06	13	1420	22	92	<0.01	<10	<10	144	<10
C180548	71.00	72.50	1.50	1.5	<10	130	<0.5	3.65	<0.5	16	19	13.10	10	<1	0.32	<10	1.58	1280	<1	0.06	16	1630	22	96	<0.01	10	<10	127	<10
C180549	72.50	74.00	1.50	1.48	<10	130	<0.5	3.3	<0.5	9	20	11.40	<10	<1	0.27	<10	1.55	1230	<1	0.05	14	1280	21	73	<0.01	<10	<10	120	<10
C180551	74.00	75.00	1.00	1.24	<10	160	<0.5	3.55	<0.5	12	19	11.66	<10	1	0.33	<10	1.33	1160	<1	0.05	13	1390	23	64	0.01	<10	<10	110	<10
C180552	75.00	75.50	0.50	1.54	<10	80	<0.5	2.19	<0.5	11	15	19.20	10	1	0.31	<10	1.15	971	<1	0.03	19	1090	18	38	0.01	10	<10	111	<10
C180553	75.00	75.50	0.50	1.42	<10	100	<0.5	2.35	<0.5	12	15	20.50	<10	1	0.27	<10	1.25	1040	<1	0.03	21	1000	18	40	<0.01	<10	<10	112	<10
C180554	75.50	77.00	1.50	1.44	<10	130	<0.5	3.68	<0.5	10	19	13.70	<10	<1	0.41	<10	1.36	1240	<1	0.05	13	1510	23	63	<0.01	<10	<10	132	<10
C180555	77.00	78.50	1.50	1.24	<10	130	<0.5	2.82	0.6	9	19	12.05	<10	1	0.3	<10	1.01	1110	<1	0.04	12	1430	22	52	0.01	<10	<10	119	<10
C180556	78.50	80.00	1.50	1.09	<10	130	<0.5	3.06	<0.5	20	16	11.75	<10	<1	0.41	<10	1.19	1280	<1	0.02	15	1300	20	42	<0.01	<10	<10	111	<10
C180557	80.00	81.50	1.50	1.02	<10	130	<0.5	3.32	<0.5	22	15	12.80	10	<1	0.35	<10	1.05	1320	<1	0.02	18	1330	19	46	0.01	<10	<10	98	<10
C180558	81.50	83.00	1.50	1.14	<10	140	<0.5	6.87	<0.5	41	11	7.42	<10	<1	0.52	<10	0.87	1710	<1	0.03	18	1560	16	76	0.01	<10	<10	72	<10
C180559	83.00	84.50	1.50	0.95	<10	90	<0.5	2.61	<0.5	6	9	10.25	<10	<1	0.31	<10	0.59	1050	<1	0.05	9	1330	14	58	<0.01	<10	<10	61	<10
C180560	84.50	86.00	1.50	1.05	<10	100	<0.5	3.26	<0.5	9	3	6.58	<10	1	0.44	<10	0.42	1000	<1	0.06	6	940	7	72	<0.01	<10	<10	35	<10
C180561	86.00	87.50	1.50	0.75	<10	70	<0.5	2.92	<0.5	63	3	10.05	<10	<1	0.32	<10	0.4	981	<1	0.05	9	560	6	66	<0.01	<10	<10	32	<10
C180562	87.50	89.00	1.50	1.04	<10	90	<0.5	3.57	<0.5	27	2	8.03	<10	1	0.42	<10	0.34	857	1	0.09	6	1170	6	75	<0.01	<10	<10	34	<10
C180563	89.00	90.50	1.50	0.83	10	80	<0.5	3.96	<0.5	9	3	6.60	<10	<1	0.33	<10	0.56	1100	<1	0.05	4	850	7	75	<0.01	<10	<10	32	<10
C180564	90.50	91.80	1.30	0.97	<10	100	<0.5	3.05	<0.5	7	3	6.39	<10	<1	0.36	<10	0.54	797	<1	0.08	4	480	6	62	<0.01	<10	<10	31	<10
C180565	91.80	92.85	1.05	1	<10	70	<0.5	3.28	<0.5	7	4	8.55	<10	<1	0.22	<10	0.59	775	<1	0.15	4	1270	9	94	<0.01	<10	<10	45	<10

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	As ppm	Bi ppm	Sb ppm
		Some pebbles totally gone to expanding clay +calc.														
		5% sulph as fg Aspy and diss cubic Py.														
		LC broken sharp at 85°.														
92.85	103.20	Typical siltst grading to bedded siltst / cg siltst.	Ser sst (20)	C180566	92.85	93.75	0.90	0.505	0.4	239	26	36	4.48	>10000	166	14
		So at 70°.		C180567	93.75	95.00	1.25	0.050	0.3	220	25	2830	3.93	3730	2	10
		20% sulph as heavy Aspy +(Py) to 20cm SMS and preferring the coarse grain		C180568	95.00	96.50	1.50	0.010	0.2	154	19	54	2.49	645	7	8
		siltst beds, as scattered seams of Po and as Po replacing shell debris, and		C180569	96.50	98.00	1.50	0.098	<0.2	185	8	25	3.55	6170	7	9
		as minor Py with black chert slivers.		C180570	98.00	98.70	0.70	0.206	0.2	154	10	24	2.96	7450	13	8
		LC sharp primary at 60°.		C180571	98.70	99.70	1.00	0.035	0.4	516	18	23	8.65	6350	13	6
				C180572	99.70	100.70	1.00	0.142	0.7	585	33	42	8.89	>10000	28	18
				C180573	100.70	101.70	1.00	0.038	0.2	246	13	31	4.02	2700	6	7
				C180574	101.70	102.40	0.70	0.010	0.2	287	9	27	4.51	3870	2	4
				C180575	102.40	103.20	0.80	0.218	0.3	83	8	19	1.49	>10000	11	7
103.20	140.25	Bedded fg to cg siltst, ser sulph alt'd siltst.	Ser sst (20)	C180576	103.20	104.20	1.00	1.990	0.4	258	24	41	5.12	>10000	313	27
		From 116.50 -120.20: cg bedded siltst with sulph following the crser grain beds.		C180577	104.20	105.40	1.20	0.020	0.3	97	6	27	1.71	2030	4	2
		Good So at 60° -70°.		C180578	105.40	106.00	0.60	0.309	0.2	314	17	31	6.17	>10000	180	28
		At 121.00: light shears over 5cm at 30°.		C180579	106.00	107.50	1.50	0.014	<0.2	177	10	25	2.98	1255	50	8
		From 122.90 -123.30: bleache, healed shear with some crushed at 90°.		C180580	107.50	109.00	1.50	0.121	0.2	186	9	34	3.74	5010	13	4
		At 133.10: light shear at 30°.		C180581	109.00	110.50	1.50	0.006	0.2	151	14	50	2.64	472	8	8
		20% sulphides as Aspy-rich +Py replacing cg clastic beds (ex. 116.50 -116.90),		C180582	110.50	111.50	1.00	0.023	0.2	363	11	20	6.33	3040	60	7
		as Po replacing shell debris, as Po vnits most at 70° -90°, as patchy fg Po with		C180583	111.50	112.50	1.00	0.031	0.2	341	7	18	5.90	3090	8	5
		scattered over 10 to 20cm intervals.		C180584	112.50	114.00	1.50	0.034	0.3	295	12	22	5.13	1870	8	4
		Weak (mod) pervasive calc.		C180585	114.00	115.50	1.50	0.034	<0.2	261	7	32	4.51	3490	13	9
		After 137.00: Po vnits dominate.		C180586	115.50	116.50	1.00	0.042	0.3	405	12	195	6.82	4610	14	34
		LC sharp against shear at 60°.		C180587	116.50	116.90	0.40	0.982	0.2	969	9	18	>10.0	>10000	89	33
				C180588	116.90	118.20	1.30	0.016	<0.2	127	5	33	1.85	430	5	17
				C180589	118.20	119.40	1.20	0.041	<0.2	328	7	23	5.24	5470	9	5
				C180590	119.40	120.20	0.80	0.409	0.3	574	9	20	>10.0	>10000	44	16
				C180591	120.20	121.50	1.30	0.849	0.2	348	10	20	7.89	>10000	44	22
				C180592	121.50	123.00	1.50	0.100	0.2	236	2	18	4.01	>10000	7	7
				C180593	123.00	124.50	1.50	0.119	0.5	246	18	86	5.14	8520	23	34
				C180594	124.50	125.50	1.00	0.065	1.1	83	155	3860	1.82	1760	3	64
				C180595	125.50	126.30	0.80	0.009	0.2	249	7	35	3.23	1135	2	4
				C180596	126.30	126.60	0.30	0.040	0.3	623	10	31	8.97	2900	2	7
				C180597	126.60	127.50	0.90	0.041	0.2	211	7	25	3.90	2990	4	<2
				C180598	127.50	129.00	1.50	0.004	<0.2	214	4	17	3.30	341	<2	<2
				C180599	129.00	130.50	1.50	0.041	0.2	344	8	14	5.33	2690	4	3
				C180601	130.50	131.50	1.00	0.023	0.2	302	11	18	4.53	2680	2	5
				C180602	131.50	132.20	0.70	0.078	0.8	402	89	132	6.91	7860	19	33
				C180603	132.20	133.10	0.90	0.011	<0.2	236	10	11	3.72	611	24	3
				C180604	133.10	134.10	1.00	0.144	0.3	705	14	133	>10.0	1620	418	18
				C180605	133.10	134.10	1.00	0.033	<0.2	510	5	50	7.01	1000	14	3

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	As ppm	Bi ppm	Sb ppm
				C180606	134.10	135.00	0.90	0.171	<0.2	331	6	27	4.71	1300	30	6
				C180607	135.00	138.00	1.00	0.039	<0.2	276	5	11	4.08	4060	4	4
				C180608	136.00	137.00	1.00	0.026	<0.2	218	12	32	4.07	2740	9	6
				C180609	137.00	138.00	1.00	0.068	<0.2	254	7	19	3.63	4230	5	5
				C180610	138.00	139.50	1.50	0.104	<0.2	298	6	25	4.68	3090	36	7
				C180611	139.50	140.25	0.75	0.053	<0.2	267	5	36	4.30	2700	3	5
140.25	140.80	Shear	Sh (10, 60°)	C180612	140.25	140.80	0.35	0.070	0.2	335	9	121	5.23	1390	13	4
		Strong shear with 10% fg Py seams.														
		LC sharp at 60°.														
140.80	150.70	Probably an intermediate volcanic.	FP Vc? (5-10)	C180613	140.80	142.00	1.40	0.027	0.2	302	14	60	4.29	918	11	5
		Varies from light grey green to dark green, with intervals of dark green angular frags to 5cm floating in a grey hard gdmss.		C180614	142.00	143.50	1.50	0.026	0.2	385	16	105	5.39	981	7	6
		Intervals with FP clasts, intervals mottled grey green with vague lapilli, intervals insitued shattered with a dark hard gdmss in part sil'd?		C180615	143.50	145.00	1.50	0.026	<0.2	267	15	95	4.33	1200	6	6
		5-10% sulph primarily as massive irregular patches of vfg Py, minor Po toward top contact, <1% local patches of vfg Aspy.		C180616	145.00	146.50	1.50	0.162	<0.2	164	15	49	2.59	219	122	6
		Only patchy strong calc with much of the unit with no calc other than minor calc vnits at 80°.		C180617	146.50	148.00	1.50	0.007	<0.2	164	11	84	2.81	110	5	5
		LC sharp at 75°.		C180618	148.00	149.00	1.00	0.038	<0.2	564	10	19	8.26	5580	11	7
				C180619	149.00	150.00	1.00	0.025	0.2	302	16	28	5.33	2470	5	8
				C180620	150.00	150.70	0.70	0.123	1.4	757	102	723	>10.0	3210	19	30
150.70	160.50	Ser alt'd QFP	Ser QFP													
		Typical apple green after strong pervasive ser to patchy v strong ser.														
		After 156.00: weakly shattered with 5% calc filling.														
		Rare Py seams at 30°.														
		LC sharp shear at 25°.														
160.50	176.00	Light to darker grey remnants in ser, locally strong ser, silicified.	Ser FP Vc? (sst) (10)	C180621	160.50	161.50	1.00	0.055	<0.2	125	10	78	2.15	6820	10	8
		Primary lithology at least in part FP Vc, some vaguely bedded siltst.		C180622	161.50	163.00	1.50	0.008	<0.2	190	5	53	2.75	569	4	2
		10% sulph primarily v vfg Py most as seams to 1cm at 70° -80°.		C180623	163.00	164.50	1.50	0.055	<0.2	203	6	62	3.45	7510	5	7
		Minor Po toward top contact.		C180624	164.50	166.00	1.50	0.035	<0.2	219	7	83	3.25	2440	7	4
		Scattered shears thru most at 70° -80° and locally at 0° -10° disrupting and juxtaposing.		C180625	166.00	167.00	1.00	0.001	0.2	129	74	85	1.99	29	5	5
		Only minor patchy calc with scattered vnits at 70° -80°.		C180626	167.00	168.00	1.00	<0.001	0.3	117	14	71	1.78	13	5	6
		LC sharp against sh at 35°.		C180627	168.00	169.00	1.00	0.023	<0.2	25	6	105	0.68	6320	3	7
				C180628	169.00	170.50	1.50	0.004	<0.2	67	10	45	1.45	340	8	3
				C180629	170.50	172.00	1.50	0.008	<0.2	59	8	74	1.36	106	9	2
				C180630	172.00	173.50	1.50	0.001	<0.2	53	11	46	1.10	28	5	3
				C180631	173.50	175.00	1.50	<0.001	<0.2	104	9	38	2.62	52	2	5
				C180632	175.00	176.00	1.00	0.001	<0.2	88	7	40	2.09	87	2	6
176.00	176.20	Fault	FLT (5, 45°)													
		Calc rich gouge with 5% Py.														
		LC distinct at 45°.		C180633	176.00	177.00	1.00	0.001	<0.2	112	9	38	2.32	46	5	5
176.20	184.95	Same unit as above fault	Ser FP Vc? (sst) (10)	C180634	177.00	178.00	1.00	0.001	<0.2	103	5	38	2.48	26	<2	2
		Less grey remnants, strg pervasive ser.		C180635	178.00	179.00	1.00	<0.001	<0.2	86	5	49	1.88	99	2	11
		Scattered shears thru at 35°.		C180636	179.00	180.00	1.00	<0.001	<0.2	142	8	52	2.43	69	<2	3

SAMPLE ID	From m	To m	Width m	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	
C180606	134.10	135.00	0.90	0.73	10	50	<0.5	2.24	<0.5	9	1	8.06	<10	<1	0.43	<10	0.1	552	<1	0.02	4	600	3	58	<0.01	<10	<10	18	<10	
C180607	135.00	136.00	1.00	0.57	10	100	<0.5	2.62	<0.5	17	1	8.90	<10	<1	0.33	<10	0.12	557	1	0.02	4	500	5	53	<0.01	<10	<10	13	<10	
C180608	136.00	137.00	1.00	0.64	10	120	<0.5	3.49	<0.5	9	2	8.24	<10	<1	0.34	<10	0.23	709	<1	0.03	3	420	6	65	<0.01	<10	<10	16	<10	
C180609	137.00	138.00	1.00	0.54	10	80	<0.5	2.88	<0.5	15	3	6.78	<10	<1	0.27	<10	0.24	699	<1	0.04	5	370	6	57	<0.01	<10	<10	23	<10	
C180610	138.00	139.50	1.50	0.49	<10	100	<0.5	3.05	<0.5	11	6	7.91	<10	<1	0.29	<10	0.22	764	<1	0.03	4	360	5	65	<0.01	<10	<10	17	<10	
C180611	139.50	140.25	0.75	0.57	10	110	<0.5	3.57	<0.5	14	1	8.85	<10	<1	0.34	<10	0.23	994	<1	0.02	7	530	5	73	<0.01	<10	<10	14	<10	
C180612	140.25	140.80	0.35	0.58	10	80	<0.5	4.37	<0.5	8	4	8.41	<10	<1	0.32	<10	0.34	1030	<1	0.03	7	870	8	112	<0.01	<10	<10	25	<10	
C180613	140.80	142.00	1.40	0.61	10	110	<0.5	3.04	<0.5	4	3	7.53	<10	<1	0.36	<10	0.35	912	<1	0.02	10	410	9	56	<0.01	<10	<10	28	<10	
C180614	142.00	143.50	1.50	0.64	10	70	<0.5	2.13	<0.5	4	5	8.94	<10	<1	0.38	<10	0.28	790	1	0.02	8	560	7	34	<0.01	<10	<10	25	<10	
C180615	143.50	145.00	1.50	0.7	10	100	<0.5	3.55	<0.5	4	1	8.45	<10	<1	0.36	<10	0.56	1320	<1	0.03	7	1040	9	58	<0.01	<10	<10	45	<10	
C180616	145.00	146.50	1.50	0.65	10	120	<0.5	3.08	<0.5	<1	5	6.52	<10	<1	0.34	<10	0.53	1090	<1	0.02	5	580	8	56	<0.01	<10	<10	44	<10	
C180617	146.50	148.00	1.50	0.65	10	140	<0.5	3.49	<0.5	1	<1	5.67	<10	<1	0.34	<10	0.49	1020	<1	0.03	2	1320	5	79	<0.01	<10	<10	29	<10	
C180618	148.00	149.00	1.00	0.52	10	20	<0.5	2.32	<0.5	48	4	14.00	<10	<1	0.32	<10	0.14	443	1	0.03	5	440	5	65	<0.01	<10	<10	18	<10	
C180619	149.00	150.00	1.00	0.51	10	40	<0.5	2.6	<0.5	30	2	9.15	<10	<1	0.32	<10	0.31	1000	1	0.02	6	520	7	71	<0.01	<10	<10	27	<10	
C180620	150.00	150.70	0.70	0.46	<10	20	<0.5	1.9	2.8	27	3	17.60	<10	<1	0.31	<10	0.49	1740	<1	0.02	11	390	5	71	<0.01	<10	<10	24	<10	
C180621	160.50	161.50	1.00	0.6	10	170	<0.5	4.39	<0.5	45	1	6.40	<10	<1	0.31	<10	0.91	1370	1	0.04	8	1360	9	118	<0.01	<10	<10	45	<10	
C180622	161.50	163.00	1.50	0.65	10	140	<0.5	4.33	<0.5	13	5	7.60	<10	<1	0.32	<10	0.98	1330	2	0.04	8	1710	10	102	<0.01	<10	<10	56	<10	
C180623	163.00	164.50	1.50	0.6	10	140	<0.5	3.03	<0.5	90	4	8.07	<10	<1	0.38	10	0.84	1400	2	0.03	20	730	12	82	<0.01	<10	10	35	<10	
C180624	164.50	166.00	1.50	0.75	10	90	<0.5	3.02	<0.5	30	6	7.56	<10	<1	0.42	<10	0.85	1270	1	0.03	10	820	10	80	<0.01	<10	<10	37	<10	
C180625	166.00	167.00	1.00	0.6	10	130	<0.5	3.91	<0.5	3	<1	7.19	<10	<1	0.25	<10	1.05	1500	<1	0.06	4	2060	9	109	<0.01	<10	<10	71	<10	
C180626	167.00	168.00	1.00	0.68	10	120	<0.5	4.02	<0.5	2	2	6.45	<10	<1	0.26	<10	0.98	1660	<1	0.05	5	1550	8	104	<0.01	<10	<10	74	<10	
C180627	168.00	169.00	1.00	0.69	10	180	<0.5	4.93	<0.5	87	<1	3.49	<10	1	0.32	<10	0.68	1190	1	0.04	5	1550	7	106	<0.01	<10	<10	47	<10	
C180628	169.00	170.50	1.50	0.64	10	150	<0.5	5.54	<0.5	13	1	5.29	<10	<1	0.29	<10	0.85	1180	<1	0.04	5	1830	8	113	<0.01	<10	<10	67	<10	
C180629	170.50	172.00	1.50	0.72	10	150	<0.5	5.73	<0.5	5	<1	5.35	<10	<1	0.28	<10	0.91	1180	<1	0.06	3	1710	8	127	<0.01	<10	<10	68	<10	
C180630	172.00	173.50	1.50	0.68	10	150	<0.5	5.89	<0.5	4	1	5.57	<10	<1	0.29	<10	0.91	1340	<1	0.06	3	1780	9	127	<0.01	<10	<10	70	<10	
C180631	173.50	175.00	1.50	0.69	10	170	<0.5	5.42	<0.5	7	<1	6.53	<10	<1	0.36	<10	0.7	1190	<1	0.04	3	1700	9	94	<0.01	<10	<10	49	<10	
C180632	175.00	176.00	1.00	0.69	20	190	0.5	3.88	<0.5	7	3	6.12	<10	<1	0.34	<10	0.56	1330	<1	0.05	5	2020	8	116	<0.01	<10	<10	41	<10	
C180633	176.00	177.00	1.00	0.69	20	160	<0.5	4.45	<0.5	7	<1	6.57	<10	<1	0.34	<10	0.66	1110	<1	0.04	5	1920	8	118	<0.01	<10	<10	40	<10	
C180634	177.00	178.00	1.00	0.63	10	140	<0.5	5.49	<0.5	9	2	6.82	<10	<1	0.32	<10	0.67	1110	<1	0.04	8	1920	7	146	<0.01	<10	<10	50	<10	
C180635	178.00	179.00	1.00	0.8	20	180	<0.5	5.08	<0.5	6	2	6.11	<10	<1	0.4	<10	0.73	1120	<1	0.04	6	2060	8	157	<0.01	<10	<10	54	<10	
C180636	179.00	180.00	1.00	0.66	20	150	<0.5	4.68	<0.5	3	<1	7.66	<10	<1	0.36	<10	0.98	1300	<1	0.04	6	2070	8	147	<0.01	<10	<10	49	<10	

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	As ppm	Bi ppm	Sb ppm
		From 180.10 to 180.30: strong shear at 45°		C180637	180.00	181.00	1.00	0.004	<0.2	82	10	63	1.51	587	2	7
		LC sharp at 40°.		C180638	181.00	182.50	1.50	<0.001	<0.2	7	6	120	0.12	9	2	<2
				C180639	182.50	183.50	1.00	<0.001	<0.2	12	5	73	0.30	154	2	<2
				C180640	183.50	184.20	0.70	0.021	0.4	137	7	70	3.58	9800	23	68
				C180641	184.20	184.95	0.75	0.007	<0.2	68	7	58	2.78	371	<2	16
184.95	185.95	Fault	FLT (30°)	C180642	184.95	186.00	1.05	<0.001	<0.2	29	10	83	0.86	89	<2	3
		Totally intact.														
		Justiposed by tight shears at 30°.														
		Minor patchy calc.														
		<1% Py														
		LC sharp at 30°.														
185.95	225.40	Same unit as above fault	Ser FP Vc? (sst) (10)	C180643	186.00	187.50	1.50	<0.001	<0.2	57	8	56	1.67	86	2	2
		Primary litho?. Probable FP Vc.		C180644	187.50	189.00	1.50	0.002	<0.2	25	12	58	0.81	123	<2	<2
		Scattered shear thru at 60°.		C180645	189.00	190.50	1.50	<0.001	<0.2	27	14	87	0.90	53	<2	2
		Scattered shears thru at 60°.		C180646	190.50	192.00	1.50	0.003	<0.2	45	13	75	1.87	3440	3	5
		To 194.50: 10 -5% sulphides as vfg irregular and discontinued Py seams,		C180647	192.00	193.50	1.50	0.014	0.2	25	122	72	0.80	2370	2	17
		patches and diss, 1% Aspy as vfg diss.		C180648	193.50	195.00	1.50	0.015	<0.2	53	9	58	1.97	3160	3	17
		After 194.50 to 217.50: 5% sulphides as before.		C180649	195.00	196.50	1.50	0.001	<0.2	27	7	71	0.92	50	<2	<2
		From 217.50 to 219.20: 30% vfg Py as irregular patches, in part silica healed.		C180651	196.50	198.00	1.50	0.001	<0.2	24	5	78	0.81	32	2	<2
		At 218.85: 1cm v strg qtz (carb) shear at 50°.		C180652	198.00	199.50	1.50	0.001	<0.2	31	5	72	0.93	46	<2	<2
		After 218.20: <5% sulphides.		C180653	199.50	201.00	1.50	0.001	<0.2	23	12	60	0.57	272	<2	<2
		LC sharp contact frpm moderately sheared ser alt'd to weakly ser alt'd FP agglom.		C180654	201.00	202.50	1.50	<0.001	<0.2	9	11	54	0.17	48	<2	<2
				C180655	202.50	204.00	1.50	<0.001	<0.2	8	15	70	0.17	22	<2	<2
				C180656	204.00	205.50	1.50	0.002	<0.2	32	5	48	0.98	60	<2	2
				C180657	205.50	207.00	1.50	0.003	<0.2	18	7	75	0.56	61	<2	2
				C180658	207.00	208.50	1.50	0.003	<0.2	40	7	53	1.22	53	<2	2
				C180659	208.50	210.00	1.50	0.008	<0.2	64	10	66	2.37	618	2	2
				C180660	210.00	211.50	1.50	0.003	<0.2	56	5	52	1.78	118	2	<2
				C180661	211.50	213.00	1.50	0.002	<0.2	63	7	45	1.90	110	<2	<2
				C180662	213.00	214.50	1.50	0.003	<0.2	71	5	28	1.28	1010	<2	2
				C180663	214.50	216.00	1.50	0.007	<0.2	109	6	34	2.67	3610	2	4
				C180664	216.00	217.50	1.50	0.004	<0.2	66	6	38	1.23	616	<2	2
				C180665	217.50	218.50	1.00	0.021	<0.2	214	11	30	8.67	2120	68	16
				C180666	218.50	219.20	0.70	0.013	0.4	354	41	22	7.70	784	21	20
				C180667	218.50	219.20	0.70	0.008	0.2	200	20	27	4.83	633	10	11
				C180668	219.20	220.50	1.30	<0.001	<0.2	50	18	66	1.70	113	2	6
				C180669	220.50	222.00	1.50	<0.001	<0.2	68	7	47	1.54	19	3	2
				C180670	222.00	223.50	1.50	0.005	<0.2	34	7	45	1.07	28	2	2
				C180671	223.50	224.50	1.00	0.001	<0.2	29	5	57	0.92	508	7	3
				C180672	224.50	225.40	0.90	0.003	<0.2	41	6	43	1.50	857	5	3
225.40	255.00	Sheared and faulted mixed lithologies.	FLT mx'd FP, Dac (<1)													
		FP agglomerate fresh and ser alt'd, dacite all justiposed by strong shears most		C180673	229.50	231.00	1.50	0.010	0.2	31	15	145	1.52	1570	5	7

SAMPLE ID	From m	To m	Width m	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm
C180637	180.00	181.00	1.00	0.74	20	140	<0.5	3.9	<0.5	3	2	6.74	<10	<1	0.42	<10	1.08	1640	<1	0.04	4	1770	7	128	<0.01	<10	<10	39	<10
C180638	181.00	182.50	1.50	0.74	20	140	<0.5	3.99	<0.5	1	1	6.97	<10	<1	0.36	<10	1.59	1890	<1	0.05	3	1620	7	161	<0.01	<10	<10	55	<10
C180639	182.50	183.50	1.00	0.93	20	140	<0.5	5.68	<0.5	5	2	6.65	<10	<1	0.43	<10	1.42	1930	<1	0.05	4	1580	8	163	<0.01	<10	<10	65	<10
C180640	183.50	184.20	0.70	0.82	10	110	<0.5	3.86	<0.5	139	<1	9.28	<10	<1	0.34	<10	0.87	2210	<1	0.03	3	1200	6	130	<0.01	<10	<10	56	<10
C180641	184.20	184.95	0.75	0.76	20	140	<0.5	2.45	<0.5	7	2	7.03	<10	<1	0.42	<10	0.87	1370	<1	0.03	3	1610	7	81	<0.01	<10	<10	45	<10
C180642	184.95	186.00	1.05	0.84	20	140	0.5	3.69	<0.5	3	1	6.55	<10	<1	0.33	<10	0.93	1380	<1	0.05	4	2060	7	127	<0.01	<10	<10	60	<10
C180643	186.00	187.50	1.50	0.84	20	170	<0.5	4.93	<0.5	3	3	6.72	<10	<1	0.36	<10	0.94	1300	<1	0.05	1	1780	7	132	<0.01	<10	<10	46	<10
C180644	187.50	189.00	1.50	0.71	10	150	<0.5	5.91	<0.5	7	<1	5.00	<10	<1	0.38	<10	0.74	1480	<1	0.04	2	1730	7	143	<0.01	<10	<10	42	<10
C180645	189.00	190.50	1.50	0.86	20	150	<0.5	4.99	<0.5	4	2	6.38	<10	<1	0.37	<10	0.94	1660	<1	0.04	3	1990	7	124	<0.01	<10	10	61	<10
C180646	190.50	192.00	1.50	0.67	20	130	<0.5	4.13	<0.5	30	<1	6.67	<10	<1	0.34	<10	0.91	1290	<1	0.04	3	1880	6	118	<0.01	<10	<10	42	<10
C180647	192.00	193.50	1.50	0.76	20	120	<0.5	4.75	<0.5	16	2	5.13	<10	<1	0.45	10	0.91	2200	<1	0.03	1	1670	6	129	<0.01	<10	<10	33	<10
C180648	193.50	195.00	1.50	0.61	10	120	<0.5	5.77	<0.5	53	<1	7.26	<10	<1	0.32	<10	1.07	1490	<1	0.04	3	1490	7	123	<0.01	<10	<10	49	<10
C180649	195.00	196.50	1.50	0.78	20	120	<0.5	4	<0.5	3	2	7.09	<10	<1	0.35	<10	1.24	1480	<1	0.04	3	1620	7	119	<0.01	<10	<10	56	<10
C180651	196.50	198.00	1.50	0.9	20	130	<0.5	4.4	<0.5	3	2	7.61	<10	<1	0.38	10	1.48	1660	<1	0.05	6	1600	9	139	<0.01	<10	<10	70	<10
C180652	198.00	199.50	1.50	0.8	10	130	<0.5	4.14	<0.5	3	1	6.72	<10	<1	0.35	<10	1.25	1440	<1	0.05	4	1580	7	139	<0.01	<10	<10	55	<10
C180653	199.50	201.00	1.50	0.79	10	140	<0.5	7.18	<0.5	3	1	4.31	<10	<1	0.4	<10	0.8	1540	1	0.04	5	1700	6	172	<0.01	<10	<10	43	<10
C180654	201.00	202.50	1.50	0.85	10	140	<0.5	7.1	<0.5	2	<1	3.25	<10	<1	0.37	10	0.67	1510	1	0.04	4	1680	7	167	<0.01	<10	<10	44	<10
C180655	202.50	204.00	1.50	0.71	10	150	<0.5	7.18	<0.5	1	2	3.52	<10	<1	0.39	<10	0.71	1980	<1	0.04	1	1660	7	173	<0.01	<10	<10	46	<10
C180656	204.00	205.50	1.50	0.58	10	150	<0.5	6.8	<0.5	4	<1	5.27	<10	<1	0.32	<10	0.92	1430	<1	0.04	9	1480	6	197	<0.01	<10	<10	44	<10
C180657	205.50	207.00	1.50	0.74	20	150	<0.5	5.74	<0.5	5	3	5.03	<10	<1	0.4	<10	1.07	1480	<1	0.04	8	1380	10	231	<0.01	<10	<10	46	<10
C180658	207.00	208.50	1.50	0.8	10	130	<0.5	5.51	<0.5	5	1	5.21	<10	<1	0.34	<10	0.92	1330	<1	0.03	10	1550	10	187	<0.01	<10	10	48	<10
C180659	208.50	210.00	1.50	0.88	20	150	<0.5	4.5	<0.5	35	2	7.87	<10	<1	0.41	<10	0.86	1420	<1	0.03	18	1500	9	165	<0.01	<10	<10	67	<10
C180660	210.00	211.50	1.50	0.88	10	120	<0.5	5.26	<0.5	8	3	7.07	<10	<1	0.41	<10	0.76	1470	<1	0.03	14	1670	8	137	<0.01	<10	<10	68	<10
C180661	211.50	213.00	1.50	0.88	20	160	<0.5	4.39	<0.5	6	1	6.21	<10	<1	0.42	<10	0.53	1220	<1	0.04	5	1780	7	129	<0.01	<10	<10	55	<10
C180662	213.00	214.50	1.50	0.78	10	140	0.5	4.41	<0.5	16	2	4.63	<10	<1	0.4	10	0.41	980	<1	0.04	2	1980	6	105	<0.01	<10	<10	47	<10
C180663	214.50	216.00	1.50	0.84	10	130	0.5	5.1	<0.5	36	<1	6.95	<10	<1	0.36	<10	0.51	1080	<1	0.05	3	1820	6	118	<0.01	<10	<10	50	<10
C180664	216.00	217.50	1.50	0.74	10	150	<0.5	6.2	<0.5	15	1	4.69	<10	<1	0.38	<10	0.44	1260	<1	0.03	2	1980	6	122	<0.01	<10	<10	47	<10
C180665	217.50	218.50	1.00	0.88	<10	20	<0.5	5.54	<0.5	48	<1	16.20	<10	<1	0.18	<10	0.5	1350	<1	0.04	3	1180	7	95	<0.01	<10	<10	61	150
C180666	218.50	219.20	0.70	0.58	10	30	<0.5	3.42	<0.5	19	1	12.95	<10	<1	0.26	<10	0.36	1500	<1	0.02	4	1380	4	77	<0.01	<10	<10	26	<10
C180667	218.50	219.20	0.70	0.76	10	70	<0.5	5.21	<0.5	13	<1	9.27	<10	<1	0.35	<10	0.39	1620	<1	0.03	2	1530	5	107	<0.01	<10	<10	35	<10
C180668	219.20	220.50	1.30	0.67	10	130	<0.5	6.8	<0.5	4	2	5.26	<10	<1	0.29	<10	0.41	1250	<1	0.04	3	1940	6	118	<0.01	<10	<10	44	<10
C180669	220.50	222.00	1.50	0.75	10	150	<0.5	5.42	<0.5	2	<1	5.19	<10	<1	0.34	<10	0.41	1130	<1	0.04	2	1790	7	106	<0.01	<10	<10	46	<10
C180670	222.00	223.50	1.50	0.71	10	170	0.5	6.25	<0.5	4	1	5.01	<10	<1	0.34	<10	0.51	1160	<1	0.05	1	1980	7	145	<0.01	<10	<10	55	<10
C180671	223.50	224.50	1.00	0.79	20	180	<0.5	6.54	<0.5	9	<1	5.96	<10	<1	0.3	<10	0.96	1310	<1	0.05	2	1550	6	199	<0.01	<10	<10	57	<10
C180672	224.50	225.40	0.90	0.67	10	170	<0.5	6.07	<0.5	19	2	5.79	<10	<1	0.3	<10	0.6	1120	<1	0.05	3	1780	7	183	<0.01	<10	<10	51	<10
C180673	229.50	231.00	1.50	0.63	10	120	<0.5	3.94	<0.5	16	2	6.51	<10	<1	0.35	<10	0.72	2420	<1	0.04	7	760	8	98	<0.01	<10	<10	40	<10

From	To	DESCRIPTION	LITHO	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	As ppm	Bi ppm	Sb ppm
		at 30°.		C180674	231.00	232.50	1.50	0.002	<0.2	28	13	103	1.09	149	3	7
		Individual shear bound lithologies range from < 1m to 2m, most calc free.		C180675	236.00	237.00	1.00	0.010	0.4	115	6	76	2.65	2220	<2	5
		Some with sulphides, some sulphide free.		C180676	246.60	247.60	1.00	0.007	0.3	75	2	117	3.78	764	5	8
		Overall sulphides at ~1% most as vfg Py Irregular seams and patches, rare patches with vfg Aspy.		C180677	247.60	248.60	1.00	0.007	0.6	49	5	139	1.99	747	4	6
		From 249.20 -250.50: very strong shear fault.		C180678	250.50	251.50	1.00	0.029	6.3	75	388	2210	2.29	704	52	183
		At 251.60: 5cm ZnS-rich vein at 40°.		C180679	251.50	252.50	1.00	0.004	0.7	104	61	66	3.23	101	81	35
		LC shear bound at 80°.														
255.00	260.91	Strong ser alt'd rhyolite.	Ser R													
		To 257.60: typical, very strong ser apple green, shattered thru and in part calc healed, very vague banding at 30°.		C180680	257.60	259.00	1.40	0.002	<0.2	25	11	60	1.03	6.23	94	5
		At 257.60: strong tight shear with gouge at 20°.		C180681	259.00	260.00	1.00	0.003	<0.2	35	17	64	1.41	6.97	123	13
		After 257.60: strong ser but with 5% dis, wispy and patchy Py.		C180682	260.00	260.91	0.91	0.005	0.2	64	25	115	2.68	7.88	306	13
		Scattered healed shears at 20°.														
	260.91	End of hole														

SAMPLE ID	From m	To m	Width m	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm
C180674	231.00	232.50	1.50	0.59	10	110	<0.5	3.85	<0.5	2	2	6.87	<10	<1	0.31	<10	0.92	1960	<1	0.05	6	870	10	91	<0.01	<10	<10	52	<10
C180675	236.00	237.00	1.00	0.67	10	80	<0.5	3.52	<0.5	14	3	8.39	<10	<1	0.38	<10	0.83	1810	1	0.02	18	590	10	73	<0.01	<10	<10	52	<10
C180676	246.80	247.60	1.00	0.56	10	110	<0.5	3.19	<0.5	6	6	7.56	<10	<1	0.33	<10	0.56	1320	<1	0.02	24	330	8	80	<0.01	<10	<10	36	<10
C180677	247.60	248.60	1.00	0.66	10	100	<0.5	3.58	0.5	8	4	6.36	<10	<1	0.36	<10	0.73	1365	1	0.02	9	750	8	80	<0.01	<10	<10	39	<10
C180678	250.50	251.50	1.00	0.58	10	130	0.5	3.15	7.2	9	3	8.01	<10	<1	0.32	<10	0.79	4390	<1	0.03	10	860	9	86	<0.01	<10	<10	39	<10
C180679	251.50	252.50	1.00	0.52	10	100	<0.5	3.23	<0.5	12	1	8.36	<10	1	0.36	<10	0.67	1390	<1	0.01	11	680	8	81	<0.01	<10	<10	27	<10
C180680	257.80	259.00	1.40	4	0.63	10	110	0.6	3.36	<0.5	3	2	<10	<1	0.3	<10	0.8	1430	<1	0.04	8	880	9	91	<0.01	<10	<10	58	<10
C180681	259.00	260.00	1.00	7	0.55	10	100	0.5	3.96	<0.5	4	1	<10	<1	0.27	<10	0.97	1550	<1	0.04	8	1030	9	125	<0.01	<10	<10	58	<10
C180682	260.00	260.91	0.91	10	0.54	10	90	<0.5	3.43	<0.5	6	1	<10	<1	0.29	<10	0.76	1650	1	0.03	8	760	9	83	<0.01	<10	10	52	<10

Drill Hole ID:

BQ-11

Location:

UTM (NAD 83): 593930E, 8090701N, 1009m elevation

Grid: L200E @ 225S

Mineral Claim Tenure No. 528505

Dip / Azimuth / Length: -50.5° / 180° / 193.34 m

Acid tests:

126m at -48°

Date Started: July 11, 2006

Date Finished: July 12, 2006

Logged By: JJ Watkins, P. Geo.

Date Logged: July 12, 13, 2006

Drill Contractor: Driftwood Diamond Drilling Ltd.

Core Size: NQ2

Casing: pulled from hole.

From	To	DESCRIPTION	LITHO	SAMPLE ID	From (m)	To (m)	Width (m)	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
0.00	3.04	Casing	OB														
3.04	8.50	Beddy broken medium to dark grey siltst, broken at 70° -80°. No calc, no sulphides. At 6.40: probable gouge seam over 2cm at 30° followed by very broken to 9.00. From 5.60 -6.40: bleached light grey green. LC grades	Brkn sst														
8.50	9.50	Medium to dark grey siltst vague banding at 75°. No calc, no sulphides. LC broken, lost.	Sst														
9.50	10.40	Breccia, probable debris. Unsorted angular, clast supported med to dk grey siltst. 20% clasts as apple green ser alt'd rhyolite to 5cm. No sulphides. LC broken, lost.	Bx sed														
10.40	11.80	Dark grey siltst Vague banding at 75°. No sulphides. LC broken, lost.	Sst														
11.80	12.70	Black argillite (siltst) Rare light grey clast. Minor weak gouge sheared at 70°. Very minor graphite. LC grades quickly.	Blk sst														
12.70	18.40	Grey siltst, in part beddy broken. Insitured fractured thru giving chaotic look. Strong pervasive calc. At 13.70: 10cm calc / clay gouge at 40°. No sulphides. LC marked by 5cm gouge at 35°.	Sst														
18.40	17.05	Black, shattered siltst broken at 50°. V weak graphite.	Blk sst														

From	To	DESCRIPTION	LITHO	SAMPLE ID	From (m)	To (m)	Width (m)	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
		No sulphides.															
		LC broken, lost.															
17.05	26.80	Medium to light grey siltst, in part chaotic.	Sst (chaotic)														
		Minor darker shell debris.															
		Mod -strg perv calc.															
		Minor cg Py patches, scattered calc (Py) seams at 30° -45°.															
		LC grades quickly.															
26.80	27.20	Medium grey, mg siltst with shell debris thru.	Sst (<1)														
		V strong calc.															
		<1% Py partly replacing some shell debris.															
		LC broken possibly at 45°.															
27.20	61.20	Primarily med to dk grey (black) chaotic siltst with black ramified thru wide intervals.	Sst (chaotic) (<1)														
		Strong pervasive calc.		C180683	39.50	40.70	1.20	<0.001	1.7	14	88	178	1.92	4.1	120	<2	9
		Scattered shell debris.															
		Overall sulphides at <1% as diss cubic Py, ovoid (2-3cm) diss cubic Py clusters.		C180684	47.60	49.10	1.50	<0.001	0.6	10	33	150	0.92	4.08	10	2	16
		From 39.50 -40.70: single thick bed of mg unsorted siltst with tuff? debris, 1% diss and patchy Py, trace ZnS. Contacts at 80°.		C180685	58.00	59.10	1.10	<0.001	0.8	14	28	188	1.74	3.88	37	<2	10
		From 47.50 -49.40: black, fg uniform siltst.															
		From 55.10 -56.30: same as 39.50 to 40.70.															
		After 58.00: light grey with v strg calc.															
		LC sharp at calc shear at 60°.															
61.25	79.85	Dark grey to black siltst, fairly massive uniform.	Blk sst (2)														
		2% Py in ovoid clusters of diss x'n Py probably pseudomorphing shells.															
		After 67.00: strong 5cm shear at 45°.															
		Strong pervasive calc.															
		LC sharp shear at 45°.															
79.85	80.90	Breccia probably debris.	Bx sed (2)	C180686	79.85	80.90	1.25	<0.001	0.7	30	19	357	2.45	5.55	63	<2	12
		Primarily grey and black siltst clasts, angular and clast supported.															
		Occasional angular fg apple green ser altered rhyolite to 3cm.															
		2% Py as diss clusters.															
		LC looks primary at 40°.															
80.90	85.70	Black siltst.	Blk sst (2-3)														
		Massive fg 2-3% Py as x'n clusters.															
		Weak patchy calc.															
		LC marked by 3cm of black gouge probably at 80°.															
85.70	98.60	medium grey / dark grey / black siltst in part chaotic.	Sst (5)														
		Short intervals with shell debris.		C180687	90.00	90.60	0.60	0.005	0.4	38	27	66	5.92	6.52	75	2	20
		In part becomes coarser grained with depth.															
		5% Py as fg diss clusters, scattered vnlts to 1cm at 20° -30°, and Py-rich clots.															
		LC sheared? at 30°.															
98.60	103.60	Grey siltst / shell debris.	Sst /shells														
		To 101.00: possibly with cg tuff debris.															

SAMPLE ID	From (m)	To (m)	Width (m)	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm
C180683	39.50	40.70	1.20	0.84	10	90	<0.5	8.54	<0.5	9	6	<10	<1	0.14	<10	0.54	1730	1	0.03	9	1000	6	320	<0.01	<10	<10	25	<10
C180684	47.60	49.10	1.50	0.67	10	80	<0.5	2.54	<0.5	8	3	<10	<1	0.2	<10	0.68	884	<1	0.03	7	820	5	148	<0.01	<10	<10	23	<10
C180685	58.00	59.10	1.10	0.47	<10	70	<0.5	4.87	<0.5	9	2	<10	<1	0.12	<10	0.48	723	1	0.03	7	600	6	227	<0.01	<10	<10	17	<10
C180686	79.85	80.90	1.25	0.64	<10	140	<0.5	3.53	1.5	14	5	<10	1	0.14	10	0.41	956	1	0.11	23	820	6	181	<0.01	<10	<10	31	<10
C180687	80.00	90.60	0.60	0.37	10	50	<0.5	2.86	<0.5	14	1	<10	<1	0.18	<10	0.6	907	<1	0.03	9	510	5	179	<0.01	<10	<10	13	<10

From	To	DESCRIPTION	LITHO	SAMPLE ID	From (m)	To (m)	Width (m)	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
		Numerous shell frags decreasing with depth.															
		After 101.00: medium (dark) grey fairly uniform massive fg granular.															
		LC strong calc shear at 30°.															
103.60	116.30	Light to medium grey mixed lithologies of chaotic siltst, intervals to 50cm rich in shell debris, intervals of banded siltst possibly cross bedded at 20° -45°.	Sst (chaotic) (<1)														
		<1% Py as coarse patches.															
		Scattered 2-3/m of light shears thru at 20° -40°.															
		Strong pervasive calc.															
		10% irregular calc seams and veinlets thru.															
116.30	118.50	Primarily cg siltst and finer grained very light grey granular siltst.	Cg sst (<1)														
		in part crushed, sheared at 25°.															
		<1% Py.															
		Patchy weal calc.															
		LC arbitrary.															
118.50	119.30	Sheared, broken black (sil'd?) siltst with some medium grey granular siltst.	Sh'd blk sst (5)	C180688	118.50	119.30	0.80	0.007	1.1	70	54	248	4.04	6.78	200	3	64
		Sheared at 10°?															
		5% patchy Py.															
		Patchy calc.															
		LC sharp and bound by 2cm of SMS x'n Py at 70°.															
119.30	120.00	Apple green shattered ser sil'd rhyolite in part sheared at 30°.	Ser R														
		After 119.75: curdy-like.															
		LC sharp shear at 45°.															
120.00	124.40	Medium grey chaotic siltst with much shell debris that is in part replaced by Py.	Sst (chaotic) (5)	C180689	120.00	121.00	1.00	0.002	<0.2	28	6	92	1.31	3.9	97	<2	16
		5% Py as shell replacement, rare seams.		C180690	121.00	122.50	1.50	0.003	<0.2	48	6	53	1.43	4.34	77	<2	19
		Very strong calc.															
		LC sharp tight shear at 30°.															
124.40	128.00	(FP) lapilli tuff	(FP) LT														
		Med grey green clasts of fg FP in a dark (green) chlorite gdmss.															
		Strong pervasive calc. No sulphides.															
		Scattered calc vnits at 80°.															
		At 126.00: strong black chl shear at 45°.															
		LC sharp 1cm chl shear at 45°.															
128.00	139.50	Dull apple green (FP) LTA unsorted lapilli and blocks of fg FP in a patchy darker green, hard gdmss.	(FP) LTA (tr)														
		After 136.00: could be massive, insitued shattered and healed by black hard gdmss.															
		After 138.40: grades to darker green with fine fapars more evident.															
		Trace diss Py.															
		(Weak) patchy calc.															
		LC looks primary at 85°.															
139.50	153.55	Medium to dark grey siltst with beds to 10cm of shell debris at 80° -90°.	Sst (1)	C180691	144.40	145.40	1.00	<0.001	<0.2	33	5	46	1.91	4.53	59	<2	4
		1% Py as x'n patches.															
		At 144.30: 10cm clasts of cg FP.															

SAMPLE ID	From (m)	To (m)	Width (m)	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm
C180688	118.50	119.30	0.80	0.47	10	130	<0.5	7.27	0.7	15	5	<10	1	0.22	<10	0.92	2250	2	0.05	12	480	9	150	<0.01	<10	<10	43	<10
C180689	120.00	121.00	1.00	0.39	10	90	<0.5	7.61	<0.5	8	5	<10	<1	0.24	<10	0.67	1810	2	0.04	7	480	7	136	<0.01	<10	<10	25	<10
C180690	121.00	122.50	1.50	0.53	10	120	<0.5	6.64	<0.5	7	6	<10	1	0.3	<10	0.69	1680	1	0.04	9	1330	9	152	<0.01	<10	10	34	<10
C180691	144.40	145.40	1.00	0.44	10	60	<0.5	7.58	<0.5	7	6	<10	<1	0.21	<10	0.94	1250	1	0.06	9	480	9	195	<0.01	<10	<10	37	<10

From	To	DESCRIPTION	LITHO	SAMPLE ID	From (m)	To (m)	Width (m)	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	S %	Fe %	As ppm	Bi ppm	Sb ppm
		LC broken tight shear? at 70°?															
153.55	156.20	Light grey green siltst (tuff?). Fairly massive fg uniform. After 155.10: with small pebbles and black fossil debris. 1% py as diss, fossil debris. LC grades.	Sst (1)	C180692	153.30	154.30	1.00	0.001	0.2	72	6	54	1.8	5.14	153	<2	4
				C180693	154.30	155.00	0.70	<0.001	<0.2	64	6	61	1.51	4.95	207	<2	5
				C180694	155.00	156.20	1.20	<0.001	<0.2	55	5	33	1.83	3.99	156	2	4
156.20	159.00	FP LT 1-2cm bleached good FP clasts to 1-3cm floating in darker grey green cg tuff gdmss. Minor Py. LC lost.	FP LT														
159.00	159.50	Fault with gouge. 70% lost. LC sharp at 40°.	FLT														
159.50	166.70	FP LTA As above fault. With scattered FP blocks. From 160.40-162.40: badly broken. At about 161.00: within badly broken interval. Frag with possible quartz vein with minor fg Aspy. From 166.40-166.70: sil healed shear breccia with trace fg Aspy. Overall sulphides at <1% as diss cubic Py. LC marked by gouge at 70°.	FP LTA (<1)	C180695	160.80	161.70	0.90	0.003	<0.2	20	2	50	0.9	4.88	1000	2	3
166.70	170.80	Med grey green ((ser)) alt'd siltst. Good Sc at 75°. <1% diss Py. From 168.70-169.30: lost core. After 169.30: becomes darker grey. From 169.30-170.40: badly broken. LC broken shear over 20cm at 80°-90°.	((Ser)) sst (<1)	C180696	166.10	166.70	0.60	<0.001	<0.2	15	3	43	0.41	3.98	45	<2	4
				C180697	166.70	167.60	0.90	<0.001	<0.2	39	4	50	1.32	5.4	236	<2	8
				C180698	167.60	168.70	1.10	<0.001	<0.2	34	3	50	1.35	5.23	2650	<2	10
				C180699	169.30	170.40	1.10	<0.001	<0.2	37	4	44	1.1	4.63	101	<2	5
				C180701	170.40	170.80	0.40	<0.001	<0.2	31	5	55	1.09	4.84	30	<2	5
170.80	185.10	FP LTA bleached FP blocks and lapilli floating in darker xl tuff. Rare siltst clasts. From 174.90-175.40: badly broken with some frags of calc healed fault bx at 30°. (Weak) to patchy strong calc. <1% Py after 181.70. LC grades?	FP LTA (<1)														
185.10	193.85	Dull light grey green (ser) (alt'd) siltst. Could be tuff. No primary features. Vague shell debris? (weak) local strong calc. After 192.50: open narrow seam (tension cracks) at 70°-80°.	(Ser) (alt'd) sst (5)	C180702	185.10	186.50	1.40	<0.001	<0.2	38	4	52	1.18	5.7	152	2	3
				C180703	186.50	188.00	1.50	<0.001	0.2	33	7	53	1.27	5.83	15	<2	5
				C180704	188.00	189.50	1.50	0.001	<0.2	32	6	53	0.95	5.05	5	<2	8
				C180705	189.50	190.50	1.00	<0.001	<0.2	55	2	41	1.73	5.11	12	<2	6
				C180706	190.50	191.50	1.00	0.001	<0.2	36	2	40	1.28	4.92	529	<2	5
				C180707	191.50	192.50	1.00	<0.001	<0.2	35	4	48	1.44	5.34	62	<2	5

SAMPLE ID	From (m)	To (m)	Width (m)	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm
C180692	153.30	154.30	1.00	0.53	10	70	<0.5	5.32	<0.5	10	4	<10	<1	0.26	<10	0.69	1100	1	0.07	8	630	9	125	<0.01	<10	10	40	<10
C180693	154.30	155.00	0.70	0.51	10	70	<0.5	4.74	<0.5	12	3	<10	<1	0.24	<10	0.78	1130	1	0.06	6	880	8	125	<0.01	<10	<10	35	<10
C180694	155.00	156.20	1.20	0.48	10	50	<0.5	12	<0.5	9	3	<10	<1	0.21	<10	0.49	1640	1	0.05	6	640	7	145	<0.01	<10	10	31	<10
C180695	160.80	161.70	0.90	0.58	10	80	<0.5	4.88	<0.5	25	5	<10	<1	0.31	<10	0.67	1440	1	0.02	4	730	8	106	<0.01	<10	<10	48	<10
C180696	166.10	166.70	0.60	0.57	<10	80	<0.5	8.7	<0.5	6	6	<10	<1	0.24	<10	0.51	1270	1	0.06	11	910	8	128	<0.01	<10	<10	41	<10
C180697	166.70	167.60	0.90	0.66	<10	80	<0.5	5.19	<0.5	21	15	<10	1	0.31	<10	0.53	1230	<1	0.05	15	910	9	116	<0.01	<10	<10	57	<10
C180698	167.60	168.70	1.10	0.71	10	90	<0.5	4.7	<0.5	100	9	<10	<1	0.34	<10	0.57	1140	2	0.04	13	850	9	95	<0.01	<10	<10	55	<10
C180699	169.30	170.40	1.10	0.55	<10	70	<0.5	6.67	<0.5	12	5	<10	1	0.24	<10	0.6	1130	1	0.05	9	520	8	119	<0.01	<10	10	35	<10
C180701	170.40	170.80	0.40	0.69	10	140	<0.5	4.21	<0.5	14	3	<10	<1	0.3	<10	0.74	1150	1	0.06	7	920	8	126	<0.01	<10	<10	52	<10
C180702	185.10	188.50	1.40	0.8	10	80	<0.5	4.68	<0.5	16	8	<10	1	0.42	<10	0.96	1530	4	0.04	8	500	11	111	0.01	<10	<10	47	<10
C180703	186.50	188.00	1.50	0.69	10	80	<0.5	3.88	<0.5	6	4	<10	<1	0.33	<10	1.02	1300	3	0.07	10	490	9	107	<0.01	<10	<10	37	<10
C180704	188.00	189.50	1.50	0.72	10	110	<0.5	3.57	<0.5	4	5	<10	<1	0.31	<10	0.86	1040	1	0.11	7	450	8	114	<0.01	<10	<10	38	<10
C180705	189.50	190.50	1.00	0.61	10	90	<0.5	4.57	<0.5	4	4	<10	<1	0.29	<10	0.78	1020	3	0.08	9	490	7	147	<0.01	<10	<10	28	<10
C180706	190.50	191.50	1.00	0.68	10	100	<0.5	3.64	<0.5	34	4	<10	1	0.28	<10	0.78	936	1	0.12	10	430	8	122	<0.01	<10	10	34	<10
C180707	191.50	192.50	1.00	0.59	10	80	<0.5	3.96	<0.5	6	4	<10	1	0.24	<10	0.87	1080	<1	0.1	12	460	9	161	<0.01	<10	10	36	<10

From	To	DESCRIPTION	LITHO	SAMPLE	From	To	Width	Au	Ag	Cu	Pb	Zn	S	Fe	As	Bi	Sb
				ID	(m)	(m)	(m)	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	ppm
		3-5% sulphides as rare irregular Py +Po seams, patchy Py and vfg diss Py.		C180708	192.50	193.85	1.35	0.001	<0.2	41	5	68	1.6	5.5	116	<2	7
		Scattered tight gouge seams after 192.00.															
	193.85	End of hole															

SAMPLE ID	From (m)	To (m)	Width (m)	Al %	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm
C180708	182.50	193.85	1.35	0.6	10	70	<0.5	4.9	<0.5	8	4	<10	1	0.28	<10	0.88	1590	<1	0.07	10	470	10	122	<0.01	<10	<10	32	<10

Appendix 2.

Certificates of analytical results



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 1
Finalized Date: 16-AUG-2006
Account: ENDURA

CERTIFICATE VA06062344

Project: BQ

P.O. No.:

This report is for 136 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 4-JUL-2006.

The following have access to data associated with this certificate:

DUNCAN MCIVOR

D. MCIVOR

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: ENDURANCE GOLD CORP
ATTN: DUNCAN MCIVOR
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 2 - A
Total # Pages: 5 (A - C)
Finalized Date: 16-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06062344

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C180001		2.64	0.002	0.4	0.70	781	20	50	<0.5	3	0.06	<0.5	2	18	65	2.59
C180002		1.98	0.003	0.4	0.54	1140	20	40	<0.5	3	0.05	<0.5	<1	2	146	2.45
C180003		2.94	0.027	2.2	0.65	765	20	30	<0.5	4	0.09	1.6	<1	17	623	3.28
C180004		3.24	0.346	4.5	0.83	9410	10	80	<0.5	29	0.45	0.9	38	9	457	8.49
C180005		2.88	0.007	1.0	0.96	222	10	150	<0.5	<2	1.76	7.5	6	31	34	4.39
C180006		3.58	0.002	0.2	0.76	75	10	120	<0.5	<2	3.00	3.1	7	12	24	3.45
C180007		3.64	<0.001	<0.2	0.94	36	10	130	0.5	<2	3.28	8.1	7	27	8	3.09
C180008		3.24	0.025	0.7	1.05	2010	10	80	<0.5	28	3.60	<0.5	12	4	474	8.75
C180009		2.18	0.002	0.4	1.39	389	10	130	<0.5	5	4.37	<0.5	9	14	265	7.07
C180010		1.12	0.001	0.3	1.01	80	10	100	<0.5	9	2.27	0.8	3	7	132	5.42
C180011		3.22	0.011	0.4	1.27	3760	10	140	<0.5	11	4.16	4.1	37	13	281	7.17
C180012		2.74	0.002	0.5	1.10	188	10	110	<0.5	12	4.27	<0.5	13	4	418	11.00
C180013		3.60	0.001	0.3	1.35	68	10	170	<0.5	6	5.00	<0.5	12	11	182	7.81
C180014		2.68	0.001	0.2	1.05	43	10	160	<0.5	2	5.46	<0.5	7	2	184	5.78
C180015		1.68	0.001	0.3	1.09	61	10	160	<0.5	<2	8.28	<0.5	10	9	247	5.54
C180016		3.20	0.003	0.2	1.00	1415	10	100	<0.5	<2	7.67	<0.5	8	2	229	5.44
C180017		2.36	0.166	0.4	1.12	2820	10	120	<0.5	20	3.53	<0.5	41	3	246	7.76
C180018		2.56	0.061	0.4	0.95	1770	<10	90	<0.5	12	2.56	<0.5	31	2	367	9.44
C180019		2.82	0.004	<0.2	1.35	349	10	150	<0.5	<2	3.56	<0.5	6	4	156	4.62
C180020		3.04	0.018	0.3	1.00	5670	10	100	<0.5	2	3.52	<0.5	35	3	270	6.53
C180021		3.28	0.016	0.5	1.38	5400	10	100	<0.5	2	4.19	<0.5	52	4	402	8.65
C180022		2.76	0.073	0.7	1.30	>10000	10	100	<0.5	29	3.49	<0.5	187	3	377	8.14
C180023		3.24	0.014	0.3	1.40	3220	10	130	<0.5	<2	4.77	<0.5	37	4	203	5.69
C180024		2.26	0.016	0.2	1.26	1810	10	120	<0.5	2	3.41	<0.5	39	3	170	6.47
C180025		3.52	0.005	0.4	1.29	546	10	110	<0.5	<2	4.02	3.4	14	4	146	6.48
C180026		2.52	0.020	0.2	1.25	4630	10	50	<0.5	51	2.85	<0.5	12	7	438	13.35
C180027		2.60	0.008	<0.2	1.34	1435	10	140	<0.5	17	2.84	<0.5	6	9	148	7.56
C180028		3.34	0.067	<0.2	1.22	>10000	<10	30	<0.5	41	2.55	<0.5	25	6	322	16.0
C180029		3.76	0.097	<0.2	1.28	>10000	<10	40	<0.5	77	2.90	<0.5	30	7	330	16.9
C180030		2.42	0.010	<0.2	1.72	942	10	80	0.5	11	2.75	<0.5	18	9	206	12.00
C180031		2.18	0.007	<0.2	1.34	2780	10	140	<0.5	8	2.90	<0.5	28	7	150	12.10
C180032		0.94	0.196	0.2	1.20	>10000	<10	20	<0.5	129	0.78	<0.5	176	6	599	23.5
C180033		3.04	0.019	<0.2	1.94	617	10	110	<0.5	6	4.02	<0.5	16	9	164	10.25
C180034		2.44	0.011	<0.2	1.51	241	10	110	<0.5	8	3.80	<0.5	17	5	188	11.30
C180035		2.06	0.021	<0.2	1.46	362	10	90	<0.5	23	3.76	<0.5	11	9	289	12.70
C180036		2.40	0.343	1.2	1.14	4850	10	50	<0.5	61	3.37	2.1	25	10	525	18.4
C180037		2.96	0.033	<0.2	1.43	94	<10	50	<0.5	11	3.68	<0.5	4	22	535	13.40
C180038		3.78	0.046	<0.2	1.13	410	<10	80	0.5	14	3.41	<0.5	10	6	293	10.55
C180039		3.70	0.011	<0.2	1.57	443	10	60	<0.5	5	3.76	<0.5	6	11	301	10.20
C180040		3.66	0.069	0.4	0.90	1050	<10	60	<0.5	144	3.17	<0.5	14	3	553	17.0



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 2 - B
 Total # Pages: 5 (A - C)
 Finalized Date: 16-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06062344

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units LOR	ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
C180001		<10	<1	0.35	<10	0.08	389	1	0.01	4	70	15	0.39	4	1	7
C180002		<10	1	0.27	<10	0.07	332	1	0.01	<1	50	13	0.53	6	1	7
C180003		<10	<1	0.32	<10	0.07	623	1	0.01	1	30	25	1.44	30	1	10
C180004		<10	<1	0.36	<10	0.37	4190	2	0.01	15	530	126	3.89	33	3	15
C180005		<10	1	0.42	10	0.81	2900	2	0.01	14	660	146	0.25	5	4	32
C180006		<10	<1	0.31	10	0.85	1385	2	0.01	15	690	25	0.07	<2	4	61
C180007		<10	<1	0.35	10	0.84	1080	2	0.02	14	700	15	0.09	<2	4	84
C180008		<10	<1	0.39	<10	0.53	1385	<1	0.03	9	1790	10	3.50	5	7	67
C180009		<10	1	0.47	<10	0.62	1480	1	0.04	7	1720	4	1.70	<2	8	92
C180010		<10	<1	0.25	10	0.47	1110	1	0.05	7	840	3	0.67	<2	5	59
C180011		<10	<1	0.52	<10	0.50	1480	<1	0.02	5	1590	3	2.27	4	8	83
C180012		<10	1	0.29	<10	0.67	1850	<1	0.03	6	1220	8	3.30	<2	8	112
C180013		<10	<1	0.33	<10	0.61	1870	<1	0.04	6	1520	7	1.34	<2	10	106
C180014		<10	<1	0.29	<10	0.40	1730	<1	0.04	2	1280	4	1.38	<2	6	116
C180015		<10	<1	0.29	<10	0.39	1740	<1	0.04	4	1260	6	2.10	2	7	215
C180016		<10	1	0.29	<10	0.35	1855	<1	0.03	3	1110	3	1.40	3	6	143
C180017		<10	1	0.36	<10	0.52	1560	<1	0.02	9	1040	11	1.69	10	7	97
C180018		<10	<1	0.33	<10	0.51	1545	<1	0.02	9	1060	9	2.71	5	6	74
C180019		<10	1	0.51	<10	0.36	1290	1	0.03	4	850	4	0.68	<2	6	88
C180020		<10	<1	0.38	<10	0.34	1370	1	0.03	5	1060	5	2.39	2	6	83
C180021		<10	<1	0.49	<10	0.42	1735	<1	0.03	6	1060	9	3.23	6	8	93
C180022		<10	1	0.58	<10	0.33	1375	<1	0.02	7	1140	15	4.13	16	7	82
C180023		<10	<1	0.61	<10	0.41	1675	<1	0.02	6	1480	5	1.30	2	8	122
C180024		<10	<1	0.54	<10	0.47	1955	<1	0.02	5	1060	6	1.42	3	7	76
C180025		<10	<1	0.44	<10	0.54	1960	1	0.03	8	1050	8	1.14	<2	8	116
C180026		<10	<1	0.40	<10	0.83	1050	1	0.04	13	430	13	7.60	9	7	67
C180027		<10	1	0.42	<10	0.64	1145	<1	0.06	12	560	4	2.46	2	7	75
C180028		<10	1	0.35	<10	0.58	1075	<1	0.05	6	780	7	7.62	18	10	58
C180029		<10	1	0.33	<10	0.66	1260	<1	0.05	9	1110	3	7.23	28	11	57
C180030		<10	<1	0.34	<10	0.91	1625	<1	0.06	10	1240	5	3.64	2	15	70
C180031		<10	<1	0.22	<10	1.10	1705	<1	0.04	8	970	5	2.72	3	12	79
C180032		<10	<1	0.17	<10	0.68	1045	1	0.06	18	590	9	>10.0	35	9	40
C180033		<10	<1	0.38	<10	0.91	1575	<1	0.09	11	1360	4	2.96	<2	13	95
C180034		<10	<1	0.37	<10	0.93	1545	<1	0.05	10	1540	3	3.54	2	13	81
C180035		<10	1	0.37	<10	0.99	1460	<1	0.04	14	1270	5	4.83	3	12	86
C180036		<10	<1	0.27	<10	1.06	1605	<1	0.04	10	980	50	7.64	14	16	88
C180037		<10	<1	0.37	<10	0.94	973	<1	0.07	8	1310	8	7.23	3	18	91
C180038		<10	1	0.25	<10	0.90	1090	<1	0.10	9	1210	8	4.47	<2	16	104
C180039		<10	1	0.31	<10	1.04	1090	<1	0.10	7	1390	4	4.42	2	13	112
C180040		<10	<1	0.26	<10	1.09	1320	<1	0.05	5	1030	46	8.40	18	10	63



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 2 - C
Total # Pages: 5 (A - C)
Finalized Date: 16-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS	VA06062344
-------------------------	------------

Sample Description	Method Analyte Units LOR	ME-ICP41 Ti %	ME-ICP41 Ti ppm	ME-ICP41 U ppm	ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm
		0.01	10	10	1	10	2
C180001		<0.01	<10	<10	1	<10	64
C180002		<0.01	<10	<10	<1	<10	99
C180003		<0.01	<10	<10	1	<10	233
C180004		<0.01	<10	<10	15	<10	170
C180005		<0.01	<10	<10	25	<10	1355
C180006		<0.01	<10	<10	26	<10	500
C180007		<0.01	<10	<10	27	<10	1240
C180008		<0.01	<10	<10	56	<10	71
C180009		<0.01	<10	<10	65	<10	128
C180010		<0.01	<10	<10	36	<10	201
C180011		0.01	<10	<10	62	<10	656
C180012		<0.01	10	<10	75	<10	112
C180013		<0.01	<10	<10	81	<10	118
C180014		<0.01	<10	<10	58	<10	65
C180015		<0.01	<10	<10	59	<10	58
C180016		<0.01	<10	<10	51	<10	71
C180017		<0.01	<10	<10	58	<10	91
C180018		<0.01	<10	<10	47	<10	84
C180019		<0.01	<10	<10	42	<10	61
C180020		<0.01	<10	<10	46	<10	41
C180021		<0.01	10	<10	62	<10	60
C180022		0.01	<10	<10	53	<10	126
C180023		0.01	<10	<10	59	<10	46
C180024		0.01	<10	<10	52	<10	49
C180025		<0.01	<10	<10	58	<10	658
C180026		<0.01	<10	<10	38	<10	38
C180027		<0.01	<10	<10	52	<10	49
C180028		<0.01	10	<10	70	<10	47
C180029		<0.01	10	<10	89	<10	54
C180030		<0.01	<10	<10	123	<10	81
C180031		<0.01	10	<10	104	<10	95
C180032		<0.01	10	<10	63	<10	59
C180033		<0.01	<10	<10	122	<10	75
C180034		0.01	10	<10	122	<10	79
C180035		0.01	<10	<10	112	<10	78
C180036		<0.01	10	<10	113	<10	509
C180037		<0.01	<10	<10	128	<10	49
C180038		<0.01	<10	<10	125	<10	54
C180039		<0.01	10	<10	125	<10	49
C180040		<0.01	10	<10	83	<10	51



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 3 - A
Total # Pages: 5 (A - C)
Finalized Date: 16-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06062344

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
LOR																
C180041		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C180042		3.58	0.058	0.8	1.02	253	10	50	<0.5	27	2.85	0.7	5	19	366	12.30
C180043		2.96	0.007	<0.2	1.00	153	10	70	<0.5	7	3.19	<0.5	7	6	205	8.51
C180044		2.90	0.007	<0.2	1.10	97	10	100	<0.5	5	3.75	<0.5	6	23	120	6.24
C180045		3.76	0.021	<0.2	0.88	861	<10	50	<0.5	11	3.14	<0.5	11	3	154	5.91
C180046		3.56	0.008	<0.2	1.06	392	<10	40	<0.5	9	2.95	<0.5	8	3	338	10.40
C180047		2.46	0.032	<0.2	1.33	380	<10	80	<0.5	7	3.26	<0.5	3	5	188	7.64
C180048		2.26	0.394	<0.2	1.39	656	10	80	<0.5	25	3.22	<0.5	6	5	123	5.75
C180049		3.42	0.008	<0.2	1.00	193	<10	70	<0.5	5	4.45	<0.5	5	5	166	8.00
C180050		3.66	0.006	<0.2	1.06	46	<10	60	<0.5	14	2.80	<0.5	4	4	153	6.77
C180051		0.42	<0.001	<0.2	3.86	17	<10	470	1.1	<2	3.89	<0.5	31	10	17	9.71
C180052		1.86	0.004	<0.2	1.16	42	10	60	<0.5	26	2.56	<0.5	4	4	221	8.84
C180053		1.64	0.003	<0.2	1.03	37	<10	50	<0.5	28	2.27	<0.5	5	5	217	8.63
C180054		2.54	0.005	<0.2	1.26	60	10	50	<0.5	33	2.29	<0.5	6	5	185	8.45
C180055		3.68	0.005	<0.2	1.01	111	<10	70	<0.5	12	2.42	<0.5	6	8	152	6.38
C180056		3.38	0.002	<0.2	1.09	73	<10	90	<0.5	13	3.06	<0.5	3	6	114	5.87
C180057		4.02	0.004	<0.2	0.95	227	<10	100	<0.5	11	3.29	<0.5	5	6	127	5.67
C180058		3.58	0.128	0.4	1.17	>10000	<10	30	<0.5	44	2.61	3.4	53	2	506	14.8
C180059		3.92	0.026	<0.2	1.43	4730	10	40	<0.5	12	1.94	<0.5	20	3	297	11.60
C180060		3.50	0.010	<0.2	1.19	1110	10	50	<0.5	18	4.43	<0.5	8	16	263	9.83
C180061		3.14	0.005	<0.2	1.15	597	10	80	<0.5	17	3.44	<0.5	9	2	263	8.07
C180062		3.84	0.009	<0.2	1.18	1700	10	70	<0.5	87	2.88	<0.5	15	15	354	9.36
C180063		3.82	0.004	<0.2	0.98	491	<10	50	<0.5	14	1.92	<0.5	1	6	314	10.70
C180064		3.92	0.002	<0.2	1.16	29	10	50	<0.5	9	1.57	<0.5	1	18	277	9.62
C180065		2.80	0.060	<0.2	1.06	6740	<10	40	<0.5	78	2.65	<0.5	7	3	275	10.50
C180066		4.00	0.008	<0.2	1.16	1420	10	70	<0.5	12	2.61	<0.5	6	21	141	5.80
C180067		3.88	0.010	<0.2	0.93	2750	<10	90	<0.5	85	2.55	<0.5	28	6	189	7.39
C180068		2.54	0.023	<0.2	1.48	2560	10	30	<0.5	10	1.63	<0.5	8	18	291	10.50
C180069		2.62	0.008	<0.2	1.12	1245	<10	80	<0.5	12	2.09	<0.5	4	4	348	12.75
C180070		3.90	0.023	<0.2	1.03	2270	10	30	<0.5	51	2.31	<0.5	4	16	278	9.45
C180071		2.64	0.062	0.4	1.05	3240	10	50	<0.5	847	2.12	<0.5	7	3	348	12.00
C180072		3.68	0.004	<0.2	1.08	249	10	160	<0.5	6	3.05	<0.5	3	3	69	3.22
C180073		3.72	0.008	<0.2	0.76	557	10	130	<0.5	7	3.16	<0.5	6	2	108	4.31
C180074		3.34	0.026	<0.2	1.02	25	10	180	<0.5	2	3.54	<0.5	2	3	55	2.61
C180075		3.60	0.005	<0.2	0.91	22	10	140	<0.5	5	4.27	<0.5	2	3	73	3.93
C180076		2.40	0.010	<0.2	1.46	112	10	110	<0.5	13	4.53	<0.5	2	4	147	6.21
C180077		3.58	0.116	<0.2	0.96	1690	10	100	<0.5	101	3.52	0.5	10	4	200	8.53
C180078		2.44	0.011	<0.2	1.32	63	10	110	<0.5	7	3.07	<0.5	3	6	165	7.64
C180079		2.06	0.005	<0.2	0.97	144	10	90	<0.5	10	3.47	<0.5	1	6	185	8.79
C180080		2.02	0.051	<0.2	0.96	4020	10	10	<0.5	35	1.86	0.7	43	3	496	19.0
C180080		2.32	0.126	0.4	0.69	>10000	<10	10	<0.5	56	1.86	<0.5	173	<1	873	33.8



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 3 - B
Total # Pages: 5 (A - C)
Finalized Date: 16-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06062344

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units LOR	ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
C180041		<10	1	0.52	<10	0.81	1335	<1	0.03	9	740	79	7.29	19	9	50
C180042		<10	1	0.44	<10	0.89	1075	<1	0.05	9	700	12	3.61	<2	8	58
C180043		<10	<1	0.43	<10	0.44	867	<1	0.10	13	560	9	2.96	3	8	75
C180044		<10	<1	0.27	<10	0.23	456	<1	0.17	5	530	4	3.60	<2	5	84
C180045		<10	<1	0.36	<10	0.52	498	<1	0.11	2	500	7	6.18	<2	5	66
C180046		<10	<1	0.36	<10	0.35	485	1	0.17	7	750	6	4.47	4	7	78
C180047		<10	<1	0.38	<10	0.31	526	1	0.18	7	550	5	3.18	<2	7	80
C180048		<10	1	0.35	<10	0.84	798	<1	0.10	6	540	5	4.37	2	7	80
C180049		<10	<1	0.41	<10	0.37	532	<1	0.10	6	650	8	3.34	3	6	65
C180050		10	1	0.68	30	2.45	1475	1	1.10	12	3600	7	0.10	<2	22	204
C180051		<10	1	0.47	<10	0.59	515	1	0.09	8	660	6	4.54	<2	6	63
C180052		<10	<1	0.41	<10	0.50	458	<1	0.09	6	640	7	4.76	<2	6	57
C180053		<10	<1	0.51	<10	0.54	453	1	0.08	6	650	8	4.76	<2	6	67
C180054		<10	1	0.46	<10	0.47	494	<1	0.08	6	440	5	3.33	<2	6	60
C180055		<10	<1	0.39	<10	0.45	552	<1	0.11	6	440	6	2.79	<2	6	74
C180056		<10	<1	0.36	<10	0.46	578	<1	0.10	4	420	6	2.65	<2	6	86
C180057		<10	<1	0.58	<10	0.32	690	<1	0.04	4	870	33	9.64	10	7	72
C180058		<10	<1	0.57	<10	0.38	575	<1	0.06	3	1050	14	8.32	5	7	52
C180059		<10	<1	0.40	<10	0.32	606	1	0.06	3	1250	11	6.69	3	7	120
C180060		<10	<1	0.34	<10	0.34	491	1	0.08	4	1470	10	4.67	4	6	91
C180061		<10	<1	0.52	<10	0.31	504	1	0.08	5	1470	12	5.68	3	6	74
C180062		<10	1	0.44	<10	0.39	513	<1	0.03	6	700	8	6.52	2	8	49
C180063		<10	<1	0.63	<10	0.39	551	1	0.02	8	820	6	5.37	<2	8	24
C180064		<10	<1	0.51	<10	0.34	684	1	0.07	7	640	10	6.31	6	6	44
C180065		<10	<1	0.48	<10	0.21	599	<1	0.09	8	510	7	3.10	<2	6	60
C180066		<10	<1	0.48	<10	0.29	652	<1	0.06	9	460	9	4.44	3	6	49
C180067		<10	<1	0.72	<10	0.30	574	<1	0.05	9	560	9	6.40	3	7	39
C180068		<10	<1	0.61	<10	0.36	631	1	0.03	6	570	6	8.01	2	7	33
C180069		<10	<1	0.49	<10	0.25	692	1	0.06	8	490	9	5.74	6	7	61
C180070		<10	<1	0.52	<10	0.30	847	1	0.03	4	470	94	8.13	47	5	62
C180071		<10	1	0.56	<10	0.22	603	<1	0.05	5	350	4	1.48	<2	4	51
C180072		<10	1	0.36	<10	0.22	553	1	0.06	10	410	5	2.37	<2	4	54
C180073		<10	<1	0.43	<10	0.24	543	1	0.10	6	440	10	1.20	<2	3	56
C180074		<10	<1	0.35	<10	0.35	648	<1	0.10	7	450	5	1.74	<2	4	69
C180075		<10	<1	0.62	10	0.74	813	1	0.08	13	1540	3	3.37	4	6	68
C180076		<10	1	0.39	<10	0.79	816	1	0.07	13	480	10	4.97	5	7	68
C180077		<10	<1	0.53	<10	0.73	865	1	0.07	15	550	8	3.82	3	8	66
C180078		<10	<1	0.40	<10	0.72	892	1	0.06	11	680	6	4.69	3	7	106
C180079		<10	<1	0.39	<10	0.46	680	2	0.06	10	1150	12	>10.0	6	7	66
C180080		<10	1	0.20	<10	0.41	673	2	0.02	13	150	9	>10.0	14	4	69



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 3 - C
 Total # Pages: 5 (A - C)
 Finalized Date: 16-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06062344

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Ti	U	V	W	Zn
	Units LOR	%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
C180041		<0.01	10	<10	49	<10	160
C180042		<0.01	<10	<10	53	<10	63
C180043		<0.01	10	<10	46	<10	32
C180044		<0.01	<10	<10	22	<10	18
C180045		<0.01	<10	<10	25	<10	21
C180046		<0.01	<10	<10	37	<10	20
C180047		<0.01	<10	<10	43	<10	34
C180048		<0.01	10	<10	38	<10	22
C180049		<0.01	<10	<10	35	<10	23
C180050		1.46	<10	<10	260	<10	134
C180051		<0.01	10	<10	37	10	18
C180052		<0.01	<10	<10	35	<10	19
C180053		<0.01	<10	<10	38	<10	19
C180054		<0.01	<10	<10	31	<10	25
C180055		<0.01	<10	<10	33	<10	26
C180056		<0.01	<10	<10	33	<10	31
C180057		0.01	<10	<10	28	<10	503
C180058		0.01	<10	<10	28	<10	27
C180059		<0.01	<10	<10	28	<10	23
C180060		<0.01	<10	<10	26	<10	21
C180061		<0.01	<10	<10	27	<10	17
C180062		<0.01	10	<10	36	<10	23
C180063		0.01	10	<10	40	<10	24
C180064		0.01	<10	<10	30	<10	26
C180065		<0.01	<10	<10	32	<10	28
C180066		<0.01	<10	<10	27	<10	21
C180067		0.01	10	<10	39	<10	17
C180068		0.01	<10	<10	33	<10	14
C180069		<0.01	<10	<10	31	<10	30
C180070		0.01	<10	<10	17	<10	18
C180071		<0.01	<10	<10	13	<10	17
C180072		<0.01	<10	<10	10	<10	17
C180073		<0.01	<10	<10	12	<10	35
C180074		<0.01	<10	<10	14	<10	31
C180075		<0.01	<10	<10	22	<10	18
C180076		<0.01	<10	<10	36	<10	70
C180077		<0.01	<10	<10	48	<10	93
C180078		<0.01	<10	<10	46	<10	36
C180079		<0.01	10	<10	35	<10	30
C180080		<0.01	10	<10	27	<10	41



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 4 - A
 Total # Pages: 5 (A - C)
 Finalized Date: 16-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06062344

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Be	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C180081		2.48	0.007	<0.2	1.18	169	10	110	<0.5	6	4.18	<0.5	1	6	128	6.40
C180082		2.86	0.352	<0.2	1.11	>10000	10	30	<0.5	39	2.78	<0.5	42	5	234	11.05
C180083		3.34	0.010	<0.2	1.18	195	10	130	<0.5	5	2.58	<0.5	3	6	132	6.54
C180084		2.70	0.173	1.0	1.27	3980	10	30	<0.5	33	2.62	19.5	10	6	299	12.25
C180085		2.70	0.046	2.0	1.22	3350	20	20	<0.5	34	1.14	15.4	3	3	208	9.70
C180086		2.90	0.058	0.5	0.67	>10000	<10	10	<0.5	109	1.00	<0.5	15	<1	649	30.3
C180087		1.76	0.007	0.2	0.84	3430	10	30	<0.5	17	2.15	1.0	8	3	167	7.57
C180088		1.18	0.369	0.6	0.38	>10000	<10	10	<0.5	208	0.39	<0.5	41	<1	844	36.1
C180089		2.92	0.031	0.2	1.08	5820	10	30	<0.5	21	2.83	<0.5	5	4	188	8.88
C180090		4.32	0.044	0.4	0.84	9660	10	20	<0.5	77	2.17	<0.5	12	12	290	12.35
C180091		3.66	0.067	<0.2	0.84	>10000	10	20	<0.5	110	1.95	<0.5	30	3	229	11.45
C180092		4.32	0.451	<0.2	0.86	>10000	10	20	<0.5	468	2.96	<0.5	18	13	386	18.4
C180093		2.52	0.055	<0.2	0.92	>10000	10	20	<0.5	228	2.43	<0.5	15	3	295	13.30
C180094		2.26	0.059	<0.2	0.77	>10000	10	30	<0.5	80	2.66	<0.5	11	20	148	7.58
C180095		1.60	0.107	<0.2	0.83	>10000	10	40	<0.5	39	4.05	<0.5	11	4	124	7.10
C180096		2.82	0.324	0.5	0.67	>10000	<10	10	<0.5	282	1.08	<0.5	98	24	393	24.3
C180097		2.18	0.139	0.4	0.91	5760	20	20	0.8	32	2.03	0.7	27	4	171	10.95
C180098		3.12	0.039	0.3	1.14	4500	20	20	<0.5	19	1.56	1.7	23	20	156	11.10
C180099		3.72	0.016	0.4	0.73	2340	10	70	<0.5	85	1.92	<0.5	4	4	90	4.41
C180100		0.38	0.001	<0.2	3.12	100	<10	370	1.0	<2	3.65	<0.5	33	46	18	9.42
C180101		1.16	0.018	0.4	0.68	1570	10	90	<0.5	100	2.80	<0.5	2	3	85	4.48
C180102		1.24	0.020	0.4	0.86	1700	10	160	<0.5	68	3.01	<0.5	3	21	68	3.62
C180103		3.78	0.068	<0.2	0.69	5580	10	130	<0.5	89	2.91	<0.5	5	3	78	4.48
C180104		2.36	0.006	<0.2	0.93	363	10	50	<0.5	67	2.87	<0.5	1	2	99	4.90
C180105		2.60	0.017	0.9	0.82	1400	10	140	<0.5	86	2.89	1.1	1	3	67	4.03
C180106		3.60	0.180	0.2	0.87	>10000	20	30	<0.5	200	2.46	<0.5	54	3	190	11.35
C180107		2.56	0.092	0.8	0.75	>10000	10	20	<0.5	205	2.06	<0.5	25	2	301	15.10
C180108		3.54	0.092	1.0	0.84	7430	10	40	<0.5	30	3.87	1.0	10	3	261	11.95
C180109		2.94	0.187	1.9	0.74	>10000	<10	30	<0.5	64	2.58	4.9	14	1	413	18.6
C180110		3.30	0.351	1.3	0.92	4500	10	50	<0.5	57	2.96	0.6	8	4	111	5.86
C180111		2.44	0.010	0.3	0.84	526	10	110	<0.5	12	3.56	<0.5	4	4	83	4.47
C180112		2.50	0.010	0.4	1.00	843	10	40	<0.5	25	2.44	<0.5	8	3	197	7.71
C180113		2.70	0.028	0.7	1.16	2290	10	30	<0.5	80	2.16	0.5	3	3	235	9.17
C180114		4.60	0.715	0.9	0.90	9860	<10	20	<0.5	189	1.58	<0.5	4	2	666	21.4
C180115		3.96	0.008	<0.2	1.20	487	10	50	<0.5	12	2.31	<0.5	2	7	129	6.66
C180116		2.60	0.016	0.2	0.97	877	10	30	<0.5	27	2.01	<0.5	4	7	234	9.05
C180117		3.44	0.008	0.2	1.15	720	10	80	<0.5	8	2.79	<0.5	12	5	141	6.62
C180118		3.48	0.007	0.3	1.02	491	10	60	<0.5	20	2.83	<0.5	7	7	176	8.15
C180119		2.48	0.035	1.9	1.50	1230	10	30	<0.5	232	2.61	<0.5	16	10	395	13.80
C180120		1.48	0.043	2.5	1.16	2580	10	30	<0.5	160	1.62	<0.5	6	8	660	22.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 4 - B
Total # Pages: 5 (A - C)
Finalized Date: 16-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06062344

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	
	Units LOR	ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
C180081		<10	<1	0.52	<10	0.59	777	<1	0.07	10	520	5	2.77	<2	7	112
C180082		<10	<1	0.53	<10	0.71	678	2	0.06	10	650	6	7.66	8	6	52
C180083		<10	<1	0.56	<10	0.49	770	<1	0.08	11	560	4	2.79	<2	7	64
C180084		<10	<1	0.66	<10	0.76	3910	<1	0.04	11	1340	381	6.99	112	8	74
C180085		<10	<1	0.66	<10	0.24	6780	1	0.03	5	1200	471	5.48	157	6	49
C180086		<10	<1	0.38	<10	0.19	1010	2	0.02	9	1080	19	>10.0	19	4	23
C180087		<10	<1	0.51	<10	0.08	896	2	0.02	11	560	10	4.81	3	4	57
C180088		<10	<1	0.25	<10	0.10	673	3	0.01	11	170	21	>10.0	28	4	10
C180089		<10	<1	0.64	<10	0.09	1225	1	0.03	6	520	12	6.38	6	6	58
C180090		<10	<1	0.53	<10	0.10	765	3	0.02	5	600	19	8.16	5	6	59
C180091		<10	<1	0.52	<10	0.09	713	5	0.02	10	460	10	7.41	10	6	43
C180092		<10	<1	0.52	<10	0.15	1025	2	0.02	4	1000	14	>10.0	18	4	42
C180093		<10	<1	0.54	<10	0.12	782	3	0.02	9	940	11	8.72	11	5	41
C180094		<10	<1	0.47	<10	0.09	717	3	0.02	7	450	7	4.70	8	5	57
C180095		<10	<1	0.44	<10	0.11	976	2	0.03	6	440	6	4.26	11	6	62
C180096		<10	<1	0.34	<10	0.12	996	8	0.02	25	300	12	>10.0	74	5	25
C180097		<10	<1	0.43	<10	0.50	1465	1	0.07	10	1050	33	6.71	20	10	136
C180098		<10	<1	0.60	<10	0.51	2220	1	0.05	13	930	112	6.27	41	11	68
C180099		<10	<1	0.44	<10	0.10	835	1	0.02	8	280	18	2.66	15	3	55
C180100		10	<1	0.55	30	2.45	1430	1	0.88	13	3380	3	0.14	<2	21	172
C180101		<10	<1	0.41	<10	0.16	790	2	0.02	8	260	21	2.59	6	3	67
C180102		<10	<1	0.52	<10	0.18	836	3	0.02	7	300	12	1.85	6	3	72
C180103		<10	<1	0.42	<10	0.21	637	2	0.02	2	270	5	2.81	9	4	69
C180104		<10	<1	0.56	<10	0.22	823	1	0.02	4	280	6	3.11	3	4	66
C180105		<10	<1	0.49	<10	0.19	3680	1	0.02	3	250	356	1.86	53	3	63
C180106		<10	<1	0.52	<10	0.14	723	2	0.03	10	480	11	6.96	21	7	87
C180107		<10	<1	0.41	<10	0.30	1275	2	0.03	11	430	82	9.22	25	6	60
C180108		<10	<1	0.51	<10	0.29	2250	1	0.02	10	590	37	7.39	14	6	58
C180109		<10	<1	0.43	<10	0.34	2760	2	0.02	25	560	89	>10.0	33	7	36
C180110		<10	<1	0.56	<10	0.29	1390	1	0.02	14	690	63	3.48	12	7	65
C180111		<10	<1	0.48	<10	0.32	1065	1	0.03	7	420	24	2.04	5	7	103
C180112		<10	<1	0.56	<10	0.39	1245	1	0.02	5	430	37	4.47	10	6	43
C180113		<10	<1	0.61	<10	0.45	1055	1	0.03	4	430	58	5.31	13	7	37
C180114		<10	<1	0.45	<10	0.50	1205	2	0.02	7	580	59	>10.0	29	8	28
C180115		<10	<1	0.61	<10	0.49	1040	<1	0.03	4	530	7	3.23	3	7	45
C180116		<10	1	0.49	<10	0.49	1045	1	0.02	6	530	11	4.90	6	8	35
C180117		<10	<1	0.63	<10	0.45	1055	1	0.03	6	490	5	3.32	5	7	41
C180118		<10	<1	0.53	<10	0.60	1370	1	0.02	10	1000	22	4.21	7	9	41
C180119		<10	<1	0.72	<10	0.67	1370	2	0.02	14	2160	161	8.24	44	12	33
C180120		<10	<1	0.58	<10	0.49	1365	3	0.02	18	2510	194	>10.0	67	9	16



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 4 - C
Total # Pages: 5 (A - C)
Finalized Date: 16-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06062344

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Ti	U	V	W	Zn
	Units LOR	%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
C180081		<0.01	<10	<10	38	<10	29
C180082		<0.01	<10	<10	30	<10	17
C180083		<0.01	<10	<10	40	<10	42
C180084		0.01	10	<10	49	<10	3240
C180085		<0.01	<10	<10	26	<10	2610
C180086		<0.01	10	<10	24	<10	35
C180087		<0.01	<10	<10	14	<10	149
C180088		<0.01	10	<10	13	<10	299
C180089		<0.01	10	<10	22	<10	98
C180090		<0.01	<10	<10	22	<10	35
C180091		<0.01	10	<10	25	<10	27
C180092		<0.01	10	<10	22	<10	22
C180093		<0.01	10	<10	18	<10	21
C180094		<0.01	<10	<10	15	<10	16
C180095		<0.01	<10	<10	21	<10	49
C180096		<0.01	10	<10	12	<10	16
C180097		<0.01	<10	<10	41	<10	137
C180098		<0.01	<10	<10	55	<10	471
C180099		<0.01	<10	<10	10	<10	73
C180100		1.07	10	<10	223	<10	144
C180101		<0.01	10	<10	10	<10	46
C180102		<0.01	<10	<10	11	<10	38
C180103		<0.01	<10	<10	11	<10	13
C180104		<0.01	<10	<10	11	<10	40
C180105		<0.01	<10	<10	11	<10	226
C180106		<0.01	10	<10	31	<10	32
C180107		<0.01	<10	<10	27	<10	122
C180108		<0.01	10	<10	25	<10	290
C180109		<0.01	10	<10	28	<10	1155
C180110		<0.01	<10	<10	24	<10	146
C180111		<0.01	<10	<10	25	<10	49
C180112		<0.01	10	<10	22	<10	75
C180113		<0.01	10	<10	29	<10	142
C180114		<0.01	10	<10	33	<10	32
C180115		0.01	<10	<10	39	<10	43
C180116		<0.01	10	<10	37	<10	69
C180117		<0.01	<10	<10	35	<10	59
C180118		<0.01	<10	<10	47	<10	96
C180119		0.01	<10	<10	66	<10	65
C180120		0.01	10	<10	49	<10	33



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 5 - A
Total # Pages: 5 (A - C)
Finalized Date: 16-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06062344

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C180121		1.70	0.037	1.7	1.32	3430	10	60	<0.5	116	2.55	<0.5	12	11	441	15.9
C180122		2.36	0.017	0.6	1.12	1165	<10	40	<0.5	36	2.30	<0.5	6	9	418	14.8
C180123		3.58	0.008	0.3	1.20	900	10	60	<0.5	20	3.25	0.9	9	10	171	7.58
C180124		3.52	0.006	0.2	0.90	1200	10	50	<0.5	29	3.94	<0.5	3	5	103	5.57
C180125		3.34	0.007	0.2	1.02	1150	10	60	<0.5	19	2.07	<0.5	5	9	92	5.21
C180126		3.56	0.005	0.2	0.99	112	10	120	<0.5	12	2.77	<0.5	1	5	88	5.90
C180127		3.52	0.013	0.2	1.12	926	10	70	<0.5	9	2.30	<0.5	16	11	133	6.44
C180128		2.74	0.031	0.3	1.21	2950	10	50	<0.5	23	2.75	1.1	19	8	218	8.12
C180129		2.34	0.009	0.4	1.28	800	10	30	<0.5	28	3.31	<0.5	10	22	269	10.05
C180130		3.14	0.009	0.3	1.14	1085	10	30	<0.5	17	2.79	<0.5	7	7	402	15.9
C180131		3.56	0.010	<0.2	1.04	3180	10	50	<0.5	7	2.78	<0.5	53	17	150	8.12
C180132		3.74	0.013	<0.2	0.85	1440	10	60	<0.5	10	2.22	<0.5	22	3	164	7.57
C180133		3.62	0.005	<0.2	1.00	152	10	70	<0.5	9	2.85	<0.5	1	17	103	5.63
C180134		3.64	0.004	<0.2	0.80	110	10	110	<0.5	16	3.02	<0.5	1	5	93	5.72
C180135		3.88	0.001	<0.2	0.98	33	10	120	<0.5	23	2.67	<0.5	1	17	95	5.51
C180136		2.00	0.002	0.4	0.76	199	10	100	<0.5	20	3.89	<0.5	2	5	80	5.56



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 5 - B
Total # Pages: 5 (A - C)
Finalized Date: 16-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06062344

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
LOR		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C180121		<10	<1	0.67	<10	0.69	1545	3	0.02	12	2340	148	8.39	49	11
C180122		<10	<1	0.58	<10	0.64	1315	1	0.02	14	1420	53	8.34	18	10
C180123		<10	<1	0.62	<10	0.72	1365	2	0.02	11	1280	29	4.09	12	11
C180124		<10	<1	0.50	<10	0.43	1085	1	0.03	9	570	14	2.83	5	6
C180125		<10	<1	0.50	<10	0.31	644	1	0.05	8	550	7	2.98	2	6
C180126		<10	<1	0.48	<10	0.57	841	1	0.04	6	450	3	2.82	2	6
C180127		<10	<1	0.54	<10	0.55	1060	2	0.05	11	660	8	3.05	5	8
C180128		<10	<1	0.66	<10	0.68	1185	2	0.03	9	770	26	4.75	7	10
C180129		<10	<1	0.66	<10	0.73	1290	2	0.03	12	630	24	5.38	8	10
C180130		<10	<1	0.57	<10	0.48	1140	2	0.02	18	1380	13	9.14	8	11
C180131		<10	<1	0.52	<10	0.58	977	3	0.02	12	1040	5	4.18	5	7
C180132		<10	<1	0.43	<10	0.55	976	3	0.02	7	630	4	3.92	5	5
C180133		<10	<1	0.51	<10	0.70	1105	<1	0.04	4	470	12	2.51	4	5
C180134		<10	<1	0.41	<10	0.75	1030	<1	0.04	6	470	6	2.56	4	6
C180135		<10	<1	0.50	<10	0.72	1045	<1	0.05	7	470	11	2.37	3	6
C180136		<10	<1	0.40	<10	0.88	1460	<1	0.04	5	470	19	2.21	6	5



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 5 - C
 Total # Pages: 5 (A - C)
 Finalized Date: 16-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06062344

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
C180121		0.01	<10	<10	60	<10	42
C180122		0.01	10	<10	52	<10	127
C180123		0.01	<10	<10	48	<10	190
C180124		<0.01	<10	<10	29	<10	33
C180125		<0.01	<10	<10	26	<10	53
C180126		<0.01	<10	<10	30	<10	37
C180127		<0.01	<10	<10	36	<10	108
C180128		0.01	<10	<10	46	<10	267
C180129		0.01	10	<10	49	<10	135
C180130		0.01	10	<10	52	10	75
C180131		0.01	10	<10	37	<10	48
C180132		<0.01	<10	<10	23	<10	121
C180133		<0.01	<10	<10	23	<10	70
C180134		<0.01	<10	<10	29	<10	39
C180135		<0.01	<10	<10	28	<10	39
C180136		<0.01	<10	<10	27	<10	143



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 1
Finalized Date: 19-AUG-2006
Account: ENDURA

CERTIFICATE VA06062399

Project: BQ

P.O. No.:

This report is for 111 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 6-JUL-2006.

The following have access to data associated with this certificate:

DUNCAN MCIVOR

D. MCIVOR

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter
CRU-31	Fine crushing - 70% <2mm
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn-AA46	Ore grade Zn - aqua regia/AA	AAS
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: ENDURANCE GOLD CORP
ATTN: DUNCAN MCIVOR
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: _____

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 19-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06062399

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C180137		2.16	0.173	0.3	0.82	2890	10	50	<0.5	15	3.11	<0.5	13	5	227	7.34
C180138		2.58	0.046	0.4	0.63	2610	<10	40	<0.5	34	2.56	<0.5	14	5	245	7.84
C180139		3.36	0.067	0.3	0.72	6690	<10	60	<0.5	10	2.67	1.7	22	5	166	6.15
C180140		3.52	0.078	0.5	0.59	4370	10	40	<0.5	5	1.34	<0.5	7	4	306	10.10
C180141		2.54	0.037	0.3	0.55	592	10	30	<0.5	10	3.02	<0.5	1	3	466	12.50
C180142		3.52	0.066	0.3	0.62	5540	10	70	<0.5	42	2.43	<0.5	14	5	247	8.34
C180143		3.52	0.067	0.3	0.81	6870	10	40	<0.5	128	2.16	<0.5	16	7	225	7.92
C180144		2.48	0.036	0.5	0.68	1600	10	60	<0.5	10	1.44	<0.5	3	5	198	6.67
C180145		1.84	0.076	4.8	0.83	8460	10	70	<0.5	15	2.69	5.4	10	3	391	10.15
C180146		1.58	0.086	6.0	0.57	7070	10	70	<0.5	57	0.97	39.9	80	5	298	10.95
C180147		2.32	0.010	0.9	0.74	360	10	90	<0.5	2	2.64	0.7	13	4	167	7.88
C180148		2.76	0.004	0.6	0.74	29	10	70	<0.5	3	4.00	1.2	<1	1	63	7.08
C180149		2.88	0.001	0.4	0.81	9	10	70	0.5	<2	3.21	1.3	<1	1	35	6.16
C180150		0.28	<0.001	<0.2	2.86	7	<10	370	0.9	<2	3.28	<0.5	29	7	12	8.38
C180151		1.12	<0.001	0.3	0.75	4	10	70	<0.5	<2	3.28	0.7	2	<1	22	6.35
C180152		1.14	0.001	0.4	0.64	3	10	70	<0.5	<2	3.49	0.5	1	<1	35	6.01
C180153		2.58	0.006	1.1	0.81	21	10	150	<0.5	2	2.73	10.0	4	2	52	8.27
C180154		0.98	0.001	0.2	0.71	9	10	70	<0.5	<2	3.44	<0.5	3	2	18	6.64
C180155		0.78	0.004	2.4	0.67	4	10	100	<0.5	<2	3.83	39.0	2	1	57	7.27
C180156		0.88	0.001	0.6	0.66	<2	20	60	<0.5	<2	3.08	3.2	3	1	19	7.80
C180157		1.80	0.011	0.6	0.66	334	10	100	<0.5	9	5.00	<0.5	19	2	80	7.65
C180158		2.88	0.018	0.7	0.62	1290	10	40	<0.5	44	5.42	3.4	14	1	184	9.87
C180159		3.74	<0.001	<0.2	0.63	61	10	120	<0.5	<2	6.59	<0.5	1	1	40	4.34
C180160		3.70	0.001	<0.2	0.57	43	10	110	<0.5	<2	6.51	<0.5	<1	1	45	4.40
C180161		3.54	0.002	0.2	0.62	57	10	130	<0.5	<2	6.51	<0.5	2	1	34	4.97
C180162		3.36	<0.001	<0.2	0.53	9	10	100	<0.5	<2	6.56	<0.5	<1	1	18	4.21
C180163		3.60	0.004	<0.2	0.66	29	10	170	<0.5	<2	6.85	<0.5	<1	1	12	3.70
C180164		3.80	0.005	0.2	0.55	29	10	120	<0.5	6	6.36	<0.5	5	1	90	6.47
C180165		3.46	0.002	0.3	0.69	15	10	150	<0.5	<2	6.61	<0.5	2	1	57	4.89
C180166		3.78	0.005	<0.2	0.64	286	10	130	<0.5	16	5.46	<0.5	4	1	61	6.55
C180167		3.10	0.014	0.3	0.59	4400	10	100	<0.5	8	6.13	<0.5	71	<1	54	6.46
C180168		3.56	0.001	<0.2	0.53	176	10	130	<0.5	<2	6.37	<0.5	7	1	40	5.64
C180169		2.68	<0.001	<0.2	0.95	27	10	110	<0.5	<2	5.18	<0.5	3	1	31	7.20
C180170		3.48	0.005	<0.2	0.65	234	10	90	<0.5	<2	3.61	<0.5	22	1	54	8.65
C180171		3.24	0.003	<0.2	0.76	1635	10	110	<0.5	<2	5.86	<0.5	56	1	15	5.25
C180172		3.52	<0.001	<0.2	0.73	44	10	110	<0.5	<2	5.54	<0.5	4	1	19	5.93
C180173		3.62	0.002	0.2	0.64	96	10	130	<0.5	<2	6.20	<0.5	5	1	32	5.54
C180174		3.76	0.015	<0.2	0.54	1230	10	130	<0.5	8	5.96	<0.5	35	1	47	6.11
C180175		3.64	0.003	0.2	0.63	191	<10	80	<0.5	5	6.16	<0.5	11	1	70	6.86
C180176		3.50	0.009	0.2	0.55	723	<10	70	<0.5	7	5.52	<0.5	23	1	60	5.83



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 2 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 19-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06062399

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C180137		<10	<1	0.36	<10	0.43	718	<1	0.04	9	380	13	3.91	3	7
C180138		<10	<1	0.27	<10	0.37	984	<1	0.04	13	350	13	4.27	6	6
C180139		<10	<1	0.37	<10	0.40	1345	<1	0.04	10	360	39	3.08	9	6
C180140		<10	<1	0.31	<10	0.44	1180	<1	0.02	5	300	32	5.96	6	24
C180141		<10	<1	0.30	<10	0.49	881	<1	0.02	5	300	4	7.92	5	5
C180142		<10	<1	0.32	<10	0.46	894	<1	0.03	6	380	10	4.58	7	6
C180143		<10	<1	0.43	<10	0.55	1160	<1	0.03	7	370	12	4.31	16	7
C180144		<10	<1	0.36	<10	0.48	1165	<1	0.03	4	390	18	3.32	21	7
C180145		<10	1	0.49	<10	0.68	3070	1	0.02	11	920	92	5.68	264	7
C180146		<10	1	0.37	<10	0.48	16850	2	0.01	16	620	952	4.78	633	10
C180147		<10	<1	0.46	<10	1.05	2320	2	0.01	23	530	47	2.51	45	7
C180148		<10	<1	0.40	10	1.54	2670	<1	0.02	4	1370	62	0.97	21	7
C180149		<10	<1	0.42	10	1.59	2450	<1	0.01	1	1690	166	0.25	38	6
C180150		10	<1	0.56	30	2.41	1330	<1	0.91	9	2850	5	0.04	<2	20
C180151		<10	1	0.37	10	1.69	4270	<1	0.01	3	1690	295	0.21	65	6
C180152		<10	1	0.32	10	1.67	2380	<1	0.01	2	1650	34	0.39	15	6
C180153		<10	<1	0.41	<10	1.65	6280	<1	0.01	8	1910	635	1.28	263	7
C180154		<10	<1	0.26	10	1.89	2430	<1	0.01	4	2700	34	0.02	12	9
C180155		<10	<1	0.35	10	1.87	5980	<1	0.01	7	2210	3170	0.56	1355	8
C180156		<10	1	0.29	10	1.94	8700	<1	0.01	5	2050	888	0.15	166	9
C180157		<10	<1	0.33	10	1.68	2360	1	0.02	11	1390	210	1.94	47	11
C180158		<10	<1	0.30	<10	0.72	1450	<1	0.01	5	1490	28	4.72	6	7
C180159		<10	<1	0.42	10	0.54	1050	<1	0.02	2	1810	6	1.11	<2	7
C180160		<10	<1	0.34	10	0.59	1005	<1	0.03	1	1970	7	1.22	3	7
C180161		<10	<1	0.37	10	0.61	1145	<1	0.03	2	2000	12	1.04	<2	7
C180162		<10	<1	0.31	10	0.58	1080	<1	0.04	1	1920	3	0.60	<2	7
C180163		<10	1	0.39	10	0.49	1010	<1	0.03	1	1980	4	0.40	<2	7
C180164		<10	1	0.36	10	0.47	1050	<1	0.02	3	1800	8	2.89	4	6
C180165		<10	<1	0.42	10	0.59	1120	<1	0.03	1	1830	5	1.21	3	7
C180166		<10	1	0.35	10	0.77	1130	<1	0.03	3	1720	4	2.10	<2	7
C180167		<10	<1	0.34	10	0.52	970	<1	0.03	5	1760	9	3.28	4	7
C180168		<10	<1	0.32	10	0.61	1080	1	0.03	2	1830	4	1.84	<2	7
C180169		<10	<1	0.32	10	1.05	1340	<1	0.05	4	1910	3	1.30	<2	8
C180170		<10	<1	0.27	10	1.06	1185	<1	0.05	5	1830	5	2.30	2	7
C180171		<10	<1	0.32	10	0.84	1315	2	0.03	2	1890	8	0.80	2	7
C180172		<10	<1	0.28	10	0.91	1270	<1	0.04	1	2030	6	0.87	4	8
C180173		<10	<1	0.33	10	0.61	1095	<1	0.03	<1	1980	4	1.73	<2	8
C180174		<10	<1	0.32	10	0.63	1120	<1	0.02	<1	1850	7	2.12	2	7
C180175		<10	<1	0.32	10	0.54	1070	1	0.03	1	1830	9	2.94	5	7
C180176		<10	<1	0.31	10	0.39	903	3	0.02	1	1810	14	3.14	5	6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 2 - C
Total # Pages: 4 (A - C)
Finalized Date: 19-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06062399

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Zn-AA46
		Ti	Ti	U	V	W	Zn	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.01
C180137		<0.01	<10	<10	32	<10	46	
C180138		<0.01	<10	<10	30	<10	133	
C180139		<0.01	<10	<10	34	<10	492	
C180140		<0.01	10	<10	22	<10	70	
C180141		<0.01	<10	<10	24	<10	25	
C180142		<0.01	<10	<10	28	<10	38	
C180143		<0.01	<10	<10	28	<10	34	
C180144		<0.01	<10	<10	29	<10	46	
C180145		<0.01	<10	<10	30	<10	1080	
C180146		<0.01	<10	<10	29	<10	6650	
C180147		<0.01	<10	<10	33	<10	186	
C180148		<0.01	<10	<10	46	<10	454	
C180149		<0.01	<10	<10	53	<10	495	
C180150		1.08	<10	<10	225	<10	123	
C180151		<0.01	<10	<10	48	<10	359	
C180152		<0.01	<10	<10	43	<10	273	
C180153		<0.01	<10	<10	55	<10	2260	
C180154		<0.01	<10	<10	77	<10	155	
C180155		<0.01	<10	<10	61	<10	7250	
C180156		<0.01	10	<10	69	<10	990	
C180157		<0.01	<10	<10	63	<10	263	
C180158		<0.01	10	<10	39	<10	772	
C180159		<0.01	<10	<10	28	<10	62	
C180160		<0.01	<10	<10	30	<10	34	
C180161		<0.01	<10	<10	36	<10	49	
C180162		<0.01	<10	<10	37	<10	39	
C180163		<0.01	<10	<10	34	<10	35	
C180164		<0.01	<10	<10	26	<10	39	
C180165		<0.01	<10	<10	27	<10	30	
C180166		<0.01	<10	<10	40	<10	42	
C180167		<0.01	<10	<10	35	<10	27	
C180168		<0.01	<10	<10	32	<10	59	
C180169		<0.01	10	<10	71	<10	60	
C180170		<0.01	<10	<10	67	<10	67	
C180171		<0.01	<10	<10	55	10	67	
C180172		<0.01	<10	<10	68	<10	52	
C180173		<0.01	<10	<10	50	<10	42	
C180174		<0.01	<10	<10	31	<10	31	
C180175		<0.01	<10	<10	42	<10	36	
C180176		<0.01	<10	<10	36	<10	47	



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 3 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 19-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06062399

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	1	1	1	1	0.01
C180177		3.60	<0.001	0.2	0.74	14	<10	140	<0.5	<2	6.61	<0.5	4	1	34	5.16
C180178		3.60	0.002	0.2	0.53	319	<10	130	<0.5	<2	5.91	<0.5	10	1	29	4.19
C180179		3.46	0.002	<0.2	0.91	37	<10	130	<0.5	<2	6.59	<0.5	5	1	45	6.33
C180180		3.38	0.023	0.2	0.58	>10000	<10	110	<0.5	14	5.58	<0.5	164	1	55	7.13
C180181		3.30	0.001	0.2	0.61	53	<10	100	<0.5	<2	6.59	<0.5	5	1	78	6.48
C180182		3.92	0.009	0.2	0.61	322	<10	90	<0.5	4	6.17	<0.5	9	2	97	6.45
C180183		3.56	0.012	0.5	0.75	626	<10	100	<0.5	6	6.58	<0.5	23	1	188	7.11
C180184		3.34	0.003	<0.2	0.66	41	<10	90	<0.5	<2	5.73	<0.5	4	1	30	5.89
C180185		3.48	0.004	0.4	0.67	139	<10	110	<0.5	4	5.74	<0.5	10	1	101	6.42
C180186		3.50	0.013	0.4	0.60	541	<10	90	<0.5	<2	5.93	2.1	12	1	88	5.22
C180187		3.74	0.046	1.1	0.64	4570	<10	70	<0.5	15	4.65	1.1	76	<1	275	8.49
C180188		4.02	0.052	1.2	0.62	3460	<10	60	<0.5	21	3.03	<0.5	23	2	254	8.92
C180189		3.88	0.003	0.3	0.75	49	10	90	<0.5	<2	4.37	<0.5	2	4	90	6.70
C180190		3.70	0.003	<0.2	0.75	205	10	80	<0.5	<2	4.15	<0.5	1	2	42	4.51
C180191		4.08	0.023	0.3	0.79	2740	10	100	<0.5	3	3.95	<0.5	17	1	140	8.54
C180192		3.44	0.001	0.2	0.74	388	10	100	<0.5	<2	4.23	<0.5	3	2	65	6.53
C180193		3.34	0.003	0.3	1.43	2950	10	100	<0.5	7	3.91	<0.5	17	1	19	6.31
C180194		3.68	0.005	<0.2	0.86	118	10	100	<0.5	<2	4.49	<0.5	1	1	6	5.27
C180195		3.58	0.001	<0.2	1.00	397	10	140	<0.5	<2	4.25	<0.5	4	<1	28	5.09
C180196		3.54	0.002	0.2	1.42	231	10	100	<0.5	<2	4.25	<0.5	3	1	13	5.36
C180197		3.72	0.012	0.3	1.37	>10000	10	80	<0.5	13	3.61	<0.5	65	3	12	8.73
C180198		3.82	<0.001	0.2	1.16	29	10	70	<0.5	<2	4.30	<0.5	<1	3	4	8.30
C180199		3.62	<0.001	<0.2	1.24	187	10	70	<0.5	<2	3.69	<0.5	4	1	13	8.40
C180200		0.38	<0.001	<0.2	3.16	3	<10	370	0.8	<2	3.23	<0.5	26	7	11	7.73
C180201		1.28	0.003	0.3	1.05	327	10	60	0.5	3	3.48	<0.5	9	1	60	9.11
C180202		1.20	0.004	0.2	0.99	801	10	60	0.5	8	3.67	<0.5	22	1	62	9.07
C180203		3.48	0.002	0.2	0.88	130	10	100	<0.5	5	3.70	<0.5	4	<1	127	7.47
C180204		3.68	0.002	0.2	1.04	317	<10	80	<0.5	8	3.57	<0.5	3	<1	152	7.90
C180205		2.30	0.008	0.5	2.31	988	<10	70	<0.5	14	3.57	<0.5	7	6	239	13.25
C180206		2.10	0.025	2.8	1.58	1050	<10	50	<0.5	149	2.81	<0.5	9	2	373	19.2
C180207		1.60	0.012	0.4	0.78	944	<10	70	0.7	<2	3.36	<0.5	6	2	241	11.05
C180208		2.32	<0.001	<0.2	0.71	81	<10	70	<0.5	2	2.92	<0.5	3	5	128	7.07
C180209		3.90	0.003	0.3	0.75	605	<10	80	<0.5	9	2.37	<0.5	6	3	277	11.05
C180210		3.96	0.006	0.3	0.68	1150	<10	90	<0.5	16	3.18	<0.5	12	1	237	9.57
C180211		2.42	0.005	0.4	0.69	525	10	110	<0.5	21	3.93	<0.5	6	3	220	8.32
C180212		2.26	0.004	0.4	0.68	365	10	80	<0.5	10	4.40	<0.5	6	<1	200	8.90
C180213		4.10	0.015	0.4	1.10	756	10	100	<0.5	15	4.36	<0.5	3	1	220	9.29
C180214		3.54	0.024	0.3	2.05	1485	<10	80	<0.5	5	3.73	<0.5	3	1	96	8.95
C180215		3.44	1.140	0.9	3.02	4730	<10	60	<0.5	8	3.31	12.7	4	1	168	9.30
C180216		1.74	0.005	0.3	2.09	197	<10	60	<0.5	<2	5.18	<0.5	8	1	14	6.71



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 19-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06062399

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ge ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
C180177		<10	1	0.33	10	0.62	1040	<1	0.03	2	2030	8	1.44	<2	7	196
C180178		<10	<1	0.29	10	0.49	955	<1	0.02	<1	2040	6	1.22	3	7	174
C180179		<10	<1	0.31	10	0.62	1045	<1	0.03	<1	1980	7	1.86	<2	8	167
C180180		<10	<1	0.31	<10	0.58	1180	1	0.01	2	1790	11	2.64	16	6	126
C180181		<10	<1	0.35	<10	0.63	1510	1	0.02	3	1630	10	2.46	3	8	126
C180182		<10	<1	0.34	<10	0.66	1795	1	0.01	3	1550	18	1.97	4	9	95
C180183		<10	<1	0.40	<10	0.64	2140	<1	0.01	5	1590	28	2.74	7	9	98
C180184		<10	<1	0.29	10	0.97	1445	<1	0.02	2	1640	5	0.64	5	9	148
C180185		<10	<1	0.37	10	0.61	1580	1	0.01	3	1480	21	2.16	2	8	125
C180186		<10	<1	0.35	<10	0.43	2430	<1	0.01	1	1560	16	1.90	7	8	73
C180187		<10	<1	0.39	<10	0.35	1880	1	0.01	3	1490	42	4.86	22	7	54
C180188		<10	<1	0.38	<10	0.34	1340	1	0.01	3	1350	52	5.25	25	6	50
C180189		<10	<1	0.43	10	0.66	1975	1	0.01	4	1740	9	1.96	2	13	77
C180190		<10	<1	0.45	10	0.69	1780	<1	0.01	<1	1980	5	0.81	<2	8	59
C180191		<10	<1	0.41	10	0.74	1545	1	0.01	9	1880	7	3.48	<2	8	73
C180192		<10	<1	0.35	10	0.92	1275	<1	0.01	5	1970	2	1.64	2	8	76
C180193		<10	<1	0.41	10	1.05	1655	1	0.01	<1	2100	11	0.51	3	7	88
C180194		<10	<1	0.39	10	1.07	1470	<1	0.01	<1	2150	12	0.14	3	5	112
C180195		<10	<1	0.45	10	0.78	929	<1	0.02	<1	2350	3	0.74	<2	5	146
C180196		<10	<1	0.38	10	1.03	1180	<1	0.02	<1	2510	9	0.25	2	5	120
C180197		<10	<1	0.37	<10	1.65	1730	1	0.02	6	1510	10	0.83	7	9	106
C180198		<10	<1	0.33	10	2.08	1790	1	0.02	<1	1390	6	0.07	3	10	132
C180199		<10	<1	0.38	10	1.92	1770	1	0.03	4	1380	7	0.24	<2	10	110
C180200		10	<1	0.58	30	2.26	1260	2	0.92	9	2500	5	0.03	<2	19	168
C180201		<10	<1	0.39	<10	1.49	1670	<1	0.01	3	1680	10	1.17	5	8	97
C180202		<10	<1	0.36	<10	1.57	1730	1	0.02	4	1680	14	1.00	3	8	106
C180203		<10	1	0.43	10	0.77	991	1	0.01	2	1580	7	2.65	4	8	99
C180204		<10	<1	0.45	10	0.69	1300	<1	0.01	4	1680	7	3.07	<2	7	61
C180205		10	<1	0.38	<10	1.32	2320	<1	0.01	9	1090	24	4.86	9	9	41
C180206		<10	<1	0.32	<10	0.93	2210	1	0.01	17	640	182	7.33	56	7	37
C180207		<10	<1	0.38	<10	0.67	1970	2	0.01	8	1260	12	5.55	3	8	55
C180208		<10	<1	0.38	10	0.68	1240	1	0.01	7	1640	2	2.50	2	10	43
C180209		<10	<1	0.40	<10	0.62	1370	1	0.01	10	1230	13	5.06	4	9	33
C180210		<10	<1	0.40	10	0.42	1515	1	0.01	5	1300	15	4.80	8	6	46
C180211		<10	<1	0.43	10	0.60	1535	1	0.01	7	1270	17	3.80	4	11	65
C180212		<10	<1	0.40	<10	0.67	1590	1	0.01	5	1560	14	4.13	3	8	66
C180213		<10	<1	0.45	10	0.83	1415	1	0.01	4	1610	20	3.98	3	8	99
C180214		<10	<1	0.35	10	1.64	1455	1	0.02	1	1670	12	1.62	2	9	80
C180215		<10	<1	0.37	10	1.77	1725	1	0.01	2	1640	56	1.84	15	8	72
C180216		<10	1	0.38	10	1.48	1930	1	0.01	2	1630	16	0.22	<2	8	103



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 3 - C
Total # Pages: 4 (A - C)
Finalized Date: 19-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06062399

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Zn-AA46
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Zn %
		0.01	10	10	1	10	2	0.01
C180177		<0.01	<10	<10	60	<10	49	
C180178		<0.01	<10	<10	44	<10	42	
C180179		<0.01	<10	<10	69	<10	44	
C180180		<0.01	<10	<10	44	<10	49	
C180181		<0.01	<10	<10	40	<10	71	
C180182		<0.01	<10	<10	62	<10	72	
C180183		<0.01	10	<10	56	<10	126	
C180184		<0.01	<10	<10	76	<10	61	
C180185		<0.01	10	<10	56	<10	66	
C180186		<0.01	10	<10	46	<10	423	
C180187		<0.01	<10	<10	32	<10	340	
C180188		<0.01	<10	<10	30	<10	184	
C180189		<0.01	<10	<10	76	<10	101	
C180190		<0.01	10	<10	40	<10	26	
C180191		<0.01	<10	<10	57	<10	42	
C180192		<0.01	<10	<10	60	<10	61	
C180193		<0.01	<10	<10	61	<10	73	
C180194		<0.01	<10	<10	36	<10	73	
C180195		<0.01	<10	<10	40	<10	45	
C180196		<0.01	10	<10	45	<10	61	
C180197		<0.01	<10	<10	77	<10	100	
C180198		<0.01	<10	<10	85	<10	112	
C180199		<0.01	<10	<10	73	<10	91	
C180200		1.03	<10	<10	211	<10	110	
C180201		0.01	<10	<10	73	<10	92	
C180202		0.01	<10	<10	70	<10	76	
C180203		<0.01	<10	<10	72	<10	47	
C180204		0.01	<10	<10	61	<10	39	
C180205		0.01	<10	<10	67	<10	83	
C180206		0.01	<10	<10	49	<10	62	
C180207		<0.01	10	<10	55	<10	39	
C180208		<0.01	<10	<10	59	<10	33	
C180209		<0.01	<10	<10	55	<10	47	
C180210		<0.01	<10	<10	35	<10	57	
C180211		<0.01	<10	<10	50	<10	114	
C180212		<0.01	<10	<10	41	<10	37	
C180213		<0.01	<10	<10	78	<10	66	
C180214		0.01	<10	<10	114	<10	84	
C180215		0.01	<10	<10	115	<10	2190	
C180216		0.01	10	<10	91	<10	162	



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 4 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 19-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06062399

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR																
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C180217		0.54	0.006	0.3	1.11	281	10	60	<0.5	69	3.84	<0.5	8	4	338	16.7
C180218		3.26	0.001	0.2	1.33	1285	10	80	<0.5	6	4.00	<0.5	15	6	57	8.44
C180219		3.24	0.004	0.2	1.32	1105	20	90	<0.5	9	3.19	<0.5	15	4	87	10.00
C180220		2.78	0.002	0.2	2.27	333	10	70	<0.5	22	2.88	<0.5	2	6	133	10.35
C180221		1.76	0.004	0.3	1.39	969	10	50	<0.5	40	2.75	<0.5	6	3	231	12.10
C180222		1.90	0.001	0.3	1.40	259	10	60	<0.5	<2	3.10	<0.5	3	4	51	8.78
C180223		1.90	0.006	0.3	0.97	4730	10	60	<0.5	14	3.61	<0.5	24	3	86	9.46
C180224		1.68	0.002	0.3	1.18	429	10	70	<0.5	11	2.72	<0.5	7	4	166	10.20
C180225		2.70	0.002	0.2	5.15	47	<10	130	<0.5	<2	4.00	<0.5	7	7	119	9.64
C180226		2.04	<0.001	0.2	5.35	248	<10	90	<0.5	<2	3.81	<0.5	10	8	74	9.37
C180227		2.00	0.016	1.1	1.55	>10000	<10	60	<0.5	30	2.07	<0.5	51	2	266	13.00
C180228		2.32	0.024	2.2	0.97	8050	10	60	<0.5	18	1.90	<0.5	20	1	221	10.30
C180229		2.30	0.074	1.7	0.75	6500	<10	60	<0.5	10	0.98	1.2	15	3	340	8.99
C180230		1.94	0.013	1.2	0.61	1830	10	60	<0.5	6	4.68	1.1	24	3	86	4.65
C180231		2.00	0.006	1.2	0.96	171	10	70	<0.5	16	2.73	0.5	1	5	55	4.37
C180232		2.56	0.092	3.3	0.76	4830	10	80	<0.5	148	1.88	2.7	15	5	72	6.57
C180233		2.48	1.375	22.6	0.54	>10000	<10	<10	<0.5	171	1.10	19.1	6	<1	1830	26.8
C180234		1.78	0.009	1.0	0.77	305	10	60	0.5	2	1.99	2.1	1	5	73	6.39
C180235		1.12	0.013	3.3	0.76	562	10	70	0.9	4	0.44	3.0	20	2	183	6.56
C180236		3.08	0.009	0.8	0.65	269	10	130	<0.5	<2	0.31	7.6	1	1	14	1.64
C180237		3.26	0.017	2.8	0.62	1270	10	120	<0.5	<2	0.23	5.3	2	1	25	1.41
C180238		3.62	0.030	2.1	0.66	4160	10	90	<0.5	3	0.28	4.0	1	1	52	2.65
C180239		1.76	0.034	0.9	0.68	396	10	80	<0.5	<2	0.49	0.7	1	1	30	1.71
C180240		1.80	0.151	15.2	0.62	777	<10	50	0.6	2	0.83	72.8	25	1	183	7.07
C180241		1.58	0.008	2.4	0.64	142	10	70	0.6	2	0.39	0.5	10	1	41	4.39
C180242		2.40	0.011	0.9	0.58	295	10	70	0.7	<2	0.99	8.2	20	<1	63	5.85
C180243		2.16	<0.001	0.2	0.57	19	10	80	0.7	<2	0.34	<0.5	7	1	26	4.61
C180244		1.98	0.001	0.2	0.48	199	10	100	0.5	<2	0.34	<0.5	15	1	41	4.31
C180245		2.36	0.008	0.5	0.57	158	10	60	<0.5	<2	0.19	<0.5	22	1	72	5.46
C180246		1.54	0.001	<0.2	0.52	14	10	60	0.5	<2	0.16	<0.5	10	1	3	3.44
C180247		1.56	0.004	0.3	0.57	89	10	40	<0.5	2	0.89	<0.5	12	1	101	9.74



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 4 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 19-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06062399

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
C180217		<10	<1	0.44	<10	1.25	1175	5	0.02	16	1410	12	6.69	7	9	114
C180218		<10	<1	0.42	<10	1.63	1270	2	0.01	6	1690	3	1.28	<2	11	128
C180219		<10	<1	0.40	10	2.01	1210	1	0.03	11	1470	9	1.68	5	18	138
C180220		<10	<1	0.35	10	1.70	980	1	0.02	12	1480	8	2.57	5	19	104
C180221		<10	1	0.37	<10	1.61	982	1	0.02	12	1490	10	4.34	6	14	79
C180222		<10	1	0.41	10	1.96	1700	1	0.02	2	1360	15	0.82	<2	14	91
C180223		<10	<1	0.46	<10	1.88	1720	1	0.02	5	1510	9	1.80	3	11	132
C180224		<10	<1	0.47	<10	1.72	1255	1	0.02	11	1320	8	2.49	<2	15	90
C180225		10	<1	1.23	10	2.30	1080	1	0.23	13	1320	2	1.75	<2	23	213
C180226		10	<1	0.63	10	2.25	1225	1	0.19	9	1370	4	1.12	<2	21	190
C180227		<10	<1	0.50	<10	1.40	1605	1	0.01	8	920	39	4.50	9	9	44
C180228		<10	<1	0.51	<10	0.91	1790	1	0.01	4	1230	126	3.42	17	7	41
C180229		<10	1	0.49	<10	0.44	1765	1	0.01	6	370	122	4.13	7	6	22
C180230		<10	<1	0.37	<10	0.44	3680	2	0.01	9	430	72	1.30	6	7	98
C180231		<10	<1	0.58	<10	0.44	1960	1	0.01	3	980	69	0.97	2	7	59
C180232		<10	<1	0.45	<10	0.63	3330	1	0.01	7	1070	192	1.14	17	9	40
C180233		<10	2	0.28	<10	0.57	11400	2	0.01	4	1650	791	>10.0	537	6	25
C180234		<10	<1	0.40	<10	0.75	2160	1	0.01	9	930	124	0.75	5	7	43
C180235		<10	<1	0.44	<10	0.30	5120	4	0.03	7	520	100	2.32	39	6	25
C180236		<10	<1	0.46	20	0.08	5530	3	0.01	<1	180	321	0.24	66	1	13
C180237		<10	<1	0.41	20	0.07	3040	3	0.02	<1	190	293	0.31	73	1	17
C180238		<10	<1	0.46	10	0.09	3910	3	0.01	<1	230	174	1.12	65	1	12
C180239		<10	<1	0.47	10	0.08	1685	2	0.01	<1	190	40	0.87	18	1	14
C180240		<10	2	0.27	<10	0.25	7910	5	0.03	7	250	5510	5.62	2050	7	38
C180241		<10	<1	0.35	<10	0.24	4140	2	0.03	4	150	33	1.84	24	6	31
C180242		<10	<1	0.30	<10	0.42	16650	4	0.04	4	200	214	1.18	35	7	47
C180243		<10	<1	0.30	<10	0.40	1665	1	0.04	2	80	<2	0.39	6	5	39
C180244		<10	<1	0.25	10	0.35	1495	2	0.04	6	40	4	0.45	8	4	32
C180245		<10	<1	0.28	<10	0.34	1870	1	0.04	5	50	15	1.62	16	4	26
C180246		<10	<1	0.25	<10	0.29	944	<1	0.05	4	40	<2	0.05	<2	5	33
C180247		<10	<1	0.25	<10	0.82	3910	1	0.06	3	800	15	1.20	12	6	34



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 4 - C
Total # Pages: 4 (A - C)
Finalized Date: 19-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06062399

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Zn-AA46
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Zn %
		0.01	10	10	1	10	2	0.01
C180217		<0.01	<10	<10	73	<10	62	
C180218		<0.01	<10	<10	92	<10	84	
C180219		<0.01	<10	<10	135	<10	96	
C180220		0.01	<10	<10	169	<10	89	
C180221		0.01	<10	<10	112	<10	77	
C180222		0.01	<10	<10	98	<10	138	
C180223		0.01	<10	<10	82	<10	108	
C180224		0.01	<10	<10	117	<10	85	
C180225		0.15	<10	<10	211	<10	94	
C180226		0.06	<10	<10	203	<10	106	
C180227		0.01	<10	<10	73	<10	112	
C180228		0.01	<10	<10	41	<10	159	
C180229		<0.01	10	<10	24	<10	259	
C180230		<0.01	10	<10	42	<10	270	
C180231		<0.01	<10	<10	46	<10	150	
C180232		<0.01	<10	<10	55	<10	613	
C180233		<0.01	<10	<10	28	<10	3500	
C180234		<0.01	10	<10	45	<10	523	
C180235		<0.01	10	<10	27	<10	690	
C180236		<0.01	10	<10	1	<10	1440	
C180237		<0.01	10	<10	1	<10	991	
C180238		<0.01	10	<10	1	<10	805	
C180239		<0.01	<10	<10	<1	<10	120	
C180240		<0.01	<10	<10	28	<10	>10000	1.27
C180241		<0.01	<10	<10	14	<10	128	
C180242		<0.01	10	<10	17	<10	1520	
C180243		<0.01	<10	<10	19	<10	49	
C180244		<0.01	<10	<10	16	<10	47	
C180245		<0.01	<10	<10	12	<10	64	
C180246		<0.01	<10	<10	12	<10	40	
C180247		<0.01	10	<10	17	<10	91	



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 1
 Finalized Date: 15-AUG-2006
 Account: ENDURA

CERTIFICATE VA06064080

Project: BQ
 P.O. No.:
 This report is for 98 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 6-JUL-2006.
 The following have access to data associated with this certificate:
 DUNCAN MCIVOR D. MCIVOR

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
CRU-QC	Crushing QC Test

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Zn-AA46	Ore grade Zn - aqua regia/AA	AAS
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: ENDURANCE GOLD CORP
 ATTN: DUNCAN MCIVOR
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 2 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 15-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06064080

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Cs %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C180248		2.36	0.017	0.3	0.69	1610	10	90	<0.5	15	3.12	<0.5	6	18	180	6.76
C180249		2.34	0.003	1.2	0.58	159	10	90	<0.5	15	2.27	0.6	1	3	117	5.06
C180250		0.36	<0.001	<0.2	2.73	11	<10	340	0.9	<2	3.05	<0.5	30	7	12	7.83
C180251		0.66	0.008	7.1	0.63	1455	10	80	<0.5	32	1.36	4.0	2	10	240	10.85
C180252		0.62	0.009	6.9	0.61	1640	<10	70	<0.5	34	1.10	4.5	3	5	214	11.30
C180253		2.30	0.025	1.3	0.59	1555	<10	70	<0.5	28	2.09	0.7	13	2	257	9.44
C180254		0.60	0.012	1.9	0.51	955	<10	20	<0.5	57	1.82	<0.5	5	4	1265	28.4
C180255		3.88	0.002	0.2	0.54	34	10	60	<0.5	8	2.72	<0.5	<1	3	103	5.50
C180256		1.24	0.001	0.5	0.58	18	10	60	<0.5	7	2.24	<0.5	<1	3	65	5.03
C180257		0.78	0.082	2.4	0.48	7640	10	70	<0.5	16	1.54	0.7	6	3	123	7.65
C180258		1.64	0.058	10.2	0.52	1280	10	10	<0.5	11	0.46	0.7	23	2	149	16.8
C180259		1.72	0.040	7.4	0.64	554	10	60	<0.5	6	0.58	<0.5	13	11	63	10.85
C180260		2.90	0.068	1.8	0.45	234	<10	100	<0.5	2	0.35	34.9	1	1	29	2.24
C180261		3.24	0.003	5.3	0.42	466	10	80	<0.5	<2	0.40	3.9	3	1	21	2.81
C180262		2.92	0.005	2.9	0.53	140	10	100	<0.5	<2	0.31	7.4	2	18	13	2.39
C180263		2.68	0.001	0.7	0.46	49	10	120	<0.5	<2	1.06	1.6	1	1	12	1.40
C180264		1.70	0.234	10.2	0.35	>10000	<10	60	<0.5	13	0.87	83.7	7	<1	124	11.60
C180265		2.28	0.001	1.5	0.55	70	10	110	<0.5	<2	1.52	6.2	1	21	18	1.41
C180266		1.04	0.031	1.7	0.45	303	<10	90	<0.5	<2	1.36	26.1	3	2	33	2.46
C180267		2.66	0.034	2.2	0.54	384	10	120	<0.5	4	1.40	1.4	3	2	20	1.55
C180268		2.28	<0.001	<0.2	0.51	72	10	80	<0.5	<2	1.30	<0.5	2	17	10	1.38
C180269		2.04	0.001	0.3	0.69	144	10	70	<0.5	<2	1.41	<0.5	21	6	120	9.38
C180270		3.46	0.070	2.2	0.71	2260	10	60	<0.5	6	1.95	12.4	26	6	176	12.20
C180271		2.86	0.005	0.8	0.79	469	10	90	<0.5	<2	2.23	<0.5	26	13	128	9.83
C180272		2.46	0.001	0.4	0.64	73	10	70	<0.5	<2	1.95	<0.5	29	6	127	10.10
C180273		2.78	0.006	0.6	0.77	275	20	70	<0.5	<2	2.13	<0.5	9	4	49	9.30
C180274		1.70	0.168	13.9	0.79	>10000	10	10	<0.5	7	1.35	5.9	74	5	138	13.20
C180275		3.38	0.033	1.2	0.57	5180	10	20	<0.5	6	0.56	<0.5	38	5	175	12.05
C180276		2.50	0.014	0.5	0.55	3380	10	70	<0.5	2	5.06	2.9	28	3	123	7.98
C180277		2.28	0.011	1.4	0.65	2680	10	80	<0.5	6	4.67	1.0	21	8	126	6.03
C180278		2.44	0.004	2.0	0.54	370	10	60	<0.5	38	4.65	0.9	4	3	249	8.89
C180279		3.34	0.025	1.0	0.56	3750	10	60	<0.5	19	2.07	0.7	18	2	181	7.32
C180280		2.28	0.015	1.7	0.64	1310	10	40	<0.5	23	0.78	2.4	6	10	444	13.30
C180281		2.52	0.025	3.6	0.47	7330	<10	20	<0.5	134	0.38	1.4	9	3	518	16.5
C180282		2.72	0.032	2.3	0.55	9330	10	40	<0.5	67	0.34	3.3	6	2	510	15.8
C180283		3.22	0.025	2.8	0.63	>10000	<10	20	<0.5	52	0.37	0.5	5	9	722	19.5
C180284		2.70	0.024	2.2	0.53	>10000	10	20	<0.5	26	0.43	0.8	20	2	582	16.6
C180285		2.42	0.012	4.4	0.60	2390	<10	40	<0.5	48	0.49	<0.5	3	1	723	18.3
C180286		2.06	0.013	2.9	0.57	2890	10	20	<0.5	29	1.00	0.9	9	5	397	11.55
C180287		2.46	0.001	0.4	0.67	785	10	100	<0.5	3	1.72	<0.5	5	1	90	6.70



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 2 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 15-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06064080

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
C180248		<10	<1	0.39	<10	0.38	1125	1	0.02	6	440	18	3.94	8	7	45
C180249		<10	<1	0.35	<10	0.34	1275	1	0.01	3	470	61	2.72	5	7	33
C180250		10	<1	0.49	30	2.23	1215	1	0.78	11	2620	2	0.06	<2	18	150
C180251		<10	<1	0.34	<10	0.74	2190	1	0.01	6	730	515	4.42	18	9	18
C180252		<10	<1	0.32	<10	0.67	2530	1	0.01	7	880	495	4.97	15	10	16
C180253		<10	<1	0.31	<10	0.81	1890	1	0.01	4	520	55	4.13	12	8	19
C180254		<10	2	0.24	<10	0.52	1560	2	0.01	48	280	53	>10.0	62	7	21
C180255		<10	<1	0.33	<10	0.74	1655	<1	0.01	4	480	14	1.62	5	8	31
C180256		<10	<1	0.35	<10	0.62	1755	<1	0.01	3	470	8	1.14	3	8	30
C180257		<10	<1	0.28	<10	0.50	5180	2	0.01	6	380	35	4.47	27	7	31
C180258		<10	<1	0.31	<10	0.31	16750	1	0.01	11	660	176	>10.0	160	6	10
C180259		<10	<1	0.40	<10	0.40	21100	1	0.01	8	510	221	5.56	127	7	12
C180260		<10	<1	0.32	10	0.13	5010	2	0.01	<1	210	206	1.20	71	1	10
C180261		<10	<1	0.28	10	0.20	10600	2	0.01	2	230	662	0.21	330	1	12
C180262		<10	<1	0.34	10	0.14	10500	3	0.01	3	240	511	0.21	174	1	11
C180263		<10	<1	0.30	20	0.18	3470	4	0.01	<1	250	155	0.21	45	1	24
C180264		<10	4	0.24	<10	0.28	49700	2	0.01	2	150	2930	5.05	1705	1	12
C180265		<10	<1	0.35	20	0.25	3120	3	0.01	2	280	388	0.23	90	1	25
C180266		<10	<1	0.32	10	0.23	2390	3	0.01	1	270	248	1.90	53	1	21
C180267		<10	<1	0.34	10	0.24	2190	4	0.01	1	310	846	0.57	150	1	27
C180268		<10	<1	0.32	20	0.29	1010	3	0.01	1	250	34	0.15	13	2	26
C180269		<10	<1	0.44	<10	0.61	1450	1	0.01	19	600	21	4.38	24	10	25
C180270		<10	1	0.38	<10	0.81	3080	1	0.02	13	670	210	5.60	52	9	29
C180271		<10	<1	0.48	<10	0.99	2320	1	0.01	10	520	32	3.10	21	10	23
C180272		<10	1	0.40	<10	0.93	1905	1	0.01	13	460	18	3.51	12	8	23
C180273		<10	<1	0.41	<10	1.20	2700	1	0.01	6	1080	60	1.29	17	8	35
C180274		<10	2	0.43	<10	0.58	7560	1	0.01	7	1240	912	8.57	293	7	39
C180275		<10	<1	0.37	<10	0.33	1900	1	0.01	17	790	26	6.84	35	9	12
C180276		<10	1	0.37	<10	0.31	2620	1	0.01	11	530	15	4.21	19	7	49
C180277		<10	<1	0.44	<10	0.23	2020	1	0.01	12	900	24	2.97	21	6	53
C180278		<10	1	0.39	<10	0.31	2410	1	0.01	9	500	75	5.08	41	6	41
C180279		<10	<1	0.39	<10	0.31	1885	1	0.01	7	500	41	3.52	18	7	29
C180280		<10	<1	0.44	<10	0.43	2950	1	0.01	5	520	57	6.17	19	7	12
C180281		<10	<1	0.33	<10	0.36	1875	1	0.01	7	400	204	7.75	56	6	8
C180282		<10	<1	0.36	<10	0.31	1350	2	0.01	5	760	112	6.93	34	6	9
C180283		<10	1	0.40	<10	0.17	813	2	0.01	4	590	102	>10.0	33	4	10
C180284		<10	<1	0.35	<10	0.26	1390	1	0.01	6	910	64	9.36	26	6	10
C180285		<10	<1	0.39	<10	0.34	1680	1	0.01	5	810	136	9.22	33	5	9
C180286		<10	<1	0.37	<10	0.32	1520	1	0.01	9	680	86	6.43	30	6	19
C180287		<10	1	0.46	<10	0.36	2340	<1	0.01	8	1080	14	2.12	16	8	31



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 2 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 15-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06064080

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Zn-AA46
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Zn %
		0.01	10	10	1	10	2	0.01
C180248		<0.01	<10	<10	24	<10	54	
C180249		<0.01	<10	<10	18	<10	132	
C180250		0.92	<10	<10	200	<10	122	
C180251		<0.01	<10	<10	37	<10	894	
C180252		<0.01	10	<10	41	<10	1035	
C180253		<0.01	10	<10	31	<10	183	
C180254		<0.01	10	<10	21	<10	101	
C180255		<0.01	<10	<10	31	<10	41	
C180256		<0.01	<10	<10	30	<10	39	
C180257		<0.01	10	<10	20	<10	369	
C180258		<0.01	<10	<10	18	<10	715	
C180259		<0.01	10	<10	23	<10	370	
C180260		<0.01	<10	<10	1	<10	5790	
C180261		<0.01	<10	<10	1	<10	1310	
C180262		<0.01	<10	<10	1	<10	2180	
C180263		<0.01	<10	<10	1	<10	381	
C180264		<0.01	10	10	1	10	>10000	1.94
C180265		<0.01	<10	<10	2	<10	1235	
C180266		<0.01	<10	<10	2	<10	4810	
C180267		<0.01	<10	<10	2	<10	323	
C180268		<0.01	<10	<10	3	<10	76	
C180269		<0.01	<10	<10	42	<10	69	
C180270		<0.01	<10	<10	44	<10	2370	
C180271		<0.01	<10	<10	58	<10	92	
C180272		<0.01	10	<10	44	<10	68	
C180273		<0.01	<10	<10	43	<10	147	
C180274		<0.01	<10	<10	34	<10	1720	
C180275		<0.01	<10	<10	27	<10	66	
C180276		<0.01	<10	<10	18	<10	671	
C180277		<0.01	<10	<10	17	<10	219	
C180278		<0.01	<10	<10	18	<10	277	
C180279		<0.01	<10	<10	16	<10	144	
C180280		<0.01	<10	<10	18	<10	492	
C180281		<0.01	<10	<10	18	<10	303	
C180282		<0.01	<10	<10	21	<10	674	
C180283		<0.01	<10	<10	15	<10	158	
C180284		<0.01	<10	<10	17	<10	200	
C180285		<0.01	<10	<10	15	<10	119	
C180286		<0.01	<10	<10	22	<10	226	
C180287		<0.01	<10	<10	37	<10	149	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 15-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06064080

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
C180288		3.06	0.108	2.8	0.58	>10000	<10	30	<0.5	48	1.14	<0.5	22	3	667	20.4
C180289		1.94	0.024	2.3	0.64	2690	10	70	<0.5	62	1.19	<0.5	7	9	223	10.80
C180290		3.02	<0.001	0.2	0.63	238	10	50	<0.5	2	1.86	<0.5	3	5	54	7.35
C180291		3.82	<0.001	<0.2	0.67	209	10	60	<0.5	<2	2.19	<0.5	4	6	58	8.21
C180292		3.44	0.001	<0.2	0.69	313	10	50	<0.5	2	2.39	<0.5	5	11	42	7.57
C180293		3.84	<0.001	0.2	0.77	33	10	100	<0.5	<2	3.90	<0.5	2	3	57	7.37
C180294		3.62	<0.001	<0.2	1.37	7	10	80	<0.5	<2	3.51	<0.5	3	1	38	8.29
C180295		0.72	0.090	0.5	1.67	>10000	<10	50	<0.5	42	4.29	<0.5	977	2	150	15.2
C180296		2.50	<0.001	0.2	1.00	110	<10	60	<0.5	<2	2.95	<0.5	5	1	120	10.15
C180297		2.56	<0.001	<0.2	0.93	15	10	80	<0.5	<2	3.70	<0.5	2	2	41	6.84
C180298		2.30	<0.001	<0.2	0.76	76	10	90	<0.5	<2	5.85	<0.5	5	3	64	6.49
C180299		2.28	0.001	0.3	0.60	173	<10	70	<0.5	3	3.92	<0.5	9	3	177	7.48
C180300		0.34	<0.001	<0.2	2.95	30	<10	360	0.8	2	3.08	<0.5	25	14	11	7.39
C180301		3.62	<0.001	0.2	0.67	217	<10	70	<0.5	2	3.86	<0.5	8	10	121	7.90
C180302		3.74	0.001	<0.2	1.03	244	<10	80	<0.5	2	3.31	<0.5	15	7	138	9.64
C180303		3.60	<0.001	<0.2	0.91	314	<10	100	<0.5	<2	3.48	<0.5	12	18	47	6.00
C180304		2.94	<0.001	<0.2	0.94	70	<10	80	<0.5	<2	4.48	<0.5	5	16	51	7.13
C180305		2.20	0.002	<0.2	0.61	216	<10	80	<0.5	4	4.00	<0.5	11	5	87	6.89
C180306		1.86	0.002	<0.2	0.68	150	<10	80	<0.5	2	4.91	<0.5	10	9	120	8.18
C180307		1.08	<0.001	0.2	0.48	82	<10	100	<0.5	2	15.1	<0.5	4	9	59	4.92
C180308		1.62	<0.001	<0.2	0.77	100	<10	100	<0.5	<2	5.41	<0.5	6	13	37	4.37
C180309		1.26	<0.001	0.2	1.09	22	<10	90	<0.5	2	7.91	<0.5	3	5	40	4.77
C180310		1.18	<0.001	0.2	0.98	24	<10	80	<0.5	<2	7.79	<0.5	3	2	42	4.68
C180311		1.20	<0.001	0.2	1.09	8	<10	70	<0.5	3	7.17	<0.5	5	2	79	6.26
C180312		3.22	<0.001	<0.2	1.76	11	<10	70	<0.5	3	7.69	<0.5	5	6	45	5.40
C180313		3.56	<0.001	<0.2	1.55	62	<10	70	<0.5	2	7.75	<0.5	10	2	60	5.60
C180314		3.80	<0.001	<0.2	2.14	13	<10	100	<0.5	<2	7.76	<0.5	8	2	56	6.73
C180315		3.68	<0.001	<0.2	2.40	12	<10	70	<0.5	2	7.39	<0.5	8	6	38	6.13
C180316		3.80	<0.001	<0.2	2.76	4	<10	70	<0.5	<2	6.79	<0.5	9	3	18	6.07
C180317		3.60	<0.001	<0.2	2.75	3	<10	70	<0.5	<2	6.25	<0.5	7	2	16	5.83
C180318		3.52	<0.001	<0.2	2.40	10	<10	110	<0.5	<2	6.74	<0.5	8	5	31	5.48
C180319		2.20	<0.001	<0.2	2.38	4	<10	60	<0.5	<2	7.18	<0.5	7	3	28	5.68
C180320		2.54	<0.001	0.3	1.37	32	<10	40	<0.5	<2	11.50	<0.5	8	5	32	3.96
C180321		3.68	<0.001	<0.2	0.95	80	<10	40	<0.5	<2	17.2	<0.5	7	7	23	2.78
C180322		3.36	<0.001	<0.2	1.05	131	<10	60	<0.5	2	7.17	<0.5	7	10	49	4.74
C180323		2.36	<0.001	<0.2	1.17	340	<10	50	<0.5	2	10.05	<0.5	17	10	47	4.44
C180324		3.46	0.001	<0.2	1.16	69	<10	70	<0.5	<2	14.00	<0.5	5	9	33	3.52
C180325		3.62	<0.001	0.3	1.10	37	<10	50	<0.5	<2	15.1	<0.5	6	7	47	4.09
C180326		1.82	<0.001	<0.2	1.36	86	<10	100	<0.5	3	8.30	<0.5	9	10	49	4.80
C180327		2.92	0.003	<0.2	1.53	415	<10	70	<0.5	5	8.14	<0.5	26	12	71	6.32



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 3 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 15-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06064080

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C180288		<10	<1	0.31	<10	0.44	2060	1	0.01	9	1460	68	9.89	39	7	19
C180289		<10	<1	0.39	<10	0.50	1915	1	0.01	5	380	105	4.19	23	7	14
C180290		<10	<1	0.35	<10	0.67	1690	<1	0.01	3	490	9	1.10	4	8	24
C180291		<10	<1	0.33	<10	0.77	1875	<1	0.01	6	410	7	1.40	6	9	31
C180292		<10	<1	0.34	<10	0.77	1690	1	0.01	8	490	8	1.10	5	9	32
C180293		<10	1	0.32	10	0.74	1805	1	0.01	7	1260	8	1.34	3	7	63
C180294		<10	1	0.35	10	0.99	1985	<1	0.01	5	1500	7	0.89	<2	10	56
C180295		<10	1	0.34	<10	0.84	1770	2	0.01	31	1160	20	4.99	39	7	45
C180296		<10	<1	0.31	<10	0.89	1715	<1	0.01	8	1300	8	2.74	3	7	47
C180297		<10	<1	0.33	10	0.77	1620	<1	0.01	3	1580	9	0.82	3	7	63
C180298		<10	<1	0.39	10	0.68	1755	<1	0.02	3	1200	15	1.15	4	6	84
C180299		<10	<1	0.35	<10	0.37	1420	1	0.01	8	600	12	3.31	7	6	48
C180300		10	<1	0.57	20	2.20	1185	1	0.89	9	2260	7	0.05	4	18	154
C180301		<10	1	0.34	<10	0.43	1460	1	0.01	8	480	6	2.86	5	9	52
C180302		<10	<1	0.38	<10	0.56	1460	1	0.01	11	940	11	3.16	2	8	50
C180303		<10	1	0.38	<10	0.51	1275	1	0.02	10	470	5	1.31	2	8	56
C180304		<10	<1	0.36	<10	0.65	1380	<1	0.02	10	430	6	1.48	3	11	71
C180305		<10	1	0.31	<10	0.48	1130	1	0.02	12	650	8	2.50	7	7	70
C180306		<10	<1	0.33	<10	0.42	1215	1	0.03	12	610	8	3.69	8	7	75
C180307		<10	<1	0.22	<10	0.73	1165	2	0.03	7	440	4	1.70	5	8	286
C180308		<10	1	0.28	<10	0.33	1130	1	0.05	7	740	4	1.04	3	11	85
C180309		<10	<1	0.27	10	0.45	1385	1	0.09	4	2060	9	1.26	4	11	124
C180310		<10	1	0.23	10	0.45	1350	<1	0.08	3	2180	6	1.09	<2	11	124
C180311		<10	<1	0.17	10	0.45	1275	1	0.07	5	2040	6	2.84	2	11	120
C180312		<10	<1	0.19	10	0.59	1395	1	0.09	5	1900	7	1.50	<2	12	130
C180313		<10	<1	0.18	10	0.57	1500	1	0.06	5	1880	27	1.72	6	10	125
C180314		10	2	0.19	10	0.70	1665	1	0.07	6	1930	10	2.01	4	11	122
C180315		10	1	0.23	<10	0.73	1675	1	0.07	8	1930	12	1.17	6	12	122
C180316		10	<1	0.22	10	0.86	1730	<1	0.05	5	1860	6	0.53	<2	11	106
C180317		<10	1	0.24	10	0.84	1620	<1	0.06	7	2040	4	0.51	4	10	110
C180318		10	<1	0.29	10	0.67	1475	1	0.08	5	2020	5	1.01	<2	9	112
C180319		10	<1	0.21	10	0.73	1605	1	0.09	4	1900	6	0.86	5	12	114
C180320		<10	<1	0.17	<10	0.36	1490	1	0.09	7	990	4	1.36	3	8	118
C180321		<10	1	0.15	<10	0.23	1680	1	0.07	8	540	4	0.9	2	6	114
C180322		<10	1	0.24	<10	0.30	1305	1	0.05	6	600	6	1.68	5	8	104
C180323		<10	<1	0.22	<10	0.32	1425	1	0.04	10	610	6	1.45	3	9	95
C180324		<10	<1	0.18	<10	0.28	1520	1	0.07	5	480	7	1.32	3	7	110
C180325		<10	<1	0.16	<10	0.31	1640	2	0.05	6	1300	8	1.60	3	6	119
C180326		<10	1	0.18	<10	0.32	1150	1	0.09	8	1300	5	1.92	3	7	107
C180327		<10	1	0.22	<10	0.41	1365	1	0.07	8	920	7	2.42	3	8	102



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 3 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 15-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06064080

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Zn-AA46
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Zn %
C180288		<0.01	<10	<10	35	<10	53	0.01
C180289		<0.01	<10	<10	28	<10	53	
C180290		<0.01	<10	<10	40	<10	47	
C180291		<0.01	<10	<10	44	<10	92	
C180292		<0.01	10	<10	55	<10	61	
C180293		<0.01	<10	<10	56	<10	70	
C180294		<0.01	<10	<10	98	<10	118	
C180295		0.01	10	<10	66	70	98	
C180296		<0.01	10	<10	66	<10	63	
C180297		<0.01	<10	<10	72	<10	80	
C180298		<0.01	<10	<10	60	<10	72	
C180299		<0.01	<10	<10	33	<10	25	
C180300		0.95	<10	<10	195	<10	106	
C180301		<0.01	<10	<10	50	<10	42	
C180302		<0.01	<10	<10	58	<10	46	
C180303		<0.01	<10	<10	52	<10	41	
C180304		<0.01	<10	<10	66	<10	53	
C180305		<0.01	<10	<10	48	<10	38	
C180306		<0.01	<10	<10	55	<10	30	
C180307		<0.01	<10	<10	46	<10	26	
C180308		<0.01	<10	<10	79	<10	39	
C180309		<0.01	<10	<10	106	<10	48	
C180310		<0.01	<10	<10	98	<10	58	
C180311		<0.01	<10	<10	107	<10	42	
C180312		<0.01	<10	<10	133	<10	49	
C180313		<0.01	<10	<10	115	<10	89	
C180314		<0.01	<10	<10	115	<10	44	
C180315		<0.01	<10	<10	138	<10	58	
C180316		0.01	<10	<10	137	<10	82	
C180317		<0.01	<10	<10	121	<10	72	
C180318		<0.01	<10	<10	123	<10	48	
C180319		<0.01	<10	<10	138	<10	63	
C180320		<0.01	<10	<10	68	<10	32	
C180321		<0.01	<10	<10	33	<10	22	
C180322		<0.01	<10	<10	53	<10	24	
C180323		<0.01	<10	<10	56	<10	26	
C180324		<0.01	10	<10	43	<10	23	
C180325		<0.01	<10	<10	42	<10	28	
C180326		<0.01	<10	<10	58	<10	33	
C180327		<0.01	<10	<10	72	<10	36	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 1
Finalized Date: 19-AUG-2006
Account: ENDURA

CERTIFICATE VA06065448

Project: BQ

P.O. No.:

This report is for 62 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 7-JUL-2006.

The following have access to data associated with this certificate:

DUNCAN MCIVOR

D. MCIVOR

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn-AA46	Ore grade Zn - aqua regia/AA	AAS
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: ENDURANCE GOLD CORP
ATTN: DUNCAN MCIVOR
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: _____

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 2 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 19-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06065448

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
C180345		2.80	0.002	<0.2	0.58	96	10	130	<0.5	<2	3.02	<0.5	<1	5	30	2.95
C180346		2.68	0.003	<0.2	0.59	1610	10	130	<0.5	<2	3.08	<0.5	12	3	42	3.28
C180347		3.30	0.003	<0.2	0.57	154	<10	110	<0.5	<2	6.96	<0.5	3	2	29	2.39
C180348		3.54	0.008	<0.2	0.58	1915	10	110	<0.5	<2	6.39	<0.5	24	2	62	3.72
C180349		1.42	0.004	0.4	0.32	328	10	80	<0.5	<2	17.8	<0.5	5	2	32	2.83
C180350		0.34	0.001	<0.2	2.81	<2	<10	370	0.8	<2	3.04	<0.5	26	6	10	7.61
C180351		2.22	0.003	0.7	0.63	911	10	110	<0.5	<2	6.13	1.0	2	3	81	4.86
C180352		3.30	0.005	0.2	0.58	74	10	80	<0.5	<2	3.09	<0.5	2	6	81	3.76
C180353		3.56	0.008	0.2	0.48	198	<10	70	<0.5	<2	5.54	<0.5	7	7	95	4.40
C180354		3.20	0.005	0.4	0.70	217	10	90	<0.5	<2	4.94	<0.5	4	6	132	5.22
C180355		3.64	0.006	0.2	0.70	209	10	110	<0.5	<2	6.24	<0.5	3	6	82	3.53
C180356		1.64	0.301	2.2	0.60	730	<10	30	<0.5	4	5.02	131.5	7	3	365	15.8
C180357		1.96	1.480	2.2	0.40	1070	<10	40	<0.5	3	0.93	162.5	3	1	405	16.9
C180358		1.76	8.43	4.5	0.52	>10000	<10	30	<0.5	63	0.70	99.7	10	2	1330	20.2
C180359		2.42	0.013	0.2	0.62	117	10	110	<0.5	<2	5.16	1.5	2	4	52	4.04
C180360		0.70	1.220	2.1	0.37	338	<10	40	<0.5	11	2.18	191.5	<1	2	607	22.0
C180361		0.70	1.405	2.8	0.33	316	<10	40	<0.5	13	2.75	242	2	3	660	21.4
C180362		1.08	0.011	0.2	0.46	105	<10	100	<0.5	<2	8.45	1.4	5	2	21	1.93
C180363		2.14	0.005	0.2	0.52	114	<10	120	<0.5	<2	7.65	0.8	3	3	24	2.42
C180364		3.58	0.002	<0.2	0.60	118	<10	90	<0.5	<2	10.20	<0.5	5	5	19	2.40
C180365		3.64	0.003	<0.2	0.60	92	<10	120	<0.5	<2	9.57	<0.5	4	3	11	2.26
C180366		3.50	0.003	<0.2	0.43	210	<10	90	<0.5	<2	8.12	<0.5	1	3	60	4.62
C180367		3.38	<0.001	<0.2	0.39	25	<10	100	<0.5	<2	6.26	<0.5	1	2	11	1.20
C180368		3.68	<0.001	<0.2	0.46	59	<10	90	<0.5	<2	8.61	<0.5	1	2	16	1.36
C180369		3.70	0.001	<0.2	0.42	14	10	100	<0.5	<2	2.89	<0.5	<1	1	34	1.74
C180370		3.84	0.001	0.7	0.34	329	<10	100	<0.5	<2	2.96	<0.5	9	1	93	3.74
C180371		3.56	0.002	0.2	0.36	97	10	90	<0.5	<2	3.32	<0.5	2	1	69	2.83
C180372		3.04	0.001	0.2	0.56	264	10	130	<0.5	<2	3.25	0.6	8	1	46	2.06
C180373		3.98	0.001	<0.2	0.49	69	10	110	<0.5	<2	3.94	<0.5	2	2	22	1.56
C180374		4.04	0.001	<0.2	0.40	95	10	90	<0.5	<2	3.26	<0.5	2	2	28	2.11
C180375		3.92	0.005	<0.2	0.44	763	10	140	<0.5	<2	4.87	<0.5	22	2	21	2.36
C180376		2.44	0.004	<0.2	0.59	69	10	160	<0.5	<2	3.93	<0.5	<1	2	21	2.60
C180377		1.88	0.014	0.6	0.36	280	10	100	<0.5	7	3.51	<0.5	3	1	53	3.50
C180378		1.84	0.002	<0.2	0.39	57	10	140	<0.5	<2	3.98	<0.5	1	1	5	1.54
C180379		2.44	0.005	0.2	0.38	89	10	100	<0.5	<2	4.04	<0.5	4	1	60	4.20
C180380		3.46	0.006	0.3	0.45	617	<10	80	<0.5	<2	4.19	<0.5	12	4	40	5.88
C180381		3.82	0.004	<0.2	0.57	933	<10	70	<0.5	<2	9.68	<0.5	22	6	33	5.92
C180382		2.48	0.001	<0.2	0.51	258	10	100	<0.5	<2	7.77	<0.5	25	5	28	5.13
C180383		1.24	0.002	<0.2	0.65	49	10	140	<0.5	<2	4.06	<0.5	10	6	14	4.75
C180384		2.64	<0.001	<0.2	0.44	17	<10	130	<0.5	<2	4.48	<0.5	11	7	24	5.49



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 2 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 19-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06065448

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C180345		<10	<1	0.29	<10	0.34	749	<1	0.03	4	340	6	1.25	<2	7	68
C180346		<10	<1	0.31	<10	0.33	863	1	0.02	6	310	4	0.83	<2	6	66
C180347		<10	<1	0.23	<10	0.18	939	<1	0.04	5	370	6	1.16	<2	5	132
C180348		<10	<1	0.31	<10	0.14	1200	<1	0.02	4	510	9	2.75	3	5	138
C180349		<10	<1	0.15	<10	0.32	2440	1	0.02	4	890	8	1.2	3	8	214
C180350		10	<1	0.50	20	2.23	1185	<1	0.81	7	2600	4	0.05	<2	17	152
C180351		<10	<1	0.35	<10	0.36	1640	<1	0.02	4	590	49	2.02	<2	9	82
C180352		<10	<1	0.35	<10	0.58	1355	<1	0.02	5	480	8	1.16	<2	8	45
C180353		<10	<1	0.28	<10	0.62	1660	<1	0.01	6	740	11	1.52	3	10	70
C180354		<10	<1	0.39	<10	0.61	1765	<1	0.02	8	650	22	1.42	<2	10	65
C180355		<10	<1	0.42	<10	0.31	1505	<1	0.02	6	510	5	1.52	3	8	98
C180356		<10	<1	0.30	<10	0.87	4430	<1	0.02	2	1480	106	8.79	9	10	63
C180357		<10	<1	0.23	<10	0.46	1685	<1	0.01	5	870	45	9.82	6	7	18
C180358		<10	<1	0.32	<10	0.33	1180	<1	<0.01	10	480	109	>10.0	44	6	16
C180359		<10	<1	0.34	<10	0.43	1595	<1	0.02	2	580	24	0.59	<2	9	99
C180360		<10	<1	0.19	<10	0.70	5930	<1	<0.01	13	500	153	>10.0	25	6	45
C180361		<10	<1	0.17	<10	0.80	5240	<1	<0.01	13	510	232	>10.0	31	6	51
C180362		<10	<1	0.18	<10	0.23	1380	1	0.04	4	540	14	0.57	<2	7	176
C180363		<10	<1	0.23	<10	0.30	1310	1	0.04	6	540	4	0.73	<2	8	123
C180364		<10	<1	0.26	<10	0.35	1610	<1	0.04	7	670	6	0.46	<2	10	165
C180365		<10	<1	0.24	<10	0.34	1400	2	0.04	5	600	7	0.69	<2	8	241
C180366		<10	<1	0.19	<10	0.35	1575	<1	0.03	5	520	6	2.42	<2	8	174
C180367		<10	<1	0.22	<10	0.15	1135	1	0.03	3	380	4	0.32	2	4	118
C180368		<10	<1	0.25	<10	0.13	1520	1	0.03	3	1220	4	0.71	2	4	184
C180369		<10	<1	0.28	<10	0.11	1090	1	0.01	2	400	14	0.74	<2	3	60
C180370		<10	<1	0.23	<10	0.18	1855	<1	0.01	6	350	26	1.94	4	4	75
C180371		<10	<1	0.24	<10	0.14	1190	<1	0.01	4	340	13	1.68	3	4	73
C180372		<10	<1	0.35	<10	0.14	1185	<1	0.01	4	550	14	0.72	3	4	74
C180373		<10	<1	0.31	<10	0.17	1220	1	0.01	3	360	5	0.34	<2	5	84
C180374		<10	<1	0.25	<10	0.22	1125	<1	0.02	2	390	4	0.74	<2	5	84
C180375		<10	<1	0.24	<10	0.21	1215	1	0.02	10	910	5	1.08	3	5	136
C180376		<10	<1	0.32	<10	0.18	912	<1	0.03	2	410	5	1.79	2	5	107
C180377		<10	<1	0.22	<10	0.12	853	<1	0.02	13	420	17	2.87	5	6	109
C180378		<10	<1	0.23	<10	0.20	877	<1	0.02	1	480	3	0.61	<2	4	131
C180379		<10	<1	0.24	<10	0.22	1060	<1	0.02	17	350	9	2.63	5	5	115
C180380		<10	<1	0.21	<10	0.62	1070	<1	0.03	15	740	8	2.34	<2	9	135
C180381		<10	<1	0.28	<10	0.57	1915	<1	0.04	11	1730	9	2.96	4	9	323
C180382		<10	<1	0.30	<10	0.72	1675	<1	0.03	8	1240	5	1.79	2	9	255
C180383		<10	<1	0.25	<10	1.25	1335	<1	0.10	5	960	7	0.84	<2	11	158
C180384		<10	1	0.16	<10	1.16	1700	<1	0.08	11	740	11	0.85	<2	11	162



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 19-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06065448

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Zn-AA6
		Ti	Ti	U	V	W	Zn	Zn
		%	ppm	ppm	ppm	ppm	ppm	%
		0.01	10	10	1	10	2	0.01
C180345		<0.01	<10	<10	25	<10	23	
C180346		<0.01	<10	<10	20	<10	20	
C180347		<0.01	<10	<10	17	<10	22	
C180348		<0.01	<10	<10	12	<10	16	
C180349		<0.01	<10	<10	27	<10	36	
C180350		0.97	<10	<10	196	<10	106	
C180351		<0.01	<10	<10	31	<10	254	
C180352		<0.01	<10	<10	39	<10	44	
C180353		<0.01	<10	<10	46	<10	44	
C180354		<0.01	<10	<10	45	<10	74	
C180355		<0.01	<10	<10	36	<10	52	
C180356		<0.01	<10	<10	37	<10	>10000	2.77
C180357		<0.01	<10	<10	28	<10	>10000	3.01
C180358		<0.01	<10	<10	24	10	>10000	1.71
C180359		<0.01	<10	<10	38	<10	265	
C180360		<0.01	<10	<10	31	20	>10000	3.62
C180361		<0.01	<10	<10	30	10	>10000	4.74
C180362		<0.01	<10	<10	29	<10	287	
C180363		<0.01	<10	<10	34	<10	165	
C180364		<0.01	<10	<10	46	<10	46	
C180365		<0.01	<10	<10	32	<10	35	
C180366		<0.01	<10	<10	32	<10	35	
C180367		<0.01	<10	<10	10	<10	15	
C180368		<0.01	<10	<10	11	<10	18	
C180369		<0.01	<10	<10	5	<10	52	
C180370		<0.01	<10	<10	9	<10	77	
C180371		<0.01	<10	<10	7	<10	72	
C180372		<0.01	<10	<10	10	<10	121	
C180373		<0.01	<10	<10	12	<10	92	
C180374		<0.01	<10	<10	14	<10	45	
C180375		<0.01	<10	<10	14	<10	30	
C180376		<0.01	<10	<10	11	<10	93	
C180377		<0.01	<10	<10	7	<10	24	
C180378		<0.01	<10	<10	11	<10	23	
C180379		<0.01	<10	<10	13	<10	17	
C180380		<0.01	<10	<10	44	<10	52	
C180381		<0.01	<10	<10	49	<10	52	
C180382		<0.01	<10	<10	48	<10	51	
C180383		<0.01	<10	<10	76	<10	99	
C180384		<0.01	<10	<10	56	<10	80	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 19-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06065448

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C180385		0.94	0.001	<0.2	0.32	42	<10	100	<0.5	<2	11.45	<0.5	7	4	16	4.80
C180386		2.80	<0.001	<0.2	0.65	27	10	150	<0.5	<2	4.93	0.8	7	7	18	4.46
C180387		2.56	<0.001	<0.2	0.51	28	10	120	<0.5	<2	7.08	<0.5	7	5	18	4.30
C180388		3.60	0.001	0.2	0.38	46	10	80	<0.5	<2	2.63	1.4	9	2	22	4.30
C180389		1.84	0.006	<0.2	0.41	27	<10	80	<0.5	<2	3.28	0.6	8	6	11	4.08
C180390		3.00	<0.001	<0.2	0.62	25	<10	160	<0.5	<2	2.88	0.6	11	5	14	4.21
C180391		1.96	<0.001	<0.2	0.64	73	10	210	<0.5	<2	2.98	<0.5	17	5	25	4.68
C180392		2.72	0.001	<0.2	0.43	25	10	110	<0.5	<2	3.10	<0.5	5	5	9	3.69
C180393		1.60	<0.001	<0.2	0.57	19	10	90	<0.5	<2	1.86	<0.5	11	6	22	4.61
C180394		1.28	<0.001	<0.2	0.38	58	10	70	<0.5	<2	3.58	<0.5	7	3	12	3.56
C180395		2.62	0.001	<0.2	0.41	53	10	70	<0.5	<2	3.27	<0.5	12	3	16	4.16
C180396		3.68	<0.001	<0.2	0.45	66	10	80	<0.5	<2	8.48	1.4	9	3	9	3.90
C180397		3.74	<0.001	<0.2	0.55	16	10	110	<0.5	<2	4.13	<0.5	6	3	13	3.53
C180398		4.08	0.001	<0.2	0.41	44	10	80	<0.5	<2	4.42	<0.5	8	2	9	4.42
C180399		3.54	0.001	<0.2	0.40	66	10	90	<0.5	<2	5.34	0.8	9	2	15	4.44
C180400		0.30	<0.001	<0.2	2.67	4	<10	360	0.9	<2	3.12	<0.5	27	7	11	8.41
C180401		3.50	<0.001	<0.2	0.58	38	10	120	0.5	<2	3.56	0.9	6	3	16	3.56
C180402		3.32	0.003	<0.2	0.41	42	10	90	<0.5	<2	5.84	1.3	7	3	15	3.94
C180403		2.98	0.001	<0.2	0.37	47	<10	90	<0.5	<2	3.07	2.3	8	3	20	4.22
C180404		3.12	0.001	<0.2	0.36	24	10	70	<0.5	<2	3.57	0.9	6	2	20	3.56
C180405		3.66	0.002	<0.2	0.38	48	10	80	<0.5	<2	3.67	0.5	5	1	16	3.45
C180406		3.20	<0.001	<0.2	0.33	27	10	70	<0.5	<2	4.02	<0.5	5	3	12	4.28



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP

SUITE 906 - 1112 WEST PENDER ST.

VANCOUVER BC V6E 2S1

Page: 3 - B

Total # Pages: 3 (A - C)

Finalized Date: 19-AUG-2006

Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06065448

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units LOR	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C180385		<10	<1	0.12	<10	0.98	2340	1	0.06	7	340	6	1.34	<2	9	357
C180386		<10	<1	0.26	<10	1.16	1535	<1	0.09	3	720	4	0.46	<2	11	164
C180387		<10	<1	0.20	<10	0.86	1625	1	0.08	5	550	5	1.24	2	9	192
C180388		<10	<1	0.17	<10	0.54	1055	<1	0.05	7	600	10	1.74	3	4	115
C180389		<10	<1	0.12	<10	0.85	1245	<1	0.11	5	620	6	1.11	2	10	113
C180390		<10	<1	0.20	<10	0.77	1300	<1	0.10	7	630	8	0.89	<2	9	114
C180391		<10	<1	0.23	<10	0.81	1375	<1	0.09	7	690	16	1.52	5	8	106
C180392		<10	<1	0.19	<10	1.10	1575	<1	0.06	4	670	5	0.29	<2	6	105
C180393		<10	1	0.20	<10	0.88	1595	<1	0.09	7	600	11	0.74	2	8	82
C180394		<10	<1	0.18	<10	0.76	1620	<1	0.05	3	790	3	0.93	3	4	126
C180395		<10	<1	0.19	<10	0.84	1600	<1	0.05	6	770	10	1.50	6	4	108
C180396		<10	<1	0.16	<10	0.61	2690	<1	0.06	3	1170	9	1.06	2	6	239
C180397		<10	<1	0.24	<10	0.95	1715	1	0.04	5	800	4	0.59	4	4	100
C180398		<10	1	0.18	<10	0.74	1865	<1	0.04	6	660	8	1.80	5	5	106
C180399		<10	<1	0.19	<10	0.69	1830	<1	0.04	6	1080	16	2.39	8	4	125
C180400		10	<1	0.53	30	2.36	1290	<1	0.85	9	2780	3	0.06	<2	19	148
C180401		<10	<1	0.26	<10	0.97	1575	1	0.05	3	750	6	0.98	4	5	128
C180402		<10	1	0.19	<10	0.84	1785	1	0.05	4	850	8	1.34	5	5	190
C180403		<10	<1	0.18	<10	0.68	1395	2	0.04	7	620	12	1.75	5	4	114
C180404		<10	<1	0.19	<10	0.84	1635	2	0.04	5	620	8	0.99	5	4	104
C180405		<10	1	0.19	<10	0.70	1640	2	0.04	3	720	5	1.13	3	4	100
C180406		<10	<1	0.17	<10	0.62	2380	<1	0.04	4	520	5	0.64	2	5	108



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 19-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06065448

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Zn-AA46
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Zn %
		0.01	10	10	1	10	2	0.01
C180385		<0.01	<10	<10	38	<10	59	
C180386		<0.01	<10	<10	56	<10	192	
C180387		<0.01	<10	<10	39	<10	132	
C180388		<0.01	<10	<10	15	<10	261	
C180389		<0.01	<10	<10	48	<10	168	
C180390		<0.01	<10	<10	38	<10	181	
C180391		<0.01	<10	<10	35	<10	150	
C180392		<0.01	<10	<10	33	<10	69	
C180393		<0.01	<10	<10	42	<10	110	
C180394		<0.01	<10	<10	16	<10	49	
C180395		<0.01	<10	<10	18	<10	51	
C180396		<0.01	<10	<10	23	<10	297	
C180397		<0.01	<10	<10	16	<10	47	
C180398		<0.01	<10	<10	16	<10	138	
C180399		<0.01	<10	<10	14	<10	172	
C180400		0.99	<10	<10	203	<10	115	
C180401		<0.01	<10	<10	15	<10	186	
C180402		<0.01	<10	<10	16	<10	253	
C180403		<0.01	<10	<10	13	<10	386	
C180404		<0.01	<10	<10	11	<10	175	
C180405		<0.01	<10	<10	10	<10	124	
C180406		<0.01	<10	<10	17	<10	82	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 1
Finalized Date: 22-AUG-2006
Account: ENDURA

CERTIFICATE VA06066950

Project: BQ

P.O. No.:

This report is for 106 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 10-JUL-2006.

The following have access to data associated with this certificate:

DUNCAN MCIVOR

D. MCIVOR

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: ENDURANCE GOLD CORP
ATTN: DUNCAN MCIVOR
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 22-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06066950

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Be	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
LOR		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	
C180407		2.62	0.019	0.5	0.63	264	10	120	<0.5	3	3.18	0.9	2	3	79	3.87	
C180408		3.38	0.029	0.7	0.60	2780	10	80	<0.5	7	2.62	<0.5	23	3	137	5.86	
C180409		3.38	0.019	0.4	0.55	2080	<10	110	<0.5	4	3.00	0.9	16	4	116	5.38	
C180410		2.94	0.041	0.4	0.50	1755	<10	60	<0.5	3	3.04	1.8	12	3	220	9.03	
C180411		2.76	0.037	0.4	0.37	1225	<10	30	<0.5	4	2.75	2.7	13	<1	364	12.85	
C180412		3.80	0.019	0.3	0.48	953	<10	80	<0.5	<2	2.97	1.3	3	1	212	8.76	
C180413		2.48	0.231	0.3	0.53	819	<10	60	<0.5	7	3.47	1.4	4	1	211	9.27	
C180414		0.86	0.382	0.8	0.51	4470	<10	10	<0.5	14	1.20	1.8	30	<1	492	18.6	
C180415		0.76	0.134	0.7	0.49	2820	<10	10	<0.5	10	1.12	1.8	18	<1	485	17.7	
C180416		3.62	0.059	0.4	0.60	1820	<10	40	<0.5	3	3.01	<0.5	12	<1	257	10.40	
C180417		3.94	0.039	0.3	0.59	2680	<10	80	<0.5	<2	2.91	<0.5	14	1	148	6.49	
C180418		3.58	0.036	0.3	0.51	1290	<10	50	<0.5	2	2.69	<0.5	11	1	169	6.68	
C180419		3.12	0.084	0.3	0.59	2220	10	30	<0.5	4	3.10	<0.5	23	1	188	7.76	
C180420		2.18	0.036	0.3	0.58	1765	<10	50	<0.5	7	3.35	<0.5	14	3	126	5.78	
C180421		3.64	0.035	0.3	0.55	1930	<10	30	<0.5	4	3.48	<0.5	16	4	266	10.70	
C180422		3.66	0.036	0.2	0.63	962	10	100	<0.5	2	4.22	<0.5	12	6	124	6.53	
C180423		3.74	0.031	0.3	0.71	1430	<10	110	0.5	<2	4.50	<0.5	17	5	186	7.52	
C180424		2.92	0.042	0.6	0.63	1350	<10	50	<0.5	3	3.91	<0.5	10	2	367	9.61	
C180425		3.26	0.015	0.2	0.64	310	<10	110	<0.5	<2	3.79	<0.5	4	3	69	3.61	
C180426		3.48	0.007	0.2	0.65	73	<10	90	0.5	<2	3.46	0.5	1	3	36	3.07	
C180427		3.34	0.009	0.2	0.70	582	<10	90	0.5	<2	4.43	1.1	7	3	97	4.08	
C180428		3.08	0.009	0.2	0.51	775	<10	60	0.5	<2	3.98	<0.5	9	3	51	3.57	
C180429		3.64	0.021	0.3	0.54	114	<10	90	<0.5	<2	3.26	20.1	1	3	48	3.72	
C180430		3.84	0.007	0.3	0.55	148	<10	70	0.5	<2	3.64	1.2	1	4	49	3.50	
C180431		2.32	0.055	0.9	0.52	1140	<10	10	<0.5	5	1.41	8.4	17	1	640	20.3	
C180432		3.24	0.028	0.3	0.59	460	<10	100	0.5	<2	4.41	1.2	14	5	130	6.44	
C180433		2.62	0.025	0.2	0.64	859	<10	80	0.5	<2	4.28	<0.5	35	5	104	5.61	
C180434		3.04	0.018	<0.2	0.76	112	<10	70	<0.5	<2	3.72	<0.5	4	6	84	5.59	
C180435		3.62	7.21	0.2	0.75	504	<10	110	<0.5	29	5.45	<0.5	14	5	77	5.62	
C180436		3.00	0.771	0.2	0.76	1255	<10	60	<0.5	45	3.65	<0.5	17	6	142	9.59	
C180437		3.82	1.215	0.4	0.86	547	<10	70	<0.5	38	5.18	<0.5	16	6	152	9.68	
C180438		4.08	0.134	<0.2	0.95	69	<10	90	<0.5	4	5.24	<0.5	4	8	42	6.73	
C180439		2.34	0.010	<0.2	1.16	52	10	80	<0.5	<2	4.42	<0.5	6	9	25	5.83	
C180440		3.40	0.018	<0.2	1.48	154	<10	100	<0.5	<2	7.75	<0.5	15	9	37	4.95	
C180441		3.52	0.169	0.2	1.04	96	<10	80	<0.5	7	4.63	<0.5	7	6	84	7.30	
C180442		3.44	1.075	0.4	0.74	235	<10	70	<0.5	48	2.75	<0.5	7	5	223	10.50	
C180443		2.58	0.297	0.3	0.68	264	<10	50	<0.5	12	4.00	<0.5	12	6	290	11.35	
C180444		3.40	0.188	0.3	0.66	44	<10	160	<0.5	4	3.91	<0.5	1	6	58	5.61	
C180445		3.60	0.218	0.2	0.67	28	10	130	<0.5	8	3.98	<0.5	<1	5	41	4.76	
C180446		3.52	0.223	0.2	0.78	51	10	120	<0.5	6	3.70	<0.5	1	8	73	5.51	



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 2 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 22-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06066950

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C180407		<10	<1	0.42	<10	0.32	1505	<1	0.02	7	480	9	1.62	2	7	63
C180408		<10	<1	0.42	<10	0.25	1275	<1	0.01	13	560	15	3.29	5	6	57
C180409		<10	<1	0.39	<10	0.23	1525	<1	0.01	14	480	11	2.64	2	6	59
C180410		<10	<1	0.35	<10	0.15	1560	1	0.01	13	890	6	5.54	2	6	61
C180411		<10	<1	0.29	<10	0.08	1385	4	0.01	10	540	10	8.39	<2	5	60
C180412		<10	<1	0.35	<10	0.06	1250	<1	0.01	8	470	6	5.63	8	4	62
C180413		<10	2	0.36	<10	0.08	1570	1	0.02	11	680	9	5.68	3	6	81
C180414		<10	<1	0.35	<10	0.10	1260	7	0.01	22	520	21	>10.0	10	4	29
C180415		<10	<1	0.34	<10	0.10	1210	5	0.01	23	530	21	>10.0	6	4	26
C180416		<10	<1	0.38	<10	0.15	1285	3	0.02	16	650	14	6.64	7	5	70
C180417		<10	<1	0.40	<10	0.10	748	2	0.02	9	330	4	4.48	<2	4	83
C180418		<10	<1	0.35	<10	0.10	818	1	0.01	12	420	7	4.25	2	4	81
C180419		<10	<1	0.39	<10	0.08	1290	2	0.02	14	530	11	4.93	<2	5	86
C180420		<10	<1	0.35	<10	0.25	1100	<1	0.02	11	620	14	3.43	3	7	91
C180421		<10	2	0.28	<10	0.42	1145	<1	0.02	18	560	10	6.48	4	8	87
C180422		<10	1	0.28	<10	0.58	1385	<1	0.04	9	650	7	2.50	4	9	86
C180423		<10	2	0.30	<10	0.51	1570	<1	0.04	21	1370	7	3.24	3	10	93
C180424		<10	<1	0.26	<10	0.38	1240	1	0.04	14	1700	10	6.09	<2	5	79
C180425		<10	<1	0.29	<10	0.55	1320	<1	0.04	15	500	11	1.28	4	5	81
C180426		<10	1	0.23	<10	0.53	1500	<1	0.04	7	400	14	0.58	<2	5	75
C180427		<10	<1	0.37	<10	0.64	1425	<1	0.02	11	1200	6	1.74	2	7	87
C180428		<10	<1	0.24	<10	0.47	1480	<1	0.03	9	350	7	1.04	<2	6	75
C180429		<10	<1	0.28	<10	0.54	1410	<1	0.02	8	440	3	1.22	5	6	73
C180430		<10	<1	0.28	<10	0.46	1645	<1	0.02	11	360	3	0.77	<2	7	68
C180431		<10	1	0.22	<10	0.55	1390	<1	0.02	27	950	20	>10.0	8	7	37
C180432		<10	<1	0.25	<10	0.83	1815	<1	0.02	13	650	7	1.60	<2	11	84
C180433		<10	<1	0.26	<10	0.78	1640	<1	0.03	13	500	3	1.58	<2	10	80
C180434		<10	1	0.31	<10	0.85	1035	<1	0.03	12	540	3	2.01	2	9	90
C180435		<10	1	0.33	<10	0.91	1225	<1	0.04	14	950	6	2.18	3	10	130
C180436		<10	<1	0.24	<10	0.78	1185	1	0.05	15	780	9	4.85	<2	10	76
C180437		<10	1	0.20	<10	1.02	1530	1	0.05	16	2130	16	3.80	4	12	114
C180438		<10	<1	0.21	<10	1.47	1495	<1	0.06	19	820	2	1.13	<2	14	116
C180439		<10	<1	0.22	<10	1.20	1370	<1	0.06	15	610	2	0.63	<2	11	98
C180440		<10	<1	0.23	<10	0.96	1555	<1	0.07	14	1420	4	1.04	2	10	281
C180441		<10	1	0.25	<10	0.94	1280	<1	0.05	13	1060	6	2.74	3	10	140
C180442		<10	<1	0.26	<10	0.88	1065	<1	0.04	16	900	2	5.26	3	12	92
C180443		<10	<1	0.21	<10	1.20	1305	1	0.04	23	910	3	5.00	2	14	146
C180444		<10	<1	0.18	<10	1.03	1030	<1	0.06	15	430	<2	1.30	<2	11	150
C180445		<10	<1	0.22	<10	0.84	934	<1	0.05	10	520	6	1.24	<2	10	119
C180446		<10	<1	0.20	<10	0.78	884	<1	0.07	14	930	3	1.51	<2	10	134



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 2 - C
Total # Pages: 4 (A - C)
Finalized Date: 22-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06066950

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
C180407		<0.01	<10	<10	22	<10	180
C180408		<0.01	<10	<10	20	<10	129
C180409		<0.01	<10	<10	20	<10	177
C180410		<0.01	<10	<10	17	<10	314
C180411		<0.01	<10	<10	14	<10	473
C180412		<0.01	<10	<10	13	400	266
C180413		<0.01	10	<10	15	<10	297
C180414		<0.01	<10	<10	13	<10	366
C180415		<0.01	<10	<10	13	<10	368
C180416		<0.01	<10	<10	14	<10	168
C180417		<0.01	<10	<10	10	<10	15
C180418		<0.01	<10	<10	12	<10	64
C180419		<0.01	<10	<10	12	<10	122
C180420		<0.01	<10	<10	23	<10	61
C180421		<0.01	<10	<10	41	<10	28
C180422		<0.01	<10	<10	48	<10	70
C180423		<0.01	<10	<10	61	<10	53
C180424		<0.01	<10	<10	24	<10	50
C180425		<0.01	<10	<10	23	<10	88
C180426		<0.01	10	<10	24	<10	148
C180427		<0.01	<10	<10	29	<10	218
C180428		<0.01	<10	<10	30	<10	65
C180429		<0.01	<10	<10	27	<10	2970
C180430		<0.01	10	<10	32	<10	221
C180431		<0.01	<10	<10	42	<10	1540
C180432		<0.01	<10	<10	73	<10	241
C180433		<0.01	<10	<10	63	<10	99
C180434		<0.01	<10	<10	55	<10	38
C180435		<0.01	<10	<10	50	<10	34
C180436		<0.01	<10	<10	55	<10	50
C180437		<0.01	<10	<10	69	<10	74
C180438		<0.01	<10	<10	98	<10	78
C180439		<0.01	<10	<10	82	<10	73
C180440		<0.01	<10	<10	76	<10	66
C180441		<0.01	<10	<10	73	<10	57
C180442		<0.01	<10	<10	65	<10	47
C180443		<0.01	<10	<10	87	<10	58
C180444		<0.01	<10	<10	52	<10	58
C180445		<0.01	<10	<10	45	<10	40
C180446		<0.01	<10	<10	46	<10	47



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 22-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06066950

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
C180447		3.54	0.315	0.3	0.73	139	<10	100	<0.5	7	4.12	<0.5	3	5	79	5.50
C180448		3.24	0.043	0.3	0.75	138	<10	130	<0.5	2	4.24	<0.5	2	7	67	4.40
C180449		3.72	0.073	0.2	0.68	716	<10	80	<0.5	3	3.63	<0.5	8	4	178	7.53
C180450		0.32	<0.001	<0.2	2.75	<2	<10	350	0.9	<2	3.04	<0.5	29	14	12	8.05
C180451		3.66	0.331	0.3	0.86	1040	<10	50	<0.5	10	3.77	<0.5	9	5	224	9.75
C180452		3.68	0.137	0.2	0.66	971	<10	110	<0.5	3	4.12	<0.5	13	7	83	4.41
C180453		2.00	0.055	0.3	0.73	67	<10	150	<0.5	2	3.84	<0.5	1	4	62	3.97
C180454		1.08	0.193	0.2	0.68	1565	<10	120	<0.5	7	3.80	<0.5	34	7	133	6.15
C180455		1.02	0.263	0.2	0.66	1105	<10	120	<0.5	7	3.91	<0.5	21	4	112	5.74
C180456		3.58	0.195	0.4	0.79	738	<10	50	<0.5	11	4.89	<0.5	10	5	256	8.67
C180457		3.10	0.152	0.3	0.70	1565	<10	100	<0.5	8	3.45	<0.5	12	4	187	6.94
C180458		2.52	0.066	0.2	0.77	171	<10	100	<0.5	4	3.86	<0.5	1	6	139	5.59
C180459		2.32	0.150	0.3	0.68	2220	<10	90	<0.5	11	3.04	<0.5	16	4	242	7.44
C180460		1.48	0.308	0.7	0.61	1680	<10	10	<0.5	14	2.00	<0.5	10	4	1010	23.6
C180461		3.52	0.228	0.4	0.60	1935	<10	30	<0.5	12	3.29	<0.5	17	3	358	10.15
C180462		3.68	0.068	0.2	0.64	1465	10	70	<0.5	4	3.83	<0.5	22	7	169	5.68
C180463		3.68	0.039	<0.2	0.63	1370	10	130	<0.5	3	4.04	<0.5	10	6	102	4.36
C180464		3.98	0.060	0.2	0.67	544	10	100	<0.5	7	4.51	<0.5	7	7	172	5.39
C180465		3.76	0.059	0.2	0.66	2030	<10	40	<0.5	4	3.46	<0.5	18	6	207	6.66
C180466		3.60	0.168	0.2	0.67	5830	10	90	<0.5	5	4.07	<0.5	20	4	155	4.85
C180467		3.48	0.085	0.2	0.63	4480	<10	100	<0.5	6	4.87	<0.5	20	5	139	4.96
C180468		3.64	0.025	0.3	0.71	1630	10	50	<0.5	4	4.60	<0.5	12	4	126	5.30
C180469		3.48	0.052	0.2	0.76	73	10	50	<0.5	2	3.67	<0.5	1	3	95	5.28
C180470		2.32	0.110	0.3	0.69	299	<10	40	<0.5	10	4.41	<0.5	7	4	182	6.74
C180471		2.54	0.357	0.3	0.54	666	<10	50	<0.5	14	3.36	<0.5	13	4	290	9.04
C180472		2.22	1.090	0.7	0.71	394	<10	30	<0.5	20	2.65	<0.5	7	4	258	9.11
C180473		2.42	0.112	0.2	0.68	24	<10	110	<0.5	4	4.08	<0.5	2	5	58	3.11
C180474		3.88	0.014	0.2	0.79	48	10	140	<0.5	<2	3.53	<0.5	1	6	38	3.72
C180475		3.68	0.023	<0.2	0.58	95	10	110	<0.5	3	3.52	<0.5	6	8	97	4.56
C180476		3.24	0.005	<0.2	0.73	341	10	120	<0.5	2	3.91	<0.5	8	9	34	3.23
C180477		3.60	0.028	0.2	0.65	1885	10	110	<0.5	5	3.39	<0.5	16	8	231	6.47
C180478		3.46	0.009	<0.2	0.79	212	10	150	<0.5	3	3.16	<0.5	8	12	82	4.74
C180479		1.20	0.009	<0.2	0.66	168	10	120	<0.5	2	3.64	<0.5	9	6	122	5.86
C180480		1.22	0.015	0.2	0.82	43	10	50	<0.5	2	4.50	<0.5	12	9	260	5.86
C180481		1.34	0.011	0.2	0.55	20	10	30	<0.5	4	3.83	<0.5	10	6	186	6.35
C180482		3.24	0.032	<0.2	1.01	1040	10	20	<0.5	15	4.38	<0.5	42	9	372	14.9
C180483		3.62	0.012	<0.2	0.68	51	10	40	<0.5	2	3.88	<0.5	6	7	89	7.55
C180484		3.54	0.009	<0.2	0.79	32	10	110	<0.5	2	4.10	<0.5	4	12	71	5.42
C180485		2.10	0.005	<0.2	0.79	20	10	110	<0.5	3	4.84	<0.5	6	8	101	4.60
C180486		1.88	0.058	<0.2	0.67	810	10	10	<0.5	30	2.63	<0.5	42	12	322	15.3



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 22-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06066950

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
Units	ppm	ppm	%	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	
C180447	<10	<1	0.20	<10	0.61	837	<1	0.07	12	650	9	2.76	<2	10	128	
C180448	<10	<1	0.21	<10	0.76	863	<1	0.06	13	510	3	1.50	<2	10	157	
C180449	<10	1	0.21	<10	0.60	917	<1	0.04	14	1060	4	3.26	3	9	93	
C180450	10	<1	0.51	30	2.34	1230	<1	0.85	17	2630	3	0.05	<2	16	154	
C180451	<10	1	0.25	<10	0.67	926	<1	0.06	15	980	17	4.88	<2	10	91	
C180452	<10	<1	0.26	<10	0.56	879	<1	0.06	9	640	4	1.68	4	8	80	
C180453	<10	<1	0.27	<10	0.52	846	<1	0.05	11	480	5	1.39	2	9	87	
C180454	<10	<1	0.24	<10	0.52	836	<1	0.06	19	470	8	2.84	3	8	88	
C180455	<10	<1	0.23	<10	0.53	849	<1	0.05	14	470	8	2.42	4	8	89	
C180456	<10	<1	0.28	<10	0.77	1095	<1	0.05	19	1280	11	4.31	<2	8	104	
C180457	<10	<1	0.22	<10	0.52	797	<1	0.06	12	720	4	3.05	<2	9	91	
C180458	<10	1	0.27	<10	0.52	764	<1	0.06	10	820	2	2.45	<2	9	101	
C180459	<10	<1	0.23	<10	0.44	708	1	0.05	13	1620	7	3.90	2	9	82	
C180460	<10	1	0.27	<10	0.56	544	2	0.02	16	920	18	>10.0	12	6	37	
C180461	<10	<1	0.25	<10	0.59	813	2	0.03	13	570	8	6.19	2	8	68	
C180462	<10	<1	0.25	<10	0.36	725	3	0.05	10	480	5	2.86	3	8	83	
C180463	<10	1	0.24	<10	0.41	806	3	0.06	10	460	5	1.92	<2	9	86	
C180464	<10	<1	0.25	<10	0.31	743	4	0.07	13	500	9	2.75	<2	9	89	
C180465	<10	<1	0.22	<10	0.45	693	1	0.06	13	800	3	3.19	<2	10	91	
C180466	<10	<1	0.23	<10	0.41	603	2	0.07	11	580	4	2.44	3	9	147	
C180467	<10	<1	0.21	<10	0.40	740	1	0.06	10	950	6	2.30	<2	9	142	
C180468	<10	1	0.24	<10	0.44	799	1	0.06	12	550	4	2.56	2	9	118	
C180469	<10	<1	0.32	<10	0.48	837	<1	0.03	9	1240	10	3.43	5	6	83	
C180470	<10	2	0.26	<10	0.42	993	<1	0.07	11	520	15	3.35	<2	7	98	
C180471	<10	1	0.20	<10	0.39	905	<1	0.08	15	500	10	4.51	3	7	86	
C180472	<10	1	0.26	<10	0.32	816	<1	0.09	13	550	22	5.63	3	6	63	
C180473	<10	<1	0.30	<10	0.62	1045	1	0.06	5	610	5	0.46	<2	6	83	
C180474	<10	<1	0.31	<10	0.70	1130	<1	0.07	6	690	3	0.94	2	7	73	
C180475	<10	<1	0.21	<10	0.56	969	<1	0.05	8	610	12	1.68	3	8	106	
C180476	<10	<1	0.28	<10	0.58	948	1	0.06	8	520	5	0.55	<2	9	67	
C180477	<10	1	0.22	<10	0.69	917	1	0.07	9	480	11	2.87	4	9	88	
C180478	<10	<1	0.27	<10	1.00	924	2	0.07	4	490	4	0.62	<2	9	65	
C180479	<10	<1	0.22	<10	0.47	1160	1	0.08	11	1220	8	2.22	2	9	91	
C180480	<10	<1	0.21	<10	0.75	801	3	0.14	10	880	9	3.05	<2	10	180	
C180481	<10	<1	0.16	<10	0.45	570	3	0.12	8	450	23	5.05	7	9	82	
C180482	<10	<1	0.20	<10	0.90	1055	<1	0.12	9	1780	9	6.17	2	12	118	
C180483	<10	<1	0.19	<10	0.77	858	<1	0.14	9	640	13	4.66	5	11	108	
C180484	<10	<1	0.22	<10	0.64	777	<1	0.13	10	670	11	2.69	3	10	136	
C180485	<10	<1	0.19	<10	0.70	666	<1	0.13	9	820	4	1.46	<2	10	237	
C180486	<10	<1	0.16	<10	0.78	674	1	0.13	7	770	27	8.85	5	8	95	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 3 - C
Total # Pages: 4 (A - C)
Finalized Date: 22-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06066950

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Ti	U	V	W	Zn
	Units LOR	%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
C180447		<0.01	<10	<10	41	<10	35
C180448		<0.01	<10	<10	41	<10	37
C180449		<0.01	<10	<10	46	<10	42
C180450		0.96	<10	<10	207	<10	115
C180451		<0.01	<10	<10	45	<10	33
C180452		<0.01	<10	<10	35	<10	31
C180453		<0.01	<10	<10	37	<10	69
C180454		<0.01	<10	<10	38	<10	33
C180455		<0.01	<10	<10	38	<10	32
C180456		<0.01	<10	<10	52	<10	33
C180457		<0.01	10	<10	57	<10	54
C180458		<0.01	10	<10	57	<10	30
C180459		<0.01	<10	<10	43	<10	31
C180460		<0.01	<10	<10	28	<10	17
C180461		<0.01	<10	<10	32	<10	27
C180462		<0.01	<10	<10	32	<10	24
C180463		<0.01	<10	<10	38	<10	27
C180464		<0.01	10	<10	32	<10	20
C180465		<0.01	<10	<10	43	<10	24
C180466		<0.01	<10	<10	30	<10	14
C180467		<0.01	<10	<10	32	<10	18
C180468		<0.01	<10	<10	35	<10	36
C180469		<0.01	<10	<10	23	<10	30
C180470		<0.01	<10	<10	29	<10	37
C180471		<0.01	<10	<10	29	<10	22
C180472		<0.01	<10	<10	27	<10	30
C180473		<0.01	<10	<10	27	<10	34
C180474		<0.01	<10	<10	35	<10	33
C180475		<0.01	<10	<10	39	<10	54
C180476		<0.01	<10	<10	42	<10	58
C180477		<0.01	<10	<10	42	<10	46
C180478		<0.01	<10	<10	47	<10	49
C180479		<0.01	<10	<10	41	<10	57
C180480		<0.01	<10	<10	37	<10	32
C180481		<0.01	<10	<10	32	<10	29
C180482		<0.01	<10	<10	77	<10	46
C180483		<0.01	<10	<10	61	<10	42
C180484		<0.01	<10	<10	60	<10	41
C180485		<0.01	<10	<10	49	<10	26
C180486		<0.01	<10	<10	47	<10	26



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 4 - A
Total # Pages: 4 (A - C)
Finalized Date: 22-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06066950

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C180487		2.10	0.010	<0.2	0.69	98	10	70	<0.5	19	2.93	<0.5	13	8	144	6.67
C180488		1.38	0.035	<0.2	0.67	109	10	10	<0.5	9	1.92	<0.5	8	14	49	13.75
C180489		1.48	0.003	<0.2	0.72	59	10	200	<0.5	5	3.30	<0.5	7	7	59	3.37
C180490		3.82	0.598	0.2	0.57	2350	10	10	<0.5	73	2.28	<0.5	64	14	459	24.2
C180491		3.94	0.045	<0.2	0.88	172	10	30	<0.5	18	3.38	<0.5	20	7	176	10.95
C180492		3.12	0.015	<0.2	0.82	39	10	120	<0.5	5	3.88	<0.5	6	17	62	4.81
C180493		2.88	0.013	<0.2	0.68	18	10	60	<0.5	9	3.53	<0.5	10	9	122	7.28
C180494		2.04	0.028	<0.2	0.74	17	10	50	<0.5	10	4.46	<0.5	8	8	119	7.33
C180495		2.42	0.018	<0.2	0.69	32	10	180	<0.5	<2	4.54	<0.5	2	9	21	3.42
C180496		3.54	0.033	<0.2	0.79	13	10	160	<0.5	2	4.57	<0.5	3	6	70	5.03
C180497		3.92	0.079	<0.2	0.74	154	10	10	<0.5	5	4.02	<0.5	28	6	333	17.8
C180498		3.94	0.034	<0.2	0.75	42	10	30	<0.5	3	2.94	<0.5	10	6	102	7.27
C180499		2.50	0.030	<0.2	0.83	4	10	40	<0.5	4	3.29	<0.5	8	10	103	7.92
C180500		0.32	<0.001	<0.2	2.53	4	<10	310	0.8	3	2.84	<0.5	24	8	10	7.25
C180501		3.70	0.185	<0.2	0.68	41	10	80	<0.5	4	4.40	<0.5	5	11	56	5.52
C180502		3.48	0.084	<0.2	0.65	15	10	80	<0.5	3	4.20	<0.5	10	6	62	5.35
C180503		3.64	0.009	<0.2	0.59	28	10	150	<0.5	2	4.79	2.3	11	12	29	3.69
C180504		3.32	0.038	<0.2	0.65	189	10	140	<0.5	2	10.70	<0.5	17	6	28	4.04
C180505		1.94	0.005	<0.2	0.59	13	10	130	<0.5	<2	6.14	<0.5	12	13	35	4.87
C180506		2.62	0.002	<0.2	0.73	75	10	150	<0.5	<2	5.56	<0.5	8	6	4	3.59
C180507		4.00	0.001	<0.2	0.67	18	10	150	<0.5	<2	4.40	<0.5	12	13	18	4.87
C180508		3.74	0.002	0.3	0.67	27	10	90	<0.5	5	5.82	3.4	14	12	34	5.30
C180509		0.84	0.027	0.3	0.60	1955	10	60	0.6	2	5.13	1.8	29	12	68	5.61
C180510		0.90	0.008	<0.2	0.62	392	10	60	0.6	<2	7.22	1.4	12	7	36	4.95
C180511		2.12	0.002	0.4	0.55	74	<10	60	0.5	<2	8.50	1.9	14	6	40	5.39
C180512		0.72	0.006	0.3	0.58	590	10	90	0.5	3	8.05	10.4	21	2	59	4.88



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 4 - B
Total # Pages: 4 (A - C)
Finalized Date: 22-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06066950

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C180487		<10	1	0.19	<10	0.67	542	<1	0.14	7	360	14	2.82	4	9	92
C180488		<10	<1	0.17	<10	0.22	225	1	0.16	6	420	53	>10.0	24	5	76
C180489		<10	<1	0.21	<10	0.47	546	<1	0.18	8	480	3	0.79	<2	9	95
C180490		<10	<1	0.13	<10	0.88	631	1	0.06	7	1300	59	>10.0	17	8	81
C180491		<10	<1	0.24	<10	0.81	901	<1	0.14	11	1120	18	5.51	3	10	108
C180492		<10	1	0.21	<10	0.52	553	<1	0.22	11	780	9	1.88	<2	11	110
C180493		<10	<1	0.18	<10	0.57	708	<1	0.15	15	420	9	3.41	<2	12	94
C180494		<10	<1	0.20	<10	0.73	744	<1	0.18	10	700	14	3.69	2	9	150
C180495		<10	<1	0.22	<10	0.63	882	<1	0.14	11	500	<2	0.93	<2	11	123
C180496		<10	<1	0.26	<10	0.71	1015	1	0.12	15	710	2	1.48	<2	11	127
C180497		<10	<1	0.20	<10	0.79	1155	1	0.11	20	1460	11	>10.0	4	9	102
C180498		<10	<1	0.25	<10	0.49	682	1	0.14	9	620	8	4.46	<2	8	86
C180499		<10	<1	0.31	<10	0.60	836	1	0.13	13	760	5	4.17	2	10	92
C180500		10	1	0.45	30	2.15	1150	<1	0.75	11	2550	4	0.06	2	17	145
C180501		<10	<1	0.23	<10	0.58	940	1	0.13	10	800	8	2.80	2	7	130
C180502		<10	1	0.21	<10	0.51	1100	1	0.11	8	500	5	2.37	<2	6	126
C180503		<10	<1	0.23	<10	0.37	1140	1	0.10	6	340	4	1.15	<2	6	118
C180504		<10	<1	0.17	<10	0.54	2560	<1	0.13	8	730	8	1.23	2	8	232
C180505		<10	<1	0.11	<10	0.55	1595	2	0.17	7	900	15	1.25	3	11	156
C180506		<10	<1	0.17	<10	0.52	1900	<1	0.18	4	500	2	0.21	<2	10	138
C180507		<10	<1	0.15	<10	0.68	1890	<1	0.17	9	510	7	0.47	<2	10	112
C180508		<10	<1	0.18	<10	0.50	2090	1	0.15	19	420	17	1.44	4	11	141
C180509		<10	1	0.22	<10	0.49	2920	1	0.04	17	560	18	2.02	6	5	122
C180510		<10	1	0.22	<10	0.54	2550	1	0.05	10	600	10	1.21	3	6	205
C180511		<10	1	0.18	<10	0.57	2640	<1	0.04	11	620	14	1.42	<2	7	247
C180512		<10	<1	0.25	<10	0.54	2410	2	0.04	9	780	21	1.91	8	4	149



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 4 - C
Total # Pages: 4 (A - C)
Finalized Date: 22-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06066950

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
C180487		<0.01	<10	<10	45	<10	27
C180488		<0.01	<10	<10	21	<10	15
C180489		<0.01	<10	<10	40	<10	42
C180490		<0.01	<10	<10	41	<10	22
C180491		<0.01	<10	<10	61	<10	43
C180492		<0.01	<10	<10	57	<10	47
C180493		<0.01	<10	<10	56	<10	44
C180494		<0.01	<10	<10	44	<10	43
C180495		<0.01	<10	<10	52	<10	31
C180496		<0.01	<10	<10	71	<10	43
C180497		<0.01	<10	<10	44	<10	48
C180498		<0.01	<10	<10	37	<10	30
C180499		<0.01	<10	<10	47	<10	30
C180500		0.92	<10	<10	187	<10	104
C180501		<0.01	<10	<10	29	<10	47
C180502		<0.01	<10	<10	24	<10	41
C180503		<0.01	<10	<10	19	<10	435
C180504		<0.01	<10	<10	34	<10	55
C180505		<0.01	<10	<10	50	<10	74
C180506		<0.01	<10	<10	43	<10	85
C180507		<0.01	<10	<10	57	<10	104
C180508		<0.01	<10	<10	48	<10	662
C180509		<0.01	<10	<10	29	<10	361
C180510		<0.01	<10	<10	32	<10	277
C180511		<0.01	<10	<10	35	<10	352
C180512		<0.01	<10	<10	23	<10	1580



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 1
Finalized Date: 23-AUG-2006
Account: ENDURA

CERTIFICATE VA06070527

Project: BQ

P.O. No.:

This report is for 97 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 13-JUL-2006.

The following have access to data associated with this certificate:

DUNCAN MCIVOR

D. MCIVOR

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: ENDURANCE GOLD CORP
ATTN: DUNCAN MCIVOR
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 1
Finalized Date: 23-AUG-2006
Account: ENDURA

CERTIFICATE VA06070527

Project: BQ

P.O. No.:

This report is for 97 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 13-JUL-2006.

The following have access to data associated with this certificate:

DUNCAN MCIVOR

D. MCIVOR

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: ENDURANCE GOLD CORP
ATTN: DUNCAN MCIVOR
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 2 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 23-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06070527

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ce %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
C180513		4.10	0.013	<0.2	1.32	405	10	150	<0.5	5	5.31	<0.5	10	9	149	6.83
C180514		3.54	0.021	0.6	0.90	1795	10	80	<0.5	15	4.15	<0.5	23	3	216	8.04
C180515		3.60	0.021	2.3	1.37	404	10	110	<0.5	21	2.49	1.0	3	10	152	8.52
C180516		2.36	0.011	0.4	0.86	191	10	70	<0.5	13	3.09	<0.5	4	8	174	8.11
C180517		1.60	0.070	0.4	1.26	2350	10	70	<0.5	27	3.74	<0.5	30	3	529	15.6
C180518		3.54	0.036	<0.2	1.12	6080	10	110	<0.5	10	4.19	<0.5	28	6	179	6.82
C180519		4.22	0.031	<0.2	1.32	1980	10	90	<0.5	10	3.46	<0.5	26	5	286	7.83
C180520		3.72	0.014	<0.2	1.04	569	<10	110	<0.5	4	3.69	<0.5	11	5	207	6.97
C180521		3.66	0.022	<0.2	0.99	2280	<10	110	<0.5	5	4.07	<0.5	30	5	189	6.81
C180522		3.90	0.023	<0.2	0.94	534	<10	90	<0.5	37	3.85	<0.5	14	4	175	6.38
C180523		3.54	0.027	<0.2	1.27	1045	10	110	<0.5	8	3.63	<0.5	38	6	266	8.25
C180524		3.96	0.023	0.3	1.12	146	10	90	<0.5	15	3.42	<0.5	6	6	462	12.30
C180525		3.84	0.080	0.7	1.29	1365	10	70	<0.5	29	2.69	<0.5	48	4	643	16.3
C180526		2.84	0.013	0.2	0.80	56	10	100	<0.5	5	3.42	<0.5	2	2	179	6.89
C180527		2.62	0.045	0.4	1.11	73	10	160	<0.5	12	4.43	<0.5	3	3	201	6.54
C180528		0.66	0.051	0.7	0.84	>10000	10	100	<0.5	14	3.66	<0.5	192	1	389	11.65
C180529		0.62	0.036	0.8	0.93	7220	10	110	<0.5	17	3.56	<0.5	114	<1	395	12.75
C180530		4.04	0.017	0.3	0.76	87	10	110	<0.5	7	3.53	<0.5	3	4	166	5.64
C180531		3.70	0.008	0.9	0.95	144	10	90	<0.5	12	3.29	<0.5	1	11	173	8.41
C180532		3.44	0.039	0.4	0.82	124	10	90	<0.5	10	3.49	<0.5	2	6	191	7.22
C180533		2.32	0.011	0.2	1.00	177	<10	100	<0.5	2	3.29	<0.5	3	5	215	6.97
C180534		1.50	0.009	0.5	0.86	204	<10	70	<0.5	5	2.09	0.5	6	<1	1010	20.2
C180535		3.32	0.055	0.3	0.94	2250	<10	110	<0.5	12	4.08	<0.5	7	4	336	8.14
C180536		3.72	0.014	0.5	0.88	441	10	90	<0.5	23	3.00	<0.5	11	5	439	10.45
C180537		2.86	0.068	0.7	0.86	1120	<10	90	<0.5	24	2.36	<0.5	17	2	485	11.40
C180538		2.70	1.285	0.5	0.80	>10000	<10	110	<0.5	66	3.65	<0.5	81	2	268	8.13
C180539		2.82	1.825	1.0	0.74	>10000	<10	70	<0.5	161	2.11	0.5	74	1	426	16.1
C180540		4.18	0.645	0.4	0.95	>10000	<10	120	<0.5	27	3.77	<0.5	23	3	267	8.73
C180541		4.06	1.740	0.9	0.93	>10000	<10	60	<0.5	122	2.73	<0.5	27	6	594	17.0
C180542		3.92	0.300	0.3	1.69	>10000	<10	170	<0.5	39	3.57	<0.5	9	22	498	12.80
C180543		3.80	0.320	0.2	2.28	2080	<10	160	<0.5	42	3.54	<0.5	12	29	550	13.15
C180544		3.96	1.635	0.5	1.52	>10000	<10	50	<0.5	109	2.29	<0.5	30	19	643	16.3
C180545		3.84	0.519	0.3	2.10	2020	<10	190	<0.5	39	3.34	<0.5	12	27	535	14.6
C180546		3.90	0.597	0.3	1.31	2820	<10	160	<0.5	39	3.65	<0.5	13	20	494	12.20
C180547		3.82	0.168	<0.2	1.74	387	<10	160	<0.5	25	3.12	<0.5	13	25	285	10.45
C180548		3.82	0.161	0.4	1.50	497	<10	130	<0.5	29	3.65	<0.5	16	19	485	13.10
C180549		3.68	0.451	0.2	1.48	272	<10	130	<0.5	27	3.30	<0.5	9	20	407	11.40
C180550		0.34	0.005	<0.2	3.42	47	<10	410	1.0	<2	3.63	<0.5	31	5	18	8.79
C180551		2.68	0.359	0.3	1.24	791	<10	160	<0.5	42	3.55	<0.5	12	19	467	11.65
C180552		0.68	1.175	0.6	1.54	572	<10	60	<0.5	69	2.19	<0.5	11	15	784	19.2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 2 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 23-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06070527

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C180513		<10	<1	0.48	<10	0.45	1600	<1	0.05	12	1460	7	2.36	5	11	112
C180514		<10	<1	0.36	<10	0.55	1850	<1	0.03	9	1580	19	3.18	9	8	93
C180515		<10	<1	0.54	<10	0.69	1950	<1	0.03	12	460	62	2.67	13	11	38
C180516		<10	<1	0.31	<10	0.69	1720	<1	0.03	11	460	16	2.43	9	9	46
C180517		<10	<1	0.35	<10	0.55	1560	<1	0.05	10	1080	12	7.07	9	10	60
C180518		<10	<1	0.38	<10	0.44	1160	<1	0.05	10	1600	4	2.82	9	8	84
C180519		<10	<1	0.23	<10	0.43	921	1	0.09	13	550	5	4.30	4	7	99
C180520		<10	<1	0.33	<10	0.48	1100	1	0.05	10	430	3	2.08	<2	9	72
C180521		<10	<1	0.31	<10	0.47	1120	1	0.05	11	580	2	2.42	6	8	81
C180522		<10	<1	0.27	<10	0.39	1020	1	0.05	10	490	2	2.77	6	7	72
C180523		<10	<1	0.42	<10	0.55	1290	1	0.05	11	610	6	3.25	4	8	59
C180524		<10	<1	0.31	<10	0.74	1630	1	0.04	9	1020	5	5.41	10	9	50
C180525		<10	<1	0.44	<10	0.68	1490	<1	0.03	16	1230	8	7.37	11	8	46
C180526		<10	<1	0.36	<10	0.39	1410	<1	0.03	7	650	2	3.20	5	7	52
C180527		<10	<1	0.53	<10	0.44	1470	<1	0.03	10	580	6	2.96	4	7	57
C180528		<10	<1	0.36	<10	0.64	1620	<1	0.02	13	720	7	5.45	14	7	49
C180529		<10	<1	0.39	<10	0.64	1630	<1	0.03	12	620	10	6.26	10	8	45
C180530		<10	<1	0.36	<10	0.46	1310	1	0.03	9	700	4	1.82	4	7	82
C180531		<10	<1	0.41	<10	0.70	2060	<1	0.02	15	520	20	2.54	5	12	45
C180532		<10	1	0.33	<10	0.61	1560	<1	0.02	8	690	8	2.49	5	9	97
C180533		<10	<1	0.34	<10	0.53	1270	<1	0.03	8	740	4	2.50	3	10	64
C180534		<10	1	0.29	<10	0.54	968	<1	0.02	30	470	11	8.70	2	7	32
C180535		<10	1	0.34	<10	0.54	997	<1	0.02	9	630	7	3.76	2	8	83
C180536		<10	<1	0.36	<10	0.57	1170	<1	0.02	9	1070	10	5.37	7	9	48
C180537		<10	<1	0.34	<10	0.34	1170	<1	0.04	10	670	16	6.45	7	9	52
C180538		<10	1	0.36	<10	0.34	1270	<1	0.03	15	710	11	4.51	28	7	53
C180539		<10	<1	0.33	<10	0.31	995	<1	0.02	9	530	24	8.92	94	5	33
C180540		<10	<1	0.38	<10	0.54	1390	<1	0.04	11	830	12	4.52	27	10	51
C180541		<10	<1	0.38	<10	0.53	1050	<1	0.03	17	900	13	8.77	47	12	33
C180542		10	<1	0.43	<10	1.07	1320	<1	0.05	12	1780	10	5.16	13	22	65
C180543		<10	<1	0.32	<10	1.33	1300	<1	0.08	14	1700	12	4.35	4	23	85
C180544		<10	1	0.29	<10	1.07	939	<1	0.05	12	1260	10	6.20	25	18	54
C180545		10	<1	0.32	<10	1.64	1350	<1	0.07	15	1710	8	4.97	3	26	81
C180546		<10	1	0.31	<10	1.39	1090	<1	0.05	12	1580	7	4.91	4	22	80
C180547		10	<1	0.24	<10	1.70	1240	<1	0.06	13	1420	5	3.37	6	22	92
C180548		10	<1	0.32	<10	1.58	1280	<1	0.06	16	1630	12	4.91	8	22	96
C180549		<10	<1	0.27	<10	1.55	1230	<1	0.05	14	1280	6	3.82	3	21	73
C180550		10	1	0.60	30	2.55	1400	<1	0.99	10	3080	9	0.11	<2	23	186
C180551		<10	1	0.33	<10	1.33	1160	<1	0.05	13	1390	10	4.29	5	23	64
C180552		10	1	0.31	<10	1.15	971	<1	0.03	19	1090	9	7.09	12	18	38



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 2 - C
Total # Pages: 4 (A - C)
Finalized Date: 23-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06070527

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
C180513		<0.01	<10	<10	72	<10	42
C180514		<0.01	<10	<10	52	<10	97
C180515		<0.01	<10	<10	71	<10	226
C180516		<0.01	<10	<10	59	<10	59
C180517		<0.01	<10	<10	65	<10	49
C180518		<0.01	<10	<10	52	<10	36
C180519		<0.01	<10	<10	42	<10	33
C180520		<0.01	<10	<10	50	<10	39
C180521		<0.01	<10	<10	51	<10	36
C180522		<0.01	10	<10	45	<10	31
C180523		<0.01	<10	<10	57	<10	43
C180524		<0.01	<10	<10	59	<10	51
C180525		<0.01	<10	<10	53	<10	52
C180526		<0.01	<10	<10	45	<10	39
C180527		<0.01	<10	<10	47	<10	49
C180528		<0.01	<10	<10	53	<10	85
C180529		<0.01	<10	<10	55	<10	51
C180530		<0.01	<10	<10	45	<10	37
C180531		<0.01	<10	<10	73	<10	94
C180532		<0.01	<10	<10	63	<10	95
C180533		<0.01	<10	<10	63	<10	51
C180534		<0.01	<10	<10	54	<10	43
C180535		<0.01	<10	<10	49	<10	35
C180536		<0.01	<10	<10	48	<10	39
C180537		<0.01	10	<10	48	<10	38
C180538		<0.01	<10	<10	27	<10	22
C180539		<0.01	<10	<10	27	<10	23
C180540		<0.01	<10	<10	54	<10	39
C180541		<0.01	<10	<10	59	<10	33
C180542		0.01	<10	<10	130	10	58
C180543		0.01	<10	<10	156	<10	65
C180544		<0.01	10	<10	118	<10	52
C180545		0.01	<10	<10	155	<10	68
C180546		<0.01	<10	<10	120	<10	52
C180547		<0.01	<10	<10	144	<10	77
C180548		<0.01	10	<10	127	<10	65
C180549		<0.01	<10	<10	120	<10	60
C180550		1.10	<10	<10	234	<10	123
C180551		0.01	<10	<10	110	<10	51
C180552		0.01	10	<10	111	<10	55



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 23-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06070527

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
C180553		0.64	1.505	0.6	1.42	647	<10	100	<0.5	94	2.35	<0.5	12	15	1120	20.5
C180554		4.02	0.492	0.3	1.44	487	<10	130	<0.5	47	3.68	<0.5	10	19	521	13.7
C180555		3.86	0.188	0.3	1.24	738	<10	130	<0.5	61	2.82	0.6	9	19	442	12.05
C180556		3.94	0.327	0.3	1.09	5560	<10	130	<0.5	44	3.06	<0.5	20	16	432	11.75
C180557		4.02	0.849	0.4	1.02	8810	<10	130	<0.5	54	3.32	<0.5	22	15	409	12.60
C180558		3.80	0.461	<0.2	1.14	>10000	<10	140	<0.5	191	6.87	<0.5	41	11	198	7.42
C180559		3.82	0.048	0.4	0.95	1010	<10	90	<0.5	30	2.61	<0.5	6	9	413	10.25
C180560		3.44	0.034	0.2	1.05	3050	<10	100	<0.5	42	3.26	<0.5	9	3	206	6.58
C180561		4.12	0.432	0.4	0.75	>10000	<10	70	<0.5	23	2.92	<0.5	63	3	293	10.05
C180562		3.88	0.334	0.3	1.04	>10000	<10	90	<0.5	18	3.57	<0.5	27	2	243	8.03
C180563		4.02	0.094	<0.2	0.83	5430	10	80	<0.5	6	3.96	<0.5	9	3	177	6.60
C180564		3.62	0.021	0.2	0.97	3010	<10	100	<0.5	3	3.05	<0.5	7	3	174	6.39
C180565		3.00	0.012	0.2	1.00	1200	<10	70	<0.5	6	3.28	<0.5	7	4	289	8.55
C180566		2.18	0.505	0.4	0.97	>10000	<10	100	<0.5	166	3.40	<0.5	63	3	239	7.94
C180567		3.26	0.050	0.3	0.70	3730	<10	80	<0.5	2	2.80	18.8	12	3	220	7.57
C180568		3.72	0.010	0.2	0.82	645	10	130	<0.5	7	2.99	<0.5	3	3	154	5.38
C180569		3.62	0.098	<0.2	0.77	6170	10	140	<0.5	7	3.49	<0.5	15	2	185	6.65
C180570		1.64	0.206	0.2	0.83	7450	10	130	<0.5	13	3.40	<0.5	13	4	154	6.01
C180571		2.04	0.035	0.4	0.75	6350	<10	30	<0.5	13	2.24	<0.5	19	4	515	15.2
C180572		2.78	0.142	0.7	0.75	>10000	<10	20	<0.5	28	1.86	<0.5	31	5	585	17.0
C180573		2.58	0.038	0.2	0.67	2700	<10	100	<0.5	6	2.44	<0.5	9	7	246	8.38
C180574		1.58	0.010	0.2	0.87	3870	<10	60	<0.5	2	3.03	<0.5	6	3	287	8.77
C180575		1.86	0.218	0.3	0.83	>10000	10	160	<0.5	11	3.85	<0.5	25	4	63	4.13
C180576		2.54	1.990	0.4	0.86	>10000	10	60	<0.5	313	2.45	<0.5	56	6	256	10.20
C180577		2.80	0.020	0.3	0.81	2030	10	160	<0.5	4	3.70	<0.5	6	6	97	4.47
C180578		1.68	0.309	0.2	0.90	>10000	10	50	<0.5	180	2.50	<0.5	44	4	314	10.95
C180579		3.64	0.014	<0.2	0.80	1255	10	140	<0.5	50	2.90	<0.5	5	5	177	6.23
C180580		3.80	0.121	0.2	0.91	5010	10	140	<0.5	13	3.06	<0.5	16	5	186	6.65
C180581		3.94	0.006	0.2	0.75	472	10	140	<0.5	8	2.55	<0.5	3	4	151	5.67
C180582		2.50	0.023	0.2	1.02	3040	10	40	<0.5	60	2.10	<0.5	9	4	363	10.60
C180583		2.76	0.031	0.2	0.81	3090	10	50	<0.5	8	2.09	<0.5	10	4	341	10.05
C180584		3.84	0.034	0.3	0.96	1870	10	80	<0.5	8	2.15	<0.5	7	5	295	9.03
C180585		3.94	0.034	<0.2	0.81	3490	10	90	<0.5	13	2.03	<0.5	7	6	261	8.68
C180586		2.60	0.042	0.3	0.88	4610	10	40	<0.5	14	1.36	1.0	9	5	405	13.00
C180587		1.26	0.982	0.2	0.50	>10000	<10	10	<0.5	89	0.23	<0.5	55	<1	969	28.9
C180588		3.06	0.016	<0.2	0.90	430	10	200	<0.5	5	0.55	<0.5	1	4	127	4.71
C180589		3.14	0.041	<0.2	0.85	5470	10	40	<0.5	9	1.37	<0.5	6	4	326	9.30
C180590		2.20	0.409	0.3	0.86	>10000	10	20	<0.5	44	0.67	<0.5	25	3	574	17.0
C180591		2.22	0.849	0.2	0.85	>10000	10	30	<0.5	44	1.31	<0.5	31	3	348	13.05
C180592		4.00	0.100	0.2	0.88	>10000	10	80	<0.5	7	1.85	<0.5	17	4	236	7.66



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 23-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06070527

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
C180553		<10	1	0.27	<10	1.25	1040	<1	0.03	21	1000	6	7.27	9	18	40
C180554		<10	<1	0.41	<10	1.36	1240	<1	0.05	13	1510	8	5.10	8	23	63
C180555		<10	1	0.30	<10	1.01	1110	<1	0.04	12	1430	9	4.92	6	22	52
C180556		<10	<1	0.41	<10	1.19	1280	<1	0.02	15	1300	9	5.40	10	20	42
C180557		10	<1	0.35	<10	1.05	1320	<1	0.02	18	1330	8	5.16	12	19	46
C180558		<10	<1	0.52	<10	0.87	1710	<1	0.03	18	1560	9	3.15	15	16	78
C180559		<10	<1	0.31	<10	0.59	1050	<1	0.05	9	1330	11	5.33	8	14	58
C180560		<10	1	0.44	<10	0.42	1000	<1	0.06	6	940	9	3.11	7	7	72
C180561		<10	<1	0.32	<10	0.40	981	<1	0.05	9	560	17	5.81	26	6	66
C180562		<10	1	0.42	<10	0.34	857	1	0.09	6	1170	8	4.60	16	6	75
C180563		<10	<1	0.33	<10	0.58	1100	<1	0.05	4	850	5	2.65	6	7	75
C180564		<10	<1	0.38	<10	0.54	797	<1	0.08	4	480	12	2.78	7	6	62
C180565		<10	<1	0.22	<10	0.59	775	<1	0.15	4	1270	10	4.03	2	9	94
C180566		<10	<1	0.28	<10	0.34	713	2	0.10	5	1040	26	4.48	14	8	101
C180567		<10	<1	0.32	<10	0.39	1310	1	0.04	7	740	25	3.93	10	6	47
C180568		<10	<1	0.37	<10	0.45	864	<1	0.05	4	530	19	2.48	8	6	50
C180569		<10	<1	0.30	<10	0.35	781	1	0.08	5	460	8	3.55	9	5	60
C180570		<10	<1	0.35	<10	0.40	790	<1	0.08	5	510	10	2.96	8	7	64
C180571		<10	<1	0.27	<10	0.33	718	1	0.07	8	590	18	8.65	6	7	47
C180572		<10	1	0.32	<10	0.36	762	1	0.05	9	990	33	9.89	18	7	29
C180573		<10	1	0.25	<10	0.41	673	1	0.08	10	900	13	4.02	7	9	48
C180574		<10	<1	0.35	<10	0.58	743	1	0.08	4	1050	9	4.51	4	6	57
C180575		<10	<1	0.28	<10	0.49	632	3	0.10	4	1230	8	1.49	7	7	87
C180576		<10	1	0.39	<10	0.48	903	1	0.06	5	510	24	5.12	27	8	49
C180577		<10	1	0.39	<10	0.46	857	<1	0.05	5	550	6	1.71	2	7	89
C180578		<10	<1	0.36	<10	0.43	870	1	0.04	11	400	17	6.17	26	9	89
C180579		<10	<1	0.35	<10	0.52	768	<1	0.06	7	480	10	2.98	8	6	54
C180580		<10	1	0.44	<10	0.46	811	1	0.07	8	480	9	3.74	4	6	59
C180581		<10	<1	0.36	<10	0.41	979	1	0.06	6	550	14	2.64	8	6	60
C180582		<10	1	0.56	<10	0.39	680	1	0.05	7	700	11	6.33	7	6	66
C180583		<10	<1	0.42	<10	0.43	664	1	0.05	8	510	7	5.90	5	6	71
C180584		<10	1	0.54	<10	0.52	694	1	0.04	9	940	12	5.13	4	7	53
C180585		<10	1	0.41	<10	0.54	747	1	0.06	8	740	7	4.51	9	8	40
C180586		<10	<1	0.44	<10	0.52	958	1	0.07	5	580	12	6.82	34	9	33
C180587		<10	1	0.19	<10	0.19	437	1	0.06	8	360	9	>10.0	33	5	18
C180588		<10	1	0.40	<10	0.27	606	1	0.11	7	530	5	1.85	17	8	42
C180589		<10	1	0.34	<10	0.41	537	1	0.10	5	560	7	5.24	5	7	44
C180590		<10	1	0.37	<10	0.32	582	1	0.09	9	570	9	>10.0	16	7	30
C180591		<10	1	0.37	<10	0.43	663	<1	0.07	7	880	10	7.89	22	7	39
C180592		<10	<1	0.42	<10	0.35	542	1	0.10	11	600	2	4.01	7	6	79



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 3 - C
Total # Pages: 4 (A - C)
Finalized Date: 23-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06070527

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Ti	U	V	W	Zn
	Units LOR	%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
C180553		<0.01	<10	<10	112	<10	61
C180554		<0.01	<10	<10	132	<10	57
C180555		0.01	<10	<10	119	<10	52
C180556		<0.01	<10	<10	111	<10	50
C180557		0.01	<10	<10	98	<10	46
C180558		0.01	<10	<10	72	<10	27
C180559		<0.01	<10	<10	61	<10	48
C180560		<0.01	<10	<10	35	<10	29
C180561		<0.01	<10	<10	32	<10	47
C180562		<0.01	<10	<10	34	<10	27
C180563		<0.01	<10	<10	32	<10	24
C180564		<0.01	<10	<10	31	<10	31
C180565		<0.01	<10	<10	45	<10	53
C180566		<0.01	<10	<10	34	<10	36
C180567		<0.01	<10	<10	28	<10	2830
C180568		<0.01	<10	<10	21	<10	54
C180569		<0.01	<10	<10	22	<10	25
C180570		<0.01	<10	<10	34	<10	24
C180571		<0.01	<10	<10	37	<10	23
C180572		<0.01	<10	<10	47	<10	42
C180573		<0.01	<10	<10	50	<10	31
C180574		<0.01	<10	<10	34	<10	27
C180575		<0.01	<10	<10	35	<10	19
C180576		<0.01	<10	<10	53	<10	41
C180577		<0.01	<10	<10	38	<10	27
C180578		<0.01	<10	<10	41	<10	31
C180579		<0.01	<10	<10	36	<10	25
C180580		<0.01	<10	<10	31	<10	34
C180581		<0.01	<10	<10	28	<10	50
C180582		<0.01	<10	<10	29	<10	20
C180583		<0.01	10	<10	27	<10	18
C180584		<0.01	<10	<10	32	<10	22
C180585		<0.01	<10	<10	43	<10	32
C180586		<0.01	<10	<10	45	<10	195
C180587		<0.01	<10	<10	20	<10	18
C180588		<0.01	<10	<10	35	<10	33
C180589		<0.01	<10	<10	33	<10	23
C180590		<0.01	<10	<10	34	<10	20
C180591		<0.01	<10	<10	29	<10	20
C180592		<0.01	<10	<10	28	<10	18



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 4 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 23-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06070527

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C180593		3.66	0.118	0.5	0.73	8520	10	70	<0.5	23	2.41	<0.5	25	4	246	9.12
C180594		2.54	0.065	1.1	0.96	1760	10	120	<0.5	3	3.71	24.3	6	2	83	3.57
C180595		1.86	0.009	0.2	0.74	1135	10	150	<0.5	2	4.35	<0.5	3	2	249	6.57
C180596		0.74	0.040	0.3	0.90	2900	10	20	<0.5	2	3.55	<0.5	10	1	623	14.2
C180597		2.28	0.041	0.2	0.86	2990	10	120	<0.5	4	3.12	<0.5	10	4	211	5.97
C180598		3.84	0.004	<0.2	0.95	341	10	100	<0.5	<2	3.22	<0.5	1	4	214	6.07
C180599		3.60	0.041	0.2	0.81	2690	10	50	<0.5	4	2.91	<0.5	9	3	344	8.53
C180600		0.36	<0.001	<0.2	3.29	26	<10	390	1.0	<2	3.50	<0.5	29	5	15	8.35
C180601		2.48	0.023	0.2	0.76	2680	10	100	<0.5	2	2.12	<0.5	5	3	302	7.91
C180602		1.48	0.078	0.8	0.87	7860	<10	50	<0.5	19	3.50	0.6	11	2	402	11.25
C180603		1.14	0.011	<0.2	0.81	611	10	50	<0.5	24	2.12	<0.5	2	2	236	6.88
C180604		0.44	0.144	0.3	0.61	1620	10	20	<0.5	418	2.44	<0.5	7	<1	705	17.4
C180605		0.50	0.033	<0.2	0.63	1000	10	30	<0.5	14	3.22	<0.5	4	1	510	11.85
C180606		2.14	0.171	<0.2	0.73	1300	10	50	<0.5	30	2.24	<0.5	9	1	331	8.06
C180607		2.60	0.039	<0.2	0.57	4060	10	100	<0.5	4	2.62	<0.5	17	1	276	6.90
C180608		2.80	0.026	<0.2	0.64	2740	10	120	<0.5	9	3.49	<0.5	9	2	218	6.24
C180609		2.50	0.069	<0.2	0.54	4230	10	80	<0.5	5	2.86	<0.5	15	3	254	6.78



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 4 - B
Total # Pages: 4 (A - C)
Finalized Date: 23-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06070527

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ge	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
LOR		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
C180593		<10	<1	0.37	<10	0.44	1075	1	0.06	10	510	18	5.14	34	8
C180594		<10	1	0.59	<10	0.33	5820	<1	0.03	2	510	155	1.62	64	6
C180595		<10	<1	0.39	<10	0.39	962	<1	0.07	5	520	7	3.23	4	6
C180596		<10	1	0.46	<10	0.33	912	1	0.07	13	680	10	8.97	7	9
C180597		<10	1	0.38	<10	0.23	528	1	0.10	9	410	7	3.90	<2	6
C180598		<10	<1	0.48	<10	0.27	626	<1	0.08	4	390	4	3.30	<2	7
C180599		<10	<1	0.37	<10	0.24	606	1	0.08	6	400	8	5.33	3	7
C180600		10	<1	0.64	30	2.50	1350	2	1.01	11	2960	5	0.07	<2	22
C180601		<10	<1	0.39	<10	0.25	663	<1	0.06	5	460	11	4.53	5	6
C180602		<10	1	0.52	<10	0.48	1875	1	0.03	5	570	89	6.91	33	8
C180603		<10	<1	0.26	<10	0.15	461	<1	0.08	2	370	10	3.72	3	5
C180604		<10	<1	0.35	<10	0.19	800	<1	0.03	7	350	14	>10.0	18	7
C180605		<10	<1	0.34	<10	0.16	890	<1	0.02	5	400	5	7.01	3	6
C180606		<10	<1	0.43	<10	0.10	552	<1	0.02	4	600	6	4.71	6	3
C180607		<10	<1	0.33	<10	0.12	557	1	0.02	4	500	5	4.08	4	5
C180608		<10	<1	0.34	<10	0.23	709	<1	0.03	3	420	12	4.07	6	6
C180609		<10	<1	0.27	<10	0.24	699	<1	0.04	5	370	7	3.63	5	6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 4 - C
Total # Pages: 4 (A - C)
Finalized Date: 23-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06070527

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
C180593		<0.01	<10	<10	32	<10	86
C180594		<0.01	<10	<10	17	<10	3860
C180595		<0.01	<10	<10	20	<10	35
C180596		<0.01	<10	<10	23	<10	31
C180597		<0.01	<10	<10	24	<10	25
C180598		<0.01	<10	<10	31	<10	17
C180599		<0.01	<10	<10	25	<10	14
C180600		1.17	<10	<10	231	<10	119
C180601		<0.01	<10	<10	26	<10	18
C180602		0.01	<10	<10	28	<10	132
C180603		<0.01	<10	<10	17	<10	11
C180604		<0.01	<10	<10	23	<10	133
C180605		<0.01	<10	<10	21	<10	50
C180606		<0.01	<10	<10	18	<10	27
C180607		<0.01	<10	<10	13	<10	11
C180608		<0.01	<10	<10	16	<10	32
C180609		<0.01	<10	<10	23	<10	19



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 1
Finalized Date: 22-AUG-2006
Account: ENDURA

CERTIFICATE VA06070780

Project: BQ

P.O. No.:

This report is for 70 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 13-JUL-2006.

The following have access to data associated with this certificate:

DUNCAN MCIVOR

D. MCIVOR

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
CRU-QC	Crushing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: ENDURANCE GOLD CORP
ATTN: DUNCAN MCIVOR
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 22-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06070780

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C180610		3.88	0.104	<0.2	0.49	3090	<10	100	<0.5	35	3.05	<0.5	11	6	298	7.91
C180611		1.60	0.053	<0.2	0.57	2700	10	110	<0.5	3	3.57	<0.5	14	1	267	6.85
C180612		0.90	0.070	0.2	0.58	1390	10	60	<0.5	13	4.37	<0.5	8	4	335	8.41
C180613		3.66	0.027	0.2	0.61	918	10	110	<0.5	11	3.04	<0.5	4	3	302	7.53
C180614		3.62	0.026	0.2	0.64	981	10	70	<0.5	7	2.13	<0.5	4	5	385	8.94
C180615		4.24	0.026	<0.2	0.70	1200	10	100	<0.5	6	3.55	<0.5	4	1	267	8.45
C180616		3.80	0.162	<0.2	0.65	219	10	120	<0.5	122	3.08	<0.5	<1	5	164	6.52
C180617		3.54	0.007	<0.2	0.65	110	10	140	<0.5	5	3.49	<0.5	1	<1	164	5.67
C180618		2.60	0.038	<0.2	0.52	5580	10	20	<0.5	11	2.32	<0.5	48	4	564	14.0
C180619		2.60	0.025	0.2	0.51	2470	10	40	<0.5	5	2.60	<0.5	30	2	302	9.15
C180620		1.96	0.123	1.4	0.46	3210	<10	20	<0.5	19	1.90	2.6	27	3	757	17.6
C180621		2.62	0.055	<0.2	0.60	6820	10	170	<0.5	10	4.39	<0.5	45	1	125	6.40
C180622		4.00	0.008	<0.2	0.65	569	10	140	<0.5	4	4.33	<0.5	13	5	190	7.60
C180623		3.80	0.055	<0.2	0.60	7510	10	140	<0.5	5	3.03	<0.5	90	4	203	8.07
C180624		3.84	0.035	<0.2	0.75	2440	10	90	<0.5	7	3.02	<0.5	30	6	219	7.56
C180625		2.46	0.001	0.2	0.80	29	10	130	<0.5	5	3.91	<0.5	3	<1	129	7.19
C180626		2.30	<0.001	0.3	0.68	13	10	120	<0.5	5	4.02	<0.5	2	2	117	6.45
C180627		2.32	0.023	<0.2	0.69	6320	10	160	<0.5	3	4.93	<0.5	87	<1	25	3.49
C180628		3.80	0.004	<0.2	0.64	340	10	150	<0.5	8	5.54	<0.5	13	1	67	5.29
C180629		3.64	0.008	<0.2	0.72	106	10	150	<0.5	9	5.73	<0.5	5	<1	59	5.35
C180630		3.66	0.001	<0.2	0.68	28	10	150	<0.5	5	5.89	<0.5	4	1	53	5.57
C180631		3.60	<0.001	<0.2	0.69	52	10	170	<0.5	2	5.42	<0.5	7	<1	104	6.53
C180632		2.72	0.001	<0.2	0.69	87	20	190	0.5	2	3.88	<0.5	7	3	88	6.12
C180633		2.50	0.001	<0.2	0.69	46	20	160	<0.5	5	4.45	<0.5	7	<1	112	6.57
C180634		2.56	0.001	<0.2	0.63	26	10	140	<0.5	<2	5.49	<0.5	8	2	103	6.82
C180635		2.56	<0.001	<0.2	0.80	99	20	160	<0.5	2	5.08	<0.5	6	2	86	6.11
C180636		2.46	<0.001	<0.2	0.66	69	20	150	<0.5	<2	4.68	<0.5	3	<1	142	7.66
C180637		2.22	0.004	<0.2	0.74	567	20	140	<0.5	2	3.90	<0.5	3	2	82	6.74
C180638		3.64	<0.001	<0.2	0.74	9	20	140	<0.5	2	3.99	<0.5	1	1	7	6.97
C180639		2.46	<0.001	<0.2	0.93	154	20	140	<0.5	2	5.68	<0.5	5	2	12	6.65
C180640		1.60	0.021	0.4	0.62	9800	10	110	<0.5	23	3.86	<0.5	139	<1	137	9.28
C180641		1.94	0.007	<0.2	0.76	371	20	140	<0.5	<2	2.45	<0.5	7	2	68	7.03
C180642		2.50	<0.001	<0.2	0.84	89	20	140	0.5	<2	3.69	<0.5	3	1	29	6.55
C180643		3.86	<0.001	<0.2	0.84	86	20	170	<0.5	2	4.93	<0.5	3	3	57	6.72
C180644		3.76	0.002	<0.2	0.71	123	10	150	<0.5	<2	5.91	<0.5	7	<1	25	5.00
C180645		3.58	<0.001	<0.2	0.86	53	20	150	<0.5	<2	4.99	<0.5	4	2	27	6.38
C180646		3.60	0.003	<0.2	0.67	3440	20	130	<0.5	3	4.13	<0.5	30	<1	45	6.67
C180647		3.66	0.014	0.2	0.76	2370	20	120	<0.5	2	4.75	<0.5	16	2	25	5.13
C180648		3.64	0.016	<0.2	0.61	3160	10	120	<0.5	3	5.77	<0.5	53	<1	53	7.26
C180649		3.68	0.001	<0.2	0.78	50	20	120	<0.5	<2	4.00	<0.5	3	2	27	7.09



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 2 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 22-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06070780

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C180610		<10	<1	0.29	<10	0.22	764	<1	0.03	4	360	6	4.68	7	5	65
C180611		<10	<1	0.34	<10	0.23	994	<1	0.02	7	530	5	4.30	5	5	73
C180612		<10	<1	0.32	<10	0.34	1030	<1	0.03	7	870	9	5.23	4	8	112
C180613		<10	<1	0.36	<10	0.35	912	<1	0.02	10	410	14	4.29	5	9	56
C180614		<10	<1	0.38	<10	0.26	790	1	0.02	8	560	16	5.39	6	7	34
C180615		<10	<1	0.36	<10	0.56	1320	<1	0.03	7	1040	15	4.33	6	9	58
C180616		<10	<1	0.34	<10	0.53	1090	<1	0.02	5	580	15	2.59	6	8	56
C180617		<10	<1	0.34	<10	0.49	1020	<1	0.03	2	1320	11	2.81	5	5	79
C180618		<10	<1	0.32	<10	0.14	443	1	0.03	5	440	10	8.26	7	5	85
C180619		<10	<1	0.32	<10	0.31	1000	1	0.02	6	520	16	5.33	8	7	71
C180620		<10	<1	0.31	<10	0.49	1740	<1	0.02	11	390	102	>10.0	30	5	71
C180621		<10	<1	0.31	<10	0.91	1370	1	0.04	8	1360	10	2.15	8	9	118
C180622		<10	<1	0.32	<10	0.98	1330	2	0.04	8	1710	5	2.75	2	10	102
C180623		<10	<1	0.38	10	0.84	1400	2	0.03	20	730	6	3.45	7	12	82
C180624		<10	<1	0.42	<10	0.85	1270	1	0.03	10	820	7	3.25	4	10	80
C180625		<10	<1	0.25	<10	1.05	1500	<1	0.06	4	2060	74	1.99	5	9	109
C180626		<10	<1	0.26	<10	0.98	1660	<1	0.05	5	1550	14	1.78	6	8	104
C180627		<10	1	0.32	<10	0.68	1190	1	0.04	5	1550	6	0.68	7	7	106
C180628		<10	<1	0.29	<10	0.85	1180	<1	0.04	5	1630	10	1.45	3	8	113
C180629		<10	<1	0.28	<10	0.91	1180	<1	0.06	3	1710	8	1.36	2	8	127
C180630		<10	<1	0.29	<10	0.91	1340	<1	0.06	3	1780	11	1.10	3	9	127
C180631		<10	<1	0.36	<10	0.70	1190	<1	0.04	3	1700	9	2.62	5	9	94
C180632		<10	<1	0.34	<10	0.56	1330	<1	0.05	5	2020	7	2.09	6	8	116
C180633		<10	<1	0.34	<10	0.66	1110	<1	0.04	5	1920	9	2.32	5	8	118
C180634		<10	<1	0.32	<10	0.67	1110	<1	0.04	8	1920	5	2.48	2	7	146
C180635		<10	<1	0.40	<10	0.73	1120	<1	0.04	6	2060	5	1.88	11	8	157
C180636		<10	<1	0.36	<10	0.98	1300	<1	0.04	6	2070	6	2.43	3	8	147
C180637		<10	<1	0.42	<10	1.08	1640	<1	0.04	4	1770	10	1.51	7	7	128
C180638		<10	<1	0.36	<10	1.59	1890	<1	0.05	3	1620	6	0.12	<2	7	161
C180639		<10	<1	0.43	<10	1.42	1930	<1	0.05	4	1580	5	0.30	<2	8	163
C180640		<10	<1	0.34	<10	0.87	2210	<1	0.03	3	1200	7	3.58	68	6	130
C180641		<10	<1	0.42	<10	0.67	1370	<1	0.03	3	1610	7	2.78	16	7	81
C180642		<10	<1	0.33	<10	0.93	1380	<1	0.05	4	2060	10	0.86	3	7	127
C180643		<10	<1	0.36	<10	0.94	1300	<1	0.05	1	1780	8	1.67	2	7	132
C180644		<10	<1	0.38	<10	0.74	1480	<1	0.04	2	1730	12	0.81	<2	7	143
C180645		<10	<1	0.37	<10	0.94	1660	<1	0.04	3	1690	14	0.90	2	7	124
C180646		<10	<1	0.34	<10	0.91	1290	<1	0.04	3	1880	13	1.67	5	6	118
C180647		<10	<1	0.45	10	0.91	2200	<1	0.03	1	1670	122	0.80	17	6	129
C180648		<10	<1	0.32	<10	1.07	1490	<1	0.04	3	1490	9	1.97	17	7	123
C180649		<10	<1	0.35	<10	1.24	1480	<1	0.04	3	1620	7	0.92	<2	7	119



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 22-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06070780

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C180650		0.36	<0.001	<0.2	2.67	30	<10	340	0.8	<2	2.84	<0.5	27	5	10	7.22
C180651		3.90	0.001	<0.2	0.90	32	20	130	<0.5	2	4.40	<0.5	3	2	24	7.61
C180652		3.58	0.001	<0.2	0.80	46	10	130	<0.5	<2	4.14	<0.5	3	1	31	6.72
C180653		3.66	0.001	<0.2	0.79	272	10	140	<0.5	<2	7.18	<0.5	3	1	23	4.31
C180654		3.66	<0.001	<0.2	0.65	48	10	140	<0.5	<2	7.10	<0.5	2	<1	9	3.25
C180655		3.48	<0.001	<0.2	0.71	22	10	150	<0.5	<2	7.18	<0.5	1	2	8	3.52
C180656		3.82	0.002	<0.2	0.58	60	10	150	<0.5	<2	6.80	<0.5	4	<1	32	5.27
C180657		3.70	0.003	<0.2	0.74	61	20	150	<0.5	<2	5.74	<0.5	5	3	18	5.03
C180658		3.64	0.003	<0.2	0.60	53	10	130	<0.5	<2	5.51	<0.5	5	1	40	5.21
C180659		3.86	0.008	<0.2	0.88	618	20	150	<0.5	2	4.50	<0.5	35	2	64	7.67
C180660		3.62	0.003	<0.2	0.88	118	10	120	<0.5	2	5.26	<0.5	8	3	56	7.07
C180661		3.82	0.002	<0.2	0.88	110	20	160	<0.5	<2	4.39	<0.5	6	1	93	6.21
C180662		3.74	0.003	<0.2	0.78	1010	10	140	0.5	<2	4.41	<0.5	16	2	71	4.63
C180663		3.66	0.007	<0.2	0.84	3610	10	130	0.5	2	5.10	<0.5	36	<1	109	6.95
C180664		3.58	0.004	<0.2	0.74	616	10	150	<0.5	<2	6.20	<0.5	15	1	66	4.69
C180665		2.78	0.021	<0.2	0.88	2120	<10	20	<0.5	68	5.54	<0.5	48	<1	214	18.2
C180666		0.86	0.013	0.4	0.58	784	10	30	<0.5	21	3.42	<0.5	19	1	354	12.95
C180667		0.90	0.008	0.2	0.76	633	10	70	<0.5	10	5.21	<0.5	13	<1	200	9.27
C180668		2.86	<0.001	<0.2	0.67	113	10	130	<0.5	2	6.80	<0.5	4	2	50	5.26
C180669		3.80	<0.001	<0.2	0.75	19	10	150	<0.5	3	5.42	<0.5	2	<1	68	5.19
C180670		3.60	0.005	<0.2	0.71	28	10	170	0.5	2	6.25	<0.5	4	1	34	5.01
C180671		2.60	0.001	<0.2	0.79	508	20	180	<0.5	7	6.54	<0.5	9	<1	29	5.96
C180672		2.34	0.003	<0.2	0.67	857	10	170	<0.5	5	6.07	<0.5	19	2	41	5.79
C180673		3.68	0.010	0.2	0.63	1570	10	120	<0.5	5	3.94	<0.5	16	2	31	6.51
C180674		4.24	0.002	<0.2	0.59	149	10	110	<0.5	3	3.85	<0.5	2	2	28	6.87
C180675		2.44	0.010	0.4	0.67	2220	10	80	<0.5	<2	3.52	<0.5	14	3	115	8.39
C180676		2.54	0.007	0.3	0.56	764	10	110	<0.5	5	3.19	<0.5	6	6	75	7.56
C180677		2.58	0.007	0.6	0.66	747	10	100	<0.5	4	3.58	0.5	8	4	49	6.36
C180678		4.04	0.029	6.3	0.59	704	10	130	0.5	52	3.15	7.2	9	3	75	8.01
C180679		1.22	0.004	0.7	0.52	101	10	100	<0.5	81	3.23	<0.5	12	1	104	8.36



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 3 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 22-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06070780

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C180650		10	<1	0.50	20	1.97	1130	<1	0.76	9	2200	5	0.04	<2	16	141
C180651		<10	<1	0.38	10	1.48	1660	<1	0.05	6	1600	5	0.81	<2	9	139
C180652		<10	<1	0.35	<10	1.25	1440	<1	0.05	4	1580	5	0.93	<2	7	139
C180653		<10	<1	0.40	<10	0.80	1540	1	0.04	5	1700	12	0.57	<2	8	172
C180654		<10	<1	0.37	10	0.67	1510	1	0.04	4	1680	11	0.17	<2	7	167
C180655		<10	<1	0.39	<10	0.71	1980	<1	0.04	1	1660	15	0.17	<2	7	173
C180656		<10	<1	0.32	<10	0.92	1430	<1	0.04	9	1460	5	0.98	2	8	197
C180657		<10	<1	0.40	<10	1.07	1480	<1	0.04	8	1380	7	0.56	2	10	231
C180658		<10	<1	0.34	<10	0.92	1330	<1	0.03	10	1550	7	1.22	2	10	187
C180659		<10	<1	0.41	<10	0.86	1420	<1	0.03	16	1500	10	2.37	2	9	165
C180660		<10	<1	0.41	<10	0.76	1470	<1	0.03	14	1670	5	1.78	<2	8	137
C180661		<10	<1	0.42	<10	0.53	1220	<1	0.04	5	1780	7	1.90	<2	7	129
C180662		<10	<1	0.40	10	0.41	960	<1	0.04	2	1960	5	1.28	2	6	105
C180663		<10	<1	0.36	<10	0.51	1080	<1	0.05	3	1820	6	2.57	4	6	118
C180664		<10	<1	0.38	<10	0.44	1260	<1	0.03	2	1980	6	1.23	2	6	122
C180665		<10	<1	0.18	<10	0.50	1350	<1	0.04	3	1160	11	8.67	16	7	95
C180666		<10	<1	0.28	<10	0.38	1500	<1	0.02	4	1380	41	7.70	20	4	77
C180667		<10	<1	0.35	<10	0.39	1620	<1	0.03	2	1530	20	4.83	11	5	107
C180668		<10	<1	0.29	<10	0.41	1250	<1	0.04	3	1940	18	1.70	6	6	118
C180669		<10	<1	0.34	<10	0.41	1130	<1	0.04	2	1790	7	1.54	2	7	106
C180670		<10	<1	0.34	<10	0.51	1160	<1	0.05	1	1980	7	1.07	2	7	145
C180671		<10	<1	0.30	<10	0.96	1310	<1	0.05	2	1550	5	0.92	3	6	199
C180672		<10	<1	0.30	<10	0.60	1120	<1	0.05	3	1760	6	1.50	3	7	183
C180673		<10	<1	0.35	<10	0.72	2420	<1	0.04	7	760	15	1.52	7	8	98
C180674		<10	<1	0.31	<10	0.92	1960	<1	0.05	6	870	13	1.09	7	10	91
C180675		<10	<1	0.38	<10	0.83	1810	1	0.02	18	590	6	2.65	5	10	73
C180676		<10	<1	0.33	<10	0.56	1320	<1	0.02	24	330	2	3.78	8	8	80
C180677		<10	<1	0.36	<10	0.73	1365	1	0.02	9	750	5	1.99	6	8	80
C180678		<10	<1	0.32	<10	0.79	4390	<1	0.03	10	860	388	2.29	183	9	86
C180679		<10	1	0.36	<10	0.67	1390	<1	0.01	11	680	61	3.23	35	8	61



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 22-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06070780

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
C180650		0.90	<10	<10	190	<10	106
C180651		<0.01	<10	<10	70	<10	78
C180652		<0.01	<10	<10	55	<10	72
C180653		<0.01	<10	<10	43	<10	60
C180654		<0.01	<10	<10	44	<10	54
C180655		<0.01	<10	<10	46	<10	70
C180656		<0.01	<10	<10	44	<10	48
C180657		<0.01	<10	<10	46	<10	75
C180658		<0.01	<10	10	48	<10	53
C180659		<0.01	<10	<10	67	<10	66
C180660		<0.01	<10	<10	68	<10	52
C180661		<0.01	<10	<10	55	<10	45
C180662		<0.01	<10	<10	47	<10	28
C180663		<0.01	<10	<10	50	<10	34
C180664		<0.01	<10	<10	47	<10	38
C180665		<0.01	<10	<10	61	150	30
C180666		<0.01	<10	<10	26	<10	22
C180667		<0.01	<10	<10	35	<10	27
C180668		<0.01	<10	<10	44	<10	68
C180669		<0.01	<10	<10	46	<10	47
C180670		<0.01	<10	<10	55	<10	45
C180671		<0.01	<10	<10	57	<10	57
C180672		<0.01	<10	<10	51	<10	43
C180673		<0.01	<10	<10	40	<10	145
C180674		<0.01	<10	<10	52	<10	103
C180675		<0.01	<10	<10	52	<10	76
C180676		<0.01	<10	<10	36	<10	117
C180677		<0.01	<10	<10	39	<10	139
C180678		<0.01	<10	<10	39	<10	2210
C180679		<0.01	<10	<10	27	<10	66



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 1
Finalized Date: 26-AUG-2006
Account: ENDURA

CERTIFICATE VA06070571

Project: BQ

P.O. No.:

This report is for 29 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 17-JUL-2006.

The following have access to data associated with this certificate:

DUNCAN MCIVOR

D. MCIVOR

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: ENDURANCE GOLD CORP
ATTN: DUNCAN MCIVOR
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
SUITE 906 - 1112 WEST PENDER ST.
VANCOUVER BC V6E 2S1

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 26-AUG-2006
Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06070571

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR															
C180680		3.10	0.002	<0.2	0.63	94	10	110	0.6	5	3.38	<0.5	3	2	25	6.23
C180681		2.48	0.003	<0.2	0.55	123	10	100	0.5	13	3.96	<0.5	4	1	35	6.97
C180682		2.10	0.005	0.2	0.54	306	10	90	<0.5	13	3.43	<0.5	6	1	64	7.88
C180683		2.98	<0.001	1.7	0.84	120	10	90	<0.5	<2	8.54	<0.5	9	6	14	4.10
C180684		3.48	<0.001	0.6	0.67	10	10	80	<0.5	2	2.54	<0.5	8	3	10	4.08
C180685		2.44	<0.001	0.8	0.47	37	<10	70	<0.5	<2	4.67	<0.5	9	2	14	3.88
C180686		1.80	<0.001	0.7	0.64	63	<10	140	<0.5	<2	3.53	1.5	14	5	30	5.55
C180687		1.50	0.005	0.4	0.37	75	10	50	<0.5	2	2.86	<0.5	14	1	38	6.52
C180688		2.20	0.007	1.1	0.47	200	10	130	<0.5	3	7.27	0.7	15	5	70	6.78
C180689		2.32	0.002	<0.2	0.39	97	10	90	<0.5	<2	7.61	<0.5	6	5	28	3.90
C180690		3.32	0.003	<0.2	0.53	77	10	120	<0.5	<2	6.64	<0.5	7	6	48	4.34
C180691		2.26	<0.001	<0.2	0.44	59	10	60	<0.5	<2	7.58	<0.5	7	6	33	4.53
C180692		2.32	0.001	0.2	0.53	153	10	70	<0.5	<2	5.32	<0.5	10	4	72	5.14
C180693		1.74	<0.001	<0.2	0.51	207	10	70	<0.5	<2	4.74	<0.5	12	3	64	4.95
C180694		2.60	<0.001	<0.2	0.46	156	10	50	<0.5	2	12.00	<0.5	9	3	55	3.99
C180695		1.26	0.003	<0.2	0.58	1000	10	80	<0.5	2	4.88	<0.5	25	5	20	4.88
C180696		1.30	<0.001	<0.2	0.57	45	<10	80	<0.5	<2	6.70	<0.5	6	6	15	3.98
C180697		2.20	<0.001	<0.2	0.66	236	<10	80	<0.5	<2	5.19	<0.5	21	15	39	5.40
C180698		2.12	<0.001	<0.2	0.71	2550	10	90	<0.5	<2	4.70	<0.5	100	9	34	5.23
C180699		1.72	<0.001	<0.2	0.55	101	<10	70	<0.5	<2	6.67	<0.5	12	5	37	4.63
C180700		0.40	0.001	<0.2	2.29	10	<10	300	0.8	<2	2.69	<0.5	26	5	9	6.84
C180701		1.02	<0.001	<0.2	0.69	30	10	140	<0.5	<2	4.21	<0.5	14	3	31	4.84
C180702		3.38	<0.001	<0.2	0.80	152	10	60	<0.5	2	4.66	<0.5	16	8	38	5.70
C180703		3.52	<0.001	0.2	0.69	15	10	80	<0.5	<2	3.88	<0.5	6	4	33	5.83
C180704		3.44	0.001	<0.2	0.72	5	10	110	<0.5	<2	3.57	<0.5	4	5	32	5.05
C180705		2.40	<0.001	<0.2	0.61	12	10	90	<0.5	<2	4.57	<0.5	4	4	55	5.11
C180706		2.26	0.001	<0.2	0.68	529	10	100	<0.5	<2	3.64	<0.5	34	4	36	4.92
C180707		2.22	<0.001	<0.2	0.59	62	10	80	<0.5	<2	3.96	<0.5	6	4	35	5.34
C180708		2.84	0.001	<0.2	0.60	116	10	70	<0.5	<2	4.90	<0.5	8	4	41	5.50



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 2 - B
 Total # Pages: 2 (A - C)
 Finalized Date: 26-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06070571

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C180680		<10	<1	0.30	<10	0.80	1430	<1	0.04	8	880	11	1.03	4	9	91
C180681		<10	<1	0.27	<10	0.97	1550	<1	0.04	8	1030	17	1.41	7	9	125
C180682		<10	<1	0.29	<10	0.76	1650	1	0.03	8	760	25	2.68	10	9	83
C180683		<10	<1	0.14	<10	0.54	1730	1	0.03	9	1000	68	1.92	9	6	320
C180684		<10	<1	0.20	<10	0.68	884	<1	0.03	7	820	33	0.92	16	5	148
C180685		<10	<1	0.12	<10	0.48	723	1	0.03	7	600	28	1.74	10	6	227
C180686		<10	1	0.14	10	0.41	956	1	0.11	23	820	19	2.45	12	6	181
C180687		<10	<1	0.18	<10	0.60	907	<1	0.03	9	510	27	5.82	20	5	179
C180688		<10	1	0.22	<10	0.92	2250	2	0.05	12	480	54	4.04	64	9	150
C180689		<10	<1	0.24	<10	0.67	1810	2	0.04	7	480	6	1.31	16	7	136
C180690		<10	1	0.30	<10	0.69	1680	1	0.04	9	1330	6	1.43	19	9	152
C180691		<10	<1	0.21	<10	0.94	1250	1	0.06	9	460	5	1.91	4	9	195
C180692		<10	<1	0.26	<10	0.69	1100	1	0.07	8	630	6	1.80	4	9	125
C180693		<10	<1	0.24	<10	0.78	1130	1	0.06	6	880	6	1.51	5	8	125
C180694		<10	<1	0.21	<10	0.49	1640	1	0.05	6	640	5	1.83	4	7	145
C180695		<10	<1	0.31	<10	0.67	1440	1	0.02	4	730	2	0.90	3	8	106
C180696		<10	<1	0.24	<10	0.51	1270	1	0.06	11	810	3	0.41	4	8	128
C180697		<10	1	0.31	<10	0.53	1230	<1	0.05	15	610	4	1.32	6	9	116
C180698		<10	<1	0.34	<10	0.57	1140	2	0.04	13	650	3	1.35	10	9	95
C180699		<10	1	0.24	<10	0.60	1130	1	0.05	9	520	4	1.10	5	6	119
C180700		10	1	0.44	20	2.11	1090	<1	0.69	9	2370	2	0.04	<2	17	124
C180701		<10	<1	0.30	<10	0.74	1150	1	0.06	7	920	5	1.09	5	8	126
C180702		<10	1	0.42	<10	0.96	1530	4	0.04	8	500	4	1.18	3	11	111
C180703		<10	<1	0.33	<10	1.02	1300	3	0.07	10	490	7	1.27	5	9	107
C180704		<10	<1	0.31	<10	0.86	1040	1	0.11	7	450	6	0.95	8	8	114
C180705		<10	<1	0.29	<10	0.78	1020	3	0.08	9	490	2	1.73	6	7	147
C180706		<10	1	0.28	<10	0.78	936	1	0.12	10	430	2	1.28	5	8	122
C180707		<10	1	0.24	<10	0.87	1080	<1	0.10	12	460	4	1.44	5	9	161
C180708		<10	1	0.28	<10	0.88	1590	<1	0.07	10	470	5	1.60	7	10	122



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ENDURANCE GOLD CORP
 SUITE 906 - 1112 WEST PENDER ST.
 VANCOUVER BC V6E 2S1

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 26-AUG-2006
 Account: ENDURA

Project: BQ

CERTIFICATE OF ANALYSIS VA06070571

Sample Description	Method Analyte Units LOR	ME-ICP41 Ti %	ME-ICP41 Ti ppm	ME-ICP41 U ppm	ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm
		0.01	10	10	1	10	2
C180680		<0.01	<10	<10	58	<10	60
C180681		<0.01	<10	<10	56	<10	64
C180682		<0.01	<10	<10	52	<10	115
C180683		<0.01	<10	<10	25	<10	178
C180684		<0.01	<10	<10	23	<10	150
C180685		<0.01	<10	<10	17	<10	188
C180686		<0.01	<10	<10	31	<10	357
C180687		<0.01	<10	<10	13	<10	66
C180688		<0.01	<10	<10	43	<10	249
C180689		<0.01	<10	<10	25	<10	92
C180690		<0.01	<10	10	34	<10	53
C180691		<0.01	<10	<10	37	<10	46
C180692		<0.01	<10	10	40	<10	54
C180693		<0.01	<10	<10	35	<10	61
C180694		<0.01	<10	10	31	<10	33
C180695		<0.01	<10	<10	48	<10	50
C180696		<0.01	<10	<10	41	<10	43
C180697		<0.01	<10	<10	57	<10	50
C180698		<0.01	<10	<10	55	<10	50
C180699		<0.01	<10	10	35	<10	44
C180700		0.82	<10	<10	181	<10	97
C180701		<0.01	<10	<10	52	<10	55
C180702		0.01	<10	<10	47	<10	52
C180703		<0.01	<10	<10	37	<10	53
C180704		<0.01	<10	<10	38	<10	53
C180705		<0.01	<10	<10	28	<10	41
C180706		<0.01	<10	10	34	<10	40
C180707		<0.01	<10	10	36	<10	48
C180708		<0.01	<10	<10	32	<10	68

Appendix 3.

Quality assurance

REPEATS OF QUARTERED SAMPLES

HOLE ID	SAMPLE ID	From m	To m	Width m	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Tl %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
BQ-04	C180051	135.50	137.00	1.50	0.004	<0.2	1.16	42	10	60	<0.5	28	2.58	<0.5	4	4	221	8.84	<10	1	0.47	<10	0.59	515	1	0.09	8	660	6	4.54	<2	8	63	<0.01	10	<10	37	10	18
BQ-04	C180052	135.50	137.00	1.50	0.003	<0.2	1.03	37	<10	50	<0.5	28	2.27	<0.5	5	5	217	8.63	<10	<1	0.41	<10	0.5	458	<1	0.08	6	640	7	4.76	<2	6	57	<0.01	<10	<10	35	<10	19
BQ-04	C180101	184.00	195.00	1.00	0.018	0.4	0.68	1570	10	90	<0.5	100	2.8	<0.5	2	3	85	4.48	<10	<1	0.41	<10	0.16	790	2	0.02	8	260	21	2.59	6	3	67	<0.01	10	<10	10	<10	46
BQ-04	C180102	194.00	195.00	1.00	0.020	0.4	0.66	1700	10	180	<0.5	68	3.01	<0.5	3	21	68	3.82	<10	<1	0.52	<10	0.18	836	3	0.02	7	300	12	1.85	6	3	72	<0.01	<10	<10	11	<10	38
BQ-05	C180151	27.00	28.00	1.00	<0.001	0.3	0.75	4	10	70	<0.5	<2	3.28	0.7	2	<1	22	6.35	<10	1	0.37	10	1.69	4270	<1	0.01	3	1690	295	0.21	65	6	57	<0.01	<10	<10	48	<10	359
BQ-05	C180152	27.00	28.00	1.00	0.001	0.4	0.64	3	10	70	<0.5	<2	3.48	0.5	1	<1	35	6.01	<10	1	0.32	10	1.67	2390	<1	0.01	2	1650	34	0.39	15	6	61	<0.01	<10	<10	43	<10	273
BQ-05	C180201	116.00	117.00	1.00	0.003	0.3	1.05	327	10	60	0.5	3	3.48	<0.5	9	1	80	9.11	<10	<1	0.39	<10	1.49	1670	<1	0.01	3	1680	10	1.17	5	8	97	0.01	<10	<10	73	<10	92
BQ-05	C180202	116.00	117.00	1.00	0.004	0.2	0.99	801	10	60	0.5	8	3.67	<0.5	22	1	82	9.07	<10	<1	0.38	<10	1.57	1730	1	0.02	4	1680	14	1	3	8	106	0.01	<10	<10	70	<10	76
BQ-06	C180251	9.00	9.50	0.50	0.006	7.1	0.63	1455	10	80	<0.5	32	1.36	4	2	10	240	10.9	<10	<1	0.34	<10	0.74	2190	1	0.01	6	730	515	4.42	18	9	18	<0.01	<10	<10	37	<10	894
BQ-06	C180252	9.00	9.50	0.50	0.006	6.9	0.61	1640	<10	70	<0.5	34	1.1	4.5	3	5	214	11.3	<10	<1	0.32	<10	0.67	2530	1	0.01	7	680	495	4.97	15	10	16	<0.01	<10	<10	41	<10	1035
BQ-06	C180309	67.00	68.00	1.00	<0.001	0.2	1.09	22	<10	90	<0.5	2	7.91	<0.5	3	5	40	4.77	<10	<1	0.27	10	0.45	1385	1	0.08	4	2090	9	1.26	4	11	124	<0.01	<10	<10	108	<10	48
BQ-06	C180310	67.00	68.00	1.00	<0.001	0.2	0.98	24	<10	80	<0.5	3	7.79	<0.5	3	2	42	4.68	<10	1	0.23	10	0.45	1350	<1	0.08	3	2180	6	1.09	<2	11	124	<0.01	<10	<10	98	<10	58
BQ-07	C180360	21.95	22.45	0.50	1.220	2.1	0.37	336	<10	40	<0.5	11	2.18	192	<1	2	607	22	<10	<1	0.19	<10	0.7	5930	<1	<0.01	13	500	153	>10.0	25	6	45	<0.01	<10	<10	31	20	3.62%
BQ-07	C180361	21.95	22.45	0.50	1.405	2.8	0.33	316	<10	40	<0.5	13	2.75	242	2	3	680	21.4	<10	<1	0.17	<10	0.8	5240	<1	<0.01	13	510	232	>10.0	31	6	51	<0.01	<10	<10	30	10	4.74%
BQ-08	C180414	15.50	16.10	0.60	0.382	0.8	0.51	4470	<10	10	<0.5	14	1.2	1.6	30	<1	492	18.6	<10	<1	0.35	<10	0.1	1280	7	0.01	22	520	21	>10.0	10	4	29	<0.01	<10	<10	13	<10	366
BQ-08	C180415	15.50	16.10	0.60	0.134	0.7	0.49	2820	<10	10	<0.5	10	1.12	1.8	18	<1	485	17.7	<10	<1	0.34	<10	0.1	1210	5	0.01	23	530	21	>10.0	6	4	26	<0.01	<10	<10	13	<10	368
BQ-08	180454	68.30	69.20	0.90	0.193	0.2	0.68	1565	<10	120	<0.5	7	3.8	<0.5	34	7	133	6.15	<10	<1	0.24	<10	0.52	836	<1	0.06	19	470	8	2.84	3	8	68	<0.01	<10	<10	38	<10	33
BQ-08	180455	68.30	69.30	1.00	0.263	0.2	0.66	1105	<10	120	<0.5	7	3.91	<0.5	21	4	112	5.74	<10	<1	0.23	<10	0.53	849	<1	0.05	14	470	8	2.42	4	8	69	<0.01	<10	<10	38	<10	32
BQ-08	180508	160.00	161.00	1.00	0.027	0.3	0.6	1955	10	60	0.6	2	5.13	1.8	29	12	68	5.91	<10	1	0.22	<10	0.49	2820	1	0.04	17	560	18	2.02	6	5	122	<0.01	<10	<10	29	<10	361
BQ-08	180510	160.00	161.00	1.00	0.006	<0.2	0.62	392	10	60	0.6	<2	7.22	1.4	12	7	36	4.95	<10	1	0.22	<10	0.54	2550	1	0.05	10	600	10	1.21	3	6	205	<0.01	<10	<10	32	<10	277
BQ-10	C180552	75.00	75.50	0.50	1.175	0.8	1.54	572	<10	60	<0.5	69	2.19	<0.5	11	15	784	19.2	10	1	0.31	<10	1.15	971	<1	0.03	19	1090	9	7.09	12	16	38	0.01	10	<10	111	<10	55
BQ-10	C180553	75.00	75.50	0.50	1.505	0.8	1.42	647	<10	100	<0.5	94	2.35	<0.5	12	15	1120	20.5	<10	1	0.27	<10	1.25	1040	<1	0.03	21	1000	6	7.27	9	18	40	<0.01	<10	<10	112	<10	61
BQ-10	C180604	133.10	134.10	1.00	0.144	0.3	0.61	1620	10	20	<0.5	418	2.44	<0.5	7	<1	705	17.4	<10	<1	0.35	<10	0.19	800	<1	0.03	7	350	14	>10.0	18	7	65	<0.01	<10	<10	23	<10	133
BQ-10	C180605	133.10	134.10	1.00	0.033	<0.2	0.63	1000	10	30	<0.5	14	3.22	<0.5	4	1	510	11.9	<10	<1	0.34	<10	0.16	890	<1	0.02	5	400	5	7.01	3	8	76	<0.01	<10	<10	21	<10	50
BQ-10	C180666	218.50	219.20	0.70	0.013	0.4	0.58	784	10	30	<0.5	21	3.42	<0.5	19	1	354	13	<10	<1	0.28	<10	0.38	1500	<1	0.02	4	1390	41	7.7	20	4	77	<0.01	<10	<10	26	<10	22
BQ-10	C180667	218.50	219.20	0.70	0.006	0.2	0.76	633	10	70	<0.5	10	5.21	<0.5	13	<1	200	9.27	<10	<1	0.35	<10	0.39	1620	<1	0.03	2	1530	20	4.63	11	5	107	<0.01	<10	<10	35	<10	27

Repeat quartered samples

BLANK SAMPLES

SAMPLE ID	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Tl	Tl	U	V	W	Zn
	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	
C180050	<0.001	<0.2	3.86	17	<10	470	1.1	<2	3.89	<0.5	31	10	17	9.71	10	1	0.68	30	2.45	1475	1	1.1	12	3600	7	0.1	<2	22	204	1.48	<10	<10	290	<10	134
C180100	0.001	<0.2	3.12	100	<10	370	1	<2	3.65	<0.5	33	46	18	9.42	10	<1	0.55	30	2.45	1430	1	0.88	13	3380	3	0.14	<2	21	172	1.07	10	<10	223	<10	144
C180150	<0.001	<0.2	2.86	7	<10	370	0.9	<2	3.26	<0.5	29	7	12	8.38	10	<1	0.56	30	2.41	1330	<1	0.91	9	2850	5	0.04	<2	20	161	1.08	<10	<10	225	<10	123
C180200	<0.001	<0.2	3.18	3	<10	370	0.8	<2	3.23	<0.5	26	7	11	7.73	10	<1	0.58	30	2.26	1260	2	0.92	9	2500	5	0.03	<2	19	168	1.03	<10	<10	211	<10	110
C180250	<0.001	<0.2	2.73	11	<10	340	0.9	<2	3.05	<0.5	30	7	12	7.83	10	<1	0.49	30	2.23	1215	1	0.78	11	2620	2	0.06	<2	18	150	0.92	<10	<10	200	<10	122
C180300	<0.001	<0.2	2.95	30	<10	360	0.8	2	3.08	<0.5	25	14	11	7.39	10	<1	0.57	20	2.2	1185	1	0.89	9	2280	7	0.05	4	18	154	0.95	<10	<10	195	<10	106
C180350	0.001	<0.2	2.81	<2	<10	370	0.8	<2	3.04	<0.5	26	6	10	7.61	10	<1	0.5	20	2.23	1185	<1	0.81	7	2800	4	0.05	<2	17	152	0.97	<10	<10	196	<10	106
C180400	<0.001	<0.2	2.67	4	<10	360	0.9	<2	3.12	<0.5	27	7	11	8.41	10	<1	0.53	30	2.36	1290	<1	0.85	9	2780	3	0.06	<2	19	148	0.99	<10	<10	203	<10	115
C180450	<0.001	<0.2	2.75	<2	<10	350	0.9	<2	3.04	<0.5	29	14	12	8.05	10	<1	0.51	30	2.34	1230	<1	0.85	17	2630	3	0.05	<2	18	154	0.96	<10	<10	207	<10	115
C180500	<0.001	<0.2	2.53	4	<10	310	0.8	3	2.84	<0.5	24	8	10	7.25	10	1	0.45	30	2.15	1150	<1	0.75	11	2550	4	0.06	2	17	145	0.92	<10	<10	187	<10	104
C180550	0.005	<0.2	3.42	47	<10	410	1	<2	3.63	<0.5	31	5	18	8.79	10	1	0.6	30	2.55	1400	<1	0.99	10	3080	9	0.11	<2	23	186	1.1	<10	<10	234	<10	123
C180600	<0.001	<0.2	3.29	26	<10	390	1	<2	3.5	<0.5	29	5	15	8.35	10	<1	0.64	30	2.5	1350	2	1.01	11	2960	5	0.07	<2	22	180	1.17	<10	<10	231	<10	119
C180650	<0.001	<0.2	2.67	30	<10	340	0.8	<2	2.84	<0.5	27	5	10	7.22	10	<1	0.5	20	1.97	1130	<1	0.76	9	2200	5	0.04	<2	16	141	0.9	<10	<10	190	<10	106
C180700	0.001	<0.2	2.29	10	<10	300	0.8	<2	2.69	<0.5	26	5	9	6.84	10	1	0.44	20	2.11	1090	<1	0.69	9	2370	2	0.04	<2	17	124	0.82	<10	<10	181	<10	97

Apendix 4.
Statement of Costs

Appendix 4 – Cost Statement

1) Direct Drilling Costs

As Invoiced by Driftwood Diamond Drilling:
(1,491 Metres at \$84.79 per metre Including Bits, Grease, etc.) \$126,423.31

2) Analytical Costs

As Invoiced by ALS Chemex: (708 Samples at \$28.73 per sample) \$20,341.10
Shipping and Freight Charges, as Invoiced by Bandstra Trucking: \$1,776.52

3) Geological Consulting Costs

As Invoiced by John Watkins: 26.8 Days (Including Report Preparation,
Pre-Drilling Planning and Hole Lay-Out) at \$500 per day \$13,400.00

As Invoiced by Duncan McIvor: 7 Days (Including Pre-Drilling
Consultation with First Nations, Program Planning, and Supervision)
at \$500 per day \$3,500.00

4) Field Labour Costs

As Invoiced by David Hayward for Core Sawing and Supervision
of Drill Pad/Trail Preparation: 29.65 Days at \$250 per day \$7,412.50

As Invoiced by Solomon Marsden for Core Sawing:
18 days at \$250 per day \$4,500.00

5) Drill Pad and Trail Construction

As Invoiced by Schippers Creek Contracting Limited: \$8,142.00

6) Field Support Costs

a) Logging Warehouse Rental June/July 2006 \$1,600.00
b) Field House Rental June/July 2006 \$1,000.00
c) Core Saw Rentals (2) for 20 days plus blades \$2,000.00
d) Core Racks (4) plus Shipping \$3,611.93
e) Truck Rentals: \$2,469.82
f) Fuel: \$733.55
g) Groceries: \$1,562.67
h) Accommodation-Marsden \$857.28
i) Miscellaneous Field Supplies: \$1,239.65
j) Travel (Includes 2 Trips Vancouver Island-Smithers by Watkins,

for Consultation with First Nations and For Drill Core Logging,
and 2 Trips Vancouver-Smithers by McIvor for Consultation
with First Nations and for Review of Drill Program) \$4,178.39

Total Field Support Costs: \$19,253.29

TOTAL DRILL PROGRAM COSTS: \$204,748.72

Appendix 5.

Statement of Qualifications

Statement of Qualifications

John J. Watkins, M.Sc., P. Geo.
3821 Meredith Drive
Royston, B.C., Canada, V0R 2V0
Phone: (250) 338-9345
johnjw@shaw.ca


I, John J. Watkins of 3821 Meredith Drive, Royston, B.C., Canada, V0R 2V0 do certify that:

- I am a Professional Geoscientist engaged as a mine exploration geologist on a full time basis. I am presently a Consulting Geologist and I have been so since 1983.
- I am registered member with the Association of Professional Engineers and Geoscientists of British Columbia, License # 190281. I am a Fellow of the Society of Economic Geologists and a Fellow of the Geological Society of America.
- I am a graduate of Queen's University in Kingston, Ontario with degrees in Geology, B.Sc. (1972) and M.Sc. (1980). I hold a Diploma (1967) in Exploration Technology from the Northern Alberta Institute of Technology in Edmonton, Alberta.
- The opinions, conclusions and recommendations contained in this technical report titled "Drill Hole Report, BQ Property" and dated September 7th, 2006 are based on information gathered by the author while supervising work programs on the BQ property.

Dated at Royston, British Columbia, Canada this September 8, 2006.



J. J. Watkins, P. Geo.



Statement of Qualifications


John J. Watkins, M.Sc., P.Geo.
3821 Meredith Drive
Royston, B.C., Canada, V0R 2V0
Phone: (250) 338-9345
johnjw@shaw.ca

I, John J. Watkins of 3821 Meredith Drive, Royston, B.C., Canada, V0R 2V0 do certify that:

- I am a Professional Geoscientist engaged as a mine exploration geologist on a full time basis. I am presently a Consulting Geologist and I have been so since 1983.
- I am registered member with the Association of Professional Engineers and Geoscientists of British Columbia, License # 190281. I am a Fellow of the Society of Economic Geologists and a Fellow of the Geological Society of America.
- I am a graduate of Queen's University in Kingston, Ontario with degrees in Geology, B.Sc. (1972) and M.Sc. (1980). I hold a Diploma (1967) in Exploration Technology from the Northern Alberta Institute of Technology in Edmonton, Alberta.
- The opinions, conclusions and recommendations contained in this technical report titled "Drill Hole Report, BQ Property" and dated September 7th, 2006 are based on information gathered by the author while supervising work programs on the BQ property.

Dated at Royston, British Columbia, Canada this September 8, 2006.


J. J. Watkins, P.Geo.



Suite 906, 1112 West Pender Street, Vancouver, BC, V6E 2S1
Telephone 604-682-2707 Fax 604-681-8799
Email: dmcivor@endurancegold.com



ENDURANCE GOLD
CORPORATION

April 03, 2007

David Melville, P. Geo
PO Box 9333 Sta Prov Govt
Victoria, BC
V8W 9N3

Dear Dave,

Re: Assessment Report 28543


Enclosed is a 1:5000 Map illustrating the location of drill collars in relation to claims. All core is stored in a warehouse on Lake Kathlyn Road, owned by Alpine Holdings Ltd. For access to the core contact Smithers resident David Hayward at 250-848-5252.

Sincerely,

For Endurance Gold Corporation

A handwritten signature in black ink, appearing to read 'Duncan McIvor', is written over the typed name. The signature is stylized with a large, looping initial 'D' and a long horizontal stroke extending to the right.

Duncan McIvor, P. Geo
President and CEO





- Sample Type**
- Rock Sample
Year 2006
 - ▲ Silt/Stream Sediment Sample
Year 2006
 - Soil Sample
Years 2005 & 2006

- Lithology**
- Epiclastic
 - Volcaniclastic

- BQ-04**
- Diamond Drill Hole

- Landcover**
- Cut Block
 - Cut Block Regenerating
 - Log Landing



ENDURANCE GOLD
Corporation AR# 28543

BQ PROJECT
Smithers, B.C.

GEOCHEMISTRY
SOIL, ROCK & STREAM SEDIMENT
SAMPLE LOCATIONS

DATE: MAR. 2/2007 FILE: BQSK_SOILS.WOR
FIGURE: PLOT: BQSKSAMP2.PLT



Map Projection: UTM Zone 9
Datum: NAD83