

GEOCHEMICAL REPORT

On the
Soil geochemistry
Of the

Blackstone Property

QUESNEL RIVER AREA

CARIBOO MINING DIVISION

**BRITISH COLUMBIA
NTS 93G/01E**

554000E 5879500N UTM zone 10

Prepared for

Richfield Ventures Corp.
By

D. J. Tempelman-Kluit, Ph.D, FGAC
June 26, 2006

TABLE OF CONTENTS


BLACKSTONE LOCATION MAP	3
ACCESSIBILITY, CLIMATE, PHYSIOGRAPHY	4
GEOLOGICAL SETTING	5
INTRODUCTION	9
SOIL GEOCHEMICAL RESULTS	10
GOLD SOIL GEOCHEMISTRY	11
ZINC SOIL GEOCHEMISTRY	13
COPPER SOIL GEOCHEMISTRY	14
MOLYBDENUM SOIL GEOCHEMISTRY	15
LEAD SOIL GEOCHEMISTRY	16
SILVER SOIL GEOCHEMISTRY	17
NICKEL, COBALT, MANGANESE, IRON SOIL GEOCHEMISTRY	17
CALCIUM, MAGNESIUM, SODIUM SOIL GEOCHEMISTRY	20
CONCLUSIONS.....	21
RECOMMENDATION	22
REFERENCES	22
WRITERS CERTIFICATE	23
PROSPECTING REPORT – GARY ROSTE	24
COST STATEMENT.....	26
ASSAYS	27

Note to reader:

Assays 2006-485 and 2006-341 are the results analysed in Gary Roste's prospecting report on page 24 & 25.
The remaining assays; 2006-489, 2006-510, 2006-511 & 2006-513 have been plotted in Dirk Tempelman-Kluit's report on pages 4 through 23.

LIST OF FIGURES

Figure 1. Map of the Blackstone property	10
Figure 2. Gold distribution on the Blackstone grid.....	11
Figure 3. Map of the distribution of arsenic on the Blackstone soil grid.....	12
Figure 4. Distribution of zinc in soil samples from the Blackstone grid	13
Figure 5. Copper distribution for the Blackstone soil grid.	14
Figure 6. Molybdenum distribution at Blackstone compared with zinc.....	15
Figure 7. Lead distribution at Blackstone with Zinc contours for comparison.	16
Figure 8. Map of the silver distribution on the Blackstone grid.	17
Figure 9. Nickel on the Blackstone grid with Zn contours for reference.	18
Figure 10. Cobalt on the Blackstone grid with Zn contours for reference.	18
Figure 11. Iron on the Blackstone grid with Zn contours for reference.	19
Figure 12. Manganese on the Blackstone grid with Zn contours for reference....	19
Figure 13. Calcium distribution on the Blackstone grid.....	20
Figure 14. Magnesium distribution on the Blackstone grid.....	20
Figure 15. Sodium distribution on Blackstone.	20
Figure 16. Blackstone multielement soil geochemical anomalies.....	22



Tenure Number	Type	Claim Name	Good Until	Area (ha)
531339	Mineral	BLACK STONE	20070406	466.234
531341	Mineral	BLACK STONE	20070406	466.414
531342	Mineral	BLACK STONE	20070406	466.594
531343	Mineral	BLACK STONE	20070406	466.774
531345	Mineral	BLACK STONE	20070406	466.772
531347	Mineral	BLACK STONE	20070406	388.601
531348	Mineral	BLACK STONE	20070406	466.77
531631	Mineral	BLACK STONE	20070410	427.847
545439	Mineral	BLACKSTONE 1	20081117	582.847
545440	Mineral	BLACKSTONE 2	20081117	583.184
545441	Mineral	BLACKSTONE 3	20081117	1399.234

Total Area: 6181.271 ha

ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY

The Project area is in central BC, immediately east of the Cariboo transportation-utility corridor. Cariboo Highway (97), the B.C. Rail mainline, electric transmission lines, and gas transmission pipelines follow this corridor (Figure 3). Access to the project area is by highway 26, the Quesnel-Wells highway which bisects the project area into northern and southern halves. Within the Project area access is facilitated by innumerable recent logging roads that branch from the Cariboo Highway and the Wells-Barkerville Highway.

The climate in the area is boreal continental. Summers are hot, varying from dry to fairly wet. Winters tend to be cold with -30° C. temperatures common. Precipitation is fairly evenly distributed throughout the year with snow accumulations commonly more than a meter. The exploration working season is from mid-April to end October.



Figure 1. Index map.

Quesnel, the city, is immediately west of the project area. Prince George, Quesnel and local smaller centers provide experienced manpower, equipment, logistical support and services. Prince George, 120 km north of Quesnel is a major regional center, with regularly scheduled air services to Vancouver and Kamloops. Helicopters and small fixed wing aircraft are readily available for charter.

The project area lies within the Interior Plateau physiographic province, a region of rolling north-northwest trending hills incised by small to medium sized, steep walled stream valleys. The relief is modest, generally less than 300 m, and the topography is dominated by drumlins and deglaciation drainage channels. Drainage is westward to the Fraser River. Much of the project area is underlain by thick glaciofluvial cover. As in many glaciated areas bedrock outcrops are most common on hill tops and in stream valleys. Logging road construction has improved access and increased outcrop exposure.

GEOLOGICAL SETTING

The project area is in the heart of Quesnel Trough, a linear northwest trending belt underlain by Late Triassic and Early Jurassic basalt and sedimentary rocks. From north to south the belt includes strata assigned to the Takla, Stuhini and Nicola groups. Quesnel Trough is generally 20 to 40 km wide and can be followed most of the length of BC from near Mackenzie to the 49th parallel. On the southwest Quesnel Trough is flanked by sedimentary and volcanic rocks of the Permian Cache Creek Group and on the northeast are metamorphic rocks of the Omineca Belt, dominantly Late PreCambrian and Early Paleozoic in age. The Pinchi Fault system forms the boundary of Quesnel Trough on the southwest and the Eureka-Spanish Mountain thrusts are at the Omineca Belt boundary.

Alkalic basaltic volcanic and volcaniclastic rocks of the upper Triassic Nicola Group (Quesnel Terrane) are the main rock types on the west side of the project area (Figures 3 and 4). Massive saussuritized green to dark brown green rocks dominate. The volcaniclastic textures are rarely visible and then only on weathered surfaces. Depositional or structural layering is lacking. Locally thin beds of black slate are intercalated with the volcaniclastic rocks.

Polyphase composite dykes, plugs and stocks of monzonite (nepheline) syenitic, syeno-diorite and alkali-gabbro intrude the alkalic volcaniclastic rocks and basalt. These undersaturated intrusive rocks are coeval with, or just younger than, the volcanics they invade. The stocks represent the remnants of eruptive centres of felsic volcanic rocks. They host alkalic suite porphyry mineral deposits.




Figure 2.
Quesnel
Trough runs
most of the
length of BC.

It is a narrow belt of Late Triassic volcanic and sedimentary rock. Quesnel Trough hosts many important porphyry copper-gold deposits in BC.

The east margin of the project area follows the Eureka and Spanish thrusts approximately. These thrust faults bring eastern Nicola slate over the Proterozoic to Permian Snowshoe Group. The Snowshoe is dominated by quartz mica schist and micaceous quartzite and represents metamorphosed continental sourced sedimentary and volcanic rocks. Along the thrust faulted boundary are slices and sheets of serpentinized ultramafic rocks (Crooked Amphibolite), thought to represent obducted remnants of oceanic crust and associated oceanic sediments.

Between the Eureka Spanish thrust and the Nicola volcanic belt is a low area with little relief and few outcrops. Here are scattered outcrops of black recessive weathering slate. Silty to fine sandy black slate, volcanic tuff and calcareous slate are interbedded locally. The rocks are weakly metamorphosed to lower greenschist facies and mostly unaltered. A slaty cleavage is common, but recrystallization along it is lacking. Bedding and cleavage trend northwest. Open to subisoclinal folds that trend northwest are seen locally.

Relations between the black slate and the volcanic rocks are not exposed. The slate is considered to be broadly coeval with the volcaniclastic Nicola and they may be an eastern forearc or backarc facies.

Quartz monzonite to granodiorite radiometrically dated as Cretaceous, the Naver Plutonic suite, invade the older rocks in the northwest part of the project area. They form a pluton of which only the southern extremity reaches the project area.




Figure 3. Geological Map of the project area.

This geological map shows the known mineral occurrences in Richfield's Quesnel Trough project area in relation to the regional geology. Red circles mark known occurrences; bedrock showings are labeled and unlabelled circles represent placer occurrences. Mouse Mountain and G-South are the two main bedrock mineral occurrences in the region.

Note the three main rock units. On the east are quartzite and mica schist of the Precambrian to Carboniferous Snowshoe Group (coloured purple-pink). In the central belt (uncoloured) is slate of the eastern Nicola facies. These rocks are late Triassic in age. On the west (coloured green) are alkalic volcanic and volcaniclastic rocks of the late Triassic to early Jurassic Nicola Group. Faults are indicated by dark blue lines. Small bodies of syenite and allied rocks invade the Nicola volcanics; one is seen immediately south of the Mouse Mountain showing. The Naver pluton, a large granodiorite body, is shown in pink immediately north of the G-South occurrence. Ultramafic rocks occupy a discontinuous area along the fault boundary between the eastern Nicola facies and the Snowshoe Group. The two faults along this boundary are the Eureka and Spanish Thrusts.




Figure 4. Facies distribution of the Nicola Group.


This map shows the eastern (dark green) and western (light green) Nicola Group facies of Quesnel Trough in the project area. The Eureka-Spanish Thrust system (dark blue line) on the east is the boundary of Quesnel Trough with Barkerville Terrane.

Isolated exposures of Tertiary rocks, the Eocene Kamloops Group and Eocene to Oligocene Endako Group volcanics and sediments, are found in the south of the Project area.

The geologic fabric seen only in the eastern Nicola rocks and in the Snowshoe Group, strikes north northwest. This fabric is accompanied by regional and lesser faults which also trend north-northwest. Many sub regional northeast trending faults truncate this north-northwest trend. The northeast striking faults locally displace Cretaceous and earlier rocks.

Figure 5. Map of RVC title and known mineral showings.

Here the Richfield Ventures Corp title ground in pale blue (as of June 12, 2006) is shown on the geological map as taken from mapplace.ca. Note that the eastern claims cover most of the area underlain by the black slate eastern Nicola facies. In contrast the western claims are underlain by the volcanic part of the Nicola Group.



INTRODUCTION

Blackstone straddles the boundary of the eastern and western Nicola Group facies; volcanic and volcaniclastic rocks are interlayered with black slate. Both rock types are altered, fractured and faulted and dykes of fresh trachytoid syenite invade the volcanic rocks and slate locally along the Cottonwood River.

No mineralization is exposed at Blackstone and the property is not recorded in the BC Mineral Inventory; this summary of its history is taken from Schmidt and Copeland (1984) and Pell (1986). In 1980 Henric Marthinsen reportedly collected a sample from a mineralized quartz vein in a highway borrow pit south of the Highway 26 Cottonwood River Bridge. This sample allegedly assayed 1.42 oz/ton Au and 9.44 oz/ton Ag. Unfortunately the exposed vein was covered when the Department of Highways filled in the pit a few days later following the completion of the bridge. Minor geological work was carried out following this discovery.

In 1986-87 10 RC holes were drilled on the property on the west bank of the Cottonwood River (Figure 1). Pell (1986) reports that drill holes 2-5 intersected volcanic rocks “containing zones of intense silicification, argillic alteration and pyrite mineralization”. The holes spotted on the old highways pit south of the Cottonwood River bridge

“encountered altered dark grey, green and black volcanic rocks and argillites with sulphide rich zones and zones of stockwork chalcedonic quartz veining. Visible gold was observed in six ten foot intersection on one of the holes, and in one ten foot intersection in each of the other two holes in that area. One of these holes intersected mineralized syenite with thick (2 metres) quartz veins; the other two holes cut pyritized and altered volcanic and clastic rocks.” Pell (1986).

Cuttings from these holes were assayed with interesting gold results reported from these assays (Schmidt and Copeland, 1984, 1986 and Pell, 1986). The record of this work is limited and needs confirmation; drill hole logs and assay certificates are lacking and it is not clear who performed the work. Much of the original data was not available to the writer.

In 1988 one of the RC holes (#86-4) was twinned with two diamond drill holes. Another hole (#86-9) was twinned with a single hole. This work is reported by Sookochoff (1988).

“The purpose of two diamond drill holes was to confirm the significant gold values obtained in two of the 10 hole 1986 reverse circulation drill program”..... “The significant gold assay results reported from 86-9 and 86-4 could not be duplicated.” (Sookochoff, 1988)

No drill core is available for examination and no drill cuttings were stored. Sookochoff (1988) notes that the drill core was stored with Mr Henric Marthinsen in Quesnel. Mr Marthinsen has since moved the core is presumed lost.

In 2006 the Blackstone property was optioned by Richfield Ventures Corp from Mr. Mel Zeiler, its present owner.




Figure 6. Map of the Blackstone property.

The map shows RC drill hole locations and recent sampling localities. The UTM grid spacing is at 1km. The Quesnel-Wells Highway (26) is at the lower part of the map. RC hole locations are taken from Pell (1986). RC Hole numbers from the 1986 drilling are given in yellow and the locations of recent sampling in green. The short black lines represent trenches dug in conjunction with the RC drilling and reported by Pell (1968).

**RICHFIELD VENTURES CORP
BLACKSTONE SOIL GEOCHEMISTRY**

SOIL GEOCHEMICAL RESULTS

The Blackstone soil geochemistry grid is designed to test the Blackstone property. In June 2006 soil samples were taken by crews working for Richfield Ventures Corp on grid to explore the showing further. Some 838 samples were collected on a grid with 50 m line and sample spacing. Samples were located by GPS coordinates; no grid was cut. The samples were analyzed by Eco Tech labs of Kamloops.

Analytical results, provided by Eco Tech as Excel files, were checked for accuracy and reproducibility from repeat data provided by Eco Tech. Sample tag data were checked and eastings and northings determined from them. These data were prepared for import and plotted in Manifold GIS. Maps were made of the distribution of each metal. Surfaces to show the relief of each metal in map form were prepared and contoured. The diagrams given here are products of this work.

In the maps given here the UTM grid line spacing is 1000 m. Sample localities are represented by open round circles on a regular grid spaced at 50m. In the metal distribution maps the location of the historic RC drill hole locations are given by yellow circles; note that the most metal distributions for the Blackstone show no correlation between areas with geochemical response and drill hole locations.

**RICHFIELD VENTURES CORP
BLACKSTONE SOIL GEOCHEMISTRY**

GOLD SOIL GEOCHEMISTRY





Figure 1. Gold distribution on the Blackstone grid.
Gold results are labeled in ppb Au. Zinc contours are given for comparison.

Figure 2 is a map of the gold distribution on the Blackstone soil geochemical grid. Contours of the zinc distribution are overlain on the gold distribution. Anomalous gold results are indicated by the black numbers. Yellow circles represent RC drill hole locations from 86-87 drilling. The background image is an airphoto composite showing the Cottonwood River and highway 26.

Note that the anomalous gold values are scattered and lack continuity. The gold high at the grid north edge is defined by a single sample of 545 ppb Au. Note also that the gold is generally high away from the area where other metals are responsive as shown here by the zinc geochemistry contours. The 1986- 1987 RC drill holes and trenches are remote from gold highs.

**RICHFIELD VENTURES CORP
BLACKSTONE SOIL GEOCHEMISTRY**



**Figure 2. Map of the distribution of arsenic on the Blackstone soil grid.
Arsenic values are labeled in ppm As**

The Blackstone arsenic distribution does not match that of gold as comparison of figures 2 and 3 demonstrates. Arsenic threshold at 95% of the distribution is 20 ppm As; the highs at the anomaly are 530, 435, 375 and 295 ppm, a substantial multistation anomaly with coincident Zn, Cu, Sb, Al, Co, Ni and Fe.

RICHFIELD VENTURES CORP
BLACKSTONE SOIL GEOCHEMISTRY

ZINC SOIL GEOCHEMISTRY




Figure 3. Distribution of zinc in soil samples from the Blackstone grid.
Zinc values above the threshold value of 136 ppm are labeled.

The zinc distribution in soil samples from the Blackstone grid shows a response along the southwest bank of the Cottonwood River as figure 4 demonstrates. The figure also shows that the RC drilling missed the zinc anomaly in each hole. At 95% of the distribution the zinc threshold is 136 ppm; highest zinc values are 401, 300, 280, 256, 233, 227, 223, 217 and 210 ppm, strongly anomalous.

Copper, antimony, arsenic, aluminum, cobalt, nickel, strontium, manganese, molybdenum and iron correspond with the zinc distribution and show similar patterns of concentration on the northeast edge of the grid with particular concentration at the southeast corner.

RICHFIELD VENTURES CORP
BLACKSTONE SOIL GEOCHEMISTRY

COPPER SOIL GEOCHEMISTRY

Figure 5 shows the copper distribution for Blackstone with the same background and drillhole information given in other figures. The zinc contours on the copper distribution demonstrate the close relationship in the distributions of these two metals. Note that the copper and zinc (and a number of other metals) are relatively high along the west bank of the Cottonwood River. Again note that the copper (and zinc) high is not where the historic drilling was done. Anomalous threshold level for copper at 95% of the data is 65 ppm Cu. The highest copper values in the data set are 257, 227, 194, 184, 175, 167 ppm.




Figure 4. Copper distribution for the Blackstone soil grid.
 Anomalous results (>65 ppm Cu) are labeled in ppm Cu. For comparison contour lines of the zinc distribution are given.

MOLYBDENUM SOIL GEOCHEMISTRY

Figure 6 is a map of the molybdenum distribution in soil samples from the main part of the Blackstone grid. At the southeast corner of the grid molybdenum corresponds

RICHFIELD VENTURES CORP
BLACKSTONE SOIL GEOCHEMISTRY

fairly well with zinc, as demonstrated by the overlay of the zinc contours on this figure. Molybdenum values are high in two samples from adjacent sample localities, 152 and 125 ppm. Background molybdenum is 7 ppm Mo at the 95 percentile level so these two samples 56 are strongly anomalous. Other sample results are 56, 45 and 37 ppm Mo. The high Mo samples are all part of the Mo high at the southeast grid corner.

No reason for the anomaly is known, but the Mo may be related to the trachytid syenite seen in outcrops along, and near the Cottonwood.




Figure 5. Molybdenum distribution at Blackstone.
Anomalous molybdenum results are labeled in ppm Mo.

Note that the RC holes (yellow circles) miss the Mo anomaly; the nearest hole (hole 4) about 150 m from the Mo high.

RICHFIELD VENTURES CORP
BLACKSTONE SOIL GEOCHEMISTRY

LEAD SOIL GEOCHEMISTRY

Lead in soil at Blackstone shows a distribution like that of molybdenum as figure 7 demonstrates.




Figure 6. Lead distribution at Blackstone with Zinc contours for comparison. Lead values higher than 52 ppm, the 95% value for Pb, are labeled in ppm Pb.

Lead thresholds at 95% of the data at 52 ppm; 228 and 218 are the highs. Together with a couple of other high results these two samples define the anomalous zones at the southeast grid corner.

Interestingly the lead distribution also resembles that of copper, antimony, arsenic, aluminum, cobalt, nickel, strontium, manganese and iron as comparison of the diagrams demonstrates.

RICHFIELD VENTURES CORP
BLACKSTONE SOIL GEOCHEMISTRY

SILVER SOIL GEOCHEMISTRY

Figure 8 shows the Blackstone silver distribution in relation to the anomalous gold samples. Note first that silver values are uniformly low at Blackstone with the threshold value at 95% of the distribution being the detection limit of 0.5 ppm. The highest silver responses on the grid are 1.8 and 0.9 ppm Ag. Also note that the silver distribution is spotty without concentration. Lastly note that the gold and silver distributions do not correspond and with each other and that silver shows no correlation with the strong multielement anomaly in Zn, Cu, Mo, Co, Ni, Fe, As, Mn, Sr and Al found at the southeast corner of the grid.




Figure 7. Map of the silver distribution on the main Blackstone grid.
Silver values above 0.5 ppm Ag are labelled

**RICHFIELD VENTURES CORP
BLACKSTONE SOIL GEOCHEMISTRY**

NICKEL, COBALT, MANGANESE, IRON SOIL GEOCHEMISTRY

The distributions of nickel, cobalt, manganese and iron are closely similar. These four metals help define the multielement anomaly at the grid southeast corner. Other elements that respond here are Cu, Zn, Mo, Sb, As, and Al. The following four figures demonstrate the correspondence. Ni, Co, and Fe are similar and although Mn is less so it is considered to be close enough to be part of the pattern. Highest values for Co, Ni, Mn and Fe respectively are 53 ppm, 75 ppm, >10000 ppm and >10%.

Figure 8. Nickel on the Blackstone grid with anomalous Ni values labeled in ppm Ni.





Figure 9. Cobalt on the Blackstone grid with Zn contours for reference.
Cobalt values above 95% threshold of the distribution are labeled in ppm Co.



RICHFIELD VENTURES CORP
BLACKSTONE SOIL GEOCHEMISTRY




Figure 10. Iron distribution on the Blackstone grid represented by the coloured surface. The Zn surface contours are given for comparison and anomalous iron values are labeled in %Fe.





Figure 11. Manganese on the Blackstone grid. Zn contours are given for comparison. Anomalous Mn values are labeled in ppm Mn.

**RICHFIELD VENTURES CORP
BLACKSTONE SOIL GEOCHEMISTRY**

CALCIUM, MAGNESIUM, SODIUM SOIL GEOCHEMISTRY



The metal distributions of sodium, calcium, magnesium are spotty without distinct targets as the following three figures demonstrate. Sodium shows sampling or analytical bias; the east-west sampling pattern controls the metal distribution. This may reflect the fact that the sodium levels are mostly at or just above detection limits.

Figure 12. Calcium distribution on the Blackstone grid.





Figure 13. Magnesium distribution on the Blackstone grid.

Figure 14. Sodium distribution on Blackstone.



**RICHFIELD VENTURES CORP
BLACKSTONE SOIL GEOCHEMISTRY**

CONCLUSIONS

Bedrock is shallow for at least the eastern and southern parts of the Blackstone grid and soil geochemical distribution patterns are sensible. This suggests that the geochemistry reflects bedrock metal variation and that the geochemical sampling fairly tests the chemistry of bedrock.

The Blackstone soil geochemical grid aimed to explore the gold possibilities for this property especially in view of recent results in Nicola Group black slate at Spanish Mountain. Initially similarities between Blackstone and Spanish Mountain were envisaged because the host rocks are the same and because the reports of interesting gold assays resembled those at Spanish Mountain. The gold soil geochemical results are disappointing and show convincingly that this parallel does not apply; no area of anomalous gold in soil is seen at Blackstone.

The soil geochemical grid was also intended to explore the likelihood that gold may have been encountered in the historic RC drilling on the property. The gold results from the soil geochemistry suggest this is unlikely. The diamond drill holes that twinned two of the original RC holes also came up with no gold results and support this view.

The surprise in this survey is the large (700m by 200m) multielement anomaly at the southeast grid corner along the bank of the Cottonwood River and the secondary multielement anomaly centered about a kilometre farther north. The primary anomaly is expressed in zinc, molybdenum, copper, antimony, arsenic, aluminum, cobalt, nickel, strontium, manganese, and iron. Each metal is not anomalous over the entire anomaly shown in figure 16, but each metal is anomalous at least in part of this zone. None of the historic trenching or drilling on the property tested this anomaly (Figure 16). The secondary multielement anomaly farther north is expressed in the same elements as the primary target but metal values are generally lower than in the primary anomaly.

Interesting is that the silver response is so low on Blackstone. This makes the geochemical response at Chubby Bear, where the silver values are as high as 15 ppm over substantial areas, doubly attractive.

As demonstrated metal distributions for the remainder of the Blackstone soil grid show generally flat response in most metals. The soil sampling on the east side of the Cottonwood and south of the Cottonwood River Bridge generally shows low response in all metals and these areas are also unpromising.

**RICHFIELD VENTURES CORP
BLACKSTONE SOIL GEOCHEMISTRY**

RECOMMENDATION

The geochemistry suggests that the most promising spot is 195 m northeast of hole 4 at 554400E 5878950N; it is on the highest copper and molybdenum samples and has highs in zinc and other metals as noted. This spot is indicated by the black circle on figure 16. If any RC holes are twinned hole 4 should be highest priority and the locality noted above should be chosen as the collar locality of a vertical hole. Trenching at this locality to expose bedrock may be sufficient to explain the source of the high copper/molybdenum and other metals.




Figure 15. Blackstone multielement soil geochemical anomalies.


REFERENCES

- Pell, J., 1986,
Geological Report on the Mastt Property, Cariboo Mining Division, NTS 93 G/1E Unpublished report.
- Schmidt, U and Copeland, D.J., 1984,
Report on the Mastt property, Cariboo Mining Division. NTS 93 G/1E Unpublished report.
- Sookochoff, L., 1988,
Diamond Drill Report for 007 Precious Metals Inc on the Henric Claim Group, NTS 93G/1E Assessment Report 16948.

WRITER'S CERTIFICATE

I, Dirk Tempelman-Kluit, residing at 4697 West 4th Avenue, Vancouver, British Columbia, do hereby certify that:

1. I am a geologist residing in Vancouver, B.C.
2. I obtained a Bachelor of Applied Science degree in Geological Engineering in 1962 and a Master of Applied Science degree in Geological Engineering in 1964 from The University of British Columbia, Vancouver, British Columbia, Canada and obtained a Ph D in Geology in 1968 from Mc Gill University in Montreal, Quebec, Canada.
3. I have practiced my profession as a geologist since 1962 for the Geological Survey of Canada and several junior exploration companies. Work has included detailed and regional property examinations and mapping. I have directly supervised and conducted programs of geological mapping.
4. I am a Fellow of the Geological Association of Canada, fellow #1969.
5. By reason of education, work experience and professional membership I am a "qualified person" as defined by National Instrument 43-101.
6. I am not aware of any material fact or material change with respect to the subject matter of the report which is not reflected in the report and by which the omission to disclose would make the Technical Report misleading.
7. I am independent of the issuer applying all of the tests in Section 1.5 of National Instrument 43-101.
8. I am not an employee of Richfield Ventures Corp. and have no interest in the subject property.
9. I hereby consent to the publication of this report by Richfield Ventures Corp. I further consent to the filing of this report with any stock exchange and other regulatory authority and any publication by them, including electronic publication in the public company files on their websites accessible by the public.



Dirk Jacob Tempelman-Kluit

**REPORT ON THE SPRING 2006
RECONNAISSANCE PROSPECTING PROGRAM**

ON THE:

BLACKSTONE

PROJECT

FOR

RICHFIELD VENTURES CORP

**331 REID STREET
QUESNEL, B.C.
V2J 2M5**

**REPORTED
BY GARY LYLE ROSTE, P. GEO.**

**1857 ALMA ROAD
QUESNEL, B.C.
V2J 6J3**

JULY, 2006

INTRODUCTION

From April 20 to July 7, 2006 I have conducted a “first pass” review of several of Richfield Ventures Corporations projects. These projects are part of Richfield’s Quesnel Trough Project.

The aim of the project visits was to quickly gather enough information as to whether the projects were 1; in a favourable geologic setting and 2; mineralization was present in quantity sufficient to warrant further work. As many rock samples as possible were collected by the writer and submitted for analysis. On several of the projects a program of soil sampling was conducted concurrently by Richfield staff and those results as well as the results presented here will be used in the future by Richfield when planning where to focus future exploration work.

The projects are discussed below in alphabetical order.

BLACKSTONE

A total of 6 days were spent in the field on the Blackstone property doing reconnaissance prospecting and rock sampling. A total of 48 rock samples were collected by the writer and sent to Eco Tech Laboratory Ltd. in Kamloops, B.C. All samples were analysed for gold, platinum and palladium by fire assay and for 28 elements by ICP.

All samples were “grab” samples taken from outcrop unless specified as “float” or “subcrop” in the sample description section of this report.

The Blackstone property is underlain by rocks of the Nicola Group and within the property consist mostly of black, fine textured shales. The shales contain on average 1% fine disseminated pyrite.

These rocks are intruded locally by small stocks and sills of porphyritic syenite. The syenite contains trace to 0.5% disseminated pyrite. Potassic feldspar lathes are often up to 3cms long but usually average around 1cm. Along contacts between the shales and syenite the shales are more pyritic, up to 5% coarse cubic and blebby. One outcrop of andesite was noted in the area of the most northern drill hole, DH-5, drilled by Mastt resources.

Most rock samples taken were of pyritic shales along contacts with syenite.

Results of the rock sampling were not encouraging. The best gold assay was 50ppb from sample 148326. The best copper value was 613ppm from sample 148331. Several samples yielded interesting arsenic values up to 5505ppm and may warrant follow up depending on results from the soil sampling.

GARY LYLE ROSTE, P.GEO.

July 20, 2006

Cost Statement

Technical

Assays	18,424.80
Freight on Samples	471.73
Geologist	
Dirk Tempelman-Kluit (<i>report</i>)	845.00
Gary Roste (prospecting)	
7 days @ \$400.00	2,800.00
 TOTAL TECHNICAL	\$ 22,541.53

Physical

Soil Sampling	
25 man days @\$275/day	6,875.00
Equipment Rental	1,143.23
Fuel	213.98
Supplies	106.32
 TOTAL PHYSICAL	\$ 8,338.53

DOLLARS SPENT ON BLACKSTONE	\$ 30,880.06
------------------------------------	---------------------

CERTIFICATE OF ANALYSIS AK 2006-341

RICHFIELD VENTURES CORP.
331 Reid Street
Quesnel, BC
V2J 2M5

10-May-06

ATTENTION: Peter Bernier

No. of samples received: 26

Sample Type: Rock

Project #: Blackstone

Samples submitted by: Gary Roste

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
1	BS-1	10	<5	<5
2	BS-2	15	<5	<5
3	BS-3	5	<5	<5
4	BS-4	10	<5	<5
5	BS-5	10	<5	<5
6	BS-6	5	<5	<5
7	BS-7	10	<5	<5
8	BS-8	10	<5	<5
9	BS-9	15	<5	<5
10	BS-10	5	<5	<5
11	BS-11	10	<5	<5
12	BS-12	5	<5	<5
13	BS-13	5	<5	<5
14	BS-14	5	<5	<5
15	BS-15	5	<5	<5
16	BS-16	5	<5	<5
17	BS-17	5	<5	<5
18	BS-18	<5	<5	<5
19	BS-19	<5	<5	<5
20	BS-20	5	<5	<5
21	BS-21	<5	<5	<5
22	BS-22	5	<5	<5
23	BS-23	5	<5	<5
24	BS-29	5	<5	<5
25	BS-30	10	<5	<5
26	BS-31	10	<5	<5

RICHFIELD VENTURES CORP. AK6-341

10-May-06

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
-------	-------	-------------	-------------	-------------

QC DATA:

Resplit:

1	BS-1	5	<5	<5
---	------	---	----	----

Repeat:

1	BS-1	10	<5	<5
10	BS-10	5	<5	<5

Standard:

PG114	430	790	390
-------	-----	-----	-----

JJ/ga
XLS/06

ECO TECH LABORATORY LTD.

Jutta Jealouse
B.C. Certified Assayer

ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2006-341

RICHFIELD VENTURES CORP.
 331 Reid Street
Quesnel, BC
 V2J 2M5

Phone: 250-573-5700
 Fax : 250-573-4557

ATTENTION: Peter Bernier

No. of samples received: 26

Sample type: Rock

Project #: Blackstone

Samples submitted by: Gary Roste

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	BS-1	0.2	2.41	<5	80	<5	0.92	<1	11	54	84	4.15	<10	1.47	438	5	0.14	12	1550	20	<5	<20	61	0.22	<10	223	<10	13	62
2	BS-2	<0.2	2.50	15	510	<5	0.71	<1	11	78	87	6.74	<10	1.42	505	6	0.09	12	1680	22	<5	<20	111	0.18	<10	196	<10	17	92
3	BS-3	<0.2	0.89	<5	35	<5	0.87	<1	13	38	79	2.38	<10	0.42	132	13	0.08	17	1410	10	<5	<20	32	0.14	<10	104	<10	9	40
4	BS-4	<0.2	1.53	<5	20	<5	2.21	<1	14	54	52	2.53	<10	1.21	468	<1	0.03	18	1740	12	<5	<20	197	0.07	<10	74	<10	7	43
5	BS-5	<0.2	1.16	5	360	<5	0.07	1	19	94	162	6.21	20	0.31	477	<1	<0.01	101	730	22	<5	<20	14	<0.01	<10	30	<10	17	347
6	BS-6	<0.2	0.89	<5	35	<5	0.88	<1	5	26	16	1.60	<10	0.27	388	<1	0.05	7	430	14	<5	<20	94	0.05	<10	71	<10	4	28
7	BS-7	<0.2	1.83	<5	35	<5	1.31	2	13	37	72	3.35	<10	1.03	268	5	0.11	18	1270	16	<5	<20	41	0.17	<10	173	<10	10	88
8	BS-8	<0.2	2.23	<5	70	<5	1.10	<1	20	54	70	4.14	<10	1.50	566	3	0.17	14	1120	16	<5	<20	60	0.23	<10	142	<10	11	66
9	BS-9	<0.2	0.30	5505	90	<5	3.99	78	12	73	60	4.82	<10	0.69	863	3	<0.01	10	820	12	55	<20	87	<0.01	<10	31	<10	9	53
10	BS-10	<0.2	1.68	20	60	<5	1.30	<1	14	42	26	3.65	<10	0.70	789	2	0.12	8	770	14	<5	<20	23	0.20	<10	117	<10	10	47
11	BS-11	0.8	1.52	915	20	<5	0.75	13	17	75	58	5.10	<10	0.44	174	10	0.12	12	630	24	<5	<20	25	0.05	<10	60	<10	9	76
12	BS-12	<0.2	0.98	15	55	<5	0.93	<1	7	38	37	1.93	<10	0.31	157	1	0.06	7	1160	12	<5	<20	87	0.05	<10	66	<10	4	31
13	BS-13	<0.2	2.48	<5	60	<5	1.44	<1	21	48	57	4.19	<10	1.46	401	3	0.18	12	1230	16	<5	<20	70	0.23	<10	140	<10	9	46
14	BS-14	<0.2	0.68	45	110	<5	0.36	13	9	8	145	1.64	<10	0.19	66	48	0.06	29	660	10	25	<20	21	0.14	<10	260	<10	13	167
15	BS-15	<0.2	0.45	<5	20	<5	0.62	1	20	52	198	4.26	<10	0.26	109	3	0.08	29	1230	8	<5	<20	26	0.18	<10	110	<10	11	72
16	BS-16	<0.2	1.67	10	20	<5	1.00	3	9	33	102	3.45	<10	0.70	267	3	0.04	25	2010	16	<5	<20	73	0.07	<10	122	<10	6	135
17	BS-17	<0.2	1.54	65	115	<5	1.61	1	8	30	58	3.16	<10	0.55	212	6	0.06	9	1340	20	15	<20	50	0.20	<10	140	<10	12	36
18	BS-18	<0.2	0.63	<5	75	<5	0.44	<1	9	77	45	2.07	<10	0.28	363	9	0.04	6	610	8	<5	<20	17	0.14	<10	62	<10	7	25
19	BS-19	<0.2	1.32	<5	400	<5	0.73	<1	8	32	34	4.29	<10	0.77	205	11	0.06	5	1210	16	<5	<20	90	0.28	<10	172	<10	10	28
20	BS-20	<0.2	0.63	<5	45	<5	1.33	<1	5	32	6	1.28	<10	0.36	453	<1	0.05	6	460	10	<5	<20	152	0.05	<10	51	<10	4	27
21	BS-21	<0.2	1.35	<5	155	<5	0.72	<1	11	44	60	2.64	<10	1.06	559	<1	0.09	14	1090	12	<5	<20	49	0.15	<10	90	<10	10	50
22	BS-22	<0.2	1.83	<5	130	<5	2.16	<1	15	35	53	3.00	<10	0.90	549	1	0.10	8	1500	14	<5	<20	71	0.16	<10	108	<10	11	49
23	BS-23	0.5	1.83	<5	100	<5	0.82	<1	11	87	231	2.43	<10	1.58	256	3	0.12	24	650	16	<5	<20	48	0.23	<10	101	<10	14	91
24	BS-29	<0.2	1.68	<5	45	<5	1.39	<1	25	23	88	3.75	<10	1.04	401	1	0.07	21	1130	14	<5	<20	59	0.22	<10	133	<10	10	79
25	BS-30	0.2	1.50	15	35	<5	1.86	2	16	48	94	3.74	<10	0.99	550	10	0.07	27	1250	18	<5	<20	67	0.10	<10	145	<10	10	131
26	BS-31	<0.2	1.64	5	55	<5	2.16	2	15	44	90	3.15	<10	1.10	482	8	0.09	23	1260	16	<5	<20	79	0.13	<10	143	<10	11	115

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																													
Resplit:																													
1	BS-1	0.2	2.28	<5	75	<5	0.89	<1	11	47	91	3.96	<10	1.42	411	5	0.12	11	1370	20	<5	<20	58	0.21	<10	212	<10	12	60
Repeat:																													
1	BS-1	0.2	2.44	5	80	<5	0.92	<1	11	54	83	4.16	<10	1.47	438	5	0.14	12	1450	20	<5	<20	61	0.22	<10	221	<10	13	61
10	BS-10	<0.2	1.69	20	60	<5	1.27	<1	14	49	25	3.61	<10	0.70	760	2	0.11	7	740	14	<5	<20	23	0.20	<10	109	<10	10	46
Standard:																													
GEO '06		1.4	1.61	50	130	<5	1.68	1	17	62	87	3.60	<10	0.92	605	1	0.03	29	650	24	<5	<20	54	0.11	<10	68	<10	10	76

ECO TECH LABORATORY LTD.

Jutta Jealouse
 B.C. Certified Assayer

JJ/ga
 df/n341
 XLS/06

CERTIFICATE OF ANALYSIS AK 2006-485

RICHFIELD VENTURES CORP.
331 Reid Street
Quesnel, BC
V2J 2M5

07-Jun-06

ATTENTION: Peter Bernier

No. of samples received: 22

Sample Type: Rock

Project #: Blackstone

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
1	148325	<5	<5	<5
2	148326	50	<5	<5
3	148327	10	<5	<5
4	148328	5	<5	<5
5	148329	10	<5	<5
6	148330	45	<5	<5
7	148331	5	<5	<5
8	148332	5	<5	<5
9	148345	<5	<5	<5
10	148346	5	<5	<5
11	148347	10	<5	<5
12	148348	10	<5	<5
13	148349	5	<5	<5
14	148350	<5	<5	<5
15	148351	5	<5	<5
16	148352	5	<5	<5
17	148353	5	<5	<5
18	148354	5	<5	<5
19	148355	5	<5	<5
20	148356	5	<5	<5
21	148357	5	<5	<5
22	148358	10	<5	<5

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
<u>QC DATA:</u>				
<i>Resplit:</i>				
1	148325	<5	<5	<5
<i>Repeat:</i>				
1	148325	<5	<5	<5
10	148346	5	<5	<5
19	148355	<5	<5	<5
<i>Standard:</i>				
PG115		530	1180	130

JJ/ga
XLS/06

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2006-485

RICHFIELD VENTURES CORP.
 331 Reid Street
Quesnel, BC
 V2J 2M5

Phone: 250-573-5700
 Fax : 250-573-4557

ATTENTION: Peter Bernier

No. of samples received: 22
 Sample type: Rock
 Project #: Blackstone

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	148325	<0.2	2.22	10	1005	<5	2.17	<1	26	43	146	5.43	<10	2.37	696	<1	0.07	49	790	26	<5	<20	36	0.29	<10	186	<10	9	52
2	148326	0.3	2.25	15	180	<5	9.68	<1	37	171	180	6.45	<10	3.22	1248	4	0.02	76	670	22	5	<20	141	0.02	<10	198	<10	8	64
3	148327	<0.2	3.85	10	25	<5	3.53	<1	16	38	65	6.03	<10	1.47	812	<1	0.02	8	1200	48	5	<20	8	0.17	<10	195	<10	3	73
4	148328	<0.2	0.97	30	60	20	3.06	<1	16	25	33	>10	<10	0.22	5359	13	0.01	7	370	6	<5	<20	14	0.03	<10	39	<10	<1	54
5	148329	<0.2	0.12	1595	40	10	2.30	<1	6	73	26	6.08	<10	0.60	1580	8	<0.01	15	170	6	10	<20	52	<0.01	<10	63	<10	<1	136
6	148330	<0.2	1.66	45	120	<5	1.13	<1	16	35	111	4.85	<10	1.23	669	3	0.10	8	1210	24	<5	<20	22	0.09	<10	216	<10	12	60
7	148331	0.2	1.46	25	80	<5	6.87	22	37	25	613	4.43	20	0.18	3314	29	0.01	121	570	22	<5	<20	34	<0.01	<10	53	<10	89	749
8	148332	<0.2	1.37	20	25	<5	1.19	<1	11	34	75	3.29	<10	0.75	674	3	0.05	12	940	20	<5	<20	31	0.06	<10	132	<10	4	68
9	148345	0.2	1.53	20	70	<5	1.35	2	18	42	123	3.08	<10	0.49	200	6	0.09	19	1180	20	35	<20	42	0.14	<10	131	<10	12	66
10	148346	0.2	1.37	25	45	<5	0.73	1	7	41	47	3.38	<10	0.48	243	9	0.06	15	1720	22	<5	<20	19	0.09	<10	208	<10	20	47
11	148347	<0.2	1.29	10	30	<5	0.64	<1	12	38	45	4.04	<10	0.45	475	3	0.04	17	940	22	<5	<20	23	0.06	<10	115	<10	4	58
12	148348	0.2	1.18	890	25	<5	0.18	<1	9	52	62	5.58	<10	0.31	172	11	0.06	15	1110	20	45	<20	10	0.09	<10	244	<10	5	83
13	148349	<0.2	1.81	15	80	15	0.50	<1	12	33	67	5.46	<10	0.81	253	<1	0.04	10	1180	28	<5	<20	12	0.26	<10	203	<10	7	46
14	148350	<0.2	0.75	<5	35	<5	0.82	<1	18	45	466	2.72	<10	0.23	124	3	0.06	24	1000	12	<5	<20	22	0.16	<10	171	<10	14	109
15	148351	<0.2	1.03	10	75	<5	0.81	<1	7	36	45	1.73	<10	0.35	184	4	0.05	21	940	58	20	<20	82	0.02	<10	77	<10	7	81
16	148352	0.3	0.37	355	870	<5	0.16	2	5	26	119	9.69	<10	<0.01	737	24	<0.01	38	2060	6	40	<20	23	<0.01	<10	294	<10	4	170
17	148353	0.6	0.27	530	1135	5	0.10	<1	12	29	89	7.63	<10	<0.01	4192	14	<0.01	31	1340	12	<5	<20	8	<0.01	<10	175	<10	<1	180
18	148354	<0.2	0.13	235	<5	<5	0.15	<1	8	109	18	0.82	<10	0.01	22	<1	<0.01	31	570	6	10	<20	28	<0.01	<10	22	<10	5	6
19	148355	0.2	0.36	565	25	<5	0.97	<1	48	138	111	6.32	10	0.03	1394	5	0.01	388	4100	8	90	<20	91	<0.01	<10	45	<10	10	81
20	148356	<0.2	1.47	<5	40	<5	2.00	<1	21	42	115	4.20	<10	0.91	1014	<1	0.18	16	1300	20	<5	<20	54	0.17	<10	167	<10	7	40
21	148357	<0.2	1.72	5	25	<5	1.77	<1	21	39	125	4.31	<10	1.14	235	<1	0.11	18	1060	22	<5	<20	48	0.22	<10	132	<10	9	26
22	148358	0.3	1.58	40	50	<5	0.41	<1	17	38	93	5.69	<10	0.91	848	30	0.07	33	1580	24	<5	<20	12	<0.01	<10	302	<10	11	202

QC DATA:**Resplit:**

1	148325	<0.2	2.21	10	985	<5	2.12	<1	27	41	138	5.39	<10	2.33	684	<1	0.07	49	840	28	<5	<20	35	0.29	<10	185	<10	12	51
---	--------	------	------	----	-----	----	------	----	----	----	-----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	-----	-----	----	----

Repeat:

1	148325	<0.2	2.21	10	1005	<5	2.16	<1	26	43	145	5.43	<10	2.36	695	<1	0.07	51	800	28	<5	<20	38	0.27	<10	188	<10	10	52
10	148346	0.2	1.36	25	40	5	0.72	<1	7	42	46	3.33	<10	0.48	240	6	0.06	8	1720	22	<5	<20	19	0.17	<10	206	<10	24	46

Standard:

GEO '06		1.4	1.75	65	135	<5	1.69	<1	18	60	85	4.03	<10	0.89	648	1	0.04	30	730	22	<5	<20	53	0.10	<10	69	<10	9	76
---------	--	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	---	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

CERTIFICATE OF ANALYSIS AK 2006-489

RICHFIELD VENTURES CORP.
331 Reid Street
Quesnel, BC
V2J 2M5

07-Jun-06

ATTENTION: Peter Bernier

No. of samples received: 268

Sample Type: Soil

Project #: Blackstone

Samples submitted by: Pete Bernier

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
1	L79850 3000	5	<5	<5
2	L79850 3050	5	<5	<5
3	L79850 3100	10	<5	<5
4	L79850 3150	5	<5	<5
5	L79850 3200	5	<5	<5
6	L79850 3250	5	<5	<5
7	L79850 3300	5	<5	<5
8	L79850 3350	<5	<5	<5
9	L79850 3400	5	<5	<5
10	L79850 3450	5	<5	<5
11	L79850 3500	5	<5	<5
12	L79850 3550	5	<5	<5
13	L79850 3600	10	<5	<5
14	L79850 3650	<5	<5	<5
15	L79850 3700	5	<5	<5
16	L79850 3750	5	<5	<5
17	L79850 3800	5	<5	<5
18	L79850 3850	5	<5	<5
19	L79850 3900	5	<5	<5
20	L79850 3950	5	<5	<5
21	L79850 4000	5	<5	<5
22	L79850 4050	5	<5	<5
23	L79850 4100	5	<5	<5
24	L79900 3000	5	<5	<5
25	L79900 3050	5	<5	<5
26	L79900 3100	5	<5	<5
27	L79900 3150	5	<5	<5
28	L79900 3200	5	<5	<5
29	L79900 3250	5	<5	<5
30	L79900 3300	5	<5	<5

RICHFIELD VENTURES CORP. 489

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
31	L79900 3350	5	<5	<5
32	L79900 3400	5	<5	<5
33	L79900 3450	5	<5	<5
34	L79900 3500	10	<5	<5
35	L79900 3550	5	<5	<5
36	L79900 3600	5	<5	<5
37	L79900 3650	<5	<5	<5
38	L79900 3700	<5	<5	<5
39	L79900 3750	5	<5	<5
40	L79900 3800	<5	<5	<5
41	L79900 3850	<5	<5	<5
42	L79900 3900	<5	<5	<5
43	L79900 3950	5	<5	<5
44	L79900 4000	5	<5	<5
45	L79900 4050	5	<5	<5
46	L79900 4100	5	<5	<5
47	L79700 3000	5	<5	<5
48	L79700 3050	5	<5	<5
49	L79700 3100	<5	<5	<5
50	L79700 3150	15	<5	<5
51	L79700 3200	5	<5	<5
52	L79700 3250	5	<5	<5
53	L79700 3300	5	<5	<5
54	L79700 3350	5	<5	<5
55	L79700 3400	5	<5	<5
56	L79700 3450	5	<5	<5
57	L79700 3500	5	<5	<5
58	L79700 3550	<5	<5	<5
59	L79700 3600	<5	<5	<5
60	L79700 3650	5	<5	<5
61	L79700 3700	5	<5	<5
62	L79700 3750	5	<5	<5
63	L79700 3800	<5	<5	<5
64	L79700 3850	5	<5	<5
65	L79700 3900	<5	<5	<5
66	L79700 3950	5	<5	<5
67	L79700 4000	5	<5	<5
68	L79700 4050	5	<5	<5
69	L79700 4100	5	<5	<5
70	L79700 4150	5	<5	<5
71	L79700 4200	10	<5	<5
72	L79750 3000	<5	<5	<5
73	L79750 3050	5	<5	<5
74	L79750 3100	5	<5	<5
75	L79750 3150	5	<5	<5

RICHFIELD VENTURES CORP. 489

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
76	L79750 3200	45	<5	<5
77	L79750 3250	5	<5	<5
78	L79750 3300	5	<5	<5
79	L79750 3350	<5	<5	<5
80	L79750 3400	5	<5	<5
81	L79750 3450	<5	<5	<5
82	L79750 3500	5	<5	<5
83	L79750 3550	<5	<5	<5
84	L79750 3600	10	<5	<5
85	L79750 3650	5	<5	<5
86	L79750 3700	5	<5	<5
87	L79750 3750	5	<5	<5
88	L79750 3800	<5	<5	<5
89	L79750 3850	5	<5	<5
90	L79750 3900	<5	<5	<5
91	L79750 3950	<5	<5	<5
92	L79750 4000	5	<5	<5
93	L79750 4050	<5	<5	<5
94	L79750 4100	5	<5	<5
95	L79750 4150	10	<5	<5
96	L79750 4200	5	<5	<5
97	L79950 3000	5	<5	<5
98	L79950 3050	5	<5	<5
99	L79950 3100	5	<5	<5
100	L79950 3150	<5	<5	<5
101	L79950 3200	10	<5	<5
102	L79950 3250	5	<5	<5
103	L79950 3300	5	<5	<5
104	L79950 3350	5	<5	<5
105	L79950 3400	15	<5	<5
106	L79950 3450	10	<5	<5
107	L79950 3500	5	<5	<5
108	L79950 3550	<5	<5	<5
109	L79950 3600	<5	<5	<5
110	L79950 3650	<5	<5	<5
111	L79950 3700	<5	<5	<5
112	L79950 3750	<5	<5	<5
113	L79950 3800	<5	<5	<5
114	L79950 3850	<5	<5	<5
115	L79950 3900	<5	<5	<5
116	L79950 3950	10	<5	<5
117	L79950 4000	<5	<5	<5
118	L79000 3600	10	<5	<5
119	L79000 3650	10	<5	<5
120	L79000 3700	10	<5	<5

RICHFIELD VENTURES CORP. 489

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
121	L79000 3750	5	<5	<5
122	L79000 3800	10	<5	<5
123	L79000 3900	10	<5	<5
124	L79000 3950	10	<5	<5
125	L79000 4000	10	<5	<5
126	L79000 4050	20	<5	<5
127	L79000 4100	10	<5	<5
128	L79000 4150	5	<5	<5
129	L79000 4200	5	<5	<5
130	L79000 4250	5	<5	<5
131	L79000 4300	5	<5	<5
132	L79000 4350	10	<5	<5
133	L79000 4400	5	<5	<5
134	L79000 4450	5	<5	<5
135	L79000 4500	5	<5	<5
136	L79000 4550	5	<5	<5
137	L78800 3700	10	<5	<5
138	L78800 3750	5	<5	<5
139	L78800 3800	5	<5	<5
140	L78800 3850	5	<5	<5
141	L78800 3900	5	<5	<5
142	L78800 3950	10	<5	<5
143	L78800 4000	10	<5	<5
144	L78800 4050	10	<5	<5
145	L78800 4100	5	<5	<5
146	L78800 4150	5	<5	<5
147	L78800 4200	5	<5	<5
148	L78800 4250	5	<5	<5
149	L78800 4300	5	<5	<5
150	L78800 4350	135	<5	<5
151	L78800 4400	5	<5	<5
152	L78800 4450	10	<5	<5
153	L78800 4500	<5	<5	<5
154	L78950 3500	5	<5	<5
155	L78950 3550	5	<5	<5
156	L78950 3600	5	<5	<5
157	L78950 3650	5	<5	<5
158	L78950 3700	5	<5	<5
159	L78950 3750	180	<5	<5
160	L78950 3900	<5	<5	<5
161	L78950 3950	5	<5	<5
162	L78950 4000	5	<5	<5
163	L78950 4050	5	<5	<5
164	L78950 4100	5	<5	<5
165	L78950 4150	5	<5	<5

RICHFIELD VENTURES CORP. 489

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
166	L78950 4200	5	<5	<5
167	L78950 4250	5	<5	<5
168	L78950 4300	<5	<5	<5
169	L78950 4350	5	<5	<5
170	L78950 4400	<5	<5	<5
171	L78950 4450	<5	<5	<5
172	L78950 4500	5	<5	<5
173	L78850 3650	5	<5	<5
174	L78850 3700	5	<5	<5
175	L78850 3750	5	<5	<5
176	L78850 3800	15	<5	<5
177	L78850 3850	60	<5	<5
178	L78850 3900	10	<5	<5
179	L78850 3950	10	<5	<5
180	L78850 4000	10	<5	<5
181	L78850 4050	10	<5	<5
182	L78850 4100	15	<5	<5
183	L78850 4150	10	<5	<5
184	L78850 4200	15	<5	<5
185	L78850 4250	10	<5	<5
186	L78850 4300	10	<5	<5
187	L78850 4350	10	<5	<5
188	L78850 4400	20	<5	<5
189	L78850 4450	5	<5	<5
190	L78850 4500	10	<5	<5
191	L78900 3550	10	<5	<5
192	L78900 3600	5	<5	<5
193	L78900 3650	10	<5	<5
194	L78900 3850	10	<5	<5
195	L78900 3900	10	<5	<5
196	L78900 3950	5	<5	<5
197	L78900 4000	5	<5	<5
198	L78900 4050	10	<5	<5
199	L78900 4100	60	<5	<5
200	L78900 4150	5	<5	<5
201	L78900 4200	10	<5	<5
202	L78900 4250	5	<5	<5
203	L78900 4300	10	<5	<5
204	L78900 4350	5	<5	<5
205	L78900 4400	5	<5	<5
206	L78900 4450	5	<5	<5
207	L78900 4500	10	<5	<5
208	L79200 4600	10	<5	<5
209	L79200 4650	10	<5	<5
210	L79200 4700	<5	<5	<5

RICHFIELD VENTURES CORP. 489

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
211	L79200 4750	15	<5	<5
212	L79200 4800	15	<5	<5
213	L79200 4850	20	<5	<5
214	L79200 4900	10	<5	<5
215	L79200 5050	30	<5	<5
216	L79200 5100	15	<5	<5
217	L79200 5150	15	<5	<5
218	L79200 5200	10	<5	<5
219	L79200 5250	10	<5	<5
220	L79200 5300	10	<5	<5
221	L78750 3750	15	<5	<5
222	L78750 3800	10	<5	<5
223	L78750 3850	15	<5	<5
224	L78750 3900	15	<5	<5
225	L78750 3950	15	<5	<5
226	L78750 4000	10	<5	<5
227	L78750 4050	15	<5	<5
228	L78750 4100	15	<5	<5
229	L78750 4150	10	<5	<5
230	L78750 4200	5	<5	<5
231	L78750 4250	10	<5	<5
232	L78750 4300	10	<5	<5
233	L78750 4350	10	<5	<5
234	L78750 4400	15	<5	<5
235	L78750 4450	15	<5	<5
236	L78750 4500	15	<5	<5
237	L79100 4600	5	<5	<5
238	L79100 4650	10	<5	<5
239	L79100 4700	15	<5	<5
240	L79100 4750	10	<5	<5
241	L79100 4800	10	<5	<5
242	L79100 4850	15	<5	<5
243	L79100 4900	15	<5	<5
244	L79100 4950	10	<5	<5
245	L79100 5000	10	<5	<5
246	L79100 5050	5	<5	<5
247	L79100 5100	15	<5	<5
248	L79100 5150	5	<5	<5
249	L79100 5200	70	<5	<5
250	L79100 5250	<5	<5	<5
251	L79100 5300	<5	<5	<5
252	L79100 5350	<5	<5	<5
253	L79000 4550	<5	<5	<5
254	L79000 4600	<5	<5	<5
255	L79000 4650	<5	<5	<5

RICHFIELD VENTURES CORP. 489

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
256	L79000 4700	5	<5	<5
257	L79000 4750	<5	<5	<5
258	L79000 4800	<5	<5	<5
259	L79000 4850	<5	<5	<5
260	L79000 4900	5	<5	<5
261	L79000 4950	<5	<5	<5
262	L79000 5000	15	<5	<5
263	L79000 5050	<5	<5	<5
264	L79000 5100	25	<5	<5
265	L79000 5150	5	<5	<5
266	L79000 5200	<5	<5	<5
267	L79000 5250	<5	<5	<5
268	L79000 5300	<5	<5	<5

QC DATA:

Repeat:

1	L79850 3000	<5	<5	<5
10	L79850 3450	5	<5	<5
19	L79850 3900	10	<5	<5
29	L79900 3250	5	<5	<5
37	L79900 3650	5	<5	<5
46	L79900 4100	5	<5	<5
55	L79700 3400	5	<5	<5
65	L79700 3900	5	<5	<5
73	L79750 3050	5	<5	<5
76	L79750 3200	35	<5	<5
83	L79750 3550	<5	<5	<5
92	L79750 4000	5	<5	<5
99	L79950 3100	5	<5	<5
106	L79950 3450	<5	<5	<5
119	L79000 3650	5	<5	<5
130	L79000 4250	10	<5	<5
133	L79000 4400	10	<5	<5
135	L79000 4500	45	<5	<5
147	L78800 4200	10	<5	<5
155	L78950 3550	5	<5	<5
159	L78950 3750	5	<5	<5
168	L78950 4300	5	<5	<5
178	L78850 3900	15	<5	<5
185	L78850 4250	5	<5	<5
195	L78900 3900	5	<5	<5
203	L78900 4300	<5	<5	<5

RICHFIELD VENTURES CORP. 489

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
211	L79200 4750	10	<5	<5
226	L78750 4000	10	<5	<5
231	L78750 4250	10	<5	<5
238	L79100 4650	15	<5	<5
246	L79100 5050	10	<5	<5
255	L79000 4650	<5	<5	<5
264	L79000 5100	25	<5	<5

Standard:

PG115	510	1230	125
PG115	515	1225	130
PG115	520	1240	130
PG115	520	1235	120
PG115	530	1225	125
PG115	530	1230	135
PG115	510	1240	130

JJ/ga
XLS/06

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4

Phone: 250-573-5700
 Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2006-489

RICHFIELD VENTURES CORP.
 331 Reid Street
Quesnel, BC
 V2J 2M5

ATTENTION: Peter Bernier

No. of samples received: 268
 Sample type: Soil
 Project #: Blackstone

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L79850 3000	<0.2	1.00	<5	75	<5	0.23	<1	6	25	13	1.47	<10	0.32	154	<1	0.01	13	280	18	<5	<20	17	0.08	<10	46	<10	4	44
2	L79850 3050	<0.2	1.01	<5	85	<5	0.28	<1	7	32	18	1.98	<10	0.41	191	<1	0.01	20	280	18	<5	<20	15	0.09	<10	64	<10	2	44
3	L79850 3100	<0.2	1.11	<5	60	<5	0.23	<1	6	29	14	1.74	<10	0.35	147	<1	0.01	16	300	20	<5	<20	7	0.08	<10	56	<10	<1	39
4	L79850 3150	<0.2	1.22	<5	60	<5	0.27	<1	8	35	19	2.52	<10	0.39	194	<1	0.01	23	510	18	<5	<20	3	0.08	<10	71	<10	<1	54
5	L79850 3200	<0.2	1.22	<5	65	<5	0.32	<1	9	37	20	2.31	<10	0.51	235	<1	0.01	22	400	18	<5	<20	6	0.11	<10	71	<10	<1	48
6	L79850 3250	0.2	1.17	<5	70	<5	0.34	<1	9	33	17	2.23	<10	0.42	340	<1	0.01	20	650	18	<5	<20	9	0.08	<10	61	<10	<1	60
7	L79850 3300	0.2	1.37	<5	110	5	0.30	<1	9	38	17	2.80	<10	0.35	198	<1	0.01	23	870	26	<5	<20	16	0.07	<10	72	<10	<1	80
8	L79850 3350	<0.2	1.15	<5	70	<5	0.32	<1	10	36	20	2.55	<10	0.46	236	<1	0.01	24	530	18	<5	<20	10	0.09	<10	74	<10	<1	54
9	L79850 3400	0.8	1.57	<5	80	<5	0.25	<1	10	39	19	2.73	<10	0.45	200	<1	0.01	29	660	24	<5	<20	4	0.08	<10	76	<10	<1	51
10	L79850 3450	0.2	1.71	<5	120	<5	0.27	<1	10	39	23	2.96	<10	0.38	197	<1	0.01	28	610	32	<5	<20	14	0.08	<10	85	<10	<1	81
11	L79850 3500	<0.2	1.21	<5	80	<5	0.37	<1	11	44	23	2.63	<10	0.51	299	<1	0.01	26	610	22	<5	<20	16	0.09	<10	79	<10	1	51
12	L79850 3550	0.2	1.06	<5	85	<5	0.36	<1	14	32	20	2.25	<10	0.37	672	<1	0.01	20	550	16	<5	<20	9	0.08	<10	65	<10	<1	62
13	L79850 3600	0.9	3.99	10	230	<5	0.60	<1	42	106	104	7.79	<10	1.14	2165	6	0.02	75	720	70	<5	<20	29	0.08	<10	191	<10	<1	171
14	L79850 3650	<0.2	1.30	<5	115	<5	0.30	1	9	34	18	2.92	<10	0.37	310	<1	0.01	22	1650	20	<5	<20	6	0.07	<10	70	<10	<1	105
15	L79850 3700	0.3	1.72	<5	110	<5	0.44	1	15	47	47	3.32	<10	0.55	536	<1	0.01	34	470	30	<5	<20	21	0.08	<10	89	<10	2	85
16	L79850 3750	0.3	2.55	<5	95	<5	0.37	<1	10	54	60	3.94	<10	0.53	216	2	0.01	32	290	44	<5	<20	16	0.07	<10	101	<10	<1	68
17	L79850 3800	0.2	1.20	<5	145	<5	0.32	2	10	34	19	2.58	<10	0.43	586	<1	0.01	20	980	20	<5	<20	14	0.09	<10	69	<10	<1	163
18	L79850 3850	<0.2	1.17	<5	110	<5	0.14	<1	9	30	16	2.44	<10	0.21	1613	<1	0.01	14	310	22	<5	<20	4	0.07	<10	82	<10	<1	61
19	L79850 3900	0.2	2.85	<5	105	<5	0.23	1	17	48	38	4.83	<10	0.48	297	1	0.01	39	820	44	<5	<20	3	0.11	<10	149	<10	<1	210
20	L79850 3950	0.2	1.12	<5	105	<5	0.37	<1	11	31	22	2.28	<10	0.35	495	<1	0.01	20	450	20	<5	<20	15	0.07	<10	67	<10	<1	66
21	L79850 4000	0.2	1.07	<5	135	<5	0.38	<1	8	31	17	2.87	<10	0.32	269	<1	0.01	16	1650	22	<5	<20	11	0.07	<10	72	<10	<1	60
22	L79850 4050	0.2	1.31	15	80	<5	0.38	<1	14	35	44	3.48	<10	0.45	391	1	0.01	26	440	22	<5	<20	14	0.07	<10	95	<10	3	91
23	L79850 4100	<0.2	1.04	<5	55	<5	0.35	<1	10	31	26	2.38	<10	0.41	306	<1	0.01	20	260	18	<5	<20	9	0.07	<10	71	<10	<1	49
24	L79900 3000	<0.2	0.99	<5	55	<5	0.22	<1	7	25	11	1.67	<10	0.33	218	<1	0.01	14	250	16	<5	<20	3	0.07	<10	49	<10	<1	52
25	L79900 3050	0.2	1.29	<5	105	<5	0.26	<1	10	34	23	2.54	<10	0.44	447	<1	0.01	23	390	24	<5	<20	9	0.07	<10	73	<10	<1	72
26	L79900 3100	<0.2	1.34	<5	95	<5	0.28	<1	8	35	21	2.40	<10	0.41	180	<1	0.01	26	670	24	<5	<20	9	0.08	<10	70	<10	<1	74
27	L79900 3150	0.2	1.11	<5	85	<5	0.27	<1	8	34	17	2.39	<10	0.34	266	<1	0.01	19	350	20	<5	<20	10	0.08	<10	69	<10	<1	51
28	L79900 3200	0.3	1.31	<5	105	<5	0.39	<1	11	36	23	2.67	<10	0.44	392	<1	0.01	21	670	24	<5	<20	17	0.09	<10	87	<10	<1	84
29	L79900 3250	<0.2	0.97	<5	70	<5	0.32	<1	7	33	16	2.21	<10	0.37	197	<1	0.01	20	380	16	<5	<20	6	0.09	<10	63	<10	<1	63
30	L79900 3300	<0.2	0.83	<5	125	<5	0.32	<1	9	32	14	2.13	<10	0.34	728	<1	0.01	20	390	12	<5	<20	5	0.08	<10	58	<10	<1	52

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
31	L79900 3350	0.3	1.24	<5	75	<5	0.37	<1	8	30	14	2.18	<10	0.30	195	<1	0.01	19	450	22	<5	<20	17	0.08	<10	65	<10	<1	71
32	L79900 3400	0.3	1.44	<5	60	<5	0.28	<1	9	37	21	2.40	<10	0.47	263	<1	0.01	23	470	24	<5	<20	4	0.09	<10	70	<10	<1	52
33	L79900 3450	<0.2	1.62	<5	90	<5	0.29	<1	11	41	22	3.09	<10	0.46	224	<1	0.01	28	940	26	<5	<20	7	0.08	<10	87	<10	<1	90
34	L79900 3500	<0.2	1.35	<5	85	<5	0.30	<1	11	46	25	2.94	<10	0.52	270	<1	0.01	31	590	22	<5	<20	15	0.09	<10	84	<10	<1	70
35	L79900 3550	<0.2	1.16	<5	65	<5	0.35	<1	9	35	21	2.36	<10	0.47	216	<1	0.01	25	560	18	<5	<20	10	0.09	<10	67	<10	<1	58
36	L79900 3600	0.5	2.05	10	120	<5	0.40	<1	12	55	50	3.54	<10	0.68	433	<1	0.01	42	420	38	<5	<20	21	0.09	<10	92	<10	<1	85
37	L79900 3650	<0.2	2.15	10	85	<5	0.32	<1	15	45	25	3.66	<10	0.47	276	<1	0.01	46	1050	36	<5	<20	12	0.09	<10	91	<10	<1	208
38	L79900 3700	<0.2	1.51	15	65	<5	0.26	1	10	36	30	4.00	<10	0.44	236	2	0.01	22	850	26	<5	<20	3	0.07	<10	119	<10	<1	217
39	L79900 3750	0.6	1.69	10	100	<5	0.40	1	13	44	32	3.51	<10	0.54	323	<1	0.01	35	1610	26	<5	<20	14	0.09	<10	94	<10	<1	140
40	L79900 3800	<0.2	1.17	<5	60	<5	0.38	<1	11	35	23	2.56	<10	0.50	326	<1	0.01	23	550	18	<5	<20	9	0.10	<10	79	<10	<1	102
41	L79900 3850	0.2	2.18	10	65	<5	0.24	<1	11	44	36	3.75	<10	0.40	236	1	0.01	28	630	32	<5	<20	<1	0.08	<10	105	<10	<1	170
42	L79900 3900	0.3	2.38	15	110	<5	0.28	1	18	47	56	4.61	<10	0.57	733	2	0.02	40	610	36	<5	<20	7	0.11	<10	142	<10	<1	223
43	L79900 3950	<0.2	1.83	10	65	<5	0.21	<1	8	38	22	4.57	<10	0.19	170	3	0.01	18	1300	32	<5	<20	7	0.06	<10	124	<10	<1	91
44	L79900 4000	0.2	1.25	10	70	<5	0.49	<1	13	36	37	2.89	<10	0.42	610	<1	0.01	26	330	20	<5	<20	16	0.08	<10	84	<10	4	51
45	L79900 4050	0.4	1.73	10	105	<5	0.52	<1	15	49	70	3.58	<10	0.55	864	1	0.02	43	360	30	<5	<20	20	0.07	<10	94	<10	10	68
46	L79900 4100	<0.2	1.03	15	70	<5	0.37	<1	12	37	28	3.03	<10	0.47	410	<1	0.02	25	380	16	<5	<20	17	0.10	<10	87	<10	<1	49
47	L79700 3000	<0.2	1.16	<5	60	<5	0.28	<1	8	30	15	1.88	<10	0.40	259	<1	0.01	21	380	18	<5	<20	2	0.10	<10	61	<10	<1	61
48	L79700 3050	<0.2	0.64	<5	70	<5	0.26	<1	5	18	8	1.41	<10	0.21	172	<1	0.01	9	220	12	<5	<20	5	0.08	<10	48	<10	<1	46
49	L79700 3100	0.2	0.96	<5	65	<5	0.21	<1	7	24	11	1.41	<10	0.30	204	<1	0.01	13	250	14	<5	<20	4	0.08	<10	49	<10	<1	47
50	L79700 3150	0.6	2.25	5	115	<5	0.22	<1	11	44	28	3.57	<10	0.37	204	3	0.01	39	1120	32	<5	<20	4	0.07	<10	101	<10	<1	138
51	L79700 3200	0.3	1.28	<5	100	<5	0.36	<1	10	35	21	2.35	<10	0.40	419	<1	0.01	19	430	18	<5	<20	16	0.10	<10	75	<10	<1	52
52	L79700 3250	<0.2	1.18	<5	95	<5	0.38	<1	11	42	23	2.94	<10	0.43	250	<1	0.01	29	870	16	<5	<20	9	0.08	<10	79	<10	<1	51
53	L79700 3300	0.2	1.06	<5	40	<5	0.19	<1	6	27	11	1.85	<10	0.20	182	<1	0.01	13	360	16	<5	<20	<1	0.05	<10	56	<10	<1	46
54	L79700 3350	<0.2	1.29	<5	75	<5	0.35	<1	9	36	20	2.68	<10	0.45	249	<1	0.01	23	640	20	<5	<20	4	0.09	<10	76	<10	<1	66
55	L79700 3400	<0.2	1.23	<5	70	<5	0.34	<1	10	41	25	2.82	<10	0.48	298	<1	0.01	25	550	18	<5	<20	9	0.10	<10	85	<10	<1	50
56	L79700 3450	<0.2	1.33	5	70	<5	0.32	<1	9	36	20	2.50	<10	0.48	330	<1	0.01	22	520	20	<5	<20	3	0.09	<10	79	<10	<1	63
57	L79700 3500	0.5	1.92	5	115	<5	0.32	<1	15	55	29	3.52	<10	0.54	297	<1	0.01	37	1020	32	<5	<20	16	0.09	<10	93	<10	<1	93
58	L79700 3550	<0.2	1.20	<5	65	<5	0.34	<1	10	40	18	2.25	<10	0.49	317	<1	0.01	23	450	18	<5	<20	8	0.10	<10	72	<10	<1	61
59	L79700 3600	<0.2	1.16	<5	85	<5	0.33	<1	9	32	16	2.37	<10	0.34	225	<1	0.01	20	490	22	<5	<20	14	0.08	<10	67	<10	<1	61
60	L79700 3650	0.2	1.05	<5	135	<5	0.82	<1	10	30	20	2.25	<10	0.38	782	<1	0.02	20	700	16	<5	<20	30	0.08	<10	65	<10	<1	103
61	L79700 3700	0.2	1.24	<5	90	<5	0.40	1	13	39	26	2.60	<10	0.43	492	<1	0.02	26	270	22	<5	<20	20	0.09	<10	80	<10	<1	64
62	L79700 3750	0.6	1.96	10	110	<5	0.36	1	13	50	36	3.35	<10	0.58	618	2	0.01	35	420	30	<5	<20	10	0.07	<10	94	<10	<1	83
63	L79700 3800	0.4	1.71	10	95	<5	0.36	1	16	47	34	3.32	<10	0.56	737	<1	0.01	31	510	28	<5	<20	7	0.09	<10	92	<10	<1	93
64	L79700 3850	0.3	1.57	<5	80	<5	0.35	<1	11	44	25	2.92	<10	0.62	380	<1	0.01	31	440	28	<5	<20	16	0.12	<10	79	<10	<1	73
65	L79700 3900	0.2	1.02	<5	75	<5	0.32	<1	8	30	17	2.32	<10	0.34	204	<1	0.01	17	410	16	<5	<20	11	0.10	<10	71	<10	<1	53
66	L79700 3950	0.3	1.00	<5	75	<5	0.25	<1	8	24	13	1.81	<10	0.24	336	<1	0.01	14	440	14	<5	<20	4	0.06	<10	57	<10	<1	48
67	L79700 4000	0.3	2.80	10	140	<5	0.38	<1	25	67	44	4.85	<10	0.84	1188	<1	0.01	46	640	48	<5	<20	17	0.09	<10	135	<10	<1	106
68	L79700 4050	0.5	2.89	15	180	<5	0.45	<1	26	68	46	5.01	<10	0.77	1503	3	0.02	47	820	48	<5	<20	24	0.08	<10	136	<10	<1	108
69	L79700 4100	0.3	1.70	10	100	<5	0.31	1	12	36	27	3.73	<10	0.31	411	3	0.01	27	1040	28	<5	<20	11	0.06	<10	99	<10	<1	108
70	L79700 4150	0.2	1.57	20	80	<5	0.46	<1	14	36	41	3.85	<10	0.47	340	4	0.01	33	1010	24	<5	<20	10	0.06	<10	113	<10	<1	64

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
71	L79700 4200	<0.2	0.47	<5	130	<5	0.31	<1	5	17	10	1.44	<10</																

72	L79750 3000	0.4	1.39	<5	60	<5	0.24	<1	7	33	15	1.98	<10	0.39	163	<1	0.01	20	380	22	<5	<20	2	0.09	<10	62	<10	<1	58
73	L79750 3050	0.2	1.09	<5	80	<5	0.28	<1	7	27	17	2.00	<10	0.32	183	<1	0.01	17	380	18	<5	<20	10	0.08	<10	64	<10	<1	71
74	L79750 3100	<0.2	0.66	<5	50	<5	0.14	<1	2	12	6	0.57	<10	0.08	45	<1	0.01	5	140	12	<5	<20	3	0.05	<10	29	<10	<1	17
75	L79750 3150	<0.2	0.75	<5	100	<5	0.12	<1	4	20	9	1.68	<10	0.08	234	<1	0.01	8	460	16	<5	<20	6	0.06	<10	68	<10	<1	49
76	L79750 3200	<0.2	1.24	<5	85	<5	0.30	<1	8	34	22	2.42	<10	0.44	210	<1	0.01	23	380	20	<5	<20	12	0.10	<10	72	<10	<1	65
77	L79750 3250	0.5	1.19	<5	85	<5	0.25	<1	7	29	12	1.85	<10	0.26	403	<1	0.02	15	470	16	<5	<20	3	0.07	<10	57	<10	<1	53
78	L79750 3300	0.2	1.11	<5	140	<5	0.31	<1	9	39	14	2.65	<10	0.23	271	<1	0.01	15	1340	16	<5	<20	6	0.08	<10	85	<10	<1	84
79	L79750 3350	0.2	1.33	5	55	<5	0.35	<1	9	40	20	3.06	<10	0.36	173	<1	0.01	28	480	16	<5	<20	9	0.07	<10	83	<10	<1	57
80	L79750 3400	0.2	0.94	<5	60	<5	0.30	<1	6	26	13	1.69	<10	0.33	206	<1	0.01	15	300	16	<5	<20	12	0.11	<10	55	<10	<1	44
81	L79750 3450	<0.2	1.32	5	75	<5	0.30	<1	10	39	23	2.72	<10	0.41	259	<1	0.01	26	640	20	<5	<20	11	0.09	<10	81	<10	<1	68
82	L79750 3500	0.2	1.63	5	65	<5	0.29	<1	10	44	23	3.14	<10	0.40	200	<1	0.01	30	790	20	<5	<20	4	0.09	<10	89	<10	<1	73
83	L79750 3550	<0.2	0.83	<5	80	<5	0.27	<1	7	27	13	1.80	<10	0.30	165	<1	0.01	16	310	16	<5	<20	11	0.09	<10	55	<10	<1	48
84	L79750 3600	<0.2	1.13	5	80	<5	0.32	<1	9	31	19	2.40	<10	0.36	430	<1	0.01	21	470	18	<5	<20	7	0.08	<10	69	<10	<1	66
85	L79750 3650	<0.2	1.14	10	70	<5	0.33	<1	11	38	26	2.95	<10	0.45	308	<1	0.01	26	510	16	<5	<20	8	0.10	<10	90	<10	<1	64
86	L79750 3700	0.3	1.40	15	95	<5	0.63	1	13	37	28	4.04	<10	0.41	323	3	0.01	26	1320	20	<5	<20	19	0.08	<10	112	<10	<1	155
87	L79750 3750	0.3	1.95	5	115	<5	0.42	<1	12	48	42	3.27	<10	0.61	392	<1	0.01	33	430	30	<5	<20	16	0.08	<10	93	<10	<1	88
88	L79750 3800	<0.2	3.34	20	80	<5	0.19	3	18	55	72	5.05	<10	0.68	349	13	0.01	56	680	50	45	<20	4	0.07	<10	129	<10	<1	124
89	L79750 3850	0.5	3.18	20	160	<5	0.34	<1	25	76	65	5.37	<10	0.91	1536	2	0.02	58	530	50	<5	<20	20	0.09	<10	128	<10	<1	145
90	L79750 3900	0.3	2.14	10	120	<5	0.52	<1	17	51	73	4.52	<10	0.68	549	<1	0.02	35	390	34	<5	<20	21	0.13	<10	161	<10	<1	153
91	L79750 3950	<0.2	0.97	5	95	<5	0.53	<1	7	26	14	2.01	<10	0.26	286	<1	0.01	16	710	14	<5	<20	25	0.06	<10	58	<10	<1	56
92	L79750 4000	0.2	1.06	5	80	<5	0.33	<1	9	33	20	2.40	<10	0.35	227	<1	0.01	22	460	16	<5	<20	13	0.08	<10	67	<10	<1	66
93	L79750 4050	<0.2	0.68	10	85	<5	0.29	<1	7	23	14	1.80	<10	0.20	554	<1	0.01	14	280	10	<5	<20	10	0.07	<10	56	<10	<1	35
94	L79750 4100	<0.2	1.88	25	140	<5	0.31	2	12	33	35	4.54	<10	0.31	426	7	0.01	24	2080	32	15	<20	20	0.05	<10	110	<10	<1	227
95	L79750 4150	0.3	1.48	15	70	<5	0.40	<1	14	44	88	3.19	<10	0.49	658	<1	0.01	32	270	22	<5	<20	20	0.08	<10	87	<10	12	89
96	L79750 4200	<0.2	1.83	30	120	<5	0.42	<1	14	37	56	4.50	<10	0.50	245	3	0.02	25	1400	32	<5	<20	27	0.07	<10	135	<10	<1	109
97	L79950 3000	0.2	1.36	10	70	<5	0.28	<1	8	34	19	2.44	<10	0.44	213	<1	0.01	23	580	20	<5	<20	7	0.09	<10	68	<10	<1	64
98	L79950 3050	<0.2	1.31	10	115	<5	0.30	<1	14	41	19	2.46	<10	0.46	691	<1	0.01	21	470	22	<5	<20	12	0.09	<10	80	<10	<1	70
99	L79950 3100	<0.2	2.02	10	105	<5	0.23	<1	15	47	22	3.40	<10	0.32	176	2	0.01	36	680	34	<5	<20	13	0.08	<10	83	<10	<1	79
100	L79950 3150	0.2	1.67	10	120	<5	0.35	<1	9	42	26	2.77	<10	0.46	299	<1	0.01	26	380	22	5	<20	9	0.06	<10	86	<10	<1	68
101	L79950 3200	0.2	1.35	10	100	<5	0.33	1	10	49	23	2.89	<10	0.49	238	3	0.01	31	430	18	25	<20	14	0.07	<10	88	<10	<1	68
102	L79950 3250	<0.2	1.05	<5	60	<5	0.31	<1	7	33	16	2.09	<10	0.44	241	<1	0.01	20	380	10	<5	<20	<1	0.10	<10	64	<10	<1	46
103	L79950 3300	<0.2	1.06	5	60	<5	0.34	<1	7	32	15	2.25	<10	0.39	179	<1	0.01	21	770	14	<5	<20	9	0.09	<10	67	<10	<1	44
104	L79950 3350	<0.2	0.80	<5	100	<5	0.29	<1	8	24	11	1.60	<10	0.28	222	<1	0.01	11	350	18	<5	<20	26	0.11	<10	58	<10	<1	48
105	L79950 3400	<0.2	1.08	5	80	<5	0.29	<1	8	31	15	2.06	<10	0.41	247	<1	0.01	18	330	20	<5	<20	20	0.09	<10	66	<10	<1	50
106	L79950 3450	<0.2	1.26	10	100	<5	0.34	<1	8	35	18	2.35	<10	0.37	229	<1	0.01	20	420	20	<5	<20	21	0.10	<10	75	<10	<1	51
107	L79950 3500	<0.2	0.87	<5	110	<5	0.29	<1	7	27	10	1.84	<10	0.27	518	<1	0.01	13	460	12	<5	<20	8	0.09	<10	58	<10	<1	62
108	L79950 3550	0.3	1.05	10	75	<5	0.44	<1	9	35	18	2.37	<10	0.46	271	<1	0.01	21	530	16	<5	<20	16	0.12	<10	74	<10	<1	57
109	L79950 3600	<0.2	1.13	10	105	<5	0.44	<1	8	33	17	2.10	<10	0.42	220	<1	0.01	19	240	20	<5	<20	26	0.10	<10	72	<10	<1	48
110	L79950 3650	<0.2	1.18	15	70	<5	0.37	<1	9	35	22	2.65	<10	0.47	281	<1	0.01	22	240	18	<5	<20	18	0.11	<10	89	<10	<1	63

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2006-489

RICHFIELD VENTURES CORP.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
111	L79950 3700	<0.2	0.90	<5	150	<5	0.34	1	8	29	11	2.22	<10	0.24	647	<1	0.01	13	680	14	<5	<20	9	0.10	<10	74	<10	<1	118
112	L79950 3750	0.2	0.39	<5	65	<5	0.26	1	4	16	5	1.11	<10	0.09	232	<1	0.01	5	210	10	<5	<20	11	0					

114	L79950 3850	<0.2	1.18	<5	70	<5	0.44	<1	10	33	24	2.84	<10	0.41	462	<1	0.01	21	520	18	<5	<20	13	0.10	<10	86	<10	<1	75
115	L79950 3900	0.2	2.00	40	155	<5	0.50	<1	17	38	40	4.58	<10	0.46	784	1	0.01	29	760	28	<5	<20	25	0.10	<10	127	<10	<1	133
116	L79950 3950	0.2	1.98	<5	65	10	0.26	<1	11	41	32	3.81	<10	0.42	222	<1	0.01	28	340	32	<5	<20	12	0.10	<10	116	<10	<1	83
117	L79950 4000	0.4	0.84	<5	165	<5	0.72	2	14	24	20	2.88	<10	0.17	1796	1	0.02	14	860	16	<5	<20	37	0.07	<10	79	<10	<1	113
118	L79000 3600	<0.2	1.38	<5	125	<5	0.57	<1	17	75	27	3.35	<10	0.68	510	<1	0.02	39	500	20	<5	<20	21	0.13	<10	104	<10	<1	82
119	L79000 3650	<0.2	1.26	<5	105	<5	0.45	<1	10	43	19	2.71	<10	0.49	266	<1	0.02	26	600	18	<5	<20	17	0.10	<10	77	<10	<1	48
120	L79000 3700	<0.2	1.21	<5	95	<5	0.36	<1	11	31	13	2.13	<10	0.38	356	<1	0.01	19	330	16	<5	<20	11	0.09	<10	68	<10	<1	55
121	L79000 3750	<0.2	1.24	<5	105	<5	0.32	<1	9	34	15	2.40	<10	0.37	174	<1	0.01	23	260	18	<5	<20	15	0.11	<10	76	<10	<1	51
122	L79000 3800	<0.2	1.34	<5	125	<5	0.49	<1	14	44	27	2.96	<10	0.55	415	<1	0.02	31	270	18	<5	<20	21	0.13	<10	87	<10	2	46
123	L79000 3900	<0.2	1.88	5	190	<5	0.66	<1	18	76	47	4.05	<10	0.73	934	<1	0.02	45	650	24	<5	<20	34	0.15	<10	122	<10	7	70
124	L79000 3950	<0.2	2.03	10	135	<5	0.57	<1	15	84	45	4.23	<10	0.73	476	<1	0.02	41	520	22	<5	<20	21	0.16	<10	131	<10	<1	53
125	L79000 4000	0.3	2.33	10	180	<5	0.43	<1	19	56	37	3.59	10	0.62	773	<1	0.02	38	400	24	<5	<20	22	0.09	<10	106	<10	8	67
126	L79000 4050	<0.2	1.28	<5	125	<5	0.40	<1	9	33	17	2.33	<10	0.36	207	<1	0.02	21	340	16	<5	<20	17	0.12	<10	81	<10	<1	50
127	L79000 4100	<0.2	1.85	5	140	<5	0.39	<1	10	41	22	3.00	<10	0.44	229	<1	0.01	29	620	22	<5	<20	19	0.09	<10	85	<10	<1	70
128	L79000 4150	<0.2	1.12	<5	115	<5	0.38	<1	7	29	12	1.93	<10	0.37	294	<1	0.02	19	250	10	<5	<20	13	0.11	<10	62	<10	<1	68
129	L79000 4200	0.2	1.23	<5	155	<5	0.48	<1	8	36	19	2.68	<10	0.45	250	<1	0.02	24	670	14	<5	<20	25	0.12	<10	76	<10	<1	45
130	L79000 4250	0.2	1.86	5	170	<5	0.46	<1	14	48	22	3.54	<10	0.40	215	<1	0.02	33	1160	18	<5	<20	28	0.12	<10	109	<10	<1	49
131	L79000 4300	<0.2	1.21	<5	135	<5	0.54	<1	12	41	21	2.77	<10	0.48	491	<1	0.02	25	300	12	<5	<20	26	0.12	<10	82	<10	<1	40
132	L79000 4350	0.4	2.11	<5	190	<5	0.76	<1	14	57	41	3.52	10	0.70	601	<1	0.02	40	550	26	<5	<20	44	0.10	<10	89	<10	22	56
133	L79000 4400	0.8	1.12	<5	105	<5	0.40	1	9	54	12	3.03	<10	0.37	624	2	0.02	19	750	12	<5	<20	18	0.09	<10	101	<10	<1	78
134	L79000 4450	0.5	3.58	60	190	<5	0.44	<1	22	52	89	9.45	<10	0.56	512	10	0.02	44	720	32	<5	<20	29	0.14	<10	212	<10	<1	187
135	L79000 4500	0.3	0.94	<5	155	<5	0.44	<1	7	31	12	2.01	<10	0.27	237	<1	0.02	12	290	12	<5	<20	21	0.16	<10	85	<10	<1	42
136	L79000 4550	0.3	1.09	<5	105	<5	0.44	<1	8	30	16	2.24	<10	0.38	218	<1	0.02	16	340	12	<5	<20	29	0.14	<10	86	<10	<1	60
137	L78800 3700	0.2	1.50	<5	110	<5	0.39	<1	10	39	21	2.43	<10	0.50	388	<1	0.02	23	350	12	<5	<20	19	0.12	<10	85	<10	<1	58
138	L78800 3750	<0.2	1.77	<5	145	<5	0.41	<1	12	44	30	2.73	<10	0.55	348	<1	0.02	26	330	16	<5	<20	30	0.13	<10	110	<10	<1	65
139	L78800 3800	0.2	1.63	<5	120	<5	0.38	<1	13	37	26	2.39	<10	0.56	584	<1	0.02	21	460	20	<5	<20	29	0.10	<10	82	<10	6	66
140	L78800 3850	<0.2	1.38	<5	105	<5	0.31	<1	11	42	24	3.05	<10	0.43	634	<1	0.02	21	440	12	<5	<20	20	0.14	<10	108	<10	<1	44
141	L78800 3900	<0.2	1.70	<5	145	<5	0.51	<1	12	41	30	2.61	10	0.61	435	<1	0.02	25	530	24	<5	<20	33	0.12	<10	83	<10	10	67
142	L78800 3950	<0.2	2.29	<5	125	<5	0.45	<1	15	51	39	3.70	20	0.72	397	<1	0.02	33	970	34	<5	<20	26	0.14	<10	106	<10	8	92
143	L78800 4000	0.2	2.38	<5	150	5	0.51	<1	11	43	24	3.69	20	0.42	197	<1	0.02	24	2070	38	<5	<20	27	0.13	<10	106	<10	5	76
144	L78800 4050	<0.2	1.46	<5	90	5	0.44	1	10	34	19	2.33	30	0.54	182	<1	0.01	22	690	28	<5	<20	13	0.15	<10	68	<10	10	58
145	L78800 4100	<0.2	2.10	<5	150	15	0.40	<1	17	55	41	3.50	90	0.86	366	<1	0.02	37	700	58	<5	<20	16	0.18	<10	98	<10	10	62
146	L78800 4150	<0.2	1.68	<5	175	10	0.46	<1	10	38	31	2.56	120	0.57	184	<1	0.02	20	1340	72	10	<20	9	0.20	<10	93	<10	19	49
147	L78800 4200	<0.2	1.57	<5	220	15	0.62	2	14	38	32	2.22	220	0.90	240	<1	0.02	25	740	120	35	<20	5	0.29	<10	75	<10	39	56
148	L78800 4250	<0.2	1.49	10	310	15	0.76	<1	17	36	38	2.06	420	1.15	238	<1	0.03	28	1110	218	30	60	<1	0.44	<10	61	<10	72	47
149	L78800 4300	<0.2	1.97	15	150	<5	0.46	<1	14	46	29	4.04	<10	0.50	337	<1	0.01	32	2820	64	<5	<20	32	0.05	<10	90	<10	4	102
150	L78800 4350	<0.2	2.13	<5	150	<5	0.59	<1	19	61	64	4.16	10	0.94	694	<1	0.02	49	490	30	<5	<20	36	0.15	<10	108	<10	16	72

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2006-489

RICHFIELD VENTURES CORP.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
151	L78800 4400	0.2	1.41	15	50	<5	0.28	<1	10	45	24	3.34	<10	0.45	214	<1	0.01	32	720	48	<5	<20	8	0.04	<10	77	<10	<1	51
152	L78800 4450	0.4	1.87	95	785	<5	0.52	<1	53	35	257	>10	<10	0.81	>10000	28	0.02	49	1300	72	<5	<20	86	0.03	<10	232	<10	7	183
153	L78800 4500	0.3	2.28	<5	240	5	0.56	2	16	49	59	4.58	60	0.74	577	4	0.02	30	2830	38	<5	<20	28	0.12	<10	131	<10	3	125
154	L78950 3500	0.3	2.17	<5	195	5	0.65	1	13	54</																			

156	L78950 3600	<0.2	1.61	<5	125	5	0.42	<1	12	40	26	2.61	10	0.55	326	<1	0.02	25	490	20	<5	<20	23	0.14	<10	96	<10	9	82
157	L78950 3650	<0.2	1.47	<5	115	<5	0.53	<1	15	85	34	3.20	10	0.73	473	<1	0.02	40	710	18	<5	<20	26	0.13	<10	103	<10	11	67
158	L78950 3700	<0.2	1.92	<5	135	<5	0.54	1	17	60	54	3.76	10	0.78	572	<1	0.02	45	650	24	5	<20	32	0.13	<10	98	<10	11	68
159	L78950 3750	<0.2	1.17	<5	95	<5	0.36	<1	10	34	24	2.31	<10	0.46	212	<1	0.02	23	350	14	<5	<20	22	0.14	<10	72	<10	6	41
160	L78950 3900	<0.2	1.57	<5	125	<5	0.48	<1	9	36	20	2.39	<10	0.49	179	<1	0.02	20	1530	18	<5	<20	26	0.13	<10	80	<10	7	79
161	L78950 3950	<0.2	1.36	<5	105	<5	0.48	<1	11	40	31	2.70	<10	0.55	338	<1	0.02	25	560	14	<5	<20	26	0.13	<10	92	<10	8	59
162	L78950 4000	0.3	2.70	<5	110	5	0.42	<1	13	47	22	3.76	<10	0.39	217	<1	0.02	31	2640	28	<5	<20	24	0.10	<10	99	<10	<1	121
163	L78950 4050	<0.2	1.39	<5	95	<5	0.36	<1	9	34	23	2.24	<10	0.45	214	<1	0.02	24	380	16	<5	<20	22	0.12	<10	70	<10	6	48
164	L78950 4100	<0.2	1.69	<5	90	5	0.40	<1	10	40	26	2.90	<10	0.52	205	<1	0.01	30	720	22	<5	<20	18	0.12	<10	81	<10	5	71
165	L78950 4150	<0.2	1.44	<5	110	<5	0.41	<1	10	35	24	2.30	10	0.50	300	<1	0.02	23	470	20	<5	<20	26	0.13	<10	73	<10	8	62
166	L78950 4200	0.4	1.47	<5	135	<5	0.40	<1	10	32	15	2.40	<10	0.27	253	<1	0.01	20	1700	18	<5	<20	19	0.10	<10	72	<10	3	62
167	L78950 4250	<0.2	1.32	<5	80	<5	0.50	<1	13	39	24	2.77	20	0.51	280	<1	0.02	28	380	18	<5	<20	20	0.13	<10	77	<10	8	43
168	L78950 4300	<0.2	1.48	<5	115	10	0.53	<1	14	44	28	3.00	40	0.66	289	<1	0.02	31	920	30	<5	<20	16	0.16	<10	80	<10	11	53
169	L78950 4350	0.2	1.62	10	310	25	0.55	1	17	37	27	2.06	350	0.85	313	152	0.02	20	2460	228	35	80	<1	0.22	<10	64	100	43	69
170	L78950 4400	0.3	1.31	5	205	<5	0.61	1	12	46	25	2.02	170	0.64	328	45	0.01	24	1420	94	15	<20	11	0.12	<10	64	40	20	78
171	L78950 4450	1.8	2.44	<5	435	15	0.09	4	11	35	122	7.10	330	0.53	241	125	0.05	31	2430	108	<5	<20	43	<0.01	<10	297	20	<1	280
172	L78950 4500	0.3	1.88	<5	160	<5	0.29	2	12	54	41	3.58	100	0.70	156	18	0.01	34	890	62	10	<20	13	0.09	<10	135	<10	3	82
173	L78850 3650	<0.2	1.33	<5	115	10	0.34	<1	10	49	25	2.17	50	0.67	215	3	0.01	27	430	40	<5	<20	12	0.11	<10	74	<10	12	44
174	L78850 3700	<0.2	1.73	<5	115	10	0.29	<1	9	39	28	2.35	40	0.46	156	3	0.01	23	690	42	<5	<20	13	0.10	<10	76	<10	9	51
175	L78850 3750	<0.2	1.02	<5	95	10	0.27	<1	6	24	14	1.63	30	0.28	117	<1	0.01	11	400	26	<5	<20	20	0.09	<10	59	<10	12	35
176	L78850 3800	<0.2	1.59	<5	130	<5	0.35	<1	14	45	41	2.84	40	0.65	344	2	0.02	30	630	36	<5	<20	24	0.10	<10	88	<10	15	49
177	L78850 3850	<0.2	1.41	20	25	5	0.40	<1	16	41	38	3.07	<10	0.58	589	<1	<0.01	26	560	22	<5	<20	<1	0.11	<10	90	<10	2	66
178	L78850 3900	<0.2	1.40	<5	95	15	0.35	<1	12	41	31	3.01	<10	0.60	422	<1	0.01	25	530	16	<5	<20	28	0.10	<10	87	<10	<1	67
179	L78850 3950	0.2	1.89	<5	45	75	0.27	<1	17	50	44	3.92	<10	0.80	466	<1	<0.01	29	620	44	<5	<20	<1	0.16	<10	101	<10	4	101
180	L78850 4000	<0.2	1.46	<5	135	<5	0.31	<1	9	35	29	2.71	<10	0.61	318	<1	0.01	28	370	<2	<5	<20	45	0.09	<10	76	<10	<1	70
181	L78850 4050	<0.2	1.50	<5	125	<5	0.35	<1	11	37	30	2.90	<10	0.57	358	<1	0.01	26	710	18	<5	<20	30	0.08	<10	77	<10	5	79
182	L78850 4100	<0.2	1.27	<5	115	5	0.23	<1	10	36	30	2.92	<10	0.53	264	<1	0.01	24	400	18	<5	<20	20	0.08	<10	85	<10	3	54
183	L78850 4150	<0.2	1.57	<5	150	<5	0.32	<1	10	39	28	2.97	<10	0.53	219	<1	0.01	27	1650	18	<5	<20	27	0.06	<10	73	<10	<1	67
184	L78850 4200	<0.2	1.53	<5	130	<5	0.29	<1	11	34	25	2.66	<10	0.38	178	<1	0.01	23	1050	20	<5	<20	26	0.08	<10	73	<10	2	56
185	L78850 4250	<0.2	1.05	<5	95	<5	0.27	<1	10	38	31	2.58	<10	0.49	255	<1	0.01	25	290	14	<5	<20	19	0.09	<10	70	<10	1	45
186	L78850 4300	<0.2	1.50	<5	95	<5	0.36	1	16	44	35	3.27	<10	0.68	428	<1	0.01	33	670	18	<5	<20	23	0.10	<10	79	<10	2	66
187	L78850 4350	<0.2	1.65	<5	110	<5	0.25	<1	13	42	27	3.01	<10	0.51	210	<1	0.01	34	970	18	<5	<20	18	0.08	<10	75	<10	1	53
188	L78850 4400	<0.2	2.42	10	280	<5	0.81	<1	31	19	227	8.26	<10	0.97	1856	<1	0.02	22	1210	36	<5	<20	93	0.02	<10	207	<10	14	164
189	L78850 4450	0.2	1.35	<5	90	<5	0.28	1	11	37	31	2.93	<10	0.48	217	<1	0.01	28	970	12	<5	<20	17	0.06	<10	74	<10	<1	61
190	L78850 4500	<0.2	1.14	<5	100	<5	0.38	2	11	32	26	2.64	30	0.50	320	<1	0.01	21	770	22	<5	<20	11	0.07	<10	67	<10	3	89

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
191	L78900 3550	0.2	1.32	<5	140	<5	0.42	1	11	42	29	2.33	40	0.57	405	<1	0.01	23	720	36	<5	<20	25	0.09	<10	76	<10	6	55
192	L78900 3600	0.2	1.29	<5	115	10	0.32	<1	10	34	26	2.28	70	0.65	253	<1	0.01	22	560	42	<5	<20	8	0.11	<10	73	<10	6	48
193	L78900 3650	<0.2	1.24	<5	135	10	0.39	<1	13	62	30	2.40	120	0.82	269	<1	0.01	33	750	58	<5	<20	4	0.13	<10	76	<10	11	48
194	L78900 3850	<0.2	1.57	<5	120	<5	0.35	<1	14	46	45	3.30	<10	0.67	436	<1	0.01	30	510	22	<5	<20	23	0.10	<10	93	<10	6	61
195	L78900 3900	<0.2	1.34	<5	140	10	0.31	<1	8	25	20	1.71	240	0.58	98	<1	0.01	15	920	136	<5	<20	<1	0.17	<10	56	<10	15	49
196	L78900 3950	0.2	1.62	10	175	10	0.31	<1	12	32	26	2																	

197	L78900 4000	<0.2	1.06	<5	165	10	0.46	<1	9	30	20	1.96	110	0.55	150	<1	0.01	20	1100	50	<5	<20	10	0.12	<10	58	<10	9	51
198	L78900 4050	<0.2	1.09	<5	110	10	0.40	<1	12	34	28	2.35	60	0.59	265	<1	0.01	28	560	28	<5	<20	7	0.10	<10	67	<10	12	40
199	L78900 4100	<0.2	1.13	<5	80	<5	0.26	<1	9	33	24	2.24	30	0.49	203	<1	0.01	23	470	20	<5	<20	5	0.08	<10	61	<10	4	40
200	L78900 4150	<0.2	1.14	<5	85	<5	0.25	<1	8	30	19	2.19	20	0.43	166	<1	0.01	20	490	18	<5	<20	12	0.06	<10	60	<10	3	44
201	L78900 4200	0.3	1.87	<5	140	5	0.28	<1	11	40	27	3.10	<10	0.41	185	2	0.01	24	1580	30	<5	<20	21	0.08	<10	83	<10	4	66
202	L78900 4250	0.2	1.73	<5	110	<5	0.23	1	11	35	14	2.48	<10	0.29	275	<1	0.01	21	1970	22	<5	<20	11	0.07	<10	65	<10	<1	104
203	L78900 4300	0.2	2.04	<5	135	<5	0.28	<1	12	40	20	3.19	<10	0.34	211	<1	0.01	32	1980	26	<5	<20	17	0.07	<10	83	<10	<1	83
204	L78900 4350	0.6	2.10	<5	120	<5	0.32	<1	11	44	23	3.42	<10	0.45	228	<1	0.01	27	2520	24	<5	<20	16	0.07	<10	86	<10	<1	104
205	L78900 4400	0.4	1.28	<5	140	<5	0.37	1	8	33	33	2.98	<10	0.39	262	<1	0.01	17	1390	16	<5	<20	25	0.06	<10	78	<10	<1	90
206	L78900 4450	0.6	0.88	<5	75	<5	0.24	2	6	28	9	2.20	<10	0.25	159	<1	<0.01	14	530	12	<5	<20	12	0.04	<10	48	<10	<1	67
207	L78900 4500	<0.2	1.56	<5	85	<5	0.26	4	16	48	42	3.97	<10	0.68	330	2	0.01	50	800	18	<5	<20	17	0.07	<10	97	<10	<1	401
208	L79200 4600	<0.2	1.18	5	125	<5	0.31	<1	12	43	31	3.12	<10	0.48	641	2	<0.01	28	660	16	<5	<20	31	0.05	<10	67	<10	1	67
209	L79200 4650	<0.2	2.00	25	220	<5	0.43	1	14	28	40	4.54	<10	0.62	409	3	0.01	21	730	22	<5	<20	39	0.07	<10	120	<10	<1	110
210	L79200 4700	0.3	2.46	45	135	<5	0.41	1	23	40	69	5.61	<10	0.68	1141	6	0.01	42	1150	32	<5	<20	24	0.06	<10	129	<10	<1	160
211	L79200 4750	0.4	1.27	<5	105	<5	0.28	1	10	53	13	2.63	<10	0.43	192	<1	<0.01	28	1180	20	<5	<20	16	0.06	<10	66	<10	1	63
212	L79200 4800	0.2	1.10	<5	130	5	0.39	2	13	65	21	2.80	10	0.64	280	<1	<0.01	37	1490	18	<5	<20	12	0.06	<10	75	<10	<1	74
213	L79200 4850	<0.2	1.29	<5	95	10	0.22	<1	7	51	19	2.70	30	0.35	123	3	0.01	20	350	24	<5	<20	11	0.05	10	76	<10	4	34
214	L79200 4900	<0.2	1.55	<5	85	<5	0.34	1	16	63	27	2.84	20	0.73	199	2	0.01	50	520	26	5	<20	16	0.08	20	78	<10	9	37
215	L79200 5050	<0.2	0.88	<5	55	5	0.26	<1	5	30	13	1.65	20	0.42	123	<1	0.01	19	490	16	<5	<20	11	0.05	<10	43	<10	10	27
216	L79200 5100	<0.2	1.15	<5	85	10	0.42	1	11	39	25	2.57	20	0.59	295	<1	0.01	27	780	18	<5	<20	19	0.09	<10	71	<10	15	40
217	L79200 5150	<0.2	1.27	<5	90	5	0.37	<1	9	38	21	2.57	20	0.53	171	<1	0.01	22	820	22	<5	<20	21	0.08	<10	72	<10	11	39
218	L79200 5200	0.4	1.66	<5	175	10	0.54	1	15	49	55	3.23	30	0.72	552	2	0.02	32	470	26	<5	<20	45	0.08	<10	98	<10	34	46
219	L79200 5250	0.2	1.34	<5	130	5	0.45	<1	13	44	27	2.67	20	0.68	497	<1	0.02	25	480	22	<5	<20	29	0.09	<10	75	<10	18	46
220	L79200 5300	<0.2	1.50	<5	125	<5	0.46	2	13	43	29	2.89	20	0.72	324	<1	0.02	32	750	24	<5	<20	26	0.09	<10	74	<10	14	50
221	L78750 3750	0.6	2.90	<5	240	10	0.58	1	23	67	64	4.54	20	0.89	1621	4	0.02	43	670	46	<5	<20	47	0.07	<10	137	<10	10	79
222	L78750 3800	<0.2	1.44	<5	110	15	0.44	<1	10	41	30	2.85	20	0.59	320	<1	0.02	25	710	24	<5	<20	31	0.10	<10	87	<10	14	51
223	L78750 3850	0.3	0.96	<5	90	<5	0.18	<1	8	22	15	1.63	20	0.23	530	2	0.01	11	430	18	<5	<20	6	0.05	<10	52	<10	<1	36
224	L78750 3900	<0.2	1.49	<5	125	<5	0.41	<1	15	40	32	3.00	20	0.74	511	1	0.01	26	600	28	<5	<20	20	0.09	<10	90	<10	3	64
225	L78750 3950	<0.2	2.05	<5	130	10	0.35	2	18	54	53	4.20	10	1.05	582	4	0.01	39	810	34	15	<20	21	0.10	<10	124	<10	4	81
226	L78750 4000	<0.2	1.32	<5	75	<5	0.23	<1	9	34	23	2.48	<10	0.49	234	2	0.01	23	520	20	10	<20	15	0.06	<10	65	<10	4	53
227	L78750 4050	0.2	1.25	<5	90	<5	0.23	<1	9	30	19	2.04	<10	0.38	234	2	0.01	21	490	20	5	<20	18	0.05	<10	56	<10	2	62
228	L78750 4100	0.3	1.74	<5	80	<5	0.23	<1	9	33	19	2.58	<10	0.43	173	2	0.01	26	900	22	10	<20	10	0.06	<10	59	<10	1	86
229	L78750 4150	<0.2	0.71	<5	70	<5	0.21	<1	5	18	10	1.50	<10	0.24	187	<1	<0.01	11	280	10	<5	<20	9	0.05	<10	44	<10	<1	47
230	L78750 4200	<0.2	1.32	<5	85	<5	0.29	1	10	33	30	2.64	<10	0.55	388	3	0.01	26	430	16	15	<20	20	0.06	<10	70	<10	1	70

ECO TECH LABORATORY LTD.		ICP CERTIFICATE OF ANALYSIS AK 2006-489																RICHFIELD VENTURES CORP.											
Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
231	L78750 4250	<0.2	1.19	<5	80	<5	0.33	<1	10	32	28	2.53	<10	0.52	272	<1	0.01	21	710	16	<5	<20	17	0.08	<10	76	<10	3	69
232	L78750 4300	<0.2	1.06	<5	85	<5	0.36	<1	9	30	22	2.13	<10	0.49	287	<1	0.01	19	760	12	<5	<20	19	0.08	<10	69	<10	2	54
233	L78750 4350	0.2	1.33	<5	120	<5	0.36	2	12	38	30	2.75	<10	0.60	796	4	0.01	31	490	16	15	<20	19	0.05	<10	68	<10	4	69
234	L78750 4400	0.4	0.99	<5	175	<5	0.61	2	9	29	20	2.30	<10	0.43	710	3	0.01	24	860	12	10	<20	32	0.04	<10	51	<10	<1	75
235	L78750 4450	0.7	2.81	<5	205	<5	0.54	2	18	77	101	5.03	<10	0.93	1044	9	0.01	65	790	34	20	<20	34	0.02	<10	107	<10	10	121
236	L78750 4500	<0.2	0.94	<5	75	<5	0.26	<1	12	47	33	2.53	<10	0.53	382	1	<0.01	34	520	16	<5	<20	19	0.05	<10	54	<10	5	46
237</																													

239	L79100 4700	0.3	1.86	15	165	10	0.31	2	17	30	73	5.75	10	0.51	561	8	0.01	24	2160	32	<5	<20	22	0.04	<10	179	<10	<1	161
240	L79100 4750	0.6	1.32	<5	145	5	0.31	1	8	35	18	2.55	10	0.36	289	<1	<0.01	22	1670	24	<5	<20	14	0.06	<10	61	<10	1	100
241	L79100 4800	<0.2	0.92	<5	65	5	0.30	2	9	41	19	2.12	20	0.56	211	<1	<0.01	27	440	18	<5	<20	7	0.06	<10	61	<10	<1	43
242	L79100 4850	<0.2	1.43	<5	80	5	0.39	<1	16	76	38	2.85	20	0.79	311	<1	0.01	49	540	22	<5	<20	16	0.09	<10	84	<10	11	35
243	L79100 4900	<0.2	1.61	<5	95	10	0.21	<1	10	65	24	3.24	20	0.50	181	2	0.01	33	520	24	<5	<20	12	0.06	10	78	<10	5	40
244	L79100 4950	0.3	1.36	<5	135	10	0.48	<1	14	82	35	3.84	20	0.64	329	1	0.01	37	540	22	<5	<20	30	0.10	<10	136	<10	9	40
245	L79100 5000	<0.2	1.29	<5	55	5	0.18	<1	7	40	14	2.59	20	0.33	303	3	0.01	22	200	20	<5	<20	15	0.03	<10	59	<10	4	20
246	L79100 5050	<0.2	1.25	<5	70	10	0.19	<1	10	46	23	2.66	20	0.49	151	3	<0.01	38	590	20	<5	<20	9	0.04	<20	51	<10	5	57
247	L79100 5100	0.2	1.18	<5	80	10	0.16	1	9	45	19	2.67	20	0.37	182	2	<0.01	30	1100	20	<5	<20	8	0.04	<10	57	<10	2	47
248	L79100 5150	0.2	1.39	<5	85	<5	0.20	1	9	50	21	3.14	20	0.48	181	2	0.01	34	910	26	<5	<20	13	0.04	<10	61	<10	4	67
249	L79100 5200	0.2	1.04	<5	135	5	0.23	1	9	49	24	3.19	20	0.35	200	2	<0.01	30	1670	20	<5	<20	17	0.04	<10	67	<10	5	54
250	L79100 5250	0.4	1.41	<5	105	<5	0.19	<1	10	43	21	2.68	20	0.45	202	2	<0.01	40	1330	26	<5	<20	9	0.04	<10	51	<10	4	109
251	L79100 5300	0.2	1.45	<5	140	<5	0.40	1	12	40	37	2.84	30	0.61	651	2	0.01	30	670	26	<5	<20	18	0.07	<10	81	<10	13	75
252	L79100 5350	0.2	1.22	<5	85	<5	0.34	1	11	45	26	2.75	20	0.57	515	<1	0.01	27	520	16	<5	<20	11	0.08	<10	72	<10	6	59
253	L79000 4550	<0.2	0.95	<5	70	5	0.42	1	13	45	30	2.73	10	0.66	376	2	0.01	38	540	14	<5	<20	18	0.06	<10	61	<10	5	52
254	L79000 4600	<0.2	1.04	<5	65	<5	0.32	<1	10	37	24	2.53	<10	0.49	288	1	<0.01	30	610	14	<5	<20	12	0.06	<10	57	<10	1	49
255	L79000 4650	<0.2	1.80	<5	85	<5	0.32	<1	13	56	34	3.38	<10	0.64	221	1	0.01	39	1210	22	<5	<20	14	0.08	<10	95	<10	<1	59
256	L79000 4700	0.2	3.91	55	495	<5	0.54	2	17	29	100	8.29	<10	0.81	401	11	0.01	25	4450	50	<5	<20	73	0.06	<10	215	<10	<1	167
257	L79000 4750	0.2	1.57	<5	105	<5	0.33	<1	10	43	31	2.86	<10	0.51	207	<1	0.01	28	740	20	<5	<20	20	0.09	<10	81	<10	3	69
258	L79000 4800	0.6	1.66	<5	75	<5	0.31	<1	9	41	19	2.79	<10	0.39	194	<1	0.01	28	910	18	<5	<20	14	0.07	<10	72	<10	<1	75
259	L79000 4850	0.2	1.49	<5	105	<5	0.34	1	9	36	26	2.81	<10	0.58	236	<1	0.01	25	760	16	<5	<20	19	0.08	<10	79	<10	2	74
260	L79000 4900	<0.2	1.04	<5	75	<5	0.32	<1	8	44	19	2.09	<10	0.53	187	<1	0.01	23	410	14	<5	<20	16	0.08	<10	71	<10	4	45
261	L79000 4950	0.3	1.66	<5	105	<5	0.43	1	16	98	39	3.97	<10	0.78	443	1	0.01	55	1820	24	<5	<20	18	0.08	<10	102	<10	<1	98
262	L79000 5000	0.2	1.18	<5	55	<5	0.24	<1	11	46	27	2.34	<10	0.53	270	<1	0.01	26	370	16	<5	<20	9	0.06	<10	59	<10	4	48
263	L79000 5050	0.2	1.53	<5	80	<5	0.21	2	12	50	19	3.17	<10	0.46	198	2	<0.01	37	830	22	<5	<20	6	0.04	<10	58	<10	<1	98
264	L79000 5100	0.2	0.96	<5	75	<5	0.20	<1	6	34	11	2.36	10	0.32	211	2	<0.01	19	1110	18	<5	<20	6	0.04	<10	54	<10	<1	59
265	L79000 5150	0.2	0.99	<5	90	10	0.30	1	14	49	29	3.13	20	0.49	268	3	<0.01	36	330	22	<5	<20	11	0.07	<10	74	<10	<1	47
266	L79000 5200	0.3	0.82	<5	100	<5	0.31	1	6	32	14	1.63	30	0.33	327	1	0.01	14	310	20	<5	<20	4	0.07	<10	55	<10	<1	44
267	L79000 5250	0.3	1.01	<5	80	<5	0.20	1	5	39	13	1.82	50	0.37	86	5	<0.01	18	700	30	<5	<20	<1	0.02	<10	54	<10	<1	46
268	L79000 5300	0.4	1.32	<5	140	<5	0.38	<1	8	40	45	2.53	<10	0.44	655	<1	0.01	24	410	18	<5	<20	24	0.05	<10	77	<10	9	58

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2006-489

RICHFIELD VENTURES CORP.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
-------	-------	----	------	----	----	----	------	----	----	----	----	------	----	------	----	----	------	----	---	----	----	----	----	------	---	---	---	---	----

QC DATA:Repeat:

1	L79850 3000	<0.2	0.98	<5	70	<5	0.22	<1	6	24	11	1.45	<10	0.31	154	<1	0.01	13	270	14	<5	<20	<1	0.07	<10	44	<10	<1	44
10	L79850 3450	<0.2	1.66	<5	110	<5	0.26	<1	9	37	22	2.84	<10	0.37	198	<1	0.01	28	580	30	<5	<20	12	0.07	<10	81	<10	<1	79
19	L79850 3900	<0.2	2.78	5	110	<5	0.22	<1	17	48	38	4.82	<10	0.47	293	<1	0.01	38	800	50	<5	<20	4	0.11	<10	147	<10	<1	212
28	L79900 3200	<0.2	1.29	5	105	<5	0.38	<1	10	36	23	2.64	<10	0.43	368	<1	0.01	22	670	22	<5	<20	19	0.09	<10	87	<10	<1	86
36	L79900 3600	<0.2	1.95	5	115	<5	0.37	<1	12	52	49	3.39	<10	0.66	410	<1	0.01	38	390	36	<5	<20	19	0.08	<10	88	<10	<1	84
45	L79900 4050	<0.2	1.66	15	100	<5	0.51	<1	15	48	68	3.55	<10	0.53	817	<1	0.02	42	350	28	<5	<20	23	0.07	<10	92	<10	11	67
54	L79700 3350	<0.2	1.27	<5	80	<5	0.35	<1	9	35	21	2.65	<10	0.44	248	<1	0.01	22	630	20	<5	<20	5	0.09	<10	75	<10	<1	66
63	L79700 3800	0.6	1.73	5	100	<5	0.36	1	16	47	34	3.37	<10	0.58	777	<1	0.01	31	520	28	<5	<20	9	0.09	<10	93	<10	<1	93

71	L79700	4200	<0.2	0.48	<5	120	<5	0.30	<1	5	17	9	1.49	<10	0.14	324	<1	0.01	5	400	10	<5	<20	25	0.10	<10	55	<10	<1	55
80	L79750	3400	<0.2	0.94	<5	55	<5	0.29	<1	6	26	13	1.71	<10	0.33	223	<1	0.01	16	310	14	<5	<20	11	0.10	<10	56	<10	<1	44
89	L79750	3850	<0.2	3.02	20	155	<5	0.33	<1	21	73	62	5.10	<10	0.89	1526	1	0.02	54	500	48	<5	<20	19	0.08	<10	120	<10	<1	138
98	L79950	3050	<0.2	1.29	5	120	<5	0.29	<1	14	40	20	2.42	<10	0.46	667	<1	0.01	21	470	22	<5	<20	12	0.09	<10	79	<10	<1	68
106	L79950	3450	<0.2	1.26	5	90	<5	0.35	<1	9	35	20	2.44	<10	0.38	230	<1	0.01	20	430	20	<5	<20	22	0.10	<10	78	<10	<1	53
115	L79950	3900	<0.2	2.04	40	155	<5	0.54	<1	18	41	40	4.80	<10	0.48	788	1	0.02	30	700	26	<5	<20	27	0.11	<10	140	<10	<1	134
124	L79000	3950	<0.2	2.07	10	135	<5	0.58	<1	15	87	44	4.28	<10	0.75	496	<1	0.02	42	490	20	<5	<20	24	0.17	<10	137	<10	<1	51
133	L79000	4400	0.8	1.12	5	105	<5	0.39	1	9	52	14	2.95	<10	0.37	607	1	0.02	19	760	14	<5	<20	20	0.08	<10	101	<10	<1	73
150	L78800	4350	<0.2	2.14	<5	150	<5	0.60	<1	20	61	63	4.16	10	0.94	684	<1	0.02	49	490	28	<5	<20	36	0.15	<10	108	<10	16	71
159	L78950	3750	<0.2	1.12	<5	100	10	0.37	<1	10	33	24	2.25	<10	0.46	193	<1	0.02	23	400	22	<5	<20	25	0.14	<10	71	<10	6	40
168	L78950	4300	0.6	1.46	<5	120	10	0.50	<1	16	41	31	2.99	<10	0.63	290	<1	0.02	27	1220	88	<5	<20	14	0.18	<10	76	<10	12	51
169	L78950	4350	0.2	1.70	<5	175	5	0.45	1	13	46	29	2.94	<10	0.55	581	1	0.01	28	1610	32	<5	<20	25	0.08	<10	82	<10	9	80
176	L78850	3800	<0.2	1.52	<5	30	30	0.28	<1	13	41	34	2.80	<10	0.57	342	<1	0.01	30	610	20	<5	<20	<1	0.09	<10	82	<10	<1	63
185	L78850	4250	<0.2	1.06	<5	100	<5	0.28	<1	10	38	32	2.58	<10	0.50	256	<1	0.01	25	291	14	<5	<20	20	0.09	<10	70	<10	1	45
194	L78900	3850	<0.2	1.57	<5	120	<5	0.35	<1	14	46	45	3.29	<10	0.67	435	<1	0.01	30	510	22	<5	<20	23	0.10	<10	93	<10	6	61
203	L78900	4300	0.2	2.04	<5	135	<5	0.28	<1	12	40	20	3.19	<10	0.34	211	<1	0.01	32	1980	26	<5	<20	17	0.07	<10	83	<10	<1	83
211	L79200	4750	0.4	1.27	<5	105	<5	0.28	1	10	53	13	2.63	<10	0.43	192	<1	<0.01	28	1180	20	<5	<20	16	0.06	<10	66	<10	1	63
214	L79200	4900	<0.2	1.49	<5	85	10	0.32	2	15	60	26	2.77	10	0.69	198	2	0.01	48	460	24	<5	<20	20	0.07	<10	74	<10	7	36
220	L79200	5300	<0.2	1.32	5	210	<5	0.49	2	14	32	24	2.07	<10	1.03	166	<1	0.01	28	1220	156	<5	<20	<1	0.20	<10	51	<10	32	51
229	L78750	4150	<0.2	0.71	<5	70	<5	0.21	<1	5	18	10	1.50	<10	0.24	187	<1	<0.01	11	280	10	<5	<20	9	0.05	<10	44	<10	<1	47
238	L79100	4650	0.3	1.14	<5	60	<5	0.21	1	9	39	14	2.61	<10	0.39	145	<1	<0.01	30	790	16	5	<20	9	0.02	<10	48	<10	<1	46
242	L79100	4850	<0.2	1.41	<5	85	10	0.38	1	16	74	38	2.81	20	0.78	310	<1	0.01	50	530	24	<5	<20	15	0.09	<10	82	<10	12	36
246	L79100	5050	<0.2	1.35	5	217	<5	0.25	2	15	43	22	2.15	<10	0.76	89	<1	0.01	27	1000	150	<5	<20	20	0.12	<10	43	<10	21	61
255	L79000	4650	<0.2	1.82	<5	86	<5	0.33	<1	14	57	34	3.41	<10	0.64	223	<1	0.01	40	1240	23	<5	<20	15	0.08	<10	96	<10	<1	61
264	L79000	5100	0.2	0.97	<5	80	<5	0.21	<1	7	34	12	2.37	10	0.33	214	<1	<0.01	20	1110	18	<5	<20	7	0.04	<10	56	<10	<1	61

Standard:

GEO '06	1.4	1.58	60	155	<5	1.59	<1	19	59	83	4.04	<10	0.84	660	<1	0.02	28	610	22	<5	<20	51	0.10	<10	71	<10	10	74
GEO '06	1.5	1.67	65	150	<5	1.63	<1	18	59	88	4.09	<10	0.87	689	<1	0.03	29	640	24	<5	<20	52	0.10	<10	65	<10	10	79
GEO '06	1.5	1.69	65	150	<5	1.63	1	18	58	89	4.05	<10	0.86	694	<1	0.02	30	620	24	5	<20	52	0.11	<10	73	<10	9	76
GEO '06	1.5	1.56	60	160	<5	1.70	<1	19	60	84	4.05	<10	0.99	770	<1	0.02	30	640	20	5	<20	54	0.12	<10	72	<10	10	69
GEO '06	1.4	1.58	50	160	<5	1.65	1	19	61	83	3.88	<10	0.93	650	<1	0.02	28	650	22	<5	<20	52	0.10	<10	69	<10	9	72
GEO '06	1.6	1.55	50	160	<5	1.52	1	19	60	83	3.74	<10	0.87	610	<1	0.02	28	640	24	<5	<20	54	0.09	<10	74	<10	10	74

CERTIFICATE OF ANALYSIS AK 2006-510

RICHFIELD VENTURES CORP.
331 Reid Street
Quesnel, BC
V2J 2M5

07-Jun-06

ATTENTION: Peter Bernier

No. of samples received: 20

Sample Type: Soil

Project #: Blackstone

Samples submitted by: Richfield Ventures Corp.

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
1	L80250 3000	10	<5	<5
2	L80250 3050	10	<5	<5
3	L80250 3100	5	<5	<5
4	L80250 3150	5	<5	<5
5	L80250 3200	<5	<5	<5
6	L80250 3250	5	<5	<5
7	L80250 3300	5	<5	<5
8	L80250 3350	10	<5	<5
9	L80250 3400	5	<5	<5
10	L80250 3450	15	<5	<5
11	L80250 3500	20	<5	<5
12	L80250 3550	10	<5	<5
13	L80250 3600	5	<5	<5
14	L80250 3650	5	<5	<5
15	L80250 3700	<5	<5	<5
16	L80250 3750	5	<5	<5
17	L79300 4600	5	<5	<5
18	L79300 4650	5	<5	<5
19	L79300 4700	5	<5	<5
20	L79300 4750	5	<5	<5

RICHFIELD VENTURES CORP. AK6-510

07-Jun-06

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
-------	-------	-------------	-------------	-------------

QC DATA:

Repeat:

6	L80250 3250	5	<5	<5
14	L80250 3650	5	<5	<5

Standard:

PG115	480	1215	115
-------	-----	------	-----

JJ/ga
XLS/06

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4

Phone: 250-573-5700
 Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2006-510

RICHFIELD VENTURES CORP.
 331 Reid Street
Quesnel, BC
 V2J 2M5

ATTENTION: Peter Bernier

No. of samples received: 20

Sample type: Soil

Project #: Blackstone

Samples submitted by: Richfield Ventures Corp.

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L80250 3000	0.2	1.16	10	85	<5	0.32	<1	11	34	23	2.41	<10	0.47	399	<1	0.01	22	630	22	<5	<20	18	0.07	<10	64	<10	2	46
2	L80250 3050	0.2	0.99	10	80	10	0.35	<1	8	29	18	2.14	<10	0.39	232	<1	0.01	17	780	18	<5	<20	10	0.06	<10	61	<10	<1	42
3	L80250 3100	<0.2	1.78	20	170	<5	0.55	<1	17	61	63	4.22	<10	0.78	726	1	0.02	49	840	34	<5	<20	25	0.09	<10	104	<10	7	65
4	L80250 3150	0.2	1.27	15	100	5	0.35	<1	10	34	33	2.77	<10	0.50	406	1	0.01	24	740	24	<5	<20	17	0.07	<10	83	<10	<1	67
5	L80250 3200	0.2	0.39	10	90	5	0.24	<1	5	23	10	1.61	<10	0.06	386	<1	0.01	5	370	12	<5	<20	13	0.06	<10	53	<10	<1	30
6	L80250 3250	<0.2	1.24	15	50	5	0.30	<1	9	36	24	2.64	<10	0.46	241	<1	0.01	23	650	24	<5	<20	3	0.07	<10	75	<10	<1	38
7	L80250 3300	<0.2	1.18	15	50	5	0.27	<1	9	33	20	2.53	<10	0.37	196	<1	0.01	20	880	22	<5	<20	2	0.06	<10	69	<10	<1	52
8	L80250 3350	0.3	1.36	15	55	10	0.38	<1	9	39	24	3.29	<10	0.42	178	<1	0.01	22	1960	24	<5	<20	13	0.06	<10	88	<10	<1	64
9	L80250 3400	<0.2	1.46	15	85	<5	0.35	<1	13	38	27	2.84	<10	0.55	597	<1	0.02	24	540	28	<5	<20	10	0.07	<10	83	<10	<1	58
10	L80250 3450	0.3	1.51	15	90	10	0.43	<1	12	41	37	2.85	<10	0.56	557	2	0.01	30	810	30	10	<20	20	0.06	<10	78	<10	3	57
11	L80250 3500	0.5	1.63	15	75	15	0.47	<1	9	39	24	3.50	<10	0.37	186	1	0.01	23	2080	32	<5	<20	20	0.07	<10	91	<10	<1	73
12	L80250 3550	0.3	1.26	15	80	<5	0.30	<1	8	32	25	2.32	<10	0.45	214	<1	0.01	22	630	26	<5	<20	10	0.06	<10	62	<10	1	50
13	L80250 3600	0.2	1.17	15	85	10	0.35	<1	13	32	21	2.50	<10	0.50	424	<1	0.02	21	480	26	<5	<20	18	0.07	<10	73	<10	2	67
14	L80250 3650	0.2	1.18	20	90	10	0.39	<1	13	34	28	2.89	<10	0.50	538	<1	0.01	20	830	26	<5	<20	19	0.07	<10	85	<10	<1	76
15	L80250 3700	0.2	1.31	15	115	<5	0.37	<1	15	36	41	2.94	<10	0.49	665	<1	0.02	25	580	28	<5	<20	19	0.07	<10	86	<10	2	65
16	L80250 3750	0.4	2.78	35	180	5	0.70	2	22	59	86	4.77	<10	0.78	1485	5	0.02	62	870	50	<5	<20	28	0.05	<10	120	<10	11	110
17	L79300 4600	<0.2	1.12	10	50	5	0.23	<1	8	41	11	2.42	<10	0.30	108	<1	0.01	22	740	22	<5	<20	<1	0.05	<10	66	<10	<1	27
18	L79300 4650	<0.2	1.20	15	50	5	0.30	<1	12	53	25	2.80	<10	0.59	344	<1	0.01	36	620	22	<5	<20	<1	0.06	<10	73	<10	<1	40
19	L79300 4700	0.2	1.16	15	75	<5	0.21	<1	10	45	22	2.61	<10	0.48	406	<1	0.01	27	430	22	<5	<20	3	0.05	<10	69	<10	<1	38
20	L79300 4750	0.2	1.02	20	50	10	0.20	<1	10	37	21	2.31	<10	0.44	537	1	0.01	21	340	22	<5	<20	7	0.05	<10	76	<10	2	37

QC DATA:

Repeat:

1	L80250 3000	<0.2	1.17	15	75	5	0.33	<1	11	34	23	2.43	<10	0.48	381	<1	0.01	23	650	24	<5	<20	8	0.07	<10	64	<10	<1	46
10	L80250 3450	0.3	1.44	15	80	5	0.42	<1	11	40	35	2.75	<10	0.54	505	<1	0.01	28	790	28	5	<20	18	0.07	<10	76	<10	2	55

Standard:

GEO '06	1.5	1.61	65	145	<5	1.58	<1	18	59	85	4.00	<10	0.87	645	1	0.02	28	690	20	<5	<20	54	0.11	<10	68	<10	9	73
---------	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	---	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

CERTIFICATE OF ANALYSIS AK 2006-511

RICHFIELD VENTURES CORP.
331 Reid Street
Quesnel, BC
V2J 2M5

08-Jun-06

ATTENTION: Peter Bernier

No. of samples received: 173

Sample Type: Soil

Project #: Blackstone

Samples submitted by: Richfield Ventures Corp.

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
1	L78450 5050	25	<5	<5
2	L78450 5100	5	<5	<5
3	L78450 5150	5	<5	<5
4	L78450 5200	30	<5	<5
5	L78450 5250	55	<5	<5
6	L78450 5300	15	<5	<5
7	L78500 5050	15	<5	<5
8	L78500 5100	10	<5	<5
9	L78500 5150	5	<5	<5
10	L78500 5200	10	<5	<5
11	L78500 5250	10	<5	<5
12	L78500 5300	5	<5	<5
13	L78400 5000	10	5	<5
14	L78400 5050	5	<5	<5
15	L78400 5100	10	<5	<5
16	L78400 5150	5	<5	<5
17	L78400 5200	5	<5	<5
18	L78400 5250	5	<5	<5
19	L80300 3000	5	<5	<5
20	L80300 3050	<5	<5	<5
21	L80300 3100	<5	5	<5
22	L80300 3150	5	<5	<5
23	L80300 3200	5	<5	<5
24	L80300 3250	10	<5	<5
25	L80300 3300	5	<5	<5
26	L80300 3350	545	<5	<5
27	L80300 3400	5	<5	<5
28	L80300 3450	5	<5	<5
29	L80300 3500	5	<5	<5
30	L80300 3550	10	<5	<5
31	L80300 3600	5	<5	<5
32	L80300 3650	15	5	<5

RICHFIELD VENTURES CORP. AK6-511

08-Jun-06

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
33	L80300 3700	15	<5	<5
34	L80050 3000	5	<5	<5
35	L80050 3050	5	<5	<5
36	L80050 3100	<5	<5	<5
37	L80050 3150	5	<5	<5
38	L80050 3200	<5	<5	<5
39	L80050 3250	<5	5	<5
40	L80050 3300	<5	<5	<5
41	L80050 3350	5	5	<5
42	L80050 3400	<5	<5	<5
43	L80050 3450	10	5	<5
44	L80050 3500	<5	<5	<5
45	L80050 3550	<5	<5	<5
46	L80050 3600	5	<5	<5
47	L80050 3650	5	<5	<5
48	L80050 3700	5	<5	<5
49	L80050 3750	<5	<5	<5
50	L80050 3800	5	<5	<5
51	L80050 3850	5	<5	<5
52	L80050 3900	10	<5	<5
53	L80200 3000	<5	<5	<5
54	L80200 3050	<5	<5	<5
55	L80200 3100	<5	5	<5
56	L80200 3150	<5	<5	<5
57	L80200 3200	<5	5	<5
58	L80200 3250	<5	<5	<5
59	L80200 3300	<5	<5	<5
60	L80200 3350	<5	<5	<5
61	L80200 3400	5	5	<5
62	L80200 3450	<5	<5	<5
63	L80200 3500	<5	<5	<5
64	L80200 3550	<5	<5	<5
65	L80200 3600	5	<5	<5
66	L80200 3650	5	<5	<5
67	L80200 3700	<5	<5	<5
68	L80200 3750	<5	<5	<5
69	L80350 3000	<5	<5	<5
70	L80350 3050	<5	<5	<5
71	L80350 3100	5	<5	<5
72	L80350 3150	<5	<5	<5
73	L80350 3200	5	<5	<5
74	L80350 3250	5	<5	<5
75	L80350 3300	<5	<5	<5
76	L80350 3350	<5	<5	<5
77	L80350 3400	10	<5	<5
78	L80350 3450	20	<5	<5

RICHFIELD VENTURES CORP. AK6-511

08-Jun-06

ET #.	Tag #	(ppb)	(ppb)	(ppb)
79	L80350 3500	<5	<5	<5
80	L80350 3550	<5	<5	<5
81	L80350 3600	<5	<5	<5
82	L80350 3650	5	<5	<5
83	L80350 3700	10	<5	<5
84	L78350 4950	10	<5	<5
85	L78350 5000	<5	<5	<5
86	L78350 5050	<5	<5	<5
87	L78350 5100	10	<5	<5
88	L78350 5150	<5	<5	<5
89	L78350 5200	10	<5	<5
90	L78350 5250	10	<5	<5
91	L78350 5300	<5	<5	<5
92	L78350 5350	10	<5	<5
93	L78350 5400	<5	<5	<5
94	L78350 5450	5	<5	<5
95	L80000 3000	5	<5	<5
96	L80000 3050	15	<5	<5
97	L80000 3100	5	<5	<5
98	L80000 3150	<5	<5	<5
99	L80000 3200	<5	<5	<5
100	L80000 3250	5	<5	<5
101	L80000 3300	5	<5	<5
102	L80000 3350	5	<5	<5
103	L80000 3400	5	<5	<5
104	L80000 3450	<5	<5	<5
105	L80000 3500	5	<5	<5
106	L80000 3550	5	<5	<5
107	L80000 3600	<5	<5	<5
108	L80000 3650	5	<5	<5
109	L80000 3700	5	<5	<5
110	L80000 3750	<5	<5	<5
111	L80000 3800	<5	<5	<5
112	L80000 3850	5	<5	<5
113	L80000 3900	5	<5	<5
114	L80000 3950	5	<5	<5
115	L80100 3000	5	<5	<5
116	L80100 3050	5	<5	<5
117	L80100 3100	5	<5	<5
118	L80100 3150	5	<5	<5
119	L80100 3200	5	<5	<5
120	L80100 3250	10	<5	<5
121	L80100 3300	5	<5	<5
122	L80100 3350	5	<5	<5
123	L80100 3400	5	<5	<5
124	L80100 3450	5	<5	<5

RICHFIELD VENTURES CORP. AK6-511

08-Jun-06

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
125	L80100 3500	5	<5	<5
126	L80100 3550	5	<5	<5
127	L80100 3600	5	<5	<5
128	L80100 3650	<5	<5	<5
129	L80100 3700	10	<5	<5
130	L80100 3750	5	<5	<5
131	L80100 3800	5	<5	<5
132	L80100 3850	10	<5	<5
133	L80100 3900	10	<5	<5
134	L80150 3000	5	<5	<5
135	L80150 3050	5	<5	<5
136	L80150 3100	5	<5	<5
137	L80150 3150	5	<5	<5
138	L80150 3200	5	<5	<5
139	L80150 3250	<5	<5	<5
140	L80150 3300	<5	<5	<5
141	L80150 3350	5	<5	<5
142	L80150 3400	5	<5	<5
143	L80150 3450	<5	<5	<5
144	L80150 3500	5	<5	<5
145	L80150 3550	5	<5	<5
146	L80150 3600	<5	<5	<5
147	L80150 3700	5	<5	<5
148	L80150 3750	5	<5	<5
149	L80150 3800	<5	<5	<5
150	L78200 4750	5	<5	<5
151	L78200 4800	<5	<5	<5
152	L78200 4850	5	<5	<5
153	L78200 4900	5	<5	<5
154	L78200 4950	<5	<5	<5
155	L78200 5000	<5	<5	<5
156	L78200 5050	5	<5	<5
157	L78200 5100	<5	<5	<5
158	L78200 5150	5	<5	<5
159	L78300 4900	5	<5	<5
160	L78300 4950	5	<5	<5
161	L78300 5000	5	<5	<5
162	L78300 5050	<5	<5	<5
163	L78300 5100	5	<5	<5
164	L78300 5150	5	<5	<5
165	L78300 5200	<5	<5	<5
166	L78300 5250	<5	<5	<5
167	L78300 5300	60	<5	<5
168	L78300 5350	<5	<5	<5
169	L78300 5400	10	5	<5

RICHFIELD VENTURES CORP. AK6-511

08-Jun-06

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
170	L78300 5450	5	<5	<5
171	L78300 5500	5	<5	<5
172	L78300 5550	<5	<5	<5
173	L78300 5600	5	<5	<5

QC DATA:***Repeat:***

1	L78450 5050	15	<5	<5
10	L78500 5200	5	<5	<5
19	L80300 3000	5	<5	<5
28	L80300 3450	5	<5	<5
36	L80050 3100	<5	<5	<5
45	L80050 3550	<5	<5	<5
54	L80200 3050	<5	<5	<5
64	L80200 3550	<5	<5	<5
73	L80350 3200	5	<5	<5
86	L78350 5050	5	<5	<5
90	L78350 5250	5	<5	<5
98	L80000 3150	<5	<5	<5
106	L80000 3550	5	<5	<5
115	L80100 3000	5	<5	<5
127	L80100 3600	<5	<5	<5
134	L80150 3000	5	<5	<5
142	L80150 3400	15	<5	<5
152	L78200 4850	5	<5	<5
155	L78200 5000	10		
166	L78300 5250	5	<5	<5
168	L78300 5350	5	<5	<5

Standard:

PG115	535	120	1250
PG115	530	130	1250
PG115	530	125	1230
PG113	480	385	1440
PG113	470	390	1430

JJ/bp
XLS/06

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4

Phone: 250-573-5700
 Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2006-511

RICHFIELD VENTURES CORP.
 331 Reid Street
Quesnel, BC
 V2J 2M5

ATTENTION: Peter Bernier

No. of samples received: 173

Sample type: Soil

Project #: Blackstone

Samples submitted by: Richfield Ventures Corp.

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L78450 5050	<0.2	1.61	15	140	<5	0.62	<1	19	60	59	3.98	<10	0.84	625	<1	0.02	47	980	34	<5	<20	37	0.09	<10	95	<10	12	78
2	L78450 5100	0.3	0.82	10	80	5	0.34	<1	7	26	14	1.79	<10	0.29	264	<1	0.01	15	900	18	<5	<20	8	0.06	<10	47	<10	2	82
3	L78450 5150	0.3	1.37	10	60	10	0.28	<1	8	44	19	2.89	<10	0.42	206	1	<0.01	25	1060	28	<5	<20	2	0.05	<10	67	<10	2	62
4	L78450 5200	<0.2	1.29	15	70	5	0.94	<1	17	44	44	3.54	10	0.83	498	1	0.01	47	800	28	<5	<20	27	0.06	<10	53	<10	11	75
5	L78450 5250	0.5	1.50	10	90	10	0.52	<1	13	60	55	3.34	<10	0.58	533	3	0.01	44	570	30	<5	<20	15	0.05	<10	84	<10	11	53
6	L78450 5300	0.2	1.22	20	115	5	0.50	<1	17	49	41	3.10	<10	0.56	624	2	0.01	39	750	26	<5	<20	15	0.05	<10	71	<10	16	69
7	L78500 5050	<0.2	1.18	15	80	5	0.40	<1	14	45	32	2.96	<10	0.59	401	1	0.01	36	690	24	<5	<20	6	0.06	<10	63	<10	6	62
8	L78500 5100	<0.2	1.49	15	105	10	0.54	<1	16	53	46	3.40	<10	0.73	551	<1	0.02	40	980	30	<5	<20	19	0.09	<10	85	<10	9	77
9	L78500 5150	0.2	1.47	20	160	10	0.55	<1	17	53	49	3.47	<10	0.70	648	1	0.02	42	850	28	<5	<20	19	0.07	<10	82	<10	12	78
10	L78500 5200	<0.2	1.23	20	155	10	0.61	<1	20	44	48	3.43	10	0.59	624	3	0.01	42	680	26	<5	<20	19	0.03	<10	78	<10	21	72
11	L78500 5250	<0.2	1.26	15	85	<5	0.53	<1	16	51	46	3.45	<10	0.75	532	2	0.02	47	810	26	5	<20	20	0.06	<10	70	<10	11	68
12	L78500 5300	<0.2	1.34	15	70	10	0.56	<1	17	48	48	3.62	10	0.78	468	3	0.02	50	850	26	<5	<20	17	0.07	<10	64	<10	11	79
13	L78400 5000	<0.2	1.79	15	105	10	0.52	<1	18	65	65	4.03	<10	0.84	570	<1	0.02	49	850	34	<5	<20	20	0.09	<10	90	<10	14	72
14	L78400 5050	<0.2	1.90	15	140	10	0.53	<1	18	64	68	4.06	<10	0.89	598	<1	0.02	46	830	36	<5	<20	33	0.10	<10	99	<10	14	74
15	L78400 5100	<0.2	1.23	10	75	10	0.38	<1	10	40	22	2.78	<10	0.56	268	<1	0.01	27	1440	24	<5	<20	9	0.07	<10	68	<10	2	69
16	L78400 5150	<0.2	1.19	10	80	10	0.44	<1	11	41	23	2.58	<10	0.63	298	<1	0.02	27	720	26	<5	<20	17	0.08	<10	66	<10	6	51
17	L78400 5200	0.6	2.03	15	195	<5	0.58	1	20	60	50	3.90	<10	0.74	2086	3	0.02	44	990	36	<5	<20	21	0.05	<10	89	<10	8	120
18	L78400 5250	0.3	1.18	10	75	10	0.36	<1	10	37	23	2.54	<10	0.55	335	<1	0.02	22	680	24	<5	<20	14	0.07	<10	70	<10	3	59
19	L80300 3000	<0.2	0.93	10	60	<5	0.26	<1	7	27	20	1.95	<10	0.36	177	<1	0.01	16	330	18	<5	<20	5	0.06	<10	55	<10	4	59
20	L80300 3050	<0.2	1.02	10	75	10	0.31	<1	8	28	22	2.15	<10	0.43	172	<1	0.01	19	510	20	<5	<20	11	0.07	<10	62	<10	4	61
21	L80300 3100	0.3	1.55	10	140	10	0.48	<1	14	43	40	2.89	<10	0.56	515	<1	0.02	29	690	32	<5	<20	28	0.06	<10	80	<10	11	85
22	L80300 3150	<0.2	2.19	20	165	10	0.56	<1	20	59	76	4.44	<10	0.95	724	2	0.02	40	780	40	10	<20	49	0.10	<10	127	<10	7	79
23	L80300 3200	0.2	1.10	20	110	10	0.40	<1	12	40	29	3.19	<10	0.43	347	<1	0.01	20	1430	24	<5	<20	18	0.08	<10	96	<10	2	98
24	L80300 3250	0.2	1.42	15	100	10	0.33	<1	11	35	25	2.85	<10	0.40	244	<1	0.01	21	2220	26	<5	<20	13	0.06	<10	75	<10	<1	95
25	L80300 3300	0.3	1.99	15	95	10	0.35	<1	11	43	30	3.23	<10	0.51	206	<1	0.01	33	880	40	<5	<20	16	0.08	<10	84	<10	5	69
26	L80300 3350	0.2	2.48	15	110	10	0.37	<1	12	51	37	3.94	<10	0.50	259	<1	0.02	34	1370	40	<5	<20	16	0.08	<10	103	<10	<1	96
27	L80300 3400	<0.2	1.15	10	60	10	0.39	<1	9	35	23	2.40	<10	0.50	253	<1	0.02	21	710	24	<5	<20	14	0.09	<10	74	<10	5	48
28	L80300 3450	<0.2	1.38	20	70	<5	0.29	<1	11	35	31	2.74	<10	0.46	223	<1	0.01	27	1080	24	<5	<20	6	0.07	<10	78	<10	1	60
29	L80300 3500	<0.2	1.43	15	70	10	0.38	<1	11	37	26	3.03	<10	0.53	249	<1	0.01	22	1010	26	<5	<20	12	0.07	<10	81	<10	<1	69
30	L80300 3550	0.2	1.42	15	65	<5	0.29	<1	9	34	28	2.53	<10	0.50	314	<1	0.01	23	480	26	<5	<20	7	0.06	<10	67	<10	3	61

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
31	L80300 3600	<0.2	1.33	15	85	10	0.34	<1	9	35	27	2.78	<10	0.43	201	<1	0.01	23	1620	24	<5	<20	11	0.06	<10	73	<10	2	81
32	L80300 3650	0.2	1.68	20	95	10	0.33	<1	11	39	36	3.80	<10	0.54	221	2	0.02	27	2150	30	<5	<20	12	0.07	<10	98	<10	1	79
33	L80300 3700	0.2	1.08	15	100	5	0.36	<1	12	35	31	2.85	<10	0.43	453	<1	0.01	22	870	22	<5	<20	15	0.08	<10	82	<10	4	78
34	L80050 3000	0.2	1.30	10	120	10	0.27	<1	8	30	16	2.30	<10	0.28	212	<1	0.01	15	1830	26	<5	<20	7	0.07	<10	59	<10	<1	99
35	L80050 3050	<0.2	1.24	15	65	10	0.30	<1	12	38	28	2.77	<10	0.49	262	<1	0.01	25	530	24	<5	<20	6	0.09	<10	78	<10	2	53
36	L80050 3100	0.2	1.47	15	75	10	0.29	<1	12	40	30	2.75	<10	0.46	220	<1	0.01	29	850	28	<5	<20	18	0.07	<10	75	<10	4	69
37	L80050 3150	<0.2	1.39	10	75	10	0.37	<1	10	37	28	2.53	<10	0.51	326	<1	0.01	25	760	28	<5	<20	9	0.07	<10	70	<10	6	53
38	L80050 3200	<0.2	1.26	10	125	10	0.35	<1	12	37	30	2.74	<10	0.46	415	<1	0.02	19	600	24	<5	<20	23	0.10	<10	91	<10	6	62
39	L80050 3250	<0.2	1.14	10	60	10	0.32	<1	9	32	21	2.32	<10	0.47	225	<1	0.01	20	600	22	<5	<20	13	0.08	<10	66	<10	5	52
40	L80050 3300	<0.2	1.09	10	55	10	0.23	<1	7	28	16	1.97	<10	0.33	311	<1	0.01	14	560	22	<5	<20	8	0.07	<10	61	<10	2	43
41	L80050 3350	<0.2	1.46	10	75	5	0.41	<1	11	45	26	2.72	<10	0.63	239	<1	0.02	29	960	28	<5	<20	19	0.10	<10	80	<10	5	61
42	L80050 3400	<0.2	1.25	10	55	10	0.32	<1	9	34	22	2.51	<10	0.50	225	<1	0.01	21	600	24	<5	<20	6	0.08	<10	71	<10	2	51
43	L80050 3450	<0.2	1.07	5	55	10	0.34	<1	8	31	20	2.06	<10	0.46	301	<1	0.01	19	460	22	<5	<20	12	0.07	<10	61	<10	4	56
44	L80050 3500	0.2	1.45	10	80	10	0.33	<1	11	36	27	2.62	<10	0.47	360	<1	0.01	24	860	28	<5	<20	9	0.06	<10	69	<10	2	85
45	L80050 3550	<0.2	1.11	10	70	<5	0.42	<1	12	36	30	2.16	<10	0.50	709	<1	0.02	28	470	24	<5	<20	11	0.08	<10	69	<10	12	44
46	L80050 3600	0.4	2.46	15	185	5	0.66	<1	21	61	58	4.43	<10	0.79	1162	3	0.02	40	690	48	<5	<20	33	0.05	<10	117	<10	5	95
47	L80050 3650	<0.2	1.25	10	65	10	0.38	<1	11	34	26	2.59	<10	0.53	301	<1	0.02	22	960	26	<5	<20	12	0.08	<10	71	<10	5	83
48	L80050 3700	0.4	2.17	20	175	5	0.61	<1	19	54	93	4.02	<10	0.67	1023	2	0.02	43	530	44	<5	<20	40	0.07	<10	112	<10	12	91
49	L80050 3750	0.4	1.84	20	135	<5	0.55	<1	16	47	66	3.37	<10	0.63	848	1	0.02	34	590	36	<5	<20	38	0.07	<10	96	<10	10	91
50	L80050 3800	<0.2	1.12	15	70	5	0.39	<1	10	32	29	2.51	<10	0.47	293	<1	0.02	20	650	22	<5	<20	14	0.08	<10	75	<10	5	73
51	L80050 3850	<0.2	1.10	10	80	10	0.41	<1	9	32	27	2.39	<10	0.46	249	<1	0.02	20	690	24	<5	<20	23	0.08	<10	70	<10	8	77
52	L80050 3900	0.2	1.38	35	100	10	0.37	<1	10	33	30	3.12	<10	0.47	249	1	0.02	24	2520	26	<5	<20	14	0.06	<10	81	<10	2	86
53	L80200 3000	0.2	1.25	10	70	5	0.27	<1	9	31	23	2.25	<10	0.35	291	<1	0.01	17	470	22	<5	<20	8	0.06	<10	63	<10	4	59
54	L80200 3050	0.2	1.40	10	85	5	0.29	<1	9	35	29	2.06	<10	0.44	215	<1	0.02	19	400	28	<5	<20	11	0.06	<10	63	<10	6	62
55	L80200 3100	<0.2	1.09	10	100	<5	0.37	<1	10	33	29	2.29	<10	0.36	471	<1	0.01	19	850	22	<5	<20	16	0.06	<10	64	<10	10	75
56	L80200 3150	<0.2	1.60	15	110	5	0.36	<1	12	43	34	3.03	<10	0.58	418	<1	0.02	27	560	30	<5	<20	11	0.07	<10	87	<10	6	65
57	L80200 3200	<0.2	1.24	10	75	15	0.40	<1	10	38	28	2.54	<10	0.53	327	<1	0.02	22	860	24	<5	<20	20	0.08	<10	73	<10	8	48
58	L80200 3250	0.3	2.07	15	130	10	0.36	<1	11	45	34	3.48	<10	0.58	224	1	0.01	33	990	32	<5	<20	12	0.07	<10	91	<10	3	82
59	L80200 3300	<0.2	1.13	10	85	<5	0.34	<1	8	28	18	2.25	<10	0.37	219	<1	0.01	16	900	22	<5	<20	13	0.06	<10	63	<10	3	53
60	L80200 3350	<0.2	1.11	10	55	10	0.34	<1	8	29	19	2.01	<10	0.44	199	<1	0.01	17	480	20	<5	<20	14	0.07	<10	57	<10	5	49
61	L80200 3400	0.2	1.33	10	85	10	0.34	<1	9	32	30	2.61	<10	0.44	198	<1	0.02	22	760	24	<5	<20	18	0.07	<10	73	<10	4	73
62	L80200 3450	<0.2	1.35	15	80	10	0.35	<1	10	39	27	2.61	<10	0.59	274	<1	0.02	23	800	26	<5	<20	17	0.08	<10	78	<10	5	49
63	L80200 3500	<0.2	1.25	10	85	5	0.29	<1	8	29	25	2.39	<10	0.37	274	<1	0.01	18	720	22	<5	<20	10	0.06	<10	67	<10	3	68
64	L80200 3550	0.3	1.62	15	75	10	0.27	<1	10	37	26	3.08	<10	0.44	179	2	0.01	25	980	30	5	<20	8	0.07	<10	78	<10	4	101
65	L80200 3600	<0.2	1.01	10	40	10	0.26	<1	7	25	13	1.79	<10	0.38	149	<1	0.01	14	280	20	<5	<20	9	0.07	<10	53	<10	3	57
66	L80200 3650	0.2	1.29	15	95	10	0.46	<1	15	32	31	2.71	<10	0.51	765	<1	0.02	20	700	24	<5	<20	17	0.07	<10	78	<10	4	79
67	L80200 3700	<0.2	1.10	15	65	5	0.37	<1	12	34	29	2.59	<10	0.50	293	<1	0.02	23	720	20	<5	<20	13	0.09	<10	77	<10	7	65
68	L80200 3750	0.2	1.54	30	50	15	0.30	<1	11	32	45	3.31	<10	0.49	199	3	0.01	25	650	28	<5	<20	11	0.06	<10	91	<10	<1	99
69	L80350 3000	0.3	1.36	10	105	5	0.28	<1	8	33	23	2.48	<10	0.38	182	<1	0.02	19	680	24	<5	<20	14	0.07	<10	70	<10	3	82
70	L80350 3050	0.4	2.26	15	175	10	0.39	<1	15	53	53	3.72	<10	0.73	672	2	0.02	37	700	38	<5	<20	24	0.06	<10	95	<10	8	92

07-Jun-06

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
71	L80350 3100	<0.2	1.42	20	110	15	0.36	<1	13	38	40	2.95	<10	0.54	325	<1	0.02	25	680	28	<5	<20	29	0.09	<10	92	<10	8	65
72	L80350 3150	<0.2	0.98	10	155	10	0.29	<1	7	26	19	2.04	<10	0.28	238	<1	0.02	11	940	18	<5	<20	16	0.10	<10	68	<10	3	64
73	L80350 3200	<0.2	1.36	20	85	10	0.35	<1	10	32	31	2.75	<10	0.50	195	<1	0.02	21	1120	26	<5	<20	19	0.07	<10	78	<10	7	70
74	L80350 3250	<0.2	1.20	10	90	10	0.34	<1	9	34	28	2.47	<10	0.43	251	<1	0.01	23	630	24	<5	<20	16	0.06	<10	69	<10	11	60
75	L80350 3300	0.2	1.90	15	60	10	0.39	<1	11	46	25	3.39	<10	0.43	175	<1	0.01	26	1700	32	<5	<20	22	0.07	<10	93	<10	4	75
76	L80350 3350	<0.2	1.05	10	55	<5	0.38	<1	10	31	18	2.00	<10	0.48	336	<1	0.02	17	470	20	<5	<20	11	0.08	<10	61	<10	4	44
77	L80350 3400	0.2	1.64	50	90	<5	0.28	<1	9	39	28	3.16	<10	0.30	177	<1	0.01	16	2790	30	<5	<20	9	0.06	<10	89	<10	2	82
78	L80350 3450	<0.2	1.01	15	60	10	0.27	<1	8	32	27	2.18	<10	0.40	223	<1	0.01	20	340	18	<5	<20	9	0.06	<10	67	<10	5	46
79	L80350 3500	0.2	1.82	25	140	15	0.26	<1	12	40	24	3.50	<10	0.33	245	1	0.01	20	3620	34	<5	<20	5	0.06	<10	88	<10	<1	114
80	L80350 3550	0.3	0.99	20	85	5	0.33	<1	11	38	23	2.60	<10	0.37	1131	<1	0.01	18	630	22	<5	<20	9	0.06	<10	77	<10	3	70
81	L80350 3600	0.2	1.71	15	105	10	0.29	<1	12	39	26	3.56	<10	0.40	281	2	0.01	23	2710	34	<5	<20	7	0.06	<10	88	<10	1	107
82	L80350 3650	0.2	1.30	10	165	<5	0.25	<1	6	34	20	2.94	<10	0.25	142	1	0.01	15	2600	28	<5	<20	11	0.06	<10	77	<10	1	78
83	L80350 3700	<0.2	1.27	10	90	5	0.41	<1	14	38	40	2.96	<10	0.49	593	<1	0.01	25	680	28	<5	<20	11	0.07	<10	89	<10	8	64
84	L78350 4950	0.2	0.97	<5	75	<5	0.43	<1	8	31	15	2.15	<10	0.42	436	<1	0.01	17	920	20	<5	<20	5	0.07	<10	58	<10	2	60
85	L78350 5000	<0.2	1.17	10	90	10	0.47	<1	11	41	27	2.79	<10	0.55	258	<1	0.02	27	1140	28	5	<20	20	0.07	<10	74	<10	8	57
86	L78350 5050	<0.2	1.14	5	75	15	0.46	3	11	40	23	2.55	<10	0.57	317	9	0.02	32	690	26	50	<20	20	0.03	<10	67	<10	8	55
87	L78350 5100	0.3	1.70	10	95	15	0.32	5	11	48	28	3.41	<10	0.61	233	15	0.02	39	1610	38	75	<20	20	0.02	<10	90	<10	7	57
88	L78350 5150	0.2	1.12	5	75	10	0.30	<1	8	31	15	2.52	<10	0.32	237	<1	0.01	14	1830	24	<5	<20	4	0.06	<10	68	<10	3	74
89	L78350 5200	0.3	1.34	10	90	<5	0.44	<1	10	40	27	2.88	<10	0.59	342	<1	0.02	27	1400	26	<5	<20	6	0.07	<10	76	<10	4	73
90	L78350 5250	<0.2	1.04	10	60	5	0.42	3	10	35	22	2.31	<10	0.51	343	9	0.02	29	620	22	55	<20	16	0.02	<10	67	<10	6	51
91	L78350 5300	0.2	0.73	5	70	<5	0.23	3	6	27	18	1.85	<10	0.29	140	6	0.01	20	450	16	35	<20	8	0.02	<10	56	<10	3	40
92	L78350 5350	<0.2	1.19	10	100	<5	0.61	4	13	42	32	2.78	<10	0.65	461	12	0.02	40	930	26	65	<20	28	0.02	<10	69	<10	8	73
93	L78350 5400	<0.2	1.18	10	105	<5	0.66	4	14	42	32	2.73	<10	0.64	485	12	0.02	39	930	24	65	<20	29	0.02	<10	68	<10	8	77
94	L78350 5450	<0.2	1.71	15	95	5	0.48	<1	18	61	41	3.80	10	0.97	467	3	0.02	48	690	34	5	<20	16	0.06	<10	75	<10	10	73
95	L80000 3000	<0.2	1.16	10	55	5	0.37	<1	11	39	29	2.72	<10	0.51	303	<1	0.02	24	740	22	<5	<20	11	0.07	<10	78	<10	3	48
96	L80000 3050	<0.2	1.31	10	75	10	0.31	<1	13	42	34	2.85	<10	0.52	361	<1	0.02	26	680	26	<5	<20	12	0.08	<10	83	<10	5	52
97	L80000 3100	0.2	1.31	10	75	10	0.28	<1	8	32	23	2.22	<10	0.45	191	<1	0.01	20	780	26	<5	<20	13	0.08	<10	67	<10	5	66
98	L80000 3150	0.3	1.23	10	80	15	0.21	<1	8	31	19	2.35	<10	0.30	123	<1	0.01	15	640	26	<5	<20	16	0.07	<10	72	<10	6	47
99	L80000 3200	0.2	1.88	15	145	10	0.46	<1	12	54	35	3.60	<10	0.65	275	<1	0.02	32	1680	36	<5	<20	47	0.09	<10	108	<10	6	62
100	L80000 3250	<0.2	1.32	10	80	<5	0.48	<1	11	37	30	2.83	<10	0.51	242	<1	0.01	25	950	24	<5	<20	21	0.07	<10	74	<10	7	53
101	L80000 3300	<0.2	1.01	10	70	10	0.27	<1	7	25	18	1.83	<10	0.39	181	<1	0.01	16	460	20	<5	<20	8	0.07	<10	55	<10	4	51
102	L80000 3350	<0.2	1.80	10	105	10	0.30	<1	10	40	28	3.06	<10	0.53	225	<1	0.02	23	1250	32	<5	<20	18	0.08	<10	91	<10	5	64
103	L80000 3400	<0.2	1.15	10	65	5	0.40	<1	9	38	26	2.43	<10	0.47	233	<1	0.01	20	860	20	<5	<20	13	0.08	<10	76	<10	5	48
104	L80000 3450	<0.2	1.76	10	80	10	0.35	<1	13	47	35	3.02	<10	0.61	381	<1	0.02	29	800	30	<5	<20	16	0.09	<10	83	<10	6	56
105	L80000 3500	<0.2	1.45	10	75	10	0.35	<1	11	37	32	2.66	<10	0.59	313	<1	0.02	26	770	24	<5	<20	9	0.07	<10	73	<10	7	60
106	L80000 3550	<0.2	1.36	15	95	15	0.50	<1	11	34	43	3.07	<10	0.58	290	<1	0.02	23	850	24	<5	<20	30	0.09	<10	97	<10	7	46
107	L80000 3600	<0.2	1.11	10	75	10	0.32	<1	9	29	21	2.10	<10	0.40	199	<1	0.01	17	530	24	<5	<20	15	0.07	<10	62	<10	7	41
108	L80000 3650	<0.2	1.06	10	55	10	0.42	<1	10	30	19	2.32	<10	0.44	273	<1	0.01	19	530	22	<5	<20	14	0.07	<10	69	<10	4	57
109	L80000 3700	0.2	1.15	10	60	5	0.33	<1	8	29	30	1.85	<10	0.37	185	<1	0.01	16	270	24	<5	<20	6	0.07	<10	69	<10	8	43
110	L80000 3750	0.2	1.34	25	90	10	0.49	<1	11	34	58	2.63	10	0.41	451	1	0.02	21	490	28	<5	<20	27	0.05	<10	86	<10	13	55

07-Jun-06

111	L800000 3800	0.4	1.29	25	100	5	0.48	1	14	35	53	2.67	10	0.46	804	<1	0.02	22	510	28	<5	<20	23	0.06	<10	81	<10	13	74
112	L800000 3850	0.3	1.46	10	125	5	0.54	2	13	37	66	2.75	20	0.47	682	<1	0.02	31	870	30	<5	<20	32	0.06	<10	76	<10	33	89
113	L800000 3900	0.5	2.54	10	95	10	0.34	<1	24	37	63	5.10	10	0.50	677	6	0.02	35	1140	52	<5	<20	15	0.08	<10	132	<10	1	143
114	L800000 3950	0.2	1.14	5	50	15	0.19	<1	6	23	23	2.93	<10	0.16	113	2	0.01	10	1080	36	<5	<20	5	0.06	<10	92	<10	<1	34
115	L80100 3000	0.3	1.41	<5	100	15	0.28	<1	10	36	26	2.73	10	0.42	212	<1	0.01	23	1060	32	<5	<20	10	0.08	<10	80	<10	6	53
116	L80100 3050	0.2	0.70	<5	45	10	0.26	<1	5	21	12	1.56	<10	0.23	90	<1	0.01	11	600	18	<5	<20	4	0.06	<10	47	<10	6	28
117	L80100 3100	<0.2	0.87	<5	80	10	0.35	<1	12	34	23	2.39	10	0.43	387	<1	0.01	21	830	20	<5	<20	12	0.08	<10	68	<10	8	37
118	L80100 3150	<0.2	0.59	<5	45	10	0.24	<1	5	21	9	1.53	<10	0.16	159	<1	0.01	8	990	16	<5	<20	<1	0.07	<10	45	<10	5	27
119	L80100 3200	0.3	2.14	5	105	15	0.24	<1	9	45	27	3.61	10	0.31	150	2	0.01	20	2210	46	<5	<20	6	0.07	<10	90	<10	2	84
120	L80100 3250	0.2	1.49	5	75	10	0.32	<1	14	38	27	2.75	10	0.45	482	<1	0.01	22	750	30	<5	<20	7	0.06	<10	77	<10	7	45
121	L80100 3300	<0.2	1.16	5	75	10	0.31	<1	8	30	20	2.16	<10	0.43	209	<1	0.01	18	540	24	<5	<20	7	0.07	<10	66	<10	5	42
122	L80100 3350	<0.2	1.22	10	85	10	0.31	<1	9	36	23	2.58	<10	0.49	211	<1	0.01	20	760	26	<5	<20	13	0.07	<10	72	<10	5	35
123	L80100 3400	0.4	2.00	10	100	10	0.32	<1	11	45	35	2.85	<10	0.54	323	<1	0.02	28	820	38	<5	<20	14	0.07	<10	72	<10	9	57
124	L80100 3450	0.2	1.39	5	80	5	0.34	<1	11	36	27	2.55	<10	0.53	401	<1	0.01	23	680	28	<5	<20	15	0.07	<10	71	<10	8	53
125	L80100 3500	0.2	1.30	10	90	10	0.39	<1	12	36	29	2.41	<10	0.53	605	<1	0.02	26	650	28	<5	<20	14	0.07	<10	66	<10	7	54
126	L80100 3550	<0.2	0.94	10	75	10	0.37	<1	10	28	23	2.23	<10	0.41	269	<1	0.01	18	710	22	<5	<20	11	0.07	<10	63	<10	7	45
127	L80100 3600	0.2	1.17	5	90	5	0.37	<1	9	28	19	1.97	<10	0.42	433	<1	0.02	18	620	26	10	<20	12	0.06	<10	58	<10	6	57
128	L80100 3650	0.2	1.28	10	75	10	0.33	<1	12	34	26	2.40	10	0.49	457	<1	0.01	22	430	28	<5	<20	10	0.06	<10	68	<10	5	42
129	L80100 3700	0.7	2.66	15	200	<5	0.93	<1	18	63	106	4.27	30	0.83	962	3	0.02	53	810	52	<5	<20	49	0.06	<10	113	<10	35	82
130	L80100 3750	0.3	1.48	20	95	10	0.51	<1	15	41	49	3.15	10	0.59	562	1	0.02	29	420	32	<5	<20	22	0.07	<10	93	<10	13	61
131	L80100 3800	0.6	1.77	15	115	10	0.43	1	17	46	73	3.76	10	0.71	655	1	0.02	35	440	34	<5	<20	17	0.08	<10	108	<10	7	84
132	L80100 3850	0.4	2.11	10	75	10	0.48	3	24	35	175	6.21	<10	0.62	972	7	0.02	31	2380	90	<5	<20	12	0.07	<10	173	<10	1	183
133	L80100 3900	<0.2	1.29	15	70	10	0.47	<1	13	39	50	3.17	<10	0.60	417	<1	0.02	28	670	26	<5	<20	15	0.08	<10	91	<10	9	42
134	L80150 3000	<0.2	0.99	5	65	10	0.27	<1	9	31	19	1.86	<10	0.42	251	<1	0.01	17	310	24	<5	<20	12	0.09	<10	62	<10	8	37
135	L80150 3050	0.2	1.40	10	105	15	0.30	<1	10	38	28	2.98	<10	0.46	181	1	0.01	26	1000	28	<5	<20	8	0.07	<10	81	<10	5	72
136	L80150 3100	<0.2	1.20	5	75	10	0.28	<1	9	33	23	2.37	<10	0.39	209	<1	0.01	20	750	26	<5	<20	12	0.06	<10	68	<10	7	46
137	L80150 3150	0.4	1.62	10	125	10	0.29	<1	13	41	25	3.08	<10	0.38	186	<1	0.01	30	1860	34	<5	<20	10	0.07	<10	75	<10	4	93
138	L80150 3200	0.4	2.97	15	145	20	0.30	1	15	61	34	4.99	<10	0.44	191	3	0.02	32	4410	58	<5	<20	9	0.09	<10	117	<10	4	115
139	L80150 3250	0.2	1.55	5	80	5	0.35	<1	11	40	26	2.95	<10	0.49	238	<1	0.01	26	980	32	<5	<20	9	0.07	<10	79	<10	6	51
140	L80150 3300	<0.2	1.35	10	75	5	0.37	<1	9	35	24	2.67	<10	0.47	214	<1	0.01	21	910	28	<5	<20	12	0.07	<10	78	<10	6	44
141	L80150 3350	<0.2	1.68	10	85	<5	0.39	<1	10	40	30	3.06	<10	0.54	213	<1	0.02	26	890	32	<5	<20	20	0.08	<10	88	<10	6	46
142	L80150 3400	<0.2	1.12	5	65	10	0.35	<1	9	34	22	2.16	<10	0.49	254	<1	0.01	20	780	26	<5	<20	19	0.08	<10	64	<10	9	39
143	L80150 3450	<0.2	1.07	10	85	5	0.33	<1	8	31	22	2.34	<10	0.43	183	<1	0.01	19	760	24	<5	<20	11	0.08	<10	69	<10	7	49
144	L80150 3500	<0.2	1.04	5	60	5	0.32	<1	8	33	21	2.30	<10	0.46	186	<1	0.01	21	620	22	<5	<20	11	0.08	<10	64	<10	7	53
145	L80150 3550	<0.2	1.14	10	55	15	0.37	<1	9	32	22	2.50	<10	0.50	213	<1	0.01	22	980	24	<5	<20	6	0.07	<10	66	<10	7	55
146	L80150 3600	<0.2	0.88	5	50	5	0.37	<1	8	25	15	1.91	<10	0.38	185	<1	0.01	14	470	20	<5	<20	9	0.07	<10	58	<10	6	39
147	L80150 3700	<0.2	1.41	15	65	10	0.38	<1	12	37	32	3.05	<10	0.61	335	<1	0.02	26	890	30	<5	<20	15	0.08	<10	87	<10	8	56
148	L80150 3750	0.2	1.05	10	70	10	0.36	<1	11	31	22	2.42	<10	0.45	352	<1	0.01	20	660	22	<5	<20	11	0.07	<10	70	<10	6	71
149	L80150 3800	0.2	1.23	30	75	10	0.40	<1	11	33	24	2.92	<10	0.46	229	<1	0.01	21	780	26	<5	<20	11	0.07	<10	86	<10	4	62
150	L78200 4750	<0.2	1.46	10	100	10	0.71	<1	17	47	39	3.47	10	0.84	471	<1	0.02	44	840	30	5	<20	28	0.08	<10	70	<10	13	54

07-Jun-06

ECO TECH LABORATORY LTD. ICP CERTIFICATE OF ANALYSIS AK 2006-511 RICHFIELD VENTURES CORP.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
151	L78200 4800	<0.2	1.35	10	95	10	0.67	<1	15	46	40	3.36	10	0.84	531	<1	0.02	42	890	28	<5	<20	26	0.08	<10	77	<10	11	57
152	L78200 4850	<0.2	1.29	10	110	10	0.61	<1	16	48	46	3.25	10	0.84</td															

153	L78200 4900	<0.2	1.45	10	110	10	0.65	<1	17	53	53	3.61	10	0.93	563	<1	0.02	52	950	32	<5	<20	27	0.08	<10	77	<10	16	58
154	L78200 4950	0.4	1.64	10	110	10	0.84	<1	14	56	49	3.33	10	0.73	626	<1	0.02	41	820	36	<5	<20	30	0.07	<10	89	<10	20	40
155	L78200 5000	<0.2	1.09	5	55	10	0.37	<1	11	40	26	2.43	<10	0.53	296	<1	0.01	27	730	24	<5	<20	9	0.08	<10	71	<10	8	30
156	L78200 5050	<0.2	1.40	10	75	10	0.34	<1	10	37	23	2.75	<10	0.47	187	<1	0.01	25	1480	30	<5	<20	9	0.07	<10	79	<10	4	43
157	L78200 5100	0.4	1.43	10	70	10	0.39	<1	10	41	23	3.08	<10	0.48	183	<1	0.01	28	1420	28	<5	<20	9	0.07	<10	75	<10	4	55
158	L78200 5150	0.6	2.16	10	130	10	0.50	<1	14	56	44	3.89	<10	0.70	296	2	0.01	46	1650	42	<5	<20	14	0.07	<10	92	<10	8	68
159	L78300 4900	0.2	1.14	10	90	10	0.62	<1	14	43	36	2.82	10	0.69	538	<1	0.02	33	910	26	<5	<20	20	0.07	<10	66	<10	11	49
160	L78300 4950	<0.2	1.46	15	100	10	0.64	<1	17	53	56	3.55	10	0.93	571	<1	0.02	51	980	30	<5	<20	23	0.08	<10	81	<10	14	58
161	L78300 5000	0.2	1.28	10	90	<5	0.57	<1	14	48	47	3.10	10	0.73	434	<1	0.02	45	800	24	<5	<20	19	0.07	<10	71	<10	18	48
162	L78300 5050	<0.2	1.49	10	120	10	0.48	<1	15	49	34	3.29	<10	0.72	457	<1	0.02	30	820	32	<5	<20	28	0.09	<10	85	<10	9	58
163	L78300 5100	0.4	1.27	10	85	10	0.33	<1	11	40	25	2.62	<10	0.57	320	<1	0.01	26	1080	26	<5	<20	9	0.06	<10	69	<10	7	54
164	L78300 5150	0.4	1.70	5	85	10	0.51	<1	9	39	24	3.69	<10	0.47	317	1	0.01	20	2890	30	<5	<20	16	0.07	<10	107	<10	<1	65
165	L78300 5200	0.6	1.10	10	110	5	0.41	<1	13	32	18	2.43	<10	0.35	505	<1	0.01	14	1790	22	<5	<20	10	0.07	<10	69	<10	2	90
166	L78300 5250	0.2	1.20	10	60	10	0.38	<1	7	31	23	1.64	<10	0.47	146	<1	0.01	19	660	24	10	<20	11	0.08	<10	53	<10	7	34
167	L78300 5300	0.2	1.10	5	70	15	0.40	<1	9	34	19	2.56	<10	0.46	236	<1	0.01	19	1560	22	<5	<20	13	0.07	<10	66	<10	6	78
168	L78300 5350	0.2	1.30	10	80	10	0.47	<1	11	39	26	2.94	<10	0.53	273	<1	0.01	23	1540	24	<5	<20	15	0.07	<10	79	<10	6	58
169	L78300 5400	0.8	2.40	15	165	10	0.85	1	19	69	94	4.36	10	0.93	1035	4	0.02	57	820	42	5	<20	38	0.05	<10	107	<10	23	62
170	L78300 5450	0.2	1.21	10	85	10	0.61	<1	13	41	35	2.64	10	0.64	458	<1	0.02	30	930	24	<5	<20	25	0.07	<10	75	<10	12	44
171	L78300 5500	0.3	0.88	10	95	10	0.56	<1	9	32	25	2.24	<10	0.42	347	<1	0.01	17	1090	20	<5	<20	24	0.06	<10	63	<10	5	48
172	L78300 5550	0.4	1.05	10	80	10	0.39	<1	8	32	18	2.15	<10	0.48	345	<1	0.01	19	880	22	<5	<20	12	0.06	<10	58	<10	5	48
173	L78300 5600	0.3	1.06	10	75	10	0.40	<1	11	39	24	2.59	10	0.61	416	1	0.01	26	610	22	<5	<20	16	0.04	<10	58	<10	6	45

QC DATA:

Repeat:

1	L78450 5050	<0.2	1.68	15	115	<5	0.63	<1	19	61	60	3.98	<10	0.88	637	<1	0.02	47	1000	32	<5	<20	24	0.09	<10	97	<10	12	77
10	L78500 5200	<0.2	1.29	20	150	5	0.62	<1	20	48	49	3.47	10	0.60	599	3	0.01	45	680	26	<5	<20	21	0.04	<10	81	<10	21	72
19	L80300 3000	<0.2	0.96	10	60	10	0.27	<1	7	27	20	1.94	<10	0.36	165	<1	0.01	17	330	20	<5	<20	7	0.07	<10	55	<10	4	59
28	L80300 3450	<0.2	1.38	20	70	<5	0.29	<1	11	35	31	2.77	<10	0.47	226	<1	0.01	27	1050	26	<5	<20	8	0.07	<10	79	<10	2	60
36	L80050 3100	0.2	1.47	10	70	10	0.29	<1	12	39	29	2.77	<10	0.45	226	<1	0.01	27	840	28	<5	<20	7	0.08	<10	77	<10	2	69
45	L80050 3550	<0.2	1.14	10	75	5	0.41	<1	12	34	31	2.14	<10	0.50	722	1	0.02	29	460	22	5	<20	17	0.07	<10	69	<10	11	44
54	L80200 3050	0.2	1.40	10	75	5	0.28	<1	9	35	29	2.01	<10	0.43	209	<1	0.02	19	390	26	<5	<20	9	0.06	<10	63	<10	7	60
63	L80200 3500	<0.2	1.28	15	90	10	0.29	<1	8	31	26	2.42	<10	0.38	262	<1	0.01	18	720	24	<5	<20	12	0.06	<10	68	<10	2	69
71	L80350 3100	<0.2	1.39	20	95	15	0.36	<1	12	37	37	2.95	<10	0.52	317	<1	0.02	25	710	28	<5	<20	15	0.09	<10	90	<10	4	66
80	L80350 3550	0.2	1.03	20	100	10	0.35	1	11	37	24	2.64	<10	0.35	1216	5	0.01	23	670	24	20	<20	13	0.04	<10	79	<10	4	73
89	L78350 5200	0.3	1.40	10	95	5	0.44	<1	11	40	28	2.93	<10	0.62	377	<1	0.02	27	1390	26	<5	<20	13	0.07	<10	78	<10	4	74

07-Jun-06

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2006-511

RICHFIELD VENTURES CORP.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
98	L80000 3150	0.2	1.27	10	80	10	0.22	<1	8	32	20	2.38	<10	0.31	127	<1	0.01	15	660	28	<5	<20	21	0.07	<10	72	<10	6	47
106	L80000 3550	<0.2	1.37	10	85	15	0.52	<1	12	35	41	3.11	10	0.59	281	<1	0.02	23	930	28	<5	<20	29	0.10	<10	97	<10	9	46
115	L80100 3000	0.3	1.42	5	105	10	0.28	<1	10	36	26	2.74	<10	0.41	214	<1	0.01	23	1040	32	<5	<20	14	0.08	<10	79	<10	6	55
124	L80100 3450	0.2	1.40	5	70	15	0.34	<1	11	36	27	2.51	<10	0.53	381	<1	0.01	23	670	28	<5	<20	10	0.06	<10	70	<10	6	53

133	L80100	3900	<0.2	1.35	15	65	15	0.49	<1	14	40	52	3.28	<10	0.63	441	<1	0.02	30	690	26	<5	<20	17	0.09	<10	92	<10	11	43
141	L80150	3350	0.3	1.69	10	75	<5	0.37	<1	10	39	29	3.03	<10	0.54	216	<1	0.02	26	830	32	<5	<20	18	0.08	<10	87	<10	6	46
150	L78200	4750	<0.2	1.50	10	100	10	0.73	<1	17	49	41	3.54	10	0.86	470	1	0.02	46	870	32	<5	<20	31	0.08	<10	72	<10	15	55
159	L78300	4900	<0.2	1.13	10	90	5	0.68	<1	13	42	36	3.44	<10	0.68	520	<1	0.02	42	870	28	<5	<20	22	0.07	<10	65	<10	8	47

Standard:

GEO '06
GEO '06

1.5	1.66	55	135	<5	1.57	<1	19	59	85	3.90	<10	0.91	602	<1	0.03	28	740	22	<5	<20	56	0.11	<10	67	<10	11	74
1.6	1.66	60	135	<5	1.52	<1	19	59	87	3.81	<10	0.92	594	<1	0.03	29	720	24	5	<20	53	0.11	<10	65	<10	11	76

ECO TECH LABORATORY LTD.

Jutta Jealouse
B.C. Certified Assayer

JJ/ga
df/511
XLS/06

CERTIFICATE OF ANALYSIS AK 2006-513

RICHFIELD VENTURES CORP.
331 Reid Street
Quesnel, BC
V2J 2M5

08-Jun-06

ATTENTION: Peter Bernier

No. of samples received: 379

Sample Type: Soil

Project #: Blackstone

Samples submitted by: Richfield Ventures Corp.

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
1	L79450 3000	5	<5	<5
2	L79450 3050	<5	<5	<5
3	L79450 3100	<5	<5	<5
4	L79450 3150	10	<5	<5
5	L79450 3200	<5	<5	<5
6	L79450 3250	15	<5	<5
7	L79450 3300	5	<5	<5
8	L79450 3350	5	<5	<5
9	L79450 3400	<5	<5	<5
10	L79450 3450	<5	<5	<5
11	L79450 3500	5	<5	<5
12	L79450 3550	10	<5	<5
13	L79450 3600	<5	<5	<5
14	L79450 3650	5	<5	<5
15	L79450 3700	5	<5	<5
16	L79450 3750	<5	<5	<5
17	L79450 3800	<5	<5	<5
18	L79450 3850	<5	<5	<5
19	L79450 3900	5	<5	<5
20	L79450 3950	<5	<5	<5
21	L79450 4000	<5	<5	<5
22	L79450 4050	<5	<5	<5
23	L79450 4100	<5	<5	<5
24	L79450 4150	<5	<5	<5
25	L79450 4200	10	<5	<5
26	L79450 4250	10	<5	<5
27	L79550 3000	10	<5	<5
28	L79550 3050	5	<5	<5
29	L79550 3100	5	<5	<5
30	L79550 3150	<5	<5	<5
31	L79550 3200	<5	<5	<5

RICHFIELD VENTURES CORP. AK6-513

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
32	L79550 3250	^5	^5	^5
33	L79550 3300	^5	^5	^5
34	L79550 3350	^5	^5	^5
35	L79550 3400	^5	^5	^5
36	L79550 3450	^5	^5	^5
37	L79550 3500	^5	^5	^5
38	L79550 3550	5	^5	^5
39	L79550 3600	5	^5	^5
40	L79550 3650	5	^5	^5
41	L79550 3700	5	^5	5
42	L79550 3750	^5	^5	^5
43	L79550 3800	^5	^5	^5
44	L79550 3850	^5	^5	^5
45	L79550 3900	^5	^5	^5
46	L79550 3950	^5	^5	^5
47	L79550 4000	^5	^5	^5
48	L79550 4050	^5	^5	^5
49	L79550 4100	^5	^5	^5
50	L79550 4150	^5	^5	^5
51	L79550 4200	^5	^5	^5
52	L79550 4250	^5	^5	5
53	L79650 3000	^5	^5	^5
54	L79650 3050	^5	^5	^5
55	L79650 3100	5	^5	^5
56	L79650 3150	^5	^5	^5
57	L79650 3200	^5	^5	^5
58	L79650 3250	^5	^5	^5
59	L79650 3300	^5	^5	^5
60	L79650 3350	5	^5	^5
61	L79650 3400	^5	^5	^5
62	L79650 3450	^5	^5	^5
63	L79650 3500	^5	^5	5
64	L79650 3550	^5	^5	^5
65	L79650 3600	^5	^5	^5
66	L79650 3650	^5	^5	^5
67	L79650 3700	^5	^5	^5
68	L79650 3750	^5	^5	^5
69	L79650 3800	^5	^5	^5
70	L79650 3850	^5	^5	^5
71	L79650 3900	^5	^5	^5

72	L79650 3950					
73	L79650 4000	5	5	5	5	5
74	L79650 4050	5		5		5
75	L79650 4100	5		5		5
76	L79650 4150	5		5		5

RICHFIELD VENTURES CORP. AK6-513

08-Jun-06

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
77	L79400 3000	5	<5	<5
78	L79400 3050	<5	<5	5
79	L79400 3100	<5	<5	<5
80	L79400 3150	5	<5	15
81	L79400 3200	<5	<5	5
82	L79400 3250	<5	<5	<5
83	L79400 3300	<5	<5	<5
84	L79400 3350	<5	<5	<5
85	L79400 3400	<5	<5	<5
86	L79400 3450	<5	<5	<5
87	L79400 3500	<5	<5	<5
88	L79400 3550	<5	<5	<5
89	L79400 3600	<5	<5	5
90	L79400 3650	<5	<5	<5
91	L79400 3700	<5	<5	<5
92	L79400 3750	<5	<5	5
93	L79400 3800	<5	<5	<5
94	L79400 3850	<5	<5	5
95	L79400 3900	<5	<5	<5
96	L79400 3950	<5	<5	<5
97	L79400 4000	<5	<5	<5
98	L79400 4050	<5	<5	<5
99	L79400 4100	<5	<5	<5
100	L79400 4150	<5	<5	<5
101	L79400 4200	<5	<5	<5
102	L79400 4250	5	<5	5
103	L79400 4300	5	<5	<5
104	L79200 3000	<5	<5	<5
105	L79200 3050	65	<5	<5
106	L79200 3100	5	<5	<5
107	L79200 3150	5	<5	<5
108	L79200 3200	5	<5	<5
109	L79200 3250	5	<5	<5
110	L79200 3300	5	<5	<5

111	L79200 3350		5	<5	<5
112	L79200 3400		5	<5	<5
113	L79200 3450		5	<5	<5
114	L79200 3500		5	<5	<5
115	L79200 3550		5	<5	<5
116	L79200 3600	45	<5	<5	<5
117	L79200 3650		5	<5	<5
118	L79200 3700		5	<5	<5
119	L79200 3750		5	<5	<5
120	L79200 3800		5	<5	<5
121	L79200 3850		5	<5	5

RICHFIELD VENTURES CORP. AK6-513

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)	08-Jun-06
122	L79200 3900	5	<5	<5	
123	L79200 3950	5	<5	<5	
124	L79200 4000	5	<5	<5	
125	L79200 4050	5	<5	<5	
126	L79200 4100	5	<5	<5	
127	L79200 4150	5	<5	<5	
128	L79200 4200	5	<5	<5	
129	L79200 4250	5	<5	<5	
130	L79200 4300	<5	<5	<5	5
131	L79200 4350	5	<5	<5	
132	L79200 4400	<5	<5	<5	
133	L79200 4450	5	<5	<5	
134	L79250 3000	<5	<5	<5	
135	L79250 3050	<5	<5	<5	5
136	L79250 3100	5	<5	<5	5
137	L79250 3150	5	<5	<5	
138	L79250 3200	<5	<5	<5	
139	L79250 3250	<5	<5	<5	
140	L79250 3300	<5	<5	<5	
141	L79250 3350	<5	<5	<5	
142	L79250 3400	5	<5	<5	
143	L79250 3450	25	<5	<5	
144	L79250 3500	5	<5	<5	
145	L79250 3550	<5	<5	<5	5
146	L79250 3600	<5	<5	<5	
147	L79250 3650	<5	<5	<5	
148	L79250 3700	<5	<5	<5	
149	L79250 3750	<5	<5	<5	

150	L79250 3800		<5	<5	<5
151	L79250 3850		<5	<5	<5
152	L79250 3900		<5	<5	<5
153	L79250 3950		5	<5	<5
154	L79250 4000		<5	<5	<5
155	L79250 4050		<5	<5	<5
156	L79250 4100		<5	<5	<5
157	L79250 4150		<5	<5	<5
158	L79250 4200		<5	<5	<5
159	L79250 4250		<5	<5	<5
160	L79250 4300		<5	<5	<5
161	L79250 4350		<5	<5	<5
162	L79250 4400		<5	<5	<5
163	L79350 3000		5	<5	<5
164	L79350 3050		<5	<5	<5
165	L79350 3100		5	<5	<5
166	L79350 3150		<5	<5	<5

RICHFIELD VENTURES CORP. AK6-513

08-Jun-06

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
167	L79350 3200	30	<5	<5
168	L79350 3250	5	<5	<5
169	L79350 3300	5	<5	<5
170	L79350 3350	<5	<5	<5
171	L79350 3400	5	<5	<5
172	L79350 3450	<5	<5	<5
173	L79350 3500	5	<5	<5
174	L79350 3550	<5	<5	<5
175	L79350 3600	<5	<5	<5
176	L79350 3650	10	<5	<5
177	L79350 3700	5	<5	<5
178	L79350 3750	5	<5	<5
179	L79350 3800	5	<5	<5
180	L79350 3850	5	<5	<5
181	L79350 3900	5	<5	<5
182	L79350 3950	5	<5	<5
183	L79350 4000	10	<5	<5
184	L79350 4050	5	<5	<5
185	L79350 4100	5	<5	<5
186	L79350 4150	5	<5	<5
187	L79350 4200	10	<5	5
188	L79350 4250	5	<5	<5

189	L79600 3000	5	<5	<5
190	L79600 3050	10	<5	<5
191	L79600 3100	10	<5	<5
192	L79600 3150	65	<5	5
193	L79600 3200	5	<5	<5
194	L79600 3250	5	<5	<5
195	L79600 3300	5	<5	<5
196	L79600 3350	5	<5	<5
197	L79600 3400	5	<5	<5
198	L79600 3450	5	<5	<5
199	L79600 3500	5	<5	<5
200	L79600 3550	15	<5	<5
201	L79600 3600	20	<5	<5
202	L79600 3650	5	<5	<5
203	L79600 3700	5	<5	<5
204	L79600 3750	5	<5	<5
205	L79600 3800	5	<5	<5
206	L79600 3850	5	<5	<5
207	L79600 3900	5	<5	<5
208	L79600 3950	5	<5	<5
209	L79600 4000	5	<5	<5
210	L79600 4050	5	<5	<5
211	L79600 4100	5	<5	<5

RICHFIELD VENTURES CORP. AK6-513

08-Jun-06

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
212	L79600 4150	<5	<5	<5
213	L79600 4200	5	<5	<5
214	L79300 3000	5	<5	<5
215	L79300 3050	5	<5	<5
216	L79300 3100	5	<5	<5
217	L79300 3150	<5	<5	<5
218	L79300 3200	5	<5	<5
219	L79300 3250	5	<5	<5
220	L79300 3300	<5	<5	<5
221	L79300 3350	<5	<5	<5
222	L79300 3400	5	<5	<5
223	L79300 3450	5	<5	<5
224	L79300 3500	<5	<5	<5
225	L79300 3550	<5	<5	<5
226	L79300 3600	5	<5	<5
227	L79300 3650	<5	<5	<5

228	L79300 3700		5	≤5	<5
229	L79300 3750		5	≤5	<5
230	L79300 3800		15	≤5	<5
231	L79300 3850		≤5	≤5	<5
232	L79300 3900		≤5	≤5	<5
233	L79300 3950		≤5	≤5	<5
234	L79300 4000		5	≤5	<5
235	L79300 4050		≤5	≤5	<5
236	L79300 4100		≤5	≤5	<5
237	L79300 4150		≤5	≤5	<5
238	L79300 4200		≤5	≤5	<5
239	L79300 4250		5	≤5	<5
240	L79300 4300		≤5	≤5	<5
241	L79300 4350		≤5	≤5	<5
242	L79100 3000		≤5	≤5	<5
243	L79100 3050		≤5	≤5	<5
244	L79100 3100		≤5	≤5	<5
245	L79100 3150		5	≤5	<5
246	L79100 3200		10	≤5	<5
247	L79100 3250		5	≤5	<5
248	L79100 3300		5	≤5	<5
249	L79100 3350		≤5	≤5	<5
250	L79100 3400		5	≤5	<5
251	L79100 3450		5	≤5	<5
252	L79100 3500		5	≤5	<5
253	L79100 3550		5	≤5	<5
254	L79100 3600		≤5	≤5	<5
255	L79100 3650		5	≤5	<5
256	L79100 3700		≤5	≤5	<5

RICHFIELD VENTURES CORP. AK6-513

08-Jun-06

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
257	L79100 3750	<5	<5	<5
258	L79100 3800	<5	<5	<5
259	L79100 3850	5	<5	<5
260	L79100 3900	<5	<5	<5
261	L79100 3950	<5	<5	<5
262	L79100 4000	<5	<5	<5
263	L79100 4050	<5	<5	<5
264	L79100 4100	<5	<5	<5
265	L79100 4150	<5	<5	<5
266	L79100 4200	<5	<5	<5

267	L79100 4250	<5	<5	<5
268	L79100 4300	<5	<5	<5
269	L79100 4350	<5	<5	<5
270	L79100 4400	<5	<5	<5
271	L79100 4450	5	<5	<5
272	L79050 3000	<5	<5	<5
273	L79050 3050	5	<5	<5
274	L79050 3100	5	<5	<5
275	L79050 3150	5	<5	<5
276	L79050 3200	5	<5	<5
277	L79050 3250	5	<5	<5
278	L79050 3300	5	<5	<5
279	L79050 3350	5	<5	<5
280	L79050 3400	5	<5	<5
281	L79050 3450	5	<5	<5
282	L79050 3500	10	<5	<5
283	L79050 3550	5	<5	<5
284	L79050 3600	10	<5	<5
285	L79050 3650	5	<5	<5
286	L79050 3700	10	<5	<5
287	L79050 3750	5	<5	<5
288	L79050 3800	10	<5	<5
289	L79050 3850	5	<5	<5
290	L79050 3900	<5	<5	<5
291	L79050 3950	5	<5	<5
292	L79050 4000	5	<5	<5
293	L79050 4050	10	<5	<5
294	L79050 4100	5	<5	<5
295	L79050 4150	5	<5	<5
296	L79050 4200	10	<5	<5
297	L79050 4250	5	<5	<5
298	L79050 4300	10	<5	<5
299	L79050 4350	10	<5	<5
300	L79050 4400	5	<5	<5
301	L79050 4450	10	<5	<5

RICHFIELD VENTURES CORP. AK6-513

08-Jun-06

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
302	L79500 3000	<5	<5	<5
303	L79500 3050	5	<5	<5
304	L79500 3100	5	<5	<5
305	L79500 3150	5	<5	<5

306	L79500 3200	10	<5
307	L79500 3250	10	<5
308	L79500 3300	5	<5
309	L79500 3350	5	<5
310	L79500 3400	5	<5
311	L79500 3450	10	<5
312	L79500 3500	5	<5
313	L79500 3550	5	<5
314	L79500 3600	5	<5
315	L79500 3650	5	<5
316	L79500 3700	5	<5
317	L79500 3750	5	<5
318	L79500 3800	5	<5
319	L79500 3850	5	<5
320	L79500 3900	<5	<5
321	L79500 3950	10	<5
322	L79500 4000	5	<5
323	L79500 4050	10	<5
324	L79500 4100	5	<5
325	L79500 4150	<5	<5
326	L79500 4200	5	<5
327	L79500 4250	5	<5
328	L79150 3000	10	<5
329	L79150 3050	15	<5
330	L79150 3100	15	<5
331	L79150 3150	10	<5
332	L79150 3200	5	<5
333	L79150 3250	10	<5
334	L79150 3300	5	<5
335	L79150 3350	10	<5
336	L79150 3400	15	<5
337	L79150 3450	10	<5
338	L79150 3500	10	<5
339	L79150 3550	5	<5
340	L79150 3600	15	<5
341	L79150 3650	10	<5
342	L79150 3700	5	<5
343	L79150 3750	10	<5
344	L79150 3800	15	<5
345	L79150 3850	10	<5
346	L79150 3900	15	<5

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
347	L79150 3950	10	<5	<5
348	L79150 4000	5	<5	<5
349	L79150 4050	10	<5	<5
350	L79150 4100	5	<5	<5
351	L79150 4150	5	<5	<5
352	L79150 4200	5	<5	<5
353	L79150 4250	<5	<5	<5
354	L79150 4350	<5	<5	<5
355	L79150 4400	5	<5	<5
356	L79150 4450	5	<5	<5
357	L79800 3000	5	<5	<5
358	L79800 3050	10	<5	<5
359	L79800 3100	5	<5	<5
360	L79800 3150	5	<5	<5
361	L79800 3200	10	<5	<5
362	L79800 3250	10	<5	<5
363	L79800 3300	5	<5	<5
364	L79800 3350	15	<5	<5
365	L79800 3400	5	<5	<5
366	L79800 3450	10	<5	<5
367	L79800 3500	25	<5	<5
368	L79800 3550	5	<5	<5
369	L79800 3600	<5	<5	<5
370	L79800 3650	5	<5	<5
371	L79800 3700	5	<5	<5
372	L79800 3750	5	<5	<5
373	L79800 3800	5	<5	<5
374	L79800 3850	5	<5	<5
375	L79800 3900	10	<5	<5
376	L79800 3950	5	<5	<5
377	L79800 4000	10	<5	<5
378	L79800 4050	5	<5	<5
379	L79800 4100	5	<5	<5

QC DATA:

Repeat:

1	L79450 3000	<5	<5	<5
10	L79450 3450	<5	<5	<5
19	L79450 3900	<5	<5	<5
28	L79550 3050	<5	<5	<5
36	L79550 3450	<5	<5	<5
45	L79550 3900	<5	<5	<5
54	L79650 3050	<5	<5	<5

RICHFIELD VENTURES CORP. AK6-513

08-Jun-06

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
63	L79650 3500	<5	<5	<5
71	L79650 3900	<5	<5	<5
80	L79400 3150	10	<5	15
89	L79400 3600	<5	<5	5
98	L79400 4050	<5	<5	<5
106	L79200 3100	<5	<5	<5
115	L79200 3550	5	<5	<5
124	L79200 4000	5	<5	<5
133	L79200 4450	<5	<5	<5
141	L79250 3350	<5	<5	<5
150	L79250 3800	<5	<5	<5
159	L79250 4250	5	<5	<5
168	L79350 3250	<5	<5	<5
177	L79350 3700	5	<5	<5
190	L79600 3050	5	<5	<5
194	L79600 3250	10	<5	<5
206	L79600 3850	5	<5	<5
211	L79600 4100	<5	<5	<5
221	L79300 3350	5	<5	<5
229	L79300 3750	5	<5	<5
242	L79100 3000	<5	<5	<5
247	L79100 3250	5	<5	<5
257	L79100 3750	<5	<5	<5
267	L79100 4250	<5	<5	<5
276	L79050 3200	5	<5	<5
281	L79050 3450	5	<5	<5
291	L79050 3950	5	<5	<5
300	L79050 4400	5	<5	<5
313	L79500 3550	5	<5	<5
317	L79500 3750	20	<5	<5
325	L79500 4150	5	<5	<5
335	L79150 3350	5	<5	<5
343	L79150 3750	5	<5	<5
354	L79150 4350	5	<5	<5
360	L79800 3150	10	<5	<5
371	L79800 3700	10	<5	<5
374	L79800 3850	5	<5	<5

RICHFIELD VENTURES CORP. AK6-513

08-Jun-06

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
--------------	--------------	---------------------	---------------------	---------------------

Standard:

PG115		520	780	125
PG115		515	785	130
PG115		510	790	120
PG115		530	780	125
PG115		520	775	120
PG115		510	795	120
PG115		520	780	125
PG115		525	780	130
PG115		520	785	110
PG115		515	790	120

JJ/ga
XLS/06

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2006-513

RICHFIELD VENTURES CORP.
 331 Reid Street
Quesnel, BC
 V2J 2M5

Phone: 250-573-5700
 Fax : 250-573-4557

ATTENTION: Peter Bernier

No. of samples received: 379

Sample type: Soil

Project #: Blackstone

Samples submitted by: Richfield Ventures Corp.

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L79450 3000	0.5	2.24	10	190	<5	0.43	<1	15	49	53	3.10	10	0.67	620	2	0.02	35	790	40	<5	<20	36	0.05	<10	85	<10	11	71
2	L79450 3050	<0.2	1.56	10	80	10	0.35	<1	10	39	31	2.81	<10	0.51	203	<1	0.02	25	940	28	<5	<20	16	0.08	<10	82	<10	7	52
3	L79450 3100	<0.2	1.56	10	90	10	0.30	<1	13	44	36	2.85	<10	0.60	402	<1	0.02	25	520	28	<5	<20	12	0.09	<10	80	<10	7	40
4	L79450 3150	<0.2	1.19	10	80	10	0.30	<1	9	33	25	2.07	<10	0.45	344	<1	0.01	20	560	24	<5	<20	13	0.08	<10	63	<10	8	36
5	L79450 3200	<0.2	1.26	10	75	5	0.34	<1	11	39	30	2.69	<10	0.48	339	<1	0.02	23	790	26	<5	<20	17	0.08	<10	76	<10	9	59
6	L79450 3250	<0.2	1.29	10	75	15	0.34	<1	11	38	28	2.57	<10	0.49	331	<1	0.01	23	670	24	<5	<20	14	0.08	<10	73	<10	8	40
7	L79450 3300	<0.2	1.29	5	60	10	0.27	<1	8	36	23	2.20	<10	0.44	160	<1	0.01	22	500	28	<5	<20	10	0.07	<10	64	<10	6	34
8	L79450 3350	<0.2	1.21	10	60	5	0.28	<1	9	30	21	2.26	<10	0.45	216	<1	0.01	20	660	26	<5	<20	8	0.07	<10	65	<10	5	44
9	L79450 3400	<0.2	1.35	5	75	10	0.33	<1	9	34	26	2.35	<10	0.52	257	<1	0.01	23	500	28	<5	<20	14	0.06	<10	64	<10	8	43
10	L79450 3450	<0.2	1.08	5	90	10	0.38	<1	10	36	26	2.42	<10	0.42	223	<1	0.02	24	790	22	<5	<20	18	0.09	<10	78	<10	7	49
11	L79450 3500	<0.2	1.24	<5	70	10	0.31	<1	11	37	23	2.41	10	0.49	402	<1	0.01	23	480	28	<5	<20	9	0.07	<10	69	<10	8	49
12	L79450 3550	<0.2	0.69	<5	50	5	0.22	<1	5	28	10	1.42	<10	0.24	110	<1	0.01	12	300	18	<5	<20	3	0.07	<10	46	<10	7	27
13	L79450 3600	<0.2	0.86	5	60	10	0.26	<1	7	25	16	1.83	<10	0.34	135	<1	0.01	17	340	22	<5	<20	6	0.07	<10	53	<10	7	30
14	L79450 3650	<0.2	1.19	<5	80	15	0.29	<1	9	33	22	2.39	10	0.47	173	<1	0.01	23	740	28	<5	<20	14	0.07	<10	64	<10	9	45
15	L79450 3700	<0.2	1.21	<5	55	15	0.30	<1	10	33	24	2.43	10	0.52	241	<1	0.01	22	520	28	<5	<20	9	0.08	<10	70	<10	8	35
16	L79450 3750	<0.2	1.11	5	55	10	0.25	<1	9	31	24	2.36	10	0.47	286	<1	0.01	20	490	26	<5	<20	11	0.07	<10	69	<10	6	41
17	L79450 3800	0.2	1.92	<5	100	10	0.26	<1	12	39	26	3.35	10	0.38	169	2	0.01	31	2150	42	<5	<20	12	0.07	<10	89	<10	4	60
18	L79450 3850	<0.2	1.43	5	90	10	0.35	<1	10	33	23	2.51	10	0.47	231	<1	0.01	21	920	32	<5	<20	11	0.07	<10	71	<10	7	70
19	L79450 3900	<0.2	1.22	5	65	10	0.30	<1	8	29	20	2.15	<10	0.44	168	2	0.01	19	590	28	15	<20	13	0.06	<10	63	<10	5	43
20	L79450 3950	0.2	1.48	5	70	10	0.29	<1	10	33	26	2.64	<10	0.47	195	2	0.01	21	920	32	10	<20	15	0.07	<10	74	<10	6	55
21	L79450 4000	0.2	1.01	<5	75	10	0.28	2	7	23	13	1.93	<10	0.17	120	7	0.01	18	1250	26	30	<20	17	0.02	<10	54	<10	5	28
22	L79450 4050	<0.2	0.98	<5	65	5	0.28	<1	7	23	15	1.74	<10	0.33	180	<1	0.01	15	430	22	<5	<20	8	0.06	<10	49	<10	7	54
23	L79450 4100	<0.2	0.97	<5	95	10	0.32	<1	11	26	20	2.00	<10	0.39	323	<1	0.01	20	600	24	10	<20	14	0.06	<10	54	<10	10	41
24	L79450 4150	0.2	1.49	5	75	10	0.32	<1	13	36	25	2.90	<10	0.44	233	2	0.01	33	1310	32	10	<20	9	0.06	<10	65	<10	5	69
25	L79450 4200	0.5	1.90	10	85	15	0.28	<1	13	39	22	2.96	<10	0.39	204	3	0.01	32	1800	40	10	<20	8	0.06	<10	70	<10	5	104
26	L79450 4250	0.5	1.94	10	160	10	0.32	5	11	32	35	4.82	<10	0.39	363	19	0.02	27	2420	40	70	<20	23	0.03	<10	160	<10	<1	112
27	L79550 3000	0.4	1.55	5	105	5	0.28	3	10	36	24	2.21	<10	0.48	336	11	0.01	29	390	34	55	<20	13	0.02	<10	59	<10	5	59
28	L79550 3050	<0.2	1.16	5	75	10	0.25	2	8	34	22	2.20	<10	0.44	241	7	0.01	24	360	28	40	<20	14	0.03	<10	60	<10	6	41
29	L79550 3100	<0.2	0.92	5	70	10	0.25	<1	7	24	16	1.57	<10	0.32	149	<1	0.01	14	410	26	<5	<20	14	0.06	<10	48	<10	9	34
30	L79550 3150	<0.2	1.22	5	100	<5	0.34	<1	10	34	25	2.05	<10	0.44	250	<1	0.01	26	430	28	<5	<20	16	0.07	<10	62	<10	9	45

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
31	L79550 3200	<0.2	1.31	10	75	10	0.34	<1	10	38	25	2.53	<10	0.45	254	<1	0.01	24	790	30	<5	<20	16	0.07	<10	72	<10	7	44
32	L79550 3250	<0.2	1.29	5	75	5	0.33	<1	9	34	19	2.40	<10	0.42	179	<1	0.01	21	1050	28	<5	<20	11	0.08	<10	66	<10	6	51
33	L79550 3300	0.2	1.19	<5	95	10	0.24	<1	7	29	13	2.23	<10	0.21	316	<1	0.01	14	580	28	<5	<20	12	0.07	<10	71	<10	4	40
34	L79550 3350	<0.2	1.22	5	60	10	0.31	<1	9	32	20	2.32	10	0.47	217	<1	0.01	21	640	28	<5	<20	7	0.08	<10	63	<10	8	40
35	L79550 3400	0.4	1.96	10	100	10	0.36	<1	10	45	39	2.71	10	0.54	231	<1	0.02	29	660	42	<5	<20	16	0.06	<10	71	<10	9	50
36	L79550 3450	<0.2	0.85	<5	95	<5	0.30	<1	8	31	15	1.91	<10	0.27	312	<1	0.02	13	720	22	<5	<20	18	0.08	<10	59	<10	7	46
37	L79550 3500	<0.2	1.20	5	75	10	0.34	<1	9	40	23	2.40	10	0.47	209	<1	0.01	22	690	28	<5	<20	10	0.09	<10	71	<10	8	47
38	L79550 3550	0.2	1.16	10	65	5	0.36	<1	9	35	24	2.47	<10	0.43	197	<1	0.01	21	750	26	<5	<20	13	0.09	<10	76	<10	6	40
39	L79550 3600	0.3	1.41	10	90	10	0.32	<1	18	33	32	2.56	<10	0.37	1015	1	0.01	22	570	30	<5	<20	7	0.06	<10	74	<10	8	45
40	L79550 3650	0.2	1.07	5	55	10	0.29	<1	7	26	18	1.99	<10	0.37	152	<1	0.01	17	410	24	<5	<20	8	0.07	<10	58	<10	7	41
41	L79550 3700	0.2	1.33	10	75	15	0.33	<1	11	35	26	2.79	10	0.54	252	<1	0.01	23	780	30	<5	<20	10	0.08	<10	77	<10	8	45
42	L79550 3750	0.4	1.23	5	60	<5	0.28	<1	8	28	20	1.77	<10	0.42	158	<1	0.01	17	590	28	<5	<20	11	0.09	<10	55	<10	9	43
43	L79550 3800	0.8	1.58	10	80	10	0.30	<1	12	36	23	2.75	<10	0.46	235	<1	0.01	25	920	36	<5	<20	8	0.08	<10	72	<10	7	73
44	L79550 3850	0.3	2.07	10	75	15	0.29	<1	11	42	31	2.90	<10	0.52	209	<1	0.01	31	890	44	<5	<20	10	0.08	<10	75	<10	6	60
45	L79550 3900	<0.2	1.43	10	70	10	0.27	<1	9	36	25	2.68	<10	0.44	190	<1	0.01	20	1120	32	<5	<20	3	0.07	<10	77	<10	4	36
46	L79550 3950	<0.2	1.19	5	60	15	0.26	<1	9	30	18	2.11	10	0.48	191	<1	0.01	18	320	28	<5	<20	14	0.09	<10	58	<10	8	37
47	L79550 4000	0.2	1.14	10	80	10	0.29	<1	8	28	18	2.25	<10	0.35	179	<1	0.01	17	900	26	<5	<20	11	0.07	<10	65	<10	6	45
48	L79550 4050	<0.2	1.46	10	70	10	0.34	<1	10	36	26	2.67	10	0.51	212	<1	0.01	24	1130	30	<5	<20	9	0.08	<10	71	<10	5	44
49	L79550 4100	0.3	1.55	5	105	10	0.29	<1	10	35	21	2.69	<10	0.34	405	<1	0.01	24	1870	34	<5	<20	8	0.07	<10	67	<10	5	84
50	L79550 4150	0.3	1.62	10	95	10	0.48	<1	11	35	29	3.09	<10	0.41	204	<1	0.01	29	1840	34	<5	<20	22	0.06	<10	82	<10	5	81
51	L79550 4200	0.2	2.05	20	120	10	0.28	<1	16	37	68	5.47	<10	0.50	363	6	0.02	28	1780	42	<5	<20	23	0.08	<10	142	<10	<1	111
52	L79550 4250	<0.2	2.69	15	85	15	0.19	<1	17	47	50	4.40	<10	0.50	210	3	0.01	40	910	56	<5	<20	3	0.08	<10	116	<10	<1	99
53	L79650 3000	0.3	1.68	5	105	10	0.35	<1	9	36	27	2.71	<10	0.53	238	<1	0.02	23	730	36	<5	<20	14	0.09	<10	76	<10	7	75
54	L79650 3050	<0.2	1.26	<5	90	10	0.30	<1	10	31	23	2.38	<10	0.42	240	<1	0.01	20	680	28	<5	<20	14	0.08	<10	70	<10	8	62
55	L79650 3100	0.2	1.09	5	85	10	0.27	<1	9	28	19	1.76	<10	0.33	241	<1	0.01	15	520	26	<5	<20	10	0.07	<10	58	<10	6	44
56	L79650 3150	0.2	1.29	10	85	10	0.19	<1	8	31	23	2.59	<10	0.30	144	3	0.01	20	880	30	<5	<20	8	0.06	<10	82	<10	4	66
57	L79650 3200	0.3	1.41	5	90	10	0.31	<1	9	35	23	2.35	<10	0.46	193	<1	0.01	23	890	32	5	<20	12	0.07	<10	65	<10	6	58
58	L79650 3250	0.2	1.80	10	70	10	0.26	<1	12	49	36	3.04	<10	0.53	225	<1	0.01	35	800	40	<5	<20	6	0.08	<10	83	<10	6	48
59	L79650 3300	0.2	1.23	10	80	10	0.25	<1	11	35	25	2.32	10	0.42	500	<1	0.01	23	550	30	<5	<20	10	0.07	<10	62	<10	11	52
60	L79650 3350	<0.2	1.26	5	65	15	0.34	<1	10	33	23	2.44	<10	0.47	279	1	0.01	23	650	28	10	<20	9	0.06	<10	64	<10	6	43
61	L79650 3400	0.3	1.52	5	105	5	0.35	<1	12	40	27	3.04	<10	0.48	434	<1	0.01	25	840	36	<5	<20	24	0.09	<10	85	<10	7	78
62	L79650 3450	<0.2	1.32	5	75	10	0.31	<1	9	36	24	2.54	<10	0.47	201	<1	0.01	22	680	30	<5	<20	7	0.08	<10	70	<10	8	47
63	L79650 3500	0.2	1.84	10	90	10	0.34	<1	11	41	34	3.08	<10	0.55	216	<1	0.01	30	1360	40	<5	<20	13	0.07	<10	81	<10	6	64
64	L79650 3550	0.2	1.32	5	75	10	0.29	<1	12	41	25	2.32	10	0.40	422	<1	0.01	23	700	30	<5	<20	8	0.08	<10	66	<10	8	44
65	L79650 3600	<0.2	1.23	5	70	10	0.33	<1	9	34	23	2.38	10	0.47	186	<1	0.01	23	710	28	<5	<20	8	0.08	<10	67	<10	7	43
66	L79650 3650	0.4	1.54	10	100	10	0.33	<1	11	36	24	3.14	<10	0.40	452	<1	0.01	24	1450	36	<5	<20	11	0.07	<10	84	<10	5	55
67	L79650 3700	0.3	1.02	5	70	15	0.22	<1	7	26	18	1.89	<10	0.29	191	<1	0.01	14	500	24	<5	<20	6	0.06	<10	58	<10	6	41
68	L79650 3750	0.5	2.67	10	130	10	0.35	<1	13	56	45	3.55	10	0.65	423	<1	0.01	36	810	56	<5	<20	14	0.07	<10	86	<10	6	80
69	L79650 3800	0.5	2.33	10	115	15	0.38	<1	15	52	43	3.57	10	0.74	631	<1	0.02	35	820	52	<5	<20	20	0.09	<10	93	<10	7	79
70	L79650 3850	0.3	1.60	10	75	10	0.33	<1	12	39	30	2.94	10	0.56	272	<1	0.02	26	990	38	<5	<20	13	0.08	<10	78	<10	9	59

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
71	L79650 3900	0.3	1.26	<5	80	10	0.30	<1	9	33	21	2.36	<10	0.46	344	<1	0.02	21	450	28	5	<20	21	0.09	<10	70	<10	5	53
72	L79650 3950	0.2	1.08	<5	60	<5	0.27	<1	7	27	17	1.63	<10	0.34	175	<1	0.01	15	260	26	<5	<20	14	0.07	<10	48	<10	5	34
73	L79650 4000	<0.2	1.49	5	90	10	0.36	<1	9	37	27	3.00	<10	0.44	193	<1	0.01	25	660	30	<5	<20	17	0.08	<10	83	<10	3	55
74	L79650 4050	0.3	1.77	10	115	5	0.47	<1	12	42	32	3.44	<10	0.52	230	2	0.02	29	1490	36	<5	<20	27	0.09	<10	90	<10	4	83
75	L79650 4100	0.2	1.06	5	90	<5	0.46	<1	9	31	24	2.49	<10	0.43	243	<1	0.01	24	790	22	<5	<20	23	0.07	<10	66	<10	5	45
76	L79650 4150	<0.2	1.62	10	105	5	0.35	1	12	36	59	3.97	<10	0.48	225	3	0.02	31	1390	32	<5	<20	24	0.08	<10	116	<10	2	62
77	L79400 3000	0.2	1.59	5	150	<5	0.40	<1	10	38	27	2.31	<10	0.56	342	<1	0.02	22	380	38	<5	<20	36	0.09	<10	76	<10	7	72
78	L79400 3050	0.2	1.37	<5	95	<5	0.31	<1	9	33	20	2.11	<10	0.47	215	<1	0.01	21	460	30	<5	<20	18	0.07	<10	65	<10	5	53
79	L79400 3100	0.2	1.12	<5	90	<5	0.25	<1	7	27	19	1.89	<10	0.33	187	<1	0.01	16	280	26	<5	<20	15	0.07	<10	56	<10	4	46
80	L79400 3150	<0.2	1.56	5	115	10	0.37	<1	14	47	36	3.18	<10	0.56	504	1	0.01	30	560	34	<5	<20	22	0.08	<10	86	<10	6	56
81	L79400 3200	<0.2	1.26	<5	110	<5	0.33	<1	10	36	27	2.59	<10	0.42	243	2	0.01	24	640	30	5	<20	26	0.07	<10	74	<10	9	64
82	L79400 3250	<0.2	0.86	<5	85	15	0.31	<1	7	34	18	2.19	<10	0.33	154	<1	0.01	18	440	20	<5	<20	16	0.08	<10	66	<10	5	45
83	L79400 3300	<0.2	0.76	<5	45	<5	0.25	<1	6	25	10	1.58	<10	0.20	122	<1	0.01	11	200	20	<5	<20	8	0.07	<10	51	<10	4	36
84	L79400 3350	<0.2	0.99	<5	70	<5	0.29	<1	9	26	15	2.07	<10	0.31	225	<1	0.01	15	330	24	<5	<20	18	0.08	<10	63	<10	4	54
85	L79400 3400	<0.2	1.05	<5	80	5	0.33	<1	9	34	20	2.34	<10	0.38	236	<1	0.01	20	490	24	<5	<20	15	0.08	<10	69	<10	4	51
86	L79400 3450	<0.2	1.00	<5	90	5	0.39	<1	9	32	21	2.49	<10	0.43	217	<1	0.02	19	490	22	<5	<20	24	0.09	<10	79	<10	6	52
87	L79400 3500	<0.2	1.12	<5	100	<5	0.37	<1	11	37	23	2.64	<10	0.46	239	<1	0.02	25	520	24	<5	<20	20	0.09	<10	78	<10	6	62
88	L79400 3550	<0.2	1.25	5	105	5	0.38	<1	13	75	28	3.06	<10	0.65	274	<1	0.01	39	610	26	<5	<20	19	0.09	<10	89	<10	4	57
89	L79400 3600	<0.2	0.85	<5	60	<5	0.25	<1	7	24	14	1.72	<10	0.30	146	<1	0.01	17	200	22	<5	<20	13	0.07	<10	51	<10	5	38
90	L79400 3650	<0.2	0.98	<5	65	<5	0.26	<1	9	28	17	1.95	<10	0.38	200	<1	0.01	20	300	22	<5	<20	14	0.07	<10	55	<10	5	38
91	L79400 3700	<0.2	1.07	<5	80	10	0.25	<1	9	29	17	1.87	<10	0.45	180	<1	0.01	20	300	28	<5	<20	18	0.07	<10	56	<10	6	55
92	L79400 3750	<0.2	1.41	5	75	<5	0.27	<1	10	36	31	2.71	<10	0.45	262	2	0.01	27	430	30	5	<20	15	0.06	<10	75	<10	4	54
93	L79400 3800	0.4	1.38	<5	90	<5	0.27	<1	9	32	22	2.34	<10	0.44	305	<1	0.01	22	340	32	<5	<20	17	0.07	<10	69	<10	5	53
94	L79400 3850	0.3	1.59	<5	80	5	0.23	<1	8	33	24	2.70	<10	0.30	157	1	0.01	23	840	34	<5	<20	11	0.06	<10	74	<10	2	48
95	L79400 3900	0.2	1.59	5	90	<5	0.41	<1	12	40	31	3.19	<10	0.56	308	2	0.01	28	800	32	5	<20	23	0.08	<10	90	<10	4	56
96	L79400 3950	<0.2	0.93	<5	75	<5	0.25	<1	6	21	13	1.66	<10	0.21	142	<1	0.01	12	410	24	<5	<20	17	0.07	<10	52	<10	4	51
97	L79400 4000	0.2	1.33	<5	70	<5	0.30	<1	9	32	20	2.20	<10	0.44	231	<1	0.01	22	580	30	<5	<20	16	0.08	<10	60	<10	5	50
98	L79400 4050	<0.2	1.24	<5	70	<5	0.33	<1	9	31	23	2.43	<10	0.45	195	<1	0.01	22	550	24	<5	<20	19	0.08	<10	67	<10	6	51
99	L79400 4100	0.3	1.58	<5	150	10	0.42	<1	12	37	22	3.04	<10	0.44	251	1	0.01	25	1750	32	<5	<20	27	0.07	<10	71	<10	4	101
100	L79400 4150	0.2	1.18	<5	120	10	0.28	<1	10	29	15	2.44	<10	0.28	264	<1	0.01	17	1630	26	<5	<20	17	0.06	<10	57	<10	3	69
101	L79400 4200	0.3	1.34	5	170	10	0.51	1	13	38	58	4.89	<10	0.41	760	6	0.02	26	1480	30	<5	<20	41	0.08	<10	178	<10	1	97
102	L79400 4250	<0.2	1.80	5	105	5	0.32	<1	14	40	38	3.47	<10	0.52	283	<1	0.02	28	640	36	<5	<20	19	0.09	<10	101	<10	3	89
103	L79400 4300	0.3	2.78	40	120	5	0.20	2	16	42	71	5.57	<10	0.43	260	11	0.01	34	1040	56	15	<20	15	0.08	<10	166	<10	<1	119
104	L79200 3000	<0.2	1.30	<5	115	<5	0.33	<1	10	34	21	2.04	<10	0.47	389	<1	0.01	21	360	30	<5	<20	24	0.06	<10	62	<10	6	57
105	L79200 3050	<0.2	1.14	<5	90	10	0.31	<1	8	30	20	1.97	<10	0.38	232	<1	0.01	19	400	26	<5	<20	18	0.07	<10	58	<10	6	58
106	L79200 3100	0.2	0.87	<5	115	<5	0.37	<1	6	27	14	1.93	<10	0.20	138	<1	0.01	10	720	22	<5	<20	29	0.08	<10	62	<10	5	45
107	L79200 3150	0.5	2.19	5	195	<5	0.39	<1	15	52	50	3.43	<10	0.62	888	3	0.02	36	630	44	5	<20	32	0.06	<10	94	<10	7	91
108	L79200 3200	<0.2	1.33	5	90	<5	0.31	<1	10	35	26	2.58	<10	0.41	254	<1	0.01	21	580	28	<5	<20	19	0.07	<10	76	<10	5	50
109	L79200 3250	0.3	2.17	5	130	15	0.31	<1	14	52	40	3.38	<10	0.59	573	2	0.02	32	620	44	5	<20	21	0.07	<10	87	<10	5	75
110	L79200 3300	0.2	1.36	5	110	5	0.35	<1	10	36	26	2.75	<10	0.48	269	<1	0.01	23	660	30	<5	<20	22	0.08	<10	80	<10	5	54

08-Jun-06

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
-------	-------	----	------	----	----	----	------	----	----	----	----	------	----	------	----	----	------	----	---	----	----	----	----	------	---	---	---	---	----

111	L79200 3350	<0.2	1.50	<5	95	5	0.41	<1	11	45	28	3.15	<10	0.50	214	<1	0.02	27	840	54	<5	<20	22	0.10	<10	87	<10	7	54
112	L79200 3400	0.2	2.03	<5	175	5	0.54	<1	12	59	28	4.16	<10	0.51	219	<1	0.02	30	3480	40	<5	<20	40	0.10	<10	105	<10	4	122
113	L79200 3450	<0.2	2.14	5	215	<5	0.61	1	14	68	59	4.00	<10	0.79	352	3	0.03	43	670	46	20	<20	50	0.10	<10	107	<10	20	56
114	L79200 3500	<0.2	1.11	<5	90	5	0.47	<1	11	37	21	2.37	<10	0.50	322	<1	0.02	22	540	24	5	<20	29	0.12	<10	84	<10	9	62
115	L79200 3550	<0.2	1.34	5	110	5	0.41	<1	11	46	28	2.82	<10	0.56	270	<1	0.02	28	730	26	<5	<20	22	0.09	<10	83	<10	7	69
116	L79200 3600	<0.2	1.67	5	100	10	0.35	1	12	49	34	3.22	<10	0.53	257	1	0.02	34	880	32	<5	<20	21	0.08	<10	88	<10	6	62
117	L79200 3650	<0.2	1.24	5	75	5	0.33	<1	9	36	20	2.64	<10	0.45	174	<1	0.01	23	630	28	<5	<20	20	0.08	<10	69	<10	5	47
118	L79200 3700	0.3	1.53	5	105	<5	0.34	<1	10	37	27	2.65	<10	0.48	229	<1	0.02	27	600	30	<5	<20	20	0.08	<10	74	<10	7	54
119	L79200 3750	<0.2	1.28	<5	85	5	0.36	<1	10	31	19	2.27	<10	0.43	349	<1	0.02	22	590	28	<5	<20	17	0.09	<10	64	<10	6	66
120	L79200 3800	0.5	1.10	<5	90	10	0.31	<1	8	23	18	1.95	<10	0.29	276	<1	0.02	13	480	28	<5	<20	22	0.08	<10	63	<10	5	58
121	L79200 3850	0.2	1.27	<5	80	5	0.37	<1	9	30	24	2.17	<10	0.44	289	<1	0.02	19	650	28	<5	<20	21	0.09	<10	70	<10	5	49
122	L79200 3900	0.3	1.70	5	110	10	0.34	<1	13	43	26	3.10	<10	0.43	359	<1	0.01	28	2150	36	<5	<20	19	0.08	<10	78	<10	4	69
123	L79200 3950	0.3	1.54	<5	115	5	0.35	<1	11	30	20	2.51	<10	0.48	233	<1	0.01	23	680	30	<5	<20	17	0.10	<10	71	<10	6	64
124	L79200 4000	0.3	1.35	<5	90	5	0.34	<1	9	32	24	2.54	<10	0.39	256	<1	0.02	22	670	26	<5	<20	19	0.08	<10	72	<10	3	54
125	L79200 4050	0.4	1.46	<5	70	<5	0.33	<1	8	32	23	2.30	<10	0.47	214	<1	0.02	22	670	30	<5	<20	18	0.08	<10	62	<10	3	59
126	L79200 4100	0.2	1.16	<5	75	10	0.36	<1	9	31	23	2.30	<10	0.43	221	<1	0.02	21	580	26	<5	<20	24	0.09	<10	68	<10	7	69
127	L79200 4150	<0.2	1.09	<5	80	10	0.41	<1	9	30	22	2.37	<10	0.44	212	<1	0.01	22	630	24	<5	<20	20	0.08	<10	63	<10	5	55
128	L79200 4200	<0.2	0.98	<5	110	5	0.35	<1	10	29	18	2.07	<10	0.35	332	<1	0.01	16	290	24	<5	<20	23	0.08	<10	65	<10	6	42
129	L79200 4250	<0.2	1.48	5	130	10	0.41	<1	13	38	26	2.90	<10	0.41	562	<1	0.02	22	1110	32	<5	<20	26	0.09	<10	85	<10	5	84
130	L79200 4300	0.4	2.10	35	140	10	0.45	1	13	33	31	4.07	<10	0.54	277	<1	0.02	20	1230	42	<5	<20	31	0.09	<10	106	<10	2	149
131	L79200 4350	0.4	3.31	435	185	5	0.39	6	22	42	122	7.94	<10	0.66	399	13	0.02	46	1080	66	5	<20	44	0.08	<10	214	<10	<1	256
132	L79200 4400	0.3	1.38	10	65	15	0.35	<1	11	42	16	3.07	<10	0.50	227	1	0.01	29	1130	32	<5	<20	15	0.06	<10	63	<10	3	115
133	L79200 4450	0.3	1.28	5	160	5	0.32	<1	15	46	11	3.73	<10	0.33	838	3	0.01	23	2800	34	<5	<20	21	0.05	<10	85	<10	<1	84
134	L79250 3000	0.2	1.23	<5	95	5	0.33	<1	8	32	20	2.05	<10	0.46	240	<1	0.02	21	420	28	5	<20	17	0.07	<10	61	<10	5	55
135	L79250 3050	<0.2	0.83	<5	85	<5	0.31	<1	7	23	16	1.66	<10	0.33	186	<1	0.02	15	360	20	<5	<20	15	0.09	<10	54	<10	5	51
136	L79250 3100	<0.2	1.01	<5	115	10	0.37	<1	8	30	19	2.22	<10	0.37	222	<1	0.01	16	630	24	<5	<20	24	0.10	<10	71	<10	5	54
137	L79250 3150	<0.2	1.51	5	100	5	0.38	<1	11	48	32	2.97	<10	0.55	312	<1	0.02	27	620	32	<5	<20	21	0.10	<10	84	<10	6	51
138	L79250 3200	<0.2	1.19	<5	75	5	0.28	<1	7	30	18	1.97	<10	0.36	165	<1	0.02	18	330	26	<5	<20	12	0.08	<10	59	<10	4	56
139	L79250 3250	<0.2	1.14	<5	65	10	0.33	<1	8	33	18	1.94	<10	0.44	201	<1	0.02	19	420	24	<5	<20	16	0.09	<10	59	<10	6	40
140	L79250 3300	<0.2	1.77	5	115	<5	0.44	<1	14	50	34	3.45	<10	0.54	359	<1	0.02	34	1100	34	<5	<20	26	0.09	<10	96	<10	6	113
141	L79250 3350	<0.2	1.05	<5	110	<5	0.42	<1	9	35	22	2.43	<10	0.42	190	<1	0.02	19	440	24	<5	<20	33	0.09	<10	75	<10	6	58
142	L79250 3400	<0.2	1.20	5	95	5	0.37	<1	10	41	27	2.79	<10	0.49	228	<1	0.02	24	640	26	<5	<20	24	0.09	<10	81	<10	8	43
143	L79250 3450	<0.2	1.65	5	170	<5	0.45	<1	11	44	50	2.79	20	0.54	212	1	0.02	35	230	32	<5	<20	30	0.06	<10	80	<10	33	37
144	L79250 3500	<0.2	1.59	10	110	<5	0.36	<1	11	42	31	2.56	<10	0.51	254	<1	0.02	26	730	32	<5	<20	28	0.08	<10	84	<10	7	56
145	L79250 3550	0.2	1.31	5	90	5	0.33	<1	9	39	22	2.54	<10	0.45	176	<1	0.01	22	700	28	<5	<20	21	0.08	<10	72	<10	4	70
146	L79250 3600	<0.2	1.69	10	120	<5	0.31	<1	12	43	35	3.11	<10	0.47	221	<1	0.02	30	800	38	<5	<20	27	0.09	<10	89	<10	8	68
147	L79250 3650	0.2	1.35	<5	70	5	0.30	<1	8	36	22	2.15	<10	0.49	205	<1	0.01	22	400	30	<5	<20	20	0.08	<10	55	<10	6	44
148	L79250 3700	<0.2	1.46	5	95	10	0.35	<1	15	46	32	3.03	<10	0.61	339	<1	0.02	29	480	32	<5	<20	24	0.10	<10	79	<10	9	49
149	L79250 3750	0.2	1.40	<5	85	<5	0.35	<1	10	36	25	2.55	<10	0.52	257	<1	0.02	25	590	28	<5	<20	16	0.08	<10	70	<10	6	60
150	L79250 3800	0.3	1.98	<5	105	5	0.30	<1	11	41	27	3.21	<10	0.40	181	2	0.01	28	1470	42	<5	<20	19	0.08	<10	89	<10	5	94

08-Jun-06

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
151	L79250 3850	0.2	1.72	<5	90	5	0.29	<1	10	43	31	2.86	<10	0.54	230	<1	0.02	26	400	38	<5	<20	12	0.09	<10	79	<10	7	70

153	L79250 3950	<0.2	2.27	<5	110	5	0.27	<1	14	40	31	3.35	<10	0.45	218	2	0.02	42	1300	44	<5	<20	20	0.08	<10	91	<10	4	83
154	L79250 4000	<0.2	1.56	<5	80	5	0.36	<1	12	38	30	2.71	<10	0.52	419	<1	0.02	26	710	32	<5	<20	21	0.08	<10	79	<10	7	54
155	L79250 4050	<0.2	1.18	<5	65	5	0.32	<1	9	32	20	2.06	<10	0.48	275	<1	0.02	23	440	26	5	<20	17	0.08	<10	57	<10	7	51
156	L79250 4100	0.3	1.20	<5	140	<5	0.41	3	11	32	27	2.43	<10	0.42	339	10	0.02	30	680	26	45	<20	36	0.03	<10	68	<10	9	58
157	L79250 4150	0.2	1.27	5	90	5	0.33	<1	12	36	27	2.45	<10	0.48	429	1	0.01	28	380	26	10	<20	18	0.07	<10	68	<10	10	43
158	L79250 4200	<0.2	1.02	<5	80	5	0.32	3	9	28	19	1.98	<10	0.40	255	7	0.01	24	390	22	35	<20	21	0.03	<10	58	<10	8	53
159	L79250 4250	0.3	2.94	20	130	<5	0.26	9	19	43	106	6.67	<10	0.58	359	37	0.02	59	970	50	115	<20	34	0.02	<10	172	<10	<1	130
160	L79250 4300	0.2	2.37	65	135	<5	0.38	6	16	36	48	4.95	<10	0.60	336	22	0.02	42	1580	38	85	<20	28	0.02	<10	126	<10	<1	183
161	L79250 4350	0.4	2.30	530	135	<5	0.38	7	23	45	167	7.57	<10	0.62	1025	22	0.02	57	1440	40	65	<20	40	0.02	<10	157	<10	<1	233
162	L79250 4400	<0.2	1.26	10	60	10	0.28	4	14	52	25	2.82	<10	0.50	225	12	0.01	46	970	26	55	<20	16	0.02	<10	58	<10	3	75
163	L79350 3000	<0.2	1.39	5	155	10	0.41	1	9	36	26	2.60	<10	0.45	243	4	0.02	23	1000	30	20	<20	37	0.07	<10	80	<10	5	80
164	L79350 3050	<0.2	1.43	10	85	<5	0.36	2	9	39	22	2.28	<10	0.57	226	9	0.02	30	450	30	45	<20	19	0.04	<10	62	<10	7	46
165	L79350 3100	<0.2	1.38	5	90	5	0.34	<1	11	35	26	2.29	<10	0.50	287	2	0.02	25	520	28	10	<20	22	0.07	<10	69	<10	6	51
166	L79350 3150	<0.2	1.08	<5	70	<5	0.27	<1	7	29	16	1.74	<10	0.37	152	<1	0.02	18	310	22	5	<20	14	0.07	<10	53	<10	4	53
167	L79350 3200	0.2	1.49	<5	95	<5	0.27	<1	9	37	26	2.39	<10	0.46	291	<1	0.02	20	330	28	<5	<20	17	0.07	<10	66	<10	6	64
168	L79350 3250	<0.2	1.22	<5	105	5	0.41	<1	11	38	28	2.62	<10	0.47	391	<1	0.02	26	680	24	<5	<20	19	0.08	<10	72	<10	8	57
169	L79350 3300	<0.2	1.11	<5	85	5	0.30	<1	9	38	20	2.18	<10	0.38	249	<1	0.02	21	430	22	<5	<20	15	0.08	<10	65	<10	5	44
170	L79350 3350	<0.2	1.58	5	80	<5	0.28	<1	11	40	27	2.99	<10	0.50	211	1	0.02	30	630	30	<5	<20	15	0.08	<10	79	<10	5	52
171	L79350 3400	<0.2	1.14	5	70	<5	0.27	<1	8	29	18	2.02	<10	0.36	193	<1	0.02	19	310	24	<5	<20	12	0.07	<10	57	<10	4	56
172	L79350 3450	<0.2	1.10	<5	75	<5	0.29	<1	9	31	20	2.23	<10	0.37	178	<1	0.02	22	380	22	<5	<20	18	0.09	<10	66	<10	4	48
173	L79350 3500	<0.2	1.15	<5	95	<5	0.35	<1	9	33	22	2.19	<10	0.47	289	<1	0.02	19	360	22	<5	<20	24	0.09	<10	70	<10	6	59
174	L79350 3550	<0.2	1.29	5	85	<5	0.40	<1	11	42	30	2.56	<10	0.58	357	<1	0.02	27	530	26	<5	<20	23	0.09	<10	78	<10	9	41
175	L79350 3600	<0.2	1.22	5	85	5	0.36	<1	9	38	29	2.66	<10	0.50	216	<1	0.02	24	640	22	<5	<20	22	0.09	<10	82	<10	8	55
176	L79350 3650	<0.2	1.38	<5	85	<5	0.33	<1	11	38	25	2.51	<10	0.48	471	1	0.02	23	510	26	<5	<20	22	0.06	<10	68	<10	7	47
177	L79350 3700	<0.2	0.75	<5	95	<5	0.21	<1	5	18	13	1.35	<10	0.20	258	<1	0.01	10	360	18	<5	<20	16	0.06	<10	43	<10	6	32
178	L79350 3750	<0.2	1.24	20	105	<5	0.28	<1	10	31	32	4.40	<10	0.45	240	5	0.02	22	1250	30	<5	<20	63	0.05	<10	94	<10	1	104
179	L79350 3800	0.8	3.92	20	245	5	0.30	2	24	81	84	6.20	<10	0.92	1483	7	0.02	62	1050	70	<5	<20	30	0.08	<10	149	<10	8	136
180	L79350 3850	<0.2	1.60	10	85	<5	0.37	<1	10	40	31	2.77	<10	0.62	275	<1	0.02	26	700	32	<5	<20	22	0.10	<10	89	<10	7	54
181	L79350 3900	<0.2	1.33	5	65	<5	0.29	<1	7	29	19	1.69	<10	0.37	137	<1	0.02	15	280	28	<5	<20	18	0.09	<10	54	<10	5	39
182	L79350 3950	<0.2	2.08	10	125	5	0.29	<1	11	42	30	3.19	<10	0.43	203	<1	0.02	26	920	40	<5	<20	24	0.10	<10	90	<10	3	76
183	L79350 4000	<0.2	1.60	5	75	<5	0.30	<1	9	37	23	2.14	<10	0.53	217	<1	0.02	23	400	32	<5	<20	15	0.09	<10	52	<10	5	46
184	L79350 4050	<0.2	1.64	10	95	10	0.38	<1	13	44	37	3.40	<10	0.62	363	<1	0.02	31	810	30	<5	<20	21	0.09	<10	85	<10	2	62
185	L79350 4100	<0.2	1.16	5	80	10	0.36	<1	9	32	20	2.16	<10	0.50	241	<1	0.02	21	490	22	<5	<20	20	0.09	<10	58	<10	7	51
186	L79350 4150	0.6	1.89	10	110	5	0.31	1	14	38	22	3.16	<10	0.47	220	3	0.02	43	1600	34	10	<20	11	0.07	<10	71	<10	3	108
187	L79350 4200	<0.2	1.66	10	135	5	0.50	<1	15	47	41	3.48	<10	0.62	455	<1	0.02	31	1050	34	<5	<20	32	0.11	<10	106	<10	6	81
188	L79350 4250	<0.2	0.98	10	65	<5	0.17	<1	6	22	19	2.42	<10	0.23	125	<1	0.02	11	490	22	<5	<20	10	0.09	<10	91	<10	2	37
189	L79600 3000	<0.2	1.60	5	120	<5	0.28	<1	9	40	25	1.96	<10	0.44	252	<1	0.02	23	350	34	<5	<20	18	0.07	<10	57	<10	6	61
190	L79600 3050	<0.2	1.25	5	95	<5	0.32	<1	9	31	21	2.00	<10	0.41	205	<1	0.02	19	430	28	<5	<20	21	0.08	<10	66	<10	6	49

08-Jun-06

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
191	L79600 3100	0.3	1.83	10	175	<5	0.38	<1	14	43	42	2.86	<10	0.48	785	2	0.02	30	700	36	<5	<20	28	0.06	<10	79	<10	8	68
192	L79600 3150	0.2	1.24	<5	110	<5	0.22	<1	7	30	18	2.33	<10	0.24	124	<1	0.01	15	580	28	<5	<20	19	0.07	<10	67	<10	5	53
193	L79600 3200	<0.2	1.53	10	120	<5	0.44	<1	15	58	46	3.40	<10	0.60	525	<1	0.02	36	640	32	<5	<20	29	0.10	<10	90	<10	7	50
194	L79600 3250	<0.2	0.92	<5	55	&																							

195	L79600 3300	0.3	1.51	<5	100	<5	0.18	<1	8	27	12	2.27	<10	0.14	117	1	0.01	18	630	32	<5	<20	8	0.05	<10	58	<10	2	48
196	L79600 3350	<0.2	1.50	5	75	5	0.31	<1	11	40	27	2.82	<10	0.51	272	<1	0.02	27	530	30	<5	<20	18	0.09	<10	76	<10	5	49
197	L79600 3400	0.4	2.14	5	135	5	0.35	<1	18	54	40	3.57	<10	0.58	1386	5	0.02	36	780	42	10	<20	21	0.06	<10	88	<10	6	90
198	L79600 3450	<0.2	0.89	<5	60	5	0.25	<1	6	24	15	1.70	<10	0.28	149	<1	0.01	14	250	24	<5	<20	14	0.08	<10	55	<10	4	46
199	L79600 3500	0.2	1.65	5	115	5	0.31	<1	15	44	29	2.80	<10	0.52	595	1	0.02	26	490	32	<5	<20	18	0.07	<10	77	<10	5	66
200	L79600 3550	<0.2	1.69	5	125	5	0.30	<1	11	40	27	3.04	<10	0.40	276	<1	0.02	25	1340	36	<5	<20	21	0.09	<10	83	<10	4	71
201	L79600 3600	<0.2	1.63	5	95	10	0.32	<1	11	41	26	3.03	<10	0.46	211	<1	0.02	29	830	34	<5	<20	18	0.08	<10	79	<10	4	71
202	L79600 3650	<0.2	1.16	<5	70	<5	0.30	<1	8	30	18	2.11	<10	0.41	176	<1	0.02	19	340	26	<5	<20	13	0.08	<10	59	<10	4	49
203	L79600 3700	<0.2	1.19	5	80	5	0.31	<1	8	32	22	2.13	<10	0.45	251	<1	0.02	21	340	28	<5	<20	15	0.07	<10	59	<10	6	49
204	L79600 3750	0.5	2.81	5	140	5	0.34	<1	13	60	51	3.52	<10	0.66	356	2	0.02	38	460	56	<5	<20	16	0.07	<10	83	<10	3	87
205	L79600 3800	0.6	2.67	10	155	5	0.32	1	17	53	43	3.86	<10	0.70	904	4	0.02	34	850	54	5	<20	18	0.07	<10	101	<10	3	89
206	L79600 3850	<0.2	1.42	5	85	10	0.33	<1	10	38	27	2.79	<10	0.53	275	<1	0.01	26	660	32	<5	<20	16	0.09	<10	74	<10	6	56
207	L79600 3900	<0.2	1.53	5	90	5	0.36	<1	10	40	28	2.79	<10	0.49	269	<1	0.02	26	680	36	<5	<20	22	0.08	<10	74	<10	5	49
208	L79600 3950	0.4	1.63	<5	105	5	0.27	<1	8	34	28	2.08	<10	0.40	190	1	0.01	22	360	36	10	<20	16	0.07	<10	56	<10	5	43
209	L79600 4000	0.2	1.33	<5	65	5	0.33	<1	9	33	23	2.53	<10	0.40	182	<1	0.01	22	550	30	<5	<20	17	0.08	<10	70	<10	4	44
210	L79600 4050	<0.2	1.31	<5	90	5	0.40	<1	11	38	28	2.87	<10	0.51	265	<1	0.02	26	750	28	<5	<20	20	0.09	<10	80	<10	5	55
211	L79600 4100	0.2	1.24	10	80	5	0.37	<1	9	33	24	2.55	<10	0.42	197	<1	0.01	22	590	26	<5	<20	24	0.07	<10	69	<10	3	46
212	L79600 4150	<0.2	1.06	5	100	<5	0.24	<1	8	27	15	2.27	<10	0.24	389	<1	0.01	16	1120	22	<5	<20	14	0.06	<10	61	<10	<1	84
213	L79600 4200	<0.2	0.79	5	75	5	0.34	<1	7	26	16	2.37	<10	0.21	154	<1	0.01	12	560	20	<5	<20	24	0.08	<10	76	<10	<1	69
214	L79300 3000	0.2	1.14	<5	105	<5	0.43	<1	8	31	23	2.05	<10	0.42	235	<1	0.02	17	500	26	<5	<20	33	0.09	<10	70	<10	5	53
215	L79300 3050	<0.2	1.09	5	95	5	0.34	<1	8	29	18	1.88	<10	0.40	243	<1	0.02	16	250	26	<5	<20	19	0.08	<10	67	<10	4	47
216	L79300 3100	<0.2	1.45	5	110	5	0.33	<1	10	36	28	2.79	<10	0.52	406	<1	0.02	23	540	32	<5	<20	24	0.09	<10	85	<10	3	72
217	L79300 3150	<0.2	1.15	5	90	<5	0.32	<1	8	31	22	2.12	<10	0.40	213	<1	0.02	20	500	26	<5	<20	21	0.08	<10	63	<10	5	54
218	L79300 3200	<0.2	1.29	5	75	<5	0.30	<1	8	33	22	2.24	<10	0.42	202	<1	0.02	20	370	26	<5	<20	14	0.07	<10	63	<10	3	55
219	L79300 3250	<0.2	1.28	<5	85	5	0.26	<1	8	33	22	2.29	<10	0.41	188	<1	0.02	21	310	28	<5	<20	16	0.07	<10	65	<10	4	57
220	L79300 3300	<0.2	1.20	5	105	<5	0.41	<1	11	40	25	2.75	<10	0.50	258	<1	0.02	26	710	26	<5	<20	21	0.10	<10	76	<10	6	59
221	L79300 3350	<0.2	1.03	<5	80	10	0.31	<1	9	31	19	2.29	<10	0.32	197	<1	0.01	22	400	22	<5	<20	11	0.07	<10	63	<10	3	48
222	L79300 3400	<0.2	1.25	5	80	5	0.36	<1	11	44	28	2.88	<10	0.47	222	<1	0.02	28	590	26	<5	<20	15	0.10	<10	83	<10	4	51
223	L79300 3450	<0.2	1.16	10	75	5	0.38	<1	11	38	26	2.74	<10	0.47	294	<1	0.02	27	580	26	<5	<20	17	0.09	<10	72	<10	5	46
224	L79300 3500	<0.2	1.13	<5	70	<5	0.34	<1	8	32	17	2.05	<10	0.44	199	<1	0.02	20	290	24	<5	<20	15	0.09	<10	63	<10	4	51
225	L79300 3550	<0.2	1.29	5	90	5	0.33	<1	10	41	24	2.39	<10	0.50	243	<1	0.02	24	390	28	<5	<20	19	0.09	<10	70	<10	4	54
226	L79300 3600	<0.2	1.29	5	85	<5	0.34	<1	10	40	25	2.52	<10	0.45	306	<1	0.01	26	490	28	<5	<20	14	0.08	<10	70	<10	2	51
227	L79300 3650	<0.2	1.02	<5	60	<5	0.36	<1	8	30	17	2.09	<10	0.42	185	<1	0.01	20	490	22	<5	<20	15	0.07	<10	55	<10	3	47
228	L79300 3700	0.2	1.65	10	85	<5	0.37	<1	11	45	33	3.24	<10	0.59	266	<1	0.02	35	810	34	<5	<20	14	0.09	<10	80	<10	4	60
229	L79300 3750	0.2	0.55	<5	65	<5	0.28	<1	4	15	8	1.14	<10	0.16	89	<1	0.01	7	250	18	<5	<20	15	0.08	<10	40	<10	3	32
230	L79300 3800	0.4	1.06	5	80	10	0.33	<1	7	27	16	2.07	<10	0.30	151	<1	0.02	16	630	26	<5	<20	20	0.08	<10	64	<10	2	49

08-Jun-06

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2006-513

RICHFIELD VENTURES CORP.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
231	L79300 3850	0.2	1.41	<5	135	<5	0.30	<1	9	33	18	2.77	<10	0.29	272	<1	0.01	19	1370	32	<5	<20	21	0.07	<10	76	<10	2	72
232	L79300 3900	<0.2	1.17	5	60	<5	0.31	<1	9	28	18	2.06	<10	0.42	220	<1	0.02	19	340	28	<5	<20	14	0.08	<10	57	<10	4	47
233	L79300 3950	<0.2	1.72	15	90	<5	0.28	<1	11	41	40	3.67	<10	0.44	225	3	0.01	24	840	36	<5	<20	12	0.08	<10	106	<10	<1	65
234	L79300 4000	<0.2	1.12	<5	60	<5	0.32	<1	8	27	16	1.73	<10	0.42	179	<1	0.02	18	370	26	<5	<20	15	0.09	<10	50	<10	4	50
235	L79300 4050	<0.2	1.30	5	70	5	0.40	<1	9	34	20	2.28	<10	0.51	199	<1	0.02	25	590	28	<5	<20	20	0.09	<10</td				

236	L79300 4100	0.2	1.22	5	125	5	0.34	<1	8	35	21	2.76	<10	0.30	217	<1	0.01	19	1260	28	<5	<20	17	0.08	<10	74	<10	<1	52
237	L79300 4150	<0.2	1.20	5	80	5	0.37	<1	10	35	23	2.65	<10	0.50	232	<1	0.01	26	720	26	10	<20	15	0.09	<10	65	<10	5	67
238	L79300 4200	0.2	1.60	10	140	<5	0.44	<1	11	43	34	2.76	<10	0.56	532	<1	0.02	30	330	34	<5	<20	27	0.08	<10	73	<10	12	58
239	L79300 4250	0.2	2.93	10	160	15	0.31	2	15	39	38	4.80	<10	0.58	413	3	0.02	26	2750	56	<5	<20	22	0.09	<10	123	<10	<1	300
240	L79300 4300	0.3	2.74	35	130	10	0.20	<1	13	38	47	4.84	<10	0.51	267	6	0.02	21	1310	56	<5	<20	17	0.09	<10	153	<10	<1	158
241	L79300 4350	<0.2	1.61	20	75	10	0.39	<1	12	45	22	3.76	<10	0.36	261	1	0.02	21	1900	34	<5	<20	24	0.09	<10	115	<10	<1	88
242	L79100 3000	<0.2	1.39	5	100	5	0.36	<1	10	38	23	2.65	<10	0.55	275	<1	0.02	25	510	30	<5	<20	17	0.09	<10	70	<10	3	58
243	L79100 3050	<0.2	1.95	15	165	5	0.57	1	19	63	53	4.22	<10	0.81	679	3	0.02	49	650	40	15	<20	34	0.09	<10	103	<10	9	65
244	L79100 3100	<0.2	1.17	10	175	10	0.56	<1	12	38	26	2.74	<10	0.50	788	<1	0.02	26	790	26	<5	<20	30	0.08	<10	72	<10	6	82
245	L79100 3150	<0.2	1.31	10	120	5	0.37	<1	12	37	28	2.57	<10	0.49	456	<1	0.02	26	470	30	<5	<20	27	0.08	<10	77	<10	6	50
246	L79100 3200	<0.2	1.24	10	100	5	0.39	<1	10	40	28	2.71	<10	0.44	295	<1	0.02	25	680	24	<5	<20	23	0.08	<10	81	<10	2	51
247	L79100 3250	<0.2	1.25	5	95	<5	0.35	<1	9	35	24	2.46	<10	0.46	293	<1	0.02	23	380	26	<5	<20	17	0.09	<10	76	<10	3	59
248	L79100 3300	<0.2	1.25	5	70	<5	0.35	<1	9	36	23	2.35	<10	0.46	225	<1	0.02	24	490	26	<5	<20	12	0.09	<10	69	<10	2	49
249	L79100 3350	0.2	1.42	10	110	5	0.34	<1	10	44	28	2.73	<10	0.45	191	<1	0.02	27	570	30	<5	<20	25	0.10	<10	83	<10	4	59
250	L79100 3400	<0.2	1.04	5	80	5	0.34	<1	8	32	18	1.99	<10	0.39	180	<1	0.02	17	300	26	<5	<20	21	0.10	<10	68	<10	4	35
251	L79100 3450	<0.2	1.07	5	75	<5	0.27	<1	6	28	17	1.73	<10	0.34	158	<1	0.02	15	320	26	<5	<20	16	0.08	<10	55	<10	1	45
252	L79100 3500	<0.2	1.45	10	70	5	0.39	<1	10	46	26	2.71	<10	0.54	255	<1	0.02	26	680	30	<5	<20	20	0.09	<10	78	<10	4	54
253	L79100 3550	<0.2	1.43	5	95	<5	0.39	<1	11	44	27	2.79	<10	0.61	330	1	0.02	27	570	30	10	<20	25	0.08	<10	78	<10	4	54
254	L79100 3600	0.2	1.20	5	130	<5	0.44	<1	12	35	26	2.49	<10	0.40	428	<1	0.02	24	470	26	<5	<20	22	0.07	<10	70	<10	7	52
255	L79100 3650	<0.2	1.53	5	80	5	0.38	<1	10	38	22	2.71	<10	0.45	181	<1	0.01	29	560	32	<5	<20	21	0.08	<10	69	<10	4	55
256	L79100 3700	<0.2	1.28	5	100	10	0.38	<1	9	36	21	2.37	<10	0.44	221	<1	0.02	23	570	28	<5	<20	20	0.09	<10	66	<10	4	46
257	L79100 3750	<0.2	1.52	10	80	<5	0.37	<1	10	37	23	2.72	<10	0.51	206	<1	0.02	28	650	28	<5	<20	13	0.09	<10	68	<10	3	75
258	L79100 3800	<0.2	1.49	10	100	<5	0.44	<1	11	44	31	3.48	<10	0.51	272	<1	0.02	30	1070	30	<5	<20	24	0.10	<10	91	<10	3	68
259	L79100 3850	<0.2	1.75	10	85	<5	0.36	<1	11	46	34	3.27	<10	0.64	255	<1	0.02	31	720	34	<5	<20	14	0.10	<10	83	<10	2	53
260	L79100 3900	<0.2	1.06	5	80	5	0.38	<1	9	33	20	2.48	<10	0.39	196	<1	0.02	21	710	22	<5	<20	16	0.10	<10	69	<10	3	41
261	L79100 3950	<0.2	1.54	10	95	10	0.37	<1	16	49	36	3.34	<10	0.56	300	<1	0.02	32	560	32	<5	<20	19	0.09	<10	83	<10	2	52
262	L79100 4000	<0.2	1.81	10	140	<5	0.25	<1	12	41	25	2.95	<10	0.42	192	<1	0.02	34	660	38	<5	<20	21	0.08	<10	71	<10	3	81
263	L79100 4050	<0.2	1.44	10	85	10	0.31	<1	10	37	25	2.71	<10	0.51	263	<1	0.01	26	680	32	<5	<20	17	0.08	<10	74	<10	2	51
264	L79100 4100	<0.2	1.18	5	75	<5	0.35	<1	9	29	19	2.00	<10	0.38	332	<1	0.02	19	460	28	<5	<20	18	0.09	<10	60	<10	3	47
265	L79100 4150	<0.2	1.49	10	95	<5	0.36	<1	10	34	29	2.72	<10	0.44	273	<1	0.02	26	590	30	<5	<20	23	0.10	<10	77	<10	3	58
266	L79100 4200	<0.2	1.44	10	95	<5	0.38	<1	10	36	24	2.78	<10	0.44	242	<1	0.01	26	1050	28	<5	<20	18	0.08	<10	67	<10	2	74
267	L79100 4250	<0.2	1.05	5	85	5	0.39	<1	9	30	22	2.09	<10	0.41	280	<1	0.02	18	330	24	<5	<20	21	0.09	<10	66	<10	5	51
268	L79100 4300	<0.2	1.79	15	105	5	0.39	<1	14	35	43	4.44	<10	0.51	260	<1	0.02	26	1000	36	<5	<20	31	0.09	<10	108	<10	<1	114
269	L79100 4350	0.2	2.83	375	165	<5	0.48	4	24	49	194	>10	<10	0.86	559	22	0.06	32	1380	54	<5	<20	114	0.09	<10	289	<10	<1	198
270	L79100 4400	<0.2	1.28	15	75	<5	0.42	<1	14	60	31	3.15	<10	0.58	409	<1	0.01	37	780	28	<5	<20	19	0.08	<10	83	<10	5	66

08-Jun-06

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2006-513

RICHFIELD VENTURES CORP.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
271	L79100 4450	0.3	3.79	60	320	<5	0.57	2	19	41	107	7.44	<10	1.01	339	13	0.05	34	1700	68	10	<20	110	0.14	<10	260	<10	<1	145
272	L79050 3000	<0.2	1.31	10	105	5	0.40	<1	10	39	28	2.67	<10	0.51	228	<1	0.02	27	740	28	<5	<20	22	0.08	<10	77	<10	3	69
273	L79050 3050	<0.2	1.54	10	120	5	0.44	<1	13	47	34	3.19	<10	0.61	387	<1	0.02	34	560	34	<5	<20	28	0.11	<10	87	<10	6	62
274	L79050 3100	<0.2	1.48	10	120	10	0.42	<1	10	46	30	3.20	<10	0.46	225	1	0.02	31	890	32	5	<20	28	0.09	<10	98	<10	5	68
275	L79050 3150	<0.2	1.44	10	110	5	0.38	<1	10	39	31	2.97	<10	0.46	235	1	0.02	27	800	32	<5	<20	24	0.08	<10	91	<10	3	58
276	L79050 3200	<0.2	1.17	10	90	<5	0.39	<1	9	38	24	2.42	<10	0.48															

278	L79050 3300	<0.2	1.39	5	85	5	0.38	<1	12	42	27	2.79	<10	0.54	340	<1	0.02	29	540	30	<5	<20	19	0.10	<10	74	<10	3	47
279	L79050 3350	<0.2	1.06	<5	90	10	0.37	<1	7	29	15	1.94	<10	0.29	131	<1	0.02	16	360	26	<5	<20	22	0.09	<10	61	<10	3	51
280	L79050 3400	<0.2	1.13	5	80	<5	0.38	<1	9	39	22	2.30	<10	0.47	192	<1	0.02	19	450	26	<5	<20	24	0.10	<10	76	<10	3	38
281	L79050 3450	0.2	1.68	5	115	<5	0.33	<1	11	44	29	2.70	<10	0.52	286	<1	0.02	26	460	36	<5	<20	28	0.10	<10	81	<10	2	65
282	L79050 3500	<0.2	1.50	10	120	5	0.39	<1	11	47	31	2.96	<10	0.51	296	<1	0.02	29	710	32	<5	<20	25	0.10	<10	90	<10	2	52
283	L79050 3550	0.2	1.54	5	125	<5	0.36	<1	13	43	39	2.95	<10	0.51	455	<1	0.02	27	460	34	<5	<20	29	0.08	<10	90	<10	8	59
284	L79050 3600	<0.2	1.47	10	110	5	0.41	1	12	50	30	3.13	<10	0.54	284	2	0.02	32	810	32	15	<20	19	0.08	<10	88	<10	4	83
285	L79050 3650	<0.2	1.25	5	85	10	0.41	<1	11	43	28	2.88	<10	0.50	256	<1	0.02	28	580	26	<5	<20	17	0.08	<10	76	<10	4	45
286	L79050 3700	<0.2	1.32	5	70	<5	0.35	<1	10	38	24	2.58	<10	0.52	229	<1	0.02	29	570	28	<5	<20	13	0.09	<10	68	<10	3	49
287	L79050 3750	<0.2	1.15	5	70	<5	0.34	<1	9	33	20	2.22	<10	0.45	226	<1	0.02	22	400	26	<5	<20	15	0.09	<10	62	<10	2	42
288	L79050 3800	<0.2	1.14	5	80	5	0.36	<1	12	36	25	2.42	<10	0.45	308	<1	0.02	26	500	24	<5	<20	20	0.09	<10	71	<10	5	43
289	L79050 3850	<0.2	1.47	10	90	5	0.37	<1	12	40	29	2.98	<10	0.56	341	<1	0.02	31	590	30	<5	<20	17	0.09	<10	80	<10	3	67
290	L79050 3900	0.2	2.25	10	140	<5	0.43	<1	15	50	39	3.79	<10	0.51	285	2	0.02	43	1610	44	<5	<20	31	0.09	<10	101	<10	4	67
291	L79050 3950	<0.2	1.55	5	70	<5	0.39	<1	11	42	28	2.95	<10	0.49	205	<1	0.02	33	720	30	<5	<20	19	0.10	<10	79	<10	1	58
292	L79050 4000	<0.2	1.34	10	80	5	0.38	<1	13	42	29	3.15	<10	0.53	293	<1	0.02	31	480	28	<5	<20	16	0.10	<10	83	<10	<1	48
293	L79050 4050	<0.2	1.55	10	80	5	0.32	<1	11	41	30	2.94	<10	0.55	216	<1	0.02	32	510	32	<5	<20	15	0.09	<10	75	<10	3	52
294	L79050 4100	<0.2	1.49	5	80	<5	0.35	<1	12	37	25	2.72	<10	0.51	272	<1	0.02	26	700	32	<5	<20	19	0.09	<10	73	<10	2	55
295	L79050 4150	<0.2	1.45	10	85	<5	0.35	<1	10	37	23	2.54	<10	0.56	236	<1	0.02	27	500	32	10	<20	22	0.09	<10	65	<10	6	62
296	L79050 4200	<0.2	1.22	5	90	<5	0.35	<1	10	34	23	2.47	<10	0.46	222	<1	0.02	28	680	26	<5	<20	13	0.08	<10	63	<10	2	65
297	L79050 4250	<0.2	1.27	10	105	<5	0.41	2	12	37	21	2.18	<10	0.48	398	9	0.02	29	290	30	45	<20	25	0.03	<10	67	<10	5	41
298	L79050 4300	<0.2	0.95	5	90	10	0.45	<1	10	44	21	2.19	<10	0.40	235	<1	0.02	22	510	22	<5	<20	23	0.07	<10	57	<10	9	31
299	L79050 4350	0.4	1.99	295	100	<5	0.56	11	14	37	93	>10	<10	0.56	392	56	0.18	50	1510	38	145	<20	182	0.02	<10	253	<10	<1	151
300	L79050 4400	<0.2	1.20	10	75	<5	0.38	4	12	58	28	2.86	<10	0.49	376	11	0.01	44	560	26	55	<20	22	0.02	<10	76	<10	2	50
301	L79050 4450	<0.2	2.45	20	125	<5	0.33	6	17	46	42	4.47	<10	0.62	328	23	0.02	55	1330	48	95	<20	33	0.02	<10	118	<10	<1	194
302	L79500 3000	0.2	1.06	<5	90	<5	0.31	<1	8	31	19	2.21	<10	0.37	175	<1	0.01	19	470	24	<5	<20	18	0.08	<10	66	<10	3	69
303	L79500 3050	<0.2	1.12	<5	95	5	0.31	2	9	32	21	2.18	<10	0.36	229	8	0.02	25	400	26	45	<20	22	0.03	<10	65	<10	4	51
304	L79500 3100	<0.2	1.14	5	95	<5	0.30	<1	9	29	21	1.97	<10	0.39	249	<1	0.02	19	380	26	<5	<20	19	0.07	<10	63	<10	3	50
305	L79500 3150	<0.2	1.31	5	90	<5	0.40	<1	10	41	29	2.91	<10	0.47	246	<1	0.02	27	770	26	<5	<20	20	0.08	<10	82	<10	3	67
306	L79500 3200	0.3	1.17	5	130	<5	0.35	<1	14	29	26	2.17	<10	0.29	447	3	0.01	18	470	26	<5	<20	27	0.04	<10	63	<10	4	42
307	L79500 3250	0.2	1.95	10	150	10	0.38	<1	14	55	29	3.07	<10	0.53	1317	<1	0.02	27	490	38	<5	<20	22	0.06	<10	87	<10	2	86
308	L79500 3300	<0.2	1.49	10	125	10	0.35	<1	10	46	23	3.00	<10	0.41	271	<1	0.02	28	1500	30	<5	<20	15	0.08	<10	83	<10	<1	60
309	L79500 3350	<0.2	1.29	5	80	<5	0.36	<1	9	37	24	2.47	<10	0.46	227	<1	0.02	22	560	28	<5	<20	18	0.09	<10	68	<10	2	46
310	L79500 3400	<0.2	1.34	5	100	<5	0.36	<1	11	34	22	2.39	<10	0.47	343	<1	0.02	23	490	28	<5	<20	20	0.08	<10	66	<10	3	62

08-Jun-06

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2006-513

RICHFIELD VENTURES CORP.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
311	L79500 3450	<0.2	1.77	10	140	<5	0.36	<1	12	45	39	3.39	<10	0.48	230	2	0.02	34	1000	36	<5	<20	28	0.09	<10	108	<10	1	73
312	L79500 3500	<0.2	1.14	5	85	5	0.35	<1	9	38	24	2.42	<10	0.43	201	<1	0.02	23	440	24	<5	<20	18	0.09	<10	75	<10	2	59
313	L79500 3550	<0.2	1.23	5	85	<5	0.34	<1	10	47	27	2.66	<10	0.49	210	<1	0.02	30	430	26	<5	<20	18	0.10	<10	79	<10	3	49
314	L79500 3600	<0.2	1.17	10	70	<5	0.31	<1	9	31	21	2.35	<10	0.41	171	<1	0.02	23	380	28	<5	<20	14	0.08	<10	68	<10	3	48
315	L79500 3650	<0.2	1.09	5	75	10	0.32	<1	9	31	19	2.26	<10	0.41	176	<1	0.01	21	400	24	<5	<20	13	0.08	<10	63	<10	2	47
316	L79500 3700	<0.2	1.26	5	80	10	0.30	<1	9	32	22	2.28	<10	0.45	192	<1	0.01	22	360	30	<5	<20	17	0.08	<10	63	<10	3	46
317	L79500 3750	<0.2	1.30	5	75	<5	0.29	<1	10	32	21	2.05	<10	0.38	297	<1	0.01	19	330	28	<5	<20	14	0.08	<10	62	<10	3	48
318	L79500 3800	<0.2	0.79	<5	80	<5	0.27	<1	7	24	13	1.95	<10	0.17	131	<1	0.01	10</											

320	L79500 3900	<0.2	1.47	10	90	<5	0.31	<1	10	36	23	2.50	<10	0.51	274	<1	0.01	24	430	32	<5	<20	17	0.09	<10	72	<10	2	57
321	L79500 3950	0.2	2.83	10	155	10	0.32	<1	18	58	45	4.24	<10	0.57	259	2	0.02	60	1450	58	<5	<20	25	0.10	<10	108	<10	2	101
322	L79500 4000	<0.2	1.06	10	60	5	0.30	<1	11	34	28	2.67	<10	0.37	209	<1	0.01	24	420	24	<5	<20	16	0.08	<10	75	<10	<1	42
323	L79500 4050	<0.2	1.26	5	95	5	0.31	<1	9	30	22	2.21	<10	0.40	289	<1	0.01	21	410	30	<5	<20	19	0.07	<10	60	<10	3	51
324	L79500 4100	0.2	1.61	10	175	<5	0.46	<1	12	41	27	3.28	<10	0.43	386	<1	0.01	29	2900	36	<5	<20	31	0.08	<10	83	<10	1	91
325	L79500 4150	<0.2	1.45	10	95	<5	0.51	<1	12	38	28	3.09	<10	0.44	286	<1	0.01	30	1480	32	<5	<20	25	0.07	<10	73	<10	<1	67
326	L79500 4200	<0.2	1.50	10	135	<5	0.43	<1	13	42	30	3.15	<10	0.43	440	<1	0.02	27	1260	36	<5	<20	30	0.09	<10	86	<10	3	90
327	L79500 4250	<0.2	3.19	20	130	10	0.23	<1	21	44	69	5.49	<10	0.84	304	4	0.02	38	1070	62	10	<20	15	0.14	<10	177	<10	<1	158
328	L79150 3000	<0.2	1.12	5	90	<5	0.43	<1	10	37	20	2.29	<10	0.49	254	<1	0.02	23	620	26	<5	<20	23	0.09	<10	70	<10	3	53
329	L79150 3050	<0.2	1.16	5	115	<5	0.42	<1	9	34	22	2.34	<10	0.46	222	<1	0.02	21	640	28	<5	<20	29	0.10	<10	75	<10	3	67
330	L79150 3100	0.4	2.62	10	200	<5	0.41	<1	15	65	60	3.96	<10	0.76	518	3	0.02	45	510	56	<5	<20	28	0.07	<10	102	<10	5	108
331	L79150 3150	<0.2	1.28	5	140	10	0.46	<1	9	34	24	2.57	<10	0.43	281	<1	0.02	23	680	30	<5	<20	32	0.10	<10	77	<10	<1	82
332	L79150 3200	<0.2	0.98	<5	90	<5	0.33	<1	8	29	17	2.05	<10	0.36	199	<1	0.01	17	440	24	<5	<20	18	0.08	<10	63	<10	2	41
333	L79150 3250	<0.2	1.33	10	70	10	0.38	<1	11	43	27	2.66	<10	0.54	231	<1	0.02	27	550	30	<5	<20	19	0.11	<10	76	<10	1	44
334	L79150 3300	<0.2	1.19	5	90	5	0.41	<1	8	34	21	2.35	<10	0.40	200	<1	0.02	21	670	28	<5	<20	22	0.09	<10	70	<10	1	54
335	L79150 3350	<0.2	1.00	<5	85	<5	0.33	<1	8	28	17	1.99	<10	0.35	204	<1	0.02	18	420	24	<5	<20	17	0.10	<10	60	<10	<1	51
336	L79150 3400	<0.2	1.21	5	120	5	0.50	<1	11	41	23	2.65	<10	0.51	498	<1	0.02	22	470	26	<5	<20	32	0.10	<10	84	<10	3	73
337	L79150 3450	<0.2	1.40	5	90	<5	0.33	<1	9	37	23	2.41	<10	0.36	240	<1	0.01	21	590	30	<5	<20	18	0.08	<10	71	<10	1	70
338	L79150 3500	<0.2	1.11	5	140	5	0.39	<1	9	33	19	2.31	<10	0.39	587	<1	0.02	18	570	26	<5	<20	26	0.08	<10	73	<10	1	55
339	L79150 3550	<0.2	1.24	5	115	<5	0.39	<1	9	35	22	2.48	<10	0.41	328	<1	0.02	19	560	28	<5	<20	25	0.09	<10	77	<10	1	81
340	L79150 3600	<0.2	1.34	5	125	<5	0.50	<1	11	47	27	3.28	<10	0.49	240	<1	0.01	27	940	30	<5	<20	30	0.09	<10	92	<10	1	79
341	L79150 3650	<0.2	1.38	10	60	<5	0.31	<1	10	41	24	2.90	<10	0.49	195	<1	0.01	28	760	28	<5	<20	8	0.08	<10	73	<10	<1	53
342	L79150 3700	<0.2	1.60	10	115	5	0.35	<1	11	39	25	3.01	<10	0.46	212	<1	0.01	32	890	34	<5	<20	20	0.08	<10	80	<10	<1	62
343	L79150 3750	0.2	1.56	10	90	5	0.44	<1	11	39	28	2.92	<10	0.55	260	<1	0.02	31	870	32	<5	<20	17	0.09	<10	72	<10	2	66
344	L79150 3800	0.2	1.47	5	105	<5	0.34	<1	10	38	24	2.15	<10	0.48	366	<1	0.01	24	370	34	<5	<20	19	0.09	<10	62	<10	2	68
345	L79150 3850	<0.2	1.03	5	90	<5	0.39	<1	7	27	18	2.01	<10	0.38	187	<1	0.01	17	470	26	<5	<20	19	0.09	<10	61	<10	<1	46
346	L79150 3900	<0.2	1.98	10	115	10	0.36	<1	13	48	36	3.72	<10	0.53	248	1	0.02	35	1410	40	<5	<20	23	0.08	<10	96	<10	<1	72
347	L79150 3950	<0.2	1.48	10	145	5	0.38	<1	9	34	21	2.77	<10	0.29	296	<1	0.01	24	1250	32	<5	<20	18	0.07	<10	76	<10	<1	63
348	L79150 4000	<0.2	1.50	10	85	<5	0.38	<1	13	45	35	3.38	<10	0.47	256	1	0.02	30	870	32	<5	<20	23	0.09	<10	98	<10	2	53
349	L79150 4050	<0.2	1.26	10	115	<5	0.42	<1	10	35	26	2.53	<10	0.36	644	<1	0.02	23	990	28	<5	<20	23	0.08	<10	72	<10	3	73
350	L79150 4100	<0.2	1.08	5	105	<5	0.47	<1	9	31	23	2.10	<10	0.38	306	<1	0.02	18	320	26	<5	<20	27	0.08	<10	65	<10	5	42

08-Jun-06

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2006-513

RICHFIELD VENTURES CORP.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
351	L79150 4150	<0.2	1.24	5	100	10	0.32	<1	10	29	20	2.24	<10	0.34	320	<1	0.02	18	510	28	<5	<20	24	0.07	<10	61	<10	2	60
352	L79150 4200	<0.2	1.94	20	165	5	0.40	1	15	32	26	3.78	<10	0.49	478	2	0.01	22	2710	44	<5	<20	28	0.09	<10	92	<10	<1	156
353	L79150 4250	0.3	2.43	10	155	<5	0.42	<1	17	51	42	3.87	<10	0.66	872	1	0.02	35	710	48	<5	<20	29	0.06	<10	96	<10	4	89
354	L79150 4350	<0.2	2.41	95	215	<5	0.46	1	25	45	115	8.09	<10	0.76	593	9	0.03	34	1220	48	<5	<20	56	0.11	<10	215	<10	<1	163
355	L79150 4400	0.2	3.23	55	195	10	0.45	1	18	48	74	6.16	<10	1.18	321	7	0.03	30	1600	68	10	<20	63	0.14	<10	211	<10	<1	195
356	L79150 4450	<0.2	1.29	10	70	10	0.43	1	16	79	26	3.50	<10	0.56	382	<1	0.01	42	1010	28	<5	<20	12	0.08	<10	95	<10	<1	78
357	L79800 3000	0.3	2.51	10	145	5	0.25	<1	12	45	33	3.03	<10	0.43	181	2	0.01	37	810	56	<5	<20	19	0.08	<10	78	<10	4	102
358	L79800 3050	<0.2	1.34	10	125	<5	0.37	<1	10	35	30	2.71	<10	0.47	259	<1	0.02	28	620	30	5	<20	27	0.09	<10	80	<10	2	73
359	L79800 3100	<0.2	1.96	10	100	<5	0.24	<1	13	49	34	3.65	<10	0.49	256	2	0.01	33	970	42	<5	<20	11	0.08	<10	95	<10	<1	79
360	L79800 3150	<0.2	1.38	10	90	<5	0.35	<1	10	37	25	2.57	<10	0.45	2														

361	L79800 3200	<0.2	1.32	10	90	<5	0.30	<1	9	38	23	2.38	<10	0.44	312	<1	0.01	21	310	30	<5	<20	14	0.08	<10	74	<10	<1	43
362	L79800 3250	<0.2	1.29	5	90	<5	0.33	<1	8	34	20	1.97	<10	0.40	195	<1	0.01	21	410	30	<5	<20	21	0.09	<10	55	<10	<1	52
363	L79800 3300	<0.2	1.28	10	95	<5	0.41	<1	11	40	25	2.90	<10	0.46	255	<1	0.02	26	710	30	<5	<20	23	0.09	<10	78	<10	1	52
364	L79800 3350	<0.2	1.38	5	110	10	0.39	<1	11	38	24	2.65	<10	0.46	376	<1	0.01	26	520	32	<5	<20	26	0.07	<10	72	<10	3	62
365	L79800 3400	<0.2	1.62	10	95	5	0.30	<1	9	39	25	2.51	<10	0.46	187	<1	0.01	29	520	38	<5	<20	19	0.09	<10	67	<10	3	45
366	L79800 3450	<0.2	1.49	5	100	5	0.31	<1	8	35	24	2.23	<10	0.49	182	<1	0.01	23	400	36	<5	<20	18	0.09	<10	64	<10	<1	48
367	L79800 3500	<0.2	1.56	10	90	<5	0.37	<1	10	42	28	2.96	<10	0.49	221	<1	0.01	30	690	36	<5	<20	17	0.09	<10	82	<10	<1	55
368	L79800 3550	<0.2	1.39	10	90	5	0.40	<1	10	41	26	2.89	<10	0.48	234	<1	0.01	29	750	30	<5	<20	14	0.08	<10	77	<10	<1	57
369	L79800 3600	0.3	2.00	10	150	5	0.44	<1	14	54	41	3.37	<10	0.71	634	<1	0.02	39	600	42	<5	<20	20	0.09	<10	87	<10	3	89
370	L79800 3650	<0.2	1.51	10	115	<5	0.39	<1	15	42	35	3.12	<10	0.52	579	<1	0.01	31	520	36	<5	<20	19	0.08	<10	82	<10	2	66
371	L79800 3700	<0.2	1.16	5	55	5	0.32	<1	15	36	25	2.75	<10	0.47	305	<1	0.01	28	470	24	<5	<20	12	0.09	<10	71	<10	<1	95
372	L79800 3750	<0.2	1.77	5	80	<5	0.37	<1	10	40	25	3.25	<10	0.39	199	<1	0.02	21	360	38	<5	<20	15	0.09	<10	106	<10	<1	75
373	L79800 3800	<0.2	1.34	5	95	<5	0.41	<1	11	35	21	2.84	<10	0.44	346	<1	0.01	23	1010	28	<5	<20	18	0.08	<10	73	<10	<1	163
374	L79800 3850	<0.2	0.97	<5	105	5	0.23	<1	8	27	17	2.23	<10	0.24	388	<1	0.01	14	840	24	<5	<20	15	0.08	<10	69	<10	<1	55
375	L79800 3900	<0.2	1.08	10	70	<5	0.39	<1	12	39	30	2.67	<10	0.45	390	<1	0.02	24	390	24	<5	<20	17	0.09	<10	78	<10	2	39
376	L79800 3950	<0.2	1.45	10	105	<5	0.53	<1	14	40	35	2.77	<10	0.50	749	<1	0.01	30	390	32	<5	<20	21	0.08	<10	74	<10	3	48
377	L79800 4000	<0.2	1.14	10	100	<5	0.33	<1	8	31	21	2.63	<10	0.34	214	<1	0.01	22	930	24	<5	<20	14	0.07	<10	70	<10	<1	52
378	L79800 4050	<0.2	2.52	60	120	<5	0.34	<1	19	46	58	5.55	<10	0.62	480	6	0.01	38	1230	52	<5	<20	19	0.07	<10	129	<10	<1	121
379	L79800 4100	<0.2	1.24	20	65	<5	0.44	1	13	39	69	2.86	<10	0.46	368	3	0.02	28	330	28	10	<20	27	0.07	<10	79	<10	7	63

QC DATA:**Repeat:**

1	L79450 3000	0.5	2.25	10	190	5	0.43	<1	16	50	52	3.16	10	0.66	647	1	0.02	36	810	46	<5	<20	37	0.05	<10	87	<10	10	74
10	L79450 3450	0.2	1.09	5	100	5	0.39	<1	10	36	26	2.46	<10	0.42	219	<1	0.02	23	800	26	<5	<20	20	0.09	<10	80	<10	9	50
19	L79450 3900	<0.2	1.27	5	60	10	0.32	<1	8	30	20	2.24	<10	0.45	174	1	0.01	18	600	28	<5	<20	10	0.07	<10	66	<10	6	44
28	L79550 3050	<0.2	1.18	5	75	10	0.26	<1	8	36	21	2.17	<10	0.46	235	1	0.01	20	360	26	<5	<20	14	0.07	<10	59	<10	5	40
36	L79550 3450	0.2	0.84	5	85	10	0.28	<1	8	30	14	1.89	<10	0.27	305	<1	0.01	13	730	22	<5	<20	12	0.08	<10	58	<10	8	45
45	L79550 3900	<0.2	1.46	10	70	15	0.26	<1	9	36	26	2.73	<10	0.46	195	<1	0.01	20	1170	32	<5	<20	3	0.07	<10	78	<10	4	37

08-Jun-06

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2006-513

RICHFIELD VENTURES CORP.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
54	L79650 3050	<0.2	1.21	5	85	10	0.29	<1	9	31	22	2.36	<10	0.41	233	<1	0.01	18	670	28	<5	<20	13	0.08	<10	68	<10	8	60
63	L79650 3500	0.2	1.88	10	90	10	0.34	<1	11	44	34	3.15	<10	0.55	220	1	0.01	31	1430	40	<5	<20	10	0.07	<10	83	<10	6	66
71	L79650 3900	0.2	1.28	<5	70	5	0.30	<1	9	33	21	2.32	<10	0.46	363	<1	0.02	19	440	28	<5	<20	21	0.09	<10	69	<10	4	52
80	L79400 3150	<0.2	1.63	5	115	5	0.38	<1	15	50	38	3.28	<10	0.58	515	1	0.01	31	590	34	5	<20	24	0.09	<10	89	<10	6	57
89	L79400 3600	<0.2	0.88	<5	65	<5	0.27	<1	7	24	15	1.74	<10	0.31	150	<1	0.01	17	220	22	<5	<20	13	0.07	<10	53	<10	4	39
98	L79400 4050	<0.2	1.25	<5	75	10	0.34	<1	9	32	24	2.43	<10	0.45	197	<1	0.01	22	550	26	<5	<20	19	0.08	<10	67	<10	5	52
106	L79200 3100	0.2	0.90	<5	110	5	0.37	<1	6	28	14	1.95	<10	0.21	139	<1	0.01	12	740	24	<5	<20	28	0.09	<10	63	<10	4	48
115	L79200 3550	<0.2	1.39	<5	115	<5	0.43	1	11	47	28	2.87	<10	0.57	275	<1	0.02	30	740	28	5	<20	22	0.09	<10	86	<10	9	70
124	L79200 4000	0.4	1.38	5	100	5	0.36	<1	9	33	24	2.59	<10	0.39	233	<1	0.02	22	680	30	<5	<20	21	0.08	<10	73	<10	4	57
133	L79200 4450	0.3	1.37	5	160	10	0.32	<1	14	48	12	3.96	<10	0.35	769	2	0.01	23	2880	32	<5	<20	18	0.06	<10	93	<10	<1	84
141	L79250 3350	<0.2	1.05	<5	105	10	0.44	<1	9	37	21	2.45	<10	0.42	189	<1	0.02	19	460	24	<5	<20	33	0.09	<10	77	<10	8	59
150	L79250 3800	0.2	2.06	5	115	<5	0.30	1	11	42	29	3.26	<10	0.40	187	3	0.02	27	1430	38	5	<20	20	0.02	<10	94	<10	5	95

159	L79250 4250	0.4	2.90	20	120	5	0.26	7	19	43	106	6.55	<10	0.58	354	33	0.02	57	960	50	<5	<20	30	0.02	<10	171	<10	<1	129
168	L79350 3250	<0.2	1.18	5	105	10	0.40	<1	10	37	27	2.51	<10	0.44	383	<1	0.02	24	650	24	<5	<20	20	0.09	<10	69	<10	9	55
176	L79350 3650	<0.2	1.36	5	90	10	0.33	<1	11	39	24	2.48	<10	0.47	444	<1	0.02	22	500	30	<5	<20	25	0.07	<10	67	<10	9	47
185	L79350 4100	<0.2	1.16	5	85	<5	0.37	<1	9	32	20	2.20	<10	0.50	248	<1	0.02	22	490	26	<5	<20	18	0.09	<10	59	<10	6	53
194	L79600 3250	<0.2	0.95	<5	55	5	0.31	<1	7	27	14	1.77	<10	0.36	167	<1	0.01	15	400	24	<5	<20	16	0.09	<10	56	<10	6	35
203	L79600 3700	<0.2	1.20	<5	75	5	0.32	<1	8	31	20	2.10	<10	0.45	250	<1	0.02	19	330	26	<5	<20	12	0.08	<10	58	<10	5	48
211	L79600 4100	0.2	1.24	5	80	5	0.36	<1	9	32	23	2.54	<10	0.42	195	<1	0.01	22	600	26	<5	<20	25	0.07	<10	67	<10	2	46
220	L79300 3300	<0.2	1.17	5	105	<5	0.40	<1	11	40	25	2.78	<10	0.50	261	<1	0.02	27	730	28	<5	<20	21	0.09	<10	75	<10	5	61
229	L79300 3750	0.2	0.54	<5	65	5	0.28	<1	4	15	8	1.13	<10	0.16	87	<1	0.01	6	240	16	<5	<20	11	0.07	<10	39	<10	2	31
238	L79300 4200	0.2	1.54	10	135	<5	0.42	<1	11	42	34	2.71	<10	0.55	525	<1	0.02	28	320	34	<5	<20	28	0.07	<10	72	<10	11	56
246	L79100 3200	<0.2	1.19	10	105	5	0.38	<1	10	37	27	2.64	<10	0.43	291	<1	0.01	24	690	26	<5	<20	24	0.08	<10	79	<10	3	51
255	L79100 3650	<0.2	1.48	10	70	10	0.36	<1	9	37	22	2.67	<10	0.44	176	1	0.01	28	560	30	<5	<20	20	0.07	<10	67	<10	3	54
264	L79100 4100	<0.2	1.12	5	75	<5	0.33	<1	9	28	19	2.00	<10	0.37	339	<1	0.01	18	460	26	<5	<20	17	0.08	<10	58	<10	1	46
273	L79050 3050	<0.2	1.48	5	120	10	0.42	<1	12	46	33	3.11	<10	0.59	380	<1	0.02	32	560	32	<5	<20	28	0.10	<10	84	<10	5	61
281	L79050 3450	0.2	1.64	10	105	10	0.32	<1	10	42	29	2.61	<10	0.51	270	<1	0.02	25	450	34	<5	<20	28	0.09	<10	77	<10	2	63
290	L79050 3900	0.2	2.21	10	145	<5	0.42	4	15	49	38	3.79	<10	0.47	283	16	0.02	52	1610	46	70	<20	37	0.07	<10	99	<10	5	67
299	L79050 4350	0.4	1.97	275	90	5	0.56	10	14	37	93	>10	<10	0.58	397	34	0.18	26	1510	40	<5	<20	176	0.02	<10	252	<10	<1	150
308	L79500 3300	<0.2	1.44	10	125	5	0.34	<1	10	44	22	2.97	<10	0.40	268	<1	0.01	26	1500	32	<5	<20	15	0.07	<10	81	<10	<1	61
316	L79500 3700	<0.2	1.27	10	85	5	0.30	<1	9	32	22	2.29	<10	0.45	192	<1	0.01	22	360	28	<5	<20	16	0.08	<10	63	<10	3	46
325	L79500 4150	<0.2	1.50	10	95	<5	0.53	<1	12	39	28	3.17	<10	0.46	293	<1	0.01	30	1560	32	<5	<20	34	0.07	<10	75	<10	2	71
334	L79150 3300	<0.2	1.18	<5	90	5	0.41	<1	8	35	20	2.34	<10	0.40	199	<1	0.01	21	670	28	<5	<20	22	0.09	<10	70	<10	1	53
343	L79150 3750	<0.2	1.58	10	90	5	0.45	<1	11	45	28	2.96	<10	0.55	266	<1	0.01	31	900	34	<5	<20	19	0.09	<10	73	<10	2	68
351	L79150 4150	<0.2	1.22	5	85	<5	0.31	<1	10	28	19	2.24	<10	0.34	319	<1	0.02	19	510	28	<5	<20	12	0.07	<10	60	<10	<1	60
360	L79800 3150	<0.2	1.33	10	95	5	0.33	<1	10	38	25	2.55	<10	0.43	251	<1	0.01	24	580	32	5	<20	16	0.07	<10	74	<10	3	48
369	L79800 3600	0.3	1.92	10	150	<5	0.42	<1	14	53	40	3.27	<10	0.69	632	<1	0.02	37	570	40	<5	<20	20	0.08	<10	84	<10	3	86

08-Jun-06

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2006-513

RICHFIELD VENTURES CORP.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
Standard:																													
GEO '06		1.5	1.63	55	135	<5	1.58	1	19	59	83	3.92	<10	0.89	603	1	0.03	28	730	22	<5	<20	55	0.11	<10	68	<10	11	72
GEO '06		1.5	1.66	55	135	<5	1.64	1	18	57	84	4.03	<10	0.90	611	<1	0.03	29	780	24	<5	<20	56	0.09	<10	69	<10	12	74
GEO '06		1.5	1.66	60	150	<5	1.61	1	18	58	85	4.08	<10	0.89	645	1	0.03	30	590	24	<5	<20	53	0.11	<10	73	<10	10	73
GEO '06		1.4	1.66	55	145	<5	1.63	1	18	58	85	4.08	<10	0.88	648	1	0.03	29	600	24	<5	<20	54	0.10	<10	72	<10	9	78
GEO '06		1.5	1.70	65	175	<5	1.68	1	19	58	88	4.05	<10	0.88	668	1	0.03	31	610	24	<5	<20	50	0.10	<10	65	<10	10	74
GEO '06		1.5	1.65	60	150	<5	1.62	1	18	59	83	4.04	<10	0.85	644	1	0.03	29	580	26	<5	<20	55	0.11	<10	72	<10	9	73
GEO '06		1.5	1.69	60	140	<5	1.61	1	18	59	85	4.08	<10	0.90	636	<1	0.03	29	620	22	<5	<20	52	0.09	<10	74	<10	9	77
GEO '06		1.5	1.74	60	155	<5	1.62	1	18	59	89	4.02	<10	0.92	643	<1	0.03	30	620	24	<5	<20	52	0.10	<10	67	<10	10	78
GEO '06		1.5	1.69	60	160	<5	1.58	1	17	59	87	4.06	<10	0.91	632	<1	0.03	30	600	22	<5	<20	54	0.10	<10	64	<10	10	75
GEO '06		1.5	1.71	60	155	<5	1.63	1	18	58	86	4.01	<10	0.90	639	<1	0.03	30	620	24	<5	<20	56	0.11	<10	64	<10	9	78

JJ/ga
df/511a/513a/513
XLS/06

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer