



Ministry of Energy & Mines
 Energy & Minerals Division
 Geological Survey Branch

ASSESSMENT REPORT
 TITLE PAGE AND SUMMARY

TITLE OF REPORT [type of survey(s)] 2006 Rock and soil samples & survey assessment report TOTAL COST \$121,289.90

AUTHOR(S) SCOTT A PCTSEL SIGNATURE(S) [Signature]

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S) AX-10-40 061008460704 YEAR OF WORK 2006

STATEMENT OF WORK - CASH PAYMENT EVENT NUMBER(S)/DATE(S)
4096114 - \$7,900.00 - 8-2-06 409246 - \$12389.90 10-30-06

PROPERTY NAME SHILO LAKE OR REDEBOLD

CLAIM NAME(S) (on which work was done) 204663, 204664, 206601, 206602, 206609, 206670, 517421
518877, 525437

COMMODITIES SOUGHT Cu, Au

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN 093A 05E

MINING DIVISION Cariboo NTS 0930 06W

LATITUDE 52° 0' 27" 40" LONGITUDE 121° 0' 28" 05" (at centre of work)

OWNER(S)
 1) RUDOLPH M DUFF ID 2) JAMES W MORTON

MAILING ADDRESS
Box 4438 STATION MAIN
2029 S. LAKESIDE DR Williams Lake, BC V2G 2V5

OPERATOR(S) [who paid for the work]
 1) NEVAGOLD CANADA INC. 2)

MAILING ADDRESS
Suite 2300 200 Granville St
Vancouver BC V6C 1S4

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):
Quaternary terrane, Tertiary, Alkaline porphyry, Alkaline intrusive
Complex, copper-gold-silver mineralization

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL			
(number of samples analysed for ...)			
Soil	883	204603-204604, 20467-670 517421, 518177, 528437	112,765.29
Silt			
Rock	2015	Same as above	8,529.61
Other			
DRILLING			
(total metres; number of holes, size)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling/assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY/PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other			
TOTAL COST			121,294.90

**2006 ROCK AND SOIL SAMPLING SURVEY ASSESSMENT REPORT
ON THE SHIKO LAKE PROPERTY**

Event Nos. 4096114 and 4109246
(For work on tenure numbers: 204603, 204604, 206667, 206668, 206669, 206670,
517421, 517428, 518887 and 525437)

Cariboo Mining Division
British Columbia, Canada

NTS 093A06W
52°27' 48'' North Latitude
121° 28' 05'' West Longitude

Owned by:
Rudi M. Durfeld and James W. Morton
Box 4438, 2029 S. Lakeside Drive
Williams Lake, BC V2G 2V5

Operated by:
NovaGold Canada Incorporated
Suite 2300, 200 Granville Street
Vancouver, B.C. V6C 1S4

Prepared by:
Scott Petsel, P. Geo

Originally Submitted:
November 25, 2006
Revised May 16th 2007

CONTENTS

0-0	SUMMARY 4
1.0	INTRODUCTION 5
1.1	Introduction	
1.2	Location, Access, & Physiography	
2.0	LAND TENURE AND CLAIM STATUS 5
3.0	HISTORY OF THE SHIKO LAKE PROPERTY 9
4.0	GEOLOGY 9
4.1	Regional Geology	
4.2	Geology of the Shiko Lake Property	
4.2.1	Detailed Rock Descriptions	
4.3	Structure	
4.4	Mineralization	
5.0	2006 SUMMARY OF WORK 15
5.1	Purpose	
5.2	Methods	
5.3	Analytical Procedure	
6.0	STATEMENTS OF EXPENDITURES 17
7.0	PROGRAM RESULTS AND DISCUSSION 18
8.0	REFERENCES 31
9.0	STATEMENT OF QUALIFICATIONS 32

FIGURES

Fig 1.	Location Map6
Fig 2.	Claim Location Map7
Fig 3.	Regional Geology Map11
Fig 4.	Property Geology Map14
Fig 5.	Location Map of 2006 Soil samples – Copper Values Top of Hole (N and S)	20-21
Fig 6.	Location Map of 2006 Soil samples – Copper Values Bottom of Hole (N and S)	22-23
Fig 7.	Location Map of 2006 Soil Samples – Gold Values top of Hole (N and S)	24-25
Fig 8.	Location Map of 2006 Soil Samples – Gold Values Bottom of Hole (N and S)	26-27
Fig 9.	Location Map of 2006 Rock Samples – Copper Values (N and S)	27-28
Fig 10.	Location Map of 2006 Rock Samples – Gold Values(N and S)	29-30

TABLES

Tab 1.	List of Tenures8
Tab 2.	Gold and Copper Results on 883 Soil Samples18
Tab 3.	Gold and Copper Results on 205 Rock Samples19

APPENDIX

Appendix 1.	Analytical Results by Sample Number and UTM coordinates33
Appendix 2.	Original ALS Chemex Certificates of Analysis42

SUMMARY

This report summarizes the work completed during 2006 on the Shiko Lake property, an alkaline porphyry-style copper-gold occurrence located approximately 15 kilometers north of Horsefly, British Columbia. The 2006 work program was designed to collect rock samples from previously un-sampled outcrops and to collect soil samples from prospective locations in an effort to find new deposits. The resulting multi-element dataset will be used to target future drilling and to create a baseline geochemical signature of the host rocks and soil for comparison to previous rock sample and soil data sets through factor analysis.

NovaGold Resources Inc. optioned 55 contiguous claims collectively known as the RedGold or Shiko Lake Property. The 55 claims comprise an area of approximately 7996 hectares in the Cariboo Mining Division. The claims are held by NovaGold Resources Inc. in accordance with an Earn-in agreement between NovaGold Resources Inc. and RedGold Resources Ltd. dated on the 2nd of November, 2006.

The Shiko Lake property hosts an intrusive complex known as the Shiko Lake stock composed of diorite grading into syenite and monzonite. This stock is surrounded by older and coeval and co-magmatic sedimentary and volcanic units. The intrusive complex displays a high magnetic signature and the sedimentary and volcanic stratigraphy has local areas of high chargeability due to increase sulfide content.

Historically, limited diamond drilling campaigns were conducted on the Shiko Lake property over the last four decades and encountered copper and gold mineralization in several areas including the Quarry, East, Northeast, and RedGold zones. The results have been summarized in a property exploration report by J.W. Morton (2003).

The 2006 work included collecting 883 soil samples over 4 kilometers of historical soil survey grids and over 30 kilometers of road network available on the property. The 2006 work program also included prospecting the property for outcrops in order to collect rock chip samples for analysis. A total of 205 rock and chip samples were collected. Assay results confirmed known copper and gold anomalies and provided new anomalies which will be followed up with field work in 2007.

1.0 INTRODUCTION

1.1 Introduction

The following report summarizes the work program completed in 2006 on the Shiko Lake property located near Horsefly, B.C. The program was conducted from the 9th of May to the 25th of August, 2006. This report documents the rock and soil sampling programs, subsequent results, and recommendations for further work.

1.2 Location, Access, & Physiography

The Shiko Lake property (Figure 1) is situated in the Quesnel Belt in Central British Columbia. The property is located within the Cariboo Mining Division at latitude 52°27'48'' North and longitude 121° 28' 05'' West on NTS map sheet 093A06W and on BCGS map sheet 093A043 and 093A. The property boundary is situated between Quesnel Lake to the north and Antoine Lake to the South.

The town of Williams Lake is located about 70 kilometers to the southwest of the Shiko Lake property boundary and is the nearest major supply center. Shiko Lake is accessed by a paved road north of Highway 97, nine kilometers east of Williams Lake. Local access for the 7996 hectare claim block is excellent and is provided by a network of logging roads and trails which are accessible from the township of Horsefly. The property can also be approached from the Mount Polley mine access road which is located 15 kilometers northwest of the Shiko Lake property.

Physiographically, the Shiko Lake property is characterized by broad valleys and gently rolling hills, ranging from 700 to 900 meters in elevation. Although much of the terrain is concealed by forest, recent logging practices have vastly improved access and uncovered additional outcrops and exposure.

2.0 LAND TENURE AND CLAIM STATUS

NovaGold Resources Inc. is responsible as operator for the 55 claims collectively known as the Shiko Lake Property (Figure 2). The 55 claims comprise a total an area of approximately 7996 hectares in the Cariboo Mining Division. The claims are held by NovaGold Resources Inc. in accordance with an earn-in agreement between NovaGold Resources Inc. and RedGold Resources Inc. dated on the 2nd of November, 2006.

This report documents work completed on portions of the Shiko Lake Property which was conducted by NovaGold Canada Inc. The majority of the work was conducted on tenure numbers, 204603, 204604, 206667, 206668, 206669, 206670, 517421, 517428, 518887 and 525437. These claims are shown in bold on the list of claims in Table 1 below. The entire work program was conducted between the 9th of May, 2006 and the 25th August, 2006.

On August 2, 2006 and October 30, 2006 under Event Numbers 4096114 and 4109246, assessment work and PAC credits totaling \$162,709.59 were applied on the claims listed in Table 1. The claim expiry dates were advanced to 2010 with the exception of claim 530937, which was advanced to 2009 and are subject to government approval of this assessment report. The details of the expenditures are described in Section 6.0

Figure 1. Location Map




Figure 2. Shiko Lake Claim Location Map




Table 1. List of Tenures

Tenures	Owner Name	Area (ha.)	Good To Date
204603	<i>Durfeld, Rudolf (50%), Morton, James (50%)</i>	400	2010/NOV/06
204604	<i>Durfeld, Rudolf (50%), Morton, James (50%)</i>	300	2010/NOV/06
206667	<i>Durfeld, Rudolf (50%), Morton, James (50%)</i>	50	2010/NOV/06
206668	<i>Durfeld, Rudolf (50%), Morton, James (50%)</i>	25	2010/NOV/06
206669	<i>Durfeld, Rudolf (50%), Morton, James (50%)</i>	75	2010/NOV/06
206670	<i>Durfeld, Rudolf (50%), Morton, James (50%)</i>	500	2010/NOV/06
409300	<i>Durfeld, Rudolf (100%)</i>	25	2010/NOV/06
409302	<i>Durfeld, Rudolf (100%)</i>	25	2010/NOV/06
409304	<i>Durfeld, Rudolf (100%)</i>	25	2010/NOV/06
409308	<i>Durfeld, Rudolf (100%)</i>	25	2010/NOV/06
409310	<i>Durfeld, Rudolf (100%)</i>	25	2010/NOV/06
409311	<i>Durfeld, Rudolf (100%)</i>	25	2010/NOV/06
409312	<i>Durfeld, Rudolf (100%)</i>	25	2010/NOV/06
409313	<i>Durfeld, Rudolf (100%)</i>	25	2010/NOV/06
409314	<i>Durfeld, Rudolf (100%)</i>	25	2010/NOV/06
409363	<i>Durfeld, Rudolf (100%)</i>	25	2010/NOV/06
409364	<i>Durfeld, Rudolf (100%)</i>	25	2010/NOV/06
409365	<i>Durfeld, Rudolf (100%)</i>	25	2010/NOV/06
409366	<i>Durfeld, Rudolf (100%)</i>	25	2010/NOV/06
409367	<i>Durfeld, Rudolf (100%)</i>	25	2010/NOV/06
409368	<i>Durfeld, Rudolf (100%)</i>	25	2010/NOV/06
409369	<i>Durfeld, Rudolf (100%)</i>	25	2010/NOV/06
409370	<i>Durfeld, Rudolf (100%)</i>	25	2010/NOV/06
409371	<i>Durfeld, Rudolf (100%)</i>	25	2010/NOV/06
409376	<i>Durfeld, Rudolf (100%)</i>	25	2010/NOV/06
516662	<i>Durfeld, Rudolf (100%)</i>	39.435	2010/NOV/06
516663	<i>Durfeld, Rudolf (100%)</i>	59.149	2010/NOV/06
516664	<i>Durfeld, Rudolf (100%)</i>	59.148	2010/NOV/06
516666	<i>Durfeld, Rudolf (100%)</i>	59.142	2010/NOV/06
516668	<i>Durfeld, Rudolf (100%)</i>	19.713	2010/NOV/06
516669	<i>Durfeld, Rudolf (100%)</i>	59.128	2010/NOV/06
516675	<i>Durfeld, Rudolf (100%)</i>	78.839	2010/NOV/06
516702	<i>Durfeld, Rudolf (100%)</i>	19.711	2010/NOV/06
517421	<i>Durfeld, Rudolf (50%)</i>	275.764	2010/NOV/06
517424	<i>Durfeld, Rudolf (100%)</i>	59.136	2010/NOV/06
517428	<i>Durfeld, Rudolf (100%)</i>	78.791	2010/NOV/06
518875	<i>Durfeld, Rudolf (100%)</i>	236.513	2010/NOV/06
518877	<i>Durfeld, Rudolf (100%)</i>	98.533	2010/NOV/06
518878	<i>Durfeld, Rudolf (100%)</i>	39.415	2010/NOV/06
518879	<i>Durfeld, Rudolf (100%)</i>	137.983	2010/NOV/06
518905	<i>Durfeld, Rudolf (100%)</i>	335.175	2010/NOV/06
525420	<i>Durfeld, Rudolf (100%)</i>	157.531	2010/NOV/06
525437	<i>Durfeld, Rudolf (100%)</i>	315.122	2010/NOV/06
525442	<i>Durfeld, Rudolf (100%)</i>	493.026	2010/NOV/06
529953	<i>Durfeld, Rudolf (100%)</i>	118.31	2010/NOV/06
530928	<i>Morton, James (100%)</i>	19.706	2010/NOV/06
530929	<i>Morton, James (100%)</i>	19.714	2010/NOV/06
530930	<i>Morton, James (100%)</i>	19.719	2010/NOV/06
530931	<i>Morton, James (100%)</i>	492.899	2010/NOV/06
530932	<i>Morton, James (100%)</i>	492.955	2010/NOV/06
530933	<i>Morton, James (100%)</i>	493.089	2010/NOV/06
530934	<i>Morton, James (100%)</i>	493.208	2010/NOV/06
530935	<i>Morton, James (100%)</i>	473.451	2010/NOV/06
530936	<i>Morton, James (100%)</i>	434.081	2010/NOV/06
530937	<i>Morton, James (100%)</i>	492.167	2010/NOV/06
Totals:	55 claims	7995.55	

Note: Good to date indicated is subject to government approval of 2006 assessment report.

3.0 HISTORY OF SHIKO LAKE PROPERTY

The discovery of placer gold in the Quesnel River in 1859 initiated the gold rush in the Cariboo region of British Columbia. Incidentally, the region surrounding the discovery was subjected to placer mining, including river systems in the vicinity of the Shiko Lake Property.

In 1964, the discovery of Mt Polley, a copper-gold porphyry deposit, was the result of an investigation on a prominent aeromagnetic anomaly. This discovery encouraged exploration for additional copper-gold porphyry deposits within the area. And in 1968, the Shiko Lake property was targeted based on a prominent circular magnetic high on aeromagnetic sheet #5239 G. (*Cole and Robertson, 1997*).

Since 1969 the intrusive complex and the surrounding property have been staked by various owners and operators. The following bullets summarize the work done from 1969 to 2005.

- Kerr Addison Mines & Dusty Mac Mines 1969-1971
 - ▶ Work completed: 26km of IP survey, 500m of trenching, geochemical sampling
- Cariboo Syndicate (Dome Mines & Newconnex) 1972-1974
 - ▶ The exploration program was conducted by Fox Geological Consultants
 - ▶ Work completed: geological mapping, 16km of IP & magnetometer surveys, soil & rock geochemical sampling, bulldozer trenching, and 280m of percussion drilling over 7 holes.
- Terramar Resource Corporation 1980-1982
 - ▶ Work completed: 320m of diamond drilling over 3 holes
- J.W. Morton and R.M. Durfeld 1982-1989
 - ▶ Staked claims when Terramar allowed claims to lapse
 - ▶ Work completed: geological mapping, geochemical soil & rock sampling, 6.5km of IP, and ground magnetometer & VLF surveys.
- Phelps Dodge Corporation 1989-1992
 - ▶ Work completed: established & sampled 66km grid, geochemical sampling & mapping, 37km of IP survey, and 1997m diamond drilling over 17 holes.
- Quarry Pacific Industries Limited 1993
 - ▶ Work completed: quarried syenite intrusion for industrial purposes.
- Imperial Metals Corporation 1994-1997
 - ▶ Work completed: 412m diamond drilling over 4 holes, 123m diamond saw channel sampling, and 8.75km of IP survey
- J.W. Morton and R.M. Durfeld 1997-2005
 - ▶ Work completed: soil & rock geochemical sampling, ground magnetometer.

4.0 GEOLOGY

4.1 Regional Geology

The Shiko Lake property is located in the central parts of the Quesnel Terrane, known as Quesnellia or the Quesnel Trough, which is situated in Central British Columbia. (Figure 3). The Quesnel Terrane extends from southern British Columbia and trends north-northwesterly into the Yukon. The feature is dominated by island arc assemblage of rocks from the upper Triassic to lower Jurassic. (Panteleyev 1988).


The regional stratigraphy has been interpreted to be folded into a broad, block-faulted syncline. An older, upper Triassic, basaltic derived package occupies the margins of the syncline and a younger, lower Jurassic, mafic volcanic package comprise much of the core of the syncline. (Panteleyev, 1988)

The oldest identified rocks in the folded sequence are of the Carnian age, upper Triassic, and are composed of basaltic siltstone, sandstone and conglomerate, minor volcanic breccias, limestone and argillite. Succeeding this package is Norian aged augite phyrlic flows, pillow lavas, breccias, and volcanoclastics with

local limestone lenses. Lower Jurassic age assemblages feature a thick succession of heterolithic felsic breccias, debris flows, and associated intrusive rock, all having alkalic composition. (Wells, 2004).

A belt of intrusive alkalic rocks of lower Jurassic age cut the upper Triassic and lower Jurassic assemblage. These alkalic stocks range in composition from diorite, monzonite, to syenite. Some of the literature suggests that the intrusive complexes represent various eruptive volcanic centers and are coeval with some of the later volcanics.

Figure 3. Regional Geology Map



Regional Geology Legend

- intrusive rocks
- volcanic rocks
- sedimentary rocks
- ultramafic rocks
- metamorphic rocks
- Fault

Regional Geology
Source: Ministry of Energy, Mines and Petroleum Resources BC

NovaGold Canada Inc.
RedGold Project



4.2 Geology of the Shiko Lake Property

Outcrop is generally scarce on the Shiko Lake property. Most of the property is covered by glacial till and glacio-fluvial deposits. Bedrock is exposed mainly where the generally shallow overburden has been disrupted by industrial activity, such as logging and road building. Frequently naturally occurring outcrop can be found along some of the hilltops of the property.

The Shiko Lake property is located on a lower Jurassic alkalic intrusive complex, known as the Shiko Lake Stock. Within the property claim boundary, the stock has intruded the early Mesozoic volcanic and sedimentary rocks. The succession of these rocks is divided from oldest to youngest as follows:

- Basalt – interlayered augite-bearing basaltic flows, tuffs, and wackes.
- Felsic volcanics – heterolithic breccias and massive tuff deposits associated with the intrusive complex.
- Siltstone – the unit succeeds the lower portion of the felsic volcanics.
- Shiko Stock intrusive complex:
 - ▶ Monzonite
 - ▶ Syenite
 - ▶ Diorite
 - ▶ Gabbro
- Maroon Basalt – analcite-bearing, sub-aqueous basalt flows and breccias.

The composition of the Shiko intrusive complex ranges from gabbro and diorite which grades into syenite and monzonite. This intrusive stock has been interpreted to be coeval and comagmatic with the felsic tuff breccia within the submarine volcanic sequence. A detailed description of the units commonly seen on the project is provided in the next section.

4.2.1 Detailed Rock Descriptions

Augite Basalt: The basal unit in the map area, (Unit 1) consists of interlayered basaltic wackes (Unit 1a), calcareous and non-calcareous submarine flows and flow breccias (Units 1b, 1c). These are green to grey plagioclase porphyritic rocks that contain prominent, coarse to very coarse grained, euhedral augite phenocrysts. Augite basalt forms massive cliff exposures where little altered in the central part of the map area, and is more recessively weathered where subject to moderate/ intense alteration farther to the north. Accessory phases include magnetite, sphene, and ilmenite (C. Leitch). Unit 1 rocks are typically altered to propylitic (epidote, calcite, pyrite) assemblages with local overprinting calc-silicate (garnet-diopside) or potassic (amphibole, biotite, magnetite) assemblages.

Felsic Breccia: Unit 2 has been interpreted as a sequence of massive tuff breccias, thought to be predominantly of felsic composition (presumably due to the abundance of trachytic textured fragments). Although the regional extent and linear map pattern of this unit would seem to suggest a volcanic origin, petrographic work by Craig Leitch emphasizes the predominance of hypabyssal monzonite to diorite fragments, and therefore a possible intrusive origin. His studies also document a persistent potassic overprint on an earlier propylitic event (at least in the NE Zone) with veinlets of Kspar/albite-amphibole-epidote-pyrite (trace chalcopyrite)-magnetite, and envelopes pervasively altered to clay/sericite, biotite, and albitic alkali feldspar.

Siltstone: Unit 3 comprises massive to well bedded siltstone which outcrops in a NW trending belt across the center of the project area. The unit is extensively pyritized and hornfelsed along intrusive contacts and in a broad area of extensive dike development N and NW of the main diorite mass.

Maroon basalt: Unit 4 is the youngest supracrustal unit recognized on the property and is characterized by rubbly weathering, maroon (subaerially erupted?) analcite/leucite -bearing flows and flow breccias.

Shiko Lake Stock: Unit 5 is a crudely concentric zoned intrusive complex consisting of mafic pegmatoidal diorite (Unit 5a) that grades inward to augite diorite (Unit 5b), and augite monzonite / syenite (Unit 5c).

Separation of a late magmatic volatile phase is indicated by the presence of actinolite-biotite-cpy-bn fracture fillings. The body is irregular in plan, bounded to the south by the Shiko Lake fault and to the north and east by thick volcanic breccia and finely laminated tuff. The west boundary of the stock is concealed by thick glacial materials.

Dikes: Mafic (Unit 7) and felsic (Unit 6) dykes cut the volcanic strata east and west of the stock, generally striking northwest and northeasterly. A quartz phenocrystic albite dike in the Quarry Zone and a crowded feldspar porphyry dike in the North Zone are well mineralized.

A geologic map of the property showing the spatial relationship of the rock types can be found in Figure 4.

4.3 Structure

The major regional structures are trending northwesterly which is sub-parallel to the axis of the Quesnel Belt. (Panteleyev, 1988). Consequently, the Shiko Lake property is dominated by three small to moderate right lateral normal faults which strike towards the northwest. Local structures cut the large northwesterly structures, for example those found in the Shiko Lake intrusive complex, and have a dominant trend around 40°N.

The regional sedimentary rocks are complexly folded and define a broad synform trending towards the northwest. (Panteleyev, 1988). As a result, local bedding dips towards the west to southwest at an angle between 50° and 80°. The unit is in fault contact with the overlying volcanic rocks; and in places it is conformably overlain by pyroxene-phyric basalt flows.

4.4 Mineralization



The Shiko Lake property has been explored for alkalic porphyry related Cu-Au deposits by several companies over the last four decades. Both geophysical and geochemical surveys have resulted in anomalies indicative of potential moderate sized mineralized bodies on the property. As follow-up to the targets generated by geophysical and geochemical, seven separate diamond drill operations totaling 3009 meters (31 holes) were drilled on the Shiko Lake property historically.

The most noteworthy of the drilling campaigns is probably the most recent conducted by Imperial Metals Corporation in response to minor copper staining and fine disseminated bornite identified in the pink syenite of the Shiko Stock intrusive complex. In 1993, Quarry Pacific Industries Limited optioned the Shiko Lake property in order to supply the syenite as pink aggregate for the Vancouver Public Library. During the excavation of the pink syenite, samples were taken from the quarry and were assayed and values indicated up to 1.9% copper and 1.5g/t gold. (Morton, 2003)

Four diamond drill holes were completed by Imperial Metals Corporation in the quarry zone and returned high copper and gold values near collar. Drill hole 96-02, for example, averaged 4331 ppm copper and 1885 ppb gold over 11.9 meters (from 7.5 to 18.4 meters) reaching values of 41,104 ppm copper and 12,068 ppb gold at 18.6 to 18.9 meters. (Durfeld and Morton, 2000).

The quarry is located over a large magnetic anomaly about 800 square kilometers which tends to be diagnostic of the Shiko Stock intrusives. This magnetic high is bordered by a broad chargeability high to the west and north. But the IP anomaly surrounding the Shiko Stock is due to high pyrite content in the country rock. (Goodall and Fox, 1992).

Located about 15 to 20 kilometers east of the quarry are the East, Northeast, and RedGold Zones. These areas are located over a northwesterly trending magnetic anomaly. Historic diamond drilling recovered propylitic altered sediments and volcanics and returned copper and gold values increasing at depth. Hole 90-20 collared 1540 ppb gold and had copper values averaging 1382 ppm over 160 meters. Holes 90-5 and 90-8 had values of 362 ppb gold and 2240 ppm copper and 2020 ppb gold and 1950 ppm copper, respectively.



Legend

LITHOLOGY

Jurassic

- 7 Maroon Basalt
- 6 Mafic Dikes
- 5 Felsic Dikes
- 4a Diorite Pegmatoid
- 4b Diorite
- 4c Monzonite
- 4d Syenite
- 3-Siltstone
- 2-Felsic Breccia

Triassic

- 1 Augite Basalt

Map Symbols


- Trench
- Strike and dip of bedding
- Strike and dip of flow lamination
- Ice direction
- Geologic contact
- Outcrop
- Limit to pyritic, hydrothermal alteration; teeth towards increasing alteration
- Fault

SHIKO LAKE PROJECT

GEOLOGY COMPILATION

(Modified from earlier work)

December 2006 C. Bow E. LeLande



Projection: UTM NAD 1983 - Zone 10(m)

5.0 2006 SUMMARY OF WORK

5.1 Purpose

The Shiko Lake property has undergone numerous exploration programs prior to the 2006 work program in an attempt to assess the potential of the Shiko Lake stock as an alkaline precious-metal-bearing porphyry system by conducting geophysical and geochemical surveys on the property. The 2006 work program was a two-part program designed to reproduce and substantiate results from earlier programs and to expand the soil and rock geochemistry to new areas of the property in order to create potential diamond drill targets.

The field portion of the exploration program was conducted from the 9th of May, 2006 to the 25th of August, 2006, at a cost of \$121,289.90. This report discusses the rock and soil sample collection and work program completed during that time for reported expenses of \$7,900 Cdn and \$112,390 Cdn respectively. These costs are detailed in the Statement of Expenditures of Section 6 below.

5.2 Methods

To begin the project long traverses were walked in order to collect rock and chip samples from outcrops in the property. The prospecting for rock and chip samples was conducted by completing a series of east-west or north-south traverses across the property. A traverse was established by marking a UTM control point and completed by using a combination of map and compass (or GPS).

The initiation of the soil sampling program was to collect samples on the historic grid initially established by Fox, P.E. in 1973, and expanded by Fox, P.E. and Konst, R.A. for Phelps Dodge Corporation of Canada Limited in 1989. In accordance with the already existing grid, soil was sampled every 50 meters over selected intervals on selected lines. The resampled lines include: L109, L110, L111, L112, L113, L114, L115, L116, L117, L118, and L119. Historically, samples were dug with a shovel or soil-sampling pick to an average depth of 30 centimeters.

To improve sampling quality a GroundHog® mechanical auger drill with a four foot drill extension was rented from Broadway Rentals of Williams Lake, B.C. The auger was rented to facilitate the soil excavation program and to access deeper soils. Although the GroundHog® was physically less strenuous with regards to collecting samples, mechanical problems were frequent and caused poor results defeating the purpose of the rental.

To rectify the problem a Skid-steer loader with a hydraulic auger mounted drill attachment with 280 centimeter drill bit was used to excavate soil samples from boreholes drilled on the access roads located throughout the property. The Skid-steer Loader was rented from Broadway Rentals of Williams Lake, B.C. For this second part of the program, top and bottom samples were collected due to increased depth capacity of the mechanical auger.

Each soil, rock, and chip sample recovered from a location on the property was placed in individual standard Kraft soil sample bags and subsequently identified on location. The identification of each sample included the location by hand-held Garmin GPS, its physical properties, and, furthermore, for the soils, a depth at which the soil was extracted and horizon in which the soil was recovered from. Each location from which a rock, chip, or soil was removed was marked with vividly colored flagging tape on a nearby natural feature. Additionally, the hole from which the soil was removed was filled.

All samples collected were sent to ALS Chemex Labs of North Vancouver, B.C. A total of 205 rock and 883 soil samples were analyzed for 49 different elements.

5.3 Analytical Procedure

The soil samples were dried and then sieved using a 180 micron (Tyler 80 mesh) screen. The recovered sample was then prepared for analysis by aqua regia, acid digestion, or fire assay fusion. Analysis on the prepared samples was then completed by atomic absorption spectroscopy (AAS) for gold, atomic absorption spectrometry (AES) for mercury, and ICP for 47 elements.

All rock samples are dried and then crushed to better than 70% of the original sample size. The sample is then passed through a 2 millimeter (Tyler 10 mesh) screen. A split of 250 grams is taken and pulverized to better than 85% passing a 75 micron (Tyler 200 mesh) screen. Each pulverized sample is then prepared by Fire Assay Fusion (AAS) for gold or Nitric Aqua Regia Digestion for other elements. The prepared sample is then analyzed, respectively, by Atomic Absorption Spectroscopy (AAS) for gold or ICP by Atomic Emission Spectroscopy. Samples prepared by non-Nitric Aqua Regia Digestion are subsequently analyzed by Atomic Absorption Spectroscopy.

Elements included in the ALS Chemex Lab analysis by ICP include:

Ag, Al, As, Ba, Be, Bi, Ca, Cd, Ce Co, Cr, Cs, Cu, Fe, Ga, Ge, Hf, In, K,
La, Li, Mg, Mn, Mo, Na, Nb, Ni, P, Pb, Rb, Re, S, Sb, Se, Sn, Sr, Ta, Te,
Th, Ti, Tl, U, V, W, Y, Zn, and Zr.

6.0 STATEMENTS OF EXPENDITURES

SHIKO PROPERTY

Recorded Statements of Work

Event No: 4096114

For work carried out between June 20th and July 25th. \$7,900.00

Event No: 4109246

For work carried out between May 18th and August 22nd. \$112,390.00

Total: \$120,290.00

PERIOD: May 18, 2006 to August 22, 2006

PROFESSIONAL FEES, SALARIES, AND WAGES

E.M. Lalande, Geologist	48 days x \$225/d	\$10,800
G. Durfeld, Local Field Assistant	77 days x \$180/d	\$13,860
B.C. Prevost, Local Field Assistant	75 days x \$165/d	\$12,375
G.S. Miller, Local Field Assistant	85 days x \$150/d	<u>\$12,750</u>
		\$49,785.00

RENTALS

Truck (with fuel included)	\$13,878.39
Skid Steer and Auger	\$5,549.17
Quad Bike	<u>\$3,250.00</u>
	\$22,677.56

ASSAYS

ALS Chemex Lab (883 Soil Samples)	\$32,410.86
ALS Chemex Lab (205 Rock Samples)	<u>\$7,524.61</u>
	\$39,935.47

ROOM AND BOARD

Mitchell Bay Lodge for E. Lalande 47 days	\$2,851.91
Groceries	<u>\$1,344.75</u>
	\$4,196.66

PROJECT TRAVEL – For E. Lalande

Travel – Hotel	\$90.85
Travel – Meals	\$171.96
Travel – Air	<u>\$1,182.40</u>
	\$1,445.21

REPORT PREPARATION

Total	<u>\$3,250.00</u>
	\$3,250.00

TOTAL

2006 Shiko Lake Expenditures	\$121,289.90
------------------------------	--------------

PAC Assessment Credit withdrawn: NovaGold Canada Inc. (146832)	\$41,416.69
--	-------------

Total Amount Applied to the Claims:	\$162,706.59
-------------------------------------	--------------

7.0 PROGRAM RESULTS AND DISCUSSION

This section briefly describes the results of the 2006 rock and soil sampling survey, and provides some interpretation which is on-going at the time of this report. Tables 2 and 3 summarize the results for the distribution of copper and gold for the rock chip samples retrieved throughout the property. Additionally, Figures 6 - 9 show the location and values for copper and gold from the top and bottom of the hole for soil samples collected on the property. A spreadsheet of the final soil and rock multi-element data with UTM coordinates is provided for review in Appendix 1. Copies of the official certificates of the analyses from ALS Chemex of North Vancouver are tabulated by sample number and can be found in the Appendix 2.

Previous geochemical work on the Shiko Lake claims and the Redgold claims indicate the presence of anomalous concentrations of copper and gold in the rocks and soils. Work during the 2006 season was no exception. A number of anomalous copper and gold values were collected from several outcrops and subcrops on the property in 2006. Table 2 shows that 6-7.5% of the outcrop samples were anomalous in chip sampling and these coincided with visual sulfide occurrences in the Quarry, Redgold, North and East Zones.

Table 2. Gold and Copper Results on 205 Rock Samples.

Gold	Grams Per Ton	Number of Samples	Percent of Total (%)
	>1.0	3	1.5
	0.4 - 1.0	4	2.0
	0.1 - 0.4	5	2.5
	0.01 - 0.1	45	20.2
	0.01 - 0.005	21	11.1
	<0.005	117	58.6
	NSS*	10	4.0
Copper	Parts Per Million	Number of Samples	Percent of Total (%)
	2000 - 6000	6	3.0
	1000 - 2000	5	2.5
	400 - 1000	6	2.5
	100 - 400	107	51.5
	1-100	72	36.9
	NSS*	9	3.5

* No Data: Insufficient amount of sample to perform laboratory analysis.

In addition to the 205 rock chip samples collected, 883 soil samples were also collected from across the property. Samples were collected from various lithologies on the property and subsequently submitted for analysis. Table 3 summarizes the assay results for copper and gold for the collected soil samples.

Table 3. Gold and Copper Results on 883 Soils Samples.

Gold	Grams Per Ton	Number of Samples	Percent of Total (%)
	>0.5	2	0.2
	0.1 - 0.5	19	2.2
	0.01 - 0.1	321	36.4
	0.005 - 0.01	316	35.8
	<0.005	192	21.7
	NSS*	33	3.7

Copper	Parts Per Million	Number of Samples	Percent of Total (%)
	>1000	4	0.5
	400-1000	12	1.4
	200-400	60	6.8
	100-200	166	18.8
	1-100	611	69.2
	NSS*	30	3.4

* No Data: Insufficient amount of sample to perform laboratory analysis.

Some of these high anomalous values were expected and are observed to coincide with the anomalous rock samples and known zones. However, of particular interest were samples taken on the periphery of Shiko Lake intrusive complex to the east of the traditionally prospected areas. These copper and gold anomalies taken near Redgold, East, Northeast and North zones should be investigated in the 2007 field season. A comparison of the samples showed minor increased metal values in the deeper samples (bottom vs. top) in the hole.

The 2006 rock sampling survey program for the Shiko Lake property was one of a number of efforts in the history of exploration on the Shiko Lake property to evaluate the mineral potential of the claims. The work has yielded results which are encouraging and may be sufficient to determine new drill targets. To be able to better develop these drill targets it is recommended that the new data acquired in 2006 should be further evaluated in the context of the historic data. The data will be contoured in Surfer 8.0 and a factor analysis of the results is planned. The result of this effort will substantiate drilling targets on copper and gold anomalies for 2007.

Figures 5 - 10 located on the following consecutive pages:

Figure 5. Location Map of 2006 Soil Samples – Copper Values Top (N and S sheets)

Figure 6. Location Map of 2006 Soil Samples – Copper Values Bottom (N and S sheets)

Figure 7. Location Map of 2006 Soil Samples – Gold Values Top (N and S sheets)

Figure 8. Location Map of 2006 Soil Samples – Gold Values Bottom (N and S sheets)

Figure 9. Location Map of 2006 rock samples – Copper Values (N and S sheets)

Figure 10. Location Map of 2006 rock samples –Gold Values (N and S sheets)

References

- Cole, D. and Robertson, S. (1997); Geochemical, Geophysical, and Drill Report On The Shik 1-7 And R.G. #1 Claims Cariboo Mining Division British Columbia NTS 93A/6 52°28'N 120°28'W, *Internal report prepared for Imperial Metals Corporation.*
- Durfeld, R.M. and Morton, J.W. (2003); Geophysical Report (Ground Magnetic) on the Redgold Porphyry Copper Gold Prospect Cariboo Mining Division British Columbia NTS 93A/6 Latitude 52°28' North Longitude 120°28' West, *Internal report prepared for Redgold Resources Ltd.*
- Fox, P.E. (1977); Summary Report On The Shiko Lake Copper-Gold Prospect, *Internal report prepared for Fox Geological Consultants Ltd.*
- Fox, P.E. (1991); Report On The Redgold Prospect Cariboo Mining Division British Columbia NTS 93A6, *A report prepared for Phelps Dodge Corporation of Canada, Limited.*
- Goodall, G.N. and Fox, P.E. (1992); Project Report On The Redgold Prospect Cariboo Mining Division British Columbia NTS 93A6, *A report prepared for J.W. Morton and R.M. Durfeld.*
- Morton, J.W. (2003); Prospecting And Geological Reconnaissance On The Redgold Property Cariboo Mining Division, B.C. NTS: 93A 06W Latitude 52°28' North Longitude 120°28' West (centre), *Consultant Report.*
- Panteleyev, A. (1987); Quesnel Mineral Belt-The Central Volcanic Axis Between Horsefly And Quesnel Lakes (93A/05E, 06W), Pages 131-137, *British Columbia Ministry of Energy, Mines, and Petroleum Resources*, Geological Fieldwork, 1987 Paper 1988-1.
- Panteleyev, A. (1988); Quesnel Mineral Belt; Summary Of The Geology Of The Beaver Creek-Horsefly River Map Area, Pages 159-166, *British Columbia Ministry of Energy, Mines, and Petroleum Resources*, Geological Fieldwork, 1988 Paper 1989-1.
- Wells, R.C. (2004); Geochemical And Interpretive Report On Samples From The Redgold Property Cariboo Mining Division British Columbia NTS 093A 06W, *A report prepared for Durfeld Geological Management Ltd.*

STATEMENT OF QUALIFICATIONS

I, Scott Alan Petsel, of 10619 Horizon Drive, Juneau Alaska, 99801, USA, DO HERBEY CERTIFY:

- 1) THAT I am a practicing geologist in the minerals exploration industry and am employed by Novagold Resources Inc.
- 2) THAT I am a graduate of Fort Lewis College in Durango Colorado (1988) and hold a Bachelors of Science in Geology.
- 3) THAT I have practiced my profession in the minerals exploration industry for over 17 years and am a registered Professional in British Columbia (P. Geo - 146315), and a Certified Professional Geologist with APEG (CPG-10071) in the USA.
- 4) THAT this report is based on Shiko Lake Property work that I participated in from May 9th to August 25th, 2006.
- 5) THAT I have no interest in the property herein.

DATED at Vancouver, British Columbia, Canada this 4th day of December 2006.



Scott Alan Petsel

APPENDIX 1

Analytical Results by Sample Number and UTM coordinates

Table with columns: ID, SampleNo, UTM_E, UTM_N, Au, Ag, Al, As, Ba, Be, Bi, Ca, Cd, Ce, Cr, Cs, Cu, Fe, Ga, Ge, Hf, Hg, In, K, La, Li, Mg, Mn, Mo, Na, Nb, Ni, P, Pb, Rb, Re, S, Sb, Se, Sn, Sr, Ta, Te, Th, Tl, U, V, W, Y, Zn, Zr. The table contains 143 rows of data, each representing a soil sample with its corresponding element concentrations.

144	20213	605259	5814487	<-0.005	0.09	9.9	35.1	1770	1.18	<-0.01	3.85	0.14	27.7	20.3	10	7.33	80.1	5.68	18.25	0.21	2.9	0.43	0.06	2.6	13.8	17.3	1.82	1170	0.57	3.45	4	9	1780	4.9	51.3	<-0.002	0.08	1	2	1.6	1240	0.28	<-0.05	2.9	0.449	0.22	1.4	167	0.3	22.1	83	91.8	
145	20214	604398	5813870	0.248	0.43	7.21	21.2	280	0.55	0.02	6.99	0.14	18.3	17.2	191	0.81	1220	15.75	19	0.22	1.4	0.12	0.108	0.58	10.3	13.3	2.59	1340	1.15	2.17	2	164	1240	3.5	18.9	0.002	0.11	0.53	2	1.4	903	0.13	<-0.05	1.1	0.37	0.08	1.7	347	0.4	12.8	50	33.7	
146	20215	604074	5812575	0.017	0.28	8.35	3.3	780	0.94	0.27	6.49	0.16	18.5	32.3	28	0.7	246	7.11	17.35	19	1.5	0.01	0.049	3.24	9.1	14.8	3.15	1330	0.82	1.57	1.8	21.8	2180	28.6	63.2	0.004	2.08	0.28	8	0.8	1050	0.11	0.9	1.5	0.447	0.25	0.9	356	0.4	16.2	64	37.9	
147	20216	604368	5813113	0.016	0.08	5.77	3.8	480	0.61	<-0.01	7.47	0.26	14.45	43.4	411	0.7	154.5	7.39	11.5	0.15	1.5	0.01	0.056	1.31	7.7	12.1	7.23	1330	0.89	1.26	1.7	199.5	910	2.3	38.4	<-0.002	0.08	1.64	1	1	0.6	459	0.12	0.56	1.2	0.453	0.24	0.8	283	1.7	16.6	69	40.4
148	20217	604394	5813587	0.178	0.3	8.74	9.2	630	0.59	<-0.01	4.93	0.09	12.35	12	34	1.1	1390	5.36	18.15	0.15	0.9	0.27	0.047	1.29	5.6	15.6	2.56	757	0.39	3.18	1.5	20.3	960	2.4	21.6	<-0.002	0.04	0.38	2	0.6	627	0.1	<-0.05	0.7	0.38	0.09	0.6	202	0.3	14.4	30	20.2	
149	20218	604394	5813587	0.011	0.3	9.14	16.6	1240	1.02	0.06	4.96	0.09	20.2	50.8	16	0.47	187	7.7	17.45	0.18	1.5	0.17	0.045	3.15	9.8	20.6	2.55	1560	1.08	2.17	2.6	20	1950	8.1	69.9	<-0.002	0.14	2.59	2	0.8	684	0.16	0.06	1.8	0.547	0.27	1.6	312	0.9	19.4	97	36.9	
150	20219	603306	5815664	0.038	0.09	8.67	0.3	900	0.89	<-0.01	5.22	0.04	22.8	18	34	0.73	104	5.31	16.6	0.19	0.9	0.02	0.037	1.49	10.6	16.1	2.17	687	2.02	2.18	3.8	18.3	1300	1.7	38.4	0.009	1.46	0.11	3	0.9	695	0.26	0.05	2	0.491	0.19	1	214	0.2	24.3	24	23.1	
151	20222	604386	5812910	<-0.005	0.07	8.78	2.4	100	0.58	<-0.01	5.73	0.04	18.8	29.3	61	0.08	46.3	6.03	18.55	0.18	1.5	0.01	0.081	0.36	9	17.7	2.27	1650	2.08	2.46	2.9	29.7	1610	4.7	7.3	<-0.002	0.01	1.32	1	0.6	583	0.19	<-0.05	1.3	0.589	0.03	0.9	230	0.9	19.9	127	35.8	
152	20223	603953	5812735	<-0.005	0.21	8.34	5.7	300	1.12	0.05	7.29	0.51	35.2	20.3	204	0.08	90	6.1	15.45	0.19	1.9	0.07	0.058	0.7	17.9	10.6	3.24	1610	0.2	2.15	2.5	133	2450	60.6	17.1	<-0.002	0.35	1.8	3	0.8	745	0.15	0.09	2	0.385	0.09	4.1	244	0.7	16.8	144	56.5	
153	20224	603986	5812681	0.021	0.22	8.78	4.9	1090	0.49	0.05	5.2	0.03	11.4	18.1	22	0.32	21.6	4.87	18.9	0.15	1.1	0.09	0.062	2.32	5.2	7.8	0.76	798	0.24	2.89	1.7	19.8	1130	4.4	41.4	<-0.002	0.25	0.79	2	0.6	554	0.11	0.42	0.8	0.332	0.27	0.6	201	0.6	12.9	22	25.8	
154	20225	604041	5812592	0.094	1.63	8.85	11.9	140	0.59	1.13	5.67	0.04	12.8	23	13	0.34	26.5	7.34	13.95	0.18	1.1	0.29	0.063	2.25	5.6	12.8	1.47	1435	0.84	2.47	1.6	11.1	990	5.7	43.3	0.004	4.83	2.18	7	0.6	689	0.1	1.59	0.8	0.33	0.29	0.3	205	0.5	15.3	32	26.8	
155	20226	604100	5812602	<-0.005	0.06	9.05	2.6	1280	1.24	<-0.01	5.54	0.07	18.8	39.1	7	0.64	16.6	6.21	17.55	0.17	1.7	0.08	0.059	3.64	9.7	8.2	2.01	1320	0.37	2.19	2.1	14.3	1640	4.8	84.6	<-0.002	0.25	0.21	2	0.7	908	0.12	<-0.05	2.2	0.326	0.27	1.2	251	0.4	15.3	71	44.9	
156	20227	604853	5812855	0.018	0.14	9.11	24.5	1690	1.28	0.02	5.27	0.03	22.9	26.2	30	0.25	11.6	6.62	16.85	0.17	1.6	0.2	0.057	2.62	11.9	13.4	2.15	1670	0.3	2.16	3.7	19.6	2080	3.12	47	13.2	<-0.002	0.47	2.75	1	2.16	680	0.2	0.11	2.4	0.409	0.27	1.4	261	0.5	18.5	68	40.5
157	20228	605047	5812757	0.136	3.04	7.76	10.7	1520	0.87	0.11	7.81	0.11	20.5	18.7	249	0.19	2350	7.74	14.05	0.16	1.7	0.04	0.093	3.2	10.8	6	3.61	1615	0.29	1.39	2.5	177.5	2070	2.8	62	<-0.002	0.11	5.46	2	0.7	524	0.14	0.09	1.9	0.382	0.33	1.3	258	0.7	15.2	69	46.8	
158	20229	605081	5812714	0.02	0.24	7.88	16	880	0.99	0.08	10.95	0.19	21.2	13.8	206	0.27	83.2	4.32	13.1	0.18	2	0.03	0.035	3.78	10.4	9.8	2.43	1240	0.52	1.22	2.4	92.4	2250	4.6	83.9	<-0.002	0.04	6.22	1	0.6	540	0.15	0.08	2	0.372	0.34	1.4	239	1.1	13.4	66	58.8	
159	20230	605107	5812667	0.005	0.14	8.14	19	970	1.38	<-0.01	6.32	0.22	26.8	22.9	81	1.3	100.5	5.26	16.6	0.13	2.3	0.05	0.055	1.68	14.4	19.1	1.48	943	1.63	3.07	2.2	1770	6.5	55.5	<-0.002	0.08	3.07	2	1	1100	0.19	<-0.05	2.1	0.401	0.14	1.4	254	0.6	18.8	82	66.4		
160	20231	606686	5813066	<-0.005	0.11	8.03	12.7	2010	0.86	0.02	6.6	0.34	21.9	22.7	258	0.44	85.1	5.76	12.35	0.16	2.1	0.03	0.041	2.99	11.1	20.1	3.37	2300	0.39	2.07	2.6	153.5	2090	7.9	70.9	<-0.002	0.01	2.56	1	0.7	641	0.16	<-0.05	2.2	0.397	0.38	1.5	252	1.4	14.4	197	58.1	
161	20232	606368	5812781	0.011	0.22	5.61	18	580	0.6	<-0.01	8.55	0.21	18.1	11.9	106	0.42	10.1	5.54	11	0.14	1.4	1.16	0.048	1.96	9.1	12.1	3.25	1565	1.99	0.94	4.6	28.9	1300	15.4	48	<-0.002	1.71	2.86	2	0.6	500	0.19	0.1	1.2	0.373	0.38	0.6	238	0.5	13	90	39.3	
162	20233	606528	5812604	<-0.005	0.08	8.8	18.3	1300	1.18	0.15	5.1	0.07	25.8	15.5	19	0.25	104.5	5.06	18.25	0.19	2.8	0.02	0.06	2.37	14.7	21.5	2	1465	0.8	3.56	5.1	8.5	1330	2.2	53.6	<-0.002	0.04	0.57	1	1	1245	0.29	<-0.05	2.5	0.433	0.25	1.2	282	0.6	21.9	80	81.7	
163	20234	606221	5812487	0.007	0.1	9.07	5.3	480	0.56	<-0.01	4.44	0.03	12.4	29.8	16	0.83	12.9	6.15	16.55	0.16	1.5	0.04	0.042	1.11	5.4	9.1	1.99	1185	0.45	3.63	1.6	10.4	1090	3.9	38.2	<-0.002	0.22	0.58	1	0.6	677	0.1	0.09	0.8	0.444	0.27	0.9	235	0.8	17	55	38.8	
164	20235	607138	5814106	0.005	0.08	8.47	15.1	370	0.88	0.02	9.26	0.19	18.85	18.5	12	1.86	96.8	4.98	17.4	0.17	2.1	0.23	0.064	2.37	9.6	26	1.66	1185	1.02	3.09	2.7	7.8	1780	4.4	57.4	<-0.002	3.9	2.38	1	0.8	455	0.16	<-0.05	1.1	0.456	0.28	0.8	261	0.3	17	107	54.8	
165	20451	5814410	603755	0.025	0.09	8.42	3.4	630	0.89	0.01	4.48	0.13	21.2	13.1	167	0.48	195	4.33	17.45	0.11	1.5	0.14	0.049	1.87	8.9	4.7	2.66	626	1.04	3.11	2.6	67.6	1190	1.6	31.7	0.003	0.13	0.21	2	1.1	604	0.16	<-0.05	1.7	0.407	0.09	0.7	197	0.5	17.6	24	39.6	
166	20452	5814310	603625	0.013	0.08	8.53	8.2	190	0.82	0.05	9.11	0.07	19.1	11.9	262	0.79	111.5	3.22	16.1	0.11	1.8	0.11	0.08	0.39	7.5	13.9	3.05	1065	1.49	3.15	2.6	50.6	1490	3	10.4	0.007	0.21	0.39	2	0.9	865	0.16	<-0.05	1.7	0.391	0.06	1	212	0.5	19.3	32	53.6	
167	20801	604417	5813844	<-0.005	0.08	7.49	16.4	680	1.44	<-0.01	4.83	0.06	17.1	36.3	48	2	131	8.13	16	0.19	1.5	0.02	0.05	3.13	9	14.1	3.5	1625	10.55	1.75	1.7	33.3	1910	10.9	89	0.002	0.9	0.41	3	0.8	564	0.09	0.22	1.1	0.383	0.13	0.5	321	0.7	20.7	100	40	
168	20802	604452	5813844	<-0.005	0.06	9.4	5.7	1050	0.67	<-0.01	3.67	0.23	18.1	24.2	6	2.35	61.1	6.46	19.3	0.15	1.9	0.01	0.062	1.79	8.5	11.6	1.6	1855	0.84	3.99	2.5	9.2	1300	9.9	33.3	<-0.002	<-0.01	0.23	2	0.9	984	0.16	<-0.05	1.7	0.456	0.09	1.4	252	0.3	19.4	98	53.1	
169	20803	604720	5814100	<-0.005	0.05	7.16	4.4	340	0.57	0.02	7.37	0.4	12.2	45.7	369	2.79	5.5	6.22	14.4	0.15	1.3	<-0.01	0.053	2	6.2	16.7	6.6	1215	0.33	1.5	1.7	292	1080	2.1	72	<-0.002	0.01	0.78	2	0.6	538	0.1	0.06	0.9	0.343	0.32	0.6	232	0.3	14.8	95	34.2	

Table with columns: SampleNo, UTME, UTMN, SoilLayer, Depth(m), SAMPLE, Au, Ag, Al, As, Ba, Be, Bi, Ca, Cd, Ce, Co, Cr, Cs, Cu, Fe, Ga, Ge, Hf, Hg, In, K, La, Li, Mg, Mn, Mo, Na, Nb, Ni, P, Pb, Rb, Re, S, Sb, Se, Sn, Sr, Ta, Te, Ti, U, V, W, Y, Zn, Zr. The table contains a large number of rows, each representing a soil sample with its specific chemical and physical characteristics.

20039T	602829	5813054	1	0.61	20039T	0.017	0.29	6.48	5.4	580	1.15	0.12	3.6	2.06	40.8	21.5	198	2.81	73.8	5.38	17.9	0.13	1.3	0.06	0.05	1.56	21.1	28	2.24	1055	0.99	1.14	7.1	64.4	1580	11.5	63.9	0.002	0.02	0.47	2	1.4	286	0.54	0.05	5.7	0.424	0.29	1.2	188	0.8	11.3	122	35.4	
20039B	602829	5813054	2	1.22	20039B	0.021	0.17	8.32	9	660	1.69	0.2	2.14	0.09	54.5	19.4	186	3.79	221	5.5	20	0.13	1.2	0.13	0.056	2.32	28.2	35.9	2	985	1.34	1.13	8.7	67.7	800	15.8	74.3	0.002	0.01	0.62	2	1.8	296	0.67	0.05	9.4	0.387	0.48	1.5	169	1.5	14.4	88	37.4	
20040T	602785	5813118	1	0.61	20040T	0.013	0.4	6.83	7	550	1.21	0.11	3.79	0.21	50.7	21.6	206	2.34	103.5	5.61	17.45	0.14	1.2	0.05	0.051	1.48	25.5	24.5	2	966	1.34	1.25	7	66.6	1340	11.8	59.8	0.002	0.01	0.52	2	1.3	326	0.54	0.05	7	0.408	0.27	1.4	193	1	1	13.6	109	36.5
20040B	602785	5813118	2	1.22	20040B	0.01	0.3	6.63	7.1	600	1.38	0.15	3.26	0.24	50.3	18.7	182	2.26	111	4.91	1.6	0.13	1.1	0.06	0.046	1.48	27.2	22.1	19	1560	1.17	1.35	7.8	55.6	1140	13	59.6	0.006	0.01	0.61	3	1.2	354	0.61	0.05	7.1	0.393	0.33	1.4	156	1	1	14.4	98	35.3
20041B	602785	5813054	1	0.20	20041B	0.023	0.16	7.54	8.25	630	1.27	0.17	2.47	0.27	49.9	21.3	211	3.85	141.1	28.5	1.62	0.15	1.2	0.06	0.051	1.62	33.9	22.2	17.9	1411	0.79	1.12	7.4	116	1020	14.1	67.6	0.002	0.01	0.65	2	1.3	318	0.58	0.05	10.4	0.378	0.49	1.7	174	0.6	16.8	87	46.4	
20042T	602809	5813030	1	0.23	20042T	0.027	0.26	7.13	8.5	580	1.37	0.12	3.27	0.17	54.3	19.2	225	2.54	121	5.14	17.25	0.13	1.2	0.08	0.051	1.68	27	20.6	2.18	904	0.68	1.32	7.6	70.9	780	12.8	67.6	0.002	0.01	0.61	2	1.3	361	0.59	0.05	7.9	0.378	0.33	1.5	170	0.9	14.2	75	35.9	
20042B	602809	5813030	2	0.91	20042B	0.022	0.38	7.33	5.7	500	1.11	0.1	5.28	0.09	50.8	18.2	168	1.94	221	4.98	17.21	0.15	1	0.11	0.042	1.44	28.5	20.9	24	913	1.37	1.66	6.7	62.8	1140	9.5	51.7	0.002	0.01	0.26	2	1.2	563	0.52	0.05	7.2	0.406	0.26	1.3	180	1.4	17.2	64	29.5	
20043T	602855	5813005	1	0.20	20043T	0.02	0.16	7.7	12.5	580	1.46	0.17	3.12	0.17	65.1	22.5	170	2.49	195.5	5.1	15.6	0.1	1.4	0.12	0.052	1.62	33.6	27.2	20.6	1070	0.71	1.29	7.7	61.7	1108	14.3	63.7	0.002	0.01	0.65	2	1.2	341	0.55	0.05	8.3	0.378	0.33	1.5	158	0.3	19.6	76	41.6	
20043B	602855	5813005	2	1.12	20043B	0.016	0.26	7.54	8.25	550	1.34	0.18	2.56	0.26	64.8	21.3	218	3.67	154	3.67	17.4	0.15	1.3	0.06	0.051	1.6	25.7	24.4	1.6	1020	1.42	1.64	7.4	116	1020	14.3	64.3	0.002	0.02	0.73	2	1.3	318	0.58	0.05	10.4	0.378	0.49	1.7	174	0.6	16.8	87	46.4	
20044T	602899	5812970	1	0.20	20044T	0.012	0.19	8.63	7.5	660	1.93	0.17	2.67	0.16	52.9	23.1	213	4.45	187.5	5.53	24	0.18	1.3	0.06	0.063	2.46	26.9	53.4	2.46	893	0.65	1.1	10.6	108	840	15	84.7	0.002	0.01	0.51	2	1.1	280	0.75	0.05	8.5	0.398	0.56	1.8	176	1.2	14	97	41.2	
20044B	602899	5812970	2	1.22	20044B	0.008	0.21	7.75	7.4	560	1.6	0.2	2.42	0.22	53.7	31.1	365	4.13	153	5.57	20.6	0.15	1.4	0.09	0.053	2.02	29.7	45.2	3.88	1055	1.11	0.88	9.1	213	710	15.3	79.4	0.002	0.01	0.56	2	1.8	252	0.66	0.05	8.9	0.362	0.48	1.6	154	1.1	15.2	102	40.7	
20045T	602920	5812939	1	0.20	20045T	0.006	0.15	7.65	12.6	580	1.54	0.15	2.45	0.17	59.2	27	371	3.03	90	5.47	17.65	0.09	1.4	0.08	0.05	1.87	28.4	37.4	3.2	1065	1.65	1.07	8.3	132	900	13.2	68.7	0.002	0.01	0.62	2	1.5	298	0.6	0.05	7.6	0.374	0.36	1.5	156	1	1	14.4	104	43.7
20045B	602920	5812939	2	0.91	20045B	0.016	0.19	7.74	8.9	560	1.19	0.12	2.82	0.26	64.8	21.9	371	3.03	90	5.47	17.65	0.09	1.4	0.08	0.05	1.87	28.4	37.4	3.2	1065	1.65	1.07	8.3	132	900	13.2	68.7	0.002	0.01	0.62	2	1.5	298	0.6	0.05	7.6	0.374	0.36	1.5	156	1	1	14.4	104	43.7
20047T	604227	5814006	1	0.20	20047T	0.038	0.27	9.39	13.2	560	1	0.08	3.41	0.12	31	19.3	67	2.89	246	5.14	22.4	0.14	1.3	0.25	0.046	1.25	14.8	20.9	1.48	745	2.37	1.53	5.4	34.1	1240	7.4	35.8	0.002	0.02	0.44	2	1.2	283	0.37	0.05	3.8	0.363	0.23	1.2	159	1	1	61	43.4	
20047B	604227	5814006	2	1.45	20047B	0.03	0.28	9.25	14.6	560	1.19	0.11	2.79	0.18	37.2	19.3	67	2.86	205	5.07	22.7	0.15	1.3	0.21	0.048	1.23	18.2	24	1.29	707	2.13	1.61	5.9	34.5	1210	8.5	45.7	0.002	0.02	0.51	3	1.3	279	0.42	0.05	4.7	0.359	0.25	1.2	146	1	1	13.7	61	39.7
20048T	604203	5814053	1	0.30	20048T	0.051	0.16	9.12	16.8	420	1.17	0.12	2.92	0.07	36.3	27.3	68	2.65	325	5.47	24.2	0.17	1.2	0.29	0.042	1.2	17.5	24	1.42	582	1.94	1.45	5.1	32.2	940	10.2	41.8	0.002	0.02	0.47	3	1.2	257	0.35	0.06	5	0.323	0.27	1.1	140	1	1	14.8	44	37.6
20049T	604183	5814154	1	0.30	20049T	0.021	0.21	7.62	9.8	560	1.49	0.25	2.27	0.18	51.6	20.1	152	3.06	157.5	5.48	19.1	0.16	1.2	0.09	0.053	1.52	25.7	28.9	1.82	918	1.54	1.42	7.6	61.7	1320	11.8	67	0.002	0.02	0.59	2	1.4	302	0.56	0.05	6.9	0.37	0.32	1.4	148	1	1	13.2	84	35.5
20049B	604183	5814154	2	0.91	20049B	0.016	0.19	7.74	8.9	560	1.57	0.17	2.09	0.27	59.7	36.5	222	1.99	3.67	54.9	4.99	0.25	1.2	0.09	0.045	1.76	38.8	39.2	1.89	754	1.54	1.22	10.5	67.8	1000	17.1	70.1	0.002	0.01	0.61	2	1.7	290	0.62	0.05	8.1	0.357	0.39	1.6	149	1	1	12.6	65	38.2
20050T	604148	5814131	1	0.30	20050T	0.01	0.2	7.81	8.4	580	1.16	0.12	2.23	0.11	43.7	16	140	2.69	100	4.92	17.5	0.12	1.1	0.09	0.043	1.68	22	27.5	1.74	752	1.23	1.5	6.7	46.8	1020	10	57	0.002	0.01	0.45	2	1.3	313	0.48	0.05	6.1	0.372	0.29	1.2	153	0.8	11.2	80	34.8	
20050B	604148	5814131	2	1.37	20050B	0.022	0.16	8.2	11.4	580	1.53	0.19	2.61	0.1	47.9	22.8	152	3.24	192	5.52	20.3	0.16	1.2	0.18	0.051	1.8	24.9	31.4	1.94	927	1.55	1.46	6.8	59.8	1080	12.6	54.9	0.002	0.01	0.52	2	1.5	314	0.48	0.05	7.4	0.362	0.37	1.3	166	1	1	16.4	77	39
20101T	604083	5814125	1	0.23	20101T	0.014	0.13	8.59	12.4	630	1.92	0.24	1.93	0.14	65.3	22.6	138	4.63	176	5.37	23.8	0.2	1.4	0.19	0.063	2.18	34.8	45.4	1.77	903	1.45	1.27	9.4	61.8	890	17.4	82.9	0.003	0.01	0.7	2	2.1	288	0.67	0.05	11	0.361	0.54	1.8	156	1.2	19.6	79	44.5	
20101B	604083	5814125	2	0.91	20101B	0.007	0.15	7.45	16.4	560	1.54	0.24	1.94	0.24	58.5	19.3	81	3.92	109	4.49	19.15	0.18	1.3	0.22	0.047	1.8	32.3	34.3	1.5	946	2.48	1.25	9	42.2	930	14.6	76.6	0.003	0.02	0.11	3	1.5	403	0.65	0.05	9.4	0.368	0.42	1.4	144	1.5	17.8	81	42.4	
20102T	604034	5814150	1	0.52	20102T	0.015	0.37	8.01	9.5	580	1.05	0.13	2.65	0.17	53.3	20.7	140	3.1	125.5	5.48	21.3	0.18	1.4	0.14	0																														

Table with columns for ID, coordinates, and various soil property values. The table contains multiple rows of data, each representing a specific soil sample with its corresponding measurements.

Table with 40 columns containing soil data points. Each row represents a soil sample with various numerical values for different parameters, including identifiers like S-23-4.8 and S-24-4.8.

Table with columns for ID, Date, Location, and various soil parameters. The table contains multiple rows of data, each starting with a unique identifier and a date, followed by location coordinates and a series of numerical values representing soil test results.

Table with columns for ID, Date, and various numerical values. Includes rows for S-8-16-8, S-9-16-8, S-10-16-8, etc., up to 20836. The table contains a large volume of data points for each entry.

Missing results
S-1-10-8 Missing results
S-2-10-8 Missing results
S-3-10-8 Missing results
S-4-10-8 Missing results
S-5-10-8 Missing results
S-6-10-8 Missing results
S-7-10-8 Missing results
S-8-10-8 Missing results
S-9-10-8 Missing results
S-10-10-8 Missing results
S-11-10-8 Missing results
S-12-10-8 Missing results
S-13-10-8 Missing results
S-14-10-8 Missing results
S-15-10-8 Missing results
S-16-10-8 Missing results
112-00N 100-00E T Missing results
112-00N 100-00E B Missing results

APPENDIX 2

Original ALS Chemex Certificates of Analysis



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 1
Finalized Date: 19-JUL-2006
Account: NOVRES

CERTIFICATE VA06058302

Project: Shiko Lake

P.O. No.:

This report is for 89 Rock samples submitted to our lab in Vancouver, BC, Canada on 26-JUN-2006.

The following have access to data associated with this certificate:

CRAIG BOW

RUD DURFELD

SCOTT PETSSEL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rod w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Hg-CV41	Trace Hg - cold vapor/AAS	FMS
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	47 element four acid ICP-MS	

To: NOVAGOLD RESOURCES INC.
ATTN: SCOTT PETSSEL
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.aischemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - A

Total # Pages: 4 (A - D)

Finalized Date: 19-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058302

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
20001		1.18	<0.005	0.27	8.06	2.3	1190	0.87	0.01	5.92	0.10	30.50	26.1	34	0.46	121.5
20002		0.90	0.011	0.05	7.79	1.3	730	1.78	<0.01	7.80	0.06	17.35	34.3	54	1.07	36.17
20003		0.60	<0.005	0.11	8.48	6.1	970	1.58	0.04	3.40	0.16	28.70	18.7	24	2.67	114.0
20004		0.86	<0.005	0.03	9.19	2.3	1070	1.14	<0.01	4.30	0.18	28.10	15.2	12	8.14	61.6
20005		0.70	<0.005	0.08	8.11	2.0	1090	1.17	0.05	5.30	0.19	37.70	26.3	106	3.17	136.0
20006		1.20	<0.005	0.05	8.79	1.6	940	1.12	<0.01	6.03	0.10	24.60	24.6	13	0.42	98.2
20007		1.20	<0.005	0.07	8.15	1.8	590	1.24	0.02	6.64	0.16	37.20	26.0	11	0.18	142.1
20008		1.18	<0.005	0.06	8.65	9.4	1240	0.87	0.03	3.22	0.24	17.50	13.4	12	1.96	51.2
20009		0.94	<0.005	0.06	8.06	0.8	670	1.31	0.03	5.88	0.11	36.50	27.8	23	0.16	142.0
20010		1.56	<0.005	0.10	0.12	<5	10	0.07	<0.01	36.90	0.57	0.63	1.1	11	<0.06	1.0
20011		1.58	<0.005	0.14	6.05	11	170	0.95	0.01	14.65	0.09	20.50	25.5	18	3.74	115.0
20012		0.96	<0.005	3.02	3.78	7	350	0.55	0.04	20.60	0.06	13.60	24.5	83	0.65	69.0
20013		1.14	<0.005	0.04	9.22	3.3	710	0.70	0.01	5.72	0.20	19.20	20.2	11	1.57	70.6
20014		1.08	<0.005	0.15	7.78	5.9	1890	0.78	0.02	5.78	0.17	22.00	25.6	116	0.89	104.0
20015		0.90	<0.005	0.10	7.88	5.3	850	1.08	0.03	6.27	0.21	18.80	18.4	28	0.79	17.8
20016		1.10	<0.005	0.06	7.72	0.5	790	1.12	0.01	5.84	0.15	36.00	28.3	52	0.40	170.6
20017		1.14	<0.005	0.06	7.48	2.7	370	1.00	<0.01	7.40	0.07	21.80	30.1	62	6.21	121.6
20018		0.80	<0.005	0.05	7.81	3.4	480	0.90	0.02	5.72	0.17	24.90	26.9	78	1.60	111.6
20019		1.36	<0.005	0.04	7.35	0.6	1330	1.01	0.01	7.10	0.09	23.70	31.3	46	0.55	146.0
20020		1.42	<0.005	0.08	8.56	2.5	990	1.12	0.02	6.28	0.14	36.90	30.0	16	0.22	136.6
20021		1.06	<0.005	0.07	8.87	8.6	1230	0.83	0.01	3.94	0.15	16.15	10.4	14	0.91	26.7
20022		0.96	<0.005	0.07	7.93	0.9	590	0.98	0.01	7.35	0.07	22.10	33.6	15	2.01	140.0
20023		1.12	<0.005	0.04	8.56	1.5	820	1.34	<0.01	4.80	0.07	24.70	23.3	57	3.29	106.0
20024		1.34	<0.005	0.09	7.90	0.4	1330	1.37	0.02	7.48	0.12	28.40	27.8	75	1.12	141.0
20025		1.20	<0.005	0.03	9.86	4.0	1670	0.90	0.02	3.79	1.92	19.30	11.4	6	1.94	86.4
20026		1.02	<0.005	0.11	9.48	4.9	590	1.44	0.03	3.81	0.14	22.70	25.5	7	0.73	171.0
20027		0.94	<0.005	0.09	8.78	6.3	690	1.09	0.04	4.63	0.15	20.70	22.6	18	1.07	163.0
20028		Not Recvd														
20029		0.80	<0.005	0.07	9.20	3.4	670	1.23	0.03	4.60	0.08	22.10	18.4	9	0.42	141.0
20030		1.10	<0.005	0.11	8.03	6.2	580	0.71	0.01	5.94	0.09	19.95	32.0	117	1.24	206.0
20037		2.16	0.289	1.28	8.84	8	200	0.22	0.10	12.45	0.45	5.60	46.1	224	0.67	3480.0
20046		1.12	0.144	1.49	7.10	13	720	0.28	0.12	10.40	0.36	8.31	74.3	206	2.69	5450.0
20051		1.38	0.022	0.08	8.66	14.2	990	0.79	0.16	4.75	0.15	18.05	16.0	50	0.88	62.6
20052		1.66	0.037	0.06	8.10	2.9	290	0.53	0.04	7.27	0.05	13.70	16.3	111	0.79	48.6
20053		0.60	<0.005	0.19	9.60	2.0	720	0.82	0.14	4.09	0.07	14.25	17.1	8	0.93	61.0
20054		0.74	0.010	0.10	8.93	13.4	1980	0.77	0.21	4.92	0.16	16.25	14.8	52	0.97	72.6
20055		0.94	<0.005	0.06	7.68	2.1	810	0.93	0.04	8.29	0.20	22.00	35.3	56	2.62	144.0
20056		1.04	0.016	0.02	9.00	4.5	1570	0.73	0.02	4.76	0.10	21.10	15.8	202	0.90	6.2
20057		0.06	NSS	0.21	7.05	12.2	760	0.88	0.15	1.69	0.31	26.80	14.3	109	2.65	66.0
20058		1.10	<0.005	0.07	9.06	3.5	830	1.25	0.03	4.01	0.09	27.60	21.0	9	22.30	148.0

Comments: Sample 20057 was received as a very small sample. Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.aischemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - B

Total # Pages: 4 (A - D)

Finalized Date: 19-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058302

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	P %
23001		6.88	13.10	0.11	1.6	0.02	0.055	2.29	16.7	9.9	3.18	1753	0.44	1.90	3.7	12.7
23002		8.57	13.55	0.10	1.4	0.02	0.044	1.94	8.7	10.0	3.85	1605	0.47	2.24	1.8	32.0
23003		5.60	16.65	0.10	2.2	0.17	0.050	3.06	15.6	23.0	2.17	1095	1.52	3.06	4.1	11.1
23004		5.49	16.50	0.12	1.8	0.09	0.056	2.66	15.2	51.0	1.87	1345	0.41	2.89	3.1	8.5
23005		6.41	14.90	0.12	2.1	0.08	0.054	2.39	20.1	15.4	3.35	1435	0.59	2.66	7.7	40.1
23006		6.97	13.85	0.12	1.6	0.03	0.049	2.55	12.8	8.4	2.95	1450	0.47	2.44	3.1	6.8
23007		8.64	14.75	0.09	1.7	0.15	0.062	1.30	19.8	7.3	2.51	1335	0.85	2.43	4.5	13.0
23008		4.47	18.35	0.10	2.3	0.96	0.041	2.06	8.5	23.8	1.46	1135	0.30	3.72	3.5	5.1
23009		7.11	15.40	0.12	1.9	0.03	0.071	2.08	19.6	10.2	3.19	1060	0.18	2.12	8.2	14.0
23010		3.66	0.46	<0.05	<0.1	0.16	<0.005	0.02	0.6	0.7	0.19	658	6.19	0.03	0.1	<0.05
23011		5.95	13.55	0.08	1.1	0.80	0.039	1.39	10.8	10.0	1.90	1565	2.01	2.06	1.9	13.4
23012		4.68	8.88	0.10	0.6	0.40	0.034	1.52	6.8	6.8	1.51	1680	9.96	1.22	1.4	10.7
23013		6.48	16.95	0.10	1.7	0.92	0.057	1.51	9.1	18.5	1.21	1475	3.75	2.82	2.2	8.7
23014		5.94	12.65	0.11	1.6	0.34	0.044	4.33	11.4	21.2	3.11	1535	0.76	1.17	2.5	45.8
23015		5.34	14.35	0.09	1.6	0.59	0.043	2.64	10.4	23.9	1.87	1375	0.56	2.91	2.5	8.2
23016		7.09	15.30	0.10	1.6	0.02	0.067	1.64	19.4	10.2	3.82	1560	0.29	2.53	4.4	15.1
23017		7.68	14.00	0.10	1.7	0.92	0.058	0.95	10.5	29.4	3.71	1555	0.33	3.03	2.4	18.1
23018		6.87	14.95	0.11	2.1	0.03	0.058	2.14	11.9	17.5	3.16	1420	0.87	2.90	2.5	20.0
23019		7.45	14.75	0.13	1.3	0.02	0.052	2.50	12.3	22.1	4.13	1330	0.63	1.24	2.1	16.7
23020		7.85	15.35	0.12	1.9	0.04	0.078	1.79	19.4	11.2	3.34	1350	0.55	2.05	4.3	11.5
23021		4.01	20.10	0.08	2.2	0.07	0.037	1.93	7.1	22.3	1.16	1145	0.37	2.88	4.3	3.5
23022		6.33	12.95	0.11	1.2	0.06	0.041	1.35	12.0	15.6	3.25	1215	0.48	2.69	2.1	21.3
23023		7.98	17.50	0.09	2.0	0.02	0.053	1.72	13.8	29.3	3.16	1545	0.55	3.03	2.5	15.8
23024		6.52	12.80	0.12	1.4	0.07	0.050	2.71	14.8	8.3	3.49	1235	0.58	1.67	2.6	22.1
23025		4.21	21.40	0.15	2.2	0.07	0.041	1.63	13.4	23.9	1.55	1520	0.36	3.01	3.9	4.5
23026		6.84	19.85	0.20	1.2	0.01	0.056	1.26	12.9	30.3	2.28	1770	0.43	4.25	2.8	5.9
23027		5.55	18.40	0.18	2.2	0.09	0.051	3.16	12.0	18.8	2.14	305	2.55	3.13	3.3	12.4
23028																
23029		4.98	16.80	0.21	1.7	0.01	0.050	3.62	12.8	30.3	1.59	1490	0.22	3.16	2.4	7.2
23030		6.62	18.10	0.19	1.7	0.02	0.057	1.50	10.4	23.1	3.26	1445	0.37	1.96	2.8	40.2
23037		6.17	14.75	0.15	0.8	0.27	0.064	0.58	2.4	6.8	4.51	997	0.48	0.59	0.4	125.7
23046		7.98	13.50	0.17	1.1	0.28	3.081	1.39	3.6	17.8	5.69	1280	0.92	0.65	0.8	139.8
23051		4.40	20.50	0.15	2.2	0.01	0.033	0.81	9.8	21.1	1.54	1030	1.39	2.25	3.5	31.8
23052		6.48	14.40	0.12	1.6	0.02	0.112	0.51	7.2	5.7	4.07	1305	1.48	2.05	2.4	84.1
23053		4.75	23.10	0.15	2.2	<0.01	0.028	0.83	7.0	23.2	1.83	933	1.41	2.79	2.9	8.7
23054		4.80	19.20	0.17	2.1	0.01	0.056	2.07	9.2	11.6	1.68	1195	6.15	2.14	3.2	22.0
23055		7.25	15.70	0.18	1.5	0.01	0.061	1.61	12.5	9.8	4.43	1600	0.49	2.15	2.5	25.8
23056		4.68	17.05	0.18	1.7	0.01	0.056	2.15	11.2	4.4	2.71	979	0.36	3.38	3.1	11.5
23057		6.49	19.10	0.19	1.9	0.05	0.056	1.66	15.3	26.2	1.29	968	2.81	1.84	6.7	41.6
23058		4.65	18.75	0.20	1.8	3.86	0.055	3.37	15.8	23.0	1.84	910	1.73	3.23	4.5	7.8

Comments: Sample 20057 was received as a very small sample. Interference: Ca>10% on ICP-MS As, ICP-AES results shown. REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - C

Total # Pages: 4 (A - D)

Finalized Date: 19-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058302

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		P ppm 10	Pb ppm 0.5	Rb ppm 0.1	Re ppm 0.002	S % 0.01	Sb ppm 0.05	Se ppm 1	Sn ppm 0.2	Sr ppm 0.2	Ta ppm 0.05	Te ppm 0.05	Th ppm 0.2	Tl ppm 0.005	Ti ppm 0.02	Tm ppm 0.01
20001		1890	4.4	43.9	<0.002	0.11	0.61	<1	0.8	768.0	0.18	<0.05	3.0	0.495	0.16	1.1
20002		1940	1.5	44.3	0.033	0.39	0.06	1	0.7	1425.0	0.09	<0.05	1.1	0.439	0.04	0.6
20003		2060	7.6	56.0	0.002	0.67	0.64	<1	0.9	515.0	0.27	0.05	2.3	0.459	0.20	1.0
20004		1960	8.5	60.8	0.008	0.06	0.82	<1	0.7	464.0	0.20	<0.05	2.4	0.396	0.23	1.1
20005		1940	5.8	50.4	0.004	0.07	0.22	<1	0.8	659.0	0.39	<0.05	3.5	0.472	0.22	1.6
20006		1700	4.8	33.1	<0.002	0.03	1.08	<1	0.6	762.0	0.16	<0.05	1.9	0.386	0.07	0.9
20007		2030	4.8	30.5	<0.002	0.07	0.25	<1	0.7	883.0	0.21	<0.05	2.6	0.455	0.10	1.1
20008		1060	14.7	42.2	<0.002	0.01	1.15	1	0.7	968.0	0.24	<0.05	2.1	0.348	0.31	1.2
20009		2080	5.8	43.3	<0.002	0.03	1.02	<1	0.8	925.0	0.25	<0.05	3.3	0.505	0.14	1.1
20010		240	<0.5	0.5	0.010	0.13	0.29	2	<0.2	268.0	<0.05	<0.05	<0.2	0.006	0.12	2.1
20011		1340	3.8	21.9	0.006	4.96	0.16	<1	0.6	943.0	0.10	<0.05	1.3	0.342	0.20	1.4
20012		1060	3.2	30.6	<0.002	3.46	0.76	<1	0.4	471.0	0.08	<0.05	0.9	0.269	0.07	1.4
20013		820	4.2	33.8	<0.002	0.04	0.58	<1	0.7	715.0	0.15	<0.05	1.8	0.435	0.07	0.4
20014		1300	4.4	98.9	<0.002	0.13	0.16	<1	0.7	847.0	0.17	<0.05	1.3	0.400	0.60	0.8
20015		1760	5.5	37.6	<0.002	0.12	0.74	<1	0.7	694.0	0.17	<0.05	1.3	0.375	0.19	1.1
20016		2060	4.9	36.9	<0.002	0.02	0.17	<1	0.8	727.0	0.20	<0.05	3.2	0.467	0.12	1.1
20017		2330	3.1	19.7	<0.002	0.02	2.07	<1	0.8	368.0	0.15	<0.05	1.1	0.497	0.02	0.1
20018		2010	3.8	34.6	0.003	0.02	0.29	1	0.8	565.0	0.17	<0.05	1.3	0.537	0.07	1.0
20019		1600	3.4	51.2	<0.002	0.74	0.06	<1	0.7	1230.0	0.11	<0.05	1.4	0.443	0.07	1.3
20020		2480	3.5	47.6	<0.002	0.10	1.21	<1	0.9	1035.0	0.20	<0.05	2.6	0.531	0.11	0.0
20021		1010	11.8	32.8	<0.002	0.01	0.64	<1	0.8	685.0	0.31	<0.05	1.7	0.346	0.27	1.0
20022		1520	4.2	24.5	<0.002	0.42	0.05	<1	0.6	562.0	0.12	<0.05	1.5	0.365	0.05	0.4
20023		2180	4.5	23.3	<0.002	0.04	0.26	<1	0.8	750.0	0.28	<0.05	1.6	0.503	0.05	1.3
20024		1790	5.7	70.7	<0.002	0.46	0.11	<1	0.7	1295.0	0.12	<0.05	1.8	0.382	0.07	0.9
20025		1220	18.3	40.4	<0.002	<0.01	0.81	3	0.7	878.0	0.26	<0.05	2.2	0.315	0.32	1.1
20026		2040	8.1	21.7	<0.002	0.01	0.64	3	0.9	751.0	0.18	<0.05	1.1	0.409	0.05	0.9
20027		1800	6.0	41.4	0.002	2.69	0.45	<1	0.8	335.0	0.20	<0.05	1.6	0.461	0.16	1.1
20028																
20029		2030	5.9	52.4	<0.002	0.01	0.33	2	0.7	769.0	0.14	<0.05	1.4	0.325	0.08	1.1
20030		1300	7.0	35.9	0.004	0.06	0.63	3	0.8	585.0	0.17	<0.05	2.4	0.439	0.21	1.0
20037		240	16.9	17.9	<0.002	0.59	0.17	11	0.6	1145.0	<0.05	0.06	0.2	0.254	0.04	0.1
20046		690	10.3	43.9	0.008	1.30	0.28	7	0.7	699.0	0.05	0.05	0.4	0.462	0.22	0.3
20051		970	6.2	17.4	0.008	0.80	0.47	4	0.7	521.0	0.19	0.09	1.8	0.385	0.02	1.0
20052		1250	1.5	7.0	0.005	0.22	0.67	1	0.7	625.0	0.15	0.05	1.0	0.643	0.04	1.0
20053		830	7.4	15.2	0.007	0.56	0.22	2	0.4	521.0	0.20	0.16	1.9	0.368	0.24	0.9
20054		830	9.5	42.6	0.009	1.01	0.87	6	0.9	540.0	0.19	0.06	1.8	0.398	0.00	1.0
20055		1570	5.2	41.4	<0.002	0.01	0.14	2	0.7	580.0	0.13	<0.05	1.3	0.434	0.04	0.6
20056		1130	2.2	39.1	<0.002	0.01	0.64	1	0.8	750.0	0.17	<0.05	1.5	0.416	0.18	0.6
20057		1250	3.2	57.7	0.002	0.04	1.17	1	2.2	352.0	0.44	0.05	3.7	0.414	0.00	1.1
20058		1870	5.6	60.8	<0.002	2.98	0.14	1	0.7	727.0	0.22	<0.05	2.1	0.450	0.20	1.0

Comments: Sample 20057 was received as a very small sample. Interference: Ca>10% on ICP-MS As, ICP-AES results shown. REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - D

Total # Pages: 4 (A - D)

Finalized Date: 19-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058302

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm 1	ppm 0.1	ppm 0.1	ppm 2	ppm 0.5
20001		319	0.6	14.2	79	42.5
20002		345	0.2	15.9	65	35.8
20003		238	0.6	19.6	88	67.5
20004		251	0.3	16.9	115	49.4
20005		276	0.3	19.0	97	66.7
20006		270	0.6	15.8	76	46.5
20007		319	0.4	17.8	89	48.8
20008		214	0.4	14.7	128	71.2
20009		342	0.3	17.4	86	52.8
20010		21	0.1	0.7	196	1.0
20011		276	0.7	11.2	74	31.0
20012		197	0.5	8.5	44	23.0
20013		261	0.3	16.4	93	46.9
20014		238	0.3	15.4	77	47.6
20015		241	0.3	17.1	93	48.4
20016		343	0.3	16.6	87	45.1
20017		312	0.2	17.3	83	48.0
20018		297	0.2	19.2	105	61.1
20019		368	0.4	13.6	87	33.8
20020		359	0.4	19.9	93	52.3
20021		165	0.3	15.2	168	61.6
20022		284	0.3	13.1	80	33.2
20023		464	0.3	17.1	92	57.4
20024		301	0.3	13.7	77	39.6
20025		170	0.3	15.8	213	73.4
20026		288	0.5	16.9	108	33.3
20027		223	0.4	18.1	75	73.1
20028						
20029		230	0.2	17.3	85	53.6
20030		297	0.2	15.9	89	52.6
20037		219	0.3	10.0	78	17.4
20046		267	0.2	14.9	60	25.6
20051		193	0.5	18.7	53	67.4
20052		279	0.5	16.9	52	50.5
20053		168	0.8	15.5	32	68.8
20054		214	0.7	18.1	63	67.0
20055		293	0.4	15.6	93	44.2
20056		201	0.7	19.6	39	43.7
20057		166	13.4	12.7	114	60.7
20058		253	0.9	17.8	58	56.4

Comments: Sample 20057 was received as a very small sample. Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.aischemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 3 - A

Total # Pages: 4 (A - D)

Finalized Date: 19-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058302

Sample Description	Method Analyte Units LOR	WEI-21	AJ-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Bc ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
20059		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	0.1	1	0.05
20060		0.56	<0.005	<0.01	9.68	6.3	1340	0.94	0.01	3.76	0.12	18.80	12.0	5	1.92	30.0
20061		1.24	<0.005	0.12	8.97	7.8	1550	0.92	0.03	4.65	0.55	16.35	14.4	50	1.80	50.0
20062		0.72	0.005	0.08	8.97	2.1	1530	0.84	0.03	4.76	0.26	23.50	21.6	34	0.36	34.0
20063		0.62	<0.005	0.08	7.44	1.6	230	0.87	0.02	8.21	0.11	24.50	30.6	13	4.79	140.0
20064		1.38	<0.005	0.07	8.90	3.6	760	1.41	0.04	3.76	0.15	35.10	21.2	19	0.01	120.0
20065		1.26	<0.005	0.06	9.31	2.5	730	1.54	0.03	3.48	0.08	23.30	20.2	16	1.34	90.0
20066		1.50	<0.005	0.06	8.58	5.4	780	1.34	0.04	3.50	0.12	26.80	23.3	20	2.41	120.0
20067		0.94	<0.005	0.11	9.63	4.5	1080	1.47	0.02	4.51	0.09	34.70	24.0	15	0.91	176.0
20068		1.16	<0.005	0.07	8.61	2.0	1100	1.64	0.04	5.99	0.12	48.80	30.3	11	2.92	160.0
20069		1.46	<0.005	0.09	6.32	11	80	0.87	0.05	11.80	0.19	19.40	30.3	46	0.12	120.0
20070		0.60	<0.005	0.07	8.35	3.8	610	1.06	0.03	6.15	0.11	21.60	28.3	53	3.41	136.0
20105		0.80	0.061	0.07	8.60	2.6	1100	0.75	0.04	5.66	0.11	22.60	11.8	144	0.50	120.0
20122		0.80	<0.005	0.05	9.34	2.8	810	0.89	0.02	4.84	0.10	15.20	13.2	10	1.14	37.0
20151		0.30	<0.005	0.04	9.43	1.3	70	0.29	0.01	5.27	0.13	8.46	36.0	49	0.33	73.0
20152		0.52	0.011	0.04	9.10	2.8	510	0.70	0.01	4.99	0.03	11.15	15.7	38	0.88	50.0
20153		0.68	0.026	0.09	9.45	2.3	620	0.64	0.02	5.80	0.08	15.70	18.6	45	0.88	100.0
20154		0.36	0.011	0.06	8.86	2.8	630	0.69	0.02	5.60	0.10	17.00	13.1	77	1.20	84.0
20155		1.04	0.014	0.08	8.78	17.9	1150	0.86	0.01	5.17	0.08	32.90	23.2	28	1.48	320.0
20156		0.78	0.029	0.06	8.23	6.2	1170	1.37	0.02	4.92	0.06	23.10	27.0	24	2.01	100.0
20157		0.84	0.014	0.05	8.86	4.2	1080	0.75	0.01	5.65	0.06	19.95	25.9	8	1.71	100.0
20158		0.52	0.029	0.12	8.23	2.0	1180	0.72	0.03	6.29	0.12	23.00	31.4	31	1.15	170.0
20159		0.44	0.011	0.08	9.23	5.4	1120	1.35	0.02	3.33	0.08	19.50	12.4	13	1.48	100.0
20160		0.46	0.038	0.08	9.00	2.1	1190	0.85	0.02	6.44	0.06	22.90	13.6	47	0.45	120.0
20161		0.62	0.011	0.09	7.75	2.1	820	0.68	0.01	8.18	0.09	17.40	40.3	36	1.74	130.0
20162		0.82	0.012	0.03	3.67	<5	200	0.33	0.02	12.45	0.12	9.18	37.2	232	0.61	37.0
20163		0.58	0.023	0.10	9.11	3.3	780	0.61	0.02	5.22	0.10	20.20	22.0	84	0.75	140.0
20164		0.68	0.039	0.15	8.93	2.6	980	0.96	0.02	5.39	0.09	23.30	18.6	16	0.02	320.0
20165		0.96	0.041	0.17	8.88	2.0	210	0.63	0.02	4.70	0.11	16.15	33.3	35	1.92	307.0
20166		0.26	0.067	0.09	8.26	1.8	630	0.55	0.02	6.53	0.19	16.00	30.7	84	1.54	100.0
20167		0.84	<0.005	0.05	9.13	3.4	770	1.36	0.02	5.18	0.17	23.20	24.8	7	0.34	130.0
20168		1.28	<0.005	0.11	8.18	2.4	650	1.18	0.02	6.60	0.09	19.00	33.8	73	1.08	160.0
20169		1.08	0.008	0.05	9.38	2.9	850	0.82	0.02	5.08	0.13	20.80	15.7	34	0.83	30.0
20170		0.74	<0.005	0.05	8.16	0.4	520	0.72	0.02	7.17	0.09	14.45	33.6	186	0.70	110.0
20171		1.22	<0.005	0.03	8.08	<0.2	600	0.65	0.01	8.36	0.13	14.40	31.1	198	0.64	94.0
20172		1.14	<0.005	0.07	8.71	3.3	550	1.16	0.03	5.85	0.11	31.80	20.4	36	0.33	160.0
20173		1.12	<0.005	0.05	9.20	8.6	1050	0.88	0.03	2.88	0.09	16.80	13.1	7	2.68	37.0
20174		1.30	<0.005	0.05	9.14	12.6	1230	0.91	0.02	2.46	0.10	17.10	15.2	9	2.84	34.0
20175		1.44	<0.005	0.06	8.17	4.0	350	0.75	0.03	6.64	0.12	18.95	25.5	58	10.30	49.0
20176		0.76	<0.005	0.07	8.79	3.3	650	1.10	0.04	4.00	0.12	23.40	20.8	20	6.54	48.0

Comments: Sample 20057 was received as a very small sample. Interference: Ca>10% on ICP-MS As, ICP-AES results shown. REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 3 - B

Total # Pages: 4 (A - D)

Finalized Date: 19-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058302

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	REAR61 %
20059		5.17	22.90	0.20	2.2	0.02	0.059	1.91	12.9	17.8	1.83	1440	0.42	2.98	0.2	5.4
20060		4.07	22.60	0.20	2.2	0.04	0.045	1.45	9.3	30.6	1.22	1125	0.31	2.98	4.5	5.9
20061		3.58	18.45	0.18	1.7	0.02	0.038	1.93	9.8	20.9	1.45	812	1.46	2.67	2.8	27.8
20062		6.14	21.10	0.21	3.1	0.01	0.068	1.36	12.1	10.4	2.51	1235	0.70	2.69	4.6	20.6
20063		6.14	16.20	0.16	1.6	0.10	0.054	1.57	14.4	20.9	3.06	996	0.60	2.40	2.6	16.9
20064		5.45	19.65	0.20	2.8	0.04	0.058	2.65	20.2	30.1	2.31	1275	0.59	3.88	10.4	12.0
20065		5.48	22.20	0.22	2.3	0.01	0.063	2.62	13.9	33.1	2.77	1285	0.53	3.67	3.5	11.4
20066		5.90	19.25	0.23	2.3	0.02	0.056	2.81	15.7	34.9	2.53	1380	0.75	3.35	3.8	13.4
20067		6.14	22.00	0.23	2.1	0.02	0.064	3.52	20.8	17.3	2.21	1340	0.45	3.05	4.2	9.0
20068		7.11	19.85	0.23	2.2	0.06	0.088	1.56	31.4	15.6	3.70	1610	0.37	2.71	7.0	9.7
20069		5.82	13.80	0.14	1.2	0.17	0.051	0.15	11.2	15.4	3.46	1185	4.95	2.82	2.6	20.2
20070		6.78	20.70	0.16	2.2	0.08	0.073	1.90	12.1	27.7	3.80	1665	0.54	3.17	2.7	24.3
20105		4.06	17.50	0.16	1.5	0.01	0.098	1.99	11.2	9.2	2.34	691	1.55	2.92	3.1	43.6
20122		4.52	20.30	0.15	1.8	<0.01	0.041	1.41	7.8	21.3	1.41	1095	0.61	2.62	2.8	8.3
20151		6.96	19.55	0.20	1.3	0.01	0.056	0.05	3.7	17.4	3.87	1220	0.23	3.06	1.1	40.4
20152		5.22	19.65	0.18	0.9	0.05	0.033	1.17	5.6	14.1	2.74	842	7.97	2.13	1.6	11.7
20153		5.75	19.35	0.17	0.9	0.11	0.044	0.96	7.8	11.8	2.48	931	0.83	2.53	2.1	15.5
20154		5.25	19.30	0.17	1.3	0.04	0.055	1.41	8.7	3.8	2.46	902	1.53	2.82	2.6	40.3
20155		6.97	18.10	0.23	1.3	0.14	0.045	2.34	20.3	30.1	2.00	1075	1.77	2.72	3.8	75.6
20156		6.44	17.65	0.21	1.8	0.14	0.048	3.45	12.5	14.8	2.44	1280	1.06	2.31	2.9	20.2
20157		6.62	18.40	0.20	1.4	0.09	0.060	2.61	10.8	14.0	2.26	1345	0.53	2.24	2.5	11.5
20158		7.35	18.80	0.22	1.4	0.02	0.046	2.71	12.2	11.9	3.01	1320	1.30	2.01	1.7	25.3
20159		3.84	19.95	0.20	1.1	0.15	0.029	3.89	10.3	11.4	1.00	893	0.83	3.25	3.2	3.4
20160		4.76	19.20	0.23	2.0	0.01	0.039	1.66	13.5	9.8	1.61	722	3.05	2.73	3.4	25.3
20161		8.83	17.90	0.20	1.5	0.05	0.052	1.81	9.0	16.8	4.27	1573	1.07	1.73	1.6	33.8
20162		6.63	10.50	0.13	1.3	0.07	0.066	0.58	4.0	18.9	7.33	1560	0.62	0.92	0.3	90.0
20163		6.65	20.30	0.19	0.7	0.07	0.028	1.54	10.5	16.2	3.05	615	5.75	2.59	2.8	43.3
20164		5.60	19.75	0.20	1.7	<0.01	0.052	1.89	11.9	6.9	2.18	785	3.95	2.67	3.3	11.8
20165		7.21	19.95	0.20	1.6	<0.01	0.038	1.64	8.3	9.6	2.39	368	3.76	2.33	2.7	24.7
20166		6.90	19.15	0.19	1.7	0.03	0.058	1.67	7.8	12.8	3.79	1170	1.72	2.35	2.9	41.5
20167		5.58	21.00	0.21	1.7	0.01	0.047	2.93	13.3	18.5	2.90	1245	0.75	2.27	3.4	13.7
20168		6.76	17.00	0.18	1.7	0.04	0.052	2.47	10.0	21.5	3.19	1405	1.36	2.39	2.1	35.1
20169		6.04	20.10	0.20	1.5	0.07	0.048	1.83	11.0	6.2	2.50	639	2.75	3.14	3.6	21.0
20170		6.36	16.65	0.19	1.8	0.02	0.044	2.15	7.1	17.1	4.07	1160	0.77	1.82	1.9	124.6
20171		6.11	14.80	0.18	1.9	0.02	0.047	2.45	7.0	11.7	3.70	1145	0.76	1.96	1.9	125.0
20172		6.11	19.95	0.19	2.0	0.43	0.053	1.85	17.9	13.2	1.65	1245	1.33	3.63	6.1	15.8
20173		4.31	20.90	0.19	2.3	0.05	0.042	2.03	9.0	15.2	1.49	1050	0.34	4.02	3.3	8.3
20174		4.75	21.70	0.21	2.3	0.14	0.046	2.11	9.0	23.7	1.95	1315	0.39	3.71	3.8	1.3
20175		6.20	19.00	0.21	2.1	0.24	0.062	2.26	9.7	24.9	3.92	1390	0.53	2.92	2.3	20.8
20176		5.90	20.10	0.21	2.3	0.08	0.060	2.36	13.4	24.9	3.03	1395	0.63	3.40	3.1	11.7

Comments: Sample 20057 was received as a very small sample. Interference: Ca>10% on ICP-MS As, ICP-AES results shown. REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 3 - C

Total # Pages: 4 (A - D)

Finalized Date: 19-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058302

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	P	Pb	Rb	Rn	S	Sa	Se	Sn	Sr	Ta	Te	Ti	Tl	Tl	
Units		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
LOR		10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	
20059		1660	4.6	41.6	<0.002	0.03	0.20	1	0.8	713.0	0.28	<0.05	2.2	0.417	0.21	0.7
20060		1040	4.9	33.9	<0.002	0.01	0.39	2	0.8	723.0	0.29	<0.05	1.8	0.348	0.22	0.5
20061		1060	6.0	47.3	0.003	0.53	0.87	1	0.6	886.0	0.17	<0.05	1.5	0.311	0.51	0.1
20062		1520	4.3	29.4	<0.002	0.07	0.22	<1	1.0	784.0	0.31	<0.05	1.7	0.551	0.10	0.9
20063		1730	4.9	19.8	<0.002	3.54	0.19	3	0.7	760.0	0.13	<0.05	1.6	0.416	0.25	0.3
20064		2110	6.0	40.6	<0.002	0.08	0.16	1	1.0	430.0	0.65	<0.05	2.2	0.575	0.06	0.3
20065		1790	3.6	42.1	<0.002	0.05	0.11	2	0.9	514.0	0.20	<0.05	1.6	0.484	0.07	0.1
20066		2050	4.3	49.3	<0.002	0.09	0.28	<1	0.9	460.0	0.21	<0.05	1.8	0.493	0.11	0.3
20067		2330	6.1	77.3	<0.002	0.01	0.89	2	0.9	827.0	0.21	<0.05	2.8	0.483	0.14	0.3
20068		2930	6.1	34.4	<0.002	0.04	0.10	1	1.0	781.0	0.27	<0.05	4.2	0.513	0.09	0.7
20069		1280	5.0	3.1	0.007	3.58	0.97	2	0.6	467.0	0.13	<0.05	1.0	0.349	0.13	0.3
20070		2170	3.8	34.2	<0.002	0.10	0.52	3	0.9	369.0	0.17	<0.05	1.3	0.556	0.07	0.3
20105		1120	2.8	44.8	0.006	0.42	0.33	2	1.0	689.0	0.17	<0.05	1.6	0.405	0.14	0.3
20122		1030	4.0	34.4	<0.002	0.06	0.20	3	0.6	722.0	0.16	<0.05	1.2	0.361	0.10	0.3
20151		490	1.3	1.0	<0.002	0.01	0.08	3	0.5	207.0	0.07	<0.05	0.4	0.527	<0.02	0.7
20152		930	1.3	20.6	0.054	0.61	0.16	5	0.6	745.0	0.11	<0.05	0.7	0.333	0.22	0.3
20153		1010	2.5	26.5	0.007	1.14	0.17	2	0.8	709.0	0.12	0.05	1.0	0.452	0.14	0.3
20154		1140	2.2	24.9	0.004	0.34	0.23	2	0.8	728.0	0.14	<0.05	1.2	0.426	0.12	0.7
20155		1930	2.6	57.2	0.016	1.46	0.14	4	1.2	972.0	0.23	<0.05	1.8	0.417	0.16	0.7
20156		1980	5.8	96.9	<0.002	0.01	0.20	3	0.8	872.0	0.17	<0.05	2.2	0.374	0.13	0.2
20157		1910	3.6	54.6	<0.002	0.01	0.13	<1	0.8	966.0	0.13	<0.05	1.1	0.521	0.08	0.3
20158		2120	5.9	69.0	0.003	0.01	0.36	<1	0.8	1040.0	0.11	<0.05	1.1	0.432	0.09	0.3
20159		1220	3.4	96.9	0.002	0.01	0.36	<1	0.7	831.0	0.20	<0.05	1.9	0.295	0.14	0.3
20160		1150	1.7	35.5	0.040	1.80	0.15	6	1.3	563.0	0.25	0.07	2.5	0.350	0.12	0.3
20161		1970	3.8	56.6	0.002	0.01	0.15	<1	0.8	918.0	0.13	<0.05	1.2	0.472	0.08	0.7
20162		590	2.0	22.0	<0.002	0.01	0.15	1	0.7	234.0	<0.05	<0.05	0.4	0.343	0.05	0.3
20163		1800	2.3	37.6	0.041	1.85	0.17	3	1.0	817.0	0.16	0.06	1.0	0.586	0.11	0.3
20164		1550	1.8	49.7	0.026	1.93	0.13	<1	1.1	569.0	0.24	0.07	2.3	0.652	0.14	0.2
20165		830	3.5	61.7	0.027	3.14	0.17	4	0.9	445.0	0.18	0.11	1.8	0.516	0.30	0.1
20166		1160	3.8	56.1	0.006	0.16	0.36	<1	0.9	588.0	0.20	<0.05	1.1	0.683	0.16	0.3
20167		1840	4.7	48.5	<0.002	0.02	0.26	<1	0.7	871.0	0.19	<0.05	1.9	0.357	0.13	0.2
20168		1840	6.8	46.9	0.003	0.23	0.14	5	0.9	981.0	0.12	<0.05	1.2	0.409	0.05	0.7
20169		1530	2.8	31.7	0.005	0.29	0.19	<1	1.1	616.0	0.25	<0.05	1.5	0.574	0.09	0.3
20170		1360	3.0	69.4	<0.002	0.02	0.23	<1	0.8	815.0	0.14	<0.05	0.7	0.479	0.06	0.3
20171		1380	3.0	67.8	<0.002	0.10	0.09	<1	0.8	1083.0	0.14	<0.05	0.7	0.492	0.07	0.3
20172		2370	5.1	45.8	<0.002	0.56	2.08	<1	1.0	482.0	0.43	0.06	1.7	0.574	0.18	0.1
20173		1000	8.9	45.5	<0.002	0.01	1.40	<1	0.8	895.0	0.24	<0.05	2.1	0.346	0.29	0.3
20174		1220	6.3	44.2	<0.002	0.02	2.40	<1	0.8	834.0	0.24	<0.05	2.0	0.371	0.33	0.1
20175		1830	3.1	33.6	<0.002	0.66	0.37	<1	0.8	236.0	0.16	<0.05	1.0	0.573	0.06	0.3
20176		1700	3.9	40.8	<0.002	0.05	0.31	<1	0.9	450.0	0.20	<0.05	1.5	0.535	0.13	0.2

Comments: Sample 20057 was received as a very small sample. Interference: Ca>10% on ICP-MS As, ICP-AES results shown. REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 3 - D

Total # Pages: 4 (A - D)

Finalized Date: 19-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058302

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm 1	ppm 0.1	ppm 0.1	ppm 2	ppm 0.5
20059		227	0.3	17.9	90	69.4
20060		152	0.3	17.3	72	67.7
20061		139	0.5	14.2	89	57.8
20062		237	0.4	26.3	108	112.0
20063		292	0.4	14.5	79	46.2
20064		201	0.3	20.6	89	106.5
20065		219	0.3	21.8	98	73.9
20066		239	0.4	22.0	100	74.4
20067		272	0.4	20.1	92	68.0
20068		334	0.4	22.4	92	68.7
20069		244	0.8	12.6	65	36.9
20070		328	0.3	20.4	111	65.5
20105		196	0.6	19.5	27	41.3
20122		151	0.3	13.5	74	61.4
20151		272	0.1	15.3	88	37.4
20152		186	0.2	15.7	26	26.3
20153		229	0.4	19.5	32	20.9
20154		214	0.5	19.1	33	32.8
20155		357	0.3	23.3	47	29.7
20156		250	0.4	18.9	81	54.2
20157		296	0.3	19.1	81	38.6
20158		305	0.4	17.4	76	40.6
20159		169	0.4	17.0	50	36.6
20160		273	0.3	24.9	23	58.5
20161		338	0.4	16.9	87	42.9
20162		264	0.3	15.1	63	31.1
20163		268	0.4	21.2	31	14.5
20164		270	0.6	22.6	24	48.3
20165		267	0.7	18.1	29	48.0
20166		291	0.6	22.0	62	51.4
20167		271	0.3	15.8	86	54.0
20168		292	0.3	19.4	81	48.7
20169		236	0.5	24.4	33	42.4
20170		237	0.2	18.4	74	63.2
20171		251	0.3	18.2	73	61.7
20172		262	0.7	19.4	96	71.0
20173		192	0.5	16.1	80	78.9
20174		211	0.6	15.1	91	78.5
20175		269	0.2	21.2	87	70.8
20176		235	0.2	23.5	95	78.9

Comments: Sample 20057 was received as a very small sample. Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 4 - A

Total # Pages: 4 (A - D)

Finalized Date: 19-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058302

Sample Description	Method Analyte Units LOR	WEI 21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Receivd Wt.	Au	Ag	Al	As	Ba	Bu	Bu	Ca	Cr	Ce	Co	Cr	Co	Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.035	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	1.0
20177		1.06	<0.005	0.04	7.36	0.7	1110	1.26	0.01	6.71	0.07	16.70	35.5	48	1.18	170.0
20178		1.20	<0.005	0.11	7.59	2.6	530	0.79	0.02	7.29	0.09	23.00	30.6	23	0.15	173.0
20202		2.04	0.020	0.15	8.58	6.4	580	0.58	0.04	6.19	0.05	19.60	15.0	106	0.45	81.5
20223		1.66	1.285	1.15	9.60	7.1	230	1.12	0.03	4.87	0.10	26.00	13.9	42	0.40	1760.0
20204		1.24	0.549	1.07	8.70	3.7	820	0.34	0.09	9.98	0.16	8.86	66.9	203	1.36	2180.0
20205		1.18	0.046	0.10	8.49	21.5	1010	0.79	0.03	5.68	0.10	20.40	29.9	68	0.75	157.0
20206		1.38	0.071	0.36	9.40	6.3	870	0.77	0.02	6.25	0.17	17.30	38.1	25	2.25	1890.0
20207		1.68	0.071	0.10	8.83	19.5	1150	1.06	0.02	2.64	0.09	14.35	7.2	21	1.14	345.0
20208		1.24	0.037	0.14	8.34	1.9	570	0.57	0.02	6.48	0.08	20.20	21.7	264	0.58	149.0

Comments: Sample 20057 was received as a very small sample. Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.aischemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 4 - B

Total # Pages: 4 (A - D)

Finalized Date: 19-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058302

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.0
20177		8.07	15.50	0.20	1.5	0.02	0.044	2.03	8.8	5.9	3.50	1665	0.53	2.13	1.5	32.3
20178		6.86	16.15	0.16	1.7	0.03	0.068	1.33	12.4	7.3	3.95	1465	0.52	2.36	2.5	14.2
20202		7.13	19.25	0.20	1.6	0.15	0.052	1.42	10.6	5.0	2.65	795	3.02	2.45	2.9	33.1
20203		2.08	22.40	0.16	1.1	0.31	0.146	0.65	14.4	15.4	1.73	679	14.05	5.01	3.6	37.8
20204		7.99	16.70	0.20	1.0	0.15	0.074	1.32	4.1	15.0	4.97	1250	1.22	1.11	1.9	115.0
20205		6.65	18.55	0.19	2.0	0.11	0.075	2.00	10.2	8.8	3.41	1055	1.80	2.48	3.5	33.8
20206		8.77	20.80	0.21	1.4	0.56	0.044	2.28	9.3	21.7	2.77	1285	1.47	1.78	1.6	24.5
20207		1.97	18.50	0.15	1.1	0.43	0.059	4.17	9.0	14.3	1.56	688	3.71	3.11	2.5	3.5
20208		6.02	17.85	0.19	0.9	0.04	0.050	1.34	10.5	11.9	2.98	946	1.54	2.87	2.0	35.4

Comments: Sample 20057 was received as a very small sample. Interference: Ca>10% on ICP-MS As. ICP-AES results shown. REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 4 - C

Total # Pages: 4 (A - D)

Finalized Date: 19-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058302

Sample Description	Method Analyte Units LDR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		P ppm 10	Pb ppm 0.5	Rb ppm 0.1	Re ppm 0.002	S % 0.01	Sb ppm 0.05	Se ppm 1	Sn ppm 0.2	Sr ppm 0.2	Ta ppm 0.05	Te ppm 0.05	Th ppm 0.2	Ti % 0.005	Tl ppm 0.02	Tm ppm 0.02
20177		2100	1.8	43.7	0.062	0.11	0.05	1	0.7	1375.0	0.09	<0.05	1.0	0.403	0.04	0.4
20178		1690	3.4	27.7	<0.002	0.59	0.49	<1	0.8	580.0	0.13	<0.05	1.3	0.471	0.10	0.8
20202		1319	2.4	26.6	0.007	1.09	1.18	3	1.2	690.0	0.18	0.11	1.5	0.468	0.07	1.3
20203		1349	2.5	13.6	0.051	0.37	0.66	2	1.5	421.0	0.29	0.07	1.8	0.413	0.07	1.7
20204		1090	3.7	41.9	0.019	1.14	0.42	3	0.7	1095.0	0.06	0.12	0.4	0.514	0.12	0.2
20205		1580	1.6	45.7	0.016	1.28	0.19	1	1.0	543.0	0.23	0.24	1.5	0.612	0.14	0.9
20206		1600	6.9	94.7	0.003	0.91	0.24	1	0.8	941.0	0.11	<0.05	1.5	0.456	0.19	0.9
20207		850	4.1	73.4	<0.002	0.02	0.52	<1	1.2	440.0	0.16	<0.05	1.8	0.279	0.22	0.6
20208		1340	2.5	28.8	0.037	1.08	0.26	3	1.0	756.0	0.12	<0.05	1.1	0.376	0.09	1.6

Comments: Sample 20057 was received as a very small sample. Interference: Ca>10% on ICP-MS As, ICP-AES results shown. REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 4 - D

Total # Pages: 4 (A - D)

Finalized Date: 19-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058302

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
20177		328	0.2	18.4	86	43.4
20178		320	0.3	19.9	76	49.7
20202		224	0.8	19.3	26	37.6
20203		192	1.1	20.0	37	31.2
20204		287	0.4	15.4	58	25.0
20205		270	0.5	25.5	43	61.5
20206		294	0.3	17.5	85	38.7
20207		114	1.0	13.7	23	32.1
20208		207	0.3	19.6	28	20.6

Comments: Sample 20057 was received as a very small sample. Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: SPECTRUMGOLD INC.
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 1
Finalized Date: 1-JUL-2006
Account: SPEGOL

CERTIFICATE VA06059082

Project: Galore Creek

P.O. No.:

This report is for 5 Rock samples submitted to our lab in Vancouver, BC, Canada on 26-JUN-2006.

The following have access to data associated with this certificate:

SCOTT PETSEL

DANETTE SCHWAB

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS
Au-AA23	Au 30g FA-AA finish	AAS

To: SPECTRUMGOLD INC.
ATTN: SCOTT PETSEL
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: _____

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: SPECTRUMGOLD INC.
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 1-JUL-2006
Account: SPEGOL

Project: Galore Creek

CERTIFICATE OF ANALYSIS VA06059082

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
150085		2.10	0.045	2.7	0.48	30	<10	10	<0.5	<2	0.92	<0.5	64	85	626	12.35
150086		1.92	0.052	3.1	0.46	42	<10	20	<0.5	<2	0.59	<0.5	89	90	671	15.5
150087		3.32	<0.005	1.0	0.99	3	<10	30	<0.5	<2	4.25	<0.5	19	25	2590	3.37
150088		2.66	<0.005	0.8	1.02	<2	<10	30	<0.5	<2	4.65	<0.5	14	16	2180	3.07
150089		1.16	<0.005	<0.2	0.04	4	<10	10	<0.5	<2	>25.0	<0.5	<1	1	15	0.04



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: SPECTRUMGOLD INC.

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - B

Total # Pages: 2 (A - C)

Finalized Date: 1-JUL-2006

Account: SPEGOL

Project: Galore Creek

CERTIFICATE OF ANALYSIS VA06059082

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ga ppm 10	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1
150085		<10	<1	0.03	<10	0.20	161	40	0.01	120	860	3	8.42	<2	1	48
150086		<10	<1	0.05	<10	0.23	144	13	0.01	120	1320	5	10.00	<2	2	24
150087		<10	<1	0.09	10	0.26	171	2	0.06	19	4350	7	1.70	<2	3	86
150088		10	<1	0.10	10	0.26	192	2	0.05	12	3010	3	1.10	<2	2	81
150089		<10	<1	<0.01	<10	1.64	17	<1	0.01	<1	50	2	<0.01	<2	<1	5010



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: SPECTRUMGOLD INC.

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - C

Total # Pages: 2 (A - C)

Finalized Date: 1-JUL-2006

Account: SPEGOL

Project: Galore Creek

CERTIFICATE OF ANALYSIS VA06059082

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Cu-AA46
		Ti	Ti	U	V	W	Zn	Cu
		%	ppm	ppm	ppm	ppm	ppm	%
		0.01	10	10	1	10	2	0.01
150085		0.05	<10	<10	184	<10	16	0.06
150086		0.05	<10	<10	163	<10	22	0.07
150087		0.19	<10	<10	94	<10	36	0.27
150088		0.19	<10	<10	106	<10	26	0.22
150089		<0.01	<10	10	1	<10	<2	<0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 1
Finalized Date: 20-SEP-2006
This copy reported on 30-NOV-2006
Account: NOVRES

CERTIFICATE VA06074389

Project: Shiko Lake

P.O. No.:

This report is for 110 Rock samples submitted to our lab in Vancouver, BC, Canada on 24-JUL-2006.

The following have access to data associated with this certificate:

CRAIG BOW

RUDI DURFELD

SCOTT PETSSEL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	47 element four acid ICP-MS	

To: NOVAGOLD RESOURCES INC.
ATTN: SCOTT PETSSEL
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - A

Total # Pages: 4 (A - D)

Finalized Date: 20-SEP-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06074389

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
Sample Description	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
20028	1.40	<0.005	0.05	8.82	26.3	930	0.93	0.01	5.30	0.06	25.10	27.8	50	1.26	102.5
20202	1.36	0.008	0.22	8.93	10.6	590	0.78	0.10	3.55	0.14	13.30	32.3	16	0.92	16.1
20203	Not Recvd														
20204	Not Recvd														
20205	Not Recvd														
20206	Not Recvd														
20207	Not Recvd														
20208	Not Recvd														
20209	0.96	0.016	0.11	6.46	2.6	840	0.42	<0.01	8.23	0.13	16.45	52.8	218	1.39	227.0
20210	0.62	<0.005	0.07	7.19	1.5	620	0.99	<0.01	7.17	0.14	26.20	36.3	155	0.97	141.0
20211	0.36	<0.005	0.02	9.20	9.2	1160	0.98	<0.01	4.09	0.12	18.10	12.0	9	1.78	34.5
20212	0.88	<0.005	0.05	8.09	4.5	940	0.88	0.01	4.35	0.23	17.40	11.1	7	3.42	47.4
20213	1.14	<0.005	0.09	9.90	35.1	1770	1.18	<0.01	3.85	0.14	27.70	20.3	10	7.33	80.1
20214	1.02	0.248	0.43	7.21	21.2	280	0.55	0.02	6.99	0.14	18.30	17.2	191	0.81	1220.0
20215	0.72	0.017	0.28	8.35	3.3	780	0.94	0.27	6.49	0.16	18.50	32.3	28	0.70	246.0
20216	0.94	0.016	0.08	5.77	3.8	480	0.61	<0.01	7.47	0.26	14.45	43.4	411	0.70	154.5
20217	1.22	0.178	0.30	8.74	9.2	630	0.59	<0.01	4.93	0.09	12.35	12.0	34	1.10	1390.0
20218	1.30	0.011	0.30	9.14	16.6	1240	1.02	0.06	4.96	0.09	20.20	50.8	16	0.47	187.0
20219	0.74	0.038	0.09	8.67	0.3	900	0.89	<0.01	5.22	0.04	22.80	18.0	34	0.73	104.0
20222	0.66	<0.005	0.07	8.78	2.4	100	0.58	<0.01	5.73	0.04	18.90	29.3	61	0.08	46.3
20223	1.12	<0.005	0.21	8.34	5.7	300	1.12	0.05	7.29	0.51	35.20	20.3	204	0.08	90.0
20224	2.12	0.021	0.22	8.78	4.9	1090	0.49	0.05	5.20	0.03	11.40	18.1	22	0.32	21.6
20225	1.72	0.094	1.63	8.85	11.9	140	0.59	1.13	5.67	0.04	12.80	23.0	13	0.34	26.5
20226	0.74	<0.005	0.06	9.05	2.6	1280	1.24	<0.01	5.54	0.07	18.80	39.1	7	0.64	16.6
20227	1.34	0.018	0.14	9.11	24.5	1690	1.28	0.02	5.27	0.03	22.90	26.2	30	0.25	118.0
20228	1.12	0.136	3.04	7.76	10.7	1520	0.87	0.11	7.81	0.11	20.50	18.7	249	0.19	2350.0
20229	1.54	0.020	0.24	7.88	16	880	0.99	0.08	10.95	0.19	21.20	13.8	206	0.27	83.2
20230	1.38	0.005	0.14	8.14	19.0	970	1.38	<0.01	6.32	0.22	26.80	22.9	81	1.30	100.5
20231	1.36	<0.005	0.11	8.03	12.7	2010	0.86	0.02	6.60	0.34	21.90	22.7	258	0.44	85.1
20232	0.90	0.011	0.22	5.61	18.0	580	0.60	<0.01	8.55	0.21	18.00	30.5	106	0.42	101.0
20233	0.76	<0.005	0.08	8.80	18.3	1300	1.18	0.15	5.10	0.07	25.80	15.5	19	0.25	104.5
20234	2.30	0.007	0.10	9.07	5.3	480	0.56	<0.01	4.44	0.03	12.40	29.8	16	0.83	12.9
20235	1.46	0.005	0.08	8.47	15.1	370	0.88	0.02	9.26	0.19	18.85	18.5	12	1.86	96.8
20273	0.76	<0.005	0.06	8.83	9.8	960	1.00	<0.01	4.22	0.09	17.75	27.2	19	6.76	86.7
20274	1.94	0.008	0.10	9.11	2.9	930	1.42	<0.01	5.43	0.12	26.60	31.4	6	3.04	159.5
20275	0.92	<0.005	0.05	8.75	1.7	850	0.96	<0.01	4.55	0.08	15.95	28.2	24	2.51	93.5
20276	1.02	<0.005	0.04	8.26	4.1	540	0.97	<0.01	8.41	0.09	13.15	25.7	22	0.69	99.5
20278	0.94	<0.005	0.12	8.32	<0.2	560	1.42	<0.01	4.97	0.15	32.30	22.9	22	0.75	97.5
20279	1.64	0.005	0.07	7.57	<0.2	940	1.12	0.02	7.99	0.15	21.20	34.9	33	0.33	104.0
20280	0.58	<0.005	0.06	7.91	<0.2	740	0.88	0.02	5.97	0.15	21.60	34.6	35	0.22	137.0

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - B

Total # Pages: 4 (A - D)

Finalized Date: 20-SEP-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06074389

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	Hg-CV41 Hg ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm
		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
20028		7.09	19.75	0.12	2.1	0.11	0.064	2.06	11.9	20.5	3.22	1430	0.35	2.50	2.7	23.6
20202		6.68	18.40	0.11	1.6	0.09	0.055	1.26	5.7	15.0	2.13	1225	0.41	3.81	1.6	11.1
20203																
20204																
20205																
20206																
20207																
20208																
20209		10.05	15.35	0.15	1.1	0.04	0.053	1.42	7.3	13.3	5.84	1770	1.14	1.24	0.8	123.0
20210		7.66	17.25	0.15	1.9	0.02	0.051	1.19	12.3	18.4	3.94	1375	0.28	2.44	1.6	61.0
20211		4.09	20.80	0.11	2.2	<0.01	0.041	1.62	7.7	16.2	1.25	1190	0.24	3.25	3.6	6.4
20212		3.94	20.20	0.10	2.1	0.06	0.063	1.64	7.8	26.4	0.99	1065	0.28	2.50	3.4	5.0
20213		5.68	18.25	0.21	2.9	0.43	0.060	2.60	13.8	17.3	1.82	1170	0.57	3.45	4.0	9.0
20214		15.75	19.00	0.22	1.4	0.12	0.108	0.58	10.3	13.3	2.59	1340	1.15	2.17	2.0	164.0
20215		7.11	17.35	0.19	1.5	0.01	0.049	3.24	9.1	14.8	3.15	1330	0.82	1.57	1.8	21.8
20216		7.39	11.50	0.15	1.5	0.01	0.056	1.31	7.7	12.1	7.23	1330	0.89	1.26	1.7	199.5
20217		5.36	18.15	0.15	0.9	0.27	0.047	1.29	5.6	15.6	2.56	757	0.39	3.18	1.5	20.3
20218		7.70	17.45	0.18	1.5	0.17	0.045	3.15	9.8	20.6	2.55	1560	1.08	2.17	2.6	20.0
20219		5.31	16.60	0.19	0.9	0.02	0.037	1.49	10.6	16.1	2.17	687	2.02	2.18	3.8	18.3
20222		6.03	18.55	0.18	1.5	0.01	0.081	0.36	9.0	17.7	2.70	1650	0.28	2.46	2.9	29.7
20223		6.10	15.45	0.19	1.9	0.07	0.058	0.70	17.9	10.6	3.24	1610	0.20	2.15	2.5	133.0
20224		4.87	18.90	0.15	1.1	0.09	0.062	2.32	5.2	7.8	0.76	798	0.24	2.89	1.7	19.8
20225		7.34	13.95	0.18	1.1	0.29	0.063	2.25	5.6	12.8	1.47	1435	0.84	2.47	1.6	11.1
20226		6.21	17.55	0.17	1.7	0.08	0.059	3.64	9.7	8.2	2.01	1320	0.37	2.19	2.1	14.3
20227		6.62	16.85	0.17	1.6	0.20	0.057	3.12	11.9	13.4	2.15	1670	0.30	2.16	3.7	19.6
20228		7.74	14.05	0.16	1.7	0.04	0.093	3.20	10.8	6.0	3.61	1615	0.29	1.39	2.5	177.5
20229		4.32	13.10	0.18	2.0	0.03	0.035	3.78	10.4	9.8	2.43	1240	0.32	1.22	2.4	92.4
20230		5.26	16.60	0.13	2.3	0.05	0.055	1.68	14.4	19.1	1.48	943	1.63	1.86	3.4	22.0
20231		5.76	12.35	0.16	2.1	0.03	0.041	2.99	11.1	20.1	3.37	2300	0.39	2.07	2.6	153.5
20232		5.54	11.00	0.14	1.4	1.16	0.048	1.96	9.1	12.1	3.25	1565	1.99	0.94	4.6	28.9
20233		5.06	18.25	0.19	2.8	0.02	0.060	2.37	14.7	21.5	2.00	1465	0.80	3.56	5.1	8.5
20234		6.15	16.55	0.16	1.5	0.04	0.042	1.11	5.4	9.1	1.99	1185	0.45	3.63	1.6	10.4
20235		4.98	17.40	0.17	2.1	0.23	0.064	2.37	9.6	26.0	1.66	1185	1.02	3.09	2.7	7.8
20273		6.76	15.85	0.15	1.8	0.04	0.048	3.04	9.0	31.8	2.76	1205	0.64	3.26	1.9	14.4
20274		6.34	17.65	0.18	2.0	0.15	0.057	2.62	13.9	13.4	2.94	1350	0.85	2.93	4.1	12.7
20275		6.90	17.25	0.18	2.0	0.08	0.051	3.09	7.8	24.1	2.89	1155	0.88	3.33	2.1	16.5
20276		5.67	18.95	0.17	1.6	0.04	0.042	2.35	6.4	18.5	1.74	1050	0.47	2.45	1.5	13.7
20278		5.88	17.65	0.17	2.6	0.04	0.057	2.63	16.6	19.0	2.93	1320	0.36	3.24	10.3	11.7
20279		7.85	14.15	0.19	1.5	0.23	0.059	2.14	11.0	13.8	4.27	1390	0.55	1.69	2.5	21.1
20280		8.20	16.35	0.18	1.6	0.09	0.064	1.18	10.8	13.0	4.24	1330	0.29	2.12	3.1	24.9

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - C

Total # Pages: 4 (A - D)

Finalized Date: 20-SEP-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS	VA06074389
-------------------------	------------

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units LOR	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
20028		1390	4.0	44.8	<0.002	0.07	1.11	2	0.9	802.0	0.20	<0.05	3.0	0.514	0.23	1.4
20202		1010	5.9	45.0	<0.002	1.10	0.59	2	0.6	712.0	0.11	0.28	0.8	0.439	0.33	0.9
20203																
20204																
20205																
20206																
20207																
20208																
20209		2250	3.0	48.1	<0.002	0.04	0.07	2	0.7	1210.0	0.06	<0.05	0.6	0.529	0.06	0.4
20210		1890	4.6	37.3	<0.002	0.03	0.14	2	0.8	1160.0	0.10	<0.05	1.4	0.482	0.03	0.9
20211		1060	4.4	33.7	<0.002	0.01	0.32	2	0.7	840.0	0.26	<0.05	1.7	0.349	0.16	0.9
20212		1000	8.6	42.3	<0.002	0.01	1.64	2	0.7	644.0	0.25	<0.05	1.6	0.339	0.29	0.9
20213		1780	4.9	51.3	<0.002	0.08	1.00	2	1.6	1240.0	0.28	<0.05	2.9	0.449	0.22	1.4
20214		1240	3.5	18.9	0.002	0.11	0.53	2	1.4	903.0	0.13	<0.05	1.1	0.370	0.08	1.7
20215		2180	28.6	63.2	0.004	2.08	0.28	8	0.8	1050.0	0.11	0.90	1.5	0.447	0.25	0.9
20216		910	2.3	38.4	<0.002	0.08	1.64	1	0.6	459.0	0.12	0.56	1.2	0.453	0.24	0.8
20217		960	2.4	21.6	<0.002	0.04	0.38	2	0.6	627.0	0.10	<0.05	0.7	0.380	0.09	0.6
20218		1950	8.1	69.9	<0.002	0.14	2.59	2	0.8	684.0	0.16	0.06	1.8	0.547	0.27	1.0
20219		1300	1.7	38.4	0.009	1.46	0.11	3	0.9	695.0	0.26	0.05	2.0	0.491	0.19	1.0
20222		1610	4.7	7.3	<0.002	0.01	1.32	1	0.6	583.0	0.19	<0.05	1.3	0.589	0.03	0.9
20223		2450	60.6	17.1	<0.002	0.35	1.80	3	0.8	745.0	0.15	0.09	2.0	0.385	0.09	4.1
20224		1130	4.4	41.4	<0.002	0.25	0.79	2	0.6	554.0	0.11	0.42	0.8	0.332	0.27	0.6
20225		990	5.7	43.3	0.004	4.83	2.18	7	0.6	689.0	0.10	1.59	0.8	0.330	0.29	0.3
20226		1640	4.8	84.6	<0.002	0.25	0.21	2	0.7	908.0	0.12	<0.05	2.2	0.326	0.27	1.2
20227		2080	4.7	53.2	<0.002	0.47	2.75	1	0.8	680.0	0.20	0.11	2.4	0.409	0.27	1.4
20228		2070	2.8	62.0	<0.002	0.11	5.46	2	0.7	524.0	0.14	0.09	1.9	0.382	0.33	1.3
20229		2250	4.6	83.9	<0.002	0.04	6.22	1	0.6	540.0	0.15	0.08	2.0	0.372	0.34	1.4
20230		1770	6.5	55.5	<0.002	0.08	3.07	2	1.0	1100.0	0.19	<0.05	2.1	0.401	0.14	1.4
20231		2090	7.9	70.9	<0.002	0.01	2.56	1	0.7	641.0	0.16	<0.05	2.2	0.397	0.38	1.5
20232		1300	15.4	48.0	<0.002	1.71	2.86	2	0.6	500.0	0.19	0.10	1.2	0.373	0.38	0.6
20233		1330	2.2	53.6	<0.002	0.04	0.57	1	1.0	1245.0	0.29	<0.05	2.5	0.433	0.25	1.2
20234		1090	3.9	38.2	<0.002	0.22	0.58	1	0.6	677.0	0.10	0.09	0.8	0.444	0.27	0.9
20235		1780	4.4	57.4	<0.002	3.90	2.38	1	0.8	455.0	0.16	<0.05	1.1	0.456	0.28	0.8
20273		1570	4.2	74.3	<0.002	0.01	0.44	1	0.7	636.0	0.12	<0.05	1.1	0.406	0.16	0.7
20274		1960	7.0	47.6	<0.002	0.10	0.18	1	0.7	945.0	0.19	<0.05	2.2	0.378	0.13	1.1
20275		1430	4.1	66.2	<0.002	0.14	0.30	1	0.7	658.0	0.13	<0.05	1.0	0.453	0.23	0.6
20276		1160	4.7	52.9	<0.002	0.01	0.18	1	0.6	538.0	0.09	<0.05	0.8	0.376	0.18	0.6
20278		2160	5.8	31.1	0.002	0.08	0.08	1	0.9	354.0	0.64	<0.05	1.7	0.620	0.07	1.0
20279		1840	6.8	61.0	<0.002	0.58	0.10	1	0.7	799.0	0.12	<0.05	1.5	0.416	0.05	0.8
20280		1590	7.4	43.0	<0.002	0.01	0.15	1	0.9	683.0	0.14	<0.05	1.7	0.448	0.05	0.7

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - D

Total # Pages: 4 (A - D)

Finalized Date: 20-SEP-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06074389

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Au-AA25
	Analyte	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	1	0.1	0.1	2	0.5	0.01
20028		295	0.4	18.3	86	64.5	
20202		218	0.7	17.5	71	41.3	
20203							
20204							
20205							
20206							
20207							
20208							
20209		387	0.3	16.5	102	26.7	
20210		335	0.3	17.9	99	51.5	
20211		157	0.2	16.3	68	59.7	
20212		154	0.3	16.1	99	57.6	
20213		167	0.3	22.1	83	91.8	
20214		347	0.4	12.8	50	33.7	
20215		356	0.4	16.2	64	37.9	
20216		283	1.7	16.6	69	40.4	
20217		202	0.3	14.4	30	20.2	
20218		312	0.9	19.4	97	36.9	
20219		214	0.2	24.3	24	23.1	
20222		230	0.9	19.9	127	35.8	
20223		244	0.7	16.8	144	56.5	
20224		201	0.6	12.9	22	25.8	
20225		205	0.5	15.3	32	26.8	
20226		251	0.4	15.3	71	44.9	
20227		261	0.5	18.5	68	40.5	
20228		258	0.7	15.2	69	46.8	
20229		239	1.1	13.4	66	58.8	
20230		254	0.6	18.8	82	66.4	
20231		252	1.4	14.4	197	58.1	
20232		238	0.5	13.0	90	39.3	
20233		282	0.6	21.9	80	81.7	
20234		235	0.8	17.0	55	38.8	
20235		261	0.3	17.0	107	54.8	
20273		294	0.4	17.6	84	52.8	
20274		270	0.5	17.4	82	57.4	
20275		306	0.3	18.7	95	57.1	
20276		262	0.3	16.0	73	45.1	
20278		217	0.3	17.0	91	75.1	
20279		307	0.4	14.8	87	39.3	
20280		291	0.4	14.0	94	43.4	

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 3 - A

Total # Pages: 4 (A - D)

Finalized Date: 20-SEP-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06074389

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
Sample Description	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
20281	0.78	<0.005	0.11	9.23	0.4	590	1.41	<0.01	5.04	0.08	33.10	29.0	7	0.90	76.5
20282	1.16	<0.005	0.05	7.85	0.9	530	1.09	0.01	6.77	0.12	21.50	36.3	29	0.24	131.0
20283	0.98	<0.005	0.05	7.57	<0.2	540	1.19	<0.01	6.83	0.09	20.40	36.8	25	0.15	143.5
20284	1.10	0.005	0.10	8.96	<0.2	1220	1.49	<0.01	5.93	0.10	34.60	26.9	20	3.42	218.0
20285	0.74	0.006	0.12	9.18	6.8	1060	1.04	0.04	4.26	0.11	29.50	26.4	7	5.30	160.0
20286	0.34	0.006	0.26	8.29	2.7	540	1.39	0.01	5.78	0.10	37.70	26.6	24	0.81	466.0
20287	0.52	0.005	0.13	8.55	17.0	850	1.44	<0.01	4.14	0.06	34.00	24.8	1	1.86	190.5
20356	2.80	0.062	0.15	8.39	5.2	690	0.82	0.10	4.16	0.07	23.10	41.8	54	0.36	182.0
20363	1.82	0.041	0.28	8.70	6.5	2210	0.86	0.07	5.33	0.04	18.75	16.0	7	0.69	250.0
20364	1.60	0.044	0.26	7.69	25.4	670	0.92	0.09	9.68	0.19	16.90	29.3	207	1.26	119.0
20365	1.78	<0.005	0.11	8.56	5.8	340	0.63	0.01	4.13	0.03	15.00	23.8	19	0.97	15.0
20370	1.26	<0.005	0.05	6.91	11	1090	0.92	0.08	11.85	0.36	20.50	28.2	188	2.12	39.6
20371	1.32	<0.005	0.07	7.77	0.2	480	0.58	0.01	7.68	0.14	16.20	32.7	69	0.19	104.5
20372	1.08	0.005	0.08	8.41	3.8	1220	1.07	0.02	6.44	0.08	25.60	32.2	252	1.41	139.5
20373	1.20	<0.005	0.05	9.36	0.9	460	0.95	<0.01	5.73	0.15	25.00	26.1	10	0.72	183.5
20374	0.76	<0.005	0.05	8.77	0.7	750	0.68	<0.01	5.80	0.17	18.55	24.9	43	0.84	42.7
20375	0.62	<0.005	0.20	7.70	2.8	1370	1.08	<0.01	6.92	0.07	22.10	27.7	236	1.64	91.8
20376	1.76	<0.005	0.06	7.45	<5	1470	0.81	<0.01	10.30	0.06	21.10	27.8	215	1.56	29.0
20377	0.76	<0.005	0.12	7.30	7	1140	0.81	<0.01	11.25	0.06	21.20	26.4	202	1.09	160.0
20378	0.68	<0.005	0.11	8.37	2.2	1590	1.10	<0.01	7.05	0.13	24.80	35.7	261	1.13	112.5
20379	0.68	<0.005	0.11	8.27	11.6	1090	1.64	<0.01	5.09	0.09	29.70	24.3	10	1.79	184.5
20380	0.88	<0.005	0.14	8.83	16.9	1040	1.62	<0.01	5.18	0.10	31.80	26.4	9	1.09	207.0
20381	0.70	<0.005	0.19	8.77	14.7	1060	1.87	<0.01	4.58	0.13	32.90	25.4	3	2.05	219.0
20382	0.54	<0.005	0.14	9.33	2.8	1070	1.66	<0.01	5.43	0.13	37.10	27.5	3	0.74	192.0
20383	1.50	<0.005	0.08	8.43	2.6	870	1.36	<0.01	5.83	0.17	39.80	33.4	7	0.30	163.0
20384	0.34	0.005	0.02	2.45	<5	200	0.31	<0.01	27.60	0.14	6.32	10.4	49	0.95	24.4
20385	0.56	<0.005	0.12	2.02	13	120	0.19	<0.01	31.20	0.27	5.94	6.2	40	<0.05	21.4
20386	0.38	<0.005	0.26	6.49	5	530	0.79	0.02	13.35	0.18	19.05	15.4	42	0.16	97.8
20387	0.42	<0.005	0.54	7.70	6.9	860	0.84	0.01	9.93	1.17	20.50	19.3	50	2.06	143.5
20388	0.50	<0.005	0.09	2.22	6	80	0.28	<0.01	28.40	0.11	6.47	13.5	54	0.13	39.8
20391	0.72	<0.005	0.06	7.67	5.2	1530	1.16	<0.01	8.48	0.14	36.50	29.4	47	2.60	85.7
20393	0.84	0.005	0.11	8.48	4.4	2080	2.07	0.02	6.86	0.11	41.50	32.5	42	5.33	143.5
20396	1.08	0.012	0.09	8.24	5.8	910	1.53	<0.01	6.37	0.15	31.70	34.7	40	6.24	161.0
20401	0.96	0.663	0.26	8.55	2.2	1220	1.34	<0.01	3.63	0.15	21.70	16.3	7	0.84	788.0
20402	1.02	2.46	0.68	8.32	2.7	1180	1.24	0.01	3.62	0.12	19.95	16.7	7	1.11	973.0
20403	1.46	0.417	0.45	8.50	4.5	1050	1.26	<0.01	7.33	0.11	25.90	33.5	26	2.30	1790.0
20404	1.38	2.37	1.40	9.18	0.9	1670	1.09	0.61	1.81	0.06	25.20	7.2	4	0.45	2670.0
20405	1.06	0.474	0.78	9.13	3.6	2000	1.12	0.02	2.65	0.25	20.50	18.3	5	1.81	1880.0
20406	1.54	0.007	0.35	8.75	6.0	1450	1.15	0.12	5.82	0.14	20.20	51.1	10	0.40	240.0
20407	0.90	<0.005	0.21	7.69	3.4	530	0.57	<0.01	4.80	0.10	13.50	35.1	205	2.77	466.0

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 3 - B

Total # Pages: 4 (A - D)

Finalized Date: 20-SEP-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06074389

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte Units LOR	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
20281		5.32	17.25	0.17	2.0	0.03	0.053	1.58	18.1	11.7	1.89	1030	0.38	3.21	4.4	16.8
20282		8.49	15.55	0.15	1.7	0.11	0.062	1.24	11.5	19.1	4.79	1410	0.63	2.07	2.4	24.4
20283		8.11	15.05	0.17	1.6	0.16	0.061	1.14	10.7	18.7	4.58	1385	0.40	2.03	2.3	24.1
20284		4.96	15.85	0.17	2.0	0.07	0.056	2.70	18.6	16.2	2.09	1180	0.72	2.74	4.5	13.9
20285		5.04	19.45	0.17	2.0	0.17	0.064	2.83	15.3	20.5	2.83	1125	1.33	2.35	3.8	9.2
20286		6.95	16.90	0.18	2.2	0.09	0.062	1.66	18.9	19.3	2.90	1500	0.90	2.79	3.6	12.9
20287		5.87	18.05	0.19	2.8	0.52	0.049	1.79	16.7	35.0	1.87	1440	0.57	3.89	5.7	2.8
20356		5.63	15.70	0.18	2.6	0.49	0.063	1.62	10.1	5.8	2.87	693	5.15	3.35	3.8	42.6
20363		6.22	17.25	0.18	2.0	0.08	0.041	3.76	8.3	13.9	2.23	733	0.44	1.99	2.5	18.4
20364		6.88	14.75	0.15	2.1	0.33	0.092	0.65	8.0	24.6	3.56	1820	0.31	1.69	2.3	135.0
20365		7.30	18.70	0.14	1.6	0.05	0.045	0.85	6.7	17.1	2.48	1540	0.59	2.92	1.8	13.1
20370		5.28	12.90	0.14	1.9	0.01	0.043	1.49	9.8	14.2	3.67	1730	0.40	0.83	2.1	123.0
20371		6.56	15.10	0.14	1.4	0.02	0.057	1.20	7.4	5.3	3.57	1245	0.49	2.26	2.6	37.3
20372		6.27	17.30	0.16	2.4	0.02	0.043	1.63	12.8	15.3	4.12	1045	1.21	2.18	2.5	149.0
20373		6.15	16.45	0.15	2.0	0.01	0.056	0.94	12.7	10.9	2.64	1210	0.24	3.57	3.3	12.0
20374		5.99	16.25	0.13	2.1	0.02	0.057	1.08	8.5	12.2	2.73	1375	0.36	2.98	3.1	26.4
20375		5.48	15.10	0.13	2.2	0.01	0.035	2.08	10.6	12.1	3.40	1140	0.72	1.99	2.3	137.0
20376		5.24	14.90	0.13	2.3	0.14	0.039	2.48	10.1	15.7	3.18	1360	0.75	1.92	2.4	127.5
20377		4.98	14.50	0.14	2.0	0.01	0.034	2.22	10.2	11.1	2.67	1205	0.62	1.76	2.2	128.0
20378		6.11	17.85	0.13	2.3	0.01	0.049	2.27	12.1	13.7	3.38	1225	0.69	2.02	2.6	174.5
20379		6.04	19.00	0.14	2.9	0.16	0.058	2.01	14.6	23.9	1.87	1765	0.68	3.87	5.6	7.0
20380		6.09	18.80	0.15	3.2	0.78	0.057	2.42	15.0	28.3	1.87	1555	0.77	3.88	5.9	8.3
20381		6.15	18.75	0.16	2.9	0.32	0.050	1.74	14.9	23.4	1.97	1550	0.53	4.53	5.3	3.4
20382		6.63	20.20	0.15	3.1	0.19	0.061	1.90	17.9	53.8	2.27	1715	1.01	3.23	5.6	4.1
20383		7.13	18.85	0.17	2.4	0.01	0.092	1.54	20.0	11.6	3.34	1480	0.24	2.55	4.2	12.5
20384		2.11	4.64	0.09	0.5	0.05	0.015	0.90	3.7	7.3	1.30	450	0.40	0.76	0.6	15.3
20385		1.37	3.18	0.07	0.4	0.03	0.011	0.63	5.8	6.4	0.60	262	2.86	0.86	0.6	9.0
20386		3.75	11.65	0.11	1.4	0.06	0.033	1.47	12.1	9.1	1.58	659	1.19	3.03	2.1	17.9
20387		4.77	14.60	0.13	1.7	0.11	0.038	4.85	11.9	13.7	2.13	769	1.37	1.84	2.4	19.0
20388		2.08	4.70	0.06	0.5	0.06	0.014	0.59	3.6	12.1	0.97	690	0.27	0.40	0.5	18.2
20391		7.14	11.90	0.13	1.9	0.01	0.052	1.91	19.7	10.3	3.53	1200	0.70	3.06	3.4	18.9
20393		7.52	16.25	0.13	2.1	0.02	0.053	1.89	22.8	25.5	3.40	1320	0.45	3.46	3.4	19.6
20396		7.22	16.20	0.14	2.0	0.01	0.066	2.22	16.0	13.1	3.61	1490	0.98	2.57	3.5	20.7
20401		4.40	17.55	0.12	1.1	0.08	0.054	3.50	10.2	9.4	1.76	756	0.42	2.79	3.3	10.1
20402		4.82	17.90	0.12	1.0	0.39	0.049	3.64	9.3	12.2	1.73	786	0.38	2.83	3.1	10.1
20403		7.85	17.95	0.15	1.7	0.16	0.092	2.15	12.2	16.3	3.21	1430	1.42	2.12	2.2	24.2
20404		3.13	18.75	0.13	1.6	0.04	0.025	6.04	10.8	4.0	0.75	534	0.42	3.16	5.4	3.4
20405		4.77	21.50	0.13	1.0	0.03	0.092	4.23	10.3	13.3	1.83	720	0.81	2.89	2.7	6.3
20406		7.15	17.20	0.18	1.7	0.05	0.057	3.33	9.7	12.1	2.57	1315	2.60	2.05	1.9	16.2
20407		6.53	14.75	0.12	1.0	0.01	0.040	2.65	6.3	23.8	5.48	1395	0.55	2.23	1.3	111.5

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 3 - C

Total # Pages: 4 (A - D)

Finalized Date: 20-SEP-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06074389

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units LOR	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
20281		2020	8.2	35.3	<0.002	0.84	0.08	1	0.7	1340.0	0.22	<0.05	2.3	0.462	0.05	0.9
20282		1740	5.0	33.4	<0.002	0.13	0.15	1	0.8	554.0	0.12	<0.05	1.8	0.451	0.04	0.8
20283		1630	5.0	33.3	<0.002	0.39	0.10	1	0.7	595.0	0.11	<0.05	1.7	0.434	0.03	0.7
20284		2040	6.2	57.5	<0.002	1.46	0.10	1	0.7	940.0	0.21	<0.05	2.4	0.462	0.13	0.9
20285		1950	7.0	77.1	<0.002	1.39	0.14	2	0.8	962.0	0.17	0.07	1.8	0.458	0.38	0.9
20286		2970	7.3	30.7	<0.002	0.08	0.24	2	0.9	751.0	0.23	<0.05	1.6	0.631	0.12	1.0
20287		3140	4.6	24.6	<0.002	0.10	0.41	2	1.0	687.0	0.35	<0.05	2.2	0.524	0.09	1.2
20356		1360	2.9	29.6	0.010	2.09	0.37	4	1.3	440.0	0.24	0.67	1.7	0.585	0.15	1.0
20363		1920	3.3	54.7	0.002	0.38	0.46	2	0.9	642.0	0.19	0.13	1.9	0.509	0.26	1.0
20364		1930	4.6	19.9	<0.002	0.07	3.78	2	0.6	563.0	0.16	0.52	2.0	0.366	0.07	1.0
20365		920	8.9	36.6	<0.002	0.23	0.64	2	0.7	615.0	0.13	0.09	0.9	0.483	0.24	0.9
20370		2090	3.1	52.0	0.002	0.02	0.64	2	0.6	517.0	0.15	<0.05	1.9	0.324	0.24	1.0
20371		1110	6.7	23.1	<0.002	0.15	0.10	2	0.6	570.0	0.17	<0.05	1.3	0.454	0.11	0.5
20372		2070	9.5	42.2	<0.002	0.01	0.59	2	0.7	1120.0	0.18	<0.05	2.2	0.406	0.03	1.3
20373		1680	5.3	22.9	<0.002	0.03	0.15	2	0.7	2320.0	0.18	<0.05	1.9	0.393	0.05	0.9
20374		1110	2.5	27.4	<0.002	0.04	0.09	2	0.7	694.0	0.19	<0.05	1.1	0.544	0.08	0.7
20375		1940	6.1	55.6	<0.002	0.01	0.40	1	0.7	820.0	0.16	<0.05	2.1	0.365	0.10	1.3
20376		1880	6.7	70.6	<0.002	<0.01	0.37	2	0.7	703.0	0.16	<0.05	2.0	0.372	0.19	1.4
20377		1910	5.7	59.1	<0.002	0.09	0.29	2	0.6	872.0	0.15	<0.05	1.9	0.348	0.04	1.4
20378		2170	6.3	61.3	<0.002	<0.01	0.52	2	0.7	1010.0	0.18	<0.05	2.2	0.404	0.07	1.2
20379		3260	6.3	32.4	<0.002	0.05	0.28	2	1.1	958.0	0.38	<0.05	1.8	0.560	0.09	1.0
20380		3300	8.0	27.1	0.002	0.11	0.20	2	1.2	656.0	0.41	<0.05	1.9	0.593	0.16	0.9
20381		3180	6.8	20.8	<0.002	0.01	0.22	2	1.1	853.0	0.37	<0.05	1.7	0.568	0.09	1.1
20382		3350	7.4	28.0	0.002	0.02	0.10	2	1.2	1250.0	0.38	<0.05	2.1	0.593	0.11	1.3
20383		2410	11.8	36.0	<0.002	0.06	0.77	2	1.0	950.0	0.20	<0.05	2.7	0.527	0.11	1.0
20384		900	2.4	20.6	<0.002	0.07	0.17	2	0.3	473.0	<0.05	<0.05	0.3	0.121	0.06	2.0
20385		2560	2.3	12.1	0.022	0.13	0.59	3	0.2	2030.0	<0.05	<0.05	0.3	0.094	0.62	2.3
20386		1740	7.1	38.0	0.003	0.58	0.41	4	0.6	626.0	0.14	0.05	1.4	0.250	0.17	1.2
20387		2030	247.0	103.0	0.005	0.68	0.37	4	0.7	337.0	0.15	<0.05	1.5	0.313	0.28	1.2
20388		800	3.4	17.1	<0.002	0.06	0.80	2	0.3	430.0	<0.05	<0.05	0.3	0.122	0.08	1.0
20391		2900	6.8	40.1	<0.002	<0.01	0.29	2	0.8	912.0	0.18	<0.05	2.7	0.428	0.06	1.1
20393		3530	33.4	43.3	<0.002	0.03	0.14	2	1.0	1450.0	0.19	<0.05	3.2	0.414	0.08	1.4
20396		2210	8.9	56.7	<0.002	0.01	0.29	2	0.8	920.0	0.17	<0.05	2.3	0.442	0.11	0.9
20401		1710	4.9	64.0	<0.002	0.04	0.35	3	0.6	862.0	0.24	0.06	2.4	0.316	0.15	0.7
20402		1910	4.1	62.5	<0.002	0.04	0.32	4	0.5	820.0	0.23	0.09	2.1	0.341	0.15	0.6
20403		2480	7.0	60.0	0.002	0.27	0.28	3	0.8	1175.0	0.14	0.08	2.0	0.425	0.11	0.9
20404		1170	3.1	94.2	<0.002	0.02	0.30	3	0.6	498.0	0.31	0.18	3.9	0.210	0.19	1.2
20405		2200	8.0	82.2	<0.002	0.05	0.33	2	0.5	1170.0	0.20	<0.05	1.2	0.341	0.24	0.5
20406		2010	5.4	67.8	0.015	1.75	0.17	15	0.8	722.0	0.12	0.36	1.9	0.397	0.19	1.1
20407		990	3.4	69.4	<0.002	0.01	0.15	2	0.5	376.0	0.08	<0.05	0.7	0.304	0.04	0.4

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 3 - D

Total # Pages: 4 (A - D)

Finalized Date: 20-SEP-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06074389

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Au-AA25
	Analyte	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	1	0.1	0.1	2	0.5	0.01
20281		277	0.3	19.0	75	55.9	
20282		327	0.4	15.6	97	43.3	
20283		319	0.4	14.8	84	41.7	
20284		262	0.5	20.1	75	55.4	
20285		318	0.4	21.9	64	51.6	
20286		282	0.3	20.3	99	65.5	
20287		196	0.5	21.8	108	86.8	
20356		228	2.3	24.2	25	76.5	
20363		298	2.6	19.3	33	53.9	
20364		248	1.5	12.6	84	53.3	
20365		257	0.6	19.5	74	43.0	
20370		190	0.5	13.3	115	58.7	
20371		283	0.2	15.2	76	40.4	
20372		296	0.5	16.5	81	75.3	
20373		270	0.2	19.3	74	57.5	
20374		222	0.2	18.1	94	65.3	
20375		243	0.5	15.0	85	68.3	
20376		238	0.6	15.0	87	71.0	
20377		240	0.4	14.1	64	65.2	
20378		279	0.4	16.1	105	68.7	
20379		212	0.6	20.3	99	91.7	
20380		215	1.1	22.0	109	96.0	
20381		205	0.5	21.4	107	90.6	
20382		223	0.2	24.4	111	95.4	
20383		360	0.3	24.2	89	65.2	
20384		90	0.1	6.8	31	13.5	
20385		63	0.5	11.0	39	12.7	
20386		144	0.4	16.5	82	45.2	
20387		189	0.5	17.6	72	52.9	
20388		91	0.3	6.1	30	12.8	
20391		279	0.9	15.8	96	56.1	
20393		318	0.4	18.4	107	65.1	
20396		291	0.5	19.2	98	58.4	
20401		211	0.5	16.1	34	25.8	
20402		242	0.6	15.5	35	23.7	2.50
20403		325	0.3	19.7	79	44.7	
20404		208	0.3	18.1	31	35.3	2.92
20405		305	0.2	11.8	83	24.3	
20406		300	0.7	16.8	71	46.6	
20407		426	0.4	11.9	77	25.7	

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 4 - A

Total # Pages: 4 (A - D)

Finalized Date: 20-SEP-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06074389

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
Sample Description	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
20408	0.78	<0.005	0.06	8.09	4.8	570	0.74	<0.01	5.82	0.20	10.25	36.1	203	1.55	85.4
20409	0.60	<0.005	0.06	8.46	1.0	530	0.78	<0.01	6.79	0.11	14.55	34.0	166	0.82	113.5
20410	1.08	<0.005	0.06	8.69	0.7	820	0.90	<0.01	5.04	0.16	14.50	29.6	137	2.67	79.8
20411	0.94	<0.005	0.06	6.60	7.1	660	0.63	0.03	5.62	0.24	10.70	39.2	333	1.56	41.0
20412	1.44	0.007	0.10	7.13	1.4	380	0.60	0.02	6.41	0.09	10.50	38.6	240	0.10	285.0
20413	0.98	0.005	0.11	9.12	22.5	840	1.34	<0.01	5.18	0.11	32.40	28.0	5	2.08	186.0
20414	1.04	<0.005	0.10	6.47	8.3	560	0.99	<0.01	9.90	0.12	21.40	43.6	149	0.16	117.5
20415	0.56	<0.005	0.08	8.28	3.8	680	1.13	<0.01	6.93	0.34	27.80	33.3	28	0.56	128.0
20416	1.16	<0.005	0.08	7.23	0.7	850	0.81	<0.01	7.88	0.11	17.95	38.3	137	0.15	136.0
20417	0.78	<0.005	0.06	2.31	<5	240	0.34	<0.01	27.90	0.10	6.50	12.6	64	0.05	30.0
20418	0.92	<0.005	0.07	6.65	2.6	380	0.88	<0.01	9.40	0.10	16.45	30.5	129	3.00	92.8
20419	0.68	<0.005	0.08	7.33	0.6	610	0.90	<0.01	7.79	0.07	18.55	43.0	171	0.34	121.0
20420	0.88	<0.005	0.21	7.83	21.5	970	1.16	0.02	6.32	0.14	31.70	37.6	40	2.93	128.5
20421	0.90	0.009	0.09	7.55	3.5	1080	1.55	0.03	6.91	0.13	39.20	38.3	37	3.99	220.0
20422	0.82	<0.005	0.35	7.04	6.6	720	1.21	0.03	6.75	0.19	37.70	43.8	39	0.82	769.0
20423	1.24	<0.005	0.06	7.93	3.0	1140	1.72	0.04	6.86	0.11	41.20	42.0	37	4.73	164.0
20801	1.44	<0.005	0.08	7.49	16.4	680	1.44	<0.01	4.83	0.06	17.10	36.3	48	2.00	131.0
20802	1.04	<0.005	0.06	9.40	5.7	1050	0.67	<0.01	3.67	0.23	18.10	24.2	6	2.35	61.1
20803	0.48	<0.005	0.05	7.16	4.4	340	0.57	0.02	7.37	0.40	12.20	45.7	369	2.79	5.5
20804	1.42	<0.005	0.05	8.80	6.8	650	0.76	<0.01	4.19	0.26	20.30	22.1	6	4.10	27.5
20805	0.66	<0.005	0.14	8.09	1.9	1400	0.53	<0.01	3.42	0.38	18.55	28.7	70	1.01	87.2
20806	Not Recvd														
20807	0.74	<0.005	0.04	9.04	54.4	1790	0.95	<0.01	5.11	0.12	19.15	20.0	28	1.80	50.7
20808	0.84	0.006	0.10	8.91	24.1	720	0.54	<0.01	4.93	0.12	18.30	21.7	129	1.00	47.3
20809	0.76	0.058	0.14	7.78	13.6	820	0.81	<0.01	8.13	0.12	14.35	21.6	237	4.66	53.4
250377	1.26	<0.005	0.11	8.94	8.5	930	0.93	<0.01	5.88	0.11	27.50	22.8	4	9.73	171.5
250378	1.10	<0.005	0.05	8.71	29.0	750	0.62	<0.01	5.59	0.15	22.20	32.5	59	1.56	105.5
250379	0.82	0.007	0.06	8.68	26.1	970	0.71	<0.01	6.03	0.15	22.70	32.2	66	1.82	123.0
250723	0.80	<0.005	0.09	8.43	1.9	580	0.70	<0.01	6.73	0.08	21.70	44.9	180	7.14	159.5
250724	1.24	<0.005	0.08	9.36	5.9	570	0.99	<0.01	3.87	0.07	23.20	21.3	10	0.40	81.3

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 4 - B

Total # Pages: 4 (A - D)

Finalized Date: 20-SEP-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS	VA06074389
-------------------------	------------

Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	Hg-CV41 Hg ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm
Sample Description	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
20408	6.88	15.10	0.13	1.0	0.01	0.046	2.36	4.9	19.6	5.39	1380	0.64	2.19	1.3	110.0
20409	6.20	16.35	0.14	1.9	0.01	0.041	2.54	6.5	15.8	3.84	1110	0.62	1.77	1.6	122.5
20410	6.37	16.65	0.12	1.7	<0.01	0.044	2.78	6.9	11.3	4.02	1320	0.55	2.64	2.0	73.2
20411	6.04	13.05	0.13	1.1	<0.01	0.056	2.23	5.1	14.1	6.07	1140	0.59	1.47	1.3	223.0
20412	6.12	14.40	0.12	0.9	<0.01	0.068	1.54	5.0	10.6	5.22	1180	0.80	2.08	1.6	142.0
20413	6.49	18.35	0.18	2.6	0.15	0.049	1.23	16.0	22.9	2.17	1600	0.46	4.41	5.5	5.2
20414	7.48	14.65	0.16	1.6	0.01	0.057	1.53	11.1	20.2	4.94	1505	0.92	1.47	2.3	43.1
20415	7.05	18.60	0.16	1.9	0.02	0.069	1.83	14.4	7.9	3.22	1420	0.63	2.08	3.7	22.7
20416	7.36	14.85	0.17	1.3	0.01	0.051	2.38	9.3	14.3	4.46	1400	0.67	1.48	1.6	55.6
20417	2.27	4.92	0.08	0.5	0.06	0.020	0.74	4.1	5.8	1.62	479	0.29	0.61	0.6	16.7
20418	6.04	14.05	0.13	1.2	0.01	0.048	1.65	8.5	12.5	3.51	1405	1.24	2.19	1.5	41.3
20419	6.79	15.20	0.16	1.4	0.01	0.054	1.97	9.4	19.1	4.33	1165	0.64	1.45	1.8	70.9
20420	7.71	17.95	0.16	1.7	0.05	0.062	1.40	18.0	35.2	3.82	1125	0.59	3.51	2.8	19.8
20421	7.67	16.10	0.18	1.7	0.06	0.057	1.32	22.4	16.4	3.57	1350	0.92	3.13	3.3	22.0
20422	8.16	15.40	0.17	1.8	0.13	0.057	0.93	21.2	11.4	4.21	1830	0.77	2.85	2.9	24.8
20423	8.36	16.95	0.18	1.8	0.05	0.058	1.67	23.5	15.9	4.04	1610	0.96	3.04	3.4	23.8
20801	8.13	16.00	0.19	1.5	0.02	0.050	3.13	9.0	14.1	3.50	1625	10.55	1.75	1.7	33.3
20802	6.46	19.30	0.15	1.9	0.01	0.062	1.79	8.5	11.6	1.60	1855	0.84	3.99	2.5	9.2
20803	6.22	14.40	0.15	1.3	<0.01	0.053	2.00	6.2	16.7	6.60	1215	0.33	1.50	1.7	292.0
20804	6.53	18.15	0.15	1.9	0.01	0.052	1.80	9.4	10.4	1.66	1090	1.23	2.79	3.0	10.9
20805	6.76	17.45	0.15	2.6	0.38	0.066	2.04	8.3	24.9	2.57	1095	0.82	2.03	2.0	37.0
20806															
20807	6.19	19.40	0.15	0.8	0.25	0.043	2.17	9.0	19.8	2.62	1085	0.41	2.88	3.2	17.2
20808	5.03	17.55	0.13	1.6	2.18	0.054	2.20	8.6	6.2	3.17	874	0.45	2.44	2.7	65.2
20809	6.46	15.25	0.15	2.1	0.05	0.160	1.13	6.9	20.1	3.70	1440	4.57	2.11	2.6	129.0
250377	5.92	17.10	0.17	1.7	0.01	0.048	3.22	13.6	16.7	1.68	1750	0.53	3.32	2.2	5.0
250378	6.88	19.95	0.16	1.9	0.02	0.058	1.52	11.0	33.9	3.14	1715	0.38	3.47	2.9	24.1
250379	7.15	18.40	0.16	1.9	0.03	0.060	2.20	11.1	26.3	2.99	1700	0.49	2.89	2.9	25.9
250723	8.48	15.50	0.17	2.0	0.02	0.051	1.70	10.1	14.8	4.23	1390	1.01	2.39	2.0	76.2
250724	6.02	20.10	0.17	2.4	0.02	0.055	1.96	11.0	20.4	2.20	1040	0.78	4.03	5.4	8.5

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 4 - C

Total # Pages: 4 (A - D)

Finalized Date: 20-SEP-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06074389

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
20408		1020	8.2	56.3	<0.002	0.01	0.40	2	0.5	545.0	0.08	<0.05	0.7	0.319	0.26	0.3
20409		1400	4.7	75.8	<0.002	<0.01	0.17	2	0.7	820.0	0.12	<0.05	0.7	0.423	0.05	0.5
20410		1290	4.6	55.5	<0.002	<0.01	0.06	1	0.6	920.0	0.12	<0.05	1.1	0.338	0.09	0.6
20411		960	4.7	56.3	<0.002	0.02	0.31	2	0.5	624.0	0.07	0.05	0.7	0.276	0.09	0.4
20412		970	5.1	31.4	0.004	0.01	0.18	1	0.9	517.0	0.13	<0.05	0.8	0.323	0.09	0.4
20413		3150	6.4	23.4	0.002	0.01	0.20	2	1.0	805.0	0.39	<0.05	2.0	0.569	0.04	1.4
20414		1960	4.6	40.8	0.002	0.01	0.32	1	0.8	885.0	0.15	<0.05	1.4	0.426	0.10	0.8
20415		2150	8.2	46.2	0.002	0.01	0.30	2	0.9	999.0	0.18	<0.05	2.1	0.463	0.07	0.9
20416		1770	6.0	52.7	0.002	<0.01	0.08	2	0.7	1225.0	0.11	<0.05	1.0	0.386	0.05	0.5
20417		730	2.2	18.2	0.003	0.02	0.14	2	0.3	587.0	<0.05	<0.05	0.3	0.136	0.05	1.2
20418		1770	6.2	46.3	<0.002	0.01	0.13	1	0.6	502.0	0.09	<0.05	1.0	0.340	0.04	1.3
20419		1930	5.1	61.2	0.002	0.01	0.11	1	0.7	1045.0	0.12	<0.05	1.1	0.361	0.05	0.7
20420		2590	6.5	29.2	0.002	<0.01	0.11	2	0.9	316.0	0.17	<0.05	2.3	0.410	<0.02	1.2
20421		3130	12.2	61.4	0.004	<0.01	0.17	1	0.9	1165.0	0.18	<0.05	3.2	0.409	0.03	1.6
20422		3040	5.7	31.4	0.003	0.01	0.14	2	0.9	932.0	0.16	<0.05	2.9	0.425	0.02	1.6
20423		3400	10.6	71.8	0.003	<0.01	0.23	2	1.0	1145.0	0.18	<0.05	3.4	0.435	0.05	1.7
20801		1910	10.9	89.0	0.002	0.90	0.41	3	0.8	564.0	0.09	0.22	1.1	0.383	0.13	0.5
20802		1300	9.9	33.3	<0.002	<0.01	0.23	2	0.9	984.0	0.16	<0.05	1.7	0.456	0.09	1.4
20803		1080	2.1	72.0	<0.002	0.01	0.78	2	0.6	538.0	0.10	0.06	0.9	0.343	0.32	0.6
20804		1370	16.9	45.4	<0.002	<0.01	1.63	2	0.6	695.0	0.20	<0.05	2.1	0.461	0.14	1.0
20805		1280	3.9	61.1	0.002	0.07	0.22	2	0.9	946.0	0.14	<0.05	1.0	0.555	0.15	0.7
20806																
20807		1730	2.7	52.9	0.003	0.01	0.20	2	0.7	1170.0	0.20	<0.05	1.2	0.581	0.17	0.7
20808		1050	2.6	55.4	0.002	0.36	0.67	2	0.8	818.0	0.16	0.05	1.5	0.399	0.17	0.6
20809		1960	2.4	37.2	0.003	0.01	1.11	1	0.8	751.0	0.17	0.14	2.1	0.378	0.09	1.4
250377		1880	5.2	68.7	0.004	0.04	0.31	2	0.7	1285.0	0.15	<0.05	2.9	0.385	0.09	1.3
250378		1500	5.6	36.8	0.002	0.01	2.27	2	0.8	884.0	0.20	<0.05	2.4	0.469	0.30	1.0
250379		1560	7.2	52.9	0.004	0.05	1.59	2	0.8	1110.0	0.20	<0.05	2.6	0.479	0.42	1.0
250723		1890	9.1	54.2	0.003	0.54	0.16	2	0.8	939.0	0.13	<0.05	1.3	0.483	0.04	0.9
250724		1710	6.2	31.0	0.002	0.56	0.42	2	0.8	785.0	0.34	<0.05	1.5	0.621	0.10	1.2

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 4 - D

Total # Pages: 4 (A - D)

Finalized Date: 20-SEP-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06074389

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Au-AA25
	Analyte	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	1	0.1	0.1	2	0.5	0.01
20408		246	0.3	12.5	87	28.5	
20409		241	0.2	16.7	87	54.6	
20410		240	0.2	16.3	90	50.4	
20411		202	0.3	12.6	58	27.9	
20412		238	0.8	13.8	68	22.5	
20413		215	0.9	22.3	110	76.2	
20414		285	0.3	16.5	87	44.1	
20415		338	0.4	20.3	92	53.3	
20416		293	0.2	15.5	96	35.2	
20417		95	0.1	6.8	29	12.1	
20418		256	0.4	13.9	72	33.5	
20419		259	0.3	15.2	80	38.4	
20420		346	0.8	16.0	78	45.5	
20421		322	0.7	16.7	101	50.9	
20422		276	0.9	17.0	107	48.8	
20423		353	0.9	17.5	106	54.1	
20801		321	0.7	20.7	100	40.0	
20802		252	0.3	19.4	98	53.1	
20803		232	0.3	14.8	95	34.2	
20804		249	0.3	19.8	117	55.3	
20805		224	0.4	24.3	102	71.5	
20806							
20807		262	0.3	21.2	48	16.7	
20808		206	0.4	21.7	40	37.1	
20809		252	1.0	15.9	48	65.7	
250377		266	0.4	17.3	84	48.6	
250378		287	0.5	18.3	100	55.3	
250379		289	0.5	18.3	98	55.6	
250723		284	0.3	19.9	104	56.1	
250724		223	0.3	24.6	99	67.9	

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 1

Finalized Date: 27-OCT-2006

This copy reported on 30-NOV-2006

Account: NOVRES

CERTIFICATE VA06086125

Project: Shiko Lake

P.O. No.:

This report is for 6 Rock samples submitted to our lab in Vancouver, BC, Canada on 1-SEP-2006.

The following have access to data associated with this certificate:

CRAIG BOW

RUDI DURFELD

SCOTT PETSEL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	47 element four acid ICP-MS	

To: **NOVAGOLD RESOURCES INC.**
ATTN: SCOTT PETSEL
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - A

Total # Pages: 2 (A - D)

Finalized Date: 27-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086125

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
Sample Description	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
20451	1.54	0.025	0.09	8.42	3.4	630	0.89	0.01	4.48	0.13	21.20	13.1	167	0.48	195.0
20452	1.26	0.013	0.08	8.53	8.2	190	0.82	0.05	9.11	0.07	19.10	11.9	262	0.79	111.5
20806	1.18	<0.005	0.13	8.83	13.8	880	0.80	<0.01	4.69	0.15	16.65	28.8	15	1.09	152.5
20810	1.06	0.022	0.12	8.84	3.8	1150	0.89	<0.01	6.05	0.10	18.75	29.2	15	1.13	179.5
20811	2.12	0.014	0.08	8.94	2.0	550	0.64	<0.01	5.55	0.07	19.85	17.2	152	0.83	107.5
20812	1.68	0.024	0.29	6.64	9	220	0.22	<0.01	11.10	0.09	6.71	55.6	82	0.68	549.0

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - B

Total # Pages: 2 (A - D)

Finalized Date: 27-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086125

Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	Hg-CV41 Hg ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm
Sample Description	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
20451	4.33	17.45	0.11	1.5	0.14	0.049	1.87	8.9	4.7	2.66	626	1.04	3.11	2.6	67.6
20452	3.22	16.10	0.11	1.8	0.11	0.080	0.39	7.5	13.9	3.05	1065	1.49	3.15	2.6	50.6
20806	7.13	18.35	0.10	1.7	<0.01	0.076	2.09	7.9	17.0	3.20	1355	0.49	3.44	2.8	13.9
20810	7.46	18.90	0.14	1.5	0.75	0.063	2.96	9.1	12.6	2.46	1415	1.44	2.19	2.2	17.1
20811	5.84	17.70	0.11	1.0	0.11	0.052	1.41	9.7	8.6	3.08	789	2.06	2.84	2.8	54.8
20812	12.05	18.15	0.13	0.9	0.28	0.075	0.81	2.6	8.3	5.16	1475	0.40	0.51	0.5	58.8

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - C

Total # Pages: 2 (A - D)

Finalized Date: 27-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086125

Method Analyte Units LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
20451	1190	1.6	31.7	0.003	0.13	0.21	2	1.1	604.0	0.16	<0.05	1.7	0.407	0.09	0.7
20452	1490	3.0	10.4	0.007	0.21	0.39	2	0.9	865.0	0.16	<0.05	1.7	0.391	0.06	1.0
20806	1450	4.7	37.0	<0.002	0.02	0.21	1	0.8	872.0	0.16	<0.05	1.2	0.594	0.06	0.7
20810	2120	4.6	71.8	0.003	0.03	0.23	1	0.8	906.0	0.14	<0.05	1.8	0.483	0.16	1.0
20811	1350	1.7	27.7	0.013	0.38	0.16	3	1.0	714.0	0.15	<0.05	1.5	0.424	0.08	0.8
20812	350	3.3	24.5	<0.002	0.03	0.42	2	0.6	686.0	<0.05	<0.05	0.4	0.608	0.06	0.2

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - D

Total # Pages: 2 (A - D)

Finalized Date: 27-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086125

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	1	0.1	0.1	2	0.5
20451		197	0.5	17.6	24	39.6
20452		212	0.5	19.3	32	53.6
20806		359	0.4	16.8	98	53.2
20810		308	0.5	19.0	82	39.7
20811		215	0.5	20.7	27	21.9
20812		592	0.3	12.3	92	21.5

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 1

Finalized Date: 24-JUL-2006

This copy reported on 13-OCT-2006

Account: NOVRES

CERTIFICATE VA06058522

Project: Shiko Lake

P.O. No.:

This report is for 218 Soil samples submitted to our lab in Vancouver, BC, Canada on 26-JUN-2006.

The following have access to data associated with this certificate:

CRAIG BOW

RUDI DURFELD

SCOTT PETSSEL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	47 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **NOVAGOLD RESOURCES INC.**
ATTN: RUDI DURFELD
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: _____

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - A

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058522

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
20031		0.26	0.010	0.17	7.20	20.0	560	1.46	0.18	5.54	0.27	67.00	19.1	113	3.47	114.0
20032B		0.20	0.042	0.43	7.31	31.4	670	1.14	0.13	5.99	0.24	42.70	28.7	138	1.74	422.0
20032T		0.16	<0.005	0.16	8.61	16.6	720	1.97	0.19	1.88	0.23	48.60	21.8	203	4.31	57.3
20033B		0.10	0.021	0.66	7.98	18.9	680	1.36	0.16	3.18	0.45	45.70	21.1	165	3.24	156.0
20033T		0.08	0.010	0.35	4.53	9.3	430	0.84	0.11	1.95	0.75	32.70	10.6	94	2.07	65.4
20034T		0.16	0.007	0.25	8.29	9.2	720	1.50	0.14	2.84	0.49	48.50	20.2	188	3.88	44.2
20035T		0.16	0.034	0.17	7.55	8.5	590	1.27	0.10	2.44	0.22	43.20	16.7	121	3.18	61.6
20036B		0.02	0.008	0.23	6.97	8.2	580	1.02	0.09	5.00	0.24	38.10	29.0	208	2.43	159.5
20036T		0.12	0.006	0.16	6.36	5.5	510	0.91	0.07	5.16	0.27	30.70	28.1	225	2.28	153.5
20038B		0.16	0.014	0.12	7.94	12.9	620	1.64	0.24	3.06	0.18	58.90	23.8	183	4.13	146.0
20038T		0.06	<0.005	0.27	6.35	5.5	610	1.04	0.12	3.54	0.41	43.70	18.4	173	3.16	47.3
20039B		0.06	0.021	0.17	8.32	9.0	660	1.69	0.20	2.14	0.09	54.50	19.4	186	3.79	221.0
20039T		0.10	0.017	0.29	6.48	5.4	580	1.15	0.12	3.60	0.26	40.80	21.5	198	2.81	73.8
20040B		0.06	0.010	0.30	6.63	7.1	600	1.38	0.15	3.26	0.24	50.30	18.7	182	2.26	111.0
20040T		0.12	0.013	0.40	6.83	7.0	550	1.21	0.11	3.79	0.21	50.70	21.6	206	2.34	103.5
20041B		0.04	0.007	0.10	8.62	8.0	610	1.72	0.20	2.77	0.13	58.30	34.6	401	4.30	119.0
20041T		0.18	0.018	0.23	7.54	7.5	620	1.47	0.13	3.09	0.23	49.10	22.3	231	2.99	127.0
20042B		0.10	0.022	0.38	7.33	5.7	500	1.11	0.10	5.28	0.09	50.80	18.2	168	1.94	221.0
20042T		0.12	0.027	0.26	7.13	8.5	580	1.37	0.12	3.27	0.17	54.30	19.2	225	2.54	161.0
20043B		0.08	0.016	0.28	7.01	9.2	550	1.34	0.18	3.51	0.26	46.70	24.7	262	2.80	154.0
20043T		0.20	0.031	0.16	7.00	12.5	550	1.46	0.17	3.12	0.17	65.10	22.5	170	2.49	198.5
20044B		0.12	0.008	0.21	7.75	7.4	560	1.60	0.20	2.34	0.22	53.70	31.1	365	4.13	153.0
20044T		0.14	0.020	0.19	8.63	7.5	660	1.93	0.18	2.37	0.16	52.90	23.1	213	4.45	187.5
20045B		0.10	0.010	0.21	7.21	8.6	560	1.19	0.12	3.13	0.26	42.60	31.0	430	2.38	85.0
20045T		0.10	0.006	0.15	7.65	12.6	580	1.54	0.15	2.45	0.17	59.20	27.0	371	3.03	90.0
20047B		0.06	0.030	0.28	9.25	14.6	560	1.19	0.11	2.79	0.18	37.20	19.3	67	2.86	205.0
20047T		0.20	0.038	0.27	9.39	13.2	560	1.00	0.08	3.41	0.12	31.00	19.9	67	2.39	246.0
20048T		0.18	0.051	0.16	9.12	16.8	420	1.17	0.12	2.92	0.07	39.30	27.3	68	2.65	325.0
20049B		0.14	0.021	0.19	7.74	8.9	560	1.57	0.17	2.07	0.11	56.50	22.2	159	3.47	104.5
20049T		0.12	0.021	0.21	7.62	9.8	560	1.49	0.25	2.37	0.18	51.60	20.1	152	3.06	157.5
20050B		0.10	0.022	0.16	8.20	11.4	580	1.53	0.19	2.61	0.10	47.90	22.8	152	3.24	192.0
20050T		0.18	0.010	0.20	7.81	8.4	580	1.16	0.12	2.23	0.11	43.70	16.0	140	2.69	100.0
20101B		0.12	0.007	0.15	7.45	16.4	560	1.54	0.19	4.44	0.24	58.50	19.3	81	3.92	109.0
20101T		0.14	0.014	0.13	8.59	12.4	630	1.92	0.24	1.93	0.14	65.30	22.6	138	4.63	176.0
20102B		0.14	0.009	0.43	8.01	9.5	600	1.54	0.13	2.05	0.14	54.70	18.8	126	3.64	145.0
20102T		0.12	0.015	0.17	7.78	10.5	580	1.51	0.13	2.65	0.17	53.30	20.7	140	3.41	135.5
20103B		0.16	0.020	0.28	8.52	11.2	620	1.91	0.21	2.19	0.11	67.90	24.4	125	4.50	206.0
20103T		0.16	0.032	0.22	7.82	8.9	570	1.40	0.15	2.42	0.20	56.50	20.6	119	3.10	161.0
20104B		0.14	0.015	0.15	7.88	8.3	570	1.81	0.19	2.60	0.16	63.00	26.2	148	3.97	159.0
20104T		0.14	0.030	0.13	7.81	7.3	560	1.53	0.13	2.59	0.14	61.00	22.4	160	3.27	232.0

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - B

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058522

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte Units LOR	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
20031		4.68	18.35	0.12	1.2	0.17	0.052	1.78	36.3	31.9	1.81	993	1.18	1.16	8.5	54.5
20032B		7.23	18.00	0.12	1.5	0.34	0.058	1.53	21.8	20.8	2.94	1585	1.83	1.42	5.5	60.7
20032T		5.42	25.30	0.14	1.3	0.06	0.076	2.50	25.5	50.2	1.90	605	1.23	1.06	10.5	75.2
20033B		5.25	20.30	0.13	1.3	0.16	0.065	2.00	25.4	32.4	1.88	1230	1.65	1.15	8.0	58.7
20033T		2.85	11.70	0.08	0.7	0.20	0.035	1.16	17.2	21.4	0.94	779	1.37	0.65	5.7	34.3
20034T		5.28	22.90	0.14	1.4	0.05	0.062	2.01	26.2	42.1	1.96	1155	0.90	1.33	9.6	64.0
20035T		5.08	18.55	0.12	1.2	0.05	0.049	1.83	21.7	29.3	1.76	683	0.71	1.14	7.3	45.7
20036B		7.19	18.25	0.13	1.3	0.07	0.056	1.50	18.6	25.3	3.32	1325	1.52	1.11	5.4	70.5
20036T		7.22	16.55	0.10	1.2	0.08	0.053	1.30	15.0	23.5	3.42	1240	0.70	0.99	4.6	70.9
20038B		5.63	21.60	0.18	1.4	0.13	0.078	2.03	33.4	44.2	2.28	1070	1.00	1.17	9.3	77.4
20038T		4.54	17.85	0.13	1.3	0.08	0.045	1.55	24.0	24.6	1.91	1190	0.96	1.27	7.1	46.5
20039B		5.50	20.00	0.13	1.2	0.13	0.056	2.32	28.2	35.9	2.00	985	1.34	1.13	8.7	67.7
20039T		5.38	17.90	0.13	1.3	0.06	0.050	1.56	21.1	28.0	2.24	1055	0.99	1.14	7.1	64.4
20040B		4.91	16.00	0.13	1.1	0.06	0.046	1.48	27.2	22.1	1.90	1560	1.17	1.35	7.8	55.6
20040T		5.61	17.45	0.14	1.2	0.05	0.051	1.48	25.5	24.5	2.26	973	1.33	1.25	7.0	66.6
20041B		6.63	22.70	0.16	1.5	0.10	0.060	2.24	32.7	47.8	4.96	1205	2.84	0.95	9.2	252.0
20041T		5.11	18.65	0.15	1.2	0.06	0.051	1.79	26.0	28.9	2.21	1180	0.79	1.34	8.4	77.7
20042B		4.98	17.10	0.15	1.0	0.11	0.042	1.44	28.5	20.9	2.40	913	1.37	1.66	6.9	62.8
20042T		5.14	17.25	0.13	1.2	0.08	0.051	1.68	27.0	25.6	2.18	904	0.68	1.32	7.6	70.9
20043B		5.52	17.40	0.15	1.2	0.09	0.051	1.60	25.7	34.4	2.89	1230	0.98	1.12	7.4	116.0
20043T		5.10	15.60	0.10	1.4	0.12	0.054	1.62	33.6	27.2	2.05	1070	0.71	1.29	7.7	67.1
20044B		5.57	20.60	0.15	1.4	0.09	0.053	2.02	29.7	45.2	3.88	1055	1.11	0.88	9.1	213.0
20044T		5.53	24.00	0.18	1.3	0.06	0.063	2.46	26.9	53.4	2.46	893	0.65	1.10	10.6	108.0
20045B		5.56	16.05	0.09	1.4	0.08	0.052	1.68	20.7	32.5	4.04	1195	1.16	1.10	6.3	195.0
20045T		5.47	17.65	0.09	1.4	0.08	0.050	1.87	28.4	37.4	3.20	1065	0.65	1.07	8.3	152.0
20047B		5.07	22.70	0.15	1.3	0.21	0.048	1.23	18.2	24.0	1.29	707	2.13	1.61	5.9	34.5
20047T		5.14	22.40	0.14	1.3	0.25	0.046	1.25	14.8	20.9	1.48	745	2.37	1.53	5.4	34.1
20048T		5.47	24.20	0.17	1.2	0.29	0.042	1.20	17.5	24.0	1.42	582	1.94	1.45	5.1	32.2
20049B		4.99	20.40	0.16	1.3	0.06	0.050	1.76	28.8	34.5	1.89	750	1.54	1.32	8.5	69.2
20049T		4.88	19.10	0.16	1.2	0.09	0.053	1.52	25.7	28.9	1.82	918	1.54	1.42	7.6	61.7
20050B		5.52	20.30	0.16	1.2	0.18	0.051	1.80	24.9	31.4	1.94	927	1.55	1.46	6.8	59.8
20050T		4.92	17.50	0.12	1.1	0.09	0.043	1.68	22.0	27.5	1.74	752	1.23	1.50	6.7	46.8
20101B		4.69	19.15	0.18	1.3	0.22	0.047	1.80	32.3	34.3	1.50	946	2.48	1.25	9.0	42.2
20101T		5.37	23.80	0.20	1.4	0.19	0.063	2.18	34.8	45.4	1.77	903	1.45	1.27	9.4	61.8
20102B		4.90	21.00	0.16	1.2	0.10	0.053	1.94	28.9	39.8	1.66	813	1.61	1.39	8.4	49.8
20102T		5.04	20.40	0.18	1.4	0.14	0.053	1.75	28.1	34.9	1.88	923	1.46	1.45	8.6	57.8
20103B		5.35	20.90	0.18	1.4	0.21	0.069	2.17	36.4	43.0	1.80	957	2.22	1.32	9.0	64.0
20103T		4.90	17.95	0.16	1.2	0.12	0.057	1.64	30.4	33.2	1.68	970	1.30	1.55	7.3	55.5
20104B		5.21	18.95	0.19	1.3	0.13	0.061	2.02	33.5	39.3	2.10	922	1.30	1.30	8.7	72.7
20104T		5.26	18.10	0.17	1.4	0.10	0.063	1.70	31.9	39.1	2.14	798	1.21	1.51	7.7	71.5

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - C

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058522

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units LOR	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
20031		1000	20.6	72.7	0.002	0.01	1.27	2	1.5	441.0	0.62	<0.05	10.4	0.365	0.43	1.8
20032B		1840	13.8	47.1	0.002	0.01	0.95	2	1.1	318.0	0.41	0.05	5.5	0.494	0.31	1.5
20032T		750	23.1	76.8	0.002	0.01	0.83	2	2.2	270.0	0.77	0.08	7.8	0.394	0.59	1.7
20033B		950	18.0	79.3	0.002	0.03	0.85	3	1.6	307.0	0.57	0.07	6.8	0.398	0.46	1.7
20033T		920	13.2	51.9	<0.002	0.09	0.55	2	1.2	195.5	0.42	<0.05	4.3	0.238	0.28	0.9
20034T		1130	16.1	86.0	0.002	0.01	0.58	2	1.9	297.0	0.69	<0.05	7.2	0.475	0.44	1.5
20035T		1160	12.4	73.3	<0.002	0.02	0.47	2	1.4	292.0	0.55	<0.05	6.1	0.412	0.32	1.2
20036B		1300	11.0	56.5	0.002	0.01	0.47	2	1.2	339.0	0.40	<0.05	4.9	0.477	0.25	1.1
20036T		1180	8.9	49.1	<0.002	0.02	0.37	2	1.1	316.0	0.32	<0.05	4.0	0.452	0.20	0.9
20038B		990	16.8	82.4	0.002	0.01	0.79	2	2.0	311.0	0.68	0.05	9.8	0.396	0.52	1.7
20038T		1340	13.1	64.1	<0.002	0.04	0.48	2	1.3	318.0	0.55	<0.05	6.5	0.406	0.29	1.4
20039B		800	15.8	74.3	<0.002	0.01	0.62	2	1.8	296.0	0.67	<0.05	9.4	0.387	0.48	1.5
20039T		1580	11.5	63.9	<0.002	0.02	0.47	2	1.4	286.0	0.54	<0.05	5.7	0.424	0.29	1.2
20040B		1140	13.0	59.6	0.006	0.01	0.61	3	1.2	354.0	0.61	<0.05	7.1	0.393	0.33	1.4
20040T		1340	11.8	59.8	0.002	0.01	0.52	2	1.3	326.0	0.54	<0.05	7.0	0.408	0.27	1.4
20041B		780	14.8	89.3	<0.002	<0.01	0.51	2	2.0	258.0	0.68	<0.05	10.4	0.378	0.49	1.7
20041T		1050	14.1	67.6	<0.002	0.01	0.61	2	1.5	352.0	0.62	<0.05	7.4	0.407	0.34	1.5
20042B		1140	9.5	51.7	0.002	0.01	2.26	2	1.2	563.0	0.52	<0.05	7.2	0.406	0.26	1.3
20042T		780	12.8	67.6	<0.002	0.01	0.61	2	1.3	361.0	0.59	<0.05	7.9	0.378	0.33	1.5
20043B		1020	14.2	64.3	0.002	0.02	0.73	2	1.3	318.0	0.55	<0.05	7.0	0.389	0.33	1.5
20043T		1100	14.3	63.7	<0.002	0.01	0.65	2	1.2	341.0	0.55	0.05	8.3	0.378	0.33	1.7
20044B		710	15.3	79.4	0.002	0.01	0.56	2	1.8	252.0	0.66	<0.05	8.9	0.362	0.48	1.6
20044T		840	15.0	84.7	0.002	0.01	0.51	2	2.1	280.0	0.75	<0.05	8.5	0.398	0.56	1.8
20045B		1020	11.4	64.3	<0.002	0.01	0.54	2	1.2	316.0	0.46	<0.05	5.3	0.363	0.29	1.2
20045T		900	13.2	68.7	<0.002	0.01	0.62	2	1.5	298.0	0.60	<0.05	7.6	0.374	0.36	1.5
20047B		1210	8.5	45.7	<0.002	0.02	0.51	3	1.3	279.0	0.42	<0.05	4.7	0.359	0.25	1.2
20047T		1240	7.4	35.8	<0.002	0.02	0.44	3	1.2	283.0	0.37	<0.05	3.8	0.363	0.23	1.2
20048T		940	10.2	41.8	0.002	0.02	0.47	3	1.2	257.0	0.35	0.06	5.0	0.323	0.27	1.1
20049B		1100	13.1	70.8	0.002	0.01	0.49	2	1.7	290.0	0.63	<0.05	8.6	0.357	0.39	1.5
20049T		1320	11.8	67.0	<0.002	0.02	0.57	2	1.4	302.0	0.56	0.05	6.9	0.370	0.32	1.4
20050B		1080	12.6	54.9	0.002	0.01	0.55	2	1.5	314.0	0.48	<0.05	7.4	0.362	0.37	1.3
20050T		1420	10.0	57.0	0.002	0.01	0.42	2	1.3	313.0	0.48	<0.05	6.1	0.372	0.29	1.2
20101B		930	16.0	76.6	0.003	0.02	1.11	3	1.5	403.0	0.65	0.05	9.4	0.368	0.42	1.4
20101T		890	17.4	82.9	0.003	0.01	0.70	2	2.1	288.0	0.67	0.05	11.0	0.361	0.54	1.8
20102B		1010	12.8	79.7	0.002	0.02	0.62	2	1.7	303.0	0.59	<0.05	8.1	0.372	0.42	1.6
20102T		1070	12.8	69.3	0.002	0.02	0.62	2	1.6	332.0	0.61	<0.05	8.2	0.396	0.38	1.4
20103B		970	16.8	94.0	0.002	0.01	0.59	2	1.9	287.0	0.72	<0.05	10.8	0.393	0.54	2.0
20103T		1020	11.8	68.1	0.002	0.01	0.46	2	1.4	324.0	0.62	<0.05	8.0	0.395	0.34	1.6
20104B		980	14.9	70.5	0.003	0.01	0.54	2	1.7	302.0	0.73	0.05	10.0	0.375	0.47	1.7
20104T		840	11.3	76.5	0.002	0.01	0.45	2	1.5	332.0	0.62	<0.05	8.4	0.409	0.35	1.8

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - D

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058522

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	1	0.1	0.1	2	0.5
20031		152	1.2	16.4	91	38.3
20032B		292	1.0	20.6	103	46.2
20032T		171	1.3	11.0	185	41.9
20033B		180	1.3	16.0	165	37.4
20033T		93	0.7	6.8	151	21.1
20034T		180	1.1	12.1	276	44.1
20035T		177	0.9	10.4	141	37.5
20036B		269	0.8	13.8	120	39.4
20036T		267	0.6	12.1	130	33.3
20038B		176	1.1	18.9	95	45.0
20038T		162	0.8	11.5	140	38.5
20039B		169	1.5	14.4	88	36.5
20039T		188	0.8	11.3	122	35.4
20040B		156	1.0	14.4	98	35.3
20040T		193	1.0	13.6	109	37.4
20041B		174	1.6	16.8	87	46.4
20041T		172	0.9	13.9	113	39.1
20042B		180	1.4	17.2	64	29.5
20042T		170	0.9	14.2	75	35.9
20043B		178	0.9	15.5	106	36.2
20043T		158	0.8	19.6	79	44.2
20044B		154	1.1	15.2	102	40.7
20044T		176	1.2	14.0	97	41.6
20045B		170	1.0	12.8	117	42.9
20045T		156	1.0	14.4	104	43.7
20047B		146	1.0	13.7	75	39.7
20047T		159	1.0	13.0	61	43.4
20048T		140	1.0	14.8	44	37.6
20049B		146	1.1	12.6	76	40.5
20049T		148	1.0	13.2	84	35.5
20050B		166	1.0	16.4	77	39.0
20050T		153	0.8	11.2	80	34.8
20101B		144	1.5	17.8	81	42.4
20101T		156	1.2	19.6	79	44.5
20102B		158	1.4	14.1	85	40.8
20102T		161	1.1	16.0	81	42.2
20103B		158	1.5	20.1	71	43.8
20103T		160	0.9	15.6	76	35.6
20104B		154	1.1	17.4	76	40.1
20104T		177	1.0	16.6	78	36.0

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 3 - A

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058522

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
Sample Description	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
20106B	0.06	0.017	0.11	6.37	5.8	490	1.17	0.14	2.29	0.09	55.20	12.4	92	1.71	130.5
20106T	0.14	0.690	0.15	8.27	11.7	590	1.62	0.18	2.24	0.10	62.50	23.3	149	3.84	277.0
20107B	0.16	0.011	0.32	7.34	7.0	560	1.56	0.18	2.79	0.16	51.90	31.3	166	3.42	133.0
20107T	0.10	0.021	0.11	6.84	6.1	540	1.40	0.13	2.39	0.16	59.50	18.0	131	2.70	99.4
20108B	0.16	0.007	0.12	8.00	6.8	600	2.42	0.23	2.24	0.13	74.00	19.5	112	4.42	84.0
20108T	0.10	0.011	0.12	7.81	11.4	660	1.66	0.17	1.43	0.17	68.80	18.8	98	3.65	62.2
20109B	0.10	0.008	0.10	7.72	10.9	620	1.35	0.18	3.58	0.22	50.20	16.0	82	3.38	57.4
20109T	0.08	0.006	0.14	8.32	15.6	670	1.77	0.22	1.72	0.26	64.40	22.0	90	4.60	79.1
20110B	0.08	0.006	1.07	6.76	8.2	560	1.61	0.16	1.74	0.19	60.70	18.9	82	2.79	66.1
20110T	0.14	0.005	0.04	7.23	7.9	570	1.78	0.17	1.24	0.10	71.60	14.7	84	3.36	53.3
20111B	0.12	0.007	0.05	6.74	6.1	530	1.75	0.18	1.33	0.13	70.10	15.2	81	3.06	44.4
20111T	0.08	0.005	0.15	6.45	4.5	540	1.50	0.14	1.28	0.15	62.80	13.4	87	2.85	36.2
20112B	0.06	0.016	0.07	7.37	8.6	550	1.80	0.19	2.75	0.39	68.30	17.4	84	3.67	54.9
20112T	0.12	<0.005	0.05	7.48	5.8	570	1.85	0.16	1.22	0.10	70.50	14.6	84	3.52	38.9
20113T	0.08	0.006	0.12	6.65	6.8	530	1.58	0.18	4.63	0.23	57.30	16.6	78	3.38	44.5
20114B	0.10	0.015	0.17	8.09	8.9	800	1.69	0.20	1.92	0.27	60.60	21.0	88	3.94	67.8
20114T	0.14	0.016	0.07	8.14	10.1	680	1.95	0.21	1.72	0.16	68.60	21.0	93	4.50	65.0
20115B	0.10	0.005	0.18	8.48	7.8	630	1.56	0.12	1.78	0.26	51.60	21.5	86	3.43	48.4
20115T	0.12	0.005	0.22	7.65	7.4	640	1.62	0.16	1.54	0.22	60.30	18.0	90	4.05	50.1
20116B	0.14	0.006	0.07	8.40	5.8	640	1.75	0.23	3.01	0.10	55.60	13.9	86	4.11	36.1
20116T	0.10	0.014	0.40	8.05	8.4	630	1.90	0.26	1.34	0.26	70.40	20.2	102	5.23	71.7
20117B	0.20	<0.005	0.13	8.08	7.6	640	2.13	0.27	1.10	0.16	73.20	17.4	88	5.01	44.1
20117T	0.10	0.009	0.14	7.99	8.0	630	2.26	0.26	1.07	0.13	83.40	16.8	93	4.86	41.8
20118B	0.08	0.013	0.12	8.36	9.2	680	1.99	0.24	1.58	0.23	74.40	20.6	103	4.98	63.4
20118T	0.14	0.006	0.15	7.10	7.7	580	1.81	0.22	1.36	0.24	66.90	16.3	86	4.07	45.4
20119B	0.14	<0.005	0.20	7.45	9.0	590	1.88	0.21	1.62	0.24	74.70	17.5	83	4.06	48.7
20119T	0.12	0.007	0.18	7.43	8.1	630	1.66	0.20	1.49	0.30	70.30	17.0	91	4.23	42.3
20120B	0.12	0.009	0.17	8.02	10.8	710	1.83	0.31	1.84	0.33	62.50	22.2	114	5.09	71.0
20120T	0.14	<0.005	0.19	7.02	8.6	620	1.72	0.23	1.54	0.25	63.50	17.8	94	4.22	53.2
20121B	0.08	0.019	0.10	8.75	7.7	700	2.42	0.35	2.80	0.20	59.70	20.1	98	6.35	46.1
20121T	0.08	0.019	0.09	9.11	7.6	750	2.45	0.31	0.83	0.48	77.00	19.7	105	6.22	46.0
20123B	0.10	0.016	0.11	9.20	9.4	770	2.43	0.45	1.24	0.26	64.00	25.5	116	7.12	58.6
20123T	0.12	0.014	0.14	7.16	6.8	610	1.76	0.19	1.61	0.29	76.30	17.4	97	3.75	42.6
20124T	0.10	<0.005	0.10	7.12	7.7	610	2.05	0.18	1.40	0.30	74.30	19.9	107	3.74	44.4
20125B	0.12	<0.005	0.12	6.06	5.3	450	1.78	0.17	1.42	0.14	95.80	10.6	65	2.57	33.6
20125T	0.14	0.005	0.14	7.18	4.2	600	1.67	0.15	1.46	0.19	75.40	13.6	79	3.27	38.9
20126B	0.10	<0.005	0.28	8.22	6.4	640	2.22	0.16	1.02	0.19	77.60	13.8	81	4.42	40.4
20126T	0.12	0.006	0.17	7.19	6.2	590	1.88	0.15	1.28	0.24	71.80	14.3	78	3.52	38.9
20127B	0.14	<0.005	0.07	6.67	8.4	540	1.87	0.18	2.96	0.23	77.00	16.1	75	3.36	50.4
20127T	0.14	<0.005	0.22	7.00	7.9	530	1.92	0.18	1.32	0.14	86.00	13.9	68	3.29	59.6

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 3 - B

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058522

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
20106B		3.84	10.80	0.13	0.9	0.16	0.043	1.38	30.5	18.9	1.38	784	0.63	1.40	6.0	32.8
20106T		5.48	20.20	0.18	1.4	0.21	0.067	2.06	31.0	37.9	1.99	851	1.47	1.29	8.0	65.5
20107B		5.45	16.95	0.18	1.3	0.13	0.062	1.89	27.8	32.5	2.52	974	1.05	1.25	7.5	78.7
20107T		4.30	15.70	0.17	1.2	0.08	0.055	1.62	32.6	28.5	1.70	799	0.92	1.41	7.5	49.3
20108B		4.64	19.90	0.18	1.3	0.11	0.064	2.19	39.1	47.2	1.67	779	0.73	1.20	9.5	54.1
20108T		4.59	17.50	0.19	1.3	0.18	0.059	1.94	35.5	33.6	1.31	894	0.91	1.33	8.0	40.4
20109B		4.67	14.05	0.12	1.0	0.22	0.051	2.00	26.5	27.2	1.32	975	1.57	1.26	6.7	32.1
20109T		5.10	19.25	0.20	1.4	0.26	0.066	2.11	35.3	37.1	1.34	1155	1.01	1.28	8.7	44.6
20110B		4.25	15.20	0.17	1.2	0.11	0.052	1.56	34.1	27.0	1.28	1010	2.66	1.46	8.5	36.5
20110T		3.87	16.30	0.18	1.2	0.11	0.052	1.78	38.8	33.1	1.08	772	1.02	1.29	8.8	35.1
20111B		3.71	14.90	0.17	1.2	0.08	0.049	1.65	36.5	30.2	1.08	781	0.79	1.28	9.3	34.9
20111T		3.34	15.20	0.18	1.1	0.06	0.048	1.54	33.3	32.2	1.04	586	0.79	1.25	9.3	33.1
20112B		4.09	17.50	0.20	1.2	0.09	0.061	1.89	36.5	39.4	1.24	832	1.60	1.24	10.0	36.1
20112T		3.73	17.15	0.19	1.2	0.05	0.055	1.86	36.2	37.9	1.13	638	0.74	1.24	9.7	33.4
20113T		3.83	15.25	0.19	1.1	0.07	0.051	1.73	31.7	34.8	1.32	761	2.10	1.15	8.5	36.8
20114B		4.94	17.95	0.20	1.4	0.17	0.060	2.00	33.4	38.5	1.52	973	1.88	1.49	8.8	39.3
20114T		4.83	20.00	0.20	1.5	0.11	0.070	2.06	35.0	42.7	1.49	923	0.89	1.19	9.4	42.4
20115B		4.99	20.50	0.18	1.5	0.06	0.064	1.71	27.5	43.2	1.78	1030	1.74	1.60	7.6	36.3
20115T		4.43	18.45	0.18	1.4	0.08	0.062	1.87	33.8	40.4	1.41	833	1.14	1.29	8.8	34.7
20116B		4.40	17.25	0.16	1.0	0.06	0.059	2.41	30.0	44.3	1.31	684	0.46	1.05	7.6	36.6
20116T		4.80	20.30	0.21	1.5	0.10	0.068	1.93	39.2	55.4	1.31	969	1.16	1.09	9.6	50.2
20117B		4.31	20.30	0.20	1.2	0.09	0.063	2.27	39.5	52.2	1.22	747	0.61	1.12	9.2	43.5
20117T		4.32	20.10	0.21	1.3	0.08	0.068	2.20	44.0	56.8	1.14	685	0.71	1.13	10.8	43.1
20118B		4.92	20.20	0.23	1.5	0.10	0.067	2.17	40.1	48.6	1.56	832	1.33	1.16	9.0	48.1
20118T		3.95	17.45	0.20	1.2	0.08	0.054	1.89	36.3	42.9	1.12	770	1.08	1.12	9.7	39.7
20119B		4.16	17.50	0.21	1.2	0.07	0.056	1.86	39.9	40.5	1.24	876	0.75	1.24	9.4	40.3
20119T		4.09	17.25	0.20	1.2	0.07	0.054	1.84	38.5	42.9	1.18	932	0.94	1.22	9.4	36.5
20120B		4.90	18.65	0.21	1.4	0.13	0.061	2.11	33.1	42.3	1.54	1155	1.83	1.28	9.4	53.3
20120T		4.12	16.60	0.19	1.2	0.09	0.055	1.84	35.0	37.0	1.28	851	1.23	1.18	9.3	42.5
20121B		4.71	24.10	0.21	1.3	0.05	0.074	2.86	31.0	68.1	1.36	770	0.94	0.96	11.8	52.9
20121T		4.94	24.50	0.21	1.4	0.05	0.079	2.87	40.7	65.8	1.34	810	1.13	1.04	12.0	53.2
20123B		5.64	25.90	0.22	1.5	0.07	0.084	2.92	29.9	66.0	1.58	952	1.53	0.99	12.8	58.2
20123T		3.97	16.95	0.18	1.1	0.06	0.049	1.82	37.6	38.5	1.24	936	1.10	1.21	10.7	40.7
20124T		3.97	16.70	0.19	1.2	0.08	0.053	1.80	33.7	37.1	1.28	806	1.57	1.21	11.2	49.3
20125B		3.11	14.05	0.22	1.0	0.05	0.043	1.40	47.6	31.0	0.85	622	0.92	1.27	10.8	26.6
20125T		3.41	16.40	0.17	1.1	0.06	0.049	1.78	37.1	33.5	1.12	564	0.81	1.36	10.4	32.6
20126B		3.97	20.20	0.19	1.2	0.05	0.057	2.15	36.7	44.6	1.10	627	0.65	1.25	11.0	32.4
20126T		3.69	16.40	0.20	1.1	0.07	0.051	1.76	35.0	35.1	1.06	797	0.76	1.23	10.6	31.5
20127B		3.78	15.75	0.22	1.0	0.06	0.049	1.72	38.7	31.7	1.13	784	0.83	1.16	10.8	39.7
20127T		3.82	16.50	0.22	1.1	0.08	0.049	1.72	44.1	34.4	0.99	740	0.63	1.25	10.0	30.9

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 3 - C

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058522

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units LOR	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
20106B		810	11.3	43.9	0.004	0.01	0.44	2	0.9	334.0	0.52	<0.05	8.3	0.321	0.28	1.4
20106T		890	13.2	73.3	0.002	0.01	0.60	2	1.6	307.0	0.65	0.06	9.7	0.397	0.47	1.7
20107B		1040	13.0	66.5	0.002	0.01	0.55	2	1.5	320.0	0.62	<0.05	8.4	0.371	0.41	1.5
20107T		1150	11.6	66.6	<0.002	0.01	0.43	2	1.3	321.0	0.66	<0.05	8.3	0.373	0.32	1.6
20108B		850	16.2	81.4	<0.002	0.02	0.49	2	1.9	311.0	0.77	<0.05	12.4	0.351	0.54	1.9
20108T		990	29.3	83.3	<0.002	0.01	0.87	2	1.5	303.0	0.67	0.07	10.2	0.382	0.52	1.9
20109B		970	14.4	63.3	<0.002	0.03	0.98	2	1.2	398.0	0.53	0.05	8.0	0.374	0.43	1.3
20109T		970	20.1	78.3	<0.002	0.01	1.47	2	1.6	324.0	0.72	0.08	10.5	0.409	0.62	1.8
20110B		920	16.3	64.9	<0.002	0.02	0.71	3	1.3	352.0	0.71	<0.05	9.9	0.374	0.44	1.8
20110T		690	16.2	77.5	<0.002	<0.01	0.64	2	1.5	291.0	0.76	<0.05	11.0	0.358	0.48	2.0
20111B		730	15.6	74.1	<0.002	<0.01	0.51	2	1.4	288.0	0.78	<0.05	10.6	0.363	0.46	1.8
20111T		810	13.6	71.3	<0.002	0.01	0.42	2	1.4	271.0	0.79	<0.05	9.1	0.393	0.39	1.8
20112B		780	17.0	79.1	<0.002	0.01	0.64	2	1.7	347.0	0.82	0.05	11.0	0.369	0.48	1.8
20112T		690	14.9	83.2	<0.002	0.01	0.44	2	1.6	276.0	0.79	<0.05	10.4	0.377	0.45	2.0
20113T		720	14.6	74.1	<0.002	0.02	0.59	2	1.4	433.0	0.70	<0.05	9.7	0.335	0.45	1.7
20114B		820	14.7	78.8	0.002	0.02	1.16	2	1.6	406.0	0.67	0.05	10.4	0.381	0.64	2.1
20114T		770	16.4	90.4	0.002	0.01	0.77	3	1.8	322.0	0.76	0.05	10.6	0.389	0.57	1.9
20115B		980	13.4	63.2	<0.002	0.01	0.45	2	1.5	428.0	0.63	<0.05	7.7	0.406	0.46	1.8
20115T		790	15.2	82.5	0.002	0.02	0.62	2	1.6	327.0	0.72	<0.05	9.0	0.394	0.53	1.8
20116B		680	15.6	78.1	<0.002	<0.01	0.42	2	1.7	333.0	0.64	<0.05	10.0	0.322	0.50	1.5
20116T		650	18.4	97.5	0.002	0.02	0.60	3	1.8	275.0	0.78	<0.05	12.0	0.374	0.62	2.9
20117B		690	19.4	98.7	<0.002	0.01	0.58	2	2.0	258.0	0.76	<0.05	12.7	0.315	0.63	2.0
20117T		540	18.4	99.3	<0.002	0.01	0.56	2	2.0	250.0	0.88	<0.05	13.6	0.372	0.62	2.5
20118B		720	17.6	94.2	<0.002	0.01	0.75	3	1.9	301.0	0.73	<0.05	12.4	0.364	0.64	2.3
20118T		760	17.2	85.5	<0.002	0.02	0.63	2	1.7	265.0	0.78	<0.05	11.0	0.362	0.55	2.0
20119B		840	16.8	83.3	<0.002	0.01	0.68	2	1.6	309.0	0.77	<0.05	11.8	0.371	0.52	2.0
20119T		770	16.5	83.4	<0.002	0.02	0.63	3	1.5	309.0	0.81	<0.05	11.1	0.405	0.51	2.2
20120B		770	18.6	86.4	0.002	0.01	0.99	2	1.8	308.0	0.77	0.05	11.5	0.383	0.64	2.0
20120T		720	15.8	81.9	0.002	0.02	0.75	2	1.6	288.0	0.81	<0.05	10.2	0.368	0.54	1.8
20121B		610	22.4	101.0	<0.002	0.01	0.61	2	2.6	324.0	0.94	<0.05	11.8	0.356	0.76	1.7
20121T		690	20.9	123.0	0.002	0.01	0.75	3	2.5	227.0	0.99	<0.05	14.0	0.384	0.99	2.3
20123B		650	25.2	113.5	<0.002	0.01	0.62	2	2.7	250.0	1.02	0.06	13.2	0.422	0.82	2.6
20123T		760	17.4	86.2	<0.002	0.02	0.63	3	1.6	294.0	0.80	<0.05	10.3	0.374	0.58	2.0
20124T		880	18.0	88.4	<0.002	0.01	0.73	3	1.6	268.0	0.82	<0.05	9.6	0.387	0.48	1.9
20125B		750	16.2	67.4	<0.002	0.01	0.39	3	1.4	269.0	0.78	<0.05	12.6	0.333	0.37	1.9
20125T		790	16.3	81.3	<0.002	0.02	0.51	3	1.5	300.0	0.77	<0.05	9.8	0.371	0.43	1.9
20126B		820	15.9	98.0	<0.002	0.01	0.44	3	1.9	265.0	0.82	<0.05	10.0	0.364	0.54	1.8
20126T		800	16.1	83.7	<0.002	0.01	0.48	3	1.5	270.0	0.78	<0.05	9.4	0.356	0.45	1.9
20127B		780	15.7	78.3	<0.002	0.01	0.67	2	1.5	321.0	0.78	<0.05	10.9	0.358	0.44	1.7
20127T		780	16.6	80.5	<0.002	0.01	0.47	3	1.5	272.0	0.74	<0.05	12.0	0.331	0.44	1.9

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 3 - D

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058522

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	1	0.1	0.1	2	0.5
20106B		107	0.8	17.6	49	25.4
20106T		173	1.2	16.4	65	36.5
20107B		168	1.1	16.7	86	33.7
20107T		137	0.9	15.2	75	33.9
20108B		127	1.1	16.6	78	40.1
20108T		138	1.0	15.0	81	39.5
20109B		145	1.0	14.2	91	28.6
20109T		164	1.1	21.8	100	41.8
20110B		124	2.3	19.5	72	36.6
20110T		112	1.1	17.6	60	35.4
20111B		104	0.9	16.4	59	34.5
20111T		106	1.0	14.0	74	35.3
20112B		116	1.2	17.3	125	34.1
20112T		110	1.1	14.4	66	36.7
20113T		110	1.2	14.4	71	34.4
20114B		158	1.3	18.8	90	38.9
20114T		144	1.1	17.5	82	41.7
20115B		170	1.6	16.6	91	42.5
20115T		144	1.0	15.6	89	41.7
20116B		112	0.9	12.4	81	29.3
20116T		137	1.2	23.4	95	41.4
20117B		110	1.1	17.4	75	35.7
20117T		116	1.2	18.8	79	37.6
20118B		146	1.2	21.8	84	41.0
20118T		114	1.1	17.1	80	36.6
20119B		119	1.0	17.9	80	35.0
20119T		126	1.0	17.3	99	37.9
20120B		134	1.2	20.2	97	42.4
20120T		120	1.0	18.4	76	37.2
20121B		118	1.4	14.4	94	38.0
20121T		137	1.6	16.8	119	42.8
20123B		150	1.9	16.0	103	46.5
20123T		115	1.1	18.8	81	36.4
20124T		120	1.2	17.0	83	35.6
20125B		79	3.9	20.7	50	31.7
20125T		110	0.9	16.4	76	38.5
20126B		112	1.0	14.6	85	39.2
20126T		105	1.0	16.0	78	35.4
20127B		104	1.0	18.2	71	34.5
20127T		98	0.9	25.0	62	33.0

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 4 - A

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058522

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
20128B		0.10	<0.005	0.09	7.65	6.2	570	1.96	0.16	1.12	0.10	86.20	14.1	75	3.62	41.7
20128T		0.12	0.006	0.12	7.13	6.2	550	1.83	0.16	1.14	0.14	87.60	14.4	74	3.74	40.2
20129		0.12	0.006	0.09	7.02	8.3	520	1.88	0.19	1.48	0.17	96.20	15.3	85	3.14	46.8
20130T		0.22	0.009	0.20	6.36	10.8	480	1.67	0.18	2.33	0.33	73.30	16.8	64	4.00	56.1
20131B		0.08	0.008	0.14	7.10	6.9	600	1.74	0.15	1.74	0.21	82.30	17.2	74	3.38	48.2
20132		0.12	0.007	0.17	7.52	9.4	580	1.96	0.19	1.59	0.23	85.60	17.6	87	4.32	52.7
20133		0.08	<0.005	0.14	8.24	8.5	660	2.09	0.16	1.33	0.23	74.10	18.1	92	4.19	42.6
20134T		0.12	0.008	0.34	7.07	6.4	560	2.06	0.17	1.43	0.16	84.70	15.9	100	3.60	40.1
20135B		0.16	<0.005	0.09	6.13	6.8	470	1.85	0.18	2.36	0.13	98.10	12.5	75	2.65	34.0
20136T		0.18	0.005	0.15	8.54	8.7	690	2.12	0.24	1.18	0.26	79.20	17.0	98	4.90	47.2
20137B		0.14	0.005	0.08	7.13	7.1	530	2.02	0.20	3.46	0.16	85.00	14.2	76	3.68	35.6
20138T		0.24	0.006	0.12	7.78	6.5	650	2.14	0.21	1.24	0.24	81.70	17.0	93	4.75	50.5
20139B		0.10	0.006	0.08	7.50	7.6	550	1.99	0.19	2.65	0.16	93.10	14.6	81	3.63	38.3
20140T		0.10	0.006	0.18	7.09	8.1	570	1.90	0.18	1.66	0.28	85.30	17.4	93	3.64	50.1
20141B		0.06	0.014	0.28	7.69	7.7	670	2.03	0.18	1.74	0.35	79.50	19.8	98	3.77	46.2
20142T		0.08	0.013	0.15	6.85	6.0	570	1.78	0.16	1.46	0.35	74.10	15.3	81	3.65	34.5
20143B		0.04	0.018	0.11	7.92	5.6	640	2.12	0.17	1.16	0.29	80.40	18.0	92	4.42	40.9
20144		0.16	0.005	0.21	6.63	6.9	510	1.39	0.12	2.64	0.25	56.80	18.0	100	2.50	55.9
20145T		0.06	0.024	0.20	7.34	10.1	650	1.77	0.15	1.17	0.39	64.90	14.6	91	4.35	34.8
20146B		0.06	0.017	0.18	7.53	9.9	640	1.92	0.14	1.16	0.30	66.50	16.2	94	4.10	40.4
20147		0.10	<0.005	0.16	6.80	7.2	590	1.79	0.12	1.34	0.20	63.90	14.9	87	3.29	36.1
20148T		0.08	0.006	0.09	7.21	8.5	570	2.03	0.23	1.80	0.20	80.10	16.2	82	3.79	45.8
20149B		0.04	0.007	0.10	7.17	7.3	530	1.90	0.18	3.28	0.19	77.00	14.0	78	3.72	35.2
20150T		0.10	<0.005	0.09	6.74	5.6	520	1.74	0.15	1.20	0.15	79.10	13.0	90	2.96	29.7
250381B		0.06	0.007	0.07	6.64	6.4	510	1.81	0.17	1.50	0.15	82.70	14.2	83	3.14	35.3
250382		0.10	0.016	0.19	7.74	9.6	600	1.67	0.16	2.44	0.25	60.80	20.1	112	3.41	88.4
250383		0.14	0.007	0.15	7.63	9.9	650	1.76	0.16	2.25	0.28	70.50	16.0	75	3.49	51.9
250384		0.04	0.018	0.33	7.55	9.2	550	1.75	0.14	2.32	0.15	49.00	18.6	99	3.40	70.1
250385		0.06	0.033	0.37	6.32	5.7	540	1.36	0.16	1.70	0.21	59.00	15.3	90	2.71	42.3
250386		0.12	0.007	0.13	6.49	6.3	510	1.83	0.17	4.02	0.21	68.90	16.1	70	3.28	43.2
250387T		0.14	0.020	0.16	6.93	5.9	540	1.58	0.14	2.08	0.20	60.90	18.2	100	2.57	78.9
250388B		0.04	0.021	0.21	7.32	6.6	570	1.58	0.14	2.41	0.21	54.40	20.5	126	2.60	65.8
250389T		0.16	0.012	0.06	6.78	7.5	530	2.00	0.16	1.01	0.07	80.50	14.5	75	3.06	99.0
250390B		0.06	0.010	0.11	6.68	7.6	540	1.92	0.18	1.56	0.14	72.20	17.5	84	2.99	86.8
250851T		0.12	<0.005	0.17	7.10	19.4	590	1.93	0.14	1.31	0.13	77.90	14.8	97	4.16	33.7
250852B		0.12	0.005	0.08	6.52	11.8	540	1.66	0.18	5.01	0.17	68.70	17.9	75	3.86	48.8
250853T		0.14	<0.005	0.13	6.92	5.3	630	1.81	0.13	1.17	0.11	78.30	12.5	87	3.73	20.1
250854B		0.14	<0.005	0.15	7.48	10.0	650	1.74	0.15	2.01	0.15	76.20	22.5	86	4.03	61.0
345531B		0.56	0.025	0.12	6.29	17.2	530	1.45	0.13	5.96	0.21	59.70	21.4	118	2.29	112.5
345532T		0.20	0.017	0.20	8.26	30.6	730	2.12	0.18	2.22	0.21	55.30	24.8	149	3.81	124.5

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 4 - B

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058522

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
20128B		3.88	17.75	0.19	1.2	0.07	0.050	1.94	40.8	38.6	1.00	694	1.27	1.32	10.2	29.5
20128T		3.58	17.85	0.20	1.1	0.07	0.055	1.83	42.2	38.9	0.96	774	0.67	1.19	11.4	31.1
20129		3.99	15.85	0.22	1.1	0.09	0.050	1.61	46.7	32.9	1.03	852	0.64	1.27	11.6	37.9
20130T		3.91	14.25	0.20	0.8	0.10	0.043	1.41	37.2	26.7	1.14	1035	0.91	1.32	11.4	31.3
20131B		4.00	16.45	0.21	1.1	0.06	0.052	1.66	39.5	32.4	1.16	976	1.44	1.35	10.4	33.3
20132		4.22	17.95	0.21	1.3	0.13	0.054	1.82	42.5	37.6	1.22	891	1.29	1.31	11.2	40.9
20133		4.38	20.20	0.21	1.2	0.05	0.059	2.06	35.5	45.4	1.38	760	1.14	1.35	10.8	37.3
20134T		3.80	16.70	0.22	1.1	0.07	0.049	1.71	41.3	38.3	1.18	708	0.98	1.23	11.0	42.7
20135B		3.22	14.30	0.22	1.0	0.06	0.041	1.50	47.5	30.0	0.96	643	0.58	1.25	10.6	30.7
20136T		4.59	19.25	0.20	1.2	0.09	0.060	2.30	39.8	46.7	1.18	992	0.99	1.17	11.2	43.7
20137B		3.72	16.85	0.22	1.1	0.07	0.050	1.87	42.2	39.4	1.08	704	0.58	1.18	11.8	33.7
20138T		3.97	19.20	0.23	1.3	0.08	0.057	2.06	39.4	44.5	1.26	590	0.92	1.16	12.0	42.9
20139B		3.89	17.20	0.21	1.1	0.05	0.049	1.92	45.3	38.6	1.14	760	0.89	1.28	11.2	33.9
20140T		4.02	16.35	0.21	1.2	0.09	0.049	1.72	42.8	33.2	1.18	953	1.14	1.33	11.6	39.1
20141B		4.32	18.05	0.22	1.3	0.07	0.052	1.81	38.5	40.0	1.28	1060	2.27	1.47	12.2	44.0
20142T		3.46	16.50	0.19	1.0	0.05	0.050	1.72	36.1	33.1	0.97	1620	1.04	1.27	10.8	29.5
20143B		4.03	18.90	0.19	1.1	0.02	0.055	2.06	36.6	45.5	1.12	1330	1.62	1.22	11.5	35.7
20144		4.47	14.90	0.21	1.1	0.05	0.080	1.41	28.0	26.7	1.46	1070	1.88	1.19	8.2	40.0
20145T		3.89	17.55	0.20	1.2	0.06	0.048	1.84	31.6	37.6	1.05	746	1.03	1.15	10.6	33.0
20146B		4.03	18.10	0.19	1.3	0.06	0.050	1.94	33.2	39.1	1.11	782	2.41	1.24	9.9	35.4
20147		3.76	15.65	0.19	1.0	0.04	0.046	1.64	29.0	33.2	1.20	661	1.00	1.22	9.8	36.5
20148T		3.87	17.05	0.21	1.1	0.06	0.051	1.81	39.8	37.0	1.12	799	0.95	1.23	11.3	37.1
20149B		3.61	16.85	0.20	1.0	0.05	0.049	1.92	38.1	39.0	1.16	702	0.73	1.18	10.8	32.7
20150T		3.46	15.30	0.20	0.9	0.03	0.046	1.61	37.6	32.4	0.98	553	1.02	1.23	10.6	32.2
250381B		3.46	15.45	0.20	1.0	0.06	0.046	1.66	39.7	32.3	0.95	653	0.85	1.23	11.0	31.9
250382		4.63	16.95	0.21	1.2	0.10	0.054	1.66	30.4	32.0	1.56	1060	1.08	1.42	8.7	48.8
250383		4.12	17.10	0.21	1.2	0.11	0.050	1.68	35.0	34.1	1.18	885	0.97	1.32	9.2	32.4
250384		4.81	18.25	0.23	1.1	0.07	0.061	1.77	23.0	33.0	1.58	850	2.12	1.51	6.8	42.6
250385		3.62	16.80	0.09	1.1	0.05	0.049	1.40	28.7	29.6	0.93	778	0.82	1.22	8.1	33.5
250386		3.67	16.10	0.09	1.0	0.07	0.045	1.63	35.0	34.5	1.09	696	0.68	1.20	8.6	34.4
250387T		4.07	16.60	0.08	1.1	0.05	0.064	1.49	29.6	29.4	1.11	799	1.05	1.30	8.1	37.0
250388B		4.71	18.60	0.10	1.2	0.04	0.069	1.53	25.7	31.5	1.33	848	1.80	1.37	7.4	46.7
250389T		3.75	17.40	0.10	1.1	0.08	0.051	1.61	42.9	36.6	0.94	633	0.71	1.24	8.7	33.4
250390B		4.00	17.00	0.09	1.1	0.06	0.048	1.55	36.6	33.7	1.09	767	1.44	1.25	8.5	40.3
250851T		4.40	19.30	0.08	1.3	0.06	0.056	1.81	39.3	47.3	1.13	488	0.88	1.08	9.4	37.5
250852B		4.02	17.05	0.09	1.2	0.11	0.047	1.78	34.4	39.2	1.30	694	0.95	1.02	8.0	36.5
250853T		3.59	18.85	0.09	1.2	0.03	0.049	1.82	38.8	44.8	0.98	488	0.65	1.22	9.4	29.4
250854B		4.87	19.00	0.11	1.5	0.07	0.058	1.94	36.6	48.4	1.41	884	1.31	1.22	7.9	39.3
345531B		4.66	15.25	0.11	1.2	0.15	0.050	1.42	30.0	27.3	1.93	986	0.77	1.21	6.6	54.0
345532T		5.31	23.10	0.10	1.4	0.10	0.069	2.09	24.6	48.7	1.76	880	1.31	1.22	8.7	59.6

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 4 - C

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058522

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units LOR	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
20128B		770	16.2	87.1	<0.002	0.01	0.35	3	1.7	271.0	0.74	<0.05	11.6	0.339	0.48	1.9
20128T		770	16.8	91.7	<0.002	0.01	0.46	3	1.7	245.0	0.87	<0.05	11.9	0.358	0.48	1.9
20129		800	17.2	77.0	<0.002	0.01	0.57	3	1.5	285.0	0.88	<0.05	13.4	0.380	0.44	2.1
20130T		860	18.9	68.7	<0.002	0.02	0.82	3	1.2	342.0	0.79	<0.05	9.9	0.393	0.45	1.8
20131B		860	16.1	78.2	<0.002	0.01	0.56	3	1.4	335.0	0.76	<0.05	10.6	0.395	0.43	2.0
20132		810	19.0	92.3	<0.002	0.01	0.70	3	1.6	306.0	0.84	<0.05	11.6	0.384	0.55	2.1
20133		680	16.8	94.4	<0.002	0.02	0.70	3	1.8	314.0	0.77	<0.05	9.7	0.407	0.58	1.9
20134T		680	15.9	87.5	<0.002	0.01	0.51	3	1.6	272.0	0.81	<0.05	11.0	0.364	0.47	2.0
20135B		800	16.6	69.3	<0.002	0.01	0.47	3	1.4	324.0	0.78	<0.05	12.2	0.343	0.39	2.0
20136T		670	18.9	107.5	<0.002	0.01	0.57	3	1.9	273.0	0.82	<0.05	12.0	0.389	0.65	2.2
20137B		740	17.2	85.1	<0.002	0.01	0.50	3	1.7	368.0	0.85	<0.05	12.4	0.344	0.47	2.0
20138T		920	18.5	105.5	<0.002	0.02	0.71	3	1.9	260.0	1.16	<0.05	11.9	0.374	0.64	2.3
20139B		850	18.0	86.6	<0.002	0.01	0.54	3	1.7	348.0	0.84	<0.05	13.4	0.355	0.52	2.2
20140T		910	17.5	81.5	<0.002	0.02	0.67	3	1.5	302.0	0.86	<0.05	11.9	0.418	0.48	2.0
20141B		910	17.3	87.9	<0.002	0.02	0.68	3	1.6	326.0	0.88	<0.05	10.7	0.416	0.49	2.1
20142T		850	16.0	90.1	<0.002	0.02	0.45	3	1.5	287.0	0.79	<0.05	9.7	0.375	0.50	1.9
20143B		1030	17.4	104.0	<0.002	0.01	0.41	3	1.8	261.0	0.84	<0.05	10.6	0.391	0.58	1.9
20144		960	13.2	61.6	<0.002	0.02	0.80	3	1.1	392.0	0.60	<0.05	7.4	0.363	0.35	1.6
20145T		880	15.9	91.4	<0.002	0.02	0.80	3	1.6	272.0	0.77	<0.05	8.4	0.387	0.58	1.7
20146B		770	16.7	93.6	<0.002	0.01	0.85	3	1.6	282.0	0.72	<0.05	8.6	0.378	0.59	1.8
20147		590	14.7	77.0	<0.002	0.02	0.50	2	1.4	279.0	0.75	<0.05	8.0	0.368	0.44	1.6
20148T		750	17.7	89.0	<0.002	0.02	0.59	3	1.6	303.0	0.82	<0.05	11.0	0.372	0.54	1.8
20149B		760	16.6	87.2	<0.002	0.01	0.48	3	1.7	348.0	0.78	<0.05	10.8	0.327	0.53	1.7
20150T		690	14.2	77.6	<0.002	0.01	0.36	3	1.5	259.0	0.92	<0.05	9.8	0.353	0.39	1.8
250381B		640	15.8	80.7	<0.002	0.01	0.46	3	1.5	276.0	0.82	<0.05	11.2	0.366	0.47	1.9
250382		1060	14.6	73.0	<0.002	0.01	0.63	3	1.3	311.0	0.65	0.05	8.2	0.369	0.41	1.6
250383		850	15.0	78.4	<0.002	0.02	0.67	3	1.4	320.0	0.65	<0.05	9.2	0.349	0.47	1.6
250384		830	11.8	63.1	<0.002	0.01	0.87	2	1.3	291.0	0.49	<0.05	6.3	0.333	0.45	1.2
250385		870	13.8	68.6	<0.002	0.02	0.50	2	1.4	300.0	0.58	0.05	8.0	0.343	0.33	1.5
250386		680	13.9	76.1	<0.002	0.01	0.47	2	1.6	380.0	0.65	<0.05	9.7	0.309	0.41	1.6
250387T		860	13.3	68.1	<0.002	0.02	0.50	2	1.4	352.0	0.63	<0.05	8.0	0.338	0.32	1.6
250388B		870	12.4	69.3	<0.002	0.01	0.57	2	1.4	391.0	0.53	<0.05	6.8	0.362	0.33	1.6
250389T		650	14.9	78.8	<0.002	<0.01	0.39	2	1.6	237.0	0.64	<0.05	11.8	0.311	0.41	1.9
250390B		720	14.7	75.7	<0.002	0.01	0.54	3	1.5	275.0	0.62	<0.05	10.6	0.327	0.38	1.7
250851T		1100	11.6	91.0	<0.002	0.01	1.47	2	1.8	223.0	0.70	<0.05	10.1	0.369	0.38	1.8
250852B		690	14.2	80.8	<0.002	0.01	0.95	2	1.6	370.0	0.57	<0.05	9.7	0.310	0.36	1.5
250853T		410	11.5	95.2	<0.002	0.01	0.45	2	1.8	234.0	0.68	<0.05	9.7	0.361	0.39	1.7
250854B		690	14.0	85.6	<0.002	0.01	0.92	3	1.5	304.0	0.58	<0.05	9.8	0.382	0.34	1.9
345531B		1000	14.2	59.9	<0.002	0.01	0.86	2	1.2	392.0	0.49	<0.05	7.6	0.348	0.27	1.6
345532T		610	18.3	86.2	<0.002	0.01	0.70	2	1.9	278.0	0.65	0.05	7.4	0.428	0.50	1.8

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 4 - D

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058522

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	1	0.1	0.1	2	0.5
20128B		102	1.2	18.6	67	35.4
20128T		98	1.0	18.0	72	37.7
20129		98	1.0	23.8	62	31.8
20130T		108	0.8	21.7	76	25.4
20131B		122	1.3	18.4	69	37.8
20132		120	1.2	18.5	80	39.6
20133		140	1.2	15.6	103	41.3
20134T		100	1.0	18.3	71	36.5
20135B		84	0.9	19.4	58	29.3
20136T		126	1.1	19.7	99	39.4
20137B		92	1.0	17.6	70	38.0
20138T		121	1.1	18.4	82	41.7
20139B		98	1.0	19.1	71	33.7
20140T		121	1.0	19.6	84	37.2
20141B		126	2.0	19.0	115	41.6
20142T		102	1.0	15.1	86	32.8
20143B		114	1.4	12.0	104	35.6
20144		132	1.0	18.2	71	33.3
20145T		124	1.1	13.0	115	34.4
20146B		122	1.7	15.8	96	38.6
20147		114	0.9	12.2	74	34.2
20148T		104	1.1	17.0	73	34.7
20149B		95	1.1	16.0	66	33.8
20150T		95	1.1	13.6	69	30.4
250381B		94	1.0	16.0	61	29.7
250382		142	1.2	17.7	78	36.2
250383		122	1.0	17.8	81	35.2
250384		148	1.4	18.2	60	34.9
250385		105	0.9	12.4	88	29.9
250386		98	1.2	15.3	69	30.4
250387T		110	0.9	14.1	79	30.2
250388B		136	1.3	13.8	93	33.0
250389T		95	1.0	15.2	57	32.6
250390B		108	1.5	16.5	61	32.2
250851T		127	1.0	11.3	72	36.1
250852B		120	1.2	15.3	71	33.0
250853T		110	1.0	11.4	69	34.5
250854B		164	1.2	16.6	74	43.0
345531B		156	1.1	17.0	76	34.4
345532T		195	1.9	14.3	119	38.2

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 5 - A

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS	VA06058522
-------------------------	------------

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
Sample Description	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
345533B	0.42	0.026	0.35	8.55	55.1	700	1.82	0.21	2.48	0.26	47.30	29.9	104	4.34	491.0
345534T	0.10	0.029	0.38	7.44	25.1	710	1.70	0.17	1.69	0.51	52.60	17.3	132	3.50	48.5
345535T	0.12	0.016	0.46	7.17	23.1	610	1.76	0.18	2.84	0.82	45.10	22.7	204	3.28	230.0
345536B	0.24	0.029	0.29	7.77	42.1	670	2.20	0.25	2.25	0.38	63.70	28.6	204	3.58	132.0
345537T	0.18	0.011	0.26	7.52	14.0	640	1.59	0.20	2.63	0.26	51.70	21.5	189	3.07	57.2
345538B	0.24	0.032	0.23	7.71	15.6	620	1.64	0.14	3.50	0.24	53.50	29.9	131	3.12	177.5
345539T	0.10	<0.005	0.33	6.53	5.4	640	1.22	0.17	3.47	0.39	49.30	17.7	334	2.42	11.3
345540B	0.24	0.007	0.09	7.09	10.7	560	1.49	0.18	2.90	0.12	51.70	31.0	327	2.96	54.3
345541T	0.20	<0.005	0.23	5.50	3.0	420	0.83	0.05	2.94	0.20	22.70	55.2	943	1.69	20.2
345542B	0.08	<0.005	0.17	5.90	8.7	470	1.26	0.11	3.06	0.12	47.10	38.2	366	1.75	114.0
345543T	0.22	0.008	0.08	8.82	8.7	1040	2.64	0.17	1.36	0.07	77.00	20.4	125	4.88	101.0
345544B	0.08	0.006	0.15	8.03	12.6	650	1.97	0.14	1.64	0.10	72.00	21.9	110	4.18	83.3
345545T	0.12	<0.005	0.16	7.39	9.2	590	2.17	0.20	1.08	0.14	83.10	14.7	83	4.04	33.9
345546B	0.20	<0.005	0.12	7.12	9.3	550	2.10	0.21	1.06	0.07	91.90	14.5	78	4.03	30.7
345547T	0.14	<0.005	0.16	6.55	4.5	520	1.91	0.14	1.09	0.05	85.00	13.3	80	3.63	28.9
345548B	0.16	<0.005	0.11	7.31	11.8	580	1.83	0.20	5.00	0.22	73.10	18.9	78	3.98	50.2
345549T	0.14	<0.005	0.05	7.72	5.9	640	2.17	0.14	0.88	0.06	87.90	13.9	92	4.23	22.2
345550B	0.10	<0.005	0.14	6.86	11.8	540	2.00	0.20	5.02	0.20	69.20	17.3	75	3.82	43.3
S-1-18-10	Not Recvd														
S-1-18-11	Not Recvd														
S-1-18-12	Not Recvd														
S-1-18-13	Not Recvd														
S-1-18-14	Not Recvd														
S-1-18-15	Not Recvd														
S-1-18-16	Not Recvd														
S-1-18-17	Not Recvd														
S-1-18-18	Not Recvd														
S-1-18-19	Not Recvd														
S-1-18-20	Not Recvd														
S-1-18-21	Not Recvd														
S-1-18-22	Not Recvd														
S-1-18-23	Not Recvd														
S-1-18-24	Not Recvd														
S-1-18-25	Not Recvd														
S-1-18-26	Not Recvd														
S-1-18-27	Not Recvd														
S-1-18-28	Not Recvd														
S-1-18-29	Not Recvd														
S-1-18-30	Not Recvd														
S-1-18-6	0.12	0.015	0.44	7.34	22.2	580	1.52	0.15	2.31	0.31	55.70	23.7	114	2.74	107.0

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 5 - B

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS	VA06058522
-------------------------	------------

Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	Hg-CV41 Hg ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm
Sample Description	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
345533B	5.80	22.50	0.11	1.3	0.37	0.064	1.63	22.2	46.2	1.68	1045	2.95	1.36	6.8	57.2
345534T	4.35	20.60	0.10	1.4	0.04	0.060	1.70	26.5	41.7	1.17	739	1.48	1.22	8.8	50.4
345535T	4.62	17.65	0.08	1.2	0.17	0.058	1.53	22.7	43.3	1.76	1175	1.67	0.91	6.7	93.7
345536B	5.36	21.00	0.10	1.4	0.20	0.067	2.01	30.7	42.7	2.06	1080	2.81	1.10	8.6	102.5
345537T	4.86	20.10	0.10	1.2	0.03	0.069	1.75	25.7	36.4	1.67	758	0.74	1.20	7.7	70.9
345538B	6.27	21.50	0.09	1.8	0.13	0.066	1.79	26.0	34.1	2.21	1240	0.80	1.16	6.8	65.5
345539T	3.74	16.85	0.08	1.3	0.05	0.046	1.68	24.8	24.6	1.78	1665	0.88	1.39	8.0	77.2
345540B	5.42	17.15	0.07	1.2	0.06	0.051	1.70	26.1	36.4	3.61	1135	0.84	0.94	6.8	212.0
345541T	7.45	13.85	0.09	1.0	0.02	0.036	1.24	11.3	32.6	6.70	1110	0.46	0.67	3.6	478.0
345542B	5.36	14.10	0.09	1.1	0.11	0.039	1.41	24.6	27.8	4.27	1230	1.14	0.93	5.5	250.0
345543T	5.19	24.10	0.11	1.5	0.04	0.062	2.33	36.6	55.7	1.58	560	0.76	1.23	10.2	54.4
345544B	5.20	21.10	0.10	1.4	0.08	0.061	2.01	34.6	45.1	1.59	678	1.12	1.28	8.5	47.8
345545T	3.96	19.55	0.12	1.2	0.08	0.056	1.89	42.0	44.0	0.94	679	0.52	1.10	10.2	34.9
345546B	3.94	19.80	0.10	1.2	0.06	0.053	1.89	48.4	44.4	0.87	598	0.71	1.08	10.0	33.7
345547T	3.56	16.75	0.12	1.1	0.01	0.046	1.60	42.0	37.9	1.02	428	0.39	1.18	8.5	32.5
345548B	4.44	18.75	0.10	1.2	0.09	0.046	1.90	37.0	39.1	1.20	834	1.36	1.18	9.2	39.9
345549T	3.77	21.70	0.08	1.3	0.02	0.052	2.19	43.8	49.2	1.05	489	0.43	1.22	10.9	30.6
345550B	4.03	17.75	0.09	1.2	0.08	0.049	1.82	34.9	39.0	1.19	725	1.34	1.07	9.2	38.9
S-1-18-10															
S-1-18-11															
S-1-18-12															
S-1-18-13															
S-1-18-14															
S-1-18-15															
S-1-18-16															
S-1-18-17															
S-1-18-18															
S-1-18-19															
S-1-18-20															
S-1-18-21															
S-1-18-22															
S-1-18-23															
S-1-18-24															
S-1-18-25															
S-1-18-26															
S-1-18-27															
S-1-18-28															
S-1-18-29															
S-1-18-30															
S-1-18-6	5.37	18.10	0.08	1.3	0.23	0.053	1.43	26.5	28.8	1.49	1040	1.86	1.42	6.3	51.5

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 5 - C

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058522

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
345533B		760	16.7	68.1	<0.002	0.01	1.21	3	1.5	309.0	0.50	0.12	7.3	0.375	0.55	2.3
345534T		1100	16.0	84.7	<0.002	0.02	0.70	3	1.6	245.0	0.63	0.07	6.8	0.399	0.42	1.7
345535T		860	20.5	77.1	<0.002	0.03	0.76	3	1.4	255.0	0.48	0.11	6.2	0.325	0.42	1.9
345536B		800	26.8	70.6	<0.002	0.01	0.92	2	1.8	260.0	0.64	0.14	9.8	0.357	0.62	2.0
345537T		720	17.2	86.4	<0.002	0.01	0.71	2	1.6	304.0	0.59	0.07	6.7	0.387	0.37	1.5
345538B		1240	17.6	76.4	<0.002	0.01	0.61	2	1.5	318.0	0.47	0.09	6.6	0.461	0.30	1.6
345539T		560	12.1	66.7	<0.002	0.02	0.53	2	1.3	394.0	0.60	<0.05	5.8	0.393	0.35	1.4
345540B		810	13.2	67.9	<0.002	<0.01	0.56	2	1.4	314.0	0.49	<0.05	7.3	0.320	0.33	1.4
345541T		1350	6.8	39.8	<0.002	0.01	0.15	2	0.7	195.5	0.25	<0.05	2.4	0.290	0.13	0.8
345542B		890	10.1	48.0	<0.002	0.01	0.75	2	0.9	270.0	0.39	<0.05	5.9	0.304	0.25	1.3
345543T		550	15.0	107.5	<0.002	0.01	0.50	2	2.3	264.0	0.72	<0.05	11.3	0.378	0.51	1.9
345544B		810	12.7	85.8	<0.002	0.01	0.58	2	1.8	299.0	0.60	<0.05	9.4	0.374	0.37	1.8
345545T		690	16.3	95.6	<0.002	0.01	0.67	2	1.9	221.0	0.75	<0.05	11.6	0.339	0.45	1.8
345546B		860	17.5	97.3	<0.002	0.01	0.49	2	1.9	214.0	0.75	<0.05	13.2	0.329	0.44	2.0
345547T		510	13.0	79.9	<0.002	<0.01	0.30	2	1.6	218.0	0.63	<0.05	11.4	0.301	0.33	1.8
345548B		760	17.4	86.1	<0.002	0.01	0.77	2	1.7	382.0	0.70	<0.05	10.7	0.352	0.44	1.7
345549T		550	13.8	111.0	<0.002	<0.01	0.38	2	2.1	219.0	0.80	<0.05	11.5	0.356	0.48	2.0
345550B		680	16.6	83.1	<0.002	0.01	0.75	2	1.7	381.0	0.69	<0.05	10.2	0.321	0.42	1.6
S-1-18-10																
S-1-18-11																
S-1-18-12																
S-1-18-13																
S-1-18-14																
S-1-18-15																
S-1-18-16																
S-1-18-17																
S-1-18-18																
S-1-18-19																
S-1-18-20																
S-1-18-21																
S-1-18-22																
S-1-18-23																
S-1-18-24																
S-1-18-25																
S-1-18-26																
S-1-18-27																
S-1-18-28																
S-1-18-29																
S-1-18-30																
S-1-18-6		810	15.2	59.2	<0.002	0.01	0.92	2	1.3	326.0	0.48	0.07	7.3	0.367	0.34	2.0

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 5 - D

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058522

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	1	0.1	0.1	2	0.5
345533B		199	1.2	22.5	126	35.6
345534T		142	1.2	12.4	283	39.6
345535T		135	1.0	15.3	232	32.7
345536B		157	1.3	16.9	163	41.2
345537T		154	1.1	11.8	186	33.0
345538B		224	1.2	18.7	143	49.3
345539T		116	1.0	11.5	124	38.6
345540B		145	1.1	13.8	106	34.7
345541T		146	0.6	7.2	136	27.3
345542B		158	2.4	16.7	84	29.2
345543T		152	1.2	12.4	75	42.3
345544B		160	1.1	13.2	88	42.2
345545T		102	1.1	14.8	77	34.2
345546B		100	1.2	16.1	72	33.3
345547T		98	0.8	11.7	50	31.5
345548B		126	1.4	16.7	80	35.5
345549T		108	1.2	12.3	66	36.8
345550B		108	1.5	15.4	76	33.3
S-1-18-10						
S-1-18-11						
S-1-18-12						
S-1-18-13						
S-1-18-14						
S-1-18-15						
S-1-18-16						
S-1-18-17						
S-1-18-18						
S-1-18-19						
S-1-18-20						
S-1-18-21						
S-1-18-22						
S-1-18-23						
S-1-18-24						
S-1-18-25						
S-1-18-26						
S-1-18-27						
S-1-18-28						
S-1-18-29						
S-1-18-30						
S-1-18-6		156	1.1	18.1	79	35.8

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 6 - A

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS	VA06058522
-------------------------	------------

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
Sample Description	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
S-1-18-7	Not Recvd														
S-1-18-8	Not Recvd														
S-1-18-9	Not Recvd														
S-S-18-1T	0.14	<0.005	0.48	6.75	5.0	520	1.66	0.15	2.80	0.27	64.40	28.0	175	3.12	82.9
S-S-18-10B	0.20	<0.005	0.31	7.14	5.9	660	2.03	0.18	2.33	0.15	59.80	24.2	153	3.69	75.3
S-S-18-11T	0.12	<0.005	0.21	7.44	4.1	670	2.21	0.16	1.74	0.28	52.70	22.4	143	4.19	44.7
S-S-18-12B	0.14	<0.005	0.40	7.83	5.6	730	2.21	0.20	2.04	0.12	62.90	22.9	165	4.23	52.9
S-S-18-13T	0.10	<0.005	0.18	6.93	4.7	680	1.92	0.12	2.29	0.34	52.60	23.8	186	2.92	48.9
S-S-18-14B	0.10	<0.005	0.41	7.68	29.3	630	1.70	0.16	3.08	0.66	52.90	30.2	234	3.99	70.4
S-S-18-15T	0.06	0.007	1.20	8.04	7.6	680	1.83	0.15	3.11	0.36	54.10	29.4	183	4.29	108.0
S-S-18-16B	0.08	0.011	0.69	9.22	10.0	640	2.14	0.30	2.23	0.75	77.00	31.7	189	5.36	131.5
S-S-18-17T	0.14	<0.005	0.17	7.97	7.0	680	1.64	0.10	2.64	0.26	59.00	24.1	150	3.52	44.9
S-S-18-18B	0.06	<0.005	0.11	7.97	8.0	690	1.69	0.10	2.08	0.26	56.50	24.0	134	3.82	57.2
S-S-18-19T	0.12	<0.005	0.09	8.73	3.9	710	2.09	0.12	1.98	0.24	64.60	22.4	187	4.40	19.2
S-S-18-2B	0.24	<0.005	0.69	7.66	8.3	560	1.87	0.14	4.60	0.21	66.30	22.2	126	3.89	56.8
S-S-18-20B	0.14	<0.005	0.67	8.46	7.0	710	2.12	0.15	2.74	0.26	63.90	28.6	208	4.40	61.1
S-S-18-3T	0.12	<0.005	0.40	7.41	4.9	590	1.60	0.11	2.69	0.20	56.70	22.5	184	3.29	37.6
S-S-18-4B	0.12	<0.005	0.24	7.74	7.4	560	1.98	0.12	2.83	0.13	59.80	31.5	203	3.69	65.3
S-S-18-5T	0.08	<0.005	0.31	8.20	9.0	620	2.28	0.52	2.06	0.32	68.80	24.3	146	3.88	61.2
S-S-18-6B	0.08	0.005	0.27	8.10	16.0	600	2.00	0.20	3.06	0.22	73.10	22.2	95	4.28	57.6
S-S-18-7T	0.04	<0.005	0.16	7.50	5.0	600	1.77	0.10	2.20	0.25	60.30	21.1	164	3.41	31.8
S-S-18-8B	0.18	<0.005	0.26	7.88	9.6	610	1.97	0.15	4.70	0.29	71.70	23.0	110	4.08	55.5
S-S-18-9T	0.14	<0.005	0.37	7.99	7.4	600	1.91	0.18	2.07	0.58	66.80	21.9	165	4.05	80.5
112+00N 97+00E T	0.24	0.077	0.36	8.87	12.1	560	1.51	0.10	2.73	0.31	49.30	22.2	173	4.47	248.0
112+00N 99+50E T	0.32	0.007	0.34	7.37	10.9	520	1.57	0.13	1.62	0.35	70.10	17.1	93	3.53	476.0
112+00N 100+00E T	Not Recvd														
112+00N 100+00E B	Not Recvd														
112+00N 110+00E T	0.08	<0.005	0.09	7.01	4.1	570	1.54	0.09	2.22	0.29	52.60	22.1	170	2.84	45.8
112+00N 110+00E B	0.28	0.010	0.08	7.41	4.5	570	1.79	0.08	2.63	0.16	58.10	22.0	178	3.05	43.2
S-2-18-6	0.04	<0.005	0.19	6.42	12.3	490	1.24	0.10	1.86	0.52	43.70	17.8	92	2.59	47.5
S-3-18-6	0.12	<0.005	2.90	8.14	13.1	590	1.98	0.23	1.32	0.13	79.00	21.1	106	4.14	96.2
S-4-18-6	0.02	NSS	0.18	8.09	10.9	600	1.84	0.17	1.59	0.15	78.20	20.7	114	3.65	62.5
S-5-18-6	0.06	0.010	0.19	7.83	9.8	560	1.75	0.14	1.99	0.16	80.80	21.5	102	3.54	68.4
S-6-18-6	0.16	0.015	0.27	7.78	9.4	580	1.74	0.13	1.94	0.16	71.60	21.6	100	3.43	60.8
S-7-18-6	0.06	0.045	0.23	10.05	10.5	620	1.56	0.13	2.54	0.16	49.80	31.7	82	3.78	212.0
S-8-18-6	0.10	0.008	0.21	8.49	7.0	580	1.80	0.13	1.82	0.16	60.00	20.2	128	4.08	63.1
S-9-18-6	0.10	<0.005	0.17	9.16	8.8	690	1.47	0.09	3.08	0.09	47.40	25.8	210	2.63	61.8
S-10-18-6	0.06	0.015	0.25	8.61	14.0	690	1.37	0.13	4.01	0.24	52.80	26.1	132	2.56	151.0
S-11-18-6	0.06	0.009	0.06	8.64	6.8	640	2.34	0.17	1.19	0.11	106.50	16.9	100	4.25	55.9
S-12-18-6	0.20	0.005	0.36	9.04	10.6	730	2.37	0.17	1.80	0.15	97.10	21.3	106	4.60	89.5

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 6 - B

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS	VA06058522
-------------------------	------------

Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	Hg-CV41 Hg ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm
Sample Description	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
S-1-18-7															
S-1-18-8															
S-1-18-9															
S-S-18-1T	4.95	16.55	0.11	1.3	0.14	0.053	1.45	36.5	54.2	1.99	1205	1.80	1.02	6.6	83.8
S-S-18-10B	4.94	19.15	0.10	1.3	0.11	0.056	2.00	30.2	40.1	1.97	805	1.22	1.19	8.2	73.1
S-S-18-11T	4.54	20.60	0.09	1.2	0.06	0.059	2.04	26.0	45.6	1.63	664	0.95	1.10	9.3	58.7
S-S-18-12B	5.15	21.60	0.09	1.3	0.05	0.063	2.23	30.0	45.5	2.05	774	1.05	1.16	8.8	73.4
S-S-18-13T	4.76	16.60	0.09	1.3	0.05	0.052	1.69	23.6	30.4	2.04	773	1.09	1.31	7.2	76.6
S-S-18-14B	5.63	16.65	0.14	1.7	0.09	0.065	1.82	22.7	35.2	2.97	1035	1.76	1.22	7.9	107.0
S-S-18-15T	6.05	17.20	0.16	1.7	0.14	0.050	1.71	28.4	40.5	2.67	1100	1.69	1.23	8.0	97.8
S-S-18-16B	7.32	19.60	0.18	2.2	0.17	0.064	1.53	38.6	51.6	2.24	1695	2.60	0.84	7.8	123.0
S-S-18-17T	5.19	16.65	0.14	1.6	0.06	0.048	1.86	26.7	35.1	2.08	975	1.06	1.35	7.9	59.9
S-S-18-18B	5.00	17.65	0.16	1.7	0.10	0.046	1.81	26.3	35.7	1.88	949	1.14	1.28	8.1	58.4
S-S-18-19T	4.87	19.65	0.16	1.5	0.03	0.047	2.31	28.5	53.9	2.05	753	0.89	1.17	9.8	69.4
S-S-18-2B	4.67	17.25	0.18	1.3	0.09	0.041	1.90	32.5	41.4	1.93	835	0.98	1.11	8.9	61.8
S-S-18-20B	5.74	19.00	0.17	1.6	0.13	0.049	2.18	30.0	43.1	2.63	1070	1.53	1.21	9.0	93.2
S-S-18-3T	4.67	16.40	0.16	1.4	0.07	0.042	1.82	27.4	37.3	2.22	867	0.84	1.23	8.1	70.9
S-S-18-4B	5.82	17.55	0.18	1.5	0.11	0.044	1.86	28.8	41.4	3.06	1085	0.78	1.10	8.0	108.5
S-S-18-5T	5.15	17.50	0.16	1.5	0.17	0.430	2.02	31.8	41.0	1.97	1015	0.96	1.19	8.1	64.5
S-S-18-6B	4.81	18.90	0.18	1.5	0.29	0.053	2.02	35.2	42.2	1.47	932	1.69	1.20	8.9	46.2
S-S-18-7T	4.63	17.30	0.16	1.3	0.06	0.043	1.80	28.3	40.7	1.80	663	1.14	1.24	8.7	59.4
S-S-18-8B	4.69	18.60	0.18	1.5	0.15	0.045	1.95	35.0	44.4	1.86	846	1.29	1.20	9.7	58.4
S-S-18-9T	5.06	19.25	0.19	1.6	0.10	0.053	1.75	33.2	53.9	1.58	1470	2.83	1.06	8.9	67.3
112+00N 97+00E T	5.44	21.00	0.17	1.7	0.07	0.060	1.44	24.5	37.3	1.68	755	1.13	1.49	8.3	83.4
112+00N 99+50E T	4.09	15.85	0.17	1.4	0.12	0.041	1.40	33.5	53.1	1.10	774	1.07	1.29	8.3	125.0
112+00N 100+00E T															
112+00N 100+00E B															
112+00N 110+00E T	4.68	16.30	0.15	1.3	0.02	0.039	1.62	24.7	36.2	1.84	753	0.94	1.19	7.9	59.5
112+00N 110+00E B	4.74	15.65	0.16	1.4	0.05	0.044	1.75	25.7	37.7	2.24	752	0.80	1.25	7.7	69.5
S-2-18-6	3.74	14.20	0.14	1.2	0.13	0.033	1.18	21.7	27.4	1.11	936	1.21	1.07	6.8	38.2
S-3-18-6	4.83	18.75	0.18	1.4	0.13	0.044	1.95	37.2	39.7	1.28	955	0.92	1.09	9.0	51.8
S-4-18-6	4.50	18.15	0.17	1.5	0.11	0.042	1.87	37.1	39.0	1.27	867	0.74	1.28	9.4	46.1
S-5-18-6	4.29	18.25	0.20	1.6	0.14	0.044	1.64	39.3	37.6	1.25	839	0.79	1.27	9.2	44.1
S-6-18-6	4.43	17.95	0.19	1.4	0.15	0.043	1.67	34.5	37.7	1.28	862	0.79	1.23	8.9	43.0
S-7-18-6	5.66	21.20	0.17	1.5	0.52	0.050	1.75	20.6	36.7	1.75	959	1.69	1.51	6.7	37.5
S-8-18-6	4.15	20.50	0.17	1.4	3.41	0.049	1.79	27.9	58.6	1.41	657	2.12	1.08	9.2	61.0
S-9-18-6	5.30	19.10	0.17	1.5	3.66	0.053	1.89	21.9	36.4	1.87	910	2.56	1.59	5.8	83.1
S-10-18-6	5.71	18.10	0.19	1.8	0.14	0.073	1.39	22.8	34.7	2.27	1350	1.68	1.38	6.0	70.9
S-11-18-6	4.19	21.20	0.21	1.7	0.06	0.053	2.18	49.6	56.1	1.21	595	2.71	1.20	11.1	50.3
S-12-18-6	4.79	21.80	0.22	1.7	0.13	0.055	2.05	46.4	50.5	1.42	866	3.25	1.32	10.0	56.2

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 6 - C

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS	VA06058522
-------------------------	------------

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units LOR	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
S-1-18-7																
S-1-18-8																
S-1-18-9																
S-S-18-1T		500	11.6	73.1	<0.002	0.03	0.34	3	1.3	298.0	0.49	<0.05	8.3	0.315	0.34	3.0
S-S-18-10B		800	12.7	89.7	<0.002	0.01	0.60	2	1.6	336.0	0.62	<0.05	8.9	0.344	0.42	1.7
S-S-18-11T		640	12.2	106.0	<0.002	0.01	0.30	2	1.9	277.0	0.66	<0.05	7.3	0.350	0.47	1.5
S-S-18-12B		730	13.6	92.7	<0.002	0.01	0.35	2	2.0	295.0	0.63	<0.05	8.9	0.347	0.49	1.6
S-S-18-13T		710	11.1	70.0	<0.002	0.01	0.42	2	1.4	308.0	0.52	<0.05	6.6	0.356	0.48	1.4
S-S-18-14B		710	40.2	84.3	<0.002	0.01	2.25	2	1.6	355.0	0.51	<0.05	6.4	0.374	0.56	1.3
S-S-18-15T		1020	14.1	82.3	<0.002	0.01	0.92	2	1.5	392.0	0.52	<0.05	7.9	0.379	0.57	1.4
S-S-18-16B		830	16.4	99.6	<0.002	0.02	0.96	3	1.6	316.0	0.50	<0.05	12.1	0.357	0.68	2.3
S-S-18-17T		1000	12.6	87.5	<0.002	0.03	0.70	2	1.5	363.0	0.52	<0.05	7.4	0.397	0.44	1.3
S-S-18-18B		970	12.9	90.0	<0.002	0.01	0.79	2	1.5	369.0	0.55	<0.05	7.1	0.380	0.48	1.3
S-S-18-19T		500	12.9	127.0	<0.002	0.01	0.37	2	2.0	306.0	0.65	<0.05	8.3	0.369	0.54	1.6
S-S-18-2B		820	13.5	96.1	<0.002	0.01	0.67	2	1.7	409.0	0.58	<0.05	9.0	0.333	0.47	1.2
S-S-18-20B		910	14.6	114.5	<0.002	0.01	0.59	2	1.8	329.0	0.59	<0.05	8.6	0.377	0.54	1.7
S-S-18-3T		730	11.8	92.3	<0.002	0.02	0.39	2	1.4	349.0	0.56	<0.05	7.1	0.357	0.40	1.3
S-S-18-4B		960	12.4	94.1	<0.002	0.01	0.56	2	1.5	339.0	0.52	<0.05	7.8	0.352	0.42	1.3
S-S-18-5T		910	14.6	94.7	0.120	0.01	0.70	2	1.6	345.0	0.55	0.05	8.9	0.366	0.63	1.8
S-S-18-6B		930	16.8	100.0	<0.002	0.05	1.24	2	1.7	402.0	0.58	0.08	9.5	0.358	0.60	1.3
S-S-18-7T		570	11.8	95.7	<0.002	0.02	0.39	2	1.6	351.0	0.58	<0.05	7.1	0.373	0.41	1.3
S-S-18-8B		800	14.4	98.3	<0.002	0.03	0.93	2	1.8	456.0	0.64	<0.05	9.2	0.356	0.49	1.3
S-S-18-9T		630	13.3	100.0	<0.002	0.03	0.51	3	1.8	354.0	0.79	0.05	8.6	0.367	0.54	3.4
112+00N 97+00E T		1060	10.2	71.4	<0.002	0.02	0.60	2	1.7	313.0	0.55	<0.05	6.2	0.471	0.33	1.4
112+00N 99+50E T		330	13.7	75.7	<0.002	0.01	0.60	2	1.4	291.0	0.57	<0.05	8.5	0.358	0.44	1.8
112+00N 100+00E T																
112+00N 100+00E B																
112+00N 110+00E T		780	12.1	84.7	<0.002	0.01	0.34	2	1.5	326.0	0.54	<0.05	6.3	0.355	0.38	1.1
112+00N 110+00E B		560	10.3	89.8	<0.002	0.01	0.29	2	1.4	410.0	0.51	<0.05	7.5	0.352	0.38	1.5
S-2-18-6		980	11.8	58.6	<0.002	0.04	0.49	2	1.2	254.0	0.46	<0.05	5.6	0.326	0.31	1.0
S-3-18-6		790	41.0	122.5	<0.002	<0.01	1.16	2	1.8	261.0	0.59	0.05	10.9	0.339	0.59	1.4
S-4-18-6		790	17.3	92.0	<0.002	0.01	0.77	2	1.6	292.0	0.63	<0.05	10.4	0.379	0.46	1.5
S-5-18-6		670	16.4	87.3	<0.002	0.02	0.79	2	1.6	320.0	0.62	<0.05	9.7	0.369	0.42	1.8
S-6-18-6		630	15.3	84.5	<0.002	0.02	0.78	2	1.5	312.0	0.59	0.05	9.0	0.367	0.42	1.6
S-7-18-6		970	12.9	79.9	<0.002	0.02	0.51	2	1.5	355.0	0.44	0.10	6.1	0.376	0.38	1.3
S-8-18-6		460	12.6	93.5	<0.002	0.03	0.66	2	1.8	274.0	0.61	0.05	7.4	0.372	0.44	1.4
S-9-18-6		770	8.8	69.5	<0.002	0.02	0.67	2	1.3	430.0	0.39	0.07	5.4	0.391	0.34	1.0
S-10-18-6		1090	12.1	57.0	<0.002	0.02	1.79	2	1.2	463.0	0.40	0.07	5.7	0.402	0.34	1.4
S-11-18-6		520	15.9	117.5	<0.002	0.01	0.50	2	2.1	249.0	0.75	<0.05	13.7	0.352	0.56	2.0
S-12-18-6		710	16.6	113.0	<0.002	0.01	0.74	2	1.9	316.0	0.67	<0.05	11.9	0.355	0.55	1.7

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 6 - D

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058522

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	1	0.1	0.1	2	0.5
S-1-18-7						
S-1-18-8						
S-1-18-9						
S-S-18-1T		145	0.9	27.5	65	36.1
S-S-18-10B		152	1.1	17.4	86	38.4
S-S-18-11T		136	1.1	12.1	97	33.0
S-S-18-12B		148	1.1	13.1	78	36.7
S-S-18-13T		149	0.8	12.5	80	36.6
S-S-18-14B		174	1.7	14.0	80	43.8
S-S-18-15T		181	0.9	20.8	99	45.2
S-S-18-16B		194	1.0	36.1	156	59.5
S-S-18-17T		168	0.9	14.2	85	43.0
S-S-18-18B		163	0.9	15.3	87	44.8
S-S-18-19T		139	1.1	11.7	106	39.0
S-S-18-2B		129	1.0	15.7	76	36.5
S-S-18-20B		166	1.1	16.0	89	42.8
S-S-18-3T		139	0.9	13.3	79	35.8
S-S-18-4B		167	1.0	15.2	84	42.2
S-S-18-5T		153	1.0	15.9	86	41.4
S-S-18-6B		143	1.2	16.9	88	41.0
S-S-18-7T		141	0.9	13.3	85	34.9
S-S-18-8B		136	1.1	15.9	88	41.2
S-S-18-9T		150	1.0	21.2	83	41.3
112+00N 97+00E T		188	1.1	11.8	119	42.8
112+00N 99+50E T		124	0.9	16.5	85	36.2
112+00N 100+00E T						
112+00N 100+00E B						
112+00N 110+00E T		140	0.8	10.6	76	33.0
112+00N 110+00E B		144	0.8	13.3	66	37.6
S-2-18-6		106	0.8	10.0	120	32.1
S-3-18-6		127	1.1	16.2	87	37.6
S-4-18-6		130	1.0	15.3	83	38.4
S-5-18-6		124	1.1	16.8	75	41.5
S-6-18-6		128	1.1	14.9	79	36.9
S-7-18-6		160	1.3	11.8	81	36.4
S-8-18-6		126	1.2	12.3	89	36.4
S-9-18-6		181	1.5	15.9	64	34.3
S-10-18-6		186	1.2	18.1	96	48.7
S-11-18-6		107	1.2	13.9	75	43.0
S-12-18-6		132	1.2	16.5	83	42.9

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 7 - A

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS	VA06058522
-------------------------	------------

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
Sample Description	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
S-13-18-6	0.06	0.010	0.23	8.94	9.0	660	2.13	0.17	2.37	0.17	87.80	20.8	104	4.42	56.2
S-14-18-6	0.06	0.006	0.11	9.18	9.2	680	2.38	0.16	1.49	0.14	89.10	19.1	108	4.70	37.2
S-15-18-6	0.06	0.010	0.16	8.26	7.0	610	2.13	0.17	1.26	0.15	92.60	17.1	103	4.49	43.5
S-16-18-6	0.12	0.011	0.09	8.88	9.3	680	2.41	0.24	1.10	0.11	93.20	18.8	111	5.15	50.7
S-17-18-6	0.06	0.142	0.43	8.37	10.2	520	1.76	0.13	2.11	0.12	69.50	39.2	130	3.66	226.0
S-18-18-6	0.04	0.109	0.45	7.88	7.7	520	1.67	0.17	2.32	0.15	63.50	53.5	136	3.46	450.0
S-19-18-6	0.10	<0.005	0.05	7.47	3.9	560	2.01	0.14	0.89	0.04	101.00	18.6	104	3.89	126.0
S-20-18-6	0.04	0.026	0.09	7.88	10.6	560	1.89	0.15	1.99	0.10	68.20	63.8	179	4.01	1410.0
S-21-18-6	0.06	0.029	0.15	7.64	9.6	600	1.29	0.10	2.52	0.09	47.40	26.8	175	2.86	233.0
S-22-18-6	0.04	0.036	0.35	7.81	9.7	630	1.28	0.09	2.96	0.11	35.90	29.7	216	2.21	304.0
S-23-18-6	0.06	0.044	0.19	8.04	12.8	580	1.36	0.10	2.38	0.14	47.20	18.8	92	2.95	173.0
S-24-18-6	0.12	0.115	0.16	8.67	16.1	540	1.06	0.08	4.32	0.10	34.20	19.7	63	2.04	207.0
S-25-18-6	0.12	0.032	0.09	8.64	14.2	610	1.97	0.16	1.95	0.08	71.50	20.3	102	4.39	219.0
S-26-18-6	0.16	0.006	0.09	8.45	21.7	670	2.18	0.20	1.22	0.13	83.60	20.1	98	5.34	79.6
S-27-18-6	0.18	0.006	0.09	8.68	16.4	670	2.09	0.20	1.60	0.18	72.20	23.4	107	5.43	96.3
S-28-18-6	0.08	0.069	0.26	8.14	17.6	370	1.36	0.23	3.80	0.20	45.60	40.0	138	2.03	487.0
S-29-18-6	0.06	0.063	0.23	8.00	16.7	320	0.96	0.06	5.38	0.13	37.30	27.0	152	2.85	290.0
S-30-18-6	0.08	0.087	0.37	8.21	12.0	510	1.35	0.13	2.97	0.22	51.60	24.3	148	3.70	274.0

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 7 - B

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058522

Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	Hg-CV41 Hg ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm
Sample Description	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
S-13-18-6	4.83	21.20	0.21	1.6	0.07	0.053	2.00	42.7	53.3	1.46	866	1.91	1.25	10.4	52.0
S-14-18-6	4.63	22.20	0.20	1.6	0.06	0.055	2.26	40.9	55.6	1.34	738	1.19	1.21	11.2	47.8
S-15-18-6	4.04	20.80	0.20	1.5	0.08	0.053	2.05	46.7	54.2	1.18	635	1.33	1.14	11.1	45.1
S-16-18-6	4.74	22.30	0.21	1.6	0.07	0.056	2.32	45.8	57.0	1.32	713	0.95	1.06	10.8	51.3
S-17-18-6	5.93	19.65	0.20	1.5	0.21	0.048	1.69	31.6	40.2	1.58	688	15.65	1.30	8.5	65.6
S-18-18-6	5.13	17.70	0.19	1.4	0.12	0.050	1.58	29.7	38.9	1.51	698	8.76	1.17	7.9	72.5
S-19-18-6	4.03	17.45	0.13	1.2	0.03	0.050	1.92	54.2	48.6	1.21	426	0.94	1.18	9.9	78.6
S-20-18-6	5.58	17.20	0.13	1.3	0.14	0.059	1.86	38.9	40.9	2.19	821	2.17	1.31	7.3	197.0
S-21-18-6	5.88	15.35	0.10	1.2	0.13	0.048	1.62	24.0	26.8	2.43	976	1.90	1.56	5.9	83.5
S-22-18-6	6.51	15.60	0.11	1.3	0.14	0.048	1.55	16.6	22.0	2.93	1075	3.94	1.76	4.5	95.1
S-23-18-6	5.43	17.40	0.11	1.2	0.05	0.052	1.46	22.8	28.8	1.43	679	1.12	1.72	6.6	40.7
S-24-18-6	6.01	17.20	0.10	1.0	0.09	0.051	1.21	15.6	20.4	1.98	875	1.02	2.23	4.2	27.9
S-25-18-6	5.34	19.05	0.13	1.4	0.17	0.058	1.88	37.4	40.7	1.42	795	0.97	1.36	8.3	49.3
S-26-18-6	5.27	18.65	0.13	1.3	0.17	0.057	2.18	44.6	48.2	1.23	996	0.86	1.18	9.7	44.3
S-27-18-6	5.83	18.00	0.12	1.4	0.26	0.059	2.11	39.8	45.4	1.60	1135	1.22	1.22	8.4	51.1
S-28-18-6	5.73	16.35	0.11	1.5	0.14	0.070	0.96	21.7	22.7	1.71	893	2.68	2.12	5.6	134.5
S-29-18-6	9.14	18.05	0.12	1.2	0.10	0.066	0.78	19.0	32.4	2.14	1240	2.11	1.56	4.2	96.8
S-30-18-6	6.42	18.20	0.12	1.3	0.09	0.055	1.23	26.7	38.7	1.60	1010	1.62	1.38	7.3	82.9

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 7 - C

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058522

Method Analyte Units LOR	ME-MS61 P ppm	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %	ME-MS61 Tl ppm	ME-MS61 U ppm
Sample Description	10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
S-13-18-6	710	16.5	108.5	<0.002	0.01	0.63	2	2.0	332.0	0.69	<0.05	11.3	0.381	0.52	1.6
S-14-18-6	720	16.5	120.5	<0.002	0.02	0.59	2	2.2	286.0	0.73	<0.05	11.4	0.369	0.57	1.7
S-15-18-6	640	15.5	115.5	<0.002	0.01	0.52	2	2.1	249.0	0.74	<0.05	11.3	0.353	0.55	1.9
S-16-18-6	660	18.1	125.0	<0.002	0.01	0.56	2	2.2	239.0	0.69	<0.05	13.2	0.337	0.60	1.8
S-17-18-6	1000	12.3	87.0	<0.002	0.52	0.59	3	1.7	311.0	0.56	0.08	8.3	0.366	0.40	1.5
S-18-18-6	840	12.4	80.1	<0.002	0.14	0.56	3	1.6	282.0	0.51	0.06	7.4	0.352	0.36	1.5
S-19-18-6	590	14.0	86.8	<0.002	<0.01	0.31	1	1.8	195.5	0.70	<0.05	13.7	0.292	0.50	2.0
S-20-18-6	910	12.1	57.7	<0.002	0.01	0.64	1	1.5	267.0	0.57	0.06	9.6	0.332	0.44	1.9
S-21-18-6	1040	8.7	56.7	0.002	0.03	0.65	1	1.2	297.0	0.43	0.07	5.8	0.390	0.31	1.3
S-22-18-6	1450	6.2	46.8	<0.002	0.04	0.55	1	1.1	302.0	0.32	0.09	4.2	0.390	0.26	1.2
S-23-18-6	1060	9.6	59.4	<0.002	0.01	0.44	<1	1.3	287.0	0.48	<0.05	5.4	0.416	0.26	1.3
S-24-18-6	1180	7.5	34.0	<0.002	0.01	0.37	<1	1.0	338.0	0.29	<0.05	3.4	0.444	0.17	1.0
S-25-18-6	850	14.0	77.5	<0.002	0.01	0.73	<1	1.7	274.0	0.59	<0.05	10.6	0.373	0.46	1.8
S-26-18-6	770	17.4	91.7	<0.002	<0.01	1.13	<1	1.8	251.0	0.69	0.05	12.6	0.356	0.60	1.9
S-27-18-6	910	15.4	86.6	<0.002	0.01	0.93	1	1.6	280.0	0.60	<0.05	11.1	0.350	0.54	1.7
S-28-18-6	1360	8.9	35.6	<0.002	0.03	0.69	1	1.6	294.0	0.38	0.08	5.6	0.404	0.20	1.7
S-29-18-6	1540	11.6	27.1	<0.002	0.01	0.37	1	1.2	364.0	0.27	<0.05	3.4	0.348	0.15	1.4
S-30-18-6	1700	11.0	50.7	<0.002	0.02	0.48	1	1.4	280.0	0.54	<0.05	6.2	0.389	0.29	1.5

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 7 - D

Total # Pages: 7 (A - D)

Finalized Date: 24-JUL-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06058522

Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
S-13-18-6	134	1.6	17.0	87	43.9
S-14-18-6	124	1.3	14.7	84	42.2
S-15-18-6	113	1.2	15.1	88	39.3
S-16-18-6	116	1.3	15.7	82	41.7
S-17-18-6	140	1.4	12.9	70	36.4
S-18-18-6	129	1.3	12.3	84	34.8
S-19-18-6	103	1.1	11.8	68	35.0
S-20-18-6	164	1.1	18.9	84	37.2
S-21-18-6	194	1.1	13.8	60	33.7
S-22-18-6	227	1.5	13.5	56	33.4
S-23-18-6	189	1.0	12.3	71	32.0
S-24-18-6	225	1.0	15.3	57	25.8
S-25-18-6	166	1.2	13.7	69	39.1
S-26-18-6	148	1.3	16.9	89	40.0
S-27-18-6	166	1.2	18.1	87	39.8
S-28-18-6	198	2.7	14.6	72	41.5
S-29-18-6	188	1.0	14.8	70	23.4
S-30-18-6	167	1.1	11.7	96	34.3

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

INVOICE NUMBER 1427783

BILLING INFORMATION

Certificate: **VA06075270**
Sample Type: **Soil**
Account: **NOVRES**
Date: **23-SEP-2006**
Project: Shiko Lake
P.O. No.:
Quote: ALSC-CW06-038-NOVRES
Terms: **Due on Receipt** C1
Comments:

		ANALYSED FOR		UNIT	
QUANTITY	CODE	-	DESCRIPTION	PRICE	TOTAL
1	BAT-01		Administration Fee	20.00	20.00
104	PREP-41		Dry, Sieve (180 um) Soil	1.25	130.00
104	ME-MS61m		ME-MS61 plus Hg by CV-AA	28.50	2,964.00
16.46	PREP-41		Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.75	28.81
101	Au-AA23		Au 30g FA-AA finish	9.00	909.00

SUBTOTAL (CAD) \$ 4,051.81

R100938885 GST \$ 243.11

TOTAL PAYABLE (CAD) \$ 4,294.92

To: NOVAGOLD RESOURCES INC.
ATTN: SCOTT PETSEL
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name: ALS Canada Ltd.
Bank: Royal Bank of Canada
SWIFT: ROYCCAT2
Address: Vancouver, BC, CAN
Account: 003-00010-1001098

Please Remit Payments To :

ALS Chemex

212 Brooksbank Avenue
North Vancouver BC V7J 2C1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 1
Finalized Date: 23-SEP-2006
Account: NOVRES

CERTIFICATE VA06075270

Project: Shiko Lake

P.O. No.:

This report is for 105 Soil samples submitted to our lab in Vancouver, BC, Canada on 24-JUL-2006.

The following have access to data associated with this certificate:

CRAIG BOW

RUDI DURFELD

SCOTT PETSEL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	47 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: NOVAGOLD RESOURCES INC.
ATTN: SCOTT PETSEL
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4



This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - A

Total # Pages: 4 (A - D)

Finalized Date: 23-SEP-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06075270

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
S-1-16-7		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.1
S-2-16-7		Not Recvd														
S-3-16-7		0.16	0.008	0.14	8.02	7.2	580	1.51	0.11	1.66	0.14	56.50	21.4	168	4.06	106.6
S-4-16-7		0.20	0.007	0.10	7.20	8.0	1300	1.22	0.11	1.76	0.49	59.60	20.7	124	2.96	104.0
S-5-16-7		0.22	<0.005	0.24	7.07	7.2	690	1.12	0.12	1.86	0.76	46.20	18.9	140	3.61	33.6
S-6-16-7		0.14	<0.005	0.16	6.96	8.4	630	1.04	0.12	1.89	0.44	43.00	20.0	133	4.00	35.5
S-6-16-7		0.14	0.007	0.18	7.23	13.0	650	1.16	0.09	1.35	0.35	48.00	14.9	52	3.29	47.5
S-7-16-7		0.16	<0.005	0.09	6.94	3.7	630	1.45	0.08	2.39	0.31	56.50	20.3	166	3.00	33.1
S-8-16-7		0.18	<0.005	0.13	7.21	4.2	600	1.19	0.11	1.68	0.20	56.50	15.8	111	3.11	31.6
S-1-17-7		0.14	0.109	0.19	8.63	18.1	660	1.23	0.15	1.98	0.18	53.40	21.1	84	4.50	188.9
S-2-17-7		0.10	0.012	0.14	8.85	7.1	660	1.80	0.13	1.20	0.13	106.00	5.4	127	6.10	135.6
S-3-17-7		0.16	0.008	0.10	7.72	6.8	590	1.67	0.19	1.56	0.13	92.80	16.3	111	3.82	46.9
S-4-17-7		0.14	0.010	0.21	7.41	8.4	550	1.31	0.14	1.93	0.26	62.40	19.9	116	3.43	207.0
S-5-17-7		0.18	0.005	0.23	7.81	7.1	590	1.65	0.18	1.78	0.16	61.20	24.8	110	3.44	60.7
S-6-17-7		0.12	0.023	0.54	7.62	14.6	440	1.03	0.19	3.26	0.28	52.60	33.5	168	3.48	242.0
S-7-17-7		0.20	0.039	0.46	7.97	10.5	490	1.25	0.13	2.65	0.23	52.00	24.9	171	4.09	234.0
S-8-17-7		0.18	0.026	0.24	7.47	9.8	540	1.41	0.12	1.99	0.18	50.10	22.1	121	3.37	167.5
S-9-17-7		0.26	0.007	0.08	7.96	15.3	600	1.54	0.16	1.24	0.10	63.50	18.5	87	4.30	32.8
S-10-17-7		0.16	0.049	0.15	7.54	9.7	460	1.52	0.09	2.36	0.14	50.60	18.3	143	2.76	147.0
S-11-17-7		0.20	0.005	0.29	7.65	10.2	550	1.50	0.12	2.46	0.31	52.90	19.1	131	3.66	116.5
S-12-17-7		0.32	<0.005	0.17	6.82	20.8	530	1.57	0.18	1.74	0.23	65.90	18.8	102	3.63	218.0
S-13-17-7		0.20	<0.005	0.03	6.89	2.8	600	1.42	0.09	2.51	0.22	46.90	22.3	182	2.46	38.2
S-14-17-7		0.28	<0.005	0.03	8.66	14.3	650	1.79	0.15	1.09	0.06	69.50	12.2	91	4.36	65.7
S-15-17-7		0.16	<0.005	<0.01	8.99	5.4	700	2.20	0.12	0.59	0.05	69.90	13.3	96	4.82	26.5
S-16-17-7		0.22	<0.005	0.14	7.86	6.7	650	1.78	0.10	1.41	0.08	55.90	17.7	114	4.38	127.6
S-17-17-7		0.12	<0.005	0.46	7.16	8.6	630	1.10	0.12	1.93	0.20	42.80	20.3	118	4.38	116.0
S-18-17-7		0.12	0.015	0.23	8.62	10.6	710	1.71	0.18	1.17	0.13	67.60	17.9	104	4.33	96.6
S-1-20-7		0.18	0.005	0.23	8.89	9.4	650	1.79	0.12	0.87	0.09	94.60	14.9	100	6.10	111.0
S-2-20-7		0.16	<0.005	0.14	8.54	5.6	650	1.99	0.10	1.06	0.12	93.80	14.6	106	5.15	66.4
S-3-20-7		0.14	<0.005	0.15	7.91	7.3	580	1.65	0.13	1.19	0.12	74.80	19.0	113	4.51	62.7
S-4-20-7		0.22	<0.005	0.16	7.95	5.9	640	1.76	0.14	1.31	0.12	67.30	18.6	123	4.78	65.7
S-5-20-7		0.14	<0.005	0.20	8.52	26.8	650	1.45	0.14	1.75	0.17	38.90	22.6	128	5.35	298.0
S-6-20-7		0.20	<0.005	0.08	6.99	5.4	600	1.40	0.11	1.90	0.14	49.10	18.9	142	3.50	36.7
S-7-20-7		0.20	<0.005	0.17	8.72	11.6	630	1.83	0.14	1.07	0.13	60.00	20.5	128	4.84	113.6
S-8-20-7		0.20	0.007	0.02	9.10	6.5	670	2.06	0.16	0.94	0.05	104.00	13.4	113	4.82	81.1
S-9-20-7		0.14	0.007	0.14	6.20	5.8	480	1.14	0.09	2.26	0.35	44.40	22.4	264	3.51	47.7
S-10-20-7		0.22	0.006	0.12	8.10	6.7	660	1.46	0.15	1.32	0.13	59.80	17.6	124	4.72	65.3
S-11-20-7		0.16	<0.005	0.05	7.70	3.8	570	2.01	0.13	0.71	0.07	94.25	11.9	83	3.77	22.6
S-12-20-7		0.14	<0.005	0.04	9.44	3.9	720	2.40	0.11	0.52	0.06	111.50	14.5	95	4.82	18.0
S-13-20-7		0.08	<0.005	0.10	6.66	1.3	570	1.51	0.09	0.55	0.07	98.90	3.0	67	3.51	3.8
S-14-20-7		0.16	<0.005	0.02	8.16	4.1	670	2.13	0.16	0.85	0.11	84.80	14.0	96	5.14	22.5

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - B

Total # Pages: 4 (A - D)

Finalized Date: 23-SEP-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06075270

Sample Description	ME-MS61	ME-MS61	ME-MS61	ME-MS61	hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni %
S-1-16-7	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
S-2-16-7	4.74	19.35	0.16	1.3	0.05	0.055	1.79	27.9	39.7	1.83	549	1.26	1.11	9.4	33.8
S-3-16-7	4.26	16.55	0.16	1.1	0.07	0.048	1.41	26.0	28.7	1.48	711	1.64	1.11	8.5	64.0
S-4-16-7	4.44	18.05	0.16	1.3	0.05	0.050	1.41	23.8	28.8	1.49	589	0.96	1.27	9.5	62.3
S-5-16-7	4.43	18.15	0.14	1.3	0.05	0.053	1.47	21.6	31.7	1.25	757	0.92	1.29	8.1	46.5
S-6-16-7	4.17	16.55	0.15	1.3	0.11	0.042	1.63	23.8	23.0	0.83	1290	1.11	1.29	7.7	19.2
S-7-16-7	4.41	17.10	0.17	1.3	0.03	0.050	1.69	28.4	28.8	1.72	614	1.14	1.28	9.3	65.9
S-8-16-7	3.78	17.30	0.17	1.2	0.05	0.044	1.58	29.2	50.1	1.17	697	1.28	1.35	10.2	39.4
S-1-17-7	5.45	21.10	0.16	1.5	0.09	0.067	2.00	27.2	32.3	1.41	1015	1.15	1.46	8.5	33.5
S-2-17-7	4.29	22.60	0.20	1.5	0.30	0.062	2.34	45.9	48.4	1.33	758	1.23	1.24	12.5	45.0
S-3-17-7	4.28	18.65	0.18	1.3	0.06	0.060	1.76	39.4	36.5	1.22	566	0.56	1.18	11.8	48.5
S-4-17-7	4.34	18.30	0.19	1.2	0.08	0.058	1.54	33.9	34.0	1.24	1120	0.83	1.28	9.7	50.1
S-5-17-7	4.94	22.10	0.16	1.2	0.05	0.064	1.82	32.0	37.1	1.44	780	1.81	1.03	10.1	53.9
S-6-17-7	6.96	22.40	0.16	1.3	0.09	0.065	1.06	28.0	26.1	1.62	961	1.53	1.18	8.0	122.0
S-7-17-7	5.56	21.20	0.14	1.2	0.09	0.071	1.28	26.6	30.1	1.71	711	1.36	1.17	8.8	77.0
S-8-17-7	4.52	19.00	0.12	1.1	0.08	0.063	1.32	25.1	27.3	1.33	578	0.91	1.13	8.7	71.2
S-9-17-7	4.76	19.40	0.19	1.3	0.29	0.060	1.85	35.0	34.8	1.14	877	0.74	1.17	9.2	41.7
S-10-17-7	5.17	18.15	0.21	1.1	0.07	0.066	1.32	27.1	29.3	1.51	634	0.78	1.11	8.3	73.7
S-11-17-7	5.05	19.30	0.18	1.3	0.09	0.068	1.39	30.1	31.8	1.39	1090	1.04	1.18	8.1	85.4
S-12-17-7	4.28	16.45	0.19	1.3	0.17	0.051	1.41	35.4	34.5	1.14	968	1.21	1.22	10.4	87
S-13-17-7	4.77	16.40	0.17	1.1	0.02	0.055	1.58	24.7	31.9	2.07	574	0.68	1.28	8.7	72.4
S-14-17-7	4.31	20.60	0.20	1.3	0.15	0.057	2.16	39.7	39.3	1.04	588	0.67	1.27	10.9	31.5
S-15-17-7	3.97	23.70	0.20	1.3	0.04	0.065	2.58	38.8	55.6	1.14	341	0.48	1.11	12.2	37.8
S-16-17-7	4.35	18.89	0.17	1.1	0.05	0.059	1.78	31.0	39.9	1.35	515	0.84	1.06	9.7	58.8
S-17-17-7	4.14	18.95	0.15	1.2	0.08	0.059	1.49	23.4	31.4	1.03	2370	1.48	1.22	9.3	58.2
S-18-17-7	4.71	21.50	0.20	1.3	0.05	0.069	1.88	37.7	43.6	1.11	544	0.98	1.22	12.1	60.1
S-1-20-7	4.50	21.60	0.19	1.4	0.06	0.068	2.06	39.6	48.4	1.19	430	0.77	1.14	11.6	48.7
S-2-20-7	4.00	21.70	0.21	1.4	0.05	0.065	2.17	43.3	52.1	1.27	694	0.65	1.17	11.6	42.2
S-3-20-7	4.68	20.10	0.20	1.4	0.06	0.069	1.60	40.9	42.9	1.22	505	1.16	1.05	11.3	58.5
S-4-20-7	4.49	20.80	0.17	1.3	0.04	0.067	1.83	37.3	46.7	1.19	534	1.43	1.20	11.2	51.3
S-5-20-7	5.56	20.90	0.17	1.3	0.08	0.065	1.71	29.4	47.6	1.35	850	3.04	1.26	8.5	73.0
S-6-20-7	4.38	17.75	0.16	1.1	0.04	0.054	1.71	26.6	35.0	1.49	637	0.93	1.09	9.2	55.2
S-7-20-7	5.91	21.20	0.19	1.2	0.08	0.069	1.98	32.4	49.1	1.39	472	0.88	0.97	10.4	89.5
S-8-20-7	4.45	21.90	0.29	1.3	0.12	0.064	2.47	45.3	49.3	1.32	526	0.49	1.11	11.2	43.4
S-9-20-7	3.97	15.95	0.15	1.2	0.09	0.050	1.32	29.5	30.6	2.24	1020	2.79	1.21	8.8	55.4
S-10-20-7	4.40	19.80	0.16	1.3	0.08	0.062	1.81	30.2	50.6	1.37	512	2.48	1.16	10.1	82.4
S-11-20-7	3.61	20.40	0.20	1.1	0.04	0.062	1.96	44.5	46.2	0.91	383	0.96	1.08	11.6	35.5
S-12-20-7	4.18	24.30	0.22	1.3	0.02	0.063	2.61	45.2	61.8	1.14	306	0.46	1.11	12.8	42.0
S-13-20-7	1.38	21.30	0.19	1.2	0.02	0.051	1.99	45.0	23.4	0.36	179	0.53	1.09	14.6	8.8
S-14-20-7	3.50	26.00	0.16	1.3	0.02	0.069	2.23	43.5	57.4	1.01	441	0.77	1.10	16.2	36.4

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.aischemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 2 - C
Total # Pages: 4 (A - D)
Finalized Date: 23-SEP-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06075270

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Tb	Tl	U	
Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
LOR	10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	
S-1-16-7																
S-2-16-7		930	11.9	82.4	<0.002	0.01	0.45	1	1.6	240.0	0.66	<0.05	8.2	0.346	0.41	1.7
S-3-16-7		770	11.0	59.8	0.002	0.01	0.63	2	1.3	264.0	0.62	<0.05	7.4	0.347	0.65	1.4
S-4-16-7		1600	10.3	65.1	<0.002	0.01	0.50	2	1.5	300.0	0.66	<0.05	6.7	0.399	0.36	1.4
S-5-16-7		1010	10.6	65.5	<0.002	0.01	0.46	1	1.4	287.0	0.67	<0.05	5.7	0.435	0.37	1.3
S-6-16-7		1180	14.4	71.7	<0.002	0.01	0.84	2	1.2	312.0	0.52	<0.05	6.9	0.387	0.39	1.6
S-7-16-7		550	9.9	75.8	<0.002	0.01	0.40	2	1.5	313.0	0.67	<0.05	7.1	0.386	0.33	1.5
S-8-16-7		760	11.8	71.1	<0.002	0.01	0.43	2	1.6	290.0	0.75	<0.05	7.8	0.403	0.33	1.5
S-1-17-7		1110	11.6	84.2	<0.002	0.02	0.69	2	1.5	327.0	0.62	<0.05	7.8	0.437	0.37	1.5
S-2-17-7		399	13.3	127.5	0.002	0.01	0.46	2	2.1	254.0	0.86	<0.05	13.4	0.375	0.60	2.2
S-3-17-7		1160	13.5	81.3	<0.002	0.01	0.62	2	1.7	264.0	0.85	<0.05	12.5	0.368	0.38	1.9
S-4-17-7		890	13.6	68.5	<0.002	0.02	0.52	2	1.5	286.0	0.69	<0.05	8.4	0.406	0.32	1.6
S-5-17-7		950	13.8	83.4	<0.002	0.01	0.49	2	1.6	254.0	0.76	<0.05	8.3	0.390	0.43	1.5
S-6-17-7		1310	9.6	46.7	<0.002	0.02	1.03	2	1.6	361.0	0.61	<0.05	6.6	0.443	0.26	1.8
S-7-17-7		950	10.2	59.5	<0.002	0.01	0.74	2	1.4	279.0	0.66	<0.05	6.9	0.422	0.32	1.6
S-8-17-7		980	11.0	59.2	<0.002	0.01	0.66	2	1.9	258.0	0.66	<0.05	6.8	0.338	0.35	1.5
S-9-17-7		750	13.8	89.8	0.002	0.01	1.07	<1	1.7	278.0	0.64	0.06	10.0	0.369	0.46	1.7
S-10-17-7		950	9.0	63.6	0.002	0.01	0.58	<1	1.5	257.0	0.59	<0.05	7.1	0.346	0.26	1.5
S-11-17-7		1770	11.1	73.0	<0.002	0.02	0.74	<1	1.5	296.0	0.57	<0.05	7.6	0.358	0.34	1.8
S-12-17-7		420	14.2	74.8	<0.002	0.01	0.68	<1	1.6	291.0	0.73	<0.05	11.1	0.371	0.41	2.1
S-13-17-7		560	9.8	72.5	0.002	0.01	0.33	<1	1.4	389.0	0.57	<0.05	6.6	0.325	0.31	1.4
S-14-17-7		740	13.9	99.2	<0.002	0.01	0.79	<1	1.9	262.0	0.75	<0.05	11.3	0.391	0.51	2.1
S-15-17-7		450	12.6	129.3	0.002	<0.01	0.41	<1	2.4	208.0	0.80	<0.05	10.8	0.319	0.65	1.9
S-16-17-7		970	10.4	84.2	<0.002	0.01	0.45	<1	1.7	240.0	0.65	<0.05	8.5	0.329	0.40	1.5
S-17-17-7		1450	10.3	73.5	0.002	0.02	0.64	<1	1.6	303.0	0.64	<0.05	5.9	0.429	0.39	1.1
S-18-17-7		1550	12.3	93.5	<0.002	0.01	0.61	<1	2.0	246.0	0.80	<0.05	10.2	0.416	0.44	2.0
S-1-20-7		610	10.6	94.7	0.002	0.01	0.52	<1	2.0	222.0	0.77	<0.05	11.0	0.362	0.51	2.0
S-2-20-7		630	11.1	102.5	0.002	0.01	0.43	<1	2.1	241.0	0.79	<0.05	10.9	0.369	0.52	2.0
S-3-20-7		720	10.3	81.1	0.002	0.01	0.50	<1	1.9	216.0	0.77	<0.05	11.3	0.374	0.42	2.0
S-4-20-7		640	12.2	91.2	<0.002	0.01	0.40	<1	2.0	243.0	0.75	<0.05	10.0	0.430	0.45	1.8
S-5-20-7		1810	10.5	78.2	<0.002	0.02	1.15	<1	1.7	292.0	0.56	0.06	5.9	0.428	0.37	1.4
S-6-20-7		950	9.1	90.4	<0.002	0.01	0.40	<1	1.6	259.0	0.59	<0.05	7.1	0.361	0.36	1.4
S-7-20-7		1370	11.0	97.4	<0.002	0.01	0.55	<1	1.9	203.0	0.68	<0.05	9.3	0.325	0.51	1.7
S-8-20-7		550	12.7	132.0	<0.002	<0.01	0.44	<1	2.2	230.0	0.80	0.07	12.9	0.327	0.58	2.1
S-9-20-7		830	8.1	65.9	0.002	0.02	0.61	<1	1.3	276.0	0.63	0.05	6.3	0.386	0.32	1.5
S-10-20-7		970	11.8	88.4	<0.002	0.01	0.54	<1	1.7	239.0	0.68	0.06	8.6	0.359	0.45	1.6
S-11-20-7		550	13.1	100.5	0.002	<0.01	0.31	<1	2.0	196.0	0.80	<0.05	12.0	0.308	0.49	2.0
S-12-20-7		470	13.7	155.5	0.002	<0.01	0.27	<1	2.5	196.0	0.86	<0.05	12.4	0.326	0.63	2.0
S-13-20-7		240	10.2	94.8	<0.002	0.01	0.24	<1	2.3	181.0	1.02	<0.05	10.7	0.419	0.50	1.6
S-14-20-7		400	14.7	116.5	<0.002	<0.01	0.56	2	3.1	216.0	1.14	<0.05	11.4	0.355	0.65	2.2

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 2 - D
Total # Pages: 4 (A - D)
Finalized Date: 23-SEP-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06075270

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
S-1 -16-7						
S-2 -16-7		134	1.1	10.9	90	35.4
S-3 -16-7		133	0.9	11.3	107	31.1
S-4 -16-7		135	1.0	11.7	264	42.3
S-5 -16-7		146	0.8	13.4	211	36.2
S-6 -16-7		144	0.8	10.3	98	41.1
S-7 -16-7		140	0.9	13.2	102	37.6
S-8 -16-7		120	0.9	10.8	112	34.5
S-1 -17-7		188	1.0	15.1	91	38.1
S-2 -17-7		126	1.2	17.5	92	43.0
S-3 -17-7		114	1.0	14.5	80	37.2
S-4 -17-7		138	1.0	15.7	96	35.0
S-5 -17-7		151	1.2	12.4	93	34.4
S-6 -17-7		201	1.3	12.6	129	40.2
S-7 -17-7		174	1.2	15.3	93	36.6
S-8 -17-7		131	1.1	13.8	77	33.3
S-9 -17-7		142	0.9	18.5	77	42.1
S-10 -17-7		139	1.0	11.9	67	38.9
S-11 -17-7		134	0.9	14.1	143	43.8
S-12 -17-7		118	1.1	18.2	71	39.8
S-13 -17-7		137	0.8	12.0	76	34.9
S-14 -17-7		130	1.1	15.1	65	42.5
S-15 -17-7		108	1.2	9.4	68	40.1
S-16 -17-7		122	1.0	9.9	72	35.5
S-17 -17-7		139	0.9	10.2	104	44.2
S-18 -17-7		134	1.2	12.1	89	43.3
S-1 -20-7		125	1.2	10.8	83	43.1
S-2 -20-7		122	1.1	14.1	88	42.4
S-3 -20-7		126	1.0	12.3	85	43.8
S-4 -20-7		127	1.0	11.2	102	40.3
S-5 -20-7		171	1.2	10.2	120	41.4
S-6 -20-7		127	0.8	10.8	95	34.7
S-7 -20-7		130	1.2	10.2	102	38.6
S-8 -20-7		115	1.2	13.9	67	39.8
S-9 -20-7		121	0.8	11.7	119	44.4
S-10 -20-7		121	1.0	11.2	98	42.2
S-11 -20-7		87	1.1	12.1	69	35.5
S-12 -20-7		100	1.3	10.3	68	41.2
S-13 -20-7		76	1.3	8.5	30	37.2
S-14 -20-7		104	1.5	15.5	88	42.9

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 3 - A
Total # Pages: 4 (A - D)
Finalized Date: 23-SEP-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06075270

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
S-15 -20-7		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
S-16 -20-7		0.16	<0.005	0.08	7.71	3.9	600	1.81	0.12	1.19	0.08	79.40	14.2	113	3.95	30.2
S-17 -20-7		0.32	0.015	0.23	7.10	9.8	540	1.41	0.16	1.43	0.18	53.80	22.1	141	4.14	71.3
S-18 -20-7		0.12	0.039	0.29	6.74	9.4	630	1.27	0.13	1.60	0.30	51.60	18.0	119	3.84	50.3
S-19 -20-7		0.16	0.037	0.18	7.26	5.3	450	1.03	0.12	2.78	0.17	40.80	30.8	383	6.24	45.7
85+00		0.16	<0.005	0.03	7.67	3.8	570	1.91	0.10	0.82	0.05	69.40	13.5	103	4.18	84.7
85+50		0.20	0.006	0.08	8.07	3.8	660	1.90	0.17	1.15	0.13	63.20	15.0	106	4.67	35.5
86+00		0.14	<0.005	0.07	8.51	3.6	730	2.03	0.15	0.97	0.11	70.50	13.0	102	4.89	24.8
86+50		0.20	0.005	0.32	7.59	6.0	560	1.68	0.16	1.94	0.16	74.60	18.6	129	3.68	118.0
87+00		0.18	0.040	0.18	7.38	9.2	610	1.47	0.10	1.83	0.16	61.60	16.4	117	3.03	86.6
87+50		0.22	0.093	0.23	8.12	8.5	660	1.70	0.12	1.81	0.15	59.80	17.8	128	3.61	114.0
88+00		0.20	0.098	0.23	7.75	11.5	560	1.11	0.08	2.73	0.16	36.70	22.7	181	2.55	310.0
88+05		0.28	0.040	0.11	6.86	10.5	590	1.35	0.07	1.65	0.11	59.20	15.7	104	2.63	233.0
88+50		3.20	0.140	0.18	7.33	13.5	600	1.21	0.06	2.34	0.09	45.60	19.6	130	2.37	235.0
89+00		0.26	0.069	0.09	7.31	11.1	580	1.39	0.12	1.66	0.08	61.50	17.4	116	2.87	131.5
89+50		0.14	0.023	0.21	6.40	6.6	550	1.01	0.08	2.92	0.18	35.00	21.4	249	2.62	78.3
90+00		0.32	0.065	0.29	7.82	10.3	660	1.32	0.09	2.62	0.17	43.20	24.5	197	2.34	183.0
90+50		0.34	0.032	0.16	7.21	13.2	620	1.39	0.09	2.20	0.12	56.00	21.7	134	2.58	151.5
91+00		0.20	0.017	0.25	7.95	13.9	720	1.52	0.13	1.98	0.25	50.90	22.0	126	3.68	138.0
91+50		0.28	0.018	0.17	7.61	12.4	580	1.04	0.06	1.94	0.14	33.90	19.6	112	2.51	131.0
92+00		0.26	0.035	0.17	8.20	13.9	620	1.05	0.06	2.35	0.18	34.30	21.1	104	2.56	113.8
92+50		0.16	0.135	0.17	7.51	10.9	640	1.15	0.07	1.88	0.14	57.80	15.6	95	2.97	125.0
93+00		0.22	0.099	0.09	5.63	5.2	500	1.26	0.08	1.25	0.08	67.30	11.0	84	1.98	83.3
93+50		0.28	0.083	0.22	8.38	8.6	780	1.18	0.06	2.65	0.25	33.90	19.3	33	2.87	316.0
94+00		0.24	NSS	0.19	7.32	10.4	680	1.15	0.11	1.66	0.15	45.90	12.8	106	3.15	87.4
94+50		0.10	NSS	0.39	6.98	14.1	410	0.91	0.13	2.51	0.41	27.00	23.8	63	2.56	106.5
95+00		0.12	<0.005	0.43	7.47	9.7	520	1.23	0.10	2.06	0.19	33.90	29.6	86	4.09	87.3
95+50		0.16	0.155	0.69	7.86	9.6	760	1.16	0.14	1.96	0.29	31.30	24.9	88	2.33	172.0
T 20351		0.08	0.013	0.23	7.51	5.8	430	1.55	0.06	3.82	0.13	43.20	102.3	388	5.31	154.0
B 20351		0.10	0.015	0.20	7.37	5.3	430	1.17	0.04	3.68	0.08	38.60	82.4	379	4.46	174.0
T 20352		0.10	<0.005	0.10	8.22	6.5	620	1.59	0.07	1.83	0.07	63.60	18.2	161	3.57	87.5
B 20352		0.12	<0.005	0.28	8.59	23.3	650	1.44	0.10	2.52	0.10	58.20	18.4	112	4.50	69.4
T 20353		0.10	<0.005	0.08	8.48	24.2	630	1.83	0.13	1.52	0.07	78.80	20.9	123	3.80	155.0
B 20353		0.08	0.024	0.08	8.48	18.5	730	1.81	0.14	2.36	0.06	63.90	27.5	130	3.54	188.0
T 20354		0.08	0.026	0.11	7.93	10.6	620	2.10	0.14	1.31	0.09	82.40	18.0	120	4.09	86.5
B 20354		0.10	NSS	0.18	8.92	25.4	670	1.89	0.14	1.40	0.12	77.00	21.6	93	4.74	84.0
T 20355		0.12	<0.005	0.03	8.03	12.5	590	1.95	0.16	1.15	0.04	60.60	18.8	122	4.48	77.0
B 20355		0.06	0.230	0.13	5.51	9.4	220	0.99	0.09	3.48	0.02	28.10	38.6	824	4.10	58.2
T 20356		0.08	0.126	0.28	7.20	11.7	520	1.50	0.19	1.77	0.06	59.80	29.1	184	3.88	108.0
T 20357		0.08	<0.005	<0.01	8.15	7.2	620	1.83	0.14	1.40	0.07	21.50	21.7	163	4.81	36.4
T 20358		0.10	<0.005	0.11	8.42	6.7	650	1.78	0.15	1.37	0.07	73.00	18.5	168	4.46	41.0

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 3 - B

Total # Pages: 4 (A - D)

Finalized Date: 23-SEP-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06075270

Sample Description	ME-MS61	ME-MS61	ME-MS61	ME-MS61	hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Fe %	Ga ppm	Ge ppm	Hf ppm	hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
Method Analyte Units LOR	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
S-15 -20-7	4.00	20.20	0.20	1.2	0.03	0.060	1.88	44.8	48.2	1.17	422	1.01	1.11	12.1	42.1
S-16 -20-7	4.92	18.60	0.18	1.1	0.07	0.061	1.36	29.7	33.7	1.17	596	2.62	0.99	9.7	68.0
S-17 -20-7	3.79	17.10	0.15	1.2	0.13	0.055	1.55	28.1	28.6	1.10	1330	1.24	1.15	10.1	43.4
S-18 -20-7	5.31	18.05	0.18	1.2	0.08	0.056	1.42	22.3	34.5	3.51	1020	0.98	1.02	7.2	38.0
S-19 -20-7	3.71	19.70	0.20	1.1	0.03	0.062	1.91	38.2	47.4	1.23	344	1.27	1.09	11.4	47.2
85+00	3.84	21.90	0.19	1.2	0.04	0.060	2.21	34.9	56.2	1.21	535	0.60	1.09	12.9	41.7
85+50	3.83	24.00	0.22	1.3	0.03	0.069	2.45	39.7	55.4	1.09	429	0.77	1.20	14.0	33.8
86+00	4.81	19.50	0.25	1.2	0.11	0.069	1.62	43.9	61.1	1.44	785	1.26	1.17	10.8	60.4
86+50	4.24	19.55	0.16	1.3	0.04	0.043	1.65	31.0	38.5	1.33	566	1.61	1.46	10.1	41.1
87+00	4.67	21.40	0.14	1.4	0.05	0.052	1.90	31.7	43.8	1.42	590	1.62	1.43	10.9	60.4
87+50	5.56	16.15	0.12	1.1	0.06	0.043	1.37	18.3	26.5	1.89	900	1.99	1.50	6.5	72.1
88+00	3.91	16.20	0.14	1.4	0.05	0.034	1.57	30.5	26.2	1.16	547	1.18	1.52	8.5	37.1
88+50	4.63	16.25	0.14	1.4	0.05	0.046	1.58	23.1	24.2	1.54	581	1.92	1.61	7.0	48.1
89+00	4.34	16.65	0.13	1.4	0.08	0.043	1.62	30.5	26.0	1.35	543	1.17	1.50	8.7	41.4
89+50	4.29	16.60	0.16	1.5	0.09	0.043	1.38	17.6	24.6	2.51	1250	1.19	1.55	6.6	60.1
90+00	5.57	17.35	0.14	1.4	0.07	0.042	1.60	21.3	23.0	2.04	785	1.40	1.71	7.1	73.4
90+50	4.64	18.25	0.16	1.5	0.05	0.041	1.54	27.8	26.4	1.44	766	1.41	1.52	6.5	58.0
91+00	5.66	22.60	0.16	1.6	0.06	0.047	1.46	25.7	35.0	1.61	877	1.23	1.37	9.2	51.3
91+50	4.92	16.50	0.12	1.2	0.06	0.035	1.37	17.1	23.2	1.48	585	1.11	1.57	6.3	58.1
92+00	5.41	18.45	0.15	1.3	0.08	0.036	1.38	16.5	21.8	1.67	1150	0.95	1.95	6.0	44.4
92+50	4.38	19.30	0.16	1.4	0.05	0.037	1.54	29.5	28.3	1.22	592	0.98	1.58	8.5	39.8
93+00	2.83	13.70	0.15	1.1	0.04	0.025	1.22	32.9	21.5	0.76	429	0.86	1.25	10.1	28.7
93+50	6.40	24.90	0.19	1.8	0.10	0.039	1.76	16.9	23.5	1.73	881	1.01	1.59	6.3	18.3
94+00	3.72	19.75	0.12	1.6	0.05	0.033	1.57	23.5	28.1	1.11	641	1.69	1.64	9.3	29.0
94+50	4.52	19.80	0.15	1.3	0.24	0.031	0.82	13.5	17.1	1.14	1430	5.84	1.43	5.9	26.1
95+00	5.76	23.10	0.14	1.9	0.07	0.044	1.32	17.0	29.0	1.51	584	1.67	1.21	8.0	44.9
95+50	4.65	23.00	0.15	1.6	0.16	0.037	1.32	15.8	16.8	1.01	699	7.85	1.68	6.1	45.4
T 20351	6.54	19.30	0.20	1.7	0.07	0.045	1.30	18.4	59.6	5.56	1290	3.60	1.43	5.3	294.0
B 20351	6.53	15.90	0.17	1.3	0.09	0.032	1.38	17.7	38.5	5.55	1180	3.65	1.31	4.4	277.0
T 20352	4.74	16.55	0.16	1.2	0.08	0.037	2.05	30.5	38.7	1.89	689	1.15	1.20	8.6	62.7
B 20352	5.33	16.75	0.14	1.3	0.19	0.039	2.31	28.6	33.2	1.34	1130	1.07	1.23	8.1	33.9
T 20353	5.03	20.20	0.18	1.6	0.17	0.048	1.93	39.9	37.0	1.57	681	1.62	1.41	9.8	53.3
B 20353	5.44	21.80	0.19	1.9	0.29	0.042	2.17	32.3	32.1	1.79	747	5.25	1.74	8.3	52.5
T 20354	4.58	20.20	0.18	1.5	0.07	0.045	1.94	37.5	41.0	1.47	576	1.18	1.21	10.3	52.2
B 20354	5.49	20.30	0.19	1.6	0.21	0.046	2.19	41.8	37.2	1.35	1060	1.14	1.26	9.8	34.9
T 20355	4.35	21.50	0.25	1.7	0.13	0.064	2.05	43.9	40.3	1.38	607	0.74	1.16	10.2	55.6
B 20355	6.25	14.45	0.17	1.2	1.57	0.031	1.12	14.4	37.4	9.37	951	1.17	0.38	2.8	582.0
T 20356	6.11	19.70	0.17	1.4	0.35	0.043	1.65	30.2	33.7	2.10	717	9.48	1.1	8.5	36.2
T 20357	4.65	22.20	0.22	1.6	0.05	0.060	2.15	41.9	41.0	1.99	565	0.56	1.24	10.6	74.1
T 20358	4.77	19.30	0.18	1.4	0.09	0.045	2.06	37.2	42.4	1.83	596	1.00	1.11	10.4	72.5

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 3 - C

Total # Pages: 4 (A - D)

Finalized Date: 23-SEP-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06075270

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		F	Pb	Rb	Re	S	So	Se	Sn	Sr	Ta	Te	Tb	Ti	Tl	Tm	Tn
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
S-15 -20-7		460	11.8	93.4	0.002	0.01	0.29	<1	2.0	226.0	0.84	<0.05	11.7	0.376	0.46	2.1	
S-16 -20-7		1560	10.2	67.1	0.002	0.01	0.62	<1	1.6	212.0	0.66	0.06	7.9	0.375	0.33	1.5	
S-17 -20-7		1130	10.9	81.0	0.002	0.01	0.64	<1	1.5	267.0	0.69	0.05	7.4	0.377	0.39	1.6	
S-18 -20-7		1170	11.5	70.5	0.002	0.01	0.70	<1	1.3	229.0	0.48	0.97	5.8	0.367	0.34	1.2	
S-19 -20-7		380	10.8	98.8	<0.002	<0.01	0.33	<1	1.9	198.0	0.78	<0.05	9.7	0.323	0.49	1.7	
85+00		510	12.9	110.0	0.002	0.01	0.41	<1	2.2	233.0	0.86	<0.05	9.5	0.397	0.55	1.8	
85+50		700	16.7	145.0	<0.002	0.01	0.41	<1	2.5	236.0	0.93	<0.05	10.2	0.413	0.55	2.0	
86+00		490	12.1	83.0	0.003	0.01	0.55	<1	1.8	280.0	0.73	<0.05	11.1	0.399	0.40	2.2	
86+50		660	11.6	83.9	<0.002	0.01	0.74	1	1.7	295.0	0.80	<0.05	7.5	0.425	0.34	1.5	
87+00		1020	11.6	96.0	<0.002	0.01	0.57	1	1.8	291.0	0.72	<0.05	8.1	0.429	0.40	1.6	
87+50		890	8.5	52.2	<0.002	0.02	0.72	1	1.1	354.0	0.45	0.06	5.3	0.432	0.22	1.2	
88+00		440	9.3	70.5	<0.002	0.01	0.95	1	1.3	322.0	0.56	<0.05	7.3	0.405	0.28	1.3	
88+50		580	8.5	64.8	<0.002	0.01	0.81	1	1.3	365.0	0.47	<0.05	5.4	0.417	0.24	1.0	
89+00		570	10.7	69.6	<0.002	0.01	0.76	1	1.3	322.0	0.59	<0.05	8.1	0.399	0.30	1.5	
89+50		790	8.0	62.3	<0.002	0.02	0.44	1	1.2	345.0	0.45	<0.05	4.3	0.378	0.25	1.0	
90+00		1200	9.1	62.4	<0.002	0.02	0.55	2	1.3	358.0	0.49	0.09	5.4	0.435	0.25	1.4	
90+50		1120	10.2	70.6	<0.002	0.01	0.50	2	1.4	334.0	0.58	<0.05	6.8	0.399	0.28	1.6	
91+00		3250	11.3	67.3	<0.002	0.02	0.47	2	1.5	278.0	0.62	<0.05	6.8	0.509	0.28	1.6	
91+50		2140	7.8	55.8	<0.002	0.02	0.36	1	1.1	282.0	0.42	<0.05	4.6	0.392	0.23	1.0	
92+00		1850	8.7	58.4	<0.002	0.01	0.33	1	1.1	326.0	0.40	<0.05	4.2	0.446	0.23	1.2	
92+50		1240	10.1	71.2	<0.002	0.02	0.42	2	1.4	299.0	0.54	<0.05	7.1	0.422	0.28	1.3	
93+00		530	10.5	55.4	<0.002	0.01	0.26	2	1.1	239.0	0.71	<0.05	8.0	0.360	0.24	1.5	
93+50		3990	8.5	62.2	<0.002	0.03	0.29	2	1.3	621.0	0.41	<0.05	3.7	0.621	0.21	1.4	
94+00		1010	10.8	71.3	<0.002	0.02	0.36	2	1.4	274.0	0.64	<0.05	5.6	0.451	0.30	1.4	
94+50		1770	18.4	34.8	<0.002	0.05	0.32	3	1.0	255.0	0.36	0.08	3.4	0.340	0.14	1.1	
95+00		1910	13.2	62.3	<0.002	0.03	0.43	2	1.5	239.0	0.52	<0.05	3.9	0.510	0.18	1.2	
95+50		1950	10.3	40.7	<0.002	0.03	0.57	4	1.3	293.0	0.40	0.10	3.6	0.413	0.16	1.0	
T 20351		450	5.8	64.6	<0.002	0.02	0.40	2	1.2	311.0	0.57	0.06	4.7	0.346	0.32	1.2	
B 20351		630	5.0	55.8	<0.002	0.03	0.35	2	0.9	312.0	0.28	0.05	4.5	0.342	0.27	1.0	
T 20352		480	9.9	90.7	<0.002	0.01	0.34	1	1.4	275.0	0.56	<0.05	8.1	0.364	0.39	1.4	
B 20352		1010	11.7	72.6	<0.002	0.05	1.16	1	1.4	335.0	0.52	<0.05	8.2	0.399	0.40	1.4	
T 20353		650	11.6	92.6	<0.002	0.01	1.12	2	1.6	308.0	0.65	<0.05	9.9	0.399	0.42	1.3	
B 20353		1000	10.3	89.0	<0.002	0.02	0.84	2	1.5	378.0	0.54	0.15	8.2	0.394	0.38	1.0	
T 20354		690	13.6	92.1	<0.002	0.01	0.87	1	1.7	259.0	0.74	<0.05	11.0	0.350	0.46	1.0	
B 20354		950	14.8	95.1	<0.002	0.01	1.25	1	1.6	313.0	0.64	<0.05	11.1	0.399	0.47	1.6	
T 20355		630	13.0	109.5	<0.002	0.01	0.88	<1	1.8	247.0	0.69	<0.05	10.2	0.330	0.52	1.6	
B 20355		850	3.5	54.0	<0.002	0.01	0.82	1	0.9	91.2	0.17	1.25	3.4	0.233	0.41	0.8	
T 20356		1250	11.3	77.8	<0.002	0.05	0.60	3	1.4	214.0	0.56	0.45	8.1	0.372	0.35	1.3	
T 20357		530	10.9	91.2	<0.002	<0.01	0.63	1	1.7	261.0	0.72	<0.05	9.4	0.371	0.48	1.3	
T 20358		790	12.5	98.4	<0.002	0.01	0.47	1	1.8	239.0	0.67	<0.05	10.2	0.365	0.43	1.0	

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 3 - D

Total # Pages: 4 (A - D)

Finalized Date: 23-SEP-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06075270

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	1	0.1	0.1	2	0.5
S-15 -20-7		111	1.1	12.2	77	38.7
S-16 -20-7		133	1.1	10.1	106	35.1
S-17 -20-7		113	1.0	10.4	92	42.1
S-18 -20-7		193	1.1	10.1	108	40.9
S-19 -20-7		101	1.1	10.1	60	35.7
85+00		116	1.2	12.6	97	37.9
85+50		118	1.3	10.8	101	41.1
86+00		135	1.0	20.2	81	43.1
86+50		143	1.1	12.4	103	38.9
87+00		149	1.2	12.4	110	41.3
87+50		184	0.8	12.2	92	33.2
89+00		140	0.9	11.8	60	39.5
89+50		168	0.8	11.6	51	41.4
89+00		145	0.9	12.0	48	39.8
89+50		149	0.8	12.0	70	43.3
90+00		173	0.9	13.2	68	39.7
90+50		161	1.1	13.7	67	43.5
91+00		169	1.1	14.1	162	45.1
91+50		155	0.9	10.5	69	34.7
92+00		183	0.9	12.3	84	35.6
92+50		146	0.9	11.7	75	41.9
93+00		85	0.7	12.4	43	31.5
93+50		296	0.8	16.4	61	51.4
94+00		124	1.0	11.8	105	48.3
94+50		122	1.0	10.9	119	30.3
95+00		201	1.0	11.5	149	57.0
95+50		162	1.7	12.9	152	49.8
T 20351		202	0.8	17.6	80	47.4
B 20351		204	0.8	15.1	65	38.8
T 20352		140	0.9	11.2	73	36.4
B 20352		161	1.2	13.8	80	39.8
T 20353		158	1.2	13.9	61	46.9
B 20353		183	1.4	20.6	53	53.7
T 20354		125	1.2	12.7	69	45.6
B 20354		160	1.3	19.4	80	47.8
T 20355		119	1.1	14.2	60	42.1
B 20355		163	1.1	12.2	41	35.5
T 20356		154	2.3	12.0	65	43.7
T 20357		137	1.1	14.0	65	41.9
T 20358		128	1.2	10.7	71	42.4

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 4 - A

Total # Pages: 4 (A - D)

Finalized Date: 23-SEP-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06075270

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
T 20359		0.10	<0.005	0.17	7.88	4.7	610	1.82	0.11	1.08	0.09	92.10	14.2	104	4.38	88.6
T 20360		0.10	0.013	0.09	7.16	9.1	500	1.79	0.20	2.42	0.06	113.00	14.0	71	3.42	38.2
T 20361		0.08	<0.005	0.08	7.06	4.7	570	1.17	0.07	1.21	0.03	63.40	9.3	102	2.19	22.1
B 20361		0.06	<0.005	0.08	6.92	8.0	500	1.65	0.18	4.68	0.07	80.50	14.1	77	3.16	37.2
T 20362		0.08	<0.005	0.17	7.64	8.3	540	1.96	0.23	1.17	0.09	105.00	16.2	81	3.89	46.8
B 20362		0.06	<0.005	<0.01	6.71	7.5	470	1.76	0.23	3.67	0.09	103.50	14.9	60	3.68	35.5
T 20366		0.08	<0.005	<0.01	7.02	6.5	520	1.75	0.16	1.06	0.06	110.50	12.4	79	3.39	26.2
B 20366		0.10	0.039	0.08	6.64	7.8	480	1.74	0.22	3.83	0.11	102.00	14.2	65	3.59	30.2
T 20367		0.12	<0.005	0.06	7.32	5.7	560	1.83	0.14	1.01	0.08	92.40	12.4	88	3.54	22.2
B 20367		0.06	<0.005	<0.01	7.01	7.1	510	1.92	0.18	2.32	0.09	98.20	13.5	73	3.51	30.6
T 20368		0.06	0.007	0.09	8.09	9.3	630	2.09	0.17	1.27	0.08	86.00	17.5	110	4.02	44.8
T20369		0.08	0.007	0.20	6.64	4.4	540	1.68	0.13	1.20	0.27	87.20	11.4	80	3.31	26.9
20389		0.08	<0.005	0.28	6.62	6.1	660	1.39	0.12	1.82	0.29	44.50	17.2	150	2.46	30.6
20390		0.14	<0.005	0.08	6.54	4.1	730	1.46	0.10	2.57	0.14	58.00	13.1	98	1.87	15.9
20392		0.14	<0.005	0.21	6.75	5.3	680	1.58	0.07	1.74	0.11	83.10	12.6	106	2.29	18.0
20395		0.16	<0.005	0.36	7.08	6.4	720	1.55	0.09	1.73	0.34	48.60	18.0	100	2.44	26.2
20397		0.10	0.010	0.17	5.86	5.3	560	1.38	0.08	1.85	0.18	65.90	13.5	105	1.77	29.3
20398		0.50	<0.005	0.23	6.17	6.5	650	1.07	0.10	2.61	0.11	36.40	23.4	325	3.84	32.2
20399		0.22	0.010	0.12	6.65	7.2	640	1.57	0.07	1.77	0.10	73.40	14.5	118	2.22	35.1
20393		0.10	0.099	0.42	5.83	4.1	720	1.20	0.10	1.88	0.50	44.20	15.6	111	2.48	13.6
20394		0.16	0.097	0.10	6.25	6.4	670	1.47	0.09	1.78	0.11	66.20	13.4	97	2.02	43.7
250728		0.04	0.021	0.14	7.20	23.3	560	1.54	0.08	5.49	0.21	61.60	18.8	83	3.59	40.7
250729		0.08	<0.005	0.11	7.86	13.5	590	1.88	0.13	4.50	0.16	74.60	19.9	81	4.29	53.6
250730		0.08	<0.005	0.12	8.47	18.9	630	2.10	0.12	1.60	0.13	90.20	21.5	109	5.19	57.7
250731		0.06	<0.005	0.10	7.92	14.5	590	1.81	0.10	3.28	0.16	73.70	22.7	100	4.18	65.8

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 4 - B

Total # Pages: 4 (A - D)

Finalized Date: 23-SEP-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06075270

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Fe %	Sa ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.01	0.1	0.1	0.2
T 20359		3.67	19.95	0.18	1.4	0.03	0.046	1.83	48.0	48.9	1.16	646	1.33	1.20	12.6	40.2
T 20360		3.92	16.85	0.18	1.3	0.05	0.040	1.71	60.9	36.7	0.91	688	0.57	1.12	13.7	35.2
T 20361		3.58	12.45	0.13	1.0	0.07	0.024	1.69	32.6	25.6	1.04	530	0.37	1.14	8.2	26.9
B 20361		3.83	15.65	0.15	1.1	0.06	0.035	1.76	43.7	33.7	0.99	677	1.45	1.03	11.7	32.5
T 20362		4.09	18.20	0.14	1.6	0.12	0.066	1.82	50.7	41.4	0.96	744	0.79	1.10	12.8	37.6
B 20362		3.49	16.55	0.13	1.4	0.04	0.059	1.65	52.1	40.7	0.86	645	1.14	1.01	13.8	34.7
T 20366		3.31	16.55	0.13	1.4	0.05	0.059	1.67	54.6	39.7	0.88	585	0.55	1.10	13.0	32.9
B 20366		3.49	15.75	0.13	1.3	0.04	0.057	1.59	51.8	38.8	0.89	677	2.03	1.04	12.9	32.6
T 20367		3.40	17.50	0.13	1.5	0.03	0.059	1.67	46.7	43.1	0.94	489	0.55	1.12	12.6	36.7
B 20367		3.47	17.15	0.12	1.5	0.05	0.055	1.74	49.6	42.8	0.91	582	0.67	1.06	12.5	35.7
T 20368		4.08	19.25	0.12	1.7	0.10	0.063	2.00	45.5	44.3	1.24	783	1.17	1.15	11.6	35.1
T 20369		2.89	15.80	0.11	1.4	0.06	0.051	1.59	46.4	34.0	0.77	942	0.92	1.09	12.0	26.5
20389		4.13	14.95	0.09	1.6	0.03	0.054	1.20	22.5	22.8	1.18	1020	1.27	1.21	8.1	42.0
20390		3.18	13.80	0.10	1.4	0.02	0.048	1.19	32.1	17.7	1.30	733	1.03	1.50	10.3	31.0
20392		3.36	14.85	0.12	1.4	0.02	0.026	1.47	38.8	22.2	1.14	575	0.70	1.48	10.8	40.2
20395		3.93	16.00	0.10	1.4	0.04	0.031	1.33	24.9	24.8	1.12	722	0.93	1.48	9.2	44.4
20397		3.29	12.25	0.12	1.2	0.05	0.020	1.19	31.5	19.6	1.07	812	0.53	1.37	9.4	35.4
20398		4.99	13.25	0.12	1.1	0.05	0.017	1.21	19.3	37.7	3.53	607	0.90	1.02	7.8	123.6
20399		3.59	14.45	0.13	1.4	0.03	0.025	1.55	34.3	22.9	1.21	690	0.63	1.48	9.2	42.6
20393		3.49	14.80	0.10	1.3	0.04	0.020	1.23	24.2	33.2	1.02	1140	1.11	1.32	9.5	29.4
20394		3.28	13.35	0.13	1.3	0.06	0.020	1.32	35.0	18.9	1.10	732	0.41	1.46	9.2	36.5
250728		4.19	17.20	0.13	1.3	0.20	0.030	1.87	31.9	33.1	1.08	870	1.78	1.20	8.5	35.5
250729		4.47	18.55	0.14	1.5	0.14	0.036	1.98	35.7	41.2	1.36	892	1.07	1.22	10.0	41.5
250730		5.01	21.80	0.15	1.6	0.10	0.043	2.33	42.1	50.7	1.46	847	1.06	1.11	11.0	45.5
250731		4.94	18.30	0.15	1.4	0.16	0.034	1.87	35.6	40.3	1.45	1005	0.88	1.21	6.7	43.0

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 4 - C

Total # Pages: 4 (A - D)

Finalized Date: 23-SEP-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06075270

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		P ppm	Pb ppm	Rb ppm	Re ppm	S %	So ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Tb ppm	Ti %	Tl ppm	Tm ppm
T 20369	10	310	12.9	104.5	<0.002	0.01	0.38	1	1.9	223.0	0.82	<0.05	11.4	0.378	0.47	1.8
T 20360		770	17.1	85.0	<0.002	0.01	0.50	1	1.7	307.0	0.99	<0.05	16.6	0.368	0.42	2.5
T 20381		630	10.1	63.6	<0.002	0.01	0.33	1	1.2	241.0	0.57	<0.05	8.4	0.375	0.27	1.5
B 20361		700	15.0	75.7	<0.002	0.01	0.55	1	1.6	401.0	0.78	<0.05	12.4	0.346	0.38	1.6
T 20362		720	20.3	89.9	<0.002	0.01	0.64	1	1.9	264.0	1.03	0.06	14.4	0.369	0.46	2.3
B 20362		700	18.2	84.4	<0.002	0.01	0.58	1	1.8	388.0	0.96	0.06	13.6	0.342	0.46	2.0
T 20366		720	15.7	82.7	<0.002	<0.01	0.46	1	1.8	243.0	0.96	<0.05	13.6	0.366	0.41	2.2
B 20366		750	17.1	78.4	<0.002	0.01	0.52	1	1.7	410.0	0.96	<0.05	13.1	0.336	0.43	2.1
T 20367		720	14.1	88.0	<0.002	0.01	0.39	1	1.8	237.0	0.98	<0.05	10.9	0.369	0.41	2.1
B 20367		660	16.4	84.9	<0.002	0.01	0.49	<1	1.8	309.0	0.93	<0.05	12.4	0.342	0.44	2.0
T 20368		990	18.3	91.3	<0.002	0.01	0.73	<1	1.8	276.0	0.86	<0.05	11.2	0.385	0.46	2.0
T20369		580	14.7	85.2	<0.002	0.02	0.44	1	1.6	257.0	0.92	<0.05	10.5	0.357	0.41	2.1
20389		1570	11.2	49.7	<0.002	0.02	0.50	1	1.2	324.0	0.59	<0.05	5.0	0.405	0.29	1.4
20390		850	12.3	48.5	<0.002	0.01	0.42	1	1.3	444.0	0.72	<0.05	7.0	0.384	0.30	1.5
20392		1050	12.4	63.7	<0.002	0.01	0.50	<1	1.4	314.0	0.82	<0.05	11.1	0.411	0.35	2.2
20395		1810	12.1	59.7	<0.002	0.01	0.49	1	1.3	326.0	0.65	<0.05	6.8	0.408	0.33	1.8
20397		920	12.8	52.4	<0.002	0.01	0.67	<1	1.1	316.0	0.71	<0.05	9.3	0.375	0.28	2.0
20398		1290	11.5	52.3	<0.002	0.03	0.56	1	1.0	361.0	0.53	<0.05	6.1	0.339	0.34	2.0
20399		900	12.3	64.6	<0.002	0.01	0.57	<1	1.3	320.0	0.67	<0.05	10.2	0.372	0.36	2.0
20393		1750	13.0	56.0	<0.002	0.03	0.37	<1	1.2	330.0	0.71	<0.05	6.4	0.447	0.23	1.5
20394		800	13.2	54.9	<0.002	<0.01	0.54	<1	1.2	342.0	0.64	<0.05	9.9	0.355	0.34	2.0
250728		880	13.4	78.5	<0.002	0.05	1.05	<1	1.5	431.0	0.63	<0.05	9.3	0.340	0.43	1.7
250729		860	14.9	85.4	<0.002	0.02	0.85	<1	1.6	427.0	0.71	<0.05	11.2	0.359	0.43	1.8
250730		970	16.0	110.0	<0.002	0.01	0.85	1	2.0	292.0	0.76	<0.05	12.6	0.378	0.59	2.1
250731		880	13.9	82.4	<0.002	0.02	1.24	<1	1.6	364.0	0.62	<0.05	10.8	0.365	0.41	1.9

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 4 - D

Total # Pages: 4 (A - D)

Finalized Date: 23-SEP-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06075270

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm 1	ppm 0.1	ppm 0.1	ppm 2	ppm 0.5
T 20359		104	1.2	11.9	81	43.4
T 20360		81	1.2	20.2	61	37.7
T 20361		102	0.8	9.3	64	29.4
B 20361		83	1.2	14.9	60	34.6
T 20362		101	1.2	17.5	70	40.8
B 20362		78	1.2	18.9	62	37.2
T 20366		89	1.1	16.3	59	40.0
B 20366		78	4.9	19.1	60	35.9
T 20367		92	1.1	14.3	74	39.8
B 20367		88	1.1	18.0	67	40.4
T 20368		124	1.5	15.2	76	46.3
T 20369		86	1.1	12.9	90	37.9
20389		134	0.8	12.6	119	43.8
20390		119	0.7	18.0	51	40.2
20392		116	0.9	17.5	57	40.6
20395		120	0.8	13.6	156	43.1
20397		101	0.7	18.9	58	34.3
20398		114	1.3	13.9	113	33.5
20399		117	1.0	17.2	53	41.7
20393		106	0.8	12.3	140	39.3
20394		104	0.8	21.2	48	40.5
250729		132	1.2	17.7	77	39.1
250729		131	1.0	18.9	80	44.6
250730		149	1.3	17.7	87	49.6
250731		153	1.1	20.0	81	45.0

Comments: REE's may not be totally soluble in MS61 method. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

INVOICE NUMBER 1436009

BILLING INFORMATION

Certificate: **VA06081739**
Sample Type: **Soil**
Account: **NOVRES**
Date: **2-OCT-2006**
Project: **Shiko Lake**
P.O. No.:
Quote: **ALSC-CW06-038-NOVRES**
Terms: **Due on Receipt** C1
Comments:

ANALYSED FOR			UNIT	TOTAL
QUANTITY	CODE	DESCRIPTION	PRICE	
1	BAT-01	Administration Fee	20.00	20.00
170	PREP-41	Dry, Sieve (180 um) Soil	1.25	212.50
170	ME-MS61m	ME-MS61 plus Hg by CV-AA	28.50	4,845.00
34.82	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.75	60.94
170	Au-AA23	Au 30g FA-AA finish	9.00	1,530.00

SUBTOTAL (CAD) \$ 6,668.44

R100938885 GST \$ 400.11

TOTAL PAYABLE (CAD) \$ 7,068.55

To: **NOVAGOLD RESOURCES INC.**
ATTN: SCOTT PETSSEL
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name: ALS Canada Ltd.
Bank: Royal Bank of Canada
SWIFT: ROYCCAT2
Address: Vancouver, BC, CAN
Account: 003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 1
Finalized Date: 2-OCT-2006
Account: NOVRES

CERTIFICATE VA06081739

Project: Shiko Lake

P.O. No.:

This report is for 170 Soil samples submitted to our lab in Vancouver, BC, Canada on 14-AUG-2006.

The following have access to data associated with this certificate:

CRAIG BOW

RUDI DURFELD

SCOTT PETSEL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	47 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: NOVAGOLD RESOURCES INC.
ATTN: SCOTT PETSEL
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - A

Total # Pages: 6 (A - D)

Finalized Date: 2-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06081739

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
s-1-21-7		0.26	<0.005	0.19	7.99	7.7	620	1.84	0.19	1.37	0.09	88.70	16.9	129	4.17	48.7
s-2-21-7		0.12	0.014	0.38	8.52	13.8	620	1.72	0.23	1.94	0.27	75.40	26.9	172	9.69	242.0
s-3-21-7		0.10	0.005	0.11	7.97	6.5	650	2.04	0.15	1.73	0.11	80.20	18.4	127	4.39	66.7
s-4-21-7		0.12	<0.005	0.11	8.08	15.5	630	1.97	0.14	1.02	0.09	68.70	16.2	77	4.60	36.8
s-5-21-7		0.12	0.015	0.10	7.07	11.5	630	1.43	0.13	1.29	0.09	63.70	13.0	78	3.12	65.1
s-6-21-7		0.18	0.138	0.41	9.11	19.9	930	1.01	0.07	2.64	0.12	39.80	16.0	42	1.87	1345.0
s-7-21-7		0.12	0.320	0.79	8.33	13.6	680	1.46	0.18	2.56	0.15	34.60	23.7	63	3.00	1015.0
s-8-21-7		0.14	0.022	0.18	8.03	11.0	620	2.09	0.17	1.13	0.06	86.00	16.8	100	3.96	127.0
s-1-24-7		0.28	0.026	0.19	7.88	8.9	660	1.60	0.13	2.49	0.17	50.90	20.2	140	3.22	154.5
s-2-24-7		0.12	0.010	0.08	7.39	6.9	600	1.71	0.16	1.85	0.10	74.00	16.9	119	3.40	98.7
s-3-24-7		0.16	0.086	0.18	7.79	8.8	580	1.44	0.11	2.73	0.20	52.40	21.4	257	3.15	191.0
s-4-24-7		0.08	0.028	0.06	8.96	8.3	700	1.98	0.14	2.07	0.08	65.10	18.2	178	4.32	142.0
s-5-24-7		0.18	0.028	0.12	7.79	10.9	610	1.68	0.13	2.55	0.11	54.90	18.1	165	3.24	202.0
s-6-24-7		0.28	0.023	0.08	9.11	9.9	680	2.00	0.16	2.40	0.11	74.00	22.6	147	4.85	123.5
s-7-24-7		0.22	0.046	0.28	8.61	10.1	600	1.65	0.13	2.64	0.13	54.20	57.7	179	4.87	285.0
s-1-25-7		0.20	0.049	0.19	8.92	8.0	530	1.26	0.10	3.93	0.12	56.40	27.3	77	2.38	324.0
s-2-25-7		0.18	0.044	0.07	8.21	8.1	590	1.42	0.10	3.65	0.07	52.60	25.4	299	3.04	174.5
s-3-25-7		0.20	0.048	0.19	8.26	10.6	620	1.70	0.11	2.91	0.09	48.30	22.6	211	3.03	227.0
s-4-25-7		0.18	0.053	0.10	7.77	10.5	560	1.22	0.07	4.07	0.07	34.10	25.1	327	1.99	222.0
s-5-25-7		0.16	0.013	0.08	7.88	10.6	650	1.67	0.11	2.14	0.09	57.40	17.6	186	3.04	134.5
s-6-25-7		0.28	0.062	0.13	6.77	9.0	480	1.65	0.17	2.93	0.09	81.00	24.3	194	2.51	231.0
s-7-25-7		0.28	0.056	0.35	8.00	8.7	610	1.47	0.14	2.49	0.32	53.90	22.5	130	3.69	387.0
s-8-25-7		0.22	0.055	0.24	8.02	11.0	580	1.75	0.16	2.75	0.13	75.80	25.4	166	3.61	478.0
s-9-25-7		0.20	0.032	0.17	8.87	7.3	720	2.27	0.23	1.15	0.09	69.70	17.9	128	5.41	132.5
s-10-25-7		0.16	0.059	0.36	9.47	11.5	770	2.89	0.38	1.15	0.16	77.90	23.7	138	6.63	192.5
s-11-25-7		0.22	0.037	0.16	9.11	6.1	790	2.60	0.23	0.87	0.14	66.20	15.5	132	5.80	50.7
s-12-25-7		0.14	0.035	0.18	8.76	11.1	680	1.99	0.22	1.93	0.12	75.10	23.6	131	4.43	218.0
20813 bottom		0.14	0.017	0.12	8.47	28.5	740	2.06	0.16	2.33	0.18	75.00	26.0	125	4.38	80.0
20814 top		0.14	0.014	0.32	8.07	13.0	610	2.05	0.20	1.80	0.30	75.70	17.9	106	4.89	69.9
20814 bottom		0.14	0.018	0.12	7.88	14.3	600	2.00	0.20	5.07	0.21	75.60	20.1	86	4.40	64.0
20815 top		0.16	0.005	0.13	8.08	8.4	660	1.98	0.15	1.68	0.18	73.70	19.2	102	4.72	48.0
20815 bottom		0.22	0.023	0.13	7.64	12.5	600	1.91	0.19	4.98	0.18	74.80	19.6	85	4.31	50.9
20816 top		0.16	0.093	0.15	8.47	9.1	670	2.75	0.24	2.01	0.10	94.40	17.3	93	5.06	48.0
20816 bottom		0.16	0.011	0.08	7.73	10.2	600	1.81	0.21	5.97	0.16	77.10	18.0	80	4.51	44.5
20817 top		0.18	0.008	0.05	8.59	9.7	670	2.08	0.24	1.39	0.05	99.80	16.3	90	5.01	42.5
20817 bottom		0.12	0.005	0.05	7.75	8.3	590	1.83	0.22	4.87	0.16	81.70	16.6	78	4.56	42.4
20818 top		0.22	0.011	0.08	7.99	12.7	660	1.65	0.23	1.71	0.15	74.70	20.4	101	4.49	59.0
20818 bottom		0.12	0.024	0.14	7.74	11.5	590	1.79	0.22	5.69	0.23	80.50	20.0	82	4.54	61.8
20819 top		0.20	0.009	0.06	8.49	10.7	690	1.93	0.23	1.25	0.11	84.30	19.1	93	5.10	60.8
20819 bottom		0.20	0.018	0.13	7.72	12.5	660	1.50	0.19	5.41	0.20	85.80	20.7	80	4.89	65.4

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - B

Total # Pages: 6 (A - D)

Finalized Date: 2-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06081739

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
s-1-21-7		4.66	19.35	0.16	1.6	0.05	0.062	1.94	45.7	41.0	1.50	551	0.74	1.21	12.1	55.7
s-2-21-7		5.86	19.70	0.16	1.6	0.24	0.067	1.91	30.5	56.6	1.86	1805	4.19	1.14	8.9	36.4
s-3-21-7		4.63	19.40	0.14	1.5	0.04	0.060	2.10	39.8	38.5	1.56	683	0.73	1.21	11.1	46.7
s-4-21-7		4.58	19.45	0.17	1.6	0.04	0.060	1.98	35.5	38.8	0.92	410	1.04	1.28	10.9	31.0
s-5-21-7		3.91	16.85	0.15	1.4	0.08	0.050	1.76	33.2	28.3	0.98	860	0.77	1.42	9.0	34.4
s-6-21-7		5.14	26.70	0.14	1.6	0.11	0.057	2.34	18.4	21.6	1.87	1120	1.00	2.07	4.8	21.3
s-7-21-7		7.13	25.50	0.16	2.1	0.09	0.088	2.14	18.8	24.6	2.22	891	1.28	1.62	7.7	41.4
s-8-21-7		4.53	19.70	0.15	1.6	0.06	0.060	2.13	42.2	39.8	1.14	614	0.97	1.29	11.3	42.3
s-1-24-7		5.38	20.80	0.15	1.5	0.11	0.059	1.79	26.2	26.3	1.71	948	1.07	1.60	9.2	47.6
s-2-24-7		4.40	17.60	0.14	1.4	0.08	0.051	1.81	37.9	30.6	1.44	784	0.74	1.39	10.7	44.0
s-3-24-7		5.32	18.10	0.15	1.4	0.06	0.054	1.60	27.4	37.1	2.48	777	1.09	1.52	7.6	102.5
s-4-24-7		5.26	22.40	0.18	1.5	0.05	0.062	2.35	35.4	46.7	2.04	668	1.13	1.51	10.8	71.3
s-5-24-7		5.04	17.70	0.13	1.3	0.09	0.052	1.81	26.9	29.9	1.92	683	1.28	1.57	7.8	33.1
s-6-24-7		5.26	21.90	0.16	1.6	0.07	0.059	2.23	37.6	41.6	1.89	750	1.20	1.54	10.0	54.8
s-7-24-7		5.75	19.95	0.14	1.5	0.14	0.058	1.88	27.1	43.6	2.57	1075	4.74	1.63	8.1	266.0
s-1-25-7		6.67	21.10	0.16	1.6	0.14	0.075	1.43	25.3	22.4	2.30	1125	1.04	1.61	8.4	67.6
s-2-25-7		6.07	19.85	0.15	1.5	0.10	0.061	1.84	23.3	28.1	3.33	863	1.48	1.68	7.0	118.5
s-3-25-7		5.47	18.60	0.13	1.5	0.08	0.054	1.91	24.1	26.8	2.72	819	2.51	1.81	7.0	93.1
s-4-25-7		6.09	16.35	0.13	1.3	0.09	0.054	1.65	15.8	18.2	4.00	901	2.19	1.82	4.3	137.0
s-5-25-7		4.80	18.15	0.14	1.4	0.07	0.055	2.03	29.1	31.6	2.19	652	1.95	1.61	8.5	73.7
s-6-25-7		5.53	15.15	0.18	1.4	0.11	0.054	1.45	41.3	25.4	2.40	1025	1.26	1.38	9.2	82.0
s-7-25-7		5.26	18.65	0.16	1.5	0.10	0.064	1.51	32.3	53.8	1.70	1155	1.86	1.49	8.4	65.7
s-8-25-7		5.84	18.80	0.16	1.6	0.22	0.063	1.75	43.5	35.3	2.15	1090	2.72	1.47	6.6	73.0
s-9-25-7		4.96	24.80	0.16	1.5	0.10	0.072	2.70	33.5	58.6	1.49	547	1.12	1.16	12.6	65.2
s-10-25-7		5.99	25.90	0.17	1.6	0.14	0.084	2.77	38.5	73.5	1.50	665	1.75	1.03	12.3	67.6
s-11-25-7		4.63	26.90	0.14	1.6	0.04	0.077	2.91	32.3	61.5	1.36	505	1.03	1.19	13.8	44.8
s-12-25-7		5.63	21.80	0.18	1.6	0.11	0.071	2.20	37.5	52.3	1.68	847	2.08	1.30	10.4	69.9
20813 bottom		5.93	21.00	0.18	1.8	0.22	0.073	2.17	38.2	39.5	1.89	1275	1.80	1.32	9.0	61.1
20814 top		4.94	19.55	0.17	1.6	0.12	0.064	1.91	42.3	49.5	1.37	922	0.94	1.06	9.5	44.5
20814 bottom		4.72	19.40	0.16	1.5	0.13	0.060	2.15	39.8	43.9	1.48	857	1.13	1.14	10.5	41.9
20815 top		4.73	20.60	0.17	1.6	0.12	0.060	2.14	38.8	49.7	1.46	875	0.90	1.32	10.2	38.1
20815 bottom		4.61	19.00	0.15	1.4	0.11	0.060	2.09	39.5	42.9	1.50	853	0.94	1.15	10.2	40.4
20816 top		4.68	22.30	0.18	1.6	0.09	0.064	2.30	48.6	53.4	1.31	709	0.73	1.15	12.4	41.3
20816 bottom		4.36	18.90	0.14	1.4	0.09	0.059	2.09	40.0	41.7	1.42	759	0.66	1.09	10.4	39.9
20817 top		4.66	22.00	0.17	1.5	0.07	0.058	2.34	46.1	49.4	1.23	672	0.58	1.12	11.3	41.5
20817 bottom		4.19	19.70	0.16	1.4	0.06	0.053	2.11	43.1	46.6	1.31	675	0.80	1.05	11.7	38.4
20818 top		5.02	23.20	0.16	1.6	0.23	0.063	1.98	40.0	40.8	1.42	992	0.80	1.08	9.3	47.4
20818 bottom		4.42	23.30	0.15	1.4	0.12	0.067	2.01	42.5	45.5	1.45	849	0.92	1.03	10.3	38.6
20819 top		4.77	22.40	0.17	1.5	0.11	0.062	2.23	43.6	51.2	1.33	799	0.57	1.07	11.1	41.7
20819 bottom		4.70	18.70	0.15	1.4	0.13	0.055	1.90	33.6	40.4	1.68	929	0.85	1.14	9.6	44.8

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - C

Total # Pages: 6 (A - D)

Finalized Date: 2-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06081739

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		P ppm 10	Pb ppm 0.5	Rb ppm 0.1	Re ppm 0.002	S ppm 0.01	Sb ppm 0.05	Se ppm 1	Sr ppm 0.1	Sr ppm 0.2	Sr ppm 0.2	Ta ppm 0.05	Te ppm 0.05	Tn ppm 0.2	Ti % 0.005	Tl ppm 0.02
s-1-21-7		880	12.7	88.9	<0.002	0.01	0.51	1	2.0	246.0	0.89	0.06	11.7	0.443	0.44	2.1
s-2-21-7		520	14.7	117.0	0.003	0.02	0.90	2	1.6	254.0	0.63	0.11	9.8	0.413	0.71	1.7
s-3-21-7		810	12.3	93.7	<0.002	0.01	0.50	1	1.8	304.0	0.79	0.05	10.0	0.396	0.45	1.8
s-4-21-7		1150	11.6	84.7	<0.002	0.01	0.97	1	1.6	278.0	0.74	0.05	8.6	0.453	0.39	1.9
s-5-21-7		930	12.0	76.8	<0.002	0.01	0.88	1	1.4	319.0	0.62	<0.05	7.4	0.419	0.36	1.3
s-6-21-7		1320	6.8	39.5	<0.002	0.01	0.68	2	0.8	318.0	0.27	0.05	2.6	0.453	0.19	0.8
s-7-21-7		2270	6.6	54.3	<0.002	0.02	0.75	1	1.5	264.0	0.46	0.07	3.7	0.682	0.20	1.3
s-8-21-7		670	14.0	91.7	<0.002	<0.01	0.81	1	1.9	310.0	0.77	0.06	11.1	0.412	0.47	2.1
s-1-24-7		2680	9.9	72.7	<0.002	0.01	0.54	1	1.5	345.0	0.61	0.07	6.1	0.456	0.35	1.6
s-2-24-7		960	13.3	84.7	<0.002	<0.01	0.53	1	1.6	313.0	0.74	0.05	9.4	0.411	0.42	1.5
s-3-24-7		1060	9.0	66.1	<0.002	0.01	0.50	1	1.4	337.0	0.56	0.06	6.5	0.411	0.34	1.3
s-4-24-7		680	11.8	106.0	<0.002	0.01	0.46	1	2.1	316.0	0.73	0.07	8.3	0.447	0.48	1.7
s-5-24-7		1080	10.9	72.6	<0.002	0.01	0.53	1	1.4	360.0	0.58	0.07	6.9	0.409	0.36	1.3
s-6-24-7		940	13.8	98.4	<0.002	0.01	0.46	1	1.9	325.0	0.72	0.06	9.3	0.432	0.48	1.8
s-7-24-7		730	10.7	95.0	0.002	0.01	0.52	1	1.5	382.0	0.57	0.05	6.6	0.436	0.49	1.8
s-1-25-7		1460	9.4	55.1	<0.002	0.01	0.47	1	1.3	347.0	0.45	0.05	6.0	0.543	0.21	1.5
s-2-25-7		820	8.1	69.3	<0.002	0.01	0.39	1	1.5	381.0	0.47	0.05	5.7	0.428	0.37	1.3
s-3-25-7		850	9.1	74.3	0.002	0.01	0.44	1	1.4	398.0	0.49	0.07	5.6	0.426	0.36	1.5
s-4-25-7		710	5.1	53.6	0.002	0.01	0.34	1	1.0	427.0	0.29	0.06	3.3	0.380	0.26	1.2
s-5-25-7		570	9.7	83.7	<0.002	0.01	0.58	1	1.5	372.0	0.59	0.05	7.1	0.435	0.38	1.8
s-6-25-7		1000	11.8	57.5	0.002	0.01	0.62	2	1.3	339.0	0.72	0.14	10.0	0.433	0.32	2.2
s-7-25-7		630	11.8	69.6	<0.002	0.01	0.71	2	1.5	347.0	0.59	0.06	6.2	0.436	0.37	1.7
s-8-25-7		770	12.2	74.0	0.002	0.01	0.79	1	1.6	359.0	0.64	0.08	9.0	0.434	0.40	2.1
s-9-25-7		710	15.3	126.5	<0.002	0.01	0.50	1	2.5	243.0	0.90	0.06	10.2	0.421	0.67	1.9
s-10-25-7		490	21.5	140.5	0.003	0.01	0.68	1	2.6	247.0	0.86	0.08	13.1	0.406	0.74	2.3
s-11-25-7		680	15.7	141.0	<0.002	0.01	0.46	1	2.8	232.0	0.97	0.05	9.7	0.449	0.71	1.6
s-12-25-7		860	15.1	101.0	0.002	0.01	0.65	1	2.9	330.0	0.74	0.08	10.2	0.447	0.50	2.3
20813 bottom		1110	17.3	87.5	<0.002	0.02	1.88	2	1.7	403.0	0.62	0.06	9.5	0.436	0.54	2.0
20814 top		810	14.4	89.4	<0.002	0.03	0.78	2	1.7	274.0	0.73	0.06	10.0	0.388	0.48	2.5
20814 bottom		840	16.8	93.1	<0.002	0.02	1.15	1	1.8	444.0	0.76	0.08	10.5	0.393	0.51	2.0
20815 top		440	13.4	96.6	<0.002	0.01	4.91	1	1.8	300.0	0.72	0.06	9.3	0.426	0.46	1.8
20815 bottom		840	17.1	91.3	<0.002	0.02	1.18	1	1.7	427.0	0.76	0.06	10.6	0.385	0.47	1.8
20816 top		740	17.5	111.5	<0.002	0.01	0.81	1	2.2	292.0	0.87	0.05	13.2	0.400	0.56	2.1
20816 bottom		760	18.3	95.5	<0.002	0.01	1.23	1	1.8	472.0	0.82	<0.05	11.0	0.366	0.54	1.9
20817 top		680	19.1	113.0	<0.002	0.01	0.81	<1	2.1	269.0	0.84	0.05	13.0	0.373	0.62	2.2
20817 bottom		680	17.2	98.9	<0.002	0.01	0.75	2	2.0	428.0	0.86	<0.05	11.8	0.352	0.54	2.0
20818 top		860	18.0	97.7	<0.002	0.01	1.07	3	1.8	290.0	0.72	0.09	11.1	0.375	0.49	2.1
20818 bottom		770	17.2	95.8	<0.002	0.02	1.18	2	2.0	467.0	0.76	0.08	10.6	0.350	0.52	2.0
20819 top		670	18.1	119.5	<0.002	0.01	0.82	2	2.1	264.0	0.81	0.06	11.8	0.376	0.56	2.2
20819 bottom		750	16.1	83.4	<0.002	0.03	1.20	2	1.6	496.0	0.64	<0.05	9.0	0.373	0.46	1.3

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - D

Total # Pages: 6 (A - D)

Finalized Date: 2-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06081739

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm 1	ppm 0.1	ppm 0.1	ppm 2	ppm 0.5
s-1-21-7		131	1.2	13.8	83	49.1
s-2-21-7		171	1.4	17.7	114	46.8
s-3-21-7		139	1.1	13.0	80	46.5
s-4-21-7		152	1.2	11.9	75	51.2
s-5-21-7		137	0.9	13.9	62	45.9
s-6-21-7		261	1.7	12.9	46	43.4
s-7-21-7		328	1.2	16.7	114	57.9
s-8-21-7		137	1.1	13.4	65	52.6
s-1-24-7		184	1.0	17.3	91	44.3
s-2-24-7		129	1.0	18.0	58	43.7
s-3-24-7		166	0.9	14.6	97	44.0
s-4-24-7		170	1.2	17.4	80	46.2
s-5-24-7		168	1.0	15.5	62	39.3
s-6-24-7		166	1.1	18.0	68	48.0
s-7-24-7		195	1.1	20.8	66	42.2
s-1-25-7		258	1.4	18.9	83	45.1
s-2-25-7		206	1.0	15.5	57	43.3
s-3-25-7		197	1.1	17.4	54	42.4
s-4-25-7		218	0.8	17.1	43	36.3
s-5-25-7		171	1.1	13.5	58	44.4
s-6-25-7		159	0.8	23.7	56	42.6
s-7-25-7		164	1.0	24.1	119	46.2
s-8-25-7		185	1.1	28.6	66	46.7
s-9-25-7		148	1.4	12.3	99	47.3
s-10-25-7		156	1.5	19.8	93	49.9
s-11-25-7		145	1.5	10.6	118	49.0
s-12-25-7		166	1.2	17.9	83	48.0
20813 bottom		208	1.3	21.1	84	56.5
20814 top		144	1.1	22.5	90	46.7
20814 bottom		137	1.2	17.7	86	47.2
20815 top		157	1.1	15.9	89	50.3
20815 bottom		135	1.1	17.3	85	46.0
20816 top		127	1.3	18.2	87	50.5
20816 bottom		116	1.2	16.3	82	43.4
20817 top		127	1.2	17.1	79	47.9
20817 bottom		110	1.2	15.9	78	43.0
20818 top		141	1.1	19.8	76	50.2
20818 bottom		117	1.1	16.8	88	45.0
20819 top		129	1.3	17.2	85	49.2
20819 bottom		137	1.1	16.6	86	45.4

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 3 - A

Total # Pages: 6 (A - D)

Finalized Date: 2-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06081739

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	VF-MS61
		Recvd Wt. Ag	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
20820 top		0.26	0.008	0.13	8.03	15.0	640	1.34	0.17	5.24	0.23	59.50	20.7	68	4.04	85.4
20820 bottom		0.20	0.030	0.26	7.24	17.1	560	1.60	0.19	5.49	0.33	67.00	22.4	82	4.00	88.4
20821 top		0.18	0.012	0.06	8.89	9.2	680	2.17	0.25	1.21	0.09	93.20	19.2	96	5.42	59.4
20821 bottom		0.18	0.017	0.10	8.15	11.1	640	1.75	0.18	4.03	0.12	75.90	19.3	105	4.14	60.8
20822 top		0.24	0.018	0.13	7.58	17.4	590	1.86	0.21	1.46	0.20	90.50	18.2	88	4.00	62.8
20822 bottom		0.20	0.019	0.13	7.79	11.4	690	1.38	0.12	3.13	0.18	58.10	30.3	191	2.94	194.0
20823 top		0.26	<0.005	0.10	7.56	9.6	550	1.98	0.21	4.15	0.13	89.60	16.8	81	3.90	49.8
20823 bottom		0.16	0.008	0.08	6.95	7.2	480	1.46	0.21	6.20	0.14	98.20	15.0	61	3.71	35.8
20824 top		0.20	0.009	0.09	6.89	12.0	520	1.56	0.19	4.40	0.13	83.90	16.1	79	3.62	55.2
20824 bottom		0.12	0.049	0.11	6.71	12.2	510	1.72	0.19	6.05	0.17	84.70	16.9	72	3.38	55.0
20825 top		0.16	0.012	0.11	8.07	14.5	1000	1.59	0.16	3.36	0.10	61.30	27.7	197	3.06	256.0
20825 bottom		0.20	0.014	0.11	6.70	10.8	570	1.38	0.17	4.59	0.23	74.70	17.5	85	2.95	59.0
20826 top		0.24	0.012	0.09	7.05	9.5	550	1.50	0.18	6.30	0.19	75.70	19.5	92	3.63	56.4
s-1-1-8		0.24	0.009	0.08	7.21	9.4	510	2.14	0.23	5.09	0.13	99.10	17.9	70	3.89	45.2
s-2-1-8		0.18	0.005	0.04	6.48	7.5	460	1.83	0.17	5.47	0.16	91.10	13.9	58	2.99	34.0
s-3-1-8		0.24	<0.005	0.08	7.20	8.9	510	1.79	0.22	5.11	0.14	93.00	16.5	71	3.81	43.0
s-4-1-8		0.18	0.008	0.08	6.77	9.9	500	1.53	0.20	5.67	0.13	97.70	17.2	67	3.48	46.3
s-5-1-8		0.22	0.010	0.07	7.43	6.9	540	2.00	0.22	3.77	0.10	110.00	15.4	75	3.67	36.0
s-6-1-8		0.30	<0.005	0.07	6.69	6.2	470	1.73	0.20	4.86	0.08	105.50	13.6	60	3.43	30.2
s-7-1-8		0.18	0.006	0.06	6.20	7.9	440	1.72	0.22	6.16	0.11	106.00	14.5	47	3.45	29.8
s-8-1-8		0.20	0.009	0.06	6.90	7.7	490	1.82	0.23	5.88	0.12	101.50	15.8	58	3.70	38.8
s-9-1-8		0.24	<0.005	0.16	8.11	7.9	640	1.73	0.16	2.22	0.12	84.70	18.5	128	3.22	59.8
s-10-1-8		0.16	0.014	0.07	7.14	8.1	620	1.54	0.19	2.57	0.11	85.20	24.5	156	2.99	95.4
s-11-1-8		0.16	0.005	0.11	8.36	6.5	640	1.94	0.22	1.16	0.09	93.20	17.2	101	4.32	62.9
s-1-3-8		0.18	<0.005	0.06	9.52	9.7	740	2.42	0.28	1.24	0.15	99.30	21.9	103	5.97	43.9
s-2-3-8		0.22	0.021	0.04	8.22	7.2	620	1.91	0.22	2.90	0.11	82.10	18.2	83	4.75	42.5
s-3-3-8		0.18	0.016	0.06	8.58	9.9	680	2.32	0.24	2.95	0.11	87.10	23.4	112	4.75	65.8
s-4-3-8		0.30	0.007	0.05	7.79	12.5	610	1.89	0.19	5.13	0.14	87.50	20.2	60	4.21	35.0
s-5-3-8		0.18	0.014	0.04	8.59	9.5	710	2.12	0.21	1.66	0.09	86.30	18.6	102	4.74	56.0
s-6-3-8		0.20	0.019	0.38	8.33	10.4	650	1.81	0.22	4.84	0.19	83.50	19.6	95	4.59	39.2
s-7-3-8		0.18	0.008	0.14	8.39	9.1	670	1.99	0.22	5.20	0.19	86.70	19.8	96	4.78	39.2
s-8-3-8		0.18	0.012	0.15	7.75	10.7	660	1.51	0.17	5.78	0.17	75.20	21.9	75	4.01	54.4
s-9-3-8		0.18	0.018	0.14	7.88	12.4	640	1.65	0.17	4.77	0.35	75.90	22.4	79	4.35	55.8
s-10-3-8		0.16	0.010	0.09	9.08	10.7	770	1.96	0.22	1.37	0.11	97.90	20.2	94	5.17	60.0
s-11-3-8		0.20	0.005	0.12	8.62	12.0	730	1.83	0.22	1.46	0.17	91.30	22.0	98	5.14	56.5
s-12-3-8		0.16	0.021	0.13	8.60	9.6	740	2.22	0.24	0.97	0.09	116.50	16.9	89	5.26	59.4
s-13-3-8		0.22	0.013	0.12	8.60	10.9	720	1.72	0.20	1.71	0.13	88.40	20.5	85	4.86	50.3
s-14-3-8		0.18	0.009	0.07	7.60	8.6	620	1.68	0.17	5.39	0.13	84.60	19.3	64	4.10	38.4
s-15-3-8		0.16	0.022	0.07	8.16	11.0	600	1.72	0.17	1.56	0.07	98.10	19.0	75	3.86	42.7
s-16-3-8		0.24	0.014	0.11	8.51	15.2	670	1.59	0.19	2.08	0.14	75.30	24.6	89	3.98	67.3

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 3 - B

Total # Pages: 6 (A - D)

Finalized Date: 2-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06081739

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni %
20820 top		4.81	18.35	0.13	1.5	0.15	0.057	1.77	30.6	33.6	1.50	1055	0.94	1.20	8.0	36.0
20820 bottom		4.40	18.60	0.17	1.3	0.17	0.058	1.89	35.0	37.4	1.44	1020	1.24	1.10	9.4	48.0
20821 top		4.89	24.20	0.17	1.6	0.12	0.078	2.41	47.9	55.3	1.31	737	0.59	1.10	12.0	45.9
20821 bottom		4.61	20.40	0.14	1.4	0.13	0.066	2.02	38.8	41.6	1.47	865	0.77	1.22	10.3	48.0
20822 top		4.35	18.95	0.16	1.3	<0.01	0.060	1.95	47.9	38.5	1.10	963	0.51	1.20	10.6	42.1
20822 bottom		5.74	19.35	0.15	1.9	0.13	0.061	1.59	29.8	31.8	3.20	1380	0.89	1.09	6.5	114.0
20823 top		4.16	18.85	0.17	1.3	0.11	0.060	1.94	47.9	42.7	1.25	780	0.59	1.13	10.9	41.7
20823 bottom		3.72	17.25	0.16	1.3	0.07	0.048	1.82	51.0	40.2	1.15	675	0.79	1.12	11.7	36.0
20824 top		3.96	18.05	0.15	1.3	0.10	0.050	1.71	43.6	36.8	1.14	754	0.51	1.09	10.6	46.8
20824 bottom		3.89	17.15	0.16	1.3	0.11	0.053	1.73	44.4	36.9	1.25	782	0.60	1.05	10.2	44.3
20825 top		5.83	20.10	0.17	1.8	0.16	0.051	2.03	33.2	44.1	2.93	1160	1.05	1.33	7.5	103.0
20825 bottom		4.00	15.60	0.14	1.2	0.16	0.047	1.69	39.2	30.1	1.37	829	0.87	1.22	9.3	45.7
20826 top		4.29	17.75	0.16	1.3	0.13	0.049	1.82	39.3	36.7	1.52	857	0.70	1.13	8.6	52.2
s-1-1-8		3.95	18.85	0.17	1.3	0.07	0.051	1.91	52.4	41.6	1.12	729	0.47	1.11	11.0	41.5
s-2-1-8		3.43	15.55	0.15	1.1	0.07	0.040	1.63	48.7	34.1	1.02	680	0.57	1.18	11.0	32.2
s-3-1-8		3.92	17.80	0.16	1.3	0.08	0.053	1.89	48.3	40.3	1.14	701	0.50	1.11	11.1	42.2
s-4-1-8		3.82	17.10	0.14	1.3	0.08	0.049	1.77	51.9	38.0	1.20	735	0.69	1.11	10.3	38.0
s-5-1-8		3.97	18.05	0.16	1.2	0.05	0.052	1.91	55.6	40.9	1.06	674	0.50	1.18	12.0	35.5
s-6-1-8		3.52	16.50	0.16	1.2	0.04	0.046	1.73	54.2	39.8	0.98	622	0.59	1.09	11.8	35.2
s-7-1-8		3.37	16.40	0.16	1.2	<0.01	0.047	1.63	55.6	38.9	0.94	602	0.60	0.98	11.6	31.9
s-8-1-8		3.73	17.75	0.13	1.2	0.09	0.053	1.78	54.4	40.9	1.03	673	0.77	1.07	12.3	34.8
s-9-1-8		4.74	19.40	0.17	1.4	0.07	0.061	1.77	43.4	38.2	1.55	835	0.59	1.34	9.5	55.3
s-10-1-8		5.18	18.25	0.17	1.4	0.10	0.064	1.53	43.7	35.3	2.18	1025	0.76	1.19	9.0	50.9
s-11-1-8		4.31	21.90	0.16	1.6	0.03	0.062	2.07	46.1	47.5	1.25	650	0.57	1.09	12.3	46.8
s-1-3-8		5.27	26.10	0.19	1.5	0.07	0.075	2.68	53.5	62.7	1.42	811	0.60	1.19	12.5	62.6
s-2-3-8		4.41	21.40	0.16	1.3	0.08	0.063	2.18	42.8	50.1	1.24	680	0.64	1.12	10.2	40.0
s-3-3-8		5.17	23.40	0.18	1.5	0.07	0.075	2.15	46.0	49.5	1.58	969	0.62	1.00	10.5	58.8
s-4-3-8		4.29	21.40	0.14	1.4	0.04	0.067	1.81	46.5	46.2	1.27	790	0.81	1.14	10.7	34.7
s-5-3-8		4.78	23.60	0.17	1.5	0.08	0.069	2.14	44.6	51.7	1.44	819	0.62	1.12	10.7	48.4
s-6-3-8		4.54	21.40	0.15	1.8	0.07	0.053	2.08	42.6	38.7	1.45	872	0.69	1.10	12.3	42.1
s-7-3-8		4.49	21.40	0.13	1.8	0.06	0.054	2.25	43.6	42.4	1.49	850	0.68	1.10	12.8	43.0
s-8-3-8		4.69	17.90	0.14	1.8	0.09	0.047	2.08	38.6	33.1	1.60	836	0.71	1.23	10.1	30.1
s-9-3-8		4.66	19.10	0.14	1.9	0.13	0.049	1.94	37.7	36.1	1.52	890	0.89	1.22	10.4	32.5
s-10-3-8		4.93	22.10	0.17	2.1	0.11	0.056	2.38	47.7	42.8	1.36	848	1.12	1.22	12.5	34.0
s-11-3-8		4.92	22.00	0.16	2.0	0.11	0.054	2.34	45.8	42.6	1.44	883	1.28	1.23	11.2	38.0
s-12-3-8		4.41	24.10	0.15	2.1	0.07	0.055	2.30	56.7	48.1	1.14	811	0.96	1.10	13.5	30.0
s-13-3-8		4.66	22.40	0.16	1.9	0.09	0.057	2.18	44.5	44.5	1.31	733	0.98	1.14	11.4	35.0
s-14-3-8		4.11	19.25	0.14	1.7	0.05	0.047	1.93	42.3	35.9	1.27	758	0.60	1.15	11.0	25.0
s-15-3-8		4.41	20.30	0.15	1.9	0.08	0.052	1.84	47.9	34.6	1.27	840	0.70	1.19	10.3	27.0
s-16-3-8		5.22	20.40	0.16	1.9	0.19	0.055	1.93	37.4	33.1	1.53	1280	0.95	1.14	8.8	55.9

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 3 - C

Total # Pages: 6 (A - D)

Finalized Date: 2-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06081739

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		P ppm 10	Ph ppm 0.5	Rb ppm 0.1	Re ppm 0.002	S % 0.01	Sb ppm 0.05	Se ppm 1	Sp ppm 0.2	Sr ppm 0.2	Ta ppm 0.05	Te ppm 0.05	Th ppm 0.2	Ti % 0.005	Tl ppm 0.002	Tn ppm 0.1
20820 top		820	15.6	74.4	<0.002	0.02	1.35	2	1.4	442.0	0.61	0.06	8.0	0.382	0.42	1.6
20820 bottom		850	21.3	85.9	<0.002	0.03	1.65	2	1.6	445.0	0.71	0.06	9.3	0.360	0.51	1.9
20821 top		710	18.6	122.0	<0.002	0.01	0.62	2	2.4	240.0	0.88	0.05	13.3	0.376	0.60	2.2
20821 bottom		830	15.3	89.8	<0.002	0.01	0.73	3	2.0	335.0	0.78	<0.05	10.3	0.385	0.46	1.8
20822 top		800	19.5	91.6	<0.002	<0.01	1.12	3	1.8	280.0	0.84	<0.05	12.6	0.400	0.49	2.1
20822 bottom		1270	17.5	60.6	<0.002	0.01	0.89	2	1.4	391.0	0.50	0.06	7.1	0.403	0.27	1.7
20823 top		710	17.7	89.6	<0.002	0.01	0.71	2	1.9	406.0	0.84	<0.05	12.4	0.378	0.48	2.0
20823 bottom		700	17.2	85.2	<0.002	0.01	0.51	3	1.8	519.0	0.90	<0.05	13.0	0.352	0.44	2.2
20824 top		730	16.3	80.4	<0.002	<0.01	1.04	2	1.7	397.0	0.80	<0.05	11.1	0.353	0.46	2.0
20824 bottom		760	16.8	79.8	<0.002	0.01	1.14	1	1.7	501.0	0.80	<0.05	11.3	0.344	0.42	2.0
20825 top		1390	17.1	77.2	<0.002	0.01	1.58	1	1.5	481.0	0.56	<0.05	8.2	0.411	0.37	1.8
20825 bottom		830	16.2	71.1	<0.002	0.01	1.14	1	1.5	425.0	0.72	0.06	10.2	0.357	0.44	1.8
20826 top		850	17.2	80.7	<0.002	0.01	0.84	1	1.6	475.0	0.74	<0.05	10.4	0.362	0.44	1.8
s-1-1-8		750	18.2	88.4	<0.002	0.01	0.71	2	1.9	469.0	0.86	0.07	13.8	0.350	0.46	2.0
s-2-1-8		730	16.3	75.3	<0.002	0.01	0.56	2	1.6	480.0	0.87	<0.05	12.0	0.342	0.41	1.9
s-3-1-8		780	18.0	87.7	<0.002	0.01	0.66	1	1.8	449.0	0.88	<0.05	13.0	0.350	0.46	2.0
s-4-1-8		770	17.6	82.7	<0.002	0.02	0.75	1	1.7	494.0	0.80	<0.05	12.9	0.336	0.45	2.0
s-5-1-8		740	17.2	90.1	<0.002	0.01	0.56	1	1.8	400.0	0.92	<0.05	14.0	0.375	0.49	2.2
s-6-1-8		700	16.5	83.2	<0.002	0.01	0.46	<1	1.8	446.0	0.91	<0.05	13.6	0.349	0.43	2.1
s-7-1-8		700	16.4	82.3	<0.002	0.01	0.50	1	1.7	487.0	0.92	<0.05	13.8	0.331	0.44	2.0
s-8-1-8		710	18.4	89.2	<0.002	0.02	0.70	2	1.9	476.0	0.95	<0.05	13.8	0.345	0.49	2.1
s-9-1-8		1080	14.8	80.3	<0.002	0.01	0.71	2	1.6	354.0	0.73	<0.05	9.8	0.423	0.38	2.0
s-10-1-8		1030	16.3	71.6	<0.002	<0.01	0.56	3	1.5	378.0	0.66	<0.05	10.6	0.381	0.34	1.9
s-11-1-8		590	15.7	103.0	<0.002	<0.01	0.40	2	2.1	243.0	0.97	<0.05	11.7	0.386	0.52	2.1
s-1-3-8		760	20.8	130.5	<0.002	0.01	0.60	2	2.6	264.0	0.88	0.08	14.0	0.371	0.65	2.1
s-2-3-8		680	17.6	106.0	<0.002	0.01	0.56	2	2.1	334.0	0.76	0.05	11.8	0.326	0.55	1.9
s-3-3-8		880	18.1	100.5	<0.002	<0.01	0.92	2	2.1	361.0	0.73	0.07	12.1	0.363	0.53	2.0
s-4-3-8		670	14.3	92.0	<0.002	0.01	0.65	3	2.0	458.0	0.77	<0.05	11.8	0.348	0.46	2.0
s-5-3-8		760	16.1	105.0	<0.002	0.01	0.79	2	2.2	273.0	0.79	<0.05	12.1	0.351	0.54	2.1
s-6-3-8		770	25.2	103.0	<0.002	0.01	1.21	2	2.0	447.0	0.83	<0.05	12.7	0.358	0.49	1.7
s-7-3-8		750	27.2	111.0	<0.002	0.01	0.88	2	2.0	428.0	0.89	<0.05	12.8	0.371	0.51	1.7
s-8-3-8		860	17.0	85.7	<0.002	0.03	0.95	2	1.5	486.0	0.66	<0.05	11.2	0.403	0.38	1.8
s-9-3-8		800	43.2	91.2	<0.002	0.02	1.04	2	1.7	425.0	0.67	0.05	10.7	0.377	0.41	1.6
s-10-3-8		770	19.7	117.5	<0.002	0.01	0.92	2	2.1	253.0	0.82	<0.05	14.3	0.397	0.53	1.9
s-11-3-8		870	22.1	112.5	<0.002	0.01	1.21	2	2.0	269.0	0.75	0.05	13.6	0.385	0.53	1.9
s-12-3-8		450	20.0	127.0	<0.002	0.01	0.59	2	2.4	212.0	0.94	<0.05	16.8	0.341	0.58	2.1
s-13-3-8		710	19.7	109.0	<0.002	0.01	0.99	2	2.0	259.0	0.74	<0.05	13.0	0.373	0.48	1.7
s-14-3-8		690	15.1	93.1	<0.002	0.01	0.76	2	1.8	470.0	0.72	<0.05	12.0	0.354	0.41	1.7
s-15-3-8		610	15.8	88.5	<0.002	0.01	1.29	1	1.8	266.0	0.68	<0.05	13.5	0.364	0.43	1.6
s-16-3-8		900	19.4	89.2	<0.002	0.02	1.46	2	1.6	316.0	0.56	0.05	11.1	0.367	0.45	1.8

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 3 - D

Total # Pages: 6 (A - D)

Finalized Date: 2-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06081739

Sample Description	Method Analyte Units LOR	MC-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm 1	ppm 0.1	ppm 0.1	ppm 2	ppm 0.5
20820 top		144	1.1	17.2	83	47.5
20820 bottom		127	1.2	17.6	91	42.7
20821 top		123	1.4	18.5	83	50.4
20821 bottom		129	1.2	16.1	78	45.6
20822 top		118	1.1	19.8	84	44.6
20822 bottom		202	1.1	18.3	93	56.9
20823 top		106	1.1	17.5	77	40.6
20823 bottom		83	1.2	18.1	69	40.6
20824 top		103	1.2	18.1	69	39.6
20824 bottom		100	1.2	17.2	73	39.4
20825 top		199	1.2	20.9	102	58.0
20825 bottom		113	1.1	17.1	80	37.6
20826 top		120	1.2	17.4	80	41.1
s-1-1-8		94	1.1	18.6	71	40.2
s-2-1-8		79	1.0	17.1	63	35.3
s-3-1-8		92	1.1	17.7	72	40.0
s-4-1-8		94	1.0	18.2	70	40.8
s-5-1-8		93	1.1	18.4	71	39.6
s-6-1-8		79	1.1	18.5	64	37.1
s-7-1-8		72	1.0	17.8	58	37.1
s-8-1-8		82	1.1	18.7	66	39.7
s-9-1-8		141	1.0	16.7	89	43.5
s-10-1-8		143	1.0	19.8	74	46.5
s-11-1-8		118	1.2	13.2	84	48.3
s-1-3-8		125	1.4	19.6	93	49.5
s-2-3-8		108	1.2	16.5	77	41.5
s-3-3-8		141	1.3	19.0	80	47.2
s-4-3-8		118	1.1	17.1	73	45.2
s-5-3-8		133	1.3	16.8	84	49.2
s-6-3-8		120	1.4	16.2	94	45.9
s-7-3-8		119	1.4	15.7	93	44.9
s-8-3-8		146	1.0	16.0	81	44.2
s-9-3-8		137	1.0	16.5	127	46.0
s-10-3-8		136	1.2	18.1	85	51.7
s-11-3-8		137	1.2	18.3	90	49.3
s-12-3-8		113	1.4	18.1	67	53.2
s-13-3-8		135	1.2	17.4	83	48.3
s-14-3-8		114	1.1	15.9	71	43.6
s-15-3-8		133	1.1	15.9	67	46.8
s-16-3-8		165	1.0	18.5	92	46.6

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 4 - A

Total # Pages: 6 (A - D)

Finalized Date: 2-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06081739

Sample Description	Method	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Br	Ca	Cd	Ce	Co	Cr	Cs	Pb
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
s-17-3-8		0.26	0.007	0.17	7.58	11.3	570	1.59	0.19	6.10	0.18	74.93	20.7	89	3.56	65.1
s-18-3-8		0.22	0.010	0.14	7.61	10.4	590	1.59	0.18	5.19	0.15	79.93	20.3	95	3.69	65.4
s-19-3-8		0.22	0.014	0.15	7.78	8.7	590	1.67	0.16	1.75	0.13	92.20	18.1	104	3.60	44.8
s-20-3-8		0.22	0.028	0.17	7.71	11.1	570	1.75	0.18	3.37	0.15	80.40	19.1	98	3.65	51.8
s-21-3-8		0.24	0.019	0.14	6.49	10.8	470	1.60	0.17	5.14	0.17	81.20	16.8	70	3.20	47.8
s-22-3-8		0.20	0.021	0.09	6.44	9.7	480	1.51	0.14	4.90	0.15	82.80	14.8	69	2.61	36.8
s-23-3-8		0.32	0.005	0.07	6.30	8.7	440	1.25	0.16	5.12	0.14	89.90	14.8	55	2.97	33.0
s-24-3-8		0.20	0.016	0.07	6.28	10.4	450	1.18	0.14	5.69	0.15	83.10	14.8	61	2.84	36.2
s-25-3-8		0.28	0.005	0.09	6.74	9.8	500	1.31	0.15	5.09	0.14	86.80	15.8	71	3.10	40.3
s-26-3-8		0.16	<0.005	0.25	8.54	6.8	680	1.70	0.16	1.84	0.17	92.00	18.4	138	4.13	50.8
s-27-3-8		0.24	<0.005	0.19	8.68	7.9	670	1.78	0.15	2.16	0.10	91.10	21.4	155	3.93	50.7
s-28-3-8		0.18	<0.005	0.21	8.05	6.5	620	1.81	0.13	1.69	0.12	84.10	17.8	127	3.50	49.6
s-29-3-8		0.20	<0.005	0.13	8.32	14.0	630	1.96	0.21	5.42	0.15	82.20	21.5	96	4.82	54.2
s-30-3-8		0.30	0.051	0.25	8.82	17.5	640	1.63	0.14	4.43	0.18	50.60	30.0	206	3.46	266.0
s-31-3-8		0.30	0.012	0.11	7.46	23.1	620	1.20	0.11	3.68	0.15	55.90	32.1	208	2.74	186.0
s-32-3-8		0.28	0.021	0.14	7.03	9.7	530	1.49	0.18	5.10	0.21	74.70	22.4	84	3.62	60.0
s-33-3-8		0.26	0.508	1.69	8.23	15.4	540	0.99	0.36	9.01	0.44	42.50	54.7	254	1.13	770.0
s-34-3-8		0.24	0.030	0.34	7.64	12.7	480	1.05	0.16	4.77	0.33	47.90	31.9	127	2.18	133.0
s-35-3-8		0.26	0.010	0.11	6.50	10.8	480	1.26	0.15	4.50	0.16	81.00	18.8	88	2.86	60.8
s-36-3-8		0.22	<0.005	0.13	6.90	7.6	560	1.25	0.13	1.79	0.16	79.80	17.1	119	2.63	58.7
s-37-3-8		0.28	<0.005	0.15	7.20	10.1	540	1.49	0.16	2.54	0.19	82.70	20.1	97	3.59	56.8
s-38-3-8		0.26	<0.005	0.07	7.91	12.1	590	1.90	0.20	1.35	0.12	94.80	19.7	192	4.06	66.0
s-39-3-8		0.24	0.007	0.12	7.88	11.2	590	1.76	0.18	1.60	0.11	88.90	23.2	114	4.05	101.5
s-1-4-8		0.18	0.010	0.22	8.34	13.1	580	1.60	0.19	3.07	0.20	76.00	26.2	157	3.43	102.6
s-2-4-8		0.24	0.021	0.24	7.70	10.0	400	1.23	0.19	5.26	0.18	64.80	20.6	161	2.99	108.0
s-3-4-8		0.26	0.007	0.12	8.19	9.0	650	1.71	0.23	5.34	0.21	68.50	20.2	98	4.60	60.2
s-4-4-8		0.20	0.016	0.22	7.82	9.2	610	1.59	0.20	2.06	0.19	79.30	24.3	139	3.98	75.2
s-5-4-8		0.26	0.013	0.16	8.79	6.8	740	1.82	0.15	1.43	0.12	83.00	20.1	100	4.49	81.4
s-6-4-8		0.18	<0.005	0.06	8.18	12.5	650	1.85	0.23	1.50	0.13	77.50	18.3	112	4.73	60.7
s-7-4-8		0.20	<0.005	0.09	8.20	10.7	640	1.90	0.21	4.79	0.16	69.50	17.2	95	4.91	35.7
s-8-4-8		0.16	<0.005	0.11	7.12	7.4	580	1.47	0.13	1.62	0.16	79.00	13.7	104	3.19	36.8
s-9-4-8		0.24	0.035	0.08	5.86	9.9	470	1.23	0.11	4.81	0.16	73.80	15.1	117	2.17	33.4
s-10-4-8		0.24	<0.005	0.16	6.80	11.1	530	1.42	0.15	3.03	0.13	77.60	15.0	116	2.77	79.0
s-11-4-8		0.20	<0.005	0.15	6.45	11.5	500	1.31	0.13	5.42	0.18	76.20	15.8	102	2.83	111.0
s-12-4-8		0.16	0.008	0.04	7.07	13.6	570	1.50	0.13	1.56	0.08	84.30	15.1	100	2.86	66.8
s-13-4-8		0.22	<0.005	0.13	7.58	21.4	560	1.48	0.15	3.16	0.20	72.30	18.8	66	4.05	81.1
s-14-4-8		0.26	0.008	0.37	9.06	38.5	410	1.33	0.02	2.82	1.09	26.10	33.8	64	6.12	150.6
s-15-4-8		0.28	0.012	0.78	8.93	69.6	620	1.48	0.05	2.37	1.33	38.10	28.5	32	6.59	96.1
s-16-4-8		0.22	<0.005	0.03	8.81	7.5	670	1.88	0.14	1.40	0.12	82.50	19.7	110	4.73	54.9
s-17-4-8		0.24	<0.005	0.09	9.71	81.4	890	1.10	0.02	1.71	0.19	31.00	32.9	68	2.67	82.4

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 4 - B

Total # Pages: 6 (A - D)

Finalized Date: 2-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06081739

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	
Units		%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	
LOR		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	
s-7-3-8		4.31	17.60	0.12	1.6	0.13	0.045	1.79	37.9	33.3	1.60	858	0.73	1.08	9.8	43.7
s-18-3-8		4.25	18.10	0.14	1.7	0.12	0.047	1.82	40.4	35.2	1.52	822	1.02	1.10	10.8	42.7
s-19-3-8		4.13	18.45	0.18	1.7	0.08	0.046	1.76	46.8	38.7	1.19	746	0.63	1.18	11.7	45.1
s-20-3-8		4.20	18.25	0.15	1.7	0.13	0.045	1.76	40.9	38.1	1.28	799	0.72	1.13	11.5	41.6
s-21-3-8		3.47	16.20	0.13	1.5	0.09	0.040	1.54	41.1	30.4	1.08	678	0.58	1.00	10.7	39.4
s-22-3-8		3.24	14.60	0.13	1.4	0.08	0.037	1.48	42.4	26.0	1.11	668	0.47	1.21	10.7	28.1
s-23-3-8		3.19	14.40	0.12	1.3	0.07	0.035	1.51	45.4	25.2	1.03	642	0.61	1.06	11.5	27.2
s-24-3-8		3.20	14.35	0.11	1.4	0.07	0.033	1.46	42.8	23.3	0.97	625	0.42	1.07	10.6	27.6
s-25-3-8		3.50	15.40	0.13	1.5	0.07	0.034	1.62	44.0	25.9	1.09	691	0.57	1.26	11.0	32.0
s-26-3-8		4.60	20.90	0.14	1.9	0.05	0.051	1.96	45.7	36.6	1.39	782	0.66	1.26	12.7	50.2
s-27-3-8		4.97	21.30	0.14	2.0	0.07	0.048	1.94	44.6	38.1	1.72	858	0.55	1.24	11.5	35.6
s-28-3-8		4.18	19.65	0.15	1.8	0.06	0.048	1.71	40.4	39.4	1.44	581	0.64	1.16	11.0	39.6
s-29-3-8		4.49	21.00	0.13	1.8	0.08	0.051	2.17	41.3	45.2	1.39	842	0.78	1.10	11.8	44.2
s-30-3-8		6.06	21.90	0.15	2.4	0.15	0.054	1.58	25.7	33.7	3.07	1610	0.65	0.97	6.8	136.6
s-31-3-8		5.53	18.40	0.14	2.1	0.15	0.050	1.50	27.6	24.8	2.46	1565	0.86	1.20	6.3	32.9
s-32-3-8		4.12	17.35	0.14	1.6	0.13	0.044	1.74	37.9	29.6	1.31	857	0.91	1.18	10.4	39.4
s-33-3-8		8.44	20.90	0.15	2.1	0.88	0.193	1.08	21.6	11.4	2.45	1590	2.33	0.67	4.9	156.6
s-34-3-8		5.87	19.00	0.13	2.0	0.29	0.067	1.25	23.7	18.0	2.34	1385	0.89	1.25	6.3	65.2
s-35-3-8		3.67	15.35	0.11	1.4	0.09	0.038	1.48	40.5	23.8	1.25	815	0.60	1.27	10.3	38.7
s-36-3-8		3.82	15.75	0.12	1.8	0.07	0.038	1.52	39.4	23.4	1.26	890	0.70	1.33	10.4	44.7
s-37-3-8		4.06	17.20	0.13	1.7	0.11	0.043	1.79	40.9	28.9	1.23	894	0.67	1.22	10.8	41.0
s-38-3-8		4.38	20.20	0.16	1.9	0.16	0.052	1.95	47.5	34.1	1.20	877	1.36	1.18	11.7	48.1
s-39-3-8		4.57	19.55	0.12	1.8	0.33	0.047	1.78	44.3	33.2	1.42	891	1.65	1.20	10.9	51.6
s-1-4-8		5.25	19.65	0.13	2.0	0.34	0.052	1.79	38.2	30.8	1.59	1260	1.15	1.22	10.3	32.6
s-2-4-8		5.20	18.45	0.12	1.9	0.05	0.051	1.33	32.9	23.5	1.73	1100	0.60	0.96	8.5	68.4
s-3-4-8		4.59	20.50	0.13	1.3	0.12	0.064	2.08	36.6	39.9	1.47	869	0.61	1.04	11.2	50.1
s-4-4-8		4.72	18.85	0.13	1.4	0.06	0.055	1.90	40.2	35.0	1.63	803	0.70	1.10	10.0	52.7
s-5-4-8		4.32	21.00	0.12	1.4	0.08	0.064	2.10	43.4	41.9	1.31	632	0.55	1.22	10.7	47.2
s-6-4-8		4.43	20.70	0.11	1.3	0.08	0.062	2.14	41.2	39.6	1.42	773	0.40	1.14	9.9	52.7
s-7-4-8		4.19	21.20	0.12	1.2	0.06	0.063	2.26	36.0	45.6	1.39	680	0.48	1.02	11.3	48.6
s-8-4-8		3.60	16.35	0.11	1.2	0.04	0.048	1.63	41.5	29.5	1.08	573	0.43	1.22	10.2	39.7
s-9-4-8		3.57	13.45	0.11	1.0	0.05	0.042	1.24	39.2	19.1	1.35	752	0.39	1.25	8.9	43.9
s-10-4-8		4.03	15.25	0.11	1.2	0.09	0.047	1.40	42.4	26.9	1.38	793	0.42	1.23	9.5	49.7
s-11-4-8		3.83	14.15	0.11	1.1	0.09	0.045	1.41	41.7	24.3	1.39	845	0.45	1.21	8.8	45.6
s-12-4-8		3.98	15.65	0.10	1.3	0.09	0.047	1.53	43.5	25.3	1.23	817	0.47	1.32	9.9	45.2
s-13-4-8		4.47	17.10	0.12	1.2	0.17	0.054	1.77	38.3	28.2	1.10	1020	0.67	1.27	9.2	29.4
s-14-4-8		6.34	20.30	0.10	1.7	0.52	0.113	1.17	13.1	41.2	0.38	5360	3.08	0.47	3.6	27.6
s-15-4-8		6.16	19.40	0.12	1.6	1.17	0.106	1.83	21.3	29.0	0.48	4400	3.08	0.43	3.7	17.8
s-16-4-8		5.05	21.20	0.12	1.4	0.08	0.065	2.19	41.1	39.1	1.61	764	0.53	1.22	8.8	47.7
s-17-4-8		8.15	21.80	0.13	2.1	4.95	0.081	1.91	14.1	25.8	0.51	2090	2.18	1.15	3.3	34.7

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 4 - C
Total # Pages: 6 (A - D)
Finalized Date: 2-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06081739

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Tc	Th	Ti	Tl	U
Units		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
s-17-3-8		790	18.0	80.3	<0.002	0.01	0.98	1	1.6	487.0	0.67	<0.05	10.9	0.336	0.39	1.5
s-18-3-8		840	17.3	85.9	<0.002	0.01	0.83	1	1.7	440.0	0.71	<0.05	11.4	0.347	0.42	1.7
s-19-3-8		660	16.6	90.0	<0.002	0.01	0.66	2	1.7	289.0	0.82	<0.05	12.1	0.391	0.39	1.8
s-20-3-8		730	22.0	87.3	<0.002	0.01	0.80	2	1.7	357.0	0.84	<0.05	11.4	0.373	0.41	1.7
s-21-3-8		720	26.3	76.7	<0.002	0.01	0.67	2	1.5	428.0	0.72	<0.05	11.3	0.309	0.38	1.6
s-22-3-8		760	15.5	66.7	<0.002	0.01	0.59	1	1.4	442.0	0.71	<0.05	11.3	0.341	0.33	1.7
s-23-3-8		699	15.4	71.2	<0.002	0.01	0.51	2	1.5	462.0	0.79	<0.05	12.4	0.322	0.35	1.8
s-24-3-8		710	16.3	67.1	<0.002	0.01	0.59	2	1.4	444.0	0.73	<0.05	11.6	0.319	0.33	1.7
s-25-3-8		760	16.0	74.0	<0.002	0.01	0.65	2	1.5	439.0	0.73	<0.05	11.8	0.337	0.38	1.7
s-26-3-8		1180	21.4	98.3	<0.002	0.01	0.50	2	1.9	299.0	0.87	<0.05	11.8	0.446	0.42	1.9
s-27-3-8		950	17.9	94.5	<0.002	0.01	0.56	2	1.8	338.0	0.78	<0.05	11.5	0.424	0.41	1.9
s-28-3-8		480	13.4	88.1	<0.002	0.01	0.39	2	1.7	265.0	0.80	<0.05	10.6	0.360	0.37	1.8
s-29-3-8		750	19.8	106.5	<0.002	0.01	0.79	2	2.0	446.0	0.79	0.05	12.4	0.357	0.50	1.8
s-30-3-8		1180	13.7	69.5	<0.002	0.01	0.56	2	1.4	334.0	0.41	<0.05	7.6	0.373	0.27	1.5
s-31-3-8		1240	12.6	63.4	<0.002	0.01	0.97	2	1.2	378.0	0.40	<0.05	7.4	0.378	0.23	1.5
s-32-3-8		829	19.1	80.6	<0.002	0.02	0.72	2	1.6	400.0	0.68	0.08	10.8	0.353	0.40	1.8
s-33-3-8		2020	25.0	35.4	<0.002	0.04	2.87	3	1.1	784.0	0.29	1.78	4.6	0.391	0.17	3.4
s-34-3-8		1320	38.6	50.9	<0.002	0.04	1.25	2	1.2	518.0	0.37	0.32	5.9	0.389	0.24	1.5
s-35-3-8		890	16.4	67.7	<0.002	0.01	0.73	1	1.4	410.0	0.69	<0.05	11.3	0.338	0.38	1.6
s-36-3-8		880	15.3	69.1	<0.002	0.01	0.55	2	1.4	296.0	0.71	<0.05	10.2	0.392	0.31	1.7
s-37-3-8		790	21.2	82.1	<0.002	0.01	0.64	2	1.6	308.0	0.73	<0.05	11.6	0.362	0.40	1.6
s-38-3-8		800	19.6	98.2	<0.002	0.01	0.74	2	1.8	256.0	0.80	<0.05	13.8	0.360	0.46	2.1
s-39-3-8		860	17.6	93.5	<0.002	0.02	1.56	2	1.8	290.0	0.74	<0.05	12.6	0.358	0.47	2.1
s-1-4-8		1120	20.0	81.5	<0.002	0.01	1.56	2	1.7	429.0	0.67	0.12	10.6	0.421	0.37	2.0
s-2-4-8		1360	12.1	64.0	<0.002	0.01	2.94	2	1.4	572.0	0.56	0.12	8.0	0.398	0.24	1.8
s-3-4-8		720	17.6	94.7	<0.002	0.01	1.05	<1	1.9	457.0	0.79	0.05	10.2	0.348	0.49	1.6
s-4-4-8		690	14.7	92.4	<0.002	0.01	1.38	3	1.8	283.0	0.72	0.11	10.4	0.382	0.42	1.9
s-5-4-8		370	13.4	117.5	<0.002	0.01	0.85	3	2.0	273.0	0.73	0.11	10.3	0.378	0.48	1.8
s-6-4-8		700	17.5	101.5	<0.002	<0.01	0.60	2	2.0	259.0	0.70	<0.05	11.3	0.337	0.48	1.7
s-7-4-8		580	16.6	93.6	<0.002	0.01	0.56	<1	2.2	396.0	0.76	<0.05	10.3	0.326	0.54	1.5
s-8-4-8		880	12.9	79.1	<0.002	0.01	0.47	3	1.5	271.0	0.71	<0.05	10.0	0.363	0.34	1.7
s-9-4-8		780	13.1	53.3	<0.002	0.01	0.57	1	1.2	408.0	0.65	<0.05	10.1	0.342	0.25	1.6
s-10-4-8		780	14.2	62.1	<0.002	0.01	0.67	<1	1.4	347.0	0.66	<0.05	10.6	0.368	0.32	1.7
s-11-4-8		800	14.1	60.5	<0.002	0.01	0.69	2	1.3	446.0	0.63	<0.05	9.6	0.354	0.31	1.7
s-12-4-8		870	14.8	70.6	<0.002	0.01	0.67	1	1.3	288.0	0.69	<0.05	10.9	0.370	0.35	1.8
s-13-4-8		900	15.7	72.6	<0.002	0.02	1.14	<1	1.4	363.0	0.62	<0.05	10.1	0.393	0.40	1.8
s-14-4-8		1350	21.7	38.2	0.031	0.20	5.20	<1	3.0	171.0	0.23	0.26	2.1	0.395	0.33	1.2
s-15-4-8		1620	38.8	67.9	0.003	0.19	6.75	<1	3.6	190.5	0.23	0.22	2.7	0.401	0.45	1.4
s-16-4-8		780	14.4	108.5	<0.002	0.01	0.55	2	2.0	289.0	0.66	<0.05	10.4	0.375	0.48	1.8
s-17-4-8		2480	7.0	57.7	<0.002	0.16	0.86	<1	1.0	372.0	0.21	<0.05	2.7	0.664	0.33	1.2

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 4 - D
Total # Pages: 6 (A - D)
Finalized Date: 2-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06081739

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V ppm 1	W ppm 0.1	Y ppm 0.1	Zn ppm 2	Zr ppm 0.5
s-17-3-8		119	1.2	15.0	86	39.5
s-18-3-8		116	1.1	15.8	82	42.2
s-19-3-8		117	1.1	16.4	96	41.9
s-20-3-8		112	1.1	16.9	90	41.5
s-21-3-8		89	1.0	15.8	73	38.5
s-22-3-8		89	0.9	15.7	63	35.4
s-23-3-8		77	1.0	16.0	62	35.0
s-24-3-8		82	0.9	15.4	63	35.9
s-25-3-8		87	1.0	15.8	63	38.9
s-26-3-8		133	1.2	13.4	120	46.1
s-27-3-8		151	1.2	15.1	96	49.2
s-28-3-8		124	1.1	14.5	74	44.9
s-29-3-8		116	1.2	16.3	84	45.4
s-30-3-8		206	0.9	21.1	82	59.6
s-31-3-8		198	0.8	17.3	79	51.7
s-32-3-8		117	1.0	16.2	81	39.0
s-33-3-8		255	0.9	19.0	148	52.0
s-34-3-8		176	1.1	18.2	122	49.8
s-35-3-8		95	0.9	16.7	62	36.1
s-36-3-8		117	0.9	15.3	74	44.0
s-37-3-8		110	1.0	16.7	77	41.3
s-38-3-8		116	1.1	18.8	75	46.1
s-39-3-8		118	1.1	17.3	73	45.4
s-1-4-8		158	1.4	15.9	102	48.4
s-2-4-8		164	1.4	12.6	97	46.7
s-3-4-8		120	1.3	15.9	88	40.4
s-4-4-8		140	1.2	13.1	85	43.4
s-5-4-8		120	1.2	12.4	97	43.9
s-6-4-8		121	1.1	16.7	78	42.4
s-7-4-8		110	1.5	13.9	82	40.6
s-8-4-8		99	0.9	13.3	65	37.8
s-9-4-8		104	1.2	17.7	62	33.3
s-10-4-8		113	0.9	19.0	71	37.9
s-11-4-8		108	0.8	17.5	69	36.1
s-12-4-8		110	0.9	18.1	60	41.8
s-13-4-8		137	0.9	19.2	79	38.6
s-14-4-8		243	4.8	25.8	253	57.6
s-15-4-8		231	2.4	25.9	273	56.7
s-16-4-8		142	1.0	15.9	80	46.0
s-17-4-8		394	0.4	25.8	121	65.6

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 5 - A

Total # Pages: 6 (A - D)

Finalized Date: 2-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06081739

Sample Description	Method Analyte Units LOR	WEI-21 Recv'd Wt. kg	Au-AA23 Au: ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
s-18-4-8		0.16	<0.005	0.17	7.76	6.8	610	1.67	0.12	3.50	0.21	54.80	33.5	225	3.86	72.4
s-19-4-8		0.28	<0.005	0.12	8.46	6.4	680	1.80	0.14	2.30	0.13	63.50	24.4	206	4.30	61.7
s-20-4-8		0.24	<0.005	0.17	7.20	9.3	540	1.63	0.19	5.20	0.25	79.40	18.0	66	4.20	40.5
s-21-4-8		0.24	0.013	0.09	6.64	7.4	490	1.45	0.16	5.33	0.17	76.40	14.8	63	3.41	68.8
s-22-4-8		0.18	<0.005	0.14	7.13	5.3	670	1.45	0.13	3.98	0.21	54.60	31.3	208	3.43	58.3
s-23-4-8		0.22	<0.005	0.07	7.09	6.2	640	1.45	0.13	3.23	0.28	49.30	30.7	193	3.77	101.0
s-24-4-8		0.28	<0.005	0.31	6.70	22.2	500	1.51	0.19	4.27	0.34	67.10	18.5	73	3.88	45.8
s-25-4-8		0.24	<0.005	0.10	7.87	11.4	610	1.74	0.20	1.76	0.18	82.70	18.6	84	4.36	31.4
s-1-5-8		0.24	<0.005	0.12	6.78	8.7	530	1.55	0.20	4.35	0.23	72.20	18.1	73	3.54	45.7
s-2-5-8		0.20	<0.005	0.11	6.69	7.8	530	1.54	0.19	3.98	0.33	69.70	17.5	73	3.51	45.0
s-3-5-8		0.26	0.006	0.23	6.72	13.4	510	1.42	0.17	5.16	0.36	66.20	19.4	67	3.42	59.4
s-4-5-8		0.28	<0.005	0.11	7.30	9.6	550	1.64	0.19	4.27	0.17	76.80	16.1	69	3.89	40.0
s-5-5-8		0.16	<0.005	0.28	9.21	16.0	590	0.94	0.28	1.15	0.38	33.80	29.3	43	12.00	66.7
s-6-5-8		0.14	0.007	0.34	8.82	13.3	600	0.85	0.11	2.28	0.30	26.60	27.4	36	12.75	80.4
s-7-5-8		0.24	<0.005	0.13	7.67	9.4	570	1.77	0.22	4.21	0.22	79.30	17.8	77	4.47	48.4
s-8-5-8		0.26	<0.005	0.27	7.46	12.2	540	1.77	0.21	4.27	0.26	78.10	18.1	74	4.57	43.5
s-9-5-8		0.24	<0.005	0.09	7.30	8.2	620	1.51	0.17	4.52	0.20	68.20	20.9	138	3.93	42.1
s-10-5-8		0.22	0.005	0.18	7.08	11.9	520	1.56	0.18	4.37	0.28	80.40	19.3	69	3.74	62.6
s-11-5-8		0.16	0.010	0.53	8.73	35.4	670	1.91	0.16	1.47	0.16	82.00	25.4	90	4.86	90.7
s-12-5-8		0.20	0.009	0.12	7.98	13.6	630	1.70	0.21	5.13	0.28	66.30	25.4	86	5.55	60.2
s-13-5-8		0.22	<0.005	0.18	7.48	15.3	570	1.46	0.17	4.81	0.31	61.20	22.2	84	4.68	66.1
s-14-5-8		0.26	<0.005	0.15	7.08	12.9	540	1.52	0.16	4.57	0.26	67.30	21.3	76	4.64	66.0
s-15-5-8		0.18	<0.005	0.07	5.69	3.6	390	1.51	0.14	3.80	0.08	83.20	10.3	47	2.43	21.3
s-16-5-8		0.24	<0.005	0.09	6.47	3.4	450	1.47	0.15	5.57	0.10	91.10	11.9	53	3.18	22.9
s-17-5-8		0.22	0.479	0.09	7.27	9.7	520	1.80	0.17	5.06	0.16	81.00	16.3	79	4.45	40.4
s-18-5-8		0.24	0.008	0.21	7.55	16.4	550	1.73	0.16	5.84	0.46	75.80	16.3	90	4.42	33.4
s-19-5-8		0.14	0.005	0.20	7.10	10.2	530	1.76	0.17	3.76	0.24	71.90	14.6	83	4.43	34.6
s-20-5-8		0.08	0.008	0.14	4.21	6.1	330	1.04	0.09	2.92	0.19	46.70	9.1	51	2.51	28.7
s-21-5-8		0.18	<0.005	0.17	7.77	22.3	550	1.96	0.21	3.07	0.21	91.80	17.1	87	4.53	61.6
s-22-5-8		0.18	0.005	0.10	7.32	13.3	540	1.51	0.17	1.02	0.29	83.60	19.9	63	4.34	65.8
s-23-5-8		0.16	<0.005	0.14	7.86	5.3	600	2.37	0.25	0.82	0.19	120.50	14.8	83	5.52	39.3
s-24-5-8		0.20	<0.005	0.09	6.61	7.1	480	1.80	0.18	0.93	0.18	106.50	12.8	61	5.78	39.3
s-25-5-8		0.18	<0.005	0.09	7.42	5.2	520	2.03	0.22	4.97	0.18	120.50	13.8	71	4.84	24.4
s-26-5-8		0.20	<0.005	0.13	7.24	6.6	520	2.13	0.21	4.70	0.28	93.50	14.9	74	4.86	30.2
s-27-5-8		0.16	0.005	0.11	7.68	4.6	660	1.95	0.18	1.39	0.18	77.40	18.5	117	4.80	42.2
s-28-5-8		0.20	0.008	0.09	7.63	9.7	530	1.90	0.21	0.91	0.16	99.70	17.4	74	4.82	58.4
s-29-5-8		0.20	<0.005	0.11	7.37	7.1	520	2.00	0.19	4.52	0.18	98.50	14.6	72	4.60	35.3
s-30-5-8		0.22	0.005	0.07	7.47	6.0	530	2.05	0.20	1.82	0.13	103.50	14.1	74	4.36	38.5
s-31-5-8		0.18	<0.005	0.09	7.07	6.1	600	1.79	0.18	4.04	0.12	96.20	14.1	84	4.67	34.8
s-32-5-8		0.18	<0.005	0.07	7.28	4.7	540	1.97	0.19	3.21	0.13	96.30	13.5	74	4.35	20.4

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

Norin Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 5 - B

Total # Pages: 6 (A - D)

Finalized Date: 2-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06081739

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
s-18-4-8		6.16	18.20	0.11	1.4	0.09	0.058	1.96	28.8	29.3	3.13	1085	0.75	1.19	7.9	98.6
s-19-4-8		5.52	19.65	0.12	1.4	0.05	0.060	2.25	31.9	36.9	2.35	750	0.87	1.24	9.7	76.1
s-20-4-8		3.89	17.40	0.13	1.2	0.09	0.054	1.89	41.9	33.6	1.19	1005	0.56	1.12	11.7	33.7
s-21-4-8		3.66	15.30	0.12	1.1	0.06	0.044	1.71	41.1	29.8	1.22	687	0.53	1.15	10.0	33.6
s-22-4-8		5.76	16.50	0.12	1.4	0.06	0.054	1.75	29.2	30.9	3.12	1005	0.78	1.28	7.0	83.8
s-23-4-8		5.57	16.15	0.11	1.5	0.14	0.053	1.74	25.8	24.6	2.58	1195	1.39	1.26	7.1	87.6
s-24-4-8		3.88	15.85	0.12	1.1	0.28	0.050	1.66	35.7	27.6	1.26	864	0.62	1.22	10.0	40.4
s-25-4-8		4.38	18.90	0.12	1.2	0.11	0.056	2.00	41.4	34.8	1.24	844	0.76	1.20	10.4	41.7
s-1-5-8		3.86	15.70	0.11	1.1	0.07	0.050	1.68	38.4	28.6	1.17	757	0.65	1.14	9.9	40.2
s-2-5-8		3.85	15.60	0.10	1.1	0.06	0.047	1.69	37.4	28.4	1.27	776	0.60	1.13	10.3	39.5
s-3-5-8		4.17	15.25	0.11	1.2	0.22	0.049	1.70	35.1	25.3	1.21	931	1.03	1.10	9.8	36.0
s-4-5-8		3.92	17.10	0.11	1.1	0.09	0.054	1.84	40.1	33.1	1.14	736	0.73	1.13	10.7	34.6
s-5-5-8		5.93	20.80	0.11	2.0	0.15	0.065	1.79	14.7	31.8	1.77	2820	0.68	1.35	3.5	19.4
s-6-5-8		5.62	19.95	0.10	1.9	0.16	0.058	2.00	11.3	26.5	1.74	2430	0.68	1.10	3.3	17.3
s-7-5-8		4.24	18.60	0.12	1.2	0.11	0.056	2.09	41.9	36.1	1.13	798	0.65	1.10	11.0	38.0
s-8-5-8		4.08	18.35	0.12	1.1	0.14	0.057	1.97	41.7	36.8	1.11	849	0.65	1.09	11.6	39.9
s-9-5-8		4.36	17.85	0.11	1.3	0.06	0.056	1.75	36.3	35.7	1.81	766	0.58	1.18	9.8	61.2
s-10-5-8		4.13	16.75	0.12	1.2	0.14	0.050	1.76	43.4	30.2	1.20	844	0.94	1.15	10.0	39.7
s-11-5-8		5.41	21.90	0.15	1.8	0.27	0.075	2.75	44.3	35.2	1.45	1125	1.23	1.09	11.7	35.2
s-12-5-8		4.81	19.50	0.12	1.4	0.12	0.061	2.10	35.1	38.7	1.43	956	1.03	1.04	9.9	41.4
s-13-5-8		4.57	17.35	0.11	1.3	0.15	0.054	1.99	32.7	32.3	1.41	998	1.10	1.08	8.5	40.3
s-14-5-8		4.21	17.50	0.13	1.2	0.18	0.057	1.91	34.5	32.8	1.20	898	1.13	1.03	9.0	40.8
s-15-5-8		2.83	13.80	0.13	1.0	0.02	0.042	1.44	42.5	27.0	0.70	489	0.32	1.12	10.6	23.5
s-16-5-8		3.18	15.50	0.14	1.1	0.02	0.049	1.65	47.8	32.4	0.89	553	0.41	1.11	11.0	28.8
s-17-5-8		3.91	18.30	0.14	1.2	0.10	0.055	1.92	42.1	38.2	1.07	660	0.78	1.00	10.8	38.1
s-18-5-8		4.08	18.20	0.15	1.2	0.13	0.060	2.18	38.7	38.5	1.12	771	0.78	0.99	10.5	40.5
s-19-5-8		3.78	17.60	0.14	1.1	0.11	0.058	2.03	36.0	37.5	1.02	700	0.66	0.97	10.6	35.0
s-20-5-8		2.46	10.60	0.10	0.7	0.10	0.035	1.16	23.6	21.9	0.63	544	0.83	0.60	6.5	22.6
s-21-5-8		4.49	19.60	0.16	1.4	0.17	0.062	2.33	48.1	37.3	1.02	932	0.77	1.17	11.6	30.7
s-22-5-8		4.86	18.30	0.17	1.4	0.14	0.062	1.88	41.8	36.4	0.95	1225	1.13	1.12	9.7	30.6
s-23-5-8		4.21	21.00	0.16	1.3	0.05	0.073	2.27	61.8	54.5	1.07	611	0.51	1.06	11.8	30.5
s-24-5-8		3.54	15.80	0.13	1.1	0.07	0.054	1.67	54.8	36.2	0.81	637	0.47	1.18	9.8	28.7
s-25-5-8		3.75	18.75	0.14	1.2	0.03	0.064	2.15	51.4	47.5	0.98	569	0.42	1.00	11.9	32.9
s-26-5-8		3.89	18.15	0.14	1.2	0.06	0.057	2.12	47.1	47.3	1.02	659	0.45	1.03	11.3	32.5
s-27-5-8		4.13	17.35	0.13	1.3	0.08	0.059	2.07	37.1	41.0	1.30	748	0.88	1.23	8.5	40.1
s-28-5-8		4.50	18.80	0.14	1.2	0.08	0.067	1.89	51.0	41.7	1.10	764	0.74	1.20	9.9	31.5
s-29-5-8		3.94	18.30	0.15	1.1	0.07	0.062	2.02	49.6	42.8	0.99	640	0.62	1.10	11.3	32.2
s-30-5-8		4.04	17.80	0.14	1.2	0.07	0.058	1.99	52.9	41.7	0.95	669	0.46	1.15	10.3	32.4
s-31-5-8		3.71	16.20	0.15	1.0	0.06	0.056	1.84	49.0	38.5	0.94	635	0.61	1.05	10.1	30.6
s-32-5-8		3.87	17.95	0.17	1.2	0.04	0.057	1.95	48.0	43.7	1.05	541	0.49	1.11	11.5	35.7

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 5 - C

Total # Pages: 6 (A - D)

Finalized Date: 2-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06081739

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	P	Pb	Rb	Re	S	Sr	Se	Sr	Sr	Ta	Te	Tb	Ti	Tl	
Units		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
LOR		10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	
s-18-4-8		960	11.8	91.9	<0.002	0.02	0.51	3	1.6	392.0	0.55	<0.05	7.3	0.384	0.37	1.6
s-19-4-8		930	11.9	101.0	<0.002	0.01	0.50	3	1.9	329.0	0.64	<0.05	8.2	0.408	0.43	1.3
s-20-4-8		740	18.3	87.6	<0.002	0.01	0.87	<1	1.8	436.0	0.80	<0.05	11.5	0.352	0.46	1.7
s-21-4-8		770	14.4	75.3	<0.002	0.03	0.58	2	1.5	445.0	0.72	<0.05	10.5	0.334	0.37	1.3
s-22-4-8		1060	12.1	74.5	<0.002	0.02	0.55	2	1.3	450.0	0.47	<0.05	7.4	0.369	0.31	1.4
s-23-4-8		930	12.1	71.5	<0.002	0.01	0.91	1	1.3	374.0	0.50	<0.05	6.9	0.386	0.35	1.6
s-24-4-8		750	22.7	76.9	<0.002	0.02	1.72	3	1.5	365.0	0.70	<0.05	10.0	0.338	0.43	1.6
s-25-4-8		760	18.3	91.5	<0.002	0.01	0.96	3	1.8	287.0	0.72	0.05	11.3	0.356	0.48	1.9
s-1-5-8		710	16.2	74.4	<0.002	0.02	0.74	3	1.5	359.0	0.69	0.05	10.4	0.331	0.41	1.5
s-2-5-8		690	17.2	76.7	<0.002	0.02	0.67	2	1.5	348.0	0.71	0.05	9.9	0.332	0.40	1.5
s-3-5-8		830	22.2	69.9	<0.002	0.07	1.46	2	1.4	380.0	0.68	0.06	8.9	0.352	0.45	1.8
s-4-5-8		690	18.2	82.2	<0.002	0.02	0.81	3	1.7	374.0	0.75	<0.05	11.3	0.345	0.47	1.9
s-5-5-8		1300	21.0	68.4	<0.002	0.19	2.06	<1	0.9	282.0	0.25	<0.05	3.5	0.458	0.67	1.7
s-6-5-8		1230	16.8	62.7	<0.002	0.32	2.41	2	0.8	218.0	0.22	<0.05	2.6	0.434	0.70	1.0
s-7-5-8		730	26.7	89.0	<0.002	0.01	0.91	<1	1.8	383.0	0.75	0.05	11.7	0.351	0.62	1.8
s-8-5-8		730	25.3	91.3	<0.002	0.01	1.04	2	1.9	390.0	0.80	<0.05	11.8	0.348	0.50	1.6
s-9-5-8		780	14.3	75.8	<0.002	0.01	0.67	2	1.6	443.0	0.67	<0.05	9.6	0.383	0.44	1.5
s-10-5-8		800	19.5	78.0	<0.002	0.06	1.27	1	1.5	390.0	0.71	0.06	11.2	0.358	0.47	1.8
s-11-5-8		970	18.1	116.5	<0.002	0.02	3.64	5	2.0	258.0	0.76	<0.05	10.9	0.557	0.59	1.8
s-12-5-8		790	22.3	98.1	<0.002	0.05	1.20	1	1.8	381.0	0.67	0.05	9.9	0.371	0.58	1.7
s-13-5-8		830	18.6	82.8	<0.002	0.09	1.37	3	1.5	364.0	0.58	0.05	8.7	0.368	0.56	1.6
s-14-5-8		830	16.1	84.5	<0.002	0.05	1.12	2	1.6	371.0	0.66	0.06	9.1	0.348	0.60	1.8
s-15-5-8		680	13.7	58.4	<0.002	0.01	0.30	2	1.5	367.0	0.79	<0.05	11.7	0.290	0.35	1.6
s-16-5-8		700	14.6	77.4	<0.002	0.01	0.30	2	1.7	506.0	0.82	<0.05	12.3	0.305	0.42	1.5
s-17-5-8		750	15.8	89.4	<0.002	0.03	0.95	2	1.9	399.0	0.78	<0.05	11.4	0.336	0.50	1.7
s-18-5-8		710	22.6	94.8	<0.002	0.03	1.58	2	2.0	419.0	0.74	<0.05	10.5	0.341	0.63	1.7
s-19-5-8		740	17.7	89.3	<0.002	0.03	1.01	2	1.9	333.0	0.76	<0.05	10.4	0.326	0.54	1.6
s-20-5-8		560	10.5	54.7	<0.002	0.24	0.60	3	1.1	251.0	0.48	<0.05	6.8	0.206	0.31	1.1
s-21-5-8		910	21.1	95.6	<0.002	0.05	2.94	2	2.0	303.0	0.83	0.05	13.0	0.368	0.60	1.3
s-22-5-8		940	17.7	82.7	<0.002	0.01	1.46	2	1.7	220.0	0.69	<0.05	11.0	0.383	0.54	1.5
s-23-5-8		740	19.2	114.5	<0.002	<0.01	0.53	2	2.5	203.0	0.84	<0.05	14.9	0.335	0.62	2.1
s-24-5-8		850	17.8	80.0	<0.002	<0.01	0.87	2	1.8	220.0	0.72	<0.05	12.4	0.303	0.45	1.5
s-25-5-8		680	16.9	98.7	<0.002	<0.01	0.51	2	2.2	433.0	0.87	<0.05	12.7	0.328	0.55	1.7
s-26-5-8		690	22.8	92.0	<0.002	0.01	0.72	2	2.1	412.0	0.78	<0.05	12.9	0.325	0.60	1.8
s-27-5-8		670	13.9	99.9	0.002	0.01	0.60	2	2.0	263.0	0.71	0.06	9.6	0.370	0.54	1.6
s-28-5-8		900	16.6	85.2	<0.002	0.01	0.93	2	1.9	217.0	0.64	0.09	11.8	0.329	0.53	1.8
s-29-5-8		760	16.8	90.4	<0.002	0.01	0.71	2	2.2	413.0	0.82	0.05	12.2	0.334	0.53	1.7
s-30-5-8		780	16.6	91.8	<0.002	<0.01	0.61	2	2.0	271.0	0.75	<0.05	12.8	0.313	0.51	1.8
s-31-5-8		700	15.9	85.6	<0.002	0.01	0.61	2	1.9	360.0	0.73	<0.05	12.0	0.322	0.50	1.7
s-32-5-8		700	16.0	88.3	<0.002	<0.01	0.50	2	2.2	338.0	0.84	<0.05	12.1	0.325	0.52	1.6

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 981 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 5 - D

Total # Pages: 6 (A - D)

Finalized Date: 2-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06081739

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm 1	ppm 0.1	ppm 0.1	ppm 2	ppm 0.5
s-18-4-8		179	0.9	15.8	83	44.7
s-19-4-8		161	1.0	13.2	93	45.8
s-20-4-8		102	1.1	17.4	80	38.3
s-21-4-8		94	0.9	15.4	69	35.3
s-22-4-8		176	0.7	16.5	86	44.4
s-23-4-8		174	0.8	18.1	97	47.4
s-24-4-8		106	1.2	16.8	83	35.4
s-25-4-8		117	1.1	17.8	84	40.4
s-1-5-8		102	0.9	16.5	74	33.6
s-2-5-8		100	0.9	16.2	78	33.5
s-3-5-8		127	0.9	15.9	94	37.7
s-4-5-8		103	1.1	14.9	76	35.6
s-5-5-8		252	0.5	25.7	168	68.5
s-6-5-8		241	0.5	19.3	132	65.2
s-7-5-8		111	1.1	16.5	86	39.0
s-8-5-8		104	1.1	15.8	91	37.7
s-9-5-8		120	0.9	17.3	77	40.9
s-10-5-8		116	1.0	17.7	89	38.4
s-11-5-8		186	1.6	23.8	85	53.2
s-12-5-8		146	1.1	16.9	98	45.6
s-13-5-8		144	0.9	16.6	99	40.7
s-14-5-8		128	1.1	16.1	81	38.0
s-15-5-8		61	1.1	14.8	50	29.4
s-16-5-8		67	1.1	15.2	57	32.3
s-17-5-8		96	1.2	15.4	71	35.5
s-18-5-8		109	1.2	15.0	101	35.5
s-19-5-8		96	1.2	14.6	84	34.6
s-20-5-8		56	0.7	9.9	51	21.4
s-21-5-8		113	1.5	20.3	92	42.5
s-22-5-8		134	1.1	20.4	86	42.9
s-23-5-8		97	1.2	18.0	79	41.9
s-24-5-8		81	1.0	17.3	66	34.2
s-25-5-8		81	1.2	14.8	77	36.6
s-26-5-8		90	1.2	15.1	82	36.7
s-27-5-8		119	1.0	15.9	73	41.5
s-28-5-8		118	0.9	17.2	77	37.1
s-29-5-8		90	1.2	15.6	76	35.5
s-30-5-8		90	1.0	17.1	70	36.5
s-31-5-8		84	1.0	14.9	66	33.5
s-32-5-8		84	1.1	15.2	68	37.5

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 6 - A

Total # Pages: 6 (A - D)

Finalized Date: 2-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06081739

Sample Description	Method Analyte Units LOR	WEI-21	AU-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Ag ppm	At %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
s-33-5-8		0.16	0.005	0.13	6.07	7.8	410	1.49	0.17	4.49	0.13	121.50	11.9	57	3.19	32.9
s-34-5-8		0.14	0.008	0.12	6.55	7.3	410	1.74	0.18	1.87	0.15	99.00	18.6	47	5.59	82.0
s-35-5-8		0.18	0.005	0.10	6.49	7.8	420	1.56	0.18	5.04	0.21	92.10	14.9	51	3.55	39.9
s-36-5-8		0.20	<0.005	0.09	7.56	7.1	540	1.92	0.19	0.90	0.15	106.00	17.4	79	4.81	42.9
s-37-5-8		0.18	<0.005	0.11	7.33	9.3	530	2.06	0.20	1.18	0.17	111.50	16.8	67	4.39	50.0
s-38-5-8		0.22	<0.005	0.11	7.56	8.0	540	1.97	0.19	4.23	0.14	95.30	14.8	73	4.80	31.0
s-39-5-8		0.20	0.036	0.18	7.30	13.9	510	1.63	0.17	4.92	0.66	76.10	18.8	71	4.52	57.7
s-40-5-8		0.26	0.036	0.17	7.15	13.3	490	1.74	0.18	4.59	0.27	77.70	20.0	74	4.90	60.0
s-41-5-8		0.34	0.037	0.16	7.37	13.9	550	1.89	0.20	1.76	0.18	89.80	16.7	75	4.13	60.6
s-42-5-8		0.28	0.011	0.17	6.68	11.1	480	1.59	0.16	4.31	0.30	75.00	17.0	66	3.77	47.9

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 6 - B

Total # Pages: 6 (A - D)

Finalized Date: 2-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06081739

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
s-33-5-8		3.36	13.60	0.13	1.1	0.05	0.047	1.49	52.3	30.3	0.91	549	0.57	1.12	10.6	25.6
s-34-5-8		4.44	16.00	0.15	1.1	0.09	0.059	1.62	50.0	38.5	1.01	859	0.71	1.30	9.5	23.4
s-35-5-8		3.62	14.00	0.13	1.1	0.08	0.045	1.60	47.4	31.1	0.87	778	0.87	1.19	10.3	25.3
s-36-5-8		4.41	18.35	0.16	1.3	0.09	0.066	2.05	52.2	43.3	1.11	1025	1.08	1.28	9.2	38.8
s-37-5-8		4.33	17.35	0.16	1.4	0.11	0.062	1.90	56.5	39.3	1.03	966	1.03	1.26	9.5	28.6
s-38-5-8		4.03	18.45	0.14	1.2	0.09	0.064	2.12	48.2	46.0	1.17	648	0.60	1.06	10.4	32.1
s-39-5-8		4.44	16.00	0.13	1.2	0.19	0.056	1.92	38.5	36.1	1.20	934	0.97	1.05	8.8	30.4
s-40-5-8		4.35	17.10	0.15	1.2	0.14	0.061	1.99	39.1	39.2	1.22	828	1.02	0.98	8.8	31.8
s-41-5-8		4.54	17.25	0.15	1.1	0.12	0.061	1.95	47.1	39.7	1.04	728	0.80	1.11	9.2	32.1
s-42-5-8		3.86	15.35	0.14	1.1	0.16	0.052	1.74	38.6	31.7	1.02	803	0.95	1.02	8.8	31.8

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 6 - C

Total # Pages: 6 (A - D)

Finalized Date: 2-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06081739

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		P ppm 10	Pb ppm 0.5	Rb ppm 0.1	Re ppm 0.002	S % 0.01	Sb ppm 0.05	Se ppm 1	Sn ppm 0.2	Sr ppm 0.2	Ta ppm 0.05	Te ppm 0.05	Th ppm 0.2	Ti % 0.005	Tl ppm 0.02	Tm ppm 0.01
s-33-5-8		840	14.8	68.4	<0.002	0.01	0.68	2	1.5	409.0	0.81	<0.05	12.4	0.350	0.41	1.8
s-34-5-8		1080	16.6	95.5	<0.002	0.02	0.75	2	1.7	329.0	0.62	0.05	11.8	0.360	0.63	2.0
s-35-5-8		850	15.3	73.4	<0.002	0.06	0.80	2	1.6	432.0	0.77	<0.05	11.6	0.328	0.44	2.0
s-36-5-8		960	16.4	92.9	<0.002	0.02	0.66	2	1.9	236.0	0.67	<0.05	13.0	0.334	0.53	1.8
s-37-5-8		980	18.2	85.6	<0.002	0.02	0.77	2	1.8	244.0	0.69	<0.05	13.3	0.343	0.51	1.8
s-38-5-8		700	16.5	93.5	<0.002	0.01	0.66	3	2.1	406.0	0.73	<0.05	11.9	0.324	0.58	1.7
s-39-5-8		870	25.4	82.7	<0.002	0.08	1.29	2	1.7	405.0	0.63	0.07	9.3	0.338	0.59	1.7
s-40-5-8		850	18.9	88.1	<0.002	0.10	1.29	2	1.7	380.0	0.60	0.08	9.8	0.332	0.61	1.6
s-41-5-8		810	17.1	90.1	<0.002	0.02	1.12	2	1.9	264.0	0.67	0.08	11.6	0.331	0.63	1.8
s-42-5-8		780	17.9	75.5	<0.002	0.03	1.19	2	1.6	361.0	0.67	0.06	9.5	0.327	0.57	1.8

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 6 - D

Total # Pages: 6 (A - D)

Finalized Date: 2-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06081739

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
s-33-5-8		74	0.9	17.0	60	32.5
s-34-5-8		123	0.8	19.8	74	35.5
s-35-5-8		81	0.9	16.1	64	32.7
s-36-5-8		108	0.9	20.2	74	40.6
s-37-5-8		108	0.9	20.4	73	41.8
s-38-5-8		100	1.1	15.1	74	36.3
s-39-5-8		120	0.9	14.8	121	35.7
s-40-5-8		124	1.0	14.7	89	36.8
s-41-5-8		111	1.0	17.7	76	36.5
s-42-5-8		105	0.9	15.3	80	33.4

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

INVOICE NUMBER 1436104

BILLING INFORMATION

Certificate: **VA06083180**
Sample Type: **Soil**
Account: **NOVRES**
Date: **7-OCT-2006**
Project: **Shiko Lake**
P.O. No.:
Quote: **ALSC-CW06-038-NOVRES**
Terms: **Due on Receipt** C1
Comments:

		ANALYSED FOR		UNIT	
QUANTITY	CODE	-	DESCRIPTION	PRICE	TOTAL
180	PREP-41		Dry, Sieve (180 um) Soil	1.25	225.00
180	ME-MS61m		ME-MS61 plus Hg by CV-AA	28.50	5,130.00
33.98	PREP-41		Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.75	59.47
180	Au-AA23		Au 30g FA-AA finish	9.00	1,620.00

SUBTOTAL (CAD) \$ 7,034.47

R100938885 GST \$ 422.07

TOTAL PAYABLE (CAD) \$ 7,456.54

To: **NOVAGOLD RESOURCES INC.**
ATTN: SCOTT PETSEL
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name: ALS Canada Ltd.
Bank: Royal Bank of Canada
SWIFT: ROYCCAT2
Address: Vancouver, BC, CAN
Account: 003-00010-1001098

Please Remit Payments To :

ALS Chemex

212 Brooksbank Avenue
North Vancouver BC V7J 2C1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 1
Finalized Date: 7-OCT-2006
Account: NOVRES

CERTIFICATE VA06083180

Project: Shiko Lake
P.O. No.:
This report is for 180 Soil samples submitted to our lab in Vancouver, BC, Canada on 14-AUG-2006.
The following have access to data associated with this certificate:

CRAIG BOW	RUDI DURFELD	SCOTT PETSSEL
-----------	--------------	---------------

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	47 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

[Faint, illegible text, possibly a stamp or signature]

To: NOVAGOLD RESOURCES INC.
ATTN: SCOTT PETSSEL
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - A

Total # Pages: 6 [A - D]

Finalized Date: 7-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06083180

Sample Description	Method Analyte Units LOR	WEI-21	AL-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Receiv Wt	Al	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	Pb
		kg	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
S-1-7-8		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01
S-2-7-8		0.18	0.005	0.30	9.15	238.0	1060	1.33	0.06	1.41	0.53	37.50	29.8	31	10.35	84.4	
S-3-7-8		0.20	<0.005	0.24	9.52	231.0	1340	1.17	0.04	1.85	0.79	35.00	27.3	30	10.45	89.1	
S-4-7-8		3.20	<0.005	0.28	9.24	14.7	710	1.54	0.13	2.03	0.13	59.10	20.2	40	8.68	53.0	
S-5-7-8		0.18	0.011	0.20	8.78	12.4	760	1.53	0.15	2.03	0.12	52.60	21.2	37	8.68	52.0	
S-6-7-8		0.34	0.007	0.15	7.02	11.5	540	1.55	0.14	5.08	0.22	73.10	17.4	59	4.60	48.7	
S-7-7-8		0.24	0.008	0.12	7.06	9.7	560	1.64	0.14	5.26	0.22	77.40	15.2	62	4.94	38.2	
S-8-7-8		0.18	0.009	0.11	7.25	11.7	1070	1.54	0.13	3.81	0.28	63.00	21.0	65	4.27	57.8	
S-9-7-8		0.18	0.018	0.25	7.57	4.8	710	1.59	0.15	1.15	0.30	84.30	14.2	99	6.10	21.7	
S-10-7-8		0.14	0.007	0.19	8.39	18.5	790	1.33	0.09	2.96	0.26	48.30	21.9	76	4.11	71.6	
S-11-7-8		0.16	0.038	0.19	8.37	20.4	1210	1.38	0.08	4.06	0.20	42.20	23.6	59	3.10	70.8	
S-12-7-8		0.20	0.006	0.08	8.10	9.7	640	2.14	0.25	0.86	0.10	88.90	16.9	91	5.82	58.9	
S-13-7-8		0.26	<0.005	1.00	7.93	11.1	600	2.12	0.24	0.89	1.43	97.00	15.5	79	0.00	51.3	
S-14-7-8		0.24	0.012	0.17	7.86	10.3	630	1.76	0.20	1.72	0.32	78.60	17.7	95	4.92	10.6	
S-15-7-8		0.24	0.006	0.20	6.70	9.3	510	1.67	0.20	4.36	0.35	68.40	17.9	87	4.66	42.0	
S-16-7-8		0.20	0.007	0.09	8.40	13.5	840	1.67	0.14	2.06	0.12	70.80	22.0	52	8.05	38.8	
S-17-7-8		0.16	0.006	0.13	8.28	13.8	690	1.77	0.14	1.25	0.22	67.10	16.6	80	6.70	36.1	
S-18-7-8		0.14	0.008	0.17	8.90	24.0	740	1.89	0.16	1.83	0.26	61.80	18.1	72	5.80	54.1	
S-19-7-8		0.12	<0.005	0.24	6.98	7.6	700	1.71	0.17	1.18	0.41	61.90	15.0	90	4.81	20.8	
S-20-7-8		0.16	0.005	0.16	8.01	16.6	780	1.87	0.21	2.27	0.36	62.50	20.7	82	6.31	83.7	
S-21-7-8		0.14	0.007	0.10	9.26	14.0	600	1.16	0.06	1.34	0.47	31.70	21.2	37	4.48	70.7	
S-22-7-8		0.22	0.005	0.14	9.43	14.9	650	1.27	0.08	1.57	0.88	33.00	26.7	43	5.18	70.0	
S-23-7-8		0.22	0.009	0.10	8.67	8.2	820	2.05	0.16	1.22	0.26	83.80	16.2	84	4.38	68.8	
S-24-7-8		0.20	0.007	0.27	8.47	10.0	750	1.52	0.13	1.23	0.17	55.80	19.0	66	4.21	50.3	
S-25-7-8		0.24	0.011	0.38	8.54	12.0	750	1.49	0.11	1.96	0.24	49.20	20.6	79	5.00	73.3	
S-1-8-8		0.26	0.007	0.23	7.54	9.8	620	1.77	0.19	4.65	0.24	72.60	19.0	72	4.61	63.4	
S-2-8-8		0.18	0.005	0.11	6.83	5.3	660	1.68	0.14	2.88	0.19	63.80	20.4	133	2.89	81.5	
S-3-8-8		0.20	0.008	0.15	6.89	11.1	550	1.92	0.20	3.88	0.22	80.70	19.1	109	3.76	31.1	
S-4-8-8		0.18	0.011	0.23	7.86	17.9	580	2.01	0.21	2.33	0.30	84.10	17.4	74	4.47	80.4	
S-5-8-8		0.18	0.036	0.18	7.21	16.9	520	1.96	0.21	3.87	0.26	82.80	17.9	77	3.97	88.2	
S-6-8-8		0.20	0.012	0.16	7.44	13.8	570	1.89	0.21	3.40	0.26	83.80	19.0	89	3.86	70.5	
S-7-8-8		0.16	0.014	0.20	7.47	13.9	550	1.75	0.19	5.00	0.27	81.00	17.9	81	3.90	61.2	
S-8-8-8		0.18	0.009	0.08	7.56	5.3	640	1.95	0.22	3.18	0.23	60.10	29.6	187	4.17	57.5	
S-9-8-8		0.16	0.008	0.11	7.50	6.4	650	1.89	0.20	3.67	0.26	65.20	25.9	169	4.12	50.6	
S-10-8-8		0.16	0.005	0.09	8.33	5.8	740	2.01	0.20	2.81	0.22	58.20	27.4	172	4.64	81.8	
S-11-8-8		0.16	0.010	0.13	8.19	6.2	730	2.19	0.22	2.81	0.25	69.10	25.2	163	4.84	80.4	
S-12-8-8		0.16	0.036	0.11	7.54	5.8	610	2.08	0.19	2.36	0.18	83.90	17.9	130	3.88	84.1	
S-13-8-8		0.18	0.011	0.06	8.52	6.3	680	2.30	0.23	2.59	0.15	72.30	28.7	187	4.87	104.0	
S-14-8-8		0.20	0.005	0.08	8.09	7.1	680	2.23	0.22	2.73	0.16	68.10	27.6	174	4.74	86.5	
S-15-8-8		0.16	0.026	0.10	7.71	6.3	630	2.05	0.19	2.62	0.17	64.20	27.3	199	4.89	88.4	
S-16-8-8		0.18	0.011	0.07	8.23	5.0	660	2.06	0.19	3.96	0.17	54.60	33.8	249	4.97	131.0	

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 2 - B
Total # Pages: 6 (A - D)
Finalized Date: 7-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06083180

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni %
		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	1.1	1.2
S-1-7-8		4.58	19.40	0.12	1.9	0.34	0.058	2.30	18.1	30.2	0.73	899	2.09	1.59	4.7	20.5
S-2-7-8		5.47	19.55	0.13	2.0	0.28	0.061	2.26	16.6	30.9	0.86	1395	1.63	1.95	3.6	18.1
S-3-7-8		5.33	19.90	0.13	1.7	0.16	0.061	2.10	28.6	27.4	1.32	1595	0.79	1.95	4.2	19.1
S-4-7-8		5.44	19.55	0.14	1.7	0.1	0.066	2.14	24.7	26.3	1.43	1510	0.84	2.09	4.3	18.5
S-5-7-8		3.93	16.30	0.12	1.2	0.10	0.056	1.76	37.2	34.0	1.11	764	0.98	1.06	8.6	31.3
S-6-7-8		3.83	15.40	0.13	1.1	0.15	0.049	1.77	39.4	32.3	1.06	765	0.69	1.19	9.0	29.6
S-7-7-8		4.63	16.05	0.15	1.2	0.46	0.053	1.72	31.6	32.2	1.20	994	0.73	1.21	7.1	28.6
S-8-7-8		3.98	17.95	0.13	1.4	0.06	0.057	1.87	39.1	34.6	1.09	801	0.77	1.19	10.5	31.7
S-9-7-8		4.96	19.80	0.14	1.5	0.09	0.060	1.48	22.2	27.5	1.66	1000	0.77	1.66	8.1	31.2
S-10-7-8		5.47	19.00	0.14	1.5	0.09	0.062	1.56	18.2	23.8	1.90	1165	0.90	1.73	4.6	25.5
S-11-7-8		4.58	21.50	0.16	1.4	0.14	0.067	2.18	47.5	45.1	1.13	720	0.74	1.03	10.7	44.9
S-12-7-8		4.30	20.90	0.16	1.3	0.21	0.069	2.20	49.8	46.6	1.03	1025	0.58	1.06	10.0	32.0
S-13-7-8		4.49	18.35	0.15	1.3	0.12	0.061	1.98	38.9	34.7	1.23	990	0.66	1.13	9.1	43.0
S-14-7-8		3.82	16.95	0.15	1.3	0.10	0.054	1.75	34.4	33.4	1.15	790	0.68	1.01	9.0	41.1
S-15-7-8		4.72	19.60	0.15	1.3	0.11	0.061	1.96	34.8	36.7	1.44	1155	0.63	1.27	7.5	29.0
S-16-7-8		4.40	20.50	0.14	1.3	0.04	0.062	2.09	31.2	39.5	1.17	714	0.56	1.21	9.6	29.6
S-17-7-8		4.57	21.70	0.21	1.8	0.05	0.059	1.91	29.6	40.4	1.31	1000	0.73	1.50	9.2	29.2
S-18-7-8		3.57	19.35	0.22	1.7	0.06	0.054	1.66	32.5	36.2	0.97	1110	0.92	1.24	10.4	31.9
S-19-7-8		4.74	21.10	0.23	1.8	0.10	0.062	1.95	33.0	40.1	1.34	1290	1.04	1.15	9.6	32.2
S-20-7-8		5.15	19.90	0.21	2.5	0.03	0.045	1.98	16.1	27.1	1.22	1530	1.47	1.25	3.8	22.1
S-21-7-8		5.40	21.10	0.23	2.6	0.04	0.054	1.91	16.6	27.3	1.39	1640	3.11	1.48	4.5	30.3
S-22-7-8		4.57	22.60	0.23	2.1	0.06	0.061	2.07	42.9	44.3	1.52	732	1.51	1.37	10.5	35.3
S-23-7-8		5.25	20.00	0.23	1.9	0.08	0.057	1.57	29.8	34.7	1.35	964	1.04	1.37	7.9	29.3
S-24-7-8		5.34	19.10	0.25	2.0	0.24	0.056	1.62	27.9	46.8	1.60	1550	0.76	1.43	8.1	37.0
S-25-7-8		4.51	18.60	0.25	1.7	0.14	0.057	1.81	39.7	37.1	1.42	844	0.93	1.24	9.6	40.1
S-1-8-8		4.63	15.75	0.23	1.8	0.10	0.050	1.59	34.7	28.9	2.17	914	0.99	1.45	7.6	30.5
S-2-8-8		4.26	18.10	0.23	1.6	0.13	0.057	1.74	43.2	35.9	1.54	796	0.85	1.16	10.9	35.2
S-3-8-8		4.55	20.10	0.24	1.7	0.27	0.058	2.01	45.8	39.5	1.25	1055	0.92	1.21	10.1	39.4
S-4-8-8		4.45	18.85	0.27	1.6	0.23	0.057	1.82	44.9	37.6	1.21	833	0.99	1.22	10.4	39.5
S-5-8-8		4.55	18.90	0.25	1.6	0.19	0.057	1.89	45.7	37.5	1.44	903	1.02	1.22	10.5	46.3
S-6-8-8		4.43	18.20	0.23	1.6	0.20	0.054	1.87	43.4	38.6	1.42	882	1.15	1.20	10.0	41.8
S-7-8-8		5.76	19.05	0.24	1.9	0.09	0.064	1.93	33.7	35.7	2.84	1050	1.08	1.20	7.8	35.0
S-8-8-8		5.46	19.50	0.25	1.7	0.22	0.061	1.90	34.7	36.3	2.61	1055	1.08	1.23	9.2	33.0
S-9-8-8		5.98	20.60	0.25	1.8	0.09	0.062	2.03	30.7	38.7	2.67	1100	1.01	1.29	8.4	39.5
S-10-8-8		5.73	21.00	0.25	1.9	0.11	0.062	2.16	37.5	40.5	2.44	1445	1.01	1.30	8.9	39.7
S-11-8-8		4.59	18.35	0.24	1.7	0.07	0.057	1.85	45.0	37.5	1.81	794	0.79	1.30	8.9	37.0
S-12-8-8		6.08	22.40	0.25	1.8	0.08	0.069	2.38	38.2	44.1	2.61	1125	1.00	1.18	8.9	32.7
S-13-8-8		6.03	22.10	0.24	1.8	0.09	0.066	2.25	35.2	43.0	2.48	1170	1.06	1.22	8.3	35.0
S-14-8-8		5.69	20.80	0.24	1.7	0.07	0.061	2.11	33.7	44.4	2.70	1055	0.90	1.19	9.0	39.3
S-15-8-8		7.01	20.00	0.25	1.7	0.08	0.060	2.20	29.0	39.3	3.64	1225	1.05	1.16	8.4	32.3

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - C

Total # Pages: 6 (A - D)

Finalized Date: 7-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06083180

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Ti ppm	Tl %	Tm ppm
S-1-7-8		960	24.9	88.0	<0.002	0.05	4.30	2	1.1	860.0	0.28	0.06	3.8	0.408	1.09
S-2-7-8		1170	35.9	81.2	<0.002	0.03	3.54	2	0.9	1205.0	0.25	<0.05	3.1	0.426	0.78
S-3-7-8		1690	11.7	70.3	<0.002	<0.01	1.16	2	1.2	676.0	0.28	<0.05	5.8	0.326	0.31
S-4-7-8		1750	12.2	68.0	<0.002	0.01	1.03	2	1.1	731.0	0.28	<0.05	5.2	0.339	0.31
S-5-7-8		920	14.1	75.0	<0.002	0.03	1.12	2	1.5	420.0	0.61	<0.05	9.2	0.334	0.46
S-6-7-8		890	14.8	73.3	<0.002	0.02	1.24	2	1.6	480.0	0.66	<0.05	9.7	0.334	0.41
S-7-7-8		890	15.1	67.6	<0.002	0.01	1.33	2	1.4	984.0	0.51	0.05	8.2	0.344	0.44
S-8-7-8		630	17.3	89.8	<0.002	0.01	0.64	3	1.9	250.0	0.84	<0.05	10.3	0.391	0.53
S-9-7-8		1450	13.9	53.2	<0.002	0.01	2.70	2	1.4	529.0	0.42	<0.05	5.4	0.384	0.42
S-10-7-8		1660	11.3	37.6	<0.002	0.01	3.76	2	1.2	706.0	0.30	<0.05	4.3	0.387	0.37
S-11-7-8		690	19.9	107.0	<0.002	<0.01	0.99	2	2.2	227.0	0.74	0.05	12.7	0.344	0.60
S-12-7-8		710	137.0	111.0	<0.002	<0.01	1.09	2	2.3	217.0	0.73	<0.05	13.2	0.311	0.63
S-13-7-8		820	25.1	86.7	<0.002	<0.01	1.19	2	1.8	292.0	0.65	<0.05	10.3	0.350	0.63
S-14-7-8		690	21.6	80.9	<0.002	0.02	1.16	2	1.7	387.0	0.64	<0.05	9.3	0.317	0.61
S-15-7-8		1220	13.3	78.0	<0.002	0.01	0.60	2	1.6	497.0	0.54	<0.05	8.9	0.337	0.40
S-16-7-8		940	14.2	97.5	<0.002	0.01	0.73	2	1.9	383.0	0.68	<0.05	8.0	0.389	0.52
S-17-7-8		1010	14.7	81.9	<0.002	0.01	0.94	3	1.8	552.0	0.67	0.05	7.6	0.387	0.51
S-18-7-8		1350	12.6	77.6	<0.002	0.01	0.65	2	1.9	285.0	0.80	<0.05	7.8	0.393	0.49
S-19-7-8		1140	16.5	85.9	<0.002	0.02	1.05	3	1.9	382.0	0.71	0.05	8.8	0.381	0.55
S-20-7-8		1480	7.2	73.1	0.002	0.01	0.68	3	0.9	205.0	0.27	<0.05	2.9	0.366	0.55
S-21-7-8		1620	8.2	73.3	<0.002	0.02	0.96	3	1.1	287.0	0.34	<0.05	3.6	0.436	1.10
S-22-7-8		890	13.6	93.7	<0.002	0.02	0.69	3	2.0	402.0	0.77	0.06	9.9	0.391	0.60
S-23-7-8		770	13.6	62.2	<0.002	0.02	0.96	2	1.5	394.0	0.61	0.08	6.9	0.457	0.42
S-24-7-8		700	18.1	65.3	<0.002	0.02	1.14	3	1.3	405.0	0.46	0.06	6.1	0.406	0.60
S-25-7-8		810	17.6	72.4	0.002	0.02	1.21	3	1.7	456.0	0.73	0.07	10.1	0.376	0.45
S-1-8-8		970	12.2	59.6	0.002	0.01	0.85	2	1.4	403.0	0.58	<0.05	8.1	0.346	0.34
S-2-8-8		760	16.8	75.5	<0.002	0.01	1.29	2	1.8	381.0	0.79	0.06	11.1	0.358	0.45
S-3-8-8		850	19.2	85.9	<0.002	0.03	1.70	2	1.9	293.0	0.84	0.09	12.0	0.376	0.57
S-4-8-8		800	19.0	80.4	<0.002	0.04	1.60	2	1.9	360.0	0.79	0.08	11.7	0.353	0.53
S-5-8-8		860	22.0	80.2	<0.002	0.02	1.37	3	1.9	360.0	0.79	0.09	11.6	0.371	0.56
S-6-8-8		830	17.9	78.7	<0.002	0.03	1.34	2	1.9	444.0	0.79	0.09	10.9	0.363	0.53
S-7-8-8		860	13.6	82.8	<0.002	0.01	0.81	2	1.7	380.0	0.59	<0.05	8.4	0.387	0.43
S-8-8-8		900	14.3	82.1	<0.002	0.01	0.90	2	1.8	374.0	0.68	0.05	8.7	0.381	0.44
S-9-8-8		920	14.9	88.9	0.002	0.01	0.75	2	1.9	391.0	0.69	0.05	8.5	0.394	0.48
S-10-8-8		920	15.6	93.2	<0.002	0.01	0.79	2	2.0	376.0	0.71	0.05	10.2	0.390	0.51
S-11-8-8		890	15.6	78.6	<0.002	<0.01	0.69	2	1.9	316.0	0.75	<0.05	11.5	0.352	0.43
S-12-8-8		900	17.0	105.5	<0.002	0.01	0.65	2	2.1	342.0	0.73	0.05	10.4	0.397	0.53
S-13-8-8		940	15.7	93.4	<0.002	0.01	0.66	2	2.0	362.0	0.67	0.05	9.8	0.363	0.51
S-14-8-8		930	14.4	89.4	<0.002	0.01	0.72	2	1.9	341.0	0.65	<0.05	9.2	0.363	0.47
S-15-8-8		1080	15.4	94.3	<0.002	0.01	0.68	2	1.8	379.0	0.61	<0.05	8.1	0.389	0.43

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbark Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.aischemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 2 - D

Total # Pages: 6 (A - D)

Finalized Date: 7-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06083180

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5
S-1-7-8		212	1.4	20.6	132	58.5
S-2-7-8		236	1.1	20.7	200	66.4
S-3-7-8		164	0.7	24.4	89	52.1
S-4-7-8		181	0.7	20.2	91	54.8
S-5-7-8		118	1.0	15.5	71	37.6
S-6-7-8		104	1.0	15.7	69	35.6
S-7-7-8		146	0.9	15.9	84	38.0
S-8-7-8		111	1.0	14.0	92	44.8
S-9-7-8		167	0.7	13.5	95	47.6
S-10-7-8		185	0.6	14.1	90	47.7
S-11-7-8		114	1.2	19.2	84	43.8
S-12-7-8		99	1.2	17.3	134	38.9
S-13-7-8		117	1.0	16.7	94	38.9
S-14-7-8		104	1.0	14.5	82	34.3
S-15-7-8		148	0.8	18.6	73	41.3
S-16-7-8		141	1.1	11.3	117	41.4
S-17-7-8		158	1.4	13.8	110	52.7
S-18-7-8		114	1.1	12.4	137	51.3
S-19-7-8		152	1.3	15.8	112	54.5
S-20-7-8		180	0.6	18.9	91	80.2
S-21-7-8		219	0.6	20.6	134	77.6
S-22-7-8		145	1.2	15.3	94	62.9
S-23-7-8		187	0.9	12.6	105	55.5
S-24-7-8		188	0.8	21.0	99	58.1
S-25-7-8		139	1.1	18.0	84	50.0
S-1-8-8		141	0.8	18.4	73	52.5
S-2-8-8		118	1.1	17.9	78	49.6
S-3-8-8		128	1.5	18.9	91	50.5
S-4-8-8		116	1.4	18.6	80	46.5
S-5-8-8		128	1.3	17.7	85	45.2
S-6-8-8		120	1.3	17.9	83	47.1
S-7-8-8		178	1.0	19.2	82	53.4
S-8-8-8		162	1.0	18.1	88	52.0
S-9-8-8		173	1.1	17.8	92	53.9
S-10-8-8		166	1.2	19.5	87	55.4
S-11-8-8		123	1.1	17.7	75	48.3
S-12-8-8		169	1.2	18.9	90	53.5
S-13-8-8		171	1.2	18.7	90	53.1
S-14-8-8		162	1.1	17.0	87	49.5
S-15-8-8		203	1.1	16.7	94	51.0

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 6221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 3 - A

Total # Pages: 6 (A - D)

Finalized Date: 7-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06083180

Sample Description	Method	WE-21	AJ-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recon Wt.	Ag	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Cr	Cr	Co	Cu
Units		g	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.15	10
S-16-8-8		0.20	0.011	0.10	6.96	4.8	630	1.83	0.15	4.12	0.18	46.70	37.8	231	3.66	121.0
S-17-8-8		0.12	0.006	0.29	6.74	3.1	680	1.58	0.14	3.41	0.40	43.00	26.2	214	4.15	27
S-18-8-8		0.10	0.008	0.26	6.59	3.2	640	1.65	0.13	3.30	0.34	40.80	26.0	196	3.88	59.0
S-19-8-8		0.18	0.006	0.09	8.78	5.4	630	2.27	0.25	5.72	0.26	92.20	20.9	119	5.57	35.0
S-20-8-8		0.24	0.012	0.15	7.42	10.1	570	1.89	0.23	4.79	0.29	73.20	22.1	99	3.88	11.1
S-21-8-8		0.26	0.007	0.10	8.41	4.3	610	2.24	0.19	3.22	0.08	68.80	31.4	228	4.60	30.4
S-22-8-8		0.16	<0.005	0.07	7.91	4.2	560	2.20	0.18	3.44	0.06	68.90	32.2	267	4.30	33.8
S-23-8-8		0.16	0.008	0.06	8.63	3.8	590	2.17	0.18	3.39	0.07	80.70	31.5	263	4.69	37.7
S-24-8-8		0.16	0.008	0.08	7.69	3.1	560	2.19	0.13	3.15	0.12	62.30	29.2	259	3.90	11.4
S-25-8-8		0.18	0.008	0.06	8.23	7.0	680	2.33	0.19	1.89	0.17	75.50	29.0	167	6.90	12.1
S-26-8-8		0.18	0.005	0.10	9.01	5.9	710	2.51	0.26	2.19	0.14	83.70	25.7	184	5.47	21.7
S-27-8-8		0.12	0.007	0.12	7.88	7.3	560	2.14	0.24	2.18	0.20	63.80	32.8	212	4.82	10.0
S-28-8-8		0.14	0.033	0.09	7.46	21.7	490	1.51	0.23	1.09	0.14	50.40	27.2	115	2.15	150.0
S-29-8-8		0.16	0.026	0.20	7.54	28.4	670	1.64	0.26	1.27	0.20	51.50	31.0	97	2.10	184.5
S-30-8-8		0.16	0.009	0.02	8.10	5.5	640	2.28	0.19	0.64	0.37	83.30	13.7	100	4.82	20.9
S-31-8-8		0.28	0.016	0.17	7.85	14.8	570	1.67	0.21	1.62	0.16	77.90	21.5	75	3.12	148.5
S-32-8-8		0.18	0.016	0.30	7.32	9.6	560	2.01	0.18	0.89	0.14	99.10	18.8	82	3.55	64.2
S-33-8-8		0.18	0.019	0.18	6.97	36.1	550	1.69	0.20	1.14	0.23	77.50	29.9	73	2.43	133.8
S-34-8-8		0.18	0.068	0.67	7.44	52.8	600	1.74	0.21	0.79	0.28	70.80	26.8	56	2.80	120.0
S-35-8-8		0.20	0.016	0.17	6.47	17.3	470	1.66	0.24	3.04	0.29	81.90	21.2	55	2.56	76.1
S-36-8-8		0.18	0.011	0.08	7.88	8.9	580	2.16	0.22	0.92	0.17	93.30	23.7	102	4.33	67.4
S-37-8-8		0.18	0.021	0.18	6.95	20.6	530	1.84	0.23	1.21	0.30	86.40	28.9	93	3.35	134.0
S-38-8-8		0.20	0.021	0.14	7.06	15.7	540	1.77	0.18	0.90	0.31	83.10	19.6	95	2.93	61.0
S-39-8-8		0.22	0.017	0.15	6.55	14.8	460	1.66	0.20	3.53	0.49	86.20	22.5	75	2.61	70.5
S-40-8-8		0.24	0.011	18.45	6.45	402.0	540	0.97	0.09	6.43	14.25	33.90	25.0	346	6.17	60.2
S-1-9-8		0.18	0.014	0.25	7.59	21.2	530	1.29	0.12	1.09	0.43	63.10	25.9	46	4.25	98.5
S-2-9-8		0.16	0.017	0.22	6.35	22.8	410	1.31	0.14	3.66	1.68	65.70	23.0	47	2.63	80.3
S-3-9-8		0.22	0.031	0.26	7.73	21.2	600	1.86	0.23	1.13	0.43	77.50	25.6	97	3.54	87.2
S-4-9-8		0.14	0.028	0.23	7.41	19.1	570	1.88	0.21	2.16	0.42	77.90	24.1	86	5.83	78.0
S-5-9-8		0.22	0.015	0.28	8.09	15.4	640	1.90	0.17	0.72	0.19	82.60	19.8	67	6.67	57.8
S-6-9-8		0.18	0.037	0.91	7.08	52.6	600	1.63	0.17	2.28	0.84	70.50	24.5	56	2.95	111.0
S-7-9-8		0.14	0.017	0.25	7.36	17.6	570	1.94	0.18	0.94	0.48	83.80	28.6	151	3.19	63.5
S-8-9-8		0.28	0.022	0.26	6.58	25.5	500	1.49	0.22	1.94	0.64	81.00	25.8	86	2.22	117.5
S-9-9-8		0.26	0.025	0.19	6.40	18.0	470	1.74	0.22	1.61	0.25	86.40	18.8	86	3.25	67.2
S-10-9-8		0.26	0.012	0.16	7.18	12.6	530	1.99	0.22	4.52	0.18	76.60	19.2	92	4.10	64.0
S-11-9-8		0.20	0.006	0.20	7.87	5.6	630	2.06	0.23	0.97	0.28	101.50	19.3	76	4.29	135.0
S-12-9-8		0.18	<0.005	0.04	7.32	4.8	510	2.08	0.22	4.07	0.09	119.00	14.6	67	4.93	30.9
S-13-9-8		0.12	0.005	0.07	7.46	5.5	530	2.06	0.20	0.80	0.07	112.00	13.2	68	3.64	30.7
S-14-9-8		0.06	<0.005	0.04	7.80	5.1	570	2.11	0.21	0.89	0.09	107.50	14.8	71	4.70	22.6
S-15-9-8		0.16	0.005	0.07	7.41	6.7	560	1.83	0.17	0.77	0.07	96.80	14.2	62	4.42	11.4

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 981 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 3 - B

Total # Pages: 6 (A - D)

Finalized Date: 7-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06083180

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	AF-MS61	AF-MS61
	Analyte	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Nb	Ne	Se
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.01	0.035	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.1
S-16-8-8		6.45	18.75	0.23	1.7	0.12	0.056	1.90	24.3	31.4	3.82	1165	1.51	1.09	6.6	132.0
S-17-8-8		5.39	17.65	0.20	1.6	0.07	0.054	1.68	22.5	29.0	2.66	1270	1.10	1.20	7.7	20.7
S-18-8-8		5.43	16.25	0.21	1.6	0.06	0.054	1.56	21.6	27.9	2.73	1045	0.95	1.15	7.0	85.0
S-19-8-8		4.90	23.30	0.27	1.7	0.06	0.065	2.57	49.6	55.0	1.87	751	0.69	0.97	10.8	49.4
S-20-8-8		4.74	19.05	0.24	1.6	0.21	0.060	2.03	39.2	37.4	1.64	863	1.71	1.12	10.6	54.9
S-21-8-8		6.57	22.20	0.26	1.8	0.04	0.063	2.23	37.1	44.9	3.79	993	0.59	1.10	8.9	134.0
S-22-8-8		6.34	20.50	0.25	1.7	0.07	0.063	2.17	37.1	42.7	3.79	961	0.62	1.04	8.8	140.3
S-23-8-8		6.40	21.30	0.27	1.9	0.05	0.067	2.43	43.8	45.3	3.64	1025	0.64	1.01	8.7	137.3
S-24-8-8		5.75	19.40	0.24	1.6	0.03	0.061	1.97	31.9	39.9	3.56	879	0.56	1.10	8.6	124.3
S-25-8-8		6.02	23.30	0.27	1.8	0.05	0.066	2.70	40.5	43.0	2.06	1035	1.69	1.01	8.5	90.0
S-26-8-8		5.88	24.90	0.27	1.8	0.05	0.074	2.71	43.7	55.7	2.46	994	0.85	1.16	12.3	53.4
S-27-8-8		6.32	22.20	0.26	1.9	0.28	0.070	2.15	31.8	40.7	2.69	1245	1.14	1.13	9.1	82.3
S-28-8-8		5.99	17.75	0.15	1.7	0.83	0.067	1.75	26.8	21.6	1.92	1680	2.22	1.22	3.3	41.0
S-29-8-8		6.9*	17.25	0.17	1.7	1.15	0.062	2.09	25.2	20.1	1.82	2020	2.85	1.08	3.5	34.0
S-30-8-8		4.2*	23.70	0.15	1.4	0.06	0.061	2.38	41.4	52.3	1.23	407	0.56	0.86	11.0	41.2
S-31-8-8		5.62	19.40	0.18	1.4	0.21	0.060	1.94	39.7	29.6	1.50	1250	1.51	1.19	8.2	32.7
S-32-8-8		4.36	21.30	0.26	1.5	0.11	0.054	1.93	51.0	36.0	1.25	791	0.93	1.12	10.8	31.0
S-33-8-8		6.77	19.10	0.28	1.5	0.28	0.058	1.68	44.8	24.5	1.63	1305	2.32	1.24	7.7	30.3
S-34-8-8		5.96	20.00	0.26	1.6	0.60	0.058	1.98	39.2	27.7	1.35	1360	2.34	1.08	7.4	24.5
S-35-8-8		4.58	16.20	0.25	1.2	0.22	0.044	1.60	46.2	26.1	1.02	823	1.31	1.18	8.1	25.7
S-36-8-8		5.12	22.50	0.25	1.4	0.12	0.054	2.11	51.5	41.1	1.47	931	1.43	1.09	10.4	47.3
S-37-8-8		5.45	20.60	0.27	1.5	1.06	0.054	1.81	48.5	32.4	1.33	1470	2.28	1.08	5.8	40.8
S-38-8-8		4.92	17.50	0.21	1.2	0.25	0.043	1.91	45.7	28.4	1.13	1205	1.22	1.14	8.3	31.7
S-39-8-8		4.33	17.75	0.25	1.2	0.19	0.046	1.60	46.7	27.8	1.09	964	1.44	1.17	10.0	30.7
S-40-8-8		5.57	14.90	0.21	1.2	1.69	0.046	3.63	19.1	12.6	0.54	2900	5.29	0.36	4.0	132.5
S-1-9-8		5.26	18.85	0.22	1.4	0.47	0.048	1.74	34.3	25.1	1.20	1870	1.40	1.38	6.4	21.9
S-2-9-8		4.81	15.50	0.23	1.3	0.53	0.042	1.45	35.3	21.4	1.08	1095	1.54	1.21	7.4	20.3
S-3-9-8		5.70	19.55	0.25	1.4	0.59	0.051	2.05	43.7	29.7	1.34	1390	2.02	1.20	9.8	37.3
S-4-9-8		5.12	20.50	0.25	1.4	0.47	0.053	2.00	43.2	32.5	1.28	1095	1.85	1.06	9.9	33.6
S-5-9-8		4.56	24.60	0.26	1.7	2.11	0.057	2.36	45.4	42.1	1.11	872	0.99	1.16	8.8	38.0
S-6-9-8		5.51	17.50	0.26	1.5	1.39	0.048	1.99	39.4	23.0	1.11	1390	2.02	1.19	7.8	21.8
S-7-9-8		5.71	21.30	0.24	1.6	0.34	0.060	1.77	46.2	32.1	1.87	1760	1.71	1.16	8.0	40.0
S-8-9-8		5.14	16.90	0.26	1.4	0.48	0.049	1.68	45.1	20.2	1.25	1800	2.13	1.26	8.7	30.8
S-9-9-8		4.30	17.45	0.25	1.3	0.30	0.047	1.57	49.8	28.5	1.04	912	1.16	1.12	8.6	30.4
S-10-9-8		4.19	19.45	0.24	1.3	0.19	0.047	1.83	42.2	34.5	1.21	817	1.13	1.04	11.2	44.7
S-11-9-8		4.50	23.20	0.27	1.6	0.11	0.062	1.97	54.8	39.9	1.25	1010	1.18	1.13	12.8	34.5
S-12-9-8		3.84	21.80	0.26	1.5	0.33	0.052	2.07	64.5	42.4	1.03	629	0.46	1.09	14.4	29.9
S-13-9-8		3.83	21.70	0.27	1.5	0.37	0.053	1.93	61.3	39.0	0.98	548	0.53	1.15	12.5	29.1
S-14-9-8		4.16	22.40	0.26	1.4	0.35	0.051	2.01	59.8	39.7	1.02	691	0.53	1.12	13.1	30.7
S-15-9-8		4.08	21.10	0.27	1.6	0.06	0.048	1.97	51.8	34.5	1.38	797	0.73	1.22	11.0	25.1

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 3 - C

Total # Pages: 6 (A - D)

Finalized Date: 7-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06083180

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Ra	Re	S	Se	So	Sn	Sr	Ta	Te	Th	Ti	Tl	U
Units		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.002	0.002	0.01
S-16-8-8		1090	13.2	76.1	<0.002	0.01	0.66	2	1.5	389.0	0.47	<0.05	6.1	0.360	0.52	1.3
S-17-8-8		1480	11.6	76.1	<0.002	0.02	0.47	2	1.5	414.0	0.57	<0.05	5.6	0.396	0.28	1.3
S-18-8-8		1940	10.5	67.7	<0.002	0.01	0.45	2	1.4	396.0	0.51	<0.05	5.1	0.370	0.26	1.2
S-19-8-8		700	18.2	118.0	<0.002	0.02	0.58	2	2.6	427.0	0.94	0.06	13.4	0.372	0.58	1.6
S-20-8-8		810	16.9	84.9	<0.002	0.04	1.35	2	1.9	421.0	0.79	0.11	10.3	0.378	0.56	1.7
S-21-8-8		970	14.0	91.9	<0.002	0.01	0.35	2	2.1	321.0	0.72	0.05	9.4	0.386	0.47	1.5
S-22-8-8		1050	12.8	92.4	<0.002	0.01	0.34	2	2.0	317.0	0.63	0.05	9.6	0.363	0.47	1.5
S-23-8-8		950	14.0	105.5	<0.002	0.01	0.35	2	2.1	269.0	0.71	<0.05	10.7	0.391	0.52	1.7
S-24-8-8		860	11.0	95.5	<0.002	0.01	0.32	2	1.9	303.0	0.70	0.05	7.9	0.372	0.45	1.5
S-25-8-8		1150	15.5	118.5	<0.002	0.01	2.44	2	2.1	337.0	0.69	<0.05	10.4	0.382	0.54	1.8
S-26-8-8		830	16.7	118.5	<0.002	0.01	0.45	2	2.6	284.0	0.86	<0.05	11.5	0.392	0.60	1.8
S-27-8-8		1040	16.9	88.6	<0.002	0.03	2.21	3	2.0	266.0	0.67	0.10	8.3	0.387	0.53	1.6
S-28-8-8		1610	12.4	69.1	<0.002	0.08	3.25	3	1.2	303.0	0.38	0.27	5.7	0.394	0.77	1.8
S-29-8-8		1750	15.7	80.0	<0.002	0.24	5.39	3	1.2	402.0	0.37	0.45	5.4	0.396	1.03	1.5
S-30-8-8		350	15.9	126.5	<0.002	0.01	0.48	2	2.4	184.5	0.87	<0.05	11.6	0.348	0.65	1.9
S-31-9-8		1080	17.5	87.1	<0.002	0.07	1.45	3	1.7	274.0	0.63	0.25	10.5	0.381	0.54	1.6
S-32-8-8		820	19.6	84.1	<0.002	0.01	1.04	3	2.2	215.0	0.86	0.17	12.1	0.349	0.55	1.8
S-33-8-8		1000	25.3	60.8	<0.002	0.06	2.54	4	1.6	273.0	0.57	0.29	9.4	0.369	0.58	1.6
S-34-8-8		1110	32.8	72.3	<0.002	0.06	2.83	3	1.6	216.0	0.53	3.46	8.1	0.361	0.54	1.6
S-35-8-8		860	21.5	60.6	0.002	0.17	1.71	3	1.6	318.0	0.72	0.41	10.3	0.318	0.46	1.6
S-36-8-8		830	22.3	87.6	0.002	0.01	0.85	2	2.3	219.0	0.78	0.13	12.8	0.325	0.57	1.8
S-37-8-8		980	36.2	72.8	0.002	0.06	2.25	3	1.9	234.0	0.67	0.18	10.8	0.336	0.60	1.8
S-38-8-8		910	23.8	68.5	<0.002	0.02	1.17	2	1.7	217.0	0.63	0.18	10.5	0.324	0.53	1.6
S-39-8-8		850	69.9	63.6	<0.002	0.06	1.16	2	1.8	349.0	0.78	0.14	11.3	0.325	0.48	1.6
S-40-8-8		1010	490.0	105.5	<0.002	0.40	90.80	3	0.9	221.0	0.28	0.05	3.7	0.307	1.84	1.5
S-1-9-8		1020	19.9	61.9	<0.002	0.07	3.59	3	1.2	247.0	0.51	0.16	7.4	0.365	0.80	1.4
S-2-9-8		990	24.9	52.7	<0.002	0.08	2.80	3	1.2	322.0	0.57	0.18	7.9	0.344	0.51	1.0
S-3-9-8		1200	42.8	74.5	0.002	0.05	2.10	3	1.9	250.0	0.67	3.25	10.0	0.374	0.71	1.7
S-4-9-8		950	39.2	81.0	0.002	0.08	2.92	3	2.0	272.0	0.73	3.20	10.7	0.341	0.66	1.7
S-5-9-8		710	23.3	104.5	<0.002	0.01	3.49	2	2.2	194.0	0.74	0.12	11.3	0.329	1.46	1.8
S-6-9-8		1210	39.5	68.3	<0.002	0.09	4.04	3	1.5	268.0	0.58	1.26	8.5	0.346	0.90	1.7
S-7-9-8		900	30.9	73.4	<0.002	0.08	1.31	3	1.9	237.0	0.66	0.22	10.0	0.355	0.61	1.6
S-8-9-8		1230	35.8	58.5	0.002	0.09	2.31	3	1.5	289.0	0.65	0.37	9.3	0.345	0.70	1.8
S-9-9-8		840	23.4	63.8	<0.002	0.02	1.67	3	1.7	256.0	0.73	0.10	11.8	0.332	0.43	1.6
S-10-9-8		730	18.6	78.7	<0.002	0.07	1.16	3	2.3	379.0	0.84	0.11	11.4	0.337	0.90	1.7
S-11-9-8		740	18.1	94.2	<0.002	0.04	0.47	3	2.5	220.0	0.97	0.07	14.1	0.321	0.51	2.1
S-12-9-8		710	17.7	94.0	<0.002	0.01	0.38	2	2.5	381.0	1.15	<0.05	16.2	0.366	0.52	2.5
S-13-9-8		700	16.3	89.9	<0.002	0.01	0.43	2	2.3	212.0	0.98	<0.05	15.0	0.332	0.59	2.3
S-14-9-8		720	17.9	91.6	<0.002	0.01	0.42	2	2.5	213.0	0.98	<0.05	14.9	0.340	0.50	2.0
S-15-9-8		880	14.4	77.7	<0.002	0.01	0.50	2	2.1	212.0	0.84	<0.05	12.1	0.370	0.44	2.1

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 3 - D
Total # Pages: 6 (A - D)
Finalized Date: 7-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06083180

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V ppm 1	W ppm 0.1	Y ppm 0.1	Zr ppm 2	Zr ppm 0.5
S-6-8-8		202	0.9	16.3	87	50.0
S-7-8-8		161	0.9	12.2	146	47.4
S-18-8-8		160	0.8	11.3	143	47.2
S-19-8-8		123	1.5	15.1	98	51.1
S-20-8-8		135	1.2	17.3	82	47.6
S-21-8-8		176	1.2	16.0	85	53.4
S-22-8-8		179	1.1	15.7	73	49.8
S-23-8-8		180	1.2	15.4	76	53.7
S-24-8-8		166	1.1	12.4	74	51.5
S-25-8-8		193	1.2	17.3	87	51.4
S-26-8-8		159	1.4	15.8	87	55.2
S-27-8-8		194	1.2	16.0	97	53.6
S-28-8-8		238	1.0	24.4	79	55.9
S-29-8-8		235	1.1	22.1	86	57.0
S-30-8-8		116	1.3	11.6	75	47.6
S-31-8-8		164	1.0	22.5	92	44.6
S-32-8-8		125	1.3	13.2	85	50.0
S-33-8-8		187	1.1	25.9	98	49.8
S-34-8-8		186	1.2	20.9	108	55.7
S-35-8-8		119	1.1	16.0	94	38.0
S-36-8-8		125	1.4	18.3	85	48.6
S-37-8-8		147	1.2	20.8	122	48.8
S-38-8-8		125	1.1	17.5	100	41.7
S-39-8-8		102	1.2	17.1	123	39.8
S-40-8-8		169	2.7	13.9	1440	40.2
S-1-9-8		169	0.9	22.5	101	49.9
S-2-9-8		134	1.0	18.3	153	45.8
S-3-9-8		153	1.2	19.8	144	49.7
S-4-9-8		139	1.2	17.5	119	47.9
S-5-9-8		132	1.3	16.9	94	57.2
S-6-9-8		151	1.1	19.5	140	49.1
S-7-9-8		167	1.2	19.9	122	53.5
S-8-9-8		141	1.1	20.4	143	46.2
S-9-9-8		111	1.1	23.0	85	47.2
S-10-9-8		109	1.4	15.9	74	45.1
S-11-9-8		128	1.5	17.2	110	54.2
S-12-9-8		86	1.5	17.4	66	49.9
S-13-9-8		91	1.3	17.8	62	50.5
S-14-9-8		90	1.4	18.2	67	48.8
S-15-9-8		114	1.2	15.5	69	53.0

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 3221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 4 - A

Total # Pages: 6 (A - D)

Finalized Date: 7-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06083180

Sample Description	Method	WEI-21	AL-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Reeve Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Zn
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	1.00	1.0
S-16-9-8		0.14	0.007	0.09	7.86	8.4	590	1.88	0.16	1.09	0.13	82.50	21.1	60	4.41	15.7
S-17-9-8		0.10	0.006	0.18	7.25	5.5	580	1.74	0.15	1.58	0.16	86.60	19.0	102	3.70	48.4
S-18-9-8		0.28	0.005	0.07	7.31	5.8	540	1.88	0.23	1.02	0.12	105.00	16.0	73	4.44	33.3
S-19-9-8		0.12	0.007	0.06	7.10	6.1	480	1.92	0.23	1.09	0.09	108.50	16.0	64	4.12	12.2
S-20-9-8		0.18	0.010	0.10	7.20	11.7	500	1.55	0.19	1.19	0.15	81.50	21.0	60	4.71	65.0
S-21-9-8		0.16	0.006	0.09	6.89	5.5	450	1.85	0.18	0.95	0.10	106.50	14.4	65	4.50	34.9
S-22-9-8		0.14	0.008	0.06	7.48	5.6	520	2.01	0.21	1.20	0.12	109.00	15.7	71	4.17	44.3
S-23-9-8		0.18	<0.005	0.04	6.83	6.0	500	2.03	0.20	0.80	0.10	124.00	12.7	64	3.88	25.7
S-24-9-8		0.24	0.005	0.06	7.42	6.5	540	2.49	0.21	1.01	0.09	119.50	15.4	63	4.48	32.9
S-25-9-8		0.14	0.007	0.07	7.54	5.5	560	2.67	0.20	0.80	0.10	134.00	15.4	76	4.35	31.0
S-26-9-8		0.22	0.009	0.25	7.01	9.9	500	2.31	0.19	0.91	0.13	121.50	14.5	75	3.77	15.2
S-27-9-8		0.18	0.006	0.31	5.81	12.0	420	2.02	0.18	1.39	0.26	114.00	15.5	53	2.80	68.4
S-28-9-8		0.10	0.010	0.12	5.95	12.6	430	1.11	0.18	4.38	0.54	116.00	26.3	46	2.08	144.0
S-29-9-8		0.20	0.110	1.95	9.10	454.0	1200	1.41	0.26	1.09	2.10	53.00	29.3	31	2.05	324.0
S-30-9-8		0.14	0.238	1.96	7.84	285.0	610	1.11	0.16	1.71	1.05	69.40	19.5	40	2.17	206.0
S-31-9-8		0.18	0.013	0.30	6.66	15.7	480	1.26	0.27	1.30	0.70	77.40	38.9	263	1.60	147.5
S-32-9-8		0.18	0.026	0.39	6.88	38.7	640	1.35	0.61	1.97	1.04	68.00	43.9	275	1.45	160.0
S-33-9-8		0.10	0.017	0.16	7.80	15.0	680	1.82	0.20	0.88	1.01	94.50	25.6	83	3.19	151.0
S-34-9-8		0.22	0.013	0.14	6.34	14.1	490	1.44	0.22	2.45	0.33	94.30	32.2	72	2.59	111.0
S-35-9-8		0.20	0.048	0.31	7.60	28.2	570	1.72	0.27	1.39	0.93	89.00	38.4	91	2.75	281.0
S-1-6-8		0.20	<0.005	0.10	8.73	6.1	610	2.08	0.19	2.90	0.12	74.60	36.2	276	5.03	71.0
S-2-6-8		0.16	0.006	0.09	6.17	17.0	450	1.25	0.13	3.82	0.24	84.90	20.5	83	2.62	50.0
S-3-6-8		0.16	0.013	0.08	6.02	14.4	440	1.20	0.14	3.81	0.22	89.30	18.8	70	2.87	45.8
S-4-6-8		0.20	0.011	0.12	6.79	10.8	530	1.61	0.20	4.06	0.20	120.00	17.4	70	3.91	47.0
S-5-6-8		0.16	0.011	0.20	7.90	13.3	580	1.45	0.20	1.63	0.33	74.00	23.4	64	5.84	82.4
S-6-6-8		0.18	0.007	0.08	7.38	11.7	570	1.74	0.14	1.90	0.40	76.90	27.8	129	3.83	25.8
S-7-6-8		0.14	0.012	0.08	8.32	5.4	580	1.90	0.16	2.83	0.08	75.50	35.7	260	4.78	81.0
S-8-6-8		0.22	<0.005	0.12	7.27	3.8	490	1.83	0.06	5.07	0.08	41.10	47.3	346	3.45	18.0
S-9-6-8		0.18	0.005	0.14	7.57	4.9	570	1.73	0.08	4.42	0.10	48.30	43.8	262	4.08	121.0
S-10-6-8		0.20	0.006	0.06	7.30	8.7	550	1.82	0.16	4.14	0.41	84.10	20.4	86	4.14	51.0
S-11-6-8		0.16	0.023	0.10	8.00	11.5	600	1.42	0.12	4.15	0.34	73.30	25.1	70	3.94	71.0
S-12-6-8		0.16	0.007	0.14	7.23	6.0	580	1.36	0.10	2.86	0.17	65.70	25.0	180	3.35	70.0
S-13-6-8		0.16	0.008	0.12	7.37	6.6	600	1.48	0.11	3.02	0.18	70.30	28.4	191	3.54	80.0
S-14-6-8		0.18	<0.005	0.15	7.46	8.6	620	1.64	0.11	1.75	0.18	73.30	22.5	114	3.81	58.0
S-15-6-8		0.20	0.005	0.16	8.08	11.0	600	1.82	0.18	1.74	0.13	85.70	21.2	95	4.54	53.0
S-16-6-8		0.20	0.005	0.09	8.56	11.5	600	1.59	0.16	6.17	0.18	80.50	20.7	87	4.56	60.0
S-17-6-8		0.18	<0.005	0.09	7.52	40.1	490	1.19	0.08	8.45	0.13	46.30	25.3	205	4.32	80.0
S-18-6-8		0.22	<0.005	0.10	7.67	41.0	540	1.53	0.14	8.17	0.15	68.10	23.1	124	5.16	40.0
S-19-6-8		0.20	<0.005	0.07	7.87	30.3	580	1.53	0.14	6.14	0.17	72.40	20.7	85	4.79	47.0
S-20-6-8		0.20	<0.005	0.08	7.80	28.6	580	1.61	0.16	5.20	0.17	73.20	22.5	89	5.04	31.0

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 4 - B

Total # Pages: 6 (A - D)

Finalized Date: 7-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06083180

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe	Ga	Ge	Hf	Hg	Ir	K	La	Li	Mg	Rn	Mo	Na	Nb	Si	Ti
		%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.1	0.1
S-16-9-8		5.04	21.20	0.26	1.7	0.12	0.056	2.10	46.2	33.4	1.51	1225	1.22	1.50	9.6	25.0	
S-17-9-8		4.40	18.75	0.25	1.5	0.12	0.046	1.66	44.0	30.0	1.37	814	0.97	1.22	11.3	40.1	
S-18-9-8		3.99	20.90	0.27	1.4	0.07	0.049	1.83	57.5	37.1	1.05	794	0.70	1.14	12.9	31.5	
S-19-9-8		3.99	19.50	0.27	1.4	0.08	0.053	1.64	57.8	32.7	1.11	790	0.63	1.24	11.6	21.0	
S-20-9-8		4.88	19.45	0.26	1.6	0.17	0.049	1.60	45.4	29.6	1.38	1115	1.45	1.48	8.3	24.7	
S-21-9-8		3.79	18.80	0.25	1.3	0.09	0.046	1.59	58.7	31.3	0.99	665	0.77	1.28	12.2	20.0	
S-22-9-8		4.20	20.70	0.27	1.5	0.08	0.051	1.80	60.1	35.6	1.24	810	0.93	1.26	11.8	31.1	
S-23-9-8		3.58	20.60	0.27	1.3	0.05	0.048	1.76	69.2	36.3	0.83	601	0.49	1.12	12.9	20.0	
S-24-9-8		4.03	19.90	0.19	1.5	0.04	0.054	2.04	60.8	53.5	0.93	732	0.51	1.24	12.6	24.1	
S-25-9-8		4.01	21.50	0.21	1.5	0.04	0.050	2.16	66.2	60.7	0.96	625	0.55	1.11	14.1	38.3	
S-26-9-8		4.01	18.80	0.21	1.6	0.25	0.054	1.94	62.4	49.0	0.92	665	0.70	1.16	19.7	26.1	
S-27-9-8		3.95	14.55	0.19	1.4	2.05	0.045	1.42	58.3	31.4	0.81	1160	1.27	1.23	14.0	20.0	
S-28-9-8		4.77	14.15	0.16	1.5	0.48	0.053	1.48	55.3	13.9	0.94	721	1.81	1.39	11.0	20.0	
S-29-9-8		7.61	22.90	0.18	2.6	2.54	0.111	5.19	29.3	1.8	0.62	9930	7.59	0.93	6.7	13.0	
S-30-9-8		6.32	19.15	0.19	2.0	1.72	0.082	4.14	34.3	6.8	0.77	11700	1.95	0.83	7.0	13.0	
S-31-9-8		7.03	17.85	0.16	2.0	0.35	0.073	1.27	38.5	14.3	4.01	1900	1.63	1.31	6.7	53.5	
S-32-9-8		8.09	18.15	0.16	2.0	0.53	0.087	1.62	32.0	14.5	4.02	2240	2.39	1.30	5.8	51.0	
S-33-9-8		6.18	19.55	0.16	2.0	0.21	0.079	2.38	45.9	33.8	1.62	1540	2.10	1.25	8.8	31.0	
S-34-9-8		5.48	16.45	0.17	1.6	0.14	0.061	1.54	45.1	15.9	1.27	1150	1.74	1.22	9.8	37.0	
S-35-9-8		7.10	20.30	0.19	2.1	0.52	0.079	2.07	43.8	18.7	1.65	1670	4.20	1.27	7.5	34.0	
S-1-6-8		6.70	24.30	0.17	2.0	0.05	0.073	2.47	35.4	33.6	3.34	878	0.74	1.02	10.7	14.0	
S-2-6-8		4.26	14.70	0.15	1.6	0.23	0.045	1.51	41.2	15.9	1.07	956	1.24	1.33	9.3	44.0	
S-3-6-8		3.81	15.05	0.15	1.6	0.21	0.048	1.51	42.7	16.9	1.03	861	1.12	1.31	10.0	20.0	
S-4-6-8		4.22	18.50	0.16	1.7	0.15	0.061	1.83	50.5	25.3	1.05	1190	0.61	1.08	11.4	49.0	
S-5-6-8		5.05	20.10	0.15	2.3	0.35	0.068	2.08	39.4	25.9	1.34	1500	1.41	1.27	7.4	40.0	
S-6-6-8		5.33	20.40	0.16	1.8	0.30	0.069	2.00	36.2	23.6	1.91	1260	0.98	1.20	6.9	60.0	
S-7-6-8		6.51	22.10	0.15	1.9	0.09	0.071	2.35	36.3	29.9	3.23	977	0.60	1.05	5.9	11.0	
S-8-6-8		7.33	18.15	0.14	1.8	0.04	0.061	1.81	18.9	19.0	5.43	1180	0.53	1.17	5.4	20.0	
S-9-6-8		7.11	19.20	0.14	1.9	0.05	0.059	2.06	21.9	21.9	4.29	1210	0.78	1.19	6.7	14.0	
S-10-6-8		4.35	20.10	0.13	1.9	0.20	0.064	1.99	41.2	27.0	1.30	802	0.78	1.19	10.8	20.0	
S-11-6-8		5.22	20.30	0.14	2.0	0.24	0.064	1.87	35.1	24.0	1.55	1100	1.02	1.59	8.7	16.0	
S-12-6-8		5.23	17.05	0.12	1.8	0.07	0.055	1.75	29.2	19.1	2.26	926	0.98	1.32	8.8	10.0	
S-13-6-8		5.55	17.95	0.15	1.9	0.08	0.061	1.76	30.0	20.7	2.40	991	1.19	1.32	8.4	21.0	
S-14-6-8		4.73	20.30	0.14	1.9	0.15	0.062	1.96	33.2	26.4	1.55	869	1.02	1.26	10.0	21.0	
S-15-6-8		4.76	22.40	0.16	2.0	0.15	0.066	2.07	42.1	29.9	1.42	774	0.71	1.21	10.4	22.0	
S-16-6-8		4.85	22.40	0.15	1.8	0.13	0.065	2.29	39.5	28.4	1.49	816	0.67	1.23	11.0	20.0	
S-17-6-8		5.38	19.00	0.11	2.1	0.14	0.070	1.87	22.6	20.3	1.11	1050	1.93	0.84	6.2	27.0	
S-18-6-8		4.75	20.90	0.14	1.9	0.19	0.070	1.98	33.5	25.5	1.11	799	1.75	0.89	9.4	48.0	
S-19-6-8		4.50	20.90	0.13	1.8	0.13	0.068	2.13	35.9	25.2	1.22	790	0.93	1.05	10.7	27.0	
S-20-6-8		4.52	21.85	0.14	1.9	0.13	0.065	2.21	35.5	26.9	1.22	785	1.09	1.09	10.1	22.0	

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 3221 Fax: 604 984 3218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 4 - C

Total # Pages: 6 (A - D)

Finalized Date: 7-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06083180

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		P ppm 10	Pb ppm 0.5	Rb ppm 0.1	Re ppm 0.002	S % 0.01	Sc ppm 0.05	Se ppm 1	Sr ppm 0.2	Sr ppm 0.2	Ta ppm 0.05	Tc ppm 0.05	Tb ppm 0.2	Ti ppm 0.005	Ti ppm 0.02	Ti ppm 0.1
S-16-9-8		1170	14.2	72.4	<0.002	0.07	0.81	3	1.9	244.0	0.66	<0.05	10.6	0.383	0.43	1.9
S-17-9-8		700	12.7	71.1	<0.002	0.01	0.71	3	1.9	255.0	0.90	<0.05	11.1	0.404	0.45	2.0
S-18-9-8		810	16.6	80.8	<0.002	0.01	0.52	2	2.3	219.0	0.96	<0.05	14.2	0.336	0.47	2.1
S-19-9-8		800	16.0	70.9	<0.002	0.01	0.47	3	2.0	232.0	0.91	<0.05	14.1	0.356	0.44	2.1
S-20-9-8		1020	15.4	58.6	<0.002	0.04	0.69	3	1.7	253.0	0.68	<0.05	11.6	0.371	0.40	2.0
S-21-9-8		670	17.3	73.1	<0.002	0.01	0.43	3	2.0	221.0	0.95	<0.05	14.9	0.342	0.48	2.2
S-22-9-8		880	16.9	77.9	<0.002	0.04	0.48	3	2.2	233.0	0.94	<0.05	14.5	0.367	0.47	2.2
S-23-9-8		530	17.2	85.3	<0.002	<0.01	0.42	3	2.3	207.0	0.99	<0.05	16.4	0.330	0.47	2.3
S-24-9-8		770	18.7	102.0	<0.002	0.03	0.37	2	2.1	231.0	0.90	<0.05	16.7	0.343	0.52	2.4
S-25-9-8		730	19.1	14.5	<0.002	<0.01	0.26	2	2.3	208.0	0.91	<0.05	21.8	0.336	0.58	2.7
S-26-9-8		830	21.4	93.9	<0.002	0.01	0.61	2	1.9	215.0	0.82	0.07	19.1	0.360	0.52	2.3
S-27-9-8		930	22.0	66.5	<0.002	0.03	0.87	2	1.4	256.0	0.94	0.11	17.3	0.410	0.48	2.6
S-28-9-8		1000	16.6	59.7	0.002	0.05	1.15	2	1.3	396.0	0.73	0.26	14.0	0.366	0.45	2.1
S-29-9-8		2370	139.0	165.5	0.002	0.09	12.80	2	1.0	232.0	0.32	0.26	4.2	0.467	2.28	1.2
S-30-9-8		2290	96.7	132.5	0.002	2.74	7.10	5	1.1	274.0	0.40	0.65	6.2	0.397	1.65	1.7
S-31-9-8		1200	43.6	46.9	0.003	0.38	1.00	3	1.1	251.0	0.41	0.08	8.2	0.397	0.57	1.6
S-32-9-8		1300	50.2	54.4	0.002	0.49	2.42	4	1.2	329.0	0.31	0.10	6.3	0.393	0.91	1.4
S-33-9-8		1220	20.0	88.6	0.003	0.03	0.89	2	1.3	236.0	0.54	0.33	11.8	0.374	0.53	1.3
S-34-9-8		960	21.2	69.0	0.003	0.09	1.13	2	1.3	273.0	0.64	0.30	11.5	0.358	0.46	1.6
S-35-9-8		1380	57.9	86.2	0.003	0.09	2.34	3	1.5	254.0	0.53	0.56	10.2	0.370	0.77	1.3
S-1-6-8		850	15.7	106.0	<0.002	0.01	0.40	2	2.2	265.0	0.67	0.07	10.8	0.386	0.61	1.7
S-2-6-8		960	20.1	59.6	0.002	0.03	1.18	2	1.2	361.0	0.62	0.07	11.1	0.359	0.48	1.8
S-3-6-8		900	20.4	62.0	0.002	0.03	1.10	2	1.3	372.0	0.68	0.08	11.7	0.342	0.46	1.9
S-4-6-8		760	20.9	90.9	<0.002	0.01	1.18	2	1.8	378.0	0.78	0.10	14.7	0.329	0.55	1.9
S-5-6-8		1270	20.4	86.2	0.002	0.04	1.27	2	1.4	313.0	0.46	0.08	9.6	0.338	0.61	1.8
S-6-6-8		1030	16.5	93.8	<0.002	0.01	1.91	2	1.6	318.0	0.52	0.05	10.3	0.353	0.66	1.7
S-7-6-8		930	14.3	116.0	<0.002	0.01	0.38	2	1.9	294.0	0.55	<0.05	11.2	0.354	0.57	1.6
S-8-6-8		1330	7.2	86.2	<0.002	0.01	0.34	1	1.0	603.0	0.29	<0.05	5.3	0.352	0.38	1.7
S-9-6-8		1280	10.0	103.0	<0.002	0.01	0.43	1	1.3	467.0	0.41	<0.05	6.5	0.366	0.41	1.9
S-10-6-8		780	18.7	96.6	<0.002	0.01	0.93	2	1.8	392.0	0.71	0.05	12.4	0.341	0.65	1.6
S-11-6-8		990	17.0	79.9	<0.002	0.03	1.00	2	1.4	441.0	0.53	0.05	9.9	0.377	0.47	1.6
S-12-6-8		780	12.2	74.8	0.002	0.01	0.57	2	1.3	357.0	0.74	<0.05	8.6	0.361	0.40	1.6
S-13-6-8		840	12.4	77.7	<0.002	0.01	0.67	2	1.3	371.0	0.54	<0.05	9.0	0.367	0.41	1.6
S-14-6-8		800	13.1	93.2	<0.002	0.02	0.70	2	1.6	319.0	0.64	<0.05	9.5	0.353	0.46	1.7
S-15-6-8		800	17.7	103.5	<0.002	0.01	0.87	2	2.0	298.0	0.64	<0.05	12.4	0.334	0.60	1.7
S-16-6-8		750	16.0	104.0	<0.002	0.02	1.11	2	2.0	493.0	0.68	<0.05	11.8	0.362	0.68	1.7
S-17-6-8		1140	10.3	65.9	0.002	0.03	0.77	2	1.2	308.0	0.36	<0.05	6.2	0.373	0.37	1.6
S-18-6-8		820	12.9	90.1	<0.002	0.03	1.22	2	1.8	363.0	0.55	<0.05	9.6	0.345	0.59	1.7
S-19-6-8		750	14.0	98.2	0.002	0.03	1.22	2	1.9	439.0	0.64	0.35	10.4	0.362	0.59	1.7
S-20-6-8		730	13.9	101.5	0.002	0.03	1.11	2	1.8	411.0	0.61	0.05	10.7	0.344	0.52	1.7

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 4 - D

Total # Pages: 6 (A - D)

Finalized Date: 7-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06083180

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		V	W	Y	Zn	Zr
		ppm 1	ppm 0.1	ppm 0.1	ppm 2	ppm 0.5
S-16-9-8		157	1.1	22.3	74	58.2
S-17-9-8		119	1.2	15.9	78	51.0
S-18-9-8		94	1.3	17.4	68	48.8
S-19-9-8		99	1.2	19.0	58	48.3
S-20-9-8		147	1.0	23.6	64	56.5
S-21-9-8		89	1.1	18.1	56	44.1
S-22-9-8		104	1.3	19.3	65	47.6
S-23-9-8		78	1.3	19.1	58	44.8
S-24-9-8		85	1.2	23.7	69	47.3
S-25-9-8		86	1.2	17.8	69	48.2
S-26-9-8		90	1.2	20.6	77	47.9
S-27-9-8		88	1.0	24.9	73	39.9
S-28-9-8		105	0.9	21.5	191	35.1
S-29-9-8		353	5.7	25.3	566	60.5
S-30-9-8		246	3.1	19.8	313	48.1
S-31-9-8		244	0.9	26.2	150	46.2
S-32-9-8		254	1.1	22.7	183	45.5
S-33-9-8		172	1.1	25.4	250	47.8
S-34-9-8		128	0.9	21.5	102	37.1
S-35-9-8		208	1.2	27.2	230	48.0
S-1-6-8		174	1.2	15.9	80	48.9
S-2-6-8		108	0.8	19.2	75	36.4
S-3-6-8		100	0.9	19.3	70	36.2
S-4-6-8		97	1.0	18.0	73	40.3
S-5-6-8		148	0.8	27.6	98	56.1
S-6-6-8		152	1.0	17.3	93	46.6
S-7-6-8		173	1.1	17.2	81	44.8
S-8-6-8		219	0.7	15.1	72	45.4
S-9-6-8		213	0.9	15.5	83	45.1
S-10-6-8		119	1.1	17.4	76	44.2
S-11-6-8		164	0.9	19.0	84	48.3
S-12-6-8		153	0.9	16.3	74	41.3
S-13-6-8		164	0.8	16.6	78	44.2
S-14-6-8		147	1.0	15.5	78	45.4
S-15-6-8		135	1.2	19.4	74	49.0
S-16-6-8		135	1.2	16.3	84	43.8
S-17-6-8		220	0.8	16.5	76	47.5
S-18-6-8		157	1.1	15.0	78	45.2
S-19-6-8		132	1.2	15.3	76	44.4
S-20-6-8		138	1.1	15.5	79	44.4

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 5 - A

Total # Pages: 6 (A - D)

Finalized Date: 7-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06083180

Sample Description	Method	WEI-21	AL-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Reced Wt	Au	Ag	Ai	As	Ba	Be	Bi	Ca	Cl	Ce	Co	Cr	Cu	Pb
	Units	mg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR															
S-21-6-8		0.18	<0.005	0.13	8.18	22.4	720	1.71	0.15	1.94	0.17	73.60	29.4	94	4.71	115.0
S-22-6-8		0.20	<0.005	0.07	7.90	11.5	570	1.95	0.21	5.52	0.16	86.70	21.2	90	5.25	51.0
S-23-6-8		0.22	<0.005	0.17	7.33	5.5	580	1.50	0.13	2.58	0.29	77.90	27.8	148	4.00	60.5
S-24-6-8		0.18	0.009	0.11	6.82	12.3	470	1.48	0.16	5.10	0.15	84.00	18.2	59	5.88	40.0
S-25-6-8		0.20	<0.005	0.11	6.99	16.0	500	1.85	0.19	4.53	0.13	84.40	19.4	67	4.00	49.0
S-26-6-8		0.22	0.017	0.08	8.21	42.7	800	2.22	0.59	2.76	0.07	55.40	58.2	258	6.18	100.0
S-27-6-8		0.24	0.013	0.09	7.55	12.4	560	2.04	0.28	2.17	0.13	59.00	34.0	159	4.81	119.7
S-28-6-8		0.20	<0.005	0.04	7.37	3.9	560	2.12	0.10	3.68	0.06	53.00	41.9	243	3.88	72.0
S-1-10-8		0.10	0.008	0.32	6.70	12.5	560	1.95	0.14	1.17	0.16	78.20	20.1	77	2.97	40.0
S-2-10-8		0.18	0.046	0.50	6.78	34.3	520	1.76	0.18	1.38	0.31	68.40	27.8	80	2.20	220.0
S-3-10-8		0.14	0.028	0.42	7.20	12.5	520	2.04	0.15	1.13	0.13	106.50	17.2	86	3.38	94.4
S-4-10-8		0.16	0.016	0.19	6.05	11.4	420	1.84	0.15	4.55	0.32	85.00	18.3	61	2.96	60.0
S-5-10-8		0.28	<0.005	0.08	8.05	5.1	650	2.51	0.17	1.87	0.15	76.10	24.5	173	5.18	10.5
S-6-10-8		0.24	0.005	0.10	7.88	4.7	610	2.47	0.18	3.85	0.18	63.40	32.0	198	4.98	60.5
S-7-10-8		0.18	<0.005	0.07	7.89	5.1	580	2.35	0.18	5.77	0.18	78.00	24.2	140	4.75	40.1
S-8-10-8		0.16	<0.005	0.08	7.10	5.5	470	1.68	0.15	5.49	0.13	47.10	42.2	270	3.42	31.2
S-9-10-8		0.24	<0.005	0.09	7.26	5.7	520	2.08	0.22	5.42	0.16	84.30	17.6	78	3.69	11.2
S-10-10-8		0.22	<0.005	0.09	7.14	6.3	510	1.91	0.23	5.32	0.16	88.10	18.2	74	3.80	49.8
S-11-10-8		0.18	<0.005	0.06	6.79	7.1	460	1.83	0.21	8.24	0.14	83.50	16.3	63	3.50	34.8
S-12-10-8		0.20	<0.005	0.11	8.43	6.3	590	2.32	0.31	6.33	0.16	94.30	19.5	77	4.83	41.7
S-13-10-8		0.20	<0.005	0.03	6.95	4.8	500	1.86	0.20	4.52	0.15	91.40	18.9	97	3.47	40.3
S-14-10-8		0.24	<0.005	0.03	7.04	4.8	510	1.91	0.21	5.73	0.18	90.90	16.3	75	3.83	34.1
S-15-10-8		0.08	0.016	0.12	8.21	93.0	630	2.19	0.19	0.90	0.08	84.20	18.6	145	3.90	56.5
S-16-10-8		0.12	0.008	0.14	6.94	66.7	580	1.45	0.15	8.86	0.27	39.70	29.2	108	2.29	140.0
S-1-22-7		0.18	<0.005	0.02	5.61	3.7	500	1.54	0.14	1.28	0.14	64.70	11.1	67	1.93	20.8
S-2-22-7		0.12	<0.005	0.09	6.74	9.2	560	2.04	0.22	1.49	0.13	74.90	17.0	97	3.25	61.2
S-3-22-7		0.16	0.008	0.04	6.67	5.0	560	2.03	0.15	1.24	0.12	68.80	15.1	82	3.15	50.1
S-4-22-7		0.20	<0.005	0.05	6.12	8.6	490	1.77	0.17	1.34	0.11	79.70	13.5	75	2.48	43.0
S-5-22-7		0.16	<0.005	0.01	6.96	6.4	620	2.16	0.20	1.02	0.10	75.00	13.7	101	3.50	42.0
S-6-22-7		0.14	<0.005	0.08	6.87	4.4	590	1.99	0.14	1.14	0.07	74.80	12.2	103	3.07	51.4
S-7-22-7		0.14	0.011	<0.01	7.43	5.1	670	2.05	0.17	1.41	0.19	83.40	19.7	117	3.63	57.3
S-8-22-7		0.28	0.011	0.09	7.93	6.5	540	2.25	0.19	1.13	0.03	97.80	13.9	81	3.50	55.0
S-9-22-7		0.18	<0.005	0.07	6.87	7.0	600	2.03	0.14	1.02	0.09	69.90	13.0	80	3.39	30.1
S-10-22-7		0.20	<0.005	0.05	7.14	8.3	640	2.11	0.16	1.08	0.09	72.90	15.1	85	3.48	34.1
S-11-22-7		0.18	0.012	0.10	6.72	6.6	540	2.01	0.14	2.68	0.14	61.70	28.1	198	2.70	88.5
S-1-23-7		0.18	0.044	0.12	6.24	8.4	480	1.66	0.13	2.23	0.12	74.20	18.1	137	3.44	200.0
S-2-23-7		0.22	0.022	0.23	7.42	9.0	570	1.98	0.16	2.16	0.18	76.90	23.6	165	3.91	210.0
S-3-23-7		0.24	0.028	0.05	7.01	8.3	570	2.00	0.17	2.37	0.11	73.00	23.4	132	3.61	180.5
S-4-23-7		0.26	0.105	0.07	6.71	9.7	550	1.80	0.15	2.63	0.14	56.20	19.8	168	2.73	150.5
S-5-23-7		0.20	0.005	0.04	5.81	7.3	490	1.86	0.14	1.13	0.12	83.40	12.4	72	2.15	58.3

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 994 0221 Fax: 604 994 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 5 - B
Total # Pages: 6 (A - D)
Finalized Date: 7-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06083180

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppt	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	Os ppm
S-21-6-8		5.93	23.40	0.18	2.7	0.09	0.079	2.56	40.8	27.2	1.36	1080	2.00	1.29	7.4	45.8
S-22-6-8		4.54	23.40	0.16	2.0	0.06	0.078	2.25	42.9	35.5	1.59	690	0.65	1.05	12.5	48.0
S-23-6-8		5.28	19.00	0.16	1.9	0.07	0.065	1.78	37.0	30.7	1.97	1280	0.97	1.13	8.7	45.8
S-24-6-8		3.89	18.10	0.15	1.6	0.08	0.055	1.73	41.1	26.5	1.09	713	0.75	1.12	10.5	32.0
S-25-6-8		4.29	18.45	0.15	1.7	0.11	0.051	1.85	42.7	44.8	1.17	794	0.88	1.14	10.6	25.1
S-26-6-8		7.46	22.10	0.16	1.8	0.09	0.052	2.85	27.6	53.5	3.28	1060	1.14	0.80	9.8	100.0
S-27-6-8		5.96	20.20	0.15	1.9	0.17	0.043	2.09	29.6	45.0	2.38	1180	1.47	1.12	8.2	35.4
S-28-6-8		6.69	19.30	0.14	2.0	0.04	0.039	2.07	25.8	42.0	4.08	1210	0.66	1.17	6.5	100.0
S-1-10-8		4.62	17.60	0.14	1.7	0.07	0.046	1.57	38.5	36.5	1.19	868	1.14	1.21	10.0	21.6
S-2-10-8		5.83	17.20	0.15	2.0	0.30	0.051	1.85	34.1	24.5	1.61	1570	2.25	1.31	7.6	10.0
S-3-10-8		4.55	18.25	0.16	1.5	0.25	0.045	1.86	50.8	41.1	1.18	864	0.98	1.18	9.4	33.7
S-4-10-8		3.61	15.45	0.14	1.5	0.12	0.034	1.59	43.0	36.1	1.05	758	1.10	1.05	10.2	31.7
S-5-10-8		5.14	22.20	0.16	1.8	0.04	0.047	2.43	36.3	57.8	1.98	731	0.72	1.08	10.7	70.8
S-6-10-8		5.93	20.70	0.15	1.9	0.05	0.046	2.35	32.4	47.4	2.93	918	0.80	1.16	9.5	107.8
S-7-10-8		4.92	20.40	0.15	1.9	0.05	0.042	2.32	40.2	53.6	2.13	776	0.65	1.03	10.5	60.6
S-8-10-8		6.08	17.85	0.23	1.0	0.06	0.052	1.87	23.7	39.3	4.22	976	0.93	1.06	7.0	100.0
S-9-10-8		3.84	18.65	0.19	1.1	0.05	0.052	1.87	43.8	48.1	1.33	642	0.73	1.07	11.6	55.6
S-10-10-8		3.74	19.00	0.21	1.0	0.04	0.060	1.87	45.0	48.9	1.26	625	0.90	1.06	11.8	38.0
S-11-10-8		3.40	17.80	0.21	0.9	0.05	0.054	1.77	43.2	46.2	1.17	576	0.52	0.99	10.6	25.5
S-12-10-8		4.29	21.70	0.21	1.1	0.04	0.065	2.33	48.0	56.2	1.35	718	3.92	1.13	14.0	36.1
S-13-10-8		3.98	18.40	0.20	1.0	0.04	0.055	1.80	46.6	43.4	1.35	689	2.64	1.12	11.0	40.0
S-14-10-8		3.56	18.55	0.20	1.0	0.03	0.052	1.86	47.2	48.0	1.20	580	0.69	1.05	12.5	54.8
S-15-10-8		5.05	19.70	0.21	1.1	0.43	0.061	2.21	44.1	42.8	0.96	753	0.97	1.15	10.1	35.8
S-16-10-8		5.75	15.55	0.20	1.2	0.79	0.072	2.03	20.9	21.0	0.71	1480	1.61	1.45	5.0	21.0
S-1-22-7		2.74	13.25	0.16	0.8	0.03	0.034	1.31	32.5	23.3	0.74	768	0.41	1.36	9.6	20.4
S-2-22-7		4.31	17.60	0.21	1.1	0.11	0.054	1.59	41.6	38.3	1.19	750	0.54	1.20	9.9	43.8
S-3-22-7		3.62	17.55	0.18	1.0	0.04	0.049	1.64	34.1	37.3	1.15	617	0.53	1.29	10.4	32.6
S-4-22-7		3.49	14.20	0.16	1.0	0.03	0.041	1.47	34.6	26.4	0.94	611	0.87	1.27	10.1	30.0
S-5-22-7		3.78	18.60	0.17	1.1	0.08	0.051	1.87	38.1	37.6	1.12	597	0.63	1.22	11.4	37.1
S-6-22-7		3.52	17.40	0.17	1.0	0.04	0.047	1.79	37.7	34.7	1.11	500	0.68	1.35	11.0	51.8
S-7-22-7		4.29	19.10	0.21	1.1	0.05	0.058	2.06	40.7	41.1	1.38	728	1.94	1.28	12.2	41.7
S-8-22-7		3.89	19.20	0.21	1.1	0.04	0.057	1.84	52.0	46.9	1.10	410	1.91	1.28	9.8	34.1
S-9-22-7		3.61	17.50	0.18	1.1	0.09	0.045	1.92	35.8	37.6	1.00	553	0.56	1.28	9.7	24.0
S-10-22-7		3.94	18.10	0.19	1.1	0.08	0.051	1.86	35.5	39.0	1.05	630	0.72	1.38	10.6	20.1
S-11-22-7		5.22	16.75	0.24	1.0	0.14	0.050	1.66	32.4	31.8	2.33	926	0.74	1.37	7.6	62.8
S-1-23-7		4.34	15.55	0.20	1.0	0.11	0.052	1.43	36.2	26.1	1.44	761	1.01	1.42	7.5	42.5
S-2-23-7		4.81	20.20	0.23	1.1	0.11	0.061	1.76	37.5	52.8	1.88	949	1.16	1.40	8.9	50.9
S-3-23-7		4.76	19.20	0.23	1.1	0.18	0.056	1.89	35.9	43.6	1.75	791	2.73	1.38	6.6	50.3
S-4-23-7		4.64	17.15	0.19	1.0	0.07	0.048	1.55	28.1	38.5	1.81	754	1.28	1.53	7.9	57.7
S-5-23-7		3.06	13.50	0.20	0.9	0.05	0.035	1.39	44.5	22.5	0.76	591	0.50	1.35	11.1	25.2

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue

North Vancouver, BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 5 - C

Total # Pages: 6 (A - D)

Finalized Date: 7-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06083180

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	F	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Tl	Tl	U	
	Units LOR	ppm 10	ppm 0.5	ppm 0.1	ppm 0.002	% 0.01	ppm 0.05	ppm 1	ppm 0.2	ppm 0.2	ppm 0.05	ppm 0.05	ppm 0.2	ppm 0.005	ppm 0.02	ppm 0.1
S-21-6-8		1590	14.7	97.7	<0.002	0.01	0.74	3	1.6	448.0	0.43	0.05	9.6	0.433	0.45	2.8
S-22-6-8		700	16.2	101.5	<0.002	0.01	0.62	2	2.3	440.0	0.74	<0.05	12.7	0.345	0.60	1.9
S-23-6-8		620	13.4	86.5	0.002	0.01	0.40	2	1.5	319.0	0.53	<0.05	10.4	0.362	0.43	2.7
S-24-6-8		720	15.6	82.9	<0.002	0.03	0.74	2	1.6	462.0	0.64	0.05	12.0	0.316	0.44	1.8
S-25-6-8		790	15.7	86.9	<0.002	0.03	1.25	2	1.9	420.0	0.70	0.06	12.3	0.336	0.45	1.0
S-26-6-8		960	15.5	155.0	<0.002	0.01	0.51	2	2.2	333.0	0.62	0.07	10.2	0.370	0.63	1.6
S-27-6-8		920	14.3	98.2	<0.002	0.02	0.86	2	2.0	294.0	0.53	0.10	9.0	0.359	0.48	1.4
S-28-6-8		1050	11.4	101.0	<0.002	0.01	0.25	2	1.8	373.0	0.41	<0.05	7.3	0.342	0.32	1.0
S-1-10-8		1290	15.0	74.8	<0.002	0.02	1.34	2	1.9	250.0	0.69	0.18	10.3	0.381	0.39	1.3
S-2-10-8		1280	25.7	68.7	<0.002	0.07	3.90	2	1.6	288.0	0.50	1.05	7.8	0.399	0.48	1.5
S-3-10-8		750	18.1	89.2	<0.002	0.02	1.46	2	2.0	241.0	0.61	0.17	13.5	0.326	0.54	1.9
S-4-10-8		720	15.8	74.7	<0.002	0.02	1.00	2	1.8	397.0	0.69	0.12	11.7	0.307	0.38	1.7
S-5-10-8		530	56.4	121.5	<0.002	0.01	0.36	1	2.4	299.0	0.70	<0.05	11.0	0.346	0.52	1.7
S-6-10-8		1070	14.2	120.0	<0.002	0.01	0.56	1	2.2	434.0	0.62	<0.05	9.8	0.363	0.46	1.8
S-7-10-8		730	14.8	139.0	<0.002	0.01	0.39	1	2.3	459.0	0.71	<0.05	11.9	0.340	0.51	1.7
S-8-10-8		1090	11.9	86.7	<0.002	0.02	0.49	1	1.3	412.0	0.50	0.05	8.9	0.307	0.40	1.2
S-9-10-8		700	17.4	91.9	<0.002	0.01	0.57	1	1.8	452.0	0.84	0.06	12.9	0.302	0.46	1.3
S-10-10-8		700	18.6	93.1	<0.002	0.01	0.62	1	1.8	445.0	0.82	<0.05	13.2	0.290	0.49	2.1
S-11-10-8		630	17.6	89.4	<0.002	0.01	0.59	1	1.7	462.0	0.74	0.05	12.3	0.287	0.47	1.5
S-12-10-8		720	22.2	111.5	<0.002	0.08	0.61	1	2.2	517.0	1.01	0.06	14.9	0.357	0.60	2.2
S-13-10-8		680	16.2	89.1	<0.002	0.04	0.44	1	1.7	396.0	0.76	<0.05	13.4	0.331	0.46	1.9
S-14-10-8		660	16.9	95.6	<0.002	<0.01	0.41	1	1.8	452.0	0.88	<0.05	13.2	0.299	0.48	1.9
S-15-10-8		590	17.7	105.5	<0.002	0.02	1.71	2	1.8	222.0	0.69	0.09	11.2	0.329	0.60	1.9
S-16-10-8		1260	19.3	75.6	0.002	0.14	2.52	2	1.9	341.0	0.32	0.26	4.4	0.340	0.47	1.7
S-1-22-7		620	13.5	61.5	<0.002	<0.01	0.34	1	1.1	279.0	0.70	<0.05	8.6	0.356	0.34	1.6
S-2-22-7		630	16.6	79.5	<0.002	0.01	0.53	2	1.4	277.0	0.67	<0.05	11.4	0.350	0.51	1.7
S-3-22-7		680	14.1	83.4	<0.002	0.01	0.39	1	1.5	271.0	0.72	<0.05	9.4	0.353	0.46	1.7
S-4-22-7		690	14.2	64.0	<0.002	<0.01	0.55	1	1.2	289.0	0.72	0.05	10.3	0.358	0.39	1.6
S-5-22-7		600	17.0	90.1	<0.002	<0.01	0.63	1	1.7	243.0	0.81	<0.05	11.5	0.376	0.52	1.8
S-6-22-7		570	13.5	87.9	<0.002	<0.01	0.40	1	1.6	269.0	0.79	<0.05	9.7	0.385	0.45	1.8
S-7-22-7		660	16.5	98.9	0.002	<0.01	0.45	1	1.8	288.0	0.76	<0.05	11.1	0.397	0.51	2.0
S-8-22-7		760	17.2	88.7	<0.002	<0.01	0.50	1	1.8	251.0	0.67	<0.05	13.7	0.289	0.40	2.0
S-9-22-7		690	14.9	87.3	<0.002	0.01	0.66	1	1.5	268.0	0.67	0.05	8.9	0.383	0.54	1.7
S-10-22-7		740	16.1	88.8	<0.002	0.01	0.76	2	1.6	282.0	0.74	0.05	9.6	0.408	0.49	1.8
S-11-22-7		1030	13.2	73.9	0.002	<0.01	0.52	2	1.3	322.0	0.53	0.06	6.3	0.380	0.43	1.6
S-1-23-7		880	11.6	60.0	<0.002	0.01	0.61	2	1.1	323.0	0.51	0.06	8.9	0.365	0.30	1.3
S-2-23-7		660	13.2	85.5	<0.002	0.01	0.53	2	1.6	313.0	0.60	<0.05	10.7	0.396	0.44	2.1
S-3-23-7		780	13.7	92.6	0.002	0.01	0.44	2	1.6	331.0	0.59	0.06	9.8	0.375	0.48	2.3
S-4-23-7		430	11.8	66.0	0.002	0.01	0.52	1	1.3	341.0	0.55	0.05	7.6	0.374	0.38	1.7
S-5-23-7		470	14.9	64.5	<0.002	<0.01	0.54	2	1.3	260.0	0.80	<0.05	10.3	0.389	0.37	2.1

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 5 - D

Total # Pages: 6 (A - D)

Finalized Date: 7-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06083180

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MSG1	ME-MS61
		V	W	Y	Z+	Z:
		ppm 1	ppm 0.1	ppm 0.1	ppm 2	ppm 0.5
S-21-6-8		233	0.9	30.7	85	64.8
S-22-6-8		127	1.3	16.3	77	48.7
S-23-6-8		158	0.9	18.8	102	46.0
S-24-6-8		104	1.0	17.1	66	39.2
S-25-6-8		119	1.7	17.1	69	41.7
S-26-6-8		187	1.2	14.9	81	46.0
S-27-6-8		173	1.0	17.1	81	44.9
S-28-6-8		195	0.9	14.1	86	45.9
S-1-10-8		137	1.0	13.5	112	38.2
S-2-10-8		189	0.9	22.6	105	45.5
S-3-10-8		117	1.3	16.2	80	37.9
S-4-10-8		94	3.9	15.8	100	34.7
S-5-10-8		144	1.2	13.7	79	42.9
S-6-10-8		172	1.1	15.6	88	45.0
S-7-10-8		128	1.1	14.9	77	41.9
S-8-10-8		163	0.8	13.4	71	38.0
S-9-10-8		90	1.1	15.9	71	38.1
S-10-10-8		87	1.1	16.0	72	38.5
S-11-10-8		79	1.0	15.1	63	35.4
S-12-10-8		100	1.2	17.7	85	40.6
S-13-10-8		95	1.0	16.9	68	39.0
S-14-10-8		81	1.1	16.4	68	38.9
S-15-10-8		133	1.1	17.6	78	39.4
S-16-10-8		223	1.5	16.8	92	40.9
S-1-22-7		80	0.8	14.0	50	29.9
S-2-22-7		118	0.9	24.8	63	41.3
S-3-22-7		104	0.9	12.6	55	37.3
S-4-22-7		96	0.7	14.0	50	33.9
S-5-22-7		106	1.1	14.2	62	38.9
S-6-22-7		105	1.1	12.6	50	34.6
S-7-22-7		124	1.1	14.6	59	40.4
S-8-22-7		95	1.0	18.7	57	40.0
S-9-22-7		115	0.9	13.4	61	38.8
S-10-22-7		124	0.9	12.9	67	42.0
S-11-22-7		155	0.8	18.7	62	39.7
S-1-23-7		140	0.8	17.3	52	36.0
S-2-23-7		159	1.0	17.3	112	40.6
S-3-23-7		153	0.9	18.6	61	40.4
S-4-23-7		149	0.9	16.7	46	36.5
S-5-23-7		87	0.9	16.5	44	33.8

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.aischemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 6 - A

Total # Pages: 6 (A - D)

Finalized Date: 7-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06083180

Sample Description	Method Analyte Units LOR	WEI-21	AA-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recon Wt. kg	Am ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	B ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm	Pb ppm
S-6-23-7		0.24	0.007	0.05	5.70	6.3	480	1.87	0.20	1.12	0.10	72.23	11.3	72	2.18	15.8
S-7-23-7		0.28	0.034	0.02	5.30	9.3	430	1.75	0.16	1.45	0.12	71.30	13.5	76	1.64	14.00
S-8-23-7		0.18	0.057	0.09	7.08	8.6	580	1.96	0.19	1.85	0.09	67.00	25.3	153	4.12	155.0
S-9-23-7		3.22	0.022	0.09	5.85	5.9	450	1.79	0.19	1.85	0.09	96.80	16.4	82	2.43	126.5
S-10-23-7		3.26	0.016	0.08	7.03	5.8	410	1.37	0.11	3.71	0.09	37.60	32.3	296	2.18	129.0
S-11-23-7		0.26	0.036	0.10	8.24	11.5	640	2.45	0.21	1.53	0.11	77.30	22.3	133	4.74	229.0
S-12-23-7		0.26	0.317	0.06	8.47	11.6	690	2.83	0.33	1.52	0.13	74.40	26.1	129	5.88	40.7
S-13-23-7		0.20	0.342	0.13	6.95	9.2	530	1.88	0.17	2.17	0.13	71.90	22.4	163	3.38	188.5
S-1-26-7		0.16	3.020	0.08	7.45	23.7	610	2.02	0.17	1.77	0.15	68.10	23.5	86	2.74	130.5
S-2-26-7		0.26	3.204	0.16	7.58	12.6	530	1.56	0.16	2.83	0.06	36.90	43.3	274	2.71	641.0
S-3-26-7		0.22	3.045	0.12	7.35	3.6	660	0.88	0.05	4.92	0.07	29.60	28.0	212	1.56	591.0
S-4-26-7		0.24	3.051	0.08	6.47	6.3	450	1.53	0.16	1.30	0.08	110.00	17.5	110	5.28	224.0
S-5-26-7		0.24	0.065	0.44	7.51	13.7	340	1.22	0.07	5.46	0.13	53.50	40.7	121	2.76	433.0
S-6-26-7		0.18	0.029	0.21	7.60	7.7	590	1.77	0.18	1.53	0.16	76.20	21.5	128	5.25	185.0
S-7-26-7		0.14	0.094	0.12	7.27	20.4	600	1.59	0.13	1.80	0.11	66.70	23.7	133	2.95	220.0
S-8-26-7		0.22	0.033	0.12	7.22	28.8	550	1.52	0.13	1.76	0.10	60.70	24.3	124	3.67	347.0
S-9-26-7		0.12	0.019	0.35	7.83	9.2	670	1.99	0.16	1.43	0.12	71.40	17.1	130	4.61	114.0
S-10-26-7		0.26	0.039	0.14	7.05	8.7	590	1.88	0.15	1.68	0.14	78.00	17.7	123	3.94	26.0
S-11-26-7		0.18	0.039	0.15	8.40	8.3	710	2.46	0.27	1.16	0.12	89.50	19.0	117	6.14	60.0
S-12-26-7		0.24	0.037	0.10	7.56	9.1	570	2.12	0.31	1.48	0.15	94.90	21.9	93	4.89	56.7

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 6 - B

Total # Pages: 6 (A - D)

Finalized Date: 7-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06083180

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Nb ppm	Ni ppm	P ppm
		0.01	0.05	0.05	0.1	0.01	0.005	3.0	0.5	0.2	0.01	5	0.05	0.01	0.1	0.1
S-3-23-7		3.05	13.25	0.16	0.8	0.03	0.040	1.29	35.1	22.6	0.87	567	0.92	1.30	10.7	25.9
S-7-23-7		3.20	11.85	0.18	0.7	0.04	0.042	1.13	30.9	17.3	0.93	71.1	1.34	1.33	10.0	31.0
S-8-23-7		4.95	20.00	0.22	1.1	0.07	0.069	1.88	32.5	44.8	1.80	806	1.36	1.14	6.3	72.7
S-9-23-7		3.60	14.35	0.20	1.1	0.04	0.046	1.33	48.1	31.3	1.05	670	0.75	1.28	10.2	32.5
S-10-23-7		5.44	17.45	0.23	1.1	0.06	0.050	1.36	17.0	31.4	4.41	908	0.60	1.46	5.7	107.0
S-11-23-7		5.00	22.70	0.26	1.3	0.15	0.071	2.30	43.1	52.0	1.54	690	1.31	1.24	10.0	50.8
S-12-23-7		5.30	24.20	0.27	1.2	0.13	0.069	2.50	38.0	59.5	1.61	905	1.32	1.13	11.2	58.4
S-13-23-7		4.80	18.05	0.22	1.1	0.10	0.057	1.57	36.5	49.7	1.89	775	1.35	1.32	7.3	50.0
S-1-26-7		5.18	19.45	0.26	1.3	0.21	0.065	1.78	37.2	35.7	1.31	1045	1.19	1.31	7.6	40.0
S-2-26-7		7.28	19.15	0.24	1.2	0.09	0.098	1.59	17.2	27.0	2.65	830	2.85	1.44	5.0	112.5
S-3-26-7		7.56	19.40	0.27	0.9	0.07	0.079	1.32	13.6	22.5	3.75	854	12.80	1.67	4.3	68.5
S-4-26-7		4.05	18.25	0.20	1.6	0.03	0.055	1.49	57.2	33.9	1.28	456	1.64	1.13	10.5	48.0
S-5-26-7		7.90	22.00	0.23	1.9	0.12	0.084	1.06	26.3	26.1	3.70	1445	1.42	1.17	8.3	51.7
S-6-26-7		5.04	24.00	0.19	1.4	0.07	0.067	1.84	41.1	43.2	1.38	626	2.40	1.14	10.9	63.7
S-7-26-7		4.54	18.35	0.19	1.5	0.15	0.059	1.63	34.1	28.8	1.45	779	2.70	1.56	5.9	55.7
S-8-26-7		5.09	20.20	0.19	1.4	0.58	0.057	1.70	32.9	26.8	1.64	876	1.56	1.42	7.6	50.7
S-9-26-7		4.41	22.10	0.19	1.5	0.14	0.062	2.16	40.7	41.7	1.44	724	1.26	1.35	10.9	47.5
S-10-26-7		4.13	19.05	0.18	1.4	0.06	0.053	1.72	39.2	33.9	1.42	731	3.83	1.38	10.7	52.8
S-11-26-7		4.94	25.80	0.22	1.6	0.09	0.072	2.54	54.2	56.3	1.42	695	0.62	1.08	12.2	50.0
S-12-26-7		4.58	22.10	0.21	1.4	0.07	0.066	1.98	50.2	44.8	1.29	756	1.11	1.25	11.5	40.0

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 6 - C

Total # Pages: 6 (A - D)

Finalized Date: 7-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06083180

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	F	Pb	Rb	Ra	S	Sh	Se	Sn	Sr	Ta	Te	Tr	Ti	Tl	U
Units		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
LOR		10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
S-6-23-7		720	14.5	62.5	<0.002	<0.01	0.53	1	1.2	256.0	0.78	<0.05	9.4	0.353	0.39	1.9
S-7-23-7		670	15.1	49.3	0.002	<0.01	0.72	2	1.0	281.0	0.85	<0.05	8.9	0.358	0.31	1.5
S-8-23-7		1140	13.8	90.0	<0.002	0.01	0.47	1	1.8	262.0	0.56	0.09	9.9	0.328	0.47	1.2
S-9-23-7		870	15.7	65.0	<0.002	0.01	0.45	2	1.3	278.0	0.74	0.06	15.7	0.325	0.35	0.3
S-10-23-7		730	7.6	57.7	<0.002	0.01	0.51	1	1.0	407.0	0.36	0.05	5.1	0.329	0.35	1.2
S-11-23-7		750	16.2	110.5	<0.002	0.01	0.55	2	2.0	278.0	0.69	0.08	11.1	0.492	0.58	2.4
S-12-23-7		750	21.8	128.0	0.002	0.01	5.70	2	2.2	271.0	0.75	0.06	12.4	0.376	0.68	1.9
S-13-23-7		580	12.9	77.1	<0.002	0.01	0.50	2	1.4	294.0	0.56	<0.05	10.1	0.345	0.42	1.8
S-1-26-7		970	15.7	75.4	0.002	0.01	1.20	2	1.3	343.0	0.53	0.06	9.5	0.391	0.42	1.7
S-2-26-7		820	9.3	61.7	<0.002	0.02	0.80	3	1.3	355.0	0.38	0.29	5.0	0.593	0.53	1.1
S-3-26-7		1340	4.7	46.7	0.005	0.04	0.23	3	1.7	551.0	0.25	0.11	2.2	0.627	0.19	0.8
S-4-26-7		780	13.6	77.3	<0.002	<0.01	0.45	2	1.7	224.0	0.77	<0.05	14.2	0.349	0.37	2.3
S-5-26-7		2260	8.5	44.6	<0.002	0.01	0.56	3	1.3	246.0	0.37	<0.05	5.4	0.554	0.18	1.7
S-6-26-7		1310	13.5	108.0	<0.002	0.01	0.43	2	2.1	241.0	0.73	0.05	9.3	0.433	0.48	1.6
S-7-26-7		1070	12.7	75.3	<0.002	0.01	1.49	2	1.5	359.0	0.61	0.06	8.4	0.435	0.52	1.7
S-8-26-7		840	12.7	78.1	<0.002	0.01	1.07	2	1.4	284.0	0.52	0.08	7.9	0.383	0.35	1.5
S-9-26-7		450	12.7	114.5	<0.002	0.01	0.79	2	2.0	299.0	0.76	<0.05	8.9	0.418	0.52	1.6
S-10-26-7		700	14.1	90.1	<0.002	0.01	0.60	2	1.7	304.0	0.73	<0.05	9.6	0.395	0.44	1.3
S-11-26-7		710	19.9	139.0	<0.002	0.01	0.57	2	2.7	236.0	0.80	<0.05	13.3	0.347	0.88	1.8
S-12-26-7		760	25.8	111.5	<0.002	0.01	0.56	2	2.0	251.0	0.76	<0.05	13.8	0.354	0.54	2.1

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.

PO BOX 24

#2300 - 200 GRANVILLE STREET

VANCOUVER BC V6C 1S4

Page: 6 - D

Total # Pages: 6 (A - D)

Finalized Date: 7-OCT-2006

Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06083180

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	V	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm	ppm
LOR		1	0.1	0.1	2	0.5
S-6-23-7		81	0.9	14.8	42	30.1
S-7-23-7		82	0.8	15.7	37	26.8
S-8-23-7		141	1.0	13.3	63	37.5
S-9-23-7		90	0.8	18.2	45	38.4
S-10-23-7		195	0.7	15.1	51	38.6
S-11-23-7		155	1.2	22.7	68	46.1
S-12-23-7		149	1.3	17.7	83	44.9
S-13-23-7		145	0.9	19.2	66	39.5
S-1-26-7		177	0.9	21.8	79	48.5
S-2-26-7		229	1.2	12.5	52	40.6
S-3-26-7		286	0.5	20.5	40	23.0
S-4-26-7		107	1.1	15.6	56	46.0
S-5-26-7		318	1.5	19.6	101	51.4
S-6-26-7		147	1.4	12.2	94	42.9
S-7-26-7		149	1.2	15.8	57	42.9
S-8-26-7		172	1.2	18.9	61	38.9
S-9-26-7		147	1.2	18.5	70	42.5
S-10-26-7		125	1.1	18.5	62	40.8
S-11-26-7		128	1.4	25.4	82	48.3
S-12-26-7		115	1.2	18.7	76	42.9

Comments: REE's may not be totally soluble in MS61 method.



ALS Chemex

I \ GIPPIRGI \$R \$REP] XMGE P\$ LIQ WXV]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 1
Finalized Date: 21-OCT-2006
This copy reported on 30-NOV-2006
Account: NOVRES

CERTIFICATE VA06086986

Project: Shiko Lake

P.O. No.:

This report is for 221 Soil samples submitted to our lab in Vancouver, BC, Canada on 25-AUG-2006.

The following have access to data associated with this certificate:

CRAIG BOW

RUDI DURFELD

SCOTT PETSEL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	47 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: NOVAGOLD RESOURCES INC.
ATTN: SCOTT PETSEL
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

I \ G I P P I R G I Ø R Ø R E P] X M Ø P Ø S L I Q M X V]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 2 - A
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086986

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
Sample Description	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
S-1-11-8	0.14	<0.005	0.13	8.23	11.9	740	2.23	0.15	0.97	0.11	76.00	25.9	105	3.94	123.5
S-2-11-8	0.18	0.005	0.12	8.08	12.1	870	1.94	0.15	1.33	0.15	59.30	29.9	93	2.94	111.0
S-3-11-8	0.18	0.006	0.05	6.32	24.8	480	1.39	0.07	8.69	0.20	40.60	37.2	197	1.46	101.5
S-4-11-8	0.18	<0.005	0.06	6.00	31	520	1.35	0.07	10.05	0.21	46.90	30.5	144	1.62	82.8
S-5-11-8	0.28	0.007	0.04	7.22	10.7	540	1.93	0.16	1.38	0.14	85.90	18.7	79	3.00	55.4
S-6-11-8	0.14	0.006	0.03	5.42	8.6	390	1.56	0.14	5.87	0.15	92.90	17.0	57	1.89	40.1
S-7-11-8	0.14	<0.005	0.21	7.94	24.4	840	2.09	0.05	2.81	0.17	39.30	25.8	102	2.00	168.5
S-8-11-8	0.14	0.012	0.37	8.00	36.9	750	1.67	0.07	3.43	0.69	38.70	42.4	99	1.66	212.0
S-9-11-8	0.16	<0.005	0.07	7.29	15.4	560	1.63	0.13	5.46	0.18	62.70	19.0	45	3.85	62.2
S-10-11-8	0.14	0.016	0.07	8.07	18.2	700	1.22	0.06	5.22	0.11	40.20	19.7	30	6.62	81.6
S-11-11-8	0.18	0.010	0.10	8.96	33.9	1070	1.42	0.03	1.10	0.23	29.40	27.3	19	16.30	125.0
S-12-11-8	0.14	0.016	0.11	8.95	32.0	880	1.24	0.03	1.50	0.18	25.50	29.6	22	17.10	127.0
S-13-11-8	0.22	0.018	0.05	7.79	14.4	670	1.91	0.16	3.20	0.29	72.50	24.0	77	3.88	69.3
S-14-11-8	0.24	0.006	0.01	7.92	4.9	580	2.32	0.19	5.55	0.14	88.20	17.4	77	4.54	42.7
S-15-11-8	0.22	0.007	0.05	7.51	7.1	570	2.12	0.18	5.20	0.14	74.00	18.6	79	4.07	43.4
S-16-11-8	0.24	<0.005	0.02	7.35	12.7	530	1.91	0.16	5.46	0.14	81.00	19.4	69	3.79	42.6
S-17-11-8	0.26	0.006	0.03	7.13	9.1	520	1.87	0.15	5.67	0.13	73.30	17.2	65	3.43	41.2
S-18-11-8	0.18	0.008	0.03	8.23	7.5	610	2.06	0.17	3.39	0.12	76.20	20.8	86	3.69	59.0
S-19-11-8	0.26	0.011	0.03	7.51	14.1	550	1.75	0.15	6.77	0.14	68.70	18.8	65	3.55	46.8
S-20-11-8	0.12	0.005	0.27	8.10	8.0	610	1.89	0.16	2.40	0.23	64.30	21.8	101	4.92	84.8
S-21-11-8	0.18	0.011	0.09	9.03	6.7	710	2.32	0.23	1.15	0.07	82.30	21.1	121	5.82	71.2
S-22-11-8	0.20	0.015	0.01	9.32	5.0	730	2.73	0.28	1.34	0.10	79.50	22.8	112	6.34	59.8
S-23-11-8	0.22	0.014	0.03	9.12	18.0	700	2.42	0.26	1.02	0.04	89.90	23.5	100	6.86	76.4
S-24-11-8	0.20	0.051	0.07	8.83	17.5	680	2.22	0.20	1.28	0.07	69.00	26.6	93	6.68	86.2
S-1-12-8	0.16	0.008	<0.01	8.71	3.6	700	2.83	0.19	0.72	0.04	90.90	16.6	106	5.63	29.5
S-2-12-8	0.20	0.035	0.02	9.07	4.7	710	2.88	0.25	1.66	0.07	81.60	24.2	107	5.81	58.3
S-3-12-8	0.14	0.014	0.04	8.71	5.4	680	2.23	0.23	1.79	0.08	73.30	24.5	118	5.08	66.5
S-4-12-8	0.12	0.007	0.03	8.35	8.6	660	2.39	0.22	1.68	0.11	85.00	20.8	130	4.84	43.6
S-5-12-8	0.20	<0.005	0.06	7.53	4.3	550	1.87	0.19	1.91	0.07	95.60	23.3	139	3.57	42.4
S-6-12-8	0.22	0.007	0.04	5.52	3.3	430	1.46	0.14	5.09	0.09	71.70	13.1	70	1.97	24.9
S-7-12-8	0.20	0.005	0.03	6.23	5.0	500	1.72	0.16	2.20	0.11	70.00	16.6	111	2.32	38.1
S-8-12-8	0.18	0.007	0.04	7.25	3.6	520	2.04	0.18	5.16	0.08	94.40	14.6	75	3.83	24.8
S-9-12-8	0.24	<0.005	0.03	6.13	3.5	470	1.67	0.14	3.97	0.08	74.40	15.2	85	2.31	27.4
S-10-12-8	0.20	<0.005	0.03	7.54	4.9	590	2.33	0.23	4.93	0.07	79.10	16.0	81	4.66	26.3
S-11-12-8	0.20	<0.005	0.03	6.09	5.3	470	1.69	0.15	1.95	0.07	86.40	14.3	86	2.10	26.4
S-12-12-8	0.16	0.005	0.05	6.75	7.4	540	1.63	0.14	4.62	0.12	85.30	15.7	73	2.85	30.0
S-13-12-8	0.20	0.008	0.03	8.25	6.1	660	1.96	0.18	1.27	0.05	86.70	15.3	79	3.98	25.7
S-14-12-8	0.26	0.009	0.03	5.45	5.3	370	1.60	0.16	5.37	0.08	94.90	11.8	42	2.25	23.3
S-15-12-8	0.24	0.007	0.01	5.67	4.8	380	1.44	0.16	6.22	0.09	87.10	12.6	45	2.35	26.2
S-16-12-8	0.20	0.009	0.01	7.46	9.0	570	1.99	0.18	1.50	0.14	93.90	13.7	63	3.13	28.0

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the



ALS Chemex

I \ G I P P I R G I Ø R Ø R E P] X M Ø P Ø S L I Q M X V]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 2 - B
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086986

Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	Hg-CV41 Hg ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm
Sample Description	0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
S-1-11-8	5.76	22.20	0.15	1.8	0.26	0.074	2.31	38.0	48.1	1.82	1440	2.39	1.36	8.7	31.5
S-2-11-8	6.04	20.80	0.15	2.1	0.27	0.066	2.34	30.6	40.0	1.89	1825	2.23	1.56	7.5	29.8
S-3-11-8	6.50	13.75	0.11	1.2	0.18	0.058	1.40	22.7	22.0	1.42	1600	1.71	0.82	4.8	38.5
S-4-11-8	5.64	12.80	0.12	1.3	0.27	0.048	1.39	25.4	24.7	1.21	1510	2.99	0.84	5.2	33.8
S-5-11-8	4.57	17.30	0.15	1.3	0.09	0.049	1.70	45.2	34.8	0.96	955	0.93	1.29	9.8	33.2
S-6-11-8	3.57	12.05	0.12	1.0	0.06	0.040	1.21	52.0	23.6	0.99	883	0.78	1.17	10.2	23.0
S-7-11-8	8.89	19.35	0.14	2.3	0.05	0.076	2.14	23.3	16.0	1.87	1830	1.31	2.05	5.3	21.1
S-8-11-8	8.60	21.50	0.13	2.5	0.13	0.087	2.00	22.2	15.0	1.67	2750	2.20	2.48	5.5	25.7
S-9-11-8	4.66	15.95	0.15	1.5	0.13	0.061	1.82	33.2	28.3	0.91	1015	2.44	1.30	8.2	20.0
S-10-11-8	4.97	18.45	0.11	2.3	0.05	0.050	2.13	21.7	23.7	0.75	895	2.54	1.55	6.8	13.3
S-11-11-8	6.57	18.70	0.14	2.2	0.02	0.063	3.07	18.4	25.8	1.31	1810	19.85	1.68	4.2	13.0
S-12-11-8	6.69	17.65	0.12	2.2	0.02	0.060	2.68	13.5	27.0	1.41	1660	13.20	1.70	4.1	14.1
S-13-11-8	5.58	19.40	0.13	1.5	0.25	0.065	2.11	40.6	40.8	1.20	1230	1.39	1.25	8.4	31.8
S-14-11-8	4.14	20.10	0.16	1.4	0.04	0.049	2.12	47.9	52.0	1.39	686	0.65	1.08	12.2	39.2
S-15-11-8	4.24	18.75	0.15	1.2	0.05	0.050	2.12	39.8	46.4	1.33	714	0.80	1.07	9.8	35.5
S-16-11-8	4.14	18.40	0.16	1.4	0.11	0.051	1.91	45.2	44.3	1.29	721	0.69	1.09	10.7	34.1
S-17-11-8	4.01	17.25	0.14	1.3	0.10	0.045	1.90	41.4	41.0	1.29	689	0.77	1.09	10.0	30.2
S-18-11-8	5.10	20.30	0.15	1.4	0.05	0.056	2.14	42.6	48.0	1.54	863	1.03	1.26	9.3	40.9
S-19-11-8	4.29	17.50	0.13	1.3	0.16	0.047	1.95	38.3	42.6	1.22	798	0.91	1.03	9.5	29.8
S-20-11-8	4.88	20.10	0.15	1.5	0.10	0.058	1.80	37.4	58.7	1.48	1290	1.03	1.17	8.8	42.9
S-21-11-8	5.15	24.40	0.17	1.6	0.06	0.067	2.56	39.6	60.1	1.51	693	0.91	0.98	11.5	52.9
S-22-11-8	5.23	26.70	0.15	1.5	0.03	0.071	2.73	42.6	66.6	1.57	825	0.68	1.05	11.9	52.3
S-23-11-8	5.80	24.40	0.17	1.6	0.04	0.063	2.51	47.8	61.8	1.43	746	1.06	1.10	10.5	45.7
S-24-11-8	5.73	23.00	0.14	1.5	0.04	0.064	2.35	35.4	58.7	1.63	947	1.01	1.34	7.4	42.0
S-1-12-8	4.34	25.20	0.14	1.5	0.02	0.059	2.58	45.7	69.5	1.27	520	0.45	1.03	12.4	43.5
S-2-12-8	5.41	25.00	0.16	1.4	0.03	0.062	2.63	42.5	62.6	1.72	901	0.60	1.09	10.6	49.6
S-3-12-8	5.45	22.70	0.16	1.4	0.04	0.059	2.51	39.4	56.0	1.77	1015	1.02	1.06	9.9	50.6
S-4-12-8	5.15	21.80	0.17	1.3	0.04	0.056	2.35	45.5	56.5	1.61	857	0.60	1.06	9.4	48.7
S-5-12-8	4.64	18.60	0.16	1.2	0.03	0.046	1.82	53.4	46.2	1.69	778	0.50	1.17	9.5	62.9
S-6-12-8	3.03	12.35	0.14	0.8	0.02	0.025	1.21	39.6	25.5	1.27	653	0.44	1.20	7.4	33.1
S-7-12-8	3.92	13.45	0.14	1.0	0.04	0.034	1.39	39.6	28.8	1.36	825	0.54	1.25	8.5	44.9
S-8-12-8	3.57	18.45	0.15	1.2	0.02	0.046	1.91	50.9	50.1	1.12	590	0.46	1.11	11.5	36.2
S-9-12-8	3.38	13.90	0.15	1.1	0.03	0.033	1.38	41.6	30.9	1.34	677	0.42	1.23	8.5	37.9
S-10-12-8	3.92	22.20	0.14	1.3	0.01	0.056	2.30	41.7	60.6	1.16	548	0.51	1.06	11.9	38.7
S-11-12-8	3.49	13.80	0.16	1.0	0.02	0.035	1.29	47.9	28.8	1.16	701	0.40	1.30	9.2	38.0
S-12-12-8	3.56	16.60	0.16	1.2	0.02	0.041	1.52	47.3	38.1	1.16	699	0.46	1.20	10.2	34.8
S-13-12-8	4.18	20.70	0.17	1.5	0.02	0.061	1.99	43.5	50.3	1.20	633	0.51	1.25	10.3	32.9
S-14-12-8	2.95	12.75	0.16	1.0	0.02	0.030	1.17	51.9	28.4	0.82	631	0.34	1.11	11.0	21.5
S-15-12-8	3.09	13.40	0.15	1.0	0.01	0.032	1.23	48.1	29.3	0.98	647	0.42	1.14	10.2	23.3
S-16-12-8	3.74	18.85	0.16	1.3	0.02	0.043	1.65	50.4	38.9	1.00	784	0.52	1.37	10.5	29.3

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the



ALS Chemex

I \ GIPPIRGI ØR ØR EP] XMØPØSLIQ MWXV]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 2 - C
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086986

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units LOR	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
S-1-11-8		920	12.5	111.0	0.002	0.02	0.94	2	1.9	335.0	0.54	0.08	9.0	0.400	0.59	1.9
S-2-11-8		1310	11.5	104.0	0.002	0.04	1.00	2	1.7	431.0	0.45	0.09	7.1	0.410	0.52	1.8
S-3-11-8		1260	9.2	51.7	0.002	0.25	0.98	2	1.0	640.0	0.30	0.43	5.0	0.343	0.39	1.3
S-4-11-8		1150	9.8	53.6	<0.002	0.33	1.26	2	1.0	605.0	0.33	0.51	5.7	0.304	0.48	1.3
S-5-11-8		850	15.4	83.3	<0.002	0.02	0.77	2	1.6	307.0	0.70	0.05	11.6	0.374	0.39	1.9
S-6-11-8		850	13.8	54.0	0.002	0.03	0.58	1	1.3	538.0	0.75	<0.05	13.4	0.352	0.28	2.0
S-7-11-8		1780	9.4	62.4	<0.002	0.02	0.64	2	1.2	564.0	0.28	<0.05	2.7	0.574	0.15	1.2
S-8-11-8		1960	15.3	54.0	<0.002	0.12	0.81	2	1.2	659.0	0.29	<0.05	2.7	0.600	0.42	1.2
S-9-11-8		1150	11.2	72.9	<0.002	0.07	1.06	2	1.2	574.0	0.54	<0.05	7.9	0.376	0.32	1.6
S-10-11-8		1270	7.9	72.6	<0.002	0.20	1.31	2	1.0	604.0	0.42	<0.05	4.8	0.412	0.29	1.8
S-11-11-8		1560	5.3	98.4	<0.002	0.10	3.15	2	0.9	274.0	0.24	<0.05	2.2	0.518	0.44	1.5
S-12-11-8		1390	6.0	89.4	<0.002	0.13	3.04	2	0.9	305.0	0.24	<0.05	2.1	0.529	0.41	1.5
S-13-11-8		1260	15.3	92.3	0.004	0.08	0.84	2	1.7	438.0	0.54	0.16	10.5	0.375	0.50	1.7
S-14-11-8		730	16.6	112.0	<0.002	0.01	0.44	1	2.2	479.0	0.82	<0.05	14.0	0.324	0.54	1.9
S-15-11-8		750	17.0	95.3	<0.002	0.06	0.61	1	1.9	484.0	0.70	0.05	11.5	0.298	0.50	1.7
S-16-11-8		830	14.8	94.7	0.002	0.03	0.88	2	1.9	526.0	0.71	0.06	12.1	0.321	0.45	1.8
S-17-11-8		890	14.2	92.2	<0.002	0.03	0.68	2	1.8	548.0	0.67	<0.05	11.4	0.324	0.41	1.8
S-18-11-8		1120	15.5	100.5	<0.002	0.02	0.64	1	1.9	399.0	0.60	<0.05	11.1	0.372	0.45	1.7
S-19-11-8		920	13.7	88.1	<0.002	0.04	2.60	1	1.6	560.0	0.68	<0.05	10.7	0.331	0.44	1.7
S-20-11-8		910	14.1	90.9	<0.002	0.03	0.92	2	1.8	321.0	0.57	<0.05	8.9	0.370	0.50	1.7
S-21-11-8		560	18.9	128.5	<0.002	0.01	0.59	2	2.5	237.0	0.75	<0.05	12.4	0.348	0.65	1.8
S-22-11-8		670	20.6	145.0	<0.002	0.01	0.49	2	2.7	254.0	0.82	<0.05	14.0	0.341	0.70	1.9
S-23-11-8		800	19.8	129.5	<0.002	0.01	0.86	2	2.4	243.0	0.68	<0.05	14.7	0.343	0.69	2.0
S-24-11-8		960	15.6	95.6	<0.002	0.04	0.96	2	2.0	278.0	0.47	0.05	10.3	0.368	0.53	1.8
S-1-12-8		430	17.2	137.5	<0.002	<0.01	0.27	2	2.7	202.0	0.82	<0.05	13.7	0.324	0.66	2.0
S-2-12-8		690	19.4	130.5	<0.002	0.01	0.35	2	2.5	271.0	0.69	<0.05	13.3	0.332	0.61	1.8
S-3-12-8		700	18.6	117.0	<0.002	0.02	0.36	2	2.5	291.0	0.64	<0.05	12.4	0.354	0.57	1.9
S-4-12-8		720	16.9	112.5	<0.002	0.01	0.48	2	2.2	269.0	0.61	<0.05	13.0	0.305	0.53	1.8
S-5-12-8		770	17.4	94.7	<0.002	0.01	0.33	2	1.8	263.0	0.63	<0.05	14.6	0.303	0.40	1.9
S-6-12-8		650	13.8	58.7	<0.002	0.01	0.32	2	1.2	454.0	0.51	<0.05	10.3	0.260	0.25	1.5
S-7-12-8		750	15.7	63.9	<0.002	0.01	0.38	2	1.3	310.0	0.62	<0.05	11.0	0.314	0.29	1.7
S-8-12-8		690	16.7	96.4	<0.002	0.01	0.30	1	1.9	452.0	0.73	<0.05	14.4	0.301	0.44	2.0
S-9-12-8		730	14.6	64.7	<0.002	0.01	0.35	2	1.4	386.0	0.60	<0.05	11.5	0.283	0.29	1.7
S-10-12-8		640	18.3	98.7	<0.002	<0.01	0.32	2	2.4	416.0	0.80	<0.05	13.7	0.303	0.53	1.6
S-11-12-8		800	15.3	60.3	<0.002	0.01	0.37	2	1.3	290.0	0.59	<0.05	12.4	0.299	0.27	1.8
S-12-12-8		710	13.7	76.5	<0.002	0.01	0.44	2	1.6	411.0	0.68	<0.05	12.1	0.320	0.30	1.7
S-13-12-8		520	14.2	113.0	<0.002	0.01	0.33	2	2.0	254.0	0.72	<0.05	12.1	0.351	0.46	1.9
S-14-12-8		710	14.3	59.8	<0.002	0.01	0.34	2	1.4	472.0	0.83	<0.05	13.9	0.305	0.25	2.0
S-15-12-8		730	13.3	62.8	<0.002	0.01	0.34	2	1.4	527.0	0.72	<0.05	12.7	0.312	0.24	1.9
S-16-12-8		760	14.5	85.4	<0.002	<0.01	0.62	2	1.7	291.0	0.74	<0.05	13.4	0.327	0.38	1.9

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the



ALS Chemex

I \ G I P P I R G I Ø R Ø R E P] X M Ø P Ø S L I Q M X V]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 2 - D
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS	VA06086986
-------------------------	------------

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
S-1-11-8		211	1.2	20.5	84	52.8
S-2-11-8		233	1.1	26.7	93	57.2
S-3-11-8		219	0.8	17.8	87	37.1
S-4-11-8		179	0.9	15.7	87	33.5
S-5-11-8		126	0.9	20.0	68	35.3
S-6-11-8		90	0.7	20.4	51	25.8
S-7-11-8		377	1.2	24.5	89	59.4
S-8-11-8		413	1.6	30.9	146	62.5
S-9-11-8		165	0.9	19.1	67	42.6
S-10-11-8		214	0.6	18.4	69	67.8
S-11-11-8		325	0.6	30.4	79	63.2
S-12-11-8		314	0.6	22.4	74	61.8
S-13-11-8		180	1.0	20.9	103	41.7
S-14-11-8		103	1.1	16.0	78	38.8
S-15-11-8		109	1.1	15.3	76	34.9
S-16-11-8		112	1.0	17.1	72	39.2
S-17-11-8		111	0.9	17.3	69	36.1
S-18-11-8		154	1.0	18.3	83	41.2
S-19-11-8		127	1.1	16.4	74	37.8
S-20-11-8		154	0.9	21.4	115	43.0
S-21-11-8		139	1.3	15.9	85	46.3
S-22-11-8		134	1.4	16.3	94	43.9
S-23-11-8		143	1.2	16.7	82	45.3
S-24-11-8		187	1.0	17.3	89	44.1
S-1-12-8		109	1.3	12.0	76	44.7
S-2-12-8		144	1.2	16.1	90	41.1
S-3-12-8		154	1.1	16.2	93	40.6
S-4-12-8		124	0.9	17.6	84	38.2
S-5-12-8		106	0.9	19.0	72	37.9
S-6-12-8		73	0.6	15.9	48	23.1
S-7-12-8		94	0.7	20.5	58	28.1
S-8-12-8		82	1.1	16.3	66	37.9
S-9-12-8		85	0.7	16.6	53	31.0
S-10-12-8		90	1.2	14.6	77	38.8
S-11-12-8		84	0.7	17.9	52	31.6
S-12-12-8		90	0.8	16.9	61	36.3
S-13-12-8		111	1.0	13.5	75	41.3
S-14-12-8		64	0.7	18.3	48	28.3
S-15-12-8		72	0.7	17.8	49	29.7
S-16-12-8		90	0.9	19.2	68	39.0

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the



ALS Chemex

I \ G I P P I R G I Ø R Ø R E P] X M Ø P Ø S L I Q M X V]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 3 - A
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086986

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
Sample Description	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
S-17-12-8	0.24	0.009	0.03	5.90	5.7	410	1.36	0.15	4.22	0.07	90.80	13.4	57	2.36	28.5
S-18-12-8	0.16	0.007	0.04	7.88	12.2	660	1.67	0.15	1.19	0.06	87.80	13.6	73	3.74	30.0
S-19-12-8	0.14	0.006	0.03	7.13	17.8	590	1.46	0.15	3.03	0.16	78.20	14.4	60	2.78	29.7
S-20-12-8	0.26	0.008	0.04	7.33	15.7	580	1.85	0.20	5.58	0.19	72.90	20.7	74	4.13	48.2
S-21-12-8	0.24	<0.005	0.02	7.69	11.5	580	1.86	0.22	5.03	0.16	81.80	19.6	83	4.44	48.2
S-22-12-8	0.18	0.013	0.05	7.23	475.0	610	1.70	0.13	4.80	0.39	73.40	19.6	52	2.57	51.7
S-23-12-8	0.22	<0.005	0.02	7.52	13.1	540	1.90	0.18	5.31	0.11	85.20	15.0	65	3.86	32.1
S-1-13-8	0.20	<0.005	0.03	8.40	6.8	700	2.40	0.23	1.50	0.07	89.60	21.0	112	5.28	61.5
S-2-13-8	0.16	<0.005	0.08	8.48	5.6	660	1.85	0.16	1.32	0.13	88.00	17.2	111	5.42	28.6
S-3-13-8	0.20	0.007	0.05	8.67	8.1	720	2.05	0.19	1.63	0.08	81.80	19.4	89	5.75	46.6
S-4-13-8	0.18	0.005	0.01	7.20	8.9	530	1.90	0.18	3.07	0.09	92.70	15.7	68	3.58	34.1
S-5-13-8	0.20	<0.005	0.03	6.55	7.4	480	1.72	0.15	5.75	0.11	77.70	14.9	53	3.60	32.9
S-6-13-8	0.22	<0.005	0.02	6.74	6.4	470	2.13	0.17	6.53	0.12	89.40	16.2	61	3.55	33.2
S-7-13-8	0.18	0.005	0.03	7.28	8.4	510	2.03	0.20	5.14	0.11	90.40	17.0	68	4.19	42.1
S-8-13-8	0.18	<0.005	0.06	7.95	5.7	650	2.17	0.17	1.25	0.10	90.40	17.3	105	4.93	41.5
S-9-13-8	0.20	0.005	0.11	5.69	14.4	470	1.35	0.10	4.26	0.20	53.60	14.3	58	1.88	38.3
S-10-13-8	0.20	0.005	0.24	6.37	14.3	480	1.65	0.14	2.04	0.16	52.30	21.7	116	2.98	72.8
S-11-13-8	0.22	0.006	0.08	6.89	17.1	510	1.68	0.21	2.03	0.19	47.30	24.9	123	3.26	77.2
S-12-13-8	0.12	0.012	<0.01	8.32	5.3	600	2.25	0.17	1.87	0.06	54.00	23.7	143	4.88	80.6
S-13-13-8	0.12	0.016	0.05	9.07	33.8	590	2.22	0.19	1.16	0.13	53.80	23.8	89	5.56	69.8
S-14-13-8	0.18	<0.005	0.21	6.31	35.8	200	1.56	0.12	2.23	0.18	41.50	65.9	828	1.74	116.0
S-15-13-8	0.24	0.005	<0.01	9.32	5.7	700	2.67	0.24	1.16	0.07	75.30	20.0	119	5.66	49.5
S-16-13-8	0.14	<0.005	0.01	8.25	5.6	640	2.57	0.52	1.11	0.09	72.60	17.7	107	5.01	63.9
S-17-13-8	0.16	<0.005	0.01	8.81	5.5	660	2.40	0.26	0.99	0.09	94.90	18.7	109	6.05	48.2
S-18-13-8	0.20	<0.005	0.11	8.61	6.1	680	2.49	0.27	1.10	0.08	100.50	19.3	106	5.30	49.0
S-19-13-8	0.16	<0.005	0.05	8.54	6.6	870	1.33	0.12	2.29	0.09	56.60	14.3	39	2.58	26.0
S-20-13-8	0.12	0.010	0.09	7.64	7.9	630	1.60	0.17	1.43	0.12	88.40	13.0	68	3.44	24.1
S-21-13-8	0.16	<0.005	0.11	7.69	8.8	680	1.69	0.16	1.62	0.16	83.30	14.1	66	3.35	24.0
S-22-13-8	0.22	<0.005	0.07	6.66	5.5	540	1.59	0.18	5.21	0.12	97.90	11.6	51	2.90	24.9
S-23-13-8	0.22	0.006	0.07	6.83	6.1	590	1.75	0.18	4.90	0.16	92.00	13.3	58	3.28	34.3
S-24-13-8	0.18	<0.005	0.15	6.02	6.3	580	1.16	0.11	2.45	0.13	33.00	11.0	44	1.58	29.5
S-25-13-8	0.28	0.005	0.08	6.31	5.7	460	1.68	0.18	4.32	0.11	95.90	10.9	52	2.61	23.3
S-26-13-8	0.14	<0.005	0.08	6.17	6.4	560	1.32	0.15	4.58	0.12	76.10	12.0	40	2.19	30.0
S-1-14-8	0.18	0.005	0.09	7.25	6.6	670	1.57	0.16	1.77	0.14	75.70	14.0	61	3.45	33.6
S-2-14-8	0.28	<0.005	0.08	7.84	9.7	620	2.16	0.24	3.69	0.09	94.50	15.4	77	4.62	35.9
S-3-14-8	0.18	<0.005	0.06	7.03	5.5	550	1.65	0.18	4.86	0.13	77.20	13.2	59	3.53	28.2
S-4-14-8	0.22	<0.005	0.07	7.68	7.1	600	1.78	0.19	5.28	0.13	82.00	14.8	61	4.01	35.1
S-5-14-8	0.18	<0.005	0.06	7.72	7.9	610	1.81	0.21	4.80	0.13	82.50	15.4	67	4.27	38.6
S-6-14-8	0.16	<0.005	0.08	7.49	7.8	750	1.54	0.21	5.28	0.14	66.10	16.4	54	4.10	41.0
S-7-14-8	0.12	<0.005	0.20	5.78	4.6	600	1.31	0.16	1.40	0.11	67.80	8.5	56	2.24	16.2

Comments: Interference: Ca>10% on ICP-MS As, ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the



ALS Chemex

I \ G I P P I R G I Ø R Ø R E P] X M Ø P Ø S L I Q M X V]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 3 - B
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086986

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte Units LOR	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
S-17-12-8		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
S-18-12-8		3.25	13.30	0.14	1.1	0.02	0.030	1.27	47.6	30.3	1.00	660	0.42	1.15	10.5	25.9
S-19-12-8		4.06	18.80	0.15	1.3	0.04	0.045	1.75	46.9	46.2	1.05	783	0.50	1.26	10.2	27.6
S-20-12-8		3.91	15.60	0.14	1.3	0.03	0.039	1.42	41.5	34.2	1.12	838	0.60	1.33	9.2	24.9
S-21-12-8		4.42	18.80	0.15	1.3	0.06	0.049	1.83	40.5	46.2	1.42	769	0.90	1.16	9.9	39.2
S-22-12-8		4.34	19.00	0.15	1.3	0.04	0.048	1.96	44.6	48.7	1.41	711	0.89	1.08	10.7	42.9
S-23-12-8		4.53	17.65	0.18	1.4	0.06	0.056	1.32	40.6	34.0	1.11	802	1.47	1.57	8.1	25.9
S-1-13-8		3.81	18.50	0.17	1.2	0.02	0.042	1.79	47.8	43.9	1.18	649	0.57	1.16	10.8	30.3
S-2-13-8		4.92	23.20	0.20	1.4	0.05	0.057	2.35	49.4	57.1	1.50	847	0.66	1.13	10.8	48.2
S-3-13-8		4.49	23.00	0.17	1.3	0.23	0.055	2.03	46.3	58.4	1.31	622	0.56	1.21	11.3	41.2
S-4-13-8		4.91	21.90	0.17	1.5	0.05	0.055	2.04	44.0	52.5	1.50	820	0.67	1.32	9.4	37.1
S-5-13-8		3.95	17.95	0.18	1.3	0.04	0.046	1.69	50.3	44.6	1.23	813	0.50	1.22	10.3	31.0
S-6-13-8		3.39	15.25	0.16	1.2	0.03	0.036	1.49	42.8	38.8	1.21	649	0.61	1.19	9.5	25.6
S-7-13-8		3.51	17.20	0.16	1.3	0.70	0.036	1.65	50.1	42.0	1.19	614	0.59	1.10	10.8	31.7
S-8-13-8		3.86	18.55	0.18	1.3	0.14	0.043	1.81	50.9	45.4	1.26	669	0.64	1.14	11.0	35.0
S-9-13-8		4.25	22.10	0.18	1.3	0.05	0.069	2.19	45.3	56.0	1.30	500	0.58	1.11	11.7	42.2
S-10-13-8		3.24	11.95	0.13	0.9	0.16	0.028	1.32	30.1	18.8	0.87	811	0.75	1.50	8.6	22.8
S-11-13-8		4.51	13.95	0.14	1.3	0.12	0.050	1.55	27.4	27.1	1.65	1190	1.25	1.17	8.3	39.9
S-12-13-8		4.97	15.50	0.16	1.2	0.19	0.054	1.68	32.3	31.2	1.73	1385	1.21	1.20	8.5	43.5
S-13-13-8		5.10	21.00	0.17	1.4	0.06	0.064	2.23	33.9	47.0	1.96	815	0.72	1.16	8.9	58.5
S-14-13-8		5.28	22.30	0.18	1.7	0.17	0.067	2.26	36.1	51.0	1.29	1080	1.49	1.05	9.7	35.1
S-15-13-8		7.84	16.35	0.15	1.3	0.65	0.074	0.79	27.2	53.5	0.52	2180	8.84	0.28	3.8	112.0
S-16-13-8		4.96	24.80	0.19	1.6	0.05	0.077	2.67	49.8	60.4	1.51	727	0.67	1.15	13.6	48.5
S-17-13-8		4.44	22.60	0.19	1.4	0.04	0.081	2.50	46.9	56.1	1.34	685	0.56	1.10	12.9	42.4
S-18-13-8		4.74	24.90	0.17	1.3	0.03	0.071	2.63	44.6	56.8	1.37	706	0.74	1.01	11.8	45.9
S-19-13-8		4.86	22.70	0.24	1.8	0.03	0.071	2.44	50.1	51.6	1.34	831	0.79	1.09	11.8	45.0
S-20-13-8		4.35	18.95	0.25	1.9	0.03	0.060	1.39	26.5	26.2	1.27	975	0.46	1.45	6.8	17.2
S-21-13-8		3.98	18.40	0.28	1.6	0.04	0.057	1.62	42.0	35.1	1.03	804	0.86	1.23	10.0	28.1
S-22-13-8		4.19	19.10	0.29	1.7	0.05	0.059	1.53	40.0	39.0	1.03	1105	1.17	1.26	10.5	27.2
S-23-13-8		3.22	15.80	0.29	1.5	0.03	0.048	1.49	49.6	30.3	0.95	669	0.42	1.23	11.3	25.0
S-24-13-8		3.54	16.35	0.29	1.4	0.03	0.050	1.66	45.7	31.8	1.02	713	0.55	1.20	11.9	27.1
S-25-13-8		3.42	11.75	0.21	1.3	0.10	0.037	0.99	18.1	18.3	0.93	550	0.72	1.47	5.0	17.3
S-26-13-8		3.18	14.70	0.28	1.3	0.03	0.045	1.44	48.8	28.1	0.92	592	0.45	1.22	11.5	24.3
S-1-14-8		3.39	13.40	0.27	1.3	0.04	0.042	1.24	38.1	19.4	1.00	855	0.46	1.32	7.8	18.0
S-2-14-8		3.83	18.75	0.29	1.8	0.04	0.061	1.58	36.6	31.4	1.06	826	0.59	1.23	9.0	25.8
S-3-14-8		4.34	20.60	0.28	1.6	0.03	0.061	2.19	46.3	43.3	1.09	660	1.14	1.05	12.7	38.1
S-4-14-8		3.65	17.30	0.25	1.4	0.03	0.055	1.80	38.5	33.3	1.11	662	0.50	1.15	10.8	28.6
S-5-14-8		3.90	18.25	0.30	1.5	0.03	0.056	1.89	41.4	37.4	1.27	699	0.54	1.16	11.1	29.7
S-6-14-8		4.06	19.20	0.30	1.5	0.03	0.058	1.95	40.8	39.8	1.32	758	0.62	1.16	11.3	31.3
S-7-14-8		4.01	17.45	0.26	1.6	0.03	0.054	1.80	32.3	30.2	1.32	828	0.55	1.16	8.7	29.8
S-8-14-8		2.90	12.45	0.25	1.1	0.03	0.037	1.11	33.7	20.2	0.64	697	0.41	1.20	9.6	19.2

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the



ALS Chemex

I \ GIPPIRGI ØR ØR EP] XMØPØSLIQ MWXV]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 3 - C
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086986

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte Units LOR	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
		10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
S-17-12-8		680	14.4	64.0	<0.002	0.01	0.33	2	1.4	401.0	0.77	<0.05	13.8	0.331	0.28	1.9
S-18-12-8		570	13.8	93.3	<0.002	0.01	3.44	1	1.8	257.0	0.69	<0.05	12.3	0.347	0.43	1.9
S-19-12-8		760	13.8	67.7	<0.002	0.01	10.85	2	1.4	357.0	0.63	<0.05	11.8	0.339	0.32	1.9
S-20-12-8		760	16.7	93.6	<0.002	0.03	2.66	2	1.8	495.0	0.66	<0.05	12.2	0.337	0.48	2.0
S-21-12-8		710	16.5	102.0	<0.002	0.01	1.71	2	1.9	434.0	0.72	<0.05	13.0	0.333	0.46	1.9
S-22-12-8		820	14.0	63.6	0.009	0.02	6.17	2	1.5	448.0	0.56	0.06	10.4	0.326	0.51	2.2
S-23-12-8		690	15.5	94.7	<0.002	0.01	0.86	2	1.9	483.0	0.70	<0.05	13.4	0.321	0.44	1.9
S-1-13-8		670	18.4	124.5	<0.002	0.01	0.44	2	2.3	266.0	0.71	<0.05	14.8	0.341	0.58	2.1
S-2-13-8		830	13.8	116.5	<0.002	0.01	0.35	2	2.3	252.0	0.75	<0.05	12.1	0.398	0.47	2.0
S-3-13-8		730	15.3	107.5	<0.002	0.01	0.59	2	2.0	339.0	0.65	<0.05	13.2	0.360	0.49	1.9
S-4-13-8		770	15.5	84.4	<0.002	0.01	1.47	2	1.8	342.0	0.71	<0.05	15.3	0.325	0.40	2.1
S-5-13-8		760	13.0	74.9	<0.002	0.03	2.06	2	1.5	491.0	0.66	<0.05	11.8	0.305	0.31	1.8
S-6-13-8		740	14.2	86.1	<0.002	0.01	0.74	2	1.7	482.0	0.72	<0.05	12.9	0.306	0.35	1.9
S-7-13-8		770	15.9	95.2	<0.002	0.01	0.75	2	1.9	439.0	0.79	<0.05	14.4	0.321	0.42	1.8
S-8-13-8		610	13.4	118.0	<0.002	0.01	0.45	2	2.2	248.0	0.75	<0.05	11.0	0.368	0.46	1.9
S-9-13-8		900	16.5	50.6	<0.002	0.02	1.82	2	0.9	412.0	0.58	<0.05	7.8	0.344	0.28	1.6
S-10-13-8		950	16.0	68.5	<0.002	0.01	1.31	2	1.3	319.0	0.54	0.05	8.1	0.345	0.31	1.5
S-11-13-8		1020	22.8	74.9	<0.002	0.02	1.30	2	1.4	326.0	0.53	0.05	9.7	0.353	0.36	1.6
S-12-13-8		680	16.9	113.5	<0.002	0.01	0.43	2	2.2	282.0	0.51	<0.05	11.1	0.305	0.47	1.6
S-13-13-8		1060	16.8	111.0	<0.002	0.02	1.58	2	2.2	230.0	0.59	<0.05	11.1	0.366	0.56	1.7
S-14-13-8		1420	9.3	42.6	<0.002	0.06	1.14	2	1.2	124.0	0.21	<0.05	5.4	0.359	0.30	1.8
S-15-13-8		620	22.1	136.0	<0.002	0.01	0.63	2	2.8	257.0	0.80	<0.05	16.1	0.361	0.67	2.1
S-16-13-8		710	20.6	125.5	<0.002	0.01	0.55	2	2.7	239.0	0.76	0.10	15.3	0.326	0.59	1.9
S-17-13-8		670	18.3	129.5	<0.002	0.01	0.47	2	2.4	223.0	0.76	<0.05	13.8	0.315	0.68	2.0
S-18-13-8		710	20.3	123.5	<0.002	0.01	0.53	2	2.4	242.0	0.77	<0.05	15.1	0.349	0.64	2.0
S-19-13-8		710	11.0	56.4	<0.002	<0.01	0.45	2	1.2	491.0	0.47	<0.05	8.1	0.335	0.32	1.4
S-20-13-8		520	13.4	85.6	<0.002	0.01	0.42	2	1.6	283.0	0.68	<0.05	12.1	0.350	0.46	2.0
S-21-13-8		490	13.1	82.4	<0.002	0.02	0.44	2	1.7	295.0	0.72	<0.05	10.6	0.385	0.47	1.9
S-22-13-8		760	14.0	72.6	<0.002	<0.01	0.41	2	1.6	478.0	0.79	<0.05	13.2	0.334	0.40	2.0
S-23-13-8		720	14.6	75.8	<0.002	0.01	0.47	2	1.6	459.0	0.81	<0.05	12.4	0.373	0.45	1.9
S-24-13-8		830	9.9	41.1	0.003	0.07	0.53	3	0.9	324.0	0.34	<0.05	5.0	0.264	0.25	1.7
S-25-13-8		770	13.6	66.5	<0.002	0.01	0.40	2	1.4	408.0	0.78	<0.05	13.2	0.345	0.37	1.9
S-26-13-8		740	12.1	52.4	<0.002	0.01	0.41	2	1.1	440.0	0.63	<0.05	10.7	0.356	0.34	1.7
S-1-14-8		690	13.0	77.4	<0.002	0.01	0.43	2	1.5	320.0	0.60	<0.05	10.2	0.338	0.42	1.7
S-2-14-8		700	17.5	105.5	<0.002	<0.01	0.54	2	2.2	366.0	0.83	0.05	13.7	0.340	0.57	1.8
S-3-14-8		690	14.1	80.7	<0.002	<0.01	0.44	2	1.7	450.0	0.73	<0.05	11.5	0.332	0.44	1.5
S-4-14-8		690	14.1	89.6	<0.002	0.01	0.54	2	1.8	457.0	0.74	<0.05	12.1	0.347	0.47	1.7
S-5-14-8		670	14.8	93.6	<0.002	0.01	0.52	2	1.9	444.0	0.73	<0.05	12.3	0.348	0.52	1.8
S-6-14-8		740	13.7	81.9	<0.002	0.01	0.47	2	1.5	456.0	0.60	<0.05	10.1	0.339	0.47	1.6
S-7-14-8		1570	12.2	54.1	<0.002	0.01	0.31	2	1.2	253.0	0.71	<0.05	9.4	0.357	0.30	1.6

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the



ALS Chemex

I \ G I P P I R G I Ø R Ø B R E P] X M Ø E P Ø S L I Q M X V]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 3 - D
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086986

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
S-17-12-8		73	0.9	17.4	51	28.7
S-18-12-8		112	0.9	16.0	73	38.2
S-19-12-8		108	0.8	17.8	68	37.1
S-20-12-8		129	1.0	17.1	78	39.2
S-21-12-8		114	1.0	16.7	80	38.7
S-22-12-8		143	0.8	20.3	74	43.9
S-23-12-8		94	1.0	16.1	69	36.3
S-1-13-8		128	1.1	18.2	82	43.3
S-2-13-8		124	1.1	14.5	139	41.1
S-3-13-8		139	1.0	18.3	90	43.6
S-4-13-8		103	0.9	18.3	65	38.7
S-5-13-8		92	0.8	16.4	58	33.7
S-6-13-8		85	0.9	16.7	62	38.7
S-7-13-8		97	1.0	18.2	67	36.9
S-8-13-8		127	1.1	11.4	73	41.7
S-9-13-8		95	0.7	17.0	55	29.8
S-10-13-8		137	0.9	23.4	63	40.3
S-11-13-8		154	0.9	26.1	72	41.7
S-12-13-8		150	1.0	17.0	75	47.5
S-13-13-8		166	1.2	21.3	88	56.6
S-14-13-8		222	0.6	25.9	60	43.3
S-15-13-8		132	1.3	22.3	81	54.5
S-16-13-8		112	1.3	19.5	81	47.8
S-17-13-8		120	1.3	16.2	87	40.5
S-18-13-8		120	1.2	18.2	87	46.2
S-19-13-8		115	0.6	15.9	76	47.9
S-20-13-8		101	0.9	16.8	69	41.1
S-21-13-8		112	0.9	16.7	77	43.1
S-22-13-8		79	1.0	17.8	59	38.1
S-23-13-8		87	1.0	16.7	65	34.3
S-24-13-8		88	0.5	13.8	47	33.5
S-25-13-8		75	0.9	18.2	57	33.1
S-26-13-8		88	0.7	18.2	57	34.9
S-1-14-8		107	0.8	17.2	76	45.5
S-2-14-8		96	1.2	15.9	81	42.5
S-3-14-8		90	1.0	15.7	71	37.8
S-4-14-8		101	1.1	16.2	74	39.6
S-5-14-8		102	1.0	16.0	77	40.5
S-6-14-8		106	0.9	16.8	73	40.1
S-7-14-8		71	0.7	13.2	65	28.8

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the



ALS Chemex

I \ G I P P I R G I Ø R Ø R E P] X M Ø P Ø S L I Q M X V]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 4 - A
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086986

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
Sample Description	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
S-8-14-8	0.18	<0.005	0.01	5.70	6.6	410	1.42	0.16	4.81	0.11	95.10	10.4	50	1.90	25.2
S-9-14-8	0.20	0.006	0.05	8.42	6.3	890	1.27	0.14	1.33	0.09	59.60	14.8	49	2.81	29.2
S-10-14-8	0.18	<0.005	0.05	8.12	6.4	920	1.09	0.12	1.94	0.06	54.30	12.4	40	2.70	25.2
S-11-14-8	0.14	<0.005	0.06	6.92	6.0	630	1.47	0.13	2.05	0.13	79.10	12.6	59	2.32	31.7
S-12-14-8	0.12	<0.005	0.08	7.01	5.6	660	1.54	0.13	1.89	0.17	70.50	11.7	63	2.28	27.1
S-13-14-8	0.22	<0.005	0.03	5.68	4.2	410	2.22	0.12	4.96	0.12	81.10	10.6	67	1.70	27.7
S-14-14-8	0.28	<0.005	0.04	5.53	4.2	400	1.41	0.12	4.48	0.12	78.70	11.5	67	1.67	31.5
S-15-14-8	0.18	0.005	0.02	7.07	9.0	500	1.59	0.14	1.93	0.09	101.00	14.0	125	2.36	77.7
S-16-14-8	0.16	0.006	0.05	6.09	13.3	430	1.35	0.13	5.90	0.15	82.50	15.6	99	1.95	71.1
S-17-14-8	0.22	<0.005	0.02	6.28	8.9	440	1.50	0.14	5.46	0.12	83.90	13.9	73	2.60	45.3
S-18-14-8	0.22	0.008	<0.01	6.53	6.9	460	1.84	0.16	5.78	0.16	59.70	15.0	76	2.60	39.5
S-19-14-8	0.18	0.006	0.01	6.92	5.4	530	1.67	0.14	1.09	0.06	92.60	11.5	72	3.12	27.9
S-20-14-8	0.16	0.005	0.02	7.11	5.5	540	1.58	0.17	4.02	0.13	87.30	14.2	76	3.26	34.3
S-21-14-8	0.22	0.005	0.06	6.77	9.0	580	1.48	0.13	1.97	0.11	74.20	10.7	74	3.11	23.1
S-22-14-8	0.22	0.005	0.04	6.85	5.5	570	1.38	0.16	5.71	0.18	72.30	14.8	62	3.20	34.4
S-23-14-8	0.18	0.007	0.12	6.63	63.8	590	1.21	0.10	5.58	0.20	51.40	27.1	209	2.14	153.5
S-24-14-8	0.26	<0.005	0.06	7.43	50.8	650	1.70	0.14	3.76	0.12	53.90	24.0	178	2.42	135.0
S-25-14-8	0.24	<0.005	0.01	7.41	31.5	570	1.94	0.18	1.92	0.13	61.00	17.9	127	2.92	88.0
S-26-14-8	0.34	<0.005	0.01	7.02	26.0	540	1.88	0.16	2.17	0.18	58.20	15.2	94	2.62	84.2
S-27-14-8	0.18	<0.005	0.09	8.31	27.6	620	1.83	0.11	2.95	0.24	41.60	27.4	244	2.50	182.0
S-1-16-8	0.20	<0.005	0.03	8.36	21.3	640	2.10	0.18	2.91	0.15	52.30	24.9	187	3.51	125.0
S-2-16-8	0.20	<0.005	0.05	7.56	20.6	580	1.64	0.13	6.21	0.10	44.20	28.3	203	2.86	179.0
S-3-16-8	0.20	<0.005	0.03	8.00	34.0	670	1.87	0.14	4.35	0.10	48.80	30.6	249	2.98	190.5
S-4-16-8	0.20	<0.005	<0.01	7.64	20.4	610	2.07	0.18	3.76	0.16	48.40	21.9	129	3.21	86.2
S-5-16-8	0.26	<0.005	0.07	7.08	31.6	620	1.48	0.16	2.77	0.16	61.40	27.7	172	2.81	151.5
S-6-16-8	0.16	<0.005	0.30	7.82	11.6	580	1.79	0.15	2.23	0.14	43.80	19.2	163	2.85	70.4
S-7-16-8	0.30	<0.005	0.08	8.67	14.5	690	2.30	0.22	1.57	0.14	47.60	21.8	152	4.34	87.1
S-8-16-8	0.16	<0.005	0.02	7.52	13.5	560	2.07	0.18	5.42	0.15	47.80	18.2	103	3.65	60.4
S-9-16-8	0.20	<0.005	0.04	7.76	9.5	650	2.13	0.20	5.57	0.14	44.50	20.3	98	4.14	48.0
S-10-16-8	0.30	<0.005	0.03	7.37	11.9	580	2.08	0.19	5.65	0.14	44.70	18.8	103	3.71	50.9
S-11-16-8	0.18	<0.005	0.18	7.37	10.5	610	1.61	0.12	2.43	0.24	42.40	22.6	190	2.46	68.0
S-12-16-8	0.26	<0.005	0.08	6.91	17.7	520	1.62	0.15	6.23	0.17	45.90	19.8	137	2.69	92.5
S-13-16-8	0.16	<0.005	0.20	7.59	26.2	560	1.81	0.17	2.46	0.23	53.80	22.1	150	2.85	110.5
S-14-16-8	0.14	<0.005	0.19	7.58	15.4	540	1.80	0.15	2.09	0.39	80.50	20.9	149	3.49	74.3
S-15-16-8	0.14	0.030	0.52	8.80	21.1	660	1.71	0.23	3.35	0.78	56.80	33.2	126	3.07	150.0
S-16-16-8	0.24	0.007	0.49	7.37	53.4	790	1.01	0.19	3.89	0.13	23.30	50.7	38	0.16	172.5
S-17-16-8	0.18	<0.005	0.38	8.09	23.6	770	1.25	0.13	3.68	0.20	28.30	33.9	47	0.30	162.0
S-18-16-8	0.22	<0.005	0.10	7.50	13.7	590	1.87	0.14	2.12	0.12	72.50	21.1	139	3.56	106.0
S-19-16-8	0.20	0.009	0.08	8.80	12.5	260	1.09	0.12	7.58	0.09	45.50	23.3	71	1.42	43.4
S-20-16-8	0.16	0.005	0.40	8.21	18.5	620	2.35	0.18	2.31	0.38	66.90	24.3	158	3.67	130.5

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the



ALS Chemex

I \ GIPPIRGI ØR ØR EP] XMØEP\$LIQ MWXV]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 4 - B
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086986

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte Units LOR	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
S-8-14-8		2.86	11.45	0.30	1.1	0.03	0.036	1.22	51.5	21.1	0.88	682	0.55	1.24	11.4	21.5
S-9-14-8		4.34	16.85	0.28	1.9	0.05	0.049	1.48	29.8	26.9	0.95	1150	0.91	1.39	6.8	18.8
S-10-14-8		4.05	15.90	0.26	1.7	0.06	0.048	1.40	27.6	20.5	0.91	927	0.65	1.46	6.0	14.9
S-11-14-8		3.58	14.30	0.29	1.4	0.05	0.044	1.35	41.2	23.2	0.97	896	0.51	1.36	8.4	22.0
S-12-14-8		3.60	14.45	0.24	1.3	0.05	0.044	1.36	37.1	23.1	0.93	1080	0.62	1.40	8.3	21.3
S-13-14-8		2.77	11.05	0.31	1.1	0.04	0.033	1.21	43.2	19.7	1.05	628	0.52	1.31	8.3	22.5
S-14-14-8		2.89	10.95	0.31	1.1	0.06	0.034	1.14	42.5	19.4	1.10	683	0.49	1.27	8.9	25.2
S-15-14-8		4.02	14.65	0.26	1.4	0.04	0.046	1.45	52.2	27.5	1.25	805	0.44	1.26	10.5	47.8
S-16-14-8		3.66	12.45	0.28	1.2	0.06	0.037	1.25	44.0	21.9	1.31	851	0.89	1.21	7.9	42.5
S-17-14-8		3.23	14.25	0.29	1.4	0.03	0.043	1.46	45.0	28.8	1.16	665	0.59	1.13	9.6	34.0
S-18-14-8		3.45	14.35	0.19	1.1	0.03	0.045	1.60	39.7	30.7	1.36	695	0.69	1.17	10.5	31.1
S-19-14-8		3.35	16.55	0.12	1.3	0.03	0.050	1.74	43.8	36.0	0.95	473	0.50	1.22	9.9	27.0
S-20-14-8		3.65	16.25	0.13	1.3	0.04	0.051	1.78	43.2	37.5	1.18	683	0.56	1.20	9.9	31.6
S-21-14-8		3.09	16.55	0.11	1.2	0.03	0.051	1.63	36.0	35.7	0.89	540	0.49	1.17	9.2	24.7
S-22-14-8		3.52	15.60	0.10	1.3	0.05	0.050	1.65	34.9	35.5	1.29	707	0.61	1.10	8.7	32.1
S-23-14-8		5.23	15.85	0.11	1.5	0.08	0.051	1.26	25.1	24.7	1.80	1235	0.70	1.05	5.3	92.2
S-24-14-8		5.38	17.25	0.17	1.5	0.10	0.060	1.50	28.1	26.0	1.83	1075	0.63	1.20	6.5	70.5
S-25-14-8		4.33	17.30	0.15	1.3	0.05	0.056	1.76	40.6	34.0	1.39	864	0.68	1.18	8.8	52.0
S-26-14-8		3.84	15.80	0.18	1.3	0.05	0.049	1.64	38.3	30.4	1.25	780	0.61	1.27	9.2	40.3
S-27-14-8		6.04	19.15	0.17	1.6	0.06	0.059	1.63	26.6	28.5	2.42	1295	0.62	1.08	6.9	91.4
S-1-16-8		5.50	20.90	0.16	1.5	0.21	0.070	1.88	26.3	36.0	2.18	1150	0.61	1.04	8.1	73.2
S-2-16-8		5.56	18.35	0.16	1.6	0.10	0.056	1.59	21.9	30.2	2.64	1165	0.69	1.01	6.7	89.6
S-3-16-8		6.01	19.65	0.15	1.7	0.14	0.063	1.76	24.6	31.9	2.64	1340	0.87	1.12	7.0	97.4
S-4-16-8		4.75	17.75	0.16	1.2	0.07	0.054	1.88	32.9	34.6	1.74	1025	0.63	1.09	9.8	54.1
S-5-16-8		5.39	16.80	0.12	1.6	0.12	0.056	1.59	29.3	30.0	2.02	1430	1.07	1.19	7.0	85.8
S-6-16-8		4.78	17.20	0.15	1.2	0.09	0.059	1.68	28.9	36.0	1.69	844	0.64	1.20	8.8	55.7
S-7-16-8		5.25	21.30	0.19	1.3	0.09	0.071	2.43	31.2	43.0	1.76	964	0.61	1.05	9.6	57.8
S-8-16-8		4.12	18.55	0.17	1.1	0.05	0.056	2.05	32.4	38.9	1.54	732	0.58	0.98	10.5	45.0
S-9-16-8		4.53	20.40	0.16	1.2	0.05	0.063	2.41	29.8	45.9	1.77	760	0.55	1.08	10.9	46.7
S-10-16-8		4.17	19.25	0.13	1.1	0.05	0.061	2.19	30.3	41.3	1.60	740	0.56	0.98	11.0	47.3
S-11-16-8		4.65	16.85	0.16	1.3	0.06	0.054	1.58	27.4	28.9	1.96	1115	0.74	1.27	8.3	68.7
S-12-16-8		4.26	15.80	0.15	1.2	0.06	0.049	1.58	30.8	29.0	1.89	970	0.77	1.05	7.6	57.4
S-13-16-8		5.02	17.45	0.16	1.5	0.13	0.058	1.64	35.4	28.3	1.78	1235	0.93	1.16	8.6	63.5
S-14-16-8		4.50	17.75	0.14	1.3	0.21	0.054	1.79	39.6	38.3	1.70	935	0.74	1.19	9.6	70.8
S-15-16-8		6.13	21.30	0.15	1.5	0.20	0.077	1.83	27.4	34.9	1.99	1635	1.05	1.26	7.5	69.7
S-16-16-8		7.62	12.25	0.17	2.4	0.09	0.056	2.02	12.4	6.5	1.51	2240	20.80	2.79	3.6	93.2
S-17-16-8		5.92	15.85	0.15	2.3	0.07	0.068	1.91	16.4	7.5	1.46	1950	15.45	3.04	4.4	81.3
S-18-16-8		5.05	18.05	0.14	1.4	0.15	0.060	1.70	38.3	31.6	1.65	1110	0.77	1.14	8.2	67.6
S-19-16-8		6.45	29.40	0.13	1.3	0.10	0.133	0.87	23.4	16.7	1.70	1475	0.48	0.70	5.4	37.7
S-20-16-8		5.21	18.75	0.13	1.6	0.16	0.056	1.85	35.9	40.6	1.69	1455	2.43	1.14	8.9	75.2

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the



ALS Chemex

I \ GIPPIRGI ØR ØR EP] XMØEP\$LIQ MWXV]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 4 - C
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086986

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units LOR	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
S-8-14-8		760	14.0	58.5	<0.002	0.01	0.36	2	1.2	481.0	0.86	<0.05	11.4	0.344	0.29	2.2
S-9-14-8		720	12.8	61.1	<0.002	0.01	0.62	2	1.1	262.0	0.47	0.05	6.9	0.422	0.33	1.5
S-10-14-8		600	11.6	53.9	<0.002	0.01	0.51	1	1.0	295.0	0.41	0.06	6.1	0.367	0.32	1.2
S-11-14-8		800	13.0	58.7	<0.002	0.01	0.41	2	1.2	339.0	0.59	<0.05	9.1	0.352	0.30	1.5
S-12-14-8		770	12.5	58.4	<0.002	0.01	0.35	2	1.1	338.0	0.58	<0.05	7.9	0.378	0.30	1.4
S-13-14-8		740	12.0	49.7	<0.002	0.01	0.36	2	1.0	499.0	0.57	<0.05	9.4	0.305	0.25	1.5
S-14-14-8		760	11.9	49.3	<0.002	0.01	0.38	2	1.0	455.0	0.61	<0.05	9.4	0.332	0.25	1.4
S-15-14-8		1020	12.7	66.3	<0.002	0.01	0.33	2	1.3	295.0	0.73	<0.05	11.1	0.412	0.31	1.7
S-16-14-8		850	12.6	51.8	<0.002	0.01	0.44	2	1.1	488.0	0.55	<0.05	9.4	0.335	0.27	1.5
S-17-14-8		760	13.3	67.3	0.002	0.01	0.42	2	1.3	484.0	0.65	<0.05	10.0	0.314	0.32	1.6
S-18-14-8		750	14.8	79.6	<0.002	0.01	0.44	3	1.5	498.0	0.64	<0.05	11.2	0.302	0.35	1.6
S-19-14-8		500	12.3	89.2	<0.002	<0.01	0.37	<1	1.6	247.0	0.67	<0.05	11.5	0.312	0.42	1.8
S-20-14-8		760	13.4	84.5	<0.002	<0.01	0.45	1	1.6	405.0	0.68	<0.05	11.3	0.310	0.41	1.6
S-21-14-8		550	11.7	83.9	<0.002	0.01	0.43	1	1.6	269.0	0.62	<0.05	9.0	0.306	0.40	1.4
S-22-14-8		700	12.5	77.5	<0.002	0.01	0.49	1	1.5	431.0	0.62	<0.05	10.1	0.293	0.41	1.4
S-23-14-8		1030	10.9	52.4	<0.002	0.02	1.24	1	1.1	307.0	0.35	<0.05	6.0	0.340	0.23	1.2
S-24-14-8		820	13.1	70.7	<0.002	0.01	1.07	2	1.2	306.0	0.40	<0.05	7.8	0.343	0.29	1.3
S-25-14-8		800	18.1	90.2	<0.002	<0.01	0.68	2	1.6	259.0	0.54	<0.05	12.2	0.308	0.42	1.7
S-26-14-8		780	16.0	83.1	<0.002	<0.01	0.58	2	1.6	282.0	0.58	<0.05	11.3	0.300	0.35	1.6
S-27-14-8		780	23.0	63.5	<0.002	0.01	0.57	2	1.4	305.0	0.40	<0.05	7.5	0.391	0.29	1.6
S-1-16-8		950	15.8	84.1	<0.002	0.01	0.66	2	1.7	278.0	0.50	<0.05	8.5	0.366	0.38	1.4
S-2-16-8		1050	12.2	75.3	<0.002	<0.01	0.60	2	1.4	392.0	0.39	<0.05	6.5	0.351	0.27	1.2
S-3-16-8		1170	15.6	82.2	<0.002	0.01	0.87	2	1.5	354.0	0.42	<0.05	7.2	0.380	0.29	1.3
S-4-16-8		880	16.4	93.5	<0.002	<0.01	0.72	2	1.7	364.0	0.57	<0.05	10.0	0.338	0.39	1.4
S-5-16-8		1100	13.6	69.5	<0.002	<0.01	1.25	<1	1.3	348.0	0.48	0.05	8.0	0.346	0.34	1.4
S-6-16-8		780	16.2	87.9	<0.002	0.01	0.61	2	1.5	267.0	0.55	0.06	8.2	0.364	0.36	1.5
S-7-16-8		740	19.4	131.5	<0.002	0.01	0.67	2	2.1	253.0	0.59	<0.05	10.8	0.336	0.54	1.5
S-8-16-8		680	16.8	112.5	<0.002	0.01	0.55	2	1.9	403.0	0.62	<0.05	10.5	0.308	0.46	1.5
S-9-16-8		760	18.0	120.0	<0.002	0.01	0.52	2	2.0	413.0	0.65	<0.05	10.0	0.339	0.50	1.3
S-10-16-8		670	16.4	107.0	<0.002	<0.01	0.53	2	2.0	411.0	0.64	0.05	9.9	0.314	0.48	1.3
S-11-16-8		750	15.3	78.2	<0.002	0.01	0.60	2	1.4	317.0	0.51	<0.05	7.5	0.374	0.28	1.4
S-12-16-8		810	14.0	80.3	<0.002	0.01	0.74	2	1.4	430.0	0.46	<0.05	9.1	0.299	0.32	1.4
S-13-16-8		820	17.6	90.2	0.002	0.01	0.85	2	1.5	294.0	0.55	<0.05	10.0	0.346	0.36	1.6
S-14-16-8		800	18.8	84.0	<0.002	0.01	0.93	<1	1.6	281.0	0.65	<0.05	10.6	0.350	0.42	1.7
S-15-16-8		880	41.9	72.8	<0.002	0.02	1.56	<1	1.5	392.0	0.50	0.25	8.0	0.379	0.43	1.7
S-16-16-8		970	17.2	38.8	0.002	0.03	1.98	9	0.7	98.8	0.23	0.22	2.8	0.304	0.63	4.7
S-17-16-8		1060	11.9	38.5	0.002	0.06	1.39	6	0.8	149.0	0.28	0.13	3.1	0.321	0.47	4.8
S-18-16-8		1060	15.4	72.4	<0.002	0.01	1.44	<1	1.4	340.0	0.55	<0.05	9.9	0.365	0.39	1.9
S-19-16-8		1060	9.2	26.3	<0.002	<0.01	2.95	<1	1.1	1170.0	0.36	0.05	5.1	0.387	0.20	1.8
S-20-16-8		920	22.5	85.0	<0.002	0.01	1.15	1	1.6	291.0	0.59	0.05	9.1	0.376	0.46	1.8

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the



ALS Chemex

I \ G I P P I R G I Ø R Ø R E P] X M Ø P Ø S L I Q M X V]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 4 - D
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS	VA06086986
-------------------------	------------

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
S-8-14-8		66	1.0	19.1	48	27.9
S-9-14-8		134	0.8	15.0	78	49.9
S-10-14-8		114	0.7	13.6	73	45.9
S-11-14-8		95	0.7	17.7	64	36.6
S-12-14-8		95	0.7	15.3	82	35.4
S-13-14-8		71	0.6	14.9	49	28.5
S-14-14-8		73	0.7	15.5	50	28.5
S-15-14-8		112	0.8	16.2	65	37.7
S-16-14-8		99	0.7	16.1	60	31.9
S-17-14-8		85	1.0	15.3	60	36.5
S-18-14-8		90	0.9	16.9	62	37.2
S-19-14-8		95	0.8	13.2	55	34.8
S-20-14-8		95	0.9	15.9	67	35.4
S-21-14-8		88	0.9	11.8	63	32.3
S-22-14-8		96	0.8	15.4	66	35.9
S-23-14-8		181	0.7	14.2	94	41.8
S-24-14-8		168	0.8	19.3	84	49.9
S-25-14-8		125	0.9	16.9	72	41.7
S-26-14-8		112	0.9	16.4	71	39.1
S-27-14-8		213	0.8	16.9	136	54.8
S-1-16-8		180	0.9	16.7	93	49.0
S-2-16-8		192	0.9	14.9	83	34.2
S-3-16-8		209	1.0	16.1	95	37.6
S-4-16-8		138	1.0	16.4	89	42.6
S-5-16-8		174	0.9	17.1	103	44.4
S-6-16-8		150	1.0	13.3	93	22.6
S-7-16-8		148	1.1	16.4	94	44.2
S-8-16-8		112	1.1	14.4	77	38.3
S-9-16-8		133	1.1	14.5	85	42.5
S-10-16-8		114	1.1	13.9	82	39.2
S-11-16-8		158	0.9	13.9	106	42.4
S-12-16-8		127	0.8	15.6	80	40.3
S-13-16-8		160	1.0	18.5	86	48.7
S-14-16-8		128	1.0	16.7	119	41.0
S-15-16-8		176	1.2	16.4	318	43.4
S-16-16-8		512	2.1	22.9	51	78.9
S-17-16-8		433	2.1	24.7	72	72.8
S-18-16-8		160	0.9	19.8	74	43.5
S-19-16-8		205	0.8	22.6	59	37.0
S-20-16-8		156	1.0	20.3	116	49.4

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the



ALS Chemex

I \ G I P P I R G I Ø R Ø R E P] X M Ø P Ø S L I Q M X V]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 5 - A
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086986

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
Sample Description	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
S-21-16-8	0.18	0.005	0.21	7.76	16.7	660	1.62	0.18	5.25	0.39	55.10	23.0	110	2.74	96.8
S-22-16-8	0.16	0.006	0.15	8.39	22.8	600	1.73	0.16	2.07	0.31	60.10	20.3	97	3.24	93.8
S-1-17-8	0.18	0.009	0.15	8.66	18.1	690	2.07	0.15	1.47	0.19	56.90	18.3	146	4.39	70.6
S-2-17-8	0.26	0.013	0.15	9.11	13.6	720	2.26	0.15	1.53	0.18	68.10	19.3	134	4.51	115.5
S-3-17-8	0.24	0.010	0.41	8.77	52.3	680	2.03	0.19	2.44	0.90	54.60	24.4	98	3.71	177.0
S-4-17-8	0.20	0.015	0.22	8.74	50.7	840	1.65	0.19	3.11	0.86	40.90	27.9	86	2.99	155.5
S-5-17-8	0.16	0.008	0.34	8.83	22.6	710	1.73	0.12	3.35	0.54	40.70	31.9	146	2.81	186.0
S-6-17-8	0.14	0.034	0.27	7.63	11.6	610	1.34	0.09	3.11	0.25	44.90	25.1	181	2.66	92.8
S-7-17-8	0.16	<0.005	0.10	7.41	10.1	470	1.61	0.20	4.06	0.15	55.30	29.9	313	2.65	73.6
S-8-17-8	0.26	0.043	0.16	7.29	11.8	530	1.43	0.14	5.21	0.28	47.60	37.5	279	2.57	169.0
S-9-17-8	0.22	<0.005	0.20	4.88	7.8	300	0.56	0.01	6.59	0.29	15.20	67.7	766	1.00	105.0
S-10-17-8	0.24	<0.005	0.15	5.77	8.2	480	1.16	0.07	5.25	0.16	48.70	36.1	390	2.10	94.3
S-11-17-8	0.16	0.020	0.10	6.90	8.7	490	1.22	0.10	3.54	0.17	39.10	37.4	434	2.24	96.9
S-12-17-8	0.16	0.015	0.13	7.00	8.1	520	1.20	0.09	3.39	0.20	35.70	43.2	486	2.17	108.0
S-13-17-8	0.16	0.009	0.19	6.54	4.9	530	1.30	0.07	3.08	0.19	35.50	40.3	751	1.99	64.1
S-14-17-8	0.20	0.008	0.15	6.70	6.1	510	1.30	0.08	2.92	0.16	44.90	36.3	666	2.12	74.8
S-15-17-8	0.26	<0.005	0.12	6.05	10.7	480	1.04	0.07	4.00	0.19	37.30	45.3	480	1.35	140.5
S-16-17-8	0.18	0.007	0.08	6.43	6.0	490	1.26	0.05	2.80	0.11	37.30	42.6	648	2.00	89.0
S-17-17-8	0.18	<0.005	0.09	6.96	11.6	590	1.41	0.11	3.94	0.13	50.10	30.8	320	2.74	89.0
S-18-17-8	0.22	0.010	0.12	7.43	10.4	570	1.93	0.18	2.53	0.14	63.80	25.9	271	3.84	85.4
S-19-17-8	0.36	0.007	0.12	7.14	9.3	500	1.79	0.13	5.01	0.18	68.00	22.1	182	3.36	60.9
S-20-17-8	0.14	0.014	0.24	7.44	5.3	540	1.48	0.11	2.83	0.28	48.60	34.1	357	3.24	127.0
S-21-17-8	0.24	0.010	0.13	8.48	7.8	620	2.06	0.20	2.03	0.16	59.80	29.0	280	4.48	118.0
S-22-17-8	0.12	0.015	0.61	6.99	10.0	500	1.33	0.11	3.53	0.35	47.40	28.4	209	2.89	280.0
S-23-17-8	0.18	0.025	0.24	7.24	12.3	530	1.63	0.14	3.30	0.13	59.20	28.7	220	2.92	270.0
S-24-17-8	0.18	0.010	0.15	7.04	8.5	540	1.64	0.12	4.05	0.17	65.50	21.9	161	2.83	138.5
S-25-17-8	0.22	0.012	0.14	8.03	6.5	590	1.83	0.13	2.32	0.12	56.50	28.2	260	3.68	126.5
S-26-17-8	0.24	0.012	0.26	7.12	9.5	560	1.66	0.12	3.60	0.16	59.90	23.5	194	2.99	136.0
S-27-17-8	0.24	0.013	0.08	7.34	7.2	590	1.61	0.11	4.14	0.15	59.20	28.8	148	3.15	190.5
S-28-17-8	0.18	0.038	0.31	7.79	11.6	580	1.60	0.18	4.60	0.25	64.60	26.2	172	3.54	150.0
S-29-17-8	0.36	<0.005	0.08	6.87	8.6	480	1.67	0.15	5.64	0.13	80.40	16.3	160	2.91	46.2
S-30-17-8	0.22	<0.005	0.11	7.85	6.6	560	1.90	0.16	5.22	0.13	76.80	16.6	125	3.80	41.3
S-31-17-8	0.22	0.005	0.17	7.64	10.2	560	1.86	0.18	5.41	0.20	78.30	19.8	118	4.04	66.0
S-32-17-8	0.30	<0.005	0.08	8.97	8.2	670	2.40	0.21	1.28	0.09	73.30	15.8	126	4.61	43.5
S-33-17-8	0.28	0.009	0.10	8.78	8.2	630	2.30	0.21	5.14	0.17	72.90	18.3	110	5.17	57.1
S-34-17-8	0.26	<0.005	0.12	8.48	11.5	620	2.14	0.20	6.76	0.32	74.60	22.7	107	4.92	68.8
S-35-17-8	0.20	0.005	0.14	8.69	16.2	610	1.98	0.22	5.85	0.25	75.70	21.3	115	5.06	77.4
S-36-17-8	0.24	0.043	0.12	8.13	16.0	580	1.85	0.18	6.25	0.26	71.10	20.7	110	4.54	81.1
S-37-17-8	0.18	0.005	0.16	8.49	16.2	650	1.71	0.24	5.66	0.25	68.20	21.5	139	4.06	86.0
S-38-17-8	0.20	<0.005	0.42	8.63	21.2	630	1.84	0.19	5.86	0.31	71.50	22.0	127	4.47	89.3

Comments: Interference: Ca>10% on ICP-MS As, ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the



ALS Chemex

I \ G I P P I R G I Ø R Ø R E P] X M Ø P Ø S L I Q M X V]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 5 - B
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086986

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte Units LOR	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
S-21-16-8		5.03	17.10	0.13	1.4	0.11	0.050	1.75	28.6	31.4	1.66	941	3.25	1.37	8.3	56.0
S-22-16-8		5.09	18.60	0.12	1.5	0.26	0.065	1.73	30.1	33.3	1.57	955	2.78	1.35	7.8	46.2
S-1-17-8		4.70	21.60	0.13	1.5	0.05	0.064	2.17	27.5	44.3	1.48	670	0.87	1.13	10.0	62.3
S-2-17-8		4.84	21.50	0.13	1.4	0.08	0.062	2.26	34.2	44.2	1.57	890	1.17	1.18	10.8	54.2
S-3-17-8		5.62	20.70	0.13	1.6	0.30	0.074	1.87	29.2	34.8	1.57	1180	2.08	1.20	8.0	54.7
S-4-17-8		6.12	19.95	0.13	1.5	0.21	0.070	1.73	20.9	32.4	1.81	1495	2.75	1.61	6.8	50.5
S-5-17-8		6.90	21.90	0.13	1.7	0.10	0.079	1.96	18.7	31.7	2.48	1280	1.46	1.29	7.4	73.2
S-6-17-8		5.56	17.70	0.12	1.4	0.05	0.060	1.56	22.4	27.0	2.34	992	0.77	1.23	7.3	80.9
S-7-17-8		5.33	17.35	0.13	1.3	0.05	0.054	1.51	28.0	33.7	3.74	1340	0.60	0.92	7.9	193.5
S-8-17-8		6.20	16.65	0.14	1.3	0.12	0.068	1.68	24.5	30.4	3.40	1795	1.12	1.10	6.6	122.0
S-9-17-8		7.11	11.55	0.11	0.8	0.03	0.023	0.94	9.0	25.9	8.62	1425	0.54	0.46	1.9	693.0
S-10-17-8		4.88	12.85	0.11	1.0	0.08	0.036	1.40	25.1	26.4	4.70	1125	0.72	0.90	6.5	260.0
S-11-17-8		6.02	15.10	0.12	1.2	0.06	0.047	1.48	18.4	29.4	4.96	1350	0.79	0.93	5.4	266.0
S-12-17-8		6.19	15.25	0.10	1.3	0.07	0.048	1.49	17.7	31.4	5.67	1390	0.92	0.87	4.8	303.0
S-13-17-8		6.08	14.20	0.11	1.2	0.03	0.044	1.55	16.9	28.9	5.90	1205	0.65	0.87	6.0	313.0
S-14-17-8		5.93	14.20	0.12	1.2	0.04	0.046	1.54	22.4	28.5	5.29	1080	0.66	0.92	6.4	280.0
S-15-17-8		5.84	13.55	0.12	1.2	0.06	0.043	1.29	19.0	23.9	5.83	1310	1.03	0.92	4.4	328.0
S-16-17-8		5.88	13.95	0.12	1.1	0.05	0.042	1.43	18.3	27.7	6.18	1125	0.58	0.80	5.4	335.0
S-17-17-8		5.14	16.25	0.13	1.3	0.07	0.049	1.70	26.0	32.9	3.72	1075	0.79	0.97	7.5	180.0
S-18-17-8		4.79	18.70	0.13	1.3	0.07	0.056	1.93	32.8	38.0	2.55	1055	1.22	1.04	9.4	127.5
S-19-17-8		4.33	17.35	0.13	1.2	0.14	0.051	1.85	34.5	37.9	2.49	743	0.49	1.02	10.0	108.0
S-20-17-8		5.53	17.45	0.13	1.3	0.16	0.049	1.76	23.8	40.8	3.95	1150	0.88	0.96	8.0	207.0
S-21-17-8		5.26	21.00	0.14	1.3	0.12	0.058	2.27	30.2	48.8	3.06	972	1.25	0.96	10.6	155.0
S-22-17-8		5.50	16.20	0.14	1.4	0.16	0.056	1.37	26.7	40.3	2.57	1425	1.03	1.14	6.8	103.0
S-23-17-8		5.47	17.10	0.13	1.5	0.17	0.058	1.58	30.2	35.9	2.65	1100	1.02	1.19	7.7	112.0
S-24-17-8		4.54	16.80	0.14	1.3	0.11	0.054	1.68	33.6	31.2	2.07	937	0.87	1.31	8.7	78.5
S-25-17-8		5.32	19.75	0.14	1.3	0.11	0.058	2.01	27.7	40.0	2.86	958	0.72	1.06	9.6	139.0
S-26-17-8		4.75	16.80	0.14	1.3	0.09	0.052	1.72	30.0	31.5	2.38	972	0.99	1.23	9.0	94.4
S-27-17-8		5.71	17.85	0.14	1.6	0.10	0.057	1.83	30.6	34.1	2.83	1135	0.82	1.18	8.2	78.7
S-28-17-8		5.57	19.15	0.29	1.6	0.18	0.067	1.87	31.5	33.1	2.54	1185	0.83	1.19	8.3	70.8
S-29-17-8		3.98	17.30	0.28	1.2	0.05	0.048	1.75	39.6	32.9	1.89	764	0.71	1.17	10.2	61.5
S-30-17-8		4.06	19.65	0.29	1.3	0.05	0.055	2.10	37.8	40.8	1.73	681	0.54	1.16	10.7	54.8
S-31-17-8		4.27	19.95	0.31	1.5	0.09	0.057	2.03	37.9	41.6	1.89	819	0.86	1.10	11.4	62.9
S-32-17-8		4.58	22.80	0.18	1.0	0.05	0.067	2.56	38.0	53.7	1.68	595	0.75	1.12	10.4	53.9
S-33-17-8		4.48	22.70	0.27	1.4	0.07	0.062	2.50	35.3	50.9	1.82	684	0.68	1.05	12.0	59.7
S-34-17-8		4.52	21.60	0.27	1.4	0.10	0.058	2.43	36.6	46.5	1.84	759	0.93	1.00	11.9	58.9
S-35-17-8		4.71	22.60	0.28	1.5	0.12	0.062	2.37	37.3	47.4	1.86	853	0.90	1.02	12.3	64.3
S-36-17-8		4.55	21.20	0.29	1.4	0.12	0.057	2.20	34.8	44.3	1.88	862	0.96	1.03	11.5	62.4
S-37-17-8		4.95	19.45	0.25	1.5	0.14	0.055	2.19	33.4	37.4	2.11	934	0.94	1.13	10.5	70.6
S-38-17-8		4.94	21.20	0.26	1.6	0.15	0.060	2.26	35.1	42.8	2.01	1025	1.53	1.14	11.2	67.5

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the



ALS Chemex

I \ G I P P I R G I Ø R Ø R E P] X M Ø P Ø S L I Q M X V]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 5 - C
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086986

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units LOR	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
S-21-16-8		1080	19.3	69.8	<0.002	0.01	0.87	1	1.4	410.0	0.62	0.09	7.3	0.356	0.42	1.7
S-22-16-8		900	14.1	70.5	0.003	0.01	0.94	1	1.8	282.0	0.50	0.11	8.0	0.365	0.45	1.8
S-1-17-8		900	13.9	100.5	<0.002	0.01	0.56	<1	2.0	266.0	0.66	<0.05	8.1	0.366	0.53	1.6
S-2-17-8		680	14.6	115.5	<0.002	0.03	0.57	<1	2.0	288.0	0.71	0.08	9.4	0.418	0.56	1.9
S-3-17-8		850	32.9	78.4	<0.002	0.01	1.53	1	1.6	302.0	0.51	0.11	7.8	0.372	0.60	1.8
S-4-17-8		990	30.4	63.2	<0.002	0.01	1.49	1	1.3	353.0	0.43	0.13	5.8	0.417	0.53	1.6
S-5-17-8		1610	25.8	49.7	<0.002	0.01	0.79	<1	1.5	348.0	0.46	0.08	4.9	0.488	0.39	1.3
S-6-17-8		1270	14.7	69.7	<0.002	0.01	0.62	<1	1.3	311.0	0.48	0.06	5.4	0.432	0.28	1.2
S-7-17-8		900	25.7	63.0	<0.002	<0.01	0.86	<1	1.3	421.0	0.51	<0.05	7.1	0.329	0.33	1.4
S-8-17-8		1020	15.1	67.2	<0.002	<0.01	1.39	<1	1.3	466.0	0.42	0.06	6.0	0.392	0.36	1.3
S-9-17-8		710	4.2	24.9	<0.002	<0.01	0.34	<1	0.5	180.0	0.11	<0.05	1.5	0.193	0.09	0.9
S-10-17-8		790	11.0	50.8	<0.002	<0.01	0.91	<1	1.0	327.0	0.46	<0.05	6.2	0.275	0.27	1.2
S-11-17-8		840	13.3	52.2	<0.002	<0.01	1.13	<1	0.9	371.0	0.35	<0.05	4.6	0.341	0.28	1.1
S-12-17-8		910	11.6	53.9	<0.002	<0.01	1.05	<1	1.0	339.0	0.31	<0.05	4.1	0.327	0.28	1.1
S-13-17-8		910	10.5	56.7	<0.002	<0.01	0.66	<1	1.0	296.0	0.40	<0.05	4.1	0.339	0.26	1.1
S-14-17-8		830	10.6	57.5	<0.002	<0.01	0.68	<1	1.1	297.0	0.42	<0.05	5.3	0.342	0.26	1.1
S-15-17-8		940	9.7	41.8	<0.002	0.01	0.64	<1	0.8	304.0	0.29	<0.05	4.3	0.295	0.20	1.1
S-16-17-8		890	8.9	53.1	<0.002	<0.01	0.43	<1	1.0	259.0	0.33	<0.05	4.4	0.306	0.22	1.0
S-17-17-8		890	12.5	69.0	<0.002	0.01	0.69	<1	1.4	348.0	0.49	<0.05	6.8	0.325	0.35	1.3
S-18-17-8		750	15.5	89.7	<0.002	0.01	0.83	<1	1.7	286.0	0.61	<0.05	8.9	0.339	0.46	1.4
S-19-17-8		800	14.1	83.6	<0.002	<0.01	0.55	<1	1.7	411.0	0.64	<0.05	9.2	0.322	0.41	1.5
S-20-17-8		760	13.7	77.5	<0.002	0.01	0.44	<1	1.4	270.0	0.51	<0.05	6.2	0.357	0.36	1.3
S-21-17-8		710	17.7	93.8	<0.002	0.01	0.58	<1	2.0	258.0	0.67	<0.05	9.0	0.360	0.53	1.5
S-22-17-8		990	16.2	59.1	<0.002	0.01	0.61	<1	1.2	309.0	0.45	<0.05	5.7	0.374	0.31	1.8
S-23-17-8		830	15.2	71.0	<0.002	0.01	0.76	<1	1.4	329.0	0.50	<0.05	8.1	0.361	0.38	1.5
S-24-17-8		920	14.4	72.2	<0.002	0.01	0.65	<1	1.4	387.0	0.56	<0.05	8.5	0.347	0.36	1.5
S-25-17-8		760	14.2	83.3	<0.002	<0.01	0.53	<1	1.7	272.0	0.61	<0.05	7.7	0.376	0.43	1.4
S-26-17-8		920	15.1	74.8	<0.002	0.01	0.67	<1	1.5	346.0	0.60	<0.05	8.1	0.361	0.39	1.5
S-27-17-8		1190	13.1	78.6	<0.002	<0.01	0.52	<1	1.6	345.0	0.54	<0.05	7.8	0.401	0.37	1.4
S-28-17-8		1090	16.8	81.4	<0.002	0.01	0.61	3	1.5	348.0	0.56	0.06	8.8	0.404	0.40	1.6
S-29-17-8		860	14.2	77.2	<0.002	<0.01	0.42	2	1.5	451.0	0.69	<0.05	11.3	0.334	0.37	1.8
S-30-17-8		800	15.3	96.5	<0.002	<0.01	0.35	2	1.9	445.0	0.73	<0.05	10.7	0.325	0.46	1.7
S-31-17-8		840	16.8	96.3	<0.002	0.06	0.61	3	1.8	435.0	0.76	<0.05	11.3	0.340	0.48	1.8
S-32-17-8		750	16.1	117.0	<0.002	<0.01	0.49	2	3.3	238.0	0.67	<0.05	10.4	0.321	0.60	1.5
S-33-17-8		720	17.2	118.5	<0.002	<0.01	0.47	3	2.2	432.0	0.78	<0.05	11.3	0.341	0.60	1.7
S-34-17-8		770	17.4	112.5	<0.002	0.02	0.57	2	2.1	423.0	0.79	<0.05	11.2	0.356	0.57	1.8
S-35-17-8		800	19.9	114.0	<0.002	0.01	0.72	3	2.2	416.0	0.83	<0.05	11.8	0.373	0.58	1.9
S-36-17-8		840	17.4	103.0	<0.002	0.01	0.69	2	2.0	422.0	0.74	<0.05	10.7	0.364	0.51	1.8
S-37-17-8		910	17.0	95.4	<0.002	0.01	0.65	2	1.9	443.0	0.72	<0.05	10.0	0.391	0.47	1.7
S-38-17-8		880	56.0	101.5	<0.002	0.01	1.06	2	2.0	443.0	0.73	<0.05	10.9	0.384	0.54	1.8

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the



ALS Chemex

I \ G I P P I R G I Ø R Ø R E P] X M Ø P Ø S L I Q M X V]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 5 - D
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS	VA06086986
-------------------------	------------

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
S-21-16-8		165	0.9	17.7	126	45.0
S-22-16-8		157	1.1	17.4	89	44.2
S-1-17-8		149	1.1	10.9	108	44.2
S-2-17-8		156	1.1	14.8	112	43.7
S-3-17-8		187	1.1	18.6	282	49.4
S-4-17-8		222	0.9	19.2	222	44.0
S-5-17-8		256	1.2	14.1	276	55.3
S-6-17-8		189	0.9	12.5	161	43.0
S-7-17-8		147	1.0	14.2	109	40.2
S-8-17-8		204	1.0	17.9	108	39.6
S-9-17-8		152	0.5	9.9	77	23.5
S-10-17-8		132	0.8	13.1	83	30.1
S-11-17-8		188	0.8	12.6	108	38.4
S-12-17-8		181	0.8	13.3	111	38.8
S-13-17-8		163	0.7	10.3	115	35.6
S-14-17-8		166	0.8	11.6	106	35.2
S-15-17-8		174	0.6	14.4	86	36.7
S-16-17-8		164	0.7	11.0	85	35.9
S-17-17-8		152	0.8	14.7	81	40.6
S-18-17-8		134	1.0	15.9	82	39.2
S-19-17-8		117	1.0	14.7	75	37.8
S-20-17-8		152	0.9	13.1	102	41.0
S-21-17-8		141	1.2	15.0	92	41.5
S-22-17-8		171	0.8	23.5	119	42.6
S-23-17-8		169	0.9	21.0	77	43.0
S-24-17-8		139	0.9	16.7	79	39.4
S-25-17-8		159	1.0	13.6	88	41.2
S-26-17-8		146	0.9	17.2	77	38.3
S-27-17-8		184	0.9	17.2	85	48.7
S-28-17-8		183	1.0	17.8	100	45.0
S-29-17-8		110	0.9	16.5	63	33.7
S-30-17-8		109	1.1	15.2	70	38.5
S-31-17-8		120	1.1	16.0	81	39.9
S-32-17-8		121	1.1	13.6	81	30.6
S-33-17-8		117	1.3	14.7	86	39.6
S-34-17-8		125	1.3	14.8	104	40.4
S-35-17-8		131	1.3	15.7	97	43.1
S-36-17-8		132	1.2	15.5	96	41.9
S-37-17-8		147	1.2	15.5	100	43.9
S-38-17-8		144	1.2	15.9	108	45.4

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the



ALS Chemex

I \ G I P P I R G I Ø R Ø R E P] X M Ø P Ø S L I Q M X V]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 6 - A
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086986

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
Sample Description	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
S-39-17-8	0.20	0.007	0.25	9.46	18.5	690	1.84	0.16	3.98	0.40	62.60	25.5	149	4.05	107.0
S-1-18-8	0.18	<0.005	0.08	6.34	20.5	550	1.16	0.06	6.01	0.15	45.20	33.2	344	1.76	85.2
S-2-18-8	0.22	<0.005	0.08	7.05	39.6	510	1.63	0.09	6.05	0.18	56.90	31.6	250	2.83	106.0
S-3-18-8	0.20	<0.005	0.08	6.86	43.1	490	1.36	0.09	7.59	0.20	49.70	30.2	230	2.77	105.5
S-4-18-8	0.20	<0.005	0.09	9.69	8.0	740	2.63	0.24	1.00	0.09	80.30	22.5	166	6.12	51.6
S-5-18-8	0.30	0.007	0.08	7.73	10.1	540	1.71	0.14	2.39	0.13	71.00	28.7	233	3.36	97.2
S-6-18-8	0.12	0.007	0.10	8.83	8.1	620	1.97	0.17	1.96	0.08	60.80	25.6	243	4.48	72.1
S-7-18-8	0.28	0.061	0.22	9.01	16.4	620	1.77	0.20	2.46	0.10	78.30	30.9	100	4.54	363.0
S-8-18-8	0.24	0.021	0.13	8.56	13.6	630	1.64	0.18	2.48	0.12	83.40	27.2	99	4.08	266.0
S-9-18-8	0.18	0.032	0.14	8.07	12.2	580	1.71	0.15	2.33	0.17	76.80	23.9	107	3.59	181.0
S-10-18-8	0.28	0.028	0.11	7.91	5.5	580	1.58	0.12	2.03	0.14	82.90	20.7	96	3.61	103.0
S-11-18-8	0.30	0.020	0.15	8.78	6.2	640	2.15	0.19	1.41	0.09	101.50	29.9	105	4.99	118.0
S-12-18-8	0.36	0.010	0.17	7.71	7.5	580	1.75	0.16	2.09	0.15	91.00	19.0	103	3.67	74.8
S-13-18-8	0.22	0.009	0.12	7.37	6.7	550	1.83	0.16	3.88	0.21	82.50	18.3	97	3.58	65.4
S-14-18-8	0.20	0.009	0.09	7.84	5.7	600	1.90	0.16	2.69	0.14	82.60	18.0	97	3.86	59.3
S-15-18-8	0.22	0.006	0.10	7.49	5.3	570	1.77	0.15	4.24	0.23	71.90	18.4	96	3.48	65.1
S-16-18-8	0.16	0.027	0.16	7.30	9.9	610	1.22	0.09	4.31	0.18	58.30	29.0	85	2.57	133.5
S-17-18-8	0.28	0.015	0.13	8.03	11.7	640	1.80	0.21	2.36	0.15	77.70	20.7	118	3.86	77.9
S-18-18-8	0.32	0.125	0.17	7.75	12.8	610	1.49	0.18	3.98	0.20	66.60	22.1	101	4.14	82.9
S-19-18-8	0.26	0.011	0.13	7.94	10.1	630	1.67	0.17	3.42	0.17	68.90	19.8	96	3.87	71.9
S-20-18-8	0.32	0.011	0.12	7.75	10.2	610	1.52	0.17	5.08	0.20	60.40	21.1	88	4.13	90.2
S-21-18-8	0.20	0.049	0.09	8.69	8.8	710	1.64	0.11	2.51	0.10	70.80	20.8	95	3.42	102.0
S-22-18-8	0.18	<0.005	0.08	7.27	5.0	530	1.67	0.14	5.78	0.19	85.90	15.4	75	3.33	37.4
S-23-18-8	0.40	0.035	0.08	8.59	26.6	670	1.93	0.20	2.26	0.16	71.50	21.2	94	4.16	121.0
S-24-18-8	0.22	0.012	0.12	7.43	10.3	580	1.33	0.15	5.97	0.21	52.20	21.2	78	3.27	79.4
S-25-18-8	0.24	0.007	0.08	7.81	8.6	610	1.65	0.16	4.79	0.14	87.50	20.1	89	2.84	59.9
S-26-18-8	0.32	0.012	0.07	6.43	6.8	480	1.31	0.14	6.15	0.16	88.30	16.2	73	2.05	53.7
S-27-18-8	0.20	0.042	0.13	8.48	33.8	790	1.04	0.16	3.91	0.13	38.50	26.4	64	2.12	272.0
S-28-18-8	0.26	0.007	0.05	9.77	9.0	780	2.16	0.22	1.69	0.13	82.00	25.4	112	5.02	91.6
S-29-18-8	0.24	0.011	0.10	8.50	8.5	670	2.18	0.17	1.85	0.09	88.80	17.0	102	3.48	63.9
S-30-18-8	0.20	0.014	0.13	9.58	7.0	790	2.10	0.16	1.54	0.11	64.50	22.2	128	4.60	69.3
S-31-18-8	0.22	0.203	0.08	10.00	9.1	710	1.90	0.17	2.22	0.10	60.70	25.3	134	4.02	180.0
S-32-18-8	0.14	0.130	0.21	9.07	6.7	720	1.71	0.17	1.68	0.15	48.50	23.2	125	4.52	72.2
S-1-19-8	0.20	0.005	0.26	8.11	9.2	590	1.50	0.18	2.13	0.29	72.80	21.7	109	3.41	117.5
S-2-19-8	0.24	0.010	0.07	8.86	8.5	670	1.98	0.21	3.45	0.16	75.40	22.3	113	4.31	100.5
S-3-19-8	0.24	0.009	0.10	8.58	7.4	670	1.95	0.22	4.85	0.16	75.90	19.2	94	4.63	67.8
S-4-19-8	0.28	0.011	0.24	10.70	10.8	850	2.62	0.40	1.24	0.09	82.50	24.0	126	7.01	93.0
S-5-19-8	0.26	<0.005	0.16	9.60	9.7	750	2.20	0.39	3.79	0.15	71.90	25.7	112	6.13	93.9
S-6-19-8	0.20	0.076	0.17	8.66	10.3	620	1.49	0.23	3.42	0.15	56.90	32.1	241	3.92	351.0
S-7-19-8	0.30	0.057	0.18	8.93	11.8	670	1.83	0.21	3.91	0.17	64.00	26.9	145	4.37	405.0

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the



ALS Chemex

I \ G I P P I R G I Ø R Ø R E P] X M Ø P Ø S L I Q M X V]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 6 - B
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086986

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
S-39-17-8		6.37	23.40	0.28	1.8	0.14	0.081	2.14	31.2	36.3	2.34	1290	1.77	1.21	9.2	66.8
S-1-18-8		5.38	13.45	0.23	1.2	0.05	0.040	1.56	21.9	20.4	4.16	1185	0.79	1.15	5.7	187.0
S-2-18-8		5.25	16.15	0.24	1.4	0.11	0.049	1.54	27.7	28.5	3.39	1170	0.70	1.13	7.5	148.5
S-3-18-8		4.94	15.70	0.22	1.4	0.08	0.052	1.60	24.5	28.0	4.05	1005	0.92	1.12	6.8	143.5
S-4-18-8		5.11	26.60	0.28	1.6	0.07	0.073	2.89	37.8	56.9	1.89	759	0.68	1.04	13.8	84.5
S-5-18-8		5.09	18.45	0.28	1.4	0.07	0.066	1.89	34.8	35.4	2.99	1075	0.90	1.25	9.1	140.0
S-6-18-8		5.34	20.80	0.26	1.4	0.08	0.065	2.33	27.7	39.0	2.80	853	0.79	1.09	9.6	121.5
S-7-18-8		6.53	22.20	0.31	1.8	0.35	0.068	1.84	36.9	36.6	2.00	922	5.91	1.54	9.8	59.7
S-8-18-8		5.80	19.85	0.31	1.8	0.43	0.062	1.80	39.2	34.5	1.84	1240	4.50	1.36	9.1	60.6
S-9-18-8		5.33	19.45	0.27	1.7	0.18	0.057	1.70	35.7	32.8	1.70	956	2.12	1.31	9.3	52.9
S-10-18-8		4.49	18.80	0.30	1.5	0.14	0.052	1.77	38.9	32.5	1.56	694	1.47	1.39	9.9	43.7
S-11-18-8		4.70	21.40	0.29	1.6	0.09	0.064	2.36	48.7	46.1	1.45	679	3.69	1.21	10.9	84.4
S-12-18-8		4.59	18.20	0.31	1.6	0.11	0.056	1.78	43.9	35.4	1.50	816	1.35	1.29	10.4	43.1
S-13-18-8		4.26	17.65	0.33	1.5	0.09	0.049	1.79	40.5	34.4	1.52	772	1.11	1.23	10.7	44.1
S-14-18-8		4.28	18.50	0.29	1.5	0.09	0.052	1.97	39.8	36.6	1.60	796	0.87	1.27	10.0	46.4
S-15-18-8		4.26	17.35	0.27	1.5	0.10	0.051	1.83	34.8	32.2	1.67	819	1.06	1.29	9.4	46.4
S-16-18-8		6.31	16.85	0.29	1.8	0.16	0.055	1.40	29.9	26.9	2.72	1420	1.12	1.31	6.6	43.7
S-17-18-8		5.04	18.25	0.30	1.5	0.14	0.056	1.88	38.2	31.6	1.65	997	1.13	1.38	9.2	50.7
S-18-18-8		4.77	17.80	0.29	1.5	0.19	0.055	1.81	32.3	30.6	1.63	939	1.26	1.20	8.6	49.1
S-19-18-8		4.67	17.80	0.28	1.5	0.15	0.052	1.83	32.9	33.0	1.63	880	0.91	1.24	9.0	46.8
S-20-18-8		4.89	18.15	0.25	1.5	0.16	0.059	1.87	28.9	33.7	1.79	909	1.32	1.16	8.8	46.6
S-21-18-8		5.37	18.85	0.28	1.7	0.08	0.056	1.85	30.9	28.8	1.76	844	1.04	1.41	8.2	44.6
S-22-18-8		3.77	16.30	0.29	1.4	0.05	0.046	1.80	41.7	33.6	1.38	685	0.77	1.23	10.6	40.1
S-23-18-8		5.20	19.65	0.27	1.5	0.08	0.060	2.21	34.6	35.1	1.49	699	4.19	1.33	9.4	53.7
S-24-18-8		4.59	16.40	0.26	1.6	0.16	0.050	1.62	25.0	26.6	1.83	922	1.53	1.27	7.2	44.1
S-25-18-8		4.48	16.90	0.18	1.3	0.1	0.050	1.63	40.0	32.5	1.53	921	0.99	1.44	10.0	38.1
S-26-18-8		3.68	13.80	0.15	1.1	0.06	0.043	1.32	40.9	25.0	1.34	784	0.95	1.36	9.4	29.4
S-27-18-8		8.36	17.25	0.20	1.4	0.04	0.040	1.46	20.7	19.6	1.93	754	4.20	2.20	5.2	33.6
S-28-18-8		5.61	24.20	0.18	1.4	0.09	0.066	2.45	37.0	49.4	1.77	944	1.08	1.27	10.9	59.4
S-29-18-8		4.57	20.20	0.19	1.3	0.09	0.052	1.90	40.3	36.2	1.30	787	0.76	1.30	10.4	41.3
S-30-18-8		5.32	24.20	0.16	1.3	0.08	0.065	2.42	29.4	49.4	1.62	758	0.86	1.26	12.1	53.3
S-31-18-8		5.64	24.10	0.16	1.4	0.21	0.069	2.19	26.0	42.8	1.80	868	1.08	1.39	10.8	58.3
S-32-18-8		5.01	23.20	0.15	1.2	0.06	0.059	2.05	23.6	44.7	1.56	1020	1.17	1.21	10.3	51.3
S-1-19-8		5.37	17.65	0.18	1.3	0.11	0.053	1.47	32.1	52.1	1.42	901	2.09	1.17	8.5	60.5
S-2-19-8		5.02	21.90	0.17	1.3	0.72	0.061	2.30	33.6	46.9	1.71	869	1.16	1.28	10.8	54.6
S-3-19-8		4.44	22.10	0.17	1.1	0.08	0.057	2.42	34.5	50.7	1.40	719	0.89	1.10	11.7	47.0
S-4-19-8		6.10	27.50	0.19	1.3	0.08	0.074	2.88	37.5	67.4	1.66	843	1.19	1.11	12.0	64.0
S-5-19-8		5.43	25.40	0.18	1.3	0.08	0.068	2.71	32.1	61.6	1.63	889	1.45	1.06	12.7	65.2
S-6-19-8		6.54	20.60	0.18	1.3	0.19	0.059	2.09	26.8	39.9	3.19	1045	2.67	1.25	8.0	119.0
S-7-19-8		5.76	22.10	0.17	1.2	0.16	0.064	2.24	29.1	45.0	2.11	940	2.72	1.31	9.9	72.0

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the



ALS Chemex

I \ G I P P I R G I Ø R Ø R E P] X M Ø P Ø S L I Q M X V]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 6 - C
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086986

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte Units LOR	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
S-39-17-8		1160	19.8	97.7	<0.002	0.02	1.03	3	1.8	381.0	0.63	0.05	8.6	0.466	0.48	2.4
S-1-18-8		980	9.2	49.1	<0.002	0.03	0.37	2	0.9	505.0	0.37	<0.05	5.5	0.332	0.20	1.1
S-2-18-8		1260	10.1	61.5	<0.002	0.01	0.32	2	1.2	431.0	0.49	<0.05	6.8	0.359	0.28	1.4
S-3-18-8		1150	9.8	61.3	<0.002	0.01	0.30	2	1.2	463.0	0.46	<0.05	6.4	0.341	0.28	1.3
S-4-18-8		610	18.0	145.0	<0.002	<0.01	0.43	2	2.7	231.0	0.91	<0.05	12.4	0.394	0.73	1.9
S-5-18-8		900	14.6	83.5	<0.002	0.01	0.43	2	1.7	318.0	0.61	<0.05	9.8	0.333	0.43	1.6
S-6-18-8		800	13.9	95.7	<0.002	<0.01	0.40	2	1.9	296.0	0.63	0.05	9.0	0.360	0.52	1.5
S-7-18-8		1060	15.1	87.8	<0.002	0.01	0.62	4	1.7	381.0	0.63	0.08	10.7	0.447	0.44	2.2
S-8-18-8		910	15.5	80.7	<0.002	0.01	0.76	3	1.6	371.0	0.63	0.05	11.4	0.399	0.42	2.0
S-9-18-8		850	14.2	78.0	<0.002	0.01	0.81	3	1.6	345.0	0.62	<0.05	9.7	0.380	0.41	1.8
S-10-18-8		850	12.7	87.8	<0.002	0.02	0.42	3	1.6	310.0	0.66	<0.05	10.5	0.382	0.42	1.9
S-11-18-8		900	15.1	116.5	<0.002	0.01	0.53	3	2.1	259.0	0.72	<0.05	14.0	0.343	0.57	2.1
S-12-18-8		760	14.6	87.4	<0.002	<0.01	0.55	3	1.7	302.0	0.72	<0.05	11.9	0.378	0.42	2.0
S-13-18-8		800	14.5	86.7	<0.002	0.01	0.55	3	1.7	387.0	0.70	<0.05	11.2	0.355	0.44	1.9
S-14-18-8		810	15.1	94.4	<0.002	0.01	0.53	3	1.7	329.0	0.67	<0.05	11.7	0.339	0.48	1.8
S-15-18-8		800	13.3	82.0	<0.002	0.01	0.56	2	1.6	391.0	0.63	<0.05	9.9	0.352	0.43	1.6
S-16-18-8		1570	9.5	57.5	<0.002	0.01	0.45	3	1.2	387.0	0.44	<0.05	6.9	0.467	0.25	1.8
S-17-18-8		960	17.2	86.3	<0.002	0.01	1.05	3	1.6	362.0	0.63	0.05	11.1	0.384	0.43	1.7
S-18-18-8		830	15.9	82.9	<0.002	0.01	1.27	3	1.5	398.0	0.59	0.05	9.4	0.360	0.44	1.5
S-19-18-8		820	15.1	84.3	<0.002	0.01	0.88	2	1.5	382.0	0.62	<0.05	9.7	0.356	0.44	1.6
S-20-18-8		900	14.1	79.5	<0.002	0.03	0.98	3	1.6	418.0	0.58	<0.05	8.9	0.357	0.42	1.4
S-21-18-8		890	11.3	78.6	<0.002	0.01	0.50	3	1.5	353.0	0.55	<0.05	9.2	0.392	0.41	1.7
S-22-18-8		770	13.7	82.1	<0.002	<0.01	0.42	3	1.6	486.0	0.80	<0.05	11.6	0.326	0.41	2.0
S-23-18-8		850	14.2	101.0	<0.002	<0.01	0.66	2	1.9	312.0	0.62	0.07	10.2	0.341	0.53	1.8
S-24-18-8		900	12.6	67.6	<0.002	0.02	0.96	3	1.3	463.0	0.49	0.05	7.1	0.350	0.36	1.3
S-25-18-8		940	15.4	72.1	0.002	<0.01	0.91	<1	1.5	491.0	0.64	<0.05	11.4	0.386	0.39	2.0
S-26-18-8		910	12.3	57.3	0.002	<0.01	0.76	<1	1.2	549.0	0.61	<0.05	10.8	0.339	0.29	1.9
S-27-18-8		990	8.4	54.7	0.005	0.10	0.66	2	1.5	450.0	0.32	0.14	5.5	0.464	0.22	2.2
S-28-18-8		860	17.9	124.0	0.002	0.02	0.65	1	2.2	304.0	0.69	0.05	11.7	0.392	0.59	1.8
S-29-18-8		700	15.3	95.0	0.002	<0.01	0.92	1	1.8	347.0	0.68	<0.05	11.6	0.382	0.46	2.0
S-30-18-8		990	15.3	127.0	<0.002	0.01	0.64	<1	2.2	321.0	0.73	0.05	9.3	0.457	0.56	1.8
S-31-18-8		840	14.4	104.5	0.002	0.01	0.75	1	2.0	386.0	0.67	0.08	8.5	0.435	0.50	1.8
S-32-18-8		890	13.4	112.5	0.002	0.01	0.65	<1	2.0	288.0	0.66	0.06	7.3	0.447	0.50	1.5
S-1-19-8		790	12.7	70.5	<0.002	0.02	0.60	1	1.5	299.0	0.54	<0.05	9.3	0.388	0.37	1.9
S-2-19-8		880	16.3	102.5	0.002	0.02	0.59	<1	2.0	382.0	0.67	0.05	10.9	0.374	0.55	1.6
S-3-19-8		750	16.9	118.0	0.002	<0.01	0.61	<1	2.2	426.0	0.70	<0.05	11.0	0.350	0.58	1.7
S-4-19-8		850	24.2	156.5	0.002	<0.01	0.75	<1	2.7	282.0	0.72	0.06	14.2	0.377	0.76	1.9
S-5-19-8		740	21.1	130.0	0.002	0.01	0.66	<1	2.6	388.0	0.77	0.05	12.6	0.378	0.69	1.9
S-6-19-8		970	12.5	96.6	0.003	0.02	0.67	<1	1.7	364.0	0.48	0.18	8.4	0.395	0.50	1.5
S-7-19-8		930	14.6	103.0	0.002	0.10	0.81	1	2.0	390.0	0.61	0.09	9.5	0.403	0.53	1.8

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the



ALS Chemex

I \ G I P P I R G I Ø R Ø R E P] X M Ø P Ø S L I Q M X V]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 6 - D
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS	VA06086986
-------------------------	------------

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
S-39-17-8		214	1.3	19.3	156	51.8
S-1-18-8		168	0.6	13.2	75	33.9
S-2-18-8		160	0.8	16.9	74	41.1
S-3-18-8		149	0.7	14.9	74	39.3
S-4-18-8		138	1.4	14.4	90	48.2
S-5-18-8		139	1.0	16.4	75	40.1
S-6-18-8		151	1.1	12.1	76	41.8
S-7-18-8		176	1.2	24.8	67	53.5
S-8-18-8		160	1.1	20.8	81	50.8
S-9-18-8		154	1.1	20.1	78	48.4
S-10-18-8		140	1.0	16.7	73	41.9
S-11-18-8		124	1.1	17.9	85	45.7
S-12-18-8		128	1.0	18.4	76	45.9
S-13-18-8		115	0.9	17.6	74	42.5
S-14-18-8		117	1.0	17.8	74	43.4
S-15-18-8		120	0.9	17.3	76	41.6
S-16-18-8		220	1.1	24.4	102	50.1
S-17-18-8		147	1.0	19.9	77	42.9
S-18-18-8		136	1.0	17.0	84	44.3
S-19-18-8		135	0.9	17.0	77	42.7
S-20-18-8		142	1.0	16.2	85	44.8
S-21-18-8		176	1.0	16.1	71	48.7
S-22-18-8		96	1.0	16.2	69	39.4
S-23-18-8		136	1.0	16.9	78	43.2
S-24-18-8		144	0.8	16.5	75	43.3
S-25-18-8		125	1.0	19.4	68	40.9
S-26-18-8		104	0.8	18.3	56	34.0
S-27-18-8		233	0.8	20.3	46	37.0
S-28-18-8		156	1.3	18.2	92	44.0
S-29-18-8		129	1.1	17.2	66	41.5
S-30-18-8		162	1.4	12.3	95	44.2
S-31-18-8		167	1.5	13.7	80	46.5
S-32-18-8		157	1.4	11.3	103	38.7
S-1-19-8		147	1.0	19.8	113	40.6
S-2-19-8		135	1.2	16.7	84	41.8
S-3-19-8		117	1.4	15.1	81	38.5
S-4-19-8		150	1.5	18.6	105	43.1
S-5-19-8		136	1.5	16.4	97	40.7
S-6-19-8		188	1.2	16.8	73	41.0
S-7-19-8		169	1.3	17.8	79	39.1

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the



ALS Chemex

I \ GIPPIRGI \$R \$R E P] X M E P \$ S L I Q M X V]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 7 - A
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086986

Sample Description	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
	0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
S-8-19-8	0.22	0.023	0.12	8.85	11.3	620	1.58	0.15	2.77	0.14	60.80	29.6	173	3.69	297.0
S-9-19-8	0.22	0.017	0.27	8.58	19.5	640	1.80	0.18	2.30	0.15	70.50	25.4	111	3.94	196.0
S-10-19-8	0.22	0.030	0.16	9.19	11.3	710	1.90	0.22	2.84	0.13	59.70	30.5	160	4.35	266.0
S-11-19-8	0.22	0.017	0.11	9.57	10.4	710	2.00	0.29	5.07	0.18	64.30	27.7	115	5.58	169.5
S-12-19-8	0.14	0.080	0.31	9.67	7.9	630	1.63	0.16	2.32	0.16	65.50	35.6	106	4.44	543.0
S-13-19-8	0.20	<0.005	0.09	8.69	16.0	660	2.05	0.20	2.50	0.16	76.90	21.2	101	3.99	96.6
S-14-19-8	0.24	<0.005	0.09	7.34	9.9	590	1.56	0.15	4.29	0.21	65.30	18.1	88	2.96	76.6
S-15-19-8	0.14	0.021	0.08	7.93	8.2	650	1.76	0.16	1.43	0.08	72.80	26.4	109	3.14	266.0
S-16-19-8	0.24	<0.005	0.07	7.58	8.0	590	1.73	0.16	2.84	0.15	68.40	20.5	126	3.01	60.9
S-17-19-8	0.28	0.028	0.16	7.32	8.3	610	1.61	0.18	2.12	0.13	72.20	30.5	109	2.76	397.0
S-18-19-8	0.26	<0.005	0.04	8.57	5.2	650	1.94	0.17	1.77	0.07	80.60	19.2	95	3.61	55.0
S-19-19-8	0.32	<0.005	0.06	6.80	7.4	530	1.56	0.17	1.24	0.09	59.70	16.3	71	3.18	55.7
S-20-19-8	0.30	<0.005	0.10	6.88	7.7	610	1.45	0.13	4.19	0.18	56.20	17.1	67	2.66	50.9
S-1-22-8	0.16	<0.005	0.11	7.11	7.2	570	1.48	0.14	5.26	0.18	62.30	19.1	68	2.69	52.5
S-2-22-8	0.36	<0.005	0.10	6.91	4.1	580	1.52	0.12	1.14	0.14	65.30	11.6	74	2.52	23.2
S-3-22-8	0.28	0.015	0.09	7.90	4.8	630	1.95	0.17	1.51	0.14	91.20	16.9	96	3.57	40.6
S-4-22-8	0.28	<0.005	0.08	7.01	6.0	550	1.69	0.16	3.36	0.17	72.30	16.9	80	3.05	44.4
S-1-6-7	0.50	0.019	0.82	9.08	15.5	620	1.11	0.10	3.74	0.64	21.60	28.2	99	2.89	1760.0
250725	0.20	<0.005	0.12	7.60	9.6	560	1.80	0.18	3.18	0.22	90.10	16.9	88	3.63	51.2
250726	0.14	<0.005	0.11	8.74	28.2	640	1.85	0.19	3.11	0.23	77.60	21.9	91	4.31	69.3
250727	0.16	<0.005	0.11	8.14	25.1	610	1.64	0.18	3.07	0.22	74.90	20.6	90	4.08	64.3

Comments: Interference: Ca>10% on ICP-MS As, ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the



ALS Chemex

I \ GIPPIRGI \$R \$R EP] XM E P \$ S L I Q M X V]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 7 - B
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086986

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Hg-CV41	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
	Analyte Units LOR	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.01	0.05	0.05	0.1	0.01	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
S-8-19-8		6.31	20.00	0.18	1.3	0.17	0.060	1.99	27.7	35.2	2.60	1135	2.30	1.50	8.3	77.6
S-9-19-8		5.43	20.10	0.17	1.4	0.21	0.058	1.93	32.3	36.8	1.68	1025	1.97	1.35	9.1	56.3
S-10-19-8		6.35	22.10	0.18	1.4	0.13	0.075	2.19	26.8	46.4	2.16	1185	2.20	1.34	8.8	72.5
S-11-19-8		5.77	24.00	0.17	1.3	0.09	0.068	2.50	30.0	54.0	2.03	963	1.96	1.18	11.3	64.1
S-12-19-8		6.27	23.10	0.20	1.2	0.07	0.059	1.87	27.3	38.1	1.79	792	2.36	1.26	9.1	61.5
S-13-19-8		4.96	20.40	0.17	1.2	0.17	0.053	2.06	35.1	39.3	1.41	948	1.11	1.34	10.6	47.8
S-14-19-8		4.21	15.95	0.15	1.1	0.11	0.042	1.65	30.0	28.5	1.30	882	1.46	1.36	9.6	40.7
S-15-19-8		4.73	17.90	0.16	1.1	0.10	0.046	1.84	31.0	30.5	1.27	737	2.58	1.36	9.8	56.6
S-16-19-8		4.49	17.40	0.15	1.1	0.06	0.046	1.70	32.1	30.6	1.77	908	1.31	1.32	9.7	66.2
S-17-19-8		5.75	16.90	0.18	1.2	0.20	0.042	1.60	33.6	27.6	1.36	942	14.00	1.37	9.5	59.7
S-18-19-8		4.64	19.80	0.17	1.1	0.06	0.050	1.72	37.4	44.1	1.63	853	0.67	1.49	13.8	43.5
S-19-19-8		4.10	15.65	0.15	0.9	0.06	0.043	1.43	27.6	30.6	1.13	796	0.77	1.11	8.6	42.9
S-20-19-8		3.96	14.75	0.15	1.1	0.07	0.039	1.49	26.3	26.6	1.34	869	0.97	1.39	8.9	37.1
S-1-22-8		4.02	15.45	0.14	1.0	0.06	0.038	1.55	29.0	27.5	1.31	902	1.03	1.36	9.2	41.6
S-2-22-8		3.50	15.10	0.14	1.0	0.04	0.041	1.41	30.0	28.9	0.87	459	0.67	1.25	9.8	32.7
S-3-22-8		4.09	18.70	0.17	1.2	0.06	0.051	1.85	40.1	40.7	1.21	703	1.41	1.22	10.7	42.1
S-4-22-8		3.76	16.75	0.16	1.1	0.06	0.041	1.60	32.7	32.5	1.17	762	1.28	1.20	10.0	38.9
S-1-6-7		5.72	16.35	0.14	1.2	0.23	0.060	0.95	11.0	45.5	2.75	1755	4.17	0.83	3.7	193.5
250725		4.14	17.75	0.17	1.1	0.08	0.049	1.76	41.3	39.8	1.19	723	1.05	1.15	10.2	40.6
250726		5.00	20.40	0.17	1.2	0.16	0.054	2.03	35.0	39.7	1.31	988	1.30	1.25	9.2	43.9
250727		4.70	19.30	0.17	1.2	0.15	0.055	1.91	34.1	37.5	1.23	913	1.25	1.20	8.5	41.1

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the



ALS Chemex

I \ GIPPIRGI \$R \$E R E P] X M E P \$ S L I Q M X V]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 7 - C
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086986

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
S-8-19-8		1180	12.9	78.3	0.002	0.01	0.83	1	1.8	364.0	0.50	0.07	8.3	0.451	0.46	1.8
S-9-19-8		1100	15.6	89.5	0.002	0.01	1.01	<1	1.7	348.0	0.57	0.05	9.6	0.402	0.45	1.8
S-10-19-8		1010	15.7	93.1	0.003	0.02	0.79	1	2.0	381.0	0.54	0.07	9.1	0.393	0.54	1.9
S-11-19-8		890	18.5	124.5	0.002	0.02	0.63	<1	2.3	436.0	0.68	0.06	11.0	0.397	0.60	1.8
S-12-19-8		1410	12.1	95.1	0.003	0.03	0.51	1	1.8	304.0	0.57	0.08	7.6	0.400	0.42	1.6
S-13-19-8		950	16.9	98.0	0.002	0.01	0.89	<1	1.8	363.0	0.66	<0.05	10.8	0.387	0.52	1.7
S-14-19-8		910	14.4	73.7	0.002	0.02	0.77	<1	1.4	432.0	0.62	<0.05	9.2	0.375	0.42	1.6
S-15-19-8		870	15.7	84.8	0.003	0.01	0.65	1	1.6	291.0	0.65	0.07	10.1	0.370	0.47	1.8
S-16-19-8		890	14.0	80.6	0.002	<0.01	0.70	<1	1.5	354.0	0.62	<0.05	9.4	0.384	0.44	1.5
S-17-19-8		950	14.0	69.1	0.007	0.01	0.68	1	1.4	399.0	0.59	0.10	9.5	0.384	0.37	1.8
S-18-19-8		780	14.7	85.6	<0.002	0.01	0.41	<1	1.9	343.0	0.86	<0.05	12.7	0.382	0.46	1.8
S-19-19-8		720	16.0	71.0	<0.002	<0.01	0.57	<1	1.4	250.0	0.56	<0.05	10.4	0.322	0.42	1.5
S-20-19-8		810	14.9	63.5	0.002	0.01	0.68	<1	1.2	444.0	0.58	<0.05	8.1	0.351	0.37	1.5
S-1-22-8		840	14.0	68.4	0.002	0.03	0.69	<1	1.3	471.0	0.56	<0.05	8.6	0.342	0.41	1.5
S-2-22-8		770	12.4	70.9	<0.002	<0.01	0.36	<1	1.4	260.0	0.67	<0.05	8.5	0.365	0.37	1.6
S-3-22-8		730	14.9	95.5	0.002	<0.01	0.47	<1	1.8	283.0	0.68	<0.05	12.0	0.350	0.50	2.0
S-4-22-8		770	14.9	82.8	0.002	0.01	0.53	<1	1.5	369.0	0.65	<0.05	10.1	0.335	0.46	1.7
S-1-6-7		1830	12.5	37.5	0.002	0.04	0.65	1	1.0	219.0	0.20	0.05	3.4	0.338	0.22	1.5
250725		790	16.2	89.3	0.002	0.01	0.69	1	1.7	367.0	0.67	<0.05	12.4	0.343	0.51	2.0
250726		940	16.7	97.5	0.002	0.02	1.09	<1	1.7	362.0	0.58	<0.05	10.7	0.375	0.58	1.8
250727		900	15.8	92.5	0.002	0.02	1.05	<1	1.6	351.0	0.53	<0.05	10.5	0.341	0.54	1.8

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the



ALS Chemex

I \ G I P P I R G I Ø R Ø R E P] X M Ø P Ø S L I Q M X V]
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: NOVAGOLD RESOURCES INC.
PO BOX 24
#2300 - 200 GRANVILLE STREET
VANCOUVER BC V6C 1S4

Page: 7 - D
Total # Pages: 7 (A - D)
Finalized Date: 21-OCT-2006
Account: NOVRES

Project: Shiko Lake

CERTIFICATE OF ANALYSIS VA06086986

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
S-8-19-8		195	1.1	19.5	80	39.8
S-9-19-8		166	1.1	19.0	81	43.2
S-10-19-8		188	1.2	18.0	85	42.5
S-11-19-8		160	1.4	16.5	95	41.1
S-12-19-8		166	1.3	13.9	77	37.4
S-13-19-8		139	1.2	18.6	81	40.3
S-14-19-8		120	1.0	17.1	70	35.4
S-15-19-8		126	1.1	14.9	63	36.7
S-16-19-8		128	0.9	18.0	71	37.3
S-17-19-8		139	0.9	20.0	63	38.0
S-18-19-8		127	1.0	18.7	74	33.8
S-19-19-8		103	1.0	16.4	69	29.1
S-20-19-8		115	0.8	16.2	67	34.2
S-1-22-8		116	0.8	16.3	70	33.1
S-2-22-8		92	0.8	11.4	72	30.4
S-3-22-8		107	1.0	15.8	73	39.1
S-4-22-8		97	0.9	15.6	66	35.7
S-1-6-7		156	1.1	15.7	131	39.6
250725		111	1.0	17.6	77	37.9
250726		149	1.1	18.3	89	40.1
250727		141	1.0	18.0	85	38.8


Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method. Detection limits on samples requiring dilutions for Hg-CV41, due to interferences or high concentration levels, have been increased according to the

Shiko Lake Rock Sample Detailed Description and Coordinates

Sample #	UTME	UTMN	Rock Type	Minerals	Comments	Magnetic
20151	603660	5813577	felsic breccia		Small outcrop. Weathered Surface-rusty brown. Fresh Surface-mottled green/grey. Fine feldspar grains < 0.5mm.	0
20152	603681	5813534	felsic breccia	Py	WS-light grey, FS-lots of py 2-5% Fine grain chlorite/biotite matrix. Anhedral feldspar crystals, fine grain diorites. Trace	medium
20153	603640	5813520	monzonite	Py cpy	N-S trend. WS-mottled grey, FS-py 2-5%, disseminated. Dark green/grey color. MiOr cpy. Fresh biotite. Highlevel	medium
20154	603605	5813514	felsic breccia		WS-whiteish grey FS-minimal py. Magnetite, miOr cpy, fine monzonite, biotite	strong
20155	603551	5813530	felsic breccia	cpy bx	Large outcrop, forming N-S trend slope. WS-speckled grey, some pink. FS-fresh brown hexagonal biotite.	strong
20156	603504	5813510	monzonite	bi hbl	Large bluff, N-S trend. WS-speckled grey, pink. FS-some calcite veins, K feldspar. Monzonite, biotite and hornblend	medium
20157	603448	5813510	monzonite		WS-light grey, rusted cracks. FS-magnetite and hornblend in feldspar matrix	medium
20158	603309	5813519	monzonite	ch	WS-bornite, monzonite with chlorite	medium
20159	603285	5813513	syenite	k	WS-speckled grey, some pink. FS-pinkish matrix, K feldspar. Some py. Monzonite	medium
20160	603236	5813766	siltstone/shale	py f	WS-rusty. FS-light grey. Banded py, possible origin-altered sediment. Banded fine grain felsic	Weak
20161	603621	5813862	diorite	bi	WS-light grey. FS-diorite, mica. Glacial direction 250 degree	strong
20162	603664	5813835	diorite pegmatoid	bi	Same ridge as last. Gabbro, biotite	medium
20163	603739	5813835	monzonite	py	Biotite, monzonite. 1% py, trace cpy	0
20164	603059	5813768	siltstone/shale		WS-rusty red/brown. FS-light greenish grey, fine grain. py, maybe cpy	0
20165	602985	5813772	siltstone/shale	Py f	WS-rusty. FS-light grey. Large amounts of py, disseminated, some banding	0
20166	602675	5813762	felsic breccia	py		medium
20167	602922	5814264	felsic breccia	k ep		medium
20168	603837	5813825	felsic breccia	py ch		0
20169	603800	5813797	felsic dike	py		0
20051	603054	5814486	siltstone/shale	f py		Weak
20052	602733	5814461	felsic dike	py		medium
20053	602733	5814461	siltstone/shale	f py		0
20054	602580	5814750	siltstone/shale	f py		Weak
20055			augite basalt			0
20056			felsic breccia			medium
20057	604500	5815000	augite basalt			0
20058	604500	5815000	augite basalt	py		0
20059	604900	5815135	augite basalt			medium
20060	605350	5814730	augite basalt			medium
20061	604879	5814662	augite basalt			Weak
20062			augite basalt			medium
20170	607450	5813764	augite basalt			0
20171	607422	5813837	augite basalt	py		0
20172	607400	5813888	siltstone/shale	Py		medium
20173			monzonite	k		medium
20174			diorite	ch		medium
20175			augite basalt	py cpy		medium
20176	606440	5813900	felsic breccia			medium
20177	606296	5813879	felsic breccia	bi py cpy		strong
20178	605664	5813927	felsic breccia	py		0
20001	605729	5813943	felsic breccia		WS white/grey. FS fine grained blue/grey, some epi alteration, some cpy, 5% py, trace hbl. On mag.	0
20002	605905	5814085	felsic breccia		WS green/blue. FS blue/grey, 10% py, some cpy, trace epi. Mafics altered, medium mag.	0
20003	606225	5814025	felsic breccia		WS blue, some grey. FS dark blue/grey, purple coloured inclusions, some epi.	0
20004	607196	5813988	felsic breccia		Rubble, WS reddish brown/grey. FS blue/grey, trace calcite, epi, py. Very fine grain matrix, trace mag.	0
20005	607360	5813952	felsic breccia		WS grey, some white. FS blue/grey some white intrusive, altered mafics, some epi, On mag.	0
20063	607810	5814380	felsic breccia		Small outcrop at corner of unmarked road. WS-Dark grey. FS-py, bands of brownish crystal-biotite	0
20064			felsic breccia		WS-Dark grey, blotchy volcanics FS- 0 sulphides, some black crystal	medium
20065	607115	5814794	felsic breccia		Small outcrop. Volcanic, trace py	0
20066	607189	5814787	felsic breccia		WS-Light grey, blotchy. FS-volcanic, little mineral. Black crystal. Lots around but heavily weathered.	strong
20067			felsic breccia		Possible rubble. WS-brown-pink. FS-similar to last, but more black crystal	medium
20068			felsic breccia		WS-light grey/brown FS-dark grey stone, some crystallization.	medium
20069	607900	5814810	basalt		WS-Purple/grey, calcite veins. FS-calcite, trace py, hornblende	0
20070	606873	5815191	basalt		WS-blotchy, multicolour. FS-dull grey, 0 mineral. Volcanic. Breccia	medium
20006	607661	5814175	felsic breccia		WS brown, mossy. FS black, some white speckles, felsic matrix, trace metallics.	trace
20007	607442	5814203	felsic dike		WS reddish brown. FS blue/black, some white minerals (calcite and feldspar?) felsic matrix.	0
20008	607213	5814185	felsic dike		WS grey, white spots. FS blue/grey, maroon coloured inclusions, trace metallic, mafics slightly altered. kspar/calcite	trace
20009	607264	5814716	felsic breccia		WS greyish white. FS blue/grey fine grain felsic matrix, trace calcite.	strong
20010	607973	5814566	felsic breccia		WS grey. FS lots of white mineral, greyish matrix, 0 visible mafic crystals (altered mafics)	0
20011	608018	5814425	felsic breccia		WS white/brown. FS blue, fine grained matrix. Trace epi, some hbl, 5% py, some calcite, trace kspar.	0
20012	607894	5814797	felsic breccia		WS blackish/blue. FS blue/grey, very fine grained felsic looking matrix. Trace epi, altered mafics, 5% py.	0
20013	604285	5813719	basalt		Rubble, WS brown/grey. FS some epi, some py, mafics altered, blue/purple matrix.	0
20014	604398	5813699	basalt		Rubble, WS brown/grey. FS blue/black, very fine grain, very altered mafics. Some epi, trace py.	0
20015	606270	5815077	basalt breccia		WS brown/black. FS volcanic breccia looking, blue/black fine grain matrix. Some hornblende, some white mineral.	trace
20016	606896	5815072	basalt		WS moss covered, brown/dark grey. FS blue/grey fine grain, trace very fine metallic (py) trace white mineral, some hbl.	0
20017	607090	5815105	basalt		WS brown/grey. FS dark grey, trace white mineral, 1cm red inclusions, trace py.	0
20018	607228	5815011	basalt		WS light brown/grey, mossy. FS some calcite veining, black/brown matrix. Some pyroxene, 1-2% fine metallic (py)	0
20019	607650	581560	basalt		WS black/brown. FS grey/blue, trace py, some hbl, altered mafics.	0
20028	606530	5814440	augite basalt			0
20401	603568	5813196	syenite		bornite	medium
20402	603568	5813196	syenite		bornite	medium
20403	603464	5813345	diorite			medium
20404	603539	5813149	syenite			medium
20405	603489	5813198	syenite			medium
20406			diorite	Bi py		medium
20407	604124	5812229	maroon basalt			medium
20408	604000	5812237	maroon basalt			medium
20409	603706	5812011	augite basalt			0
20410			felsic dike	ep		medium
20411	604366	5811807	maroon basalt			medium
20412	604234	5811843	augite basalt	ep		medium
20413	603737	5811801	felsic breccia			medium
20414	603311	5811793	augite basalt			medium
20415	605259	5810401	augite basalt			medium
20416			augite basalt			medium
20417			calcarious basalt			0
20418	604734	5810070	calcarious basalt			medium
20419	603305	5810506	calcarious basalt			strong
20420	603160	5810257	maroon basalt			medium
20421	603118	5810405	augite basalt			medium
20422	603024	5810428	augite basalt			0

Sample #	UTME	UTMN	Rock Type	Minerals	Comments	Magnetic
20423						strong
20356	604205	5813742	hornblende		WS red/brown. FS light blue/grey. cpy, py.	0
20363	604214	5813573	basalt		WS red/brown. FS blue/grey felsic looking matrix. Altered mafics. Some py, trace cpy, epi, some pyroxene	strong
20364	604244	5813468	hornblende		WS green/white/orange. FS blue/light green. Heavily epi altered. Trace py, cpy. Hbl.	0
20365	604671	5812707	basalt		WS brown. FS blue, fine grain, altered mafics. Trace epi, pyroxene. py, cpy.	strong
20370	604404	5812430	felsic breccia		WS white/green. FS blue/grey, medium grain. Trace epi/kspar alteration. Trace fine py.	trace
20371	604567	5812371	felsic volcanic		WS grey, pink/red. FS blue/green, lots of kspar alteration. Trace epi, py, some pyroxene. Felsic matrix	0
20372	605056	5812393	basalt		WS dark grey. FS blue/dark grey, some pink/purple alteration. Hbl, some epi, trace py.	strong
20373	605573	5812381	basalt		WS black/brown. FS blue/grey, some kspar. Trace dissem py. pyroxene.	0
20374	605620	5812075	basalt		WS black/brown. FS blue, fine grain matrix, altered mafics. Lots of white mineral, trace py. pyroxene.	0
20375	605330	5812091	basalt		WS blue/grey. FS dark blue/grey, some epi, calcite, kspar. Hbl.	medium
20376	605267	5812084	basalt		WS blue/black. FS blue/grey, fine grain matrix, lots of pink/purple alteration, some calcite, kspar, epi. Trace py.	0
20377	604935	5812136	basalt		WS blue/purple. FS lighter blue, large white minerals in fine grain matrix. Some hbl, epi, pink alteration. Trace py.	trace
20378	604812	5812249	basalt		FS blue/dark grey medium grained. Hbl, some white mineral, trace kspar, altered mafics.	medium
20379	604650	5811472	basalt		WS black/blue. FS dark blue, very fine grain matrix, calcite veining, altered mafics, trace py.	strong
20380	604545	5811518	basalt		FS dark blue, very fine grain matrix, some pink mineral, calcite, trace py.	0
20381	604250	5811560	basalt		WS white blotches and dark grey. FS blue/grey, very fine grain, altered mafics, trace py, calcite	strong
20382	604083	5811525	basalt		WS light grey. FS dark blue/grey, fine grain matrix. Trace epi, pyroxene, calcite, biotite?	strong
20383	605278	5810100	basalt		WS grey. FS blue, very fine grain felsic matrix. Some epi, pyroxene, py.	medium
20384	604932	5809913	calcareous basalt		WS brown/white. FS medium grain, biotite, kspar, lots of calcite, epi, hbl.	trace
20385	604913	5809788	altered limestone		WS orange/brown. FS whitish/pink, very high in calcite, some other mineralization. Subcrop.	0
20386	604844	5809825	siltstone/shale		WS and FS dark grey. Trace py, very little mineralization. Calcareous.	0
20387	604542	5809882	black limestone		WS black/grey. FS black, very few crystals. Some py, very calcareous.	0
20388	604873	5810072	felsic breccia		FS blue/grey matrix, very felsic. Calcareous version of felsic volcanics.	0
20391	605528	5808033	basalt		WS grey/black. FS dark blue/grey. Calcite veining, trace kspar, epi, py. pyroxene.	strong
20393	604487	5807542	basalt		WS grey/white. FS grey/blue vesicular matrix. Vesicles filled in with carbonate mineral. Trace py, some pyroxene,	medium
20396	603750	5806742	altered mafic		FS green, heavily altered medium grain. Kspar, epi, hbl, trace py.	medium
20020	605787	5814092	basalt		WS white/grey. FS blue, fresh looking. Some hbl, epi, trace calcite, py, cpy. Mafics altered.	0
20021	605804	5814103	intrusive		WS white/grey. FS blue/grey felsic matrix, large white (feldspar?) crystals. Trace metallic, trace red mineral.	trace
20022	605768	5814704	basalt		WS black/brown. FS blue/grey, some hbl, altered mafics, trace epi, trace fine py.	trace
20023	606020	5814820	basalt		WS black/brown. FS blue/grey, dark fine grain matrix. Some hbl, trace fine py, very altered mafics.	0
20024	606107	5814822	felsic dike		WS brown/black. FS blue, large hbl crystals, trace dissem py. Trace epi.	0
20025	606170	5814849	felsic dike		WS grey with white spots. FS mafic matrix, lots of large (.5-2cm) white crystals. Trace calcite, trace py.	trace
20026	606257	5814687	basalt		WS brown. FS dark blue/grey fine grain matrix. Trace kspar, trace hbl.	medium
20027	606349	5814341	felsic volcanic		WS brown/grey. FS lighter blue, very fine felsic matrix. Some kspar, 2% fine py, trace cpy.	0
20028	606530	5814440	basalt		WS white. FS blue/grey, fine grain. Some epi, 2% fine py. Hbl.	0
20029	606868	5814535	basalt		WS grey/white. FS dark, altered mafics. Trace fine py, some white veining.	0
20030	607400	5815040	basalt		WS white, FS blue/black, pyroxene, trace dissem py, calcite	medium
20037	602953	5813040	diorite		FS light grey. Lots biotite, trace (1-2%) dissem sulphide: cpy, py. Some epi.	medium
20046	603773	5813959	gabro/diorite		WS brown/grey/black. FS cpy, large biotite crystals, feldspar, in mafic matrix.	medium
20105	603933	5814317	felsic breccia		WS blue/black. FS blue/green, fine grain matrix. Some py, cpy, epi, lots of red oxidation.	trace
20122	603926	5814838	felsic breccia		WS grey. FS blue fine grain felsic matrix. Lots of fine py, 0 visible mafics.	0
20202	603796	5813809	intrusive		Orth Zone; composite chip hnl porphyry, inclusion rich, tr-4% S (py, aspy?)	0
20203	603797	5813889	feldspar porphyry		Orth Zone; composite grab trench debris; white grey feldspar porphyry, sericite after biotite, g'mass qtz, tr-2% S	0
20204	603773	5813967	diorite		Orth Zone; composite grab bt rich mafic diorite (hbl, spar, local qtz?); tr-1% f.gr. S (cpy>py)	0
20205	603226	5813834	hornblende		junction roads west side diorite contact; composite grab rusty hbl porphyry, tr-3% S (py)	0
20206	603592	5813676	diorite		diorite; fresh bt-hbl-feldspar-mt diorite w/ rusty patches after tr-1% cpy on fractures; locally pegmatoidal	0
20207	604413	5813580	syenite		East Zone; Orth side trench area, selective chip contact zone between syenite and augite volcs, 2-5% FeOx after	0
20208	603694	5813818	felsic breccia		NE Zone; terminus trench 1 (?) - composite chip rusty felsic bx w/ 1-5% py	0
20209	602745	5813550	diorite		DDH-16 (80-80.4m) - representative sample mafic diorite - hole previously unsampled	0
20210	605292	5813811	augite basalt		mineralized augite basalt. Euhedral pyx and feld (epi altering pyx). Cp=py in %. Finely disseminated	0
20211	605524	5814762	feldspar porphyry		float on access road. Feld porphyry with subhedral white feld phe0s. 0 vis min.	0
20212	605524	5814762	feldspar porphyry		float on access road. Feld porphyry with subhedral grey feld phe0s with ml0r epi altn. py is 0.1-0.3% (cp?).	0
20213	605259	5814487	augite basalt		hard, aphanitic dark mafic rock with 0. vis min.	0
20214	604398	5813870	augite basalt		magnetite flooded augite basalt (?), textural destruction, tr-2% f. gr. S (cpy>py); NE Zone	0
20215	604074	5812575	diorite		intrusive host rock (diorite) with spotty py (euhedral 1-3%) and v. local epi. Fractures host sulfide (patchy trace cp)	0
20216	604368	5813113	augite basalt		mineralized augite basalt. py>>>cp but cp is spotty and in clusters.	0
20217	604394	5813587	augite basalt		mineralized basalt(?). Granular phaneritic rock with large pyx %. Malachite staining on fresh fractures surface (trace %	0
20218	604394	5813587	monzonite		Ote: Rudy has coordinates. Monzonite with epi altn with trace cp. Intrusive in felsic fragmental rocks in Redgold	0
20219	603306	5813664	hornfels		dense, flinty siliceous rock, scaly bt, ab qtz (?), tr-2% S (py>cpy) - thin section	0
20222	604386	5812910	diorite		Microdiorite(?) in Augite Basalt. Rock is f.gr intrusive with granular texture. Epi is very gody and patchy. Trace min.	0
20223	603953	5812735	augite basalt		epidote-Kspar altered mafic volcanic, locally heavy dissemination, blebs of S (py>>cpy); road quarry pit??	0
20224	603986	5812681	augite basalt		as for 20223- outcrop minimum 5 m width	0
20225	604041	5812592	monzonite		gossanous, jarositic sheared or brecciated outcrop, 5-10% S (py>>cpy), 5m from monzonite contact	0
20226	604100	5812602	monzonite		monzonite; select sample of epidote - Kspar fracture fillings with tr-2% S (py>>cpy)	0
20227	604853	5812855	monzonite		monzonite with epidote alteration, tr-1% diss S (cpy?), actinolite megacrysts	0
20228	605047	5812757	skarn		hard, flinty Kspar-epidote-cc altered fragmental volcanic with tr-2% S (cpy,py); float boulder	0
20229	605081	5812714	hornfels			0
20230	605107	5812667	augite basalt		hard, pervasively altered augite basalt with ksp and epi. Malachite staining on fresh fracture (.1%). Cp <.5%	0
20231	606686	5813066	augite basalt			0
20232	606368	5812781	augite basalt			0
20233	606528	4812604	felsic breccia			0
20234	606221	5812487	felsic breccia			0
20235	607138	5814106	felsic breccia			0
20451	5814410	603375	felsic volcanic		Felsic Volcanic. Or(?) felds are irregular <0.3mm. py massive on fractures and lim staining on weathered surfaces.	0
20452	5814310	603625	augite basalt		Autobrecciated Augite Basalt. py is patchy in rock ~0.2%. Cp min: py>>Cp. Felsic Xenolith observed in Aug. Bas.	0
20801	604417	5813844			Sample taken from hole 96+50E L112N	0
20802	604452	5813844			Sample taken from hole 96+00E L112N	0
20803	604720	5814100			Hand sample taken from hole 99+00E L114N	0
20804	604775	5814060			Rock sample taken from hole 100+00E L114N	0
20805	604787	5813977			Rock sample taken from hole 100+00E L113N	0
20806	604311	5813766	felsic volcanic		Felsic matrix, trace py, calcite, white feldspar, pyroxene. 95+00E L111N	strong
20807	604178	5813762	hbl porphyry		felsic matrix, lots of hbl, py, (cpy? Bn?), kspar. 93+50E L111N	strong
20808	603880	5813635	felsic volcanic		blue/grey, felsic volcanic, feldspar, hbl, lots of hematite with cpy.	0
20809	604033	5813624	feldspar porphyry		Felsic matrix, hbl, py, cpy, rusty weathering, bn? Feldspar phe0crysts.	medium
20810	603943	5814138	monzonite		Subcrop from fallen tree hole, very felsic looking. Biotite, kspar, py, white feldspar, hbl. Intrusive.	strong
20811	603618	5813914	felsic volcanic		Blue felsic looking matrix, pyroxene, feldspar, cpy, py. From hole 88+00E L113N	medium
20812	603458	5813930	gabroic		FS dark equigranular, very mafic, Biotite, olivine, hematite, feldspar, py. cpy associated with local veining of secondary	strong
20273	605902	5809457	maroon basalt		WS white/grey, FS fine grain dark grey matrix. Some maroon alteration, trace py, some calcite.	medium
20274	605856	5809394	felsic volcanic		WS black. FS blue/grey, felsic looking matrix, some kspar, trace py, pyroxene, white feldspar.	0
20275	605758	5809347	maroon basalt		WS dark blue/purple, pyroxene, maroon alteration, dissem py.	medium
20276	605690	5809287	maroon basalt		WS white/grey. FS blue/grey, some purple, calcite veining, pyroxene.	0

Sample #	UTME	UTMN	Rock Type	Minerals	Comments	Magnetic
20277	605720	5809154	maroon basalt		same FS as before, trace py, pyroxene, trace olivine?	0
20278	606690	5816204	basalt		FS dark blue/grey, trace hematite, some epi, lots of dissem py, 1.5cm inclusion with lots of sulphide	strong
20279	606876	5816256	mafic volcanic		WS dark brown. FS purple/brown, pyroxene, olivine, trace py (cpy?), calcite rich matrix.	strong
20280	606877	5816223	altered mafic		WS dark brown. FS purple/dark grey, altered mafics, lots of red alteration, pyroxene, trace calcite, cpy, lots of dissem	0
20281	607110	5816270	hbl porphyry		WS dark brown, FS lighter blue, felsic matrix. Hbl, pyroxene, lots of py (trace cpy?)	trace
20282	607141	5816250	basalt breccia		WS black/purple. FS blue/grey, olivine, pyroxene, py, trace cpy, calcite.	0
20283	607162	5816252	basalt breccia		WS black/purple. FS dark blue/grey, lots of dissem py, pyroxene, trace cpy, lots of calcite	trace
20284	607258	5816204	felsic volcanic		WS brown/grey. FS blue, very fine grain felsic matrix. Lots of pyroxene, trace calcite, lots of dissem py	0
20285	607330	5816182	hbl porphyry		FS lots of red oxidation, trace py, trace blue/green oxidation (malachite, azurite?)	0




Legend

- ▲ 20157 Rock Sample
- Creek
- Major Contour
- Minor Contour
- Roads
- 530928 Cell Claim with Tenure Number
- 204604 Legacy Claim with Tenure Number


NovaGold Resources Inc.

Shiko Lake Project
Geochemistry
Rock Sample Locations

Map 1



North America Datum 1983, Projection UTM Zone 10(m)




Legend

- ▲ 20157 Rock Sample
- Creek
- Major Contour
- Minor Contour
- Roads
- 530928 Cell Claim with Tenure Number
- 204604 Legacy Claim with Tenure Number


NovaGold Resources Inc.

Shiko Lake Project
Geochemistry
Rock Sample Locations

Map 2



North America Datum 1983, Projection UTM Zone 10(m)




Legend


- 0.025 Soil Sample
- Creek
- Major Contour
- Minor Contour
- Roads
- 530928 Cell Claim with Tenure Number
- 204604 Legacy Claim with Tenure Number

NovaGold Resources Inc.

Shiko Lake Project
 Geochemistry
 Soil Top Samples
 Cu ppm Results
 Map 1



North America Datum 1983, Projection UTM Zone 10(m)




Legend

- 0.025 Soil Sample
- Creek
- Major Contour
- Minor Contour
- Roads
- 530928 Cell Claim with Tenure Number
- 204604 Legacy Claim with Tenure Number


NovaGold Resources Inc.

Shiko Lake Project
 Geochemistry
Soil Top Samples
Cu ppm Results
 Map 2



North America Datum 1983, Projection UTM Zone 10(m)





Legend


- S-13-186 Soil Sample
- Creek
- Major Contour
- Minor Contour
- Roads
- 530928 Cell Claim with Tenure Number
- 204604 Legacy Claim with Tenure Number

NovaGold Resources Inc.


Shiko Lake Project
Geochemistry

Soil Top Sample Locations

Map 1



North America Datum 1983, Projection UTM Zone 10(m)



Legend


- S-13-18-6 Soil Sample
- Creek
- Major Contour
- Minor Contour
- Roads
- 530928 Cell Claim with Tenure Number
- 204604 Legacy Claim with Tenure Number

NovaGold Resources Inc.


Shiko Lake Project
Geochemistry

Soil Top Sample Locations

Map 2



North America Datum 1983, Projection UTM Zone 10(m)



Legend


- S-13-18-6 Soil Sample
- Creek
- Major Contour
- Minor Contour
- Roads
- 530928 Cell Claim with Tenure Number
- 204604 Legacy Claim with Tenure Number

NovaGold Resources Inc.


Shiko Lake Project
Geochemistry

Soil Bottom Sample Locations

Map 1



North America Datum 1983, Projection UTM Zone 10(m)




Legend

- S-13-18-6 Soil Sample
- Creek
- Major Contour
- Minor Contour
- Roads
- 530928 Cell Claim with Tenure Number
- 204604 Legacy Claim with Tenure Number


NovaGold Resources Inc.

Shiko Lake Project
Geochemistry
Soil Bottom Sample Locations

Map 2



North America Datum 1983, Projection UTM Zone 10(m)




Legend


- 0.025 Soil Sample
- Creek
- Major Contour
- Minor Contour
- Roads
- 530928 Cell Claim with Tenure Number
- 204604 Legacy Claim with Tenure Number

NovaGold Resources Inc.

Shiko Lake Project
 Geochemistry
Soil Bottom Samples
Cu ppm Results
 Map 1



North America Datum 1983, Projection UTM Zone 10(m)




Legend


- 0.025 Soil Sample
- Creek
- Major Contour
- Minor Contour
- Roads
- 530928 Cell Claim with Tenure Number
- 204604 Legacy Claim with Tenure Number

NovaGold Resources Inc.

Shiko Lake Project
 Geochemistry
Soil Bottom Samples
Cu ppm Results
 Map 2



North America Datum 1983, Projection UTM Zone 10(m)




Legend

- 0.025 Soil Sample
- Creek
- Major Contour
- Minor Contour
- Roads
- 530928 Cell Claim with Tenure Number
- 204604 Legacy Claim with Tenure Number


NovaGold Resources Inc.

Shiko Lake Project
 Geochemistry
 Soil Top Samples
 Au ppm Results
 Map 1



North America Datum 1983, Projection UTM Zone 10(m)






Legend

- 0.025 Soil Sample
- Creek
- Major Contour
- Minor Contour
- Roads
- 530928 Cell Claim with Tenure Number
- 204604 Legacy Claim with Tenure Number


NovaGold Resources Inc.

Shiko Lake Project
 Geochemistry
Soil Top Samples
Au ppm Results
 Map 2



North America Datum 1983, Projection UTM Zone 10(m)






Legend


- 0.025 Soil Sample
- Creek
- Major Contour
- Minor Contour
- Roads
- 530928 Cell Claim with Tenure Number
- 204604 Legacy Claim with Tenure Number

NovaGold Resources Inc.

Shiko Lake Project
 Geochemistry
Soil Bottom Samples
Au ppm Results
 Map 1



North America Datum 1983, Projection UTM Zone 10(m)




Legend


- 0.025 Soil Sample
- Creek
- Major Contour
- Minor Contour
- Roads
- 530928 Cell Claim with Tenure Number
- 204604 Legacy Claim with Tenure Number

NovaGold Resources Inc.

Shiko Lake Project
 Geochemistry
Soil Bottom Samples
Au ppm Results
 Map 2



North America Datum 1983, Projection UTM Zone 10(m)



Legend

- ▲ 0.025 Rock Sample
- Creek
- Major Contour
- Minor Contour
- Roads
- 530928 Cell Claim with Tenure Number
- 204604 Legacy Claim with Tenure Number


NovaGold Resources Inc.

Shiko Lake Project
 Geochemistry
 Rock Samples
 Au ppm Results
 Map 1

0 100 200 400 600
 Meters
 1:10,000

North America Datum 1983, Projection UTM Zone 10(m)






Legend


- ▲ 0.025 Rock Sample
- Creek
- Major Contour
- Minor Contour
- Roads
- 530928 Cell Claim with Tenure Number
- 204604 Legacy Claim with Tenure Number

NovaGold Resources Inc.

Shiko Lake Project
 Geochemistry
 Rock Samples
 Au ppm Results
 Map 2



1:10,000
 North America Datum 1983, Projection UTM Zone 10(m)



Legend


- ▲ 0.025 Rock Sample
- Creek
- Major Contour
- Minor Contour
- Roads
- 530928 Cell Claim with Tenure Number
- 204604 Legacy Claim with Tenure Number


NovaGold Resources Inc.

Shiko Lake Project
 Geochemistry
 Rock Samples
 Cu ppm Results
 Map 1

0 100 200 400 600
 Meters
 1:10,000

North America Datum 1983, Projection UTM Zone 10(m)





5813000
5812000
5811000
5810000
5809000


602000 603000 604000 605000 606000 607000 608000

Legend

- ▲ 0.025 Rock Sample
- Creek
- Major Contour
- Minor Contour
- Roads
- 530928 Cell Claim with Tenure Number
- 204604 Legacy Claim with Tenure Number

NovaGold Resources Inc.

Shiko Lake Project
Geochemistry
Rock Samples
Cu ppm Results
Map 2



North America Datum 1983, Projection UTM Zone 10(m)