

GEOCHEMICAL REPORT

BURN PROPERTY

**Latitude 55°23'N
Longitude: 127°45'W
NTS: 93M/5W**

OMINECA MINING DIVISION

OWNER/OPERATOR:

**TENAJON RESOURCES CORP.
860-625 Howe Street,
Vancouver, B.C.,
V6C-2T6**

Report By:

**Dave Visagie, P. Geo.
Exploration Manager
The Northair Group**

February 22, 2007

TABLE OF CONTENTS

		Page
1.0	INTRODUCTION	1
2.0	LOCATION AND ACCESS	1
3.0	TOPOGRAPHY AND VEGETATION	1
4.0	CLAIM STATUS	1
5.0	PROPERTY HISTORY	4
6.0	REGIONAL GEOLOGY	4
7.0	PROPERTY GEOLOGY	4
8.0	2006 WORK PROGRAM	5
9.0	GEOCHEMICAL PROCEDURES	5
	9.1 Field Procedure-Soil Samples	5
10.0	RESULTS	6
	10.1 Soil Sample Results	6
	10.2 Soil Profile Results	6
11.0	SUMMARY AND CONCLUSIONS	6
12.0	RECOMMENDATIONS	6
13.0	STATEMENT OF QUALIFICATIONS	7
14.0	COST STATEMENT	8

LIST OF FIGURES

1	PROPERTY LOCATION	2
2	CLAIM MAP	3
3	SAMPLE LOCATIONS AND GOLD ASSAY RESULTS	9

LIST OF APPENDICES

1	ASSAY CERTIFICATES	10
---	--------------------	----

1.0 INTRODUCTION

Between November 2nd and November 4th, 2006, personnel from CJL Enterprises Ltd. completed a soil sampling program on Tenajon Resources Corp.'s Burn Property located near Kispiox, northwestern British Columbia. The purpose of the survey was to sample an area north of a large open-ended in soil molybdenum anomaly outlined by Noranda in 1970's. The survey resulted in 62 samples being collected. The cost of the program is calculated to be \$5,230.95

2.0 LOCATION AND ACCESS (Figure 1)

The Burn Property is located approximately 18 kilometers north of Hazelton, B.C. It is centred at latitude 55°24'N, longitude 127°45'W. It occurs on 1:50,000 NTS Sheet 93M 5W.

Access to the north end of the property is by secondary gravel roads. An overgrown dirt road extending 6.5 kilometers to the centre of the group branches from the main Kispiox-Date Creek road 1.3 kilometers north of the Kispiox River Bridge

3.0 TOPOGRAPHY AND VEGETATION

The property occurs within the Omineca Mountain Range. Regional topography is characterized by isolated rugged mountain peaks separated by broad wooded valleys. Many of the peaks are over 2000 metres high and are surrounded by ice and snow fields. At the property topography is relatively moderate. Local elevations range from 900 to 1200 metres.

There has been limited logging completed at the north end of the property. The area has been replanted and the growth is thick.

4.0 CLAIM STATUS (Figure 2)

The Burn Property is located in the Omineca Mining Division. It consists of the following claims.

Claim	Tenure #	Size (Ha)	Due Date
Burn 1	505118	441.063	Jan 28/2009*
Burn 2	505119	441.252	Jan 28/2008*
Burn 3	505933	220.493	Feb 04/2008*d

* Contingent upon the report being approved.




Figure 1-Burn Property Location




Figure 2: Claim Map-Burn Property

5.0 PROPERTY HISTORY

Molybdenum was first noted on the Burn Property in 1973 when E. Sargent located molybdenum within and adjacent to a granodiorite stock while prospecting for Hazelton Joint Ventures. Follow-up work included soil sampling, geological mapping and the drilling of one AQ sized, 105.4 metre long (346 feet) diamond drill hole. In 1975, Sargent restaked the property and optioned it to Noranda Mines Ltd. Noranda personnel subsequently completed soil sampling, mapping, magnetometer, V.L.F. and an I.P. survey. In 1976 the property was returned to the vendor.

In 1979, Amoco Canada Petroleum Ltd. optioned the property. Amoco personnel subsequently completed line-cutting, geophysical and geochemical surveying, mapping and the drilling of six (3 in 1979, 3 in 1980) NQ-sized diamond drill holes totaling 2,439.51 metres in length. A search of the assessment records shows only the results for Hole BBC-80-6 which was drilled to test tenor of the western side of the granodiorite stock. The hole intersected a 117 metre section, between 27 and 144 metres, averaging 0.088% MoS₂. In addition, a second zone was intersected between 207 to 231 metres averaging 0.082% MoS₂. Both zones are hosted by granodiorite. From 300.55 to 571.43 metres feldspar porphyry was intersected, the first 214 metres of which averaged 0.044% MoS₂. Within the intersections, molybdenite occurs as disseminations, fracture fillings, and as rims along the edges of quartz veins.

There is no record of any work being completed on the property since 1980.

6.0 REGIONAL GEOLOGY

The property is underlain by Jurassic and Cretaceous rocks of Stikinnia terrane.

7.0 PROPERTY GEOLOGY

The property is underlain by a series of north striking sediments consisting of argillites, sandstones, and shales that locally have been intruded by a small stock of granodiorite and several narrow dikes of biotite-feldspar porphyry. The stock is up to 300 metres wide and over 600 metres long, with the northern contact being overburden covered. The sediments have been altered to a biotite hornfels around the contact, with the alteration extending 100's of metres from the contact.

The sediments are cross-cut by a series of north trending biotite-feldspar porphyry dikes around the stock, particularly on the south side. No contact relationships have been observed between these dikes and the stock so the age relationship is not known. These dikes carry pyrite along with minor chalcopyrite and molybdenite.

The intrusive and the surrounding hornfels have been cross-cut by a quartz stockwork of variable intensity. The density of the quartz stockwork on surface appears to increase to the north. This may be a function of the level of erosion, being more deeply eroded to the north.

Up to 5% disseminated pyrite and pyrrhotite along with minor chalcopyrite and molybdenite occur in the hornfels. Molybdenite occurs in virtually all of the outcrops of the intrusive with the overall content appearing to increase to the north. Within the intrusive it occurs in a fine quartz stockwork, disseminations, and along fracture faces.

8.0 2006 WORK PROGRAM

The purpose of the 2006 work program was to determine the northern limits of the in-soil molybdenum anomaly as outlined previously.

The work was contracted to CJL Enterprises, Box 662, Smithers, British Columbia. The work resulted in the taking of 65 soil samples. The program required 9 man days to complete. The program was designed by Dave Visagie. The crew and days worked are listed below.

Name	Days Worked	Total
Victor Mowat	Nov. 02-04	2.5 days
Ray Mowat	Nov. 02-04	2.5 days
Justin Pierre	Nov 02-03	2 days
Darren Fargie	Nov 02-03	2 days

The soil samples were assayed at Eco-Tech Laboratories, 10041 Dallas Drive, Kamloops, B.C.

9.0 GEOCHEMICAL PROCEDURES

Sampling at the Burn Property was completed on three compass, flagged and chained lines. The lines were located at 106, 108 and 109+50N. The lines were selected on the basis of prevailing snow conditions. Line 100+00N was the most northerly line sampled by Noranda. Line length varies from 600 to 1200 metres. Sample sites were at 50 metre intervals along the lines.

9.1 Field Procedure-Soil Samples

Where possible the soil samples were collected from the B horizon using a mattock, identified, stored in kraft sample bags and dried. In the sampled area the overburden is thick with river bottom sediments and thick organic cover related to swamps occurring throughout. The sample locations are plotted on Figure 3.




Figure 3: Sample Location Map

9.2 Assay Procedure

For the ICP analysis, a 15 gram sample is digested with 3 ml of 2:2:2 nitric acid to hydrochloric acid to water at 95° for 1.0 hour after being left in a test tube at room temperature for a ½ hour. The sample is then diluted to 20 mls with demineralized water and analyzed by ICP-MS (mass spectrometry). The leach is partial for Al, B, Ba, Ca, Cr, Fe, K, Mg, Mn, Na, P, Sb, Ti, U and W. The sample locations are plotted on Figure 3.

10.0 RESULTS

The results for all of the elements are listed in Appendix 1. The in-soil molybdenum values are plotted on Figure 3

10.1 Soil Sample Results

Only three of the sample sites assayed >10 ppm Mo with the highest value being 125 ppm Mo. No patterns were outlined.

11.0 SUMMARY AND CONCLUSIONS

Previous work at Tenajon Resources Corp.'s Burn Property identified a widespread in soil molybdenum that was open to the north. The anomaly is coincidental with the intrusion of a granodiorite plug into sediments. The intrusion and surrounding sediments host molybenite as fracture fillings, within stockwork and as disseminations. Limited drilling has returned positive results including a 114 metre intercept averaging 0.089% MoS₂. In an effort to determine the limit of the anomaly, soil sampling was complete on three lines located between 600 and 950 metres to the north. The survey required nine man days of labour to complete. The survey did not detect anything of interest reflecting the extensive overburden cover.

12.0 RECOMMENDATIONS

It is recommended that additional soil sampling be undertaken. The sampling would be completed when the snow has gone and would be completed on Lines 102 and 104 N in an attempt to better define the anomaly.

13.0 STATEMENT OF QUALIFICATIONS

David A Visagie, B.Sc
860-625 Howe Street,
Vancouver, B.C.
V6C 2T6
Tel: 604-687-7545
E-Mail: visagie@northair.com

I, David A Visagie, do hereby certify that:

I graduated from the University of British Columbia in 1976 with a Bachelor of Science Degree Majoring in Geology.

I have been continuously employed within the mining industry since that time.

I am a member of the Association of Professional Engineers and Geoscientist of B.C. (#19520).

I am currently employed by the Northair Group, which acts as an umbrella group for a group of exploration companies including International Northair Mines Ltd. as the Group Exploration Manager.

Dated this 25th day of November, 2007 in Vancouver, B.C.

Dave Visagie, P. Geo.
Senior Geologist
The Northair Group

14.0 COST STATEMENT

Company Labour		\$ 330.00
D. Visagie	0.75 man-days Preparation @ \$440/manday	
CJL Invoice		\$ 3,204.91
Includes 9 man-days labour @ \$275/manday, truck and equipment rental and sample shipping		
Assaying		\$ 520.50
62 samples prep and ICP analysis: total as shown on invoice		
• includes GST		
Report		\$ 700.00
Includes labour, drafting, copying		
	Sub Total	\$ 4,755.41
Management		<u>\$ 475.54</u>
10%		
	Total	\$ 5,230.95

APPENDIX 1: SAMPLE DESCRIPTIONS

Et #	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn		
		ICP CERTIFICATE OF ANALYSIS AS 2006-1961 ECO TECH LABORATORY LTD. 10041 Dallas Drive KAMLOOPS, B.C. V2C 6T4 Phone: 250-573-5700 Fax : 250-573-4557																							Tenajon Resources 860 - 625 Howe Street Vancouver, BC V6C 2T6 No. of samples received: 62 Sample Type: Soil Project: Bush Shipment #: 1 Submitted by: C.J. Enterprise Ltd.						
Values in ppm unless otherwise reported																															
1	L106N 9400E	0.4	2.54	10	95	<5	0.08	<1	12	20	21	4.15	<10	0.47	350	3	<0.01	22	1230	26	<5	<20	8	<0.01	<10	54	<10	<1	113		
2	L106N 9450E	0.3	2.14	10	90	<5	0.15	<1	14	22	25	3.85	<10	0.74	514	4	<0.01	31	1180	22	<5	<20	8	<0.01	<10	54	<10	<1	105		
3	L106N 9500E	0.2	1.94	10	135	<5	0.22	<1	13	22	28	3.44	<10	0.59	628	4	<0.01	28	810	20	<5	<20	15	<0.01	<10	54	<10	3	96		
4	L106N 9550E	0.2	1.66	<5	135	<5	0.29	<1	10	19	18	3.00	<10	0.54	461	3	<0.01	20	490	18	<5	<20	25	<0.01	<10	50	<10	<1	77		
5	L106N 9800E	0.3	1.97	10	105	<5	0.13	<1	9	20	19	3.28	<10	0.45	278	4	<0.01	21	680	22	<5	<20	10	<0.01	<10	53	<10	<1	108		
6	L106N 9850E	0.5	1.21	<5	110	5	0.25	<1	4	12	11	2.37	<10	0.18	192	3	<0.01	9	960	14	<5	<20	19	<0.01	<10	47	<10	3	50		
7	L106N 9700E	0.2	2.28	10	115	5	0.12	<1	12	25	23	3.83	<10	0.51	362	3	<0.01	30	1470	28	<5	<20	7	<0.01	<10	56	<10	<1	127		
8	L106N 9750E	0.5	1.79	5	95	5	0.15	<1	7	18	15	3.25	<10	0.24	304	4	<0.01	13	1150	24	<5	<20	9	<0.01	<10	54	<10	<1	105		
9	L106N 9800E	0.2	1.84	25	155	5	0.48	<1	13	25	33	3.49	<10	0.61	1190	12	0.01	29	500	24	<5	<20	44	<0.01	<10	55	<10	5	63		
10	L106N 9850E	0.2	1.57	10	120	5	0.21	<1	7	15	15	3.85	<10	0.28	190	7	<0.01	12	740	18	<5	<20	14	0.02	<10	62	<10	<1	122		
11	L106N 9900E	0.6	2.54	30	235	<5	0.55	<1	19	30	53	5.81	10	0.65	2908	25	0.01	35	1180	28	<5	<20	56	<0.01	<10	70	<10	30	83		
12	L106N 9950E	0.3	1.59	<5	120	<5	0.23	<1	7	17	18	3.58	<10	0.38	229	5	<0.01	18	380	14	<5	<20	27	0.01	<10	62	<10	<1	62		
13	L106N 10100E	0.4	1.58	<5	105	10	0.07	<1	8	17	11	5.12	<10	0.17	133	19	<0.01	8	460	18	<5	<20	6	0.02	<10	77	<10	<1	67		
14	L106N 10150E	0.3	1.74	10	75	5	0.05	<1	8	16	10	3.61	<10	0.20	170	5	<0.01	11	610	22	<5	<20	6	0.02	<10	60	<10	<1	85		
15	L106N 9400E	0.2	1.99	10	70	10	0.09	<1	11	19	18	4.34	<10	0.45	357	5	<0.01	17	1780	24	<5	<20	5	<0.01	<10	59	<10	<1	128		
16	L106N 9450E	0.3	1.77	10	110	5	0.08	<1	8	15	15	3.28	<10	0.35	220	4	<0.01	15	300	18	<5	<20	5	<0.01	<10	53	<10	<1	89		
17	L106N 9500E	0.4	2.32	10	110	5	0.12	<1	11	21	19	3.52	<10	0.47	278	3	<0.01	26	990	20	<5	<20	10	<0.01	<10	52	<10	<1	120		
18	L106N 9550E	0.4	1.30	5	180	<5	0.37	<1	8	13	18	2.67	<10	0.31	470	2	<0.01	12	1530	18	<5	<20	27	0.01	<10	44	<10	<1	106		
19	L106N 9800E	0.3	2.31	15	215	<5	0.30	<1	13	24	38	4.17	<10	0.54	737	6	<0.01	27	550	24	<5	<20	26	<0.01	<10	68	<10	1	118		
20	L106N 9850E	0.7	2.04	10	245	<5	1.10	<1	11	20	44	3.14	20	0.48	1177	7	0.01	27	1000	22	<5	<20	90	<0.01	<10	42	<10	36	58		
21	L106N 9700E	0.5	1.57	10	175	<5	0.78	<1	9	17	28	2.57	<10	0.44	691	4	0.01	20	810	18	<5	<20	70	<0.01	<10	43	<10	9	54		
22	L106N 9900E	0.2	1.18	<5	130	<5	0.24	<1	8	13	10	1.95	<10	0.38	248	1	<0.01	14	380	18	<5	<20	21	0.01	<10	35	<10	<1	82		
23	L106N 9850E	0.4	1.30	<5	160	5	0.39	<1	8	16	13	2.03	<10	0.44	947	1	0.01	16	840	14	<5	<20	24	0.01	<10	34	<10	5	97		
24	L106N 9900E	0.2	1.62	5	145	10	0.18	<1	10	17	15	3.24	<10	0.40	497	3	<0.01	18	1180	22	<5	<20	12	<0.01	<10	51	<10	<1	109		
25	L106N 9950E	0.3	1.38	5	110	<5	0.21	<1	7	16	11	3.86	<10	0.28	214	3	<0.01	11	1330	20	<5	<20	22	0.02	<10	67	<10	<1	117		
		ICP CERTIFICATE OF ANALYSIS AS 2006-1961 ECO TECH LABORATORY LTD.																							Tenajon Resources						
26	L106N 10000E	0.2	1.68	10	80	5	0.10	<1	8	17	12	3.05	<10	0.34	241	2	<0.01	17	1050	22	<5	<20	6	0.01	<10	48	<10	<1	96		
27	L106N 10100E	0.5	1.90	10	140	5	0.40	<1	11	24	20	3.23	<10	0.67	1099	2	<0.01	30	690	28	<5	<20	23	0.01	<10	51	<10	7	112		
28	L106N 10150E	0.4	2.28	10	140	5	0.12	<1	8	19	11	3.44	<10	0.32	230	4	<0.01	20	900	30	<5	<20	9	<0.01	<10	52	<10	<1	211		
29	L106N 10200E	0.5	1.12	<5	85	<5	0.16	<1	5	12	9	1.62	<10	0.24	367	2	<0.01	11	680	16	<5	<20	9	<0.01	<10	29	<10	<1	79		
30	L106N 10250E	0.5	1.48	<5	80	<5	0.07	<1	4	12	9	1.61	<10	0.18	128	2	<0.01	10	360	20	<5	<20	3	<0.01	<10	35	<10	<1	73		
31	L106N 10300E	0.5	1.19	<5	120	<5	0.36	<1	5	12	9	1.32	<10	0.28	271	1	<0.01	11	410	18	<5	<20	20	<0.01	<10	31	<10	5	50		
32	L106N 10350E	0.2	1.68	10	110	10	0.13	<1	10	20	18	3.04	<10	0.53	510	3	<0.01	24	780	24	<5	<20	6	0.01	<10	47	<10	<1	93		
33	L106N 10400E	0.4	1.78	10	110	<5	0.12	<1	9	21	19	3.07	<10	0.45	276	3	<0.01	24	670	26	<5	<20	10	<0.01	<10	47	<10	<1	87		
34	L106N 10450E	0.3	2.08	10	100	5	0.12	<1	8	21	12	3.67	<10	0.40	398	4	<0.01	20	1830	30	<5	<20	5	<0.01	<10	53	<10	<1	115		
35	L106N 10500E	0.4	0.92	<5	80	5	0.15	<1	4	11	6	1.78	<10	0.20	182	2	<0.01	10	720	18	<5	<20	7	0.01	<10	37	<10	<1	55		
36	L106N 10550E	<0.2	1.61	5	140	<5	0.28	<1	15	22	34	3.86	<10	0.60	798	125	<0.01	28	350	22	<5	<20	24	<0.01	<10	52	<10	6	51		
37	L110N 9400E	<0.2	1.97	5	80	10	0.09	<1	9	19	12	4.73	<10	0.31	362	8	<0.01	13	2670	28	<5	<20	3	<0.01	<10	67	<10	<1	113		
38	L110N 9450E	0.2	2.01	10	75	5	0.04	<1	9	16	9	3.68	<10	0.28	398	3	<0.01	13	2470	28	<5	<20	1	<0.01	<10	56	<10	<1	136		
39	L110N 9500E	0.3	2.38	10	85	10	0.08	<1	11	20	18	4.11	<10	0.42	370	4	<0.01	20	1380	32	<5	<20	3	<0.01	<10	57	<10	<1	152		

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
40	L110N 9650E	<0.2	1.74	10	45	5	0.09	<1	6	14	9	3.85	<10	0.21	414	4	<0.01	9	2140	26	<5	<20	4	0.01	<10	58	<10	<1	72
41	L110N 9800E	0.3	2.15	10	65	5	0.05	<1	8	15	10	3.93	<10	0.13	217	4	<0.01	9	2150	30	<5	<20	2	<0.01	<10	62	<10	<1	102
42	L110N 9650E	0.2	1.04	5	95	<5	0.20	<1	6	11	8	2.93	<10	0.25	213	3	<0.01	10	550	18	<5	<20	17	0.02	<10	50	<10	<1	94
43	L110N 9700E	<0.2	1.81	10	95	5	0.24	<1	13	23	24	3.16	<10	0.70	731	4	<0.01	30	420	22	<5	<20	13	0.01	<10	50	<10	5	60
44	L110N 9750E	0.2	1.82	10	165	<5	0.34	<1	12	19	19	2.82	<10	0.45	1047	2	<0.01	21	750	24	<5	<20	26	<0.01	<10	46	<10	8	120
45	L110N 9800E	0.2	1.13	<5	125	<5	0.36	<1	10	14	15	2.57	<10	0.33	524	3	<0.01	14	690	20	<5	<20	25	0.01	<10	42	<10	3	97
46	L110N 9850E	<0.2	1.58	10	160	5	0.27	<1	15	21	18	3.85	<10	0.45	2473	4	<0.01	21	1500	30	<5	<20	17	0.01	<10	59	<10	<1	117
47	L110N 9950E	<0.2	1.81	10	85	<5	0.13	<1	9	20	18	4.07	<10	0.37	249	4	<0.01	19	1830	28	<5	<20	8	<0.01	<10	56	<10	<1	117
48	L110N 10000E	0.2	1.62	10	75	5	0.14	<1	9	18	16	4.00	<10	0.40	368	4	<0.01	17	2130	22	<5	<20	5	<0.01	<10	58	<10	<1	107
49	L110N 10050E	0.4	1.22	5	125	<5	0.58	<1	8	11	22	2.09	<10	0.27	919	3	0.01	14	640	18	<5	<20	33	<0.01	<10	37	<10	15	52
50	L110N 10100E	0.2	0.87	<5	80	<5	0.21	<1	6	10	10	2.34	<10	0.22	316	3	0.01	8	920	12	<5	<20	16	0.01	<10	50	<10	<1	81
51	L110N 10150E	0.2	1.59	5	100	5	0.20	<1	10	17	15	3.59	<10	0.47	406	4	<0.01	18	1560	18	<5	<20	14	<0.01	<10	53	<10	<1	123
52	L110N 10200E	0.2	1.59	10	120	5	0.33	<1	12	18	19	3.81	<10	0.51	499	3	<0.01	21	1340	24	<5	<20	22	0.01	<10	53	<10	<1	117
53	L110N 10250E	0.2	0.94	5	90	10	0.17	<1	5	11	6	3.16	<10	0.18	162	3	<0.01	8	2320	18	<5	<20	10	0.02	<10	61	<10	<1	75
54	L110N 10300E	0.2	1.75	5	70	<5	0.14	<1	12	21	15	4.18	<10	0.50	707	3	<0.01	19	2760	24	<5	<20	10	<0.01	<10	58	<10	<1	129
55	L110N 10350E	0.2	2.05	5	75	10	0.05	<1	10	21	12	4.06	<10	0.37	379	3	<0.01	17	2930	24	<5	<20	4	0.01	<10	58	<10	<1	140
56	L110N 10400E	<0.2	1.93	10	70	5	0.11	<1	11	19	18	3.72	<10	0.53	528	3	<0.01	22	970	22	<5	<20	3	<0.01	<10	55	<10	<1	104
57	L110N 10450E	<0.2	1.58	10	95	5	0.04	<1	9	17	13	4.06	<10	0.40	255	4	<0.01	16	910	22	<5	<20	5	0.01	<10	66	<10	<1	111
58	L110N 10500E	<0.2	1.65	10	105	5	0.06	<1	10	18	13	3.65	<10	0.44	278	5	<0.01	18	460	22	<5	<20	6	<0.01	<10	59	<10	<1	122
59	L110N 10550E	0.3	1.72	10	90	5	0.14	<1	9	17	12	4.30	<10	0.35	265	9	<0.01	15	1010	24	<5	<20	14	0.01	<10	63	<10	<1	103
60	L110N 10600E	<0.2	1.92	10	80	5	0.06	<1	12	20	14	4.09	<10	0.44	346	5	<0.01	20	1910	28	<5	<20	2	0.01	<10	60	<10	<1	121
61	L110N 10650E	<0.2	1.80	10	100	10	0.11	<1	14	20	15	3.99	<10	0.59	468	5	<0.01	25	1500	28	<5	<20	7	<0.01	<10	54	<10	<1	122
62	L110N 10700E	<0.2	1.93	10	105	5	0.11	<1	13	20	18	3.96	<10	0.51	628	5	<0.01	22	2110	24	<5	<20	5	<0.01	<10	57	<10	<1	103
ECO TECH LABORATORY LTD. Tenajon Resources																													
ICP CERTIFICATE OF ANALYSIS AS 2006-1961																													
Et #	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
DATA:																													
Repeat:																													
7	L106N 9400E	0.4	2.41	10	90	5	0.08	<1	12	20	20	4.10	<10	0.44	348	4	<0.01	23	1270	30	<5	<20	5	<0.01	<10	52	<10	<1	115
10	L106N 9850E	0.2	1.63	<5	135	5	0.21	<1	7	16	18	3.88	<10	0.27	196	6	<0.01	12	720	18	<5	<20	14	0.02	<10	64	<10	<1	124
19	L106N 9600E	0.3	2.11	15	190	5	0.28	<1	14	23	34	4.06	<10	0.50	711	5	<0.01	27	560	30	<5	<20	24	<0.01	<10	63	<10	<1	125
28	L106N 10150E	0.4	2.30	10	135	<5	0.12	<1	8	19	11	3.43	<10	0.33	233	2	<0.01	21	690	28	<5	<20	8	0.01	<10	52	<10	<1	210
36	L106N 10550E	<0.2	1.69	10	140	5	0.28	<1	16	23	37	3.76	<10	0.62	794	126	<0.01	27	340	24	<5	<20	25	<0.01	<10	54	<10	6	52
45	L110N 9900E	0.2	1.18	<5	125	5	0.36	<1	10	15	15	2.83	<10	0.34	531	2	<0.01	13	690	18	<5	<20	25	0.01	<10	45	<10	3	97
54	L110N 10300E	0.2	1.97	5	70	10	0.14	<1	13	22	18	4.47	<10	0.56	737	4	0.01	22	2630	22	<5	<20	8	<0.01	<10	63	<10	<1	130
Standard:																													
III-3		1.5	1.04	80	35	<5	0.48	<1	12	58	19	1.91	10	0.54	298	<1	0.02	26	430	29	<5	<20	11	0.06	<10	37	<10	10	36
III-3		1.4	1.02	75	40	<5	0.46	<1	12	59	19	1.86	10	0.53	293	<1	0.02	29	450	29	<5	<20	10	0.05	<10	38	<10	10	37
JJ/bp																													
df/1961																													
XLS/06																													
ECO TECH LABORATORY LTD.																													
Jutta Jealous																													
B.C. Certified Assayer																													