

RECEIVED

APR 30 2007

Gold Commissioner's Office
VANCOUVER, B.C.

ASSESSMENT REPORT

on

2006 EXPLORATION PROGRAMME

on the

PLACER CLAIM 514562

SPANISH MOUNTAIN AREA

CARIBOO MINING DISTRICT, BRITISH COLUMBIA

NTS: 93A/11W
Latitude 52° 35'N, Longitude 121° 26'W

for

**Skygold Ventures Ltd.
615-800 W. Pender St.
Vancouver, BC V6C 2V6**

and

**Wildrose Resources Ltd.
110-325 Howe St.
Vancouver, B.C.
V6C 1Z7**

By

R.J.Johnston, P.Geo.

February 19, 2007

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

29,079

TABLE OF CONTENTS

	Page
Introduction	1
Accessibility, Climate, Local Resources, Infrastructure and Physiography	1
Property Description	3
Geological Setting	3
2006 Exploration	3
Sample Summary	4
Cost Statement	6
Interpretation and Conclusions	6
Statement of Qualifications	6
References	7

APPENDICES

APPENDIX 1	Reverse Circulation Drill logs
APPENDIX 2	Analytical Results

LIST OF FIGURES

	Page
Figure 1	2
Figure 2	in pocket

INTRODUCTION

The Spanish Mountain Property is located in the Cariboo Mining District in central BC, six kilometres east of the village of Likely. The property consists of mineral claims and one placer mineral claim that located on top of some of the mineral claims. The work described in this report was funded by Skygold Ventures Ltd and Wildrose Resources Inc.

The area is situated near the eastern edge of the Quesnel Terrane near its eastern contact with the Omineca Terrane, and is underlain by folded and faulted Triassic sedimentary rocks of the lower Takla Group. Previous work on the Spanish Mountain Property has shown the presence of gold in quartz veins and in disseminated bodies in fine argillaceous rocks.

In 1994 material that had been stripped in the process of exposing a small area from which a test mining operation was tested for its placer gold potential. Three (30 to 40 kilogram) samples were, at that time, processed for in a placer recovery jig and one bank run of approximately 50 yards was run through a placer recovery plant. This work indicated a grade that ranged between 0.025 to 0.081oz/yd (0.86 to 2.78g/t Au).

In 2006 reverse circulation drilling on the mineral claims on Spanish Mountain intersected overburden intervals in area near where the 1994 material had been collected. Samples from these overburden sections were collected, logged and forwarded to Eco-Tech laboratories in Kamloops for analysis.

Accessibility, Climate, Local Resources, Infrastructure and Physiography


The Spanish Mountain Property is located approximately six kilometres east of the village of Likely and 70 kilometres northeast of Williams Lake, British Columbia. The 514562 placer claim is located on the north slope of Spanish Mountain. Access to the area is provided by a 85 kilometre paved secondary road from 150 Mile House on Highway 97 to Likely, and then for approximately seven kilometres by the gravel-surfaced Spanish Lake (1300) logging road, and then on unmaintained forestry and mining access roads to the placer claim area.

The climate of this area is modified continental, with cold, snowy winters and long warm summers. Being located just east of the BC interior dry belt, the area receives about 40 centimetres of precipitation, with most it falling in the winter as snow.

The village of Likely has basic amenities: a motel and cabins for rent, a corner store, gas pumps and a pub. Several hundred people live in the area with forestry, tourism and placer-gold mining providing the main employment opportunities. Some heavy equipment is available locally for hire but most equipment and supplies are sourced from the regional centre of Williams Lake.

The Spanish Mountain area is located in the Quesnel Highland of the Interior Plateau, an area that is characterised by a subdued and undulating, deeply-dissected topography. Ridge tops and low summits generally range from 1400 to 1800 metres while valley bottoms are commonly found below 1000 metres. This area of the Interior Plateau is part of the Quesnel River drainage that includes Spanish and Cedar Creeks that drain the Spanish Mountain claim area. Quaternary glaciation was extensive in this area with several advances and inter-glacial periods recognized. A general Pleistocene stratigraphy of this area attributes the thick gravels filling most valleys.

514562 Placer Claim



Legend

- Indian Reserves
- National Parks
- Parks
- Mineral Tenures (Placer - LRDW)
- Placer Claim
- Placer Lease
- Reserves (Placer - LRDW Sites)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Mining Division (Placer - LRDW)
- Mineral Titles Grid (LRDW)
- Integrated Cadastral Fabric
- BCGS Grid
- Contours (TRIM)
- Contour - Index
- Contour - Index.Indefinite
- Contour - Index.Depression
- Contour - Index.Depression.Indefinite
- Contour - Intermediate
- Contour - Intermediate.Indefinite
- Contour - Intermediate.Depression
- Contour - Intermediate.Depression.Indefinite
- Areaof Exclusion
- Areaof Indefinite Contours
- Annotation (1:20K)
- Transportation - Points (TRIM)
- Helipad
- Transportation - Lines (TRIM)
- Airfield
- Airport
- Airstrip
- Airport.Abandoned
- Ferry Route
- Road (Gravel Undivided) - 1 Lane
- Road (Gravel Undivided) - 2 Lanes
- Road (Gravel Undivided) - U/C - 1 Lane
- Road (Gravel Undivided) - U/C - 2 Lanes
- Road (Paved Divided) - Not Elevated - 1 Lane Each Way
- Road (Paved Divided) - Not Elevated - 2 Lanes Each Way
- Road (Paved Divided) - U/C - Not Elevated - 2 Lanes Each Way



Scale: 1:20,000

This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

Property Description

The Spanish Mountain placer claim is 177 hectares in size. The claim is registered in the name of Wildrose Resources Ltd. of Vancouver, BC and is subject to a joint venture agreement with Skygold Ventures Ltd., also of Vancouver.

Placer Claims					Expiry Date	
Jay 1	412158	Converted	to			514562
Jay 2	412159	Converted	to			514562
	514562			177	07.07.08	Wildrose Resources Ltd.
Total				177 ha		

Geological Setting

The Spanish Mountain Property lies close to the lowermost succession of the Quesnel Terrane (Triassic-Jurassic) immediately above a major northwest trending thrust fault separating it from the older (Proterozoic to Paleozoic) Barkerville Terrane. A period of thrusting in the Jurassic is believed to have moved this predominantly island arc derived terrane from the west onto the adjacent older terrane to the east. This event caused extensive and widespread deformation in areas of the claims underlain by clastic rocks of the lowermost successions. It also caused metamorphism of these rocks to grades varying from greenschist to amphibolite (a process which may have generated metamorphic hydrothermal fluids responsible for gold mineralization). Regional alteration within the Takla Group of the Quesnel Terrane generally progresses from amphibolite grade at the bottom to greenschist grade further up (i.e. from the northeast to the southwest).

The area of the 514562 placer claim is underlain by black argillaceous rocks with interbeds of sericite altered debris flow argillaceous siltstones and wackes which trend in a north-northwest direction. Gold occurs in these rocks as disseminations in the argillites and in quartz veins occurring in the wackes and to a lesser extent on the argillite.

2006 Exploration

During the 2006 exploration of the Spanish Mountain property, six reverse circulation holes; 06SPRC-330-335, were drilled within the area of the 514562 placer claim. All of these intersected sections of overburden, as deep as 34.44 metres in 06SPRC-334. Hole 06SPRC-331 was abandoned in overburden without encountering bedrock. The overburden in these holes consisted of black clay with variably rounded pebbles of argillite or wacke. Red-orange iron oxide staining occurred in a few of the samples.

SAMPLE SUMMARY

Sample #	Depth (metres)		Sample length	Au	Au	
	From	To		m	g/t	g/yd*
06SPRC-330						
104099	4.27	5.18	0.91	<0.03	<0.03	
06SPRC-331						
104221	4.27	5.49	1.22	<0.03	<0.03	
104222	5.49	7.01	1.52	<0.03	<0.03	
104223	7.01	8.53	1.52	<0.03	<0.03	
104224	8.53	10.06	1.52	<0.03	<0.03	
104225	10.06	11.58	1.52	0.67	1.01	
104226	11.58	13.11	1.52	0.06		
104227	13.11	14.63	1.52	<0.03	<0.03	
104228	14.63	16.15	1.52	<0.03	<0.03	
104229	16.15	17.07	0.92	0.03	0.05	
06SPRC-332						
104230	3.05	4.27	1.22	<0.03	<0.03	
06SPRC-333						
104349	5.49	7.01	1.52	<0.03	<0.03	
104350	7.01	8.53	1.52	<0.03	<0.03	
104351	8.53	10.06	1.52	<0.03	<0.03	
104352	10.06	11.58	1.52	<0.03	<0.03	
104353	11.58	13.11	1.52	<0.03	<0.03	
104354	13.11	14.63	1.52	<0.03	<0.03	
104355	14.63	16.15	1.52	<0.03	<0.03	
104356	16.15	17.68	1.52	<0.03	<0.03	
104357	17.68	19.20	1.52	<0.03	<0.03	
104358	19.20	20.73	1.52	0.06	0.09	
104359	20.73	22.25	1.52	<0.03	<0.03	
104360	22.25	23.77	1.52	0.05		
104361	23.77	25.30	1.52	<0.03	<0.03	
104362	25.30	26.82	1.52	<0.03	<0.03	
104363	26.82	28.35	1.52	0.03	0.05	
104364	28.35	29.87	1.52	<0.03	<0.03	
104365	29.87	31.39	1.52	<0.03	<0.03	
104366	31.39	32.92	1.52	0.12	0.18	
104367	32.92	34.44	1.52	0.29	0.44	

Sample #	Depth (metres)		ample length	Au	Au
	From	To	m	g/t	g/yd*
06SPRC-334					
104422	4.27	5.49	1.22	0.03	0.05
104423	5.49	7.01	1.52	<0.03	<0.03
104424	7.01	8.53	1.52	<0.03	<0.03
104425	8.53	10.06	1.52	<0.03	<0.03
104426	10.06	11.58	1.52	<0.03	<0.03
104427	11.58	13.11	1.52	0.04	0.06
104428	13.11	14.63	1.52	<0.03	<0.03
104429	14.63	16.15	1.52	0.05	0.08
104430	16.15	17.68	1.52	0.06	0.09
104431	17.68	19.20	1.52	0.15	0.23
104432	19.20	20.73	1.52	<0.03	<0.03
104433	20.73	22.25	1.52	<0.03	<0.03
104434	22.25	23.77	1.52	0.07	0.11
104435	23.77	25.30	1.52	0.05	0.08
104436	25.30	26.82	1.52	0.08	0.12
104437	26.82	28.35	1.52	<0.03	<0.03
104439	28.35	29.87	1.52	<0.03	<0.03
06SPRC-335					
104487	0.91	2.44	1.52	0.06	0.09
104488	2.44	3.96	1.52	0.03	0.05
104489	3.96	5.49	1.52	<0.03	<0.03
104490	5.49	7.01	1.52	<0.03	<0.03
104491	7.01	8.53	1.52	<0.03	<0.03
104492	8.53	10.06	1.52	<0.03	<0.03

* 1 yard taken as 1.5 tonnes

Cost Statement

September 18- October 7, 2006

2006 RC drill costs - 514562 placer claim

Drill Hole	Sample Series	# samples	analytical cost @ \$43.20	overburden metres drilled	drilling cost @ \$50/m
RC-330	104099	1	\$43.20	1.52	\$76.00
RC-331	104221-229	9	\$388.80	13.72	\$686.00
RC-332	104230	1	\$43.20	1.52	\$76.00
RC-333	104349-367	19	\$820.80	28.96	\$1,448.00
RC-334	104422-439	18	\$777.60	27.43	\$1,371.50
RC-335	104487-492	6	\$259.20	9.14	\$457.00

Wages

R.J.Johnston	3 days @	
P.Geo.	\$500/day	\$ 1500.00

Total	\$7847.30
-------	-----------

INTERPRETATIONS AND CONCLUSIONS

The gold values returned from the 2006 exploration drilling were generally low, with a high value of 0.29g/t Au (0.44grammes/yard Au) from the bottom of overburden in hole 06SPRC-333. The 2006 holes were, however, to the east of the 1994 work, indicating that more work should be done in that area.

STATEMENT OF QUALIFICATIONS

I, R.J.Johnston, am a graduate of the University of Saskatchewan with a B.Sc. (Advanced) 1982, in Geological Science.

I, R.J.Johnston, am a member of the Association of Professional Engineers and Geoscientists of the Province of BC (P.Geo.), registration number 19253.

I have practiced my profession since graduation in Western Canada, Mexico and Central America.

I, R.J.Johnston, supervised the exploration programme outlined in this report and personally logged the reverse circulation chips from the drilling.

Dated this 19th day of February, 2007.

R.J.Johnston P.Geo.

REFERENCES

- Bailey, D.G., (1990): *Geology of the Central Quesnel Belt, British Columbia*; B.C. Ministry of Energy Mines and Petroleum Resources, Open File 1990-31, Map with notes, 100,000.
- Bloodgood, M.A., (1988): *Geology of the Quesnel Terrane in the Spanish Lake area, Central British Columbia*; B.C. Ministry of Energy, Mines and Petroleum Resources, Geological Fieldwork, 1987, Paper 1988-1, pp. 139-145.
- Campbell, R.R., (1978): *Quesnel Lake*; Geological Survey of Canada, Open File Map 574.
- Clary, R., (1994): *Metallurgical Report on Eastfield Resources Ltd. Cariboo Operation Concentrate*; Westmin Resources Ltd., Premier Gold Project, Private Company Report, 3p.
- Christie, J.S., (1986): *Diamond Drilling Report, PESO Mineral Claim*; Hycroft Resources and Development Ltd., Assessment Report No. 14,468, 8 pages with attachments.
- Cogema, (1995): *Trench 29 – Section*; Compilation of Trench Sections, Cogema Resources Ltd.
- Dunn, D.C., (1983): *Report on Line Cutting, Soil Sampling, Rock Sampling, VLF Survey and Geological Mapping on the DON I-4, Mar 1, PESO, JUL 2, MY, APR, FR. Mineral Claims*; Lacana Mining Corporation, Assessment Report No. 11,428, 6 pages with attachments.
- Eyles N. and S.P. Kocsis, (1988): *Sedimentological Controls on Gold Distribution in Pleistocene Placer Deposits of the Cariboo Mining District, British Columbia*; B.C. Ministry of Energy Mines and Petroleum Resources, Geological Fieldwork, 1987, Paper 1988-1, pp. 377-385.
- Gabrielse, H., J.W.H. Monger, J.O. Wheeler, and C.J. Yorath, (1991): *Part A. Morphogeological Belts, Tectonic Assemblages, and Terranes*; in Chapter 2 of Geology of the Cordilleran Orogen in Canada; Geological Survey of Canada, Geology of Canada, No. 4, pp.15-28.
- Giroux, G.H., (1981): *Geochemical and Geophysical Report on the PESO, PESO B and PESO E Mineral Claims*; Aquarius Resources Ltd. 25 pages with attachments.
- Godfrey, J.D., (1979): *Survey of Mineral Prospects in the Likely District, British Columbia*; Aquarius Resources Ltd. and Carolin Mines Ltd., Private Company Report, 31 p.
- Goodall, G.N. and P.E. Fox, (1988): *Percussion Drilling Report on the Carolin Option, Cariboo Mining Division, British Columbia*; Fox Geological Consultants Ltd. for Placer Dome Inc., 13 pages with attachments.
- Holland, S.S., (1987): *Placer Gold Production of British Columbia*; British Columbia Ministry of Energy, Mines and Petroleum Resources, Bulletin 28, 89p.
- Honsinger, R. and K.V. Campbell, (1988): *Results of the 1987/88 Exploration Program*; Pundata Gold Corporation, Volume 1, Private Company Report, 93p.
- Hurley, T. and M. Ben, (1996): *Spanish Mountain Project, Report on the 1996 Exploration Program*; Cyprus Canada Inc., Private Company Report, 25 pages with attachments.

Johnston, R.J., (2005); *Report on the 2004 Exploration on the Spanish Mountain Project*; Report for Wildrose Resources Ltd.

Johnston, R.J., (2006); *Assessment Report on Reverse Circulation Drill Programme May-June 2005 at Spanish Mountain Property*, 23 pages with attachments.

Johnston, R.J., (2006); *Assessment Report on Reverse Circulation Drill Programme September-November at Spanish Mountain Property*, 23 pages with attachments.

Livgard, E., (1995); *Summary Report on the Spanish Mountain Property, Likely, British Columbia*; Consolidated Logan Mines Ltd., Private Company report, 27 pages with attachments.

McClintock, J.A., (1985a); *Proposed 1986 Exploration Program Cariboo – Likely Project*; Mt. Calvary Resources Ltd. Private Company Report, 13 pages with attachments.

McClintock, J.A., (1985b); *1985 Phase III – Exploration Report on the PESO-CPW Gold Prospect, Spanish Mountain Area*; Mt. Calvary Resources Ltd., Assessment Report No. 14,682 23 pages with attachments.

Morton, J.W., (2001); *Geological Reconnaissance and soil sampling completed on Cedar Creek Property*; Wildrose Resources Ltd., Private Company Report, 7 pages with attachments.

Morton, J.W., (2002); *Spanish Mountain Property, Cariboo Mining Division, BC* : Wildrose Resources Ltd., Private Company Report, 9 pages with attachments.

Morton, J.W., (2003); *2002 Rock sampling Program on the Armada Claim*; Wildrose Resources Ltd., Private Company Report, 11p.

Morton, J.W., (2005); *Report on the 2004 Exploration Program on the Spanish Mountain Placer Claims*; Skygold Ventures Ltd. and Wildrose Resources Ltd., 5 pages with attachments.

Nicholson, R.J. (1987); *Report on 1986 Prospecting, Trenching, sampling, Line Cutting, Geophysical Surveying, Geological Mapping and Percussion Drilling*; Mandusa Resources Ltd., Assessment Report No. 15,880, 12 pages with attachments.

Page, J. W., (April 30, 2003); *The Spanish Mountain Property, Cariboo Mining Division, British Columbia, Recommendations for Further Exploration, for Skygold Ventures Ltd.*

Province of British Columbia, (1933); *Cariboo District – Mariner I*; Annual Report of the Minister of Mines for the Year Ended 31 of December 1933; pp. A134-A135.

Province of British Columbia, (1947); *El Toro Mines B. C. Ltd.*; Annual Report of the Minister of Mines for the Year Ended 31 of December 1947; pp. A123-A127.

Province of British Columbia, (1963); *Notes on Placer Mining in British Columbia*; Department of Mines and Petroleum Resources, Bulletin 21, 42p.

Rees, C.J.; (1987); *The Intermontane – Omineca Belt boundary in the Quesnel Lake Area, East-Central British Columbia: Tectonic Implications Based on Geology, Structure and Paleomagnetism*; Ph.D. Thesis; Carlton University, Ottawa, Ontario.

- Robertson, S.B., (2001a): *Report on the Spanish Mountain property, British Columbia*; Imperial Metals Corporation, Private Company Report, 30p.
- Robertson, S.B., (2001b): *Report on the Placer Claims of the Spanish Mountain property, British Columbia*; Imperial Metals Corporation, Private Company Report, 17p.
- Stacy, N.W., (1976): *Preliminary Report on the Mariner II Property*; Assessment Report No. 6460, 3 pages with attachments.
- Struik, L.C., (1988): *Regional Imbrication within Quesnel Terrane, Central British Columbia, as Suggested by Conodont Ages*; Canadian Journal of Earth Sci., Volume 25, pp.1608-1617.
- Tribe, N.L., (1979): *Report on Reconnaissance Geological Mapping and Sampling, Mariner II Claim Group*; Assessment Report No. 8636, 12 pages with attachments.
- Venkataramani, (1971): *Magnetometer Survey*; Spanallen Mining Ltd. Assessment Report 3121.
- Wallster, D.E., (1984): *Geochemical Report concerning a Soil Sampling Survey of the CPW Claim*; Whitecap Energy Inc., Assessment Report No. 11,822, 25 pages with attachments.

APPENDIX 1
REVERSE CIRCULATION DRILL LOGS

Hole #	06SPRC-330			loc method; diff gps	drill method; reverse circulation							
Property:	Spanish Mtn			UTM E 604881	Drill Dates: Sept 18-20, 2006							
Depth:	171.91m			UTM N 5828012	Drilled by; Northspan Exploration							
Elevation:	1027m			Azimuth: 110°	Date logged: Sept 24, 2006							
				Inclination: -60°	Logged by: Johnston							
Notes	hole ended early due to bad caving in hole											
06SPRC-330												
Sample #	Depth (metres)		Sample length	Lithologic Description	Alteration				Qtz Vn	Pyrite	Litho code	Au
	From	To	m		sil'n	limonite	sericite	mariposite	%	%		g/t
x	0	4.27	4.27	overburden								OVB
	104099	4.27	5.18	0.91 overburden; subang-subrnd mixed wacke, arg pebs					m	0	OVB	<0.03
	104100			Blank							BLK	<0.03
	104101	5.18	6.71	1.52 gy ser alt wacke (MCA), surface ox; wh qv's			x	x	0.5	0	MCA	0.12
	104102	6.71	8.23	1.52 gy ser alt argillaceous siltstone, surface ox; wh qv's			x		0.5	0	SAS	0.05
	104103	8.23	8.84	0.61 gy-bk ser alt argls wacke; wh-gy qv's; y eu-mass py			x		0.5	m	SAS	0.03
	104104	8.84	10.36	1.52 gy ser alt argillaceous siltstone with minor lim; wh-gy qv's	x	x			1	0	SAS	<0.03
	104105			Duplicate of 104104							DUP	<0.03
	104106	10.36	11.89	1.52 gy ser alt argillaceous siltstone with abund lim; wh-gy qv's	x	x			0.5	0	SAS	0.04
	104107	11.89	13.41	1.52 gy ser alt MCA with abund lim; wh-gy qv's	x	x			3	0	MCA	<0.03
	104108	13.41	14.94	1.52 gy-bk ser alt argillaceous siltstone; lim; wh qv's	x	x			0.5	0	SAS	0.03
	104109	14.94	16.46	1.52 gy-bk argillaceous siltstone; mod lim; wh qv's	x				1	0	ASL	0.03
	104110	16.46	17.98	1.52 gy-bk argillaceous siltstone; mod lim; wh qv's	x				1	0	ASL	<0.03
	104111	17.98	19.51	1.52 gy ser alt argillaceous siltstone; lim; wh qv's	x	x			2	0	SAS	<0.03
	104112	19.51	21.03	1.52 gy ser alt argillaceous siltstone; lim; wh qv's	x	x			1	0	SAS	0.03
	104113	21.03	22.56	1.52 gy-bk ser alt argillaceous siltstone; lim; wh qv's	x	x			1	0	SAS	0.04
	104114	22.56	24.08	1.52 gy ser alt argillaceous siltstone with minor mariposite; wh qv's		x	x	x	5	0	SAS	<0.03
	104115	24.08	25.60	1.52 gy ser-mariposite alt argillaceous siltstone with bk ser alt argillaceous siltstone; abund lim; wh qv's	x	x			m	0	SAS	<0.03
	104116	25.60	27.13	1.52 bk sil'd argillaceous siltstone; gy qtz stringers; wh qv's	x				10	0	SSL	0.04

x

Hole #	06SPRC-332		loc method; diff gps	drill method; reverse circulation							
Property:	Spanish Mtn		UTM E 605197	Drill Dates: Sept 23-25, 2006							
Depth:	167.03m		UTM N 5827407	Drilled by: Northspan Exploration							
Elevation:	1089m		Azimuth: 162°	Date logged: Oct 1, 2006							
			Inclination: -60°	Logged by: Johnston							
Notes	hole halted in slow going due to hard rock, abundant water										
06SPRC-332											
Sample #	Depth (metres)		Sample length	Lithologic Description	Alteration			Qtz Vn	Pyrite	Litho code	Au
	From	To	m		sil'n	limonite	sericite	mariposite	%	%	g/t
	0	3.05	4.27	casing							OVB
104230	3.05	4.27	1.22	subang-subround arg, MCA pebs					0	0	OVB <0.03
104231	4.27	5.49	1.52	bk argillaceous siltstone, surface ox; wh qv's					m	0	ASL <0.03
104232	5.49	7.01	1.52	bk argillaceous siltstone, wh qv's; y eu-mass py					m	m	ASL <0.03
104233	7.01	8.53	1.52	bk silty arg					0	m	ARG <0.03
104234	8.53	10.06	1.52	bk arg					0	m	ARG <0.03
104235				Standard CDN-GS-1P5						STD	1.58
104236	10.06	11.58	1.52	bk arg; coarse frags (fracture zone); wh qv's					m	0	ARG <0.03
104237	11.58	13.11	1.52	bk argillaceous siltstone; gy qtz stringers; wh qv's					m	0	ASL <0.03
104238	13.11	14.63	1.52	bk arg; wh qv's; y eu-mass py					0.5	0.5	ARG <0.03
104239	14.63	16.15	1.52	bk argillaceous siltstone; gy qtz stringers					m	m	ASL <0.03
104240				Blank							BLK <0.03
104241	16.15	17.68	1.52	bk argillaceous siltstone; gy qtz stringers; coarse frags (fracture zone)					m	m	ASL <0.03
104242	17.68	19.20	1.52	bk arg; wh qv's; y eu-mass py					0.5	m	ARG <0.03
104243	19.20	20.73	1.52	bk arg; gy qtz stringers; wh qv's; y eu-mass py					10	0.5	ARG <0.03
104244	20.73	22.25	1.52	bk argillaceous siltstone; gy qtz stringers; wh qv's; y eu-mass py					1	0.5	ASL 0.04
104245				Duplicate of 104244							DUP <0.03
104246	22.25	23.77	1.52	bk arg; wh-gy qv's; y eu-mass py					5	2	ARG 0.07
104247	23.77	25.30	1.52	bk arg; wh-gy qv's; y eu-mass py					2	0.5	ARG 0.12
104248	25.30	26.82	1.52	bk arg; wh qv's; y eu-mass py					1	0.5	ARG <0.03
104249	26.82	28.35	1.52	bk arg; wh-gy qv's; y eu-mass py					2	1	ARG <0.03
104250	28.35	29.87	1.52	bk arg; wh-gy qv's; y eu-mass py					3	0.5	ARG 0.13
104251	29.87	31.39	1.52	bk arg; wh-gy qv's; y eu-mass py					1	0.5	ARG <0.03
104252	31.39	32.92	1.52	gy-bk argillaceous siltstone; gy qtz stringers; wh-gy qv's; y eu-mass py					0.5	0.5	ASL <0.03
104253	32.92	34.44	1.52	gy-bk sil'd argillaceous siltstone; gy qtz stringers; wh-gy qv's; y eu-mass py; coarse frags (fracture zone)	x				5	0.5	ASL <0.03

Hole #	06SPRC-333		loc method; diff gps	drill method; reverse circulation		
Property:	Spanish Mtn		UTM E 605108	Drill Dates: Sept 26-27, 2006		
Depth:	107.29m		UTM N 5827450	Driiled by: Northspan Exploration		
Elevation:	1093m		Azimuth: 178°	Date logged: Oct 2, 2006		
			Inclination: -60°	Logged by: Johnston		
Notes	hole halted due to slow progress in hard rock					

06SPRC-333

Sample #	Depth (metres)		Sampl e length	Lithologic Description	Alteration				Qtz Vn	Pyrite	Litho code	Au
	From	To			sil'n	limonite	sericite	mariposite				
	0	5.49	5.49	casing							OVB	
104349	5.49	7.01	1.52	bn silty clay, pebs; no reject							OVB	<0.03
104350	7.01	8.53	1.52	pebs, sltn boulder; no reject							OVB	<0.03
104351	8.53	10.06	1.52	bn silty clay, pebs to 2cm; minor py; no reject							OVB	<0.03
104352	10.06	11.58	1.52	bn silty clay, pebs to 2cm; no reject							OVB	<0.03
104353	11.58	13.11	1.52	bn silty clay, pebs to 2cm; no reject							OVB	<0.03
104354	13.11	14.63	1.52	bn silty clay, pebs to 2cm; minor py; no reject							OVB	<0.03
104355	14.63	16.15	1.52	bn silty clay, pebs to 2cm; no reject							OVB	<0.03
104356	16.15	17.68	1.52	bk-bn clay; minor py; pebs to 2cm; no reject							OVB	<0.03
104357	17.68	19.20	1.52	bk clay; minor py; pebs to 2cm; no reject							OVB	<0.03
104358	19.20	20.73	1.52	bk clay; minor py; pebs to 2cm; no reject							OVB	0.06
104359	20.73	22.25	1.52	bn clay, sand; abund argillaceous wacke pebs to 2cm; no reject							OVB	<0.03
104360	22.25	23.77	1.52	sandy; subang-subround arg, wacke pebs					5	0	OVB	0.05
104361	23.77	25.30	1.52	sandy; subang-subround arg, wacke pebs					2	0	OVB	<0.03
104362	25.30	26.82	1.52	sandy; subang-subround arg, alt wacke pebs					3	0	OVB	<0.03
104363	26.82	28.35	1.52	sandy; subang-subround arg, alt wacke pebs					2	0	OVB	0.03
104364	28.35	29.87	1.52	sandy; subang-subround arg, pebs					2	0	OVB	<0.03
104365	29.87	31.39	1.52	sandy; subang-subround arg, pebs					1	0	OVB	<0.03
104366	31.39	32.92	1.52	sandy; subang-subround arg, pebs					1	0	OVB	0.12
104367	32.92	34.44	1.52	sandy; subang-subround arg qtz, pebs					5	0	OVB	0.29
104368	34.44	35.97	1.52	bedrock; bk arg; wh qv's; y eu-mass py					7	m	ARG	0.36
104369	35.97	37.19	1.52	bk arg; wh qv's; y eu-mass py					0.5	m	ARG	0.42
104370	37.49	38.71	1.22	bk arg; wh qv's; y eu-mass py					m	m	ARG	<0.03
104371	39.01	40.23	1.52	bk arg; wh qv's; y eu-mass py					m	m	ARG	<0.03
104372	40.54	41.76	1.52	bk arg; wh qv's; y eu-mass py					m	m	ARG	<0.03
104373	42.06	43.28	1.52	bk arg; wh qv's; y eu-mass py					m	0.5	ARG	<0.03
104374	43.59	44.81	1.52	bk arg; wh qv's; y eu-mass py					m	m	ARG	<0.03
104375				Standard CDN-GS-1P5					STD			1.52


3.05m @ 0.39g/t

Hole #	06SPRC-334		loc method; diff gps	drill method; reverse circulation								
Property:	Spanish Mtn		UTM E 604862	Drill Dates: Sept 28-30, 2006								
Depth:	96.93m		UTM N 5827431	Driiled by; Northspan Exploration								
Elevation:	1161m		Azimuth: 080°	Date logged: Oct 7, 2006								
			Inclination: -61	Logged by: Johnston								
Notes	no recovery in fault zone from 53.84-57.3m; hole halted in caving fault zone											
06SPRC-334												
Sample #	Depth (metres)		Sample length	Lithologic Description	Alteration				Qtz Vn	Pyrite	Litho code	Au
	From	To	m		sil'n	limonite	sericite	mariposite	%	%		g/t
	0	4.27	4.27	overburden							OVB	
104422	4.27	5.49	1.22	subang wacke pebs to 1cm					0	0	OVB	0.03
104423	5.49	7.01	1.52	subang wacke pebs to 1cm					0	0	OVB	<0.03
104424	7.01	8.53	1.52	round bk arg pebs					1	0	OVB	<0.03
104425	8.53	10.06	1.52	round bk arg pebs					0	0	OVB	<0.03
104426	10.06	11.58	1.52	subround-subang arg pebs					0	0	OVB	<0.03
104427	11.58	13.11	1.52	subround-subang arg pebs					0	0	OVB	0.04
104428	13.11	14.63	1.52	subround-subang arg pebs					0	0	OVB	<0.03
104429	14.63	16.15	1.52	subround-subang arg pebs, fine qtz sand					3	0	OVB	0.05
104430	16.15	17.68	1.52	subround-subang arg pebs					0	0	OVB	0.06
104431	17.68	19.20	1.52	subang bn wacke pebs, minor py					0	m	OVB	0.15
104432	19.20	20.73	1.52	bn sand, pebs					1	0	OVB	<0.03
104433	20.73	22.25	1.52	bn, bk sand, pebs					1	0	OVB	<0.03
104434	22.25	23.77	1.52	bn sand, pebs, minor py					0	m	OVB	0.07
104435	23.77	25.30	1.52	bn pebs, minor py					0	m	OVB	0.05
104436	25.30	26.82	1.52	ang-subang bk arg pebs, minor py					0	m	OVB	0.08
104437	26.82	28.35	1.52	ang-subang bk arg pebs, minor py					0	m	OVB	<0.03
104439	28.35	29.87	1.52	ang-subang bk arg pebs, minor py					0	m	OVB	<0.03
104440	29.87	31.39	1.52	bedrock; bk arg; minor argillaceous siltstone pebs; minor py					0	0.5	ARG	<0.03
104441	31.39	32.92	1.52	bk arg; minor argillaceous siltstone pebs; eu py					0	0.5	ARG	<0.03
104442	32.92	34.44	1.52	bk arg, minor bk-gy argillaceous siltstone; wh qv's; eu py					m	0.5	ARG	<0.03
104443	34.44	35.97	1.52	bk arg, minor bk-gy argillaceous siltstone; wh qv's; y eu py					m	1	ARG	0.05
104444	35.97	37.49	1.52	bk arg, minor bk-gy argillaceous siltstone; wh qv's; y eu py					2	1	ARG	0.03
104445				Standard CDN-GS-1P5							STD	1.52
104446	37.49	39.01	1.52	bk arg; wh qv's; y eu py to 5mm					m	0.5	ARG	<0.03
104447	39.01	40.54	1.52	bk arg; wh qv's; y eu py					5	0.5	ARG	<0.03
104448	40.54	42.06	1.52	bk arg; wh qv's; y eu py					2	0.5	ARG	0.04
104449	42.06	43.59	1.52	bk arg; wh qv's; y eu py					2	2	ARG	<0.03
104450				Blank							BLK	<0.03
104451	43.59	45.11	1.52	bk arg; wh qv's; y eu py					2	1	ARG	0.07

Hole #	06SPRC-335		loc method; diff gps	drill method; reverse circulation							
Property:	Spanish Mtn		UTM E 604816	Drill Dates: Oct 1-4, 2006							
Depth:	156.36m		UTM N 5827372	Driiled by: Northspan Exploration							
Elevation:	1182m		Azimuth: 170°	Date logged: Oct 10, 11, 2006							
			Inclination: -60°	Logged by: Johnston							
Notes	hole stopped in caving ground, plugging hammer										
06SPRC-335											
Sample #	Depth (metres)	Sample length	Lithologic Description	Alteration				Qtz Vn	Pyrite	Litho code	Au
	From	To	m		sil'n	limonite	sericite	mariposite	%	%	g/t
X	0	0.91	0.91	overburden							OVB
104487	0.91	2.44	1.52	arg sand, pebs					0	0	OVB 0.06
104488	2.44	3.96	1.52	arg sand, pebs					0	0	OVB 0.03
104489	3.96	5.49	1.52	arg, wacke sand, pebs					0	0	OVB <0.03
104490	5.49	7.01	1.52	arg, wacke sand, pebs					0	0	OVB <0.03
104491	7.01	8.53	1.52	arg sand, pebs					0	0	OVB <0.03
104492	8.53	10.06	1.52	arg sand, pebs					0.5	0	OVB <0.03
104493	10.06	11.58	1.52	bedrock; bk arg; wh qv's					m	0	ARG <0.03
104494	11.58	13.11	1.52	bk arg; wh qv's; y eu-mass py					0.5	2	ARG <0.03
104495	13.11	14.63	1.52	bk arg; wh qv's; y eu-mass py					0.5	0.5	ARG <0.03
104496	14.63	16.15	1.52	bk arg; wh qv's; y eu-mass py					m	1	ARG <0.03
104497	16.15	17.68	1.52	bk arg; wh qv's; y eu-mass py					m	1	ARG <0.03
104498	17.68	19.20	1.52	bk arg; wh qv's; y eu-mass py					m	1	ARG 0.03
104499	19.20	20.73	1.52	bk argillaceous siltstone, arg; wh qv's, y eu-mass py					0.5	0.5	ASL <0.03
104500	20.73	22.25	1.52	bk argillaceous siltstone, arg; local lim; wh qv's, y eu py	x				2	m	ASL 0.04
104501	22.25	23.77	1.52	gy-bk argillaceous siltstone; wh qv's; y eu py					2	0.5	ASL 0.05
104502	23.77	25.30	1.52	mix bk argillaceous siltstone, cream MCA; wh qv's; y eu py	x				2	m	ICS 0.09
104503	25.30	26.82	1.52	mix bk argillaceous siltstone, cream MCA; wh-gy qv's; y eu py	x				5	m	ICS 0.28
104504	26.82	28.35	1.52	bk arg; wh-gy qv's; y eu py					10	m	ARG 0.26
104505	28.35	29.87	1.52	bk-gy argillaceous siltstone; wh-gy qv's; y eu py					3	m	ASL 0.09
104506	29.87	31.39	1.52	bk arg; wh-gy qv's; y eu py					2	0.5	ARG 0.05
104507	31.39	32.92	1.52	bk arg; wh-gy qv's; y eu-mass py					2	1	ARG 0.06
104508	32.92	34.44	1.52	bk argillaceous siltstone; minor MCA; wh-gy qv's; y eu-mass py					1	1	ICS 0.07
104509	34.44	35.97	1.52	bk argillaceous siltstone; minor MCA; wh-gy qv's; y eu-mass py; coarse frags (fracture zone)					2	1	ICS 0.04

4.57m @ 0.21g/t

APPENDIX 2
ANALYTICAL RESULTS



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2006-1801

Mincord Exploration
110-325 Howe Street
Vancouver, BC
V6C 1Z7

11-Dec-06

Attention: Bill Morton

No. of samples received: 74

Sample type: RC Chips

Project #: Spanish Mountain


Shipment #: SMP06-019

Samples Submitted by: Johnston

Metallic Assay

ET #.	Tag #	Au (g/t)	Au (oz/t)
1	F104099	<0.03	<0.001
2	F104100	<0.03	<0.001
3	F104101	0.12	0.003
4	F104102	0.05	0.001
5	F104103	0.03	0.001
6	F104104	<0.03	<0.001
7	F104105	<0.03	<0.001
8	F104106	0.04	0.001
9	F104107	<0.03	<0.001
10	F104108	0.03	0.001
11	F104109	0.03	0.001
12	F104110	<0.03	<0.001
13	F104111	<0.03	<0.001
14	F104112	0.03	0.001
15	F104113	0.04	0.001
16	F104114	<0.03	<0.001
17	F104115	<0.03	<0.001
18	F104116	0.04	0.001
19	F104117	<0.03	<0.001
20	F104118	0.03	0.001
21	F104119	<0.03	<0.001
22	F104120	0.04	0.001
23	F104121	<0.03	<0.001
24	F104122	<0.03	<0.001
25	F104123	<0.03	<0.001
26	F104124	<0.03	<0.001
27	F104125	<0.03	<0.001
28	F104126	<0.03	<0.001
29	F104127	<0.03	<0.001

* = 30g FA


ECO TECH LABORATORY LTD.

Dutta Jealouse
B.C. Certified Assayer


Mincord Exploration AK6-1801

Metallic Assay

11-Dec-06

ET #.	Tag #	Au (g/t)	Au (oz/t)
30	F104128	<0.03	<0.001
31	F104129	<0.03	<0.001
32	F104130	*	0.30
33	F104131	<0.03	<0.001
34	F104132	<0.03	<0.001
35	F104133	0.06	0.002
36	F104134	<0.03	<0.001
37	F104135	*	<0.03
38	F104136	<0.03	<0.001
39	F104137	<0.03	<0.001
40	F104138	<0.03	<0.001
41	F104139	<0.03	<0.001
42	F104140	<0.03	<0.001
43	F104141	<0.03	<0.001
44	F104142	<0.03	<0.001
45	F104143	<0.03	<0.001
46	F104144	<0.03	<0.001
47	F104145	0.03	0.001
48	F104146	0.04	0.001
49	F104147	0.03	0.001
50	F104148	0.07	0.002
51	F104149	0.04	0.001
52	F104150	0.03	0.001
53	F104151	<0.03	<0.001
54	F104152	<0.03	<0.001
55	F104153	<0.03	<0.001
56	F104154	0.07	0.002
57	F104155	0.20	0.006
58	F104156	0.15	0.004
59	F104157	0.08	0.002
60	F104158	0.17	0.005
61	F104159	0.14	0.004
62	F104160	0.04	0.001
63	F104161	0.07	0.002
64	F104162	0.04	0.001
65	F104163	0.09	0.003
66	F104164	0.12	0.003
67	F104165	*	1.55
68	F104166	0.10	0.003
69	F104167	0.03	0.001
70	F104168	<0.03	<0.001
71	F104169	0.06	0.002
72	F104170	*	<0.03
73	F104171	0.03	0.001
74	F104172	<0.03	<0.001

* = 30g FA



ECO TECH LABORATORY LTD.
Dutta Jeapouse
B.C. Certified Assayer

Mincord Exploration AK6-1801

Metallic Assay

11-Dec-06

ET #.	Tag #	Au (g/t)	Au (oz/t)
-------	-------	-------------	--------------

QC DATA:

Resplit:


1	F104099	<0.03	<0.001
36	F104134	<0.03	<0.001
71	F104169	0.05	0.002

Standard:

SJ10	2.67	0.078
SJ10	2.63	0.077
SJ10	2.59	0.076
SJ10	2.38	0.069
SJ10	2.63	0.077

* = 30g FA

JJ/kc
XLS/06


ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

8-Nov-06

ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4

Phone: 250-573-5700
 Fax : 250-573-4557

Values in ppm unless otherwise reported

ICP CERTIFICATE OF ANALYSIS AK 2006-1801

Mincord Exploration
 110-325 Howe Street
 Vancouver, BC
 V6C 1Z7

Attention: Bill Morton

No. of samples received: 74

Sample type: R C Chips

Project #: Spanish Mountain

Shipment #: SMP06-019

Samples Submitted by: Johnston

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	F104099	0.4	0.42	55	95	<5	0.43	<1	22	89	77	3.43	<10	0.37	2697	4	0.03	42	360	16	<5	<20	23	<0.01	<10	11	<10	<1	82
2	F104100	<0.2	0.08	5	<5	<5	>10	<1	1	2	<1	0.09	<10	1.92	40	<1	0.01	<1	50	<2	20	<20	4224	<0.01	<10	1	<10	<1	<1
3	F104101	0.7	0.61	80	100	<5	0.73	<1	27	101	93	3.97	<10	0.85	2831	3	0.03	62	390	70	<5	<20	32	<0.01	<10	8	<10	<1	134
4	F104102	0.8	0.91	80	105	<5	0.96	<1	29	129	117	4.16	<10	1.54	2384	3	0.03	63	390	36	<5	<20	43	<0.01	<10	14	<10	<1	82
5	F104103	0.6	0.66	60	100	5	1.13	<1	24	144	82	4.02	<10	1.65	2540	3	0.03	53	380	36	<5	<20	51	<0.01	<10	15	<10	<1	78
6	F104104	0.6	0.87	95	120	<5	0.67	<1	27	134	117	4.73	<10	1.63	2537	4	0.02	63	380	42	<5	<20	36	<0.01	<10	13	<10	<1	91
7	F104105	0.7	0.88	100	135	<5	0.65	<1	30	155	117	4.39	<10	1.51	2331	3	0.02	68	400	44	<5	<20	44	<0.01	<10	13	<10	<1	94
8	F104106	0.6	0.66	110	170	<5	1.06	<1	30	116	139	4.29	<10	0.45	2745	4	0.02	80	450	32	<5	<20	28	<0.01	<10	11	<10	<1	109
9	F104107	0.5	0.46	125	145	<5	1.33	<1	29	175	77	3.91	<10	0.23	2957	4	0.02	84	350	30	<5	<20	27	<0.01	<10	10	<10	<1	90
10	F104108	0.4	0.45	205	175	<5	2.08	<1	30	121	74	4.41	<10	0.20	3269	5	0.02	123	430	24	<5	<20	25	<0.01	<10	11	<10	<1	97
11	F104109	0.6	0.48	145	170	<5	1.03	<1	31	129	80	4.88	<10	0.18	2943	6	0.03	86	360	22	<5	<20	21	<0.01	<10	8	<10	<1	100
12	F104110	0.6	0.37	115	140	<5	0.51	<1	30	102	74	4.32	<10	0.19	2398	4	0.02	71	430	18	<5	<20	24	<0.01	<10	6	<10	<1	82
13	F104111	0.4	0.26	140	150	<5	1.48	<1	22	171	50	3.26	<10	0.22	2357	2	0.02	64	350	16	<5	<20	39	<0.01	<10	5	<10	<1	91
14	F104112	0.4	0.31	100	115	5	0.87	<1	28	121	53	4.14	<10	1.00	2407	3	0.02	65	320	16	<5	<20	47	<0.01	<10	7	<10	<1	82
15	F104113	0.6	0.29	120	185	<5	0.98	<1	29	84	79	3.56	<10	0.53	2815	3	0.02	78	490	18	<5	<20	59	<0.01	<10	5	<10	2	78
16	F104114	<0.2	0.20	255	65	10	3.60	<1	32	94	9	4.01	<10	4.23	2865	3	0.02	230	380	4	10	<20	228	<0.01	<10	10	<10	<1	87
17	F104115	0.3	0.15	325	100	5	7.25	<1	39	113	42	4.70	<10	5.74	3644	2	0.03	313	350	4	10	<20	494	<0.01	<10	13	<10	<1	67
18	F104116	0.7	0.32	80	130	<5	1.43	<1	27	136	124	5.24	<10	2.32	3080	3	0.02	70	290	24	<5	<20	86	<0.01	<10	10	<10	<1	97
19	F104117	0.5	0.33	240	125	<5	2.26	<1	34	136	43	4.61	<10	2.41	3669	3	0.02	166	330	16	<5	<20	119	<0.01	<10	10	<10	<1	104
20	F104118	0.5	0.33	220	125	5	2.28	<1	34	137	45	4.66	<10	2.46	3711	3	0.02	164	330	14	5	<20	125	<0.01	<10	9	<10	<1	109
21	F104119	0.6	0.27	105	110	<5	1.07	<1	30	100	116	4.77	<10	1.88	2419	3	0.03	72	350	14	<5	<20	53	<0.01	<10	6	<10	<1	83
22	F104120	0.4	0.31	95	120	<5	1.23	<1	33	86	90	4.34	<10	2.02	2292	3	0.03	67	370	16	<5	<20	66	<0.01	<10	12	<10	<1	103
23	F104121	0.3	0.15	250	55	<5	5.17	<1	30	86	15	3.95	<10	3.37	5564	3	0.02	177	340	10	10	<20	219	<0.01	<10	9	<10	<1	103
24	F104122	0.4	0.35	145	105	<5	2.02	<1	36	136	93	4.90	<10	2.48	3534	3	0.02	107	380	16	<5	<20	96	<0.01	<10	9	<10	<1	130
25	F104123	0.5	0.19	90	90	<5	1.61	<1	28	56	122	4.40	<10	2.00	2166	4	0.01	53	370	10	<5	<20	63	<0.01	<10	5	<10	<1	69
26	F104124	0.3	0.40	35	155	<5	1.62	<1	14	103	67	3.21	<10	1.81	2067	2	0.01	21	710	14	<5	<20	65	<0.01	<10	3	<10	3	66
27	F104125	0.3	0.30	90	120	10	2.08	<1	20	91	52	3.75	<10	2.65	1979	2	0.02	77	520	14	<5	<20	105	<0.01	<10	4	<10	<1	110
28	F104126	0.4	0.15	255	70	10	4.09	1	34	93	63	5.03	<10	3.43	2755	13	0.01	189	440	14	5	<20	163	<0.01	<10	12	<10	<1	120
29	F104127	0.2	0.25	135	115	5	3.90	1	30	101	43	4.50	<10	3.70	2647	9	0.02	116	370	18	10	<20	139	<0.01	<10	13	<10	<1	124
30	F104128	0.3	0.19	65	100	<5	1.28	<1	16	132	60	2.54	<10	1.32	1396	3	0.02	49	170	16	<5	<20	56	<0.01	<10	4	<10	<1	43


Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
31	F104129	0.3	0.25	55	110	<5	1.14	<1	15	70	55	2.33	<10	1.15	1474	1	0.02	34	190	16	<5	<20	53	<0.01	<10	3	<10	<1	38
32	F104130	0.7	0.58	165	50	<5	0.12	<1	20	647	72	2.83	<10	0.11	179	6	0.01	506	290	14	<5	<20	9	<0.01	<10	22	<10	2	39
33	F104131	0.4	0.21	80	60	<5	1.06	<1	24	125	88	3.60	<10	1.18	1599	4	0.02	51	300	16	<5	<20	44	<0.01	<10	6	<10	<1	52
34	F104132	0.5	0.19	90	80	5	1.58	<1	25	58	50	4.00	<10	1.94	2107	4	0.03	62	380	12	5	<20	63	<0.01	<10	6	<10	<1	79
35	F104133	0.9	0.23	70	80	<5	1.68	<1	29	102	76	4.28	<10	1.53	2623	4	0.03	54	370	12	<5	<20	64	<0.01	<10	5	<10	<1	80
36	F104134	0.4	0.34	70	135	<5	1.12	<1	25	73	76	4.45	<10	1.86	2754	4	0.04	53	430	12	<5	<20	51	<0.01	<10	8	<10	<1	106
37	F104135	<0.2	0.02	5	<5	<5	>10	<1	<1	1	<1	0.03	<10	2.05	36	<1	0.01	<1	40	<2	20	<20	4302	<0.01	<10	2	<10	<1	<1
38	F104136	<0.2	0.25	60	110	5	1.27	<1	16	111	24	3.06	<10	2.16	2148	2	0.03	56	430	6	<5	<20	58	<0.01	<10	5	<10	<1	84
39	F104137	0.2	0.33	215	65	<5	3.89	<1	31	136	25	4.21	<10	4.26	4579	3	0.03	186	330	10	15	<20	206	<0.01	<10	13	<10	<1	77
40	F104138	0.5	0.77	95	310	<5	2.28	<1	23	88	62	4.01	<10	2.46	2865	2	0.02	79	320	30	<5	<20	114	<0.01	<10	19	<10	<1	99
41	F104139	0.2	0.35	50	80	10	1.81	<1	24	97	25	4.95	<10	3.97	3003	4	0.04	71	310	14	15	<20	96	<0.01	<10	12	<10	<1	88
42	F104140	0.3	0.45	95	55	<5	2.34	<1	24	128	16	3.84	<10	3.36	2555	1	0.02	110	280	18	<5	<20	139	<0.01	<10	12	<10	<1	77
43	F104141	0.7	0.36	80	95	<5	1.56	1	26	59	158	4.76	<10	2.52	3502	5	0.02	72	360	20	5	<20	98	<0.01	<10	8	<10	<1	54
44	F104142	0.6	0.35	100	105	<5	1.55	<1	32	60	141	4.82	<10	2.53	3528	4	0.02	73	390	20	<5	<20	101	<0.01	<10	7	<10	<1	69
45	F104143	0.4	0.43	85	115	<5	1.75	<1	29	146	80	5.47	<10	3.12	4025	4	0.03	102	350	20	5	<20	118	<0.01	<10	9	<10	<1	94
46	F104144	0.3	0.68	60	350	<5	1.41	<1	18	121	82	3.72	<10	1.98	2697	3	0.02	52	240	18	<5	<20	80	<0.01	<10	12	<10	<1	75
47	F104145	0.3	0.25	45	145	<5	1.84	<1	14	123	58	3.09	<10	1.49	3680	3	0.01	34	220	12	<5	<20	90	<0.01	<10	5	<10	<1	49
48	F104146	0.6	0.21	60	120	<5	1.77	<1	16	46	66	3.10	<10	1.50	3751	3	0.01	41	240	10	<5	<20	84	<0.01	<10	4	<10	<1	54
49	F104147	0.4	0.40	75	145	5	1.29	<1	26	148	90	4.96	<10	1.97	3763	3	0.02	58	250	20	<5	<20	62	<0.01	<10	8	<10	<1	91
50	F104148	0.4	0.28	75	150	<5	1.29	<1	24	91	65	4.14	<10	1.59	3271	3	0.02	56	230	12	<5	<20	64	<0.01	<10	6	<10	<1	72
51	F104149	0.4	0.31	60	145	<5	1.13	<1	22	191	65	3.85	<10	1.44	2960	2	0.02	48	260	16	<5	<20	59	<0.01	<10	5	<10	<1	66
52	F104150	0.3	0.27	60	110	<5	1.07	<1	19	86	66	3.56	<10	1.42	2655	3	0.01	45	320	14	<5	<20	61	<0.01	<10	5	<10	<1	61
53	F104151	0.2	0.28	70	120	<5	1.79	<1	25	175	63	4.67	<10	1.96	4340	3	0.01	55	230	6	<5	<20	92	<0.01	<10	7	<10	<1	57
54	F104152	0.3	0.33	75	120	<5	1.51	<1	27	125	82	4.58	<10	1.87	3581	3	0.02	57	240	20	<5	<20	74	<0.01	<10	7	<10	<1	87
55	F104153	0.3	0.32	85	105	5	1.35	1	30	133	107	5.12	<10	2.05	3585	4	0.01	63	320	14	<5	<20	67	<0.01	<10	6	<10	<1	106
56	F104154	0.4	0.27	70	120	<5	1.38	<1	28	83	77	4.19	<10	1.67	3058	3	0.02	62	290	12	<5	<20	66	<0.01	<10	6	<10	<1	82
57	F104155	0.4	0.28	70	135	<5	1.42	<1	26	187	70	4.63	<10	1.76	3397	3	0.02	57	250	12	<5	<20	68	<0.01	<10	5	<10	<1	81
58	F104156	0.7	0.20	75	110	<5	1.19	<1	33	63	90	5.20	<10	1.86	2993	4	0.02	60	310	14	<5	<20	59	<0.01	<10	5	<10	<1	99
59	F104157	0.4	0.29	75	120	<5	1.68	<1	29	170	97	4.87	<10	1.88	2950	3	0.02	60	250	14	<5	<20	84	<0.01	<10	7	<10	<1	72
60	F104158	0.6	0.17	85	85	<5	2.08	<1	26	67	115	4.18	<10	2.11	2927	3	0.02	64	360	10	<5	<20	84	<0.01	<10	6	<10	<1	82
61	F104159	1.0	0.21	90	120	<5	1.79	<1	31	157	214	4.77	<10	2.36	3072	3	0.03	70	360	18	<5	<20	83	<0.01	<10	6	<10	<1	88
62	F104160	0.6	0.29	55	125	<5	1.71	<1	20	70	146	3.51	<10	1.92	2774	6	0.02	39	310	18	<5	<20	81	<0.01	<10	5	<10	<1	63
63	F104161	0.4	0.22	70	130	<5	1.46	<1	24	67	69	4.30	<10	1.96	3158	4	0.02	51	380	20	<5	<20	77	<0.01	<10	5	<10	<1	76
64	F104162	0.6	0.21	60	130	<5	1.13	<1	24	82	75	3.93	<10	1.48	2853	4	0.02	51	310	14	<5	<20	53	<0.01	<10	5	<10	<1	67
65	F104163	0.5	0.18	75	105	<5	1.11	<1	30	114	79	4.47	<10	1.56	3023	3	0.02	59	280	14	<5	<20	56	<0.01	<10	4	<10	<1	75
66	F104164	0.7	0.20	65	120	5	1.01	2	28	80	79	4.14	<10	1.43	2856	3	0.02	57	310	22	<5	<20	46	<0.01	<10	5	<10	<1	76
67	F104165	2.8	0.24	390	45	5	0.11	3	32	1327	44	3.27	<10	0.03	170	7	0.01	1065	340	8	45	<20	10	<0.01	<10	22	<10	4	23
68	F104166	0.5	0.25	70	140	<5	1.24	1	28	154	82	4.31	<10	1.67	3197	3	0.02	55	320	20	<5	<20	59	<0.01	<10	6	<10	<1	80
69	F104167	0.6	0.19	70	230	<5	1.07	<1	27	55	76	4.41	<10	1.85	3199	4	0.02	46	340	18	<5	<20	49	<0.01	<10	7	<10	<1	87
70	F104168	0.5	0.26	70	160	<5	1.42	<1	27	125	93	4.89	<10	2.09	3708	3	0.02	47	330	10	<5	<20	65	<0.01	<10	6	<10	<1	93
71	F104169	0.4	0.18	80	105	<5	1.52	<1	31	65	92	5.33	<10	1.95	3690	5	0.02	59	290	12	<5	<20	67	<0.01	<10	6	<10	<1	93
72	F104170	<0.2	0.03	5	<5	<5	>10	<1	2	1	<1	0.05	<10	1.79	35	<1	0.01	<1	60	<2	15	<20	4260	<0.01	<10	2	<10	<1	<1
73	F104171	0.3	0.22	60	120	<5	1.39	<1	25	156	78	4.01	<10	1.48	3081	4	0.02	56	260	12	<5	<20	59	<0.01	<10	8	<10	<1	79
74	F104172	0.5	0.23																										

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2006-1801


Mincord Exploration

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																													
<i>Repeat:</i>																													
1	F104099	0.4	0.42	55	105	<5	0.42	<1	21	86	74	3.35	<10	0.36	2634	3	0.02	41	360	14	<5	<20	23	<0.01	<10	11	<10	<1	80
10	F104108	0.4	0.47	210	180	<5	2.08	<1	30	121	74	4.41	<10	0.21	3261	5	0.03	125	430	26	<5	<20	25	<0.01	<10	11	<10	<1	98
19	F104117	0.5	0.31	235	140	10	2.25	<1	36	135	44	4.60	<10	2.39	3653	3	0.02	165	330	16	<5	<20	131	<0.01	<10	9	<10	<1	107
36	F104134	0.4	0.34	70	140	<5	1.13	<1	25	71	77	4.49	<10	1.90	2787	3	0.04	53	420	10	<5	<20	54	<0.01	<10	7	<10	<1	104
45	F104143	0.4	0.44	85	125	<5	1.79	<1	29	148	83	5.57	<10	3.23	4127	4	0.03	101	360	18	<5	<20	127	<0.01	<10	9	<10	<1	97
54	F104152	0.4	0.33	70	105	<5	1.50	<1	27	120	81	4.55	<10	1.86	3564	3	0.01	57	240	10	<5	<20	64	<0.01	<10	8	<10	<1	86
<i>Resplit:</i>																													
1	F104099	0.4	0.41	50	105	5	0.44	<1	22	86	76	3.42	<10	0.36	2707	3	0.03	43	380	14	<5	<20	27	<0.01	<10	11	<10	<1	83
36	F104134	0.4	0.31	65	120	<5	1.07	1	25	81	81	4.54	<10	1.85	2764	4	0.03	48	420	10	<5	<20	45	<0.01	<10	7	<10	<1	100
71	F104169	0.4	0.19	85	95	<5	1.52	1	30	65	97	5.35	<10	1.97	3709	5	0.01	62	290	8	<5	<20	63	<0.01	<10	7	<10	<1	88
<i>Standard:</i>																													
Pb106		>30	0.56	270	95	<5	1.67	33	3	54	6271	0.93	<10	0.26	584	30	0.02	6	290	5220	60	<20	178	<0.01	<10	14	10	<1	8386
Pb106		>30	0.54	275	95	<5	1.66	44	3	47	6371	0.90	<10	0.27	575	29	0.02	7	270	5344	55	<20	168	<0.01	<10	16	10	<1	8382



ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

JJ/sa/kc
df/1801
XLS/05



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2006-1836

Mincord Exploration
110-325 Howe Street
Vancouver, BC
V6C 1Z7

12-Dec-06

Attention: Bill Morton

No. of samples received: 74

Sample type: RC Chips

Project #: Spanish Mountain

Shipment #: SPM 06-021

Samples Submitted by: Johnston

ET #.	Tag #	Metallic Assay	
		Au (g/t)	Au (oz/t)
1	F104228	<0.03	<0.001
2	F104229	0.03	0.001
3	F104230	<0.03	<0.001
4	F104231	<0.03	<0.001
5	F104232	<0.03	<0.001
6	F104233	<0.03	<0.001
7	F104234	<0.03	<0.001
8	F104235	* 1.58	0.046
9	F104236	<0.03	<0.001
10	F104237	<0.03	<0.001
11	F104238	<0.03	<0.001
12	F104239	<0.03	<0.001
13	F104240	* <0.03	<0.001
14	F104241	<0.03	<0.001
15	F104242	<0.03	<0.001
16	F104243	<0.03	<0.001
17	F104244	0.04	0.001
18	F104245	<0.03	<0.001
19	F104246	0.07	0.002
20	F104247	0.12	0.003
21	F104248	<0.03	<0.001
22	F104249	<0.03	<0.001
23	F104250	0.13	0.004
24	F104251	<0.03	<0.001
25	F104252	<0.03	<0.001


* = 30g FA

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

ET #.	Tag #	Metallic Assay	
		Au (g/t)	Au (oz/t)
26	F104253	<0.03	<0.001
27	F104254	0.07	0.002
28	F104255	0.06	0.002
29	F104256	<0.03	<0.001
30	F104257	0.03	0.001
31	F104258	0.03	0.001
32	F104259	<0.03	<0.001
33	F104260	0.04	0.001
34	F104261	<0.03	<0.001
35	F104262	<0.03	<0.001
36	F104263	<0.03	<0.001
37	F104264	<0.03	<0.001
38	F104265	0.05	0.002
39	F104266	<0.03	<0.001
40	F104267	<0.03	<0.001
41	F104268	<0.03	<0.001
42	F104269	<0.03	<0.001
43	F104270	*	0.30 0.009
44	F104271	<0.03	<0.001
45	F104272	<0.03	<0.001
46	F104273	<0.03	<0.001
47	F104274	<0.03	<0.001
48	F104275	*	<0.03 <0.001
49	F104276	<0.03	<0.001
50	F104277	0.04	0.001
51	F104278	<0.03	<0.001
52	F104279	<0.03	<0.001
53	F104280	<0.03	<0.001
54	F104281	<0.03	<0.001
55	F104282	<0.03	<0.001
56	F104283	<0.03	<0.001
57	F104284	<0.03	<0.001
58	F104285	<0.03	<0.001
59	F104286	<0.03	<0.001
60	F104287	<0.03	<0.001
61	F104288	<0.03	<0.001
62	F104289	0.17	0.005
63	F104290	<0.03	<0.001
64	F104291	0.03	0.001
65	F104292	0.07	0.002
66	F104293	0.04	0.001
67	F104294	0.03	0.001
68	F104295	0.03	0.001
69	F104296	0.08	0.002
70	F104297	0.03	0.001
71	F104298	0.03	0.001

*= 30g FA

Eco Tech LABORATORY LTD.



ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

Mincord Exploration AK6-1836

12-Dec-06

Metallic Assay

ET #.	Tag #	Au (g/t)	Au (oz/t)
72	F104299	0.04	0.001
73	F104300	0.03	0.001
74	F104301	<0.03	<0.001

QC DATA:

Resplit:


1	F104228	<0.03	<0.001
36	F104263	0.05	0.001
71	F104298	0.03	0.001

Standard:

SJ10	2.65	0.077
SJ10	2.59	0.076
SJ10	2.64	0.077
SJ10	2.60	0.076
SJ10	2.60	0.076
SJ10	2.62	0.076

* = 30g FA

JJ/sa
XLS/06


ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

15-Nov-06

ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4

Phone: 250-573-5700
 Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2006-1836

Mincord Exploration
 110-325 Howe Street
Vancouver, BC
 V6C 1Z7

Attention: Bill Morton

No. of samples received: 74
 Sample type: RC Chips
 Project #: Spanish Mountain
 Shipment #: SPM 06-021
 Samples Submitted by: Johnston

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	F104228	0.4	0.95	80	75	<5	3.30	<1	24	47	78	5.28	<10	1.94	1394	5	0.06	49	610	32	<5	<20	227	<0.01	<10	28	<10	<1	236
2	F104229	0.2	0.54	40	320	<5	1.31	<1	11	42	12	2.89	<10	0.92	662	3	0.04	27	560	18	<5	<20	64	<0.01	<10	8	<10	1	98
3	F104230	0.6	0.43	100	200	<5	1.75	<1	18	92	158	4.05	<10	0.89	1180	5	0.03	56	560	18	<5	<20	97	<0.01	<10	11	<10	<1	125
4	F104231	0.7	0.41	80	150	<5	2.45	<1	11	80	113	2.95	<10	1.09	933	4	0.02	57	510	22	<5	<20	152	<0.01	<10	10	<10	1	127
5	F104232	0.6	0.26	50	135	<5	3.04	<1	9	127	135	2.79	<10	1.21	1189	3	0.02	38	620	20	<5	<20	207	<0.01	<10	7	<10	5	72
6	F104233	0.5	0.30	95	140	<5	3.08	<1	14	67	92	3.31	<10	1.42	1155	3	0.02	61	460	22	<5	<20	198	<0.01	<10	8	<10	1	97
7	F104234	0.5	0.30	100	135	<5	3.12	<1	14	68	96	3.36	<10	1.44	1169	4	0.02	63	470	20	<5	<20	200	<0.01	<10	8	<10	<1	98
8	F104235	2.8	0.23	375	30	<5	0.11	<1	30	1400	47	3.00	<10	0.05	198	8	<0.01	1083	300	6	45	<20	3	<0.01	<10	23	<10	3	26
9	F104236	0.3	0.40	40	200	<5	2.18	<1	9	71	44	2.62	<10	1.56	675	2	0.02	34	370	20	<5	<20	159	<0.01	<10	6	<10	2	86
10	F104237	0.3	0.31	40	155	<5	1.35	<1	12	76	54	3.35	<10	1.87	575	3	0.03	26	350	20	<5	<20	96	<0.01	<10	7	<10	<1	82
11	F104238	0.6	0.28	90	110	<5	1.67	<1	18	74	125	3.87	<10	1.84	703	5	0.03	50	700	24	<5	<20	115	<0.01	<10	11	<10	<1	77
12	F104239	0.4	0.45	20	260	<5	1.23	<1	9	53	15	2.98	<10	1.89	569	6	0.04	15	450	20	<5	<20	90	<0.01	<10	6	<10	<1	109
13	F104240	<0.2	0.03	5	<5	<5	>10	<1	1	2	<1	0.03	<10	2.03	28	<1	<0.01	<1	30	<2	25	<20	4917	<0.01	<10	3	<10	<1	<1
14	F104241	0.3	0.68	55	180	5	1.42	<1	16	103	52	3.41	<10	1.67	651	4	0.03	36	370	28	<5	<20	96	<0.01	<10	9	<10	<1	99
15	F104242	0.5	0.77	65	165	<5	1.69	<1	15	108	69	3.66	<10	1.68	799	3	0.03	41	280	22	<5	<20	105	<0.01	<10	11	<10	<1	116
16	F104243	0.5	0.55	70	95	<5	2.23	2	13	108	65	2.91	<10	1.25	724	4	0.02	37	210	14	<5	<20	136	<0.01	<10	13	<10	<1	128
17	F104244	0.4	0.70	40	145	<5	2.52	<1	11	81	46	3.01	<10	1.64	924	3	0.02	30	310	22	5	<20	178	<0.01	<10	9	<10	2	124
18	F104245	0.4	0.73	40	170	<5	2.63	<1	11	117	47	2.95	<10	1.64	944	2	0.02	28	330	22	<5	<20	186	<0.01	<10	9	<10	3	120
19	F104246	0.6	0.46	115	80	<5	3.74	2	19	111	102	3.58	<10	1.49	1087	4	0.02	60	540	22	5	<20	221	<0.01	<10	9	<10	5	129
20	F104247	0.6	0.42	90	120	<5	2.47	2	14	122	100	3.49	<10	1.33	988	6	0.02	64	510	20	<5	<20	127	<0.01	<10	10	<10	<1	153
21	F104248	0.5	0.36	105	145	<5	4.20	1	18	62	98	3.84	<10	1.79	1862	4	0.02	68	490	16	<5	<20	211	<0.01	<10	10	<10	<1	131
22	F104249	0.4	0.42	75	200	<5	4.07	<1	12	81	92	3.14	<10	1.59	1605	4	0.02	53	620	18	10	<20	197	<0.01	<10	9	<10	5	87
23	F104250	0.6	0.35	110	95	<5	3.65	1	14	141	99	3.14	<10	1.33	1539	6	0.02	73	540	20	5	<20	169	<0.01	<10	8	<10	2	145
24	F104251	0.7	0.34	100	155	<5	3.64	<1	12	127	80	2.78	<10	1.29	1392	2	0.02	63	420	14	<5	<20	165	<0.01	<10	6	<10	<1	104
25	F104252	0.4	0.57	70	175	<5	3.84	<1	25	45	98	5.49	<10	2.61	1759	4	0.06	35	720	16	<5	<20	184	<0.01	<10	18	<10	<1	124
26	F104253	0.5	0.44	45	155	<5	3.18	<1	14	140	64	3.36	<10	1.55	1248	5	0.03	24	430	20	<5	<20	149	<0.01	<10	11	<10	2	84
27	F104254	0.8	0.46	65	100	<5	4.38	9	13	104	90	3.29	<10	1.62	1661	4	0.03	42	540	54	10	<20	160	<0.01	<10	12	<10	<1	325
28	F104255	2.0	0.71	105	200	<5	4.27	10	24	161	195	4.52	<10	3.15	1605	11	0.05	85	570	84	10	<20	214	<0.01	<10	25	<10	<1	832
29	F104256	1.0	0.68	110	175	<5	4.14	6	30	101	165	5.10	<10	3.70	1713	6	0.06	96	670	48	10	<20	220	<0.01	<10	24	<10	3	479
30	F104257	0.8	0.52	85	140	<5	2.26	2	17	87	146	3.75	<10	1.59	876	5	0.03	65	430	28	10	<20	99	<0.01	<10	12	<10	<1	250

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
31	F104258	0.9	0.44	80	65	<5	3.01	3	15	122	115	3.35	<10	1.42	927	5	0.02	54	500	38	<5	<20	131	<0.01	<10	11	<10	1	332
32	F104259	1.2	0.29	135	55	<5	2.88	4	17	101	96	3.27	<10	1.22	823	31	0.01	106	370	52	<5	<20	131	<0.01	<10	21	<10	<1	367
33	F104260	0.5	0.28	75	90	<5	3.43	2	8	106	78	2.41	<10	1.57	1135	12	0.01	65	220	20	10	<20	166	<0.01	<10	16	<10	<1	179
34	F104261	1.1	0.41	90	115	<5	3.98	2	12	138	179	2.79	<10	1.87	1265	6	0.02	69	290	66	10	<20	217	<0.01	<10	13	<10	2	161
35	F104262	0.9	0.35	100	100	<5	3.51	1	13	91	108	2.57	<10	1.54	1037	3	0.01	78	220	28	<5	<20	203	<0.01	<10	9	<10	2	130
36	F104263	0.6	0.39	85	115	<5	3.12	2	10	79	109	2.42	<10	1.48	1024	9	0.02	63	310	30	5	<20	189	<0.01	<10	14	<10	4	189
37	F104264	0.7	0.41	125	95	<5	2.67	2	14	93	84	3.17	<10	1.36	1013	7	0.02	97	260	34	<5	<20	151	<0.01	<10	13	<10	<1	146
38	F104265	0.4	0.31	95	95	<5	2.75	2	10	155	74	2.66	<10	1.29	1221	7	0.01	74	240	26	5	<20	162	<0.01	<10	12	<10	<1	145
39	F104266	0.6	0.38	90	95	<5	3.22	1	16	113	115	3.88	<10	1.32	1187	8	0.02	54	410	22	<5	<20	192	<0.01	<10	15	<10	2	121
40	F104267	0.9	0.41	65	85	<5	3.73	2	21	136	138	4.81	<10	1.54	1320	8	0.04	40	620	46	<5	<20	200	<0.01	<10	16	<10	3	130
41	F104268	0.6	0.52	50	110	10	3.82	<1	20	75	98	5.29	<10	1.83	1412	9	0.06	29	670	26	<5	<20	204	<0.01	<10	19	<10	<1	150
42	F104269	0.5	0.46	55	115	10	3.99	1	20	130	113	5.17	<10	1.83	1362	6	0.05	31	680	18	<5	<20	210	<0.01	<10	18	<10	<1	148
43	F104270	0.7	0.58	160	70	<5	0.16	<1	21	730	84	2.82	<10	0.13	195	8	0.01	563	270	18	5	<20	14	<0.01	<10	22	<10	7	42
44	F104271	0.4	0.40	40	90	<5	3.70	1	16	101	97	4.41	<10	1.35	1075	8	0.04	21	1940	14	<5	<20	171	<0.01	<10	13	<10	4	122
45	F104272	0.4	0.42	30	80	<5	4.53	2	20	72	89	5.51	<10	1.63	1281	15	0.04	21	870	18	<5	<20	190	<0.01	<10	13	<10	1	146
46	F104273	0.4	0.48	40	90	10	3.84	1	14	74	66	3.99	<10	1.17	1162	30	0.03	24	690	22	<5	<20	159	<0.01	<10	11	<10	4	146
47	F104274	0.3	0.43	45	95	<5	4.10	<1	11	101	70	3.85	<10	1.38	1254	19	0.03	27	630	16	<5	<20	180	<0.01	<10	10	<10	<1	125
48	F104275	<0.2	0.03	10	<5	5	>10	<1	1	2	<1	0.04	<10	1.95	23	<1	0.01	<1	40	<2	20	<20	5486	<0.01	<10	2	<10	<1	1
49	F104276	0.3	0.32	50	90	<5	4.49	1	15	73	52	4.80	<10	1.25	1274	14	0.04	14	950	14	<5	<20	161	<0.01	<10	7	<10	<1	115
50	F104277	0.6	0.28	90	60	<5	3.68	3	22	94	104	4.90	<10	1.17	868	14	0.04	37	630	16	<5	<20	122	<0.01	<10	19	<10	2	252
51	F104278	0.4	0.32	70	70	<5	6.27	1	26	114	97	5.56	<10	2.02	1373	10	0.05	26	590	16	<5	<20	184	<0.01	<10	24	<10	<1	141
52	F104279	0.4	0.33	60	65	<5	4.88	<1	26	65	93	5.58	<10	2.03	1372	6	0.06	20	610	14	<5	<20	136	<0.01	<10	19	<10	<1	104
53	F104280	0.5	0.39	60	60	<5	4.94	<1	26	82	97	5.68	<10	2.09	1385	6	0.08	21	610	12	<5	<20	135	<0.01	<10	21	<10	<1	104
54	F104281	0.3	0.61	40	65	<5	5.80	<1	27	63	97	5.61	<10	1.95	1389	4	0.07	13	730	24	<5	<20	138	<0.01	<10	25	<10	2	78
55	F104282	0.6	0.47	40	60	<5	5.64	<1	21	82	184	4.95	<10	1.78	1326	4	0.07	16	600	14	<5	<20	128	<0.01	<10	18	<10	2	75
56	F104283	<0.2	0.47	25	55	<5	5.23	<1	19	61	46	4.79	<10	1.69	1128	4	0.07	11	560	14	<5	<20	74	<0.01	<10	16	<10	<1	67
57	F104284	<0.2	0.48	35	65	<5	5.38	<1	19	84	69	4.68	<10	1.58	1214	3	0.07	11	570	12	<5	<20	90	<0.01	<10	15	<10	<1	89
58	F104285	0.3	0.43	45	55	<5	5.20	<1	20	67	82	4.51	<10	1.64	1347	5	0.05	20	540	14	<5	<20	103	<0.01	<10	14	<10	<1	86
59	F104286	<0.2	0.34	30	80	5	8.76	<1	15	85	63	4.18	<10	1.53	2006	4	0.07	13	540	6	<5	<20	155	<0.01	<10	13	<10	<1	68
60	F104287	0.3	0.61	40	60	<5	5.54	<1	20	76	85	4.74	<10	1.85	1363	4	0.06	15	620	20	<5	<20	140	<0.01	<10	22	<10	2	84
61	F104288	0.3	0.69	70	80	<5	4.89	2	18	107	114	4.85	<10	1.54	1161	29	0.04	39	530	18	<5	<20	136	<0.01	<10	31	<10	1	218
62	F104289	0.6	0.34	110	55	15	3.70	4	27	39	122	5.64	<10	1.16	934	23	0.03	45	410	18	<5	<20	153	<0.01	<10	27	<10	<1	258
63	F104290	0.4	0.20	40	30	<5	4.64	2	19	13	84	4.24	<10	1.29	1039	20	0.01	20	510	10	5	<20	154	<0.01	<10	13	<10	<1	139
64	F104291	0.6	0.27	65	60	<5	3.74	3	24	78	131	5.09	<10	1.22	871	15	0.03	37	540	8	<5	<20	136	<0.01	<10	19	<10	<1	189
65	F104292	0.5	0.31	90	60	<5	3.81	2	24	65	118	5.43	<10	1.31	908	14	0.04	32	570	10	<5	<20	146	<0.01	<10	20	<10	<1	176
66	F104293	0.7	0.21	95	50	<5	4.08	2	25	40	124	5.38	<10	1.24	946	15	0.03	31	540	10	<5	<20	129	<0.01	<10	15	<10	<1	181
67	F104294	0.5	0.41	80	55	<5	4.91	<1	22	66	105	5.36	<10	1.51	1047	11	0.05	25	890	12	<5	<20	144	<0.01	<10	19	<10	<1	128
68	F104295	0.5	0.25	55	45	<5	4.07	2	17	79	107	4.17	<10	1.23	941	12	0.04	23	490	6	5	<20	109	<0.01	<10	14	<10	<1	135
69	F104296	0.6	0.30	80	55	<5	3.67	3	18	92	115	4.29	<10	1.21	914	13	0.03	31	510	12	<5	<20	119	<0.01	<10	17	<10	<1	199
70	F104297	0.6	0.34	70	75	<5	4.24	3	21	78	121	4.62	<10	1.45	1035	22	0.03	33	620	16	5	<20	154	<0.01	<10	18	<10	2	239

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
71	F104298	0.6	0.31	75	70	<5	4.54	3	24	85	168	5.47	<10	1.51	978	32	0.04	28	1030	14	<5	<20	144	<0.01	<10	21	<10	3	231
72	F104299	0.6	0.27	160	45	<5	3.68	5	27	57	129	5.99	<10	1.42	956	39	0.03	60	420	16	<5	<20	118	<0.01	<10	26	<10	<1	289
73	F104300	0.5	0.44	70	95	<5	6.26	1	29	96	142	6.14	<10	2.28	1541	7	0.06	26	620	16	<5	<20	186	<0.01	<10	20	<10	<1	133
74	F104301	0.5	0.48	55	85	5	4.62	<1	24	151	118	5.35	<10	2.04	1403	6	0.06	27	550	18	<5	<20	172	<0.01	<10	19	<10	<1	115

QC DATA:**Resplit:**

1	F104228	0.5	1.06	105	95	5	3.43	<1	31	40	90	5.49	<10	2.19	1445	5	0.05	54	620	34	<5	<20	251	<0.01	<10	34	<10	<1	255
36	F104263	0.5	0.39	100	90	<5	3.20	2	11	71	101	2.45	<10	1.51	1050	10	0.02	65	310	32	5	<20	194	<0.01	<10	14	<10	1	206
71	F104298	0.5	0.37	75	80	<5	4.73	2	24	63	169	5.57	<10	1.61	1020	35	0.04	28	1060	12	<5	<20	158	<0.01	<10	23	<10	3	212


Repeat:


1	F104228	0.4	0.99	85	75	5	3.40	<1	25	50	81	5.42	<10	2.01	1441	4	0.06	49	620	24	<5	<20	239	<0.01	<10	29	<10	<1	238
10	F104237	0.3	0.31	40	175	<5	1.37	<1	12	78	56	3.39	<10	1.92	587	3	0.03	25	350	24	5	<20	106	<0.01	<10	6	<10	2	83
19	F104246	0.7	0.49	115	95	<5	3.82	2	19	115	106	3.65	<10	1.54	1120	3	0.02	61	550	22	5	<20	245	<0.01	<10	10	<10	7	131
36	F104263	0.7	0.41	95	90	<5	3.10	2	10	78	102	2.41	<10	1.46	1014	10	0.02	67	310	24	10	<20	171	<0.01	<10	15	<10	<1	190
45	F104272	0.4	0.44	40	90	<5	4.58	<1	20	73	92	5.58	<10	1.67	1304	15	0.04	21	860	14	<5	<20	200	<0.01	<10	13	<10	<1	144
54	F104281	0.3	0.59	45	45	<5	5.78	<1	26	62	94	5.60	<10	1.89	1372	5	0.07	13	720	16	<5	<20	120	<0.01	<10	25	<10	1	78
71	F104298	0.5	0.33	80	60	<5	4.61	2	22	72	179	5.53	<10	1.58	997	34	0.04	29	1030	6	<5	<20	146	<0.01	<10	22	<10	<1	230

Standards:

Pb106	>30	0.50	275	70	<5	1.63	32	4	43	6203	1.62	<10	0.24	565	28	0.01	7	260	5390	55	<20	141	<0.01	<10	13	<10	<1	8341
Pb106	>30	0.51	270	75	<5	1.63	32	4	44	6232	1.63	<10	0.25	566	29	0.02	7	270	5314	55	<20	144	<0.01	<10	13	<10	<1	8373
Pb106	>30	0.52	280	75	<5	1.75	33	3	35	6378	1.44	<10	0.24	520	33	0.02	7	265	5302	60	<20	151	<0.01	<10	17	10	<1	8449

JJ/bp/sa
d/1836
XLS/05





ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2006- 1837

Mincord Exploration
110-325 Howe Street
Vancouver, BC
V6C 1Z7

12-Dec-06

Attention: Bill Morton

No. of samples received: 55

Sample type: RC Chips

Project #: Spanish Mountain

Shipment #: SMP 06-020

Samples Submitted by: Johnston

Metallic Assay

ET #.	Tag #	Au (g/t)	Au (oz/t)
1	F104173	0.07	0.002
2	F104174	0.10	0.003
3	F104175	0.09	0.003
4	F104176	0.04	0.001
5	F104177	0.03	0.001
6	F104178	0.06	0.002
7	F104179	0.10	0.003
8	F104180	0.10	0.003
9	F104181	0.08	0.002
10	F104182	0.08	0.002
11	F104183	0.07	0.002
12	F104184	0.05	0.001
13	F104185	0.03	0.001
14	F104186	0.04	0.001
15	F104187	0.06	0.002
16	F104188	0.10	0.003
17	F104189	0.33	0.010
18	F104190	1.09	0.032
19	F104191	0.42	0.012
20	F104192	0.25	0.007
21	F104193	0.27	0.008
22	F104194	0.17	0.005
23	F104195	0.08	0.002
24	F104196	0.06	0.002
25	F104197	0.13	0.004
26	F104198	0.06	0.002
27	F104199	0.08	0.002

* = 30g FA

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

Mincord Exploration AK6-1837

12-Dec-06

ET #.	Tag #	Metallic Assay	
		Au (g/t)	Au (oz/t)
28	F104200	*	0.29 0.008
29	F104201		0.07 0.002
30	F104202		0.08 0.002
31	F104203		0.11 0.003
32	F104204		0.18 0.005
33	F104205	*	<0.03 <0.001
34	F104206		0.12 0.004
35	F104207		0.07 0.002
36	F104208		0.14 0.004
37	F104209		0.12 0.004
38	F104210		0.18 0.005
39	F104211		0.13 0.004
40	F104212		0.12 0.003
41	F104213		0.09 0.003
42	F104214		0.29 0.008
43	F104215		0.23 0.007
44	F104216		0.22 0.006
45	F104217		0.28 0.008
46	F104218		0.22 0.006
47	F104219		0.14 0.004
48	F104220		0.19 0.006
49	F104221		<0.03 <0.001
50	F104222		<0.03 <0.001
51	F104223		<0.03 <0.001
52	F104224		<0.03 <0.001
53	F104225		0.67 0.019
54	F104226		0.06 0.002
55	F104227		<0.03 <0.001

QC DATA:**Resplit:**

1	F104173	0.07	0.002
36	F104208	0.14	0.004


Standard:

SJ10		2.69	0.078
SJ10		2.68	0.078
SJ10		2.67	0.078
SJ10		2.62	0.076
SJ10		2.62	0.076

* = 30g FA

JJ/sa
XLS/06

Eco Tech LABORATORY LTD.



ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

14-Nov-06

ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4

Phone: 250-573-5700
 Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2006-1837

Mincord Exploration
 110-325 Howe Street
Vancouver, BC
 V6C 1Z7

Attention: Bill Morton

No. of samples received: 55

Sample type: RC Chips

Project #: Spanish Mountain

Shipment #: SMP 06-020

Samples Submitted by: Johnston

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	F104173	0.5	0.29	70	135	<5	1.58	<1	25	173	88	4.69	<10	1.90	3340	2	0.03	59	270	22	<5	<20	73	<0.01	<10	7	<10	3	98
2	F104174	0.5	0.25	60	140	<5	1.48	<1	21	188	74	4.16	<10	1.70	3224	2	0.03	55	260	16	<5	<20	71	<0.01	<10	6	<10	3	75
3	F104175	0.4	0.22	60	150	<5	1.48	<1	20	129	69	4.02	<10	1.69	3187	<1	0.03	52	250	16	<5	<20	72	<0.01	<10	6	<10	3	75
4	F104176	0.4	0.25	65	130	<5	1.37	<1	26	165	65	3.99	<10	1.61	3193	<1	0.03	62	290	16	<5	<20	64	<0.01	<10	6	<10	3	82
5	F104177	0.5	0.24	60	95	<5	1.46	<1	24	139	81	3.87	<10	1.49	3243	<1	0.03	61	270	16	<5	<20	67	<0.01	<10	6	<10	3	77
6	F104178	0.8	0.32	90	90	<5	1.80	2	19	200	381	4.03	<10	1.60	2834	5	0.03	69	320	18	<5	<20	72	<0.01	<10	11	<10	3	180
7	F104179	0.7	0.24	120	45	<5	2.74	2	23	158	261	5.24	<10	1.64	2059	16	0.03	87	510	20	<5	<20	89	<0.01	<10	11	<10	4	216
8	F104180	1.0	0.24	135	40	<5	3.11	2	24	215	115	5.50	<10	1.84	2158	11	0.03	89	450	20	5	<20	110	<0.01	<10	11	<10	4	143
9	F104181	0.4	0.30	95	55	<5	2.93	2	23	150	125	4.99	<10	1.91	1843	10	0.03	71	500	20	<5	<20	120	<0.01	<10	11	<10	5	151
10	F104182	0.4	0.26	115	55	<5	3.65	2	23	152	121	5.13	<10	2.03	2147	9	0.03	77	500	16	<5	<20	157	<0.01	<10	12	<10	5	143
11	F104183	0.5	0.21	100	55	<5	3.64	2	21	142	151	4.87	<10	1.89	2503	8	0.03	71	460	18	<5	<20	149	<0.01	<10	10	<10	4	169
12	F104184	0.4	0.29	85	80	<5	3.82	2	18	191	129	4.56	<10	1.93	3264	7	0.03	64	500	20	<5	<20	162	<0.01	<10	15	<10	5	139
13	F104185	0.4	0.22	75	60	<5	3.53	1	20	149	107	4.85	<10	2.03	3193	6	0.03	63	660	22	<5	<20	144	<0.01	<10	11	<10	6	134
14	F104186	0.3	0.22	95	60	<5	2.77	2	23	273	100	4.64	<10	1.65	1954	9	0.03	75	400	18	<5	<20	111	<0.01	<10	12	<10	4	155
15	F104187	0.5	0.25	100	55	<5	2.69	2	24	200	136	5.06	<10	1.57	1823	14	0.03	73	550	18	<5	<20	107	<0.01	<10	14	<10	4	182
16	F104188	0.4	0.37	70	80	<5	3.57	1	21	294	122	4.73	<10	2.22	1990	7	0.03	61	490	28	<5	<20	147	<0.01	<10	13	<10	5	140
17	F104189	0.5	0.27	100	50	<5	3.10	2	16	213	97	4.40	<10	1.60	1734	12	0.03	68	480	18	<5	<20	133	<0.01	<10	12	<10	4	147
18	F104190	0.5	0.26	105	45	<5	3.41	2	15	239	51	4.25	<10	1.70	1655	12	0.03	63	450	20	<5	<20	156	<0.01	<10	12	<10	5	156
19	F104191	0.3	0.22	70	60	<5	3.84	1	13	210	62	4.04	<10	2.00	2514	5	0.03	47	340	16	<5	<20	176	<0.01	<10	16	<10	5	100
20	F104192	0.5	0.29	140	50	<5	3.45	1	24	265	150	6.67	<10	1.84	6220	4	0.04	106	1370	24	5	<20	148	<0.01	<10	24	<10	9	111
21	F104193	0.6	0.36	140	65	<5	3.81	1	22	191	149	7.73	<10	2.07	8275	2	0.04	115	2430	26	5	<20	171	0.01	<10	33	<10	13	120
22	F104194	0.7	0.42	160	95	<5	3.97	1	28	154	172	7.76	<10	2.57	>10000	13	0.05	126	2260	34	5	<20	187	0.02	<10	27	<10	12	128
23	F104195	0.6	0.42	130	150	<5	4.10	<1	23	159	114	6.00	<10	2.19	>10000	18	0.05	94	1110	34	<5	<20	174	0.02	<10	22	<10	8	77
24	F104196	1.1	0.32	135	95	<5	4.04	1	23	164	227	7.32	<10	2.45	>10000	10	0.06	105	1620	42	<5	<20	175	0.01	<10	22	<10	9	112
25	F104197	<0.2	0.26	90	60	<5	3.38	<1	19	259	102	4.75	<10	1.67	4733	4	0.04	76	730	20	<5	<20	145	<0.01	<10	14	<10	5	94
26	F104198	0.3	0.19	80	65	<5	3.41	<1	15	247	68	4.03	<10	1.67	3665	3	0.03	56	470	14	<5	<20	143	<0.01	<10	9	<10	4	81
27	F104199	0.4	0.24	110	50	<5	3.35	1	21	260	117	4.62	<10	1.62	3258	10	0.03	74	510	22	5	<20	125	<0.01	<10	12	<10	4	100
28	F104200	0.7	0.43	170	45	<5	0.18	<1	19	698	74	2.81	<10	0.10	204	11	0.03	546	290	12	15	<20	7	<0.01	<10	21	<10	5	46
29	F104201	0.4	0.26	120	75	<5	3.74	1	24	259	129	4.72	<10	2.20	3965	4	0.04	99	460	20	5	<20	160	<0.01	<10	11	<10	5	119
30	F104202	0.4	0.28	110	60	<5	3.31	1	24	223	128	5.39	<10	2.11	3304	6	0.03	77	470	26	<5	<20	138	<0.01	<10	17	<10	5	122

El #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
31	F104203	0.4	0.23	110	55	<5	3.59	1	22	240	125	5.42	<10	2.14	2970	8	0.03	79	480	20	5	<20	145	<0.01	<10	16	<10	5	131
32	F104204	0.4	0.22	105	65	<5	3.17	1	22	201	106	4.94	<10	1.95	2805	8	0.03	74	470	20	<5	<20	122	<0.01	<10	14	<10	4	123
33	F104205	<0.2	<0.01	<5	<5	>10	<1	<1	2	<1	0.04	<10	1.24	34	<1	0.03	<1	30	2	<5	<20	4213	<0.01	<10	1	<10	<1	<1	
34	F104206	<0.2	0.25	100	60	<5	2.91	1	20	196	110	4.76	<10	1.86	2453	9	0.03	70	460	20	5	<20	115	<0.01	<10	13	<10	4	128
35	F104207	0.4	0.24	105	50	<5	3.02	2	20	212	111	4.47	<10	1.70	2277	10	0.03	71	510	18	<5	<20	111	<0.01	<10	15	<10	4	146
36	F104208	0.4	0.24	100	65	<5	3.33	1	18	243	93	4.48	<10	1.94	2958	8	0.03	72	410	38	5	<20	129	<0.01	<10	15	<10	5	134
37	F104209	0.5	0.21	125	50	<5	3.29	1	21	231	107	4.78	<10	1.82	2646	11	0.03	77	590	26	5	<20	121	<0.01	<10	15	<10	5	124
38	F104210	0.5	0.23	120	50	<5	3.39	2	21	192	106	4.67	<10	1.82	2703	10	0.03	79	560	26	<5	<20	123	<0.01	<10	15	<10	5	137
39	F104211	0.4	0.25	120	50	<5	3.73	2	26	249	102	5.48	<10	2.14	3009	8	0.03	81	470	20	5	<20	146	<0.01	<10	15	<10	5	142
40	F104212	0.6	0.23	110	55	<5	3.20	2	21	196	105	4.97	<10	1.98	2477	10	0.03	74	480	20	5	<20	126	<0.01	<10	14	<10	4	136
41	F104213	0.6	0.25	105	55	<5	3.05	2	20	141	106	4.92	<10	1.93	2453	11	0.03	71	500	26	5	<20	124	<0.01	<10	16	<10	5	141
42	F104214	0.4	0.26	115	55	<5	3.22	2	21	207	96	5.02	<10	2.00	2602	12	0.03	75	540	24	5	<20	125	<0.01	<10	14	<10	5	148
43	F104215	0.4	0.22	115	55	<5	3.22	2	22	137	93	5.07	<10	1.95	2418	12	0.03	73	520	22	5	<20	130	<0.01	<10	15	<10	5	161
44	F104216	0.4	0.23	115	55	<5	3.34	1	22	210	102	4.95	<10	1.96	2758	9	0.03	75	490	24	<5	<20	130	<0.01	<10	14	<10	4	128
45	F104217	0.4	0.21	105	55	<5	2.96	2	21	126	102	4.64	<10	1.88	2504	11	0.03	72	520	20	<5	<20	120	<0.01	<10	14	<10	4	150
46	F104218	0.4	0.24	125	55	<5	3.44	2	24	206	93	4.94	<10	1.95	2662	13	0.03	79	560	24	5	<20	134	<0.01	<10	<10	<10	5	156
47	F104219	0.4	0.21	110	55	<5	3.11	2	21	130	97	4.91	<10	1.93	2515	11	0.04	73	510	24	5	<20	130	<0.01	<10	<10	<10	4	153
48	F104220	0.5	0.23	120	50	<5	3.22	2	23	185	91	5.08	<10	1.88	2554	15	0.04	85	610	22	5	<20	129	<0.01	<10	<10	<10	5	175
49	F104221	0.2	0.23	30	170	<5	1.53	<1	8	75	60	3.32	<10	1.11	748	2	0.06	24	310	16	<5	<20	95	<0.01	<10	<10	<10	3	56
50	F104222	0.4	0.37	45	180	<5	2.42	<1	18	194	98	4.98	<10	2.44	1020	1	0.09	35	540	16	<5	<20	163	<0.01	<10	<10	<10	5	93
51	F104223	0.5	0.24	45	90	<5	3.16	<1	19	35	116	5.57	<10	2.92	1208	<1	0.11	24	790	10	5	<20	225	<0.01	<10	<10	<10	6	104
52	F104224	0.7	0.39	100	180	<5	3.27	<1	19	37	97	4.90	<10	2.48	1161	<1	0.11	35	760	12	<5	<20	246	<0.01	<10	<10	<10	6	209
53	F104225	0.5	0.46	115	90	<5	3.75	<1	22	63	77	5.36	<10	2.39	1325	<1	0.09	37	700	20	<5	<20	286	<0.01	<10	<10	<10	6	174
54	F104226	0.4	0.30	80	65	<5	3.48	<1	21	38	63	5.69	<10	1.85	1359	3	0.10	23	600	16	5	<20	233	<0.01	<10	<10	<10	5	130
55	F104227	0.3	0.31	85	75	<5	3.99	<1	17	54	63	5.66	<10	2.23	1620	<1	0.10	20	610	14	5	<20	288	<0.01	<10	<10	<10	5	112

QC DATA:**Respit:**


1	F104173	0.4	0.20	65	120	<5	1.56	<1	23	177	81	4.47	<10	1.86	3206	1	0.03	57	270	18	5	<20	72	<0.01	<10	7	<10	3	93
36	F104208	0.4	0.22	105	60	<5	3.34	1	19	244	92	4.44	<10	1.92	3071	8	0.04	78	420	22	5	<20	132	<0.01	<10	15	<10	4	123

Repeat:

1	F104173	0.5	0.26	70	120	<5	1.58	<1	26	151	86	4.56	<10	1.91	3342	1	0.03	60	270	18	<5	<20	73	<0.01	<10	7	<10	3	92
10	F104182	0.4	0.21	110	50	<5	3.65	2	22	144	119	5.06	<10	1.99	2120	9	0.03	76	500	16	5	<20	154	<0.01	<10	10	<10	5	143
19	F104191	0.3	0.22	70	65	<5	3.91	1	13	204	60	3.99	<10	1.98	2502	5	0.03	47	350	16	<5	<20	175	<0.01	<10	17	<10	5	99
36	F104208	0.6	0.23	100	70	<5	3.20	1	18	238	98	4.48	<10	1.95	2919	8	0.03	72	400	20	<5	<20	131	<0.01	<10	16	<10	5	130
45	F104217	0.5	0.22	105	60	<5	3.03	2	22	129	102	4.67	<10	1.90	2537	11	0.03	73	520	20	5	<20	121	<0.01	<10	14	<10	4	149

Standard:

Pb106		>30	0.55	270	90	<5	1.65	31	4	41	6239	1.69	<10	0.17	551	28	0.03	7	270	5294	60	<20	131	<0.01	<10	13	<10	1	8413



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2006-1882

Mincord Exploration
110-325 Howe Street
Vancouver, BC
V6C 1Z7

13-Dec-06

Attention: Bill Morton

No. of samples received: 37

Sample type: RC Chips

Project #: Spanish Mountain

Shipment #: SMP06-022

Samples Submitted by: Johnston

Metallic Assay

ET #.	Tag #	Au (g/t)	Au (oz/t)
1	F104349	<0.03	<0.001
2	F104350	<0.03	<0.001
3	F104351	<0.03	<0.001
4	F104352	<0.03	<0.001
5	F104353	<0.03	<0.001
6	F104354	<0.03	<0.001
7	F104355	<0.03	<0.001
8	F104356	<0.03	<0.001
9	F104357	<0.03	<0.001
10	F104358	0.06	0.002
11	F104359	<0.03	<0.001
12	F104360	0.05	0.002
13	F104361	<0.03	<0.001
14	F104362	<0.03	<0.001
15	F104363	0.03	0.001
16	F104364	<0.03	<0.001
17	F104365	<0.03	<0.001
18	F104422	0.03	0.001
19	F104423	<0.03	<0.001
20	F104424	<0.03	<0.001
21	F104425	<0.03	<0.001
22	F104426	<0.03	<0.001
23	F104427	0.04	0.001
24	F104428	<0.03	<0.001
25	F104429	0.05	0.001
26	F104430	0.06	0.002
27	F104431	0.15	0.004
28	F104432	<0.03	<0.001

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

Mincord Exploration AK6-1882

13-Dec-06

ET #.	Tag #	Au (g/t)	Au (oz/t)
29	F104433	<0.03	<0.001
30	F104434	0.07	0.002
31	F104435	0.05	0.002
32	F104487	0.06	0.002
33	F104488	0.03	0.001
34	F104489	<0.03	<0.001
35	F104490	<0.03	<0.001
36	F104491	<0.03	<0.001
37	F104492	<0.03	<0.001

QC DATA:


Resplit:

1	F104349	<0.03	<0.001
36	F104491	<0.03	<0.001

Standard:

SJ10	2.64	0.077
SJ10	2.63	0.077
SJ10	2.60	0.076

JJ/sa
XLS/06



ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

21-Nov-06

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2006-1882

Mincord Exploration
110-325 Howe Street
Vancouver, BC
V6C 1Z7

Attention: Bill Morton

No. of samples received: 37
Sample type: RC Chips
Project #: Spanish Mountain
Shipment #: SMP06-022
Samples Submitted by: Johnston

Values in ppm unless otherwise reported

Et #	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	F104349	<0.2	1.34	30	135	<5	1.84	<1	21	77	83	4.36	<10	1.08	997	3	0.05	38	690	16	<5	<20	68	0.05	<10	60	<10	3	85
2	F104350	0.2	1.02	35	135	<5	2.19	<1	18	74	75	4.31	<10	0.92	1034	4	0.06	31	650	18	<5	<20	77	0.02	<10	43	<10	3	77
3	F104351	0.3	1.12	45	130	<5	1.60	<1	18	53	80	4.02	<10	0.82	1242	6	0.04	41	640	24	<5	<20	65	0.03	<10	41	<10	5	105
4	F104352	0.2	1.12	35	135	5	1.54	1	17	75	74	3.95	<10	0.77	1068	5	0.05	35	710	20	<5	<20	54	0.04	<10	40	<10	5	97
5	F104353	<0.2	0.94	35	100	<5	1.58	<1	14	40	65	3.54	<10	0.67	933	5	0.03	29	640	16	<5	<20	51	0.02	<10	35	<10	4	86
6	F104354	0.2	1.04	40	145	<5	1.58	<1	15	92	60	3.39	<10	0.60	906	4	0.05	30	560	20	<5	<20	45	0.02	<10	35	<10	5	82
7	F104355	0.2	1.03	40	135	<5	1.18	<1	15	51	67	3.68	<10	0.56	1026	7	0.05	34	620	18	<5	<20	44	0.02	<10	38	<10	3	104
8	F104356	0.3	1.11	45	170	<5	1.36	<1	17	115	71	3.85	<10	0.73	922	7	0.06	45	660	22	<5	<20	55	0.03	<10	41	<10	5	106
9	F104357	0.3	0.58	55	110	<5	1.62	1	18	35	69	4.00	<10	0.46	1011	8	0.04	37	720	16	<5	<20	44	0.02	<10	24	<10	3	104
10	F104358	0.4	0.72	60	140	<5	1.27	1	18	85	69	3.87	<10	0.58	837	9	0.06	47	720	18	<5	<20	46	0.01	<10	28	<10	3	104
11	F104359	0.3	0.60	60	115	<5	2.94	<1	21	69	71	5.02	<10	1.32	1259	7	0.09	34	940	20	<5	<20	113	<0.01	<10	27	<10	<1	91
12	F104360	0.2	0.47	35	110	<5	4.28	<1	12	54	48	3.73	<10	1.49	1071	3	0.05	10	380	6	<5	<20	235	<0.01	<10	13	<10	<1	40
13	F104361	0.2	0.56	35	75	<5	3.53	<1	16	52	76	4.46	<10	1.70	1202	3	0.08	12	510	8	<5	<20	215	<0.01	<10	22	<10	<1	61
14	F104362	0.3	0.55	60	120	10	5.12	<1	23	63	79	5.94	<10	3.41	1340	4	0.09	33	720	8	5	<20	335	<0.01	<10	30	<10	<1	74
15	F104363	0.3	0.68	155	110	5	4.95	<1	35	72	69	6.19	<10	4.04	1380	5	0.09	99	750	8	5	<20	336	<0.01	<10	35	<10	<1	84
16	F104364	0.3	0.58	45	140	<5	5.31	<1	21	78	71	6.20	<10	3.14	1733	5	0.07	25	680	14	<5	<20	313	<0.01	<10	25	<10	<1	78
17	F104365	0.3	0.44	50	205	<5	3.42	<1	12	67	64	3.91	<10	1.89	1301	6	0.04	25	540	20	5	<20	191	<0.01	<10	16	<10	<1	63
18	F104422	0.3	0.63	25	195	<5	2.38	<1	19	54	61	5.19	<10	1.45	1321	5	0.11	19	750	8	<5	<20	91	<0.01	<10	17	<10	<1	97
19	F104423	0.4	0.78	50	350	<5	1.57	<1	16	55	86	3.82	<10	0.19	659	5	0.03	50	390	12	<5	<20	41	<0.01	<10	18	<10	<1	115
20	F104424	0.4	0.43	40	125	<5	1.95	1	7	61	62	2.41	<10	0.28	918	4	0.02	40	400	14	<5	<20	51	<0.01	<10	9	<10	3	101
21	F104425	0.3	0.65	45	150	<5	1.90	2	6	141	62	2.18	<10	0.38	860	3	0.02	51	290	18	<5	<20	89	<0.01	<10	23	<10	2	110
22	F104426	0.3	0.37	20	95	<5	1.14	<1	5	77	55	2.15	<10	0.25	802	2	0.02	35	270	10	<5	<20	63	<0.01	<10	8	<10	<1	76
23	F104427	0.8	0.38	115	100	<5	1.16	2	8	87	81	2.26	<10	0.19	870	18	0.02	62	280	20	<5	<20	54	<0.01	<10	24	<10	2	113
24	F104428	0.7	0.45	100	105	<5	1.55	5	12	124	109	2.75	<10	0.73	1425	19	0.02	96	450	24	<5	<20	85	<0.01	<10	39	<10	3	223
25	F104429	0.7	0.50	175	90	<5	3.08	4	18	130	125	3.69	<10	1.35	1268	21	0.01	125	570	22	<5	<20	142	<0.01	<10	28	<10	5	244
26	F104430	0.5	0.63	110	95	<5	3.24	2	20	96	91	4.25	<10	0.87	1123	15	0.04	80	690	18	<5	<20	97	<0.01	<10	22	<10	<1	267
27	F104431	0.2	0.76	30	145	<5	3.73	<1	10	79	47	3.42	<10	0.35	1073	3	0.12	13	680	8	<5	<20	82	<0.01	<10	14	<10	<1	76
28	F104432	<0.2	0.74	25	120	<5	5.66	<1	18	120	55	4.36	<10	0.62	1249	6	0.09	15	880	6	<5	<20	147	<0.01	<10	15	<10	<1	101
29	F104433	0.2	0.61	35	155	<5	5.16	<1	15	84	67	3.75	<10	0.69	970	7	0.06	14	750	8	<5	<20	95	<0.01	<10	12	<10	<1	64
30	F104434	<0.2	0.56	50	125	<5	3.04	<1	16	55	52	3.81	<10	0.38	784	10	0.06	18	700	10	<5	<20	70	<0.01	<10	11	<10	<1	72

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2006-1882

Mincord Exploration

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
31	F104435	0.2	0.64	40	145	<5	2.60	<1	14	32	62	4.00	<10	0.37	899	8	0.08	11	800	12	<5	<20	62	<0.01	<10	13	<10	<1	76
32	F104487	1.6	0.53	180	115	<5	0.12	3	17	68	100	3.28	<10	0.03	1018	39	0.02	131	340	36	<5	<20	9	<0.01	<10	51	<10	1	386
33	F104488	0.8	0.49	100	130	<5	0.52	2	13	102	104	2.86	<10	0.04	1239	15	0.02	91	390	22	<5	<20	19	<0.01	<10	27	<10	4	226
34	F104489	<0.2	0.42	20	95	<5	1.61	<1	3	116	21	1.55	<10	0.09	793	2	0.03	21	310	10	<5	<20	21	<0.01	<10	5	<10	4	55
35	F104490	<0.2	0.32	15	80	<5	2.22	1	6	90	13	1.75	<10	0.18	1371	3	0.03	25	410	8	<5	<20	37	<0.01	<10	4	<10	3	41
36	F104491	0.6	0.42	60	105	<5	2.59	2	13	136	137	3.00	<10	0.88	1301	14	0.02	67	320	12	<5	<20	139	<0.01	<10	24	<10	3	158
37	F104492	0.6	0.38	90	100	<5	2.47	1	11	147	116	2.57	<10	0.91	1530	10	0.02	67	360	14	<5	<20	149	<0.01	<10	21	<10	3	158

QC DATA:Resplit:

1	F104349	0.2	1.47	35	155	<5	1.80	<1	21	73	85	4.49	<10	1.12	1032	3	0.08	41	730	22	<5	<20	72	0.05	<10	66	<10	5	86
---	---------	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	------	---	------	----	-----	----	----	-----	----	------	-----	----	-----	---	----

Repeat:

10	F104358	0.4	0.76	55	165	<5	1.29	1	18	87	72	3.91	<10	0.59	850	9	0.06	47	740	20	<5	<20	54	0.01	<10	29	<10	5	103
----	---------	-----	------	----	-----	----	------	---	----	----	----	------	-----	------	-----	---	------	----	-----	----	----	-----	----	------	-----	----	-----	---	-----


Standard:

PB106		>30	0.55	270	80	<5	1.70	33	3	41	6262	1.36	<10	0.27	556	31	0.02	3	250	5380	55	<20	148	<0.01	<10	16	10	<1	8472
-------	--	-----	------	-----	----	----	------	----	---	----	------	------	-----	------	-----	----	------	---	-----	------	----	-----	-----	-------	-----	----	----	----	------


JJ/sa

d/1882

XLS/05



ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2006-2084

Mincord Exploration
110-325 Howe Street
Vancouver, BC
V6C 1Z7

15-Jan-07

Attention: Bill Morton

No. of samples received: 56

Sample type: RC Chips

Project #: Spanish Mountain

Shipment #: SMP-06-024

Samples Submitted by: Johnston

Metallic Assay

ET #.	Tag #	Au (g/t)	Au (oz/t)
1	F104366	0.12	0.003
2	F104367	0.29	0.008
3	F104368	0.36	0.011
4	F104369	0.42	0.012
5	F104370	<0.03	<0.001
6	F104371	<0.03	<0.001
7	F104372	<0.03	<0.001
8	F104373	<0.03	<0.001
9	F104374	<0.03	<0.001
10	F104375	*	0.044
11	F104376	<0.03	<0.001
12	F104377	0.07	0.002
13	F104378	0.15	0.004
14	F104379	0.15	0.004
15	F104380	*	<0.001
16	F104381	0.07	0.002
17	F104382	0.04	0.001
18	F104383	<0.03	<0.001
19	F104384	<0.03	<0.001
20	F104385	<0.03	<0.001
21	F104386	0.05	0.001
22	F104387	<0.03	<0.001
23	F104388	0.10	0.003
24	F104389	0.09	0.003
25	F104390	<0.03	<0.001
26	F104391	<0.03	<0.001
27	F104392	0.04	0.001
28	F104393	<0.03	<0.001
29	F104394	<0.03	<0.001

* = 30g FA

ECO TECH LABORATORY LTD.
Julia Jealouse
B.C. Certified Assayer

Mincord Exploration AK6-2084**Metallic Assay**

15-Jan-07

ET #.	Tag #	Au (g/t)	Au (oz/t)
30	F104395	<0.03	<0.001
31	F104396	<0.03	<0.001
32	F104397	<0.03	<0.001
33	F104398	<0.03	<0.001
34	F104399	<0.03	<0.001
35	F104400	0.03	0.001
36	F104401	<0.03	<0.001
37	F104402	<0.03	<0.001
38	F104403	<0.03	<0.001
39	F104404	<0.03	<0.001
40	F104405	<0.03	<0.001
41	F104406	0.04	0.001
42	F104407	<0.03	<0.001
43	F104408	<0.03	<0.001
44	F104409	<0.03	<0.001
45	F104410	<0.03	<0.001
46	F104411	*	0.29
47	F104412	<0.03	<0.001
48	F104413	<0.03	<0.001
49	F104414	<0.03	<0.001
50	F104415	*	<0.03
51	F104416	<0.03	<0.001
52	F104417	<0.03	<0.001
53	F104418	<0.03	<0.001
54	F104419	<0.03	<0.001
55	F104420	<0.03	<0.001
56	F104421	<0.03	<0.001


QC DATA:***Resplit:***

1	F104366	0.06	0.002
36	F104401	<0.03	<0.001

Standard:

OxJ47	2.31	0.067
OxJ47	2.34	0.068
OxJ47	2.28	0.066
OxJ47	2.31	0.067
OxJ47	2.29	0.067

*= 30g FA

JJ/kc
XLS/06


ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

12-Jan-07

ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4

Phone: 250-573-5700
 Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2006-2084

Mincord Exploration
 110-325 Howe Street
Vancouver, BC
 V6C 1Z7

Attention: Bill Morton

No. of samples received: 56
 Sample type: RC Chips
 Project #: Spanish Mountain
 Shipment #: SMP-06-024
 Samples Submitted by: Johnston

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	F104366	0.6	0.38	80	115	<5	2.25	<1	14	114	107	3.78	<10	1.33	696	6	0.02	49	460	16	5	<20	128	<0.01	<10	10	<10	<1	73
2	F104367	0.7	0.37	80	95	<5	2.33	<1	14	150	105	3.62	<10	1.19	660	5	0.01	50	400	20	<5	<20	147	<0.01	<10	8	<10	<1	70
3	F104368	0.7	0.47	115	85	<5	3.30	<1	18	172	85	4.48	<10	1.66	904	12	0.02	56	420	18	5	<20	211	<0.01	<10	13	<10	<1	107
4	F104369	0.5	0.33	100	100	<5	2.22	1	21	96	104	4.41	<10	1.76	808	8	0.03	58	370	14	15	<20	144	<0.01	<10	11	<10	<1	175
5	F104370	0.3	0.32	75	165	<5	1.34	<1	17	119	54	3.43	<10	1.50	586	4	0.03	48	300	8	<5	<20	90	<0.01	<10	8	<10	<1	111
6	F104371	0.4	0.24	80	95	<5	3.28	<1	17	101	82	3.78	<10	1.66	1671	3	0.03	39	500	12	5	<20	197	<0.01	<10	8	<10	<1	98
7	F104372	0.7	0.26	100	115	<5	1.63	<1	20	80	86	4.27	<10	1.54	791	6	0.03	70	370	18	5	<20	98	<0.01	<10	8	<10	<1	118
8	F104373	0.7	0.22	140	70	<5	2.08	<1	16	88	113	3.53	<10	1.14	795	7	0.02	85	380	16	<5	<20	112	<0.01	<10	6	<10	<1	163
9	F104374	0.6	0.26	100	100	<5	4.98	<1	17	89	91	3.58	<10	1.60	2423	4	0.02	63	1220	12	5	<20	230	<0.01	<10	9	<10	3	119
10	F104375	2.8	0.22	380	30	<5	0.11	<1	29	1290	44	3.08	<10	0.04	197	15	<0.01	1002	280	<2	25	<20	2	<0.01	<10	23	<10	2	35
11	F104376	0.5	0.24	100	100	<5	2.85	<1	14	65	82	3.56	<10	1.53	1157	4	0.02	65	560	12	<5	<20	151	<0.01	<10	6	<10	<1	132
12	F104377	0.7	0.25	105	105	<5	4.55	<1	19	61	94	3.85	<10	1.73	1872	5	0.02	62	680	12	10	<20	225	<0.01	<10	8	<10	3	104
13	F104378	0.6	0.23	125	90	<5	3.52	<1	16	86	74	3.49	<10	1.42	1244	6	0.02	75	360	16	10	<20	165	<0.01	<10	6	<10	<1	107
14	F104379	0.6	0.23	125	85	<5	3.52	<1	15	111	70	3.00	<10	1.07	1061	7	0.01	81	390	26	15	<20	148	<0.01	<10	5	<10	1	144
15	F104380	<0.2	0.04	5	<5	<5	>10	<1	1	2	3	0.07	<10	2.17	30	<1	<0.01	<1	60	<2	5	<20	4371	<0.01	<10	2	<10	<1	1
16	F104381	0.7	0.23	120	85	<5	3.38	<1	13	99	117	2.91	<10	1.11	906	5	0.02	65	350	20	<5	<20	148	<0.01	<10	6	<10	<1	96
17	F104382	0.3	0.24	55	120	<5	2.51	1	18	56	80	4.35	<10	2.03	1024	6	0.03	39	440	12	10	<20	128	<0.01	<10	10	<10	<1	117
18	F104383	0.6	0.24	95	85	<5	2.65	<1	14	74	93	3.44	<10	1.42	881	6	0.02	51	360	16	10	<20	126	<0.01	<10	6	<10	<1	103
19	F104384	0.3	0.27	100	165	<5	3.40	<1	21	76	55	4.40	<10	2.36	1330	8	0.04	63	730	12	<5	<20	164	<0.01	<10	14	<10	<1	105
20	F104385	0.3	0.30	100	175	<5	3.47	1	22	84	51	4.47	<10	2.48	1359	12	0.04	70	750	6	20	<20	173	<0.01	<10	16	<10	<1	103
21	F104386	0.6	0.23	90	75	<5	2.24	<1	17	84	95	4.13	<10	1.39	902	6	0.02	56	340	10	10	<20	97	<0.01	<10	7	<10	<1	86
22	F104387	0.5	0.24	90	125	<5	2.53	<1	14	75	76	3.97	<10	1.64	894	6	0.02	72	460	14	5	<20	110	<0.01	<10	7	<10	<1	141
23	F104388	0.6	0.22	100	90	<5	3.70	1	12	106	48	2.96	<10	1.50	972	20	0.01	70	390	10	10	<20	174	<0.01	<10	13	<10	<1	134
24	F104389	0.4	0.23	90	100	<5	3.37	<1	9	119	71	2.34	<10	1.30	1288	4	0.01	67	320	8	10	<20	158	<0.01	<10	6	<10	1	93
25	F104390	0.4	0.18	100	100	<5	1.98	<1	11	123	54	2.26	<10	0.98	764	3	0.01	75	170	12	<5	<20	92	<0.01	<10	4	<10	<1	86
26	F104391	0.5	0.16	80	70	<5	2.49	<1	12	98	80	2.69	<10	1.14	875	7	<0.01	63	230	12	5	<20	114	<0.01	<10	6	<10	<1	126
27	F104392	0.5	0.17	145	70	<5	2.91	<1	12	114	99	2.70	<10	1.13	1115	10	<0.01	108	190	10	<5	<20	129	<0.01	<10	9	<10	<1	218
28	F104393	0.3	0.24	35	90	<5	3.12	<1	17	66	79	4.27	<10	1.45	1083	8	0.02	21	430	10	5	<20	141	<0.01	<10	8	<10	<1	75
29	F104394	0.5	0.24	50	60	<5	2.47	<1	18	78	69	4.05	<10	1.06	857	5	0.03	17	430	6	<5	<20	104	<0.01	<10	7	<10	<1	56
30	F104395	0.2	0.25	15	225	<5	2.58	<1	16	45	42	4.75	<10	1.59	889	5	0.07	13	650	4	<5	<20	103	<0.01	<10	12	<10	<1	82

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
31	F104396	0.3	0.28	25	110	<5	2.77	2	18	69	44	4.52	<10	1.46	954	8	0.08	20	560	6	15	<20	94	<0.01	<10	13	<10	<1	80
32	F104397	0.3	0.26	25	95	<5	3.29	1	15	65	41	3.94	<10	1.21	822	5	0.06	14	520	8	<5	<20	98	<0.01	<10	9	<10	<1	70
33	F104398	0.6	0.27	65	35	<5	2.53	<1	21	115	101	4.60	<10	0.84	532	28	0.05	29	400	6	<5	<20	78	<0.01	<10	11	<10	<1	63
34	F104399	0.5	0.36	65	70	<5	3.87	1	28	68	91	5.75	<10	1.71	906	9	0.05	34	580	8	<5	<20	125	<0.01	<10	20	<10	<1	121
35	F104400	0.6	0.36	50	65	<5	5.83	1	25	126	135	5.35	<10	1.68	1316	14	0.04	25	640	18	5	<20	182	<0.01	<10	20	<10	<1	99
36	F104401	0.4	0.31	60	85	<5	4.63	1	28	40	85	6.37	<10	2.17	1298	7	0.05	41	660	6	5	<20	137	<0.01	<10	18	<10	<1	118
37	F104402	0.5	0.27	30	65	<5	4.32	3	29	61	133	6.28	<10	1.55	1049	11	0.04	32	680	6	<5	<20	114	<0.01	<10	21	<10	<1	199
38	F104403	0.3	0.27	5	80	<5	4.00	1	23	61	91	6.02	<10	1.57	1159	8	0.04	16	770	4	<5	<20	101	<0.01	<10	12	<10	<1	124
39	F104404	0.3	0.24	<5	65	<5	3.23	1	25	53	78	6.15	<10	1.36	1011	8	0.04	15	840	4	<5	<20	76	<0.01	<10	11	<10	<1	123
40	F104405	0.3	0.25	5	65	<5	4.98	1	22	44	76	5.40	<10	1.31	1237	6	0.04	16	990	6	<5	<20	98	<0.01	<10	10	<10	<1	126
41	F104406	1.1	0.29	5	65	<5	4.87	2	24	50	97	5.43	<10	1.32	1212	13	0.04	21	880	4	10	<20	100	<0.01	<10	12	<10	<1	120
42	F104407	0.7	0.35	5	55	<5	3.79	2	34	64	116	6.66	<10	1.46	1047	10	0.04	19	690	8	<5	<20	95	<0.01	<10	14	<10	<1	132
43	F104408	0.5	0.38	30	50	<5	3.96	2	28	72	112	5.73	<10	1.20	894	16	0.03	37	790	12	<5	<20	100	<0.01	<10	17	<10	<1	147
44	F104409	0.4	0.28	15	65	<5	4.89	2	27	51	123	5.93	<10	1.45	1078	12	0.04	29	770	6	<5	<20	124	<0.01	<10	17	<10	<1	154
45	F104410	0.2	0.28	5	80	<5	4.26	3	24	52	90	5.90	<10	1.41	1021	12	0.04	26	820	8	10	<20	95	<0.01	<10	16	<10	<1	168
46	F104411	0.7	0.47	155	25	<5	0.15	<1	19	617	59	2.74	<10	0.09	173	9	<0.01	503	250	8	<5	<20	<1	<0.01	<10	21	<10	<1	51
47	F104412	0.3	0.28	10	60	<5	4.26	2	24	70	112	5.80	<10	1.20	983	20	0.04	19	790	6	<5	<20	85	<0.01	<10	11	<10	<1	126
48	F104413	0.2	0.29	<5	70	5	3.94	2	29	44	83	6.81	<10	1.55	1101	11	0.04	22	830	4	5	<20	78	<0.01	<10	14	<10	<1	143
49	F104414	0.3	0.32	10	55	<5	3.50	2	28	98	87	5.71	<10	1.15	1012	13	0.04	28	680	2	10	<20	77	<0.01	<10	12	<10	<1	107
50	F104415	<0.2	0.03	5	<5	<5	>10	<1	<1	2	1	0.04	<10	1.85	24	<1	<0.01	<1	50	<2	<5	<20	4375	<0.01	<10	2	<10	<1	1
51	F104416	0.3	0.33	<5	70	<5	4.68	1	27	67	123	6.72	<10	1.66	1256	11	0.05	22	960	4	<5	<20	105	<0.01	<10	15	<10	<1	138
52	F104417	0.3	0.28	<5	60	<5	4.02	3	30	59	101	6.57	<10	1.57	1003	12	0.04	34	730	6	10	<20	88	<0.01	<10	16	<10	<1	130
53	F104418	0.3	0.27	15	65	<5	4.01	2	26	39	102	6.25	<10	1.90	1227	19	0.06	24	950	6	<5	<20	93	<0.01	<10	21	<10	<1	153
54	F104419	0.2	0.27	<5	70	<5	3.12	2	31	34	76	7.77	<10	2.67	1185	8	0.07	19	520	2	<5	<20	79	<0.01	<10	26	<10	<1	173
55	F104420	<0.2	0.28	<5	65	<5	3.10	2	31	27	80	7.70	<10	2.70	1165	9	0.07	19	530	2	<5	<20	81	<0.01	<10	26	<10	<1	168
56	F104421	0.3	0.39	<5	60	<5	3.65	2	28	41	131	7.06	<10	2.50	1360	7	0.07	16	500	<2	<5	<20	94	<0.01	<10	27	<10	<1	110

QC DATA:**Resplit:**


1	F104366	0.6	0.36	80	125	<5	2.32	1	15	129	96	3.97	<10	1.33	723	7	0.02	54	430	16	10	<20	124	<0.01	<10	10	<10	<1	78
36	F104401	0.4	0.33	55	40	<5	4.78	3	29	45	93	6.54	<10	2.31	1338	9	0.05	46	640	6	10	<20	141	<0.01	<10	19	<10	<1	118

Repeat:

1	F104366	0.6	0.39	85	110	<5	2.25	<1	14	111	108	3.79	<10	1.38	703	7	0.02	53	430	12	15	<20	134	<0.01	<10	10	<10	<1	71
10	F104375	2.8	0.21	370	30	<5	0.11	<1	28	1238	41	3.06	<10	0.04	190	15	<0.01	971	280	2	25	<20	2	<0.01	<10	21	<10	<1	38
19	F104384	0.3	0.27	95	160	<5	3.35	<1	21	75	56	4.34	<10	2.36	1315	9	0.04	63	710	10	10	<20	168	<0.01	<10	14	<10	<1	103
36	F104401	0.5	0.29	60	85	<5	4.67	2	28	38	83	6.40	<10	2.08	1301	8	0.04	45	650	4	5	<20	129	<0.01	<10	18	<10	<1	120
45	F104410	0.2	0.29	5	85	<5	4.21	2	23	52	95	5.86	<10	1.46	1021	10	0.04	21	790	4	<5	<20	103	<0.01	<10	16	<10	<1	157

Standard:

Pb106		>30	0.52	265	80	<5	1.69	40	3	45	6274	1.36	<10	0.20	549	33	0.02	7	280	5250	55	<20	139	<0.01	<10	15	10	<1	8304



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4
Phone (250) 573-5700 Fax (250) 573-4557
E-mail: info@ecotechlab.com
www.ecotechlab.com

CERTIFICATE OF ASSAY AK 2006-2125

Mincord Exploration
110-325 Howe Street
Vancouver, BC
V6C 1Z7

16-Jan-07

Attention: Bill Morton

No. of samples received: 42

Sample type: Rock Chip

Project #: Spanish Mountain

Samples Submitted by: Johnston

ET #.	Tag #	Metallic Assay	
		Au (g/t)	Au (oz/t)
x 1	F104436	0.08	0.002
x 2	F104437	<0.03	<0.001
3	F104438	0.03	0.001
4	F104439	<0.03	<0.001
5	F104440	<0.03	<0.001
6	F104441	<0.03	<0.001
7	F104442	<0.03	<0.001
8	F104443	0.05	0.001
9	F104444	0.03	0.001
10	F104445	1.52	0.044
11	F104446	<0.03	<0.001
12	F104447	<0.03	<0.001
13	F104448	0.04	0.001
14	F104449	<0.03	<0.001
15	F104450	<0.03	<0.001
16	F104451	0.07	0.002
17	F104452	0.07	0.002
18	F104453	0.06	0.002
19	F104454	0.05	0.001
20	F104455	0.04	0.001
21	F104456	<0.03	<0.001
22	F104457	<0.03	<0.001
23	F104458	0.03	0.001
24	F104459	0.04	0.001
25	F104460	<0.03	<0.001

* = 30G FA

Dyan Brueper
ECOTECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

ET #.	Tag #	<i>Metallic Assay</i>	
		Au (g/t)	Au (oz/t)
26	F104461	0.21	0.006
27	F104462	0.29	0.008
28	F104463	0.05	0.001
29	F104464	0.06	0.002
30	F104465	0.06	0.002
31	F104466	0.07	0.002
32	F104467	0.04	0.001
33	F104468	0.07	0.002
34	F104469	<0.03	<0.001
35	F104470	0.06	0.002
36	F104471	0.06	0.002
37	F104472	0.07	0.002
38	F104473	0.04	0.001
39	F104474	0.07	0.002
40	F104475	0.07	0.002
41	F104476	0.07	0.002
42	F104477	0.06	0.002

QC DATA:***Resplit:***

1	F104436	0.03	0.001
36	F104471	0.05	0.001

Standard:

OXJ47		2.37	0.069
OXJ47		2.39	0.070
OXJ47		2.36	0.069

JJ/kk
XLS/06

Diane Bruce /per
ECO TECH LABORATORY LTD.
 Jutta Jealouse
 B.C. Certified Assayer

29-Dec-06

ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4

Phone: 250-573-5700
 Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2006-2125

Mincord Exploration
 110-325 Howe Street
 Vancouver, BC
 V6C 1Z7

Attention: Bill Morton

No. of samples received: 42

Sample type: RC Chips

Project #: Spanish Mountain

Samples Submitted by: Johnston

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	F104436	0.5	0.45	35	95	<5	4.22	<1	18	92	53	4.38	<10	0.88	995	7	0.06	13	750	16	<5	<20	80	<0.01	<10	11	<10	<1	81
2	F104437	0.2	0.38	25	90	<5	4.16	<1	15	54	46	3.98	<10	0.98	1053	4	0.05	6	570	8	<5	<20	77	<0.01	<10	6	<10	<1	51
3	F104438	<0.2	0.44	30	105	<5	4.56	<1	14	101	63	4.03	<10	0.98	1126	5	0.07	8	770	8	<5	<20	102	<0.01	<10	8	<10	<1	75
4	F104439	<0.2	0.51	25	105	10	5.28	<1	25	38	80	6.35	<10	1.74	1734	6	0.06	9	1490	18	<5	<20	114	<0.01	<10	13	<10	2	146
5	F104440	<0.2	0.44	25	95	5	5.07	<1	21	101	87	5.20	<10	1.51	1613	5	0.08	16	940	14	<5	<20	107	<0.01	<10	12	<10	<1	103
6	F104441	<0.2	0.39	30	95	<5	4.52	<1	22	63	92	5.03	<10	1.41	1392	5	0.06	15	1020	12	<5	<20	89	<0.01	<10	10	<10	<1	102
7	F104442	0.2	0.69	15	135	<5	4.39	<1	18	108	75	5.33	<10	1.51	1308	4	0.10	12	1010	8	<5	<20	94	<0.01	<10	10	<10	<1	106
8	F104443	0.2	0.54	30	100	<5	4.40	1	27	78	141	6.24	<10	1.58	1389	12	0.07	17	940	12	<5	<20	97	<0.01	<10	19	<10	<1	107
9	F104444	0.2	0.65	30	95	<5	5.25	1	24	126	90	5.66	<10	1.64	1527	8	0.08	14	880	12	<5	<20	129	<0.01	<10	18	<10	<1	100
10	F104445	2.7	0.27	405	50	<5	0.12	<1	32	1455	53	3.31	<10	0.05	213	14	<0.01	1131	300	6	40	<20	8	<0.01	<10	25	<10	4	31
11	F104446	<0.2	0.52	35	100	<5	5.53	<1	19	82	103	5.41	<10	1.48	1486	7	0.06	13	880	12	<5	<20	127	<0.01	<10	17	<10	<1	112
12	F104447	<0.2	0.57	30	95	<5	5.01	<1	23	137	95	5.81	<10	1.55	1445	5	0.09	12	1030	10	<5	<20	117	<0.01	<10	15	<10	<1	97
13	F104448	0.2	0.48	50	90	<5	5.05	<1	29	84	118	6.29	<10	1.73	1560	7	0.08	20	650	12	<5	<20	110	<0.01	<10	14	<10	<1	96
14	F104449	<0.2	0.45	70	70	<5	5.74	2	20	150	114	5.13	<10	2.24	1459	11	0.04	38	660	12	<5	<20	185	<0.01	<10	18	<10	<1	135
15	F104450	<0.2	0.03	5	<5	<5	>10	<1	2	3	2	0.04	<10	2.48	37	<1	<0.01	<1	70	<2	25	<20	4676	<0.01	<10	1	<10	<1	2
16	F104451	0.5	0.32	75	65	<5	4.01	3	16	216	110	4.56	<10	1.49	1172	17	0.03	60	570	20	<5	<20	132	<0.01	<10	24	<10	<1	202
17	F104452	0.7	0.33	90	65	<5	3.84	5	19	256	124	4.94	<10	1.52	1146	24	0.03	77	710	20	<5	<20	124	<0.01	<10	27	<10	<1	259
18	F104453	0.6	0.30	75	55	<5	3.93	4	15	252	103	4.34	<10	1.49	1146	20	0.02	65	620	14	<5	<20	125	<0.01	<10	23	<10	<1	240
19	F104454	0.6	0.34	70	70	<5	3.76	3	17	294	104	4.46	<10	1.42	1163	18	0.03	60	620	22	<5	<20	124	<0.01	<10	20	<10	<1	186
20	F104455	0.5	0.29	70	70	<5	3.70	3	17	260	98	4.47	<10	1.34	1143	17	0.03	60	640	24	<5	<20	116	<0.01	<10	17	<10	1	203
21	F104456	0.2	0.49	60	80	<5	3.64	2	11	208	65	3.06	<10	1.21	1085	8	0.06	46	620	12	<5	<20	106	<0.01	<10	11	<10	2	127
22	F104457	0.3	0.28	75	65	<5	3.99	3	17	199	92	4.45	<10	1.43	1354	14	0.02	56	520	18	<5	<20	126	<0.01	<10	16	<10	<1	193
23	F104458	0.4	0.31	75	60	<5	3.81	2	18	206	79	4.12	<10	1.38	1230	16	0.02	55	550	18	<5	<20	118	<0.01	<10	18	<10	1	176
24	F104459	0.5	0.35	100	50	<5	3.45	3	23	232	105	5.33	<10	1.37	1187	21	0.03	71	630	16	<5	<20	112	<0.01	<10	18	<10	<1	216
25	F104460	0.2	0.37	70	65	<5	3.56	3	12	263	78	3.74	<10	1.32	1097	10	0.07	45	580	10	<5	<20	114	<0.01	<10	13	<10	<1	146
26	F104461	0.2	0.40	125	55	<5	3.29	3	18	304	98	4.60	<10	1.25	1076	25	0.05	75	600	8	<5	<20	112	<0.01	<10	17	<10	<1	196
27	F104462	0.2	0.48	80	75	<5	3.21	2	10	226	74	3.12	<10	1.26	1046	9	0.09	53	550	8	<5	<20	114	<0.01	<10	11	<10	<1	113
28	F104463	0.5	0.39	115	65	<5	3.36	4	21	278	147	5.15	<10	1.43	1227	29	0.04	80	730	18	<5	<20	124	<0.01	<10	20	<10	<1	237
29	F104464	0.7	0.35	116	60	<5	3.99	4	16	286	105	4.17	<10	1.66	1250	23	0.04	86	530	16	<5	<20	154	<0.01	<10	22	<10	2	252
30	F104465	0.7	0.30	90	55	<5	3.61	5	17	186	98	4.45	<10	1.50	1235	23	0.03	71	640	18	<5	<20	129	<0.01	<10	19	<10	<1	226

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2006-42

Mincord Exploration

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
31	F104466	0.6	0.36	115	65	<5	3.89	5	20	235	133	4.99	<10	1.71	1340	22	0.04	81	790	18	<5	<20	150	<0.01	<10	24	<10	<1	252
32	F104467	0.4	0.47	95	80	<5	3.97	4	14	224	84	3.86	<10	1.63	1259	17	0.04	75	700	18	<5	<20	135	<0.01	<10	17	<10	5	180
33	F104468	0.5	0.34	100	60	<5	3.29	4	18	204	98	4.33	<10	1.26	1052	22	0.03	72	730	18	<5	<20	117	<0.01	<10	16	<10	<1	229
34	F104469	0.2	0.46	60	75	<5	3.99	2	10	172	73	3.23	<10	1.56	1241	7	0.05	39	980	10	5	<20	138	<0.01	<10	7	<10	4	100
35	F104470	0.6	0.39	90	60	<5	3.70	3	18	274	94	4.55	<10	1.45	1204	21	0.03	65	700	18	<5	<20	136	<0.01	<10	19	<10	<1	192
36	F104471	0.6	0.28	85	65	5	3.56	3	18	207	91	4.46	<10	1.37	1165	20	0.02	63	650	22	<5	<20	120	<0.01	<10	14	<10	2	198
37	F104472	0.8	0.51	85	60	<5	3.63	4	19	532	94	4.79	<10	1.36	1203	24	0.04	72	710	26	<5	<20	113	<0.01	<10	33	<10	<1	243
38	F104473	0.7	0.33	65	60	<5	4.28	3	16	290	70	3.95	<10	1.55	1501	15	0.03	47	850	22	<5	<20	130	<0.01	<10	19	<10	3	175
39	F104474	1.2	0.34	100	55	<5	3.74	4	22	122	95	4.72	<10	1.52	1217	22	0.03	59	1370	28	<5	<20	118	<0.01	<10	23	<10	3	252
40	F104475	0.8	0.27	90	60	<5	3.97	4	16	202	89	4.14	<10	1.50	1180	18	0.02	66	690	20	<5	<20	130	<0.01	<10	20	<10	2	252
41	F104476	1.2	0.29	85	60	<5	3.67	4	17	143	91	4.18	<10	1.38	1049	17	0.02	57	730	24	<5	<20	113	<0.01	<10	18	<10	<1	214
42	F104477	0.9	0.32	95	55	<5	4.27	4	17	264	93	4.58	<10	1.72	1268	15	0.02	61	780	20	<5	<20	127	<0.01	<10	19	<10	2	187

QC DATA:Resplit:

1	F104436	0.2	0.44	30	100	<5	4.27	<1	18	88	54	4.40	<10	0.92	1024	6	0.06	12	770	20	<5	<20	88	<0.01	<10	10	<10	2	79
36	F104471	0.7	0.32	80	70	10	3.54	3	18	199	95	4.31	<10	1.41	1148	20	0.03	62	660	24	<5	<20	123	<0.01	<10	15	<10	1	187


Repeat:

1	F104436	0.2	0.44	35	95	5	4.32	<1	18	98	62	4.48	<10	1.00	1041	6	0.07	13	740	16	<5	<20	90	<0.01	<10	12	<10	<1	72
10	F104445	2.7	0.27	410	45	<5	0.12	<1	32	1481	52	3.30	<10	0.06	217	14	<0.01	1155	310	2	40	<20	8	<0.01	<10	26	<10	4	33
19	F104454	0.5	0.37	65	75	<5	3.72	3	16	297	109	4.39	<10	1.47	1154	18	0.03	59	620	22	<5	<20	132	<0.01	<10	21	<10	<1	184
36	F104471	0.8	0.32	85	60	5	3.67	3	18	221	96	4.61	<10	1.47	1209	20	0.03	64	650	18	<5	<20	128	<0.01	<10	16	<10	<1	196

Standard:

PB106		>30	0.55	270	80	<5	1.62	34	3	44	6223	1.69	<10	0.16	566	30	0.02	7	280	5302	60	<20	137	<0.01	<10	13	10	1	8352
PB106		>30	0.56	270	75	<5	1.63	35	3	43	6249	1.60	<10	0.17	565	31	0.02	7	280	5314	55	<20	139	<0.01	<10	13	10	1	8346


 Julie Jealouse
 ECO TECH LABORATORY LTD.
 B.C. Certified Assayer



Date 1/2000	Placer Claim 514562
Author:	Spanish Mountain Area
Office:	Cariboo M.D.
Drawings:	2006 Work
Scale 1:5000	Projection: Custom Projection