


Ministry of Energy, Mines & Petroleum Resources
Mining & Minerals Division
BC Geological Survey

ASSESSMENT REPORT
TITLE PAGE AND SUMMARY

TITLE OF REPORT (type of survey(s))		TOTAL COST
2006 Soil Geochemistry Report on the Kami Property		
AUTHOR(S) <u>Berndt Augusten</u>	SIGNATURE(S) 	
NOTICE OF WORK PERMIT NUMBER(S)/DATE(S) _____	N/A	YEAR OF WORK <u>2006</u>
STATEMENT OF WORK - CASH PAYMENT EVENT NUMBER(S)/DATE(S) _____		Event # <u>4140217</u>
PROPERTY NAME <u>KAMI</u>		
CLAIM NAME(S) (on which work was done) <u>TENURE 530865</u>		
COMMODITIES SOUGHT <u>GOLD, SILVER</u>		
MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN <u>082ENE082</u>		
MINING DIVISION <u>VERNON</u>	NTS <u>082L/1, 082E/16</u>	
LATITUDE <u>50° 0' 0"</u>	LONGITUDE <u>118° 27' 30"</u>	(at centre of work)
OWNER(S)		
1) <u>MIKE HUDOCK</u>	2) _____	
MAILING ADDRESS		
<u>923 Cedar St.</u>		
<u>Nelson, BC V1K 2C9</u>		
OPERATOR(S) [who paid for the work]		
1) <u>SELKIRK MINERAL SYNDICATE</u>	2) _____	
MAILING ADDRESS		
<u>5936 Stafford Rd</u>		
<u>Nelson, BC V1L 6P3</u>		
PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):		
<u>The property is underlain by granitic rocks of the Nelson Plutonic suite specifically the Spruce Grove Batholith. Gold and silver occurs in gently dipping quartz-pyrite-galena-sphalerite veins cutting sericite altered granodiorite. Veins are up to 40cm thick.</u>		
REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS <u>N/A</u>		

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping _____			
Photo interpretation _____			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic _____			
Electromagnetic _____			
Induced Polarization _____			
Radiometric _____			
Seismic _____			
Other _____			
Airborne _____			
GEOCHEMICAL			
(number of samples analysed for ...)			
Soil _____	44 soils collected	530865	2594.15
Silt _____			
Rock _____			
Other _____			
DRILLING			
(total metres; number of holes, size)			
Core _____			
Non-core _____			
RELATED TECHNICAL			
Sampling/assaying _____			
Petrographic _____			
Mineralographic _____			
Metallurgic _____			
PROSPECTING (scale, area) _____			
PREPARATORY/PHYSICAL			
Line/grid (kilometres) _____			
Topographic/Photogrammetric (scale, area) _____			
Legal surveys (scale, area) _____			
Road, local access (kilometres)/trail _____			
Trench (metres) _____			
Underground dev. (metres) _____			
Other _____			
TOTAL COST			2594.15

2006 SOIL GEOCHEMISTRY REPORT

on the

Kami Property

**Lat. 50° 00' North
Long. 118° 27.5' West
Trim Map #: 082L.008, 082E.098
NTS: 82L/1, 82E/16**

For

**SELKIRK MINERAL SYNDICATE
5936 Stafford Rd.
Nelson, BC
V1L 6P3**

**By: Bernhardt Augsten, P.Geo.
June, 2007**

TABLE OF CONTENTS

1.0	SUMMARY.....	1
2.0	INTRODUCTION	1
3.0	LOCATION, ACCESS AND PHYSIOGRAPHY	1
4.0	CLAIM STATUS.....	3
5.0	REGIONAL AND LOCAL GEOLGY	4
6.0	EXPLORATION HISTORY	4
7.0	SOIL GEOCHEMISTRY	5
7.1	<u>METHODOLOGY</u>	5
7.2	<u>ANALYTICAL METHODS</u>	ERROR! BOOKMARK NOT DEFINED.
7.3	<u>RESULTS</u>	7
8.0	CONCLUSIONS AND RECOMMENDATIONS.....	11
9.0	COST STATEMENT	12
10.0	REFERENCES	13
11.0	CERTIFICATE OF AUTHOR	14

LIST OF FIGURES

Figure 1:	LOCATION MAP.....	2
Figure 2:	CLAIM MAP	3
Figure 3:	SOIL GRID LOCATION MAP.....	6
Figure 4:	GOLD SOIL GEOCHEMISTRY	9
Figure 5:	SILVER SOIL GEOCHEMISTRY	Error! Bookmark not defined.

LIST OF APPENDICES

APPENDIX I SOIL ANALYSES

1.0 SUMMARY

This report summarizes the results of a small soil geochemistry program that was conducted on the Kami Property in the 2006 field season. The soil program was designed to test soil response in the vicinity of mineralized quartz vein float. Overall results were poor with several anomalous silver values and some very weak gold anomalies.

2.0 INTRODUCTION

This report details the result of a soil geochemistry program which was conducted on the Kami Property (the property), located west of Lumby, British Columbia. The program was carried out by partners in the Selkirk Mineral Syndicate in the summer of 2006.

A total of 44 B-horizon soil samples were collected and analyzed for gold and 28 other elements.


3.0 LOCATION, ACCESS AND PHYSIOGRAPHY

The Kami Project is located in the southern part of the Whatshan Range of the Monashee Mountains of southern British Columbia. The project area is 75 kilometers east-southeast of Vernon, and 30 kilometers northwest of the Needles ferry on Arrow Lake (see Figure 1).

Access into the claim blocks is excellent due to an array of well-maintained logging roads operated and maintained by Tolko Industries. The claims are accessed via the Kettle Forest Service Road which joins Provincial Highway #6 approximately 55 kilometers west of the Needles Ferry. From the highway, the property is approximately 18 kilometers via branch roads K-10 and K-15. Although four-wheel drive is recommended, the majority of the roads are accessible with two-wheel drive. These roads are at various times, active logging roads. Radio communication is recommended and the local frequency is 153.44 kHz.

The property is situated in a plateau area and topography would be considered moderate. Maximum relief is approximately 250 metres with maximum elevation of about 1900 metres. The forest consists of mixed stands of Spruce, Balsam Fir and Lodgepole Pine. The topography would not be considered rugged within the claim area. The property is located at the headwaters of Banting Creek which is an eastward flowing tributary of the Inonoaklin Creek which in turn drains into the Lower Arrow Lake at Edgewood.

Figure 1: LOCATION MAP



Map Center: 50.7242N 118.8962W


4.0 CLAIM STATUS

The claims are currently registered under the name of Mike Hudock but jointly owned by a prospecting syndicate, Selkirk Minerals Syndicate. The property consists of two claims with an effective area of 249.239 hectares.

TENURE #	# OF HECTARES	EXPIRY DATE
536244	249.239	March 30, 2009*
530865	83.08	March 30, 2009*

* After successful filing of this assessment report

Figure 2: CLAIM MAP



5.0 REGIONAL AND LOCAL GEOLOGY

The entire property is underlain by the Spruce Grove Batholith, a Jurassic aged hornblende leucogranite. A significant, northerly striking, west dipping, normal fault, Bevan Fault, occurs approximately 10km to the east and separates the Spruce Grove Batholith from the Whatshan Lake Batholith which is a Cretaceous-aged, leucocratic, hornblende-bearing megacrystic quartz monzonite, (Thompson, et al, 2003). Geological information in this region is poorly constrained and the data should be used as a guideline at best. That being said, the geology of the property as examined to date, does appear to be underlain by a granodiorite. Evidence of faulting is seen in the area of the main workings and it is quite possible that the Bevan fault may occur much closer to the Kami property than is shown to date. Alternatively, mineralization at the Kami may be related to a splay fault off the Bevan fault. Significant gold mineralization has been discovered on the hanging wall side of the Bevan fault approximately 17km to the north on Columbia Yukon Explorations Inc. Barnes Creek Property, (Augsten, 2005).

6.0 EXPLORATION HISTORY


Exploration history on the Kami claims dates back to at least the early 1960's and perhaps earlier as evidenced by old workings and the remains of a prospector's cabin. However, none of this early work was ever systematically documented and no record of it exists in the government database. In the late 1997 Arnold Savjord under the auspices of a Prospecting Grant uncovered a series of narrow, gently dipping, gold and silver-rich quartz-pyrite-galena-sphalerite veins. His work consisted predominantly of trenching and bulk sampling in one area. Additionally he did some very limited soil and stream sediment sampling, (BCEM Expl, 1997). The current owner have done some cursory prospecting and sampling which confirmed the polymetallic nature of the quartz veins.

7.0 SOIL GEOCHEMISTRY

7.1 METHODOLOGY

A small tight spaced grid was established with lines spaced at 20 metres and soils collected at 10 meters on those lines. Lines and stations were established on even UTM coordinates. . Samples were collected in a kraft paper envelope. A total of 44 samples were collected in the 2006 field season.

Figure 3: SOIL GRID LOCATION MAP



7.2 ANALYTICAL METHODS

All analytical work was conducted by EcoTech Laboratory Ltd. of Kamloops, BC. Samples are catalogued and dried. Soils are prepared by sieving through an 80 mesh screen to obtain a minus 80 mesh fraction. Samples unable to produce adequate minus 80 mesh material are screened at a coarser fraction. These samples are flagged with the relevant mesh.

Geochemical Gold Analysis:

The sample is weighed to 30 grams and fused along with proper fluxing materials. The bead is digested in aqua regia and analyzed on an atomic absorption instrument. Appropriate reference materials accompany the samples through the process allowing for quality control assessment. Results are entered and printed along with quality control data (repeats and standards).

Multielement ICP Analysis:

A 0.5 gram sample is digested with 3ml of a 3:1:2 (HCl:HN03:H2O) for 90 minutes in a water bath at 95°C. The sample is then diluted to 10ml with water. The sample is analyzed on a Jarrell Ash ICP unit. Results are collated by computer and are printed along with accompanying quality control data (repeats and standards).

7.3 RESULTS

Results are plotted for gold and silver on Figures 4 and 5 respectively. Assay results are tabulated in Appendix I.

GOLD:

Gold values were uniformly low with the exception of one value of 55ppb,(See Fig.4). No other anomalous elements correlate with this gold value.

SILVER:

Silver produced a more interesting result. Two northwest trending anomalies were defined in the northwest part of the grid with maximum values of 3.7ppm Ag, (See Fig. 5). No significant correlation with other elements exist with the exception of what appears to be elevated yttrium. It is uncertain what this means.

Figure 4: GOLD SOIL GEOCHEMISTRY





Figure 5: SILVER SOIL GEOCHEMISTRY



8.0 CONCLUSIONS AND RECOMMENDATIONS

The limited geochemistry program on the Kami property revealed some interesting features. By doing the soil program there was a recognition that overburden coverage is shallow and in well-drained areas there is an expectation of finding well-developed B-horizon soils. Glacial till was not seen but may occur in pockets especially in topographic lows. By and large the response for gold was poor notwithstanding the one anomalous soil at 55ppb. Silver geochemistry on the other hand produced two interesting northwest trending anomalies occurring in the northwest part of the grid.

It is recommended that firstly these soil anomalies be ground truthed to see if any geological reason exists for them. Hand trenching at these sites may be productive. Secondly, it is recommended that the entire property be covered by soil samples on a 100 metre by 25 metre grid.

Thirdly, basic prospecting on this property is sure to pay dividends. The overall low overburden depths and multiple occurrence of gold-bearing veins coupled with a history of virtually no exploration provide ideal conditions for prospecting discoveries.

9.0 COST STATEMENT

Labour	K. Murray (2 days @\$250.00)	\$500.00
	M. Hudock (2 days @\$250.00)	\$500.00
Trucks (4x4)	Truck Rental	\$75.00
Fuel		\$81.65
Food/Meals		\$63.50
Analyses	Eco-Tech Laboratories Ltd (44 soil samples)	\$849.00
Miscellaneous	Sample bags, flagging, tags etc	\$25.00
Shipping		\$44.83
Report Preparation		\$500.00
	TOTAL	\$2,594.15

10.0 REFERENCES

- Augsten, B., (2005): *Assessment Report: 2005 Report on Trenching on the Barnes Creek Property*
- Augsten, B., (2005): *Assessment Report: 2004 Summary of Exploration on the Barnes Creek Property*
-
- BCEM Exploration 1997. pp 41 - 42
- Höy, T., et al., (1994): *Kootenay Area (82E,F,G,J,L,M,N,O; 83C,D); BC Ministry of Energy, Mines and Petroleum Resources, Open File 1994-8.*
- Jones, A.G. (1959): *Vernon Map Area British Columbia; Geological Survey of Canada, Memoir 296*
- Okulitch, A.V. (1979): *Geology and Mineral Occurrences of the Thompson-Shuswap-Okanogan Region, south-central British Columbia, Geological Survey of Canada, Open File 637*
- Thompson, R.I., Glombick, P., and Lemieux, Y. (compilers) (2003): *Geology, Eureka Mountain, British Columbia; Geological Survey of Canada, Open File 4370, scale 1:50,000.*
- MINFILE: British Columbia Mineral Occurrence database.
- RGS: British Columbia geochemical database
- MAPPLACE: interactive site for geoscience data for British Columbia.

11.0 CERTIFICATE of AUTHOR

I, Bernhardt Augsten, P. Geo., do hereby certify that:

1. *I am currently self-employed as a consulting geologist resident at:

5936 Stafford Rd.
Nelson, BC
V1L 6P3*
2. *I graduated with a degree in Geology, BSc Hons, from Carleton University in 1985.*
3. *I am a member of the Association of Professional Engineers and Geoscientists of British Columbia.*
4. *I have worked as an exploration geologist since my graduation from university.*
5. *I am a part owner of the Kami Property.*

APPENDIX I

SOIL ANALYSES

ECO TECH LABORATORY LTD.

10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2006-1500

Selkirk Minerals Syndicate

5936 Stafford Road
Nelson, BC
V1L 6P3

Phone: 250-573-5700

Fax : 250-573-4557

No. of samples received: 44

Sample Type: Soil

Submitted by: K. Murray

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	1	<5	0.2	1.20	15	35	<5	0.09	<1	3	6	4	1.42	10	0.16	124	<1	0.02	6	260	22	<5	<20	11	0.03	<10	22	<10	9	25
2	2	<5	<0.2	1.17	10	45	<5	0.11	<1	3	5	3	1.55	<10	0.17	192	<1	0.02	3	250	20	<5	<20	14	0.03	<10	25	<10	3	29
3	3	<5	0.2	1.18	10	55	<5	0.11	<1	3	5	3	1.44	<10	0.20	219	<1	0.02	3	350	22	<5	<20	12	0.01	<10	20	<10	2	31
4	4	5	0.4	1.34	10	50	<5	0.06	<1	3	6	4	1.60	<10	0.14	149	<1	0.02	3	330	22	<5	<20	8	0.04	<10	25	<10	2	25
5	5	5	<0.2	1.73	15	45	<5	0.06	<1	4	7	6	1.55	<10	0.20	192	<1	0.02	4	420	24	<5	<20	9	0.04	<10	25	<10	3	27
6	6	5	0.4	1.37	15	45	<5	0.06	<1	3	6	5	1.58	<10	0.16	131	<1	0.02	4	330	26	<5	<20	9	0.04	<10	27	<10	3	27
7	7	<5	0.2	1.50	15	40	<5	0.07	<1	3	5	4	1.45	<10	0.15	135	<1	0.02	3	400	24	<5	<20	9	0.03	<10	22	<10	3	26
8	8	<5	0.5	1.54	15	45	<5	0.06	<1	3	5	4	1.46	<10	0.13	116	<1	0.02	3	470	26	<5	<20	9	0.05	<10	23	<10	4	25
9	9	<5	0.3	1.66	15	35	<5	0.06	<1	2	4	4	1.32	<10	0.11	92	<1	0.02	2	550	26	<5	<20	8	0.04	<10	20	<10	3	22
10	10	<5	0.3	1.45	15	40	<5	0.06	<1	2	5	4	1.34	<10	0.12	116	<1	0.02	3	440	22	<5	<20	9	0.03	<10	20	<10	2	24
11	11	<5	0.8	1.74	15	40	<5	0.04	<1	3	5	4	1.52	<10	0.10	95	<1	0.01	3	370	26	<5	<20	8	0.05	<10	24	<10	3	22
12	12	<5	0.3	1.43	15	40	<5	0.05	<1	3	5	3	1.51	<10	0.15	153	<1	0.02	3	220	24	<5	<20	9	0.03	<10	23	<10	3	30
13	13	<5	0.4	1.17	10	40	<5	0.13	<1	3	5	3	1.54	<10	0.18	152	<1	0.02	3	290	20	<5	<20	15	0.03	<10	23	<10	5	36
14	14	<5	0.3	1.38	10	45	<5	0.08	<1	3	5	4	1.44	<10	0.16	158	<1	0.01	3	260	22	<5	<20	10	0.03	<10	22	<10	3	34
15	15	<5	1.1	1.83	15	45	<5	0.08	<1	3	5	4	1.60	20	0.17	252	<1	0.02	11	390	28	<5	<20	12	0.02	<10	21	<10	36	39
16	16	<5	0.5	1.52	15	40	<5	0.05	<1	2	5	5	1.56	<10	0.14	159	<1	0.02	4	310	24	<5	<20	10	0.03	<10	23	<10	7	34
17	17	5	0.3	1.47	10	60	<5	0.08	<1	3	7	5	1.65	<10	0.19	330	<1	0.02	4	460	22	<5	<20	12	0.03	<10	26	<10	3	37
18	18	<5	0.3	1.46	10	40	<5	0.05	<1	3	4	5	1.38	<10	0.09	107	<1	0.02	2	500	22	<5	<20	7	0.05	<10	21	<10	2	24
19	19	<5	0.3	1.64	15	45	<5	0.05	<1	3	5	4	1.56	<10	0.12	102	<1	0.02	3	300	26	<5	<20	8	0.06	<10	25	<10	3	26
20	20	<5	<0.2	1.93	15	45	<5	0.05	<1	3	6	5	1.60	<10	0.13	110	<1	0.01	3	310	28	<5	<20	8	0.05	<10	25	<10	3	27
21	21	<5	0.3	1.93	15	40	<5	0.04	<1	3	5	5	1.49	<10	0.10	243	<1	0.02	2	660	28	<5	<20	6	0.05	<10	22	<10	2	25
22	22	10	0.6	1.83	15	45	<5	0.05	<1	3	6	7	1.72	<10	0.12	119	<1	0.02	3	580	28	<5	<20	8	0.05	<10	26	<10	2	25
23	23	<5	0.6	1.22	10	40	<5	0.06	<1	3	5	3	1.57	<10	0.18	153	<1	0.02	3	230	28	<5	<20	9	0.03	<10	26	<10	2	51
24	24	5	2.9	2.16	15	55	<5	0.17	<1	4	8	6	1.73	30	0.26	393	<1	0.02	14	280	32	<5	<20	20	0.03	<10	29	<10	39	65
25	25	<5	<0.2	1.06	15	30	<5	0.15	<1	3	5	3	1.28	<10	0.22	236	<1	0.02	4	540	20	<5	<20	13	0.02	<10	20	<10	3	30
26	26	5	0.2	1.53	15	40	<5	0.06	<1	3	5	4	1.48	<10	0.16	134	<1	0.02	3	320	24	<5	<20	9	0.03	<10	23	<10	3	29
27	27	<5	0.5	2.02	15	45	<5	0.05	<1	3	5	4	1.79	<10	0.15	154	<1	0.02	3	240	30	<5	<20	10	0.04	<10	26	<10	3	32
28	28	<5	1.1	1.91	15	60	<5	0.07	<1	3	5	4	1.86	<10	0.16	181	<1	0.02	4	250	30	<5	<20	10	0.03	<10	26	<10	6	35
29	29	<5	0.4	1.64	15	50	<5	0.06	<1	3	5	4	1.61	<10	0.14	190	<1	0.01	3	480	24	<5	<20	9	0.04	<10	25	<10	2	34
30	30	55	0.4	1.97	15	45	<5	0.04	<1	3	5	5	1.61	<10	0.13	115	<1	0.02	3	500	26	<5	<20	7	0.05	<10	25	<10	3	27

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
31	31	5	0.3	2.05	15	50	<5	0.06	<1	4	7	6	1.69	<10	0.15	206	<1	0.02	4	510	30	<5	<20	8	0.05	<10	26	<10	3	30
32	32	<5	0.3	1.99	20	40	<5	0.07	<1	3	7	5	1.54	<10	0.15	148	<1	0.01	4	550	26	<5	<20	8	0.04	<10	24	<10	3	29
33	33	5	0.2	1.41	15	35	<5	0.08	<1	3	6	5	1.74	<10	0.16	143	<1	0.02	3	770	30	<5	<20	9	0.04	<10	26	<10	2	37
34	34	5	0.5	1.93	15	45	<5	0.05	<1	3	6	5	1.73	<10	0.15	131	<1	0.02	3	300	30	<5	<20	8	0.05	<10	27	<10	3	35
35	35	<5	0.5	1.59	15	40	<5	0.04	<1	3	5	4	1.67	<10	0.12	129	<1	0.01	3	390	26	<5	<20	8	0.05	<10	26	<10	2	30
36	36	<5	0.2	1.71	15	40	<5	0.06	<1	3	5	4	1.52	<10	0.14	134	<1	0.01	3	350	26	<5	<20	9	0.04	<10	23	<10	2	33
37	37	<5	0.7	2.08	20	50	<5	0.07	<1	4	6	5	1.72	<10	0.17	225	<1	0.02	5	200	30	<5	<20	13	0.04	<10	27	<10	9	52
38	38	<5	3.7	2.28	20	60	<5	0.14	1	5	8	6	1.84	30	0.26	475	<1	0.02	16	300	38	<5	<20	19	0.04	<10	29	<10	33	86
39	39	<5	2.3	2.05	15	60	<5	0.13	<1	5	6	7	1.79	20	0.19	1167	<1	0.02	11	350	38	<5	<20	18	0.05	<10	27	<10	20	46
40	40	<5	0.3	2.14	20	45	<5	0.06	<1	4	6	5	1.69	<10	0.13	241	<1	0.02	3	620	30	<5	<20	9	0.06	<10	27	<10	3	32
41	41	<5	<0.2	2.42	20	45	<5	0.05	<1	4	7	5	1.72	<10	0.15	145	<1	0.02	3	550	32	<5	<20	9	0.05	<10	26	<10	3	33
42	42	<5	0.2	1.57	15	35	<5	0.06	<1	3	6	5	1.66	<10	0.13	138	<1	0.02	3	490	24	<5	<20	8	0.04	<10	26	<10	2	27
43	43	<5	0.2	2.25	20	55	<5	0.05	<1	4	7	7	1.89	<10	0.16	361	<1	0.02	4	630	30	<5	<20	8	0.05	<10	29	<10	3	36
44	44	5	1.0	2.81	25	70	<5	0.08	<1	6	10	8	2.38	10	0.26	276	<1	0.02	8	430	42	<5	<20	13	0.07	<10	38	<10	8	53

QC DATA:

Repeat:

1	1	<5	0.2	1.33	10	35	<5	0.08	<1	3	4	3	1.41	10	0.15	112	<1	0.02	5	260	22	<5	<20	11	0.03	<10	21	<10	9	24
10	10	<5	0.3	1.51	15	45	<5	0.06	<1	2	5	4	1.36	<10	0.12	115	<1	0.02	3	440	22	<5	<20	9	0.04	<10	20	<10	2	24
19	19	<5	0.3	1.62	15	45	<5	0.05	<1	3	5	4	1.54	<10	0.12	101	<1	0.02	3	270	26	<5	<20	8	0.06	<10	25	<10	3	27
28	28	<5	1.1	2.01	15	65	<5	0.07	<1	3	5	4	1.89	<10	0.16	191	<1	0.02	4	260	32	<5	<20	11	0.04	<10	26	<10	6	37
36	36	5	0.2	1.75	15	40	<5	0.05	<1	3	5	4	1.55	<10	0.14	139	<1	0.01	3	340	26	<5	<20	9	0.04	<10	24	<10	2	34

Standard:

Till 3			1.4	1.09	80	40	<5	0.57	<1	12	58	19	2.03	10	0.58	298	<1	0.03	30	410	28	<5	<20	11	0.07	<10	39	<10	10	38
Till 3			1.5	1.10	80	40	<5	0.56	<1	12	57	19	2.02	10	0.58	293	<1	0.03	31	410	28	<5	<20	10	0.06	<10	38	<10	10	37
OXE42		615																												
OXE42		600																												

JJ/kc/sa
df/n1513
XLS/06

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer