



Ministry of Energy, Mines & Petroleum Resources
Mining & Minerals Division
BC Geological Survey

**ASSESSMENT REPORT
TITLE PAGE AND SUMMARY**

TITLE OF REPORT [type of survey(s)]	TOTAL COST
GEOCHEMICAL REPORT	\$ 30,151.95
AUTHOR(S) CHRISTOPHER J. WILD, P.ENG. SIGNATURE(S) 	
NOTICE OF WORK PERMIT NUMBER(S)/DATE(S)	
STATEMENT OF WORK - CASH PAYMENT EVENT NUMBER(S)/DATE(S) 4140476 / 2007-MAR-30.	
PROPERTY NAME SILVER HILL	
CLAIM NAME(S) (on which work was done) SILVER HILL (532681), SILVER HILL 2 (535857), SUZANNE 1 (532951)	
COMMODITIES SOUGHT Au - Ag - Cu - Mo - Pb - Zn.	
MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN N/A	
MINING DIVISION REVELSTOKE NTS 082 K/12W	
LATITUDE 50° 41' " LONGITUDE 117° 48' " (at centre of work)	
OWNER(S)	
1) ISLAND ARC EXPLORATION CORP. 2)	
MAILING ADDRESS	
SUITE 678 - 235 FIRST AVENUE KAMLOOPS, B.C. V2C 3J4	
OPERATOR(S) [who paid for the work]	
1) ISLAND ARC EXPLORATION CORP. 2)	
MAILING ADDRESS	
SUITE 678 - 235 FIRST AVENUE KAMLOOPS, B.C. V2C 3J4	
PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):	
Silver Hill covers biotite schist of L. Cambrian to M. Devonian Lardeau Gp and grey/brown phyllites and amphibolites of Permo-Triassic Milford and Kaslo Gps. Mineralization including pyrite, galena and molybdenite is exposed in shallow pits running east-west. Silicification & sericitization occur in foliated phyllites.	
REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS	

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping _____			
Photo interpretation _____			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic _____			
Electromagnetic _____			
Induced Polarization _____			
Radiometric _____			
Seismic _____			
Other _____			
Airborne _____			
GEOCHEMICAL (number of samples analysed for ...)			
Soil _____	748 Au geochem, ICP	Silver Hill, Silver Hill 2,	\$ 30,151.95
Silt _____		Suzanne 1	
Rock _____	2 Au geochem, ICP		
Other _____			
DRILLING (total metres; number of holes, size)			
Core _____			
Non-core _____			
RELATED TECHNICAL			
Sampling/assaying _____			
Petrographic _____			
Mineralographic _____			
Metallurgic _____			
PROSPECTING (scale, area) _____			
PREPARATORY/PHYSICAL			
Line/grid (kilometres) _____			
Topographic/Photogrammetric (scale, area) _____			
Legal surveys (scale, area) _____			
Road, local access (kilometres)/trail _____			
Trench (metres) _____			
Underground dev. (metres) _____			
Other _____			
			TOTAL COST \$ 30,151.95



Contact Us ▶

Help

Home > Mineral Titles > Mineral Titles Online

B.C. HOME

Mineral Titles

Mineral Titles Online

Mineral Claim Exploration and Development Work/Expiry Date Change

Mineral Claim Exploration and Development Work/Expiry Date Change

Confirmation

- ▶ Select Input Method
- ▶ Select/Input Tenures
- ▶ Input Lots
- ▶ Data Input Form
- ▶ Review Form Data
- ▶ Process Payment
- ▶ Confirmation

Recorder: ISLAND ARC EXPLORATION CORP. (139811)

Submitter: ISLAND ARC EXPLORATION CORP. (139811)

Recorded: 2007/MAR/30

Effective: 2007/MAR/30

D/E Date: 2007/MAR/30

Your report is due in 90 days. Please attach a copy of this confirmation page to the front of your report.

Event Number: 4140476

Work Start Date: 2006/JUL/01

Total Value of Work: \$ 30151.95

Work Stop Date: 2007/JAN/31

Mine Permit No:

Work Type: Technical Work

Technical Items: Geochemical

Summary of the work value:

Tenure #	Claim Name/Property	Issue Date	Good To Date	New Good To Date	# of Days Forward	Area in Ha	Work Value Due	Sub- mission Fee
532681	SILVER HILL	2006/apr/19	2007/apr/19	2010/dec/31	1352	81.89	\$ 1442.18	\$ 121.33
532951	SUZANNE 1	2006/apr/24	2007/apr/24	2010/dec/31	1347	81.88	\$ 1432.98	\$ 120.87
532952	SUZANNE 2	2006/apr/24	2007/apr/24	2010/dec/31	1347	81.89	\$ 1433.19	\$ 120.88
535857	SILVER HILL 2	2006/jun/17	2007/jun/17	2010/dec/31	1293	307.07	\$ 5010.74	\$ 435.12
535858	SILVER HILL 3	2006/jun/17	2007/jun/17	2010/dec/31	1293	470.85	\$ 7683.24	\$ 667.19
536464	SILVER BAY	2006/jul/01	2007/jul/01	2010/dec/31	1279	184.25	\$ 2950.05	\$ 258.26

Total required work value: \$ 19952.38

PAC name: Island Arc Exploration Corp.

Debited PAC amount: \$ 0.00

Credited PAC amount: \$ 10199.57

Total Submission Fees: \$ 1723.64

Total Paid: \$ 1723.64

The event was successfully saved.

Please use **Back** button to go back to event confirmation Index.

Back

→ [MTO Help Tips](#)

- [Main Menu](#)
- [Search for Mineral/Placer / Coal Titles](#)
- [View Mineral Tenures](#)
- [View Placer Tenures](#)
- [View Coal Tenures](#)

Exit this e-service ▶

Geochemical Assessment Report

on the

Silver Hill Property

SILVER HILL (532681)
SILVER HILL 2 (535857)
SILVER HILL 3(535858)
SUZANNE 1 (532951)
SUZANNE 2 (532952)
SILVER BAY (536464)

Revelstoke Mining Division

N.T.S. 82K/12W
Latitude 50⁰ 41' N
Longitude 117⁰ 48' W

NAD 83
UTM Grid Zone 11U
5615000 mN, 444000 mE

Owner/Operator:

Island Arc Exploration Corp.

Suite 678 – 235 First Avenue
Kamloops, B.C. V2C 3J4

Christopher J. Wild, P. Eng.
Consulting Geological Engineer
Wildrock Resources Consulting & Drafting

June 26, 2007

Table of Contents

1.0	Summary	1
2.0	Introduction.....	2
	2.1 Terms of Reference	
	2.2 Property Description and Location	
	2.3 Accessibility, Climate, Local Resources, Infrastructure and Physiography	
	2.4 Property History	
	2.5 2006 Exploration Program	
3.0	Geological Setting	8
	3.1 Regional Geology	
	3.2 Property Geology	
4.0	Soil Geochemistry	9
5.0	Conclusions and Recommendations	17
6.0	References.....	18

List of Tables

Table 1	Silver Hill Property Mineral Claims.....	2
Table 2	Results of Grab Samples from Silver Hill Showing.....	8
Table 3	Statistics of Soil Samples from Silver Hill.....	9
Table 4	Correlation Coefficients for Soil Samples from Silver Hill	10
Table 5	Proposed 2007 Program	17

List of Figures

Figure 1	Property Location Map.....	4
Figure 2	Claim Map.....	5
Figure 3	Regional Geology	6
Figure 4	Soil Geochemistry – Au (ppb).....	11
Figure 5	Soil Geochemistry – Ag (ppm).....	12
Figure 6	Soil Geochemistry – Cu (ppm)	13
Figure 7	Soil Geochemistry – Mo (ppm).....	14
Figure 8	Soil Geochemistry – Pb (ppm).....	15
Figure 9	Soil Geochemistry – Zn (ppm).....	16

Appendices

Appendix 1	Statement of Costs
Appendix 2	Statement of Qualifications
Appendix 3	Analytical Results and Procedures

1.0 Summary

The Silver Hill Property covers 1207.833 hectares in the Trout Lake area, 44 kilometres southeast of Revelstoke and 53 kilometres north of Nakusp, B.C. The property consists of 6 contiguous cell mineral claims (Figure 2). No previous exploration activity is recorded in the vicinity of the Silver Hill property, nor are there any Minfile occurrences in the immediate area. However, a number of shallow pits and a caved adit follow a band of mineralization consisting of pyrite, galena and molybdenite.

The Silver Hill lies within the Kootenay Arc, a belt of early Paleozoic to Mesozoic sedimentary, volcanic and metamorphic rocks that stretches from northern Washington State to north of Revelstoke B.C. The Kootenay Arc is squeezed between the Windermere-Purcell anticlinorium on the east and the Monashee and Shuswap metamorphic complexes to the west and northwest.

The west half of Silver Hill Property is mapped by Read (1976) as biotite schist of the lower Cambrian to middle Devonian Lardeau Group. The eastern half of the property is underlain by mainly grey and brown phyllite and meta-sandstone of the Milford Group. Permian to Triassic Kaslo Group amphibolite is mapped in the north central portion of the claim group. Five rock grab samples were collected from a series of mineralized old pits and cuts in the centre of the property during an initial examination of the property by the author. Sulphide minerals identified included pyrite, galena and molybdenite. The mineralized unit is variably altered; locally silicified and sericitized, with a cherty appearance and minor white quartz veining. Fine-grained and disseminated molybdenite mineralization looks to be hosted in a sugary silicified replacement zone.

A flagged grid totalling 21 kilometres including a 2.0 kilometre long baseline followed the expected trend of mineralization at 325° azimuth, with winglines at 90° to the baseline spaced every 100 metres with stations at 25-metre intervals. A total of 748 soil samples were collected from stations along both the baseline and the winglines.

Copper is elevated in the northwestern third of the grid and along the low-lying western side of the grid. A central mineralized trend through the showing is discernible but not strong. Lead is distinctly elevated over the northwestern third of the grid and in the vicinity of the showing, possibly extending further east, off the grid. Zinc values are concentrated along the interpreted mineralized trend through the showing and extending to the west and southeast. Silver is also anomalous in the showing area. Copper, lead and zinc show very weak positive correlations with each other, though there is some overlap on the inferred mineralized trend.

Molybdenum is moderately anomalous over the northwestern half of the grid. There is a discernible east-west trend coincident with the showing and the Ag-Cu-Pb-Zn geochemical trend and a second northwest trend to the north, coincident with Zn to the east and Cu-Pb further west. Interestingly, the correlation between Mo and Pb is very strong with a coefficient of 0.869. Grab samples show coincident molybdenite and galena with coincident silver values. Gold is generally weak.

A program of geological mapping and expanded soil geochemistry is scheduled to begin shortly. Priority targets will be identified in preparation for excavator trenching. Trenches will be mapped and sampled prior to reclamation. Diamond drilling is planned for the fall.

2.0 Introduction

2.1 Terms of Reference

Island Arc Exploration Corp. ("Island Arc") contracted Wildrock Resources Consulting and Drafting to design and supervise a program of soil geochemistry on the Silver Hill Property, near Trout Lake, B.C. This report describes the results of that program. The author visited the property on August 2, 2006, which resulted in Island Arc optioning the property the following month.

2.2 Property Description and Location

The Silver Hill Property covers 1207.833 hectares in the Trout Lake area, 44 kilometres southeast of Revelstoke and 53 kilometres north of Nakusp, B.C (Figure 1). The centre of the property sits at 50° 41' N and 117° 48' W, and 5615000 mN, 444000 mE, UTM Zone 11U, NAD 83.

The property consists of 6 contiguous cell mineral claims (Figure 2). The work described herein was completed on the 3 claims: Silver Hill (532681), Silver Hill 2 (535857), and Suzanne 1 (532951). Table 1 contains information on the individual claims.

Island Arc signed a Mining Option Agreement to acquire 100% interest, subject to a 2% NSR, in the Silver Hill Property from Bruce Doyle and Grant Doyle. Terms of the Mining Option Agreement include completing staged exploration expenditures of \$300,000 over 3 years, including \$50,000 on or before the first anniversary of the Approval Date, \$100,000 on or before the second anniversary of the Approval Date, and \$150,000 on or before the third anniversary of the Approval Date. To earn 100% interest, Island Arc must:

- a) Issue 100,000 Shares and pay \$15,000 to Doyle on the Approval Date
- b) Issue 100,000 Shares and pay \$20,000 to Doyle on the first anniversary of the Approval Date;
- c) Issue 50,000 Shares and pay \$25,000 to Doyle on the second anniversary of the Approval Date; and
- d) Issue 50,000 Shares and pay \$40,000 to Doyle on the third anniversary of the Approval Date;

If the Option is exercised, Island Arc shall pay to Doyle \$30,000 per annum in advance royalties commencing on the fourth anniversary of the Approval Date until Commercial Production is achieved. Island Arc has the right to buy back 50% of the NSR for the sum of \$1,000,000.

Table 1
Silver Hill Property Mineral Claims

Claim Name	Tenure No.	Area (ha)	Expiry Date	Map Number
Silver Hill	532681	81.891	31 Dec 2010	82 K/12
Suzanne 1	532951	81.878	31 Dec 2010	82 K/12
Suzanne 2	532952	81.890	31 Dec 2010	82 K/12
Silver Hill 2	535857	307.072	31 Dec 2010	82 K/12
Silver Hill 3	535858	470.850	31 Dec 2010	82 K/12
Silver Bay	536464	184.252	31 Dec 2010	82 K/12
		1207.833		

* Expiry date upon acceptance of Assessment Report

2.3 Accessibility, Climate, Local Resources, Infrastructure and Physiography

The Silver Hill Property is located 44 kilometres southeast of Revelstoke, 53 kilometres north of Nakusp, and 22 kilometers west of Trout Lake, in the Revelstoke Mining Division in southeastern B.C. Excellent access is provided from Highway 31 (Trout Lake Road), via the Hill Creek road and a series of logging roads. An old mining trail was brushed out with a bulldozer to provide access to some old pits and a short adit in the centre of the property. Access is year-round via four wheel drive vehicle, subject to snow removal.

Climate of the area is characterized by cool snowy winters and relatively warm summers. In Revelstoke, the mean January temperature ranges from a high of -2°C to a low of -8°C . The mean July temperatures range from a maximum of 25°C to a minimum of 11°C . Precipitation in January averages 110 millimetres, including 133 centimetres of snow. In July, rainfall averages 67 millimetres of rain.

The property area is currently the site of active logging with a well-developed network of roads. Forestry is the major industry in the Nakusp to Revelstoke section of the Columbia valley. There are private residences near the property, on the Northeast Arm of Upper Arrow Lake, testament to the potential for increased tourism in the area.

In addition to a well-developed transportation infrastructure, the Revelstoke Dam is a major generator of hydroelectric power for the province. The Hugh Keenleyside Dam just north of Castlegar, provides power generation and downstream flood control. Roca Mines Inc.'s Max Molybdenum Mine is currently under construction 15 kilometres to the southeast and is slated to begin production in mid-2007.

The topography of the area is best characterized as low-lying, rolling hills along the northeast arm of Upper Arrow Lake. Elevations range from 445 metres at lake level to almost 1400 metres in the northeast and southeast corners of the Silver Hill 3 claim. The property is well-forested with mature stands of hemlock and cedar, spruce and fir typical of the Interior Rainforest. Undergrowth is locally thick with slide alder and devil's club.

2.4 Property History

No previous exploration activity is recorded in the vicinity of the Silver Hill property, nor are there any Minfile occurrences in the immediate area. However, a number of shallow pits and a caved adit show that there has been significant exploration conducted on the property in the past.

2.5 2006 Exploration Program

Property vendors Doyle and Doyle conducted a number of prospecting traverses near a series of shallow pits on the Silver Hill claim. After optioning the property from the Doyle's, Island Arc cleared brush from the existing overgrown access road. A flagged grid totalling 21 kilometres including a 2.0 kilometre baseline followed the expected trend of mineralization, with winglines at 90° to the baseline spaced every 100 metres with stations at 25-metre intervals. A total of 748 soil samples were collected from stations along both the baseline and the winglines.



**SILVER HILL
PROPERTY**



Island Arc Exploration Corp.

SILVER HILL PROPERTY

FIGURE 1


**PROPERTY
LOCATION MAP**

082K.061,062

SCALE:
0 100 200 300 400 500 km


DRAWN BY: rw
DATE: JUNE 2007

FILENAME:
SILVERHILL-PROLOCATION



NAD 83
ZONE 11

ISLAND ARC EXPLORATION CORP.
SILVER HILL PROJECT
FIGURE 2
CLAIM MAP
82K.061.062
REVELSTOKE MINING DIVISION
0 0.5 1 1.5 2 km
DRAWN BY: rw
DATE: JUNE 2007
FILENAME: FIG2-SILVERHILL-CLAIMMAP.DWG



ISLAND ARC EXPLORATION CORP.	
SILVER HILL PROJECT	
FIGURE 3	
REGIONAL GEOLOGY	
<small>DRAWN BY: nw</small> <small>DATE: JUNE 2007</small>	<small>NAD 83</small> <small>ZONE 11</small> <small>FILENAME: SILVERHILL-REGIONALGEOLOGY.DWG</small>

Modified from Read, 1976.
See accompanying legend.

LEGEND

Quaternary

Qs	Glacial deposits
Qsl	Landslide and rock slide debris

Cretaceous and/or Jurassic

Kgd	Galena Bay Stock - muscovite-biotite granodiorite and quartz monzonite
-----	--

Jurassic

KUSKANUX BATHOLITH AND STOCKS

LJKX	Foliated and/or lineated leuocoquartz monzonite
------	---

Permian and/or Triassic

KASLO GROUP

PTRKVm	Amphibolite
--------	-------------

Upper Mississippian to Pennsylvanian or Permian

MILFORD GROUP

uMMP	Grey and brown phyllite and meta-sandstone
uMMC	Grey and white limestone, locally fossiliferous
uMMcg	Conglomerate

Lower Cambrian to Middle Devonian or Older

LARDEAU GROUP

IPBC	Limestone, grey phyllitic limestone and grey phyllite
IPBS	Grey and green phyllitic grit and phyllite
IPJV	JOWETT FORMATION - green phyllite, limy green phyllite, greenstone
IPLS	Undivided - grey phyllite, siliceous phyllite, gritty phyllite, phyllitic grit, rare quartzite
IPLsb	Biotite schist
IPLV	Undivided - green phyllite, limy green phyllite, greenstone
IPLC	Undivided - limestone, phyllitic limestone

3.0 Geological Setting

3.1 Regional Geology

The Silver Hill property lies within the Kootenay Arc, a belt of early Paleozoic to Mesozoic sedimentary, volcanic and metamorphic rocks that stretches from northern Washington State to north of Revelstoke B.C. The Kootenay Arc is squeezed between the Windermere-Purcell anticlinorium on the east and the Monashee and Shuswap metamorphic complexes to the west and northwest.

From oldest to youngest, northeast to southwest, the Kootenay Arc succession has undergone polyphase deformation and variable metamorphism. Hadrynian Hamill quartzites and Cambrian Badshot limestones situated over 20 kilometres northeast of the property, form the base of the succession. Rocks of the lower Paleozoic Lardeau Group; including Index, Sharon Creek, Jowett and Broadview Formations, can be divided into a lower calcareous section overlain by phyllites, quartzites and greenstones.

The Index Formation comprises a thick sequence of grey, green and black phyllite, limestone, calcareous phyllite, tuff, tuffaceous greywacke, pillow basalt and rare quartzite and quartzo-feldspathic gritty sandstone. Greenstone of the Jowett Formation, including volcanic breccias, pillow lavas and chloritic schist, are intercalated with the Broadview Formation. Broadview comprises mainly quartz wackes, quartzite, and grey to black and green slates and phyllites.

Permian to Triassic rocks of the Milford and Kaslo Groups belong to the accreted Slide Mountain Terrane. Both groups comprise oceanic rocks. Milford Group rocks include conglomerates, limestones, and grey and brown phyllites and meta-sandstone. Kaslo rocks include greenstones and amphibolites.

The large Jurassic Kuskanax batholith intrudes Kootenay Arc rocks some 8 kilometres south of the property. Jurassic intrusions are predominantly granodiorite and granite with lesser diorite, monzonite, and syenite phases. The Cretaceous Galena Bay stock is a two mica granite that intrudes the Kuskanax batholith at the north end of Upper Arrow Lake (Church and Jones, 1999).

3.2 Property Geology

The west half of Silver Hill Property is mapped by Read (1976) as biotite schist of the lower Cambrian to middle Devonian Lardeau Group. Mapping by Read did not differentiate Lardeau rocks in the Trout Lake to Upper Arrow Lake area. The eastern half of the property is underlain by mainly grey and brown phyllite and meta-sandstone of the Milford Group. Permian to Triassic Kaslo Group amphibolite is mapped in the north central portion of the claim group.

Five rock grab samples were collected from a series of mineralized old pits and cuts in the centre of the property during an initial examination of the property by the author. Sulphide minerals identified included pyrite, galena and molybdenite. Results demonstrate that the Silver Hill Showing hosts significant silver, molybdenum and lead values.

Table 2
Results of Grab Samples from Silver Hill Showing

Sample No	Au (g/t)	Ag (g/t)	Mo (%)	Pb (%)	Zn (%)
SH001	0.05	128.0	0.159	3.64	0.01
SH002	0.04	22.5	0.253	0.84	<0.01
SH003	0.04	0.1	0.519	0.09	<0.01
SH004	0.03	0.8	0.258	0.53	<0.01
SH005	0.04	20.9	0.083	1.31	0.01

Mineralization is hosted in silty to phyllitic, layered sedimentary rocks immediately under a flat-lying argillite unit, and looks to be stratabound near the showing. The mineralized unit is variably altered,

locally silicified and sericitized, with a cherty appearance and minor white quartz veining. Fine-grained and disseminated molybdenite mineralization looks to be hosted in a sugary silicified replacement zone. Galena is much coarser often occurring in 2-5mm veinlets. Detailed mapping and sampling of the showing area is recommended.

4.0 Soil Geochemistry

4.1 Program

A flagged grid totalling 21 kilometres including a 2.0 kilometre long baseline follow the expected trend of mineralization at 325° azimuth, with winglines at 90° to the baseline. Lines are spaced every 100 metres with stations at 25-metre intervals (Figure 4). A total of 748 soil samples were collected from stations along both the baseline and the winglines. Most of the grid was sampled, however, the south end ran into a steep canyon in Hill Creek. Bruce Doyle supervised and assisted in establishing the grid and collecting the soil samples.

Samples were collected from the "B" horizon at around 20-30 centimetres depth. Soil development is considered poor to moderate as most of the sampled area is on a relatively steep hillside with locally evident colluvium. However, results generally reflect the interpreted trend of mineralization. Follow-up geological mapping is necessary to assess sampling program.

4.2 Results

All soil samples were analyzed for 28 elements by ICP methods using an aqua-regia digestion at Eco Tech Laboratory Ltd. in Kamloops, B.C. Gold was analyzed with a 30 gram fire assay geochemical analysis (Appendix 3).

Figures 4 through 9 highlight the distribution of Au, Ag, Cu, Mo, Pb and Zn in soils across the grid. General statistics for each of those elements plus Fe and Mn are presented in Table 3.

Gold is generally weak although one sample in the southeast returned 345 ppb and will have to be followed up. Two other samples returned values greater than 100ppb, both in the centre of the grid on line 19N. However, adjacent lines failed to detect anomalous gold values (Figure 4).

Anomalous silver occurs in 3 locations: the south corner, the east corner and in a westerly trend through the Silver Hill showing down toward Hill Creek (Figure 5). Gold and silver do not correlate well based on the correlation coefficients in Table 4, and the map distributions (Figures 4 & 5).

Table 3
 Statistics of Soil Samples from Silver Hill


	Au ppb	Ag ppm	Cu ppm	Fe (%)	Mn ppm	Mo ppm	Pb ppm	Zn ppm
Samples	748	748	748	748	748	748	748	748
Max	345	14.00	226	6.51	7629	208	1076	5410
Min	5	0.20	5	0.11	81	1	10	15
Mean	9.2	0.75	28.4	2.89	682.6	4.1	48.9	199.0
Std Dev	24.9	0.81	19.9	0.72	742.5	12.7	46.9	288.9
50th %	5.0	0.5	23.0	2.80	471.0	2.0	42.0	158.0
75th %	5.0	0.9	33.0	3.23	750.0	3.5	54.0	223.3
90th %	10.0	1.4	50.0	3.72	1295.4	5.0	72.0	313.0
95th %	21.5	1.9	63.0	4.17	1812.2	9.0	84.0	375.3
98th %	40.2	2.8	88.2	4.78	2994.8	22.2	108.5	487.7

Copper is elevated in the northwestern third of the grid and along the low-lying western side (Figure 6). A central mineralized trend through the showing is discernible but not strong. Lead is also distinctly elevated over the northwestern third of the grid and in the vicinity of the showing, possibly extending further east, off the grid (Figure 8). Zinc values, on the other hand, are concentrated along the interpreted mineralized trend through the showing and extending to the west and southeast (Figure 9). The highest values, including one sample in excess of 5,000 ppm, are actually 200 metres north of this trend, extending over 3 lines (300 metres). Copper, lead and zinc show weakly positive correlations with each other, though there is some overlap on the inferred mineralized trend.

Molybdenum is moderately anomalous over the northwestern half of the grid. There is a discernible east-west trend coincident with both the showing and the Ag-Cu-Pb-Zn geochemical trend and a second northwest trend to the north, coincident with Zn to the east and Cu-Pb further west (Figure 7). Interestingly, the correlation between Mo and Pb is very strong with a coefficient of 0.869 (Table 4). Grab samples show coincident molybdenite and galena with coincident silver values (Table 2)

Table 4
 Correlation Coefficients for Soil Samples from Silver Hill


	Au	Ag	Cu	Fe	Mn	Mo	Pb	Zn
Au		0.013	-0.037	-0.005	-0.053	0.235	0.003	0.017
Ag			0.101	0.101	0.109	0.214	0.186	0.112
Cu				0.595	0.260	-0.002	0.053	0.021
Fe					0.190	0.108	0.209	0.164
Mn						0.066	0.086	0.251
Mo							0.869	0.207
Pb								0.034
Zn								



**Island Arc Exploration Corp.
Silver Hill Property**

Figure 4


Soil Geochemistry - Au (ppb)



LEGEND

Ag (ppm)


- 26.1
- 1.65
- 1.22
- 1.02
- 0.886
- 0.795
- 0.703
- 0.632
- 0.571
- 0.52
- 0.469
- 0.418
- 0.367
- 0.316
- 0.265
- 0.214
- 0



Island Arc Exploration Corp.
Silver Hill Property

Figure 5


Soil Geochemistry - Ag (ppm)



LEGEND

Cu (ppm)


- 161
- 51.1
- 41.5
- 36.6
- 33.3
- 30.4
- 28.3
- 26.3
- 24.7
- 23.3
- 22
- 20.9
- 19.6
- 18.1
- 16.4
- 14.4
- 0



Island Arc Exploration Corp.
Silver Hill Property

Figure 6


Soil Geochemistry - Cu (ppm)



Island Arc Exploration Corp.
Silver Hill Property

Figure 7


Soil Geochemistry - Mo (ppm)



Island Arc Exploration Corp.
Silver Hill Property

Figure 8

Soil Geochemistry - Pb (ppm)



Island Arc Exploration Corp.
Silver Hill Property

Figure 9

Soil Geochemistry - Zn (ppm)

5.0 Conclusions and Recommendations

The Silver Hill property covers 1208 hectares straddling the contact between biotite schist of the Lardeau Group to the west and phyllites and meta-sandstones of the Milford Group and greenstone/amphibolite of the Kalso Group to the east. The latter two make up the Slide Mountain ophiolite sequence. The Jurassic Kuskanax intrusion sits 8 kilometres to the south and Cretaceous Galena Bay stock intrudes immediately to the southwest of the property. A possible antiform provides structures for the emplacement of mineralizing fluids related to Cretaceous plutonism. Early rock and soil geochemistry show coincident Ag-Pb-Mo mineralization. The Silver Hill showing appears to be a replacement deposit with associated veins.


The 2006 work program consisted of opening up the the old access road to the showing area, establishing a 2-kilometre flagged baseline and 19 kilometres of flagged winglines spaced at 100 metres, and soil sampling at station intervals of 25 metres along both the baseline and winglines. The showing area was anomalous in Ag-Cu-Mo-Pb-Zn, extending downslope to the west and likely to the southeast immediately northeast of the grid.

A program of geological mapping and expanded soil geochemistry is scheduled to begin shortly. Priority targets will be identified in preparation for excavator trenching. Trenches will be mapped and sampled prior to reclamation. Diamond drilling is planned for the fall.


Table 5
Proposed 2007 Program

Program	Cost
Geological Mapping	\$ 6,000
Soil Geochemistry	\$ 17,750
Trenching	\$ 23,250
TOTAL	\$ 47,000

Respectfully submitted,



Christopher J. Wild, P.Eng.
June 26, 2007



6.0 References

Church, B.N. and Jones, L.D. (1999): Metallogeny of the Beaton-Camborne Mining Camp, Lardeau District (082K12&13); Ministry of Energy Mines and Petroleum Resources website: www.em.bc.ca/Mining/Geolsurv/Minfile/MAPAREAS/beaton.htm

Hoy, T. and Dunne, K.P.E., (1997): Early Jurassic Rossland Group, Southern British Columbia, Part I – Stratigraphy and Tectonics; Geological Survey Branch, Ministry of Employment and Investment, Bulletin 102.

Macauley, T.N. (2004): Technical Report on the MAX Molybdenum Property, Revelstoke Mining Division, British Columbia. Internal Report, 39p.

Pinsent, R. (2004): Trout Lake Area, Lardeau District (082K11); Ministry of Energy Mines and Petroleum Resources website: www.em.bc.ca/Mining/Geolsurv/Minfile/MAPAREAS/troutlake.htm

Read, P.B. (1976): Lardeau Map Area (82K west half), British Columbia; Geological Survey of Canada, Paper 76-1A.

Read, P.B. and Brown, R.L. (1981): Columbia River Fault Zone – Southeastern Margin of the Shuswap and Monashee Complexes, Southern British Columbia; Canadian Journal of Earth Sciences, Volume 18, pages 1127-1145.

Little, H.W., (1960): Nelson Map-area, West-half, British Columbia; Geological Survey of Canada, Memoir 308, 205 pages.

Wild, C.J., (2006): Geochemical Assessment Report on the Mt Nelson, Nelson Mining Division, B.C. Ministry of Energy and Mines Assessment Report #28420, 10 pages.


Appendix 2

Statement of Qualifications


I, Christopher J. Wild, P.Eng., am a Professional Engineer, of 2416 Abbeyglen Way in the City of Kamloops, in the Province of British Columbia.

- 1 I am a Registered Member of the Association of Professional Engineers and Geoscientists of the Province of British Columbia (1994), and am a member of the Canadian Institute of Mining and Metallurgy (CIM).
- 2 I am a graduate of the University of British Columbia, Geological Engineering, Mineral Exploration Option (1984), and I have practiced my profession continuously since 1985.
- 3 Since 2000, I have been involved in mineral exploration for copper, gold, zinc, lead and silver in British Columbia, Nunavut, and West Africa.
- 4 As a result of my education, professional experience and professional qualifications, I am a qualified person as defined in National Instrument 43-101.
- 5 I am presently a Consulting Geological Engineer and have been so since January, 2000. I am currently a Director and VP Exploration for Island Arc Exploration.
- 6 I designed the program described herein, following a property visit on August 2, 2006.
- 7 I prepared this report based on data collected during the exploration programs described herein.

Dated at Kamloops, British Columbia, this 26th day of June, 2007.



Christopher J. Wild, P.Eng.
Consulting Geological Engineer
Wildrock Resources Consulting & Drafting



Appendix 3

Analytical Results and Procedures (EcoTech Laboratory Ltd.)

Sample Preparation

Soil samples were dried and sieved to -80 mesh.

Multi-Element ICP

A 0.5 gram sample is digested with 3ml of a 3:1:2 (HCl:HN03:H2O) which contains beryllium which acts as an internal standard for 90 minutes in a water bath at 95°C. The sample is then diluted to 10ml with water. The sample is analyzed on a Jarrell Ash ICP unit.

Results are collated by computer and are printed along with accompanying quality control data (repeats and standards).

	<i>Detection Limit</i>			<i>Detection Limit</i>	
	<i>Low</i>	<i>Upper</i>		<i>Low</i>	<i>Upper</i>
Ag	0.2ppm	30.0ppm	Fe	0.01%	10.00%
Al	0.01%	10.0%	La	10ppm	10,000ppm
As	5ppm	10,000ppm	Mg	0.01%	10.00%
Ba	5ppm	10,000ppm	Mn	1ppm	10,000ppm
Bi	5ppm	10,000ppm	Mo	1ppm	10,000ppm
Ca	0.01%	10,00%	Na	0.01%	10.00%
Cd	1ppm	10,000ppm	Ni	1ppm	10,000ppm
Co	1ppm	10,000ppm	P	10ppm	10,000ppm
Cr	1ppm	10,000ppm	Pb	2ppm	10,000ppm
Cu	1ppm	10,000ppm	Sb	5ppm	10,000ppm
Sn	20ppm	10,000ppm			
Sr	1ppm	10,000ppm			
Ti	0.01%	10.00%			
U	10ppm	10,000ppm			
V	1ppm	10,000ppm			
Y	1ppm	10,000ppm			
Zn	1ppm	10,000ppm			

Geochemical Gold Analysis

Samples are catalogued and dried. Soils are prepared by sieving through an 80 mesh screen to obtain a minus 80 mesh fraction. Samples unable to produce adequate minus 80 mesh material are screened at a coarser fraction. These samples are flagged with the relevant mesh. Rock samples are 2 stage crushed to minus 10 mesh and a 250 gram subsample is pulverized on a ring mill pulverizer to -140 mesh. The subsample is rolled, homogenized and bagged in a prenumbered bag.

The sample is weighed to 30 grams and fused along with proper fluxing materials. The bead is digested in aqua regia and analyzed on an atomic absorption instrument. Over-range values for rocks are re-analyzed using gold assay methods.

Appropriate reference materials accompany the samples through the process allowing for quality control assessment. Results are entered and printed along with quality control data (repeats and standards).

ECO TECH LABORATORY LTD.

10041 Dallas Drive

KAMLOOPS, B.C.

V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2006-1893

Island Arc Exploration Corp.

678 - 235 First Avenue

Kamloops, BC

V2C 3J4

Phone: 250-573-5700

Fax : 250-573-4557

No. of samples received: 294

Sample Type: Soil

Project: Silver Hill

Submitted by: B. Doyle

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L12+00N 17+00E	<5	1.8	3.03	30	135	<5	0.20	<1	13	22	18	2.36	<10	0.41	537	<1	0.03	36	2080	38	<5	<20	13	0.15	<10	34	<10	4	110
2	L12+00N 17+25E	<5	1.2	2.39	30	125	<5	0.14	1	13	27	13	2.36	<10	0.38	642	<1	0.02	32	3250	62	<5	<20	9	0.13	<10	34	<10	3	155
3	L12-00N 17+50E	<5	0.9	3.04	30	145	<5	0.08	<1	12	24	12	2.37	<10	0.40	947	<1	0.03	38	2610	42	<5	<20	7	0.17	<10	34	<10	4	143
4	L12+00N 17+75E	<5	0.9	1.93	20	225	<5	0.21	<1	14	32	27	2.72	<10	0.59	3578	<1	0.03	35	1080	28	<5	<20	17	0.11	<10	44	<10	6	114
5	L12+00N 18+00E	<5	1.2	2.22	25	105	<5	0.04	<1	10	16	9	2.18	<10	0.16	1536	<1	0.02	16	1130	40	<5	<20	4	0.13	<10	34	<10	3	105
6	L12+00N 18+25E	5	1.0	2.56	25	155	<5	0.08	<1	13	22	18	2.57	<10	0.38	1614	<1	0.02	28	2280	42	<5	<20	7	0.14	<10	37	<10	5	129
7	L12+00N 18+50E	<5	0.7	2.05	25	145	<5	0.12	<1	12	25	16	2.37	<10	0.36	2120	<1	0.02	28	2420	32	<5	<20	9	0.12	<10	36	<10	3	141
8	L12+00N 18+75E	<5	0.5	2.17	25	125	<5	0.09	<1	14	29	15	2.73	<10	0.53	490	<1	0.02	33	1360	32	<5	<20	8	0.11	<10	40	<10	4	164
9	L12+00N 19+00E	<5	1.2	2.85	30	265	<5	0.10	<1	10	15	12	2.14	<10	0.18	591	<1	0.03	21	2420	40	<5	<20	10	0.14	<10	29	<10	4	111
10	L12+00N 19+25E	<5	0.9	1.72	20	90	<5	0.08	<1	14	32	22	2.60	<10	0.59	421	1	0.02	33	1390	26	<5	<20	5	0.10	<10	40	<10	3	120
11	L12+00N 19+50E	<5	1.2	2.05	25	195	<5	0.07	<1	11	17	11	2.15	<10	0.23	1727	<1	0.02	16	4800	38	<5	<20	6	0.13	<10	29	<10	2	124
12	L12+00N 19+75E	<5	1.2	3.13	30	120	<5	0.09	<1	14	21	18	2.61	<10	0.38	574	1	0.02	36	1730	52	<5	<20	6	0.15	<10	38	<10	5	126
13	L12+00N 20+25E	<5	1.0	2.52	35	95	<5	0.10	<1	13	30	15	2.81	<10	0.34	416	1	0.03	29	1030	48	<5	<20	7	0.15	<10	41	<10	3	129
14	L12+00N 20+50E	<5	0.6	1.89	20	105	<5	0.14	<1	15	40	28	2.81	<10	0.68	711	1	0.02	36	1110	32	<5	<20	10	0.11	<10	45	<10	5	140
15	L12+00N 20+75E	<5	0.5	1.19	10	120	<5	0.09	<1	15	41	27	2.89	<10	0.71	1714	<1	0.02	34	960	24	<5	<20	8	0.07	<10	49	<10	3	101
16	L12+00N 21+00E	<5	0.6	1.46	15	155	<5	0.17	<1	11	25	9	2.54	<10	0.52	1429	<1	0.02	16	2310	26	<5	<20	7	0.14	<10	43	<10	4	90
17	L12+00N 21+25E	<5	0.5	4.44	60	170	<5	0.09	1	10	18	9	2.86	<10	0.15	162	<1	0.03	13	7730	64	<5	<20	14	0.17	<10	36	<10	3	177
18	L12+00N 21+50E	<5	0.8	1.89	20	170	<5	0.22	1	14	39	25	2.64	<10	0.67	619	2	0.02	161	750	50	<5	<20	43	0.09	<10	35	<10	11	219
19	L12+00N 21+75E	<5	0.3	1.41	20	65	<5	0.07	<1	10	31	24	2.51	<10	0.40	188	2	0.02	39	2000	30	<5	<20	7	0.07	<10	28	<10	4	192
20	L12+00N 22+00E	<5	2.6	2.05	20	180	<5	0.40	2	11	26	37	2.31	<10	0.51	605	3	0.03	820	580	34	<5	<20	44	0.10	<10	21	<10	26	1356
21	L13+00N 15+25E	<5	0.4	1.48	15	255	<5	0.20	<1	13	34	13	2.54	<10	0.64	1570	<1	0.02	42	940	28	<5	<20	12	0.10	<10	39	<10	3	121
22	L13+00N 15+50E	45	0.4	1.69	20	130	<5	0.13	<1	17	43	22	2.61	<10	0.70	429	<1	0.02	50	860	34	<5	<20	8	0.09	<10	42	<10	3	129
23	L13+00N 15+75E	<5	0.2	1.71	20	135	<5	0.18	<1	14	37	19	2.75	<10	0.69	371	<1	0.02	39	1400	26	<5	<20	14	0.10	<10	45	<10	4	88
24	L13+00N 16+00E	<5	0.4	1.43	15	115	<5	0.11	<1	15	37	19	2.65	<10	0.69	386	<1	0.02	39	600	24	<5	<20	7	0.09	<10	45	<10	3	82
25	L13+00N 16+25E	<5	0.7	1.35	15	315	<5	0.15	<1	11	19	12	1.99	<10	0.33	3745	<1	0.02	21	2390	32	<5	<20	11	0.09	<10	29	<10	3	118

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	L13+00N 16+50E	<5	1.6	4.01	40	115	<5	0.13	<1	11	17	10	2.63	<10	0.22	463	<1	0.03	23	3010	50	<5	<20	10	0.14	<10	33	<10	4	111
27	L13+00N 16+75E	<5	0.6	1.97	20	140	<5	0.10	<1	14	36	20	2.63	<10	0.58	348	<1	0.02	42	1020	30	<5	<20	7	0.11	<10	42	<10	4	101
28	L13+00N 17+00E	<5	0.5	1.42	15	330	<5	0.16	1	14	35	31	2.55	<10	0.65	3523	<1	0.03	36	1220	26	<5	<20	13	0.09	<10	46	<10	4	139
29	L13+00N 17+25E	345	0.9	2.03	25	130	<5	0.08	<1	16	33	20	2.91	<10	0.61	389	<1	0.02	40	1520	36	<5	<20	7	0.13	<10	47	<10	4	162
30	L13+00N 17+50E	35	0.8	3.35	35	170	<5	0.11	<1	13	25	18	2.69	<10	0.65	721	<1	0.02	31	1700	44	<5	<20	9	0.18	<10	44	<10	3	129
31	L13+00N 17+75E	<5	1.4	3.04	35	105	<5	0.05	<1	13	22	19	2.48	<10	0.35	597	<1	0.03	34	1160	44	<5	<20	5	0.17	<10	37	<10	4	111
32	L13+00N 18+00E	<5	0.7	2.86	30	140	<5	0.19	<1	13	24	18	2.57	<10	0.48	1078	<1	0.03	32	2820	46	<5	<20	10	0.16	<10	41	<10	4	136
33	L13+00N 18+25E	<5	0.7	1.83	25	120	<5	0.12	<1	14	26	15	2.52	<10	0.39	2332	<1	0.02	27	3360	34	<5	<20	8	0.12	<10	40	<10	2	114
34	L13+00N 18+50E	<5	1.2	4.28	50	95	<5	0.04	<1	10	17	15	2.13	<10	0.14	990	<1	0.03	21	2340	52	<5	<20	5	0.14	<10	31	<10	3	108
35	L13+00N 18+75E	<5	0.9	3.14	35	125	<5	0.07	<1	18	41	17	2.95	<10	0.54	651	2	0.03	57	1560	60	<5	<20	7	0.14	<10	42	<10	3	233
36	L13+00N 19+00E	5	1.0	2.60	25	155	<5	0.17	<1	16	39	23	3.02	<10	0.63	491	1	0.03	42	1570	40	<5	<20	10	0.12	<10	48	<10	4	166
37	L13+00N 19+25E	<5	0.4	1.63	20	100	<5	0.09	<1	13	41	19	2.45	<10	0.59	585	1	0.02	41	730	30	<5	<20	6	0.09	<10	37	<10	4	92
38	L13+00N 19+50E	<5	0.8	2.96	35	120	<5	0.09	<1	16	39	16	2.78	<10	0.53	351	1	0.03	49	1490	46	<5	<20	8	0.13	<10	39	<10	5	189
39	L13+00N 19+75E	<5	2.0	4.39	50	95	<5	0.05	<1	12	15	13	2.30	<10	0.17	271	1	0.03	27	2030	58	<5	<20	6	0.17	<10	28	<10	5	167
40	L13+00N 20+25E	5	0.2	1.22	15	100	<5	0.12	<1	13	36	20	2.41	<10	0.63	204	1	0.02	42	390	24	<5	<20	7	0.07	<10	35	<10	4	94
41	L13+00N 20+50E	<5	1.7	1.75	20	610	<5	0.09	1	13	28	13	2.17	<10	0.47	1303	<1	0.03	53	3680	40	<5	<20	14	0.12	<10	30	<10	3	269
42	L13+00N 20+75E	5	0.5	1.59	20	245	<5	0.13	<1	17	49	32	2.88	<10	0.90	880	1	0.03	57	1110	50	<5	<20	11	0.09	<10	47	<10	4	180
43	L13+00N 21+00E	5	0.7	1.79	25	295	<5	0.15	<1	17	42	27	2.69	<10	0.67	1215	1	0.03	52	1630	50	<5	<20	10	0.11	<10	39	<10	5	220
44	L13+00N 21+25E	5	1.0	2.72	30	205	<5	0.17	<1	14	35	28	2.64	10	0.58	336	<1	0.03	53	1380	46	<5	<20	12	0.13	<10	39	<10	11	128
45	L13+00N 21+50E	5	0.4	2.42	25	160	<5	0.15	<1	16	28	16	2.34	<10	0.48	227	1	0.03	44	1540	42	<5	<20	20	0.11	<10	33	<10	3	169
46	L13+00N 21+75E	5	1.3	2.47	25	205	<5	0.10	<1	11	18	10	2.11	<10	0.30	491	<1	0.03	35	2590	42	<5	<20	14	0.14	<10	25	<10	3	253
47	L13+00N 22+00E	5	1.8	1.70	20	340	<5	0.14	<1	11	22	8	1.99	<10	0.32	456	<1	0.03	40	2720	44	<5	<20	16	0.10	<10	26	<10	4	308
48	L14+00N 13+00E	5	1.3	3.22	40	255	<5	0.09	1	15	21	13	2.79	<10	0.28	4713	1	0.03	23	3510	48	<5	<20	7	0.15	<10	34	<10	5	205
49	L14+00N 13+25E	5	1.0	2.53	25	180	<5	0.14	<1	10	17	12	2.80	<10	0.24	1501	<1	0.03	16	2630	42	<5	<20	8	0.13	<10	37	<10	3	104
50	L14+00N 13+50E	5	1.1	3.43	35	160	<5	0.25	<1	15	28	19	2.59	<10	0.50	364	1	0.03	32	1200	48	<5	<20	17	0.11	<10	37	<10	6	174
51	L14+00N 13+75E	5	1.1	5.55	60	90	<5	0.13	<1	12	22	8	3.30	<10	0.13	250	1	0.03	10	7940	72	<5	<20	9	0.19	<10	39	<10	4	66
52	L14+00N 14+00E	5	0.6	3.03	35	110	<5	0.10	<1	12	20	16	2.40	<10	0.21	770	1	0.03	16	3060	46	<5	<20	10	0.12	<10	36	<10	4	131
53	L14+00N 14+25E	5	0.3	2.46	25	95	<5	0.13	<1	23	58	20	3.21	<10	0.59	242	3	0.02	46	750	42	<5	<20	7	0.11	<10	45	<10	9	145
54	L14+00N 14+50E	N/S																												
55	L14+00N 14+75E	5	0.3	1.69	20	115	<5	0.17	<1	19	51	22	3.21	<10	0.74	237	2	0.03	50	470	30	<5	<20	9	0.10	<10	52	<10	4	158
56	L14+00N 15+00E	<5	0.2	1.16	15	125	<5	0.13	<1	14	41	19	2.85	<10	0.59	990	2	0.02	35	510	22	<5	<20	8	0.08	<10	45	<10	5	79
57	L14+00N 15+25E	10	0.5	1.59	15	125	<5	0.19	<1	13	36	21	2.69	<10	0.60	670	1	0.02	33	1340	24	<5	<20	9	0.09	<10	41	<10	4	146
58	L14+00N 15+50E	<5	1.1	5.83	70	70	<5	0.07	<1	10	17	10	2.56	<10	0.12	179	<1	0.03	22	4330	52	<5	<20	6	0.19	<10	34	<10	4	98
59	L14+00N 15+75E	<5	0.4	1.85	20	140	<5	0.13	<1	13	30	15	2.51	<10	0.47	622	<1	0.02	31	1150	24	<5	<20	7	0.10	<10	40	<10	3	130
60	L14+00N 16+00E	<5	0.5	2.26	25	115	<5	0.11	<1	13	24	14	2.41	<10	0.38	608	<1	0.02	31	2520	28	<5	<20	7	0.13	<10	36	<10	2	138
61	L14+00N 16+25E	<5	0.9	3.25	35	120	<5	0.07	<1	12	20	15	2.46	<10	0.29	631	<1	0.02	34	2230	36	<5	<20	6	0.17	<10	35	<10	4	132
62	L14+00N 16+50E	<5	1.2	3.28	35	180	<5	0.15	<1	11	17	12	2.36	<10	0.23	675	<1	0.03	29	2620	36	<5	<20	10	0.18	<10	32	<10	4	115
63	L14+00N 16+75E	5	0.6	1.87	20	155	<5	0.12	<1	16	32	22	2.86	<10	0.59	620	<1	0.03	43	1560	28	<5	<20	7	0.12	<10	47	<10	3	168
64	L14+00N 17+00E	<5	1.2	3.38	35	195	<5	0.09	<1	14	39	24	2.69	<10	0.55	402	<1	0.03	54	1470	38	<5	<20	8	0.14	<10	37	<10	9	136
65	L14+00N 17+25E	5	0.3	1.61	15	150	<5	0.12	<1	17	51	34	3.27	<10	0.88	776	1	0.02	49	1330	24	<5	<20	7	0.08	<10	51	<10	4	91

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
66	L14+00N 17+50E	5	1.0	3.07	35	165	<5	0.07	<1	11	17	16	2.13	<10	0.26	1229	<1	0.02	31	2540	38	<5	<20	7	0.17	<10	30	<10	4	147
67	L14+00N 17+75E	5	1.0	3.76	40	135	<5	0.06	<1	12	17	16	2.21	<10	0.24	1064	<1	0.03	40	1140	38	<5	<20	6	0.18	<10	30	<10	8	118
68	L14+00N 18+00E	<5	0.5	3.77	40	115	<5	0.11	<1	9	18	10	2.18	<10	0.18	654	<1	0.03	30	1380	42	<5	<20	8	0.16	<10	28	<10	5	92
69	L14+00N 18+25E	5	1.1	2.99	35	120	<5	0.07	<1	13	31	15	3.08	<10	0.39	260	<1	0.02	36	2900	40	<5	<20	5	0.16	<10	42	<10	3	156
70	L14+00N 18+50E	5	1.0	2.37	30	105	<5	0.07	<1	9	13	10	2.17	<10	0.13	686	<1	0.02	14	2610	34	<5	<20	7	0.15	<10	28	<10	3	84
71	L14+00N 18+75E	5	0.7	1.98	25	185	<5	0.18	<1	9	25	16	2.21	<10	0.28	476	<1	0.02	23	2380	32	<5	<20	9	0.09	<10	29	<10	3	117
72	L14+00N 19+00E	5	0.7	2.24	25	605	<5	0.20	<1	8	18	14	1.80	<10	0.32	678	<1	0.03	55	3640	32	<5	<20	14	0.15	<10	21	<10	4	248
73	L14+00N 19+25E	5	0.4	1.15	15	390	<5	0.17	<1	9	23	10	1.66	<10	0.38	547	<1	0.02	64	1110	24	<5	<20	11	0.08	<10	21	<10	3	258
74	L14+00N 19+50E	5	0.8	1.95	25	380	<5	0.29	<1	12	38	23	2.43	<10	0.60	1536	<1	0.02	67	2970	36	<5	<20	15	0.10	<10	30	<10	4	288
75	L14+00N 19+75E	<5	0.8	2.01	25	310	<5	0.10	<1	12	30	15	2.39	<10	0.43	528	<1	0.02	56	2420	34	<5	<20	8	0.12	<10	29	<10	4	211
76	L14+00N 20+25E	5	0.5	2.98	35	165	<5	0.21	<1	13	38	16	2.71	<10	0.48	370	1	0.02	44	1720	36	<5	<20	14	0.12	<10	34	<10	5	99
77	L14+00N 20+50E	<5	0.7	2.51	30	175	<5	0.15	<1	14	40	24	2.77	<10	0.60	273	<1	0.02	69	1970	42	<5	<20	11	0.12	<10	36	<10	5	210
78	L14+00N 20+75E	5	0.7	2.42	35	140	<5	0.26	<1	14	51	26	3.05	<10	0.49	239	2	0.02	55	2980	38	<5	<20	12	0.12	<10	38	<10	4	169
79	L14+00N 21+00E	5	0.5	1.87	25	195	<5	0.20	<1	14	45	23	2.61	<10	0.75	522	1	0.02	54	1640	46	<5	<20	10	0.10	<10	36	<10	3	166
80	L14+00N 21+25E	<5	0.7	2.03	25	415	<5	0.16	<1	12	25	12	2.34	<10	0.39	750	<1	0.02	55	3310	44	<5	<20	13	0.13	<10	28	<10	3	237
81	L14+00N 21+50E	5	0.8	3.42	45	280	<5	0.33	<1	9	16	11	2.15	20	0.21	334	<1	0.03	46	3440	44	<5	<20	17	0.17	<10	23	<10	14	145
82	L14+00N 21+75E	5	0.9	1.81	25	285	<5	0.17	<1	13	31	12	2.43	<10	0.42	465	<1	0.02	55	1470	38	<5	<20	11	0.11	<10	30	<10	3	154
83	L14+00N 22+00E	5	2.6	4.13	50	500	<5	0.19	1	9	10	7	2.34	<10	0.13	822	<1	0.03	21	2020	210	<5	<20	15	0.22	<10	26	<10	9	252
84	L15+00N 13+00E	5	0.2	1.23	15	110	<5	0.32	<1	16	54	25	2.50	10	0.71	934	2	0.02	45	800	26	<5	<20	15	0.07	<10	40	<10	13	81
85	L15+00N 13+25E	5	0.6	3.98	55	245	<5	0.53	<1	12	52	17	3.21	10	0.46	286	<1	0.03	30	1440	48	<5	<20	30	0.15	<10	37	<10	17	97
86	L15+00N 13+50E	5	0.3	1.46	20	140	<5	0.31	1	19	72	36	3.04	<10	0.83	1158	2	0.02	56	730	30	<5	<20	14	0.08	<10	47	<10	12	88
87	L15+00N 13+75E	<5	1.1	2.30	30	130	<5	0.19	<1	16	47	23	2.99	<10	0.61	1492	2	0.02	45	1640	32	<5	<20	10	0.12	<10	43	<10	6	106
88	L15+00N 14+00E	5	1.7	2.10	25	170	<5	0.14	<1	14	37	17	3.00	<10	0.50	943	1	0.02	35	1210	28	<5	<20	8	0.12	<10	42	<10	4	101
89	L15+00N 14+25E	<5	1.3	2.36	30	130	<5	0.09	<1	14	42	15	2.76	<10	0.46	1340	1	0.02	31	3490	36	<5	<20	6	0.12	<10	38	<10	3	174
90	L15+00N 14+50E	5	2.1	3.12	35	135	<5	0.07	<1	14	33	14	2.79	<10	0.41	233	1	0.02	33	1980	34	<5	<20	5	0.12	<10	34	<10	5	166
91	L15+00N 14+75E	5	1.7	2.32	25	170	<5	0.11	<1	16	44	16	3.11	<10	0.64	275	1	0.02	45	1730	28	<5	<20	7	0.11	<10	42	<10	5	155
92	L15+00N 15+00E	5	0.6	2.23	25	120	<5	0.17	<1	16	45	21	3.04	<10	0.64	191	1	0.02	46	1050	28	<5	<20	10	0.10	<10	42	<10	5	142
93	L15+00N 15+25E	5	0.7	2.99	30	325	<5	0.30	<1	17	70	30	3.52	10	0.84	259	1	0.03	63	540	36	<5	<20	23	0.11	<10	51	<10	16	141
94	L15+00N 15+50E	5	0.7	3.61	45	115	<5	0.16	<1	13	35	15	2.87	<10	0.43	342	1	0.03	42	2280	42	<5	<20	11	0.15	<10	36	<10	12	179
95	L15+00N 15+75E	5	0.4	1.35	15	90	<5	0.27	<1	16	41	26	3.05	<10	0.68	402	1	0.02	42	1460	22	<5	<20	12	0.06	<10	39	<10	5	130
96	L15+00N 16+00E	5	0.5	1.93	20	125	<5	0.13	<1	13	35	15	2.68	<10	0.55	893	<1	0.02	33	3070	26	<5	<20	7	0.09	<10	37	<10	3	152
97	L15+00N 16+25E	5	0.3	1.70	20	140	<5	0.15	<1	15	39	19	2.87	<10	0.53	689	1	0.02	36	2420	26	<5	<20	7	0.08	<10	37	<10	4	138
98	L15+00N 16+50E	5	0.3	1.55	20	135	<5	0.09	<1	16	37	23	2.87	<10	0.62	507	1	0.02	41	2180	26	<5	<20	6	0.08	<10	38	<10	3	135
99	L15+00N 16+75E	5	0.2	1.23	15	90	<5	0.19	<1	15	44	19	2.86	<10	0.72	381	<1	0.02	35	1170	20	<5	<20	13	0.09	<10	43	<10	4	115
100	L15+00N 17+00E	5	0.5	3.08	35	105	<5	0.11	<1	13	31	19	2.93	<10	0.42	261	<1	0.03	39	2730	32	<5	<20	8	0.14	<10	45	<10	5	105
101	L15+00N 17+25E	5	0.6	2.05	30	225	<5	0.14	<1	16	37	23	2.94	<10	0.59	812	<1	0.03	45	2150	34	<5	<20	9	0.13	<10	45	<10	5	172
102	L15+00N 17+50E	5	0.6	1.85	25	250	<5	0.13	<1	16	40	17	2.69	<10	0.56	1454	<1	0.02	49	2270	38	<5	<20	9	0.13	<10	40	<10	4	182
103	L15+00N 17+75E	5	0.7	2.17	30	220	<5	0.09	<1	20	62	24	3.22	<10	0.87	1123	2	0.03	77	1810	44	<5	<20	7	0.12	<10	51	<10	4	219
104	L15+00N 18+00E	5	0.8	2.40	30	305	<5	0.17	1	19	66	27	3.08	<10	0.82	1104	2	0.03	148	2720	44	<5	<20	12	0.11	<10	47	<10	7	442
105	L15+00N 18+25E	5	1.2	3.46	40	210	<5	0.15	1	13	36	19	2.48	<10	0.41	563	<1	0.02	50	3450	40	<5	<20	9	0.13	<10	33	<10	7	167

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
106	L15+00N 18+50E	<5	0.4	1.64	20	140	<5	0.15	<1	15	32	21	2.90	<10	0.43	377	1	0.02	35	2310	34	<5	<20	8	0.09	<10	31	<10	4	235
107	L15+00N 18+75E	<5	0.7	2.08	25	505	<5	0.16	<1	10	30	19	2.08	<10	0.52	543	<1	0.02	40	5420	30	<5	<20	15	0.10	<10	22	<10	2	254
108	L15+00N 19+00E	5	0.5	2.22	25	445	<5	0.35	<1	12	43	13	2.59	<10	0.51	931	<1	0.02	67	2920	40	<5	<20	20	0.10	<10	30	<10	7	291
109	L15+00N 19+25E	<5	0.3	1.28	15	250	<5	0.15	<1	11	36	30	1.87	<10	0.62	360	<1	0.02	82	940	24	<5	<20	10	0.07	<10	23	<10	3	229
110	L15+00N 19+50E	<5	0.7	1.47	15	595	<5	0.16	<1	9	27	9	1.81	<10	0.34	1744	<1	0.02	40	3370	28	<5	<20	14	0.08	<10	21	<10	2	302
111	L15+00N 19+75E	<5	0.8	1.44	15	260	<5	0.12	<1	13	41	16	2.40	<10	0.55	793	<1	0.02	48	1670	24	<5	<20	8	0.08	<10	31	<10	4	197
112	L15+00N 20+25E	<5	0.3	1.31	15	130	<5	0.16	<1	18	65	25	3.18	<10	0.94	412	1	0.02	54	790	24	<5	<20	11	0.07	<10	45	<10	4	109
113	L15+00N 20+50E	5	0.5	2.22	30	275	<5	0.14	<1	14	34	14	2.78	<10	0.41	554	<1	0.02	39	3330	36	<5	<20	13	0.12	<10	32	<10	4	117
114	L15+00N 20+75E	<5	0.6	1.39	20	190	<5	0.27	<1	16	48	23	3.07	<10	0.64	454	1	0.02	60	1090	38	<5	<20	15	0.09	<10	38	<10	8	178
115	L15+00N 21+00E	<5	0.3	1.42	15	195	<5	0.17	<1	12	42	21	2.19	<10	0.54	322	<1	0.02	50	910	24	<5	<20	12	0.07	<10	31	<10	3	141
116	L15+00N 21+25E	<5	0.3	2.06	25	265	<5	0.20	1	11	32	11	2.27	<10	0.38	543	<1	0.02	59	2600	30	<5	<20	14	0.10	<10	27	<10	3	253
117	L15+00N 21+50E	<5	0.4	1.49	20	175	<5	0.19	1	11	41	37	2.25	<10	0.53	239	3	0.02	123	1220	30	<5	<20	12	0.07	<10	26	<10	8	286
118	L15+00N 21+75E	<5	0.5	1.60	15	435	<5	0.18	1	12	46	37	2.17	<10	0.57	865	<1	0.02	71	940	26	<5	<20	14	0.11	<10	38	<10	6	224
119	L15+00N 22+00E	<5	0.3	1.71	15	1215	<5	0.16	1	20	93	91	3.27	<10	1.07	414	<1	0.02	62	660	22	<5	<20	9	0.16	<10	112	<10	6	141
120	L16+00N 13+00E	<5	1.1	2.68	30	160	<5	0.10	1	16	53	18	3.02	<10	0.72	286	1	0.02	45	1790	30	<5	<20	7	0.12	<10	46	<10	3	190
121	L16+00N 13+25E	<5	1.5	2.02	20	95	<5	0.08	1	13	35	17	2.56	<10	0.44	489	1	0.02	38	1410	22	<5	<20	5	0.09	<10	38	<10	3	137
122	L16+00N 13+50E	<5	3.4	2.77	30	120	<5	0.10	1	16	50	20	3.18	<10	0.59	199	1	0.02	41	1550	30	<5	<20	8	0.13	<10	46	<10	4	131
123	L16+00N 13+75E	<5	1.9	4.21	40	85	<5	0.15	1	11	36	15	2.84	<10	0.30	158	1	0.02	26	2840	34	<5	<20	10	0.15	<10	39	<10	4	125
124	L16+00N 14+00E	<5	2.2	4.27	40	105	<5	0.06	1	8	22	11	2.85	<10	0.14	355	<1	0.02	15	3880	36	<5	<20	6	0.17	<10	37	<10	3	58
125	L16+00N 14+25E	<5	1.0	2.23	20	180	<5	0.13	2	17	73	24	3.25	<10	0.90	335	1	0.02	58	1290	26	<5	<20	9	0.09	<10	56	<10	3	169
126	L16+00N 14+50E	<5	0.7	2.45	25	125	<5	0.09	1	15	51	19	2.85	<10	0.62	321	1	0.02	41	3520	30	<5	<20	8	0.12	<10	43	<10	2	177
127	L16+00N 14+75E	<5	2.2	5.01	50	190	<5	0.27	1	17	62	42	3.63	<10	0.50	284	1	0.03	66	3950	46	<5	<20	16	0.16	<10	52	<10	9	172
128	L16+00N 15+00E	5	2.2	4.58	45	510	<5	0.67	3	17	88	81	3.61	20	0.74	3833	2	0.04	115	1540	46	<5	<20	45	0.17	<10	52	<10	25	264
129	L16+00N 15+25E	<5	0.5	2.94	30	135	<5	0.26	1	15	53	21	2.81	<10	0.58	295	<1	0.02	46	1890	32	<5	<20	14	0.12	<10	42	<10	4	184
130	L16+00N 15+50E	<5	0.2	1.40	15	125	<5	0.15	<1	15	61	32	2.86	<10	0.81	356	<1	0.02	51	870	22	<5	<20	7	0.07	<10	44	<10	4	73
131	L16+00N 15+75E	<5	0.4	2.63	30	155	<5	0.14	1	15	47	16	2.46	<10	0.50	368	<1	0.02	42	1730	32	<5	<20	8	0.16	<10	36	<10	7	142
132	L16+00N 16+00E	<5	<0.2	1.33	15	110	<5	0.15	<1	14	58	23	2.89	<10	0.75	266	1	0.02	40	880	22	<5	<20	7	0.07	<10	48	<10	3	73
133	L16+00N 16+25E	<5	0.4	1.90	25	205	<5	0.13	1	17	28	20	2.77	<10	0.30	1115	<1	0.02	31	3130	30	<5	<20	8	0.11	<10	33	<10	3	141
134	L16+00N 16+50E	<5	0.3	2.04	25	185	<5	0.11	1	16	35	18	2.86	<10	0.45	847	<1	0.02	41	3380	28	<5	<20	7	0.11	<10	36	<10	2	139
135	L16+00N 16+75E	<5	<0.2	1.38	15	95	<5	0.15	<1	16	60	23	2.65	<10	0.77	483	<1	0.01	47	440	20	<5	<20	8	0.07	<10	44	<10	3	106
136	L16+00N 17+00E	<5	0.4	3.98	45	180	<5	0.26	1	16	55	17	2.82	<10	0.52	804	<1	0.02	46	3610	46	<5	<20	14	0.15	<10	40	<10	5	178
137	L16+00N 17+25E	<5	0.4	2.47	25	375	<5	0.16	1	17	67	29	3.08	<10	0.76	570	<1	0.02	62	1780	30	<5	<20	10	0.10	<10	46	<10	5	131
138	L16+00N 17+50E	<5	0.2	1.77	20	190	<5	0.12	<1	15	70	20	2.77	<10	0.82	503	<1	0.02	55	980	24	<5	<20	7	0.08	<10	43	<10	3	115
139	L16+00N 17+75E	<5	0.2	1.77	20	185	<5	0.12	1	18	87	28	3.23	<10	1.05	494	1	0.02	63	780	26	<5	<20	8	0.08	<10	53	<10	3	97
140	L16+00N 18+00E	<5	0.4	2.13	20	265	<5	0.16	1	15	68	15	2.75	<10	0.75	584	<1	0.02	63	2140	28	<5	<20	11	0.09	<10	40	<10	3	161
141	L16+00N 18+25E	5	<0.2	1.44	<5	155	<5	0.13	<1	16	70	17	2.81	<10	0.90	450	<1	<0.01	55	800	32	<5	<20	6	0.07	<10	52	<10	2	114
142	L16+00N 18+50E	5	1.1	2.44	10	350	<5	0.24	<1	16	68	27	2.73	<10	0.83	355	<1	0.02	72	510	44	<5	<20	15	0.10	<10	48	<10	13	103
143	L16+00N 18+75E	<5	0.3	2.00	5	300	10	0.20	<1	15	63	17	2.68	<10	0.80	578	<1	0.01	65	1850	40	<5	<20	13	0.09	<10	46	<10	6	162
144	L16+00N 19+00E	<5	0.3	2.16	5	230	<5	0.18	<1	21	96	35	3.46	<10	1.30	448	<1	0.01	77	750	44	<5	<20	11	0.09	<10	68	<10	6	144
145	L16+00N 19+25E	<5	0.5	2.71	10	200	10	0.28	2	21	80	41	3.61	<10	0.94	531	<1	0.02	303	920	70	<5	<20	15	0.11	<10	60	<10	21	861

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
146	L16+00N 19+50E	<5	0.5	1.94	10	180	<5	0.14	<1	12	47	54	2.55	<10	0.65	235	<1	0.01	91	1980	40	<5	<20	8	0.07	<10	34	<10	17	219
147	L16+00N 19+75E	<5	0.5	2.55	10	385	<5	0.10	<1	12	42	31	2.44	<10	0.55	404	<1	0.01	60	1550	78	<5	<20	7	0.12	<10	40	<10	16	134
148	L16+00N 20+25E	<5	0.4	1.67	<5	310	5	0.18	<1	16	65	21	2.88	<10	0.82	455	<1	0.01	68	1120	42	<5	<20	12	0.08	<10	49	<10	6	143
149	L16+00N 20+50E	<5	0.4	1.82	5	305	5	0.22	<1	13	47	19	2.43	10	0.52	807	<1	0.02	55	2190	42	<5	<20	11	0.09	<10	37	<10	12	181
150	L16+00N 20+75E	<5	0.4	1.51	<5	260	5	0.21	<1	15	58	11	2.59	<10	0.68	596	<1	0.01	60	1020	38	<5	<20	11	0.07	<10	42	<10	4	179
151	L16+00N 21+00E	5	0.3	1.75	5	255	5	0.20	<1	17	70	28	2.97	<10	0.82	461	<1	0.01	71	1310	38	<5	<20	6	0.07	<10	54	<10	5	140
152	L16+00N 21+25E	5	0.2	1.31	5	215	10	0.20	<1	17	57	19	2.83	<10	0.71	557	<1	<0.01	60	910	36	<5	<20	13	0.06	<10	46	<10	4	133
153	L16+00N 21+50E	<5	0.2	1.08	<5	160	5	0.14	<1	18	42	30	2.81	<10	0.59	343	1	<0.01	59	1110	34	<5	<20	7	0.06	<10	40	<10	3	133
154	L16+00N 21+75E	<5	0.4	2.02	10	240	5	0.25	2	17	57	25	2.96	10	0.68	435	<1	0.01	84	1790	52	<5	<20	15	0.08	<10	48	<10	14	228
155	L16+00N 22+00E	<5	0.7	1.71	5	215	5	0.19	2	14	41	36	2.71	<10	0.59	288	<1	0.01	97	1270	54	<5	<20	16	0.07	<10	39	<10	9	284
156	L17+00N 13+00E	<5	2.5	4.34	15	95	10	0.10	<1	15	49	19	2.92	<10	0.42	175	<1	0.02	33	3530	78	<5	<20	7	0.13	<10	49	<10	10	102
157	L17+00N 13+25E	5	2.9	3.52	10	100	10	0.12	<1	17	48	21	2.98	<10	0.50	236	<1	0.01	37	2360	68	<5	<20	5	0.13	<10	51	<10	15	137
158	L17+00N 13+50E	5	2.1	2.71	10	160	10	0.10	<1	17	53	29	3.15	<10	0.58	256	<1	0.01	49	2290	58	<5	<20	9	0.12	<10	58	<10	12	159
159	L17+00N 13+75E	5	0.3	2.77	5	300	<5	0.44	<1	28	51	124	4.77	<10	1.59	744	<1	0.02	50	1330	54	<5	<20	11	0.20	<10	117	<10	18	120
160	L17+00N 14+00E	<5	0.4	1.85	10	190	10	0.16	<1	17	69	24	3.13	<10	1.02	278	<1	0.01	49	800	40	<5	<20	7	0.08	<10	65	<10	3	105
161	L17+00N 14+25E	<5	0.6	3.10	10	290	10	0.20	<1	21	81	48	3.72	<10	1.13	492	<1	0.02	70	1550	62	<5	<20	8	0.11	<10	74	<10	14	126
162	L17+00N 14+50E	<5	0.4	2.13	5	185	5	0.22	<1	16	51	19	2.95	<10	0.69	431	<1	0.01	49	1250	50	<5	<20	9	0.10	<10	51	<10	7	142
163	L17+00N 14+75E	<5	0.2	2.36	10	215	10	0.17	<1	19	69	28	3.40	<10	1.00	375	<1	0.01	56	970	44	<5	<20	6	0.10	<10	67	<10	4	112
164	L17+00N 15+00E	5	0.4	2.03	5	275	5	0.21	<1	15	52	16	2.81	<10	0.77	702	<1	0.01	45	1360	38	<5	<20	5	0.10	<10	50	<10	4	148
165	L17+00N 15+25E	5	0.2	1.33	<5	135	10	0.18	<1	15	40	30	2.56	<10	0.65	266	<1	0.01	38	600	36	<5	<20	8	0.07	<10	47	<10	9	64
166	L17+00N 15+50E	5	<0.2	1.91	10	160	10	0.14	<1	20	50	37	3.29	<10	0.81	232	<1	0.01	52	760	42	<5	<20	8	0.08	<10	57	<10	5	90
167	L17+00N 15+75E	5	<0.2	1.70	5	160	10	0.20	<1	20	84	27	3.14	<10	1.13	462	<1	<0.01	59	580	34	<5	<20	4	0.07	<10	61	<10	3	120
168	L17+00N 16+00E	5	0.2	2.41	10	260	10	0.17	<1	20	85	25	3.39	<10	0.95	1344	<1	0.01	66	1410	48	<5	<20	8	0.09	<10	59	<10	5	165
169	L17+00N 16+25E	5	0.3	2.73	10	265	10	0.25	1	19	69	22	3.35	<10	0.87	1155	<1	0.01	64	1790	54	<5	<20	10	0.11	<10	55	<10	9	150
170	L17+00N 16+50E	<5	0.2	2.03	5	245	10	0.18	<1	18	75	23	3.21	<10	0.99	648	<1	0.01	59	1410	42	<5	<20	5	0.08	<10	56	<10	4	118
171	L17+00N 16+75E	5	0.2	1.74	5	380	<5	0.34	<1	17	60	30	3.13	<10	0.96	1443	<1	0.01	58	920	40	<5	<20	14	0.08	<10	54	<10	4	128
172	L17+00N 17+00E	5	<0.2	1.87	<5	165	10	0.17	<1	19	95	27	3.19	<10	1.26	444	<1	<0.01	78	650	36	<5	<20	7	0.07	<10	63	<10	2	92
173	L17+00N 17+25E	<5	0.2	2.28	10	260	5	0.20	<1	21	87	30	3.38	<10	1.07	526	<1	0.01	78	1250	46	<5	<20	11	0.09	<10	64	<10	9	113
174	L17+00N 17+50E	<5	<0.2	1.81	5	195	10	0.25	<1	19	87	27	3.24	<10	1.16	684	<1	0.01	67	830	42	<5	<20	11	0.07	<10	60	<10	3	94
175	L17+00N 17+75E	5	0.2	2.55	5	280	10	0.20	<1	22	102	30	3.72	<10	1.20	554	<1	0.01	94	1710	48	<5	<20	11	0.10	<10	69	<10	6	130
176	L17+00N 18+00E	<5	0.2	1.40	<5	160	10	0.14	<1	16	61	19	2.70	<10	0.83	322	<1	0.01	52	590	34	<5	<20	7	0.07	<10	48	<10	3	102
177	L17+00N 18+25E	5	0.6	1.73	<5	310	10	0.23	<1	15	49	14	2.54	<10	0.58	505	<1	0.02	65	1320	40	<5	<20	10	0.09	<10	40	<10	7	230
178	L17+00N 18+50E	<5	0.2	1.80	5	160	5	0.20	<1	18	67	36	3.00	<10	0.89	326	<1	0.01	65	890	38	<5	<20	8	0.08	<10	56	<10	5	120
179	L17+00N 18+75E	5	0.5	2.23	5	200	10	0.18	<1	20	85	44	3.37	<10	1.05	474	<1	0.01	78	1120	46	<5	<20	9	0.09	<10	65	<10	9	177
180	L17+00N 19+00E	<5	0.5	1.45	<5	190	10	0.14	<1	17	63	23	2.72	<10	0.82	505	<1	0.01	63	810	34	<5	<20	6	0.07	<10	49	<10	4	177
181	L17+00N 19+25E	<5	0.2	1.32	5	155	5	0.15	<1	16	57	25	2.71	<10	0.81	667	<1	<0.01	50	590	32	<5	<20	8	0.07	<10	49	<10	5	104
182	L17+00N 19+50E	<5	0.4	1.74	<5	240	5	0.19	<1	16	61	23	2.88	<10	0.75	539	<1	0.01	66	1510	38	<5	<20	8	0.08	<10	48	<10	5	123
183	L17+00N 19+75E	<5	0.6	2.02	10	205	10	0.16	<1	19	68	30	3.10	<10	0.84	499	<1	0.01	69	1430	44	<5	<20	12	0.09	<10	54	<10	12	111
184	L17+00N 20+25E	<5	0.4	1.93	5	175	10	0.18	1	18	62	25	3.01	10	0.70	381	<1	0.01	81	940	42	<5	<20	11	0.09	<10	50	<10	13	261
185	L17+00N 20+50E	<5	0.4	1.91	<5	185	5	0.15	<1	17	59	20	2.96	<10	0.82	469	<1	0.01	77	990	38	<5	<20	11	0.09	<10	51	<10	6	217

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
186	L17+00N 20+75E	5	0.4	1.96	<5	170	15	0.17	2	15	40	11	2.68	<10	0.54	283	<1	0.01	80	2130	42	<5	<20	16	0.10	<10	39	<10	8	606
187	L17+00N 21+00E	<5	0.9	2.03	10	190	5	0.11	2	14	39	13	2.51	<10	0.50	322	<1	0.01	87	1800	42	<5	<20	9	0.10	<10	40	<10	8	577
188	L17+00N 21+25E	<5	0.8	1.20	10	115	5	0.18	1	14	47	29	2.78	<10	0.69	223	2	<0.01	82	1050	28	<5	<20	13	0.06	<10	41	<10	6	228
189	L17+00N 21+50E	<5	0.4	2.22	5	275	5	0.17	2	15	41	16	2.69	<10	0.54	671	<1	0.02	84	3200	44	<5	<20	11	0.10	<10	39	<10	10	259
190	L17+00N 21+75E	<5	0.6	2.58	10	340	10	0.21	2	14	42	22	3.01	<10	0.59	359	<1	0.01	88	3160	58	<5	<20	18	0.11	<10	44	<10	10	262
191	L17+00N 22+00E	<5	0.8	2.46	10	875	10	0.31	1	9	39	22	2.68	10	0.53	391	<1	0.02	82	5680	78	<5	<20	29	0.10	<10	36	<10	14	347
192	L18+00N 13+00E	<5	1.3	2.25	10	140	10	0.15	<1	18	63	24	3.04	<10	0.89	299	<1	0.01	48	1620	46	<5	<20	9	0.10	<10	60	<10	7	140
193	L18+00N 13+25E	<5	0.5	2.74	10	145	5	0.16	<1	21	76	29	3.36	<10	1.02	309	<1	0.01	57	820	48	<5	<20	6	0.10	<10	70	<10	6	171
194	L18+00N 13+50E	<5	0.5	2.23	10	100	15	0.12	<1	12	45	12	2.79	<10	0.55	138	<1	<0.01	27	2340	50	<5	<20	6	0.10	<10	50	<10	6	129
195	L18+00N 13+75E	<5	1.7	2.99	10	340	<5	0.69	4	19	88	105	3.59	40	0.99	3266	2	0.02	114	950	56	<5	<20	26	0.11	<10	67	<10	60	137
196	L18+00N 14+00E	<5	3.2	5.26	30	810	<5	0.96	8	26	125	226	6.34	50	1.45	7305	12	0.03	374	920	88	<5	<20	53	0.17	<10	109	<10	100	338
197	L18+00N 14+25E	<5	0.5	2.62	10	180	10	0.13	<1	18	59	17	3.11	<10	0.78	295	<1	0.01	48	2560	52	<5	<20	6	0.10	<10	55	<10	5	247
198	L18+00N 14+50E	<5	0.2	1.89	10	195	5	0.42	<1	23	83	60	3.72	<10	1.32	671	<1	0.01	69	590	48	5	<20	21	0.09	<10	74	<10	17	118
199	L18+00N 14+75E	<5	0.6	2.59	10	345	5	0.39	1	19	63	47	3.54	<10	0.94	1424	<1	0.02	67	800	58	<5	<20	18	0.11	<10	69	<10	15	184
200	L18+00N 15+00E	5	<0.2	0.94	<5	95	<5	0.22	<1	14	29	39	2.54	<10	0.52	484	<1	0.01	28	280	22	<5	<20	4	0.07	<10	47	<10	7	58
201	L18+00N 15+25E	<5	0.2	1.66	5	155	<5	0.26	<1	15	48	30	2.63	<10	0.73	428	<1	0.01	41	640	36	<5	<20	13	0.08	<10	50	<10	11	79
202	L18+00N 15+50E	<5	0.5	3.26	10	170	5	0.28	<1	14	36	24	2.72	<10	0.56	378	<1	0.02	36	2290	48	<5	<20	8	0.13	<10	48	<10	14	120
203	L18+00N 15+75E	<5	0.5	4.25	20	125	5	0.17	<1	10	13	12	2.14	<10	0.14	451	<1	0.02	17	3930	66	<5	<20	10	0.16	<10	31	<10	15	115
204	L18+00N 16+00E	<5	0.2	1.12	<5	100	10	0.15	<1	15	39	29	2.38	<10	0.68	246	<1	0.01	34	360	26	<5	<20	10	0.07	<10	44	<10	9	64
205	L18+00N 16+25E	<5	0.4	3.56	15	305	10	0.20	<1	22	62	45	4.11	<10	0.89	471	<1	0.01	94	1980	80	<5	<20	12	0.11	<10	70	<10	7	240
206	L18+00N 16+50E	<5	0.3	4.29	15	160	10	0.20	<1	16	43	25	2.97	10	0.55	367	<1	0.02	49	3070	68	<5	<20	11	0.14	<10	52	<10	23	127
207	L18+00N 16+75E	<5	0.3	2.97	10	240	10	0.28	<1	15	40	10	2.93	<10	0.51	810	<1	0.02	39	3490	56	<5	<20	12	0.14	<10	43	<10	10	185
208	L18+00N 17+00E	<5	0.3	3.39	10	240	15	0.22	<1	23	87	37	4.05	<10	1.19	464	<1	0.01	80	1660	56	<5	<20	12	0.13	<10	74	<10	12	106
209	L18+00N 17+25E	<5	0.3	3.15	10	225	15	0.18	<1	19	62	27	3.39	<10	0.85	404	<1	0.02	58	2570	52	<5	<20	9	0.12	<10	61	<10	11	97
210	L18+00N 17+50E	<5	0.3	2.20	10	350	10	0.25	<1	15	52	15	2.88	<10	0.63	703	<1	0.01	44	3190	46	<5	<20	18	0.10	<10	46	<10	8	123
211	L18+00N 17+75E	5	0.2	3.13	5	280	10	0.22	<1	19	74	21	3.54	<10	0.89	902	<1	0.02	64	3040	52	<5	<20	13	0.12	<10	62	<10	8	125
212	L18+00N 18+00E	5	0.2	2.81	10	180	5	0.27	<1	22	79	38	3.66	<10	1.13	793	<1	0.01	66	1950	44	<5	<20	7	0.12	<10	72	<10	13	99
213	L18+00N 18+25E	5	<0.2	1.78	<5	220	5	0.19	<1	16	53	22	2.81	<10	0.79	514	<1	0.01	47	1120	30	5	<20	11	0.09	<10	53	<10	6	109
214	L18+00N 18+50E	5	0.3	3.24	10	205	10	0.22	<1	23	88	38	3.84	<10	1.20	551	<1	0.02	75	1810	52	<5	<20	13	0.12	<10	79	<10	11	89
215	L18+00N 18+75E	5	<0.2	2.03	5	175	5	0.26	<1	27	95	48	3.92	<10	1.38	551	<1	0.01	74	870	44	<5	<20	13	0.10	<10	79	<10	10	78
216	L18+00N 19+00E	5	0.2	2.81	5	230	15	0.20	<1	24	107	33	4.00	<10	1.37	559	<1	0.01	90	1370	52	<5	<20	9	0.12	<10	83	<10	7	116
217	L18+00N 19+25E	5	0.2	2.35	10	340	5	0.25	<1	22	108	27	3.68	<10	1.19	1065	<1	0.01	96	2300	46	<5	<20	13	0.09	<10	68	<10	4	114
218	L18+00N 19+50E	5	0.3	1.25	5	135	10	0.18	<1	11	28	12	1.95	<10	0.45	364	<1	0.02	30	850	24	<5	<20	6	0.08	<10	35	<10	6	93
219	L18+00N 19+75E	5	0.3	1.96	5	295	5	0.17	<1	10	24	11	2.09	<10	0.36	389	<1	0.02	27	2660	32	<5	<20	11	0.09	<10	34	<10	8	85
220	L18+00N 20+25E	5	0.4	1.98	5	250	10	0.12	<1	9	20	9	1.93	<10	0.27	621	<1	0.02	28	3590	34	<5	<20	5	0.10	<10	27	<10	7	173
221	L18+00N 20+50E	5	0.3	2.33	5	230	10	0.17	1	18	60	22	3.23	<10	0.75	533	<1	0.01	61	1950	38	<5	<20	6	0.10	<10	55	<10	5	151
222	L18+00N 20+75E	5	0.7	2.03	5	365	10	0.24	1	14	43	11	2.82	<10	0.54	1000	<1	0.02	78	2140	36	<5	<20	16	0.10	<10	41	<10	8	212
223	L18+00N 21+00E	5	0.5	1.78	5	410	<5	0.16	2	15	48	13	2.83	<10	0.55	1432	<1	0.01	58	3170	36	<5	<20	14	0.08	<10	41	<10	5	250
224	L18+00N 21+25E	5	0.4	1.91	<5	180	10	0.17	<1	19	97	34	3.27	<10	1.24	372	<1	0.01	84	650	34	<5	<20	11	0.08	<10	64	<10	5	112
225	L18+00N 21+50E	<5	0.4	1.45	<5	370	<5	0.21	1	9	26	10	1.89	<10	0.37	563	<1	0.02	42	1980	28	<5	<20	18	0.08	<10	30	<10	7	217

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
226	L18+00N 21+75E	5	0.4	1.67	10	145	5	0.16	<1	15	23	27	2.69	<10	0.45	209	<1	0.01	60	1670	36	<5	<20	15	0.08	<10	38	<10	9	159
227	L18+00N 22+00E	5	0.5	2.22	5	280	5	0.31	2	40	38	38	3.97	20	0.76	1119	<1	0.01	104	1170	46	<5	<20	31	0.10	<10	60	<10	27	381
228	L19+00N 13+00E	30	1.4	3.72	10	150	5	0.16	<1	12	31	17	2.29	<10	0.35	318	<1	0.02	26	2240	56	<5	<20	10	0.14	<10	38	<10	12	107
229	L19+00N 13+25E	5	0.9	2.79	<5	135	10	0.14	<1	21	82	25	3.79	<10	1.17	298	<1	0.01	59	1190	42	<5	<20	6	0.10	<10	75	<10	4	206
230	L19+00N 13+50E	5	1.0	2.96	10	170	10	0.11	<1	21	75	35	3.42	<10	1.07	377	<1	0.01	60	1250	46	<5	<20	8	0.11	<10	69	<10	9	142
231	L19+00N 13+75E	5	1.1	3.09	10	205	5	0.30	<1	16	69	38	3.44	10	0.81	475	<1	0.02	66	780	50	<5	<20	18	0.10	<10	68	<10	14	122
232	L19+00N 14+00E	5	0.3	2.50	10	150	10	0.13	<1	21	85	30	3.45	<10	1.31	372	<1	0.01	61	570	40	<5	<20	6	0.10	<10	74	<10	5	134
233	L19+00N 14+25E	<5	0.5	2.51	5	190	5	0.10	<1	17	36	15	2.44	<10	0.50	659	<1	0.02	47	1380	40	<5	<20	7	0.13	<10	44	<10	9	234
234	L19+00N 14+50E	5	0.6	3.49	10	180	10	0.20	<1	18	41	17	2.79	<10	0.54	280	<1	0.02	55	1640	54	<5	<20	10	0.15	<10	48	<10	13	210
235	L19+00N 14+75E	<5	0.4	3.21	10	165	5	0.15	<1	11	23	11	2.10	<10	0.21	632	<1	0.02	35	2260	50	<5	<20	9	0.14	<10	34	<10	11	143
236	L19+00N 15+00E	5	1.0	2.36	10	235	10	0.15	1	13	29	11	2.34	<10	0.38	445	<1	0.02	35	3500	48	<5	<20	9	0.12	<10	35	<10	8	240
237	L19+00N 15+25E	<5	0.4	2.71	10	155	5	0.19	<1	15	40	19	2.72	<10	0.66	218	<1	0.02	43	1460	42	<5	<20	11	0.11	<10	46	<10	10	120
238	L19+00N 15+50E	115	0.5	3.08	15	200	5	0.16	<1	12	18	16	2.43	<10	0.24	628	<1	0.02	30	4680	50	<5	<20	11	0.12	<10	37	<10	8	156
239	L19+00N 15+75E	5	0.4	2.90	10	275	10	0.17	<1	17	27	37	2.94	10	0.40	248	<1	0.02	57	1640	48	<5	<20	10	0.12	<10	46	<10	20	190
240	L19+00N 16+00E	5	0.2	1.98	10	140	<5	0.11	<1	17	30	24	2.63	<10	0.46	394	<1	0.01	55	2460	42	<5	<20	5	0.09	<10	45	<10	6	172
241	L19+00N 16+25E	<5	0.5	3.31	10	145	10	0.18	<1	15	21	27	2.48	10	0.32	248	<1	0.02	44	1840	58	<5	<20	10	0.14	<10	37	<10	26	200
242	L19+00N 16+50E	105	0.5	2.61	10	240	<5	0.24	1	18	33	36	3.18	10	0.57	278	<1	0.01	72	1590	48	<5	<20	17	0.11	<10	48	<10	17	251
243	L19+00N 16+75E	5	0.7	3.54	15	180	5	0.24	1	16	21	17	2.56	20	0.34	292	<1	0.02	36	1790	50	<5	<20	9	0.13	<10	38	<10	16	212
244	L19+00N 17+00E	<5	1.0	3.64	15	200	5	0.16	1	13	23	14	2.63	<10	0.34	270	<1	0.02	36	2820	56	<5	<20	9	0.14	<10	34	<10	16	178
245	L19+00N 17+25E	<5	0.3	1.19	<5	235	5	0.13	<1	10	25	12	1.90	<10	0.45	295	<1	0.01	30	760	26	<5	<20	7	0.07	<10	30	<10	5	159
246	L19+00N 17+50E	<5	0.3	1.12	<5	185	<5	0.09	<1	11	30	13	2.21	<10	0.52	321	<1	<0.01	33	560	26	<5	<20	<1	0.05	<10	34	<10	3	154
247	L19+00N 17+75E	<5	0.5	2.79	10	180	5	0.18	<1	15	31	15	2.65	<10	0.45	245	<1	0.01	44	2390	58	<5	<20	13	0.10	<10	38	<10	13	154
248	L19+00N 18+00E	<5	0.5	1.63	5	255	10	0.12	<1	15	39	15	2.56	<10	0.54	846	<1	0.01	47	1560	44	<5	<20	10	0.08	<10	40	<10	7	253
249	L19+00N 18+25E	<5	0.5	2.11	10	485	5	0.17	1	8	18	8	2.04	<10	0.19	1055	<1	0.02	20	5770	42	<5	<20	13	0.10	<10	24	<10	8	244
250	L19+00N 18+50E	<5	0.6	2.08	5	175	10	0.21	<1	15	41	18	2.61	10	0.52	423	<1	0.02	48	1230	44	<5	<20	11	0.09	<10	42	<10	12	172
251	L19+00N 18+75E	<5	0.6	2.41	5	185	5	0.17	<1	14	35	21	2.63	<10	0.52	334	<1	0.02	43	1870	44	<5	<20	7	0.10	<10	43	<10	11	143
252	L19+00N 19+00E	5	0.4	2.12	5	195	10	0.18	<1	15	39	23	2.77	<10	0.61	272	<1	0.01	49	1270	42	<5	<20	10	0.09	<10	46	<10	9	102
253	L19+00N 19+25E	<5	0.4	2.18	10	305	10	0.15	<1	12	29	10	2.49	<10	0.42	567	<1	0.01	40	3540	42	<5	<20	10	0.10	<10	37	<10	4	129
254	L19+00N 19+50E	<5	0.5	1.59	<5	245	10	0.17	<1	11	26	13	2.21	<10	0.41	620	<1	0.01	36	1970	34	<5	<20	13	0.07	<10	33	<10	7	139
255	L19+00N 19+75E	<5	0.7	2.37	10	190	5	0.11	<1	11	20	12	2.11	<10	0.29	404	<1	0.02	33	3100	44	<5	<20	8	0.10	<10	30	<10	11	166
256	L19+00N 20+25E	<5	0.5	2.19	5	350	15	0.21	3	11	29	10	2.41	<10	0.35	587	<1	0.02	55	4090	52	<5	<20	24	0.11	<10	30	<10	9	354
257	L19+00N 20+50E	<5	1.4	3.13	10	195	5	0.45	5	12	23	50	2.73	20	0.27	1545	<1	0.02	223	2520	74	<5	<20	34	0.14	<10	31	<10	68	498
258	L19+00N 20+75E	<5	0.5	1.42	5	225	5	0.13	3	16	22	30	3.27	<10	0.44	747	<1	<0.01	74	1140	36	<5	<20	12	0.06	<10	35	<10	3	418
259	L19+00N 21+00E	<5	0.6	2.20	10	275	5	0.22	5	11	17	18	2.68	<10	0.34	823	<1	0.02	58	2350	72	<5	<20	17	0.10	<10	31	<10	8	487
260	L19+00N 21+25E	<5	0.7	1.87	5	155	<5	0.13	1	13	23	27	2.79	10	0.40	280	<1	0.01	146	650	192	<5	<20	11	0.06	<10	32	<10	21	321
261	L19+00N 21+50E	<5	0.5	1.57	5	140	10	0.21	2	13	29	14	2.67	10	0.51	300	<1	0.01	146	1140	50	<5	<20	15	0.07	<10	36	<10	8	579
262	L19+00N 21+75E	<5	0.8	1.10	<5	85	<5	0.16	2	14	27	15	2.49	20	0.54	173	<1	<0.01	163	330	24	<5	<20	10	0.05	<10	34	<10	15	402
263	L19+00N 22+00E	<5	0.5	1.70	<5	175	10	0.16	2	14	26	15	2.73	10	0.47	272	<1	0.01	109	850	60	<5	<20	12	0.08	<10	37	<10	10	320
264	L20+00N 13+00E	<5	0.4	2.56	5	135	5	0.18	<1	19	72	25	3.40	<10	1.08	289	<1	0.01	54	920	40	<5	<20	7	0.10	<10	71	<10	10	151
265	L20+00N 13+25E	5	1.1	4.36	15	215	10	0.19	<1	14	50	34	3.32	<10	0.48	178	<1	0.02	54	3450	64	<5	<20	14	0.15	<10	55	<10	17	192

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
266	L20+00N 13+50E	<5	0.7	3.11	10	235	10	0.30	1	19	75	35	3.60	<10	1.05	796	<1	0.02	71	970	54	<5	<20	16	0.11	<10	71	<10	11	198
267	L20+00N 13+75E	<5	0.4	2.91	5	280	10	0.32	<1	25	103	48	4.17	10	1.61	631	<1	0.01	84	450	46	<5	<20	19	0.13	<10	90	<10	20	137
268	L20+00N 14+00E	N/S																												
269	L20+00N 14+25E	<5	0.5	3.77	10	220	10	0.33	1	17	52	29	3.29	<10	0.68	653	<1	0.02	56	2750	60	<5	<20	14	0.13	<10	58	<10	7	181
270	L20+00N 14+50E	<5	0.4	2.92	10	210	5	0.17	<1	20	61	28	3.32	<10	0.92	669	<1	0.02	57	1030	48	<5	<20	10	0.12	<10	62	<10	12	188
271	L20+00N 14+75E	<5	0.4	2.00	5	195	10	0.22	<1	17	46	20	2.61	<10	0.76	523	<1	0.02	43	960	38	5	<20	13	0.09	<10	49	<10	7	169
272	L20+00N 15+00E	<5	0.6	2.04	10	165	10	0.10	<1	13	39	14	2.45	<10	0.60	443	<1	0.02	30	2140	38	<5	<20	4	0.09	<10	45	<10	3	154
273	L20+00N 15+25E	<5	0.3	2.68	5	155	5	0.20	<1	22	82	30	3.66	<10	1.36	375	<1	0.01	56	1090	42	<5	<20	9	0.10	<10	73	<10	5	144
274	L20+00N 15+50E	N/S																												
275	L20+00N 15+75E	<5	0.6	5.34	20	145	10	0.38	<1	12	16	16	2.61	<10	0.18	433	<1	0.02	23	3820	70	<5	<20	17	0.17	<10	39	<10	13	145
276	L20+00N 16+00E	<5	0.3	1.84	10	155	<5	0.65	<1	12	25	27	2.29	10	0.49	503	<1	0.01	35	830	34	<5	<20	22	0.07	<10	38	<10	13	118
277	L20+00N 16+25E	<5	0.7	3.72	10	190	10	0.60	<1	13	27	25	2.82	10	0.41	750	<1	0.02	40	1250	52	<5	<20	24	0.12	<10	42	<10	22	138
278	L20+00N 16+50E	<5	0.8	4.55	15	190	5	0.33	1	15	27	24	2.92	<10	0.43	269	<1	0.02	45	3540	60	<5	<20	16	0.16	<10	44	<10	17	184
279	L20+00N 16+75E	<5	0.4	1.67	<5	160	10	0.15	<1	11	23	10	2.46	<10	0.31	331	<1	0.01	26	660	32	<5	<20	7	0.08	<10	41	<10	5	127
280	L20+00N 17+00E	<5	0.4	2.85	10	210	<5	0.10	<1	16	34	31	3.04	<10	0.57	352	<1	0.02	54	1120	40	<5	<20	8	0.10	<10	50	<10	13	149
281	L20+00N 17+25E	5	0.3	1.70	<5	125	<5	0.11	<1	17	36	27	2.89	<10	0.64	252	1	0.01	40	700	26	<5	<20	2	0.07	<10	49	<10	3	103
282	L20+00N 17+50E	<5	0.3	1.39	5	120	10	0.10	<1	11	23	17	2.10	<10	0.45	272	<1	0.01	23	1360	24	<5	<20	4	0.07	<10	33	<10	5	93
283	L20+00N 17+75E	<5	0.3	1.29	<5	160	<5	0.10	<1	11	28	16	2.19	<10	0.54	453	<1	0.01	28	660	24	<5	<20	8	0.06	<10	36	<10	6	103
284	L20+00N 18+00E	<5	0.3	1.65	<5	210	5	0.18	<1	13	23	17	2.29	<10	0.42	325	<1	0.02	38	1630	28	<5	<20	8	0.08	<10	35	<10	7	140
285	L20+00N 18+25E	<5	0.4	1.54	5	260	10	0.09	1	12	27	17	2.46	<10	0.46	717	<1	0.01	34	1860	28	<5	<20	5	0.06	<10	38	<10	4	131
286	L20+00N 18+50E	<5	1.2	2.28	5	290	<5	0.14	<1	15	27	22	2.74	<10	0.45	282	<1	0.02	52	2020	40	<5	<20	9	0.09	<10	42	<10	10	132
287	L20+00N 18+75E	<5	0.3	1.13	<5	175	10	0.13	<1	18	34	47	2.98	<10	0.59	253	2	0.01	48	720	36	<5	<20	9	0.05	<10	44	<10	4	79
288	L20+00N 19+00E	<5	0.7	2.15	<5	280	<5	0.15	1	13	27	24	2.46	10	0.48	284	<1	0.02	61	1290	34	<5	<20	11	0.08	<10	40	<10	11	133
289	L20+00N 19+25E	<5	0.5	1.78	<5	280	10	0.18	1	13	32	23	2.78	<10	0.59	565	<1	0.01	69	1440	38	<5	<20	15	0.07	<10	43	<10	8	177
290	L20+00N 19+50E	<5	1.2	1.89	5	210	<5	0.15	1	11	27	17	2.26	<10	0.46	340	<1	0.01	55	1190	38	<5	<20	12	0.08	<10	36	<10	7	206
291	L20+00N 19+75E	<5	0.8	2.42	10	220	<5	0.12	2	14	26	16	2.52	<10	0.44	633	1	0.01	52	1680	56	<5	<20	5	0.09	<10	40	<10	7	191
292	L20+00N 20+25E	<5	2.6	0.24	15	450	20	0.16	3	7	2	14	3.80	<10	0.19	576	208	0.02	14	620	1076	<5	<20	16	<0.01	<10	11	<10	3	106
293	L20+00N 20+50E	<5	1.1	1.66	10	755	10	0.37	6	7	26	23	3.30	<10	0.31	1529	54	0.02	62	3580	480	<5	<20	34	0.08	<10	66	<10	12	453
294	L20+00N 20+75E	<5	3.4	2.57	15	690	5	0.14	2	10	21	59	4.85	<10	0.27	949	5	0.02	71	3850	76	<5	<20	22	0.10	<10	52	<10	9	427

QC DATA:

Repeat:

1	L12+00N 17+00E	<5	1.8	2.82	30	135	<5	0.18	<1	12	21	18	2.34	<10	0.43	479	<1	0.03	34	1990	36	<5	<20	12	0.14	<10	35	<10	4	104
10	L12+00N 19+25E	15	0.8	1.50	15	85	<5	0.07	<1	14	31	22	2.66	<10	0.58	414	<1	0.02	33	1320	26	<5	<20	6	0.10	<10	40	<10	3	113
19	L12+00N 21+75E	<5	0.3	1.44	20	70	<5	0.07	<1	9	28	24	2.56	<10	0.40	170	2	0.02	40	2090	28	<5	<20	8	0.06	<10	29	<10	4	174
28	L13+00N 17+00E	<5	0.5	1.45	15	290	<5	0.17	<1	15	35	31	2.57	<10	0.63	3466	<1	0.02	35	1170	24	<5	<20	10	0.09	<10	43	<10	4	138
29	L13+00N 17+25E	<5																												
30	L13+00N 17+50E	5																												
36	L13+00N 19+00E	5	1.0	2.62	30	165	<5	0.18	<1	18	40	23	3.11	<10	0.63	541	1	0.03	44	1620	42	<5	<20	11	0.13	<10	48	<10	4	177
45	L13+00N 21+50E	5	0.4	2.56	30	185	<5	0.18	<1	15	32	17	2.31	<10	0.50	235	1	0.02	49	1640	50	<5	<20	23	0.11	<10	34	<10	3	172
55	L14+00N 14+75E	<5	0.3	1.49	20	105	<5	0.14	<1	16	50	22	3.42	<10	0.71	204	2	0.02	45	440	24	<5	<20	7	0.10	<10	53	<10	4	139
63	L14+00N 16+75E	<5	0.6	1.81	20	165	<5	0.12	<1	16	33	22	3.05	<10	0.60	681	<1	0.03	44	1590	28	<5	<20	7	0.13	<10	48	<10	3	172
71	L14+00N 18+75E	<5	0.6	1.91	25	195	<5	0.17	<1	9	23	16	2.28	<10	0.30	507	<1	0.02	24	2470	34	<5	<20	10	0.09	<10	31	<10	4	125
80	L14+00N 21+25E	<5	0.7	2.05	25	415	<5	0.16	<1	12	25	11	2.37	<10	0.40	824	<1	0.02	55	3270	46	<5	<20	13	0.13	<10	28	<10	3	241
89	L15+00N 14+25E	<5	1.3	2.37	30	135	<5	0.09	<1	14	39	16	2.86	<10	0.49	1275	1	0.02	33	3480	36	<5	<20	7	0.12	<10	40	<10	4	163

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
98	L15+00N 16+50E	5	0.2	1.73	25	160	<5	0.11	<1	16	40	26	2.92	<10	0.70	518	2	0.03	44	2240	30	<5	<20	7	0.09	<10	44	<10	4	156
106	L15+00N 18+50E	<5	0.3	1.20	20	145	<5	0.13	<1	13	29	19	2.91	<10	0.45	348	<1	0.02	35	2220	34	<5	<20	8	0.08	<10	33	<10	3	225
115	L15+00N 21+00E	<5	0.3	1.49	15	195	<5	0.17	<1	12	44	20	2.20	<10	0.53	349	<1	0.01	51	950	24	<5	<20	11	0.07	<10	31	<10	4	140
124	L16+00N 14+00E	<5	2.5	4.58	45	110	<5	0.07	1	9	26	11	2.95	<10	0.15	406	<1	0.02	17	4010	40	<5	<20	7	0.18	<10	38	<10	3	61
133	L16+00N 16+25E	<5	0.4	1.94	25	195	<5	0.13	1	16	27	20	2.76	<10	0.31	1060	<1	0.02	31	2980	30	<5	<20	8	0.11	<10	34	<10	3	144
141	L16+00N 18+25E	<5	<0.2	1.48	5	160	5	0.13	<1	18	73	17	2.86	<10	0.92	477	<1	<0.01	56	830	34	<5	<20	5	0.07	<10	52	<10	3	118
150	L16+00N 20+75E	5	0.3	1.55	<5	265	10	0.21	<1	15	60	12	2.67	<10	0.70	570	<1	0.01	61	1030	38	<5	<20	11	0.08	<10	43	<10	4	178
159	L17+00N 13+75E	<5	0.3	2.90	5	310	5	0.45	<1	29	53	128	4.80	<10	1.65	751	<1	0.02	51	1320	50	<5	<20	15	0.21	<10	120	<10	20	118
168	L17+00N 16+00E	5	0.2	2.47	10	255	10	0.18	<1	20	87	25	3.44	<10	0.98	1340	<1	0.01	66	1360	46	<5	<20	5	0.09	<10	61	<10	5	159
176	L17+00N 18+00E	<5	0.2	1.46	5	150	5	0.14	<1	17	62	19	2.77	<10	0.86	343	<1	<0.01	53	590	30	<5	<20	6	0.08	<10	50	<10	2	104
185	L17+00N 20+50E	<5	0.4	1.90	5	180	10	0.16	1	17	60	19	2.95	<10	0.82	458	<1	0.01	78	1000	38	<5	<20	11	0.09	<10	51	<10	7	216
194	L18+00N 13+50E	<5	0.5	2.43	10	100	5	0.12	<1	12	47	13	2.89	<10	0.61	147	<1	0.01	29	2290	42	<5	<20	6	0.10	<10	53	<10	6	127
203	L18+00N 15+75E	<5	0.6	4.41	15	125	10	0.17	<1	10	13	13	2.19	<10	0.15	435	<1	0.02	18	4030	64	<5	<20	8	0.16	<10	32	<10	17	118
211	L18+00N 17+75E	<5	0.3	3.10	10	280	10	0.22	<1	19	75	21	3.51	<10	0.88	883	<1	0.02	64	3130	58	<5	<20	15	0.13	<10	61	<10	10	129
220	L18+00N 20+25E	5	0.4	2.01	5	255	5	0.12	<1	9	20	9	1.92	<10	0.27	623	<1	0.02	28	3560	34	<5	<20	5	0.10	<10	27	<10	7	172
228	L19+00N 13+00E	15																												
229	L19+00N 13+25E	<5	0.9	2.82	10	140	10	0.14	<1	21	84	25	3.79	<10	1.18	301	<1	0.01	60	1220	46	5	<20	8	0.10	<10	76	<10	6	208
238	L19+00N 15+50E	<5	0.5	3.12	15	190	5	0.16	<1	12	17	15	2.39	<10	0.24	599	<1	0.02	31	4740	52	<5	<20	5	0.12	<10	35	<10	6	157
238	L19+00N 15+50E	5																												
242	L19+00N 16+50E	<5																												
246	L19+00N 17+50E	<5	0.3	1.16	<5	190	<5	0.09	<1	11	31	14	2.24	<10	0.54	329	<1	0.01	35	570	28	<5	<20	4	0.05	<10	35	<10	4	155
255	L19+00N 19+75E	<5	0.7	2.51	5	210	10	0.11	<1	11	21	13	2.17	<10	0.30	423	<1	0.02	34	3120	42	<5	<20	13	0.11	<10	30	<10	12	166
264	L20+00N 13+00E	<5	0.4	2.63	10	145	5	0.19	<1	19	74	26	3.47	<10	1.12	295	<1	0.01	55	940	44	<5	<20	12	0.10	<10	72	<10	12	154
273	L20+00N 15+25E	<5	0.2	2.77	5	155	10	0.20	<1	22	82	31	3.70	<10	1.41	379	<1	0.01	55	1050	38	<5	<20	10	0.10	<10	75	<10	4	142
281	L20+00N 17+25E	<5	0.3	1.61	5	125	5	0.11	<1	16	35	25	2.68	<10	0.60	246	<1	0.01	38	680	28	<5	<20	4	0.07	<10	46	<10	6	101

Standard:

OxE42	660
OxE42	615
OxE42	620
OxE42	605
OxE42	600
OxE42	595
OxE42	620
OxE42	620
OxE42	610
Till 3	1.5 0.92 80 40 <5 0.57 <1 11 56 19 1.94 10 0.58 303 <1 0.03 30 450 24 <5 <20 14 0.06 <10 39 <10 10 36
Till 3	1.5 0.98 80 40 <5 0.59 <1 11 57 19 2.04 10 0.58 280 <1 0.03 30 430 30 <5 <20 11 0.06 <10 39 <10 8 37
Till 3	1.5 1.12 80 40 <5 0.52 <1 13 64 20 2.08 10 0.58 331 <1 0.03 30 490 26 <5 <20 10 0.06 <10 39 <10 10 37
Till 3	1.5 0.91 85 45 <5 0.57 <1 11 60 20 1.91 10 0.61 293 <1 0.03 33 430 28 <5 <20 10 0.06 <10 39 <10 9 34
Till 3	1.5 0.93 75 45 <5 0.57 <1 12 58 21 1.92 10 0.60 288 <1 0.03 28 450 28 <5 <20 13 0.06 <10 34 <10 11 34
Till 3	1.4 1.00 80 40 5 0.59 <1 12 60 20 1.97 10 0.57 298 <1 0.03 28 430 28 <5 <20 11 0.06 <10 36 <10 13 34
Till 3	1.4 0.94 80 35 <5 0.59 <1 12 59 20 1.94 10 0.54 289 <1 0.03 29 420 28 <5 <20 12 0.06 <10 36 <10 10 35
Till 3	1.5 1.03 75 40 5 0.59 <1 12 62 20 2.00 10 0.59 304 <1 0.03 30 430 28 <5 <20 10 0.06 <10 37 <10 13 36
Till 3	1.5 1.01 75 45 5 0.59 <1 12 60 20 1.99 10 0.59 303 <1 0.03 29 450 28 <5 <20 14 0.05 <10 37 <10 12 36

Jutta Jealouse
ECO TECH LABORATORY LTD.
 Jutta Jealouse
 B.C. Certified Assayer

ECO TECH LABORATORY LTD.

10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2006-1894

Island Arc Exploration Corp.

678 - 235 First Avenue
Kamloops, BC
V2C 3J4

Phone: 250-573-5700

Fax : 250-573-4557

No. of samples received: 259

Sample Type: Soil

Project: Silver Hill

Submitted by: B. Doyle

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	BL20+00E 11+00N	20	<0.2	1.46	<5	165	<5	0.13	<1	14	40	31	2.38	<10	0.50	321	<1	0.01	41	350	26	<5	<20	14	0.06	<10	44	<10	10	109
2	BL20+00E 11+25N	<5	0.4	2.20	<5	145	5	0.14	1	14	28	29	2.60	<10	0.42	452	<1	0.02	38	2290	36	<5	<20	10	0.10	<10	50	<10	6	119
3	BL20+00E 11+50N	<5	0.4	2.12	5	180	<5	0.13	2	19	40	33	2.90	<10	0.68	1166	<1	0.01	52	1330	36	<5	<20	6	0.11	<10	54	<10	6	259
4	BL20+00E 11+75N	<5	0.6	3.18	10	175	<5	0.12	<1	12	21	17	2.22	<10	0.28	2043	<1	0.02	30	2020	54	<5	<20	6	0.14	<10	40	<10	9	106
5	BL20+00E 12+00N	<5	<0.2	2.06	<5	150	5	0.11	1	18	39	34	3.02	<10	0.67	554	<1	0.01	66	1010	38	<5	<20	5	0.11	<10	57	<10	5	179
6	BL20+00E 12+25N	<5	0.6	5.30	15	100	5	0.10	<1	13	16	14	2.98	<10	0.13	257	2	0.02	18	5680	84	<5	<20	6	0.17	<10	47	<10	7	96
7	BL20+00E 12+50N	<5	<0.2	1.76	<5	110	<5	0.26	2	19	51	40	3.52	<10	0.84	274	1	0.01	49	1080	34	10	<20	22	0.10	<10	76	<10	2	141
8	BL20+00E 12+75N	<5	<0.2	2.72	10	130	10	0.14	<1	11	26	11	2.97	<10	0.24	339	<1	0.01	25	4280	58	<5	<20	11	0.12	<10	51	<10	3	148
9	BL20+00E 13+00N	<5	0.2	3.77	10	100	5	0.12	1	14	24	15	2.80	<10	0.37	235	5	0.01	32	2310	64	20	<20	1	0.13	<10	49	<10	5	199
10	BL20+00E 13+25N	<5	<0.2	2.30	<5	165	<5	0.14	<1	19	41	28	3.01	<10	0.58	294	3	0.01	62	1150	48	5	<20	8	0.09	<10	48	<10	4	161
11	BL20+00E 13+50N	<5	0.4	2.52	10	195	<5	0.15	<1	13	35	26	2.46	10	0.49	232	4	0.02	53	1340	50	15	<20	8	0.08	<10	40	<10	20	144
12	BL20+00E 13+75N	<5	0.2	1.56	<5	250	5	0.26	1	14	41	18	2.82	<10	0.57	946	2	<0.01	68	2640	46	<5	<20	6	0.06	<10	39	<10	1	279
13	BL20+00E 14+00N	5	<0.2	1.35	<5	160	<5	0.14	1	16	61	29	2.74	<10	0.94	731	3	<0.01	48	770	30	5	<20	6	0.05	<10	50	<10	1	121
14	BL20+00E 14+25N	<5	<0.2	1.11	<5	150	5	0.24	<1	16	53	20	2.62	<10	0.78	548	3	<0.01	45	990	26	5	<20	10	0.05	<10	44	<10	2	143
15	BL20+00E 14+50N	<5	<0.2	0.97	<5	190	<5	0.15	1	13	46	15	2.49	<10	0.66	564	<1	<0.01	36	940	26	<5	<20	3	0.05	<10	40	<10	2	105
16	BL20+00E 14+75N	<5	0.6	3.52	10	190	<5	0.15	1	10	28	18	2.11	<10	0.33	513	<1	0.02	76	3520	68	<5	<20	11	0.11	<10	30	<10	12	377
17	BL20+00E 15+00N	<5	<0.2	2.48	5	305	5	0.15	1	19	61	29	3.37	<10	0.77	383	3	0.01	65	2580	50	10	<20	12	0.09	<10	55	<10	4	203
18	BL20+00E 15+25N	<5	0.2	1.47	<5	255	<5	0.14	<1	13	42	24	2.51	<10	0.53	588	<1	0.01	52	1380	34	<5	<20	9	0.07	<10	40	<10	3	113
19	BL20+00E 15+50N	5	<0.2	1.84	<5	255	<5	0.13	1	14	36	22	2.47	<10	0.60	502	1	0.01	53	920	34	<5	<20	11	0.08	<10	36	<10	8	152
20	BL20+00E 15+75N	<5	0.6	1.68	<5	240	<5	0.19	<1	18	53	50	3.00	<10	0.78	450	2	0.01	66	620	26	<5	<20	14	0.07	<10	49	<10	8	119
21	BL20+00E 16+00N	<5	<0.2	1.92	<5	325	<5	0.15	<1	15	61	34	2.69	<10	0.91	437	2	<0.01	67	810	34	<5	<20	13	0.07	<10	50	<10	4	143
22	BL20+00E 16+25N	<5	<0.2	1.92	<5	245	<5	0.23	2	17	69	23	2.98	<10	0.91	579	5	0.01	83	1190	32	20	<20	13	0.06	<10	54	<10	4	188
23	BL20+00E 16+50N	<5	<0.2	2.07	<5	235	<5	0.27	2	19	84	28	3.21	<10	1.08	602	3	0.02	82	1110	32	10	<20	18	0.07	<10	63	<10	4	149
24	BL20+00E 16+75N	<5	<0.2	1.93	<5	175	<5	0.18	1	17	64	26	3.12	<10	0.93	429	2	0.01	72	1060	28	5	<20	6	0.07	<10	59	<10	3	115
25	BL20+00E 17+00N	<5	<0.2	1.80	<5	115	<5	0.21	1	18	80	34	3.19	<10	1.22	330	2	0.01	69	740	28	10	<20	11	0.07	<10	64	<10	3	91
26	BL20+00E 17+25N	<5	<0.2	2.02	<5	175	<5	0.36	1	23	109	46	3.74	<10	1.52	751	2	0.01	84	820	34	10	<20	20	0.08	<10	80	<10	6	81
27	BL20+00E 17+50N	<5	0.2	2.36	<5	245	5	0.21	2	23	109	48	3.76	<10	1.41	538	4	0.01	100	830	40	20	<20	10	0.08	<10	78	<10	5	100
28	BL20+00E 17+75N	<5	<0.2	2.26	<5	255	5	0.15	2	17	68	26	2.98	<10	0.89	437	4	0.01	82	1490	42	15	<20	10	0.07	<10	58	<10	3	98
29	BL20+00E 18+00N	<5	<0.2	2.22	5	205	<5	0.19	<1	12	33	17	2.36	<10	0.54	324	2	0.02	44	1270	36	<5	<20	8	0.08	<10	44	<10	3	79
30	BL20+00E 18+25N	<5	<0.2	1.84	<5	150	<5	0.12	1	19	60	29	3.17	<10	0.96	298	2	0.01	65	610	38	10	<20	10	0.07	<10	59	<10	4	120

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
31	BL20+00E 18+50N	<5	<0.2	1.42	<5	80	5	0.14	1	12	31	16	2.10	<10	0.50	292	<1	0.01	62	670	32	<5	<20	7	0.07	<10	38	<10	7	162
32	BL20+00E 18+75N	<5	0.8	2.72	5	170	5	0.28	3	14	37	27	2.96	<10	0.52	279	3	0.02	182	1110	60	10	<20	22	0.09	<10	45	<10	17	422
33	BL20+00E 19+00N	<5	<0.2	2.38	5	155	5	0.16	2	11	24	19	2.27	<10	0.39	256	3	0.02	55	2630	44	15	<20	11	0.07	<10	38	<10	9	158
34	BL20+00E 19+25N	<5	0.2	2.20	5	135	<5	0.26	2	12	28	18	2.42	<10	0.49	381	3	0.01	67	1380	40	5	<20	13	0.08	<10	41	<10	11	224
35	BL20+00E 19+50N	<5	<0.2	2.42	5	200	10	0.24	3	11	16	16	2.33	<10	0.29	894	2	0.01	35	2350	62	<5	<20	17	0.09	<10	32	<10	8	323
36	BL20+00E 19+75N	5	0.4	2.60	10	130	<5	0.15	2	15	23	39	2.96	<10	0.44	398	6	0.01	54	2480	64	10	<20	5	0.08	<10	42	<10	7	262
37	BL20+00E 20+00N	<5	<0.2	1.53	5	230	5	0.31	2	11	23	18	2.21	<10	0.39	376	3	0.01	54	1750	68	<5	<20	21	0.06	<10	36	<10	9	226
38	BL20+00E 20+25N	<5	0.6	2.35	5	210	<5	0.28	3	11	17	14	2.60	<10	0.27	982	4	0.01	41	2350	82	10	<20	9	0.09	<10	32	<10	6	379
39	BL20+00E 20+50N	<5	<0.2	2.22	5	275	<5	0.18	1	19	76	24	3.32	<10	0.86	491	4	<0.01	90	1560	62	15	<20	6	0.08	<10	59	<10	2	118
40	BL20+00E 20+75N	<5	0.6	1.09	<5	295	5	0.11	3	9	14	13	2.30	<10	0.28	608	3	<0.01	48	1160	44	<5	<20	5	0.06	<10	26	<10	5	428
41	BL20+00E 21+00N	<5	0.6	1.76	5	210	<5	0.18	3	12	24	16	2.37	<10	0.38	269	2	0.01	51	2960	84	5	<20	6	0.07	<10	34	<10	5	437
42	BL20+00E 21+25N	<5	0.4	1.69	5	150	<5	0.11	2	13	19	11	2.22	<10	0.31	190	1	<0.01	48	2210	52	5	<20	5	0.07	<10	32	<10	5	316
43	BL20+00E 21+50N	<5	0.4	1.83	5	135	<5	0.11	2	12	22	14	2.19	<10	0.39	226	4	0.01	51	2220	48	15	<20	4	0.07	<10	34	<10	5	351
44	BL20+00E 21+75N	<5	<0.2	1.41	<5	165	5	0.15	3	14	27	14	2.33	<10	0.45	753	<1	<0.01	41	1630	40	<5	<20	5	0.07	<10	36	<10	3	310
45	BL20+00E 22+00N	<5	0.2	1.55	5	160	5	0.10	2	11	19	12	2.16	<10	0.29	367	2	<0.01	26	2120	48	<5	<20	3	0.07	<10	31	<10	3	149
46	BL20+00E 22+25N	<5	0.2	1.21	5	145	<5	0.09	<1	13	23	11	2.09	<10	0.37	388	1	0.01	28	1650	38	5	<20	3	0.06	<10	31	<10	2	161
47	BL20+00E 22+50N	<5	0.6	2.81	10	145	<5	0.13	<1	15	21	34	2.37	<10	0.28	167	2	0.01	49	1440	76	5	<20	5	0.10	<10	35	<10	16	116
48	BL20+00E 22+75N	5	0.4	1.94	5	170	<5	0.11	<1	10	13	11	1.89	<10	0.17	362	<1	0.01	23	2370	56	<5	<20	3	0.10	<10	27	<10	7	149
49	BL20+00E 23+00N	5	0.4	1.97	<5	150	5	0.09	1	16	24	20	2.58	<10	0.38	243	3	<0.01	38	1400	52	10	<20	4	0.08	<10	38	<10	4	157
50	BL20+00E 23+25N	5	0.4	1.90	10	215	<5	0.09	<1	15	28	20	2.68	<10	0.50	194	3	<0.01	42	970	50	10	<20	6	0.08	<10	40	<10	5	197
51	BL20+00E 23+50N	<5	<0.2	0.95	5	165	<5	0.13	<1	11	23	10	1.94	<10	0.36	444	<1	<0.01	35	930	32	<5	<20	4	0.06	<10	28	<10	2	158
52	BL20+00E 23+75N	5	1.6	2.32	30	265	<5	0.15	1	12	15	34	3.05	10	0.34	134	4	0.01	46	2280	78	5	<20	16	0.10	<10	47	<10	26	207
53	BL20+00E 24+00N	10	<0.2	2.18	10	240	5	0.16	1	14	25	16	2.62	<10	0.31	489	<1	0.01	47	1910	70	<5	<20	7	0.10	<10	40	<10	8	329
54	BL20+00E 24+25N	10	<0.2	1.48	5	160	5	0.10	1	19	32	20	3.03	<10	0.50	530	3	<0.01	51	1260	52	5	<20	3	0.07	<10	44	<10	<1	206
55	BL20+00E 24+50N	60	0.4	1.64	<5	250	5	0.10	1	17	32	29	3.39	<10	0.61	340	4	<0.01	57	1320	52	10	<20	10	0.07	<10	48	<10	3	253
56	BL20+00E 24+75N	5	<0.2	1.29	10	95	5	0.08	<1	16	24	21	2.69	<10	0.38	235	2	<0.01	46	920	38	<5	<20	3	0.06	<10	36	<10	2	144
57	BL20+00E 25+00N	<5	<0.2	1.75	10	160	<5	0.08	1	14	21	13	2.55	<10	0.32	659	2	<0.01	36	2490	50	<5	<20	3	0.08	<10	35	<10	4	231
58	BL20+00E 25+25N	5	0.2	1.08	5	190	<5	0.09	1	15	27	17	2.63	<10	0.43	1739	2	<0.01	37	1060	36	<5	<20	3	0.06	<10	37	<10	4	175
59	BL20+00E 25+50N	<5	0.4	1.17	5	125	<5	0.14	1	14	30	22	2.70	<10	0.54	365	<1	<0.01	44	960	34	<5	<20	3	0.06	<10	40	<10	2	157
60	BL20+00E 25+75N	<5	<0.2	5.57	25	145	<5	0.32	2	11	12	12	2.33	<10	0.12	633	1	0.02	26	5120	118	15	<20	12	0.16	<10	34	<10	14	138
61	BL20+00E 26+00N	<5	0.8	4.16	20	190	<5	0.13	1	12	15	12	2.79	<10	0.09	504	<1	0.01	16	6550	94	<5	<20	5	0.15	<10	34	<10	12	105
62	BL20+00E 26+25N	<5	<0.2	3.77	10	270	5	0.14	1	19	39	24	3.61	<10	0.54	244	2	0.01	57	2360	92	5	<20	11	0.11	<10	51	<10	12	317
63	BL20+00E 26+50N	5	0.4	4.03	15	340	<5	0.33	<1	12	27	15	2.78	<10	0.39	145	2	0.01	38	1110	90	10	<20	16	0.13	<10	38	<10	11	194
64	BL20+00E 26+75N	5	0.2	2.78	10	310	<5	0.30	2	16	33	22	3.31	<10	0.49	1059	6	0.01	47	1440	64	15	<20	14	0.09	<10	44	<10	9	258
65	BL20+00E 27+00N	<5	<0.2	3.08	10	190	<5	0.21	1	15	30	24	3.40	<10	0.45	388	5	0.01	42	2340	74	5	<20	12	0.10	<10	46	<10	8	217
66	BL20+00E 27+25N	<5	1.4	1.96	5	280	<5	0.38	2	21	41	42	3.49	20	0.44	671	7	<0.01	66	930	54	<5	<20	19	0.05	<10	48	<10	34	166
67	BL20+00E 27+50N	5	<0.2	2.26	15	260	10	0.56	2	18	29	48	4.36	<10	0.69	337	8	0.01	31	660	56	5	<20	25	0.06	<10	69	<10	8	97
68	BL20+00E 27+75N	<5	<0.2	1.53	5	150	10	0.24	1	15	25	20	3.19	<10	0.55	593	<1	<0.01	26	1450	46	<5	<20	11	0.08	<10	49	<10	6	160
69	BL20+00E 28+00N	5	1.8	3.89	20	510	<5	1.20	8	17	46	103	3.48	30	0.50	4361	10	0.02	56	1050	94	15	<20	54	0.09	<10	49	<10	64	150
70	BL20+00E 28+25N	10	<0.2	1.10	5	100	<5	0.15	1	15	25	57	2.83	<10	0.53	397	<1	0.01	21	530	38	<5	<20	3	0.07	<10	46	<10	3	121

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
71	BL20+00E 28+50N	<5	<0.2	2.16	10	175	5	0.12	2	19	49	20	3.58	<10	0.52	391	1	<0.01	33	2820	60	10	<20	4	0.12	<10	54	<10	4	198
72	BL20+00E 28+75N	<5	<0.2	1.84	10	135	<5	0.11	<1	13	23	32	2.87	<10	0.52	357	<1	0.01	18	890	52	<5	<20	6	0.09	<10	42	<10	4	119
73	BL20+00E 29+00N	<5	0.2	1.90	5	160	5	0.18	1	18	27	44	3.58	<10	0.86	400	<1	0.01	23	440	48	10	<20	3	0.12	<10	60	<10	4	138
74	BL20+00E 29+25N	5	<0.2	2.49	10	245	<5	0.15	2	17	30	54	3.51	<10	0.66	920	5	0.01	33	730	62	15	<20	5	0.10	<10	54	<10	6	125
75	BL20+00E 29+50N	5	<0.2	5.92	25	145	<5	0.10	<1	15	15	16	3.02	<10	0.09	1251	1	0.01	13	1850	130	15	<20	7	0.19	<10	35	<10	14	76
76	BL20+00E 29+75N	<5	<0.2	2.47	10	175	<5	0.17	<1	14	27	36	2.80	<10	0.48	512	<1	0.01	21	860	56	<5	<20	5	0.11	<10	45	<10	6	123
77	BL20+00E 30+00N	5	<0.2	1.52	<5	140	15	0.16	1	15	55	25	4.28	<10	0.37	266	4	0.01	24	460	58	<5	<20	9	0.12	<10	69	<10	5	70
78	BL20+00E 30+25N	<5	<0.2	1.32	5	105	<5	0.14	<1	14	31	28	3.35	<10	0.43	229	2	0.01	15	390	38	<5	<20	5	0.09	<10	59	<10	2	84
79	BL20+00E 30+50N	10	0.4	0.88	10	85	5	0.12	<1	12	30	16	4.03	<10	0.31	183	3	<0.01	18	1260	28	<5	<20	4	0.09	<10	86	<10	<1	69
80	BL20+00E 30+75N	5	<0.2	1.14	<5	90	<5	0.19	<1	14	36	32	2.29	<10	0.70	201	<1	0.01	23	310	26	<5	<20	5	0.08	<10	54	<10	3	49
81	BL20+00E 31-00N	<5	<0.2	1.34	<5	70	5	0.15	<1	12	42	26	2.80	<10	0.59	195	<1	0.01	21	340	32	<5	<20	7	0.09	<10	57	<10	4	57
82	L21+00N 13+00E	5	0.4	2.44	10	185	<5	0.14	<1	13	39	16	2.51	<10	0.35	844	<1	0.01	28	2120	64	<5	<20	7	0.10	<10	47	<10	4	159
83	L21+00N 13+25E	5	0.8	5.78	15	360	10	0.24	2	28	94	70	5.88	<10	0.81	336	4	0.01	154	2510	136	10	<20	10	0.18	<10	100	<10	21	367
84	L21+00N 13+50E	<5	<0.2	2.61	5	175	10	0.15	2	26	99	37	4.18	<10	1.45	475	3	0.01	73	600	60	20	<20	6	0.12	<10	89	<10	8	161
85	L21+00N 13+75E	<5	0.2	1.68	5	130	<5	0.12	1	17	47	49	2.81	<10	0.71	224	4	<0.01	62	850	40	15	<20	4	0.06	<10	52	<10	5	157
86	L21+00N 14-00E	<5	<0.2	2.61	10	245	10	0.19	1	19	52	19	3.05	<10	0.58	1800	1	0.01	58	1470	74	5	<20	13	0.12	<10	52	<10	10	272
87	L21+00N 14+25E	<5	<0.2	2.25	10	180	<5	0.26	1	20	69	28	3.39	<10	0.98	455	<1	<0.01	60	820	60	<5	<20	9	0.09	<10	66	<10	8	194
88	L21+00N 14+50E	<5	0.2	5.13	15	440	<5	0.45	2	22	77	60	4.50	10	0.89	520	6	0.02	107	2440	118	25	<20	22	0.14	<10	78	<10	20	269
89	L21+00N 14+75E	<5	0.4	3.62	10	405	5	0.52	1	22	89	52	4.37	10	1.17	728	1	0.02	95	820	84	5	<20	20	0.13	<10	82	<10	18	206
90	L21+00N 15+00E	5	0.4	3.87	10	320	<5	0.28	1	20	77	52	4.47	<10	0.92	453	2	0.02	111	700	84	<5	<20	13	0.13	<10	77	<10	10	220
91	L21+00N 15+25E	5	<0.2	2.02	10	150	5	0.15	<1	18	54	22	2.94	<10	0.76	507	<1	<0.01	44	900	54	<5	<20	8	0.09	<10	54	<10	6	118
92	L21+00N 15+50E	<5	<0.2	2.32	10	215	5	0.19	<1	15	35	11	2.78	<10	0.39	575	<1	0.01	41	2100	60	<5	<20	10	0.10	<10	45	<10	5	250
93	L21+00N 15+75E	<5	0.4	1.27	<5	365	<5	0.28	1	13	33	18	2.40	<10	0.40	2743	<1	0.01	32	1500	38	<5	<20	15	0.06	<10	40	<10	3	122
94	L21+00N 16+00E	<5	0.2	2.76	10	165	<5	0.19	<1	16	32	37	3.04	10	0.47	298	<1	0.01	54	1790	60	<5	<20	7	0.11	<10	46	<10	24	158
95	L21+00N 16+25E	5	<0.2	2.68	10	175	5	0.26	<1	15	28	12	2.85	<10	0.32	555	2	0.01	37	3420	62	5	<20	10	0.12	<10	43	<10	5	206
96	L21+00N 16+50E	5	<0.2	1.44	<5	120	<5	0.18	<1	15	34	19	2.85	<10	0.56	198	3	<0.01	45	810	34	10	<20	8	0.06	<10	46	<10	2	165
97	L21-00N 16+75E	<5	<0.2	1.63	5	150	5	0.14	<1	18	33	27	2.80	<10	0.48	306	<1	<0.01	54	1110	48	<5	<20	12	0.08	<10	44	<10	7	165
98	L21-00N 17+00E	<5	<0.2	1.37	5	125	<5	0.20	<1	13	26	18	2.86	<10	0.28	139	<1	<0.01	35	1700	44	<5	<20	21	0.08	<10	44	<10	4	115
99	L21+00N 17+25E	5	0.6	3.69	15	130	<5	0.27	<1	15	21	26	2.76	10	0.24	278	2	0.01	46	2350	84	<5	<20	25	0.13	<10	42	<10	27	156
100	L21+00N 17+50E	<5	<0.2	1.60	5	110	10	0.13	<1	19	35	26	2.92	<10	0.64	319	2	<0.01	71	670	42	5	<20	13	0.07	<10	48	<10	5	223
101	L21+00N 17+75E	<5	<0.2	1.60	5	180	<5	0.10	<1	14	28	15	2.53	<10	0.39	475	<1	0.01	43	1910	44	<5	<20	14	0.07	<10	40	<10	3	267
102	L21+00N 18+00E	<5	5.4	3.04	10	725	<5	1.24	3	14	68	94	3.51	30	0.65	583	3	0.02	261	420	286	10	<20	265	0.10	<10	50	<10	78	1145
103	L21+00N 18+25E	<5	0.4	1.43	10	355	5	0.11	1	11	22	12	2.24	<10	0.32	330	<1	0.01	39	3030	52	<5	<20	6	0.07	<10	31	<10	4	254
104	L21+00N 18+50E	<5	0.2	1.38	10	120	<5	0.16	<1	8	19	13	2.09	<10	0.24	81	3	<0.01	37	1760	52	<5	<20	7	0.05	<10	28	<10	3	151
105	L21+00N 18+75E	10	0.6	1.01	5	85	<5	0.09	<1	13	28	22	2.42	<10	0.51	172	2	<0.01	43	490	36	<5	<20	<1	0.05	<10	39	<10	<1	132
106	L21+00N 19+00E	<5	0.2	2.53	10	115	5	0.14	2	13	25	18	2.49	<10	0.28	181	3	0.02	63	1350	86	5	<20	8	0.10	<10	37	<10	9	221
107	L21+00N 19+25E	<5	1.0	2.35	10	205	<5	0.16	2	12	22	14	2.44	<10	0.32	235	<1	0.01	83	1930	72	5	<20	9	0.10	<10	34	<10	10	363
108	L21+00N 19+50E	<5	0.4	1.36	5	205	<5	0.12	1	11	22	21	2.15	<10	0.37	371	<1	0.01	54	2270	44	<5	<20	6	0.07	<10	31	<10	4	247
109	L21+00N 19+75E	<5	0.2	1.63	10	255	5	0.16	3	14	27	14	2.58	<10	0.38	520	2	<0.01	59	3200	64	<5	<20	6	0.07	<10	36	<10	5	451
110	L21+00N 20+25E	5	1.0	3.33	15	975	5	0.13	3	6	15	11	2.41	<10	0.17	1146	2	0.02	57	5440	138	5	<20	9	0.13	<10	28	<10	12	297

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
111	L21+00N 20+50E	5	<0.2	1.28	5	255	5	0.09	<1	15	29	16	2.64	<10	0.43	422	2	<0.01	49	2020	50	<5	<20	9	0.07	<10	35	<10	4	250
112	L21+00N 20+75E	<5	<0.2	1.51	5	215	5	0.17	1	16	36	27	2.89	<10	0.56	211	3	<0.01	56	1900	48	5	<20	10	0.07	<10	44	<10	4	120
113	L21+00N 21+00E	<5	0.8	1.19	<5	185	<5	0.10	<1	14	28	14	2.27	<10	0.48	211	<1	0.01	52	850	32	<5	<20	2	0.07	<10	34	<10	3	159
114	L21+00N 21+25E	<5	0.6	2.03	5	215	5	0.25	1	11	13	10	2.14	<10	0.22	289	<1	0.02	28	2270	52	<5	<20	22	0.12	<10	27	<10	9	262
115	L21+00N 21+50E	<5	0.5	1.82	5	480	5	0.32	2	12	26	22	3.02	<10	0.49	702	1	0.01	40	3130	56	5	<20	37	0.12	<10	43	<10	7	259
116	L21+00N 21+75E	<5	0.4	1.27	5	380	<5	0.28	3	14	20	9	2.41	<10	0.32	1801	<1	0.01	27	1970	56	10	<20	24	0.09	<10	34	<10	5	425
117	L21+00N 22+00E	<5	0.4	3.31	15	165	10	0.17	2	18	22	17	2.55	<10	0.29	224	1	0.01	75	4370	92	5	<20	11	0.12	<10	32	<10	19	283
118	L22+00N 13+00E	<5	1.6	0.88	80	40	<5	0.46	<1	11	57	20	1.85	10	0.52	274	1	0.02	30	420	30	10	<20	11	0.05	<10	34	<10	9	37
119	L22+00N 13+25E	<5	0.4	3.53	10	145	5	0.13	2	14	37	23	3.61	<10	0.30	160	2	0.01	41	2730	62	5	<20	8	0.13	<10	53	<10	14	105
120	L22+00N 13+50E	<5	14.0	5.10	325	380	<5	0.24	<1	13	44	35	3.81	10	0.47	197	34	0.01	89	2230	28	120	<20	89	0.06	90	70	<10	<1	160
121	L22+00N 13+75E	<5	0.4	2.30	5	260	<5	0.46	2	18	65	67	3.35	10	0.92	733	3	0.01	107	470	46	5	<20	48	0.09	<10	62	<10	24	166
122	L22+00N 14+00E	5	<0.2	2.35	10	155	<5	0.16	<1	17	65	31	3.25	<10	0.95	1119	2	0.01	58	1710	46	<5	<20	13	0.09	<10	62	<10	3	169
123	L22+00N 14+25E	5	0.2	2.37	10	155	<5	0.25	<1	14	51	37	2.50	<10	0.69	437	3	0.01	42	1220	48	5	<20	15	0.09	<10	49	<10	8	139
124	L22+00N 14+50E	<5	0.2	2.14	10	130	<5	0.15	1	13	42	24	2.51	<10	0.58	346	2	0.02	37	1890	40	<5	<20	9	0.09	<10	44	<10	5	168
125	L22+00N 14+75E	5	0.6	2.53	10	160	<5	0.27	1	16	60	26	3.23	<10	0.76	432	4	0.02	56	950	44	10	<20	23	0.09	<10	60	<10	5	206
126	L22+00N 15+00E	N/S																												
127	L22+00N 15+25E	N/S																												
128	L22+00N 15+50E	<5	0.6	1.71	10	195	<5	0.15	1	11	40	24	2.40	<10	0.48	212	2	0.01	59	1420	32	5	<20	11	0.07	<10	41	<10	4	332
129	L22+00N 15+75E	5	0.4	1.47	15	95	<5	0.17	1	12	31	24	2.21	<10	0.50	307	3	0.01	75	1070	32	5	<20	8	0.07	<10	35	<10	4	285
130	L22+00N 16+00E	5	0.8	1.39	10	140	<5	0.13	2	7	15	12	1.81	<10	0.22	376	<1	0.01	29	1100	38	<5	<20	7	0.09	<10	26	<10	4	161
131	L22+00N 16+25E	<5	<0.2	0.98	10	65	<5	0.08	<1	9	23	26	2.23	<10	0.41	113	4	<0.01	30	1570	22	<5	<20	3	0.04	<10	35	<10	2	146
132	L22+00N 16+50E	<5	<0.2	2.06	10	115	<5	0.08	1	13	22	30	2.41	<10	0.42	267	2	0.02	77	1660	40	<5	<20	8	0.10	<10	35	<10	7	282
133	L22+00N 16+75E	5	1.0	4.41	20	225	<5	0.16	2	11	15	20	2.31	<10	0.22	464	<1	0.04	30	2930	70	10	<20	9	0.15	<10	38	<10	11	227
134	L22+00N 17+00E	<5	0.4	1.35	10	145	<5	0.39	1	12	60	34	2.55	<10	1.03	179	2	0.02	63	3050	32	10	<20	16	0.04	<10	37	<10	9	271
135	L22+00N 17+25E	<5	0.8	2.14	10	110	<5	0.15	1	11	28	18	2.06	<10	0.40	145	<1	0.01	47	1280	36	<5	<20	9	0.09	<10	34	<10	7	202
136	L22+00N 17+50E	5	0.6	2.08	10	165	<5	0.57	3	13	26	33	2.43	10	0.45	934	4	0.01	157	660	44	5	<20	35	0.08	<10	37	<10	16	398
137	L22+00N 17+75E	5	0.2	1.59	<5	135	<5	0.27	2	14	30	38	2.57	<10	0.54	796	4	0.01	213	380	34	<5	<20	15	0.07	<10	40	<10	10	542
138	L22+00N 18+00E	5	1.2	3.66	10	170	5	0.60	4	11	20	21	2.27	20	0.22	580	7	0.04	158	600	58	20	<20	34	0.10	<10	28	<10	31	238
139	L22+00N 18+25E	N/S																												
140	L22+00N 18+50E	<5	0.6	1.43	5	145	<5	0.09	1	11	27	17	2.13	<10	0.48	287	<1	0.02	49	1030	24	<5	<20	3	0.06	<10	36	<10	<1	240
141	L22+00N 18+75E	<5	0.7	3.17	10	135	<5	0.21	2	10	17	19	1.98	10	0.26	261	<1	0.02	28	2290	50	<5	<20	14	0.12	<10	30	<10	21	140
142	L22+00N 19+00E	<5	1.6	2.66	5	355	5	0.41	3	11	34	21	2.65	<10	0.47	506	5	0.02	264	400	46	<5	<20	31	0.09	<10	36	<10	14	686
143	L22+00N 19+25E	5	0.5	1.81	5	190	<5	0.16	1	15	33	34	2.95	<10	0.63	231	4	0.02	66	610	36	5	<20	10	0.07	<10	47	<10	11	236
144	L22+00N 19+50E	<5	0.2	1.20	<5	125	<5	0.13	<1	12	28	27	2.41	<10	0.65	257	2	0.01	34	690	28	<5	<20	4	0.06	<10	40	<10	4	130
145	L22+00N 19+75E	<5	0.2	1.46	10	100	<5	0.09	<1	13	24	19	2.39	<10	0.38	195	2	<0.01	35	1340	28	<5	<20	3	0.06	<10	37	<10	3	135
146	L22+00N 20+25E	<5	0.3	1.14	<5	120	5	0.09	<1	10	24	19	2.08	<10	0.44	281	1	0.01	30	1010	26	<5	<20	3	0.05	<10	33	<10	2	122
147	L22+00N 20+50E	<5	0.6	1.65	<5	160	<5	0.19	<1	16	23	21	2.43	<10	0.46	219	2	0.01	50	900	30	<5	<20	10	0.08	<10	37	<10	3	156
148	L22+00N 20+75E	<5	0.7	2.01	5	420	<5	0.34	1	12	27	32	3.20	10	0.54	284	1	0.02	46	1890	34	<5	<20	38	0.09	<10	48	<10	4	176
149	L22+00N 21+00E	<5	0.9	2.26	5	200	<5	0.15	1	12	22	20	2.29	<10	0.42	264	<1	0.02	56	2060	34	<5	<20	10	0.09	<10	37	<10	6	185
150	L22+00N 21+25E	N/S																												

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
151	L22+00N 21+50E	<5	<0.2	1.04	<5	75	<5	0.09	1	15	29	30	2.57	<10	0.63	139	3	<0.01	34	580	20	5	<20	5	0.05	<10	42	<10	4	67
152	L22+00N 21+75E	<5	0.4	1.35	<5	150	<5	0.11	1	16	30	17	2.50	<10	0.52	281	<1	0.01	60	650	28	<5	<20	8	0.06	<10	39	<10	3	184
153	L22+00N 22+00E	<5	0.3	3.84	15	225	<5	0.17	1	12	23	18	2.32	<10	0.31	419	<1	0.02	44	5290	64	<5	<20	13	0.13	<10	33	<10	13	171
154	L23+00N 13+00E	<5	0.5	3.34	10	165	<5	0.09	1	17	51	21	3.22	<10	0.75	201	2	0.02	39	500	46	15	<20	5	0.11	<10	56	<10	9	182
155	L23+00N 13+25E	N/S																												
156	L23+00N 13+50E	N/S																												
157	L23+00N 13+75E	N/S																												
158	L23+00N 14+00E	<5	1.8	3.51	240	220	5	0.15	2	18	25	26	4.81	<10	0.16	365	7	0.01	51	5940	74	<5	<20	19	0.08	<10	44	<10	2	289
159	L23+00N 14+25E	5	0.5	0.95	205	115	<5	0.06	1	16	20	68	3.87	<10	0.37	185	13	0.01	94	790	30	<5	<20	16	0.02	<10	27	<10	<1	249
160	L23+00N 14+50E	5	0.7	1.42	135	165	<5	0.12	2	16	35	36	3.29	<10	0.66	880	4	0.01	68	730	46	<5	<20	10	0.05	<10	48	<10	<1	309
161	L23+00N 14+75E	<5	0.7	3.14	70	235	<5	0.13	3	11	27	12	2.44	<10	0.35	885	<1	0.02	57	4680	56	<5	<20	11	0.11	<10	37	<10	5	456
162	L23+00N 15+00E	<5	1.4	2.09	45	220	<5	0.14	3	16	50	31	2.89	<10	0.87	577	4	0.01	63	1340	40	10	<20	10	0.07	<10	50	<10	3	365
163	L23+00N 15+25E	<5	1.3	1.88	25	425	<5	0.26	5	9	27	14	2.07	<10	0.29	2543	<1	0.02	49	2670	36	<5	<20	21	0.08	<10	32	<10	4	355
164	L23+00N 15+50E	<5	1.7	3.52	45	190	<5	0.10	3	10	17	13	2.17	<10	0.15	1097	<1	0.02	34	7700	56	<5	<20	8	0.13	<10	29	<10	8	217
165	L23+00N 15+75E	<5	1.6	3.02	55	165	<5	0.07	2	13	17	28	2.77	<10	0.15	361	2	0.02	85	2350	40	<5	<20	3	0.08	<10	28	<10	6	308
166	L23+00N 16+00E	<5	0.7	0.59	15	90	<5	0.06	<1	4	5	11	1.15	<10	0.03	327	<1	<0.01	26	1200	12	<5	<20	3	0.03	<10	9	<10	<1	140
167	L23+00N 16+25E	<5	0.3	1.95	10	170	<5	0.09	<1	8	4	17	2.28	<10	0.32	929	1	0.01	11	2420	42	<5	<20	5	0.09	<10	15	<10	3	249
168	L23+00N 16+50E	25	2.6	1.99	35	160	<5	0.06	1	11	13	23	3.45	<10	0.16	566	3	0.01	72	1680	50	<5	<20	4	0.07	<10	26	<10	<1	349
169	L23+00N 16+75E	<5	1.0	2.20	15	165	<5	0.10	2	8	6	11	1.90	<10	0.15	2099	<1	0.02	19	2070	40	<5	<20	<1	0.10	<10	20	<10	4	256
170	L23+00N 17+00E	<5	0.7	1.66	25	145	<5	0.11	2	15	22	37	3.38	<10	0.43	419	3	0.01	62	890	40	<5	<20	3	0.07	<10	32	<10	<1	316
171	L23+00N 17+25E	5	3.2	2.74	45	200	<5	0.06	2	13	15	21	2.80	<10	0.30	295	<1	0.02	49	1540	44	<5	<20	10	0.10	<10	29	<10	4	314
172	L23+00N 17+50E	<5	2.8	4.71	30	95	5	0.08	3	12	9	16	2.21	<10	0.10	249	<1	0.02	29	3850	62	<5	<20	2	0.17	<10	30	<10	12	274
173	L23+00N 17+75E	5	2.1	2.31	35	165	<5	0.09	2	8	10	11	2.59	<10	0.23	533	6	0.02	28	1760	76	<5	<20	9	0.10	<10	38	<10	4	408
174	L23+00N 18+00E	30	1.5	1.78	80	225	10	0.12	2	20	6	59	6.51	<10	0.50	768	15	0.02	30	1550	82	<5	<20	12	0.10	<10	55	<10	<1	382
175	L23+00N 18+25E	<5	0.3	0.54	25	575	5	0.11	2	3	5	7	3.02	<10	0.09	1023	24	0.02	11	1100	148	<5	<20	22	0.05	<10	32	<10	<1	111
176	L23+00N 18+50E	<5	0.5	1.66	15	355	10	0.13	2	11	18	17	2.80	<10	0.48	1921	19	0.02	29	1450	108	<5	<20	11	0.09	<10	53	<10	6	313
177	L23+00N 18+75E	<5	0.3	1.74	5	120	<5	0.12	1	10	19	18	1.95	<10	0.38	603	2	0.01	29	1440	28	<5	<20	5	0.07	<10	29	<10	5	151
178	L23+00N 19+00E	<5	0.3	1.65	<5	115	<5	0.08	1	12	20	13	2.08	<10	0.37	282	<1	0.01	31	1210	26	<5	<20	3	0.07	<10	32	<10	4	130
179	L23+00N 19+25E	<5	1.1	2.64	10	150	<5	0.15	<1	11	24	41	2.11	10	0.31	348	2	0.03	41	1350	36	<5	<20	8	0.09	<10	31	<10	25	200
180	L23+00N 19+50E	<5	<0.2	1.14	<5	125	<5	0.07	<1	11	22	11	1.97	<10	0.40	928	1	<0.01	22	950	22	<5	<20	3	0.06	<10	31	<10	2	151
181	L23+00N 19+75E	<5	0.6	2.59	10	280	<5	0.11	<1	7	11	10	1.94	<10	0.12	604	<1	0.02	16	3700	36	<5	<20	5	0.12	<10	28	<10	5	113
182	L23+00N 20+25E	<5	1.2	2.16	5	210	<5	0.07	1	12	22	16	2.26	<10	0.41	608	<1	0.01	35	2100	30	<5	<20	5	0.09	<10	36	<10	5	185
183	L23+00N 20+50E	<5	0.7	1.70	<5	230	<5	0.06	2	12	23	21	2.73	<10	0.43	595	2	0.01	29	2860	40	<5	<20	9	0.10	<10	40	<10	4	185
184	L23+00N 20+75E	<5	0.6	2.07	<5	200	5	0.10	<1	13	29	20	2.42	<10	0.54	201	1	0.01	45	1400	24	<5	<20	4	0.08	<10	39	<10	4	212
185	L23+00N 21+00E	<5	0.3	1.38	<5	270	10	0.09	1	13	32	21	2.24	<10	0.51	600	<1	0.01	47	980	34	<5	<20	13	0.06	<10	37	<10	8	172
186	L23+00N 21+25E	<5	1.1	1.85	<5	285	<5	0.13	1	13	28	22	2.61	<10	0.48	371	<1	0.01	44	3760	32	<5	<20	11	0.08	<10	36	<10	3	263
187	L23+00N 21+50E	<5	0.4	1.91	5	240	<5	0.16	2	14	32	21	2.73	<10	0.45	510	1	0.01	45	2400	36	<5	<20	10	0.07	<10	39	<10	4	199
188	L23+00N 21+75E	25	0.3	1.11	<5	180	<5	0.10	1	12	30	22	2.34	<10	0.60	434	1	<0.01	33	460	24	<5	<20	8	0.05	<10	35	<10	3	135
189	L23+00N 22+00E	<5	0.5	2.76	10	470	<5	0.29	2	11	27	26	3.10	10	0.52	410	2	0.02	45	5390	36	<5	<20	28	0.09	<10	39	<10	5	217
190	L24+00N 13+25E	<5	<0.2	0.09	<5	65	<5	2.42	1	<1	3	9	0.14	<10	0.08	483	3	0.03	14	610	12	<5	<20	180	<0.01	<10	3	<10	<1	15

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
191	L24+00N 13+50E	<5	<0.2	0.06	<5	70	<5	2.75	1	<1	1	5	0.11	<10	0.10	283	2	0.03	11	420	18	<5	<20	132	<0.01	<10	3	<10	<1	38
192	L24+00N 13+75E	<5	0.2	1.22	<5	60	<5	0.08	<1	7	28	15	2.72	<10	0.37	85	2	0.01	24	480	16	<5	<20	5	0.07	<10	58	<10	<1	89
193	L24+00N 14+00E	<5	1.2	2.47	10	145	<5	0.08	2	15	42	25	2.66	<10	0.60	280	1	0.01	49	1530	28	<5	<20	5	0.07	<10	45	<10	3	270
194	L24+00N 14+25E	<5	1.3	4.50	25	285	10	0.13	3	13	18	18	2.88	<10	0.22	270	<1	0.02	32	3650	64	<5	<20	19	0.14	<10	34	<10	12	344
195	L24+00N 14+75E	<5	0.5	1.60	15	150	<5	0.10	3	17	39	40	2.72	<10	0.59	343	1	0.01	60	870	26	<5	<20	3	0.06	<10	40	<10	<1	315
196	L24+00N 15+00E	<5	0.8	1.98	5	225	<5	0.08	4	15	24	36	2.65	<10	0.48	813	<1	0.01	39	1120	34	<5	<20	4	0.09	<10	54	<10	3	380
197	L24+00N 15+25E	<5	0.9	2.47	15	215	<5	0.12	4	18	19	87	3.33	<10	0.44	645	3	0.02	47	1140	34	<5	<20	7	0.09	<10	57	<10	6	332
198	L24+00N 15+50E	<5	1.0	2.18	10	250	<5	0.12	3	19	23	46	2.69	<10	0.43	544	<1	0.02	41	1410	32	<5	<20	6	0.10	<10	58	<10	4	345
199	L24+00N 15+75E	5	1.8	2.64	15	220	<5	0.10	5	15	25	25	2.58	<10	0.45	650	<1	0.02	49	2240	42	<5	<20	7	0.13	<10	46	<10	7	360
200	L24+00N 16+00E	<5	1.7	3.68	35	185	<5	0.09	4	11	18	20	2.65	<10	0.21	772	<1	0.02	29	6960	58	<5	<20	7	0.13	<10	42	<10	5	192
201	L24+00N 16+25E	<5	2.0	2.85	35	170	<5	0.08	4	13	21	31	2.59	<10	0.31	734	1	0.01	48	3920	52	<5	<20	4	0.09	<10	38	<10	5	280
202	L24+00N 16+50E	<5	1.0	2.48	40	145	<5	0.09	3	10	11	22	2.30	<10	0.19	471	<1	0.02	35	2530	48	<5	<20	5	0.10	<10	26	<10	11	251
203	L24+00N 16+75E	<5	1.2	2.51	25	175	5	0.07	4	12	11	20	2.28	<10	0.20	654	<1	0.02	33	2170	52	<5	<20	3	0.12	<10	31	<10	6	311
204	L24+00N 17+00E	25	0.5	0.78	20	95	<5	0.09	2	11	11	36	2.63	<10	0.25	582	7	<0.01	38	1050	90	<5	<20	3	0.03	<10	19	<10	<1	216
205	L24+00N 17+25E	5	0.3	1.92	20	695	10	0.17	3	10	5	12	3.25	<10	0.57	2850	<1	0.01	12	2140	42	<5	<20	13	0.16	<10	44	<10	9	318
206	L24+00N 17+50E	10	0.5	2.84	10	520	5	0.20	2	13	8	31	4.32	<10	0.40	459	10	0.02	19	1560	66	<5	<20	18	0.13	<10	43	<10	13	268
207	L24+00N 17+75E	<5	0.5	3.51	20	380	5	0.14	1	8	9	13	2.28	<10	0.08	2503	<1	0.02	10	3510	60	<5	<20	9	0.13	<10	32	<10	6	156
208	L24+00N 18+00E	5	1.0	3.05	20	270	10	0.07	1	13	9	15	3.51	<10	0.27	1234	4	0.02	14	2010	58	<5	<20	6	0.16	<10	45	<10	8	162
209	L24+00N 18+25E	<5	0.4	3.13	40	545	10	0.15	1	12	11	18	3.77	<10	0.34	1440	<1	0.02	14	6230	56	<5	<20	9	0.19	<10	41	<10	7	210
210	L24+00N 18+50E	30	0.3	4.37	25	385	10	0.16	2	16	7	43	4.09	<10	0.54	639	<1	0.02	13	3720	52	10	<20	2	0.18	<10	49	<10	15	203
211	L24+00N 18+75E	5	0.4	1.68	40	340	<5	0.20	2	13	10	25	3.40	<10	0.39	1413	3	0.01	24	1690	66	<5	<20	11	0.10	<10	44	<10	4	222
212	L24+00N 19+00E	5	0.2	1.34	15	170	<5	0.10	1	12	20	15	2.44	<10	0.35	972	2	0.01	27	2840	30	<5	<20	2	0.06	<10	35	<10	<1	173
213	L24+00N 19+25E	5	0.5	3.36	70	220	<5	0.11	1	15	16	41	3.66	<10	0.31	343	5	0.01	50	1770	72	<5	<20	4	0.12	<10	39	<10	5	189
214	L24+00N 19+50E	5	0.3	1.14	25	260	<5	0.11	2	9	15	25	2.41	<10	0.29	1520	5	0.01	27	750	42	5	<20	5	0.05	<10	31	<10	5	103
215	L24+00N 19+75E	<5	<0.2	1.16	<5	120	<5	0.07	<1	12	28	24	2.48	<10	0.59	211	2	<0.01	33	640	22	<5	<20	4	0.06	<10	39	<10	2	113
216	L24+00N 20+25E	<5	0.4	1.16	10	155	<5	0.10	1	12	24	21	2.36	<10	0.41	659	2	0.01	33	650	26	<5	<20	6	0.06	<10	38	<10	4	124
217	L24+00N 20+50E	<5	0.2	1.75	10	230	<5	0.19	2	14	40	34	2.79	<10	0.63	560	3	0.01	52	1670	40	10	<20	8	0.06	<10	43	<10	3	166
218	L24+00N 20+75E	<5	0.3	1.56	<5	185	<5	0.14	<1	16	36	25	2.99	<10	0.68	239	2	0.01	61	970	28	<5	<20	6	0.07	<10	45	<10	3	232
219	L24+00N 21+00E	<5	0.3	1.02	10	110	<5	0.17	<1	14	32	54	2.88	<10	0.60	268	4	0.01	45	800	34	<5	<20	10	0.05	<10	40	<10	16	127
220	L24+00N 21+25E	<5	<0.2	0.04	5	2485	65	1.46	4	23	25	6	>10	<10	0.03	>10000	39	0.01	1333	1420	18	<5	<20	207	0.09	<10	8	20	211	5410
221	L24+00N 21+50E	<5	0.6	1.99	<5	965	<5	0.21	6	14	24	18	3.15	<10	0.23	2624	1	0.02	45	6910	34	<5	<20	30	0.09	<10	33	<10	6	464
222	L24+00N 21+75E	<5	0.6	2.56	5	585	<5	0.25	3	12	27	25	3.16	10	0.46	911	1	0.02	44	4170	38	<5	<20	26	0.10	<10	42	<10	8	318
223	L24+00N 22+00E	N/S																												
224	L25+00N 13+00E	<5	0.4	2.12	<5	150	<5	0.20	<1	18	67	41	3.42	<10	1.18	624	<1	0.02	46	900	36	<5	<20	11	0.09	<10	75	<10	4	109
225	L25+00N 13+25E	<5	<0.2	1.14	<5	115	<5	0.24	<1	22	48	102	2.44	<10	1.04	450	<1	0.02	35	470	18	10	<20	13	0.07	<10	62	<10	10	47
226	L25+00N 13+50E	<5	1.8	2.43	10	125	<5	0.09	<1	14	39	18	2.78	<10	0.69	216	<1	0.01	47	1820	42	<5	<20	7	0.10	<10	45	<10	4	199
227	L25+00N 13+75E	<5	1.7	2.64	5	135	<5	0.12	<1	14	57	20	3.12	<10	0.85	338	<1	0.01	48	700	38	<5	<20	6	0.10	<10	58	<10	<1	237
228	L25+00N 14+00E	<5	4.1	3.91	15	85	<5	0.06	<1	11	19	11	2.26	<10	0.10	308	<1	0.02	22	2860	50	<5	<20	2	0.13	<10	34	<10	7	130
229	L25+00N 14+25E	<5	0.6	0.97	15	60	<5	0.19	1	9	38	43	2.30	<10	0.54	316	4	0.01	82	1670	20	<5	<20	8	0.04	<10	29	<10	4	211
230	L25+00N 14+50E	<5	2.8	4.37	15	125	5	0.12	2	10	23	11	2.25	<10	0.24	814	<1	0.02	36	3580	54	<5	<20	7	0.13	<10	35	<10	6	195

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
231	L25+00N 14+75E	<5	0.8	1.12	15	85	<5	0.21	<1	11	48	52	2.87	<10	0.71	180	5	0.01	69	2100	26	<5	<20	10	0.04	<10	37	<10	4	205	
232	L25+00N 15+00E	5	1.1	1.85	20	130	<5	0.32	1	13	51	40	2.87	<10	0.76	297	3	0.01	112	1960	36	<5	<20	9	0.06	<10	38	<10	15	318	
233	L25+00N 15+25E	<5	0.5	1.48	15	110	<5	0.22	1	16	53	51	3.05	<10	0.88	420	3	0.01	65	1160	28	<5	<20	6	0.06	<10	50	<10	8	175	
234	L25+00N 15+50E	<5	1.2	1.89	10	150	<5	0.16	1	13	48	21	2.51	<10	0.71	407	<1	0.01	47	1220	40	<5	<20	9	0.08	<10	47	<10	4	205	
235	L25+00N 15+75E	<5	1.1	2.44	15	100	<5	0.10	1	12	34	39	2.40	<10	0.49	144	1	0.02	55	1250	40	<5	<20	4	0.09	<10	38	<10	13	153	
236	L25+00N 16+00E	<5	1.2	2.95	15	140	<5	0.10	3	16	48	17	3.05	<10	0.58	578	2	0.01	43	2100	50	10	<20	6	0.11	<10	56	<10	3	224	
237	L25+00N 16+25E	<5	0.7	1.69	265	115	<5	0.11	2	13	31	34	3.00	<10	0.44	232	5	0.01	48	1640	40	<5	<20	3	0.05	<10	41	<10	2	317	
238	L25+00N 16+50E	<5	1.0	2.00	85	115	<5	0.16	3	16	50	35	3.21	<10	0.74	538	3	0.01	55	1990	46	<5	<20	7	0.07	<10	53	<10	1	313	
239	L25+00N 16+75E	5	0.5	1.67	35	170	<5	0.14	3	15	48	41	3.16	<10	0.68	884	3	<0.01	81	1070	118	<5	<20	8	0.06	<10	45	<10	7	333	
240	L25+00N 17+00E	<5	0.9	1.69	60	130	<5	0.11	1	13	29	31	3.12	<10	0.42	333	4	<0.01	48	1600	66	<5	<20	3	0.06	<10	45	<10	<1	248	
241	L25+00N 17+25E	<5	0.4	2.01	10	140	<5	0.21	1	17	72	28	3.62	<10	1.15	1166	2	0.01	48	970	48	<5	<20	6	0.07	<10	71	<10	<1	179	
242	L25+00N 17+50E	<5	0.4	1.84	10	165	<5	0.16	1	16	47	64	3.37	<10	0.93	628	2	0.01	45	750	40	<5	<20	7	0.08	<10	65	<10	6	149	
243	L25+00N 17+75E	<5	0.4	3.24	15	180	<5	0.16	1	16	36	29	3.40	<10	0.65	631	<1	0.01	30	4140	56	<5	<20	9	0.13	<10	62	<10	4	183	
244	L25+00N 18+00E	<5	0.5	2.06	<5	190	5	0.11	<1	16	61	21	3.38	<10	0.96	313	<1	0.01	41	530	40	<5	<20	6	0.09	<10	68	<10	2	145	
245	L25+00N 18+25E	<5	0.8	4.46	20	310	5	0.13	2	19	60	48	3.94	<10	0.90	1657	<1	0.02	69	2280	78	<5	<20	7	0.15	<10	71	<10	8	267	
246	L25+00N 18+50E	<5	0.5	3.50	20	220	10	0.17	2	16	27	16	2.87	<10	0.29	1388	<1	0.02	23	6670	74	<5	<20	8	0.14	<10	46	<10	6	203	
247	L25+00N 18+75E	5	0.3	1.91	20	200	5	0.10	1	15	21	23	2.98	<10	0.37	964	2	0.01	30	2880	52	<5	<20	<1	0.10	<10	46	<10	1	208	
248	L25+00N 19+00E	<5	0.5	2.71	15	260	<5	0.17	1	16	23	25	2.92	<10	0.41	1092	<1	0.01	28	1280	56	<5	<20	5	0.13	<10	53	<10	6	157	
249	L25+00N 19+25E	<5	0.2	2.15	20	200	<5	0.10	1	15	17	38	3.69	<10	0.45	427	3	0.01	27	1820	48	<5	<20	3	0.09	<10	60	<10	1	162	
250	L25+00N 19+50E	5	0.3	1.48	5	185	<5	0.10	1	12	21	19	2.47	<10	0.44	905	<1	0.01	29	990	32	<5	<20	4	0.08	<10	37	<10	4	156	
251	L25+00N 19+75E	<5	0.6	2.59	10	210	<5	0.08	<1	14	26	27	2.76	<10	0.46	736	<1	0.02	48	1570	46	<5	<20	6	0.10	<10	43	<10	7	199	
252	L25+00N 20+25E	5	0.5	1.66	10	180	5	0.09	1	12	21	10	2.66	<10	0.29	382	<1	0.01	28	2650	36	<5	<20	6	0.08	<10	36	<10	4	194	
253	L25+00N 20+50E	<5	0.3	1.47	<5	135	<5	0.12	<1	14	27	24	2.69	<10	0.47	259	<1	0.01	47	1200	28	<5	<20	5	0.07	<10	40	<10	5	244	
254	L25+00N 20+75E	15	0.5	1.51	<5	1200	40	0.56	13	25	24	35	>10	<10	0.27	>10000	36	0.01	1151	2340	14	<5	<20	72	0.07	<10	43	10	210	5048	
255	L25+00N 21+00E	5	1.2	1.94	5	220	<5	0.82	5	15	54	60	3.56	20	0.78	1789	3	0.02	522	870	40	<5	<20	55	0.07	<10	49	<10	44	958	
256	L25+00N 21+25E	5	0.6	2.61	<5	210	5	0.18	4	18	59	31	4.05	20	0.87	629	4	0.01	404	780	50	10	<20	21	0.09	<10	59	<10	17	879	
257	L25+00N 21+50E	5	0.6	2.78	10	515	<5	0.18	4	13	27	29	2.91	<10	0.49	572	<1	0.02	55	5310	50	5	<20	18	0.10	<10	42	<10	8	342	
258	L25+00N 21+75E	<5	0.5	2.18	5	435	<5	0.13	2	13	30	24	2.93	<10	0.54	584	<1	0.01	61	3470	40	<5	<20	15	0.09	<10	38	<10	7	361	
259	L25+00N 22+00E	N/S																													

QC DATA:**Repeat:**


1	BL20+00E 11+00N	10	<0.2	1.48	<5	160	<5	0.14	<1	14	40	30	2.39	<10	0.52	317	<1	0.01	41	360	26	<5	<20	11	0.07	<10	45	<10	9	109
10	BL20+00E 13+25N	<5	<0.2	2.50	5	165	<5	0.15	1	17	42	29	2.97	<10	0.62	336	3	0.01	64	1200	48	10	<20	6	0.10	<10	50	<10	2	166
19	BL20+00E 15+50N	<5	<0.2	1.73	<5	235	<5	0.12	1	13	34	21	2.38	<10	0.58	492	<1	0.01	51	960	38	5	<20	10	0.08	<10	36	<10	9	155
28	BL20+00E 17+75N	<5	<0.2	2.12	<5	225	<5	0.15	1	17	65	24	2.88	<10	0.85	428	3	0.01	80	1560	46	20	<20	8	0.07	<10	55	<10	3	103
36	BL20+00E 19+75N	<5	0.2	2.75	10	145	<5	0.19	3	18	28	41	3.42	<10	0.45	414	6	0.01	62	2520	68	10	<20	7	0.09	<10	45	<10	10	293
45	BL20+00E 22+00N	5	0.2	1.60	10	165	5	0.10	2	11	20	12	2.21	<10	0.30	381	3	<0.01	27	2170	52	15	<20	3	0.07	<10	32	<10	3	155
54	BL20+00E 24+25N	40	<0.2	1.55	5	165	<5	0.10	1	18	33	21	3.04	<10	0.52	499	<1	<0.01	51	1290	48	<5	<20	3	0.08	<10	45	<10	2	207
63	BL20+00E 26+50N	5	0.6	4.05	15	355	<5	0.33	1	15	28	16	2.97	<10	0.42	153	4	0.02	40	1070	86	15	<20	15	0.12	<10	40	<10	12	198
71	BL20+00E 28+50N	5	<0.2	2.00	10	165	10	0.11	2	20	47	19	3.47	<10	0.50	371	2	<0.01	32	2800	62	5	<20	2	0.12	<10	51	<10	5	201
80	BL20+00E 30+75N	<5	<0.2	1.14	<5	85	<5	0.17	<1	14	35	31	2.31	<10	0.70	200	<1	0.01	23	290	24	<5	<20	7	0.08	<10	54	<10	2	50
89	L21+00N 14+75E	<5	<0.2	3.40	10	385	<5	0.51	2	23	89	50	4.31	10	1.11	711	1	0.02	93	830	84	10	<20	22	0.12	<10	79	<10	19	209
98	L21+00N 17+00E	<5	0.2	1.41	5	130	<5	0.21	<1	12	25	18	2.90	<10	0.28	145	2	<0.01	35	1750	46	<5	<20	20	0.07	<10	45	<10	3	114

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
106	L21+00N 19+00E	<5	<0.2	2.65	10	120	5	0.15	1	13	24	19	2.57	<10	0.30	185	1	0.02	61	1350	82	<5	<20	6	0.11	<10	38	<10	10	218
115	L21+00N 21+50E	<5	0.7	1.76	5	400	<5	0.27	2	10	24	28	2.77	<10	0.52	691	2	0.02	36	2850	36	<5	<20	31	0.11	<10	41	<10	6	238
124	L22+00N 14+50E	<5	<0.2	2.24	10	140	5	0.15	<1	13	43	24	2.53	<10	0.61	354	<1	0.01	37	1840	36	<5	<20	11	0.10	<10	45	<10	5	165
133	L22+00N 16+75E	<5	1.2	4.51	20	225	<5	0.16	1	11	15	18	2.32	<10	0.22	457	<1	0.05	30	2890	68	<5	<20	7	0.16	<10	38	<10	10	224
141	L22+00N 18+75E	<5	0.7	3.37	10	135	<5	0.21	2	10	17	20	2.03	10	0.28	287	<1	0.02	29	2280	42	5	<20	13	0.12	<10	31	<10	22	139
159	L23+00N 14+25E	15	0.5	0.93	195	105	<5	0.06	1	16	20	61	3.78	<10	0.36	184	12	<0.01	94	840	34	<5	<20	13	0.02	<10	27	<10	<1	269
168	L23+00N 16+50E	<5	2.8	2.26	30	180	5	0.07	2	12	14	26	3.54	<10	0.18	565	3	0.02	76	1620	42	<5	<20	6	0.08	<10	29	<10	<1	347
176	L23+00N 18+50E	<5	0.5	1.65	15	360	10	0.14	2	11	18	16	2.79	<10	0.48	1928	19	0.02	29	1470	108	<5	<20	10	0.09	<10	53	<10	6	312
185	L23+00N 21+00E	<5	0.3	1.47	<5	265	<5	0.10	2	13	31	22	2.23	<10	0.54	617	3	0.01	49	940	26	5	<20	7	0.05	<10	38	<10	5	162
194	L24+00N 14+25E	<5	1.2	4.55	20	270	<5	0.13	3	12	17	17	2.88	<10	0.22	313	<1	0.02	31	3660	54	<5	<20	11	0.13	<10	35	<10	8	336
203	L24+00N 16+75E	<5	1.1	2.80	25	205	<5	0.07	4	12	11	23	2.37	<10	0.23	693	<1	0.02	35	2130	44	<5	<20	4	0.13	<10	47	<10	6	227
211	L24+00N 18+75E	<5	0.4	1.75	40	350	<5	0.20	2	13	10	27	3.50	<10	0.42	1405	3	0.01	24	1690	68	<5	<20	10	0.10	<10	47	<10	6	211
229	L25+00N 14+25E	5	0.7	0.92	20	55	<5	0.20	1	9	38	39	2.25	<10	0.51	355	4	0.01	79	1660	22	<5	<20	5	0.04	<10	29	<10	3	211
238	L25+00N 16+50E	<5	1.1	2.01	80	125	<5	0.16	3	16	50	34	3.19	<10	0.72	528	2	0.01	55	2080	50	<5	<20	10	0.08	<10	51	<10	3	328
246	L25-00N 18-50E	<5	0.6	3.59	25	235	10	0.18	2	17	28	18	3.03	<10	0.33	1412	<1	0.02	25	6810	66	<5	<20	8	0.16	<10	50	<10	5	206
247	L25-00N 18-75E	5																												

Standard:

Ti 3		1.4	0.99	80	30	<5	0.55	<1	13	58	19	1.98	<10	0.57	292	1	0.02	32	470	30	5	<20	10	0.06	<10	35	<10	9	37	
Ti 3		1.4	0.97	85	40	<5	0.52	<1	13	63	21	2.02	10	0.57	309	1	0.02	34	440	31	<5	<20	11	0.05	<10	38	<10	10	40	
Ti 3		1.5	0.90	85	45	<5	0.50	1	13	62	19	2.02	10	0.57	298	1	0.02	35	450	34	<5	<20	11	0.06	<10	37	<10	9	40	
Ti 3		1.4	0.94	80	40	<5	0.56	<1	12	59	21	1.97	10	0.57	295	1	0.03	31	430	29	10	<20	12	0.05	<10	35	<10	8	37	
Ti 3		1.5	1.07	85	40	<5	0.50	<1	12	62	24	2.00	10	0.61	317	1	0.03	32	440	29	5	<20	13	0.06	<10	39	<10	10	35	
Ti 3		1.4	0.95	85	55	<5	0.57	<1	12	59	22	1.93	10	0.59	293	<1	0.03	30	440	32	<5	<20	18	0.05	<10	35	<10	12	39	
Ti 3		1.5	0.94	80	40	<5	0.57	1	12	60	21	1.93	10	0.59	295	1	0.02	33	440	28	5	<20	12	0.05	<10	36	<10	9	38	
Ti 3		1.5	0.92	80	40	5	0.56	<1	12	59	21	1.89	10	0.59	294	1	0.02	30	450	28	<5	<20	12	0.05	<10	35	<10	9	36	
OXE42		625																												
OXE42		620																												
OXE42		620																												
OXE42		600																												
OXE42		615																												
OXE42		630																												
OXE42		610																												

JJ/sa
df/1894b
XLS/06


ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ECO TECH LABORATORY LTD.

10041 Dallas Drive

KAMLOOPS, B.C.

V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2006-1895

Island Arc Exploration Corp.

678 - 235 First Avenue

Kamloops, BC

V2C 3J4

Phone: 250-573-5700

Fax : 250-573-4557

No. of samples received: 212

Sample Type: Soil

Project: Silver Hill

Submitted by: B. Doyle

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L26+00N 13+00E	5	1.0	4.01	15	225	<5	0.53	3	16	39	50	3.29	10	0.54	406	<1	0.02	50	2650	68	<5	<20	22	0.14	<10	52	<10	27	198
2	L26+00N 13+25E	<5	0.5	1.90	<5	175	<5	0.42	3	23	53	67	4.38	<10	1.18	684	1	0.02	54	490	36	<5	<20	17	0.11	<10	117	<10	8	173
3	L26+00N 13+50E	5	0.4	1.69	<5	140	<5	0.17	1	18	49	59	2.96	<10	0.88	352	<1	0.01	38	610	36	<5	<20	8	0.09	<10	70	<10	4	106
4	L26+00N 13+75E	5	2.2	1.85	<5	130	<5	0.14	2	19	61	40	3.28	<10	1.11	422	<1	0.01	48	670	38	5	<20	5	0.09	<10	78	<10	3	177
5	L26+00N 14+00E	5	2.7	2.20	<5	130	<5	0.15	2	17	72	22	3.46	<10	1.02	987	2	0.01	56	960	46	5	<20	3	0.08	<10	67	<10	<1	197
6	L26+00N 14+25E	5	0.8	1.97	5	145	<5	0.15	2	18	60	34	3.02	<10	0.97	986	3	0.02	47	940	42	15	<20	5	0.08	<10	61	<10	4	162
7	L26+00N 14+50E	<5	1.3	1.67	10	160	<5	0.13	1	15	48	15	2.65	<10	0.62	1311	<1	<0.01	48	1130	46	<5	<20	6	0.08	<10	42	<10	3	318
8	L26+00N 14+75E	5	1.1	3.00	10	170	10	0.15	1	22	84	37	3.86	<10	1.26	367	<1	0.01	61	1140	50	5	<20	10	0.12	<10	74	<10	5	180
9	L26+00N 15+00E	<5	3.1	2.42	10	170	10	0.09	2	18	64	22	3.31	<10	0.95	1177	<1	0.01	51	1290	48	<5	<20	5	0.09	<10	65	<10	2	236
10	L26+00N 15+25E	<5	0.4	1.23	25	105	<5	0.17	1	17	44	63	3.09	<10	0.73	233	3	<0.01	50	650	30	<5	<20	6	0.06	<10	49	<10	2	169
11	L26+00N 15+50E	<5	0.8	1.69	10	140	<5	0.12	3	12	33	21	2.34	<10	0.46	734	2	0.01	35	1370	40	10	<20	5	0.07	<10	42	<10	3	224
12	L26+00N 15+75E	<5	1.9	3.24	15	165	10	0.12	4	14	38	15	2.49	<10	0.42	1358	<1	0.03	40	2410	70	10	<20	3	0.13	<10	42	<10	7	243
13	L26+00N 16+00E	<5	1.2	2.45	5	210	5	0.14	3	15	39	21	2.58	<10	0.51	1025	<1	0.02	39	1460	48	<5	<20	5	0.11	<10	47	<10	6	298
14	L26+00N 16+25E	5	0.4	2.25	10	135	<5	0.13	1	19	79	33	3.56	<10	1.24	384	<1	0.01	54	490	46	<5	<20	6	0.09	<10	72	<10	2	141
15	L26+00N 16+50E	<5	1.3	3.07	5	200	<5	0.15	2	18	54	20	3.13	<10	0.73	1063	<1	0.02	42	1850	52	5	<20	7	0.14	<10	55	<10	7	227
16	L26+00N 16+75E	5	1.0	2.80	10	160	5	0.18	2	15	37	24	2.96	<10	0.62	371	<1	0.02	32	2070	50	<5	<20	6	0.11	<10	50	<10	11	167
17	L26+00N 17+00E	<5	0.4	4.37	15	280	<5	0.10	1	23	91	67	5.17	<10	1.26	393	<1	0.02	89	960	74	<5	<20	8	0.14	<10	90	<10	9	266
18	L26+00N 17+25E	<5	0.5	3.94	15	400	<5	0.39	4	20	76	50	4.53	20	0.99	2369	2	0.02	76	1090	74	<5	<20	35	0.13	<10	77	<10	24	282
19	L26+00N 17+50E	<5	1.0	4.91	25	325	10	0.37	3	17	54	41	3.83	10	0.63	2340	<1	0.03	69	3050	100	<5	<20	32	0.17	<10	61	<10	24	295
20	L26+00N 17+75E	<5	1.2	4.97	20	415	<5	0.44	4	17	65	54	4.19	20	0.72	3578	<1	0.04	100	2250	98	<5	<20	33	0.17	<10	63	<10	26	372
21	L26+00N 18+00E	5	1.2	6.06	20	335	<5	0.30	2	17	61	59	4.36	<10	0.67	708	<1	0.03	116	2610	116	<5	<20	23	0.17	<10	67	<10	20	290
22	L26+00N 18+25E	<5	1.1	4.90	15	165	10	0.11	1	14	40	21	3.46	<10	0.53	220	2	0.01	37	3640	82	10	<20	6	0.13	<10	50	<10	6	188
23	L26+00N 18+50E	<5	0.7	4.92	25	115	<5	0.09	<1	13	32	17	3.07	<10	0.27	143	1	0.02	30	4010	82	<5	<20	5	0.13	<10	43	<10	6	213
24	L26+00N 18+75E	5	2.5	5.78	35	750	<5	0.65	4	20	78	116	5.58	30	0.86	2195	9	0.03	171	1590	108	<5	<20	50	0.17	<10	74	<10	57	350
25	L26+00N 19+00E	<5	0.7	2.35	10	135	5	0.07	1	11	22	14	2.80	<10	0.36	201	1	<0.01	25	2630	46	<5	<20	4	0.10	<10	38	<10	3	179
26	L26+00N 19+25E	<5	0.7	2.02	10	130	5	0.10	<1	12	23	16	2.84	<10	0.36	290	<1	0.01	28	2510	52	<5	<20	6	0.09	<10	41	<10	3	182
27	L26+00N 19+50E	<5	0.9	4.22	20	230	<5	0.20	<1	13	31	26	3.62	<10	0.29	290	<1	0.01	35	4020	82	<5	<20	12	0.14	<10	46	<10	11	130
28	L26+00N 19+75E	<5	0.9	4.05	20	190	<5	0.09	2	14	25	19	3.17	<10	0.36	818	<1	0.01	36	4140	80	<5	<20	3	0.12	<10	42	<10	5	294
29	L26+00N 20+25E	<5	0.5	1.83	<5	580	15	0.17	4	18	36	26	>10	<10	0.38	7629	15	0.01	226	4550	42	<5	<20	13	0.06	<10	46	<10	12	1354
30	L26+00N 20+50E	<5	0.4	2.18	<5	350	5	0.11	3	14	32	20	3.74	<10	0.41	2812	2	0.01	83	3290	46	<5	<20	7	0.08	<10	39	<10	6	456

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
31	L26+00N 20+75E	<5	1.2	2.93	10	165	<5	0.19	2	13	24	23	2.64	<10	0.40	252	<1	0.02	44	2520	56	<5	<20	9	0.10	<10	35	<10	16	327
32	L26+00N 21+00E	<5	0.2	1.34	5	190	<5	0.17	1	13	33	23	3.43	<10	0.68	302	1	<0.01	27	920	34	<5	<20	8	0.09	<10	69	<10	2	135
33	L26+00N 21+25E	5	0.3	1.40	10	300	<5	0.26	2	15	32	33	3.27	<10	0.57	455	4	<0.01	50	1510	40	5	<20	17	0.05	<10	44	<10	3	233
34	L26+00N 21+50E	5	0.4	1.27	20	345	<5	0.15	1	12	16	32	3.35	<10	0.44	189	4	<0.01	39	1920	42	<5	<20	9	0.05	<10	34	<10	1	199
35	L26+00N 21+75E	15	0.4	1.29	15	475	<5	0.16	<1	12	17	42	3.65	<10	0.50	241	5	<0.01	52	1600	52	<5	<20	14	0.05	<10	37	<10	4	238
36	L26+00N 22+00E	15	0.2	1.60	5	965	5	0.59	2	13	15	37	3.82	<10	0.76	2726	2	0.01	15	1680	54	<5	<20	11	0.09	<10	45	<10	8	336
37	L27+00N 13+00E	5	0.5	2.42	10	270	5	0.48	1	25	86	49	4.36	10	1.41	1815	2	0.01	71	680	48	<5	<20	44	0.09	<10	85	<10	16	150
38	L27+00N 13+25E	5	1.2	2.60	10	340	<5	0.15	2	24	30	129	5.48	<10	0.95	817	3	0.01	44	1320	40	<5	<20	8	0.12	<10	87	<10	15	241
39	L27+00N 13+50E	5	1.7	2.95	10	255	<5	0.14	5	20	49	83	3.69	<10	0.76	681	3	0.02	65	2100	48	<5	<20	8	0.13	<10	64	<10	12	590
40	L27+00N 13+75E	5	3.0	2.64	10	285	5	0.12	3	14	56	21	2.81	<10	0.60	1937	<1	0.02	46	2360	52	<5	<20	6	0.09	<10	51	<10	3	236
41	L27+00N 14+00E	<5	3.3	3.53	10	270	<5	0.16	7	15	50	29	2.86	<10	0.63	2755	<1	0.02	55	1850	62	<5	<20	8	0.13	<10	50	<10	12	436
42	L27+00N 14+25E	5	0.6	1.56	<5	210	<5	0.20	3	16	43	53	3.52	<10	0.74	607	3	<0.01	34	680	32	<5	<20	10	0.06	<10	61	<10	1	220
43	L27+00N 14+50E	5	0.3	1.56	5	135	10	0.30	2	12	32	34	4.49	<10	0.79	530	5	<0.01	26	1160	24	10	<20	10	0.07	<10	66	<10	2	238
44	L27+00N 14+75E	5	0.3	0.29	<5	95	<5	0.82	5	<1	3	21	0.52	<10	0.02	115	4	0.01	5	470	12	<5	<20	33	<0.01	<10	6	<10	2	34
45	L27+00N 15+00E	10	1.3	0.76	5	170	<5	1.36	14	<1	12	63	0.85	<10	0.04	149	11	<0.01	14	440	22	<5	<20	51	0.02	<10	23	<10	19	76
46	L27+00N 15+25E	5	0.5	1.80	15	195	<5	0.17	3	23	58	91	4.19	<10	0.96	836	5	0.01	55	890	56	<5	<20	4	0.08	<10	71	<10	10	260
47	L27+00N 15+50E	5	1.3	2.59	15	175	<5	0.11	3	21	31	59	4.05	<10	0.46	552	3	0.01	40	2500	64	<5	<20	1	0.10	<10	56	<10	2	313
48	L27+00N 15+75E	5	0.7	1.48	10	130	<5	0.08	3	16	25	69	3.10	<10	0.39	634	3	0.01	33	1600	42	<5	<20	3	0.07	<10	48	<10	1	273
49	L27+00N 16+00E	5	1.6	2.98	10	265	<5	0.13	3	20	48	57	3.67	<10	0.83	604	<1	0.01	54	1680	58	<5	<20	4	0.12	<10	72	<10	7	277
50	L27+00N 16+25E	15	1.6	2.57	5	225	<5	0.15	2	18	45	53	3.51	<10	0.75	911	<1	0.01	47	1450	54	<5	<20	7	0.11	<10	68	<10	3	232
51	L27+00N 16+50E	5	1.8	3.70	15	175	5	0.09	2	17	33	23	2.85	<10	0.45	281	<1	0.01	32	2090	70	<5	<20	4	0.14	<10	45	<10	11	220
52	L27+00N 16+75E	5	0.3	1.94	10	210	<5	0.12	1	19	56	65	3.61	<10	0.96	620	<1	0.01	47	970	46	<5	<20	5	0.09	<10	74	<10	<1	167
53	L27+00N 17+00E	5	1.4	3.43	10	180	<5	0.10	2	17	40	32	3.36	<10	0.62	857	<1	0.01	41	2000	66	<5	<20	3	0.15	<10	54	<10	5	246
54	L27+00N 17+25E	5	2.0	2.55	5	275	<5	0.09	2	16	39	27	2.96	<10	0.55	1138	<1	0.02	34	1120	64	<5	<20	5	0.13	<10	52	<10	12	229
55	L27+00N 17+50E	5	0.5	2.19	5	205	<5	0.16	1	20	69	36	4.17	<10	1.16	459	1	0.01	48	530	50	5	<20	4	0.10	<10	79	<10	<1	198
56	L27+00N 17+75E	5	1.8	3.78	15	235	<5	0.17	2	18	41	31	3.41	<10	0.69	500	<1	0.01	38	1900	84	5	<20	6	0.16	<10	59	<10	7	222
57	L27+00N 18+00E	5	1.2	2.84	10	330	5	0.11	2	15	36	20	2.93	<10	0.53	1411	<1	0.02	40	1730	58	<5	<20	5	0.15	<10	46	<10	8	323
58	L27+00N 18+25E	5	1.0	3.64	10	310	<5	0.14	1	15	21	18	3.38	<10	0.38	336	<1	0.01	26	1530	68	<5	<20	9	0.16	<10	47	<10	6	256
59	L27+00N 18+50E	5	0.5	3.72	15	240	5	0.21	2	18	17	26	3.83	<10	0.50	440	<1	0.01	23	2010	72	<5	<20	11	0.18	<10	52	<10	6	251
60	L27+00N 18+75E	5	0.4	1.76	15	270	<5	0.46	2	21	39	53	4.35	<10	0.96	801	3	0.01	41	830	46	<5	<20	24	0.10	<10	63	<10	16	155
61	L27+00N 19+00E	5	0.9	2.10	20	195	<5	0.85	2	14	29	54	3.04	<10	0.52	1003	4	0.01	35	860	44	<5	<20	35	0.06	<10	41	<10	21	100
62	L27+00N 19+25E	<5	0.7	1.75	10	175	<5	0.08	2	11	18	18	2.62	<10	0.30	754	1	<0.01	23	2080	40	<5	<20	4	0.09	<10	37	<10	2	170
63	L27+00N 19+50E	170	1.4	3.32	25	285	5	0.12	2	14	21	32	3.28	<10	0.43	391	<1	0.01	36	1800	80	<5	<20	7	0.12	<10	47	<10	12	252
64	L27+00N 19+75E	10	1.3	3.58	15	305	<5	0.17	1	19	41	39	3.86	<10	0.50	265	7	0.01	98	650	86	10	<20	11	0.11	<10	48	<10	14	206
65	L27+00N 20+25E	10	0.4	1.23	5	75	<5	0.16	<1	16	27	29	2.61	<10	0.48	132	3	<0.01	39	1040	34	<5	<20	2	0.04	<10	34	<10	5	119
66	L27+00N 20+50E	5	1.5	1.19	10	80	<5	1.34	3	9	36	33	1.59	<10	0.47	157	4	0.02	95	730	28	<5	<20	59	0.02	<10	28	<10	22	123
67	L27+00N 20+75E	5	0.7	1.92	10	155	<5	0.29	1	17	40	42	3.90	10	0.78	289	4	0.01	113	460	44	5	<20	22	0.06	<10	53	<10	19	196
68	L27+00N 21+00E	10	0.8	1.86	15	255	<5	0.48	2	18	51	60	4.08	<10	0.95	677	5	0.01	61	860	48	<5	<20	29	0.06	<10	63	<10	16	176
69	L27+00N 21+25E	10	0.2	2.07	10	375	<5	0.26	1	22	61	82	4.82	<10	1.17	579	3	0.01	58	810	50	<5	<20	14	0.10	<10	87	<10	14	151
70	L27+00N 21+50E	5	0.8	2.08	<5	405	<5	0.22	1	12	21	25	3.25	<10	0.70	726	<1	0.01	22	1160	40	<5	<20	9	0.12	<10	61	<10	5	390
71	L27+00N 21+75E	10	0.3	1.01	<5	295	10	0.31	1	29	18	24	6.49	<10	0.39	787	4	0.01	31	1670	32	<5	<20	11	0.07	<10	44	<10	<1	218
72	L27+00N 22+00E	5	0.2	2.42	10	330																								

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
76	L28+00N 13+75E	5	0.6	1.45	<5	85	<5	0.18	<1	10	26	19	2.36	<10	0.50	585	<1	0.01	17	730	40	<5	<20	7	0.07	<10	52	<10	2	97
77	L28+00N 14+00E	5	2.0	3.65	15	170	<5	0.20	<1	15	34	25	3.47	<10	0.61	643	1	0.01	29	2400	70	<5	<20	9	0.08	<10	47	<10	5	212
78	L28+00N 14+25E	<5	0.6	3.07	5	200	<5	0.16	2	14	13	24	3.11	<10	0.24	1181	1	0.01	14	1830	82	<5	<20	10	0.09	<10	38	<10	9	176
79	L28+00N 14+50E	<5	0.3	1.80	10	195	<5	0.23	2	12	26	27	3.57	<10	0.66	1639	3	0.01	23	1120	52	<5	<20	10	0.05	<10	44	<10	2	194
80	L28+00N 14+75E	<5	0.7	2.75	5	150	<5	0.09	<1	12	30	15	2.59	<10	0.37	722	<1	0.01	25	1180	62	<5	<20	4	0.13	<10	44	<10	6	131
81	L28+00N 15+00E	5	1.8	4.57	15	130	<5	0.15	2	9	11	11	2.04	<10	0.14	886	<1	0.02	20	2310	88	<5	<20	6	0.16	<10	28	<10	8	157
82	L28+00N 15+25E	<5	0.9	2.98	10	175	<5	0.11	1	17	53	22	3.16	<10	0.84	785	<1	0.01	44	1490	54	<5	<20	2	0.12	<10	56	<10	2	198
83	L28+00N 15+50E	5	1.3	3.37	10	220	5	0.12	2	14	47	19	2.85	<10	0.60	628	<1	0.02	38	2270	60	5	<20	6	0.11	<10	47	<10	5	210
84	L28+00N 15+75E	5	0.7	2.27	5	180	<5	0.24	2	16	57	21	3.17	<10	0.87	1253	<1	0.01	41	1150	64	5	<20	10	0.09	<10	57	<10	2	147
85	L28+00N 16+00E	<5	0.3	1.69	<5	180	<5	0.11	1	16	53	27	3.14	<10	0.87	1075	2	0.01	33	670	36	<5	<20	4	0.06	<10	56	<10	<1	107
86	L28+00N 16+25E	5	1.3	5.43	20	515	<5	0.18	2	21	68	85	5.03	<10	0.93	559	1	0.02	91	2000	90	5	<20	11	0.16	<10	78	<10	9	266
87	L28+00N 16+50E	<5	0.6	2.22	5	160	<5	0.10	<1	19	65	28	3.50	<10	1.07	619	<1	0.01	44	1060	44	<5	<20	5	0.10	<10	65	<10	<1	145
88	L28+00N 16+75E	<5	0.9	1.95	10	260	<5	0.23	1	11	39	30	2.66	<10	0.58	1367	<1	0.01	36	900	40	<5	<20	11	0.07	<10	42	<10	9	164
89	L28+00N 17+00E	5	0.7	2.55	10	390	<5	0.16	<1	19	9	29	4.58	<10	1.04	327	<1	<0.01	12	2170	62	<5	<20	6	0.23	<10	59	<10	6	194
90	L28+00N 17+25E	5	0.2	0.93	<5	115	<5	0.06	<1	14	12	43	3.34	<10	0.41	347	3	<0.01	14	650	26	<5	<20	2	0.03	<10	22	<10	<1	94
91	L28+00N 17+50E	<5	0.5	1.82	5	215	<5	0.15	2	11	16	20	2.93	<10	0.32	1077	<1	0.01	15	1680	46	<5	<20	7	0.12	<10	37	<10	5	151
92	L28+00N 17+75E	<5	0.6	2.93	15	145	<5	0.06	<1	11	20	15	3.23	<10	0.37	208	<1	0.01	20	1960	62	<5	<20	4	0.13	<10	39	<10	5	125
93	L28+00N 18+00E	<5	0.6	3.05	10	145	<5	0.10	<1	11	21	22	2.77	<10	0.43	261	<1	0.01	19	2100	62	<5	<20	6	0.12	<10	38	<10	4	129
94	L28+00N 18+25E	5	0.5	1.68	5	115	<5	0.11	1	13	20	27	2.94	<10	0.46	507	<1	<0.01	17	1900	38	<5	<20	3	0.09	<10	44	<10	<1	166
95	L28+00N 18+50E	5	0.3	1.28	5	100	<5	0.11	<1	15	24	57	2.73	<10	0.49	175	2	0.01	24	810	28	<5	<20	4	0.06	<10	38	<10	<1	118
96	L28+00N 18+75E	<5	0.2	2.10	10	245	<5	0.11	<1	17	36	79	3.59	<10	0.67	246	3	0.01	35	500	38	<5	<20	1	0.08	<10	56	<10	7	157
97	L28+00N 19+00E	5	2.5	4.64	20	795	<5	0.89	5	21	77	158	5.98	30	0.98	3001	6	0.03	89	890	90	<5	<20	56	0.11	<10	87	<10	52	245
98	L28+00N 19+25E	5	1.9	3.28	20	385	<5	0.63	7	16	42	86	3.69	10	0.56	2994	3	0.02	59	980	78	<5	<20	34	0.12	<10	50	<10	32	191
99	L28+00N 19+50E	5	0.3	1.80	10	210	<5	0.30	<1	16	33	52	3.71	<10	0.57	572	3	0.01	30	440	54	<5	<20	17	0.09	<10	65	<10	6	178
100	L28+00N 19+75E	<5	0.3	2.12	15	135	<5	0.20	1	17	25	79	3.33	<10	0.55	302	1	0.01	25	940	48	<5	<20	3	0.10	<10	56	<10	8	153
101	L28+00N 20+25E	5	0.9	1.85	10	275	<5	0.82	2	14	42	48	3.02	10	0.58	683	5	0.02	42	500	40	<5	<20	37	0.06	<10	45	<10	14	100
102	L28+00N 20+50E	10	0.9	2.15	10	280	<5	1.61	1	8	42	40	1.55	10	0.43	364	1	0.02	42	900	44	<5	<20	65	0.04	<10	28	<10	30	73
103	L28+00N 20+75E	15	0.4	0.41	5	110	<5	1.39	3	3	12	18	0.62	<10	0.15	656	5	0.01	54	590	10	<5	<20	75	<0.01	<10	18	<10	11	25
104	L28+00N 21+00E	5	0.5	0.43	5	110	<5	1.61	1	3	8	13	1.03	<10	0.10	820	5	0.02	19	820	16	<5	<20	108	<0.01	<10	13	<10	4	52
105	L28+00N 21+25E	10	0.4	0.35	5	80	<5	1.74	1	2	11	36	0.50	<10	0.17	781	2	0.01	39	510	16	<5	<20	51	<0.01	<10	11	<10	12	39
106	L28+00N 21+50E	5	0.9	2.59	15	180	10	0.21	1	22	25	40	4.85	<10	0.87	194	<1	<0.01	36	550	60	<5	<20	10	0.15	<10	88	<10	7	178
107	L28+00N 21+75E	10	<0.2	1.07	<5	195	<5	0.35	1	21	5	134	5.29	<10	0.54	285	2	<0.01	9	2880	26	<5	<20	7	0.08	20	94	<10	4	134
108	L28+00N 22+00E	5	0.6	3.72	15	485	<5	0.63	1	12	14	105	3.84	<10	0.42	284	<1	0.01	20	6180	68	<5	<20	12	0.12	<10	58	<10	22	151
109	L29+00N 13+00E	<5	0.2	1.70	<5	130	10	0.09	<1	14	40	26	3.81	<10	0.96	325	<1	<0.01	21	470	30	<5	<20	2	0.13	<10	118	<10	<1	66
110	L29+00N 13+25E	N/S																												
111	L29+00N 13+50E	N/S																												
112	L29+00N 13+75E	<5	0.4	1.97	<5	155	<5	0.14	<1	19	52	51	3.58	<10	1.03	2105	<1	0.01	34	540	36	<5	<20	5	0.09	<10	85	<10	2	101
113	L29+00N 14+00E	<5	0.4	1.75	5	200	<5	0.65	1	18	55	43	2.78	10	0.91	825	3	0.01	45	630	38	<5	<20	47	0.06	<10	61	<10	12	126
114	L29+00N 14+25E	<5	1.8	2.74	10	100	<5	0.21	1	12	20	17	3.08	<10	0.36	755	1	0.01	17	2240	56	<5	<20	7	0.09	<10	37	<10	5	134
115	L29+00N 14+50E	5	0.5	1.70	5	155	5	0.11	1	11	18	35	3.42	<10	0.40	243	2	<0.01	19	720	44	<5	<20	4	0.05	<10	33	<10	8	142
116	L29+00N 14+75E	<5	0.8	2.10	5	130	<5	0.14	1	11	25	17	2.30	<10	0.37	468	1	0.01	21	1010	48	5	<20	2	0.09	<10	43	<10	1	105
117	L29+00N 15+00E	<5	0.4	1.69	<5	105	<5	0.13	1	14	36	50	2.91	<10	0.74	419	<1	0.01	29	780	32	<5	<20	2	0.07	<10	44	<10	2	92
118	L29+00N 15+25E	<5	0.4	1.70	5	90	<5	0.14	1	14	47	23	3.03	<10	0.75	890	<1	0.01	30	1440	38	<5	<20	3	0.08	<10	51	<10	<1	113
119	L29+00N 15+50E	<5	1.3	2.49	15	145	<5	0.08	3	12	24	16	2.58	<10	0.26	1739	<1	0.01	23	2390	62	<5	<20	4	0.12	<10	41	<10	2	213
120	L29+00N 15+75E	10	0.5	2.90	15	165	<5	0.12	1	13	29	16	3.12	<10	0.46	891	<1	<0.01	25	4460	62	<5	<20	4	0.13	<10	48	<10	2	223

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
121	L29+00N 16+00E	<5	1.0	3.61	10	515	<5	0.52	5	19	77	88	4.81	20	1.07	5600	6	0.01	81	1020	88	5	<20	23	0.11	<10	78	<10	51	263
122	L29+00N 16+25E	5	0.4	1.43	5	595	<5	0.14	2	13	32	23	3.19	<10	0.42	4970	<1	<0.01	18	1510	104	<5	<20	8	0.09	<10	42	<10	2	198
123	L29+00N 16+50E	<5	0.6	2.22	10	220	<5	0.11	<1	13	38	20	2.96	<10	0.43	702	<1	<0.01	18	1540	62	<5	<20	2	0.11	<10	47	<10	4	118
124	L29+00N 16+75E	<5	0.6	3.11	10	285	<5	0.12	1	13	37	23	2.85	<10	0.52	2069	<1	0.02	30	1660	64	<5	<20	4	0.12	<10	45	<10	7	169
125	L29+00N 17+00E	<5	0.7	2.35	10	215	<5	0.09	1	11	19	16	3.12	<10	0.21	1*47	<1	<0.01	13	2300	56	<5	<20	3	0.11	<10	36	<10	3	136
126	L29+00N 17+25E	<5	<0.2	1.63	<5	175	<5	0.10	1	13	24	46	2.84	<10	0.62	578	<1	<0.01	16	810	46	<5	<20	1	0.08	<10	39	<10	1	113
127	L29+00N 17+50E	<5	0.2	1.62	5	155	<5	0.12	<1	14	24	29	3.00	<10	0.52	361	<1	<0.01	16	620	38	<5	<20	4	0.10	<10	44	<10	1	109
128	L29+00N 17+75E	<5	0.6	2.77	10	155	<5	0.07	<1	12	12	20	2.77	<10	0.21	1123	<1	0.01	12	1110	62	<5	<20	2	0.16	<10	36	<10	10	85
129	L29+00N 18+00E	25	0.3	2.14	5	255	10	0.10	<1	14	35	20	3.57	<10	0.42	1449	<1	0.01	11	1040	58	<5	<20	10	0.14	<10	54	<10	5	100
130	L29+00N 18+25E	5	0.7	4.13	15	120	5	0.35	<1	14	16	21	3.49	<10	0.16	322	<1	0.01	9	1320	216	<5	<20	11	0.15	<10	39	<10	6	103
131	L29+00N 18+50E	10	0.6	2.56	10	210	<5	0.26	1	17	14	43	4.43	<10	0.59	678	<1	0.01	18	940	124	<5	<20	6	0.11	<10	42	<10	25	226
132	L29+00N 18+75E	<5	0.6	4.01	15	100	10	0.10	<1	16	24	12	3.09	<10	0.48	438	<1	0.01	10	2040	92	<5	<20	5	0.16	<10	56	<10	6	153
133	L29+00N 19+00E	<5	0.7	3.47	15	140	<5	0.30	<1	11	16	26	2.76	10	0.27	233	<1	0.02	18	2420	68	<5	<20	13	0.12	<10	34	<10	19	93
134	L29+00N 19+25E	5	<0.2	1.39	5	120	<5	0.11	<1	12	22	44	2.82	<10	0.60	324	2	<0.01	19	950	32	<5	<20	4	0.06	<10	38	<10	1	113
135	L29+00N 19+50E	5	0.3	2.85	15	115	<5	0.16	<1	16	28	24	4.14	<10	0.31	371	<1	<0.01	24	1780	78	<5	<20	8	0.14	<10	53	<10	27	131
136	L29+00N 19+75E	5	0.3	1.80	5	140	<5	0.09	1	12	18	36	2.49	<10	0.46	394	<1	<0.01	17	590	38	<5	<20	4	0.08	<10	33	<10	4	117
137	L29+00N 20+25E	<5	0.3	1.38	<5	90	<5	0.07	<1	12	20	32	2.78	<10	0.45	1004	<1	<0.01	13	670	34	<5	<20	2	0.08	<10	39	<10	1	90
138	L29+00N 20+50E	5	<0.2	1.30	5	130	<5	0.12	<1	11	26	37	2.30	<10	0.56	175	<1	0.01	16	290	30	<5	<20	2	0.06	<10	37	<10	3	89
139	L29+00N 20+75E	<5	0.7	2.11	10	210	<5	0.53	1	13	34	24	3.35	<10	0.44	248	2	0.01	52	410	58	<5	<20	40	0.08	<10	49	<10	6	108
140	L29+00N 21+00E	15	0.5	2.60	10	85	<5	0.06	1	10	24	15	2.22	<10	0.29	874	<1	0.01	33	2220	64	<5	<20	3	0.10	<10	32	<10	6	188
141	L29+00N 21+25E	<5	0.8	1.73	10	195	<5	0.10	2	15	43	30	2.51	<10	0.50	811	<1	0.01	47	1360	44	5	<20	5	0.09	<10	43	<10	<1	219
142	L29+00N 21+50E	<5	0.7	1.61	5	210	<5	0.15	2	14	32	37	2.53	<10	0.52	1614	<1	0.01	36	1310	38	<5	<20	7	0.08	<10	49	<10	3	169
143	L29+00N 21+75E	5	0.5	1.59	10	155	<5	0.11	1	15	31	54	2.62	<10	0.49	400	<1	0.01	36	880	38	<5	<20	3	0.08	<10	43	<10	7	194
144	L29+00N 22+00E	<5	1.2	2.53	10	185	<5	0.09	2	11	15	13	1.82	<10	0.21	758	<1	0.02	44	1490	58	<5	<20	4	0.13	<10	27	<10	7	243
145	L30+00N 13+00E	<5	<0.2	1.53	5	85	<5	0.07	<1	8	20	16	1.87	<10	0.32	142	<1	0.01	17	610	32	<5	<20	3	0.06	<10	31	<10	2	58
146	L30+00N 13+25E	<5	0.2	1.68	5	110	<5	0.10	<1	10	21	17	1.79	<10	0.38	155	<1	0.01	16	810	36	<5	<20	4	0.07	<10	32	<10	4	88
147	L30+00N 13+50E	<5	0.2	1.89	10	110	<5	0.09	<1	13	42	23	2.66	<10	0.67	251	<1	<0.01	30	460	40	<5	<20	3	0.07	<10	47	<10	<1	93
148	L30+00N 13+75E	<5	0.2	1.13	<5	65	<5	0.10	<1	8	34	17	2.77	<10	0.40	110	<1	<0.01	18	750	26	<5	<20	1	0.11	<10	72	<10	<1	43
149	L30+00N 14+00E	<5	0.3	3.31	10	415	<5	0.24	1	18	57	66	3.92	20	0.77	1617	2	0.01	55	810	68	<5	<20	13	0.09	<10	62	<10	22	132
150	L30+00N 14+25E	5	<0.2	1.43	5	130	<5	0.25	<1	19	53	35	2.69	<10	0.93	428	<1	0.01	38	240	32	<5	<20	9	0.09	<10	57	<10	4	91
151	L30+00N 14+50E	<5	0.2	1.09	<5	135	<5	0.21	<1	12	31	45	2.05	<10	0.57	178	<1	0.01	21	500	22	<5	<20	9	0.06	<10	44	<10	4	47
152	L30+00N 14+75E	5	1.1	1.97	10	145	<5	0.15	<1	12	35	33	2.68	<10	0.47	340	<1	0.01	29	1130	46	<5	<20	8	0.08	<10	54	<10	3	95
153	L30+00N 15+00E	<5	0.4	1.41	5	165	<5	0.42	<1	14	25	23	3.08	<10	0.49	961	2	<0.01	21	1490	40	<5	<20	9	0.05	<10	34	<10	5	113
154	L30+00N 15+25E	5	0.4	1.36	15	115	<5	0.10	<1	13	25	24	3.39	<10	0.48	312	2	<0.01	20	710	62	<5	<20	2	0.03	<10	42	<10	<1	92
155	L30+00N 15+50E	5	0.4	2.76	15	290	5	0.19	<1	15	30	23	3.16	<10	0.43	986	<1	0.01	23	1220	100	<5	<20	10	0.10	<10	50	<10	6	118
156	L30+00N 15+75E	<5	0.6	2.34	<5	220	<5	0.12	<1	14	29	29	2.61	<10	0.48	360	<1	0.01	20	1440	50	<5	<20	7	0.10	<10	47	<10	6	112
157	L30+00N 16+00E	<5	0.5	1.95	5	135	<5	0.08	<1	10	16	22	2.54	<10	0.37	403	<1	<0.01	13	1190	42	<5	<20	4	0.08	<10	28	<10	1	125
158	L30+00N 16+25E	<5	0.5	1.78	<5	245	<5	0.15	1	10	20	20	2.25	<10	0.28	3839	<1	0.01	16	2740	44	<5	<20	5	0.09	<10	37	<10	2	112
159	L30+00N 16+50E	5	0.5	1.39	5	140	<5	0.07	<1	8	8	25	2.15	<10	0.24	823	<1	<0.01	9	590	36	<5	<20	5	0.06	<10	21	<10	3	68
160	L30+00N 16+75E	5	0.8	2.29	10	120	<5	0.13	<1	12	11	16	1.88	<10	0.33	679	<1	0.01	12	1640	50	<5	<20	2	0.11	<10	31	<10	3	123
161	L30+00N 17+00E	<5	1.1	2.05	10	130	<5	0.12	<1	9	8	11	2.22	<10	0.14	1284	<1	<0.01	12	2450	62	<5	<20	7	0.08	<10	25	<10	<1	110
162	L30+00N 17+25E	<5	0.2	1.39	25	165	<5	0.11	1	24	18	103	4.12	<10	0.43	422	9	<0.01	51	510	42	10	<20	6	0.04	<10	48	<10	<1	141
163	L30+00N 17+50E	<5	0.2	1.54	20	185	<5	0.10	<1	19	12	70	3.97	<10	0.45	544	6	<0.01	38	780	40	<5	<20	4	0.06	<10	46	<10	<1	171
164	L30+00N 17+75E	<5	1.0	4.98	20	65	10	0.10	1	11	8	13	3.12	<10	0.06	674	<1	0.01	10	1360	92	<5	<20	<1	0.21	<10	38	<10	5	86
165	L30+00N 18+00E	<5	0.2	1.15	5	60	<5	0.11	<1	12	27	51	3.20	<10	0.46	215	3	0.01	19	540	26	<5	<20	2	0.06	<10	50	<10	<1	63

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
166	L30+00N 18+25E	<5	0.2	1.70	10	125	<5	0.10	<1	17	24	55	3.14	<10	0.49	429	3	0.01	33	580	68	<5	<20	5	0.07	<10	41	<10	<1	116
167	L30+00N 18+50E	5	0.5	3.37	10	465	<5	0.28	<1	16	35	67	3.52	<10	0.74	606	1	0.02	38	950	64	5	<20	14	0.11	<10	60	<10	7	164
168	L30+00N 18+75E	<5	1.3	3.76	10	160	<5	0.23	<1	13	18	16	3.29	<10	0.20	252	<1	0.01	9	1210	72	<5	<20	11	0.15	<10	36	<10	3	77
169	L30+00N 19+00E	<5	0.5	3.07	10	180	<5	0.52	<1	14	20	19	2.59	<10	0.44	415	<1	0.02	14	350	56	5	<20	25	0.13	<10	42	<10	7	68
170	L30+00N 19+25E	<5	0.3	1.24	<5	110	<5	0.31	<1	13	21	27	2.38	<10	0.64	445	<1	0.01	13	340	26	<5	<20	15	0.09	<10	44	<10	4	47
171	L30+00N 19+50E	<5	0.2	1.16	<5	105	5	0.11	<1	10	21	43	3.35	<10	0.42	175	3	0.01	11	360	32	<5	<20	4	0.09	<10	67	<10	<1	58
172	L30+00N 19+75E	<5	<0.2	1.27	<5	150	<5	0.22	<1	15	32	46	2.43	<10	0.79	430	1	0.01	21	340	34	5	<20	13	0.07	<10	47	<10	4	72
173	L30+00N 20+25E	<5	0.5	1.83	<5	175	<5	0.16	<1	19	81	48	3.01	<10	0.74	816	<1	0.01	51	330	46	<5	<20	14	0.10	<10	61	<10	5	105
174	L30+00N 20+50E	<5	<0.2	1.34	<5	105	10	0.12	<1	14	178	29	2.68	<10	1.02	176	<1	0.01	73	1300	32	<5	<20	7	0.09	<10	79	<10	<1	50
175	L30+00N 20+75E	5	<0.2	1.27	<5	100	<5	0.19	<1	13	24	34	2.43	<10	0.64	244	2	0.01	52	280	26	10	<20	4	0.06	10	42	<10	<1	96
176	L30+00N 21+00E	<5	0.2	3.28	10	215	5	0.31	1	28	194	62	3.96	<10	1.95	355	<1	0.02	78	800	54	15	<20	15	0.16	<10	111	<10	3	143
177	L30+00N 21+25E	<5	0.4	0.50	<5	520	25	1.53	1	9	4	12	>10	<10	0.07	>10000	23	0.01	16	500	16	<5	<20	132	0.03	<10	8	<10	223	43
178	L30+00N 21+50E	<5	1.3	1.17	<5	180	<5	0.15	1	12	11	40	2.72	<10	0.29	2684	3	<0.01	32	830	32	<5	<20	14	0.04	<10	18	<10	5	233
179	L31+00N 13+00E	<5	0.5	2.74	5	90	<5	0.18	<1	11	24	22	1.73	<10	0.25	149	<1	0.02	18	520	44	<5	<20	7	0.11	<10	36	<10	12	49
180	L31+00N 13+25E	5	<0.2	1.37	<5	125	<5	0.11	<1	10	30	30	1.29	<10	0.38	286	<1	0.01	22	340	24	<5	<20	7	0.06	<10	29	<10	<1	52
181	L31+00N 13+50E	<5	0.4	2.33	5	175	<5	0.09	<1	13	33	24	2.27	<10	0.47	636	<1	0.01	26	540	46	<5	<20	7	0.08	<10	43	<10	3	88
182	L31+00N 13+75E	<5	0.3	1.56	<5	140	<5	0.12	<1	12	27	31	1.69	<10	0.48	594	<1	0.01	21	570	28	<5	<20	6	0.08	<10	40	<10	2	69
183	L31+00N 14+00E	<5	0.3	1.48	<5	135	5	0.14	<1	12	38	29	2.00	<10	0.61	532	<1	0.01	24	500	38	5	<20	9	0.08	<10	47	<10	2	60
184	L31+00N 14+25E	<5	<0.2	1.42	<5	170	<5	0.17	<1	13	35	24	2.22	<10	0.70	332	<1	0.01	28	170	32	5	<20	19	0.07	<10	38	<10	6	66
185	L31+00N 14+50E	<5	0.2	1.67	5	255	<5	0.22	<1	16	44	37	2.61	<10	0.79	500	<1	0.01	35	270	40	5	<20	21	0.09	<10	48	<10	8	71
186	L31+00N 14+75E	<5	0.3	2.45	10	70	<5	0.12	<1	11	33	13	2.52	<10	0.31	179	<1	0.01	14	1800	48	5	<20	<1	0.13	10	58	<10	<1	91
187	L31+00N 15+00E	<5	0.3	1.32	<5	150	<5	0.17	<1	11	33	27	2.14	<10	0.47	295	<1	0.01	21	460	28	5	<20	7	0.10	<10	58	<10	<1	63
188	L31+00N 15+25E	<5	0.3	2.02	5	160	<5	0.13	<1	12	32	22	2.09	<10	0.48	390	<1	0.01	20	700	42	5	<20	10	0.10	<10	46	<10	2	78
189	L31+00N 15+50E	<5	0.5	1.51	<5	160	<5	0.12	<1	9	24	17	2.11	<10	0.35	141	<1	0.02	14	330	28	5	<20	7	0.10	<10	57	<10	1	45
190	L31+00N 15+75E	<5	0.6	4.95	15	290	<5	0.16	<1	14	32	45	2.88	<10	0.31	119	<1	0.02	22	2270	80	<5	<20	12	0.18	<10	49	<10	15	114
191	L31+00N 16+00E	<5	0.5	3.67	10	140	<5	0.10	<1	12	23	22	2.23	<10	0.26	159	<1	0.02	16	1880	64	5	<20	6	0.14	<10	44	<10	8	87
192	L31+00N 16+25E	<5	0.2	1.50	<5	275	<5	1.43	<1	14	44	46	2.21	<10	0.91	2216	<1	0.10	29	1740	26	15	<20	41	0.07	<10	53	<10	2	83
193	L31+00N 16+50E	N/S																												
194	L31+00N 16+75E	N/S																												
195	L31+00N 17+00E	5	0.5	3.65	10	695	<5	0.49	<1	22	83	97	4.11	20	1.08	4414	<1	0.02	67	840	78	<5	<20	36	0.13	<10	88	<10	32	193
196	L31+00N 17+25E	<5	<0.2	1.20	<5	100	<5	0.19	<1	15	32	53	2.21	<10	0.70	307	<1	0.01	23	330	24	5	<20	3	0.09	<10	54	<10	<1	56
197	L31+00N 17+50E	5	<0.2	1.58	<5	135	5	0.14	<1	18	58	35	2.80	<10	0.96	728	<1	0.01	35	420	38	<5	<20	18	0.09	<10	64	<10	2	66
198	L31+00N 17+75E	N/S																												
199	L31+00N 18+00E	<5	<0.2	0.80	<5	70	5	0.15	<1	7	27	21	1.58	<10	0.42	134	<1	0.01	13	160	20	<5	<20	10	0.07	<10	46	<10	<1	25
200	L31+00N 18+25E	<5	0.5	2.87	5	505	5	0.41	<1	20	57	85	3.10	<10	0.84	508	<1	0.02	53	610	56	<5	<20	28	0.10	<10	65	<10	16	82
201	L31+00N 18+50E	<5	0.3	1.80	<5	260	<5	0.41	<1	17	51	44	2.89	<10	0.82	1115	<1	0.02	43	380	42	<5	<20	44	0.08	<10	58	<10	9	97
202	L31+00N 18+75E	<5	<0.2	1.10	<5	115	<5	0.13	<1	13	36	25	2.43	<10	0.64	443	<1	0.01	20	680	26	<5	<20	9	0.07	<10	57	<10	<1	66
203	L31+00N 19+00E	<5	0.2	1.16	<5	95	5	0.12	<1	14	34	29	2.00	<10	0.56	259	<1	0.01	22	410	30	<5	<20	12	0.06	<10	48	<10	3	58
204	L31+00N 19+25E	<5	0.2	1.19	<5	95	5	0.13	<1	13	36	27	2.46	<10	0.57	328	<1	0.01	20	440	30	<5	<20	10	0.09	<10	64	<10	<1	58
205	L31+00N 19+50E	<5	<0.2	0.86	<5	60	10	0.09	<1	10	34	17	2.63	<10	0.43	139	<1	0.01	16	540	26	<5	<20	6	0.11	<10	83	<10	<1	41
206	L31+00N 19+75E	<5	0.2	1.06	<5	70	5	0.13	<1	12	37	22	2.90	<10	0.48	167	<1	0.01	19	420	28	<5	<20	7	0.12	<10	76	<10	<1	49
207	L31+00N 20+25E	<5	0.3	0.96	<5	65	<5	0.13	<1	9	20	18	1.91	<10	0.39	124	<1	0.01	14	200	24	<5	<20	9	0.06					

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
211	L31+00N 21-25E	5	0.2	1.54	10	165	5	0.11	<1	14	12	35	3.89	<10	0.63	198	2	<0.01	23	1750	34	<5	<20	3	0.06	<10	38	<10	<1	137
212	L31+00N 21+50E	5	<0.2	1.68	10	205	<5	0.24	<1	18	7	54	4.70	<10	0.64	715	3	<0.01	19	1850	36	<5	<20	11	0.07	<10	34	<10	<1	146

QC DATA:

Repeat:


1	L26+00N 13+00E	5	1.0	3.95	15	220	<5	0.51	3	15	38	49	3.23	10	0.53	395	<1	0.02	50	2540	68	5	<20	22	0.13	<10	51	<10	26	193
7	L26+00N 14+50E		1.4	1.70	5	170	<5	0.14	2	15	50	17	2.72	<10	0.71	1356	<1	<0.01	48	1090	42	<5	<20	7	0.09	<10	45	<10	2	292
10	L26+00N 15+25E	<5	0.4	1.31	30	110	<5	0.17	1	17	44	69	3.19	<10	0.79	260	3	0.01	51	640	28	<5	<20	6	0.06	<10	52	<10	1	169
19	L26+00N 17+50E	<5	0.9	5.02	15	325	<5	0.38	4	17	54	42	3.88	10	0.64	2397	<1	0.03	69	3000	90	<5	<20	30	0.17	<10	63	<10	21	292
28	L26+00N 19+75E	<5	0.8	3.86	15	195	5	0.09	1	14	24	21	3.08	<10	0.35	903	<1	0.01	33	4270	76	<5	<20	4	0.13	<10	40	<10	5	287
36	L26+00N 22+00E		0.2	1.56	5	1015	5	0.62	2	13	15	37	3.75	<10	0.73	2909	1	0.01	14	1710	60	<5	<20	16	0.09	<10	43	<10	10	301
38	L27+00N 13+25E	5																												
45	L27+00N 15+00E		1.1	0.79	10	165	<5	1.40	14	1	12	65	0.89	<10	0.04	145	11	<0.01	15	430	22	<5	<20	54	0.02	<10	24	<10	19	77
46	L27+00N 15+25E	5																												
54	L27+00N 17+25E	5	1.9	2.67	10	305	5	0.08	2	16	39	29	3.02	<10	0.56	1185	<1	0.02	33	1100	62	<5	<20	10	0.14	<10	54	<10	16	220
63	L27+00N 19+50E	5	1.3	3.49	25	300	<5	0.12	1	14	21	34	3.30	<10	0.44	401	<1	0.01	36	1730	72	<5	<20	7	0.12	<10	48	<10	13	239
71	L27+00N 21+75E	10	0.7	1.05	<5	320	10	0.30	1	30	19	24	6.63	<10	0.39	907	3	<0.01	32	1640	36	<5	<20	12	0.08	<10	43	<10	<1	230
80	L28+00N 14+75E	<5	0.7	2.56	10	150	10	0.08	<1	11	28	15	2.42	<10	0.35	675	<1	0.01	23	1080	58	<5	<20	9	0.12	<10	41	<10	7	122
89	L28+00N 17+00E	5	0.7	2.52	5	415	10	0.16	1	19	9	30	4.49	<10	1.03	334	<1	0.01	11	2040	64	<5	<20	12	0.21	<10	58	<10	9	189
98	L28+00N 19+25E	5	1.7	3.24	25	385	<5	0.60	6	16	40	87	3.58	10	0.55	2918	4	0.02	56	900	72	<5	<20	37	0.11	<10	49	<10	30	180
106	L28+00N 21+50E	5	0.9	2.61	15	180	5	0.21	<1	22	24	40	4.87	<10	0.87	193	<1	<0.01	37	530	58	<5	<20	9	0.15	<10	89	<10	6	176
115	L29+00N 14+50E	<5	0.5	1.77	<5	150	<5	0.11	<1	11	18	37	3.52	<10	0.42	249	2	<0.01	20	720	38	<5	<20	<1	0.05	<10	34	<10	5	144
124	L29+00N 16+75E		0.5	3.18	10	280	5	0.12	1	13	36	23	2.89	<10	0.52	2070	<1	0.02	31	1690	66	<5	<20	<1	0.13	<10	46	<10	5	170
126	L29+00N 17+25E	<5																												
133	L29+00N 19+00E		0.7	3.30	15	130	<5	0.30	<1	11	15	25	2.73	10	0.25	237	<1	0.01	17	2550	70	<5	<20	11	0.13	<10	33	<10	19	97
134	L29+00N 19+25E	<5																												
141	L29+00N 21+25E	260	0.8	1.72	10	195	<5	0.10	2	15	43	30	2.49	<10	0.50	894	<1	0.01	46	1390	46	<5	<20	5	0.09	<10	42	<10	2	219
150	L30+00N 14+25E	<5	<0.2	1.55	<5	135	<5	0.25	<1	20	53	36	2.58	<10	0.98	471	<1	0.01	38	240	32	10	<20	12	0.09	<10	59	<10	4	82
154	L30+00N 15+25E		0.2	1.42	15	125	<5	0.11	<1	13	26	25	3.45	<10	0.50	341	3	<0.01	22	750	64	<5	<20	1	0.03	<10	43	<10	<1	93
155	L30+00N 15+50E		0.2	2.75	15	300	15	0.20	<1	16	31	23	3.15	<10	0.42	1004	<1	0.01	22	1250	108	<5	<20	13	0.10	<10	49	<10	8	121
159	L30+00N 16+50E	<5	0.5	1.41	5	145	<5	0.07	<1	8	7	26	2.09	<10	0.24	866	1	<0.01	10	590	34	<5	<20	4	0.06	<10	21	<10	3	66
168	L30+00N 18+75E		1.3	3.73	10	165	10	0.23	<1	13	17	15	3.24	<10	0.19	244	<1	0.01	9	1140	70	<5	<20	12	0.15	<10	35	<10	2	75
169	L30+00N 19+00E	<5																												
176	L30+00N 21+00E	5	0.2	3.05	10	205	<5	0.31	1	29	197	57	3.94	<10	1.85	353	<1	0.01	80	830	68	15	<20	15	0.15	<10	108	<10	2	152
178	L30+00N 21+50E	10																												
185	L31+00N 14+50E	<5	<0.2	1.76	5	260	<5	0.22	<1	15	44	39	2.63	<10	0.82	474	<1	0.01	36	260	38	10	<20	21	0.09	<10	49	<10	8	69
196	L31+00N 17+25E	<5																												
203	L31+00N 19+00E	<5	0.2	1.19	<5	95	<5	0.12	<1	14	32	30	1.99	<10	0.56	249	<1	0.01	22	390	28	<5	<20	12	0.06	<10	46	<10	<1	55
211	L31+00N 21+25E	<5	0.2	1.55	5	170	<5	0.11	<1	14	12	34	3.82	<10	0.64	219	3	<0.01	24	1720	32	<5	<20	3	0.06	<10	39	<10	<1	138

Standard:

Till 3			1.5	0.99	85	45	<5	0.57	<1	12	60	20	1.92	<10	0.57	306	<1	0.02	30	440	32	5	<20	10	0.06	<10	39	<10	9	38
Till 3			1.4	0.96	85	50	<5	0.58	<1	13	63	22	1.99	10	0.55	301	<1	0.02	32	430	32	<5	<20	12	0.05	<10	35	<10	11	38
Till 3			1.4	0.97	80	40	<5	0.54	<1	11	58	20	1.85	<10	0.56	383	1	0.02	30	420	28	5	<20	10	0.07	<10	38	<10	8	36
Till 3			1.5	1.05	85	45	<5	0.53	<1	11	59	19	1.87	<10	0.56	294	<1	0.02	30	440	28	5	<20	11	0.07	<10	38	<10	8	38
Till 3			1.5	0.92	75	45	5	0.55	<1	12	59	21	1.77	10	0.52	294	<1	0.02	29	450	30	5	<20	12	0.05	<10	34	<10	9	34
Till 3			1.4	0.95	80	50	5	0.57	<1	12	60	22	1.84	10	0.55	295	<1	0.02	31	430	30	5	<20	14	0.06	<10	35	<10	8	36
Till 3			1.4	0.97	80	45	<5	0.57	<1	12	60	22	1.85	10	0.55	298	<1	0.02	32	430	30	10	<20	12	0.05	<10	36	<10	8	35
Till 3			1.4	1.03	85	45	<5	0.58																						

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
OXE42		615																													
OXE42		630																													
OXE42		610																													
OXE42		605																													
OXE42		610																													
OXE42		610																													
OXE42		620																													
OXE42		625																													

JJ/sa/bp
d:/18951895b
XLS/06


ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2006-1896

Island Arc Exploration Corp.
 678 - 235 First Avenue
Kamloops, BC
 V2C 3J4

Phone: 250-573-5700
 Fax : 250-573-4557

No. of samples received: 2
Sample Type: Rock
Project: Silver Hill
Submitted by: B. Doyle

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	128226	5	29.1	0.03	<5	20	65	0.07	2	7	157	9	3.28	<10	<0.01	28	214	0.02	21	320	7884	<5	<20	96	<0.01	<10	4	<10	<1	30
2	128227	5	1.4	0.98	<5	35	<5	0.13	3	19	89	51	3.48	<10	1.02	161	47	0.04	55	610	56	<5	<20	8	0.02	<10	51	<10	2	136


QC DATA:

Resplit:

1	128226	10	28.3	0.04	<5	15	60	0.08	2	7	186	10	3.29	<10	<0.01	33	218	0.03	21	300	7810	<5	<20	74	<0.01	<10	4	<10	<1	35
---	--------	----	------	------	----	----	----	------	---	---	-----	----	------	-----	-------	----	-----	------	----	-----	------	----	-----	----	-------	-----	---	-----	----	----

Standard:

Pb106			>30	0.52	275	80	<5	1.62	33	3	43	6219	1.68	<10	0.06	557	30	0.01	7	270	5230	55	<20	136	<0.01	<10	13	10	1	8498
OxE42		595																												


ECO TECH LABORATORY LTD.
 Jutta Jea'ouse
 B.C. Certified Assayer

JJ/sa/kc
 df/1913
 XLS/06