

International Arimex Resources Inc.

**2006 GEOCHEMICAL REPORT ON THE
KLAW PROPERTY**

Located 100km North of Fort St. James
Omineca Mining Division
NTS 93N
BCGS 93N026, 027, 036 and 037
55° 17'39" North Latitude
124° 46'54" East Longitude

-prepared for-

INTERNATIONAL ARIMEX RESOURCES INC.
Suite 900 – 555 Burrard St.
Vancouver, British Columbia, Canada
V7X 1M8

-prepared by-

Rory Kutluoglu, B.Sc.
EQUITY ENGINEERING LTD.
Suite 700, 700 West Pender Street
Vancouver, British Columbia, Canada
V6C 1G8

February 11th, 2007

SUMMARY

The Klaw property consists of four contiguous map-selection claims covering approximately 16 km² of gently rolling terrain in central British Columbia, 110 km NNW of Fort St James. Access to the property is by helicopter from a staging point on the Chuchi Lake forestry road. The property is owned by James William Laird, who has granted International Arimex an option to earn a 100% interest.

In 2006 Arimex international Resources contracted Equity Engineering Ltd. to perform infill soil sampling on the existing geophysical and soil grid established in the early 1990s. The objective of this program was to better define the existing anomalies to better understand the extent and intensity of anomalies

The Klaw property was originally worked in the 1920's when two adits and several trenches were developed. Following these original workings, there was negligible work performed until 1984. Hawk Mountain Resources performed reconnaissance sampling, which yielded rock samples returning up to 15.36 g/t Au, 935.04 g/t Ag and 6.7% Cu. Early work on the property focused on the potential of high-grade Cu-Pb-Ag-Au -bearing veins. Later, work has evaluated potential for porphyry-style mineralization.

The Klaw property is underlain by Upper Triassic Takla Group volcanic and sedimentary rocks. These have then been intruded by syenitic and monzonitic phases of the early Jurassic Hogem Complex. Previous work on the property has established that the ridge tops are typically underlain by andesite with minor to no alteration or mineralization. There is reported subcrop from previous work establishing the presences of iron carbonate altered felsic volcanic rocks at lower elevations.

At least six diamond drill holes totalling 763 m were cored from multiple sites in 1994. Logs and assays for these holes have not been filed for assessment and to date, have not been located.

The main area of interest lies within the central portion of the eastern claim blocks within coincident Au, Cu, As, weak Pb anomaly and elevated magnetic response. This area warrants further work including trenching and diamond drilling. Re-logging and re-sampling of the 1994 drill should be conducted as the first step in future exploration programs.

TABLE OF CONTENTS

SUMMARY.....	I
LIST OF FIGURES	II
APPENDICES.....	II
1.0 INTRODUCTION	3
2.0 RELIANCE ON OTHER EXPERTS.....	3
3.0 PROPERTY DESCRIPTION AND LOCATION	3
4.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY.....	3
5.0 HISTORY.....	6
5.1 2006 Exploration Program.....	7
6.0 GEOLOGICAL SETTING	8
6.1 Regional Geology	8
6.2 Property Geology.....	10
7.0 MINERALIZATION	10
8.0 GEOCHEMISTRY	10
8.1 Silt Geochemistry.....	10
8.2 Rock Geochemistry.....	10
8.3 Soil Geochemistry.....	10
9.0 INTERPRETATION AND CONCLUSIONS	12

LIST OF TABLES

Table 1: Claim Data	3
Table 2: Klaw Exploration Programs.....	7
Table 3: Historical Drill Sites	8
Table 4: Soil Geochemistry Percentile Levels	10
Table 5: Soil Geochemistry Correlation Matrix	11
Table 6: Klaw Grid Soil Anomalies.....	11

LIST OF FIGURES

Figure 1: Location Map	4
Figure 2: Claim Map.....	5
Figure 3: Regional Geology	9
Figure 4: Sample Locations	Pocket
Figure 5: Gold Geochemistry	Pocket
Figure 6: Copper Geochemistry.....	Pocket

APPENDICES

Appendix A: References
Appendix B: Statement of Expenditures
Appendix C: Rock Sample Descriptions
Appendix D: Certificates of Analysis (Rock, Silt and Soil Samples)
Appendix E: Quality Control / Quality Assurance
Appendix F: Compact Disc
Appendix G: Geologist's Certificate
Appendix H: Soil Geochemical Maps

1.0 INTRODUCTION

The author directed a geochemical and prospecting program on the Klaw property in August 2006 for Equity Engineering Ltd., under contract to Arimex International Resources Inc. ("Arimex"). Data from this program has been compiled, summarized and interpreted in this report. Additional information for this report was derived from publicly-available assessment reports and government maps and publications. The author's experience with the property consists of the soil sampling and prospecting done during the August 2006 program.

2.0 RELIANCE ON OTHER EXPERTS

The author did not rely on other experts regarding legal, environmental, political or any other such issues.

3.0 PROPERTY DESCRIPTION AND LOCATION

The Klaw property lies in the Intermontane Plateau region of central British Columbia approximately 100 km north of Fort St. James (Figure 1). It lies within the Omineca Mining Division, centred at 55° 17' north latitude and 124° 45' west longitude. It comprises four connected Mineral Titles Online (MTO) map-selection claims, covering 16 km², as summarized in Table 1. The claims are held in the name of James William Laird.

Table 1: Claim Data

Claim Name	Mineral Tenure	Area (Ha)	Expiry Date
Klaw 1	514116	460.421	2007/jun/08
Klaw 2	514184	368.51	2007/jun/08
Klaw 3	514118	460.42	2007/jun/08
Klaw 4	514185	368.51	2007/jun/08
	Total	1597.861	


Surface rights over the Klaw property are owned by the Province of British Columbia. No significant surface disturbance or any major environmental liabilities have been reported or noted by the author. Exploration permits may be required and obtained from the British Columbia Ministry of Energy, Mines and Petroleum Resources to carry out future exploration programs.

4.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY


Access to the property is by helicopter from Fort St James. Logging roads provide access to within 10 km of the property and this point was used as a staging point for bringing in equipment during the 2006 program.

The Klaw property lies on the western base of Adade Yus Mountain. The region is characterized by rolling hills, elevated bogs and creek valleys, with elevations ranging between 950 m on the Klawli River to over 1450 m on the eastern extent of the property.

All of the Klaw property lies below the treeline, which is at roughly 1500 m. Vegetation consists of pine, balsam and spruce with alders and other small brush undergrowth. Both summer and winter temperatures are moderate although annual rainfall may exceed 200 cm and several metres of snow commonly fall at higher elevations. The property can be worked from early June until November.



International Arimex Resources			
<i>Klaw Property</i>			
LOCATION MAP			
	Date: February 2007	Scale: 1:8,000,000	Figure
	U.T.M. Zone: UTM 10 - NAD83	Mining District: Omineca	1
	N.T.S. 93N/26,27,36,37	State/Province: BC	



International Arimex Resources

**Klaw Project
Claim
Map**



Date: February 2007
U.T.M. Zone: UTM 10 - NAD83
N.T.S.: 93N/7W

Scale: 1:40,000
Mining District: Omineca
State/Province: BC

Figure
2

5.0 HISTORY

The property's economic potential was originally noted in the 1920's but information about this early work is cryptic. According to historical assessment reports it appears that the property was optioned at this time by Consolidated Mining and Smelting Company of Canada (Cominco) minor trenching was completed and two adits were dug. This work resulted in the exposure of several Cu-Pb-Ag-Au enriched veins at showings known as Klawli copper or Kohse Copper. Additional trenching and sampling was performed by Quebec Gold Corp. who optioned the claims in 1944 from Ed Kohse. Tro-Buttle performed a geochemical survey in 1967. This survey was in turn followed up by Phelps-Dodge in 1971. There was a hiatus of work until the ground was staked in 1983 by Eric Shaede, who performed minor prospecting. In 1984 Hawk Mountain resources performed a limited geochemical survey in conjunction with VLF-EM and Magnetometer surveys. In 1987 there was additional prospecting and re-sampling with petrographic analysis coordinated by Eric Shaede.

Noranda Exploration held an option on the property from Eric Shaede between 1990 and 1992. They conducted a soil survey and reconnaissance style IP/Resistivity survey focussing on the soil anomalies. This work revealed a coincident and flanking chargeability anomaly, east and upslope from the Klawli showing. This was followed up in 1992 with detailed mapping, prospecting and "test-pitting" in the strongest part of the Cu-Au soil geochemical anomaly defined on the KL claim in 1993 (Moore & Yarrows 1993). Following this field season the property was dropped by Noranda Exploration.

The following year, Hudson Bay Exploration and Development Corp. conducted a small four-man soil and rock sampling program which included a reconnaissance VLF-EM 16 survey. A total of 205 soil samples and four rock samples were collected and analyzed. The VLF-EM 16 survey covered 2.36 line kilometres.

No documentation on work performed between 1995 and 2002 was available at the time of writing this report. Based on ground observation it appears that during the 1994 season there are at least 6 holes drilled and respective core for 5 of these holes successfully located. Three of the drill holes are located in the centre of a large anomalous Au-Cu soil anomaly and a coincident VLF-EM on the north eastern portion of the four claims. An additional 3 holes were noted while on the property, one of which was actually the site of the camp for this program. In the majority of the sites there is a well preserved core stack. Hudson Bay Exploration elected to only submit holes KL94-01 and KL94-06 for assessment. Best results submitted for KL94-01 included 340ppm Cu from 55.8 to 58.8m, 265ppm Cu and 27ppb Au from 70.1 to 76.1m, 196ppm Cu and 150ppb Au from 87.5 to 89.5m, and 179ppm Cu and 233ppb Au from 148.0 to 161.5m. Highlights from KL94-06 were values of 390ppm Cu from 5 to 11m and 194ppm Cu from 16 to 25m, including 259ppm Cu and 115ppb from 22 to 25m. Only minor chalcopyrite mineralization was noted in either hole. Core is typically stacked at each drill site. Casings have been removed so the azimuth and dip of drill holes are unknown where collar locations could not be established.

Jody Dahrouge staked the claims in 2002, renaming the claims to "Claw 1-4" and optioned them to International Arimex Resources Inc. Dahrouge Consulting collected nine rock samples in July of the same year. In February 2003, plans were made for pushing a trail over the last remaining kilometres to the property to allow for a program of mechanical trenching and drilling to be performed on the property. Following these efforts, the property lay dormant until 2006.

Table 2 summarizes all known exploration work carried out on the ground currently comprising the Klaw property.

Table 2: Klaw Exploration Programs

Program/ Claim	Geochemistry	Geophysics	Drilling/ Trenching	Reference
Consolidated Mining and Smelting Company of Canada (1920)				
<i>Klaw</i>	silts, soils		2 adit, minor trenching	Moore & Yarrow (1993)
Quebec Gold Corp. (1944)				
<i>Klaw</i>	Unknown soils		Minor trenching	Shaede (1987)
Tro-Buttle Exploration (1967)				
<i>Klaw</i>	"Geochemical Survey"			Shaede (1987)
Phelps-Dodge (1971)				
<i>Klaw</i>	"Geochemical Survey"			Shaede (1984)
Eric A. Shaede (1983)				
<i>Gold 1-4</i>	13 rock samples			Shaede (1984)
Hawk Mountain Resources (1984)				
<i>Gold 1-4, Rachel 1-2 & Nov</i>	72 soils, 21 silts,	14.5 line Km		Watts (1985)
Eric Shaede (1987)				
<i>Gold 1-4</i>	15 rocks			Shaede (1987)
Eric Shaede (1989)				
<i>Gold 1-4</i>	6 soils			Shaede (1989)
Noranda (1990 - 1992)				
<i>KL, KL-1, KL-3, Ernie & Bert</i>	Unknown soils	Unknown line Km	Unknown amount of trenching	Moore & Yarrow (1993)
Hudson Bay Exploration & Development Co. Ltd. (1993)				
<i>KL, KL-1, KL-3, Ernie & Bert</i>	205 soils, 4 Rocks	2.35 line Km		Moore & Yarrow (1993)
Unknown Operator (1994)				
<i>KL, KL-1, KL-3, Ernie & Bert</i>			763 m of drilling preformed	
International Arimex Resources Inc. (2002 – 2003)				
<i>Claw 1-4</i>	9 rocks			Gonek & Dahrouge (2003)
International Arimex Resources Inc. (2006)				
<i>Klaw 1-4</i>	8 rocks, 490 soils, 4 silts			
Totals <i>Klaw 1-4</i>	>25 silts, >700 soils, >49 rocks	16.85 line Km, Mag and VLF-EM	minor trenches, 2 adits, 763m of drilling	

5.1 2006 Exploration Program

Exploration on the Klaw property in 2006 comprised of soil sampling and minor prospecting carried out by Equity Engineering Ltd. under contract to Arimex. The author directed the work, using a four-person crew based out of a fly camp on the Klaw1 claim. Helicopter support was provided by Interior Helicopters of Fort St. James, BC, out of their main base at the Fort St. James airstrip. A magnetic declination of 21°90'E was used for all compass measurements. All maps and UTM coordinates are referenced to the 1983 North American Datum (NAD-83).

In-fill of the 1990s vintage soil grid was brought spacing from 250 m to 125 m over the central portion of the existing grid. Lines were run with hip-chain, clinometer and compass from a 2.8 km east-west baseline. Wherever possible, soil samples were collected with mattocks from the red-brown “B” horizon at depths of 10-40 centimetres. A total of 490 soil samples (excluding QA/QC) were taken at 50-metre intervals from the cross-lines. A field duplicate soil sample was collected about every 20th sample and sample blanks were inserted every 40th sample (Appendix F).

Rock samples were collected with a rock hammer from altered and sulphide-bearing boulders and outcrops, with the main focus on the creek banks. Silt samples were collected by hand from fine sediment in the active part of stream channels. Sites of rock and silt samples were marked with pink and blue flagging tape and an aluminium tag. Rock sample descriptions are attached in Appendix C. Soil sampling sites were marked with orange and blue flagging tape and a weather and fade-proof Tyvex tag.

Additional time was spent performing simple drill site reconnaissance (Table 3), which resulted in the ground truthing of six probable sites, at varying stages of degradation. Most of the holes are clustered in a 1.2 by 2.0 km area in the central northeast portion of the grid near L49250E. Drill hole DDH94-06, occurs as a lone hole associated with a moderate Cu-Au geochemical response near L49750E.

Table 3: Historical Drill Sites

Hole ID	Location (UTM NAD83)	Comments/Status:
KL94-01	386686E 6128802N	Vertical(?) hole, 575m depth, core intact, partially sampled
KL94-02	387788E 6129426N	355/-60°, 500m depth, core intact, fully sampled
KL94-03	387832E 6129028N	No collar found, 151.5m depth, partially sampled
KL94-04	387777E 6128489N	110/-60°(?) (-50?), 139m depth, fully sampled
KL94-05(?)	387760E 6128460N	Clearing with bucked logs, no core, no collar, no pad – strictly a guess
DDH94-06	387309E 6127126N	No collar found, 151m depth, partially sampled

Soil, silt and rock samples were analyzed by ALS Chemex Labs of North Vancouver for Au (fire assay) and 34-elements by aqua regia acid digestions and ICPAES. Laboratory certificates are attached in Appendices F.1 and F.2. Pulp assays were carried out for high geochemical values of Au, Ag, Pb, or Zn; the assays were used for plotting and calculations. The procedures, results and conclusions of the sampling QA/QC program are summarized in Appendix F.


6.0 GEOLOGICAL SETTING

6.1 Regional Geology

The Klaw property lies within the Quesnel Trough, which is a subdivision of the Intermontane tectonic belt. The Upper Triassic Takla group volcanic and sedimentary rocks of island arc affinity and related intrusions are the dominant lithologies of the area. The claim blocks are located near the southern extent of late cretaceous batholiths and stocks.

Takla group rocks typically include argillites, augite porphyries, feldspar porphyries and andesitic tuffs, flows or breccias. The Takla rocks have been intruded by late Triassic to late Cretaceous batholiths and stocks.

The Quesnel Trough is a 600 kilometre long geological belt extending from southeast of Mt. Polley Mine to northwest of the Kemess Mine. The trough is structurally dominated by block faulting and tilting. The Quesnel trough is in fault contact with older rocks to both the east and the west.



The Klaw Property

- Chuchi Lake Succession
- Takla Group - Witch Lake Formation
- Hogem Plutonic Suite
- Unnamed
- Hogem Plutonic Suite - Chuchi Syenite
- Valleau Creek Plutonic Suite
- Klawlii Pluton
- Aplite Creek Plutonic Suite
- Takla Group - Inzana Lake Formation
- Germansen Batholith

10 km



International Arimex Resources			
Klaw Project			
Regional Geology			
	Date: February 2007	Scale: 1:200,000	<i>Figure</i> 3
	U.T.M. Zone: UTM 10 - NAD83	Mining District: Omineca	
	N.T.S.: 93N/26,27,36,37	State/Province: BC	

6.2 Property Geology

No geological mapping was done in 2006 and the Klaw property geology is summarized in Figure 3. Due to extensive cover, there is little outcrop exposure on the property and only ridge lines out of the area of interest exhibit outcrops. The Klaw Property is underlain by green andesitic volcanic rocks, massive feldspar porphyritic andesites and grey vesicular andesites.

7.0 MINERALIZATION

Mineralization on the Klaw property is limited, but this may be a function of the limited exposure. The only noteworthy mineralization comprises the Cu-Pb-Ag-Au veins exposed at the Klawli showing. None of the rock samples taken in 2006 contained significant mineralization (Figures 4-6).

8.0 GEOCHEMISTRY

8.1 Silt Geochemistry

Since 1984, twenty five silt samples have been collected from across the Klaw property. Four silts were taken during the 2006 program. Owing to cryptic records, locations and assays for the previous 21 silt samples are unavailable. There was an anomalous Au response of 113 ppm at the base of the west to east flowing drainage; the silt samples taken upstream of this sample did not have anomalous values (Figures 4-6).

8.2 Rock Geochemistry

According to previous assessment reports, there have been about 49 rock samples taken on the Klaw property. None of the eight rock grab samples taken during the 2006 program yielded significant Au or Cu values (Figures 4-6).

8.3 Soil Geochemistry

A total of 490 soil samples were collected during the 2006 exploration program (Figures 4-6). The percentile levels and correlation matrix in Tables 4 and 5 were calculated using 2007 sample data.

Table 4: Soil Geochemistry Percentile Levels

Percentile	Au (ppb)	Ag (ppm)	As (ppm)	Cu (ppm)	Mo (ppm)	Pb (ppm)	Sb (ppm)	Zn (ppm)
Population	490	490	490	490	490	490	490	490
Max Value	273	5.8	564	385	22	796	29	1450
98th	77	1.3	15.4	299	6	17.2	2	108
95th	44	1.1	11	204	3	12	2	80
90th	32	2.4	10	161	2	9	<2	67
80th	23	0.4	8	114	1	8	<2	56
50th	10	0.2	5	56	1	6	<2	42

Table 5: Soil Geochemistry Correlation Matrix

	Au	Ag	As	Cu	Mo	Pb	Sb	Zn
Au	---							
Ag	0.02	---						
As	0.02	0.63	---					
Cu	0.08	0.55	0.63	---				
Mo	0.08	0.31	0.39	0.37	---			
Pb	0.00	0.43	0.25	0.18	0.25	---		
Sb	-0.0	0.39	0.61	0.42	0.16	0.07	---	
Zn	0.01	0.57	0.56	0.51	0.32	0.49	0.37	---

There is quite strong correlation between Ag-As-Cu-Pb-Sb-Zn and a lesser correlation with Mo. There is no correlation between Au and any other element (34 element suite comparison). There are seven areas anomalous in gold. These ranging from a pair of adjacent anomalous values to regions up to 750 by 400 m. The areas of interest are listed in the table below located in the centre of the anomaly listed by easting and northing, in order of size of response. Anomaly 1 and 2 are associated with a broad overlapping anomalous Cu and Au historical response, as well as elevated magnetic response from the historical survey. This area is possibly the target of KL94-02.

Table 6: Klaw Grid Soil Anomalies

Anomaly	Klaw Grid Location		Peak Values						
	Easting	Northing	Au (ppb)	Ag (ppm)	As (ppm)	Cu (ppm)	Mo (ppm)	Pb (ppm)	Zn (ppm)
1	387800E	6129200N	58	1.4	11	299	11	46	64
2	387750E	6129750N	49	1.3	11	269	11	46	58
3	387600E	6127650N	273	0.4	20	129	12	13	45
4	387600E	6126500N	99	0.4	59	134	2	11	76
5	387700E	6127000N	80	1.6	14	146	1	8	68
6	387800E	6130220N	87	0.4	25	113	3	9	58
7	386750E	6128000N	73	1.2	13	365	4	24	165

Anomaly 1: This anomaly covers 750 by 400 m, defined by eight 90th percentile Au samples surrounded by 50th percentile Au. This anomaly slightly overlaps with a zone of anomalous Cu, defined by 50th percentile.

Anomaly 2: This anomaly is located north of Anomaly 1. It is 300 by 200 m defined by >90th percentile Au and sits within a large area of anomalous Au from the historical grid. This anomaly also slightly overlaps with a zone of anomalous Cu, defined by the 50th percentile.

Anomaly 3: This anomaly is 300 by 150 m and defined by >90th percentile Mo in soil. It is open to the north. The anomaly sits within a large area of >50th percentile Mo (42 ppm), which covers most of the northern part of the grid. This anomaly also slightly overlaps with a zone of anomalous and elevated Cu, both from the historical grid and the 2006 program.

Anomaly 4: This anomaly is 400 by 200 m and is defined by >90th percentile Au over three lines. The anomaly is associated with elevated arsenic and copper. This anomaly lies to the north of a historical broad Cu anomaly with a small Au anomaly contained within it. Both of these anomalies lay up-slope and off the property relative to anomaly 4, potentially being the source of this response.

Anomaly 5: This anomaly is roughly 400m by 200m covering 3 lines in an area of with no coincident Cu values.

Anomaly 6: This anomaly consists of three samples over three infill lines covering an area of 375m by 50m. This Au response is associated with a slightly elevated As signature and lies beyond the

extents of the historical grid data. This anomaly appears to be immediately north of historical anomalous Au and elevated magnetic response.

Anomaly 7: This is a smaller anomaly with a two sample response on the northern portion of a moderate but small multi-element (As, Zn, Pb, and Ag) response and historical Au and Cu values. This may be a surface expression of additional veins, or another portion of the originally worked veins at the Klawli showing.

Several isolated anomalous soil sample results were returned over the grid.

9.0 INTERPRETATION AND CONCLUSIONS

Based on the 2006 soil geochemistry and historical work, the areas of greatest interest were drilled in 1994. Further work should include re-logging and re-sampling the holes that were accurately located in 2006. It would be a simple matter of re-logging and quartering the core in the field, with possible consideration for taking time to locate additional collars, possibly in the spring before the grasses hide the collar location as was the case in the late summer 2006. Specifically, hole KL94-02 should be located which appears to have been drilled within the main anomaly on the northeastern portion of the property.

Additional drilling may be warranted based on results of the re-logging program. Any gold / copper anomalous results could be followed up with additional holes. It may be worthwhile to drill two holes into each of the first three anomalous zones mentioned above. Completion of a trail into the property, as previously suggested, could be physically viable from what I have seen of the property. There would be at least one significant stream crossing. One additional consideration is that the most northern target is in the middle of a swamp and may require winter drilling.

Respectfully submitted,



EQUITY ENGINEERING LTD.

Rory Kutluoglu, B.Sc.

Vancouver, British Columbia

February 11, 2007

Appendix A: References

REFERENCES

- Gal, Leonard (1994): Diamond Drilling Report on the KL Porperty. British Columbia Ministry of Energy and Mines Assessment Report #23640.
- Moore & Yarrow (1993): Geophysical and Geochemical Report on the KL Porperty. British Columbia Ministry of Energy and Mines Assessment Report.
- Shaede, Eric A. (1984): Prospecting Report on The Gold 1-4 Mineral Claims: British Columbia Ministry of Energy and Mines Assessment Report #84-1011-12908.
- Shaede, Eric A. (1987): Geochemical and Petrographic Report on Gold Supplemental Claim Group Gold 1-4 2-post claims Record # 5975-5978 incl. Nov Metric Grid Claim record #6817. British Columbia Ministry of Energy and Mines Assessment Report log #0119.
- Shaede, Eric A. (1989): Geochemical Report on Gold Claim Group Gold 1-4 2-post claims records #5975-5978 incl. British Columbia Ministry of Energy and Mines Assessment Report log #1207.
- Watt, Dylan (1985): Geophysical and Geochemical Report on the Gold Supplemental Claim Group. British Columbia Ministry of Energy and Mines Assessment Report #85-862-14579.

Appendix B: Statement of Expenditures

Klaw PROPERTY

August 15th to 21st, 2006

PROFESSIONAL FEES AND WAGES:

Rory Kutluoglu, Project Geologist			
23.5 days @ \$575/day	13512.50		
Henry Awmack, Project Geologist			
0.13 days @ \$575/day	75.00		
Simon Surrat, Senior Sampler			
7 days @ \$300/day	2100.00		
Joe McCreery, Senior Sampler			
7 days @ \$300/day	2100.00		
Dan McCreery, Sampler			
7 days @ \$250/day	1750.00		
Scott Parker, Drafting/Logistics			
17.30 hours @ \$60/hour	1038.00		
Neil Visser, Drafting/Logistics			
3.00 hours @ \$60/hour	180.00		
Clerical			
6.50 hours @ \$25/hour	162.50		
			20918.00

EQUIPMENT RENTALS:

Field Camp			
20 mandays @ \$30/manday	600.00		
Satellite Phones			
1 weeks @ \$62.50/week	62.50		
19 minutes @ \$1.69/min	32.11		
Field Computers			
7 days @ \$40/day	280.00		
Generator – 1kVA			
5 days @ \$15/day	75.00		
Chainsaw			
5 days @ \$15/day	75.00		
Truck Rental Insurance			
7 days @ \$10/day	70.00		
First Aid Equipment			
5 days @ \$30/week	150.00		
			1344.61

EXPENSES:

Chemical Analyses	9419.80
Materials and Supplies	933.64
Plot Charges	1.12
Printing and Reproductions	7.80
Camp Food	639.72
Meals	198.73
Accommodation	132.28
Taxis and Airporters	61.32
Truck Rental (non-Equity)	711.12
Automotive Fuel	81.79
Helicopter Charters	4680.50
Airfare	986.28

Tolls and Airport Taxes	14.02	
Telephone Distance Charges	7.34	
Courier	35.19	
Freight	1282.87	
Radio Rental (non-Equity)	284.94	
Expediting	157.50	
Report (estimated)	<u>6000.00</u>	<u>25635.96</u>

SUB-TOTAL: 47898.57

PROJECT SUPERVISION CHARGES:

12% on first \$100,000: (\$47898.57) 5747.83

SUB-TOTAL: 53646.40

GST: 6% on sub-total 3218.78

TOTAL: \$56865.18

Appendix C: Rock Sample Descriptions

MINERALS AND ALTERATION TYPES

AL	alunite	EN	enargite	MT	marcasite
AS	arsenopyrite	EP	epidote	NE	neotocite
AZ	azurite	GE	goethite	PA	pyrargyrite
BA	barite	GL	galena	PL	pyrolusite
BI	biotite	GR	graphite	PO	pyrrhotite
BO	bornite	HE	hematite	PY	pyrite
BT	pyrobitumen	HS	specularite	QZ	quartz veining
CA	calcite	HZ	hydrozincite	RE	realgar
CB	Fe-carbonate	JA	jarosite	RN	rhodonite
CC	chalcocite	KF	potassium feldspar	SB	stibnite
CD	chalcedony	MC	malachite	SI	silicification
CL	chlorite	MG	magnetite	SM	smithsonite
CP	chalcopyrite	MN	Mn-oxides	SP	sphalerite
CV	covellite	MR	mariposite/fuchsite	SR	scorodite
CY	clay	MS	sericite	TT	tetrahedrite

ALTERATION INTENSITY

m	moderate	m	moderate	w	weak
s	strong	s	strong		

Rock Sample Descriptions

KLAW

<u>Operator:</u>	International Arimex Resources Inc.				<u>Project:</u>	IEA06-01	2006	<u>NTS:</u>				
248973 Klaw	Grid North:		Grid East:		Type:	Grab	Alteration:	wkCA, umCL	<u>Au (ppb)</u>	<u>Ag (ppm)</u>	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>
	UTM : 6128902	N	UTM : 386672	E	Strike Length Exp:	2 m	Metallics:	1%PY	<5	<0.2	12	4
	Elevation: 1037	m	Sample Width: 10	cm	True Width:		Secondaries:	wHE, wMN	<u>Zn (ppm)</u>	<u>As (ppm)</u>	<u>Sb (ppm)</u>	
			mas°/si° VE		Host :	Andesite			37	14	3	
Sampled By: RAK 17-Aug-06	Disseminated pyrite preferentially dispersed within felsic grains, fairly pitted/weathered.											
248974 Klaw	Grid North:		Grid East:		Type:	Grab	Alteration:	wCA, wCL, wwQZ	<u>Au (ppb)</u>	<u>Ag (ppm)</u>	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>
	UTM : 6129001	N	UTM : 386603	E	Strike Length Exp:	10 m	Metallics:	1%PY	<5	<0.2	10	7
	Elevation: 1033	m	Sample Width: 5	cm	True Width:		Secondaries:	wmHE, wmMN	<u>Zn (ppm)</u>	<u>As (ppm)</u>	<u>Sb (ppm)</u>	
					Host :	Andesite porphyry			68	2	<2	
Sampled By: RAK 17-Aug-06	Quartz stringers in fine grained predominantly green to beige with slightly blue black mafic, roughly equigranular.											
248975 Klaw	Grid North:		Grid East:		Type:	Float	Alteration:		<u>Au (ppb)</u>	<u>Ag (ppm)</u>	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>
	UTM : 6126502	N	UTM : 387950	E	Strike Length Exp:		Metallics:		<5	<0.2	30	5
	Elevation: 1170	m	Sample Width:		True Width:		Secondaries:	wHE, wMN	<u>Zn (ppm)</u>	<u>As (ppm)</u>	<u>Sb (ppm)</u>	
					Host :	Andesite tuff			67	2	<2	
Sampled By: RAK 18-Aug-06	Fine grained matrix with angular felsic clasts. Poor GPS. 100 meters from 248017 Silt.											
248976 Klaw	Grid North:		Grid East:		Type:	Grab	Alteration:		<u>Au (ppb)</u>	<u>Ag (ppm)</u>	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>
	UTM : 6126486	N	UTM : 387861	E	Strike Length Exp:		Metallics:		<5	<0.2	106	29
	Elevation: 1170	m	Sample Width:		True Width:		Secondaries:		<u>Zn (ppm)</u>	<u>As (ppm)</u>	<u>Sb (ppm)</u>	
					Host :	Andesite			32	3	<2	
Sampled By: RAK 18-Aug-06	25 meters by 10 meters outcrop. Fine grained with py sweats, rusty exposed surfaces, still very competent. Some weathering appears purple in colour, fine grained, possible secondary copper alteration											
248978 Klaw	Grid North:		Grid East:		Type:	Grab	Alteration:		<u>Au (ppb)</u>	<u>Ag (ppm)</u>	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>
	UTM : 6126666	N	UTM : 387566	E	Strike Length Exp:		Metallics:	trace PY	<5	<0.2	4	4
	Elevation: 1181	m	Sample Width: 5	cm	True Width: 35	cm	Secondaries:	wHE	<u>Zn (ppm)</u>	<u>As (ppm)</u>	<u>Sb (ppm)</u>	
					Host :	Andesite porphyry			57	<2	<2	
Sampled By: RAK 19-Aug-06	Feldspar, quartz and plagioclase porphyry in fine-grained mafic matrix.											
248979 Klaw	Grid North:		Grid East:		Type:	Float	Alteration:		<u>Au (ppb)</u>	<u>Ag (ppm)</u>	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>
	UTM : 6127112	N	UTM : 387382	E	Strike Length Exp:		Metallics:	3%PY	6	<0.2	223	4
	Elevation: 1234	m	Sample Width: 5	cm	True Width: 15	cm	Secondaries:	wHE, wwMN	<u>Zn (ppm)</u>	<u>As (ppm)</u>	<u>Sb (ppm)</u>	
					Host :	Andesite porphyry			80	<2	<2	
Sampled By: RAK 18-Aug-06	Disseminated, blebby and pyrite veinlets in float. Sub-angular to angular float of similar appearance to sampled float											

Rock Sample Descriptions

Klaw Property

Operator: International Arimex Resources Inc.

Project: IEA06-01

2006

NTS: 93

248980

Klaw

Grid North: Grid East:
 UTM : 6127322 N UTM : 387386 E
 Elevation: 1215 m Sample Width: 5 cm
 True Width: cm
 Host : Andesite porphyry

Type: Grab
 Alteration:
 Strike Length Exp: Metallics: .5%PY
 Secondaries:

<u>Au (ppb)</u>	<u>Ag (ppm)</u>	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>
<5	<0.2	68	2
<u>Zn (ppm)</u>	<u>As (ppm)</u>	<u>Sb (ppm)</u>	
105	2	<2	

Sampled By: RAK
20-Aug-06

Very fresh looking, massive, competent. The whole knoll appears to be andesite "dome"?

248981

Klaw

Grid North: Grid East:
 UTM : 6127151 N UTM : 387439 E
 Elevation: 1230 m Sample Width: 5 cm
 True Width: 10 cm
 Host : Andesite porphyry

Type: Float
 Alteration:
 Strike Length Exp: Metallics: 2%PY
 Secondaries: wHE, wMN

<u>Au (ppb)</u>	<u>Ag (ppm)</u>	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>
<5	0.2	53	11
<u>Zn (ppm)</u>	<u>As (ppm)</u>	<u>Sb (ppm)</u>	
236	16	<2	

Sampled By: RAK
matrix.
20-Aug-06

Blebbly and disseminated pyrite. Possible grain replacement by py. Massive, competent plagioclase, feldspar, quartz, and mafic (phyric hornfels, Pyroxene) clast. Mafic matrix.

Appendix D: Certificates of Analysis
(Rock, Silt and Soil Samples)



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 8-OCT-2006
Account: EIA

CERTIFICATE VA06095737

Project: Claw

P.O. No.: IEA06-01

This report is for 9 Rock samples submitted to our lab in Vancouver, BC, Canada on 7-SEP-2006.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

RORY KUTLUOGLU

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 8-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095737

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
Sample Description	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C248973	0.66	<0.005	<0.2	1.64	14	10	40	<0.5	<2	5.46	<0.5	15	72	12	2.73
C248974	0.76	<0.005	<0.2	0.92	2	<10	1840	<0.5	<2	8.59	<0.5	19	10	10	4.42
C248975	0.50	<0.005	<0.2	0.87	2	<10	210	0.9	<2	1.96	<0.5	8	5	30	2.69
C248976	0.46	<0.005	<0.2	1.06	3	<10	60	0.6	<2	0.58	<0.5	23	4	106	6.19
C248978	0.66	<0.005	<0.2	0.97	<2	<10	310	0.7	<2	2.44	<0.5	13	14	4	3.64
C248979	0.54	0.006	<0.2	2.98	<2	<10	180	0.5	<2	1.13	<0.5	26	70	223	5.83
C248980	0.66	<0.005	<0.2	2.33	2	<10	310	<0.5	<2	2.45	<0.5	22	9	68	5.32
C248981	0.46	<0.005	0.2	3.07	16	<10	170	<0.5	<2	1.39	<0.5	19	7	53	5.62
C248982	1.12	<0.005	<0.2	2.02	12	<10	1690	0.7	<2	3.43	<0.5	7	183	152	4.18



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 8-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095737

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
Units	ppm	ppm	%	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	
C248973	<10	<1	0.21	<10	1.39	683	1	0.04	57	2100	4	0.54	3	4	93	
C248974	<10	<1	0.15	<10	3.10	1390	1	0.03	20	580	7	0.07	<2	6	280	
C248975	<10	<1	0.27	20	0.33	1240	1	0.04	5	1540	5	<0.01	<2	2	55	
C248976	<10	<1	0.22	10	0.47	404	<1	0.02	16	280	29	5.79	<2	2	24	
C248978	<10	<1	0.28	10	0.45	1025	1	0.02	13	1460	4	0.01	<2	2	75	
C248979	10	<1	0.18	<10	2.47	965	1	0.02	59	2160	4	1.45	<2	6	40	
C248980	10	<1	0.13	<10	1.89	1200	<1	0.05	11	1610	2	0.02	<2	8	237	
C248981	10	<1	0.12	<10	2.05	2220	1	0.03	12	2000	11	0.53	<2	7	58	
C248982	<10	<1	0.38	10	1.13	1045	1	0.04	181	9420	5	0.08	<2	5	157	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 8-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095737

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
C248973		0.16	<10	<10	94	<10	37
C248974		0.03	<10	10	56	<10	68
C248975		0.01	<10	<10	16	<10	67
C248976		0.08	<10	<10	20	<10	32
C248978		0.01	<10	<10	40	<10	57
C248979		0.01	<10	<10	80	<10	80
C248980		0.20	<10	<10	143	<10	105
C248981		0.21	<10	<10	131	<10	236
C248982		0.03	<10	<10	63	<10	94



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 10-OCT-2006
Account: EIA

CERTIFICATE VA06095738

Project: Claw

P.O. No.: IEA06-01

This report is for 194 Soil samples submitted to our lab in Vancouver, BC, Canada on 7-SEP-2006.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

RORY KUTLUOGLU

D MALLO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 6 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095738

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
Sample Description	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C248017	0.48	0.023	0.4	2.42	7	<10	210	0.5	<2	1.22	<0.5	17	41	126	4.14
C248018	0.42	0.005	0.3	1.95	8	<10	440	<0.5	<2	1.11	<0.5	13	31	96	3.76
C248019	0.48	<0.005	0.2	1.69	10	<10	430	<0.5	<2	0.97	<0.5	13	37	80	3.82
C248020	0.70	0.014	<0.2	1.64	9	<10	480	<0.5	<2	0.95	<0.5	13	39	76	4.12
C248021	0.58	0.113	0.2	1.78	8	<10	460	<0.5	<2	1.14	<0.5	14	39	90	3.88
C188901	0.40	0.093	<0.2	1.29	5	<10	60	<0.5	2	0.28	<0.5	8	27	35	3.26
C188902	0.36	<0.005	<0.2	1.69	4	<10	90	<0.5	<2	0.32	<0.5	9	31	30	3.98
C188903	0.28	<0.005	<0.2	1.16	5	<10	120	<0.5	<2	0.37	<0.5	6	22	19	3.22
C188904	0.30	<0.005	0.2	1.25	4	<10	120	<0.5	<2	0.34	<0.5	5	23	20	3.40
C188905	0.46	0.027	0.4	1.78	11	<10	180	<0.5	2	0.40	<0.5	13	36	79	4.15
C188906	0.48	0.023	0.3	2.74	6	<10	150	0.6	2	0.42	<0.5	15	58	55	4.36
C188907	0.50	<0.005	0.3	2.00	7	<10	80	<0.5	<2	0.33	<0.5	12	41	45	3.92
C188908	0.48	0.008	<0.2	1.19	5	<10	80	<0.5	<2	0.77	<0.5	10	24	55	3.50
C188909	0.40	0.005	<0.2	1.38	7	<10	140	<0.5	2	0.75	<0.5	11	26	56	4.09
C188910	0.34	0.008	<0.2	1.25	3	<10	90	<0.5	<2	0.48	<0.5	10	15	28	2.54
C188911	0.42	0.008	0.3	1.00	4	<10	90	<0.5	<2	0.88	<0.5	5	16	76	2.18
C188912	0.62	0.020	<0.2	0.95	4	<10	70	<0.5	<2	0.48	<0.5	6	20	56	2.70
C188913	0.74	0.014	0.3	1.58	2	<10	100	<0.5	<2	0.88	<0.5	11	26	59	3.04
C188914	0.36	0.014	1.1	2.01	5	<10	180	0.5	<2	2.61	<0.5	11	23	200	2.86
C188915	0.36	0.005	0.3	2.61	13	<10	190	0.5	<2	1.16	<0.5	19	36	156	4.14
C188916	0.56	0.009	0.3	1.96	9	<10	120	<0.5	<2	0.84	<0.5	14	23	72	3.46
C188917	0.42	0.023	0.3	1.96	13	<10	120	<0.5	<2	0.88	<0.5	14	24	76	3.54
C188918	0.06	<0.005	<0.2	0.01	2	<10	<10	<0.5	<2	0.01	<0.5	<1	<1	1	0.02
C188919	0.28	0.008	0.4	2.46	8	<10	160	<0.5	<2	0.95	<0.5	16	24	159	3.70
C188920	0.32	0.015	0.3	1.79	10	<10	110	<0.5	<2	1.10	<0.5	15	30	163	3.24
C188921	0.50	0.018	0.2	2.26	8	<10	160	<0.5	<2	1.11	<0.5	16	24	98	3.83
C188922	0.28	0.016	0.2	1.72	8	<10	110	<0.5	<2	1.10	<0.5	15	31	77	3.51
C188923	0.40	0.034	0.2	1.59	6	<10	100	<0.5	<2	0.90	<0.5	12	24	56	3.41
C188924	0.40	0.031	0.9	1.95	7	<10	170	<0.5	<2	1.61	<0.5	12	28	111	3.51
C188925	0.36	0.045	0.4	2.21	9	<10	150	<0.5	<2	1.14	<0.5	15	22	55	3.83
C188926	0.50	0.007	0.2	1.39	3	<10	90	<0.5	<2	0.33	<0.5	7	14	20	2.49
C188927	0.36	0.226	0.3	1.77	5	<10	90	<0.5	<2	0.30	<0.5	11	21	49	4.36
C188928	0.30	0.007	<0.2	2.24	6	<10	80	<0.5	2	0.24	<0.5	7	23	18	4.85
C188929	0.34	0.015	<0.2	2.11	9	<10	80	<0.5	<2	0.25	<0.5	8	23	16	4.78
C188930	0.36	0.011	0.2	2.02	10	<10	100	<0.5	<2	0.42	<0.5	10	22	44	5.10
C188931	0.30	0.010	<0.2	1.69	5	<10	100	<0.5	<2	0.30	<0.5	9	20	46	4.03
C188932	0.28	0.020	0.2	1.32	6	<10	90	<0.5	<2	0.27	<0.5	5	23	14	3.57
C188933	0.22	0.035	0.2	2.66	14	<10	180	0.8	<2	0.61	<0.5	21	43	128	5.03
C188934	0.36	0.006	<0.2	2.20	11	<10	130	<0.5	<2	0.25	<0.5	10	31	40	5.03
C188935	0.50	0.006	<0.2	2.15	13	<10	120	<0.5	<2	0.28	<0.5	12	33	52	5.33

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 6 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095738

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C248017		10	<1	0.12	10	1.12	1430	<1	0.02	28	1290	7	0.06	<2	7	94
C248018		<10	1	0.09	10	0.89	934	<1	0.02	21	1290	8	0.06	<2	6	77
C248019		<10	1	0.08	10	0.90	897	<1	0.02	23	1180	6	0.04	<2	5	79
C248020		<10	1	0.08	10	0.88	809	<1	0.02	20	1170	7	0.04	2	5	73
C248021		<10	<1	0.09	10	0.92	1050	<1	0.02	24	1300	7	0.05	2	6	88
C188901		<10	1	0.05	10	0.50	239	<1	0.01	15	430	5	0.02	<2	3	29
C188902		10	<1	0.06	10	0.62	329	<1	0.01	17	1220	6	0.02	<2	3	30
C188903		<10	<1	0.06	10	0.33	214	<1	0.01	9	770	4	0.02	2	2	37
C188904		<10	1	0.06	10	0.33	215	<1	0.01	8	760	5	0.02	<2	2	35
C188905		10	<1	0.08	10	0.78	628	<1	0.01	23	1120	9	0.02	<2	4	40
C188906		10	1	0.07	10	0.91	408	<1	0.02	31	1300	6	0.02	2	4	92
C188907		10	<1	0.07	10	0.74	316	<1	0.01	23	860	5	0.01	<2	5	31
C188908		<10	1	0.05	10	0.76	323	<1	0.02	14	1380	7	0.02	2	4	49
C188909		<10	<1	0.05	10	0.66	578	<1	0.02	15	1250	7	0.02	<2	4	48
C188910		10	<1	0.04	<10	0.61	354	<1	0.01	9	890	5	0.02	<2	3	35
C188911		<10	<1	0.03	10	0.35	281	<1	0.01	8	780	4	0.04	<2	2	41
C188912		<10	<1	0.03	10	0.41	285	<1	0.01	13	770	12	0.02	<2	3	28
C188913		<10	<1	0.06	10	0.89	452	<1	0.01	18	940	6	0.02	<2	3	46
C188914		<10	<1	0.06	10	0.62	886	<1	0.02	16	1830	6	0.13	<2	3	100
C188915		10	1	0.13	10	1.16	1350	<1	0.02	26	920	9	0.03	2	6	67
C188916		10	1	0.07	10	1.09	515	<1	0.02	21	580	9	0.02	<2	4	53
C188917		<10	1	0.07	10	1.13	545	<1	0.02	21	710	8	0.03	2	4	56
C188918		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	<2	0.01	<2	<1	1
C188919		10	<1	0.07	10	0.99	662	1	0.01	20	500	8	0.02	<2	4	62
C188920		10	<1	0.08	10	1.07	545	1	0.02	21	1160	7	0.03	2	6	60
C188921		10	<1	0.09	10	1.14	833	1	0.01	19	750	8	0.03	<2	5	71
C188922		<10	1	0.06	10	1.01	851	1	0.01	18	1210	9	0.03	<2	5	67
C188923		<10	<1	0.05	10	0.86	467	<1	0.01	13	730	5	0.02	<2	4	61
C188924		<10	1	0.07	10	0.90	889	<1	0.02	20	1190	11	0.04	<2	4	97
C188925		<10	<1	0.07	10	1.26	562	<1	0.05	17	720	6	0.02	<2	5	70
C188926		<10	<1	0.05	<10	0.43	206	<1	0.01	8	390	5	0.01	<2	2	30
C188927		10	1	0.05	10	0.61	801	<1	0.01	13	1680	7	0.01	<2	3	30
C188928		10	<1	0.04	<10	0.37	217	<1	0.01	10	1080	5	0.01	<2	4	30
C188929		10	<1	0.04	<10	0.37	221	<1	0.01	10	1010	5	0.01	<2	4	31
C188930		10	1	0.08	<10	0.68	385	<1	0.01	14	2160	5	0.01	<2	4	35
C188931		<10	<1	0.04	<10	0.51	266	<1	0.01	10	760	4	0.02	<2	3	39
C188932		10	<1	0.04	10	0.35	180	<1	0.01	9	510	8	0.01	<2	3	33
C188933		10	1	0.05	10	0.73	424	1	0.02	48	730	6	0.03	<2	4	43
C188934		10	<1	0.05	10	0.67	267	<1	0.01	18	1090	7	0.02	<2	3	26
C188935		<10	<1	0.05	10	0.77	312	<1	0.01	23	1290	7	0.02	<2	4	25

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 6 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095738

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
C248017		0.06	<10	<10	99	<10	71
C248018		0.05	<10	<10	80	<10	62
C248019		0.05	<10	<10	100	<10	55
C248020		0.05	<10	<10	110	<10	54
C248021		0.05	<10	<10	99	<10	58
C188901		0.07	<10	<10	84	<10	35
C188902		0.06	<10	<10	97	<10	46
C188903		0.03	<10	<10	80	<10	36
C188904		0.04	<10	<10	84	<10	41
C188905		0.06	<10	<10	85	<10	73
C188906		0.10	<10	<10	110	<10	76
C188907		0.08	<10	<10	106	<10	54
C188908		0.08	<10	<10	96	<10	41
C188909		0.05	<10	<10	113	<10	44
C188910		0.07	<10	<10	71	<10	37
C188911		0.03	<10	<10	53	<10	22
C188912		0.04	<10	<10	72	<10	37
C188913		0.07	<10	<10	80	<10	51
C188914		0.03	<10	<10	62	<10	43
C188915		0.08	<10	<10	101	<10	64
C188916		0.08	<10	<10	88	<10	53
C188917		0.08	<10	<10	90	<10	52
C188918		<0.01	<10	<10	<1	<10	3
C188919		0.09	<10	<10	95	<10	74
C188920		0.08	<10	<10	85	<10	50
C188921		0.07	<10	<10	92	<10	63
C188922		0.07	<10	<10	89	<10	53
C188923		0.07	<10	<10	94	<10	52
C188924		0.05	<10	<10	80	<10	64
C188925		0.07	<10	<10	95	<10	53
C188926		0.03	<10	<10	66	<10	48
C188927		0.06	<10	<10	93	<10	52
C188928		0.05	<10	<10	112	<10	52
C188929		0.05	<10	<10	118	<10	49
C188930		0.05	<10	<10	110	<10	65
C188931		0.04	<10	<10	88	<10	37
C188932		0.07	<10	<10	100	<10	32
C188933		0.04	<10	<10	79	<10	59
C188934		0.04	<10	<10	92	<10	45
C188935		0.05	<10	<10	90	<10	47

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 6 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095738

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
Sample Description	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C188936	0.12	<0.005	<0.2	0.01	4	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	0.02
C188937	0.30	0.022	0.2	2.22	6	<10	120	<0.5	<2	0.37	<0.5	11	30	54	3.57
C188938	0.28	0.024	1.6	3.06	9	<10	370	1.0	<2	1.43	<0.5	15	37	146	4.07
C188939	0.28	0.009	<0.2	1.79	5	<10	110	<0.5	<2	0.33	<0.5	9	24	17	4.08
C188940	0.32	0.008	<0.2	1.43	4	<10	80	<0.5	<2	0.30	<0.5	8	21	22	3.47
C188941	0.30	0.008	<0.2	1.18	3	<10	80	<0.5	<2	0.31	<0.5	5	20	13	2.91
C188942	0.42	0.005	0.2	1.34	3	<10	110	<0.5	<2	0.24	<0.5	8	20	32	3.34
C188943	0.40	0.018	<0.2	1.02	<2	<10	110	<0.5	<2	0.26	<0.5	5	19	9	2.48
C188944	0.38	<0.005	0.4	2.32	10	<10	700	1.3	<2	0.49	<0.5	8	12	56	3.55
C188945	0.34	0.033	<0.2	2.00	7	<10	130	0.5	<2	0.43	<0.5	15	37	51	4.98
C188946	0.50	0.091	0.2	1.30	3	<10	70	<0.5	<2	0.38	<0.5	8	21	15	3.18
C188947	0.26	<0.005	0.2	1.29	2	<10	110	<0.5	<2	0.30	<0.5	8	23	20	3.44
C188948	0.42	0.019	0.5	1.98	9	<10	500	0.5	<2	1.27	<0.5	12	27	132	3.26
C188949	0.66	0.041	0.3	2.00	59	<10	90	<0.5	<2	1.17	<0.5	21	63	134	5.21
C188950	0.50	0.010	0.2	2.06	39	<10	50	<0.5	<2	1.85	<0.5	19	47	82	3.92
C188951	0.34	0.015	<0.2	1.35	8	<10	60	<0.5	<2	0.54	<0.5	8	21	20	3.16
C188952	0.06	<0.005	<0.2	0.02	<2	<10	10	<0.5	<2	<0.01	<0.5	<1	<1	1	0.03
C188953	0.38	0.026	<0.2	1.88	6	<10	120	<0.5	<2	0.38	<0.5	9	39	12	3.63
C188954	0.38	0.005	<0.2	2.32	5	<10	130	<0.5	<2	0.51	<0.5	14	25	16	4.15
C188955	0.48	0.020	<0.2	2.07	6	<10	160	<0.5	2	0.46	<0.5	15	19	8	3.63
C188956	0.34	<0.005	0.3	3.17	14	<10	130	<0.5	2	0.62	<0.5	22	27	42	5.67
C188957	0.40	0.013	0.2	1.97	8	<10	90	<0.5	<2	0.39	<0.5	14	34	83	4.19
C188958	0.40	0.008	<0.2	0.92	3	<10	70	<0.5	<2	0.28	<0.5	7	25	4	2.79
C188959	0.36	0.005	<0.2	0.93	3	<10	80	<0.5	<2	0.29	<0.5	7	22	4	2.78
C188960	0.38	0.009	0.3	1.19	<2	<10	90	<0.5	<2	0.33	<0.5	6	21	9	2.85
C188601	0.56	0.021	<0.2	1.41	3	<10	70	<0.5	<2	0.32	<0.5	8	22	27	3.15
C188602	0.28	NSS	0.5	1.77	5	<10	290	<0.5	<2	0.51	<0.5	9	24	80	3.47
C188603	0.38	0.078	<0.2	0.93	9	<10	150	<0.5	<2	0.31	<0.5	10	26	27	4.44
C188604	0.42	0.007	0.2	1.47	10	<10	180	<0.5	<2	0.40	<0.5	9	21	52	3.39
C188605	0.42	0.020	<0.2	1.26	3	<10	130	<0.5	<2	0.37	<0.5	7	16	50	2.56
C188606	0.44	0.035	0.3	1.23	6	<10	110	<0.5	<2	0.24	<0.5	5	18	49	2.77
C188607	0.38	0.025	0.5	1.36	6	<10	230	<0.5	<2	0.56	<0.5	9	22	48	3.49
C188608	0.60	0.033	0.2	1.66	5	<10	90	<0.5	<2	0.29	<0.5	10	23	21	4.84
C188609	0.22	<0.005	0.2	0.36	2	<10	440	<0.5	<2	5.96	0.7	2	4	84	0.52
C188610	0.28	<0.005	0.4	0.88	3	<10	290	<0.5	<2	2.94	0.5	6	14	85	1.71
C188611	0.16	0.005	0.3	1.06	6	<10	280	<0.5	<2	2.40	<0.5	7	17	91	2.18
C188612	0.22	0.008	0.6	0.85	4	<10	290	<0.5	<2	3.26	0.8	6	13	139	1.11
C188613	0.08	<0.005	<0.2	0.01	<2	<10	10	<0.5	<2	0.01	<0.5	<1	<1	1	0.01
C188614	0.32	0.013	0.6	1.26	8	<10	240	<0.5	<2	2.00	<0.5	10	20	167	2.87
C188615	0.24	0.024	1.1	1.49	11	<10	310	0.7	<2	2.89	0.5	10	18	299	3.49

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 6 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095738

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C188936		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	<2	<0.01	<2	<1	1
C188937		10	<1	0.06	10	0.80	387	<1	0.01	21	610	8	0.01	<2	3	31
C188938		<10	1	0.14	10	0.82	3130	<1	0.03	54	1950	7	0.10	<2	6	71
C188939		10	<1	0.05	10	0.48	288	<1	0.01	11	2470	5	0.01	<2	3	29
C188940		<10	<1	0.05	10	0.44	281	<1	0.01	10	1190	6	0.01	<2	2	28
C188941		<10	<1	0.05	10	0.31	163	<1	0.01	7	670	5	0.01	<2	2	28
C188942		<10	1	0.07	10	0.38	237	<1	0.01	10	500	5	0.01	<2	2	27
C188943		<10	<1	0.07	10	0.23	221	<1	0.01	5	670	5	<0.01	<2	2	27
C188944		<10	<1	0.10	20	0.31	1060	2	0.02	8	690	8	0.02	<2	2	32
C188945		<10	<1	0.13	10	0.92	472	<1	0.01	20	760	4	0.01	<2	4	43
C188946		<10	<1	0.06	<10	0.53	326	<1	0.01	11	1040	6	0.01	<2	3	34
C188947		<10	<1	0.05	10	0.35	383	<1	0.01	9	1070	6	0.01	<2	3	29
C188948		<10	1	0.08	10	0.80	1055	<1	0.02	17	1130	8	0.06	<2	4	110
C188949		<10	<1	0.11	10	1.26	537	1	0.02	30	1200	8	0.06	<2	9	96
C188950		<10	1	0.06	<10	1.88	813	<1	0.02	24	1080	4	0.09	<2	8	117
C188951		<10	<1	0.05	<10	0.66	298	<1	0.01	11	1070	6	0.01	<2	3	43
C188952		<10	<1	<0.01	<10	0.01	<5	<1	<0.01	<1	20	2	0.01	<2	<1	1
C188953		<10	<1	0.05	<10	0.56	260	<1	0.01	18	2220	4	<0.01	<2	4	32
C188954		<10	1	0.07	<10	0.84	408	<1	0.01	18	2050	3	<0.01	<2	4	42
C188955		<10	<1	0.07	<10	0.94	610	<1	0.01	15	940	5	<0.01	<2	3	34
C188956		10	<1	0.11	<10	1.16	910	<1	0.01	22	1040	2	0.01	<2	9	62
C188957		<10	1	0.07	<10	0.82	307	<1	0.01	21	600	2	<0.01	<2	4	33
C188958		<10	<1	0.06	<10	0.37	285	<1	0.01	9	670	5	<0.01	<2	2	28
C188959		<10	<1	0.06	<10	0.38	284	<1	0.01	10	770	4	<0.01	<2	2	29
C188960		<10	1	0.06	<10	0.45	271	<1	0.01	10	1020	5	0.01	<2	2	33
C188601		<10	<1	0.03	10	0.42	213	<1	0.01	14	950	4	0.01	<2	2	26
C188602		<10	<1	0.07	10	0.58	320	<1	0.01	16	640	6	0.02	<2	3	40
C188603		<10	<1	0.03	<10	0.58	247	<1	0.01	11	470	2	<0.01	<2	2	25
C188604		<10	<1	0.06	10	0.72	266	<1	0.01	11	690	5	0.01	<2	3	33
C188605		<10	<1	0.05	10	0.50	220	1	0.01	11	670	9	0.01	<2	3	35
C188606		10	<1	0.04	10	0.36	163	1	0.01	9	660	8	0.01	<2	3	27
C188607		10	1	0.04	10	0.48	304	1	0.02	11	640	7	0.01	<2	3	37
C188608		10	<1	0.05	<10	0.53	270	<1	0.01	9	2740	6	0.01	<2	3	25
C188609		<10	<1	0.02	<10	0.26	605	<1	0.03	6	1290	2	0.23	<2	<1	264
C188610		<10	1	0.04	10	0.33	335	<1	0.02	11	740	9	0.10	<2	1	149
C188611		<10	<1	0.04	10	0.40	399	<1	0.02	12	750	11	0.07	<2	2	128
C188612		<10	<1	0.03	10	0.38	576	<1	0.02	10	1180	4	0.14	<2	2	173
C188613		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	2	0.01	<2	<1	1
C188614		<10	<1	0.05	10	0.50	556	2	0.02	13	1740	9	0.12	<2	3	120
C188615		<10	1	0.05	20	0.36	668	2	0.03	16	2440	10	0.19	<2	3	345

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - C
Total # Pages: 6 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095738

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
C188936		<0.01	<10	<10	<1	<10	3
C188937		0.04	<10	<10	82	<10	53
C188938		0.03	<10	<10	87	<10	56
C188939		0.05	<10	<10	93	<10	68
C188940		0.04	<10	<10	75	<10	39
C188941		0.04	<10	<10	74	<10	25
C188942		0.03	<10	<10	68	<10	27
C188943		0.03	<10	<10	58	<10	24
C188944		0.01	<10	<10	35	<10	28
C188945		0.09	<10	<10	126	<10	62
C188946		0.06	<10	<10	77	<10	41
C188947		0.04	<10	<10	88	<10	40
C188948		0.04	<10	<10	68	<10	51
C188949		0.08	<10	<10	182	<10	67
C188950		0.05	<10	<10	137	<10	52
C188951		0.06	<10	<10	82	<10	39
C188952		<0.01	<10	<10	1	<10	3
C188953		0.06	<10	<10	96	<10	42
C188954		0.06	<10	<10	95	<10	68
C188955		0.04	<10	<10	92	<10	75
C188956		0.01	<10	<10	155	<10	75
C188957		0.03	<10	<10	114	<10	50
C188958		0.06	<10	<10	81	<10	34
C188959		0.06	<10	<10	77	<10	35
C188960		0.04	<10	<10	68	<10	44
C188601		0.06	<10	<10	91	<10	35
C188602		0.04	<10	<10	90	<10	50
C188603		0.06	<10	<10	132	<10	35
C188604		0.07	<10	<10	91	<10	44
C188605		0.06	<10	<10	71	<10	37
C188606		0.06	<10	<10	78	<10	29
C188607		0.06	<10	<10	86	<10	69
C188608		0.09	<10	<10	125	<10	54
C188609		0.01	<10	<10	7	<10	7
C188610		0.03	<10	<10	38	<10	21
C188611		0.03	<10	<10	51	<10	27
C188612		0.01	<10	<10	22	<10	17
C188613		<0.01	<10	<10	<1	<10	4
C188614		0.02	<10	<10	58	<10	41
C188615		0.02	<10	<10	64	<10	24

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 6 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095738

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C188616		0.50	0.025	0.2	1.18	6	<10	170	<0.5	<2	0.79	<0.5	9	22	84	3.19
C188617		0.40	0.025	0.6	1.32	6	<10	340	<0.5	<2	2.24	0.5	19	19	217	3.60
C188618		0.42	0.025	0.7	1.75	3	<10	280	0.5	<2	2.35	<0.5	18	18	216	4.91
C188619		0.26	NSS	0.8	1.02	8	<10	340	<0.5	<2	3.17	0.5	13	12	251	2.30
C188620		0.32	0.024	<0.2	0.95	5	<10	90	<0.5	<2	0.79	<0.5	7	17	54	2.15
C188621		0.48	0.007	<0.2	0.92	2	<10	80	<0.5	<2	0.56	<0.5	6	14	20	2.04
C188622		0.54	0.011	<0.2	1.09	4	<10	120	<0.5	<2	0.81	<0.5	8	19	49	2.51
C188623		0.26	0.019	0.7	1.45	5	<10	330	<0.5	<2	1.65	0.6	8	18	178	2.92
C188624		0.40	0.018	0.2	1.24	6	<10	310	<0.5	<2	1.04	<0.5	8	23	71	1.95
C188625		0.38	0.028	0.4	1.58	7	<10	350	<0.5	<2	0.98	<0.5	10	27	75	2.98
C188626		0.42	0.026	0.3	1.57	10	<10	300	<0.5	<2	1.00	<0.5	10	23	59	3.53
C188627		0.36	0.042	0.2	1.42	8	<10	350	<0.5	<2	1.32	<0.5	10	22	60	3.66
C188628		0.26	0.029	0.5	1.83	20	<10	400	0.5	<2	1.24	<0.5	14	27	103	4.40
C188629		0.44	0.021	<0.2	1.11	10	<10	190	<0.5	<2	0.74	<0.5	13	28	73	4.31
C188630		0.08	<0.005	<0.2	0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	0.01
C188631		0.32	0.012	<0.2	0.86	10	<10	190	<0.5	<2	0.84	<0.5	10	19	51	2.65
C188632		0.34	0.010	<0.2	1.16	15	<10	190	<0.5	<2	0.83	<0.5	11	25	43	2.74
C188633		0.24	0.013	0.7	1.43	42	<10	230	<0.5	<2	2.51	0.6	6	21	160	1.74
C188634		0.36	0.008	<0.2	1.99	10	<10	260	<0.5	<2	0.66	<0.5	15	26	46	2.98
C188635		0.38	0.005	<0.2	1.40	6	<10	60	<0.5	<2	0.25	<0.5	5	17	20	2.02
C188636		0.20	0.008	<0.2	1.23	3	<10	70	<0.5	<2	0.32	<0.5	4	13	18	1.44
C188637		0.28	<0.005	<0.2	1.14	4	<10	80	<0.5	<2	0.39	<0.5	4	14	16	1.47
C188638		0.30	<0.005	0.2	1.63	4	<10	110	<0.5	<2	0.52	<0.5	7	16	38	2.21
C188639		0.40	<0.005	<0.2	1.65	9	<10	90	<0.5	<2	0.45	<0.5	9	19	37	2.84
C188640		0.40	<0.005	0.2	1.64	5	<10	80	<0.5	<2	0.49	<0.5	9	18	39	3.41
C188641		0.42	0.005	<0.2	1.52	3	<10	70	<0.5	<2	0.51	<0.5	7	19	43	2.73
C188642		0.22	<0.005	0.2	0.91	3	<10	60	<0.5	<2	0.36	<0.5	2	10	10	1.12
C188643		0.40	0.007	<0.2	1.86	7	<10	100	<0.5	<2	0.47	<0.5	11	20	47	2.72
C188644		0.34	<0.005	<0.2	2.09	6	<10	130	0.5	<2	0.57	<0.5	13	24	71	3.13
C188645		0.40	<0.005	<0.2	1.35	<2	<10	60	<0.5	<2	0.33	<0.5	4	15	14	1.97
C188646		0.36	<0.005	<0.2	1.47	3	<10	100	<0.5	<2	0.59	<0.5	9	22	37	2.65
C188647		0.20	0.005	0.5	1.56	<2	<10	130	<0.5	<2	0.66	<0.5	8	19	51	2.31
C188648		0.38	0.035	0.3	1.03	4	<10	110	<0.5	<2	0.29	<0.5	5	12	23	1.91
C188649		0.28	0.021	0.2	1.25	3	<10	130	<0.5	<2	0.34	<0.5	5	14	25	1.99
C188650		0.22	0.009	0.7	1.63	11	<10	600	0.5	<2	2.27	<0.5	8	24	143	2.87
C188871		0.34	0.021	0.2	1.21	9	<10	190	<0.5	<2	0.64	<0.5	10	28	73	3.35
C188872		0.36	0.011	<0.2	1.36	9	<10	260	<0.5	<2	0.51	<0.5	10	23	44	2.94
C188873		0.48	0.021	0.2	0.95	7	<10	110	<0.5	<2	0.71	<0.5	8	21	38	2.95
C188874		0.42	0.038	0.2	1.24	5	<10	130	<0.5	<2	0.89	<0.5	9	25	44	3.45
C188875		0.44	0.006	<0.2	2.04	8	<10	160	<0.5	<2	1.14	<0.5	16	21	42	4.30

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - B
Total # Pages: 6 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095738

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C188616		<10	<1	0.05	10	0.48	371	2	0.02	13	960	5	0.03	<2	3	92
C188617		<10	1	0.06	10	0.45	2520	4	0.02	18	1850	12	0.13	<2	3	288
C188618		<10	1	0.05	10	0.94	1695	2	0.02	16	3260	3	0.13	<2	3	273
C188619		<10	<1	0.04	10	0.29	1095	1	0.02	18	1670	6	0.17	<2	2	425
C188620		<10	<1	0.03	10	0.51	269	<1	0.02	10	1310	3	0.02	<2	3	75
C188621		<10	<1	0.03	10	0.45	242	<1	0.01	7	920	3	0.01	<2	2	51
C188622		<10	<1	0.04	10	0.53	1015	<1	0.01	12	1160	2	0.03	<2	2	73
C188623		<10	<1	0.04	10	0.40	505	1	0.02	14	1710	5	0.93	<2	3	141
C188624		<10	1	0.06	10	0.62	445	<1	0.01	9	1540	7	0.13	<2	4	71
C188625		<10	<1	0.08	10	0.68	928	1	0.02	12	1570	5	0.05	<2	5	74
C188626		<10	1	0.07	10	0.73	486	1	0.02	11	1620	7	0.04	<2	4	73
C188627		<10	<1	0.07	10	0.65	753	1	0.02	9	1590	5	0.06	<2	4	90
C188628		<10	<1	0.09	10	0.69	1225	2	0.03	15	1840	5	0.06	<2	5	86
C188629		<10	<1	0.06	10	0.56	612	<1	0.02	14	1450	5	0.02	<2	4	50
C188630		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	2	0.01	<2	<1	1
C188631		<10	<1	0.07	10	0.48	453	3	0.01	11	1370	5	0.03	<2	4	70
C188632		<10	<1	0.05	10	0.59	649	2	0.01	13	1150	7	0.01	<2	3	74
C188633		<10	<1	0.05	10	0.31	283	9	0.02	12	1530	7	1.40	<2	4	853
C188634		10	<1	0.07	10	0.62	564	1	0.01	14	860	6	0.03	<2	4	86
C188635		<10	<1	0.03	<10	0.27	141	1	<0.01	9	730	4	<0.01	<2	2	33
C188636		10	<1	0.04	10	0.31	155	<1	0.01	8	620	4	0.01	<2	2	36
C188637		10	<1	0.04	10	0.33	164	<1	0.01	7	500	6	<0.01	<2	2	45
C188638		10	<1	0.05	10	0.56	277	1	0.01	11	690	6	0.01	<2	3	56
C188639		10	<1	0.04	<10	0.53	402	<1	0.01	9	1240	5	0.01	<2	3	48
C188640		10	1	0.04	<10	0.62	283	<1	0.01	9	1550	4	0.01	<2	4	50
C188641		<10	<1	0.04	10	0.53	244	<1	0.01	11	1340	3	0.01	<2	3	48
C188642		<10	<1	0.03	10	0.21	132	<1	0.01	4	310	7	0.01	<2	2	44
C188643		<10	<1	0.05	10	0.58	355	<1	0.02	11	760	3	0.01	<2	3	51
C188644		<10	1	0.06	10	0.68	440	<1	0.02	15	950	4	0.02	<2	4	58
C188645		10	<1	0.03	10	0.30	148	<1	0.01	7	800	6	0.01	<2	3	45
C188646		<10	<1	0.05	10	0.50	384	<1	0.01	12	750	6	0.01	<2	3	59
C188647		10	<1	0.06	10	0.54	260	<1	0.02	11	640	5	0.02	<2	2	70
C188648		<10	<1	0.05	10	0.33	188	1	0.01	6	580	5	0.05	<2	2	29
C188649		<10	<1	0.04	10	0.44	173	<1	0.01	7	680	4	0.01	<2	3	32
C188650		<10	1	0.09	20	0.52	599	1	0.02	14	1850	4	0.13	<2	4	155
C188871		10	1	0.05	10	0.56	484	<1	0.02	19	680	6	0.01	<2	3	59
C188872		<10	<1	0.05	10	0.49	340	<1	0.01	13	470	5	0.01	<2	3	54
C188873		<10	<1	0.04	10	0.47	394	<1	0.01	11	1180	3	0.01	<2	3	52
C188874		<10	<1	0.06	10	0.64	431	<1	0.02	13	1000	3	0.02	<2	4	75
C188875		10	<1	0.09	10	1.35	594	<1	0.02	15	1170	2	0.02	<2	5	98

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - C
Total # Pages: 6 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS	VA06095738
-------------------------	------------

Sample Description	Method Analyte Units LOR	ME-ICP41 Ti %	ME-ICP41 TI ppm	ME-ICP41 U ppm	ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm
		0.01	10	10	1	10	2
C188616		0.04	<10	<10	80	<10	29
C188617		0.03	<10	<10	82	<10	29
C188618		0.05	<10	<10	126	<10	44
C188619		0.02	<10	<10	46	<10	19
C188620		0.06	<10	<10	68	<10	24
C188621		0.07	<10	<10	65	<10	23
C188622		0.05	<10	<10	72	<10	32
C188623		0.02	<10	<10	66	<10	34
C188624		0.04	<10	<10	77	<10	49
C188625		0.03	<10	<10	75	<10	45
C188626		0.04	<10	<10	88	<10	43
C188627		0.03	<10	<10	86	<10	40
C188628		0.03	<10	<10	102	<10	49
C188629		0.05	<10	<10	118	<10	34
C188630		<0.01	<10	<10	<1	<10	2
C188631		0.06	<10	<10	71	<10	28
C188632		0.07	<10	<10	83	<10	35
C188633		0.03	<10	<10	51	<10	28
C188634		0.06	<10	<10	96	<10	47
C188635		0.07	<10	<10	61	<10	19
C188636		0.06	<10	<10	45	<10	20
C188637		0.08	<10	<10	50	<10	21
C188638		0.08	<10	<10	68	<10	35
C188639		0.10	<10	<10	80	<10	37
C188640		0.12	<10	<10	93	<10	32
C188641		0.09	<10	<10	80	<10	31
C188642		0.07	<10	<10	39	<10	16
C188643		0.08	<10	<10	75	<10	35
C188644		0.09	<10	<10	86	<10	38
C188645		0.09	<10	<10	64	<10	23
C188646		0.08	<10	<10	78	<10	32
C188647		0.08	<10	<10	63	<10	31
C188648		0.05	<10	<10	55	<10	28
C188649		0.05	<10	<10	57	<10	34
C188650		0.02	<10	<10	62	<10	38
C188871		0.06	<10	<10	78	<10	39
C188872		0.05	<10	<10	72	<10	32
C188873		0.06	<10	<10	78	<10	24
C188874		0.06	<10	<10	84	<10	32
C188875		0.12	<10	<10	109	<10	63

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 5 - A
Total # Pages: 6 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095738

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C188876		0.36	0.015	0.2	1.42	6	<10	190	<0.5	<2	0.95	<0.5	12	25	60	3.68
C188877		0.60	0.013	0.2	2.02	7	<10	430	<0.5	<2	1.50	<0.5	24	36	90	4.77
C188878		0.48	0.011	<0.2	1.32	6	<10	160	<0.5	<2	1.02	<0.5	12	24	48	4.04
C188879		0.08	<0.005	<0.2	0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	0.01
C188501		0.30	<0.005	0.3	2.52	9	<10	70	<0.5	<2	0.20	<0.5	9	23	15	4.60
C188502		0.28	<0.005	0.5	2.53	13	<10	70	<0.5	<2	0.19	<0.5	8	25	13	5.92
C188503		0.28	<0.005	0.2	2.72	10	<10	80	<0.5	<2	0.21	<0.5	9	27	15	6.62
C188504		0.30	0.023	<0.2	1.78	7	<10	70	<0.5	<2	0.25	<0.5	11	31	22	4.19
C188505		0.32	<0.005	0.2	1.59	<2	<10	60	<0.5	<2	0.25	<0.5	6	18	14	2.65
C188506		0.30	0.018	<0.2	1.27	6	<10	100	<0.5	<2	0.40	<0.5	9	28	28	3.76
C188507		0.38	<0.005	0.4	2.16	6	<10	80	<0.5	<2	0.33	<0.5	13	35	21	5.20
C188508		0.52	<0.005	0.3	1.49	<2	<10	120	<0.5	<2	0.28	<0.5	5	16	31	1.31
C188509		0.28	0.011	<0.2	0.55	<2	<10	50	<0.5	<2	0.21	<0.5	<1	4	3	0.39
C188510		0.28	<0.005	0.2	1.90	<2	<10	60	<0.5	<2	0.37	<0.5	13	28	61	3.30
C188511		0.30	0.007	<0.2	1.82	5	<10	60	<0.5	<2	0.32	<0.5	11	28	51	3.03
C188512		0.30	0.011	<0.2	2.32	5	<10	100	<0.5	<2	0.41	<0.5	16	24	56	3.45
C188513		0.32	<0.005	0.2	2.34	4	<10	110	<0.5	2	0.42	<0.5	15	23	50	3.58
C188514		0.34	0.008	<0.2	1.97	6	<10	90	<0.5	<2	0.43	<0.5	12	26	54	3.35
C188515		0.04	<0.005	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	<1	1	0.02
C188516		0.44	0.009	0.2	1.81	2	<10	110	<0.5	<2	0.37	<0.5	11	28	51	3.22
C188517		0.32	<0.005	<0.2	2.10	<2	<10	80	<0.5	<2	0.25	<0.5	6	20	29	2.75
C188518		0.36	<0.005	<0.2	1.83	<2	<10	100	<0.5	<2	0.27	<0.5	6	18	27	2.54
C188519		0.30	0.006	<0.2	2.39	4	<10	130	<0.5	<2	0.28	<0.5	9	21	48	3.27
C188520		0.36	<0.005	0.2	2.72	4	<10	90	<0.5	<2	0.40	<0.5	14	52	64	5.05
C188521		0.36	<0.005	0.3	2.72	2	<10	90	<0.5	<2	0.40	<0.5	15	52	59	4.40
C188522		0.38	0.008	<0.2	2.53	3	<10	100	<0.5	<2	0.49	<0.5	13	46	74	5.09
C188523		0.54	0.006	0.2	2.06	5	<10	100	<0.5	<2	1.11	<0.5	16	57	163	3.66
C188524		0.28	<0.005	0.4	2.54	2	<10	100	<0.5	<2	1.25	<0.5	18	64	112	4.77
C188525		0.42	<0.005	<0.2	2.32	2	<10	80	<0.5	<2	0.50	<0.5	13	60	61	4.64
C188526		0.30	<0.005	0.2	2.29	3	<10	100	<0.5	<2	0.56	<0.5	15	55	62	4.22
C188527		0.22	0.215	0.2	2.16	4	<10	130	<0.5	<2	0.66	<0.5	14	23	69	3.42
C188528		0.48	0.012	0.2	1.88	4	<10	110	<0.5	<2	0.61	<0.5	11	22	62	2.96
C188529		0.26	0.009	0.4	4.14	10	<10	320	0.7	<2	0.87	<0.5	21	35	175	5.39
C188530		0.28	0.009	0.2	1.97	<2	<10	180	<0.5	2	0.55	<0.5	12	22	86	3.01
C188531		0.24	0.011	0.3	2.06	5	<10	170	<0.5	<2	1.36	<0.5	16	28	170	3.78
C188532		0.40	0.008	0.2	1.93	8	<10	90	<0.5	<2	0.28	<0.5	9	21	41	4.03
C188533		0.26	0.013	1.1	2.89	2	<10	250	0.9	<2	1.15	2.0	17	31	345	4.36
C188534		0.34	0.013	<0.2	1.75	5	<10	120	<0.5	<2	0.66	<0.5	11	21	45	3.21
C188535		0.36	0.008	<0.2	1.65	3	<10	100	<0.5	<2	0.68	<0.5	13	21	48	3.20
C188536		0.04	<0.005	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	<1	1	0.02

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 5 - B
Total # Pages: 6 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095738

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C188876		<10	<1	0.07	10	0.62	718	1	0.02	14	790	3	0.02	<2	4	99
C188877		<10	<1	0.11	10	0.97	3320	3	0.03	23	1510	7	0.05	<2	5	123
C188878		<10	<1	0.07	10	0.64	670	<1	0.02	12	1470	4	0.02	<2	4	77
C188879		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	2	0.01	<2	<1	1
C188501		10	<1	0.04	<10	0.47	304	<1	0.01	8	2840	4	0.02	<2	3	18
C188502		10	<1	0.05	<10	0.53	279	<1	0.01	8	3770	5	0.02	<2	3	17
C188503		10	<1	0.04	<10	0.65	400	<1	0.01	9	4470	9	0.02	<2	4	18
C188504		<10	<1	0.04	10	0.47	339	<1	0.01	15	1690	4	0.01	<2	3	24
C188505		10	<1	0.05	<10	0.52	191	<1	0.01	9	630	4	0.01	<2	3	28
C188506		<10	<1	0.04	10	0.62	263	<1	0.01	13	1080	4	0.01	<2	3	31
C188507		<10	1	0.05	10	0.68	431	<1	0.01	14	2900	4	0.02	<2	3	25
C188508		10	1	0.05	<10	0.35	131	<1	0.02	7	340	6	0.02	<2	2	31
C188509		<10	<1	0.03	<10	0.06	54	<1	0.01	<1	120	3	0.01	<2	1	23
C188510		<10	<1	0.05	<10	0.65	434	<1	0.01	22	1740	5	0.02	<2	3	28
C188511		<10	<1	0.04	<10	0.65	243	1	0.02	20	1290	4	0.02	<2	3	29
C188512		<10	1	0.06	<10	0.85	440	<1	0.01	17	1330	5	0.01	<2	4	40
C188513		10	1	0.06	<10	0.85	519	<1	0.02	17	1620	5	0.02	2	4	41
C188514		<10	<1	0.06	10	0.73	450	<1	0.02	17	1450	7	0.01	2	4	37
C188515		<10	<1	<0.01	<10	<0.01	<5	<1	0.01	<1	10	<2	0.01	<2	<1	1
C188516		<10	1	0.04	10	0.57	439	<1	0.02	19	1320	7	0.02	2	3	32
C188517		10	1	0.04	10	0.43	208	<1	0.01	9	1110	7	0.01	<2	3	27
C188518		10	<1	0.04	10	0.48	249	1	0.01	11	800	6	0.02	<2	3	32
C188519		10	<1	0.06	10	0.60	379	1	0.02	15	920	7	0.02	<2	3	29
C188520		10	1	0.06	<10	1.05	383	1	0.02	22	5080	3	0.02	<2	6	31
C188521		10	<1	0.07	<10	0.96	327	<1	0.02	22	3320	5	0.02	<2	5	31
C188522		10	<1	0.07	<10	1.15	315	1	0.02	23	1990	3	0.02	<2	5	38
C188523		<10	<1	0.12	10	1.33	672	1	0.03	29	1480	5	0.03	2	6	58
C188524		10	<1	0.12	<10	1.50	380	1	0.03	26	1010	4	0.04	<2	6	59
C188525		10	<1	0.07	<10	1.12	275	1	0.02	23	2830	2	0.02	<2	5	35
C188526		10	<1	0.08	<10	1.31	303	1	0.03	22	1070	4	0.02	2	6	54
C188527		10	1	0.07	10	1.06	602	1	0.02	16	1080	10	0.02	<2	4	47
C188528		10	1	0.06	10	0.90	453	<1	0.02	15	990	6	0.02	<2	4	45
C188529		10	<1	0.16	10	1.21	1270	1	0.02	29	1150	10	0.03	<2	8	65
C188530		10	<1	0.06	10	0.68	498	1	0.02	14	570	7	0.03	<2	4	46
C188531		<10	<1	0.08	10	0.93	1070	1	0.03	21	1150	9	0.06	<2	5	65
C188532		10	1	0.04	<10	0.60	283	1	0.02	12	580	10	0.03	<2	3	31
C188533		<10	1	0.07	20	0.83	1910	1	0.03	28	830	12	0.04	<2	12	66
C188534		<10	1	0.04	10	0.78	436	1	0.02	15	790	8	0.03	2	3	45
C188535		<10	<1	0.05	10	0.83	522	1	0.02	15	910	8	0.02	<2	3	45
C188536		<10	1	<0.01	<10	<0.01	<5	<1	0.01	<1	10	<2	0.02	<2	<1	1

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 5 - C
Total # Pages: 6 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095738

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
C188876		0.06	<10	<10	88	<10	36
C188877		0.07	<10	<10	99	<10	52
C188878		0.08	<10	<10	102	<10	33
C188879		<0.01	<10	<10	<1	<10	4
C188501		0.06	<10	<10	104	<10	48
C188502		0.07	<10	<10	134	<10	50
C188503		0.09	<10	<10	152	<10	54
C188504		0.06	<10	<10	106	<10	46
C188505		0.07	<10	<10	90	<10	35
C188506		0.07	<10	<10	101	<10	35
C188507		0.06	<10	<10	134	<10	51
C188508		0.05	<10	<10	47	<10	30
C188509		0.05	<10	<10	21	<10	10
C188510		0.06	<10	<10	90	<10	55
C188511		0.06	<10	<10	82	<10	42
C188512		0.07	<10	<10	95	<10	68
C188513		0.06	<10	<10	94	<10	70
C188514		0.08	<10	<10	90	<10	55
C188515		<0.01	<10	<10	<1	<10	3
C188516		0.07	<10	<10	80	<10	52
C188517		0.06	<10	<10	79	<10	43
C188518		0.06	<10	<10	66	<10	39
C188519		0.05	<10	<10	74	<10	53
C188520		0.09	<10	<10	135	<10	74
C188521		0.11	<10	<10	119	<10	76
C188522		0.09	<10	<10	126	<10	44
C188523		0.11	<10	<10	108	<10	45
C188524		0.20	<10	<10	163	<10	59
C188525		0.11	<10	<10	143	<10	58
C188526		0.16	<10	<10	135	<10	75
C188527		0.09	<10	<10	104	<10	58
C188528		0.07	<10	<10	87	<10	47
C188529		0.06	<10	<10	140	<10	84
C188530		0.06	<10	<10	91	<10	49
C188531		0.05	<10	<10	94	<10	60
C188532		0.06	<10	<10	102	<10	64
C188533		0.06	<10	<10	90	<10	298
C188534		0.05	<10	<10	76	<10	49
C188535		0.06	<10	<10	80	<10	45
C188536		<0.01	<10	<10	<1	<10	3

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 6 - A
Total # Pages: 6 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095738

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C188537		0.66	0.010	0.4	1.48	<2	<10	110	<0.5	<2	0.87	<0.5	11	25	98	3.16
C188538		0.36	0.006	0.3	1.68	2	<10	70	<0.5	<2	0.39	<0.5	9	23	43	3.41
C188539		0.40	0.016	0.2	2.23	4	<10	200	0.5	<2	0.75	<0.5	15	30	127	4.18
C188540		0.40	0.034	0.2	2.10	6	<10	120	<0.5	<2	0.55	<0.5	12	19	56	3.77
C188541		0.36	0.008	0.2	2.17	6	<10	120	<0.5	<2	0.52	<0.5	13	20	63	3.91
C188542		0.34	0.030	<0.2	1.75	3	<10	90	<0.5	<2	0.33	<0.5	8	21	30	3.26
C188543		0.38	0.080	0.2	2.06	2	<10	80	<0.5	<2	0.35	<0.5	8	20	40	2.67
C188544		0.34	0.027	0.2	1.80	2	<10	80	<0.5	<2	0.30	<0.5	8	20	33	2.95
C188545		0.26	0.010	0.5	1.83	<2	<10	150	<0.5	<2	1.03	<0.5	12	25	122	3.06
C188546		0.42	0.019	0.3	2.16	<2	<10	280	<0.5	2	0.91	<0.5	11	25	102	3.28
C188547		0.06	<0.005	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	<1	1	0.02
C188548		0.26	<0.005	<0.2	2.04	5	<10	100	<0.5	<2	0.21	<0.5	9	26	61	3.48
C188549		0.40	0.006	<0.2	1.91	3	<10	90	<0.5	<2	0.37	<0.5	13	29	66	3.92
C188550		0.34	<0.005	<0.2	1.41	2	<10	160	<0.5	<2	0.30	<0.5	9	19	47	3.35
C188551		0.32	0.012	0.3	1.05	3	<10	280	<0.5	<2	0.50	<0.5	7	16	18	2.51
C188552		0.28	0.016	2.4	1.69	4	<10	800	0.6	<2	2.63	<0.5	9	19	117	2.37
C188553		0.38	0.009	<0.2	1.25	4	<10	310	<0.5	<2	0.44	<0.5	10	18	24	3.01
C188554		0.42	0.012	0.5	1.89	<2	<10	370	<0.5	<2	0.71	<0.5	11	23	75	3.11
C188555		0.38	0.017	1.9	1.52	2	<10	650	0.5	<2	3.46	0.8	8	15	190	2.05
C188555 D		0.30	0.062	1.9	1.34	<2	<10	620	<0.5	<2	3.77	0.7	6	13	169	1.72
C188556		0.34	0.034	1.2	0.52	<2	<10	680	<0.5	<2	4.49	1.1	3	6	143	0.64
C188557		0.28	0.013	1.6	2.84	6	<10	620	0.8	<2	2.04	1.2	14	27	286	3.75
C188558		0.22	0.028	1.2	0.84	<2	<10	610	0.5	<2	5.01	0.8	6	9	183	1.00
C188559		0.26	0.025	0.3	0.23	<2	<10	560	<0.5	<2	5.54	0.5	<1	2	85	0.25
C188560		0.24	0.030	1.3	1.13	<2	<10	750	<0.5	<2	4.06	0.8	5	12	183	1.30
C188560 D		0.32	0.016	1.4	1.20	<2	<10	720	0.5	<2	3.61	0.9	6	14	190	1.44
C188561		0.28	0.009	0.4	1.88	2	<10	500	<0.5	<2	1.83	<0.5	11	24	99	2.92
C188562		0.26	0.015	0.8	1.43	3	<10	900	<0.5	<2	4.31	<0.5	6	15	161	1.73
C188563		0.30	0.036	0.3	0.68	2	<10	740	<0.5	<2	4.75	0.6	4	8	59	1.04
C188564		0.40	0.015	<0.2	1.10	<2	<10	80	<0.5	<2	0.52	<0.5	6	21	26	2.07
C188565		0.30	0.014	0.2	2.53	3	<10	180	0.6	<2	0.59	<0.5	11	27	76	3.13
C188565 BL		0.02	0.007	<0.2	0.01	<2	<10	10	<0.5	<2	0.01	<0.5	<1	<1	1	0.02
C188566		0.28	0.014	0.5	3.40	<2	<10	310	1.0	<2	1.23	<0.5	12	25	109	2.94
C188567		0.28	0.010	0.7	2.85	<2	<10	210	0.6	<2	0.63	<0.5	19	29	68	3.73

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 6 - B
Total # Pages: 6 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095738

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C188537		<10	<1	0.06	10	0.68	561	1	0.02	17	990	5	0.03	<2	4	59
C188538		<10	<1	0.06	<10	0.60	253	1	0.02	13	940	7	0.03	<2	3	41
C188539		<10	1	0.09	10	1.01	743	1	0.02	27	990	9	0.03	<2	6	55
C188540		<10	1	0.06	10	0.80	354	1	0.02	13	670	5	0.02	<2	4	42
C188541		10	<1	0.06	10	0.88	391	<1	0.02	14	750	7	0.02	3	4	41
C188542		<10	<1	0.04	<10	0.52	242	<1	0.01	11	1250	6	0.02	<2	3	32
C188543		10	<1	0.06	10	0.71	287	1	0.02	13	640	6	0.02	<2	4	33
C188544		10	1	0.06	10	0.60	261	1	<0.01	11	1090	6	<0.01	<2	3	29
C188545		<10	<1	0.07	10	0.96	555	1	0.01	16	700	5	0.05	<2	4	61
C188546		10	1	0.08	10	0.75	632	1	<0.01	18	920	6	0.01	<2	4	59
C188547		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	<2	<0.01	<2	<1	1
C188548		<10	1	0.04	10	0.54	252	1	<0.01	16	1080	7	<0.01	<2	3	25
C188549		10	1	0.05	10	0.61	368	1	<0.01	19	1410	8	<0.01	<2	3	29
C188550		<10	<1	0.09	10	0.38	259	1	<0.01	11	380	7	<0.01	<2	2	25
C188551		<10	<1	0.07	10	0.29	396	1	<0.01	8	790	5	<0.01	<2	2	48
C188552		<10	<1	0.12	20	0.42	1410	1	<0.01	14	1150	8	0.11	<2	5	190
C188553		<10	<1	0.07	<10	0.35	321	1	<0.01	9	880	5	<0.01	<2	2	35
C188554		10	1	0.09	10	0.50	812	<1	<0.01	16	670	5	0.01	<2	4	70
C188555		<10	1	0.07	10	0.32	1880	1	<0.01	17	1440	7	0.12	<2	2	282
C188555 D		<10	<1	0.06	10	0.30	1430	1	<0.01	14	1410	4	0.14	<2	2	301
C188556		<10	1	0.03	10	0.19	936	1	<0.01	11	1380	3	0.15	<2	1	271
C188557		10	<1	0.13	20	0.62	1260	1	0.01	28	1270	10	0.07	<2	6	181
C188558		<10	1	0.03	10	0.28	1020	1	0.01	15	1520	5	0.16	<2	1	394
C188559		<10	1	0.02	10	0.15	216	1	0.01	7	750	<2	0.16	2	<1	433
C188560		<10	<1	0.05	10	0.28	1100	1	0.01	16	1380	5	0.15	<2	1	290
C188560 D		<10	1	0.05	10	0.28	1090	1	<0.01	15	1430	4	0.13	<2	1	255
C188561		<10	<1	0.08	10	0.65	569	<1	<0.01	19	900	7	0.05	<2	3	137
C188562		<10	1	0.07	10	0.40	679	1	0.01	16	960	5	0.12	2	2	275
C188563		<10	1	0.03	10	0.24	1020	<1	0.01	7	1260	4	0.19	<2	1	310
C188564		<10	<1	0.03	10	0.45	232	<1	<0.01	10	920	5	<0.01	<2	3	44
C188565		<10	1	0.05	10	0.55	1000	1	<0.01	21	1310	4	0.04	<2	4	50
C188565 BL		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	2	<0.01	<2	<1	1
C188566		<10	1	0.06	20	0.52	1420	1	<0.01	25	1390	5	0.07	<2	4	97
C188567		<10	1	0.07	10	0.78	1380	1	<0.01	22	1290	9	0.04	<2	2	54

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 6 - C
Total # Pages: 6 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS	VA06095738
-------------------------	------------

Sample Description	Method Analyte Units LOR	ME-ICP41 Ti %	ME-ICP41 Tl ppm	ME-ICP41 U ppm	ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm
		0.01	10	10	1	10	2
C188537		0.06	<10	<10	87	<10	42
C188538		0.06	<10	<10	85	<10	42
C188539		0.05	<10	<10	88	<10	54
C188540		0.07	<10	<10	91	<10	56
C188541		0.07	<10	<10	94	<10	60
C188542		0.06	<10	<10	90	<10	51
C188543		0.06	<10	<10	72	<10	46
C188544		0.06	<10	<10	86	<10	48
C188545		0.10	<10	<10	84	<10	46
C188546		0.05	<10	<10	82	<10	53
C188547		<0.01	<10	<10	<1	<10	4
C188548		0.04	<10	<10	75	<10	36
C188549		0.05	<10	<10	85	<10	50
C188550		0.02	<10	<10	58	<10	38
C188551		0.04	<10	<10	67	<10	40
C188552		0.02	<10	<10	37	<10	54
C188553		0.05	<10	<10	82	<10	50
C188554		0.05	<10	<10	84	<10	56
C188555		0.02	<10	<10	44	<10	33
C188555 D		0.02	<10	<10	35	<10	27
C188556		0.01	<10	<10	13	<10	9
C188557		0.04	<10	<10	83	<10	66
C188558		0.01	<10	<10	21	<10	15
C188559		<0.01	<10	<10	8	<10	5
C188560		0.01	<10	<10	27	<10	24
C188560 D		0.01	<10	<10	32	<10	23
C188561		0.05	<10	<10	71	<10	54
C188562		0.02	<10	<10	36	<10	25
C188563		0.01	<10	<10	21	<10	12
C188564		0.08	<10	<10	60	<10	30
C188565		0.04	<10	<10	71	<10	64
C188565 BL		<0.01	<10	<10	<1	<10	3
C188566		0.03	<10	<10	58	<10	95
C188567		0.04	<10	<10	82	<10	88

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 15-OCT-2006
Account: EIA

CERTIFICATE VA06095739

Project: Claw

P.O. No.: IEA06-01

This report is for 238 Soil samples submitted to our lab in Vancouver, BC, Canada on 7-SEP-2006.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

RORY KUTLUOGLU

D MALLO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 7 (A - C)
Finalized Date: 15-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095739

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
Sample Description	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C188651	0.36	<0.005	0.2	1.27	<2	<10	130	<0.5	<2	0.40	<0.5	5	14	20	1.45
C188652	0.40	0.012	<0.2	0.97	4	<10	90	<0.5	<2	0.26	<0.5	4	11	14	1.23
C188653	0.30	<0.005	0.8	1.89	8	<10	360	0.5	<2	2.29	<0.5	21	20	114	2.98
C188654	0.30	0.008	0.3	1.12	8	<10	380	<0.5	<2	2.32	<0.5	9	16	86	2.69
C188655	0.26	<0.005	0.6	1.44	6	<10	540	<0.5	<2	1.54	<0.5	7	18	109	2.27
C188656	0.32	NSS	0.6	1.26	9	<10	440	0.5	<2	1.84	<0.5	6	18	130	2.35
C188657	0.44	0.028	0.3	1.20	10	<10	280	<0.5	<2	0.77	<0.5	9	20	68	2.65
C188658	0.18	NSS	0.4	1.34	12	<10	770	<0.5	<2	1.69	0.5	13	15	79	2.24
C188659	0.32	0.007	0.2	1.14	8	<10	70	<0.5	<2	0.20	<0.5	4	16	14	1.76
C188660	0.38	<0.005	<0.2	1.09	7	<10	70	<0.5	<2	0.20	<0.5	3	15	12	1.70
C188661	0.44	0.020	<0.2	1.09	3	<10	70	<0.5	<2	0.29	<0.5	4	14	17	1.55
C188662	0.38	<0.005	<0.2	1.15	<2	<10	60	<0.5	<2	0.24	<0.5	4	14	18	1.42
C188663	0.46	0.008	<0.2	1.14	<2	<10	70	<0.5	<2	0.29	<0.5	5	15	19	1.57
C188664	0.40	0.025	<0.2	1.75	5	<10	60	<0.5	<2	0.24	<0.5	5	21	18	2.64
C188665	0.06	<0.005	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	<1	1	0.02
C188666	0.42	<0.005	<0.2	1.62	2	<10	60	<0.5	<2	0.21	<0.5	6	20	16	2.50
C188667	0.40	<0.005	0.2	1.52	3	<10	60	<0.5	2	0.30	<0.5	4	18	23	1.98
C188668	0.48	0.005	<0.2	2.36	11	<10	60	<0.5	<2	0.30	<0.5	6	25	32	3.39
C188669	0.44	0.005	0.2	1.90	2	<10	70	<0.5	<2	0.29	<0.5	6	24	35	2.52
C188670	0.46	<0.005	<0.2	1.36	2	<10	50	<0.5	<2	0.47	<0.5	6	19	29	2.80
C188671	0.28	<0.005	<0.2	1.30	2	<10	50	<0.5	<2	0.44	<0.5	6	19	28	2.70
C188672	0.36	0.006	<0.2	1.75	7	<10	70	<0.5	<2	0.23	<0.5	5	22	21	3.01
C188673	0.48	0.010	<0.2	1.55	4	<10	70	<0.5	<2	0.25	<0.5	7	21	21	2.30
C188674	0.46	<0.005	0.2	1.32	<2	<10	70	<0.5	<2	0.36	<0.5	7	20	37	2.34
C188675	0.18	<0.005	0.4	1.52	2	<10	210	0.5	<2	2.23	0.5	7	17	83	1.81
C188676	0.22	NSS	0.9	1.79	<2	<10	180	0.6	<2	1.67	<0.5	9	18	112	2.02
C188677	0.36	<0.005	0.2	1.03	<2	<10	60	<0.5	<2	0.49	<0.5	5	15	21	1.83
C188678	0.24	NSS	1.1	0.66	3	<10	850	<0.5	2	3.18	0.6	20	4	122	3.09
C188679	0.26	NSS	1.1	0.57	3	<10	460	<0.5	<2	4.47	0.9	6	4	214	0.78
C188680	0.28	0.012	0.7	0.99	8	<10	830	<0.5	2	1.62	1.3	40	15	84	5.34
C188681	0.34	0.058	1.3	1.51	10	<10	270	0.6	3	1.71	0.7	19	25	299	4.63
C188682	0.54	0.049	0.5	1.25	7	<10	130	<0.5	<2	0.87	<0.5	20	26	150	3.92
C188683	0.56	0.021	<0.2	0.94	4	<10	70	<0.5	<2	0.49	<0.5	5	16	57	2.23
C188684	0.54	0.024	0.2	0.93	7	<10	80	<0.5	<2	0.56	<0.5	8	18	32	2.80
C188685	0.42	0.020	<0.2	0.85	4	<10	70	<0.5	<2	0.95	<0.5	7	20	41	3.18
C188686	0.44	0.044	0.3	1.62	11	<10	110	<0.5	2	1.12	<0.5	14	57	87	5.42
C188687	0.36	0.018	0.3	1.42	10	<10	170	<0.5	<2	1.01	<0.5	12	24	121	3.63
C188688	0.30	0.014	<0.2	1.48	5	<10	290	<0.5	<2	0.90	<0.5	8	17	55	2.42
C188585	0.34	<0.005	0.3	1.09	5	<10	190	<0.5	<2	0.16	<0.5	7	7	25	2.97
C188586	0.38	<0.005	0.5	1.36	6	<10	240	<0.5	<2	0.19	<0.5	6	10	35	3.09

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 7 (A - C)
Finalized Date: 15-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS	VA06095739
-------------------------	------------

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C188651		10	<1	0.04	10	0.39	180	<1	0.01	7	480	7	0.02	<2	2	52
C188652		<10	<1	0.04	<10	0.28	134	<1	0.01	6	390	4	0.03	<2	1	35
C188653		<10	<1	0.06	10	0.33	1260	2	0.02	19	1880	7	0.20	2	2	320
C188654		<10	<1	0.04	10	0.33	2880	2	0.01	13	1500	8	0.17	<2	2	236
C188655		10	<1	0.05	10	0.30	481	1	0.01	10	1120	6	0.10	<2	3	144
C188656		<10	<1	0.04	20	0.37	704	2	0.01	11	1620	8	0.13	<2	2	350
C188657		<10	<1	0.06	10	0.45	884	1	<0.01	12	1320	6	0.03	<2	3	90
C188658		<10	<1	0.06	10	0.27	7550	4	0.01	15	1530	7	0.17	<2	2	284
C188659		10	<1	0.03	<10	0.18	116	<1	<0.01	7	670	5	0.01	<2	2	27
C188660		<10	<1	0.03	<10	0.17	98	<1	<0.01	6	650	4	0.01	<2	1	28
C188661		<10	<1	0.03	<10	0.32	154	<1	<0.01	9	470	5	0.01	<2	2	35
C188662		<10	<1	0.03	<10	0.32	157	<1	<0.01	7	490	4	0.01	<2	2	30
C188663		10	<1	0.04	<10	0.40	186	<1	<0.01	9	440	3	0.01	<2	2	35
C188664		10	<1	0.03	<10	0.30	168	<1	<0.01	10	1920	4	0.01	<2	3	29
C188665		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	1	10	2	0.01	<2	<1	1
C188666		10	<1	0.03	10	0.32	205	<1	<0.01	8	1220	6	0.01	<2	3	30
C188667		10	<1	0.03	10	0.30	162	<1	<0.01	6	840	7	0.01	2	3	42
C188668		10	1	0.04	10	0.43	243	<1	<0.01	11	1920	7	0.01	<2	4	39
C188669		10	<1	0.04	10	0.44	201	<1	<0.01	12	1280	6	0.01	<2	3	38
C188670		<10	<1	0.04	10	0.47	241	<1	<0.01	9	1240	3	0.01	<2	3	57
C188671		<10	<1	0.04	10	0.46	231	<1	<0.01	10	1150	3	0.01	<2	3	55
C188672		10	<1	0.04	10	0.33	230	<1	<0.01	9	1970	6	0.01	2	3	30
C188673		<10	<1	0.03	10	0.41	215	<1	<0.01	11	1060	4	0.01	<2	3	35
C188674		<10	<1	0.04	10	0.43	224	1	<0.01	12	960	4	0.01	<2	3	36
C188675		<10	<1	0.07	10	0.36	658	2	0.01	15	1440	6	0.15	<2	2	207
C188676		<10	<1	0.08	10	0.42	436	1	0.01	17	2080	5	0.17	<2	3	163
C188677		<10	<1	0.04	10	0.41	205	1	<0.01	8	450	4	0.02	2	2	57
C188678		<10	<1	0.02	10	0.05	17900	5	0.01	11	1580	4	0.32	<2	2	412
C188679		<10	<1	0.02	10	0.14	3110	2	0.01	14	1700	3	0.25	<2	2	572
C188680		<10	<1	0.04	10	0.33	15100	11	0.01	26	1660	28	0.12	2	3	293
C188681		<10	<1	0.06	20	0.55	2490	11	0.01	17	1580	46	0.09	<2	5	230
C188682		<10	1	0.05	10	0.54	787	6	<0.01	15	1190	8	0.04	<2	4	108
C188683		<10	<1	0.03	10	0.37	211	1	<0.01	9	1030	4	0.01	<2	2	47
C188684		<10	<1	0.04	10	0.36	305	1	<0.01	9	1140	5	0.01	<2	2	57
C188685		<10	<1	0.04	10	0.44	363	1	0.01	11	1290	4	0.03	<2	2	77
C188686		10	<1	0.07	10	1.12	582	3	0.01	24	1340	8	0.04	<2	6	83
C188687		<10	<1	0.06	10	0.59	533	2	0.01	14	990	9	0.03	2	4	99
C188688		<10	<1	0.06	10	0.49	430	1	0.01	10	1100	7	0.05	<2	3	94
C188585		<10	<1	0.12	10	0.06	307	2	<0.01	3	820	5	0.02	<2	1	12
C188586		<10	<1	0.11	10	0.15	240	1	<0.01	5	940	5	0.02	2	2	16

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 7 (A - C)
Finalized Date: 15-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095739

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
C188651		0.06	<10	<10	52	<10	26
C188652		0.05	<10	<10	44	<10	19
C188653		0.02	<10	<10	85	<10	26
C188654		0.02	<10	<10	58	<10	27
C188655		0.03	<10	<10	60	<10	27
C188656		0.02	<10	<10	62	<10	24
C188657		0.04	<10	<10	78	<10	32
C188658		0.02	<10	<10	52	<10	24
C188659		0.05	<10	<10	59	<10	19
C188660		0.05	<10	<10	58	<10	17
C188661		0.07	<10	<10	54	<10	22
C188662		0.05	<10	<10	44	<10	21
C188663		0.07	<10	<10	51	<10	25
C188664		0.07	<10	<10	75	<10	34
C188665		<0.01	<10	<10	<1	<10	4
C188666		0.07	<10	<10	70	<10	33
C188667		0.10	<10	<10	68	<10	24
C188668		0.09	<10	<10	95	<10	37
C188669		0.08	<10	<10	66	<10	45
C188670		0.11	<10	<10	90	<10	33
C188671		0.10	<10	<10	89	<10	32
C188672		0.06	<10	<10	75	<10	36
C188673		0.08	<10	<10	65	<10	35
C188674		0.08	<10	<10	76	<10	27
C188675		0.03	<10	<10	39	<10	21
C188676		0.02	<10	<10	44	<10	27
C188677		0.09	<10	<10	64	<10	24
C188678		0.01	<10	<10	14	<10	7
C188679		0.01	<10	<10	8	<10	8
C188680		0.02	<10	<10	52	<10	42
C188681		0.04	<10	<10	93	<10	44
C188682		0.05	<10	<10	91	<10	34
C188683		0.04	<10	<10	63	<10	23
C188684		0.06	<10	<10	91	<10	23
C188685		0.05	<10	<10	86	<10	35
C188686		0.08	<10	<10	139	<10	56
C188687		0.06	<10	<10	91	<10	54
C188688		0.02	<10	<10	71	<10	39
C188585		0.01	<10	<10	55	<10	45
C188586		0.01	<10	<10	59	<10	56

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 7 (A - C)
Finalized Date: 15-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095739

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C188587		0.32	<0.005	0.4	0.99	2	<10	190	<0.5	<2	0.16	<0.5	7	10	22	3.35
C188588		0.34	0.007	0.4	1.43	11	<10	210	<0.5	<2	0.24	<0.5	9	12	64	4.22
C188589		0.34	0.009	0.4	1.44	4	<10	140	<0.5	<2	0.24	<0.5	7	16	30	3.74
C188590		0.34	<0.005	0.2	1.04	3	<10	120	<0.5	<2	0.31	<0.5	5	15	23	2.84
C188591		0.30	<0.005	1.1	1.16	3	<10	530	<0.5	<2	0.64	0.5	6	7	90	3.45
C188592		0.32	<0.005	0.9	1.22	5	<10	520	<0.5	<2	0.61	<0.5	6	7	91	3.59
C188593		0.28	<0.005	0.9	2.15	6	<10	870	0.8	<2	0.97	<0.5	14	21	170	3.75
C188594		0.42	<0.005	1.0	2.77	6	<10	1220	1.0	<2	0.64	0.5	10	33	194	4.31
C188595		0.30	0.009	0.3	1.04	4	<10	120	<0.5	<2	0.36	<0.5	5	17	16	3.10
C188596		0.42	0.008	<0.2	1.96	7	<10	110	<0.5	<2	0.44	<0.5	8	20	49	3.30
C188597		0.36	<0.005	1.0	1.49	5	<10	490	<0.5	<2	0.69	0.6	8	22	56	3.27
C188598		0.04	<0.005	<0.2	0.01	<2	<10	10	<0.5	<2	0.01	<0.5	<1	<1	1	0.02
C188599		0.30	0.006	0.3	1.51	3	<10	390	<0.5	2	0.46	0.5	7	19	38	2.85
C188600		0.26	0.017	0.3	1.63	5	<10	300	<0.5	<2	0.67	<0.5	9	26	67	3.03
C191476		0.28	<0.005	<0.2	2.48	10	<10	90	0.5	<2	0.36	<0.5	13	31	61	5.59
C191477		0.20	0.013	0.3	2.93	6	<10	80	<0.5	<2	0.23	<0.5	8	26	30	4.74
C191478		0.42	<0.005	0.2	2.70	9	<10	80	<0.5	2	0.27	<0.5	12	33	37	5.18
C191479		0.26	0.008	0.2	1.12	2	<10	60	<0.5	2	0.16	<0.5	3	13	9	2.23
C191480		0.26	<0.005	<0.2	1.67	5	<10	80	<0.5	2	0.20	<0.5	5	32	15	2.81
C188701		0.40	0.024	0.3	1.62	5	<10	290	<0.5	<2	0.51	<0.5	9	20	52	3.15
C188702		0.30	0.024	0.3	1.33	9	<10	320	<0.5	<2	0.68	<0.5	10	22	66	3.18
C188703		0.40	0.039	0.5	1.45	7	<10	340	<0.5	<2	0.87	<0.5	14	21	96	3.50
C188704		0.30	0.064	1.3	2.63	13	<10	640	1.1	2	1.45	0.7	21	29	385	5.09
C188705		0.26	0.030	0.9	1.99	13	<10	430	0.6	<2	1.34	<0.5	10	23	170	2.85
C188706		0.44	0.035	0.3	1.37	20	<10	220	<0.5	<2	1.09	<0.5	13	22	112	4.67
C188707		0.32	0.059	0.3	1.43	7	<10	380	<0.5	<2	1.31	<0.5	9	22	101	2.67
C188708		0.30	0.012	0.3	1.60	14	<10	1020	<0.5	<2	1.59	0.7	31	36	114	5.18
C188709		0.40	0.008	0.2	1.72	9	<10	430	<0.5	<2	1.73	<0.5	16	18	97	4.08
C188710		0.36	0.013	0.2	1.39	9	<10	280	<0.5	<2	1.11	<0.5	13	21	63	2.99
C188711		0.38	0.007	0.3	1.48	4	<10	290	<0.5	<2	0.91	<0.5	10	23	58	2.75
C188712		0.34	0.005	<0.2	1.06	4	<10	110	<0.5	<2	0.44	<0.5	4	18	19	1.80
C188713		0.40	0.005	<0.2	0.88	10	<10	100	<0.5	<2	0.67	<0.5	7	21	32	2.57
C188714		0.34	0.036	0.2	1.06	25	<10	340	<0.5	<2	1.00	0.5	13	18	113	3.30
C188715		0.48	0.010	0.2	1.32	9	<10	210	<0.5	<2	0.89	<0.5	12	29	84	3.41
C188716		0.46	0.006	0.3	1.16	7	<10	160	<0.5	<2	0.95	<0.5	9	25	82	2.94
C188717		0.34	0.007	0.4	1.96	4	<10	300	0.6	<2	2.01	<0.5	17	34	301	4.67
C188718		0.48	0.008	0.2	1.56	6	<10	190	<0.5	<2	1.12	<0.5	14	32	129	4.04
C188719		0.32	NSS	0.7	2.61	10	<10	260	0.7	2	2.18	0.8	28	41	193	4.39
C188720		0.44	0.009	0.4	1.32	3	<10	110	<0.5	<2	1.17	<0.5	11	24	64	2.36
C188721		0.38	0.018	0.4	2.04	6	<10	150	<0.5	<2	1.59	<0.5	18	30	96	4.08

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 7 (A - C)
Finalized Date: 15-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095739

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C188587		<10	<1	0.07	10	0.14	203	1	<0.01	5	590	9	0.03	<2	1	19
C188588		10	<1	0.07	10	0.19	348	2	<0.01	6	760	14	0.03	2	2	31
C188589		10	<1	0.06	10	0.26	375	1	<0.01	7	820	7	0.02	<2	2	29
C188590		10	<1	0.05	10	0.18	143	1	<0.01	6	340	6	0.02	<2	2	33
C188591		<10	<1	0.12	10	0.11	930	2	<0.01	3	690	9	0.04	5	1	33
C188592		10	<1	0.12	10	0.12	783	2	<0.01	4	680	8	0.04	5	1	32
C188593		10	<1	0.07	20	0.39	1605	1	0.01	14	670	9	0.03	2	4	65
C188594		10	<1	0.19	10	0.44	971	1	<0.01	24	2310	22	0.05	3	3	42
C188595		10	<1	0.05	<10	0.30	199	1	<0.01	6	650	6	0.02	2	2	42
C188596		<10	1	0.06	10	0.51	263	1	<0.01	13	1370	4	0.01	<2	3	41
C188597		10	<1	0.07	10	0.35	585	1	<0.01	12	570	6	0.01	<2	3	59
C188598		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	2	0.01	<2	<1	1
C188599		10	1	0.04	10	0.36	230	1	0.01	9	400	5	0.02	<2	3	60
C188600		<10	<1	0.06	10	0.50	492	1	<0.01	15	610	6	0.02	<2	3	62
C191476		10	<1	0.06	<10	0.84	346	<1	0.01	16	1670	10	0.03	<2	4	30
C191477		10	<1	0.04	10	0.44	219	<1	<0.01	10	3070	10	0.02	<2	4	24
C191478		10	<1	0.05	<10	0.64	342	<1	<0.01	14	2410	9	0.02	<2	4	27
C191479		10	<1	0.03	<10	0.13	285	<1	<0.01	4	880	7	0.01	<2	2	22
C191480		10	<1	0.03	10	0.29	146	<1	<0.01	14	1010	6	0.02	<2	2	23
C188701		10	<1	0.05	10	0.41	308	1	<0.01	11	930	6	0.01	<2	4	51
C188702		<10	<1	0.05	10	0.44	451	1	<0.01	11	1310	7	0.03	<2	3	63
C188703		10	<1	0.06	10	0.50	778	2	<0.01	13	790	10	0.03	<2	4	82
C188704		10	1	0.12	30	0.64	1455	3	0.01	25	1730	18	0.08	2	10	144
C188705		<10	<1	0.09	20	0.58	360	2	<0.01	15	1490	12	0.09	<2	8	128
C188706		10	<1	0.06	10	0.58	1400	8	0.01	14	1680	13	0.06	<2	4	192
C188707		<10	<1	0.06	10	0.50	1075	2	0.01	12	1300	10	0.07	<2	4	135
C188708		<10	1	0.07	10	0.73	8750	12	0.02	24	1780	8	0.08	<2	5	226
C188709		<10	<1	0.07	10	0.99	2250	3	0.01	14	1570	8	0.07	<2	3	189
C188710		<10	<1	0.06	10	0.65	1520	2	0.01	13	1430	6	0.03	<2	4	116
C188711		<10	<1	0.05	10	0.44	1510	3	0.01	12	1440	5	0.06	<2	4	100
C188712		10	<1	0.05	10	0.35	211	1	<0.01	8	490	6	0.01	<2	3	49
C188713		<10	<1	0.04	10	0.42	363	1	0.01	11	1140	5	0.02	<2	3	56
C188714		<10	<1	0.09	10	0.30	1135	2	0.01	13	1130	9	0.07	2	4	90
C188715		<10	1	0.06	10	0.54	762	2	0.01	14	970	6	0.03	<2	4	85
C188716		<10	<1	0.06	10	0.52	554	3	0.01	13	1080	4	0.03	<2	4	87
C188717		10	<1	0.10	20	0.70	862	6	0.01	25	1390	5	0.09	<2	11	209
C188718		<10	<1	0.07	10	0.68	1215	5	0.01	19	1110	8	0.04	2	7	138
C188719		10	1	0.11	10	1.00	1630	2	0.02	26	1480	18	0.09	<2	5	97
C188720		<10	<1	0.05	10	0.68	705	1	0.01	13	660	9	0.04	<2	3	53
C188721		10	<1	0.11	10	0.92	833	1	0.02	20	850	12	0.06	<2	4	69

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - C
Total # Pages: 7 (A - C)
Finalized Date: 15-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095739

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
C188587		0.02	<10	<10	76	<10	40
C188588		0.03	<10	<10	96	<10	51
C188589		0.04	<10	<10	98	<10	39
C188590		0.05	<10	<10	96	<10	23
C188591		0.01	<10	<10	68	<10	44
C188592		0.01	<10	<10	71	<10	44
C188593		0.04	<10	<10	94	<10	52
C188594		0.01	<10	<10	66	<10	106
C188595		0.09	<10	<10	112	<10	22
C188596		0.07	<10	<10	87	<10	37
C188597		0.06	<10	<10	95	<10	56
C188598		<0.01	<10	<10	<1	<10	4
C188599		0.06	<10	<10	91	<10	34
C188600		0.05	<10	<10	77	<10	59
C191476		0.10	<10	<10	144	<10	57
C191477		0.07	<10	<10	124	<10	60
C191478		0.08	<10	<10	148	<10	58
C191479		0.06	<10	<10	77	<10	22
C191480		0.05	<10	<10	69	<10	38
C188701		0.04	<10	<10	93	<10	36
C188702		0.04	<10	<10	95	<10	37
C188703		0.05	<10	<10	84	<10	49
C188704		0.03	<10	<10	101	<10	56
C188705		0.03	<10	<10	63	<10	40
C188706		0.05	<10	<10	108	<10	41
C188707		0.04	<10	<10	67	<10	37
C188708		0.06	<10	<10	99	<10	45
C188709		0.07	<10	<10	108	<10	50
C188710		0.08	<10	<10	94	<10	40
C188711		0.03	<10	<10	73	<10	33
C188712		0.06	<10	<10	67	<10	23
C188713		0.06	<10	<10	77	<10	27
C188714		0.02	<10	<10	85	<10	58
C188715		0.06	<10	<10	96	<10	33
C188716		0.05	<10	<10	84	<10	28
C188717		0.05	<10	<10	112	<10	43
C188718		0.06	<10	<10	113	<10	45
C188719		0.05	<10	<10	87	<10	107
C188720		0.06	<10	<10	55	<10	46
C188721		0.08	<10	<10	105	<10	62

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 7 (A - C)
Finalized Date: 15-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS	VA06095739
-------------------------	------------

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
Sample Description	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C188722	0.34	0.014	0.4	1.36	2	<10	80	<0.5	<2	1.69	<0.5	14	18	127	4.07
C188723	0.52	<0.005	0.2	1.59	2	<10	90	<0.5	<2	1.00	<0.5	13	23	63	2.92
C188724	0.28	0.073	0.5	1.64	5	<10	120	<0.5	<2	1.17	<0.5	12	23	117	2.87
C188725	0.36	0.007	0.7	2.52	7	<10	160	<0.5	2	1.24	0.5	23	34	149	3.91
C188726	0.26	0.006	0.2	1.38	5	<10	80	<0.5	<2	0.86	<0.5	13	21	51	2.91
C188727	0.28	0.019	0.4	0.99	5	<10	860	<0.5	<2	3.45	0.5	7	14	93	1.81
C188728	0.24	0.007	0.5	1.44	6	<10	670	<0.5	<2	2.45	0.5	10	19	124	2.45
C188729	0.34	0.012	0.4	1.77	7	<10	610	0.5	2	1.88	<0.5	13	31	117	3.30
C188730	0.32	0.022	0.3	1.36	8	<10	520	<0.5	2	1.86	<0.5	10	19	105	2.65
C188731	0.28	0.013	0.3	1.49	7	<10	490	<0.5	<2	1.77	<0.5	11	25	106	3.31
C188732	0.40	0.028	0.3	1.59	7	<10	330	<0.5	<2	1.25	<0.5	16	39	115	4.37
C188733	0.10	<0.005	<0.2	0.01	<2	<10	10	<0.5	<2	0.01	<0.5	<1	<1	1	0.02
C188734	0.44	0.020	0.3	1.47	7	<10	320	<0.5	<2	1.20	<0.5	13	24	69	3.67
C188735	0.36	0.010	0.6	2.61	11	<10	380	0.7	<2	1.41	<0.5	18	34	146	4.82
C188736	0.28	0.008	0.3	1.55	7	<10	390	<0.5	<2	1.24	<0.5	11	25	85	3.03
C188737	0.48	0.008	0.3	1.34	5	<10	280	<0.5	<2	0.85	<0.5	9	27	95	3.28
C188738	0.40	0.016	<0.2	1.27	7	<10	180	<0.5	2	0.95	<0.5	11	21	55	2.86
C188739	0.30	0.014	0.5	1.55	7	<10	230	<0.5	<2	1.08	<0.5	17	33	126	3.86
C188740	0.46	0.005	0.4	1.85	8	<10	380	0.5	<2	2.22	0.7	16	29	165	3.88
C188741	0.30	0.014	0.5	1.79	6	<10	310	0.5	<2	1.22	<0.5	13	40	153	3.13
C188851	0.40	0.020	0.4	1.28	7	<10	210	<0.5	<2	0.78	<0.5	11	28	53	2.86
C188852	0.30	0.026	0.8	1.95	9	<10	490	0.5	<2	1.02	<0.5	15	29	131	3.67
C188853	0.38	0.011	0.4	2.04	7	<10	340	<0.5	<2	0.94	<0.5	13	26	107	3.44
C188854	0.40	0.022	<0.2	1.11	5	<10	170	<0.5	2	0.78	<0.5	9	21	42	2.87
C188855	0.42	0.016	0.3	1.14	6	<10	130	<0.5	<2	0.68	<0.5	9	18	46	2.68
C188856	0.46	0.077	0.2	0.88	8	<10	130	<0.5	<2	0.55	<0.5	13	24	46	4.15
C188857	0.34	0.011	0.4	1.50	5	<10	150	<0.5	<2	0.55	<0.5	7	18	56	2.47
C188858	0.42	0.012	0.5	1.42	4	<10	220	<0.5	<2	0.66	<0.5	8	18	59	2.19
C188859	0.28	0.010	0.3	1.21	4	<10	210	<0.5	<2	0.68	<0.5	9	18	22	2.93
C188860	0.42	0.009	0.6	1.36	8	<10	130	<0.5	<2	0.49	<0.5	7	22	24	3.40
C188861	0.44	0.033	0.6	1.74	7	<10	260	<0.5	<2	1.01	0.5	14	24	69	3.53
C188862	0.30	0.025	0.6	1.91	8	<10	620	0.5	<2	2.29	0.5	17	27	156	3.71
C188863	0.60	0.011	0.3	1.68	10	<10	430	<0.5	<2	1.04	<0.5	15	28	83	4.00
C188864	0.36	0.010	0.3	1.38	8	<10	420	<0.5	<2	1.30	<0.5	11	25	127	3.18
C188865	0.40	0.053	0.2	1.55	7	<10	400	<0.5	<2	1.02	<0.5	12	28	91	3.65
C188866	0.60	0.023	0.3	1.46	8	<10	290	<0.5	<2	1.02	<0.5	13	31	99	3.80
C188867	0.20	0.012	<0.2	1.20	8	<10	480	<0.5	<2	1.44	<0.5	10	20	80	2.83
C188868	0.40	0.017	<0.2	1.34	6	<10	260	<0.5	<2	0.95	<0.5	11	24	79	3.55
C188869	0.44	0.024	<0.2	1.06	6	<10	190	<0.5	<2	0.91	<0.5	9	26	61	3.46
C188870	0.50	0.020	0.3	1.42	9	<10	240	<0.5	<2	0.88	<0.5	12	25	61	3.65

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - B
Total # Pages: 7 (A - C)
Finalized Date: 15-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095739

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C188722		<10	<1	0.06	10	0.86	1030	1	0.02	11	1360	6	0.06	<2	3	70
C188723		<10	<1	0.05	10	0.90	575	<1	0.02	13	480	5	0.03	<2	3	53
C188724		<10	1	0.05	10	0.79	576	<1	0.02	13	920	12	0.05	<2	4	61
C188725		10	<1	0.07	10	1.52	542	<1	0.02	18	1620	8	0.09	<2	7	58
C188726		<10	<1	0.05	10	0.80	515	<1	0.02	11	1000	6	0.03	<2	3	48
C188727		<10	1	0.05	10	0.28	497	1	0.03	9	1060	5	0.13	<2	1	223
C188728		<10	1	0.06	10	0.43	639	1	0.03	14	1290	6	0.10	2	2	177
C188729		<10	<1	0.10	10	0.67	865	1	0.03	17	1170	7	0.08	<2	3	166
C188730		<10	<1	0.06	10	0.41	771	1	0.02	15	1170	6	0.08	<2	2	172
C188731		<10	<1	0.08	10	0.50	761	1	0.03	17	1240	5	0.08	<2	3	164
C188732		10	<1	0.08	10	0.63	775	1	0.02	18	800	7	0.05	<2	4	117
C188733		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	<2	0.02	<2	<1	1
C188734		<10	<1	0.08	10	0.59	571	1	0.02	14	910	8	0.05	<2	4	126
C188735		10	<1	0.13	10	0.80	1430	3	0.03	24	1140	9	0.06	2	6	157
C188736		<10	<1	0.07	10	0.52	1755	2	0.02	17	1020	5	0.07	2	3	112
C188737		<10	<1	0.06	10	0.48	356	1	0.02	14	900	5	0.05	<2	3	70
C188738		10	<1	0.06	10	0.48	476	2	0.02	10	1140	4	0.06	<2	3	74
C188739		<10	<1	0.09	10	0.59	795	2	0.02	20	860	4	0.05	<2	4	106
C188740		10	<1	0.12	20	0.64	1370	3	0.02	21	1440	13	0.12	<2	4	231
C188741		10	<1	0.10	10	0.64	332	4	0.02	25	990	6	0.06	<2	5	104
C188851		<10	<1	0.06	10	0.49	506	1	0.02	16	1200	6	0.05	<2	3	65
C188852		<10	<1	0.10	20	0.60	638	1	0.02	19	1020	8	0.06	<2	6	68
C188853		<10	<1	0.08	10	0.66	551	1	0.02	19	1050	7	0.04	<2	3	73
C188854		<10	<1	0.05	10	0.54	362	1	0.02	11	800	4	0.04	<2	2	57
C188855		<10	<1	0.05	10	0.45	366	1	0.02	10	1190	5	0.02	<2	2	52
C188856		<10	<1	0.07	10	0.40	628	1	0.02	12	1770	8	0.04	2	2	37
C188857		<10	1	0.04	10	0.38	306	1	0.01	8	870	5	0.02	<2	2	48
C188858		<10	<1	0.05	10	0.46	340	<1	0.02	9	940	5	0.03	<2	2	59
C188859		<10	<1	0.05	10	0.42	240	<1	0.02	7	900	7	0.02	<2	2	60
C188860		<10	1	0.04	10	0.39	186	1	0.01	8	2350	6	0.02	<2	2	42
C188861		10	1	0.06	10	0.63	664	1	0.02	14	1170	6	0.05	<2	3	77
C188862		10	<1	0.08	10	0.64	879	1	0.03	22	1390	11	0.12	<2	3	157
C188863		<10	<1	0.08	10	0.65	647	1	0.02	18	940	5	0.06	<2	5	81
C188864		<10	1	0.08	10	0.51	630	<1	0.03	16	1300	5	0.05	<2	4	99
C188865		10	<1	0.08	10	0.62	605	<1	0.03	18	920	6	0.04	<2	4	83
C188866		10	<1	0.08	10	0.66	553	1	0.03	21	1300	5	0.04	<2	5	82
C188867		<10	<1	0.06	10	0.39	1020	1	0.03	12	1050	4	0.06	<2	3	133
C188868		<10	<1	0.08	10	0.55	458	<1	0.03	14	930	5	0.03	<2	4	93
C188869		<10	<1	0.07	10	0.52	366	<1	0.03	16	1360	4	0.03	<2	4	83
C188870		<10	<1	0.07	10	0.52	571	1	0.03	16	790	26	0.03	<2	4	106

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - C
Total # Pages: 7 (A - C)
Finalized Date: 15-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095739

Sample Description	Method Analyte Units LOR	ME-ICP41 Ti %	ME-ICP41 TI ppm	ME-ICP41 U ppm	ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm
		0.01	10	10	1	10	2
C188722		0.07	<10	<10	79	<10	52
C188723		0.10	<10	<10	80	<10	45
C188724		0.06	<10	<10	75	<10	40
C188725		0.06	<10	<10	97	<10	90
C188726		0.06	<10	<10	80	<10	43
C188727		0.02	<10	<10	40	<10	24
C188728		0.03	<10	<10	55	<10	42
C188729		0.04	<10	10	77	<10	43
C188730		0.03	<10	10	60	<10	31
C188731		0.04	<10	10	77	<10	39
C188732		0.05	<10	<10	104	<10	41
C188733		<0.01	<10	<10	<1	<10	3
C188734		0.05	<10	<10	85	<10	46
C188735		0.04	<10	<10	110	<10	53
C188736		0.03	<10	<10	76	<10	33
C188737		0.04	<10	<10	91	<10	33
C188738		0.04	<10	<10	77	<10	29
C188739		0.06	<10	<10	99	<10	50
C188740		0.04	<10	<10	89	<10	57
C188741		0.06	<10	<10	76	<10	42
C188851		0.04	<10	<10	73	<10	41
C188852		0.05	<10	<10	80	<10	54
C188853		0.05	<10	<10	93	<10	52
C188854		0.06	<10	<10	77	<10	30
C188855		0.05	<10	<10	75	<10	31
C188856		0.04	<10	<10	122	<10	38
C188857		0.05	<10	<10	73	<10	30
C188858		0.04	<10	<10	65	<10	31
C188859		0.05	<10	<10	84	<10	42
C188860		0.05	<10	<10	92	<10	39
C188861		0.05	<10	<10	90	<10	79
C188862		0.04	<10	<10	77	<10	73
C188863		0.06	<10	<10	102	<10	49
C188864		0.05	<10	<10	85	<10	39
C188865		0.06	<10	<10	89	<10	55
C188866		0.06	<10	<10	99	<10	42
C188867		0.04	<10	<10	70	<10	30
C188868		0.06	<10	<10	93	<10	46
C188869		0.06	<10	<10	89	<10	30
C188870		0.05	<10	<10	86	<10	37

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 5 - A
Total # Pages: 7 (A - C)
Finalized Date: 15-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095739

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C189501		0.32	0.015	0.3	1.28	5	<10	210	<0.5	<2	1.16	<0.5	13	22	51	3.44
C189502		0.32	0.008	1.0	1.91	7	<10	270	<0.5	<2	1.05	<0.5	10	28	102	3.53
C189503		0.38	0.010	<0.2	1.24	8	<10	150	<0.5	<2	0.83	<0.5	15	45	58	6.53
C189504		0.42	<0.005	0.5	1.53	6	<10	210	0.5	<2	1.68	<0.5	12	25	160	3.08
C189505		0.64	0.009	0.3	1.51	9	<10	190	<0.5	<2	1.08	<0.5	14	28	69	3.50
C189506		0.34	0.008	0.4	1.26	3	<10	150	<0.5	<2	0.96	<0.5	13	29	34	3.95
C189507		0.48	<0.005	0.4	2.15	45	<10	240	<0.5	<2	1.16	<0.5	17	23	60	13.90
C189508		0.40	<0.005	0.3	2.53	25	<10	220	<0.5	<2	1.11	<0.5	18	22	56	11.05
C189509		0.62	0.022	0.3	1.93	7	<10	160	<0.5	<2	1.06	<0.5	17	30	143	3.53
C189510		0.46	0.055	<0.2	1.79	6	<10	70	<0.5	<2	0.44	<0.5	11	20	42	3.83
C189511		0.34	0.013	<0.2	1.32	2	<10	50	<0.5	<2	0.27	<0.5	6	17	18	1.88
C189512		0.42	0.022	0.3	1.78	3	<10	130	<0.5	<2	0.42	<0.5	9	23	33	3.03
C189513		0.46	0.011	<0.2	2.36	9	<10	100	<0.5	<2	0.45	<0.5	14	23	62	3.81
C189514		0.30	0.032	0.2	1.42	<2	<10	120	<0.5	<2	0.34	<0.5	7	17	30	2.44
C189515		0.24	0.013	0.2	1.67	5	<10	230	<0.5	<2	0.62	<0.5	7	16	37	2.32
C189516		0.34	0.028	0.3	2.17	4	<10	250	<0.5	<2	0.68	<0.5	9	17	57	2.82
C189517		0.26	0.024	0.4	1.56	5	<10	240	<0.5	<2	1.00	<0.5	7	16	37	2.49
C189518		0.42	0.011	0.2	1.74	5	<10	160	<0.5	<2	0.65	<0.5	13	21	50	3.34
C189519		0.36	0.021	<0.2	2.08	6	<10	100	<0.5	<2	0.42	<0.5	11	26	61	4.00
C189520		0.50	0.014	0.2	1.54	2	<10	70	<0.5	<2	0.38	<0.5	7	17	21	2.50
C189521		0.26	0.015	0.2	1.35	2	<10	60	<0.5	<2	0.25	<0.5	4	15	16	1.92
C189522		0.32	0.009	0.3	2.07	<2	<10	90	<0.5	<2	0.27	<0.5	6	31	35	1.98
C189523		0.30	0.038	<0.2	1.13	<2	<10	60	<0.5	<2	0.28	<0.5	4	17	14	1.47
C189524		0.64	0.012	<0.2	1.23	3	<10	100	<0.5	<2	0.52	<0.5	7	23	33	2.25
C189525		0.42	0.036	<0.2	1.54	<2	<10	140	<0.5	<2	0.49	<0.5	8	20	33	2.18
C189526		0.26	0.013	<0.2	1.60	6	<10	120	<0.5	<2	0.48	<0.5	9	21	39	2.33
C189527		0.34	0.016	0.2	1.31	3	<10	80	<0.5	<2	0.38	<0.5	8	19	31	1.89
C189528		0.26	0.013	<0.2	1.84	5	<10	100	<0.5	<2	0.24	<0.5	7	22	23	3.43
C189529		0.32	0.014	0.2	1.17	7	<10	60	<0.5	<2	0.18	<0.5	5	22	12	2.69
C189530		0.18	0.037	0.2	1.57	9	<10	90	<0.5	<2	0.30	<0.5	9	24	49	3.51
C189531		0.34	0.099	0.4	2.18	6	<10	350	0.6	<2	0.88	<0.5	15	40	118	3.90
C189532		0.26	0.009	0.3	2.12	7	<10	360	0.5	<2	0.85	<0.5	14	37	106	3.84
C189533		0.04	0.024	<0.2	0.01	<2	<10	10	<0.5	<2	0.01	<0.5	<1	<1	2	0.03
C189551		0.34	0.009	<0.2	1.66	3	<10	130	<0.5	<2	0.45	<0.5	11	59	43	2.91
C189552		0.38	0.014	0.2	1.12	3	<10	140	<0.5	<2	0.32	<0.5	7	33	39	2.09
C189621		0.34	0.012	<0.2	2.28	5	<10	120	<0.5	<2	0.64	<0.5	13	22	45	3.64
C189622		0.30	0.010	0.4	1.69	<2	<10	160	<0.5	<2	0.55	<0.5	9	17	72	2.70
C189623		0.34	0.005	<0.2	1.36	<2	<10	90	<0.5	<2	0.43	<0.5	7	18	21	2.70
C189624		0.36	0.031	0.6	2.75	2	<10	450	0.6	<2	1.33	0.6	21	27	156	4.03
C189625		0.36	0.008	0.2	1.91	3	<10	90	<0.5	<2	0.41	<0.5	11	21	52	3.47

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 5 - B
Total # Pages: 7 (A - C)
Finalized Date: 15-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095739

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C189501		<10	1	0.05	10	0.53	695	<1	0.03	13	710	7	0.07	<2	3	75
C189502		<10	<1	0.06	10	0.67	588	<1	0.03	19	600	7	0.04	<2	5	77
C189503		<10	<1	0.06	10	0.64	817	<1	0.03	20	1460	7	0.04	<2	4	57
C189504		<10	1	0.06	10	0.70	1615	1	0.03	17	1570	6	0.10	<2	3	115
C189505		<10	<1	0.07	10	0.85	998	1	0.03	18	1460	5	0.06	<2	4	80
C189506		<10	1	0.06	10	0.79	1285	<1	0.03	14	1500	3	0.05	<2	3	63
C189507		<10	<1	0.04	<10	1.26	1775	14	0.03	17	2060	6	0.09	<2	6	73
C189508		10	<1	0.05	<10	1.60	1670	9	0.04	16	2000	4	0.07	<2	6	66
C189509		10	<1	0.12	10	1.07	404	<1	0.03	22	1330	7	0.05	<2	7	78
C189510		10	<1	0.07	10	0.90	390	<1	0.02	12	1260	7	0.02	<2	4	44
C189511		<10	<1	0.03	10	0.48	198	<1	0.02	9	440	4	0.02	<2	3	27
C189512		10	1	0.06	<10	0.75	280	<1	0.02	12	550	6	0.02	<2	4	43
C189513		<10	1	0.06	10	0.85	353	<1	0.03	17	1470	6	0.02	<2	4	45
C189514		10	<1	0.05	<10	0.56	264	<1	0.03	9	490	7	0.03	<2	3	40
C189515		10	<1	0.06	10	0.46	754	<1	0.03	8	370	9	0.03	<2	3	57
C189516		10	<1	0.09	10	0.53	1260	<1	0.03	12	980	8	0.05	<2	3	67
C189517		<10	1	0.07	10	0.53	814	<1	0.03	8	750	9	0.05	<2	2	77
C189518		10	<1	0.07	10	0.60	643	<1	0.03	12	940	5	0.04	<2	3	56
C189519		10	1	0.08	10	0.78	337	<1	0.03	14	1190	7	0.02	<2	5	45
C189520		10	<1	0.04	<10	0.64	280	<1	0.02	9	750	4	0.02	<2	3	40
C189521		10	<1	0.04	<10	0.37	167	<1	0.02	7	610	5	0.02	<2	3	29
C189522		10	<1	0.04	10	0.54	186	<1	0.02	19	690	8	0.02	<2	4	26
C189523		10	<1	0.03	10	0.34	154	<1	0.02	8	440	5	0.02	<2	2	29
C189524		<10	<1	0.04	10	0.64	333	<1	0.02	14	970	4	0.01	<2	3	41
C189525		10	<1	0.05	10	0.65	333	<1	0.03	12	650	5	0.02	<2	3	46
C189526		<10	<1	0.05	10	0.64	380	<1	0.03	14	810	3	0.02	<2	3	43
C189527		<10	<1	0.04	10	0.52	234	<1	0.02	12	680	5	0.02	<2	3	36
C189528		<10	1	0.05	10	0.46	297	<1	0.02	11	2480	5	0.03	<2	3	25
C189529		10	<1	0.04	10	0.23	163	<1	0.02	7	810	5	0.02	<2	2	23
C189530		<10	<1	0.07	10	0.41	351	<1	0.01	13	580	11	0.02	<2	3	34
C189531		10	<1	0.10	10	0.83	734	1	0.03	23	1240	7	0.04	<2	5	58
C189532		<10	<1	0.09	10	0.81	743	1	0.02	22	1250	9	0.04	<2	5	57
C189533		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	<2	<0.01	<2	<1	1
C189551		10	<1	0.07	10	0.76	317	<1	0.02	26	950	6	<0.01	<2	3	43
C189552		10	1	0.06	10	0.45	313	1	0.01	14	620	7	<0.01	<2	3	34
C189621		10	<1	0.08	<10	0.79	525	<1	0.01	16	1940	6	<0.01	<2	4	46
C189622		10	<1	0.05	<10	0.51	641	<1	0.01	9	790	5	0.01	<2	3	50
C189623		10	<1	0.04	<10	0.42	317	<1	0.01	8	410	6	<0.01	2	3	37
C189624		10	<1	0.05	10	1.17	3020	<1	0.02	22	690	6	0.03	<2	8	121
C189625		10	1	0.06	10	0.70	333	<1	0.02	13	480	5	<0.01	<2	4	42

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 5 - C
Total # Pages: 7 (A - C)
Finalized Date: 15-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095739

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
C189501		0.04	<10	<10	90	<10	61
C189502		0.06	<10	<10	91	<10	54
C189503		0.07	<10	<10	220	<10	51
C189504		0.04	<10	<10	76	<10	42
C189505		0.06	<10	<10	90	<10	50
C189506		0.07	<10	<10	120	<10	47
C189507		0.04	<10	10	104	<10	132
C189508		0.04	<10	<10	104	<10	117
C189509		0.10	<10	<10	96	<10	67
C189510		0.09	<10	<10	105	<10	54
C189511		0.07	<10	<10	55	<10	33
C189512		0.10	<10	<10	96	<10	53
C189513		0.09	<10	<10	99	<10	54
C189514		0.07	<10	<10	73	<10	41
C189515		0.07	<10	<10	72	<10	50
C189516		0.03	<10	<10	62	<10	68
C189517		0.03	<10	<10	60	<10	78
C189518		0.05	<10	<10	87	<10	60
C189519		0.07	<10	<10	105	<10	51
C189520		0.08	<10	<10	69	<10	43
C189521		0.06	<10	<10	55	<10	30
C189522		0.06	<10	<10	53	<10	47
C189523		0.05	<10	<10	47	<10	30
C189524		0.07	<10	<10	60	<10	37
C189525		0.06	<10	<10	63	<10	47
C189526		0.06	<10	<10	62	<10	41
C189527		0.06	<10	<10	52	<10	37
C189528		0.04	<10	<10	66	<10	62
C189529		0.04	<10	<10	70	<10	32
C189530		0.03	<10	<10	70	<10	51
C189531		0.05	<10	<10	97	<10	66
C189532		0.05	<10	<10	93	<10	62
C189533		<0.01	<10	<10	<1	<10	3
C189551		0.11	<10	<10	101	<10	45
C189552		0.09	<10	<10	73	<10	37
C189621		0.06	<10	<10	100	<10	57
C189622		0.06	<10	<10	84	<10	52
C189623		0.06	<10	<10	90	<10	36
C189624		0.02	<10	<10	116	<10	63
C189625		0.11	<10	<10	107	<10	42

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 6 - A
Total # Pages: 7 (A - C)
Finalized Date: 15-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095739

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
Sample Description	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C189626	0.36	0.010	0.2	1.74	3	<10	110	<0.5	<2	0.45	<0.5	16	19	27	3.53
C189627	0.34	0.072	<0.2	4.28	17	<10	270	0.7	<2	1.09	<0.5	35	109	355	6.56
C189628	0.18	0.014	5.8	2.17	564	<10	950	1.1	<2	0.58	8.3	26	82	361	4.41
C189629	0.44	0.008	<0.2	3.03	5	<10	400	0.7	<2	1.47	0.5	29	66	194	4.65
C189630	0.36	0.008	<0.2	2.91	10	<10	120	<0.5	<2	0.40	<0.5	19	32	70	4.24
C189631	0.28	0.007	0.5	2.39	8	<10	180	<0.5	<2	0.69	0.5	16	30	46	4.05
C189632	0.26	<0.005	<0.2	1.22	4	<10	140	<0.5	<2	2.65	<0.5	9	43	63	2.43
C189633	0.38	0.006	<0.2	1.09	7	10	100	<0.5	<2	2.30	<0.5	10	61	94	2.55
C189634	0.34	<0.005	<0.2	1.14	2	<10	70	<0.5	<2	0.38	<0.5	7	43	37	3.25
C189635	0.04	<0.005	<0.2	0.01	<2	<10	10	<0.5	<2	0.01	<0.5	<1	<1	1	0.02
C188792	0.34	<0.005	<0.2	1.59	3	<10	70	<0.5	<2	0.18	<0.5	6	16	28	3.54
C188793	0.26	<0.005	<0.2	1.71	2	<10	70	<0.5	<2	0.22	<0.5	7	17	30	3.76
C188794	0.34	0.011	<0.2	2.04	6	<10	90	<0.5	<2	0.35	<0.5	10	24	36	4.09
C188795	0.32	0.010	0.2	2.40	8	<10	80	<0.5	<2	0.49	<0.5	16	25	59	4.22
C188796	0.28	0.015	<0.2	1.63	5	<10	120	<0.5	<2	0.39	<0.5	10	22	29	3.56
C188797	0.34	0.011	<0.2	1.87	7	<10	120	<0.5	<2	0.40	<0.5	10	26	32	3.92
C188798	0.32	0.005	<0.2	1.39	2	<10	80	<0.5	<2	0.38	<0.5	8	23	23	3.10
C188799	0.32	<0.005	<0.2	1.29	5	<10	60	<0.5	<2	0.43	<0.5	7	23	19	2.83
C188800	0.32	0.008	<0.2	2.06	<2	<10	190	<0.5	<2	0.68	<0.5	13	23	46	3.62
C189601	0.44	0.029	<0.2	2.31	2	<10	190	<0.5	<2	0.66	<0.5	15	26	81	3.91
C189602	0.44	0.006	0.7	2.52	6	<10	160	0.7	<2	1.19	1.5	15	29	300	3.56
C189603	0.36	0.013	0.2	1.75	7	<10	110	<0.5	<2	0.48	1.1	9	18	21	3.65
C189604	0.44	0.012	1.0	2.33	8	<10	130	0.5	<2	1.12	0.8	15	31	132	3.46
C189605	0.36	0.008	<0.2	1.92	4	<10	90	<0.5	<2	0.51	<0.5	10	24	35	3.94
C189606	0.42	0.014	0.2	1.19	2	<10	40	<0.5	<2	0.24	<0.5	6	16	17	2.99
C189607	0.34	<0.005	<0.2	1.86	3	<10	80	<0.5	<2	0.41	<0.5	11	20	53	3.30
C189608	0.40	0.005	<0.2	1.31	3	<10	70	<0.5	<2	0.31	<0.5	5	15	16	2.42
C189609	0.44	0.008	<0.2	3.01	10	<10	110	<0.5	<2	0.33	<0.5	14	25	76	4.21
C189610	0.36	0.008	<0.2	1.16	3	<10	70	<0.5	<2	0.34	<0.5	4	13	14	1.84
C189611	0.44	0.018	<0.2	1.71	6	<10	60	<0.5	<2	0.40	<0.5	10	21	33	3.86
C189612	0.24	0.008	<0.2	2.19	6	<10	70	<0.5	<2	0.35	<0.5	10	20	27	4.36
C189613	0.04	<0.005	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	<1	1	0.03
C189614	0.32	0.022	<0.2	1.55	5	<10	70	<0.5	<2	0.27	<0.5	5	20	20	2.45
C189615	0.32	0.014	0.4	3.22	10	<10	410	0.7	<2	1.28	<0.5	20	37	218	4.62
C189616	0.36	0.032	<0.2	2.36	11	<10	170	<0.5	<2	0.83	<0.5	14	29	129	3.79
C189617	0.30	0.007	0.2	2.15	10	<10	110	<0.5	<2	0.37	<0.5	8	24	25	3.93
C189618	0.28	0.008	0.2	3.11	4	<10	300	0.6	<2	0.74	0.6	12	15	26	3.28
C189619	0.30	0.008	<0.2	1.52	4	<10	70	<0.5	<2	0.37	<0.5	7	18	11	3.12
C189620	0.36	0.009	<0.2	2.55	7	<10	110	<0.5	<2	0.65	<0.5	13	23	49	3.71
C188961	0.58	0.006	0.2	1.14	3	<10	110	<0.5	<2	0.98	<0.5	9	22	43	2.57

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 6 - B
Total # Pages: 7 (A - C)
Finalized Date: 15-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095739

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C189626		<10	1	0.06	<10	0.89	612	<1	0.01	15	930	5	<0.01	<2	4	45
C189627		10	1	0.42	<10	2.39	1660	<1	0.03	47	1270	4	0.01	2	15	506
C189628		10	1	0.47	30	0.77	635	6	0.05	324	1110	769	0.31	29	8	79
C189629		10	<1	0.27	<10	1.14	3430	1	0.02	31	3940	9	0.04	<2	7	98
C189630		10	1	0.10	<10	1.20	615	<1	0.01	25	1960	4	<0.01	<2	7	47
C189631		10	<1	0.05	10	0.80	933	1	0.02	17	330	9	0.01	<2	5	119
C189632		<10	<1	0.11	10	0.77	897	1	0.02	20	1250	5	0.13	<2	3	151
C189633		<10	<1	0.11	10	0.79	622	<1	0.02	28	1200	6	0.09	<2	5	99
C189634		10	<1	0.09	10	0.48	199	<1	0.02	16	1600	6	<0.01	<2	4	32
C189635		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	<2	<0.01	<2	<1	1
C188792		10	<1	0.04	<10	0.40	210	<1	<0.01	7	750	5	<0.01	<2	2	21
C188793		10	<1	0.05	<10	0.42	226	<1	0.01	8	760	7	<0.01	<2	3	27
C188794		10	<1	0.05	<10	0.66	302	1	0.01	13	770	6	0.01	<2	4	39
C188795		10	<1	0.07	<10	1.14	467	<1	0.01	18	1710	5	0.01	<2	5	43
C188796		<10	<1	0.05	<10	0.67	309	<1	0.01	13	1260	5	0.01	<2	3	38
C188797		10	1	0.05	<10	0.64	271	<1	0.01	15	1820	5	0.01	<2	3	41
C188798		10	<1	0.05	<10	0.50	220	<1	0.01	13	1000	4	0.01	<2	3	35
C188799		<10	<1	0.04	<10	0.39	193	<1	0.01	12	290	5	0.01	<2	2	38
C188800		10	<1	0.05	10	0.70	1020	<1	0.01	14	380	8	0.01	<2	4	51
C189601		10	<1	0.06	10	0.88	714	<1	0.01	18	410	5	0.01	<2	5	50
C189602		10	<1	0.07	20	0.76	1065	1	0.02	21	830	24	0.02	<2	8	69
C189603		10	<1	0.05	<10	0.62	279	1	0.02	8	370	6	0.01	<2	3	45
C189604		10	1	0.06	10	0.83	1430	<1	0.02	19	1090	7	0.04	<2	5	55
C189605		10	<1	0.05	10	0.74	316	<1	0.02	13	1300	6	0.01	<2	3	48
C189606		<10	<1	0.03	<10	0.37	178	<1	0.01	7	540	4	<0.01	<2	3	29
C189607		10	<1	0.06	10	0.68	318	1	0.01	13	470	7	0.01	<2	3	42
C189608		10	<1	0.04	<10	0.31	289	<1	0.01	7	1090	8	0.01	<2	2	36
C189609		10	1	0.07	10	0.86	328	<1	0.01	18	1070	7	0.01	<2	5	39
C189610		10	<1	0.04	<10	0.39	165	<1	0.01	7	380	7	<0.01	<2	3	30
C189611		10	<1	0.05	<10	0.67	268	<1	0.01	12	1250	12	0.01	<2	3	40
C189612		10	<1	0.05	<10	0.85	280	1	0.01	11	770	8	0.01	<2	4	35
C189613		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	2	0.01	<2	<1	1
C189614		10	<1	0.03	10	0.48	169	<1	0.01	12	330	7	0.01	<2	3	29
C189615		10	<1	0.12	10	1.09	1525	1	0.03	33	1270	9	0.03	2	9	141
C189616		10	<1	0.07	10	0.87	770	<1	0.02	20	820	8	0.01	<2	6	75
C189617		10	<1	0.04	10	0.46	347	<1	0.01	12	1090	7	0.02	<2	4	37
C189618		10	<1	0.05	10	0.68	993	1	0.01	13	1570	8	0.03	<2	4	44
C189619		10	<1	0.04	<10	0.41	270	<1	0.01	8	920	6	0.01	<2	3	40
C189620		10	1	0.08	<10	0.84	499	<1	0.01	18	1910	7	0.01	<2	4	52
C188961		<10	<1	0.05	10	0.47	442	<1	0.02	13	1070	4	0.02	<2	3	60

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 6 - C
Total # Pages: 7 (A - C)
Finalized Date: 15-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095739

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
C189626		0.06	<10	<10	109	<10	64
C189627		0.09	<10	<10	156	<10	125
C189628		0.06	<10	<10	79	10	1450
C189629		0.08	<10	<10	95	<10	112
C189630		0.03	<10	<10	99	<10	81
C189631		0.04	<10	<10	115	<10	81
C189632		0.05	<10	<10	59	<10	34
C189633		0.05	<10	<10	64	<10	39
C189634		0.12	<10	<10	107	<10	34
C189635		<0.01	<10	<10	<1	<10	5
C188792		0.03	<10	<10	106	<10	33
C188793		0.04	<10	<10	117	<10	35
C188794		0.06	<10	<10	121	<10	44
C188795		0.09	<10	<10	117	<10	62
C188796		0.06	<10	<10	104	<10	43
C188797		0.07	<10	<10	112	<10	42
C188798		0.05	<10	<10	89	<10	59
C188799		0.06	<10	<10	97	<10	28
C188800		0.07	<10	<10	107	<10	50
C189601		0.04	<10	<10	103	<10	53
C189602		0.05	<10	<10	92	<10	151
C189603		0.11	<10	<10	121	<10	89
C189604		0.05	<10	<10	92	<10	52
C189605		0.10	<10	<10	117	<10	46
C189606		0.09	<10	<10	104	<10	29
C189607		0.11	<10	<10	102	<10	43
C189608		0.08	<10	<10	77	<10	38
C189609		0.09	<10	<10	115	<10	51
C189610		0.11	<10	<10	70	<10	36
C189611		0.11	<10	<10	118	<10	47
C189612		0.14	<10	<10	138	<10	51
C189613		<0.01	<10	<10	1	<10	5
C189614		0.09	<10	<10	80	<10	28
C189615		0.07	<10	<10	126	<10	63
C189616		0.08	<10	<10	108	<10	53
C189617		0.07	<10	<10	104	<10	56
C189618		0.04	<10	<10	78	<10	86
C189619		0.07	<10	<10	95	<10	54
C189620		0.08	<10	<10	101	<10	61
C188961		0.06	<10	<10	80	<10	56

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 7 - A
Total # Pages: 7 (A - C)
Finalized Date: 15-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095739

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
Sample Description	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C188962	0.50	0.008	0.2	1.25	5	<10	120	<0.5	<2	0.97	<0.5	9	23	45	2.77
C188963	0.40	0.009	0.2	1.89	6	<10	210	<0.5	<2	1.41	<0.5	15	27	58	3.30
C188964	0.46	0.006	0.2	1.25	2	<10	110	<0.5	<2	0.81	<0.5	6	20	27	1.77
C188965	0.48	0.005	<0.2	1.39	<2	<10	100	<0.5	<2	0.56	<0.5	6	19	27	1.92
C188966	0.40	0.010	<0.2	1.66	4	<10	100	<0.5	<2	0.60	<0.5	7	24	42	2.77
C188967	0.50	0.007	<0.2	1.54	8	<10	250	<0.5	<2	0.73	<0.5	17	33	38	4.78
C188968	0.60	0.015	1.2	1.73	13	<10	110	<0.5	<2	2.05	<0.5	26	30	168	3.95
C188969	0.50	0.038	1.1	2.01	10	<10	90	<0.5	<2	0.81	0.9	12	27	129	3.19
C188970	0.32	0.007	1.1	3.67	9	<10	140	0.9	<2	0.96	1.4	23	44	365	4.76
C188971	0.24	0.007	0.3	1.57	3	<10	90	<0.5	<2	0.59	<0.5	5	16	33	1.74
C188972	0.32	0.008	<0.2	1.87	3	<10	90	<0.5	<2	0.43	<0.5	7	20	25	2.50
C188973	0.36	0.012	<0.2	1.53	3	<10	50	<0.5	<2	0.37	<0.5	8	18	27	2.62
C188974	0.26	0.012	<0.2	1.67	5	<10	60	<0.5	<2	0.40	<0.5	11	24	28	3.94
C188975	0.26	0.013	0.5	2.20	3	<10	140	0.5	<2	1.00	0.6	14	19	89	2.94
C188976	0.32	<0.005	<0.2	2.05	4	<10	90	<0.5	<2	0.82	0.5	14	26	89	3.49
C188977	0.30	0.006	0.2	2.12	<2	<10	120	<0.5	<2	1.02	<0.5	12	23	92	3.08
C188978	0.22	0.008	0.6	2.51	4	<10	130	0.7	<2	0.94	1.0	13	19	123	3.37
C188979	0.02	0.020	<0.2	0.01	<2	<10	10	<0.5	<2	0.01	<0.5	<1	<1	1	0.03
C188980	0.28	0.032	0.3	1.69	7	<10	60	<0.5	<2	0.35	<0.5	9	21	19	4.12
C188981	0.30	0.014	<0.2	1.48	6	<10	50	<0.5	<2	0.49	0.5	9	22	23	4.05
C188982	0.30	0.012	0.2	1.98	3	<10	80	<0.5	<2	0.33	<0.5	16	22	42	3.94
C188983	0.30	<0.005	0.2	1.84	3	<10	70	<0.5	<2	0.38	<0.5	9	24	36	3.86
C188984	0.34	0.006	<0.2	0.71	<2	<10	80	<0.5	<2	0.33	0.6	8	14	27	1.40
C188985	0.42	0.010	0.2	1.32	<2	<10	90	<0.5	<2	0.45	<0.5	8	22	21	2.89
C188986	0.36	0.008	0.2	1.63	3	<10	110	<0.5	<2	0.46	<0.5	9	25	26	3.29
C188988	0.20	0.008	<0.2	2.50	<2	<10	60	<0.5	<2	0.55	0.6	11	21	20	3.59
C188989	0.30	0.005	0.2	2.33	10	<10	80	<0.5	<2	0.31	<0.5	11	27	47	4.31
C188990	0.24	<0.005	0.5	2.72	5	<10	120	<0.5	<2	1.63	<0.5	20	24	234	4.13
C188991	0.26	0.006	0.4	2.78	5	<10	120	<0.5	<2	1.55	<0.5	22	23	199	4.34
C188992	0.30	0.008	0.3	2.21	10	<10	130	<0.5	<2	1.19	<0.5	16	21	352	3.50
C188993	0.20	0.010	0.3	3.41	10	<10	190	0.5	<2	1.31	<0.5	25	22	314	5.06
C188994	0.36	0.006	<0.2	1.80	4	<10	100	<0.5	<2	0.61	<0.5	13	21	25	3.21
C188995	0.26	<0.005	<0.2	2.67	7	<10	200	0.5	<2	1.16	<0.5	18	34	148	4.32
C188996	0.28	0.008	<0.2	1.27	2	<10	100	<0.5	<2	0.38	<0.5	9	18	14	2.81
C188997	0.02	0.005	<0.2	0.02	<2	<10	10	<0.5	<2	0.01	<0.5	<1	<1	1	0.04
C188998	0.36	0.015	<0.2	1.89	<2	<10	110	<0.5	<2	0.40	<0.5	11	23	12	3.28
C188999	0.46	0.009	<0.2	3.13	7	<10	140	0.5	<2	0.78	<0.5	18	21	122	4.45
C189000	0.30	0.009	<0.2	1.11	3	<10	50	<0.5	<2	0.31	<0.5	6	19	11	2.31

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 7 - B
Total # Pages: 7 (A - C)
Finalized Date: 15-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS	VA06095739
-------------------------	------------

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C188962		10	<1	0.06	10	0.52	483	<1	0.02	14	760	5	0.02	<2	3	56
C188963		10	<1	0.07	10	0.68	1235	1	0.02	16	840	7	0.04	<2	4	77
C188964		<10	<1	0.04	10	0.44	231	<1	0.01	11	860	5	0.02	<2	2	50
C188965		<10	<1	0.04	10	0.42	206	<1	0.01	11	570	5	0.01	<2	3	44
C188966		<10	<1	0.05	10	0.53	272	1	0.02	14	910	5	0.01	<2	3	44
C188967		<10	<1	0.03	10	0.78	2380	1	0.02	15	540	6	0.03	<2	4	44
C188968		10	<1	0.06	10	1.06	2470	4	0.02	16	1720	9	0.08	<2	4	108
C188969		<10	1	0.06	10	1.02	589	<1	0.01	19	580	16	0.02	<2	5	52
C188970		10	<1	0.08	20	1.07	957	1	0.02	32	600	17	0.03	<2	9	52
C188971		10	<1	0.03	10	0.36	164	<1	0.01	7	370	7	0.03	<2	2	40
C188972		10	<1	0.03	10	0.57	217	<1	0.01	10	400	7	0.02	<2	3	41
C188973		10	<1	0.05	<10	0.72	257	<1	0.01	11	500	6	0.01	<2	3	37
C188974		10	<1	0.05	<10	0.90	274	<1	0.01	12	720	5	0.01	<2	3	34
C188975		10	1	0.04	10	0.50	952	1	0.02	15	590	10	0.03	<2	3	61
C188976		<10	<1	0.05	10	0.84	756	<1	0.02	16	450	6	0.02	<2	5	53
C188977		10	<1	0.06	10	0.83	724	<1	0.02	15	770	8	0.02	<2	5	63
C188978		10	<1	0.05	20	0.40	438	<1	0.02	12	790	9	0.04	<2	4	43
C188979		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	<2	0.01	<2	<1	1
C188980		10	<1	0.05	<10	0.56	270	<1	0.01	10	700	7	0.02	<2	3	37
C188981		10	<1	0.04	<10	0.53	332	1	0.01	10	740	7	0.02	<2	3	43
C188982		10	<1	0.03	10	0.45	715	1	0.01	10	450	8	0.02	<2	3	30
C188983		10	<1	0.05	10	0.47	254	<1	0.03	12	1020	5	0.03	<2	3	32
C188984		<10	<1	0.02	<10	0.15	623	<1	0.03	6	300	4	0.03	<2	1	32
C188985		<10	<1	0.05	<10	0.46	261	<1	0.03	11	460	7	0.03	<2	3	48
C188986		<10	1	0.06	10	0.54	275	<1	0.03	13	680	7	0.03	<2	3	49
C188988		10	<1	0.03	<10	0.89	311	<1	0.03	11	260	15	0.04	<2	5	41
C188989		10	<1	0.05	<10	0.78	315	<1	0.03	16	580	6	0.04	<2	4	39
C188990		10	<1	0.07	10	1.58	1310	<1	0.04	20	690	4	0.06	<2	5	91
C188991		10	<1	0.07	10	1.81	1135	<1	0.04	20	610	4	0.06	<2	5	85
C188992		<10	1	0.07	10	1.22	1165	<1	0.05	19	630	4	0.05	<2	7	72
C188993		10	1	0.10	10	1.71	2240	1	0.04	25	460	5	0.03	3	8	68
C188994		10	<1	0.13	<10	0.81	629	<1	0.01	13	550	4	0.02	<2	3	55
C188995		10	1	0.14	10	1.10	1080	<1	0.03	26	850	8	0.02	<2	9	85
C188996		<10	<1	0.05	10	0.38	822	<1	0.01	9	1700	5	0.01	<2	3	42
C188997		<10	<1	<0.01	<10	0.01	7	<1	<0.01	<1	20	4	0.01	<2	<1	2
C188998		10	<1	0.04	<10	0.61	911	<1	0.01	14	860	4	0.01	<2	3	55
C188999		10	<1	0.07	<10	1.13	1070	<1	0.01	20	1100	4	0.02	2	7	120
C189000		<10	<1	0.05	<10	0.26	236	<1	0.01	8	810	4	0.01	<2	2	38

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 7 - C
Total # Pages: 7 (A - C)
Finalized Date: 15-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095739

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Ti	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
C188962		0.07	<10	<10	80	<10	50
C188963		0.06	<10	<10	98	<10	49
C188964		0.05	<10	<10	58	<10	26
C188965		0.07	<10	<10	60	<10	35
C188966		0.07	<10	<10	81	<10	36
C188967		0.06	<10	<10	87	<10	56
C188968		0.06	<10	<10	91	<10	60
C188969		0.06	<10	<10	77	<10	157
C188970		0.14	<10	<10	132	<10	165
C188971		0.06	<10	<10	67	<10	26
C188972		0.08	<10	<10	94	<10	35
C188973		0.12	<10	<10	88	<10	38
C188974		0.19	<10	<10	132	<10	46
C188975		0.07	<10	<10	86	<10	42
C188976		0.09	<10	<10	96	<10	50
C188977		0.08	<10	<10	91	<10	46
C188978		0.06	<10	<10	91	<10	65
C188979		<0.01	<10	<10	1	<10	3
C188980		0.11	<10	<10	130	<10	70
C188981		0.10	<10	<10	132	<10	51
C188982		0.07	<10	<10	116	<10	43
C188983		0.08	<10	<10	104	<10	36
C188984		0.05	<10	<10	50	<10	20
C188985		0.09	<10	<10	95	<10	44
C188986		0.09	<10	<10	101	<10	59
C188988		0.04	<10	<10	124	<10	75
C188989		0.09	<10	<10	132	<10	56
C188990		0.12	<10	<10	118	<10	59
C188991		0.16	<10	<10	130	<10	63
C188992		0.11	<10	<10	105	<10	53
C188993		0.16	<10	<10	160	<10	80
C188994		0.09	<10	<10	96	<10	44
C188995		0.08	<10	<10	122	<10	63
C188996		0.08	<10	<10	83	<10	36
C188997		<0.01	<10	<10	1	<10	5
C188998		0.06	<10	<10	107	<10	63
C188999		0.04	<10	<10	141	<10	78
C189000		0.07	<10	<10	77	<10	25

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 10-OCT-2006
Account: EIA

CERTIFICATE VA06095939

Project: Claw

P.O. No.: IEA06-01

This report is for 123 Soil samples submitted to our lab in Vancouver, BC, Canada on 7-SEP-2006.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

RORY KUTLUOGLU

D MALLO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Keith Rogers, Executive Manager Vancouver Laboratory



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 5 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095939

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
Sample Description	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C188751	0.30	0.005	0.2	1.32	5	<10	80	<0.5	<2	0.37	<0.5	4	17	22	2.66
C188752	0.36	<0.005	0.4	0.85	3	<10	150	<0.5	<2	0.32	<0.5	4	18	16	3.12
C188753	0.36	0.015	0.3	1.43	5	<10	110	<0.5	<2	0.26	<0.5	8	21	54	3.27
C188754	0.30	0.011	0.2	1.12	4	<10	130	<0.5	<2	0.28	<0.5	7	18	42	2.60
C188755	0.38	0.012	0.3	1.30	6	<10	90	<0.5	<2	0.34	<0.5	7	19	26	3.23
C188756	0.36	0.013	0.6	1.38	<2	<10	370	<0.5	<2	1.41	<0.5	8	19	70	2.89
C188757	0.32	0.007	1.6	3.63	11	<10	720	1.1	<2	1.22	0.9	18	35	221	4.99
C188758	0.66	0.021	0.4	1.42	7	<10	330	<0.5	<2	1.08	<0.5	11	22	87	3.28
C188759	0.34	<0.005	0.3	0.28	3	<10	820	<0.5	<2	5.69	0.5	2	4	96	0.40
C188760	0.40	<0.005	0.6	0.39	2	<10	920	<0.5	<2	5.49	0.8	8	5	114	0.70
C188761	0.42	<0.005	0.3	0.90	4	<10	800	<0.5	<2	2.76	<0.5	6	16	87	1.82
C188762	0.38	<0.005	0.5	1.15	5	<10	770	<0.5	<2	3.16	0.6	8	20	116	1.53
C188763	0.58	0.050	0.2	1.44	5	<10	450	<0.5	<2	1.51	<0.5	14	27	84	3.85
C188764	0.34	0.012	0.2	1.19	4	<10	650	<0.5	<2	2.06	<0.5	8	19	59	1.47
C188765	0.36	<0.005	0.6	1.69	9	<10	810	0.6	<2	2.45	<0.5	15	22	206	2.88
C188766	0.08	0.017	<0.2	0.01	<2	<10	10	<0.5	<2	0.01	<0.5	<1	<1	1	0.02
C188767	0.42	0.006	<0.2	1.24	3	<10	80	<0.5	<2	0.36	<0.5	5	14	20	1.51
C188768	0.42	0.005	0.4	1.89	4	<10	160	<0.5	<2	0.99	<0.5	14	25	99	2.66
C188769	0.38	0.027	1.4	0.88	4	<10	250	<0.5	<2	3.18	0.8	8	10	90	1.26
C188770	0.34	<0.005	<0.2	1.25	4	<10	70	<0.5	<2	0.25	<0.5	5	17	15	2.36
C188771	0.42	<0.005	0.2	1.46	2	<10	90	<0.5	<2	0.42	<0.5	6	15	21	2.19
C188772	0.42	0.010	<0.2	1.58	3	<10	90	<0.5	<2	0.45	<0.5	9	19	37	2.55
C188773	0.38	<0.005	0.2	1.40	<2	<10	100	<0.5	<2	0.45	<0.5	6	14	17	1.54
C188774	0.38	0.008	0.2	1.74	6	<10	140	<0.5	<2	1.34	<0.5	14	23	63	3.06
C188775	0.46	0.012	0.7	2.16	7	<10	190	0.6	<2	1.99	<0.5	13	27	184	3.01
C188776	0.44	<0.005	0.2	1.70	2	<10	90	<0.5	<2	0.53	<0.5	10	18	43	2.56
C188777	0.42	0.005	0.4	1.92	6	<10	90	<0.5	<2	1.16	0.5	14	21	106	3.04
C188778	0.44	0.010	0.7	1.98	4	<10	120	<0.5	<2	1.36	1.4	13	22	142	2.94
C188779	0.36	<0.005	1.0	1.91	6	<10	130	0.5	<2	1.39	3.2	14	24	383	2.83
C188780	0.34	0.010	1.2	1.64	5	<10	80	<0.5	<2	0.83	2.7	11	21	195	2.54
C188781	0.30	0.012	0.2	0.78	2	<10	50	<0.5	<2	0.31	<0.5	3	10	8	1.52
C188782	0.34	<0.005	<0.2	2.15	10	<10	80	<0.5	<2	0.34	<0.5	11	19	32	3.64
C188783	0.36	0.030	<0.2	2.42	7	<10	90	<0.5	<2	0.37	<0.5	12	24	39	4.36
C188784	0.06	<0.005	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	<1	1	0.03
C188785	0.38	0.009	0.3	2.16	12	<10	90	<0.5	<2	0.39	<0.5	12	21	95	3.94
C188786	0.30	0.021	<0.2	1.66	3	<10	70	<0.5	<2	0.28	<0.5	7	13	12	2.80
C188787	0.36	<0.005	0.2	1.86	7	<10	100	<0.5	<2	0.53	<0.5	12	21	36	3.47
C188788	0.34	0.008	<0.2	2.44	7	<10	70	<0.5	<2	0.27	<0.5	12	25	35	3.85
C188789	0.34	<0.005	0.3	1.27	6	<10	50	<0.5	<2	0.27	<0.5	7	19	17	3.68
C188790	0.44	0.008	0.3	1.24	6	<10	50	<0.5	<2	0.26	<0.5	7	19	17	3.78



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 5 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS	VA06095939
--------------------------------	-------------------

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C188751		<10	<1	0.05	<10	0.30	229	1	0.01	7	1680	4	0.01	<2	2	35
C188752		10	<1	0.05	10	0.21	191	1	0.01	6	990	5	<0.01	<2	2	31
C188753		10	<1	0.06	10	0.39	299	1	0.01	11	1090	6	<0.01	<2	3	26
C188754		10	<1	0.05	10	0.32	294	1	<0.01	9	680	5	<0.01	<2	2	26
C188755		10	<1	0.05	10	0.32	225	1	0.01	8	1430	8	0.01	<2	2	33
C188756		<10	<1	0.04	10	0.36	328	1	0.01	12	890	5	0.04	<2	2	110
C188757		10	<1	0.14	20	0.82	1935	2	0.01	31	1470	11	0.03	2	8	94
C188758		<10	<1	0.07	10	0.56	595	1	0.01	14	1160	6	0.03	2	4	70
C188759		<10	<1	0.01	<10	0.07	1220	1	0.02	8	1080	4	0.22	3	<1	327
C188760		<10	<1	0.02	<10	0.08	2400	2	0.02	10	1380	4	0.21	4	1	310
C188761		<10	1	0.03	10	0.32	2040	2	0.01	11	1290	6	0.28	3	2	218
C188762		<10	<1	0.04	10	0.52	525	1	0.01	14	1260	5	0.23	2	2	198
C188763		<10	<1	0.07	10	0.64	946	2	0.01	14	1480	6	0.05	<2	3	105
C188764		<10	<1	0.04	10	0.40	254	1	0.01	10	1070	5	0.18	2	2	155
C188765		<10	<1	0.07	10	0.62	1725	2	0.03	21	1880	6	0.11	2	2	242
C188766		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	<2	0.02	<2	<1	1
C188767		10	<1	0.03	<10	0.46	172	<1	0.01	6	280	6	0.02	<2	3	39
C188768		10	<1	0.05	10	0.99	555	1	0.02	14	970	7	0.04	<2	4	58
C188769		<10	<1	0.03	10	0.24	1530	1	0.02	8	1650	8	0.16	<2	1	128
C188770		10	<1	0.04	<10	0.40	188	1	0.01	8	900	5	0.01	<2	2	27
C188771		10	<1	0.03	<10	0.41	157	1	0.01	7	390	5	0.02	<2	2	36
C188772		<10	<1	0.03	<10	0.52	202	1	0.01	12	740	5	0.02	<2	3	34
C188773		10	<1	0.04	<10	0.47	192	<1	0.01	6	240	7	0.02	<2	3	37
C188774		10	<1	0.06	10	0.69	659	<1	0.02	15	830	6	0.04	<2	3	59
C188775		<10	<1	0.06	10	0.61	917	1	0.02	15	1860	10	0.10	<2	4	80
C188776		10	<1	0.04	10	0.68	331	<1	0.02	12	740	8	0.02	2	3	45
C188777		<10	1	0.05	10	0.98	777	<1	0.03	16	1080	5	0.05	<2	5	55
C188778		<10	<1	0.05	10	0.71	1360	<1	0.02	16	1240	5	0.06	<2	5	63
C188779		<10	<1	0.05	10	0.63	1405	1	0.03	18	1040	6	0.06	<2	5	65
C188780		<10	<1	0.04	10	0.54	1030	<1	0.02	13	730	8	0.04	<2	5	46
C188781		<10	<1	0.02	<10	0.17	125	<1	0.01	3	200	7	0.02	<2	2	29
C188782		10	<1	0.04	<10	0.70	297	1	0.01	13	1340	4	0.02	<2	3	34
C188783		10	1	0.05	<10	0.95	324	<1	0.02	14	1320	8	0.02	<2	4	35
C188784		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	<2	0.02	<2	<1	1
C188785		10	<1	0.05	<10	0.86	386	1	0.02	16	710	13	0.02	2	4	38
C188786		10	<1	0.03	<10	0.48	202	<1	0.02	7	840	5	0.02	<2	3	32
C188787		10	<1	0.04	<10	0.65	301	<1	0.02	14	630	5	0.03	<2	3	43
C188788		10	1	0.05	<10	0.82	290	1	0.01	15	2270	4	0.03	<2	3	30
C188789		10	1	0.04	<10	0.42	229	1	0.01	8	1440	4	0.02	<2	3	30
C188790		10	<1	0.04	<10	0.41	218	1	0.01	9	1250	5	0.02	2	3	29



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 5 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095939

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Ti	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
C188751		0.05	<10	<10	75	<10	32
C188752		0.06	<10	<10	96	<10	27
C188753		0.05	<10	<10	78	<10	40
C188754		0.05	<10	<10	70	<10	35
C188755		0.06	<10	<10	92	<10	35
C188756		0.04	<10	<10	68	<10	38
C188757		0.04	<10	<10	111	<10	81
C188758		0.05	<10	<10	84	<10	35
C188759		0.01	<10	40	8	<10	6
C188760		0.01	<10	30	12	<10	9
C188761		0.02	<10	10	44	<10	26
C188762		0.03	<10	20	36	<10	24
C188763		0.04	<10	<10	98	<10	42
C188764		0.03	<10	<10	53	<10	27
C188765		0.04	<10	<10	64	<10	42
C188766		<0.01	<10	<10	<1	<10	3
C188767		0.09	<10	<10	57	<10	24
C188768		0.07	<10	<10	81	<10	54
C188769		0.01	<10	<10	24	<10	17
C188770		0.08	<10	<10	79	<10	38
C188771		0.06	<10	<10	72	<10	30
C188772		0.06	<10	<10	76	<10	30
C188773		0.08	<10	<10	58	<10	36
C188774		0.06	<10	<10	85	<10	78
C188775		0.03	<10	<10	70	<10	44
C188776		0.08	<10	<10	86	<10	45
C188777		0.09	<10	<10	80	<10	84
C188778		0.06	<10	<10	71	<10	109
C188779		0.06	<10	<10	72	<10	155
C188780		0.06	<10	<10	66	<10	174
C188781		0.08	<10	<10	69	<10	23
C188782		0.09	<10	<10	97	<10	63
C188783		0.12	<10	<10	136	<10	66
C188784		<0.01	<10	<10	1	<10	3
C188785		0.08	<10	<10	118	<10	56
C188786		0.07	<10	<10	97	<10	39
C188787		0.07	<10	<10	102	<10	43
C188788		0.06	<10	<10	100	<10	53
C188789		0.09	<10	<10	119	<10	46
C188790		0.09	<10	<10	127	<10	42



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 5 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095939

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
Sample Description	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C188791	0.42	<0.005	0.4	1.89	6	<10	170	<0.5	<2	0.88	<0.5	15	20	126	3.56
C188568	0.24	0.005	0.8	3.20	5	<10	240	0.7	<2	0.88	0.5	10	22	92	2.65
C188569	0.24	<0.005	0.4	2.14	5	<10	180	<0.5	<2	0.45	<0.5	11	20	52	3.36
C188570	0.24	<0.005	0.4	2.50	4	<10	190	0.5	<2	0.52	<0.5	13	21	72	2.98
C188570 D	0.26	<0.005	0.5	2.58	5	<10	200	0.5	<2	0.54	<0.5	14	22	78	3.14
C188571	0.24	<0.005	0.5	2.05	2	<10	190	<0.5	<2	0.48	<0.5	12	20	41	2.38
C188572	0.24	<0.005	1.3	2.56	4	<10	200	0.6	<2	0.46	<0.5	9	26	86	2.55
C188573	0.24	<0.005	0.6	1.68	4	<10	150	<0.5	<2	0.47	<0.5	9	19	55	1.87
C188574	0.26	<0.005	<0.2	1.49	7	<10	60	<0.5	<2	0.29	<0.5	8	19	19	3.47
C188575	0.30	<0.005	0.4	1.89	4	<10	180	<0.5	<2	0.38	<0.5	11	23	48	2.06
C188575 D	0.34	<0.005	0.4	1.73	<2	<10	170	<0.5	<2	0.35	<0.5	10	20	45	1.91
C188576	0.36	0.008	0.2	1.24	4	<10	100	<0.5	<2	0.33	<0.5	7	21	34	1.73
C188577	0.32	0.005	0.4	1.27	<2	<10	120	<0.5	<2	0.32	<0.5	5	17	32	1.30
C188578	0.46	<0.005	0.4	1.44	2	<10	80	<0.5	<2	0.32	<0.5	5	18	29	1.55
C188579	0.40	0.006	0.2	1.21	5	<10	70	<0.5	<2	0.26	<0.5	4	16	16	1.85
C188580	0.64	<0.005	0.2	1.07	4	<10	70	<0.5	<2	0.43	<0.5	6	22	37	1.75
C188580 BL	0.04	<0.005	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	<1	1	0.02
C188581	0.38	<0.005	0.2	1.02	2	<10	350	<0.5	<2	0.39	<0.5	8	15	25	2.39
C188582	0.32	<0.005	<0.2	1.72	10	<10	310	<0.5	<2	0.26	<0.5	7	19	63	3.68
C188583	0.44	<0.005	0.2	1.04	5	<10	360	0.6	<2	0.23	<0.5	9	7	44	4.38
C188584	0.42	<0.005	0.2	1.43	6	<10	270	<0.5	<2	0.16	<0.5	8	13	19	2.75
C188801	0.46	0.011	<0.2	1.87	15	<10	360	0.5	<2	0.89	<0.5	12	31	77	4.52
C188802	0.50	0.070	<0.2	0.81	10	<10	100	<0.5	<2	0.68	<0.5	8	22	32	3.06
C188803	0.46	0.013	<0.2	0.94	4	<10	200	<0.5	<2	0.93	<0.5	8	19	30	2.69
C188804	0.32	0.006	0.2	1.09	3	<10	240	<0.5	<2	1.25	<0.5	5	18	68	1.27
C188805	0.30	0.020	1.7	2.15	4	<10	300	0.6	<2	1.83	0.5	21	15	294	3.66
C188806	0.30	0.028	0.9	1.83	9	<10	270	0.6	<2	1.24	0.5	20	24	269	4.02
C188807	0.38	0.024	0.7	1.18	9	<10	410	<0.5	<2	1.59	<0.5	26	18	174	5.87
C188808	0.40	0.014	0.4	1.47	9	<10	160	<0.5	<2	1.05	<0.5	13	25	124	3.53
C188809	0.34	0.028	0.2	1.83	5	<10	130	<0.5	<2	1.21	<0.5	16	21	96	3.80
C188810	0.36	0.038	0.2	1.21	4	<10	120	<0.5	<2	1.16	<0.5	13	23	61	3.38
C188811	0.48	0.029	0.2	1.43	8	<10	190	<0.5	2	0.98	<0.5	17	23	86	4.19
C188812	0.40	0.028	0.2	1.29	8	<10	150	<0.5	<2	0.86	<0.5	15	23	62	3.38
C188813	0.28	0.014	0.4	1.44	8	<10	310	<0.5	<2	1.99	<0.5	13	21	191	2.79
C188814	0.42	0.043	0.2	1.15	7	<10	150	<0.5	<2	0.87	<0.5	11	21	47	2.84
C188815	0.58	0.024	0.4	1.20	9	<10	410	<0.5	<2	0.96	<0.5	9	20	110	2.79
C188816	0.22	0.015	0.2	0.86	2	<10	230	<0.5	<2	0.35	<0.5	4	10	24	1.19
C188817	0.30	0.008	<0.2	0.93	5	<10	140	<0.5	<2	0.33	<0.5	5	15	30	1.96
C188818	0.16	<0.005	0.3	1.20	10	<10	430	<0.5	<2	0.99	<0.5	10	17	52	2.52
C188819	0.32	0.006	<0.2	1.27	5	<10	100	<0.5	<2	0.30	<0.5	6	19	31	3.49



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 5 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095939

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C188791		10	<1	0.05	10	0.75	620	<1	0.02	15	810	7	0.03	<2	4	54
C188568		<10	<1	0.07	10	0.67	733	1	0.02	21	2030	4	0.08	<2	4	68
C188569		10	<1	0.07	10	0.71	670	1	0.02	13	950	5	0.03	<2	2	45
C188570		10	<1	0.08	10	0.85	614	1	0.02	17	1080	6	0.05	<2	1	49
C188570 D		10	1	0.09	10	0.87	683	1	0.02	19	1130	5	0.05	<2	2	50
C188571		10	<1	0.06	10	0.67	565	1	0.02	13	470	4	0.03	<2	2	51
C188572		10	<1	0.09	10	0.62	306	1	0.02	17	1840	4	0.09	<2	1	45
C188573		<10	1	0.07	10	0.49	371	<1	0.01	11	1210	5	0.06	<2	1	46
C188574		10	1	0.03	<10	0.45	205	<1	0.01	9	1080	4	0.02	<2	3	34
C188575		10	<1	0.06	10	0.47	499	<1	0.02	14	760	5	0.04	<2	1	42
C188575 D		10	<1	0.06	10	0.44	486	<1	0.01	13	720	7	0.03	<2	1	37
C188576		<10	<1	0.04	10	0.46	221	1	0.01	16	990	4	0.03	<2	1	29
C188577		<10	1	0.04	10	0.36	148	<1	0.01	10	780	4	0.03	<2	<1	34
C188578		<10	1	0.03	10	0.42	163	<1	0.01	11	600	6	0.02	<2	1	34
C188579		<10	<1	0.03	<10	0.25	122	<1	0.01	6	370	5	0.01	<2	2	31
C188580		<10	1	0.04	10	0.42	319	<1	0.01	11	1060	5	0.02	<2	1	34
C188580 BL		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	1	10	<2	0.01	<2	<1	1
C188581		<10	<1	0.07	<10	0.36	375	1	0.01	8	1520	5	0.02	<2	2	33
C188582		10	<1	0.05	10	0.39	264	1	0.01	9	820	5	0.02	<2	3	29
C188583		<10	<1	0.08	10	0.11	467	2	0.01	5	830	7	0.01	<2	2	18
C188584		10	<1	0.08	10	0.23	1225	1	0.01	6	930	5	0.02	<2	1	17
C188801		10	<1	0.08	10	0.69	843	3	0.02	20	1160	10	0.04	2	6	126
C188802		<10	<1	0.04	10	0.42	367	1	0.02	10	1320	2	0.02	<2	3	62
C188803		<10	<1	0.04	10	0.38	545	1	0.02	10	1260	3	0.04	<2	3	104
C188804		<10	<1	0.03	10	0.38	340	1	0.02	11	1190	4	0.14	<2	3	270
C188805		10	1	0.08	10	1.04	2080	2	0.02	24	2120	7	0.09	<2	4	165
C188806		10	<1	0.06	10	0.61	1090	3	0.02	25	1650	11	0.06	<2	3	138
C188807		<10	<1	0.04	10	0.37	5140	7	0.02	46	1830	8	0.13	<2	2	123
C188808		<10	<1	0.06	10	0.59	1385	5	0.02	21	1090	10	0.05	<2	4	104
C188809		<10	<1	0.07	10	0.94	698	2	0.02	15	1580	6	0.04	<2	4	87
C188810		<10	<1	0.05	10	0.59	698	2	0.02	12	1420	11	0.05	2	3	77
C188811		10	<1	0.07	10	0.55	704	2	0.02	14	850	22	0.04	<2	3	89
C188812		<10	<1	0.06	10	0.60	594	2	0.02	13	620	15	0.04	<2	3	81
C188813		<10	1	0.06	10	0.45	709	2	0.02	16	1290	12	0.09	<2	3	198
C188814		<10	<1	0.05	10	0.56	625	2	0.02	12	1290	6	0.03	<2	3	69
C188815		<10	<1	0.05	10	0.39	551	1	0.02	11	1330	6	0.04	<2	3	69
C188816		<10	<1	0.03	10	0.23	129	1	0.01	5	570	5	0.02	<2	2	34
C188817		<10	<1	0.04	10	0.30	246	1	0.01	6	890	6	0.03	<2	2	32
C188818		<10	<1	0.06	10	0.40	1235	1	0.02	8	1710	5	0.07	<2	2	79
C188819		10	<1	0.04	<10	0.38	194	1	0.01	7	1550	7	0.03	<2	2	35



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - C
Total # Pages: 5 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095939

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
		0.01	10	10	1	10	2
C188791		0.06	<10	<10	106	<10	64
C188568		0.03	<10	<10	59	<10	84
C188569		0.05	<10	<10	91	<10	67
C188570		0.02	<10	<10	75	<10	67
C188570 D		0.02	<10	<10	78	<10	70
C188571		0.05	<10	<10	76	<10	49
C188572		0.01	<10	<10	63	<10	49
C188573		0.02	<10	<10	48	<10	38
C188574		0.06	<10	<10	105	<10	37
C188575		0.02	<10	<10	59	<10	47
C188575 D		0.02	<10	<10	54	<10	43
C188576		0.03	<10	<10	46	<10	36
C188577		0.01	<10	<10	35	<10	29
C188578		0.04	<10	<10	46	<10	34
C188579		0.06	<10	<10	62	<10	30
C188580		0.03	<10	<10	54	<10	28
C188580 BL		<0.01	<10	<10	<1	<10	4
C188581		0.03	<10	<10	56	<10	44
C188582		0.04	<10	<10	96	<10	58
C188583		0.01	<10	<10	59	<10	84
C188584		0.01	<10	<10	65	<10	68
C188801		0.07	<10	<10	77	<10	47
C188802		0.05	<10	<10	99	<10	22
C188803		0.04	<10	<10	81	<10	24
C188804		0.03	<10	<10	54	<10	25
C188805		0.07	<10	<10	88	<10	51
C188806		0.03	<10	<10	92	<10	57
C188807		0.02	<10	<10	69	<10	28
C188808		0.04	<10	<10	81	<10	45
C188809		0.09	<10	<10	90	<10	64
C188810		0.05	<10	<10	90	<10	47
C188811		0.05	<10	<10	99	<10	41
C188812		0.05	<10	<10	83	<10	37
C188813		0.03	<10	<10	56	<10	38
C188814		0.05	<10	<10	79	<10	34
C188815		0.02	<10	<10	77	<10	29
C188816		0.03	<10	<10	38	<10	19
C188817		0.03	<10	<10	63	<10	29
C188818		0.02	<10	<10	80	<10	31
C188819		0.05	<10	<10	99	<10	32



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 5 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095939

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C188820		0.34	0.006	0.2	0.79	3	<10	60	<0.5	<2	0.21	<0.5	3	11	13	1.57
C188821		0.08	<0.005	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	<1	1	0.02
C188822		0.28	<0.005	<0.2	1.32	2	<10	240	<0.5	<2	0.86	<0.5	11	14	22	2.13
C188823		0.32	0.035	0.3	1.93	7	<10	370	<0.5	<2	1.17	<0.5	15	23	68	2.46
C188824		0.26	0.008	0.4	1.01	8	<10	570	<0.5	<2	2.59	<0.5	13	16	125	2.47
C188825		0.30	0.023	0.4	1.35	10	<10	540	<0.5	<2	1.66	<0.5	16	21	129	3.57
C188826		0.32	<0.005	<0.2	1.03	6	<10	560	<0.5	<2	3.02	0.5	10	14	101	2.30
C188827		0.28	<0.005	0.3	1.21	7	<10	510	<0.5	<2	2.15	<0.5	11	16	96	2.38
C188828		0.26	<0.005	0.7	0.84	3	<10	650	<0.5	<2	2.84	0.5	7	11	85	1.47
C188829		0.28	<0.005	0.3	1.23	4	<10	540	<0.5	<2	1.65	<0.5	12	20	133	2.58
C188830		0.38	0.013	<0.2	0.87	4	<10	50	<0.5	<2	0.21	<0.5	3	11	12	1.41
C188831		0.22	0.020	0.4	1.39	6	<10	340	<0.5	<2	1.26	<0.5	9	24	88	2.47
C188832		0.28	0.087	<0.2	1.31	4	<10	230	<0.5	<2	0.69	<0.5	9	21	53	2.43
C188833		0.46	0.022	0.5	1.46	5	<10	150	<0.5	<2	0.73	<0.5	12	25	66	3.18
C188834		0.40	0.012	0.3	1.35	4	<10	130	<0.5	<2	0.81	<0.5	11	26	51	3.02
C188835		0.44	0.022	1.4	1.48	6	<10	220	<0.5	<2	2.14	0.5	15	26	226	3.04
C188836		0.30	0.022	0.6	1.23	3	<10	220	<0.5	<2	2.04	<0.5	10	20	73	2.32
C188837		0.54	0.034	0.2	0.98	4	<10	120	<0.5	<2	0.71	<0.5	11	22	50	3.40
C188838		0.46	0.019	0.7	1.59	5	<10	240	<0.5	<2	1.35	0.5	15	19	162	3.26
C188839		0.38	0.017	0.6	1.42	6	<10	310	<0.5	<2	1.27	0.7	13	24	177	3.36
C188840		0.38	0.026	0.6	1.99	7	<10	330	0.7	<2	1.13	0.5	17	27	203	3.58
C188841		0.42	0.026	<0.2	1.17	5	<10	160	<0.5	<2	0.84	<0.5	11	20	58	3.06
C188842		0.44	0.026	0.3	1.45	6	<10	260	<0.5	<2	0.42	<0.5	12	23	62	3.23
C188843		0.46	0.032	0.3	1.03	6	<10	230	<0.5	<2	0.99	<0.5	12	22	57	2.82
C188844		0.52	0.045	0.3	1.35	4	<10	210	<0.5	<2	0.80	<0.5	11	23	78	3.30
C188845		0.48	0.058	0.3	1.25	2	<10	250	<0.5	<2	0.67	<0.5	9	21	37	2.42
C188846		0.36	0.021	1.1	1.47	6	<10	380	0.6	<2	1.60	0.7	14	24	229	2.76
C188847		0.36	0.016	0.2	1.19	2	<10	230	<0.5	<2	0.98	<0.5	12	26	52	2.38
C188848		0.40	0.012	0.4	1.41	5	<10	410	<0.5	<2	1.43	<0.5	13	23	100	2.87
C188849		0.32	0.018	0.5	1.45	8	<10	510	<0.5	<2	1.96	<0.5	12	34	115	3.15
C188850		0.44	0.016	0.5	1.53	7	<10	600	<0.5	<2	1.47	<0.5	12	22	104	2.92
C188689		0.40	0.028	0.4	1.41	3	<10	140	<0.5	<2	0.28	<0.5	6	17	34	2.06
C188690		0.42	0.021	0.3	2.09	5	<10	180	<0.5	<2	0.29	<0.5	9	20	67	2.72
C188691		0.36	0.022	0.3	2.11	12	<10	440	0.5	<2	0.65	<0.5	15	27	106	3.54
C188692		0.40	0.028	0.3	1.40	2	<10	180	<0.5	<2	0.32	<0.5	6	16	44	1.78
C188693		0.10	<0.005	<0.2	0.01	<2	<10	10	<0.5	<2	0.01	<0.5	<1	<1	1	0.02
C188694		0.30	0.011	0.2	1.34	7	<10	190	<0.5	<2	0.34	<0.5	7	20	46	2.92
C188695		0.50	0.052	0.3	1.53	6	<10	320	<0.5	<2	0.74	<0.5	13	23	79	2.98
C188696		0.50	0.020	0.4	1.33	8	<10	290	<0.5	<2	0.82	<0.5	12	21	86	2.80
C188697		0.32	0.025	0.6	1.43	7	<10	340	<0.5	<2	0.93	<0.5	8	20	89	2.59



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - B
Total # Pages: 5 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS	VA06095939
-------------------------	------------

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
C188820		<10	<1	0.03	<10	0.20	122	1	0.01	4	540	4	0.01	<2	2	29
C188821		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	<2	0.01	<2	<1	1
C188822		10	<1	0.05	10	0.44	924	1	0.02	7	510	8	0.04	<2	2	89
C188823		10	1	0.07	10	0.82	413	1	0.02	11	1980	10	0.07	<2	6	100
C188824		<10	<1	0.04	10	0.30	2090	4	0.03	12	1600	7	0.15	2	2	268
C188825		<10	<1	0.05	10	0.43	3000	6	0.02	13	1630	9	0.10	<2	2	163
C188826		<10	<1	0.06	10	0.33	1710	3	0.02	13	1570	8	0.15	<2	2	233
C188827		<10	<1	0.05	10	0.42	782	1	0.02	11	1780	8	0.10	<2	2	163
C188828		<10	<1	0.03	10	0.22	867	1	0.02	8	1580	21	0.15	<2	1	225
C188829		<10	<1	0.05	10	0.38	1230	1	0.02	14	1340	6	0.08	<2	3	161
C188830		<10	<1	0.02	<10	0.18	100	<1	0.01	5	360	4	0.01	<2	2	23
C188831		10	<1	0.06	10	0.44	500	1	0.02	16	1090	6	0.06	<2	3	120
C188832		<10	<1	0.06	10	0.44	419	1	0.01	12	880	4	0.03	<2	3	70
C188833		10	<1	0.06	10	0.54	478	<1	0.01	16	1280	6	0.02	<2	3	50
C188834		<10	<1	0.06	10	0.58	531	<1	0.02	15	1130	6	0.02	<2	3	53
C188835		10	1	0.06	10	0.55	734	1	0.02	23	2130	6	0.12	<2	2	115
C188836		<10	<1	0.05	10	0.37	478	1	0.01	12	1530	6	0.09	<2	2	116
C188837		<10	<1	0.05	10	0.45	405	<1	0.02	11	740	5	0.03	<2	3	66
C188838		10	<1	0.08	10	0.58	716	1	0.02	17	1250	7	0.06	<2	3	111
C188839		<10	<1	0.06	10	0.49	893	1	0.02	20	1240	7	0.05	<2	3	111
C188840		10	<1	0.08	10	0.68	740	2	0.01	22	1300	9	0.04	<2	3	93
C188841		<10	<1	0.05	10	0.54	569	1	0.02	11	1370	5	0.03	<2	3	64
C188842		10	<1	0.05	10	0.48	636	1	0.01	13	1330	5	0.04	<2	3	40
C188843		<10	1	0.05	10	0.46	623	1	0.02	11	1540	3	0.04	<2	3	76
C188844		10	<1	0.05	10	0.55	851	1	0.01	13	1010	7	0.02	<2	3	73
C188845		10	<1	0.04	10	0.45	893	1	0.01	10	850	6	0.01	<2	3	63
C188846		<10	<1	0.05	20	0.40	1480	3	0.02	19	1340	7	0.06	<2	3	149
C188847		<10	<1	0.06	10	0.56	390	1	0.02	14	1260	6	0.06	<2	4	85
C188848		10	<1	0.06	10	0.46	951	1	0.02	14	1240	8	0.06	<2	3	138
C188849		10	<1	0.06	10	0.59	750	2	0.03	24	1300	12	0.08	<2	3	139
C188850		<10	1	0.07	10	0.44	625	<1	0.02	15	1160	7	0.07	<2	3	123
C188689		10	<1	0.05	10	0.41	271	1	0.01	9	600	6	0.01	<2	2	31
C188690		10	<1	0.06	10	0.58	323	1	0.01	11	690	8	0.01	<2	3	30
C188691		10	1	0.09	10	0.49	927	2	0.02	18	1130	7	0.04	<2	5	61
C188692		10	1	0.05	10	0.33	241	1	0.01	9	710	8	0.02	<2	1	33
C188693		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	<2	0.01	<2	<1	<1
C188694		10	1	0.05	10	0.34	221	1	0.01	10	990	6	0.02	<2	2	32
C188695		10	<1	0.06	10	0.49	568	1	0.01	13	1080	11	0.02	<2	3	60
C188696		10	<1	0.04	10	0.54	1235	2	0.01	12	1390	5	0.03	<2	4	62
C188697		<10	<1	0.06	10	0.46	344	1	0.02	12	1330	6	0.04	<2	4	73



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - C
Total # Pages: 5 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095939

Sample Description	Method Analyte Units LOR	ME-ICP41 Ti %	ME-ICP41 TI ppm	ME-ICP41 U ppm	ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm
C188820		0.05	<10	<10	52	<10	19
C188821		<0.01	<10	<10	<1	<10	4
C188822		0.05	<10	<10	71	<10	35
C188823		0.04	<10	<10	83	<10	58
C188824		0.02	<10	<10	48	<10	21
C188825		0.03	<10	<10	80	<10	33
C188826		0.02	<10	<10	46	<10	26
C188827		0.03	<10	<10	60	<10	29
C188828		0.02	<10	<10	35	<10	15
C188829		0.03	<10	<10	62	<10	29
C188830		0.05	<10	<10	50	<10	13
C188831		0.04	<10	<10	73	<10	28
C188832		0.04	<10	<10	71	<10	30
C188833		0.05	<10	<10	86	<10	41
C188834		0.06	<10	<10	83	<10	37
C188835		0.04	<10	<10	69	<10	40
C188836		0.03	<10	<10	56	<10	31
C188837		0.05	<10	<10	96	<10	28
C188838		0.05	<10	<10	71	<10	45
C188839		0.04	<10	<10	83	<10	54
C188840		0.04	<10	<10	86	<10	49
C188841		0.06	<10	<10	87	<10	28
C188842		0.03	<10	<10	97	<10	42
C188843		0.04	<10	<10	92	<10	32
C188844		0.05	<10	<10	96	<10	39
C188845		0.05	<10	<10	81	<10	37
C188846		0.03	<10	<10	73	<10	36
C188847		0.05	<10	<10	88	<10	41
C188848		0.03	<10	<10	74	<10	36
C188849		0.04	<10	<10	80	<10	53
C188850		0.04	<10	<10	72	<10	45
C188689		0.04	<10	<10	74	<10	34
C188690		0.05	<10	<10	83	<10	45
C188691		0.03	<10	<10	97	<10	42
C188692		0.02	<10	<10	59	<10	31
C188693		<0.01	<10	<10	<1	<10	3
C188694		0.04	<10	<10	90	<10	35
C188695		0.04	<10	<10	100	<10	38
C188696		0.05	<10	<10	73	<10	37
C188697		0.03	<10	<10	78	<10	34



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 5 - A
Total # Pages: 5 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095939

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
Sample Description	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
C188698	0.38	0.015	0.2	1.67	51	<10	780	0.6	<2	1.19	<0.5	19	29	161	12.25
C188699	0.42	0.017	0.2	1.07	5	<10	210	<0.5	<2	0.73	<0.5	11	23	64	2.39
C188700	0.48	0.273	<0.2	1.27	8	<10	310	<0.5	<2	0.84	<0.5	14	22	60	3.80



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 5 - B
Total # Pages: 5 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095939

Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
Sample Description															
C188698	10	1	0.05	10	0.65	8110	22	0.02	18	2030	7	0.07	<2	6	199
C188699	<10	1	0.05	10	0.50	804	2	0.01	13	1380	4	0.03	<2	4	73
C188700	<10	<1	0.05	10	0.57	3130	4	0.02	14	1640	4	<0.01	<2	4	90



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY ENGINEERING LTD.
700 - 700 PENDER ST.
VANCOUVER BC V6C 1G8

Page: 5 - C
Total # Pages: 5 (A - C)
Finalized Date: 10-OCT-2006
Account: EIA

Project: Claw

CERTIFICATE OF ANALYSIS VA06095939

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
C188698		0.04	<10	<10	131	<10	46
C188699		0.06	<10	<10	88	<10	37
C188700		0.06	<10	<10	83	<10	43

Appendix E: Quality Control / Quality
Assurance

QUALITY CONTROL / QUALITY ASSURANCE

I Chain of Custody

All samples were packed in rice sacks and sealed with uniquely-numbered non-resealable security straps. Rice sacks were trucked to ALS Chemex Labs in North Vancouver. ALS Chemex reported that all bags were received in good condition, with all security straps intact, and with no evidence of tampering.

II Blanks

Blanks are samples which are known to be barren of mineralization and are inserted into the sample stream to determine whether contamination has occurred after sample collection.

a. Soil Sample Blanks


24 soil blanks were inserted into the sample sequence (approximately every 20th sample) and submitted for analysis. The blank material comprised commercially available silica sand of the type used in swimming pool filters. Blanks were inserted into the sample series in the field.


Sample	Au	Ag	As	Cu	Mo	Pb	Zn
	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
188515	<0.005	<0.2	<2	1	<1	<2	3
188536	<0.005	<0.2	<2	1	<1	<2	3
188547	<0.005	<0.2	<2	1	<1	<2	4
188580	<0.005	<0.2	4	1	<1	<2	4
188598	<0.005	<0.2	<2	1	<1	2	4
188613	<0.005	<0.2	<2	1	<1	2	4
188630	<0.005	<0.2	<2	1	<1	2	2
188665	<0.005	<0.2	<2	1	<1	2	4
188693	<0.005	<0.2	<2	1	<1	<2	3
188733	<0.005	<0.2	<2	1	<1	<2	3
188766	0.017	<0.2	<2	1	<1	<2	3
188784	<0.005	<0.2	<2	1	<1	<2	3
188821	<0.005	<0.2	<2	1	<1	<2	4
188879	<0.005	<0.2	<2	1	<1	2	4
188918	<0.005	<0.2	2	1	<1	<2	3
188936	<0.005	<0.2	4	1	<1	<2	3
188952	<0.005	<0.2	<2	1	<1	2	3
188979	0.02	<0.2	<2	1	<1	<2	3
188997	0.005	<0.2	<2	1	<1	4	5
189533	0.024	<0.2	<2	2	<1	<2	3
189613	<0.005	<0.2	<2	1	<1	2	5
189635	<0.005	<0.2	<2	1	<1	<2	5

Results of Klaw soil blanks indicate the silica sand selected for analysis was suitably devoid of metals and served as good blank material. Secondly, the consistently low values for all metals of interest (see table above), indicate that contamination of the soil samples did not take place in the field, or in the lab.

III Lab Duplicate Analysis

Lab duplicates are separate analyses of two portions of a prepared sample. They are used to measure the reproducibility of laboratory analyses. ALS Chemex Labs conducts duplicate analyses of random samples at varying frequencies depending on the particular sample preparation code. For example, the standard ICP analysis that was conducted on all samples (code ICP41) is run in batches of 40 samples—one of which will be duplicated. Other analyses, such as fire assays of Au or Cu, are run in larger batches with more frequent duplicates.






Charts 1 & 2: Graphs from ALS Chemex's internal QA/QC program downloaded via the online Webtrieve system for Au (Au-AA25 method) and Cu (ME-ICP41 method).

IV Field Duplicates

Field duplicates are collection and analysis of two separate samples from the same field location or core interval. They are used to measure the reproducibility of sampling, which includes both laboratory variation and sample variation.


a. Soil Duplicate Samples

A total of 34 field duplicate soil samples were collected (approximately every 15th sample) during the 2006 program and submitted for analysis. The elements of interest exhibit variable reproducibility. Pb, Ag, As, Mo are reproducible at 20% precision, Au at 60% and Cu, Sb and Zn are reproducible at 40% precision or slightly better. These data are consistent with work performed on other projects in the region. Therefore, it is considered that the laboratory analysis conducted on the 2004 data set was accurate and precise. Below is a plot of the Au values scatter, as well as the As scatter plot to present representative plots of the duplicates quality check.




20% Precision Chart for As

N = 68



Probability of		
2	Sample(s) above 90% CL →	0.993
1	Sample(s) above 99% CL →	0.495



Project: The Klaw - IEA06-01

V Conclusions

- There is no evidence of tampering with the samples between collection and laboratory.
- Laboratory preparation and analysis is reproducible at varied levels of precision, however it is considered that all elements attained an acceptable level of precision for soil and core samples.
- Assaying shows geochemical analysis to be reasonably accurate for Au, As and Zn, and for lower levels of Ag (<100 ppm), Cu (<10,000 ppm), Pb (<10,000 ppm) and Sb (<1000 ppm).
- Silica sand is suitably devoid of metals and served as good blank material.
- Consistently low values for all metals of interest in blank analyses indicate that contamination of soil and core samples did not take place in the field, or in the lab.

Appendix F: Compact Disc

Report text, geochemical and drill databases, geophysical files, drafting and plot files, photographs

Appendix G: Geologist's Certificate

Rory Kutluoglu, B.Sc.
939 Homer Street
Vancouver, B. C., Canada
V6B 2W6
roryk@equityeng.bc.ca

I, Rory Kutluoglu, do hereby certify:

THAT I am a Geoscientist employed by Equity Engineering Ltd., with offices at #700-700 West Pender Street in the City of Vancouver, in the Province of British Columbia.

THAT I am a graduate of Lakehead University (2004) with a Bachelor of Science degree in Geology and I have practiced my profession continuously since 2003.

THAT I am presently a Project Geologist and have been so since April 2006.


THAT this report is based on publicly-available reports and maps and on fieldwork carried out under my direction in August 2006.








Dated at Vancouver, British Columbia, this 12th day of February, 2007.




Rory Kutluoglu, B.Sc.

Appendix H: Geochemical Maps




-  Adit
-  Camp
-  Trench
-  Drill Collar Location
-  2006 Rock Sample Location
-  2006 Silt Sample Location
-  2006 Soil Sample Location

2000 metres




International Arimex Resources








**Klaw Project
Sample and DDH
Collar Locations**



Date:	February 2007	Scale:	1:10,000
UTM Zone:	UTM 10 - NAD83	Mining District:	Omineca
N.T.S.:	93N/7W	State/Province:	BC

Figure
4




-  Adit
-  Camp
-  Trench
-  Drill Collar Location
-  2006 Rock Sample Location
-  2006 Silt Sample Location
-  2006 Soil Sample Location

2000 metres


Soil Geochemistry
Gold (ppb)

- > 31 ppb
- 22 to 30
- 12 to 21
- 6 to 11
- < 6 (ppb)




International Arimex Resources

Klaw Project
DDH Collar Locations
Gold Geochemistry (ppb)



Date:	February 2007	Scale:	1:10,000	Figure	5
UTM Zone:	UTM 10 - NAD83	Along Coast:	Omineca		
N.T.S.:	93N/7W	State/Province:	BC		




- Adit
- Camp
- Trench
- Drill Collar Location
- 2006 Rock Sample Location
- 2006 Silt Sample Location
- 2006 Soil Sample Location

2000 metres

Soil Geochemistry
Copper (ppm)

- > 197.2 ppm
- 160 to 197.1
- 84.3 to 159
- 50 to 84.2
- < 50 ppm



International Arimex Resources

**Klaw Project
DDH Collar Locations
Copper Geochemistry (ppm)**

	Date:	February 2007	Scale:	1:10,000	Figure 6
	UTM Zone:	UTM 10 - NAD83	Map Source:	Omineca	
	W.T.S.:	93N/7W	State/Province:	BC	