

ASSESSMENT REPORT
SOIL SAMPLING

on the
MILA MINERAL CLAIMS
(505096, 530340)

Kamloops Mining Division, British Columbia, Canada

NTS 82M/12

Latitude: 51°36'N

Longitude: 119°38'W

Owner: Christopher O. Naas

Operator: Christopher O. Naas

by
Christopher O. Naas, *P. Geo.*

July 10, 2007

29,214
GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

MINERAL TITLES BRANCH
Rec'd. JUL 17 2007
L.S. _____
File VANCOUVER, B.C.

SUMMARY

The eastern portion of the MILA Mineral Claim covers an area that in 1991 returned a 11.28 metre intersection of 0.34% Cu from a east-west trending mineralized horizon. The style of mineralization was interpreted to be a VMS type deposit.

The current program tested the possible western extension of this VMS horizon. Results returned weak base metal values from a small soil sample grid, although two east-west trending anomalous zones are evident.

Future work is warranted to adequately test the strike extension of the east-west trending VMS horizon.

TABLE OF CONTENTS

	<i>page</i>
SUMMARY	i
1.0 INTRODUCTION	1
1.1 LOCATION AND ACCESS.....	1
1.2 TITLE.....	1
2.0 REGIONAL GEOLOGY	1
3.0 LOCAL GEOLOGY.....	5
3.1 LITHOLOGY.....	5
3.2 STRUCTURE	6
4.0 WORK HISTORY	6
5.0 CURRENT WORK.....	7
5.1 SOIL SAMPLING	7
6.0 CONCLUSIONS.....	10
7.0 REFERENCES	11
8.0 STATEMENT OF QUALIFICATIONS	12
9.0 STATEMENT OF COSTS	13

LIST OF TABLES

	<i>page</i>
Table 1: Statistical Analysis of Soil Samples	10

LIST OF FIGURES

	<i>page</i>
1. Location Map (1:1,000,000)	2
2. Claim Location Map (~1:35,000)	3
3. Regional Geology Map, Vavenby Area (1:100,000)	4
4. Soil Sample Plan Map, Copper (ppm) (1:12,500)	8
5. Soil Sample Plan Map, Zinc (ppm) (1:12,500).....	9

LIST OF APPENDICES

- I. Abbreviations and Conversion Factors
- II. Certificates of Analyses

1.0 INTRODUCTION

This report details the results of the work program conducted on the mineral claims with tenure numbers 505096 and 530340 (referred to in this report as the Mila Mineral Claims) from April 11 to 18, 2007.

Abbreviations and conversion factors are presented in Appendix I.

1.1 LOCATION AND ACCESS

The Mila Mineral Claims (tenure number 505096, 530340) are located on NTS mapsheet 82M/12 and geographically centred at 51°36'N and 119°38'W.

Road access is gained to claims via the Yellowhead Highway (Highway 5) to the village of Vavenby. The claims are located on the south side of the North Thompson River. The Adams Lake Forest Service road passes through the claims (Figure 1 and 2).

The Canadian National Railway mainline also passes through this area.

Topography is moderate to steep with elevations ranging from 1,300 metres to 1,800 metres. The area is the site of active logging and consists of a thick coniferous forest cover with heavy underbrush to wide open clear cuts. At higher elevations, small marshy alpine meadows occur (Belik, 1973).


1.2 TITLE

The REG and MILA legacy claims were converted to cell claims and are 100% owned by Christopher O. Naas. Claim details are listed below and shown on Figure 2.

<u>Tenure Number</u>	<u>Area</u>	<u>Good To Date</u>
505096	1586.313	November 3, 2007
530340	502.200	November 3, 2007

2.0 REGIONAL GEOLOGY

The Vavenby area is underlain by Paleozoic Eagle Bay Assemblage and Fennell Formation rocks, located within the Kootenay Terrane. The Eagle Bay Assemblage has been intruded by Devonian(?) and Cretaceous granitic rocks, and is overlain by Miocene basalts (Naas and Neale, 1991) (Figure 3).



LEGEND

 Mila project claim group


0 20km
NAD83, UTM Zone 11N

LOCATION MAP

Mila Project
Kamloops M.D., British Columbia, Canada

Project No:	C111	By:	TV
Scale:	1:850,000	Drawn:	TV
Figure:	1	Date:	July 2007






LEGEND

- Mila project tenures
- Other tenure boundaries (as of August 25, 2006)

Topography

- Watercourse
- ++ Railway
- Paved road
- Rough road
- Waterbody




CLAIM LOCATION MAP

Mila Project
Kamloops M.D., British Columbia, Canada

Project No: C111	By: TV
Scale: 1:160,000	Drawn: TV
Figure: 2	Date: July 2007






LEGEND
GEOLOGY

- 1 Alluvium
- Baldy Batholith**
- 2 Granodiorite
- Eagle Bay Formation**
- 3a, 3b Sediments, ● felsic volcanics
- 4 Limestone
- 5 Argillite
- 6 Felsic volcanics
- 7 Felsic flows
- 8 Mafic volcanics

SYMBOLS

- +— Syncline axis
- Fault
- 30° Foliation
- Mineral claim location and tenure number



REGIONAL GEOLOGY MAP
Vavenby Area

Mila Project
Kamloops M.D., BC, Canada

Project No:	C111	By:	TV
Scale:	1:100,000	Drawn:	TV
Figure:	3	Date:	July 2007



3.0 LOCAL GEOLOGY

3.1 LITHOLOGY

Eagle Bay Assemblage

The Eagle Bay Assemblage comprises four northwest-dipping thrust sheets (Schiarizza and Preto, 1987). Schiarizza (1985) divides the Eagle Bay Assemblage in the Vavenby area into eight units. At the base of the formation is a quartz-dominated succession (Unit 1) of unknown age. This is overlain by a succession of felsic to intermediate metavolcanic rocks (Units 2 and 3), and fine to coarse clastic metasedimentary rocks (Units 4 and 5) of Devonian and Mississippian age. Structurally above these rocks is a mafic metavolcanic-limestone division (Unit 6) of Cambrian age, overlain by intermediate metavolcanics (Unit 7). The carbonate member of Unit 6 is referred to as the Tshinakin limestone. The structurally highest division of the Eagle Bay Formation comprises clastic metasedimentary rocks of Unit 8. These rocks are overturned, however, and Unit 8 may be the oldest unit within the Eagle Bay succession.

Orthogneiss

The Devonian(?) Orthogneiss consists of quartzo-feldspathic orthogneiss. It is typically a weakly to moderately foliated rock, consisting of lenses and augen of quartzo-feldspathic material enclosed in "seams" of chlorite-sericite schist. Locally it grades to virtually massive granitic rock or conversely to strongly foliated chlorite-sericite schist containing large quartz augen. Biotite is an important component of the gneiss within the thermal aureole of the Baldy batholith.

Fennell Formation

The Upper Permian-Lower Mississippian Fennell Formation in the Adams Plateau-Clearwater area, has been divided into two units by Schiarizza and Preto (1984). The lower unit is a heterogeneous assemblage of bedded chert, gabbro, diabase, and pillow basalt, which also includes units of sandstone and phyllite, Devonian aged quartz-feldspar porphyry rhyolite, and intraformational conglomerate. The upper unit is a succession of pillow and massive basalt with minor amounts of bedded chert, gabbro, basaltic breccia and tuff.

Schiarizza (1985) does not divide the Fennell Formation into two units in the Vavenby area, rather uses one unit containing rocks as previously described by Schiarizza and Preto (1984).

Granitic Rocks

Cretaceous granite and granodiorite of the Raft and Baldy batholiths intrude Eagle Bay Formation rocks. In contrast to the abrupt northern contact of the Baldy batholith, a broad zone of intermixed metasedimentary and granitic rocks marks the southern margin of the Raft batholith.

Basalt

The flat-lying, undeformed Miocene basalt flows are the easternmost representatives of an extensive mass of Late Miocene to Pliocene plateau lavas which cover much of the area to the west and northwest of Vavenby (Campbell and Tipper, 1971).

3.2 STRUCTURE

Schiarizza (1985) describes the four types of structures that exist in the Vavenby area:

1. an early metamorphic foliation, axial planar to very rare small isoclinal folds, which is locally observed to be discordant to and/or folded about the dominant second generation schistosity.
2. variably oriented, but most commonly north to east-plunging isoclinal folds; the dominant syn-metamorphic schistosity is axial planar. Throughout most of the area this schistosity is parallel to bedding.
3. northwest-trending folds and crenulation with axial planar crenulation cleavage. Axial surfaces generally dip steeply to the northeast or southwest.
4. east-west trending upright folds, kinks, and crenulations of probable Tertiary age. The folds are often most prominently developed adjacent to northerly trending faults.

4.0 WORK HISTORY

The Mila Mineral Claim is located 7 km east of Vavenby on the south side of Reg Christie Creek. This area was first staked in 1969 by Nicanex Mines as a result of discovery of copper mineralization during a regional prospecting program. Subsequent geological, geochemical and geophysical surveys during 1970 outlines the copper mineralized zone (Nicanex zone).

In 1975, the ground was restaked by Greenwood Exploration. Greenwood conducted surface geological mapping, but allowed the claims to lapse the following year.

Barrier Reef Resources staked the area again in 1977 and carried out geological mapping and geochemical and geophysical surveys during 1978. As a result, a second zone, the AFR (Nicanex Road Showing) was located, which lies parallel to the Nicanex zone. Drilling was carried out in 1979. Drilling results include 944 ppm Cu over 19.8 metres. Again the claims were allowed to lapse.

Cima Resources restaked the showings and conducted a small prospecting and soil sampling program. A rock sample returned 230 ppm Cu, 360 ppm Pb and 112 ppm Zn.

Newmont Exploration staked around the showings in 1984 and carried out geological mapping, prospecting, and geophysical surveying during 1985. The following year, Newmont drilled anomalous areas as defined by the previous year's work. This led to the definition of the Road showing.

In 1988, Goldbank Ventures Ltd. staked the JAR and MILA claims over the known showings. During 1989, an airborne geophysical survey was carried out over 492 line-kilometres.

In 1990 and 1991, Goldbank conducted a two phase program consisting of 32 km of ground magnetics, 28 km of MaxMin, 16 km of IP, 24 km of soil sampling and 1794 metres of diamond drilling. The most significant drill result was 11.28 metres of 0.34% Cu (Naas and Neale, 1991).

The REG and MILA claims were staked by the author in 2002. The claims were differentially GPS surveyed in 2003.

In 2004, soil samples were collected along two main soil lines, both following the existing road network. Samples were collected at 50 metre intervals along both lines. No significant results were returned from this soil sampling program (Naas, 2005a).

In 2005, the REG and MILA legacy claims were converted to the new cell claims under Mineral Titles Online.

Exploration in 2005 consisted of a total of three uncut grid lines, at a spacing of 200 metres, for a total of 3 line-km. A total of 122 soil samples were collected from the B horizon, approximately 20-30 centimetres from surface. A weak east-west trend to the copper values was recognized though the values were relatively low (<100 ppm) and the significance of this anomaly is not known (Naas, 2005b)

5.0 CURRENT WORK

The work program was designed to test the possible westward and southern extension of the mineralized horizon discovered on Reg Christie Hill in 1990 by Goldbank Ventures.

Work commenced on April 11 with field work ending April 18, 2007. Field work consisted of grid establishment and the collection of 317 soil samples.

5.1 SOIL SAMPLING

Four (4) soil grid lines were established, at a spacing of 200 metres, for a total of 8 line-km. Lines were picketed at 25 metre spacings for a total of 324 stations. A true bearing of 090° was used for the baseline and a bearing of 000° was used for 4 crosslines (Figure 4, 5). The baseline was established using the collars of historical drill holes M90-1 and M90-2.


A total of 317 soil samples were collected from the B horizon, approximately 20-30 centimetres from surface.

Soil sample stations were surveyed by differential GPS using a Trimble GeoXT system.

All samples were submitted to Eco-Tech Laboratories of Kamloops, BC for sample preparation and for gold analysis by fire assay and multi-elements analysis by ICP-MS. Certificates of analyses are presented in Appendix II.

572000N

No topographic information available



LEGEND

- L18150E ——— Flagged survey line and line number
- BL9100N ——— Baseline
- Geochemical anomaly
- Watercourse
- Railway
- Paved or all-weather gravel road
- Rough road
- Tenure boundary
- 505096** Tenure number

Copper-in-soil (ppm)

- < 37
- 37 - 104
- 105 - 172
- 173 - 240
- ≥ 241
- No sample collected

0 250m

NAD83, UTM Zone 8 North
Contour interval: 20 m

**SOIL GEOCHEMICAL PLAN MAP
Copper (ppm)**

Mila Project
Kamloops M.D., British Columbia, Canada

Project No:	C111	By:	CN
Scale:	1:12,500	Drawn:	TV
Figure:	4	Date:	July 2007



Results

Statistical analysis of the sample population for selected precious and base metals is presented for Table 1. Plots of the geochemical results for copper and zinc are presented in Figure 4 and 5.

Table 1: Statistical Analysis of Soil Samples

Element	No. Samples	Copper (ppm)			
		Minimum	Maximum	Mean	Std. Deviation
Cu (ppm)	317	1	752	37	68.3
Zn (ppm)	317	21	227	63	26.2
Pb (ppm)	317	8	78	19	6.4
Ag (ppm)	317	0.1	0.6	0.2	0.09
Au (ppb)	317	3	25	4	3.0

Copper analyses reveals a strong east-west anomaly (Figure 4) across all 4 gridlines. The anomaly is approximately 100 metres wide on the eastern two lines, but narrower on the western two lines. The highest copper value encountered (752 ppm) occurs on the westernmost line. This anomaly likely corresponds with the historically known massive sulphide lens (Nicanex or Mila showing). There are several subtle geochemical anomalies to the south of the main zone which may represent other mineralized horizons, although the geochemical values are substantially lower than those of the main zone. Zinc results generally mimic the copper response.

Further soil sampling is warranted to the east to further define the existing geochemical anomalies, especially outside of the known mineralized horizon.

6.0 CONCLUSIONS

The Mila Mineral Claims covers historical showings that have returned impressive drilling results from east-west trending mineralized stratigraphic horizons from the eastern portion of the property. The current program sampled over the known mineralized area and investigated for potential deeper secondary mineralized horizons.

Soil geochemistry revealed the obvious strong known geochemical signature of the showing. Several subtly parallel geochemical anomalies are also present though further gridded soil sampling would be required to test the continuity of the anomalies, in particular to the west.

7.0 REFERENCES


- Belik, G.
1973. Geology of the Harper Creek Copper Deposit, unpublished B.Sc. thesis, University of British Columbia, Vancouver, BC, Canada.
- Campbell and Tipper,
1971. Geology of the Bonaparte Lake Map-area, British Columbia, Geological Survey of Canada, Memoir 363.
- Christopher, P.
1988. Report on the JAR and MILA Claims, unpublished report for Goldbank Ventures Ltd.
- Naas, C.O.
2005a. Assessment Report, Prospecting, Rock Sampling and Soil Sampling on the Reg 1-3 and Mila 9, 10 and 12 Claims, January 17, 2005
2005b. Assessment Report, Soil Sampling on the Mila Mineral Claim (505096), November 29, 2005
- Naas, C.O. and Neale, T.
1991. Report on the 1990/1991 Phase I and II Geological, Geochemical, Geophysical and Diamond Drilling Exploration of the Mila Project, unpublished report for Goldbank Ventures Ltd. (3 volumes).
- Schiarizza, P.
1985. Geology of the Eagle Bay Formation between the Raft and Baldy Batholiths (82M5, 11, 12); *in*: Geological Fieldwork 1985; Ministry of Energy Mines and Petroleum Resources Paper 1986-1, p. 89-94.
- Schiarizza P., and Preto V.A.
1987. Geology of the Adams Plateau-Clearwater-Vavenby Area, British Columbia Ministry of Energy Mines and Petroleum Resources Paper 1987-2.
1984. Geology of the Adams Plateau-Clearwater Area, British Columbia Ministry of Energy Mines and Petroleum Resources Prelim. Map 56.

8.0 STATEMENT OF QUALIFICATIONS

I, Christopher O. Naas, *P.Geo.*, do hereby certify that:

1. I am a member in good standing of the Association of Professional Engineers and Geoscientists of British Columbia (Registration Number 20082);
2. I am a graduate in geology of Dalhousie University (*B.Sc.*, 1984); and have practiced in my profession continuously since 1987;
3. Since 1987, I have been involved in mineral exploration for precious and/or base metals in Canada, United States of America, Chile, Venezuela, Ghana, Mali, Nigeria, and Democratic Republic of the Congo (Zaire); for diamonds in Venezuela; and for rare metals in Nigeria. I have also been involved in the determination of base metal and gold resources for properties in Canada and Ghana, respectively, and the valuation of properties in Canada and Equatorial Guinea.
4. I am presently a Consulting Geologist and have been so since November 1987;
5. The opinions and conclusions contained herein are based on a review of previous records and the results of the exploration program supervised by myself;

Dated at Richmond, BC, Canada, this 10th day of July, 2007.



Christopher O. Naas, *P.Geo.*

9.0 STATEMENT OF COSTS

Personnel

Ted VanderWart	0.5 days @ \$250.00	\$ 125.00
Larry Crittenden	4.0 days @ \$250.00	\$1,000.00
Chuck Gallagher	4.0 days @ \$150.00	\$ 600.00
Alex McKenzie	4.0 days @ \$150.00	\$ 600.00

Equipment Costs

Truck	4.0 days @ \$100.00	\$ 400.00
GPS	2.0 days @ \$75.00	\$ 150.00

Disbursements

Room & Board	\$ 600.00
Analytical Laboratory	\$6,485.00
Field Supplies	\$ 300.00
Fuel	\$ 40.00

TOTAL: \$10,300.00

APPENDIX I

ABBREVIATIONS AND CONVERSION FACTORS

ABBREVIATIONS

Elements

Ag	Silver
As	Arsenic
	Gold
Ca	Calcium
Cu	Copper
K	Potassium
Pb	Lead
Sb	Antimony
Zn	Zinc

Abbreviations

py	pyrite
cpy	chalcopyrite
diss	disseminated
g/t	grams per metric tonne
ppm	parts per million
ppb	parts per billion
UTM	Universal Transverse Mercator
NAD	North American Datum
° / ' / "	degree/minute/second of arc

CONVERSION FACTORS

Length			
1 millimetre (mm)	0.03937 inches (in)	1 inch (in)	25.40 millimetre (mm)
1 centimetre (cm)	0.394 inches(in)	1 inch (in)	2.540 centimetres (cm)
1 metre (m)	3.281 feet (ft)	1 foot (ft)	0.3048 metres (m)
1 kilometre (km)	0.6214 mile (mi)	1 mile (mi)	1.609 kilometres (km)
Area			
1 sq. centimeter (cm ²)	0.1550 sq. inches (in ²)	1 sq inch (in ²)	6.452 sq. centimetres (cm ²)
1 sq. metre (m ²)	10.76 feet (ft ²)	1 foot (ft)	0.0929 sq. metres (m ²)
1 hectare (ha) (10,000 m ²)	2.471 acres	1 acre	0.4047 hectare (ha)
1 hectare (ha)	0.003861 sq. miles (mi ²)	1 sq. mile (mi ²)	640 acres
1 hectare (ha)	0.01 sq. kilometre (km ²)	1 sq. mile (mi ²)	259.0 hectare (ha)
1 sq. kilometre (km ²)	0.3861 sq. miles (mi ²)	1 sq. mile (mi ²)	2.590 sq. kilometres (km ²)
Volume			
1 cu. centimetre (cc)	0.06102 cu. inches (in ³)	1 cu. inch (in ³)	16.39 cu. centimetres (cm ³)
1 cu. metre (m ³)	1.308 cu. yards (yd ³)	1 cu. yard (yd ³)	0.7646 cu. metres (m ³)
1 cu. metre (m ³)	35.310 cu. feet (ft ³)	1 cu. foot (ft ³)	0.02832 cu. metres (m ³)
1 litre (l)	0.2642 gallons (U.S.)	1 gallon (U.S.)	3.785 litres (l)
1 litre (l)	0.2200 gallons (U.K.)	1 gallon (U.K.)	4.546 litres (l)
Weights			
1 gram (g)	0.03215 troy ounce (20dwt)	1 troy ounce (oz)	31.1034 grams (g)
1 gram (g)	0.6430 pennyweight (dwt)	1 pennyweight (dwt)	1.555 grams (g)
1 gram (g)	0.03527 oz avoirdupois	1 oz avoirdupois	28.35 grams (g)
1 kilogram (kg)	2.205 lb avoirdupois	1 lb avoirdupois	0.4535 kilograms (kg)
1 tonne (t) (metric)	1.102 tons (T) (short ton)	1 ton (T) (short ton) (2000 lb)	0.9072 tonnes (t)
1 tonne (t)	0.9842 long ton	1 long ton (2240 lb)	1.016 tonnes (t)
Miscellaneous			
1 cm/second	0.01968 ft/min	1 ft/min	50.81 cm/second
1 cu. m/second	22.82 million gal/day	1 million gal/day	0.04382 m ³ /second
1 cu. m/minute	264.2 gal/min	1 gal/min	0.003785 m ³ /minute
1 g/cu. m	62.43 lb/ cu. ft	1 lb/cu. ft ³	0.01602 g/m ³
1 g/cu. m	0.02458 oz/cu. yd	1 oz/cu. yd	40.6817 g/m ³
1 Pascal (Pa)	0.000145 psi	1 psi	6985 Pascal
1 gram/tonne (g/t)	0.029216 troy ounce/ short ton (oz/T)	1 troy ounce/short ton (oz/T)	34.2857 grams/tonne (g/t)
1 g/t	0.583 dwt/short ton	1 dwt/short ton	1.714 g/t
1 g/t	0.653 dwt/long ton	1 dwt/long ton	1.531 g/t
1 g/t	0.0001 %		
1 g/t	1 part per million (ppm)		
1 %	10,000 part per million (ppm)		
1 part per million (ppm)	1,000 part per billion (ppb)		
1 part per billion (ppb)	0.001 part per million (ppm)		

APPENDIX II
CERTIFICATES OF ANALYSES

8-May-07

ECO TECH LABORATORY LTD.

10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2007- 409

CME Consultants Inc.
#2130-21331 Gordon Way
Richmond, BC
V6W 1J9

No. of samples received: 83
Sample type: Soil
Project Name: Mila
Project Number: C99
Submitted By: Larry Crittenden

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
1	17950E 7900N	5	0.2	1.39	20	110	<5	0.29	1	21	60	47	3.76	10	0.95	626	<1	0.01	65	940	22	<5	<20	15	0.03	<10	44	<10	8	90	
2	17950E 7925N	<5	<0.2	1.12	10	80	<5	0.27	<1	14	46	26	2.82	10	0.73	277	<1	0.01	41	530	16	<5	<20	13	0.03	<10	35	<10	5	55	
3	17950E 7950N	5	<0.2	1.42	15	85	<5	0.27	1	19	57	43	3.69	20	1.10	516	<1	0.01	56	940	20	<5	<20	12	0.04	<10	46	<10	11	69	
4	17950F 7975N	<5	<0.2	1.34	15	80	<5	0.30	<1	20	59	42	3.49	10	0.96	474	<1	0.01	54	840	20	<5	<20	12	0.03	<10	42	<10	6	69	
5	17950E 8000N	5	0.6	1.52	20	140	<5	0.37	1	19	46	133	4.21	30	0.79	520	<1	0.02	67	710	28	<5	<20	19	0.03	<10	38	<10	18	99	
6	17950E 8025N	<5	<0.2	1.24	15	85	<5	0.13	<1	12	30	20	2.40	10	0.49	258	<1	0.01	31	520	16	<5	<20	8	0.03	<10	30	<10	2	61	
7	17950E 8050N	5	<0.2	1.01	15	80	<5	0.33	<1	15	41	30	2.93	10	0.68	347	<1	0.01	43	1150	16	<5	<20	13	0.03	<10	33	<10	7	60	
8	17950E 8075N	<5	<0.2	0.94	10	75	<5	0.18	<1	12	39	25	2.77	10	0.66	350	<1	<0.01	38	700	14	<5	<20	10	0.02	<10	32	<10	4	57	
9	17950E 8100N	<5	<0.2	0.88	15	50	<5	0.11	<1	13	34	33	2.81	10	0.60	214	<1	<0.01	37	640	14	<5	<20	10	0.03	<10	29	<10	3	49	
10	17950E 8125N	5	<0.2	1.09	15	110	<5	0.28	<1	15	40	36	2.90	10	0.67	468	<1	0.01	44	750	16	<5	<20	14	0.03	<10	34	<10	7	69	
11	17950E 8150N	<5	<0.2	0.49	55	1250	<5	2.57	4	10	22	17	>10	<10	0.47	>10000	5	0.03	17	5250	16	<5	<20	192	0.02	<10	20	<10	3	25	
12	17950E 8175N	25	0.2	1.22	20	165	<5	1.36	1	18	52	50	3.27	10	0.81	783	1	0.01	60	890	18	<5	<20	44	0.02	<10	39	<10	8	64	
13	17950E 8200N	5	<0.2	0.94	30	145	<5	0.61	1	17	42	33	4.66	10	0.72	817	1	0.01	44	1120	18	<5	<20	30	0.02	<10	38	<10	7	54	
14	17950E 8225N	5	0.4	1.67	20	205	<5	0.46	1	21	61	50	3.80	20	0.92	586	<1	0.01	63	490	22	<5	<20	29	0.04	<10	44	<10	13	66	
15	17950E 8250N	10	<0.2	0.93	10	85	<5	0.18	<1	12	34	14	2.27	<10	0.48	214	<1	0.01	30	620	14	<5	<20	12	0.03	<10	32	<10	2	69	
16	17950E 8275N	<5	0.2	0.79	10	95	<5	0.37	<1	10	30	16	2.23	<10	0.52	254	<1	0.01	29	630	12	<5	<20	23	0.03	<10	28	<10	3	60	
17	17950E 8300N	<5	0.3	1.02	10	90	<5	0.33	<1	12	44	22	2.76	10	0.71	195	<1	0.01	37	530	14	<5	<20	18	0.04	<10	35	<10	4	55	
18	17950E 8325N	<5	0.3	1.37	15	160	<5	0.63	<1	13	39	30	2.66	10	0.64	349	<1	0.02	37	370	18	<5	<20	37	0.04	<10	31	<10	5	63	
19	17950E 8350N	<5	<0.2	0.65	10	80	<5	0.62	<1	13	28	26	2.40	<10	0.49	398	<1	<0.01	30	930	12	<5	<20	25	0.02	<10	27	<10	6	44	
20	17950E 8375N	<5	<0.2	0.85	10	100	<5	0.79	<1	15	37	34	2.55	<10	0.61	482	<1	0.01	39	780	16	<5	<20	28	0.02	<10	29	<10	6	54	
21	17950E 8400N	<5	0.2	0.85	10	85	<5	0.37	<1	14	38	30	2.63	10	0.63	432	<1	<0.01	39	920	16	<5	<20	17	0.03	<10	31	<10	6	52	
22	17950E 8425N	<5	0.2	0.67	10	85	<5	0.29	<1	11	33	20	2.67	<10	0.50	282	<1	0.01	35	960	12	<5	<20	13	0.02	<10	31	<10	6	58	
23	17950E 8450N	<5	<0.2	0.93	10	65	<5	0.27	<1	15	39	23	2.65	10	0.66	398	<1	0.01	34	1360	16	<5	<20	12	0.02	<10	30	<10	4	58	
24	17950E 8475N	<5	<0.2	0.98	15	75	<5	0.28	<1	17	42	22	2.70	10	0.67	335	<1	0.01	35	1700	16	<5	<20	12	0.02	<10	33	<10	4	62	
25	17950E 8500N	<5	0.2	1.00	10	105	<5	0.22	<1	14	42	22	2.82	10	0.63	355	<1	0.01	38	1350	14	<5	<20	11	0.03	<10	35	<10	4	90	
26	17950E 8525N	5	0.3	1.39	15	165	<5	0.34	1	19	51	52	3.48	10	0.80	599	<1	0.02	53	820	20	<5	<20	17	0.04	<10	40	<10	8	74	
27	17950E 8550N	<5	0.2	1.05	15	80	<5	0.19	<1	15	43	30	2.95	<10	0.66	276	<1	0.01	43	1090	16	<5	<20	10	0.03	<10	34	<10	3	83	
28	17950E 8575N	N/S																													
29	17950E 8600N	<5	0.2	1.25	15	135	<5	0.18	<1	13	33	29	2.66	<10	0.50	369	<1	0.01	37	910	16	<5	<20	11	0.03	<10	30	<10	4	77	
30	17950E 8625N	<5	<0.2	0.95	15	80	<5	0.17	<1	14	40	30	2.80	10	0.63	469	<1	0.01	38	790	16	<5	<20	10	0.02	<10	32	<10	4	69	
31	17950E 8650N	<5	0.3	1.45	15	145	<5	0.12	<1	12	27	26	2.50	<10	0.36	299	<1	0.02	35	860	24	<5	<20	10	0.04	<10	29	<10	6	86	
32	17950E 8675N	<5	0.2	0.74	10	70	<5	0.28	<1	7	12	14	1.67	<10	0.18	245	<1	0.01	16	250	12	<5	<20	17	0.03	<10	19	<10	2	38	
33	17950E 8700N	5	<0.2	1.36	15	145	<5	0.24	<1	16	39	48	3.00	<10	0.61	435	<1	0.02	47	750	20	<5	<20	16	0.04	<10	36	<10	3	92	
34	17950E 8725N	5	0.3	0.84	15	60	<5	0.19	<1	16	30	52	3.22	10	0.57	241	1	0.01	33	420	40	<5	<20	18	0.03	<10	24	<10	5	52	
35	17950E 8750N	5	<0.2	0.95	25	110	<5	0.28	<1	16	35	38	3.28	20	0.71	501	<1	0.01	40	640	26	<5	<20	15	0.03	<10	36	<10	7	65	

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
36	17950E 8775N	<5	<0.2	0.66	15	70	<5	0.46	<1	14	24	30	2.32	<10	0.49	432	<1	0.01	32	780	22	<5	<20	18	0.02	<10	24	<10	6	52
37	17950E 8800N	5	<0.2	1.22	15	100	<5	0.50	1	19	44	34	3.55	20	0.94	608	<1	0.01	46	870	22	<5	<20	24	0.03	<10	41	<10	8	76
38	17950E 8825N	5	0.2	1.28	20	125	<5	0.08	1	11	39	85	4.53	40	0.87	190	8	0.03	54	590	48	<5	<20	97	0.07	<10	33	<10	3	63
39	17950E 8850N	<5	<0.2	0.79	5	65	<5	0.07	<1	6	11	8	1.33	<10	0.23	162	<1	0.01	14	100	12	<5	<20	7	0.02	<10	15	<10	1	32
40	17950E 8875N	5	<0.2	0.97	10	80	<5	0.06	<1	7	12	9	1.68	<10	0.20	122	<1	0.01	17	760	14	<5	<20	6	0.03	<10	19	<10	2	49
41	17950E 8900N	5	<0.2	1.05	10	70	<5	0.13	<1	8	17	26	2.13	<10	0.44	161	<1	0.01	20	350	30	<5	<20	12	0.03	<10	21	<10	2	53
42	17950E 8925N	5	<0.2	0.93	10	80	<5	0.11	<1	8	13	9	1.82	<10	0.23	528	<1	0.01	20	840	16	<5	<20	8	0.04	<10	19	<10	2	75
43	17950E 8950N	5	<0.2	1.53	15	85	<5	0.09	<1	6	11	19	1.94	<10	0.15	302	<1	0.01	17	1040	16	<5	<20	8	0.06	<10	27	<10	2	58
44	17950E 8975N	5	0.2	1.08	10	130	<5	0.13	<1	7	11	19	1.79	<10	0.23	233	<1	0.01	17	490	18	<5	<20	9	0.03	<10	16	<10	2	74
45	17950E 9000N	5	<0.2	1.25	15	75	<5	0.18	<1	7	11	8	1.68	<10	0.18	368	<1	0.01	14	1460	18	<5	<20	13	0.05	<10	19	<10	1	55
46	17950E 9025N	5	0.2	1.84	15	80	<5	0.18	<1	8	12	11	1.76	<10	0.20	218	<1	0.02	22	860	20	<5	<20	12	0.06	<10	17	<10	3	47
47	17950E 9050N	5	<0.2	1.06	10	70	<5	0.11	<1	7	11	16	1.67	<10	0.24	149	<1	0.01	19	230	14	<5	<20	10	0.04	<10	17	<10	2	40
48	17950E 9075N	5	<0.2	0.97	10	45	<5	0.05	<1	10	15	57	2.24	10	0.32	153	<1	0.01	26	330	16	<5	<20	6	0.03	<10	17	<10	5	44
49	17950E 9100N	5	<0.2	1.07	10	70	<5	0.07	<1	7	10	11	1.65	<10	0.20	152	<1	0.01	20	490	14	<5	<20	8	0.03	<10	17	<10	2	50
50	17950E 9125N	5	<0.2	0.94	10	45	<5	0.11	<1	6	8	8	1.52	<10	0.14	248	<1	0.01	12	690	14	<5	<20	8	0.04	<10	22	<10	1	48
51	17950E 9130N	70	<0.2	0.87	5	75	<5	1.07	<1	6	28	1006	3.51	<10	0.58	556	5	0.07	10	520	10	<5	<20	32	0.04	<10	30	<10	10	47
52	17950E 9140N	<5	<0.2	<0.01	<5	<5	<5	>10	<1	<1	<1	2	0.02	<10	1.93	16	<1	0.01	<1	40	2	<5	<20	3476	<0.01	<10	<1	<10	<1	<1
53	17950E 9150N	<5	<0.2	2.13	20	110	<5	0.14	<1	8	17	19	1.98	<10	0.20	308	<1	0.02	24	970	20	<5	<20	11	0.08	<10	20	<10	4	43
54	17950E 9175N	5	0.2	1.01	10	75	<5	0.15	<1	8	11	20	1.83	<10	0.26	257	<1	0.01	18	380	16	<5	<20	12	0.03	<10	17	<10	3	41
55	17950E 9200N	5	<0.2	1.11	10	70	<5	0.10	<1	8	14	18	2.12	10	0.36	184	<1	0.01	20	250	16	<5	<20	10	0.02	<10	19	<10	2	45
56	17950E 9225N	10	<0.2	1.25	10	90	<5	0.13	<1	7	12	14	1.99	<10	0.32	150	<1	0.01	24	210	14	<5	<20	11	0.03	<10	17	<10	2	41
57	17950E 9250N	25	0.2	1.33	10	105	<5	0.12	<1	8	14	52	2.11	20	0.28	302	<1	0.01	30	370	18	<5	<20	12	0.04	<10	22	<10	10	52
58	17950E 9275N	5	0.3	1.39	10	140	<5	0.06	<1	8	13	27	1.94	<10	0.30	185	<1	0.01	26	190	18	<5	<20	8	0.04	<10	18	<10	2	66
59	17950E 9300N	10	0.2	1.54	15	100	<5	0.16	2	7	13	58	6.61	<10	0.16	236	1	0.02	19	500	28	<5	<20	13	0.10	<10	31	<10	1	151
60	17950E 9325N	5	0.2	1.78	15	100	<5	0.09	<1	9	13	79	2.12	<10	0.17	496	<1	0.02	17	480	16	<5	<20	7	0.08	<10	28	<10	2	55
61	17950E 9350N	5	0.3	1.52	15	90	<5	0.03	<1	9	15	121	2.38	<10	0.30	133	<1	<0.01	24	380	20	<5	<20	4	0.04	<10	19	<10	3	40
62	17950E 9375N	5	0.2	2.15	20	130	<5	0.05	<1	8	10	31	2.01	<10	0.14	222	<1	0.02	20	710	20	<5	<20	6	0.07	<10	24	<10	3	41
63	17950E 9400N	5	0.2	1.90	15	155	<5	0.10	<1	10	15	22	2.29	<10	0.26	137	2	0.01	34	250	22	<5	<20	14	0.05	<10	23	<10	3	50
64	17950E 9425N	10	<0.2	1.75	15	95	<5	0.22	<1	18	12	752	2.79	10	0.23	413	2	0.02	41	540	22	<5	<20	12	0.06	<10	23	<10	9	55
65	17950E 9450N	<5	0.2	1.91	15	145	<5	0.19	<1	16	18	21	3.33	<10	0.30	229	<1	0.02	56	300	28	<5	<20	14	0.05	<10	22	<10	2	143
66	17950E 9475N	<5	<0.2	0.74	5	30	<5	0.17	<1	8	15	16	2.01	10	0.40	167	<1	0.01	21	160	12	<5	<20	9	0.02	<10	15	<10	3	33
67	17950E 9500N	<5	<0.2	1.39	10	55	<5	0.13	<1	6	6	3	1.48	<10	0.08	304	<1	0.02	9	370	14	<5	<20	12	0.08	<10	25	<10	<1	34
68	17950E 9525N	20	<0.2	1.11	10	65	<5	0.20	<1	8	10	7	1.81	<10	0.19	286	<1	0.01	21	170	14	<5	<20	13	0.04	<10	19	<10	3	39
69	17950E 9550N	5	0.2	1.82	20	95	<5	0.21	<1	7	10	4	1.78	<10	0.16	163	<1	0.02	18	270	18	<5	<20	15	0.07	<10	25	<10	2	41
70	17950E 9575N	20	0.5	0.91	10	60	10	0.07	2	5	13	150	7.59	<10	0.21	254	<1	0.01	8	630	36	<5	<20	8	0.03	<10	20	<10	1	49
71	17950E 9600N	5	<0.2	1.72	15	70	<5	0.08	<1	7	10	8	1.81	<10	0.18	327	<1	0.01	20	330	22	<5	<20	8	0.06	<10	19	<10	2	44
72	17950E 9625N	<5	<0.2	1.73	15	80	<5	0.18	<1	9	14	9	2.13	<10	0.25	250	<1	0.01	25	240	18	<5	<20	16	0.06	<10	23	<10	2	54
73	17950E 9650N	<5	0.2	2.75	25	85	<5	0.15	<1	7	8	6	1.77	<10	0.10	370	<1	0.02	14	750	30	<5	<20	13	0.11	<10	20	<10	4	69
74	17950E 9675N	<5	<0.2	1.00	10	45	<5	0.07	<1	7	12	11	1.82	<10	0.28	159	<1	0.01	18	250	12	<5	<20	6	0.02	<10	15	<10	2	28
75	17950E 9700N	5	<0.2	1.63	25	40	<5	0.17	<1	5	9	4	1.58	<10	0.16	131	<1	0.02	13	200	14	<5	<20	10	0.06	<10	17	<10	2	21
76	17950E 9725N	<5	<0.2	1.56	10	50	<5	0.21	<1	6	9	4	1.53	<10	0.15	167	<1	0.02	14	110	14	<5	<20	15	0.06	<10	18	<10	2	22
77	17950E 9750N	<5	<0.2	1.35	15	80	<5	0.14	<1	7	11	10	1.80	<10	0.20	218	<1	0.01	17	660	14	<5	<20	11	0.05	<10	20	<10	2	29
78	17950E 9775N	5	<0.2	1.54	15	65	<5	0.16	<1	6	8	4	1.56	<10	0.14	263	<1	0.01	13	460	16	<5	<20	12	0.07	<10	20	<10	1	42
79	17950E 9800N	5	<0.2	1.11	10	55	<5	0.10	<1	8	9	9	1.67	<10	0.17	175	<1	0.01	17	510	12	<5	<20	7	0.04	<10	17	<10	2	32
80	17950E 9825N	<5	<0.2	1.62	15	90	<5	0.14	<1	7	12	7	1.72	<10	0.23	172	<1	0.01	19	320	14	<5	<20	10	0.05	<10	17	<10	3	31
81	17950E 9850N	<5	<0.2	1.76	15	85	<5	0.16	<1	9	12	9	1.80	<10	0.23	431	<1	0.02	25	1120	16	<5	<20	10	0.06	<10	19	<10	4	70
82	17950E 9875N	<5	<0.2	1.18	10	60	<5	0.17	<1	11	19	18	2.14	10																

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
------	-------	---------	----	------	----	----	----	------	----	----	----	----	------	----	------	----	----	------	----	---	----	----	----	----	------	---	---	---	---	----


QC DATA:

<i>Repeat:</i>		Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	17950E 7900N	5	0.2	1.40	20	110	<5	0.30	1	21	59	49	3.77	20	0.95	629	<1	0.01	65	940	22	<5	<20	15	0.03	<10	45	<10	9	88
10	17950E 8125N	5	<0.2	1.14	15	110	<5	0.29	<1	16	42	35	2.91	10	0.67	469	<1	0.01	46	780	18	<5	<20	14	0.04	<10	36	<10	7	74
19	17950E 8350N	<5	<0.2	0.66	10	80	<5	0.61	<1	13	29	28	2.54	<10	0.50	401	<1	0.01	31	970	12	<5	<20	25	0.02	<10	27	<10	6	45
36	17950E 8775N	<5	<0.2	0.61	10	70	<5	0.41	<1	12	23	29	2.35	<10	0.49	405	<1	0.01	29	750	14	<5	<20	18	0.02	<10	24	<10	6	40
45	17950E 9000N	5	<0.2	1.25	10	70	<5	0.18	<1	7	11	8	1.72	<10	0.17	347	<1	0.01	14	1450	18	<5	<20	12	0.05	<10	19	<10	1	53
54	17950E 9175N	5	<0.2	0.99	10	75	<5	0.15	<1	7	11	19	1.78	<10	0.26	268	<1	0.01	17	370	16	<5	<20	12	0.03	<10	16	<10	3	42
63	17950E 9400N	5	0.2	1.79	15	155	<5	0.10	<1	9	13	21	2.21	<10	0.26	119	2	0.01	32	240	20	<5	<20	13	0.05	<10	22	<10	2	47
71	17950E 9600N	5	<0.2	1.70	15	70	<5	0.08	<1	7	11	7	1.83	<10	0.19	331	<1	0.01	20	330	18	<5	<20	8	0.06	<10	20	<10	2	41
80	17950E 9825N	<5	<0.2	1.59	15	95	<5	0.13	<1	7	12	7	1.77	<10	0.23	173	<1	0.01	20	310	16	<5	<20	10	0.05	<10	18	<10	3	32

Standard:

OXD43	395																														
OXD43	390																														
OXD43	410																														
Till-3		1.4	1.08	80	48	<5	0.53	<1	13	81	21	1.91	10	0.60	302	<1	0.03	31	450	28	<5	<20	10	0.07	<10	39	<10	10	38		
Till-3		1.5	1.06	75	45	<5	0.48	<1	13	81	24	1.90	10	0.62	301	<1	0.03	31	450	30	<5	<20	10	0.05	<10	38	<10	11	40		
Till-3		1.3	1.11	80	50	<5	0.49	<1	12	81	23	1.95	10	0.65	315	<1	0.03	32	480	29	<5	<20	11	0.05	<10	40	<10	8	37		

JJ:bp:sa
01-1-09
XLS 07


ECO TECH LABORATORY LTD.
 Jutta Jealouse
 B.C. Certified Assayer

8-May-07

ECO TECH LABORATORY LTD.

10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2007- 410

CME Consultants inc.
#2130-21331 Gordon Way
Richmond, BC
V6W 1J9

No. of samples received: 79
Sample type: Soil
Project Name: Mila
Project Number: C99
Submitted By: Larry Crittenden


Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	18150E+7900N	<5	0.2	1.15	15	90	<5	0.07	<1	11	23	19	2.52	10	0.43	224	<1	<0.01	32	610	16	<5	<20	6	0.02	<10	22	<10	2	59
2	18150E+7925N	<5	0.2	1.01	10	90	<5	0.66	<1	6	12	5	1.75	<10	0.20	529	<1	0.02	21	1710	16	<5	<20	10	0.05	<10	27	<10	11	74
3	18150E+7950N	<5	0.2	1.28	15	75	<5	0.08	<1	9	16	13	2.27	<10	0.27	691	<1	0.02	24	1100	16	<5	<20	5	0.04	<10	21	<10	2	58
4	18150E+7975N	10	<0.2	1.36	15	95	<5	0.17	<1	17	37	34	3.10	20	0.65	315	<1	0.01	46	820	20	<5	<20	7	0.02	<10	30	<10	9	54
5	18150E+8000N	5	0.2	1.18	15	90	<5	0.11	<1	13	23	22	2.85	<10	0.39	175	<1	0.01	33	1290	20	<5	<20	7	0.03	<10	23	<10	2	61
6	18150E+8025N	<5	0.2	1.08	10	95	<5	0.06	<1	8	20	9	1.86	<10	0.29	192	<1	0.01	20	1540	12	<5	<20	6	0.03	<10	22	<10	2	50
7	18150E+8050N	<5	0.2	1.06	10	105	<5	0.17	<1	10	31	11	2.34	<10	0.43	516	<1	0.01	30	810	14	<5	<20	11	0.02	<10	25	<10	2	53
8	18150E+8075N	<5	0.3	1.11	10	80	<5	0.17	<1	12	29	21	2.62	<10	0.43	414	<1	0.01	35	620	16	<5	<20	13	0.03	<10	25	<10	3	56
9	18150E+8100N	<5	0.2	1.23	15	105	<5	0.13	<1	12	25	21	2.61	<10	0.36	631	<1	0.01	38	1030	20	<5	<20	11	0.03	<10	24	<10	3	78
10	18150E+8125N	<5	0.2	1.31	15	95	<5	0.13	<1	10	20	13	2.07	<10	0.32	278	<1	0.01	29	1480	16	<5	<20	12	0.05	<10	23	<10	2	73
11	18150E+8150N	<5	0.2	0.94	10	85	<5	0.16	<1	10	18	18	2.37	<10	0.31	264	<1	0.01	27	1140	16	<5	<20	11	0.03	<10	22	<10	2	62
12	18150E+8175N	<5	0.2	1.06	10	60	<5	0.07	<1	9	15	16	2.32	<10	0.29	232	<1	0.01	25	540	18	<5	<20	7	0.03	<10	22	<10	2	62
13	18150E+8200N	<5	<0.2	0.77	10	45	<5	0.07	<1	7	7	5	1.35	<10	0.08	282	<1	0.01	8	400	12	<5	<20	7	0.05	<10	24	<10	<1	41
14	18150E+8225N	<5	<0.2	1.30	15	100	<5	0.22	<1	10	19	16	2.35	<10	0.32	176	<1	0.01	24	540	18	<5	<20	15	0.04	<10	23	<10	2	53
15	18150E+8250N	<5	0.2	1.27	10	125	<5	0.12	<1	9	19	8	1.99	<10	0.20	482	<1	0.01	21	1370	16	<5	<20	16	0.05	<10	24	<10	3	69
16	18150E+8275N	<5	0.2	0.97	10	95	<5	0.19	<1	7	11	7	1.69	<10	0.14	494	<1	0.02	15	1350	12	<5	<20	16	0.05	<10	24	<10	1	58
17	18150E+8300N	5	0.2	1.42	20	125	<5	0.24	1	24	61	64	4.26	10	0.84	650	<1	0.01	88	620	24	<5	<20	17	0.04	<10	41	<10	10	69
18	18150E+8325N	<5	0.3	1.40	15	135	<5	1.80	1	21	58	54	3.81	10	1.06	631	1	0.01	57	950	18	<5	<20	47	0.04	<10	46	<10	9	64
19	18150E+8350N	<5	0.3	1.55	20	120	<5	0.52	1	22	59	46	4.18	20	1.12	595	<1	0.01	60	960	22	<5	<20	22	0.04	<10	48	<10	10	79
20	18150E+8375N	<5	0.2	1.13	10	80	<5	0.36	<1	16	39	24	3.20	10	0.81	505	<1	0.01	34	810	18	<5	<20	17	0.03	<10	36	<10	5	68
21	18150E+8400N	<5	0.2	1.07	10	80	<5	0.13	<1	9	16	16	1.99	<10	0.29	275	<1	0.01	22	1320	14	<5	<20	11	0.04	<10	19	<10	2	69
22	18150E+8425N	5	0.2	1.05	15	90	<5	0.09	<1	11	20	22	2.35	<10	0.32	441	<1	<0.01	29	1060	16	<5	<20	6	0.03	<10	20	<10	2	73
23	18150E+8450N	5	0.2	1.24	15	90	<5	0.32	1	17	43	31	3.40	20	0.84	534	<1	0.01	42	800	20	<5	<20	15	0.03	<10	38	<10	8	72
24	18150E+8475N	<5	0.2	1.69	20	115	<5	0.22	<1	9	15	6	1.99	<10	0.23	299	<1	0.01	22	2460	18	<5	<20	13	0.06	<10	21	<10	2	63
25	18150E+8500N	<5	<0.2	0.87	10	60	<5	0.13	<1	11	25	31	2.62	10	0.47	290	<1	<0.01	32	460	16	<5	<20	9	0.02	<10	20	<10	4	54
26	18150E+8525N	<5	0.3	0.85	10	80	<5	0.12	<1	8	16	10	1.95	<10	0.25	444	<1	0.01	19	720	16	<5	<20	8	0.03	<10	20	<10	1	62
27	18150E+8550N	<5	0.4	1.30	15	105	<5	0.19	<1	7	12	10	1.82	<10	0.23	382	<1	0.01	21	1630	14	<5	<20	13	0.05	<10	18	<10	2	70
28	18150E+8575N	<5	<0.2	1.05	15	85	<5	0.10	<1	10	16	18	2.51	<10	0.27	204	<1	0.01	24	750	16	<5	<20	9	0.03	<10	21	<10	2	87
29	18150E+8600N	<5	0.2	1.92	20	80	<5	0.34	<1	7	10	5	1.73	<10	0.14	622	<1	0.01	14	1860	18	<5	<20	19	0.06	<10	20	<10	1	54
30	18150E+8625N	<5	0.3	2.60	25	75	<5	0.23	<1	8	9	7	1.85	<10	0.12	403	<1	0.02	18	1350	24	<5	<20	15	0.08	<10	19	<10	2	49
31	18150E+8650N	10	0.2	0.86	15	60	<5	0.30	<1	13	24	44	2.79	20	0.53	401	<1	0.01	35	580	24	<5	<20	19	0.02	<10	19	<10	7	66
32	18150E+8675N	10	0.2	1.53	15	95	<5	0.10	<1	12	19	77	2.75	<10	0.36	225	4	0.01	26	1210	20	<5	<20	11	0.05	<10	25	<10	3	74
33	18150E+8700N	10	0.3	2.41	20	115	<5	0.12	<1	9	18	34	2.01	10	0.32	614	<1	0.02	23	2060	20	<5	<20	14	0.08	<10	22	<10	5	96
34	18150E+8725N	<5	0.2	1.23	15	115	<5	0.21	<1	15	29	68	2.76	10	0.49	599	1	0.01	35	750	22	<5	<20	15	0.04	<10	26	<10	6	65
35	18150E+8750N	<5	<0.2	2.05	20	160	<5	0.07	<1	14	35	22	2.93	<10	0.46	574	<1	0.02	39	790	22	<5	<20	8	0.06	<10	32	<10	4	104

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
36	18150E+8775N	15	0.4	1.82	20	105	<5	0.10	<1	8	14	8	1.78	<10	0.17	868	<1	0.02	15	2350	22	<5	<20	8	0.07	<10	23	<10	2	78
37	18150E+8800N	<5	<0.2	1.06	10	110	<5	0.25	<1	12	30	14	2.38	<10	0.45	325	<1	0.01	30	490	18	<5	<20	17	0.05	<10	27	<10	2	56
38	18150E+8825N	<5	<0.2	1.02	10	95	<5	0.49	<1	11	31	14	2.36	<10	0.47	185	<1	0.02	29	180	16	<5	<20	28	0.03	<10	29	<10	2	44
39	18150E+8850N	<5	<0.2	1.15	45	60	10	0.12	2	23	26	155	5.62	20	0.58	327	2	0.01	59	730	24	<5	<20	10	<0.01	<10	18	<10	5	82
40	18150E+8900N	<5	<0.2	1.84	40	125	<5	0.63	2	27	91	98	5.07	10	1.24	849	<1	0.02	137	1020	48	<5	<20	33	0.04	<10	49	<10	11	145
41	18150E+8925N	<5	<0.2	0.96	10	90	<5	0.07	<1	6	11	9	1.52	<10	0.20	393	<1	0.01	17	370	14	<5	<20	6	0.03	<10	19	<10	1	47
42	18150E+8950N	5	<0.2	0.65	5	30	<5	0.18	<1	8	13	22	1.77	<10	0.31	152	<1	0.01	17	270	12	<5	<20	10	0.02	<10	15	<10	2	34
43	18150E+8975N	<5	<0.2	0.74	10	35	<5	0.06	<1	7	16	26	2.03	10	0.40	130	<1	<0.01	19	220	12	<5	<20	5	0.01	<10	16	<10	3	41
44	18150E+9000N	<5	<0.2	1.61	15	40	<5	0.26	<1	5	8	7	1.54	<10	0.14	242	<1	0.02	14	540	16	<5	<20	13	0.06	<10	20	<10	3	31
45	18150E+9025N	15	<0.2	1.97	20	70	<5	0.22	<1	6	9	8	1.65	<10	0.16	251	<1	0.02	15	1140	18	<5	<20	14	0.07	<10	19	<10	3	43
46	18150E+9075N	5	<0.2	1.02	10	55	<5	0.04	<1	7	9	12	1.76	<10	0.17	228	<1	<0.01	15	610	16	<5	<20	4	0.04	<10	18	<10	2	91
47	18150E+9100N	N/S																												
48	18150E+9130N	70	<0.2	0.82	5	85	<5	1.07	1	6	32	1017	3.50	<10	0.57	555	5	0.07	10	520	12	<5	<20	34	0.05	<10	29	<10	10	48
49	18150E+9140N	<5	<0.2	<0.01	<5	<5	<5	>10	<1	<1	<1	1	0.01	<10	0.87	16	<1	0.01	<1	30	<2	<5	<20	2929	<0.01	<10	<1	<10	<1	<1
50	18150E+9150N	<5	<0.2	0.62	5	30	<5	0.13	<1	8	14	48	2.02	<10	0.33	116	<1	<0.01	18	230	12	<5	<20	8	0.01	<10	13	<10	3	36
51	18150E+9200N	<5	0.2	1.57	15	95	<5	0.08	<1	7	10	19	1.67	<10	0.19	173	<1	0.01	23	520	16	<5	<20	8	0.06	<10	18	<10	4	80
52	18150E+9225N	5	<0.2	1.16	10	95	<5	0.10	<1	8	13	98	3.28	<10	0.31	158	1	<0.01	22	240	18	<5	<20	7	0.04	<10	18	<10	2	64
53	18150E+9250N	<5	0.2	1.61	15	75	<5	0.11	<1	9	10	72	1.81	<10	0.15	186	1	0.01	21	440	16	<5	<20	9	0.07	<10	23	<10	2	39
54	18150E+9275N	<5	<0.2	1.73	15	140	<5	0.12	<1	19	17	601	2.84	<10	0.41	159	3	0.01	33	170	18	<5	<20	13	0.05	<10	25	<10	3	66
55	18150E+9300N	<5	0.2	2.09	20	100	<5	0.13	<1	9	13	90	2.08	<10	0.25	113	2	0.02	24	190	18	<5	<20	10	0.07	<10	23	<10	3	39
56	18150E+9325N	<5	0.2	1.57	15	100	<5	0.10	<1	10	16	70	2.09	10	0.35	164	1	0.01	23	190	16	<5	<20	8	0.05	<10	21	<10	2	54
57	18150E+9350N	<5	0.4	2.35	25	110	<5	0.10	<1	9	8	70	1.97	<10	0.15	155	2	0.02	22	290	20	<5	<20	10	0.09	<10	24	<10	3	45
58	18150E+9375N	<5	<0.2	1.61	15	85	<5	0.14	<1	6	6	26	1.46	<10	0.10	290	<1	0.02	12	280	14	<5	<20	10	0.07	<10	20	<10	2	40
59	18150E+9400N	5	<0.2	0.60	5	60	<5	0.19	<1	5	5	3	1.13	<10	0.13	311	<1	0.01	7	120	8	<5	<20	9	0.03	<10	18	<10	1	44
60	18150E+9425N	<5	0.3	1.70	15	90	<5	0.19	<1	7	9	8	1.80	<10	0.18	352	<1	0.02	21	780	18	<5	<20	12	0.07	<10	20	<10	4	76
61	18150E+9450N	<5	<0.2	1.00	10	60	<5	0.07	<1	8	18	19	2.13	10	0.43	189	<1	0.01	24	230	14	<5	<20	5	0.02	<10	17	<10	3	44
62	18150E+9475N	<5	<0.2	1.00	10	80	<5	0.08	<1	6	10	7	1.47	<10	0.19	247	<1	0.01	17	500	12	<5	<20	11	0.04	<10	16	<10	2	37
63	18150E+9500N	<5	<0.2	1.04	10	55	<5	0.11	<1	7	13	10	1.75	<10	0.30	210	<1	0.01	20	260	12	<5	<20	9	0.03	<10	16	<10	2	37
64	18150E+9525N	<5	<0.2	1.67	15	110	<5	0.08	<1	8	12	9	1.82	<10	0.23	110	<1	0.01	25	320	16	<5	<20	8	0.05	<10	17	<10	2	36
65	18150E+9550N	<5	<0.2	1.51	15	65	<5	0.10	<1	6	7	3	1.40	<10	0.08	247	<1	0.01	13	640	14	<5	<20	8	0.07	<10	22	<10	1	27
66	18150E+9575N	<5	<0.2	0.75	5	60	<5	0.07	<1	4	6	2	1.07	<10	0.07	340	<1	0.01	9	450	10	<5	<20	6	0.05	<10	21	<10	1	25
67	18150E+9600N	<5	<0.2	0.85	10	45	<5	0.05	<1	6	11	9	1.64	<10	0.26	122	<1	<0.01	17	140	12	<5	<20	5	0.02	<10	15	<10	2	29
68	18150E+9625N	<5	<0.2	1.24	10	00	<5	0.11	<1	7	11	7	1.72	<10	0.25	123	<1	0.01	26	180	14	<5	<20	10	0.04	<10	17	<10	2	39
69	18150E+9650N	<5	<0.2	1.33	10	70	<5	0.15	<1	7	8	6	1.39	<10	0.15	412	<1	0.02	20	580	12	<5	<20	13	0.05	<10	16	<10	2	35
70	18150E+9675N	5	<0.2	0.96	10	45	<5	0.07	<1	6	11	5	1.55	<10	0.26	177	<1	<0.01	19	270	10	<5	<20	5	0.03	<10	15	<10	2	32
71	18150E+9700N	<5	<0.2	1.80	15	55	<5	0.12	<1	7	10	16	1.95	<10	0.17	127	<1	0.01	18	740	32	<5	<20	9	0.07	<10	20	<10	2	58
72	18150E+9725N	<5	<0.2	0.71	5	45	<5	0.10	<1	6	10	16	1.70	<10	0.26	185	<1	<0.01	16	210	16	<5	<20	6	0.02	<10	12	<10	2	36
73	18150E+9750N	<5	<0.2	1.18	10	55	<5	0.14	<1	7	10	8	1.74	<10	0.17	178	<1	<0.01	19	620	18	<5	<20	9	0.05	<10	17	<10	2	31
74	18150E+9775N	<5	<0.2	0.90	10	50	<5	0.09	<1	8	15	14	1.81	<10	0.29	144	<1	0.01	22	190	14	<5	<20	8	0.02	<10	14	<10	2	27
75	18150E+9800N	<5	<0.2	1.06	15	85	<5	0.14	<1	7	11	10	1.65	<10	0.19	171	<1	<0.01	18	570	16	<5	<20	12	0.04	<10	16	<10	2	25
76	18150E+9825N	<5	<0.2	1.92	20	85	<5	0.15	<1	8	9	6	1.93	<10	0.14	337	<1	0.01	26	770	20	<5	<20	12	0.09	<10	23	<10	3	41
77	18150E+9850N	<5	<0.2	1.94	15	115	<5	0.14	<1	9	14	10	2.18	<10	0.22	225	<1	0.01	25	650	20	<5	<20	14	0.07	<10	22	<10	2	32
78	18150E+9875N	<5	<0.2	1.03	10	80	<5	0.09	<1	8	14	17	2.04	<10	0.31	195	<1	0.01	23	280	16	<5	<20	8	0.03	<10	17	<10	2	37
79	18150E+9900N	<5	0.2	1.65	15	55	<5	0.18	<1	8	12	8	1.80	<10	0.20	239	<1	0.01	25	810	18	<5	<20	11	0.06	<10	18	<10	3	34

El #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn	
QC DATA:																															
Repeat:																															
1	18150E+7900N		0.2	1.15	15	85	<5	0.07	<1	11	23	19	2.53	10	0.44	226	<1	0.01	37	610	14	<5	<20	5	0.02	<10	22	<10	2	56	
8	18150E+8075N	5																													
10	18150E+8125N		0.2	1.30	15	100	<5	0.14	<1	9	19	12	2.06	<10	0.32	272	<1	0.01	29	1480	16	<5	<20	12	0.05	<10	23	<10	2	70	
13	18150E+8200N	<5																													
19	18150E+8350N		0.2	1.50	20	115	<5	0.49	1	23	57	44	4.08	20	1.08	574	<1	0.01	59	900	22	<5	<20	21	0.04	<10	46	<10	9	77	
21	18150E+8400N	<5																													
28	18150E+8575N		<0.2	1.03	15	90	<5	0.11	<1	10	16	18	2.50	<10	0.27	205	<1	0.01	25	750	16	<5	<20	10	0.03	<10	21	<10	2	86	
32	18150E+8675N	10																													
36	18150E+8775N		<0.2	1.72	15	105	<5	0.09	<1	8	13	7	1.72	<10	0.16	820	<1	0.01	14	2240	16	<5	<20	7	0.06	<10	22	<10	2	65	
41	18150E+8925N	<5																													
45	18150E+9025N		<0.2	2.06	20	70	<5	0.23	<1	6	9	8	1.63	<10	0.15	249	<1	0.02	17	1170	18	<5	<20	13	0.07	<10	18	<10	3	43	
46	18150E+9075N	<5																													
54	18150E+9275N		<0.2	1.73	15	145	<5	0.13	<1	20	17	585	2.84	<10	0.40	160	4	0.01	32	170	18	<5	<20	13	0.05	<10	25	<10	3	66	
56	18150E+9325N	<5																													
63	18150E+9500N		<0.2	1.00	10	55	<5	0.11	<1	7	12	9	1.74	<10	0.28	231	<1	<0.01	19	270	12	<5	<20	9	0.03	<10	16	<10	2	36	
67	18150E+9600N	<5																													
71	18150E+9700N		<0.2	1.83	15	55	<5	0.12	<1	7	10	5	1.90	<10	0.17	129	<1	0.01	19	750	28	<5	<20	9	0.07	<10	20	<10	2	28	
72	18150E+9725N	<5																													
75	18150E+9800N	<5																													
Standard:																															
SE29		590																													
SE29		590																													
SE29		800																													
Till-3			1.4	1.10	75	45	<5	0.60	<1	10	60	21	1.91	10	0.60	307	<1	0.02	30	460	30	<5	<20	12	0.06	<10	36	<10	8	36	
Till-3			1.4	1.12	75	45	<5	0.64	<1	10	57	21	1.90	10	0.60	303	<1	0.02	31	460	30	<5	<20	11	0.05	<10	36	<10	8	37	
Till-3			1.5	1.05	80	40	<5	0.43	<1	11	62	19	1.94	10	0.52	297	<1	0.02	31	410	28	<5	<20	11	0.04	<10	37	<10	7	34	

JJ:bpsa
 01-409
 XLS.07


 ECO TECH LABORATORY LTD.
 Julia Jealouse
 B.C. Certified Assayer

11-May-07

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2007- 411

CME Consultants Inc.
#2130-21331 Gordon Way
Richmond, BC
V6W 1J9

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 87
Sample type: Soil
Project Name: Mila
Project Number: C99-1
Shipment #: C99-1
Submitted By: Larry Crittenden

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	18350E+7900N	<5	<0.2	1.50	15	105	<5	0.20	1	16	38	36	2.95	<10	0.56	273	<1	0.01	45	480	22	<5	<20	9	0.04	<10	32	<10	5	61
2	18350E+7925N	<5	<0.2	1.75	20	105	<5	0.12	1	13	31	35	2.74	<10	0.42	347	<1	0.01	39	970	20	<5	<20	9	0.05	<10	31	<10	6	70
3	18350E+7950N	<5	<0.2	1.25	15	90	<5	0.14	<1	12	29	26	2.60	10	0.46	289	<1	<0.01	37	1140	16	<5	<20	9	0.02	<10	24	<10	3	71
4	18350E+7975N	<5	0.3	1.63	20	150	<5	0.13	<1	12	24	13	2.54	<10	0.33	292	<1	0.01	34	1910	22	<5	<20	10	0.05	<10	28	<10	2	69
5	18350E+8000N	<5	<0.2	1.03	10	65	<5	0.07	<1	6	11	6	1.55	<10	0.13	292	<1	0.01	13	1270	12	<5	<20	7	0.06	<10	25	<10	2	45
6	18350E+8025N	<5	<0.2	1.18	15	90	<5	0.11	1	13	31	20	2.63	<10	0.51	286	<1	0.01	36	640	18	<5	<20	8	0.03	<10	24	<10	3	63
7	18350E+8050N	<5	<0.2	1.17	10	80	<5	0.12	<1	9	20	11	2.13	<10	0.32	213	<1	0.01	22	1330	18	<5	<20	10	0.04	<10	26	<10	2	60
8	18350E+8075N	<5	0.2	2.62	25	120	<5	0.12	1	14	23	11	2.91	<10	0.29	726	<1	0.01	24	3100	26	<5	<20	12	0.07	<10	29	<10	3	76
9	18350E+8100N	<5	0.2	1.66	15	85	<5	0.11	<1	13	24	31	2.76	<10	0.38	233	<1	0.01	40	1070	22	<5	<20	8	0.04	<10	22	<10	3	78
10	18350E+8125N	<5	<0.2	1.05	10	90	<5	0.10	<1	10	20	17	2.56	<10	0.34	177	<1	<0.01	25	1290	20	<5	<20	8	0.02	<10	20	<10	2	61
11	18350E+8150N	<5	<0.2	1.11	15	85	<5	0.29	1	18	31	39	3.18	<10	0.54	517	<1	0.01	39	770	22	<5	<20	14	0.03	<10	29	<10	5	66
12	18350E+8175N	5	<0.2	0.95	15	60	<5	0.10	1	16	27	40	3.42	<10	0.47	211	<1	<0.01	37	680	22	<5	<20	7	0.02	<10	24	<10	3	61
13	18350E+8200N	<5	<0.2	1.26	15	115	<5	0.29	1	16	39	24	3.34	10	0.69	531	<1	0.01	38	620	22	<5	<20	19	0.03	<10	37	<10	6	64
14	18350E+8225N	<5	<0.2	1.51	15	95	<5	0.32	1	19	59	32	3.58	20	1.01	606	<1	0.01	53	720	20	<5	<20	18	0.05	<10	45	<10	8	67
15	18350E+8250N	<5	<0.2	1.50	15	90	<5	0.30	1	17	36	25	3.52	20	0.82	522	<1	0.01	40	570	24	<5	<20	18	0.03	<10	35	<10	8	76
16	18350E+8275N	<5	<0.2	0.88	10	65	<5	1.12	1	14	24	23	2.66	10	0.61	409	<1	0.01	29	900	18	<5	<20	40	0.02	<10	28	<10	7	49
17	18350E+8300N	<5	0.2	1.12	15	115	<5	0.71	1	16	33	29	3.18	10	0.71	1031	<1	0.01	38	700	22	<5	<20	32	0.03	<10	34	<10	8	58
18	18350E+8325N	<5	0.3	1.49	15	160	<5	0.28	1	11	27	18	2.29	10	0.40	531	<1	0.02	27	890	18	<5	<20	21	0.04	<10	29	<10	4	90
19	18350E+8350N	<5	<0.2	1.21	15	125	<5	0.32	1	12	33	18	2.52	10	0.51	450	<1	0.01	32	1080	22	<5	<20	23	0.03	<10	26	<10	3	81
20	18350E+8375N	<5	<0.2	1.24	10	100	<5	0.13	<1	9	20	13	2.11	<10	0.32	280	<1	0.01	23	480	18	<5	<20	11	0.04	<10	25	<10	2	54
21	18350E+8400N	<5	<0.2	1.48	15	105	<5	0.18	<1	7	14	9	1.62	<10	0.17	519	<1	0.02	15	1020	16	<5	<20	15	0.05	<10	18	<10	3	70
22	18350E+8425N	<5	0.2	1.13	15	145	<5	0.11	<1	8	13	11	1.64	<10	0.18	644	<1	0.01	16	1660	18	<5	<20	11	0.05	<10	21	<10	3	65
23	18350E+8450N	<5	0.2	0.89	10	55	<5	0.08	<1	10	16	12	1.74	<10	0.24	229	<1	0.01	20	590	16	<5	<20	7	0.03	<10	20	<10	2	66
24	18350E+8475N	<5	<0.2	0.90	10	90	<5	0.08	<1	9	12	25	1.95	<10	0.22	237	<1	0.01	22	560	16	<5	<20	7	0.03	<10	17	<10	2	51
25	18350E+8500N	<5	<0.2	0.93	10	80	<5	0.05	<1	8	14	17	1.86	<10	0.25	227	<1	0.01	22	490	16	<5	<20	6	0.03	<10	17	<10	2	58
26	18350E+8525N	<5	0.2	1.14	15	125	<5	0.27	1	14	46	32	2.68	20	0.65	428	<1	0.01	46	460	22	<5	<20	13	0.03	<10	31	<10	7	100
27	18350E+8550N	5	<0.2	1.15	15	100	<5	0.18	1	15	50	41	3.10	10	0.69	380	<1	0.01	54	580	24	<5	<20	11	0.03	<10	30	<10	6	104
28	18350E+8575N	<5	0.2	1.03	10	160	<5	0.07	2	12	36	18	2.25	<10	0.40	1921	<1	0.01	30	1150	22	<5	<20	9	0.03	<10	27	<10	2	104
29	18350E+8600N	<5	0.2	1.04	10	95	<5	0.13	1	16	30	24	2.94	10	0.53	576	<1	<0.01	35	650	24	<5	<20	10	0.01	<10	20	<10	3	80
30	18350E+8625N	<5	<0.2	1.22	15	85	<5	0.10	1	14	25	36	2.86	<10	0.44	195	<1	0.01	41	370	26	<5	<20	8	0.04	<10	23	<10	2	95
31	18350E+8650N	<5	<0.2	1.07	10	60	<5	0.05	<1	11	29	26	2.74	10	0.49	214	<1	<0.01	35	340	18	<5	<20	5	0.02	<10	21	<10	2	68
32	18350E+8675N	<5	0.2	1.38	15	130	<5	0.33	1	16	46	36	3.13	20	0.68	475	<1	0.01	51	520	24	<5	<20	16	0.02	<10	29	<10	6	80
33	18350E+8700N	No Sample																												
34	18350E+8725N	<5	<0.2	1.39	15	90	<5	0.15	<1	12	29	14	2.36	10	0.45	287	<1	0.01	33	1000	18	<5	<20	11	0.04	<10	25	<10	2	63
35	18350E+8750N	<5	0.4	1.39	15	100	<5	0.09	<1	9	17	9	1.91	<10	0.22	319	<1	0.01	22	1760	20	<5	<20	11	0.04	<10	21	<10	2	71

El #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
36	18350E+8775N	<5	<0.2	1.27	15	110	<5	0.23	<1	12	22	29	2.56	<10	0.37	494	<1	0.01	29	1090	22	<5	<20	14	0.04	<10	23	<10	4	71
37	18350E+8800N	<5	0.2	1.65	15	150	<5	0.30	1	15	42	40	3.15	10	0.59	502	<1	0.01	48	850	24	<5	<20	18	0.04	<10	33	<10	4	82
38	18350E+8825N	<5	<0.2	1.24	15	145	<5	0.26	1	12	37	22	2.63	10	0.54	528	<1	0.01	37	680	20	<5	<20	17	0.04	<10	29	<10	2	73
39	18350E+8850N	<5	<0.2	1.37	15	125	<5	0.14	1	13	36	33	2.79	10	0.50	366	<1	0.01	40	410	22	<5	<20	11	0.04	<10	28	<10	4	74
40	18350E+8875N	<5	<0.2	1.05	15	85	<5	0.16	1	15	34	42	3.07	10	0.55	242	<1	0.01	41	380	24	<5	<20	10	0.03	<10	26	<10	4	60
41	18350E+8900N	<5	<0.2	0.89	10	60	<5	0.20	<1	12	27	38	2.52	10	0.45	324	<1	<0.01	30	420	22	<5	<20	13	0.02	<10	23	<10	3	69
42	18350E+8925N	No Sample																												
43	18350E+8950N	<5	<0.2	0.91	10	45	<5	0.44	1	14	21	91	2.78	10	0.52	534	<1	0.01	28	390	30	<5	<20	19	0.01	<10	18	<10	5	81
44	18350E+8975N	<5	0.3	1.02	15	60	<5	2.98	1	12	24	198	2.47	<10	0.52	364	<1	0.01	30	260	30	<5	<20	60	0.03	<10	22	<10	5	107
45	18350E+9000N	<5	<0.2	1.16	15	65	<5	0.09	<1	9	15	50	1.98	<10	0.27	313	<1	0.01	21	560	18	<5	<20	9	0.05	<10	22	<10	3	114
46	18350E+9025N	<5	0.2	1.60	15	95	<5	0.09	<1	9	16	78	2.25	<10	0.29	272	<1	0.01	24	580	22	<5	<20	9	0.05	<10	18	<10	3	138
47	18350E+9050N	<5	<0.2	1.21	15	70	<5	0.09	<1	8	12	20	1.85	<10	0.19	331	<1	0.01	17	820	20	<5	<20	8	0.05	<10	23	<10	2	154
48	18350E+9075N	<5	<0.2	1.44	20	70	<5	0.14	1	13	18	121	2.88	<10	0.33	315	1	0.01	35	420	28	<5	<20	12	0.04	<10	21	<10	2	217
49	18350E+9100N	No Sample																												
50	18350E+9125N	<5	0.2	1.99	20	75	<5	0.13	<1	8	12	11	1.77	<10	0.18	299	<1	0.02	21	1650	22	<5	<20	11	0.07	<10	19	<10	3	104
51	18350E+9130N	80	0.2	0.83	5	75	<5	1.08	1	7	27	1083	3.30	<10	0.58	594	5	0.07	10	520	12	<5	<20	36	0.05	<10	31	<10	10	53
52	18350E+9140N	<5	<0.2	<0.01	<5	<5	<5	>10	<1	<1	<1	<1	0.02	<10	0.73	10	<1	0.01	<1	20	2	<5	<20	4391	<0.01	<10	<1	<10	<1	<1
53	18350E+9150N	<5	0.3	2.12	25	90	<5	0.43	1	11	12	80	1.96	10	0.23	649	2	0.02	41	330	24	<5	<20	39	0.07	<10	19	<10	10	123
54	18350E+9175N	<5	0.3	2.31	25	185	<5	0.14	1	12	21	61	2.57	10	0.39	254	<1	0.01	33	460	26	<5	<20	15	0.06	<10	24	<10	3	178
55	18350E+9200N	<5	<0.2	1.39	15	75	<5	0.12	<1	14	21	49	2.44	<10	0.32	333	<1	0.01	26	350	20	<5	<20	10	0.06	<10	32	<10	1	98
56	18350E+9225N	<5	<0.2	1.35	10	95	<5	0.11	<1	9	13	103	1.90	<10	0.29	255	<1	0.01	24	230	18	<5	<20	9	0.04	<10	17	<10	2	82
57	18350E+9250N	<5	<0.2	1.62	15	120	<5	0.13	1	11	15	202	2.82	<10	0.35	278	<1	0.01	25	270	20	<5	<20	12	0.05	<10	21	<10	2	119
58	18350E+9275N	<5	0.6	1.98	20	115	<5	0.18	<1	11	11	281	2.28	<10	0.21	277	<1	0.02	27	510	22	<5	<20	17	0.08	<10	22	<10	3	119
59	18350E+9300N	5	<0.2	1.01	15	55	<5	0.10	1	12	17	372	3.05	<10	0.41	155	2	<0.01	19	290	20	<5	<20	8	0.02	<10	18	<10	3	54
60	18350E+9325N	<5	0.3	1.58	15	65	<5	0.22	<1	8	6	163	1.43	<10	0.08	180	1	0.02	13	230	16	<5	<20	12	0.07	<10	23	<10	2	56
61	18350E+9350N	5	0.3	1.89	15	70	<5	0.23	<1	8	7	200	1.67	<10	0.08	128	<1	0.02	12	340	18	<5	<20	12	0.09	<10	29	<10	2	56
62	18350E+9375N	<5	<0.2	1.36	10	75	<5	0.13	<1	8	7	8	1.61	<10	0.20	224	<1	0.01	13	160	14	<5	<20	9	0.05	<10	19	<10	1	86
63	18350E+9400N	<5	0.2	1.66	15	110	<5	0.22	<1	8	12	5	1.61	<10	0.18	180	<1	0.02	20	200	18	<5	<20	13	0.06	<10	22	<10	2	130
64	18350E+9425N	<5	0.2	0.98	10	85	<5	0.16	<1	6	9	6	1.50	<10	0.19	205	<1	0.01	17	260	28	<5	<20	12	0.04	<10	19	<10	2	114
65	18350E+9450N	<5	0.2	1.19	10	85	<5	0.20	<1	7	9	5	1.52	<10	0.13	636	<1	0.01	17	750	14	<5	<20	13	0.05	<10	20	<10	1	60
66	18350E+9475N	<5	<0.2	1.39	10	95	<5	0.18	<1	9	12	8	1.80	<10	0.22	288	<1	0.01	25	170	16	<5	<20	14	0.05	<10	21	<10	1	63
67	18350E+9500N	<5	<0.2	1.55	15	125	<5	0.25	<1	10	16	15	1.91	<10	0.28	485	<1	0.01	28	190	18	<5	<20	15	0.04	<10	21	<10	2	57
68	18350E+9525N	<5	0.2	2.47	20	145	<5	0.16	<1	9	11	7	2.09	<10	0.17	277	<1	0.02	28	430	20	<5	<20	10	0.09	<10	24	<10	2	47
69	18350E+9550N	<5	<0.2	1.51	15	80	<5	0.30	<1	6	8	3	1.35	<10	0.11	266	<1	0.02	18	580	14	<5	<20	15	0.07	<10	21	<10	2	50
70	18350E+9575N	<5	0.2	1.27	10	75	<5	0.16	<1	9	13	13	1.96	<10	0.25	215	<1	0.01	22	550	18	<5	<20	11	0.04	<10	18	<10	3	65
71	18350E+9600N	<5	<0.2	2.71	25	110	<5	0.32	<1	9	12	10	2.08	<10	0.20	305	<1	0.02	30	650	26	<5	<20	20	0.09	<10	21	<10	3	58
72	18350E+9625N	<5	<0.2	1.88	15	100	<5	0.21	<1	9	14	9	2.10	<10	0.25	274	<1	0.02	24	450	20	<5	<20	12	0.07	<10	28	<10	3	52
73	18350E+9650N	<5	<0.2	2.84	25	150	<5	0.27	<1	10	14	12	2.30	<10	0.25	221	<1	0.02	33	490	24	<5	<20	17	0.10	<10	27	<10	5	46
74	18350E+9675N	<5	<0.2	1.10	10	70	<5	0.34	1	13	13	28	3.42	20	0.27	356	<1	0.01	39	290	78	<5	<20	19	0.03	<10	16	<10	19	227
75	18350E+9700N	<5	0.2	2.47	20	95	<5	0.25	<1	9	14	7	2.10	<10	0.25	271	<1	0.02	26	650	24	<5	<20	16	0.08	<10	23	<10	3	53
76	18350E+9725N	5	0.2	1.42	10	85	<5	0.06	<1	9	11	16	1.77	<10	0.14	209	<1	0.01	19	600	16	<5	<20	6	0.05	<10	26	<10	2	42
77	18350E+9750N	<5	<0.2	2.20	20	100	<5	0.19	<1	11	29	9	2.42	<10	0.39	253	<1	0.01	66	450	20	<5	<20	15	0.08	<10	30	<10	2	66
78	18350E+9775N	<5	<0.2	1.92	15	90	<5	0.18	<1	14	51	16	2.65	<10	0.48	297	<1	0.02	57	300	18	<5	<20	13	0.06	<10	31	<10	2	61
79	18350E+9800N	<5	<0.2	1.79	15	70	<5	0.22	<1	11	28	16	2.30	<10	0.41	247	<1	0.01	34	580	18	<5	<20	15	0.04	<10	24	<10	2	53
80	18350E+9825N	<5	<0.2	1.35	10	65	<5	0.23	<1	7	13	7	1.55	<10	0.22	244	<1	0.02	24	490	16	<5	<20	17	0.05	<10	21	<10	2	64

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
81	18350E+9850N	<5	<0.2	0.67	5	35	<5	0.07	<1	4	4	1	0.85	<10	0.03	301	<1	0.01	6	520	10	<5	<20	8	0.05	<10	19	<10	<1	22
82	18350E+9875N	<5	<0.2	1.04	10	55	<5	0.32	<1	7	12	7	1.53	<10	0.19	350	<1	0.01	25	820	14	<5	<20	20	0.06	<10	24	<10	2	49
83	18350E+9900N	<5	<0.2	2.03	25	110	<5	0.23	<1	17	34	19	2.74	<10	0.47	556	<1	0.02	81	660	34	<5	<20	18	0.05	<10	27	<10	2	79
84	18150E+8875N	<5	<0.2	1.19	15	150	<5	1.31	1	17	36	47	2.99	10	0.63	663	<1	0.01	44	440	26	<5	<20	42	0.03	<10	25	<10	7	74
85	18150E+9050N	<5	<0.2	1.01	10	55	<5	0.07	<1	7	11	20	1.73	<10	0.23	170	<1	<0.01	20	220	14	<5	<20	7	0.03	<10	14	<10	2	55
86	18150E+9125N	<5	<0.2	1.94	20	130	<5	0.17	<1	8	14	17	1.94	<10	0.26	234	<1	0.01	28	640	26	<5	<20	14	0.06	<10	20	<10	3	65
87	18150E+9175N	<5	0.2	1.37	10	65	<5	0.23	<1	7	12	9	1.73	<10	0.20	207	<1	0.01	18	510	14	<5	<20	13	0.04	<10	22	<10	2	58

QC DATA:


Repeat:

1	18350E+7900N	<5	<0.2	1.55	15	105	<5	0.23	1	17	39	35	2.99	10	0.56	275	<1	0.01	47	490	22	<5	<20	9	0.04	<10	33	<10	5	66
10	18350E+8125N	<5	<0.2	1.07	15	90	<5	0.10	<1	11	21	17	2.62	<10	0.35	175	<1	<0.01	26	1230	22	<5	<20	8	0.02	<10	21	<10	2	65
19	18350E+8350N	<5	<0.2	1.27	15	115	<5	0.30	<1	13	35	18	2.53	10	0.51	425	<1	0.01	33	1030	22	<5	<20	21	0.03	<10	26	<10	3	82
28	18350E+8575N	<5	0.3	1.08	10	175	<5	0.08	2	13	38	19	2.33	10	0.42	2084	<1	0.01	32	1240	22	<5	<20	10	0.03	<10	29	<10	3	110
36	18350E+8775N	<5	<0.2	1.25	15	110	<5	0.23	<1	12	22	28	2.51	<10	0.35	487	<1	0.01	29	1140	24	<5	<20	14	0.04	<10	23	<10	3	72
45	18350E+9000N	<5	<0.2	1.10	10	65	<5	0.09	<1	9	13	47	1.83	<10	0.25	316	<1	0.01	19	540	18	<5	<20	9	0.04	<10	20	<10	3	106
54	18350E+9175N	<5	0.3	2.20	25	170	<5	0.13	1	11	19	59	2.49	<10	0.37	244	<1	0.01	31	440	24	<5	<20	14	0.06	<10	22	<10	3	168
63	18350E+9400N		0.2	1.60	10	110	<5	0.22	<1	7	11	5	1.54	<10	0.18	154	<1	0.02	18	190	18	<5	<20	13	0.06	<10	20	<10	1	119
65	18350E+9450N	<5																												
71	18350E+9600N	<5	<0.2	2.71	20	115	<5	0.32	<1	9	12	10	2.11	<10	0.20	306	<1	0.02	31	670	24	<5	<20	20	0.09	<10	23	<10	4	60
80	18350E+9825N	<5	<0.2	1.42	15	65	<5	0.24	<1	8	13	7	1.61	<10	0.23	267	<1	0.02	25	480	16	<5	<20	17	0.06	<10	22	<10	2	68

Standard:

OXD43		405																												
OXD43		400																												
OXD43		395																												
Till-3		1.4	1.04		85	40	<5	0.53	<1	12	59	19	1.99	10	0.55	314	<1	0.03	34	430	25	<5	<20	12	0.06	<10	37	<10	8	38
Till-3		1.3	1.00		85	40	<5	0.53	<1	11	59	19	1.99	10	0.55	307	<1	0.03	34	430	27	<5	<20	13	0.06	<10	36	<10	9	39
Till-3		1.5	1.05		90	40	<5	0.56	<1	12	61	19	2.03	10	0.56	316	<1	0.03	33	410	27	<5	<20	13	0.06	<10	35	<10	8	39

JJ:bp
 of 411
 XLS/06


 ECO TECH LABORATORY LTD.
 Jutta Jealuse
 S.C. Certified Assayer

15-May-07

ECO TECH LABORATORY LTD.

10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

Phone: 250-573-5700
Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2007- 412

CME Consultants Inc.
#2130-21331 Gordon Way
Richmond, BC
V6W 1J9

No. of samples received: 83
Sample type: Soil
Project Name: Mila
Project Number: C99
Shipment #: C99-1
Submitted By: Larry Crittenden

Values in ppm unless otherwise reported

El #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	18550E+7900N	<5	<0.2	1.18	15	85	<5	0.35	<1	18	43	44	3.29	10	0.74	482	<1	<0.01	51	800	22	<5	<20	18	0.02	<10	33	<10	6	70
2	18550E+7925N	<5	0.2	1.28	20	100	<5	1.00	<1	18	46	49	3.09	10	0.82	618	<1	0.01	61	1050	24	<5	<20	42	0.03	<10	35	<10	8	86
3	18550E+7950N	<5	<0.2	1.48	10	100	<5	0.15	<1	12	23	14	2.55	<10	0.39	329	<1	0.01	26	1210	22	<5	<20	9	0.04	<10	31	<10	2	62
4	18550E+7975N	<5	<0.2	0.95	10	95	<5	0.22	<1	10	21	24	2.02	10	0.39	345	<1	0.01	25	660	16	<5	<20	13	0.02	<10	21	<10	5	42
5	18550E+8000N	5	<0.2	1.57	15	105	<5	1.44	<1	21	38	38	4.14	10	1.10	645	<1	0.01	44	850	24	<5	<20	47	0.04	<10	47	<10	7	72
6	18550E+8025N	5	<0.2	1.16	10	75	<5	0.22	<1	15	47	34	3.11	10	0.87	380	<1	0.01	46	720	20	<5	<20	10	0.03	<10	35	<10	6	57
7	18550E+8050N	<5	<0.2	1.45	15	90	<5	0.55	<1	20	44	34	3.97	20	1.01	650	<1	0.01	47	690	24	<5	<20	25	0.03	<10	46	<10	10	69
8	18550E+8075N	<5	<0.2	1.42	15	70	<5	0.25	<1	19	50	30	3.57	20	1.00	436	<1	0.01	48	600	22	<5	<20	11	0.03	<10	41	<10	7	64
9	18550E+8100N	20	<0.2	1.24	10	75	<5	0.41	<1	14	29	25	3.05	20	0.69	474	<1	0.01	34	520	22	<5	<20	19	0.03	<10	31	<10	7	55
10	18550E+8125N	5	<0.2	1.24	15	90	<5	0.25	<1	15	31	29	3.24	20	0.84	407	<1	<0.01	35	690	22	<5	<20	15	0.04	<10	41	<10	9	54
11	18550E+8150N	5	<0.2	1.28	10	60	<5	0.23	<1	15	53	28	3.06	10	0.87	290	<1	<0.01	47	600	20	<5	<20	11	0.03	<10	37	<10	5	57
12	18550E+8175N	5	<0.2	1.30	10	65	<5	0.24	<1	15	55	33	3.34	20	0.91	271	<1	0.01	49	930	22	<5	<20	11	0.03	<10	41	<10	7	61
13	18550E+8200N	<5	0.2	1.44	10	145	<5	0.11	<1	12	34	14	2.27	<10	0.53	278	<1	0.01	37	850	20	<5	<20	8	0.04	<10	27	<10	3	53
14	18550E+8225N	<5	<0.2	0.86	5	95	<5	0.11	<1	7	18	5	1.55	<10	0.25	219	<1	0.01	17	640	12	<5	<20	15	0.04	<10	26	<10	1	44
15	18550E+8250N	<5	<0.2	1.00	10	120	<5	0.10	<1	9	19	5	1.69	<10	0.25	260	<1	0.01	17	1610	14	<5	<20	8	0.04	<10	25	<10	2	57
16	18550E+8275N	5	<0.2	1.27	10	100	<5	0.41	<1	15	46	36	3.07	10	0.81	475	<1	0.01	46	850	22	<5	<20	17	0.03	<10	35	<10	7	69
17	18550E+8300N	5	<0.2	1.19	10	105	<5	0.14	<1	10	22	19	1.98	<10	0.38	316	<1	0.01	25	1530	18	<5	<20	10	0.04	<10	22	<10	3	55
18	18550E+8325N	5	0.3	1.61	15	95	<5	0.36	<1	7	11	9	1.45	<10	0.16	245	<1	0.02	16	2230	20	<5	<20	19	0.07	<10	19	<10	3	47
19	18550E+8350N	<5	<0.2	0.96	10	65	<5	0.08	<1	9	19	15	1.80	<10	0.29	471	<1	0.01	22	1380	14	<5	<20	6	0.03	<10	21	<10	2	52
20	18550E+8375N	<5	<0.2	1.33	10	85	<5	0.11	<1	10	20	22	2.03	<10	0.30	260	<1	0.01	24	1540	18	<5	<20	9	0.05	<10	25	<10	2	63
21	18550E+8400N	<5	<0.2	1.11	10	80	<5	0.16	<1	10	20	18	2.31	<10	0.39	291	<1	<0.01	26	620	20	<5	<20	9	0.02	<10	19	<10	2	59
22	18550E+8425N	<5	<0.2	1.52	10	120	<5	0.22	<1	12	36	23	2.50	<10	0.54	243	<1	0.01	39	720	20	<5	<20	12	0.04	<10	30	<10	4	59
23	18550E+8450N	<5	<0.2	0.91	10	85	<5	0.14	<1	8	14	11	1.72	<10	0.25	249	<1	0.01	21	770	14	<5	<20	9	0.03	<10	18	<10	2	49
24	18550E+8475N	<5	<0.2	0.95	10	60	<5	0.16	<1	11	26	34	2.23	<10	0.44	272	<1	<0.01	31	580	16	<5	<20	9	0.03	<10	23	<10	4	49
25	18550E+8500N	<5	<0.2	1.11	15	100	<5	0.28	<1	14	32	64	2.86	10	0.60	406	<1	0.01	42	640	22	<5	<20	14	0.03	<10	23	<10	7	68
26	18550E+8525N	5	<0.2	0.79	5	65	<5	0.11	<1	7	20	12	1.78	<10	0.37	185	<1	<0.01	22	370	12	<5	<20	7	0.02	<10	20	<10	1	37
27	18550E+8550N	<5	<0.2	1.17	10	85	<5	0.18	<1	9	16	12	1.84	<10	0.28	164	<1	0.01	24	960	18	<5	<20	11	0.04	<10	19	<10	1	51
28	18550E+8575N	5	0.2	0.90	10	70	<5	0.31	<1	11	15	32	2.16	<10	0.31	619	<1	0.01	25	470	20	<5	<20	17	0.03	<10	19	<10	2	53
29	18550E+8600N	<5	<0.2	0.80	10	45	<5	0.19	<1	9	15	22	1.91	<10	0.27	159	<1	<0.01	22	650	16	<5	<20	10	0.02	<10	16	<10	2	42
30	18550E+8625N	<5	0.2	1.12	15	75	<5	0.08	<1	10	17	53	2.11	<10	0.34	362	<1	0.01	24	690	30	<5	<20	7	0.03	<10	19	<10	3	49
31	18550E+8650N	<5	<0.2	1.32	10	115	<5	0.16	<1	7	10	10	1.51	<10	0.14	556	<1	0.01	14	1390	18	<5	<20	14	0.05	<10	19	<10	1	60
32	18550E+8675N	<5	0.2	1.25	10	130	<5	0.15	<1	8	12	16	1.54	<10	0.24	423	<1	0.02	20	830	24	<5	<20	17	0.05	<10	21	<10	2	74
33	18550E+8700N	5	<0.2	0.91	10	130	<5	0.23	<1	11	18	66	2.38	10	0.37	526	2	0.01	22	800	42	<5	<20	18	0.02	<10	22	<10	2	103
34	18550E+8725N	<5	<0.2	0.82	10	45	<5	0.07	<1	9	21	45	2.09	10	0.39	132	<1	<0.01	27	490	16	<5	<20	7	0.03	<10	19	<10	2	43
35	18550E+8750N	<5	<0.2	0.93	10	65	<5	0.17	<1	16	32	57	2.74	<10	0.56	204	1	<0.01	37	400	16	<5	<20	11	0.03	<10	28	<10	2	48

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
36	18550E+8775N	5	0.3	1.07	10	130	<5	0.79	<1	10	29	39	1.98	<10	0.43	949	<1	0.02	35	340	18	<5	<20	44	0.04	<10	23	<10	5	59
37	18550E+8800N	5	<0.2	0.99	10	65	<5	0.27	<1	19	13	43	3.40	20	0.65	637	<1	0.01	39	830	22	<5	<20	11	0.09	<10	24	<10	9	80
38	18550E+8825N	<5	0.2	1.01	10	100	<5	0.27	<1	10	15	45	2.16	<10	0.32	492	<1	0.01	25	730	20	<5	<20	17	0.03	<10	18	<10	3	64
39	18550F+8850N	<5	<0.2	1.44	15	65	<5	0.13	<1	10	14	20	1.97	<10	0.23	254	<1	0.01	25	1120	18	<5	<20	10	0.05	<10	22	<10	2	64
40	18550E+8875N	<5	<0.2	1.26	15	80	<5	0.04	<1	10	17	13	2.23	<10	0.35	575	<1	<0.01	25	2120	18	<5	<20	7	0.03	<10	19	<10	2	62
41	18550E+8900N	<5	<0.2	0.82	10	45	<5	0.11	<1	9	16	34	2.17	<10	0.36	163	<1	0.01	26	400	16	<5	<20	9	0.02	<10	19	<10	2	64
42	18550E+8925N	5	<0.2	1.26	10	60	<5	0.06	<1	8	14	17	1.95	<10	0.28	120	<1	<0.01	21	380	18	<5	<20	7	0.04	<10	17	<10	3	63
43	18550F+8950N	5	<0.2	0.57	5	35	<5	0.84	<1	10	13	49	2.01	10	0.39	281	<1	0.01	24	480	16	<5	<20	24	0.01	<10	13	<10	6	49
44	18550E+8975N	5	<0.2	0.86	15	50	<5	0.89	<1	17	22	166	3.06	10	0.62	496	<1	0.01	37	570	30	<5	<20	27	0.02	<10	19	<10	7	82
45	18550E+9000N	5	<0.2	0.86	15	65	<5	0.50	<1	17	20	107	2.94	10	0.53	453	<1	0.01	30	400	30	<5	<20	28	0.02	<10	19	<10	6	80
46	18550E+9025N	No Sample																												
47	18550E+9050N	<5	<0.2	0.84	10	35	<5	0.24	<1	11	16	29	2.57	10	0.53	434	<1	0.01	24	420	24	<5	<20	13	0.02	<10	17	<10	6	56
48	18550E+9075N	<5	<0.2	0.92	10	45	<5	0.26	<1	13	22	58	2.81	10	0.52	394	<1	<0.01	35	420	24	<5	<20	13	0.01	<10	16	<10	8	61
49	18550E+9100N	<5	<0.2	0.73	10	35	<5	1.76	<1	11	18	73	2.33	10	0.51	330	<1	0.01	30	480	18	<5	<20	38	0.01	<10	15	<10	7	85
50	18550E+9125N	5	<0.2	0.83	15	40	<5	0.06	<1	9	16	26	1.91	<10	0.30	162	<1	<0.01	24	170	14	<5	<20	5	0.02	<10	14	<10	2	35
51	18550E+9130N	80	0.2	0.82	5	75	<5	1.16	<1	6	29	1078	3.34	<10	0.57	553	5	0.07	9	520	10	<5	<20	32	0.04	<10	26	<10	10	54
52	18550E+9140N	<5	<0.2	0.01	<5	<5	<5	>10	1	1	1	5	0.03	<10	1.72	21	<1	0.02	<1	60	<2	<5	<20	4079	<0.01	<10	<1	<10	<1	<1
53	18550E+9150N	No Sample																												
54	18550E+9175N	<5	<0.2	0.79	15	30	<5	0.08	<1	12	15	116	2.47	<10	0.43	180	<1	<0.01	23	220	30	<5	<20	6	<0.01	<10	13	<10	4	62
55	18550E+9200N	5	0.2	1.91	15	45	<5	0.07	<1	7	10	14	1.74	<10	0.12	194	<1	0.02	17	510	30	<5	<20	7	0.06	<10	21	<10	2	86
56	18550E+9225N	5	0.2	1.62	15	155	<5	0.07	<1	10	11	209	2.25	<10	0.28	168	<1	0.01	22	310	22	<5	<20	9	0.04	<10	17	<10	2	108
57	18550E+9250N	<5	<0.2	0.80	5	50	<5	0.06	<1	7	7	54	1.28	<10	0.12	154	1	0.02	11	190	12	<5	<20	6	0.05	<10	24	<10	1	39
58	18550E+9275N	15	0.5	1.57	10	75	<5	0.14	<1	8	12	300	2.04	<10	0.29	114	2	0.02	19	200	18	<5	<20	9	0.04	<10	21	<10	2	68
59	18550E+9300N	<5	0.6	2.71	20	100	<5	0.17	<1	9	9	231	1.91	<10	0.17	214	1	0.02	23	650	30	<5	<20	11	0.08	<10	23	<10	2	72
60	18550E+9325N	<5	0.2	2.13	20	120	<5	0.16	<1	7	9	52	1.94	<10	0.19	199	<1	0.02	22	660	26	<5	<20	14	0.08	<10	22	<10	2	52
61	18550E+9350N	<5	0.2	0.96	10	55	<5	0.11	<1	7	11	21	1.71	<10	0.29	139	<1	0.01	18	200	14	<5	<20	8	0.03	<10	16	<10	2	45
62	18550E+9375N	<5	<0.2	1.87	15	110	<5	0.17	<1	8	10	13	1.71	<10	0.21	185	<1	0.02	22	550	20	<5	<20	13	0.07	<10	18	<10	4	59
63	18550E+9400N	<5	<0.2	0.93	10	60	<5	0.09	<1	10	11	29	1.91	<10	0.31	132	<1	0.01	19	200	14	<5	<20	7	0.03	<10	14	<10	2	38
64	18550E+9425N	<5	<0.2	0.87	5	60	<5	0.09	<1	6	9	7	1.48	<10	0.23	134	<1	0.01	12	90	10	<5	<20	8	0.03	<10	15	<10	1	37
65	18550E+9450N	<5	<0.2	1.39	10	110	<5	0.17	<1	8	13	31	1.88	<10	0.29	135	<1	0.02	20	150	18	<5	<20	15	0.05	<10	19	<10	2	50
66	18550E+9475N	<5	<0.2	1.02	10	80	<5	0.14	<1	7	10	13	1.59	<10	0.21	221	<1	0.01	17	130	12	<5	<20	10	0.03	<10	18	<10	3	37
67	18550E+9500N	<5	<0.2	1.32	10	90	<5	0.10	<1	7	8	7	1.46	<10	0.17	201	<1	0.02	16	100	14	<5	<20	8	0.04	<10	16	<10	1	41
68	18550E+9525N	<5	0.2	1.84	15	80	<5	0.17	<1	5	6	4	1.25	<10	0.09	218	<1	0.02	13	590	18	<5	<20	11	0.07	<10	16	<10	4	36
69	18550E+9550N	<5	<0.2	1.05	10	65	<5	0.17	<1	7	11	13	1.66	10	0.25	144	<1	0.01	19	130	18	<5	<20	13	0.03	<10	16	<10	4	39
70	18550E+9575N	<5	<0.2	1.87	15	70	<5	0.12	<1	7	9	9	1.51	<10	0.14	179	<1	0.02	21	770	22	<5	<20	11	0.07	<10	21	<10	3	49
71	18550E+9600N	<5	<0.2	1.49	10	80	<5	0.14	<1	8	13	36	1.74	<10	0.27	210	<1	0.01	24	390	20	<5	<20	12	0.05	<10	19	<10	3	44
72	18550E+9625N	<5	<0.2	1.37	10	70	<5	0.12	<1	8	11	8	1.59	<10	0.23	194	<1	0.01	24	280	20	<5	<20	10	0.06	<10	23	<10	2	53
73	18550E+9650N	<5	0.2	2.09	15	80	<5	0.19	<1	8	10	6	1.73	<10	0.17	222	<1	0.02	25	490	24	<5	<20	15	0.08	<10	22	<10	2	53
74	18550E+9675N	<5	0.2	1.78	15	105	<5	0.15	<1	9	15	15	1.92	<10	0.33	199	<1	0.01	31	430	22	<5	<20	13	0.06	<10	21	<10	3	55
75	18550E+9700N	<5	<0.2	1.07	10	80	<5	0.07	<1	7	12	11	1.51	<10	0.28	120	<1	0.01	21	260	14	<5	<20	6	0.03	<10	16	<10	2	40
76	18550E+9725N	<5	0.2	1.92	15	115	<5	0.19	<1	8	12	10	1.84	<10	0.23	480	<1	0.02	44	500	26	<5	<20	15	0.07	<10	19	<10	4	82
77	18550E+9750N	<5	0.2	1.73	15	60	<5	0.17	<1	7	8	4	1.44	<10	0.14	279	<1	0.02	20	750	20	<5	<20	12	0.08	<10	23	<10	2	69
78	18550E+9775N	<5	<0.2	1.62	15	70	<5	0.24	<1	6	10	6	1.45	<10	0.18	332	<1	0.02	18	770	18	<5	<20	16						

Et #	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
------	-------	---------	----	------	----	----	----	------	----	----	----	----	------	----	------	----	----	------	----	---	----	----	----	----	------	---	---	---	---	----

QC DATA:

Repeat:

1	18550E+7900N	<5	<0.2	1.17	15	85	<5	0.35	<1	16	43	40	3.20	10	0.74	459	<1	0.01	50	780	22	<5	<20	18	0.02	<10	34	<10	6	68
10	18550E+8125N	<5	<0.2	1.26	15	90	<5	0.25	<1	15	30	29	3.27	20	0.88	395	<1	<0.01	35	670	22	<5	<20	15	0.04	<10	42	<10	9	53
19	18550E+8350N	<5	<0.2	0.92	10	60	<5	0.08	<1	8	19	14	1.77	<10	0.29	450	<1	0.01	21	1310	14	<5	<20	6	0.03	<10	20	<10	2	50
28	18550E+8575N	<5	<0.2	0.94	10	75	<5	0.33	<1	12	16	32	2.24	<10	0.32	663	<1	0.01	27	500	20	<5	<20	18	0.03	<10	20	<10	2	54
29	18550E+8600N	<5																												
36	18550E+8775N	5	0.2	0.97	10	115	<5	0.68	<1	10	27	35	1.99	<10	0.41	891	<1	0.01	33	280	16	<5	<20	37	0.04	<10	24	<10	4	57
45	18550E+9000N	<5	<0.2	0.86	15	65	<5	0.56	<1	17	21	112	2.98	10	0.54	491	<1	0.01	32	400	28	<5	<20	37	0.02	<10	20	<10	5	81
49	18550F+9100N	5																												
54	18550E+9175N	<5	<0.2	0.79	15	30	<5	0.07	<1	10	14	112	2.40	<10	0.42	174	<1	<0.01	22	230	28	<5	<20	6	<0.01	<10	13	<10	3	60
63	18550E+9400N	<5	<0.2	0.95	10	60	<5	0.08	<1	8	12	27	1.93	<10	0.32	131	<1	0.01	20	210	14	<5	<20	7	0.03	<10	14	<10	2	39
71	18550E+9600N	<5	<0.2	1.51	10	80	<5	0.14	<1	8	14	38	1.81	<10	0.29	215	<1	0.01	25	380	20	<5	<20	13	0.05	<10	21	<10	3	47
80	18550E+9825N	<5	<0.2	1.95	20	75	<5	0.15	<1	7	9	6	1.55	<10	0.15	394	<1	0.02	18	1010	20	<5	<20	12	0.08	<10	21	<10	3	43
82	18550E+9875N	<5																												

Standard:

SE29	595																													
SE29	600																													
SE29	590																													
Till-3		1.5	0.97	75	35	<5	0.48	<1	10	54	18	1.88	10	0.56	294	<1	0.03	32	410	27	<5	<20	14	0.05	<10	39	<10	7	39	
Till-3		1.5	1.03	80	35	<5	0.44	<1	12	52	18	1.86	10	0.55	306	<1	0.02	31	440	30	<5	<20	14	0.05	<10	38	<10	7	38	
Till-3		1.4	1.02	75	40	<5	0.45	<1	10	53	18	1.87	10	0.56	303	<1	0.03	32	440	25	<5	<20	12	0.05	<10	39	<10	8	39	

JJ:bp
 et-412
 XLS.06

Janice Bruce Jones
 ECO TECH LABORATORY LTD.
 J. M. Jealouse
 B.C. Certified Assayer