

**Volume 4**

**ASSESSMENT REPORT ON THE HOMESTAKE RIDGE  
PROJECT**

SKEENA MINING DIVISION

BRITISH COLUMBIA

LONGITUDE 129° 35' WEST

LATITUDE 54° 45' NORTH

NTS Map Sheets: 103P/12 and 103P/13

TRIM Map Sheets: 103P072 and 103P073

**GEOLOGICAL SURVEY BRANCH**  
ASSESSMENT REPORT

Prepared For

**BRAVO VENTURES GROUP INC.**

1100-1099 West Hastings St.

Vancouver, BC

V6E 3T5

By

Alexia I Bryson, BSc

Coast Mountain Geological Ltd.

620-650 West Georgia Street

Vancouver, BC

V6B 4N9

October 29th, 2007

**RECEIVED**  
SEP 26 2008  
Gold Commissioner's Office  
VANCOUVER, B.C.

**RECEIVED**  
OCT 29 2007  
Gold Commissioner's Office  
VANCOUVER, B.C.

## **Appendix IV: Certificates of Analysis**

ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #1 File # A603599


P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Au** gm/mt
G-1	.01
427501	.11
427502	.21
427503	.21
427504	.06
427505	.03
427506	.10
427507	.92
STANDARD OxL34	5.78

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: Rock R150

07-24-2006 A10:02

Data    FA    DATE RECEIVED: JUL 14 2006 DATE REPORT MAILED:.....





GEOCHEMICAL ANALYSIS CERTIFICATE


Coast Mountain Geological PROJECT Homestake #1 File # A603599

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf				
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm		
G-1	5	5.5	21.2	54	<1	11.2	4.9	743	2.31	1	6.2	<1	9.0	734	<1	<1	1	51	2.64	0.79	24.9	6.2	58	1063	256	8.53	2.731	2.94	1	7.6	47	1.2	13.7	18.0	1.6	2	6.35	2	<1	118	6	7			
427501	14.4	8.0	101.1	31	1.8	1.2	6.9	133	4.12	27	1.5	3	3.2	71	1	3.7	1.1	162	15	0.75	16.3	5.0	54	27	294	8.19	932	4.44	3.7	27	1	35	2.2	8.3	3.5	3	1	12	7.6	3.5	151	9	1.0		
427502	4.2	26.5	154.2	15	2.7	1.4	2.1	124	1.94	13	1.0	2	9	1526	1	3.3	6	48	15	0.41	1.5	5.8	32	59	0.93	3.05	0.85	1.26	9	15	1	7	2	1	6.0	1.3	1	<1	3	10	7	1	50	1	5
427503	1.5	16.3	18.6	45	6	1.5	7.3	393	5.64	27	1.8	<1	3.9	99	<1	3.5	7	198	31	117	16.2	3.3	94	73	253	9.38	1.645	3.61	1.7	39	4	32	1.3	7.4	2.9	2	1	14	11.4	2.6	115	3	1.4		
427504	6	15.3	54.3	59	1.6	2.4	12.2	755	5.56	38	1.4	<1	3.1	146	1	3.1	4	184	77	158	15.6	4.6	1.13	37	420	8.80	2.500	3.11	1.8	32	5	32	6	8.0	4.3	3	1	14	13.8	3.6	92	2	1.3		
427505	1.2	11.9	28.9	86	1.8	1.0	9.7	999	3.93	29	5	<1	2.2	110	6	3.4	6	112	2.26	138	18.5	3.4	39	43	382	7.66	1.054	3.40	1.4	15	9	38	1.1	8.2	3.3	3	1	12	6.2	3.8	104	3	7		
427506	4.5	12.1	47.6	49	3.6	1.9	7.6	410	4.59	36	2.5	<1	6.1	138	3	3.9	1.0	145	70	112	15.8	5.4	42	42	304	8.38	1.393	3.29	1.2	41	9	30	9	8.8	4.4	4	1	11	5.6	3.6	102	1	1.7		
427507	2.7	2759.7	7.4	>10000	2.7	1.9	6.0	1502	4.99	27	1.8	8	1	2	1186	141	5	26.1	4	73	1.19	0.52	1.1	2.6	46	102	121	4.43	673	1.81	8	28	5	1.9	8.5	2.0	2	1	5	12.0	1.5	51	0	1.1	
STANDARD DST6	12.7	130.3	35.8	176	4	30.7	13.5	968	4.10	25	7.7	<1	7.1	314	5	7.5	4	9	115	2.30	0.99	25.4	239.0	1.00	698	440	7.05	1.633	1.41	7.8	55.0	53	6.3	14.9	8.7	8	3	12	24.5	<1	57	2	1.9		

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCl-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.  
 - SAMPLE TYPE: Rock R150

Data 87 FA \_\_\_\_\_ DATE RECEIVED: JUL 14 2006 DATE REPORT MAILED:.....



(ISO 9001 Accredited Co.)

ASSAY CERTIFICATE




Coast Mountain Geological PROJECT Homestake #2 File # A604350

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Au** gm/mt
G-1	.01
155029	3.34
155030	2.65
STANDARD OxL34	5.80

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: ROCK R150

Data    FA    DATE RECEIVED: JUL 28 2006 DATE REPORT MAILED:.....





GEOCHEMICAL ANALYSIS CERTIFICATE




Coast Mountain Geological PROJECT Homestake #2 File # A604350  
 P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermskerken

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	Sample	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	kg
G-1	.2	21.6	22.6	66	<1	3.6	4.8	785	2.75	2	3.7	<1	7.8	824	.1	.1	.3	59	2.82	.094	26.2	7.4	.69	1099	.300	8.60	2.881	3.09	.1	8.7	53	1.4	15.1	19.4	2.0	3	6	39.1	<1	122.6	.7	-	
155029	.6	1416.4	3165.6	>10000	8.2	1.2	1.5	1257	4.82	179	.1	2.6	<1	58	240.2	57.7	6.8	8	43	.004	.6	35.3	.13	15	.003	.27	.014	.07	2.0	1.4	1	.1	1.2	.1	<1	<1	1	26.2	5.9	3.3	<1	2.40	
155030	4.3	334.8	259.7	712	12.9	3.5	6.9	708	15.09	1486	1.1	3.4	.6	14	3.8	64.8	2.0	76	.05	.026	8.2	12.8	.16	7	.074	1.66	.014	.73	13.2	11.4	19	.4	4.5	.8	.1	1	7	15.9	>10	37.0	.4	1.60	
STANDARD DST6	12.4	129.1	36.0	175	.4	30.5	13.1	964	4.09	26	7.8	<1	7.4	314	5.7	5.5	4.8	109	2.29	.101	25.4	218.2	1.00	692	.427	7.01	1.673	1.42	7.9	54.7	52	6.4	15.2	8.5	.8	4	12	25.6	<1	57.4	1.8	-	

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.  
 - SAMPLE TYPE: ROCK R150

Data    FA    DATE RECEIVED: JUL 28 2006 DATE REPORT MAILED:.....




ASSAY CERTIFICATE

Coast Mountain Geological PROJECT Homestake #3 File # A604351 Page 1  
 P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwerneskerken



SAMPLE#	Au** gm/mt
G-1	<.01
427601	.02
427602	.02
427603	<.01
427604	<.01
427605	<.01
427606 (pulp)	.27
427607 (rock)	<.01
427608	<.01
427609	<.01
427610	<.01
427611	<.01
427612	<.01
427613	.01
427614	.08
427615	.32
427616	.26
427617	.18
427618	.22
427619	.52
RE 427619	.44
RRE 427619	.44
427620	.30
427621	.48
427622	2.31
427623	.54
427624	.39
427625	.33
427626 (pulp)	15.48
427627 (pulp)	1.72
427628	.10
427629	.92
427630	.72
427631	.19
427632	.17
STANDARD OxL34	5.80

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
 - SAMPLE TYPE: DRILL CORE R150  
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



Data FA DATE RECEIVED: JUL 28 2006 DATE REPORT MAILED:.....



SAMPLE#	Au** gm/mt
G-1	.01
427633	.15
427634	.18
427635	.15
427636	.91
427637	1.61
427638	.42
427639	.48
427640	.22
427641	.38
427642	.21
427643	.40
427644	.72
427645	.81
427646	1.07
427647	.65
427648 (pulp)	2.87
427649 (pulp)	.26
427650	.09
427651	.05
RE 427651	.05
RRE 427651	.04
427652	.01
427653	<.01
427654	.02
427655	<.01
STANDARD OxL34	5.78

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



GEOCHEMICAL ANALYSIS CERTIFICATE

Coast Mountain Geological PROJECT Homestake #3 File # A604351 Page 1  
 P.O. Box 11604 620 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwerskerken



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	Sample	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	kg
G-1	.2	2.8	21.7	58	<.1	3.7	4.3	801	2.75	<.1	4.5	<.1	8.3	803	<.1	.1	.2	62	2.80	.090	27.5	7.2	.68	1081	.307	8.81	2.744	3.06	.1	9.4	54	1.5	15.2	21.0	1.9	3	7	40.5	<.1	131.4	.7	-	
427601	.7	39.6	7.7	136	.1	8.8	28.1	1766	7.71	5	1.0	<.1	2.5	370	.3	1.2	.1	348	6.25	.120	16.5	15.0	2.54	1176	.547	9.53	1.108	1.91	1.4	23.6	32	.8	11.6	2.7	.2	1	28	43.2	.4	76.8	.8	4.4	
427602	.7	42.6	21.4	102	.1	8.6	17.0	1479	5.14	5	2.1	<.1	4.1	378	.2	1.2	.2	215	6.00	.102	18.6	11.9	1.90	1055	.388	8.25	1.435	1.82	.7	42.4	37	1.1	12.0	4.4	.4	1	18	34.4	.4	82.6	1.5	5.3	
427603	1.6	51.7	10.8	103	.1	5.2	23.7	1828	7.33	10	.9	<.1	2.7	373	.3	1.2	<.1	294	6.48	.130	16.0	4.4	2.45	914	.496	9.30	1.269	1.95	1.2	24.8	31	.6	12.1	3.0	.2	1	21	38.7	1.8	73.6	1.0	4.0	
427604	2.4	50.8	7.0	98	.1	5.9	26.1	2038	6.94	7	1.0	<.1	2.4	412	.2	1.0	<.1	306	6.44	.116	15.1	5.2	2.92	802	.515	9.21	1.816	1.47	3.4	22.7	29	.7	12.6	2.7	.2	1	22	42.1	.3	59.4	.9	3.9	
427605	.4	39.8	6.0	97	.1	5.8	28.2	2070	6.91	2	1.1	<.1	2.4	580	.2	1.2	<.1	332	5.26	.116	15.1	5.9	3.29	788	.555	9.92	2.158	1.42	1.5	19.0	31	.8	10.4	2.8	.3	1	26	41.6	<.1	62.3	.8	2.5	
427606 (pulp)	17.0	42.4	15.7	116	.2	17.9	85.7	2242	6.24	2525	3.0	.3	7.3	316	.2	8.5	8.5	106	7.90	.093	62.3	43.3	1.16	1295	.338	6.37	2.158	2.57	1.1	30.0	111	1.9	21.1	15.0	1.1	1	10	13.1	.7	59.1	1.3	-	
427607 (rock)	.1	2.7	21.7	38	<.1	.7	1.3	344	.96	2	9.1	<.1	24.6	125	.1	.2	.1	17	.81	.021	14.9	3.8	.17	252	.086	6.95	3.091	3.50	.4	21.5	20	.7	3.7	6.2	.6	3	2	6.5	<.1	119.9	1.3	.4	
427608	.6	45.9	6.4	102	<.1	10.2	26.8	1743	7.36	1	1.0	<.1	2.5	425	.1	1.6	<.1	369	5.25	.115	15.3	20.0	2.80	1820	.525	9.51	1.101	2.45	.7	17.7	31	.6	12.3	2.4	.2	1	32	37.1	<.1	114.1	.6	2.1	
427609	2.1	38.3	13.1	72	.1	12.6	36.8	1706	5.98	17	1.4	<.1	2.5	546	.2	1.2	<.1	326	6.73	.103	14.1	16.0	2.70	805	.510	8.56	1.995	1.27	.7	29.2	28	.5	20.4	2.5	.2	1	29	35.0	.5	53.5	1.0	4.8	
427610	.5	75.6	3.8	89	.1	11.1	32.1	1725	6.83	5	1.1	<.1	2.5	479	.2	1.2	<.1	363	6.34	.111	13.6	17.1	2.65	999	.499	9.16	1.743	1.68	1.2	28.6	27	.5	10.2	2.3	.2	1	29	34.5	.1	73.2	1.0	5.0	
427611	.7	13.9	2.8	91	<.1	9.3	29.5	1658	6.45	1	1.0	<.1	2.2	425	.2	1.1	<.1	331	6.31	.101	14.2	16.0	2.39	1333	.426	8.79	1.136	1.88	1.2	21.2	28	.6	10.6	2.2	.2	1	28	31.9	<.1	75.8	.8	3.8	
427612	.2	6.2	3.5	115	<.1	5.6	20.1	1699	6.52	2	.7	<.1	2.0	360	.2	.9	.1	293	6.82	.105	13.5	10.8	2.27	1441	.378	9.29	1.174	1.92	1.2	16.0	27	.7	11.4	2.1	.2	1	25	43.7	.1	79.5	.6	3.8	
427613	.6	38.6	4.2	113	1.1	4.0	12.6	3019	5.05	19	1.9	<.1	6.6	136	.1	7.0	.2	153	2.92	.103	25.1	6.6	1.20	1238	.363	9.14	.459	3.59	1.8	49.3	47	1.0	16.3	5.2	.6	1	17	23.4	.5	167.6	1.6	2.7	
427614	2.1	8.7	17.7	62	3.6	3.3	12.1	3222	4.46	78	3.3	<.1	8.2	161	.2	11.2	.1	161	3.37	.099	20.1	7.3	.73	76	.359	8.63	.193	4.63	1.6	61.2	38	.7	12.4	5.9	.6	1	14	12.4	2.6	157.3	2.1	5.6	
427615	24.8	19.5	76.4	627	81.5	3.6	15.1	3608	4.26	85	5.8	.4	7.5	258	4.1	33.3	<.1	163	3.34	.103	19.2	5.8	.79	62	.326	7.42	.169	6.34	2.0	70.0	38	.6	14.6	5.7	.5	1	13	10.6	2.4	210.0	2.1	2.8	
427616	1.5	15.9	27.0	81	24.2	4.6	14.2	2711	3.83	99	5.0	.2	7.5	335	.4	15.9	<.1	165	3.62	.106	18.8	10.1	.32	49	.361	8.82	.249	6.71	2.4	65.5	38	.7	13.3	5.7	.5	1	13	4.6	3.2	200.8	2.2	4.1	
427617	.7	12.3	15.3	61	7.1	4.1	12.2	1268	4.50	128	2.8	.2	5.9	211	.2	11.3	.1	191	1.91	.106	13.7	7.3	.25	23	.327	8.68	.280	8.76	2.1	55.3	32	.6	10.7	5.5	.5	1	14	5.4	4.2	278.8	1.9	1.9	
427618	.7	32.0	14.4	59	5.6	3.2	10.1	601	2.67	86	3.0	.2	6.1	171	.2	12.6	.1	154	1.00	.100	13.6	11.1	.16	53	.327	7.70	.245	8.27	3.4	50.8	30	.6	9.3	4.9	.5	<.1	13	3.7	2.5	220.4	1.7	4.3	
427619	3.4	11.1	21.2	66	7.5	4.3	12.8	1077	3.39	139	3.1	.4	6.3	189	.2	10.0	<.1	163	1.74	.100	14.8	12.4	.21	47	.332	8.19	.243	6.86	2.6	55.2	31	.6	10.8	5.3	.5	1	13	4.6	2.9	187.5	1.8	6.5	
RE 427619	3.1	12.2	20.8	68	7.1	3.9	12.6	1051	3.31	128	3.0	.4	6.1	186	.2	9.7	<.1	153	1.72	.102	15.3	9.5	.21	64	.315	7.99	.232	6.80	2.5	51.6	32	.5	10.6	5.0	.4	1	13	4.5	2.9	184.9	1.7	-	
RRE 427619	3.0	11.0	20.5	66	7.3	3.9	12.2	1062	3.43	136	3.1	.4	6.2	188	.3	9.5	<.1	163	1.68	.100	15.8	11.3	.21	78	.331	7.91	.236	5.56	2.9	53.1	32	.6	10.5	5.0	.5	<.1	13	4.4	3.0	138.8	1.8	-	
427620	.7	42.2	17.0	145	7.4	3.5	10.3	1838	3.61	216	2.6	.3	6.3	202	.2	12.5	<.1	154	1.46	.098	16.4	9.3	.42	92	.330	7.83	.223	6.95	6.0	48.3	33	.5	9.8	5.4	.5	<.1	12	8.9	1.7	179.3	1.6	5.0	
427621	1.7	30.7	18.6	98	10.8	4.1	12.8	1090	3.49	190	3.0	.4	6.0	212	.2	20.2	<.1	154	1.16	.099	16.1	9.5	.32	69	.314	7.81	.197	6.51	6.6	52.6	34	.6	10.1	5.3	.5	1	13	4.9	3.0	183.9	1.8	3.8	
427622	22.0	55.9	69.3	224	64.7	4.2	12.3	1062	3.37	106	2.6	2.3	5.6	173	.5	63.1	<.1	117	.89	.087	13.9	14.2	.29	102	.251	6.75	.355	5.18	2.7	41.1	29	.6	9.0	3.6	.4	<.1	10	7.8	2.9	141.8	1.5	4.5	
427623	8.7	45.1	15.3	65	9.9	3.6	11.8	1022	2.99	79	3.7	.4	6.1	204	.1	20.3	<.1	144	.88	.105	13.1	10.0	.48	62	.281	8.21	.209	8.27	4.9	56.9	30	.5	9.3	5.0	.4	<.1	11	9.3	2.0	245.9	1.7	3.1	
427624	4.8	45.1	32.2	72	6.9	3.3	12.7	1872	4.11	94	3.0	.3	5.7	194	.1	20.3	.1	147	.78	.102	12.9	8.9	.70	43	.285	7.70	.200	8.02	6.4	49.6	30	.6	9.4	5.0	.5	<.1	11	9.8	2.6	231.6	1.6	3.0	
427625	1.1	23.5	28.1	75	3.4	3.3	11.5	2262	4.22	91	2.7	.3	6.0	242	.1	16.3	.2	142	1.25	.102	14.4	8.2	.87	48	.284	8.18	.200	8.49	5.8	51.8	32	.7	9.9	5.4	.5	<.1	12	11.3	2.2	251.8	1.7	3.2	
427626 (pulp)	354.8	462.4	231.9	170	6.3	122.7	125.3	3200	13.93	1307	4.3	14.5	4.1	528	.8	16.1	24.3	131	12.59	.121	39.1	55.8	1.42	39	.244	4.00	.680	.91	15.8	63.8	62	4.6	18.4	2.9	.2	1							



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	Sample	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	kg
G-1	.4	2.5	23.5	55	<1	4.1	5.2	824	2.76	<1	3.6	<1	7.8	781	<1	.1	.2	62	2.84	.094	22.0	9.0	.65	1043	.298	8.33	2.720	2.97	.2	9.3	49	1.5	13.8	19.6	1.9	3	6	38.3	<1	118.5	.7	-	
427633	.4	3.4	6.5	92	.5	6.1	10.4	3402	4.09	24	1.7	.1	4.3	325	<1	4.9	.4	126	.54	.081	13.5	13.2	1.14	154	.273	6.70	.129	5.53	4.6	37.4	29	.8	8.9	4.6	.4	1	11	28.6	.8	189.7	1.3	6.2	
427634	.6	9.5	9.3	133	1.1	6.4	12.2	3809	5.51	96	2.6	.2	5.4	173	<1	8.0	.9	148	.77	.072	13.7	13.0	1.65	132	.285	7.28	.109	5.51	5.7	43.2	29	.8	9.8	4.8	.4	1	12	40.7	1.3	167.1	1.5	7.3	
427635	.2	5.5	5.5	119	.3	6.9	13.0	5197	5.05	21	2.8	<1	6.6	140	<1	7.7	.2	160	1.31	.120	20.6	15.7	1.60	1605	.321	8.30	.084	5.37	3.5	50.8	38	.8	12.1	5.1	.4	1	14	30.1	.7	182.0	1.6	3.7	
427636	1.2	22.8	23.9	74	12.3	7.8	21.6	2637	5.48	102	2.4	1.0	6.1	105	.1	16.8	.4	174	1.06	.126	16.0	10.2	1.09	53	.379	8.92	.071	5.07	7.1	45.2	36	.7	14.8	6.2	.5	1	15	21.3	3.3	212.4	1.6	2.3	
427637	7.7	49.8	182.9	80	3.4	6.1	14.0	1286	5.99	242	2.1	1.5	2.5	89	.6	16.1	1.0	125	1.00	.079	2.8	5.0	.67	30	.251	5.93	.052	3.25	9.0	28.3	11	.5	10.0	4.3	.4	1	10	15.2	5.6	120.7	1.0	.9	
427638	2.5	1621.6	140.5	75	5.0	1.4	2.1	758	4.64	56	2.3	.2	6.7	67	.2	18.2	.8	150	.41	.098	10.5	8.6	.69	35	.278	7.78	.043	3.50	11.4	35.8	24	.6	4.5	4.7	.5	1	15	15.2	3.3	148.1	1.2	2.8	
427639	2.8	183.1	470.8	60	2.7	1.2	3.8	805	4.15	24	2.6	.3	6.4	65	.1	9.8	1.7	152	.58	.116	15.3	7.9	.61	56	.263	7.73	.044	3.51	6.5	39.6	30	.7	7.6	5.1	.4	1	13	15.1	3.1	154.7	1.4	3.8	
427640	5.0	23.4	28.0	63	1.3	7.5	20.5	710	5.06	27	4.0	.2	3.8	139	.1	8.8	.6	126	.45	.082	3.5	6.2	.60	23	.257	6.98	.052	3.64	3.3	43.7	15	.6	16.9	4.6	.4	2	11	15.2	4.6	143.1	1.5	2.1	
427641	4.3	512.1	40.1	147	2.3	5.7	22.3	2241	6.77	33	2.5	.4	4.3	83	.2	7.5	3.4	116	.55	.100	7.1	5.9	1.15	32	.211	6.09	.060	3.37	3.0	37.4	19	.5	8.1	4.1	.3	1	9	25.2	4.6	117.0	1.3	3.1	
427642	4.6	95.0	30.8	128	1.3	4.2	18.5	3476	8.08	27	2.9	.2	5.7	59	.1	5.4	4.5	140	.72	.112	12.2	6.9	1.65	49	.234	7.27	.052	3.38	4.3	46.2	27	.6	9.4	4.1	.4	1	11	30.8	4.9	132.2	1.5	2.1	
427643	7.2	29.8	43.8	181	1.9	4.1	20.7	4695	10.21	52	1.9	.4	4.5	56	.2	7.4	4.1	131	1.68	.080	7.2	6.0	2.27	37	.190	5.65	.024	1.69	3.9	31.8	16	.5	7.9	3.5	.3	1	9	56.7	5.9	73.9	1.1	2.1	
427644	1.2	793.0	96.0	131	1.8	1.9	6.0	5287	5.51	53	1.4	.5	3.5	130	.2	8.4	.7	126	8.69	.078	13.0	4.0	1.33	93	.178	5.53	.022	1.97	6.2	22.8	24	.5	14.8	2.7	.2	1	10	27.7	2.1	92.6	.7	1.7	
427645	1.4	161.1	79.0	68	1.3	3.6	12.0	835	4.23	23	2.8	1.6	5.3	44	.2	9.3	1.0	168	.57	.101	16.7	10.2	.83	131	.331	7.89	.042	3.46	6.2	36.8	31	.7	13.9	4.8	.4	1	14	13.3	2.5	163.6	1.2	1.2	
427646	8.7	646.8	200.5	63	3.0	4.8	13.3	1026	3.69	25	2.8	1.5	5.0	105	.4	18.2	2.9	183	1.98	.124	11.4	14.7	.49	46	.364	6.73	.043	2.76	5.1	38.0	23	.7	8.4	6.3	.5	1	16	10.6	3.0	119.2	1.1	2.3	
427647	8.8	221.0	99.5	1013	1.9	4.6	16.2	3680	3.87	51	2.9	.7	5.3	162	9.6	21.0	1.6	136	8.39	.078	14.4	4.4	.57	50	.227	6.02	.031	2.64	4.2	34.0	27	.6	11.5	3.8	.4	2	11	7.0	3.8	117.3	1.2	2.3	
427648 (pulp)	95.8	286.7	46.0	154	2.1	70.3	38.4	3084	11.42	453	2.7	2.8	5.2	166	.7	18.6	233.5	102	20.37	.075	21.5	100.5	1.30	238	.567	3.77	.355	.37	72.9	49.3	43	198.6	18.1	8.7	.7	1	13	12.2	1.1	16.2	1.6	-	
427649 (pulp)	16.5	41.3	15.3	116	.2	17.2	83.8	2234	6.31	4596	2.7	.3	7.0	309	.2	8.7	8.0	110	8.00	.083	63.3	45.7	1.11	1320	.331	6.16	1.860	2.38	1.0	30.1	107	2.4	21.9	14.0	1.0	1	9	13.0	.7	55.0	1.2	-	
427650	6.2	26.1	187.7	1133	1.5	2.4	9.9	1379	3.77	37	2.9	<1	7.5	91	12.1	19.6	.9	131	3.29	.089	19.0	5.5	.54	47	.296	7.76	.043	3.37	1.7	45.9	36	.7	10.5	5.5	.5	1	11	7.1	4.1	139.2	1.6	2.1	
427651	4.1	9.4	100.9	169	.7	2.6	8.7	1124	2.88	22	3.1	<1	7.1	107	1.2	13.5	.5	170	2.74	.107	16.3	7.6	.68	125	.356	9.87	.059	4.47	1.5	47.2	35	.6	9.1	5.9	.6	2	12	7.9	3.1	163.3	1.6	4.4	
RE 427651	3.9	9.8	108.3	165	.7	2.2	7.2	1082	2.83	22	3.1	<1	6.9	110	1.2	14.0	.5	166	2.71	.110	16.0	6.4	.66	112	.359	9.56	.060	4.31	1.6	48.2	34	.7	9.5	6.4	.6	2	12	8.0	3.0	159.4	1.7	-	
RRE 427651	3.9	9.5	105.3	156	.7	2.4	7.2	1033	2.71	20	2.8	<1	6.6	103	1.2	12.5	.4	159	2.67	.107	15.9	7.6	.63	177	.343	9.44	.057	4.25	1.6	43.5	33	.6	9.3	5.7	.5	2	12	7.7	2.8	147.2	1.5	-	
427652	2.5	8.7	11.6	41	.2	1.7	9.8	1825	3.79	10	3.1	<1	8.0	116	.1	6.4	.1	125	4.98	.095	22.4	5.1	.70	55	.328	7.79	.055	3.30	1.3	44.7	38	.5	12.1	5.7	.5	1	10	6.4	4.0	126.2	1.6	6.2	
427653	3.0	13.4	10.0	64	.2	2.3	10.3	1302	4.22	9	3.6	<1	9.6	115	.1	7.4	.6	139	4.14	.108	24.0	6.0	1.13	52	.360	9.11	.065	3.89	1.4	57.7	45	.7	12.3	7.5	.6	2	12	6.6	4.4	153.8	1.8	3.1	
427654	2.2	14.5	12.0	48	.3	1.7	10.4	1605	4.42	9	3.3	<1	8.7	154	.1	7.4	1.0	130	5.48	.099	22.0	6.6	1.15	47	.334	8.22	.061	3.57	1.5	52.3	41	.6	11.9	6.2	.5	1	11	6.1	4.7	131.1	1.6	2.1	
427655	2.2	11.5	10.7	67	.2	2.4	10.3	1320	3.98	9	3.5	<1	8.9	146	.1	6.4	.8	121	4.61	.102	22.1	5.8	1.26	43	.336	8.80	.079	3.85	1.1	53.7	40	.5	11.5	6.7	.6	1	11	6.8	4.2	136.8	1.7	6.3	
STANDARD DST6	12.6	128.5	35.7	175	.3	30.6	13.4	964	4.07	24	7.7	<1	7.3	311	5.7	5.4	4.8	113	2.29	.102	25.1	218.9	1.00	686	.427	7.01	1.684	1.36	7.7	52.8	52	6.2	14.9	8.5	.7	3	12	26.3	<1	57.6	1.7	-	

Sample type: DRILL CORE RL50. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #4 File # A604352

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermskerken

SAMPLE#	Au** gm/mt
G-1	.01
427681	49.58
427682	6.61
427683	2.70
427684	93.11
427685 (pulp)	18.19
427686	5.47
427687	2.30
427688	4.38
427689	7.90
427690	.79
427691	.91
427692	1.84
RE 427692	1.62
RRE 427692	1.65
427693	.39
427694	.03
427695	.02
427696	.04
427697	.05
427698	.81
427699	.66
427700	.26
427701	.22
427702	.01
STANDARD OxL34	5.81


GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.

- SAMPLE TYPE: DRILL CORE R150

Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data    FA   

DATE RECEIVED: JUL 28 2006 DATE REPORT MAILED:.....





ASSAY CERTIFICATE




Coast Mountain Geological PROJECT Homestake #4 File # A604352R

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermskerken

SAMPLE#	S.Wt gm	NAu mg	-Au gm/mt	DupAu gm/mt	TotAu gm/mt
427681	1100	2.92	56.63	-	59.28
427682	1200	.10	7.20	-	7.28
427683	1100	.14	2.64	-	2.77
427684	1100	11.80	16.50	16.29	27.23
RRE 427684	800	9.73	16.19	-	28.35
427686	750	.41	6.35	-	6.90
427687	100	.12	2.30	-	3.50
427688	600	.03	5.11	-	5.16
427689	1050	.47	7.85	-	8.30
427690	1050	<.01	.86	-	.86
427691	950	<.01	.75	-	.75
427692	750	<.01	1.75	-	1.75
STANDARD SL20	-	-	6.04	-	6.04

-AU : -150 AU BY FIRE ASSAY FROM 1 A.T. SAMPLE. DUPAU: AU DUPLICATED FROM -150 MESH. NAU - NATIVE GOLD, TOTAL SAMPLE FIRE ASSAY.  
 - SAMPLE TYPE: CORE REJ. M150

Data FA *VIN* DATE RECEIVED: AUG 16 2006 DATE REPORT MAILED:.....



ASSAY CERTIFICATE




Coast Mountain Geological PROJECT Homestake #4 File # A604352R

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermskerken

SAMPLE#	S.Wt gm	NAu mg	-Au gm/mt	DupAu gm/mt	TotAu gm/mt
427681	1100	2.92	56.63	-	59.28
427682	1200	.10	7.20	-	7.28
427683	1100	.14	2.64	-	2.77
427684	1100	11.80	16.50	16.29	27.23
RRE 427684	800	9.73	16.19	-	28.35
427686	750	.41	6.35	-	6.90
427687	100	.12	2.30	-	3.50
427688	600	.03	5.11	-	5.16
427689	1050	.47	7.85	-	8.30
427690	1050	<.01	.86	-	.86
427691	950	<.01	.75	-	.75
427692	750	<.01	1.75	-	1.75
STANDARD SL20	-	-	6.04	-	6.04

-AU : -150 AU BY FIRE ASSAY FROM 1 A.T. SAMPLE. DUPAU: AU DUPLICATED FROM -150 MESH. NAU - NATIVE GOLD, TOTAL SAMPLE FIRE ASSAY.  
- SAMPLE TYPE: CORE REJ. M150

Data FA *VIN* DATE RECEIVED: AUG 16 2006 DATE REPORT MAILED: .....



(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Coast Mountain Geological PROJECT Homestake #4 File # A604352

P.O. Box 11604 620 650, Vancouver BC V68 4N9 Submitted by: Marcus Vanhermeskerken



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	Sample			
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	kg
G-1	.2	3.0	20.1	57	<1	4.0	4.1	739	2.49	<1	2.8	<1	6.1	702	<1	<1	.3	58	2.60	.082	20.0	8.0	.63	1019	.281	7.97	2.695	2.69	.3	7.4	42	1.4	12.9	19.2	1.6	2	5	37.6	<1	101.6	.6	-			
427681	3.0	6666.5	90.4	168	34.4	5.8	12.1	687	5.68	149	2.7	53.7	.4	211	1.2	199.7	1.6	98	.94	.111	.5	11.2	.45	35	.233	5.31	.167	3.83	6.5	33.9	3	.4	7.6	4.6	.3	1	7	13.2	4.4	100.8	1.1	2.4			
427682	3.5	76.6	111.6	150	10.2	6.0	13.8	1492	5.49	88	2.5	10.3	5.1	168	.5	14.2	1.5	153	1.55	.113	15.2	10.8	.95	48	.306	6.94	.089	4.77	8.5	40.9	32	.5	9.8	6.5	.4	1	11	23.1	3.2	142.9	1.3	3.2			
427683	5.3	104.7	126.7	464	6.9	2.9	7.8	2351	3.93	61	3.8	2.7	6.9	108	2.4	10.3	.4	150	2.48	.087	18.2	5.9	1.03	91	.277	7.82	.035	3.52	5.3	41.1	34	.9	8.9	5.7	.4	2	9	12.8	3.2	167.9	1.4	2.2			
427684	6.4	3395.0	6906.6	5326	>200	2.4	7.5	2458	5.13	71	3.1	32.7	6.0	127	36.5	296.3	.6	123	3.03	.072	14.6	7.1	.82	23	.240	6.21	.044	3.37	3.1	35.3	30	.7	11.5	4.7	.3	2	7	10.4	5.1	141.8	1.2	2.7			
427685 (pulp)	335.2	467.6	246.8	171	6.9	120.1	117.5	2918	13.18	1498	4.0	14.8	3.6	474	.3	15.0	19.7	119	12.72	.108	41.2	55.1	1.30	20	.225	4.04	.660	.92	10.2	59.9	62	4.0	17.0	2.5	.1	1	9	16.6	7.4	26.2	2.1	-			
427686	11.7	118.2	113.1	354	8.1	2.7	9.2	743	5.63	203	2.9	4.5	6.2	52	2.2	29.6	1.0	116	.88	.069	17.0	6.7	.90	128	.242	7.35	.035	3.37	2.6	38.7	33	.6	11.9	4.1	.3	1	9	23.8	4.8	162.1	1.5	1.8			
427687	4.6	520.8	29.2	103	2.6	2.8	10.3	1039	6.14	192	3.0	2.5	5.9	151	.2	27.8	1.1	128	1.21	.092	14.2	7.0	.84	39	.251	8.02	.098	4.26	3.1	42.3	30	.4	9.7	4.8	.4	1	9	21.1	4.6	113.8	1.6	2.8			
427688	3.9	4148.3	2676.2	235	9.4	2.2	7.8	878	6.19	77	2.2	5.6	3.4	164	1.6	23.1	1.6	117	1.26	.076	6.1	5.7	.69	39	.198	5.91	.087	4.38	3.3	29.9	17	.3	7.2	3.7	.3	1	7	19.7	4.7	141.7	1.1	1.4			
427689	3.7	2889.0	216.4	225	9.3	2.2	8.8	1140	4.80	89	2.5	15.5	4.3	188	1.2	57.8	1.3	123	2.22	.083	10.6	8.6	.42	87	.261	6.44	.100	4.30	2.9	39.0	25	.5	8.4	4.3	.4	1	9	12.6	4.5	133.1	1.3	2.4			
427690	3.8	108.9	37.3	56	1.5	2.9	9.4	449	4.37	38	2.6	.6	4.4	160	.3	33.5	.7	120	.97	.086	10.8	7.2	.23	63	.256	7.45	.134	4.43	3.1	38.7	26	.4	8.3	4.9	.4	1	9	6.8	4.4	97.5	1.5	3.4			
427691	3.6	505.5	24.8	105	2.6	2.6	9.8	342	4.50	57	2.4	.5	4.4	167	.5	58.5	1.9	84	.85	.098	10.1	10.6	.20	42	.253	6.77	.153	4.51	3.3	37.1	26	.4	8.6	4.7	.4	<1	7	6.5	4.6	107.9	1.4	2.2			
427692	3.8	1728.4	38.1	279	2.8	1.8	8.2	335	4.06	51	2.1	1.9	3.7	155	1.8	112.8	1.2	55	.86	.080	7.8	9.7	.15	36	.218	6.09	.170	4.26	3.2	34.1	20	.2	7.6	4.2	.3	<1	6	6.9	4.1	107.5	1.2	2.1			
RE 427692	4.2	1832.5	43.7	303	3.2	2.2	8.7	357	4.30	55	2.3	1.5	4.1	163	2.1	123.5	1.4	59	.92	.089	7.6	10.5	.16	50	.248	6.47	.171	4.10	3.7	36.4	20	.4	8.1	4.7	.4	1	6	7.2	4.4	102.3	1.4	-			
RRE 427692	3.8	1695.7	35.8	260	2.9	1.9	8.7	339	4.14	53	2.2	2.1	4.0	151	1.6	132.8	1.2	58	.90	.081	7.4	10.2	.15	73	.229	6.32	.165	4.95	3.0	33.6	21	.4	7.4	3.8	.3	<1	6	7.3	4.2	121.7	1.2	-			
427693	5.0	719.5	120.2	97	1.5	2.0	7.6	2142	3.91	30	3.0	.3	4.8	218	.6	27.1	.8	82	4.33	.075	13.2	7.8	.77	37	.217	5.16	.071	3.28	2.3	29.5	25	.6	9.6	3.9	.3	1	6	10.4	3.8	117.4	1.1	2.6			
427694	2.4	17.3	19.5	30	.3	2.1	9.9	1532	3.87	11	2.9	<1	7.9	291	.2	11.7	.1	138	5.27	.097	23.5	6.1	.75	99	.341	7.93	.067	3.61	2.0	37.3	41	.5	11.3	6.4	.5	1	9	9.6	3.9	125.7	1.4	4.5			
427695	2.2	14.5	21.0	35	.6	2.5	10.5	1912	4.39	9	3.5	<1	7.8	300	.1	13.5	.1	143	6.47	.089	24.9	5.2	1.02	126	.341	8.36	.050	3.57	2.0	40.1	42	.5	14.0	6.1	.5	1	11	11.5	4.4	146.3	1.4	2.4			
427696	3.2	15.7	61.3	487	.7	2.4	12.5	1822	4.32	12	3.8	<1	8.0	594	4.4	12.9	.1	150	6.53	.116	24.8	4.7	.77	97	.392	8.02	.084	3.50	2.9	39.8	44	.6	13.3	6.7	.5	2	11	10.0	4.4	148.7	1.6	2.9			
427697	2.4	15.9	53.5	42	.4	2.2	10.2	1680	4.32	10	2.7	<1	6.9	412	.2	12.5	.1	151	5.23	.098	20.9	6.8	.76	37	.347	7.87	.049	3.30	2.7	38.1	36	.4	12.6	5.2	.4	1	10	11.2	4.4	133.6	1.4	4.1			
427698	3.8	129.4	44.2	70	2.5	2.4	7.4	353	3.65	47	1.7	.7	.5	180	.5	71.2	1.0	64	1.35	.081	1.0	5.8	.19	52	.222	5.94	.101	3.69	3.8	27.4	5	.2	6.6	3.7	.3	1	4	7.4	3.8	113.6	1.0	2.9			
427699	3.4	16.5	29.2	35	.7	2.3	9.0	683	4.67	48	2.5	.7	3.5	210	.1	8.5	1.9	98	2.06	.096	3.9	11.3	.39	30	.276	6.69	.108	3.22	7.1	34.7	14	.4	8.4	4.9	.4	1	7	7.2	4.5	77.7	1.4	2.7			
427700	5.8	897.7	210.5	240	2.3	2.6	10.4	2082	4.17	31	2.8	.2	6.5	177	2.1	38.5	1.5	136	4.29	.095	15.5	7.6	.99	33	.301	6.66	.042	2.95	5.3	31.8	28	.7	9.9	4.6	.4	2	10	12.6	4.0	144.0	1.3	3.0			
427701	4.0	1065.4	46.7	56	1.7	2.7	9.6	1032	5.04	16	2.6	<1	6.7	157	.2	8.8	1.4	129	2.65	.098	18.8	7.1	1.06	93	.293	7.72	.048	3.47	3.6	32.9	37	.5	9.8	5.5	.4	2	9	11.2	4.7	151.7	1.3	2.2			
427702	2.8	16.8	14.2	48	.4	2.1	11.5	1079	4.61	8	3.0	<1	7.9	185	.2	5.3	.3	156	3.27	.110	20.0	6.6	.99	65	.367	8.87	.060	4.06	2.3	43.8	39	.6	10.4	6.3	.5	2	11	9.8	4.6	132.6	1.5	2.7			
STANDARD DST6	12.8	128.0	35.1	172	.4	31.1	13.5	968	4.08	24	7.5	<1	7.1	315	5.6	5.3	4.7	114	2.29	.099	24.2	226.8	1.00	689	.433	6.99	1.743	1.37	7.5	53.1	51	6.2	14.6	8.2	.6	3	11	27.0	<1	55.9	1.7	-			

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCl-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACHED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.  
 - SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA \_\_\_\_\_ DATE RECEIVED: JUL 28 2006 DATE REPORT MAILED: 08-10-2006 09:12






ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #5 File # A604605 Page 1  
 P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Au** gm/mt
G-1	<.01
427656	.01
427657	.01
427658	<.01
427659	.01
427660	<.01
427661	<.01
427662	.02
427663	.03
427664	.05
427665 (rock)	<.01
427666	.09
427667	.09
427668	.23
RE 427668	.19
RRE 427668	.17
427669	.11
427670	.16
427671	.11
427672	.07
427673	.08
427674	.05
427675	.08
427676	.14
427677	.53
427678	.06
427679	.15
427680	.26
427703	.02
427704	.08
427705 (pulp)	1.66
427706	.02
427707	.02
427708	.01
427709	<.01
STANDARD OxL34	5.79

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
 - SAMPLE TYPE: Drill Core R150  
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



Data    FA    DATE RECEIVED: AUG 1 2006 DATE REPORT MAILED:.....



SAMPLE#	Au** gm/mt
G-1	<.01
427710	<.01
427711	.02
427712	.05
427713	<.01
427714	.01
427715	.01
427716	.01
427717	.02
427718	.02
427719	.02
427720	.08
427721	.06
RE 427721	.05
RRE 427721	.06
427722	.03
427811	.04
STANDARD OxL34	5.78

Sample type: Drill Core R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.





GEOCHEMICAL ANALYSIS CERTIFICATE

Coast Mountain Geological PROJECT Homestake #5 File # A604605 Page 1

P.O. Box 11604 620 650 Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermskerken

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf			
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
6-1	.1	2.7	22.6	56	<1	4.2	4.7	765	2.49	1	4.3	<1	7.0	704	<1	.1	.2	34	2.62	.086	19.2	9.6	.60	980	.285	8.28	2.847	2.80	.3	8.0	39	1.4	14.5	20.1	1.9	3	5	42.5	<1	116.4	.8			
427656	.4	4.6	5.9	107	.1	10.1	23.3	1421	6.54	2	1.4	<1	3.5	381	.4	1.0	.1	304	6.12	.103	16.9	25.1	2.03	1519	.518	9.39	1.437	2.02	1.0	49.9	30	.8	14.9	3.5	.3	1	22	41.4	.1	89.2	1.3			
427657	.4	22.5	11.0	82	.5	3.5	17.1	1459	5.06	27	2.3	<1	7.4	232	.1	3.6	.1	165	4.12	.041	25.6	8.2	1.14	853	.420	8.39	1.039	2.54	1.1	51.3	43	.8	11.6	6.0	.6	2	13	26.0	1.4	100.3	1.7			
427658	.1	26.2	9.3	100	.6	4.1	13.3	1587	4.77	15	2.0	<1	6.1	162	.1	4.7	.3	160	2.96	.043	20.5	5.6	1.19	1385	.438	8.79	.581	3.19	1.7	48.4	37	1.0	11.6	6.6	.6	2	14	22.1	.5	123.1	1.5			
427659	1.6	13.3	12.9	53	1.5	3.6	13.0	1814	4.10	14	2.5	<1	6.2	227	.1	5.6	.1	119	3.79	.052	19.5	5.0	.94	121	.309	7.32	.876	2.53	1.9	41.0	36	.6	11.6	4.9	.4	1	11	9.7	1.6	97.4	1.3			
427660	1.3	21.1	9.9	65	1.2	3.1	11.2	2004	4.00	16	3.2	<1	7.4	308	<1	5.4	.1	157	3.48	.099	19.2	8.2	.92	340	.403	8.30	2.068	2.75	1.9	52.2	36	.6	11.8	6.5	.6	2	13	10.9	1.5	103.6	1.8			
427661	.8	11.7	10.1	66	1.1	3.3	10.6	1377	4.03	19	2.7	<1	6.5	233	.1	6.6	.1	144	1.84	.087	12.1	6.6	.87	103	.373	7.88	1.080	3.65	1.6	53.2	25	.6	9.6	5.6	.5	1	12	11.3	2.3	136.9	1.8			
427662	4.8	14.7	17.1	53	2.2	3.8	14.0	915	4.20	61	3.9	<1	6.1	158	.2	9.7	.1	158	1.27	.110	13.1	6.2	.65	69	.400	8.29	.836	5.08	2.1	57.7	28	.8	9.0	6.0	.6	1	12	9.4	3.4	168.3	2.2			
427663	6.3	12.7	30.8	49	3.6	4.3	13.6	1574	4.88	54	3.5	<1	6.2	208	.2	10.2	<1	141	1.74	.095	13.5	8.0	.79	75	.363	7.88	.494	5.10	2.3	53.9	28	.5	10.1	5.9	.5	1	12	8.0	3.8	171.0	1.9			
427664	2.7	25.5	31.4	70	2.8	4.4	11.8	1210	4.01	68	3.6	<1	5.3	171	.2	10.0	.1	143	.97	.097	12.4	6.5	.69	76	.376	7.62	.370	5.91	2.7	60.1	28	.6	10.2	5.6	.6	1	12	10.1	3.0	203.1	2.0			
427665 (rock)	.8	5.3	20.3	31	<1	2.8	1.2	341	1.20	3	10.1	<1	23.3	115	.1	.3	<1	10	.73	.019	14.7	3.8	.12	231	.077	6.91	3.069	2.98	.6	20.7	18	.9	3.6	6.2	.6	3	1	4.7	<1	102.9	1.4			
427666	3.9	21.6	26.1	43	2.4	5.1	16.2	577	4.89	78	4.7	<1	6.0	150	.1	12.0	.1	152	.85	.108	13.0	6.2	.54	40	.376	8.42	.420	6.57	2.4	57.1	29	.7	11.8	5.6	.6	1	12	9.1	4.4	208.4	2.0			
427667	4.0	12.1	27.4	45	2.1	4.4	13.9	655	4.47	46	4.0	<1	5.6	159	.1	14.9	<1	148	1.04	.116	12.5	7.4	.55	68	.400	8.37	.451	5.17	2.8	57.6	28	.7	12.0	5.9	.6	1	13	9.9	3.9	172.8	2.2			
427668	8.3	85.8	38.5	67	6.0	4.9	15.8	533	5.82	84	4.5	.2	4.4	177	.3	21.1	<1	154	.74	.105	6.8	7.7	.45	35	.368	7.92	.196	7.82	2.2	55.4	19	.6	10.7	5.6	.6	1	13	8.0	5.5	223.4	2.1			
RE 427668	8.1	86.2	35.8	69	6.7	5.2	16.6	511	5.96	82	4.3	.2	4.1	171	.2	23.0	<1	156	.76	.098	6.1	8.0	.46	24	.361	8.07	.176	7.73	2.2	51.5	18	.6	11.0	5.4	.5	1	13	7.8	5.7	239.5	1.7			
RRE 427668	8.7	88.7	38.8	65	6.0	4.5	16.9	558	6.09	83	4.5	.2	3.8	171	.3	20.9	<1	162	.75	.100	6.3	7.1	.46	53	.364	8.04	.174	7.44	2.4	54.9	18	.8	11.4	6.1	.6	1	12	7.7	5.7	221.8	1.9			
427669	2.8	10.0	16.0	35	2.8	4.4	12.8	571	4.62	61	3.4	<1	3.4	177	<1	8.0	<1	190	.46	.095	5.6	6.1	.63	59	.352	8.06	.138	6.88	2.8	49.3	17	.5	9.3	5.1	.5	1	12	12.8	3.5	207.1	1.6			
427670	23.9	12.2	19.7	39	3.6	5.1	15.1	1023	4.46	80	4.3	.2	3.9	187	.2	8.8	<1	171	.76	.102	6.4	8.6	.58	49	.378	7.51	.171	7.77	2.9	49.5	18	.5	9.5	5.6	.5	1	13	13.1	3.6	223.7	1.7			
427671	3.4	14.5	16.1	55	1.9	3.5	12.4	2578	4.44	53	4.5	<1	6.6	180	.1	5.8	<1	154	2.19	.107	15.8	8.4	.84	147	.392	8.23	.207	8.63	2.4	57.4	32	.7	12.8	5.7	.6	1	13	15.1	2.6	246.4	1.8			
427672	3.9	17.1	17.2	47	2.3	5.0	13.8	2848	4.51	43	4.7	<1	5.6	257	.1	4.5	<1	173	2.25	.112	13.6	7.8	.95	148	.383	8.49	.197	8.60	2.0	54.9	29	.7	13.1	5.5	.5	1	14	14.0	2.7	255.0	1.9			
427673	2.7	11.9	22.5	50	3.4	4.5	11.4	2091	4.55	43	4.0	<1	5.4	235	<1	4.6	.1	154	2.02	.106	11.6	8.5	.67	95	.328	8.25	.192	8.89	2.1	53.5	26	.6	11.3	5.7	.5	1	12	11.7	3.6	263.4	2.0			
427674	2.6	11.0	13.8	32	2.6	3.8	11.6	1815	4.11	38	3.6	<1	5.9	205	.1	5.5	<1	159	1.64	.108	13.8	10.0	.64	90	.350	8.16	.186	9.16	1.9	53.0	30	.7	10.9	5.4	.5	1	12	7.3	3.2	256.6	1.9			
427675	4.2	13.5	18.3	38	6.2	4.4	14.9	2232	4.86	43	3.3	<1	5.4	225	.1	6.9	<1	146	1.82	.098	12.9	7.5	.60	145	.318	7.52	.163	8.59	2.7	48.3	29	.7	11.0	4.4	.5	1	12	7.1	3.7	249.2	1.9			
427676	6.0	35.6	20.4	42	10.8	5.1	16.5	2077	4.08	49	3.7	.1	6.2	207	.1	14.5	<1	148	1.51	.111	14.9	8.1	.54	135	.345	7.80	.183	9.25	2.6	49.3	32	.6	11.2	5.5	.5	<1	12	9.2	2.6	271.0	1.8			
427677	6.3	37.1	47.4	84	29.6	4.9	17.8	1858	4.17	93	4.2	.5	6.0	186	.5	29.2	<1	158	1.46	.110	14.5	8.3	.51	103	.382	7.97	.157	7.84	4.3	49.4	32	.7	11.9	5.4	.6	1	13	6.8	3.2	233.3	1.9			
427678	1.1	15.6	13.5	67	3.3	3.6	12.9	3278	4.04	29	3.0	<1	7.4	212	.1	5.9	<1	161	1.72	.119	20.9	6.1	.92	609	.368	7.95	.203	8.55	2.8	49.4	39	.7	10.5	6.2	.5	<1	13	22.2	1.1	237.4	1.7			
427679	.3	81.0	36.1	85	10.2	2.7	10.4	2824	3.81	39	2.8	.1	7.4	213	.2	6.5	<1	157	2.16	.109	22.2	6.3	.78	368	.368	7.90	.157	7.54	2.9	49.4	37	.6	11.5	5.5	.5	1	13	21.7	1.2	223.0	1.8			
427680	1.4	41.0	20.6	62	2.9	4.0	9.9	1425	3.98	38	2.8	.2	6.2	180	.2	6.5	.1	130	1.40	.101	15.0	8.8	.63	139	.333	7.72	.163	7.70	3.4	53.5	31	.7	10.5	6.0	.5	1	12	13.8	2.0	239.7	1.9			
427703	3.1	12.5	17.6	57	.5	3.2	9.9	927	4.01	10	2.8	<1	6.9	185	.3	4.3	<1	128	3.32	.109	18.5	5.8	.75	80	.330	8.26	.161	4.34	2.2	43.1	37	.4	10.2	6.5	.6	1	10	7.8	4.2	154.5	1.5			
427704	3.7	14.9	925.8	102	1.4	2.5	11.3	2149	4.23	10	2.6	<1	7.3	284	1.0	4.6	.5	110	7.60	.086	18.0	3.4	.74	125	.285	7.35	.051	3.59	3.7	41.9	34	.5	12.5	5.2	.5	1	10	6.8	4.5	140.0	1.6			
427705 (pulp)	8.2	127.8	17.0	147	.7	29.7	81.5	3659	9.04	1989	3.9	1.6	2.1	337	.7	12.9	29.9	90	15.03	.113	26.4	49.8	1.67	629	.241	4.25	.737	.89	11.0	43.6	33	4.0	17.6	2.4	.2	1	11	15.2	.5	26.8	1.3			
427706	3.7	11.1	14.7	24	.3	2.1	9.4	1406	4.37	8	2.9	<1	6.9	163	.1	2.9	<1	121	4.23	.096	18.3	5.0	.86	114	.313	8.26	.055	4.03	2.6	48.3	36	.4	9.7	5.8	.5	1	10	8.7	4.7	145.5	1.5			
427707	2.5	9.6	12.1	25	.3	2.1	10.0	1734	4.40	8	2.7	<1	6.4	192	.1	3.1	.1	125	5.06	.087	17.7	3.7	.89	107	.311	7.25	.047	3.53	3.8	39.9	34	.5	9.6	4.8	.5	1	11							



SAMPLE#	Hg	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.3	4.3	20.4	58	.2	4.7	4.5	786	2.64	2	5.7	<.1	8.2	715	.1	.1	.4	71	2.55	.083	22.5	12.7	.62	1043	.260	8.16	2.833	2.94	.1	7.9	47	1.3	13.4	18.7	1.7	3	5	42.3	<.1	116.9	.7		
427710	2.6	10.9	15.3	57	.2	2.4	10.2	1476	4.27	5	3.3	<.1	8.1	239	.1	2.8	.1	120	4.40	.099	21.9	5.9	1.01	88	.310	8.27	.181	3.94	1.5	45.5	39	.6	10.1	6.4	.6	1	9	7.7	4.0	150.0	1.6		
427711	2.2	11.8	15.0	72	.4	1.9	8.7	1593	3.89	6	3.0	<.1	7.7	246	.2	3.2	.1	119	4.34	.093	20.3	6.3	.87	113	.296	7.88	.207	3.77	1.7	47.5	37	.4	8.7	5.3	.5	1	9	8.3	3.7	138.2	1.6		
427712	2.6	35.3	39.3	42	.4	1.4	10.1	2090	3.81	5	3.0	<.1	6.8	239	.2	3.6	1.1	123	4.57	.087	16.8	4.7	1.07	133	.283	7.16	.056	3.49	2.4	44.6	32	.6	9.9	5.3	.5	1	9	8.1	3.6	129.1	1.4		
427713	2.0	11.8	24.6	81	.3	2.4	10.3	1686	3.86	4	3.3	<.1	7.8	224	.4	2.5	.1	123	4.38	.092	20.9	3.2	1.03	53	.305	7.80	.103	3.70	1.3	44.1	39	.5	9.5	5.6	.5	1	9	8.8	3.7	127.0	1.5		
427714	1.9	11.6	13.7	93	.2	2.5	10.1	1572	3.65	4	3.3	<.1	8.1	268	.3	2.5	<.1	135	4.48	.098	22.8	5.0	1.05	89	.319	8.02	.355	3.58	1.4	47.1	39	.8	9.6	5.7	.5	1	10	7.5	3.6	138.0	1.8		
427715	2.2	12.9	16.3	70	.3	2.7	10.0	1416	3.97	5	3.1	<.1	8.1	244	.3	3.1	.2	136	4.32	.099	22.2	5.4	1.13	62	.309	8.07	.142	3.91	1.1	49.1	40	.5	10.1	5.7	.6	2	10	8.6	3.9	137.3	1.8		
427716	1.9	9.8	14.8	84	.2	1.1	7.1	2292	3.05	2	2.8	<.1	6.4	494	.3	2.0	<.1	106	8.93	.070	17.4	2.8	1.14	154	.224	5.79	.357	2.66	.9	40.0	30	.4	8.7	4.2	.4	1	7	7.8	3.1	102.9	1.3		
427717	2.8	12.3	16.9	51	.3	2.8	10.1	1404	4.03	5	3.1	<.1	7.9	232	.2	3.0	.1	141	3.62	.103	21.1	78.6	1.12	71	.325	8.49	.274	3.89	1.2	51.9	39	.7	9.8	6.6	.6	1	10	8.5	4.0	140.0	1.8		
427718	3.7	13.1	24.4	107	.3	1.9	10.0	2026	4.10	5	3.0	<.1	6.9	260	.4	3.4	<.1	149	4.27	.103	17.2	6.6	1.47	117	.340	7.91	.763	3.73	1.2	49.0	34	.5	10.2	6.4	.6	1	10	8.7	4.1	110.1	1.7		
427719	3.4	10.7	30.0	190	.3	2.4	10.9	1761	4.07	4	3.1	<.1	6.7	216	.9	2.9	<.1	137	3.04	.095	16.5	6.2	1.25	76	.317	8.32	.923	4.27	1.1	47.1	32	.8	11.0	6.1	.5	1	10	7.4	4.1	131.1	1.6		
427720	3.8	15.9	24.9	98	1.3	2.7	10.9	1699	4.37	27	3.1	<.1	7.7	159	.2	5.9	3.6	162	2.44	.118	19.2	5.7	1.40	71	.369	8.48	.136	4.30	1.9	54.7	36	.9	11.8	6.0	.6	2	12	13.0	4.2	155.7	1.8		
427721	5.7	10.6	13.5	57	.3	3.0	10.1	1587	4.29	65	3.3	<.1	6.8	226	.1	8.0	.8	128	2.61	.089	10.5	4.6	1.37	629	.287	8.11	.166	6.31	2.9	52.1	24	.5	10.2	5.7	.5	1	9	13.1	3.7	185.5	1.8		
RE 427721	5.7	9.9	14.1	57	.4	2.5	9.9	1583	4.35	65	3.3	<.1	6.5	222	.1	8.9	.9	136	2.59	.096	10.5	4.6	1.37	255	.282	8.03	.173	5.90	2.8	48.9	22	.6	10.6	5.9	.6	1	9	13.4	3.8	188.0	1.8		
RRE 427721	5.1	8.5	13.3	50	.3	2.3	9.2	1585	4.27	62	3.1	<.1	6.3	215	.1	8.4	.8	128	2.58	.091	10.3	4.8	1.37	315	.289	8.10	.159	5.74	2.9	48.2	22	.5	9.6	5.8	.5	1	9	12.1	3.8	187.9	1.6		
427722	4.7	20.0	18.2	104	.4	2.1	10.6	1345	3.90	69	3.1	<.1	7.7	218	.1	9.5	.3	144	2.59	.103	18.4	4.8	1.34	168	.321	8.33	.980	3.66	1.2	51.8	35	.6	9.0	6.6	.6	2	10	17.0	1.8	114.0	1.7		
427811	3.7	13.1	278.9	30	.7	1.8	9.3	1540	4.17	6	3.2	<.1	7.6	172	.2	5.6	.4	138	3.95	.096	17.0	4.8	.87	70	.295	8.01	.053	3.59	3.1	45.6	32	.6	9.1	5.9	.5	1	9	8.6	4.2	147.6	1.6		
STANDARD DST6	12.5	128.1	35.6	169	.4	30.9	13.2	962	4.06	25	7.5	<.1	6.9	312	5.8	5.3	4.8	123	2.28	.098	25.0	222.7	.99	674	.434	6.96	1.646	1.41	7.5	53.8	52	6.4	15.0	8.7	.8	3	11	26.7	<.1	56.5	1.7		

Sample type: Or111 Core R150. Samples beginning "RE" are Reruns and "RRE" are Reject Reruns.



ASSAY CERTIFICATE




Coast Mountain Geological PROJECT Homestake #6 File # A604744 Page 1

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Au** gm/mt
G-1	<.01
427723	.01
427724	.02
427725 (pulp)	2.81
427726	.01
427727	<.01
427728	.01
427729	.01
427730	.01
427731	.01
427732	.01
427733	.01
427734	.01
RE 427734	.01
RRE 427734	.01
427735	.01
427736	.03
427737	.05
427738	.03
427739	.02
427740	.02
427741	.05
427742	.03
427743	.01
427744	.05
427745 (rock)	<.01
427746	.08
427747	.03
427748	.09
427749	.17
427750	.11
427751	1.21
427752	.17
427753	.16
427754	.19
STANDARD SL20	5.91

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



Data FA \_\_\_\_\_ DATE RECEIVED: AUG 3 2006 DATE REPORT MAILED:.....



SAMPLE#	Au** gm/mt
G-1	.01
427755	.16
427756	.12
427757	.14
427758	.09
427759	.12
RE 427759	.11
RRE 427759	.17
427760	.69
427761	.65
427762	1.04
427763	.66
427764	4.00
427765 (pulp)	.25
STANDARD SL20	5.96

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.





SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	Sample	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	kg
G-1	.7	4.8	23.1	63	<.1	7.6	5.0	811	2.50	1	5.3	<.1	8.5	738	<.1	.1	.2	52	2.65	.089	25.1	13.1	.65	979	.294	8.53	2.805	2.95	.1	8.8	45	1.3	15.3	21.4	1.8	3	5	39.0	<.1	129.9	.7	-	
427755	.9	28.7	17.7	110	3.5	4.9	11.1	2947	3.81	86	3.9	.1	7.9	219	.2	9.6	.1	125	1.55	.099	20.3	14.0	.83	122	281	7.90	.139	7.11	4.9	52.9	34	.5	9.9	5.2	.4	<.1	11	16.2	1.7	191.0	1.8	1.20	
427756	.5	7.8	10.6	119	1.4	3.7	10.8	4455	4.31	32	2.7	<.1	7.3	182	<.1	5.1	.1	132	1.61	.090	20.3	8.9	1.15	298	.267	7.91	.126	6.01	6.0	43.0	35	.5	9.0	5.0	.4	<.1	11	16.7	1.0	180.0	1.5	1.80	
427757	.4	17.1	11.5	145	2.2	3.5	10.7	3900	3.76	38	2.8	.3	7.5	207	.3	5.5	.1	134	1.61	.099	22.0	10.2	1.07	303	.289	8.10	.121	6.52	4.5	46.3	36	.5	9.8	4.8	.4	<.1	11	13.9	1.0	186.6	1.5	4.90	
427758	.5	4.3	7.9	103	.9	3.5	11.1	4246	3.87	42	2.9	<.1	7.8	209	<.1	3.4	<.1	122	1.76	.099	21.3	9.5	1.02	313	.298	8.07	.132	6.51	8.0	49.4	36	.5	10.0	5.0	.5	1	11	13.1	.9	178.8	1.7	5.20	
427759	.5	3.4	8.4	101	1.0	4.4	11.8	4349	4.07	53	2.4	.1	7.7	188	<.1	2.7	<.1	137	1.87	.105	22.3	8.6	1.11	382	.294	8.15	.130	6.52	5.4	45.1	39	.4	10.0	4.9	.4	1	13	20.8	.9	173.4	1.5	4.80	
RE 427759	4	3.5	8.8	108	1.0	3.7	9.7	4343	3.96	52	2.3	.1	7.5	181	<.1	2.8	.1	135	1.83	.104	22.3	7.7	1.09	397	.285	7.91	.134	6.06	5.7	45.0	36	.6	9.3	4.8	.4	1	11	19.2	.8	158.7	1.6	-	
RRE 427759	4	3.3	7.9	101	1.0	3.5	10.2	4204	3.94	47	2.2	.1	7.3	189	<.1	2.6	<.1	132	1.81	.109	21.7	9.3	1.08	444	.285	7.91	.129	5.88	5.4	46.2	36	.7	10.0	4.7	.4	<.1	11	18.3	.8	164.3	1.6	-	
427760	.7	22.8	14.4	89	2.0	3.1	10.5	3755	3.87	80	2.6	.9	7.3	203	<.1	4.5	.2	118	1.86	.104	18.7	8.3	1.07	131	.271	7.66	.122	6.63	6.6	45.7	33	.7	10.5	4.8	.5	<.1	11	17.0	1.4	198.4	1.6	4.80	
427761	.5	21.8	12.4	75	1.6	2.9	9.3	3548	3.81	62	2.3	.5	5.8	177	<.1	4.1	.2	113	1.76	.089	16.5	8.0	1.06	103	.255	7.25	.109	6.08	5.2	38.5	28	.6	8.6	4.3	.4	<.1	10	19.1	1.4	164.0	1.3	5.00	
427762	.6	8.3	9.7	86	1.3	4.2	10.2	3438	3.68	49	2.2	.7	6.7	160	<.1	3.5	.1	117	1.53	.093	18.9	10.4	1.00	151	.275	7.40	.116	6.38	5.7	43.1	33	.7	8.7	4.8	.4	<.1	11	19.7	1.1	180.7	1.4	3.00	
427763	1.8	63.5	15.4	57	1.0	5.6	11.3	3547	3.95	35	3.2	.6	7.2	149	<.1	4.9	<.1	127	1.77	.103	20.2	12.2	1.09	128	.322	8.22	.104	5.84	7.1	52.2	36	.5	13.7	5.9	.5	1	12	18.0	1.6	177.5	1.6	2.80	
427764	2.3	309.0	301.5	472	2.5	6.4	9.6	3502	3.68	30	3.8	4.9	6.6	140	2.5	4.7	<.1	119	1.69	.103	18.9	11.7	.99	136	.308	7.56	.106	5.38	11.6	45.6	34	.6	12.1	5.0	.4	1	11	19.1	1.2	187.5	1.4	2.10	
427765(pulp)	17.6	46.1	15.5	125	.2	20.2	80.4	2298	6.59	2274	2.9	.3	7.1	319	.3	8.8	8.4	103	8.09	.099	63.6	45.5	1.27	1221	.342	6.51	2.260	2.60	1.0	33.6	97	2.3	21.9	14.5	1.0	1	9	14.5	.7	59.1	1.3	-	
STANDARD DST6	12.1	131.1	35.7	172	.4	29.5	13.4	953	4.01	24	7.6	<.1	7.2	319	5.8	5.6	4.9	104	2.25	.096	26.4	222.4	1.01	699	.431	7.02	1.637	1.42	7.8	52.8	52	6.7	15.1	8.5	.8	3	11	27.0	<.1	58.2	1.7	-	

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.


ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #7 File # A604809 Page 1  
P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Au** gm/mt
G-1	<.01
427766	.53
427767	.28
427768	2.10
427769	4.88
427770	22.34
427771	4.37
427772	.29
427773	1.04
427774	.35
427775	.99
427776	.68
427777	4.17
427778	1.19
427779	.21
427780	.26
427781	.13
427782	.22
427783	.02
427784	.04
427785 (pulp)	1.81
427786	.03
427787	.06
427788	.03
427789	.03
427790	.05
RE 427790	.04
RRE 427790	.07
427791	.01
427792	.02
427793	.01
427794	.01
427795	.02
427796	.01
427797	.03
STANDARD SL20	5.97

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: Drill Core R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



Data FA \_\_\_\_\_ DATE RECEIVED: AUG 14 2006 DATE REPORT MAILED:.....

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.



SAMPLE#	Au** gm/mt
G-1	<.01
427798	.04
427799	.02
427800	.02
427801	.02
427802	.03
427803	.02
427804	.01
RE 427804	.01
RRE 427804	.01
427805 (pulp)	2.90
427806	.01
427807	.02
427808	.01
427809	.02
427810	.02
427812	.01
427813	<.01
427814	.02
427815	<.01
427816	<.01
427817	.07
427818	<.01
427819	<.01
427820	<.01
427821	<.01
427822	.04
427823	.05
427824	.05
427825 (rock)	<.01
427826	.02
427827	.02
427828	.07
427829	.03
427830	<.01
STANDARD SL20	6.00

Sample type: Drill Core R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.





SAMPLE#	Au** gm/mt
G-1	<.01
427831	<.01
427832	1.17
427833	<.01
STANDARD SL20	5.96

Sample type: Drill Core R150.

ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #7 File # A604809R


P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	S.Wt gm	NAu mg	-Au gm/mt	TotAu gm/mt
427767	460	<.01	.81	.81
427768	120	<.01	1.79	1.82
427769	480	.01	5.91	5.93
427770	360	.09	17.84	18.09
427771	520	.04	4.14	4.22
427772	460	<.01	.33	.33
STANDARD SL20	-	-	5.87	5.87

-AU : -150 AU BY FIRE ASSAY FROM 1 A.T. SAMPLE. DUPAU: AU DUPLICATED FROM -150 MESH. NAU - NATIVE GOLD, TOTAL SAMPLE FIRE ASSAY.  
- SAMPLE TYPE: CORE REJ. M150

09-29-06 11:55 AM

Data FA *Handwritten mark* DATE RECEIVED: SEP 14 2006 DATE REPORT MAILED:.....





GEOCHEMICAL ANALYSIS CERTIFICATE



Coast Mountain Geological PROJECT Homestake #7 File # A604809 Page 1  
P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	Sample		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	kg
G-1	.5	3.1	21.8	63	<1	3.6	4.7	779	2.50	2	3.7	<1	6.9	724	<1	<1	.4	57	2.63	.097	18.1	7.0	.66	990	.295	8.26	2.976	2.78	1.4	8.0	42	1.7	12.2	21.3	1.7	3	5	42.4	<1	110.8	.7	-		
427766	3.0	67.0	24.1	40	1.3	6.6	12.2	2274	3.61	53	4.7	1.4	6.5	152	.1	4.5	.1	122	1.67	.118	16.3	12.3	.71	142	.280	7.69	.167	7.16	5.8	48.1	34	.7	11.1	4.4	.4	<1	10	16.0	1.6	215.2	1.7	4.46		
427767	.8	45.2	8.5	40	.6	7.6	9.9	2181	4.15	55	3.0	.2	7.9	177	.1	5.5	.1	149	1.79	.144	22.2	14.9	.86	218	.340	8.77	.118	6.98	7.0	53.6	42	.9	13.6	5.2	.5	2	13	10.8	1.6	233.2	1.9	2.50		
427768	.8	21.2	19.1	42	1.6	6.6	7.9	1449	3.66	31	1.7	2.3	5.7	106	.1	8.8	.1	185	1.37	.151	19.2	18.2	.74	133	.270	8.66	.049	4.58	7.6	32.3	37	.7	11.5	4.1	.3	1	14	15.6	1.8	204.1	1.2	1.12		
427769	7.5	628.6	2671.2	2693	7.7	6.3	9.3	677	3.73	214	1.6	10.8	3.4	118	19.0	31.9	.3	100	1.40	.089	6.9	12.5	.25	57	.237	5.80	.091	5.11	9.0	27.2	19	6	8.0	3.7	.3	1	8	7.9	3.7	160.5	1.0	1.44		
427770	8.4	937.4	2358.3	7715	13.6	4.9	8.5	702	4.08	243	1.6	14.3	3.4	96	72.9	227.2	.4	113	1.48	.075	7.1	6.4	.28	32	.202	5.12	.060	3.98	8.1	26.2	17	.6	7.3	3.4	.3	1	9	9.3	4.3	131.2	1.0	.90		
427771	3.4	162.2	49.3	43	1.8	2.4	9.3	242	3.51	46	2.7	.7	3.7	159	.2	20.8	<1	61	.83	.072	7.6	14.9	.06	33	.237	5.84	.124	7.18	4.4	36.5	20	.5	7.2	4.5	.4	<1	6	5.7	3.6	187.0	1.2	1.66		
427772	3.0	12.8	19.9	17	1.0	3.2	8.8	180	3.62	39	2.9	.3	4.2	166	.2	7.2	<1	69	.76	.078	8.7	12.1	.09	54	.258	6.46	.139	7.49	3.7	39.3	22	.5	8.5	4.5	.4	<1	7	5.3	3.7	198.7	1.5	3.00		
427773	3.0	14.0	33.1	32	1.5	2.8	9.9	200	3.90	54	2.6	.5	4.1	107	.2	7.5	.2	120	.62	.074	8.7	9.6	.26	79	.276	6.41	.079	5.68	3.5	35.6	22	.6	8.1	4.5	.4	1	10	6.6	4.0	173.5	1.4	2.88		
427774	3.6	44.4	34.3	45	.9	2.6	8.9	594	4.01	38	3.0	.4	5.6	125	.3	4.7	.1	116	1.17	.063	12.2	6.9	.39	72	.290	7.05	.078	5.36	3.9	42.8	27	.6	8.8	5.3	.4	1	9	8.2	4.0	178.8	1.8	2.30		
427775	4.7	208.1	71.0	154	3.0	2.5	6.6	283	3.29	59	2.4	.7	4.3	132	1.2	18.2	<1	87	.78	.051	8.1	12.6	.17	31	.230	5.84	.099	5.93	2.9	35.5	21	.5	7.3	3.9	.4	<1	7	7.2	3.4	166.7	1.3	.82		
427776	3.3	44.0	56.7	56	1.6	2.5	7.8	181	3.41	41	2.5	.4	3.8	202	.4	8.1	.1	56	.65	.063	6.3	7.9	.06	61	.236	6.22	.139	7.20	3.6	35.6	18	.4	6.7	4.1	.4	<1	5	4.6	3.6	195.0	1.3	1.56		
427777	3.1	371.3	3910.9	>10000	3.8	2.0	5.9	617	2.70	58	1.8	2.0	2.8	131	99.6	14.6	.1	56	1.00	.060	7.2	10.6	.11	77	.184	4.47	.091	5.02	3.5	23.7	17	2	5.9	3.4	.3	<1	5	7.8	3.3	138.1	.9	.98		
427778	3.2	29.8	258.4	531	1.4	3.5	7.8	748	3.38	37	2.3	1.0	4.4	139	3.5	6.5	.1	125	1.55	.097	11.5	11.4	.32	46	.250	5.82	.066	4.56	4.8	30.6	24	.5	8.3	4.4	.4	1	8	7.8	3.5	144.0	1.2	2.00		
427779	2.7	13.4	17.9	24	.5	2.2	9.5	1251	3.77	19	2.4	.2	5.1	221	.2	3.3	<1	117	2.54	.108	12.7	8.2	.28	63	.298	7.19	.120	7.18	3.4	39.9	27	.5	9.8	5.7	.4	<1	9	4.5	3.9	201.0	1.5	4.72		
427780	3.4	25.8	268.2	211	.9	4.2	8.1	1037	3.20	23	2.1	.2	3.9	178	1.6	6.0	.2	111	2.00	.084	7.5	6.9	.40	53	.255	5.59	.056	3.78	3.0	30.9	19	.5	6.9	4.0	.3	1	8	7.9	3.3	133.0	1.2	.74		
427781	2.7	38.9	30.8	37	.5	3.4	10.3	1879	3.93	16	3.7	<1	6.3	251	.3	5.2	<1	114	3.09	.122	13.8	9.3	.43	78	.333	7.37	.124	7.35	3.5	47.5	30	.6	11.3	5.9	.5	1	9	6.5	4.0	219.5	1.7	2.68		
427782	4.4	34.2	70.9	102	.9	2.6	10.6	1897	4.33	34	2.5	.3	5.8	239	.6	10.9	.9	110	3.13	.096	14.1	4.7	.87	64	.284	7.09	.060	4.70	4.1	31.4	29	.4	9.2	4.7	.4	1	9	8.7	4.2	162.9	1.3	3.64		
427783	3.6	11.8	34.5	71	.6	2.9	10.0	1335	4.06	9	2.9	<1	7.5	173	.3	9.5	<1	127	2.83	.096	20.1	6.7	.75	91	.359	8.19	.055	4.30	1.6	39.8	36	.6	10.5	6.8	.5	1	10	9.7	4.1	165.8	1.6	3.62		
427784	3.4	47.2	275.4	943	1.4	2.0	12.5	2508	4.92	13	3.4	<1	8.9	266	5.9	17.9	.2	141	4.76	.125	21.1	5.5	.95	85	.403	9.22	.074	5.11	2.7	47.7	39	.6	12.2	7.0	.6	1	11	10.7	4.9	185.7	1.9	.86		
427785 (pu/p)	7.9	134.9	14.6	161	.8	28.1	82.9	3756	9.04	2045	4.2	1.8	2.2	335	.6	13.8	29.7	107	16.47	.122	28.9	55.9	1.64	673	.287	4.19	.750	.87	13.4	40.4	34	4.5	20.1	2.4	.2	<1	11	18.0	.5	27.4	1.6	-		
427786	3.2	18.1	34.2	90	.8	1.2	9.6	2174	3.98	11	3.0	<1	7.5	226	.5	13.4	.2	128	4.61	.098	20.6	4.4	.79	84	.333	7.42	.054	3.92	2.2	38.7	38	.6	10.9	5.6	.5	1	10	8.8	4.0	142.1	1.5	1.06		
427787	4.4	17.4	98.8	408	1.0	2.0	9.5	1725	3.51	17	2.7	<1	6.9	294	3.7	13.9	.6	110	3.60	.090	15.2	4.8	.70	53	.296	6.90	.044	3.58	3.5	43.0	29	.4	8.1	5.7	.5	1	8	11.1	3.5	135.3	1.4	1.42		
427788	2.9	12.9	29.6	51	.8	1.0	10.4	2128	3.82	11	3.1	<1	8.1	212	.2	9.2	.1	112	4.53	.098	21.5	5.5	.69	58	.327	7.65	.061	4.07	1.7	50.3	39	.5	10.4	6.8	.5	1	9	9.6	3.9	159.1	1.7	2.68		
427789	3.2	14.2	28.9	57	.9	1.9	10.4	2093	3.96	12	3.4	<1	8.3	170	.5	8.1	.1	111	4.10	.096	20.7	4.9	1.03	80	.334	7.65	.052	4.03	2.1	50.5	38	.5	10.7	6.2	.5	1	10	9.4	4.0	151.3	1.8	3.04		
427790	3.9	81.5	66.1	94	.8	2.0	8.8	1908	3.60	10	2.6	<1	6.8	180	.8	5.7	.7	100	3.98	.087	15.0	5.8	.81	60	.271	6.80	.046	3.33	3.6	41.8	29	.5	9.2	5.6	.4	1	8	9.8	3.6	133.6	1.5	1.32		
RE 427790	3.9	78.6	79.2	100	.8	1.8	8.5	1926	3.63	9	2.6	<1	6.9	172	.8	5.8	.6	102	3.97	.077	15.1	5.0	.82	60	.262	6.66	.042	3.17	3.6	40.1	28	.5	9.0	5.2	.4	1	8	9.6	3.7	134.6	1.4	-		
RRE 427790	3.7	67.5	63.8	48	.8	2.6	9.1	1866	3.54	9	2.8	<1	6.9	171	.4	5.7	.6	102	3.92	.081	14.4	7.0	.80	53	.265	6.63	.046	3.24	3.8	43.8	28	.4	8.7	5.1	.4	1	8	9.0	3.6	126.8	1.5	-		
427791	2.8	10.1	14.4	60	.4	1.2	9.9	2042	3.83	7	3.1	<1	7.8	222	.3	4.0	.1	113	4.64	.095	21.5	4.8	.92	52	.313	7.65	.171	3.73	1.6	45.8	39	.5	10.0	6.0	.5	1	9	8.7	3.9	141.0	1.6	5.00		
427792	2.8	9.8	110.2	54	.3	1.8	9.3	1732	3.51	9	2.9	<1	7.4	230	.3	6.4	<1	107	4.82	.094	20.3	4.2	.90	76	.311	7.40	.088	3.38	1.5	43.5	37	.4	9.3	5.7	.4	1	9	7.1	3.6	131.6	1.6	2.76		
427793	2.5	9.4	93.5	50	.3	1.7	9.0	1671	3.53	9	3.0	<1	7.5	237	.3	6.3	<1	107	4.78	.094	21.2	4.4	.90	68	.308	7.33	.099	3.63	1.7	46.0	38	.4	9.4	5.9	.5	1	8	7.9	3.7	141.2	1.5	4.12		
427794	2.9	9.7	8.5	53	.2	2.2	11.3	1925	3.88	10	3.1	<1	8.3	304	.2	7.1	.1	113	5.44	.092	22.6	5.4	1.07	73	.329	7.97	.145	3.82	1.2	46.4	40	.5	10.2	6.2	.6	2	9	8.5	3.8	151.3	1.8	1.88		
427795	2.8	13.9	81.6	47	.3	1.4	8.9	1611	3.51	8	2.9	<1	7.5	214	.3	6.7	.6	1																										



SAMPLE#	Hg	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Si	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	Sample		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	kg
G-1	.7	2.6	21.0	55	<1	5.1	4.8	819	2.64	1	3.4	<1	6.5	770	<1	<1	2	60	2.83	.091	20.9	66.4	.67	1109	.304	8.50	2	847	3.01	.1	8.3	43	1.5	14.6	20.7	1.6	3	5	40.4	<1	102.7	.5	-	
427798	3.4	12.2	49.5	47	5	1.7	10.1	1710	4.03	20	2.6	<1	7.5	346	1	10.0	1.5	114	4.18	.095	18.9	5.8	.87	76	.315	7.92	.152	3.57	2.6	40.2	36	.5	10.3	6.5	6	1	9	15.6	3.9	118.5	1.3	1.36		
427799	3.6	11.7	21.3	51	4	2.4	11.6	1442	4.11	11	3.3	<1	8.7	254	.2	9.0	1.5	124	3.43	109	21.2	7.9	.86	69	.378	9.20	.354	4.24	1.5	51.9	40	.6	10.4	7.4	7	1	10	9.0	4.1	147.8	1.8	3.62		
427800	2.4	8.8	14.1	49	2	1.9	9.5	1845	3.93	6	2.9	<1	8.2	178	1	7.1	4	114	2.66	.091	21.8	6.5	1.08	52	.315	7.88	.264	3.65	1.5	41.8	41	.5	10.5	5.9	5	1	9	8.4	3.8	141.0	1.3	1.60		
427801	2.9	11.7	17.6	103	3	1.6	10.2	2150	3.98	7	2.9	<1	7.5	191	.6	5.3	3	119	2.83	.095	16.8	6.6	1.10	59	.336	8.11	.373	4.27	1.5	47.2	34	.5	9.8	6.2	5	1	9	7.9	3.8	139.5	1.6	3.44		
427802	3.3	11.3	59.4	307	3	2.7	10.5	2353	4.13	8	2.8	<1	7.5	185	1.9	5.1	.2	113	3.01	.103	18.7	6.4	1.29	56	.346	8.23	.326	4.20	1.7	50.5	36	.4	10.6	6.1	.5	2	9	8.3	4.0	138.4	1.6	1.34		
427803	2.6	10.5	27.5	78	2	2.3	10.1	2110	4.15	5	2.7	<1	6.7	221	.2	3.9	1	114	2.69	.097	15.7	6.8	1.10	53	.330	8.25	.469	5.34	1.6	49.4	31	.5	9.6	6.4	.5	2	9	6.9	4.1	143.4	1.6	2.74		
427804	1.7	6.5	19.8	131	1	4	7.1	3633	3.14	5	2.3	<1	6.4	545	.6	2.7	.1	83	6.94	.081	20.4	4.9	1.13	40	.257	6.21	.276	4.56	1.1	39.5	35	.4	12.6	4.9	4	1	7	6.7	3.1	133.1	1.1	.90		
RE 427804	1.8	6.2	20.4	138	1	2	6.9	3595	3.14	4	2.3	<1	6.4	565	.7	2.8	.1	81	6.75	.082	20.0	3.9	1.14	41	.258	6.16	.281	4.63	1.3	38.8	35	.3	13.3	4.7	.4	1	7	6.7	3.1	135.9	1.3	-		
RRE 427804	1.9	6.3	18.8	136	1	7	6.9	3675	3.07	4	2.4	<1	6.5	568	.7	3.0	.1	84	6.93	.084	20.8	4.4	1.14	75	.258	5.31	.285	4.73	4.8	38.2	37	.3	13.7	4.8	.4	1	7	6.7	3.0	129.5	1.2	-		
427805 (pu/p)	89.3	288.9	47.0	154	2	2	76.0	38.6	3055	11.38	419	2.9	3.8	5.4	171	.6	18.9	245.0	94	19.10	.084	22.3	105.2	1.36	228	.587	3.88	.408	.38	77.8	55.0	43	188.0	19.0	8.8	.7	1	12	12.1	1.0	15.0	1.6	-	
427806	2.4	9.1	31.9	74	2	1.9	9.4	3173	3.79	6	2.5	<1	6.4	217	.3	3.2	.2	115	3.56	.092	15.0	5.4	1.47	64	.311	7.15	.587	4.37	1.5	45.3	29	.4	10.5	5.4	.5	1	8	7.4	3.7	112.5	1.6	2.60		
427807	2.0	8.4	14.0	73	2	2.9	9.0	2418	3.69	8	2.8	<1	7.3	211	.4	3.3	.1	120	2.95	.090	18.4	5.3	1.30	62	.304	7.33	.645	3.88	1.5	43.1	34	.4	10.7	5.6	4	1	8	7.0	3.7	140.7	1.3	2.12		
427808	2.2	8.7	23.1	41	2	2.1	9.1	2081	3.86	8	2.7	<1	7.3	201	.1	3.6	1	123	2.63	.093	19.5	7.4	1.19	68	.317	7.53	.709	4.12	1.5	44.9	35	.4	10.8	5.9	.5	1	9	6.4	3.8	146.5	1.5	4.98		
427809	3.9	12.0	16.2	32	3	2.8	13.0	1966	5.35	15	3.4	<1	6.2	172	<1	6.6	2	183	2.61	.132	14.9	7.5	1.16	57	.435	9.48	.103	5.75	1.7	60.7	31	.6	10.3	7.5	.7	1	8	10.3	5.1	118.0	2.1	1.08		
427810	2.9	7.2	13.9	35	2	2.5	10.0	1363	3.87	10	3.1	<1	7.6	137	<1	5.3	.1	134	1.86	.098	19.7	6.8	.98	47	.313	7.91	.119	3.95	1.1	43.1	36	.4	10.0	5.9	.5	2	9	8.4	3.7	154.9	1.4	1.92		
427812	2.8	7.5	9.5	38	2	1.8	10.6	1492	3.65	23	2.8	<1	7.5	229	.1	5.3	.1	116	4.00	.101	20.2	8.4	.86	67	.343	7.68	.521	3.44	1.4	44.9	36	.5	9.8	6.3	.5	2	9	8.5	3.1	119.0	1.5	4.48		
427813	2.5	6.6	11.1	40	1	2.0	9.6	1821	4.02	7	2.6	<1	7.7	233	.1	4.2	1	119	3.39	.102	21.4	6.6	1.07	71	.345	7.94	.651	3.60	1.1	43.9	37	.4	10.2	6.4	.5	1	9	7.2	3.8	135.3	1.4	4.52		
427814	3.5	23.7	15.4	78	8	3.6	24.8	3091	7.09	74	.5	<1	.9	357	.2	6.5	<1	275	11.85	.088	10.2	6.5	2.39	161	.455	6.16	.587	3.10	2.4	9.2	20	.8	15.5	1.4	.1	1	19	38.5	2.0	86.8	.5	1.12		
427815	8	35.4	7.1	92	2	4.4	24.9	2570	7.38	12	.6	<1	1.5	570	.1	5.3	<1	360	7.57	.133	13.3	12.0	2.18	4347	.680	9.12	.945	4.62	1.5	16.8	26	.5	17.0	2.1	.1	1	26	38.5	.2	133.3	.7	3.62		
427816	8.4	26.5	10.8	108	1	0	4.4	26.3	3360	7.08	60	.5	<1	1.2	222	.1	7.1	<1	368	6.70	.128	10.9	12.8	1.66	636	.653	8.77	.448	4.02	3.2	17.4	23	.6	14.8	2.2	.1	1	23	26.7	1.4	102.4	.7	3.58	
427817	88.2	20.0	28.0	81	3.4	2.6	21.1	5946	6.22	267	1.7	<1	1.0	366	<1	7.1	<1	238	15.87	.080	9.8	4.2	1.14	45	.387	5.31	.048	2.62	1.7	14.5	19	.4	12.6	1.1	.1	1	16	19.6	4.4	122.0	.5	3.08		
427818	1.9	21.7	52.8	296	1.4	.1	21.9	2532	7.57	202	.4	<1	1.4	164	2.5	7.0	<1	300	6.92	.127	9.3	.4	1.16	32	.581	8.11	.786	3.14	1.4	19.5	21	.6	12.1	2.0	.1	1	19	18.6	6.1	142.1	.8	3.68		
427819	1.2	27.7	6.3	145	3	1.1	18.6	2179	7.04	18	1.1	<1	2.4	192	.2	3.4	.1	294	6.62	.124	13.7	4.1	1.99	800	.596	8.78	.841	2.25	.9	28.5	25	.8	16.8	2.8	.2	1	21	39.3	1.3	107.2	1.2	4.62		
427820	5.1	28.1	17.6	81	7	2.6	34.1	1622	8.43	56	2.0	<1	1.5	176	.2	4.9	.1	354	6.27	.151	6.1	2.3	1.11	39	.716	8.62	.634	3.66	1.2	30.9	16	.8	12.0	3.9	.2	2	17	18.8	7.0	63.5	1.1	.92		
427821	1.8	23.3	5.8	188	2	1.8	25.9	2795	7.82	15	1.8	<1	2.7	274	.2	3.4	.1	312	9.22	.145	16.4	3.7	2.45	1088	.657	9.72	1.435	2.31	.9	27.0	31	.7	18.4	3.2	.3	1	22	42.4	1.0	115.8	1.0	4.24		
427822	3.2	40.2	19.2	107	3.4	5.7	19.1	3935	5.76	112	.9	<1	2.5	324	.6	10.5	.2	230	6.70	.109	15.0	9.8	1.75	115	.442	7.61	.231	3.30	2.4	26.8	28	.8	13.3	3.1	.2	1	17	25.2	2.6	152.0	1.0	3.32		
427823	3.1	41.5	10.3	108	2.2	7.5	16.7	3308	5.45	39	1.3	<1	3.2	310	.6	7.8	.2	224	5.12	.117	18.6	15.4	1.76	327	.451	8.16	.366	3.09	1.9	35.0	34	.9	14.5	4.0	.3	1	17	34.4	.6	158.3	1.5	1.84		
427824	2.3	34.6	9.4	111	1.8	5.4	16.5	4811	5.54	40	2.5	.1	3.9	694	.5	6.2	.1	218	8.93	.106	18.5	11.7	2.03	2992	.384	7.41	.482	2.43	1.5	46.9	31	.7	15.1	3.3	.2	1	16	38.1	.6	112.2	1.6	2.36		
427825 (rock)	.4	3.0	16.5	63	<1	1.7	2.7	944	1.83	3	6.3	<1	14.5	301	.2	.5	.1	30	1.40	.054	20.3	6.2	.29	650	.185	7.28	3.246	2.53	1.6	10.2	32	1.2	7.5	8.7	.7	2	4	9.5	<1	96.2	.9	-		
427826	.9	35.3	17.5	72	1.5	3.6	9.7	4968	3.72	30	1.1	<1	2.9	388	.3	5.0	.2	146	8.60	.088	17.3	9.7	1.24	1264	.320	6.27	.266	3.36	1.3	29.6	30	.7	14.8	3.5	.2	1	12	20.3	.6	140.1	1.1	.94		
427827	.7	40.3	6.7	82	1.7	7.4	15.4	3800	4.93	32	1.0	.3	2.5	284	.3	4.9	.2	207	4.47	.095	13.9	19.1	1.63	630	.356	7.68	.532	4.01	1.7	34.3	28	.8	10.6	3.2	.2	1	15	25.6	.7	124.4	1.0	2.06		
427828	17.7	36.0	10.0	97	1.7	5.8	16.0	5650	5.13	82	7.5	<1	3.8	555	.3	7.8	.2	196	9.43	.097	16.0	11.3	1.90	1307	.348	6.99	.711	2.52	1.3	49.1	31	.8	14.1	3.5	.2	1	14	27.5	.6	108.6	1.7	3.98		
427829	11.9	30.6	20.5	93	3.0	5.3	20.2	2350	6.2																																			



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	Sample		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	kg
G-1	1.1	2.8	22.8	59	<.1	6.5	4.9	851	2.93	1	4.4	<.1	8.2	859	<.1	<.1	.2	65	2.97	104	28.8	90.6	.70	1141	.328	9.08	3.208	3.23	.2	7.8	57	1.5	15.5	22.5	1.8	2	6	45.1	<.1	132.8	.7	-		
427831	.4	21.2	5.0	57	1.0	3.0	13.0	2671	4.34	16	2.7	<.1	6.9	220	.1	4.4	.1	162	3.93	.040	22.2	13.3	1.48	1650	.333	8.18	.040	3.11	.6	54.3	40	.7	10.1	5.3	.5	1	13	34.8	.3	144.6	1.8	.38		
427832	9.1	351.6	1817.2	3280	>200	9.2	18.0	3335	5.52	101	4.1	1.4	9.0	208	15.9	159.3	.1	179	3.61	129	23.2	11.8	1.13	44	.360	9.69	.057	5.02	1.9	58.8	45	.7	14.5	6.2	.5	1	14	20.5	4.1	241.4	2.2	5.02		
427833	5.2	21.0	21.0	97	4.4	3.0	12.9	1671	5.04	24	2.7	<.1	6.2	200	.3	6.1	<.1	162	1.88	.130	17.1	10.4	.70	24	.417	9.16	.085	6.13	.9	54.7	40	.7	12.9	7.0	.5	2	14	7.9	4.9	247.8	2.0	3.46		
STANDARD DST6	12.4	128.0	35.5	175	.4	30.6	13.1	963	4.05	25	7.7	<.1	7.1	312	5.5	5.3	4.6	110	2.29	.097	24.8	225.2	.99	688	.433	7.02	1.650	1.34	7.8	53.6	50	6.2	15.0	9.0	.7	3	11	26.6	<.1	57.2	1.9	-		

Sample type: Drill Core R150.

ASSAY CERTIFICATE




Coast Mountain Geological PROJECT Homestake #7 File # A604809R2

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Zn %
427777	1.11
STANDARD R-2a	4.39

GROUP 7TD - 0.500 GM SAMPLE, 4 ACID (HF-HClO4-HNO3-HCL) DIGESTION TO 100 ML, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: CORE PULP

Data † FA \_\_\_\_\_ DATE RECEIVED: OCT 17 2006 DATE REPORT MAILED:.....





ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #7 File # A604809R2


P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Zn %
427777	1.11
STANDARD R-2a	4.39

GROUP 7TD - 0.500 GM SAMPLE, 4 ACID (HF-HClO<sub>4</sub>-HNO<sub>3</sub>-HCL) DIGESTION TO 100 ML, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: CORE PULP

Data    FA   

DATE RECEIVED: OCT 17 2006 DATE REPORT MAILED:.....





ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #7 File # A604809R4  
P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus VanWermeskerken

SAMPLE#	Ag** gm/mt
427832 STANDARD SF-3	845 53

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: CORE PULP

Data    FA   

DATE RECEIVED: NOV 6 2006 DATE REPORT MAILED:..... DEC 15 2006




ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #8 File # A604810 Page 1  
P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Au** gm/mt
G-1	<.01
427834	<.01
427835	<.01
427836	<.01
427837	<.01
427838	.01
427839	.05
427840	.02
427841	.07
427842	.05
427843	.06
427844	.10
427845	1.02
427846	.10
427847	.05
427848	<.01
427849	.02
427850	<.01
RE 427850	<.01
RRE 427850	<.01
427851	<.01
427852	<.01
427853	.03
427854	.01
427855	<.01
427856	.09
427857	.31
427858	10.75
427859	2.85
427860	.27
427861	.13
427862	.07
427863	.23
427864	.05
427865 (pulp)	15.08
STANDARD SL20	5.94

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: Drill Core R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



Data FA DATE RECEIVED: AUG 14 2006 DATE REPORT MAILED: Sept 6 / 06



ACME ANALYTICAL



ACME ANALYTICAL

SAMPLE#	Au** gm/mt
G-1	.01
427866	.30
427867	.04
427868	.06
427869	.08
427870	.08
427871	.01
427872	.01
427873	.01
427874	.01
427875	.01
427876	.03
427877	.01
427878	.01
427879	.03
427880	.03
427881	.04
427882	.14
427883	.04
427884	.04
RE 427884	.03
RRE 427884	.02
427885 (pulp)	15.77
427886	.02
427887	.04
427888	.48
427889	.09
427890	.17
STANDARD SL20	5.96

Sample type: Drill Core R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

GEOCHEMICAL ANALYSIS CERTIFICATE

Coast Mountain Geological PROJECT Homestake #8 File # A604810 Page 1

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Lf	S	Rb	Hf	Sample		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	kg
G-1	1.4	2.1	25.1	57	.2	5.5	4.9	784	2.58	<1	3.4	<1	7.5	773	<1	.1	.4	62	2.64	.091	21.9	60.3	.66	1061	.305	7.55	2.657	2.70	4.6	8.3	47	1.5	14.3	20.3	1.7	2	5	39.1	<1	125.4	.7	-		
427834	1.6	28.5	31.7	198	1.6	3.0	10.7	1986	3.98	28	2.2	<1	6.4	189	.4	4.8	.1	139	1.59	.135	16.2	5.5	.93	90	.396	7.68	.100	4.92	.7	55.3	35	.5	12.3	6.8	.7	1	13	20.3	2.8	228.9	1.9	1.82		
427835	2.6	12.8	17.3	104	2.2	2.7	11.6	938	4.81	13	2.3	<1	5.0	189	.4	4.5	<1	136	1.20	.113	11.2	6.7	.58	53	.385	7.79	.135	6.29	1.0	53.5	26	.6	10.2	6.3	.4	1	12	9.5	4.5	256.5	1.6	5.70		
427836	2.5	6.8	14.0	75	1.2	3.3	10.1	522	3.65	19	2.1	<1	5.1	159	.2	3.6	<1	142	.57	.121	10.3	5.5	.67	60	.412	8.09	.127	6.66	1.4	54.9	25	.5	9.7	6.8	.5	1	13	14.3	3.2	263.9	1.8	1.02		
427837	2.2	14.0	21.4	103	2.7	3.1	14.8	334	5.26	16	2.3	<1	3.9	183	.3	5.4	<1	107	.70	.126	8.3	6.1	.42	37	.432	8.14	.167	7.56	3.3	54.0	22	.5	10.0	7.1	.5	1	14	6.4	5.1	292.2	1.8	5.60		
427838	1.3	10.8	20.6	60	3.2	2.6	11.9	369	4.51	18	1.9	<1	3.9	169	.3	5.4	<1	82	.89	.109	7.8	6.3	.30	29	.371	7.98	.136	7.02	3.8	44.9	21	.5	9.0	5.5	.5	1	11	5.0	4.5	254.2	1.5	2.48		
427839	2.3	10.5	58.0	165	8.9	3.2	12.9	211	4.73	22	1.8	<1	4.1	140	.8	5.8	<1	99	.48	.123	8.3	6.6	.37	34	.405	7.91	.125	6.42	4.8	46.8	22	.5	8.3	6.2	.5	1	12	6.9	4.6	251.0	1.5	1.90		
427840	.7	8.5	23.0	96	2.7	2.8	12.9	235	4.48	20	1.8	<1	3.6	140	.4	5.2	<1	105	.54	.120	7.8	6.7	.36	34	.389	8.18	.138	7.09	3.9	44.4	21	.4	7.6	6.3	.5	1	12	6.4	4.3	255.1	1.6	4.90		
427841	.8	9.8	30.0	100	4.3	3.4	13.0	443	3.73	129	1.6	<1	5.0	141	.3	6.7	<1	107	.50	.119	12.0	7.8	.49	52	.383	7.98	.114	6.25	3.2	46.3	27	.5	7.6	6.0	.5	1	13	10.3	3.0	241.9	1.6	3.30		
427842	2.1	12.2	57.8	238	15.4	3.5	14.4	383	4.09	46	1.9	<1	4.5	176	1.1	8.4	<1	98	.64	.117	10.5	11.1	.38	36	.385	7.92	.114	6.21	4.3	45.1	25	.4	9.2	6.3	.5	1	12	7.2	4.0	248.4	1.4	3.22		
427843	1.7	17.1	70.3	241	24.5	5.1	20.7	258	4.15	34	2.1	<1	4.4	136	1.3	11.1	<1	104	.41	.114	10.4	6.3	.36	46	.388	7.67	.115	6.43	4.1	45.8	26	.5	8.8	6.2	.4	1	12	5.5	4.0	229.6	1.5	3.02		
427844	1.7	51.8	320.0	617	66.5	3.5	19.8	852	4.07	36	2.2	.1	3.0	210	3.6	49.4	<1	85	.99	.107	5.0	5.6	.32	27	.359	7.04	.102	5.56	5.5	42.0	16	.5	8.4	5.6	.5	1	11	6.4	4.0	208.9	1.5	1.08		
427845	2.7	126.1	752.7	2050	>200	2.8	14.2	2164	3.89	59	2.8	.8	3.4	203	11.0	69.2	<1	95	1.63	.098	6.8	8.0	.42	36	.296	6.37	.080	4.85	6.1	36.2	19	.4	8.0	4.5	.4	1	9	6.0	3.7	178.1	1.1	2.24		
427846	.6	91.3	27.9	186	6.5	3.6	13.8	5825	4.16	92	4.0	.2	6.3	264	.7	15.7	<1	253	2.97	.106	17.1	6.3	.89	105	.367	7.79	.068	4.93	10.4	47.9	33	.5	13.2	6.3	.5	1	11	7.7	2.4	211.3	1.7	2.02		
427847	1.6	39.3	15.1	101	1.9	8.3	15.4	2943	5.45	50	2.8	<1	7.6	167	<1	9.2	<1	191	1.44	.123	27.1	11.5	.87	332	.500	8.64	.040	3.89	6.7	47.9	48	.8	13.3	8.8	.7	2	19	14.3	1.6	222.6	1.7	2.08		
427848	2.5	20.8	18.6	31	2.9	8.1	22.2	827	5.01	22	2.6	<1	5.6	177	<1	6.7	<1	179	.88	.156	15.2	12.5	.57	63	.528	9.24	.074	5.49	3.6	47.5	34	.5	11.5	9.3	.7	2	19	7.5	4.0	241.9	1.5	2.66		
427849	2.7	15.9	19.9	34	2.1	5.8	16.1	1044	5.81	32	1.9	<1	5.5	187	<1	6.6	<1	164	1.45	.162	16.7	12.3	.59	51	.471	8.29	.059	4.47	3.1	41.1	34	.5	10.3	7.9	.6	2	17	7.7	5.3	224.8	1.4	2.94		
427850	3.1	18.0	14.0	77	1.0	5.0	11.1	1113	4.72	17	1.9	<1	6.6	146	<1	5.6	<1	248	1.27	.198	22.4	12.5	.87	131	.480	8.15	.040	3.65	4.0	38.1	41	.4	8.2	7.8	.6	2	17	19.3	2.5	196.0	1.2	1.52		
RE 427850	2.9	17.2	12.7	70	.9	4.6	10.2	1115	4.77	16	1.9	<1	6.6	140	<1	5.2	<1	254	1.30	.189	20.3	12.9	.90	118	.456	8.31	.038	3.55	3.9	38.4	37	.4	7.9	7.6	.6	2	16	19.0	2.5	183.7	1.2	-		
RRE 427850	2.9	18.7	12.8	68	.9	4.7	10.3	1225	4.75	15	1.8	<1	6.3	148	<1	5.4	<1	250	1.45	.187	21.0	12.0	.89	119	.452	8.22	.038	3.50	4.1	37.0	39	.5	7.9	7.5	.6	1	16	18.1	2.5	186.8	1.3	-		
427851	2.4	38.1	19.2	51	.9	7.7	16.6	702	5.85	21	2.9	<1	6.3	179	<1	7.2	<1	229	1.43	.160	16.6	12.7	.63	54	.539	8.55	.164	4.55	2.3	53.0	35	.7	12.0	9.5	.7	2	19	10.8	4.5	228.3	1.7	5.88		
427852	1.4	13.8	12.3	92	.5	7.5	16.7	821	6.17	18	3.3	<1	7.2	169	<1	6.4	<1	236	1.58	.147	20.5	13.4	.78	141	.550	8.72	.662	4.03	1.7	56.0	40	.6	12.4	9.8	.7	2	19	24.1	2.3	210.1	1.9	4.54		
427853	1.7	10.7	10.8	112	.5	4.9	15.1	2391	3.69	30	2.9	<1	7.1	206	<1	6.6	.1	202	5.97	.121	19.8	10.5	.56	389	.447	7.79	.237	4.22	1.6	48.2	34	.5	17.3	7.9	.6	1	16	15.7	1.1	199.9	1.5	.98		
427854	.4	14.2	7.6	93	.2	7.9	20.8	1271	5.15	53	2.8	<1	7.1	179	<1	6.5	<1	215	1.84	.138	21.8	12.8	.85	261	.498	8.21	.380	4.94	2.4	48.8	40	.6	12.1	8.9	.6	1	18	26.0	1.5	227.9	1.7	4.50		
427855	.4	11.5	7.1	96	.2	7.7	21.9	1911	5.62	29	2.9	<1	7.5	176	<1	6.2	<1	212	2.82	.199	19.5	11.8	.84	188	.502	8.27	.092	4.97	2.6	50.5	38	.7	16.1	8.7	.6	1	18	26.2	1.7	235.0	1.8	2.82		
427856	9.1	21.4	30.6	26	5.3	4.2	15.7	543	2.56	19	2.5	<1	7.5	97	.1	11.6	.1	174	.91	.152	20.3	9.0	.39	103	.349	8.79	.052	3.69	5.1	38.4	37	.6	4.2	5.5	.5	1	10	8.6	2.5	160.7	1.3	1.86		
427857	4.6	137.1	25.3	47	3.6	1.8	9.5	2491	3.99	33	2.7	.4	7.1	120	.2	21.8	.6	131	3.49	.087	17.0	7.5	.71	46	.304	7.47	.039	3.38	3.3	37.7	32	.7	10.6	5.0	.5	2	9	9.1	3.7	159.7	1.4	1.26		
427858	3.0	>10000	91.0	251	17.4	2.1	7.5	595	10.62	81	1.5	13.8	2.7	54	1.2	89.4	2.3	87	.43	.050	18.4	7.7	.66	10	.152	4.35	.050	2.49	4.9	20.2	37	.3	6.7	2.3	.2	1	5	19.0	9.0	98.3	.7	2.96		
427859	2.9	1201.2	34.6	145	3.6	2.6	9.3	640	7.60	55	2.4	3.8	2.5	75	.2	19.9	3.1	85	.36	.073	2.8	12.																						



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	Sample		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	kg
G-1	7	5.1	26.2	57	<.1	6.1	4.3	823	2.67	1	3.6	<.1	6.0	774	<.1	1.3	.3	60	2.79	.087	16.5	53.6	.64	1072	.303	7.81	2.866	2.92	.2	8.7	37	1.3	12.6	22.6	1.7	3	5	43.4	<.1	99.7	.6	-		
427866	5.9	435.8	114.6	99	1.7	3.0	11.1	864	4.40	30	3.1	.1	5.8	147	.3	7.2	2.0	135	2.10	.092	10.6	4.7	.68	65	287	7.23	.458	4.04	4.5	42.2	22	6	8.3	5.5	.4	2	10	14.1	3.7	121.5	1.4	1.48		
427867	3.3	12.0	20.0	55	.5	2.0	10.4	1358	4.17	16	3.0	<.1	6.5	148	.1	4.0	.1	122	3.44	.098	17.6	3.8	.80	111	277	7.38	.448	3.76	3.3	41.3	34	.5	10.5	5.4	.4	1	9	12.1	3.7	115.2	1.5	4.20		
427868	6.0	12.0	14.0	56	.5	2.7	10.5	1204	4.20	18	3.0	<.1	6.5	205	<.1	4.6	.4	153	3.29	.097	18.2	5.9	.87	98	275	7.37	.412	3.77	3.1	44.8	35	.5	9.3	5.4	.4	1	9	10.7	3.7	125.3	1.5	4.06		
427869	2.9	11.6	12.7	39	.4	1.3	9.7	1103	3.66	23	3.2	<.1	6.3	168	.1	3.1	.2	122	3.55	.085	15.8	4.7	.38	85	.280	7.42	.924	3.64	3.0	47.0	30	.5	9.4	5.8	.4	1	9	7.3	3.5	102.2	1.4	2.76		
427870	3.7	12.8	17.0	31	.6	.7	11.6	2086	4.08	40	3.7	.2	8.0	226	.1	6.6	.2	124	6.48	.091	21.2	2.9	.79	92	.311	7.76	.052	4.72	2.1	47.7	37	.6	11.5	6.5	.5	1	9	10.9	4.1	193.5	1.6	2.60		
427871	1.5	24.8	14.9	84	.6	3.1	13.0	1635	4.27	16	2.6	<.1	7.1	298	.3	3.0	.1	157	3.62	.092	21.3	6.4	1.17	745	.332	8.24	1.757	2.83	1.3	48.3	40	.7	11.3	5.9	.5	1	13	20.1	1.4	106.8	1.5	7.46		
427872	2.6	17.5	20.6	98	.4	2.9	11.2	1238	4.04	17	3.0	<.1	7.2	247	.3	2.8	<.1	157	3.01	.101	18.7	6.7	.92	200	.356	8.03	1.694	2.85	1.1	48.3	35	.5	8.7	6.6	.6	1	11	16.9	2.2	104.4	1.7	4.56		
427873	1.9	11.0	14.4	64	.4	1.4	9.8	1344	4.02	14	2.7	<.1	6.6	255	.3	2.6	<.1	136	3.69	.094	17.4	6.4	.94	222	.318	7.62	1.576	2.62	1.2	43.5	31	4	9.4	5.7	.5	1	10	11.3	2.3	92.7	1.5	3.50		
427874	1.8	14.3	15.5	74	.9	2.7	11.1	1705	3.99	18	2.5	<.1	6.2	300	.3	8.2	.1	165	3.64	.103	17.7	6.6	.96	137	.382	8.04	1.123	3.28	1.4	44.5	33	.6	10.9	6.0	.5	1	13	6.1	3.1	123.8	1.5	1.30		
427875	2.3	17.0	20.0	73	1.2	3.1	12.9	1894	4.51	20	2.2	<.1	5.7	260	.3	7.4	.1	148	3.92	.099	15.3	4.5	.91	106	.364	7.27	1.116	3.12	1.1	43.9	31	.6	9.3	5.9	.4	1	12	6.0	4.0	110.9	1.5	4.12		
427876	2.6	11.6	12.2	72	.5	5.5	14.3	1486	5.27	12	2.4	<.1	6.1	94	<.1	3.6	.1	156	2.29	.121	16.0	8.5	.63	117	.414	8.50	.133	3.72	1.7	44.8	34	.8	12.5	6.6	.5	1	13	10.8	3.2	144.5	1.4	5.70		
427877	1.1	30.1	5.4	100	.5	8.4	10.0	1233	5.20	7	1.3	<.1	6.5	100	<.1	3.1	<.1	199	.67	.118	21.4	60.5	.69	2149	.428	9.68	.070	4.06	1.2	31.3	42	.6	8.2	5.6	.4	2	24	19.6	.7	173.6	.9	3.72		
427878	.5	21.8	3.6	56	.6	4.3	5.1	694	4.21	3	1.9	<.1	6.2	70	<.1	2.7	<.1	223	.49	.129	17.3	46.9	.39	1935	.423	8.80	.075	3.67	2.2	34.6	36	.7	7.7	5.6	.4	1	19	10.1	<.1	159.6	1.1	6.22		
427879	.9	23.2	11.2	55	.7	3.5	6.2	930	3.89	37	2.1	<.1	7.6	96	<.1	3.6	.1	211	.93	.138	24.4	41.5	.47	548	.383	9.97	.072	4.29	1.4	38.0	47	.6	7.7	4.9	.4	1	19	11.6	1.2	196.7	1.2	3.78		
427880	.2	82.9	7.7	116	.4	7.5	18.4	1702	5.26	11	2.6	<.1	6.5	100	.1	3.1	.1	173	2.83	.139	16.5	8.8	.87	1843	.325	9.05	.057	3.61	3.0	41.3	36	1.2	13.2	4.9	.4	1	14	29.2	.7	132.9	1.3	6.58		
427881	.9	12.8	14.5	82	.7	6.5	9.8	2401	4.54	12	2.1	<.1	5.9	102	<.1	3.8	<.1	160	3.34	.089	16.0	14.4	.89	263	.404	8.58	.083	3.32	1.7	36.8	37	.7	10.3	6.1	.5	2	12	18.2	2.4	125.1	1.3	6.64		
427882	.3	25.2	8.8	111	.5	5.3	8.1	2180	5.03	16	2.2	<.1	6.2	121	.1	3.3	<.1	152	3.00	.103	17.7	14.0	1.03	1043	.357	8.62	.058	3.59	1.7	37.3	36	.6	11.1	5.9	.4	2	12	27.4	1.0	130.3	1.1	6.56		
427883	.3	34.5	11.0	114	.4	10.4	20.0	2445	5.18	14	3.3	<.1	6.6	117	.1	3.3	<.1	156	3.42	.112	17.6	16.8	.99	1660	.321	8.65	.057	4.03	2.7	51.8	37	.7	12.1	4.8	.4	1	13	29.3	.9	129.1	1.7	8.30		
427884	1.7	17.2	11.6	116	.5	5.5	12.1	2324	5.74	30	2.8	<.1	6.5	94	<.1	3.8	.1	160	2.66	.135	17.4	14.8	.89	224	.382	8.81	.067	3.59	1.5	44.6	37	.6	11.1	6.2	.5	1	14	25.8	2.0	141.2	1.4	4.68		
RE 427884	1.4	16.3	11.8	112	.5	4.9	12.0	2343	5.61	29	2.7	<.1	6.7	95	.1	3.7	.1	161	2.68	.137	18.7	14.0	.90	306	.396	8.85	.066	3.70	1.5	45.9	40	.6	11.8	6.5	.5	1	14	25.2	2.0	140.3	1.5	-		
RRE 427884	.3	73.1	7.7	108	.4	8.8	18.5	1711	5.20	11	2.5	<.1	7.0	99	.1	3.2	.2	172	2.74	.133	20.6	7.9	.95	1760	.309	9.54	.059	4.09	2.7	44.5	42	1.1	13.8	4.4	.4	1	14	26.2	.8	164.0	1.5	-		
427885 (pu/p)	335.4	444.4	229.6	173	6.0	128.6	130.6	3126	14.09	1569	3.9	15.9	4.2	489	.3	15.0	20.8	120	12.55	.116	45.7	57.0	1.44	27	.245	4.32	.711	.92	12.3	64.4	68	3.9	17.5	2.4	.2	1	9	17.5	7.9	32.0	1.9	-		
427886	.9	21.2	8.0	124	.2	7.4	15.9	1544	5.38	9	2.5	<.1	7.4	93	<.1	3.5	<.1	173	2.48	.129	22.0	6.8	1.02	1589	.313	10.10	.064	3.89	1.9	37.9	44	.7	13.1	4.6	.4	2	14	30.9	.8	149.6	1.2	6.72		
427887	2.1	31.8	12.0	63	.5	5.6	19.6	1495	4.32	27	3.5	<.1	6.4	110	.1	4.8	<.1	160	2.59	.106	17.3	6.0	.78	190	.365	8.89	.071	3.59	2.9	49.4	37	.5	16.1	5.5	.5	1	14	15.3	2.8	153.2	1.4	4.46		
427888	2.9	1547.9	14.2	74	1.5	5.9	15.0	2291	4.47	48	2.6	.1	5.9	141	.1	7.8	.3	149	3.56	.106	19.1	4.8	.82	179	.329	8.61	.071	4.11	3.5	41.2	41	.5	15.4	4.9	.4	1	14	15.2	3.0	163.3	1.3	1.14		
427889	3.3	84.1	18.3	57	1.4	5.1	24.8	1386	4.86	34	3.0	<.1	5.8	197	.2	7.7	<.1	169	2.43	.090	14.2	6.6	.54	55	.330	8.16	.263	4.72	2.8	43.9	35	.5	18.3	5.1	.4	1	12	8.8	4.2	193.1	1.4	4.82		
427890	.7	136.8	13.4	70	1.0	3.3	11.9	2091	4.40	40	1.8	.1	4.8	316	<.1	5.8	.2	148	2.89	.108	12.7	5.4	.71	105	.286	7.84	.380	5.34	2.2	37.7	26	.4	11.5	4.2	.3	<.1	11	13.6	2.3	181.8	1.3	5.42		
STANDARD DST6	12.4	126.9	34.9	174	.4	30.2	13.1	961	4.07	25	7.4	<.1	7.0	313	5.7	5.4	4.8	111	2.28	.099	23.9	230.6	.99	692	.421	6.96	1.692	1.43	7.5	51.8	51	6.4	14.6	8.0	.6	3	11	27.0	<.1	56.4	1.7	-		

Sample type: Drill Core R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



GEOCHEMICAL ANALYSIS CERTIFICATE




Coast Mountain Geological File # A604810R  
P.O. Box 11604 620-650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermskerken

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf			
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
G-1	3.8	3.1	22.1	62	<1	3.3	4.3	772	2.49	6	5.1	<1	8.0	725	.1	.2	.3	59	2.58	.082	21.6	21.9	.60	976	.268	7.99	2.711	2.98	.6	9.8	45	1.4	15.0	22.1	1.7	3	5	39.9	<1	117.5	.6			
427882	1.8	23.8	9.2	110	.3	5.4	8.1	2209	4.88	16	2.1	<1	6.5	121	.1	3.5	.1	164	3.00	.103	21.8	13.2	1.09	1938	.322	8.65	.053	3.62	1.6	35.3	39	.6	12.3	5.5	.5	2	12	25.8	1.1	136.9	1.2			
427883	1.6	38.2	9.6	123	.3	10.9	19.5	2519	5.32	12	2.9	<1	7.3	125	.1	3.3	.1	176	3.51	.112	21.4	15.0	1.08	1986	.304	9.16	.057	3.99	2.8	49.8	41	1.0	14.4	5.1	.4	2	13	25.6	.9	141.0	1.7			
427884	1.7	67.4	7.5	114	.3	7.9	17.6	1699	5.28	11	2.3	<1	7.0	95	<1	3.0	.2	187	2.71	.124	20.7	9.2	.98	1700	.287	9.28	.054	3.97	2.7	40.7	39	1.0	13.5	4.8	.4	1	14	24.4	.8	151.7	1.3			
RE 427884	2.0	72.3	7.5	111	.3	8.8	18.3	1730	5.26	11	2.2	<1	7.2	100	<1	3.0	.2	188	2.74	.126	22.9	9.9	1.01	1682	.304	9.24	.053	4.07	3.3	44.3	41	1.1	15.2	5.6	.4	1	14	25.4	.8	158.1	1.4			
RRE 427884	.8	72.0	7.8	118	.3	9.0	18.0	1753	5.25	11	2.2	<1	7.1	96	.1	2.9	.2	190	2.80	.131	21.5	8.8	.95	1694	.288	9.49	.053	4.10	2.9	40.0	39	1.2	15.0	4.5	.4	2	14	25.7	.8	156.0	1.4			
427886	.7	22.4	7.7	128	.2	7.7	16.2	1555	5.61	6	2.2	<1	6.7	95	.1	3.4	<1	198	2.47	.121	22.8	6.9	1.03	1601	.296	9.55	.055	4.12	2.3	36.2	41	.8	14.3	5.1	.4	2	14	28.2	.8	143.3	1.3			
427887	2.6	30.9	11.9	68	.4	6.4	18.9	1467	4.51	26	3.3	<1	6.6	116	<1	5.0	<1	174	2.59	.106	20.3	6.4	.77	462	.337	8.33	.063	4.02	2.8	44.0	38	.5	17.7	5.6	.4	2	13	15.8	2.7	159.6	1.5			
427888	3.2	1817.3	14.0	85	1.6	6.1	15.3	2440	4.74	45	2.2	.2	5.3	152	.2	7.3	.3	170	3.81	.097	18.8	6.2	.86	286	.310	8.34	.062	3.97	3.5	36.3	36	.6	15.7	5.4	.4	1	13	14.5	3.0	132.8	1.2			
STANDARD DSTG	12.1	126.0	35.0	169	.3	29.3	13.0	951	3.97	24	7.5	<1	7.2	311	5.6	5.4	4.9	104	2.23	.098	24.6	222.8	1.00	660	.387	6.92	1.635	1.40	7.6	50.9	51	6.2	14.5	8.4	.6	3	11	27.5	<1	56.4	1.6			

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCl-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.  
- SAMPLE TYPE: CORE REJECT M15 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA \_\_\_\_\_ DATE RECEIVED: SEP 14 2006 DATE REPORT MAILED: 09-27-06 10:27 OUT



ASSAY CERTIFICATE




Coast Mountain Geological File # A604810R2  
P.O. Box 11604 620 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	S.Wt gm	NAu mg	-Au gm/mt	TotAu gm/mt
427857	490	<.01	.37	.37
427858	550	.29	9.96	10.49
427859	500	.02	3.04	3.08
427860	540	<.01	.26	.26
427861	500	<.01	.13	.13
STANDARD SL20	-	-	5.99	5.99

-AU : -150 AU BY FIRE ASSAY FROM 1 A.T. SAMPLE. DUPAU: AU DUPLICATED FROM -150 MESH. NAU - NATIVE GOLD, TOTAL SAMPLE FIRE ASSAY.  
- SAMPLE TYPE: CORE REJ. M150

09-28-06 11:54 AM

Data FA YAG DATE RECEIVED: SEP 14 2006 DATE REPORT MAILED:.....





ASSAY CERTIFICATE




Coast Mountain Geological PROJECT Homestake #8 File # A604810R3

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanhermeskerken

SAMPLE#	Cu %
427858 STANDARD R-2a	1.036 .567

GROUP 7TD - 0.500 GM SAMPLE, 4 ACID (HF-HClO4-HNO3-HCL) DIGESTION TO 100 ML, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: CORE PULP

Data FA DATE RECEIVED: OCT 17 2006 DATE REPORT MAILED:.....





ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #8 File # A604810R5

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermskerken

SAMPLE#	Ag** gm/mt
427845 STANDARD SF-3	264 53

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: CORE PULP

Data      FA     

DATE RECEIVED: NOV 6 2006 DATE REPORT MAILED:.....**DEC 13 2006**.....








ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #9 File # A605313 Page 1  
P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Au** gm/mt
G-1	<.01
427891	.80
427892	28.64
427893 (rock)	.08
427894	28.93
427895	37.39
427896	97.11
427897	8.52
427898	1.73
427899	11.94
427900	.10
427901	.03
427902	.09
427903	.04
427904	.59
427905 (pulp)	3.21
427906	.49
427907	.32
427908	.14
427909	.18
427910	1.43
427911	.73
427912	3.09
427913	41.60
427914	5.40
427915	21.36
427916 (rock)	.04
427917	.14
427918	.04
427919	.03
427920	.02
427921	.09
427922	.13
RE 427922	.13
RRE 427922	.14
STANDARD SL20	5.99

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



Data FA DATE RECEIVED: AUG 18 2006 DATE REPORT MAILED:.....

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.



SAMPLE#	Au** gm/mt
G-1	<.01
427923	.07
427924	.41
427925	.27
427926	.90
427927	2.28
427928	.69
427929	1.42
427930	1.05
427931	.47
427932	2.18
427933	.37
427934	.49
RE 427934	.51
RRE 427934	.52
427935	2.14
427936 (pulp)	1.83
427937	.88
427938	.49
427939	.72
427940	.50
427941	2.18
427942	.15
427943	.17
427944	.56
427945	.28
427946	.93
427947	.77
427948	2.27
427949	.17
427950	.50
427951	1.06
427952	20.39
427953 (rock)	.05
427954	19.37
STANDARD SL20	5.96

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Au** gm/mt
G-1	<.01
427955	3.04
427956	.88
427957	.27
427958	.97
RE 427958	1.13
RRE 427958	1.34
427959	2.21
427960	.17
427961	.08
427962	2.07
427963	.54
427964	.15
427965	.23
STANDARD SL20	6.08

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



GEOCHEMICAL ANALYSIS CERTIFICATE



Coast Mountain Geological PROJECT Homestake #9 File # A605313 Page 1
P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermskerken


Table with columns: SAMPLE#, Mo, Cu, Pb, Zn, Ag, Ni, Co, Mn, Fe, As, U, Au, Th, Sr, Cd, Se, Br, V, Ca, P, La, Cr, Mg, Ba, Ti, Al, Na, K, W, Zr, Ce, Sn, Y, Nb, Ta, Be, Sc, Li, S, Rb, Hf. Rows include sample IDs like G-1, 427891, 427892, etc., and their corresponding element concentrations in ppm.

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS. - SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

09-18-06 12:45 OUT

Data: FA DATE RECEIVED: AUG 18 2006 DATE REPORT MAILED:.....

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.





SAMPLE#	Mo	Cu	Pb	Zn	Ag	Hg	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	St	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	1	5.7	25.8	66	<1	3.8	5.3	922	2.55	2	5.2	<1	9.9	819	<1	1	2	56	2.68	093	28.5	15.4	.67	1180	.304	8.92	3.097	3.33	.2	8.9	58	1.8	15.8	22.9	1.7	4	5	49.6	<1	136.8	.7
427923	2.8	24.2	18.9	66	3.1	4.2	12.9	2798	4.47	159	3.5	<1	5.5	228	.3	11.7	1	147	1.48	.104	15.6	12.1	.74	58	.350	8.48	.206	8.70	4.6	54.0	35	.6	11.9	5.4	.5	1	12	12.2	2.6	245.8	1.9
427924	1.7	42.8	26.9	75	10.5	2.9	12.4	2958	4.46	128	3.5	<1	5.4	254	2	19.5	<1	151	2.36	106	14.5	12.5	.96	55	.318	8.16	.214	8.18	4.0	49.2	33	.7	11.5	4.8	.4	1	12	11.3	2.6	247.0	1.9
427925	.8	18.3	16.3	148	2.7	2.7	11.9	4655	3.89	59	3.0	<1	6.3	241	.1	8.0	1	141	2.15	.104	20.0	9.5	1.10	150	.332	8.25	.192	8.76	7.8	52.6	39	1.4	10.6	5.5	.5	1	12	18.0	.9	241.8	1.6
427926	2.4	31.5	122.9	151	22.3	3.6	15.8	3663	4.64	40	3.3	<1	5.2	214	.3	21.0	.1	154	2.06	102	15.8	10.6	1.02	74	.377	7.77	.176	8.22	4.1	51.2	34	.6	10.9	5.2	.4	1	14	16.3	2.1	249.9	1.7
427927	5.3	32.8	104.8	77	17.3	3.5	15.5	2412	4.61	72	3.5	<1	5.2	243	.3	25.8	<1	133	2.13	096	12.6	11.5	.74	48	.315	7.43	.213	8.50	2.5	51.5	30	.6	10.4	5.1	.4	<1	11	8.3	3.2	254.6	1.7
427928	.9	33.1	18.7	79	3.5	2.9	10.8	2688	3.77	124	3.4	<1	5.7	238	.3	12.7	.1	129	2.16	.111	15.6	10.4	.81	61	.334	8.06	.171	8.23	7.6	50.5	35	.7	10.1	5.2	.5	1	12	10.4	1.9	225.7	1.8
427929	1.1	14.6	28.0	37	6.0	3.6	12.3	2608	4.41	147	3.1	<1	5.7	172	.2	20.1	.1	149	2.34	101	12.6	11.1	.80	64	.307	7.82	.079	5.17	6.2	46.6	31	.8	10.2	5.0	.4	1	11	9.2	3.0	168.5	1.5
427930	.7	30.4	21.6	94	3.4	4.2	15.2	2975	4.21	133	3.1	<1	6.3	266	.2	9.1	<1	142	2.17	.105	17.2	9.4	1.01	67	.292	8.34	.194	8.51	7.8	49.6	36	.7	10.3	4.9	.4	1	11	12.4	1.8	245.9	1.7
427931	.6	121.6	32.5	68	4.3	6.0	19.9	3002	3.63	87	3.3	<1	5.8	283	1	13.3	<1	135	2.29	.102	16.2	12.5	.95	71	.297	7.69	.180	7.39	7.9	49.0	32	.6	10.2	4.9	.4	1	11	11.0	1.5	237.1	1.6
427932	.4	85.1	20.8	94	6.9	4.3	15.5	3207	4.56	121	3.4	<1	5.7	230	.1	7.3	.1	147	2.11	.112	16.2	12.8	1.02	48	.315	8.70	.188	9.72	10.9	54.5	34	.7	11.4	4.7	.4	1	12	12.9	2.1	281.1	1.7
427933	.4	15.4	10.7	72	1.9	4.6	11.4	2892	3.92	139	2.1	<1	4.2	197	.1	8.1	.1	125	1.80	070	12.2	12.4	.98	69	.292	6.77	.158	6.98	6.3	41.5	26	.6	9.4	4.2	.4	1	10	14.9	1.5	200.2	1.3
427934	.8	39.1	13.4	35	2.4	5.9	10.3	2535	3.70	401	2.3	<1	4.3	201	.1	12.3	.1	124	2.12	.093	12.1	13.9	.80	50	.310	6.94	.153	7.09	8.9	41.9	26	.6	10.2	4.8	.3	1	10	8.5	2.1	204.1	1.4
RE 427934	.8	36.1	13.4	36	2.4	5.7	10.6	2612	3.68	380	2.2	<1	4.3	215	.1	12.7	.1	125	2.20	.088	11.9	14.7	.79	64	.316	7.27	.158	7.39	9.4	43.9	26	.5	10.9	4.7	.4	1	10	8.4	2.1	215.8	1.4
RRE 427934	.7	36.0	13.5	41	2.5	5.3	10.5	2611	3.82	405	2.3	<1	4.2	214	.1	12.8	.1	127	2.18	.095	11.7	14.3	.82	54	.320	.705	.161	7.45	9.7	44.6	26	.6	11.0	4.4	.4	1	11	9.3	2.2	203.7	1.6
427935	1.7	41.2	27.1	50	5.2	6.6	12.9	2997	4.45	378	2.3	.3	4.7	219	.3	21.1	.1	122	3.16	.102	14.1	12.9	.85	48	.289	6.49	.064	3.84	6.7	39.6	30	.5	11.4	4.2	.4	1	11	10.8	3.0	124.6	1.4
427936 (pulp)	9.7	144.0	15.2	160	.8	33.2	93.4	3994	9.81	2098	5.2	.4	2.4	360	.5	14.8	34.6	111	14.57	.134	29.9	67.7	1.72	708	.297	4.54	.790	1.01	12.6	41.5	37	4.5	20.9	2.4	.2	<1	11	20.2	.6	28.7	1.4
427937	2.6	54.4	23.8	48	4.0	8.0	15.0	1829	4.79	438	2.8	.8	5.4	115	.2	33.4	.1	141	1.91	.119	15.3	17.3	.60	38	.331	7.24	.050	3.69	5.1	45.1	32	.6	12.1	4.5	.4	1	12	11.4	3.8	133.1	1.6
427938	1.7	15.9	16.5	45	2.3	7.4	12.4	3637	5.15	261	2.6	<1	5.6	221	.3	30.9	.1	123	3.59	.109	45.0	16.6	.94	33	.280	6.57	.051	3.62	3.7	38.9	73	.6	14.2	3.9	.3	1	12	11.3	3.3	120.7	1.4
427939	5.4	29.8	19.1	48	3.9	4.8	9.6	4122	6.45	216	2.1	<1	4.3	219	.2	32.5	.1	84	3.55	.085	99.5	10.4	.99	133	.204	5.16	.038	2.60	2.4	28.0	144	.4	19.1	2.8	.3	1	10	11.5	5.1	90.3	1.0
427940	6	9.9	13.3	31	2.6	6.5	11.8	2566	3.94	339	2.4	<1	4.4	244	.1	9.7	.1	128	2.69	.106	10.7	16.9	.83	48	.315	6.95	.117	6.45	3.6	42.2	26	.5	10.5	4.1	.4	<1	11	6.6	2.5	184.8	1.5
427941	5	29.8	17.6	49	2.5	6.0	11.8	2555	3.71	288	2.7	.6	4.7	188	.1	9.7	.1	122	2.12	.105	13.7	14.0	.70	55	.308	6.87	.168	7.60	3.9	42.7	29	.5	10.5	4.1	.4	1	10	12.0	1.9	221.9	1.7
427942	2	20.6	10.3	86	1.0	7.4	13.7	2908	4.25	76	3.0	<1	6.2	184	<1	6.4	<1	140	1.46	.110	19.2	15.8	1.10	116	.318	7.83	.171	9.36	3.6	50.9	37	.6	11.7	4.3	.4	1	12	23.4	1.0	243.0	1.8
427943	.1	18.1	10.4	70	1.1	6.4	12.6	2664	3.96	61	2.7	<1	5.5	169	.1	5.3	<1	132	1.34	.114	18.7	15.3	.98	226	.309	7.44	.165	8.67	3.9	44.5	35	.5	9.9	4.2	.4	<1	11	19.4	1.0	244.5	1.5
427944	.4	15.0	13.1	55	1.1	6.7	14.8	2162	4.42	450	2.6	<1	4.6	180	.1	7.2	.1	133	1.41	.116	13.5	23.7	.70	57	.330	7.44	.168	9.26	5.6	44.1	29	.5	10.5	4.2	.4	<1	11	14.3	2.2	256.5	1.5
427945	.3	7.8	16.4	62	1.1	6.7	12.3	2745	4.30	149	2.2	<1	5.0	181	.1	5.6	.2	138	2.09	.115	16.4	23.9	.85	70	.326	7.36	.154	8.66	4.0	43.5	32	.7	10.5	4.6	.4	<1	11	15.4	1.5	238.5	1.6
427946	.4	424.6	24.3	46	1.8	5.9	10.7	1458	3.67	292	2.1	<1	3.7	152	.1	7.8	.1	124	1.48	.110	11.2	17.1	.43	73	.316	6.88	.127	8.28	8.0	38.4	25	.5	9.4	4.0	.4	<1	10	6.4	2.5	231.6	1.5
427947	.3	30.8	13.3	55	.9	6.4	11.2	2869	3.36	47	2.7	<1	5.3	162	.1	3.9	<1	122	1.93	.104	15.3	16.0	1.19	114	.293	7.18	.122	7.31	4.5	48.5	31	.6	9.8	4.9	.4	1	11	25.5	1.3	226.0	1.6
427948	5	72.0	61.1	95	1.8	6.0	11.5	3473	3.59	137	2.1	<1	5.4	324	.5	18.7	.1	125	3.32	.105	17.6	15.4	1.18	71	.295	6.97	.082	6.26	7.4	43.4	33	.6	9.6	4.3	.4	1	11	10.6	1.7	185.4	1.4
427949	.3	15.8	10.6	59	.6	6.4	10.4	2995	3.32	73	1.5	<1	4.9	298	.1	10.9	.2	123	2.88	.097	15.3	14.0	1.22	113	.283	6.96	.089	5.90	4.8	35.1	29	.4	8.5	4.4	.3	1	10	13.5	1.1	168.1	1.2
427950	.8	20.2	24.4	62	1.2	7.1	13.0	4595	3.50	90	1.9	<1	6.3	326	.2	14.5	.4	120	5.02	.102	19.6	13.6	1.19	211	.311	6.83	.035	3.69	6.2	37.9	34	.4	10.4	4.8	.4	1	11	9.3	1.4	123.3	1.3
427951	.7	22.8	18.5	53	1.2	4.9	10.6	2234	4.04	128	1.4	<1	5.2	202	.1	16.0	.5	120	2.13	.105	14.4	8.3	.74	65	.327	7.37	.060	4.89	9.5	32.0	29	.6	9.0	5.5	.4	1	12	10.8	2.4	157.8	1.2
427952	3.4	1139.0	6310.3	1981	23.6	2.4	10.8	3305	6.02	355	1.5	16.3	3.0	198	33.1	61.4	1.9	77	2.13	.078	7.9	6.9	.67	53	.208	4.90	.073	4.81	11.2	22.5	18	.3	9.6	3.2	.3	1	8	10.9	4.8	138.1	.8
427953 (rock)	2	6.6	53.7	33	.1	.5	.7	301	.73	3	14.2	<1	22.4	93	.2	.8	.1	8	.60	.011	11.9	3.6	.09	1																	



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	3	6.6	29.1	63	<.1	4.3	3.9	777	2.36	2	3.9	<.1	6.3	742	<.1	2.5	.1	50	2.73	.091	19.9	36.8	.59	1108	.288	8.47	3.037	3.30	1.0	7.8	42	1.6	13.4	22.2	1.7	1	6	43.4	.1	120.0	.9		
427955	1.3	45.4	426.5	74	2.9	2.9	9.1	2218	4.72	142	2.1	2.1	4.9	182	.1	18.0	.7	124	1.39	106	12.5	31.3	.95	98	282	7.49	.105	6.50	13.6	30.9	26	.4	7.9	5.0	.5	1	10	15.9	2.4	148.7	1.1		
427956	1.4	22.2	18.0	50	1.1	3.0	8.3	4662	4.11	119	1.4	.7	5.2	306	<.1	20.5	2	129	3.84	.105	16.9	4.5	1.15	249	249	7.10	.947	4.19	8.9	29.5	30	.4	8.9	4.9	.3	<.1	10	9.6	1.6	127.3	1.1		
427957	.7	5.8	11.5	57	.9	2.4	9.5	5195	3.54	70	1.7	.3	5.2	254	.3	9.2	<.1	150	1.99	.102	19.6	4.7	1.01	727	.306	7.55	.119	3.43	7.4	27.7	35	.3	9.6	5.2	.4	<.1	12	12.9	.8	81.3	1.0		
427958	.7	65.8	16.6	55	1.7	3.5	10.7	3838	4.15	99	1.2	9	5.0	224	.3	14.1	1	129	2.26	.103	16.4	7.7	.99	167	.270	7.65	.097	3.48	6.8	31.7	31	.4	7.6	4.8	.4	1	10	14.3	1.6	100.7	1.2		
RE 427958	.7	64.6	16.6	67	1.6	3.2	10.3	3772	4.03	91	1.6	6	4.8	216	.1	13.3	.2	129	2.25	.100	17.2	8.9	.97	187	.262	7.59	.094	3.31	7.2	27.2	31	.4	7.4	4.7	.4	1	10	13.6	1.5	81.3	.9		
RRE 427958	.3	60.6	17.2	50	1.8	2.2	11.2	3838	4.05	107	2.0	1.5	5.7	239	.4	14.3	2	131	2.23	.117	17.5	9.9	.97	196	.314	7.59	.111	3.92	7.6	33.6	34	.4	9.0	5.5	.4	<.1	12	17.9	1.9	95.0	1.2		
427959	1.2	14.3	8.4	44	1.1	2.0	10.7	2299	4.30	76	1.2	1.9	4.9	151	<.1	5.3	4	104	1.08	.102	14.5	6.4	.98	159	.276	6.85	.120	3.33	5.1	31.9	28	.3	7.3	5.0	.3	1	11	21.4	2.0	77.3	1.1		
427960	15.6	34.1	26.5	41	1.8	1.4	4.5	600	3.06	98	3.2	.2	4.5	31	<.1	13.6	1.5	82	.44	.056	5.7	23.1	.41	51	.346	3.22	.028	1.51	5.8	44.2	10	.8	3.6	6.1	.5	1	4	12.9	2.4	59.8	1.4		
427961	29.5	262.6	12.4	63	1.8	1.8	1.1	444	1.09	101	4.8	<.1	2.8	31	.9	8.5	2	38	.51	.011	3.4	21.1	19	271	.366	1.32	.020	.62	4.1	59.7	5	.6	3.9	6.6	.4	<.1	2	9.2	.7	26.1	1.6		
427962	5.2	950.6	1417.2	1007	2.6	5.4	11.0	3634	4.11	47	2.9	1.5	3.4	131	6.3	8.7	.8	146	4.40	.062	11.1	8.1	.86	199	.198	4.77	.050	3.34	3.9	27.9	21	.3	7.7	3.3	.2	1	9	10.5	3.9	103.7	.9		
427963	4.3	41.0	81.6	138	.8	3.4	11.5	3139	4.69	30	3.4	.4	6.7	137	.4	6.2	.4	120	3.32	.107	21.7	7.1	1.50	60	.290	7.38	.070	5.03	3.1	45.4	39	.7	10.2	5.5	.4	<.1	12	16.7	4.4	146.2	1.6		
427964	3.6	14.9	18.5	41	.7	2.9	9.2	2864	3.81	25	2.7	.2	6.1	93	<.1	5.7	.3	138	3.57	.079	16.3	3.6	1.15	113	.215	6.80	.036	3.31	2.1	36.5	30	.5	9.1	4.1	.4	<.1	9	13.3	3.3	116.1	1.1		
427965	2.6	10.7	17.6	67	.7	2.3	8.5	2909	4.90	27	2.8	.3	6.6	90	.1	5.2	.3	100	3.50	.082	17.9	2.9	1.09	63	.244	6.77	.039	3.84	2.5	41.0	32	.4	9.8	4.7	.4	<.1	9	14.8	4.2	120.1	1.4		
STANDARD DSTG	12.8	128.6	33.8	174	.4	31.0	13.5	962	4.07	26	7.3	.1	7.1	318	5.7	5.5	4.8	118	2.28	.106	25.0	230.9	.99	693	.433	6.97	1.740	1.49	7.6	54.6	52	6.3	15.1	9.0	.7	5	12	28.8	.1	57.7	2.0		

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #9 File # A605313R


P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	S.Wt gm	NAu mg	-Au gm/mt	DupAu gm/mt	TotAu gm/mt
427891	460	<.01	.90	-	.90
427892	420	<.01	22.52	-	22.52
427894	480	.59	27.93	-	29.16
427895	460	1.51	27.09	-	30.37
427896	460	<.01	90.60	-	90.60
427897	500	<.01	9.51	-	9.51
427898	420	.03	1.80	-	1.87
427899	460	.97	9.77	-	11.88
427900	440	<.01	.09	-	.09
427911	420	<.01	.64	-	.64
427912	360	.09	2.64	-	2.89
427913	420	3.66	21.22	-	19.32
427914	480	.44	5.59	4.68	6.51
427915	500	<.01	18.14	-	18.14
427917	440	.47	.12	-	1.19
427951	460	<.01	1.27	-	1.27
427952	400	<.01	22.20	-	22.20
427954	420	<.01	18.37	-	18.37
427955	480	<.01	4.38	-	4.38
427956	500	<.01	.97	-	.97
427957	400	<.01	.32	-	.32
STANDARD SL20	-	-	5.99	-	5.99

-AU : -150 AU BY FIRE ASSAY FROM 1 A.T. SAMPLE. DUPAU: AU DUPLICATED FROM -150 MESH. NAU - NATIVE GOLD, TOTAL SAMPLE FIRE ASSAY.  
- SAMPLE TYPE: CORE REJ. M150

09-28-06 001:05 007

Data      FA      DATE RECEIVED: SEP 14 2006 DATE REPORT MAILED:.....





ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #9 File # A605313R2


P.O. Box 11604 620-650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Cu %
427892	3.855
427894	1.734
427895	4.034
427897	2.861
427899 I.S.	-
427912	1.075
427913	6.959
427914	2.393
STANDARD R-2a	.576

GROUP 7TD - 0.500 GM SAMPLE, 4 ACID (HF-HClO4-HNO3-HCL) DIGESTION TO 100 ML, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: CORE PULP

Data FA DATE RECEIVED: OCT 17 2006 DATE REPORT MAILED: .....

*\* sample returned to client as per request*







ASSAY CERTIFICATE




Coast Mountain Geological PROJECT Homestake #9 File # A605313R2  
P.O. Box 11604 620 650, Vancouver BC V6B 4N9 Submitted by: Marcus VanWermeskerken

SAMPLE#	Cu %
427892	3.855
427894	1.734
427895	4.034
427897	2.861
*427899 I.S.	-
427912	1.075
427913	6.959
427914	2.393
STANDARD R-2a	.576

GROUP 7TD - 0.500 GM SAMPLE, 4 ACID (HF-HClO4-HNO3-HCL) DIGESTION TO 100 ML, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: CORE PULP

Data 1 FA \_\_\_\_\_ DATE RECEIVED: OCT 17 2006 DATE REPORT MAILED: .....

*\* sample returned to client as per request*



ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #9 File # A605313R3

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Cu %
427899 STANDARD SF-3	4.596 .790

GROUP 7TD - 0.500 GM SAMPLE, 4 ACID (HF-HClO4-HNO3-HCL) DIGESTION TO 100 ML, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: CORE PULP

Data 1 FA \_\_\_\_\_

DATE RECEIVED: NOV 9 2006 DATE REPORT MAILED:.....





ASSAY CERTIFICATE




Coast Mountain Geological PROJECT Homestake #10 File # A605442 Page 1

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermskerken

SAMPLE#	Au** gm/mt
G-1	<.01
427001	.04
427002	.02
427003 (rock)	<.01
427004	.02
RE 427004	.02
RRE 427004	.02
427005	.32
427006	.17
427007	.35
427008	.21
427009	.39
427010	.64
427011	1.09
427012	.50
427013	.63
427014	1.73
427015	.62
427016	10.26
427017	2.92
427018	.69
427019 (pulp)	2.89
427020	.26
427966	1.73
427967	.74
427968	.76
427969	.30
427970	.10
427971	.15
427972	.22
427973 (pulp)	.26
427974	.87
427975	.51
427976	.27
427977	.39
STANDARD SL20	5.92

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
 - SAMPLE TYPE: DRILL CORE R150  
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



Data FA DATE RECEIVED: AUG 23 2006 DATE REPORT MAILED:.....

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.



SAMPLE#	Au** gm/mt
G-1	<.01
427978	.34
427979	.31
427980	.16
427981	.16
427982	.15
427983	.33
427984	.43
427985	.11
427986	.14
427987	1.64
427988	.30
427989	.34
427990	.88
427991	.18
427992	.11
427993 (pulp)	1.65
427994	.11
427995	.33
427996	.08
427997	.23
RE 427997	.24
RRE 427997	.25
427998	.18
427999	.22
428000	.02
STANDARD SL20	5.98

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



GEOCHEMICAL ANALYSIS CERTIFICATE



Coast Mountain Geological PROJECT Homestake #10 File # A605442 Page 1

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanvermeskerken

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Tl	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	Sample	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	kg
G-1	.4	3.6	18.6	47	.2	4.0	3.3	764	2.41	3	4.2	<1	6.2	687	<1	.3	.2	54	2.56	.083	19.1	12.1	.58	896	.262	7.88	2.898	2.77	.2	7.6	41	.7	13.2	20.1	1.6	2	5	34.0	<1	106.3	.6	-	
427001	2.2	28.3	1290.7	1962	4.3	6.7	22.6	7874	8.05	637	.5	<1	1.8	173	19.2	357.9	.1	309	3.14	145	12.5	7.8	1.90	366	440	9.19	144	5.68	8.8	9.6	26	.4	9.4	3.0	.2	1	20	42.8	1.2	198.0	.4	3.7	
427002	.6	20.5	19.4	184	1.8	4.8	21.0	6621	7.02	135	.7	<1	1.8	103	<1	20.3	.2	264	1.64	139	10.5	4.4	1.82	213	420	8.78	106	5.50	5.9	12.1	24	.6	8.7	3.2	.2	1	18	40.1	1.5	220.7	.6	1.5	
427003 (rock)	.4	2.5	22.7	35	<1	1.4	1.2	407	1.07	4	9.2	<1	20.3	128	.2	.5	<1	18	.76	.023	13.5	4.9	.13	295	.083	6.76	3.922	3.24	.7	20.8	19	.4	3.6	6.6	.6	3	1	6.3	<1	106.1	1.3	4.1	
427004	.8	37.5	30.0	129	2.4	6.8	17.6	5756	6.45	99	.8	<1	2.0	78	.1	19.5	.2	237	1.12	123	8.6	9.2	1.50	70	.357	8.22	086	6.26	2.6	22.0	22	.9	8.4	3.0	.2	1	18	30.6	2.8	220.5	.8	4.4	
RE 427004	.7	36.3	29.8	130	2.7	6.6	18.2	5725	6.47	92	.8	<1	2.2	79	.1	21.0	.3	235	1.12	131	8.2	8.5	1.52	74	.367	8.40	103	5.66	2.8	23.6	22	.9	8.8	3.4	.2	1	18	34.2	2.9	203.3	.8	-	
RRE 427004	.9	32.6	33.1	124	2.8	6.7	17.8	5679	6.52	93	.9	<1	2.1	81	.2	20.6	.3	235	1.13	115	9.0	7.9	1.53	75	.345	8.45	085	6.61	2.7	22.3	23	.7	8.8	3.1	.2	1	17	31.7	2.9	227.9	.8	-	
427005	4.8	40.6	387.2	853	54.0	9.1	17.0	4085	6.00	258	.9	3	1.7	80	6.5	43.4	.2	247	1.40	087	5.5	6.6	1.13	39	280	6.78	082	4.90	3.9	23.3	16	.7	8.5	2.8	.2	1	15	20.9	4.2	183.8	.7	4.3	
427006	3.6	115.0	38.0	98	6.6	9.3	23.7	4945	8.11	571	1.1	.2	1.5	186	.4	55.4	.1	284	3.57	096	5.1	7.4	.83	32	394	7.98	145	5.99	4.7	26.0	14	.3	8.9	3.0	.2	1	18	11.8	6.7	176.6	.9	3.3	
427007	23.7	105.0	77.2	93	11.9	9.1	12.9	4040	8.70	966	1.1	.4	.1	152	.4	121.2	.1	162	2.84	.064	.1	8.0	.62	11	208	4.77	089	5.61	3.9	20.9	1	.7	7.8	2.2	.2	<1	10	13.5	7.6	165.2	.9	2.2	
427008	3.9	142.2	53.4	392	6.1	7.4	10.3	1364	4.53	321	1.4	.2	.8	174	3.2	27.7	1.0	128	1.27	.057	2.9	10.4	.42	52	233	5.07	098	5.79	8.3	24.9	9	.2	7.2	2.7	.3	<1	9	10.8	3.2	177.6	.8	3.4	
427009	3.1	78.9	209.4	1732	6.2	6.9	11.8	1254	4.57	240	1.5	.4	1.2	144	15.7	23.9	.3	145	2.00	.068	6.7	17.4	.34	54	257	5.16	088	5.98	5.0	26.1	17	.5	7.9	2.8	.2	<1	10	10.7	3.6	188.1	1.0	4.2	
427010	8.4	369.4	3192.7	2814	8.5	7.4	17.2	1610	6.93	378	2.3	.6	1.4	173	24.3	27.1	.9	97	3.82	.069	7.9	8.7	.41	43	252	5.60	097	5.25	6.7	29.4	20	.4	8.8	2.2	.2	<1	9	6.0	6.3	155.4	1.0	1.9	
427011	2.5	720.3	>10000	>10000	22.6	5.2	13.2	2256	6.65	288	2.1	.6	1.3	199	1103.1	36.7	.2	122	5.88	.077	8.8	8.2	.64	240	245	5.50	098	5.24	6.3	30.3	25	1.1	10.4	2.5	.2	<1	8	6.2	9.7	162.3	1.0	1.2	
427012	14.0	445.4	4046.6	6623	8.7	5.3	13.5	1730	5.87	365	2.2	.5	.2	158	68.0	29.2	.5	137	6.04	.052	1.4	8.2	.21	73	265	4.91	097	5.98	5.9	22.8	6	.2	11.4	2.0	.1	<1	10	3.4	5.8	169.4	.7	3.6	
427013	3.7	26.2	190.2	306	5.6	7.2	14.2	848	5.29	237	2.1	.6	.9	125	3.0	19.6	.4	121	1.55	.058	4.2	23.8	.23	28	252	5.76	124	7.53	4.2	32.7	15	.4	7.1	2.6	.2	<1	9	5.2	4.6	203.3	1.0	4.6	
427014	13.4	925.3	5303.4	>10000	22.0	4.7	13.0	2614	9.25	270	1.6	1.4	.5	157	109.0	40.6	9.3	77	2.56	.032	2.3	6.4	.74	21	137	3.51	065	3.46	3.2	20.7	7	.5	7.0	1.8	.1	1	6	7.7	7.9	102.5	.7	2.3	
427015	10.9	3094.4	520.6	292	20.7	6.5	13.5	771	8.41	428	2.4	.8	.7	89	3.1	62.9	1.2	81	.78	.028	2.0	24.0	.22	17	180	4.34	084	4.63	4.0	28.5	8	.2	5.6	2.9	.2	1	6	6.1	7.7	140.0	1.0	2.8	
427016	17.6	5954.1	402.3	478	42.4	4.0	11.6	742	14.58	751	1.6	22.7	.2	55	4.9	85.2	2.3	75	.80	.044	1.4	6.6	.22	9	113	3.17	058	2.99	4.4	16.4	5	.1	4.8	1.7	.1	<1	5	11.7	>10	93.7	.6	3.1	
427017	7.7	>10000	1991.3	4160	66.8	3.8	6.8	1599	12.04	126	.7	2.7	.8	89	48.2	48.0	3.7	107	1.25	.021	13.7	12.5	.82	13	059	2.28	019	1.01	3.4	7.9	24	.2	3.1	1.0	.1	1	5	18.4	9.0	42.2	.2	3.4	
427018	4.2	261.5	36.8	174	5.6	5.4	14.1	3658	10.31	318	1.4	.6	3.1	165	.3	40.8	.3	136	1.70	.111	11.2	8.8	1.40	178	289	6.60	110	4.97	4.5	27.4	23	.4	9.4	5.4	.4	<1	11	27.4	6.1	148.9	1.1	3.7	
427019 (pulp)	94.8	302.0	46.3	158	2.6	69.5	39.0	3067	12.47	506	3.0	3.6	5.4	177	.8	18.5	253.8	94	21.14	.082	25.5	102.3	1.42	244	608	4.31	405	.35	81.5	47.1	49	202.5	18.8	8.4	.7	1	12	11.6	1.1	15.3	1.9	-	
427020	4.4	317.7	18.0	198	1.6	6.9	15.3	2544	5.65	75	1.6	.3	4.9	139	.4	9.1	.1	178	1.21	.130	19.4	16.9	1.48	126	352	7.30	142	6.50	5.1	33.4	38	.5	8.6	7.3	.5	1	15	31.5	1.6	180.6	1.1	5.9	
427966	6.3	931.8	1923.9	8634	23.7	4.2	24.6	2130	5.68	4946	4.8	.7	1.1	166	76.2	45.2	1.6	181	2.70	.111	4.4	5.1	.62	33	323	7.41	122	8.32	7.7	23.1	13	.3	9.1	1.8	.1	<1	15	4.0	4.6	238.6	.8	1.2	
427967	10.7	329.5	1099.7	8829	11.8	9.6	34.9	1432	5.96	822	7.7	.6	1.3	192	84.1	33.0	.2	144	2.96	.081	6.3	9.7	.32	30	323	7.66	138	8.62	7.1	36.4	19	.6	10.1	2.0	.1	<1	14	1.4	5.8	233.2	1.3	2.3	
427968	1.4	313.8	2278.1	6164	8.1	3.8	8.1	1338	3.40	215	2.4	.4	3.4	130	56.0	16.5	.5	80	1.80	.035	12.0	10.5	.43	420	212	5.82	093	5.17	11.4	42.4	23	.4	7.8	3.7	.3	<1	7	4.1	2.7	149.1	1.3	1.4	
427969	1.8	614.0	136.8	367	3.0	4.9	13.3	2692	5.30	185	3.0	.2	2.3	100	2.3	10.2	1.4	118	.89	.020	8.0	10.3	.88	67	259	5.80	081	5.46	8.8	40.2	19	.5	7.8	3.8	.2	<1	10	13.5	2.4	153.1	1.4	2.5	
427970	1.6	15.3	20.0	96	1.7	3.5	10.4	2660	5.02	96	2.9	<1	3.5	108	.2	8.7	1.1	110	.91	.032	12.9	5.7	.92	68	249	5.65	089	5.90	6.3	41.1	27	.4	8.7	3.7	.3	<1	9	13.7	2.7	172.8	1.4	4.2	
427971	2.2	21.8	21.6	68	2.3	4.8	12.2	2506	4.47	164	2.4	.1	3.0	137	<1	10.0	1.3	116	1.16	.046																							



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Lf	S	Rb	Hf	Sample			
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	kg
G-1	.4	2.7	30.1	80	.1	5.4	4.4	749	2.32	1	6.3	<.1	11.7	747	.1	.1	.3	46	2.51	.082	18.1	9.5	.56	1048	.268	7.22	2.955	3.03	.4	8.7	41	1.6	12.3	21.7	1.6	3	4	46.0	<.1	122.2	.6	-			
427978	1.0	11.5	14.1	127	1.2	5.1	16.3	2629	6.14	230	2.3	.3	3.9	257	.1	9.6	.8	164	2.43	.122	9.8	16.9	1.69	77	.366	6.88	.118	5.36	5.3	39.7	22	4	11.4	6.8	.5	1	14	33.9	2.2	149.4	1.3	4.5			
427979	1.2	10.5	13.6	131	.8	6.5	17.0	2432	7.36	119	2.2	.3	4.3	230	.1	11.6	.6	157	2.70	.124	11.7	10.6	1.89	86	.306	6.45	.091	4.09	4.9	35.7	24	5	11.2	6.2	.4	1	14	32.9	3.6	151.0	1.1	2.3			
427980	.5	31.5	14.0	130	1.0	6.6	15.4	1560	6.13	43	2.7	.1	5.2	183	2	11.1	.2	203	1.68	.146	12.1	13.3	1.49	60	.438	8.12	.114	6.93	6.0	50.0	29	6	10.4	7.8	.6	2	18	24.7	3.0	203.0	1.5	2.4			
427981	.3	263.6	10.2	104	1.6	5.7	13.2	1711	5.45	32	2.7	.1	5.0	134	.1	10.8	.2	207	1.18	.158	11.9	13.7	1.38	80	.420	7.60	.221	6.13	6.4	49.4	27	7	9.0	8.0	.6	<.1	17	25.2	2.3	176.8	1.6	2.6			
427982	.2	577.3	6.1	180	.8	6.7	15.9	3319	7.65	12	1.8	.1	5.7	158	.3	4.5	.1	171	1.80	.141	16.7	12.5	2.72	823	.412	7.44	.546	4.39	4.6	45.6	32	.3	7.8	7.2	.5	1	14	59.0	.7	94.9	1.4	2.8			
427983	2	817.8	5.9	169	.6	6.2	16.1	2887	7.02	8	1.8	.2	6.1	184	.2	2.9	.1	181	1.72	.140	18.0	12.8	2.39	569	.407	7.48	.430	4.40	5.8	43.1	35	6	8.7	8.0	.5	1	15	57.0	.7	123.2	1.2	2.7			
427984	.2	658.6	5.3	195	.6	7.1	12.5	3646	7.42	6	1.9	.1	7.1	167	<.1	3.9	.1	165	3.65	.134	24.3	12.2	2.61	2231	.350	7.63	.969	3.55	5.0	37.4	42	4	11.0	6.7	.5	1	15	60.1	6	108.6	1.1	2.8			
427985	.5	62.6	5.7	133	.2	5.9	13.9	2570	6.29	11	2.0	.1	6.6	175	.1	2.5	.1	201	2.06	.169	21.0	13.8	2.42	2789	.425	7.98	.824	4.53	5.3	46.4	40	5	9.1	8.7	.5	1	17	59.2	.5	135.8	1.4	3.8			
427986	8.1	2207.1	9.1	189	1.6	6.8	15.5	3781	8.92	27	1.9	.1	5.5	116	.1	6.9	.3	170	3.34	.130	16.4	10.3	3.68	108	.317	6.76	.245	2.59	7.0	38.7	30	4	11.1	6.2	.5	1	13	99.3	2.0	75.0	1.1	2.5			
427987	2.6	1438.5	17.7	126	3.1	5.8	16.3	3861	7.05	32	2.0	.2	5.5	212	2	9.9	.3	187	3.34	.149	17.1	13.8	2.03	110	.396	7.33	.189	5.38	4.3	40.6	34	5	10.8	7.6	.5	1	15	39.3	1.9	143.0	1.1	4.8			
427988	.7	1472.4	262.8	1505	2.1	5.3	14.6	4359	6.79	19	2.2	.2	6.3	156	19.6	12.0	.2	193	3.68	.135	20.3	12.5	2.23	247	.382	7.51	.119	4.44	5.9	42.3	36	4	10.7	6.8	.5	1	14	57.2	1.2	127.1	1.3	3.0			
427989	.5	2983.3	10.9	188	1.9	7.6	13.2	3387	7.84	33	2.3	.2	6.1	164	.2	5.8	.5	201	2.90	.136	17.4	14.1	2.45	164	.390	7.39	.076	3.98	9.0	41.6	32	3	10.6	6.6	.5	1	16	51.1	1.6	126.4	1.4	2.8			
427990	1.1	4204.7	10.2	206	2.9	6.1	15.4	3698	8.36	51	2.0	.6	5.7	128	.2	18.6	.7	171	2.84	.111	17.7	11.5	2.64	138	.325	6.51	.103	3.20	10.3	36.4	32	3	7.9	9.4	5.8	.4	1	13	53.1	1.9	96.6	1.2	2.9		
427991	.4	492.3	6.2	115	1.2	6.1	14.6	2592	6.22	77	2.3	1.4	6.2	128	<.1	7.3	.6	193	1.79	.140	19.5	16.7	1.62	210	.408	7.71	.117	5.05	10.0	45.4	37	7	10.1	7.3	.5	1	16	40.9	1.2	164.5	1.5	2.6			
427992	.5	1095.1	6.4	133	.9	6.8	15.5	2727	6.52	63	2.0	<.1	5.8	168	.1	6.9	.4	198	1.69	.143	17.6	16.4	1.80	185	.443	7.86	.220	4.47	7.0	47.7	36	6	4.9	9.3	8.0	.5	1	16	38.3	1.4	124.0	1.7	4.5		
427993 (pu)p	9.0	127.7	14.7	147	1.0	27.9	79.8	3743	9.26	2012	4.2	1.8	2.5	334	.4	13.5	31.3	107	16.61	.110	28.4	53.0	1.66	698	.259	4.71	.634	.78	10.0	38.2	36	4	5	18.2	2.1	.2	<.1	10	16.1	.5	29.7	1.3	-		
427994	.5	329.3	8.8	112	.6	8.0	14.7	3011	5.89	57	2.7	<.1	6.5	205	.1	8.7	.2	211	2.24	.161	19.6	15.0	1.62	343	.494	8.76	.146	5.55	6.5	49.9	38	8	11.0	8.3	.5	1	18	30.0	1.1	159.6	1.6	2.8			
427995	2.6	430.1	20.3	192	1.3	4.5	9.3	6825	4.64	80	2.0	<.1	4.2	293	.9	19.9	.7	115	8.66	.087	11.0	7.1	1.65	156	.239	5.39	.077	3.80	5.7	31.9	20	4	10.9	4.6	.3	<.1	10	22.1	1.4	101.0	1.1	4.4			
427996	.4	6.8	8.4	111	4	3.0	20.3	3123	6.06	295	.6	<.1	1.5	300	.1	13.5	.1	344	3.73	.128	8.1	6.6	1.44	211	.488	8.16	.130	6.03	11.9	17.0	20	1	7.9	4.4	2.2	.2	1	24	33.8	1.6	153.6	.6	3.7		
427997	2.2	14.9	29.8	134	1.7	5.2	23.3	2351	8.85	412	1.1	.3	.9	118	.3	27.5	.4	294	1.93	.102	4.5	5.4	.89	34	.473	7.39	.134	6.23	6.7	20.3	14	7	8.6	2.0	.1	1	22	26.9	6.3	184.9	.9	4.1			
RE 427997	2.5	15.0	32.4	130	1.8	4.2	21.3	2448	9.16	401	1.1	.3	.9	122	.4	29.2	.4	300	2.01	.105	4.8	5.0	.94	42	.459	8.02	.140	5.94	6.8	21.8	15	9	9.1	2.1	.1	1	21	24.3	6.7	161.5	.9	-			
RRE 427997	2.7	14.8	33.3	137	1.8	4.6	23.5	2315	9.05	411	1.1	.3	1.0	127	.3	29.8	.4	293	1.92	.109	5.7	6.2	.92	36	.480	7.92	.137	3.93	7.0	20.8	17	9	8.7	2.1	.1	1	22	26.6	6.4	119.2	.8	-			
427998	.7	8.8	21.1	136	1.0	4.1	23.9	4035	7.15	609	.8	<.1	1.3	359	.3	19.9	.1	328	4.03	.132	6.6	6.6	1.56	114	.517	8.78	.140	5.48	15.2	18.1	17	9	10.5	2.4	.2	1	22	40.1	2.4	150.9	.8	3.4			
427999	.6	226.9	28.3	141	8.0	3.6	20.3	4059	7.87	1885	.7	.2	1.2	384	.3	40.3	.1	314	4.36	.108	6.6	5.6	1.65	83	.511	8.38	.125	4.55	13.4	14.6	18	9	10.9	2.4	.2	1	21	31.4	3.4	122.5	.7	3.9			
428000	.4	4.4	13.5	142	1.0	2.8	19.8	4561	6.83	125	.9	<.1	2.0	408	.1	10.7	<.1	342	4.16	.125	14.9	6.1	1.67	458	.565	9.99	.123	3.76	16.1	14.5	32	8	11.8	2.4	.2	1	24	41.7	1.3	146.7	.6	4.0			
STANDARD DST6	12.2	125.1	33.8	175	.4	30.1	13.2	963	4.07	24	7.3	<.1	6.7	305	5.5	5.2	4.6	108	2.28	.100	22.7	223.3	.99	669	.425	6.94	1.786	1.46	7.4	51.6	50	6	0	13.8	8.6	.7	3	10	26.0	<.1	55.5	1.7	-		

Sample type: DRILL CORE R150. Samples beginning 'RE' are Retuns and 'RRE' are Reject Retuns.

ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #10 File # A605442R  
P.O. Box 11604 620-650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Cu %	Pb %	Zn %
427011	.067	3.05	9.40
427014	.087	.53	1.20
427017	3.365	.21	.42
STANDARD R-2a	.566	1.53	4.45


GROUP 7TD - 0.500 GM SAMPLE, 4 ACID (HF-HClO4-HNO3-HCL) DIGESTION TO 100 ML, ANALYSIS BY ICP-ES.

- SAMPLE TYPE: CORE PULP

10-25-06 10:11:00

Data 1 FA \_\_\_\_\_

DATE RECEIVED: OCT 17 2006 DATE REPORT MAILED:.....



ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #10 File # A605442R


P.O. Box 11604 620-650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Cu %	Pb %	Zn %
427011	.067	3.05	9.40
427014	.087	.53	1.20
427017	3.365	.21	.42
STANDARD R-2a	.566	1.53	4.45

GROUP 7TD - 0.500 GM SAMPLE, 4 ACID (HF-HClO4-HNO3-HCL) DIGESTION TO 100 ML, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: CORE PULP

Data FA

DATE RECEIVED: OCT 17 2006 DATE REPORT MAILED:.....







ASSAY CERTIFICATE




Coast Mountain Geological PROJECT Homestake #11 File # A605443

P.O. Box 11604 620 - 650 Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermskerken

SAMPLE#	Au** gm/mt
G-1	<.01
427508	1.08
427509	<.01
427510	.47
427511	.11
427512	.37
427513	.02
427514	.06
427515	.03
427516	1.18
427517	.02
RE 427517	.02
427518	.07
427519	.08
STANDARD SL20	6.01

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
 - SAMPLE TYPE: ROCK R150  
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA \_\_\_\_\_ DATE RECEIVED: AUG 23 2006 DATE REPORT MAILED: 08-22-06 10:41:00 AM





GEOCHEMICAL ANALYSIS CERTIFICATE




Coast Mountain Geological PROJECT Homestake #11 File # A605443  
P.O. Box 11604 620 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermskerken

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Tl	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	Sample	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	kg
G-1	.3	3.6	23.6	68	<1	4.8	4.3	796	2.48	2	4.6	<1	7.9	753	.1	<1	.2	53	2.61	.082	21.5	24.9	.63	994	.268	8.47	2.773	2.88	.4	8.9	45	1.5	15.7	26.6	1.8	2	5	39.7	2	120.3	.7	-	
427508	6.3	1088.0	28.1	74	1.2	2.7	20.7	5309	3.99	80	.9	.8	1.8	167	.7	7.8	3.0	63	15.77	.049	13.7	21.7	.27	144	.112	3.31	.201	1.62	2.3	21.6	22	1.4	12.4	2.0	.1	1	4	9.4	2.8	60.6	.7	1.4	
427509	1.9	15.8	7.0	87	.1	2.3	9.1	1933	3.75	13	2.9	<1	8.6	210	.4	13.5	.1	95	4.12	.088	21.3	17.0	.62	1415	.263	7.55	2.158	2.61	3.6	42.8	38	1.1	10.5	6.9	.5	1	8	9.6	.3	103.9	1.6	1.7	
427510	4.1	181.7	3686.1	7306	3.0	3.0	10.9	1974	4.66	34	2.6	.5	7.8	186	74.5	26.7	1.4	97	4.49	.089	19.4	22.5	.95	164	.221	7.39	1.089	2.94	1.1	38.3	35	.7	11.0	5.6	.5	1	7	9.2	3.0	109.0	1.4	1.8	
427511	5.4	1418.8	523.2	6104	2.2	1.7	10.5	6001	4.54	17	1.8	<1	4.1	151	67.0	7.2	1.7	60	11.43	.051	17.4	16.3	.81	62	.111	3.75	.043	1.51	1.4	23.3	28	.3	10.7	3.0	.2	<1	4	16.0	1.9	57.8	.7	3.3	
427512	6.8	>10000	4884.1	>10000	29.0	.1	3.8	10898	5.46	2	2.1	.2	.2	318	511.1	6.7	5.6	3	31.80	.002	35.7	23.7	.08	22	.006	.28	.014	.15	.3	1.2	50	.8	15.1	.1	<1	<1	2	2.2	6.1	5.6	<1	1.8	
427513	12.8	127.2	370.2	7680	2.6	7.3	4.2	9223	2.31	19	.6	<1	.9	484	71.6	3.9	2.0	58	23.46	.045	11.6	25.9	.76	309	.100	2.66	.017	.94	.9	16.3	19	.6	12.8	2.4	.1	1	6	7.8	.8	37.8	.6	1.3	
427514	4.5	>10000	211.7	1844	19.9	.7	14.9	3473	9.57	21	.9	<1	1.3	253	17.9	8.5	3.7	73	19.49	.046	12.2	20.0	.19	33	.105	2.29	.111	1.00	1.5	14.6	24	.3	29.7	1.7	.1	<1	6	4.7	7.8	39.5	.5	.3	
427515	4.9	4321.1	490.9	2956	1.6	2.3	8.2	4873	4.59	16	2.6	<1	5.9	453	51.2	5.9	1.1	80	7.30	.067	19.7	41.0	1.26	181	.172	5.69	.211	2.17	2.2	35.0	34	7.6	14.6	4.5	.4	1	6	20.0	1.2	81.1	1.2	1.6	
427516	1.0	5195.8	360.3	>10000	3.6	<1	18.4	7515	6.73	21	.3	1.5	.6	311	313.1	27.6	2.2	23	25.46	.020	20.4	14.6	.30	13	.034	1.15	.282	.33	.7	7.1	36	.3	30.5	.7	<1	<1	3	4.6	7.5	12.9	.2	1.8	
427517	3.8	65.1	33.7	142	.4	3.5	9.5	1869	4.24	19	1.1	<1	2.7	93	1.0	5.3	1.4	129	3.09	.122	14.5	18.5	.86	71	.260	6.87	.504	2.57	3.2	27.7	29	.3	9.6	3.4	.2	1	8	14.6	1.8	93.8	.8	1.0	
RE 427517	4.4	69.5	34.6	153	.4	2.9	10.6	2019	4.45	21	1.2	<1	2.6	96	1.2	5.8	1.5	137	3.25	.128	15.3	16.0	.90	81	.267	7.28	.507	2.70	3.3	28.4	31	.4	9.9	3.7	.3	<1	9	16.9	1.8	99.7	1.1	-	
427518	8.9	1245.2	276.5	2287	2.7	1.5	12.4	4129	5.82	32	1.1	<1	1.4	891	19.5	6.6	2.7	105	4.72	.085	3.1	16.2	1.60	45	.189	5.30	.505	1.78	2.2	19.6	12	1.0	12.6	3.2	.2	1	6	32.9	2.2	60.6	.7	2.2	
427519	10.6	750.8	772.1	4892	3.3	.6	8.9	3393	6.07	22	.9	<1	.5	583	42.6	4.3	4.8	97	4.87	.089	.8	18.0	1.46	28	.204	4.59	.064	2.84	3.6	19.1	3	.2	12.4	2.5	.2	<1	7	21.6	3.7	77.5	.6	1.7	
STANDARD DST6	12.5	129.3	36.1	173	.4	29.0	12.8	951	3.99	24	7.7	.1	7.1	305	5.5	5.3	4.8	110	2.26	.096	24.5	231.4	1.01	686	.434	6.98	1.636	1.38	7.9	52.1	51	6.4	14.7	11.8	.8	3	10	29.8	.2	57.1	1.9	-	

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCl-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.  
- SAMPLE TYPE: ROCK R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data  FA \_\_\_\_\_ DATE RECEIVED: AUG 23 2006 DATE REPORT MAILED: .....



ASSAY CERTIFICATE

AA  
LL

AA  
LL

Coast Mountain Geological PROJECT Homestake #12 File # A605378

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Au** gm/mt
G-1	<.01
427021	<.01
427022 (pulp)	15.98
427023	<.01
427024	<.01
427025	.21
427026	.17
427027	.29
427028	.60
427029	.57
STANDARD SL20	6.02

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: Drill Core R150

Data    FA    DATE RECEIVED: AUG 25 2006 DATE REPORT MAILED:.....

ACME ANALYTICAL LABORATORIES LTD.  
Raymond Chen



GEOCHEMICAL ANALYSIS CERTIFICATE



Coast Mountain Geological PROJECT Homestake #12 File # A605378


P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermskerken

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	Sample	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	kg
6-1	.2	3.4	23.1	57	<1	4.3	4.3	809	2.58	2	4.4	<1	8.1	736	<1	<1	.2	57	2.54	.085	24.6	7.7	.63	972	.285	8.60	2.074	2.82	.2	10.0	48	1.5	16.1	23.8	1.7	2	5	39.0	<1	117.4	.7	-	
427021	3.6	67.6	28.1	74	2.5	90.6	50.4	1534	6.10	20	10.7	<1	6.6	116	.1	5.0	.3	442	1.86	.157	20.2	193.6	1.27	30	.651	11.13	.356	4.40	3.1	86.3	45	1.5	19.0	8.1	.5	2	37	18.8	3.9	181.2	2.8	2.6	
427022 (pulp)	368.4	470.8	233.6	169	6.3	129.6	133.6	3275	14.15	1488	4.5	16.4	4.3	533	.7	16.8	24.8	129	12.56	.125	39.7	58.5	1.46	15	.276	4.10	.747	.90	18.0	67.7	65	4.9	19.2	2.9	.2	1	9	17.7	7.7	32.5	2.3	-	
427023	1.6	75.7	12.1	129	1.2	73.1	37.6	3164	6.39	16	4.1	<1	5.6	264	.2	2.6	.1	325	5.14	.151	20.3	189.1	1.94	111	.603	10.04	.917	3.17	3.1	52.6	42	.9	16.3	7.2	.4	2	31	29.6	1.9	123.1	1.8	4.7	
427024	14.8	31.1	20.6	56	.8	8.3	15.8	1841	4.72	23	2.4	<1	5.5	192	.1	3.1	.3	172	2.87	.056	16.5	20.6	1.06	23	.416	8.61	1.353	2.86	1.7	38.4	35	1.2	13.0	7.1	.5	1	16	15.6	2.6	117.5	1.5	5.5	
427025	2.2	14.9	7.1	68	.8	3.6	13.3	2303	4.17	34	2.5	.4	3.1	399	.2	9.0	<1	126	3.29	.102	3.1	10.6	1.17	28	.325	7.80	.324	5.02	2.3	42.9	15	.6	9.4	5.5	.4	1	11	8.9	2.2	165.3	1.4	3.5	
427026	1.6	11.3	12.5	64	.6	2.8	12.2	2091	4.14	42	2.6	.2	6.1	324	.1	6.9	.1	134	2.84	.098	14.1	6.5	1.12	32	.323	7.75	.317	5.73	2.4	43.7	30	.5	10.0	6.2	.4	1	11	7.9	2.0	188.6	1.6	3.0	
427027	1.5	20.7	8.0	68	.8	2.4	10.4	1728	3.13	46	2.0	.2	1.7	285	.1	7.1	.1	101	2.15	.077	1.6	12.1	.77	25	.234	5.37	.155	4.84	2.6	29.0	10	.8	7.5	3.9	.3	<1	8	12.2	1.9	140.6	1.1	3.3	
427028	1.1	15.7	8.7	92	1.0	2.8	10.0	2141	3.88	42	2.2	.6	1.8	321	.4	6.8	.1	113	2.33	.086	1.7	6.7	1.01	29	.265	6.64	.123	5.92	3.2	39.3	10	.5	8.9	4.9	.4	1	9	12.7	2.0	190.7	1.3	3.7	
427029	1.6	21.0	23.2	100	1.6	4.6	14.8	1315	4.12	57	2.9	.3	3.5	248	.3	15.4	.1	147	1.28	.117	4.2	9.6	1.06	34	.340	8.40	.068	4.84	5.0	43.3	20	.7	10.9	6.3	.5	1	12	17.5	2.0	188.8	1.6	5.1	
STANDARD DST6	12.4	129.2	34.9	175	.6	30.2	13.0	968	4.05	25	7.6	1.4	7.1	315	5.6	5.4	4.7	107	2.31	.097	25.5	221.0	1.04	695	.421	7.22	1.671	1.42	7.5	53.3	53	6.3	15.1	8.8	.6	3	11	26.2	<1	58.2	1.7	-	

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.  
- SAMPLE TYPE: Drill Core R150

09-20-00 11:49 AM

Data FA DATE RECEIVED: AUG 25 2006 DATE REPORT MAILED:.....



ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #13 File # A605819


P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermskerken

SAMPLE#	Au** gm/mt
G-1	<.01
427086	.05
427087	.01
427088	.37
427089	.04
427090	.01
427091	.02
427092	.03
427093	.03
427094	.02
427095	.04
427096	.11
427097	.15
427098	.11
427099	2.74
427100	.65
427101	.21
427102 (pulp)	.26
427103	4.54
427104	2.05
427105	.46
427106	.39
RE 427106	.32
RRE 427106	.39
427107	.34
427108	.71
427109	.21
427110	.31
427111	.28
427112	.03
STANDARD SL20	5.85

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
 - SAMPLE TYPE: DRILL CORE R150  
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA

DATE RECEIVED: AUG 30 2006 DATE REPORT MAILED:.....





GEOCHEMICAL ANALYSIS CERTIFICATE

Coast Mountain Geological PROJECT Homestake #13 File # A605819  
 P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus VanWermeskerken

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Tl	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	Sample	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	kg
G-1	.2	12.4	23.0	54	<1	4.0	4.2	757	2.33	3	3.7	<1	6.9	691	.1	.1	.3	52	2.53	.083	16.5	11.4	.60	1045	.257	7.49	2.952	2.98	.2	9.2	38	1.6	11.5	21.0	1.7	2	4	41.6	<1	99.7	.7	-	
427086	3.6	34.8	15.5	78	.7	3.0	17.6	1312	5.81	31	1.1	<1	2.9	189	.3	16.7	.2	231	4.55	.100	10.7	5.4	1.37	218	.434	7.01	.342	3.41	2.3	22.0	23	.8	9.2	3.9	.3	1	15	10.7	4.9	98.4	.8	5.9	
427087	1.7	17.8	13.3	82	.3	2.6	12.8	1897	4.08	15	2.8	<1	6.6	236	.4	5.3	.1	130	4.49	.071	16.1	5.0	.97	473	.319	6.25	.861	2.99	1.4	46.4	35	.7	8.6	5.8	.5	1	9	4.5	3.7	83.7	1.6	3.8	
427088	3.8	125.0	1766.9	1785	10.6	2.0	7.4	6704	4.79	34	2.6	.3	5.8	226	13.7	43.8	.2	173	4.95	.131	12.3	4.2	.57	337	.376	7.60	.062	3.62	4.5	46.9	26	1.0	6.2	7.0	.6	2	8	5.6	4.9	70.1	1.5	2.8	
427089	1.9	13.3	34.6	213	1.7	1.7	10.4	3919	3.92	8	2.7	<1	6.4	282	2.6	4.4	.2	119	5.61	.096	14.9	2.8	.76	693	.309	6.71	.073	3.32	1.8	43.1	34	.7	9.4	6.2	.5	1	8	5.4	3.9	106.2	1.6	3.2	
427090	8.9	10.2	16.2	70	.5	2.9	11.9	1534	4.28	4	2.7	<1	5.3	157	.1	4.3	.1	120	3.28	.100	12.3	2.8	1.51	671	.323	6.47	.257	3.16	1.0	51.2	27	.5	8.5	6.4	.6	1	7	9.0	2.9	70.3	1.7	3.9	
427091	1.7	9.2	15.9	79	.4	1.9	10.6	1747	4.20	5	2.8	<1	6.3	245	.1	4.9	.1	115	4.05	.092	16.2	3.1	1.14	505	.317	6.48	.991	3.12	1.1	46.6	33	.6	9.5	6.5	.5	1	7	5.5	3.9	81.3	1.7	4.8	
427092	3.2	11.6	11.0	69	.6	2.2	9.9	1608	3.63	5	2.5	<1	6.3	184	.2	10.0	.3	116	3.42	.093	15.5	3.5	1.41	744	.308	6.64	.698	3.09	1.8	44.5	31	.7	9.1	5.8	.5	1	7	7.6	2.9	79.6	1.6	4.6	
427093	2.3	22.0	31.5	77	.4	3.0	10.8	899	3.20	7	3.3	<1	7.0	217	.3	14.2	.2	120	1.50	.104	15.4	5.4	.95	516	.328	7.61	.982	3.58	1.6	54.2	31	.6	7.8	6.6	.5	1	8	9.6	2.7	83.5	2.0	3.7	
427094	2.8	16.7	160.5	403	.6	19.3	10.0	1168	3.76	6	2.9	<1	5.6	221	2.3	9.4	.1	110	1.64	.092	11.0	9.8	1.20	204	.293	6.57	.515	4.02	1.5	47.0	23	.5	6.3	6.0	.5	1	7	17.4	3.4	86.9	1.7	3.9	
427095	2.8	73.3	398.6	686	2.3	2.1	9.9	1811	3.59	7	3.1	<1	7.5	214	8.1	23.8	.1	118	2.20	.101	18.4	4.6	1.05	281	.323	8.44	.619	6.15	1.9	51.0	35	.4	9.2	6.5	.5	1	9	10.1	2.9	172.6	1.8	4.0	
427096	2.5	40.2	127.8	272	.6	2.4	10.8	902	3.84	7	3.3	<1	6.8	156	1.5	16.5	<1	116	.61	.100	14.2	4.9	1.08	125	.311	7.99	.301	7.35	1.6	49.0	29	.5	7.1	5.7	.5	1	8	15.5	3.1	203.7	1.6	5.4	
427097	1.6	16.4	83.2	108	.7	2.6	10.5	788	4.07	10	3.1	.1	6.3	178	.5	9.6	<1	105	.35	.094	11.5	6.0	.90	76	.294	6.98	.205	6.02	1.7	45.9	26	.4	7.1	5.8	.5	1	8	14.7	3.6	146.9	1.6	5.7	
427098	1.6	20.7	29.2	65	.4	3.0	9.7	315	4.23	9	2.9	.1	5.6	180	.3	6.6	<1	117	.41	.092	11.6	6.1	.53	81	.298	7.58	.200	7.75	2.4	47.0	25	.5	7.3	5.3	.5	1	8	6.5	3.8	202.1	1.7	5.8	
427099	4.6	74.3	436.4	556	2.6	2.5	7.4	149	3.57	63	2.7	3.4	4.1	254	4.3	48.3	.3	90	.21	.066	5.8	34.1	.29	52	.203	5.40	.118	4.92	2.9	33.7	18	.4	5.8	3.8	.3	1	7	11.3	3.6	152.5	1.2	2.0	
427100	3.4	58.5	58.8	50	3.9	3.1	9.6	166	5.38	74	3.4	.6	4.0	151	.4	68.9	<1	122	.29	.086	5.4	7.1	.20	31	.294	7.35	.203	5.66	2.7	46.3	18	.5	7.1	5.3	.4	1	8	4.5	5.2	136.1	1.6	2.0	
427101	4.3	16.3	178.9	28	1.0	3.3	10.3	293	4.08	41	3.3	.2	6.4	175	.1	21.9	.3	123	.52	.097	11.4	8.3	.27	81	.317	7.35	.225	4.81	2.7	48.4	26	.6	6.9	6.2	.5	<1	8	4.4	3.8	107.7	1.8	3.9	
427102(pulp)	16.7	43.2	13.7	121	.2	17.0	89.1	2247	6.46	2120	2.9	.3	6.6	307	.1	8.2	7.6	.99	8.20	.097	60.9	41.2	1.13	1310	.340	6.22	2.257	2.60	1.1	30.6	102	1.9	19.7	14.9	.9	1	8	12.9	.7	53.9	1.3	-	
427103	2.4	8.6	14.3	33	.8	3.0	9.2	285	2.87	66	3.0	2.4	5.4	161	.2	12.2	.1	122	.44	.094	11.1	8.8	.22	109	.310	7.76	.242	8.30	3.0	44.5	25	.5	6.5	5.5	.4	<1	8	4.5	2.6	203.1	1.6	5.6	
427104	3.1	11.5	11.8	31	.5	3.2	10.5	438	3.22	47	3.2	1.5	5.2	174	.1	13.0	.1	112	.60	.100	10.3	8.8	.33	90	.291	7.61	.236	8.23	2.7	46.6	24	.6	7.0	5.5	.4	<1	8	5.7	2.8	206.8	1.6	6.0	
427105	2.5	43.4	29.7	94	.6	2.6	10.5	428	3.07	46	3.1	.6	6.3	174	.3	31.7	.1	101	.45	.105	15.1	6.7	.31	152	.303	7.94	.261	8.99	2.9	46.2	33	.5	6.6	5.6	.4	<1	8	5.4	2.4	219.1	1.7	3.6	
427106	3.2	26.2	15.0	108	.4	2.7	10.1	464	2.97	33	2.9	.3	6.5	162	.4	19.5	<1	109	.36	.094	14.2	10.8	.45	202	.313	7.56	.208	7.57	2.3	41.2	29	.6	6.0	5.4	.4	1	8	9.5	2.0	200.7	1.5	6.0	
RE 427106	3.0	27.1	14.6	109	.5	2.5	9.8	464	2.93	32	2.9	.3	7.0	159	.4	20.4	<1	109	.36	.097	15.5	11.0	.45	213	.311	7.48	.208	8.96	2.4	42.4	31	.5	6.4	5.1	.4	1	8	9.1	2.0	180.5	1.6	-	
RRE 427106	3.3	26.8	14.3	118	.5	2.8	10.2	472	3.01	35	3.1	.3	7.5	164	.4	20.3	<1	114	.37	.099	15.8	7.9	.45	231	.324	7.87	.221	6.60	2.5	43.0	31	.6	6.0	5.4	.4	1	8	9.8	2.1	179.1	1.7	-	
427107	3.1	11.7	14.1	38	.5	3.5	10.8	265	3.95	45	3.3	.4	6.5	222	.1	9.8	<1	110	.46	.101	15.2	6.9	.25	94	.319	8.08	.234	7.44	2.2	45.8	33	.5	7.2	5.4	.4	<1	8	4.6	3.8	198.5	1.6	5.5	
427108	3.8	1018.9	496.7	1715	1.7	2.8	9.2	838	4.40	118	3.6	.8	6.1	222	12.5	53.2	<1	69	.37	.081	14.0	11.0	.34	77	.270	6.37	.197	5.13	2.0	37.0	28	.6	6.8	4.7	.4	<1	6	5.9	4.0	135.1	1.4	4.3	
427109	4.7	32.1	65.4	498	.6	3.1	9.4	1028	2.98	48	4.0	.2	7.2	402	3.4	13.3	<1	90	.33	.105	14.0	8.9	.47	152	.310	7.24	.364	6.53	2.3	44.2	30	.6	7.1	5.7	.5	<1	8	7.7	2.4	177.6	1.7	4.3	
427110	5.1	14.6	21.6	52	.6	3.1	10.0	1421	3.76	38	3.3	.6	7.1	221	.2	8.1	.1	114	.34	.099	20.3	6.9	.56	263	.334	7.94	.302	7.61	2.6	38.4	39	.7	7.7	5.6	.4	<1	8	5.3	2.9	208.3	1.6	6.1	
427111	4.2	12.3	16.5	56	.6	2.8	9.8	1474	3.69	39	3.4	.2	8.0	228	.1	7.2	.1	112	.78	.104	17.0	6.9	.75	246	.331	7.84	.386	6.84	2.9	47.7	31	.6	8.5	5.4	.5	1	9	12.0	2.5	194.6	1.7	6.1	

ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #14 File # A605818 Page 1

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus VanWermeskerken

SAMPLE#	Au** gm/mt
G-1	<.01
427030	.19
427031	.03
427032	.04
427033	.27
427034	.45
427035	.14
427036	.15
427037	.12
427038	.04
427039	.16
427040	.48
RE 427040	.47
RRE 427040	.49
427041	.33
427042 (pulp)	.27
427043	.38
427044	.79
427045	.19
427046	.25
427047	.36
427048	.51
427049	.62
427050	1.10
427051	.42
427052	.14
427053	.10
427054	.12
427055	.09
427056	.08
427057	.09
427058	.17
427059	6.48
427060	.28
427061	.23
STANDARD SL20	5.94

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA DATE RECEIVED: AUG 30 2006 DATE REPORT MAILED:.....



ACME ANALYTICAL



ACME ANALYTICAL

SAMPLE#	Au** gm/mt
G-1	<.01
427062 (rock)	<.01
427063	1.43
427064	.61
427065	.42
427066	.28
427068	.12
427069	2.66
427070	1.63
427071	1.38
427072	2.60
427073	.13
RE 427073	.13
RRE 427073	.13
427074	.23
427075	.33
427076	.37
427077	.43
427078	.59
427113	22.56
STANDARD SL20	6.06

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.





ASSAY CERTIFICATE




Coast Mountain Geological PROJECT Homestake #14 File # A605818A

P.O. Box 11604 620 - 650, Vancouver BC V6B 4M9 Submitted by: Marcus Vanvermeskerken

SAMPLE#	Au** gm/mt
427067 STANDARD SL20	.39 5.95

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: Drill Core R150

Data  FA \_\_\_\_\_ DATE RECEIVED: AUG 30 2006 DATE REPORT MAILED:.....





GEOCHEMICAL ANALYSIS CERTIFICATE



Coast Mountain Geological PROJECT Homestake #14 File # A605818 Page 1

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanherneskerken

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Mn	Co	Ni	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	Sample		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	kg
G-1	.3	2.6	23.3	57	<1	3.8	4.2	749	2.35	<1	3.8	<1	7.8	669	.1	.2	.2	49	2.44	.089	21.5	15.3	.61	1065	.266	7.37	2.888	2.38	.2	8.7	46	1.0	12.9	18.9	1.7	2	4	39.8	<1	89.4	.7	-		
427030	14.3	142.8	419.9	501	5.4	4	16.1	3868	6.01	106	.8	.3	1.4	168	3.3	24.1	.1	227	5.16	.091	14.4	4.8	.41	84	.408	6.06	.127	5.42	5.4	15.9	29	.7	10.7	1.7	.2	1	14	8.4	5.2	196.5	.7	2.00		
427031	4.5	15.2	26.5	63	2.2	3.7	27.9	4829	6.11	61	1.6	<1	1.7	205	.3	23.7	.1	246	4.95	.096	9.7	4.8	.70	95	.388	6.01	.110	5.15	5.1	23.1	20	.6	12.7	1.8	.2	1	16	9.1	5.1	214.3	.8	2.30		
427032	1.3	20.4	18.8	125	1.1	2.5	17.6	5054	7.78	39	.7	<1	1.3	177	.2	19.7	.1	337	3.27	.118	6.3	6.4	1.14	200	.493	7.25	.146	6.99	7.6	21.4	16	.8	9.5	2.3	.1	1	17	22.2	4.0	174.4	.8	2.00		
427033	6.8	150.1	136.9	1125	4.7	3.2	20.7	1949	4.90	191	1.4	.2	1.3	153	8.7	18.4	.8	250	2.62	.102	6.3	4.9	.50	105	.424	6.74	.115	7.55	8.6	25.3	15	.4	11.5	2.0	.2	1	15	8.7	3.6	254.8	.9	2.20		
427034	7.6	1540.7	288.2	>10000	5.5	2.8	22.4	3125	6.29	199	1.3	.6	1.6	198	109.1	16.7	1.3	266	4.46	.113	8.8	5.3	.75	134	.400	6.46	.087	4.56	8.5	22.4	20	.6	11.9	1.8	.1	<1	16	10.0	5.1	133.6	.7	2.60		
427035	7.0	119.4	44.7	239	3.2	4.7	26.1	2004	6.29	220	1.4	.1	1.0	218	1.1	17.1	1.4	242	2.39	.107	2.9	8.6	.66	87	.434	6.43	.095	6.84	10.7	22.2	8	.5	10.3	2.0	.1	1	14	14.0	4.4	202.5	.8	3.00		
427036	2.8	31.5	44.9	220	3.6	4.5	23.2	3567	7.12	128	1.0	.2	1.1	161	.8	15.6	.4	354	3.59	.128	6.5	8.4	.96	111	.482	7.04	.120	6.99	9.4	24.1	16	.6	10.2	2.6	.2	<1	16	15.8	3.8	181.0	.8	2.90		
427037	20.0	25.9	48.5	137	3.8	4.2	24.2	3072	6.39	153	1.4	.1	1.4	103	.3	15.6	.7	318	2.04	.089	17.5	5.9	.99	140	.377	6.39	.091	6.01	12.2	21.2	34	.4	9.1	1.7	.2	1	15	15.9	3.1	161.2	.8	2.90		
427038	2.8	18.6	179.7	518	4.3	6.4	13.4	4639	4.22	63	1.4	<1	3.4	186	3.8	14.9	.3	203	3.77	.066	12.5	10.5	.69	179	.356	6.69	.098	5.91	7.0	44.7	27	1.0	8.6	4.1	.4	1	12	9.3	3.0	185.2	1.4	3.00		
427039	1.7	23.2	43.4	71	4.0	12.2	15.1	1559	5.02	171	2.1	.3	2.5	148	.4	19.8	.1	219	1.64	.093	8.8	12.5	.41	71	.389	7.64	.128	7.17	8.0	41.7	21	.6	9.4	3.8	.3	<1	14	9.3	4.2	251.6	1.4	3.00		
427040	6.1	31.9	1546.1	220	11.1	6.0	11.3	882	4.87	234	2.4	.6	3.6	163	2.2	36.3	.2	135	2.11	.058	21.3	12.2	.12	53	.273	5.19	.105	6.14	6.6	45.0	43	.6	10.3	4.0	.3	<1	9	6.2	4.6	213.7	1.3	2.80		
RE 427040	5.4	29.6	1622.9	224	12.1	5.9	11.8	874	4.94	225	2.5	.6	3.3	157	2.0	36.8	.3	138	2.14	.055	19.7	12.3	.12	62	.277	5.29	.102	6.33	6.2	42.4	40	.7	9.8	3.4	.3	<1	9	6.5	4.7	223.0	1.3	-		
RRE 427040	5.4	28.3	1708.3	225	11.8	4.6	12.2	846	5.07	213	2.5	.6	3.3	160	2.1	37.0	.3	139	2.23	.061	19.3	13.5	.12	70	.272	5.32	.101	6.39	6.7	43.1	40	.6	9.8	3.7	.3	<1	9	5.0	5.0	213.0	1.4	-		
427041	1.1	22.0	63.2	66	7.3	6.5	12.5	962	4.26	248	1.7	.4	1.8	183	.5	25.3	.1	165	2.12	.070	6.8	14.3	.29	92	.304	5.88	.111	6.71	10.1	32.4	17	.3	7.6	2.4	.2	1	11	5.9	3.8	235.7	1.0	2.60		
427042(pulp)	16.3	42.5	14.2	117	.2	16.7	84.4	2246	6.39	2087	2.8	.3	6.4	314	.1	8.1	7.7	102	8.24	.091	60.6	40.8	1.17	1315	.344	6.41	2.180	1.81	.9	30.3	109	2.0	22.2	13.6	.9	1	8	13.8	.7	48.9	1.2	-		
427043	8.7	103.1	605.6	1007	5.4	4.5	11.6	786	5.09	233	2.1	.4	1.6	177	7.8	20.5	.3	168	1.68	.074	4.7	12.3	.13	96	.286	5.41	.096	6.18	7.1	32.5	12	.2	8.3	2.3	.2	<1	9	4.8	5.1	207.5	1.1	2.50		
427044	5.7	94.4	1666.5	>10000	7.3	7.5	16.6	430	5.52	221	1.9	.6	1.2	126	188.5	20.5	.2	212	6.07	.078	3.6	13.1	.17	79	.318	5.30	.094	5.89	6.6	23.7	12	.6	8.4	1.8	.1	1	12	7.4	6.1	215.9	.9	3.20		
427045	12.3	80.6	4157.5	755	10.0	9.8	18.6	365	5.18	209	2.5	.3	1.2	156	6.4	43.8	.2	290	.74	.072	3.6	12.9	.10	40	.350	6.15	.109	7.49	7.0	29.1	12	.6	8.0	2.0	.1	<1	11	5.1	5.0	243.9	.9	3.10		
427046	21.9	121.5	3029.1	4086	6.7	7.5	19.6	324	5.04	221	2.6	.3	1.4	150	38.7	26.4	<1	270	.66	.101	4.9	11.2	.17	36	.395	6.80	.118	6.70	6.6	31.3	16	.5	10.4	2.2	.1	1	14	5.2	5.1	245.5	1.1	2.80		
427047	12.3	23.6	485.6	172	5.0	5.5	13.1	701	4.31	204	2.5	.4	2.9	127	1.3	21.8	.1	165	1.31	.078	8.1	11.5	.14	67	.312	6.05	.112	6.24	7.1	32.0	19	.3	8.3	2.6	.2	1	11	5.3	4.2	216.5	1.2	2.50		
427048	3.6	18.4	97.7	87	4.1	8.8	12.3	434	3.67	253	3.8	.6	4.7	169	.6	19.7	<1	137	1.07	.101	16.6	13.9	.07	67	.300	6.90	.154	8.42	7.8	46.7	36	.4	8.9	4.3	.3	<1	8	3.1	3.6	296.9	1.5	2.50		
427049	1.7	15.5	51.6	36	4.3	7.7	11.0	444	4.33	177	3.7	.5	4.4	150	.2	22.6	<1	142	.84	.110	12.6	12.6	.12	57	.332	7.89	.199	8.34	11.3	56.8	31	.4	10.4	4.9	.4	<1	8	1.8	4.1	295.6	1.9	2.60		
427050	2.9	15.9	97.3	62	4.6	5.6	10.3	918	6.30	284	3.8	2.2	3.6	133	.4	31.6	<1	120	1.67	.091	9.9	10.7	.12	52	.287	7.07	.132	8.30	5.3	43.7	24	.4	7.9	3.9	.3	<1	8	3.2	6.1	243.9	1.5	2.80		
427051	.8	13.3	41.0	41	2.6	6.2	9.8	1114	3.87	158	3.1	.4	4.8	167	.3	15.6	.1	136	1.90	.125	8.6	12.3	.20	89	.330	7.78	.190	>10	6.6	59.5	22	.5	7.4	4.8	.4	1	8	1.8	3.4	276.4	1.6	2.50		
427052	.5	32.8	25.1	70	1.7	5.8	8.5	1450	4.88	99	2.5	.2	5.5	134	.2	15.1	.1	141	1.56	.105	14.8	12.6	.60	183	.319	7.36	.130	7.75	5.1	45.5	30	.9	8.8	4.0	.4	1	9	15.0	2.6	234.2	1.5	2.10		
427053	.9	35.9	12.3	76	1.3	6.4	9.0	1347	3.36	53	2.6	.1	6.4	172	.2	8.9	<1	149	1.66	.103	18.5	15.0	.57	894	.330	7.47	.143	6.74	6.5	46.9	36	.5	8.8	4.4	.3	<1	10	11.4	1.3	228.4	1.6	2.60		
427054	1.1	33.0	60.1	90	1.6	6.8	13.3	2024	3.59	83	3.0	.2	5.9	224	.5	8.5	<1	171	2.86	.123	15.1	13.9	.54	507	.370	8.48	.158	7.62	6.4	55.0	32	.5	10.6	5.1	.4	<1	11	5.8	2.1	237.4	1.6	2.60		
427055	.7	19.4	97.3	160	1.0	5.3	8.9	2755	2.95	79	2.9	<1	5.2	227	1.2	5.3	.1	152	2.66	.105	15.7	13.1	.63	656	.324	7.44	.129	6.18	4.8	46.1	33	.6	8.9	4.1	.4	1	9	3.8	1.3	187.9	1.5	1.80		
427056	.4	61.6	15.6	43	1.7	5.2	8.1	3676	3.34	72	2.7	.1	4.9	293	.3	6.6	.1	156	3.64	.116	11.7	13.8	.78	895	.340	7.06	.152	7.37	6.9	51.6	28	.7	10.2	4.1	.4	<1	11	2.6	1.4	201.6	1.6	2.50		
427057	.7	89.0	14.1	44	1.8	5.4	9.3	3809	3.42	82	2.9	<1	6.0	245	.1	9.0	.1	129	4.50	.110	16.7	10.8	.65	912	.331	7.12	.141	6.23	6.4	49.4	34	.5	10.3	4.3	.4	<1	9	7.8	1.6	201.0	1.5	2.70		
427058	2.9	2716.7	97.8	388	6.5	8.4	12.5	1631	5.19	68	3.2	.1	4.5	132	2.7	15.3	.6	125	1.40	.100	11.4	13.4	.72	113	.310	6.71	.107	6.05	5.2	42.9	25	.5	8.3	3.5	.3	1	9	14.0						



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	Sample		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	kg
G-1	1.0	4.4	22.8	57	<1	6.1	4.3	797	2.59	<1	4.7	<1	6.9	731	<1	<1	.2	58	2.72	.083	19.6	83.3	.66	1002	.282	8.18	2,684	2.93	.2	7.1	43	1.5	12.9	19.0	1.5	2	5	38.1	<1	111.1	.6	-		
427062(rock)	.4	5.9	18.3	82	<1	1.8	3.8	930	2.05	3	7.2	<1	14.2	349	<1	.2	.1	32	1.23	.064	20.7	5.1	.33	605	.182	7.31	3,329	2.66	.8	10.3	37	1.5	8.6	8.9	.8	3	4	13.9	<1	93.7	.9	.4		
427063	1.1	50.6	19.9	88	4.1	2.8	7.1	1055	3.07	99	1.2	1.7	.9	368	.4	21.5	.1	85	2.08	.060	1.2	8.1	.21	78	.172	3.79	.093	3.51	6.9	17.5	5	.5	6.6	3.4	.3	<1	7	11.0	2.7	116.6	.5	2.9		
427064	.4	24.5	21.3	173	2.8	4.6	10.9	720	3.48	168	2.2	.6	3.0	283	.5	14.6	.1	176	.79	.093	4.9	12.7	.47	132	.315	6.26	.068	4.91	11.7	33.6	16	.7	8.7	6.0	.5	1	14	13.5	2.4	184.2	1.1	2.6		
427065	.9	27.3	10.3	105	2.2	5.0	9.4	1788	3.80	77	2.0	.5	6.6	183	.1	14.3	.1	168	1.59	.142	19.2	12.8	.75	361	.414	8.47	.044	5.15	16.6	38.4	38	.8	10.9	7.7	.6	2	17	13.9	1.4	215.1	1.4	4.9		
427066	.5	41.3	12.6	45	1.4	3.6	6.0	613	2.60	121	1.6	.3	5.7	331	<1	11.8	<1	155	.84	.149	18.3	11.5	.48	295	.380	8.25	.114	7.29	17.8	31.6	39	.4	10.0	7.1	.5	1	15	10.1	1.3	247.1	1.1	2.2		
427068	1.6	22.9	19.4	83	.9	5.3	9.6	700	2.83	117	2.7	.1	5.1	245	.2	19.9	<1	192	.90	.124	13.6	18.0	.51	272	.379	7.96	.083	5.81	13.1	38.1	30	.8	11.2	7.7	.5	1	17	9.4	1.7	213.6	1.4	3.8		
427069	1.8	85.8	882.2	2316	5.4	9.5	24.3	247	4.38	603	2.1	1.8	1.8	238	18.1	45.0	<1	152	.45	.107	2.1	13.1	.09	167	.290	6.72	.190	8.03	8.5	39.6	9	.7	8.7	5.7	.4	<1	11	5.9	4.3	218.6	1.3	2.6		
427070	2.0	103.0	1071.2	2520	6.7	6.5	16.6	219	4.45	501	2.3	1.5	2.4	183	18.4	88.6	<1	168	.55	.097	3.2	13.7	.12	266	.261	6.50	.164	7.34	7.5	32.7	11	.8	7.7	5.2	.3	1	11	5.6	4.2	203.3	1.1	2.7		
427071	1.0	76.4	941.8	2988	4.4	8.7	16.1	336	4.43	589	2.3	1.4	4.5	191	24.6	32.2	.1	199	.65	.139	8.8	16.9	.16	202	.340	7.43	.203	8.19	9.6	41.2	23	.9	10.3	6.2	.5	1	15	4.9	4.3	232.5	1.6	2.8		
427072	1.8	178.9	130.3	432	6.5	7.7	14.3	481	5.04	426	2.0	2.8	3.0	203	3.0	117.6	.1	124	1.00	.109	5.7	12.5	.13	114	.305	6.34	.187	6.68	6.1	35.7	18	.9	8.9	5.4	.4	<1	10	7.1	4.9	192.6	1.0	2.9		
427073	.6	25.9	11.5	65	.8	4.8	11.5	496	2.83	82	2.2	.1	4.9	197	.2	22.7	<1	173	.88	.109	13.4	16.3	.20	169	.347	7.63	.205	8.32	10.8	43.6	30	.8	10.4	6.5	.5	1	15	5.2	2.4	232.1	1.3	2.9		
RE 427073	.5	25.2	10.6	61	.8	3.7	10.4	456	2.75	78	2.1	<1	4.2	181	.2	21.1	<1	165	.86	.093	11.7	15.4	.20	172	.316	7.28	.197	8.36	9.2	38.3	27	.9	9.1	5.8	.5	1	16	6.8	2.3	224.3	1.3	-		
RRE 427073	.6	25.9	11.0	66	.9	4.3	11.0	503	2.93	80	2.2	.2	4.3	187	.2	22.2	<1	175	.89	.098	12.5	15.4	.20	142	.352	7.62	.204	8.63	9.5	41.6	29	1.0	9.7	6.1	.4	1	16	5.6	2.5	227.3	1.4	-		
427074	.6	82.1	14.3	67	1.8	5.1	11.8	994	4.68	102	2.4	.3	4.3	206	.1	25.7	.1	155	.75	.129	11.1	14.5	.36	123	.322	6.99	.200	8.06	4.2	41.7	27	.8	9.2	6.0	.4	<1	13	10.2	3.6	217.3	1.3	2.7		
427075	1.5	18.2	25.5	40	3.5	4.8	15.9	1316	6.04	154	2.3	.2	1.0	177	.1	31.4	<1	116	2.31	.100	1.8	9.7	.14	153	.243	5.82	.186	7.20	1.6	32.5	7	.8	9.0	4.1	.3	<1	10	4.5	5.9	180.0	1.1	3.3		
427076	1.7	21.0	30.9	78	2.0	5.8	17.6	341	2.74	95	2.9	.3	2.1	250	.6	20.6	<1	152	.90	.130	3.1	14.8	.13	164	.326	7.20	.281	9.13	2.6	42.2	12	.7	8.5	5.7	.4	<1	12	5.5	2.5	232.9	1.4	3.2		
427077	1.9	30.1	279.9	566	3.2	2.4	12.5	2407	3.70	131	2.0	.4	2.2	244	6.9	43.0	.1	75	4.69	.092	6.2	11.6	.07	149	.227	5.24	.198	6.59	2.0	26.3	19	1.0	10.3	4.0	.3	<1	8	4.5	3.8	163.7	.9	3.9		
427078	3.4	34.9	195.4	370	2.3	3.5	9.6	3452	4.67	176	1.8	.6	1.2	237	4.1	49.2	.1	71	6.49	.080	3.1	10.2	.08	375	.215	4.92	.202	5.93	2.0	24.6	10	.5	12.2	3.6	.3	<1	9	3.2	4.8	147.7	.9	4.3		
427113	3.5	131.2	294.0	1428	21.4	7.2	16.7	240	5.34	470	1.9	20.5	1.2	200	12.0	48.7	.2	173	.44	.099	1.6	10.7	.12	176	.270	5.82	.111	6.52	7.2	27.6	7	1.2	9.8	4.6	.4	<1	11	7.3	5.2	184.5	1.0	.5		
STANDARD DST6	12.5	129.2	35.8	166	.3	29.2	13.0	954	4.00	24	7.8	<1	7.2	302	5.5	5.4	4.9	103	2.24	.098	24.4	219.5	1.00	654	.420	6.90	1.609	1.41	7.7	52.6	51	6.0	14.8	8.4	.7	3	11	26.5	<1	55.4	1.7	-		

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



GEOCHEMICAL ANALYSIS CERTIFICATE




Coast Mountain Geological PROJECT Homestake #14 File # A605818A

P.O. Box 11604 620 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Tl	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	Sample	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	kg
G-1	.6	2.8	22.6	58	<.1	4.3	4.4	790	2.62	<.1	4.7	<.1	8.9	678	<.1	<.1	.2	59	2.52	.082	22.6	18.5	.62	1049	.256	7.65	2.636	2.60	1.6	8.5	52	1.4	13.7	23.2	1.7	2	5	37.3	<.1	113.2	.7	-	
427067	.5	21.8	9.7	66	1.1	9.2	7.2	895	3.18	142	1.6	.4	4.7	221	.1	10.7	<.1	174	.65	.161	11.8	13.8	.57	209	.327	8.37	.085	5.97	13.3	28.1	28	.6	7.7	7.2	.4	2	17	7.5	1.1	255.8	.9	2.4	
STANDARD DST6	12.1	125.7	36.8	171	.3	29.0	12.9	942	3.96	24	7.7	<.1	7.2	305	5.5	5.5	4.9	105	2.22	.098	26.1	223.8	.98	672	.370	6.80	1.676	1.46	7.4	52.7	52	6.2	14.2	8.4	.6	3	11	29.0	<.1	53.8	1.6	-	

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCl-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.  
- SAMPLE TYPE: Drill Core R150

Data FA DATE RECEIVED: AUG 30 2006 DATE REPORT MAILED:.....





ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #14 File # A605818R


P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Cu %	Zn %
427034 N.S.	-	-
427044	-	2.03
427059 N.S.	-	-
STANDARD R-3	.827	4.17

GROUP 7TD - 0.500 GM SAMPLE, 4 ACID (HF-HCL04-HNO3-HCL) DIGESTION TO 100 ML, ANALYSIS BY ICP-ES.  
 - SAMPLE TYPE: CORE PULP

Data *1/2* FA \_\_\_\_\_

DATE RECEIVED: JAN 20 2007 DATE REPORT MAILED:.....





ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #15 File # A605764


P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Au** gm/mt
G-1	<.01
427079	.37
427080	.34
427081	.82
427082 (pulp)	1.80
427083	.19
427084	.20
427085	.28
STANDARD SL20	6.08

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150

Data    FA   

DATE RECEIVED: SEP 1 2006 DATE REPORT MAILED: .....





GEOCHEMICAL ANALYSIS CERTIFICATE




Coast Mountain Geological PROJECT Homestake #15 File # A605764

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Tl	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Lf	S	Rb	Hf	Sample		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	kg
G-1	1.7	3.8	34.4	57	.4	6.3	4.6	743	2.39	2	4.5	<.1	7.2	798	.1	1.1	.3	63	2.65	.084	23.6	17.9	.63	1075	.256	8.57	2.964	3.02	.9	9.1	48	2.1	15.1	22.0	1.7	3	6	40.3	<.1	128.7	.7	-		
427079	2.8	60.0	31.5	50	1.9	5.8	19.8	982	5.11	146	3.5	.3	3.6	180	.3	12.8	.6	127	2.21	.118	8.6	10.1	.10	23	.279	6.88	.214	6.49	2.9	37.3	23	.6	9.7	6.2	.4	<.1	12	3.9	5.0	154.2	1.3	4.23		
427080	1.3	22.6	26.4	43	1.8	7.2	18.6	343	4.62	118	3.0	.3	4.8	124	.2	11.6	<.1	197	.92	.144	12.0	12.6	.35	30	.382	8.48	.144	7.16	3.9	48.4	31	.7	10.7	8.2	.5	1	19	7.4	4.4	231.1	1.7	4.32		
427081	3.6	18.8	26.7	25	2.3	4.1	11.3	3627	4.76	271	1.7	1.0	3.8	137	.2	27.2	.1	135	6.98	.085	13.5	7.9	.25	118	.240	5.36	.086	4.37	2.0	31.6	28	.4	15.3	5.1	.3	<.1	13	6.6	4.7	134.8	1.1	1.56		
427082 (pulp)	7.3	130.0	15.6	145	.6	28.7	80.8	3801	9.11	1870	4.1	2.0	2.2	323	.5	13.0	30.6	97	16.45	.112	26.9	59	2	1.73	659	.238	4.48	.760	.91	9.0	43.6	35	4.3	17.5	2.5	.2	1	11	18.3	.5	26.2	1.4	-	
427083	2.6	22.6	21.8	27	1.3	7.1	15.1	507	5.50	151	3.4	.2	5.3	106	.1	16.8	<.1	192	1.20	.132	12.6	10.7	.45	26	.367	8.34	.098	6.37	3.3	45.8	32	.6	11.6	8.0	.6	2	17	7.6	5.4	207.6	1.5	4.06		
427084	3.6	22.7	21.9	101	1.6	5.8	13.9	637	5.17	120	2.3	.3	4.7	110	.2	12.5	<.1	152	1.45	.122	8.4	8.5	.57	22	.317	7.41	.058	4.90	3.0	35.8	24	.5	8.9	7.0	.5	1	15	9.8	5.0	176.8	1.1	4.13		
427085	3.2	19.7	21.7	41	1.6	5.3	15.2	1432	4.82	98	2.4	.3	5.9	150	.1	8.0	<.1	215	3.42	.128	17.0	11.2	.82	35	.368	7.85	.316	4.89	2.7	39.9	34	.6	13.4	7.9	.5	1	16	8.2	4.3	185.4	1.4	4.52		
STANDARD DST6	12.5	129.4	35.3	173	.3	29.7	13.2	962	4.06	25	7.7	<.1	7.3	316	5.7	5.5	4.8	103	2.28	.100	25.1	218.9	.99	688	.391	6.98	1.684	1.44	7.8	52.8	52	6.4	15.0	8.9	.7	3	12	27.1	<.1	58.0	1.7	-		

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCl-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.  
- SAMPLE TYPE: DRILL CORE R150

Data FA DATE RECEIVED: SEP 1 2006 DATE REPORT MAILED:.....



ASSAY CERTIFICATE




Coast Mountain Geological PROJECT Homestake #16 File # A605765 Page 1

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermskerken



SAMPLE#	Au** gm/mt
G-1	.01
427114	.08
427115	.03
427116	.04
427117	.12
427118	.12
427119	.09
427120 (pulp)	1.74
427121	.08
427122	.11
427123	1.36
427124	.02
427125	.06
427126	.06
427127	.14
427128	.38
427129	.62
427130	.32
427131	.27
427132	1.00
427133	.82
427134	.56
427135	.33
427136 (pulp)	1.85
427137	.22
427138	.32
RE 427138	.31
RRE 427138	.31
427139	.19
427140	.18
427141	.15
427142	.23
427143	1.51
427144	.23
427145	.76
STANDARD SL20	6.05

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



Data    FA    DATE RECEIVED: SEP 1 2006 DATE REPORT MAILED: .....





SAMPLE#	Au** gm/mt
G-1	.01
427146	.29
427147	.43
427148	.35
427149	1.20
427150	1.14
427151	3.43
427152	.67
427153 (rock)	.04
427154	1.79
427155	.71
RE 427155	.73
RRE 427155	.74
427156	1.32
427157	.51
427158	.31
427159	.42
427160	.31
427161	.29
427162	.74
427163	.48
427164	.56
427165	.96
427166	.35
427167	.17
427168	.20
STANDARD SL20	6.06

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

GEOCHEMICAL ANALYSIS CERTIFICATE

Coast Mountain Geological PROJECT Homestake #16 File # A605765 Page 1

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.2	11.1	24.5	53	<1	4.2	4.1	737	2.36	1	4.3	<1	8.9	761	<1	1.5	.2	58	2.53	.091	26.8	11.4	.63	1047	.268	8.15	2.788	3.01	.2	9.3	52	1.2	16.1	24.8	1.7	3	6	39.6	<1	119.8	.8		
427114	1.6	27.0	32.4	51	2.2	2.8	24.2	5279	6.70	234	.6	<1	1.4	251	.3	15.7	.2	298	3.90	.143	6.4	6.6	1.17	107	.498	8.05	.108	6.97	5.5	16.6	16	.7	10.6	2.6	.2	1	21	5.7	4.5	202.6	.7		
427115	1.9	15.2	25.3	72	1.8	3.6	20.3	2853	5.91	75	1.3	<1	1.9	147	.1	16.1	<1	301	1.78	.131	7.5	6.3	.98	134	.458	7.80	.116	6.68	4.6	25.9	19	.7	11.4	2.5	.2	2	24	19.6	3.5	247.8	.9		
427116	2.4	23.5	40.5	96	2.6	2.4	17.0	4118	7.00	140	1.2	<1	1.7	217	.5	22.5	<1	270	4.25	.132	7.8	3.7	.82	96	.421	7.58	.146	7.48	6.5	23.3	19	.6	12.5	2.4	.2	1	19	11.7	5.6	238.2	.8		
427117	3.9	317.6	61.1	771	2.6	3.9	23.3	2265	6.26	328	1.1	.1	1.3	181	4.7	16.8	1.5	268	2.85	.116	4.6	6.1	.72	117	.425	7.52	.141	9.01	8.4	19.3	13	.5	11.5	2.2	.2	<1	21	9.8	4.4	256.3	.7		
427118	4.2	1313.8	380.6	4458	4.6	3.6	20.5	2740	5.80	341	1.2	.2	1.4	172	34.7	17.7	1.0	216	4.56	.112	6.1	5.5	.67	99	.390	6.72	.115	6.50	10.5	22.3	15	.4	13.0	1.9	.1	<1	16	10.3	4.6	230.6	.8		
427119	2.2	24.2	36.7	88	2.9	4.2	18.8	2269	6.52	225	.9	<1	1.4	144	.2	20.4	.2	251	3.49	.124	7.5	7.6	.64	116	.422	7.66	.122	9.31	10.0	18.5	20	.4	11.9	2.3	.1	<1	21	9.6	5.4	239.6	.7		
427120 (pulp)	9.3	134.5	16.7	140	.6	31.2	87.2	3786	9.12	1910	4.3	1.9	2.2	330	.5	14.2	31.2	106	14.69	.122	27.2	56.6	1.68	661	.259	4.27	.664	.90	12.5	41.2	35	4.0	18.3	2.6	.2	<1	11	17.0	.6	26.2	1.4		
427121	3.9	51.8	90.0	448	3.6	3.5	13.0	21245	5.68	222	1.0	<1	.8	383	3.3	13.5	.6	99	18.42	.036	16.1	3.0	3.48	121	.113	2.00	.035	1.88	4.2	9.4	22	.2	15.2	.8	<1	1	9	18.3	2.3	55.9	.3		
427122	15.3	20.0	43.4	97	2.6	3.4	23.1	3548	5.37	353	1.2	.1	1.4	150	.6	28.2	.3	156	5.32	.095	6.4	4.3	.58	229	.362	6.34	.125	6.71	9.3	17.5	16	.5	11.3	1.9	.1	<1	14	11.3	4.6	190.6	.6		
427123	3.9	33.4	382.5	981	5.4	3.8	17.0	7820	10.26	828	1.0	.4	1.0	335	8.8	77.0	.2	242	9.69	.057	8.4	3.6	1.45	74	.258	4.98	.047	4.07	7.8	11.7	18	.4	14.1	1.3	.1	1	19	6.0	8.6	145.8	.4		
427124	.8	12.1	26.7	132	1.7	6.2	14.7	3623	4.32	89	1.2	<1	1.8	126	.3	15.9	.1	319	2.82	.090	11.0	8.3	.73	87	.324	6.70	.070	5.25	9.8	19.2	23	.6	8.6	2.2	.2	1	16	13.3	2.7	193.6	.7		
427125	1.0	17.1	452.0	961	3.2	7.8	13.5	6475	4.10	70	1.3	<1	2.5	154	5.9	17.8	.2	239	3.65	.076	12.5	10.0	1.00	146	.269	6.41	.056	4.59	11.2	29.7	26	.8	9.9	3.3	.2	1	14	16.2	2.2	190.4	1.0		
427126	3.4	22.5	287.7	856	4.4	7.0	19.1	5749	4.72	123	1.5	<1	2.3	186	5.3	18.5	.1	228	4.32	.095	10.6	10.1	.81	119	.337	6.72	.070	5.04	19.0	27.1	23	.6	11.1	2.9	.2	1	16	10.2	3.4	199.3	.9		
427127	2.3	42.2	855.9	1686	10.3	10.8	19.1	2541	5.60	155	1.4	.2	2.1	120	13.6	26.3	.1	237	1.85	.099	10.3	14.0	.86	69	.338	7.44	.072	6.13	11.3	29.6	24	.9	10.3	3.2	.2	1	18	14.2	4.2	224.9	1.1		
427128	4.2	29.9	1097.8	2601	6.1	5.9	23.5	1079	8.46	387	1.6	.4	1.1	161	16.9	38.6	.2	319	1.48	.127	4.0	5.2	.52	99	.506	8.83	.103	8.53	11.4	23.5	13	.6	10.9	2.4	.1	1	24	6.6	8.0	261.9	.8		
427129	5.4	145.0	2117.4	10000	7.0	6.4	22.7	687	8.44	485	2.1	.7	.8	130	243.3	39.5	.2	198	1.02	.099	1.9	5.0	.40	55	.329	6.36	.107	7.23	10.4	29.4	8	.7	10.4	2.4	.2	1	15	9.2	9.0	210.1	1.0		
427130	5.1	28.8	195.0	229	3.2	6.3	19.2	515	5.76	429	2.4	.4	1.3	176	1.2	24.6	.1	180	.83	.076	4.1	6.5	.24	199	.312	5.94	.095	6.42	6.7	31.3	13	.6	10.2	2.4	.2	1	14	5.8	5.6	206.0	1.0		
427131	13.1	41.6	473.8	820	7.3	5.8	13.8	652	3.98	290	2.6	.3	1.3	127	6.1	43.7	.1	130	1.19	.046	4.6	12.1	.22	52	.225	4.40	.070	4.80	6.7	27.1	12	.5	7.6	2.2	.1	<1	10	8.1	3.8	144.8	.8		
427132	3.0	23.4	2719.3	8094	10.5	8.1	14.1	605	5.27	442	3.7	1.2	3.4	142	78.1	30.9	.1	158	.89	.069	15.0	10.0	.25	62	.262	6.35	.129	8.17	10.1	40.9	33	.3	8.5	3.6	.3	<1	11	6.1	4.9	238.6	1.3		
427133	1.6	18.9	298.7	1418	6.7	6.1	11.4	285	4.34	544	4.3	1.4	4.4	116	11.2	26.8	.8	114	.55	.091	23.5	11.1	.17	105	.225	6.39	.154	8.23	8.0	47.5	47	.3	8.1	4.3	.3	<1	8	5.4	4.1	243.8	1.5		
427134	1.1	24.6	117.2	480	4.6	6.7	12.9	1083	4.15	581	4.2	.7	5.1	171	3.0	14.9	.1	131	1.40	.124	15.7	9.1	.38	80	.261	7.57	.169	9.55	7.1	50.1	33	.4	9.9	4.7	.3	<1	10	3.5	3.5	244.2	1.6		
427135	1.3	21.1	45.9	184	3.2	6.7	11.6	910	3.56	286	3.6	.2	4.0	154	.9	15.0	.2	112	1.27	.108	13.5	14.8	.39	86	.254	7.00	.160	8.66	7.5	43.9	26	.3	8.2	4.5	.3	<1	9	5.2	2.4	215.4	1.4		
427136 (pulp)	8.7	124.9	16.0	156	.6	33.7	87.7	3948	9.42	1930	4.0	1.8	2.2	335	.7	13.8	32.0	111	15.45	.119	27.4	62.5	1.64	694	.262	4.34	.771	.94	9.7	39.9	35	3.9	18.7	2.5	.2	1	11	20.8	.6	26.7	1.5		
427137	2.1	16.0	56.7	146	3.8	6.3	12.5	1937	3.14	270	3.5	.2	4.4	170	.9	18.4	.1	123	2.86	.103	12.8	12.9	.43	152	.256	6.31	.142	7.61	7.7	44.7	25	.4	9.6	4.4	.3	1	10	5.9	1.9	207.9	1.3		
427138	1.1	20.6	38.1	139	3.9	6.8	12.1	2271	5.17	252	3.3	.3	4.3	177	.7	15.2	<1	165	2.62	.090	13.7	10.9	.69	137	.265	7.13	.143	8.56	12.4	47.3	29	.6	9.3	4.6	.3	1	11	7.4	3.3	212.5	1.4		
RE 427138	1.0	19.2	39.0	132	4.2	6.5	12.0	2232	4.79	271	3.4	.3	4.9	180	.7	15.8	.1	170	2.71	.096	14.2	11.3	.66	158	.258	7.26	.139	8.85	13.1	46.2	29	.3	9.7	4.4	.3	1	11	6.5	3.1	219.4	1.4		
RRE 427138	1.3	18.9	44.1	140	4.6	6.9	11.5	2291	4.84	305	3.9	.3	5.5	206	.8	17.8	.1	168	2.66	.131	16.2	11.5	.66	205	.263	7.15	.166	7.26	14.2	49.9	32	.3	10.5	4.9	.3	<1	12	7.0	3.2	238.9	1.5		
427139	.8	14.7	29.6	38	3.1	6.2	11.3	1291	3.73	209	2.8	.2	4.2	170	.2	13.6	<1	118	1.64	.095	9.2	12.9	.42	85	.236	6.84	.130	7.66	9.6	42.4	21	.5	8.7	4.4	.3	<1	8	3.8	2.8	223.5	1.3		
427140	1.1	14.6	162.4	51	2.4	5.6	10.0	2033	4.27	192	2.7	.2	3.8	177	.4	11.0	.1	117	2.05	.107	8.4	10.9	.58	106	.251	6.69	.155	8.18	8.2	40.2	21	.4	9.4	4.3	.3	<1	10	5.3	3.3	191.3	1.2		
427141	.7	69.1	77.5	133	1.2	5.9	10.0	2846	3.72	109	2.3	.1	4.1	242	1.0	6.6	.1	132	2.93	.088	12.3	9.9	.82	135	.240	6.78	.104	7.31	5.2	39.4	25	.3	8.8	4.5	.3	1	11	4.5	1.8	180.4	1.1		
427142	2.1	153.7	281.6	896	4.1	7.2	12.4	663	3.89	172	2.7	.2	3.1	147	7.0	15.1	.3	115	.80	.121	5.1	13.6	.37	82	.258	6.54	.122	7.54	12.0	42.2	17	.4	7.5	4.7	.3	<1	9	6.5	3.3	214.1	1.2		
427143	3.2	689.5	118.0	345	8.0	3.3	11.9	631	3.49	108	2.5	.9	3.7	150	1.9	21.9	.4	95	.70	.107	9.0	8.0	.48	82	.264	6.76	.081	5.70	10.2	39.4	22	.4	9.0	5.2	.3</								



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Lt	S	Rb	Hf				
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
G-1	.8	12.3	22.5	56	<.1	3.4	4.1	750	2.35	2	4.4	<.1	7.2	778	.1	1.3	.2	55	2.41	.072	25.1	11.3	.60	1085	.256	7.31	2.839	2.31	.2	8.0	50	1.9	13.8	23.8	1.7	3	5	36.6	<.1	95.5	.6				
427146	1.7	54.9	17.8	52	2.3	3.1	8.0	1020	2.17	89	1.6	.3	3.8	190	.3	12.9	.1	136	2.37	.104	13.2	9.7	.25	153	.279	6.29	.083	5.59	10.5	27.1	27	.7	9.0	6.2	.4	1	13	7.5	1.6	188.8	.9				
427147	1.0	29.7	12.7	46	1.9	1.8	6.0	1833	2.18	115	1.3	.3	2.1	370	.2	10.8	<.1	118	3.82	.086	7.1	9.1	.25	237	.226	5.66	.070	5.13	8.2	23.2	18	.5	10.7	5.6	.3	1	12	6.8	1.7	174.1	.8				
427148	1.1	14.7	23.9	46	2.0	2.2	6.3	2155	3.94	359	1.5	.3	2.4	223	.1	13.2	<.1	120	4.74	.098	6.6	7.1	.22	133	.249	6.12	.088	6.04	9.6	24.8	16	.7	10.7	5.6	.4	1	13	4.8	3.6	190.9	.9				
427149	.7	20.0	22.1	38	2.6	2.9	7.6	2948	3.11	231	1.5	1.3	2.7	320	.2	17.9	<.1	112	6.41	.087	11.5	6.0	.19	2290	.211	5.83	.093	5.93	5.2	31.0	22	.5	15.9	4.8	.4	<.1	11	4.9	3.1	188.9	.9				
427150	4.5	103.6	93.2	470	6.0	6.4	11.1	678	8.10	440	1.8	1.5	.9	147	3.2	42.2	<.1	105	1.54	.087	3.3	6.1	.12	118	.210	5.48	.103	6.07	4.9	26.3	10	.8	7.7	4.4	.3	<.1	10	5.9	8.2	206.1	.9				
427151	3.5	102.1	45.6	90	7.2	7.5	13.6	472	11.37	428	1.7	3.7	.4	92	.4	48.4	<.1	101	.87	.075	1.0	8.2	.10	362	.180	4.43	.080	4.70	3.4	20.9	2	.7	7.0	4.1	.3	1	9	6.8	>10	151.2	.7				
427152	1.1	22.6	30.3	68	3.3	7.0	14.1	2522	6.03	462	1.5	.8	.4	193	.3	24.4	<.1	89	5.26	.082	1.5	11.6	.11	224	.187	4.77	.100	5.41	4.7	25.1	5	.5	14.0	4.9	.3	<.1	9	4.4	6.1	174.1	.8				
427153 (rock)	.4	4.1	27.7	58	.2	1.4	1.6	397	1.04	14	8.6	<.1	25.0	147	.3	1.2	<.1	16	.76	.022	22.5	5.7	.12	763	.073	6.63	2.984	3.23	.5	20.5	27	.8	3.6	6.7	.5	2	2	4.0	.2	123.3	1.1				
427154	8.0	73.7	67.8	91	9.0	9.1	21.4	1167	11.14	858	1.4	1.9	.5	110	.3	90.8	<.1	107	2.24	.076	1.7	7.7	.09	79	.167	4.66	.087	5.46	3.0	24.8	5	.4	7.0	3.7	.2	<.1	9	3.0	>10	158.6	.8				
427155	4.8	55.2	32.4	81	4.8	3.9	7.5	1787	6.57	479	1.8	.8	2.4	256	.2	43.6	<.1	118	3.73	.110	7.4	7.1	.10	119	.194	5.76	.145	6.36	5.1	31.0	18	.4	9.1	4.4	.3	1	10	3.3	6.4	184.7	1.0				
RE 427155	4.5	46.1	31.3	73	4.1	2.6	7.4	1802	6.15	435	1.8	.8	2.1	254	.3	39.1	<.1	114	3.62	.098	7.1	6.4	.10	119	.204	5.41	.139	6.25	4.7	29.9	17	.6	8.3	4.5	.3	<.1	10	4.2	6.2	195.5	.9				
RRE 427155	4.9	42.0	31.3	76	4.1	3.1	7.7	1876	6.60	461	1.7	.8	1.9	244	.4	35.5	<.1	117	3.78	.091	6.1	6.5	.10	79	.189	5.45	.124	6.41	4.6	28.9	16	.5	9.0	4.3	.3	<.1	9	4.8	6.7	184.0	.9				
427156	19.8	44.0	57.9	111	5.1	5.9	10.2	559	8.07	858	1.8	1.3	1.4	164	.5	57.3	<.1	122	1.34	.092	3.8	8.7	.11	120	.207	6.03	.142	6.50	4.6	32.8	12	.5	7.7	5.3	.3	1	11	4.2	8.1	210.6	.9				
427157	6.0	17.2	35.3	90	1.9	3.4	7.3	577	3.63	257	1.8	.5	.8	138	.5	17.2	<.1	106	1.10	.100	1.7	4.0	.17	132	.201	6.07	1.310	4.88	6.8	27.0	6	.6	7.4	4.7	.3	<.1	9	7.5	3.5	162.3	.8				
427158	5.7	11.0	23.5	76	1.1	4.0	8.2	624	2.29	192	1.8	.4	2.4	160	.4	10.6	<.1	114	1.49	.104	8.4	13.2	.07	189	.198	6.20	.158	7.25	7.6	31.8	21	.3	7.5	4.6	.3	1	9	5.3	2.2	199.8	1.0				
427159	3.0	17.1	25.0	66	1.5	4.8	9.5	744	2.52	144	2.2	.3	4.3	174	.4	14.5	<.1	146	1.45	.129	13.0	11.2	.15	130	.285	7.56	.174	8.21	12.4	39.0	28	.3	9.1	6.3	.5	1	12	4.5	2.1	219.8	1.3				
427160	3.2	11.1	28.5	89	1.4	3.4	6.8	1118	3.08	170	2.0	.3	3.7	205	.4	18.4	<.1	170	2.21	.131	13.0	13.1	.13	124	.267	6.86	.167	7.37	9.4	37.2	29	.4	10.5	6.2	.4	1	14	4.2	2.8	216.0	1.1				
427161	1.2	56.8	14.8	84	2.3	3.6	9.3	680	2.32	102	2.0	.2	5.0	202	.5	31.2	<.1	159	1.54	.125	15.4	11.9	.17	205	.259	7.22	.173	6.17	8.6	35.6	32	.4	8.9	5.5	.4	1	13	4.3	1.8	174.2	1.1				
427162	.5	50.6	10.9	59	1.0	6.7	14.7	844	3.77	168	2.1	.6	4.8	144	.1	12.7	<.1	184	1.19	.144	13.8	13.5	.47	126	.285	7.94	.152	6.76	7.9	36.1	32	.5	9.4	5.8	.3	<.1	15	8.7	2.3	202.7	1.3				
427163	1.4	55.9	8.2	70	1.1	5.6	15.3	1089	3.90	100	2.1	.4	4.5	158	.3	12.0	<.1	168	1.59	.119	12.3	12.6	.57	133	.299	7.58	.158	6.55	4.9	35.5	29	.5	9.2	6.0	.5	1	15	9.1	2.0	202.5	1.2				
427164	15.8	22.3	22.7	101	2.2	6.2	17.5	955	3.94	206	2.4	.6	4.9	139	.2	21.8	<.1	201	2.00	.123	14.5	10.7	.31	98	.347	7.57	.142	6.61	2.4	40.3	35	.4	10.5	7.6	.5	1	18	5.1	3.5	228.2	1.4				
427165	6.2	35.8	69.1	46	11.8	6.1	18.1	1284	8.24	645	2.9	.9	2.9	164	.2	117.1	<.1	147	2.72	.110	8.1	6.7	.15	55	.223	5.82	.158	6.64	2.3	33.0	21	.4	7.0	4.9	.3	1	11	2.7	8.3	183.6	1.1				
427166	11.9	26.9	31.5	26	2.4	7.4	17.5	565	5.39	154	3.9	.3	4.0	181	.4	13.4	<.1	125	1.49	.130	10.2	7.6	.17	85	.286	8.14	.214	8.81	2.6	44.9	27	.4	7.9	6.1	.3	<.1	14	2.1	5.4	249.7	1.4				
427167	97.8	21.9	26.3	22	2.0	5.4	13.8	355	6.90	101	3.0	.2	3.8	124	<.1	11.5	<.1	155	1.02	.130	8.9	7.5	.31	113	.316	7.77	.117	6.91	3.9	46.6	24	.5	9.4	7.5	.5	1	15	3.9	7.2	239.3	1.4				
427168	23.5	25.8	22.2	51	1.8	5.7	13.6	858	5.35	63	2.9	.2	5.3	140	.1	11.2	<.1	153	2.01	.144	14.3	9.2	.46	179	.320	7.65	.089	6.18	3.3	39.8	34	.6	10.6	7.1	.4	1	17	5.3	5.3	226.5	1.2				
STANDARD OST6	12.1	125.7	36.8	171	.3	29.0	12.9	942	3.96	24	7.7	<.1	7.2	305	5.5	5.5	4.9	105	2.22	.098	26.1	223.8	.98	672	.370	6.80	1.676	1.46	7.4	52.7	52	6.2	14.2	8.4	.6	3	11	26.1	<.1	53.8	1.6				

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #16 File # A605765R


P.O. Box 11604 620 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanhermeskerken

SAMPLE#	Zn %
427129	2.60
STANDARD R-2a	4.38

GROUP 7TD - 0.500 GM SAMPLE, 4 ACID (HF-HClO4-HNO3-HCL) DIGESTION TO 100 ML, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: CORE PULP

10-18-06 405-1

Data 1 FA \_\_\_\_\_ DATE RECEIVED: OCT 17 2006 DATE REPORT MAILED: .....





ASSAY CERTIFICATE




Coast Mountain Geological PROJECT Homestake #16 File # A605765R2

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	S. Wt gm	NAu mg	-Au gm/mt	TotAu gm/mt
427148	508	<.01	.38	.38
427149	502	<.01	1.26	1.26
427150	509	<.01	1.22	1.22
427151	507	<.01	3.49	3.49
427152	494	<.01	.83	.83
427154	516	<.01	1.25	1.25
427155	511	<.01	.79	.79
427156	438	<.01	1.43	1.43
427157	466	<.01	.49	.49
STANDARD SL20	-	-	6.07	6.07

-AU : -150 AU BY FIRE ASSAY FROM 1 A.T. SAMPLE. DUPAU: AU DUPLICATED FROM -150 MESH. NAU - NATIVE GOLD, TOTAL SAMPLE FIRE ASSAY.  
 - SAMPLE TYPE: CORE REJECT M15

Data FA 1/16/07 DATE RECEIVED: NOV 6 2006 DATE REPORT MAILED: .....



ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #16 File # A605765R2

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken


SAMPLE#	S.Wt gm	NAu mg	-Au gm/mt	TotAu gm/mt
427148	508	<.01	.38	.38
427149	502	<.01	1.26	1.26
427150	509	<.01	1.22	1.22
427151	507	<.01	3.49	3.49
427152	494	<.01	.83	.83
427154	516	<.01	1.25	1.25
427155	511	<.01	.79	.79
427156	438	<.01	1.43	1.43
427157	466	<.01	.49	.49
STANDARD SL20	-	-	6.07	6.07

-AU : -150 AU BY FIRE ASSAY FROM 1 A.T. SAMPLE. DUPAU: AU DUPLICATED FROM -150 MESH. NAU - NATIVE GOLD, TOTAL SAMPLE FIRE ASSAY.  
- SAMPLE TYPE: CORE REJECT M15

Data FA *11/5*

DATE RECEIVED: NOV 6 2006 DATE REPORT MAILED:.....

11-28-06 12:38 PM




ASSAY CERTIFICATE

Coast Mountain Geological PROJECT Homestake #17 File # A605766  
 P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Au** gm/mt
G-1	<.01
427169	.28
427170	.74
427171	2.46
427172 (rock)	.01
427173	.21
427174	.17
427175	.46
427176	.66
427177	.71
427178	1.32
427179	1.62
RE 427179	1.61
RRE 427179	1.84
427180	1.17
427181	.63
427182	.18
427183 (pulp)	1.78
427184	.06
427185	.26
427186	.04
427187	.09
427188	6.07
STANDARD SL20	6.24

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
 - SAMPLE TYPE: DRILL CORE R150  
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA \_\_\_\_\_ DATE RECEIVED: SEP 1 2006 DATE REPORT MAILED:.....






GEOCHEMICAL ANALYSIS CERTIFICATE

Coast Mountain Geological PROJECT Homestake #17 File # A605766  
 P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanvermeskerken

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
G-1	.2	6.8	35.2	61	<1	4.9	4.8	779	2.41	2	4.0	<1	7.0	768	<1	.4	.3	58	2.55	.085	18.8	13.9	.60	969	.274	7.59	3.017	3.09	.2	10.1	42	1.4	13.4	24.1	1.7	3	5	43.5	<1	113.3	.7	
427169	3.1	9330.0	28.5	132	14.3	1.9	7.1	933	5.03	75	1.4	.2	.3	245	.7	38.5	1.5	76	2.65	.048	.8	5.4	.54	676	.147	4.18	.053	1.96	2.8	23.0	3	.5	8.3	3.0	.2	1	6	11.0	4.3	89.0	.7	
427170	2.9	6396.1	28.5	107	6.9	3.0	6.9	221	5.80	117	1.7	.7	2.1	140	.6	20.7	1.7	86	.31	.051	2.5	7.4	.52	475	.125	4.25	.040	2.10	3.2	24.6	8	.6	4.5	2.5	.2	1	7	21.4	5.1	94.4	.7	
427171	5.1	>10000	238.0	377	40.3	3.1	7.5	171	15.33	111	.9	1.5	.7	87	2.4	54.4	2.8	83	.33	.029	3.7	5.4	.29	511	.070	3.02	.117	1.78	3.3	11.1	12	.4	3.7	1.4	.1	1	4	13.2	>10	70.4	.4	
427172 (rock)	.6	143.3	22.3	89	.1	11.3	5.2	951	2.22	4	8.1	<1	13.9	326	.2	.6	.1	39	1.27	.064	18.8	11.1	.38	690	.213	7.20	3.171	2.89	.7	12.5	34	1.5	8.2	12.7	.9	4	5	13.5	.1	102.3	.9	
427173	5.6	6230.6	29.1	52	6.2	1.1	3.5	122	5.23	49	2.2	.2	3.7	130	.3	24.6	.9	162	.20	.048	4.8	5.6	.44	259	.186	5.89	.066	3.04	5.4	35.2	14	.6	5.4	3.7	.3	1	9	15.4	4.8	118.2	1.1	
427174	2.1	485.4	24.0	55	4.0	2.8	9.1	123	4.63	69	3.2	.2	4.2	209	.2	33.1	2.2	111	.38	.091	7.5	8.3	.35	108	.239	6.97	.263	5.31	5.8	46.4	20	.6	7.3	4.5	.3	1	10	12.4	4.3	142.9	1.4	
427175	1.7	6483.9	58.5	112	7.8	3.1	8.7	112	6.28	64	2.3	.5	1.4	249	.7	23.1	9.1	125	.28	.063	1.4	10.9	.32	277	.173	5.72	.143	3.82	4.5	31.7	6	.7	7.0	3.1	.2	1	9	14.6	5.9	132.4	.9	
427176	2.0	9886.8	33.8	451	21.0	4.3	18.6	64	4.62	345	2.4	.6	.2	377	2.6	273.7	1.5	48	.30	.060	.7	6.6	.07	610	.145	4.49	.767	4.11	2.1	25.6	4	.5	8.5	2.5	.2	<1	4	5.2	4.4	104.8	.8	
427177	3.9	3165.0	120.4	569	10.2	2.5	12.8	193	5.81	397	2.4	1.5	.5	243	7.2	2017.5	1.5	88	.41	.085	<1	9.6	.17	271	.226	6.35	.384	5.23	3.2	36.4	3	.8	5.0	4.7	.3	<1	6	6.9	5.9	126.5	1.2	
427178	4.9	3007.9	175.9	528	13.7	3.7	14.0	190	6.28	302	2.3	1.5	.5	201	5.8	1733.7	1.5	84	.42	.082	<1	9.2	.20	313	.206	6.35	.319	4.72	2.8	37.0	2	1.0	4.9	4.0	.3	1	6	8.8	6.3	128.3	1.1	
427179	5.0	4754.4	666.0	415	21.3	2.2	9.9	271	5.44	195	2.1	1.0	1.9	208	5.6	1071.8	3.8	70	.44	.071	1.1	6.3	.27	308	.192	5.56	.092	3.52	3.1	27.2	6	.6	4.0	3.6	.3	1	6	11.2	5.3	102.9	.8	
RE 427179	5.3	4810.9	639.8	402	21.6	2.6	9.2	275	5.41	189	1.9	3.1	1.8	215	5.0	1073.5	3.9	70	.46	.072	1.1	6.2	.27	326	.195	5.63	.095	3.47	3.3	29.4	6	.7	4.8	4.0	.3	1	6	11.5	5.3	107.8	.8	
RRE 427179	5.1	4263.2	581.2	361	20.3	2.3	8.3	250	4.91	158	1.6	1.5	1.9	214	4.9	940.5	3.1	70	.44	.069	1.4	6.9	.25	101	.166	5.40	.090	3.31	2.6	24.2	7	.6	4.3	3.2	.3	1	5	11.2	4.7	101.1	.8	
427180	5.0	>10000	133.8	550	23.5	1.8	6.5	452	7.69	114	1.1	1.0	.5	189	4.6	330.0	2.0	48	.65	.046	.6	11.2	.47	274	.092	3.44	.125	3.37	2.2	15.8	3	.4	3.2	1.8	.1	<1	3	13.7	7.2	91.3	.5	
427181	4.4	425.0	384.8	387	1.7	2.6	7.4	403	3.34	44	2.3	.5	1.6	232	2.1	18.2	1.0	64	.44	.063	1.8	7.8	.28	407	.125	4.06	.132	4.09	2.6	22.2	7	.3	4.8	2.7	.2	1	5	12.4	3.2	108.3	.7	
427182	3.5	133.1	38.0	80	.7	1.9	10.0	2140	4.25	14	2.3	.1	5.6	249	.5	15.5	.2	143	2.88	.097	14.6	6.8	.69	193	.273	7.12	.145	6.33	2.5	41.1	28	.8	9.0	4.7	.4	1	11	9.7	3.9	183.6	1.4	
427183 (pulp)	8.4	151.7	15.4	156	.7	29.5	82.7	3803	9.06	1864	4.0	1.8	2.1	323	.6	12.6	30.4	102	14.84	.118	27.7	68.7	1.69	590	.251	4.38	.761	.89	11.1	50.7	33	6.6	18.8	2.5	.2	<1	10	18.3	.5	25.0	1.3	
427184	2.0	45.4	32.3	78	.4	3.2	11.2	727	3.88	11	2.5	<1	5.4	218	.4	6.0	.1	128	1.07	.091	15.2	23.8	.65	247	.274	7.26	.154	4.24	1.6	43.5	30	.7	7.5	5.2	.4	1	10	11.6	3.5	106.0	1.3	
427185	2.2	162.6	41.3	379	.7	2.9	11.1	304	4.04	13	2.3	.2	4.6	253	2.5	5.7	.1	116	.63	.098	9.7	10.3	.45	244	.262	7.35	.187	6.81	1.9	43.1	23	.6	6.8	4.5	.4	1	10	9.7	3.8	177.1	1.4	
427186	3.1	15.7	29.7	94	.3	1.7	9.4	1419	4.57	10	2.5	<1	6.2	180	.4	7.8	.5	122	2.39	.094	18.1	5.3	.90	396	.224	7.19	.093	4.89	2.2	38.8	33	.7	10.2	4.6	.3	1	9	11.2	3.8	165.9	1.2	
427187	3.4	23.0	15.6	75	.4	2.7	10.4	687	5.18	49	3.0	.1	6.2	148	.2	7.2	1.2	129	1.18	.107	10.3	5.7	.77	216	.253	7.98	.114	5.72	2.4	43.4	23	.5	8.0	4.9	.4	1	9	14.9	4.3	184.2	1.5	
427188	3.5	2164.2	50.4	159	4.9	2.4	8.6	191	4.59	70	2.1	5.0	3.5	98	1.1	335.2	1.9	112	.35	.069	4.2	4.7	.31	224	.178	5.23	.097	4.09	3.9	30.1	13	.4	4.5	3.9	.3	1	7	10.2	4.8	129.6	.9	
STANDARD DST6	12.1	126.0	35.0	169	.3	29.3	13.0	951	3.97	24	7.5	<1	7.2	311	5.6	5.4	4.9	104	2.23	.098	24.6	222.8	1.00	660	.387	6.92	1.635	1.40	7.6	50.9	51	6.2	14.5	8.4	.6	3	11	27.5	<1	56.4	1.6	

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCl-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.  
 - SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA DATE RECEIVED: SEP 1 2006 DATE REPORT MAILED:.....







ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #17 File # A605766R

P.O. Box 11604 620 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Cu %
427171	3.958
427180	1.453
STANDARD R-2a	.562

GROUP 7TD - 0.500 GM SAMPLE, 4 ACID (HF-HClO4-HNO3-HCL) DIGESTION TO 100 ML, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: CORE PULP

Data 1 FA \_\_\_\_\_ DATE RECEIVED: OCT 17 2006 DATE REPORT MAILED: .....



ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #17 File # A605766R2


P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	S.Wt gm	NAu mg	-Au gm/mt	TotAu gm/mt
427174	533	<.01	.20	.21
427175	477	<.01	.44	.44
427176	350	<.01	.70	.70
427177	496	<.01	.72	.72
427178	472	<.01	1.12	1.12
427179	510	.01	1.60	1.62
427180	526	.02	.83	.87
427181	508	<.01	.56	.56
427182	496	<.01	.17	.17
STANDARD SL20	-	-	5.88	5.88

-AU : -150 AU BY FIRE ASSAY FROM 1 A.T. SAMPLE. DUPAU: AU DUPLICATED FROM -150 MESH. NAU - NATIVE GOLD, TOTAL SAMPLE FIRE ASSAY.  
- SAMPLE TYPE: CORE REJECT M15

11-20-06 12:50 PM

Data FA *VMS* DATE RECEIVED: NOV 6 2006 DATE REPORT MAILED:.....



ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #18 File # A605767


P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Au** gm/mt
G-1	<.01
427520	.04
427521	.31
STANDARD SL20	6.08

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: ROCK R150

Data    FA   

DATE RECEIVED: SEP 1 2006 DATE REPORT MAILED:.....





GEOCHEMICAL ANALYSIS CERTIFICATE




Coast Mountain Geological PROJECT Homestake #18 File # A605767

P.O. Box 11604 620 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanvermeskerken

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
G-1	.3	2.4	24.9	55	.1	5.5	4.7	778	2.32	1	4.0	<1	6.7	777	.1	.4	.2	55	2.72	.081	21.0	14.1	.62	1084	.253	8.41	2.861	2.76	.1	9.1	47	1.5	13.6	21.8	1.7	3	5	39.6	<1	107.2	.7	
427520	.9	15.0	58.6	2221	.5	2.8	8.4	916	6.45	48	1.4	<1	2.9	131	22.5	2.8	1.6	84	.73	.115	14.7	3.4	.96	74	.168	7.73	2.860	3.63	2.1	25.3	34	.6	5.5	2.9	.2	1	7	14.8	4.0	79.6	.9	
427521	4.2	3139.4	68.3	262	7.1	4.5	20.4	3236	14.47	112	1.3	.4	2.5	115	2.3	15.0	1.8	108	2.72	.105	11.4	4.3	1.60	249	.199	6.96	.927	1.88	1.7	22.9	25	.9	10.4	3.4	.3	1	7	30.8	4.9	57.3	.8	
STANDARD DST6	12.5	124.1	35.0	168	.3	29.6	12.9	952	4.02	25	7.3	<1	6.8	307	5.7	5.3	4.7	109	2.21	.099	23.3	219.5	.99	676	.422	6.87	1.642	1.41	8.0	52.8	50	6.2	13.9	9.1	.7	3	10	24.7	<1	54.7	1.9	

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.  
- SAMPLE TYPE: ROCK R150

Data FA \_\_\_\_\_ DATE RECEIVED: SEP 1 2006 DATE REPORT MAILED:.....



ASSAY CERTIFICATE


Coast Mountain Geological PROJECT Homestake File # A606089 Page 1

P.O. Box 11604 620 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken



SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
427198	<.01	2.7
427199	<.01	3.1
427200	<.01	3.1
427201 (pulp)	15.14	-
427202	<.01	4.3
RE 427202	<.01	-
RRE 427202	<.01	-
427203	<.01	4.7
427204	<.01	2.0
427205	<.01	2.2
427206	<.01	2.6
427207	<.01	3.1
427208	<.01	2.7
427209	<.01	3.5
427210	<.01	1.8
427211	.01	2.3
427212	<.01	2.7
427213	<.01	3.4
427214	<.01	3.4
427215	<.01	3.6
427216	<.01	2.1
427217	<.01	2.4
427218	<.01	3.8
427219	<.01	4.1
427220	<.01	3.7
427221	.01	5.2
427222	<.01	4.5
427223 (pulp)	13.91	-
427224	.01	2.7
427225	.02	5.0
427226	.01	5.0
427227	.01	5.5
427228	.09	5.2
427229	.13	4.8
STANDARD SL20	5.97	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
 - SAMPLE TYPE: DRIL CORE R150  
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



Data FA DATE RECEIVED: SEP 7 2006 DATE REPORT MAILED:.....



SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
427230	.16	5.2
427231	.12	5.3
427232	.12	1.9
427233	36.53	3.1
427234	5.55	3.2
RE 427234	5.53	-
RRE 427234	5.70	-
427235	1.92	3.8
427236	6.28	4.2
427237	2.23	4.9
427238	1.05	3.3
427239	1.83	3.3
427240	1.40	3.2
427241	.79	3.1
STANDARD SL20	5.99	-

Sample type: DRIL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



GEOCHEMICAL ANALYSIS CERTIFICATE



Coast Mountain Geological PROJECT Homestake File # A606089 Page 1

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus VanKerkeskerken

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Tl	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	1.0	108.7	23.2	53	.1	4.4	4.2	749	2.42	2	4.0	<1	6.6	658	<1	.1	.2	48	2.61	.078	17.1	8.7	.60	907	.248	8.03	2.747	2.70	.2	8.0	37	1.2	<1	19.0	1.4	3	5	38.7	.2	104.8	.6	
427198	.9	68.6	13.1	105	.1	12.4	22.2	1503	5.82	35	1.3	<1	3.4	340	.4	3.6	.2	202	6.37	.113	16.1	24.7	2.02	444	.358	7.88	1.019	1.84	1.1	32.3	31	.7	1.6	4.3	.3	1	19	40.9	2.2	69.4	1.2	
427199	1.5	59.2	12.6	103	.2	9.8	19.6	1605	5.42	15	1.6	<1	3.4	321	.5	2.4	.2	213	7.16	.099	15.3	23.3	2.01	809	.382	7.67	.790	1.91	1.0	40.8	31	.7	4	3.5	.2	1	19	33.0	.7	70.1	1.6	
427200	8.4	39.2	34.1	94	.4	6.8	19.6	1241	5.61	19	1.9	<1	3.9	355	.5	4.0	.1	209	6.59	.102	14.9	17.5	1.81	409	.414	8.46	1.010	1.95	2.1	63.2	30	.7	1.2	4.1	.3	1	18	31.7	1.6	76.6	1.9	
427201(puip)	328.4	454.2	236.4	176	5.7	126.7	132.5	3046	13.24	1240	4.5	15.6	4.2	498	<1	15.2	21.9	103	11.52	.120	39.7	64.1	1.40	89	.240	3.92	.741	.86	15.0	64.5	63	4.0	7.3	2.7	.2	1	10	17.6	7.5	30.7	2.0	
427202	8.4	35.6	38.4	106	.2	5.6	19.0	1387	6.12	24	1.8	<1	3.6	476	.3	3.6	.1	238	7.19	.118	14.4	19.0	2.41	653	.433	8.51	1.449	1.51	1.0	44.6	30	.8	.9	3.7	.2	1	19	34.9	1.2	63.0	1.5	
RE 427202	8.2	37.2	37.8	105	.2	5.8	20.1	1424	6.03	24	1.7	<1	3.3	455	.4	3.3	.1	237	7.36	.109	13.8	18.2	2.42	607	.440	8.67	1.420	1.44	1.0	48.8	28	.7	.9	3.4	.2	1	18	33.5	1.1	58.6	1.5	
RRE 427202	9.2	37.5	44.6	105	.3	6.3	21.5	1431	6.15	25	1.7	<1	3.4	466	.4	4.0	.1	241	7.16	.121	14.7	15.8	2.46	664	.432	8.74	1.366	1.60	1.1	40.4	30	.8	.9	3.5	.2	1	19	31.3	1.3	63.0	1.5	
427203	.7	5.6	4.3	83	.1	5.7	14.4	1062	4.92	1	1.2	<1	4.3	171	.1	.9	.1	148	3.02	.049	20.7	14.1	1.16	1353	.376	8.65	1.198	2.18	1.6	36.0	42	1.1	.1	6.5	.4	1	15	22.1	.4	91.2	1.1	
427204	2.2	196.1	11.8	102	.5	5.7	22.4	742	5.00	2	2.2	<1	6.6	152	.1	1.2	.4	134	1.21	.027	26.2	18.9	1.27	1727	.372	10.34	1.310	2.99	2.5	49.7	46	1.2	<1	6.9	.5	1	15	26.6	.4	109.3	1.3	
427205	2.5	163.9	19.7	84	.4	4.0	18.7	721	4.32	2	2.3	<1	7.7	227	.1	1.1	.3	112	1.84	.030	29.0	10.3	1.05	3388	.331	9.52	.866	2.83	1.3	45.2	43	.6	.1	6.1	.4	2	12	23.1	.4	107.3	1.3	
427206	.3	6.3	10.6	98	.2	3.5	9.5	738	4.10	1	2.2	<1	6.7	147	.1	.9	.3	103	1.74	.039	21.7	11.7	1.23	1293	.356	8.88	1.312	2.33	1.1	55.2	42	1.1	<1	8.8	.6	1	11	26.1	.2	84.5	1.6	
427207	.3	3.8	8.1	107	.3	4.1	13.3	865	4.91	1	1.4	<1	5.2	162	.1	.9	.1	129	1.99	.053	19.3	13.0	1.27	1541	.376	9.67	1.258	2.54	1.2	36.7	39	1.1	.1	7.3	.5	1	12	24.0	.3	97.0	1.1	
427208	1.3	38.7	8.4	84	.1	2.4	10.9	1218	4.10	2	2.8	<1	7.4	270	.2	.9	.1	143	4.57	.091	21.5	12.8	1.07	1066	.358	8.25	1.130	2.25	.7	46.4	40	.5	.9	6.2	.5	1	13	20.7	1.1	85.7	1.3	
427209	1.8	23.0	29.6	52	.6	2.9	9.0	546	4.57	4	1.8	<1	7.2	142	.1	1.6	<1	147	1.79	.147	23.3	18.1	.55	151	.425	10.16	.456	3.63	.7	37.6	44	.8	2.9	7.4	.5	1	14	11.9	3.3	131.9	1.2	
427210	4.7	28.8	12.1	116	.2	4.3	16.0	885	5.54	4	3.0	<1	7.3	145	.1	1.7	.2	183	1.20	.125	20.6	13.7	1.07	756	.409	10.45	.844	3.01	1.1	34.1	40	.6	1.3	7.9	.5	1	14	23.2	1.5	104.8	1.2	
427211	4.6	31.8	32.4	34	.8	2.2	10.3	258	2.47	4	3.2	<1	8.2	118	.1	2.2	.3	174	.67	.153	25.3	11.6	.35	288	.427	9.17	.238	3.79	1.2	42.2	46	1.1	1.3	7.9	.6	1	13	7.2	1.6	129.7	1.4	
427212	6.6	7.5	9.4	103	.2	7.4	25.8	676	5.58	8	6.1	<1	8.0	139	<1	1.8	<1	180	.53	.147	13.5	16.8	.83	827	.432	11.94	.647	3.96	1.2	51.1	28	.6	1.2	6.5	.4	1	15	19.0	1.5	118.6	1.6	
427213	26.0	24.0	12.1	40	.4	1.9	6.9	201	2.31	5	3.1	<1	6.5	118	<1	1.9	<1	143	.36	.142	21.3	8.5	.26	399	.369	7.32	.111	3.06	1.5	41.1	36	.6	.8	6.2	.4	1	11	8.2	1.0	95.6	1.4	
427214	2.4	10.9	7.1	19	.2	1.0	2.2	95	1.94	9	1.8	<1	7.6	111	<1	1.3	<1	153	.35	.147	23.5	7.8	.15	272	.390	7.59	.122	3.05	1.2	35.7	42	.6	.8	6.5	.5	1	11	4.7	1.1	100.6	1.0	
427215	1.0	8.4	9.6	44	.1	1.5	3.3	267	3.73	9	2.5	<1	8.8	143	<1	1.4	<1	177	.35	.132	23.5	10.9	.28	575	.372	10.62	.162	4.10	1.1	36.1	46	.6	1.2	6.4	.4	1	17	8.5	1.4	132.0	1.1	
427216	.8	14.4	2.8	93	.1	2.6	5.5	705	4.44	6	2.3	<1	6.8	108	<1	1.2	<1	195	.27	.096	14.5	28.3	.62	1711	.335	10.91	.126	4.03	1.1	40.5	30	.7	.1	5.7	.4	2	13	17.4	.4	120.7	1.2	
427217	1.4	10.0	6.4	127	.1	3.4	9.7	1224	5.83	4	2.4	<1	7.2	148	<1	1.3	<1	163	.73	.118	20.6	26.1	.94	1022	.322	10.50	1.102	2.94	.9	35.9	38	.6	.9	4.8	.3	1	14	23.7	1.2	97.3	1.1	
427218	1.6	12.5	13.8	73	.3	2.2	7.4	699	4.68	4	2.3	<1	7.1	98	.1	1.4	<1	155	.67	.115	21.2	23.7	.61	215	.384	10.03	.121	3.85	.9	43.6	40	.6	2.0	6.5	.4	1	14	13.3	2.3	127.5	1.4	
427219	1.0	12.6	10.2	80	.5	2.5	7.3	720	4.16	6	2.1	<1	6.5	88	<1	1.3	<1	158	.58	.133	21.6	11.7	.62	422	.339	9.96	.128	3.64	1.2	38.4	40	.5	1.4	5.8	.4	2	14	14.2	1.7	116.3	1.2	
427220	2.4	11.8	13.0	80	.4	2.5	8.4	1172	4.58	6	2.5	<1	7.4	97	.1	2.4	<1	151	1.06	.119	25.7	18.6	.68	196	.403	9.65	1.09	3.57	1.0	42.1	46	.6	2.0	7.3	.5	1	14	14.4	2.1	116.1	1.4	
427221	1.1	9.4	11.3	86	.2	2.7	11.7	1278	4.35	7	2.3	<1	6.7	158	.2	2.7	<1	136	1.90	.105	21.2	5.7	.78	112	.402	9.21	1.013	2.80	.9	43.2	38	.5	2.6	6.9	.4	1	12	13.3	2.6	98.9	1.3	
427222	1.1	9.5	13.7	53	.2	2.7	8.8	1134	4.11	5	2.0	<1	6.8	159	.1	3.3	<1	145	2.14	.102	20.5	16.4	.83	827	.391	8.88	1.254	2.89	1.1	38.6	37	.4	2.9	6.7	.5	1	12	11.6	3.0	105.4	1.3	
427223(puip)	310.4	409.8	228.0	168	5.1	120.5	122.6	2836	12.35	1216	3.8	15.0	3.7	467	.1	14.1	20.0	97	11.33	.102	38.1	55.4	1.32	111	.222	3.66	.641	.80	15.2	57.7	59	3.7	7.1	2.5	.2	<1	9	15.4	6.6	27.0	1.9	
427224	.9	7.1	11.5	51	.2	2.6	10.3	2009	4.56	5	1.6	<1	6.7	149	<1	2.9	<1	134	3.11	.125	21.7	8.3	.67	84	.399	8.93	1.073	3.15	1.5	42.2	40	.5	3.1	7.0	.4	1	12	10.9	3.4	111.9	1.3	
427225	2.0	7.4	9.3	62	.2	3.3	10.9	1895	4.75	9	3.0	<1	6.6	134	<1	2.3	<1	138	3.21	.125	20.1	14.2	.81	115	.397	9.20	.910	3.16	1.8	43.2	37	.5	2.7	7.0	.5	1	12	14.8	2.8	112.2	1.4	
427226	14.2	10.6	14.5	56	.4	3.5	17.0	2007	4.64	21	4.5	<1	6.3	174	.1	3.3	<1	137	3.26	.094	19.9	8.5	.77	284	.358	8.22	1.272	2.67	1.4	46.1	33	.5	3.4	6.1	.5	1	11	12.8	3.2	100.1	1.5	
427227	2.4	11.4	15.2	66	.4	3.3	15.3	1514	4.84	9	4.3	<1	7.0	218	.1	3.3	<1	131	2.50	.109	20.2	15.3	.78	148	.367	8.67	1.813	2.84	1.6	49.5	36	.6	3.7	6.4	.4	1	13	11.6	3.7	108.2		



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.5	9.1	23.9	60	<.1	3.6	3.9	757	2.34	3	4.0	<.1	7.4	689	.1	.2	.7	54	2.57	.070	19.9	11.7	.61	959	.263	7.92	2.507	2.93	.4	8.7	40	1.5	13.2	20.5	1.4	2	5	35.5	<.1	110.9	.7		
427230	2.5	23.3	23.3	88	.7	3.5	24.8	1722	4.26	23	3.6	.1	4.9	165	.4	3.9	.6	124	1.76	104	12.1	5.7	.80	99	.270	7.47	.247	6.48	2.5	41.1	26	.5	9.3	4.8	.3	1	11	16.0	3.5	188.6	1.7		
427231	2.1	141.8	90.5	191	1.2	3.0	26.6	2077	4.21	14	2.6	.1	5.5	129	1.0	5.0	.1	116	1.88	.099	13.8	9.0	1.26	128	.294	7.47	.198	4.86	2.3	39.1	28	.5	9.7	5.2	.4	1	10	22.3	3.0	164.5	1.5		
427232	4.3	140.4	64.9	323	.8	2.5	13.5	2095	3.87	8	2.5	.4	6.0	154	2.1	5.9	.1	138	1.95	104	17.0	6.7	1.20	146	.307	7.71	.364	5.04	2.0	30.9	32	.6	10.9	5.9	.4	1	11	24.0	2.7	173.2	1.0		
427233	3.2	199.8	1953.4	3005	6.8	2.6	12.2	2316	4.08	23	2.7	19.6	7.0	134	23.0	7.1	<.1	130	1.82	.098	20.2	8.5	1.14	1426	.313	7.49	.136	4.59	2.1	49.3	33	.5	11.8	5.7	.4	1	10	20.0	3.2	162.3	1.8		
427234	3.5	281.7	1501.9	4732	5.1	2.1	12.9	2905	4.19	36	2.2	1.7	5.5	159	37.8	9.5	<.1	138	2.73	.111	16.7	5.2	1.06	91	.289	7.39	.117	5.03	2.3	29.6	31	.6	10.0	5.5	.3	1	10	20.0	3.6	173.5	1.1		
RE 427234	3.5	296.4	1503.0	4925	5.7	1.9	12.5	2981	4.27	38	2.2	2.5	5.4	158	38.5	9.5	.1	135	2.79	.105	16.4	5.0	1.07	119	.295	7.58	.117	5.21	2.1	29.9	31	.6	10.3	5.3	.3	1	11	18.7	3.7	174.3	1.2		
RRE 427234	3.4	318.9	1597.5	5099	8.1	2.2	12.7	3103	4.24	33	2.0	5.3	5.3	165	41.3	9.8	<.1	139	2.94	.110	17.1	6.0	1.04	198	.281	7.38	.124	5.09	2.1	30.4	32	.6	10.2	5.4	.4	1	11	18.6	3.7	169.8	1.1		
427235	3.0	130.2	57.6	97	4.1	4.3	9.9	2505	4.38	93	2.0	1.8	6.1	128	.4	6.7	.1	192	2.57	.114	19.3	16.3	.70	59	.366	8.20	.046	4.01	14.6	27.9	35	.6	10.3	7.7	.5	1	17	12.8	3.5	154.1	.9		
427236	1.3	110.9	265.6	896	2.7	5.1	10.2	2965	4.24	81	1.8	5.7	6.1	131	6.7	6.0	.3	176	2.85	.154	21.9	13.3	.73	77	.375	7.87	.054	3.98	13.1	27.2	40	1.0	11.5	8.1	.5	1	14	16.2	2.9	150.5	1.0		
427237	3.7	72.2	323.7	759	.9	9.0	21.6	2520	4.24	70	2.3	1.1	6.4	128	5.3	5.5	.4	183	1.86	.113	22.7	18.3	.83	97	.392	8.33	.081	5.09	6.5	40.7	42	.6	12.5	8.2	.5	1	17	20.3	2.4	179.2	1.5		
427238	6.2	182.1	872.5	50	3.2	9.6	36.4	1655	3.99	60	3.3	1.6	5.7	109	.3	7.2	.9	167	2.09	.111	17.9	10.9	.59	80	.336	7.77	.076	4.44	5.8	37.6	34	.7	10.0	7.0	.4	2	15	11.3	3.2	151.7	1.4		
427239	4.0	281.8	1236.8	3589	2.9	7.8	39.6	1366	3.75	75	3.1	2.4	5.6	93	32.8	9.0	.4	176	2.23	.112	16.9	12.9	.53	258	.313	6.61	.040	3.53	8.3	35.6	31	.5	9.6	6.6	.4	1	13	9.2	3.6	139.5	1.3		
427240	3.7	501.9	299.7	828	2.7	5.0	13.2	689	4.07	92	1.9	.9	4.5	94	6.7	11.2	.8	143	1.37	.109	14.8	8.3	.43	124	.288	6.16	.044	3.44	11.7	28.7	28	.5	7.2	6.2	.4	1	13	9.5	3.9	124.4	1.0		
427241	4.1	551.1	756.6	148	4.0	4.1	6.6	230	3.25	65	1.6	.7	1.9	139	.9	19.5	1.2	93	.60	.081	3.8	20.1	.24	48	.210	4.46	.071	3.48	9.7	25.0	12	.5	5.0	4.6	.3	1	8	10.1	3.4	105.6	1.0		
STANDARD DST6	12.5	124.7	34.7	168	.3	28.7	12.8	944	3.99	24	7.4	<.1	6.9	301	5.5	5.2	4.7	107	2.23	.098	24.4	224.6	1.00	664	400	6.92	1.641	1.35	7.5	50.6	50	6.2	14.5	8.5	.6	2	11	24.7	<.1	55.2	1.7		

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.





ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake File # A606089R


P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus VanWermeskerken

SAMPLE#	S.Wt gm	NAu mg	-Au gm/mt	TotAu gm/mt
427232	541	<.01	.10	.10
427233	554	9.89	16.08	33.93
427234	555	.70	3.68	4.94
STANDARD SL20	-	-	6.05	6.05

-AU : -150 AU BY FIRE ASSAY FROM 1 A.T. SAMPLE. DUPAU: AU DUPLICATED FROM -150 MESH. NAU - NATIVE GOLD, TOTAL SAMPLE FIRE ASSAY.  
- SAMPLE TYPE: CORE REJECT M15

Data FA *Y/S*

DATE RECEIVED: NOV 6 2006 DATE REPORT MAILED: 11-9-06 10:45 AM



AA  
 LL

ASSAY CERTIFICATE

AA  
 LL


Coast Mountain Geological PROJECT Homestake File # A606090

P.O. Box 11604 620 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanhermeskerken

SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
427189	.12	3.2
427190	.01	2.2
427191	.06	2.2
427192	.56	2.6
427193	1.13	1.6
427194	.19	.7
427195	.11	1.1
427196	.27	2.2
427197	.13	2.9
427720	.13	3.6
STANDARD SL20	6.03	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
 - SAMPLE TYPE: DRIL CORE R150

Data    FA    DATE RECEIVED: SEP 7 2006 DATE REPORT MAILED:.....







ASSAY CERTIFICATE




Coast Mountain Geological PROJECT Homestake File # A606101 Page 1

P.O. Box 11604 620 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Au** gm/mt	Sample kg
G-1	.04	-
427242	.14	5.0
427243	.05	3.8
427244	.02	1.6
427245	.03	5.5
427246	.03	5.5
427247	.03	7.5
427248	.04	8.1
427249 (rock)	<.01	.5
427250	.09	2.0
427251	.05	2.0
427252	.05	2.6
427253	.05	3.8
427254	.06	5.6
RE 427254	.05	-
RRE 427254	.06	-
427255	.04	3.9
427256	.04	5.5
427257	.05	5.5
427258	.06	5.4
427259	.04	5.5
427260	.03	5.5
427261	.11	5.6
427262	.09	5.6
427263	.23	5.7
427264	.36	5.7
427265	.06	5.9
427266	.05	5.7
427267	.07	5.5
427268	.20	5.7
427269	.07	5.6
427271	.03	1.2
427272	.11	3.0
427273	.11	6.0
427274	.02	5.8
STANDARD SL20	6.05	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
 - SAMPLE TYPE: DRILL CORE R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



Data: FA \_\_\_\_\_ DATE RECEIVED: SEP 12 2006 DATE REPORT MAILED:.....

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.



SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
427275 (pulp)	2.87	-
427276	.18	1.2
427277	<.01	2.8
427278	<.01	2.9
427279	<.01	2.1
427280	<.01	2.7
427281	<.01	5.6
427282	<.01	3.0
427283	<.01	2.3
427284	<.01	3.5
427285	.07	5.1
427286	.26	2.2
427287	.59	3.9
427288	.11	3.4
427289	.07	4.5
427290	.11	2.5
427291	.06	1.9
427292	.10	3.0
427293 (pulp)	2.85	-
427294	.09	4.2
427295	.18	4.6
427296	.05	3.0
427297	.05	2.9
RE 427297	.06	-
RRE 427297	.06	-
427298	.04	3.2
427299	.05	3.0
427300	.04	3.5
427301	.03	2.6
427302	.02	2.8
427303	.04	4.1
427304	.05	1.7
427305	.02	5.0
427306	.01	3.4
STANDARD SL20	5.92	-

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
427307	.01	1.9
427308	<.01	2.6
RE 427308	.02	-
RRE 427308	.01	-
427309	.01	1.7
427310 (rock)	<.01	.3
427311	<.01	2.0
427312	.02	1.9
427313	<.01	1.9
427314	.01	3.6
427315	.02	1.2
427316	.06	5.0
427317	<.01	5.0
427318	<.01	.2
427319	<.01	3.9
427320	<.01	4.7
427321	<.01	1.4
427322	<.01	2.1
427323	<.01	2.0
427324	<.01	.6
427325	<.01	3.0
427326	.12	1.6
427327	<.01	1.5
427328	<.01	3.2
427329	<.01	4.0
427330 (pulp)	.26	-
427331	<.01	3.3
427332	<.01	4.0
427333	<.01	5.0
427334	<.01	5.0
427335	<.01	4.0
427336	<.01	4.5
427337	.01	3.7
427338	.25	1.4
STANDARD SL20	6.08	-

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
427339	.02	4.0
427340	<.01	3.5
427341	.06	4.0
427342	.02	1.6
427343	<.01	4.1
427344	.01	3.9
427345	.02	2.0
427346	<.01	3.5
427347	.02	5.0
427348	<.01	3.0
427349	<.01	3.1
427350 (pulp)	.26	-
427351	<.01	3.6
427352	<.01	4.5
427353	<.01	.7
427354	<.01	1.4
427355	<.01	1.4
427356	<.01	2.4
427357	<.01	2.1
427358	<.01	.5
427359	<.01	.7
427360	.01	2.5
427361	<.01	4.6
427362	.01	3.0
427363	<.01	3.2
427364	<.01	5.0
427365	<.01	2.0
427366	<.01	4.4
427367	<.01	1.0
RE 427367	<.01	-
RRE 427367	<.01	-
427368	<.01	4.9
427369 (rock)	<.01	.5
427370	.15	4.6
STANDARD SL20	6.06	-

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
427371	.14	1.9
427372	.05	3.5
427373	<.01	4.7
427374	.01	2.5
RE 427374	.01	-
RRE 427374	.01	-
427375	.51	1.3
427376	.16	2.0
427377	.19	1.0
427378	.20	3.7
427379	.12	2.9
427380	.09	3.7
427381	.16	4.8
427382	.34	4.0
STANDARD SL20	5.89	-

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.





Coast Mountain Geological PROJECT Homestake File # A606101 Page 1  
P.O. Box 11604 620 650, Vancouver BC V6B 4N9 Submitted by: Marcus VanWermeskerken

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf			
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
G-1	.4	13.4	23.3	57	<1	4.1	4.2	783	2.64	1	4.7	<1	7.4	800	<1	.1	.2	55	2.64	.085	22.7	18.6	.61	973	.265	8.64	2.947	3.01	.2	9.7	48	1.7	15.5	23.9	1.8	3	5	44.6	<1	116.4	.0			
427242	3.5	20.2	20.2	48	.5	2.7	11.5	1448	4.42	17	2.7	<1	7.4	166	.1	8.6	.5	144	3.73	.111	22.3	8.2	1.14	972	.362	8.35	534	3.83	2.2	50.7	41	1.0	12.5	6.9	.5	2	12	10.1	4.0	152.5	1.6			
427243	3.1	11.8	10.0	39	.1	1.4	9.8	1529	3.90	4	2.7	<1	7.5	201	.1	3.2	<1	113	5.05	.093	20.5	5.7	1.07	547	.290	7.39	.448	3.23	1.4	43.7	36	.6	10.1	6.3	.5	1	9	9.6	3.6	115.2	1.5			
427244	3.7	10.8	12.7	41	.2	2.4	9.6	1428	3.85	6	3.0	<1	8.0	216	.1	2.9	<1	122	4.33	.098	23.0	6.9	1.22	738	.312	7.99	.411	3.38	1.5	47.5	41	.6	11.2	6.5	.5	1	9	12.9	3.5	133.5	1.6			
427245	4.2	11.8	15.3	45	.2	2.6	9.9	1041	4.24	7	3.1	<1	7.8	159	.1	3.2	<1	127	2.85	.101	20.4	6.7	1.12	682	.333	8.80	.352	3.80	1.3	45.6	39	.6	9.8	7.4	.5	1	10	12.0	4.0	133.5	1.6			
427246	15.7	9.5	13.3	50	.3	2.8	9.5	1081	4.03	5	3.0	<1	8.1	180	.1	3.9	<1	120	2.84	.099	22.7	8.2	1.24	1010	.314	8.26	.209	3.60	1.0	44.2	41	.5	10.3	7.0	.5	1	10	15.1	3.6	132.2	1.6			
427247	48.2	11.1	12.9	46	.4	2.5	10.3	898	3.90	5	3.1	<1	7.7	156	<1	4.6	<1	124	2.39	.100	22.1	7.1	1.06	495	.324	8.31	.265	3.68	1.0	44.6	39	.6	9.6	7.1	.5	2	9	13.2	3.1	126.4	1.6			
427248	6.3	20.6	11.6	75	.3	2.3	9.2	2714	3.68	6	2.9	<1	8.3	246	.2	4.3	<1	117	3.10	.095	23.9	5.8	1.44	865	.304	7.94	.659	4.07	1.1	46.3	41	.5	9.9	6.5	.5	1	9	16.2	1.7	127.9	1.6			
427249(rock)	.8	4.8	18.3	29	<1	2.1	1.1	381	1.23	2	8.7	<1	20.7	130	.1	.3	<1	13	.75	.021	13.7	5.3	.14	261	.083	6.32	3.033	3.55	.4	23.3	18	.8	4.1	7.7	.5	3	1	6.7	<1	115.3	1.2			
427250	2.0	29.5	14.4	61	.5	2.0	10.2	4123	3.66	5	3.0	<1	7.7	244	.2	3.6	<1	121	3.03	.095	20.1	6.6	1.39	728	.306	8.10	.762	4.93	1.3	50.4	37	.5	10.5	6.3	.5	1	9	8.3	2.1	143.1	1.7			
427251	2.8	13.9	147.6	363	.7	2.4	9.5	4330	3.73	12	3.1	<1	7.6	298	2.3	4.4	<1	116	3.08	.098	20.9	6.3	1.42	1169	.298	7.72	.599	5.21	1.3	48.5	38	.5	10.9	6.5	.5	1	9	8.1	2.5	154.7	1.5			
427252	1.8	26.0	12.5	63	.4	2.5	10.1	3780	3.63	8	2.9	<1	7.4	269	.2	3.8	<1	119	2.77	.091	19.3	6.1	1.27	1475	.304	7.89	.628	5.23	1.2	51.1	36	.6	11.1	6.0	.5	1	10	8.7	2.2	160.1	1.7			
427253	1.7	23.8	15.2	56	.6	2.9	10.5	3359	3.84	47	2.7	<1	6.3	276	.2	4.5	<1	109	2.83	.092	16.4	6.3	1.26	317	.304	7.65	.922	5.20	1.2	47.3	32	.6	9.5	6.1	.5	1	9	8.3	2.4	131.6	1.5			
427254	1.8	29.3	23.6	51	.9	2.6	9.7	3226	3.83	80	2.8	<1	6.7	286	.2	6.6	<1	109	3.24	.090	19.2	6.4	1.32	282	.296	7.49	1.119	4.53	1.3	46.7	35	.6	10.2	6.2	.4	1	9	7.2	2.4	127.9	1.4			
RE 427254	1.9	27.1	22.5	51	.9	2.6	9.9	3319	3.84	83	2.8	<1	7.1	285	.2	6.7	<1	110	3.30	.098	20.3	6.8	1.35	574	.294	7.58	1.166	4.57	1.2	47.4	38	.6	10.1	6.2	.5	1	8	7.4	2.5	129.4	1.5			
RRE 427254	2.1	27.3	22.8	52	.9	2.6	9.8	3233	3.85	78	2.8	<1	7.1	291	.2	6.4	<1	109	3.21	.088	19.3	7.1	1.36	628	.293	7.59	1.111	4.54	1.1	45.8	35	.5	10.0	6.1	.5	1	8	6.8	2.4	134.1	1.5			
427255	3.3	34.4	22.7	62	.8	2.7	9.9	3233	3.99	93	3.2	<1	6.8	288	.3	6.6	<1	109	3.51	.092	19.1	6.6	1.46	279	.286	7.18	1.068	4.25	1.2	47.4	35	.6	10.5	6.4	.5	1	9	7.0	2.8	129.9	1.5			
427256	2.0	12.1	12.9	78	.3	2.5	9.8	2873	3.74	31	2.8	<1	7.7	242	.3	5.5	<1	123	2.68	.097	21.1	6.4	1.22	1263	.301	8.25	.847	5.02	1.3	48.0	39	.6	10.8	6.7	.5	1	9	7.7	2.5	155.0	1.5			
427257	1.3	21.2	22.8	108	.4	2.3	9.4	3248	3.75	15	2.8	<1	7.5	226	.3	7.5	<1	113	3.40	.090	22.0	6.5	1.44	1148	.284	7.58	.600	4.23	1.0	43.7	37	.6	10.4	6.3	.4	1	9	7.9	1.9	128.9	1.4			
427258	1.2	20.3	17.0	112	.8	1.9	9.4	2617	3.59	12	2.7	<1	7.8	219	.5	13.7	<1	111	3.08	.093	21.4	6.6	1.37	984	.280	7.38	.803	4.63	1.1	44.8	39	.5	10.1	6.3	.5	1	9	8.4	2.1	150.2	1.4			
427259	2.8	13.2	12.1	44	.3	2.2	8.9	2411	3.49	15	2.7	<1	6.4	207	.2	7.4	<1	111	2.83	.085	16.6	6.5	1.24	1833	.281	7.33	.730	4.17	1.1	41.7	31	.7	9.6	5.9	.4	1	8	6.1	2.7	115.4	1.3			
427260	3.4	10.2	19.7	72	.3	2.8	9.4	1078	3.95	11	3.0	<1	6.4	226	.4	11.0	<1	112	1.69	.095	15.7	8.3	.84	1531	.278	8.10	.710	5.97	1.3	48.6	33	.6	10.8	6.4	.5	1	9	8.4	3.7	181.8	1.4			
427261	4.5	10.7	111.6	314	.7	3.4	9.1	454	3.66	32	2.8	.3	4.4	206	2.3	16.5	<1	86	.76	.092	7.6	12.2	.37	896	.252	6.81	.165	6.21	1.4	42.8	22	.8	8.2	5.6	.4	<1	8	6.1	3.5	161.2	1.3			
427262	5.0	12.1	55.4	223	.6	3.0	8.8	590	3.75	26	2.9	<1	4.4	243	1.3	14.2	<1	96	.93	.086	7.7	9.4	.64	704	.249	6.96	.307	6.04	1.5	43.9	22	.6	7.5	5.7	.4	1	9	8.1	3.6	164.4	1.4			
427263	4.9	11.0	18.2	73	.6	3.9	10.0	510	4.15	51	2.7	.2	4.8	210	.2	9.9	<1	108	.89	.089	8.5	8.8	.43	703	.282	7.69	1.141	5.74	1.3	45.5	23	.6	7.3	5.7	.4	1	8	4.8	4.0	151.5	1.3			
427264	5.7	11.4	29.9	168	.6	3.3	7.8	1090	3.45	35	2.3	.3	2.6	401	.9	9.7	<1	77	1.55	.074	2.6	11.2	.61	300	.209	5.64	.333	4.40	1.3	35.9	11	.6	7.5	4.6	.3	1	7	6.9	3.1	117.3	1.1			
427265	5.3	9.2	16.1	79	.3	2.6	9.1	1583	3.96	16	2.8	<1	5.3	317	.3	6.9	<1	112	2.49	.088	11.0	7.0	1.09	762	.272	7.25	.310	5.11	2.0	45.2	25	.6	10.0	5.6	.4	1	9	10.4	3.5	139.1	1.4			
427266	6.2	10.6	19.6	92	.3	3.4	10.0	736	3.53	17	3.0	<1	6.8	171	.5	7.2	<1	118	1.20	.099	16.8	8.1	.81	823	.291	8.06	.560	4.71	1.7	48.6	34	.7	8.6	5.9	.5	1	9	7.7	3.2	133.4	1.5			
427267	5.2	10.4	29.8	95	.3	3.1	9.5	1111	3.54	15	3.0	<1	6.3	217	.5	11.8	<1	109	1.59	.089	15.9	7.3	.89	877	.284	7.80	.345	4.66	1.9	44.6	33	.7	9.0	5.6	.5	1	9	7.7	3.2	127.0	1.5			
427268	4.0	13.6	21.0	161	.3	2.6	9.6	699	2.88	25	3.1	.2	6.4	267	.7	15.9	<1	116	1.15	.095	11.9	9.5	.54	659	.290	7.62	.475	4.86	2.3	48.5	30	.6	8.0	6.6	.5	1	9	6.7	2.6	140.4	1.4			
427269	3.4	22.7	32.5	102	.4	2.6	10.3	1449	3.43	24	3.0	<1	7.0	168	.3	16.0	<1	120	2.25	.093	17.4	6.6	.99	1094	.310	8.25	.412	5.01	1.9	46.0	33	.6	9.3	6.2	.4	1	9	6.3	2.8	142.6	1.4			
427271	3.0	12.6	11.5	43	.9	7.5	13.6	593	6.25	41	2.8	<1	6.1	97	.1	8.7	<1	188	.73	.109	16.7	12.0	.62	493	.421	8.81	.072	4.89	3.6	46.5	35	.7	12.6	8.6	.5	1	16	11.0	5.6	175.0	1.6			
427272	3.3	10.2	16.0	140	.4	3.1	10.3	1426	6.52	27	2.8	<1	5.7	91	.1	5.5	1.6	117	.81	.091	14.3	5.9	1.55	1878	.270	7.28	.075	4.51	3.0	40.8	29	.5	8.6	5.4	.4	1	8	30.3	4.1	135.9	1.3			
427273	2.7	10.8	9.5	108	.4	3.0																																						



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Lt	S	Rb	Hf	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.4	25.5	20.1	50	<1	17.4	6.0	746	2.49	1	4.0	<1	7.2	689	.1	.1	.2	40	2.49	.075	19.4	14.5	.60	966	.259	8.29	2.748	1.65	.2	6.9	41	1.4	12.4	20.6	1.6	3	5	39.6	<1	70.6	.6	
427275(pulp)	82.1	269.5	44.1	141	2.1	66.8	35.7	3003	11.06	480	2.7	2.9	4.9	158	.7	17.5	242.8	86	19.39	.073	19.7	94.2	1.41	214	.552	4.07	.364	.40	72.3	47.8	42	198.7	16.9	8.5	.6	1	11	12.2	1.0	15.4	1.7	
427276	101.5	19.6	14.7	33	1.7	1.6	14.7	1390	4.11	341	.8	.2	.2	216	.8	7.9	.1	147	4.38	.049	.3	3.1	.34	540	.216	3.92	.031	2.00	1.9	10.1	.1	.6	5.1	1.2	.1	1	9	9.7	3.8	87.6	.4	
427277	1.4	24.0	6.1	116	.3	1.4	20.5	1756	6.89	33	.6	<1	1.4	188	.2	2.6	.1	261	5.59	.108	8.1	3.6	2.04	873	.454	8.61	1.336	2.20	1.8	15.4	18	.7	9.0	2.7	.2	<1	18	31.0	1.3	62.5	.6	
427278	2.2	12.2	19.6	49	.3	2.0	8.3	1429	3.75	8	2.3	<1	6.6	153	.2	6.8	.1	119	4.34	.079	18.1	5.5	1.19	896	.321	7.89	.132	3.56	1.3	34.0	33	7.8	9.6	5.4	.5	1	9	7.2	3.7	129.4	1.3	
427279	2.8	11.3	11.4	67	.4	1.7	9.1	1579	3.74	7	2.4	<1	6.8	164	.2	5.5	.1	112	5.77	.081	18.6	4.0	1.00	783	.307	7.56	.071	3.48	1.0	35.9	32	.6	10.1	5.7	.4	1	9	7.3	3.6	129.0	1.2	
427280	3.2	16.0	16.8	60	.8	1.8	11.0	1465	3.68	11	2.9	<1	6.8	181	.3	5.7	.6	116	5.31	.085	18.5	4.9	1.01	733	.319	7.86	.415	3.31	1.1	36.4	33	.7	10.1	5.2	.4	1	10	7.2	3.7	123.7	1.3	
427281	2.8	16.1	15.9	61	1.0	4.5	14.1	1202	3.87	12	2.9	<1	6.7	162	.2	5.1	.2	122	4.54	.085	19.8	5.5	.97	691	.330	7.80	.301	3.54	1.3	41.2	36	.6	10.1	5.8	.5	1	10	9.5	3.8	147.8	1.4	
427282	2.7	12.7	12.9	76	.3	2.7	10.0	1028	3.99	6	3.1	<1	8.0	141	.2	4.0	<1	122	3.82	.091	22.2	6.6	1.25	959	.331	8.49	.165	3.76	1.2	46.4	39	.7	9.9	6.2	.5	1	10	14.4	4.0	139.3	1.6	
427283	2.2	13.3	12.8	74	.5	1.9	10.3	1131	3.78	7	2.9	<1	7.3	214	.2	4.4	<1	117	3.72	.097	18.3	5.7	1.42	228	.320	8.00	1.113	3.07	1.0	45.9	34	.8	9.3	6.6	.6	1	10	18.9	3.7	99.3	1.5	
427284	2.8	12.2	10.2	125	.3	2.6	10.5	1049	3.67	6	2.8	<1	7.3	176	.5	3.6	<1	113	3.60	.087	19.6	7.0	1.26	744	.311	7.78	.639	3.16	1.3	46.3	35	.5	9.5	6.2	.5	1	9	15.5	3.6	117.2	1.5	
427285	4.0	11.7	8.4	32	.2	3.1	11.0	332	4.34	9	3.5	<1	6.2	119	.2	5.9	.1	125	1.09	.098	12.8	6.2	.55	836	.308	8.35	.097	5.53	2.6	49.0	30	.7	7.9	6.5	.5	1	10	9.3	4.2	195.3	1.6	
427286	3.3	14.3	10.4	16	.4	3.2	9.8	67	3.73	19	2.9	1.3	3.4	174	.1	4.5	.9	56	.49	.083	5.1	10.9	.08	1098	.250	7.32	.199	8.69	3.7	41.6	19	.6	7.4	4.9	.4	<1	6	3.7	3.7	220.9	1.4	
427287	3.4	307.6	12.9	39	.7	3.4	9.2	96	4.17	30	2.9	.3	2.6	208	.1	32.9	1.1	76	.41	.080	2.8	12.0	.22	1147	.208	6.62	.260	8.00	2.1	40.8	12	.6	7.0	4.0	.3	<1	6	4.7	3.9	198.0	1.3	
427288	2.9	13.8	12.3	34	.2	3.3	9.0	200	4.34	21	2.9	<1	4.2	216	.1	3.5	.8	79	.72	.092	7.0	8.3	.33	1218	.193	7.48	.366	8.46	1.1	41.0	21	.5	7.7	3.9	.3	<1	7	5.3	3.7	219.6	1.3	
427289	4.0	14.5	10.5	33	.2	3.6	9.6	144	4.39	22	3.1	<1	4.2	188	.1	3.6	.5	78	.45	.095	6.8	12.8	.24	848	.236	7.83	.190	8.37	1.7	44.9	20	.6	7.8	4.7	.4	<1	7	3.8	3.9	198.9	1.4	
427290	4.0	12.4	14.0	66	.4	3.8	9.3	353	4.76	42	2.9	<1	4.2	171	.1	6.6	1.8	96	.50	.082	6.8	11.5	.51	875	.222	6.65	.150	6.95	2.1	40.8	20	.6	7.2	4.5	.3	<1	8	7.6	3.7	184.2	1.2	
427291	1.8	8.3	15.0	109	.3	3.3	8.5	952	4.91	64	3.3	<1	5.7	141	.2	7.2	.6	101	.95	.088	13.1	12.2	.90	982	.210	6.95	.113	6.09	1.9	44.1	30	.5	7.8	3.8	.3	<1	8	13.3	2.8	178.3	1.3	
427292	3.5	7.9	13.1	58	.2	2.8	10.5	760	4.51	44	3.3	<1	6.4	147	<1	6.8	.5	143	1.11	.098	13.4	9.0	.81	1303	.263	8.00	.096	5.60	2.2	47.3	29	.7	9.9	4.8	.4	1	10	10.9	3.2	182.8	1.5	
427293(pulp)	85.1	266.4	42.4	149	2.0	64.5	36.3	2865	11.05	474	2.7	3.1	4.8	163	.8	18.1	234.9	86	18.95	.080	20.9	95.2	1.42	206	.560	4.01	.355	.41	74.2	46.5	43	193.8	16.0	8.6	.6	1	11	11.6	1.0	15.4	1.4	
427294	3.1	9.2	12.3	74	.2	2.3	9.8	1323	4.55	67	3.1	<1	6.0	207	.1	4.4	.5	108	2.66	.084	13.7	13.0	.58	2686	.232	6.90	.136	6.26	2.0	46.0	28	.6	9.4	5.0	.4	<1	8	7.4	3.3	155.3	1.3	
427295	3.1	13.0	13.0	54	.4	3.2	8.9	284	3.69	77	2.7	.6	4.6	172	.1	8.0	.6	86	.66	.092	9.7	16.1	.27	859	.195	6.97	.149	8.05	1.4	42.2	25	.5	7.2	3.9	.3	<1	6	3.2	3.1	210.3	1.3	
427296	4.9	16.2	29.3	83	.2	6.0	10.2	460	4.80	8	3.1	<1	6.4	99	.5	7.4	<1	120	.81	.094	13.3	8.2	.70	1147	.305	8.16	.056	3.88	2.2	42.6	30	.8	9.0	6.0	.4	1	9	8.6	4.1	141.0	1.4	
427297	4.9	11.3	29.0	51	.2	3.4	10.6	244	4.72	11	3.4	.1	6.1	140	.2	8.4	<1	124	.39	.106	9.8	6.3	.80	553	.310	8.47	.073	3.96	2.2	46.3	25	.6	9.0	6.3	.5	2	10	13.1	4.3	157.6	1.4	
RE 427297	4.6	11.0	24.9	47	.2	3.3	10.2	233	4.62	11	3.3	<1	5.4	130	.2	7.9	<1	123	.38	.102	8.3	5.4	.78	1736	.318	8.50	.069	3.94	2.1	44.6	23	.5	8.8	6.1	.4	2	9	12.9	4.3	148.4	1.4	
RRE 427297	5.0	10.8	28.0	50	.2	3.1	10.6	240	4.57	10	3.2	<1	5.6	137	.1	7.9	<1	122	.38	.102	8.7	6.7	.78	1067	.309	8.07	.068	3.85	2.1	45.6	23	.7	8.9	6.3	.4	2	10	12.7	4.3	156.7	1.4	
427298	3.6	9.5	14.2	57	.1	3.4	10.4	570	4.15	7	3.2	<1	5.0	219	.1	6.0	<1	125	.49	.109	7.3	7.3	1.18	2620	.323	8.40	.077	4.19	2.4	47.1	20	.6	7.2	6.2	.5	1	10	20.0	3.0	149.8	1.5	
427299	2.9	7.8	18.2	40	.1	3.0	9.7	369	3.62	10	3.2	<1	5.9	124	.1	5.7	<1	122	.49	.108	9.4	7.8	.83	455	.313	8.03	.079	3.56	2.4	49.8	24	.6	7.2	6.5	.5	2	10	14.1	2.9	147.1	1.5	
427300	4.3	13.1	15.5	64	.2	3.4	10.7	560	4.31	15	3.3	<1	7.8	60	<1	5.2	<1	126	.45	.110	17.3	7.3	1.37	984	.322	8.32	.204	3.67	1.9	49.1	33	.6	7.1	6.2	.5	1	10	29.1	1.8	126.0	1.5	
427301	3.4	23.3	9.8	59	.2	3.6	12.0	963	4.02	16	3.4	<1	8.7	125	.1	5.4	<1	124	1.25	.107	21.7	6.5	1.38	627	.323	8.25	.248	3.59	1.7	48.4	39	.6	7.8	6.3	.5	1	10	22.2	1.6	141.8	1.5	
427302	5.0	23.8	7.4	112	.3	2.5	10.1	1078	3.38	22	3.5	<1	8.9	99	.5	6.6	<1	126	1.93	.117	28.1	6.0	1.16	842	.334	8.53	.087	3.59	1.6	50.6	47	.6	11.3	7.3	.5	2	11	22.5	1.3	155.4	1.6	
427303	3.8	14.8	20.9	130	.3	2.6	9.9	1439	3.76	29	2.9	<1	6.1	177	.6	6.3	<1	114	3.36	.098	16.0	7.9	1.08	3338	.308	7.51	.306	3.51	1.3	44.5	30	.6	10.4	6.1	.4	1	9	14.3	2.6	134.1	1.3	
427304	7.5	11.8	135.7	87	.3	3.5	9.5	935	4.23	28	2.9	<1	5.8	165	.5	6.1	<1	113	2.79	.097	13.0	6.4	.77	616	.315	8.04	.106	3.76	1.6	41.9	28	.6	9.9	6.5	.5	1	9	8.6	3.8	148.0	1.3	
427305	5.1	21.2	19.3	98	.2	2.8	9.8	1188	3.52	9	2.9	<1	7.3	147	.5	4.9	<1	120	3.31	.097	20.5	7.9	.97	1340	.328	8.15	.310	3.81	1.5	47.6	37	.6	9.6	6.4	.5	1	9	11.5	2.6	140.7	1.4	
427306	5.1	12.3	15.0	70	.1	2.3	10.																																			



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Ti	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Lf	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.5	7.8	21.9	58	<.1	4.7	4.2	789	2.60	171	4.5	<.1	7.7	725	<.1	.6	1.2	47	2.67	.083	21.1	14.5	.62	996	.259	8.50	2.685	3.00	.2	8.6	42	1.6	13.7	21.9	1.5	3	5	44.4	<.1	111.1	.6		
427307	16.9	10.3	39.8	94	.2	2.7	10.0	1339	3.74	46	3.1	<.1	7.6	118	.4	5.2	.1	115	3.40	.089	19.0	6.9	1.02	838	.284	7.51	.357	3.58	1.5	42.0	34	.6	9.5	6.1	.5	1	8	12.6	3.1	124.1	1.3		
427308	4.1	10.0	38.6	118	.3	1.9	10.8	1580	4.20	16	3.3	<.1	8.3	154	.6	4.8	<.1	122	3.83	.095	21.6	5.0	1.03	1427	.303	8.09	.403	4.20	1.4	48.2	39	.6	11.1	6.5	.5	1	10	10.7	3.6	157.3	1.5		
RE 427308	7.8	9.2	35.1	115	.3	1.8	9.4	1564	3.96	14	3.1	<.1	7.4	144	.5	4.4	<.1	117	3.90	.089	18.9	7.0	.99	835	.300	8.18	.385	4.11	1.3	44.7	34	.5	10.5	6.2	.5	1	9	9.9	3.5	138.8	1.3		
RRE 427308	3.5	9.7	38.2	117	.3	2.1	9.7	1666	4.21	17	3.1	<.1	7.7	154	.5	5.0	<.1	124	4.14	.099	21.4	8.6	1.04	1091	.304	8.35	.419	4.27	1.3	45.8	38	.6	11.6	6.8	.5	1	9	10.1	3.6	154.0	1.5		
427309	3.9	11.5	25.1	201	.3	2.1	10.1	1611	3.61	21	2.7	<.1	7.2	155	.9	5.0	<.1	124	3.92	.091	19.8	6.6	.98	655	.301	7.55	.481	3.53	1.5	42.1	35	.6	10.1	6.4	.5	1	9	10.7	3.1	132.3	1.4		
427310(rock)	.5	4.5	20.8	32	<.1	2.0	1.4	340	1.17	7	9.2	<.1	22.8	123	.1	.3	<.1	14	.77	.019	13.3	6.5	.12	230	.076	7.12	3.037	3.47	.3	20.6	18	.9	3.8	6.7	.6	3	1	5.3	<.1	112.8	1.1		
427311	4.6	12.3	31.7	177	.3	2.0	9.7	1746	4.08	15	3.0	<.1	7.5	193	.7	4.4	<.1	119	4.79	.093	19.7	7.1	1.10	712	.301	7.99	.612	3.79	1.4	42.0	36	.6	10.9	6.4	.5	1	9	9.7	3.4	128.2	1.3		
427312	3.1	11.5	56.5	147	.3	1.8	9.8	1721	3.93	15	3.4	<.1	7.3	169	.6	4.5	<.1	117	4.62	.092	21.1	6.5	.91	712	.294	8.01	.650	3.64	1.3	45.7	37	.6	11.1	6.8	.5	1	10	7.6	3.6	132.2	1.4		
427313	3.2	16.1	8.4	55	.1	1.9	9.9	1325	3.46	7	3.0	<.1	7.7	167	.1	5.1	<.1	112	3.97	.093	21.0	6.2	1.10	649	.278	7.64	.747	3.52	1.1	47.9	37	.5	11.2	6.3	.4	1	9	10.2	2.4	128.5	1.4		
427314	2.9	9.3	10.2	53	.2	2.2	9.0	1360	3.76	15	3.1	<.1	7.6	165	.1	7.9	<.1	117	3.62	.095	21.4	5.8	1.14	789	.294	7.92	.823	3.69	1.4	47.8	38	.6	11.0	6.4	.4	1	9	7.7	2.9	127.5	1.4		
427315	3.8	9.9	19.2	87	.2	2.9	9.9	1351	4.30	14	3.1	<.1	7.7	155	.3	13.1	<.1	122	2.53	.095	21.7	7.9	1.04	502	.298	8.14	.434	3.77	2.2	48.3	37	1.3	10.5	6.7	.5	1	9	7.3	3.7	123.5	1.4		
427316	4.9	22.1	15.7	42	.5	2.4	10.5	1809	4.10	52	3.1	<.1	7.9	126	.1	8.5	<.1	120	2.93	.100	22.0	6.8	1.10	609	.301	8.25	.078	3.75	1.3	53.0	39	.5	10.7	6.5	.5	1	10	18.2	2.7	139.3	1.4		
427317	.6	4.6	6.5	104	<.1	5	20.9	1769	7.06	8	.8	<.1	1.7	500	.2	2.9	<.1	286	4.46	.128	9.3	3.9	2.84	833	.425	9.01	2.315	2.09	.6	16.2	22	.7	10.0	3.6	.2	1	18	34.4	<.1	51.3	.6		
427318	.9	5.9	11.8	98	.1	1.7	21.2	1405	7.56	217	.9	<.1	2.1	199	.2	10.4	<.1	264	2.93	.133	10.0	3.6	2.93	283	.454	9.02	1.817	2.12	2.5	19.1	21	.7	8.8	3.6	.2	1	16	38.7	3.8	55.8	.6		
427319	.6	6.1	6.7	123	<.1	2.0	24.8	1687	7.29	10	.9	<.1	1.7	590	.2	2.9	<.1	282	3.76	.143	10.1	2.9	3.15	1006	.446	9.21	2.852	1.58	.5	15.4	24	.6	10.1	3.4	.2	1	19	43.7	<.1	42.0	.6		
427320	1.2	13.8	10.8	86	<.1	4.8	15.5	860	4.38	11	3.2	<.1	7.2	295	.1	2.0	.1	180	3.00	.066	22.4	10.3	1.11	1530	.364	9.26	1.551	2.38	1.5	44.9	41	.8	10.5	6.7	.5	1	14	18.7	.5	73.1	1.3		
427321	.3	62.4	4.0	76	<.1	5.9	12.9	1196	5.23	6	1.0	<.1	4.3	193	.2	1.0	.1	192	2.87	.060	18.1	9.6	1.53	1055	.412	8.60	.635	2.52	2.0	28.4	34	1.2	9.1	5.6	.4	1	17	24.3	<.1	80.9	.9		
427322	.4	46.7	5.2	77	<.1	7.4	14.5	1153	5.09	7	1.2	<.1	5.3	202	.2	1.3	.3	188	3.09	.056	19.0	14.4	1.46	1176	.418	8.44	.680	2.62	1.9	40.6	37	1.2	11.0	5.3	.4	1	18	21.9	.1	80.5	1.4		
427323	1.7	53.9	12.3	131	<.1	64.0	31.1	1692	6.77	11	1.9	<.1	4.1	267	.2	2.1	.1	266	5.01	.136	16.7	176.6	1.69	854	.523	9.37	1.154	2.34	1.3	34.5	36	1.0	12.2	6.8	.4	1	29	33.6	1.3	60.1	1.1		
427324	149.7	128.5	42.0	56	.5	101.3	70.7	1001	10.71	218	18.1	<.1	4.4	197	.1	5.0	.1	253	4.40	.105	12.2	104.7	1.01	1055	.452	7.60	.382	2.58	.9	57.5	27	1.1	12.1	5.5	.3	1	23	16.8	8.7	75.3	1.8		
427325	5.1	82.2	7.8	93	.1	57.4	24.4	1496	6.39	15	3.1	<.1	4.4	284	.2	1.8	.1	262	5.30	.132	17.3	162.3	1.49	1040	.392	8.71	1.260	2.20	1.9	45.2	38	1.4	13.4	4.7	.3	1	28	32.9	.9	58.3	1.3		
427326	135.0	164.6	44.4	26	1.0	69.7	47.7	1924	11.07	175	7.7	.1	2.3	326	.3	5.9	.1	152	6.84	.061	10.8	50.5	1.10	857	.217	4.38	.637	1.43	.8	28.7	24	3.1	9.8	2.1	.1	<.1	15	7.6	9.8	47.6	.8		
427327	3.8	147.4	5.5	90	.1	59.5	28.1	1141	6.36	23	2.0	<.1	4.1	283	.1	2.7	<.1	259	3.68	.138	16.4	165.6	1.79	848	.347	8.90	1.409	2.05	2.2	36.4	33	1.5	13.4	3.8	.2	1	28	35.5	.7	59.7	1.0		
427328	1.1	93.1	5.2	58	.1	34.6	18.0	3412	5.31	8	1.5	<.1	2.7	659	.3	1.9	<.1	160	10.86	.085	17.6	82.5	2.37	1769	.248	5.42	.726	1.44	1.8	30.2	34	.4	14.2	2.7	.2	1	18	21.6	.3	50.5	.8		
427329	22.4	66.2	11.9	86	.2	64.0	33.9	1538	5.95	50	3.3	<.1	3.8	336	.1	3.6	<.1	260	5.25	.132	16.3	165.3	1.87	1235	.439	8.36	1.176	2.23	4.2	33.0	35	.8	12.3	5.0	.3	2	29	33.2	1.2	68.7	1.0		
427330(pulp)	15.2	41.5	14.2	112	.3	15.8	88.1	2185	6.21	2518	2.8	.3	6.1	304	.2	8.0	7.9	100	7.93	.092	56.3	42.1	1.18	1254	.307	6.33	2.116	2.59	.9	30.7	102	1.9	20.2	14.0	.8	.1	8	13.2	.7	54.6	1.3		
427331	.5	63.2	5.5	134	<.1	53.5	26.8	1599	5.59	18	1.9	<.1	4.4	381	.1	2.5	<.1	253	4.41	.132	17.5	177.7	2.01	636	.437	8.55	1.922	1.71	2.7	40.1	36	.9	13.1	5.4	.3	1	29	42.5	.2	52.4	1.2		
427332	11.1	17.2	26.0	52	.1	4.5	15.6	442	4.10	8	4.0	.1	7.4	223	.1	2.2	<.1	127	2.66	.092	19.9	9.7	.47	409	.314	8.55	1.515	2.87	.9	43.2	37	.7	8.3	5.2	.4	1	12	8.7	3.0	83.9	1.2		
427333	2.3	13.2	21.7	75	.2	3.3	10.8	410	5.59	13	4.9	<.1	6.6	215	.1	2.3	<.1	134	2.74	.096	17.9	6.6	.54	213	.313	8.43	1.627	2.75	.9	43.4	35	.6	9.0	5.2	.4	1	12	10.6	4.2	78.2	1.4		
427334	3.0	23.1	17.0	86	.1	3.6	13.0	528	5.63	10	3.9	<.1	6.9	225	.1	2.4	<.1	127	2.97	.095	19.7	7.1	.67	536	.295	8.27	1.617	2.63	.9	42.7	36	.6	10.0	5.2	.4	1	13	15.7	3.6	80.0	1.3		
427335	3.9	20.6	19.7	67	.2	4.8	20.0	524	6.30	13	4.6	<.1	7.3	223	.2	2.8	<.1	141	3.00	.105	21.2	8.6	.61	809	.322	8.78	1.646	2.76	1.0	47.0	40	.6	9.5	5.2	.4	1	13	14.6	4.6	87.2	1.3		
427336	1.1	40.1	12.8	76	.1	2.1	12.4	816	5.14	7	3.3	<.1	7.5	228	.2	2.9	<.1	132	3.72	.103	22.5	7.4	.79	590	.320	8.63	1.797	2.50	.9	40.5	41	.6	9.9	5.6	.4	1	13	19.1	2.5	72.8	1.3		
427337	.5	21.3	6.4	71	.1	2.6	11.5	1218	3.86	9	2.8	<.1	7.7	227	.2	4.9	.1	132	3.73	.098	22.9	7.8	.96	879	.311	8.23	1.417	2.75	1.5	46.1	41	.6	9.8	5.6	.4	1							



SAMPLE#	Mb	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.5	<1	22.9	59	<1	3.6	4.4	756	2.50	1	4.4	<1	8.0	807	.1	.1	.2	52	2.53	.090	24.8	14.1	.59	956	.252	8.43	3.134	2.95	.1	7.9	52	1.6	15.1	24.7	1.8	2	6	46.1	<1	120.8	.7		
427339	6.6	13.1	14.0	83	.2	2.3	12.4	1439	4.33	7	3.0	<1	8.3	234	.1	5.1	.1	150	3.85	.099	23.5	11.1	1.08	618	.302	8.34	1.291	2.60	1.4	45.7	40	.6	9.9	5.6	.4	1	11	20.0	.8	88.9	1.7		
427340	1.5	14.2	5.7	85	.1	2.1	11.6	1609	4.21	14	2.8	<1	8.0	246	.1	4.2	<1	138	4.25	.094	22.6	15.0	1.25	756	.249	7.99	1.225	2.66	1.1	45.2	40	.7	11.0	5.1	.4	1	11	20.4	.3	97.0	1.5		
427341	.4	66.8	4.7	74	.2	2.2	12.6	1418	3.88	5	2.7	<1	7.7	227	.1	3.7	.1	137	4.05	.093	20.8	13.9	1.06	786	.237	8.08	1.156	2.90	1.5	44.4	37	.7	11.0	4.4	.3	1	10	14.7	.5	103.3	1.5		
427342	.3	807.0	7.4	41	1.6	1.5	10.0	1542	3.47	16	2.6	<1	7.6	242	.3	14.6	.3	116	4.06	.083	23.1	17.8	.99	696	.208	7.28	.946	2.82	1.3	45.7	41	.7	10.2	5.6	.3	1	10	6.8	1.1	107.1	1.5		
427343	.6	25.0	4.7	72	<1	2.2	10.3	1284	4.03	8	2.9	<1	8.4	194	.1	3.0	.1	131	3.65	.095	22.5	13.9	1.12	746	.233	8.12	.992	2.94	1.3	49.2	39	.7	11.3	4.3	.3	1	11	18.4	.5	111.5	1.6		
427344	.5	94.4	3.7	74	.2	2.4	10.8	1242	3.86	5	2.4	<1	7.3	154	.1	3.3	<1	138	3.22	.092	21.2	13.9	1.07	667	.245	7.70	.880	2.89	1.4	41.8	38	.6	9.5	4.3	.3	1	12	20.9	.3	102.1	1.3		
427345	.2	27.9	5.9	82	.1	2.4	10.4	1349	4.36	6	3.4	<1	8.5	146	.1	3.8	<1	138	3.44	.101	22.3	13.8	1.19	905	.260	8.54	.612	3.14	1.7	54.8	39	.7	11.7	4.6	.3	1	11	21.8	.3	112.5	1.6		
427346	.4	18.1	9.1	78	.1	3.6	10.6	702	4.05	10	2.8	<1	7.9	90	.1	4.4	.1	138	1.35	.093	20.7	14.5	1.00	934	.234	7.78	.814	2.96	1.2	50.3	37	.7	8.6	4.3	.3	1	11	17.8	.7	108.5	1.5		
427347	.6	28.2	5.3	72	.2	3.0	9.3	599	3.63	4	3.0	<1	8.2	75	.1	4.3	.1	134	1.27	.102	22.3	11.2	.99	1120	.241	8.06	.480	3.22	1.5	46.6	39	.7	8.9	4.7	.3	1	11	19.6	.4	132.1	1.4		
427348	.2	47.5	6.1	104	.2	7.5	19.9	1399	5.52	16	1.3	<1	3.0	384	.3	1.1	.1	210	6.18	.102	14.2	19.2	2.36	945	.294	8.14	1.181	1.63	.6	37.2	29	.7	12.3	2.7	.2	1	17	45.8	<1	55.5	1.1		
427349	2.3	34.9	12.0	104	.1	8.7	21.3	1301	5.46	43	1.5	<1	3.4	226	.6	5.2	.1	210	5.32	.095	15.1	24.1	1.69	735	.348	7.78	.266	2.27	.8	35.7	30	.8	13.3	4.6	.2	1	17	98.2	1.0	79.2	1.1		
427350(pulp)	15.5	39.1	12.8	112	.2	17.2	82.6	2226	6.37	2587	2.7	.3	6.0	285	.3	7.7	7.3	99	7.85	.088	56.6	47.3	1.19	1244	.320	6.56	2.078	2.60	1.0	28.5	103	1.7	19.4	14.3	.8	1	8	12.4	.7	50.4	1.1		
427351	.7	16.0	6.3	72	.1	2.2	10.2	973	4.27	9	2.2	<1	6.8	256	.1	2.2	.1	169	3.58	.059	20.3	16.8	1.18	1065	.333	8.82	1.311	2.51	1.2	40.3	38	.7	10.4	6.0	.4	1	13	35.5	.4	74.1	1.3		
427352	1.1	19.0	6.6	74	<1	2.7	11.5	936	4.37	8	2.5	<1	7.2	267	.1	1.8	<1	168	3.51	.065	22.3	15.1	1.06	1175	.332	8.70	1.431	2.36	1.1	42.2	40	.8	9.8	6.2	.4	1	12	19.4	.4	76.3	1.4		
427353	27.8	21.9	15.3	26	.1	5.8	11.9	162	2.02	26	4.2	<1	7.3	95	.1	3.6	.1	80	5.4	.021	19.8	11.6	.34	386	.144	6.30	.343	2.55	.5	65.0	36	.6	9.8	6.2	.5	1	4	6.3	1.2	81.5	1.9		
427354	.7	31.0	16.4	83	.1	9.1	14.5	889	4.76	15	1.6	<1	5.4	226	.2	2.1	.1	192	3.18	.064	19.6	26.5	1.26	1025	.366	8.58	1.086	2.50	1.7	32.6	37	1.0	9.9	5.8	.4	1	15	23.0	.7	74.1	1.0		
427355	.4	34.9	3.3	87	<1	6.1	7.4	625	3.89	9	1.1	<1	4.5	170	.1	1.0	<1	136	2.33	.084	20.1	16.6	1.17	1108	.360	8.51	.890	2.62	1.6	32.3	41	1.2	11.2	6.6	.4	1	13	22.5	<1	82.6	.9		
427356	.8	15.4	9.2	92	.1	4.7	12.3	693	4.39	9	1.4	<1	5.7	234	.1	1.9	.4	168	1.94	.062	23.3	8.5	1.05	1288	.444	10.26	1.531	3.20	2.0	39.8	45	1.2	10.6	7.2	.4	2	16	19.1	.5	105.2	1.1		
427357	5.4	33.5	13.3	116	.1	3.8	14.7	862	5.33	28	1.9	<1	5.8	208	.2	5.3	.3	186	1.63	.074	23.9	9.6	1.25	1156	.438	9.49	1.298	2.84	1.8	39.8	47	1.1	10.8	6.5	.4	1	18	26.3	.4	84.8	1.1		
427358	8.4	78.5	35.2	55	.3	8.3	37.6	189	7.35	30	4.4	<1	4.5	83	.1	5.3	.5	615	.24	.015	11.8	11.8	.59	67	.437	10.10	.317	4.29	1.8	53.4	30	1.4	10.8	5.3	.4	2	20	10.6	5.6	145.6	1.5		
427359	9.2	37.7	33.2	50	.2	5.8	24.3	309	6.70	29	7.4	<1	6.5	141	.2	3.4	.1	333	.99	.019	13.1	11.3	.54	93	.368	8.87	.807	3.36	1.4	57.4	32	.9	9.4	6.0	.4	2	15	10.1	5.2	107.4	1.8		
427360	9.5	16.2	18.9	60	.1	3.6	14.4	540	4.83	22	4.5	<1	7.1	215	.1	2.2	<1	199	2.54	.040	17.0	11.8	.59	152	.325	8.13	1.115	2.66	1.1	44.4	36	.7	8.0	5.9	.4	1	11	10.9	3.1	83.4	1.2		
427361	.5	18.3	7.9	90	<1	1.5	9.7	937	4.03	7	2.7	<1	8.2	323	.1	1.4	<1	141	4.08	.100	24.0	13.9	.92	1213	.298	8.27	1.453	2.46	1.6	46.1	44	1.1	11.2	6.3	.4	1	12	21.8	.4	74.6	1.4		
427362	6.9	12.2	15.2	89	.1	3.8	12.9	522	4.51	8	3.3	<1	7.9	348	.2	2.0	<1	160	2.33	.102	22.1	12.7	.72	556	.320	8.62	1.903	2.46	1.0	43.1	42	.8	9.6	5.8	.5	1	12	18.1	1.1	74.4	1.3		
427363	2.3	11.1	12.5	66	.1	2.8	11.9	721	3.89	9	2.7	<1	6.9	258	.1	1.9	<1	129	3.24	.089	22.6	11.9	.65	460	.275	7.51	1.396	2.40	1.1	35.8	40	.6	8.0	4.9	.4	1	10	12.9	1.4	70.3	1.1		
427364	.8	18.0	7.4	96	<1	4.3	9.5	1016	3.83	7	2.6	<1	7.8	331	.2	3.5	<1	148	4.22	.102	24.4	10.1	.91	1536	.278	8.29	1.585	2.63	1.3	40.5	43	.6	10.5	5.4	.4	1	12	19.7	.6	87.3	1.3		
427365	8.1	19.4	27.9	51	.4	3.2	20.8	893	5.95	18	4.9	<1	7.5	317	.1	3.9	<1	132	4.24	.104	21.6	9.3	.62	169	.218	7.72	1.533	2.59	1.1	39.8	40	.6	9.8	3.8	.3	1	12	12.4	4.5	90.2	1.2		
427366	.9	16.1	10.5	82	.1	2.3	12.3	1158	4.35	9	3.0	<1	7.2	330	.1	3.9	<1	113	4.90	.096	21.7	10.1	.86	1259	.260	7.90	1.495	2.44	1.5	37.2	39	.6	9.9	4.2	.3	1	12	19.7	1.1	78.2	1.2		
427367	.3	14.5	5.5	60	<1	2.9	9.1	848	3.82	9	1.8	<1	6.9	259	.1	2.4	<1	95	3.11	.098	20.9	10.5	.72	1535	.257	7.75	1.268	2.68	2.2	33.8	38	.7	8.0	4.4	.3	1	12	17.6	.6	89.0	1.0		
RE 427367	.3	13.8	5.3	61	<1	2.2	8.7	824	3.92	8	1.9	<1	7.4	278	.1	2.6	<1	97	3.17	.096	22.7	11.3	.72	1507	.258	7.79	1.217	2.66	2.1	34.5	41	.6	8.9	4.5	.3	1	13	17.4	.6	97.4	1.0		
RRE 427367	.2	14.8	5.1	61	<1	2.0	8.8	858	3.95	8	1.9	<1	7.5	267	.1	2.5	<1	99	3.22	.095	23.7	11.8	.74	1565	.263	7.86	1.239	2.73	2.0	33.8	42	.5	8.7	3.9	.3	1	12	16.5	.6	100.3	.9		
427368	.7	24.9	8.4	107	.1	5.0	13.8	1363	4.33	34	2.0	<1	6.9	315	.1	4.7	<1	101	4.59	.102	23.9	13.8	.88	1170	.269	7.92	1.507	2.44	2.6	27.8	42	.7	10.1	4.2	.3	1	13	22.8	1.0	92.2	.9		
427369(rock)	.6	24.0	8.5	104	.2	4.1	14.3	1354	4.28	38	2.0	<1	7.3	322	.1	5.0	<1	100	4.56	.102	24.8	13.0	.89	1165	.257	7.79	1.508	2.46	2.5	27.4	42	.8	9.5	4.0	.3	1	12	22.8	1.0	90.9	.9		
427370	.6	9																																									



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.7	6.7	23.7	60	.1	3.0	4.4	785	2.48	1	3.7	<.1	6.7	718	.1	.2	.2	53	2.51	.087	18.3	15.8	.61	1004	.260	7.56	2.751	2.78	.2	8.4	41	1.4	<.1	21.4	1.6	3	5	43.7	.1	116.1	.6		
427371	.7	16.6	7.4	82	.2	.8	10.1	1048	4.34	87	2.7	.1	8.1	280	.2	3.5	<.1	132	3.25	.104	23.2	12.3	1.16	854	.296	7.83	1.787	2.08	4.6	45.5	41	.6	.7	5.3	.4	1	11	27.8	.9	90.9	1.6		
427372	3.7	23.9	9.7	92	.2	4.8	12.0	473	4.24	32	3.0	<.1	7.2	238	.3	7.2	.3	143	.46	.105	15.9	15.0	1.22	147	.281	7.71	1.620	2.28	1.7	48.9	32	.7	1.1	5.0	.4	1	12	29.2	1.3	100.5	1.6		
427373	1.1	8.3	7.9	93	.1	1.3	10.2	1156	3.59	5	2.8	<.1	8.4	147	.2	7.0	.1	136	2.59	.107	22.3	13.6	1.17	1237	.287	8.17	.866	2.99	1.7	48.6	40	.6	.7	5.1	.5	2	11	25.0	.8	128.9	1.7		
427374	.9	13.2	12.8	127	.1	1.2	11.8	1314	3.28	8	2.9	<.1	7.7	172	.5	8.6	.1	138	2.95	.100	20.4	16.1	1.04	141	.291	7.86	.590	3.19	1.8	50.0	38	.7	1.3	5.3	.4	1	12	15.9	1.3	141.7	1.6		
RE 427374	1.0	14.0	12.1	129	.1	.9	11.2	1303	3.28	8	3.1	<.1	8.0	181	.5	8.9	.1	137	2.92	.102	21.3	14.5	1.06	175	.289	7.77	.571	3.19	1.7	51.3	40	.6	1.3	5.5	.4	1	12	16.3	1.3	148.5	1.7		
RRE 427374	.8	12.2	11.5	127	.1	.5	11.4	1348	3.26	8	2.9	<.1	7.5	186	.4	8.8	.1	137	3.01	.100	19.9	13.6	1.06	163	.290	7.84	.563	3.22	1.7	49.1	36	.6	1.2	5.3	.4	2	12	15.8	1.3	140.8	1.6		
427375	2.4	1184.8	58.6	148	2.7	4.9	28.8	1297	3.78	32	5.0	.8	8.6	144	.8	18.5	.7	152	2.68	.115	23.0	15.6	1.02	80	.326	8.44	.336	3.67	2.8	53.0	44	.7	2.5	6.5	.5	2	13	12.4	2.6	162.5	1.9		
427376	5.4	19.3	47.4	144	.4	3.2	10.6	142	4.71	53	3.1	.1	4.7	129	.9	9.2	.7	118	.31	.104	6.3	11.1	.40	45	.280	7.55	.119	5.46	3.5	52.0	19	.5	4.6	5.9	.4	1	11	9.4	4.7	188.3	1.7		
427377	7.0	13.1	80.1	1435	.4	2.6	9.8	120	3.95	23	2.9	.2	4.5	119	9.7	6.4	1.4	103	.28	.088	10.3	16.7	.24	30	.256	6.60	.132	5.69	4.2	45.0	30	.5	3.9	5.3	.4	1	9	6.7	3.9	166.0	1.5		
427378	6.4	51.8	310.1	66	.7	2.4	8.8	211	4.13	30	2.5	.2	3.3	142	.4	16.8	1.7	74	.37	.082	5.7	15.1	.21	56	.229	6.19	.158	6.68	3.3	39.0	19	.4	4.1	4.6	.4	1	7	5.3	4.1	181.8	1.3		
427379	4.6	8.3	14.9	41	.3	1.9	9.8	750	5.04	50	3.1	.2	5.5	205	.1	5.5	1.2	122	1.57	.097	11.3	12.8	.43	54	.277	7.43	.146	7.19	3.1	47.0	28	.4	4.5	5.8	.5	1	10	6.1	4.5	221.2	1.6		
427380	2.9	11.2	10.7	87	.2	1.1	9.8	1502	4.71	26	3.1	<.1	6.5	190	.1	4.8	.7	114	2.11	.105	16.1	15.2	.83	127	.290	7.81	.143	6.61	2.7	48.8	33	.5	2.5	6.0	.5	1	10	13.8	2.4	200.3	1.6		
427381	3.5	23.6	10.7	55	.3	.3	9.2	1764	3.92	15	2.9	.2	4.9	294	.1	7.9	.4	100	3.02	.089	9.9	14.2	.96	112	.266	7.11	.403	5.67	2.3	44.6	23	.4	2.7	5.2	.4	1	9	7.0	2.6	175.4	1.5		
427382	4.7	6.5	10.1	64	.2	.9	8.6	1848	3.62	31	3.0	.3	5.8	239	.1	6.4	.1	106	2.14	.094	14.1	12.4	.94	112	.270	7.42	.693	5.55	2.3	45.2	29	.5	2.0	5.3	.4	1	9	12.1	1.9	171.3	1.5		
STANDARD DST6	12.4	127.7	35.1	173	.4	29.7	13.0	963	4.07	24	7.5	<.1	6.9	312	5.9	5.4	4.8	105	2.29	.102	24.9	222.0	.99	693	.422	7.02	1.683	1.36	7.7	54.4	53	6.4	<.1	9.0	.7	3	11	26.6	.1	58.2	1.8		

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #27 File # A608030

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus VanWermeskerken


SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
427383	.01	1.9
427384	.03	1.3
427385	.09	.5
427386	.01	.9
427387	<.01	1.7
427388	.03	2.8
427389 (pulp)	1.77	-
427390	.03	4.7
427391	.01	3.1
RE 427391	<.01	-
RRE 427391	.02	-
427392	.04	3.2
427393	.03	2.5
427394	.05	4.7
STANDARD SL20	6.02	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
 - SAMPLE TYPE: DRILL CORE R150  
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DEC 02 2006

Data FA

DATE RECEIVED: OCT 23 2006 DATE REPORT MAILED:.....





GEOCHEMICAL ANALYSIS CERTIFICATE



Coast Mountain Geological PROJECT Homestake #27 File # A608030


P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermskerken

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Hg	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ce	P	La	Cr	Hg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sm	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
G-1	.4	56.8	23.7	65	1.1	8.7	4.7	765	2.41	5	4.2	<.1	7.3	737	.2	35.7	.3	52	2.55	.082	21.3	9.8	.66	981	.270	7.96	2.818	2.69	.1	7.9	44	1.5	15.0	21.5	1.6	3	5	45.1	<.1	64.5	.7	
427393	.5	30.9	9.7	78	.8	6.7	12.2	3312	4.44	28	3.6	<.1	8.4	218	.1	5.4	.3	161	4.17	.054	22.9	7.9	1.48	1270	.395	8.48	.046	2.78	.9	62.0	40	8	11.7	6.1	.5	1	15	30.6	1.0	90.7	2.4	
427384	1.2	85.9	18.1	125	1.2	3.4	22.1	6485	6.36	117	.8	<.1	1.5	266	.3	17.1	.3	266	5.19	.123	8.2	4.4	1.49	3646	.508	9.29	.118	3.91	5.6	18.5	20	8	12.2	2.7	.2	1	15	16.9	3.0	101.4	.8	
427385	2.4	56.6	39.4	136	2.7	5.0	25.0	7211	6.91	228	.7	<.1	1.3	194	1.0	17.1	.2	267	3.31	.115	6.1	5.1	1.13	1478	.496	8.12	.158	5.09	4.1	16.3	17	1.0	9.9	3.2	.2	1	17	13.2	3.3	115.1	.8	
427386	1.1	73.9	19.0	157	1.1	2.9	19.9	7561	6.36	53	.7	<.1	1.4	307	.2	17.8	.3	302	4.92	.125	8.3	5.9	1.55	2673	.545	9.41	.062	2.58	4.6	16.4	20	9	10.5	3.2	.2	1	17	12.8	1.7	58.2	.7	
427387	1.2	101.8	13.1	148	1.1	2.1	22.3	6043	7.38	50	.7	<.1	1.5	249	.2	16.0	.2	264	4.27	.123	8.7	4.4	1.49	2540	.508	8.71	.076	4.30	3.3	19.2	21	1.0	9.9	2.8	.2	1	16	25.5	2.2	102.1	.8	
427388	5.6	36.5	25.9	92	.9	6.0	25.8	2875	8.01	114	1.0	<.1	1.5	157	.1	21.5	.2	292	3.16	.128	6.5	4.4	.96	401	.494	8.24	.072	5.46	4.2	23.6	17	.9	9.5	2.4	.2	2	18	18.2	5.8	159.8	1.0	
427389 (dup)	7.9	134.0	15.7	150	6	27.9	80.8	3738	8.93	2158	4.3	1.7	2.3	327	5	13.0	34.6	96	15.22	.113	28.8	52.2	1.80	586	.235	4.36	.753	90	17.8	37.8	35	3.8	18.3	2.0	.2	1	10	19.3	.5	32.8	1.9	
427290	2.4	66.3	13.2	152	.9	2.7	23.6	4354	6.65	101	1.2	<.1	2.2	218	.4	13.9	.1	250	5.27	.125	12.9	3.7	1.32	1923	.459	8.55	.104	5.02	4.5	25.1	26	5	12.7	2.6	.2	1	18	26.4	2.7	231.8	1.1	
427391	.4	6.0	8.8	142	.7	2.9	18.0	5649	7.05	200	.6	<.1	1.9	290	.1	14.6	.1	266	6.49	.126	11.2	4.8	1.82	1665	.406	8.54	.112	4.73	6.4	19.2	25	.5	12.6	2.1	.2	1	17	34.2	1.9	149.2	.6	
RE 427391	.3	5.8	8.9	140	.7	3.1	17.3	5616	6.98	198	.8	<.1	1.9	293	.1	15.5	.1	266	6.45	.129	13.4	4.3	1.80	1627	.430	8.47	.112	4.65	6.6	20.4	27	5	13.5	2.3	.2	1	19	35.6	1.9	210.2	.9	
RRE 427391	.4	4.7	9.0	139	.7	2.1	17.1	5553	6.93	199	.8	<.1	2.4	291	.1	14.9	<.1	261	6.41	.126	13.7	4.0	1.78	1636	.429	8.44	.111	4.34	7.0	38.2	27	.6	13.6	2.2	.1	1	19	35.5	2.0	176.8	1.0	
427392	3.5	10.3	14.6	134	1.1	3.2	23.8	4007	6.11	71	1.2	<.1	1.4	186	.1	9.3	<.1	228	3.91	.115	8.9	4.8	1.07	730	.388	7.20	.149	5.87	3.9	18.7	20	5	10.5	2.1	.1	1	14	28.5	2.9	161.5	.7	
427393	4.3	10.4	14.8	164	1.3	3.8	22.7	4694	7.02	79	1.0	<.1	1.7	142	.1	9.3	<.1	290	2.37	.114	9.2	7.7	1.32	2481	.433	8.16	.148	5.05	6.2	19.4	20	6	11.0	2.2	.2	1	20	31.5	2.6	234.6	.7	
427394	.4	26.9	12.1	154	1.4	3.0	19.6	5251	6.68	51	.7	<.1	1.7	168	<.1	18.2	.1	294	3.96	.118	9.9	6.5	1.42	1793	.435	8.37	.126	5.34	11.9	17.0	22	.6	10.0	2.0	.1	1	19	26.5	1.7	138.3	.6	
STANDARD DST6	12.7	129.5	35.7	171	4	29.9	13.2	960	4.00	25	7.8	<.1	7.4	313	5.6	5.5	4.8	107	2.26	.097	26.1	234.0	1.00	656	.425	6.97	1.647	1.42	7.5	54.1	53	6.3	14.8	8.9	.6	4	11	28.0	<.1	52.6	1.6	

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.

- SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA \_\_\_\_\_ DATE RECEIVED: OCT 23 2006 DATE REPORT MAILED:.....



(ISO 9001 Accredited Co.)

**GEOCHEMICAL ANALYSIS CERTIFICATE**




**Coast Mountain Geological PROJECT Homestake #28 File # A608031**

P.O. Box 11604 620 650, Vancouver BC V6B 4N9 Submitted by: Marcus VanWenkeskerken

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Tl	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.3	120.4	22.9	73	2.2	7.1	5.5	782	2.26	11	5.1	<.1	6.5	654	.1	71.1	.2	50	2.59	.083	14.9	7.8	.64	1048	.275	8.34	2.654	2.82	.1	7.3	33	1.3	14.9	20.2	1.6	2	5	37.8	<.1	102.8	.6
493801	2.2	3194.7	18.8	267	28.7	10.3	18.3	895	4.64	216	.3	.1	.6	19	1.9	427.2	.1	58	.29	.040	8.2	11.0	.54	65	.094	1.69	.021	.27	.1	7.6	11	.4	5.4	2.1	.1	<.1	4	45.9	.4	9.0	.2
493802	5.1	>10000	9.9	2880	150.4	15.0	91.4	1693	5.36	860	.7	<.1	1.3	193	50.4	>4000	.1	67	8.54	.036	6.3	11.5	2.88	223	.085	2.24	.014	.06	.1	14.1	10	.5	7.6	2.4	.1	<.1	3	36.3	1.9	2.2	.4
493803	15.4	>10000	40.4	>10000	>200	18.9	182.8	1944	8.71	4707	.4	<.1	.4	59	189.6	>4000	.2	93	4.58	.016	5.4	16.4	1.35	101	.040	1.25	.021	.53	<.1	6.4	8	.8	10.7	.2	<.1	<.1	3	7.8	3.9	14.1	.2
493804	14.2	>10000	230.7	>10000	>200	4407.2	1586.0	162	4.89	8305	.2	<.1	<.1	201	270.1	>4000	.1	20	.91	.012	1.2	118.3	.05	82	.043	.60	.015	.24	<.1	2.3	<.1	1.6	.9	.2	<.1	<.1	1	16.5	9.3	7.1	.1
STANDARD DST6	12.5	129.3	35.4	171	.3	29.5	13.2	957	4.01	24	7.4	<.1	6.8	304	5.5	9.2	4.7	107	2.24	.095	23.8	221.3	1.00	661	.419	6.84	1.592	1.35	7.5	51.1	50	6.3	14.6	8.9	.6	3	11	23.2	<.1	55.3	1.6

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCl-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.  
- SAMPLE TYPE: ROCK R150

Data FA DATE RECEIVED: OCT 23 2006 DATE REPORT MAILED:..... **DEC 02 2006**









ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #28 File # A608031R

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwer

SAMPLE#

Cu  
%

Zn  
%

493802

2.856 .31

493803

10.611 1.01

493804

15.734 1.16


STANDARD R-3

.791 4.02

GROUP 7AR - 1.000 GM SAMPLE, AQUA - REGIA (HCL-HNO3-H2O) DIGESTION TO 100 ML, ANALYSED BY ICP-ES.  
- SAMPLE TYPE: ROCK PULP

Data FA

DATE RECEIVED: DEC 4 2006 DATE REPORT MAILED: DEC 13 2006





ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #28 File # A608031R2

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwer

SAMPLE#	Ag** gm/mt
493803	500
493804	3593
STANDARD R-3	196

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: ROCK PULP

Data F FA \_\_\_\_\_

DATE RECEIVED: DEC 4 2006 DATE REPORT MAILED:.....DEC. 13. 2006





ASSAY CERTIFICATE




Coast Mountain Geological PROJECT Homestake #29 File # A608032 Page 1

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermeskerken

SAMPLE#	Au** gm/mt	Sample kg
G-1	.01	-
427395	.01	5.2
427396	<.01	5.2
427397	<.01	3.4
427398	<.01	2.6
427399	.01	1.3
427400	.01	1.8
427401	.02	1.3
427402	<.01	4.0
427403	.01	5.0
427404	<.01	4.2
427405	<.01	4.7
RE 427405	.01	-
RRE 427405	<.01	-
427406	.01	4.7
427407	.01	2.7
427408 (pulp)	1.71	-
427409	<.01	2.4
427410	.01	4.6
427411	<.01	5.1
427412	.01	4.9
427413	<.01	4.6
427414	.01	4.2
427415	.01	4.8
427416	.03	3.5
427417	.01	2.4
427418	.04	3.4
427419	.01	1.8
427420	.08	4.3
427421	.10	.9
427422	.07	2.6
427423	.03	2.6
427424	.53	.9
427425	.05	.8
427426	.57	1.0
STANDARD SL20	6.05	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



Data FA DATE RECEIVED: OCT 23 2006 DATE REPORT MAILED:.....



SAMPLE#	Au** gm/mt	Sample kg
G-1	.01	-
427427	.22	1.5
427428 (pulp)	2.85	-
427429	.06	1.7
427430	.02	2.5
427431	.03	1.9
RE 427431	.04	-
RRE 427431	.03	-
427432	1.80	1.5
427433	1.27	.8
427434	.51	1.3
427435	.37	1.4
427436	.14	2.9
427437	.17	2.8
427438	.30	2.6
427439	.13	2.7
427440	.12	2.6
427441	.31	1.0
427442	.16	1.1
427443	.17	1.5
427444	.59	1.0
427445	.28	1.2
427446	.50	1.3
427447	1.00	1.2
427448 (pulp)	.28	-
427449	1.26	1.5
427450	.53	1.5
484501	.44	.9
484502	.25	1.5
484503	1.35	1.1
484504	.41	1.2
484505	2.90	1.0
484506	.83	1.2
484507	.89	1.2
484508	.28	1.7
STANDARD SL20	5.96	-

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
484509	.15	2.2
484510	.10	2.8
484511	.09	2.6
484512	.14	2.5
484513	.13	2.5
484514	.28	1.3
484515	.11	.8
484516 (rock)	.01	.5
484517	.08	3.1
484518	.08	2.2
484519	.11	2.4
484520	.11	1.9
484521	.57	1.1
484522	1.37	.9
484523	1.45	.8
484524	.53	.9
484525	1.62	1.4
484526	.30	1.8
484527	.27	1.4
484528	.05	3.6
484529	.04	1.0
484530	.02	4.2
RE 484530	.02	-
RRE 484530	.02	-
484531	.02	3.3
484532	.05	5.2
484533	.04	5.0
484534	.09	4.6
484535	.14	1.8
484536	.09	3.1
484537	.18	3.5
484538 (pulp)	20.14	-
484539	.05	4.7
STANDARD SL20	5.96	-

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



GEOCHEMICAL ANALYSIS CERTIFICATE



Coast Mountain Geological PROJECT Homestake #29 File # A608032 Page 1

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermskerken

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.8	7.4	23.7	54	<1	5.2	4.9	778	2.51	2	3.9	<1	7.7	734	.1	.1	.2	52	2.70	.082	24.8	7.3	.66	1012	243	8.19	2.704	2.88	.3	8.9	48	1.4	13.5	18.8	1.6	3	5	40.9	<1	115.2	.7		
427395	.8	18.9	10.1	78	<1	5.6	23.9	1718	6.50	22	.6	<1	1.7	413	.5	3.0	<1	267	15.64	.109	10.9	8.7	2.24	1999	.444	7.96	.568	2.07	.4	24.1	22	.6	11.9	1.6	.1	<1	23	33.5	.2	67.7	.7		
427396	4.3	38.4	15.2	101	.1	9.0	18.4	1111	5.31	21	2.0	<1	4.0	371	.5	2.3	.1	211	5.27	.100	16.3	16.4	2.21	777	.341	8.31	.971	1.85	.9	53.8	30	.8	11.5	3.6	.3	1	17	42.7	.3	62.0	1.6		
427397	6	33.6	9.3	95	.1	8.9	18.0	1242	5.62	15	1.5	<1	4.0	389	.2	2.3	.1	222	5.40	.097	15.9	15.4	2.12	869	.390	8.22	1.068	1.78	1.2	43.9	30	.8	11.8	3.6	.3	1	18	38.0	.4	61.2	1.7		
427398	.4	51.7	11.8	129	.1	10.3	22.5	1263	5.63	17	1.5	<1	4.1	408	.8	2.5	.1	236	5.61	.108	17.3	21.2	2.12	1063	.413	8.58	1.252	1.80	1.7	47.8	32	.9	13.6	3.4	.3	1	22	42.8	.2	66.7	1.7		
427399	.4	43.9	9.9	101	.1	13.4	21.6	1817	6.11	22	1.2	<1	3.0	473	.4	2.5	.1	233	6.89	.107	14.7	28.1	2.38	889	.387	8.31	1.262	1.52	1.4	37.1	28	.7	12.1	3.2	.3	1	20	48.9	.5	53.5	1.1		
427400	2.0	31.7	11.5	89	.2	8.1	19.2	1320	4.88	37	2.4	<1	4.7	331	.4	3.8	.2	196	5.40	.089	17.3	13.8	1.87	1143	.372	8.09	.975	2.00	2.0	49.1	33	.9	13.8	4.2	.3	1	16	36.7	.4	70.9	1.6		
427401	1.3	20.3	12.4	50	.2	5.7	15.4	1575	5.03	45	1.3	<1	3.7	253	.3	7.0	.2	159	5.97	.079	14.4	12.3	1.54	215	.305	7.23	.385	2.49	1.8	27.8	27	.8	12.1	3.9	.3	1	14	35.3	2.1	93.2	.9		
427402	1.4	20.5	18.0	74	.2	3.6	14.7	1342	4.60	23	2.2	<1	6.8	283	.3	4.6	.1	139	4.29	.074	21.4	7.8	1.12	139	.333	8.03	1.179	2.28	1.7	35.8	38	.8	10.8	5.3	.5	1	12	49.4	1.8	81.1	1.2		
427403	1.0	28.9	25.7	98	.2	2.1	7.2	1242	3.83	12	1.9	<1	6.0	219	.4	3.7	.2	127	3.12	.076	22.5	4.5	1.22	1599	.298	8.99	.950	2.87	2.1	45.6	43	1.0	12.9	5.4	.5	2	8	34.4	.7	95.8	1.5		
427404	1.2	30.0	8.6	108	.1	3.4	15.3	1196	5.50	19	1.4	<1	6.6	190	.2	3.2	.2	175	2.31	.088	23.9	5.6	1.33	1554	.417	9.69	.997	2.79	2.5	36.2	45	.9	11.2	5.5	.5	1	15	46.5	.8	90.9	1.1		
427405	3.7	15.6	16.7	79	.1	2.9	16.2	1243	4.31	21	2.9	<1	8.5	282	.1	3.5	<1	177	4.71	.103	23.3	6.4	1.00	1371	.338	9.05	1.143	2.53	1.5	40.2	41	.7	9.9	5.9	.5	1	12	20.4	.7	76.2	1.4		
RE 427405	4.0	15.8	17.9	81	.1	4.0	17.1	1253	4.29	22	2.7	<1	8.8	294	.2	3.8	<1	176	4.71	.103	25.2	5.7	1.01	1456	.474	8.88	1.183	2.58	1.8	41.6	43	.7	10.7	5.6	.5	1	13	21.3	.7	76.7	1.4		
RRE 427405	3.5	14.8	17.6	79	.1	3.5	16.3	1236	4.27	22	2.6	<1	8.5	291	.2	3.7	<1	169	4.69	.099	24.5	6.4	1.01	1435	.331	8.65	1.185	2.56	1.7	41.5	42	.7	11.0	5.3	.5	1	12	21.1	.7	79.1	1.4		
427406	6.8	12.8	45.2	71	.1	2.7	14.2	1279	3.96	25	3.4	<1	8.6	264	.2	3.7	<1	294	4.66	.093	23.8	5.6	.80	1374	.331	8.47	.979	2.54	1.6	42.8	41	.6	11.3	5.5	.5	1	11	15.9	.6	79.8	1.5		
427407	12.4	26.8	28.4	60	.3	4.3	16.5	856	3.78	45	3.6	<1	9.2	237	.2	5.5	<1	209	3.14	.105	24.5	7.6	.51	541	.326	8.46	1.137	2.82	1.8	48.6	43	.8	10.2	6.0	.5	1	12	11.8	1.2	95.7	1.6		
427408 (pulp)	8.8	129.5	13.7	123	.7	26.8	77.9	3659	8.74	1924	4.0	2.0	2.2	320	.6	12.0	29.3	102	16.05	.113	25.3	57.9	1.72	606	.234	4.34	.701	.87	14.5	37.3	32	4.0	16.9	2.0	.2	<1	10	17.8	.5	25.7	1.3		
427409	3.1	11.2	51.3	69	.2	2.6	13.9	955	3.94	21	3.3	<1	8.6	265	.2	4.0	<1	124	4.13	.095	23.2	6.5	.66	897	.309	8.12	1.305	2.35	1.5	41.6	41	.6	10.1	5.2	.5	1	11	15.5	.4	75.7	1.4		
427410	.6	22.6	11.7	60	.1	2.8	11.1	941	3.73	22	2.5	<1	8.3	260	.1	4.6	<1	101	4.08	.099	23.0	7.2	.82	1007	.298	8.05	1.248	2.47	2.7	39.6	39	.7	9.5	5.2	.5	1	11	14.9	.5	87.8	1.4		
427411	1.3	14.2	6.2	63	.1	2.6	11.7	994	3.99	24	2.2	<1	8.3	254	.1	4.2	<1	91	3.92	.097	22.7	7.5	.86	1083	.303	8.37	1.367	2.44	3.0	40.4	40	.5	9.9	5.0	.5	1	11	20.4	.4	86.9	1.3		
427412	.9	17.1	7.5	53	.1	3.2	12.6	709	3.59	67	2.5	<1	7.9	207	.1	5.7	<1	111	2.90	.101	22.4	6.3	.77	1378	.336	8.23	1.267	2.60	6.3	38.9	39	.6	9.2	4.2	.4	1	12	18.3	.7	99.4	1.4		
427413	1.6	11.0	5.3	58	.1	2.1	10.4	1268	3.92	27	2.0	<1	8.3	349	.2	3.6	<1	117	5.09	.100	23.3	5.2	1.04	1032	.312	8.08	1.524	2.32	2.2	34.9	40	.7	10.0	4.7	.4	1	12	21.6	.6	87.6	1.2		
427414	1.7	13.5	6.0	63	.1	2.7	12.5	1232	4.32	30	2.4	<1	8.4	302	.2	4.1	.1	114	4.77	.105	24.1	6.9	.98	1467	.314	8.61	1.726	2.40	2.7	37.1	42	.7	10.5	4.7	.5	1	12	23.8	.7	95.7	1.3		
427415	.4	7.5	5.2	56	.1	2.3	10.8	1144	3.79	19	2.9	<1	8.1	311	.1	5.0	<1	111	3.93	.100	22.6	5.5	1.04	2574	.322	8.37	1.202	2.76	3.9	45.6	40	.8	10.2	5.0	.5	1	12	20.9	.5	112.2	1.4		
427416	.6	14.6	6.8	72	.1	2.8	11.4	1162	3.30	21	3.0	<1	8.3	229	.3	5.7	.3	154	3.83	.103	23.4	6.6	.77	1505	.326	8.30	1.092	2.81	3.2	43.6	40	.9	10.3	5.0	.4	1	12	15.3	.3	117.9	1.4		
427417	1.0	15.1	7.2	66	.1	2.9	12.2	1528	3.84	14	3.4	<1	9.6	282	.2	5.9	.3	144	5.32	.105	25.8	6.6	.75	1139	.327	8.35	1.186	2.70	1.8	48.7	43	.8	11.9	5.5	.5	1	12	17.9	.5	114.5	1.7		
427418	.7	14.9	10.4	53	.2	2.2	10.3	952	2.02	38	2.9	<1	8.3	204	.2	7.3	.2	141	3.69	.098	22.1	5.4	.44	1170	.315	7.89	1.098	3.02	2.5	45.5	39	.9	9.7	5.1	.5	1	11	5.1	.8	119.1	1.6		
427419	.6	11.4	9.4	68	.1	3.0	10.1	1258	3.98	18	3.1	<1	8.8	209	.2	6.3	.3	153	4.16	.112	24.8	6.5	.79	1195	.327	8.40	.892	2.95	2.2	49.1	45	1.2	11.0	5.6	.5	1	12	17.3	.7	113.0	1.7		
427420	1.3	583.7	54.3	313	1.0	3.0	11.5	1296	3.08	38	2.7	.1	7.9	185	3.8	7.9	.3	156	4.31	.106	20.7	6.6	.64	792	.332	8.15	.496	3.23	3.6	41.5	37	.7	10.2	5.5	.5	1	12	10.0	1.1	131.2	1.4		
427421	1.6	319.7	149.0	105	.7	2.4	10.1	1167	2.40	37	2.7	<1	7.5	253	1.5	6.2	.3	147	4.02	.100	16.2	5.5	.65	413	.312	8.10	.574	3.29	2.7	42.2	29	.8	10.2	5.2	.4	1	11	4.8	1.1	137.4	1.3		
427422	2.1	282.3	203.4	424	.8	2.6	9.3	1013	2.16	23	3.1	<1	8.4	208	5.4	6.0	.4	151	3.05	.104	18.1	6.6	.60	478	.312	8.10	.305	3.38	2.7	45.3	33	.8	9.6	5.2	.5	2	11	8.2	.7	142.4	1.3		
427423	.7	33.1	36.5	40	.3	3.4	11.2	959	2.99	28	2.9	<1	8.1	120	.3	4.5	.3	146	2.74	.106	21.1	6.4	.63	333	.296	7.99	.079	3.39	2.5	45.8	40	.7	9.6	4.8	.4	1	12	8.7	1.6	141.8	1.5		
427424	1.8	5943.4	6134.3	1597	13.7	3.5	11.6	519	3.59	29	3.5	.1	8.0	104	17.9	29.1	1.8	160	2.01	.110	16.8	11.2	.46	116	.274	8.76	.079	3.77	6.5	51.1	33	1.0	8.5	4.7	.4</								



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	1.3	5.9	20.8	57	<1	5.7	4.9	779	2.54	1	3.8	<1	5.9	734	<1	<1	.2	53	2.68	.088	21.3	109.3	.66	984	.281	8.26	2.623	2.92	.1	7.7	42	1.3	13.2	18.4	1.5	3	5	41.1	<1	113.6	.6		
427427	.5	9.7	23.7	59	<1	5.7	4.5	767	2.44	2	4.0	<1	6.5	731	.1	<1	.2	51	2.60	.081	21.2	14.4	.61	963	.256	8.14	2.766	2.93	.2	7.9	42	1.3	13.8	19.1	1.6	3	5	41.8	<1	117.4	.6		
427428 (pu)p	78.9	268.1	44.6	151	2.1	71.6	37.9	2927	11.16	432	2.7	3.5	4.7	157	.5	16.8	247.4	83	19.61	.079	20.3	94.7	1.41	212	.524	4.06	.367	.40	73.7	80.2	41	187.8	15.7	7.8	.6	1	11	12.6	1.0	15.7	1.5		
427429	1.2	348.8	1075.0	59	1.9	3.7	11.3	927	2.42	15	3.3	<1	8.5	79	.4	11.7	.7	134	1.87	.099	20.2	17.8	.69	946	.281	8.16	.084	3.60	3.3	60.9	35	.7	9.3	5.1	.4	2	11	9.4	.9	139.7	1.7		
427430	.8	89.5	600.9	421	.9	2.6	8.8	1591	2.82	10	3.1	<1	7.8	100	3.3	8.6	.2	128	2.90	.092	18.6	16.7	.95	1052	.272	7.49	.061	3.17	3.3	46.4	32	.7	9.9	4.5	.4	1	10	13.3	.6	127.0	1.7		
427431	.9	58.3	118.6	633	.4	2.5	8.3	1644	3.07	26	3.3	<1	8.3	115	5.3	9.6	.2	139	2.67	.095	22.3	17.9	1.03	1441	.281	7.62	.065	3.23	3.2	48.3	38	.8	10.3	4.5	.4	1	11	13.6	.8	139.8	1.7		
RE 427431	.8	58.6	107.5	636	.4	3.3	8.2	1611	2.96	26	3.0	<1	8.0	111	5.4	9.6	.2	137	2.67	.093	21.9	19.2	1.01	1268	.275	7.82	.061	3.19	3.4	48.5	37	.7	10.3	4.4	.4	1	11	13.3	.8	131.5	1.8		
RRE 427431	.8	56.5	104.6	588	.3	2.6	7.3	1608	2.90	25	2.9	<1	7.6	103	4.7	8.4	.1	132	2.58	.088	20.4	13.8	1.00	1333	.278	7.63	.060	3.21	3.0	46.3	34	.6	9.9	4.2	.4	1	10	12.7	.7	120.5	1.8		
427432	8.7	>10000	954.4	5562	24.1	6.9	22.2	910	10.95	115	4.3	1.6	6.9	68	48.3	23.3	3.1	221	1.41	.118	10.2	17.4	1.14	150	.303	9.98	.065	4.00	6.3	52.5	23	.8	10.6	4.2	.4	2	12	22.7	8.1	151.2	1.8		
427433	5.2	>10000	84.9	147	14.3	4.9	17.1	1106	7.34	83	2.4	1.6	4.7	89	1.1	17.8	2.1	139	1.91	.072	11.7	13.0	.76	309	.207	5.69	.044	2.45	7.7	32.9	22	.6	7.9	3.2	.3	1	8	15.1	5.5	106.7	1.1		
427434	3.4	>10000	90.3	265	21.5	5.8	16.5	867	8.72	44	2.0	.4	.6	201	1.7	17.7	2.3	116	2.20	.052	1.5	6.1	.61	106	.131	4.48	.156	2.02	2.5	23.1	6	.5	8.1	2.0	.2	1	7	10.0	7.5	92.8	.7		
427435	6.1	237.2	24.8	39	1.1	3.0	8.6	454	3.77	52	2.2	.4	4.1	150	.2	8.7	2.8	87	1.60	.066	8.5	6.9	.31	130	.188	5.09	.196	2.64	2.8	34.9	20	.6	5.8	3.0	.3	1	7	8.9	3.5	104.9	1.2		
427436	5.6	283.0	21.4	35	1.1	1.6	9.3	1120	4.47	39	2.8	.1	6.4	95	.1	5.5	2.2	104	2.95	.088	15.2	6.4	.56	150	.240	6.85	.058	3.16	2.9	43.5	31	.4	7.8	4.2	.4	1	9	7.8	4.3	137.0	1.5		
427437	3.9	24.5	17.7	45	.9	2.9	9.7	1199	5.05	36	3.1	.2	7.1	86	.1	5.2	2.7	120	2.62	.093	16.2	8.0	.70	167	.259	7.25	.063	3.26	3.5	47.8	32	.5	8.7	4.4	.5	1	10	9.3	4.1	143.6	1.7		
427438	3.1	18.7	19.2	48	.8	1.9	9.8	1339	4.55	26	3.0	.2	7.4	100	.1	5.6	.2	129	3.37	.094	19.0	12.8	.61	215	.277	7.33	.068	3.45	2.5	47.1	35	.5	9.8	4.6	.4	1	10	7.2	4.3	155.3	1.6		
427439	2.4	11.8	19.8	25	1.0	2.3	9.6	1182	4.63	24	2.7	.1	7.0	88	.1	5.4	1.8	121	2.73	.093	17.9	7.9	.64	241	.274	7.33	.064	3.43	2.8	44.7	35	.5	8.6	4.4	.4	1	10	7.3	4.3	139.3	1.6		
427440	2.4	21.5	18.4	43	.8	1.9	9.7	1125	5.07	20	3.0	<1	7.1	100	.1	5.1	3.2	132	2.68	.094	17.3	8.0	.71	131	.266	7.38	.066	3.50	3.1	47.7	33	.6	9.4	4.5	.4	1	10	8.2	4.6	157.5	1.5		
427441	3.1	2941.6	29.5	54	4.1	3.0	10.3	331	6.07	35	2.8	.2	5.8	78	.1	10.6	9.1	135	1.11	.089	11.5	10.0	.57	147	.241	6.86	.071	3.56	4.1	42.2	26	.6	7.3	4.2	.4	1	9	8.9	5.7	149.4	1.4		
427442	3.0	20.9	24.4	36	.8	3.3	11.0	528	5.16	28	3.5	.2	6.2	266	.1	4.6	4.8	100	2.28	.107	12.4	5.4	.27	154	.305	8.41	.741	6.44	5.2	55.4	30	.7	10.5	5.5	.5	<1	11	4.4	5.1	182.7	1.8		
427443	2.6	38.6	23.9	27	.8	3.9	12.1	200	5.74	31	3.7	.2	6.9	146	.1	6.1	4.0	142	.82	.115	16.0	3.5	.51	354	.283	8.66	.331	5.79	4.5	55.6	36	.9	8.8	5.3	.4	1	12	8.1	5.3	210.4	1.8		
427444	4.1	104.8	35.8	67	1.4	3.4	11.4	208	5.75	46	3.4	1.0	5.1	131	.2	18.0	3.7	73	.58	.106	10.8	4.3	.28	77	.307	8.15	.482	6.49	5.4	49.9	29	.7	7.2	5.7	.4	1	9	5.3	5.8	186.9	1.6		
427445	3.2	74.0	23.0	33	.5	3.1	9.7	157	4.03	26	3.1	.3	5.2	133	.2	7.1	2.0	108	.47	.086	10.1	9.2	.33	131	.269	7.29	.367	5.80	3.0	44.6	24	.7	7.0	4.8	.4	1	8	5.5	3.9	173.2	1.4		
427446	2.6	98.6	26.9	36	.8	3.1	10.8	294	4.87	41	3.6	.7	7.1	148	.1	9.4	2.3	186	.63	.103	17.2	11.6	.58	148	.275	7.85	.372	4.90	2.7	50.1	37	.7	9.3	5.0	.4	1	12	9.2	4.4	196.6	1.6		
427447	2.8	452.2	18.6	38	1.2	3.4	10.0	474	3.76	25	3.5	3.0	6.2	219	.1	8.6	2.4	133	.70	.098	15.0	16.2	.44	191	.275	7.92	.418	6.98	3.2	51.4	32	.9	8.3	5.4	.5	<1	10	7.4	2.8	212.7	1.8		
427448 (pu)p	15.7	44.8	14.1	116	.2	18.9	87.3	2227	6.29	2405	2.9	.3	6.6	323	.2	8.6	8.1	102	8.29	.094	66.5	50.2	1.20	1262	.316	6.43	2.215	2.56	1.1	30.8	109	1.9	21.1	13.8	.9	1	9	13.9	.7	60.1	1.2		
427449	1.8	24.0	13.5	39	.6	2.8	8.1	841	3.14	46	2.6	1.2	5.8	349	.1	3.7	1.1	80	1.16	.089	17.0	13.3	.42	261	.218	7.27	1.021	7.07	1.6	44.0	33	.5	8.3	4.2	.3	<1	7	3.6	1.9	185.4	1.4		
427450	2.1	22.2	13.5	35	.6	3.5	12.0	909	4.13	27	3.6	.4	7.8	296	.1	4.1	.9	138	.57	.115	25.3	15.5	.51	216	.306	8.38	.394	8.38	2.4	62.5	50	.8	9.8	6.5	.6	1	11	5.8	2.1	252.6	2.0		
484501	1.5	9.4	12.6	31	.7	2.7	6.9	418	2.51	35	2.3	1.1	5.3	262	.1	3.4	.9	71	.75	.077	15.1	9.7	.30	247	.210	6.84	.991	6.13	1.3	39.2	28	.4	6.2	4.3	.3	<1	6	4.3	1.8	179.3	1.2		
484502	2.8	13.5	17.6	24	.7	3.4	10.8	506	4.02	29	3.5	.3	6.2	265	.2	4.2	.8	92	.69	.109	13.1	10.4	.30	109	.295	8.61	.303	9.29	1.8	59.1	30	.6	8.0	6.0	.5	<1	8	4.5	3.1	265.2	1.9		
484503	2.6	116.3	15.5	32	1.0	2.9	9.5	567	3.80	27	3.0	1.5	5.9	262	.1	4.8	1.4	92	.84	.097	15.2	8.5	.37	384	.250	7.56	.445	7.94	1.7	52.6	33	.7	7.9	5.0	.4	<1	9	5.6	2.7	226.8	1.5		
484504	2.9	11.7	15.8	32	.4	3.9	10.7	553	3.41	25	3.4	.4	6.9	278	.1	6.4	.2	120	.75	.108	18.4	8.6	.39	191	.307	8.42	.230	8.76	2.5	55.6	38	.7	8.8	6.1	.5	1	10	7.9	2.4	246.6	1.8		
484505	4.1	1679.5	304.1	89	6.2	2.7	8.6	997	5.47	50	2.7	4.4	4.1	184	.8	17.8	1.1	96	1.48	.078	9.4	5.1	.36	113	.233	6.44	.227	5.98	2.4	40.1	23	.5	7.8	4.6	.4	1	8	11.3	5.4	172.2	1.2		
484506	2.1	19.6	17.6	49	.7	1.5	7.8	4258	3.89	30	2.5	1.1	5.9	504	.2	7.2	.8	82	6.21	.076	19.3	4.8	.40	1260	.212	6.05	.430	6.28	2.0	45.8	32	.6	12.6	4.1	.3	<1	8	3.3	3.3	176.6	1.3		
484507	3.3	25.5	17.9	46	.5	3.5	10.4	2001	3.88	56	3.4	.7	7.0	339	.1	6.8	<1	117	1.70	.109	19.7	11.0	.52	303	.273	8.28	.283	8.91	3.2	56.7	38	.6	10.0	5.4	.4	1	10	7.6	2.7	257.5	1.7		
48450																																											





ASSAY CERTIFICATE

Coast Mountain Geological PROJECT Homestake #29 File # A608032R

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9




SAMPLE#	Cu %	Zn %
427432	1.912	-
427433	1.207	-
427434	3.159	-
484522	1.072	-
484525	-	2.48
STANDARD R-3	.820	4.24

GROUP 7TD - 0.500 GM SAMPLE, 4 ACID (HF-HClO4-HNO3-HCL) DIGESTION TO 100 ML, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: CORE PULP

Data Y FA \_\_\_\_\_

DATE RECEIVED: JAN 4 2007 DATE REPORT MAILED:..... JAN 10 2007





ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #30 File # A608614 Page 1


P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwermskerken

SAMPLE#	Au** gm/mt
G-1	<.01
484540	<.01
484541	.01
484542	<.01
484543	<.01
484544	<.01
484545	<.01
484546	<.01
484547	.03
484548	.01
484549	.04
484550	.18
484551	.01
484552	.01
484553	<.01
484554	.02
484555	<.01
484556	<.01
484557	<.01
484558 (pulp)	1.64
484559	<.01
484560	<.01
484561	<.01
484562	<.01
484563	<.01
484564	<.01
484565	.05
484566	1.07
484567	.01
484568	.01
RE 484568	<.01
RRE 484568	<.01
484569	<.01
484570	.01
484571	<.01
STANDARD SL20	5.93

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DEC 07 2006

Data | FA \_\_\_\_\_ DATE RECEIVED: NOV 10 2006 DATE REPORT MAILED:.....





SAMPLE#	Au** gm/mt
G-1	<.01
484572	.01
484573	.01
484574	<.01
484575	.01
484576	.02
484577	.01
484578	<.01
484579	<.01
484580 (pulp)	21.78
484581	.01
484582	.01
484583	.01
484584	.01
484585	.01
484586	.03
484587	.05
484588	.01
484589	.04
484590	.02
484591	.01
484592	.13
484593	.05
484594	.65
484595	.68
484596	1.84
484597	.72
484598	.20
484599 (pulp)	1.54
484600	.10
RE 484600	.08
RRE 484600	.09
484601	.18
484602	.39
484603	.50
STANDARD SL20	6.07

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Au** gm/mt
G-1	<.01
484604	.66
484605	.36
484606	.32
484607	.35
484608	.23
484609	.15
484610	.38
484611	.10
484612	.06
484613	.13
RE 484613	.13
RRE 484613	.13
484614	.07
484615	.06
484616	.07
484617	1.41
484618	.09
484619	.24
484620 (rock)	<.01
484621	.47
484622	.80
484623	.16
484624	.10
484625	.21
484626	.06
484627	.12
484628	.22
484629	1.23
484630	.18
484631	.36
484632	.17
484633	.04
484634	.04
484635	.04
STANDARD SL20	6.03

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Au** gm/mt
G-1	.01
484636	.03
484637	.03
484638	.03
484639	.06
484640 (rock)	.01
484641	.01
484642	.01
484643	.01
484644	.01
484645	.01
STANDARD SL20	6.38

Sample type: DRILL CORE R150.

(ISO 9001 Accredited Co.)



GEOCHEMICAL ANALYSIS CERTIFICATE

Coast Mountain Geological PROJECT Homestake #30 File # A608614 Page 1  
 P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus VanWermeskerken

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	Sample	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	kg
G-1	.4	2.6	23.8	54	<1	3.6	4.8	772	2.46	1	4.2	<1	8.8	735	<1	<1	.2	50	2.59	.082	26.3	12.8	.60	990	.260	8.22	2.990	1.71	.1	8.8	52	1.3	14.3	21.2	1.5	3	5	46.2	<1	61.9	.6	-	
484540	.9	38.0	8.8	114	.1	2.2	24.3	1374	6.81	8	.8	<1	2.5	302	.3	2.7	.1	303	6.24	.143	13.0	6.2	1.85	1163	.512	8.62	1.356	1.26	.9	16.1	30	.7	14.0	3.2	.2	1	20	25.3	1	35.2	.6	3.35	
484541	.6	15.5	6.7	120	.1	1.5	24.5	1125	6.06	49	.7	<1	2.0	233	.2	11.0	<1	304	5.68	.136	8.9	5.1	1.90	882	.532	8.00	1.725	1.62	4.1	10.9	23	.5	11.9	3.4	.2	1	18	33.6	1.9	29.2	.5	.74	
484542	.9	71.8	6.0	123	.2	1.6	26.1	1353	7.05	5	.6	<1	2.1	278	.2	1.9	.1	307	5.43	.124	9.7	5.6	2.16	875	.492	8.42	1.736	1.05	1.1	10.8	23	.5	12.9	2.8	.2	1	21	28.6	<1	25.4	.5	1.82	
484543	.4	98.5	5.3	75	.3	<1	17.0	3303	3.81	13	.7	<1	1.8	370	1.2	3.1	<1	159	20.15	.076	16.6	.9	1.40	591	.317	5.41	1.408	1.00	1.6	26.8	29	.3	17.0	2.4	.1	1	14	22.3	.3	41.6	.8	2.36	
484544	1.1	127.8	5.4	97	.4	1.3	21.7	2458	5.66	49	.8	<1	2.5	307	.6	6.8	<1	220	11.81	.085	12.6	2.9	2.10	658	.459	7.16	1.575	1.00	2.7	24.5	25	.4	14.1	2.6	.2	1	17	31.1	1.2	42.7	.9	3.14	
484545	.4	73.8	6.8	113	.2	1.0	24.1	1718	7.05	9	1.1	<1	2.4	353	.5	2.5	<1	307	6.30	.112	12.6	4.5	2.37	876	.524	8.84	1.895	1.73	1.8	13.9	27	.5	14.3	2.9	.2	1	21	27.9	.2	53.0	.6	3.55	
484546	.9	35.2	9.9	77	.1	4.5	18.2	1398	5.87	14	.7	<1	2.1	318	.2	10.2	.1	244	5.01	.100	9.6	17.5	1.63	740	.411	7.80	.783	1.99	3.4	16.4	20	.5	9.3	3.1	.2	1	16	12.3	1.1	27.3	.5	4.86	
484547	10.2	42.0	65.9	106	.3	3.5	24.3	1950	7.89	23	1.2	<1	1.5	336	.5	15.3	.1	296	5.78	.096	8.2	10.4	1.71	451	.459	7.15	.996	1.65	1.4	19.2	18	.6	9.4	2.8	.2	1	16	13.9	3.7	20.7	.7	3.45	
484548	1.0	134.1	10.3	117	.1	6.3	17.6	1406	6.27	13	1.2	<1	4.3	231	.2	5.7	.3	211	3.53	.091	16.6	14.5	1.73	974	.350	7.85	.930	1.77	1.3	31.1	32	.7	11.7	4.8	.3	1	15	31.5	.3	34.6	.9	3.55	
484549	2.7	12.5	27.6	94	.1	3.4	13.9	701	3.98	25	3.2	<1	8.5	294	.1	5.1	<1	126	3.46	.107	21.4	9.7	.97	1261	.322	8.19	1.848	1.57	1.0	47.4	39	.6	9.3	6.5	.5	1	11	33.2	.7	45.9	1.5	5.23	
484550	3.1	20.4	151.1	70	.6	4.0	12.9	570	8.23	78	2.2	.1	4.1	359	.1	36.9	.1	105	2.85	.084	6.1	6.0	.89	351	.254	6.59	1.544	1.78	.7	32.3	14	.8	6.7	4.8	.3	1	8	23.5	6.1	54.1	1.2	1.36	
484551	2.1	12.0	45.2	85	.2	2.4	11.3	827	3.92	17	2.2	<1	8.6	289	.2	6.3	<1	116	3.56	.103	21.9	9.7	1.03	1181	.325	8.27	1.971	1.46	1.1	42.7	38	.4	9.4	5.8	.4	1	12	27.7	1.0	39.3	1.4	5.39	
484552	1.4	14.4	19.3	127	.2	3.2	15.1	451	4.93	22	2.0	<1	6.1	479	1.5	12.8	<1	102	1.65	.094	12.2	11.6	1.04	322	.265	7.48	1.903	1.96	.9	35.7	24	.4	7.1	4.6	.4	1	10	30.5	2.1	69.6	1.2	1.84	
484553	1.2	24.7	11.3	108	.1	2.8	12.9	907	4.37	7	2.7	<1	8.7	303	.2	6.8	<1	123	3.56	.114	23.1	10.3	1.09	1011	.288	8.28	2.028	1.63	1.3	40.9	40	.7	9.5	4.9	.4	1	13	34.7	.6	49.9	1.5	3.46	
484554	.9	54.7	6.2	75	.1	2.6	14.2	1521	3.41	19	2.7	<1	7.7	212	.1	5.7	<1	129	4.05	.106	21.1	9.9	.85	1034	.242	8.02	1.240	1.48	5.5	44.7	37	.3	10.6	4.5	.3	1	12	16.9	.4	48.9	1.5	3.44	
484555	.7	15.1	5.4	63	.1	2.0	13.4	1365	3.28	3	2.7	<1	7.0	209	.1	3.9	<1	112	4.29	.104	20.2	7.6	.87	1627	.207	7.17	.896	1.67	2.5	40.4	34	.4	9.2	3.8	.3	1	11	3.7	.2	51.9	1.4	1.43	
484556	.7	11.2	3.5	62	<1	1.1	9.4	1688	4.09	2	2.5	<1	7.0	215	.1	4.0	<1	124	4.44	.099	20.9	7.5	.75	1466	.230	7.75	1.019	1.69	1.6	36.5	36	.5	9.6	3.4	.3	1	12	4.4	.1	57.9	1.3	1.89	
484557	6	14.6	8.9	63	.2	2.7	15.7	1280	3.65	5	2.8	<1	7.5	206	.1	4.6	<1	113	3.55	.107	23.3	8.8	.75	1253	.227	7.94	1.260	1.69	2.8	41.9	40	.5	10.2	3.7	.3	1	12	5.3	.9	62.0	1.4	3.03	
484558 (pu/p)	8.8	136.4	16.0	154	.6	28.8	88.7	3809	8.94	1921	4.5	1.6	2.5	360	.7	13.5	33.8	102	15.47	.127	30.1	66.1	1.69	665	.250	4.34	.786	.97	9.9	45.3	37	4.3	21.0	2.7	.2	1	11	18.0	.5	29.2	1.4	-	
484559	.9	10.9	5.1	56	.1	1.8	9.3	1083	3.58	5	2.7	<1	7.3	208	.2	4.9	<1	111	3.65	.101	20.6	8.8	.73	1207	.229	7.46	1.122	1.50	3.0	39.2	36	.4	9.7	4.1	.3	1	11	5.3	.4	50.7	1.3	1.62	
484560	1.0	11.9	5.7	66	.1	3.3	10.2	1046	3.85	15	2.7	<1	7.7	229	.2	5.7	<1	133	3.88	.106	21.8	9.2	.85	1803	.280	7.73	1.039	1.15	6.3	41.2	38	.6	10.2	4.6	.4	1	13	6.5	.5	41.2	1.5	2.04	
484561	.9	10.7	4.2	55	<1	1.6	9.0	1027	3.98	6	2.6	<1	8.0	244	.1	4.2	<1	110	3.71	.108	22.5	9.3	.72	1644	.222	7.74	1.243	1.57	1.2	43.3	38	.4	10.2	3.7	.3	1	11	5.9	.2	56.4	1.3	3.46	
484562	1.6	18.8	5.2	71	.2	4.2	23.7	894	3.32	6	4.2	<1	8.0	175	.1	4.0	<1	118	3.08	.108	22.4	9.5	.75	1296	.237	7.98	1.150	1.43	2.2	45.6	37	.5	10.2	4.1	.3	1	12	12.3	.5	51.0	1.5	3.59	
484563	1.6	54.9	8.6	91	.3	2.8	18.8	1434	4.92	9	3.1	<1	8.2	238	.3	13.6	<1	112	4.76	.110	21.7	7.8	.83	1119	.241	8.15	1.411	1.93	3.1	42.1	40	1.1	10.3	3.6	.4	1	13	15.5	1.6	53.6	1.6	.99	
484564	1.2	26.9	4.7	74	.1	2.8	13.0	1392	4.33	7	3.2	<1	9.3	232	.2	3.6	<1	114	4.43	.109	24.2	8.8	.79	1495	.278	8.20	1.353	1.34	2.4	40.9	42	.8	11.1	4.7	.4	1	13	12.6	.4	44.3	1.6	2.64	
484565	.5	21.6	10.2	80	.2	2.8	10.0	1291	3.55	6	2.7	<1	8.7	178	.1	4.2	<1	118	3.61	.111	24.0	9.2	.83	1309	.304	8.38	1.126	1.25	8.1	42.6	40	.6	10.5	5.4	.4	1	12	14.4	.4	44.6	1.5	3.41	
484566	.7	1979.0	213.1	2563	4.6	.9	7.8	608	2.17	7	2.4	.5	6.2	432	27.9	6.4	.5	80	2.48	.094	11.4	9.2	.41	200	.276	7.15	1.331	2.98	8.4	39.2	22	.8	7.9	5.1	.4	1	11	4.6	1.1	102.7	1.4	.94	
484567	.3	15.2	23.3	70	.2	2.2	9.8	1361	3.17	7	2.4	<1	8.1	238	.1	3.6	.1	80	4.21	.102	21.7	8.8	.65	2291	.311	8.09	1.052	2.30	7.1	40.0	38	.6	10.9</										



SAMPLE#	Hg	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	Sample		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	kg
G-1	.4	4.1	31.2	79	<1	4.3	4.3	783	2.45	1	4.0	<1	7.6	742	.1	<1	.2	52	2.74	.079	19.0	10.9	.60	940	.259	8.50	2.980	1.50	.2	8.7	39	1.4	12.9	19.5	1.6	3	5	41.1	<1	55.5	.7	-		
484572	.5	53.1	9.9	57	.1	3.1	9.6	1409	3.78	16	2.1	<1	7.0	145	.1	3.4	.1	147	3.47	.096	18.9	7.5	.68	294	.335	8.03	.775	2.93	1.2	42.1	34	.5	9.1	5.7	.5	1	11	10.7	1.8	100.3	1.4	5.09		
484573	.7	1238.8	14.0	94	1.1	3.4	10.5	1580	4.38	12	2.4	<1	8.4	144	.1	4.2	1.0	143	3.72	.098	23.9	8.4	.80	791	.339	8.23	.880	1.92	3.9	48.4	43	.8	9.9	6.3	.5	1	11	21.2	.8	57.8	1.6	2.94		
484574	.4	19.0	6.9	68	.1	3.0	10.0	1297	3.60	10	2.5	<1	8.2	136	.1	3.6	<1	139	3.12	.101	21.0	9.0	.78	806	.326	8.04	.841	2.10	1.2	44.7	39	.5	9.8	6.0	.5	1	11	14.6	.7	70.7	1.5	4.27		
484575	.2	307.3	7.0	84	.3	3.6	10.0	1454	4.20	12	2.4	<1	8.0	153	.1	4.8	.3	147	3.65	.105	22.3	8.3	1.07	950	.361	8.54	.620	1.48	1.8	47.8	42	.7	10.0	6.2	.5	1	12	15.6	.4	43.7	1.4	3.46		
484576	.5	14.6	7.0	69	.1	2.3	8.7	1438	3.57	23	2.1	<1	8.0	134	.1	6.5	<1	144	3.50	.100	22.3	8.0	.81	784	.329	8.04	.493	1.55	1.3	41.6	40	.6	10.5	6.0	.5	1	11	17.7	.8	57.7	1.3	3.73		
484577	.4	243.6	10.6	79	.2	3.6	10.3	1555	4.14	21	2.3	<1	7.6	143	.1	4.2	.2	161	3.32	.101	20.5	9.2	.83	699	.350	8.36	.907	1.59	1.6	48.1	37	.9	10.2	6.0	.5	1	11	21.3	.5	48.6	1.5	2.47		
484578	1.8	20.9	11.4	50	.2	3.2	15.2	1414	3.38	30	2.7	<1	7.5	177	.2	4.5	<1	146	3.96	.089	20.4	8.3	.64	496	.306	7.58	.764	1.50	1.5	45.0	36	.6	9.0	5.5	.5	1	10	7.5	1.2	51.1	1.4	2.34		
484579	.3	146.7	8.6	64	.2	3.0	10.8	1263	3.78	11	2.2	<1	7.6	165	.1	4.4	.1	168	3.39	.102	20.5	10.0	.73	766	.347	7.79	1.097	2.29	1.5	44.9	36	.7	9.6	5.9	.5	1	12	11.9	.7	70.1	1.4	5.21		
484580 (pulp)	333.8	442.0	222.8	164	5.6	122.6	119.6	3174	13.80	1205	4.1	15.2	4.2	498	.3	15.5	22.9	121	12.63	.113	45.0	53.4	1.42	57	.263	4.12	.683	.91	12.5	65.3	65	4.5	18.0	2.7	.2	1	10	18.6	7.3	31.4	2.2	-		
484581	1.2	17.7	7.6	85	.1	2.7	11.4	1488	4.18	9	2.2	<1	7.2	203	.1	4.7	.1	153	3.57	.108	20.5	7.3	1.26	1138	.349	8.16	1.039	1.23	1.4	45.2	36	.9	9.9	6.1	.5	1	12	23.1	.5	39.0	1.5	5.22		
484582	.3	87.1	7.8	62	.2	2.4	14.7	1614	3.95	5	2.1	<1	5.7	238	.1	4.8	.1	196	4.61	.102	21.5	5.3	1.25	1338	.437	8.28	.714	1.92	2.2	38.8	38	.8	9.9	5.5	.4	1	16	13.2	.6	62.4	1.2	.99		
484583	1.1	15.2	6.5	78	.2	2.1	10.1	1581	4.19	3	2.0	<1	7.3	209	.1	3.4	<1	138	3.82	.100	20.3	6.7	1.37	1368	.337	8.04	1.022	1.24	1.8	43.0	37	.5	9.5	6.2	.5	1	11	26.7	.4	35.6	1.3	4.34		
484584	.5	53.9	7.1	76	.1	2.7	9.7	1429	4.04	6	2.2	<1	6.9	199	.1	3.3	<1	145	3.16	.097	19.1	6.4	1.29	1121	.341	7.94	1.039	1.60	1.6	43.5	34	.6	8.8	5.9	.4	1	11	23.6	.6	49.1	1.4	3.42		
484585	.4	17.3	6.5	76	.1	2.9	11.3	1584	4.09	8	2.0	<1	7.1	205	.1	4.2	<1	149	3.11	.102	21.2	8.2	1.34	1320	.340	8.53	1.031	2.22	1.5	42.9	38	.7	10.3	6.1	.4	1	12	22.4	.7	66.7	1.5	4.99		
484586	.7	32.1	14.9	60	.2	5.6	19.8	1650	4.25	61	1.5	<1	6.7	183	.1	6.1	.2	165	2.53	.118	21.0	11.5	1.13	85	.366	8.66	.582	3.89	1.9	40.2	40	.6	10.4	6.8	.5	1	13	12.7	2.6	148.0	1.3	1.93		
484587	8.1	27.8	17.3	11	.5	.5	2.9	143	1.60	9	1.8	<1	6.4	92	<1	3.2	.5	239	.44	.181	26.8	12.7	.32	257	.278	9.69	.111	4.40	6.2	24.1	48	.7	2.3	4.6	.3	1	5	6.4	1.3	150.9	.6	1.71		
484588	3.0	61.9	8.3	10	.3	.5	.7	114	.60	1	1.7	<1	7.4	196	<1	2.9	.1	216	.33	.132	20.1	5.4	.26	3897	.324	10.63	.110	4.20	2.1	22.7	34	.5	2.1	5.6	.5	1	7	5.2	.3	144.8	.7	2.73		
484589	4.6	16.5	13.5	11	.3	3.5	15.8	80	3.98	6	4.0	<1	8.2	56	<1	5.0	.4	283	.33	.148	17.6	9.8	.33	106	.334	11.15	.102	4.44	2.1	43.6	37	.7	4.3	5.5	.5	1	10	6.0	3.9	135.9	1.4	.92		
484590	2.4	20.8	10.6	26	.2	1.2	6.6	80	1.25	4	3.6	<1	6.8	71	.2	3.2	<1	340	.39	.193	18.3	8.3	.28	2017	.296	17.28	.132	5.11	1.7	46.4	30	.7	2.0	6.1	.5	1	6	5.6	1.0	146.2	1.3	1.61		
484591	1.3	27.0	61.3	318	.4	.7	4.2	64	.96	3	5.7	<1	9.8	162	3.4	3.2	.1	242	.30	.131	39.5	7.4	.19	360	.335	8.47	.085	3.86	2.3	67.0	52	.8	3.9	6.2	.5	1	9	5.9	.7	126.9	1.8	1.59		
**4592	4.6	31.5	32.6	39	.4	3.0	10.7	834	4.89	17	2.9	.1	6.6	99	.3	5.3	2.4	129	.77	.084	16.5	6.0	.62	61	.265	7.65	.084	3.77	3.3	38.7	33	.7	8.1	4.6	.4	1	10	8.4	4.5	141.5	1.2	1.49		
484593	3.5	10.4	16.5	29	.3	1.6	8.1	1173	3.85	24	1.9	<1	4.4	158	.1	4.6	1.3	57	1.68	.059	24.0	8.4	.49	196	.160	4.94	.493	2.45	3.1	26.8	42	.7	6.7	2.8	.2	<1	6	6.6	3.3	92.0	.8	.90		
484594	15.7	2653.9	37.7	120	3.3	2.4	8.8	1280	5.92	49	2.3	.9	4.4	114	.4	9.1	4.0	107	.59	.072	13.6	6.7	.98	67	.209	5.71	.184	2.78	3.2	33.3	26	.6	6.0	3.7	.3	1	8	19.4	4.0	107.6	1.0	1.44		
484595	31.7	1290.9	296.5	740	2.7	2.0	8.9	833	4.91	35	2.4	1.3	1.6	198	4.0	13.1	4.3	89	.42	.068	1.7	9.1	.65	82	.196	5.30	.329	3.36	3.2	30.6	7	.5	5.2	3.4	.3	1	7	15.6	3.8	107.0	1.0	.85		
484596	43.2	8497.3	65.6	460	9.5	2.1	7.6	1294	6.60	36	2.4	2.4	3.0	107	2.2	9.7	3.7	91	.36	.058	5.4	8.2	1.13	71	.166	4.53	.174	2.46	3.5	27.9	13	.3	4.2	3.1	.2	<1	7	25.8	4.2	76.5	.9	.54		
484597	15.1	2515.7	23.1	90	2.9	1.7	7.3	1645	5.00	34	2.6	.9	1.6	342	.2	9.4	2.0	94	.30	.065	1.2	6.0	1.17	143	.211	5.51	.114	3.03	3.4	34.7	5	.4	4.0	3.7	.3	<1	8	24.4	2.7	102.2	1.1	.77		
484598	8.9	1270.4	21.0	119	1.6	3.4	8.9	2481	6.66	43	3.0	.3	5.7	65	.1	9.9	2.2	121	.27	.080	12.3	8.2	1.72	71	.238	6.75	.103	3.32	3.7	40.5	25	.5	5.2	4.3	.4	1	9	33.0	3.1	100.3	1.3	2.10		
484599 (pulp)	81.5	268.3	48.2	156	2.0	69.9	40.3	2993	11.36	430	2.9	2.8	5.3	164	.8	18.9	239.8	90	19.94	.079	24.7	97.5	1.34	240	.539	3.95	.391	.39	75.7	53.0	45	197.3	17.8	8.5	.7	1	12	11.3	1.1	16.4	1.7	-		
484600	23.9	463.9	17.0	65	1.1	3.2	9.3	1247	5.19	26	2.8	.5	5.5	109	.1	8.6	1.8	107	.33	.080	10.3	9.0	.95	63	.252	6.98	.249	4.31	4.0	41.7	21	.5	5.5	4.5	.4	1	8	17.1	3.4	133.0	1.3	.87		
RE 484600	24.0	464.3	17.9	64	.7	2.9	9.5	1230	5.22	30	3.0	.1	5.2	108	.1	8.4	1.8	106	.31	.082	8.7	8.3	.95	56	.236	7.01	.268	4.39	3.8	41.7	20	.5	5.4	4.4	.4	1	9	16.9	3.5	144.4	1.3	-		
RRE 484600	22.8	450.0	17.8	62	.7	2.7	9.1	1230	5.12	30	2.9	.1	5.2	105	.1	8.3	1.8	105	.30	.080	9.2	9.4	.94	72	.246	6.80	.264	4.20	3.7	39.0	20	.5	5.4	4.1	.4	1	9	16.5	3.4	129.7	1.4	-		
484601	12.3	377.3	31.2	65	1.4	2.4	10.3	1238	5.09	31	3.4	1.9	5.4	175	.1	8.3	2.5	110	.36	.092	12.1	7.2	.95	46	.269	7.41	.293	6.22	4.4	48.8	27	.5	7.6	5.0	.4	<1	10	19.0	3.4	172.7	1.5	1.71		
484602	16.7	1220.0	22.9	53	2.4	2.7	9.3	747	4.92	34	3.0	.5	4.9	155	.2	19.6	2.6																											





SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	L1	S	Rb	Hf	Sample		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	kg
G-1	.6	6.6	23.6	54	<1	4.9	4.6	790	2.58	1	4.1	<1	7.2	725	<1	.1	.2	50	2.60	.086	22.2	15.3	.63	1036	.249	8.26	2.903	1.41	.1	9.2	44	1.5	13.9	20.6	1.6	2	5	41.5	<1	52.2	.8	-		
484604	15.9	212.2	26.8	200	.7	2.1	9.2	776	4.17	31	2.9	.5	4.8	134	1.2	13.7	.8	115	.35	.079	9.9	9.8	.69	221	.247	7.61	158	4.49	3.2	37.0	25	.4	6.1	4.5	.4	1	9	12.8	3.5	127.3	1.4	2.21		
484605	17.8	70.6	29.4	178	1.0	3.3	10.2	2155	5.39	38	3.1	.4	2.0	351	1.0	20.2	1.0	94	.58	.097	2.2	7.4	.97	296	.236	7.41	.342	5.60	3.8	43.5	10	.5	8.6	5.5	.4	<1	7	19.4	4.2	143.0	1.6	.90		
484606	20.2	1160.4	23.3	161	1.0	2.6	9.0	1293	5.86	42	3.1	.3	5.6	107	.4	21.2	2.0	117	.26	.083	10.2	13.5	1.06	365	.207	6.79	.094	4.08	3.9	38.7	25	.5	6.4	4.1	.3	1	9	24.8	4.1	140.3	1.3	1.29		
484607	8.8	1127.5	27.0	84	1.4	2.0	7.2	958	4.83	45	2.4	.3	2.7	335	.4	18.4	1.2	77	.45	.064	3.8	7.6	.63	225	.174	5.48	.122	3.37	2.8	30.9	13	.5	4.9	3.4	.3	<1	6	12.2	4.1	115.6	1.1	.95		
484608	6.6	28.3	27.3	90	8	2.0	8.2	1117	5.31	45	2.3	.2	3.1	321	.4	15.8	.5	86	.52	.080	3.2	6.2	.82	266	.201	6.70	.119	4.70	2.3	34.9	14	.5	6.1	4.5	.4	1	8	16.1	4.7	142.1	1.2	1.31		
484609	10.8	40.6	22.8	79	.6	2.0	10.0	2357	4.08	18	2.8	.2	5.9	117	.2	11.2	.2	108	.43	.085	16.3	9.4	1.12	278	.261	7.38	.105	4.09	2.6	40.5	34	.6	8.4	5.2	.4	1	9	21.8	2.8	143.5	1.4	1.99		
484610	13.8	218.0	209.4	513	1.0	2.2	10.1	2103	3.84	22	2.7	.2	6.1	145	3.8	11.3	.4	106	.41	.092	14.5	11.6	1.07	382	.261	7.29	.165	4.65	2.6	39.0	30	.4	7.3	4.8	.4	1	9	21.7	2.6	150.8	1.4	3.84		
484611	15.5	14.2	20.8	79	.3	3.2	11.0	1933	4.18	11	2.8	<1	6.2	201	.2	5.5	<1	103	.55	.102	13.6	10.7	1.09	177	.283	7.96	.202	5.76	2.4	43.7	30	.4	6.6	5.7	.4	1	9	24.4	2.6	147.6	1.5	1.35		
484612	3.5	20.5	8.2	92	.2	2.0	10.3	1703	3.83	7	2.5	<1	4.3	96	.1	5.0	<1	125	.34	.106	8.9	9.0	1.31	343	.334	7.57	.096	4.08	1.8	46.7	19	.6	4.4	6.0	.5	1	9	26.5	.7	83.6	1.5	4.53		
484613	3.3	23.8	12.8	136	.3	3.7	11.4	1547	4.06	10	2.8	.2	5.1	93	.4	4.6	<1	125	.28	.107	10.0	8.5	1.30	197	.342	7.81	.255	4.16	1.7	46.9	22	.5	4.6	6.6	.5	1	9	24.6	.9	98.0	1.6	4.11		
RE 484613	3.1	22.4	13.9	135	.2	2.9	12.0	1541	3.98	10	2.6	.1	5.4	96	.3	4.5	<1	126	.28	.096	12.1	9.5	1.31	211	.337	8.15	.253	4.50	1.6	46.9	26	.5	4.9	6.3	.5	1	10	26.1	.9	105.8	1.5	-		
RRE 484613	3.0	25.9	14.8	128	.2	2.9	12.5	1550	4.07	10	2.8	<1	5.5	96	.3	4.7	<1	123	.28	.106	11.2	9.5	1.34	210	.335	8.07	.257	4.56	1.8	47.9	24	.6	4.9	6.5	.5	1	9	27.1	.9	108.6	1.6	-		
484614	2.6	9.5	13.9	94	.2	3.6	11.9	1743	4.22	6	2.7	<1	5.4	108	.1	4.6	<1	127	.34	.091	12.4	9.2	1.44	119	.331	7.89	.498	4.30	1.7	44.1	27	.5	4.8	6.3	.5	1	10	27.1	1.3	102.2	1.6	4.04		
484615	2.4	33.8	7.7	106	.2	2.6	10.0	2969	4.05	8	2.9	<1	7.5	198	.1	4.0	<1	131	1.44	.096	22.1	8.0	1.46	2302	.343	8.51	.818	4.34	1.8	47.8	40	.6	7.3	6.8	.5	1	11	28.9	.2	104.4	1.7	4.12		
484616	4.5	27.3	12.5	117	.1	2.7	12.0	3121	4.01	9	3.1	<1	8.1	212	.1	4.2	<1	127	1.61	.104	26.1	8.9	1.49	2631	.323	8.34	.775	3.82	2.1	46.9	46	.6	7.8	6.5	.5	1	11	27.8	.4	101.9	1.6	3.33		
484617	2.4	235.2	2034.4	6524	2.6	2.5	10.5	3873	3.73	10	3.3	.9	6.7	239	55.0	9.7	.1	108	.50	.098	21.8	8.8	1.43	537	.275	7.21	.512	5.39	3.4	41.5	39	.5	6.9	5.7	.4	<1	9	24.8	.7	135.2	1.5	.95		
484618	3.1	46.2	19.6	147	.2	3.2	10.0	3075	3.70	8	2.9	<1	8.1	216	.2	4.1	<1	114	.30	.106	22.0	9.6	1.34	3631	.301	7.86	1.186	4.52	2.2	48.9	39	.4	6.1	6.6	.5	1	11	28.4	.2	102.7	1.6	1.96		
484619	2.6	24.6	43.2	186	.4	2.5	9.6	2181	3.51	10	2.2	.1	3.9	625	.6	7.4	<1	111	.30	.094	8.8	9.3	1.30	253	.289	6.89	.706	4.08	2.5	36.6	21	.5	4.5	5.6	.4	1	9	22.7	.7	106.1	1.2	2.29		
484620 (rock)	.5	2.8	16.9	65	<1	.6	3.1	837	1.65	1	6.2	<1	10.5	341	.1	.3	.1	34	1.26	.049	18.9	10.1	.31	880	.182	7.13	2.950	1.88	.5	8.8	30	.9	7.5	10.1	.7	2	4	10.9	<1	67.5	.7	.54		
484621	4.5	232.6	101.1	433	1.0	2.7	8.7	3983	3.53	10	2.2	.3	5.3	197	2.6	5.8	<1	102	.39	.085	15.9	8.5	1.42	170	.272	7.09	.488	4.97	3.3	35.5	31	.5	5.8	5.1	.4	<1	8	24.6	1.2	121.5	1.2	2.93		
484622	3.6	137.7	178.5	161	1.9	3.2	9.7	3599	3.53	14	2.4	.7	5.6	269	.6	6.1	<1	99	.45	.088	14.4	10.9	1.20	250	.276	7.24	.856	5.77	3.0	36.1	31	.4	7.5	5.6	.4	<1	8	20.7	1.7	140.1	1.2	3.17		
484623	4.5	30.5	46.7	65	.8	2.5	10.8	1399	4.02	12	2.9	.1	5.3	190	.1	8.3	<1	116	.36	.104	12.8	10.1	.89	229	.306	7.89	.238	4.73	2.0	39.9	29	.6	7.6	6.0	.4	1	10	13.8	2.9	160.2	1.4	2.26		
484624	4.1	10.8	35.9	63	.5	2.8	10.6	1195	3.85	12	2.8	<1	5.8	88	.2	7.0	<1	118	.40	.100	17.4	8.2	.92	104	.322	8.14	.161	4.12	1.9	39.8	35	.6	7.2	6.1	.4	1	10	12.8	2.6	150.9	1.3	3.08		
484625	3.6	12.3	18.5	92	.3	2.8	10.3	1189	3.65	30	2.6	.2	6.3	126	.2	6.0	<1	113	.38	.098	19.4	7.5	1.13	203	.320	7.93	.843	3.60	2.1	38.6	36	2.6	6.8	6.0	.5	1	10	17.1	1.6	123.8	1.4	3.50		
484626	2.7	14.5	12.0	86	.3	2.7	11.2	1000	3.82	12	3.0	<1	7.1	89	.1	6.3	<1	123	.39	.104	18.6	9.2	1.25	141	.330	8.17	.431	3.91	2.1	41.5	35	.4	6.4	6.4	.5	1	10	20.7	1.7	136.0	1.4	4.26		
484627	4.5	14.8	14.0	85	.4	3.6	11.4	1332	4.36	19	3.0	<1	6.3	75	.1	7.9	<1	129	.50	.105	15.7	9.6	1.42	106	.342	8.12	.178	4.22	2.5	41.6	31	.6	6.2	6.4	.5	1	10	19.5	2.2	135.1	1.5	4.39		
484628	2.2	214.8	23.4	798	.6	3.3	11.0	1797	4.27	27	2.7	.1	6.4	119	6.7	7.5	.6	114	.73	.107	15.0	9.5	1.22	63	.310	7.74	.332	4.27	3.0	38.3	30	.6	7.1	5.8	.5	1	10	16.6	2.8	153.8	1.3	3.82		
484629	4.2	3375.8	4202.5	>10000	7.3	2.7	8.6	1272	4.42	19	2.3	.9	5.4	112	360.1	34.4	1.6	91	.80	.085	12.0	6.3	.85	104	.224	5.94	.281	3.33	2.3	30.8	23	.5	6.0	4.5	.4	1	8	17.9	5.5	126.8	1.0	.81		
484630	4.4	136.8	178.1	2171	2.5	3.3	11.6	860	4.89	21	2.8	.1	5.9	188	16.7	36.8	.9	119	1.20	.103	10.0	7.3	.83	200	.302	8.30	.089	4.72	2.4	31.0	23	1.1	8.9	5.9	.4	2	10	17.1	4.7	168.2	1.1	1.52		
484631	3.1	139.7	248.3	1434	1.2	2.4	9.8	1218	5.20	16	3.2	.3	8.0	173	11.4	14.9	2.5	107	1.69	.093	20.6	5.7	.83	970	.292	7.46	.128	4.05	2.4	45.9	36	.6	10.0	5.5	.4	1	9	8.2	4.5	144.9	1.5	3.04		
484632	3.7	148.1	25.5	204	.6	1.8	9.2	1080	5.21	12	2.5	<1	5.9	127	1.5	12.0	1.6	104	1.59	.091	10.8	4.4	.73	149	.277	7.23	.143	3.81	1.5	31.0	22	.5	8.8	5.4	.4	1	9	9.2	4.5	138.2	1.2	5.76		
484633	3.6	13.7	22.9	51	.3	2.0	9.9	1278	4.39	8	2.6	<1	7.2	162	.2	11.6	<1	115	2.31	.121	19.5	5.7	.81	159	.322	8.16	.549	4.17	1.4	37.0	35	.5	10.8	6.4	.5	1	10	4.9	4.3	145.5	1.3	4.30		
484634	3.0	14.2	12.3	48	.																																							



ACME ANALYTICAL

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	Sample		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	kg
G-1	.4	3.5	22.3	58	<.1	3.5	3.9	794	2.51	<.1	4.9	<.1	8.2	724	.1	.1	.2	51	2.67	.085	26.3	17.8	.64	1081	.262	8.62	2.959	3.08	.2	10.3	50	1.4	15.4	19.1	1.7	3	6	38.0	<.1	121.8	.8	-		
484636	3.4	14.8	17.1	45	.9	1.6	8.7	1645	2.43	10	2.6	<.1	7.9	160	<.1	6.5	<.1	62	2.59	.055	17.6	17.0	.98	68	.300	4.56	.149	2.05	1.7	41.3	29	.5	6.7	5.5	.5	1	5	5.9	2.1	76.1	1.5	1.48		
484637	3.1	13.5	14.4	46	.7	2.7	11.3	1726	3.86	9	2.7	<.1	7.2	174	.1	6.1	<.1	113	2.73	.105	24.0	15.8	1.00	47	.275	7.80	.856	3.19	1.2	34.2	42	.3	10.6	5.1	.5	1	9	7.6	3.5	122.7	1.2	3.02		
484638	3.2	12.0	15.1	50	.7	2.3	11.1	1258	3.54	9	3.2	<.1	8.2	162	<.1	6.4	<.1	122	1.65	.112	27.1	20.0	1.06	91	.317	9.92	1.122	3.89	1.3	41.0	48	.9	11.6	5.9	.5	2	12	15.3	3.0	144.1	1.5	2.41		
484639	3.7	16.7	19.8	47	1.2	2.7	12.5	1034	4.89	15	2.5	<.1	6.3	115	.1	6.1	<.1	117	1.50	.085	19.4	8.3	.83	27	.260	7.67	.428	3.23	1.2	34.3	35	.6	9.5	4.9	.4	2	8	9.8	4.6	125.8	1.2	2.00		
484640 (rock)	5	6.1	41.3	124	.1	1.9	3.0	739	1.67	2	8.3	<.1	16.5	261	.3	1.4	.1	28	1.10	.050	17.0	11.5	.28	679	.138	6.95	2.965	3.10	1.8	9.4	28	.9	5.8	8.0	.6	3	3	10.4	.1	102.4	.8	.30		
484641	3.1	11.9	17.7	99	.4	2.9	11.3	877	5.27	10	3.5	<.1	8.3	188	.1	5.6	.1	120	2.12	.110	24.9	12.4	1.42	38	.305	8.75	.683	3.65	.9	42.9	45	1.1	11.6	6.2	.5	2	11	17.2	4.7	140.0	1.5	4.01		
484642	2.4	10.8	17.3	118	.4	3.2	11.4	658	5.40	11	3.3	<.1	7.5	113	.1	5.2	.1	127	1.49	.100	21.2	12.6	1.44	32	.298	8.36	.435	3.23	.7	41.6	38	3.1	10.7	5.9	.5	2	10	19.1	5.1	123.7	1.4	4.80		
484643	2.6	22.8	22.1	60	1.4	2.6	12.4	323	4.00	6	3.3	<.1	10.2	88	.1	4.3	<.1	113	.94	.184	31.1	9.1	.87	67	.309	10.13	.282	4.58	1.0	41.9	60	3.5	11.2	5.8	.5	2	14	10.8	3.9	172.1	1.4	2.54		
484644	2.3	13.6	14.2	66	.4	3.0	12.8	644	5.84	6	2.7	<.1	7.5	181	.1	3.8	<.1	128	2.31	.120	23.0	5.7	.95	24	.326	8.65	1.069	3.40	.8	38.0	43	.8	10.6	5.2	.4	2	12	12.1	6.0	139.4	1.2	3.24		
484645	2.5	11.3	11.0	51	.4	1.6	10.9	813	5.39	7	3.1	<.1	7.4	188	.1	3.1	<.1	117	2.85	.100	22.4	8.8	.85	24	.266	7.86	1.097	3.13	.9	38.8	40	.3	9.6	5.5	.4	1	10	9.1	5.5	122.0	1.3	3.05		
STANDARD DSTG	12.6	126.7	35.5	175	.4	28.8	13.1	963	4.05	24	7.7	<.1	7.1	308	5.6	5.4	4.8	109	2.27	.097	26.3	220.5	1.03	675	.424	7.01	1.651	1.41	7.7	52.8	51	6.3	15.0	8.5	.7	3	11	27.2	<.1	56.5	1.8	-		

Sample type: DRILL CORE R150

ASSAY CERTIFICATE




Coast Mountain Geological PROJECT Homestake #30 File # A608614R

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwer

SAMPLE#	Zn %
484629	3.97
STANDARD R-3	4.07

GROUP 7TD - 0.500 GM SAMPLE, 4 ACID (HF-HClO4-HNO3-HCL) DIGESTION TO 100 ML, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: CORE PULP

Data 1 FA \_\_\_\_\_ DATE RECEIVED: DEC 15 2006 DATE REPORT MAILED: .....



ASSAY CERTIFICATE


Coast Mountain Geological PROJECT Homestake File # A608706 Page 1

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwer



SAMPLE#	Au** gm/mt
G-1	<.01
484646	<.01
484647	.01
484648	.05
484649	.08
484650	.10
484651	.24
484652	.26
484653	.16
484654	.05
484655	.02
484656	.01
484657	.08
484658	.31
484659 (pulp)	.20
484660	.23
484661	.20
484662	.10
484663	.12
484664	.05
484665	.07
484666	.06
484667	.04
484668	.04
484669	.07
484670	.53
484671	.21
RE 484671	.19
RRE 484671	.16
484672	.53
484673	.06
484674	.09
484675	.02
484676	.02
484677	.01
STANDARD SL20	5.99

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



Data FA \_\_\_\_\_ DATE RECEIVED: NOV 16 2006 DATE REPORT MAILED:.....

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.



SAMPLE#	Au** gm/mt
G-1	<.01
484678	.01
484679	<.01
484680	<.01
STANDARD SL20	6.23

Sample type: DRILL CORE R150.



GEOCHEMICAL ANALYSIS CERTIFICATE



Coast Mountain Geological PROJECT Homestake File # A608706 Page 1

P.O. Box 11804 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwer

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
G-1	.4	10.0	91.9	130	.2	5.5	4.7	796	2.69	1	4.3	<1	7.8	704	.5	.4	.2	53	2.53	.085	23.9	15.4	.66	986	.279	8.08	2.792	2.41	.4	9.2	46	1.3	14.2	22.8	1.7	2	5	36.6	<1	85.3	.7		
484646	.4	5.0	4.0	116	.2	1.9	21.9	4212	8.00	13	.7	<1	1.7	358	.1	11.9	2	340	5.43	.104	12.5	5.1	1.96	1301	.567	8.75	.065	2.09	3.7	21.8	24	.6	13.6	2.2	1	1	22	25.7	<1	125.2	1.0		
484647	.5	13.9	9.9	137	1.5	2.6	25.4	3793	7.24	92	.6	<1	1.1	256	.1	16.6	.2	339	4.91	.119	7.6	4.5	1.94	241	.546	7.77	.071	5.04	6.5	17.9	18	.6	9.7	2.3	.1	<1	17	34.0	2.7	98.9	.7		
484648	1.9	33.9	14.4	154	4.1	1.4	23.0	5463	7.23	257	.5	<1	1.2	188	.2	31.5	.1	274	6.49	.092	10.0	4.4	1.83	216	.477	7.35	.067	4.81	7.2	15.9	20	.6	9.9	1.9	.1	1	20	29.3	3.6	142.9	.7		
484649	1.2	27.3	26.2	116	3.3	2.7	21.1	1322	7.52	279	.6	.1	.8	132	.7	36.6	.2	254	2.59	.098	4.6	4.5	.40	43	.517	7.06	.072	6.19	8.6	15.3	12	.8	7.1	1.8	.1	1	14	5.6	7.4	165.4	.6		
484650	3.0	40.0	53.3	206	13.3	1.7	21.6	2791	10.22	349	.9	.1	1.0	122	1.3	80.7	<1	224	4.75	.091	8.6	7.6	1.08	128	.415	6.23	.047	4.53	7.8	18.0	17	.3	10.1	1.5	.1	1	16	14.1	9.5	158.8	.6		
484651	11.4	66.8	120.5	256	28.9	.8	5.2	7930	9.49	502	.7	.3	.3	140	1.7	87.4	.3	83	11.08	.039	8.1	3.9	.81	94	.103	1.67	.015	1.63	6.6	5.8	13	.3	7.3	.4	<1	<1	7	8.6	9.7	46.3	.2		
484652	6.2	219.9	238.7	1151	28.0	2.0	23.7	7374	4.44	376	1.8	.4	1.3	194	8.7	50.7	.2	273	8.46	.091	12.1	7.9	.86	100	.405	5.96	.052	4.66	10.0	22.1	22	.3	10.7	1.6	.1	1	18	8.3	3.6	164.6	.8		
484653	66.7	107.6	32.4	301	6.7	2.2	20.7	2745	5.12	220	1.5	.2	1.6	182	2.1	32.8	.4	190	4.21	.092	7.8	7.2	.42	101	.416	6.91	.077	5.95	10.5	22.4	17	.5	10.7	2.2	.2	1	14	9.9	4.1	170.6	.9		
484654	2.0	42.8	19.8	137	1.9	1.9	19.9	4431	7.23	148	.8	<1	1.6	199	.2	17.7	.2	289	3.65	.122	9.9	4.7	1.06	471	.515	8.28	.077	5.17	11.7	21.2	22	.8	11.2	3.2	.2	1	17	24.8	2.1	128.9	.8		
484655	1.2	11.9	14.7	113	1.4	2.0	15.7	3890	6.69	79	.7	<1	1.7	.209	.2	11.8	.1	269	3.74	.115	9.0	4.9	.99	265	.466	7.93	.089	5.79	11.5	20.1	20	.8	10.6	3.2	.2	1	16	25.3	2.2	139.6	.8		
484656	.4	41.0	7.7	150	.5	1.3	17.7	3204	7.16	80	.8	<1	1.6	303	.1	17.2	.1	307	3.41	.121	9.2	1.6	1.62	1489	.595	9.12	.070	4.74	14.3	25.8	21	.7	12.0	3.1	.2	1	14	24.6	1.5	96.3	1.0		
484657	.9	19.4	22.4	227	2.3	3.1	22.8	1885	7.89	454	1.2	.1	1.6	166	.5	22.3	1.4	299	1.08	.123	6.8	5.3	1.74	102	.493	8.79	.103	6.58	20.0	22.3	17	.6	10.3	2.9	.2	1	19	32.3	3.1	185.3	.7		
484658	4.2	2381.4	73.2	879	6.8	2.2	13.9	1197	8.18	330	1.4	.4	.8	122	6.7	62.9	2.1	139	2.09	.077	2.1	4.0	.59	79	.280	5.43	.080	5.38	15.2	17.7	7	.3	8.4	1.7	.1	1	9	13.0	7.9	150.5	.6		
484659(pulp)	15.8	46.3	14.1	123	.3	17.5	88.2	2266	6.38	2691	2.8	.3	6.6	310	.2	8.1	7.6	103	7.96	.091	61.3	40.3	1.21	1291	.338	6.56	2.261	2.05	1.5	33.0	98	1.8	20.8	14.3	.9	1	8	11.4	.8	37.5	1.2		
484660	4.0	70.3	49.9	182	3.6	2.6	11.8	2207	8.66	601	2.6	.3	4.3	179	1.2	35.0	1.0	94	4.30	.073	19.1	11.6	.55	106	.231	5.64	.101	5.24	6.3	36.9	37	.6	10.9	3.5	.3	1	9	11.3	8.5	171.1	1.2		
484661	16.1	99.1	54.3	114	2.7	2.9	14.1	878	7.56	401	3.0	.3	5.0	128	.5	25.5	.2	113	1.49	.082	12.7	7.6	.64	195	.224	6.35	.089	6.67	5.9	43.5	28	.5	8.8	4.4	.3	1	8	11.1	7.3	206.1	1.5		
484662	.9	52.3	34.9	108	1.7	3.1	10.9	1199	3.03	196	2.5	.1	6.0	172	.6	10.2	.1	121	2.03	.081	13.9	12.3	.58	252	.267	6.99	.086	6.63	8.7	42.2	26	.5	8.1	4.5	.4	1	9	6.1	2.0	189.9	1.5		
484663	.9	55.2	35.9	213	2.6	2.4	10.3	1263	4.19	278	2.5	.1	5.5	174	1.2	17.9	.2	104	2.33	.085	13.4	10.3	.62	555	.242	6.62	.084	5.18	7.5	43.8	25	.6	8.5	4.6	.3	1	8	9.5	3.3	153.6	1.5		
484664	.8	35.7	37.0	194	1.7	2.9	11.9	1120	3.30	216	2.4	<1	6.8	168	.8	11.6	.1	146	2.00	.101	18.0	13.6	.77	166	.277	7.67	.110	6.94	9.7	49.5	34	.5	10.1	4.9	.4	1	10	13.9	1.9	186.0	1.8		
484665	9.8	33.4	44.7	141	2.7	2.8	10.9	2112	3.87	244	2.6	.3	7.0	215	.8	14.3	.1	160	2.51	.098	21.7	8.2	1.02	152	.269	7.43	.104	6.12	9.4	52.0	38	.4	11.8	5.4	.4	1	12	16.4	1.9	183.5	1.7		
484666	1.3	33.4	68.6	1666	1.7	1.7	11.4	3241	3.69	190	2.0	<1	6.6	237	11.3	17.2	<1	120	4.26	.097	19.5	6.9	1.40	158	.269	6.84	.074	5.63	7.3	45.9	33	.6	10.9	5.3	.4	1	9	7.3	2.0	173.1	1.5		
484667	1.3	18.7	32.4	226	2.3	2.5	10.8	2068	3.67	244	2.2	<1	6.6	211	1.3	14.5	.1	122	2.53	.099	20.1	8.9	1.12	278	.280	7.19	.116	6.23	11.2	46.4	36	.5	11.6	5.5	.4	1	10	13.2	1.9	206.8	1.5		
484668	1.6	28.2	25.5	160	2.3	5.2	14.1	1485	4.63	282	2.2	<1	5.4	240	.9	34.6	.3	125	2.54	.125	15.8	11.5	1.10	205	.294	7.37	.118	6.39	13.1	43.9	31	.4	11.8	5.7	.4	1	12	9.6	3.9	199.4	1.4		
484669	1.2	15.7	36.1	132	4.0	5.2	13.8	704	5.33	388	2.3	<1	4.9	203	.6	22.6	1.2	122	1.30	.113	12.7	8.6	.99	221	.292	7.26	.130	6.58	17.0	44.0	28	.5	10.6	5.4	.3	1	10	8.2	4.4	204.6	1.5		
484670	1.7	54.6	43.6	128	4.6	4.8	11.6	1437	5.11	297	1.7	.3	3.7	191	.8	28.3	.7	109	2.19	.094	12.9	13.3	1.08	88	.242	6.49	.113	5.44	11.5	35.1	27	.7	9.5	4.4	.3	<1	9	10.6	4.0	176.9	1.2		
484671	.7	14.2	42.5	150	1.6	3.1	6.7	2648	5.66	403	1.9	.3	3.9	199	.4	43.0	.5	113	4.75	.068	12.7	10.4	1.22	108	.221	5.74	.062	4.15	10.5	31.4	26	.2	10.3	3.8	.3	1	8	19.6	4.1	143.3	.9		
RE 484671	.9	13.9	44.9	151	1.8	3.7	7.0	2622	5.78	427	1.8	.2	4.0	200	.4	45.2	.5	110	4.64	.068	13.9	9.5	1.20	137	.214	5.65	.063	3.96	10.9	31.6	27	.4	10.7	3.6	.3	1	8	21.1	4.2	145.7	1.1		
RRE 484671	.8	13.1	38.4	132	1.5	3.4	6.1	2501	5.40	355	1.6	.2	3.8	174	.3	36.7	.4	108	4.34	.058	12.1	9.6	1.20	120	.210	5.44	.055	3.99	9.7	30.0	23	.3	9.6	3.7	.3	1	7	21.6	3.9	135.1	.9		
484672	3.6	464.6	68.3	125	9.6	1.8	9.2	847	7.56	689	1.6	.6	2.0	92	.8	99.6	.9	107	1.15	.080	4.5	7.2	.41	73	.204	4.96	.057	4.43	12.7	24.8	12	.3	8.0	3.7	.3	1	8	5.3	7.7	147.7	.8		
484673	1.4	29.9	15.4	74	1.1	1.6	13.2	1386	4.55	49	1.9	<1	5.7	149	.2	13.2	<1	154	1.17	.121	18.1	5.3	.74	184	.393	8.51	.092	6.60	8.2	42.6	36	.8	11.0	7.1	.5	2	13	12.3	1.9	234.6	1.5		
484674	.5	6.2	8.6	90	.3	3.1	12.0	2271	4.30	43	2.2	<1	7.0	206	.1	10.9	<1	146	1.44	.128	23.8	6.3	.97	1505	.379	8.76	.094	5.91	8.0	48.8	41	.4	11.6	7.0	.5	2	13	9.5	.6	222.5	1.5		
484675	.4	10.2	5.5	87	.1	2.9	13.3	1928	4.65	8	2.3	<1	7.2	188	.1	7.5	<1	130	.95	.118	23.3	6.1	.92	2815	.361	8.82	.124	3.90	7.6	48.9	39	.6	10.1										



ACME ANALYTICAL

Coast Mountain Geological PROJECT Homestake FILE # A608706



ACME ANALYTICAL

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Tl	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.3	7.3	81.7	109	.1	3.7	4.2	760	2.31	1	5.0	<.1	7.1	697	.6	.4	.2	50	2.58	.076	23.0	12.1	.61	976	.257	8.26	2.699	2.84	.4	8.4	45	1.3	13.3	21.0	1.5	3	5	43.3	.1	100.7	.6	
484678	.9	2.5	6.7	79	.1	3.9	10.9	2074	4.81	15	2.8	<.1	7.0	236	.1	6.2	<.1	141	4.78	.080	22.5	5.6	1.00	1791	.351	8.70	1.022	2.33	1.2	33.9	38	.4	12.1	6.4	.5	2	12	13.1	.2	102.8	1.2	
484679	.7	2.0	8.7	62	.1	4.3	9.5	819	4.63	20	3.1	<.1	6.5	137	.1	8.7	.1	203	1.15	.077	23.8	6.4	.88	1934	.342	8.03	.153	2.48	2.2	27.1	42	.7	8.0	5.7	.5	1	11	9.5	.1	112.1	1.1	
484680	.7	1.5	6.0	87	<.1	4.2	14.5	1106	3.77	7	2.5	<.1	6.7	182	.2	6.4	.1	230	1.94	.113	19.9	6.8	1.19	1078	.326	9.65	1.077	2.18	.9	42.8	37	.8	10.4	5.5	.5	1	12	8.8	.1	85.5	1.5	
STANDARD DST6	12.6	128.0	35.2	172	.3	29.5	13.2	963	4.02	25	7.6	<.1	7.1	315	5.7	5.5	4.8	108	2.26	.100	25.4	222.4	1.01	679	.423	6.96	1.662	1.42	7.7	53.0	52	6.2	14.9	9.0	.6	3	11	28.8	.1	57.7	1.8	

Sample type: DRILL CORE R150.



ASSAY CERTIFICATE




Coast Mountain Geological PROJECT Homestake File # A608707

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwer

SAMPLE#	Au** gm/mt
G-1	.01
484681 (pulp)	.30
484682	.01
484683	.01
484684	.01
484685	<.01
484686	<.01
484687	.01
484688	.01
484689	.01
484690	<.01
484691	.01
484692	.01
RE 484692	<.01
RRE 484692	.01
484693	<.01
484694	<.01
484695	.01
484696	.01
484697	<.01
484698	.02
484699	.03
484700 (rock)	<.01
STANDARD SL20	6.37

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA DATE RECEIVED: NOV 16 2006 DATE REPORT MAILED: .....







GEOCHEMICAL ANALYSIS CERTIFICATE



Coast Mountain Geological PROJECT Homestake File # A608707


P.O. Box 11604-620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwer

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Lf	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.6	8.4	78.9	103	.1	3.5	5.2	771	2.42	1	4.2	<1	8.6	765	.6	.3	.2	49	2.71	.075	21.9	15.5	.60	949	268	8.36	2.801	3.07	.3	7.9	44	1.4	12.7	20.0	1.5	3	5	36.5	<1	116.9	.6		
484681(pulp)	16.1	42.5	14.2	120	.3	17.8	93.7	2334	6.46	2552	3.0	.3	6.9	320	.3	8.8	7.7	102	8.23	.098	67.0	45.0	1.20	794	352	6.98	2.323	2.67	1.3	30.3	113	2.0	22.0	13.9	.9	1	8	10.9	.7	59.7	1.3		
484682	.8	6.6	8.0	122	<1	.6	25.3	1730	7.49	8	.9	<1	1.8	383	.3	1.6	.1	319	4.64	120	10.3	5.9	2.98	750	568	8.89	2.854	1.84	.7	15.1	24	.6	10.5	2.6	.1	1	19	32.6	<1	33.7	.5		
484683	.6	10.4	6.6	129	<1	1.6	25.6	1693	7.49	7	.8	<1	1.6	360	.2	1.9	<1	342	4.47	120	9.6	7.0	3.00	681	573	8.90	2.649	1.87	1.3	15.7	23	.8	9.8	2.9	.2	1	19	35.2	.1	33.9	.4		
484684	.5	27.7	5.9	100	.1	1.9	23.5	1735	6.60	4	.7	<1	2.0	332	.3	1.9	<1	311	5.89	110	10.5	6.2	1.88	836	524	8.57	1.899	2.40	1.0	10.5	25	.8	11.7	2.8	.2	<1	21	20.4	<1	66.5	.4		
484685	.2	71.1	9.5	103	.2	3.0	24.2	4572	5.40	4	.5	<1	1.2	475	.7	1.5	<1	165	17.90	.056	10.3	2.9	2.41	879	280	4.30	.535	1.35	1.0	18.1	20	.3	12.9	1.3	.1	<1	11	19.1	.1	53.6	.3		
484686	.5	15.2	6.0	103	.1	2.1	24.7	1629	6.98	5	.9	<1	2.3	338	.3	2.3	.1	302	6.60	119	13.9	7.5	1.80	911	489	8.76	1.535	2.72	1.0	9.0	29	.6	13.2	2.2	.1	<1	21	17.8	<1	92.0	.4		
484687	3.7	37.5	19.1	100	.2	6.0	23.0	1309	6.04	43	2.3	<1	4.1	304	.3	5.6	.2	224	5.74	.092	19.8	15.1	1.27	293	424	8.78	.971	2.52	1.4	31.6	37	.7	11.2	4.0	.3	1	17	22.7	1.7	87.4	.9		
484688	.8	17.2	8.6	68	.1	4.2	12.6	472	4.07	13	2.6	<1	6.7	192	.2	3.4	.1	154	1.56	.036	22.4	11.5	.97	531	375	9.24	1.175	2.88	1.5	42.4	40	.9	8.3	6.4	.5	1	12	18.7	.9	89.4	1.4		
484689	5.3	14.9	15.0	55	.1	3.7	15.2	502	3.67	30	5.3	<1	8.3	210	.2	3.6	.1	124	2.93	.085	21.1	7.7	.56	99	331	8.36	1.164	2.81	1.3	49.5	38	.6	9.5	6.1	.5	1	11	12.0	1.6	87.3	1.4		
484690	.5	10.7	4.4	109	.1	3.5	14.2	770	4.56	15	2.4	<1	6.9	348	.1	4.1	.1	121	1.87	.107	21.6	7.4	1.52	1540	322	8.98	1.342	2.77	1.8	37.6	38	.6	7.7	5.1	.4	1	14	20.7	.4	99.1	1.3		
484691	.2	4.1	5.4	79	.1	4.3	11.6	529	4.40	21	2.7	<1	8.3	146	.1	5.1	<1	103	1.16	.106	22.0	6.4	1.20	1681	292	9.22	1.440	3.08	1.9	40.1	40	.5	7.8	4.6	.4	1	12	25.8	.6	112.3	1.3		
484692	1.0	146.7	14.7	82	.5	5.8	24.7	1075	7.15	56	3.0	<1	7.2	187	.2	5.5	<1	118	3.60	.097	20.0	5.0	1.01	47	249	8.21	1.337	2.91	2.1	41.9	39	.6	10.3	5.7	.3	1	11	22.8	4.5	96.3	1.3		
RE 484692	.9	141.3	15.5	80	.6	5.0	24.8	1032	7.06	47	3.1	<1	7.6	191	.2	5.8	<1	117	3.64	.096	22.5	6.0	.97	77	231	8.31	1.363	2.88	2.2	41.7	41	.4	10.1	3.7	.3	1	12	25.8	4.6	109.8	1.3		
RRE 484692	1.1	155.1	19.4	81	.6	6.5	27.4	1149	7.66	28	3.0	<1	6.9	180	.3	5.4	<1	123	3.91	.095	19.3	4.5	.97	38	234	8.15	1.313	2.77	2.0	42.5	36	.4	9.3	3.6	.3	1	10	20.4	5.2	95.0	1.4		
484693	1.7	19.5	11.0	54	.1	2.2	14.5	1432	3.71	6	2.9	<1	7.7	254	.1	7.2	<1	134	5.04	.097	18.9	6.8	.78	49	325	8.05	1.223	3.18	.9	50.6	35	.8	9.9	5.7	.5	2	10	8.7	2.2	97.4	1.7		
484694	.7	15.4	9.2	57	.1	3.3	13.0	1355	3.30	5	3.0	<1	7.7	224	.1	6.7	<1	128	4.50	.089	21.4	8.1	.80	403	300	7.60	1.294	2.61	.8	44.6	37	.6	9.3	5.4	.4	1	10	11.9	1.7	98.1	1.4		
484695	2.3	12.1	11.0	58	.1	2.4	12.5	1427	4.61	8	2.8	<1	6.7	254	.1	7.0	<1	175	4.96	.094	20.2	7.4	.98	150	363	8.19	1.291	2.79	1.3	46.3	38	1.3	9.5	5.8	.4	1	13	15.8	3.0	101.8	1.6		
484696	3.9	15.0	13.3	45	.1	2.4	10.5	1112	4.31	7	2.5	<1	7.9	220	.2	4.5	<1	132	3.71	.096	20.4	7.1	.82	65	306	7.85	1.293	3.05	2.8	45.2	39	1.0	9.5	5.9	.5	1	10	12.2	3.0	117.4	1.4		
484697	5.7	8.6	9.9	77	.1	5.0	13.2	783	5.00	8	3.0	<1	8.8	217	<1	6.1	.1	164	2.77	.123	21.9	7.5	1.11	85	325	9.86	1.547	3.81	3.2	59.2	41	1.0	10.5	6.1	.5	2	13	19.2	3.4	130.7	2.0		
484698	6.4	25.9	14.0	70	.2	3.1	13.6	1896	4.36	8	3.0	<1	7.7	206	.2	4.8	.3	138	3.57	.104	20.8	7.7	1.05	104	324	8.11	1.408	2.92	3.9	48.2	40	.7	9.9	6.3	.4	1	11	21.0	1.8	111.4	1.6		
484699	.2	1150.8	10.6	63	1.4	2.7	13.0	2296	4.16	9	2.7	<1	7.5	233	.1	6.5	.1	125	4.31	.093	15.6	5.9	.94	416	285	7.72	1.632	2.60	2.3	47.2	28	.6	10.1	5.4	.4	1	9	17.0	1.3	102.1	1.5		
484700(rock)	.3	5.0	21.8	60	<1	.9	2.9	701	1.59	2	9.0	<1	17.3	249	.1	.3	<1	18	1.18	.042	19.8	6.9	.25	466	151	7.36	3.455	2.77	.3	17.0	30	1.2	6.3	10.6	.7	3	3	9.4	<1	105.7	1.2		
STANDARD DST6	12.3	125.9	34.8	173	.3	29.7	12.8	957	3.99	25	7.4	<1	6.9	306	5.6	5.3	4.7	106	2.24	.099	25.1	218.8	1.00	656	424	6.94	1.643	1.41	7.6	52.3	51	6.1	14.6	8.9	.7	3	10	22.4	<1	56.6	1.7		

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCl-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.  
- SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA

DATE RECEIVED: NOV 16 2006 DATE REPORT MAILED: DEC 07 2006




ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake File # A608780 Page 1  
 P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwer

SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
484779	<.01	1.6
484780	<.01	1.5
484781	<.01	2.6
484782 (pulp)	2.98	-
484783	.03	5.5
RE 484783	.03	-
RRE 484783	.05	-
484784	2.34	2.8
484785	.73	4.2
484786	.22	3.7
484787	.05	4.3
484788	12.06	2.2
484789	.31	2.6
484790	9.60	1.1
484791	.32	2.8
484792	10.46	1.8
484793	.31	3.9
484794	.07	4.1
484795	.05	4.2
484796	.07	5.2
484797	4.42	3.8
484798	7.24	6.3
484799	.04	5.4
484800 (pulp)	3.03	-
493551	.01	5.9
493552	.01	5.7
493553	.01	1.6
493554	.02	3.1
493555	.03	4.2
493556	.04	4.3
493557	.06	6.1
493558	.05	6.0
493559	.02	5.9
493560	.01	5.4
STANDARD SL20	6.04	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
 - SAMPLE TYPE: DRILL CORE R150  
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



Data FA DATE RECEIVED: NOV 20 2006 DATE REPORT MAILED: DEC 13 2006



SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
493561	.03	6.9
493562	.03	6.3
493563	.03	6.2
493564	.03	4.3
493565	.14	1.5
493566	.12	3.7
493567	.15	3.3
493568	.23	4.1
493569 (rock)	<.01	.6
STANDARD SL20	6.22	-

Sample type: DRILL CORE R150.



GEOCHEMICAL ANALYSIS CERTIFICATE



Coast Mountain Geological PROJECT Homestake File # A608780 Page 1

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwer

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf			
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
G-1	.6	3.6	17.0	54	1.4	3.7	4.3	736	2.42	3	3.9	<1	7.9	493	<1	.8	.2	48	1.99	.082	26.9	5.8	.64	748	.249	5.92	1	821	1.96	3	5.1	49	1.3	14.1	19.2	<1	1	6	36.3	<1	94.1	.5		
484779	.9	74.8	11.0	88	.2	52.1	25.9	1962	6.84	4	1.8	<1	4.4	269	.1	1.5	.1	303	4.95	140	17.5	200.8	1.41	1085	.497	9.59	1	1044	2.77	1.6	44.8	37	1.0	13.3	5.6	.4	1	33	25.6	1.9	63.0	1.4		
484780	1.9	86.5	14.8	70	.3	55.6	26.6	1402	5.91	8	3.0	<1	4.7	186	.1	1.9	.1	345	4.56	129	16.3	213.7	1.03	701	.497	9.01	1	930	3.01	2.0	47.6	34	1.0	12.6	5.8	.5	1	33	17.6	2.2	80.6	1.6		
484781	1.6	87.1	10.9	69	.1	63.5	31.3	1344	5.47	6	3.3	<1	5.4	177	.2	1.5	.1	345	3.44	133	18.0	221.0	1.16	1127	.499	9.79	1	1070	2.90	1.1	59.3	37	1.2	13.9	6.1	.4	1	33	18.0	1.4	85.6	2.1		
484782(puip)	83.4	287.7	44.9	151	1.9	73.7	40.5	3068	11.28	504	2.9	3.4	5.2	161	.8	17.0	225.3	86	17.69	.079	23.4	92.5	1.41	228	.533	4.22	.376	.39	78.4	49.0	45	186.7	17.6	8.3	.7	1	12	12.2	1.1	15.4	2.0			
484783	.4	6.7	5.4	101	.3	4.0	12.8	1984	4.24	13	2.8	<1	8.4	163	<1	3.4	.2	141	2.45	101	23.1	5.1	1.39	1477	.355	8.98	922	3.02	2.8	50.9	40	9	10.6	6.3	.5	1	13	26.2	.5	101.3	1.7			
RE 484783	.4	6.3	5.3	96	.3	3.9	12.4	1955	4.17	12	2.8	<1	8.0	162	<1	3.2	.2	140	2.41	100	22.9	5.1	1.39	1448	.332	8.73	.912	5.19	2.7	47.9	40	8	10.1	6.2	.5	1	13	26.0	.5	107.3	1.6			
RRE 484783	.5	6.3	5.0	95	.2	3.6	12.2	1909	4.07	11	2.6	<1	7.6	156	.1	3.0	.1	137	2.36	.095	22.2	6.3	1.33	1438	.335	8.52	.892	2.85	3.0	48.5	39	7	10.3	6.1	.5	1	12	24.6	.5	90.5	1.7			
484784	4.8	65.3	34.9	95	.8	4.8	12.6	2046	4.55	22	3.0	.6	7.6	201	.3	4.0	.1	140	1.77	104	16.2	8.7	1.06	108	.331	9.09	.423	4.06	3.3	52.4	34	8	10.7	6.4	.5	1	13	22.8	2.2	111.6	1.8			
484785	2.1	70.6	11.9	65	1.0	3.4	10.9	2019	4.14	48	3.0	.6	7.1	157	.1	3.8	.1	132	.68	.097	16.5	6.6	.89	200	.315	7.82	.277	3.57	4.3	49.5	31	5	7.2	5.8	.5	1	12	18.1	2.1	83.7	1.6			
484786	.4	3.1	6.5	106	.5	3.6	13.1	2621	4.33	14	2.8	1.0	7.7	181	<1	3.1	<1	152	1.71	102	19.7	5.7	1.51	2193	.358	8.71	.599	2.82	2.5	49.7	36	7	8.6	6.4	.5	1	13	29.5	.7	70.0	1.7			
484787	.4	5.5	6.2	105	.1	3.4	11.0	3291	3.80	15	2.4	<1	7.6	192	<1	2.4	<1	134	2.50	.099	22.0	5.0	1.47	2901	.340	8.21	.377	2.49	2.7	49.0	40	7	9.2	6.2	.5	1	12	29.9	.3	54.8	1.6			
484788	5.1	546.0	57.6	134	6.9	3.1	12.4	2690	4.67	58	2.7	23.8	5.3	288	.8	7.7	.1	113	.87	.080	13.3	6.6	.94	68	.289	6.79	.169	3.31	7.4	39.7	30	6	6.6	4.6	.4	1	12	15.2	3.2	83.4	1.3			
484789	.9	29.2	8.5	75	.6	3.0	11.6	2726	4.09	33	2.9	1.2	7.0	139	<1	3.7	<1	135	.53	.092	19.3	5.0	1.08	287	.320	7.75	.449	3.68	3.9	44.9	35	5	7.8	5.3	.4	1	12	19.3	1.4	96.2	1.6			
484790	8.0	2401.3	108.6	68	8.0	3.3	13.2	1730	4.88	106	3.5	8.5	6.2	230	.4	9.9	.1	138	.67	.094	12.9	5.1	.87	80	.301	7.45	.140	3.56	7.2	46.3	31	6	8.4	5.4	.5	2	12	16.2	3.5	96.0	1.6			
484791	1.2	31.3	13.8	79	.3	3.4	11.2	2720	3.75	22	2.8	.2	7.2	153	.1	2.9	<1	122	.73	.087	19.4	4.9	1.22	695	.286	7.30	.144	3.06	2.3	42.9	33	4	7.1	5.1	.4	1	10	23.8	.8	68.8	1.5			
484792	7.7	552.2	43.5	61	4.6	3.2	11.9	1786	4.51	46	3.3	6.9	6.8	109	.1	5.1	.1	132	.63	.091	17.3	5.0	.96	237	.312	7.29	.400	3.09	7.4	44.3	33	6	8.0	5.3	.4	1	12	18.2	2.6	82.2	1.4			
484793	.7	7.8	6.0	82	.2	3.4	12.5	2003	4.29	30	2.9	<1	8.0	133	<1	3.5	<1	162	.86	.098	20.8	8.0	1.25	1765	.323	7.65	1.021	2.81	3.0	47.6	37	6	8.5	6.2	.5	1	12	25.9	.8	75.6	1.7			
484794	.4	6.8	6.5	81	.2	3.5	12.2	2477	3.92	39	2.5	<1	7.5	200	<1	4.8	<1	138	2.46	.100	21.6	4.6	1.33	2038	.330	8.30	.849	2.74	4.9	46.6	39	5	10.1	5.8	.5	1	13	20.3	.6	79.7	1.5			
484795	.3	4.4	4.7	59	.2	3.4	10.5	3052	3.52	73	2.2	<1	6.9	183	.1	6.7	<1	125	2.61	.095	20.1	3.7	1.21	1190	.310	7.93	.288	2.79	2.9	37.6	35	4	8.8	4.7	.4	1	12	30.8	.9	72.4	1.3			
484796	.2	7.5	5.4	73	.2	3.1	9.8	2986	3.44	17	2.5	<1	7.2	191	.1	3.1	<1	132	2.92	.092	20.5	3.9	1.19	2478	.321	7.79	.313	2.15	3.0	45.2	37	5	9.7	5.6	.5	1	12	18.7	.6	59.6	1.5			
484797	2.1	19.1	13.3	61	2.0	2.9	10.1	2727	3.87	64	2.8	5.2	7.6	186	<1	4.3	<1	114	2.34	.093	22.1	6.4	1.01	194	.303	7.58	.225	3.07	3.7	43.1	39	5	9.8	5.1	.5	<1	12	14.9	2.1	82.0	1.5			
484798	.4	9.7	6.1	74	1.7	3.1	11.2	2929	3.84	16	2.6	9.3	7.8	170	.1	3.6	<1	136	2.59	.099	22.2	4.6	1.25	1812	.333	8.05	.653	2.46	2.7	43.0	39	6	9.9	6.2	.5	1	12	20.0	.7	70.8	1.5			
484799	.4	3.4	3.6	82	.1	2.9	11.0	2774	3.82	6	2.7	<1	7.9	180	.1	3.6	<1	131	3.23	.096	21.3	5.0	1.36	2407	.326	8.20	.944	2.55	2.4	48.3	38	5	11.1	5.7	.5	1	11	23.6	.4	79.7	1.5			
484800(puip)	80.6	279.8	43.9	145	2.0	70.5	38.3	2985	10.80	491	2.8	3.6	5.1	162	.7	17.1	226.9	84	17.42	.079	23.2	91.8	1.34	222	.526	4.09	.371	.39	73.9	49.4	44	181.2	17.0	8.4	.6	1	12	11.9	1.1	15.1	1.6			
493551	.3	2.0	2.4	84	<1	3.2	11.4	2518	3.89	7	2.6	<1	7.9	167	.1	3.5	.1	137	3.40	.098	23.4	4.7	1.53	1372	.318	8.44	.963	3.38	2.0	46.0	41	6	11.2	6.1	.5	1	12	26.1	.2	113.9	1.4			
493552	.5	2.4	3.9	95	<1	3.8	14.5	1586	5.10	14	2.0	<1	6.6	106	.1	5.8	.1	118	1.02	.125	19.7	4.9	1.38	2317	.384	9.38	.247	3.20	2.1	39.4	37	6	10.3	6.1	.5	1	14	22.5	.2	105.5	1.3			
493553	4	102.1	5.0	58	.1	2.4	8.5	1395	4.02	25	3.1	<1	7.0	177	<1	6.6	<1	241	1.35	.157	22.1	11.4	.94	984	.423	8.85	.141	3.03	4.4	40.6	40	6	8.5	7.9	.6	2	18	18.5	.7	115.3	1.2			
493554	.3	54.9	3.7	70	.1	5.2	13.1	2062	4.14	15	2.9	<1	7.3	128	<1	4.7	<1	242	1.41	.137	23.2	10.4	1.09	2090	.484	9.72	.829	2.58	3.3	47.2	44	5	10.5	9.0	.7	1	20	24.3	.4	87.8	1.5			
493555	.4	7.5	6.7	78	.2	7.4	21.8	2848	4.88	37	2.8	<1	7.0	159	.1	4.5	<1	213	1.35	.154	22.5	11.3	1.22	1608	.466	9.02	.567	2.84	2.8	46.6	42	5	9.7	8.8	.6	1	18	28.3	1.2	87.8	1.5			
493556	7	11.3	5.9	84	2	7.4	22.1	4509	4.50	49	2.9	<1	7.3	219	.1	5.1	<1	111	2.30	.163	25.4	9.3	1.55	2088	.415	8.85	.302	2.82	2.5	46.3	45	5	11.7	7.8	.6	1	17	29.9	.8	80.9	1.7			
493557	.5	24.2	7.8	83	.3	7.1	18.1	3737	4.76	41	2.5	<1	6.9	198	.1	7.2	<1	195	1.90	.151	22.9	9.2	1.60	652	.446	9.17	.237	3.16	2.1	49.4	41	6	10.4	8.3	.6	1	17	29.6	1.5	84.1	1.7			
493558	4.9	22.0	77.8	111	1.3	3.6	13.0	1710	4.52	22	3.1	<1	7.4	142	.6	42.4	.1	131	3.40	.098	22.4	5.8	1.04	86	.343	8.37	.071	2.92	1.8	40.8	41	5	10.3											



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Tl	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.4	5.9	22.4	64	<.1	3.8	4.2	808	2.48	1	4.0	<.1	7.9	717	.1	.3	.2	54	2.70	.083	25.2	2.7	.62	953	.268	8.41	2.845	2.95	.2	7.9	48	1.4	14.3	21.2	1.6	3	6	41.8	<.1	116.2	.6	
493561	1.8	10.9	12.5	50	.3	2.7	9.3	1709	3.93	8	2.7	<.1	7.2	188	.1	3.5	.1	107	4.68	.094	20.6	6.7	.91	121	.300	7.61	.066	2.85	1.6	36.6	37	.5	9.6	6.5	.5	1	9	8.6	3.8	94.3	1.3	
493562	2.1	10.5	40.9	75	.2	3.0	9.5	2124	4.30	11	3.0	<.1	7.1	179	.3	5.1	.1	114	4.64	.093	20.4	11.4	1.00	120	.308	7.50	.062	3.16	1.8	43.9	36	.6	10.0	6.2	.5	1	9	8.0	4.1	85.9	1.5	
493563	2.6	9.3	12.0	51	.2	2.8	9.4	1748	4.29	8	3.0	<.1	7.0	151	.1	4.1	<.1	121	3.49	.092	18.3	10.5	.99	84	.308	7.60	.089	3.32	2.1	42.7	34	.5	9.2	6.4	.5	1	9	9.6	4.0	91.7	1.5	
493564	2.8	10.5	12.3	49	.3	2.9	10.0	1176	4.29	14	2.8	<.1	7.1	199	.1	6.9	.1	100	2.55	.093	17.2	13.1	.68	68	.282	7.91	.145	3.28	2.6	45.2	35	.5	8.9	5.7	.5	1	9	9.1	4.2	88.5	1.5	
493565	3.8	275.9	452.2	3639	1.6	2.4	7.9	487	4.16	81	2.2	.1	5.2	122	35.5	100.7	2.5	112	.81	.068	16.3	16.4	.51	109	.205	5.92	.059	2.81	2.5	30.0	32	.4	5.8	4.1	.3	1	10	12.4	4.4	98.4	.9	
493566	2.9	10.4	17.8	32	.6	3.7	10.0	316	4.30	47	2.9	.1	6.1	175	.1	8.3	1.3	115	.57	.096	15.0	10.2	.38	66	.293	7.40	.213	3.77	2.4	42.8	33	.5	7.2	6.3	.5	1	9	7.3	4.4	92.4	1.5	
493567	3.9	12.4	87.6	276	.7	2.2	10.2	279	4.13	50	3.2	.2	6.5	195	2.1	9.7	2.5	104	.55	.094	15.3	11.2	.29	46	.284	7.33	.188	4.11	2.8	47.0	34	.5	7.7	5.8	.5	1	9	6.2	4.2	103.5	1.6	
493568	4.1	118.5	40.2	2261	2.3	2.3	8.2	124	3.82	61	2.6	.2	4.9	162	20.2	81.2	2.0	81	.25	.078	11.1	10.7	.21	44	.236	6.51	.167	5.44	2.2	38.7	26	.5	6.9	5.0	.4	1	7	4.6	3.9	133.4	1.3	
493569(rock)	.6	2.1	20.2	38	<.1	<.1	1.3	309	.85	3	8.9	<.1	25.2	111	.2	.8	.1	13	.57	.017	17.2	1.5	.11	254	.071	6.31	3.079	2.29	.3	18.9	21	.5	3.2	5.9	.5	3	1	6.7	<.1	72.1	1.1	
STANDARD DST6	12.5	125.8	35.5	170	.3	29.6	13.0	956	3.99	25	7.5	<.1	6.8	307	5.5	5.4	4.8	107	2.23	.098	24.3	222.9	1.00	681	.418	6.81	1.621	1.40	7.7	51.9	50	6.3	14.6	8.8	.7	3	11	27.8	<.1	55.3	1.8	

Sample type: DRILL CORE R150.



ASSAY CERTIFICATE




Coast Mountain Geological PROJECT Homestake File # A608781 Page 1

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwer

SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
484701	.08	4.0
484702	.01	6.4
484703	<.01	4.1
484704	.14	4.2
484705	.01	3.9
484706	.16	3.1
484707	.31	2.5
484708	.07	5.1
484709	.05	2.3
484710	.08	4.1
484711	.06	2.9
484712	.08	2.1
484713	.15	2.3
484714	.05	6.1
484715	.60	1.8
484716	.09	2.4
484717 (pulp)	16.16	-
484718	.28	4.1
484719	.75	1.1
484720	.87	2.6
RE 484720	1.09	-
RRE 484720	1.32	-
484721	1.38	3.4
484722	37.51	1.8
484723	33.58	1.7
484724	9.07	2.3
484725	.39	2.6
484726	.16	4.9
484727	.20	2.8
484728	.60	1.1
484729	.15	2.4
484730	.50	2.1
484731	.03	3.3
484732	.05	5.7
STANDARD SL20	5.98	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



Data FA DATE RECEIVED: NOV 20 2006 DATE REPORT MAILED:.....

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.



SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
484733	.39	3.40
484734	.25	1.10
484735	.13	3.20
RE 484735	.14	-
RRE 484735	.12	-
484736	.06	1.60
484737	.06	4.20
484738 (pulp)	16.52	-
484739	.03	3.20
484740	17.89	1.10
484741	.53	4.50
484742	.14	6.10
484743	.67	5.90
484744	.03	5.60
484745	.20	4.30
484746	.15	4.20
484747	.16	2.45
484748	.04	6.00
484749	.16	3.60
484750	.08	4.90
484751	.56	4.30
484752	.10	2.10
484753	.11	2.40
484754	.29	4.50
484755	1.02	2.40
484756	.33	4.90
484757	.08	5.50
484758	.21	3.60
484759	.42	2.20
484760 (rock)	<.01	.80
484761	.34	1.60
484762	.21	3.50
484763	.20	4.00
484764	.50	3.90
STANDARD SL20	5.91	-

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
484765	.45	4.6
484766	.13	4.9
484767	.07	6.1
484768	.10	5.5
484769	.39	5.8
484770	.07	3.5
484771	.06	5.8
484772	.07	4.2
RE 484772	.05	-
RRE 484772	.05	-
484773	.06	4.0
484774	.07	4.1
484775	.61	6.4
484776	.27	5.4
484777	.32	5.1
484778	.04	3.8
STANDARD SL20	5.94	-

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.





GEOCHEMICAL ANALYSIS CERTIFICATE



Coast Mountain Geological PROJECT Homestake File # A608781 Page 1

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwer

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.8	4.7	21.0	57	<1	4.9	4.4	781	2.51	1	4.3	<1	8.0	704	<1	<1	.2	58	2.56	.083	28.0	16.5	.65	957	.269	7.97	2.733	3.02	.2	8.8	54	1.4	14.4	20.5	1.8	3	5	44.4	<1	123.7	.7	
484701	1.7	34.3	13.3	180	3	3.8	12.5	2276	4.08	12	2.9	<1	8.4	204	.2	4.6	.1	145	3.73	.096	24.3	10.4	1.09	1062	.298	8.14	1.470	2.80	2.3	50.0	41	.6	11.2	5.1	.5	1	11	25.1	.7	122.7	1.7	
484702	.7	5.5	5.5	167	<1	5.5	11.9	1861	4.00	5	2.7	<1	8.4	286	1.1	4.8	<1	144	4.04	.099	24.3	9.3	1.21	2356	.292	8.23	1.338	3.06	1.5	48.9	42	.5	11.4	5.4	.5	1	11	24.9	1	120.0	1.6	
484703	.3	9.3	6.7	76	<1	3.9	12.2	1642	4.06	5	2.8	<1	8.2	195	.2	5.1	.1	144	3.45	.099	24.1	9.8	1.14	1132	.300	8.35	1.411	3.13	1.6	52.4	42	.6	11.2	5.5	.5	2	11	23.8	.4	116.7	1.8	
484704	.8	153.8	43.6	77	1.1	3.5	11.8	1706	4.15	10	2.7	2.4	7.4	253	.3	7.7	.2	139	3.76	.104	23.1	9.5	.99	176	.313	8.34	1.732	3.15	2.3	47.8	43	.6	10.4	5.5	.5	1	12	13.7	1.6	119.1	1.6	
484705	.5	4.9	6.9	68	<1	3.0	10.1	1341	3.93	3	2.6	<1	7.8	196	.1	6.2	.1	144	3.20	.094	23.6	9.8	1.08	1414	.294	8.10	1.036	3.10	1.7	44.3	40	.6	10.8	4.9	.4	1	11	18.5	<1	125.7	1.6	
484706	2.4	38.5	13.0	80	.2	3.3	13.5	2496	4.10	10	2.8	.1	7.8	228	.1	4.5	<1	142	3.19	.100	25.4	9.1	1.20	620	.281	8.44	1.407	3.01	1.7	49.2	43	.7	10.4	5.3	.4	1	11	23.1	1.2	120.5	1.6	
484707	7.3	377.1	215.2	250	1.4	3.1	11.8	2259	3.27	20	2.7	.2	7.1	217	2.2	12.7	.2	129	4.11	.092	18.8	8.5	.86	223	.282	7.67	1.426	2.88	4.6	44.7	33	.6	10.5	4.8	.4	1	11	10.3	1.6	110.0	1.5	
484708	.3	51.7	7.0	68	.1	3.0	10.8	1609	3.94	15	2.5	<1	7.9	172	.1	3.4	<1	142	3.25	.102	21.4	8.9	.87	1289	.296	8.12	.948	3.50	2.2	44.7	38	.6	10.6	4.8	.4	1	12	8.2	.9	126.7	1.7	
484709	.6	262.6	11.5	38	.5	2.9	9.3	1436	3.14	9	2.9	<1	7.7	183	.1	4.5	.1	134	4.13	.101	19.2	8.6	.70	569	.284	7.92	.783	3.62	3.7	47.4	35	.6	10.7	5.1	.4	1	11	6.5	1.3	136.6	1.5	
484710	.9	18.5	9.1	64	.1	3.5	11.6	1946	4.16	12	2.6	<1	7.1	162	.1	4.1	<1	142	3.85	.102	25.7	8.7	1.03	614	.291	7.98	.340	3.67	2.5	48.9	45	.6	10.7	5.1	.4	1	12	13.6	1.3	152.6	1.6	
484711	1.6	19.5	10.2	51	.3	3.5	11.1	2389	3.84	27	2.1	.1	7.1	155	.1	6.5	.1	138	3.66	.104	19.1	8.3	1.03	274	.305	8.26	.063	4.02	2.4	40.8	35	.6	21.0	5.7	.4	2	12	8.1	2.1	167.5	1.4	
484712	.8	32.2	10.5	91	.2	4.0	13.2	2936	4.34	14	2.3	<1	6.0	193	.1	6.4	<1	173	3.95	.095	20.6	8.4	1.20	455	.355	8.34	.424	3.63	2.0	39.6	36	.6	10.8	5.1	.4	1	14	10.2	1.6	136.3	1.4	
484713	3.2	18.6	18.4	59	.3	3.8	13.3	1671	4.47	97	2.8	<1	8.0	146	.1	8.3	.1	147	2.25	.111	24.8	9.6	.86	523	.331	8.71	.393	4.26	2.6	52.6	44	.7	10.5	6.1	.5	1	13	11.6	2.9	175.0	1.7	
484714	.7	7.6	13.7	48	.2	3.5	11.2	2545	3.89	66	2.6	<1	7.8	150	.1	5.7	.1	131	3.06	.099	22.7	9.2	.99	278	.284	7.97	.096	4.26	2.5	48.0	41	.6	10.4	5.2	.4	1	11	8.6	2.5	173.8	1.7	
484715	1.7	10.2	34.4	72	.5	3.2	11.4	4429	4.03	114	2.4	.4	6.8	199	.1	7.1	<1	132	4.25	.090	20.7	7.4	1.42	235	.282	7.26	.106	3.66	4.4	41.1	36	.5	10.3	4.8	.4	1	11	7.5	2.7	151.3	1.4	
484716	.7	8.8	17.9	66	.3	3.3	10.3	4810	3.92	42	2.7	<1	8.1	230	.1	6.6	.1	123	4.82	.098	22.6	7.6	1.68	466	.274	7.69	.057	3.97	2.1	45.7	39	.7	11.0	5.0	.4	1	10	10.6	2.2	159.3	1.6	
484717	360.2	458.4	235.5	164	5.9	129.4	128.5	3147	13.58	1285	4.3	16.0	4.0	523	.5	15.4	19.9	118	11.08	.122	43.4	59.1	1.47	211	.250	4.20	.773	1.01	12.1	62.8	68	4.4	18.4	2.4	.2	1	9	19.9	7.8	29.2	2.0	
484718	1.3	534.2	22.7	64	1.0	2.8	9.7	2454	3.56	43	2.7	.2	7.7	147	.4	13.1	.2	134	2.47	.102	24.5	8.8	1.09	277	.278	8.13	.079	4.29	3.5	45.4	45	.7	10.5	5.1	.4	1	12	18.3	1.8	175.7	1.5	
484719	5.8	486.3	74.9	66	2.0	4.3	12.0	351	4.02	226	2.6	.4	5.9	58	.4	19.1	.9	140	.59	.095	8.1	5.5	.57	354	.283	7.60	.095	4.23	7.1	46.8	18	.7	7.6	5.0	.4	1	11	18.0	3.9	159.0	1.5	
484720	6.5	72.0	97.4	121	1.0	3.0	9.1	2361	3.84	172	2.2	.6	6.1	154	1.1	9.6	.1	106	2.78	.085	16.5	9.2	.67	327	.256	6.47	.443	4.14	6.4	40.3	32	.5	8.6	5.2	.4	1	9	8.3	3.3	133.5	1.4	
RE 484720	6.7	73.0	102.1	131	1.1	3.4	9.6	2403	3.68	172	2.3	.7	6.3	161	1.0	9.7	.1	108	2.87	.089	16.9	7.3	.68	330	.254	6.63	.448	4.23	6.1	42.0	32	.6	8.8	5.1	.4	1	9	8.4	3.4	145.6	1.4	
RRE 484720	7.2	78.6	110.3	168	1.3	2.7	9.4	2417	3.75	174	2.3	2.1	5.9	158	1.3	10.4	.1	106	2.84	.086	15.6	8.0	.68	330	.252	6.61	.432	4.21	6.2	41.5	31	.4	8.7	5.0	.4	1	9	8.9	3.5	144.7	1.4	
484721	4.0	40.7	194.1	197	.9	4.5	14.9	1349	4.84	219	3.1	1.0	7.8	105	1.3	12.7	<1	168	1.31	.122	21.0	7.8	.84	138	.329	9.22	.121	5.54	7.2	55.7	42	.7	11.1	6.5	.5	2	13	10.1	4.5	197.1	1.8	
484722	9.7	1454.4	3932.6	5266	7.0	2.8	8.9	1736	3.72	67	2.4	28.8	6.5	113	42.7	17.5	<1	117	1.76	.092	17.6	6.5	.69	256	.260	6.97	.145	4.20	5.0	41.9	34	.5	9.3	4.9	.4	1	9	7.7	3.7	151.2	1.3	
484723	13.1	4825.2	7216.0	8796	13.1	4.4	14.4	952	7.45	201	3.4	29.3	6.6	108	76.3	37.0	.1	181	1.26	.141	13.4	5.6	.77	81	.361	10.29	.221	6.58	7.0	57.4	31	.8	10.0	5.9	.5	2	17	11.0	7.7	215.8	2.0	
484724	12.1	557.9	3744.0	5500	5.3	3.9	13.2	2411	5.11	190	3.4	12.1	8.0	197	46.2	44.2	.1	124	3.48	.118	13.2	6.9	.75	148	.297	9.19	.273	5.98	4.7	55.6	29	.7	10.3	5.6	.5	1	12	8.6	5.2	176.3	1.8	
484725	2.3	22.6	61.6	71	.2	3.3	10.0	2682	4.38	97	2.2	.2	7.7	165	.5	9.0	<1	133	3.13	.100	20.7	9.5	.88	585	.300	8.01	.075	4.10	2.8	40.8	39	.6	10.9	5.9	.4	1	11	8.0	3.7	155.0	1.5	
484726	2.8	62.7	53.6	113	.4	4.5	13.3	3622	4.00	49	4.8	.2	8.3	258	.7	17.5	.1	128	3.53	.109	24.1	11.0	1.23	362	.272	7.91	.075	4.08	2.8	51.5	44	.6	12.5	5.4	.4	1	11	7.5	2.0	151.8	1.8	
484727	4.8	31.5	51.9	63	.3	3.7	14.2	2329	4.56	83	2.7	.1	7.8	201	.3	14.7	.2	137	2.57	.104	19.7	8.8	1.03	835	.291	8.25	.070	4.08	3.7	45.7	37	.8	11.4	5.3	.4	1	12	8.9	3.5	146.2	1.5	
484728	10.5	1974.8	130.6	480	7.5	4.3	18.2	1900	5.39	231	3.1	.4	8.5	127	5.8	1101.7	.8	144	1.79	.129	16.7	7.5	.88	231	.317	9.27	.076	5.00	6.3	52.0	37	.9	11.6	6.8	.5	2	13	8.4	4.8	170.0	1.8	
484729	1.5	24.3	13.3	60	.2	3.1	9.6	2889	3.55	47	2.3	<1	7.4	224	.3	12.6	<1	129	3.10	.102	23.3	8.3	1.10	511	.275	7.72	.069	4.00	3.3	41.3	40	.7	11.0	5.4	.4	1	11	6.5	1.5	145.0	1.5	
484730	1.2	117.3	38.8	164	.7	3.4	12.1	2886	4.26	73	2.9	.4	7.4	213	.9	21.6	<1	130	3.23	.101	23.9	9.2	1.11	500	.285	8.24	.069	4.13	3													



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Se	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sm	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf			
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
G-1	.7	4.2	23.7	56	<1	3.8	5.1	789	2.59	1	4.1	<1	7.5	749	.1	1	2	58	2.63	.088	21.2	22.3	.63	968	.271	8.06	2.857	2.78	.1	9.0	45	1.4	13.3	22.6	1.8	2	5	42.5	<1	118.3	.8			
484733	.8	12.2	12.1	92	.2	3.4	11.6	3575	4.24	9	2.2	.4	7.5	251	.2	9.0	1	124	4.03	.097	24.1	10.1	1.45	982	.265	7.66	.377	3.43	2.4	40.6	41	.7	10.9	5.3	.4	1	11	9.3	1.0	157.9	1.5			
484734	.7	277.6	135.2	379	.9	2.9	12.4	3735	4.35	23	3.0	.5	8.3	225	2.6	12.3	<1	131	3.13	.099	24.4	7.6	1.83	1436	.273	7.88	.092	3.59	3.7	50.9	42	.7	10.4	5.1	.4	1	11	22.2	.5	153.9	1.7			
484735	.9	29.7	12.9	71	.2	2.2	9.4	3194	3.97	22	1.8	<1	6.3	176	.2	8.1	<1	128	3.13	.094	20.0	6.1	1.25	366	.262	7.81	.065	3.72	2.1	36.2	35	.6	9.5	4.3	.4	1	10	11.5	1.1	153.1	1.3			
RE 484735	1.0	34.2	14.1	74	.3	2.8	10.5	3287	3.99	29	1.8	.2	7.1	188	.2	8.8	<1	129	3.14	.099	21.7	7.2	1.29	358	.267	7.80	.073	3.76	2.4	37.4	39	.6	9.3	4.8	.4	1	11	13.1	1.1	158.2	1.4			
RRE 484735	1.2	37.5	27.4	77	.4	3.1	10.6	3245	4.10	26	1.9	.3	7.4	194	.2	9.6	.1	130	3.15	.100	21.0	7.1	1.27	473	.273	7.85	.073	3.72	2.5	40.1	38	.6	9.9	4.9	.4	1	11	13.2	1.2	162.9	1.3			
484736	.4	38.4	5.6	107	.3	4.0	10.9	2803	4.17	39	2.2	.3	8.4	134	.2	11.6	<1	151	2.80	.109	26.3	8.2	1.53	1827	.314	8.59	.069	3.70	2.0	48.9	45	.7	11.0	5.6	.4	1	13	26.2	.6	162.1	1.8			
484737	.2	30.8	5.1	85	.1	3.2	11.0	3232	4.12	6	2.5	<1	8.3	199	.1	7.9	<1	135	4.14	.103	26.7	8.4	1.36	1522	.275	7.83	.117	3.75	2.2	53.4	46	.6	12.3	5.1	.4	1	12	11.1	.3	170.1	1.7			
484738	334.9	447.5	222.1	159	5.7	125.8	121.3	3106	13.52	1329	3.8	15.7	3.6	496	5	14.5	19.7	118	11.13	.117	39.6	55.6	1.43	109	.249	4.02	.679	.88	10.7	59.0	60	3.9	17.5	2.6	.2	1	9	17.5	7.3	29.8	2.0			
484739	.3	29.9	3.7	92	.1	3.2	10.7	2829	4.03	5	1.9	<1	8.6	199	.2	9.7	.1	144	3.84	.101	27.0	9.2	1.51	1317	.255	8.18	.069	3.73	1.7	46.6	46	.6	13.5	4.5	.4	1	11	11.0	.2	164.4	1.6			
484740	1.0	77.6	30.9	212	1.9	3.0	9.8	2480	3.73	16	2.2	14.3	7.5	217	1.2	13.3	.1	120	3.29	.095	23.3	10.3	1.27	901	.246	7.33	.100	3.42	2.0	39.9	40	.5	9.9	4.9	.4	1	11	9.8	.9	154.4	1.5			
484741	1.6	456.0	11.5	185	1.0	2.7	12.1	2911	4.58	34	1.8	.5	7.1	223	1.3	15.9	.2	134	3.34	.102	24.3	8.4	1.46	492	.257	8.14	.062	3.66	2.5	41.6	43	1.0	10.4	4.6	.4	1	11	12.1	1.5	163.4	1.4			
484742	.8	9.3	9.5	81	.2	2.6	8.9	2737	3.93	33	2.0	.1	7.2	230	.3	9.8	.1	122	3.69	.093	21.8	8.3	1.37	818	.258	7.50	.263	3.31	3.2	39.4	37	.6	10.1	4.6	.4	1	11	9.7	.9	142.7	1.4			
484743	.3	35.3	6.3	95	.3	3.5	11.4	2305	4.11	54	2.0	.7	7.3	166	.1	9.0	.1	135	2.64	.101	24.9	8.8	1.22	1565	.263	7.93	.704	3.38	3.1	38.9	42	.5	9.7	4.9	.4	1	12	14.5	.7	149.9	1.5			
484744	.6	18.3	5.8	69	.1	3.5	11.2	2104	3.94	17	1.9	<1	7.5	149	<1	6.9	<1	129	2.88	.102	25.8	8.6	1.13	1490	.257	8.17	.674	3.68	2.1	38.6	42	.6	9.8	4.7	.4	1	11	9.4	.8	157.4	1.3			
484745	.3	81.5	4.9	98	.3	3.2	12.5	2576	4.03	23	2.1	.2	7.5	179	.1	10.7	<1	142	3.51	.102	24.0	7.8	1.32	1781	.280	7.92	.624	3.70	2.2	42.9	41	.7	10.7	5.0	.4	1	12	11.6	.3	161.8	1.5			
484746	.8	32.1	6.5	72	.3	4.0	12.2	1965	3.98	23	2.4	<1	7.8	145	.1	8.8	<1	147	2.91	.103	25.2	9.4	1.14	1587	.290	8.26	.216	3.92	2.0	44.1	43	.7	11.7	5.1	.4	1	12	11.1	.8	176.4	1.6			
484747	4.2	28.4	20.6	57	.5	3.4	15.2	2179	3.50	124	2.9	.1	7.5	168	.2	15.7	<1	140	3.15	.087	21.0	9.7	1.03	375	.295	8.04	.077	3.66	2.6	44.8	36	.6	9.9	5.4	.4	1	11	9.1	2.2	157.2	1.4			
484748	.6	17.1	7.6	60	.2	2.9	10.6	2349	3.31	24	1.6	<1	6.6	154	.1	9.3	.1	174	2.85	.107	25.5	7.7	1.24	382	.265	7.97	.084	3.97	2.4	37.0	43	.6	10.5	5.9	.4	1	11	11.1	1.4	178.0	1.2			
484749	2.5	20.8	22.2	80	.6	3.7	13.4	2690	4.71	74	1.5	.1	6.9	180	.3	14.7	.5	150	3.59	.101	26.2	7.0	1.24	766	.247	7.95	.095	4.14	3.8	35.8	45	.7	10.7	5.7	.4	1	10	9.8	3.1	177.4	1.3			
484750	2.1	12.6	34.8	122	.4	3.7	13.7	2369	4.30	52	1.7	<1	7.2	174	.6	10.6	.5	159	2.72	.111	21.9	11.9	1.32	881	.271	8.38	.080	4.14	2.7	39.6	38	.6	11.4	5.7	.4	1	11	13.3	2.4	185.8	1.2			
484751	.6	68.8	10.6	80	.5	3.8	14.8	2285	5.26	31	2.2	.4	5.3	141	.1	15.4	.5	155	.87	.111	16.1	12.6	1.07	729	.310	7.86	.145	4.98	4.0	42.0	31	.6	8.7	5.0	.3	1	15	16.9	2.5	189.3	1.4			
484752	.2	2.8	5.4	82	.2	4.1	13.4	3082	5.47	30	2.0	.2	5.4	121	.1	5.3	.1	221	.56	.115	17.8	13.7	1.37	271	.301	8.02	.122	4.84	3.0	38.5	36	.6	8.5	4.9	.3	1	15	14.7	2.1	194.5	1.2			
484753	.6	36.7	9.7	64	.3	3.7	13.5	2046	6.06	116	2.6	.2	5.1	117	.1	8.3	.3	226	.73	.114	11.6	11.0	1.27	170	.316	8.15	.104	4.60	3.1	45.3	26	.5	8.4	4.8	.4	1	14	21.7	4.1	187.3	1.6			
484754	1.5	15.5	9.7	26	.5	2.9	10.6	888	4.91	334	2.6	.3	5.0	130	.1	8.2	.5	192	.80	.103	14.1	7.4	.66	335	.295	7.24	.099	4.29	4.8	43.5	29	.6	8.3	4.7	.4	1	13	10.1	4.4	174.8	1.5			
484755	16.4	2345.8	41.4	105	5.2	2.4	12.6	492	4.25	287	3.0	.9	2.9	60	.5	442.3	3.7	135	.52	.053	6.0	10.3	.35	278	.190	5.08	.068	2.59	7.6	25.9	12	.4	4.3	2.8	.2	1	7	8.2	4.4	92.5	.9			
484756	20.5	39.0	64.8	23	1.3	6.0	26.8	281	5.88	51	8.0	.3	8.1	71	.2	22.2	2.9	304	.44	.165	20.7	12.5	.37	56	.339	12.32	.128	5.42	8.6	57.8	42	.9	5.9	6.0	.5	1	14	7.7	6.2	196.0	1.8			
484757	2.8	33.2	19.9	5	.6	1.9	5.6	129	1.63	7	1.4	<1	8.0	235	<1	7.6	.1	175	.43	.180	25.0	9.5	.17	168	.337	10.09	.098	4.06	12.0	21.3	46	.6	2.7	6.7	.5	1	6	7.1	1.8	153.9	.7			
484758	4.5	38.8	29.9	12	.6	.9	2.0	151	1.34	6	1.1	<1	7.7	144	.1	10.7	.6	113	.35	.145	32.3	7.4	.20	228	.261	7.98	.086	3.29	14.3	18.8	56	.6	2.3	5.6	.4	1	5	7.3	1.4	122.8	.6			
484759	5.8	665.7	77.5	21	2.2	3.4	13.7	186	2.78	21	3.6	1.1	6.5	69	.1	20.0	3.4	220	.22	.085	14.2	9.7	.39	140	.249	7.83	.073	3.43	6.7	33.0	27	.6	5.5	4.5	.4	1	16	9.5	2.7	135.8	1.1			
484760(rock)	.8	4.7	21.5	28	<1	.9	1.3	320	.93	2	12.3	<1	26.3	117	<1	.4	<1	14	.63	.020	15.6	4.0	.11	226	.074	6.84	3.297	3.24	.7	19.9	20	.6	3.4	7.0	.6	3	1	6.8	<1	126.5	1.3			
484761	15.9	1181.9	25.8	130	2.0	2.0	8.4	3219	6.29	62	2.4	.3	4.6	64	.2	11.4	2.3	116	.42	.078	9.7	9.1	1.72	381	.204	5.78	.068	2.69	2.7	37.2	20	.5	5.2	3.9	.5	1	7	31.4	3.8	106.1	1.2			
484762	8.6	440.6	33.5	87	1.1	2.2	7.6	962	3.43	33	2.0	.2	2.1	384	.4	7.7	1.6	80	.44	.064	3.4	8.6	.62	260	.187	4.82	.111	3.43	4.2	28.1	11	.3	4.8	3.4	.5	1	6	15.1	2.8	108.5	1.0			
484763	2.1	35.4	8.1	36	.4	1.9	5.8	484	1.98	16	1.5	.2	.5	824	.1	4.7	.5	68	.28	.051	.6	4.9	.52	235	.151	4.14	.044	2.25	2.8	22.4	3	.4	5.9	2.8	.2	1	5	11.9	1.5	94.6	.7			
484764	3.9	85.1	7.1	63	.6	1.9	7.2																																					



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
G-1	.3	3.8	19.3	51	<.1	3.9	4.2	781	2.56	1	4.2	<.1	7.0	733	<.1	.1	.2	55	2.69	.081	24.1	14.5	.65	1021	.272	8.55	2.707	2.99	.2	8.8	47	1.6	14.2	21.0	1.7	2	5	37.3	<.1	119.0	.7		
484765	2.9	109.6	11.2	73	.5	3.0	9.9	463	4.49	14	2.5	.5	2.6	473	.2	5.4	1.3	111	.31	.083	3.2	5.9	1.13	22	.274	7.18	.055	3.27	4.3	36.4	12	.6	5.5	4.5	.4	1	9	21.5	3.4	128.0	1.3		
484766	3.2	12.5	13.6	63	.4	2.9	10.9	512	4.36	12	2.8	.1	5.6	93	.1	5.9	.1	125	.41	.095	14.5	10.0	1.18	238	.299	8.06	.068	3.97	2.4	42.7	30	.6	5.8	4.9	.4	1	11	19.4	3.4	149.2	1.5		
484767	5.1	15.0	30.0	71	.5	3.2	11.0	1087	4.24	17	2.6	<.1	5.8	142	.3	5.8	.2	116	1.58	.097	16.4	7.7	1.15	64	.283	7.60	.063	3.71	3.1	39.1	33	.5	8.2	4.9	.4	2	10	14.1	3.3	151.6	1.3		
484768	3.3	15.6	22.6	73	.4	3.0	11.8	1229	5.02	14	2.9	<.1	6.9	105	.1	5.0	.8	127	1.81	.107	17.0	8.8	1.44	103	.324	8.47	.073	4.21	3.6	46.6	34	.6	7.6	5.4	.5	1	11	18.9	3.5	161.5	1.6		
484769	3.3	105.8	109.2	574	1.0	2.3	8.3	1647	6.54	21	2.1	.7	4.4	94	3.7	6.2	2.4	101	.76	.069	10.2	12.6	1.63	31	.208	5.84	.040	2.33	4.9	30.7	22	.4	5.4	3.8	.3	1	7	32.0	3.1	90.1	1.0		
484770	3.5	20.1	17.7	130	.5	1.9	10.2	2833	7.08	16	2.4	<.1	6.0	86	.1	4.9	2.7	111	1.83	.089	15.1	8.5	2.15	259	.258	7.54	.052	3.05	3.6	37.9	29	.5	7.6	4.2	.4	1	9	38.3	3.6	109.7	1.4		
484771	1.8	17.1	21.8	85	.3	2.6	11.3	1706	3.98	12	3.0	<.1	7.5	173	.2	5.3	.1	122	2.23	.102	21.3	10.4	1.36	111	.316	8.52	.456	4.66	2.1	46.4	39	.5	8.4	5.6	.5	1	10	19.0	1.8	161.3	1.6		
484772	1.4	16.2	13.4	99	.3	3.0	10.8	1105	3.79	13	3.0	<.1	6.9	157	.2	5.3	<.1	123	.92	.095	20.7	9.9	1.29	117	.318	8.29	.953	4.05	2.9	47.5	37	.5	6.5	5.5	.5	1	10	24.5	1.5	137.7	1.6		
RE 484772	1.3	16.2	13.0	98	.3	2.7	11.0	1123	3.90	14	2.9	<.1	7.0	154	.2	5.5	<.1	121	.90	.099	19.3	8.2	1.30	144	.319	8.24	.913	4.05	2.5	46.1	35	.5	6.8	5.6	.5	1	10	25.4	1.5	130.5	1.5		
RRE 484772	1.8	15.9	15.1	92	.3	2.4	10.5	1077	3.88	14	2.8	<.1	6.8	155	.1	5.5	<.1	124	.89	.096	19.8	10.7	1.30	126	.319	8.36	.927	4.14	2.5	45.2	37	.6	6.4	5.4	.5	1	10	24.0	1.5	139.1	1.7		
484773	2.0	10.6	14.5	72	.3	2.8	10.6	850	3.78	9	2.9	<.1	5.8	94	.1	4.7	<.1	119	.33	.096	15.6	10.3	1.12	67	.294	7.91	.530	4.24	2.6	44.0	30	.5	6.0	5.6	.4	1	9	21.8	2.3	150.4	1.5		
484774	5.1	14.1	16.8	87	.4	2.4	10.7	1649	3.75	8	2.6	.2	4.7	170	.1	4.2	<.1	120	.29	.094	13.4	9.2	1.19	99	.297	7.79	.206	5.49	2.4	44.9	28	.5	5.5	5.4	.4	1	10	22.7	2.1	162.3	1.4		
484775	5.4	17.7	23.6	64	.5	1.9	6.4	916	2.27	11	1.8	.9	1.1	1032	.1	3.6	<.1	75	.23	.060	1.0	4.1	.71	48	.184	4.90	.063	3.23	3.2	26.8	4	.4	3.9	3.2	.3	1	6	15.1	1.6	107.8	.9		
484776	5.3	15.9	68.4	111	.7	2.8	11.8	949	4.31	11	3.2	.1	6.0	125	.6	7.1	<.1	114	.48	.104	15.1	9.8	1.02	132	.278	7.77	.094	5.55	2.9	49.1	30	.5	7.2	6.5	.5	2	10	21.3	3.7	183.3	1.8		
484777	13.8	15.5	128.9	310	.8	2.4	11.2	1720	4.17	12	3.1	.4	5.8	229	2.2	5.4	<.1	114	1.14	.097	14.2	8.8	1.21	69	.285	7.82	.103	6.26	2.7	47.3	30	.6	7.1	5.4	.4	1	10	16.8	3.7	184.8	1.7		
484778	2.0	24.5	22.9	82	.5	2.9	11.2	1631	4.04	8	2.9	<.1	6.1	177	.3	5.4	<.1	126	1.14	.097	15.2	9.0	1.09	104	.306	8.56	.717	4.88	1.9	44.5	32	.6	7.1	5.6	.5	1	10	15.7	2.8	163.9	1.6		
STANDARD DST6	12.5	125.1	33.9	171	.4	30.3	13.1	955	3.99	24	7.6	<.1	7.1	313	5.8	5.4	4.8	104	2.25	.100	26.1	223.5	1.01	687	.420	6.90	1.645	1.42	7.7	53.5	53	6.3	14.9	8.5	.7	3	11	26.6	<.1	58.0	2.0		

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake File # A608798

P.O. Box 11804 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus VanDer


SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
493570	.10	3.1
493571	.14	4.8
493572	.23	4.9
493573	.24	5.7
493574	.16	5.2
493575	.15	2.9
493576	.12	2.3
493577	.23	2.2
493578	.22	2.1
493579	.15	2.0
493580	.15	2.5
493581	.19	3.3
493582	.17	1.9
493583	.22	2.6
493584	.36	2.0
493585	.05	5.7
493586	.03	5.6
493587	.03	5.8
493588	.14	5.7
493589	.11	5.6
493590	.03	5.6
493591 (pulp)	1.84	-
493592	.02	5.7
493593	.04	5.9
493594	.09	7.7
493595	.02	6.0
493596	.02	5.5
RE 493596	.02	-
RRE 493596	.02	-
STANDARD SL20	6.06	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DEC 13 2006

Data FA

DATE RECEIVED: NOV 22 2006 DATE REPORT MAILED: .....







ASSAY CERTIFICATE




Coast Mountain Geological PROJECT Homestake #36 File # A608884 Page 1

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwer

SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
493597	.03	5.63
493598	.19	5.27
493599	4.37	3.91
493600	.32	2.46
493601	.75	2.55
493602	.58	2.33
RE 493602	.58	-
RRE 493602	.57	-
493603	.96	2.08
493604	1.25	4.84
493605	.20	4.21
493606	.23	4.16
493607	.38	1.23
493608	.44	2.54
493609	.08	4.20
493610 (pulp)	17.02	-
493611	.05	4.55
493612	.14	2.30
493613	.31	5.35
493614	.31	3.43
493615	.27	3.39
493616	.32	3.11
493617	.27	4.57
493618	.80	4.62
493619	1.04	4.09
493620	.11	4.37
493621	.03	5.33
493622	.01	5.93
493623	.91	4.78
493624	.10	4.55
493625	.27	1.77
493626	1.25	2.19
493627	.03	4.82
493628	1.17	4.40
STANDARD SL20	6.09	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



Data FA DATE RECEIVED: NOV 24 2006 DATE REPORT MAILED:.....

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.



SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
493629	.71	3.90
493630 (rock)	<.01	.41
493631	.84	5.71
493632	.02	4.93
493633	.02	6.00
493634	.96	1.57
493635	.05	4.08
493636	<.01	5.23
493637	<.01	5.41
493638	.01	2.88
493639	.01	3.56
493640	.02	4.50
493641	.04	3.14
493642	.06	2.92
493643	.04	3.35
493644	.04	3.96
493645	.48	4.46
493646	.58	3.10
493647	5.90	1.67
493648	.32	5.43
493649	.12	5.71
493650 (pulp)	2.97	-
493651	.13	5.34
493652	.05	5.73
493653	.25	5.46
493654	.08	5.42
493655	.02	5.22
493656	.11	5.68
RE 493656	.09	-
RRE 493656	.10	-
493657	.03	5.69
493658	.32	5.84
493659	.12	4.44
493660	.16	1.52
STANDARD SL20	6.11	-

Sample type: DRILL CORE. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
493661	.16	3.64
493662	.44	3.74
493663	.43	1.69
493664	.25	2.61
493665	.11	3.66
493666	.11	2.72
493667	.16	2.90
493668 (pulp)	.28	-
493669	.36	2.22
493670	.18	5.82
493671	.10	4.44
493672	.07	1.33
493673	.13	5.53
493674	.09	5.44
493675	.04	6.02
493676	.04	5.43
493677	.03	5.82
493678	.02	5.56
RE 493678	.01	-
RRE 493678	.02	-
493679	.01	5.32
493680	.03	5.05
STANDARD SL20	6.22	-

Sample type: DRILL CORE. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.









SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
6-1	1.3	1.4	23.2	55	<1	4.3	4.9	762	2.47	<1	5.5	<1	7.4	788	.1	.1	.2	54	2.64	.086	19.7	8.1	.65	1068	.278	8.19	2.977	2.96	.3	10.3	41	1.2	15.5	22.7	1.7	3	6	44.9	<1	119.5	.8		
493661	6.2	13.6	17.5	42	.8	3.6	12.4	129	3.81	14	3.0	.2	5.8	207	.2	9.9	<1	123	.33	.106	12.2	8.5	.19	38	.332	8.20	.209	6.59	2.4	56.2	30	.5	9.0	6.6	.5	1	11	3.8	3.9	195.2	1.7		
493662	2.9	16.0	20.9	35	1.3	3.1	10.6	80	4.08	49	2.6	.7	4.7	162	.3	14.4	.2	118	.26	.094	9.5	9.9	.19	48	.298	7.47	.187	6.18	2.1	45.1	25	.4	9.1	6.3	.4	1	10	5.2	4.1	184.7	1.4		
493663	7.7	261.8	56.1	67	8.2	2.4	8.0	338	4.05	100	2.2	.8	2.4	101	.7	172.3	1.2	173	.43	.069	1.2	5.8	.38	53	.235	5.75	.094	4.01	2.5	34.9	6	.6	6.2	4.6	.3	2	11	8.9	4.1	141.3	1.2		
493664	2.4	9.5	14.8	16	9	2.5	9.3	115	3.63	60	2.2	.2	1.9	259	.1	10.3	.1	67	.28	.085	1.9	6.3	.07	20	.254	6.64	.207	6.16	2.3	40.2	9	.3	7.6	5.5	.4	<1	6	3.4	3.7	169.0	1.3		
493665	1.7	9.0	12.0	8	1.0	2.4	10.0	73	3.58	33	2.3	.1	4.0	145	.1	9.8	<1	67	.24	.089	5.8	10.5	.07	59	.275	7.04	.217	7.06	2.4	40.5	19	.4	7.3	5.3	.4	<1	7	3.0	3.6	195.8	1.3		
493666	2.6	9.8	14.8	18	1.1	2.5	10.5	124	3.73	38	2.3	.1	3.9	151	.2	11.2	<1	87	.30	.090	9.7	7.5	.10	28	.286	7.24	.217	7.28	1.9	40.3	28	.4	7.2	5.6	.4	<1	8	3.3	3.9	206.1	1.3		
493667	2.2	10.5	14.4	10	1.0	3.2	10.8	78	3.68	39	2.6	.1	4.2	158	.1	8.1	<1	98	.24	.093	8.9	8.6	.09	34	.294	7.17	.202	6.56	1.9	43.4	25	.4	8.3	5.5	.4	<1	9	3.1	3.9	190.6	1.3		
493668 (pulp)	15.5	39.9	14.3	117	.2	16.8	91.8	2141	6.19	2572	2.8	.3	6.4	304	.3	8.4	7.4	96	8.08	.095	64.0	45.9	1.22	1319	.322	6.40	2.237	2.53	1.1	32.6	106	1.8	20.5	14.1	.8	1	9	12.9	.7	54.8	1.2		
493669	4.0	11.4	15.6	19	1.4	2.9	10.0	159	3.85	75	2.4	1.4	4.1	141	.1	12.1	<1	94	.37	.086	9.5	9.3	.13	29	.286	6.89	.184	6.97	1.6	40.5	27	.4	9.0	5.0	.4	1	8	4.6	3.9	200.5	1.2		
493670	3.0	11.4	27.3	111	1.0	3.6	11.5	137	4.24	35	2.9	.2	4.9	178	.9	10.5	<1	101	.33	.106	10.6	9.7	.15	33	.332	8.21	.227	5.95	1.7	47.9	28	.5	9.1	6.8	.5	1	10	3.7	4.3	154.0	1.5		
493671	2.1	9.9	12.9	23	.7	3.1	10.2	208	3.82	23	2.8	<1	4.7	178	.1	9.1	<1	95	.50	.093	8.8	5.0	.25	28	.306	7.56	.194	6.73	1.6	42.7	24	.6	7.8	5.6	.4	<1	9	4.1	3.8	195.5	1.5		
493672	1.4	15.6	16.2	28	.9	3.6	14.8	144	4.62	23	2.9	.1	5.1	135	.3	12.4	<1	134	.43	.112	10.8	4.3	.51	26	.379	8.64	.128	6.07	2.0	42.1	29	.6	9.3	6.4	.5	1	13	7.8	4.8	208.8	1.4		
493673	2.2	13.9	30.5	130	1.2	3.1	11.7	240	4.11	18	3.3	<1	5.9	188	.7	11.0	<1	113	.76	.104	13.6	4.3	.56	56	.328	8.32	.134	6.93	1.3	42.5	31	.6	9.6	6.3	.5	1	10	7.8	4.2	226.8	1.4		
493674	1.5	13.7	35.7	129	1.8	2.2	10.7	1992	3.77	19	2.5	<1	6.4	295	.6	7.8	<1	95	3.17	.100	18.7	6.5	.69	93	.311	7.90	.247	7.07	1.4	38.0	35	.6	11.1	6.3	.5	1	10	5.8	3.8	229.9	1.5		
493675	1.3	15.3	19.4	52	2.6	2.5	11.1	1845	3.83	17	2.6	<1	6.8	191	<1	6.8	<1	106	2.87	.098	20.3	4.5	.91	57	.320	7.90	.651	5.04	1.1	41.1	37	.4	10.1	6.3	.4	2	10	8.1	3.8	182.0	1.4		
493676	2.0	16.4	14.5	61	1.6	3.1	12.7	1424	3.78	17	2.8	<1	6.7	238	<1	4.8	<1	139	2.37	.100	19.5	6.3	1.22	66	.328	8.15	1.097	5.06	1.2	42.0	36	.5	10.6	6.3	.5	1	11	14.6	3.2	168.5	1.5		
493677	2.7	18.0	20.8	59	1.6	3.1	12.0	1120	4.36	22	3.0	<1	7.3	209	.1	5.2	<1	119	2.85	.106	21.5	5.8	1.28	81	.329	8.21	1.184	4.43	1.5	48.1	38	.6	11.7	6.8	.5	2	11	15.2	4.2	179.8	1.5		
493678	2.1	16.0	17.3	67	1.3	2.9	12.2	1125	4.17	15	2.9	<1	7.3	206	.2	4.7	<1	117	2.82	.109	19.4	5.2	1.42	67	.332	8.40	1.328	4.47	1.3	52.2	37	.4	11.8	6.1	.5	1	11	13.3	4.1	163.5	1.6		
RE 493678	1.8	15.9	16.3	67	1.2	2.7	11.8	1107	4.07	14	3.0	<1	7.4	199	.1	4.6	<1	115	2.79	.108	19.9	4.6	1.38	62	.326	8.44	1.268	4.38	1.3	51.0	36	.5	11.8	6.1	.5	1	11	13.5	4.0	167.1	1.7		
RRE 493678	1.9	15.6	16.3	65	1.2	2.8	11.9	1090	4.05	13	2.9	<1	7.2	193	.1	4.7	<1	110	2.75	.106	20.9	5.2	1.34	55	.316	8.18	1.257	4.26	1.4	45.9	36	.5	10.7	6.2	.5	2	11	13.2	3.9	168.7	1.6		
493679	1.4	15.1	16.7	70	1.1	2.3	11.3	1059	4.14	14	2.7	<1	7.1	208	.3	5.5	<1	104	3.17	.104	21.1	4.2	1.18	58	.325	8.32	1.358	4.21	1.3	49.1	37	.6	11.5	6.1	.5	1	10	8.4	4.3	164.8	1.6		
493680	2.6	18.4	14.2	71	1.0	2.7	12.2	1205	4.10	16	3.2	<1	7.6	240	.2	6.3	<1	123	4.00	.103	21.9	3.8	1.23	58	.302	8.12	1.496	3.95	1.4	48.2	39	.5	11.6	6.3	.4	1	10	9.4	4.2	151.1	1.7		
STANDARD DST6	12.5	127.9	35.6	173	.4	29.9	13.0	989	4.05	25	7.5	<1	7.0	309	5.4	5.5	4.7	102	2.27	.098	25.9	222.8	1.02	687	.418	7.02	1.634	1.42	7.5	51.4	52	6.2	14.6	8.8	.6	3	11	26.5	<1	57.2	1.7		

Sample type: DRILL CORE. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

ASSAY CERTIFICATE

Coast Mountain Geological PROJECT Homestake #36 File # A608884R

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwer




SAMPLE#	Cu %	Pb %	Zn %
493599	1.043	-	-
493601	-	-	1.22
493607	-	1.61	-
493647	-	-	2.56
STANDARD R-3	.826	2.04	4.15

GROUP 7TD - 0.500 GM SAMPLE, 4 ACID (HF-HClO4-HNO3-HCL) DIGESTION TO 100 ML, ANALYSIS BY ICP-ES.  
 - SAMPLE TYPE: CORE PULP

Data FA

DATE RECEIVED: DEC 19 2006 DATE REPORT MAILED: JAN 04 2007





ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #37 File # A608885


P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwer

SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
493722	.11	3.43
493723	.09	3.79
493724	.21	1.60
493725	.16	1.86
493726	.24	4.47
493727	.40	.95
493728	.04	3.25
493729	.03	2.43
493730	.06	4.68
493731 (PULP)	16.15	-
493732	.06	1.91
RE 493732	.07	-
RRE 493732	.04	-
493733	.17	1.93
493734	.07	4.99
493735	.16	5.12
493736	.02	5.32
493737	.02	5.12
493738	.03	3.05
493739	.03	3.14
493740	.04	2.89
493741	.26	3.98
493742	.14	3.53
493743	.12	1.35
493744	.13	2.64
493745	.09	4.94
493746	.10	2.86
493747	.11	3.94
493748	.28	1.62
493749	.13	3.50
493750	.19	4.25
493751	.13	5.19
493752 (ROCK)	<.01	.62
493753	.11	5.50
STANDARD SL20	6.01	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
 - SAMPLE TYPE: DRILL CORE R150  
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DEC 13 2006

Data FA \_\_\_\_\_ DATE RECEIVED: NOV 24 2006 DATE REPORT MAILED:.....





GEOCHEMICAL ANALYSIS CERTIFICATE



Coast Mountain Geological PROJECT Homestake #37 File # A608885

P.O. Box 11604-620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus VanDer

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Cr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sr	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf			
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
G-1	1.7	2.8	24.8	64	<1	4.3	4.3	794	2.37	1	4.9	<1	7.1	722	.1	<1	.3	51	2.64	.085	20.3	12.8	.65	1036	.261	8.43	2.844	2.80	.3	6.8	42	1.3	13.3	20	1	1.6	2	5	41.5	<1	103.5	.6		
493722	2.4	16.9	13.4	69	.3	2.0	9.7	1878	3.35	19	3.2	<1	7.9	215	.1	11.6	.1	119	3.06	.095	23.1	6.4	1.07	209	.280	8.14	.515	3.76	1.7	41.3	41	.4	9.8	5.7	.5	1	9	13.3	1.4	107.5	1.4			
493723	2.9	11.4	21.8	77	.3	3.3	11.9	2287	3.98	168	2.9	<1	7.7	318	.2	11.2	.1	108	3.36	.109	19.9	5.6	1.03	127	.308	9.07	.511	4.35	2.0	44.6	39	.5	9.7	6.0	.4	1	9	6.6	2.9	111.2	1.5			
493724	4.1	17.9	52.2	120	.4	3.0	10.7	994	4.11	62	3.3	2	8.0	197	.3	21.0	.1	124	1.60	.108	20.4	7.8	61	52	.307	8.49	.100	3.85	2.4	42.8	41	.5	9.1	6.3	.5	1	9	7.6	3.6	113.7	1.5			
493725	3.0	60.1	59.3	88	.6	3.3	9.2	505	3.15	52	3.0	.1	6.5	213	.4	32.0	.1	102	.97	.091	17.2	8.6	42	67	.277	7.79	.164	4.06	1.6	40.7	36	.5	7.3	5.7	.4	1	8	5.0	2.7	103.0	1.5			
493726	2.6	40.8	54.9	76	.4	3.2	10.4	217	3.34	70	3.0	.3	6.0	204	.2	27.5	.1	106	.53	.097	13.1	8.3	.16	42	.283	7.87	.397	6.75	2.1	42.4	33	.5	8.1	6.1	.5	<1	9	3.3	3.3	161.1	1.4			
493727	1.8	107.1	52.1	95	.6	2.9	10.3	504	3.93	135	2.5	.5	4.1	239	4	22.6	.6	84	.95	.073	4.7	6.9	.30	29	.230	6.79	.544	4.50	1.6	34.7	16	.3	6.0	4.7	.4	<1	7	6.7	3.9	113.5	1.2			
493728	1.6	17.3	30.6	82	.2	2.1	9.6	1691	4.00	60	2.7	<1	6.5	208	.2	6.3	<1	113	2.07	.087	14.3	6.3	.95	71	.254	7.68	.363	5.03	1.5	38.5	28	.4	8.0	5.2	.4	1	9	10.6	2.4	136.2	1.4			
493729	1.2	32.1	20.9	111	2	2.6	11.2	911	3.28	34	2.9	<1	7.9	181	.4	8.7	<1	122	1.08	.101	21.9	7.2	.89	495	.295	8.34	.179	3.96	1.5	44.6	40	.5	7.1	6.1	.5	1	9	18.2	1.1	106.3	1.6			
493730	1.1	23.9	11.9	109	.2	2.3	10.2	1466	3.62	51	3.0	.2	8.1	225	.1	13.6	<1	129	1.86	.103	21.1	5.9	1.27	1300	.313	8.33	.131	3.83	1.8	46.0	38	.8	8.3	6.5	.5	1	10	20.9	.9	105.5	1.6			
493731 (PULP)	330.0	433.0	224.5	168	5.6	120.8	123.0	2985	12.82	1595	3.8	15.8	3.7	473	.6	15.0	19.6	115	11.62	.108	38.9	58.5	1.35	53	.238	4.05	.667	.94	12.5	60.1	61	4.0	17.0	2.5	.2	1	9	16.8	7.2	28.2	1.9			
493732	1.0	26.2	9.5	104	.1	2.9	8.6	1358	3.38	13	2.8	<1	8.0	171	.1	5.6	<1	113	1.54	.099	18.6	5.8	1.37	3048	.288	8.06	.187	3.35	1.3	47.0	34	.5	7.3	6.4	.5	1	9	22.4	.4	100.9	1.5			
RE 493732	1.1	24.8	9.4	105	.1	2.3	9.5	1373	3.44	12	3.1	<1	8.5	169	.1	6.0	<1	113	1.51	.099	18.9	6.9	1.38	3108	.296	8.09	.196	2.91	1.2	47.6	35	.4	7.3	6.4	.5	1	9	24.5	.5	95.0	1.6			
RRE 493732	1.2	24.6	9.2	103	.1	2.1	8.6	1363	3.37	14	2.9	<1	8.4	164	.1	5.9	<1	111	1.51	.099	17.5	6.6	1.35	3044	.297	8.08	.189	3.83	1.2	45.1	34	.5	7.2	6.4	.5	1	9	24.6	.5	102.8	1.4			
493733	1.9	8.8	24.9	85	.4	2.6	10.5	1074	3.29	93	3.1	.2	6.9	164	.1	11.8	<1	114	1.70	.089	18.5	6.4	.64	75	.279	7.75	.312	3.83	1.4	41.6	35	.4	6.9	5.8	.4	1	9	11.2	2.3	93.3	1.4			
493734	3.3	17.5	255.2	69	.4	2.2	10.7	2048	3.50	82	3.1	<1	7.6	203	.2	8.7	<1	111	2.66	.101	21.7	6.1	.94	164	.288	7.94	.162	4.28	1.4	42.3	39	.4	8.1	6.1	.5	1	9	19.3	1.7	103.3	1.5			
493735	2.2	11.5	18.5	96	.2	2.5	8.7	2462	3.51	19	2.7	<1	7.4	188	.1	6.2	<1	109	3.08	.086	21.8	6.2	1.16	214	.277	7.53	.167	4.03	1.5	40.8	39	.4	8.7	5.6	.5	1	9	23.7	1.4	110.2	1.4			
493736	2.0	12.8	16.1	85	.2	2.4	9.5	2244	3.63	13	2.9	<1	7.4	188	.1	5.7	<1	112	3.48	.091	21.8	5.5	1.16	141	.294	7.82	.506	4.04	1.6	43.3	38	.5	8.6	6.1	.5	1	9	21.8	1.7	111.8	1.4			
493737	4.7	8.3	9.5	93	.2	2.6	12.4	2101	3.92	11	3.2	<1	8.3	221	<1	6.8	<1	139	3.19	.104	24.5	7.6	1.20	221	.326	8.33	.793	3.09	1.4	48.2	44	.5	9.3	5.9	.5	1	11	18.8	2.0	103.9	1.4			
493738	3.4	7.6	10.3	79	.1	2.8	12.5	2077	3.63	13	2.9	<1	7.9	172	.1	9.0	<1	133	2.80	.100	22.6	6.9	1.23	395	.323	8.19	.689	3.15	1.7	52.1	40	.6	9.4	6.4	.5	2	11	12.3	1.7	101.8	1.7			
493739	10.3	6.4	11.1	59	.2	2.7	10.5	1880	3.88	24	3.4	<1	7.6	237	.1	7.3	<1	117	3.06	.093	21.2	6.7	.97	88	.312	7.63	.756	3.03	1.6	46.8	39	.5	9.6	6.3	.5	1	9	7.3	3.2	88.0	1.7			
493740	4.3	5.7	11.3	54	.2	2.5	9.4	2146	3.55	20	2.7	<1	7.6	293	.1	5.1	<1	104	3.32	.087	21.0	6.5	.90	65	.282	7.64	.852	3.01	1.5	43.0	37	.5	9.9	5.9	.5	1	9	6.4	3.1	79.6	1.4			
493741	8.2	460.0	105.9	311	3.0	2.8	9.0	858	3.70	71	2.7	.2	5.0	227	2.4	269.5	.1	89	1.49	.082	9.9	6.9	.31	27	.247	6.91	.217	4.12	2.0	35.1	26	.4	7.8	4.6	.4	<1	8	4.8	3.8	97.4	1.2			
493742	4.5	18.6	915.0	3005	1.2	2.2	10.0	1173	3.65	39	2.7	.1	6.3	249	25.7	16.3	<1	110	1.67	.084	14.9	6.5	.55	60	.253	7.20	.158	3.74	1.8	41.0	31	.4	8.2	5.3	.4	1	8	7.3	3.9	95.7	1.3			
493743	4.2	10.8	58.0	116	.2	2.8	9.8	1343	3.43	36	3.1	.1	7.6	153	.5	19.9	<1	130	1.54	.092	16.3	5.7	.94	59	.303	7.67	.085	3.24	2.4	43.6	33	.5	10.0	6.3	.5	1	9	11.6	3.2	111.2	1.5			
493744	4.0	12.8	87.6	217	.5	2.8	9.3	951	3.67	53	3.1	.2	5.9	252	1.3	15.4	<1	106	1.17	.089	12.9	7.4	.57	33	.236	7.04	.170	4.20	1.9	42.9	30	.4	8.3	4.9	.4	1	9	6.4	3.6	104.0	1.5			
493745	3.2	22.7	31.6	107	.3	2.7	10.4	1128	3.34	36	3.0	.1	6.4	311	.5	16.8	.1	122	1.36	.104	13.7	6.1	.89	69	.291	8.00	.305	4.30	2.1	46.7	30	.5	8.1	6.1	.4	1	10	7.9	2.1	112.5	1.5			
493746	4.2	44.3	291.0	463	.9	2.7	9.6	551	3.24	51	3.5	.1	5.0	191	5.0	28.2	<1	94	.84	.097	8.4	11.4	.28	50	.283	7.41	.470	4.91	2.9	44.9	26	4	6.6	5.9	.5	<1	8	3.2	2.9	109.9	1.3			
493747	3.3	21.5	112.9	129	.6	2.7	9.4	1174	3.59	71	2.7	.1	5.7	233	.9	16.8	<1	108	1.66	.084	13.0	7.5	.73	44	.262	7.60	.144	3.81	2.3	41.0	33	.4	8.4	5.6	.4	1	8	5.7	2.9	96.8	1.4			
493748	4.2	236.5	4493.6	6171	14.9	2.4	8.5	1189	5.67	80	2.6	.3	2.4	90	55.8	166.1	.1	87	1.01	.079	14.4	6.2	.45	47	.214	5.95	.135	4.27	2.5	34.7	55	.3	8.3	4.4	.3	1	8	4.4	5.6	105.9	1.2			
493749	2.6	20.7	17.8	72	.3	2.6	11.1	1387	3.59	51	3.1	.1	7.5	381	.2	12.5	<1	115	2.00	.093	16.9	6.2	.92	118	.298	8.16	.354	3.06	2.9	45.4	35	.4	7.8	5.8	.5	1	9	11.0	2.0	89.8	1.5			
493750	1.0	16.9	21.7	157	.3	2.7	10.2	1289	3.84	16	3.3	.2	8.8	179	.3	12.7	<1	128	.97	.109	19.5	5.7	1.23	2326	.323	8.35	.916	3.80	1.9	53.7	38	.6	7.0	6.5	.5	1	10	31.8	.8	115.7	1.9			
493751	1.4	19.0	17.5	133	.2	3.2	10.3	1401	3.81	82	3.0	.1	8.3	179	.3	10.0	<1	129	.86	.105	18.4	5.8	1.23	1600	.320	8.49	.839	4.12	2.2	50.6	34	.6	6.3	6.6	.5	1	10	23.0	.8	110.8	1.9			



ASSAY CERTIFICATE

Coast Mountain Geological PROJECT Homestake #38 File # A609039

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwer


SAMPLE#	Au** gm/mt	Sample kg
G-1	.02	-
493782	.13	4.7
493783	.11	2.4
493784	.08	5.1
RE 493784	.09	-
RRE 493784	.06	-
493785	.09	5.2
493786	.86	3.4
493787	.48	2.4
493788 (pulp)	1.78	-
493789	1.46	2.1
493790	.43	1.1
493791	.23	2.4
493792	.16	4.3
493793	.08	3.6
493794	.31	2.8
493795	.61	1.4
493796	.27	2.6
493797	.16	4.3
493798	.19	5.2
STANDARD SL20	6.15	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA \_\_\_\_\_

DATE RECEIVED: DEC 1 2006

DATE REPORT MAILED: ..... DEC. 15. 2006





GEOCHEMICAL ANALYSIS CERTIFICATE



Coast Mountain Geological PROJECT Homestake #38 File # A609039  
P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanner

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
6-1	.2	2.0	21.4	55	<1	3.5	4.1	727	2.46	<1	3.3	<1	6.5	742	.1	<1	.2	53	2.54	.083	21.5	5.9	.61	1039	.256	7.96	2.736	2.75	.2	6.9	42	1.2	13.4	18.4	1.6	.2	5	37.0	<1	117.4	.5		
493782	2.1	68.7	9.5	55	.4	3.3	8.8	258	4.28	28	2.8	.1	5.3	152	.1	4.4	1.0	97	.51	.079	9.4	4.4	.53	49	.207	6.69	.114	4.39	1.9	41.0	25	.4	6.1	3.9	.3	1	8	13.8	3.8	138.1	1.3		
493783	1.3	12.6	10.4	100	.2	2.4	9.9	653	5.42	12	5.8	<1	6.3	131	.1	4.4	1.0	98	.68	.092	11.4	3.8	1.21	113	.270	7.50	.104	3.89	2.0	49.0	25	.4	7.4	5.2	.5	1	8	27.1	3.9	112.5	1.7		
493784	1.9	9.5	16.6	54	.2	2.4	9.0	1234	4.07	14	3.8	<1	6.5	192	.2	4.3	.3	90	3.00	.089	15.8	5.9	.73	53	.255	6.99	.103	5.41	2.3	44.6	32	.4	9.6	4.9	.4	1	8	10.6	3.6	182.2	1.6		
RE 493784	1.8	9.6	15.2	59	.2	2.2	8.6	1240	4.06	14	3.8	<1	6.5	193	.2	4.0	.3	90	3.08	.084	15.7	3.5	.74	59	.254	6.97	.103	5.45	2.3	43.5	32	.4	10.1	4.7	.4	1	8	11.3	3.6	186.6	1.5		
RRE 493784	2.1	10.7	16.5	65	.2	2.5	9.7	1238	4.04	14	4.0	<1	5.6	201	.2	4.2	.3	91	3.14	.090	15.4	6.2	.71	54	.253	6.89	.105	5.41	2.2	46.8	32	.4	9.7	5.3	.5	1	8	10.6	3.5	185.6	1.6		
493785	2.3	9.9	13.8	56	.3	2.5	9.6	1465	4.21	17	2.9	<1	7.3	228	.1	6.3	.1	117	3.36	.099	20.5	3.5	.91	69	.268	7.49	.075	4.52	1.7	43.7	36	.5	11.2	4.8	.4	1	9	11.0	3.8	185.2	1.5		
493786	1.7	12.8	17.7	15	.8	2.8	8.0	155	3.40	66	2.6	1.0	4.9	219	.1	6.4	1.0	70	.95	.081	10.1	6.6	.12	35	.201	6.88	.176	7.20	2.4	37.8	25	.4	6.5	3.9	.4	<1	6	4.4	3.4	197.0	1.3		
493787	6.3	15.5	64.6	43	.7	2.5	8.9	245	5.08	48	2.4	.5	4.8	124	.1	6.5	2.0	92	.45	.079	7.3	3.9	.49	22	.196	6.48	.116	5.29	2.8	35.6	20	.5	6.0	3.9	.3	1	7	11.7	4.6	186.2	1.2		
493788 (pulp)	7.9	124.9	15.0	144	.8	26.3	81.0	3751	8.82	1967	4.2	1.7	2.1	334	.5	12.6	31.6	100	16.22	.113	27.0	54.3	1.62	645	.243	4.21	.758	.84	14.9	41.9	35	4.0	18.1	2.0	.2	1	10	16.8	.4	26.9	1.4		
493789	7.8	>10000	58.9	150	45.3	2.2	6.1	142	9.11	139	1.7	.8	.2	176	.8	183.1	2.3	34	.21	.051	.1	7.9	.08	20	.127	4.39	.124	4.73	2.4	19.7	1	.3	3.3	2.3	.2	<1	4	6.2	7.9	126.4	.7		
493790	7.8	3909.9	40.7	64	4.1	2.8	9.2	73	4.93	72	2.6	.4	3.2	201	.2	13.7	3.5	74	.33	.084	3.9	6.5	.13	52	.212	6.46	.173	6.57	3.6	34.8	14	.5	7.0	4.1	.3	<1	7	5.1	4.8	181.1	1.2		
493791	6.5	320.8	23.4	43	1.0	2.4	8.8	625	4.60	60	2.6	.2	5.8	154	.1	8.3	2.2	130	1.60	.085	13.0	5.4	.51	43	.231	6.88	.099	4.64	2.7	38.4	28	.5	7.2	4.5	.4	1	9	10.8	4.4	176.7	1.3		
493792	4.5	23.8	15.8	62	.5	2.9	9.7	285	4.92	57	2.9	.1	5.1	179	.1	5.0	1.7	107	.92	.089	10.5	5.3	.57	43	.266	7.19	.120	5.70	1.9	40.7	27	.5	6.9	4.9	.4	1	9	11.3	4.5	206.1	1.3		
493793	3.8	34.4	12.6	52	.4	3.0	11.6	242	5.03	28	3.2	<1	5.9	154	.1	4.2	1.3	112	.39	.099	12.1	7.1	.63	85	.261	7.77	.132	6.46	2.0	42.6	30	.6	6.8	5.3	.4	1	10	12.4	4.3	212.3	1.3		
493794	4.9	163.5	17.7	44	.7	2.8	9.7	141	4.25	60	2.7	.3	4.8	214	.1	7.4	1.8	73	.44	.086	8.3	6.9	.21	29	.209	6.91	.171	7.12	2.6	36.8	24	.5	5.5	3.9	.4	<1	7	5.0	4.2	202.5	1.2		
493795	4.9	3277.5	52.5	85	2.4	2.5	8.3	186	4.52	71	2.2	.5	3.1	212	.4	22.4	2.6	67	.36	.074	4.2	6.7	.26	33	.180	6.89	.155	6.55	2.0	31.2	15	.4	5.0	3.1	.3	<1	6	5.2	4.4	181.2	1.0		
493796	39.7	33.1	47.1	51	.9	3.0	10.4	541	5.27	59	2.8	.3	4.5	202	<1	8.4	3.8	138	.58	.096	6.8	5.9	.66	48	.242	7.72	.153	6.99	3.6	44.9	20	.6	7.0	4.4	.4	1	9	7.8	4.6	220.1	1.5		
493797	6.9	22.8	19.6	59	.6	2.9	10.1	640	4.04	34	3.0	.1	6.6	126	<1	10.8	.2	122	.30	.104	13.6	5.7	1.18	77	.285	7.61	.145	3.71	2.9	47.6	30	.5	6.6	5.6	.5	1	10	20.2	3.4	103.1	1.7		
493798	3.5	13.2	12.5	78	.7	3.2	11.1	1676	4.45	26	3.0	.1	6.1	251	<1	8.0	.7	118	.30	.102	13.5	6.4	1.51	128	.260	7.61	.691	4.97	2.6	45.2	30	.5	7.0	5.2	.4	1	10	23.8	2.4	142.9	1.5		
STANDARD DST6	12.5	126.4	35.0	173	.4	30.5	13.1	961	4.06	25	7.6	<1	6.9	317	6.0	5.5	4.8	105	2.26	.100	25.5	222.2	1.02	693	.421	6.93	1.683	1.39	7.7	52.6	52	6.4	14.7	9.1	.6	3	11	24.9	<1	57.7	1.7		

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.  
- SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data <sup>152</sup> FA \_\_\_\_\_

DATE RECEIVED: DEC 1 2006 DATE REPORT MAILED: DEC 1 8 2006



(ISO 9001 Accredited Co.)

ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #38 File # A609039R

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwer


SAMPLE#	Cu %
493789	2.748
STANDARD R-3	.829

GROUP 7TD - 0.500 GM SAMPLE, 4 ACID (HF-HClO4-HNO3-HCL) DIGESTION TO 100 ML, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: CORE PULP

Data 3 FA

DATE RECEIVED: DEC 21 2006 DATE REPORT MAILED:.....

JAN 03 2007





ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #39 File # A609040  
 P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwer


SAMPLE#	Au** gm/mt	Sample kg
G-1	.01	-
206285	.39	3.0
206286	1.14	.9
206287	.08	3.0
206288	.45	2.4
206289	.10	5.2
206290	1.54	5.6
206291	.45	5.4
206292	.94	5.6
206293	.61	5.4
206294	.76	3.2
206295	2.21	3.4
206296	.07	4.8
206297	.04	4.8
206298	.02	3.2
206299	.07	3.3
206300	.01	3.3
206301	.01	3.1
206302	.45	2.6
RE 206302	.45	-
RRE 206302	.47	-
206303 (pulp)	.28	-
206304	.94	2.0
206305	3.38	1.5
206306	.07	5.2
STANDARD SL20	6.04	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
 - SAMPLE TYPE: DRILL CORE R150  
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DEC 14 2006

Data FA

DATE RECEIVED: DEC 1 2006 DATE REPORT MAILED:.....





GEOCHEMICAL ANALYSIS CERTIFICATE



Coast Mountain Geological PROJECT Homestake #39 File # A609040


P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwer

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Mb	Ta	Be	Sc	Lf	S	Rb	Hf
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
G-1	1	1.5	20.4	51	<1	2.6	4.0	766	2.43	<1	3.7	<1	8.0	748	<1	<1	2	54	2.63	.087	32.4	5.1	.63	1032	.261	8.61	2.786	2.98	2	8.0	58	1.6	14.6	22.5	1.6	2	5	43.2	<1	124.0	1.6
206285	7.0	125.3	522.2	1655	192.3	3.3	9.9	3781	3.84	173	3.0	.4	5.4	253	9.5	86.1	<1	112	2.85	.094	14.0	6.7	.52	108	.266	6.72	.082	4.96	4.9	40.7	27	.7	9.4	5.0	.4	1	10	7.4	4.3	185.2	1.4
206286	1.7	246.2	2732.1	7027	>200	2.0	11.8	3934	4.08	99	2.9	.9	5.9	255	50.9	138.3	<1	111	2.98	.109	16.1	3.9	.48	95	.315	6.85	.090	5.70	5.4	43.0	30	.6	9.4	5.8	.4	1	11	4.6	4.9	198.7	1.4
206287	2.1	46.2	103.6	267	16.6	4.4	18.1	739	3.99	37	3.8	<1	6.6	136	1.4	12.2	<1	127	.54	.119	17.1	5.6	.42	101	.347	8.08	.097	6.50	2.8	51.5	33	.5	8.7	6.3	.4	1	12	8.7	4.1	243.6	1.7
206288	1.1	372.9	1139.8	3489	101.4	2.4	10.4	662	3.67	86	2.0	.3	3.8	153	22.1	69.3	<1	91	.58	.087	7.4	5.3	.25	67	.261	6.16	.129	5.80	3.8	38.6	20	.4	6.6	5.0	.3	1	9	6.9	4.0	201.0	1.2
206289	.7	23.8	98.8	350	21.9	2.4	12.5	1886	4.02	47	1.7	.1	5.8	182	1.6	15.2	<1	76	1.02	.112	16.9	6.3	.53	247	.342	7.93	.134	5.67	3.2	43.6	33	.5	8.2	6.3	.4	1	12	11.2	3.4	173.9	1.4
206290	.8	133.0	386.8	888	>200	4.6	11.2	1218	4.06	119	1.9	1.3	5.5	175	5.5	97.0	<1	89	.74	.103	13.7	9.2	.35	157	.300	7.40	.176	5.83	4.1	40.8	28	.4	7.2	5.2	.4	1	10	6.5	3.8	146.9	1.3
206291	.7	38.1	116.6	254	55.7	3.3	10.9	945	3.73	76	1.8	.5	5.3	162	1.3	16.8	<1	129	.48	.109	13.2	9.8	.38	149	.268	7.34	.152	7.65	5.5	39.6	27	.3	7.6	5.5	.4	1	11	9.6	3.1	222.9	1.3
206292	5	45.8	143.5	373	23.4	2.8	10.5	512	3.06	140	1.6	.9	4.9	156	2.1	15.9	<1	93	.50	.099	13.4	9.9	.25	127	.268	6.63	.140	6.04	7.1	37.4	27	.5	6.9	5.4	.4	1	10	6.9	2.9	160.2	1.2
206293	1.1	64.2	130.0	377	28.4	3.7	11.3	1083	3.40	68	2.6	.3	5.9	123	2.2	16.1	<1	156	.30	.096	17.7	8.0	.58	234	.282	7.19	.124	7.09	8.7	42.2	32	.5	7.8	5.5	.4	1	11	17.0	1.8	223.6	1.4
206294	3.2	135.6	151.3	427	51.8	3.0	13.6	573	3.40	68	4.2	.3	5.0	103	2.0	33.6	<1	144	.41	.093	11.1	6.7	.47	124	.288	6.61	.071	5.21	8.9	41.6	23	.5	10.1	6.3	.3	1	10	10.1	2.9	190.2	1.2
206295	2.8	263.5	916.9	2345	188.3	3.9	8.6	391	3.20	114	2.0	1.5	2.8	108	14.4	91.6	<1	107	.33	.072	7.2	18.3	.30	41	.224	4.75	.052	3.46	6.9	22.6	18	.7	6.5	4.8	.3	1	9	10.3	3.3	136.4	.8
206296	1.9	28.9	36.2	166	7.4	14.7	57.0	572	4.49	45	3.1	<1	6.6	166	.7	8.5	<1	163	.80	.110	19.5	13.6	.59	203	.425	9.25	.077	6.02	5.5	46.6	38	.6	10.4	8.9	.6	1	19	8.5	5.0	232.1	1.6
206297	2.0	18.3	23.8	31	2.2	8.3	17.0	1493	6.30	31	2.4	<1	5.6	171	.1	7.6	<1	162	1.83	.146	14.5	10.4	.57	107	.407	8.25	.076	5.93	2.4	42.2	30	.7	12.7	9.3	.5	1	16	8.0	6.9	203.5	1.5
206298	2.0	18.0	10.4	109	.8	7.3	11.7	1717	4.97	15	2.6	<1	7.8	149	<1	5.1	<1	211	1.24	.149	27.0	13.6	.98	339	.412	8.95	.065	5.32	4.5	50.0	46	.7	12.0	9.0	.7	1	19	23.2	1.4	214.2	1.7
206299	1.3	23.5	9.5	94	3.0	7.1	11.0	1726	5.12	13	2.4	<1	8.1	125	.1	5.9	<1	208	1.48	.150	30.1	13.2	1.02	1485	.423	9.13	.049	4.66	1.9	47.6	47	.6	14.2	9.0	.6	1	19	27.9	1.0	202.4	1.7
206300	1.0	23.6	6.8	74	.4	5.5	13.3	1710	5.36	8	3.0	<1	7.6	167	<1	7.8	<1	190	1.83	.129	25.2	15.6	1.01	193	.417	8.83	.052	5.01	2.0	54.0	45	.7	12.1	9.8	.6	1	17	17.1	2.0	220.5	1.8
206301	.5	2.8	6.3	78	.3	4.6	9.6	1297	4.33	5	2.9	<1	8.0	130	.1	8.3	<1	188	1.78	.140	28.0	14.1	1.05	351	.427	8.86	.049	4.93	2.3	52.7	49	.5	12.6	9.2	.6	1	17	21.3	1.5	212.0	1.8
206302	4.2	561.4	21.7	59	3.8	6.2	19.4	1611	5.05	37	2.6	.3	7.3	116	.3	73.8	.4	171	2.39	.148	20.6	10.3	.85	120	.373	8.39	.052	4.57	2.8	44.9	39	.5	13.2	7.9	.5	2	15	7.9	4.8	197.0	1.6
RE 206302	4.1	538.9	21.9	60	4.0	6.3	18.9	1620	4.98	35	2.5	.5	7.1	117	.3	77.9	.4	169	2.37	.147	21.8	10.7	.83	128	.382	8.23	.061	4.63	2.6	46.4	42	.7	12.9	7.9	.5	2	15	11.2	4.8	196.9	1.6
RRE 206302	3.8	504.7	20.6	62	3.2	5.9	18.9	1544	4.87	32	2.5	.3	6.9	124	.3	57.3	.4	162	2.35	.141	19.6	10.3	.82	208	.367	7.90	.049	4.52	2.3	44.6	37	.5	12.2	7.2	.6	2	15	11.1	4.7	188.9	1.4
206303 (pulp)	15.7	42.2	14.8	116	.2	19.3	91.5	2193	6.39	2616	2.9	.3	6.2	324	.2	8.7	8.3	102	7.94	.095	63.7	49.0	1.23	1268	.317	6.27	2.211	2.75	1.0	31.1	104	2.0	21.1	15.6	.9	2	9	10.8	.7	57.1	1.3
206304	2.9	4425.7	27.3	180	6.5	1.0	7.8	2012	7.04	48	1.8	.9	4.0	89	.2	24.2	2.0	85	2.75	.055	11.1	3.2	.87	85	.154	4.42	.029	2.27	5.6	20.6	21	.4	6.2	2.9	.2	1	6	21.7	6.2	93.2	.8
206305	3.7	>10000	59.2	167	22.6	1.7	5.7	4666	6.72	66	1.6	4.0	3.3	149	.8	72.2	2.1	76	6.72	.045	16.4	2.6	.62	190	.124	3.89	.024	1.88	4.3	18.5	29	.4	7.3	2.2	.2	1	7	5.9	6.7	74.9	.6
206306	2.9	56.7	30.6	51	.7	2.8	9.2	1751	4.20	27	3.3	<1	7.2	162	.1	7.0	.5	113	3.84	.098	17.2	5.6	.69	103	.301	7.44	.068	5.26	3.3	45.3	33	.7	10.7	6.4	.5	1	10	6.9	4.5	176.7	1.5
STANDARD DST6	12.1	125.3	35.5	170	.4	28.7	12.9	943	3.94	23	7.5	<1	7.0	313	5.7	5.4	5.0	98	2.24	.096	24.9	223.6	.99	669	.381	6.85	1.650	1.39	7.5	49.8	51	6.1	14.8	8.2	.6	3	11	24.9	<1	55.3	1.6

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCl-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATILIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.

- SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA DATE RECEIVED: DEC 1 2006 DATE REPORT MAILED: DEC 19 2006





ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #39 File # A609040R


P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwer

SAMPLE#	Cu %
206305 STANDARD R-3	1.873 .834

GROUP 7TD - 0.500 GM SAMPLE, 4 ACID (HF-HClO4-HNO3-HCL) DIGESTION TO 100 ML, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: ROCK PULP

Data FA

DATE RECEIVED: DEC 21 2006 DATE REPORT MAILED:..... JAN 03 2007



ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #39 File # A609040R2

P.O. Box 11604-620-650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwer




SAMPLE#	Ag** gm/mt
206286	717
206290	666

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: CORE PULP

JAN 05 2007

Data      FA      DATE RECEIVED: DEC 21 2006 DATE REPORT MAILED:.....





ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #40 File # A609041


P.O. Box 11604 620 - 650, Vancouver BC V6H 4N9 Submitted by: Marcus Vanwer

SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
206346	.02	6.2
206347 (pulp)	1.83	-
206348	.15	5.1
206349	.19	4.8
206350	.74	5.1
206351	.82	2.0
206352	5.25	1.1
206353	.81	2.3
RE 206353	.71	-
RRE 206353	.65	-
206354	.61	3.0
206355	1.69	2.5
206356	.66	5.2
206357	48.52	2.6
206358	4.96	2.4
206359	1.98	3.8
206360	2.56	2.4
206361	15.78	1.7
206362	1.02	3.4
206363	.43	2.8
206364	2.46	5.3
206365	4.13	1.7
206366	.33	5.2
206367 (pulp)	2.79	-
206368	.16	5.3
206369	.36	5.1
STANDARD SL20	5.96	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA

DATE RECEIVED: DEC 1 2006 DATE REPORT MAILED:.....





GEOCHEMICAL ANALYSIS CERTIFICATE




Coast Mountain Geological PROJECT Homestake #40 File # A609041

P.O. Box 11604-620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwer

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Lf	S	Rb	Hf			
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
G-1	.7	4.7	62.7	77	.1	3.2	4.4	737	2.25	<1	5.6	<1	7.4	707	.1	1.8	.2	46	2.56	.086	23.2	11.8	.64	963	.239	7.76	2.776	1.92	.1	8.5	43	1.4	14.8	18.7	1.8	2	5	40.6	<1	81.7	.7			
206346	1.3	21.5	79.7	172	10.6	4.4	14.6	2553	4.51	79	2.1	<1	5.2	166	1.1	14.6	.2	128	1.78	.025	19.0	11.3	.77	2423	.358	7.91	.074	4.88	2.8	58.1	38	1.0	12.3	5.3	.5	1	13	6.8	3.9	196.1	2.1			
206347 (pulp)	7.8	121.1	15.3	139	.7	23.3	81.7	3796	8.70	2060	4.5	2.0	2.3	314	.6	12.7	33.3	89	12.97	.109	29.5	54.6	1.78	607	.230	4.47	.696	.88	10.6	38.6	35	3.9	17.5	2.1	.2	1	9	20.0	.6	27.0	1.3			
206348	1.8	54.5	399.3	1437	68.4	3.3	10.0	2204	3.84	106	2.4	.1	5.8	151	11.3	23.9	.2	106	1.19	.050	20.7	8.2	.66	1612	.301	7.26	.075	4.92	4.3	61.0	39	.9	13.4	5.3	.4	1	10	6.4	3.2	215.2	2.1			
206349	12.5	67.2	53.9	55	14.0	6.8	15.7	447	3.99	415	3.8	.2	5.1	161	.3	46.7	<1	107	.39	.088	12.6	16.9	.20	131	.279	6.91	.129	5.98	4.7	54.9	28	.7	9.7	4.9	.4	1	10	5.2	4.2	219.1	1.8			
206350	3.4	62.9	191.3	135	13.8	5.9	13.4	651	4.67	375	3.7	.7	5.8	166	.7	40.7	.2	107	.44	.094	15.1	16.7	.27	174	.266	6.94	.165	4.55	3.8	55.0	32	.8	10.5	4.6	.4	1	9	6.0	4.6	162.2	1.9			
206351	14.8	25.2	49.0	49	5.4	9.2	23.0	654	4.45	325	3.5	.7	5.0	167	.3	21.2	.1	107	.41	.097	13.8	20.5	.30	111	.265	6.81	.169	6.29	4.6	50.1	30	.7	10.7	4.6	.5	1	10	8.2	4.2	222.9	1.7			
206352	7.5	79.8	276.4	96	22.0	5.0	13.8	537	8.45	1885	2.7	6.3	2.6	109	.7	72.5	.1	69	.61	.058	9.9	11.6	.11	858	.166	4.63	.119	4.54	3.3	32.2	22	.4	7.4	2.3	.2	<1	6	7.6	9.9	150.4	1.1			
206353	8.9	49.6	69.9	109	5.6	8.1	18.7	648	4.53	274	4.3	.7	4.5	167	.2	28.8	<1	110	.60	.100	11.3	14.6	.30	103	.280	7.21	.224	6.94	4.8	53.2	27	.5	9.9	4.3	.4	1	9	7.4	4.8	232.1	1.8			
RE 206353	9.0	50.9	74.9	113	6.3	8.4	20.1	685	4.92	286	4.6	.6	4.8	177	.4	30.5	<1	116	.61	.101	12.2	15.1	.32	84	.267	7.47	.238	6.72	5.2	54.4	28	.5	10.5	4.6	.4	1	9	8.0	4.8	220.2	2.0			
RRE 206353	10.1	50.6	63.1	51	5.6	8.2	21.6	736	4.98	374	5.6	1.8	5.2	168	.2	23.7	<1	106	.59	.096	13.7	15.0	.34	102	.244	6.84	.209	5.30	4.4	51.0	30	.4	9.4	3.9	.4	1	8	6.4	4.8	178.1	1.6			
206354	13.8	89.3	56.1	104	5.9	8.1	20.5	1454	4.74	262	5.8	.6	5.7	186	.4	22.4	.1	115	.74	.101	16.1	15.4	.65	300	.267	7.03	.168	5.69	4.3	50.4	32	.6	10.8	4.4	.4	1	10	10.7	4.1	199.8	1.8			
206355	7.2	39.0	59.0	58	9.0	7.8	16.9	1584	5.82	458	4.2	1.7	6.7	209	.3	42.7	.1	122	1.72	.099	19.0	17.0	.43	2402	.269	7.47	.184	5.13	10.0	54.9	36	.5	11.6	4.7	.4	1	10	5.5	5.8	170.1	1.8			
206356	.9	21.3	14.9	105	1.7	5.7	12.5	2996	4.00	109	3.0	.4	6.9	264	.1	12.3	<1	123	2.03	.104	20.9	14.6	1.12	785	.274	7.72	.295	5.10	5.8	56.8	36	.5	11.8	4.8	.4	1	10	10.3	1.5	153.5	1.8			
206357	1.2	65.8	34.6	67	20.2	6.1	12.1	1798	5.08	490	3.7	27.6	5.4	174	.2	27.5	.1	117	.99	.090	15.5	17.7	.63	617	.253	6.81	.167	5.39	7.1	46.5	30	.5	9.6	4.0	.3	<1	10	12.1	4.1	180.8	1.5			
206358	3.2	24.4	44.9	25	6.6	8.5	16.7	968	5.95	585	3.8	1.8	5.1	157	.1	43.6	<1	112	1.74	.093	14.1	17.4	.20	1217	.245	6.65	.238	5.35	6.8	51.8	29	.4	9.7	4.3	.4	<1	7	6.0	6.4	185.5	1.6			
206359	2.8	19.2	24.3	36	3.0	5.5	13.7	1708	4.93	235	3.3	3.4	6.3	199	.2	23.5	.1	121	2.24	.110	15.6	16.6	.40	989	.267	7.45	.217	4.40	6.9	52.4	30	.5	11.4	4.4	.4	1	9	5.6	4.6	141.1	1.8			
206360	1.5	746.6	31.0	72	14.4	7.5	15.0	1824	4.85	337	3.5	1.5	5.7	230	.8	190.1	.1	119	2.57	.090	15.8	15.3	.37	2554	.234	6.38	.196	4.66	6.8	44.4	29	.5	11.5	3.6	.3	1	9	6.2	4.7	158.2	1.5			
206361	2.8	7380.7	104.5	727	>200	5.6	16.3	3535	6.61	1242	2.3	17.5	3.7	305	12.5	3008.6	.7	67	6.83	.066	10.7	7.9	.22	1997	.157	4.28	.153	3.69	4.3	30.0	21	.4	13.0	2.6	.2	<1	7	2.7	7.4	122.5	1.0			
206362	1.8	247.1	66.4	63	5.0	3.4	11.4	3027	3.63	157	3.6	.8	6.3	281	.5	49.8	<1	100	4.89	.096	18.3	15.9	.35	847	.240	6.40	.179	4.47	7.6	47.0	30	.4	12.4	4.5	.4	1	9	4.1	3.5	135.3	1.5			
206363	.8	16.0	14.0	79	1.4	4.5	11.6	3403	3.51	45	3.6	.6	7.5	250	.1	9.9	<1	117	2.83	.114	22.7	16.2	.85	2141	.284	7.68	.177	5.67	5.2	55.0	37	.3	10.8	4.6	.5	<1	11	9.5	1.1	174.3	1.8			
206364	.6	16.5	17.1	68	2.0	4.6	10.0	2511	3.18	96	3.4	3.1	6.7	205	<1	9.4	<1	116	2.73	.110	20.2	16.1	.65	760	.281	7.25	.155	4.87	5.7	54.2	35	.4	10.3	5.0	.4	<1	10	5.7	1.5	146.1	1.6			
206365	.5	9.6	21.9	44	2.8	2.6	9.6	3647	3.11	113	2.6	1.5	6.2	476	.1	6.3	<1	78	6.71	.092	22.1	11.4	.52	1447	.224	6.44	.537	5.03	4.0	43.3	37	<1	15.0	4.1	.3	1	9	2.6	2.1	171.9	1.3			
206366	.4	9.3	14.4	74	1.4	5.8	10.1	2805	3.66	64	2.9	.4	6.8	206	<1	6.6	<1	114	2.79	.109	21.2	18.9	.83	1597	.306	7.86	.150	4.90	6.4	51.0	36	.2	10.8	5.0	.5	1	11	15.0	1.4	130.3	1.7			
206367 (pulp)	77.4	266.4	48.3	143	2.1	62.3	40.5	2847	10.87	463	2.9	2.9	5.2	165	.7	17.2	232.6	72	17.60	.078	23.3	87.4	1.43	206	.494	3.91	.356	.39	72.5	41.8	42	180.6	15.9	6.9	.6	1	10	12.0	1.1	15.7	1.6			
206368	.6	5.6	11.6	79	.9	5.1	10.7	3488	3.87	56	2.9	.2	7.5	235	<1	5.9	.1	95	3.46	.107	23.9	17.9	.87	1977	.307	7.51	.156	5.02	4.3	52.0	39	.3	12.8	4.6	.4	<1	10	15.2	1.8	164.4	1.7			
206369	.4	13.2	25.0	77	1.2	7.4	13.3	2556	4.47	65	3.4	.2	7.1	191	<1	6.4	<1	114	1.77	.118	20.8	20.3	.82	1416	.312	8.08	.185	4.72	6.1	55.0	38	.4	11.0	5.3	.4	1	12	13.1	2.3	138.8	1.7			
STANDARD DST6	12.8	127.6	34.9	170	.3	30.2	13.3	958	4.08	24	7.3	<1	6.9	309	5.6	5.5	4.7	107	2.26	.097	25.7	225.5	.99	683	.428	6.87	1.645	1.40	7.4	53.2	51	6.6	15.0	8.0	.7	3	10	23.1	<1	55.9	1.7			

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCl-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATILIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.  
- SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data # FA \_\_\_\_\_ DATE RECEIVED: DEC 1 2006 DATE REPORT MAILED: \_\_\_\_\_





ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #40 File # A609041R  
P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Marcus Vanwer

SAMPLE#	Ag** gm/mt
206361	232
STANDARD R-3	202

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: CORE PULP

Date: 1/17/07 FA

DATE RECEIVED: JAN 4 2007 DATE REPORT MAILED: ..... JAN 17 2007







ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake File # A609188

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper


SAMPLE#	Au** gm/mt	Sample kg
G-1	.01	-
493768	.01	2.8
493769	.08	4.1
493770 (pulp)	.28	-
493771	.69	3.3
RE 493771	.73	-
RRE 493771	1.59	-
493772	.14	3.7
493773	.59	2.4
493774	1.23	2.0
493775	2.97	2.7
493776	1.00	1.9
493777	39.04	1.5
493778	2.47	1.0
493779	2.56	1.3
493780	.47	1.8
493781	.24	5.5
STANDARD SL20	6.15	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DEC 28 2006

Data \_\_\_ FA \_\_\_

DATE RECEIVED: DEC 8 2006 DATE REPORT MAILED:.....





GEOCHEMICAL ANALYSIS CERTIFICATE



Coast Mountain Geological PROJECT Homestake File # A609188


P.O. Box 11604 628 - 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Tl	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
G-1	.5	4.0	22.4	55	<1	3.4	4.2	774	2.48	1	4.2	<1	7.5	753	.1	<1	.2	51	2.65	.086	24.2	13.5	.63	994	.256	8.56	2.870	2.90	2.0	9.3	49	1.4	14.7	21.8	1.5	3	5	42.5	<1	119.2	.7	
493768	2.5	12.6	13.1	61	.1	2.3	9.8	1236	3.87	8	3.3	<1	8.3	247	.1	5.1	.1	132	3.78	.100	22.3	5.9	.80	540	.311	7.89	1.714	2.60	1.4	49.8	41	.7	10.7	6.3	.4	1	10	14.1	1.7	99.0	1.5	
493769	3.5	14.2	18.7	71	.4	3.9	16.2	1178	4.01	31	4.3	<1	7.8	214	.2	7.3	.1	129	3.12	.098	22.0	8.1	.70	112	.310	7.75	1.512	2.87	2.3	48.9	40	.5	11.1	6.1	.5	1	11	5.6	3.4	113.6	1.7	
493770(pulp)	15.8	41.8	15.1	113	.3	17.6	84.9	2248	6.38	2403	3.2	.3	6.7	304	.2	8.8	8.3	98	8.12	.100	63.4	42.2	1.20	1283	.325	6.35	2.343	2.62	.9	29.5	109	1.9	20.1	14.5	.9	1	8	16.7	.7	55.4	1.2	
493771	2.7	>10000	123.5	96	9.7	2.9	11.5	1105	6.86	49	2.2	1.7	4.7	114	.4	23.4	1.8	129	2.33	.094	24.5	5.1	1.03	70	.239	6.15	.048	2.79	4.4	30.6	50	.6	9.9	4.1	.3	1	9	14.8	5.8	113.1	1.0	
RE 493771	2.6	9691.7	119.4	86	8.1	2.2	11.2	1085	6.59	47	2.3	.4	4.9	117	.5	23.5	1.9	124	2.26	.092	24.5	4.9	1.01	75	.226	5.93	.050	2.61	4.5	31.4	48	.4	10.1	4.1	.3	1	9	12.3	5.6	119.1	1.0	
RRE 493771	2.7	>10000	141.5	93	11.5	2.4	11.2	1159	6.77	48	2.1	.6	5.0	112	.5	22.8	1.8	128	2.39	.088	25.2	4.8	1.02	108	.240	6.19	.047	2.61	5.9	31.4	49	.7	9.4	3.9	.3	1	9	13.4	5.8	112.0	1.0	
493772	3.7	54.0	31.4	65	1.0	1.9	4.8	266	5.10	19	2.2	.1	6.4	70	.1	8.4	2.0	120	.77	.087	15.0	7.4	.31	46	.216	6.80	.051	2.92	3.5	26.0	32	.5	7.1	4.3	.3	1	9	9.9	4.9	111.3	.9	
493773	1.4	1187.3	24.0	74	3.0	6.1	22.3	206	5.52	82	2.6	.6	4.5	127	.3	15.5	4.9	102	.40	.073	7.4	10.1	.44	78	.244	6.23	.251	3.61	4.5	39.0	19	.8	7.0	4.2	.3	1	8	13.2	5.2	132.4	1.3	
493774	2.2	1113.5	34.4	95	2.6	2.5	10.1	152	5.07	71	2.2	1.4	2.5	222	.3	11.2	2.4	65	.39	.071	2.6	6.6	.22	129	.205	5.49	.591	4.44	3.1	33.1	10	.8	6.1	3.9	.3	1	7	10.0	4.9	133.1	1.1	
493775	2.7	>10000	112.0	337	14.9	2.4	8.1	198	7.27	50	2.0	2.7	1.4	261	2.2	9.6	2.6	60	.34	.070	1.4	7.6	.26	60	.184	5.54	.380	5.42	4.4	34.4	7	.5	6.2	3.7	.3	1	6	10.1	6.8	154.0	1.1	
493776	3.1	6508.5	128.3	148	8.3	2.4	9.8	342	7.49	62	2.2	.9	2.2	157	.7	11.7	4.2	71	.45	.076	1.6	5.7	.39	42	.190	5.48	.320	4.97	4.9	34.4	7	2	6.0	3.4	.3	<1	6	13.3	6.9	149.4	1.1	
493777	1.9	>10000	1786.8	5056	52.8	.5	2.2	272	12.82	92	.3	50.8	<1	95	41.6	159.5	5.1	47	.31	.014	<1	6.5	.29	10	.024	1.60	.033	.76	2.7	3.3	<1	.2	1.1	.5	<1	<1	2	14.4	>10	36.6	.1	
493778	2.6	>10000	569.7	2794	16.3	1.9	6.3	702	8.18	35	.8	3.1	1.2	88	25.5	18.1	3.3	83	1.10	.044	2.6	9.4	.71	13	.101	3.00	.043	1.38	2.1	9.7	6	5	3.7	1.7	.1	1	5	30.2	7.3	63.0	.3	
493779	3.2	6711.2	321.9	2006	13.0	2.7	6.3	214	5.32	92	1.5	4.0	1.5	131	15.7	36.4	2.4	64	.29	.050	2.3	8.4	.21	11	.158	3.39	.065	2.80	4.4	19.9	8	3	4.5	3.2	.2	<1	5	15.3	5.5	85.3	.7	
493780	2.1	108.6	22.5	78	.7	2.3	7.9	481	5.14	69	2.6	.5	3.6	88	.2	6.3	2.8	115	.32	.081	9.1	8.1	.68	99	.203	5.53	.084	4.11	2.3	31.9	23	.5	6.6	3.5	.3	1	8	23.4	3.5	134.4	1.1	
493781	2.8	249.3	18.5	75	1.2	4.3	11.9	410	5.38	37	2.6	.2	5.1	76	.1	9.0	1.7	180	.39	.113	12.5	10.9	.90	40	.283	7.37	.048	3.46	3.6	40.9	26	.5	9.3	5.2	.4	1	12	22.6	4.3	156.5	1.3	
STANDARD DST6	12.3	129.1	35.0	171	.3	30.8	13.3	945	3.99	25	7.7	<1	7.1	306	5.9	5.4	4.8	106	2.23	.101	26.2	230	1	1.00	683	.423	6.89	1.643	1.41	7.6	52.8	52	6.4	14.6	8.9	.6	3	11	24.4	<1	56.5	1.7

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCl-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.  
- SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DEC 20 2006

Data FA DATE RECEIVED: DEC 8 2006 DATE REPORT MAILED:.....





ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake File # A609188R

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper


SAMPLE#	Cu %
493771	.978
493775	1.392
493777	2.083
493778	1.409
STANDARD R-3	.821

GROUP 7TD - 0.500 GM SAMPLE, 4 ACID (HF-HClO<sub>4</sub>-HNO<sub>3</sub>-HCL) DIGESTION TO 100 ML, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: CORE PULP

Data *[Signature]* FA

DATE RECEIVED: DEC 28 2006

DATE REPORT MAILED:..... JAN 10 2007





ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake File # A609189 Page 1


P.O. Box 11604 628 - 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper

SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
206370	2.91	4.1
206371	17.93	1.1
206372	.11	4.9
206373	.34	5.6
206374	2.30	5.4
206375	.70	5.3
206376	.46	1.2
206377	.31	4.4
RE 206377	.28	-
RRE 206377	.30	-
206378	.26	5.6
206379	.49	5.0
206380	1.21	2.7
206381	.98	5.3
206382	.23	2.4
206383	.98	1.2
206384	4.80	1.5
206385 (rock)	<.01	.6
206386	2.91	.8
206387	.25	4.4
206388	.06	5.5
206389	.03	4.3
206390	.03	5.7
206391	.03	5.3
206392	.03	5.1
206393	.04	3.7
206394	.05	4.3
206395	.02	5.5
206396	.02	4.8
206397	.03	5.5
206398	.01	5.7
206399	.02	5.7
206400	.01	1.2
206401	.02	1.6
STANDARD SL20	6.18	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DEC 21 2006

Data FA DATE RECEIVED: DEC 8 2006 DATE REPORT MAILED:.....





SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
206402	.03	2.4
206403	.02	4.7
206404	.02	4.3
RE 206404	.02	-
RRE 206404	.02	-
206405	.02	5.6
206406	.02	4.9
206407 (pulp)	1.86	-
206408	.02	5.0
206409	<.01	5.6
206410	<.01	5.2
206411	<.01	4.1
206412	<.01	5.8
206413	.02	5.5
206414	<.01	5.6
206415	<.01	2.1
206416	<.01	5.9
206417	.02	5.5
206418	<.01	5.8
206419	.19	4.2
206420	<.01	4.6
206421	.04	5.7
206422	<.01	5.5
206423	.02	4.3
206424	<.01	4.4
STANDARD SL20	6.20	-

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

GEOCHEMICAL ANALYSIS CERTIFICATE

Coast Mountain Geological PROJECT Homestake File # A609189 Page 1  
P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
G-1	.5	6.1	52.4	72	<1	3.3	4.0	796	2.42	2	4.4	<1	6.8	774	.1	.5	.2	52	2.63	.082	22.8	18.1	.61	1050	.271	8.10	2.747	2.89	.1	8.3	47	1.3	13.6	20.5	1.6	3	6	37.7	<1	101.7	.6	
206370	.9	623.0	89.7	76	26.9	3.1	9.1	3096	3.81	117	3.5	9.4	6.5	369	.5	16.6	.5	105	5.65	.106	19.5	17.3	.44	395	269	7.22	.257	6.56	4.1	49.7	36	.4	14.9	4.4	.4	<1	11	3.3	3.3	192.6	1.6	
206371	2.9	>10000	59.7	146	76.5	4.1	8.7	1899	5.41	79	3.7	11.8	5.6	210	2.1	39.7	.7	94	2.83	.093	13.3	12.2	.36	431	250	6.34	.127	5.87	3.5	45.2	27	.5	9.9	4.6	.4	1	10	5.8	5.1	188.4	1.4	
206372	2.3	22.4	53.0	47	.9	5.0	9.4	2328	4.19	61	3.2	.1	5.5	262	.2	10.5	.3	102	3.36	.113	15.5	13.3	.54	316	284	7.49	.206	7.51	2.7	53.5	31	.6	11.5	4.8	.4	<1	11	5.0	3.5	221.1	1.7	
206373	1.4	50.7	26.6	75	1.3	7.3	11.5	2372	4.56	59	3.3	.3	6.2	229	.2	8.8	.2	125	2.55	.115	16.4	14.4	.76	275	.329	7.88	.205	8.27	3.3	56.3	32	.5	11.8	5.4	.4	1	12	12.2	2.9	236.4	1.9	
206374	2.4	130.4	149.0	221	3.6	5.2	9.8	2537	4.51	100	2.6	1.4	5.7	246	1.5	9.1	.6	107	4.65	.109	16.1	9.6	.52	302	.293	7.16	.163	7.44	5.5	47.2	31	.5	12.1	4.7	.4	<1	11	6.9	3.8	215.9	1.5	
206375	.6	6.6	18.0	83	1.2	6.7	9.9	3232	4.12	47	2.8	.5	6.5	251	1	7.2	.2	118	3.43	.105	21.2	13.5	1.12	637	.274	7.17	.138	6.99	6.4	46.8	37	.6	11.5	4.6	.3	<1	11	18.4	1.8	192.1	1.5	
206376	2.3	473.5	66.0	102	4.4	7.3	12.2	2426	6.85	128	2.7	.4	5.6	206	.3	39.5	.4	119	3.31	.090	17.0	9.0	.60	337	.260	6.22	.140	6.18	5.9	45.3	31	.6	11.5	4.5	.4	<1	11	14.7	6.9	179.2	1.4	
206377	.7	313.8	14.0	87	1.2	7.5	11.6	2423	3.44	24	2.4	.3	6.5	241	.1	8.7	.4	108	2.19	.095	22.0	29.2	.97	787	.258	6.76	.143	7.27	7.2	41.7	37	.3	10.0	4.4	.3	<1	10	18.8	1.3	218.8	1.4	
RE 206377	.5	284.5	14.5	87	1.4	7.6	10.3	2391	3.38	24	2.5	.4	6.5	238	.1	9.1	.4	107	2.19	.099	21.9	23.5	.96	992	.261	6.81	.149	7.35	7.2	43.1	37	.5	9.8	4.3	.3	<1	10	16.5	1.2	223.8	1.5	
RRE 206377	.4	270.5	21.6	94	1.1	7.1	10.8	2469	3.48	24	2.2	.3	6.2	239	.1	8.1	.3	113	2.09	.100	21.6	19.9	.96	806	.248	6.76	.148	7.68	6.8	43.2	36	.6	9.9	4.1	.3	<1	10	18.6	1.2	215.6	1.3	
206378	.8	279.6	19.2	115	1.8	7.3	11.9	3091	5.15	60	2.4	.3	6.9	269	.1	6.8	.9	137	2.92	.104	23.7	19.2	1.44	1225	.286	7.58	.151	7.06	5.1	49.9	41	.5	12.4	4.9	.4	<1	12	22.2	1.7	215.5	1.4	
206379	.5	13.4	20.8	95	1.3	6.7	9.2	2674	3.99	56	1.9	.4	6.3	296	.2	6.3	.8	121	2.94	.103	19.2	16.6	1.10	1126	.248	6.71	.150	6.58	4.5	42.2	32	.6	11.5	4.3	.3	<1	10	12.0	1.5	201.2	1.3	
206380	.8	1722.0	42.1	236	8.1	7.5	11.6	3154	7.79	113	2.8	1.0	7.0	220	.2	13.3	1.3	161	1.97	.108	31.8	14.0	2.07	1661	.243	7.03	.118	5.28	6.7	50.0	50	.6	13.8	4.0	.3	1	13	36.5	2.8	166.3	1.4	
206381	.5	222.8	22.0	120	2.4	2.4	10.9	2924	5.76	156	2.2	.9	6.6	293	.2	10.9	.6	109	2.24	.112	21.4	5.8	1.56	1880	.286	7.22	.135	6.58	6.1	44.3	36	1.0	11.0	4.8	.3	1	11	22.4	2.6	191.1	1.5	
206382	.5	266.2	15.4	149	1.4	2.2	9.9	2549	5.52	47	2.2	.2	6.8	242	.1	8.7	.4	123	1.66	.107	22.7	7.4	1.45	1677	.259	7.85	.138	6.83	6.2	43.2	38	.4	11.0	4.4	.3	<1	11	27.4	1.7	198.0	1.5	
206383	1.3	78.4	35.6	52	4.2	1.2	11.0	2392	5.30	162	2.7	.9	4.5	210	.3	16.8	1.1	119	2.38	.092	13.2	6.4	.60	490	.250	5.89	.123	5.51	6.9	36.3	27	.6	10.5	4.2	.3	<1	11	6.6	5.0	172.5	1.1	
206384	8.8	3775.2	113.8	207	25.0	2.6	12.5	1772	10.35	328	2.4	5.3	3.4	156	.9	59.0	3.2	178	1.96	.085	10.0	6.0	.61	789	.187	4.85	.079	3.44	6.9	31.0	20	.4	9.0	3.3	.2	1	14	6.9	>10	135.3	1.0	
206385(rock)	.4	4.1	33.0	35	<1	8	1.0	326	.87	1	9.1	<1	24.1	132	.2	.6	<1	16	.69	.019	14.9	21.2	.10	234	.079	6.68	3.361	3.53	.3	19.2	19	.6	3.7	6.7	.6	3	1	4.5	<1	117.0	1.1	
206386	1.6	5055.5	68.0	344	35.8	.7	3.3	2016	4.69	251	.6	2.4	1.1	107	2.7	122.7	.7	81	1.83	.027	10.1	17.8	.66	101	.058	1.98	.016	.86	3.5	6.9	16	.1	3.4	1.3	.1	<1	4	14.7	4.4	37.3	.2	
206387	16.6	37.0	33.7	139	1.3	2.4	11.4	2790	6.66	152	3.8	.1	7.7	140	.2	18.0	2.6	116	1.92	.101	41.5	9.1	1.26	1089	.241	6.58	.029	2.69	4.1	46.8	65	.6	12.8	4.2	.3	1	11	16.0	5.2	116.8	1.4	
206388	5.1	34.1	26.1	56	1.0	3.0	12.3	858	6.15	29	3.5	<1	9.4	113	<1	10.8	.2	122	1.38	.092	27.4	7.8	.93	1184	.282	8.02	.031	3.90	2.5	55.1	45	.7	12.0	5.4	.5	2	13	10.8	6.3	170.7	1.9	
206389	3.5	13.0	21.7	37	.4	1.7	10.8	1293	4.59	12	3.3	<1	8.3	137	.1	8.1	.1	134	2.80	.114	23.5	6.2	1.11	362	.328	8.83	.035	4.09	2.9	51.5	41	.6	11.8	6.0	.5	1	12	10.6	4.9	161.9	1.9	
206390	3.8	13.8	156.6	172	.6	1.6	9.2	1229	4.28	15	3.4	<1	9.3	128	1.1	6.4	.1	128	3.13	.107	26.0	5.8	.94	998	.327	8.16	.036	3.60	2.6	52.8	43	.5	12.5	5.8	.5	2	12	9.3	4.6	168.4	1.8	
206391	3.8	12.8	25.1	42	.5	1.6	9.1	1149	4.64	10	3.5	<1	9.5	118	.1	5.4	<1	124	2.97	.100	27.0	7.4	1.05	1073	.322	8.34	.035	3.60	3.1	59.4	44	.5	12.0	6.0	.6	1	11	14.0	4.7	168.6	1.9	
206392	3.1	11.7	18.7	32	.5	1.7	12.3	1137	4.50	10	3.1	<1	7.7	113	.1	4.8	<1	130	3.85	.107	18.7	5.7	.90	179	.333	8.63	.042	4.20	3.2	51.0	36	.5	10.8	6.6	.5	1	11	9.9	4.8	136.2	1.7	
206393	4.3	9.9	17.9	46	.4	<1	7.7	2303	3.72	7	2.6	<1	7.6	207	.1	3.7	<1	94	7.20	.078	23.7	3.1	.92	244	.274	5.86	.030	2.67	2.9	43.0	37	.5	10.2	5.2	.5	1	9	13.0	3.7	124.6	1.5	
206394	3.2	12.6	21.0	76	.4	1.0	10.8	1562	5.28	7	3.2	<1	8.4	151	.1	4.3	<1	131	4.26	.107	32.3	15.7	1.49	804	.331	8.01	.044	3.57	3.7	54.1	51	.5	13.0	5.5	.4	2	12	19.9	4.9	145.9	1.7	
206395	3.0	12.9	20.3	44	.4	1.3	9.8	1024	4.26	7	3.0	<1	7.9	140	.2	3.6	<1	121	4.01	.105	21.1	15.0	.94	264	.313	7.90	.072	4.06	3.2	46.8	38	.4	11.3	5.6	.5	1	11	12.2	4.7	145.7	1.6	
206396	2.9	11.8	14.5	42	.3																																					



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.9	2.9	31.2	63	<1	3.8	4.5	749	2.38	1	4.1	<1	7.1	731	.1	.2	.2	52	2.60	.082	20.0	10.1	.63	985	.253	7.81	2.740	3.00	.1	8.1	38	1.2	13.1	22.1	1.6	3	5	39.1	<1	113.1	.6		
206402	3.0	14.2	80.6	139	.9	2.7	10.7	1022	3.69	8	2.8	<1	7.4	150	.9	4.3	.2	111	4.90	.094	21.8	4.7	.94	173	.268	6.82	.038	3.44	1.4	41.5	37	.5	10.7	5.2	.4	1	9	10.3	4.5	135.6	1.5		
206403	2.8	15.5	40.5	108	.7	4.9	10.7	837	4.04	7	3.3	<1	8.6	150	.5	4.0	<1	125	3.85	.108	24.0	6.4	.94	196	.289	7.97	.256	4.19	1.6	48.8	41	.5	11.1	6.1	.5	1	10	11.5	4.9	165.9	1.7		
206404	2.4	12.7	32.7	105	.6	1.9	10.2	1083	3.94	6	3.1	<1	8.5	190	.6	4.0	<1	113	5.19	.106	24.3	4.8	.95	228	.274	7.72	.299	3.94	1.4	45.3	41	.5	11.3	5.6	.4	1	9	12.6	4.8	151.4	1.6		
RE 206404	2.3	14.0	31.9	110	.7	1.3	10.7	1093	4.06	7	3.2	<1	8.6	202	.6	4.2	<1	117	5.25	.115	24.8	5.1	.97	238	.279	7.98	.311	4.31	1.3	52.0	42	.5	11.5	6.2	.5	1	10	11.4	5.0	154.8	1.7		
RRE 206404	2.4	15.2	37.7	114	.6	4.3	11.8	1090	3.95	7	3.1	<1	9.1	197	.5	3.9	<1	115	5.21	.108	25.0	5.3	.96	246	.276	8.06	.328	3.90	1.2	50.8	43	.6	12.1	6.1	.4	1	10	11.6	4.9	163.0	1.5		
206405	3.7	14.7	58.2	147	1.1	2.8	11.6	980	4.02	14	3.0	<1	8.3	132	.9	5.7	.3	124	3.59	.100	23.6	7.1	1.15	181	.292	7.80	.037	3.94	1.2	47.9	41	.5	10.6	6.3	.5	1	11	14.7	4.9	162.3	1.5		
206406	2.5	12.8	24.9	107	.6	2.8	9.9	1063	3.75	9	3.0	<1	7.9	156	.5	3.9	<1	118	4.69	.096	23.6	5.5	1.07	210	.276	7.56	.163	3.66	1.1	46.6	40	.5	10.4	5.7	.4	1	9	12.5	4.6	148.7	1.4		
206407(pulp)	8.4	133.7	15.1	144	.6	28.0	87.7	3712	9.02	2018	4.3	1.7	2.2	315	.6	13.7	34.3	103	14.25	.117	28.0	57.4	1.75	591	.236	4.31	.711	.94	10.0	41.7	34	4.3	18.5	2.4	.2	1	11	19.0	.6	26.4	1.5		
206408	3.4	15.2	71.7	120	.9	2.3	11.9	922	3.75	15	2.9	<1	7.8	132	.6	4.5	.3	118	3.52	.103	24.3	6.8	1.33	204	.273	7.50	.114	3.75	1.2	45.2	42	.7	10.2	5.8	.4	2	10	18.4	4.5	152.2	1.5		
206409	6.4	14.0	22.6	220	.4	1.2	9.9	974	3.71	11	2.8	<1	7.5	137	.5	10.3	<1	115	3.80	.107	22.6	7.8	1.40	205	.272	7.53	.176	3.78	1.2	41.8	39	.7	10.3	5.9	.4	1	10	22.8	4.4	145.0	1.5		
206410	3.2	12.5	26.8	158	.4	.8	8.3	1107	3.29	9	3.3	<1	7.0	153	.8	3.3	.2	114	4.49	.095	18.6	4.5	1.21	183	.262	6.88	.236	3.60	1.5	38.7	33	.8	9.3	5.2	.4	1	8	16.5	4.0	131.9	1.3		
206411	3.0	12.0	46.8	293	.5	1.4	10.6	1047	3.74	9	3.0	<1	7.5	143	1.5	3.3	<1	117	3.73	.106	22.1	6.2	1.43	193	.299	7.75	.228	3.65	1.4	39.3	39	.6	9.8	6.4	.5	1	9	15.9	4.5	148.3	1.4		
206412	2.6	12.2	46.5	134	.4	2.1	12.3	1036	3.94	10	2.6	<1	7.2	188	.6	3.3	.1	128	3.68	.107	22.6	5.0	1.58	240	.297	7.86	.741	3.52	1.1	45.3	39	.4	10.2	5.6	.4	1	10	20.2	4.7	133.7	1.5		
206413	2.8	16.5	66.8	140	.9	1.7	12.2	997	4.12	16	2.5	<1	7.2	185	.7	4.3	.2	128	3.70	.108	22.5	5.6	1.50	265	.300	7.61	.667	3.60	1.4	42.3	38	.5	11.8	5.4	.4	1	11	16.8	4.9	139.6	1.4		
206414	2.3	13.5	19.5	61	.5	2.2	12.7	1220	4.18	14	2.6	<1	6.9	220	.1	3.4	<1	142	3.76	.109	21.2	5.1	1.58	376	.320	8.21	.976	3.51	1.3	42.3	38	.5	10.2	5.7	.4	1	11	21.5	4.9	127.9	1.4		
206415	2.2	13.5	53.9	345	.4	1.6	10.7	901	4.08	10	3.0	<1	7.6	146	2.0	3.0	<1	129	2.98	.107	22.2	6.2	1.21	483	.304	8.28	.359	4.22	1.4	46.3	39	.6	9.2	6.2	.5	2	10	14.6	5.0	154.8	1.5		
206416	3.3	12.5	70.3	287	.7	2.1	10.5	824	4.07	8	2.8	<1	7.4	111	1.6	3.0	<1	131	2.48	.105	22.3	6.8	1.20	279	.283	8.37	.180	4.16	1.1	44.1	40	.3	9.2	5.6	.4	1	11	12.9	4.9	163.2	1.4		
206417	2.4	13.9	118.7	231	2.4	2.6	12.2	1100	3.75	20	3.1	<1	7.9	127	1.5	3.6	.7	124	2.95	.106	21.8	6.6	1.44	218	.313	7.51	.206	3.61	1.3	42.3	38	.7	9.2	5.6	.5	1	11	21.7	4.6	136.0	1.4		
206418	1.9	12.8	38.3	112	.8	2.1	11.3	1306	3.89	15	3.1	<1	8.5	158	.6	3.1	<1	116	3.08	.096	22.9	6.3	1.48	491	.293	8.00	.610	3.73	1.8	44.5	40	.9	9.9	5.8	.5	1	9	17.6	4.7	141.1	1.5		
206419	2.3	12.1	22.3	54	.7	1.7	10.7	1364	3.78	14	3.0	<1	7.7	158	.2	3.1	.1	116	2.97	.097	20.4	6.8	1.40	776	.297	8.19	.475	3.64	1.1	45.3	37	.7	10.8	6.1	.5	1	9	17.1	4.6	132.1	1.5		
206420	2.9	11.8	25.6	72	.5	1.7	10.9	1500	3.70	11	3.0	<1	7.8	123	.3	3.1	.1	110	3.69	.091	22.2	6.9	1.25	184	.286	7.80	.257	3.57	9	41.3	37	.5	10.4	6.1	.4	1	10	14.5	4.5	133.5	1.4		
206421	2.8	9.1	15.2	72	.5	2.0	11.7	1351	3.91	11	3.1	<1	7.9	174	.1	2.8	.1	116	3.20	.103	24.5	7.0	1.45	467	.294	8.09	.761	3.20	1.1	44.5	41	.4	10.6	6.2	.5	1	10	18.4	4.7	126.3	1.4		
206422	2.9	9.9	23.8	72	.5	2.1	9.6	1659	3.56	11	2.7	<1	7.5	180	.3	2.6	.2	110	3.58	.087	21.2	5.4	1.22	170	.265	7.46	.899	3.01	.7	37.9	36	.7	9.9	4.6	.4	1	9	9.8	4.4	109.6	1.2		
206423	2.0	12.5	29.6	82	.8	1.4	10.0	1822	3.77	17	3.2	<1	8.6	162	.3	3.4	.2	116	3.96	.099	24.1	5.8	1.50	204	.289	8.02	.874	3.22	1.1	41.4	42	1.2	10.6	5.4	.5	1	9	17.6	4.6	123.2	1.4		
206424	3.6	13.1	40.2	79	1.0	1.3	8.9	1393	3.31	16	3.0	<1	8.0	155	.3	3.1	3.5	109	3.27	.090	21.2	5.4	1.12	316	.270	7.57	.878	2.93	1.2	38.4	37	1.4	8.8	5.5	.4	1	9	13.3	4.0	117.4	1.3		
STANDARD DST6	12.6	130.0	35.3	170	.3	30.5	13.2	957	4.01	25	7.6	<1	7.1	310	5.6	5.5	4.9	105	2.26	.100	26.3	230.9	1.01	660	.421	6.98	1.653	1.42	7.5	53.3	52	6.3	14.9	9.0	.6	3	11	25.0	<1	57.2	1.6		

Sample type: DRILL CORE R150. Samples beginning "RE" are Reruns and "RRE" are Reject Reruns.



ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake File # A609189R


P.O. Box 11604 620 - 650, Vancouver BC V6E 4N9 Submitted by: Bruno Kasper

SAMPLE#	Cu %
206371 STANDARD R-3	1.380 .829

GROUP 7TD - 0.500 GM SAMPLE, 4 ACID (HF-HClO4-HNO3-HCL) DIGESTION TO 100 ML, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: CORE PULP

JAN 08 2007

Data FA \_\_\_\_\_ DATE RECEIVED: JAN 2 2007 DATE REPORT MAILED:.....





ASSAY CERTIFICATE

Coast Mountain Geological PROJECT Homestake File # A609190

P.O. Box 11604 620 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper




SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
493681	<.01	1.5
493682	<.01	2.0
493683	.03	2.2
493684	<.01	5.5
493685	<.01	2.7
493686	<.01	5.7
493687	<.01	5.6
493688	.01	5.6
493689 (rock)	.02	.6
493690	<.01	5.6
493691	.03	5.7
493692	3.63	5.5
493693	.37	5.6
493694	.19	2.2
493695	1.22	3.3
493696	.63	5.7
493697	.14	5.6
493698	.22	5.8
493699	.11	5.6
493700	.07	5.6
493701	.44	5.6
493702	.16	5.6
493703	.15	5.4
493704	.19	3.6
493705	.43	5.6
RE 493705	.47	-
RRE 493705	.99	-
493706	.31	5.8
493707	.05	5.7
STANDARD SL20	6.29	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA

DATE RECEIVED: DEC 8 2006 DATE REPORT MAILED:.....







ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake File # A609191 Page 1

P.O. Box 11604 620 - 650, Vancouver, BC V6B 4N9 Submitted by: Bruno Kasper


SAMPLE#	Au** gm/mt	Sample kg
G-1	.01	-
206425	.02	3.6
206426	.01	4.1
206427 (pulp)	2.84	-
206428	<.01	3.7
206429	.02	4.2
206430	.03	4.6
206431	.03	5.6
206432	.04	4.9
206433	.03	4.8
206434	.02	5.3
206435	.03	4.8
206436	<.01	5.2
206437	.03	5.0
206438	.02	5.4
206439	.02	5.6
206440	.05	5.5
206441	.05	5.3
RE 206441	.05	-
RRE 206441	.05	-
206442	.05	5.1
206443	.05	5.5
206444	.04	5.5
206445	.06	5.8
206446	.04	5.9
206447 (pulp)	15.17	-
206448	.05	5.0
206449	.05	5.0
206450	.06	5.6
206451	.03	5.4
206452	.05	5.2
206453	<.01	2.3
206454	<.01	5.2
206455	.05	5.7
206456	.09	5.0
STANDARD SL20	6.07	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DEC 21 2006

Data 1 FA     

DATE RECEIVED: DEC 8 2006 DATE REPORT MAILED:.....





SAMPLE#	Au** gm/mt	Sample kg
G-1	.01	-
206457	.05	5.6
206458	.06	4.2
206459	<.01	5.4
206460	<.01	5.3
206461	<.01	4.4
206462	<.01	1.3
RE 206462	<.01	-
RRE 206462	<.01	-
206463	<.01	2.4
206464	<.01	3.1
206465 (rock)	<.01	.5
206466	<.01	2.7
206467	<.01	1.9
206468	<.01	2.9
206469	<.01	1.8
206470	.03	5.4
206471	<.01	5.7
206472	<.01	2.7
206473	<.01	5.3
206474	<.01	5.4
206475	<.01	2.6
206476	<.01	5.5
206477	<.01	4.9
206478	<.01	5.4
206479	.02	5.5
206480	.03	5.6
206481	.02	5.7
206482	<.01	5.5
206483	.01	4.3
206484	<.01	5.0
206485	.03	2.8
206486 (pulp)	.30	-
206487	<.01	2.7
206488	.01	5.8
STANDARD SL20	6.16	-

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Au** gm/mt	Sample kg
G-1	.02	-
206489	.02	5.5
206490	.03	5.1
206491	.03	5.5
206492	.02	5.7
206493	.02	5.6
206494	.02	5.5
RE 206494	.02	-
RRE 206494	.02	-
206495	.02	5.4
206496	.03	5.5
206497	.02	5.4
206498	.02	4.6
206499	.02	4.5
STANDARD SL20	6.02	-

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



GEOCHEMICAL ANALYSIS CERTIFICATE



Coast Mountain Geological PROJECT Homestake File # A609191 Page 1  
 P.O. Box 11604 620 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Tl	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
G-1	.3	4.0	22.6	61	<.1	5.0	5.1	785	2.33	<.1	5.5	<.1	7.4	697	.1	<.1	.2	50	2.52	.079	23.7	12.7	.62	971	.267	7.58	2.806	2.77	1	9.6	46	1.4	14.6	21.1	1.6	2	5	42.4	<.1	109.7	.8		
206425	4.1	41.6	31.8	143	.1	7.8	29.4	1006	7.73	112	1.8	<.1	2.3	90	1.0	35.8	.2	288	2.39	.142	9.1	14.4	1.82	179	.614	8.25	447	3.60	6.1	30.9	21	1.1	14.6	3.7	.3	1	21	31.5	5.6	98.2	1.1		
206426	1.6	66.4	9.3	180	.1	7.2	35.3	1936	7.38	58	1.3	<.1	3.1	196	.2	26.9	.1	289	5.34	.157	16.5	14.4	2.78	906	.581	8.37	452	2.90	2.4	27.2	33	1.4	16.5	3.6	.3	1	26	50.4	4.0	101.3	1.0		
206427(pulp)	78.3	273.8	48.9	173	2.1	75.7	41.0	3079	11.24	490	3.2	3.1	5.4	191	.7	18.5	253.8	81	18.24	.077	24.4	95.8	1.50	197	.521	4.13	397	.37	75.7	55.4	48	209.2	18.7	8.9	.7	1	11	13.0	1.2	16.1	1.9		
206428	.4	52.4	14.1	112	.1	7.7	28.1	2027	7.13	98	1.2	<.1	2.7	166	.7	45.4	.3	191	7.75	.142	14.3	12.6	2.05	462	.531	8.20	.069	3.48	2.6	30.3	30	1.0	16.3	4.0	.2	2	20	39.0	6.2	125.7	1.1		
206429	3.4	47.4	13.7	91	.1	6.2	26.0	1699	6.75	122	1.3	<.1	2.8	178	1.1	29.3	.1	243	6.01	.141	12.1	12.8	1.79	334	.516	7.55	136	3.57	3.3	28.0	28	1.1	14.9	3.4	.2	1	21	35.3	5.6	120.9	1.0		
206430	.8	51.8	8.7	139	.1	5.9	22.5	2476	6.52	16	1.5	<.1	3.7	298	.2	14.9	<.1	295	7.32	.153	20.4	16.1	2.30	2611	.583	8.82	.742	3.60	3.3	30.8	39	.8	19.1	3.7	.2	1	29	55.5	1.0	145.1	1.3		
206431	2.2	56.0	17.7	103	.3	4.9	26.7	1853	6.69	121	1.5	<.1	2.6	382	.5	36.4	.1	253	5.51	.153	11.3	12.4	1.55	178	.544	8.07	.352	3.51	3.0	30.0	26	.8	15.3	3.3	.2	2	20	30.8	6.3	105.4	1.1		
206432	1.6	54.6	20.6	137	1.3	3.6	24.2	2271	5.78	143	1.9	<.1	2.9	508	.1	27.4	<.1	215	7.66	.132	14.4	7.6	2.04	980	.464	8.02	.137	3.73	5.3	25.8	30	.9	15.2	3.0	.2	1	19	40.8	3.9	139.6	.9		
206433	.7	57.4	15.2	202	.5	3.6	23.3	3278	5.93	58	1.1	<.1	3.1	755	.2	20.2	<.1	213	8.65	.138	16.8	5.5	2.47	2160	.475	8.57	150	4.40	4.5	22.6	33	.8	17.3	3.2	.2	1	21	50.0	1.9	199.7	.8		
206434	1.3	52.4	9.8	114	.1	4.6	24.7	1488	6.88	28	1.3	<.1	2.4	494	.1	22.5	<.1	270	4.93	.145	14.2	9.3	2.06	1702	.531	8.80	1.771	2.93	.7	21.4	29	.8	15.0	3.2	.2	1	21	31.4	<.1	85.5	.8		
206435	1.5	51.5	9.2	113	.1	4.7	23.4	1572	6.78	33	1.2	<.1	2.2	631	.1	13.4	.1	268	6.11	.146	12.5	11.5	1.83	1589	.554	9.42	2.020	2.74	1.1	28.5	26	.9	15.1	3.4	.2	1	20	32.4	<.1	60.1	1.2		
206436	2.8	52.2	13.0	149	.7	4.7	26.6	3355	5.72	136	1.6	<.1	3.2	503	.2	19.1	.1	218	10.12	.147	16.6	7.0	2.19	1851	.485	7.93	.093	4.72	3.1	42.8	32	.6	17.3	3.0	.2	1	23	42.1	1.7	224.6	1.2		
206437	6.6	94.0	8.9	125	.2	4.8	27.0	1654	7.58	75	.9	<.1	2.0	338	.1	33.4	<.1	294	4.19	.134	12.1	11.2	1.94	1851	.583	9.09	1.100	3.93	1.1	26.3	26	.7	14.2	3.2	.2	1	23	34.3	.3	118.2	.7		
206438	51.9	55.0	8.8	151	.3	4.9	27.7	2201	7.35	145	1.1	<.1	2.6	418	.1	23.0	<.1	298	5.85	.160	17.3	10.7	2.20	1481	.581	9.98	1.589	3.32	1.7	20.4	35	.8	17.8	3.6	.2	1	27	48.1	.5	150.8	.8		
206439	81.0	57.7	49.4	138	2.4	3.1	23.8	3392	6.12	625	1.2	<.1	2.2	416	.6	31.6	<.1	209	10.46	.111	13.0	5.7	1.55	937	.405	7.06	.239	3.81	3.2	17.1	26	.7	13.2	2.5	.2	1	18	21.6	4.4	180.5	.6		
206440	1.3	36.4	37.2	186	1.7	1.2	23.2	2192	6.64	140	1.8	<.1	2.3	224	4.7	17.3	.1	256	6.86	.108	13.0	3.1	1.92	1485	.474	8.17	.190	4.50	2.1	30.2	27	1.1	12.6	2.4	.1	1	21	35.6	3.9	191.3	1.0		
206441	.6	35.2	53.2	125	1.7	2.2	25.0	1939	7.14	32	.7	<.1	1.7	175	.1	12.3	<.1	281	5.89	.118	11.0	4.4	1.93	464	.530	8.34	.422	3.67	1.6	15.4	23	.7	10.5	2.1	.1	1	22	35.5	5.0	143.4	.5		
RE 206441	.5	38.1	56.1	132	1.8	2.8	28.4	1971	7.27	36	.7	<.1	1.6	181	.1	12.8	<.1	290	5.85	.113	10.5	5.2	1.92	419	.521	8.12	.433	3.65	1.6	17.0	23	.8	10.3	2.3	.1	1	22	36.9	5.0	136.9	.6		
RRE 206441	.8	35.5	60.2	130	1.8	2.2	26.1	1987	7.18	35	.8	<.1	1.6	188	.2	12.9	<.1	282	5.86	.115	10.3	5.5	1.90	365	.529	8.12	.429	3.65	1.6	16.4	23	.7	10.5	2.2	.1	1	23	36.0	4.9	133.7	.6		
206442	.3	22.9	10.8	161	.6	3.2	26.5	2123	7.26	25	.8	<.1	2.2	193	.1	9.9	<.1	292	5.91	.119	14.1	8.4	2.98	775	.538	8.88	.631	2.94	2.0	25.5	27	.5	12.1	2.5	.1	1	25	65.1	1.9	138.0	.8		
206443	1.2	24.2	10.1	159	.6	2.3	23.8	1944	6.78	34	1.1	<.1	2.2	197	.1	11.2	.1	266	5.84	.127	14.3	3.0	2.61	791	.503	8.61	.395	3.31	2.9	31.5	29	.6	13.2	2.1	.1	1	21	49.0	1.8	160.0	1.2		
206444	6.8	39.7	27.3	96	1.6	2.2	25.5	2475	6.80	102	.8	<.1	1.7	244	.3	13.2	.1	258	8.00	.117	12.9	3.7	1.38	1004	.493	8.14	.064	4.26	1.5	20.3	26	.7	11.8	2.1	.1	1	21	26.6	5.6	161.9	.7		
206445	.9	26.4	8.7	149	.5	1.2	24.7	2169	6.60	28	.9	<.1	2.0	197	.1	11.4	.1	259	6.50	.118	13.6	3.4	2.84	671	.506	8.50	.610	2.82	3.0	31.7	27	.6	12.8	2.2	.2	1	20	44.5	2.2	138.1	.9		
206446	1.2	48.6	82.3	216	.4	2.5	27.1	1876	7.21	22	.8	.3	1.8	190	.3	13.1	.1	278	5.45	.134	12.1	4.0	3.13	744	.519	8.65	.728	2.81	1.8	21.8	25	.7	11.8	2.1	.1	1	20	55.8	2.6	100.1	1.1		
206447(pulp)	320.0	429.2	211.8	153	5.5	112.6	119.3	3059	13.08	1418	4.1	16.0	3.6	492	.7	15.4	20.4	106	11.11	.109	44.2	59.8	1.41	354	.244	3.97	.645	.83	13.9	58.7	65	4.6	17.5	2.7	.2	1	8	16.2	7.9	29.9	2.0		
206448	5.0	46.4	28.7	95	.2	3.1	25.1	3197	7.17	76	.9	<.1	1.7	232	.1	11.3	.1	229	10.20	.115	15.8	2.9	1.91	608	.441	7.34	.584	3.16	1.2	14.6	31	5.2	14.2	1.9	.1	1	19	29.6	6.0	163.1	.5		
206449	31.6	56.2	39.9	141	.2	3.6	27.3	1864	7.23	121	1.1	<.1	2.0	224	.2	14.7	.1	258	6.31	.137	13.8	3.5	2.47	542	.504	8.29	.530	3.17	1.7	19.0	28	.7	12.6	2.3	.2	1	21	50.4	4.8	126.6	.8		
206450	22.6	47.0	23.6	128	.1	3.2	26.5	1491	7.13	98	1.0	<.1	2.1	205	.2	13.2	<.1	254	5.05	.140	12.1	3.4	2.54	454	.522	8.23	.482	3.21	1.3	22.8	25	.7	12.4	2.4	.2	1	20	46.6	4.2	99.3	.8		
206451	21.8	48.9	37.3	151	.2	2.4	23.8	1627	7.08	217	.9	<.1	2.2	213	.3	12.9	.1	248	5.94	.134	14.8	3.4	2.78	817	.497	8.58	.715	2.91	1.2	20.9	30	.7	12.7	2.2	.2	1	20	54.3	3.2	118.7	.8		
206452	11.5	29.0	10.1	138	.1	1.9	27.4	1674	7.33	155	.7	<.1	1.7	205	.2	8.7	<.1	278	5.33	.130	12.7	3.0	2.97	800	.522	9.08	1.122	2.52	1.6	22.6	27	.7	12.0	2.1	.1	1	20	62.6	1.2	103.4	.7		
206453	2.4	19.5	12.2	55	.5	1.4	18.1	6450	4.07	132	.5	<.1	1.1	267	.2	13.7	<.1	159	12.82	.073	11.3	2.4	.96	561	.298	5.40	.040	2.05	1.5	13.2	21	.3	16.1	1.4	.1	1	13	33.0	2.3	114.8	.5		
206454	8.6	41.3	28.5	136	.7	1.1	24.3	1647	7.42	111	.7	<.1	1.3	199	.2	14.0	<.1	259	5.54	.126	9.9	1.9	2.55	333	.492																		



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.5	2.6	23.7	54	<.1	3.6	3.5	749	2.36	<.1	3.7	<.1	7.7	733	.1	.1	.2	52	2.52	.082	21.6	11.6	.62	997	.252	7.77	2.790	2.98	.1	9.4	42	1.5	14.5	20.2	1.7	3	5	39.9	<.1	126.6	.7		
206457	.8	24.2	10.3	101	.5	1.9	25.3	2418	7.56	95	.8	<.1	2.1	419	.1	16.7	<.1	329	6.04	.118	13.9	3.8	2.19	2039	.544	8.74	.089	4.42	4.6	60.2	26	.7	13.2	2.1	.1	1	25	38.4	.4	199.7	1.1		
206458	5.5	55.1	21.4	153	1.6	1.8	27.2	2645	6.67	149	.9	<.1	1.7	258	.9	17.7	.1	302	6.00	.117	11.9	2.7	2.62	436	.532	8.53	.079	4.82	4.3	15.6	24	.7	11.0	1.8	.1	1	22	50.3	2.3	206.8	.6		
206459	.6	7.3	5.4	107	.2	1.8	26.7	2105	7.57	32	.9	<.1	2.2	271	.3	9.3	.2	333	5.61	.119	13.7	3.4	3.01	1707	.547	8.93	.173	3.80	2.3	31.0	26	.8	13.0	1.8	.1	1	24	52.0	.2	197.3	1.1		
206460	.8	20.8	6.0	119	.3	1.8	27.3	2328	7.25	49	.8	<.1	2.0	260	.1	9.5	.1	330	5.96	.118	11.9	4.4	3.24	931	.547	8.95	.528	3.49	2.5	40.3	25	.8	12.1	1.9	.1	1	25	59.6	1.4	156.7	1.1		
206461	1.4	18.1	14.3	76	.3	2.9	25.2	3340	6.73	93	.6	<.1	1.7	300	.2	10.3	.1	269	9.48	.113	12.8	.9	2.14	255	.483	7.51	.194	4.17	1.4	14.8	24	.6	10.6	1.7	.1	<.1	21	40.7	6.3	186.5	.8		
206462	3.2	26.7	19.1	41	.5	.5	22.4	1886	7.21	177	.3	<.1	1.4	190	.1	13.8	.2	262	5.02	.122	9.5	1.4	.92	98	.475	7.59	.056	4.63	1.5	19.3	21	.6	9.6	2.1	.1	2	18	14.9	7.9	174.9	.7		
RE 206462	2.7	25.3	19.5	39	.4	.6	22.3	1876	7.15	179	.3	<.1	1.3	180	.3	13.5	.1	262	4.99	.119	8.9	1.6	.92	84	.464	7.45	.055	4.32	1.2	20.1	21	.7	8.8	1.7	.1	1	17	14.4	7.6	158.3	.7		
RRE 206462	3.3	25.0	19.3	40	.4	.5	21.9	1894	7.19	168	.3	<.1	1.3	184	.3	13.6	.1	265	4.95	.123	8.9	2.3	.92	105	.476	7.34	.057	4.56	1.3	20.8	20	.5	9.4	2.1	.2	2	18	15.7	7.7	169.1	.8		
206463	.2	16.2	4.9	110	.1	<.1	17.4	1962	5.85	12	.7	<.1	2.3	203	.1	7.4	.1	227	5.39	.117	12.4	1.2	2.45	1139	.459	8.69	.311	3.58	2.0	26.8	28	.9	11.5	3.0	.2	1	13	48.3	.8	111.2	.8		
206464	1.4	57.5	7.5	103	.2	.4	21.0	2340	6.98	34	.9	<.1	2.2	257	.2	8.8	<.1	241	7.09	.123	15.1	1.1	2.55	1297	.447	8.49	.390	4.28	2.0	20.6	28	.5	13.7	3.0	.2	1	17	42.4	3.2	175.6	.8		
206465(rock)	.6	2.1	21.8	31	<.1	.5	1.2	362	1.05	1	8.0	<.1	21.2	132	.1	.4	<.1	17	.74	.018	15.8	4.9	.16	244	.086	6.85	3.034	3.58	.3	19.9	19	.8	3.4	6.5	.6	2	1	6.0	<.1	123.5	1.2		
206466	.4	108.7	5.9	121	.6	1.0	21.5	2128	6.35	74	.6	<.1	1.7	198	.2	11.6	<.1	283	5.85	.132	10.2	5.1	3.01	1327	.499	8.41	.338	3.79	3.2	18.1	23	.7	11.4	2.8	.2	1	18	50.5	1.0	104.5	.8		
206467	6.7	40.1	19.5	123	.6	1.8	23.7	1872	10.13	275	.7	<.1	1.3	190	.3	13.6	<.1	320	5.11	.132	7.7	3.1	1.80	64	.531	7.47	.066	4.42	1.7	19.9	18	.7	10.2	2.4	.2	2	19	29.9	9.9	87.6	.7		
206468	1.1	22.7	7.9	162	.2	3.6	19.0	2500	6.72	49	1.1	<.1	3.9	287	.3	9.6	<.1	241	6.36	.203	26.7	15.1	2.82	1171	.701	8.60	.822	2.86	2.2	91.7	51	1.2	16.5	8.4	.6	1	20	73.8	.9	143.1	3.0		
206469	6.4	25.4	26.8	90	.7	5.6	26.2	780	5.66	81	4.7	<.1	6.8	177	.4	13.5	.1	238	2.17	.118	20.5	9.3	.77	325	.365	8.86	.059	4.34	1.8	47.4	38	.7	11.0	5.7	.5	2	13	11.6	6.0	184.2	1.6		
206470	3.3	11.4	13.9	76	.1	1.6	13.8	1417	3.58	23	2.5	<.1	8.0	224	.3	5.2	.1	113	4.33	.093	22.7	6.0	.69	149	.290	7.58	.503	3.37	.6	40.2	38	.9	10.1	5.6	.4	1	9	7.2	3.9	124.7	1.3		
206471	3.0	11.5	13.8	62	.1	1.3	10.0	1224	3.90	16	2.5	<.1	8.4	266	.1	3.7	.1	118	4.31	.103	23.2	6.6	.76	128	.302	8.10	.520	3.57	.6	43.7	39	.6	10.1	6.2	.5	2	10	10.5	4.3	126.9	1.6		
206472	2.4	10.8	12.7	65	.1	1.3	9.4	1161	3.50	15	3.0	<.1	7.5	207	.1	2.9	<.1	112	4.57	.091	22.1	6.1	.60	152	.284	7.37	.414	3.39	.5	43.9	37	.3	10.8	5.2	.5	1	9	8.2	3.9	125.0	1.5		
206473	3.1	9.2	12.5	75	.1	1.6	11.4	1057	4.00	15	3.2	<.1	8.2	228	.1	3.4	<.1	118	4.24	.106	21.8	6.8	.77	178	.305	7.91	.461	3.57	.6	46.8	37	.5	10.1	6.3	.5	1	10	11.8	4.4	116.8	1.6		
206474	2.3	7.3	12.4	70	.1	.8	8.2	929	3.55	54	2.2	<.1	7.7	214	.1	3.7	<.1	112	3.71	.092	21.6	6.7	.72	118	.297	7.63	.525	3.35	.6	41.8	37	.6	9.8	5.8	.5	1	9	8.9	3.9	115.6	1.5		
206475	2.8	7.3	16.8	55	.1	2.6	9.3	792	3.96	43	3.1	<.1	8.3	248	.2	5.6	.1	121	3.60	.102	24.7	7.7	.76	133	.305	8.10	.393	3.64	.7	46.4	41	.6	11.0	6.4	.5	2	9	9.0	4.3	134.9	1.6		
206476	4.0	10.0	17.2	70	.1	.8	8.6	1047	3.82	36	3.0	<.1	8.2	264	.2	4.2	.2	116	4.30	.102	22.4	6.5	1.05	195	.305	7.82	.867	2.95	1.2	48.3	39	1.0	10.9	5.9	.5	1	9	17.1	3.2	95.0	1.6		
206477	5.0	10.0	20.3	77	.1	1.1	8.8	1082	4.03	20	3.0	<.1	8.7	269	.4	3.1	.2	119	4.03	.102	23.7	6.7	.97	148	.313	8.16	.623	3.34	1.5	47.4	39	1.3	11.4	6.2	.5	1	10	15.7	4.0	105.8	1.8		
206478	4.3	10.4	15.3	68	<.1	1.0	8.9	970	3.82	13	2.5	<.1	7.6	266	.2	2.6	.3	114	3.80	.094	21.9	5.6	1.25	182	.314	8.00	.962	2.96	1.2	44.4	39	.6	10.0	5.8	.6	1	9	20.4	3.1	85.1	1.5		
206479	5.2	12.1	12.7	70	<.1	1.0	9.3	1074	3.70	14	3.0	<.1	7.9	285	.2	2.4	.2	115	4.38	.101	21.2	5.2	1.32	610	.312	7.90	.930	2.89	.9	52.1	37	.7	11.1	5.7	.5	1	9	24.0	2.5	78.9	1.6		
206480	7.0	11.9	16.6	72	.1	.8	10.9	1104	3.88	14	2.7	<.1	7.3	293	.2	2.6	.2	111	4.62	.098	19.7	4.2	1.38	358	.295	7.45	1.106	2.67	1.1	44.0	36	1.1	9.9	5.5	.5	1	9	23.7	3.0	76.6	1.6		
206481	4.2	9.2	15.4	64	.1	1.4	9.5	940	3.62	26	2.7	<.1	7.6	272	.2	4.2	.1	112	3.61	.095	22.4	5.8	1.12	160	.295	7.49	.927	2.88	1.0	45.6	38	.8	10.2	5.9	.5	2	9	27.2	3.0	98.4	1.5		
206482	3.1	12.0	16.6	69	.1	.8	9.6	914	3.67	17	2.6	<.1	7.8	290	.3	4.6	.1	114	3.95	.099	21.4	5.8	1.17	223	.302	7.78	1.216	2.79	.8	47.6	37	.5	10.3	6.5	.6	1	9	19.4	3.1	87.3	1.5		
206483	3.0	10.9	15.0	67	.1	<.1	7.5	1124	3.75	18	2.7	<.1	7.5	341	.1	3.5	.1	108	5.03	.090	21.8	4.5	1.09	223	.293	7.29	1.071	2.77	.8	42.3	36	.6	10.6	5.5	.5	2	9	17.2	3.3	81.1	1.6		
206484	2.7	10.5	13.3	73	.1	1.0	9.3	1000	3.56	15	2.9	<.1	7.8	286	.3	3.3	<.1	105	4.42	.094	20.9	5.3	.83	125	.283	7.28	.987	2.92	.7	42.8	36	.5	10.0	5.7	.5	1	8	12.4	3.9	101.2	1.4		
206485	5.4	10.6	11.9	78	.1	.6	6.7	1213	3.53	21	3.1	<.1	7.5	349	.7	3.7	<.1	97	6.15	.088	22.0	5.5	.88	291	.247	6.73	.836	2.73	.9	39.9	35	.4	10.1	4.9	.4	1	8	8.9	4.0	100.3	1.4		
206486(pulp)	17.2	40.8	13.5	114	.2	17.6	90.5	2164	6.10	2723	2.9	.3	6.8	313	.2	8.3	8.2	95	7.95	.090	68.5	38.8	1.19	1276	.315	6.21	2.066	2.65	1.2	35.3	106	2.0	20.7	14.2	.9	1	8	12.9	.8	54.9	1.3		
206487	7.4	11.7	12.1	62	.2	2.0	10.9	735	4.07	22	3.2	<.1	8.1	241	.5	4.2	.1	120	3.32	.104	21.3	6.9	.78	132	.318	8.25	.944	3.66	.9	44.1	37	.6	9.9	6.5	.5	2	10	12.0	4.6	123.9	1.7		
206488	4.7	11.4	12.6	73	.1	.9	10.3	886	3.76	15	3																																



SAMPLE#	Hg	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Tl	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.6	4.7	21.7	54	<.1	4.7	4.0	763	2.49	2	4.0	<.1	7.4	684	<.1	.2	.2	51	2.56	.077	21.3	14.2	.61	937	.252	7.80	2.613	2.80	.1	8.9	44	1.7	13.5	20.6	1.5	2	5	35.7	<.1	118.6	.7	
206489	4.6	13.9	19.4	81	.1	2.5	11.1	1149	3.94	12	3.3	<.1	8.4	296	.4	3.3	.4	112	4.44	.100	21.6	6.5	1.29	549	.298	7.49	1.289	2.57	1.1	46.1	39	.7	10.9	6.5	.5	2	9	27.1	2.7	79.1	1.6	
206490	2.8	13.7	16.2	74	.1	2.5	10.4	902	3.80	11	3.1	<.1	8.2	271	.3	3.2	.2	112	3.58	.098	19.8	7.1	1.15	189	.306	7.63	1.278	2.69	1.0	45.7	34	.7	10.4	6.3	.5	1	9	23.2	2.8	88.5	1.7	
206491	2.6	12.1	12.1	78	.1	2.6	9.8	982	3.91	11	2.9	<.1	8.2	309	.2	2.8	.2	120	4.26	.100	21.4	6.9	1.21	183	.320	8.19	1.225	2.70	.8	49.3	38	.9	10.9	6.5	.5	2	9	20.7	2.4	89.2	1.8	
206492	3.2	12.8	18.9	69	.1	2.5	10.9	882	3.82	20	3.2	<.1	8.6	260	.2	4.2	.7	116	3.74	.107	21.7	7.6	1.04	125	.322	8.26	1.111	3.05	1.0	50.9	39	1.0	11.1	6.3	.5	1	10	18.7	3.1	107.6	1.7	
206493	2.7	9.6	11.9	63	.1	2.3	9.9	807	3.62	11	3.0	<.1	8.1	266	.2	3.4	.1	110	3.82	.100	19.6	7.0	.73	109	.294	7.73	1.274	2.75	1.1	46.6	36	.6	10.2	6.1	.6	1	8	13.2	3.4	99.6	1.6	
206494	2.5	11.4	15.5	58	.1	2.5	9.4	892	3.83	10	3.1	<.1	8.3	262	.3	2.8	.1	116	4.09	.101	19.9	8.3	.84	115	.330	7.88	1.465	3.09	1.0	48.6	35	.7	11.1	6.5	.5	1	9	10.7	3.5	105.1	1.5	
RE 206494	2.6	12.2	15.3	59	<.1	2.0	9.7	883	3.69	10	3.2	<.1	8.1	266	.2	2.8	.2	112	4.08	.097	19.8	8.4	.83	135	.308	7.88	1.493	3.01	1.0	50.6	35	.5	10.3	6.6	.5	1	9	11.6	3.4	109.4	1.6	
RRE 206494	2.6	12.3	14.3	52	<.1	1.8	9.3	852	3.68	8	3.1	<.1	8.1	260	.3	2.7	.1	112	3.92	.101	20.0	8.3	.81	108	.298	7.67	1.403	2.88	.9	44.8	37	.6	10.5	6.5	.5	1	9	14.7	3.4	102.9	1.5	
206495	1.8	13.4	16.4	62	.1	2.3	9.9	987	3.66	9	2.9	<.1	8.4	256	.2	2.7	.1	113	4.27	.102	21.4	7.0	1.01	227	.312	7.86	1.267	2.95	.9	47.4	38	.7	10.7	6.3	.5	1	9	16.7	3.1	104.5	1.7	
206496	3.1	11.8	15.4	69	.1	1.6	8.4	1147	3.72	8	3.1	<.1	8.2	255	.4	2.8	.6	106	4.96	.100	23.4	6.3	.96	159	.286	7.47	1.121	2.78	.8	45.8	39	1.2	11.3	6.2	.4	1	9	18.7	3.3	106.1	1.5	
206497	2.1	11.0	14.6	69	<.1	2.4	10.6	1028	3.64	8	2.9	<.1	8.2	276	.2	2.9	.2	113	4.60	.098	22.7	8.6	.97	208	.304	7.90	1.203	2.86	.8	51.8	41	.8	11.5	6.3	.5	1	9	13.3	3.2	113.3	1.7	
206498	2.1	9.5	20.0	73	.1	2.3	10.3	1055	3.57	11	3.1	<.1	8.2	244	.6	3.2	1.4	105	4.58	.095	23.4	7.4	.81	174	.288	7.53	.980	3.01	.9	46.5	39	1.3	11.0	6.1	.5	1	9	10.0	3.4	119.0	1.5	
206499	2.4	9.9	22.8	78	.1	2.4	9.3	971	3.73	15	3.2	<.1	8.2	242	.5	4.2	.6	110	4.54	.098	22.6	7.6	.81	149	.305	7.92	1.146	3.44	1.0	46.4	39	.9	10.9	6.5	.5	1	9	10.8	3.7	120.1	1.6	
STANDARD DST6	12.5	125.0	35.4	168	.3	30.1	13.0	956	4.01	24	7.4	<.1	6.8	310	5.7	5.6	4.9	109	2.25	.097	25.1	220.6	1.00	681	.426	6.85	1.638	1.43	7.5	53.9	52	6.3	14.6	9.0	.6	3	11	20.7	<.1	54.6	1.8	

Sample type: DRILL CORE R150. Samples beginning "RE" are Reruns and "RRE" are Reject Reruns.



ASSAY CERTIFICATE

Coast Mountain Geological PROJECT Homestake File # A609395 Page 1

P.O. Box 11604 620 - 650, Vancouver BC V6E 4N9 Submitted by: Bruno Kasper




SAMPLE#	Au** gm/mt	Sample kg
G-1	.02	-
206268	.02	5.35
206269	.03	4.45
206270	.01	3.30
206271	.01	4.00
206272	.05	4.40
206273	.05	5.55
206274	.03	5.53
206275	.04	3.00
206276	.02	6.00
RE 206276	.01	-
RRE 206276	.02	-
206277	.02	5.11
206278	.07	2.30
206279	.03	2.00
206280	<.01	4.41
206281 (pulp)	15.79	-
206282	<.01	5.15
206283	.02	5.00
206284	.05	5.90
206307	.04	5.80
206308	.03	6.00
206309	.01	5.35
206310	.01	6.20
206311	.02	6.00
206312	.02	5.68
206313	.02	5.35
206314	.01	5.72
206315	.02	6.20
206316	<.01	3.65
206317	.02	4.00
206318	.03	3.75
206319	.02	5.20
206320	.03	6.00
206321	.03	6.00
STANDARD SL20	5.94	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA

DATE RECEIVED: DEC 14 2006 DATE REPORT MAILED:.....

JAN 08 2007





SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
206322 (rock)	<.01	.40
206323	.03	2.65
206324	.04	6.00
206325	.02	4.00
206326	.03	4.00
206327	.02	5.33
206328	.09	3.30
206329	.04	6.00
206330	.08	4.12
206331	.04	5.30
206332	.03	5.30
206333	.02	2.20
206334	.02	6.00
206335	.03	5.90
206336	.04	4.50
206337	.05	4.90
206338	.04	5.30
206339	.02	5.45
206340	.01	4.45
206341	.02	5.30
RE 206341	.02	-
RRE 206341	.02	-
206342	.02	5.40
206343	<.01	5.41
206344	.01	5.72
206345	.05	1.70
STANDARD SL20	6.20	-

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

GEOCHEMICAL ANALYSIS CERTIFICATE

Coast Mountain Geological PROJECT Homestake File # A609395 Page 1

P.O. Box 11604 620 650, Vancouver BC V6E 4N9 Submitted by: Bruno Kasper



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Tl	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf				
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
G-1	1.1	2.6	21.8	58	<1	6.3	4.6	807	2.47	1	3.7	<1	6.8	722	.1	.1	.2	55	2.56	.094	20.9	75.2	.64	948	.279	8.35	2.822	2.91	.3	8.0	44	1.4	15.6	20.7	1.6	3	5	44.7	<1	123.0	.7				
206268	.8	26.9	9.1	184	.6	.9	22.8	3052	7.10	28	.8	<1	1.6	153	.2	3.2	.1	283	5.93	123	12.1	2.2	2.68	577	.519	8.86	878	3.36	3.0	21.8	25	.6	13.2	1.9	.1	1	20	43.0	1.6	137.3	.7				
206269	6.4	22.6	77.3	324	1.7	1.1	24.0	2348	6.93	128	1.1	<1	2.0	178	4.2	4.9	.1	265	8.08	125	11.3	1.2	1.00	42	.492	8.22	500	4.25	1.5	25.1	27	.8	13.3	2.3	.2	1	17	15.9	6.9	162.3	.9				
206270	1.7	28.7	13.8	165	.9	3.3	44.0	3223	7.02	276	1.4	<1	2.7	207	.4	4.2	.1	286	8.96	131	14.8	3.4	2.53	1162	.513	8.95	466	3.64	1.8	29.4	30	.7	16.2	3.1	.2	1	21	49.2	1.5	157.7	1.0				
206271	.8	17.9	6.9	150	.5	2.3	23.2	2692	7.15	34	1.1	<1	2.4	170	.2	4.2	<1	270	6.25	.110	12.4	3.4	2.15	693	.490	8.69	.815	2.51	2.1	32.6	26	.6	14.1	2.7	.2	1	19	44.5	1.6	127.5	1.0				
206272	20.5	78.0	17.2	193	2.1	1.9	25.8	2283	7.11	186	1.4	<1	1.7	153	6.4	7.0	<1	259	7.07	.111	10.2	2.5	.95	119	.438	7.19	.111	3.95	4.3	22.0	23	.6	12.9	2.2	.2	1	18	16.3	6.7	169.9	.7				
206273	3.6	25.2	13.7	120	1.5	3.1	25.4	2315	7.47	139	.9	<1	1.8	114	.2	6.5	<1	301	3.69	.131	8.9	5.6	1.99	207	.548	8.99	.098	4.99	3.3	20.8	22	.7	11.1	2.6	.2	1	22	35.9	3.9	156.2	.7				
206274	.4	23.0	5.8	119	.7	4.5	23.2	2754	7.40	81	.8	<1	2.0	185	.2	5.5	<1	320	5.37	.119	13.6	5.6	2.58	570	.570	9.26	.098	4.81	3.7	22.2	29	.7	11.8	2.6	.2	1	24	50.7	1.4	180.1	.7				
206275	9.6	20.5	10.8	95	.8	1.2	21.1	2130	6.77	99	.7	<1	1.6	263	.4	5.9	.1	284	6.10	.111	9.2	5.0	1.81	254	.482	8.11	.140	3.67	2.5	18.8	21	.7	12.1	2.5	.2	1	21	19.9	4.6	140.6	.7				
206276	.6	23.2	4.6	112	.2	1.5	22.3	1834	7.11	5	.7	<1	2.1	235	.2	2.1	.1	267	6.10	.134	13.9	3.8	2.23	933	.477	9.19	1.245	2.48	.7	25.1	29	.6	12.2	3.0	.2	1	19	29.9	.5	98.1	.8				
RE 206276	.6	21.8	4.8	111	.1	2.0	24.4	1821	7.14	5	.7	<1	2.0	231	.2	2.9	<1	266	6.09	.138	14.0	3.4	2.29	936	.475	9.18	1.232	2.43	.7	22.9	29	.7	12.7	3.0	.2	1	19	30.4	.5	97.0	.8				
RRE 206276	.5	23.2	4.6	113	.1	1.8	22.4	1811	7.29	6	.9	<1	2.9	233	.2	2.1	<1	270	6.14	.138	14.8	3.5	2.32	933	.478	9.36	1.266	2.51	.6	36.1	29	.7	13.8	3.1	.2	1	20	31.0	.5	108.4	1.3				
206277	21.8	35.8	13.2	102	.9	7.9	18.3	2253	5.38	31	6.2	<1	3.7	318	.4	6.2	.1	194	5.71	.097	16.9	14.5	2.05	415	.381	7.92	1.078	2.06	1.6	47.7	32	.9	12.7	3.5	.3	1	16	36.5	1.3	95.6	1.6				
206278	17.1	31.8	43.2	131	2.5	4.1	22.6	2246	7.23	212	.8	<1	2.1	369	1.0	15.8	.1	253	6.53	.108	13.3	6.8	1.21	212	.446	8.34	.235	3.49	2.2	22.4	30	.7	10.0	2.6	.2	1	20	13.8	7.1	177.0	.8				
206279	6.8	32.3	37.6	89	2.0	6.3	25.9	2236	6.95	31	.9	<1	2.1	246	.1	11.5	.1	302	4.48	.119	13.2	13.6	2.01	66	.493	8.92	.919	3.15	1.4	27.1	28	.8	10.0	2.7	.2	1	23	27.2	4.1	126.6	.9				
206280	2.9	30.5	10.2	85	.5	4.5	18.1	1773	5.02	16	2.1	<1	6.2	236	.1	6.1	.2	163	2.83	.046	22.4	9.3	1.48	508	.364	8.78	1.326	3.03	1.2	51.9	42	1.1	11.7	5.9	.5	1	15	25.0	1.2	139.7	1.6				
206281 (pu/p)	345.4	470.9	230.1	169	5.7	127.7	129.6	3105	13.83	1272	3.9	15.2	3.9	519	.5	15.6	21.8	111	11.81	.127	43.1	51.7	1.46	56	.251	4.06	.683	.93	13.3	63.6	65	4.1	18.6	2.6	.2	1	9	18.6	8.5	32.2	2.0				
206282	.9	28.9	8.0	81	.4	5.3	16.3	1247	5.45	25	1.1	<1	3.6	119	.1	4.0	.3	169	1.61	.030	18.0	9.5	1.49	178	.403	8.73	.531	3.27	1.0	39.7	39	1.3	9.0	5.6	.4	1	18	34.9	1.3	135.0	1.2				
206283	2.8	17.3	13.9	64	.4	3.2	11.3	1604	4.18	18	2.7	<1	6.9	255	.1	4.3	.1	140	3.53	.087	21.5	6.6	.92	105	.344	7.97	.704	4.05	1.3	51.7	41	.7	11.4	5.9	.5	1	12	24.4	1.4	152.0	1.7				
206284	1.0	17.6	35.1	182	2.3	3.4	13.2	688	3.92	67	3.4	<1	6.0	145	.8	7.1	.1	148	1.24	.101	13.8	8.3	.57	83	.318	8.30	.156	6.12	1.1	54.0	31	.8	9.1	5.5	.4	1	12	14.3	3.0	215.2	1.9				
206307	3.6	10.9	12.4	25	.5	1.9	9.9	1902	4.12	13	3.1	<1	7.8	213	<1	4.9	.2	110	4.31	.097	20.5	4.1	.95	152	.294	7.62	.067	4.72	2.7	47.8	38	.6	11.9	6.0	.5	1	10	11.6	4.4	193.7	1.5				
206308	3.0	11.0	13.7	27	.4	1.5	10.4	1606	4.04	15	3.2	<1	7.7	156	.1	5.1	.8	118	4.34	.100	20.5	4.7	.95	139	.311	7.91	.254	4.52	2.1	48.7	40	1.0	12.4	6.3	.5	1	10	12.8	4.4	176.3	1.6				
206309	2.4	11.5	13.0	32	.4	2.0	10.6	1144	4.11	12	3.2	<1	8.1	181	<1	4.5	.4	124	4.26	.107	21.8	4.2	.95	130	.337	8.49	.629	4.72	2.0	52.8	41	1.0	12.3	6.6	.5	1	10	10.2	4.6	187.5	1.7				
206310	2.2	11.4	12.7	51	.4	1.4	9.5	1246	3.78	12	3.1	<1	7.8	152	.1	4.9	.2	114	4.78	.095	20.3	4.3	1.12	98	.308	7.77	.089	4.18	1.7	47.8	39	.6	11.2	6.2	.5	1	10	12.7	4.5	168.4	1.6				
206311	1.8	13.5	9.3	130	.4	1.3	10.2	1381	3.84	9	2.7	<1	7.1	138	.5	5.3	.1	122	5.45	.095	20.0	2.4	1.35	180	.324	7.80	.057	3.65	1.4	47.0	36	.5	11.3	5.4	.4	1	9	11.4	4.6	151.7	1.4				
206312	2.1	15.7	12.6	48	.5	2.3	11.8	1013	4.33	12	2.8	<1	7.6	142	.1	8.2	.2	137	4.19	.115	20.9	4.8	1.31	83	.345	8.22	.326	3.89	1.8	50.0	40	.6	11.9	6.1	.4	1	12	9.4	4.9	160.0	1.5				
206313	2.1	16.9	12.9	58	.5	2.1	13.0	1241	4.77	11	2.9	<1	6.7	150	.1	9.5	.1	154	4.28	.115	19.0	4.9	1.66	53	.381	8.18	.081	4.08	1.7	49.3	37	.6	11.6	5.5	.4	1	13	10.8	5.3	162.5	1.4				
206314	1.4	14.1	10.2	56	.5	1.9	13.7	1356	4.32	7	2.6	<1	6.7	242	.1	7.6	<1	143	4.89	.110	19.9	5.3	1.73	357	.349	7.75	.632	3.71	1.3	47.5	38	.5	11.8	5.4	.4	1	12	9.2	4.8	147.4	1.6				
206315	1.5	14.7	12.7	70	.6	2.1	12.3	1228	4.41	8	2.4	<1	6.7	317	.1	9.0	.1	149	4.53	.110	20.7	3.5	1.89	352	.360	7.92	.687	3.63	1.6	52.4	38	.5	12.0	5.3	.4	1	12	9.1	4.9	141.6	1.6				
206316	15.3	14.3	9.8	68	.5	2.2	13.2	1019	4.34	8	2.7	<1	6.9	289	.1	6.3	.1	145	3.41	.109	19.2	4.7	1.86	169	.352	7.86	1.019	3.58	1.4	50.1	36	.5	11.6	5.8	.4	1	12	8.8	4.8	137.5	1.5				
206317	2.5	11.0	20.6	64	1.0	2.3	10.8	1128	4.06	8	3.4	<1	8.5	220	.2	4.9	.2	121	3.42	.105	22.8	5.6	1.50	372	.322	8.17	.587	4.38	1.7	54.3	41	.7	12.7	6.7	.5	1	10	9.0	4.5	166.7	1.7				
206318	2.2	10.9	19.3	60	.9	2.2	10.5	1134	3.72	8	3.1	<1	8.0	205	.3	4.6	.2	114	3.41	.101	20.9	4.3	1.47	292	.315	7.80	.531	4.08	1.6	47.5	38	.6	10.7	6.4	.5	1	9	8.8	4.3	152.5	1.6				
206319	2.0	11.1	14.6	54	.9	2.1	9.8	1269	3.78	7	3.2	<1	7.9	205	.2	4.6	<1	114	3.87	.097	21.0	4.6	1.35	252	.312	7.83	.694	4.16	1.3	52.3	39	.6	11.1	6.0	.5	1	10	10.0	4.3	152.9	1.7				
206320																																													



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Tl	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	1.1	2.8	22.5	59	<1	7.6	5.0	825	2.53	1	3.7	<1	7.4	744	<1	.1	.2	56	2.62	.096	25.0	90.0	.67	1034	.300	8.51	2.924	3.38	.3	9.0	52	1.7	15.6	24.9	1.8	3	6	46.0	<1	126.8	.7		
206322(rock)	.6	1.4	22.4	31	<1	.7	1.1	358	.87	2	10.9	<1	22.9	121	.2	.3	<1	16	.75	.021	15.0	4.1	.13	259	.084	6.92	3.155	3.88	.3	20.8	21	.7	3.5	6.7	.5	3	1	7.8	.1	136.4	1.1		
206323	2.2	10.8	12.5	65	.8	2.0	10.1	1303	3.75	10	3.1	<1	7.6	238	.1	8.3	<1	114	3.28	.100	20.9	5.9	1.13	77	.308	8.24	1.098	4.79	1.3	50.6	39	.5	10.7	6.5	.5	1	10	10.5	4.1	149.7	1.5		
206324	2.3	10.9	17.2	59	.9	1.9	9.5	1557	3.70	12	3.1	<1	8.0	250	.2	11.4	<1	110	3.91	.097	20.2	7.4	.99	78	.315	8.19	1.028	4.62	1.4	52.7	39	.6	10.8	6.0	.5	1	10	15.9	4.2	147.2	1.7		
206325	2.0	10.4	15.7	59	.7	1.5	9.5	2223	3.71	10	3.2	<1	8.0	289	.1	6.5	<1	105	5.40	.100	23.9	5.0	1.04	110	.303	8.15	1.195	4.36	1.4	50.9	43	.5	12.7	6.6	.5	1	10	14.5	4.2	146.7	1.6		
206326	2.5	8.9	23.4	116	.5	1.4	9.4	1558	3.76	10	3.1	<1	8.0	259	.5	5.0	<1	110	3.77	.099	22.2	5.6	1.28	66	.299	7.70	.939	4.11	1.5	48.3	40	.5	11.3	6.6	.5	1	10	11.5	4.3	148.4	1.6		
206327	2.8	13.1	14.8	103	.4	2.0	10.9	1586	4.14	10	3.4	<1	8.5	265	.4	5.1	<1	117	3.66	.107	22.5	5.6	1.21	55	.341	8.92	.524	5.29	1.5	54.8	43	.6	11.4	7.4	.5	1	10	10.0	4.6	169.0	1.8		
206328	3.9	11.5	67.5	290	.5	2.2	10.3	1297	3.67	18	3.0	<1	5.0	244	1.6	7.4	<1	106	3.10	.093	10.4	5.2	.70	99	.296	7.58	.292	5.18	1.6	46.8	26	.5	10.0	6.1	.5	1	9	9.8	4.3	155.4	1.4		
206329	2.6	8.5	27.1	91	.4	1.7	9.0	1277	3.59	18	3.0	<1	7.5	161	.4	8.2	.1	112	2.97	.094	19.3	4.8	.98	94	.307	7.84	.243	4.24	1.3	44.5	37	.5	10.3	6.5	.5	1	10	14.0	4.0	148.8	1.4		
206330	2.5	5.4	12.8	46	.3	1.2	8.6	1236	3.77	17	2.9	.1	7.2	263	.1	10.1	.1	104	3.30	.091	19.1	5.7	1.32	67	.269	7.10	.380	3.98	1.7	44.1	36	.5	10.9	6.2	.5	1	9	9.9	4.0	134.6	1.5		
206331	2.2	9.2	13.4	50	.3	2.0	10.3	1206	3.82	15	2.9	<1	7.7	232	.1	10.1	<1	107	3.43	.096	20.4	4.7	1.27	81	.305	7.98	.370	3.99	1.5	44.8	.37	.6	10.3	6.2	.5	1	10	11.3	4.1	130.8	1.4		
206332	5.2	10.8	13.1	28	3	2.0	9.3	1326	3.46	14	2.9	<1	7.4	251	.1	10.6	.1	106	3.82	.096	19.8	6.0	.90	47	.274	7.22	.265	3.52	1.5	44.0	34	.5	10.1	6.1	.4	1	9	10.2	3.9	128.4	1.4		
206333	3.4	10.6	15.3	47	.2	2.9	11.7	957	4.39	29	3.4	<1	8.8	223	.1	12.2	.1	122	2.33	.108	23.2	5.6	1.29	41	.333	8.89	.557	4.10	1.4	52.6	44	.7	10.9	7.3	.6	2	11	8.1	4.4	137.3	1.8		
206334	3.9	10.0	15.2	55	.2	2.4	10.5	1148	4.20	20	3.2	<1	8.8	223	.1	14.0	.1	119	3.25	.102	23.7	5.7	1.26	36	.323	8.75	.194	4.17	1.9	49.7	45	.6	11.8	7.1	.5	1	11	10.4	4.0	133.7	1.7		
206335	5.7	12.2	28.7	105	.2	2.0	10.1	989	3.92	21	3.3	<1	8.7	205	.4	19.3	.1	115	3.28	.103	24.0	5.3	1.19	33	.307	8.46	.330	3.96	1.8	47.7	43	.5	11.5	6.8	.5	1	10	10.3	3.9	135.6	1.6		
206336	3.5	9.4	24.6	90	.2	2.7	10.9	928	3.93	24	3.4	<1	9.0	173	.3	18.4	.2	121	2.48	.104	23.5	5.9	1.13	47	.323	8.92	.142	4.16	2.5	51.2	42	.6	11.2	7.0	.5	2	11	11.8	3.9	135.9	1.5		
206337	4.5	13.2	26.2	70	.4	3.3	13.6	1222	4.97	36	4.1	<1	10.3	253	.2	22.6	.2	142	3.41	.132	28.3	6.8	1.15	63	.398	11.00	.359	5.30	3.5	58.9	52	.6	13.2	10.8	1.2	2	13	11.8	5.1	174.0	1.9		
206338	3.6	8.6	15.1	32	.2	2.5	9.3	1009	3.84	21	3.1	<1	7.6	213	.1	10.7	.2	113	2.93	.097	19.7	6.2	1.01	49	.289	7.79	.706	3.77	1.7	47.3	37	.7	9.9	6.6	.5	1	10	8.6	3.9	126.8	1.6		
206339	2.5	10.1	12.4	47	.1	1.8	9.6	1396	3.68	23	3.2	<1	8.1	194	.2	6.6	.1	109	3.76	.097	22.4	5.7	1.20	80	.306	7.95	.826	3.78	.8	49.4	40	.6	11.7	6.7	.5	1	10	13.8	3.1	126.4	1.6		
206340	2.9	14.4	17.8	117	.2	1.8	9.8	1294	3.66	14	2.9	<1	7.8	170	.3	5.4	.1	104	4.02	.094	20.7	4.9	1.67	70	.290	7.60	.653	3.40	.6	50.0	38	.5	10.9	6.5	.5	1	9	35.3	2.0	112.0	1.5		
206341	3.9	8.4	26.3	161	.3	1.7	9.2	1005	4.01	12	3.2	<1	8.0	217	.7	5.8	.1	117	3.32	.101	20.7	5.0	1.24	34	.308	8.20	1.041	3.64	1.2	48.2	38	.5	10.9	7.0	.5	1	10	9.6	3.8	124.0	1.5		
RE 206341	4.0	8.7	27.2	165	.2	1.9	9.9	992	3.91	14	3.2	<1	8.7	226	.8	5.8	.1	112	3.34	.104	21.8	5.2	1.24	70	.304	8.21	1.088	3.82	1.2	51.6	41	.5	11.7	6.9	.5	1	10	10.1	3.8	130.3	1.6		
RRE 206341	3.8	8.4	26.6	164	.3	2.0	10.3	1080	3.95	13	3.2	<1	8.2	219	.8	5.9	.1	112	3.47	.100	22.0	5.1	1.19	48	.324	8.56	1.103	3.82	1.3	50.3	40	.5	11.0	6.4	.5	1	10	9.1	3.7	129.0	1.7		
206342	29.6	12.9	34.4	136	.3	2.4	10.0	755	3.76	20	3.3	<1	8.4	202	.9	8.1	.1	112	2.58	.099	21.5	6.2	1.06	33	.317	8.30	1.288	3.54	1.4	52.5	39	.5	11.4	6.8	.5	1	10	11.0	3.7	131.2	1.8		
206343	3.3	7.9	11.5	60	.2	2.2	10.0	664	3.86	23	3.2	<1	8.1	190	.1	7.3	<1	113	2.25	.101	21.0	5.4	1.10	48	.308	8.08	1.613	3.27	1.2	50.8	40	.6	10.1	6.5	.5	1	10	11.4	3.5	113.5	1.7		
206344	3.9	7.6	11.0	73	.1	1.8	10.0	915	3.82	9	3.2	<1	8.4	246	.1	4.6	<1	113	3.09	.102	21.7	8.4	1.23	65	.299	8.04	1.817	3.11	1.3	50.7	40	.5	11.1	6.4	.5	1	10	15.9	2.3	106.4	1.7		
206345	4.1	9.7	16.6	74	.3	2.8	11.2	766	4.12	83	3.2	<1	8.6	214	<1	10.0	.1	121	2.60	.107	21.7	5.9	1.06	62	.310	8.71	1.569	3.74	1.4	53.5	40	.6	10.9	6.7	.5	1	10	18.3	3.3	121.8	1.8		
STANDARD DST6	12.4	125.3	34.1	172	.3	29.8	13.1	957	4.03	25	7.5	<1	6.9	315	5.7	5.4	4.6	108	2.26	.102	25.2	225.1	1.01	683	.424	6.95	1.682	1.43	7.5	53.5	51	6.3	14.6	9.0	.7	3	11	25.2	<1	57.9	1.7		

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

ASSAY CERTIFICATE

Coast Mountain Geological PROJECT Homestake File # A609396 Page 1

P.O. Box 11604 620 - 658, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper




SAMPLE#	Au** gm/mt	Sample kg
G-1	.01	-
206251	.30	4.80
206252	.22	4.35
206253	.56	5.45
206254	.05	2.50
206255	.08	4.00
206256	.52	4.10
206257	.10	2.50
206258	.07	4.80
RE 206258	.06	-
RRE 206258	.08	-
206259	.03	5.60
206260	.03	3.20
206261 (rock)	<.01	.45
206262	.03	4.00
206263	.05	3.90
206264	.01	6.00
206265	.04	6.00
206266	.10	5.20
206267	.08	3.00
493754	.01	5.00
493755	<.01	4.00
493756	.03	5.50
493757	.02	5.50
493758	.01	5.60
493759	<.01	5.50
493760	<.01	5.60
493761	.01	4.20
493762	<.01	5.45
493763	.02	5.35
493764	.01	5.40
493765	.04	4.73
493766	.02	3.00
493767	.02	4.25
493799	.11	5.50
STANDARD SL20	6.12	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

JAN 08 2007

Data 1 FA DATE RECEIVED: DEC 14 2006 DATE REPORT MAILED:.....



All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.



SAMPLE#	Au** gm/mt	Sample kg
G-1 493800 STANDARD SL20	<.01 .14 5.95	- 4.45 -

Sample type: DRILL CORE R150.



GEOCHEMICAL ANALYSIS CERTIFICATE



Coast Mountain Geological PROJECT Homestake File # A609396 Page 1

P.O. Box 11604 620 - 650, Vancouver BC V6E 4M9 Submitted by: Bruno Kasper

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.2	3.0	20.5	55	<1	3.4	4.2	759	2.56	2	3.1	<1	7.4	740	.1	<1	.2	53	2.62	.085	25.7	6.0	.65	1085	.270	7.68	2.577	2.80	.2	8.6	49	1.5	13.3	20.4	1.6	2	6	41.4	<1	107.2	.6		
206251	5.2	11.7	54.4	116	.3	3.1	9.1	2174	4.43	21	2.9	.1	7.1	184	.2	6.8	.6	105	.51	.091	19.3	8.6	1.17	144	.277	7.49	1.392	4.26	2.7	53.2	37	.5	6.7	5.4	.4	<1	8	13.7	1.8	93.7	1.7		
206252	1.8	25.0	29.7	100	.3	3.1	10.4	2341	4.00	66	3.3	.3	7.6	207	.1	9.4	.1	119	.36	.098	19.1	7.0	1.23	298	.294	7.87	.963	4.24	2.8	51.3	35	.5	6.8	6.1	.5	1	9	20.0	1.3	100.1	1.9		
206253	3.9	18.7	14.3	93	.5	3.0	9.8	2327	3.87	28	3.5	1.3	8.7	198	.1	7.2	<1	112	.39	.102	22.8	6.8	1.27	356	.301	7.78	1.167	4.77	1.9	54.3	41	.5	7.6	6.7	.5	1	10	22.3	1.1	120.5	1.9		
206254	2.9	7.5	14.0	109	.3	3.2	11.4	1629	4.17	20	3.7	<1	9.3	192	.1	7.4	<1	124	.31	.112	24.8	6.1	1.37	587	.317	8.37	2.101	4.78	2.0	61.5	44	.5	7.7	7.2	.6	1	12	24.0	1.1	158.0	2.1		
206255	.6	7.2	7.3	71	.2	2.8	9.3	2119	3.77	16	3.1	<1	8.7	175	.1	9.1	<1	115	.59	.103	21.7	6.2	1.15	1697	.302	7.91	1.538	4.50	1.8	53.2	37	.4	7.3	6.2	.5	1	10	7.2	.8	147.0	1.7		
206256	.8	16.9	8.7	102	.3	2.7	9.3	2149	3.87	19	3.0	.5	8.0	167	.1	10.7	<1	116	.54	.099	22.8	5.3	1.31	1852	.301	8.15	1.366	5.08	1.7	50.0	39	.5	7.1	5.9	.4	1	10	16.2	.7	144.6	1.7		
206257	.8	10.8	21.8	96	.2	2.9	9.8	2221	3.82	16	3.0	<1	8.5	200	.1	11.8	<1	113	.96	.101	22.0	8.4	1.19	1098	.298	7.94	1.317	4.53	2.1	49.2	38	.5	6.6	6.1	.5	1	10	9.2	.9	148.0	1.7		
206258	1.6	18.0	14.7	112	.4	3.0	11.1	1446	3.97	28	3.6	<1	8.8	138	.3	12.7	<1	122	.43	.111	22.2	5.2	1.06	385	.325	8.39	1.580	4.34	2.1	56.1	40	.6	7.6	7.3	.5	1	11	19.7	1.3	140.1	1.8		
RE 206258	1.4	17.6	13.6	114	.3	3.0	10.4	1488	4.10	26	3.2	<1	8.1	126	.3	11.5	<1	128	.43	.108	20.2	5.6	1.07	419	.334	8.53	1.570	4.55	1.8	50.6	36	.5	6.8	6.7	.5	1	10	17.7	1.4	139.8	1.6		
RRE 206258	1.3	17.5	16.6	109	.4	3.0	10.2	1427	4.04	26	3.2	<1	8.1	127	.3	12.3	<1	121	.42	.102	19.9	6.5	1.05	400	.318	8.20	1.455	4.38	1.8	50.2	36	.5	6.9	6.3	.5	1	10	17.8	1.4	117.8	1.6		
206259	2.8	10.9	11.0	87	.3	2.8	10.9	1365	3.92	26	3.4	<1	8.3	111	.1	11.8	<1	125	.51	.104	21.2	7.4	1.11	463	.332	8.29	1.272	4.17	1.9	54.8	38	.5	7.4	6.6	.5	1	11	13.2	1.5	129.2	1.8		
206260	5.0	10.6	16.4	46	.5	3.2	10.8	544	4.09	12	3.3	<1	7.5	157	.1	13.4	<1	121	.69	.111	18.5	7.9	.87	56	.316	8.00	1.313	3.91	1.9	52.9	37	.5	7.8	6.7	.5	1	11	11.6	3.6	150.3	1.8		
206261(rock)	.3	2.3	23.9	63	<1	1.0	2.0	624	1.49	3	8.1	<1	18.0	253	.1	.5	<1	27	1.09	.048	13.9	5.3	.24	588	.150	7.23	3.300	3.23	.3	12.6	24	1.0	6.3	9.9	.7	2	3	9.2	<1	105.5	.9		
206262	3.4	10.6	14.1	77	.3	2.4	10.3	1463	3.94	8	3.2	<1	7.8	252	.1	11.9	<1	111	2.27	.098	21.9	6.8	1.18	103	.304	8.03	1.245	3.66	1.7	50.1	38	.5	9.8	6.8	.5	1	10	8.5	2.8	138.5	1.8		
206263	2.7	13.0	11.7	93	.2	2.5	9.9	1532	3.78	138	3.3	<1	8.8	232	.2	11.9	<1	113	1.84	.102	24.0	5.7	1.37	978	.317	8.05	1.143	3.52	1.6	53.5	41	.5	9.1	7.2	.5	1	10	17.3	1.3	133.3	1.7		
206264	2.8	11.2	10.7	80	.3	1.7	9.9	1815	3.77	5	3.2	<1	8.1	229	<1	5.8	<1	110	2.84	.100	22.8	5.4	1.27	159	.304	7.88	1.517	3.76	1.4	51.2	40	.5	10.5	6.7	.5	1	11	17.6	1.6	130.4	1.7		
206265	1.5	7.9	11.8	89	.2	2.7	9.9	1736	3.82	11	3.5	<1	8.0	206	.1	4.8	<1	111	1.33	.101	20.9	6.3	1.16	244	.305	6.3	1.16	2.90	1.4	50.4	37	.5	8.0	6.9	.5	1	10	22.5	1.4	120.1	1.6		
206266	2.6	21.4	8.5	105	.2	2.3	9.9	2717	3.77	4	3.2	<1	8.4	224	.1	4.0	<1	114	2.01	.098	25.1	5.5	1.37	2127	.306	7.85	1.642	4.19	1.6	51.2	41	.5	9.2	7.0	.5	1	11	26.2	.6	119.9	1.6		
206267	2.1	7.7	8.3	84	.2	2.1	9.8	2341	3.73	4	3.3	<1	8.1	209	<1	3.8	<1	185	2.69	.100	22.2	5.4	1.16	223	.305	7.97	1.353	4.31	1.6	47.5	39	.5	9.9	6.6	.5	1	10	20.7	1.4	129.9	1.7		
493754	.3	6.9	4.7	75	.1	5.9	14.2	1046	4.97	18	1.3	<1	5.5	211	.1	1.9	.2	172	3.31	.075	21.9	10.9	1.57	1290	.339	8.21	.807	2.38	3.4	38.5	42	1.2	14.0	5.9	.4	1	18	54.9	.1	82.7	1.2		
493755	.7	27.9	10.8	91	.1	4.5	15.7	1143	4.44	28	1.4	<1	4.2	219	.1	3.1	.2	152	3.62	.161	19.2	8.2	1.37	1180	.401	7.89	.931	2.25	4.1	34.6	38	.9	12.8	6.5	.4	1	17	136.1	.4	75.1	1.1		
493756	.9	29.3	11.8	103	.1	3.6	13.0	1039	4.81	70	1.1	<1	5.6	173	.1	3.5	.2	130	1.65	.087	24.1	6.9	1.23	1488	.438	9.68	1.083	2.99	5.6	37.1	45	1.2	11.6	7.5	.5	2	16	25.6	.7	98.0	1.1		
493757	.8	23.7	13.8	95	.1	4.3	15.2	887	5.60	67	1.8	<1	6.9	125	.1	3.6	.3	159	1.09	.082	23.8	6.9	1.20	1822	.467	10.41	.485	3.62	6.2	49.3	46	1.2	12.6	7.7	.5	2	19	23.6	.8	118.4	1.5		
493758	1.1	36.7	10.0	62	.1	3.3	11.1	716	3.94	30	1.8	<1	7.1	218	.1	2.4	<1	93	3.11	.094	21.5	6.2	.65	717	.321	8.16	1.376	2.59	2.8	35.3	38	.5	9.2	5.4	.4	1	14	14.0	1.1	81.5	1.2		
493759	1.1	21.3	25.8	81	.1	3.0	13.4	1162	4.09	6	1.8	<1	7.2	249	.1	1.9	<1	89	4.43	.092	21.1	6.0	.83	953	.302	7.60	1.525	2.09	1.0	34.3	35	.5	10.0	5.2	.4	1	13	21.9	.7	66.7	1.2		
493760	1.0	9.3	23.8	82	.1	3.0	11.4	1112	4.21	5	1.5	<1	7.2	274	.1	2.0	.1	116	4.38	.101	21.8	6.7	.95	993	.327	8.24	1.808	2.19	.9	34.7	38	.6	9.3	5.7	.4	1	14	23.6	.5	68.3	1.3		
493761	1.5	8.2	10.3	85	.1	3.2	11.9	870	4.11	5	1.7	<1	7.7	242	.1	1.9	<1	121	3.69	.102	21.1	5.9	.92	1352	.309	8.09	1.793	2.29	1.0	38.3	36	.5	9.8	6.0	.5	1	12	22.1	.7	70.5	1.3		
493762	.8	12.5	13.3	71	.1	2.2	10.5	1040	3.84	5	2.7	<1	7.5	302	.1	2.2	.1	119	4.13	.096	20.4	6.9	1.08	1411	.312	7.81	1.671	2.32	2.0	41.7	37	.6	10.1	6.4	.5	1	12	20.3	.7	80.3	1.4		
493763	3.6	16.5	72.9	66	.4	2.4	11.4	1009	3.99	7	3.5	<1	7.9	259	.2	2.4	.1	144	3.77	.097	21.5	7.3	1.06	909	.306	7.78	1.797	2.28	1.6	44.0	39	.5	9.6	6.0	.4	1	12	19.8	1.4	78.3	1.4		
493764	.7	47.4	6.4	73	.1	2.1	10.3	1253	3.88	6	2.9	<1	7.7	238	.1	3.1	.1	124	3.65	.100	21.4	7.0	1.13	1507	.316	7.89	1.870	2.21	2.1	42.9	38	.6	9.8	6.0	.5	1	12	23.1	.2	75.1	1.5		
493765	1.3	12.8	5.2	83	.1	3.0	13.3	1349	4.00	19	3.1	<1	7.5	307	.1	3.5	<1	124	3.45	.103	19.3	8.2	1.13	3817	.305	7.59	1.595	2.30	3.0	42.6	35	.5	10.0	5.8	.4	1	12	21.1	.3	80.7	1.4		
493766	4.0	17.3	9.3	80	.2	3.6	14.2	1055	4.01	29	3.0	<1	7.8	227	.2	4.0	.1	120	3.42	.101	21.0	6.5	1.01	1369	.305	7.78	1.571	2.45	2.2	44.8	37	.5	10.1	5.6	.4	1	12	21.6	.8	93.1			



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Tl	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.2	3.2	23.3	60	<.1	3.4	5.3	795	2.65	<.1	4.1	<.1	8.2	797	<.1	<.1	.2	57	2.70	.102	24.8	7.0	.68	1172	.278	8.14	2.903	3.07	.2	9.4	52	1.6	15.1	22.0	1.7	2	6	35.8	<.1	116.3	.7		
493800	1.7	7.8	9.0	97	.4	2.8	11.1	1938	4.48	19	3.5	.1	7.2	188	.1	6.2	.6	115	.44	.093	19.7	4.7	1.52	148	.281	7.85	1.405	4.94	3.0	54.8	98	.5	7.5	5.5	.5	1	9	24.4	1.1	139.5	1.9		
STANDARD DST6	12.3	126.9	35.3	170	.4	30.2	12.7	962	4.03	24	7.5	<.1	7.0	304	5.6	5.4	4.6	109	2.25	.096	25.5	223.5	1.01	670	.430	7.01	1.634	1.38	7.6	51.4	51	6.2	13.1	8.6	.7	3	11	27.1	<.1	55.8	1.8		

Sample type: DRILL CORE R150.



ASSAY CERTIFICATE

Coast Mountain Geological PROJECT Homestake File # A609397

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper



SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
493708	.06	5.5
493709	.12	6.0
493710 (pulp)	3.01	-
493711	.06	5.5
493712	.04	6.0
RE 493712	.05	-
RRE 493712	.06	-
493713	.07	6.1
493714	.02	6.0
493715	.02	6.0
493716	.07	5.8
493717	.01	4.0
493718	.01	5.0
493719	.01	6.0
493720	.03	5.3
493721	.09	5.5
STANDARD SL20	6.17	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.

- SAMPLE TYPE: DRILL CORE R150

Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA

DATE RECEIVED: DEC 8 2006 DATE REPORT MAILED: DEC 28 2006





GEOCHEMICAL ANALYSIS CERTIFICATE

Coast Mountain Geological PROJECT Homestake File # A609397


P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Hf	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.2	2.5	20.8	56	<.1	3.1	4.3	784	2.62	1	3.4	<.1	7.4	758	<.1	.1	.2	57	2.70	.090	24.1	7.8	.70	1069	.275	8.25	2.746	2.96	.2	9.4	50	1.4	14.4	22.6	1.5	3	6	35.7	<.1	121.5	.6		
493708	1.1	5.7	5.7	104	.2	6.7	20.6	3104	5.41	73	2.5	<.1	6.7	192	<.1	4.7	<.1	178	1.67	.158	22.7	13.7	1.38	136	.439	8.62	.133	5.73	4.0	47.5	43	.5	10.7	9.5	.6	1	19	29.5	1.2	201.1	1.5		
493709	.7	6.7	5.2	121	.4	6.4	16.3	2711	5.43	98	2.7	.1	5.8	131	.1	5.6	<.1	203	1.05	.156	18.8	14.4	1.49	249	.413	8.06	.108	5.14	3.8	45.4	36	.6	8.8	8.6	.5	1	18	31.4	1.1	163.6	1.4		
493710(pu/p)	88.8	291.0	46.5	153	2.3	71.6	42.4	3031	11.42	455	2.8	2.8	5.2	176	.7	18.9	238.6	82	18.76	.082	23.2	97.5	1.46	237	.519	4.01	.410	.40	75.5	53.9	48	188.6	18.3	10.5	.6	1	12	12.1	1.2	18.4	1.7		
493711	1.0	3.1	5.3	105	.2	6.5	18.5	2852	4.85	53	2.5	<.1	7.6	160	.1	4.9	.2	181	2.27	.177	23.6	13.7	1.56	1428	.439	8.73	.162	5.05	4.1	50.0	44	.6	12.0	10.1	.6	1	19	32.4	7	179.8	1.6		
493712	.3	3.9	4.9	104	.3	5.8	14.6	2992	4.84	20	2.6	<.1	7.8	159	.1	4.3	<.1	184	2.55	.137	26.4	13.2	1.59	214	.410	8.31	.109	4.50	2.5	46.3	41	.5	11.3	9.2	.6	1	17	33.2	1.1	203.7	1.5		
RE 493712	.3	3.8	4.7	105	.3	5.6	14.6	2963	4.80	21	2.7	<.1	7.6	156	.1	4.2	<.1	184	2.53	.137	26.5	13.0	1.57	218	.399	8.22	.106	4.39	2.5	46.3	40	.5	11.0	9.0	.6	1	17	33.0	1.1	193.4	1.6		
RRE 493712	.5	3.9	5.2	109	.3	5.8	14.9	3018	4.80	21	2.6	<.1	7.7	153	.1	4.4	<.1	185	2.46	.137	26.9	14.4	1.59	158	.410	8.37	.108	4.47	2.5	45.8	41	.5	11.0	8.8	.6	1	17	32.9	1.1	196.5	1.6		
493713	3.2	23.9	7.7	101	.5	6.3	14.0	2610	5.16	45	2.6	<.1	8.0	127	.1	5.2	<.1	195	2.35	.111	25.4	13.2	1.42	49	.412	8.56	.231	4.06	2.1	49.3	41	.5	11.4	9.3	.6	1	17	26.0	2.3	186.1	1.7		
493714	3.3	12.0	13.6	62	.3	3.3	13.8	1966	4.71	31	3.0	<.1	7.9	176	.1	7.1	.1	153	3.74	.122	21.4	8.3	1.23	80	.365	8.67	.114	4.15	2.4	50.3	40	.6	11.0	7.7	.5	2	15	9.9	5.0	180.8	1.6		
493715	3.7	12.1	13.0	49	.2	2.2	11.9	1992	4.53	9	3.0	<.1	8.0	202	.1	4.9	.1	125	4.85	.106	22.0	4.6	1.09	78	.321	8.24	.088	3.74	2.3	51.2	41	.5	11.6	7.0	.5	1	13	7.4	4.9	159.3	1.6		
493716	3.5	17.9	18.9	33	1.2	2.1	10.5	1472	4.05	13	2.9	.2	7.5	242	.1	6.5	.8	121	4.49	.106	35.0	4.5	.83	51	.296	7.54	.056	3.52	3.0	46.2	64	.6	10.9	6.6	.5	2	12	6.6	4.6	148.7	1.5		
493717	3.1	9.9	12.4	49	.2	2.0	9.8	1671	3.78	9	2.9	<.1	7.7	168	.1	3.9	<.1	107	4.23	.101	21.4	4.0	1.22	41	.286	7.52	.174	3.48	1.3	44.8	41	.4	9.8	6.6	.5	1	10	5.7	4.3	135.5	1.4		
493718	2.0	11.1	8.3	70	.1	2.0	9.7	1812	3.69	6	3.1	<.1	7.8	151	.1	4.6	<.1	111	3.78	.103	23.7	5.9	1.76	49	.310	7.96	.257	3.55	1.3	45.3	43	.4	10.5	7.5	.5	1	11	11.6	2.5	140.1	1.5		
493719	1.1	9.3	6.7	70	.1	1.7	8.5	1805	3.20	5	2.6	<.1	7.2	130	.1	7.5	<.1	109	4.27	.094	24.2	4.7	1.48	184	.291	7.55	.094	3.38	1.3	40.6	42	.4	9.3	6.4	.5	1	10	15.6	1.1	126.8	1.3		
493720	4.0	8.6	12.8	65	.2	2.3	10.0	1562	3.56	11	3.1	<.1	7.3	187	.1	11.3	<.1	109	3.03	.102	21.1	6.8	1.11	123	.293	7.65	.120	4.21	1.4	44.3	41	.4	9.3	6.6	.5	1	10	7.0	3.0	155.7	1.5		
493721	1.8	20.0	11.9	67	.3	2.1	9.3	1627	3.29	54	2.8	<.1	7.5	247	.1	12.2	<.1	112	2.55	.096	21.3	5.4	1.01	71	.283	7.64	.733	4.85	1.5	45.0	41	.4	9.3	6.3	.5	1	10	8.0	2.0	153.8	1.5		
STANDARD DSTG	12.5	127.2	34.6	172	.3	30.2	12.7	970	4.04	24	7.5	<.1	6.9	314	5.7	5.3	4.7	107	2.29	.099	25.4	218.6	1.03	679	.429	7.05	1.666	1.45	7.6	52.7	52	6.2	14.8	8.7	.6	3	12	24.0	<.1	56.7	1.7		

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.  
- SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

JAN 03 2007

Data FA DATE RECEIVED: DEC 8 2006 DATE REPORT MAILED:.....



ASSAY CERTIFICATE

Coast Mountain Geological PROJECT Homestake File # A609398

P.O. Box 11604 628 - 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper




SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
207034	.39	4.0
207035	.28	4.5
207036	5.01	4.0
207037	1.41	1.5
207038	42.98	1.0
207039	33.30	2.0
207040	.12	3.0
207041 (rock)	.11	.5
207042	.11	2.4
207043	.09	2.8
RE 207043	.07	-
RRE 207043	.03	-
207044	.08	3.0
207045	.08	5.5
207046	.33	6.0
207058	.03	.3
STANDARD SL20	6.18	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
 - SAMPLE TYPE: DRILL CORE R150  
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA       

DATE RECEIVED: DEC 14 2006

DATE REPORT MAILED:..... JAN 08 2007





GEOCHEMICAL ANALYSIS CERTIFICATE




Coast Mountain Geological PROJECT Homestake File # A609398

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf			
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	%	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
G-1	1.3	4.2	22.1	58	<1	7.2	5.2	847	2.76	1	4.0	<1	8.1	752	<1	.1	.2	56	2.65	.092	25.9	86.9	.68	1033	.279	8.27	2.872	2.93	2.3	19.8	52	1.5	15.7	24.5	1.8	3	6	40.6	<1	137.9	.7			
207034	.8	33.4	37.6	75	17.2	3.9	11.5	2982	4.62	124	3.3	.2	6.8	293	.2	24.7	.1	133	2.19	.104	17.3	11.1	.88	55	.308	8.11	.229	6.15	6.0	55.0	38	.7	12.0	5.9	.4	1	12	7.6	3.6	229.7	1.7			
207035	2.1	36.9	94.7	73	8.9	4.0	13.0	3360	4.27	47	3.6	.2	6.8	294	.2	16.8	.1	148	1.99	.104	17.8	7.9	1.02	57	.321	8.03	.212	6.80	3.8	56.1	35	.6	12.1	6.1	.4	1	13	10.5	2.6	256.4	1.7			
207036	.5	45.4	9.2	57	1.9	2.1	11.4	3690	3.81	57	3.0	3.4	6.3	293	.2	15.8	<1	128	3.21	.120	19.1	7.2	1.28	62	.299	7.25	.068	4.46	6.8	47.6	36	.5	11.5	5.7	.4	1	12	10.7	1.7	159.2	1.4			
207037	.5	59.7	8.2	54	1.0	3.1	10.0	4103	3.61	41	1.8	1.1	5.5	208	<1	5.6	<1	130	1.78	.115	15.7	6.1	1.28	107	.321	7.31	.151	6.68	8.9	39.4	31	.4	10.3	6.1	.4	<1	12	26.9	1.3	205.0	1.2			
207038	4.1	14.7	20.6	24	8.3	4.0	13.0	728	4.87	204	2.7	43.3	5.0	69	.1	10.8	.2	227	.92	.095	8.5	7.4	51	52	.247	6.83	.067	4.21	5.1	43.2	22	.7	8.1	5.0	.3	1	10	9.2	4.8	172.2	1.3			
207039	8.9	13.8	24.0	54	6.7	2.5	8.5	1202	4.31	70	2.9	30.1	4.5	50	.1	12.7	1.7	104	.95	.067	5.7	9.5	59	93	.283	4.59	.035	2.27	3.9	45.9	14	.6	7.1	6.0	.4	1	6	9.9	3.1	91.7	1.4			
207040	3.3	7.9	10.1	110	.4	1.9	9.2	2981	5.88	16	2.9	.1	7.6	81	.1	6.2	1.2	95	2.74	.093	16.0	6.8	1.49	41	.248	7.03	.043	2.98	4.1	47.6	30	.6	10.3	5.4	.4	1	9	18.2	4.1	130.2	1.4			
207041(rock)	.4	2.3	20.4	50	<1	1.0	1.3	480	1.16	1	7.8	<1	22.6	178	.1	.9	.1	19	.87	.032	18.5	3.7	18	382	103	7.51	3.510	3.47	6	20.1	25	.7	4.6	8.5	.6	3	2	7.8	<1	126.4	1.1			
207042	3.3	8.3	9.6	82	.5	2.6	9.3	2267	5.32	15	2.7	<1	6.9	89	.1	7.8	1.1	94	1.91	.088	16.3	8.6	1.29	27	.223	6.83	.049	3.05	4.1	43.1	31	.5	8.6	5.0	.3	1	9	16.3	3.9	127.4	1.3			
207043	3.1	10.1	10.7	55	.3	3.6	11.4	1541	4.76	17	3.0	<1	7.9	98	.1	8.7	.5	116	2.52	.107	22.4	5.8	1.34	160	.294	8.11	.054	3.72	2.9	49.0	41	.6	10.9	6.6	.5	1	11	11.0	4.5	154.8	1.5			
RE 207043	3.0	9.7	11.6	57	.3	2.9	10.9	1454	4.62	17	3.1	<1	8.1	100	.1	8.4	.5	109	2.41	.104	21.8	5.1	1.30	124	.290	7.80	.051	3.60	2.8	49.4	40	.5	10.9	6.1	.5	1	10	12.0	4.5	161.3	1.5			
RRE 207043	2.9	9.1	11.0	51	.3	2.7	10.6	1484	4.57	17	3.2	<1	7.8	101	.1	8.4	.5	111	2.44	.101	21.6	6.3	1.30	108	.294	7.93	.055	3.60	3.5	48.5	40	.6	10.7	6.2	.5	1	10	11.8	4.4	150.1	1.5			
207044	3.7	15.7	11.4	83	.3	3.0	10.8	1642	6.14	31	3.3	<1	8.4	66	.1	9.1	.9	115	1.89	.102	21.0	5.7	1.27	140	.292	8.28	.056	3.65	3.7	49.7	39	.6	9.4	6.4	.5	1	11	18.7	4.9	152.3	1.7			
207045	3.5	10.3	13.1	87	.2	2.3	10.0	1856	5.16	15	2.9	<1	7.9	101	.1	6.7	.4	112	3.49	.097	20.0	5.4	1.36	44	.282	7.62	.048	3.25	3.2	49.0	39	.5	11.4	6.1	.4	1	11	14.7	4.2	130.5	1.6			
207046	.9	9.4	17.9	75	2.1	3.3	10.2	4326	3.66	59	4.0	.4	7.9	318	.2	7.4	<1	152	3.21	.112	19.2	6.2	1.14	104	.284	8.64	.236	7.46	2.7	63.9	39	.6	12.3	5.6	.4	1	12	8.3	1.7	238.9	2.1			
207058	3.9	7.3	11.2	65	.2	3.4	10.8	1535	5.00	19	3.3	<1	8.6	96	.1	6.7	.3	120	2.77	.110	22.6	7.7	1.44	62	.268	7.76	.112	3.21	3.5	54.2	41	.6	11.4	6.3	.4	1	11	17.9	4.1	136.5	1.6			
STANDARD DST6	12.5	127.2	34.6	172	.3	30.2	12.7	970	4.04	24	7.5	<1	6.9	314	5.7	5.3	4.7	107	2.29	.099	25.4	218.6	1.03	679	.429	7.05	1.666	1.45	7.6	52.7	52	6.2	14.8	8.7	.6	3	12	24.0	<1	56.7	1.7			

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.  
 - SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA \_\_\_\_\_ DATE RECEIVED: DEC 14 2006 DATE REPORT MAILED: JAN 03 2007





ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake File # A609399


P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper

SAMPLE#	Au** gm/mt	Sample kg
G-1	.02	-
207047	.12	5.2
207048	.05	5.5
207049	.02	5.4
207050	.06	5.5
207051	.06	6.0
207052	.10	5.5
207053	.03	5.5
207054	<.01	5.4
207055	<.01	4.0
STANDARD SL20	6.17	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150

DEC 14 2007

Data: FA \_\_\_\_\_ DATE RECEIVED: DEC 14 2006 DATE REPORT MAILED: .....





GEOCHEMICAL ANALYSIS CERTIFICATE



Coast Mountain Geological PROJECT Homestake File # A609399


P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	L1	S	Rb	Hf	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.2	2.9	24.4	63	<.1	4.2	6.3	802	2.60	1	3.7	<.1	7.9	836	.1	.1	.2	57	2.73	.095	26.0	6.9	.70	1102	.281	8.30	2.952	3.35	.2	9.4	50	1.8	14.2	24.7	1.7	3	6	41.8	<.1	125.3	.7	
207047	.3	6.0	7.4	106	.3	4.4	12.5	3384	4.21	46	2.2	<.1	8.1	262	.2	3.6	<.1	165	3.14	.128	25.1	9.5	1.72	3625	.365	8.02	.236	5.44	2.7	52.9	40	.5	11.2	7.5	.5	2	15	27.8	.2	160.8	1.6	
207048	.2	5.4	9.0	82	.4	4.3	17.4	3077	4.32	73	2.5	<.1	6.8	309	.3	5.0	<.1	170	4.41	.139	26.4	11.8	1.51	535	.354	7.86	1.483	4.43	3.0	52.1	43	6	10.9	7.9	.5	<.1	16	21.1	.8	153.7	1.8	
207049	.3	4.9	6.4	106	.3	4.7	15.7	2731	4.81	70	2.7	<.1	7.7	236	.1	3.6	<.1	183	2.86	.148	25.8	11.1	1.84	2022	.375	8.60	1.607	5.27	3.3	56.7	43	.5	10.5	8.4	.5	1	18	32.0	.5	152.1	1.8	
207050	.5	5.4	7.5	106	.4	5.5	17.5	2268	4.46	66	2.4	<.1	6.0	195	.1	4.8	<.1	178	1.54	.140	23.1	10.9	1.75	452	.383	8.61	1.252	5.34	3.0	51.7	40	.7	9.3	8.4	.5	1	17	30.6	.6	161.4	1.5	
207051	1.2	149.1	7.7	146	.7	5.3	15.4	2729	4.72	48	2.2	<.1	6.1	207	.4	5.4	.1	168	2.20	.127	21.3	10.4	1.72	205	.344	7.95	.504	6.12	2.0	50.3	39	.7	9.8	7.2	.5	1	15	28.2	.7	169.0	1.6	
207052	.8	12.3	9.8	104	.8	5.8	17.7	2917	4.60	136	2.6	<.1	7.4	251	.1	7.4	.1	162	2.98	.141	24.1	12.0	1.74	306	.347	8.01	1.521	5.13	4.8	53.5	41	.8	11.0	7.8	.5	1	17	28.4	.9	152.6	1.7	
207053	.2	5.4	8.0	98	.4	5.7	17.5	3267	4.63	50	2.3	<.1	7.4	239	.1	5.3	<.1	149	3.52	.146	25.8	11.0	1.71	401	.361	8.39	1.203	5.69	5.2	54.1	43	.6	11.2	7.9	.6	1	17	28.6	.9	191.2	1.7	
207054	.1	6.7	3.1	120	.1	6.9	19.6	3058	4.93	12	2.5	<.1	7.7	288	.1	1.6	<.1	182	3.27	.149	23.5	12.1	1.74	1706	.399	8.26	2.001	4.07	3.5	54.2	41	.5	11.8	8.2	.6	1	19	28.0	.1	122.4	1.7	
207055	.1	2.6	3.0	104	.1	5.3	16.5	3200	4.91	18	2.3	<.1	6.9	187	.1	1.8	<.1	185	2.06	.139	21.0	12.7	1.85	1900	.383	8.45	1.408	4.81	2.6	50.5	39	.6	9.7	7.7	.5	1	18	25.2	.1	129.3	1.6	
STANDARD DST6	12.3	126.9	35.3	170	.4	30.2	12.7	962	4.03	24	7.5	<.1	7.0	304	5.6	5.4	4.6	109	2.26	.096	25.5	223.5	1.01	670	.430	7.01	1.634	1.38	7.6	51.4	51	6.2	13.1	8.6	.7	3	11	27.1	<.1	55.8	1.8	

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCl-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.  
- SAMPLE TYPE: DRILL CORE R150

JAN 15 2007

Data FA \_\_\_\_\_ DATE RECEIVED: DEC 14 2006 DATE REPORT MAILED:.....





ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake File # A609400

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper


SAMPLE#	Au** gm/mt
G-1	.01
207059	<.01
207060	<.01
207061	<.01
207062	11.02
STANDARD SL20	6.17

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150

JAN 05 2007

Data \_\_\_ FA \_\_\_

DATE RECEIVED: DEC 14 2006 DATE REPORT MAILED:.....





GEOCHEMICAL ANALYSIS CERTIFICATE



Coast Mountain Geological PROJECT Homestake File # A609400


P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.2	2.2	21.3	57	<1	3.2	5.0	779	2.53	1	3.9	<1	8.4	749	<1	<1	.2	54	2.70	.093	28.6	5.4	.68	1095	.272	8.04	2.779	3.19	.6	8.0	52	1.6	13.1	21.5	1.7	2	6	39.9	<1	118.1	.6		
207059	1.6	24.5	21.2	55	1.2	3.7	13.4	641	3.62	11	2.8	<1	7.3	105	.2	4.4	<1	138	.77	.132	22.5	6.6	.59	124	403	9.68	.343	4.47	1.2	45.2	43	.5	9.2	7.6	.6	2	15	10.0	2.3	136.3	1.6		
207060	1.5	18.5	20.8	82	.5	5.1	20.5	882	4.75	9	2.7	<1	6.3	152	.2	4.8	<1	149	1.10	.103	20.8	6.1	.72	55	.422	9.53	.984	3.75	.7	45.5	39	.8	11.6	7.1	.6	1	16	12.2	3.4	124.5	1.7		
207061	1.9	11.8	14.6	49	.5	2.8	9.2	1287	5.00	13	2.2	<1	6.8	175	.1	4.8	<1	152	2.16	.132	20.0	4.9	.54	40	.362	8.46	1.403	3.20	.8	38.2	39	.6	10.3	6.5	.5	2	14	11.6	4.4	111.3	1.4		
207062	4.4	755.2	2476.8	>10000	10.7	1.3	11.8	3705	3.92	16	2.6	9.5	5.3	180	95.9	11.0	<1	144	3.80	.104	13.8	3.6	.85	90	.283	6.55	.068	4.02	3.5	34.4	27	.4	10.3	5.3	.4	1	10	15.1	4.3	148.2	1.3		
STANDARD DST6	12.3	126.9	35.3	170	.4	30.2	12.7	962	4.03	24	7.5	<1	7.0	304	5.6	5.4	4.6	109	2.26	.096	25.5	223.5	1.01	670	.430	7.01	1.634	1.38	7.6	51.4	51	6.2	13.1	8.6	.7	3	11	27.1	<1	55.8	1.8		

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.  
- SAMPLE TYPE: DRILL CORE R150

IAF 9 5 2007

Data FA \_\_\_\_\_ DATE RECEIVED: DEC 14 2006 DATE REPORT MAILED: .....





ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake File # A609400R

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper


SAMPLE#	Zn %
207062	1.07
STANDARD R-3	4.10

GROUP 7TD - 0.500 GM SAMPLE, 4 ACID (HF-HClO<sub>4</sub>-HNO<sub>3</sub>-HCL) DIGESTION TO 100 ML, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: CORE PULP

JAN 17 2007

Data 1 FA \_\_\_\_\_

DATE RECEIVED: JAN 8 2007 DATE REPORT MAILED:.....



ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #51 File # A700116


P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper

SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
207010	<.01	5.38
207011	<.01	3.65
207012	.02	2.47
207013	.02	2.78
207014	.05	4.75
RE 207014	.04	-
RRE 207014	.04	-
207015	.08	3.83
207016	.07	4.69
207017	.11	5.61
207018	.17	5.72
207019	.42	5.34
207020	.24	4.09
207021	.39	5.11
207022	.41	4.28
207056	<.01	3.87
207057 (pulp)	15.53	-
STANDARD SL20	6.13	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data *by* FA \_\_\_\_\_

DATE RECEIVED: JAN 2 2007 DATE REPORT MAILED: JAN 16 2007





GEOCHEMICAL ANALYSIS CERTIFICATE




Coast Mountain Geological PROJECT Homestake #51 File # A700116

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper

SAMPLE#	Ku	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
6-1	2.3	4.7	23.2	62	.1	10.8	4.5	822	2.74	1	4.1	<1	7.7	755	.1	.1	.2	59	2.67	.083	24.0	87.9	.57	1116	.295	8.32	2.789	2.24	.2	9.3	49	1.2	14.8	21.8	1.6	3	5	40.5	.3	88.7	.6	
207010	5	6.7	15.5	186	.8	2.2	22.7	9984	7.04	40	.8	<1	2.2	292	.2	7.8	.1	310	3.98	.115	12.8	6.7	1.80	3895	.546	9.49	.139	2.66	7.1	17.8	28	.5	11.2	2.8	.2	<1	21	28.3	.7	73.2	.7	
207011	8	30.5	44.1	165	1.6	4.5	18.6	18864	5.92	70	1.3	<1	4.1	188	.4	13.9	.2	216	4.60	.093	18.7	7.1	1.77	1726	.406	8.15	.074	3.32	2.2	58.5	35	.6	15.0	3.4	.3	1	18	31.9	1.4	154.7	2.0	
207012	1.9	11.2	103.0	403	1.1	4.7	12.5	9676	4.37	44	1.7	<1	5.6	136	2.5	13.5	.3	164	2.94	.073	15.3	8.9	1.52	1807	.346	7.61	.064	1.89	2.8	62.2	30	.9	13.3	5.0	.4	1	14	28.2	1.1	82.2	2.0	
207013	9	17.9	157.6	142	2.4	6.2	15.7	6709	5.34	56	1.1	<1	3.5	161	.3	16.4	.3	220	2.63	.095	15.8	9.5	1.42	195	.385	8.34	.090	4.14	4.6	36.9	34	1.2	10.3	4.5	.3	1	17	29.2	2.5	119.0	1.3	
207014	2.3	16.6	133.6	270	4.1	4.5	18.2	10425	5.61	147	1.2	<1	3.1	230	1.5	14.4	.2	194	5.84	.085	16.2	8.9	1.51	300	.368	7.30	.088	4.03	4.6	35.4	31	.8	11.8	3.5	.3	<1	17	27.9	3.2	135.7	1.2	
RE 207014	2.1	17.3	143.2	259	4.2	5.8	17.4	10143	5.66	149	1.0	<1	2.8	209	1.3	13.7	.1	192	5.66	.085	15.2	9.5	1.47	347	.345	7.27	.087	4.16	4.5	31.9	30	.8	10.9	3.2	.2	<1	16	23.6	3.2	138.0	1.1	
RRE 207014	2.3	15.8	137.7	236	3.8	4.6	16.5	9679	5.48	121	1.0	<1	3.3	216	1.1	13.4	.2	186	5.37	.082	16.1	9.8	1.44	368	.353	7.00	.086	3.15	4.2	35.9	30	.9	11.5	3.5	.3	1	16	21.0	3.1	99.1	1.1	
207015	10.5	17.2	67.6	154	2.9	7.1	17.8	5324	5.07	161	1.8	<1	2.2	192	1.1	17.0	.1	138	3.44	.085	6.6	9.9	.84	248	.319	6.55	.099	5.20	4.1	34.9	17	.4	10.5	3.2	.2	<1	14	11.1	4.4	152.6	1.2	
207016	8.5	33.9	87.9	213	2.2	6.8	13.6	2343	4.29	147	2.0	<1	2.1	170	1.4	19.6	.9	143	1.54	.071	6.0	18.7	.56	43	.303	5.92	.096	3.22	6.1	31.0	16	.7	8.4	2.7	.2	<1	13	8.3	3.7	80.9	1.2	
207017	3.1	58.4	139.6	67	5.6	6.8	14.0	1376	3.85	129	2.4	.1	2.3	145	.4	13.6	2.2	119	.64	.065	6.0	17.2	.47	92	.263	5.53	.088	3.27	6.6	37.0	17	.6	7.4	2.6	.2	<1	10	9.3	3.0	76.9	1.3	
207018	3.8	101.4	98.8	184	4.2	6.2	14.4	677	2.76	230	2.8	.2	2.1	133	1.5	20.5	.4	112	.75	.064	6.9	19.0	.33	79	.244	4.94	.099	3.92	9.3	33.1	15	.4	7.3	2.4	.2	<1	9	7.5	2.4	107.4	1.0	
207019	5.9	267.9	472.5	1295	3.9	4.5	11.4	2759	3.02	210	2.7	.4	2.3	208	10.6	22.3	.1	130	4.02	.063	8.4	12.6	1.13	185	.181	3.96	.070	3.57	7.2	29.0	17	.7	10.3	1.7	.2	<1	9	17.8	2.0	103.1	.9	
207020	2.3	46.1	101.3	622	2.8	7.1	17.7	1277	3.46	169	3.2	.2	2.7	169	4.3	12.8	.1	192	1.64	.081	7.9	14.9	.77	223	.295	6.16	.094	3.48	9.0	32.5	18	.6	8.4	2.7	.2	<1	13	6.8	2.0	89.4	1.1	
207021	1.8	111.4	547.5	930	4.0	3.7	10.8	1093	3.28	476	2.3	.6	3.9	148	7.5	17.6	.1	102	1.38	.058	13.9	14.6	.45	57	.226	5.89	.081	3.21	4.6	36.5	29	.5	8.3	3.2	.3	<1	7	5.3	2.5	78.1	1.2	
207022	1.4	223.2	162.7	231	5.3	4.1	10.2	1122	3.58	247	2.2	.3	5.2	156	1.2	17.7	.4	107	1.17	.039	14.2	12.4	.50	162	.243	5.99	.078	3.51	6.7	44.8	27	.6	9.5	4.1	.3	<1	9	6.3	2.5	85.7	1.5	
207056	6	61.0	15.8	179	2.0	2.3	23.5	12596	6.71	56	.9	<1	1.8	195	.1	8.5	.1	266	2.96	.120	13.9	3.6	1.59	2034	.448	9.44	.131	3.70	2.5	23.6	28	.8	10.5	2.6	.2	1	17	27.3	1.3	88.0	.7	
207057 (dup)	340.7	471.0	228.6	179	5.8	123.1	125.3	3170	14.02	1203	4.1	17.0	4.1	489	.4	16.3	23.8	121	13.37	.114	45.3	52.9	1.42	87	.267	4.22	.721	.89	13.8	62.5	66	3.8	19.0	3.0	.2	<1	9	18.1	7.7	28.3	2.0	
STANDARD DST6	12.6	125.8	36.1	171	.3	30.3	12.8	967	4.01	25	7.7	<1	7.1	318	5.6	5.5	4.8	106	2.25	.100	25.6	227.1	1.00	679	.418	6.93	1.663	1.44	7.5	53.8	52	6.4	14.9	9.1	.7	3	11	26.4	.2	57.8	1.7	

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.  
- SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA DATE RECEIVED: JAN 2 2007 DATE REPORT MAILED: JAN 6 2007



ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #52 File # A700117

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper

SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
207063	.02	3.31
207064	.04	4.10
207065	.08	3.75
207066	.03	3.61
207067	.47	.80
207068	.10	1.81
207069	.08	5.18
207070	.05	2.38
207071	.02	5.33
207072	.01	5.64
207073	.02	4.39
RE 207073	.02	-
RRE 207073	.03	-
207074	.03	4.45
207075	.08	3.27
207076	.02	5.29
207077	<.01	5.37
207078	.01	5.78
207079 (rock)	<.01	.35
207080	.02	5.31
207081	.03	5.41
207082	.02	5.45
207083	.03	5.23
207084	.04	4.98
207085	<.01	5.13
207086	.01	5.29
207087	.02	3.82
STANDARD SL20	6.00	-


GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.

- SAMPLE TYPE: DRILL CORE R150

Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA

DATE RECEIVED: JAN 2 2007 DATE REPORT MAILED: JAN 13 2007





GEOCHEMICAL ANALYSIS CERTIFICATE



Coast Mountain Geological PROJECT Homestake #52 File # A700117


P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	L1	S	Rb	Hf			
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
G-1	2.2	4.0	24.6	59	<1	9.6	4.7	824	2.65	1	3.6	<1	7.3	741	.1	.1	.2	58	2.65	.091	24.7	166.7	.68	1063	.286	7.87	2.548	1.99	.2	9.8	47	1.4	13.2	20.4	1.5	3	5	41.8	.1	64.7	.7			
207063	1.7	57.1	28.1	133	1.2	10.5	18.3	4534	7.16	35	.7	<1	1.1	233	.3	17.7	.1	275	4.10	.123	6.1	6.4	1.13	157	486	8.25	.154	5.65	5.1	22.1	15	.6	8.6	2.8	.2	1	11	21.6	4.2	83.9	.8			
207064	2.5	11.8	29.6	123	2.0	5.9	18.2	3715	6.76	69	1.6	<1	1.7	122	.2	9.3	.3	391	2.21	.113	9.5	7.3	1.24	187	466	8.36	.152	6.91	12.0	28.2	22	.8	7.6	2.6	.2	<1	14	17.0	2.7	133.8	.9			
207065	1.5	22.5	33.8	168	2.1	5.4	15.3	4667	5.13	218	1.9	<1	4.3	166	.8	15.5	.3	218	2.77	.086	14.8	9.5	1.03	362	394	7.67	.092	6.18	10.1	48.5	29	1.0	11.9	4.8	.4	<1	15	13.4	3.1	212.3	1.5			
207066	2.6	40.0	273.8	557	2.7	7.0	14.9	4320	3.97	72	2.5	<1	5.1	144	3.6	18.0	.4	182	2.64	.068	16.2	9.9	.89	204	352	7.51	.094	6.26	6.7	56.5	34	1.1	11.6	5.1	.4	1	14	12.1	2.5	199.3	1.8			
207067	.6	56.2	27.4	136	3.2	6.9	11.9	1021	3.66	101	2.6	.4	6.4	145	.3	14.9	.3	152	1.07	.167	13.8	10.6	.73	1135	360	7.20	.035	4.78	22.3	44.0	25	.7	12.8	6.0	.4	2	14	18.1	1.8	208.9	1.7			
207068	3.7	23.4	29.4	66	1.8	6.7	16.4	1670	5.18	47	3.0	.1	6.7	206	.3	8.2	.1	256	3.55	.136	22.7	10.9	.86	201	416	7.84	.894	4.26	2.7	47.5	41	.4	11.7	7.7	.6	1	15	9.2	4.5	160.3	1.6			
207069	1.9	16.6	18.5	66	1.3	6.6	17.2	1473	4.76	36	2.8	<1	6.8	205	.1	6.6	<1	227	3.07	.149	21.3	12.0	.94	139	430	8.08	1.282	4.20	2.0	52.4	39	.4	11.6	8.5	.6	1	16	9.3	3.9	154.1	1.7			
207070	.9	13.7	14.0	79	1.0	6.7	16.0	1772	4.76	15	2.6	<1	6.7	220	.1	5.4	<1	203	2.81	.150	21.1	11.7	1.49	144	442	8.50	1.122	4.03	1.6	54.1	38	.5	11.6	8.7	.6	1	15	14.5	2.6	123.6	1.8			
207071	9.4	18.3	20.0	72	1.1	5.7	18.4	3260	4.71	22	2.6	<1	6.3	310	.2	14.2	<1	165	6.81	.126	24.8	8.1	1.46	512	373	7.04	.440	3.30	1.9	45.9	40	.5	12.4	7.3	.5	1	14	10.0	4.2	130.9	1.6			
207072	6.3	22.7	21.4	81	1.2	4.9	15.7	3052	4.72	19	2.8	<1	7.0	242	.1	8.3	<1	158	4.55	.137	24.1	10.1	2.00	713	385	7.49	.372	4.68	2.1	49.3	42	.4	13.0	7.7	.6	1	15	13.5	4.3	172.1	1.6			
207073	1.6	20.4	22.4	96	1.1	6.3	16.8	2451	4.94	14	2.6	<1	6.7	266	.2	5.4	<1	167	3.28	.142	18.4	11.5	1.98	233	390	7.89	.954	4.73	1.7	53.1	35	.5	11.3	7.8	.6	1	15	26.9	4.1	130.9	1.7			
RE 207073	1.8	19.1	22.7	99	1.1	6.2	16.8	2437	4.99	14	2.5	<1	6.2	271	.1	5.5	<1	170	3.27	.144	18.6	11.0	2.01	356	393	8.09	1.012	4.73	1.8	55.1	34	.5	11.7	8.0	.5	1	15	28.0	4.1	135.2	1.8			
RRE 207073	1.7	19.3	22.4	91	1.2	5.5	15.9	2376	4.69	12	2.6	<1	6.1	260	<1	5.2	<1	163	3.20	.140	18.9	12.2	1.92	643	368	7.71	.966	4.68	1.5	53.5	35	.5	11.2	7.1	.6	1	14	28.0	3.9	120.2	1.7			
207074	.4	12.1	15.2	123	.8	6.1	16.5	2357	4.58	13	2.8	<1	7.2	236	.1	3.5	<1	176	2.12	.145	25.5	10.7	2.60	673	346	8.08	1.348	3.31	1.3	53.9	42	.4	10.9	6.2	.5	<1	14	46.4	1.7	96.5	1.6			
207075	7.2	18.0	15.9	73	1.3	5.8	14.6	1889	4.56	21	2.7	.1	6.3	232	.1	4.8	<1	178	3.29	.128	21.3	11.8	1.57	287	361	7.78	1.073	4.49	1.5	52.0	37	.5	11.0	7.0	.5	1	15	22.9	3.5	130.0	1.6			
207076	51.5	20.5	29.1	69	1.3	4.9	12.7	1226	4.37	15	3.4	<1	6.2	164	.1	6.6	<1	235	2.52	.117	21.0	12.1	1.63	133	427	8.45	.778	4.18	2.1	55.0	40	.6	10.5	9.1	.6	1	14	25.9	3.9	95.3	1.9			
207077	2.3	10.0	13.0	55	.3	2.8	11.7	1008	3.89	11	3.1	<1	7.1	185	.1	3.4	<1	124	3.00	.103	18.1	6.0	1.38	125	311	7.58	1.504	3.67	1.1	50.6	34	.5	9.4	5.9	.4	1	9	15.5	3.4	97.8	1.7			
207078	3.6	12.8	20.1	58	.6	2.7	11.4	1032	4.11	9	3.2	<1	5.6	163	.2	4.0	<1	131	2.94	.095	15.5	8.5	1.21	121	327	7.25	1.429	3.77	1.2	50.2	29	.6	9.1	5.6	.5	1	9	12.7	3.6	78.9	1.7			
207079 (rock)	.5	3.6	22.6	39	.2	1.5	1.7	383	1.12	2	8.5	<1	20.0	187	.1	.6	.1	20	.82	.029	13.6	3.1	.18	568	106	6.56	2.962	1.81	.6	17.2	20	.7	4.5	6.0	.6	3	1	7.3	.1	60.7	1.2			
207080	14.9	15.1	21.4	54	1.0	2.4	10.5	1097	3.80	12	2.9	<1	6.6	194	.2	4.4	.1	120	3.14	.103	18.2	5.5	1.10	118	308	7.55	1.457	4.37	1.6	49.8	33	.5	9.6	5.9	.5	1	9	8.4	3.7	122.4	1.7			
207081	8.0	12.4	17.7	71	1.0	1.6	9.5	1200	3.53	13	2.7	<1	6.6	192	.1	5.4	<1	109	3.40	.089	16.4	6.3	.87	105	287	7.01	1.164	4.36	1.5	44.3	31	.4	9.2	5.5	.5	1	9	7.9	3.5	126.6	1.6			
207082	1.3	14.8	39.0	103	.8	2.5	11.4	2026	3.97	15	2.8	<1	6.3	245	.4	5.0	<1	123	4.16	.108	18.5	8.2	1.37	139	312	7.65	1.297	4.65	1.4	42.1	33	.3	10.1	4.6	.4	1	12	6.3	3.9	138.3	1.4			
207083	1.9	13.8	52.3	235	.6	2.1	10.1	2123	3.99	21	2.9	<1	7.0	237	1.2	8.8	<1	111	5.22	.099	18.0	4.9	1.03	258	299	7.62	.573	4.26	2.5	46.2	32	.5	11.2	5.8	.5	1	9	8.2	4.1	106.1	1.8			
207084	6.3	11.7	24.2	87	1.3	1.4	9.4	1664	3.61	19	2.9	<1	7.0	263	.2	7.8	.1	119	3.87	.091	18.4	5.1	1.48	169	273	7.60	.788	4.30	1.6	43.1	33	.5	10.6	5.0	.5	1	9	11.5	3.4	125.5	1.6			
207085	1.9	9.3	12.4	105	.5	2.6	10.7	1481	3.78	19	2.9	<1	6.5	232	.1	3.5	<1	112	2.27	.098	16.4	5.0	2.43	142	291	7.64	1.657	3.96	1.2	49.5	32	.5	9.5	5.8	.5	1	8	42.8	2.7	70.9	1.7			
207086	1.5	12.1	20.1	92	.6	2.0	10.6	1510	3.80	24	2.9	<1	7.2	256	.1	4.9	<1	95	2.82	.104	19.0	5.5	1.88	164	291	7.70	1.665	4.40	1.5	50.7	35	.5	9.9	5.6	.5	1	10	22.2	3.4	116.4	1.7			
207087	1.9	11.1	16.3	66	.5	3.2	11.0	1444	3.83	16	3.1	<1	6.6	213	.1	6.6	.1	115	2.61	.110	15.2	7.3	1.43	132	296	7.19	.997	4.40	1.6	50.3	30	.5	10.0	5.6	.5	1	9	11.5	3.6	106.2	1.7			
STANDARD DST6	12.7	126.4	35.5	170	.4	29.7	13.0	955	4.00	23	7.8	<1	7.2	315	5.5	5.5	4.8	106	2.27	.097	26.5	232.5	1.01	688	421	6.94	1.672	1.31	7.7	53.4	52	6.5	15.2	8.5	.7	3	10	25.3	.1	53.6	1.8			

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCl-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.  
- SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA

DATE RECEIVED: JAN 2 2007 DATE REPORT MAILED:.....JAN 22 2007





ASSAY CERTIFICATE



Coast Mountain Geological PROJECT Homestake #53 File # A700118


P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper

SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
207088	.01	1.36
207089	<.01	6.08
207090	<.01	7.29
207091	<.01	7.46
207092	<.01	2.78
207093	<.01	5.35
207094	.03	3.11
207095	.02	2.77
207096	.01	4.75
207097	.01	4.86
207098	.01	4.65
207099	.05	1.83
207100	.11	5.15
207101 (pulp)	.29	-
207102	.17	2.35
207103	.07	3.51
207104	.04	3.49
207105	.04	3.62
207247	.15	4.98
RE 207247	.17	-
RRE 207247	.22	-
207248	.01	4.32
STANDARD SL20	6.07	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA

DATE RECEIVED: JAN 2 2007 DATE REPORT MAILED: JAN 16 2007





GEOCHEMICAL ANALYSIS CERTIFICATE




Coast Mountain Geological PROJECT Homestake #53 File # A700118

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Mt	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Tl	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.5	3.8	23.0	61	<1	4.4	5.0	802	2.67	<1	3.0	<1	7.1	749	.1	.1	.2	59	2.71	.095	21.9	9.9	.68	1049	.285	8.30	2.830	2.73	.1	7.9	47	2.1	14.4	19.5	1.6	3	5	38.9	<1	104.4	.7		
207088	.8	31.3	7.7	132	.1	2.2	22.9	1691	7.15	5	.6	<1	1.5	180	.3	3.5	.1	332	4.33	.139	7.8	3.6	2.09	830	.552	8.51	1.141	2.32	1.5	21.9	19	.8	10.1	3.7	.3	1	16	32.7	1.9	31.6	.9		
207089	1.6	23.7	8.0	103	.1	1.6	20.2	3228	6.28	14	.8	<1	2.2	270	.3	4.1	.1	243	10.51	.104	16.1	2.5	1.96	710	.454	7.82	.928	2.17	1.1	21.3	29	.7	15.6	2.3	.2	1	17	21.5	2.8	85.4	.9		
207090	3.4	22.0	9.9	99	.1	.9	20.3	2328	6.51	9	.9	<1	2.3	377	.4	5.1	<1	235	7.84	.112	12.2	.7	2.15	708	.456	9.04	1.350	2.43	1.4	27.5	24	.7	14.0	3.0	.2	1	16	11.3	4.3	93.3	1.0		
207091	1.1	21.3	7.3	112	.1	2.0	21.3	1588	6.92	11	.7	<1	1.9	389	.3	5.7	<1	266	4.55	.130	11.9	1.1	2.59	222	.505	8.45	1.954	2.36	1.7	25.9	25	.6	11.3	4.1	.3	1	16	17.0	4.1	76.1	.9		
207092	3.7	23.7	12.3	124	.2	2.8	24.9	1993	7.32	31	1.0	<1	2.6	283	.9	9.1	<1	302	5.67	.132	16.0	4.9	2.32	293	.527	9.79	1.070	3.09	1.6	30.8	31	.7	14.7	3.0	.3	1	22	18.2	4.4	126.6	1.2		
207093	.5	26.4	5.2	138	.2	3.5	24.5	2095	7.33	56	.7	<1	2.1	386	.2	4.8	<1	313	5.16	.122	12.1	7.8	3.15	1428	.555	9.61	1.820	2.16	3.0	26.3	27	.9	12.2	2.9	.2	1	22	36.6	.3	58.0	.9		
207094	.7	17.6	11.6	71	.4	3.1	20.7	2515	6.20	25	.9	<1	2.3	572	.2	11.4	<1	254	9.66	.101	12.6	5.7	2.83	1144	.429	7.11	.368	2.23	3.2	27.0	25	.7	14.2	2.1	.2	1	18	11.1	1.8	91.8	1.0		
207095	7.3	24.4	14.4	84	.3	3.7	25.0	1832	6.72	148	1.3	<1	2.3	289	.3	12.7	<1	297	5.48	.116	13.7	5.6	1.90	168	.538	9.71	.625	2.33	3.7	21.8	27	1.0	12.3	2.4	.2	1	21	4.8	4.4	84.4	.8		
207096	3.2	24.4	18.9	97	.3	3.2	25.1	1670	6.96	32	1.4	<1	2.4	239	.3	12.2	<1	305	5.36	.116	14.6	7.5	1.77	355	.526	9.12	.454	3.23	2.2	28.6	29	.9	12.2	2.7	.2	1	23	4.3	5.6	118.7	1.1		
207097	1.2	22.2	14.2	37	.3	3.1	12.8	1341	4.32	63	2.5	<1	7.0	235	.2	7.4	.1	151	3.40	.045	20.6	7.0	1.04	146	.346	8.10	.917	2.71	1.4	49.4	37	.9	11.8	5.5	.5	1	12	6.7	3.7	98.9	1.5		
207098	1.0	22.7	14.4	68	.2	3.6	12.6	960	4.61	12	2.3	<1	7.1	247	.3	6.6	.2	157	3.43	.056	20.2	9.9	.84	112	.355	8.09	1.122	2.99	1.2	53.8	37	1.1	11.0	6.2	.5	1	13	6.7	4.5	109.3	1.8		
207099	2.9	40.9	28.2	124	1.0	4.7	19.4	1431	5.83	95	1.7	<1	3.2	278	.8	13.1	.1	240	5.28	.105	16.1	7.7	1.51	450	.427	8.58	.376	3.02	2.1	31.3	30	.9	12.2	3.4	.2	1	18	4.5	4.9	115.0	1.0		
207100	5.1	31.0	41.4	62	.8	5.2	15.6	2034	4.58	283	1.6	<1	3.5	290	.4	13.8	.2	179	6.85	.084	16.5	10.3	1.69	321	.355	7.00	.161	2.91	2.4	29.3	30	.7	13.2	4.0	.3	1	15	4.1	3.0	115.8	1.0		
207101 (pu/p)	15.3	41.5	14.9	117	.2	18.0	91.7	2205	6.18	2196	3.1	.3	6.8	303	.2	8.3	7.8	102	8.54	.092	66.4	40.6	1.14	1172	.316	6.44	2.146	2.23	1.0	31.2	108	2.0	20.8	15.3	1.0	1	8	15.2	.7	48.8	1.2		
207102	3.6	10.1	14.9	49	.4	3.6	11.4	1192	3.49	29	3.6	.1	7.0	162	<1	4.2	.1	126	.26	.093	16.5	7.5	.76	111	.300	7.87	.590	2.60	2.7	51.8	33	.6	7.5	5.9	.5	1	10	18.2	2.4	59.6	1.9		
207103	2.8	12.3	18.1	71	.5	2.7	10.8	1668	3.69	13	3.4	<1	7.5	166	.1	4.6	<1	129	.26	.097	17.9	6.1	1.00	135	.302	7.67	.746	2.11	2.1	51.4	35	.5	7.2	6.1	.5	1	9	20.0	2.3	50.8	1.8		
207104	2.0	11.7	14.3	63	.5	3.6	11.2	1385	3.71	10	3.2	<1	7.7	149	.1	4.4	<1	120	.28	.100	17.9	6.5	.93	157	.312	7.78	1.246	2.22	1.9	50.0	35	.5	6.8	6.3	.5	2	9	18.9	2.3	47.4	1.8		
207105	3.2	11.5	17.1	84	.8	2.8	11.3	1517	3.83	10	3.4	<1	8.1	186	.1	5.1	.1	132	.74	.097	21.6	6.0	1.29	233	.316	8.38	1.616	2.17	2.0	52.3	38	.8	7.9	6.5	.5	1	9	22.5	2.1	57.8	1.8		
207247	3.9	10.4	12.5	41	.5	2.7	9.6	1090	2.84	24	3.1	.1	6.9	178	.1	3.4	<1	93	.27	.085	17.0	9.7	.56	136	.270	7.00	.881	2.46	1.9	43.4	31	.5	8.1	5.2	.4	<1	8	11.7	2.2	51.8	1.5		
RE 207247	4.9	11.4	13.0	41	.4	2.5	9.3	1072	2.81	25	3.2	.1	6.7	184	.1	3.5	<1	90	.28	.084	17.3	8.7	.56	131	.258	7.08	.848	2.79	1.9	44.6	31	.6	8.6	4.9	.4	<1	8	11.9	2.2	58.9	1.5		
RRE 207247	3.7	13.7	16.1	108	.5	2.9	9.5	1051	2.85	22	3.3	.1	6.0	170	<1	6.5	<1	92	.28	.082	14.7	9.5	.58	92	.266	7.01	.880	4.06	2.1	45.1	28	.5	7.9	5.1	.5	<1	8	13.7	2.1	91.3	1.6		
207248	1.3	21.2	12.0	65	.2	3.0	12.6	1075	4.22	18	2.3	<1	6.5	192	.1	6.7	.1	154	3.24	.056	19.8	8.9	1.15	124	.344	8.26	.655	3.14	1.5	53.9	35	1.0	10.7	5.8	.5	2	12	4.9	3.2	98.0	1.6		
STANDARD DST6	12.8	126.4	36.4	177	.4	30.1	13.0	965	4.06	24	7.7	<1	7.2	320	5.7	5.7	5.0	107	2.24	.101	26.6	226.8	1.01	693	.429	6.89	1.681	1.44	7.8	54.4	53	6.3	15.3	8.7	.8	4	12	26.9	<1	58.2	1.8		

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCl-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.  
- SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA DATE RECEIVED: JAN 2 2007 DATE REPORT MAILED:..... 105 27 2007





ASSAY CERTIFICATE




Coast Mountain Geological PROJECT Homestake #54 File # A700119 Page 1

P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper

SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
207106	<.01	4.96
207107	<.01	5.28
207108	<.01	3.71
207109	<.01	3.64
207110	<.01	4.46
207111	.01	4.53
207112	<.01	5.31
207113	<.01	5.79
207114	<.01	5.51
207115	<.01	5.76
RE 207115	<.01	-
RRE 207115	<.01	-
207116	<.01	5.62
207117	.01	5.81
207118	.01	5.49
207119	<.01	3.41
207120 (pulp)	2.90	-
207121	<.01	4.55
207122	.02	1.30
207123	<.01	5.11
207124	<.01	4.65
207125	.01	5.46
207126	<.01	5.53
207127	.01	5.48
207128	<.01	3.65
207129	.01	4.62
207130	.02	1.36
207131	.07	5.47
207132	.02	5.59
207133	.17	3.39
207134	.02	2.75
207135	.51	1.58
207136	.01	5.55
207137	.01	4.95
STANDARD SL20	6.12	-

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: DRILL CORE R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



Data FA DATE RECEIVED: JAN 2 2007 DATE REPORT MAILED: JAN 19 2007





SAMPLE#	Au** gm/mt	Sample kg
G-1	.01	-
207138 (rock)	.01	.40
207139	.03	4.95
207140	.38	1.96
207141	.17	3.68
207142	.09	3.79
207143	.03	2.27
207144	.02	2.18
207145	.02	3.79
207146	.01	4.68
207147	.01	5.81
207148	.02	4.79
207149 (pulp)	1.78	-
207150	.01	5.52
207151	.01	5.45
207152	.01	5.61
207153	.04	5.43
207154	.03	5.61
207155	.04	5.39
207156	.14	5.42
207157	.14	4.34
207158	.20	5.17
RE 207158	.17	-
RRE 207158	.15	-
207159	.09	4.07
207160	.13	4.13
207161	.06	2.53
207162	.06	3.23
207163	.11	2.46
207164	.28	2.27
207165	.16	3.15
207166	.27	3.07
207167	.22	2.87
207168	.09	2.31
207169	.10	2.92
STANDARD SL20	5.99	-

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
207170	.23	2.61
207171	.07	2.76
207172	.06	2.69
207173 (pulp)	15.46	-
207174	.13	2.23
207175	.11	2.12
207176	.04	3.22
RE 207176	.03	-
RRE 207176	.03	-
207177	.02	3.15
207178	.04	3.77
207179	.07	3.14
207180	.09	3.57
207181	.04	3.11
207182	.11	3.48
207183	.06	3.64
207184	.05	3.39
207185	.01	3.63
207186	.02	3.79
207187	.02	3.92
207188	.03	3.82
207189	.07	3.48
207190	.03	3.22
207191	.01	4.30
207192	.01	2.11
207193	.02	3.83
207194	.03	3.97
207195 (rock)	<.01	.32
207196	.13	3.43
207197	.07	3.52
207198	.06	3.46
207199	.03	1.85
207200	.15	2.39
207201	.04	4.26
STANDARD SL20	5.89	-

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Au** gm/mt	Sample kg
G-1	.01	-
207202	.03	3.13
207203	.05	4.59
207204	.05	5.25
207205	.06	4.81
RE 207205	.06	-
RRE 207205	.06	-
207206	.01	5.27
207207	.01	5.16
207208	.02	4.69
207209	.01	3.95
207210	.02	4.07
207211	.07	4.98
207212	.04	5.27
207213	.03	4.13
207214	.02	3.67
207215	.01	1.83
207216	.01	5.27
207217 (rock)	<.01	.45
207218	.02	4.93
207219	.01	5.11
207220	<.01	5.18
207221	.02	5.13
207222	.02	3.97
207223	.02	3.92
207224	.01	3.87
207225	.03	4.93
207226	.02	4.68
207227	<.01	4.79
207228	.01	4.89
207229	<.01	2.95
207230	<.01	3.11
207231	.01	3.87
207232	<.01	3.96
207233	.01	4.37
STANDARD SL20	5.97	-

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Au** gm/mt	Sample kg
G-1	<.01	-
207234	.02	5.43
207235	.01	4.11
207236	<.01	3.57
207237	<.01	3.21
RE 207237	<.01	-
RRE 207237	<.01	-
207238	.01	5.59
207239 (pulp)	2.87	-
207240	<.01	5.42
207241	.01	5.24
207242	.01	5.68
207243	.02	5.62
207244	.01	5.60
207245	<.01	5.38
207246	<.01	3.23
STANDARD SL20	6.04	-

Sample type: DRILL CORE R150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



GEOCHEMICAL ANALYSIS CERTIFICATE



Coast Mountain Geological PROJECT Homestake #54 File # A700119 Page 1  
P.O. Box 11604 620 - 650, Vancouver BC V6B 4N9 Submitted by: Bruno Kasper

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	B	V	Ca	P	Le	Cr	Mg	Ba	Ti	Al	Na	K	K	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.4	9.2	24.0	58	1	3.3	4.1	800	2.67	<1	3.3	<1	6.8	744	1	5.6	3	57	1.67	.089	21.7	6.0	.70	1015	.282	7.84	2.663	2.74	.3	8.4	46	1.2	15.2	20.5	1.5	3	5	40.6	2	104.5	7		
207106	1.1	44.0	19.2	162	1	8.0	29.9	1740	8.41	17	1.3	<1	2.5	428	4	13.2	1	348	5.31	.161	13.4	21.4	2.85	1783	.649	8.25	1.289	2.16	.7	31.0	30	1.0	17.5	4.1	.3	1	24	45.4	2	41.9	1.4		
207107	1.2	45.4	12.0	96	1	3.9	24.7	1155	6.92	88	1.9	<1	2.7	400	3	32.3	<1	252	8.07	.170	14.0	8.4	2.53	78	.493	8.17	.266	3.40	1.3	25.2	30	1.6	16.1	3.3	.2	1	20	50.0	4.9	135.3	9		
207108	.9	39.8	16.0	137	1	5.2	23.4	1657	5.60	105	1.8	<1	2.5	631	1	25.1	1	208	12.90	.144	14.4	7.2	2.88	403	.426	7.12	.226	2.09	1.8	22.0	29	.5	15.3	2.8	.2	1	19	58.0	3.0	104.6	8		
207109	2.1	51.0	14.3	140	2	4.9	26.5	1652	7.52	35	1.1	<1	2.0	462	6	23.3	<1	307	4.29	.151	11.2	13.0	2.12	410	.596	8.85	1.161	2.88	1.2	26.5	26	8	15.0	3.8	.2	1	19	47.6	1.9	53.1	1.0		
207110	1.7	45.4	41.9	112	1.1	4.0	22.4	3020	5.67	105	2.6	<1	2.6	391	2	24.2	<1	206	10.76	.139	14.5	5.5	1.39	97	.452	7.96	.138	3.82	2.2	33.4	29	.6	16.0	2.7	.2	1	19	27.9	3.8	164.2	1.0		
207111	.7	46.5	22.2	177	1.2	2.9	24.5	2218	7.04	50	1.0	<1	2.3	457	<1	19.3	1	265	5.96	.145	12.8	8.0	2.10	319	.564	9.77	.440	3.52	2.3	22.3	29	.7	17.3	3.4	.2	1	21	57.1	1.8	104.2	.8		
207112	1.4	55.2	19.3	133	.3	2.9	23.6	2059	6.60	20	1.2	<1	2.1	412	2	14.8	<1	262	5.65	.130	12.1	7.4	2.10	1384	.528	8.32	1.545	1.93	1.0	20.7	27	.8	15.2	3.6	.2	1	17	45.3	6	49.8	1.0		
207113	1.2	48.7	11.0	91	.1	2.9	22.9	1419	7.28	38	1.2	<1	2.2	1110	<1	34.9	<1	292	6.73	.146	12.4	8.8	1.88	1235	.548	8.96	2.363	2.03	.6	27.3	27	.8	15.7	3.3	.2	1	19	26.9	2	25.7	1.2		
207114	1.2	48.9	9.6	97	.1	2.6	24.9	1569	7.03	37	.9	<1	1.7	683	2	19.6	<1	292	5.81	.140	9.2	9.9	1.99	1266	.586	8.74	2.141	2.23	.6	26.1	23	.9	14.6	2.8	.2	1	18	35.8	2	18.4	1.2		
207115	.5	41.3	12.4	128	.1	3.4	29.0	3026	6.37	35	1.2	<1	2.6	524	2	10.0	<1	250	8.60	.147	13.5	7.0	2.57	1525	.516	8.21	.224	3.90	2.0	38.7	29	.8	16.0	2.9	.2	1	18	50.5	1.2	141.6	1.4		
RE 207115	.4	39.5	12.2	127	.1	2.8	26.4	3015	6.34	54	1.2	<1	2.5	516	2	10.2	<1	247	8.72	.151	14.2	7.8	2.62	1465	.511	8.45	.223	2.41	2.2	41.1	28	.7	16.8	3.1	.2	1	20	47.8	1.3	97.9	1.5		
RRE 207115	.5	36.4	11.9	119	.1	3.8	27.0	3411	6.26	51	1.3	<1	3.0	525	.1	9.1	<1	238	10.36	.130	14.5	7.3	2.67	1206	.469	8.39	.259	2.32	2.1	29.9	30	.6	16.5	2.7	.1	1	21	50.4	1.2	95.4	1.3		
207116	.9	50.5	7.9	116	.1	4.3	27.7	1992	7.19	26	1.0	<1	1.8	486	1	14.6	<1	303	5.32	.145	11.0	9.5	2.32	1383	.573	8.81	1.503	2.38	1.1	22.6	26	.7	14.5	3.4	.2	1	19	50.6	2	38.2	1.0		
207117	1.2	45.0	8.8	99	1	4.3	26.6	1651	7.72	52	1.1	<1	1.9	814	2	21.7	<1	326	6.58	.154	11.3	9.7	2.20	1619	.614	8.85	2.075	2.44	.5	30.8	24	.7	14.9	3.6	.2	1	20	36.2	2	25.8	1.4		
207118	.3	6.8	7.2	130	.1	<1	21.4	1908	7.25	10	.7	<1	1.7	262	2	8.0	<1	299	7.18	.110	12.3	1.4	2.43	862	.540	9.43	1.550	2.28	2.2	11.6	26	.6	12.8	2.1	.2	1	23	35.2	.6	83.0	.5		
207119	.5	43.0	12.2	120	.2	1.0	22.0	1506	7.11	11	.8	<1	1.4	211	.3	7.1	1	330	5.36	.119	10.3	6.2	2.17	432	.554	8.78	2.117	2.39	1.0	19.5	23	.5	11.1	2.1	.1	1	23	38.7	3.4	59.9	.7		
207120 (puip)	84.8	283.6	46.2	160	2.0	71.4	42.5	3095	11.74	437	2.8	3.1	5.0	187	9	19.5	238.5	87	18.62	.081	24.0	93.3	1.51	240	.538	4.23	.402	.40	78.1	49.2	46	192.5	19.1	8.8	.6	<1	12	10.4	1.1	16.6	1.9		
207121	18.8	83.4	17.2	126	.6	1.8	28.3	2435	7.96	77	.8	<1	1.6	328	2	8.5	1	266	9.95	.100	12.0	5.6	1.87	337	.461	7.51	1.523	2.13	1.0	15.8	25	.3	12.5	2.2	.1	1	21	31.7	5.0	92.5	.6		
207122	9.8	45.4	23.4	154	5.3	2.0	25.1	1061	6.97	53	.9	<1	1.7	132	7	19.1	.1	306	4.26	.129	8.9	3.3	1.45	61	.558	8.17	1.221	3.43	1.1	18.3	21	.6	9.4	2.9	.1	1	21	46.7	5.1	102.5	.7		
207123	.4	45.5	15.8	231	.5	1.5	22.8	1672	7.06	10	.7	<1	1.7	200	.1	7.9	<1	323	5.43	.139	9.6	3.9	2.30	270	.567	8.89	1.568	2.39	.9	20.8	23	.7	11.1	2.6	.1	1	21	39.7	3.7	56.0	.7		
207124	1.4	84.0	27.3	118	1.1	.6	26.4	1442	6.99	25	.8	<1	1.7	183	2	8.5	.1	302	5.93	.125	9.9	2.9	1.23	109	.528	8.52	1.365	3.21	1.0	17.6	23	.7	11.1	2.2	.2	1	20	19.7	5.3	106.2	.7		
207125	.6	24.3	14.9	201	.7	.8	23.3	2083	7.11	9	.7	<1	1.9	210	2	7.8	.1	296	6.13	.125	12.6	2.7	2.35	1085	.533	9.31	1.475	2.29	1.7	17.9	26	.7	12.1	2.7	.1	1	21	45.0	1.7	74.7	.8		
207126	.3	8.8	5.0	193	.1	1.9	24.6	2079	7.64	7	.8	<1	1.8	354	<1	5.9	<1	308	5.93	.128	12.0	3.3	2.70	2308	.538	9.28	1.537	2.31	1.1	13.1	26	.6	12.5	2.3	.2	1	20	42.8	.4	58.7	.6		
207127	10.9	91.2	21.8	164	1.0	2.3	30.1	1816	7.45	76	.7	<1	1.7	247	1	11.9	.1	297	6.32	.135	12.4	4.2	2.41	415	.550	9.52	1.144	2.84	1.2	15.2	29	.4	11.9	2.2	.1	1	24	30.2	2.5	92.2	.6		
207128	1.0	27.0	6.4	167	.2	1.2	22.8	1901	7.11	7	1.0	<1	2.5	339	.1	8.4	<1	283	6.16	.140	14.2	1.9	2.57	2389	.531	9.37	.909	2.61	1.1	18.7	29	.6	13.2	2.1	.2	1	20	39.5	.6	70.9	.7		
207129	5.0	33.4	14.4	150	.8	1.4	24.1	1816	6.86	22	1.0	<1	2.6	225	2	8.7	.1	263	6.67	.126	15.4	2.4	2.27	755	.485	8.81	.585	2.34	1.6	18.3	29	.5	13.4	2.4	.1	1	19	33.4	1.7	96.6	.7		
207130	11.4	46.2	14.8	127	.9	1.1	21.3	1201	6.13	23	.7	<1	2.1	156	1	11.2	<1	203	4.72	.123	12.0	2.4	1.97	354	.436	8.28	.481	2.76	1.3	18.0	25	.7	10.3	2.1	.1	1	17	42.1	1.9	87.8	.7		
207131	3.7	27.3	15.0	157	1.3	1.4	25.9	1450	7.30	38	.7	.1	1.5	151	<1	10.4	<1	300	4.28	.129	10.7	4.7	2.63	1637	.525	9.54	.502	2.79	2.9	12.6	24	.6	11.2	2.2	.1	1	19	55.2	1.3	59.7	.5		
207132	2.2	26.9	18.3	147	1.1	1.5	25.4	1799	7.76	39	.6	<1	1.7	203	2	6.7	<1	388	5.31	.137	12.0	5.3	2.66	1262	.585	9.55	.315	3.27	2.3	14.2	26	.8	11.9	2.2	.1	1	23	49.4	1.7	95.6	.5		
207133	29.9	48.3	59.5	144	3.9	<1	21.0	2433	6.01	108	.7	.2	1.5	193	3.9	14.3	<1	357	7.48	.109	10.1	3.1	.95	75	.458	7.25	.044	4.10	2.1	14.6	22	.4	10.3	1.8	.1	1	19	18.9	5.0	154.1	.5		
207134	3.3	34.5	15.3	116	.9	1.1	23.7	1909	7.20	18	.7	<1	1.5	193	.1	6.0	<1	307	6.68	.116	11.2	3.8	2.34	183	.538	8.91	.392	2.47	1.7	15.6	24	.5	11.9	2.1	.1	1	22	42.4	3.0	100.0	.5		
207135	63.1	177.1	62.4	130	38.2	2.6	19.7	265	5.66	183	.6	.5	.8	50	1.5	50.6	<1	245	.43	.097	6.6	6.4	1.09	76	.348	6.04	.045	3.93	4.0	12.8	16	.3	6.3	1.2	.1	<1							



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.2	2.4	21.4	56	<.1	3.3	4.9	820	2.74	<.1	3.1	<.1	6.5	755	<.1	<.1	.2	60	2.74	.092	20.6	7.6	.68	1066	.297	7.98	2.792	2.59	.3	9.9	42	1.3	14.0	20.4	1.6	2	5	39.8	.1	87.3	.7		
207138 (rock)	1.4	6.7	21.8	49	<.1	3.1	2.2	626	1.66	5	8.4	<.1	20.3	216	.1	.5	.1	27	.99	.036	16.6	7.2	.22	482	.138	7.05	3.088	2.71	.7	15.5	25	1.3	5.2	7.3	.6	3	2	8.9	.1	100.9	1.1		
207139	2.4	43.7	9.7	80	.7	5.0	19.8	1657	5.14	19	2.1	<.1	3.2	198	.2	9.6	.1	222	4.63	.101	11.5	12.1	1.28	1361	.388	7.10	.096	2.77	2.2	30.6	23	.6	9.9	3.6	.4	1	13	8.0	.9	43.9	1.0		
207140	3.0	10.6	107.3	498	1.5	3.2	5.9	345	4.03	47	2.4	.3	6.1	66	3.5	12.0	<.1	114	.49	.087	14.9	5.8	.46	33	.257	6.45	.035	3.19	1.5	33.8	29	.7	7.6	4.2	.4	1	8	14.2	3.5	130.3	1.1		
207141	8.7	29.7	38.1	64	3.1	5.4	16.1	513	3.64	45	2.8	.2	5.0	110	.5	23.7	.1	190	1.21	.167	16.7	16.1	.65	553	.479	9.75	.062	3.46	2.1	40.3	34	1.1	5.9	9.2	.7	3	11	26.4	2.4	87.4	1.3		
207142	2.3	9.7	54.8	219	.8	2.5	8.7	919	4.66	75	4.1	<.1	6.8	107	1.6	8.8	.1	286	1.36	.099	15.5	7.5	.68	67	.373	8.30	.044	3.36	2.1	54.0	31	.8	9.4	6.7	.6	2	10	8.4	4.5	119.4	1.9		
207143	1.2	14.5	81.0	100	1.2	2.5	16.9	1484	3.22	155	3.9	.2	7.6	173	.8	8.4	1.3	305	2.76	.086	21.9	5.0	.60	46	.304	7.53	.042	2.83	1.1	49.6	38	1.4	11.4	6.0	.5	1	9	7.6	2.9	112.3	1.6		
207144	3.3	27.2	113.5	241	1.4	3.5	22.6	2251	3.07	97	4.1	<.1	7.5	211	2.1	14.1	1.3	394	4.20	.097	20.2	5.8	.60	100	.310	7.51	.042	2.39	1.2	49.3	37	1.6	11.4	6.0	.5	1	9	7.2	2.8	72.8	1.8		
207145	2.7	49.7	64.2	335	1.9	2.0	16.8	2832	3.41	104	2.7	<.1	6.7	323	2.4	21.3	.4	145	5.90	.079	18.8	3.9	.47	35	.260	6.54	.062	2.92	1.1	39.4	32	.8	11.3	4.7	.4	1	8	6.8	3.3	116.6	1.3		
207146	2.3	14.3	21.6	58	.5	2.4	10.5	1219	3.78	19	2.9	<.1	7.7	243	.2	5.5	.4	123	4.54	.102	21.9	6.3	.68	133	.327	7.80	.650	2.81	.9	47.4	38	1.0	9.4	6.2	.5	2	9	5.0	3.4	105.5	1.6		
207147	3.2	11.4	36.1	46	.8	1.7	10.2	1136	3.93	27	2.5	<.1	7.5	248	.3	6.0	1.7	124	4.49	.104	19.6	5.1	.75	134	.333	7.74	.767	3.10	1.0	46.9	35	1.7	9.9	6.2	.6	2	10	6.1	3.6	104.6	1.6		
207148	4.0	14.6	35.1	46	.9	2.3	12.6	1505	3.98	35	2.7	<.1	7.5	320	.3	5.6	1.8	121	5.50	.099	22.0	5.5	.94	78	.326	7.97	.792	2.81	1.1	46.2	39	1.7	10.3	6.4	.5	1	10	6.5	3.5	95.5	1.7		
207149 (pulp)	8.3	131.5	14.7	143	.6	26.9	83.8	3955	9.18	1813	4.3	1.6	2.1	341	.5	12.9	31.9	97	14.35	.113	29.8	54.6	1.79	666	.260	4.50	.756	.88	9.6	43.1	35	4.6	19.8	2.3	.2	<.1	10	16.4	.5	29.3	1.5		
207150	2.2	11.9	26.6	134	.6	2.4	12.0	1469	4.26	24	3.0	<.1	6.9	191	.7	4.6	.2	126	3.20	.090	19.1	6.0	1.28	42	.324	7.25	.114	2.79	1.1	47.3	34	.9	10.8	6.1	.5	1	10	7.1	3.7	105.4	1.6		
207151	2.7	11.5	22.7	82	.7	2.5	11.1	1101	4.08	17	3.0	<.1	7.6	263	.5	4.3	.1	130	3.99	.101	20.5	6.2	.73	79	.328	7.89	.909	3.17	1.2	50.7	36	1.1	10.1	6.4	.5	2	9	7.3	3.8	116.6	1.7		
207152	2.7	10.6	49.4	108	.9	2.1	9.7	1654	4.04	23	3.6	<.1	7.9	281	.5	3.8	.2	117	3.97	.098	19.8	5.2	1.05	47	.311	7.56	1.082	3.54	1.2	49.0	36	1.1	11.0	6.1	.6	1	9	5.4	3.6	124.8	1.8		
207153	6.6	10.0	32.6	35	1.4	1.9	10.1	1251	3.56	27	2.9	<.1	7.9	256	.2	4.6	.7	116	4.04	.095	21.1	5.4	.72	74	.305	7.44	.931	3.33	1.1	46.2	39	1.3	9.7	5.9	.5	2	9	6.2	3.3	122.4	1.5		
207154	3.3	11.0	18.1	90	.7	1.8	9.6	1514	3.72	16	3.1	<.1	7.3	241	.4	3.3	.1	120	4.28	.095	18.9	6.0	.91	61	.314	7.53	.845	2.96	1.1	48.8	33	.8	10.1	6.3	.5	1	9	8.4	3.2	102.0	1.6		
207155	7.4	11.7	57.9	64	1.0	2.4	10.5	1473	3.92	20	3.3	<.1	7.5	190	.3	4.0	.2	113	2.77	.098	19.9	5.9	1.06	70	.317	7.80	.940	3.71	1.3	50.8	37	.8	11.3	6.7	.5	1	9	9.3	3.4	134.1	1.7		
207156	4.5	11.2	31.0	112	.9	2.7	11.0	1272	3.85	10	3.5	<.1	7.8	250	.4	4.0	<.1	127	3.34	.099	18.7	5.4	.80	54	.332	7.90	.902	3.78	1.3	54.8	34	.8	10.4	6.3	.6	2	9	7.4	3.3	127.4	1.9		
207157	3.9	11.9	48.3	304	1.1	2.7	10.9	2073	3.81	9	3.2	.1	7.9	263	1.7	4.2	.1	113	4.87	.089	20.8	5.0	1.11	51	.305	7.68	.645	3.76	1.2	50.2	37	1.0	11.3	6.1	.5	1	9	6.0	3.1	122.7	1.7		
207158	3.1	13.6	41.5	122	1.1	3.0	9.7	1956	4.15	32	3.4	<.1	7.9	255	.6	5.2	.1	121	3.30	.103	17.2	5.3	.90	53	.309	7.61	.610	3.84	1.7	53.6	32	.8	10.1	5.9	.5	1	9	9.9	3.5	113.1	1.9		
RE 207158	3.1	13.6	43.3	116	1.0	3.1	11.0	1940	4.08	29	3.3	<.1	7.4	259	.7	5.1	<.1	120	3.26	.099	17.1	4.5	.88	54	.312	7.54	.589	4.12	1.7	54.6	33	.8	10.1	6.3	.5	1	9	8.2	3.6	120.2	1.9		
RRE 207158	3.3	11.9	35.9	113	1.1	2.2	10.3	2011	3.98	22	3.0	.1	7.4	253	.6	5.0	<.1	121	3.44	.096	17.2	4.6	.92	52	.305	7.57	.575	4.25	1.6	52.4	32	1.0	10.1	6.2	.6	1	9	6.9	3.3	116.5	1.7		
207159	3.9	12.0	21.3	94	1.0	3.3	10.8	1215	4.02	10	3.6	<.1	7.5	209	.5	5.8	.1	128	1.58	.099	15.6	6.6	.82	51	.339	8.19	.447	4.23	1.8	57.9	31	1.1	8.4	6.4	.6	1	10	9.3	3.5	132.4	1.9		
207160	2.3	12.1	19.6	46	1.0	2.5	10.6	1456	3.69	12	3.2	.3	7.5	264	.2	6.4	<.1	119	3.02	.100	19.4	6.3	.76	68	.321	7.72	.613	3.71	1.7	57.1	36	.9	9.3	6.4	.5	1	10	8.5	3.5	117.5	1.9		
207161	2.7	11.5	20.9	62	.8	2.9	11.2	1254	4.05	13	3.5	<.1	7.6	241	.4	8.4	<.1	128	1.95	.104	18.1	8.5	1.01	51	.333	7.85	.895	3.56	1.3	57.0	34	.8	9.4	6.5	.5	1	10	10.8	3.9	122.4	2.1		
207162	2.7	11.9	29.1	108	1.2	2.0	10.3	2090	3.98	15	3.2	<.1	7.3	270	.6	8.1	<.1	121	3.02	.099	18.5	5.4	1.26	49	.318	7.82	.732	4.24	1.3	56.7	35	.9	11.3	6.2	.6	1	9	8.3	3.6	121.8	2.0		
207163	2.0	12.7	48.2	140	1.4	2.8	9.4	1574	3.75	26	3.2	.1	6.9	233	.8	9.0	<.1	118	2.21	.097	17.8	6.9	1.05	43	.315	7.78	.504	4.23	1.3	52.4	33	1.0	9.9	6.1	.6	1	10	7.3	3.4	135.1	1.8		
207164	2.8	11.2	25.4	114	1.0	1.5	9.4	2358	3.76	24	3.1	.2	7.4	266	.8	8.3	.1	110	3.01	.094	17.8	5.4	1.16	50	.294	7.26	.633	4.16	1.5	49.4	33	.9	10.9	6.1	.5	1	9	5.9	3.6	118.8	1.7		
207165	2.9	12.7	30.1	68	1.7	2.8	10.2	1660	3.87	24	3.2	.2	7.5	256	.3	9.3	<.1	121	2.64	.101	18.0	6.8	.82	46	.324	7.75	.725	4.12	1.4	56.0	33	.9	10.0	6.5	.5	1	9	6.0	3.8	122.7	1.9		
207166	2.5	13.4	26.6	96	1.6	2.6	9.8	2585	3.89	23	3.0	.2	7.0	312	.4	9.1	<.1	115	3.96	.098	17.5	4.7	.99	65	.294	7.08	.644	4.30	1.5	53.3	32	.9	11.4	6.1	.5	1	9	6.5	3.9	105.3	1.8		
207167	1.9	12.1	24.7	161	1.1	2.9	10.0	1884	3.81	13	2.9	.1	7.1	253	.8	8.3	<.1	115	3.14	.097	17.8	6.9	.71	49	.302	7.42	.531	4.06	1.7	51.6	32	.9	9.6	6.0	.5	1	9	5.7	3.7	115.8	1.9		
207168	1.3	12.2	81.2	170	1.6	2.1	9.7	2077	3.47	14	2.9	<.1	7.0	284	1.1	12.9	<.1	111	3.45	.100	17.2	5.0	.74	46	.294	7.25	.352	3.47	1.8	50.0	31	.7	9.2	6.1	.5	1	9	6.4	3.5	99.9	1.		



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Tb	Sr	Cd	Ch	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	F	Rb	Hf		
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
G-1	.2	0.3	22.7	60	<1	3.7	4.0	772	2.57	<1	3.6	<1	7.5	720	<1	1.1	1.2	55	2.66	.086	26.7	7.1	.68	1002	.271	7.90	2.748	3.02	.2	7.8	50	1.2	13.6	20.6	1.5	3	5	40.9	.1	116.9	.6		
207170	2.0	11.6	23.7	74	1.3	5.5	10.4	1164	3.77	12	3.8	.8	8.8	234	4	9.0	1	115	2.45	.102	18.6	9.5	.72	267	.309	8.11	367	6.13	1.4	58.5	36	.8	9.7	7.0	.6	1	9	8.6	3.7	168.4	2.0		
207171	1.8	10.4	16.3	142	.9	2.2	10.3	819	3.76	11	3.6	<1	8.6	236	.9	8.6	<1	111	1.76	.098	19.5	6.8	.66	992	.297	7.68	319	6.85	1.5	55.9	35	.7	8.9	6.7	.6	2	9	5.8	3.7	212.3	1.9		
207172	1.8	11.7	18.4	272	.9	2.3	9.7	1978	3.64	13	3.3	<1	8.6	216	1.3	9.1	<1	112	3.71	.090	23.2	6.7	.73	856	.309	7.81	228	5.22	1.5	52.5	37	.6	10.6	6.2	.5	1	9	7.9	3.3	175.7	1.8		
207173 (pulp)	336.4	422.0	222.0	170	5.5	120.8	124.8	3025	13.16	1049	4.0	15.7	3.8	504	.6	14.2	20.4	111	11.35	.107	42.2	49.0	1.43	181	.261	4.10	735	.89	12.9	59.6	60	3.3	17.4	3.1	2	1	9	14.8	6.8	29.4	2.0		
207174	2.3	11.7	47.5	48	1.0	2.6	10.3	1262	3.77	11	3.6	<1	9.0	253	.3	10.3	<1	110	2.56	.089	23.9	6.1	.62	1454	.293	7.70	.310	5.51	1.6	52.3	42	1.0	10.8	6.0	.5	1	9	6.6	3.6	160.0	1.8		
207175	2.2	12.0	25.9	234	1.4	2.7	10.3	1255	3.59	11	3.6	<1	8.0	259	1.1	9.6	<1	110	2.67	.103	20.8	10.5	.51	461	.302	7.84	281	4.96	1.4	56.3	38	.8	10.3	6.5	.5	1	9	5.5	3.6	120.8	1.9		
207176	2.2	12.2	26.2	121	1.1	2.5	10.1	1004	3.67	11	3.3	<1	7.9	220	.7	9.8	<1	115	2.23	.097	20.3	6.8	.63	518	.309	8.13	391	5.43	1.2	56.0	36	.5	8.8	6.5	.5	1	9	7.2	3.5	152.5	1.9		
RE 207176	2.0	10.7	25.8	116	1.1	2.4	9.9	1002	3.59	9	3.4	<1	7.7	216	.7	9.1	<1	113	2.16	.094	18.5	6.4	.61	276	.300	7.81	.387	6.39	1.3	52.7	34	.5	8.4	6.3	.5	1	9	6.6	3.4	187.5	1.8		
RRE 207176	2.2	12.7	26.8	118	1.2	2.3	10.6	994	3.65	9	3.5	<1	8.0	219	.6	9.9	<1	114	2.20	.096	18.7	5.8	.63	501	.301	7.95	.363	5.99	1.1	53.6	36	.3	8.7	6.0	.6	1	9	7.0	3.5	169.7	1.7		
207177	2.3	10.3	120.9	152	.9	2.4	8.9	630	3.48	16	3.1	<1	7.3	135	.9	20.4	<1	97	1.25	.085	16.7	7.9	.63	324	.270	6.79	114	3.74	1.7	48.4	30	.4	6.7	5.3	.4	1	8	11.1	3.1	132.8	1.6		
207178	2.4	10.4	100.9	125	.8	2.4	9.6	364	3.68	18	3.2	<1	7.7	82	.5	20.1	<1	110	.79	.101	21.8	7.3	.54	117	.284	7.56	.199	3.75	2.0	47.4	38	.6	8.5	6.4	.4	1	9	15.6	3.6	138.3	1.5		
207179	2.7	12.0	24.2	215	.6	3.1	10.3	1112	4.16	14	3.1	.1	8.2	220	.4	19.5	<1	123	2.47	.096	18.6	7.6	.87	203	.328	8.21	.212	5.14	1.9	54.9	35	.8	9.4	6.7	.5	2	10	15.1	3.7	163.7	1.8		
207180	2.8	14.1	19.7	71	.8	2.6	10.3	646	3.91	24	3.4	<1	7.6	191	.3	10.8	<1	111	1.11	.091	16.8	6.6	.65	1054	.300	7.84	.244	6.65	1.6	52.2	30	.7	7.6	6.3	.5	1	9	10.3	3.8	206.7	1.7		
207181	5.4	11.8	24.7	73	1.0	2.5	10.4	628	3.85	15	3.8	<1	8.0	169	.3	13.0	<1	119	1.47	.098	20.6	8.0	.71	302	.316	8.20	.719	5.17	2.0	53.7	38	.8	8.5	6.5	.5	1	9	10.1	3.8	194.9	1.9		
207182	2.8	11.8	19.3	65	1.0	2.5	10.2	558	3.65	18	3.3	<1	7.3	201	.2	12.0	<1	110	1.24	.094	16.0	6.6	.67	582	.292	7.33	.560	5.43	1.9	50.1	31	.6	7.1	5.8	.5	1	9	10.5	3.6	171.3	1.7		
207183	3.7	10.0	17.9	137	.5	2.7	10.3	779	3.66	10	3.1	<1	6.9	219	.6	10.9	<1	109	1.75	.090	16.3	10.1	.70	488	.301	7.72	.522	6.29	2.1	50.9	30	.5	7.9	6.1	.5	1	9	7.7	3.4	175.5	1.7		
207184	3.0	10.9	15.4	135	.5	2.5	10.9	884	3.94	10	3.4	<1	7.2	205	.5	10.1	<1	118	1.39	.096	17.2	7.3	.77	193	.317	8.01	.576	6.23	1.5	53.3	32	.6	9.8	6.2	.5	1	10	8.8	3.6	180.4	1.8		
207185	2.3	11.2	15.0	81	.5	3.6	11.5	267	3.90	15	3.4	<1	7.0	140	.2	11.0	<1	121	.55	.104	14.3	9.3	.64	118	.317	7.87	.699	5.64	1.3	54.3	30	.7	7.7	6.2	.5	1	10	11.8	3.8	189.3	1.8		
207186	2.7	10.6	15.8	56	.6	2.8	10.6	247	3.90	16	3.2	<1	6.9	166	.2	14.7	<1	119	.70	.101	14.7	6.9	.65	70	.321	7.78	.695	5.18	1.6	51.6	30	.6	7.5	6.3	.5	1	9	10.4	3.8	176.3	1.6		
207187	2.4	10.2	17.4	40	.6	2.8	10.8	188	4.07	17	3.6	<1	7.4	166	.2	12.5	<1	123	.66	.101	17.0	8.2	.56	105	.324	8.09	.739	6.03	2.0	55.7	35	.6	7.6	6.9	.5	1	10	9.9	4.1	195.8	1.9		
207188	1.9	10.8	21.8	58	.5	2.9	11.7	173	4.17	14	4.0	<1	7.9	120	.2	15.0	<1	128	.55	.107	16.8	6.6	.52	89	.347	8.78	.694	5.56	2.6	58.2	34	.5	7.7	7.1	.6	1	10	9.1	4.1	176.1	1.9		
207189	1.8	10.8	24.8	99	.9	2.7	11.3	259	4.12	30	3.4	<1	6.8	179	.5	14.4	<1	112	.72	.097	13.6	10.8	.46	199	.299	7.77	1.098	5.94	2.3	53.0	31	.5	7.6	6.2	.5	1	9	8.6	4.3	176.7	1.6		
207190	2.2	12.0	24.5	99	.6	2.9	11.2	238	4.16	20	3.7	<1	7.3	129	.8	15.0	<1	126	.67	.107	12.3	6.4	.65	152	.340	8.65	.616	5.85	2.0	55.1	24	.6	7.4	6.6	.5	2	10	12.7	4.1	183.9	1.8		
207191	2.0	11.1	50.8	108	.7	2.5	10.7	1013	3.96	11	3.4	<1	8.1	207	.8	12.3	<1	120	1.87	.099	19.0	7.7	.92	211	.319	8.17	1.039	4.69	1.5	53.8	35	.7	10.2	6.4	.5	2	9	9.8	3.6	158.3	1.8		
207192	2.6	12.1	15.2	84	.6	3.3	11.2	290	4.05	10	3.7	<1	7.4	170	.3	12.2	<1	125	.59	.105	14.7	6.6	.74	98	.330	8.53	.907	5.52	1.4	54.5	31	.5	8.3	7.1	.6	1	10	14.0	3.7	191.4	1.8		
207193	2.5	12.1	18.9	56	.6	3.2	11.1	147	4.07	18	3.9	<1	7.2	108	.2	11.7	<1	123	.35	.103	14.1	7.3	.69	83	.329	8.40	1.020	5.07	1.5	52.8	29	.6	7.3	6.7	.5	1	9	16.9	3.8	177.1	1.7		
207194	2.0	9.9	17.4	74	.6	2.6	10.7	244	3.86	14	3.6	<1	7.6	124	.3	10.9	<1	122	.35	.105	18.0	6.2	.87	174	.318	8.11	1.044	4.84	1.5	50.8	34	.5	8.1	6.6	.5	1	9	28.1	3.4	164.6	1.8		
207195 (rock)	.6	1.9	27.1	57	<1	.9	1.9	449	1.09	1	11.3	<1	1.9	589	1	1.1	<1	18	.86	.027	15.3	5.8	.17	419	.107	6.90	2.995	3.77	.3	16.3	22	.6	4.5	7.1	.6	3	2	9.5	<1	125.5	1.2		
207196	2.0	13.5	29.8	85	.7	3.0	10.8	500	3.75	13	3.4	<1	6.9	184	.7	10.6	<1	115	.94	.096	15.2	7.0	.65	189	.309	8.09	.652	5.45	2.0	48.9	31	.5	7.3	6.2	.5	1	9	14.2	3.4	173.1	1.6		
207197	2.2	11.3	35.0	116	.5	2.8	11.2	404	3.83	6	3.5	<1	7.0	208	1.0	10.1	<1	120	.63	.100	16.8	9.4	.73	105	.324	8.43	.947	5.41	1.9	52.8	34	.4	8.1	6.8	.5	1	10	9.8	3.4	173.2	1.7		
207198	1.6	9.7	20.7	96	.4	3.0	10.9	415	3.96	8	3.7	<1	6.7	150	.4	9.3	<1	116	.44	.104	14.9	6.3	.71	102	.321	8.32	.987	5.85	1.6	55.2	31	.6	7.9	6.5	.5	1	9	11.3	3.6	180.7	1.8		
207199	1.8	10.1	15.6	129	.4	2.6	10.4	575	3.89	9	3.9	<1	7.5	173	.6	8.1	<1	112	.89	.098	19.3	7.9	.73	149	.314	8.07	.906	5.86	1.2	51.3	36	.4	8.5	6.7	.5	1	9	11.6	3.5	180.6	1.7		
207200	1.8	22.6	21.4	343	.6	2.7	11.1	488	3.80	11	3.9	.1	7.2	157	2.1	8.9	<1	112	.71	.101	16.7	7.3	.59	129	.325	8.05	.277	7.17	1.8	52.2	34	.5	8.4	6.4	.5	<1	9	8.1	3.4	205.7			



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Hf	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Lf	S	Rb	Hf				
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
G-1	.2	2.2	22.7	61	<.1	3.7	4.3	763	2.62	<.1	3.7	<.1	7.7	748	.1	<.1	.2	57	2.63	.096	25.3	6.7	.67	1070	.278	8.05	2.719	3.08	.2	9.7	49	1.5	13.7	21.2	1.6	2	6	41.5	.2	121.5	.7				
207202	1.8	11.5	24.4	79	.5	3.0	11.2	473	3.94	19	3.9	<.1	8.5	155	.1	11.5	<.1	125	.65	.109	18.7	5.9	.76	110	.329	8.62	.810	2.99	1.8	58.4	35	.3	7.6	6.6	.6	1	10	15.3	3.4	75.7	1.9				
207203	2.0	11.4	12.5	45	.4	3.2	10.9	874	3.72	33	3.7	<.1	9.4	249	.1	12.1	<.1	121	1.55	.106	25.9	7.6	.83	204	.325	8.52	1.180	2.13	1.8	54.0	45	.4	8.7	6.8	.5	1	10	10.6	3.1	60.4	1.8				
207204	2.1	12.1	13.8	47	.4	3.4	11.3	725	3.74	29	3.6	<.1	8.0	201	.1	12.1	<.1	122	1.02	.107	20.7	6.9	.76	133	.317	8.23	.711	3.25	1.9	54.6	40	.6	7.3	6.3	.5	<.1	10	10.1	3.3	81.8	1.9				
207205	2.6	16.8	90.3	105	.7	3.5	9.6	871	3.59	28	3.6	<.1	8.3	174	.2	11.5	<.1	114	1.61	.105	21.6	7.0	.81	246	.298	7.96	.988	2.81	1.2	51.9	40	.6	8.5	6.1	.5	1	10	10.4	2.9	70.6	1.7				
RE 207205	2.8	16.5	92.8	113	.6	2.4	10.1	896	3.65	30	3.5	<.1	8.6	180	.3	11.8	<.1	115	1.62	.101	22.5	8.0	.82	197	.306	8.10	1.053	2.62	1.3	51.8	40	.6	9.7	6.3	.5	1	10	10.5	2.9	61.5	1.7				
RRE 207205	2.5	18.1	94.1	109	.7	2.2	10.4	876	3.61	29	3.8	<.1	8.3	186	.4	11.7	<.1	116	1.58	.101	21.5	8.6	.82	180	.295	7.97	1.028	2.99	1.5	50.8	40	.6	9.4	6.5	.6	1	10	11.5	2.9	79.1	1.8				
207206	1.1	10.6	11.8	82	.3	2.1	9.2	1387	3.73	10	3.5	<.1	9.1	224	<.1	9.4	<.1	116	3.84	.103	24.0	6.2	1.21	289	.297	7.78	.921	2.75	1.1	55.1	41	.5	12.6	6.6	.6	<.1	9	9.0	2.4	91.5	1.9				
207207	1.7	11.1	9.9	84	.4	1.6	10.1	1004	3.92	11	3.1	<.1	8.5	209	.1	10.6	<.1	121	2.77	.105	20.9	5.8	1.18	271	.301	7.99	1.265	1.89	1.2	53.6	37	.3	11.0	6.3	.5	1	9	8.5	2.6	54.4	1.9				
207208	1.8	12.1	14.7	77	.5	1.8	10.5	730	4.52	46	3.5	<.1	8.3	159	.1	14.4	<.1	121	1.37	.103	19.8	6.3	1.16	138	.310	8.15	1.240	2.42	1.0	57.0	36	.7	8.3	6.6	.5	1	10	9.0	3.1	77.2	1.9				
207209	1.4	9.6	9.9	85	.3	1.6	10.5	1218	3.75	11	3.2	<.1	8.3	233	.2	10.0	<.1	114	3.73	.099	21.2	5.3	1.18	400	.299	7.61	1.230	2.21	1.0	52.3	38	.5	11.6	6.1	.5	1	10	5.7	2.5	70.8	1.8				
207210	1.6	11.9	19.1	91	.5	1.9	10.5	1208	3.96	19	3.3	<.1	8.7	217	.2	15.1	<.1	120	2.90	.107	22.0	5.8	1.21	534	.313	8.13	.690	2.43	2.1	53.5	41	.5	11.5	5.9	.5	2	10	8.6	2.9	78.0	2.0				
207211	1.8	11.1	22.0	40	.6	3.1	11.2	577	4.16	35	3.5	<.1	8.9	148	.1	17.8	<.1	130	1.39	.107	21.2	6.8	.82	134	.325	8.67	.093	3.33	2.4	54.6	40	.3	8.3	6.1	.6	1	10	10.5	3.9	119.6	1.7				
207212	1.8	12.6	235.4	83	1.1	2.2	10.1	1045	3.99	14	3.3	<.1	8.4	353	.3	15.8	<.1	122	2.32	.114	23.9	5.9	1.15	136	.311	8.23	.745	2.35	2.4	53.7	42	.3	10.6	6.5	.6	1	10	9.3	3.2	70.3	1.7				
207213	2.0	10.4	18.9	90	.4	2.6	11.0	989	3.97	26	3.4	<.1	9.0	260	.3	12.8	<.1	128	2.42	.105	24.8	5.8	1.18	510	.313	8.56	.733	3.13	2.1	55.8	43	.7	9.3	5.8	.5	1	10	11.1	2.6	113.0	1.9				
207214	1.4	8.5	19.8	71	.5	2.0	10.0	1260	3.92	15	3.3	<.1	8.5	259	.3	10.6	<.1	124	2.93	.103	22.4	9.1	1.33	596	.306	8.30	.636	3.19	2.2	56.7	40	.5	10.2	6.1	.5	1	10	10.1	2.5	111.5	1.8				
207215	1.1	8.6	23.2	104	.6	2.1	9.2	1071	3.67	8	3.0	<.1	7.7	191	.4	18.0	<.1	103	2.26	.095	22.9	5.8	1.45	570	.263	7.22	.406	2.25	1.9	47.7	38	.3	8.9	5.0	.4	1	8	24.3	2.1	87.3	1.6				
207216	1.7	11.2	14.0	88	.5	2.2	9.7	1377	3.82	9	2.9	<.1	7.4	265	.2	9.8	<.1	117	3.29	.100	21.8	5.8	1.38	416	.288	7.84	1.021	2.34	2.0	50.2	38	.4	10.3	5.3	.4	1	9	6.9	2.3	71.6	1.7				
207217 (rock)	.5	1.0	20.6	30	<.1	.3	.9	319	.85	1	9.0	<.1	21.6	132	.1	.4	<.1	11	.71	.019	13.4	3.8	.11	279	.078	6.61	3.037	2.80	.7	23.2	18	.4	3.5	6.5	.5	3	1	6.8	.1	94.9	1.4				
207218	1.6	8.7	17.9	108	.5	2.0	10.4	1150	3.91	8	3.3	<.1	7.7	203	.2	6.4	<.1	117	2.13	.094	20.6	6.5	1.53	261	.297	7.94	1.444	2.24	1.5	54.0	37	.6	10.7	6.1	.5	1	10	13.7	2.1	56.2	1.8				
207219	2.0	9.9	16.8	98	.5	1.6	9.6	990	3.68	9	3.4	<.1	7.9	255	.2	7.4	<.1	113	2.12	.102	22.3	4.9	1.24	406	.301	7.83	1.681	2.78	1.5	54.3	40	.8	10.9	6.1	.5	1	9	9.3	1.9	80.4	1.8				
207220	2.4	10.9	18.8	110	.5	2.2	10.3	750	3.75	12	3.3	<.1	7.8	253	.4	8.2	<.1	123	1.51	.100	20.9	6.7	1.35	269	.313	8.05	1.928	2.47	1.6	51.9	38	.4	9.7	6.0	.5	1	10	13.4	2.3	81.3	1.9				
207221	2.1	10.1	25.0	95	.6	2.6	9.7	756	3.95	17	3.3	<.1	6.9	191	.3	8.1	<.1	119	.86	.101	19.2	6.1	1.19	204	.308	7.85	2.161	2.92	1.7	52.2	36	.5	9.1	6.2	.5	1	10	10.2	2.3	93.5	1.9				
207222	2.0	10.1	33.4	107	.8	2.2	10.0	735	4.03	16	3.4	<.1	7.2	215	.6	9.4	.1	118	.66	.108	18.1	6.7	1.18	222	.311	7.83	1.604	2.39	1.7	54.9	34	.6	8.8	6.0	.5	1	9	7.5	2.1	53.2	2.0				
207223	2.3	10.4	41.8	126	.8	1.8	9.4	557	3.82	12	3.2	<.1	6.9	233	.9	9.8	.1	121	.71	.099	16.2	7.0	1.09	189	.311	7.86	1.371	2.35	1.4	49.0	31	.5	7.8	5.7	.5	1	9	11.5	2.1	47.7	1.8				
207224	1.9	10.4	68.7	260	.9	1.9	9.6	655	4.04	16	3.3	<.1	6.9	240	3.0	11.7	<.1	113	1.02	.095	16.6	6.5	1.07	126	.299	7.85	1.865	2.29	2.0	49.4	32	.3	8.6	5.5	.4	1	9	9.3	2.5	55.7	1.7				
207225	4.2	17.4	75.0	202	1.0	1.9	11.9	548	4.65	39	3.8	<.1	8.5	198	2.5	14.2	.1	139	1.49	.109	18.1	6.5	.94	198	.338	9.15	1.169	2.40	3.1	57.6	34	.6	9.8	6.7	.5	2	12	13.1	3.8	86.6	1.9				
207226	2.6	8.4	28.0	80	.6	2.0	11.7	684	3.92	15	3.3	<.1	7.7	271	.6	10.5	<.1	124	1.90	.097	23.4	6.9	1.06	325	.295	8.07	1.449	2.22	3.5	51.8	43	.3	9.3	5.8	.5	1	10	8.8	2.6	71.8	1.7				
207227	2.5	10.8	29.5	108	.5	2.9	11.0	800	4.23	11	3.0	<.1	6.1	238	.3	9.4	<.1	138	1.32	.111	16.5	7.4	1.37	166	.333	8.04	1.498	2.54	1.4	48.7	33	.4	9.5	5.6	.5	2	11	18.1	2.3	58.1	1.7				
207228	2.1	15.5	27.1	99	.4	1.5	9.8	832	3.66	8	2.8	<.1	6.7	237	.4	9.0	<.1	120	1.94	.095	18.6	6.2	1.31	225	.299	7.93	1.532	3.40	1.2	48.6	36	.5	9.7	5.7	.5	1	9	14.2	1.8	105.1	1.6				
207229	2.0	7.3	7.5	107	.1	1.3	9.9	1148	3.73	8	3.0	<.1	7.2	250	.1	5.8	<.1	117	2.44	.098	21.1	3.6	1.64	2210	.300	7.97	1.356	3.77	.9	47.4	38	.6	11.2	5.9	.4	1	9	19.4	.7	96.4	1.7				
207230	11.0	16.4	15.7	90	.3	1.6	9.4	994	3.83	10	3.1	<.1	7.6	312	.2	14.1	<.1	117	2.63	.101	22.4	4.9	1.53	630	.304	7.98	1.760	3.15	1.4	49.2	41	.3	10.9	6.1	.5	1	9	19.3	1.7	99.4	1.7				
207231	4.4	10.9	27.8	111	.4	2.6	10.5	1134	4.23	11	2.5	<.1	6.6	269	.4	8.3	<.1	128	3.17	.105	17.7	5.7	1.74	579	.296	7.81	1.489	2.40	1.0	47.3	35	.4	10.5	5.6	.4	1	10	13.0	2.1	69.5	1.6				
207232	2.0	11.1	17.3	96	.4	1.6	10.3	1061	3.85	8	2.7	<.1	6.7	189	.1	6.6	<.1	120	3.42	.103	19.3	5.0	1.60	878	.276	7.84	1.580	2.74	.5	46.6	36	.5	10.9	4.8	.4	1									





COAST MTN.GEOLOGICAL-X06  
427601-700(SERIES)

**teckcominco**

Global Discovery Labs

Report date: 21 AUG 2006

Job V06-0678R

LAB NO	FIELD NUMBER	Au(4) g/t	Au(2) g/t
R0630996	427601	<0.034	
R0630997	427608	<0.034	
R0630998	427613	<0.034	
R0630999	427618	0.054	
R0631000	427623	0.511	
R0631001	427630	0.489	
R0631002	427635	0.206	
R0631002 rpt		0.152	
R0631003	427640	0.211	
R0631004	427645	0.842	
R0631005	427652	<0.034	
R0631006	427681		51.952
R0631007	427684		73.599
R0631008	427688		4.466
R0631009	427695	0.166	
R0631010	427700	0.249	
STD: CDN-GS-2A		1.017	

I=insufficient sample

If requested analyses are not shown, results are to follow

#### ANALYTICAL METHODS

Au(4) Fire Assay-Lead Collection/AA Finish (low level) 1 A.T.

Au(2) Fire Assay-Lead Collection/AA Finish (high level) 1 A.T.

Teck Cominco Ltd.

Global Discovery Labs 1486 East Pender Street Vancouver, B.C. Canada V5L 1V8 Phone: (604) 685-3032 Fax: (604) 844-2686

COAST MTN.GEOLOGICAL-X06  
ACME #A604605:#427656-721

**teckcominco**

Global Discovery Labs

Report date: 14 SEPT 2006

Job V06-0763R

LAB NO	FIELD NUMBER	Au(4) g/t
R0635629	427656	<0.034
R0635630	427661	<0.034
R0635631	427667	0.094
R0635632	427672	0.076
R0635632 rpt		0.077
R0635633	427677	0.564
R0635634	427704	0.090
R0635635	427710	<0.034
R0635636	427716	<0.034
R0635637	427721	0.048
STD: CDN-GS-2B		2.039

l=insufficient sample

If requested analyses are not shown, results are to follow

**ANALYTICAL METHODS**

Au(4) Fire Assay-Lead Collection/AA Finish (low level) 1 A.T.

Teck Cominco Ltd.

Global Discovery Labs 1486 East Pender Street Vancouver, B.C. Canada V5L 1V8 Phone: (604) 685-3032 Fax: (604) 844-2686

COAST MTN.GEOLOGICAL-X06  
ACME#A604744:#427729-764

**teckcominco**

Global Discovery Labs

Report date: 15 SEPT 2006

Job V06-0790R

LAB NO	FIELD NUMBER	Au(4) g/t
R0637309	427729	<0.034
R0637310	427734	<0.034
R0637311	427740	<0.034
R0637312	427746	0.103
R0637313	427751	0.989
R0637314	427755	0.131
R0637314 rpt		0.130
R0637315	427760	0.643
R0637316	427764	1.229
STD: CDN-GS-P3		0.308

I=insufficient sample

If requested analyses are not shown, results are to follow

**ANALYTICAL METHODS**

Au(4) Fire Assay-Lead Collection/AA Finish (low level) 1 A.T.

Teck Cominco Ltd.

Global Discovery Labs 1486 East Pender Street Vancouver, B.C. Canada V5L 1V8 Phone: (604) 685-3032 Fax: (604) 844-2686

Report date: 15 SEPT 2006

Job V06-0804R

LAB NO	FIELD NUMBER	Au(4) g/t	Au(2) g/t
R0638069	427766	0.548	
R0638070	427770	21.449	
R0638071	427773	0.830	
R0638072	427777	3.993	
R0638073	427782	0.156	
R0638074	427788	0.044	
R0638075	427793	<0.034	
R0638076	427798	0.046	
R0638077	427803	0.034	
R0638078	427809	0.035	
R0638079	427814	0.035	
R0638080	427819	<0.034	
R0638081	427824	0.059	
R0638082	427830	<0.034	
R0638083	427832	checking	
R0638084	427835	<0.034	
R0638085	427840	0.034	
R0638086	427845	checking	
R0638087	427850	<0.034	
R0638087 rpt		<0.034	
R0638088	427854	0.034	
R0638089	427858	10.234	
R0638090	427863	0.263	
R0638091	427868	0.051	
R0638092	427873	<0.034	
R0638093	427878	<0.034	
R0638094	427882	0.136	
R0638095	427888	0.426	
STD: CDN-GS-2B		1.983	
STD: CDN-GS-P3		0.303	

I=insufficient sample

If requested analyses are not shown, results are to follow

**ANALYTICAL METHODS**

- Au(4) Fire Assay-Lead Collection/AA Finish (low level) 1 A.T.
- Au(2) Fire Assay-Lead Collection/AA Finish (high level) 1 A.T.

Assigned for high grade assay

COAST MTN.GEOLOGICAL-X06  
ACME#A605313

**teckcominco**

Global Discovery Labs

Report date: 15 SEPT 2006

Job V06-0807R

LAB NO	FIELD NUMBER	Au(4) g/t	Au(2) g/t
R0638132	427896	84.640	
R0638133	427913	30.369	
R0638134	427892	20.257	
R0638135	427915	16.104	
R0638136	427952	21.929	
R0638137	427899	14.289	
R0638137 rpt		14.188	
R0638138	427941	2.385	
R0638139	427935	2.443	
R0638140	427910	1.187	
R0638141	427930	0.932	
R0638141 rpt		1.084	
R0638142	427958	1.209	
R0638143	427946	1.015	
R0638144	427926	0.967	
R0638145	427904	0.632	
R0638146	427963	0.566	
R0638147	427921	0.090	
STD: CDN-GS-2B		2.076	

I=insufficient sample

If requested analyses are not shown, results are to follow

**ANALYTICAL METHODS**

- Au(4) Fire Assay-Lead Collection/AA Finish (low level) 1 A.T.
- Au(2) Fire Assay-Lead Collection/AA Finish (high level) 1 A.T.

Assigned for high grade assay

Teck Cominco Ltd.

Global Discovery Labs 1486 East Pender Street Vancouver, B.C. Canada V5L 1V8 Phone: (604) 685-3032 Fax: (604) 844-2686

COAST MTN.GEOLOGICAL-X06  
#427001-428000

teckcominco

Global Discovery Labs

Report date: 15 DEC 2006

Job V06-0912R

LAB NO	FIELD NUMBER	Au(4) g/t	Au(2) g/t
R0645229	427001	<0.034	
R0645230	427006	0.165	
R0645231	427011	1.187	
R0645232	427016	11.567	11.133
R0645232 rpt		12.535	
R0645233	427966	1.030	
R0645234	427970	0.113	
R0645235	427976	0.292	
R0645236	427981	0.176	
R0645237	427986	0.142	
R0645238	427991	0.205	
R0645239	427997	0.239	
R0645240	428000	<0.034	
R0645241	427508	0.815	
R0645242	427512	0.335	
R0645243	427516	1.008	
R0645243 rpt		1.024	
R0645244	427079	0.383	
R0645245	427084	0.229	
R0645246	427114	0.102	
R0645247	427119	0.113	
R0645248	427125	<0.034	
R0645249	427130	0.327	
R0645250	427134	0.579	
R0645251	427140	0.192	
R0645252	427145	0.596	
R0645252 rpt		0.670	
R0645253	427150	1.134	
R0645254	427156	1.504	
R0645255	427161	0.229	
R0645256	427166	0.394	
R0645257	427089	0.052	
R0645258	427094	0.046	
R0645259	427099	2.833	
R0645260	427103	3.974	
R0645261	427108	0.802	
R0645262	427112	0.055	
R0645263	427034	0.445	
R0645264	427039	0.194	
R0645265	427045	0.262	
R0645265 rpt		0.233	
R0645266	427050	1.198	
R0645267	427054	0.176	
R0645268	427059	9.016	8.633
R0645269	427065	0.431	
R0645270	427071	1.392	
R0645271	427076	0.436	
R0645271 rpt		0.373	
R0645272	427171	2.555	

Teck Cominco Ltd.

Global Discovery Labs 1486 East Pender Street Vancouver, B.C. Canada V5L 1V8 Phone: (604) 685-3032 Fax: (604) 844-2686

Report date: 15 DEC 2006

Job V06-0912R

LAB NO	FIELD NUMBER	Au(4) g/t	Au(2) g/t
R0645273	427175	0.508	
R0645274	427180	1.214	
R0645275	427184	0.056	
R0645276	427188	6.111	
R0645276 rpt		6.372	
STD: CDN-GS-2B		2.141	
STD: CDN-GS-P3		0.302	
STD: CDN-GS-P3		0.325	

I=insufficient sample

If requested analyses are not shown, results are to follow

**ANALYTICAL METHODS**

Au(4) Fire Assay-Lead Collection/AA Finish (low level) 1 A.T.

Au(2) Fire Assay-Lead Collection/AA Finish (high level) 1 A.T.

Assigned for Assaying

  
S.M. Clark, Certified Assayer, Prov. of B.C.



COAST MTN.GEOLOGICAL-X07

Ref/I.D.: HOMESTAKE:#427399-206424  
 Report Date: 13 MAR 2007  
 GDL Job No: V07-0118R

**teckcominco**

Global Discovery Labs

LAB NO	FIELD NUMBER	Au(4) g/t	Au(2) g/t
R0706315	427399	<0.034	
R0706316	427404	<0.034	
R0706317	427410	<0.034	
R0706318	427415	<0.034	
R0706319	427420	0.075	
R0706319 rpt		0.078	
R0706320	427424	0.540	
R0706321	427430	0.034	
R0706322	427433	1.245	
R0706323	427438	0.328	
R0706324	427443	0.148	
R0706325	427449	1.086	
R0706326	484503	1.311	
R0706327	484505	2.813	
R0706328	484509	0.155	
R0706328 rpt		0.147	
R0706329	484513	0.118	
R0706330	484518	0.068	
R0706331	484522	1.246	
R0706332	484526	0.270	
R0706333	484531	<0.034	
R0706334	484536	0.072	
R0706335	484542	<0.034	
R0706336	484547	<0.034	
R0706337	484552	<0.034	
R0706338	484557	<0.034	
R0706339	484562	<0.034	
R0706340	484566	0.930	
R0706341	484571	<0.034	
R0706341 rpt		<0.034	
R0706342	484576	<0.034	
R0706343	484583	<0.034	
R0706344	484587	0.040	
R0706345	484591	<0.034	
R0706346	484596	3.455	
R0706347	484602	0.659	

Teck Cominco Ltd.

Global Discovery Labs 1486 East Pender Street Vancouver, B.C. Canada V5L 1V8 Phone: (604) 685-3032 Fax: (604) 844-2686

GDL Job No: V07-0118R

LAB NO	FIELD NUMBER	Au(4) g/t	Au(2) g/t
R0706348	484606	0.285	
R0706349	484612	0.049	
R0706350	484617	1.340	
R0706350 rpt		1.353	
R0706351	484622	0.726	
R0706352	484627	0.097	
R0706353	484633	<0.034	
R0706354	484638	<0.034	
R0706355	484644	<0.034	
R0706356	484685	<0.034	
R0706357	484691	<0.034	
R0706358	484697	<0.034	
R0706359	484703	<0.034	
R0706360	484708	0.045	
R0706361	484713	0.154	
R0706361 rpt		0.147	
R0706362	484718	0.213	
R0706363	484722	35.480	35.499
R0706364	484724	8.683	
R0706365	484728	0.459	
R0706366	484733	0.501	
R0706367	484736	0.058	
R0706368	484740	14.391	14.134
R0706368 rpt		14.391	
R0706369	484744	<0.034	
R0706370	484749	0.115	
R0706371	484753	0.093	
R0706372	484758	0.270	
R0706373	484764	0.444	
R0706374	484769	0.382	
R0706375	484774	0.076	
R0706376	484778	0.037	
R0706377	484649	0.112	
R0706378	484654	0.064	
R0706379	484661	0.267	
R0706380	484666	0.070	
R0706381	484670	0.590	
R0706382	484675	<0.034	
R0706383	484679	<0.034	
R0706384	484784	1.749	

Teck Cominco Ltd.

Global Discovery Labs 1486 East Pender Street Vancouver B.C. Canada V5L 1V8 Phone: (604) 685-3032 Fax: (604) 844-2686

GDL Job No: V07-0118R

LAB NO	FIELD NUMBER	Au(4) g/t	Au(2) g/t
R0706385	484788	11.117	11.133
R0706386	484792	10.304	10.467
R0706387	484798	6.241	
R0706388	493555	<0.034	
R0706389	493561	<0.034	
R0706390	493566	0.098	
R0706391	493572	0.216	
R0706391 rpt		0.250	
R0706392	493578	0.193	
R0706393	493583	0.208	
R0706394	493589	0.073	
R0706395	493594	0.064	
R0706396	493599	3.632	
R0706396 rpt		3.589	
R0706397	493604	1.100	
R0706398	493609	0.060	
R0706399	493616	0.267	
R0706400	493622	<0.034	
R0706401	493626	1.006	
R0706402	493631	0.536	
R0706403	493636	<0.034	
R0706404	493641	0.052	
R0706405	493645	0.430	
R0706406	493647	5.470	
R0706406 rpt		5.566	
R0706407	493653	0.198	
R0706408	493658	0.233	
R0706409	493663	0.361	
R0706410	493669	0.318	
R0706411	493674	0.080	
R0706412	493679	<0.034	
R0706413	206430	<0.034	
R0706414	206435	<0.034	
R0706414 rpt		<0.034	
R0706415	206440	0.052	
R0706416	206445	<0.034	
R0706417	206451	<0.034	
R0706418	206456	<0.034	
R0706419	206461	<0.034	
R0706420	206467	<0.034	

Teck Cominco Ltd.

Global Discovery Labs 1486 East Pender Street Vancouver, B.C. Canada V5L 1V8 Phone: (604) 685-3032 Fax: (604) 844-2686

GDL Job No: V07-0118R

LAB NO	FIELD NUMBER	Au(4) g/t	Au(2) g/t
R0706421	206472	<0.034	
R0706422	206477	<0.034	
R0706423	206482	<0.034	
R0706424	206488	<0.034	
R0706425	206493	<0.034	
R0706426	206498	<0.034	
R0706426 rpt		<0.034	
R0706427	493684	<0.034	
R0706428	493690	<0.034	
R0706429	493695	1.146	
R0706430	493700	0.034	
R0706431	493705	0.386	
R0706431 rpt		0.395	
R0706432	493724	0.210	
R0706433	493727	0.421	
R0706434	493733	0.179	
R0706435	493737	0.034	
R0706436	493741	0.294	
R0706437	493746	0.110	
R0706438	493751	0.107	
R0706439	493774	1.327	
R0706440	493777	38.737	35.100
R0706441	493779	3.149	
R0706441 rpt		3.064	
R0706442	493784	0.085	
R0706443	493789	1.760	
R0706444	493794	0.323	
R0706445	206286	0.325	
R0706446	206290	0.381	
R0706447	206295	2.299	
R0706448	206298	<0.034	
R0706449	206349	0.227	
R0706450	206352	5.251	
R0706451	206357	42.862	46.000
R0706452	206361	13.282	12.900
R0706453	206365	3.545	
R0706453 rpt		3.585	
R0706454	206370	3.673	
R0706455	206375	0.664	
R0706456	206380	1.091	

Teck Cominco Ltd.

Global Discovery Labs 1486 East Pender Street Vancouver, B.C. Canada V5L 1V8 Phone: (604) 685-3032 Fax: (604) 844-2686

GDL Job No: V07-0118R

LAB NO	FIELD NUMBER	Au(4) g/t	Au(2) g/t
R0706457	206384	4.572	
R0706458	206390	0.034	
R0706459	206395	0.034	
R0706460	206399	<0.034	
R0706461	206404	<0.034	
R0706462	206410	<0.034	
R0706462 rpt		<0.034	
R0706463	206415	<0.034	
R0706464	206420	<0.034	
R0706465	206424	<0.034	
STD: CDN-GS-2B		1.964	
STD: CDN-GS-2B		1.987	
STD: CDN-GS-2B		1.982	
STD: CDN-GS-2B		2.035	
STD: CDN-GS-P5B		0.469	
STD: CDN-GS-P5B		0.426	
STD: CDN-GS-P5B		0.405	
STD: CDN-GS-P5B		0.450	
STD: CDN-GS-10A			9.566


I=insufficient sample

If requested analyses are not shown, results are to follow

**ANALYTICAL METHODS**

Au(4) Fire Assay-Lead Collection/AA Finish (low level) 1 A.T.

Au(2) Fire Assay-Lead Collection/Gravimetric Finish (high grade) 1 A.T.

  
S.M. Clark, Certified Assayer, Prov. of B.C.

**ASSIGNED FOR ASSAYS**

Teck Cominco Ltd.

## **Appendix V: Statement of Costs for 2006 Exploration**

**Homestake Ridge Project  
2006 Program Cost Statement**

**Total Field Personnel Cost** **\$492,363.20**  
All Personnel Costs Taken From CMG Invoices to BVG

**Camp Operations and Support** **\$360,187.83**  
Figure From CMG Invoices to BVG

**Assays** **\$47,809.09**  
Figure From CMG Invoices to BVG

**Mob/Demob** **\$25,937.47**  
Figure From CMG Invoices to BVG

**Drilling** **\$761,476.99**  
Aggressive \$329,147.20  
Figures From Statement Dated 08/15/2006 From Aggressive to BVG  
Prospector \$176,762.44  
Figures From Statement Dated 02/02/2007 From Prospector to BVG  
Top Rank I \$255,567.35  
Figures From Statement Dated 02/02/2007 From Top Rank to BVG

**Helicopter Costs** **\$601,813.77**  
Heli Costs Taken From BVG Summary of TCL and CC Split Air Support

**Total Cost of Homestake Ridge 2006 Program** **\$2,289,588.35**

Homestake Ridge Project  
 2006 Program Cost Statement

**Personnel Cost Breakdown**

	<b>Amount</b>	<b>Unit</b>	<b>Rate</b>	<b>Total</b>
Project Coordinator	7.5	man-days	700	5250.00
Supervising Geologist	3	man-days	750	2250.00
Sr Geologist	57.5	man-days	700	40250.00
Sr Geologist	146.95	man-days	650	95517.50
Geologist	11.5	man-days	600	6900.00
Project Geologist	75.75	man-days	550	41662.50
Jr Geologists	188.25	man-days	500	94125.00
Sr Geotech	23	man-days	450	10350.00
Sr Geotech	54.75	man-days	400	21900.00
Geotech	1	man-days	375	375.00
Geotech	5.5	man-days	350	1925.00
Geotech	128	man-days	325	41600.00
Jr Geotech	27.85	man-days	300	8355.00
Camp Manager	121	man-days	400	48400.00
Labourer	16.5	man-days	400	6600.00
Cook	100	man-days	450	45000.00
Cook	31	man-days	425	13175.00
Cook	13	man-days	375	4875.00
Bull Cook	10	man-days	325	3250.00
Cook Overtime				603.20
<b>Total Field Personnel Cost</b>				<b>492363.2</b>

All Personnel Costs Taken From CMG Invoices to BVG



Homestake Ridge Project  
2006 Program Cost Statement

**Camp Operations and Support Cost Breakdown**

	<b>Amount</b>	<b>Unit</b>	<b>Rate</b>	<b>Total</b>
Fire Equipr	108	days	10	1080
First Aide E	107	days	50	5350
Tent Renta	108	days	12.5	1350
Communic	3	month	500	1500
Core Saw I	2	month	300	600
Field Gear	655.5	man-days	12.5	8193.75
Transport and Freight				24353.77
Camp Supplies (incl groceries)				30762.54
Field Equipment Purchased				5083.16
Field Equipment Rental				3880.55
Grandmac (field ops)				262.15
Camp Rental				66000
Communications Rental				6717.54
Communications Charges				1056.35
Expiditing				19064.17
Pad Biulding				26256.77
Oxygen Rental				2062.37
Fuel				106010.5
Field Supplies				27125.74
Downhole Survey Tool Rental				7861.54
Other Camp Costs				8178.01
Truck Rental				5742.73
Truck Repair				1292.23
Maps				403.98

**Total Camp Ops and Support 360187.8**

Figures From CMG Invoices to BVG

## **Appendix VI: Software Programs**

Software programs used during the exploration program and in preparation of this report include Gemcon Version 6.0, Mapinfo Version 7.8, Autocad 2000 and ArcGIS 9.

## Appendix VII: Statement of Qualifications

I, Alexia I. Bryson, of Vancouver, British Columbia hereby certify that:


I am a geologist employed at Coast Mountain Geological of 650-620 West Georgia Street, Vancouver, British Columbia, V6B 4N9.

I am a graduate of University of British Columbia, with a Bachelor degree in Earth and Ocean Sciences (2006). I have practiced my profession since 2004 in Canada and the United States.

This report is based on work carried out on the Homestake Project during the period of July 2006 and December 2006 as well as a study of various published reports.

I have no direct or indirect interest in the claims or securities of Bravo Ventures Group Inc. or it's affiliates.

I approve of this report being used for filing of assessment work and for any other lawful purpose as may be required by Bravo Ventures Group Inc., and it's affiliates.



Alexia I. Bryson, B. Sc.  
Coast Mountain Geological Ltd.

October 29th, 2007