

Gov't

GEOCHEMISTRY AND DIAMOND DRILLING REPORT

GAR PROPERTY

Tenure Numbers 512229, 512231, 512232, and 512233

RECEIVED
FEB 25 2008
Gold Commissioner's Office
VANCOUVER, B.C.

Fort Steele Mining Division

Trim Maps 049,050,059,060

UTM Centre 5484000N 562000E

**BC Geological Survey
Assessment Report
29665**

Owner - Ruby Red Resources Inc.
207, 239 - 12th Avenue SW
Calgary, AB
T2R 1H6

RECEIVED
GOVERNMENT AGENT
CRANBROOK
APR 30 2008
NOT AN OFFICIAL RECEIPT
TRANS # _____

Operator - As above

Consultant - Anderson Minsearch Consultants
3205 6th St. South
Cranbrook, B.C.
VIC 6K1

Author - Douglas Anderson, P.Eng.

Submitted - February, 2008

RECEIVED
GOVERNMENT AGENT
CRANBROOK
FEB 20 2008
NOT AN OFFICIAL RECEIPT
TRANS # _____

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

29,665

**RRX -
RECEIVED
APR 28 2007**

TABLE OF CONTENTS

| | Page |
|--|------|
| 1.0 Introduction | 1 |
| 2.0 Property Definition, History, and Background Information | 1 |
| 3.0 Summary of Work Done | 1 |
| 4.0 Geological Setting for the Property | 2 |
| 4.10 Regional Geology | 2 |
| 4.20 Intrusions | 3 |
| 4.30 Mineralization | 3 |
| 5.0 Geochemistry and Diamond Drilling Reports | 4 |
| 5.10 Geochemistry – Soil Geochem Survey | 4 |
| 5.20 Diamond Drilling | 4 |
| 5.0 Summary and Conclusions | 5 |
| 6.0 Itemized Cost Statement | 5 |
| 7.0 Authors Qualifications | 6 |

List of Illustrations

| | |
|------------|--|
| Figure 1 | Location Map – Scale 1:11,170,257 |
| Figure 2 | Gar Claim Map – Scale 1: 68,046 |
| Figure 3 | Gar Geology and Hole Locations – Scale 1:10,000 |
| Figure 4 | Soil Geochem with Gold Values contoured |
| Figure 5 | Soil Geochem with Lead Values contoured |
| Figure 6 | Drill Hole Section through Holes Gar07-1,2,3 |
| Appendix A | Acme Labs analytical results for soils ALS Chemex Labs analytical results for drill core. |

GEOCHEMISTRY AND DIAMOND DRILLING REPORT – GAR PROPERTY

1.0 Introduction

The Gar is a large block of north to northeast oriented claims covering the upper portion of the Angus Creek drainage (tributary to Hellroaring Creek which itself flows into the St. Mary river) and east and west from it. The total core area is about 5500 hectares. The entire property is approximately centered on UTM's 5484000N and 562000E. The work in 2007 was focused on the north end of the property around UTM's 5488137N and 0562516E. Tenure numbers for the area of work include: 512232, 512229, 512231, and 512233.

Access is gained from the St. Mary river logging road or the St. Mary Lake road west from Highway 95 up the major St. Mary river valley. Secondary logging roads leave the above roads into the Angus Creek and Hellroaring Creek drainages. The property is accessed most readily by 4x4 truck a total of 50 to 60 kilometres from Cranbrook, B.C. The exploration operating season is most reasonably from mid-May to the end of October where the relief is from 1500 to 2500 metres.

2.0 Property Definition, History, and Background Information

The Gar claims cover an area that has not been extensively explored at any time. Active exploration, particularly for gold has been more confined to the adjacent Perry Creek drainage where placer gold and gold indications in bedrock have been pursued at various times. Exploration in the St. Mary/Angus/Hellroaring Creek drainage system has been for lead/zinc of the Sullivan deposit type and therefore in older rocks of the Purcell Supergroup. Recorded exploration work has focused mostly on the Leader Group which occurs on the north end of the Gar Property. The geology and focus here is as follows. A granodiorite stock has intruded rocks of the Creston and Kitchener Formations. The intrusion is a leucocratic, porphyritic and non-porphyritic body with only modest alteration noted in outcrop. The main interest was the Leader quartz vein a 15cm to 1 metre thick vein traced over 600 metres in length. (Assessment report# 8163, 14112) Individual samples ranged from trace to 4.8 oz/ton gold with associated galena, sphalerite and chalcopyrite. The vein appears to occupy a shear zone which juxtaposes Creston against Kitchener Formation rocks with the intrusion proximal. The vein strikes approximately north-south and dips east at 68 to 80 degrees.

The Gar claims were acquired as part of a prospecting/rock sampling campaign conducted by Super Group Holdings Ltd. in the East Kootenay region. Recognition of a geological environment permissive for gold mineralization and encouraging analytical results for grab samples led to staking.

GAR Location Map

 GAR Location

Topographic Layers

-  Lakes 1:6M
-  Rivers 1:6M

BC Border Layers


-  BC Border 1:6M



SCALE 1 : 11,170,257



GAR Claim Map



SCALE 1 : 68,046



3.0 Summary of Work Done

Exploration in 2007 incorporated a small soil geochem survey and the drilling on four diamond drill holes on the north end of the property. Located over the Leader Stock, the work tested for gold potentially hosted by the granodiorite. The drilling of four holes totalling 462.48 metres was completed on two sections separated by about 550 metres in a north-south direction.


4.0 Geological Setting for the Property

4.10 Regional Setting

The Gar claims are within the Moyie structural block which is a northeast-trending block of ground between two major reverse faults – the St. Mary and Moyie faults. This block, moreso than others in the Purcell Anticlinorium, has apparently been rotated clockwise exposing the deepest stratigraphic level of Lower Aldridge Formation rocks in a northeast-southwest orientation. Overall the sedimentary rocks young to the northwest/west but at various stratigraphic levels the sequence is repeated by reverse faults. Across the Gar alone there a number of younging sequences from east to west. The Gar is underlain by predominantly Mesoproterozoic sedimentary rocks of the Creston and Kitchener Formations. These are dominantly light colored, grey to green, fine clastic rocks succeeded by darker colored, silty argillaceous rocks mixed with carbonates. Granitic intrusions were known to be present in the area and now more have been located. These form small stocks and elongate bodies trending northeast on the property. Structurally the geology is dominated by northeast-trending fault panels. The faults are predominantly reverse faults sympathetic to the bounding major faults. There is small to medium-scale folding which seems restricted to ground adjacent to faults.

The sedimentary sequence is worthy of discussion, as the nature of the rocks does influence the potential for mineralization along with other factors. The lowest sedimentary rocks exposed on the property are close to the base of the Creston Formation. The Middle Creston is a grey to greenish weathering sequence dominated by thin to thick bedded, fine-grained quartzitic wackes to quartz wackes. Interbedded argillites are laminated to thin-bedded rocks. Sedimentary features include flame structures, graded bedding, cross-bedding and lenticular bedding. On a fresh surface the quartzites vary from grey to green to mauve colors with shallow water depositional conditions dominant. The overlying Upper Creston is greenish-grey to green argillite sequence with some intermixed siltstones. Thin and wavy bedded, these rocks form a transition to the rocks above. The Kitchener Formation has basically two divisions. The lower division is not as well exposed but is green weathering argillite and siltstone which are thin bedded. Characteristic of Kitchener is presence of carbonate and this shows as buff weathering interbeds of dolomitic siltstone. The upper portion of the Kitchener is a darker grey to black or buff weathering thin bedded succession of argillite, carbonate, and dolomitic siltstone.

These sedimentary rocks have been intruded by granitic-type intrusions such as the Leader stock in the north and the Angus Creek stock in mid-property. Other similar but



GAR PROPERTY

**Gar Geology, Work Location
Claim Location**

BCGS: 082F060

SCALE: 1:10000

FIGURE: 3

smaller bodies of intrusive rocks have been located on the property. It is important to note that the intrusions are aligned along the northeast structural fabric as if emplaced along some of the faults. The Leader stock has been dated as Cretaceous. The intrusions are granodiorites or quartz monzonites which are leucocratic, medium to coarse-grained, containing plagioclase, quartz, orthoclase, biotite, and sericite in order of abundance. Petrographic work on a few samples shows lesser epidote, chlorite, apatite and zircon with minor pyrite, hematite, and leucoxene. Near the contact with the sediments locally, these intrusions can be more altered including: coarse phases (almost pegmatitic) with increased K-feldspar; sericitization of the plagioclase; muscovite; and chlorite after biotite. There is an increase in quartz veining, silicification, and alteration of the sediments as well.

4.20 Intrusions

There are now five separate intrusive plugs/stocks along the Gar structural trend/zone of about 12 kilometres. These are similar granodiorites to quartz monzonite intrusions which have their long axes oriented northeast-southwest along the structural belt described previously. These likely Cretaceous-aged intrusions vary from homogeneous, medium crystalline to quite coarse, pegmatitic rocks. The amount of outcrop is limited so determination of any zoning within the individual intrusions has not been possible.

Petrographic work indicates the intrusions are quite altered along the contacts. Described as granodiorite, medium to coarse leucocratic, with plagioclase, K-feldspar, quartz, biotite and chlorite (after mafics), and muscovite. Traces of apatite and zircon. Magnetite is present but in very minor amounts (<1%). Sericite alteration of the plagioclase is common.

Structure within the intrusions has not been studied but detail will be limited due to a lack of outcrop, especially a lack of large outcrops. However, smaller structures such as faults and fractures are notable with quartz veins occupying them in at least three orientations – north to northeast; southwest-northeast; and northwest-southeast. Sheeted quartz veins are known along the eastern and northern margins of the Angus Creek stock. Trenching of the Leader stock exposed faults of several orientations with quartz veins containing gold, limonite and sulphides.

The Gar property covers a linear array of small intrusions which together with aeromag anomalies indicate a major pluton underlies the property at depth.

4.30 Mineralization

Gold is the primary target commodity on the Gar property. The presence of gold is indicated by a variety of features including: anomalous gold in stream silts collected by the RGS program; anomalous gold was also confirmed by stream silts and heavies done by National Gold in 2001/2002; prospecting and selected rock geochem sampling yielded multigram gold in 10% of the rock samples collected over the 12 kilometre length of the

property; and soil geochem anomalies for gold and associated elements have now been defined in several locations. In addition, historical work on the Leader showing at the north end of the property demonstrated gold with galena and chalcopyrite was present in quartz vein occupying a shear zone. The potential for gold is also reflected by the geological setting where significant faults/shears have been the locus for granitic intrusions into a varied sequence of sedimentary rocks from quartzites to carbonate-rich argillaceous rocks.

5.00 Geochemistry and Diamond Drilling Report

5.10 Geochemistry

A small, tightly-sampled survey was conducted (in the fall period) on the west flank of the stock searching for gold and to determine its distribution in the soil where previous operators had sampled on a much larger spacing. A total of about 725 soil samples were collected from the B horizon over an area of 45 hectares. The grid of 650m by 700 metres was sampled on lines 50 metres apart with samples collected every 25 metres. The samples were placed in kraft paper bags for temporary storage and shipped to Acme Laboratories Ltd. of Vancouver, B.C. Samples (15g) were run under Group 1DX with 1:1:1 aqua regia digestion ICP-MS analysis.

The plotted values for gold and lead are included with this report (as Figures 4 and 5) and all analyses are in Appendix A. The analytical results show a good correspondence between gold and lead. The contoured values show the spatial distribution and close correspondence. Also associated with gold are copper, silver, zinc, and tungsten. Very high gold may also be accompanied by anomalous bismuth, antimony and uranium.

The soil geochem plots confirm two mineralized trends – the Leader zone of 015 to 020° and the GI trend of 350° azimuth. Both of these trends have some limited drilling and have documented narrow quartz veins in shears hosting gold and associated sulphides.

5.20 Diamond Drilling Report

A modest program of four holes was completed during the May29 to June 7 period. Three holes were drilled on the southern section with a fourth drilled about 550 metres to the north. The holes were designed to achieve two objectives: test a shear zone within the granodiorite that was exposed in 2006 which contained gold and base metals over 1 to 3 metres widths; and secondly test a broader area within the intrusion for additional shears and possible networking of quartz veins. A total of 462.48 metres was drilled in the four holes.

On the three hole section, the first hole was drilled to 172.56 metres at azimuth 080 degrees. It was positioned very close to the shear but unfortunately suffered from poor recovery due to weathering effects and ground up rock, so it was not an effective test of the shear. It did hit one other zone deeper but it is a narrow, fracture zone with veins and

gold to 127ppb. The number of quartz veins appear to decrease with depth. The second hole was positioned 5 metres west of the first collar and intersected the shear and alteration zone about 25 metres below surface. The shear and alteration zone of sericite host the following:

| | | Au | Ag | Pb | Zn | Cu |
|----------------------|--------|------|------|------|-----|-----|
| | | ppm | ppm | % | % | % |
| 30.0 – 31.0 metres | 1.0 m | 0.11 | 21.6 | .07 | .08 | .03 |
| 31.0 - 32.0 metres | 1.0 m | .05 | 34.8 | .02 | .13 | .03 |
| 32.0 – 33.2 metres | 1.2 m | .16 | 25.9 | 1.56 | .16 | .05 |
| 33.2 – 34.47 metres | 1.27m | 3.04 | 394 | 2.40 | .06 | .32 |
| 34.47 – 35.95 metres | 1.48 m | .01 | 4.4 | .83 | .19 | .05 |

The analyses were done by ALS Chemex and included all 59 samples analyzed by 33 element 4 acid ICP-AES. Seven of these samples were chosen for Au screen fire assay to check for coarse gold. Significant gold within the zone is associated with high silver and lead with copper and zinc also anomalous. This hole was stopped at 62.8 metres. The third hole was drilled steeply west from the same site. It was designed to test more of the granodiorite for quartz veins and the intensity of veining. The hole did hit the lateral effects of the shear with alteration and some weak gold values and then deeper a fracture zone with sericite/epidote, quartz veining, and weak gold values. The granodiorite gets fresher with depth and contains fewer quartz veins.

The fourth hole was drilled 550 metres to the north of the first section. This single hole was designed to test the granodiorite in an area with abundant float of intrusion with quartz veins. Some float grab samples returned interesting values in gold. The hole drilled at -45° to 080° azimuth hit some narrow quartz veins or quartz-feldspar veins but they contain little sulphide and no gold. Near the bottom of the hole at 99.69 metres some variation in crystallinity of the intrusion was encountered with some fine crystalline phases containing sericite and epidote alteration but no veining.

6.0 Summary and Conclusions

The soil geochem results document some very anomalous gold in the soils overlying the west flank of the stock. There are two well defined trends in the contoured values for lead and gold. However, the internal continuity of the mineralization is in question based on the soil results.

The diamond drilling was successful in testing the north-trending shear exposed in trenches in 2006. The best core length is 1.27 metres of 3.04g/tonne Au and 394g/tonne silver. The mineralization is within the structure in sericite altered granodiorite and associated with base metals – predominantly galena but also sphalerite and chalcopyrite. The remainder of the drilling tested the intrusion for additional quartz veining, in particular for quartz vein networking but this is only weakly developed.

7.00 Itemized Cost Statement

| | |
|---|---------------------|
| Geology – Consultant fees (Anderson Minsearch Consultants @ \$400/d) including truck support (\$75/d and 0.75/km) | \$5128.00 |
| Map preparation and production – K. Franck – map bases for field then finished digital versions. | 1813.50 |
| Geochemistry – Soil collection/sifting and plotting of results. Samplers charged \$175/d plus truck use as above. | 3604.50 |
| Lab work – Analytical work (ALS Chemex) Core preparation; ICP and total metallics. | 2474.13 |
| Supplies and Equipment – diamond saw blade; sample bags(Hayden Drilling Supplies) | 175.00 |
| Office rental and logging facility – at the Vine property | 400.00 |
| Diamond Drilling – FB Drilling – includes mob/demob of drill; cat work for site preparation; drilling of four holes totalling 462.48 metres with supplies and support costs. | 52569.56 |
| EK Expediting – B.Collison – moving; marking; sampling and storage of drill core - \$250/d plus truck use charges as above. | 1820.50 |
| Lab Work – for the soils samples – 329 soils were analyzed by ICP and for gold.(Acme Labs) | 7122.80 |
| Report Preparation (DA) – 3 days at \$400/day | 1200.00 |
| Administration costs – Calgary based | <u>9157.00</u> |
| Total | = \$85465.00 |

8.00 Author's Qualifications

I, Douglas Anderson, Consulting Geological Engineer, have my office at 3205 6th. St. South in Cranbrook, B.C., V1C 6K1.


I graduated from the University of British Columbia in 1969 with a Bachelor of Applied Science in Geological Engineering.

I have practiced my profession since 1969, predominantly with one large mining company, in a number of capacities all over Western Canada and currently within southeastern B.C. as a mineral exploration consultant.

I am a Registered Professional Engineer and member of the Association of Professional Engineers and Geoscientists of B.C., and I am authorized to use their seal which has been affixed to this report.

I am also a Fellow of the Geological Association of Canada.

Dated this 5th day of January, 2008



Douglas Anderson, P.Eng., B.A.Sc., FGAC
Consulting Geological Engineer

DRILL LOG FOR DIAMOND DRILL HOLE G-07-1
Gar Property

G-07-1 172.56 metres -45° to Az 080° Elevation 1710m

Collar UTM's 0562516E 5488137N

NQ Core with excellent core recovery at +90%(except in shear)2.67m of Overburden

FB Drilling Core stored at the Vine property in Peavine Creek.

Objective: To test down-dip on a mineralized shear zone within the Leader stock.

- 2.67 9.63m Uniform, coarsely crystalline quartz monzonite to granodiorite with 5 to 8% biotite and less augite/hornblende. Large white feldspar crystals (orthoclase). Magnetite scattered through but at low percentage levels. Minor free sericite. White speckled rock with a massive, crystalline texture. Minor sericite alteration of feldspars. No quartz veins.
- 9.63 18.10m A poor recovery zone from 9.63 to 10.36m - only 15cm recovered then better but still core loss. More fractured/altered intrusion to 13.80m. Iron oxides on fractures. Lessening alteration and fracturing to 18.10m. Grey to white granodiorite – somewhat fractured with narrow quartz veins but rare. Three 1 to 2cm qv with quartz-feldspar segregations. Sericitic green feldspars. Iron oxide on fractures. Oxidized pyrite.
- 18.10 77.0m Coarse crystalline white spotted granodiorite - >10% quartz; coarse white feldspar crystals; some short segregations of quartz-feldspar to 20cm; also short intervals of fracturing (45 to 50° to ca) with sericitic alteration and some pyrite. Locally greenish alteration of feldspars. Massive crystalline with short zones of quartz-feldspar. Overall 1 to 2 quartz veins per 5 metres of core. Magnetite present in small, isolated patches. Vuggy, patchy pyrite 70.5-73 metres.
- 77.0 79.5m More oxidized, more fractured and altered granodiorite. Two 2 to 4cm fine crystalline quartz-feldspar cross-cutting dykes. Orangy-grey colors with fracturing. Oxidized pyrite, but very little quartz veining.
- 79.5 172.56m Granodiorite – grey and white, salt and pepper textured; coarse grained
EOH overall with continued growth of large feldspars (orthoclase or microcline)
Short, finer crystalline segregation zones. >10% quartz; 8-10% mafics.
The quartz-feldspar segregations continue (to 0.5m long). Less fracturing than above with only weak sericite developed. Quartz veins rarer than above. Low percentage magnetite spotting.

Sampling: Values in ppm

| Sample No. | From | To | Length | Au | Ag | Pb | Zn | Cu |
|------------|------|-------|--------|------|-----|-----|-----|----|
| 52952 | 9.63 | 11.0 | 1.37m | .025 | 9.6 | 782 | 246 | 79 |
| 52953 | 11.0 | 12.0 | 1.0m | .041 | 0.6 | 41 | 93 | 21 |
| 52954 | 12.0 | 13.0 | 1.0m | .013 | 0.9 | 178 | 95 | 16 |
| 52955 | 13.0 | 14.0 | 1.0m | .029 | 0.6 | 28 | 138 | 6 |
| 52956 | 14.0 | 15.0 | 1.0m | .011 | 0.8 | 32 | 176 | 15 |
| 52957 | 15.0 | 16.0 | 1.0m | .001 | 0.6 | 25 | 193 | 12 |
| 52958 | 16.0 | 17.0 | 1.0m | .026 | 0.8 | 48 | 220 | 18 |
| 52959 | 17.0 | 18.1 | 1.0m | .053 | 1.1 | 127 | 164 | 46 |
| 52960 | 77.0 | 78.0 | 1.0m | .012 | <.5 | 30 | 33 | 4 |
| 52961 | 78.0 | 79.0 | 1.0m | .127 | <.5 | 43 | 30 | 9 |
| 52962 | 79.0 | 80.54 | 1.0m | .024 | 0.7 | 38 | 33 | 4 |

**DIAMOND DRILL LOG FOR DIAMOND DRILL HOLE G-07-2
Gar Property**

G-07-2 62.8 metres -50° at 080° Az Elevation 1710m

Collar UTM's 0562511E 5488137N

NQ core with excellent core recovery. 3.04 metres of overburden.

FB Drilling Core Storage at Vine Property in Peavine Creek

Objective: To test down-dip on the shear zone uncovered in trenches and in Hole#1.

3.04 17.1 m Coarse crystalline granodiorite with biotite and hornblende speckling to 6 to 8%. Coarse crystals of plagioclase to 3cm in size. One or two sedimentary clasts within. Massive with some fracturing with sericitic selvages and iron oxide and quartz veining at 75 to 80° to ca. Black residue on fractures.

17.1 30.0m Approximate start of more alteration and discoloration of the intrusion. Still coarsely crystalline but more f.g. phases and quartz with the fracturing increase. There are fine grained quartz-feldspar dyke phases at 20° to ca. Fractures at 45° to ca. Sericitization of feldspars and along any fractures or qv. Oxidized pyrite clots with iron oxide and black oxide on fractures.

30.0 35.95m More intensely altered zone – feldspars green sericitized/minor epidote in brecciated granodiorite. Shear zone – altered with actual shear the entire interval from 32 to 34.5m. 33.2 to 34.47m main quartz vein with limonite, pyromorphite, pyrite, trace galena, plus grey sulphide (likely arsenopyrite) plus 25% limonite/hematite.

35.95 42.0m Still altered intrusion- mostly medium crystalline however 40 to 42m is finer-grained, same compositionally. (end of shear effect at ~42m). Massive but not as coarse as surrounding intrusion. Fracturing with sericite at 55° to ca. Four quartz veins <2cm in interval. Occasional magnetite spotting. Fine lightly scattered pyrite. Sulphides and magnetite still oxidized along fractures in veins.

42.0 62.8m Very coarse crystalline granodiorite – coarse feldspar crystals and a few quartz-feldspar patches. Gets progressively fresher with depth. (Coarse crystals may be orthoclase or sanidine.) A few pinkish coarse crystals. Only short fracture zones at 30° to ca. Sericite alteration of feldspars. There are still 1cm to 30cm fracture zones with sericite and some pyrite -magnetite. Two 1 to 2cm quartz veins in interval.

EOH

Sampling: Values in ppm except where indicated otherwise.

| Sample No. | From | To | Length | Au | Ag | Pb | Zn | Cu |
|------------|-------|-------|--------|------|------|-------|------|------|
| 52963 | 17.1 | 18.0 | 0.9m | 0.40 | 4.1 | 674 | 333 | 63 |
| 52964 | 18.0 | 19.0 | 1.0m | .063 | 1.4 | 273 | 113 | 17 |
| 52965 | 19.0 | 20.0 | 1.0m | .073 | 1.7 | 333 | 164 | 43 |
| 52966 | 20.0 | 21.0 | 1.0m | .016 | 1.2 | 217 | 210 | 27 |
| 52967 | 21.0 | 22.0 | 1.0m | .007 | 2.5 | 244 | 115 | 46 |
| 52968 | 22.0 | 23.0 | 1.0m | .046 | 3.7 | 201 | 47 | 39 |
| 52969 | 23.0 | 24.0 | 1.0m | .012 | 4.2 | 395 | 165 | 81 |
| 52970 | 24.0 | 25.0 | 1.0m | .023 | 2.4 | 351 | 211 | 77 |
| 52971 | 25.0 | 26.0 | 1.0m | .227 | 0.9 | 404 | 152 | 76 |
| 52972 | 26.0 | 27.0 | 1.0m | .077 | 1.5 | 256 | 134 | 88 |
| 52973 | 27.0 | 28.0 | 1.0m | .014 | 1.8 | 235 | 116 | 61 |
| 52974 | 28.0 | 29.0 | 1.0m | .080 | 3.3 | 565 | 306 | 170 |
| 52975 | 29.0 | 30.0 | 1.0m | <.05 | 8.3 | 799 | 809 | 300 |
| 52976 | 30.0 | 31.0 | 1.0m | .110 | 21.6 | 679 | 789 | 272 |
| 52977 | 31.0 | 32.0 | 1.0m | .05 | 34.8 | 1830 | 1330 | 354 |
| 52978 | 32.0 | 33.2 | 1.2m | .16 | 25.9 | 1.56% | 1580 | 500 |
| 52979 | 33.2 | 34.47 | 1.27m | 3.04 | 394 | 2.40% | 567 | 3170 |
| 52980 | 34.47 | 35.95 | 1.48m | .011 | 4.4 | 8260 | 1940 | 498 |
| 52981 | 35.95 | 37.0 | 1.05m | .029 | 4.0 | 292 | 43 | 39 |
| 52982 | 37.0 | 38.0 | 1.0m | .009 | 0.5 | 114 | 49 | 9 |
| 52983 | 38.0 | 39.0 | 1.0m | .018 | 0.7 | 54 | 34 | 13 |
| 52984 | 39.0 | 40.0 | 1.0m | .009 | 0.5 | 54 | 30 | 15 |
| 52985 | 40.0 | 41.0 | 1.0m | .007 | 0.5 | 49 | 37 | 24 |
| 52986 | 41.0 | 42.0 | 1.0m | .003 | 0.5 | 53 | 39 | 14 |

Note: Sample Numbers 52974 to 52980 were also run by Au Screen fire assay – those results are included within the appendix A.

**DIAMOND DRILL LOG FOR DIAMOND DRILL HOLE G-07-3
Gar Property**

G-07-3 127.43m -65° to 260° 1710m

Collar UTM's 0562518E 5488137N

NQ core with excellent core recover for the hole. 3.04m of overburden.

FB Drilling Core stored at the Vine property in Peavine Creek.

Objective: Test west of the shear zone to a modest depth.

3.04 14.8m Coarse crystalline granodiorite with coarse microcline/orthoclase crystals
Some quartz-feldspar segregations over 2 to 20cm intervals. Massive with
some minor fractures with oxide at 30° to ca. Alteration low.

3.04 25.2m More altered, fractured with oxides (footwall effect of shear zone) in
sporadic intervals. No good (significant) quartz veining. Still probable
microcline crystals so interval lacks intense alteration or finer phases.
Fracturing at 30 to 45° to ca. Sericitization with greenish feldspar. Only
3 quartz veins in interval – rare small patches of pyrite or magnetite.
Minor fine scattered pyrite (<1%) 21 to 24m poor core recovery.

25.2 127.43m Coarse crystalline granodiorite with fewer (or none) of the coarse crystals
EOH of microcline. 8 to 10% biotite/hornblende. A few long, dark sediment
 clasts. Intrusion seems to get fresher with depth – less fracturing, veining,
 oxides. Some quartz-pinkish (salmon colored) feldspar veins or
 segregations. Muscovite – a bit pegmatitic locally. Fractured at 20 to 45°
 Fractures with sericite and quartz – any break allows for alteration. Minor
 epidote on fractures. From 25.2 to 127.43m – 20 sections of qv and or
 fracturing with oxides and alteration from 1cm to 40cm thick. QV with
 20% sericite selvages, small patches of pyrite mostly. Magnetite patches.
 Sampled 41 to 45.8 as a test zone for scattered qv.

Sampling: All values in ppm

| Sample No. | From | To | Length | Au | Ag | Pb | Zn | Cu |
|------------|------|-------|--------|------|-----|-----|-----|----|
| 52987 | 14.8 | 15.8m | 1.0m | .028 | 1.0 | 40 | 96 | 12 |
| 52988 | 15.8 | 16.8m | 1.0m | .115 | 0.9 | 141 | 76 | 21 |
| 52989 | 16.8 | 18.0m | 1.2m | .145 | 2.1 | 100 | 96 | 74 |
| 52990 | 18.0 | 19.0m | 1.0m | .09 | 0.8 | 102 | 84 | 62 |
| 52991 | 19.0 | 20.0m | 1.0m | .001 | 1.1 | 35 | 77 | 17 |
| 52992 | 20.0 | 21.0m | 1.0m | .001 | 0.5 | 40 | 40 | 7 |
| 52993 | 21.0 | 22.0m | 1.0m | .325 | 0.6 | 44 | 168 | 28 |
| 52994 | 22.0 | 23.0m | 1.0m | .228 | 0.7 | 38 | 118 | 24 |
| 52995 | 23.0 | 24.0m | 1.0m | .004 | 0.7 | 26 | 92 | 7 |
| 52996 | 24.0 | 25.3m | 1.2m | .007 | 0.9 | 33 | 96 | 14 |

| | | | | | | | | |
|--------|------|-------|------|------|-----|-----|-----|---|
| 52997 | 41.0 | 42.0m | 1.0m | .008 | 1.3 | 37 | 76 | 3 |
| 52998 | 42.0 | 43.0m | 1.0m | .292 | 0.7 | 29 | 79 | 7 |
| 52999 | 43.0 | 44.0m | 1.0m | .173 | 1.2 | 115 | 88 | 3 |
| 53000 | 44.0 | 45.0m | 1.0m | .003 | 0.6 | 29 | 88 | 1 |
| 304551 | 45.0 | 45.8m | 0.8m | .178 | 1.0 | 96 | 116 | 9 |

**DIAMOND DRILL LOG FOR DIAMOND DRILL HOLE G-07-4
Gar Property**

G-07-4 99.69m -45° to 080° azimuth 1705m

Collar UTM's 0562384E 5488665N

NQ core with excellent recover. 3.04m of overburden.

FB Drilling Core stored at the Vine property in Peavine Creek.

Objective: To test the Leader stock where abundant fine-grained phases and quartz vein float occur.

3.04 27.1m Weathered, limonitic coarse crystalline intrusion. Crumbly core.
Fine grained phase of the intrusion from 5.48 to 6.38m. Last 60cm dark, mafic section (hornblende). Massive without fracturing. Weathered with non-sulphidic quartz vein close to core axis 8.95 to 9.5m.

27.1 56.0m Very coarse grained with abundant light grey, prismatic crystals of orthoclase (or microcline) >10%. Quartz-plagioclase-biotite-hornblende (8-10%). There are short intervals of fine crystalline phases (Q-F) from 5 to 10cm wide. Grey and white speckled. Very minor sericitization of feldspars. Minor epidote on a few fractures. Quartz or Q-feldspar veins sporadic – at 10 to 15° and 45° to ca. from 0.5cm to 3cm wide. Occasional sulphide patch. Some Q-F dominated zones also. Small patches (isolated) of magnetite. Some magnetite in the qv as well. Rarer pyrite clots. Vuggy qv sampled.

56.0 58.35m Altered section of the intrusion – quartz-feldspar with minor mafics and sericite. Coarsely crystalline in part, quartz-sericite veining also. Massive with some packed feldspar crystals. Sericite very prominent. Magnetite patches – qv at 10° to ca. Lack of sulphides.

58.35 99.69m Coarse crystalline granodiorite with grey feldspar crystal growths.
EOH Scattered fine-grained phases also but <10cm wide at 30 to 40° to ca. There are alteration zones within 10cm to 1.5m thick. 78.75 to 80.37 fractured/altered/veined; 90.2 to 91.55 altered, brownish coloration (feldspar) along a fracture zone. Fractures not common but iron oxide on some at 60-65° to ca. Minor patches of sericite and epidote. Lengths of core 10cm to 1.5m quite altered – sericite/epidote alteration of feldspar most prominent – contain some narrow qv. Fine grained phases flecked

with fine magnetite. Some pyrite in a few qv. ~15 qv in this interval. Iron oxide on some fracture surfaces from ~60 to 73.6m.

Sampling: All values in ppm

| Sample No. | From | To | Length | Au | Ag | Pb | Zn | Cu |
|------------|-------|-------|--------|-------|----|----|----|----|
| 304552 | 8.93 | 9.63m | 0.70m | <.001 | .5 | 30 | 37 | 31 |
| 304553 | 41.0 | 41.76 | 0.76m | <.001 | .5 | 33 | 46 | 33 |
| 304554 | 56.0 | 57.0m | 1.0m | <.001 | .5 | 38 | 20 | 6 |
| 304555 | 57.0 | 58.35 | 1.35m | <.001 | .5 | 43 | 13 | 7 |
| 304556 | 72.45 | 73.61 | 1.16m | .003 | .5 | 41 | 49 | 3 |
| 304557 | 78.75 | 80.37 | 1.62m | .001 | .5 | 33 | 42 | 2 |
| 304558 | 90.20 | 91.50 | 1.30m | .002 | .5 | 24 | 48 | 2 |
| 304559 | 97.70 | 98.75 | 1.05m | <.001 | .5 | 30 | 34 | 1 |
| 304560 | 98.75 | 99.30 | 0.55m | <.001 | .5 | 38 | 23 | 3 |



ALS Chemex
 EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: RUBY RED RESOURCES
 207-239 12TH AVENUE SW
 CALGARY AB T2R 1H6

Page: 1
 Finalized Date: 2-JUL-2007
 Account: RUBRED

CERTIFICATE VA07061792

Project: GAR
 P.O. No.:
 This report is for 59 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 15-JUN-2007.
 The following have access to data associated with this certificate:


| | |
|------------------|-------------|
| ACCOUNTS PAYABLE | D. ANDERSON |
|------------------|-------------|

| SAMPLE PREPARATION | |
|--------------------|--------------------------------|
| ALS CODE | DESCRIPTION |
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Red w/o BarCode |
| CRU-QC | Crushing QC Test |
| PUL-QC | Pulverizing QC Test |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-31 | Pulverize split to 85% <75 um |

| ANALYTICAL PROCEDURES | | |
|-----------------------|--------------------------------|------------|
| ALS CODE | DESCRIPTION | INSTRUMENT |
| ME-ICP61 | 33 element four acid ICP-AES | ICP-AES |
| Ag-OG62 | Ore Grade Ag - Four Acid | VARIABLE |
| ME-OG62 | Ore Grade Elements - Four Acid | ICP-AES |
| Pb-OG62 | Ore Grade Pb - Four Acid | VARIABLE |
| Au-ICP21 | Au 30g FA ICP-AES Finish | ICP-AES |

To: RUBY RED RESOURCES
 ATTN: D. ANDERSON
 3205 6TH ST. S
 VANCOUVER BC V1C 6K1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Lawrence Ng, Laboratory Manager - Vancouver



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: RUBY RED RESOURCES
207-239 12TH AVENUE SW
CALGARY AB T2R 1H6

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 2-JUL-2007
Account: RUBRED

Project: GAR

CERTIFICATE OF ANALYSIS VA07061792

| Sample Description | Method Analyte Units LOR | WEI-21 Rehyd WL kg | Au-ICP61 Au ppm | ME-ICP61 Ag ppm | ME-ICP61 Al % | ME-ICP61 As ppm | ME-ICP61 Ba ppm | ME-ICP61 Be ppm | ME-ICP61 Bi ppm | ME-ICP61 Ca % | ME-ICP61 Cd ppm | ME-ICP61 Co ppm | ME-ICP61 Cr ppm | ME-ICP61 Cu ppm | ME-ICP61 Fe % | ME-ICP61 Ga ppm |
|--------------------|--------------------------|--------------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|
| 52952 | | 1.60 | 0.025 | 9.6 | 8.39 | <5 | 1980 | 2.1 | <2 | 0.28 | 0.7 | 1 | 4 | 79 | 1.45 | 20 |
| 52953 | | 2.58 | 0.041 | 9.6 | 8.12 | <5 | 1620 | 2.0 | <2 | 0.22 | 1.8 | <1 | 5 | 21 | 1.72 | 20 |
| 52954 | | 2.06 | 0.013 | 0.9 | 8.90 | 9 | 1670 | 2.8 | <2 | 0.54 | 1.2 | 3 | 6 | 16 | 1.65 | 20 |
| 52955 | | 2.56 | 0.029 | 0.6 | 8.10 | <5 | 1020 | 2.5 | <2 | 0.56 | 1.5 | 2 | 8 | 6 | 1.74 | 20 |
| 52956 | | 3.52 | 0.011 | 0.8 | 8.48 | 8 | 1390 | 2.3 | <2 | 1.06 | 1.0 | 1 | 5 | 15 | 1.34 | 20 |
| 52957 | | 2.34 | 0.001 | 0.6 | 8.41 | 5 | 1570 | 2.4 | <2 | 1.32 | 1.2 | 1 | 4 | 12 | 1.54 | 20 |
| 52958 | | 3.56 | 0.026 | 0.8 | 8.43 | <5 | 1470 | 2.3 | <2 | 1.03 | 1.2 | 2 | 5 | 18 | 1.52 | 20 |
| 52959 | | 2.60 | 0.053 | 1.1 | 8.08 | 6 | 1650 | 2.5 | <2 | 0.65 | <0.5 | 2 | 6 | 46 | 1.69 | 20 |
| 52960 | | 2.68 | 0.012 | <0.5 | 8.08 | <5 | 2310 | 2.1 | <2 | 1.20 | <0.5 | 2 | 5 | 4 | 1.36 | 20 |
| 52961 | | 2.92 | 0.127 | <0.5 | 8.26 | 10 | 2410 | 2.2 | <2 | 1.23 | <0.5 | <1 | 7 | 9 | 1.36 | 20 |
| 52962 | | 3.78 | 0.024 | 0.7 | 8.33 | <5 | 1760 | 2.2 | 3 | 1.61 | <0.5 | 2 | 6 | 4 | 1.44 | 20 |
| 52963 | | 1.72 | 0.040 | 4.1 | 8.17 | <5 | 1000 | 2.1 | <2 | 0.30 | 0.7 | 2 | 5 | 63 | 1.13 | 20 |
| 52964 | | 2.34 | 0.063 | 1.4 | 7.77 | <5 | 1100 | 2.0 | <2 | 0.40 | 0.6 | <1 | 5 | 17 | 1.15 | 20 |
| 52965 | | 1.98 | 0.073 | 1.7 | 8.64 | <5 | 1950 | 2.6 | <2 | 0.90 | 0.9 | 2 | 4 | 43 | 1.61 | 20 |
| 52966 | | 2.38 | 0.016 | 1.2 | 8.41 | <5 | 2590 | 2.3 | <2 | 1.08 | 0.5 | <1 | 4 | 27 | 1.38 | 20 |
| 52967 | | 2.10 | 0.007 | 2.5 | 8.38 | 5 | 1080 | 2.7 | <2 | 0.90 | <0.5 | 1 | 3 | 46 | 1.05 | 20 |
| 52968 | | 2.22 | 0.046 | 3.7 | 6.92 | <5 | 340 | 1.8 | <2 | 0.35 | <0.5 | <1 | 5 | 39 | 0.48 | 10 |
| 52969 | | 2.08 | 0.012 | 4.2 | 8.94 | <5 | 2290 | 2.4 | <2 | 0.94 | <0.5 | 1 | 4 | 81 | 1.41 | 20 |
| 52970 | | 2.50 | 0.023 | 2.4 | 8.60 | 6 | 1500 | 2.5 | <2 | 0.79 | 0.6 | <1 | 5 | 77 | 1.26 | 20 |
| 52971 | | 0.78 | 0.227 | 0.9 | 8.21 | <5 | 1820 | 2.5 | <2 | 0.74 | 0.6 | 1 | 5 | 76 | 1.46 | 20 |
| 52972 | | 2.66 | 0.077 | 1.5 | 8.74 | <5 | 1610 | 2.2 | <2 | 1.11 | <0.5 | <1 | 4 | 88 | 1.52 | 20 |
| 52973 | | 1.78 | 0.014 | 1.8 | 7.25 | <5 | 580 | 2.1 | <2 | 0.40 | <0.5 | <1 | 4 | 61 | 0.75 | 10 |
| 52974 | | 2.80 | 0.039 | 3.3 | 8.55 | <5 | 2110 | 2.2 | <2 | 0.75 | 1.2 | <1 | 3 | 170 | 1.35 | 20 |
| 52975 | | 2.56 | 0.021 | 8.3 | 8.75 | 6 | 1820 | 2.3 | <2 | 0.56 | 1.4 | 2 | 4 | 300 | 1.66 | 20 |
| 52976 | | 1.76 | 0.051 | 21.6 | 8.70 | <5 | 1660 | 2.5 | <2 | 0.30 | 0.7 | 2 | 6 | 272 | 1.46 | 20 |
| 52977 | | 2.14 | 0.030 | 34.8 | 8.89 | 5 | 2780 | 2.3 | <2 | 0.36 | 0.9 | 4 | 5 | 354 | 1.39 | 20 |
| 52978 | | 2.86 | 0.046 | 25.9 | 7.37 | 81 | 1230 | 2.2 | <2 | 0.18 | 0.5 | 1 | 10 | 500 | 1.57 | 20 |
| 52979 | | 2.22 | 2.91 | >100 | 1.60 | 1490 | 1040 | 0.5 | 12 | 0.14 | 5.6 | 3 | 13 | 3170 | 4.83 | <10 |
| 52980 | | 3.78 | 0.011 | 4.4 | 8.26 | 6 | 3050 | 2.3 | <2 | 0.73 | 1.5 | 2 | 9 | 490 | 1.90 | 20 |
| 52981 | | 2.92 | 0.029 | 4.0 | 8.51 | 20 | 2340 | 2.1 | <2 | 0.96 | <0.5 | 2 | 11 | 30 | 1.56 | 20 |
| 52982 | | 2.34 | 0.009 | 0.5 | 8.82 | <5 | 2540 | 2.4 | <2 | 0.90 | <0.5 | 2 | 8 | 9 | 1.35 | 20 |
| 52983 | | 2.56 | 0.018 | 0.7 | 8.72 | <5 | 1730 | 2.2 | <2 | 1.06 | <0.5 | 1 | 10 | 13 | 1.42 | 20 |
| 52984 | | 2.10 | 0.009 | 0.5 | 8.31 | <5 | 1460 | 2.2 | <2 | 0.80 | <0.5 | 2 | 7 | 15 | 1.27 | 20 |
| 52985 | | 2.48 | 0.007 | 0.5 | 8.00 | <5 | 1770 | 1.8 | <2 | 1.47 | <0.5 | 2 | 10 | 24 | 1.57 | 20 |
| 52986 | | 1.94 | 0.003 | <0.5 | 8.02 | <5 | 1300 | 1.7 | <2 | 0.95 | <0.5 | 2 | 7 | 14 | 1.40 | 20 |
| 52987 | | 2.18 | 0.028 | 1.0 | 9.31 | <5 | 1920 | 3.2 | <2 | 0.54 | 1.6 | 2 | 7 | 12 | 1.62 | 20 |
| 52988 | | 2.74 | 0.115 | 0.9 | 8.75 | <5 | 1640 | 2.7 | <2 | 0.51 | 1.4 | 2 | 8 | 21 | 1.45 | 20 |
| 52989 | | 2.56 | 0.145 | 2.1 | 9.02 | 6 | 2650 | 3.1 | <2 | 0.72 | 1.4 | 2 | 6 | 74 | 1.62 | 20 |
| 52990 | | 3.00 | 0.090 | 0.8 | 9.12 | <5 | 2160 | 2.7 | <2 | 1.42 | 0.5 | 2 | 8 | 62 | 1.94 | 20 |
| 52991 | | 2.30 | <0.001 | 1.1 | 8.90 | <5 | 1990 | 2.1 | <2 | 1.92 | 0.9 | 3 | 8 | 17 | 2.01 | 20 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: RUBY RED RESOURCES
207-239 12TH AVENUE SW
CALGARY AB T2R 1H6

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 2-JUL-2007
Account: RUBRED

Project: GAR

CERTIFICATE OF ANALYSIS VA07061792

| Sample Description | Method Analytic Units LOR | ME-ICP61 | MC-ICP61 | ME-CP61 | MC-ICP61 | ME-ICP61 | MC-ICP61 | ME-ICP61 | MC-ICP61 | ME-ICP61 | MC-ICP61 | ME-ICP61 | MC-ICP61 | ME-ICP61 | MC-ICP61 | ME-CP61 |
|--------------------|------------------------------------|----------|-----------|---------|-----------|-----------|----------|-----------|----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|
| | | K % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | NI ppm | P ppm | Pb ppm | S % | Se ppm | Sc ppm | Sr ppm | Ti ppm | Tl ppm |
| 52952 | | 4.06 | 20 | 0.23 | 339 | 4 | 1.43 | 1 | 400 | 782 | 0.02 | 30 | 3 | 436 | <20 | 0.10 |
| 52953 | | 3.98 | 20 | 0.19 | 495 | <1 | 1.88 | <1 | 340 | 41 | 0.01 | <5 | 3 | 301 | <20 | 0.09 |
| 52954 | | 3.64 | 20 | 0.26 | 708 | <1 | 2.40 | <1 | 470 | 178 | 0.01 | <5 | 5 | 615 | <20 | 0.14 |
| 52955 | | 2.88 | 30 | 0.29 | 651 | <1 | 2.01 | 3 | 580 | 28 | <0.01 | <5 | 5 | 447 | <20 | 0.15 |
| 52956 | | 3.24 | 20 | 0.25 | 463 | <1 | 2.56 | 1 | 400 | 32 | <0.01 | <5 | 3 | 942 | <20 | 0.11 |
| 52957 | | 2.89 | 10 | 0.26 | 513 | <1 | 2.96 | <1 | 500 | 25 | <0.01 | <5 | 3 | 1140 | <20 | 0.12 |
| 52958 | | 2.61 | 20 | 0.30 | 529 | <1 | 3.11 | 2 | 460 | 48 | <0.01 | <5 | 3 | 950 | <20 | 0.13 |
| 52959 | | 3.53 | 10 | 0.25 | 451 | <1 | 2.44 | 1 | 410 | 127 | <0.01 | 5 | 3 | 682 | <20 | 0.11 |
| 52960 | | 2.92 | 10 | 0.21 | 956 | <1 | 2.83 | 2 | 350 | 30 | 0.03 | <5 | 2 | 933 | <20 | 0.11 |
| 52961 | | 3.29 | 10 | 0.18 | 574 | <1 | 2.75 | <1 | 320 | 43 | 0.06 | <5 | 2 | 885 | <20 | 0.11 |
| 52962 | | 2.80 | 10 | 0.26 | 622 | <1 | 2.97 | 1 | 460 | 38 | 0.02 | <5 | 3 | 1000 | <20 | 0.13 |
| 52963 | | 3.96 | 10 | 0.17 | 496 | 6 | 2.01 | 1 | 380 | 674 | 0.01 | 9 | 2 | 348 | <20 | 0.09 |
| 52964 | | 3.77 | 10 | 0.19 | 373 | <1 | 2.13 | <1 | 350 | 272 | <0.01 | <5 | 2 | 476 | <20 | 0.09 |
| 52965 | | 3.32 | 10 | 0.25 | 426 | <1 | 2.74 | 1 | 540 | 333 | <0.01 | 5 | 3 | 930 | <20 | 0.12 |
| 52966 | | 3.02 | 10 | 0.26 | 431 | <1 | 2.64 | 1 | 430 | 217 | 0.03 | <5 | 3 | 1080 | <20 | 0.12 |
| 52967 | | 3.64 | 10 | 0.20 | 323 | <1 | 2.77 | <1 | 350 | 244 | <0.01 | <5 | 3 | 854 | <20 | 0.09 |
| 52968 | | 4.42 | <10 | 0.07 | 126 | 2 | 2.01 | <1 | 220 | 201 | <0.01 | 5 | 1 | 381 | <20 | 0.05 |
| 52969 | | 3.51 | 20 | 0.25 | 384 | 1 | 2.87 | 1 | 430 | 395 | 0.01 | <5 | 3 | 1020 | <20 | 0.11 |
| 52970 | | 3.75 | 10 | 0.23 | 371 | <1 | 2.69 | 2 | 390 | 351 | <0.01 | <5 | 2 | 805 | <20 | 0.10 |
| 52971 | | 3.23 | 20 | 0.28 | 503 | <1 | 2.67 | 1 | 450 | 404 | <0.01 | <5 | 3 | 812 | <20 | 0.12 |
| 52972 | | 3.48 | 10 | 0.25 | 418 | <1 | 2.77 | 1 | 410 | 256 | <0.01 | <5 | 2 | 1110 | <20 | 0.10 |
| 52973 | | 4.16 | 10 | 0.11 | 240 | <1 | 1.87 | 1 | 230 | 235 | <0.01 | <5 | 2 | 337 | <20 | 0.05 |
| 52974 | | 3.84 | 20 | 0.24 | 544 | <1 | 2.40 | <1 | 480 | 565 | <0.01 | <5 | 3 | 864 | <20 | 0.13 |
| 52975 | | 3.77 | 20 | 0.22 | 834 | <1 | 2.57 | 2 | 470 | 799 | 0.01 | 9 | 3 | 667 | <20 | 0.12 |
| 52976 | | 4.12 | 20 | 0.23 | 453 | <1 | 2.25 | 5 | 490 | 679 | 0.01 | 19 | 3 | 471 | <20 | 0.11 |
| 52977 | | 4.58 | 20 | 0.20 | 922 | 1 | 2.04 | <1 | 450 | 1830 | 0.03 | 34 | 3 | 592 | <20 | 0.11 |
| 52978 | | 4.60 | 20 | 0.28 | 96 | 76 | 0.42 | 2 | 800 | >10000 | 0.01 | 68 | 2 | 170 | <20 | 0.09 |
| 52979 | | 0.87 | <10 | 0.05 | 181 | 170 | 0.29 | 4 | 1360 | >10000 | 0.41 | 2550 | 1 | 186 | <20 | 0.02 |
| 52980 | | 3.56 | 20 | 0.25 | 492 | 7 | 2.28 | <1 | 460 | 8260 | 0.29 | 11 | 3 | 802 | 20 | 0.12 |
| 52981 | | 2.94 | 20 | 0.25 | 543 | 1 | 2.72 | <1 | 370 | 292 | 0.04 | 28 | 3 | 997 | 20 | 0.11 |
| 52982 | | 3.74 | 20 | 0.23 | 519 | <1 | 2.84 | 1 | 390 | 114 | 0.01 | <5 | 3 | 1010 | 20 | 0.11 |
| 52983 | | 3.12 | 10 | 0.25 | 504 | <1 | 2.99 | 2 | 530 | 54 | <0.01 | <5 | 3 | 1150 | 20 | 0.11 |
| 52984 | | 3.03 | 20 | 0.22 | 389 | <1 | 2.61 | 2 | 560 | 54 | <0.01 | <5 | 2 | 866 | <20 | 0.10 |
| 52985 | | 3.23 | 20 | 0.31 | 501 | <1 | 2.45 | <1 | 500 | 49 | 0.06 | <5 | 4 | 936 | 20 | 0.14 |
| 52986 | | 3.82 | 20 | 0.34 | 538 | <1 | 2.16 | 2 | 660 | 53 | 0.01 | <5 | 5 | 733 | 20 | 0.13 |
| 52987 | | 4.81 | 20 | 0.30 | 557 | <1 | 2.60 | 2 | 610 | 40 | <0.01 | <5 | 4 | 740 | <20 | 0.13 |
| 52988 | | 4.56 | 20 | 0.26 | 605 | <1 | 2.11 | <1 | 460 | 141 | <0.01 | <5 | 3 | 623 | <20 | 0.11 |
| 52989 | | 4.56 | 20 | 0.30 | 772 | <1 | 2.18 | <1 | 490 | 100 | <0.01 | <5 | 3 | 861 | <20 | 0.12 |
| 52990 | | 3.34 | 20 | 0.41 | 673 | <1 | 2.68 | 3 | 710 | 102 | <0.01 | <5 | 5 | 1240 | 20 | 0.17 |
| 52991 | | 2.80 | 30 | 0.46 | 792 | <1 | 2.58 | <1 | 580 | 35 | <0.01 | <5 | 4 | 1500 | 20 | 0.19 |



ALS Chemex
 EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd

212 Brooksbark Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: RUBY RED RESOURCES
 207-239 12TH AVENUE SW
 CALGARY AB T2R 1H6

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 2-JUL-2007
 Account: RUBRED

Project: GAR

CERTIFICATE OF ANALYSIS VA07061792

| Sample Description | Method Analyte Units LOK | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | Ag-OG62 | Pb-OG62 |
|--------------------|-----------------------------------|-------------------|------------------|------------------|------------------|-------------------|-------------------|--------------|
| | | Tl ppm µg/g | U ppm µg/g | V ppm µg/g | W ppm µg/g | Zn ppm µg/g | Ag ppm µg/g | Pb % % |
| 52952 | | <10 | 10 | 33 | 40 | 246 | | |
| 52953 | | <10 | <10 | 25 | 10 | 93 | | |
| 52954 | | <10 | 10 | 33 | 10 | 95 | | |
| 52955 | | <10 | <10 | 40 | 10 | 138 | | |
| 52956 | | 10 | 10 | 31 | <10 | 176 | | |
| 52957 | | <10 | 10 | 40 | 10 | 193 | | |
| 52958 | | <10 | 10 | 39 | 10 | 220 | | |
| 52959 | | <10 | 10 | 44 | 20 | 164 | | |
| 52960 | | <10 | 10 | 32 | 20 | 33 | | |
| 52961 | | <10 | 10 | 30 | 10 | 30 | | |
| 52962 | | <10 | 10 | 34 | 10 | 33 | | |
| 52963 | | <10 | 10 | 25 | 40 | 333 | | |
| 52964 | | <10 | 10 | 29 | 20 | 113 | | |
| 52965 | | <10 | 10 | 41 | 20 | 164 | | |
| 52966 | | <10 | 10 | 38 | 10 | 210 | | |
| 52967 | | <10 | 10 | 25 | 10 | 115 | | |
| 52968 | | <10 | 10 | 9 | <10 | 47 | | |
| 52969 | | <10 | 10 | 35 | 10 | 165 | | |
| 52970 | | <10 | 10 | 31 | 10 | 211 | | |
| 52971 | | <10 | 10 | 38 | 10 | 152 | | |
| 52972 | | <10 | 10 | 36 | 10 | 134 | | |
| 52973 | | <10 | 10 | 18 | 10 | 118 | | |
| 52974 | | <10 | 10 | 38 | 10 | 306 | | |
| 52975 | | <10 | 10 | 35 | 20 | 809 | | |
| 52976 | | <10 | 10 | 40 | 10 | 789 | | |
| 52977 | | <10 | 10 | 38 | 30 | 1330 | | |
| 52978 | | <10 | 30 | 33 | 110 | 1580 | | 1.56 |
| 52979 | | <10 | 110 | 8 | 320 | 567 | 394 | 2.46 |
| 52980 | | <10 | 10 | 39 | 10 | 1940 | | |
| 52981 | | <10 | <10 | 34 | 20 | 43 | | |
| 52982 | | <10 | <10 | 35 | 10 | 49 | | |
| 52983 | | <10 | <10 | 32 | 10 | 34 | | |
| 52984 | | <10 | <10 | 28 | 10 | 30 | | |
| 52985 | | <10 | <10 | 29 | <10 | 37 | | |
| 52986 | | <10 | <10 | 29 | 10 | 39 | | |
| 52987 | | <10 | 10 | 46 | 30 | 96 | | |
| 52988 | | <10 | 10 | 43 | 20 | 76 | | |
| 52989 | | <10 | <10 | 38 | 20 | 96 | | |
| 52990 | | <10 | <10 | 46 | 10 | 84 | | |
| 52991 | | 10 | <10 | 46 | <10 | 77 | | |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: RUBY RED RESOURCES
207-239 12TH AVENUE SW
CALGARY AB T2R 1H6

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 2-JUL-2007
Account: RUBRED

Project: GAR

CERTIFICATE OF ANALYSIS VA07061792

| Sample Description | Method Analyte Units LOP | WF: 21 | AU: ICP61 | ME: ICP61 | MF: ICP61 | ML: ICP61 | ME: ICP61 | ME: ICP61 | MF: ICP61 | ME: ICP61 | ME: ICP61 | MF: ICP61 | ME: ICP61 | ME: ICP61 | ME: ICP61 | ME: ICP61 |
|--------------------|--------------------------|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | | Recvd V/L kg | Au ppm | Ag ppm | Al % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cl ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Ga ppm |
| | | 0.02 | 0.001 | 0.5 | 0.01 | 5 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 0.01 | 10 | |
| 52792 | | 1.28 | 0.001 | 0.5 | 7.74 | <5 | 1520 | 2.6 | <2 | 1.23 | <0.5 | 2 | 7 | 7 | 1.25 | 20 |
| 52993 | | 1.72 | 0.325 | 0.6 | 7.92 | <5 | 730 | 3.4 | <2 | 0.89 | 1.0 | 2 | 10 | 28 | 2.12 | 20 |
| 52994 | | 1.60 | 0.228 | 0.7 | 8.35 | <5 | 2210 | 2.4 | <2 | 1.11 | 0.7 | 2 | 7 | 24 | 1.58 | 20 |
| 52995 | | 2.06 | 0.004 | 0.7 | 8.16 | <5 | 2400 | 2.4 | <2 | 1.63 | 1.4 | 2 | 8 | 7 | 1.68 | 20 |
| 52996 | | 3.30 | 0.007 | 0.9 | 8.72 | <5 | 1350 | 3.3 | <2 | 1.17 | 1.2 | 1 | 7 | 14 | 1.79 | 20 |
| 52997 | | 2.26 | 0.008 | 1.3 | 9.11 | <5 | 1570 | 2.9 | <2 | 1.89 | 1.2 | 2 | 8 | 3 | 2.23 | 20 |
| 52998 | | 2.42 | 0.292 | 0.7 | 8.24 | <5 | 1210 | 3.3 | <2 | 0.77 | 1.7 | 2 | 10 | 7 | 1.93 | 20 |
| 52999 | | 2.28 | 0.173 | 1.2 | 8.67 | <5 | 2080 | 2.9 | <2 | 1.30 | 0.8 | 4 | 7 | 3 | 2.32 | 20 |
| 53000 | | 2.24 | 0.003 | 0.6 | 8.32 | <5 | 1400 | 2.7 | <2 | 1.99 | 0.8 | 1 | 10 | 1 | 1.84 | 20 |
| 304551 | | 0.68 | 0.178 | 1.0 | 8.28 | <5 | 1300 | 2.8 | <2 | 1.19 | 1.3 | 3 | 9 | 9 | 2.03 | 20 |
| 304552 | | 1.46 | <0.001 | <0.5 | 7.01 | <5 | 1320 | 2.2 | <2 | 0.92 | <0.5 | 2 | 32 | 31 | 1.74 | 20 |
| 304553 | | 0.64 | <0.001 | 0.5 | 7.98 | 6 | 1920 | 2.4 | <2 | 1.80 | <0.5 | 2 | 7 | 33 | 1.98 | 20 |
| 304554 | | 2.22 | <0.001 | <0.5 | 7.38 | <5 | 5800 | 1.2 | <2 | 0.88 | <0.5 | 1 | 25 | 6 | 1.20 | 20 |
| 304555 | | 2.98 | <0.001 | <0.5 | 7.74 | <5 | 4270 | 1.6 | <2 | 0.56 | <0.5 | 2 | 11 | 7 | 0.70 | 20 |
| 304556 | | 3.02 | 0.003 | <0.5 | 7.86 | <5 | 1460 | 2.8 | <2 | 1.18 | <0.5 | 3 | 24 | 3 | 1.71 | 20 |
| 304557 | | 2.30 | 0.001 | <0.5 | 8.11 | <5 | 1780 | 2.1 | 2 | 1.35 | <0.5 | 1 | 7 | 2 | 1.54 | 20 |
| 304558 | | 1.10 | 0.002 | <0.5 | 7.69 | <5 | 1680 | 2.0 | <2 | 0.88 | <0.5 | 2 | 28 | 2 | 1.48 | 20 |
| 304559 | | 2.56 | <0.001 | <0.5 | 8.04 | <5 | 2620 | 2.4 | <2 | 1.36 | <0.5 | 1 | 7 | 1 | 1.49 | 20 |
| 304560 | | 1.28 | <0.001 | <0.5 | 5.98 | 5 | 1630 | 1.5 | <2 | 0.51 | <0.5 | 2 | 28 | 3 | 1.23 | 20 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 964 0221 Fax: 604 964 0218 www.alschemex.com

To: RUBY RED RESOURCES
207-239 12TH AVENUE SW
CALGARY AB T2R 1H6

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 2-JUL-2007
Account: RUBREC

Project: GAR

CERTIFICATE OF ANALYSIS VA07061792

| Sample Description | Method Analyte Units I OR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | |
|--------------------|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|------|
| | | K % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P ppm | Pb ppm | S % | Sb ppm | Sc ppm | Sr ppm | Th ppm | Ti % |
| | | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 5 | 1 | 20 | 0.01 | |
| 52992 | | 2.93 | 10 | 0.26 | 479 | <1 | 2.55 | 1 | 440 | 40 | <0.01 | <5 | 3 | 1120 | 20 | 0.10 |
| 52993 | | 3.01 | 30 | 0.53 | 706 | <1 | 1.85 | 2 | 730 | 44 | <0.01 | <5 | 7 | 635 | 20 | 0.19 |
| 52994 | | 3.10 | 20 | 0.32 | 551 | <1 | 2.51 | <1 | 470 | 38 | <0.01 | <5 | 3 | 1090 | 20 | 0.12 |
| 52995 | | 2.75 | 20 | 0.36 | 508 | <1 | 2.54 | <1 | 460 | 26 | <0.01 | <5 | 3 | 1480 | 20 | 0.14 |
| 52996 | | 2.75 | 20 | 0.40 | 534 | <1 | 2.76 | <1 | 630 | 33 | <0.01 | <5 | 3 | 1160 | 20 | 0.13 |
| 52997 | | 2.76 | 30 | 0.51 | 757 | <1 | 2.74 | 4 | 730 | 37 | 0.01 | <5 | 6 | 1350 | 20 | 0.19 |
| 52998 | | 3.35 | 30 | 0.46 | 695 | <1 | 2.02 | 2 | 670 | 29 | 0.01 | <5 | 6 | 636 | 20 | 0.16 |
| 52999 | | 3.45 | 30 | 0.42 | 638 | <1 | 2.29 | 2 | 590 | 115 | 0.11 | 7 | 6 | 1100 | 20 | 0.17 |
| 53000 | | 2.42 | 30 | 0.45 | 701 | <1 | 2.62 | <1 | 680 | 29 | 0.01 | <5 | 5 | 1320 | 20 | 0.17 |
| 304551 | | 3.07 | 30 | 0.44 | 593 | <1 | 2.05 | 2 | 630 | 96 | 0.01 | <5 | 5 | 921 | 20 | 0.15 |
| 304552 | | 3.89 | 30 | 0.34 | 755 | <1 | 1.83 | 1 | 520 | 30 | <0.01 | <5 | 3 | 800 | 20 | 0.15 |
| 304553 | | 2.89 | 20 | 0.37 | 990 | <1 | 2.80 | 2 | 690 | 33 | 0.01 | <5 | 3 | 1370 | 20 | 0.18 |
| 304554 | | 5.58 | 10 | 0.11 | 532 | <1 | 1.71 | 4 | 2210 | 38 | <0.01 | <5 | 1 | 1280 | 20 | 0.19 |
| 304555 | | 5.70 | 10 | 0.09 | 251 | <1 | 2.07 | <1 | 140 | 43 | <0.01 | <5 | 1 | 1150 | 20 | 0.07 |
| 304556 | | 2.66 | 20 | 0.30 | 591 | <1 | 2.83 | 4 | 510 | 41 | 0.03 | <5 | 3 | 1000 | 20 | 0.14 |
| 304557 | | 3.43 | 20 | 0.25 | 664 | <1 | 2.76 | 1 | 460 | 33 | 0.01 | <5 | 3 | 926 | 20 | 0.13 |
| 304558 | | 3.20 | 20 | 0.26 | 494 | <1 | 2.66 | <1 | 430 | 24 | <0.01 | <5 | 2 | 983 | 20 | 0.14 |
| 304559 | | 3.75 | 20 | 0.29 | 651 | <1 | 2.77 | 1 | 450 | 30 | 0.01 | <5 | 2 | 1470 | 20 | 0.16 |
| 304560 | | 3.63 | 10 | 0.18 | 436 | <1 | 1.55 | 1 | 250 | 38 | 0.02 | <5 | 2 | 709 | <20 | 0.09 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 964 0221 Fax: 604 964 0218 www.alschemex.com

To: RUBY RED RESOURCES
207-239 12TH AVENUE SW
CALGARY AB T2R 1H6

UTR 01

Page: 1
Finalized Date: 28-JUN-2007
Account: RUBRED

CERTIFICATE VA07061793

Project: GAR

P.O. No.:

This report is for 7 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 15-JUN-2007.

The following have access to data associated with this certificate:

ACCOUNTS PAYABLE

D. ANDERSON

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| FND-03 | Find Reject for Addn Analysis |
| BAG-01 | Bulk Master for Storage |
| SPL-21 | Split sample - riffle splitter |
| PUL-32 | Pulverize 1000g to 85% < 75 um |
| SCR-21 | Screen to -100 um |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-SCR21 | Au Screen Fire Assay - 100 um | WST-SIM |
| Au-AA25 | Ore Grade Au 30g FA AA finish | AAS |
| Au-AA25D | Ore Grade Au 30g FA AA Dup | AAS |

To: RUBY RED RESOURCES
ATTN: D. ANDERSON
3205 6TH ST. S
VANCOUVER BC V1C 6K1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Lawrence Ng, Laboratory Manager - Vancouver



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: RUBY RED RESOURCES
207-239 12TH AVENUE SW
CALGARY AB T2R 1H6

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 28-JUN-2007
Account: RUBRED

Project: GAR

CERTIFICATE OF ANALYSIS VA07061793

| Sample Description | Method Analyte Units LOR | Au-SCX21 | Au-SCX21 | Au-SCX21 | Au-SCX21 | Au-SCX21 | Au-SCX21 | Au-AA25 | Au-AA25D |
|--------------------|-----------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-----------------------|----------------------|-------------------|-------------------|
| | | Au Total ppm 0.05 | Au (+) F ppm 0.05 | Au (-) F ppm 0.05 | Au (+) M mg 0.001 | WT. + Fr g 0.01 | WT. - Fr g 0.1 | Au ppm 0.01 | Au ppm 0.01 |
| 52974 | | 0.08 | 5.66 | 0.07 | 0.010 | 1.76 | 964.0 | 0.05 | 0.08 |
| 52975 | | <0.05 | <0.05 | <0.05 | <0.001 | 23.79 | 964.7 | 0.02 | 0.03 |
| 52976 | | 0.11 | <0.05 | 0.12 | <0.001 | 12.57 | 962.2 | 0.18 | 0.05 |
| 52977 | | 0.05 | <0.05 | 0.05 | <0.001 | 14.93 | 1109.5 | 0.05 | 0.04 |
| 52978 | | 0.16 | <0.05 | 0.17 | <0.001 | 27.19 | 1065.0 | 0.16 | 0.15 |
| 52979 | | 3.04 | 4.81 | 2.96 | 0.162 | 37.86 | 1110.0 | 2.62 | 3.13 |
| 52980 | | <0.05 | 0.95 | <0.05 | 0.020 | 21.07 | 1102.5 | 0.02 | <0.01 |



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

2007 Gar Soil
 Ruby Red Resources Inc. *Leuder Stock*
 207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6 Canada

Client: Ruby Red Resources Inc.
 Submitted By: Dawn Randy
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: September 21, 2007
 Report Date: November 03, 2007
 Page: 1 of 4

CERTIFICATE OF ANALYSIS VAN07001446.1

CLIENT JOB INFORMATION

Project: GAR
 Shipment ID:
 P.O. Number
 Number of Samples: 80

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Method Code | Number of Samples | Code Description | Test Wgt (g) | Report Status |
|--------------|-------------------|--|--------------|---------------|
| Split Reject | 80 | Reject sample split/packet | | |
| SS80 | 80 | Dry at 60C sieve 100g to -80 mesh | | |
| 1DX | 80 | 1:1:1 Aqua Regia digestion ICP-MS analysis | 15 | Completed |

SAMPLE DISPOSAL


DISP-PLP Dispose of Pulp After 90 days
 DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ruby Red Resources Inc.
 207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6
 Canada

CC: Peter Klewchuk



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H8 Canada

Project: GAR

Report Date: November 03, 2007

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN07001446.1

| Method | | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 |
|---------------------|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| Analyte | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| Unit | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| MDL | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | |
| L800-100W | Soil | 1.1 | 14.5 | 23.8 | 132 | <0.1 | 18.5 | 8.5 | 209 | 2.04 | 2.2 | 0.6 | 0.8 | 4.4 | 8 | 0.2 | 0.2 | 0.2 | 34 | 0.17 | 0.044 |
| REP L800-100W | QC | 1.1 | 15.0 | 23.4 | 134 | <0.1 | 18.9 | 8.5 | 208 | 2.02 | 2.1 | 0.5 | 0.9 | 4.5 | 8 | 0.2 | 0.2 | 0.2 | 34 | 0.18 | 0.040 |
| L805-325W | Soil | 1.2 | 10.8 | 72.0 | 98 | 1.4 | 9.8 | 8.8 | 828 | 1.81 | 2.8 | 1.2 | 81.0 | 4.5 | 16 | 0.5 | 0.2 | 1.0 | 34 | 0.13 | 0.087 |
| REP L805-325W | QC | 1.3 | 11.5 | 74.4 | 98 | 1.4 | 9.7 | 7.0 | 840 | 1.95 | 3.0 | 1.2 | 1.9 | 4.1 | 17 | 0.4 | 0.3 | 1.1 | 35 | 0.14 | 0.096 |
| L830-400W | Soil | 0.8 | 10.9 | 27.2 | 82 | 0.2 | 13.7 | 7.8 | 182 | 2.04 | 2.5 | 0.5 | 3.0 | 3.7 | 7 | <0.1 | 0.2 | 0.3 | 28 | 0.14 | 0.066 |
| REP L830-400W | QC | 0.8 | 11.2 | 27.8 | 80 | 0.2 | 14.8 | 7.7 | 158 | 1.99 | 2.8 | 0.5 | 0.8 | 3.6 | 7 | <0.1 | 0.2 | 0.3 | 27 | 0.12 | 0.069 |
| L830-075W | Soil | 0.6 | 8.5 | 16.1 | 45 | <0.1 | 7.3 | 4.2 | 58 | 2.03 | 2.8 | 0.6 | <0.5 | 3.7 | 8 | <0.1 | <0.1 | 0.2 | 35 | 0.10 | 0.183 |
| REP L830-075W | QC | 0.7 | 8.2 | 15.5 | 45 | <0.1 | 6.9 | 3.6 | 57 | 1.96 | 3.2 | 0.6 | <0.5 | 3.6 | 8 | <0.1 | 0.1 | 0.2 | 34 | 0.09 | 0.175 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD DS7 | Standard | 22.4 | 113.5 | 75.1 | 410 | 0.9 | 59.2 | 10.3 | 847 | 2.48 | 48.6 | 5.4 | 88.4 | 5.2 | 72 | 6.7 | 6.2 | 4.7 | 93 | 0.98 | 0.078 |
| STD DS7 | Standard | 22.0 | 117.4 | 70.9 | 420 | 0.9 | 61.8 | 10.5 | 847 | 2.55 | 53.4 | 5.0 | 104.4 | 4.6 | 75 | 7.4 | 6.5 | 4.7 | 94 | 1.00 | 0.085 |
| STD DS7 | Standard | 22.1 | 114.9 | 76.0 | 419 | 0.9 | 54.6 | 9.5 | 885 | 2.59 | 50.4 | 5.4 | 88.8 | 4.8 | 78 | 6.7 | 6.2 | 4.8 | 88 | 0.98 | 0.081 |
| STD DS7 Expected | | 20.92 | 109 | 70.8 | 411 | 0.89 | 56 | 9.7 | 827 | 2.39 | 48.2 | 4.9 | 70 | 4.4 | 88.7 | 6.38 | 5.86 | 4.51 | 88 | 0.93 | 0.08 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

GAR

Report Date:

November 03, 2007

Page:

1 of 1

Part 2

QUALITY CONTROL REPORT

VAN07001446.1

| Method | Analyte | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | |
|----------------------------|----------|-------|-------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|------|
| | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se |
| Unit | | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| MDL | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.05 | 1 | 0.5 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | |
| L800-100W | Soil | 8 | 20 | 0.83 | 87 | 0.156 | 1 | 3.32 | 0.016 | 0.07 | 0.5 | 0.02 | 2.8 | 0.1 | <0.05 | 10 | <0.5 |
| REP L800-100W | QC | 8 | 20 | 0.81 | 86 | 0.154 | 1 | 3.20 | 0.016 | 0.07 | 0.4 | 0.03 | 2.6 | 0.1 | <0.05 | 10 | <0.5 |
| L805-325W | Soil | 9 | 10 | 0.31 | 108 | 0.097 | 2 | 2.88 | 0.012 | 0.06 | 7.3 | 0.06 | 1.7 | 0.1 | <0.05 | 8 | 0.7 |
| REP L805-325W | QC | 9 | 12 | 0.33 | 113 | 0.104 | 2 | 2.84 | 0.012 | 0.06 | 7.4 | 0.06 | 1.9 | 0.1 | <0.05 | 9 | 0.7 |
| L830-400W | Soil | 11 | 13 | 0.65 | 80 | 0.074 | 1 | 2.07 | 0.007 | 0.06 | 1.0 | 0.02 | 1.8 | <0.1 | <0.05 | 8 | <0.5 |
| REP L830-400W | QC | 11 | 13 | 0.66 | 79 | 0.068 | 1 | 2.07 | 0.007 | 0.06 | 1.0 | 0.03 | 1.4 | <0.1 | <0.05 | 8 | <0.5 |
| L830-075W | Soil | 4 | 13 | 0.27 | 50 | 0.151 | <1 | 3.93 | 0.019 | 0.04 | 0.4 | 0.03 | 1.9 | <0.1 | <0.05 | 11 | <0.5 |
| REP L830-075W | QC | 3 | 12 | 0.26 | 45 | 0.142 | <1 | 3.64 | 0.019 | 0.03 | 0.5 | 0.03 | 1.8 | <0.1 | <0.05 | 11 | <0.5 |
| Reference Materials | | | | | | | | | | | | | | | | | |
| STD DS7 | Standard | 14 | 202 | 1.08 | 412 | 0.129 | 38 | 1.02 | 0.092 | 0.48 | 4.3 | 0.20 | 2.7 | 4.4 | 0.23 | 5 | 3.6 |
| STD DS7 | Standard | 13 | 200 | 1.07 | 428 | 0.128 | 42 | 1.03 | 0.089 | 0.46 | 4.2 | 0.21 | 2.7 | 4.5 | 0.27 | 5 | 4.6 |
| STD DS7 | Standard | 15 | 195 | 1.09 | 417 | 0.131 | 39 | 1.05 | 0.091 | 0.49 | 4.1 | 0.22 | 2.8 | 4.5 | 0.13 | 5 | 3.8 |
| STD DS7 Expected | | 12.7 | 163 | 1.05 | 370.3 | 0.124 | 38.6 | 0.959 | 0.073 | 0.44 | 3.8 | 0.2 | 2.5 | 4.19 | 0.21 | 4.6 | 3.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: GAR
Report Date: November 03, 2007

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN07001446.1

| Method | Analyte | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | |
|-----------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| Unit | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | |
| L800-625W | Soil | 0.4 | 5.6 | 28.9 | 64 | 0.2 | 9.5 | 5.6 | 365 | 1.51 | 3.0 | 0.4 | 2.2 | 3.0 | 14 | 0.2 | 0.2 | 0.2 | 25 | 0.15 | 0.048 |
| L800-600W | Soil | 0.4 | 9.4 | 80.6 | 79 | 0.4 | 8.6 | 5.2 | 257 | 1.31 | 1.2 | 0.6 | 8.3 | 4.5 | 15 | 0.1 | 0.2 | 0.3 | 20 | 0.13 | 0.038 |
| L800-575W | Soil | 0.3 | 17.5 | 32.8 | 141 | 0.8 | 11.9 | 5.9 | 267 | 1.45 | 1.1 | 1.7 | 5.9 | 5.6 | 30 | 0.6 | 0.2 | 0.3 | 21 | 0.20 | 0.028 |
| L800-550W | Soil | 0.5 | 7.7 | 17.4 | 84 | 0.4 | 12.6 | 6.8 | 179 | 1.56 | 2.1 | 0.6 | 7.7 | 4.9 | 12 | 0.3 | 0.2 | 0.1 | 21 | 0.11 | 0.108 |
| L800-525W | Soil | 0.5 | 18.1 | 47.8 | 98 | 0.3 | 14.3 | 7.6 | 161 | 1.83 | 2.3 | 0.7 | 3.3 | 5.5 | 8 | 0.3 | 0.3 | 0.2 | 25 | 0.09 | 0.046 |
| L800-500W | Soil | 1.6 | 22.7 | 161.3 | 166 | 4.1 | 12.9 | 4.7 | 114 | 2.23 | 3.8 | 1.3 | 4.0 | 3.8 | 35 | 0.8 | 0.5 | 0.4 | 35 | 0.17 | 0.060 |
| L800-475W | Soil | 0.6 | 52.3 | 154.2 | 236 | 0.8 | 21.7 | 6.8 | 183 | 1.73 | 2.3 | 0.8 | 5.0 | 4.4 | 11 | 0.4 | 0.8 | 0.4 | 26 | 0.12 | 0.040 |
| L800-450W | Soil | 1.0 | 105.9 | 1080 | 294 | 5.9 | 15.9 | 5.0 | 167 | 1.90 | 8.4 | 5.9 | 29.1 | 4.6 | 15 | 0.6 | 1.9 | 0.9 | 34 | 0.13 | 0.177 |
| L800-425W | Soil | 0.7 | 54.3 | 368.3 | 337 | 0.4 | 26.2 | 7.9 | 424 | 1.96 | 1.6 | 2.7 | 10.8 | 5.7 | 24 | 0.3 | 0.5 | 1.4 | 35 | 0.19 | 0.041 |
| L800-400W | Soil | 1.6 | 11.0 | 43.6 | 74 | 1.0 | 8.5 | 3.7 | 212 | 1.98 | 3.5 | 1.7 | 21.1 | 5.0 | 7 | 0.4 | 0.3 | 0.5 | 30 | 0.05 | 0.207 |
| L800-375W | Soil | 1.0 | 14.0 | 54.2 | 84 | 0.1 | 7.4 | 5.3 | 1363 | 1.97 | 1.2 | 2.0 | 10.5 | 7.4 | 13 | 0.3 | 0.1 | 0.3 | 43 | 0.11 | 0.075 |
| L800-350W | Soil | 0.8 | 7.4 | 28.7 | 108 | 0.1 | 11.2 | 5.8 | 406 | 1.73 | 1.8 | 0.8 | 2.3 | 4.5 | 12 | 0.2 | 0.1 | 0.4 | 28 | 0.11 | 0.093 |
| L800-325W | Soil | 0.8 | 10.1 | 28.8 | 90 | 0.1 | 13.3 | 6.6 | 220 | 1.87 | 2.1 | 0.9 | 10.9 | 5.1 | 11 | 0.2 | 0.1 | 0.3 | 32 | 0.11 | 0.076 |
| L800-300W | Soil | 0.8 | 10.6 | 24.2 | 89 | 0.2 | 15.3 | 6.6 | 452 | 1.84 | 2.0 | 0.5 | <0.5 | 4.6 | 8 | 0.2 | 0.1 | 0.3 | 25 | 0.10 | 0.050 |
| L800-275W | Soil | 1.3 | 9.2 | 36.5 | 101 | 0.7 | 17.9 | 7.3 | 525 | 1.78 | 2.5 | 0.6 | 0.6 | 3.1 | 9 | 0.6 | 0.2 | 0.3 | 29 | 0.09 | 0.067 |
| L800-250W | Soil | 2.9 | 12.7 | 43.1 | 124 | 1.0 | 92.2 | 12.8 | 623 | 2.19 | 1.9 | 0.6 | 1.5 | 2.9 | 9 | 0.5 | 0.2 | 0.4 | 41 | 0.12 | 0.050 |
| L800-225W | Soil | 1.6 | 14.2 | 32.9 | 87 | 0.2 | 46.4 | 9.2 | 176 | 1.80 | 2.1 | 0.6 | 1.6 | 4.0 | 7 | 0.3 | 0.2 | 0.3 | 27 | 0.10 | 0.039 |
| L800-200W | Soil | 1.5 | 13.7 | 87.6 | 127 | 0.5 | 26.1 | 8.6 | 774 | 1.66 | 1.9 | 0.9 | 0.8 | 4.8 | 9 | 0.5 | 0.6 | 0.2 | 30 | 0.13 | 0.030 |
| L800-175W | Soil | 0.7 | 16.1 | 38.6 | 101 | <0.1 | 16.3 | 7.7 | 179 | 1.93 | 2.0 | 0.9 | 34.6 | 4.6 | 8 | 0.2 | 0.2 | 0.3 | 34 | 0.18 | 0.027 |
| L800-150W | Soil | 0.8 | 10.2 | 31.2 | 91 | <0.1 | 14.4 | 8.1 | 142 | 1.93 | 2.0 | 0.6 | <0.5 | 4.8 | 7 | 0.1 | 0.2 | 0.2 | 28 | 0.12 | 0.046 |
| L800-125W | Soil | 0.8 | 16.6 | 33.8 | 184 | <0.1 | 17.5 | 8.1 | 165 | 1.82 | 1.7 | 0.7 | 0.9 | 4.1 | 9 | 0.3 | 0.1 | 0.2 | 29 | 0.16 | 0.043 |
| L800-100W | Soil | 1.1 | 14.5 | 23.8 | 132 | <0.1 | 16.5 | 8.5 | 209 | 2.04 | 2.2 | 0.6 | 0.8 | 4.4 | 8 | 0.2 | 0.2 | 0.2 | 34 | 0.17 | 0.044 |
| L800-075W | Soil | 0.9 | 12.0 | 18.4 | 96 | <0.1 | 13.8 | 8.2 | 239 | 1.86 | 1.6 | 0.5 | 1.3 | 3.9 | 9 | 0.1 | 0.1 | 0.2 | 31 | 0.15 | 0.036 |
| L800-050W | Soil | 0.3 | 18.0 | 17.3 | 69 | <0.1 | 13.3 | 6.1 | 176 | 1.43 | 1.1 | 0.6 | 6.0 | 3.7 | 13 | <0.1 | <0.1 | 0.2 | 24 | 0.34 | 0.011 |
| L800-025W | Soil | 0.4 | 10.6 | 16.3 | 76 | <0.1 | 11.4 | 6.6 | 149 | 1.56 | 1.6 | 0.5 | 1.6 | 4.1 | 8 | <0.1 | <0.1 | 0.2 | 24 | 0.15 | 0.079 |
| L800-000W | Soil | 0.6 | 11.2 | 17.0 | 69 | <0.1 | 12.2 | 6.5 | 114 | 1.84 | 1.6 | 0.5 | <0.5 | 3.9 | 9 | <0.1 | 0.1 | 0.2 | 29 | 0.13 | 0.065 |
| L805-650W | Soil | 0.5 | 6.8 | 35.7 | 90 | 0.2 | 11.1 | 6.1 | 237 | 1.65 | 2.5 | 0.5 | 3.7 | 3.9 | 8 | 0.3 | 0.3 | 0.2 | 25 | 0.11 | 0.066 |
| L805-625W | Soil | 0.4 | 6.5 | 30.8 | 53 | 0.4 | 8.1 | 4.9 | 175 | 1.52 | 1.6 | 0.5 | 0.9 | 3.6 | 11 | 0.2 | 0.2 | 0.2 | 21 | 0.11 | 0.133 |
| L805-600W | Soil | 0.3 | 8.9 | 23.2 | 63 | 0.3 | 10.1 | 6.1 | 215 | 1.68 | 2.0 | 0.5 | 4.2 | 5.2 | 11 | 0.1 | 0.2 | 0.2 | 28 | 0.12 | 0.039 |
| L805-575W | Soil | 0.3 | 5.1 | 19.6 | 78 | 0.2 | 11.9 | 6.9 | 422 | 1.45 | 1.8 | 0.4 | 3.0 | 3.2 | 9 | 0.2 | 0.1 | 0.2 | 24 | 0.13 | 0.043 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

GAR

Report Date:

November 03, 2007

Page:

2 of 4

Part 2

CERTIFICATE OF ANALYSIS

VAN07001446.1

| Method | Analyte | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | |
|-----------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
| | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se |
| Unit | | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm |
| MDL | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.05 | 1 | 0.5 | |
| L800-625W | Soil | 8 | 13 | 0.88 | 103 | 0.083 | <1 | 1.81 | 0.009 | 0.11 | 0.6 | 0.02 | 1.7 | 0.1 | <0.05 | 7 | <0.5 |
| L800-800W | Soil | 14 | 11 | 0.73 | 103 | 0.082 | <1 | 1.42 | 0.008 | 0.14 | 0.8 | 0.01 | 1.7 | 0.2 | <0.05 | 6 | <0.5 |
| L800-575W | Soil | 16 | 12 | 0.98 | 255 | 0.073 | <1 | 1.56 | 0.010 | 0.15 | 1.0 | 0.01 | 2.1 | 0.1 | <0.05 | 6 | <0.5 |
| L800-550W | Soil | 10 | 11 | 0.62 | 115 | 0.081 | <1 | 2.28 | 0.008 | 0.10 | 1.0 | 0.04 | 1.9 | 0.1 | <0.05 | 6 | <0.5 |
| L800-525W | Soil | 13 | 15 | 1.00 | 121 | 0.078 | <1 | 2.13 | 0.006 | 0.09 | 1.1 | 0.02 | 2.0 | 0.1 | <0.05 | 7 | <0.5 |
| L800-500W | Soil | 6 | 11 | 0.24 | 181 | 0.122 | <1 | 2.90 | 0.016 | 0.09 | 2.4 | 0.05 | 1.6 | 0.1 | <0.05 | 10 | <0.5 |
| L800-475W | Soil | 12 | 19 | 0.72 | 176 | 0.079 | <1 | 2.22 | 0.008 | 0.09 | 2.2 | 0.02 | 1.7 | 0.1 | <0.05 | 7 | <0.5 |
| L800-450W | Soil | 10 | 12 | 0.29 | 181 | 0.119 | 1 | 3.31 | 0.019 | 0.10 | 9.2 | 0.09 | 2.0 | 0.1 | <0.05 | 10 | <0.5 |
| L800-425W | Soil | 18 | 25 | 0.83 | 165 | 0.114 | <1 | 2.40 | 0.010 | 0.14 | 4.4 | 0.02 | 2.5 | 0.2 | <0.05 | 8 | <0.5 |
| L800-400W | Soil | 7 | 9 | 0.18 | 73 | 0.123 | 1 | 4.39 | 0.010 | 0.06 | 3.0 | 0.09 | 1.6 | <0.1 | <0.05 | 11 | <0.5 |
| L800-375W | Soil | 14 | 9 | 0.37 | 128 | 0.073 | <1 | 1.98 | 0.007 | 0.08 | 1.2 | 0.03 | 1.7 | 0.2 | <0.05 | 9 | <0.5 |
| L800-350W | Soil | 10 | 15 | 0.58 | 128 | 0.105 | <1 | 2.54 | 0.012 | 0.05 | 0.9 | 0.02 | 2.0 | 0.1 | <0.05 | 10 | <0.5 |
| L800-325W | Soil | 10 | 15 | 0.59 | 95 | 0.115 | <1 | 2.69 | 0.013 | 0.07 | 0.9 | 0.03 | 2.2 | 0.1 | <0.05 | 9 | <0.5 |
| L800-300W | Soil | 13 | 16 | 0.96 | 87 | 0.073 | <1 | 2.11 | 0.006 | 0.06 | 0.9 | 0.02 | 1.7 | 0.1 | <0.05 | 7 | <0.5 |
| L800-275W | Soil | 6 | 18 | 0.36 | 107 | 0.108 | <1 | 2.64 | 0.015 | 0.04 | 2.0 | 0.04 | 1.5 | <0.1 | <0.05 | 9 | <0.5 |
| L800-250W | Soil | 7 | 48 | 0.74 | 148 | 0.130 | <1 | 2.87 | 0.012 | 0.07 | 0.4 | 0.03 | 2.5 | 0.2 | <0.05 | 10 | <0.5 |
| L800-225W | Soil | 9 | 20 | 0.71 | 125 | 0.111 | <1 | 2.51 | 0.014 | 0.08 | 0.4 | 0.02 | 1.8 | 0.2 | <0.05 | 8 | <0.5 |
| L800-200W | Soil | 12 | 23 | 0.51 | 99 | 0.094 | <1 | 1.84 | 0.010 | 0.06 | 0.6 | 0.01 | 1.7 | 0.1 | <0.05 | 8 | <0.5 |
| L800-175W | Soil | 15 | 20 | 1.00 | 101 | 0.115 | 1 | 2.92 | 0.008 | 0.07 | 0.6 | 0.02 | 2.4 | 0.1 | <0.05 | 10 | <0.5 |
| L800-150W | Soil | 8 | 18 | 0.83 | 89 | 0.109 | 1 | 3.05 | 0.009 | 0.05 | 0.4 | 0.03 | 2.1 | 0.2 | <0.05 | 9 | <0.5 |
| L800-125W | Soil | 9 | 17 | 0.81 | 100 | 0.123 | 1 | 3.20 | 0.015 | 0.06 | 0.5 | 0.02 | 2.1 | 0.1 | <0.05 | 9 | <0.5 |
| L800-100W | Soil | 8 | 20 | 0.83 | 87 | 0.156 | 1 | 3.32 | 0.016 | 0.07 | 0.5 | 0.02 | 2.6 | 0.1 | <0.05 | 10 | <0.5 |
| L800-075W | Soil | 8 | 17 | 0.83 | 94 | 0.139 | 1 | 2.81 | 0.016 | 0.06 | 0.4 | 0.02 | 2.3 | 0.2 | <0.05 | 10 | <0.5 |
| L800-050W | Soil | 11 | 20 | 0.90 | 70 | 0.101 | <1 | 2.21 | 0.022 | 0.07 | 0.3 | 0.01 | 2.1 | 0.1 | <0.05 | 7 | <0.5 |
| L800-025W | Soil | 9 | 16 | 0.73 | 94 | 0.107 | <1 | 2.25 | 0.018 | 0.06 | 0.6 | 0.02 | 2.0 | 0.1 | <0.05 | 8 | <0.5 |
| L800-000W | Soil | 6 | 16 | 0.63 | 60 | 0.129 | <1 | 3.09 | 0.020 | 0.05 | 0.4 | 0.02 | 1.8 | 0.1 | <0.05 | 9 | <0.5 |
| L805-850W | Soil | 10 | 12 | 0.58 | 105 | 0.092 | 1 | 2.08 | 0.013 | 0.09 | 0.6 | 0.02 | 1.8 | 0.1 | <0.05 | 8 | <0.5 |
| L805-625W | Soil | 10 | 11 | 0.49 | 121 | 0.085 | <1 | 1.64 | 0.011 | 0.10 | 0.6 | 0.02 | 1.8 | 0.1 | <0.05 | 7 | <0.5 |
| L805-600W | Soil | 12 | 13 | 0.88 | 104 | 0.088 | 1 | 1.81 | 0.006 | 0.10 | 0.7 | 0.02 | 2.0 | 0.2 | 0.08 | 7 | 0.6 |
| L805-575W | Soil | 9 | 11 | 0.74 | 118 | 0.075 | 2 | 1.71 | 0.010 | 0.09 | 0.5 | 0.01 | 1.8 | 0.1 | 0.06 | 7 | 0.8 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

GAR

Report Date:

November 03, 2007

Page:

3 of 4

Part 1

CERTIFICATE OF ANALYSIS

VAN07001446.1

| Method | Analyte | 1DX15 | | | | | | | | | | | | | | | | | | | |
|-----------|---------|-------|------|-------|-----|------|------|------|------|------|-----|-----|-------|-----|-----|------|-----|-----|-----|------|-------|
| | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| Unit | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| MDL | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| L805-550W | Soil | 0.4 | 8.2 | 18.2 | 53 | 0.3 | 13.8 | 7.7 | 120 | 1.70 | 2.8 | 0.4 | 2.6 | 3.5 | 6 | 0.2 | 0.2 | 0.2 | 21 | 0.07 | 0.058 |
| L805-525W | Soil | 0.7 | 13.4 | 48.4 | 84 | 0.7 | 13.8 | 7.0 | 143 | 1.75 | 3.1 | 0.8 | 12.2 | 4.5 | 14 | 0.5 | 0.2 | 0.2 | 29 | 0.10 | 0.072 |
| L805-500W | Soil | 0.9 | 10.1 | 38.9 | 152 | 1.3 | 14.5 | 6.7 | 192 | 1.89 | 2.4 | 0.5 | 121.4 | 4.2 | 16 | 0.9 | 0.2 | 0.3 | 35 | 0.10 | 0.055 |
| L805-475W | Soil | 0.8 | 15.4 | 54.1 | 157 | 1.5 | 24.8 | 8.3 | 208 | 1.75 | 2.4 | 0.7 | 8.1 | 4.2 | 14 | 0.8 | 0.4 | 0.2 | 31 | 0.14 | 0.071 |
| L805-450W | Soil | 1.1 | 13.0 | 68.2 | 302 | 1.9 | 12.7 | 7.9 | 1074 | 2.08 | 2.3 | 0.7 | 22.3 | 4.5 | 13 | 1.8 | 0.3 | 0.4 | 35 | 0.11 | 0.118 |
| L805-425W | Soil | 0.4 | 7.5 | 42.3 | 163 | 0.6 | 8.4 | 4.3 | 337 | 1.55 | 2.0 | 1.6 | 16.0 | 5.1 | 36 | 2.0 | 0.2 | 0.4 | 30 | 0.27 | 0.121 |
| L805-400W | Soil | 0.7 | 9.5 | 51.3 | 90 | 1.1 | 7.4 | 4.8 | 499 | 1.73 | 1.9 | 1.0 | 22.0 | 4.4 | 11 | 0.5 | 0.2 | 0.8 | 32 | 0.08 | 0.074 |
| L805-375W | Soil | 1.1 | 10.7 | 40.3 | 89 | 0.6 | 9.7 | 5.6 | 326 | 1.82 | 2.5 | 1.2 | 4.1 | 5.2 | 12 | 0.4 | 0.2 | 0.5 | 35 | 0.08 | 0.099 |
| L805-350W | Soil | 1.2 | 8.1 | 62.8 | 144 | 1.1 | 10.9 | 7.4 | 997 | 2.09 | 3.3 | 0.8 | 2.4 | 4.4 | 11 | 0.6 | 0.3 | 0.6 | 40 | 0.10 | 0.085 |
| L805-325W | Soil | 1.2 | 10.8 | 72.0 | 98 | 1.4 | 9.8 | 6.6 | 828 | 1.81 | 2.8 | 1.2 | 61.0 | 4.5 | 16 | 0.5 | 0.2 | 1.0 | 34 | 0.13 | 0.087 |
| L805-300W | Soil | 0.6 | 10.9 | 26.8 | 111 | 0.4 | 14.9 | 8.2 | 177 | 1.68 | 1.9 | 0.5 | 2.9 | 3.8 | 8 | 0.3 | 0.1 | 0.2 | 24 | 0.13 | 0.035 |
| L805-275W | Soil | 1.3 | 15.5 | 41.4 | 69 | 0.1 | 15.7 | 7.8 | 332 | 1.80 | 2.5 | 0.8 | 2.4 | 3.6 | 9 | 0.2 | 0.1 | 0.3 | 26 | 0.12 | 0.069 |
| L805-250W | Soil | 1.2 | 6.7 | 28.9 | 78 | 0.2 | 11.5 | 6.8 | 359 | 1.56 | 1.6 | 0.5 | 3.8 | 3.5 | 8 | 0.1 | 0.1 | 0.2 | 28 | 0.16 | 0.025 |
| L805-225W | Soil | 1.4 | 10.4 | 45.6 | 137 | 0.2 | 13.3 | 7.0 | 153 | 1.94 | 3.0 | 0.8 | 1.9 | 3.7 | 9 | 0.5 | 0.2 | 0.2 | 32 | 0.10 | 0.091 |
| L805-200W | Soil | 1.1 | 13.1 | 85.6 | 256 | 0.7 | 14.3 | 7.4 | 267 | 2.03 | 2.7 | 0.7 | 1.3 | 3.9 | 11 | 1.1 | 0.4 | 0.2 | 33 | 0.13 | 0.057 |
| L805-175W | Soil | 0.8 | 50.7 | 606.9 | 134 | 0.8 | 13.7 | 7.1 | 425 | 1.83 | 3.0 | 0.8 | 503.2 | 5.0 | 8 | 0.4 | 3.7 | 0.2 | 28 | 0.24 | 0.030 |
| L805-150W | Soil | 1.2 | 18.8 | 41.2 | 212 | <0.1 | 22.1 | 12.0 | 230 | 2.85 | 1.8 | 0.8 | 1.3 | 5.9 | 14 | 0.5 | 0.2 | 0.3 | 45 | 0.40 | 0.040 |
| L805-125W | Soil | 1.0 | 23.3 | 62.4 | 178 | 0.2 | 24.8 | 11.9 | 180 | 2.83 | 2.3 | 0.7 | <0.5 | 5.6 | 16 | 0.3 | 0.2 | 0.3 | 47 | 0.31 | 0.079 |
| L805-100W | Soil | 0.6 | 10.1 | 14.8 | 89 | <0.1 | 13.5 | 6.6 | 121 | 1.80 | 1.4 | 0.5 | 2.2 | 3.9 | 7 | <0.1 | 0.1 | 0.2 | 33 | 0.18 | 0.026 |
| L805-075W | Soil | 0.6 | 11.4 | 14.8 | 76 | <0.1 | 14.2 | 7.6 | 118 | 1.86 | 2.0 | 0.5 | 1.0 | 3.7 | 9 | 0.1 | 0.1 | 0.2 | 31 | 0.15 | 0.046 |
| L805-050W | Soil | 0.6 | 13.3 | 16.3 | 92 | <0.1 | 16.3 | 8.6 | 133 | 1.96 | 1.9 | 0.5 | 0.8 | 3.6 | 10 | <0.1 | 0.1 | 0.1 | 30 | 0.15 | 0.056 |
| L805-025W | Soil | 0.6 | 10.6 | 11.1 | 58 | <0.1 | 7.1 | 3.8 | 100 | 1.37 | 2.0 | 0.5 | 1.6 | 2.5 | 6 | <0.1 | 0.1 | 0.2 | 28 | 0.07 | 0.144 |
| L805-000W | Soil | 0.9 | 9.9 | 15.3 | 89 | <0.1 | 10.9 | 6.0 | 122 | 1.97 | 2.7 | 0.5 | 1.2 | 4.0 | 8 | <0.1 | 0.1 | 0.2 | 32 | 0.11 | 0.140 |
| L830-650W | Soil | 0.4 | 7.6 | 17.1 | 54 | 0.2 | 12.2 | 6.8 | 143 | 1.66 | 3.2 | 0.4 | 12.3 | 3.2 | 5 | <0.1 | 0.1 | 0.2 | 25 | 0.08 | 0.044 |
| L830-625W | Soil | 0.5 | 8.9 | 32.7 | 56 | <0.1 | 13.7 | 7.5 | 278 | 1.82 | 2.4 | 0.5 | 4.3 | 3.9 | 8 | 0.1 | 0.2 | 0.2 | 28 | 0.10 | 0.051 |
| L830-600W | Soil | 0.5 | 9.1 | 40.9 | 75 | 0.3 | 13.3 | 7.0 | 151 | 1.70 | 2.1 | 0.6 | 22.8 | 4.3 | 12 | 0.3 | 0.2 | 0.2 | 26 | 0.13 | 0.076 |
| L830-575W | Soil | 0.5 | 8.5 | 23.9 | 54 | 0.3 | 11.6 | 5.9 | 189 | 1.70 | 2.3 | 0.5 | 3.1 | 3.3 | 9 | 0.2 | 0.1 | 0.2 | 24 | 0.08 | 0.132 |
| L830-550W | Soil | 0.7 | 8.7 | 24.9 | 52 | 0.2 | 11.3 | 5.9 | 122 | 1.73 | 2.4 | 0.6 | 9.6 | 2.9 | 8 | 0.1 | 0.2 | 0.2 | 27 | 0.07 | 0.137 |
| L830-525W | Soil | 0.7 | 9.7 | 28.2 | 67 | 0.3 | 15.3 | 7.5 | 169 | 1.77 | 3.8 | 0.5 | 1.7 | 3.4 | 8 | 0.2 | 0.1 | 0.2 | 27 | 0.10 | 0.062 |
| L830-500W | Soil | 0.4 | 11.2 | 30.7 | 73 | 0.3 | 15.8 | 7.8 | 152 | 1.88 | 3.1 | 0.5 | 1.4 | 3.6 | 8 | 0.2 | 0.2 | 0.3 | 22 | 0.14 | 0.049 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: November 03, 2007

Page: 3 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN07001446.1

| Method | Analyte | Unit | 1DX16 | 1DX16 | 1DX16 | 1DX16 | 1DX16 | 1DX16 | 1DX16 | 1DX16 | 1DX16 | 1DX16 | 1DX16 | 1DX16 | 1DX16 | 1DX16 | | |
|-----------|---------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|------|
| | | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se |
| | | MDL | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| L805-550W | Soil | | 10 | 11 | 0.78 | 83 | 0.055 | 2 | 1.78 | 0.006 | 0.06 | 0.5 | 0.03 | 1.5 | 0.1 | 0.05 | 6 | <0.5 |
| L805-525W | Soil | | 8 | 12 | 0.58 | 117 | 0.098 | 2 | 2.69 | 0.012 | 0.07 | 1.1 | 0.04 | 2.1 | 0.1 | 0.05 | 8 | <0.5 |
| L805-500W | Soil | | 10 | 13 | 0.85 | 156 | 0.092 | 1 | 1.98 | 0.008 | 0.10 | 1.4 | 0.03 | 1.9 | 0.1 | 0.05 | 8 | 0.5 |
| L805-475W | Soil | | 9 | 21 | 0.72 | 117 | 0.086 | 1 | 2.32 | 0.008 | 0.09 | 1.8 | 0.03 | 2.1 | 0.1 | <0.05 | 6 | <0.5 |
| L805-450W | Soil | | 9 | 13 | 0.49 | 146 | 0.101 | 2 | 2.47 | 0.009 | 0.09 | 3.6 | 0.06 | 2.1 | 0.1 | <0.05 | 9 | <0.5 |
| L805-425W | Soil | | 14 | 9 | 0.41 | 158 | 0.066 | 2 | 1.87 | 0.008 | 0.11 | 3.3 | 0.03 | 1.7 | 0.1 | <0.05 | 8 | 0.6 |
| L805-400W | Soil | | 9 | 9 | 0.31 | 108 | 0.078 | 2 | 2.04 | 0.007 | 0.07 | 7.4 | 0.04 | 1.7 | 0.2 | 0.05 | 8 | 0.6 |
| L805-375W | Soil | | 8 | 10 | 0.30 | 113 | 0.131 | 2 | 3.60 | 0.013 | 0.08 | 3.6 | 0.05 | 2.6 | 0.2 | <0.05 | 9 | 0.7 |
| L805-350W | Soil | | 7 | 14 | 0.42 | 103 | 0.135 | 2 | 3.03 | 0.015 | 0.06 | 4.1 | 0.05 | 2.1 | 0.2 | <0.05 | 10 | <0.5 |
| L805-325W | Soil | | 9 | 10 | 0.31 | 108 | 0.097 | 2 | 2.68 | 0.012 | 0.06 | 7.3 | 0.08 | 1.7 | 0.1 | <0.05 | 8 | 0.7 |
| L805-300W | Soil | | 11 | 18 | 0.98 | 92 | 0.078 | 1 | 2.20 | 0.007 | 0.06 | 0.7 | 0.02 | 2.0 | 0.1 | <0.05 | 7 | <0.5 |
| L805-275W | Soil | | 8 | 14 | 0.63 | 103 | 0.108 | 2 | 2.83 | 0.013 | 0.08 | 0.7 | 0.03 | 2.1 | 0.1 | <0.05 | 8 | 0.6 |
| L805-250W | Soil | | 9 | 16 | 0.71 | 68 | 0.109 | 2 | 2.02 | 0.011 | 0.07 | 0.4 | 0.02 | 1.6 | 0.1 | <0.05 | 8 | <0.5 |
| L805-225W | Soil | | 7 | 13 | 0.42 | 97 | 0.136 | 2 | 3.29 | 0.018 | 0.06 | 0.7 | 0.03 | 2.3 | 0.1 | <0.05 | 10 | 0.6 |
| L805-200W | Soil | | 7 | 15 | 0.49 | 124 | 0.141 | 2 | 3.14 | 0.017 | 0.06 | 0.5 | 0.05 | 2.2 | 0.2 | <0.05 | 11 | <0.5 |
| L805-175W | Soil | | 14 | 18 | 0.92 | 83 | 0.093 | 1 | 2.04 | 0.010 | 0.10 | 3.1 | 0.07 | 2.2 | 0.2 | <0.05 | 7 | <0.5 |
| L805-150W | Soil | | 16 | 31 | 1.48 | 114 | 0.211 | 3 | 4.06 | 0.025 | 0.10 | 0.7 | <0.01 | 3.9 | 0.2 | <0.05 | 16 | <0.5 |
| L805-125W | Soil | | 13 | 28 | 1.16 | 136 | 0.185 | 3 | 4.37 | 0.029 | 0.09 | 0.6 | <0.01 | 3.9 | 0.2 | <0.05 | 16 | 0.5 |
| L805-100W | Soil | | 9 | 20 | 0.89 | 66 | 0.123 | 1 | 2.37 | 0.012 | 0.05 | 0.5 | 0.02 | 2.2 | 0.1 | <0.05 | 10 | 0.6 |
| L805-075W | Soil | | 7 | 17 | 0.66 | 66 | 0.136 | 2 | 2.98 | 0.018 | 0.05 | 0.5 | 0.02 | 2.4 | 0.1 | <0.05 | 10 | <0.5 |
| L805-050W | Soil | | 7 | 19 | 0.82 | 131 | 0.104 | 2 | 2.84 | 0.014 | 0.05 | 0.4 | 0.02 | 2.2 | 0.1 | <0.05 | 9 | 0.6 |
| L805-025W | Soil | | 5 | 9 | 0.23 | 52 | 0.105 | 2 | 2.73 | 0.018 | 0.04 | 0.3 | 0.03 | 1.6 | <0.1 | <0.05 | 9 | <0.5 |
| L805-000W | Soil | | 4 | 15 | 0.55 | 72 | 0.135 | 1 | 3.49 | 0.018 | 0.04 | 0.5 | 0.05 | 2.0 | 0.1 | <0.05 | 11 | <0.5 |
| L830-650W | Soil | | 11 | 11 | 0.52 | 97 | 0.067 | 2 | 2.01 | 0.010 | 0.06 | 0.3 | 0.02 | 1.6 | 0.1 | <0.05 | 7 | 0.6 |
| L830-625W | Soil | | 11 | 13 | 0.71 | 102 | 0.072 | 1 | 2.06 | 0.007 | 0.07 | 0.9 | 0.02 | 1.6 | 0.1 | <0.05 | 7 | <0.5 |
| L830-600W | Soil | | 12 | 13 | 0.61 | 115 | 0.073 | <1 | 2.05 | 0.007 | 0.08 | 1.6 | 0.02 | 1.7 | 0.1 | <0.05 | 7 | <0.5 |
| L830-575W | Soil | | 10 | 11 | 0.53 | 108 | 0.069 | 1 | 2.49 | 0.011 | 0.06 | 1.1 | 0.02 | 1.6 | 0.1 | <0.05 | 8 | <0.5 |
| L830-550W | Soil | | 8 | 10 | 0.38 | 95 | 0.096 | 1 | 2.84 | 0.016 | 0.04 | 1.9 | 0.03 | 1.7 | <0.1 | <0.05 | 8 | <0.5 |
| L830-525W | Soil | | 9 | 12 | 0.55 | 100 | 0.083 | 1 | 2.27 | 0.014 | 0.06 | 1.2 | 0.02 | 1.8 | 0.1 | <0.05 | 8 | <0.5 |
| L830-500W | Soil | | 12 | 15 | 1.03 | 91 | 0.059 | <1 | 2.01 | 0.009 | 0.09 | 0.8 | 0.02 | 1.8 | 0.1 | <0.05 | 7 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716
 www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6 Canada

Project: GAR
 Report Date: November 03, 2007

Page: 4 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN07001446.1

| Method | Analyte | 1DX15 | | | | | | | | | | | | | | | | | | | |
|-----------|---------|-------|------|------|-----|------|------|-----|-----|------|-----|-----|-------|-----|-----|------|------|-----|-----|------|-------|
| | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| Unit | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| MDL | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| L830-475W | Soil | 0.5 | 8.0 | 22.3 | 58 | 0.1 | 13.6 | 7.0 | 115 | 1.76 | 3.1 | 0.5 | 103.7 | 3.3 | 7 | 0.1 | 0.1 | 0.2 | 26 | 0.12 | 0.085 |
| L830-450W | Soil | 0.8 | 7.4 | 22.6 | 57 | 0.4 | 10.1 | 6.2 | 135 | 1.65 | 3.5 | 0.4 | 4.9 | 2.8 | 7 | 0.1 | 0.1 | 0.2 | 25 | 0.10 | 0.089 |
| L830-425W | Soil | 0.7 | 12.7 | 25.5 | 49 | 0.3 | 15.6 | 8.3 | 276 | 2.01 | 4.2 | 0.5 | 6.2 | 3.8 | 8 | <0.1 | 0.2 | 0.3 | 27 | 0.14 | 0.081 |
| L830-400W | Soil | 0.8 | 10.9 | 27.2 | 62 | 0.2 | 13.7 | 7.6 | 162 | 2.04 | 2.5 | 0.5 | 3.0 | 3.7 | 7 | <0.1 | 0.2 | 0.3 | 28 | 0.14 | 0.066 |
| L830-375W | Soil | 0.8 | 12.5 | 38.8 | 64 | 0.2 | 12.8 | 6.2 | 188 | 1.78 | 2.0 | 0.9 | 3.8 | 3.8 | 9 | 0.2 | 0.2 | 0.3 | 25 | 0.18 | 0.055 |
| L830-350W | Soil | 0.5 | 11.3 | 27.7 | 54 | 0.1 | 11.4 | 6.2 | 111 | 1.61 | 1.6 | 0.6 | 2.2 | 3.7 | 7 | <0.1 | 0.1 | 0.2 | 24 | 0.15 | 0.034 |
| L830-325W | Soil | 0.8 | 12.9 | 35.8 | 58 | <0.1 | 11.5 | 6.1 | 172 | 1.74 | 1.9 | 0.8 | <0.5 | 4.3 | 9 | <0.1 | 0.1 | 0.2 | 27 | 0.15 | 0.070 |
| L830-300W | Soil | 0.4 | 11.7 | 20.4 | 66 | <0.1 | 14.2 | 7.1 | 117 | 1.50 | 1.2 | 0.5 | 3.8 | 3.5 | 8 | <0.1 | <0.1 | 0.1 | 22 | 0.18 | 0.030 |
| L830-275W | Soil | 0.5 | 11.0 | 33.8 | 74 | <0.1 | 13.2 | 6.9 | 169 | 1.67 | 1.9 | 0.5 | 1.1 | 3.3 | 8 | <0.1 | 0.1 | 0.2 | 25 | 0.14 | 0.073 |
| L830-250W | Soil | 0.8 | 9.5 | 19.9 | 63 | <0.1 | 13.3 | 7.0 | 246 | 1.88 | 2.0 | 0.8 | <0.5 | 3.8 | 9 | <0.1 | 0.1 | 0.2 | 32 | 0.13 | 0.041 |
| L830-225W | Soil | 0.3 | 8.4 | 14.9 | 45 | <0.1 | 12.1 | 6.1 | 157 | 1.49 | 1.5 | 0.8 | <0.5 | 4.5 | 6 | <0.1 | 0.1 | 0.1 | 22 | 0.18 | 0.017 |
| L830-200W | Soil | 0.4 | 12.5 | 19.0 | 57 | <0.1 | 11.9 | 6.3 | 128 | 1.65 | 1.7 | 0.5 | <0.5 | 3.9 | 9 | <0.1 | <0.1 | 0.2 | 25 | 0.19 | 0.037 |
| L830-175W | Soil | 0.3 | 10.1 | 26.4 | 76 | <0.1 | 10.1 | 5.7 | 234 | 1.38 | 0.9 | 0.5 | 1.0 | 2.5 | 8 | <0.1 | <0.1 | 0.2 | 21 | 0.17 | 0.022 |
| L830-150W | Soil | 0.6 | 25.6 | 59.8 | 80 | <0.1 | 15.1 | 6.7 | 147 | 2.05 | 1.9 | 1.0 | <0.5 | 4.9 | 10 | <0.1 | <0.1 | 0.3 | 36 | 0.24 | 0.024 |
| L830-125W | Soil | 0.6 | 23.7 | 47.0 | 69 | <0.1 | 15.7 | 7.8 | 160 | 1.79 | 1.3 | 0.6 | <0.5 | 3.9 | 10 | <0.1 | <0.1 | 0.2 | 34 | 0.24 | 0.014 |
| L830-100W | Soil | 0.6 | 16.3 | 23.0 | 61 | <0.1 | 13.9 | 7.7 | 132 | 1.89 | 2.2 | 0.5 | 1.1 | 3.8 | 9 | <0.1 | 0.1 | 0.2 | 31 | 0.18 | 0.040 |
| L830-075W | Soil | 0.6 | 8.5 | 16.1 | 45 | <0.1 | 7.3 | 4.2 | 58 | 2.03 | 2.6 | 0.6 | <0.5 | 3.7 | 8 | <0.1 | <0.1 | 0.2 | 35 | 0.10 | 0.183 |
| L830-050W | Soil | 0.8 | 9.4 | 11.8 | 68 | <0.1 | 8.1 | 4.3 | 93 | 1.52 | 2.4 | 0.7 | <0.5 | 3.1 | 11 | <0.1 | 0.1 | 0.2 | 27 | 0.11 | 0.207 |
| L830-025W | Soil | 0.4 | 10.4 | 30.2 | 108 | <0.1 | 9.1 | 5.0 | 119 | 1.59 | 3.2 | 0.5 | 0.9 | 3.2 | 8 | <0.1 | <0.1 | 0.2 | 23 | 0.11 | 0.186 |
| L830-000W | Soil | 0.6 | 12.5 | 14.8 | 79 | <0.1 | 11.2 | 8.1 | 119 | 1.63 | 2.5 | 0.6 | 1.1 | 3.6 | 8 | <0.1 | 0.1 | 0.1 | 25 | 0.12 | 0.115 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the data on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: GAR
Report Date: November 03, 2007

Page: 4 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN07001446.1

| Method | Analyte | 1DX15 | | | | | | | | | | | | | | | |
|-----------|---------|-------|-----|------|-----|-------|-----|------|-------|------|-----|-------|-----|------|-------|-----|------|
| | | La | Cr | Mg | Ba | Tl | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se |
| Unit | | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm |
| MDL | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 |
| L830-475W | Soil | 10 | 12 | 0.63 | 92 | 0.079 | 1 | 2.33 | 0.011 | 0.06 | 0.8 | 0.03 | 1.7 | <0.1 | <0.05 | 8 | <0.5 |
| L830-450W | Soil | 8 | 10 | 0.43 | 75 | 0.082 | <1 | 2.12 | 0.013 | 0.05 | 1.0 | 0.03 | 1.6 | 0.1 | <0.05 | 8 | <0.5 |
| L830-425W | Soil | 11 | 14 | 0.82 | 70 | 0.080 | <1 | 1.89 | 0.010 | 0.06 | 0.9 | 0.02 | 1.6 | <0.1 | <0.05 | 7 | <0.5 |
| L830-400W | Soil | 11 | 13 | 0.65 | 80 | 0.074 | 1 | 2.07 | 0.007 | 0.06 | 1.0 | 0.02 | 1.6 | <0.1 | <0.05 | 8 | <0.5 |
| L830-375W | Soil | 10 | 14 | 0.72 | 98 | 0.093 | 1 | 2.82 | 0.012 | 0.08 | 0.7 | 0.02 | 2.0 | 0.1 | <0.05 | 9 | <0.5 |
| L830-350W | Soil | 12 | 15 | 0.93 | 61 | 0.084 | <1 | 2.17 | 0.008 | 0.07 | 0.3 | 0.01 | 1.8 | 0.1 | <0.05 | 8 | <0.5 |
| L830-325W | Soil | 10 | 15 | 0.66 | 101 | 0.111 | 1 | 2.92 | 0.015 | 0.07 | 0.6 | 0.02 | 2.3 | 0.1 | <0.05 | 9 | <0.5 |
| L830-300W | Soil | 9 | 16 | 0.83 | 77 | 0.088 | <1 | 2.30 | 0.009 | 0.06 | 0.7 | 0.01 | 1.9 | <0.1 | <0.05 | 7 | <0.5 |
| L830-275W | Soil | 8 | 15 | 0.55 | 61 | 0.110 | <1 | 2.69 | 0.014 | 0.05 | 0.7 | 0.02 | 2.0 | 0.1 | <0.05 | 9 | <0.5 |
| L830-250W | Soil | 8 | 16 | 0.58 | 97 | 0.136 | 1 | 2.99 | 0.014 | 0.08 | 0.4 | 0.03 | 2.1 | 0.2 | <0.05 | 11 | <0.5 |
| L830-225W | Soil | 13 | 18 | 1.09 | 61 | 0.108 | <1 | 2.29 | 0.008 | 0.09 | 0.3 | 0.01 | 2.1 | 0.1 | <0.05 | 7 | <0.5 |
| L830-200W | Soil | 10 | 18 | 1.03 | 69 | 0.111 | <1 | 2.36 | 0.012 | 0.08 | 0.4 | 0.01 | 2.3 | 0.1 | <0.05 | 9 | <0.5 |
| L830-175W | Soil | 7 | 14 | 0.72 | 66 | 0.101 | <1 | 2.35 | 0.019 | 0.05 | 0.4 | <0.01 | 1.7 | 0.1 | <0.05 | 9 | <0.5 |
| L830-150W | Soil | 15 | 21 | 1.06 | 52 | 0.132 | <1 | 2.86 | 0.016 | 0.10 | 0.6 | 0.01 | 2.7 | 0.2 | <0.05 | 11 | <0.5 |
| L830-125W | Soil | 13 | 21 | 1.22 | 64 | 0.133 | <1 | 3.22 | 0.022 | 0.08 | 0.6 | <0.01 | 2.6 | 0.2 | <0.05 | 10 | <0.5 |
| L830-100W | Soil | 10 | 19 | 1.20 | 54 | 0.141 | <1 | 2.93 | 0.013 | 0.06 | 0.5 | 0.02 | 2.8 | 0.1 | <0.05 | 9 | <0.5 |
| L830-075W | Soil | 4 | 13 | 0.27 | 50 | 0.151 | <1 | 3.93 | 0.019 | 0.04 | 0.4 | 0.03 | 1.9 | <0.1 | <0.05 | 11 | <0.5 |
| L830-050W | Soil | 4 | 10 | 0.25 | 51 | 0.137 | <1 | 3.87 | 0.025 | 0.05 | 0.3 | 0.04 | 2.0 | <0.1 | <0.05 | 10 | <0.5 |
| L830-025W | Soil | 6 | 13 | 0.46 | 85 | 0.111 | <1 | 2.84 | 0.022 | 0.04 | 0.6 | 0.02 | 2.0 | <0.1 | <0.05 | 9 | <0.5 |
| L830-000W | Soil | 7 | 14 | 0.67 | 66 | 0.116 | <1 | 2.92 | 0.019 | 0.06 | 0.3 | 0.03 | 2.2 | <0.1 | <0.05 | 9 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

2nd batch Soil Samples.

Client: **Ruby Red Resources Inc.**

207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6 Canada

✓plc

Submitted By: Dawn Randy
 Receiving Lab: Acme Analytical Laboratories (Vancouver) Ltd.
 Received: September 18, 2007
 Report Date: December 06, 2007
 Page: 1 of 12

CERTIFICATE OF ANALYSIS

VAN07001676.1

CLIENT JOB INFORMATION

Project: GAR
 Shipment ID:
 P.O. Number
 Number of Samples: 329

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
 DISP-RJT Dispose of Reject After 90 days

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Method Code | Number of Samples | Code Description | Test Wgt (g) | Report Status |
|--------------|-------------------|--|--------------|---------------|
| Split Reject | 329 | Reject sample split/packet | | |
| SS80 | 329 | Dry at 60C sieve 100g to -80 mesh | | |
| 1DX | 329 | 1:1:1 Aqua Regia digestion ICP-MS analysis | 15 | Completed |

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ruby Red Resources Inc.
 207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6
 Canada

CC: Peter Klewchuk



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6 Canada

Project:

GAR

Report Date:

December 06, 2007

Page:

2 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN07001676.1

| Method | Analyte | Unit | MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | | |
|-----------|---------|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|
| | | | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| | | | | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | | |
| L780 625W | Soil | | | 0.5 | 15.4 | 31.8 | 58 | 0.4 | 10.8 | 6.7 | 146 | 1.65 | 3.3 | 0.6 | 1.9 | 4.0 | 9 | 0.2 | 0.6 | 0.2 | 26 | 0.13 | 0.052 |
| L780 600W | Soil | | | 0.5 | 9.2 | 29.9 | 92 | 0.7 | 8.7 | 5.5 | 214 | 1.52 | 3.5 | 0.5 | 8.5 | 2.7 | 9 | 0.4 | 0.3 | 0.2 | 23 | 0.09 | 0.069 |
| L780 575W | Soil | | | 0.4 | 5.2 | 42.7 | 94 | 0.3 | 6.2 | 4.0 | 450 | 1.34 | 2.1 | 0.5 | 20.8 | 2.9 | 13 | 0.7 | 0.3 | 0.3 | 24 | 0.17 | 0.058 |
| L780 550W | Soil | | | 0.5 | 11.9 | 42.2 | 80 | 0.4 | 9.8 | 5.5 | 503 | 1.43 | 2.9 | 0.6 | 18.2 | 3.1 | 16 | 0.3 | 0.4 | 0.3 | 21 | 0.21 | 0.058 |
| L780 525W | Soil | | | 0.4 | 6.3 | 40.5 | 64 | 0.1 | 8.0 | 4.9 | 424 | 1.19 | 2.7 | 0.3 | 12.8 | 2.4 | 9 | 0.4 | 0.4 | 0.2 | 18 | 0.14 | 0.060 |
| L780 500W | Soil | | | 0.5 | 5.6 | 36.3 | 97 | 0.1 | 9.1 | 5.4 | 713 | 1.27 | 2.8 | 0.3 | 1.0 | 2.4 | 11 | 0.5 | 0.3 | 0.2 | 19 | 0.14 | 0.133 |
| L780 475W | Soil | | | 0.6 | 10.5 | 34.7 | 63 | 0.3 | 9.5 | 5.0 | 230 | 1.20 | 2.0 | 0.5 | 3.0 | 3.1 | 8 | 0.4 | 0.5 | 0.2 | 17 | 0.12 | 0.025 |
| L780 450W | Soil | | | 0.8 | 6.3 | 45.9 | 105 | 0.4 | 12.0 | 6.1 | 169 | 1.51 | 2.2 | 0.5 | 5.6 | 2.8 | 6 | 0.6 | 0.5 | 0.2 | 21 | 0.08 | 0.047 |
| L780 425W | Soil | | | 0.9 | 7.1 | 66.8 | 148 | 0.2 | 10.8 | 5.9 | 525 | 1.33 | 2.4 | 0.4 | 3.5 | 2.8 | 6 | 0.6 | 0.3 | 0.2 | 19 | 0.09 | 0.047 |
| L780 400W | Soil | | | 1.3 | 11.3 | 62.4 | 141 | 0.2 | 11.0 | 6.4 | 1224 | 1.44 | 2.7 | 0.4 | 55.1 | 2.8 | 11 | 0.7 | 0.4 | 0.2 | 23 | 0.26 | 0.029 |
| L780 375W | Soil | | | 2.3 | 17.9 | 85.0 | 82 | 0.2 | 11.6 | 5.2 | 199 | 1.27 | 1.8 | 0.5 | 9.4 | 3.0 | 6 | 0.2 | 0.4 | 0.2 | 21 | 0.11 | 0.030 |
| L780 350W | Soil | | | 2.1 | 22.4 | 57.3 | 72 | 0.1 | 17.8 | 9.6 | 151 | 1.51 | 2.2 | 0.6 | 3.0 | 3.6 | 7 | 0.2 | 0.2 | 0.2 | 22 | 0.11 | 0.060 |
| L780 325W | Soil | | | 4.1 | 47.0 | 70.3 | 69 | <0.1 | 14.4 | 8.3 | 244 | 1.56 | 2.5 | 0.8 | 2.1 | 4.0 | 6 | 0.1 | 0.2 | 0.2 | 23 | 0.11 | 0.040 |
| L780 300W | Soil | | | 1.2 | 13.0 | 55.8 | 52 | <0.1 | 10.4 | 5.2 | 313 | 1.54 | 2.1 | 0.4 | 1.7 | 3.1 | 7 | 0.1 | 0.1 | 0.3 | 27 | 0.09 | 0.028 |
| L780 275W | Soil | | | 1.4 | 58.8 | 98.2 | 115 | 0.1 | 17.7 | 7.8 | 757 | 2.14 | 2.6 | 0.7 | 5.3 | 4.3 | 8 | 0.3 | 0.2 | 0.3 | 34 | 0.17 | 0.041 |
| L780 250W | Soil | | | 0.4 | 45.3 | 61.0 | 102 | <0.1 | 14.7 | 7.5 | 380 | 1.75 | 1.7 | 0.7 | 2.0 | 4.4 | 7 | 0.2 | 0.1 | 0.2 | 29 | 0.22 | 0.017 |
| L780 225W | Soil | | | 0.6 | 9.4 | 21.4 | 70 | <0.1 | 11.7 | 6.1 | 203 | 1.56 | 2.0 | 0.4 | 3.6 | 3.2 | 6 | 0.1 | 0.1 | 0.2 | 25 | 0.11 | 0.069 |
| L780 200W | Soil | | | 0.7 | 11.4 | 21.3 | 116 | <0.1 | 14.3 | 6.9 | 250 | 1.75 | 2.0 | 0.5 | <0.5 | 4.1 | 7 | <0.1 | 0.1 | 0.2 | 27 | 0.16 | 0.035 |
| L780 175W | Soil | | | 0.6 | 11.7 | 27.3 | 101 | <0.1 | 13.0 | 6.7 | 132 | 1.69 | 1.7 | 0.5 | 1.5 | 4.1 | 5 | <0.1 | 0.1 | 0.2 | 25 | 0.14 | 0.021 |
| L780 150W | Soil | | | 0.9 | 10.0 | 22.7 | 193 | <0.1 | 13.5 | 6.7 | 571 | 1.95 | 2.2 | 0.4 | 0.7 | 3.7 | 6 | 0.1 | <0.1 | 0.2 | 33 | 0.11 | 0.051 |
| L780 125W | Soil | | | 0.8 | 18.3 | 79.6 | 77 | <0.1 | 15.7 | 8.6 | 569 | 1.81 | 1.5 | 0.8 | 1.9 | 4.6 | 12 | <0.1 | 0.1 | 0.2 | 34 | 0.37 | 0.020 |
| L780 100W | Soil | | | 1.0 | 9.9 | 23.0 | 81 | <0.1 | 10.6 | 5.3 | 88 | 1.56 | 2.4 | 0.4 | <0.5 | 2.9 | 7 | 0.1 | <0.1 | 0.2 | 25 | 0.15 | 0.090 |
| L780 075W | Soil | | | 0.8 | 4.9 | 15.4 | 61 | <0.1 | 6.7 | 3.3 | 61 | 1.03 | 1.0 | 0.3 | 4.7 | 2.6 | 5 | <0.1 | 0.1 | 0.2 | 20 | 0.12 | 0.018 |
| L780 050W | Soil | | | 0.3 | 5.1 | 10.9 | 45 | <0.1 | 4.7 | 2.3 | 133 | 0.77 | 1.0 | 0.3 | 1.3 | 2.8 | 4 | <0.1 | <0.1 | 0.2 | 14 | 0.09 | 0.041 |
| L780 025W | Soil | | | 1.1 | 4.2 | 12.5 | 44 | <0.1 | 5.1 | 3.2 | 66 | 0.99 | 1.5 | 0.3 | <0.5 | 2.2 | 4 | <0.1 | <0.1 | 0.2 | 22 | 0.06 | 0.031 |
| L780 000W | Soil | | | 0.7 | 7.6 | 13.6 | 74 | <0.1 | 11.7 | 5.6 | 114 | 1.71 | 2.0 | 0.4 | <0.5 | 3.7 | 7 | <0.1 | <0.1 | 0.2 | 30 | 0.13 | 0.032 |
| L785 850W | Soil | | | 0.3 | 8.9 | 32.2 | 84 | 0.4 | 9.6 | 6.2 | 207 | 1.56 | 2.1 | 0.4 | 1.3 | 3.6 | 11 | 0.2 | 0.2 | 0.2 | 22 | 0.09 | 0.039 |
| L785 825W | Soil | | | 0.8 | 9.0 | 55.9 | 87 | 0.5 | 9.4 | 5.1 | 154 | 1.88 | 3.2 | 0.5 | 4.1 | 2.9 | 8 | 0.3 | 0.4 | 0.3 | 27 | 0.08 | 0.053 |
| L785 600W | Soil | | | 0.4 | 8.1 | 31.7 | 97 | 0.3 | 10.9 | 6.6 | 228 | 1.46 | 2.9 | 0.4 | 3.9 | 3.4 | 14 | 0.4 | 0.3 | 0.2 | 20 | 0.16 | 0.032 |
| L785 575W | Soil | | | 0.4 | 6.8 | 26.6 | 73 | 0.5 | 8.3 | 4.9 | 352 | 1.38 | 2.6 | 0.4 | 1.0 | 2.5 | 9 | 0.5 | 0.2 | 0.2 | 22 | 0.09 | 0.078 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the data on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: December 06, 2007

Page: 2 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN07001676.1

| Method | Analyte | Unit | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | | |
|-----------|---------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|------|
| | | | La | Cr | Mg | Ba | Tl | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se |
| MDL | | | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| L780 625W | Soil | | 8 | 13 | 0.93 | 82 | 0.067 | 1 | 1.68 | 0.006 | 0.09 | 0.8 | 0.02 | 1.5 | <0.1 | <0.05 | 6 | <0.5 |
| L780 600W | Soil | | 6 | 9 | 0.46 | 137 | 0.079 | <1 | 2.30 | 0.012 | 0.06 | 0.6 | 0.03 | 1.3 | <0.1 | <0.05 | 7 | <0.5 |
| L780 575W | Soil | | 7 | 8 | 0.42 | 139 | 0.058 | <1 | 1.37 | 0.009 | 0.12 | 0.5 | 0.03 | 1.2 | 0.1 | <0.05 | 7 | <0.5 |
| L780 550W | Soil | | 8 | 11 | 0.70 | 129 | 0.068 | 2 | 1.62 | 0.010 | 0.11 | 0.7 | 0.04 | 1.3 | 0.1 | <0.05 | 6 | <0.5 |
| L780 525W | Soil | | 7 | 9 | 0.64 | 74 | 0.051 | <1 | 1.18 | 0.008 | 0.13 | 0.9 | 0.04 | 1.1 | 0.1 | <0.05 | 5 | <0.5 |
| L780 500W | Soil | | 6 | 10 | 0.51 | 142 | 0.059 | 2 | 1.51 | 0.010 | 0.11 | 0.6 | 0.03 | 1.3 | 0.1 | <0.05 | 6 | <0.5 |
| L780 475W | Soil | | 10 | 11 | 0.85 | 97 | 0.055 | <1 | 1.33 | 0.008 | 0.09 | 0.8 | 0.02 | 1.3 | 0.1 | <0.05 | 5 | <0.5 |
| L780 450W | Soil | | 7 | 11 | 0.60 | 90 | 0.078 | <1 | 2.11 | 0.008 | 0.10 | 1.0 | 0.02 | 1.2 | 0.1 | <0.05 | 6 | <0.5 |
| L780 425W | Soil | | 6 | 10 | 0.50 | 81 | 0.074 | <1 | 1.98 | 0.013 | 0.06 | 1.3 | 0.02 | 1.2 | <0.1 | <0.05 | 7 | <0.5 |
| L780 400W | Soil | | 7 | 12 | 0.59 | 110 | 0.070 | 1 | 1.62 | 0.007 | 0.08 | 1.3 | 0.05 | 1.2 | 0.1 | <0.05 | 7 | <0.5 |
| L780 375W | Soil | | 8 | 11 | 0.68 | 79 | 0.067 | <1 | 1.69 | 0.009 | 0.06 | 1.7 | 0.02 | 1.1 | 0.1 | <0.05 | 6 | <0.5 |
| L780 350W | Soil | | 9 | 13 | 0.61 | 105 | 0.073 | <1 | 2.08 | 0.010 | 0.07 | 1.0 | 0.02 | 1.4 | 0.1 | <0.05 | 7 | <0.5 |
| L780 325W | Soil | | 10 | 14 | 0.74 | 94 | 0.080 | <1 | 2.09 | 0.008 | 0.07 | 0.9 | 0.02 | 1.5 | 0.1 | <0.05 | 7 | <0.5 |
| L780 300W | Soil | | 7 | 10 | 0.32 | 102 | 0.100 | 1 | 1.70 | 0.011 | 0.07 | 0.4 | 0.02 | 1.0 | 0.1 | <0.05 | 9 | <0.5 |
| L780 275W | Soil | | 9 | 18 | 0.89 | 116 | 0.123 | 2 | 2.82 | 0.009 | 0.12 | 0.6 | 0.02 | 1.9 | 0.2 | <0.05 | 10 | <0.5 |
| L780 250W | Soil | | 12 | 19 | 1.18 | 74 | 0.094 | 1 | 2.43 | 0.012 | 0.07 | 0.5 | 0.02 | 2.0 | 0.2 | <0.05 | 7 | <0.5 |
| L780 225W | Soil | | 5 | 13 | 0.73 | 68 | 0.114 | 2 | 2.61 | 0.015 | 0.06 | 0.3 | 0.02 | 1.4 | 0.1 | <0.05 | 9 | <0.5 |
| L780 200W | Soil | | 9 | 18 | 1.15 | 102 | 0.106 | <1 | 2.41 | 0.008 | 0.07 | 0.4 | 0.02 | 1.9 | 0.1 | <0.05 | 9 | <0.5 |
| L780 175W | Soil | | 11 | 20 | 1.35 | 57 | 0.114 | 1 | 2.12 | 0.007 | 0.08 | 0.4 | 0.01 | 2.2 | 0.1 | <0.05 | 8 | <0.5 |
| L780 150W | Soil | | 6 | 20 | 1.15 | 82 | 0.145 | 1 | 2.85 | 0.014 | 0.05 | 0.3 | 0.02 | 2.3 | 0.2 | <0.05 | 11 | <0.5 |
| L780 125W | Soil | | 10 | 21 | 0.95 | 69 | 0.096 | 1 | 2.36 | 0.016 | 0.09 | 0.5 | 0.02 | 2.1 | 0.2 | <0.05 | 7 | <0.5 |
| L780 100W | Soil | | 4 | 13 | 0.46 | 54 | 0.105 | <1 | 2.70 | 0.015 | 0.05 | 0.3 | 0.02 | 1.2 | <0.1 | <0.05 | 9 | <0.5 |
| L780 075W | Soil | | 7 | 11 | 0.47 | 39 | 0.093 | <1 | 1.23 | 0.010 | 0.04 | 0.2 | 0.01 | 1.1 | <0.1 | <0.05 | 9 | <0.5 |
| L780 050W | Soil | | 6 | 9 | 0.41 | 35 | 0.070 | <1 | 0.99 | 0.011 | 0.04 | 0.2 | 0.01 | 1.0 | <0.1 | <0.05 | 7 | <0.5 |
| L780 025W | Soil | | 4 | 9 | 0.33 | 48 | 0.111 | <1 | 1.21 | 0.014 | 0.04 | 0.3 | <0.01 | 0.9 | <0.1 | <0.05 | 9 | <0.5 |
| L780 000W | Soil | | 5 | 17 | 0.92 | 60 | 0.142 | 1 | 2.67 | 0.018 | 0.06 | 0.3 | 0.02 | 1.9 | 0.1 | <0.05 | 11 | <0.5 |
| L785 650W | Soil | | 9 | 11 | 0.69 | 114 | 0.070 | <1 | 1.76 | 0.008 | 0.08 | 0.7 | 0.01 | 1.5 | 0.1 | <0.05 | 7 | <0.5 |
| L785 625W | Soil | | 6 | 10 | 0.42 | 74 | 0.099 | <1 | 2.19 | 0.012 | 0.07 | 1.4 | 0.04 | 1.3 | <0.1 | <0.05 | 8 | <0.5 |
| L785 600W | Soil | | 9 | 11 | 0.81 | 100 | 0.064 | <1 | 1.67 | 0.007 | 0.11 | 0.5 | 0.01 | 1.5 | 0.1 | <0.05 | 6 | <0.5 |
| L785 575W | Soil | | 6 | 8 | 0.42 | 81 | 0.070 | 1 | 1.66 | 0.014 | 0.09 | 0.6 | 0.03 | 1.2 | 0.1 | <0.05 | 6 | <0.5 |

This report supercedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: December 06, 2007

Page: 3 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN07001676.1

| Method Analyte Unit MDL | 1DX15 | | 1DX15 | | 1DX15 | | 1DX15 | | 1DX15 | | 1DX15 | | 1DX15 | | 1DX15 | | 1DX15 | |
|----------------------------------|-------|-----|-------|------|-------|-------|-------|------|-------|------|-------|-------|-------|------|-------|-----|-------|--|
| | La | Cr | Mg | Ba | Tl | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | | |
| | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | | |
| L785 550W | Soil | 6 | 11 | 0.55 | 113 | 0.092 | 1 | 1.69 | 0.012 | 0.11 | 0.7 | 0.04 | 1.5 | 0.1 | <0.05 | 8 | <0.5 | |
| L785 525W | Soil | 8 | 11 | 0.66 | 94 | 0.054 | 1 | 1.57 | 0.008 | 0.08 | 0.6 | 0.02 | 1.3 | 0.1 | <0.05 | 6 | <0.5 | |
| L785 500W | Soil | 6 | 8 | 0.42 | 115 | 0.073 | 3 | 2.07 | 0.016 | 0.07 | 0.8 | 0.03 | 1.3 | <0.1 | <0.05 | 6 | <0.5 | |
| L785 475W | Soil | 8 | 10 | 0.62 | 114 | 0.061 | 1 | 1.66 | 0.009 | 0.08 | 0.8 | 0.02 | 1.3 | 0.1 | <0.05 | 6 | <0.5 | |
| L785 450W | Soil | 9 | 11 | 0.51 | 142 | 0.076 | 1 | 1.77 | 0.018 | 0.08 | 1.3 | 0.02 | 1.3 | 0.1 | <0.05 | 7 | <0.5 | |
| L785 425W | Soil | 9 | 12 | 0.69 | 83 | 0.060 | 1 | 1.59 | 0.006 | 0.06 | 1.5 | 0.02 | 1.3 | 0.1 | <0.05 | 6 | <0.5 | |
| L785 400W | Soil | 8 | 11 | 0.56 | 103 | 0.061 | 1 | 1.61 | 0.010 | 0.08 | 1.1 | 0.03 | 1.2 | 0.1 | <0.05 | 7 | <0.5 | |
| L785 375W | Soil | 9 | 12 | 0.48 | 143 | 0.097 | 2 | 2.03 | 0.013 | 0.13 | 0.7 | 0.02 | 1.3 | 0.2 | <0.05 | 7 | <0.5 | |
| L785 350W | Soil | 10 | 15 | 0.48 | 119 | 0.123 | 3 | 2.48 | 0.009 | 0.14 | 0.8 | 0.05 | 1.6 | 0.2 | <0.05 | 9 | <0.5 | |
| L785 325W | Soil | 11 | 14 | 0.64 | 136 | 0.109 | 2 | 2.41 | 0.009 | 0.12 | 0.8 | 0.03 | 1.3 | 0.2 | <0.05 | 8 | <0.5 | |
| L785 300W | Soil | 10 | 11 | 0.47 | 136 | 0.111 | 2 | 2.07 | 0.010 | 0.10 | 0.5 | 0.04 | 1.2 | 0.2 | <0.05 | 8 | <0.5 | |
| L785 275W | Soil | 8 | 12 | 0.57 | 112 | 0.099 | 2 | 2.08 | 0.011 | 0.08 | 0.5 | 0.03 | 1.2 | 0.2 | <0.05 | 8 | <0.5 | |
| L785 250W | Soil | 11 | 16 | 1.05 | 72 | 0.087 | 1 | 2.31 | 0.008 | 0.07 | 0.9 | 0.04 | 2.0 | 0.1 | <0.05 | 7 | <0.5 | |
| L785 225W | Soil | 8 | 18 | 0.99 | 64 | 0.121 | 1 | 2.00 | 0.011 | 0.06 | 0.3 | 0.01 | 1.7 | 0.1 | <0.05 | 9 | <0.5 | |
| L785 200W | Soil | 8 | 16 | 0.97 | 86 | 0.115 | <1 | 2.19 | 0.011 | 0.06 | 0.3 | 0.02 | 1.6 | 0.1 | <0.05 | 9 | <0.5 | |
| L785 175W | Soil | 10 | 16 | 1.18 | 62 | 0.122 | 1 | 2.46 | 0.009 | 0.06 | 0.3 | 0.01 | 2.0 | 0.1 | <0.05 | 9 | <0.5 | |
| L785 150W | Soil | 8 | 20 | 0.85 | 178 | 0.153 | <1 | 4.05 | 0.016 | 0.10 | 0.5 | 0.02 | 2.3 | 0.2 | <0.05 | 13 | <0.5 | |
| L785 125W | Soil | 10 | 23 | 1.36 | 69 | 0.144 | <1 | 2.62 | 0.013 | 0.10 | 0.3 | 0.01 | 3.0 | 0.1 | <0.05 | 9 | <0.5 | |
| L785 100W | Soil | 7 | 15 | 0.63 | 101 | 0.108 | 1 | 2.71 | 0.016 | 0.07 | 0.3 | 0.02 | 1.6 | 0.1 | <0.05 | 10 | <0.5 | |
| L785 075W | Soil | 7 | 17 | 0.78 | 55 | 0.108 | 5 | 2.53 | 0.025 | 0.08 | 0.4 | 0.02 | 1.5 | 0.1 | <0.05 | 8 | <0.5 | |
| L785 050W | Soil | 3 | 9 | 0.18 | 39 | 0.116 | 2 | 2.13 | 0.017 | 0.04 | 0.3 | 0.02 | 0.9 | <0.1 | <0.05 | 10 | <0.5 | |
| L785 025W | Soil | 5 | 14 | 0.63 | 49 | 0.123 | 2 | 1.77 | 0.016 | 0.10 | 0.2 | 0.01 | 1.5 | <0.1 | <0.05 | 10 | <0.5 | |
| L785 000W | Soil | 5 | 12 | 0.59 | 40 | 0.083 | 1 | 1.30 | 0.015 | 0.04 | 0.1 | <0.01 | 1.3 | <0.1 | <0.05 | 8 | <0.5 | |
| L790 650W | Soil | 7 | 10 | 0.52 | 105 | 0.070 | 1 | 1.45 | 0.010 | 0.10 | 1.2 | 0.05 | 1.2 | 0.1 | 0.05 | 6 | <0.5 | |
| L790 625W | Soil | 15 | 10 | 0.76 | 101 | 0.063 | 1 | 1.18 | 0.008 | 0.19 | 1.2 | 0.01 | 1.7 | 0.2 | <0.05 | 5 | <0.5 | |
| L790 600W | Soil | 9 | 11 | 0.70 | 107 | 0.069 | <1 | 1.73 | 0.009 | 0.10 | 0.9 | 0.02 | 1.4 | 0.1 | <0.05 | 6 | <0.5 | |
| L790 575W | Soil | 9 | 10 | 0.62 | 121 | 0.068 | 1 | 2.06 | 0.012 | 0.10 | 0.9 | 0.02 | 1.3 | 0.1 | <0.05 | 6 | <0.5 | |
| L790 550W | Soil | 9 | 10 | 0.68 | 103 | 0.053 | <1 | 1.59 | 0.009 | 0.11 | 0.8 | 0.03 | 1.3 | 0.1 | <0.05 | 5 | <0.5 | |
| L790 525W | Soil | 11 | 11 | 0.80 | 105 | 0.067 | <1 | 1.94 | 0.011 | 0.07 | 0.7 | 0.02 | 1.3 | 0.1 | <0.05 | 6 | <0.5 | |
| L790 500W | Soil | 8 | 12 | 0.74 | 115 | 0.069 | <1 | 1.83 | 0.010 | 0.09 | 1.0 | 0.03 | 1.4 | 0.1 | <0.05 | 6 | <0.5 | |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: December 06, 2007

Page: 4 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN07001676.1

| Method | Analyte | Unk | MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | | |
|-----------|---------|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|
| | | | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| | | | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| L790 475W | Soil | | | 1.0 | 30.8 | 359.3 | 195 | 2.1 | 12.1 | 5.6 | 127 | 1.39 | 2.2 | 2.4 | 20.0 | 3.1 | 12 | 0.6 | 1.2 | 0.2 | 22 | 0.16 | 0.020 |
| L790 450W | Soil | | | 0.8 | 10.2 | 101.7 | 337 | 1.3 | 11.7 | 7.4 | 432 | 1.57 | 3.1 | 0.5 | 700.3 | 2.9 | 8 | 2.3 | 0.7 | 0.2 | 23 | 0.09 | 0.050 |
| L790 425W | Soil | | | 0.8 | 8.1 | 86.9 | 263 | 0.5 | 11.4 | 6.4 | 517 | 1.55 | 2.5 | 0.5 | 1.9 | 2.8 | 11 | 2.7 | 0.3 | 0.3 | 23 | 0.11 | 0.099 |
| L790 400W | Soil | | | 0.6 | 8.8 | 30.9 | 72 | <0.1 | 12.5 | 6.1 | 253 | 1.52 | 2.1 | 0.4 | 7.6 | 3.6 | 8 | 0.1 | 0.1 | 0.3 | 24 | 0.11 | 0.030 |
| L790 375W | Soil | | | 0.6 | 10.7 | 36.2 | 53 | <0.1 | 12.1 | 5.8 | 373 | 1.49 | 3.7 | 0.4 | 1.6 | 3.3 | 7 | 0.2 | 0.2 | 0.2 | 22 | 0.10 | 0.072 |
| L790 350W | Soil | | | 0.7 | 18.2 | 34.7 | 69 | 0.1 | 16.0 | 8.2 | 340 | 1.61 | 1.9 | 0.5 | 3.6 | 4.0 | 8 | 0.1 | 0.1 | 0.2 | 24 | 0.13 | 0.020 |
| L790 325W | Soil | | | 0.5 | 11.2 | 24.2 | 69 | <0.1 | 16.1 | 8.3 | 177 | 1.63 | 2.3 | 0.4 | 7.9 | 3.8 | 7 | 0.1 | 0.1 | 0.2 | 21 | 0.12 | 0.035 |
| L790 300W | Soil | | | 0.4 | 5.7 | 21.5 | 57 | <0.1 | 10.0 | 5.7 | 183 | 1.40 | 2.2 | 0.3 | 1.7 | 3.1 | 6 | 0.1 | 0.2 | 0.3 | 26 | 0.11 | 0.045 |
| L790 275W | Soil | | | 0.8 | 53.6 | 90.4 | 61 | 0.2 | 16.0 | 8.3 | 344 | 1.89 | 3.4 | 0.8 | 2.0 | 4.9 | 7 | 0.1 | 1.1 | 0.2 | 28 | 0.09 | 0.060 |
| L790 250W | Soil | | | 5.5 | 48.5 | 99.1 | 99 | 0.2 | 14.2 | 8.1 | 1143 | 2.36 | 4.0 | 0.9 | 2.2 | 4.9 | 8 | 0.2 | 0.8 | 0.3 | 35 | 0.08 | 0.064 |
| L790 225W | Soil | | | 1.7 | 19.7 | 103.4 | 106 | <0.1 | 14.1 | 8.7 | 1750 | 1.91 | 1.8 | 1.0 | 8.1 | 5.6 | 6 | 0.3 | 0.5 | 0.3 | 29 | 0.07 | 0.029 |
| L790 200W | Soil | | | 5.2 | 198.6 | 2959 | 280 | 1.8 | 14.0 | 6.2 | 774 | 2.14 | 6.7 | 1.4 | 284.2 | 8.0 | 9 | 0.6 | 13.6 | 0.2 | 44 | 0.25 | 0.038 |
| L790 175W | Soil | | | 1.1 | 14.7 | 47.6 | 89 | <0.1 | 12.3 | 5.6 | 253 | 1.63 | 2.1 | 0.4 | 3.5 | 3.7 | 8 | 0.2 | 0.3 | 0.3 | 32 | 0.12 | 0.049 |
| L790 150W | Soil | | | 0.9 | 9.0 | 33.4 | 116 | <0.1 | 10.1 | 5.7 | 324 | 1.74 | 1.3 | 0.5 | 8.0 | 3.3 | 9 | 0.1 | 0.2 | 0.3 | 38 | 0.15 | 0.027 |
| L790 125W | Soil | | | 1.0 | 21.2 | 82.6 | 196 | <0.1 | 15.5 | 7.3 | 766 | 1.77 | 1.6 | 0.7 | 1.5 | 4.8 | 9 | 0.2 | 0.2 | 0.3 | 35 | 0.20 | 0.020 |
| L790 100W | Soil | | | 1.5 | 21.4 | 28.3 | 124 | <0.1 | 15.6 | 7.6 | 235 | 2.07 | 3.3 | 0.7 | 1.9 | 4.6 | 8 | 0.2 | 0.2 | 0.3 | 36 | 0.15 | 0.083 |
| L790 075W | Soil | | | 0.7 | 17.6 | 24.4 | 94 | <0.1 | 15.1 | 8.4 | 192 | 1.78 | 2.1 | 0.7 | 3.8 | 5.0 | 9 | <0.1 | 0.2 | 0.2 | 31 | 0.23 | 0.025 |
| L790 050W | Soil | | | 1.0 | 13.3 | 23.3 | 102 | <0.1 | 15.5 | 7.9 | 370 | 1.94 | 1.8 | 0.5 | 2.2 | 4.2 | 8 | 0.2 | 0.2 | 0.2 | 36 | 0.21 | 0.025 |
| L790 025W | Soil | | | 1.2 | 14.0 | 15.6 | 82 | <0.1 | 12.9 | 6.7 | 156 | 1.82 | 2.6 | 0.6 | 1.3 | 3.6 | 9 | 0.2 | 0.2 | 0.2 | 34 | 0.14 | 0.071 |
| L790 000W | Soil | | | 0.8 | 10.2 | 21.6 | 97 | <0.1 | 12.0 | 7.2 | 196 | 1.70 | 1.9 | 0.4 | 1.2 | 3.4 | 9 | <0.1 | 0.2 | 0.3 | 34 | 0.18 | 0.035 |
| L795 650W | Soil | | | 0.4 | 7.6 | 29.7 | 54 | 0.1 | 9.4 | 4.7 | 182 | 1.34 | 2.2 | 0.8 | 2.5 | 4.9 | 23 | 0.2 | 0.3 | 0.2 | 22 | 0.20 | 0.044 |
| L795 625W | Soil | | | 0.5 | 5.4 | 36.6 | 61 | 0.2 | 10.0 | 5.3 | 251 | 1.88 | 2.2 | 0.7 | 8.9 | 5.7 | 18 | 0.1 | 0.2 | 0.2 | 40 | 0.13 | 0.060 |
| L795 600W | Soil | | | 0.5 | 11.2 | 43.0 | 94 | 0.4 | 10.6 | 6.5 | 454 | 1.63 | 2.5 | 0.6 | 4.2 | 4.2 | 20 | 0.3 | 0.3 | 0.3 | 26 | 0.17 | 0.085 |
| L795 575W | Soil | | | 0.7 | 6.8 | 53.5 | 99 | 0.3 | 11.0 | 6.0 | 180 | 1.58 | 2.2 | 0.6 | 19.5 | 4.5 | 12 | 0.2 | 0.3 | 0.4 | 27 | 0.13 | 0.068 |
| L795 550W | Soil | | | 0.9 | 11.1 | 65.8 | 86 | 0.3 | 10.7 | 6.1 | 231 | 1.58 | 2.9 | 0.6 | 5.1 | 4.1 | 13 | 0.2 | 0.3 | 0.3 | 27 | 0.18 | 0.074 |
| L795 525W | Soil | | | 0.8 | 9.5 | 80.4 | 110 | 0.1 | 10.7 | 6.1 | 591 | 1.61 | 2.9 | 0.6 | 2.4 | 4.5 | 11 | 0.3 | 0.5 | 0.4 | 31 | 0.16 | 0.058 |
| L795 500W | Soil | | | 1.2 | 10.2 | 87.8 | 161 | 0.3 | 12.5 | 6.8 | 347 | 1.62 | 2.4 | 0.7 | 47.7 | 4.6 | 15 | 0.5 | 0.4 | 0.4 | 29 | 0.14 | 0.075 |
| L795 475W | Soil | | | 1.0 | 8.1 | 50.6 | 205 | 0.4 | 9.8 | 6.0 | 392 | 1.56 | 2.6 | 0.5 | 2.3 | 3.1 | 15 | 1.0 | 0.3 | 0.3 | 30 | 0.17 | 0.055 |
| L795 450W | Soil | | | 0.6 | 48.6 | 91.2 | 244 | 0.3 | 14.3 | 7.4 | 193 | 1.74 | 2.6 | 1.0 | 5.1 | 4.9 | 15 | 0.5 | 0.8 | 0.4 | 30 | 0.22 | 0.031 |
| L795 425W | Soil | | | 1.0 | 12.0 | 136.2 | 188 | 0.3 | 12.4 | 7.6 | 1605 | 1.82 | 2.3 | 0.9 | 2.7 | 4.8 | 17 | 0.8 | 0.3 | 0.5 | 35 | 0.20 | 0.053 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: December 06, 2007

Page: 4 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN07001676.1

| Method | Analyte | 1DX15 | | 1DX15 | | 1DX15 | | 1DX15 | | 1DX15 | | 1DX15 | | 1DX15 | | 1DX15 | |
|-----------|---------|-------|-----|-------|-----|-------|-----|-------|-------|-------|------|-------|-----|-------|-------|-------|------|
| | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se |
| Unit | | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| MDL | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.05 | 1 | 0.5 | |
| L790 475W | Soil | 9 | 13 | 0.60 | 194 | 0.074 | <1 | 1.87 | 0.014 | 0.10 | 0.9 | 0.04 | 1.3 | 0.1 | <0.05 | 7 | <0.5 |
| L790 450W | Soil | 8 | 12 | 0.53 | 118 | 0.074 | <1 | 2.19 | 0.012 | 0.07 | 0.9 | 0.04 | 1.2 | 0.1 | <0.05 | 7 | <0.5 |
| L790 425W | Soil | 6 | 11 | 0.39 | 135 | 0.092 | <1 | 2.17 | 0.014 | 0.06 | 0.6 | 0.04 | 1.2 | 0.1 | <0.05 | 8 | <0.5 |
| L790 400W | Soil | 9 | 13 | 0.83 | 86 | 0.077 | <1 | 2.00 | 0.008 | 0.07 | 0.8 | 0.02 | 1.5 | 0.1 | <0.05 | 7 | <0.5 |
| L790 375W | Soil | 7 | 10 | 0.53 | 104 | 0.085 | <1 | 2.56 | 0.012 | 0.06 | 0.8 | 0.02 | 1.3 | 0.1 | <0.05 | 7 | <0.5 |
| L790 350W | Soil | 12 | 14 | 0.82 | 112 | 0.102 | 2 | 2.15 | 0.014 | 0.07 | 0.6 | 0.02 | 1.8 | 0.1 | <0.05 | 7 | <0.5 |
| L790 325W | Soil | 12 | 15 | 0.90 | 78 | 0.082 | 2 | 2.14 | 0.010 | 0.07 | 0.5 | 0.02 | 1.4 | 0.1 | <0.05 | 6 | <0.5 |
| L790 300W | Soil | 12 | 13 | 0.54 | 54 | 0.085 | 1 | 1.71 | 0.013 | 0.06 | 0.5 | 0.02 | 1.5 | 0.1 | <0.05 | 8 | <0.5 |
| L790 275W | Soil | 10 | 14 | 0.75 | 99 | 0.126 | 2 | 3.41 | 0.013 | 0.07 | 0.6 | 0.03 | 2.0 | 0.1 | <0.05 | 8 | <0.5 |
| L790 250W | Soil | 10 | 15 | 0.35 | 132 | 0.123 | 2 | 2.37 | 0.012 | 0.09 | 0.3 | 0.02 | 1.6 | 0.2 | <0.05 | 9 | <0.5 |
| L790 225W | Soil | 15 | 14 | 0.38 | 156 | 0.120 | 2 | 1.93 | 0.012 | 0.10 | 0.3 | 0.03 | 1.4 | 0.3 | <0.05 | 7 | <0.5 |
| L790 200W | Soil | 20 | 16 | 0.95 | 115 | 0.097 | 2 | 2.31 | 0.013 | 0.16 | 22.1 | 0.46 | 2.5 | 0.2 | <0.05 | 8 | <0.5 |
| L790 175W | Soil | 7 | 13 | 0.36 | 87 | 0.123 | 1 | 2.28 | 0.021 | 0.05 | 0.4 | 0.02 | 1.7 | <0.1 | <0.05 | 9 | <0.5 |
| L790 150W | Soil | 8 | 16 | 0.48 | 82 | 0.176 | 2 | 1.90 | 0.019 | 0.07 | 0.3 | 0.03 | 1.7 | 0.1 | <0.05 | 11 | <0.5 |
| L790 125W | Soil | 13 | 19 | 0.76 | 87 | 0.139 | 1 | 2.43 | 0.023 | 0.08 | 0.5 | 0.02 | 2.1 | 0.3 | <0.05 | 9 | <0.5 |
| L790 100W | Soil | 8 | 18 | 0.64 | 74 | 0.169 | 2 | 3.45 | 0.018 | 0.08 | 0.5 | 0.04 | 2.3 | 0.1 | <0.05 | 10 | <0.5 |
| L790 075W | Soil | 13 | 21 | 1.04 | 72 | 0.150 | 1 | 2.60 | 0.015 | 0.08 | 0.4 | 0.02 | 2.5 | 0.2 | <0.05 | 9 | <0.5 |
| L790 050W | Soil | 10 | 22 | 0.97 | 66 | 0.169 | 2 | 2.61 | 0.017 | 0.07 | 0.5 | 0.02 | 2.5 | 0.2 | <0.05 | 10 | <0.5 |
| L790 025W | Soil | 6 | 15 | 0.53 | 70 | 0.163 | 2 | 3.20 | 0.026 | 0.05 | 0.5 | 0.04 | 1.9 | 0.2 | <0.05 | 10 | <0.5 |
| L790 000W | Soil | 8 | 18 | 0.67 | 67 | 0.165 | 2 | 2.34 | 0.024 | 0.06 | 0.4 | 0.02 | 2.0 | 0.1 | <0.05 | 11 | <0.5 |
| L795 650W | Soil | 14 | 12 | 0.77 | 107 | 0.091 | <1 | 1.51 | 0.013 | 0.14 | 0.6 | 0.03 | 1.8 | 0.1 | <0.05 | 6 | <0.5 |
| L795 625W | Soil | 16 | 13 | 0.69 | 104 | 0.133 | <1 | 1.82 | 0.012 | 0.16 | 0.8 | 0.01 | 2.4 | 0.2 | <0.05 | 9 | <0.5 |
| L795 600W | Soil | 13 | 14 | 0.61 | 140 | 0.089 | <1 | 1.93 | 0.013 | 0.11 | 1.1 | 0.03 | 1.8 | 0.1 | <0.05 | 8 | <0.5 |
| L795 575W | Soil | 11 | 13 | 0.62 | 75 | 0.096 | <1 | 1.78 | 0.012 | 0.09 | 1.8 | 0.02 | 1.7 | 0.1 | <0.05 | 8 | <0.5 |
| L795 550W | Soil | 10 | 12 | 0.54 | 77 | 0.108 | 2 | 1.99 | 0.014 | 0.09 | 1.7 | 0.02 | 1.6 | 0.1 | <0.05 | 7 | <0.5 |
| L795 525W | Soil | 12 | 15 | 0.68 | 56 | 0.109 | 2 | 1.78 | 0.010 | 0.10 | 1.9 | 0.03 | 1.9 | 0.2 | <0.05 | 8 | <0.5 |
| L795 500W | Soil | 10 | 13 | 0.51 | 104 | 0.122 | 2 | 2.46 | 0.015 | 0.09 | 2.1 | 0.02 | 2.0 | 0.1 | <0.05 | 8 | <0.5 |
| L795 475W | Soil | 8 | 12 | 0.47 | 93 | 0.125 | 2 | 2.03 | 0.018 | 0.09 | 1.1 | 0.02 | 1.5 | 0.1 | <0.05 | 8 | <0.5 |
| L795 450W | Soil | 15 | 18 | 1.04 | 93 | 0.107 | <1 | 2.09 | 0.012 | 0.10 | 1.4 | 0.02 | 2.1 | 0.1 | <0.05 | 7 | <0.5 |
| L795 425W | Soil | 13 | 16 | 0.60 | 110 | 0.119 | 2 | 2.18 | 0.013 | 0.10 | 1.2 | 0.03 | 1.9 | 0.2 | <0.05 | 9 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Ruby Red Resources Inc.**
 207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6 Canada

Project: GAR
 Report Date: December 06, 2007

Page: 5 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN07001676.1

| Method | Analyte | Unit | MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | | |
|-----------|---------|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|
| | | | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| | | | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | % | % | |
| | | | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| L795 400W | Soil | | | 0.5 | 11.1 | 26.5 | 64 | <0.1 | 13.8 | 6.9 | 225 | 1.56 | 2.2 | 0.5 | 3.6 | 3.9 | 13 | 0.1 | 0.2 | 0.3 | 25 | 0.17 | 0.033 |
| L795 375W | Soil | | | 0.7 | 9.2 | 32.0 | 68 | <0.1 | 15.0 | 7.1 | 311 | 1.70 | 2.3 | 0.6 | 5.6 | 4.1 | 13 | 0.2 | 0.1 | 0.3 | 28 | 0.13 | 0.051 |
| L795 350W | Soil | | | 0.6 | 7.4 | 25.8 | 81 | 0.3 | 11.3 | 6.5 | 284 | 1.49 | 2.1 | 0.5 | 19.0 | 3.5 | 10 | 0.1 | 0.1 | 0.2 | 22 | 0.09 | 0.078 |
| L795 325W | Soil | | | 0.4 | 8.4 | 19.1 | 62 | <0.1 | 12.0 | 6.9 | 298 | 1.51 | 2.3 | 0.4 | 2.4 | 3.3 | 9 | 0.1 | 0.1 | 0.2 | 22 | 0.14 | 0.080 |
| L795 300W | Soil | | | 0.4 | 6.1 | 26.9 | 91 | 0.2 | 11.5 | 8.1 | 868 | 1.51 | 2.6 | 0.4 | 1.4 | 3.7 | 7 | 0.1 | 0.2 | 0.2 | 22 | 0.11 | 0.081 |
| L795 275W | Soil | | | 0.7 | 8.6 | 53.3 | 130 | 0.3 | 13.8 | 7.7 | 1011 | 1.60 | 2.2 | 0.5 | 1.8 | 3.2 | 10 | 0.4 | 0.2 | 0.2 | 27 | 0.13 | 0.039 |
| L795 250W | Soil | | | 2.5 | 37.4 | 45.7 | 78 | 0.1 | 15.3 | 8.9 | 1003 | 2.12 | 3.4 | 1.2 | 4.1 | 4.0 | 9 | 0.2 | 0.4 | 0.3 | 33 | 0.08 | 0.086 |
| L795 225W | Soil | | | 1.3 | 13.9 | 65.8 | 100 | <0.1 | 14.7 | 8.0 | 1208 | 1.99 | 2.3 | 0.8 | 4.0 | 5.1 | 9 | 0.2 | 0.3 | 0.4 | 33 | 0.09 | 0.046 |
| L795 200W | Soil | | | 2.0 | 41.8 | 887.7 | 252 | 0.3 | 15.9 | 8.9 | 1720 | 2.26 | 3.2 | 0.9 | 9.6 | 4.7 | 10 | 0.5 | 1.2 | 0.4 | 38 | 0.12 | 0.047 |
| L795 175W | Soil | | | 1.2 | 15.9 | 60.0 | 125 | 0.1 | 14.3 | 6.8 | 181 | 2.07 | 3.0 | 0.6 | 3.0 | 4.9 | 8 | 0.3 | 0.3 | 0.3 | 34 | 0.18 | 0.049 |
| L795 150W | Soil | | | 1.1 | 50.2 | 186.7 | 182 | 0.3 | 22.2 | 6.5 | 198 | 2.36 | 3.5 | 1.1 | 1.6 | 5.1 | 11 | 0.2 | 0.3 | 0.4 | 39 | 0.16 | 0.078 |
| L795 125W | Soil | | | 1.3 | 44.4 | 225.4 | 176 | <0.1 | 19.5 | 9.1 | 1595 | 2.26 | 2.1 | 1.4 | 4.2 | 5.6 | 12 | 0.4 | 0.3 | 0.6 | 34 | 0.38 | 0.033 |
| L795 100W | Soil | | | 1.1 | 12.9 | 25.5 | 121 | <0.1 | 12.3 | 6.2 | 370 | 1.81 | 2.0 | 0.4 | 3.0 | 3.3 | 6 | 0.1 | 0.1 | 0.4 | 29 | 0.13 | 0.028 |
| L795 075W | Soil | | | 0.8 | 9.1 | 18.3 | 83 | <0.1 | 9.4 | 5.1 | 294 | 1.54 | 1.9 | 0.3 | 1.5 | 2.7 | 6 | <0.1 | 0.1 | 0.3 | 25 | 0.11 | 0.033 |
| L795 050W | Soil | | | 1.7 | 10.8 | 22.5 | 90 | <0.1 | 13.3 | 6.3 | 478 | 1.98 | 2.0 | 0.4 | 1.7 | 3.3 | 6 | 0.1 | 0.1 | 0.3 | 32 | 0.11 | 0.049 |
| L795 025W | Soil | | | 0.8 | 10.2 | 19.6 | 89 | <0.1 | 11.1 | 5.9 | 887 | 1.54 | 1.1 | 0.4 | 1.0 | 3.1 | 8 | 0.1 | <0.1 | 0.2 | 25 | 0.18 | 0.020 |
| L795 000W | Soil | | | 0.5 | 19.2 | 18.5 | 66 | <0.1 | 13.9 | 7.0 | 140 | 1.64 | 1.9 | 0.5 | 2.3 | 3.8 | 8 | <0.1 | 0.1 | 0.2 | 23 | 0.17 | 0.021 |
| L810 650W | Soil | | | 0.3 | 3.7 | 31.3 | 43 | <0.1 | 5.0 | 3.4 | 173 | 1.00 | 1.5 | 0.4 | 5.2 | 2.9 | 6 | <0.1 | 0.1 | 0.2 | 17 | 0.07 | 0.039 |
| L810 625W | Soil | | | 0.5 | 7.8 | 16.8 | 51 | 0.3 | 9.8 | 5.2 | 178 | 1.50 | 2.2 | 1.1 | 2.6 | 3.1 | 8 | <0.1 | 0.1 | 0.2 | 20 | 0.08 | 0.095 |
| L810 600W | Soil | | | 0.3 | 8.4 | 24.4 | 51 | 0.2 | 13.3 | 8.0 | 254 | 1.63 | 2.8 | 0.3 | 1.8 | 3.7 | 8 | <0.1 | 0.2 | 0.2 | 18 | 0.16 | 0.033 |
| L810 575W | Soil | | | 0.5 | 11.5 | 33.9 | 67 | 0.4 | 9.8 | 5.3 | 202 | 1.94 | 2.3 | 1.2 | 2.9 | 6.0 | 26 | 0.3 | 0.3 | 0.2 | 28 | 0.15 | 0.070 |
| L810 550W | Soil | | | 0.7 | 22.7 | 58.9 | 114 | 1.1 | 14.0 | 7.6 | 249 | 2.29 | 3.3 | 2.0 | 7.3 | 7.7 | 16 | 0.7 | 0.6 | 0.4 | 32 | 0.13 | 0.094 |
| L810 525W | Soil | | | 0.5 | 5.6 | 24.6 | 89 | 0.5 | 6.7 | 3.5 | 229 | 1.74 | 1.5 | 0.9 | 10.9 | 7.5 | 35 | 0.7 | 0.3 | 0.2 | 27 | 0.18 | 0.073 |
| L810 500W | Soil | | | 0.9 | 6.4 | 38.9 | 82 | 0.3 | 10.3 | 5.6 | 212 | 1.55 | 2.1 | 0.4 | 2.4 | 3.4 | 14 | 0.2 | 0.2 | 0.2 | 25 | 0.10 | 0.059 |
| L810 475W | Soil | | | 0.7 | 14.1 | 72.4 | 61 | 1.5 | 11.0 | 5.4 | 211 | 1.40 | 2.5 | 0.7 | 3.5 | 3.9 | 15 | 0.6 | 0.4 | 0.2 | 19 | 0.12 | 0.116 |
| L810 450W | Soil | | | 0.6 | 12.5 | 55.1 | 117 | 0.5 | 11.4 | 6.8 | 224 | 1.73 | 2.0 | 0.6 | 4.4 | 4.3 | 11 | 0.5 | 0.3 | 0.4 | 24 | 0.11 | 0.042 |
| L810 425W | Soil | | | 0.6 | 9.2 | 31.0 | 69 | 0.1 | 12.6 | 7.0 | 206 | 1.72 | 1.9 | 0.8 | 34.3 | 3.8 | 8 | 0.2 | 0.2 | 0.5 | 24 | 0.11 | 0.034 |
| L810 400W | Soil | | | 0.9 | 12.2 | 52.3 | 88 | 0.4 | 14.0 | 7.3 | 197 | 1.81 | 2.5 | 0.6 | 5.9 | 4.5 | 8 | 0.7 | 0.1 | 0.3 | 25 | 0.11 | 0.052 |
| L810 375W | Soil | | | 0.7 | 10.8 | 33.1 | 64 | 0.3 | 11.1 | 6.2 | 322 | 1.77 | 2.4 | 0.6 | 8.0 | 3.4 | 9 | 0.1 | 0.2 | 0.4 | 25 | 0.11 | 0.033 |
| L810 350W | Soil | | | 0.6 | 13.9 | 33.0 | 87 | 0.2 | 12.4 | 6.7 | 234 | 1.91 | 1.8 | 0.8 | 5.8 | 4.6 | 10 | 0.1 | 0.1 | 0.7 | 28 | 0.11 | 0.047 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: December 06, 2007

Page: 5 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN07001676.1

| Method | Analyte | Unit | MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | | | |
|-----------|---------|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|------|
| | | | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se |
| | | | | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm |
| | | | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 |
| L795 400W | Soil | | | 13 | 14 | 0.92 | 84 | 0.093 | <1 | 1.98 | 0.010 | 0.07 | 0.9 | 0.02 | 1.8 | 0.1 | <0.05 | 6 | <0.5 |
| L795 375W | Soil | | | 10 | 13 | 0.63 | 99 | 0.108 | 1 | 2.39 | 0.014 | 0.07 | 0.8 | 0.03 | 1.8 | 0.1 | <0.05 | 7 | <0.5 |
| L795 350W | Soil | | | 11 | 13 | 0.61 | 93 | 0.074 | <1 | 1.69 | 0.012 | 0.07 | 1.0 | 0.02 | 1.6 | 0.1 | <0.05 | 8 | <0.5 |
| L795 325W | Soil | | | 11 | 12 | 0.60 | 74 | 0.094 | 1 | 2.13 | 0.016 | 0.07 | 0.5 | 0.02 | 1.7 | <0.1 | <0.05 | 7 | <0.5 |
| L795 300W | Soil | | | 14 | 12 | 0.62 | 97 | 0.076 | 1 | 1.87 | 0.012 | 0.08 | 0.4 | 0.02 | 1.7 | 0.1 | <0.05 | 7 | <0.5 |
| L795 275W | Soil | | | 10 | 13 | 0.53 | 120 | 0.104 | <1 | 2.18 | 0.015 | 0.06 | 0.7 | 0.03 | 1.7 | 0.1 | <0.05 | 8 | <0.5 |
| L795 250W | Soil | | | 7 | 12 | 0.28 | 110 | 0.159 | <1 | 3.52 | 0.018 | 0.07 | 0.4 | 0.05 | 1.8 | 0.2 | <0.05 | 10 | <0.5 |
| L795 225W | Soil | | | 10 | 14 | 0.36 | 115 | 0.137 | 1 | 2.64 | 0.014 | 0.08 | 0.3 | 0.04 | 1.7 | 0.2 | <0.05 | 9 | <0.5 |
| L795 200W | Soil | | | 14 | 14 | 0.43 | 117 | 0.155 | 2 | 2.60 | 0.019 | 0.09 | 4.4 | 0.03 | 1.8 | 0.2 | <0.05 | 11 | <0.5 |
| L795 175W | Soil | | | 9 | 16 | 0.68 | 77 | 0.137 | 2 | 3.15 | 0.018 | 0.09 | 0.5 | 0.03 | 2.1 | 0.1 | <0.05 | 11 | <0.5 |
| L795 150W | Soil | | | 8 | 16 | 0.45 | 154 | 0.194 | 1 | 4.63 | 0.022 | 0.10 | 0.6 | 0.03 | 2.2 | 0.1 | <0.05 | 13 | <0.5 |
| L795 125W | Soil | | | 12 | 19 | 0.77 | 109 | 0.087 | 2 | 3.82 | 0.015 | 0.11 | 1.0 | 0.03 | 2.6 | 0.3 | <0.05 | 11 | <0.5 |
| L795 100W | Soil | | | 7 | 17 | 0.82 | 70 | 0.112 | 2 | 2.26 | 0.009 | 0.08 | 0.4 | 0.01 | 1.9 | 0.2 | <0.05 | 10 | <0.5 |
| L795 075W | Soil | | | 6 | 13 | 0.55 | 67 | 0.103 | 2 | 1.91 | 0.012 | 0.05 | 0.4 | 0.01 | 1.4 | 0.2 | <0.05 | 9 | <0.5 |
| L795 050W | Soil | | | 5 | 15 | 0.61 | 91 | 0.128 | 1 | 3.08 | 0.012 | 0.07 | 0.4 | 0.02 | 1.7 | 0.2 | <0.05 | 11 | <0.5 |
| L795 025W | Soil | | | 8 | 16 | 0.95 | 81 | 0.104 | <1 | 2.26 | 0.014 | 0.07 | 0.4 | 0.03 | 2.0 | 0.2 | <0.05 | 9 | <0.5 |
| L795 000W | Soil | | | 9 | 18 | 1.04 | 81 | 0.097 | 1 | 2.74 | 0.009 | 0.07 | 0.6 | <0.01 | 2.2 | 0.1 | <0.05 | 8 | <0.5 |
| L810 650W | Soil | | | 9 | 7 | 0.43 | 75 | 0.059 | <1 | 1.25 | 0.009 | 0.06 | 0.6 | 0.01 | 1.2 | <0.1 | <0.05 | 6 | <0.5 |
| L810 625W | Soil | | | 7 | 7 | 0.40 | 114 | 0.093 | <1 | 2.34 | 0.014 | 0.07 | 0.9 | 0.01 | 1.6 | 0.1 | <0.05 | 8 | <0.5 |
| L810 600W | Soil | | | 9 | 11 | 0.84 | 89 | 0.051 | <1 | 2.00 | 0.010 | 0.09 | 0.5 | 0.01 | 1.6 | 0.1 | <0.05 | 6 | <0.5 |
| L810 575W | Soil | | | 10 | 10 | 0.59 | 136 | 0.087 | <1 | 2.72 | 0.011 | 0.13 | 1.8 | 0.02 | 2.0 | 0.2 | <0.05 | 9 | <0.5 |
| L810 550W | Soil | | | 12 | 12 | 0.69 | 192 | 0.090 | 1 | 3.74 | 0.011 | 0.17 | 3.4 | 0.05 | 2.5 | 0.2 | <0.05 | 10 | <0.5 |
| L810 525W | Soil | | | 18 | 7 | 0.45 | 175 | 0.060 | <1 | 1.93 | 0.007 | 0.14 | 2.2 | 0.02 | 1.7 | 0.2 | <0.05 | 8 | <0.5 |
| L810 500W | Soil | | | 8 | 10 | 0.48 | 137 | 0.086 | 1 | 2.25 | 0.015 | 0.08 | 1.6 | 0.02 | 1.7 | 0.2 | <0.05 | 7 | <0.5 |
| L810 475W | Soil | | | 7 | 9 | 0.43 | 104 | 0.086 | 3 | 2.90 | 0.024 | 0.07 | 1.8 | 0.04 | 1.7 | 0.1 | <0.05 | 7 | <0.5 |
| L810 450W | Soil | | | 10 | 14 | 0.87 | 146 | 0.077 | <1 | 2.29 | 0.008 | 0.06 | 3.8 | 0.02 | 1.8 | 0.1 | <0.05 | 7 | <0.5 |
| L810 425W | Soil | | | 11 | 14 | 0.86 | 77 | 0.077 | 2 | 2.14 | 0.015 | 0.08 | 1.9 | 0.01 | 1.7 | 0.2 | <0.05 | 7 | <0.5 |
| L810 400W | Soil | | | 7 | 13 | 0.62 | 98 | 0.100 | 1 | 3.17 | 0.013 | 0.07 | 3.9 | 0.04 | 1.9 | 0.2 | <0.05 | 8 | <0.5 |
| L810 375W | Soil | | | 9 | 13 | 0.67 | 111 | 0.089 | 2 | 2.46 | 0.012 | 0.05 | 1.9 | 0.02 | 1.7 | 0.1 | <0.05 | 8 | <0.5 |
| L810 350W | Soil | | | 11 | 14 | 0.76 | 140 | 0.097 | <1 | 2.79 | 0.010 | 0.09 | 2.3 | 0.02 | 2.1 | 0.2 | <0.05 | 8 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: December 06, 2007

Page: 6 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN07001676.1

| Method Analyte Unit MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 |
|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| L810 325W | Soil | 0.6 | 11.6 | 18.9 | 71 | 0.2 | 9.7 | 5.1 | 363 | 1.40 | 1.2 | 0.8 | 10.6 | 4.6 | 13 | 0.2 | 0.1 | 0.2 | 21 | 0.11 | 0.027 |
| L810 300W | Soil | 1.1 | 13.3 | 36.3 | 81 | 0.2 | 10.6 | 5.4 | 196 | 1.82 | 2.1 | 1.5 | 2.4 | 5.1 | 9 | 0.2 | 0.2 | 0.3 | 25 | 0.09 | 0.087 |
| L810 275W | Soil | 0.6 | 7.7 | 31.8 | 60 | 0.1 | 9.2 | 6.7 | 385 | 1.43 | 1.6 | 0.6 | 0.9 | 3.2 | 6 | <0.1 | <0.1 | 0.2 | 21 | 0.09 | 0.048 |
| L810 250W | Soil | 0.6 | 14.7 | 33.6 | 56 | <0.1 | 15.2 | 7.2 | 142 | 1.70 | 1.6 | 0.5 | 1.0 | 4.0 | 8 | <0.1 | 0.1 | 0.2 | 21 | 0.12 | 0.017 |
| L810 225W | Soil | 0.8 | 12.6 | 39.5 | 104 | 0.4 | 12.8 | 6.7 | 186 | 1.52 | 1.4 | 0.6 | 9.0 | 3.4 | 11 | 0.3 | 0.1 | 0.2 | 23 | 0.16 | 0.046 |
| L810 200W | Soil | 0.7 | 11.6 | 30.0 | 72 | <0.1 | 10.0 | 5.9 | 237 | 1.68 | 2.1 | 0.7 | 2.7 | 3.4 | 8 | <0.1 | 0.1 | 0.2 | 25 | 0.11 | 0.073 |
| L810 175W | Soil | 0.8 | 11.6 | 86.6 | 105 | <0.1 | 12.0 | 6.6 | 230 | 1.51 | 1.7 | 0.7 | 1.1 | 3.4 | 10 | 0.5 | 0.1 | 0.2 | 20 | 0.14 | 0.059 |
| L810 150W | Soil | 0.3 | 14.7 | 22.1 | 37 | <0.1 | 9.3 | 5.4 | 115 | 1.25 | 1.4 | 0.7 | 4.5 | 4.9 | 9 | <0.1 | 0.1 | 0.1 | 23 | 0.28 | 0.015 |
| L810 125W | Soil | 1.0 | 10.7 | 17.1 | 66 | <0.1 | 11.4 | 5.8 | 88 | 1.73 | 1.4 | 0.5 | 1.4 | 3.1 | 8 | 0.2 | 0.1 | 0.2 | 26 | 0.10 | 0.102 |
| L810 100W | Soil | 0.3 | 11.8 | 20.2 | 104 | <0.1 | 12.4 | 5.8 | 150 | 1.24 | 0.8 | 0.3 | 2.1 | 2.8 | 9 | <0.1 | <0.1 | 0.2 | 23 | 0.22 | 0.015 |
| L810 075W | Soil | 0.3 | 12.7 | 13.7 | 91 | <0.1 | 12.0 | 6.4 | 138 | 1.24 | 1.0 | 0.5 | 1.8 | 3.6 | 9 | 0.1 | <0.1 | 0.1 | 20 | 0.25 | 0.011 |
| L810 050W | Soil | 0.3 | 15.3 | 14.5 | 68 | <0.1 | 15.1 | 7.7 | 126 | 1.97 | 1.8 | 0.4 | 2.2 | 3.9 | 9 | <0.1 | <0.1 | 0.2 | 29 | 0.18 | 0.045 |
| L810 025W | Soil | 0.5 | 14.1 | 14.6 | 48 | <0.1 | 14.1 | 7.0 | 93 | 1.77 | 2.9 | 0.5 | 3.0 | 3.7 | 9 | <0.1 | 0.1 | 0.2 | 27 | 0.10 | 0.078 |
| L810 000W | Soil | 0.5 | 11.8 | 11.7 | 68 | <0.1 | 9.2 | 6.1 | 138 | 1.90 | 2.5 | 0.7 | 2.0 | 3.6 | 9 | 0.1 | 0.1 | 0.2 | 29 | 0.14 | 0.142 |
| L815 650W | Soil | 0.4 | 8.8 | 40.2 | 57 | 0.3 | 11.1 | 6.3 | 174 | 1.75 | 2.5 | 0.8 | 5.6 | 4.5 | 11 | 0.1 | 0.2 | 0.3 | 24 | 0.10 | 0.066 |
| L815 625W | Soil | 0.4 | 9.1 | 36.0 | 68 | 0.2 | 14.3 | 8.2 | 213 | 1.71 | 2.6 | 0.5 | 6.5 | 3.6 | 9 | 0.1 | 0.2 | 0.2 | 21 | 0.11 | 0.069 |
| L815 600W | Soil | 0.4 | 9.3 | 32.6 | 66 | 0.3 | 12.8 | 7.3 | 266 | 1.62 | 1.8 | 0.5 | 0.6 | 3.4 | 10 | 0.3 | 0.1 | 0.2 | 22 | 0.10 | 0.047 |
| L815 575W | Soil | 0.8 | 10.6 | 32.3 | 79 | 0.2 | 14.4 | 7.3 | 416 | 1.75 | 2.4 | 0.7 | 4.1 | 3.5 | 10 | 0.7 | 0.2 | 0.3 | 30 | 0.08 | 0.077 |
| L815 550W | Soil | 0.5 | 12.1 | 41.6 | 66 | 0.2 | 10.7 | 5.8 | 148 | 1.39 | 1.8 | 0.7 | 5.3 | 4.0 | 9 | 0.2 | 0.3 | 0.2 | 22 | 0.10 | 0.023 |
| L815 525W | Soil | 0.8 | 14.9 | 48.6 | 109 | 0.8 | 12.0 | 7.2 | 456 | 1.60 | 2.9 | 0.7 | 16.2 | 3.1 | 10 | 1.2 | 0.3 | 0.2 | 26 | 0.13 | 0.067 |
| L815 500W | Soil | 0.6 | 8.1 | 41.1 | 109 | 0.3 | 10.4 | 6.5 | 215 | 1.35 | 2.9 | 0.4 | 7.5 | 2.9 | 7 | 0.5 | 0.3 | 0.3 | 22 | 0.10 | 0.041 |
| L815 475W | Soil | 0.7 | 8.3 | 77.2 | 134 | 0.3 | 8.9 | 5.2 | 271 | 1.31 | 1.6 | 0.6 | 2.6 | 3.1 | 12 | 0.6 | 0.3 | 0.3 | 20 | 0.14 | 0.051 |
| L815 450W | Soil | 0.6 | 8.5 | 29.5 | 114 | 0.2 | 10.1 | 6.6 | 148 | 1.40 | 1.9 | 0.5 | 2.2 | 2.9 | 8 | 0.7 | 0.1 | 0.2 | 20 | 0.12 | 0.056 |
| L815 425W | Soil | 0.8 | 8.0 | 26.8 | 67 | <0.1 | 13.3 | 7.2 | 127 | 1.63 | 2.6 | 0.4 | 9.1 | 3.7 | 7 | 0.1 | 0.1 | 0.2 | 23 | 0.12 | 0.048 |
| L815 400W | Soil | 0.5 | 10.6 | 21.9 | 53 | 0.1 | 15.4 | 7.4 | 149 | 1.67 | 2.8 | 0.4 | 3.3 | 3.6 | 7 | <0.1 | 0.1 | 0.2 | 22 | 0.11 | 0.055 |
| L815 375W | Soil | 0.6 | 9.4 | 20.4 | 55 | <0.1 | 12.7 | 7.0 | 158 | 1.49 | 2.1 | 0.4 | 1.6 | 3.2 | 8 | <0.1 | 0.1 | 0.2 | 23 | 0.11 | 0.041 |
| L815 350W | Soil | 0.5 | 9.7 | 20.4 | 62 | <0.1 | 12.1 | 6.0 | 128 | 1.61 | 2.6 | 0.5 | 23.6 | 2.9 | 8 | <0.1 | 0.1 | 0.2 | 25 | 0.09 | 0.090 |
| L815 325W | Soil | 0.5 | 8.1 | 16.7 | 57 | <0.1 | 9.9 | 6.0 | 248 | 1.40 | 1.3 | 0.4 | 1.9 | 3.2 | 10 | <0.1 | 0.1 | 0.2 | 24 | 0.14 | 0.046 |
| L815 300W | Soil | 0.5 | 8.7 | 19.6 | 69 | <0.1 | 11.2 | 6.6 | 142 | 1.51 | 1.6 | 0.4 | 2.6 | 3.4 | 8 | <0.1 | 0.1 | 0.2 | 24 | 0.13 | 0.059 |
| L815 275W | Soil | 0.9 | 9.8 | 26.9 | 71 | <0.1 | 14.2 | 7.4 | 147 | 1.74 | 2.2 | 0.5 | 0.9 | 3.7 | 9 | 0.1 | 0.1 | 0.2 | 27 | 0.12 | 0.081 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: December 06, 2007

Page: 6 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN07001676.1

| Method | Analyte | Unit | MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | | | |
|-----------|---------|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|------|
| | | | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se |
| | | | | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| | | | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.05 | 1 | 0.5 | |
| L810 325W | Soil | | | 11 | 12 | 0.69 | 112 | 0.069 | <1 | 1.95 | 0.008 | 0.06 | 0.9 | 0.03 | 1.6 | 0.1 | <0.05 | 7 | <0.5 |
| L810 300W | Soil | | | 10 | 12 | 0.45 | 107 | 0.106 | 1 | 3.50 | 0.013 | 0.07 | 0.8 | 0.03 | 2.2 | 0.2 | <0.05 | 9 | <0.5 |
| L810 275W | Soil | | | 9 | 12 | 0.51 | 72 | 0.085 | <1 | 2.11 | 0.015 | 0.08 | 0.4 | 0.02 | 1.6 | 0.1 | <0.05 | 7 | <0.5 |
| L810 250W | Soil | | | 13 | 18 | 1.34 | 76 | 0.081 | <1 | 2.23 | 0.006 | 0.06 | 0.5 | <0.01 | 2.0 | <0.1 | <0.05 | 7 | <0.5 |
| L810 225W | Soil | | | 8 | 14 | 0.64 | 112 | 0.101 | 1 | 2.65 | 0.014 | 0.06 | 0.4 | 0.03 | 1.6 | 0.1 | <0.05 | 8 | <0.5 |
| L810 200W | Soil | | | 6 | 11 | 0.44 | 81 | 0.124 | <1 | 3.26 | 0.018 | 0.05 | 0.4 | 0.03 | 1.9 | 0.1 | <0.05 | 9 | <0.5 |
| L810 175W | Soil | | | 8 | 10 | 0.52 | 101 | 0.112 | <1 | 2.87 | 0.016 | 0.07 | 0.4 | 0.02 | 1.6 | 0.1 | <0.05 | 9 | <0.5 |
| L810 150W | Soil | | | 17 | 16 | 1.47 | 46 | 0.093 | <1 | 1.88 | 0.004 | 0.18 | 0.3 | <0.01 | 2.4 | 0.2 | <0.05 | 6 | <0.5 |
| L810 125W | Soil | | | 4 | 11 | 0.32 | 64 | 0.127 | 2 | 3.46 | 0.022 | 0.04 | 0.4 | 0.03 | 1.6 | <0.1 | <0.05 | 10 | <0.5 |
| L810 100W | Soil | | | 10 | 16 | 0.82 | 60 | 0.099 | 1 | 2.06 | 0.018 | 0.08 | 0.3 | <0.01 | 1.9 | <0.1 | <0.05 | 8 | <0.5 |
| L810 075W | Soil | | | 12 | 17 | 0.97 | 51 | 0.099 | <1 | 1.89 | 0.016 | 0.06 | 0.2 | <0.01 | 2.1 | 0.1 | <0.05 | 7 | <0.5 |
| L810 050W | Soil | | | 10 | 19 | 0.91 | 96 | 0.130 | 1 | 2.97 | 0.015 | 0.07 | 0.3 | 0.02 | 1.9 | 0.1 | <0.05 | 11 | <0.5 |
| L810 025W | Soil | | | 6 | 13 | 0.45 | 136 | 0.116 | <1 | 3.73 | 0.019 | 0.05 | 0.3 | 0.02 | 1.7 | <0.1 | <0.05 | 11 | <0.5 |
| L810 000W | Soil | | | 5 | 15 | 0.56 | 75 | 0.135 | <1 | 3.58 | 0.025 | 0.05 | 0.2 | 0.02 | 2.2 | <0.1 | <0.05 | 11 | <0.5 |
| L815 650W | Soil | | | 11 | 11 | 0.69 | 91 | 0.071 | <1 | 2.11 | 0.008 | 0.10 | 1.0 | 0.02 | 1.7 | 0.2 | <0.05 | 7 | <0.5 |
| L815 625W | Soil | | | 10 | 11 | 0.66 | 98 | 0.065 | 1 | 2.08 | 0.009 | 0.08 | 0.7 | 0.03 | 1.5 | 0.1 | <0.05 | 7 | <0.5 |
| L815 600W | Soil | | | 11 | 11 | 0.75 | 122 | 0.076 | <1 | 2.08 | 0.010 | 0.08 | 0.7 | 0.03 | 1.7 | 0.1 | <0.05 | 7 | <0.5 |
| L815 575W | Soil | | | 9 | 15 | 0.47 | 130 | 0.105 | 1 | 2.78 | 0.015 | 0.07 | 1.2 | 0.02 | 1.6 | 0.1 | 0.11 | 8 | <0.5 |
| L815 550W | Soil | | | 14 | 12 | 0.94 | 83 | 0.062 | 1 | 1.75 | 0.008 | 0.07 | 1.0 | <0.01 | 1.5 | 0.1 | 0.10 | 6 | <0.5 |
| L815 525W | Soil | | | 8 | 13 | 0.63 | 112 | 0.076 | 1 | 2.39 | 0.018 | 0.08 | 1.6 | 0.03 | 1.6 | 0.1 | 0.07 | 8 | <0.5 |
| L815 500W | Soil | | | 9 | 11 | 0.56 | 74 | 0.061 | <1 | 1.50 | 0.007 | 0.06 | 1.5 | 0.02 | 1.2 | <0.1 | 0.09 | 6 | <0.5 |
| L815 475W | Soil | | | 11 | 11 | 0.73 | 92 | 0.056 | <1 | 1.45 | 0.009 | 0.08 | 2.4 | <0.01 | 1.5 | <0.1 | <0.05 | 6 | <0.5 |
| L815 450W | Soil | | | 11 | 12 | 0.76 | 69 | 0.065 | <1 | 1.71 | 0.008 | 0.06 | 1.0 | <0.01 | 1.3 | <0.1 | 0.07 | 6 | <0.5 |
| L815 425W | Soil | | | 10 | 14 | 0.75 | 66 | 0.076 | 1 | 1.90 | 0.009 | 0.06 | 1.3 | 0.02 | 1.3 | <0.1 | 0.05 | 6 | <0.5 |
| L815 400W | Soil | | | 9 | 12 | 0.75 | 66 | 0.068 | 1 | 2.00 | 0.011 | 0.06 | 0.9 | 0.02 | 1.6 | <0.1 | <0.05 | 6 | <0.5 |
| L815 375W | Soil | | | 9 | 13 | 0.68 | 80 | 0.069 | 1 | 2.10 | 0.008 | 0.05 | 0.7 | 0.02 | 1.4 | 0.1 | 0.07 | 6 | <0.5 |
| L815 350W | Soil | | | 9 | 11 | 0.46 | 82 | 0.092 | <1 | 2.23 | 0.014 | 0.05 | 0.5 | 0.02 | 1.3 | <0.1 | <0.05 | 8 | <0.5 |
| L815 325W | Soil | | | 8 | 13 | 0.64 | 66 | 0.085 | 1 | 1.74 | 0.012 | 0.06 | 0.3 | 0.01 | 1.5 | <0.1 | 0.08 | 7 | <0.5 |
| L815 300W | Soil | | | 8 | 15 | 0.61 | 63 | 0.100 | <1 | 2.27 | 0.013 | 0.05 | 0.4 | 0.02 | 1.6 | <0.1 | <0.05 | 8 | <0.5 |
| L815 275W | Soil | | | 7 | 13 | 0.49 | 74 | 0.106 | <1 | 2.78 | 0.015 | 0.05 | 0.4 | 0.03 | 1.6 | 0.1 | <0.05 | 8 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: December 06, 2007

Page: 7 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN07001676.1

| Method | Analyte | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | |
|-----------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| Unit | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| L815 250W | Soil | 0.8 | 9.3 | 20.3 | 63 | <0.1 | 10.7 | 5.5 | 123 | 1.62 | 1.9 | 0.6 | 3.0 | 3.4 | 8 | 0.2 | 0.2 | 0.2 | 27 | 0.12 | 0.064 |
| L815 225W | Soil | 0.8 | 9.7 | 39.9 | 66 | <0.1 | 9.8 | 5.5 | 140 | 1.74 | 2.1 | 0.6 | 0.9 | 3.5 | 8 | 0.1 | 0.2 | 0.3 | 30 | 0.10 | 0.084 |
| L815 200W | Soil | 0.7 | 15.4 | 176.4 | 103 | <0.1 | 11.9 | 6.6 | 288 | 1.62 | 2.6 | 0.8 | 7.0 | 4.1 | 9 | 0.2 | 0.2 | 0.2 | 27 | 0.13 | 0.066 |
| L815 175W | Soil | 0.5 | 8.6 | 20.1 | 67 | <0.1 | 12.8 | 6.5 | 123 | 1.45 | 1.2 | 0.5 | 2.4 | 3.5 | 10 | 0.1 | 0.1 | 0.2 | 23 | 0.17 | 0.023 |
| L815 150W | Soil | 0.4 | 10.8 | 13.9 | 55 | <0.1 | 10.2 | 5.5 | 124 | 1.31 | 0.9 | 0.6 | 1.2 | 3.8 | 8 | 0.1 | 0.1 | 0.1 | 21 | 0.24 | 0.015 |
| L815 125W | Soil | 0.3 | 12.7 | 42.9 | 55 | <0.1 | 11.1 | 5.7 | 136 | 1.34 | 1.0 | 0.6 | 1.4 | 4.3 | 10 | <0.1 | <0.1 | 0.2 | 24 | 0.27 | 0.016 |
| L815 100W | Soil | 0.3 | 14.3 | 15.8 | 62 | <0.1 | 11.9 | 5.9 | 183 | 1.47 | 1.0 | 0.7 | 1.1 | 4.7 | 11 | <0.1 | <0.1 | 0.1 | 23 | 0.38 | 0.012 |
| L815 075W | Soil | 0.2 | 13.1 | 19.9 | 66 | <0.1 | 12.1 | 5.3 | 198 | 1.43 | 0.9 | 0.5 | 2.0 | 3.5 | 15 | <0.1 | <0.1 | 0.2 | 22 | 0.32 | 0.010 |
| L815 050W | Soil | 0.6 | 13.6 | 14.6 | 83 | <0.1 | 12.4 | 6.8 | 104 | 1.86 | 2.6 | 0.6 | 2.6 | 4.4 | 8 | <0.1 | 0.1 | 0.2 | 27 | 0.14 | 0.073 |
| L815 025W | Soil | 0.5 | 13.6 | 14.4 | 57 | <0.1 | 9.3 | 5.2 | 93 | 1.82 | 2.6 | 0.6 | 0.8 | 3.9 | 9 | <0.1 | 0.1 | 0.2 | 30 | 0.11 | 0.142 |
| L815 000W | Soil | 0.6 | 12.3 | 9.6 | 56 | <0.1 | 7.1 | 4.4 | 137 | 1.58 | 1.9 | 0.6 | 0.5 | 2.8 | 9 | 0.1 | 0.1 | 0.2 | 25 | 0.11 | 0.145 |
| L820 675W | Soil | 0.3 | 8.5 | 25.2 | 52 | 0.2 | 10.9 | 6.2 | 141 | 1.58 | 2.1 | 0.5 | 3.5 | 4.4 | 12 | 0.2 | 0.2 | 0.2 | 25 | 0.08 | 0.042 |
| L820 650W | Soil | 0.3 | 7.8 | 23.3 | 54 | <0.1 | 10.4 | 5.8 | 174 | 1.40 | 2.8 | 0.4 | 9.0 | 3.5 | 14 | 0.2 | 0.3 | 0.2 | 21 | 0.13 | 0.068 |
| L820 625W | Soil | 0.9 | 7.5 | 31.1 | 73 | 0.2 | 12.2 | 6.3 | 180 | 2.13 | 2.5 | 0.6 | 0.9 | 3.9 | 15 | 0.3 | 0.2 | 0.3 | 36 | 0.10 | 0.100 |
| L820 600W | Soil | 0.3 | 7.1 | 34.0 | 38 | <0.1 | 8.5 | 5.0 | 108 | 1.32 | 2.1 | 0.5 | 6.2 | 4.4 | 7 | <0.1 | 0.2 | 0.2 | 21 | 0.09 | 0.026 |
| L820 575W | Soil | 0.5 | 9.6 | 35.7 | 61 | 0.6 | 10.2 | 6.0 | 122 | 1.47 | 2.6 | 0.6 | 2.0 | 3.8 | 9 | 0.4 | 0.2 | 0.2 | 22 | 0.10 | 0.047 |
| L820 550W | Soil | 0.3 | 7.6 | 26.8 | 59 | 0.2 | 10.4 | 5.7 | 424 | 1.36 | 2.3 | 0.4 | 1.4 | 3.3 | 10 | 0.6 | 0.2 | 0.2 | 17 | 0.13 | 0.063 |
| L820 525W | Soil | 0.4 | 10.2 | 60.6 | 58 | 0.2 | 10.6 | 5.9 | 145 | 1.21 | 1.5 | 0.6 | 17.8 | 3.9 | 9 | 0.2 | 0.3 | 0.2 | 16 | 0.13 | 0.023 |
| L820 500W | Soil | 0.4 | 16.7 | 79.7 | 47 | 0.5 | 11.8 | 5.2 | 144 | 1.31 | 2.1 | 2.0 | 10.4 | 5.1 | 16 | 0.1 | 0.6 | 0.3 | 16 | 0.21 | 0.023 |
| L820 475W | Soil | 0.6 | 10.3 | 30.7 | 75 | 0.2 | 13.1 | 6.1 | 122 | 1.61 | 2.7 | 0.5 | 2.7 | 3.7 | 7 | 0.1 | 0.1 | 0.4 | 22 | 0.10 | 0.037 |
| L820 450W | Soil | 0.5 | 11.6 | 28.1 | 56 | 0.1 | 12.6 | 5.9 | 143 | 1.55 | 2.2 | 0.6 | 1.5 | 3.4 | 13 | 0.1 | 0.1 | 0.3 | 19 | 0.13 | 0.047 |
| L820 425W | Soil | 0.4 | 9.9 | 24.0 | 52 | 0.2 | 12.7 | 7.1 | 101 | 1.47 | 2.5 | 0.6 | 3.8 | 4.1 | 8 | <0.1 | 0.1 | 0.3 | 19 | 0.10 | 0.069 |
| L820 400W | Soil | 0.6 | 15.8 | 31.0 | 47 | 0.2 | 16.7 | 8.4 | 185 | 1.86 | 4.2 | 0.7 | 0.8 | 5.2 | 9 | <0.1 | 0.2 | 0.3 | 22 | 0.10 | 0.088 |
| L820 375W | Soil | 0.6 | 16.6 | 35.5 | 59 | 0.2 | 16.9 | 8.0 | 134 | 1.86 | 2.7 | 0.5 | 1.2 | 3.0 | 8 | 0.1 | 0.2 | 0.4 | 23 | 0.10 | 0.042 |
| L820 350W | Soil | 1.0 | 15.3 | 32.8 | 52 | 0.2 | 16.4 | 7.1 | 208 | 1.51 | 4.2 | 0.5 | 14.9 | 3.5 | 6 | <0.1 | 0.2 | 0.2 | 21 | 0.08 | 0.084 |
| L820 325W | Soil | 0.5 | 6.7 | 18.4 | 45 | <0.1 | 8.5 | 4.4 | 134 | 1.32 | 1.3 | 0.4 | <0.5 | 2.3 | 4 | <0.1 | <0.1 | 0.2 | 22 | 0.05 | 0.045 |
| L820 300W | Soil | 0.5 | 9.8 | 18.5 | 80 | <0.1 | 13.2 | 6.6 | 130 | 1.36 | 1.8 | 0.3 | 0.8 | 3.0 | 6 | <0.1 | 0.1 | 0.1 | 19 | 0.13 | 0.036 |
| L820 275W | Soil | 0.5 | 11.4 | 18.7 | 81 | <0.1 | 12.5 | 6.8 | 167 | 1.39 | 1.2 | 0.4 | 2.2 | 3.3 | 7 | <0.1 | 0.1 | 0.1 | 20 | 0.14 | 0.043 |
| L820 250W | Soil | 0.5 | 10.6 | 15.1 | 51 | <0.1 | 9.8 | 5.4 | 98 | 1.20 | 1.4 | 0.4 | 2.4 | 3.4 | 6 | <0.1 | <0.1 | 0.1 | 19 | 0.14 | 0.023 |
| L820 225W | Soil | 0.6 | 8.4 | 12.9 | 77 | <0.1 | 11.8 | 6.9 | 118 | 1.41 | 1.3 | 0.3 | 1.5 | 2.7 | 7 | <0.1 | <0.1 | 0.1 | 22 | 0.14 | 0.041 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: December 06, 2007

Page: 7 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN07001676.1

| Method | Analyte | Unit | MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | | |
|-----------|---------|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|------|
| | | | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | TI | S | Ga | Se |
| | | | | ppm | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | | |
| | | | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.05 | 1 | 0.5 | |
| L815 250W | Soil | | | 6 | 12 | 0.45 | 68 | 0.121 | 1 | 2.93 | 0.017 | 0.04 | 0.3 | 0.03 | 1.3 | <0.1 | <0.05 | 8 | <0.5 |
| L815 225W | Soil | | | 6 | 12 | 0.37 | 86 | 0.142 | 2 | 2.83 | 0.022 | 0.06 | 0.3 | 0.02 | 1.4 | 0.1 | <0.05 | 10 | <0.5 |
| L815 200W | Soil | | | 7 | 13 | 0.49 | 79 | 0.126 | 2 | 2.97 | 0.018 | 0.06 | 0.5 | 0.03 | 1.8 | 0.1 | <0.05 | 8 | <0.5 |
| L815 175W | Soil | | | 11 | 14 | 0.68 | 75 | 0.100 | 2 | 2.07 | 0.012 | 0.05 | 0.3 | 0.01 | 1.5 | <0.1 | <0.05 | 7 | <0.5 |
| L815 150W | Soil | | | 12 | 16 | 0.89 | 55 | 0.119 | 2 | 1.88 | 0.011 | 0.06 | 0.3 | <0.01 | 1.9 | <0.1 | <0.05 | 7 | <0.5 |
| L815 125W | Soil | | | 11 | 18 | 0.98 | 48 | 0.117 | 1 | 1.84 | 0.022 | 0.08 | 0.4 | <0.01 | 2.1 | 0.1 | <0.05 | 6 | <0.5 |
| L815 100W | Soil | | | 13 | 19 | 1.19 | 52 | 0.125 | 2 | 1.98 | 0.022 | 0.11 | 0.7 | <0.01 | 2.3 | 0.1 | <0.05 | 7 | <0.5 |
| L815 075W | Soil | | | 10 | 16 | 0.81 | 110 | 0.107 | <1 | 2.32 | 0.027 | 0.08 | 0.1 | <0.01 | 1.9 | 0.1 | <0.05 | 7 | <0.5 |
| L815 050W | Soil | | | 8 | 16 | 0.75 | 58 | 0.117 | 1 | 3.33 | 0.017 | 0.05 | 0.3 | 0.02 | 2.1 | <0.1 | <0.05 | 8 | <0.5 |
| L815 025W | Soil | | | 4 | 13 | 0.33 | 64 | 0.132 | 2 | 3.57 | 0.028 | 0.04 | 0.3 | 0.03 | 1.8 | <0.1 | <0.05 | 9 | <0.5 |
| L815 000W | Soil | | | 4 | 8 | 0.17 | 76 | 0.130 | 1 | 3.59 | 0.025 | 0.04 | 0.2 | 0.02 | 1.6 | <0.1 | <0.05 | 9 | <0.5 |
| L820 675W | Soil | | | 13 | 11 | 0.76 | 110 | 0.083 | 2 | 1.90 | 0.013 | 0.08 | 0.7 | <0.01 | 1.6 | 0.1 | <0.05 | 7 | <0.5 |
| L820 650W | Soil | | | 12 | 10 | 0.76 | 105 | 0.072 | 1 | 1.73 | 0.010 | 0.08 | 0.5 | 0.02 | 1.5 | 0.1 | <0.05 | 6 | <0.5 |
| L820 625W | Soil | | | 8 | 13 | 0.53 | 153 | 0.123 | 1 | 2.77 | 0.014 | 0.08 | 1.3 | 0.03 | 1.8 | 0.1 | <0.05 | 10 | <0.5 |
| L820 600W | Soil | | | 13 | 10 | 0.69 | 67 | 0.070 | <1 | 1.40 | 0.007 | 0.07 | 0.6 | <0.01 | 1.4 | 0.1 | <0.05 | 6 | <0.5 |
| L820 575W | Soil | | | 9 | 10 | 0.53 | 79 | 0.080 | <1 | 2.17 | 0.013 | 0.06 | 0.8 | 0.02 | 1.5 | <0.1 | <0.05 | 5 | <0.5 |
| L820 550W | Soil | | | 10 | 11 | 0.71 | 89 | 0.053 | <1 | 1.60 | 0.023 | 0.12 | 0.7 | 0.01 | 1.4 | <0.1 | <0.05 | 6 | <0.5 |
| L820 525W | Soil | | | 14 | 11 | 0.79 | 99 | 0.050 | 1 | 1.41 | 0.009 | 0.08 | 1.1 | <0.01 | 1.3 | <0.1 | <0.05 | 5 | <0.5 |
| L820 500W | Soil | | | 20 | 13 | 0.98 | 101 | 0.050 | 1 | 1.29 | 0.007 | 0.11 | 1.4 | 0.01 | 1.6 | <0.1 | <0.05 | 4 | <0.5 |
| L820 475W | Soil | | | 11 | 13 | 0.72 | 83 | 0.069 | <1 | 1.94 | 0.008 | 0.08 | 0.8 | 0.02 | 1.4 | <0.1 | <0.05 | 7 | <0.5 |
| L820 450W | Soil | | | 10 | 11 | 0.66 | 108 | 0.064 | <1 | 2.26 | 0.013 | 0.09 | 0.7 | 0.01 | 1.6 | <0.1 | <0.05 | 7 | <0.5 |
| L820 425W | Soil | | | 9 | 10 | 0.54 | 80 | 0.074 | <1 | 2.31 | 0.014 | 0.06 | 0.7 | 0.02 | 1.7 | <0.1 | <0.05 | 6 | <0.5 |
| L820 400W | Soil | | | 8 | 12 | 0.66 | 104 | 0.090 | <1 | 2.83 | 0.015 | 0.07 | 0.8 | 0.03 | 1.7 | 0.1 | <0.05 | 7 | <0.5 |
| L820 375W | Soil | | | 6 | 14 | 0.79 | 144 | 0.071 | <1 | 2.70 | 0.009 | 0.10 | 1.2 | 0.01 | 1.6 | <0.1 | <0.05 | 8 | <0.5 |
| L820 350W | Soil | | | 5 | 11 | 0.49 | 103 | 0.080 | <1 | 2.97 | 0.009 | 0.05 | 1.1 | 0.04 | 1.6 | 0.1 | <0.05 | 8 | 0.5 |
| L820 325W | Soil | | | 6 | 9 | 0.35 | 62 | 0.070 | 1 | 2.01 | 0.009 | 0.03 | 0.4 | 0.03 | 1.3 | 0.1 | <0.05 | 7 | <0.5 |
| L820 300W | Soil | | | 6 | 14 | 0.82 | 71 | 0.075 | 1 | 2.18 | 0.010 | 0.05 | 0.4 | 0.02 | 1.6 | <0.1 | <0.05 | 7 | <0.5 |
| L820 275W | Soil | | | 6 | 15 | 0.88 | 79 | 0.079 | <1 | 2.47 | 0.007 | 0.05 | 0.5 | 0.02 | 1.9 | 0.1 | <0.05 | 7 | <0.5 |
| L820 250W | Soil | | | 7 | 13 | 0.80 | 63 | 0.084 | 1 | 1.95 | 0.012 | 0.06 | 0.4 | 0.01 | 1.7 | <0.1 | <0.05 | 7 | <0.5 |
| L820 225W | Soil | | | 6 | 15 | 0.80 | 63 | 0.098 | <1 | 2.19 | 0.012 | 0.04 | 0.7 | 0.02 | 1.9 | <0.1 | <0.05 | 7 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on the certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

GAR

Report Date:

December 06, 2007

Page:

8 of 12

Part 1

CERTIFICATE OF ANALYSIS

VAN07001676.1

| Method | Analyte | Unit | MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | | |
|-----------|---------|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| | | | | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % | | |
| | | | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | |
| L820 200W | Soil | | | 0.6 | 15.1 | 74.9 | 73 | 0.1 | 12.1 | 6.2 | 150 | 1.54 | 6.2 | 0.5 | 6.7 | 3.1 | 8 | 0.2 | 0.5 | 0.2 | 24 | 0.12 | 0.046 |
| L820 175W | Soil | | | 0.8 | 9.3 | 16.3 | 84 | <0.1 | 13.1 | 6.7 | 111 | 1.48 | 2.1 | 0.4 | 1.7 | 3.3 | 7 | 0.2 | 0.1 | 0.2 | 24 | 0.10 | 0.032 |
| L820 150W | Soil | | | 0.5 | 9.1 | 14.6 | 84 | <0.1 | 11.0 | 5.5 | 118 | 1.45 | 1.4 | 0.3 | 2.5 | 3.0 | 8 | <0.1 | <0.1 | 0.2 | 24 | 0.16 | 0.055 |
| L820 125W | Soil | | | 0.6 | 10.1 | 19.2 | 79 | <0.1 | 10.0 | 5.8 | 103 | 1.51 | 2.3 | 0.4 | <0.5 | 3.4 | 5 | 0.1 | <0.1 | 0.2 | 25 | 0.09 | 0.084 |
| L820 100W | Soil | | | 0.4 | 9.2 | 16.2 | 73 | <0.1 | 8.9 | 5.5 | 272 | 1.16 | 1.7 | 0.3 | <0.5 | 2.5 | 5 | <0.1 | 0.1 | 0.2 | 21 | 0.09 | 0.034 |
| L820 075W | Soil | | | 0.8 | 7.2 | 10.0 | 74 | <0.1 | 10.0 | 5.6 | 115 | 1.71 | 2.3 | 0.3 | 1.4 | 3.5 | 7 | <0.1 | 0.1 | 0.2 | 31 | 0.12 | 0.067 |
| L820 050W | Soil | | | 0.8 | 9.2 | 10.7 | 70 | <0.1 | 9.6 | 5.3 | 109 | 1.54 | 1.7 | 0.4 | 0.5 | 3.0 | 6 | <0.1 | 0.1 | 0.2 | 24 | 0.10 | 0.118 |
| L820 025W | Soil | | | 1.0 | 12.6 | 10.0 | 42 | <0.1 | 7.6 | 4.2 | 112 | 1.55 | 2.7 | 0.6 | 0.5 | 3.0 | 10 | 0.1 | 0.1 | 0.2 | 25 | 0.14 | 0.177 |
| L820 000W | Soil | | | 0.5 | 10.2 | 10.3 | 61 | <0.1 | 9.7 | 5.1 | 138 | 1.52 | 2.2 | 0.4 | 0.7 | 2.7 | 10 | 0.1 | 0.2 | 0.2 | 26 | 0.14 | 0.148 |
| L825 675W | Soil | | | 0.5 | 9.0 | 18.1 | 56 | <0.1 | 12.2 | 7.1 | 195 | 1.55 | 2.5 | 0.4 | 1.2 | 3.3 | 9 | 0.1 | 0.2 | 0.2 | 22 | 0.10 | 0.067 |
| L825 650W | Soil | | | 0.6 | 7.0 | 22.6 | 57 | 0.2 | 9.2 | 5.4 | 153 | 1.73 | 2.9 | 0.6 | 6.3 | 3.5 | 10 | 0.2 | 0.2 | 0.3 | 27 | 0.12 | 0.158 |
| L825 625W | Soil | | | 0.4 | 7.1 | 26.3 | 79 | 0.4 | 9.9 | 5.8 | 137 | 1.44 | 1.7 | 0.7 | 12.0 | 4.3 | 11 | 0.2 | 0.3 | 0.2 | 21 | 0.08 | 0.093 |
| L825 600W | Soil | | | 0.7 | 6.9 | 29.5 | 57 | 0.4 | 9.0 | 4.9 | 235 | 1.37 | 2.3 | 0.5 | 3.3 | 2.2 | 12 | 0.3 | 0.3 | 0.2 | 22 | 0.12 | 0.079 |
| L825 575W | Soil | | | 0.5 | 8.5 | 22.1 | 52 | 0.3 | 10.0 | 5.8 | 115 | 1.28 | 1.9 | 0.4 | 61.6 | 2.9 | 7 | 0.4 | 0.2 | 0.1 | 18 | 0.07 | 0.051 |
| L825 550W | Soil | | | 0.2 | 15.0 | 39.5 | 73 | 0.2 | 12.8 | 6.0 | 140 | 1.34 | 1.7 | 0.8 | 11.3 | 2.9 | 12 | 0.1 | 0.2 | 0.3 | 18 | 0.17 | 0.011 |
| L825 525W | Soil | | | 0.3 | 18.2 | 38.6 | 50 | 0.1 | 11.3 | 5.2 | 141 | 1.26 | 2.1 | 1.0 | 7.3 | 2.8 | 15 | <0.1 | 0.2 | 0.3 | 20 | 0.19 | 0.013 |
| L825 500W | Soil | | | 0.3 | 27.5 | 39.4 | 53 | 0.3 | 13.4 | 6.0 | 194 | 1.53 | 2.8 | 3.1 | 11.0 | 5.4 | 21 | <0.1 | 0.4 | 0.4 | 22 | 0.32 | 0.012 |
| L825 475W | Soil | | | 0.7 | 7.6 | 24.3 | 64 | 0.1 | 9.7 | 9.3 | 656 | 2.15 | 4.5 | 0.5 | 2.3 | 3.3 | 9 | 0.2 | 0.2 | 0.2 | 29 | 0.14 | 0.170 |
| L825 450W | Soil | | | 0.5 | 9.4 | 27.9 | 46 | 0.2 | 9.0 | 5.7 | 104 | 1.40 | 3.2 | 0.3 | 2.2 | 2.9 | 7 | <0.1 | 0.1 | 0.2 | 20 | 0.13 | 0.036 |
| L825 425W | Soil | | | 0.6 | 8.6 | 24.0 | 58 | 0.5 | 11.1 | 5.8 | 125 | 1.58 | 2.4 | 0.4 | 6.9 | 2.9 | 8 | <0.1 | 0.1 | 0.3 | 23 | 0.12 | 0.084 |
| L825 400W | Soil | | | 0.4 | 9.1 | 21.8 | 55 | 0.2 | 9.9 | 5.6 | 184 | 1.38 | 2.0 | 0.3 | 3.7 | 2.6 | 7 | <0.1 | 0.1 | 0.3 | 20 | 0.12 | 0.052 |
| L825 375W | Soil | | | 0.8 | 19.6 | 60.3 | 62 | 0.3 | 18.3 | 8.4 | 104 | 2.14 | 4.2 | 0.5 | 1.8 | 4.6 | 8 | <0.1 | 0.2 | 0.4 | 25 | 0.14 | 0.077 |
| L825 350W | Soil | | | 0.4 | 8.3 | 17.4 | 42 | 0.2 | 8.4 | 4.7 | 116 | 1.21 | 1.4 | 0.3 | <0.5 | 2.6 | 5 | <0.1 | <0.1 | 0.2 | 19 | 0.11 | 0.049 |
| L825 325W | Soil | | | 0.3 | 9.8 | 16.0 | 67 | <0.1 | 10.7 | 6.2 | 103 | 1.36 | 1.7 | 0.4 | 0.8 | 3.7 | 6 | <0.1 | <0.1 | 0.1 | 20 | 0.17 | 0.068 |
| L825 300W | Soil | | | 0.5 | 9.1 | 13.8 | 55 | <0.1 | 11.8 | 6.5 | 99 | 1.42 | 1.8 | 0.4 | 1.3 | 3.3 | 7 | <0.1 | <0.1 | 0.1 | 22 | 0.21 | 0.024 |
| L825 275W | Soil | | | 0.5 | 7.8 | 17.4 | 88 | <0.1 | 11.5 | 6.5 | 94 | 1.47 | 2.1 | 0.4 | 5.0 | 3.6 | 6 | <0.1 | 0.1 | 0.1 | 22 | 0.13 | 0.065 |
| L825 250W | Soil | | | 0.5 | 10.8 | 16.9 | 63 | <0.1 | 11.7 | 6.1 | 106 | 1.43 | 1.4 | 0.4 | 25.7 | 3.6 | 8 | <0.1 | <0.1 | 0.1 | 24 | 0.21 | 0.032 |
| L825 225W | Soil | | | 0.5 | 11.4 | 23.8 | 67 | <0.1 | 11.0 | 5.9 | 90 | 1.52 | 2.0 | 0.5 | 0.8 | 4.0 | 6 | <0.1 | 0.1 | 0.1 | 25 | 0.14 | 0.049 |
| L825 200W | Soil | | | 0.5 | 8.3 | 23.1 | 88 | <0.1 | 13.3 | 7.0 | 115 | 1.55 | 1.8 | 0.4 | 4.0 | 3.4 | 6 | 0.1 | <0.1 | 0.1 | 24 | 0.14 | 0.040 |
| L825 175W | Soil | | | 0.5 | 8.9 | 17.6 | 95 | <0.1 | 11.8 | 7.1 | 134 | 1.59 | 1.4 | 0.4 | 1.2 | 2.9 | 6 | 0.2 | <0.1 | 0.2 | 22 | 0.13 | 0.047 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6 Canada

Project:

GAR

Report Date:

December 06, 2007

Page:

8 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN07001676.1

| Method | Analyte | Unit | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | | |
|-----------|---------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|------|
| | | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se |
| MDL | | | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| | | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.05 | 1 | 0.5 | |
| L820 200W | Soil | | 5 | 12 | 0.46 | 93 | 0.119 | <1 | 3.60 | 0.017 | 0.04 | 0.4 | 0.03 | 1.9 | <0.1 | <0.05 | 9 | <0.5 |
| L820 175W | Soil | | 5 | 13 | 0.62 | 78 | 0.106 | 1 | 2.80 | 0.013 | 0.04 | 0.5 | 0.02 | 1.7 | 0.1 | <0.05 | 8 | <0.5 |
| L820 150W | Soil | | 6 | 14 | 0.67 | 62 | 0.087 | 2 | 2.19 | 0.011 | 0.06 | 0.4 | 0.02 | 1.9 | <0.1 | <0.05 | 8 | <0.5 |
| L820 125W | Soil | | 5 | 13 | 0.51 | 50 | 0.101 | 1 | 2.74 | 0.014 | 0.04 | 0.5 | 0.02 | 1.8 | 0.1 | <0.05 | 8 | <0.5 |
| L820 100W | Soil | | 7 | 13 | 0.54 | 73 | 0.071 | 16 | 1.88 | 0.014 | 0.06 | 0.3 | 0.01 | 1.6 | 0.1 | <0.05 | 8 | 0.6 |
| L820 075W | Soil | | 6 | 16 | 0.71 | 61 | 0.102 | <1 | 2.32 | 0.012 | 0.04 | 0.4 | 0.02 | 1.6 | <0.1 | <0.05 | 11 | <0.5 |
| L820 050W | Soil | | 6 | 14 | 0.65 | 71 | 0.089 | 1 | 2.33 | 0.014 | 0.05 | 0.4 | 0.02 | 1.6 | <0.1 | <0.05 | 9 | <0.5 |
| L820 025W | Soil | | 3 | 9 | 0.16 | 83 | 0.134 | 3 | 4.24 | 0.027 | 0.06 | 0.4 | 0.03 | 1.7 | <0.1 | <0.05 | 10 | 0.7 |
| L820 000W | Soil | | 3 | 9 | 0.25 | 93 | 0.137 | 1 | 3.66 | 0.022 | 0.03 | 0.4 | 0.02 | 1.5 | <0.1 | <0.05 | 10 | <0.5 |
| L825 675W | Soil | | 8 | 11 | 0.83 | 105 | 0.062 | 1 | 2.04 | 0.006 | 0.06 | 1.0 | <0.01 | 1.7 | <0.1 | <0.05 | 7 | <0.5 |
| L825 650W | Soil | | 6 | 10 | 0.41 | 104 | 0.095 | <1 | 2.38 | 0.011 | 0.07 | 1.1 | 0.03 | 1.8 | <0.1 | <0.05 | 9 | <0.5 |
| L825 625W | Soil | | 10 | 9 | 0.50 | 119 | 0.059 | 1 | 2.04 | 0.007 | 0.08 | 1.9 | 0.03 | 1.8 | <0.1 | <0.05 | 6 | <0.5 |
| L825 600W | Soil | | 6 | 8 | 0.32 | 100 | 0.075 | <1 | 2.07 | 0.012 | 0.07 | 1.5 | 0.02 | 1.3 | 0.1 | <0.05 | 6 | <0.5 |
| L825 575W | Soil | | 9 | 10 | 0.60 | 97 | 0.052 | <1 | 1.74 | 0.016 | 0.07 | 1.3 | 0.02 | 1.3 | <0.1 | <0.05 | 6 | <0.5 |
| L825 550W | Soil | | 10 | 13 | 0.96 | 132 | 0.049 | <1 | 1.71 | 0.011 | 0.10 | 0.9 | <0.01 | 1.9 | 0.1 | <0.05 | 5 | <0.5 |
| L825 525W | Soil | | 11 | 12 | 0.77 | 170 | 0.056 | <1 | 1.75 | 0.015 | 0.09 | 0.8 | <0.01 | 1.6 | 0.1 | <0.05 | 5 | <0.5 |
| L825 500W | Soil | | 19 | 17 | 1.13 | 158 | 0.066 | 2 | 1.78 | 0.014 | 0.17 | 1.3 | <0.01 | 3.0 | 0.2 | <0.05 | 6 | <0.5 |
| L825 475W | Soil | | 5 | 11 | 0.42 | 88 | 0.092 | 1 | 2.81 | 0.011 | 0.05 | 1.1 | 0.02 | 1.5 | <0.1 | <0.05 | 8 | <0.5 |
| L825 450W | Soil | | 8 | 11 | 0.62 | 76 | 0.048 | 1 | 1.74 | 0.008 | 0.05 | 0.9 | 0.02 | 1.3 | <0.1 | <0.05 | 6 | <0.5 |
| L825 425W | Soil | | 6 | 10 | 0.46 | 85 | 0.070 | <1 | 2.24 | 0.011 | 0.06 | 1.2 | 0.03 | 1.4 | <0.1 | <0.05 | 8 | <0.5 |
| L825 400W | Soil | | 8 | 11 | 0.64 | 75 | 0.060 | <1 | 1.86 | 0.015 | 0.08 | 0.8 | 0.02 | 1.6 | 0.1 | <0.05 | 7 | <0.5 |
| L825 375W | Soil | | 7 | 15 | 0.68 | 112 | 0.079 | <1 | 3.09 | 0.011 | 0.09 | 1.4 | 0.03 | 1.7 | <0.1 | <0.05 | 8 | <0.5 |
| L825 350W | Soil | | 8 | 11 | 0.46 | 68 | 0.060 | <1 | 1.57 | 0.011 | 0.06 | 0.4 | 0.01 | 1.5 | <0.1 | <0.05 | 7 | <0.5 |
| L825 325W | Soil | | 7 | 16 | 0.81 | 61 | 0.084 | <1 | 2.16 | 0.010 | 0.05 | 0.4 | 0.02 | 1.9 | <0.1 | <0.05 | 7 | <0.5 |
| L825 300W | Soil | | 9 | 16 | 0.93 | 46 | 0.092 | <1 | 2.05 | 0.008 | 0.06 | 0.5 | 0.01 | 2.0 | <0.1 | <0.05 | 7 | <0.5 |
| L825 275W | Soil | | 7 | 15 | 0.54 | 69 | 0.094 | <1 | 2.55 | 0.012 | 0.04 | 0.5 | 0.02 | 1.8 | 0.1 | <0.05 | 8 | <0.5 |
| L825 250W | Soil | | 8 | 18 | 1.02 | 59 | 0.101 | <1 | 2.27 | 0.010 | 0.05 | 0.5 | 0.01 | 2.2 | 0.1 | <0.05 | 7 | <0.5 |
| L825 225W | Soil | | 7 | 16 | 0.72 | 66 | 0.111 | <1 | 2.58 | 0.012 | 0.05 | 0.7 | 0.02 | 2.0 | 0.1 | <0.05 | 9 | <0.5 |
| L825 200W | Soil | | 8 | 16 | 0.79 | 62 | 0.101 | <1 | 2.37 | 0.010 | 0.05 | 0.5 | 0.01 | 2.0 | <0.1 | <0.05 | 9 | <0.5 |
| L825 175W | Soil | | 6 | 15 | 0.76 | 61 | 0.092 | 1 | 2.63 | 0.016 | 0.05 | 0.4 | 0.02 | 1.8 | 0.1 | <0.05 | 8 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project:

GAR

Report Date:

December 06, 2007

Page:

9 of 12

Part 1

CERTIFICATE OF ANALYSIS

VAN07001676.1

| Method | Analyte | Unit | MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | | |
|-----------|---------|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| | | | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | | |
| | | | | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | % | % | | | |
| | | | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | |
| L825 150W | Soil | | | 0.7 | 8.2 | 18.5 | 61 | <0.1 | 9.6 | 5.4 | 77 | 1.64 | 2.2 | 0.5 | 1.2 | 3.6 | 8 | 0.1 | 0.1 | 0.2 | 21 | 0.14 | 0.088 |
| L825 125W | Soil | | | 0.5 | 9.7 | 14.4 | 58 | <0.1 | 11.2 | 6.5 | 109 | 1.54 | 1.4 | 0.4 | 0.8 | 2.9 | 7 | 0.1 | <0.1 | 0.1 | 22 | 0.12 | 0.019 |
| L825 100W | Soil | | | 0.6 | 10.4 | 34.4 | 104 | <0.1 | 11.4 | 5.7 | 115 | 1.62 | 1.5 | 0.4 | 6.3 | 3.0 | 6 | 0.2 | <0.1 | 0.2 | 23 | 0.11 | 0.027 |
| L825 075W | Soil | | | 0.7 | 11.8 | 10.9 | 61 | <0.1 | 11.9 | 6.3 | 132 | 1.71 | 1.8 | 0.4 | 1.5 | 2.5 | 7 | <0.1 | 0.1 | 0.2 | 24 | 0.10 | 0.077 |
| L825 050W | Soil | | | 0.4 | 15.4 | 11.9 | 67 | <0.1 | 10.5 | 5.7 | 134 | 1.81 | 2.9 | 0.5 | 1.8 | 2.8 | 7 | <0.1 | 0.1 | 0.2 | 25 | 0.11 | 0.226 |
| L825 025W | Soil | | | 0.5 | 22.0 | 28.4 | 80 | <0.1 | 13.8 | 7.3 | 133 | 1.85 | 1.7 | 0.5 | 0.9 | 3.0 | 16 | 0.1 | <0.1 | 0.2 | 26 | 0.30 | 0.082 |
| L825 000W | Soil | | | 0.4 | 8.1 | 12.4 | 112 | <0.1 | 9.7 | 5.3 | 114 | 1.70 | 1.5 | 0.4 | 0.7 | 3.7 | 5 | 0.2 | <0.1 | 0.2 | 25 | 0.09 | 0.106 |
| L835 675W | Soil | | | 0.3 | 7.3 | 20.9 | 35 | 0.2 | 8.9 | 5.0 | 140 | 1.34 | 2.1 | 0.4 | 3.6 | 2.8 | 6 | 0.1 | 0.1 | 0.2 | 16 | 0.08 | 0.041 |
| L835 650W | Soil | | | 0.4 | 8.1 | 22.5 | 43 | 0.2 | 10.0 | 5.6 | 145 | 1.36 | 2.2 | 0.5 | 37.3 | 2.8 | 8 | 0.2 | 0.2 | 0.2 | 16 | 0.10 | 0.047 |
| L835 625W | Soil | | | 0.5 | 8.6 | 31.4 | 48 | 0.2 | 9.8 | 5.0 | 193 | 1.36 | 2.4 | 0.6 | 13.2 | 2.8 | 9 | 0.2 | 0.3 | 0.2 | 15 | 0.22 | 0.042 |
| L835 600W | Soil | | | 0.4 | 13.5 | 34.2 | 57 | 0.6 | 10.9 | 5.7 | 194 | 1.40 | 2.2 | 0.9 | 2.7 | 3.4 | 11 | 0.3 | 0.2 | 0.3 | 18 | 0.18 | 0.030 |
| L835 575W | Soil | | | 0.4 | 12.2 | 50.8 | 46 | 0.2 | 10.9 | 5.7 | 264 | 1.42 | 2.0 | 1.9 | 10.6 | 3.7 | 14 | 0.2 | 0.3 | 0.2 | 17 | 0.26 | 0.030 |
| L835 550W | Soil | | | 0.3 | 10.1 | 43.5 | 53 | 0.3 | 11.0 | 5.4 | 161 | 1.26 | 2.2 | 0.5 | 1.5 | 2.5 | 11 | 0.2 | 0.3 | 0.3 | 15 | 0.18 | 0.020 |
| L835 525W | Soil | | | 0.3 | 9.9 | 33.3 | 39 | 0.2 | 5.9 | 3.0 | 245 | 1.22 | 0.9 | 1.6 | 5.1 | 4.0 | 17 | 0.1 | 0.1 | 0.3 | 22 | 0.22 | 0.047 |
| L835 500W | Soil | | | 0.4 | 12.3 | 22.5 | 46 | <0.1 | 13.8 | 7.9 | 124 | 1.64 | 3.4 | 0.4 | 29.2 | 3.3 | 6 | <0.1 | 0.1 | 0.2 | 19 | 0.12 | 0.039 |
| L835 475W | Soil | | | 0.5 | 5.2 | 26.5 | 43 | 0.1 | 8.3 | 4.6 | 114 | 1.46 | 2.4 | 0.3 | 2.5 | 2.2 | 5 | 0.1 | 0.1 | 0.3 | 21 | 0.08 | 0.056 |
| L835 450W | Soil | | | 0.4 | 6.4 | 22.2 | 42 | 0.1 | 10.2 | 4.7 | 102 | 1.38 | 2.6 | 0.3 | 13.1 | 2.3 | 5 | <0.1 | 0.2 | 0.3 | 18 | 0.07 | 0.036 |
| L835 425W | Soil | | | 0.4 | 5.9 | 30.2 | 47 | 0.2 | 7.6 | 4.2 | 317 | 1.33 | 3.8 | 0.3 | 1.4 | 1.8 | 12 | 0.3 | 0.3 | 0.3 | 18 | 0.18 | 0.084 |
| L835 400W | Soil | | | 0.5 | 5.4 | 23.2 | 33 | 0.3 | 4.6 | 2.6 | 198 | 1.18 | 1.7 | 0.3 | 3.5 | 1.4 | 5 | 0.1 | 0.2 | 0.2 | 20 | 0.07 | 0.069 |
| L835 375W | Soil | | | 0.6 | 7.4 | 32.1 | 46 | 0.1 | 10.8 | 4.9 | 100 | 1.62 | 2.5 | 0.5 | 8.7 | 4.1 | 6 | <0.1 | 0.1 | 0.2 | 23 | 0.10 | 0.084 |
| L835 350W | Soil | | | 0.2 | 3.6 | 19.5 | 28 | <0.1 | 5.6 | 2.4 | 89 | 0.70 | 0.7 | 0.3 | 4.0 | 2.2 | 5 | <0.1 | <0.1 | 0.1 | 13 | 0.10 | 0.011 |
| L835 325W | Soil | | | 0.4 | 7.6 | 18.3 | 47 | 0.1 | 7.8 | 4.2 | 122 | 1.17 | 1.8 | 0.3 | 1.2 | 2.4 | 7 | 0.1 | 0.1 | 0.1 | 18 | 0.17 | 0.057 |
| L835 300W | Soil | | | 0.3 | 11.0 | 26.5 | 68 | <0.1 | 10.2 | 6.2 | 114 | 1.40 | 1.3 | 0.4 | 0.5 | 3.0 | 6 | <0.1 | <0.1 | 0.1 | 20 | 0.14 | 0.034 |
| L835 275W | Soil | | | 0.2 | 8.9 | 32.7 | 46 | <0.1 | 8.2 | 4.3 | 117 | 1.04 | 1.1 | 0.5 | 2.4 | 2.9 | 6 | <0.1 | 0.1 | 0.1 | 17 | 0.18 | 0.021 |
| L835 250W | Soil | | | 0.3 | 6.1 | 24.8 | 62 | <0.1 | 8.9 | 4.1 | 79 | 1.14 | 1.1 | 0.4 | 1.3 | 3.0 | 5 | <0.1 | <0.1 | 0.1 | 19 | 0.17 | 0.027 |
| L835 225W | Soil | | | 0.4 | 6.3 | 19.6 | 70 | <0.1 | 9.8 | 5.5 | 139 | 1.41 | 1.5 | 0.4 | <0.5 | 3.0 | 6 | 0.1 | 0.1 | 0.2 | 20 | 0.15 | 0.071 |
| L835 200W | Soil | | | 0.4 | 8.9 | 12.7 | 70 | <0.1 | 13.1 | 7.1 | 129 | 1.82 | 2.1 | 0.4 | 2.7 | 3.7 | 6 | 0.1 | 0.1 | 0.2 | 25 | 0.14 | 0.080 |
| L835 175W | Soil | | | 0.3 | 8.8 | 11.3 | 49 | <0.1 | 9.9 | 5.8 | 111 | 1.49 | 2.2 | 0.3 | 1.3 | 2.9 | 8 | 0.1 | <0.1 | 0.1 | 20 | 0.15 | 0.066 |
| L835 150W | Soil | | | 0.5 | 8.0 | 12.8 | 82 | <0.1 | 7.4 | 3.9 | 82 | 1.48 | 2.1 | 0.3 | 11.1 | 2.5 | 5 | 0.3 | <0.1 | 0.1 | 22 | 0.09 | 0.120 |
| L835 125W | Soil | | | 0.3 | 10.5 | 12.1 | 69 | <0.1 | 12.8 | 7.5 | 116 | 1.57 | 1.3 | 0.4 | 2.7 | 3.5 | 7 | <0.1 | <0.1 | 0.2 | 20 | 0.15 | 0.028 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: GAR
Report Date: December 06, 2007

Page: 9 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN07001676.1

| Method | Analyte | Unit | MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | | | |
|-----------|---------|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|------|
| | | | | La | Cr | Mg | Ba | Tl | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se |
| | | | | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| | | | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.05 | 1 | 0.5 | |
| L825 150W | Soil | | | 4 | 12 | 0.46 | 45 | 0.099 | 1 | 3.59 | 0.015 | 0.04 | 0.6 | 0.03 | 1.8 | <0.1 | <0.05 | 8 | <0.5 |
| L825 125W | Soil | | | 7 | 15 | 0.89 | 53 | 0.077 | 1 | 1.98 | 0.007 | 0.06 | 0.4 | <0.01 | 1.8 | <0.1 | <0.05 | 7 | <0.5 |
| L825 100W | Soil | | | 7 | 16 | 1.00 | 59 | 0.084 | <1 | 2.19 | 0.008 | 0.05 | 0.4 | 0.01 | 1.8 | <0.1 | <0.05 | 8 | <0.5 |
| L825 075W | Soil | | | 5 | 13 | 0.68 | 67 | 0.108 | 1 | 2.93 | 0.015 | 0.04 | 0.4 | 0.02 | 1.7 | <0.1 | <0.05 | 10 | <0.5 |
| L825 050W | Soil | | | 3 | 12 | 0.49 | 81 | 0.114 | <1 | 3.95 | 0.017 | 0.03 | 0.6 | 0.03 | 1.6 | <0.1 | <0.05 | 9 | <0.5 |
| L825 025W | Soil | | | 5 | 15 | 0.82 | 126 | 0.138 | 1 | 3.67 | 0.028 | 0.07 | 0.5 | 0.02 | 2.3 | 0.1 | <0.05 | 10 | <0.5 |
| L825 000W | Soil | | | 6 | 18 | 0.99 | 56 | 0.092 | <1 | 2.39 | 0.015 | 0.04 | 0.3 | 0.01 | 2.2 | 0.1 | <0.05 | 10 | <0.5 |
| L835 675W | Soil | | | 8 | 9 | 0.61 | 69 | 0.044 | <1 | 1.55 | 0.015 | 0.07 | 0.4 | 0.02 | 1.2 | 0.1 | <0.05 | 5 | <0.5 |
| L835 650W | Soil | | | 9 | 10 | 0.71 | 76 | 0.044 | <1 | 1.45 | 0.008 | 0.09 | 0.6 | <0.01 | 1.4 | 0.1 | <0.05 | 6 | <0.5 |
| L835 625W | Soil | | | 8 | 10 | 0.67 | 95 | 0.045 | <1 | 1.52 | 0.007 | 0.08 | 0.8 | 0.03 | 1.4 | <0.1 | <0.05 | 6 | <0.5 |
| L835 600W | Soil | | | 11 | 12 | 0.94 | 87 | 0.055 | <1 | 1.39 | 0.013 | 0.11 | 1.2 | 0.02 | 1.7 | 0.1 | <0.05 | 5 | <0.5 |
| L835 575W | Soil | | | 13 | 12 | 0.97 | 113 | 0.050 | <1 | 1.44 | 0.011 | 0.18 | 1.1 | 0.02 | 1.9 | 0.1 | <0.05 | 5 | <0.5 |
| L835 550W | Soil | | | 8 | 12 | 0.75 | 103 | 0.040 | <1 | 1.39 | 0.009 | 0.07 | 0.8 | 0.03 | 1.4 | <0.1 | <0.05 | 5 | <0.5 |
| L835 525W | Soil | | | 14 | 10 | 0.69 | 118 | 0.080 | <1 | 1.22 | 0.008 | 0.21 | 0.8 | 0.02 | 2.4 | 0.2 | <0.05 | 6 | <0.5 |
| L835 500W | Soil | | | 9 | 13 | 0.99 | 90 | 0.063 | <1 | 2.09 | 0.009 | 0.07 | 0.8 | 0.03 | 1.7 | <0.1 | <0.05 | 6 | <0.5 |
| L835 475W | Soil | | | 7 | 9 | 0.37 | 54 | 0.061 | <1 | 1.59 | 0.010 | 0.05 | 1.0 | 0.02 | 1.1 | <0.1 | <0.05 | 8 | <0.5 |
| L835 450W | Soil | | | 9 | 10 | 0.70 | 47 | 0.040 | <1 | 1.37 | 0.005 | 0.05 | 0.9 | 0.01 | 1.1 | 0.1 | <0.05 | 6 | <0.5 |
| L835 425W | Soil | | | 6 | 9 | 0.40 | 82 | 0.048 | <1 | 1.49 | 0.010 | 0.07 | 0.7 | 0.03 | 1.2 | <0.1 | <0.05 | 6 | <0.5 |
| L835 400W | Soil | | | 6 | 7 | 0.17 | 72 | 0.038 | <1 | 1.68 | 0.010 | 0.04 | 0.6 | 0.02 | 1.2 | <0.1 | <0.05 | 6 | <0.5 |
| L835 375W | Soil | | | 7 | 13 | 0.64 | 51 | 0.075 | 1 | 2.31 | 0.013 | 0.05 | 0.7 | 0.03 | 1.7 | <0.1 | <0.05 | 7 | <0.5 |
| L835 350W | Soil | | | 9 | 7 | 0.44 | 41 | 0.051 | <1 | 0.96 | 0.008 | 0.04 | 0.4 | <0.01 | 0.9 | <0.1 | <0.05 | 6 | <0.5 |
| L835 325W | Soil | | | 6 | 11 | 0.51 | 54 | 0.072 | <1 | 1.63 | 0.010 | 0.05 | 0.5 | 0.03 | 1.4 | <0.1 | <0.05 | 6 | <0.5 |
| L835 300W | Soil | | | 8 | 14 | 0.69 | 60 | 0.075 | <1 | 1.89 | 0.010 | 0.06 | 0.4 | 0.03 | 1.7 | <0.1 | <0.05 | 7 | <0.5 |
| L835 275W | Soil | | | 10 | 13 | 0.75 | 47 | 0.077 | <1 | 1.51 | 0.012 | 0.11 | 0.5 | 0.01 | 1.6 | 0.1 | <0.05 | 6 | <0.5 |
| L835 250W | Soil | | | 9 | 14 | 0.72 | 40 | 0.089 | <1 | 1.67 | 0.009 | 0.06 | 0.7 | 0.01 | 1.7 | <0.1 | <0.05 | 7 | <0.5 |
| L835 225W | Soil | | | 8 | 14 | 0.65 | 66 | 0.087 | <1 | 2.14 | 0.012 | 0.06 | 0.5 | 0.02 | 1.9 | <0.1 | <0.05 | 8 | <0.5 |
| L835 200W | Soil | | | 8 | 18 | 0.88 | 67 | 0.098 | 1 | 2.77 | 0.016 | 0.06 | 0.3 | 0.01 | 2.4 | 0.1 | <0.05 | 9 | <0.5 |
| L835 175W | Soil | | | 7 | 13 | 0.66 | 63 | 0.092 | <1 | 2.53 | 0.016 | 0.05 | 0.3 | 0.01 | 1.8 | <0.1 | <0.05 | 7 | <0.5 |
| L835 150W | Soil | | | 5 | 12 | 0.42 | 48 | 0.083 | <1 | 2.10 | 0.014 | 0.04 | 0.5 | 0.03 | 1.5 | <0.1 | <0.05 | 7 | <0.5 |
| L835 125W | Soil | | | 9 | 16 | 0.94 | 79 | 0.085 | 1 | 2.26 | 0.012 | 0.08 | 0.3 | <0.01 | 2.1 | 0.1 | <0.05 | 7 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: December 06, 2007

Page: 10 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN07001676.1

| Method | Analyte | Unit | MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | |
|-----------|---------|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| | | | | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % | | |
| L835 100W | Soil | | | 0.3 | 5.4 | 13.2 | 59 | <0.1 | 6.8 | 3.8 | 80 | 1.37 | 1.8 | 0.3 | 0.8 | 2.8 | 6 | <0.1 | 0.1 | 0.2 | 21 | 0.09 | 0.070 |
| L835 075W | Soil | | | 0.5 | 4.1 | 15.1 | 34 | <0.1 | 4.2 | 2.2 | 47 | 0.99 | 1.4 | 0.3 | 1.6 | 2.0 | 4 | <0.1 | 0.1 | 0.2 | 18 | 0.06 | 0.049 |
| L835 050W | Soil | | | 0.4 | 5.7 | 18.6 | 58 | <0.1 | 5.8 | 2.9 | 57 | 1.26 | 1.8 | 0.3 | 0.8 | 2.3 | 5 | <0.1 | <0.1 | 0.2 | 22 | 0.06 | 0.080 |
| L835 025W | Soil | | | 0.5 | 5.8 | 10.6 | 58 | <0.1 | 6.2 | 3.1 | 63 | 1.47 | 1.6 | 0.3 | 0.8 | 2.7 | 4 | <0.1 | 0.1 | 0.2 | 25 | 0.07 | 0.084 |
| L835 000W | Soil | | | 0.4 | 17.1 | 10.7 | 49 | <0.1 | 7.7 | 3.8 | 78 | 1.68 | 1.9 | 0.5 | 0.7 | 3.0 | 7 | <0.1 | <0.1 | 0.2 | 26 | 0.10 | 0.112 |
| L840 675W | Soil | | | 0.3 | 13.6 | 43.0 | 62 | 0.2 | 13.9 | 6.0 | 254 | 1.67 | 1.6 | 2.0 | 3.2 | 4.4 | 18 | 0.1 | 0.2 | 0.3 | 24 | 0.36 | 0.014 |
| L840 650W | Soil | | | 0.3 | 19.7 | 53.5 | 53 | 0.2 | 12.6 | 5.5 | 270 | 1.57 | 1.3 | 4.0 | 13.1 | 6.9 | 21 | 0.2 | 0.2 | 0.4 | 21 | 0.37 | 0.017 |
| L840 625W | Soil | | | 0.3 | 9.6 | 38.9 | 60 | 0.2 | 11.5 | 5.0 | 215 | 1.29 | 1.3 | 0.7 | 2.2 | 3.2 | 11 | 0.2 | 0.1 | 0.2 | 20 | 0.19 | 0.015 |
| L840 600W | Soil | | | 0.4 | 13.5 | 45.3 | 52 | 0.1 | 11.3 | 5.9 | 261 | 1.53 | 1.1 | 1.2 | 2.4 | 4.6 | 12 | <0.1 | 0.2 | 0.3 | 23 | 0.26 | 0.012 |
| L840 575W | Soil | | | 0.4 | 16.7 | 42.0 | 45 | 0.2 | 9.2 | 3.9 | 285 | 1.33 | 1.1 | 3.4 | 2.9 | 7.2 | 21 | <0.1 | 0.2 | 0.3 | 27 | 0.38 | 0.012 |
| L840 550W | Soil | | | 0.6 | 30.8 | 84.6 | 60 | 0.4 | 13.0 | 5.9 | 398 | 1.93 | 2.0 | 4.9 | 8.1 | 6.6 | 28 | 0.2 | 0.3 | 0.5 | 33 | 0.51 | 0.024 |
| L840 525W | Soil | | | 0.5 | 25.5 | 71.1 | 53 | 0.2 | 12.3 | 5.7 | 400 | 1.80 | 1.5 | 2.9 | 8.5 | 6.8 | 22 | 0.1 | 0.2 | 0.3 | 32 | 0.33 | 0.016 |
| L840 500W | Soil | | | 0.4 | 12.3 | 33.4 | 56 | 0.1 | 12.8 | 7.1 | 234 | 1.61 | 2.4 | 0.7 | 2.3 | 4.6 | 10 | <0.1 | 0.1 | 0.2 | 25 | 0.16 | 0.039 |
| L840 475W | Soil | | | 0.5 | 7.3 | 31.2 | 43 | 0.2 | 8.5 | 4.7 | 152 | 1.39 | 2.9 | 0.5 | 1.4 | 2.5 | 10 | 0.2 | <0.1 | 0.3 | 22 | 0.12 | 0.100 |
| L840 450W | Soil | | | 0.4 | 6.2 | 20.8 | 41 | 0.2 | 6.5 | 3.6 | 200 | 1.15 | 1.6 | 0.4 | 6.4 | 2.2 | 6 | <0.1 | <0.1 | 0.3 | 23 | 0.08 | 0.074 |
| L840 425W | Soil | | | 0.5 | 7.5 | 27.9 | 49 | 0.3 | 7.9 | 4.6 | 290 | 1.38 | 2.4 | 0.6 | 1.8 | 3.2 | 8 | 0.1 | 0.1 | 0.3 | 26 | 0.15 | 0.093 |
| L840 400W | Soil | | | 0.8 | 9.8 | 44.0 | 49 | 0.4 | 11.4 | 4.5 | 85 | 1.65 | 2.4 | 0.4 | <0.5 | 3.2 | 6 | 0.1 | 0.2 | 0.3 | 28 | 0.08 | 0.094 |
| L840 375W | Soil | | | 0.7 | 17.8 | 50.9 | 48 | 0.2 | 14.1 | 6.7 | 133 | 2.01 | 3.3 | 0.8 | <0.5 | 6.0 | 9 | <0.1 | 0.2 | 0.2 | 33 | 0.12 | 0.127 |
| L840 350W | Soil | | | 0.3 | 12.7 | 33.2 | 58 | <0.1 | 10.6 | 5.2 | 154 | 1.24 | 1.0 | 0.7 | 5.7 | 4.5 | 8 | <0.1 | <0.1 | 0.2 | 21 | 0.21 | 0.031 |
| L840 325W | Soil | | | 0.6 | 12.2 | 33.5 | 61 | 0.1 | 10.5 | 4.5 | 90 | 1.59 | 2.1 | 0.6 | 2.1 | 3.7 | 9 | <0.1 | 0.2 | 0.3 | 29 | 0.18 | 0.050 |
| L840 300W | Soil | | | 0.4 | 9.5 | 23.1 | 62 | <0.1 | 9.8 | 4.9 | 146 | 1.55 | 2.1 | 0.7 | 4.4 | 4.9 | 9 | 0.1 | <0.1 | 0.2 | 28 | 0.30 | 0.058 |
| L840 275W | Soil | | | 0.3 | 15.1 | 56.2 | 54 | <0.1 | 10.7 | 6.3 | 320 | 1.21 | 1.5 | 1.1 | 2.4 | 6.8 | 9 | 0.1 | <0.1 | 0.2 | 21 | 0.35 | 0.038 |
| L840 250W | Soil | | | 0.3 | 4.7 | 14.9 | 37 | <0.1 | 5.1 | 2.2 | 73 | 0.76 | 1.5 | 0.4 | 0.8 | 2.5 | 5 | <0.1 | 0.1 | 0.2 | 16 | 0.11 | 0.039 |
| L840 225W | Soil | | | 0.5 | 7.2 | 16.6 | 43 | <0.1 | 6.5 | 3.0 | 60 | 1.23 | 1.4 | 0.6 | <0.5 | 3.3 | 6 | <0.1 | 0.1 | 0.2 | 25 | 0.11 | 0.057 |
| L840 200W | Soil | | | 0.5 | 7.1 | 17.5 | 60 | <0.1 | 9.2 | 4.4 | 78 | 1.33 | 1.2 | 0.5 | 4.3 | 4.4 | 6 | <0.1 | <0.1 | 0.2 | 25 | 0.15 | 0.041 |
| L840 175W | Soil | | | 0.4 | 9.0 | 25.4 | 55 | <0.1 | 8.0 | 4.1 | 86 | 1.17 | 1.9 | 0.5 | 1.0 | 3.2 | 7 | <0.1 | <0.1 | 0.2 | 21 | 0.14 | 0.045 |
| L840 150W | Soil | | | 0.3 | 20.2 | 65.5 | 46 | <0.1 | 11.3 | 5.0 | 156 | 1.31 | 0.7 | 0.5 | 2.1 | 2.9 | 16 | <0.1 | <0.1 | 0.2 | 25 | 0.26 | 0.008 |
| L840 125W | Soil | | | 0.3 | 7.0 | 26.3 | 36 | <0.1 | 6.7 | 3.1 | 74 | 0.82 | 0.7 | 0.4 | <0.5 | 3.6 | 8 | <0.1 | <0.1 | 0.2 | 15 | 0.17 | 0.015 |
| L840 100W | Soil | | | 0.4 | 11.3 | 19.8 | 37 | <0.1 | 9.6 | 4.0 | 144 | 1.09 | 1.5 | 1.0 | 0.5 | 3.7 | 11 | <0.1 | <0.1 | 0.2 | 22 | 0.39 | 0.017 |
| L840 075W | Soil | | | 1.3 | 15.9 | 51.8 | 50 | <0.1 | 15.2 | 6.3 | 314 | 1.95 | 2.3 | 2.5 | 1.5 | 5.6 | 15 | <0.1 | <0.1 | 0.2 | 31 | 0.64 | 0.012 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: December 06, 2007

Page: 10 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN07001676.1

| Method | Analyte | Unit | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | | |
|-----------|---------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|------|
| | | | La | Cr | Mg | Ba | Tl | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se |
| | | | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| MDL | | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.05 | 1 | 0.5 | |
| L835 100W | Soil | | 6 | 11 | 0.46 | 47 | 0.078 | <1 | 1.70 | 0.011 | 0.05 | 0.3 | 0.02 | 1.5 | 0.1 | <0.05 | 8 | <0.5 |
| L835 075W | Soil | | 5 | 8 | 0.26 | 32 | 0.067 | <1 | 1.35 | 0.011 | 0.03 | 0.3 | 0.02 | 1.1 | <0.1 | <0.05 | 7 | <0.5 |
| L835 050W | Soil | | 6 | 11 | 0.37 | 71 | 0.084 | 1 | 1.52 | 0.011 | 0.04 | 0.3 | 0.02 | 1.3 | <0.1 | <0.05 | 8 | <0.5 |
| L835 025W | Soil | | 6 | 13 | 0.39 | 41 | 0.110 | <1 | 1.86 | 0.014 | 0.05 | 0.4 | 0.02 | 1.4 | <0.1 | <0.05 | 10 | <0.5 |
| L835 000W | Soil | | 3 | 13 | 0.48 | 46 | 0.128 | <1 | 3.46 | 0.022 | 0.03 | 0.3 | 0.03 | 2.1 | <0.1 | <0.05 | 10 | <0.5 |
| L840 675W | Soil | | 16 | 16 | 1.25 | 135 | 0.076 | 2 | 2.04 | 0.016 | 0.14 | 0.9 | 0.02 | 2.2 | 0.2 | 0.05 | 6 | <0.5 |
| L840 650W | Soil | | 18 | 16 | 1.06 | 149 | 0.060 | <1 | 1.71 | 0.013 | 0.13 | 0.7 | 0.02 | 2.4 | 0.1 | 0.06 | 5 | <0.5 |
| L840 625W | Soil | | 14 | 13 | 0.87 | 99 | 0.064 | 1 | 1.86 | 0.016 | 0.09 | 0.6 | <0.01 | 1.6 | 0.1 | 0.06 | 6 | <0.5 |
| L840 600W | Soil | | 17 | 16 | 1.19 | 109 | 0.070 | 1 | 1.92 | 0.014 | 0.11 | 0.7 | 0.01 | 2.2 | 0.2 | 0.07 | 6 | <0.5 |
| L840 575W | Soil | | 22 | 14 | 0.88 | 118 | 0.100 | <1 | 1.68 | 0.020 | 0.21 | 0.8 | 0.02 | 3.0 | 0.3 | 0.06 | 6 | 0.5 |
| L840 550W | Soil | | 31 | 20 | 1.06 | 172 | 0.103 | 1 | 2.43 | 0.015 | 0.23 | 1.4 | 0.05 | 3.5 | 0.4 | 0.07 | 8 | 0.5 |
| L840 525W | Soil | | 17 | 18 | 1.06 | 148 | 0.097 | 2 | 2.16 | 0.014 | 0.26 | 0.7 | 0.02 | 3.0 | 0.4 | 0.06 | 7 | <0.5 |
| L840 500W | Soil | | 15 | 14 | 0.87 | 96 | 0.081 | 1 | 1.97 | 0.011 | 0.11 | 0.9 | 0.03 | 1.8 | 0.2 | <0.05 | 6 | <0.5 |
| L840 475W | Soil | | 7 | 9 | 0.32 | 73 | 0.065 | <1 | 2.31 | 0.013 | 0.04 | 0.9 | 0.05 | 1.2 | <0.1 | <0.05 | 7 | <0.5 |
| L840 450W | Soil | | 9 | 9 | 0.28 | 51 | 0.081 | 2 | 1.56 | 0.013 | 0.04 | 0.5 | 0.02 | 1.1 | <0.1 | <0.05 | 8 | <0.5 |
| L840 425W | Soil | | 6 | 9 | 0.23 | 57 | 0.097 | 2 | 2.79 | 0.017 | 0.04 | 0.7 | 0.05 | 1.3 | 0.1 | <0.05 | 9 | <0.5 |
| L840 400W | Soil | | 7 | 11 | 0.33 | 63 | 0.099 | 2 | 2.80 | 0.015 | 0.05 | 0.7 | 0.05 | 1.4 | <0.1 | <0.05 | 9 | <0.5 |
| L840 375W | Soil | | 7 | 16 | 0.49 | 88 | 0.121 | 1 | 3.84 | 0.019 | 0.08 | 0.8 | 0.04 | 1.7 | 0.1 | <0.05 | 10 | <0.5 |
| L840 350W | Soil | | 13 | 15 | 0.86 | 63 | 0.091 | <1 | 1.82 | 0.014 | 0.09 | 0.5 | 0.02 | 1.7 | 0.1 | <0.05 | 7 | <0.5 |
| L840 325W | Soil | | 7 | 14 | 0.47 | 81 | 0.122 | 1 | 2.53 | 0.016 | 0.08 | 0.7 | 0.03 | 1.4 | 0.1 | <0.05 | 11 | <0.5 |
| L840 300W | Soil | | 11 | 17 | 0.70 | 50 | 0.109 | 2 | 2.07 | 0.014 | 0.07 | 0.6 | 0.03 | 1.7 | 0.1 | <0.05 | 8 | <0.5 |
| L840 275W | Soil | | 16 | 18 | 1.00 | 66 | 0.104 | 1 | 1.71 | 0.020 | 0.28 | 0.6 | 0.02 | 2.1 | 0.2 | <0.05 | 6 | <0.5 |
| L840 250W | Soil | | 8 | 8 | 0.25 | 37 | 0.070 | <1 | 1.21 | 0.011 | 0.03 | 0.4 | 0.03 | 1.0 | <0.1 | <0.05 | 6 | <0.5 |
| L840 225W | Soil | | 8 | 12 | 0.39 | 50 | 0.102 | <1 | 2.49 | 0.014 | 0.03 | 0.3 | 0.03 | 1.6 | <0.1 | <0.05 | 9 | <0.5 |
| L840 200W | Soil | | 12 | 15 | 0.73 | 40 | 0.116 | 2 | 2.02 | 0.012 | 0.06 | 0.4 | 0.02 | 1.7 | 0.1 | <0.05 | 9 | <0.5 |
| L840 175W | Soil | | 11 | 13 | 0.64 | 54 | 0.102 | <1 | 1.70 | 0.015 | 0.07 | 0.3 | 0.02 | 1.5 | 0.1 | <0.05 | 8 | <0.5 |
| L840 150W | Soil | | 6 | 14 | 0.76 | 64 | 0.111 | <1 | 2.53 | 0.036 | 0.09 | 0.2 | <0.01 | 1.8 | 0.1 | <0.05 | 7 | <0.5 |
| L840 125W | Soil | | 12 | 12 | 0.62 | 40 | 0.075 | <1 | 1.18 | 0.010 | 0.06 | 0.2 | <0.01 | 1.5 | <0.1 | <0.05 | 7 | <0.5 |
| L840 100W | Soil | | 16 | 13 | 0.63 | 60 | 0.096 | 2 | 1.87 | 0.016 | 0.07 | 0.2 | <0.01 | 1.7 | 0.1 | <0.05 | 8 | <0.5 |
| L840 075W | Soil | | 15 | 25 | 1.14 | 61 | 0.127 | 2 | 2.92 | 0.028 | 0.09 | 0.9 | <0.01 | 3.1 | 0.2 | <0.05 | 9 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6 Canada

Project:

GAR

Report Date:

December 06, 2007

Page:

11 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN07001676.1

| Method | Analyte | Unit | MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | |
|-----------|---------|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| | | | | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % | | |
| | | | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | |
| L840 050W | Soil | | | 0.5 | 11.2 | 46.9 | 40 | <0.1 | 11.6 | 4.9 | 104 | 1.35 | 0.9 | 0.4 | 2.7 | 2.8 | 14 | 0.1 | <0.1 | 0.2 | 23 | 0.30 | 0.012 |
| L840 025W | Soil | | | 2.0 | 18.6 | 89.4 | 66 | 0.1 | 15.6 | 8.3 | 546 | 2.17 | 1.3 | 1.2 | 1.0 | 3.7 | 32 | <0.1 | 0.1 | 0.3 | 35 | 0.64 | 0.020 |
| L840 000W | Soil | | | 0.8 | 8.9 | 37.6 | 47 | <0.1 | 10.2 | 4.4 | 116 | 1.30 | 0.7 | 0.6 | <0.5 | 3.1 | 22 | <0.1 | <0.1 | 0.2 | 22 | 0.37 | 0.013 |
| L845 700W | Soil | | | 0.4 | 13.4 | 41.8 | 55 | 0.1 | 13.0 | 5.9 | 185 | 1.54 | 1.0 | 1.1 | 7.2 | 5.0 | 13 | 0.1 | 0.2 | 0.2 | 22 | 0.24 | 0.012 |
| L845 675W | Soil | | | 0.4 | 25.3 | 78.2 | 54 | 0.2 | 14.3 | 6.9 | 404 | 1.87 | 2.3 | 5.0 | 19.2 | 8.6 | 19 | 0.1 | 0.3 | 0.3 | 26 | 0.47 | 0.017 |
| L845 650W | Soil | | | 0.4 | 14.5 | 52.8 | 51 | <0.1 | 9.9 | 4.9 | 311 | 1.33 | 1.4 | 1.9 | 3.9 | 5.9 | 17 | <0.1 | 0.1 | 0.3 | 23 | 0.30 | 0.035 |
| L845 625W | Soil | | | 0.6 | 16.7 | 54.7 | 50 | 0.1 | 9.5 | 5.4 | 497 | 1.42 | 1.7 | 2.3 | 3.7 | 6.8 | 21 | 0.2 | 0.2 | 0.2 | 23 | 0.38 | 0.042 |
| L845 600W | Soil | | | 0.4 | 13.2 | 37.3 | 53 | <0.1 | 11.8 | 6.0 | 280 | 1.53 | 1.7 | 1.4 | 10.0 | 5.8 | 13 | <0.1 | 0.2 | 0.2 | 23 | 0.25 | 0.022 |
| L845 575W | Soil | | | 0.4 | 20.5 | 76.6 | 53 | <0.1 | 7.6 | 5.3 | 648 | 1.66 | 1.2 | 2.6 | 6.9 | 9.8 | 26 | 0.2 | 0.3 | 0.3 | 29 | 0.37 | 0.085 |
| L845 550W | Soil | | | 0.6 | 17.8 | 72.0 | 45 | <0.1 | 6.2 | 4.2 | 512 | 1.45 | 0.8 | 2.6 | 224.1 | 9.7 | 24 | <0.1 | 0.3 | 0.2 | 27 | 0.31 | 0.056 |
| L845 525W | Soil | | | 0.3 | 19.9 | 52.1 | 42 | <0.1 | 5.7 | 3.4 | 402 | 1.41 | 0.6 | 2.3 | 24.9 | 7.1 | 21 | <0.1 | 0.2 | 0.2 | 33 | 0.28 | 0.045 |
| L845 500W | Soil | | | 0.5 | 11.9 | 33.0 | 30 | 0.1 | 3.5 | 2.6 | 227 | 1.04 | 0.9 | 1.0 | 355.9 | 5.4 | 17 | <0.1 | 0.2 | 0.2 | 22 | 0.15 | 0.045 |
| L845 475W | Soil | | | 0.7 | 5.6 | 19.0 | 44 | <0.1 | 7.1 | 3.2 | 143 | 1.63 | 2.2 | 0.6 | 2.9 | 3.7 | 11 | <0.1 | 0.2 | 0.2 | 33 | 0.12 | 0.115 |
| L845 450W | Soil | | | 0.6 | 9.3 | 27.5 | 75 | <0.1 | 9.9 | 6.1 | 268 | 2.04 | 2.1 | 0.8 | 20.8 | 4.9 | 20 | <0.1 | 0.2 | 0.2 | 37 | 0.12 | 0.168 |
| L845 425W | Soil | | | 0.6 | 9.4 | 29.0 | 69 | <0.1 | 11.7 | 6.3 | 159 | 1.68 | 2.6 | 0.5 | 0.7 | 3.2 | 10 | 0.2 | 0.2 | 0.2 | 28 | 0.16 | 0.087 |
| L845 400W | Soil | | | 0.5 | 14.7 | 53.8 | 57 | <0.1 | 10.9 | 5.7 | 208 | 1.51 | 1.2 | 0.6 | 6.7 | 2.7 | 13 | <0.1 | <0.1 | 0.2 | 25 | 0.25 | 0.032 |
| L845 375W | Soil | | | 0.4 | 11.6 | 44.1 | 76 | <0.1 | 12.2 | 6.0 | 181 | 1.43 | 1.2 | 0.5 | 1.2 | 3.2 | 13 | <0.1 | 0.1 | 0.2 | 23 | 0.32 | 0.011 |
| L845 350W | Soil | | | 0.6 | 14.8 | 42.1 | 62 | 0.1 | 10.7 | 5.3 | 113 | 1.33 | 1.0 | 0.7 | 8.9 | 3.2 | 16 | 0.1 | <0.1 | 0.2 | 21 | 0.51 | 0.013 |
| L845 325W | Soil | | | 0.5 | 10.4 | 12.8 | 72 | <0.1 | 11.0 | 5.6 | 92 | 1.20 | 1.2 | 0.6 | 1.4 | 4.0 | 11 | <0.1 | <0.1 | 0.2 | 20 | 0.28 | 0.013 |
| L845 300W | Soil | | | 0.8 | 14.1 | 35.8 | 61 | <0.1 | 13.1 | 6.1 | 198 | 1.63 | 1.3 | 0.9 | 0.8 | 4.0 | 17 | <0.1 | <0.1 | 0.2 | 23 | 0.51 | 0.016 |
| L845 275W | Soil | | | 0.9 | 7.9 | 26.1 | 39 | <0.1 | 8.3 | 4.1 | 67 | 1.04 | 1.2 | 0.5 | 3.4 | 2.3 | 12 | <0.1 | 0.1 | 0.2 | 18 | 0.27 | 0.019 |
| L845 250W | Soil | | | 1.0 | 14.8 | 60.1 | 44 | <0.1 | 11.6 | 6.4 | 235 | 1.68 | 1.7 | 1.1 | 1.3 | 4.6 | 17 | 0.1 | <0.1 | 0.2 | 28 | 0.55 | 0.014 |
| L845 225W | Soil | | | 0.7 | 16.3 | 36.8 | 46 | 0.1 | 10.8 | 6.1 | 196 | 1.44 | 1.4 | 2.4 | 1.1 | 4.7 | 19 | 0.2 | <0.1 | 0.2 | 23 | 0.67 | 0.017 |
| L845 200W | Soil | | | 0.6 | 11.1 | 33.3 | 47 | <0.1 | 11.5 | 5.2 | 121 | 1.39 | 1.6 | 0.6 | 1.1 | 3.2 | 14 | <0.1 | <0.1 | 0.2 | 25 | 0.34 | 0.014 |
| L845 175W | Soil | | | 0.4 | 9.4 | 18.3 | 38 | <0.1 | 9.0 | 3.7 | 93 | 1.12 | 1.5 | 0.7 | 1.5 | 4.9 | 8 | <0.1 | 0.1 | 0.2 | 23 | 0.27 | 0.019 |
| L845 150W | Soil | | | 0.9 | 10.9 | 24.0 | 59 | <0.1 | 12.8 | 6.5 | 117 | 2.08 | 2.3 | 0.7 | 5.3 | 4.6 | 11 | <0.1 | 0.1 | 0.2 | 34 | 0.19 | 0.037 |
| L845 125W | Soil | | | 1.0 | 6.9 | 12.8 | 29 | <0.1 | 5.6 | 2.5 | 54 | 0.98 | 1.4 | 0.5 | 1.7 | 3.3 | 8 | <0.1 | <0.1 | 0.2 | 21 | 0.17 | 0.022 |
| L845 100W | Soil | | | 2.1 | 16.8 | 30.9 | 51 | <0.1 | 13.2 | 6.4 | 334 | 1.86 | 1.9 | 4.6 | 0.7 | 5.3 | 33 | 0.1 | 0.1 | 0.3 | 37 | 0.72 | 0.020 |
| L845 075W | Soil | | | 1.5 | 10.4 | 16.9 | 41 | <0.1 | 9.5 | 4.5 | 73 | 1.31 | 1.4 | 0.5 | 1.2 | 3.9 | 9 | <0.1 | <0.1 | 0.2 | 24 | 0.16 | 0.018 |
| L845 050W | Soil | | | 1.5 | 14.0 | 17.8 | 51 | <0.1 | 12.4 | 6.4 | 111 | 1.57 | 1.5 | 0.7 | 1.1 | 5.1 | 11 | <0.1 | <0.1 | 0.2 | 25 | 0.20 | 0.023 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: December 06, 2007

Page: 11 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN07001676.1

| Method | Analyte | Unit | MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | | |
|-----------|---------|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|------|
| | | | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se |
| | | | | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| | | | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 |
| L840 050W | Soil | | | 7 | 16 | 0.71 | 67 | 0.115 | 2 | 2.68 | 0.031 | 0.06 | 0.2 | 0.01 | 1.9 | 0.1 | <0.05 | 9 | <0.5 |
| L840 025W | Soil | | | 12 | 24 | 1.05 | 115 | 0.117 | 1 | 3.65 | 0.032 | 0.09 | 0.2 | 0.02 | 2.5 | 0.2 | <0.05 | 11 | <0.5 |
| L840 000W | Soil | | | 10 | 16 | 0.82 | 83 | 0.109 | 2 | 2.45 | 0.029 | 0.07 | 0.1 | <0.01 | 1.9 | 0.1 | <0.05 | 9 | <0.5 |
| L845 700W | Soil | | | 21 | 16 | 1.13 | 92 | 0.076 | <1 | 1.90 | 0.016 | 0.11 | 0.5 | <0.01 | 1.8 | 0.2 | <0.05 | 6 | <0.5 |
| L845 675W | Soil | | | 27 | 18 | 1.21 | 120 | 0.087 | 2 | 2.20 | 0.017 | 0.16 | 1.0 | 0.01 | 3.1 | 0.2 | <0.05 | 7 | <0.5 |
| L845 650W | Soil | | | 17 | 12 | 0.85 | 97 | 0.075 | <1 | 1.63 | 0.014 | 0.17 | 0.8 | 0.02 | 1.8 | 0.2 | <0.05 | 6 | <0.5 |
| L845 625W | Soil | | | 21 | 12 | 0.97 | 109 | 0.079 | <1 | 1.64 | 0.011 | 0.22 | 0.8 | 0.02 | 2.1 | 0.2 | <0.05 | 6 | <0.5 |
| L845 600W | Soil | | | 19 | 14 | 1.14 | 88 | 0.077 | 1 | 1.66 | 0.011 | 0.19 | 0.8 | <0.01 | 1.8 | 0.2 | <0.05 | 6 | <0.5 |
| L845 575W | Soil | | | 24 | 11 | 0.85 | 166 | 0.098 | 1 | 1.56 | 0.011 | 0.42 | 1.0 | 0.03 | 2.2 | 0.3 | <0.05 | 6 | <0.5 |
| L845 550W | Soil | | | 21 | 11 | 0.78 | 125 | 0.093 | <1 | 1.45 | 0.013 | 0.36 | 1.1 | <0.01 | 2.2 | 0.3 | <0.05 | 6 | <0.5 |
| L845 525W | Soil | | | 17 | 10 | 0.67 | 86 | 0.091 | <1 | 1.40 | 0.009 | 0.25 | 1.3 | <0.01 | 2.4 | 0.2 | <0.05 | 6 | <0.5 |
| L845 500W | Soil | | | 15 | 6 | 0.39 | 76 | 0.084 | <1 | 1.32 | 0.006 | 0.13 | 0.6 | <0.01 | 1.7 | 0.2 | <0.05 | 7 | <0.5 |
| L845 475W | Soil | | | 10 | 11 | 0.43 | 51 | 0.100 | 1 | 2.19 | 0.010 | 0.08 | 0.3 | 0.03 | 1.9 | 0.1 | <0.05 | 9 | <0.5 |
| L845 450W | Soil | | | 12 | 14 | 0.61 | 78 | 0.106 | 2 | 3.00 | 0.013 | 0.09 | 0.8 | 0.02 | 2.7 | 0.2 | <0.05 | 10 | <0.5 |
| L845 425W | Soil | | | 12 | 15 | 0.60 | 83 | 0.096 | <1 | 2.45 | 0.014 | 0.07 | 0.4 | 0.03 | 1.7 | 0.1 | <0.05 | 9 | <0.5 |
| L845 400W | Soil | | | 13 | 16 | 0.84 | 68 | 0.085 | 1 | 2.28 | 0.020 | 0.11 | 0.4 | 0.01 | 1.8 | 0.1 | <0.05 | 8 | <0.5 |
| L845 375W | Soil | | | 12 | 17 | 0.99 | 68 | 0.112 | 2 | 2.41 | 0.026 | 0.09 | 0.4 | 0.02 | 2.0 | 0.2 | <0.05 | 7 | <0.5 |
| L845 350W | Soil | | | 13 | 16 | 0.78 | 87 | 0.108 | <1 | 2.12 | 0.030 | 0.10 | 0.3 | 0.01 | 1.9 | 0.1 | <0.05 | 7 | <0.5 |
| L845 325W | Soil | | | 14 | 16 | 0.83 | 61 | 0.114 | <1 | 1.98 | 0.018 | 0.10 | 0.3 | <0.01 | 2.0 | <0.1 | <0.05 | 8 | <0.5 |
| L845 300W | Soil | | | 12 | 19 | 0.99 | 66 | 0.120 | 1 | 2.81 | 0.029 | 0.09 | 0.4 | 0.01 | 2.3 | 0.1 | <0.05 | 8 | <0.5 |
| L845 275W | Soil | | | 7 | 10 | 0.32 | 72 | 0.099 | 1 | 2.11 | 0.024 | 0.06 | 0.2 | 0.01 | 1.2 | <0.1 | <0.05 | 10 | <0.5 |
| L845 250W | Soil | | | 13 | 18 | 0.88 | 82 | 0.127 | 2 | 2.92 | 0.028 | 0.09 | 0.4 | 0.02 | 2.5 | 0.2 | <0.05 | 9 | <0.5 |
| L845 225W | Soil | | | 19 | 19 | 0.98 | 75 | 0.111 | 1 | 2.45 | 0.018 | 0.10 | 0.4 | 0.01 | 2.6 | 0.1 | <0.05 | 8 | <0.5 |
| L845 200W | Soil | | | 12 | 17 | 0.83 | 63 | 0.127 | 1 | 2.49 | 0.028 | 0.08 | 0.1 | <0.01 | 2.1 | 0.1 | <0.05 | 10 | <0.5 |
| L845 175W | Soil | | | 17 | 17 | 0.90 | 58 | 0.138 | 1 | 1.71 | 0.010 | 0.11 | 0.3 | 0.01 | 2.4 | 0.2 | <0.05 | 9 | <0.5 |
| L845 150W | Soil | | | 11 | 22 | 1.10 | 54 | 0.159 | 1 | 3.23 | 0.016 | 0.08 | 0.3 | 0.02 | 2.7 | 0.2 | <0.05 | 10 | <0.5 |
| L845 125W | Soil | | | 13 | 12 | 0.53 | 43 | 0.116 | <1 | 1.60 | 0.010 | 0.05 | 0.1 | 0.01 | 1.5 | 0.1 | <0.05 | 9 | <0.5 |
| L845 100W | Soil | | | 21 | 24 | 1.12 | 134 | 0.119 | 1 | 2.86 | 0.034 | 0.15 | 0.3 | 0.03 | 3.3 | 0.2 | <0.05 | 9 | <0.5 |
| L845 075W | Soil | | | 11 | 16 | 0.80 | 48 | 0.129 | <1 | 2.14 | 0.016 | 0.07 | 0.2 | 0.02 | 2.1 | <0.1 | <0.05 | 10 | <0.5 |
| L845 050W | Soil | | | 16 | 20 | 1.15 | 59 | 0.134 | <1 | 2.32 | 0.019 | 0.12 | 0.2 | 0.01 | 2.4 | 0.1 | <0.05 | 8 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: December 06, 2007

Page: 12 of 12 Part 1

CERTIFICATE OF ANALYSIS

VAN07001676.1

| Method | Analyte | Unit | MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | | |
|-----------|---------|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|
| | | | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| | | | | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % | | |
| L845 025W | Soil | | | 1.6 | 8.7 | 17.9 | 38 | <0.1 | 7.4 | 3.6 | 55 | 1.57 | 2.4 | 0.5 | <0.5 | 3.2 | 9 | <0.1 | 0.1 | 0.2 | 29 | 0.11 | 0.105 |
| L845 000W | Soil | | | 1.9 | 9.1 | 12.6 | 54 | <0.1 | 10.0 | 4.8 | 93 | 1.63 | 2.2 | 0.5 | 0.6 | 4.1 | 12 | <0.1 | <0.1 | 0.2 | 32 | 0.17 | 0.031 |
| L850 675W | Soil | | | 1.2 | 30.5 | 135.2 | 61 | 0.5 | 16.1 | 9.2 | 570 | 2.40 | 6.8 | 26.0 | 2.9 | 4.4 | 63 | 0.4 | 0.6 | 0.4 | 26 | 1.31 | 0.052 |
| L850 650W | Soil | | | 0.6 | 15.2 | 52.7 | 60 | 0.2 | 15.6 | 7.2 | 329 | 1.66 | 2.3 | 1.0 | 3.8 | 5.0 | 16 | 0.2 | 0.2 | 0.2 | 22 | 0.28 | 0.023 |
| L850 625W | Soil | | | 1.0 | 14.4 | 38.2 | 50 | 0.3 | 10.8 | 5.0 | 167 | 1.44 | 1.5 | 1.6 | 4.0 | 4.5 | 20 | 0.2 | 0.2 | 0.3 | 25 | 0.38 | 0.020 |
| L850 600W | Soil | | | 1.3 | 15.1 | 38.7 | 52 | 0.1 | 13.1 | 6.8 | 265 | 1.74 | 2.3 | 4.2 | 2.2 | 5.0 | 19 | 0.2 | 0.2 | 0.4 | 28 | 0.42 | 0.031 |
| L850 550W | Soil | | | 1.1 | 22.4 | 45.6 | 48 | <0.1 | 12.8 | 6.0 | 332 | 1.80 | 1.6 | 5.4 | 1.5 | 7.0 | 28 | 0.1 | 0.2 | 0.3 | 31 | 0.63 | 0.021 |
| L850 525W | Soil | | | 1.3 | 14.9 | 49.3 | 49 | <0.1 | 10.6 | 6.6 | 424 | 1.84 | 1.8 | 2.6 | 11.0 | 7.7 | 23 | <0.1 | 0.2 | 0.4 | 37 | 0.40 | 0.046 |
| L850 500W | Soil | | | 1.7 | 28.5 | 63.4 | 52 | 0.2 | 17.4 | 7.5 | 358 | 2.43 | 1.8 | 3.4 | 1.7 | 9.0 | 25 | 0.1 | <0.1 | 0.4 | 36 | 0.58 | 0.022 |
| L850 475W | Soil | | | 1.2 | 6.5 | 23.6 | 44 | <0.1 | 7.6 | 3.6 | 106 | 1.25 | 2.7 | 0.7 | 1.8 | 2.5 | 13 | 0.1 | 0.2 | 0.2 | 25 | 0.29 | 0.049 |
| L850 450W | Soil | | | 1.4 | 19.8 | 46.3 | 52 | 0.2 | 13.4 | 5.9 | 227 | 1.79 | 2.1 | 4.1 | 2.1 | 6.0 | 25 | 0.2 | 0.2 | 0.3 | 31 | 0.56 | 0.024 |
| L850 425W | Soil | | | 0.8 | 17.6 | 37.9 | 39 | 0.1 | 11.8 | 4.8 | 234 | 1.52 | 1.7 | 3.9 | 1.3 | 4.5 | 37 | 0.2 | 0.1 | 0.2 | 24 | 0.98 | 0.026 |
| L850 400W | Soil | | | 1.3 | 10.6 | 32.2 | 57 | 0.1 | 8.5 | 5.0 | 126 | 1.44 | 2.0 | 1.0 | 1.7 | 3.6 | 20 | 0.1 | 0.1 | 0.2 | 27 | 0.40 | 0.026 |
| L850 375W | Soil | | | 1.4 | 9.7 | 32.1 | 71 | <0.1 | 8.1 | 4.8 | 126 | 1.42 | 2.0 | 0.7 | 1.7 | 3.6 | 16 | 0.2 | 0.2 | 0.2 | 29 | 0.36 | 0.032 |
| L850 350W | Soil | | | 1.1 | 18.7 | 38.6 | 46 | 0.1 | 12.7 | 5.8 | 272 | 1.76 | 1.6 | 4.8 | 2.9 | 6.9 | 32 | <0.1 | <0.1 | 0.3 | 29 | 0.77 | 0.023 |
| L850 325W | Soil | | | 2.4 | 9.6 | 29.8 | 44 | <0.1 | 10.7 | 6.3 | 111 | 1.55 | 1.9 | 0.7 | 2.0 | 4.3 | 21 | <0.1 | <0.1 | 0.2 | 29 | 0.38 | 0.012 |
| L850 300W | Soil | | | 1.6 | 12.1 | 17.4 | 42 | <0.1 | 10.9 | 5.4 | 133 | 1.54 | 1.6 | 2.9 | 2.3 | 4.0 | 45 | <0.1 | <0.1 | 0.2 | 28 | 0.89 | 0.019 |
| L850 275W | Soil | | | 1.6 | 9.5 | 15.2 | 39 | 0.2 | 9.4 | 4.9 | 98 | 1.49 | 1.7 | 1.0 | 0.9 | 3.4 | 15 | <0.1 | <0.1 | 0.2 | 26 | 0.23 | 0.009 |
| L850 250W | Soil | | | 1.8 | 16.7 | 15.7 | 35 | 0.2 | 9.6 | 5.0 | 150 | 1.51 | 1.8 | 11.3 | 2.0 | 5.0 | 39 | 0.1 | 0.1 | 0.2 | 25 | 0.69 | 0.023 |
| L850 225W | Soil | | | 1.9 | 16.0 | 18.0 | 42 | 0.2 | 10.0 | 5.4 | 358 | 1.55 | 1.8 | 6.8 | 1.3 | 4.6 | 37 | 0.1 | 0.2 | 0.2 | 27 | 0.84 | 0.034 |
| L850 200W | Soil | | | 1.9 | 17.4 | 15.2 | 44 | 0.2 | 11.2 | 4.8 | 164 | 1.65 | 1.4 | 9.5 | 1.3 | 4.6 | 47 | <0.1 | <0.1 | 0.3 | 27 | 0.94 | 0.036 |
| L850 175W | Soil | | | 1.5 | 16.8 | 15.7 | 41 | 0.2 | 11.3 | 5.3 | 135 | 1.67 | 1.9 | 6.0 | 1.1 | 5.7 | 29 | 0.1 | <0.1 | 0.3 | 30 | 0.51 | 0.016 |
| L850 150W | Soil | | | 1.3 | 15.0 | 17.3 | 37 | 0.2 | 10.4 | 5.2 | 93 | 1.70 | 1.8 | 3.2 | 1.7 | 4.1 | 23 | 0.1 | 0.1 | 0.3 | 32 | 0.42 | 0.014 |
| L850 125W | Soil | | | 0.8 | 23.9 | 18.3 | 46 | 0.3 | 10.9 | 5.6 | 117 | 1.88 | 2.3 | 9.2 | 2.3 | 6.1 | 20 | 0.2 | <0.1 | 0.3 | 30 | 0.36 | 0.026 |
| L850 100W | Soil | | | 2.1 | 20.8 | 14.8 | 41 | 0.2 | 11.4 | 4.9 | 125 | 1.77 | 1.8 | 13.2 | 1.1 | 5.5 | 31 | <0.1 | 0.1 | 0.3 | 29 | 0.49 | 0.019 |
| L850 075W | Soil | | | 1.7 | 17.9 | 12.6 | 43 | 0.2 | 10.0 | 4.6 | 115 | 1.41 | 2.5 | 7.4 | 3.9 | 4.5 | 28 | <0.1 | 0.1 | 0.2 | 25 | 0.47 | 0.023 |
| L850 050W | Soil | | | 1.5 | 45.3 | 18.1 | 43 | 0.3 | 12.6 | 4.7 | 181 | 2.03 | 3.4 | 49.7 | 2.2 | 7.1 | 51 | 0.2 | 0.2 | 0.5 | 41 | 0.76 | 0.032 |
| L850 025W | Soil | | | 2.4 | 45.4 | 18.7 | 50 | 0.4 | 12.5 | 5.8 | 198 | 2.24 | 3.6 | 19.6 | 2.4 | 6.6 | 34 | 0.1 | 0.1 | 0.5 | 46 | 0.49 | 0.037 |
| L850 000W | Soil | | | 2.9 | 60.4 | 15.1 | 58 | 0.3 | 10.4 | 5.7 | 484 | 2.13 | 3.7 | 8.0 | 2.7 | 6.6 | 78 | <0.1 | 0.1 | 0.4 | 52 | 0.62 | 0.066 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: December 06, 2007

Page: 12 of 12 Part 2

CERTIFICATE OF ANALYSIS

VAN07001676.1

| Method | Analyte | Unit | MDL | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | | |
|-----------|---------|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|------|
| | | | | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se |
| | | | | ppm | ppm | % | ppm | % | ppm | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| | | | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.05 | 1 | 0.5 | |
| L845 025W | Soil | | | 7 | 13 | 0.29 | 55 | 0.131 | 1 | 2.69 | 0.021 | 0.05 | 0.2 | 0.03 | 1.5 | <0.1 | <0.05 | 12 | <0.5 |
| L845 000W | Soil | | | 13 | 17 | 0.72 | 71 | 0.139 | <1 | 2.14 | 0.015 | 0.08 | 0.1 | 0.01 | 2.0 | 0.1 | <0.05 | 10 | <0.5 |
| L850 675W | Soil | | | 20 | 18 | 1.00 | 234 | 0.055 | 3 | 2.07 | 0.015 | 0.22 | 2.2 | 0.07 | 2.6 | 0.2 | 0.07 | 7 | 1.1 |
| L850 650W | Soil | | | 19 | 17 | 1.17 | 113 | 0.078 | 2 | 2.06 | 0.020 | 0.17 | 0.5 | 0.03 | 2.4 | 0.2 | <0.05 | 7 | <0.5 |
| L850 625W | Soil | | | 20 | 16 | 0.88 | 107 | 0.084 | 2 | 2.07 | 0.021 | 0.14 | 0.3 | 0.02 | 2.3 | 0.2 | <0.05 | 8 | <0.5 |
| L850 600W | Soil | | | 20 | 17 | 0.99 | 105 | 0.095 | 2 | 2.28 | 0.023 | 0.16 | 0.6 | 0.03 | 2.3 | 0.2 | <0.05 | 7 | <0.5 |
| L850 550W | Soil | | | 29 | 22 | 0.97 | 135 | 0.115 | 1 | 2.86 | 0.028 | 0.12 | 0.3 | 0.02 | 3.7 | 0.3 | <0.05 | 8 | <0.5 |
| L850 525W | Soil | | | 22 | 16 | 1.00 | 87 | 0.103 | 1 | 1.91 | 0.026 | 0.30 | 0.7 | 0.01 | 2.9 | 0.3 | <0.05 | 7 | <0.5 |
| L850 500W | Soil | | | 16 | 28 | 1.13 | 119 | 0.127 | 2 | 4.43 | 0.030 | 0.14 | 0.3 | 0.02 | 4.0 | 0.3 | <0.05 | 10 | <0.5 |
| L850 475W | Soil | | | 10 | 12 | 0.41 | 62 | 0.101 | 1 | 2.17 | 0.017 | 0.07 | 0.5 | 0.03 | 1.4 | 0.1 | <0.05 | 8 | <0.5 |
| L850 450W | Soil | | | 24 | 24 | 0.94 | 112 | 0.114 | <1 | 2.97 | 0.025 | 0.11 | 0.3 | 0.03 | 3.2 | 0.2 | <0.05 | 9 | <0.5 |
| L850 425W | Soil | | | 20 | 20 | 0.89 | 120 | 0.090 | 3 | 2.61 | 0.033 | 0.09 | 0.3 | 0.03 | 2.9 | 0.2 | <0.05 | 7 | <0.5 |
| L850 400W | Soil | | | 12 | 14 | 0.51 | 69 | 0.105 | 2 | 2.02 | 0.019 | 0.08 | 0.4 | 0.03 | 1.7 | 0.1 | <0.05 | 8 | <0.5 |
| L850 375W | Soil | | | 11 | 14 | 0.47 | 63 | 0.121 | 1 | 2.12 | 0.023 | 0.08 | 0.3 | 0.03 | 1.6 | 0.1 | <0.05 | 9 | <0.5 |
| L850 350W | Soil | | | 23 | 22 | 1.05 | 123 | 0.106 | 1 | 2.93 | 0.028 | 0.10 | 0.3 | 0.03 | 3.6 | 0.2 | <0.05 | 9 | <0.5 |
| L850 325W | Soil | | | 14 | 19 | 0.91 | 81 | 0.131 | 1 | 2.39 | 0.021 | 0.07 | 0.2 | 0.02 | 2.4 | 0.1 | <0.05 | 9 | <0.5 |
| L850 300W | Soil | | | 17 | 19 | 0.84 | 89 | 0.105 | 2 | 2.38 | 0.027 | 0.08 | 0.2 | 0.02 | 2.4 | 0.1 | <0.05 | 8 | <0.5 |
| L850 275W | Soil | | | 9 | 18 | 0.93 | 49 | 0.086 | 2 | 2.26 | 0.021 | 0.05 | 0.2 | 0.01 | 2.1 | <0.1 | <0.05 | 7 | <0.5 |
| L850 250W | Soil | | | 19 | 20 | 0.81 | 106 | 0.072 | 1 | 2.32 | 0.024 | 0.06 | 0.3 | 0.04 | 2.7 | <0.1 | <0.05 | 7 | 1.1 |
| L850 225W | Soil | | | 16 | 20 | 0.90 | 95 | 0.072 | 2 | 1.91 | 0.027 | 0.19 | 0.3 | 0.03 | 2.6 | 0.2 | <0.05 | 6 | 1.0 |
| L850 200W | Soil | | | 18 | 22 | 0.95 | 94 | 0.080 | 2 | 2.61 | 0.031 | 0.11 | 0.2 | 0.02 | 3.0 | 0.1 | <0.05 | 8 | 0.7 |
| L850 175W | Soil | | | 14 | 21 | 0.90 | 79 | 0.084 | 1 | 2.62 | 0.027 | 0.09 | 0.3 | 0.02 | 2.8 | <0.1 | <0.05 | 7 | <0.5 |
| L850 150W | Soil | | | 12 | 21 | 0.78 | 72 | 0.088 | 2 | 2.67 | 0.022 | 0.07 | 0.2 | 0.03 | 2.5 | <0.1 | <0.05 | 9 | <0.5 |
| L850 125W | Soil | | | 16 | 24 | 0.88 | 89 | 0.095 | 3 | 3.00 | 0.032 | 0.08 | 0.2 | 0.03 | 3.2 | 0.1 | <0.05 | 9 | <0.5 |
| L850 100W | Soil | | | 19 | 23 | 0.87 | 99 | 0.084 | <1 | 2.88 | 0.027 | 0.07 | 0.3 | 0.03 | 3.2 | 0.1 | <0.05 | 8 | 0.6 |
| L850 075W | Soil | | | 14 | 20 | 0.89 | 70 | 0.082 | 3 | 2.42 | 0.025 | 0.10 | 0.3 | 0.04 | 2.7 | <0.1 | <0.05 | 7 | 0.5 |
| L850 050W | Soil | | | 52 | 33 | 0.76 | 131 | 0.074 | 1 | 3.30 | 0.023 | 0.09 | 0.4 | 0.06 | 4.6 | 0.1 | <0.05 | 9 | 1.8 |
| L850 025W | Soil | | | 29 | 30 | 0.83 | 82 | 0.080 | 2 | 3.57 | 0.022 | 0.10 | 0.3 | 0.04 | 3.8 | 0.1 | <0.05 | 10 | 1.1 |
| L850 000W | Soil | | | 31 | 24 | 0.93 | 78 | 0.082 | 1 | 3.01 | 0.024 | 0.17 | 0.4 | 0.02 | 4.1 | 0.2 | <0.05 | 9 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: December 06, 2007

Page: 1 of 3 Part 1

QUALITY CONTROL REPORT

VAN07001676.1

| Method | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | |
|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Analyte | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P | |
| Unit | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % | |
| MDL | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | | | | | |
| L780 400W | Soil | 1.3 | 11.3 | 62.4 | 141 | 0.2 | 11.0 | 6.4 | 1224 | 1.44 | 2.7 | 0.4 | 55.1 | 2.8 | 11 | 0.7 | 0.4 | 0.2 | 23 | 0.26 | 0.029 |
| REP L780 400W | QC | 1.3 | 10.3 | 58.5 | 134 | 0.1 | 10.6 | 6.0 | 1110 | 1.38 | 2.7 | 0.5 | 4.1 | 2.8 | 10 | 0.6 | 0.4 | 0.2 | 24 | 0.24 | 0.029 |
| L780 000W | Soil | 0.7 | 7.6 | 13.6 | 74 | <0.1 | 11.7 | 5.6 | 114 | 1.71 | 2.0 | 0.4 | <0.5 | 3.7 | 7 | <0.1 | <0.1 | 0.2 | 30 | 0.13 | 0.032 |
| REP L780 000W | QC | 0.6 | 7.0 | 12.4 | 70 | <0.1 | 11.6 | 5.4 | 110 | 1.66 | 1.8 | 0.4 | 1.4 | 3.5 | 7 | <0.1 | <0.1 | 0.2 | 30 | 0.11 | 0.030 |
| L785 175W | Soil | 0.6 | 10.6 | 15.5 | 129 | <0.1 | 11.5 | 6.1 | 124 | 1.77 | 1.6 | 0.5 | 1.3 | 5.2 | 7 | <0.1 | 0.1 | 0.2 | 25 | 0.12 | 0.031 |
| REP L785 175W | QC | 0.6 | 10.4 | 15.8 | 128 | <0.1 | 11.3 | 5.6 | 119 | 1.73 | 1.6 | 0.5 | 1.4 | 5.1 | 7 | <0.1 | 0.1 | 0.2 | 23 | 0.12 | 0.030 |
| L790 550W | Soil | 0.4 | 8.1 | 26.0 | 73 | 0.2 | 10.1 | 5.7 | 284 | 1.41 | 2.3 | 0.4 | 0.8 | 3.8 | 12 | 0.5 | 0.3 | 0.2 | 19 | 0.14 | 0.064 |
| REP L790 550W | QC | 0.3 | 7.9 | 26.3 | 75 | 0.2 | 10.5 | 5.9 | 284 | 1.43 | 2.2 | 0.4 | 2.5 | 3.9 | 13 | 0.4 | 0.2 | 0.3 | 19 | 0.14 | 0.065 |
| L790 250W | Soil | 5.5 | 48.5 | 99.1 | 99 | 0.2 | 14.2 | 8.1 | 1143 | 2.36 | 4.0 | 0.9 | 2.2 | 4.9 | 8 | 0.2 | 0.8 | 0.3 | 35 | 0.08 | 0.064 |
| REP L790 250W | QC | 5.2 | 45.6 | 95.5 | 94 | 0.2 | 14.0 | 7.9 | 1084 | 2.28 | 4.0 | 0.9 | 2.3 | 5.3 | 9 | 0.3 | 0.8 | 0.3 | 37 | 0.09 | 0.063 |
| L795 250W | Soil | 2.5 | 37.4 | 45.7 | 78 | 0.1 | 15.3 | 8.9 | 1003 | 2.12 | 3.4 | 1.2 | 4.1 | 4.0 | 9 | 0.2 | 0.4 | 0.3 | 33 | 0.08 | 0.086 |
| REP L795 250W | QC | 2.3 | 37.1 | 42.7 | 75 | 0.2 | 15.3 | 8.7 | 988 | 2.06 | 3.2 | 1.1 | 11.4 | 3.9 | 9 | 0.2 | 0.3 | 0.3 | 32 | 0.08 | 0.079 |
| L810 625W | Soil | 0.5 | 7.8 | 16.8 | 51 | 0.3 | 9.8 | 5.2 | 178 | 1.50 | 2.2 | 1.1 | 2.6 | 3.1 | 8 | <0.1 | 0.1 | 0.2 | 20 | 0.08 | 0.095 |
| REP L810 625W | QC | 0.4 | 8.8 | 17.1 | 51 | 0.3 | 10.4 | 5.0 | 174 | 1.50 | 2.3 | 1.0 | 2.7 | 3.1 | 8 | 0.1 | 0.1 | 0.2 | 20 | 0.08 | 0.096 |
| L810 325W | Soil | 0.6 | 11.6 | 18.9 | 71 | 0.2 | 9.7 | 5.1 | 363 | 1.40 | 1.2 | 0.8 | 10.6 | 4.6 | 13 | 0.2 | 0.1 | 0.2 | 21 | 0.11 | 0.027 |
| REP L810 325W | QC | 0.6 | 12.4 | 19.6 | 73 | 0.3 | 10.4 | 5.4 | 357 | 1.41 | 1.3 | 0.9 | 5.0 | 4.5 | 13 | 0.3 | 0.1 | 0.2 | 22 | 0.11 | 0.027 |
| L815 575W | Soil | 0.8 | 10.6 | 32.3 | 79 | 0.2 | 14.4 | 7.3 | 416 | 1.75 | 2.4 | 0.7 | 4.1 | 3.5 | 10 | 0.7 | 0.2 | 0.3 | 30 | 0.08 | 0.077 |
| REP L815 575W | QC | 0.8 | 10.4 | 32.4 | 80 | 0.2 | 12.5 | 7.3 | 428 | 1.80 | 2.3 | 0.7 | 3.7 | 3.5 | 10 | 0.7 | 0.2 | 0.3 | 29 | 0.09 | 0.077 |
| L820 600W | Soil | 0.3 | 7.1 | 34.0 | 38 | <0.1 | 8.5 | 5.0 | 108 | 1.32 | 2.1 | 0.5 | 6.2 | 4.4 | 7 | <0.1 | 0.2 | 0.2 | 21 | 0.09 | 0.026 |
| REP L820 600W | QC | 0.3 | 7.2 | 31.7 | 39 | <0.1 | 8.5 | 5.2 | 107 | 1.33 | 1.9 | 0.5 | 83.0 | 4.4 | 8 | <0.1 | 0.2 | 0.2 | 23 | 0.09 | 0.024 |
| L820 275W | Soil | 0.5 | 11.4 | 18.7 | 81 | <0.1 | 12.5 | 6.8 | 167 | 1.39 | 1.2 | 0.4 | 2.2 | 3.3 | 7 | <0.1 | 0.1 | 0.1 | 20 | 0.14 | 0.043 |
| REP L820 275W | QC | 0.6 | 11.8 | 17.7 | 84 | <0.1 | 13.2 | 7.3 | 167 | 1.42 | 1.4 | 0.4 | 0.7 | 3.3 | 7 | <0.1 | 0.1 | 0.1 | 21 | 0.14 | 0.043 |
| L825 375W | Soil | 0.8 | 19.6 | 60.3 | 62 | 0.3 | 18.3 | 8.4 | 104 | 2.14 | 4.2 | 0.5 | 1.8 | 4.6 | 8 | <0.1 | 0.2 | 0.4 | 25 | 0.14 | 0.077 |
| REP L825 375W | QC | 0.9 | 18.8 | 60.2 | 62 | 0.4 | 18.3 | 8.1 | 105 | 2.20 | 3.6 | 0.5 | 1.0 | 4.7 | 8 | 0.1 | 0.2 | 0.3 | 25 | 0.14 | 0.077 |
| L825 075W | Soil | 0.7 | 11.8 | 10.9 | 61 | <0.1 | 11.9 | 6.3 | 132 | 1.71 | 1.8 | 0.4 | 1.5 | 2.5 | 7 | <0.1 | 0.1 | 0.2 | 24 | 0.10 | 0.077 |
| REP L825 075W | QC | 0.7 | 13.0 | 11.9 | 62 | <0.1 | 12.2 | 6.7 | 139 | 1.80 | 1.5 | 0.4 | 1.5 | 2.6 | 8 | <0.1 | 0.1 | 0.2 | 25 | 0.11 | 0.082 |
| L835 100W | Soil | 0.3 | 5.4 | 13.2 | 59 | <0.1 | 6.8 | 3.8 | 80 | 1.37 | 1.8 | 0.3 | 0.8 | 2.8 | 6 | <0.1 | 0.1 | 0.2 | 21 | 0.09 | 0.070 |
| REP L835 100W | QC | 0.3 | 5.5 | 12.3 | 55 | <0.1 | 6.8 | 3.9 | 83 | 1.41 | 1.6 | 0.3 | 1.5 | 2.8 | 5 | <0.1 | <0.1 | 0.2 | 22 | 0.09 | 0.069 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Ruby Red Resources Inc.**

207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: December 06, 2007

Page: 1 of 3 Part 2

QUALITY CONTROL REPORT

VAN07001676.1

| Method | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | |
|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
| Analyte | La | Cr | Mg | Ba | Ti | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se | |
| Unit | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm | |
| MDL | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 | |
| Pulp Duplicates | | | | | | | | | | | | | | | | | |
| L780 400W | Soil | 7 | 12 | 0.59 | 110 | 0.070 | 1 | 1.62 | 0.007 | 0.08 | 1.3 | 0.05 | 1.2 | 0.1 | <0.05 | 7 | <0.5 |
| REP L780 400W | QC | 7 | 12 | 0.60 | 107 | 0.071 | 1 | 1.65 | 0.007 | 0.08 | 1.3 | 0.04 | 1.1 | 0.1 | <0.05 | 7 | <0.5 |
| L780 000W | Soil | 5 | 17 | 0.92 | 60 | 0.142 | 1 | 2.67 | 0.018 | 0.06 | 0.3 | 0.02 | 1.9 | 0.1 | <0.05 | 11 | <0.5 |
| REP L780 000W | QC | 5 | 17 | 0.90 | 59 | 0.132 | 1 | 2.65 | 0.016 | 0.06 | 0.3 | 0.02 | 1.9 | 0.1 | <0.05 | 10 | <0.5 |
| L785 175W | Soil | 10 | 16 | 1.18 | 62 | 0.122 | 1 | 2.46 | 0.009 | 0.06 | 0.3 | 0.01 | 2.0 | 0.1 | <0.05 | 9 | <0.5 |
| REP L785 175W | QC | 10 | 16 | 1.17 | 60 | 0.118 | 1 | 2.40 | 0.009 | 0.05 | 0.3 | 0.01 | 1.8 | 0.1 | <0.05 | 9 | <0.5 |
| L790 550W | Soil | 9 | 10 | 0.68 | 103 | 0.053 | <1 | 1.59 | 0.009 | 0.11 | 0.8 | 0.03 | 1.3 | 0.1 | <0.05 | 5 | <0.5 |
| REP L790 550W | QC | 10 | 10 | 0.70 | 105 | 0.055 | <1 | 1.58 | 0.009 | 0.10 | 0.7 | 0.03 | 1.3 | 0.1 | <0.05 | 6 | <0.5 |
| L790 250W | Soil | 10 | 15 | 0.35 | 132 | 0.123 | 2 | 2.37 | 0.012 | 0.09 | 0.3 | 0.02 | 1.6 | 0.2 | <0.05 | 9 | <0.5 |
| REP L790 250W | QC | 12 | 15 | 0.33 | 131 | 0.145 | 2 | 2.29 | 0.013 | 0.10 | 0.3 | 0.03 | 1.9 | 0.3 | <0.05 | 9 | <0.5 |
| L795 250W | Soil | 7 | 12 | 0.28 | 110 | 0.159 | <1 | 3.52 | 0.018 | 0.07 | 0.4 | 0.05 | 1.8 | 0.2 | <0.05 | 10 | <0.5 |
| REP L795 250W | QC | 7 | 12 | 0.27 | 102 | 0.156 | 1 | 3.44 | 0.018 | 0.07 | 0.3 | 0.05 | 1.9 | 0.2 | <0.05 | 9 | <0.5 |
| L810 625W | Soil | 7 | 7 | 0.40 | 114 | 0.093 | <1 | 2.34 | 0.014 | 0.07 | 0.9 | 0.01 | 1.6 | 0.1 | <0.05 | 8 | <0.5 |
| REP L810 625W | QC | 6 | 7 | 0.40 | 113 | 0.094 | <1 | 2.35 | 0.014 | 0.07 | 0.9 | 0.02 | 1.8 | 0.1 | <0.05 | 8 | <0.5 |
| L810 325W | Soil | 11 | 12 | 0.69 | 112 | 0.069 | <1 | 1.95 | 0.008 | 0.06 | 0.9 | 0.03 | 1.6 | 0.1 | <0.05 | 7 | <0.5 |
| REP L810 325W | QC | 12 | 12 | 0.69 | 109 | 0.071 | <1 | 1.96 | 0.008 | 0.06 | 0.8 | 0.02 | 1.8 | 0.1 | <0.05 | 7 | <0.5 |
| L815 575W | Soil | 9 | 15 | 0.47 | 130 | 0.105 | 1 | 2.78 | 0.015 | 0.07 | 1.2 | 0.02 | 1.6 | 0.1 | 0.11 | 8 | <0.5 |
| REP L815 575W | QC | 9 | 10 | 0.48 | 131 | 0.104 | 1 | 2.74 | 0.014 | 0.06 | 1.2 | 0.01 | 1.5 | 0.1 | 0.07 | 8 | <0.5 |
| L820 600W | Soil | 13 | 10 | 0.69 | 67 | 0.070 | <1 | 1.40 | 0.007 | 0.07 | 0.6 | <0.01 | 1.4 | 0.1 | <0.05 | 6 | <0.5 |
| REP L820 600W | QC | 13 | 11 | 0.67 | 68 | 0.067 | <1 | 1.39 | 0.008 | 0.06 | 0.6 | <0.01 | 1.4 | <0.1 | <0.05 | 5 | <0.5 |
| L820 275W | Soil | 6 | 15 | 0.88 | 79 | 0.079 | <1 | 2.47 | 0.007 | 0.05 | 0.5 | 0.02 | 1.9 | 0.1 | <0.05 | 7 | <0.5 |
| REP L820 275W | QC | 7 | 16 | 0.88 | 79 | 0.084 | 2 | 2.52 | 0.008 | 0.05 | 0.5 | 0.02 | 2.0 | 0.1 | <0.05 | 7 | <0.5 |
| L825 375W | Soil | 7 | 15 | 0.68 | 112 | 0.079 | <1 | 3.09 | 0.011 | 0.09 | 1.4 | 0.03 | 1.7 | <0.1 | <0.05 | 8 | <0.5 |
| REP L825 375W | QC | 7 | 15 | 0.68 | 109 | 0.081 | 1 | 3.03 | 0.015 | 0.10 | 1.3 | 0.03 | 1.8 | 0.1 | <0.05 | 8 | <0.5 |
| L825 075W | Soil | 5 | 13 | 0.68 | 67 | 0.108 | 1 | 2.93 | 0.015 | 0.04 | 0.4 | 0.02 | 1.7 | <0.1 | <0.05 | 10 | <0.5 |
| REP L825 075W | QC | 5 | 14 | 0.72 | 68 | 0.113 | <1 | 3.10 | 0.017 | 0.04 | 0.4 | 0.02 | 2.0 | <0.1 | <0.05 | 10 | <0.5 |
| L835 100W | Soil | 6 | 11 | 0.46 | 47 | 0.078 | <1 | 1.70 | 0.011 | 0.05 | 0.3 | 0.02 | 1.5 | 0.1 | <0.05 | 8 | <0.5 |
| REP L835 100W | QC | 7 | 12 | 0.47 | 47 | 0.079 | <1 | 1.75 | 0.010 | 0.05 | 0.4 | 0.02 | 1.4 | <0.1 | <0.05 | 8 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Ruby Red Resources Inc.**
 207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6 Canada

Project: GAR
 Report Date: December 06, 2007

Page: 2 of 3 Part 1

QUALITY CONTROL REPORT

VAN07001676.1

| | | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | |
|---------------------|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| L840 575W | Soil | 0.4 | 16.7 | 42.0 | 45 | 0.2 | 9.2 | 3.9 | 285 | 1.33 | 1.1 | 3.4 | 2.9 | 7.2 | 21 | <0.1 | 0.2 | 0.3 | 27 | 0.38 | 0.012 |
| REP L840 575W | QC | 0.3 | 16.7 | 41.3 | 43 | 0.2 | 10.5 | 4.1 | 287 | 1.33 | 1.0 | 3.2 | 34.4 | 7.6 | 21 | <0.1 | 0.2 | 0.3 | 25 | 0.36 | 0.012 |
| L845 675W | Soil | 0.4 | 25.3 | 78.2 | 54 | 0.2 | 14.3 | 6.9 | 404 | 1.87 | 2.3 | 5.0 | 19.2 | 8.6 | 19 | 0.1 | 0.3 | 0.3 | 26 | 0.47 | 0.017 |
| REP L845 675W | QC | 0.4 | 25.5 | 80.9 | 57 | 0.2 | 14.0 | 7.1 | 419 | 1.94 | 2.3 | 5.1 | 1.8 | 9.2 | 19 | 0.2 | 0.3 | 0.4 | 27 | 0.49 | 0.018 |
| L845 325W | Soil | 0.5 | 10.4 | 12.8 | 72 | <0.1 | 11.0 | 5.6 | 92 | 1.20 | 1.2 | 0.6 | 1.4 | 4.0 | 11 | <0.1 | <0.1 | 0.2 | 20 | 0.28 | 0.013 |
| REP L845 325W | QC | 0.5 | 9.5 | 11.6 | 68 | <0.1 | 9.8 | 5.2 | 88 | 1.14 | 0.9 | 0.6 | 1.0 | 3.9 | 10 | <0.1 | <0.1 | 0.1 | 19 | 0.27 | 0.013 |
| L850 450W | Soil | 1.4 | 19.8 | 46.3 | 52 | 0.2 | 13.4 | 5.9 | 227 | 1.79 | 2.1 | 4.1 | 2.1 | 6.0 | 25 | 0.2 | 0.2 | 0.3 | 31 | 0.56 | 0.024 |
| REP L850 450W | QC | 1.6 | 20.4 | 50.0 | 51 | 0.2 | 13.3 | 6.0 | 234 | 1.86 | 1.9 | 4.3 | 1.1 | 6.1 | 26 | 0.2 | 0.2 | 0.3 | 31 | 0.56 | 0.025 |
| L850 100W | Soil | 2.1 | 20.8 | 14.8 | 41 | 0.2 | 11.4 | 4.9 | 125 | 1.77 | 1.8 | 13.2 | 1.1 | 5.5 | 31 | <0.1 | 0.1 | 0.3 | 29 | 0.49 | 0.019 |
| REP L850 100W | QC | 2.1 | 22.1 | 15.1 | 43 | 0.2 | 11.1 | 5.3 | 125 | 1.73 | 1.4 | 13.0 | 1.5 | 5.5 | 31 | <0.1 | 0.1 | 0.3 | 29 | 0.50 | 0.019 |
| Reference Materials | | | | | | | | | | | | | | | | | | | | | |
| STD DS7 | Standard | 18.5 | 110.4 | 60.9 | 397 | 0.9 | 56.5 | 9.3 | 616 | 2.50 | 50.5 | 4.1 | 76.8 | 3.9 | 64 | 5.8 | 5.6 | 4.2 | 81 | 0.87 | 0.079 |
| STD DS7 | Standard | 19.0 | 101.7 | 66.5 | 387 | 0.8 | 50.8 | 9.2 | 620 | 2.33 | 47.4 | 4.2 | 65.7 | 4.1 | 70 | 5.8 | 5.4 | 4.3 | 80 | 0.92 | 0.073 |
| STD DS7 | Standard | 22.5 | 126.6 | 77.5 | 411 | 0.8 | 59.6 | 10.2 | 682 | 2.53 | 47.6 | 5.3 | 69.0 | 5.1 | 85 | 6.6 | 6.5 | 5.1 | 94 | 1.02 | 0.072 |
| STD DS7 | Standard | 19.4 | 107.5 | 71.3 | 397 | 0.9 | 53.2 | 9.3 | 621 | 2.37 | 48.2 | 4.7 | 66.7 | 4.2 | 68 | 6.2 | 6.2 | 4.4 | 81 | 0.92 | 0.079 |
| STD DS7 | Standard | 19.7 | 108.1 | 61.5 | 364 | 0.7 | 52.3 | 9.2 | 566 | 2.17 | 46.9 | 4.5 | 52.2 | 4.6 | 71 | 6.6 | 5.8 | 4.5 | 80 | 0.87 | 0.074 |
| STD DS7 | Standard | 20.8 | 110.4 | 68.7 | 391 | 0.7 | 57.4 | 10.1 | 670 | 2.47 | 46.7 | 4.6 | 64.8 | 5.0 | 85 | 5.7 | 6.1 | 4.8 | 93 | 1.04 | 0.074 |
| STD DS7 | Standard | 19.6 | 113.4 | 69.7 | 386 | 0.9 | 53.8 | 9.4 | 638 | 2.36 | 47.5 | 5.3 | 59.1 | 4.3 | 69 | 5.9 | 5.7 | 4.7 | 84 | 0.93 | 0.081 |
| STD DS7 | Standard | 18.5 | 107.2 | 65.3 | 386 | 0.7 | 53.2 | 9.3 | 622 | 2.34 | 46.8 | 4.9 | 64.9 | 4.3 | 70 | 5.7 | 5.7 | 4.4 | 79 | 0.90 | 0.073 |
| STD DS7 | Standard | 19.8 | 106.6 | 58.8 | 377 | 0.9 | 52.0 | 9.4 | 613 | 2.31 | 47.4 | 4.5 | 59.0 | 3.9 | 67 | 6.2 | 5.3 | 4.2 | 85 | 0.89 | 0.076 |
| STD DS7 Expected | | 20.92 | 109 | 70.6 | 411 | 0.89 | 56 | 9.7 | 627 | 2.39 | 48.2 | 4.9 | 70 | 4.4 | 68.7 | 6.38 | 5.86 | 4.51 | 86 | 0.93 | 0.08 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Ruby Red Resources Inc.**

207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6 Canada

Project: GAR

Report Date: December 06, 2007

Page: 2 of 3 Part 2

QUALITY CONTROL REPORT

VAN07001676.1

| | | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 |
|---------------------|----------|-------|-------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | La | Cr | Mg | Ba | Tl | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se |
| | | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm |
| | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 |
| L840 575W | Soil | 22 | 14 | 0.88 | 118 | 0.100 | <1 | 1.68 | 0.020 | 0.21 | 0.8 | 0.02 | 3.0 | 0.3 | 0.06 | 6 | 0.5 |
| REP L840 575W | QC | 22 | 14 | 0.90 | 120 | 0.098 | 1 | 1.74 | 0.021 | 0.22 | 0.6 | 0.02 | 3.1 | 0.3 | 0.07 | 8 | <0.5 |
| L845 675W | Soil | 27 | 18 | 1.21 | 120 | 0.087 | 2 | 2.20 | 0.017 | 0.16 | 1.0 | 0.01 | 3.1 | 0.2 | <0.05 | 7 | <0.5 |
| REP L845 675W | QC | 27 | 19 | 1.26 | 122 | 0.088 | 2 | 2.24 | 0.016 | 0.16 | 0.8 | 0.03 | 3.1 | 0.3 | <0.05 | 7 | 0.6 |
| L845 325W | Soil | 14 | 16 | 0.83 | 61 | 0.114 | <1 | 1.98 | 0.018 | 0.10 | 0.3 | <0.01 | 2.0 | <0.1 | <0.05 | 8 | <0.5 |
| REP L845 325W | QC | 12 | 15 | 0.78 | 56 | 0.109 | <1 | 1.84 | 0.017 | 0.09 | 0.3 | <0.01 | 1.8 | 0.1 | <0.05 | 8 | <0.5 |
| L850 450W | Soil | 24 | 24 | 0.94 | 112 | 0.114 | <1 | 2.97 | 0.025 | 0.11 | 0.3 | 0.03 | 3.2 | 0.2 | <0.05 | 9 | <0.5 |
| REP L850 450W | QC | 24 | 23 | 0.96 | 118 | 0.116 | 2 | 3.13 | 0.026 | 0.11 | 0.3 | 0.04 | 3.6 | 0.2 | <0.05 | 9 | 0.6 |
| L850 100W | Soil | 19 | 23 | 0.87 | 99 | 0.084 | <1 | 2.88 | 0.027 | 0.07 | 0.3 | 0.03 | 3.2 | 0.1 | <0.05 | 8 | 0.6 |
| REP L850 100W | QC | 19 | 23 | 0.91 | 103 | 0.084 | 2 | 3.01 | 0.028 | 0.07 | 0.3 | 0.03 | 3.3 | 0.1 | <0.05 | 9 | <0.5 |
| Reference Materials | | | | | | | | | | | | | | | | | |
| STD DS7 | Standard | 10 | 176 | 1.04 | 350 | 0.109 | 39 | 0.95 | 0.086 | 0.47 | 3.9 | 0.19 | 2.3 | 4.2 | 0.22 | 4 | 3.8 |
| STD DS7 | Standard | 12 | 180 | 1.02 | 378 | 0.110 | 39 | 1.01 | 0.098 | 0.45 | 4.0 | 0.19 | 2.5 | 4.5 | 0.18 | 5 | 3.8 |
| STD DS7 | Standard | 14 | 203 | 1.02 | 386 | 0.152 | 40 | 1.02 | 0.101 | 0.46 | 3.8 | 0.20 | 2.8 | 4.3 | 0.21 | 5 | 3.9 |
| STD DS7 | Standard | 12 | 180 | 1.04 | 375 | 0.114 | 37 | 1.00 | 0.085 | 0.45 | 3.9 | 0.20 | 2.1 | 4.0 | 0.18 | 5 | 3.9 |
| STD DS7 | Standard | 12 | 176 | 0.96 | 360 | 0.124 | 41 | 0.97 | 0.097 | 0.40 | 3.1 | 0.17 | 2.5 | 3.4 | 0.18 | 5 | 3.3 |
| STD DS7 | Standard | 15 | 224 | 1.07 | 380 | 0.146 | 41 | 1.14 | 0.103 | 0.45 | 3.6 | 0.21 | 2.7 | 4.8 | 0.21 | 5 | 4.0 |
| STD DS7 | Standard | 11 | 183 | 1.04 | 392 | 0.116 | 37 | 0.98 | 0.085 | 0.46 | 4.0 | 0.20 | 2.2 | 4.3 | 0.20 | 5 | 3.8 |
| STD DS7 | Standard | 12 | 182 | 1.02 | 367 | 0.118 | 39 | 0.96 | 0.086 | 0.44 | 4.2 | 0.19 | 2.4 | 4.4 | 0.21 | 5 | 4.4 |
| STD DS7 | Standard | 11 | 184 | 1.02 | 362 | 0.113 | 39 | 1.00 | 0.088 | 0.44 | 3.8 | 0.20 | 2.5 | 4.2 | 0.18 | 5 | 4.2 |
| STD DS7 Expected | | 12.7 | 163 | 1.05 | 370.3 | 0.124 | 38.6 | 0.959 | 0.073 | 0.44 | 3.8 | 0.2 | 2.5 | 4.19 | 0.21 | 4.6 | 3.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

QUALITY CONTROL REPORT

VAN07001676.1

| | | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| | | Mo | Cu | Pb | Zn | Ag | Ni | Co | Mn | Fe | As | U | Au | Th | Sr | Cd | Sb | Bi | V | Ca | P |
| | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppb | ppm | ppm | ppm | ppm | ppm | ppm | % | % |
| | | 0.1 | 0.1 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 1 | 0.01 | 0.5 | 0.1 | 0.5 | 0.1 | 1 | 0.1 | 0.1 | 0.1 | 2 | 0.01 | 0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |
| BLK | Blank | <0.1 | <0.1 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <1 | <0.01 | <0.5 | <0.1 | <0.5 | <0.1 | <1 | <0.1 | <0.1 | <0.1 | <2 | <0.01 | <0.001 |



852 E. Hastings St. Vancouver BC V6A 1R6 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Ruby Red Resources Inc.

207 - 239 - 12th Ave S.W.
 Calgary AB T2R 1H6 Canada

Project: GAR


Report Date: December 06, 2007

Page: 3 of 3 Part 2

QUALITY CONTROL REPORT


VAN07001676.1

| | | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | 1DX15 | |
|-----|-------|-------|-------|-------|-------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|------|
| | | La | Cr | Mg | Ba | Tl | B | Al | Na | K | W | Hg | Sc | Tl | S | Ga | Se |
| | | ppm | ppm | % | ppm | % | ppm | % | % | % | ppm | ppm | ppm | ppm | % | ppm | ppm |
| | | 1 | 1 | 0.01 | 1 | 0.001 | 1 | 0.01 | 0.001 | 0.01 | 0.1 | 0.01 | 0.1 | 0.1 | 0.05 | 1 | 0.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |
| BLK | Blank | <1 | <1 | <0.01 | <1 | <0.001 | <1 | <0.01 | <0.001 | <0.01 | <0.1 | <0.01 | <0.1 | <0.1 | <0.05 | <1 | <0.5 |



| | |
|--|-----------|
| GAR PROPERTY | |
| Soil Geochem Grid - Contoured Gold in ppm | |
| BCGS: 082F060 | FIGURE: 4 |
| SCALE: 1:2500 | |

x GPS Coordinates



GAR PROPERTY

**Soil Geochem Grid – Contoured
LEAD in ppm**

| | |
|---------------|-----------|
| BCGS: 082F060 | FIGURE: 5 |
| SCALE: 1:2500 | |

200m

x GPS Coordinates

GAR PROPERTY

Drill Hole Section

Holes G-07-1,2,3

BCGS: 082F060

FIGURE: 6

SCALE: 1:500

23
GEOLOGICAL SURVEY BRANCH

