

Amended
RECEIVED

JAN 22 2009

Gold Commissioner's Office
VANCOUVER, B.C.

American Creek Resources Ltd.

BC Geological Survey
Assessment Report
30135

(originally rec'd Aug 12/08)

2007

**GEOCHEMICAL AND GEOPHYSICAL
REPORT ON THE
GOLDMIST PROPERTY**

Located in the
Kamloops Mining Division
NTS 92P.009
51° 06' North Latitude
120° 15' West Longitude

-Owners-

J. Cameron Barker/Rich River: Goldmist and Goldmist 2
J. Cameron Barker: Goldmist 1,2,3, Moly Varden and Base Metal Alley
American Creek Resources: Goldmist 5,6,7,8 and Goldmist East

-Prepared for and Operated by-

American Creek Resources Ltd.
Box 798
53A Broadway North
Raymond, Alberta, Canada
T0K 2S0

-Prepared by-

William D. O'Brien, B.A.
O'Brien Geological Consulting
110 Court Street
Farmington, ME 04938

USA
GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

May 29, 2008

70 425

GEOCHEMICAL AND GEOPHYSICAL REPORT ON THE GOLDMIST PROPERTY

TABLE OF CONTENTS

LIST OF FIGURES	i
LIST OF TABLES	i
LIST OF APPENDICES	ii
1.0 SUMMARY	1
2.0 INTRODUCTION	1
3.0 RELIANCE ON OTHER EXPERTS	1
4.0 PROPERTY DESCRIPTION AND LOCATION	4
5.0 ACCESSIBILITY AND PHYSIOGRAPHY	4
6.0 HISTORY	5
7.0 GEOLOGICAL SETTING	7
7.1 Regional Geology	7
7.2 Property Lithology	7
7.3 Property Structure	8
8.0 MINERALIZATION	10
9.0 EXPLORATION	10
9.1 Soil survey	10
9.2 Magnetic survey	11
10.0 SAMPLE PREPARATION ANALYSES AND DATA VERIFICATION	11
11.0 INTERPRETATION AND CONCLUSIONS	11
12.0 RECOMMENDATIONS	12
13.0 STATEMENT OF QUALIFICATIONS	13

LIST OF FIGURES

Figure 1: Location Map	2
Figure 2: Claim Map	3
Figure 3: Historical showings	6
Figure 4: Property Geology	9
Figure 5: Soil Survey Grid	15
Figure 6: Total Field Magnetics	16
Figure 7a: Au in soil	17
Figure 7b: Cu in soil	18
Figure 7c: Zn in soil	19

LIST OF TABLES

Table 1: Tenure Data	4
----------------------------	---

LIST OF APPENDICES

Appendix A: Magnetic and soil maps.....	14
Appendix B: References	20
Appendix C: Statement of expenses	22
Appendix D: Sample preparation and analysis	24
Appendix E: Magnetic survey raw data.....	27
Appendix F: Certificates of analyses	33

1.0 SUMMARY

The Goldmist property is located in the Interior Plateau of British Columbia roughly 50 km north of Kamloops. It is underlain by volcanic derived sedimentary rocks of the Late Paleozoic Harper Ranch Group. These rocks are represented by mudstones, siltstones, limestones and andesites. Intruding these rocks are diorites, hornblende-diorites, hornblendites and pyroxenites. These intrusions are the host of sulphide mineralization (pyrite and chalcopyrite) as well as gold.

The 2007 program soil sampled around the historical Main Showing to try and trace the mineralization exposed at surface. This survey consisted of 1361 samples that covered an area of 3.6 km^2 . The results showed no anomalous values of lead or silver and only minimal anomalous values of gold and zinc. Higher concentrations of copper to the south of the Main Showing, along Poison creek, are believed to be caused by material that has washed down from the showing.

A 1.5 km^2 magnetic survey was also completed but only covered the northern most area of the property and no conclusions were made from the data.

Further recommended work on the property should consist of geological mapping and a magnetic survey to delineate the contact of the hornblendite intrusion as well as a continuation of the soil survey south of the 2007 survey.


2.0 INTRODUCTION


In 2006, American Creek Resources optioned the Goldmist property from Rich River Exploration and J. Cameron Barker. Five more tenures were later amalgamated to the property to form a twelve contiguous tenure claim group. American Creek was attracted to the property by the anomalous gold values found there and its proximity to a large magnetic anomaly that had been mapped in the 1980's.

From May to July of 2007 American Creek conducted a 3.6 km^2 soil survey as well as a 1.5 km^2 magnetic survey. The soil and magnetic surveys were completed to try to discern the full extent of the historical Main Showing on the property. The results of this survey are presented in this report as well as a recommendation for further work. The author's knowledge of the property is derived from: geological, geophysical, and diamond drilling reports that have been filed with the British Columbia Ministry of Mines concerning the property and a two week long visit to the property where geological mapping was completed in early 2008 but is not presented in this report.

3.0 RELIANCE ON OTHER EXPERTS

All of the geochemical and geophysical data that was presented to the author for compilation was conducted by geology students under the direction of a Professional Geologist who had been contracted by American Creek Resources. This data along with reports filed with the British Columbia Ministry of Mines and published academic papers (all referenced in Appendix B) were the only sources used by the author and thus there is no reason to believe this information to be incorrect.





4.0 PROPERTY DESCRIPTION AND LOCATION

The Goldmist property lies within the Interior Plateau of south-central British Columbia, Canada, approximately 50 kilometers north of Kamloops (Figure 1). It lies within the Kamloops Mining Division, centered at 51° 06' north latitude and 120° 14' west latitude. The claims are located on NTS map sheets 92P019, 020, 009, 010.

The Goldmist property consists of twelve contiguous claims covering roughly 51.3 km² (Figure 2), summarized in Table 1. The property covers land on both sides of the North Thompson River. Tenures 550997, 55640, 556401, 556402 and 556403 are 100% owned by American Creek. In 2006 tenures 526142, 528908, 554493*, 554495*, 556335, 556591 and 556592 were optioned from Rich River Exploration and*/or J. Cameron Barker. This option includes three claim groups: Goldmist (12 claims), Austruck-Bonanza (24 claims) and Baub (4 claims). To exercise the option, American Creek must pay a total of \$75,000 and issue 210,000 common shares of American Creek ("Common Shares") over a period of four years, to expire December 2010. All option payment requirements to date have been made. The vendors will retain a 25% bulk sample NSR royalty and a 3% NSR royalty. The NSR royalties can be purchased by American Creek in 1/3 increments by payment of the sum of \$350,000 for each 8.333% bulk sample NSR royalty and 1% NSR royalty.

Table 1: Tenure Data

Tenure No.	Claim Name	Expiry	Owner	Area (hectares)
526142	Moly Varden	2011/Oct/21	J. Cameron Barker	121.733
528908	Base Metal Alley	2011/Oct/21	J. Cameron Barker	81.131
544493	Goldmist 2	2011/Oct/21	J. Cameron Barker (50%)/Rich River (50%)	486.909
544495	Goldmist	2011/Oct/21	J. Cameron Barker (50%)/Rich River (50%)	162.283
550997	Goldmist East	2011/Oct/21	American Creek Resources	263.856
556335	Goldmist 1	2011/Oct/21	J. Cameron Barker	690.329
556400	Goldmist 5	2011/Oct/21	American Creek Resources	507.629
556401	Goldmist 6	2011/Oct/21	American Creek Resources	507.671
556402	Goldmist 7	2011/Oct/21	American Creek Resources	508.011
556403	Goldmist 8	2011/Oct/21	American Creek Resources	243.883
556591	Goldmist 2	2011/Oct/21	J. Cameron Barker	669.565
556592	Goldmist 3	2011/Oct/21	J. Cameron Barker	893.228
				Total 5136.228

5.0 ACCESSIBILITY AND PHYSIOGRAPHY

Access to the property on the west side of the North Thompson River is by the Westsyde Road that runs between Barrière and Kamloops. The claims on the east side of North Thompson River are accessed directly off Highway 5. Past and recent logging on the property has created a large network of roads and allows for easy access to many parts of the property. The McLure Fire of 2003 removed a large portion of the underbrush

on most of the property thus exposing new outcrops; however, it also has downed trees that now encumber the walking in some areas.

The Goldmist property is centered along the south flowing North Thompson River with the work site centered on the southeast flowing Poison Creek. Poison Creek is controlled by a V-shaped valley and is a tributary of Fishtrap Creek which drains into the North Thompson River. The property is on the Eastern boundary of the Thompson Plateau, a physiographic subdivision of the Interior Plateau of British Columbia.

The elevation range of the property is from 360 meters along the North Thompson River to a height of 1380 meters in the Goldmist 2 claim. The claims in the west and east part of the property lie on shallow to moderately laying plateaus with the center of the property dominated by the North Thompson River Basin.

6.0 HISTORY

Previous work on the property is limited. Placer gold development along the Thompson and North Thompson Rivers dates back to the 19th century. There are also reports of claims held by prospectors within the property boundaries that date back to the 1970's.

In September of 1984, an Airborne VLF-electro-magnetometer and magnetometer Survey was completed by Skull Creek Syndicate totaling 575 kilometers in length (White, 1984). This was completed to help delineate the contacts of the intrusive bodies known to outcrop in the northern part of the property. This was done to better define a magnetic anomaly first detected by a high elevation aeromagnetic survey that was conducted by the British Columbian government.


Follow up work was conducted the following year, 1985, by Goldbrae Developments Ltd. in partnership with Nexus Resource Corporation and Everest Resources Ltd. The program consisted of geological mapping, geochemical sampling (925 samples), magnetometer, VLF-EM and pulse electromagnetic surveys (54 km) (MINFILE 092P 178).

In October of 1985, two diamond drill holes were completed on the property. DDH-SC-85-1 tested the 'Main Showing' (Fig. 3) where a stockwork of quartz-carbonate veins contain pyrite, chalcopyrite, sphalerite and galena-bearing gold and silver. This hole returned values up to 0.03 oz/ton Ag and 0.042 oz/ton Au. Cu and Pb values were only 0.0345% and 0.0014% respectively (Freeze, 1986).

The second hole, DDH-SC-85-2, was directed toward a "zone of coincident VLF-electromagnetic conductor, magnetic high and anomalous copper and gold values in soil." Cu values ranged from 0.012% - 0.054% and Ag from 0.02-0.5 oz/ton within the top 30.78 meters of the hole. Cu values reached as high as 0.36% over a 0.3 meter section. The highest Au value was 0.014 oz/ton over a one meter interval just above the highest Cu values (Freeze, 1986).

In 1992, a second VLF-EM and Magnetic survey was conducted on behalf of Kargen Development Corp. by Euro-Canadian Geological Services Inc. This survey was located on the renamed Brenda claims (1, 2, 3 & 4). It consisted of a 24 km survey grid that partially overlapped the 1985 survey grid (White, 1993). The most recent work was in 2006 when Geoscience BC and partners funded an 8,900 km² airborne gamma-ray spectrometric and magnetic survey over the Bonaparte Lake map area from Kamloops to

Lac La Hache. This consisted of both a helicopter-borne survey conducted by Fugro Airborne Surveys of Toronto and a fixed-wing survey that was conducted by Sander Geophysics Ltd. of Ottawa (Miles *et al.*, 2007).



7.0 GEOLOGICAL SETTING

7.1 Regional Geology

The Goldmist claims are located in the Interior Plateau of the Canadian Cordillera on the eastern boundary of the Intermontane Morphogeological Belt. Rocks within this belt are mostly marine and non-marine sedimentary and volcanic rocks formed in an island arc environment and related accretion-subduction complexes. Jointly they represent a late Paleozoic to early Mesozoic arc terrane that was accreted to the North American plate during the Mesozoic Period (Price and Monger, 2003).

Within the belt there are three major terranes: Slide Mountain, Quesnel and Cache Creek. The Slide Mountain Terrane is represented by mafic volcanic rocks, argillite, chert, and minor carbonates Mississippian to Permian in age. These together are said to represent an expanding back-arc basin (Price and Monger, 2003). Island arc related volcanic and sedimentary rocks make up the Quesnel Terrane and are divided into three main stratigraphic groups: The Harper Ranch, Nicola and Rossland Groups. The Cache Creek terrane is an accretionary complex with associated mélanges, mafic-ultramaphic igneous rocks and large intact, mostly shallow marine, stratigraphic sequences of carbonates (Johnston and Borel, 2007).

In the past the property has been stated to have been underlain by the Cache Creek Group (White, 1993), however in 1979, Smith used the term Harper Ranch Group in recognition of the difference between these rocks and the type area of the Cache Creek Group (Smith, 1979). This now widely used name is further confirmed by other geological reports (i.e. Beatty, 2006; Price and Monger, 2003) and past assessment report's regional geology summaries of this property have been rejected.

The Harper Ranch Group is described by Beatty (2006) as the stratigraphic basement of the Quesnel Terrane. It is further classified into three stratigraphic units: Tk'emlups, South Thompson and McGregor Creek formations. The Tk'emlups Formation is represented by volcanic derived sediments of a newly formed island arc system. The dormancy of the island-arc system is seen in the South Thompson Formation where peri-island arc carbonates were deposited in the late Mississippian. The McGregor Creek Formation shows the uplift and erosion of the sediments and is dominated by a carbonate/chert-rich sequence (Beatty, 2006).

Other rocks within the region consist of the: Skull Hill Formation (diorite, trachyte, basalt, andesite, rhyolite, and related breccias) of the Kamloops Group, The Thuya Batholith (hornblende-biotite quartz diorite and granodiorite, minor hornblende diorite, monzonite, gabbro and hornblendite) and Cenozoic aged marine and volcanic rocks.

7.2 Property Lithology


The Goldmist property is almost completely underlain by the Harper Ranch Group of the Quesnel Terrane. The rocks locally are described as gray mudstones, blue/green siltstones, limestones and interbedded mud and limestones. Andesite outcrops are green fine grained and siliceous in composition with pyrite veinlets to a pyroxene porphyritic composition with pyrite crystals up to 3mm throughout.

In the northern part of the property, where previous work has been done, intrusive hornblendites are present and are intruded by massively porphyritic hornblende diorite and diorite rocks. The diorite intrusions often host hornblendite and hornblende diorite xenoliths as well as randomly orientated quartz veins up to 25cm wide; some hosting chalcopyrite mineralization.

7.3 Property Structure

Multiple northwest to north striking dextral strike-slip faults have been mapped in the area including the North Thompson River Fault, Louis Creek Fault and the Rock Island Lake system to the north (Schiarizza and Israel, 2001). The Louis Fault strikes parallel with the North Thompson River Valley all the way to Lemieux Creek where it joins the Island River Lake Fault system. This system forms a “horsetail” structure splaying to the west and is host to several mineral showings (Schiarizza *et al.*, 2002).

A similar splaying feature is expressed in the property’s drainage pattern. These features are centered on the property and may be caused by minor faults that imitate the same regional structures seen to the north. The Main Showing on the property is noted as being located “in a sharp bend in Poison Creek, likely at the junction of the two major faults” (White, 1986).



8.0 MINERALIZATION

There are three notable showings on the property: V.G., Sulphide, and the Main (Fig. 3). They are all located on the northern boundary of a large circular magnetic anomaly that is centered just south of Poison Creek.

The V. G. showing is so named after a 7mm nugget of native gold that was found in a 10cm wide quartz vein. The vein is hosted in metavolcanic and metasedimentary rock and also contains minor amounts of chalcopyrite, sphalerite, and galena. Pyritization and quartz stringers of the surrounding rock are seen up to 50 meters to the north of the vein and massive quartz has been noted 10 meters to the south of the showing.

The Sulphide showing has pyrite mineralization (up to 15%) and minor chalcopyrite occurs in a chloritic block hosted in an intrusive breccia and marbleized limestone. The alteration is caused by a feldspar porphyry rhyodacite dyke that intrudes the host rock.

The Main Showing is located along Poison Creek where it makes a sharp bend to the south. It is a “pinnacle of siliceous altered intrusive with numerous quartz-carbonate veins dotted with pyrite, chalcopyrite, sphalerite and galena” (White, 1986). The quartz veins are up to 30 cm wide and are white to translucent bluish-grey in color. The veins are orientated randomly and are described as being “almost stockwork” (White, 1986).

The host rock is a fine-grained felsic intrusion with phases of aplite and shows carbonate alteration. The intrusion cuts and is cut by a hornblendite intrusion that is also exposed at the showing. The surrounding area has similar mineralization, but is not as altered as the showing itself.

9.0 EXPLORATION

9.1 Soil survey

The 2007 field program consisted of a soil survey 1.8 km x 2 km in size that was centered roughly over the Main Showing (Figure 5). There were a total of 1361 samples taken at 25 meter intervals along east/west trending lines that ran out 1000 meters from a north/south base-line. The lines were labeled L90N to L108N and were spaced 100 meters apart. Sample sites were flagged and labeled 90+00E to 110+00E with the base-line centered at 100+00E. Lines were run using hip-chain and compass and were corrected for slope at time of compilation; only the base-line corrected for slope using a clinometer. At various points throughout the survey GPS points were taken and used to geo-reference the grid.

Most of the survey area was located in clear cut areas where the terrain was relatively flat. Where the terrain became steep along Poison creek, trees were not cut but did not hinder the surveying; in cases they helped with the navigation through these steep areas.

Some samples were not collected due to the steep terrain and a small pond to the north of the Main Showing. The five northern most lines (L104N thru L108N) extended 6.5 meters onto the bordering property to the east and thus no samples were taken past 103.5 meters east of the base line for those 5 lines.

Soil samples were collected from a depth of 30cm to 40cm in the B-soil horizon. Larger material (>5cm) was picked out from the sample and the soil placed in a numbered paper bag. The samples were dried for several days after collection, grouped

by line in plastic bags, and then delivered to Eco Tech Laboratory Ltd. in Kamloops, BC for assay.

During compilation of the data the author was unable to locate assays for 80 samples. It is presumed that at some point in the sample preparation for shipment and delivery, the samples were lost before reaching Eco Tech Laboratories. The lost samples were L105 90+00E thru L105 99+75E and L106 90+00E thru L106 99+00E.

9.2 Magnetic survey

Also completed was a discontinuous magnetic survey. Using a GSM-19 v7.0 Portable Overhauser magnetometer/gradiometer, a 1.5 km² grid was completed in the northern portion of the property. Readings were taken at the same sample stations as used in the soil survey. All values were diurnally corrected and results are seen in Appendix E. The survey was suspended with the intent to be completed the following season and so is considered incomplete.

10.0 SAMPLE PREPARATION, ANALYSES AND DATA VERIFICATION

All samples from the 2007 program were prepared and analyzed by Eco-Tech Laboratory Ltd. in Kamloops. Re-splits, repeats and standards were inserted during assay by Eco-Tech to monitor quality control. All results have been accepted by both parties and a detailed summary of sample preparation and analyses is found in Appendix B.

11.0 INTERPRETATION AND CONCLUSIONS

Soil surveying outlined a new copper anomaly extending southeast of the Main Showing. This anomaly returned the highest value of copper at 1560 ppm and may indicate another showing near surface; however, its proximity to Poison Creek may suggest that the anomaly is due to sediment that is derived from the Main Showing. Zinc concentrations showed anomalous concentrations from 200 ppm to 436 ppm and are concentrated within the sedimentary host rocks.

There were only three gold anomalies that reached above 300 ppb throughout the whole survey area. Two appear within the ravine that controls Poison Creek and one is to the northeast of the Main Showing. They are interpreted as isolated values possibly due to glacial placer gold.

With the magnetic survey only partially done it is hard to make any conclusions about what it indicates. The comparison of this survey with the one conducted in 2006 by Geoscience BC (Miles *et al.*, 2007) shows that the data collected is valid however it did not outline any new anomalies masked by the regional magnetic anomaly.


12.0 RECOMMENDATIONS

After compilation of the data and a short visit to the property, it is recommended that further work should be done in the form of geological mapping, soil surveying and a magnetic survey. The mapping should cover the property around and to the south of the Main Showing. This would help to determine the cause of mineralization seen on the property and also to delineate the contact of the intrusion with the host-rock as this may be the source of mineralization.

Further geological mapping would aid in gaining a better understanding of the local geology and this, coupled with a ground magnetic survey, would help to determine the contact of the intrusion with the sedimentary host-rock.

A soil survey should also be continued where the 2007 survey ended in the south to see if the intrusion is the source of gold or other economic metals. This should cover the intrusion and its contact with the host rock. Stream sampling may also be valuable and may point to areas of higher metal values.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "W.D. O'Brien".

William D. O'Brien


O'Brien Geological Consulting
110 Court Street
Farmington, ME 04938
USA

STATEMENT OF QUALIFICATIONS

I, William Desmond O'Brien, B.A., of 110 Court Street, Farmington, ME, USA, do hereby certify that:


1. I am a consulting exploration geologist, doing business under the name of O'Brien Geological Consulting. My business address is 110 Court Street, Farmington, ME, 04938, USA.
2. I am a graduate of the University of Maine at Farmington, in Farmington, Maine, USA, with a B.A. in Geology and graduated in 2008.
3. I have worked as an exploration geologist in Canada for 2 years.
4. I am the author of this report titled "2007 Geochemical and Geophysical report on the Goldmist Property" dated May 29, 2008.
5. The conclusions in this report are my professional opinion, based on the information provided by American Creek Resources Ltd., and on professional sources noted in the reference section of this text.
6. I was not responsible for any of the information gathered and did not set foot on the property until after the program outlined in this report was finished. Having reviewed the data given me and believing the information to be correct, I still accept no responsibility for the accuracy of the information as I did not personally oversee its collection.
7. American Creek Resources Ltd. may use this report for lawful purposes only. Be it necessary to use excerpts or abridgements of this report, they must do so in such a way as to retain its original meaning and context. All reasonable efforts must be made to obtain my approval prior to any use of such excerpts or abridgements.


William Desmond O'Brien, B.A.





Date: August 8, 2008


Appendix A: Magnetic and soil maps











Appendix B: References

REFERENCES

- Beatty, T. W., Orchard, M. J. and Mustard, P. S., 2006. Geology and tectonic history of the Quesnel terrane in the area of Kamloops, British Columbia, p. 483-504. In M. Colpron and J. L. Nelson (eds.), Paleozoic Evolution and Metallogeny of Pericratonic Terranes at the Ancient Pacific Margin of North America, Canadian and Alaskan Cordillera. GSA Special Paper 45.
- Freeze, J. C., 1986. Diamond Drilling Report on the Goldmist 1, 2, Goldfish and Mystery Gold Claims; British Columbian Ministry of Energy and Mines Assessment Report # 14846.
- Johnston, S.T. and Borel, G., 2007. The odyssey of the Cache Creek terrane, Canadian Cordillera: Implications for accretionary origins, tectonic setting of Panthalassa, the Pacific superwell, and break-up of Pangea. Earth and Planetary Science Letters 253 (2007), p. 415-428.
- Miles, W.F., Shives, R.B.K., Carson, J., Buckle, J., Dumont, R. and Coyle, M., 2007, Airborne Gamma-Ray Spectrometric and Magnetic Surveys over the Bonaparte Lake Area (NTS 092P), South-Central British Columbia in Geological Fieldwork 2006, British Columbia Ministry of Energy and Mines.
- MINFILE 092P 178; 2001, MINFILE Detail Report BC Geological Survey Ministry of Energy, Mines & Petroleum Resources.
- Price, R. A. and Monger, J. W. H., 2003. A transect of the Southern Canadian Cordillera from Calgary to Vancouver, May 2003, Geological Association of Canada, Cordilleran Section, Vancouver, (revised edition), 165 p.
- Schiarizza, P. and Israel, S., 2001. Geology and mineral occurrences of the Nehalliston Plateau, south-central British Columbia (92P/7, 8, 9, 10); British Columbia Ministry of Energy and Mines, Geological Fieldwork 2000, Paper 2001-1, p. 1-30.
- Schiarizza, P., Israel, S., Heffernan, S. and Zuber, J., 2002. Geology of the Nehalliston Plateau (1:50,000 map); British Columbia Geological Survey Open File 2002-4.
- Smith, R. B., 1979. Geology of the Harper Ranch Group (Carboniferous-Permian) and Nicola Group (Upper Triassic) northeast of Kamloops, British Columbia [M.Sc. thesis]: British Columbia, Vancouver, University of British Columbia, 211p.
- White, G. E., 1984. Geophysical report on an airborne VLF-electromagnetometer and magnetometer survey Kamloops Gold Project; British Columbia Ministry of Energy and Mines Assessment Report # 13437.
- White, G. E., 1993. Magnetometer VLF EM Report, Brenda 1,2,3 & 4 Claims; British Columbia Ministry of Energy and Mines Assessment Report # 22899.

Appendix C: Statement of expenses

STATEMENT OF EXPENSES

Goldmist Property

May 15, 2007 – July 2, 2007


Professional Fees and Wages:

Paul Bilka, Laborer		
1 day @	\$275/day	\$275.00
Perry Grunenberg, Senior Geologist		
7.5 days @	\$660/day	\$4,500.00
Lindsay Hills, Sampler		
16 days @	\$200/day	\$3,200.00
Brett Jensen, GIS/Logistics		
35.1 hours @	\$40/hour	\$1,404.00
James Lee, Sampler		
25 days @	\$175/day	\$4,375.00
Brenna Paterson, Sampler		
16 days @	\$235/day	\$3,760.00
Jonathan Russel, Sampler		
16 days @	\$250/day	\$4,000.00
Natalie Senger, Sampler		
20 days @	\$235/day	\$4,700.00
	<u>Sub-Total</u>	<u>\$26,214.00</u>

Expenses:

Chemical Analyses	\$41,990.06
Accommodations	\$4,742.27
Food	\$2,296.22
Maps and Publications	\$1,200.00
Travel expenses	\$2,918.75
Truck rental	\$1,439.26
Plowing	\$1,880.00
	<u>Sub-Total</u>
	<u>\$56,466.56</u>
	<u>Total</u>
	<u>\$82,680.56</u>

Appendix D: Sample preparation and analysis



ASSAYING
GEOCHEMISTRY
ANALYTICAL CHEMISTRY
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4

Phone (250) 573- 5700 Fax (250) 573- 4557

E-mail: info@ecotechlab.com

www.ecotechlab.com

Analytical Procedure Assessment Report

Eco Tech Laboratory Ltd. is registered for ISO 9001-2000 by QMI Quality registrars (CDN 52172-01) for the “provision of assay and geochemical analytical services”. Eco Tech also Participates in The Canadian Certified Reference Materials Project (CCRMP) testing program annually.

SAMPLE PREPARATION

Samples are catalogued and logged into the sample-tracking database. During the logging in process, samples are checked for spillage and general sample integrity. It is verified that samples match the sample shipment requisition provided by the clients. The samples are transferred into a drying oven and dried.

Soils are prepared by sieving through an 80-mesh screen to obtain a minus 80-mesh fraction. Samples unable to produce adequate minus 80-mesh material are screened at a coarser fraction. These samples are flagged with the relevant mesh.

Rock samples are crushed on a Terminator jaw crusher to minus 10 mesh ensuring that 70% passes through a Tyler 10 mesh screen.

Every 35 samples a re-split is taken using a riffle splitter to be tested to ensure the homogeneity of the crushed material.

A 250 gram sub sample of the crushed material is pulverized on a ring mill pulverizer ensuring that 95% passes through a 150 mesh screen. The sub sample is rolled, homogenized and bagged in a pre-numbered bag.

A barren gravel blank is prepared after each job in the sample prep to be analyzed for trace contamination along with the actual samples.

GEOCHEM GOLD ANALYSIS

The sample is weighed to 30 grams and fused along with proper fluxing materials. The resulting dore bead is digested in aqua regia and analyzed on an atomic absorption instrument (Perkin Elmer/Thermo S-Series AA instrument). Over-range geochem values (Detection limit 5-1000ppb) for rocks are re-analyzed using gold assay methods.

Appropriate standards and repeat/re-split samples (Quality Control Components) accompany the samples on the data sheet for quality control assessment.

ASSAY GOLD ANALYSIS

A 30 g sample size is fire assayed using appropriate fluxes. The resultant dore bead is parted and then digested with aqua regia and then analyzed on a Perkin Elmer/Thermo S-Series AA instrument. (Detection limit 0.03 g/t AA)

Appropriate standards and repeat/re-split samples (Quality Control Components) accompany the samples on the data sheet for quality control assessment.

MULTI ELEMENT ICP ANALYSIS

A 0.5 gram sample is digested with 3ml of a 3:1:2 (HCl:HN03:H20) for 90 minutes in a water bath at 95°C. The sample is then diluted to 10ml with water. All solutions used during the digestion process contain beryllium, which acts as an internal standard for the ICP run. The sample is analyzed on a Jarrell Ash/Thermo IRIS Intrepid II XSP ICP unit. Certified reference material is used to check the performance of the machine and to ensure that proper digestion occurred in the wet lab. QC samples are run along with the client samples to ensure no machine drift occurred or instrumentation issues occurred during the run procedure. Repeat samples (every batch of 10 or less) and re-splits (every batch of 35 or less) are also run to ensure proper weighing and digestion occurred.

Results are collated by computer and are printed along with accompanying quality control data (repeats, re-splits, and standards).

Appendix E: Magnetic survey raw data

Sample	nT	Corrected nT	Sample	nT	Corrected nT
L101N 90+00E	56008.60	57799	L102N 93+25E	56046.20	57844
L101N 90+25E	56023.06	57813	L102N 93+50E	55997.88	57796
L101N 90+50E	56042.01	57832	L102N 93+75E	56045.58	57844
L101N 90+75E	56160.62	57951	L102N 94+00E	56002.35	57801
L101N 91+00E	56047.51	57838	L102N 94+25E	55973.66	57772
L101N 91+25E	56023.37	57815	L102N 94+50E	56099.38	57898
L101N 91+50E	55963.38	57755	L102N 94+75E	56026.95	57826
L101N 91+75E	55940.39	57731	L102N 95+00E	56009.42	57809
L101N 92+00E	55945.96	57736	L102N 95+25E	55961.94	57761
L101N 92+25E	55961.19	57752	L102N 95+50E	55964.70	57764
L101N 92+50E	55949.44	57740	L102N 95+75E	56001.72	57801
L101N 92+75E	55949.22	57739	L102N 96+00E	55837.23	57637
L101N 93+00E	55945.69	57735	L102N 96+25E	56010.22	57810
L101N 93+25E	55923.32	57712	L102N 96+50E	55984.57	57784
L101N 93+50E	55928.50	57717	L102N 96+75E	55992.19	57792
L101N 93+75E	55932.95	57721	L102N 97+00E	55954.32	57754
L101N 94+00E	55925.19	57713	L102N 97+25E	55935.88	57736
L101N 94+25E	55911.90	57700	L102N 97+50E	56082.35	57883
L101N 94+50E	55776.24	57564	L102N 97+75E	55806.31	57607
L101N 94+75E	55848.85	57637	L102N 98+00E	55985.64	57787
L101N 95+00E	55813.97	57602	L102N 98+25E	55917.56	57719
L101N 95+25E	55821.83	57606	L102N 98+50E	55962.43	57765
L101N 95+50E	55868.22	57656	L102N 98+75E	55929.92	57733
L101N 95+75E	55869.69	57657	L102N 99+00E	55959.78	57763
L101N 96+00E	55943.29	57731	L102N 99+25E	55891.78	57695
L101N 96+25E	56131.41	57919	L102N 99+50E	55863.02	57666
L101N 96+50E	55727.60	57516	L102N 99+75E	55859.07	57663
L101N 96+75E	55830.00	57618	L102N 100+00E	56072.22	56071
L101N 97+00E	55821.40	57609	L102N 100+25E	55795.05	55795
L101N 97+25E	55859.96	57648	L102N 100+50E	55764.86	55767
L101N 97+50E	55853.89	57642	L102N 100+75E	55796.29	55800
L101N 97+75E	55838.79	57627	L102N 101+00E	55822.47	55825
L101N 98+00E	55814.45	57602	L102N 101+25E	55855.87	55860
L101N 98+25E	55812.53	57600	L102N 101+50E	55898.48	55904
L101N 98+50E	55837.46	57624	L102N 101+75E	55897.07	55903
L101N 98+75E	55906.89	57695	L102N 102+00E	55874.16	55880
L101N 99+00E	55717.56	57505	L102N 102+25E	55878.97	55885
L101N 99+25E	55736.20	57524	L102N 102+50E	55908.69	55916
L101N 99+50E	55729.89	57517	L102N 102+75E	55891.00	55897
L101N 99+75E	55639.24	57426	L102N 103+00E	55922.24	55929
L101N 100+00E	55591.65	57377	L102N 103+25E	55943.62	55950
L102N 90+00E	56140.94	57936	L102N 103+50E	55922.68	55928
L102N 90+25E	56128.43	57924	L102N 103+75E	55942.87	55949
L102N 90+50E	56107.87	57904	L102N 104+00E	55992.30	55996
L102N 90+75E	56063.61	57859	L102N 104+25E	56087.85	56093
L102N 91+00E	56076.02	57872	L102N 104+50E	56057.77	56061
L102N 91+25E	56092.69	57889	L102N 104+75E	56048.65	56052
L102N 91+50E	56049.93	57847	L102N 105+00E	56061.87	56065
L102N 91+75E	56037.94	57835	L102N 105+25E	56069.33	56071
L102N 92+00E	56029.87	57827	L102N 105+50E	56135.32	56137
L102N 92+25E	56025.69	57823	L102N 105+75E	56125.21	56127
L102N 92+50E	56028.73	57827	L102N 106+00E	56076.55	56078
L102N 92+75E	56105.44	57904	L102N 106+25E	56146.51	56148
L102N 93+00E	56003.10	57801	L102N 106+50E	56124.09	56127

Sample	nT	Corrected nT	Sample	nT	Corrected nT
L102N 106+75E	56120.80	56123	L103N 100+00E	55864.02	55968
L102N 107+00E	56137.45	56140	L103N 100+00E	55837.36	55846
L102N 107+25E	56142.31	56146	L103N 100+25E	55862.20	55871
L102N 107+50E	56167.20	56170	L103N 100+50E	55888.68	55898
L102N 107+75E	56165.42	56169	L103N 100+75E	55918.74	55929
L102N 108+00E	56189.13	56193	L103N 101+00E	55936.35	55947
L102N 108+25E	56202.65	56206	L103N 101+25E	55910.57	55921
L102N 108+50E	56199.36	56202	L103N 101+50E	56157.31	56168
L102N 108+75E	56221.01	56224	L103N 101+75E	55926.20	55936
L102N 109+00E	56256.37	56259	L103N 102+00E	55924.96	55935
L102N 109+25E	56272.39	56275	L103N 102+25E	55946.44	55957
L102N 109+50E	56301.24	56304	L103N 102+50E	55976.79	55988
L102N 109+75E	56349.82	56353	L103N 102+75E	55997.02	56008
L102N 110+00E	56388.54	56392	L103N 103+00E	55997.48	56008
L103N 90+00E	56085.22	56087	L103N 103+25E	56037.70	56049
L103N 90+25E	56091.87	56094	L103N 103+50E	56031.30	56043
L103N 90+50E	56226.60	56228	L103N 103+75E	56016.91	56028
L103N 90+75E	56144.79	56147	L103N 104+00E	56027.47	56039
L103N 91+00E	56089.83	56092	L103N 104+25E	56082.54	56095
L103N 91+25E	56058.96	56061	L103N 104+50E	56082.58	56095
L103N 91+50E	56099.58	56103	L103N 104+75E	56073.68	56086
L103N 91+75E	56047.93	56051	L103N 105+00E	56088.74	56100
L103N 92+00E	56080.53	56084	L103N 105+25E	56112.56	56123
L103N 92+25E	56094.39	56098	L103N 105+50E	56122.82	56133
L103N 92+50E	56083.09	56086	L103N 105+75E	56124.01	56135
L103N 92+75E	56047.97	56051	L103N 106+00E	56138.15	56149
L103N 93+00E	56168.69	56172	L103N 106+50E	56131.18	56141
L103N 93+25E	56063.64	56067	L103N 106+75E	56168.63	56178
L103N 93+50E	56052.90	56057	L103N 107+00E	56181.74	56191
L103N 93+75E	56060.63	56064	L103N 107+25E	56190.13	56199
L103N 94+00E	56050.54	56055	L103N 107+50E	56214.88	56223
L103N 94+25E	56028.54	56033	L103N 107+75E	56221.70	56230
L103N 94+50E	55991.90	55997	L103N 108+00E	56259.82	56267
L103N 94+75E	55850.62	55856	L103N 108+25E	56317.75	56325
L103N 95+00E	55959.27	55964	L103N 108+50E	56332.88	56340
L103N 95+25E	56041.70	56047	L103N 108+75E	56346.96	56354
L103N 95+50E	56046.84	56052	L103N 109+00E	56411.76	56418
L103N 95+75E	56036.74	56042	L103N 109+25E	56494.04	56500
L103N 96+00E	55982.76	55988	L103N 109+50E	56589.25	56595
L103N 96+25E	56006.30	56012	L103N 109+75E	57249.46	57255
L103N 96+50E	56004.87	56011	L103N 110+00E	57082.12	57088
L103N 96+75E	55967.06	55973	L104N 90+00E	56224.46	56228
L103N 97+00E	55956.32	55963	L104N 90+25E	56269.22	56273
L103N 97+25E	55934.74	55942	L104N 90+50E	56033.52	56037
L103N 97+50E	55986.49	55994	L104N 90+75E	56362.57	56367
L103N 97+75E	55978.62	55986	L104N 91+00E	56197.98	56202
L103N 98+00E	56057.84	56065	L104N 91+25E	56253.41	56258
L103N 98+25E	56020.35	56029	L104N 91+50E	56246.81	56252
L103N 98+50E	56031.74	56040	L104N 91+75E	56252.56	56258
L103N 98+75E	56022.44	56032	L104N 92+00E	56196.10	56201
L103N 99+00E	56060.16	56070	L104N 92+25E	56188.75	56194
L103N 99+25E	55964.42	55975	L104N 92+50E	56298.76	56304
L103N 99+50E	55914.61	55925	L104N 92+75E	56258.82	56264
L103N 99+75E	55915.36	55926	L104N 93+00E	56330.84	56336

Sample	nT	Corrected nT	Sample	nT	Corrected nT
L104N 93+25E	56131.26	56137	L105N 93+00E	55983.74	55989
L104N 93+50E	56309.50	56316	L105N 93+25E	56150.96	56156
L104N 93+75E	56222.99	56229	L105N 93+50E	56489.71	56496
L104N 94+00E	56151.90	56158	L105N 93+75E	56124.54	56130
L104N 94+25E	56191.50	56199	L105N 94+00E	56123.90	56130
L104N 94+50E	56203.35	56211	L105N 94+25E	56125.08	56132
L104N 94+75E	56197.72	56205	L105N 94+50E	56115.95	56123
L104N 95+00E	56228.60	56236	L105N 94+75E	56148.35	56155
L104N 95+25E	56202.03	56210	L105N 95+00E	56208.11	56215
L104N 95+50E	56250.38	56260	L105N 95+25E	56091.48	56099
L104N 95+75E	56204.97	56214	L105N 95+50E	56118.75	56126
L104N 96+00E	56109.54	56119	L105N 95+75E	56152.01	56159
L104N 96+25E	56179.26	56189	L105N 96+00E	56101.72	56110
L104N 96+50E	56186.99	56197	L105N 96+25E	56131.01	56139
L104N 96+75E	56168.45	56179	L105N 96+50E	56123.39	56131
L104N 97+00E	56227.88	56238	L105N 96+75E	56087.82	56096
L104N 97+25E	56171.33	56182	L105N 97+00E	56106.46	56115
L104N 97+50E	56194.01	56205	L105N 97+25E	56101.85	56110
L104N 97+75E	56184.44	56195	L105N 97+50E	56114.04	56122
L104N 98+00E	56192.95	56204	L105N 97+75E	56107.56	56116
L104N 98+25E	56299.81	56311	L105N 98+00E	56110.46	56119
L104N 98+50E	56162.25	56174	L105N 98+25E	56135.00	56143
L104N 98+75E	56229.94	56242	L105N 98+50E	56120.55	56130
L104N 99+00E	56248.30	56260	L105N 98+75E	55997.29	56006
L104N 99+25E	56357.36	56370	L105N 99+00E	56143.53	56153
L104N 99+50E	56226.27	56238	L105N 99+25E	56110.48	56120
L104N 99+75E	56265.91	56278	L105N 99+50E	56178.17	56187
L104N 100+00E	56114.63	56126	L105N 99+75E	56188.29	56197
L104N 100+25E	56116.38	56127	L105N 100+00E	56246.47	56256
L104N 100+50E	56123.20	56135	L105N 100+25E	56228.87	56238
L104N 100+75E	56159.98	56171	L105N 100+50E	56178.94	56188
L104N 101+00E	56141.39	56153	L105N 100+75E	56033.88	56043
L104N 101+25E	56163.82	56174	L105N 101+00E	56193.84	56203
L104N 101+50E	56207.20	56218	L105N 101+25E	56212.09	56221
L104N 101+75E	56132.00	56143	L105N 101+50E	56094.79	56104
L104N 102+00E	56118.13	56129	L105N 101+75E	56098.49	56107
L104N 102+25E	56144.33	56155	L105N 102+00E	56115.63	56124
L104N 102+50E	56178.77	56190	L105N 102+25E	56146.75	56155
L104N 102+75E	56149.26	56160	L105N 102+50E	56129.83	56138
L104N 103+00E	56108.83	56120	L105N 102+75E	56107.51	56116
L104N 103+25E	55387.70	55398	L105N 103+00E	56092.40	56101
L104N 103+50E	56216.15	56226	L105N 103+25E	56129.56	56138
L105N 90+00E	56130.16	56134	L105N 103+50E	56138.78	56147
L105N 90+25E	56115.31	56119	L106N 90+00E	56274.39	56278
L105N 90+50E	56064.90	56069	L106N 90+25E	56279.31	56283
L105N 90+75E	56293.38	56297	L106N 90+50E	56306.12	56310
L105N 91+00E	56173.94	56178	L106N 90+75E	56268.07	56273
L105N 91+25E	56192.22	56196	L106N 91+00E	56254.56	56259
L105N 91+50E	56201.91	56206	L106N 91+25E	56317.38	56322
L105N 91+75E	56254.40	56259	L106N 91+50E	56238.24	56244
L105N 92+00E	56127.43	56132	L106N 91+75E	56248.27	56254
L105N 92+25E	55996.98	56002	L106N 92+00E	56242.53	56248
L105N 92+50E	55984.53	55989	L106N 92+25E	56291.12	56297
L105N 92+75E	56103.24	56108	L106N 92+50E	56234.17	56240

Sample	nT	Corrected nT	Sample	nT	Corrected nT
L106N 92+75E	56286.89	56293	L107N 92+50E	56176.21	56180
L106N 93+00E	56245.27	56251	L107N 92+75E	56088.85	56093
L106N 93+25E	56250.58	56257	L107N 93+00E	56145.68	56150
L106N 93+50E	56238.93	56246	L107N 93+25E	56155.46	56159
L106N 93+75E	56348.11	56355	L107N 93+50E	56162.94	56166
L106N 94+00E	56281.06	56288	L107N 93+75E	56157.71	56161
L106N 94+25E	56258.17	56265	L107N 94+00E	56160.42	56163
L106N 94+50E	56234.19	56241	L107N 94+25E	56218.67	56221
L106N 94+75E	56241.82	56249	L107N 94+50E	56166.25	56168
L106N 95+00E	56186.09	56193	L107N 94+75E	56163.47	56165
L106N 95+25E	56216.87	56225	L107N 95+00E	56171.32	56176
L106N 95+50E	56243.64	56252	L107N 95+25E	56161.11	56164
L106N 95+75E	56232.41	56240	L107N 95+50E	56171.39	56173
L106N 96+00E	56225.90	56234	L107N 95+75E	56160.91	56163
L106N 96+25E	56263.61	56272	L107N 96+00E	56205.37	56207
L106N 96+50E	56288.80	56297	L107N 96+25E	56207.21	56209
L106N 96+75E	56223.38	56232	L107N 96+50E	56188.93	56191
L106N 97+00E	56251.13	56259	L107N 96+75E	56191.97	56194
L106N 97+25E	56213.70	56222	L107N 97+00E	56165.76	56168
L106N 97+50E	56209.63	56218	L107N 97+25E	56073.47	56075
L106N 97+75E	56255.69	56264	L107N 97+50E	56168.23	56170
L106N 98+00E	56231.34	56240	L107N 97+75E	56179.12	56181
L106N 98+25E	56226.03	56235	L107N 98+00E	56175.12	56178
L106N 98+50E	56221.05	56230	L107N 98+25E	56164.95	56167
L106N 98+75E	56302.09	56311	L107N 98+50E	56191.66	56193
L106N 99+00E	56262.18	56271	L107N 98+75E	56184.91	56187
L106N 99+25E	56238.64	56248	L107N 99+00E	56205.33	56207
L106N 99+50E	56298.07	56307	L107N 99+25E	56246.14	56248
L106N 99+75E	56346.06	56355	L107N 99+50E	56184.49	56186
L106N 100+00E	56318.67	56328	L107N 99+75E	56217.99	56220
L106N 100+25E	56233.72	56243	L107N 100+00E	56229.67	56232
L106N 100+50E	56192.64	56201	L107N 100+25E	56408.85	56412
L106N 100+75E	56182.26	56191	L107N 100+50E	56397.19	56400
L106N 101+00E	56237.56	56247	L107N 100+75E	56154.12	56157
L106N 101+25E	56434.35	56443	L107N 101+00E	56270.94	56273
L106N 101+50E	56384.92	56394	L107N 101+25E	56194.21	56196
L106N 101+75E	56224.89	56234	L107N 101+50E	56206.36	56209
L106N 102+00E	56130.31	56139	L107N 101+75E	56201.59	56204
L106N 102+25E	56216.20	56225	L107N 102+00E	56302.59	56305
L106N 102+50E	56227.39	56236	L107N 102+25E	56211.43	56214
L106N 102+75E	56184.63	56193	L107N 102+50E	56247.57	56250
L106N 103+00E	56202.19	56211	L107N 102+75E	56198.60	56201
L106N 103+25E	56200.99	56210	L107N 103+00E	56188.26	56190
L106N 103+50E	56226.48	56235	L107N 103+25E	56188.90	56190
L107N 90+00E	56189.85	56194	L107N 103+50E	56275.29	56276
L107N 90+25E	56144.77	56149	L108N 90+00E	56275.45	56279
L107N 90+50E	56146.11	56150	L108N 90+25E	56305.73	56310
L107N 90+75E	56153.47	56157	L108N 90+50E	56254.29	56259
L107N 91+00E	56139.64	56143	L108N 90+75E	56280.93	56285
L107N 91+25E	56287.08	56291	L108N 91+00E	56231.90	56236
L107N 91+50E	56317.68	56322	L108N 91+25E	56347.51	56352
L107N 91+75E	56135.93	56140	L108N 91+50E	56246.25	56250
L107N 92+00E	56142.28	56146	L108N 91+75E	56254.60	56259
L107N 92+25E	56150.71	56155	L108N 92+00E	56228.53	56232

Sample	nT	Corrected nT
L108N 92+25E	56297.34	56301
L108N 92+50E	56301.20	56305
L108N 92+75E	56310.59	56315
L108N 93+00E	56303.76	56308
L108N 93+25E	56303.52	56308
L108N 93+50E	56377.17	56382
L108N 93+75E	56277.21	56282
L108N 94+00E	56221.68	56225
L108N 94+25E	56148.88	56153
L108N 94+50E	56150.92	56155
L108N 94+75E	56405.66	56410
L108N 95+00E	56310.72	56315
L108N 95+25E	56289.10	56293
L108N 95+50E	56337.76	56342
L108N 95+75E	56308.85	56313
L108N 96+00E	56248.85	56253
L108N 96+25E	56317.24	56321
L108N 96+50E	56307.73	56311
L108N 96+75E	56314.62	56318
L108N 97+00E	56274.15	56276
L108N 97+25E	56276.19	56278
L108N 97+50E	56288.00	56290
L108N 97+75E	56264.62	56266
L108N 98+00E	56282.74	56284
L108N 98+25E	56313.97	56316
L108N 98+50E	56316.63	56318
L108N 98+75E	56340.29	56342
L108N 99+00E	56346.28	56349
L108N 99+25E	56332.27	56335
L108N 99+50E	56614.98	56618
L108N 99+75E	56432.82	56436
L108N 100+00E	56379.40	56382
L108N 100+25E	56392.83	56395
L108N 100+50E	56302.35	56304
L108N 100+75E	56579.00	56581
L108N 101+00E	56376.79	56379
L108N 101+25E	56558.62	56561
L108N 101+50E	56280.09	56282
L108N 101+75E	56395.77	56398
L108N 102+00E	56248.17	56251
L108N 102+25E	56313.63	56316
L108N 102+50E	56325.38	56328
L108N 102+75E	56282.31	56285
L108N 103+00E	56321.42	56323
L108N 103+25E	56264.23	56266
L108N 103+50E	56373.18	56375

Appendix F: Certificates of analyses

28-Jun-07

ECO TECH LABORATORY LTD.
 10041 Dallas Drive
 KAMLOOPS, B.C.
 V2C 8T4

Phone: 250-573-5700
 Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2007-0733

American Creek Resources Ltd.
 Box 798
 Raymond, AB
 T0K 2S0

No. of samples received: 77
 Sample Type: Soil
 Project: Gold Mist
 Shipment #: GM-2
 Submitted by: Lindsay Hills

Values in ppm unless otherwise reported

El #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	L99N 90+00E	<5	<0.2	1.37	<5	50	5	0.44	<1	20	45	40	2.73	<10	0.80	311	3	0.01	40	530	24	<5	<20	10	0.11	<10	58	<10	<1	51
2	L99N 90+25E	5	<0.2	1.47	10	75	<5	0.42	<1	18	37	28	2.30	<10	0.61	401	2	0.02	31	1060	26	<5	<20	12	0.09	<10	49	<10	<1	88
3	L99N 90+50E	5	<0.2	1.54	10	60	<5	0.39	<1	17	50	42	2.64	<10	0.88	292	2	0.02	33	670	26	<5	<20	12	0.10	<10	55	<10	<1	49
4	L99N 90+75E	<5	<0.2	2.03	5	90	<5	0.31	<1	14	26	15	2.15	<10	0.37	440	<1	0.02	18	2350	34	<5	<20	8	0.11	<10	40	<10	<1	53
5	L99N 91+00E	<5	0.2	1.08	10	55	5	0.43	<1	14	18	12	1.53	<10	0.24	586	1	0.02	18	770	22	<5	<20	15	0.09	<10	37	<10	<1	39
6	L99N 91+25E	<5	<0.2	2.15	15	105	15	0.54	<1	14	27	16	2.09	<10	0.52	216	<1	0.02	27	1170	40	<5	<20	21	0.12	<10	41	<10	2	51
7	L99N 91+50E	<5	<0.2	1.41	10	205	<5	0.68	<1	12	19	10	1.53	<10	0.31	1508	<1	0.02	18	1810	24	<5	<20	17	0.09	<10	30	<10	<1	59
8	L99N 91+75E	<5	<0.2	1.59	5	130	10	0.31	<1	14	18	10	1.72	<10	0.22	827	1	0.02	16	3280	30	<5	<20	13	0.09	<10	35	<10	<1	69
9	L99N 92+00E	25	<0.2	2.08	10	75	5	0.29	<1	14	22	26	2.02	<10	0.34	319	1	0.02	25	1800	38	<5	<20	9	0.10	<10	42	<10	2	79
10	L99N 92+25E	<5	<0.2	1.65	5	110	15	0.51	<1	19	37	33	2.55	<10	0.63	584	<1	0.02	30	1040	38	<5	<20	21	0.12	<10	51	<10	5	61
11	L99N 92+50E	5	<0.2	1.50	5	85	10	0.71	<1	18	36	34	2.53	<10	0.68	465	3	0.02	33	630	30	<5	<20	15	0.10	<10	51	<10	3	47
12	L99N 93+25E	85	<0.2	1.23	<5	45	5	0.42	<1	17	35	35	2.54	<10	0.70	252	2	0.02	27	360	24	<5	<20	11	0.10	<10	49	<10	3	44
13	L99N 93+50E	<5	<0.2	0.69	<5	45	10	0.59	<1	10	17	20	1.93	<10	0.31	179	1	0.02	26	230	18	<5	<20	16	0.09	<10	51	<10	2	68
14	L99N 93+75E	<5	<0.2	1.48	5	105	10	0.31	<1	15	27	17	2.56	<10	0.54	358	2	0.02	23	1210	28	<5	<20	10	0.10	<10	54	<10	<1	95
15	L99N 94+00E	<5	0.2	1.97	15	110	10	0.49	<1	18	24	19	2.44	<10	0.44	260	1	0.02	31	1920	36	<5	<20	16	0.11	<10	49	<10	<1	109
16	L99N 94+25E	<5	0.2	1.76	10	95	10	0.34	<1	14	29	13	2.41	<10	0.56	295	2	0.02	27	790	32	<5	<20	12	0.08	<10	50	<10	<1	66
17	L99N 94+50E	10	<0.2	1.25	5	90	10	0.29	<1	12	27	13	2.19	<10	0.59	414	1	0.02	19	420	26	<5	<20	12	0.09	<10	55	<10	<1	50
18	L99N 94+75E	<5	<0.2	1.44	<5	90	5	0.35	<1	13	29	18	2.35	<10	0.61	321	1	0.02	24	680	26	<5	<20	12	0.08	<10	50	<10	2	64
19	L99N 95+00E	5	<0.2	1.17	<5	80	5	0.30	<1	12	25	24	2.23	<10	0.46	289	<1	0.02	19	800	24	<5	<20	12	0.08	<10	53	<10	<1	53
20	L99N 95+25E	<5	<0.2	1.63	10	60	<5	0.39	<1	18	42	40	2.63	<10	0.87	310	1	0.02	32	450	28	<5	<20	11	0.12	<10	56	<10	<1	69
21	L99N 95+50E	5	<0.2	1.35	5	105	5	0.54	<1	11	14	18	2.02	<10	0.22	558	<1	0.02	14	1670	26	<5	<20	17	0.09	<10	57	<10	<1	43
22	L99N 95+75E	5	<0.2	1.52	10	85	10	0.29	<1	13	22	15	2.09	<10	0.38	224	2	0.02	19	1120	34	<5	<20	13	0.09	<10	47	<10	<1	70
23	L99N 96+00E	<5	<0.2	1.07	<5	125	5	0.52	<1	15	16	51	2.98	<10	0.47	595	<1	0.02	14	1120	20	<5	<20	17	0.10	<10	96	<10	<1	89
24	L99N 96+25E	5	<0.2	1.57	15	80	<5	0.37	<1	20	25	98	2.75	<10	0.47	309	2	0.02	52	1210	32	<5	<20	12	0.10	<10	61	<10	<1	113
25	L99N 96+50E	<5	<0.2	2.04	10	115	<5	0.58	<1	27	15	128	3.26	<10	0.53	398	1	0.02	25	1630	40	<5	<20	16	0.14	<10	89	<10	<1	87
26	L99N 96+75E	10	<0.2	1.42	10	120	<5	0.40	<1	23	20	117	2.81	<10	0.61	329	<1	0.02	31	460	28	<5	<20	15	0.11	<10	87	<10	<1	48
27	L99N 97E	125	<0.2	1.55	<5	100	<5	0.43	<1	14	14	29	2.19	<10	0.50	285	1	0.02	16	480	30	<5	<20	14	0.10	<10	74	<10	<1	38
28	L99N 97+25E	<5	<0.2	1.20	10	90	5	0.22	<1	10	12	21	1.68	<10	0.14	543	<1	0.02	10	1230	28	<5	<20	8	0.10	<10	43	<10	<1	60
29	L99N 97+50E	<5	<0.2	1.64	10	105	<5	0.30	<1	16	31	105	3.42	<10	0.72	234	2	0.02	29	1320	34	<5	<20	14	0.10	<10	79	<10	<1	73
30	L99N 97+75E	5	<0.2	1.70	20	85	5	0.29	<1	19	37	42	2.94	<10	0.80	345	<1	0.02	29	540	34	<5	<20	10	0.11	<10	62	<10	<1	90

ECO TECH LABORATORY LTD.												ICP CERTIFICATE OF ANALYSIS AK 2007- 733												American Creek Resources Ltd.											
Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn					
31	L99N 98E	5	<0.2	1.42	15	85	<5	0.32	<1	13	31	36	2.63	<10	0.67	249	1	0.02	20	290	28	<5	<20	10	0.08	<10	58	<10	1	52					
32	L99N 98+25E	<5	<0.2	2.59	15	180	<5	0.37	<1	17	23	69	2.89	<10	0.53	282	2	0.02	23	860	48	<5	<20	12	0.12	<10	64	<10	<1	69					
33	L99N 98+50E	<5	<0.2	1.79	10	135	5	0.31	<1	16	20	63	2.84	<10	0.43	678	2	0.02	20	1090	36	<5	<20	11	0.11	<10	68	<10	<1	76					
34	L99N 98+75E	5	0.9	1.47	10	205	<5	0.38	<1	16	20	62	2.56	<10	0.36	1054	<1	0.02	17	570	30	<5	<20	16	0.11	<10	68	<10	<1	93					
35	L99N 99E	5	<0.2	1.75	20	145	<5	0.29	<1	14	11	36	2.03	<10	0.22	280	<1	0.02	16	400	36	<5	<20	12	0.12	<10	57	<10	<1	48					
36	L99N 99+25E	20	<0.2	2.30	<5	325	<5	0.62	<1	17	17	68	3.42	<10	0.55	708	5	0.02	17	210	44	<5	<20	14	0.10	<10	92	<10	<1	44					
37	L99N 99+50E	75	0.3	1.99	<5	290	<5	1.22	<1	36	12	313	5.88	<10	1.16	1075	2	0.02	18	550	34	<5	<20	29	0.12	<10	189	<10	5	44					
38	L99N 100+25E	50	<0.2	2.14	<5	150	10	0.94	<1	25	15	118	5.15	<10	1.04	267	1	0.02	15	220	80	<5	<20	26	0.13	<10	185	<10	<1	37					
39	L99N 100+50E	5	<0.2	1.78	10	185	<5	1.13	<1	28	19	180	4.71	<10	0.95	435	2	0.02	16	320	38	<5	<20	25	0.13	<10	166	<10	<1	43					
40	L99N 100+75E	10	<0.2	1.69	<5	165	5	0.68	<1	27	17	165	4.34	<10	0.82	383	1	0.02	15	230	38	<5	<20	18	0.13	<10	148	<10	<1	41					
41	L99N 101+00E	<5	<0.2	1.53	10	145	10	0.48	<1	14	21	25	2.45	<10	0.59	320	2	0.02	17	540	30	<5	<20	18	0.10	<10	55	<10	<1	68					
42	L99N 101+25E	<5	0.2	1.73	15	335	<5	0.52	<1	13	8	38	2.82	<10	0.46	234	1	0.02	9	4390	34	<5	<20	27	0.08	<10	62	<10	<1	122					
43	L99N 101+50E	10	0.2	2.35	10	200	5	1.13	<1	26	14	139	4.18	<10	1.51	426	2	0.03	22	700	40	<5	<20	28	0.12	<10	158	<10	<1	53					
44	L99N 101+75E	<5	0.2	1.82	<5	115	5	0.94	<1	19	14	75	3.35	<10	0.96	241	<1	0.03	16	380	32	<5	<20	22	0.13	<10	130	<10	<1	39					
45	L99N 102+00E	5	0.2	1.78	<5	110	10	0.71	<1	19	22	62	3.41	<10	0.96	233	2	0.03	25	210	32	<5	<20	21	0.12	<10	105	<10	<1	47					
46	L99N 102+25E	5	0.2	1.46	15	105	10	0.46	<1	12	19	13	2.08	<10	0.42	244	2	0.02	19	200	28	<5	<20	18	0.09	<10	44	<10	<1	70					
47	L99N 102+50E	<5	<0.2	1.62	15	95	<5	0.54	<1	14	21	17	2.27	<10	0.71	282	<1	0.03	19	280	30	<5	<20	16	0.10	<10	52	<10	<1	58					
48	L99N 102+75E	<5	<0.2	2.09	10	145	10	0.38	<1	16	19	25	2.62	<10	0.48	345	2	0.02	37	1000	40	<5	<20	15	0.11	<10	48	<10	<1	120					
49	L99N 103+00E	<5	<0.2	1.85	15	195	5	0.59	<1	15	19	25	2.50	<10	0.69	554	2	0.03	24	510	36	<5	<20	19	0.10	<10	57	<10	2	74					
50	L99N 103+25E	<5	0.2	1.93	10	125	10	0.38	<1	17	21	45	3.03	<10	0.84	303	<1	0.02	23	320	38	<5	<20	13	0.11	<10	51	<10	7	67					
51	L99N 103+50E	5	0.2	1.78	5	125	5	0.44	<1	17	20	26	3.17	<10	0.53	329	1	0.02	28	360	34	<5	<20	14	0.11	<10	51	<10	<1	98					
52	L99N 103+75E	<5	0.2	1.56	10	200	5	0.64	<1	13	19	21	2.45	<10	0.52	894	1	0.02	25	590	34	<5	<20	21	0.10	<10	46	<10	<1	87					
53	L99N 104+00E	10	<0.2	1.32	5	75	<5	0.72	<1	15	22	72	3.44	<10	0.65	339	4	0.01	24	220	30	<5	<20	12	0.09	<10	50	<10	27	55					
54	L99N 104+25E	<5	0.2	1.66	10	200	5	0.65	<1	14	17	25	2.38	<10	0.46	924	<1	0.02	24	630	34	<5	<20	20	0.10	<10	43	<10	2	88					
55	L99N 104+50E	<5	<0.2	2.17	15	205	5	0.52	<1	15	18	22	2.58	<10	0.48	491	<1	0.02	30	470	40	<5	<20	16	0.10	<10	46	<10	<1	92					
56	L99N 104+75E	<5	<0.2	1.91	5	165	10	0.46	<1	14	18	18	2.56	<10	0.51	413	2	0.02	27	470	38	<5	<20	17	0.10	<10	45	<10	<1	93					
57	L99N 105+00E	<5	<0.2	2.10	15	170	<5	0.42	<1	14	19	18	2.70	<10	0.54	344	1	0.02	30	410	40	<5	<20	12	0.11	<10	47	<10	<1	92					
58	L99N 105+25E	5	0.2	1.67	15	145	<5	0.56	<1	13	16	16	2.06	<10	0.38	500	1	0.02	34	1230	34	<5	<20	19	0.09	<10	35	<10	2	202					
59	L99N 105+50E	5	<0.2	1.52	10	75	5	0.38	<1	16	21	46	3.27	<10	0.82	354	2	0.01	22	290	32	<5	<20	11	0.11	<10	58	<10	4	65					
60	L99N 105+75E	<5	<0.2	1.84	15	140	10	0.43	<1	16	18	21	2.67	<10	0.51	438	2	0.02	30	1150	38	<5	<20	16	0.09	<10	46	<10	3	113					
61	L99N 106+00E	<5	<0.2	1.22	10	90	<5	0.39	<1	11	14	11	1.97	<10	0.44	372	<1	0.02	15	250	26	<5	<20	12	0.08	<10	39	<10	<1	80					
62	L99N 106+25E	<5	<0.2	1.58	15	150	10	0.43	<1	13	14	13	1.95	<10	0.33	479	1	0.02	25	610	32	<5	<20	17	0.09	<10	38	<10	2	102					
63	L99N 106+50E	<5	0.2	1.63	10	170	5	0.37	<1	13	14	16	2.05	<10	0.39	414	2	0.02	27	790	30	<5	<20	12	0.09	<10	40	<10	<1	119					
64	L99N 106+75E	<5	0.2	1.35	10	130	10	0.50	<1	12	14	12	1.95	<10	0.36	488	1	0.02	23	820	28	<5	<20	19	0.08	<10	39	<10	1	96					
65	L99N 107+00E	5	<0.2	1.86	5	135	<5	0.51	<1	16	19	28	3.12	<10	0.68	534	2	0.02	23	350	38	<5	<20	16	0.11	<10	62	<10	<1	77					
66	L99N 107+25E	<5	<0.2	1.77	15	195	10	0.39	<1	16	19	22	2.86	<10	0.56	747	2	0.02	28	930	40	<5	<20	15	0.10	<10	52	<10	3	116					
67	L99N 107+50E	<5	<0.2	1.87	10	120	<5	0.46	<1	19	19	35	3.31	<10	0.73	404	2	0.02	24	520	38	<5	<20	12	0.12	<10	68	<10	3	90					
68	L99N 107+75E	<5	0.2	1.82	15	190	<5	0.69	<1	15	21	22	2.60	<10	0.54	685	2	0.02	30	1080	36	<5	<20	21	0.09	<10	48	<10	<1	117					
69	L99N 108+00E	40	<0.2	1.75	10	80	10	0.30	<1	20	28	42	3.64	<10	0.96	392	2	0.01	27	390	34	<5	<20	8	0.11	<10	80	<10	<1	92					
70	L99N 108+25E	<5	0.2	1.63	10	190	<5	0.62	<1	14	21	20	2.41	<10	0.46	989	2	0.02	31	1540															

ECO TECH LABORATORY LTD.		ICP CERTIFICATE OF ANALYSIS AK 2007- 733																				American Creek Resources Ltd.								
Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
71	L99N 108+50E	5	0.2	1.90	10	125	5	0.52	<1	15	25	27	3.02	<10	0.66	478	1	0.02	36	750	34	<5	<20	14	0.10	<10	59	<10	<1	128
72	L99N 108+75E	<5	<0.2	1.79	15	130	10	0.45	<1	17	34	25	3.44	<10	0.98	621	3	0.02	28	410	36	<5	<20	13	0.10	<10	80	<10	<1	103
73	L99N 109+00E	<5	<0.2	1.82	15	105	<5	0.33	<1	16	26	26	3.02	<10	0.65	507	1	0.02	33	900	34	<5	<20	7	0.10	<10	59	<10	7	110
74	L99N 109+25E	10	0.2	2.13	10	105	5	0.48	<1	17	22	23	2.71	<10	0.52	352	3	0.02	32	840	40	<5	<20	11	0.11	<10	55	<10	<1	81
75	L99N 109+50E	<5	<0.2	1.31	10	95	<5	6.83	<1	5	8	20	1.02	<10	0.12	138	<1	0.03	11	760	24	<5	<20	42	0.05	<10	11	<10	4	58
76	L99N 109+75E	5	0.2	1.80	20	120	5	0.66	<1	15	23	16	2.50	<10	0.49	417	1	0.02	29	770	36	<5	<20	17	0.10	<10	56	<10	<1	112
77	L99N 110+00E	5	0.2	1.91	20	150	5	0.47	<1	17	29	23	2.96	<10	0.69	570	2	0.02	36	700	38	<5	<20	14	0.11	<10	62	<10	1	139
QC DATA:																														
<i>Repeat:</i>																														
1	L99N 90+00E	<5	<0.2	1.39	<5	55	10	0.44	<1	20	43	41	2.73	<10	0.80	311	2	0.02	38	560	26	<5	<20	13	0.12	<10	58	<10	<1	53
10	L99N 92+25E	<5	<0.2	1.61	10	90	5	0.47	<1	18	38	30	2.58	<10	0.68	544	<1	0.02	31	980	30	<5	<20	16	0.11	<10	52	<10	<1	59
19	L99N 95+00E	<5	<0.2	1.19	<5	80	5	0.31	<1	12	25	23	2.24	<10	0.47	305	1	0.02	19	830	24	<5	<20	9	0.07	<10	54	<10	<1	54
28	L99N 97+25E	<5	<0.2	1.20	5	85	10	0.22	<1	10	11	20	1.72	<10	0.14	541	<1	0.02	11	1220	28	<5	<20	8	0.10	<10	45	<10	<1	61
36	L99N 99+25E	50	<0.2	2.28	5	325	<5	0.61	<1	18	18	73	3.61	<10	0.56	705	5	0.02	16	230	46	<5	<20	17	0.10	<10	98	<10	3	44
45	L99N 102+00E	<5	<0.2	1.70	5	105	5	0.69	<1	19	22	61	3.33	<10	0.91	228	2	0.03	25	220	32	<5	<20	21	0.11	<10	102	<10	<1	47
54	L99N 104+25E	<5	0.2	1.69	10	220	10	0.69	<1	14	17	25	2.38	<10	0.47	940	2	0.02	26	860	36	<5	<20	20	0.09	<10	42	<10	1	89
63	L99N 106+50E	<5	0.3	1.61	10	170	<5	0.36	<1	13	14	16	2.06	<10	0.38	416	1	0.02	28	810	32	<5	<20	11	0.09	<10	39	<10	<1	119
71	L99N 108+50E	5	0.2	1.93	10	135	10	0.54	<1	17	26	29	3.08	<10	0.65	497	2	0.02	37	770	40	<5	<20	18	0.10	<10	60	<10	1	130
<i>Standard:</i>																														
Till - 3		1.4	1.04	80	45	<5	0.65	<1	13	55	19	1.89	10	0.53	307	1	0.03	28	440	32	<5	<20	12	0.08	<10	35	<10	9	37	
Till - 3		1.4	0.98	75	45	10	0.56	<1	13	56	20	1.91	10	0.54	291	2	0.02	29	420	32	<5	<20	10	0.08	<10	35	<10	8	37	
Till - 3		1.3	1.07	75	40	<5	0.62	<1	13	56	19	1.91	10	0.54	290	2	0.03	29	430	32	<5	<20	11	0.08	<10	36	<10	8	36	
SE29		600																												
SE29		610																												
SE29		605																												
JJ/ji df/733																														
XLS/07																														

ECO TECH LABORATORY LTD.

Jutta Jealouse
B.C. Certified Assayer

3-Jul-07

ECO TECH LABORATORY LTD.
 10041 Dallas Drive
 KAMLOOPS, B.C.
 V2C 6T4

Phone: 250-573-5700
 Fax : 250-573-4557

Values in ppm unless otherwise reported

ICP CERTIFICATE OF ANALYSIS AK 2007- 734

American Creek Resources Ltd.
 Box 798
 Raymond, AB
 T0K 2S0

No. of samples received: 161
 Sample Type: Soil
 Project: Gold Mist
 Shipment #: GM-2
 Submitted by: Lindsay Hills

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	L100N 90+00E	5	<0.2	1.60	10	130	10	0.35	<1	15	24	16	2.37	<10	0.36	191	3	0.02	26	2060	34	<5	<20	11	0.22	<10	55	<10	2	53
2	L100N 90+25E	5	0.2	2.60	15	95	10	0.37	<1	19	24	13	2.23	<10	0.25	295	3	0.02	23	2640	50	<5	<20	15	0.21	<10	44	<10	6	50
3	L100N 90+50E	35	<0.2	1.66	10	80	10	0.36	<1	19	44	26	2.90	<10	0.70	249	3	0.02	29	1550	36	<5	<20	13	0.18	<10	62	<10	4	49
4	L100N 90+75E	35	0.2	1.65	10	60	10	0.35	<1	13	18	15	1.71	<10	0.14	280	2	0.02	12	1080	38	<5	<20	12	0.16	<10	40	<10	4	31
5	L100N 91+00E	<5	0.2	2.58	15	90	10	0.32	<1	18	27	27	2.56	<10	0.46	229	3	0.02	33	1150	56	<5	<20	12	0.20	<10	51	<10	7	55
6	L100N 91+25E	<5	<0.2	2.43	15	115	5	0.50	<1	16	27	12	2.40	<10	0.39	217	2	0.02	28	890	52	<5	<20	14	0.22	<10	46	<10	5	45
7	L100N 91+50E	5	<0.2	1.62	15	90	10	0.22	<1	13	16	12	1.67	<10	0.19	307	1	0.02	17	1620	40	<5	<20	15	0.18	<10	33	<10	7	46
8	L100N 91+75E	5	<0.2	1.49	5	75	10	0.40	<1	17	40	31	2.84	<10	0.85	352	2	0.02	28	670	30	<5	<20	12	0.16	<10	58	<10	3	48
9	L100N 92+00E	<5	<0.2	1.32	5	85	10	0.24	<1	14	21	11	1.97	<10	0.36	300	2	0.02	18	1340	32	<5	<20	13	0.14	<10	47	<10	2	55
10	L100N 92+25E	<5	0.2	1.65	10	140	10	0.59	<1	13	19	11	1.87	<10	0.31	602	2	0.02	24	2180	38	<5	<20	17	0.16	<10	37	<10	4	72
11	L100N 92+50E	<5	<0.2	1.71	10	150	10	0.43	<1	15	28	22	2.35	<10	0.47	492	4	0.02	31	2190	40	10	<20	13	0.13	<10	43	<10	5	102
12	L100N 92+75E	45	<0.2	1.69	<5	65	10	0.36	<1	17	43	40	3.33	<10	0.94	298	4	0.02	30	740	36	<5	<20	10	0.13	<10	64	<10	3	60
13	L100N 93+00E	40	<0.2	0.92	<5	200	5	0.32	<1	6	10	7	1.31	<10	0.21	568	<1	0.02	9	1810	24	<5	<20	12	0.15	<10	28	<10	2	100
14	L100N 93+25E	10	<0.2	1.58	10	95	5	0.53	<1	18	32	35	2.66	<10	0.65	422	3	0.02	28	570	34	<5	<20	17	0.16	<10	54	<10	8	48
15	L100N 93+50E	15	<0.2	1.20	<5	80	<5	1.84	2	19	28	67	3.58	10	0.58	905	5	0.02	37	630	28	5	<20	21	0.09	<10	47	<10	19	79
16	L100N 93+75E	<5	0.2	1.73	10	145	10	0.56	<1	19	12	20	2.65	<10	0.10	2299	3	0.02	17	2950	38	<5	<20	17	0.19	<10	38	<10	4	294
17	L100N 94+00E	<5	<0.2	1.68	5	80	10	1.04	<1	17	55	52	3.42	<10	0.67	351	5	0.01	19	510	34	<5	<20	21	0.16	<10	92	<10	<1	131
18	L100N 94+25E	<5	<0.2	0.84	<5	45	5	0.54	<1	9	17	17	2.00	<10	0.26	158	4	0.02	16	150	20	<5	<20	12	0.18	<10	54	<10	1	43
19	L100N 94+50E	<5	0.2	0.91	5	85	10	0.42	<1	18	33	29	1.96	<10	0.36	590	2	0.02	15	1440	24	<5	<20	17	0.14	<10	43	<10	<1	115
20	L100N 94+75E	<5	<0.2	1.51	<5	95	5	0.20	<1	15	20	18	2.38	<10	0.32	554	3	0.01	21	1240	36	<5	<20	9	0.16	<10	51	<10	2	132
21	L100N 95+00E	<5	<0.2	3.13	20	85	<5	0.48	1	21	19	19	2.64	<10	0.19	233	6	0.02	46	2400	68	<5	<20	16	0.23	<10	85	<10	5	381
22	L100N 95+25E	<5	<0.2	1.85	15	105	10	0.33	<1	13	18	18	2.35	<10	0.22	382	5	0.02	18	2790	40	10	<20	13	0.16	<10	43	<10	2	204
23	L100N 95+50E	<5	<0.2	1.60	10	75	10	0.56	<1	12	9	16	1.83	<10	0.13	437	2	0.02	16	1300	38	<5	<20	18	0.19	<10	34	<10	6	149
24	L100N 95+75E	<5	<0.2	1.27	<5	130	5	0.60	2	20	15	28	2.10	<10	0.19	1361	3	0.02	21	530	30	<5	<20	17	0.18	<10	51	<10	5	264
25	L100N 96+00E	<5	<0.2	0.99	10	55	10	0.34	1	18	30	35	3.50	<10	0.56	238	4	0.01	34	420	22	<5	<20	10	0.18	<10	116	<10	<1	155
26	L100N 96+25E	<5	<0.2	2.08	15	185	10	0.67	<1	20	11	18	2.15	<10	0.20	942	3	0.02	13	5330	44	<5	<20	28	0.18	<10	35	<10	4	200
27	L100N 96+50E	<5	<0.2	3.20	30	125	10	0.59	<1	19	16	21	3.46	<10	0.19	259	3	0.02	33	5180	68	<5	<20	20	0.23	<10	45	<10	3	160
28	L100N 96+75E	<5	<0.2	1.37	10	185	10	0.76	1	14	16	17	2.22	<10	0.22	984	3	0.02	32	2240	34	<5	<20	31	0.20	<10	39	<10	3	263
29	L100N 97+00E	<5	<0.2	0.87	5	110	<5	0.58	<1	10	10	11	1.56	<10	0.16	522	1	0.02	22	860	20	<5	<20	25	0.15	<10	40	<10	<1	95
30	L100N 97+25E	<5	<0.2	1.84	10	155	5	0.66	<1	15	23	24	2.92	<10	0.60	536	3	0.02	33	430	42	<5	<20	23	0.18	<10	58	<10	4	122

ECO TECH LABORATORY LTD.		ICP CERTIFICATE OF ANALYSIS AK 2007- 734																		American Creek Resources Ltd.										
Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
31	L100N 97+50E	<5	<0.2	1.69	10	265	5	0.83	<1	14	27	19	2.39	<10	0.48	1347	2	0.02	37	790	36	<5	<20	33	0.16	<10	45	<10	4	116
32	L100N 97+75E	<5	<0.2	1.85	10	105	10	0.40	<1	20	47	32	3.23	<10	0.76	360	3	0.01	40	450	42	<5	<20	15	0.19	<10	82	<10	4	103
33	L100N 98+00E	<5	<0.2	2.33	20	260	5	1.15	<1	16	22	24	2.36	<10	0.35	1210	3	0.03	68	1020	52	<5	<20	41	0.22	<10	50	<10	6	156
34	L100N 98+25E	5	<0.2	2.13	10	140	5	0.53	<1	17	24	24	2.72	<10	0.39	458	2	0.02	43	1020	46	<5	<20	16	0.21	<10	66	<10	1	142
35	L100N 98+50E	15	<0.2	2.20	15	145	10	0.74	<1	18	31	38	2.67	<10	0.55	578	2	0.02	47	910	52	<5	<20	28	0.20	<10	57	<10	8	86
36	L100N 98+75E	30	<0.2	1.61	10	100	5	0.52	<1	15	20	26	2.00	<10	0.33	179	2	0.02	49	330	36	<5	<20	19	0.16	<10	39	<10	4	97
37	L100N 99+00E	285	0.2	1.22	<5	105	10	1.24	3	35	34	128	5.50	10	0.89	381	8	0.01	94	780	62	<5	<20	40	0.23	<10	147	<10	24	246
38	L100N 99+25E	<5	<0.2	1.57	10	280	10	0.68	<1	16	23	23	3.14	<10	0.28	521	2	0.02	33	1190	38	<5	<20	40	0.24	<10	53	<10	7	181
39	L100N 99+50E	25	<0.2	1.37	10	160	10	1.31	1	32	29	102	5.36	10	0.75	705	6	0.01	88	600	38	<5	<20	64	0.19	<10	99	<10	21	203
40	L100N 99+75E	5	<0.2	1.83	5	80	10	0.81	<1	14	31	34	2.88	<10	0.71	180	4	0.01	47	270	42	<5	<20	28	0.26	<10	124	<10	2	158
41	L100N 100+00E	20	<0.2	1.14	10	145	10	1.50	1	29	18	98	5.52	10	0.51	589	5	0.01	77	1750	30	<5	<20	54	0.14	<10	60	<10	14	221
42	L100N 100+25E	30	<0.2	1.26	<5	360	15	1.84	3	50	19	201	7.80	20	0.65	1426	9	0.01	129	1510	42	<5	<20	82	0.15	<10	65	<10	28	332
43	L100N 100+50E	<5	<0.2	1.48	<5	195	<5	1.28	<1	12	23	21	2.43	<10	0.54	299	4	0.02	26	370	36	15	<20	57	0.14	<10	40	<10	2	100
44	L100N 100+75E	<5	<0.2	1.53	<5	205	<5	0.39	<1	9	9	14	1.60	<10	0.14	772	1	0.02	16	2700	30	<5	<20	14	0.09	<10	33	<10	3	81
45	L100N 101+00E	<5	<0.2	1.52	10	250	<5	0.98	<1	29	11	136	2.98	<10	0.24	810	2	0.03	30	2390	32	<5	<20	34	0.16	<10	44	<10	5	148
46	L100N 101+25E	<5	<0.2	1.35	<5	135	<5	0.79	<1	27	10	209	3.84	<10	0.69	272	3	0.04	23	190	28	<5	<20	19	0.20	<10	120	<10	2	42
47	L100N 101+50E	<5	<0.2	1.25	10	170	10	0.74	<1	12	17	18	1.81	<10	0.61	327	1	0.04	16	140	28	5	<20	20	0.20	<10	57	<10	4	34
48	L100N 101+75E	<5	<0.2	1.32	10	95	5	0.46	<1	11	19	11	1.99	<10	0.41	204	1	0.02	16	150	32	<5	<20	16	0.17	<10	51	<10	5	49
49	L100N 102+00E	<5	<0.2	1.82	5	150	10	0.46	<1	14	23	18	2.66	<10	0.50	463	2	0.02	25	240	40	<5	<20	17	0.19	<10	48	<10	7	80
50	L100N 102+25E	20	<0.2	1.74	10	150	10	0.54	<1	15	19	15	2.76	<10	0.52	709	2	0.02	25	250	40	<5	<20	24	0.18	<10	49	<10	6	70
51	L100N 102+50E	<5	<0.2	1.74	10	140	10	0.52	<1	16	19	25	2.77	<10	0.57	605	3	0.02	26	480	40	<5	<20	19	0.18	<10	49	<10	8	101
52	L100N 102+75E	<5	<0.2	1.54	10	135	10	0.47	<1	15	16	19	2.53	<10	0.47	563	2	0.02	26	580	36	<5	<20	19	0.18	<10	48	<10	5	122
53	L100N 103+00E	5	<0.2	1.97	10	150	10	0.53	<1	24	24	46	3.66	<10	0.71	538	2	0.02	41	490	50	<5	<20	22	0.22	<10	64	<10	8	134
54	L100N 103+25E	<5	<0.2	1.73	15	195	<5	0.75	<1	14	16	20	2.39	<10	0.42	970	2	0.02	20	1010	40	<5	<20	30	0.15	<10	40	<10	4	117
55	L100N 103+50E	5	<0.2	1.60	10	170	10	0.42	<1	13	17	17	2.42	<10	0.44	546	3	0.02	25	260	38	<5	<20	16	0.14	<10	43	<10	5	69
56	L100N 103+75E	<5	<0.2	1.50	5	135	5	0.43	<1	15	21	23	2.80	<10	0.60	579	3	0.01	23	270	38	<5	<20	15	0.14	<10	45	<10	5	64
57	L100N 104+00E	<5	<0.2	1.70	10	150	5	0.46	<1	14	17	17	2.41	<10	0.43	599	3	0.02	28	700	38	<5	<20	15	0.15	<10	43	<10	4	98
58	L100N 104+25E	<5	<0.2	1.50	10	105	10	0.39	<1	15	19	25	2.77	<10	0.62	452	3	0.01	21	360	36	<5	<20	13	0.15	<10	45	<10	4	71
59	L100N 104+50E	<5	<0.2	1.18	15	125	5	0.53	<1	11	13	10	1.78	<10	0.29	650	1	0.02	18	800	30	<5	<20	16	0.15	<10	39	<10	4	88
60	L100N 104+75E	<5	<0.2	2.00	15	130	5	0.40	<1	14	18	19	2.46	<10	0.41	517	2	0.02	31	900	46	<5	<20	13	0.19	<10	42	<10	6	127
61	L100N 105+00E	<5	<0.2	1.50	10	170	10	0.48	<1	12	15	13	2.03	<10	0.34	798	2	0.02	24	1030	38	<5	<20	18	0.17	<10	40	<10	5	105
62	L100N 105+25E	<5	<0.2	1.59	10	185	10	0.36	<1	12	15	14	2.08	<10	0.33	756	2	0.02	24	1180	38	<5	<20	16	0.16	<10	39	<10	4	127
63	L100N 105+50E	<5	<0.2	1.95	10	170	10	0.43	<1	15	18	19	2.57	<10	0.51	420	2	0.02	33	870	44	<5	<20	18	0.15	<10	43	<10	4	127
64	L100N 105+75E	<5	<0.2	1.66	10	115	5	0.47	<1	14	21	20	2.77	<10	0.60	407	5	0.01	28	830	38	10	<20	14	0.11	<10	48	<10	3	119
65	L100N 106+00E	<5	<0.2	1.25	10	125	10	0.32	<1	11	12	11	1.86	<10	0.27	481	2	0.02	20	1070	28	<5	<20	13	0.16	<10	40	<10	4	107
66	L100N 106+25E	<5	<0.2	1.57	15	165	5	0.41	<1	12	18	13	2.25	<10	0.43	573	1	0.02	25	1540	36	<5	<20	15	0.16	<10	39	<10	2	147
67	L100N 106+50E	<5	<0.2	2.07	20	180	10	0.34	<1	14	19	16	2.50	<10	0.48	613	2	0.02	29	2010	48	<5	<20	15	0.17	<10	41	<10	5	118
68	L100N 106+75E	<5	<0.2	1.07	5	155	<5	0.38	<1	12	14	12	1.97	<10	0.38	909	1	0.02	15	1240	26	<5	<20	17	0.13	<10	38	<10	3	109
69	L100N 107+00E	<5	<0.2	1.73	15	265	10	0.73	<1	13	16	10	2.06	<10	0.27	1182	1	0.02	23	3820	42	<5	<20	26	0.18	<10	34	<10	3	134
70	L100N 107+25E	<5	0.3	2.26	15	155	10	0.76	<1	16	19	23	2.49	<10	0.37	551	3	0.02	35	1380	54	<5	<20	19	0.18	<10	4			

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2007- 734

American Creek Resources Ltd.

El #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
76	L100N 108+75E	<5	<0.2	1.81	20	185	10	0.60	<1	15	24	16	2.62	<10	0.56	625	1	0.02	33	1880	44	<5	<20	23	0.17	<10	50	<10	6	141
77	L100N 109+00E	<5	<0.2	1.24	15	110	5	0.36	<1	13	17	16	2.21	<10	0.42	546	2	0.02	22	780	30	<5	<20	11	0.16	<10	49	<10	3	109
78	L100N 109+25E	5	<0.2	2.05	15	80	5	0.61	<1	19	24	19	3.19	<10	0.64	319	4	0.02	29	1050	46	<5	<20	13	0.18	<10	67	<10	1	100
79	L100N 109+50E	5	<0.2	1.21	10	80	5	>10	<1	11	26	33	2.44	10	0.66	269	2	0.02	22	570	28	<5	<20	48	0.06	<10	46	<10	10	55
80	L100N 109+75E	<5	<0.2	2.11	15	110	10	0.55	<1	18	34	17	3.22	<10	0.88	434	4	0.02	34	540	48	<5	<20	15	0.19	<10	77	<10	4	110
81	L100N 110+00E	<5	<0.2	2.13	10	135	10	0.43	<1	15	25	14	2.66	<10	0.51	555	3	0.02	30	1650	46	<5	<20	12	0.18	<10	58	<10	2	112
82	L101N 90+00E	<5	<0.2	2.04	10	195	10	0.62	<1	25	22	39	3.81	<10	0.60	1423	4	0.02	34	2920	46	<5	<20	22	0.21	<10	62	<10	7	205
83	L101N 90+25E	<5	<0.2	1.52	5	120	5	2.13	2	38	28	115	4.37	10	0.52	865	5	0.02	101	1630	34	<5	<20	23	0.18	<10	56	<10	21	124
84	L101N 90+50E	<5	<0.2	2.07	15	125	<5	1.23	<1	20	67	90	2.77	<10	0.81	986	2	0.02	46	630	42	5	<20	20	0.23	<10	62	<10	15	71
85	L101N 90+75E	<5	<0.2	2.42	5	120	10	0.77	<1	48	46	48	3.24	<10	0.61	581	3	0.02	45	2050	50	5	<20	18	0.23	<10	65	<10	2	81
86	L101N 91+00E	<5	<0.2	2.23	<5	150	10	0.56	<1	53	70	88	4.73	10	0.95	1189	4	0.02	41	1680	44	<5	<20	17	0.19	<10	97	<10	2	106
87	L101N 91+25E	<5	<0.2	1.85	10	75	10	0.71	<1	14	18	23	2.00	<10	0.30	544	2	0.02	13	1580	38	<5	<20	18	0.20	<10	51	<10	3	68
88	L101N 91+50E	<5	0.3	2.59	15	175	10	0.22	<1	17	23	19	2.82	<10	0.48	611	3	0.02	21	2780	58	<5	<20	10	0.21	<10	61	<10	2	121
89	L101N 91+75E	5	<0.2	1.81	<5	135	5	0.81	<1	25	18	67	3.73	<10	0.41	745	2	0.02	18	3220	46	<5	<20	16	0.22	<10	76	<10	2	107
90	L101N 92+00E	<5	<0.2	2.85	15	85	10	0.60	<1	27	23	26	3.31	<10	0.41	246	2	0.02	54	1210	68	<5	<20	18	0.25	<10	66	<10	2	96
91	L101N 92+25E	<5	<0.2	1.98	15	150	10	0.57	<1	17	15	17	2.06	<10	0.33	592	1	0.02	26	1790	46	<5	<20	17	0.21	<10	42	<10	2	108
92	L101N 92+50E	<5	<0.2	2.37	10	135	10	1.39	<1	28	36	38	3.56	<10	0.68	692	3	0.01	31	1690	52	<5	<20	35	0.15	<10	89	<10	<1	88
93	L101N 92+75E	<5	<0.2	1.77	10	65	<5	1.07	<1	22	27	178	2.56	10	0.45	348	2	0.02	142	360	42	<5	<20	17	0.21	<10	45	<10	33	84
94	L101N 93+00E	<5	<0.2	1.46	15	150	5	0.58	<1	15	19	14	2.08	<10	0.37	656	1	0.02	32	270	34	<5	<20	12	0.21	<10	46	<10	2	151
95	L101N 93+25E	<5	<0.2	2.44	20	145	10	0.47	<1	16	25	31	2.52	<10	0.46	188	2	0.02	45	890	58	<5	<20	12	0.24	<10	54	<10	3	103
96	L101N 93+50E	<5	<0.2	1.67	10	80	10	0.37	<1	18	34	44	3.35	<10	0.69	247	5	0.01	42	380	40	10	<20	12	0.18	<10	70	<10	4	132
97	L101N 93+75E	<5	<0.2	1.32	10	85	5	0.55	<1	14	23	11	1.84	<10	0.38	396	1	0.02	24	630	32	<5	<20	11	0.17	<10	39	<10	2	74
98	L101N 94+00E	<5	<0.2	1.39	10	80	10	0.74	<1	17	34	24	2.47	<10	0.62	399	2	0.02	26	400	32	<5	<20	14	0.20	<10	49	<10	4	65
99	L101N 94+25E	10	<0.2	1.32	15	80	10	0.49	<1	15	34	42	3.36	<10	0.59	364	5	0.01	25	490	34	<5	<20	15	0.13	<10	51	<10	4	79
100	L101N 94+50E	<5	<0.2	0.80	5	125	5	0.69	<1	10	11	15	2.54	<10	0.14	662	2	0.02	21	900	22	<5	<20	15	0.15	<10	37	<10	3	93
101	L101N 94+75E	<5	<0.2	1.91	15	105	<5	0.53	<1	18	34	50	2.86	<10	0.67	358	2	0.02	31	480	44	<5	<20	16	0.19	<10	57	<10	5	73
102	L101N 95+00E	<5	<0.2	1.80	10	140	5	0.51	<1	14	26	24	2.19	<10	0.46	457	1	0.02	31	1070	40	<5	<20	16	0.17	<10	39	<10	4	126
103	L101N 95+25E	<5	<0.2	1.42	10	80	<5	0.36	<1	14	28	23	2.50	<10	0.58	261	2	0.01	22	350	34	<5	<20	10	0.16	<10	49	<10	3	84
104	L101N 95+50E	<5	<0.2	1.95	15	225	10	0.76	1	17	22	30	2.47	<10	0.41	779	2	0.02	34	2150	44	<5	<20	22	0.18	<10	39	<10	4	273
105	L101N 95+75E	<5	<0.2	1.16	5	180	<5	0.76	2	13	11	16	2.04	<10	0.17	1480	2	0.02	22	480	28	<5	<20	21	0.18	<10	40	<10	3	151
106	L101N 96+00E	<5	<0.2	1.83	10	75	10	0.80	<1	19	12	14	2.61	<10	0.21	498	3	0.02	41	620	44	<5	<20	14	0.19	<10	46	<10	5	152
107	L101N 96+25E	<5	<0.2	2.13	10	210	10	0.40	<1	20	24	27	2.91	<10	0.48	1131	2	0.02	44	480	46	<5	<20	12	0.21	<10	52	<10	1	196
108	L101N 96+50E	<5	<0.2	2.60	20	145	10	0.50	<1	20	23	25	3.09	<10	0.49	501	2	0.02	43	1290	58	<5	<20	16	0.23	<10	58	<10	1	159
109	L101N 96+75E	175	<0.2	2.45	10	125	10	0.55	<1	28	22	54	4.72	<10	0.49	340	4	0.02	48	800	58	<5	<20	18	0.20	<10	108	<10	<1	229
110	L101N 97+00E	5	<0.2	2.77	15	105	10	0.37	<1	21	28	34	2.86	<10	0.44	372	3	0.02	58	900	56	<5	<20	10	0.22	<10	59	<10	2	167
111	L101N 97+25E	<5	<0.2	1.96	15	110	10	0.39	<1	14	16	15	2.07	<10	0.24	471	<1	0.02	40	920	44	<5	<20	13	0.22	<10	48	<10	1	145
112	L101N 97+50E	20	<0.2	2.62	15	135	5	0.59	<1	15	18	27	2.35	<10	0.31	501	2	0.02	44	1680	68	<5	<20	24	0.24	<10	43	<10	5	111
113	L101N 97+75E	5	<0.2	1.22	10	140	15	0.46	<1	11	16	15	1.74	<10	0.26	291	1	0.02	36	1350	30	<5	<20	23	0.15	<10	42	<10	3	112
114	L101N 98+00E	<5	<0.2	2.58	15	180	10	0.42	<1	19	23	31	2.63	<10	0.47	263	3	0.02	68	510	58	<5	<20	23	0.22	<10	49	<10	5	119
115	L101N 98+25E	5	<0.2	0.92	5	220	5	0.65	<1	8	10	11	1.80	<10	0.19	1696	2	0.02	12	1860	18	<5	<20	24	0.07	<10	32	<10	4	145
116	L101N 98+50E	<5	<0.2	1.78	10	105	<5	0.51	<1	14	27	33	2.97	<10	0.60	285	2	0.02	29	650	34	<5	<20	12</td						

ECO TECH LABORATORY LTD.																			ICP CERTIFICATE OF ANALYSIS AK 2007- 734												American Creek Resources Ltd.									
Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn										
121	L101N 99+75E	5	<0.2	1.42	10	165	5	1.34	<1	20	24	59	4.89	10	0.46	733	3	0.01	45	300	32	<5	<20	31	0.13	<10	50	<10	13	142										
122	L101N 100+00E	15	<0.2	0.47	<5	55	<5	>10	<1	10	9	30	1.98	<10	0.28	459	2	0.01	15	360	16	<5	<20	122	0.06	<10	16	<10	19	39										
123	L101N 100+25E	5	<0.2	1.52	<5	190	10	1.72	<1	32	25	98	5.13	10	0.60	702	4	0.02	48	460	32	<5	<20	27	0.15	<10	55	<10	19	81										
124	L101N 100+50E	5	<0.2	0.93	<5	70	10	>10	<1	14	26	41	2.66	<10	0.91	624	3	0.02	26	850	20	<5	<20	109	0.10	<10	40	<10	13	41										
125	L101N 100+75E	10	<0.2	1.65	<5	110	<5	2.59	<1	21	32	87	4.16	10	0.74	587	3	0.01	34	420	36	<5	<20	27	0.15	<10	61	<10	27	70										
126	L101N 101+00E	20	<0.2	1.57	<5	105	5	0.84	<1	18	30	40	3.37	10	0.66	398	3	0.01	27	180	34	<5	<20	22	0.15	<10	55	<10	10	48										
127	L101N 101+25E	<5	<0.2	1.58	10	140	<5	0.37	<1	12	14	10	2.33	<10	0.33	431	2	0.02	23	300	34	<5	<20	17	0.14	<10	40	<10	4	79										
128	L101N 101+50E	<5	<0.2	1.28	10	140	10	0.67	<1	10	11	10	1.84	<10	0.27	677	2	0.02	17	840	30	<5	<20	28	0.15	<10	36	<10	3	124										
129	L101N 101+75E	<5	<0.2	1.61	<5	155	<5	0.77	<1	12	13	14	2.31	<10	0.42	897	1	0.02	18	760	34	<5	<20	24	0.14	<10	37	<10	<1	130										
130	L101N 102+00E	5	<0.2	1.73	10	100	10	0.43	<1	15	18	22	2.97	<10	0.69	295	2	0.02	19	250	36	<5	<20	18	0.16	<10	49	<10	4	74										
131	L101N 102+50E	15	<0.2	1.90	10	155	5	0.47	<1	15	17	17	2.54	<10	0.50	523	2	0.02	30	1020	40	<5	<20	20	0.16	<10	44	<10	3	128										
132	L101N 102+75E	<5	<0.2	1.37	<5	165	10	0.60	<1	13	14	13	2.14	<10	0.42	978	2	0.02	19	440	28	<5	<20	21	0.15	<10	40	<10	3	102										
133	L101N 103+00E	<5	<0.2	1.32	5	85	10	0.38	<1	13	18	23	2.63	<10	0.66	328	3	0.01	18	260	30	<5	<20	15	0.12	<10	44	<10	5	58										
134	L101N 103+25E	<5	<0.2	1.29	5	135	10	0.47	<1	11	12	9	1.86	<10	0.29	430	2	0.02	20	920	28	<5	<20	17	0.15	<10	40	<10	2	94										
135	L101N 103+50E	<5	<0.2	1.76	5	165	10	0.91	<1	12	16	18	2.34	<10	0.44	682	2	0.02	26	1610	36	<5	<20	25	0.13	<10	39	<10	3	101										
136	L101N 103+75E	<5	<0.2	1.55	10	105	5	0.33	<1	14	19	22	2.82	<10	0.66	351	3	0.01	22	540	34	<5	<20	12	0.10	<10	44	<10	1	68										
137	L101N 104+00E	<5	<0.2	1.76	15	140	10	0.52	<1	14	18	28	2.80	<10	0.60	564	3	0.02	24	970	36	<5	<20	12	0.12	<10	44	<10	5	78										
138	L101N 104+25E	<5	<0.2	1.74	10	210	10	0.66	<1	12	16	15	2.17	<10	0.40	862	3	0.02	26	2640	36	<5	<20	26	0.14	<10	34	<10	4	140										
139	L101N 104+50E	<5	<0.2	1.84	10	160	10	0.46	<1	13	17	18	2.38	<10	0.46	667	2	0.02	31	1670	38	<5	<20	15	0.14	<10	39	<10	4	118										
140	L101N 104+75E	<5	<0.2	1.66	10	135	10	0.66	<1	14	19	28	2.79	<10	0.63	674	2	0.02	23	1190	34	<5	<20	18	0.12	<10	43	<10	5	107										
141	L101N 105+00E	<5	<0.2	1.41	5	400	10	0.58	<1	9	13	12	1.79	<10	0.25	1465	2	0.02	20	3190	30	<5	<20	21	0.15	<10	34	<10	2	167										
142	L101N 105+25E	5	<0.2	1.42	10	110	10	0.27	<1	11	14	12	1.89	<10	0.32	430	2	0.02	23	800	56	<5	<20	11	0.15	<10	40	<10	4	83										
143	L101N 105+50E	5	<0.2	1.67	5	150	<5	0.33	<1	15	21	20	2.89	<10	0.70	596	2	0.02	25	830	34	<5	<20	10	0.13	<10	48	<10	4	105										
144	L101N 105+75E	5	<0.2	1.72	10	160	10	0.31	<1	13	17	14	2.24	<10	0.44	437	2	0.02	34	1820	36	<5	<20	16	0.14	<10	39	<10	4	139										
145	L101N 106+00E	<5	<0.2	1.72	15	125	5	0.58	<1	15	18	17	2.58	<10	0.50	544	2	0.02	26	1020	36	<5	<20	12	0.14	<10	45	<10	3	115										
146	L101N 106+25E	<5	<0.2	1.83	10	180	10	0.41	<1	13	18	13	2.32	<10	0.44	808	2	0.02	33	1990	36	<5	<20	16	0.14	<10	40	<10	<1	139										
147	L101N 106+50E	<5	<0.2	1.43	10	190	15	0.39	<1	10	15	11	1.90	<10	0.31	639	1	0.02	23	1820	30	<5	<20	16	0.15	<10	37	<10	3	123										
148	L101N 106+75E	<5	<0.2	1.62	10	145	5	0.45	<1	12	17	12	2.35	<10	0.46	527	3	0.02	22	1620	32	<5	<20	13	0.11	<10	42	<10	<1	117										
149	L101N 107+00E	5	<0.2	1.79	5	160	5	0.61	<1	12	17	15	2.22	<10	0.41	587	1	0.02	28	1380	36	<5	<20	19	0.14	<10	40	<10	3	102										
150	L101N 107+25E	35	0.3	2.42	15	140	<5	0.70	<1	15	21	16	2.69	<10	0.51	434	3	0.02	40	1320	46	<5	<20	16	0.17	<10	49	<10	4	129										
151	L101N 107+50E	5	0.2	1.75	10	130	10	0.54	<1	15	20	19	2.45	<10	0.49	600	2	0.02	31	900	34	<5	<20	17	0.14	<10	47	<10	3	111										
152	L101N 107+75E	<5	<0.2	2.07	10	160	5	0.52	<1	19	25	36	3.08	<10	0.73	590	3	0.02	43	1870	44	<5	<20	23	0.16	<10	53	<10	7	130										
153	L101N 108+00E	15	<0.2	2.05	15	140	5	0.82	<1	18	23	28	2.94	<10	0.68	582	3	0.02	33	1020	40	<5	<20	16	0.15	<10	56	<10	3	106										
154	L101N 108+25E	<5	<0.2	1.90	5	165	15	1.09	<1	17	26	25	2.99	<10	0.73	904	3	0.02	30	970	38	<5	<20	28	0.18	<10	66	<10	3	117										
155	L101N 108+50E	<5	<0.2	2.57	20	150	10	0.51	<1	19	28	23	3.13	<10	0.62	333	4	0.02	33	630	50	<5	<20	14	0.22	<10	60	<10	4	143										
156	L101N 108+75E	5	<0.2	1.22	10	135	10	1.02	<1	12	19	14	2.05	<10	0.39	822	2	0.02	17	970	26	<5	<20	25	0.15	<10	50	<10	2	94										
157	L101N 109+00E	<5	<0.2	3.05	20	145	<5	1.12	<1	18	28	22	3.10	<10	0.45	356	4	0.03	45	320	58	<5	<20	19	0.22	<10	52	<10	12	129										
158	L101N 109+25E	5	<0.2	2.04	10	100	10	0.44	<1	17	29	14	3.01	<10	0.79	452	3	0.02	28	390	36	<5	<20	12	0.18	<10	78	<10	2	96										
159	L101N 109+50E	<5	0.2	2.40	10	150	5	0.45	<1	15	24	14	2.67	<10	0.50	495	2	0.02	37	2600	44	<5	<20	16	0.18	<10	56	<10	1	132										
160	L101N 109+75E	<5	<0.2	2.02	5	200	10	0.52																																

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2007- 734

American Creek Resources Ltd.

El #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
QC DATA:																														
Repeat:																														
1	L100N 90+00E	<5	<0.2	1.54	<5	125	15	0.36	<1	15	25	15	2.37	<10	0.35	188	2	0.02	26	1980	38	<5	<20	13	0.22	<10	56	<10	4	55
10	L100N 92+25E	<5	0.2	1.70	15	135	5	0.62	<1	13	20	11	1.91	<10	0.31	646	2	0.02	25	2210	38	<5	<20	15	0.17	<10	39	<10	3	74
12	L100N 92+75E	5																												
19	L100N 94+50E	<5	<0.2	0.92	10	85	10	0.46	<1	18	33	30	1.99	<10	0.35	619	2	0.02	15	1520	24	<5	<20	19	0.15	<10	44	<10	2	118
28	L100N 96+75E	<5	0.2	1.38	15	195	10	0.80	1	15	16	17	2.21	<10	0.22	1045	2	0.02	33	2250	36	<5	<20	33	0.20	<10	39	<10	2	272
36	L100N 98+75E	<0.2	1.60	15	105	<5	0.52	<1	16	20	26	1.97	<10	0.33	172	2	0.02	49	310	36	<5	<20	21	0.17	<10	41	<10	4	99	
37	L100N 99+00E	165																												
45	L100N 101+00E	<5	<0.2	1.62	<5	270	10	1.06	<1	31	13	147	3.16	<10	0.25	847	4	0.03	31	2520	36	5	<20	39	0.16	<10	53	<10	6	150
54	L100N 103+25E	<5	<0.2	1.83	15	200	10	0.77	<1	14	17	20	2.48	<10	0.44	998	3	0.02	22	1040	44	<5	<20	29	0.17	<10	44	<10	6	121
63	L100N 105+50E	5	0.2	1.98	15	165	10	0.46	<1	15	19	19	2.61	<10	0.52	413	3	0.02	33	900	48	<5	<20	19	0.16	<10	45	<10	5	131
71	L100N 107+50E	<5	<0.2	2.02	15	200	10	0.64	<1	15	20	17	2.68	<10	0.51	616	2	0.02	32	2030	46	<5	<20	21	0.15	<10	45	<10	2	122
80	L100N 109+75E	<5	<0.2	2.03	15	100	5	0.51	<1	18	32	16	3.14	<10	0.85	444	3	0.02	31	510	44	<5	<20	8	0.18	<10	73	<10	2	107
89	L101N 91+75E	<5	<0.2	1.83	10	135	5	0.81	<1	25	18	72	3.83	<10	0.42	749	2	0.02	18	3230	44	<5	<20	16	0.20	<10	78	<10	3	108
106	L101N 96+00E	<5	<0.2	1.87	15	80	5	0.60	<1	19	13	14	2.66	<10	0.22	471	2	0.02	42	620	42	<5	<20	14	0.21	<10	48	<10	5	155
109	L101N 96+75E	190																												
115	L101N 98+25E	5	<0.2	0.94	<5	205	<5	0.67	<1	9	10	12	1.66	<10	0.20	1626	1	0.02	13	1760	22	<5	<20	28	0.14	<10	34	<10	3	147
124	L101N 100+50E	5	<0.2	0.93	<5	65	10	>10	<1	14	24	41	2.55	<10	0.89	589	3	0.02	26	810	18	<5	<20	101	0.10	<10	40	<10	13	39
133	L101N 103+00E	<5	<0.2	1.39	5	90	10	0.34	<1	14	19	24	2.71	<10	0.69	343	2	0.02	18	270	32	<5	<20	16	0.14	<10	46	<10	7	59
141	L101N 105+00E	<5	<0.2	1.40	10	395	10	0.56	<1	9	12	11	1.76	<10	0.24	1350	1	0.02	19	3180	28	<5	<20	17	0.15	<10	32	<10	1	156
150	L101N 107+25E	<5	0.3	2.37	15	145	5	0.69	<1	15	20	16	2.59	<10	0.49	439	3	0.02	41	1270	46	<5	<20	20	0.16	<10	46	<10	4	125
Standard:																														
Till-3		1.4	1.00	80	50	<5	0.59	<1	14	57	18	1.96	10	0.55	290	2	0.03	30	450	36	<5	<20	11	0.08	<10	35	<10	10	37	
Till-3		1.3	1.00	75	50	5	0.60	<1	14	57	19	1.95	10	0.55	283	3	0.03	30	430	38	5	<20	14	0.07	<10	35	<10	11	35	
Till-3		1.3	1.01	85	40	<5	0.57	<1	12	57	18	2.02	10	0.57	296	2	0.03	29	430	32	<5	<20	5	0.07	<10	35	<10	9	35	
Till-3		1.2	1.05	75	50	5	0.61	<1	14	58	19	1.96	10	0.58	292	2	0.03	30	430	34	<5	<20	13	0.08	<10	36	<10	10	36	
Till-3		1.3	1.07	80	55	<5	0.61	<1	13	58	19	2.00	10	0.60	295	1	0.03	30	430	34	<5	<20	10	0.07	<10	37	<10	10	34	
OXD43	410																													
OXD43	415																													
OXD43	410																													
OXD43	405																													
SE29	610																													
JJ/sa																														
df/734																														
XLS/07																														

ECO TECH LABORATORY LTD.

Jutta Jealouse

B.C. Certified Assayer

12-Jul-07

ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4

Phone: 250-573-5700
 Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2007- 779

American Creek Resources Ltd.
 Box 798
Raymond, AB
 T0K 2S0

No. of samples received: 121
 Sample Type: Soil
 Project: Gold Mist
 Shipment #:GM-3
 Submitted by: Perry

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	L103N 100+00E	<0.2	1.90	30	155	<5	0.68	2	25	23	61	3.86	<10	0.47	1110	<1	0.02	31	400	42	<5	<20	40	0.04	<10	46	<10	8	143
2	L103N 100+25E	<0.2	1.77	30	205	<5	1.22	2	16	14	50	3.43	<10	0.30	1205	<1	0.03	19	730	24	<5	<20	100	0.06	<10	43	<10	12	99
3	L103N 100+50E	<0.2	1.18	20	310	<5	0.78	<1	7	5	10	1.74	<10	0.11	907	<1	0.03	5	4240	12	<5	<20	112	0.06	<10	20	<10	9	139
4	L103N 100+75E	0.2	1.74	30	350	<5	1.60	3	15	18	40	4.83	20	0.41	2537	4	0.02	22	460	42	<5	<20	180	0.03	<10	36	<10	30	154
5	L103N 101+00E	<0.2	1.49	25	120	<5	1.24	2	15	32	55	3.96	<10	0.76	818	<1	0.02	27	420	20	<5	<20	55	0.04	<10	47	<10	17	83
6	L103N 101+25E	<0.2	1.80	25	165	<5	0.33	<1	11	13	14	2.42	<10	0.29	256	<1	0.02	19	180	16	<5	<20	20	0.07	<10	33	<10	2	78
7	L103N 101+50E	<0.2	2.09	25	175	<5	0.30	<1	9	12	14	2.29	<10	0.27	363	<1	0.02	20	300	18	<5	<20	17	0.07	<10	27	<10	3	66
8	L103N 101+75E	<0.2	1.20	15	145	<5	0.44	<1	8	10	12	1.91	<10	0.27	931	<1	0.02	13	380	12	<5	<20	22	0.05	<10	26	<10	2	83
9	L103N 102+00E	0.2	1.43	20	125	<5	0.23	1	10	11	12	2.25	<10	0.29	1165	<1	0.02	9	1000	16	<5	<20	13	0.08	<10	38	<10	2	157
10	L103N 102+25E	<0.2	1.07	15	75	<5	0.26	<1	8	7	5	1.50	<10	0.10	817	<1	0.02	6	270	10	<5	<20	12	0.06	<10	23	<10	2	66
11	L103N 102+50E	0.2	1.96	30	125	<5	0.31	2	14	11	21	2.70	<10	0.21	939	<1	0.02	13	1490	28	<5	<20	17	0.08	<10	32	<10	3	114
12	L103N 102+75E	<0.2	1.41	20	100	<5	0.25	1	13	11	20	2.40	<10	0.43	499	<1	0.02	13	230	16	<5	<20	14	0.05	<10	34	<10	2	71
13	L103N 103+00E	0.3	1.92	25	115	<5	0.23	<1	12	12	16	2.19	<10	0.35	240	<1	0.02	22	820	16	<5	<20	13	0.07	<10	32	<10	3	74
14	L103N 103+25E	<0.2	1.33	20	100	<5	0.17	<1	10	13	14	2.16	<10	0.43	310	<1	0.01	14	410	14	<5	<20	11	0.03	<10	30	<10	2	82
15	L103N 103+50E	0.2	2.06	30	75	<5	0.57	<1	7	11	14	1.65	10	0.18	309	<1	0.03	24	280	16	<5	<20	21	0.07	<10	21	<10	11	45
16	L103N 103+75E	<0.2	1.79	25	110	<5	0.28	<1	8	11	10	1.93	<10	0.20	425	<1	0.02	15	1120	14	<5	<20	12	0.07	<10	29	<10	3	71
17	L103N 104+00E	<0.2	1.59	20	105	<5	0.17	1	11	17	27	2.80	<10	0.52	275	<1	0.01	18	410	16	<5	<20	8	0.03	<10	33	<10	3	58
18	L103N 104+25E	<0.2	1.55	25	210	<5	0.22	<1	9	14	20	2.33	<10	0.33	512	<1	0.02	17	870	16	<5	<20	7	0.04	<10	29	<10	3	65
19	L103N 104+50E	<0.2	1.28	20	105	<5	0.16	1	10	16	27	2.89	<10	0.57	442	<1	0.01	14	360	14	<5	<20	7	0.01	<10	31	<10	3	58
20	L103N 104+75E	<0.2	1.86	25	180	<5	0.27	<1	9	12	10	2.17	<10	0.25	734	<1	0.02	16	1000	14	<5	<20	10	0.06	<10	29	<10	2	78
21	L103N 105+00E	<0.2	2.00	30	160	<5	0.24	1	10	16	14	2.44	<10	0.32	421	1	0.02	22	610	16	<5	<20	12	0.06	<10	34	<10	2	70
22	L103N 105+25E	<0.2	0.82	10	135	<5	0.22	<1	6	9	6	1.39	<10	0.17	969	<1	0.01	11	590	8	<5	<20	10	0.04	<10	26	<10	2	60
23	L103N 105+50E	0.3	1.69	20	150	<5	0.24	1	9	13	12	2.06	<10	0.32	471	<1	0.02	27	1420	14	<5	<20	12	0.06	<10	28	<10	3	105
24	L103N 105+75E	0.2	1.84	25	140	<5	0.18	1	10	16	14	2.48	<10	0.36	353	<1	0.02	30	860	16	<5	<20	12	0.05	<10	32	<10	3	81
25	L103N 106+00E	0.4	1.83	25	130	<5	0.15	1	11	16	20	2.43	<10	0.43	284	<1	0.02	44	710	16	<5	<20	12	0.06	<10	31	<10	3	132
26	L103N 106+50E	0.5	1.76	20	105	<5	0.23	<1	10	13	12	2.10	<10	0.33	357	<1	0.02	36	1060	14	<5	<20	18	0.06	<10	28	<10	4	93
27	L103N 106+75E	0.2	1.32	20	210	<5	0.31	1	10	15	14	2.23	<10	0.36	714	<1	0.02	24	1790	14	<5	<20	18	0.04	<10	32	<10	2	135
28	L103N 107+00E	0.2	1.91	30	145	<5	0.29	2	12	18	16	2.58	<10	0.39	591	<1	0.02	35	1520	16	<5	<20	17	0.06	<10	37	<10	2	158
29	L103N 107+25E	0.2	1.90	30	90	<5	0.16	2	13	24	24	3.15	<10	0.58	279	<1	0.02	36	960	16	<5	<20	11	0.04	<10	44	<10	3	105
30	L103N 107+50E	<0.2	1.80	25	75	<5	0.50	<1	7	11	7	1.84	<10	0.20	192	1	0.02	13	330	14	<5	<20	20	0.07	<10	32	<10	1	38

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2007- 779

American Creek Resources Ltd.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
31	L103N 107+75E	0.4	2.46	30	220	<5	0.56	1	13	25	42	2.91	<10	0.72	181	<1	0.03	26	170	20	<5	<20	25	0.07	<10	60	<10	7	110
32	L103N 108+00E	<0.2	1.53	25	150	<5	0.25	<1	9	13	9	2.05	<10	0.26	312	<1	0.02	16	1680	12	<5	<20	12	0.07	<10	37	<10	1	63
33	L103N 108+25E	0.2	1.67	25	105	<5	0.39	1	11	17	15	2.22	<10	0.38	373	<1	0.02	25	1180	12	<5	<20	19	0.08	<10	40	<10	3	99
34	L103N 108+50E	<0.2	1.35	20	170	<5	0.52	2	11	21	17	2.26	<10	0.57	1142	<1	0.02	23	970	14	<5	<20	26	0.06	<10	42	<10	2	115
35	L103N 108+75E	<0.2	1.79	25	135	<5	0.40	2	13	24	22	2.86	<10	0.63	736	<1	0.02	24	870	16	<5	<20	17	0.06	<10	51	<10	3	116
36	L103N 109+00E	0.3	2.15	30	130	<5	0.41	2	14	24	24	3.08	<10	0.57	390	<1	0.02	56	1200	16	<5	<20	24	0.07	<10	49	<10	3	156
37	L103N 109+25E	0.3	1.85	30	125	<5	0.35	3	17	32	40	3.62	<10	0.78	673	<1	0.02	38	1080	20	<5	<20	17	0.06	<10	61	<10	4	145
38	L103N 109+50E	0.2	1.56	20	180	<5	0.27	2	10	19	11	2.19	<10	0.40	788	<1	0.02	26	2540	12	<5	<20	20	0.08	<10	35	<10	2	210
39	L103N 109+75E	0.2	1.85	30	125	<5	0.40	2	14	27	19	3.04	<10	0.63	474	<1	0.02	38	1040	14	<5	<20	11	0.06	<10	58	<10	2	157
40	L103N 110+00E	<0.2	1.62	25	220	<5	0.40	3	14	24	19	2.75	<10	0.52	1306	<1	0.02	32	1580	14	<5	<20	14	0.06	<10	45	<10	2	215
41	L97N 90+00E	<0.2	1.10	15	65	<5	0.15	<1	9	16	7	1.85	<10	0.20	436	<1	0.02	12	1420	10	<5	<20	8	0.07	<10	33	<10	1	57
42	L97N 90+25E	<0.2	1.20	15	30	<5	0.19	1	10	28	11	2.48	<10	0.54	150	1	0.02	13	180	10	<5	<20	6	0.10	<10	61	<10	2	33
43	L97N 90+50E N/S																												
44	L97N 90+75E N/S																												
45	L97N 91+00E	<0.2	1.27	20	55	<5	0.14	1	12	22	16	2.03	<10	0.36	197	<1	0.01	21	660	10	<5	<20	7	0.06	<10	35	<10	2	47
46	L97N 91+25E	<0.2	1.66	20	75	<5	0.13	<1	10	19	11	1.95	<10	0.29	254	<1	0.02	17	1510	12	<5	<20	7	0.07	<10	29	<10	2	52
47	L97N 91+50E	<0.2	1.67	20	65	<5	0.16	<1	10	16	11	1.86	<10	0.24	306	<1	0.02	18	1540	12	<5	<20	8	0.07	<10	30	<10	2	48
48	L97N 91+75E	0.3	1.22	15	105	<5	0.62	<1	10	19	18	1.78	<10	0.36	871	<1	0.03	18	1520	10	<5	<20	23	0.05	<10	31	<10	2	60
49	L97N 92+00E	0.2	1.51	20	120	<5	0.37	<1	9	12	9	1.48	<10	0.17	815	<1	0.02	16	2610	10	<5	<20	16	0.07	<10	24	<10	1	56
50	L97N 92+25E	<0.2	1.19	15	60	<5	0.37	<1	7	11	7	1.39	<10	0.17	620	<1	0.02	9	2940	10	<5	<20	12	0.06	<10	24	<10	<1	50
51	L97N 92+50E	<0.2	1.21	15	110	<5	0.15	1	11	19	14	1.95	<10	0.31	1009	<1	0.02	16	1380	10	<5	<20	9	0.05	<10	31	<10	2	75
52	L97N 92+75E	<0.2	1.52	20	45	<5	0.24	<1	8	15	12	1.84	<10	0.20	104	<1	0.02	13	360	12	<5	<20	9	0.06	<10	33	<10	3	34
53	L97N 93+00E	<0.2	1.36	20	70	<5	0.21	1	14	28	27	2.78	<10	0.56	230	<1	0.02	22	1030	14	<5	<20	8	0.05	<10	49	<10	2	82
54	L97N 93+25E	<0.2	1.26	20	50	<5	0.17	1	12	29	26	2.62	<10	0.57	188	<1	0.01	28	290	12	<5	<20	8	0.06	<10	47	<10	3	47
55	L97N 93+50E	<0.2	0.94	10	120	<5	0.13	<1	8	12	6	1.36	<10	0.19	381	<1	0.02	14	1180	8	<5	<20	7	0.05	<10	25	<10	1	80
56	L97N 93+75E	0.2	1.40	20	80	<5	0.18	<1	10	17	10	1.88	<10	0.29	288	<1	0.02	28	910	10	<5	<20	9	0.08	<10	32	<10	2	66
57	L97N 94+00E	0.3	1.43	20	135	<5	0.22	1	11	19	18	2.07	<10	0.38	450	<1	0.02	28	990	10	<5	<20	11	0.07	<10	35	<10	2	115
58	L97N 94+25E	<0.2	1.25	20	85	<5	0.19	1	12	24	30	2.40	<10	0.49	342	<1	0.02	24	500	10	<5	<20	8	0.06	<10	42	<10	3	67
59	L97N 94+50E	<0.2	1.12	15	80	<5	0.30	1	12	26	42	2.42	<10	0.69	317	<1	0.02	15	610	10	<5	<20	10	0.06	<10	59	<10	2	58
60	L97N 94+75E	<0.2	1.34	15	90	<5	0.18	<1	14	18	25	2.01	<10	0.30	654	<1	0.02	18	780	12	<5	<20	9	0.08	<10	39	<10	1	69
61	L97N 95+00E	<0.2	1.51	20	65	<5	0.19	1	13	22	33	2.57	<10	0.50	215	<1	0.02	19	980	14	<5	<20	8	0.07	<10	51	<10	2	46
62	L97N 95+25E	<0.2	1.53	20	95	<5	0.26	<1	11	18	23	2.19	<10	0.41	212	<1	0.02	16	800	12	<5	<20	12	0.08	<10	45	<10	2	37
63	L97N 95+50E	<0.2	1.26	15	90	<5	0.16	<1	11	19	23	2.21	<10	0.41	326	<1	0.02	18	560	10	<5	<20	8	0.05	<10	41	<10	2	46
64	L97N 95+75E	0.2	1.08	15	105	<5	0.29	1	11	14	34	1.98	<10	0.37	574	<1	0.02	17	870	10	<5	<20	13	0.06	<10	40	<10	2	62
65	L97N 96+00E	<0.2	1.42	20	115	<5	0.16	<1	10	15	16	1.96	<10	0.36	255	<1	0.02	22	550	12	<5	<20	10	0.06	<10	36	<10	2	72
66	L97N 96+25E	<0.2	1.73	25	130	<5	0.32	1	12	18	17	2.04	<10	0.36	333	<1	0.02	27	1280	12	<5	<20	15	0.07	<10	35	<10	2	69
67	L97N 96+50E	<0.2	1.29	20	90	<5	0.36	1	12	22	37	2.38	<10	0.54	416	<1	0.02	21	800	12	<5	<20	14	0.05	<10	43	<10	2	63
68	L97N 96+75E	<0.2	1.04	20	35	<5	0.42	1	16	22	111	3.05	<10	0.84	381	<1	0.03	23	590	10	<5	<20	13	0.05	<10	71	<10	6	32
69	L97N 97+00E	<0.2	1.09	20	35	<5	0.34	1	13	25	59	2.95	<10	0.73	237	<1	0.02	20	410	10	<5	<20	13	0.05	<10	54	<10	4	37
70	L97N 97+25E	<0.2	1.27	15	110	<5	0.31	1	13	14	66	2.67	<10	0.62	218	<1	0.02	18	800	12	<5	<20	14	0.06	<10	62	<10	2	50
71	L97N 97+50E	0.2	1.28	15	170	<5	0.21	1	13	15	60	2.13	<10	0.34	290	<1	0.02	22	770	10	<5	<20	15	0.06	<10	37	<10	2	76
72	L97N 97+75E	0.3	1.18	15	100	<5	0.56	1	14	11	60	2.25	<10	0.57	218	<1	0.02	28	530	10	<5	<20	28	0.07	<10	40	<10	3	79
73	L97N 98+00E	0.2	1.40	20	155	<5	0.30	2	13	19	83	2.94	<10	0.45	310	<1	0.02	14	1580	14	<5	<20	13	0.06	<10	55	<10	2	43
74	L97N 98+25E	0.2	1.21	15																									

ECO TECH LABORATORY LTD.		ICP CERTIFICATE OF ANALYSIS AK 2007- 779																	American Creek Resources Ltd.										
El #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
76	L97N 98+75E	<0.2	1.52	20	290	<5	0.23	<1	11	14	48	2.11	<10	0.29	316	<1	0.02	17	2640	12	<5	<20	12	0.07	<10	39	<10	2	55
77	L97N 99+00E	<0.2	1.62	20	185	<5	0.24	<1	10	12	34	2.11	<10	0.24	341	<1	0.02	12	2320	12	<5	<20	13	0.08	<10	38	<10	2	46
78	L97N 99+25E	0.3	1.48	20	210	<5	0.29	1	14	11	40	2.68	<10	0.23	1622	<1	0.02	9	1870	14	<5	<20	16	0.07	<10	44	<10	2	98
79	L97N 99+50E	<0.2	1.62	20	120	<5	0.46	2	17	24	197	3.74	<10	0.68	308	<1	0.02	20	1310	16	<5	<20	25	0.06	<10	72	<10	4	58
80	L97N 99+75E	<0.2	1.30	15	180	<5	0.36	<1	13	9	52	2.04	<10	0.28	403	<1	0.02	18	1180	10	<5	<20	22	0.06	<10	36	<10	3	72
81	L97N 100+00E	<0.2	1.89	20	220	<5	0.51	1	12	13	68	2.86	<10	0.38	344	<1	0.02	16	880	14	<5	<20	25	0.07	<10	53	<10	3	59
82	L97N 100+25E N/S																												
83	L97N 100+50E N/S																												
84	L97N 100+75E N/S																												
85	L97N 101+00E N/S																												
86	L97N 101+25E N/S																												
87	L97N 101+50E N/S																												
88	L97N 101+75E	<0.2	1.58	20	235	<5	0.77	3	23	13	78	4.77	<10	0.48	513	<1	0.03	25	1970	16	<5	<20	30	0.06	<10	110	<10	4	121
89	L97N 102+00E	0.2	1.52	20	245	<5	0.91	2	14	10	92	3.24	<10	0.46	471	<1	0.02	10	1310	12	<5	<20	35	0.05	<10	51	<10	3	79
90	L97N 102+25E	<0.2	1.52	20	230	<5	0.73	3	17	14	68	5.36	<10	0.63	647	<1	0.02	10	1210	16	<5	<20	31	0.03	<10	100	<10	4	75
91	L97N 102+50E	<0.2	1.98	25	255	<5	0.87	3	23	19	173	5.23	<10	0.60	915	<1	0.02	21	760	20	<5	<20	28	0.06	<10	114	<10	6	56
92	L97N 102+75E	<0.2	1.98	25	360	<5	0.66	2	26	18	178	3.91	<10	0.49	1091	<1	0.02	28	890	16	<5	<20	25	0.07	<10	70	<10	4	82
93	L97N 103+00E	<0.2	1.95	25	250	<5	0.83	2	20	15	135	3.16	<10	0.52	624	<1	0.02	19	1150	14	<5	<20	29	0.06	<10	57	<10	4	63
94	L97N 103+25E	<0.2	1.78	20	255	<5	0.48	2	25	17	229	4.02	<10	0.52	640	<1	0.02	25	600	16	<5	<20	23	0.07	<10	78	<10	3	57
95	L97N 103+50E	0.2	2.16	30	240	<5	0.61	2	15	17	83	3.21	<10	0.43	468	<1	0.02	18	2370	16	<5	<20	31	0.08	<10	59	<10	4	100
96	L97N 103+75E	0.2	1.86	20	475	<5	0.89	2	19	12	67	3.27	<10	0.46	968	<1	0.02	17	1590	14	<5	<20	53	0.06	<10	53	<10	2	132
97	L97N 104+00E	<0.2	1.85	20	180	<5	0.47	2	15	16	75	3.27	<10	0.47	363	<1	0.02	15	440	26	<5	<20	23	0.08	<10	69	<10	3	72
98	L97N 104+25E	<0.2	1.38	15	125	<5	0.29	1	14	16	66	2.75	<10	0.48	230	<1	0.02	18	290	14	<5	<20	16	0.06	<10	51	<10	2	69
99	L97N 104+50E	<0.2	1.55	20	110	<5	0.32	1	15	19	97	3.16	<10	0.51	306	<1	0.02	19	440	18	<5	<20	18	0.06	<10	57	<10	4	69
100	L97N 104+75E	<0.2	1.77	20	165	<5	0.39	1	13	16	48	2.75	<10	0.44	469	<1	0.02	22	440	16	<5	<20	22	0.07	<10	41	<10	3	77
101	L97N 105+00E	<0.2	1.29	15	70	<5	0.33	1	15	20	61	3.16	<10	0.55	210	<1	0.02	17	320	14	<5	<20	18	0.10	<10	59	<10	3	64
102	L97N 105+25E	<0.2	1.57	20	250	<5	0.38	1	13	15	52	2.67	<10	0.45	545	<1	0.02	19	400	14	<5	<20	24	0.07	<10	40	<10	2	120
103	L97N 105+50E	0.2	1.36	15	255	<5	0.61	1	11	11	34	1.78	<10	0.30	568	<1	0.02	20	1150	12	<5	<20	32	0.06	<10	28	<10	3	135
104	L97N 105+75E	<0.2	2.03	25	140	<5	0.42	2	17	19	56	3.43	<10	0.54	295	<1	0.02	25	360	20	<5	<20	21	0.09	<10	57	<10	4	104
105	L97N 106+00E	<0.2	1.48	20	200	<5	0.48	1	13	11	60	2.00	<10	0.33	641	<1	0.02	26	1040	14	<5	<20	27	0.07	<10	30	<10	3	128
106	L97N 106+25E	<0.2	1.81	25	235	<5	0.43	1	15	14	34	2.72	<10	0.43	684	<1	0.02	23	470	16	<5	<20	20	0.07	<10	41	<10	5	98
107	L97N 106+50E	0.2	1.58	20	290	<5	0.40	1	13	15	45	2.52	<10	0.47	560	<1	0.02	20	510	16	<5	<20	20	0.06	<10	38	<10	3	103
108	L97N 106+75E	<0.2	1.56	20	275	<5	0.62	1	15	18	22	2.31	<10	0.89	695	<1	0.03	20	360	14	<5	<20	22	0.08	<10	56	<10	2	65
109	L97N 107+00E	<0.2	1.54	20	290	<5	0.51	1	13	15	22	2.68	<10	0.42	1093	<1	0.02	17	270	16	<5	<20	23	0.07	<10	39	<10	4	90
110	L97N 107+25E	<0.2	1.67	20	140	<5	0.33	2	13	19	25	3.03	<10	0.51	470	<1	0.02	21	270	18	<5	<20	14	0.07	<10	45	<10	3	95
111	L97N 107+50E	<0.2	2.02	30	165	<5	0.32	2	15	20	23	3.05	<10	0.49	524	<1	0.02	34	440	20	<5	<20	17	0.08	<10	45	<10	2	136
112	L97N 107+75E	<0.2	1.96	25	150	<5	0.31	2	13	18	16	2.48	<10	0.34	558	<1	0.02	31	1120	16	<5	<20	17	0.08	<10	32	<10	4	207
113	L97N 108+00E	0.3	2.34	35	195	<5	0.28	2	15	23	30	3.13	<10	0.51	314	<1	0.02	29	850	20	<5	<20	15	0.08	<10	49	<10	4	131
114	L97N 108+25E	0.4	1.84	25	170	<5	0.40	2	15	18	30	2.63	<10	0.46	412	<1	0.02	31	970	16	<5	<20	21	0.07	<10	39	<10	2	122
115	L97N 108+50E	0.2	1.84	25	185	<5	0.14	2	11	16	15	2.35	<10	0.34	773	<1	0.02	20	1400	16	<5	<20	9	0.07	<10	36	<10	2	170
116	L97N 108+75E	0.2	1.74	25	180	<5	0.19	2	11	18	15	2.33	<10	0.35	568	<1	0.02	26	1220	14	<5	<20	11	0.06	<10	35	<10	3	173
117	L97N 109+00E	<0.2	1.84	25	110	<5	0.24	2	14	27	30	3.32	<10	0.64	289	<1	0.02	27	320	18	<5	<20	15	0.07	<10	57	<10	3	102
118	L97N 109+25E	0.2	1.29	20	185	<5	0.31	2	10	17	11	2.11	<10	0.41	949	<1	0.02	19	730	10	<5	<20	15	0.05	<10	33	<10	2	208
119	L97N 109+50E	0.2	1.75	25	200	<5	0.34	2	13	26	22	3.24	<10	0.67	485	<1	0.02	27	730	14	<5	<20	15	0.05	<10				

ECO TECH LABORATORY LTD.												ICP CERTIFICATE OF ANALYSIS AK 2007- 779												American Creek Resources Ltd.											
Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn						
QC DATA:																																			
Repeat:																																			
1	L103N 100+00E	<0.2	1.98	30	160	<5	0.68	2	26	23	56	3.78	<10	0.49	1027	<1	0.02	32	420	20	<5	<20	40	0.04	<10	47	<10	8	120						
10	L103N 102+25E	<0.2	1.02	15	75	<5	0.21	<1	8	7	4	1.49	<10	0.10	770	<1	0.02	6	270	10	<5	<20	12	0.06	<10	25	<10	1	64						
19	L103N 104+50E	<0.2	1.29	20	105	<5	0.16	1	10	16	27	2.94	<10	0.56	438	<1	0.01	14	380	14	<5	<20	8	0.01	<10	32	<10	3	59						
28	L103N 107+00E	0.3	1.92	25	145	<5	0.30	2	12	19	16	2.56	<10	0.38	588	<1	0.02	35	1510	18	<5	<20	17	0.06	<10	36	<10	2	157						
36	L103N 109+00E	0.4	2.22	35	135	<5	0.42	2	14	24	24	3.09	<10	0.58	406	<1	0.02	57	1240	18	<5	<20	25	0.08	<10	50	<10	3	180						
45	L97N 91+00E	<0.2	1.28	15	55	<5	0.14	<1	12	22	16	2.10	<10	0.37	199	<1	0.02	21	650	8	<5	<20	7	0.07	<10	37	<10	2	46						
54	L97N 93+25E	<0.2	1.28	20	50	<5	0.20	1	12	31	26	2.68	<10	0.59	201	<1	0.01	29	280	12	<5	<20	9	0.07	<10	49	<10	3	49						
63	L97N 95+50E	<0.2	1.39	20	95	<5	0.19	1	12	20	23	2.32	<10	0.43	345	<1	0.02	20	600	14	<5	<20	9	0.06	<10	44	<10	2	50						
71	L97N 97+50E	<0.2	1.29	15	170	<5	0.22	1	13	15	64	2.13	<10	0.35	283	<1	0.02	22	740	12	<5	<20	16	0.06	<10	37	<10	2	75						
80	L97N 99+75E	0.2	1.30	15	185	<5	0.40	<1	13	10	51	2.02	<10	0.27	394	<1	0.02	18	1180	10	<5	<20	23	0.06	<10	34	<10	3	73						
89	L97N 102+00E	<0.2	1.45	20	230	<5	0.77	2	14	10	91	3.30	<10	0.47	444	<1	0.02	10	1270	14	<5	<20	32	0.05	<10	54	<10	2	78						
98	L97N 104+25E	<0.2	1.37	15	125	<5	0.30	1	14	16	67	2.72	<10	0.48	235	<1	0.02	19	290	14	<5	<20	16	0.06	<10	50	<10	2	69						
106	L97N 106+25E	<0.2	1.85	25	240	<5	0.41	1	16	15	34	2.77	<10	0.44	703	<1	0.02	24	490	18	<5	<20	20	0.08	<10	44	<10	5	101						
Standard:																																			
Till 3		1.5	0.93	80	40	<5	0.51	<1	11	51	20	1.95	10	0.52	302	<1	0.03	30	420	30	<5	<20	12	0.05	<10	37	<10	7	37						
Till 3		1.5	0.97	80	40	<5	0.52	<1	11	52	19	2.01	10	0.52	397	<1	0.03	29	410	28	<5	<20	13	0.05	<10	39	<10	6	36						
Till 3		1.4	0.93	80	35	<5	0.57	<1	11	52	19	1.99	10	0.50	306	<1	0.02	29	410	28	<5	<20	13	0.05	<10	37	<10	8	38						
Till 3		1.5	0.95	85	40	<5	0.54	<1	11	52	19	1.98	10	0.51	305	<1	0.03	30	430	28	<5	<20	12	0.05	<10	39	<10	6	38						

JVjl
df/n7060s
XLS/07

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

12-Jul-07

ECO TECH LABORATORY LTD.
 10041 Dallas Drive
 KAMLOOPS, B.C.
 V2C 6T4

Phone: 250-573-5700
 Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2007- 735

American Creek Resources Ltd.
 Box 798
 Raymond, AB
 T0K 2S0

No. of samples received: 163
 Sample Type: Soil
 Project: Gold Mist
 Shipment #: GM-2
 Submitted by: Lindsay Hills

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	L102N 90+00E	<5	<0.2	2.37	15	150	<5	0.40	<1	24	27	71	2.42	<10	0.39	718	1	0.02	62	1410	38	<5	<20	11	0.11	<10	50	<10	5	129
2	L102N 90+25E	<5	<0.2	0.25	5	30	5	0.14	<1	6	6	3	1.21	<10	0.05	156	<1	0.02	5	180	6	<5	<20	5	0.08	<10	49	<10	2	31
3	L102N 90+50E	<5	<0.2	1.84	15	75	10	0.31	<1	30	16	18	3.23	<10	0.23	435	3	0.02	80	530	32	<5	<20	9	0.11	<10	45	<10	7	82
4	L102N 90+75E	<5	<0.2	2.12	<5	95	15	1.01	<1	42	48	75	7.04	<10	0.81	521	5	0.02	49	810	34	<5	<20	24	0.08	<10	117	<10	3	81
5	L102N 91+00E	5	<0.2	1.81	<5	195	5	1.06	<1	26	5	63	3.92	<10	1.24	494	2	0.02	9	1270	30	<5	<20	26	0.14	<10	84	<10	6	72
6	L102N 91+25E	<5	<0.2	2.52	25	85	10	0.71	<1	25	32	51	3.24	<10	0.75	371	2	0.02	35	820	44	<5	<20	20	0.12	<10	80	<10	6	87
7	L102N 91+50E	<5	<0.2	2.35	<5	80	10	0.96	<1	35	42	63	7.07	<10	0.80	331	8	0.02	73	270	38	<5	<20	17	0.09	<10	98	<10	4	81
8	L102N 91+75E	<5	<0.2	1.56	15	115	5	0.57	<1	11	13	12	2.00	<10	0.27	620	1	0.02	17	350	32	<5	<20	15	0.09	<10	40	<10	4	68
9	L102N 92+00E	<5	<0.2	2.30	20	130	5	0.65	<1	19	22	31	2.72	<10	0.41	407	2	0.02	39	710	44	<5	<20	16	0.11	<10	50	<10	5	102
10	L102N 92+25E	<5	<0.2	1.83	15	80	10	0.50	<1	22	51	58	3.49	<10	0.89	465	2	0.01	42	610	32	<5	<20	12	0.12	<10	62	<10	6	62
11	L102N 92+50E	<5	<0.2	2.02	20	120	<5	0.50	<1	18	29	32	2.68	<10	0.47	477	3	0.02	43	730	38	<5	<20	10	0.09	<10	48	<10	4	61
12	L102N 92+75E	5	<0.2	2.02	20	125	<5	0.42	<1	16	19	27	2.45	<10	0.35	772	1	0.02	31	850	38	<5	<20	12	0.11	<10	46	<10	5	74
13	L102N 93+00E	<5	<0.2	2.48	30	85	5	0.55	<1	19	26	34	2.66	<10	0.40	277	2	0.02	40	480	46	<5	<20	10	0.11	<10	41	<10	11	48
14	L102N 93+25E	<5	<0.2	1.70	20	80	10	0.88	<1	14	33	23	2.60	<10	0.52	232	2	0.02	24	270	32	<5	<20	15	0.09	<10	50	<10	5	45
15	L102N 93+50E	<5	0.2	1.81	15	55	5	1.34	<1	12	15	33	2.04	<10	0.22	266	1	0.03	42	340	34	<5	<20	15	0.09	<10	34	<10	20	49
16	L102N 93+75E	<5	<0.2	1.76	10	70	10	0.39	<1	14	18	18	2.39	<10	0.31	159	2	0.02	21	320	34	<5	<20	13	0.09	<10	45	<10	5	49
17	L102N 94+00E	<5	<0.2	2.27	20	150	5	0.84	<1	19	22	55	3.18	<10	0.46	574	3	0.02	25	830	42	<5	<20	26	0.10	<10	59	<10	6	103
18	L102N 94+25E	<5	<0.2	1.76	25	140	<5	0.58	<1	11	15	18	1.97	<10	0.21	792	1	0.02	19	1780	38	<5	<20	14	0.09	<10	35	<10	7	158
19	L102N 94+50E	5	<0.2	2.84	30	90	5	0.51	<1	20	32	56	3.25	<10	0.57	379	2	0.02	35	980	54	<5	<20	10	0.11	<10	55	<10	10	95
20	L102N 94+75E	5	<0.2	1.97	25	100	5	0.44	<1	14	16	24	2.38	<10	0.28	309	2	0.02	28	420	40	<5	<20	10	0.10	<10	45	<10	10	84
21	L102N 95+00E	<5	<0.2	2.90	25	165	10	0.74	<1	15	28	26	2.77	<10	0.41	541	2	0.02	32	1590	56	<5	<20	14	0.12	<10	50	<10	9	94
22	L102N 95+25E	<5	<0.2	2.27	35	130	<5	0.72	<1	16	35	29	2.64	<10	0.46	442	3	0.02	30	1110	44	<5	<20	17	0.09	<10	53	<10	6	70
23	L102N 95+50E	<5	<0.2	1.88	20	120	5	0.29	<1	13	21	14	2.18	<10	0.32	325	2	0.02	28	1510	34	<5	<20	10	0.08	<10	42	<10	4	87
24	L102N 95+75E	<5	<0.2	1.45	10	50	10	0.43	<1	19	43	40	3.24	<10	0.94	307	3	0.01	27	270	28	<5	<20	10	0.12	<10	62	<10	8	50
25	L102N 96+00E	<5	<0.2	1.43	15	100	<5	0.42	<1	12	17	11	1.82	<10	0.23	458	2	0.02	17	1250	30	<5	<20	12	0.08	<10	36	<10	5	108
26	L102N 96+25E	<5	<0.2	2.03	20	145	10	0.54	<1	19	18	28	3.73	<10	0.27	681	4	0.02	43	900	42	<5	<20	16	0.11	<10	48	<10	6	171
27	L102N 96+50E	<5	<0.2	1.81	20	140	5	0.45	<1	13	18	15	2.32	<10	0.29	831	1	0.02	20	1300	36	<5	<20	13	0.11	<10	50	<10	5	87
28	L102N 96+75E	75	<0.2	1.38	20	65	<5	0.80	<1	12	15	19	2.00	<10	0.21	186	1	0.02	13	410	30	<5	<20	14	0.07	<10	40	<10	10	52
29	L102N 97+00E	10	<0.2	1.63	20	75	<5	0.43	<1	19	35	48	3.51	<10	0.77	293	3	0.02	34	510	32	<5	<20	12	0.08	<10	65	<10	6	73
30	L102N 97+25E	5	<0.2	1.34	25	145	5	0.47	<1	11	16	13	2.00	<10	0.27	897	2	0.02	20	620	32	<5	<20	16	0.08	<10	38	<10	6	109

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2007- 735

American Creek Resources Ltd.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
31	L102N 97+50E	15	<0.2	2.26	15	140	5	0.47	2	18	26	28	3.57	<10	0.49	420	4	0.02	44	1250	46	<5	<20	16	0.09	<10	59	<10	8	183
32	L102N 97+75E	5	<0.2	2.06	25	200	5	0.74	<1	16	20	17	2.90	<10	0.37	1237	2	0.02	36	750	38	<5	<20	28	0.11	<10	51	<10	5	163
33	L102N 98+00E	20	<0.2	2.27	35	105	10	0.71	<1	15	14	27	2.54	<10	0.26	492	2	0.03	39	1360	46	<5	<20	26	0.10	<10	37	<10	12	144
34	L102N 98+25E	5	<0.2	1.80	10	120	<5	1.12	<1	20	20	58	5.10	10	0.35	305	7	0.02	54	240	38	<5	<20	36	0.09	<10	60	<10	16	133
35	L102N 98+50E	70	0.2	1.00	<5	240	10	2.26	2	38	11	67	8.13	<10	0.32	1381	5	0.02	31	1800	20	<5	<20	127	0.07	<10	46	<10	11	215
36	L102N 98+75E	5	0.2	1.51	20	135	<5	1.30	<1	12	16	20	3.81	<10	0.31	402	3	0.02	24	470	30	<5	<20	19	0.05	<10	38	<10	14	114
37	L102N 99+00E	5	0.2	1.75	20	180	5	0.44	<1	10	12	10	2.22	<10	0.16	990	2	0.02	19	1760	36	<5	<20	15	0.09	<10	34	<10	4	152
38	L102N 99+25E	<5	0.3	1.49	10	140	5	0.91	<1	10	13	19	2.77	<10	0.21	774	2	0.02	18	650	32	<5	<20	26	0.07	<10	30	<10	14	91
39	L102N 99+50E	<5	<0.2	1.70	20	115	10	0.75	<1	9	13	11	2.06	<10	0.21	633	1	0.02	15	690	36	<5	<20	18	0.08	<10	32	<10	19	85
40	L102N 99+75E	<5	<0.2	2.16	45	220	10	0.91	1	26	23	58	4.91	<10	0.32	1335	4	0.02	36	390	42	<5	<20	35	0.09	<10	48	<10	12	119
41	L102N 100+00E	10	0.2	1.75	10	185	10	1.62	<1	19	20	51	4.48	20	0.64	622	3	0.11	16	1260	30	<5	<20	104	0.09	<10	98	<10	30	74
42	L102N 100+25E	55	0.4	0.63	25	445	<5	5.47	2	13	7	203	3.31	<10	0.10	3476	3	0.02	14	2060	16	<5	<20	220	0.05	<10	13	<10	30	363
43	L102N 100+50E	5	0.3	0.71	<5	145	<5	1.52	1	14	6	91	2.05	<10	0.08	947	2	0.01	10	1650	32	<5	<20	98	0.02	<10	19	<10	23	80
44	L102N 100+75E	25	0.3	0.88	20	125	5	1.83	<1	10	7	65	2.17	10	0.04	1007	2	<0.01	14	1300	22	<5	<20	90	0.02	<10	18	<10	30	59
45	L102N 101+00E	<5	<0.2	1.57	20	305	5	1.51	<1	27	13	49	4.07	10	0.45	1764	3	0.02	27	910	32	<5	<20	91	0.07	<10	45	<10	26	158
46	L102N 101+25E	5	0.2	1.49	15	150	<5	1.04	<1	23	15	55	4.53	10	0.67	830	4	0.01	21	270	30	<5	<20	37	0.06	<10	50	<10	31	107
47	L102N 101+50E	<5	<0.2	1.29	10	80	<5	0.40	<1	13	14	26	3.15	<10	0.52	264	3	0.01	13	100	30	<5	<20	17	0.06	<10	38	<10	8	49
48	L102N 101+75E	5	<0.2	0.73	<5	115	5	0.50	<1	8	11	11	1.61	<10	0.22	1101	1	0.02	8	480	18	<5	<20	22	0.07	<10	36	<10	6	75
49	L102N 102+00E	<5	<0.2	1.56	15	120	5	0.19	<1	9	11	8	1.81	<10	0.23	954	1	0.02	15	1240	30	<5	<20	11	0.09	<10	33	<10	6	119
50	L102N 102+25E	<5	0.2	0.97	20	170	5	0.46	<1	10	11	10	1.59	<10	0.22	1801	1	0.02	13	1030	20	<5	<20	22	0.08	<10	32	<10	4	158
51	L102N 102+50E	<5	0.2	1.43	20	125	5	0.55	<1	11	12	9	1.74	<10	0.24	589	1	0.02	19	1790	28	<5	<20	21	0.08	<10	30	<10	5	134
52	L102N 102+75E	<5	0.3	1.68	20	120	5	0.54	<1	10	11	9	1.68	<10	0.21	675	2	0.02	15	1880	32	<5	<20	18	0.08	<10	28	<10	6	129
53	L102N 103+00E	10	0.2	1.87	20	115	5	0.39	<1	14	14	17	2.16	<10	0.35	473	2	0.02	24	1030	38	<5	<20	15	0.09	<10	34	<10	8	165
54	L102N 103+25E	<5	0.2	1.51	15	95	5	0.28	<1	14	12	25	2.89	<10	0.64	441	2	0.01	15	710	30	<5	<20	14	0.06	<10	44	<10	5	87
55	L102N 103+50E	<5	0.2	2.24	30	155	5	0.46	<1	10	12	12	2.02	<10	0.26	571	2	0.02	13	2300	42	<5	<20	14	0.10	<10	30	<10	7	94
56	L102N 103+75E	5	<0.2	1.33	15	95	5	0.29	<1	12	11	18	2.56	<10	0.64	497	1	0.01	11	480	26	<5	<20	13	0.05	<10	41	<10	4	76
57	L102N 104+00E	<5	0.2	1.61	25	165	<5	0.35	<1	10	13	11	2.00	<10	0.28	826	2	0.02	17	1980	32	<5	<20	13	0.08	<10	33	<10	4	95
58	L102N 104+25E	5	0.4	1.78	25	155	<5	0.38	<1	9	11	10	1.79	<10	0.21	570	1	0.02	16	2190	38	<5	<20	14	0.08	<10	30	<10	7	71
59	L102N 104+50E	5	<0.2	1.49	15	80	5	0.25	<1	13	21	38	3.26	<10	0.71	432	3	0.01	21	370	30	<5	<20	7	0.04	<10	40	<10	5	65
60	L102N 104+75E	<5	0.2	1.57	20	145	10	0.47	<1	8	12	11	1.80	<10	0.24	702	2	0.02	18	1080	32	<5	<20	12	0.08	<10	32	<10	6	85
61	L102N 105+00E	<5	0.2	1.45	15	135	10	0.26	<1	12	16	22	2.45	<10	0.41	709	2	0.02	20	850	30	<5	<20	7	0.06	<10	39	<10	6	98
62	L102N 105+25E	<5	0.3	1.65	20	240	5	0.63	<1	11	15	18	2.26	<10	0.32	1304	2	0.02	22	1180	36	<5	<20	17	0.08	<10	35	<10	4	99
63	L102N 105+50E	10	0.3	1.62	10	190	<5	0.40	<1	12	17	15	2.44	<10	0.43	522	3	0.02	25	1190	34	<5	<20	11	0.07	<10	38	<10	5	89
64	L102N 105+75E	<5	0.2	1.56	15	170	10	0.40	<1	11	15	13	2.20	<10	0.33	417	2	0.02	26	1610	34	<5	<20	13	0.07	<10	36	<10	5	107
65	L102N 106+00E	<5	0.3	1.89	20	145	5	0.42	<1	13	16	11	2.26	<10	0.29	540	2	0.02	39	1340	40	<5	<20	15	0.10	<10	37	<10	8	115
66	L102N 106+25E	<5	0.4	1.72	15	165	10	0.35	<1	12	18	12	2.32	<10	0.42	395	3	0.02	38	1550	36	<5	<20	15	0.07	<10	37	<10	6	125
67	L102N 106+50E	<5	0.3	1.61	20	100	<5	0.29	<1	11	14	13	2.18	<10	0.33	306	2	0.02	26	680	34	<5	<20	12	0.07	<10	38	<10	9	83
68	L102N 106+75E	<5	0.4	1.85	25	160	5	0.47	<1	14	20	18	2.87	<10	0.52	422	2	0.02	41	1190	38	<5	<20	19	0.07	<10	45	<10	7	150
69	L102N 107+00E	<5	0.2	1.26	15	105	5	0.28	<1	11	13	11	2.00	<10	0.27	528	2	0.02	28	950	28	<5	<20	10	0.07	<10	40	<10	6	119
70	L102N 107+25E	10	0.4	1.52	15	160	5	0.46	<1	12	24	21	3.92	<10	0.44	471	4	0.02	39	1860	32	<5	<20	21	0.07	<10	70	<10	7	150
71	L102N 107+50E	10	0.2	1.95	20	130	5	0.29	<1	12	18	14	2.45	<10	0.34	437	2	0.02	33	1860	36	<5	<20	10	0.07	<10	41	<10	4	125
72																														

ECO TECH LABORATORY LTD.		ICP CERTIFICATE OF ANALYSIS AK 2007- 735																American Creek Resources Ltd.												
Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
76	L102N 108+75E	20	<0.2	1.51	25	155	5	0.61	<1	14	18	12	2.27	<10	0.44	917	2	0.02	27	1920	30	<5	<20	21	0.08	<10	47	<10	5	111
77	L102N 109+00E	5	0.2	1.94	20	135	<5	0.70	<1	16	24	17	2.77	<10	0.61	552	2	0.02	34	990	36	<5	<20	17	0.08	<10	59	<10	5	118
78	L102N 109+25E	5	<0.2	1.73	30	140	10	0.40	<1	14	24	14	2.81	<10	0.80	480	2	0.02	30	1510	34	<5	<20	13	0.07	<10	58	<10	4	122
79	L102N 109+50E	<5	<0.2	2.06	25	75	10	0.33	<1	20	38	38	4.17	<10	1.26	445	4	0.01	29	330	36	<5	<20	6	0.08	<10	93	<10	5	95
80	L102N 109+75E	<5	0.2	2.69	30	195	10	0.46	<1	23	48	47	4.64	<10	1.23	419	4	0.01	46	820	48	<5	<20	12	0.09	<10	110	<10	6	138
81	L102N 110+00E	5	0.3	1.82	30	125	<5	0.62	<1	16	26	21	3.06	<10	0.65	887	3	0.02	33	2230	34	<5	<20	21	0.07	<10	66	<10	5	144
82	L103N 90+00E	<5	<0.2	1.29	10	130	5	0.49	<1	13	13	13	1.84	<10	0.23	1028	2	0.02	17	460	26	<5	<20	13	0.08	<10	41	<10	4	93
83	L103N 90+25E	<5	<0.2	2.61	25	85	10	0.40	<1	22	15	30	2.82	<10	0.24	415	2	0.02	30	1080	50	<5	<20	11	0.13	<10	47	<10	8	67
84	L103N 90+50E	5	<0.2	1.44	20	135	<5	0.46	<1	13	11	20	1.90	<10	0.15	1096	1	0.02	16	540	30	<5	<20	14	0.12	<10	42	<10	6	69
85	L103N 90+75E	5	<0.2	2.08	30	120	5	0.45	<1	17	17	76	2.04	<10	0.23	1137	2	0.02	38	740	40	<5	<20	7	0.11	<10	40	<10	15	68
86	L103N 91+00E	5	<0.2	2.55	25	135	10	0.55	<1	21	13	73	3.03	<10	0.88	587	2	0.01	15	970	48	<5	<20	17	0.14	<10	59	<10	9	96
87	L103N 91+25E	10	0.2	2.36	25	85	5	0.21	<1	18	19	27	2.44	<10	0.29	487	2	0.02	44	1320	48	<5	<20	8	0.13	<10	45	<10	6	102
88	L103N 91+50E	5	<0.2	2.29	20	155	10	1.18	<1	19	19	52	2.69	<10	0.30	899	2	0.02	38	1940	48	<5	<20	35	0.12	<10	47	<10	8	102
89	L103N 91+75E	10	<0.2	2.69	30	185	10	0.46	<1	23	46	47	4.79	<10	1.24	428	4	0.01	47	890	50	<5	<20	11	0.09	<10	112	<10	6	143
90	L103N 92+00E	5	<0.2	2.55	15	200	15	0.76	<1	22	20	24	3.27	<10	0.31	1073	3	0.02	46	2440	52	<5	<20	20	0.12	<10	50	<10	6	133
91	L103N 92+25E	<5	<0.2	1.73	20	130	10	0.62	3	48	16	35	3.99	<10	0.19	616	5	0.02	90	2860	34	<5	<20	13	0.10	<10	51	<10	9	246
92	L103N 92+50E	5	<0.2	1.76	15	80	10	0.62	<1	20	42	45	3.57	<10	0.74	261	3	0.02	50	180	32	<5	<20	12	0.12	<10	57	<10	8	101
93	L103N 92+75E	<5	<0.2	2.09	20	115	10	0.53	<1	14	22	28	2.27	<10	0.33	541	1	0.02	30	730	42	<5	<20	9	0.10	<10	37	<10	8	79
94	L103N 93+00E	<5	<0.2	1.51	20	105	5	0.43	<1	13	23	13	2.08	<10	0.32	363	1	0.01	26	430	32	<5	<20	11	0.10	<10	41	<10	5	39
95	L103N 93+25E	<5	<0.2	1.58	25	65	10	0.55	<1	16	41	15	2.53	<10	0.61	228	2	0.01	27	170	32	<5	<20	13	0.14	<10	50	<10	9	34
96	L103N 93+50E	<5	<0.2	1.51	20	125	<5	0.51	<1	15	25	14	2.70	<10	0.35	706	2	0.02	24	630	30	<5	<20	13	0.09	<10	46	<10	3	69
97	L103N 93+75E	<5	<0.2	1.67	20	75	5	0.83	<1	11	15	26	1.68	<10	0.22	612	1	0.03	38	720	36	<5	<20	13	0.08	<10	32	<10	18	57
98	L103N 94+00E	<5	<0.2	1.90	20	100	10	0.36	<1	13	18	13	2.02	<10	0.25	408	1	0.02	23	1100	38	<5	<20	8	0.09	<10	36	<10	6	51
99	L103N 94+25E	5	0.2	1.69	15	110	10	0.95	<1	18	28	37	3.66	<10	0.78	514	3	0.02	29	760	34	<5	<20	13	0.09	<10	61	<10	8	104
100	L103N 94+50E	<5	0.2	1.56	20	115	10	0.80	<1	16	23	29	2.78	<10	0.58	476	3	0.02	27	840	32	<5	<20	15	0.08	<10	46	<10	7	96
101	L103N 94+75E	<5	0.3	2.69	35	165	10	0.57	<1	12	18	13	2.42	<10	0.30	420	2	0.03	29	960	52	<5	<20	13	0.12	<10	39	<10	8	150
102	L103N 95+00E	25	0.2	1.70	15	165	<5	0.35	<1	10	10	8	1.66	<10	0.16	1444	<1	0.02	16	1380	34	<5	<20	9	0.10	<10	33	<10	5	227
103	L103N 95+25E	<5	0.2	3.06	35	145	10	0.64	<1	17	18	29	3.44	<10	0.42	678	2	0.02	22	1290	56	<5	<20	14	0.13	<10	61	<10	8	93
104	L103N 95+50E	5	<0.2	1.42	15	160	5	0.76	<1	39	15	29	3.88	<10	0.26	1013	3	0.02	47	600	30	<5	<20	15	0.09	<10	47	<10	7	95
105	L103N 95+75E	<5	<0.2	3.15	40	85	10	0.86	<1	11	13	23	1.76	<10	0.12	424	2	0.03	21	1260	58	<5	<20	7	0.13	<10	25	<10	16	104
106	L103N 96+00E	5	0.2	2.27	20	85	10	0.33	<1	11	13	12	1.97	<10	0.17	310	<1	0.02	19	860	42	<5	<20	7	0.12	<10	40	<10	5	87
107	L103N 96+25E	5	<0.2	2.38	30	105	10	0.40	<1	11	14	14	2.00	<10	0.20	232	1	0.02	28	1130	48	<5	<20	10	0.11	<10	38	<10	6	131
108	L103N 96+50E	140	<0.2	1.82	25	170	<5	0.33	<1	16	26	26	2.93	<10	0.52	558	2	0.01	28	1650	36	<5	<20	11	0.10	<10	56	<10	4	136
109	L103N 96+75E	10	<0.2	2.48	25	180	10	0.42	<1	17	22	17	2.80	<10	0.41	188	3	0.02	22	280	48	<5	<20	13	0.11	<10	58	<10	5	65
110	L103N 97+00E	5	0.2	1.53	15	135	<5	1.14	2	13	13	21	1.91	<10	0.22	1134	2	0.02	27	700	28	<5	<20	24	0.08	<10	34	<10	6	277
111	L103N 97+25E	5	<0.2	2.38	35	100	10	0.45	<1	19	22	16	2.46	<10	0.34	308	2	0.02	35	390	46	<5	<20	10	0.12	<10	45	<10	6	72
112	L103N 97+50E	5	<0.2	1.51	15	85	5	0.41	<1	17	20	42	4.19	<10	0.37	302	4	0.02	40	390	36	<5	<20	10	0.06	<10	62	<10	21	119
113	L103N 97+75E	5	0.2	2.50	35	115	10	0.47	<1	13	16	17	2.73	<10	0.24	628	3	0.02	25	1580	52	<5	<20	17	0.12	<10	40	<10	9	177
114	L103N 98+00E	5	<0.2	1.23	20	60	5	0.29	<1	8	8	5	1.51	<10	0.07	144	<1	0.02	7	1880	30	<5	<20	11	0.10	<10	34	<10	4	65
115	L103N 98+25E	5	<0.2	3.14	45	115	5	0.68	<1	14	18	25	2.55	<10	0.24	440	3	0.02	31	2370	60	<5	<20	19	0.13	<10	43	<10	13	136
116	L103N 98+50E	<																												

ECO TECH LABORATORY LTD.																		ICP CERTIFICATE OF ANALYSIS AK 2007- 735												American Creek Resources Ltd.											
El #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn											
121	L103N 99+75E	<5	<0.2	2.08	35	180	10	0.41	<1	15	21	20	2.41	<10	0.40	461	2	0.02	30	630	44	<5	<20	19	0.09	<10	41	<10	7	86											
122	L103N 100+00E	<5	<0.2	2.07	20	180	<5	0.55	<1	24	24	45	3.56	<10	0.49	668	3	0.02	34	320	38	<5	<20	25	0.08	<10	55	<10	12	129											
123	L104N 90+00E	<5	<0.2	0.94	20	175	<5	0.48	<1	8	16	9	1.27	<10	0.19	1062	<1	0.02	14	1540	18	<5	<20	17	0.07	<10	29	<10	4	70											
124	L104N 90+25E	<5	<0.2	3.00	40	125	5	0.39	<1	13	16	20	2.24	<10	0.25	461	1	0.02	16	2020	56	<5	<20	10	0.14	<10	43	<10	10	87											
125	L104N 90+50E	<5	<0.2	2.98	30	120	5	0.23	<1	13	14	10	2.11	<10	0.12	473	1	0.02	17	1190	58	<5	<20	8	0.14	<10	40	<10	8	56											
126	L104N 90+75E	<5	<0.2	2.99	40	115	10	0.35	<1	17	20	15	2.15	<10	0.22	422	<1	0.02	23	2720	56	<5	<20	12	0.14	<10	36	<10	8	93											
127	L104N 91+00E	<5	<0.2	2.11	25	130	<5	0.85	<1	21	28	33	2.81	<10	0.42	1031	3	0.02	34	1270	40	<5	<20	15	0.12	<10	49	<10	8	68											
128	L104N 91+25E	<5	<0.2	2.43	25	150	<5	1.04	<1	44	29	74	4.55	<10	0.45	1262	3	0.02	84	1890	46	<5	<20	21	0.14	<10	55	<10	9	98											
129	L104N 91+50E	<5	<0.2	3.09	40	105	5	0.90	<1	24	18	35	2.84	<10	0.34	535	1	0.02	34	970	60	<5	<20	13	0.13	<10	47	<10	8	85											
130	L104N 91+75E	<5	<0.2	1.77	15	75	10	1.27	<1	15	15	27	1.91	<10	0.21	429	1	0.02	27	640	38	<5	<20	14	0.09	<10	37	<10	7	46											
131	L104N 92+00E	<5	<0.2	1.32	15	95	<5	0.43	<1	17	18	21	2.62	<10	0.27	857	2	0.02	33	400	26	<5	<20	12	0.10	<10	46	<10	5	72											
132	L104N 92+25E	<5	<0.2	1.73	30	80	10	0.55	<1	18	21	23	2.53	<10	0.31	598	2	0.02	33	1270	34	<5	<20	11	0.11	<10	50	<10	5	83											
133	L104N 92+50E	5	<0.2	1.94	25	90	<5	0.50	<1	17	25	24	2.35	<10	0.30	439	<1	0.02	42	1470	40	<5	<20	9	0.10	<10	40	<10	6	62											
134	L104N 92+75E	<5	<0.2	2.04	20	110	10	0.38	<1	19	34	23	2.41	<10	0.43	686	1	0.02	45	2040	38	<5	<20	10	0.10	<10	43	<10	5	56											
135	L104N 93+00E	<5	<0.2	2.32	25	110	10	0.56	<1	19	29	25	2.58	<10	0.37	283	1	0.02	39	890	42	<5	<20	13	0.12	<10	45	<10	6	48											
136	L104N 93+25E	5	<0.2	2.04	20	115	10	0.54	<1	22	43	25	3.04	<10	0.60	235	2	0.02	39	380	40	<5	<20	13	0.13	<10	58	<10	7	49											
137	L104N 93+50E	<5	<0.2	1.80	25	105	5	0.62	<1	17	28	23	2.25	<10	0.42	411	<1	0.02	38	940	34	<5	<20	13	0.11	<10	41	<10	6	51											
138	L104N 93+75E	<5	<0.2	2.08	25	140	10	0.48	<1	16	21	17	2.16	<10	0.26	862	2	0.02	36	2740	40	<5	<20	15	0.11	<10	37	<10	6	53											
139	L104N 94+00E	<5	<0.2	1.60	20	95	10	0.56	<1	17	30	21	2.23	<10	0.51	447	1	0.02	30	710	34	<5	<20	16	0.11	<10	41	<10	7	49											
140	L104N 94+25E	<5	<0.2	1.55	20	95	10	0.56	<1	17	21	16	2.01	<10	0.28	468	2	0.02	35	800	34	<5	<20	15	0.11	<10	36	<10	7	49											
141	L104N 94+50E	10	<0.2	1.50	10	100	5	0.86	<1	19	30	32	2.29	<10	0.45	849	2	0.02	38	490	32	<5	<20	17	0.11	<10	42	<10	8	43											
142	L104N 94+75E	5	<0.2	1.86	30	80	10	0.35	<1	14	25	18	2.18	<10	0.39	206	2	0.02	29	650	38	<5	<20	7	0.11	<10	40	<10	6	45											
143	L104N 95+00E	10	0.5	1.59	20	50	<5	0.91	<1	12	17	80	1.77	<10	0.15	297	1	0.02	59	180	32	<5	<20	12	0.09	<10	31	<10	18	26											
144	L104N 95+25E	5	0.2	2.32	25	105	10	0.61	<1	20	26	38	2.98	<10	0.43	538	2	0.02	36	1510	46	<5	<20	12	0.11	<10	56	<10	6	88											
145	L104N 95+50E	5	0.2	2.28	35	135	<5	0.47	<1	18	26	35	2.73	<10	0.43	593	2	0.02	32	910	46	<5	<20	11	0.11	<10	47	<10	9	87											
146	L104N 95+75E	10	<0.2	2.38	25	145	5	0.40	<1	15	20	28	2.69	<10	0.34	902	3	0.02	22	1180	42	<5	<20	9	0.11	<10	52	<10	7	92											
147	L104N 96+00E	10	<0.2	2.20	25	105	<5	0.39	<1	17	26	35	2.63	<10	0.49	514	1	0.02	30	890	38	<5	<20	7	0.12	<10	50	<10	10	69											
148	L104N 96+25E	5	<0.2	2.60	30	130	10	0.78	<1	17	28	28	3.38	<10	0.44	257	5	0.02	44	1200	46	<5	<20	19	0.12	<10	62	<10	8	103											
149	L104N 96+50E	5	0.3	2.74	35	110	<5	0.59	<1	18	38	43	2.86	<10	0.54	389	2	0.02	38	1030	48	<5	<20	16	0.11	<10	63	<10	16	94											
150	L104N 96+75E	5	0.7	3.57	45	105	5	0.74	<1	9	11	11	1.93	<10	0.10	301	2	0.02	18	4710	66	<5	<20	16	0.13	<10	29	<10	12	155											
151	L104N 97+00E	5	0.4	2.28	35	120	<5	0.70	2	12	11	19	2.15	<10	0.15	866	2	0.02	19	2150	46	<5	<20	22	0.13	<10	37	<10	9	195											
152	L104N 97+25E	5	0.2	2.60	40	100	10	0.46	<1	12	15	10	2.35	<10	0.16	368	1	0.02	15	1920	52	<5	<20	15	0.13	<10	41	<10	8	131											
153	L104N 97+50E	5	<0.2	2.15	30	65	10	0.24	<1	14	21	12	2.35	<10	0.32	142	2	0.02	18	990	40	<5	<20	6	0.11	<10	47	<10	6	42											
154	L104N 97+75E	5	<0.2	1.59	30	165	<5	0.42	<1	15	16	12	2.22	<10	0.13	854	<1	0.02	13	2680	34	<5	<20	15	0.10	<10	41	<10	5	110											
155	L104N 98+00E	5	<0.2	1.73	15	100	10	1.03	<1	17	27	29	2.79	<10	0.56	1358	4	0.02	32	290	36	<5	<20	20	0.08	<10	48	<10	10	113											
156	L104N 98+25E	5	<0.2	1.98	25	90	10	0.45	<1	14	23	17	2.68	<10	0.37	181	3	0.01	22	540	42	<5	<20	13	0.08	<10	50	<10	6	80											
157	L104N 98+50E	5	<0.2	2.38	30	130	<5	0.49	<1	20	38	47	3.09	<10	0.84	373	3	0.01	41	680	44	<5	<20	14	0.12	<10	60	<10	10	98											
158	L104N 98+75E	<5	0.2	3.29	50	145	10	0.44	<1	17	22	16	2.44	<10	0.33	657	2	0.02	29	1600	60	<5	<20	12	0.13	<10	41	<10	11	118											
159	L104N 99+00E	15	0.3	1.54	10	125	10	1.33	1	24	14	50	5.61	10	0.41	529	5	0.01	57	950	34	<5	<20	19	0.07	<10	36	<10	21	130											
160	L104N 99+25E	5	0.2	1.82	25	115	<5	0.53	<1	12	17	14	2.14	<10	0.34</td																										

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2007- 735

American Creek Resources Ltd.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
QC DATA:																														
Repeat:																														
1	L102N 90+00E	5	<0.2	2.40	30	155	<5	0.45	<1	24	28	70	2.42	<10	0.37	740	2	0.02	63	1510	42	<5	<20	13	0.11	<10	49	<10	7	131
10	L102N 92+25E	<5	<0.2	1.93	20	75	5	0.55	<1	22	54	56	3.44	<10	0.94	459	4	0.01	42	590	36	<5	<20	14	0.13	<10	62	<10	8	62
19	L102N 94+50E	<5	<0.2	2.85	30	90	<5	0.52	<1	20	31	56	3.30	<10	0.58	374	2	0.02	35	980	54	<5	<20	10	0.12	<10	56	<10	10	97
28	L102N 96+75E	<0.2	1.45	15	65	<5	0.80	<1	13	15	20	2.15	<10	0.22	200	1	0.02	13	430	28	<5	<20	14	0.08	<10	44	<10	9	55	
29	L102N 97+00E	5																												
36	L102N 98+75E	0.2	1.56	30	140	10	1.33	<1	13	17	21	3.94	<10	0.32	433	3	0.02	23	490	34	<5	<20	20	0.06	<10	39	<10	15	115	
37	L102N 99+00E	5																												
45	L102N 101+00E	5	<0.2	1.57	20	305	<5	1.56	<1	26	13	49	4.00	10	0.46	1713	4	0.02	27	920	32	<5	<20	95	0.07	<10	47	<10	27	154
54	L102N 103+25E	5	0.2	1.53	20	105	5	0.30	<1	14	13	25	2.92	<10	0.63	451	2	0.02	15	750	30	<5	<20	14	0.07	<10	43	<10	6	91
63	L102N 105+50E	5	0.3	1.67	25	195	5	0.44	<1	13	18	16	2.54	<10	0.45	549	2	0.02	26	1250	36	<5	<20	13	0.07	<10	39	<10	6	93
71	L102N 107+50E	<5	0.2	1.93	35	130	<5	0.29	<1	11	17	14	2.37	<10	0.32	445	1	0.02	31	1880	36	<5	<20	11	0.07	<10	40	<10	4	118
80	L102N 109+75E	<5	0.2	2.54	20	200	10	0.45	<1	22	39	43	4.21	<10	1.30	462	3	0.02	44	840	50	<5	<20	16	0.12	<10	99	<10	6	131
106	L103N 96+00E	5	0.2	2.25	35	85	5	0.31	<1	11	13	12	1.89	<10	0.16	289	1	0.02	19	880	46	<5	<20	9	0.11	<10	37	<10	8	86
115	L103N 98+25E	5	0.2	3.16	30	115	10	0.67	<1	14	17	25	2.52	<10	0.24	436	3	0.02	30	2330	58	<5	<20	20	0.12	<10	41	<10	13	130
124	L104N 90+25E	<5	<0.2	2.99	40	120	10	0.38	<1	13	16	20	2.23	<10	0.24	455	1	0.02	17	2030	58	<5	<20	11	0.13	<10	42	<10	11	86
133	L104N 92+50E	<5	<0.2	1.88	30	95	5	0.48	<1	16	24	23	2.27	<10	0.29	445	<1	0.02	41	1500	38	<5	<20	7	0.10	<10	37	<10	6	60
141	L104N 94+50E	<5	<0.2	1.52	10	105	5	0.85	<1	20	31	33	2.30	<10	0.45	662	2	0.02	38	500	32	<5	<20	19	0.11	<10	41	<10	7	42
150	L104N 96+75E	10	0.7	3.53	50	105	<5	0.76	<1	9	10	10	1.89	<10	0.09	315	2	0.02	17	4670	64	<5	<20	16	0.13	<10	27	<10	11	152
159	L104N 99+00E	10	0.2	1.50	30	115	5	1.27	1	24	14	49	5.55	10	0.41	532	6	0.01	55	950	34	<5	<20	18	0.07	<10	36	<10	20	129
Standard:																														
Till-3		1.4	1.01	80	45	<5	0.60	<1	13	56	19	2.02	10	0.54	291	1	0.03	28	420	32	<5	<20	9	0.07	<10	35	<10	11	37	
Till-3		1.4	1.01	75	45	5	0.60	<1	13	56	19	2.02	10	0.55	292	1	0.03	27	430	32	<5	<20	9	0.07	<10	35	<10	12	38	
Till-3		1.3	0.95	75	45	<5	0.52	<1	13	55	19	1.97	10	0.53	305	2	0.03	28	440	32	<5	<20	7	0.06	<10	37	<10	11	36	
Till-3		1.3	0.98	80	45	<5	0.55	<1	13	57	20	2.03	10	0.55	290	2	0.03	29	430	32	<5	<20	8	0.06	<10	35	<10	11	37	
OXD43		415																												
OXD43		405																												
OXD43		410																												
OXD43		400																												
OXD43		410																												

ECO TECH LABORATORY LTD.

Jutta Jealouse

B.C. Certified Assayer

CERTIFICATE OF ANALYSIS AK 2007 - 779

American Creek Resources Ltd.

Box 798

Raymond, AB

T0K 2S0

16-Jul-07

No. of samples received: 121

Sample Type: Soil

Project: Gold Mist

Shipment #: GM-3

Submitted by: Perry

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
1	L103N 100+00E	5	<5	<5
2	L103N 100+25E	5	<5	<5
3	L103N 100+50E	15	<5	<5
4	L103N 100+75E	35	<5	<5
5	L103N 101+00E	10	<5	<5
6	L103N 101+25E	<5	<5	<5
7	L103N 101+50E	<5	<5	<5
8	L103N 101+75E	5	<5	<5
9	L103N 102+00E	5	<5	<5
10	L103N 102+25E	<5	<5	<5
11	L103N 102+50E	565	<5	<5
12	L103N 102+75E	15	<5	<5
13	L103N 103+00E	5	<5	<5
14	L103N 103+25E	5	<5	<5
15	L103N 103+50E	<5	<5	<5
16	L103N 103+75E	<5	<5	<5
17	L103N 104+00E	5	<5	<5
18	L103N 104+25E	5	<5	<5
19	L103N 104+50E	5	<5	<5
20	L103N 104+75E	5	<5	<5
21	L103N 105+00E	15	<5	<5
22	L103N 105+25E	10	<5	<5
23	L103N 105+50E	5	<5	<5
24	L103N 105+75E	5	<5	<5
25	L103N 106+00E	5	<5	<5
26	L103N 106+50E	<5	<5	<5
27	L103N 106+75E	5	<5	<5
28	L103N 107+00E	<5	<5	<5
29	L103N 107+25E	5	<5	<5
30	L103N 107+50E	5	<5	<5
31	L103N 107+75E	5	<5	<5

American Creek Resources Ltd. AK7-779

16-Jul-07

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
32	L103N 108+00E	10	<5	<5
33	L103N 108+25E	5	<5	<5
34	L103N 108+50E	10	<5	<5
35	L103N 108+75E	<5	<5	<5
36	L103N 109+00E	<5	<5	<5
37	L103N 109+25E	25	<5	<5
38	L103N 109+50E	5	<5	<5
39	L103N 109+75E	10	<5	<5
40	L103N 110+00E	5	<5	<5
41	L97N 90+00E	5	<5	<5
42	L97N 90+25E	5	<5	<5
43	L97N 90+50E N/S			
44	L97N 90+75E N/S			
45	L97N 91+00E	<5	<5	<5
46	L97N 91+25E	10	<5	<5
47	L97N 91+50E	<5	<5	<5
48	L97N 91+75E	5	<5	<5
49	L97N 92+00E	<5	<5	<5
50	L97N 92+25E	<5	<5	<5
51	L97N 92+50E	<5	<5	<5
52	L97N 92+75E	40	<5	<5
53	L97N 93+00E	5	<5	<5
54	L97N 93+25E	<5	<5	<5
55	L97N 93+50E	5	<5	<5
56	L97N 93+75E	5	<5	<5
57	L97N 94+00E	10	<5	<5
58	L97N 94+25E	15	<5	<5
59	L97N 94+50E	70	<5	<5
60	L97N 94+75E	30	<5	<5
61	L97N 95+00E	5	<5	<5
62	L97N 95+25E	5	<5	<5
63	L97N 95+50E	<5	<5	<5
64	L97N 95+75E	<5	<5	<5
65	L97N 96+00E	5	<5	<5
66	L97N 96+25E	5	<5	<5
67	L97N 96+50E	5	<5	<5
68	L97N 96+75E	5	<5	<5
69	L97N 97+00E	5	<5	<5
70	L97N 97+25E	5	<5	<5
71	L97N 97+50E	5	<5	<5
72	L97N 97+75E	5	<5	<5
73	L97N 98+00E	5	<5	<5
74	L97N 98+25E	5	<5	<5
75	L97N 98+50E	5	<5	<5
76	L97N 98+75E	5	<5	<5

American Creek Resources Ltd. AK7-779

16-Jul-07

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
77	L97N 99+00E	5	<5	<5
78	L97N 99+25E	5	<5	<5
79	L97N 99+50E	5	<5	<5
80	L97N 99+75E	5	<5	<5
81	L97N 100+00E	5	<5	<5
82	L97N 100+25E N/S			
83	L97N 100+50E N/S			
84	L97N 100+75E N/S			
85	L97N 101+00E N/S			
86	L97N 101+25E N/S			
87	L97N 101+50E N/S			
88	L97N 101+75E	5	<5	<5
89	L97N 102+00E	5	<5	<5
90	L97N 102+25E	60	<5	<5
91	L97N 102+50E	15	<5	<5
92	L97N 102+75E	10	<5	<5
93	L97N 103+00E	5	<5	<5
94	L97N 103+25E	5	<5	<5
95	L97N 103+50E	5	<5	<5
96	L97N 103+75E	<5	<5	<5
97	L97N 104+00E	<5	<5	<5
98	L97N 104+25E	<5	<5	<5
99	L97N 104+50E	<5	<5	<5
100	L97N 104+75E	5	<5	<5
101	L97N 105+00E	5	<5	<5
102	L97N 105+25E	45	<5	<5
103	L97N 105+50E	5	<5	<5
104	L97N 105+75E	40	<5	<5
105	L97N 106+00E	5	<5	<5
106	L97N 106+25E	15	<5	<5
107	L97N 106+50E	25	<5	<5
108	L97N 106+75E	5	<5	<5
109	L97N 107+00E	5	<5	<5
110	L97N 107+25E	10	<5	<5
111	L97N 107+50E	10	<5	<5
112	L97N 107+75E	<5	<5	<5
113	L97N 108+00E	<5	<5	<5
114	L97N 108+25E	<5	<5	<5
115	L97N 108+50E	<5	<5	<5
116	L97N 108+75E	5	<5	<5
117	L97N 109+00E	5	<5	<5
118	L97N 109+25E	5	<5	<5
119	L97N 109+50E	30	<5	<5
120	L97N 109+75E	5	<5	<5
121	L97N 110+00E	5	<5	<5

American Creek Resources Ltd. AK7-779

16-Jul-07

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
-------	-------	-------------	-------------	-------------

QC DATA:

Repeat:

1	L103N 100+00E	<5	<5	<5
10	L103N 102+25E	10	<5	<5
11	L103N 102+50E	600		
19	L103N 104+50E	5	<5	<5
30	L103N 107+50E	10	<5	<5
36	L103N 109+00E	<5	<5	<5
46	L97N 91+25E	<5	<5	<5
56	L97N 93+75E	5	<5	<5
65	L97N 96+00E	<5	<5	<5
80	L97N 99+75E	20	<5	<5
93	L97N 103+00E	5	<5	<5
101	L97N 105+00E	5	<5	<5
109	L97N 107+00E	5	<5	<5

Standard:

PGMS8	810	1556	438
PGMS8	820	1573	440
PGMS8	800	1561	439
PGMS8	800	1575	451

ECO TECH LABORATORY LTD.

Jutta Jealouse
B.C. Certified Assayer

JJ/BP
XLS/07

17-Jul-07

ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4

Phone: 250-573-5700
 Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AS 2007-821

American Creek Resources Ltd.
 Box 798
Raymond, AB
 T0K 2S0

No. of samples received: 411
 Sample Type: Soil
 Project: Gold Mist
 Shipment #: GM-4
 Submitted by: Perry Grunenberg

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	L98N 90+00E	<0.2	1.47	10	60	5	0.27	<1	11	21	21	1.87	<10	0.34	325	2	0.01	24	990	18	<5	<20	4	0.06	<10	37	<10	3	43
2	L98N 90+25E	<0.2	1.52	20	105	<5	0.23	<1	10	16	11	1.49	<10	0.23	374	2	0.02	24	1510	20	<5	<20	7	0.06	<10	27	<10	3	52
3	L98N 90+50E	<0.2	1.14	<5	105	<5	0.25	<1	9	15	8	1.30	<10	0.19	422	1	0.01	18	1600	14	<5	<20	5	0.05	<10	26	<10	2	43
4	L98N 90+75E	<0.2	1.93	5	100	<5	0.32	<1	12	21	12	1.88	<10	0.25	384	2	0.01	26	2240	24	<5	<20	6	0.07	<10	33	<10	2	72
5	L98N 91+00E	0.2	2.00	20	110	5	0.16	<1	11	21	13	1.78	<10	0.30	288	2	0.01	27	1590	24	<5	<20	3	0.07	<10	30	<10	5	90
6	L98N 91+25E	<0.2	1.63	5	75	5	0.78	<1	11	24	11	2.15	<10	0.28	108	3	0.02	15	150	20	<5	<20	14	0.05	<10	48	<10	1	31
7	L98N 91+50E	<0.2	1.59	20	95	5	0.20	<1	10	21	10	1.83	<10	0.35	193	2	0.01	17	1010	20	<5	<20	4	0.05	<10	32	<10	3	53
8	L98N 91+75E	<0.2	1.52	15	95	5	0.15	<1	12	26	14	2.12	<10	0.39	370	2	0.01	21	1540	20	<5	<20	5	0.05	<10	39	<10	3	68
9	L98N 92+00E	<0.2	1.13	10	55	<5	0.17	<1	13	28	18	2.12	<10	0.51	241	2	0.01	24	560	16	<5	<20	4	0.05	<10	41	<10	2	49
10	L98N 92+25E	0.2	1.08	5	115	<5	0.18	<1	12	22	19	2.01	<10	0.42	398	2	<0.01	20	1270	16	<5	<20	7	0.04	<10	36	<10	3	73
11	L98N 92+50E	<0.2	1.22	10	80	<5	0.18	<1	11	18	14	1.81	<10	0.31	239	2	0.01	21	910	16	<5	<20	5	0.04	<10	36	<10	2	53
12	L98N 92+75E	<0.2	1.82	15	100	<5	0.23	<1	14	35	19	2.15	<10	0.41	264	2	0.01	27	1340	22	<5	<20	7	0.06	<10	39	<10	2	82
13	L98N 93+00E	<0.2	1.21	10	70	<5	0.25	<1	14	27	27	2.34	<10	0.49	275	2	0.01	25	720	18	<5	<20	7	0.05	<10	44	<10	3	56
14	L98N 93+25E	<0.2	1.44	10	85	5	0.17	<1	14	20	17	2.06	<10	0.27	525	3	0.01	29	1650	18	<5	<20	5	0.06	<10	35	<10	<1	76
15	L98N 93+50E	0.4	1.27	15	85	5	0.28	<1	16	20	25	2.11	<10	0.35	368	2	0.01	33	700	22	<5	<20	7	0.06	<10	38	<10	2	98
16	L98N 93+75E	<0.2	1.42	10	140	<5	0.24	<1	14	16	14	1.86	<10	0.25	267	2	0.02	42	510	20	<5	<20	7	0.06	<10	35	<10	2	112
17	L98N 94+00E	0.2	1.06	10	80	<5	0.32	<1	12	13	9	1.61	<10	0.20	322	1	0.02	29	810	16	<5	<20	7	0.05	<10	29	<10	1	146
18	L98N 94+25E	0.4	1.84	25	145	<5	0.32	<1	14	14	51	1.97	<10	0.24	417	3	0.02	36	2100	24	<5	<20	10	0.07	<10	34	<10	3	188
19	L98N 94+50E	0.2	1.26	10	80	<5	0.29	<1	12	19	22	1.98	<10	0.36	335	2	0.01	23	740	18	<5	<20	8	0.06	<10	40	<10	2	62
20	L98N 94+75E	0.2	1.58	25	140	<5	0.45	<1	13	13	28	1.76	<10	0.17	462	2	0.01	23	2140	20	<5	<20	8	0.07	<10	29	<10	2	48
21	L98N 95+00E	0.2	1.37	15	125	<5	0.51	<1	9	13	20	1.47	<10	0.20	252	2	0.01	20	1510	18	<5	<20	14	0.06	<10	32	<10	1	41
22	L98N 95+25E	0.2	1.17	5	105	5	0.42	<1	9	13	10	1.49	<10	0.22	612	2	0.01	19	920	18	<5	<20	12	0.05	<10	30	<10	3	45
23	L98N 95+50E	0.2	1.21	15	130	<5	0.21	<1	9	12	10	1.46	<10	0.19	324	1	0.01	21	950	16	<5	<20	5	0.06	<10	28	<10	1	76
24	L98N 95+75E	0.2	2.03	20	115	10	0.39	<1	16	12	31	2.66	<10	0.39	325	3	0.01	24	2430	28	<5	<20	13	0.07	<10	48	<10	3	102
25	L98N 96+00E	0.4	2.21	20	115	<5	0.31	<1	16	17	32	2.20	<10	0.28	244	2	0.02	31	1320	26	<5	<20	7	0.08	<10	42	<10	4	111
26	L98N 96+25E	<0.2	1.48	<5	105	5	0.21	<1	20	19	24	2.77	<10	0.59	453	2	0.02	28	970	18	<5	<20	4	0.07	<10	74	<10	<1	104
27	L98N 96+50E	<0.2	1.36	10	150	5	0.24	<1	9	11	18	1.49	<10	0.18	747	2	0.02	18	2280	16	5	<20	9	0.06	<10	30	<10	2	101
28	L98N 96+75E	0.2	1.26	5	80	<5	0.20	<1	8	9	17	1.33	<10	0.14	217	1	0.02	13	590	16	<5	<20	4	0.06	<10	29	<10	3	43
29	L98N 97+00E	0.2	1.07	<5	105	<5	0.28	<1	8	8	11	1.22	<10	0.11	359	1	0.02	11	1300	14	<5	<20	8	0.06	<10	28	<10	2	51
30	L98N 97+25E	<0.2	1.12	<5	150	<5	0.43	<1	11	11	42	1.75	<10	0.26	255	2	0.02	18	1270	14	<5	<20	14	0.05	<10	38	<10	2	65

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AS 2007-821

American Creek Resources Ltd.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
31	L98N 97+50E	<0.2	1.03	<5	115	<5	0.26	<1	9	11	27	1.71	<10	0.21	401	1	0.01	10	1120	14	<5	<20	11	0.05	<10	43	<10	1	45
32	L98N 97+75E	<0.2	1.44	10	125	10	0.24	<1	9	11	13	1.80	<10	0.18	133	<1	0.01	7	1810	22	<5	<20	9	0.07	<10	38	<10	2	40
33	L98N 98+00E	<0.2	1.15	<5	85	<5	0.30	<1	15	26	102	2.92	<10	0.68	296	4	0.01	20	530	14	10	<20	7	0.04	<10	89	<10	<1	37
34	L98N 98+25E	<0.2	2.08	15	205	<5	0.32	<1	15	17	97	2.72	<10	0.39	398	3	0.01	19	2360	26	5	<20	11	0.07	<10	54	<10	3	66
35	L98N 98+50E	<0.2	1.26	10	155	<5	0.49	<1	16	25	140	3.09	<10	0.65	531	3	0.01	20	760	16	5	<20	13	0.04	<10	73	<10	2	46
36	L98N 98+75E	<0.2	1.91	<5	320	<5	0.44	<1	10	21	29	2.53	<10	0.47	343	2	0.02	17	1090	26	<5	<20	11	0.05	<10	51	<10	1	52
37	L98N 99+00E	<0.2	1.83	10	255	<5	0.80	<1	17	19	61	4.10	<10	0.67	523	3	0.02	18	560	20	<5	<20	19	0.05	<10	131	<10	<1	45
38	L98N 99+25E	<0.2	2.36	10	280	<5	0.95	<1	33	30	372	5.81	10	0.90	1287	2	0.02	28	1070	28	<5	<20	31	0.11	<10	180	<10	11	74
39	L98N 99+50E	<0.2	2.01	<5	425	<5	1.31	1	28	17	190	5.47	<10	0.49	761	4	0.02	30	2610	26	<5	<20	49	0.07	<10	95	<10	5	116
40	L98N 99+75E	0.2	1.67	<5	225	<5	1.61	2	67	19	460	7.50	10	1.03	1158	7	0.02	37	4570	18	10	<20	38	0.05	<10	200	<10	4	86
41	L98N 100+00E	N/S																											
42	L98N 100+25E	<0.2	1.97	<5	290	<5	1.31	<1	42	8	450	6.03	10	0.96	660	5	0.02	19	4070	22	<5	<20	41	0.06	<10	149	<10	5	50
43	L98N 100+50E	N/S																											
44	L98N 100+75E	N/S																											
45	L98N 101+00E	0.2	2.05	20	210	<5	3.37	2	32	38	332	5.08	10	0.91	1778	4	0.03	51	1460	26	5	<20	61	0.07	<10	80	<10	28	116
46	L98N 101+25E	<0.2	1.04	<5	475	5	0.84	<1	10	10	32	2.01	<10	0.33	568	1	0.02	14	1810	16	<5	<20	25	0.06	<10	59	<10	4	82
47	L98N 101+50E	<0.2	1.69	10	305	5	0.85	<1	19	9	63	3.44	<10	0.53	565	1	0.03	18	650	20	<5	<20	21	0.07	<10	114	<10	3	52
48	L98N 101+75E	<0.2	2.21	<5	295	<5	1.45	2	51	27	640	8.48	10	1.27	1051	6	0.02	33	510	22	<5	<20	29	0.06	<10	274	<10	10	53
49	L98N 102+00E	<0.2	1.86	<5	185	<5	1.27	2	85	33	1361	9.69	10	1.23	855	6	0.02	46	1120	20	<5	<20	25	0.07	<10	252	<10	8	58
50	L98N 102+25E	<0.2	1.51	10	120	<5	0.49	<1	13	24	38	2.93	<10	0.63	203	3	0.01	21	120	18	<5	<20	13	0.06	<10	75	<10	2	46
51	L98N 102+50E	<0.2	1.22	5	160	<5	0.68	<1	11	17	26	2.08	<10	0.37	582	1	0.02	15	660	18	<5	<20	24	0.06	<10	45	<10	2	72
52	L98N 102+75E	<0.2	1.81	15	125	<5	0.65	<1	20	25	109	3.83	<10	0.78	302	3	0.01	22	530	24	<5	<20	18	0.07	<10	98	<10	3	57
53	L98N 103+00E	<0.2	1.95	25	210	5	0.41	<1	17	22	54	3.49	<10	0.62	334	3	0.01	25	400	24	<5	<20	14	0.09	<10	74	<10	6	91
54	L98N 103+25E	<0.2	1.58	20	280	5	0.61	<1	12	14	25	2.31	<10	0.36	907	3	0.02	23	620	22	<5	<20	19	0.07	<10	41	<10	4	132
55	L98N 103+50E	<0.2	1.27	10	305	<5	0.69	<1	9	10	25	1.82	<10	0.24	1201	2	0.02	16	830	18	<5	<20	22	0.06	<10	30	<10	3	141
56	L98N 103+75E	<0.2	1.86	10	285	<5	0.53	<1	20	17	112	3.06	<10	0.46	646	3	0.02	31	600	24	<5	<20	20	0.08	<10	55	<10	6	113
57	L98N 104+00E	<0.2	1.73	10	205	5	0.62	<1	13	13	37	2.37	<10	0.33	575	2	0.02	26	680	22	<5	<20	25	0.06	<10	46	<10	4	105
58	L98N 104+25E	<0.2	1.93	10	230	5	0.45	<1	12	15	22	2.41	<10	0.38	584	3	0.02	27	930	26	<5	<20	18	0.07	<10	41	<10	5	116
59	L98N 104+50E	<0.2	2.09	20	200	5	0.50	<1	13	15	26	2.49	<10	0.39	305	3	0.02	30	390	28	<5	<20	17	0.08	<10	45	<10	5	91
60	L98N 104+75E	<0.2	1.41	<5	165	<5	0.43	<1	12	15	27	2.39	<10	0.52	391	2	0.02	18	300	18	<5	<20	11	0.07	<10	52	<10	3	61
61	L98N 105+00E	<0.2	1.49	15	90	5	0.45	<1	16	20	65	3.43	<10	0.67	343	4	0.01	24	370	22	<5	<20	7	0.06	<10	60	<10	14	66
62	L98N 105+25E	<0.2	1.43	15	95	<5	0.31	<1	12	17	23	2.76	<10	0.56	225	2	0.01	18	240	20	<5	<20	9	0.05	<10	53	<10	3	55
63	L98N 105+50E	<0.2	1.38	<5	175	5	0.41	<1	11	13	18	2.10	<10	0.37	544	2	0.02	20	610	20	<5	<20	13	0.07	<10	39	<10	3	85
64	L98N 105+75E	0.2	1.75	5	165	5	0.43	1	13	15	24	2.36	<10	0.41	407	5	0.02	25	310	22	15	<20	14	0.06	<10	48	<10	4	75
65	L98N 106+00E	<0.2	1.33	<5	105	<5	0.44	<1	12	14	25	2.44	<10	0.53	362	2	0.02	16	340	16	<5	<20	13	0.06	<10	51	<10	1	80
66	L98N 106+25E	<0.2	1.82	25	155	5	0.49	<1	13	16	19	2.26	<10	0.46	447	2	0.02	32	1310	22	<5	<20	15	0.06	<10	41	<10	3	123
67	L98N 106+50E	0.2	1.87	25	150	5	0.45	<1	17	18	51	3.05	<10	0.58	373	3	0.02	26	590	26	<5	<20	13	0.07	<10	63	<10	4	85
68	L98N 106+75E	<0.2	1.70	<5	215	10	0.46	<1	13	15	17	2.40	<10	0.43	877	3	0.02	26	620	22	<5	<20	13	0.06	<10	43	<10	2	122
69	L98N 107+00E	0.2	1.66	10	150	5	0.46	<1	15	18	20	2.40	<10	0.42	632	2	0.02	30	500	24	<5	<20	14	0.07	<10	45	<10	5	138
70	L98N 107+25E	<0.2	1.97	15	155	<5	0.44	1	16	20	30	3.01	<10	0.58	538	4	0.02	29	870	26	<5	<20	15	0.07	<10	56	<10	6	119
71	L98N 107+50E	<0.2	2.02	15	190	<5	0.43	<1	17	20	44	3.17	<10	0.63	524	4	0.02	32	520	26	5	<20	12	0.07	<10	61	<10	6	107
72	L98N 107+75E	<0.2	1.83	10	135	10	0.42	<1	17	26	28	2.99	<10	0.70	510	3	0.02	35	860	24	<5	<20	10	0.07	<10	61	<10	5	126
73	L98N 108+00E	<0.2	2.01	15	160	<5	0.46	<1	17	24	42	3.19	<10	0.69	399	3	0.02	31	540	24	<5	<20	15	0.08	<10	66	<10	7	95
74	L98N 108+25E	<0.2	1.51	10	190	<5	0.57	<1	13	20	18	2.30	<10	0.47	623														

ECO TECH LABORATORY LTD.			ICP CERTIFICATE OF ANALYSIS AS 2007- 821																	American Creek Resources Ltd.								
El #.	Tag #	Ag Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
76	L98N 108+75E	<0.2 2.10	25	135	<5	0.24	<1	16	26	30	3.11	<10	0.71	320	3	0.01	38	1020	26	<5	<20	7	0.07	<10	64	<10	4	134
77	L98N 109+00E	<0.2 1.67	15	270	<5	0.81	<1	13	24	17	2.57	<10	0.55	1413	3	0.02	24	1890	20	<5	<20	22	0.07	<10	51	<10	3	165
78	L98N 109+25E	<0.2 1.83	10	140	<5	0.35	<1	15	27	22	2.81	<10	0.69	463	3	0.01	31	1280	22	<5	<20	13	0.07	<10	60	<10	3	145
79	L98N 109+50E	0.2 2.35	30	160	<5	0.55	<1	18	27	29	3.16	<10	0.66	445	4	0.02	44	1360	30	<5	<20	12	0.08	<10	66	<10	5	159
80	L98N 109+75E	<0.2 2.02	20	130	5	0.48	<1	16	21	18	2.80	<10	0.51	567	4	0.02	29	670	24	<5	<20	12	0.08	<10	59	<10	3	100
81	L98N 110+00E	<0.2 1.75	15	125	5	0.82	<1	20	34	53	3.50	<10	0.88	724	5	0.02	33	1040	24	<5	<20	16	0.06	<10	76	<10	8	112
82	L98N 90+00E	<0.2 2.74	25	170	<5	0.36	<1	16	31	53	2.90	10	0.39	317	4	0.02	102	190	32	<5	<20	9	0.10	<10	43	<10	20	64
83	L98N 90+25E	<0.2 1.23	5	65	<5	0.20	<1	15	28	37	2.19	<10	0.46	488	2	0.01	27	750	18	<5	<20	5	0.07	<10	49	<10	4	58
84	L98N 90+50E	<0.2 1.96	15	105	<5	0.21	<1	12	23	14	2.09	<10	0.36	399	2	0.02	26	2150	24	<5	<20	7	0.07	<10	40	<10	4	78
85	L98N 90+75E	<0.2 2.62	20	100	5	0.21	<1	15	24	13	2.39	<10	0.30	211	5	0.02	23	1140	32	10	<20	4	0.08	<10	47	<10	5	76
86	L98N 91+00E N/S																											
87	L98N 91+25E	<0.2 1.57	10	100	<5	0.29	<1	15	25	15	2.11	<10	0.37	251	2	0.02	23	1250	20	<5	<20	7	0.06	<10	44	<10	3	67
88	L98N 91+50E	<0.2 2.26	20	135	<5	0.29	<1	14	25	14	2.34	<10	0.37	138	3	0.02	25	570	26	<5	<20	7	0.08	<10	49	<10	4	42
89	L98N 91+75E	<0.2 2.40	20	100	10	0.27	<1	13	28	12	2.52	<10	0.34	306	3	0.02	21	1140	30	<5	<20	7	0.07	<10	55	<10	4	62
90	L98N 92+00E	0.2 2.56	30	80	<5	0.35	<1	19	36	20	2.46	<10	0.41	270	3	0.02	34	1350	30	<5	<20	7	0.10	<10	49	<10	4	97
91	L98N 92+25E	0.2 2.66	30	85	5	0.38	<1	13	20	10	2.58	<10	0.14	168	2	0.02	18	980	34	<5	<20	9	0.11	<10	51	<10	4	77
92	L98N 92+50E	0.4 2.56	30	75	5	0.27	<1	14	18	19	2.12	<10	0.26	194	2	0.02	25	1260	30	<5	<20	4	0.10	<10	39	<10	7	58
93	L98N 92+75E	0.3 2.56	15	90	<5	0.64	<1	11	18	111	2.43	20	0.17	166	3	0.02	58	400	30	<5	<20	11	0.09	<10	40	<10	34	29
94	L98N 93+00E	0.2 2.01	20	110	10	0.28	<1	15	25	24	2.53	<10	0.43	249	2	0.02	28	880	26	<5	<20	8	0.08	<10	49	<10	4	95
95	L98N 93+25E	0.3 1.66	15	115	10	0.33	<1	13	21	15	2.03	<10	0.36	256	<1	0.02	31	940	20	<5	<20	11	0.08	<10	43	<10	4	111
96	L98N 93+50E	0.3 1.68	10	120	5	0.27	<1	13	25	24	2.29	<10	0.49	302	4	0.02	36	720	20	5	<20	9	0.06	<10	47	<10	3	83
97	L98N 93+75E	0.3 1.57	20	90	<5	0.25	<1	15	30	23	2.41	<10	0.59	216	2	0.01	34	390	20	<5	<20	7	0.08	<10	53	<10	5	81
98	L98N 94+00E	0.2 1.68	20	115	<5	0.44	<1	14	14	16	2.00	<10	0.27	365	2	0.02	20	1850	18	<5	<20	9	0.08	<10	49	<10	2	84
99	L98N 94+25E	<0.2 1.60	15	100	<5	0.36	<1	19	26	62	2.96	<10	0.67	324	3	0.02	31	510	18	<5	<20	10	0.08	<10	76	<10	4	66
100	L98N 94+50E	<0.2 1.40	10	115	5	0.33	<1	16	27	65	2.72	<10	0.62	362	3	0.02	27	900	16	<5	<20	11	0.07	<10	67	<10	4	83
101	L98N 94+75E	0.2 1.66	15	115	<5	0.31	<1	13	18	27	1.99	<10	0.34	360	2	0.02	25	1120	20	<5	<20	7	0.07	<10	44	<10	5	85
102	L98N 95+00E	0.4 2.57	25	160	<5	0.65	<1	20	23	193	2.80	<10	0.36	393	2	0.02	45	1370	28	<5	<20	19	0.11	<10	61	<10	6	71
103	L98N 95+25E	0.2 2.05	15	160	<5	0.40	<1	14	20	47	2.38	<10	0.54	249	2	0.02	28	870	20	<5	<20	13	0.08	<10	65	<10	3	39
104	L98N 95+50E	0.2 1.63	<5	120	5	0.48	<1	18	17	70	3.23	<10	0.72	429	2	0.02	20	990	18	10	<20	13	0.08	<10	109	<10	2	37
105	L98N 95+75E	<0.2 2.21	20	200	<5	0.28	<1	16	16	80	2.89	<10	0.58	312	3	0.02	27	1360	22	<5	<20	9	0.08	<10	89	<10	3	43
106	L98N 96+00E	0.2 1.82	<5	165	<5	0.46	<1	14	14	44	2.36	<10	0.41	285	1	0.03	29	1110	20	<5	<20	16	0.08	<10	55	<10	2	56
107	L98N 96+25E	0.3 1.98	10	110	<5	0.38	<1	11	12	16	1.86	<10	0.24	345	2	0.02	18	1850	20	<5	<20	11	0.09	<10	42	<10	4	46
108	L98N 96+50E	<0.2 1.26	5	140	5	0.56	<1	15	18	39	2.91	<10	0.62	486	2	0.02	20	640	12	<5	<20	16	0.07	<10	88	<10	3	44
109	L98N 96+75E	0.3 1.66	10	200	5	0.37	<1	10	11	16	1.71	<10	0.17	361	1	0.02	13	2520	16	<5	<20	12	0.08	<10	39	<10	3	83
110	L98N 97+00E	0.2 1.88	<5	165	5	0.51	<1	18	20	45	3.47	<10	0.62	292	2	0.02	31	1140	16	<5	<20	16	0.08	<10	120	<10	2	54
111	L98N 97+25E	<0.2 1.62	<5	110	5	0.53	<1	20	23	69	4.04	<10	0.83	281	3	0.02	23	680	18	<5	<20	18	0.07	<10	138	<10	2	46
112	L98N 97+50E	<0.2 1.48	5	115	<5	0.44	<1	16	21	45	3.11	<10	0.78	291	3	0.02	19	1200	14	<5	<20	17	0.06	<10	89	<10	2	66
113	L98N 97+75E	0.3 1.78	5	160	<5	0.36	<1	16	19	44	3.02	<10	0.57	339	2	0.02	16	1150	18	<5	<20	10	0.07	<10	89	<10	4	71
114	L98N 98+00E	0.2 1.86	10	195	<5	0.68	<1	25	40	164	3.46	<10	1.00	837	2	0.02	25	1570	18	<5	<20	18	0.09	<10	95	<10	3	77
115	L98N 98+25E	0.2 1.59	<5	165	5	0.42	<1	16	17	43	2.65	<10	0.41	485	2	0.02	16	1620	16	<5	<20	12	0.08	<10	82	<10	3	47
116	L98N 98+50E	0.2 2.14	10	180	10	0.51	<1	14	14	31	2.65	<10	0.41	384	4	0.02	23	2230	20	15	<20	15	0.08	<10	77	<10	3	41
117	L98N 98+75E	<0.2 1.92	<5	170	5	0.49	<1	19	15	48	4.26	<10	0.64	224	2	0.03	20	640	18	<5	<20	15	0.08	<10	167	<10	<1	47
118	L98N 99+00E	<0.2 2.37	<5	185	5	0.56	<1	23	26	103	4.11	<10	0.72	282	3	0.03	31	1360</										

ECO TECH LABORATORY LTD.
ICP CERTIFICATE OF ANALYSIS AS 2007-821
American Creek Resources Ltd.

Et #.	Tag #	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
121	L96N 99+75E	0.2	1.55	<5	180	5	1.89	<1	17	17	81	3.13	<10	0.55	254	1	0.03	19	230	14	<5	<20	22	0.08	<10	111	<10	6	27
122	L96N 100+00E	<0.2	1.75	<5	395	<5	1.00	<1	21	19	97	4.08	<10	0.64	506	3	0.03	21	3780	34	<5	<20	37	0.07	<10	127	<10	3	61
123	L96N 100+25E	<0.2	2.86	15	155	<5	0.52	<1	19	24	171	3.77	<10	0.52	212	3	0.02	28	2450	26	<5	<20	14	0.10	<10	102	<10	6	45
124	L96N 100+50E	<0.2	2.44	20	240	<5	0.57	<1	16	19	57	2.98	<10	0.45	464	3	0.02	20	2240	24	5	<20	20	0.10	<10	78	<10	4	49
125	L96N 100+75E	<0.2	2.75	25	150	5	0.79	<1	18	23	96	3.38	<10	0.51	473	2	0.03	27	740	32	<5	<20	19	0.11	<10	90	<10	10	50
126	L96N 101+00E	<0.2	2.02	<5	180	<5	0.66	<1	14	18	22	2.64	<10	0.35	518	1	0.03	19	880	20	<5	<20	19	0.09	<10	70	<10	6	83
127	L96N 101+25E	<0.2	1.74	10	210	<5	0.63	<1	14	13	101	2.70	<10	0.33	322	2	0.03	24	1200	18	<5	<20	25	0.08	<10	74	<10	4	50
128	L96N 101+50E	<0.2	2.23	10	270	5	0.58	<1	18	18	66	3.41	<10	0.56	894	2	0.02	18	1630	22	<5	<20	24	0.09	<10	100	<10	4	75
129	L96N 101+75E	<0.2	2.74	20	175	<5	0.46	<1	20	22	99	3.59	10	0.62	352	2	0.03	22	980	26	<5	<20	17	0.10	<10	105	<10	7	53
130	L96N 102+00E	<0.2	2.24	15	380	<5	0.62	<1	16	16	114	3.02	<10	0.49	290	2	0.03	26	1470	22	<5	<20	26	0.08	<10	79	<10	3	112
131	L96N 102+25E	<0.2	0.87	<5	240	<5	0.47	<1	11	8	20	1.79	<10	0.21	489	<1	0.02	11	1220	12	<5	<20	20	0.07	<10	48	<10	2	98
132	L96N 102+50E	<0.2	2.49	15	175	<5	0.51	<1	20	19	131	3.53	<10	0.58	235	2	0.02	27	630	24	<5	<20	18	0.10	<10	98	<10	3	56
133	L96N 102+75E	0.2	2.57	<5	170	<5	0.68	1	29	24	223	6.37	10	1.37	528	5	0.02	30	580	22	<5	<20	22	0.08	<10	206	<10	3	53
134	L96N 103+00E	<0.2	2.77	<5	140	<5	1.13	1	36	25	481	7.37	10	1.58	459	7	0.02	24	1150	24	<5	<20	36	0.08	<10	235	<10	3	61
135	L96N 103+25E	0.3	1.35	<5	700	<5	3.08	1	31	14	240	3.53	<10	0.66	1996	3	0.03	19	2390	14	<5	<20	99	0.08	<10	95	<10	6	168
136	L96N 103+50E	1.0	0.43	<5	260	<5	1.88	<1	4	5	50	0.98	<10	0.21	389	<1	0.02	7	1230	44	<5	<20	53	0.01	<10	22	<10	1	76
137	L96N 103+75E	0.4	0.69	<5	95	<5	0.54	1	7	7	198	1.91	<10	0.23	111	3	0.02	9	1240	24	5	<20	14	0.01	<10	50	<10	3	32
138	L96N 104+00E	<0.2	0.62	<5	75	<5	0.32	<1	20	5	130	1.74	<10	0.21	101	2	0.02	11	910	22	<5	<20	10	<0.01	<10	36	<10	3	22
139	L96N 104+25E	1.3	0.45	<5	425	<5	1.88	<1	9	6	232	1.67	<10	0.19	228	<1	0.03	10	890	12	<5	<20	50	0.02	<10	46	<10	2	28
140	L96N 104+50E	0.2	1.84	10	505	<5	1.27	<1	17	9	61	3.28	<10	0.59	356	3	0.02	13	2580	16	<5	<20	43	0.07	<10	88	<10	5	67
141	L96N 104+75E	<0.2	2.51	<5	405	<5	1.07	2	44	6	485	7.94	20	1.15	973	5	0.02	21	1870	18	<5	<20	34	0.09	<10	267	<10	<1	99
142	L96N 105+00E	<0.2	2.22	<5	420	10	0.59	<1	32	10	158	4.10	<10	0.90	1133	3	0.02	16	1860	18	<5	<20	17	0.08	<10	108	<10	1	102
143	L96N 105+25E	<0.2	3.59	30	835	5	0.72	<1	21	19	186	3.75	<10	0.59	267	3	0.02	28	1040	38	<5	<20	25	0.10	<10	88	<10	5	108
144	L96N 105+50E	<0.2	2.12	15	245	<5	0.44	<1	18	21	43	2.50	<10	0.52	328	1	0.02	33	610	20	<5	<20	18	0.09	<10	47	<10	5	97
145	L96N 105+75E	<0.2	2.63	25	240	<5	0.59	<1	18	17	117	2.60	<10	0.44	239	2	0.03	32	1560	26	<5	<20	22	0.09	<10	49	<10	5	98
146	L96N 106+00E	<0.2	2.25	10	245	<5	0.96	<1	25	16	203	4.00	10	0.86	828	2	0.02	16	650	20	<5	<20	28	0.09	<10	114	<10	7	69
147	L96N 106+25E	<0.2	2.08	5	305	<5	0.94	<1	19	19	126	3.33	10	0.89	925	2	0.02	18	360	18	<5	<20	24	0.09	<10	98	<10	9	62
148	L96N 106+50E	<0.2	2.05	10	175	<5	0.57	<1	16	20	40	2.97	<10	0.73	412	2	0.02	18	300	20	5	<20	22	0.09	<10	77	<10	7	71
149	L96N 106+75E	<0.2	2.15	5	165	<5	0.60	<1	16	22	48	3.49	10	1.01	421	3	0.02	17	340	20	<5	<20	22	0.08	<10	83	<10	6	62
150	L96N 107+00E	<0.2	2.10	10	165	5	0.94	<1	18	22	69	3.68	10	1.03	525	3	0.03	18	320	18	<5	<20	27	0.10	<10	115	<10	9	55
151	L96N 107+25E	<0.2	1.88	15	185	<5	0.81	<1	17	26	48	3.31	<10	0.83	432	3	0.02	26	440	18	5	<20	16	0.09	<10	83	<10	5	71
152	L96N 107+50E	<0.2	2.38	15	380	<5	0.73	<1	16	21	29	3.07	10	0.65	1084	3	0.02	24	420	22	<5	<20	24	0.10	<10	70	<10	7	100
153	L96N 107+75E	<0.2	1.97	10	150	<5	0.34	<1	16	27	50	3.17	<10	0.80	300	2	0.02	26	210	18	<5	<20	11	0.10	<10	80	<10	7	67
154	L96N 108+00E	<0.2	1.98	15	165	5	0.50	<1	17	25	54	3.47	10	0.90	311	3	0.02	23	350	20	<5	<20	15	0.11	<10	88	<10	8	79
155	L96N 108+25E	<0.2	2.30	20	260	5	0.54	<1	13	18	23	2.48	<10	0.53	441	3	0.02	31	470	20	<5	<20	16	0.09	<10	56	<10	5	177
156	L96N 108+50E	<0.2	2.15	15	130	<5	0.52	<1	22	36	119	4.38	20	1.18	603	5	0.02	35	620	24	<5	<20	12	0.10	<10	108	<10	21	99
157	L96N 108+75E	<0.2	2.29	25	215	5	0.38	<1	13	17	20	2.21	<10	0.40	815	3	0.02	25	2860	20	<5	<20	10	0.09	<10	41	<10	6	178
158	L96N 109+00E	<0.2	2.43	30	240	<5	0.46	<1	16	22	35	2.77	<10	0.62	499	2	0.02	31	730	22	<5	<20	14	0.10	<10	59	<10	7	124
159	L96N 109+25E	<0.2	1.83	10	215	10	0.44	<1	15	23	24	2.85	<10	0.77	986	2	0.02	18	460	16	<5	<20	15	0.10	<10	62	<10	5	89
160	L96N 109+50E	<0.2	2.52	15	255	10	0.59	<1	16	27	29	3.30	<10	0.82	571	4	0.02	29	500	24	5	<20	20	0.10	<10	73	<10	6	108
161	L96N 109+75E	<0.2	1.72	15	280	5	0.57	2	10	17	16	1.96	<10	0.42	917	1	0.02	18	1120	16	<5	<20	28	0.08	<10	39	<10	7	186
162	L96N 110+00E	0.2	2.40	15	205	5	0.58	1	15	25	30	2.84	<10	0.57	596	4	0.02	30	1840	24	5	<20	22	0.08	<10	50	<10	6	175

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AS 2007- 821

American Creek Resources Ltd.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
166	L94N 90+75E	<0.2	1.36	5	85	<5	0.35	<1	18	32	53	2.98	<10	0.62	876	3	0.02	30	550	14	<5	<20	11	0.07	<10	59	<10	4	52
167	L94N 91+00E	<0.2	2.23	15	100	<5	1.19	<1	20	36	93	3.11	20	0.61	662	3	0.03	69	280	20	<5	<20	21	0.09	<10	55	<10	18	55
168	L94N 91+25E	<0.2	1.77	15	70	5	0.53	<1	17	38	31	3.09	<10	0.74	190	2	0.02	25	140	16	<5	<20	13	0.09	<10	73	<10	6	49
169	L94N 91+50E	<0.2	1.80	15	80	<5	0.28	<1	14	27	27	2.24	<10	0.52	254	1	0.02	27	1360	14	<5	<20	8	0.08	<10	46	<10	4	78
170	L94N 91+75E	<0.2	2.24	20	125	10	0.27	<1	14	28	21	2.35	<10	0.50	434	2	0.02	29	1640	20	<5	<20	8	0.07	<10	48	<10	5	78
171	L94N 92+00E	<0.2	2.16	20	115	<5	0.29	<1	15	24	15	2.30	<10	0.45	278	1	0.02	32	1460	20	<5	<20	10	0.08	<10	47	<10	5	53
172	L94N 92+25E	<0.2	1.55	10	80	<5	0.48	<1	14	24	29	2.27	<10	0.48	282	2	0.02	24	870	14	<5	<20	17	0.06	<10	50	<10	4	87
173	L94N 92+50E	<0.2	1.71	10	100	<5	0.29	<1	19	23	36	2.64	<10	0.49	362	3	0.02	31	1170	14	5	<20	10	0.06	<10	57	<10	2	101
174	L94N 92+75E	0.3	1.83	20	105	10	0.27	<1	15	19	15	2.09	<10	0.36	627	2	0.02	30	1430	16	<5	<20	8	0.08	<10	43	<10	4	114
175	L94N 93+00E	0.2	1.56	15	110	<5	0.49	<1	15	17	18	1.98	<10	0.31	781	2	0.02	27	1590	14	<5	<20	14	0.08	<10	43	<10	5	108
176	L94N 93+25E	0.2	2.20	15	120	5	0.28	<1	14	11	19	1.81	<10	0.13	962	2	0.02	16	3410	16	<5	<20	11	0.09	<10	30	<10	5	45
177	L94N 93+50E	0.2	1.53	10	120	<5	0.31	<1	15	12	58	1.83	<10	0.19	669	<1	0.02	15	1980	14	<5	<20	9	0.09	<10	47	<10	4	50
178	L94N 93+75E	0.4	2.00	20	195	5	0.40	<1	14	19	21	2.18	<10	0.33	531	1	0.02	23	3760	18	<5	<20	16	0.07	<10	50	<10	4	62
179	L94N 94+00E	0.2	1.73	15	100	5	0.29	<1	14	17	43	2.47	<10	0.44	493	2	0.02	20	1690	14	<5	<20	7	0.07	<10	64	<10	5	87
180	L94N 94+25E	0.2	1.66	10	95	<5	0.38	<1	23	34	132	4.08	<10	0.90	318	4	0.02	33	840	16	<5	<20	10	0.09	<10	111	<10	5	52
181	L94N 94+50E	<0.2	2.15	20	125	<5	0.39	<1	18	19	56	2.86	<10	0.53	260	2	0.02	31	1080	18	<5	<20	11	0.09	<10	86	<10	5	55
182	L94N 94+75E	0.3	1.57	10	105	<5	0.19	<1	13	14	22	1.87	<10	0.21	444	1	0.02	17	1470	14	<5	<20	8	0.08	<10	44	<10	5	56
183	L94N 95+00E	<0.2	1.38	<5	130	<5	0.51	1	19	22	65	2.80	<10	0.57	787	3	0.02	24	1110	14	<5	<20	17	0.08	<10	80	<10	4	61
184	L94N 95+25E	<0.2	1.91	10	115	<5	0.44	<1	19	30	195	3.28	10	0.65	720	3	0.02	41	320	16	<5	<20	9	0.09	<10	88	<10	11	64
185	L94N 95+50E	<0.2	1.43	<5	70	<5	0.55	<1	21	24	109	4.78	10	0.93	275	3	0.03	22	640	12	<5	<20	15	0.08	<10	192	<10	3	45
186	L94N 95+75E	<0.2	1.84	<5	130	5	0.40	<1	24	21	95	4.46	<10	0.82	289	3	0.03	27	900	14	<5	<20	14	0.09	<10	162	<10	3	52
187	L94N 96+00E	<0.2	1.30	<5	120	<5	0.33	<1	18	19	39	2.74	<10	0.45	581	2	0.02	17	1010	10	<5	<20	11	0.07	<10	89	<10	2	66
188	L94N 96+25E	0.2	1.55	<5	85	10	0.48	<1	20	22	62	3.79	<10	0.69	287	2	0.02	22	1390	12	<5	<20	13	0.07	<10	125	<10	2	80
189	L94N 96+50E	<0.2	1.42	<5	90	<5	0.71	<1	22	23	118	4.26	10	0.83	408	3	0.03	20	1250	12	<5	<20	16	0.07	<10	150	<10	3	49
190	L94N 96+75E	<0.2	1.33	<5	55	<5	0.38	<1	17	22	53	3.92	<10	0.83	216	2	0.02	16	380	10	<5	<20	10	0.07	<10	145	<10	2	38
191	L94N 97+00E	<0.2	1.59	<5	165	5	0.30	<1	14	18	23	3.06	<10	0.52	574	2	0.02	16	1870	14	<5	<20	11	0.07	<10	94	<10	2	62
192	L94N 97+25E	<0.2	2.07	10	135	<5	0.33	<1	24	11	171	3.14	<10	0.36	836	2	0.02	34	1930	16	<5	<20	11	0.08	<10	86	<10	3	65
193	L94N 97+50E	0.2	1.77	10	150	5	0.34	<1	15	14	52	2.55	<10	0.41	303	2	0.02	25	1300	16	<5	<20	12	0.08	<10	79	<10	4	45
194	L94N 97+75E	0.2	1.81	<5	205	5	0.42	<1	16	13	45	2.75	<10	0.41	459	1	0.02	21	2400	14	<5	<20	16	0.08	<10	82	<10	4	50
195	L94N 98+00E	0.2	1.79	10	280	5	0.58	<1	10	11	27	1.89	<10	0.23	1254	<1	0.02	16	2980	14	<5	<20	22	0.09	<10	38	<10	6	70
196	L94N 98+25E	0.2	1.59	10	130	<5	0.47	<1	14	15	42	2.93	<10	0.55	584	2	0.02	14	1590	12	<5	<20	14	0.07	<10	94	<10	5	50
197	L94N 98+50E	<0.2	1.85	15	255	<5	0.29	<1	16	15	87	2.34	<10	0.35	788	1	0.02	18	3830	14	<5	<20	11	0.08	<10	58	<10	4	65
198	L94N 98+75E	0.3	1.81	<5	230	<5	0.52	<1	10	15	20	2.06	<10	0.32	752	1	0.02	14	2460	14	<5	<20	15	0.08	<10	51	<10	5	60
199	L94N 99+00E	0.4	2.01	10	170	10	0.49	<1	16	21	51	2.96	<10	0.65	448	2	0.02	20	1680	16	<5	<20	15	0.06	<10	85	<10	5	61
200	L94N 99+25E	0.2	2.28	<5	230	5	0.43	<1	18	16	83	3.09	<10	0.50	624	2	0.03	20	2900	16	<5	<20	13	0.09	<10	93	<10	5	99
201	L94N 99+50E	0.4	2.41	10	310	<5	1.65	<1	18	20	227	3.77	20	0.43	2839	2	0.04	30	660	16	<5	<20	34	0.11	<10	66	<10	18	43
202	L94N 99+75E	<0.2	1.52	<5	165	10	0.37	<1	14	16	25	3.04	<10	0.49	261	2	0.02	17	1760	12	<5	<20	13	0.07	<10	111	<10	2	52
203	L94N 100+00E	<0.2	1.63	5	235	10	0.45	<1	11	12	29	1.86	<10	0.30	296	<1	0.02	17	1810	14	<5	<20	16	0.08	<10	53	<10	5	40
204	L104N 100+00E	<0.2	2.31	25	170	5	0.39	<1	13	19	18	2.56	<10	0.52	302	3	0.02	29	160	18	5	<20	19	0.07	<10	47	<10	6	98
205	L104N 100+25E	<0.2	1.70	5	105	<5	1.19	<1	19	26	51	4.13	20	0.76	616	3	0.02	31	160	16	<5	<20	18	0.07	<10	54	<10	29	57
206	L104N 100+50E	<0.2	2.12	15	155	5	0.76	<1	12	19	22	3.30	10	0.42	435	3	0.02	20	210	18	<5	<20	28	0.07	<10	44	<10	13	53
207	L104N 100+75E	<0.2	1.86	<5	110	5	0.39	<1	15	16	55	3.88	10	0.61	256	5	0.02	21	260	18	<5	<20	27	0.05	<10	49	<10	5	74
208	L104N 101+00E	<0.2	1.87	15	150																								

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AS 2007- 821

American Creek Resources Ltd.

El #.	Tag #	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
211	L104N 101+75E	0.2	2.62	20	145	5	0.25	<1	12	13	13	2.01	<10	0.21	1003	3	0.03	13	1240	18	<5	<20	8	0.11	<10	42	<10	8	122
212	L104N 102+00E	<0.2	4.01	55	140	5	0.27	<1	14	18	24	3.02	10	0.34	448	4	0.02	19	2330	30	<5	<20	9	0.13	<10	54	<10	13	134
213	L104N 102+25E	<0.2	3.15	20	150	10	0.32	<1	18	16	39	3.75	10	0.32	590	3	0.02	31	990	28	<5	<20	14	0.13	<10	60	<10	11	116
214	L104N 102+50E	<0.2	3.19	40	165	5	0.59	<1	11	12	14	2.16	<10	0.23	916	3	0.03	17	1430	24	<5	<20	22	0.12	<10	40	<10	8	75
215	L104N 102+75E	0.2	3.34	25	180	<5	0.41	<1	16	16	53	3.94	10	0.97	397	4	0.02	20	970	26	<5	<20	15	0.07	<10	97	<10	7	115
216	L104N 103+00E	<0.2	2.07	10	75	5	0.40	<1	13	9	17	2.29	<10	0.13	107	3	0.03	12	180	16	<5	<20	15	0.08	<10	43	<10	6	44
217	L104N 103+25E	<0.2	3.01	40	100	5	0.30	<1	13	10	18	1.90	<10	0.12	351	2	0.03	12	1230	20	<5	<20	12	0.12	<10	37	<10	10	80
218	L104N 103+50E	<0.2	1.84	20	95	<5	0.25	<1	13	17	33	2.94	<10	0.80	320	3	0.01	17	520	12	<5	<20	10	0.04	<10	47	<10	5	62
219	L105N 100+00E	<0.2	2.44	15	230	10	0.42	<1	14	18	24	2.77	10	0.49	513	2	0.02	31	750	16	<5	<20	27	0.10	<10	46	<10	7	95
220	L105N 100+25E	<0.2	1.65	10	120	<5	0.28	<1	8	11	9	1.47	<10	0.16	884	<1	0.02	13	1360	12	<5	<20	13	0.09	<10	30	<10	6	58
221	L105N 100+50E	<0.2	1.85	<5	160	10	0.47	<1	9	13	15	2.95	10	0.36	390	4	0.02	22	440	18	<5	<20	15	0.05	<10	34	<10	4	67
222	L105N 100+75E	0.3	4.07	45	275	10	0.59	<1	14	15	23	2.83	10	0.27	380	2	0.02	29	2330	24	<5	<20	17	0.14	<10	54	<10	10	115
223	L105N 101+00E	0.2	3.51	20	140	10	0.27	2	14	27	3.21	10	0.28	801	3	0.02	39	1840	28	<5	<20	16	0.14	<10	39	<10	16	161	
224	L105N 101+25E	0.2	4.67	60	90	5	0.27	<1	12	17	28	2.77	10	0.29	276	3	0.02	16	2040	30	<5	<20	12	0.15	<10	55	<10	18	85
225	L105N 101+50E	<0.2	2.79	20	150	10	0.32	<1	11	13	13	2.39	<10	0.39	472	3	0.03	13	570	20	<5	<20	12	0.12	<10	53	<10	10	109
226	L105N 101+75E	<0.2	2.62	15	180	5	0.41	<1	16	14	18	3.19	<10	0.86	559	3	0.02	12	260	16	<5	<20	18	0.12	<10	70	<10	8	133
227	L105N 102+00E	<0.2	1.62	<5	100	<5	0.43	1	10	8	13	1.71	<10	0.14	1042	2	0.03	10	380	14	<5	<20	22	0.09	<10	33	<10	7	97
228	L105N 102+25E	<0.2	2.40	30	150	5	0.34	<1	11	10	10	2.01	<10	0.19	1069	2	0.02	12	970	18	<5	<20	10	0.13	<10	41	<10	9	114
229	L105N 102+50E	<0.2	3.19	20	370	5	6.10	<1	16	18	66	2.73	20	0.76	4173	4	0.26	20	4070	14	<5	<20	142	0.15	<10	69	<10	17	193
230	L105N 102+75E	0.2	2.74	15	195	<5	1.24	<1	20	14	74	3.08	20	0.41	1823	5	0.03	22	1460	22	<5	<20	33	0.10	<10	46	<10	19	116
231	L105N 103+00E	0.2	2.83	25	175	<5	0.34	<1	16	18	34	2.51	10	0.55	314	2	0.02	20	680	18	<5	<20	16	0.09	<10	50	<10	8	99
232	L105N 103+25E	<0.2	4.00	40	105	5	0.54	<1	11	11	12	2.09	<10	0.13	262	2	0.03	13	500	28	<5	<20	25	0.14	<10	39	<10	10	51
233	L105N 103+50E	<0.2	3.99	30	130	5	0.25	<1	13	13	15	2.08	<10	0.15	758	2	0.03	17	1830	26	<5	<20	8	0.14	<10	39	<10	11	98
234	L106N 100+00E	<0.2	1.60	5	145	5	0.51	<1	11	14	20	1.78	<10	0.32	818	2	0.02	17	510	14	<5	<20	18	0.07	<10	35	<10	5	86
235	L106N 100+25E	<0.2	2.43	10	160	10	0.36	<1	19	23	37	3.28	10	0.71	649	3	0.02	28	880	16	<5	<20	16	0.08	<10	55	<10	7	134
236	L106N 100+50E	<0.2	2.24	10	110	5	0.42	<1	9	10	9	1.95	<10	0.16	627	3	0.03	14	790	20	<5	<20	15	0.10	<10	33	<10	10	112
237	L106N 100+75E	<0.2	2.17	10	170	<5	1.39	1	10	10	19	3.92	30	0.15	1185	11	0.02	15	490	26	<5	<20	17	0.08	<10	28	<10	74	65
238	L106N 101+00E	<0.2	2.80	20	230	<5	0.50	<1	11	13	25	2.82	10	0.47	957	2	0.02	22	1230	26	<5	<20	29	0.10	<10	43	<10	9	167
239	L106N 101+25E	0.2	4.72	45	135	10	0.37	<1	15	22	27	3.21	20	0.37	346	3	0.03	24	830	34	<5	<20	16	0.15	<10	47	<10	40	110
240	L106N 101+50E	0.2	4.32	20	150	10	0.37	<1	18	29	39	3.79	20	0.57	366	4	0.02	31	1590	28	<5	<20	14	0.16	<10	71	<10	16	134
241	L106N 101+75E	<0.2	3.41	20	210	5	0.39	<1	14	15	19	2.76	10	0.36	1300	2	0.03	17	1070	22	<5	<20	14	0.15	<10	53	<10	11	149
242	L106N 102+00E	<0.2	3.52	25	160	5	0.36	<1	16	21	23	3.17	10	0.42	378	4	0.02	25	1190	24	<5	<20	18	0.13	<10	62	<10	10	182
243	L106N 102+25E	0.2	2.41	20	170	5	0.26	<1	9	8	8	1.57	<10	0.11	1053	1	0.03	7	1080	18	<5	<20	11	0.13	<10	33	<10	9	154
244	L106N 102+50E	0.3	4.31	35	100	10	0.24	<1	11	12	15	2.22	<10	0.19	295	1	0.03	14	1580	26	<5	<20	7	0.16	<10	40	<10	12	78
245	L106N 102+75E	<0.2	2.08	25	195	<5	0.19	<1	10	12	10	2.11	<10	0.16	2006	2	0.02	9	2290	16	<5	<20	7	0.13	<10	45	<10	7	100
246	L106N 103+00E	<0.2	1.88	15	145	<5	0.72	<1	9	11	17	1.55	<10	0.19	1369	2	0.03	13	1590	12	<5	<20	21	0.10	<10	30	<10	9	114
247	L106N 103+25E	<0.2	1.68	15	125	10	0.20	<1	7	9	7	1.37	<10	0.13	955	<1	0.02	10	1580	16	<5	<20	8	0.10	<10	29	<10	6	89
248	L106N 103+50E	0.2	2.39	25	115	5	0.29	<1	7	8	9	1.44	<10	0.09	466	1	0.03	7	2820	18	<5	<20	14	0.09	<10	28	<10	8	101
249	L92N 90+00E	<0.2	2.56	20	95	<5	0.49	<1	16	24	29	2.60	10	0.52	326	2	0.02	28	1380	20	<5	<20	16	0.09	<10	53	<10	8	57
250	L92N 90+25E	0.2	3.17	25	130	10	0.64	<1	20	29	44	2.96	10	0.53	338	3	0.02	57	1150	22	<5	<20	18	0.10	<10	56	<10	9	95
251	L92N 90+50E	0.4	3.67	35	150	5	0.38	<1	16	25	32	2.77	10	0.42	280	3	0.02	34	2280	26	<5	<20	11	0.11	<10	57	<10	12	75
252	L92N 90+75E	0.2	1.26	10	150	<5	0.43	<1	10	18	14	1.85	<10	0.36	969	1	0.02	13	1330	12	<5	<20	15	0.06	<10	45	<10	5	61
253	L92N 91+00E	<0.2	1.73</																										

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AS 2007-821

American Creek Resources Ltd.

Et #	Tag #	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
256	L92N 91+75E N/S	<0.2	1.18	<5	85	<5	0.29	<1	12	22	14	2.22	<10	0.46	413	1	0.02	15	480	10	<5	<20	10	0.07	<10	64	<10	5	40
257	L92N 92+00E	<0.2	2.36	20	120	5	0.21	<1	13	17	16	2.09	<10	0.33	354	1	0.02	22	1850	18	<5	<20	9	0.10	<10	47	<10	6	56
258	L92N 92+25E	<0.2	2.70	20	95	5	0.21	<1	14	16	21	2.26	<10	0.33	221	2	0.02	25	1480	16	<5	<20	7	0.10	<10	50	<10	7	59
259	L92N 92+50E	<0.2	1.56	<5	85	5	0.25	<1	14	18	25	2.20	<10	0.42	237	1	0.02	17	640	12	<5	<20	7	0.08	<10	59	<10	5	44
260	L92N 92+75E	<0.2	1.56	<5	85	5	0.25	<1	14	18	25	2.20	<10	0.42	237	1	0.02	17	640	12	<5	<20	7	0.08	<10	59	<10	5	44
261	L92N 93+00E	0.2	1.66	15	110	5	0.38	<1	16	22	41	2.86	<10	0.65	474	2	0.02	18	790	12	<5	<20	14	0.08	<10	86	<10	5	43
262	L92N 93+25E	0.2	2.85	15	110	10	0.42	<1	17	18	36	2.73	<10	0.40	283	2	0.02	26	1510	20	<5	<20	15	0.11	<10	70	<10	9	43
263	L92N 93+50E	0.3	3.20	25	100	5	0.42	<1	17	23	35	2.62	10	0.41	178	2	0.02	27	1800	20	<5	<20	10	0.11	<10	58	<10	9	88
264	L92N 93+75E	<0.2	1.37	15	100	<5	0.40	<1	12	14	18	1.92	<10	0.31	262	<1	0.02	15	1120	12	<5	<20	12	0.08	<10	59	<10	6	44
265	L92N 94+00E	0.2	3.08	20	210	<5	0.54	<1	14	29	173	3.00	20	0.48	352	3	0.03	49	390	20	<5	<20	16	0.11	<10	61	<10	16	50
266	L92N 94+25E	<0.2	1.40	<5	90	<5	0.39	<1	17	26	52	4.12	10	0.78	247	2	0.03	19	580	10	<5	<20	13	0.08	<10	164	<10	3	42
267	L92N 94+50E	<0.2	1.62	<5	180	5	0.50	<1	18	18	38	2.40	<10	0.39	884	2	0.02	22	760	14	<5	<20	17	0.09	<10	69	<10	6	76
268	L92N 94+75E	<0.2	1.44	5	85	5	0.36	<1	16	27	33	2.56	<10	0.68	261	2	0.02	26	890	12	<5	<20	10	0.07	<10	62	<10	6	48
269	L92N 95+00E	<0.2	1.68	15	140	<5	0.30	<1	12	18	20	1.91	<10	0.36	800	1	0.02	22	1310	12	<5	<20	9	0.09	<10	47	<10	6	74
270	L92N 95+25E	0.2	3.14	35	165	5	0.35	<1	12	15	25	2.15	<10	0.23	499	2	0.02	18	3340	20	<5	<20	11	0.12	<10	48	<10	8	52
271	L92N 95+50E	<0.2	2.81	15	115	5	0.37	<1	14	21	30	2.34	<10	0.37	178	1	0.02	25	1090	18	<5	<20	10	0.11	<10	50	<10	8	44
272	L92N 95+75E	<0.2	1.45	5	85	<5	0.46	<1	17	28	84	3.20	10	0.70	377	2	0.02	24	940	12	<5	<20	12	0.08	<10	94	<10	11	40
273	L92N 96+00E	<0.2	1.65	10	205	5	0.35	<1	11	18	16	1.87	<10	0.31	713	1	0.02	15	1850	12	<5	<20	10	0.08	<10	49	<10	5	73
274	L92N 96+25E	<0.2	1.64	<5	95	<5	0.59	<1	19	29	86	4.42	10	0.87	256	2	0.03	21	1180	10	<5	<20	18	0.08	<10	170	<10	4	35
275	L92N 96+50E	0.2	2.76	30	135	5	0.37	<1	14	18	24	2.22	<10	0.32	249	1	0.03	26	1620	18	<5	<20	11	0.10	<10	49	<10	8	55
276	L92N 96+75E	<0.2	1.45	<5	90	<5	0.86	1	24	23	175	4.92	20	0.90	369	3	0.03	23	1040	10	<5	<20	21	0.08	<10	185	<10	5	38
277	L92N 97+00E	0.3	0.30	25	185	<5	>10	<1	5	7	64	0.66	<10	0.95	106	<1	0.05	7	500	10	5	<20	578	0.01	<10	31	<10	<1	11
278	L92N 97+25E	<0.2	2.17	10	110	<5	1.35	<1	17	25	29	3.03	10	0.80	166	3	0.04	17	100	14	5	<20	66	0.08	<10	99	<10	7	27
279	L92N 97+50E	<0.2	2.65	15	160	5	0.38	<1	15	20	24	2.50	<10	0.43	242	<1	0.03	22	1520	18	<5	<20	13	0.10	<10	64	<10	7	50
280	L92N 97+75E	<0.2	2.22	15	115	10	0.28	<1	14	18	19	2.17	<10	0.34	142	1	0.02	16	590	16	<5	<20	10	0.09	<10	56	<10	7	43
281	L92N 98+00E N/S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
282	L92N 98+25E	<0.2	2.26	<5	115	10	0.23	<1	16	20	40	3.81	<10	0.43	174	3	0.02	21	1570	20	<5	<20	7	0.12	<10	115	<10	<1	60
283	L92N 98+50E	<0.2	2.06	<5	155	5	0.36	<1	14	14	32	2.99	<10	0.38	435	2	0.03	18	1020	16	<5	<20	10	0.11	<10	93	<10	<1	46
284	L92N 98+75E	0.2	1.90	<5	155	5	0.35	<1	15	18	40	3.29	<10	0.47	279	2	0.02	17	1600	20	<5	<20	8	0.09	<10	98	<10	<1	53
285	L92N 99+00E	<0.2	1.40	<5	190	<5	0.32	<1	13	19	38	3.14	<10	0.49	288	1	0.02	16	1470	14	<5	<20	8	0.09	<10	101	<10	<1	60
286	L92N 99+25E	<0.2	1.50	<5	170	<5	0.22	<1	11	14	17	2.41	<10	0.40	274	2	0.02	20	970	14	<5	<20	7	0.09	<10	72	<10	<1	47
287	L92N 99+50E	<0.2	1.30	<5	205	5	0.34	<1	10	13	17	2.44	<10	0.35	477	1	0.02	14	1380	12	<5	<20	10	0.09	<10	75	<10	<1	52
288	L92N 99+75E	<0.2	1.75	<5	110	<5	0.32	<1	14	18	43	2.92	<10	0.40	210	2	0.02	24	1020	14	<5	<20	8	0.10	<10	98	<10	<1	35
289	L92N 100+00E	0.2	1.35	<5	230	<5	0.77	<1	14	16	36	3.13	<10	0.49	712	1	0.02	18	1550	12	<5	<20	19	0.09	<10	105	<10	<1	45
290	L93N 90+00E	<0.2	1.58	<5	95	5	0.34	<1	17	31	31	2.63	<10	0.68	444	2	0.01	31	830	14	<5	<20	9	0.08	<10	51	<10	<1	75
291	L93N 90+25E	<0.2	1.42	<5	70	10	0.37	<1	15	32	28	2.61	<10	0.65	385	4	0.01	33	380	16	10	<20	10	0.07	<10	52	<10	<1	67
292	L93N 90+50E	<0.2	1.18	<5	60	5	0.39	<1	10	21	11	1.87	<10	0.32	194	2	0.02	17	250	12	<5	<20	9	0.08	<10	41	<10	<1	52
293	L93N 90+75E	0.2	1.61	<5	80	5	0.32	<1	12	28	16	2.33	<10	0.44	149	3	0.02	21	530	14	<5	<20	8	0.08	<10	53	<10	<1	60
294	L93N 91+00E	<0.2	2.38	10	105	<5	0.65	<1	11	26	17	2.38	<10	0.43	305	3	0.02	35	310	20	<5	<20	13	0.10	<10	43	<10	<1	81
295	L93N 91+25E	<0.2	1.63	5	85	5	0.79	<1	13	28	29	2.61	<10	0.52	340	2	0.02	20	180	16	<5	<20	14	0.09	<10	52	<10	<1	35
296	L93N 91+50E	<0.2	1.40	<5	80	<5	0.38	<1	14	27	24	2.49	<10	0.52	416	2	0.02	20	450	14	<5	<20	9	0.08	<10	55	<10	<1	59
297	L93N 91+75E	<0.2	1.47	5	80	<5	0.39	<1	16	32	42	2.73	<10	0.66	240	2	0.01	25	570	14	<5	<20	9	0.10	<10	55	<10	<1	54
298	L93N 92+00E	<0.2	1.63	5	110	5	0.30	<1	13	22	20	2.05	<10	0.37	460	2	0.02	2											

ECO TECH LABORATORY LTD.								ICP CERTIFICATE OF ANALYSIS AS 2007-821												American Creek Resources Ltd.									
Bl #	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
301	L93N 92+75E	<0.2	1.29	5	65	<5	0.19	<1	10	22	20	1.99	<10	0.36	240	2	0.01	19	780	12	<5	<20	4	0.06	<10	42	<10	<1	38
302	L93N 93+00E	<0.2	1.13	5	105	<5	0.34	<1	8	11	10	1.60	<10	0.18	542	2	0.02	11	2330	12	<5	<20	7	0.07	<10	36	<10	<1	46
303	L93N 93+25E	<0.2	2.05	15	95	5	0.28	<1	9	15	15	1.86	<10	0.18	222	1	0.02	15	2890	20	<5	<20	7	0.10	<10	37	<10	<1	43
304	L93N 93+50E	0.2	1.27	<5	45	10	0.43	<1	16	23	55	3.41	<10	0.71	243	2	0.02	21	700	14	<5	<20	9	0.09	<10	106	<10	<1	49
305	L93N 93+75E	<0.2	1.56	<5	120	5	0.34	<1	11	25	25	2.51	<10	0.35	124	1	0.02	22	280	16	<5	<20	7	0.08	<10	65	<10	<1	31
306	L93N 94+00E	<0.2	1.28	<5	55	5	0.47	<1	21	26	109	5.06	<10	0.81	274	2	0.02	25	720	12	<5	<20	10	0.12	<10	175	<10	<1	45
307	L93N 94+25E	0.2	1.90	10	110	<5	0.43	<1	17	16	32	2.21	<10	0.26	357	2	0.02	28	1950	20	<5	<20	11	0.11	<10	45	<10	<1	59
308	L93N 94+50E	<0.2	1.45	<5	110	<5	0.43	<1	15	18	43	2.66	<10	0.42	247	2	0.02	26	810	14	<5	<20	12	0.09	<10	76	<10	<1	53
309	L93N 94+75E	0.2	1.34	<5	120	<5	0.37	<1	17	24	48	2.42	<10	0.48	495	1	0.01	29	1250	14	<5	<20	8	0.08	<10	49	<10	<1	65
310	L93N 95+00E	0.2	2.20	10	125	10	0.33	<1	12	15	23	2.30	<10	0.30	297	2	0.02	25	2080	24	<5	<20	7	0.09	<10	54	<10	<1	63
311	L93N 95+25E	0.3	1.31	5	140	5	0.17	<1	9	13	13	1.62	<10	0.19	391	1	0.02	17	2200	14	<5	<20	6	0.08	<10	33	<10	<1	82
312	L93N 95+50E	<0.2	1.10	<5	85	5	0.33	<1	15	28	45	2.77	<10	0.60	217	1	0.01	25	550	12	<5	<20	6	0.08	<10	81	<10	<1	39
313	L93N 95+75E	<0.2	1.44	<5	100	5	0.38	<1	16	26	41	2.74	<10	0.53	286	3	0.02	27	1030	14	<5	<20	8	0.08	<10	66	<10	<1	63
314	L93N 96+00E	<0.2	1.12	<5	175	10	0.45	<1	12	16	19	1.96	<10	0.24	999	2	0.02	18	2040	14	<5	<20	11	0.08	<10	43	<10	<1	93
315	L93N 96+25E	0.2	1.37	<5	75	<5	0.76	<1	23	27	120	4.20	<10	0.76	455	3	0.03	26	1310	16	<5	<20	14	0.10	<10	128	<10	<1	61
316	L93N 96+50E	<0.2	1.30	5	150	<5	0.56	<1	13	19	35	3.31	<10	0.51	455	2	0.02	20	1240	12	<5	<20	15	0.09	<10	108	<10	<1	65
317	L93N 96+75E	<0.2	1.58	10	145	<5	0.53	<1	15	16	50	3.07	<10	0.33	900	2	0.02	17	1830	18	<5	<20	13	0.11	<10	83	<10	<1	70
318	L93N 97+00E	<0.2	1.20	<5	80	<5	0.24	<1	17	12	29	2.64	<10	0.30	430	2	0.02	15	1430	14	<5	<20	7	0.09	<10	85	<10	<1	47
319	L93N 97+25E	<0.2	0.93	<5	110	<5	0.22	<1	12	9	31	1.68	<10	0.17	308	<1	0.02	14	1370	12	<5	<20	8	0.08	<10	44	<10	<1	59
320	L93N 97+50E	0.2	1.31	<5	120	<5	0.53	<1	16	18	39	3.72	<10	0.53	540	1	0.02	20	1160	14	<5	<20	11	0.09	<10	133	<10	<1	49
321	L93N 97+75E	<0.2	2.01	10	145	5	0.58	<1	16	16	40	2.80	<10	0.36	253	1	0.02	31	2300	22	<5	<20	20	0.10	<10	74	<10	<1	60
322	L93N 98+00E	0.2	1.68	<5	200	10	0.30	<1	9	9	11	1.54	<10	0.07	588	2	0.02	8	4300	18	<5	<20	9	0.08	<10	26	<10	<1	71
323	L93N 98+25E	N/S																											
324	L93N 98+50E	N/S																											
325	L93N 98+75E	N/S																											
326	L93N 99+00E	<0.2	1.23	<5	135	5	0.86	<1	18	26	73	3.73	<10	0.81	557	3	0.02	23	1150	18	<5	<20	16	0.09	<10	117	<10	<1	58
327	L93N 99+25E	0.2	1.24	<5	190	5	0.24	<1	11	13	17	2.17	<10	0.25	373	1	0.02	14	1970	14	<5	<20	6	0.08	<10	57	<10	<1	53
328	L93N 99+50E	<0.2	1.39	<5	240	5	0.37	<1	14	17	24	3.53	<10	0.47	418	2	0.02	19	1230	16	<5	<20	10	0.09	<10	123	<10	<1	47
329	L93N 99+75E	0.2	1.89	10	260	<5	0.39	<1	14	14	62	2.51	<10	0.32	378	2	0.02	24	2130	22	<5	<20	11	0.10	<10	63	<10	<1	48
330	L93N 100+00E	<0.2	1.46	10	230	5	0.41	<1	12	13	17	2.12	<10	0.27	240	2	0.02	17	2920	18	<5	<20	12	0.08	<10	52	<10	<1	50
331	L95N 90+00E	<0.2	1.86	<5	80	10	0.18	<1	12	21	11	1.94	<10	0.31	329	2	0.02	29	1890	20	<5	<20	4	0.08	<10	36	<10	<1	95
332	L95N 90+25E	<0.2	1.75	10	90	5	0.24	<1	15	22	21	1.97	<10	0.30	279	2	0.02	45	800	18	<5	<20	6	0.09	<10	36	<10	<1	107
333	L95N 90+50E	<0.2	1.38	<5	55	5	0.36	<1	17	37	59	3.06	<10	0.68	359	3	0.01	33	590	16	<5	<20	8	0.09	<10	58	<10	2	55
334	L95N 90+75E	<0.2	1.49	5	90	5	0.37	<1	13	25	21	2.17	<10	0.39	664	2	0.02	24	1330	16	<5	<20	6	0.08	<10	42	<10	<1	91
335	L95N 91+00E	<0.2	1.35	5	50	<5	0.67	<1	10	23	13	2.02	<10	0.33	114	2	0.02	15	140	16	<5	<20	11	0.07	<10	45	<10	<1	25
336	L95N 91+25E	<0.2	1.35	5	80	<5	0.39	<1	10	23	14	1.95	<10	0.36	294	2	0.02	17	1420	18	<5	<20	10	0.07	<10	39	<10	<1	77
337	L95N 91+50E	0.2	1.11	5	85	5	0.37	<1	10	21	19	1.85	<10	0.32	672	2	0.01	18	1010	16	<5	<20	10	0.06	<10	38	<10	<1	57
338	L95N 91+75E	<0.2	1.24	5	60	<5	0.18	<1	15	23	17	2.20	<10	0.27	218	2	0.01	20	640	16	<5	<20	5	0.07	<10	45	<10	<1	57
339	L95N 92+00E	0.2	1.10	<5	105	5	0.24	<1	13	21	14	1.78	<10	0.32	852	1	0.01	19	910	12	<5	<20	5	0.06	<10	35	<10	<1	68
340	L95N 92+25E	0.3	2.12	15	100	<5	0.21	<1	10	11	9	1.72	<10	0.11	835	2	0.02	17	1810	24	<5	<20	4	0.10	<10	32	<10	<1	90
341	L95N 92+50E	0.2	1.83	15	70	<5	0.25	<1	18	24	20	2.42	<10	0.32	188	2	0.01	31	1180	20	<5	<20	7	0.10	<10	46	<10	<1	82
342	L95N 92+75E	0.2																											

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AS 2007- 821

American Creek Resources Ltd.

El #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
346	L95N 93+75E	0.2	1.56	<5	120	10	0.25	<1	14	15	22	2.23	<10	0.26	165	2	0.02	20	2840	20	<5	<20	7	0.08	<10	49	<10	<1	46
347	L95N 94+00E	<0.2	1.18	5	60	<5	0.44	<1	16	18	47	3.12	<10	0.48	346	2	0.02	19	1140	16	<5	<20	9	0.08	<10	92	<10	<1	48
348	L95N 94+25E	<0.2	1.72	15	100	<5	0.30	<1	17	17	33	2.54	<10	0.32	251	1	0.02	30	1440	22	<5	<20	6	0.09	<10	68	<10	<1	71
349	L95N 94+50E	<0.2	1.44	5	70	<5	0.42	<1	18	19	45	3.43	<10	0.58	224	1	0.02	25	880	16	<5	<20	9	0.09	<10	109	<10	<1	66
350	L95N 94+75E	0.2	1.32	<5	95	5	0.47	<1	17	20	64	3.18	<10	0.53	411	3	0.02	26	1190	18	<5	<20	10	0.09	<10	92	<10	<1	69
351	L95N 95+00E	<0.2	1.47	<5	100	<5	0.43	<1	15	17	29	2.31	<10	0.35	314	1	0.02	26	1400	18	<5	<20	8	0.08	<10	58	<10	<1	94
352	L95N 95+25E	<0.2	1.34	<5	85	5	0.32	<1	18	22	63	2.95	<10	0.50	271	3	0.02	32	500	18	<5	<20	7	0.09	<10	79	<10	<1	56
353	L95N 95+50E	0.3	1.69	10	130	<5	0.48	<1	11	9	16	1.46	<10	0.11	393	<1	0.02	21	2780	22	<5	<20	14	0.09	<10	25	<10	<1	90
354	L95N 95+75E	0.2	1.47	10	110	5	0.15	<1	12	20	17	2.23	<10	0.31	299	3	0.01	24	1530	18	5	<20	3	0.07	<10	49	<10	<1	65
355	L95N 96+00E	<0.2	1.06	<5	45	5	0.31	<1	18	22	69	3.20	<10	0.50	210	1	0.02	25	700	14	<5	<20	5	0.08	<10	95	<10	<1	43
356	L95N 96+25E	0.3	1.45	5	115	5	0.28	<1	12	15	15	2.14	<10	0.20	164	1	0.02	15	2230	18	<5	<20	7	0.08	<10	49	<10	<1	58
357	L95N 96+50E	0.2	1.25	5	125	10	0.72	<1	11	15	20	2.04	<10	0.25	540	2	0.02	14	1560	22	<5	<20	15	0.09	<10	47	<10	<1	62
358	L95N 96+75E	<0.2	0.85	<5	85	<5	0.65	<1	18	15	78	3.25	<10	0.49	410	1	0.02	15	1030	14	<5	<20	13	0.08	<10	107	<10	<1	49
359	L95N 97+00E	<0.2	0.96	<5	60	5	1.13	<1	23	23	103	4.48	<10	0.69	754	2	0.03	22	1090	12	<5	<20	14	0.09	<10	158	<10	<1	39
360	L95N 97+25E	0.2	1.47	10	175	5	0.54	<1	14	18	38	3.10	<10	0.44	276	2	0.02	21	2360	20	<5	<20	12	0.09	<10	87	<10	<1	85
361	L95N 97+50E	<0.2	1.32	<5	120	5	0.46	<1	16	21	58	3.63	<10	0.54	473	2	0.02	21	1350	18	<5	<20	10	0.09	<10	118	<10	<1	85
362	L95N 97+75E	0.2	1.28	10	95	<5	0.31	<1	13	12	35	2.16	<10	0.32	536	2	0.02	13	1680	18	<5	<20	8	0.08	<10	54	<10	<1	88
363	L95N 98+00E	<0.2	1.25	5	195	<5	0.63	<1	13	19	20	2.61	<10	0.41	966	1	0.02	19	1670	16	<5	<20	14	0.09	<10	72	<10	<1	85
364	L95N 98+25E	0.4	1.33	5	195	5	0.54	<1	10	16	22	2.16	<10	0.30	756	3	0.02	17	1780	18	5	<20	13	0.07	<10	52	<10	<1	64
365	L95N 98+50E	<0.2	1.25	10	115	<5	0.63	<1	15	18	47	2.81	<10	0.56	451	2	0.02	20	980	18	5	<20	14	0.08	<10	81	<10	<1	52
366	L95N 98+75E	0.3	1.75	5	210	5	0.41	<1	15	17	54	2.25	<10	0.33	323	1	0.02	28	710	24	<5	<20	12	0.09	<10	53	<10	<1	54
367	L95N 99+00E	<0.2	1.38	<5	175	<5	0.80	<1	18	25	51	3.88	<10	0.55	497	2	0.02	22	560	18	<5	<20	15	0.09	<10	129	<10	<1	56
368	L95N 99+25E	<0.2	1.13	<5	125	5	0.45	<1	14	13	36	2.28	<10	0.23	419	<1	0.03	17	1290	20	<5	<20	12	0.08	<10	64	<10	<1	67
369	L95N 99+50E	<0.2	0.97	<5	235	5	0.36	<1	10	10	26	1.94	<10	0.19	456	1	0.02	11	2260	14	<5	<20	9	0.07	<10	50	<10	<1	75
370	L95N 99+75E	<0.2	0.46	<5	150	<5	0.37	<1	5	5	6	1.01	<10	0.05	302	<1	0.02	4	1110	10	<5	<20	7	0.05	<10	28	<10	<1	42
371	L95N 100+00E	<0.2	1.37	5	125	<5	0.29	<1	13	18	28	3.02	<10	0.46	214	2	0.02	21	790	18	<5	<20	8	0.08	<10	92	<10	<1	66
372	L95N 100+25E	<0.2	1.48	5	230	10	0.54	<1	14	19	39	3.02	<10	0.42	396	2	0.02	20	1600	20	<5	<20	15	0.08	<10	84	<10	<1	74
373	L95N 100+50E	<0.2	1.76	15	185	<5	0.46	<1	13	15	38	2.49	<10	0.31	256	1	0.02	22	1410	22	<5	<20	12	0.10	<10	61	<10	<1	68
374	L95N 100+75E	<0.2	1.39	<5	145	5	0.68	<1	35	26	74	8.89	<10	0.74	212	3	0.01	60	620	22	<5	<20	14	0.12	<10	159	<10	<1	82
375	L95N 101+00E	<0.2	1.63	5	255	<5	0.50	<1	20	23	99	3.36	<10	0.48	492	1	0.02	30	1120	20	<5	<20	13	0.09	<10	98	<10	<1	68
376	L95N 101+25E	<0.2	1.95	<5	245	<5	0.81	<1	22	19	154	3.80	<10	0.46	682	2	0.03	26	650	26	<5	<20	23	0.10	<10	97	<10	<1	62
377	L95N 101+50E	0.3	1.54	<5	150	<5	0.53	<1	23	23	172	4.10	<10	0.46	616	2	0.02	29	590	20	<5	<20	12	0.10	<10	113	<10	<1	55
378	L95N 101+75E	<0.2	2.28	<5	220	<5	1.75	<1	57	57	857	6.47	<10	0.80	1031	1	0.03	44	3380	26	<5	<20	30	0.13	<10	153	<10	21	78
379	L95N 102+00E	0.4	1.81	10	205	<5	0.52	<1	29	19	186	3.35	<10	0.43	594	1	0.02	27	1370	24	<5	<20	16	0.10	<10	77	<10	<1	85
380	L95N 102+25E	<0.2	1.74	<5	130	5	0.54	<1	23	24	104	4.55	<10	0.55	329	1	0.02	26	690	26	<5	<20	18	0.11	<10	138	<10	<1	64
381	L95N 102+50E	<0.2	1.73	<5	175	<5	0.66	<1	19	16	75	3.85	<10	0.45	318	1	0.02	22	620	26	<5	<20	19	0.10	<10	119	<10	<1	70
382	L95N 102+75E	<0.2	1.99	5	130	<5	0.53	<1	20	18	86	3.85	<10	0.54	241	1	0.02	21	260	32	<5	<20	12	0.11	<10	117	<10	<1	53
383	L95N 103+00E	<0.2	1.65	<5	205	<5	1.19	1	54	16	382	7.91	<10	1.02	999	2	0.03	23	1380	22	<5	<20	21	0.14	<10	262	<10	<1	72
384	L95N 103+25E	<0.2	1.35	<5	240	<5	2.38	1	92	18	1560	8.05	<10	0.88	1109	3	0.03	46	2160	18	<5	<20	35	0.14	<10	205	<10	<1	64
385	L95N 103+50E	0.5	0.32	<5	90	<5	0.82	<1	4	4	100	1.07	<10	0.16	84	1	0.02	7	900	44	<5	<20	13	0.02	<10	25	<10	<1	38
386	L95N 103+75E	0.8	1.33	<5	80	<5	0.45	1	30	7	399	6.02	<10	0.75	379	4	0.02	17	2580	24	<5	<20	9	0.09	<10	222	<10	<1	80
387	L95N 104+00E	<0.2	2.05	<5	605	5	2.53	<1	35	4	122	6.07	<10	1.30	2094	2	0.02	11	3210	26	<5	<20	20	0.10	<10				

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AS 2007-821

American Creek Resources Ltd.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
391	L95N 105+00E		N/S																										
392	L95N 105+25E		N/S																										
393	L95N 105+50E		N/S																										
394	L95N 105+75E		N/S																										
395	L95N 106+00E		N/S																										
396	L95N 106+25E		N/S																										
397	L95N 106+50E		N/S																										
398	L95N 106+75E		N/S																										
399	L95N 107+00E		N/S																										
400	L95N 107+25E		N/S																										
401	L95N 107+50E		N/S																										
402	L95N 107+75E		N/S																										
403	L95N 108+00E		N/S																										
404	L95N 108+25E	<0.2	1.11	5	60	<5	0.71	<1	15	16	77	2.71	<10	0.87	201	2	0.04	18	210	18	<5	<20	10	0.11	<10	87	<10	<1	51
405	L95N 108+50E	<0.2	1.32	<5	50	<5	0.78	<1	16	17	87	2.96	<10	0.94	193	2	0.05	20	280	20	<5	<20	10	0.10	<10	101	<10	<1	40
406	L95N 108+75E	<0.2	1.66	<5	135	5	0.51	<1	17	29	48	3.40	<10	0.70	314	2	0.02	29	170	26	<5	<20	11	0.12	<10	86	<10	<1	75
407	L95N 109+00E	<0.2	1.70	<5	155	10	0.51	<1	16	25	29	3.25	<10	0.61	467	2	0.02	23	230	28	<5	<20	11	0.11	<10	76	<10	<1	119
408	L95N 109+25E	0.2	1.98	15	285	5	0.48	<1	17	26	33	3.33	<10	0.67	689	3	0.02	28	340	32	<5	<20	14	0.11	<10	74	<10	<1	104
409	L95N 109+50E	0.3	2.56	20	280	5	0.71	<1	15	27	24	2.79	<10	0.49	372	2	0.02	49	1170	40	<5	<20	19	0.11	<10	53	<10	<1	134
410	L95N 109+75E		N/S																										
411	L95N 110+00E	0.2	1.36	20	275	5	0.70	<1	10	23	22	2.96	<10	0.52	311	2	0.02	47	210	27	<5	<20	12	0.11	<10	70	<10	<1	126
QC DATA:																													
<i>Repeat:</i>																													
1	L98N 90+00E	<0.2	1.50	10	70	<5	0.28	<1	11	20	20	1.84	<10	0.33	342	2	0.01	22	1040	20	<5	<20	4	0.06	<10	36	<10	3	43
10	L98N 92+25E	0.2	1.04	10	110	<5	0.17	<1	11	21	18	1.93	<10	0.40	385	2	<0.01	19	1240	14	<5	<20	4	0.04	<10	34	<10	2	70
19	L98N 94+50E	0.3	1.30	15	80	<5	0.29	<1	12	20	23	2.01	<10	0.37	339	2	0.01	23	760	16	<5	<20	7	0.06	<10	41	<10	2	63
36	L98N 98+75E	0.2	1.91	10	310	10	0.43	<1	10	20	29	2.51	<10	0.47	335	2	0.02	15	1100	24	<5	<20	10	0.05	<10	51	<10	2	51
45	L98N 101+00E	0.2	2.07	30	215	<5	3.40	2	33	39	335	5.15	10	0.92	1790	6	0.03	54	1490	32	10	<20	62	0.07	<10	81	<10	30	118
54	L98N 103+25E	<0.2	1.61	15	285	5	0.60	<1	13	14	24	2.34	<10	0.37	915	2	0.02	24	640	22	<5	<20	20	0.07	<10	41	<10	4	134
71	L98N 107+50E	<0.2	2.02	25	195	<5	0.42	<1	17	21	44	3.19	<10	0.64	524	3	0.02	29	540	28	<5	<20	12	0.08	<10	61	<10	8	108
80	L98N 109+75E	<0.2	2.01	30	135	5	0.47	<1	16	21	18	2.78	<10	0.51	554	4	0.02	28	660	26	<5	<20	14	0.08	<10	58	<10	5	98
89	L96N 91+75E	<0.2	2.36	25	90	<5	0.26	<1	13	27	11	2.47	<10	0.33	300	2	0.02	20	1130	28	<5	<20	5	0.07	<10	54	<10	3	60
106	L96N 96+00E	0.2	1.87	10	160	<5	0.48	<1	15	15	45	2.40	<10	0.43	303	2	0.03	30	1140	22	<5	<20	15	0.07	<10	56	<10	4	58
115	L96N 98+25E	0.2	1.65	10	165	<5	0.44	<1	16	17	45	2.72	<10	0.43	497	2	0.02	18	1660	18	<5	<20	12	0.08	<10	84	<10	3	44
124	L96N 100+50E	<0.2	2.50	25	235	<5	0.58	<1	16	19	59	3.05	<10	0.47	466	1	0.02	19	2200	24	<5	<20	19	0.10	<10	82	<10	3	49
141	L96N 104+75E	<0.2	2.43	<5	405	<5	1.04	2	44	7	463	7.70	10	1.12	959	4	0.02	21	1870	20	<5	<20	33	0.09	<10	257	<10	<1	96
150	L96N 107+00E	<0.2	2.07	10	165	<5	0.92	<1	18	22	68	3.64	10	1.03	527	3	0.02	19	320	18	<5	<20	26	0.09	<10	113	<10	10	55
159	L96N 109+25E	<0.2	1.79	10	210	<5	0.42	<1	14	22	23	2.77	<10	0.75	987	2	0.02	17	450	16	<5	<20	15	0.10	<10	60	<10	4	88
176	L94N 93+25E	0.3	2.19	25	120	<5	0.27	<1	14	10	19	1.60	<10	0.13	963	<1	0.02	16	3420	18	<5	<20	10	0.09	<10	30	<10	6	43
185	L94N 95+50E	<0.2	1.36	<5	75	<5	0.51	1	20	23	108	4.60	10	0.90	264	3	0.03	21	640	10	<5	<20	13	0.08	<10	182	<10	2	44
194	L94N 97+75E	0.2	1.79	<5	205	<5	0.40	<1	16	12	44	2.73	<10	0.39	460	1	0.02	21	2430	14	<5	<20	14	0.08	<10	80	<10	3	49
211	L104N 101+75E	0.2	2.71	35	150	<5	0.25	<1	12	13	14	1.99	<10	0.21	1038	2	0.03	14	1270	18	<5	<20	11	0.11	<10	40	<10	10	118
220	L105N 100+25E	<0.2	1.60	10	120	5	0.28	<1	7	11	8	1.41	<10	0.15	870	<1	0.02	13	1350	12	<5	<20	13	0.08	<10	28	<10	7	56
229	L105N 102+50E	<0.2	3.15	35	365	<5	6.11	<1	16	18	66	2.73	20	0.75	4162	3	0.25	20	4090	16	<5	<20	139	0.14	<10	68	<10	15	191
246	L106N 103+00E	<0.2	1.87	20	140	5	0.74	<1	9	11	17	1.54	<10	0.19	1377	1	0.03	12	1600	14	<5	<20	21	0.10	<10	30	<10	11	110

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AS 2007- 821

American Creek Resources Ltd.

Et #.	Tag #	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
255	L92N 91+50E	0.2	1.95	10	115	<5	0.86	<1	17	31	43	3.27	10	0.69	279	3	0.02	20	170	14	<5	<20	19	0.08	<10	98	<10	6	32
264	L92N 93+75E	<0.2	1.35	10	95	10	0.39	<1	12	13	18	1.88	<10	0.30	280	1	0.02	15	1140	12	<5	<20	14	0.08	<10	57	<10	6	44
282	L92N 98+25E	<0.2	2.32	<5	120	5	0.25	<1	18	21	41	3.91	<10	0.45	184	2	0.02	20	1560	20	<5	<20	7	0.13	<10	120	<10	<1	61
290	L93N 90+00E	<0.2	1.60	5	95	<5	0.37	<1	18	32	31	2.66	<10	0.68	443	2	0.01	33	830	16	<5	<20	11	0.08	<10	52	<10	<1	78
299	L93N 92+25E	0.2	2.09	10	115	5	0.25	<1	14	35	21	2.59	<10	0.65	236	2	0.02	29	730	18	<5	<20	6	0.10	<10	54	<10	<1	70
316	L93N 98+50E	<0.2	1.28	15	150	5	0.54	<1	13	19	35	3.25	<10	0.49	450	1	0.02	19	1270	16	<5	<20	14	0.09	<10	106	<10	<1	84
326	L93N 99+00E	<0.2	1.21	<5	135	5	0.83	<1	17	25	72	3.89	<10	0.80	550	3	0.02	24	1110	16	<5	<20	15	0.08	<10	114	<10	<1	58
334	L95N 90+75E	<0.2	1.46	10	90	5	0.35	<1	12	24	21	2.14	<10	0.37	650	1	0.02	23	1310	16	<5	<20	7	0.08	<10	40	<10	<1	90
351	L95N 95+00E	<0.2	1.49	10	100	5	0.44	<1	15	18	30	2.35	<10	0.36	326	2	0.02	27	1420	18	<5	<20	9	0.08	<10	59	<10	<1	95
361	L95N 97+50E	<0.2	1.31	5	115	10	0.46	<1	16	21	57	3.55	<10	0.53	470	2	0.02	19	1350	20	<5	<20	9	0.09	<10	114	<10	<1	86
369	L95N 99+50E	<0.2	0.96	5	230	<5	0.35	<1	10	10	26	1.96	<10	0.19	453	<1	0.02	12	2200	14	<5	<20	8	0.07	<10	51	<10	<1	74
387	L95N 104+00E	<0.2	1.92	<5	580	<5	2.51	<1	35	4	116	5.90	<10	1.22	2047	2	0.02	12	3310	28	<5	<20	19	0.09	<10	206	<10	13	80

Standard:

TII3	1.5	0.98	70	45	<5	0.67	<1	12	56	21	1.91	10	0.54	291	2	0.02	28	460	24	5	<20	6	0.04	<10	39	<10	8	33
TII3	1.5	1.05	80	50	<5	0.68	<1	12	59	21	1.97	10	0.56	298	1	0.03	29	440	34	10	<20	7	0.05	<10	35	<10	9	35
TII3	1.3	1.06	85	50	<5	0.64	<1	12	58	22	1.99	20	0.60	304	3	0.03	31	440	26	15	<20	8	0.05	<10	37	<10	10	33
TII3	1.5	1.13	90	55	<5	0.70	<1	13	61	24	2.02	20	0.63	319	<1	0.03	32	460	24	5	<20	7	0.06	<10	39	<10	12	35
TII3	1.5	1.14	75	50	<5	0.72	<1	13	60	24	2.06	20	0.64	318	2	0.03	31	450	22	<5	<20	8	0.06	<10	39	<10	11	33
TII3	1.5	1.16	70	40	<5	0.71	<1	13	60	24	2.04	20	0.66	317	2	0.03	31	440	30	5	<20	8	0.06	<10	39	<10	12	32
TII3	1.5	1.19	75	55	<5	0.67	<1	13	61	25	2.05	20	0.68	321	3	0.03	32	450	22	10	<20	9	0.06	<10	40	<10	12	33
TII3	1.3	1.10	85	55	<5	0.68	<1	13	61	23	2.06	20	0.68	322	2	0.03	31	460	28	5	<20	9	0.07	<10	40	<10	10	33
TII3	1.6	0.98	70	45	10	0.62	<1	12	57	20	1.98	<10	0.54	297	<1	0.03	30	430	24	<5	<20	6	0.07	<10	35	<10	9	37
TII3	1.4	0.97	75	40	5	0.71	<1	12	56	19	1.95	<10	0.50	290	2	0.03	29	430	26	<5	<20	6	0.06	<10	38	<10	9	38
TII3	1.4	1.02	80	40	5	0.71	<1	12	55	19	1.93	<10	0.49	299	<1	0.03	31	440	26	10	<20	5	0.05	<10	37	<10	8	37
TII3	1.5	1.07	80	35	<5	0.65	<1	12	55	20	1.95	<10	0.48	290	2	0.03	30	450	28	5	<20	7	0.06	<10	36	<10	8	39

JV/Jsa
df/821a/821c/821b
XLS/07

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

19-Jul-07

ECO TECH LABORATORY LTD.
 10041 Dallas Drive
 KAMLOOPS, B.C.
 V2C 6T4

Phone: 250-573-5700
 Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AK 2007- 780

American Creek Resources Ltd.
 Box 798
 Raymond, AB
 T0K 2S0

No. of samples received: 110
 Sample Type: Soil
 Project: Gold Mist
 Shipment #: GM-3
 Submitted by: Perry

Values in ppm unless otherwise reported

El #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	L107N 90+00E	<0.2	1.97	25	90	<5	0.64	<1	20	20	28	2.22	<10	0.13	472	1	0.03	84	740	16	<5	<20	18	0.11	<10	32	<10	2	28
2	L107N 90+25E	0.2	2.86	40	60	<5	0.39	<1	12	24	20	2.40	<10	0.25	212	<1	0.03	31	1460	20	<5	<20	10	0.13	<10	37	<10	3	50
3	L107N 90+50E	<0.2	2.42	30	120	<5	0.30	<1	13	32	23	2.34	<10	0.48	344	<1	0.02	36	1060	14	<5	<20	10	0.09	<10	38	<10	3	62
4	L107N 90+75E	<0.2	3.30	45	55	<5	0.23	<1	8	20	34	2.32	<10	0.21	187	<1	0.03	14	2580	22	<5	<20	7	0.11	<10	37	<10	5	41
5	L107N 91+00E	<0.2	1.05	15	75	<5	1.20	<1	7	15	18	1.39	<10	0.17	231	<1	0.03	10	130	8	<5	<20	19	0.07	<10	33	<10	3	22
6	L107N 91+25E	<0.2	1.57	20	30	<5	0.34	<1	9	12	11	1.61	<10	0.09	72	<1	0.03	11	150	12	<5	<20	7	0.10	<10	33	<10	2	16
7	L107N 91+50E	<0.2	3.30	40	105	<5	0.76	<1	17	19	30	2.57	<10	0.28	466	<1	0.04	39	1510	22	<5	<20	18	0.13	<10	37	<10	8	116
8	L107N 91+75E	<0.2	3.44	45	90	<5	0.16	<1	14	20	26	2.44	<10	0.24	271	<1	0.03	34	1230	22	<5	<20	8	0.16	<10	41	<10	4	63
9	L107N 92+00E	0.2	1.68	25	95	<5	0.42	<1	14	16	12	2.14	<10	0.25	1295	<1	0.03	25	1160	16	<5	<20	11	0.10	<10	36	<10	2	65
10	L107N 92+25E	<0.2	2.93	40	120	<5	0.73	<1	19	37	79	2.92	<10	0.50	244	<1	0.03	45	450	20	<5	<20	18	0.10	<10	50	<10	14	42
11	L107N 92+50E	<0.2	2.61	40	110	<5	0.53	<1	30	22	76	3.13	<10	0.50	525	<1	0.03	66	1680	20	<5	<20	19	0.12	<10	45	<10	3	93
12	L107N 92+75E	<0.2	2.69	40	85	<5	0.18	<1	11	14	17	2.15	<10	0.20	759	<1	0.03	18	1680	20	<5	<20	8	0.14	<10	36	<10	2	67
13	L107N 93+00E	<0.2	2.04	30	120	<5	0.51	<1	22	18	25	2.40	<10	0.28	614	<1	0.03	34	1490	18	<5	<20	18	0.10	<10	40	<10	3	119
14	L107N 93+25E	<0.2	2.93	45	180	<5	0.52	<1	15	27	55	2.98	<10	0.45	488	<1	0.03	24	3830	20	<5	<20	18	0.12	<10	52	<10	3	98
15	L107N 93+50E	<0.2	2.90	45	125	<5	0.81	1	19	59	85	3.67	<10	0.87	351	<1	0.03	61	420	20	<5	<20	23	0.07	<10	65	<10	4	77
16	L107N 93+75E	0.7	2.98	45	100	<5	0.48	4	12	14	15	2.06	<10	0.22	401	2	0.03	30	1000	20	<5	<20	16	0.13	<10	40	<10	4	216
17	L107N 94+00E	<0.2	2.84	50	125	<5	0.40	2	17	21	32	2.78	<10	0.42	330	2	0.03	39	1630	18	<5	<20	15	0.12	<10	44	<10	4	159
18	L107N 94+25E	<0.2	1.78	25	80	<5	0.25	<1	7	11	8	1.86	<10	0.15	379	<1	0.02	9	1450	18	<5	<20	11	0.09	<10	28	<10	3	91
19	L107N 94+50E	<0.2	3.11	50	160	<5	0.48	<1	14	28	32	2.87	<10	0.40	1102	<1	0.03	36	1790	24	<5	<20	15	0.13	<10	45	<10	3	109
20	L107N 94+75E	<0.2	2.62	45	125	<5	0.61	1	22	78	51	5.01	<10	0.89	572	1	0.03	49	450	24	<5	<20	14	0.03	<10	97	<10	10	77
21	L107N 95+00E	<0.2	2.23	35	145	<5	0.30	<1	13	19	20	2.10	<10	0.29	612	<1	0.02	25	1840	18	<5	<20	11	0.09	<10	35	<10	2	85
22	L107N 95+25E	<0.2	2.72	40	90	<5	0.36	<1	16	23	25	2.27	<10	0.36	491	<1	0.03	35	1380	20	<5	<20	12	0.13	<10	39	<10	3	81
23	L107N 95+50E	<0.2	2.06	35	140	<5	0.35	<1	20	25	45	2.60	<10	0.57	359	<1	0.03	45	1300	14	<5	<20	12	0.09	<10	41	<10	3	97
24	L107N 95+75E	<0.2	2.66	50	120	<5	0.42	<1	18	27	35	2.68	<10	0.53	236	<1	0.03	41	790	20	<5	<20	13	0.11	<10	46	<10	3	86
25	L107N 96+00E	0.2	2.80	45	85	<5	0.45	<1	11	15	12	2.06	<10	0.13	185	<1	0.03	17	970	22	<5	<20	14	0.13	<10	34	<10	3	48

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2007- 780

American Creek Resources Ltd.

El #	Tag #	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
26	L107N 96+25E	<0.2	2.51	45	160	<5	0.39	<1	15	31	20	2.36	<10	0.49	394	<1	0.02	32	1110	20	<5	<20	16	0.11	<10	47	<10	3	79
27	L107N 96+50E	0.3	1.69	25	115	<5	0.36	1	12	22	14	1.91	<10	0.32	639	<1	0.03	23	1110	14	<5	<20	14	0.09	<10	36	<10	3	87
28	L107N 96+75E	0.2	1.37	20	115	<5	0.24	<1	10	18	10	1.74	<10	0.27	485	<1	0.02	17	620	12	<5	<20	11	0.07	<10	33	<10	2	67
29	L107N 97+00E	<0.2	1.86	35	125	<5	0.18	<1	9	11	7	1.68	<10	0.16	506	<1	0.03	13	3010	14	<5	<20	9	0.09	<10	28	<10	2	61
30	L107N 97+25E	0.5	2.26	35	100	<5	0.20	1	14	25	16	2.79	<10	0.39	255	<1	0.02	31	1380	16	<5	<20	9	0.09	<10	45	<10	2	73
31	L107N 97+50E	<0.2	1.42	20	125	<5	0.20	<1	9	13	9	1.73	<10	0.27	537	<1	0.02	17	1600	12	<5	<20	13	0.07	<10	33	<10	2	76
32	L107N 97+75E	0.3	2.14	35	145	<5	0.36	1	14	24	17	2.55	<10	0.58	354	<1	0.02	31	1730	18	<5	<20	20	0.08	<10	40	<10	2	108
33	L107N 98+00E	0.2	1.99	30	175	<5	0.34	1	13	27	23	2.49	<10	0.57	380	<1	0.02	37	690	16	<5	<20	16	0.08	<10	38	<10	3	120
34	L107N 98+25E	0.3	1.57	25	140	<5	0.38	1	8	15	8	1.66	<10	0.27	424	<1	0.02	18	1490	12	<5	<20	15	0.07	<10	29	<10	2	108
35	L107N 98+50E	<0.2	1.90	30	230	<5	0.36	1	8	18	10	1.82	<10	0.24	503	<1	0.02	22	3780	18	<5	<20	14	0.08	<10	32	<10	2	128
36	L107N 98+75E	0.4	2.29	35	170	<5	0.34	1	10	18	12	1.93	<10	0.29	549	<1	0.02	34	1640	16	<5	<20	19	0.09	<10	30	<10	3	94
37	L107N 99+00E	<0.2	2.03	30	155	<5	0.30	1	12	30	23	2.73	<10	0.69	275	<1	0.02	32	250	18	<5	<20	16	0.05	<10	48	<10	3	67
38	L107N 99+25E	<0.2	1.70	30	70	<5	0.24	2	14	29	32	3.83	<10	0.81	237	1	0.02	28	330	16	<5	<20	13	0.05	<10	44	<10	3	70
39	L107N 99+50E	<0.2	1.81	30	130	<5	0.32	1	11	16	12	2.31	<10	0.31	449	<1	0.02	27	770	16	<5	<20	16	0.08	<10	32	<10	2	84
40	L107N 99+75E	<0.2	1.42	25	105	<5	0.30	2	16	14	20	4.28	<10	0.32	567	<1	0.02	18	560	16	<5	<20	15	0.07	<10	30	<10	5	100
41	L107N 100+00E	<0.2	2.12	30	185	<5	0.43	1	11	15	13	2.38	<10	0.29	1069	<1	0.03	18	1490	18	<5	<20	21	0.07	<10	31	<10	5	130
42	L107N 100+25E	<0.2	1.89	30	140	<5	0.78	2	17	13	19	2.83	<10	0.25	574	<1	0.03	37	1910	20	<5	<20	30	0.07	<10	30	<10	10	205
43	L107N 100+50E	<0.2	2.19	30	110	<5	0.37	2	11	17	16	3.29	<10	0.32	425	<1	0.03	32	670	22	<5	<20	17	0.10	<10	35	<10	5	166
44	L107N 100+75E	<0.2	1.00	15	80	<5	0.22	<1	7	7	4	1.58	<10	0.07	441	<1	0.02	8	420	8	<5	<20	12	0.07	<10	28	<10	1	61
45	L107N 101+00E	<0.2	2.95	45	130	<5	0.18	1	10	15	16	2.90	<10	0.19	307	<1	0.02	14	1590	22	<5	<20	16	0.15	<10	41	<10	2	104
46	L107N 101+25E	<0.2	1.75	25	195	<5	0.41	1	11	10	18	2.30	<10	0.21	1038	<1	0.03	11	1430	16	<5	<20	31	0.10	<10	34	<10	2	165
47	L107N 101+50E	0.2	3.38	45	95	<5	0.29	2	11	15	27	2.48	<10	0.20	611	<1	0.03	26	1790	22	<5	<20	25	0.13	<10	30	<10	14	301
48	L107N 101+75E	<0.2	2.09	25	260	<5	0.31	<1	9	13	10	1.98	<10	0.27	407	<1	0.03	23	220	16	<5	<20	25	0.07	<10	30	<10	3	109
49	L107N 102+00E	<0.2	1.74	25	130	<5	0.41	2	12	22	29	3.54	<10	0.84	331	<1	0.02	18	170	16	<5	<20	28	0.07	<10	40	<10	6	77
50	L107N 102+25E	<0.2	3.20	45	120	<5	0.56	1	14	15	22	2.47	<10	0.25	632	<1	0.03	21	3810	20	<5	<20	33	0.12	<10	32	<10	7	156
51	L107N 102+50E	<0.2	3.59	45	150	<5	0.20	1	11	14	18	2.46	<10	0.23	407	<1	0.03	17	1840	20	<5	<20	13	0.14	<10	36	<10	4	173
52	L107N 102+75E	<0.2	2.31	30	150	<5	0.24	1	10	11	13	2.22	<10	0.22	1215	<1	0.03	16	720	18	<5	<20	14	0.11	<10	35	<10	4	121
53	L107N 103+00E	<0.2	2.74	35	125	<5	0.28	<1	11	11	18	2.22	<10	0.26	240	<1	0.04	15	1010	18	<5	<20	14	0.13	<10	40	<10	4	82
54	L107N 103+25E	<0.2	3.18	40	235	<5	0.24	1	13	18	25	3.41	<10	0.43	472	<1	0.03	18	1350	28	<5	<20	18	0.09	<10	53	<10	7	112
55	L107N 103+50E	<0.2	3.70	50	155	<5	0.24	1	13	15	33	2.79	<10	0.39	397	<1	0.03	18	2570	20	<5	<20	13	0.14	<10	41	<10	6	88
56	L108N 90+00E	<0.2	2.46	35	80	<5	0.48	1	15	32	31	2.70	<10	0.38	170	<1	0.03	26	1030	18	<5	<20	14	0.10	<10	47	<10	3	47
57	L108N 90+25E	0.2	4.66	70	95	<5	0.33	1	14	20	84	3.01	<10	0.13	93	1	0.03	51	900	28	<5	<20	14	0.15	<10	41	<10	8	34
58	L108N 90+50E	0.4	2.25	35	90	<5	0.19	1	16	23	33	2.39	<10	0.32	311	<1	0.03	37	1930	14	<5	<20	9	0.10	<10	39	<10	2	68
59	L108N 90+75E	0.4	2.65	35	105	<5	0.27	1	17	24	29	2.61	<10	0.28	360	<1	0.03	37	1780	18	<5	<20	12	0.11	<10	40	<10	3	87
60	L108N 91+00E	<0.2	1.23	20	40	<5	0.24	<1	12	12	14	1.58	<10	0.10	260	<1	0.02	12	1020	10	<5	<20	7	0.10	<10	31	<10	1	39
61	L108N 91+25E	<0.2	2.44	30	110	<5	0.34	1	14	26	33	2.49	<10	0.40	675	<1	0.03	28	1750	18	<5	<20	13	0.10	<10	41	<10	4	73
62	L108N 91+50E	<0.2	2.52	35	100	<5	0.20	1	16	32	60	2.85	<10	0.47	302	<1	0.02	37	1280	18	<5	<20	9	0.10	<10	49	<10	4	60
63	L108N 91+75E	<0.2	2.25	30	70	<5	0.20	1	14	30	35	3.00	<10	0.40	228	<1	0.02	27	1450	18	<5	<20	8	0.10	<10	52	<10	3	66
64	L108N 92+00E	<0.2	2.38	30	95	<5	0.40	1	17	25	27	2.62	<10	0.31	289	<1	0.03	41	690	18	<5	<20	11	0.12	<10	43	<10	2	65
65	L108N 92+25E	<0.2	1.95	30	95	<5	0.24	1	16	26	37	2.52	<10	0.41	322	<1	0.02	29	1260	14	<5	<20	9	0.08	<10	44	<10	3	72

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2007- 780

American Creek Resources Ltd.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
66	L108N 92+50E	<0.2	1.74	25	60	<5	0.25	<1	11	20	18	1.95	<10	0.29	324	<1	0.02	21	1100	12	<5	<20	8	0.08	<10	36	<10	2	58
67	L108N 92+75E	<0.2	1.64	25	100	<5	0.48	1	16	28	43	2.48	<10	0.40	678	<1	0.02	24	1550	16	<5	<20	17	0.08	<10	47	<10	3	75
68	L108N 93+00E	<0.2	1.83	30	75	<5	0.35	<1	12	15	9	1.79	<10	0.13	283	<1	0.02	20	2490	16	<5	<20	13	0.11	<10	33	<10	2	61
69	L108N 93+25E	<0.2	2.78	40	95	<5	0.20	1	16	26	33	2.69	<10	0.39	565	<1	0.03	31	2440	20	<5	<20	10	0.12	<10	42	<10	3	95
70	L108N 93+50E	<0.2	2.52	35	120	<5	0.31	2	13	15	16	2.33	<10	0.20	649	2	0.02	22	1260	20	<5	<20	14	0.12	<10	40	<10	4	125
71	L108N 93+75E	<0.2	2.40	35	95	<5	0.24	2	13	17	17	2.83	<10	0.23	583	1	0.03	14	1290	20	<5	<20	9	0.11	<10	45	<10	6	104
72	L108N 94+00E	<0.2	2.04	30	200	<5	0.35	2	10	18	12	2.01	<10	0.26	1156	<1	0.02	17	2520	18	<5	<20	13	0.09	<10	31	<10	2	163
73	L108N 94+25E	<0.2	2.13	30	135	<5	0.26	2	28	32	22	3.63	<10	0.39	1090	<1	0.02	71	1700	20	<5	<20	13	0.10	<10	43	<10	3	107
74	L108N 94+50E	0.2	2.55	40	155	<5	0.79	2	28	14	25	3.10	<10	0.38	1150	<1	0.03	25	3090	22	<5	<20	37	0.10	<10	37	<10	4	96
75	L108N 94+75E	0.2	2.37	40	85	<5	0.64	2	29	20	20	3.74	<10	0.46	621	<1	0.04	52	1880	18	<5	<20	21	0.09	<10	44	<10	6	91
76	L108N 95+00E	0.3	2.24	35	140	<5	0.30	<1	13	20	13	2.07	<10	0.27	729	<1	0.02	28	1800	18	<5	<20	14	0.10	<10	34	<10	2	77
77	L108N 95+25E	0.3	2.18	30	130	<5	0.44	<1	15	25	15	2.24	<10	0.38	372	<1	0.03	36	1080	18	<5	<20	17	0.09	<10	40	<10	3	80
78	L108N 95+50E	0.3	2.22	35	90	<5	0.50	<1	16	26	20	2.27	<10	0.39	387	<1	0.03	44	1140	16	<5	<20	15	0.10	<10	37	<10	3	65
79	L108N 95+75E	0.3	1.96	30	205	<5	0.32	<1	11	22	13	1.89	<10	0.29	1301	<1	0.02	20	3060	16	<5	<20	13	0.09	<10	31	<10	2	96
80	L108N 96+00E	0.2	1.98	35	105	<5	0.47	<1	11	22	16	2.10	<10	0.40	346	<1	0.03	30	1510	14	<5	<20	16	0.09	<10	35	<10	3	64
81	L108N 96+25E	0.2	1.82	30	60	<5	0.48	1	17	52	33	3.11	<10	1.10	476	<1	0.02	26	600	18	<5	<20	16	0.09	<10	57	<10	3	56
82	L108N 96+50E	0.3	1.89	30	145	<5	0.44	<1	11	20	18	1.99	<10	0.40	370	<1	0.03	28	2350	16	<5	<20	15	0.08	<10	32	<10	2	97
83	L108N 96+75E	0.2	1.82	30	145	<5	0.48	<1	10	18	13	1.92	<10	0.38	333	<1	0.03	25	2310	16	<5	<20	22	0.08	<10	30	<10	2	90
84	L108N 97+00E	<0.2	1.14	15	145	<5	0.58	<1	8	18	10	1.60	<10	0.40	801	<1	0.02	14	670	14	<5	<20	19	0.05	<10	31	<10	2	74
85	L108N 97+25E	0.2	1.59	25	95	<5	0.32	<1	11	23	16	2.13	<10	0.53	459	<1	0.03	21	1150	12	<5	<20	16	0.06	<10	38	<10	2	91
86	L108N 97+50E	0.3	1.76	25	110	<5	0.38	1	14	18	25	2.48	<10	0.44	572	<1	0.03	27	1250	14	<5	<20	17	0.08	<10	35	<10	3	105
87	L108N 97+75E	<0.2	2.16	40	75	<5	0.43	1	15	39	35	3.76	<10	0.92	249	1	0.02	28	230	16	<5	<20	15	0.04	<10	58	<10	4	78
88	L108N 98+00E	0.3	2.25	40	140	<5	0.43	2	16	42	53	3.61	<10	1.09	456	<1	0.02	38	950	20	<5	<20	17	0.05	<10	59	<10	5	109
89	L108N 98+25E	0.2	1.67	20	110	<5	0.31	1	9	19	10	2.23	<10	0.41	394	<1	0.03	18	740	14	<5	<20	12	0.05	<10	40	<10	2	100
90	L108N 98+50E	<0.2	1.95	30	105	<5	0.36	1	14	33	27	3.13	<10	0.78	333	<1	0.02	26	430	18	<5	<20	15	0.04	<10	56	<10	3	72
91	L108N 98+75E	<0.2	2.23	35	125	<5	0.31	2	13	43	36	3.45	<10	0.93	543	<1	0.02	34	640	18	<5	<20	15	0.04	<10	61	<10	3	125
92	L108N 99+00E	0.2	2.19	35	175	<5	0.24	2	10	18	12	2.36	<10	0.34	714	<1	0.03	29	2680	18	<5	<20	13	0.08	<10	33	<10	2	127
93	L108N 99+25E	0.2	1.84	30	110	<5	0.58	1	12	32	25	3.18	<10	0.64	370	<1	0.03	28	660	16	<5	<20	26	0.05	<10	51	<10	4	100
94	L108N 99+50E	0.2	3.27	45	150	<5	0.77	<1	10	16	18	2.26	<10	0.20	424	<1	0.04	47	2440	22	<5	<20	29	0.11	<10	33	<10	4	109
95	L108N 99+75E	<0.2	2.08	35	190	<5	0.69	1	10	12	12	2.04	<10	0.17	1354	1	0.03	18	2600	18	<5	<20	23	0.09	<10	30	<10	3	159
96	L108N 100+00E	<0.2	3.21	45	115	<5	0.41	1	12	21	20	3.30	10	0.38	364	<1	0.04	32	810	24	<5	<20	19	0.12	<10	40	<10	13	90
97	L108N 100+25E	0.3	2.35	35	110	<5	0.45	<1	13	15	2.36	<10	0.24	461	<1	0.04	24	990	18	<5	<20	18	0.11	<10	37	<10	6	167	
98	L108N 100+50E	0.6	2.13	45	165	<5	1.32	2	17	14	49	4.70	20	0.36	821	1	0.03	49	1510	28	<5	<20	43	0.05	<10	35	<10	27	208
99	L108N 100+75E	0.2	2.40	35	150	<5	0.34	<1	8	11	10	1.82	<10	0.14	1038	<1	0.03	13	3000	18	<5	<20	17	0.11	<10	29	<10	3	124
100	L108N 101+00E	0.2	2.46	35	130	<5	0.40	<1	8	10	10	1.80	<10	0.13	455	<1	0.03	17	890	18	<5	<20	23	0.13	<10	30	<10	4	120
101	L108N 101+25E	0.4	3.42	50	145	<5	0.21	<1	11	15	20	2.72	<10	0.20	485	<1	0.03	24	1720	22	<5	<20	20	0.15	<10	39	<10	5	170
102	L108N 101+50E	0.2	2.93	45	145	<5	0.31	<1	12	18	31	2.87	<10	0.31	356	<1	0.03	22	1790	22	<5	<20	22	0.12	<10	42	<10	6	124
103	L108N 101+75E	0.3	2.15	30	140	<5	0.28	<1	11	14	19	2.13	<10	0.28	347	<1	0.03	20	1340	16	<5	<20	18	0.09	<10	32	<10	4	144
104	L108N 102+00E	0.2	2.84	45	175	<5	0.40	1	16	13	23	3.07	<10	0.42	1038	<1	0.04	15	2030	22	<5	<20	22	0.13	<10	51	<10	4	177
105	L108N 102+25E	0.3	2.79	45	145	<5	0.44	<1	12	14	18	2.39	<10	0.24	726	<1	0.04	20	3160	20	<5	<20	20	0.13	<10	36	<10	3	219

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2007- 780

American Creek Resources Ltd.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
106	L108N 102+50E	0.2	3.05	45	130	<5	0.21	<1	9	12	12	2.12	<10	0.18	696	<1	0.03	13	1790	20	<5	<20	12	0.13	<10	35	<10	3	114
107	L108N 102+75E	0.3	1.75	25	140	<5	0.18	<1	8	12	10	1.65	<10	0.17	916	<1	0.03	12	950	16	<5	<20	11	0.10	<10	31	<10	2	142
108	L108N 103+00E	0.3	2.69	40	105	<5	0.29	<1	11	13	24	2.07	<10	0.17	381	<1	0.04	15	1620	20	<5	<20	15	0.12	<10	33	<10	6	140
109	L108N 103+25E	0.3	2.64	40	105	<5	0.87	1	21	14	79	3.67	<10	0.49	453	<1	0.04	22	430	30	<5	<20	43	0.15	<10	60	<10	9	93
110	L108N 103+50E	0.2	3.14	50	165	<5	0.42	<1	15	17	26	2.86	<10	0.33	394	<1	0.03	23	1760	24	<5	<20	19	0.14	<10	48	<10	4	130

QC DATA:Repeat:

1	L107N 90+00E	<0.2	2.02	25	85	<5	0.66	<1	21	20	29	2.21	<10	0.14	471	1	0.03	84	720	16	<5	<20	17	0.12	<10	36	<10	2	31
10	L107N 92+25E	<0.2	2.91	45	120	<5	0.71	<1	18	37	78	2.89	<10	0.51	228	<1	0.03	44	470	20	<5	<20	18	0.10	<10	49	<10	13	43
19	L107N 94+50E	<0.2	2.97	40	170	<5	0.42	1	14	30	31	2.87	<10	0.39	1101	<1	0.02	36	1770	22	<5	<20	14	0.13	<10	47	<10	3	114
28	L107N 96+75E	<0.2	1.42	20	115	<5	0.26	<1	10	18	10	1.78	<10	0.28	491	<1	0.02	18	630	10	<5	<20	12	0.08	<10	36	<10	2	70
36	L107N 98+75E	0.3	2.35	35	180	<5	0.36	1	11	20	12	2.06	<10	0.29	575	<1	0.03	36	1650	16	<5	<20	21	0.09	<10	32	<10	3	101
45	L107N 101+00E	<0.2	2.93	45	125	<5	0.18	1	10	14	19	2.87	<10	0.20	291	<1	0.03	14	1590	22	<5	<20	15	0.15	<10	43	<10	3	103
54	L107N 103+25E	<0.2	3.10	40	225	<5	0.24	1	13	18	27	3.34	<10	0.44	446	<1	0.03	18	1280	22	<5	<20	18	0.09	<10	54	<10	7	110
63	L108N 91+75E	<0.2	2.18	30	75	<5	0.20	1	15	33	32	3.07	<10	0.39	248	<1	0.02	28	1390	18	<5	<20	9	0.11	<10	56	<10	3	70
71	L108N 93+75E	<0.2	2.47	40	90	<5	0.25	1	13	18	18	2.65	<10	0.25	594	1	0.03	15	1330	20	<5	<20	9	0.12	<10	48	<10	6	105
80	L108N 96+00E	0.2	1.97	35	105	<5	0.49	<1	11	22	17	2.09	<10	0.41	338	<1	0.03	30	1460	16	<5	<20	16	0.09	<10	36	<10	3	65
89	L108N 98+25E	0.3	1.71	20	105	<5	0.30	1	9	18	11	2.21	<10	0.43	386	<1	0.03	18	750	14	<5	<20	10	0.05	<10	41	<10	2	100
98	L108N 100+50E	0.5	2.10	45	155	<5	1.23	2	17	13	50	4.52	<10	0.37	793	1	0.04	47	1470	26	<5	<20	40	0.06	<10	35	<10	25	199
106	L108N 102+50E	0.2	3.09	50	135	<5	0.23	<1	10	13	12	2.20	<10	0.18	726	<1	0.03	14	1800	22	<5	<20	12	0.14	<10	36	<10	3	121

Standard:

Till3	1.5	1.04	90	40	<5	0.71	<1	12	58	21	2.03	10	0.55	312	<1	0.03	33	440	26	<5	<20	12	0.06	<10	37	<10	7	36
Till3	1.3	1.06	90	40	<5	0.67	<1	12	60	21	2.00	10	0.54	315	<1	0.03	34	440	27	<5	<20	12	0.07	<10	36	<10	8	37
Till3	1.5	1.11	85	40	<5	0.70	<1	12	58	25	2.01	10	0.59	308	<1	0.04	34	450	24	<5	<20	16	0.07	<10	35	<10	8	38
Till3	1.5	1.11	85	40	<5	0.69	<1	12	60	26	2.06	10	0.60	308	<1	0.04	35	450	24	<5	<20	15	0.07	<10	35	<10	8	40

ECO TECH LABORATORY LTD.Jutta Jealouse
B.C. Certified AssayerJJ/bp
df/n780
XLS/07

CERTIFICATE OF ANALYSIS AK 2007 - 780

American Creek Resources Ltd.

19-Jul-07

Box 798

Raymond, AB

T0K 2S0

No. of samples received: 110

Sample Type: Soil

Project: Gold Mist

Shipment #: GM-3

Submitted by: Perry

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
1	L107N 90+00E	5	15	<5
2	L107N 90+25E	15	8	<5
3	L107N 90+50E	<5	7	<5
4	L107N 90+75E	<5	<5	<5
5	L107N 91+00E	<5	5	<5
6	L107N 91+25E	5	6	<5
7	L107N 91+50E	<5	5	<5
8	L107N 91+75E	<5	<5	<5
9	L107N 92+00E	5	<5	<5
10	L107N 92+25E	5	11	<5
11	L107N 92+50E	<5	<5	<5
12	L107N 92+75E	5	5	<5
13	L107N 93+00E	5	<5	<5
14	L107N 93+25E	<5	<5	<5
15	L107N 93+50E	<5	<5	<5
16	L107N 93+75E	<5	<5	<5
17	L107N 94+00E	<5	6	<5
18	L107N 94+25E	<5	<5	<5
19	L107N 94+50E	<5	<5	<5
20	L107N 94+75E	<5	<5	<5
21	L107N 95+00E	<5	5	<5
22	L107N 95+25E	<5	<5	<5
23	L107N 95+50E	<5	<5	<5
24	L107N 95+75E	<5	5	<5
25	L107N 96+00E	<5	<5	<5
26	L107N 96+25E	5	<5	<5

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

American Creek Resources Ltd. AK7-780

19-Jul-07

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
27	L107N 96+50E	<5	<5	<5
28	L107N 96+75E	5	15	<5
29	L107N 97+00E	<5	<5	<5
30	L107N 97+25E	<5	6	<5
31	L107N 97+50E	5	<5	<5
32	L107N 97+75E	<5	<5	<5
33	L107N 98+00E	<5	<5	<5
34	L107N 98+25E	<5	7	<5
35	L107N 98+50E	5	<5	<5
36	L107N 98+75E	<5	8	<5
37	L107N 99+00E	<5	8	<5
38	L107N 99+25E	<5	<5	<5
39	L107N 99+50E	<5	<5	<5
40	L107N 99+75E	<5	<5	<5
41	L107N 100+00E	<5	8	<5
42	L107N 100+25E	<5	8	<5
43	L107N 100+50E	<5	<5	<5
44	L107N 100+75E	9	<5	<5
45	L107N 101+00E	<5	12	<5
46	L107N 101+25E	<5	8	<5
47	L107N 101+50E	<5	<5	<5
48	L107N 101+75E	<5	<5	<5
49	L107N 102+00E	<5	10	<5
50	L107N 102+25E	<5	10	<5
51	L107N 102+50E	<5	5	<5
52	L107N 102+75E	<5	7	<5
53	L107N 103+00E	<5	6	<5
54	L107N 103+25E	<5	6	<5
55	L107N 103+50E	<5	<5	<5
56	L108N 90+00E	<5	<5	<5
57	L108N 90+25E	<5	<5	<5
58	L108N 90+50E	<5	6	<5
59	L108N 90+75E	<5	6	<5
60	L108N 91+00E	<5	5	<5
61	L108N 91+25E	<5	6	<5
62	L108N 91+50E	<5	10	<5
63	L108N 91+75E	<5	8	<5
64	L108N 92+00E	<5	10	<5
65	L108N 92+25E	<5	9	<5
66	L108N 92+50E	<5	10	<5
67	L108N 92+75E	<5	8	<5
68	L108N 93+00E	<5	5	<5

ECO TECH LABORATORY LTD.Jutta Jealouse
B.C. Certified Assayer

American Creek Resources Ltd. AK7-780

19-Jul-07

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
69	L108N 93+25E	<5	7	<5
70	L108N 93+50E	<5	9	<5
71	L108N 93+75E	<5	7	<5
72	L108N 94+00E	<5	9	<5
73	L108N 94+25E	<5	11	<5
74	L108N 94+50E	<5	9	<5
75	L108N 94+75E	<5	10	<5
76	L108N 95+00E	<5	8	<5
77	L108N 95+25E	<5	<5	<5
78	L108N 95+50E	<5	8	<5
79	L108N 95+75E	<5	13	<5
80	L108N 96+00E	10	9	<5
81	L108N 96+25E	5	6	<5
82	L108N 96+50E	10	<5	<5
83	L108N 96+75E	5	<5	<5
84	L108N 97+00E	<5	<5	<5
85	L108N 97+25E	5	<5	<5
86	L108N 97+50E	30	<5	<5
87	L108N 97+75E	<5	7	<5
88	L108N 98+00E	5	<5	<5
89	L108N 98+25E	5	<5	<5
90	L108N 98+50E	20	<5	<5
91	L108N 98+75E	20	17	<5
92	L108N 99+00E	10	5	<5
93	L108N 99+25E	5	6	<5
94	L108N 99+50E	<5	9	<5
95	L108N 99+75E	<5	7	<5
96	L108N 100+00E	<5	7	<5
97	L108N 100+25E	35	<5	<5
98	L108N 100+50E	5	<5	<5
99	L108N 100+75E	5	8	<5
100	L108N 101+00E	10	8	<5
101	L108N 101+25E	<5	2	<5
102	L108N 101+50E	5	<5	<5
103	L108N 101+75E	10	14	<5
104	L108N 102+00E	5	<5	<5
105	L108N 102+25E	5	<5	<5
106	L108N 102+50E	<5	6	<5
107	L108N 102+75E	5	7	<5
108	L108N 103+00E	<5	7	<5
109	L108N 103+25E	5	5	<5
110	L108N 103+50E	5	7	<5

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

American Creek Resources Ltd. AK7-780

19-Jul-07

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
-------	-------	-------------	-------------	-------------

QC DATA:**Repeat:**

1	L107N 90+00E	15	10	<5
10	L107N 92+25E	5	10	<5
19	L107N 94+50E	<5	6	<5
28	L107N 96+75E	<5	12	<5
36	L107N 98+75E	<5	8	<5
45	L107N 101+00E	<5	12	<5
54	L107N 103+25E	<5	8	<5
63	L108N 91+75E	<5	12	<5
72	L108N 94+00E	<5	8	<5
80	L108N 96+00E	10	6	<5
89	L108N 98+25E	5	<5	<5
102	L108N 101+50E	5	7	<5
106	L108N 102+50E	<5	5	<5
109	L108N 103+25E	<5	6	<5

Standard:

PGMS8	800	1473	430
PGMS8	800	1470	405
PGMS8	810	1501	406
PGMS8	825	1524	410

JJ/bp
XLS/07

ECO TECH LABORATORY LTD.Jutta Jealouse
B.C. Certified Assayer

CERTIFICATE OF ANALYSIS AK 2007 - 821

American Creek Resources Ltd.

24-Jul-07

Box 798

Raymond, AB

T0K 2S0

No. of samples received: 411

Sample Type: Soil

Project: Gold Mist

Shipment #: GM-4

Submitted by: Perry

Fire Assay

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
1	L98N 90+00E	<5	<5	<5
2	L98N 90+25E	<5	<5	<5
3	L98N 90+50E	15	<5	8
4	L98N 90+75E	<5	<5	<5
5	L98N 91+00E	<5	<5	<5
6	L98N 91+25E	10	<5	<5
7	L98N 91+50E	<5	<5	<5
8	L98N 91+75E	<5	<5	<5
9	L98N 92+00E	5	<5	<5
10	L98N 92+25E	<5	<5	<5
11	L98N 92+50E	10	<5	<5
12	L98N 92+75E	5	<5	<5
13	L98N 93+00E	30	<5	2
14	L98N 93+25E	20	<5	<5
15	L98N 93+50E	10	<5	2
16	L98N 93+75E	20	<5	2
17	L98N 94+00E	20	<5	<5
18	L98N 94+25E	20	<5	<5
19	L98N 94+50E	20	<5	<5
20	L98N 94+75E	10	<5	<5
21	L98N 95+00E	20	<5	<5
22	L98N 95+25E	10	<5	<5
23	L98N 95+50E	15	<5	<5
24	L98N 95+75E	50	<5	<5
25	L98N 96+00E	10	<5	4
26	L98N 96+25E	10	<5	<5
27	L98N 96+50E	10	<5	<5

American Creek Resources Ltd. AK7-821

1-Jul-24

ET #.	Tag #	Fire Assay		
		Au (ppb)	Pd (ppb)	Pt (ppb)
28	L98N 96+75E	20	<5	<5
29	L98N 97+00E	20	<5	<5
30	L98N 97+25E	30	<5	<5
31	L98N 97+50E	30	<5	<5
32	L98N 97+75E	10	<5	<5
33	L98N 98+00E	10	<5	<5
34	L98N 98+25E	10	<5	<5
35	L98N 98+50E	15	<5	<5
36	L98N 98+75E	5	<5	<5
37	L98N 99+00E	<5	<5	5
38	L98N 99+25E	15	9	<5
39	L98N 99+50E	30	8	6
40	L98N 99+75E	50	10	7
41	L98N 100+00E N/S			
42	L98N 100+25E	50	<5	20
43	L98N 100+50E N/S			
44	L98N 100+75E N/S			
45	L98N 101+00E	30	<5	7
46	L98N 101+25E	<5	<5	<5
47	L98N 101+50E	<5	<5	<5
48	L98N 101+75E	10	6	13
49	L98N 102+00E	15	<5	6
50	L98N 102+25E	10	<5	<5
51	L98N 102+50E	5	<5	<5
52	L98N 102+75E	10	<5	<5
53	L98N 103+00E	10	<5	<5
54	L98N 103+25E	<5	<5	<5
55	L98N 103+50E	10	<5	<5
56	L98N 103+75E	5	<5	<5
57	L98N 104+00E	5	<5	<5
58	L98N 104+25E	10	<5	<5
59	L98N 104+50E	10	<5	<5
60	L98N 104+75E	20	<5	<5
61	L98N 105+00E	10	<5	<5
62	L98N 105+25E	10	<5	<5
63	L98N 105+50E	<5	<5	<5
64	L98N 105+75E	5	<5	<5
65	L98N 106+00E	10	<5	<5
66	L98N 106+25E	<5	<5	<5
67	L98N 106+50E	40	<5	<5
68	L98N 106+75E	10	<5	<5
69	L98N 107+00E	<5	<5	<5
70	L98N 107+25E	5	<5	<5
71	L98N 107+50E	10	<5	<5
72	L98N 107+75E	5	<5	<5
73	L98N 108+00E	10	<5	<5
74	L98N 108+25E	10	<5	<5
75	L98N 108+50E	10	<5	<5
76	L98N 108+75E	5	<5	<5
77	L98N 109+00E	10	<5	<5
78	L98N 109+25E	15	<5	<5
79	L98N 109+50E	5	<5	<5

ET #.	Tag #	Fire Assay		
		Au (ppb)	Pd (ppb)	Pt (ppb)
80	L98N 109+75E	<5	<5	<5
81	L98N 110+00E	10	<5	<5
82	L96N 90+00E	5	<5	<5
83	L96N 90+25E	<5	<5	<5
84	L96N 90+50E	<5	<5	<5
85	L96N 90+75E	10	<5	<5
86	L96N 91+00E N/S			
87	L96N 91+25E	<5	<5	<5
88	L96N 91+50E	5	<5	<5
89	L96N 91+75E	10	<5	<5
90	L96N 92+00E	20	<5	<5
91	L96N 92+25E	20	<5	<5
92	L96N 92+50E	5	<5	<5
93	L96N 92+75E	<5	<5	<5
94	L96N 93+00E	40	<5	<5
95	L96N 93+25E	50	<5	<5
96	L96N 93+50E	20	<5	<5
97	L96N 93+75E	5	<5	<5
98	L96N 94+00E	10	<5	<5
99	L96N 94+25E	5	<5	<5
100	L96N 94+50E	15	<5	<5
101	L96N 94+75E	10	<5	<5
102	L96N 95+00E	5	<5	<5
103	L96N 95+25E	5	<5	<5
104	L96N 95+50E	10	<5	<5
105	L96N 95+75E	5	<5	<5
106	L96N 96+00E	10	<5	<5
107	L96N 96+25E	5	<5	<5
108	L96N 96+50E	15	<5	<5
109	L96N 96+75E	25	<5	<5
110	L96N 97+00E	<5	<5	<5
111	L96N 97+25E	15	<5	<5
112	L96N 97+50E	10	<5	<5
113	L96N 97+75E	40	<5	<5
114	L96N 98+00E	20	<5	<5
115	L96N 98+25E	10	<5	<5
116	L96N 98+50E	<5	<5	<5
117	L96N 98+75E	15	<5	<5
118	L96N 99+00E	<5	<5	<5
119	L96N 99+25E	25	<5	<5
120	L96N 99+50E	5	<5	<5
121	L96N 99+75E	10	<5	<5
122	L96N 100+00E	20	<5	<5
123	L96N 100+25E	10	<5	<5
124	L96N 100+50E	<5	<5	<5
125	L96N 100+75E	10	<5	<5
126	L96N 101+00E	150	<5	<5
127	L96N 101+25E	50	<5	<5
128	L96N 101+50E	<5	<5	<5
129	L96N 101+75E	<5	<5	<5

American Creek Resources Ltd. AK7-821

1-Jul-24

Fire Assay

ET #.	Tag #	Au (ppb)	Pd (ppb)	Pt (ppb)
130	L96N 102+00E	<5	<5	<5
131	L96N 102+25E	10	<5	<5
132	L96N 102+50E	10	<5	12
133	L96N 102+75E	450	<5	<5
134	L96N 103+00E	30	13	10
135	L96N 103+25E	120	<5	<5
136	L96N 103+50E	<5	12	<5
137	L96N 103+75E	<5	12	7
138	L96N 104+00E	25	<5	5
139	L96N 104+25E	<5	<5	<5
140	L96N 104+50E	5	<5	<5
141	L96N 104+75E	<5	<5	<5
142	L96N 105+00E	<5	<5	<5
143	L96N 105+25E	<5	<5	<5
144	L96N 105+50E	<5	<5	<5
145	L96N 105+75E	<5	<5	<5
146	L96N 106+00E	10	<5	<5
147	L96N 106+25E	10	<5	<5
148	L96N 106+50E	5	<5	<5
149	L96N 106+75E	<5	<5	<5
150	L96N 107+00E	<5	<5	<5
151	L96N 107+25E	15	<5	<5
152	L96N 107+50E	15	<5	<5
153	L96N 107+75E	<5	<5	<5
154	L96N 108+00E	5	<5	<5
155	L96N 108+25E	<5	<5	<5
156	L96N 108+50E	45	<5	<5
157	L96N 108+75E	<5	<5	<5
158	L96N 109+00E	<5	<5	<5
159	L96N 109+25E	20	<5	<5
160	L96N 109+50E	10	<5	<5
161	L96N 109+75E	<5	<5	<5
162	L96N 110+00E	<5	<5	<5
163	L94N 90+00E	<5	7	<5
164	L94N 90+25E	<5	5	<5
165	L94N 90+50E	<5	<5	<5
166	L94N 90+75E	<5	<5	<5
167	L94N 91+00E	<5	<5	<5
168	L94N 91+25E	<5	<5	<5
169	L94N 91+50E	<5	<5	<5
170	L94N 91+75E	<5	<5	<5
171	L94N 92+00E	<5	<5	<5
172	L94N 92+25E	5	<5	<5
173	L94N 92+50E	<5	<5	<5
174	L94N 92+75E	<5	<5	<5
175	L94N 93+00E	<5	<5	<5
176	L94N 93+25E	<5	<5	<5
177	L94N 93+50E	<5	<5	<5
178	L94N 93+75E	5	<5	<5
179	L94N 94+00E	5	<5	<5

American Creek Resources Ltd. AK7-821

1-Jul-24

ET #.	Tag #	Fire Assay		
		Au (ppb)	Pd (ppb)	Pt (ppb)
180	L94N 94+25E	15	<5	<5
181	L94N 94+50E	20	<5	<5
182	L94N 94+75E	<5	<5	<5
183	L94N 95+00E	10	<5	<5
184	L94N 95+25E	<5	<5	<5
185	L94N 95+50E	<5	<5	<5
186	L94N 95+75E	<5	<5	<5
187	L94N 96+00E	10	<5	<5
188	L94N 96+25E	10	<5	<5
189	L94N 96+50E	40	<5	<5
190	L94N 96+75E	20	<5	<5
191	L94N 97+00E	5	<5	<5
192	L94N 97+25E	5	<5	<5
193	L94N 97+50E	20	<5	<5
194	L94N 97+75E	10	5	<5
195	L94N 98+00E	<5	<5	<5
196	L94N 98+25E	10	<5	<5
197	L94N 98+50E	5	<5	<5
198	L94N 98+75E	<5	<5	<5
199	L94N 99+00E	<5	<5	<5
200	L94N 99+25E	30	<5	<5
201	L94N 99+50E	<5	13	<5
202	L94N 99+75E	15	<5	<5
203	L94N 100+00E	<5	<5	<5
204	L104N 100+00E	5	<5	<5
205	L104N 100+25E	40	<5	<5
206	L104N 100+50E	<5	<5	<5
207	L104N 100+75E	<5	<5	<5
208	L104N 101+00E	<5	<5	<5
209	L104N 101+25E	<5	5	<5
210	L104N 101+50E	<5	<5	<5
211	L104N 101+75E	<5	<5	<5
212	L104N 102+00E	<5	14	<5
213	L104N 102+25E	<5	<5	<5
214	L104N 102+50E	<5	<5	<5
215	L104N 102+75E	<5	<5	<5
216	L104N 103+00E	<5	12	<5
217	L104N 103+25E	<5	<5	<5
218	L104N 103+50E	<5	<5	<5
219	L105N 100+00E	<5	<5	<5
220	L105N 100+25E	<5	<5	<5
221	L105N 100+50E	<5	<5	<5
222	L105N 100+75E	<5	<5	<5
223	L105N 101+00E	<5	<5	<5
224	L105N 101+25E	<5	<5	<5
225	L105N 101+50E	<5	<5	<5
226	L105N 101+75E	<5	<5	<5
227	L105N 102+00E	<5	<5	<5
228	L105N 102+25E	<5	<5	<5
229	L105N 102+50E	<5	<5	<5

ET #.	Tag #	Fire Assay		
		Au (ppb)	Pd (ppb)	Pt (ppb)
230	L105N 102+75E	<5	<5	<5
231	L105N 103+00E	<5	<5	<5
232	L105N 103+25E	<5	<5	<5
233	L105N 103+50E	<5	<5	<5
234	L106N 100+00E	<5	<5	<5
235	L106N 100+25E	5	<5	6
236	L106N 100+50E	<5	<5	<5
237	L106N 100+75E	<5	<5	<5
238	L106N 101+00E	<5	<5	<5
239	L106N 101+25E	10	<5	<5
240	L106N 101+50E	<5	<5	<5
241	L106N 101+75E	<5	<5	<5
242	L106N 102+00E	<5	<5	<5
243	L106N 102+25E	<5	<5	<5
244	L106N 102+50E	<5	<5	<5
245	L106N 102+75E	<5	<5	<5
246	L106N 103+00E	<5	<5	<5
247	L106N 103+25E	<5	<5	<5
248	L106N 103+50E	<5	<5	<5
249	L92N 90+00E	<5	<5	<5
250	L92N 90+25E	<5	<5	<5
251	L92N 90+50E	<5	<5	<5
252	L92N 90+75E	<5	<5	<5
253	L92N 91+00E	<5	10	5
254	L92N 91+25E	20	<5	<5
255	L92N 91+50E	5	<5	<5
256	L92N 91+75E N/S			
257	L92N 92+00E	5	<5	<5
258	L92N 92+25E	<5	<5	<5
259	L92N 92+50E	<5	<5	<5
260	L92N 92+75E	<5	<5	<5
261	L92N 93+00E	<5	<5	<5
262	L92N 93+25E	<5	<5	<5
263	L92N 93+50E	<5	<5	<5
264	L92N 93+75E	<5	<5	<5
265	L92N 94+00E	<5	<5	<5
266	L92N 94+25E	5	<5	<5
267	L92N 94+50E	35	<5	<5
268	L92N 94+75E	<5	<5	<5
269	L92N 95+00E	<5	<5	<5
270	L92N 95+25E	<5	<5	5
271	L92N 95+50E	<5	<5	<5
272	L92N 95+75E	5	<5	<5
273	L92N 96+00E	<5	<5	<5
274	L92N 96+25E	25	<5	<5
275	L92N 96+50E	5	<5	<5
276	L92N 96+75E	5	<5	<5
277	L92N 97+00E	<5	<5	<5
278	L92N 97+25E	<5	<5	<5
279	L92N 97+50E	<5	<5	<5

American Creek Resources Ltd. AK7-821

1-Jul-24

ET #.	Tag #	Fire Assay		
		Au (ppb)	Pd (ppb)	Pt (ppb)
280	L92N 97+75E	<5	<5	<5
281	L92N 98+00E N/S			
282	L92N 98+25E	<5	<5	<5
283	L92N 98+50E	<5	<5	<5
284	L92N 98+75E	10	<5	<5
285	L92N 99+00E	<5	<5	<5
286	L92N 99+25E	<5	<5	<5
287	L92N 99+50E	<5	<5	<5
288	L92N 99+75E	5	<5	<5
289	L92N 100+00E	<5	<5	<5
290	L93N 90+00E	<5	<5	<5
291	L93N 90+25E	<5	<5	<5
292	L93N 90+50E	<5	<5	<5
293	L93N 90+75E	<5	<5	<5
294	L93N 91+00E	<5	<5	<5
295	L93N 91+25E	<5	<5	<5
296	L93N 91+50E	<5	<5	<5
297	L93N 91+75E	<5	<5	<5
298	L93N 92+00E	<5	<5	<5
299	L93N 92+25E	<5	<5	<5
300	L93N 92+50E	<5	<5	<5
301	L93N 92+75E	<5	<5	<5
302	L93N 93+00E	<5	<5	<5
303	L93N 93+25E	<5	<5	<5
304	L93N 93+50E	20	10	24
305	L93N 93+75E	<5	<5	<5
306	L93N 94+00E	10	<5	<5
307	L93N 94+25E	<5	<5	<5
308	L93N 94+50E	<5	<5	<5
309	L93N 94+75E	<5	<5	<5
310	L93N 95+00E	10	<5	<5
311	L93N 95+25E	<5	<5	<5
312	L93N 95+50E	<5	<5	<5
313	L93N 95+75E	<5	<5	<5
314	L93N 96+00E	<5	<5	<5
315	L93N 96+25E	<5	<5	<5
316	L93N 96+50E	5	<5	<5
317	L93N 96+75E	10	<5	<5
318	L93N 97+00E	<5	<5	<5
319	L93N 97+25E	<5	<5	<5
320	L93N 97+50E	10	<5	<5
321	L93N 97+75E	<5	<5	<5
322	L93N 98+00E	<5	<5	<5
323	L93N 98+25E N/S			
324	L93N 98+50E N/S			
325	L93N 98+75E N/S			
326	L93N 99+00E	10	<5	<5
327	L93N 99+25E	<5	<5	<5
328	L93N 99+50E	<5	<5	<5

American Creek Resources Ltd. AK7-821

1-Jul-24

ET #.	Tag #	Fire Assay		
		Au (ppb)	Pd (ppb)	Pt (ppb)
329	L93N 99+75E	<5	<5	<5
330	L93N 100+00E	<5	<5	<5
331	L95N 90+00E	<5	<5	<5
332	L95N 90+25E	<5	<5	<5
333	L95N 90+50E	10	<5	<5
334	L95N 90+75E	<5	<5	<5
335	L95N 91+00E	<5	8	5
336	L95N 91+25E	<5	<5	<5
337	L95N 91+50E	<5	<5	<5
338	L95N 91+75E	<5	<5	<5
339	L95N 92+00E	<5	<5	<5
340	L95N 92+25E	<5	<5	<5
341	L95N 92+50E	<5	<5	<5
342	L95N 92+75E	<5	<5	<5
343	L95N 93+00E	<5	<5	<5
344	L95N 93+25E	<5	<5	<5
345	L95N 93+50E	<5	<5	<5
346	L95N 93+75E	<5	<5	<5
347	L95N 94+00E	10	<5	<5
348	L95N 94+25E	<5	<5	<5
349	L95N 94+50E	<5	<5	<5
350	L95N 94+75E	80	<5	<5
351	L95N 95+00E	<5	6	<5
352	L95N 95+25E	10	<5	<5
353	L95N 95+50E	<5	<5	<5
354	L95N 95+75E	<5	<5	<5
355	L95N 96+00E	10	<5	<5
356	L95N 96+25E	<5	<5	<5
357	L95N 96+50E	<5	<5	<5
358	L95N 96+75E	5	<5	<5
359	L95N 97+00E	<5	<5	<5
360	L95N 97+25E	<5	<5	<5
361	L95N 97+50E	10	<5	<5
362	L95N 97+75E	<5	<5	<5
363	L95N 98+00E	<5	<5	<5
364	L95N 98+25E	<5	<5	<5
365	L95N 98+50E	<5	<5	<5
366	L95N 98+75E	<5	<5	<5
367	L95N 99+00E	5	<5	<5
368	L95N 99+25E	<5	<5	<5
369	L95N 99+50E	<5	<5	<5
370	L95N 99+75E	<5	<5	<5
371	L95N 100+00E	5	<5	<5
372	L95N 100+25E	10	<5	<5
373	L95N 100+50E	25	<5	<5
374	L95N 100+75E	50	7	6
375	L95N 101+00E	10	<5	<5
376	L95N 101+25E	<5	<5	<5
377	L95N 101+50E	60	<5	<5
378	L95N 101+75E	40	<5	<5
379	L95N 102+00E	5	<5	<5

American Creek Resources Ltd. AK7-821

1-Jul-24

ET #.	Tag #	Fire Assay		
		Au (ppb)	Pd (ppb)	Pt (ppb)
380	L95N 102+25E	20	<5	<5
381	L95N 102+50E	10	<5	<5
382	L95N 102+75E	30	<5	5
383	L95N 103+00E	30	<5	9
384	L95N 103+25E	<5	12	19
385	L95N 103+50E	<5	<5	<5
386	L95N 103+75E	<5	10	5
387	L95N 104+00E	<5	7	38
388	L95N 104+25E	<5	<5	<5
389	L95N 104+50E	30	11	15
390	L95N 104+75E N/S			
391	L95N 105+00E N/S			
392	L95N 105+25E N/S			
393	L95N 105+50E N/S			
394	L95N 105+75E N/S			
395	L95N 106+00E N/S			
396	L95N 106+25E N/S			
397	L95N 106+50E N/S			
398	L95N 106+75E N/S			
399	L95N 107+00E N/S			
400	L95N 107+25E N/S			
401	L95N 107+50E N/S			
402	L95N 107+75E N/S			
403	L95N 108+00E N/S			
404	L95N 108+25E	<5	<5	<5
405	L95N 108+50E	10	<5	<5
406	L95N 108+75E	20	<5	<5
407	L95N 109+00E	10	<5	<5
408	L95N 109+25E	5	<5	<5
409	L95N 109+50E	30	<5	<5
410	L95N 109+75E N/S			
411	L95N 110+00E	35	<5	<5

QC DATA:**Repeat:**

1	L98N 90+00E	<5	<5	<5
11	L98N 92+50E	10	<5	<5
20	L98N 94+75E	20	<5	<5
29	L98N 97+00E	20	<5	<5
36	L98N 98+75E	<5	<5	<5
45	L98N 101+00E	30	<5	6
55	L98N 103+50E	20	<5	<5
63	L98N 105+50E	<5	<5	<5
71	L98N 107+50E	10	<5	<5
80	L98N 109+75E	<5	<5	<5
91	L96N 92+25E	10	<5	<5
98	L96N 94+00E	<5	<5	<5
106	L96N 96+00E	10	<5	<5

ET #.	Tag #	Fire Assay		
		Au (ppb)	Pd (ppb)	Pt (ppb)
115	L96N 98+25E	5	<5	<5
125	L96N 100+75E	10	<5	<5
134	L96N 103+00E	20	<5	<5
141	L96N 104+75E	<5	11	12
151	L96N 107+25E	10	<5	<5
160	L96N 109+50E	<5	<5	<5
170	L94N 91+75E	<5	<5	<5
176	L94N 93+25E	<5	9	5
185	L94N 95+50E	<5	7	<5
194	L94N 97+75E	<5	<5	<5
203	L94N 100+00E	<5	<5	<5
220	L105N 100+25E	<5	<5	<5
229	L105N 102+50E	<5	<5	<5
238	L106N 101+00E	<5	<5	<5
246	L106N 103+00E	<5	<5	<5
257	L92N 92+00E	<5	<5	<5
264	L92N 93+75E	<5	<5	<5
273	L92N 96+00E	<5	<5	<5
281	L92N 98+00E N/S			
284	L92N 98+75E	10	<5	<5
290	L93N 90+00E	<5	<5	<5
299	L93N 92+25E	<5		
308	L93N 94+50E	<5	<5	<5
316	L93N 96+50E	<5	<5	<5
331	L95N 90+00E	<5	<5	<5
334	L95N 90+75E	<5	<5	<5
343	L95N 93+00E	<5	<5	<5
351	L95N 95+00E	<5	11	4
360	L95N 97+25E	10	<5	<5
371	L95N 100+00E	<5	<5	<5
385	L95N 103+50E	<5	<5	<5
389	L95N 104+50E	50	13	16
405	L95N 108+50E	10	<5	<5

Standard:

PGMS-9	1010	2572	703
PGMS-9	1040	2528	702
PGMS-9	1030	2584	683
PGMS-9	1040	2596	700
PGMS-9	1050	2531	712
PGMS-9	1060	2619	694
PGMS-9	1060	2551	731
PGMS-9	1050	2601	723
PGMS-9	1050	2582	691
PGMS-9	1010	2570	732
PGMS-9	1000	2667	703
PGMS-9	1060	2590	718

30-Jul-07

ECO TECH LABORATORY LTD.
 10041 Dallas Drive
KAMLOOPS, B.C.
 V2C 6T4

Phone: 250-573-5700
 Fax : 250-573-4557

ICP CERTIFICATE OF ANALYSIS AS 2007-951

American Creek Resources Ltd.
 Box 798
Raymond, AB
 T0K 2S0

No. of samples received: 283

Sample Type: Soil

Project: Goldmist

Shipment #: GM-5

Submitted by: American Creek Resources Ltd.

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	NI	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
1	L92N 100+25E	5	<0.2	1.19	<5	125	10	0.24	<1	15	15	23	2.47	<10	0.41	665	1	0.02	18	1060	18	<5	<20	23	0.07	<10	88	<10	<1	46
2	L92N 100+50E	5	0.3	1.46	10	145	10	0.34	<1	17	22	49	3.47	<10	0.63	300	2	0.02	24	870	24	<5	<20	33	0.08	<10	128	<10	<1	53
3	L92N 100+75E	10	0.2	1.39	5	130	20	0.38	<1	17	24	69	3.88	<10	0.73	315	3	0.02	24	770	22	10	<20	33	0.08	<10	146	<10	1	42
4	L92N 101+00E	5	0.3	1.35	10	270	10	0.25	<1	15	21	28	3.77	<10	0.52	529	2	0.02	26	1340	22	<5	<20	24	0.08	<10	152	<10	<1	52
5	L92N 101+25E	15	0.4	1.32	<5	125	10	0.36	1	21	26	72	4.78	<10	0.72	336	3	0.02	28	1090	22	<5	<20	32	0.09	<10	209	<10	1	36
6	L92N 101+50E	65	0.4	1.77	<5	155	20	0.32	2	21	30	84	5.21	<10	0.86	261	4	0.02	31	870	24	10	<20	32	0.09	<10	214	<10	<1	41
7	L92N 101+75E	10	0.5	2.62	25	160	15	0.25	<1	12	20	38	2.34	<10	0.33	192	2	0.02	27	2460	38	<5	<20	27	0.11	<10	60	<10	3	49
8	L92N 102+00E	30	0.3	1.67	15	240	10	0.48	1	15	24	25	3.22	<10	0.40	464	3	0.02	25	3360	26	5	<20	45	0.09	<10	118	<10	1	58
9	L92N 102+25E	5	0.4	1.69	20	345	15	0.50	<1	16	17	25	2.45	<10	0.28	748	2	0.02	19	3770	28	5	<20	58	0.10	<10	76	<10	1	49
10	L92N 102+50E	5	0.6	2.56	30	155	15	0.54	<1	19	18	38	3.23	<10	0.43	326	3	0.02	27	2580	34	<5	<20	46	0.12	<10	108	<10	2	53
11	L92N 102+75E	40	0.3	1.48	5	105	10	0.31	<1	18	25	86	4.14	<10	0.75	223	4	0.02	24	650	22	15	<20	29	0.08	<10	174	<10	1	37
12	L92N 103+00E	25	0.2	1.20	<5	140	30	0.39	2	22	19	42	5.25	<10	0.74	358	4	0.02	20	1010	20	5	<20	34	0.08	<10	251	<10	<1	44
13	L92N 103+25E	200	0.2	1.14	<5	165	15	0.53	<1	21	19	59	4.86	<10	0.73	598	3	0.02	20	1030	18	<5	<20	42	0.08	<10	222	<10	<1	40
14	L92N 103+50E	5	0.2	1.40	<5	125	10	0.38	<1	17	13	33	3.80	<10	0.49	195	2	0.02	19	960	20	<5	<20	33	0.09	<10	161	<10	<1	36
15	L92N 103+75E	15	0.4	1.93	<5	175	10	0.36	<1	20	17	138	3.15	<10	0.39	258	2	0.02	37	1830	26	<5	<20	29	0.11	<10	104	<10	2	40
16	L92N 104+00E	15	0.2	1.48	<5	90	5	0.50	1	20	33	133	4.73	<10	0.93	214	4	0.03	24	420	22	5	<20	35	0.10	<10	203	<10	<1	30
17	L92N 104+25E	10	0.2	1.59	10	90	15	0.34	<1	18	16	60	3.85	<10	0.60	219	2	0.02	21	800	24	<5	<20	27	0.09	<10	166	<10	1	37
18	L92N 104+50E	25	0.4	2.13	15	290	10	0.55	<1	17	20	64	3.16	<10	0.55	318	2	0.02	31	4010	30	<5	<20	56	0.11	<10	102	<10	3	64
19	L92N 104+75E	5	0.2	1.58	<5	125	15	0.38	<1	22	22	87	3.20	<10	0.52	412	3	0.02	28	980	24	5	<20	31	0.09	<10	118	<10	2	49
20	L92N 105+00E	5	<0.2	1.53	5	170	15	0.31	<1	16	15	29	2.58	<10	0.39	480	2	0.02	22	1200	22	<5	<20	35	0.09	<10	92	<10	1	54
21	L92N 105+25E	15	0.3	2.00	15	140	10	0.42	<1	20	23	69	3.55	<10	0.56	264	3	0.02	30	540	28	5	<20	45	0.10	<10	130	<10	2	52
22	L92N 105+50E	10	<0.2	1.52	5	165	10	0.37	<1	19	23	65	3.16	<10	0.58	440	4	0.02	26	930	22	10	<20	41	0.08	<10	110	<10	2	53
23	L92N 105+75E	105	0.4	2.25	10	170	20	0.36	1	27	21	127	4.85	<10	0.53	521	4	0.02	34	1250	28	5	<20	35	0.12	<10	89	<10	5	67
24	L92N 106+00E	20	0.3	2.45	25	290	15	0.63	<1	17	24	75	3.04	<10	0.60	426	3	0.02	34	2050	32	10	<20	72	0.11	<10	88	<10	3	64
25	L92N 106+25E	10	0.2	1.67	10	135	20	0.39	<1	19	26	81	3.25	<10	0.59	359	3	0.02	28	1110	24	<5	<20	39	0.10	<10	111	<10	2	51

ECO TECH LABORATORY LTD.			ICP CERTIFICATE OF ANALYSIS AS 2007-951																		American Creek Resources Ltd.									
Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
26	L92N 106+50E	25	0.3	1.87	<5	215	<5	0.63	1	34	28	181	4.24	<10	0.69	677	3	0.03	47	870	20	5	<20	53	0.11	<10	122	<10	2	58
27	L92N 106+75E	40	<0.2	1.19	5	120	15	0.43	<1	17	22	64	2.45	<10	0.43	282	2	0.02	23	1030	18	<5	<20	38	0.08	<10	78	<10	2	45
28	L92N 107+00E	40	0.3	2.13	15	195	20	0.37	2	28	34	86	4.01	<10	0.61	734	4	0.02	67	600	30	5	<20	40	0.12	<10	98	<10	4	260
29	L92N 107+25E	75	0.5	2.13	10	330	<5	0.81	1	37	28	244	4.42	<10	0.73	1018	5	0.03	54	1550	36	5	<20	88	0.11	<10	120	<10	5	117
30	L92N 107+50E	20	0.4	1.76	<5	495	5	1.15	2	36	22	193	4.00	10	0.57	3485	2	0.02	28	2580	28	<5	<20	115	0.12	<10	92	<10	5	178
31	L92N 107+75E	90	0.7	2.28	10	205	15	0.72	2	37	13	112	6.98	10	0.58	986	7	0.02	28	1250	30	<5	<20	74	0.12	<10	188	<10	4	93
32	L92N 108+00E	40	0.6	2.27	25	135	20	0.64	<1	29	33	117	4.00	<10	0.74	509	3	0.02	40	910	28	10	<20	58	0.13	<10	111	<10	3	64
33	L92N 108+25E	60	0.3	1.63	15	125	<5	1.32	1	21	28	269	3.11	<10	0.55	548	4	0.02	38	740	22	15	<20	72	0.11	<10	78	<10	5	70
34	L92N 108+50E	10	0.3	0.99	<5	130	<5	3.45	1	17	10	384	2.18	<10	0.92	329	<1	0.03	24	1530	18	<5	<20	191	0.07	<10	91	<10	3	60
35	L92N 108+75E	15	0.5	1.39	<5	615	5	2.24	4	58	22	117	3.54	<10	0.52	2873	3	0.02	41	4130	24	<5	<20	194	0.11	<10	53	<10	4	436
36	L92N 109+00E	5	<0.2	1.35	<5	375	15	0.43	1	14	15	32	2.29	<10	0.41	617	2	0.02	22	2000	16	<5	<20	51	0.09	<10	76	<10	1	160
37	L92N 109+25E	20	0.3	1.45	<5	405	5	1.33	1	19	35	49	2.64	<10	0.66	1430	1	0.02	41	2110	24	<5	<20	110	0.11	<10	54	<10	3	163
38	L92N 109+50E	10	0.7	2.29	20	450	<5	0.79	1	32	33	128	3.99	10	0.87	2530	3	0.02	42	1190	40	5	<20	99	0.18	<10	69	<10	7	155
39	L92N 109+75E	60	0.6	2.58	25	155	20	0.38	1	32	35	129	4.51	10	1.01	847	4	0.02	37	980	44	10	<20	41	0.18	<10	81	<10	8	127
40	L92N 110+00E	30	0.6	2.41	10	330	20	0.62	3	30	23	87	4.72	20	0.70	1019	8	0.02	45	1440	38	25	<20	113	0.12	<10	63	<10	10	200
41	L93N 100+00E N/S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
42	L93N 100+25E	10	0.4	2.04	10	245	20	0.40	<1	18	40	57	3.52	<10	0.96	315	4	0.02	32	1440	26	<5	<20	39	0.10	<10	126	<10	2	53
43	L93N 100+50E	5	0.2	1.71	<5	175	20	0.38	1	19	20	45	3.94	<10	0.90	426	5	0.03	22	640	20	15	<20	37	0.09	<10	157	<10	1	47
44	L93N 100+75E	15	0.3	1.48	5	150	15	0.54	2	20	30	84	4.09	10	1.07	556	4	0.02	29	1250	20	10	<20	38	0.09	<10	151	<10	6	51
45	L93N 101+00E	25	0.2	1.52	<5	330	10	0.58	<1	16	26	41	3.51	<10	0.82	1081	2	0.03	20	770	18	5	<20	52	0.10	<10	138	<10	1	76
46	L93N 101+25E	5	0.2	1.74	<5	305	10	0.36	<1	20	24	80	3.44	<10	0.51	357	3	0.03	29	2230	20	<5	<20	36	0.09	<10	138	<10	<1	41
47	L93N 101+50E	140	0.3	1.54	<5	190	25	0.30	2	19	40	22	4.92	<10	0.74	277	4	0.02	34	520	20	5	<20	35	0.10	<10	228	<10	<1	47
48	L93N 101+75E	10	<0.2	1.38	15	425	<5	0.40	<1	10	13	19	2.02	<10	0.25	442	<1	0.02	14	3740	18	<5	<20	49	0.10	<10	61	<10	2	43
49	L93N 102+00E	10	<0.2	1.24	<5	190	25	0.30	<1	17	21	31	3.44	<10	0.59	471	3	0.02	18	990	16	5	<20	33	0.09	<10	144	<10	1	46
50	L93N 102+25E	10	0.2	1.77	10	140	20	0.41	<1	20	20	106	3.58	<10	0.63	410	3	0.02	23	1100	22	10	<20	35	0.10	<10	144	<10	2	42
51	L93N 102+50E	5	<0.2	1.14	<5	195	<5	0.52	<1	10	9	17	1.46	<10	0.20	585	<1	0.03	13	1600	16	<5	<20	54	0.09	<10	47	<10	2	47
52	L93N 102+75E	40	0.2	1.43	<5	105	10	0.37	1	21	19	85	3.98	<10	0.78	410	4	0.02	22	920	18	10	<20	36	0.09	<10	165	<10	1	41
53	L93N 103+00E	10	<0.2	1.57	10	170	25	0.35	<1	14	14	47	2.58	<10	0.42	213	1	0.02	22	1180	20	<5	<20	37	0.10	<10	95	<10	2	47
54	L93N 103+25E	5	0.2	1.88	<5	170	10	0.39	<1	15	15	45	2.55	<10	0.36	167	1	0.02	22	1680	22	<5	<20	40	0.10	<10	85	<10	2	36
55	L93N 103+50E	5	0.4	2.22	10	160	20	0.42	<1	20	19	75	3.28	<10	0.47	256	3	0.02	24	1220	26	<5	<20	44	0.11	<10	112	<10	3	45
56	L93N 103+75E	5	0.2	1.78	10	205	15	0.36	<1	14	16	39	2.35	<10	0.35	377	<1	0.02	20	2130	22	<5	<20	37	0.11	<10	75	<10	3	56
57	L93N 104+00E	10	0.4	2.27	20	265	15	0.34	<1	24	26	117	3.94	<10	0.74	295	3	0.02	34	2060	26	<5	<20	41	0.11	<10	129	<10	1	72
58	L93N 104+25E	10	0.3	1.92	15	270	10	0.26	<1	16	19	49	2.73	<10	0.51	460	2	0.02	23	2440	22	5	<20	40	0.09	<10	87	<10	2	62
59	L93N 104+50E	10	0.2	1.95	<5	260	15	0.28	<1	17	19	53	2.89	<10	0.51	1183	2	0.02	21	2100	20	<5	<20	37	0.11	<10	101	<10	2	80
60	L93N 104+75E	20	0.3	1.91	5	275	10	0.27	<1	16	17	59	3.30	<10	0.62	594	2	0.02	20	1780	22	<5	<20	38	0.10	<10	119	<10	2	74
61	L93N 105+00E	10	0.3	1.89	10	255	20	0.46	<1	18	33	96	3.30	<10	0.79	755	2	0.02	33	1190	24	<5	<20	52	0.12	<10	95	<10	2	61
62	L93N 105+25E	25	0.2	1.84	<5	120	10	0.35	<1	21	43	122	3.72	10	1.04	332	2	0.02	46	1010	22	<5	<20	31	0.13	<10	108	<10	5	54
63	L93N 105+50E	5	0.3	2.15	5	455	10	0.51	<1	19	27	80	3.38	<10	0.66	1448	2	0.02	27	480	24	10	<20	52	0.14	<10	109	<10	3	65
64	L93N 105+75E	10	0.3	1.89	10	225	5	0.65	1	18	26	124	3.77	<10	0.95	513	5	0.02	23	340	22	15	<20	60	0.12	<10	130	<10	3	43
65	L93N 106+00E	10	0.5	2.37	10	105	<5	0.41	<1	23	31	347	4.35	10	1.25	279	4	0.02	27	550	26	5	<20	41	0.13	<10	153	<10	5	43

ECO TECH LABORATORY LTD.		ICP CERTIFICATE OF ANALYSIS AS 2007-951																		American Creek Resources Ltd.										
Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn/Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn	
66	L93N 106+25E	10	0.5	2.40	<5	245	<5	0.81	<1	51	29	928	5.17	20	1.20	630	3	0.02	37	1070	24	<5	<20	60	0.11	<10	165	<10	4	41
67	L93N 106+50E	5	0.3	1.31	<5	115	<5	0.86	1	24	10	288	5.34	10	1.36	313	2	0.04	25	710	14	<5	<20	46	0.11	<10	288	<10	2	28
68	L93N 106+75E	15	0.6	2.18	10	490	<5	0.85	1	55	18	586	4.48	10	1.26	1628	3	0.03	38	2060	22	5	<20	67	0.14	<10	202	<10	2	81
69	L93N 107+00E	5	0.5	2.95	25	135	<5	0.41	<1	38	21	352	3.09	10	0.63	297	3	0.02	36	1560	32	5	<20	41	0.13	<10	96	<10	5	79
70	L93N 107+25E	20	0.3	2.30	15	90	<5	0.41	<1	30	48	184	4.42	20	1.17	387	3	0.02	43	810	24	5	<20	34	0.16	<10	113	<10	6	61
71	L93N 107+50E	5	<0.2	1.99	<5	165	20	0.47	<1	21	29	75	3.22	<10	0.72	367	2	0.02	35	650	20	<5	<20	52	0.13	<10	70	<10	2	67
72	L93N 107+75E	515	<0.2	2.54	5	340	30	0.57	<1	27	21	109	3.85	10	0.73	1224	3	0.02	24	720	28	10	<20	59	0.15	<10	98	<10	5	104
73	L93N 108+00E	25	<0.2	2.33	10	230	<5	0.46	<1	28	29	143	3.99	10	0.89	1212	2	0.02	28	540	24	<5	<20	48	0.16	<10	105	<10	5	73
74	L93N 108+25E	20	<0.2	3.55	<5	275	10	0.75	3	40	25	362	6.36	20	2.46	1463	9	0.02	39	650	34	40	<20	78	0.19	<10	251	<10	9	80
75	L93N 108+50E	15	<0.2	2.37	35	240	15	0.72	<1	22	27	154	3.92	10	0.62	744	2	0.02	32	550	34	<5	<20	73	0.14	<10	67	<10	8	102
76	L93N 108+75E	10	<0.2	2.73	25	315	5	0.52	2	20	24	58	3.15	20	0.62	1409	4	0.02	28	460	36	10	<20	59	0.15	<10	62	<10	8	136
77	L93N 109+00E N/S																													
78	L93N 109+25E	110	0.5	2.29	15	170	30	0.41	2	29	17	136	4.98	20	0.78	494	4	0.02	30	1000	60	<5	<20	56	0.20	<10	80	<10	10	154
79	L93N 109+50E	5	<0.2	2.93	15	335	20	0.56	2	34	25	84	3.94	20	0.83	2781	4	0.02	33	1630	34	10	<20	62	0.19	<10	81	<10	8	169
80	L93N 109+75E	50	0.3	2.06	20	225	10	0.50	3	29	14	58	3.42	20	0.43	1465	5	0.02	29	950	62	10	<20	60	0.14	<10	59	<10	8	212
81	L93N 110+00E N/S																													
82	L91N 90+00E	10	<0.2	1.56	5	125	20	0.31	<1	13	21	19	2.37	<10	0.49	841	2	0.01	17	1390	20	<5	<20	36	0.10	<10	62	<10	2	58
83	L91N 90+25E	5	0.2	1.86	15	120	10	0.27	<1	11	21	15	2.14	<10	0.41	388	1	0.02	15	1750	24	<5	<20	27	0.11	<10	54	<10	2	52
84	L91N 90+50E	10	0.2	2.06	20	150	15	0.36	<1	12	24	21	2.58	<10	0.55	342	2	0.02	21	2520	26	<5	<20	37	0.10	<10	60	<10	2	62
85	L91N 90+75E	10	<0.2	1.68	5	95	10	0.38	1	14	29	38	2.73	<10	0.82	325	4	0.02	21	620	22	15	<20	32	0.08	<10	62	<10	4	41
86	L91N 91+00E	10	0.2	1.49	5	115	20	0.49	<1	9	18	21	1.86	<10	0.39	445	2	0.02	13	1260	20	<5	<20	36	0.09	<10	48	<10	3	38
87	L91N 91+25E	10	0.4	2.80	20	115	15	0.55	<1	10	16	26	2.07	<10	0.29	199	2	0.02	13	1980	32	<5	<20	43	0.13	<10	47	<10	4	38
88	L91N 91+50E	15	0.2	1.77	10	120	10	0.20	<1	13	25	21	2.48	<10	0.59	371	1	0.02	20	1340	22	<5	<20	26	0.10	<10	63	<10	2	51
89	L91N 91+75E	185	<0.2	1.84	10	85	10	0.32	<1	13	31	26	2.36	<10	0.67	183	1	0.02	18	280	20	<5	<20	34	0.13	<10	66	<10	4	37
90	L91N 92+00E	25	<0.2	1.94	10	110	<5	0.27	1	16	25	52	3.42	10	0.85	316	3	0.02	21	1700	20	10	<20	33	0.10	<10	90	<10	2	51
91	L91N 92+25E	5	0.2	2.18	15	100	15	0.22	<1	13	17	20	2.43	<10	0.45	197	2	0.02	20	1700	26	<5	<20	30	0.13	<10	63	<10	3	38
92	L91N 92+50E	5	0.3	2.33	20	90	5	0.21	<1	15	18	39	2.37	10	0.52	204	3	0.02	23	1050	28	10	<20	22	0.12	<10	62	<10	6	41
93	L91N 92+75E	10	<0.2	1.47	<5	100	15	0.20	1	12	15	23	2.22	<10	0.47	224	1	0.02	16	1260	18	<5	<20	24	0.10	<10	66	<10	2	41
94	L91N 93+00E	10	<0.2	2.58	20	135	10	0.29	<1	15	21	35	2.55	<10	0.47	628	3	0.02	24	2160	30	5	<20	28	0.13	<10	68	<10	5	53
95	L91N 93+25E	10	<0.2	1.55	<5	235	20	0.24	<1	13	16	25	2.61	<10	0.34	602	2	0.02	16	2890	20	<5	<20	30	0.10	<10	83	<10	2	67
96	L91N 93+50E	15	<0.2	1.98	5	130	10	0.29	<1	14	21	33	2.97	<10	0.51	339	3	0.02	23	1660	24	5	<20	28	0.10	<10	105	<10	2	48
97	L91N 93+75E	5	0.3	2.17	20	160	20	0.38	<1	16	25	60	2.47	10	0.45	871	2	0.03	31	1130	30	<5	<20	33	0.13	<10	63	<10	6	86
98	L91N 94+00E	25	<0.2	1.75	<5	115	15	0.26	<1	15	16	21	2.64	<10	0.48	325	2	0.02	23	1180	22	<5	<20	31	0.12	<10	89	<10	4	50
99	L91N 94+25E	5	<0.2	1.54	<5	115	15	0.32	<1	16	21	46	3.03	10	0.69	426	2	0.02	20	910	20	5	<20	33	0.11	<10	106	<10	3	52
100	L91N 94+50E	20	<0.2	1.70	<5	140	15	0.31	<1	16	19	29	2.93	10	0.55	216	2	0.02	21	1080	20	<5	<20	32	0.12	<10	104	<10	3	72
101	L91N 94+75E	5	<0.2	1.88	10	145	25	0.31	<1	16	28	36	3.04	10	0.60	395	3	0.02	25	1700	24	10	<20	36	0.11	<10	101	<10	4	64
102	L91N 95+00E	5	0.2	2.02	15	145	15	0.31	<1	13	22	41	2.36	10	0.44	541	2	0.02	26	1310	24	<5	<20	29	0.12	<10	64	<10	4	58
103	L91N 95+25E	5	<0.2	1.91	15	255	10	0.32	<1	13	24	35	2.58	10	0.60	722	2	0.02	26	1430	22	<5	<20	41	0.11	<10	76	<10	3	65
104	L91N 95+50E	<5	0.2	2.56	10	205	10	0.21	<1	11	16	16	2.17	<10	0.31	616	2	0.02	18	4440	30	<5	<20	27	0.13	<10	54	<10	4	69
105	L91N 95+75E	5	<0.2	1.40	5	170	25	0.25	<1	13	18	27	2.76	<10	0.61	572	3	0.02	18	960	18	5	<20	29	0.10	<10	104	<10	2	63

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AS 2007-951

American Creek Resources Ltd.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
106	L91N 96+00E	10	<0.2	1.93	<5	145	<5	0.24	1	14	23	41	3.20	10	0.63	251	4	0.02	26	1780	20	15	<20	29	0.09	<10	116	<10	2	65
107	L91N 96+25E N/S																													
108	L91N 96+50E	5	<0.2	1.45	5	100	15	0.30	<1	12	16	23	2.62	<10	0.51	137	2	0.02	13	150	20	<5	<20	30	0.12	<10	114	<10	4	30
109	L91N 96+75E	5	<0.2	1.77	10	85	10	0.38	<1	13	19	23	2.09	<10	0.46	116	<1	0.02	15	120	22	<5	<20	35	0.11	<10	70	<10	4	29
110	L91N 97+00E	5	<0.2	2.37	15	150	25	0.27	<1	15	22	24	2.81	10	0.45	374	4	0.02	24	2670	26	10	<20	29	0.12	<10	97	<10	3	53
111	L91N 97+25E	5	<0.2	0.97	<5	80	5	0.18	1	11	11	9	2.37	<10	0.33	642	1	0.02	9	970	12	<5	<20	24	0.10	<10	103	<10	1	48
112	L91N 97+50E	55	0.3	2.80	20	145	5	0.21	<1	18	15	73	2.58	10	0.31	356	2	0.02	24	2450	32	<5	<20	25	0.15	<10	82	<10	4	73
113	L91N 97+75E	10	<0.2	1.94	15	120	10	0.72	<1	17	24	63	3.15	20	0.51	238	3	0.03	18	200	24	<5	<20	42	0.12	<10	100	<10	7	32
114	L91N 98+00E	20	<0.2	1.75	5	60	15	0.59	<1	18	21	59	3.88	10	0.96	208	3	0.03	23	190	22	<5	<20	46	0.14	<10	166	<10	3	33
115	L91N 98+25E	5	0.3	1.67	10	250	25	0.26	<1	14	16	32	3.03	<10	0.51	452	2	0.02	17	1860	20	<5	<20	31	0.11	<10	120	<10	2	45
116	L91N 98+50E	10	0.3	1.49	5	160	15	0.20	<1	12	12	24	2.20	<10	0.27	604	3	0.02	13	1510	20	10	<20	28	0.10	<10	76	<10	4	43
117	L91N 98+75E	15	0.4	2.30	20	225	20	0.29	<1	14	20	31	2.89	10	0.46	493	1	0.02	20	2300	30	<5	<20	35	0.13	<10	95	<10	3	57
118	L91N 99+00E	10	<0.2	2.68	15	195	20	0.35	<1	17	23	70	3.65	10	0.66	311	3	0.02	27	1970	34	<5	<20	34	0.13	<10	118	<10	3	44
119	L91N 99+25E	5	0.3	2.56	20	235	20	0.18	<1	12	15	24	2.38	<10	0.24	426	3	0.02	17	3980	34	<5	<20	24	0.15	<10	62	<10	3	42
120	L91N 99+50E	5	0.2	1.63	<5	185	10	0.24	<1	11	17	20	2.54	<10	0.46	353	2	0.02	19	1330	22	10	<20	31	0.11	<10	85	<10	3	39
121	L91N 99+75E	5	<0.2	2.18	15	230	<5	0.21	<1	19	13	138	2.07	<10	0.23	569	2	0.02	21	4300	28	<5	<20	26	0.13	<10	55	<10	3	40
122	L91N 100+00E	5	<0.2	1.33	<5	125	15	0.41	<1	15	16	51	3.54	10	0.77	319	2	0.02	18	1300	18	<5	<20	37	0.08	<10	135	<10	1	31
123	L91N 100+25E	5	<0.2	1.82	<5	130	10	0.30	<1	17	23	70	3.68	10	0.73	286	1	0.02	24	970	22	<5	<20	34	0.12	<10	149	<10	2	39
124	L91N 100+50E	10	<0.2	1.40	<5	175	10	0.30	<1	15	21	39	3.29	10	0.60	538	2	0.02	20	1410	18	<5	<20	30	0.10	<10	140	<10	1	39
125	L91N 100+75E	5	<0.2	1.85	5	220	10	0.37	<1	15	16	24	2.52	<10	0.43	682	1	0.03	23	1530	22	<5	<20	35	0.13	<10	95	<10	3	41
126	L91N 101+00E	5	<0.2	1.69	<5	170	25	0.36	<1	18	37	29	4.60	10	0.64	257	3	0.03	33	730	20	<5	<20	41	0.13	<10	236	<10	3	36
127	L91N 101+25E	<5	<0.2	1.56	<5	255	20	0.29	1	18	56	22	4.95	10	0.57	187	3	0.03	40	1060	20	5	<20	27	0.11	<10	261	<10	<1	32
128	L91N 101+50E	20	<0.2	1.51	<5	185	25	0.37	2	20	29	65	4.70	10	0.85	255	3	0.03	29	1430	20	5	<20	36	0.10	<10	207	<10	<1	39
129	L91N 101+75E	10	<0.2	1.59	<5	200	25	0.47	1	18	26	41	4.54	10	0.75	314	4	0.03	27	1700	20	5	<20	47	0.10	<10	203	<10	1	41
130	L91N 102+00E	5	<0.2	1.78	5	200	20	0.44	<1	14	19	31	3.09	10	0.46	302	2	0.03	22	2080	22	<5	<20	38	0.11	<10	124	<10	3	44
131	L91N 102+25E	5	<0.2	1.26	<5	90	15	0.44	1	21	24	53	4.78	10	0.94	201	3	0.04	23	800	16	<5	<20	36	0.11	<10	236	<10	2	26
132	L91N 102+50E	15	<0.2	1.74	10	125	25	0.32	<1	18	25	63	3.87	10	0.78	204	3	0.03	24	730	24	<5	<20	33	0.12	<10	166	<10	3	32
133	L91N 102+75E	15	0.4	1.45	10	195	20	0.36	<1	16	20	23	3.06	<10	0.58	531	2	0.03	24	950	20	<5	<20	41	0.13	<10	128	<10	3	38
134	L91N 103+00E	5	0.2	1.56	5	240	15	0.35	<1	15	16	28	2.20	<10	0.34	877	2	0.02	20	2030	20	<5	<20	39	0.12	<10	71	<10	3	42
135	L91N 103+25E	5	0.2	1.84	5	165	15	0.24	<1	14	14	35	2.01	<10	0.30	355	2	0.03	22	1970	24	<5	<20	30	0.13	<10	65	<10	4	40
136	L91N 103+50E	5	0.2	0.63	<5	135	10	0.26	<1	9	8	12	1.23	<10	0.15	740	<1	0.02	8	640	12	<5	<20	33	0.10	<10	47	<10	3	35
137	L91N 103+75E	5	<0.2	1.16	5	280	15	0.56	<1	15	15	35	3.22	10	0.54	579	1	0.03	16	1590	16	<5	<20	50	0.11	<10	152	<10	2	47
138	L91N 104+00E	10	0.2	2.34	<5	170	20	0.41	1	18	18	73	3.27	10	0.86	198	4	0.03	28	770	28	5	<20	37	0.14	<10	130	<10	4	39
139	L91N 104+25E	5	0.2	1.50	5	330	20	0.44	<1	15	14	33	2.21	<10	0.30	593	2	0.02	18	2350	22	5	<20	43	0.14	<10	69	<10	4	41
140	L91N 104+50E	5	0.2	1.87	15	210	15	0.50	<1	12	9	22	1.42	<10	0.13	549	<1	0.03	15	3050	24	<5	<20	51	0.13	<10	37	<10	5	48
141	L91N 104+75E	10	<0.2	1.66	<5	95	35	0.33	<1	19	20	63	3.38	<10	0.43	218	1	0.02	26	1470	24	<5	<20	23	0.11	<10	114	<10	<1	43
142	L91N 105+00E	10	<0.2	1.15	<5	80	15	0.31	<1	17	23	43	3.92	<10	0.66	182	2	0.03	22	270	16	<5	<20	21	0.11	<10	162	<10	<1	33
143	L91N 105+25E	5	<0.2	1.37	<5	365	5	0.47	<1	11	12	29	1.85	<10	0.24	428	1	0.02	17	3740	20	5	<20	38	0.09	<10	49	<10	<1	59
144	L91N 105+50E	5	0.2	0.92	<5	300	<5	0.69	<1	11	10	34	1.61	<10	0.21	770	<1	0.02	16	2060	14	<5	<20	54	0.08	<10	43	<10	<1	72
145	L91N 105+75E	<5	<0.2	1.25	<5	130	10	0.27	<1	17	19	42	3.26	<10	0.46	247	<1	0.02	24	1180	16	<5	<20	24	0.09	<10	117	<10	<1	46

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AS 2007-951

American Creek Resources Ltd.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn/Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn	
146	L91N 106+00E	<5	<0.2	1.34	<5	145	10	0.51	<1	17	19	54	3.28	<10	0.52	462	1	0.03	23	1210	18	<5	<20	32	0.10	<10	115	<10	<1	53
147	L91N 106+25E	65	<0.2	1.10	<5	70	10	0.30	<1	17	22	47	3.28	<10	0.58	268	1	0.02	21	550	16	<5	<20	18	0.10	<10	115	<10	<1	43
148	L91N 106+50E	5	<0.2	1.34	<5	130	20	0.41	<1	20	33	53	4.52	<10	0.73	353	2	0.02	30	710	18	<5	<20	23	0.12	<10	166	<10	<1	68
149	L91N 106+75E	25	<0.2	1.11	5	140	15	0.25	<1	13	16	21	2.38	<10	0.31	313	<1	0.02	22	890	16	<5	<20	16	0.09	<10	83	<10	<1	52
150	L91N 107+00E	<5	<0.2	1.20	<5	155	10	0.25	<1	14	19	25	2.53	<10	0.35	288	1	0.02	22	670	18	<5	<20	20	0.09	<10	80	<10	<1	53
151	L91N 107+25E	30	<0.2	1.26	<5	105	10	0.34	<1	16	23	71	3.75	<10	0.70	257	2	0.02	22	470	16	<5	<20	21	0.10	<10	145	<10	<1	41
152	L91N 107+50E	15	<0.2	2.36	<5	145	<5	0.65	1	29	29	475	5.91	<10	1.17	345	3	0.02	54	430	26	<5	<20	40	0.12	<10	169	<10	2	52
153	L91N 107+75E	<5	<0.2	1.54	10	95	<5	0.48	<1	11	13	81	2.22	<10	0.55	184	1	0.03	14	390	20	5	<20	36	0.10	<10	57	<10	<1	38
154	L91N 108+00E	<5	<0.2	1.39	<5	405	5	0.60	<1	16	24	46	2.80	<10	0.56	1383	<1	0.02	22	1360	18	<5	<20	50	0.12	<10	72	<10	<1	134
155	L91N 108+25E	<5	<0.2	2.21	10	225	10	0.45	<1	17	19	50	2.78	<10	0.41	403	<1	0.03	30	580	28	<5	<20	32	0.12	<10	57	<10	<1	101
156	L91N 108+50E	55	<0.2	2.08	<5	115	20	0.46	<1	22	34	83	4.15	<10	0.99	347	2	0.02	34	310	24	10	<20	27	0.16	<10	135	<10	<1	53
157	L91N 108+75E	20	<0.2	1.86	10	165	<5	0.48	<1	31	23	167	3.36	<10	0.54	580	1	0.03	37	1800	22	<5	<20	47	0.12	<10	65	<10	<1	115
158	L91N 109+00E	10	0.2	1.56	10	220	10	0.65	<1	20	12	30	2.72	<10	0.38	770	2	0.02	19	1120	22	<5	<20	52	0.14	<10	59	<10	<1	202
159	L91N 109+25E N/S																													
160	L91N 109+50E N/S																													
161	L91N 109+75E N/S																													
162	L91N 110+00E N/S																													
163	L90N 90+00E	<5	<0.2	1.24	<5	65	20	0.39	1	18	22	43	4.61	<10	0.69	271	3	0.03	21	690	16	<5	<20	19	0.11	<10	184	<10	<1	43
164	L90N 90+25E	5	<0.2	1.25	<5	80	20	0.38	<1	18	23	31	4.33	<10	0.73	346	1	0.03	20	780	16	<5	<20	22	0.11	<10	169	<10	<1	44
165	L90N 90+50E	10	<0.2	1.78	5	120	15	0.33	<1	16	25	20	3.80	<10	0.79	327	3	0.02	26	1230	22	10	<20	28	0.09	<10	116	<10	<1	66
166	L90N 90+75E	5	<0.2	1.34	<5	145	<5	0.43	<1	15	16	52	2.31	<10	0.31	1071	1	0.02	16	1420	14	<5	<20	23	0.09	<10	60	<10	<1	67
167	L90N 91+00E	10	<0.2	1.46	5	85	25	0.28	<1	13	25	23	2.94	<10	0.89	419	3	0.02	19	730	20	15	<20	21	0.07	<10	73	<10	<1	60
168	L90N 91+25E	10	0.2	1.55	5	95	5	0.45	<1	15	22	31	2.85	<10	0.75	626	2	0.02	16	1060	20	10	<20	29	0.09	<10	72	<10	<1	56
169	L90N 91+50E	10	0.2	1.42	<5	100	10	0.50	<1	13	16	28	2.59	<10	0.68	706	1	0.02	15	1120	18	10	<20	29	0.08	<10	71	<10	<1	56
170	L90N 91+75E	5	0.2	1.23	<5	100	10	0.48	<1	10	14	23	2.02	<10	0.45	478	<1	0.02	12	1240	18	<5	<20	31	0.08	<10	53	<10	<1	52
171	L90N 92+00E	<5	<0.2	1.20	5	75	10	0.47	<1	10	17	31	2.29	<10	0.35	419	1	0.02	15	410	16	<5	<20	24	0.08	<10	65	<10	<1	35
172	L90N 92+25E	<5	<0.2	2.01	10	110	20	0.25	<1	11	15	14	2.32	<10	0.28	319	2	0.02	13	2580	28	<5	<20	16	0.10	<10	58	<10	<1	43
173	L90N 92+50E	<5	0.2	1.98	5	90	15	0.26	1	14	15	21	2.48	<10	0.35	193	3	0.02	21	940	26	10	<20	17	0.09	<10	66	<10	<1	39
174	L90N 92+75E	<5	0.2	1.87	10	90	20	0.20	<1	15	14	40	2.33	<10	0.38	270	1	0.02	19	1200	24	<5	<20	14	0.10	<10	61	<10	<1	38
175	L90N 93+00E	<5	0.2	1.81	15	95	15	0.24	<1	12	15	16	2.39	<10	0.42	268	1	0.02	19	1250	22	<5	<20	18	0.09	<10	66	<10	<1	43
176	L90N 93+25E	<5	0.2	2.80	5	105	15	0.21	<1	12	13	24	2.51	<10	0.32	288	1	0.02	22	3830	32	<5	<20	15	0.11	<10	57	<10	<1	57
177	L90N 93+50E	5	<0.2	1.64	<5	90	<5	0.23	<1	24	22	163	2.81	<10	0.51	442	2	0.02	34	1050	20	<5	<20	17	0.09	<10	79	<10	<1	49
178	L90N 93+75E	5	0.2	1.64	10	105	10	0.23	<1	13	17	24	2.53	<10	0.45	492	2	0.02	20	1890	18	5	<20	17	0.09	<10	72	<10	<1	46
179	L90N 94+00E	<5	<0.2	1.25	<5	110	15	0.33	<1	13	15	16	2.25	<10	0.38	749	<1	0.02	21	820	16	<5	<20	25	0.09	<10	68	<10	<1	54
180	L90N 94+25E	5	0.2	1.92	15	200	10	0.32	<1	12	15	15	2.26	<10	0.30	528	2	0.02	25	3420	22	<5	<20	24	0.10	<10	57	<10	<1	87
181	L90N 94+50E	15	<0.2	1.20	<5	135	15	0.32	<1	13	15	17	2.33	<10	0.36	611	1	0.02	20	1370	16	<5	<20	21	0.08	<10	70	<10	<1	83
182	L90N 95+75E	5	<0.2	1.34	5	80	15	0.19	<1	11	18	24	1.94	<10	0.30	338	1	0.02	20	930	18	<5	<20	13	0.09	<10	49	<10	<1	64
183	L90N 95+00E	<5	0.3	1.89	15	260	15	0.23	<1	10	11	21	1.79	<10	0.17	437	2	0.02	16	4580	26	5	<20	21	0.10	<10	39	<10	<1	82
184	L90N 95+25E	5	<0.2	1.27	<5	130	10	0.26	<1	15	13	35	2.69	<10	0.34	195	<1	0.02	21	1180	18	<5	<20	20	0.09	<10	99	<10	<1	55
185	L90N 95+50E	10	0.2	1.12	<5	75	10	0.21	<1	12	11	18	2.85	<10	0.30	280	<1	0.02	15	960	16	<5	<20	14	0.08	<10	114	<10	<1	55

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AS 2007-951

American Creek Resources Ltd.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bl	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
186	L90N 95+75E	10	0.2	1.51	5	140	10	0.28	<1	15	39	35	3.57	<10	0.36	244	<1	0.02	22	1530	18	<5	<20	20	0.09	<10	139	<10	<1	51
187	L90N 96+00E	<5	<0.2	1.45	5	215	15	0.23	<1	12	15	17	2.49	<10	0.34	530	<1	0.02	18	2130	18	<5	<20	18	0.08	<10	77	<10	<1	75
188	L90N 96+25E	5	<0.2	1.77	10	170	15	0.24	<1	15	17	28	3.11	<10	0.44	292	<1	0.02	21	1860	20	<5	<20	20	0.10	<10	105	<10	<1	82
189	L90N 96+50E	10	<0.2	1.77	10	70	15	0.48	<1	15	18	49	3.19	<10	0.49	172	<1	0.02	20	480	22	<5	<20	24	0.11	<10	104	<10	<1	41
190	L90N 96+75E	10	<0.2	2.66	10	130	25	0.35	<1	14	22	25	3.00	<10	0.34	116	3	0.02	24	400	34	5	<20	20	0.12	<10	85	<10	<1	30
191	L90N 97+00E	55	<0.2	1.43	<5	110	15	0.33	<1	13	13	20	2.54	<10	0.46	296	1	0.02	15	910	18	<5	<20	23	0.10	<10	86	<10	<1	46
192	L90N 97+25E	5	<0.2	1.75	5	90	10	0.22	<1	13	14	28	2.78	<10	0.37	204	<1	0.02	21	1170	22	<5	<20	15	0.10	<10	95	<10	<1	43
193	L90N 97+50E	10	<0.2	1.41	<5	110	20	0.29	<1	16	18	33	4.03	<10	0.46	298	2	0.02	22	1010	18	<5	<20	24	0.10	<10	163	<10	<1	47
194	L90N 97+75E	15	<0.2	1.13	<5	155	5	2.70	<1	14	15	77	3.27	<10	0.48	276	2	0.03	14	150	14	<5	<20	55	0.09	<10	123	<10	<1	24
195	L90N 98+00E	10	<0.2	1.88	5	155	20	0.28	<1	14	14	19	2.50	<10	0.31	137	<1	0.02	18	260	24	<5	<20	19	0.11	<10	82	<10	<1	26
196	L90N 98+25E	5	<0.2	1.46	<5	175	10	0.26	<1	13	16	31	3.11	<10	0.49	439	<1	0.02	19	1100	18	<5	<20	17	0.10	<10	110	<10	<1	55
197	L90N 98+50E	10	<0.2	1.59	10	155	10	0.24	<1	11	18	19	2.51	<10	0.41	403	<1	0.02	20	1020	20	<5	<20	18	0.10	<10	77	<10	<1	43
198	L90N 98+75E	25	<0.2	1.14	<5	100	25	0.29	<1	17	15	36	4.67	<10	0.71	337	1	0.02	16	870	16	<5	<20	25	0.10	<10	201	<10	<1	40
199	L90N 99+00E	40	<0.2	1.23	<5	190	15	0.26	<1	14	14	21	3.12	<10	0.48	392	<1	0.02	16	960	18	<5	<20	19	0.09	<10	116	<10	<1	49
200	L90N 99+25E	5	0.2	1.61	5	250	10	0.30	<1	12	16	23	2.59	<10	0.49	465	1	0.02	21	1200	22	<5	<20	23	0.09	<10	79	<10	<1	62
201	L90N 99+50E	5	<0.2	1.98	5	215	20	0.21	<1	11	13	28	2.30	<10	0.33	314	<1	0.02	25	2260	24	<5	<20	16	0.10	<10	65	<10	<1	59
202	L90N 99+75E	40	<0.2	2.12	10	170	10	0.21	<1	13	18	23	2.97	<10	0.43	208	2	0.02	25	2040	26	<5	<20	12	0.10	<10	82	<10	<1	69
203	L90N 100+00E	5	0.2	1.28	<5	140	20	0.29	<1	13	14	30	2.78	<10	0.49	413	<1	0.02	15	1120	16	<5	<20	22	0.08	<10	97	<10	<1	40
204	L90N 100+25E	10	<0.2	1.47	<5	115	5	0.30	1	17	16	43	3.64	<10	0.68	205	2	0.03	20	570	16	<5	<20	20	0.09	<10	146	<10	<1	36
205	L90N 100+50E	5	<0.2	1.85	10	200	20	0.40	<1	16	17	26	3.69	<10	0.52	586	1	0.02	19	2670	24	<5	<20	27	0.11	<10	128	<10	<1	78
206	L90N 100+75E	5	<0.2	1.34	<5	120	20	0.31	<1	16	18	25	3.99	<10	0.44	333	2	0.03	19	1120	18	<5	<20	20	0.10	<10	168	<10	<1	44
207	L90N 101+00E	5	<0.2	1.08	<5	280	15	0.27	<1	11	14	11	2.74	<10	0.36	737	<1	0.02	17	1150	14	<5	<20	22	0.09	<10	103	<10	<1	65
208	L90N 101+25E	5	<0.2	1.10	<5	65	15	0.40	<1	17	21	36	4.25	<10	0.80	235	1	0.02	17	640	14	5	<20	25	0.09	<10	174	<10	<1	34
209	L90N 101+50E	<5	<0.2	0.93	<5	160	15	0.20	<1	11	15	9	2.95	<10	0.25	221	<1	0.02	16	1300	14	<5	<20	15	0.08	<10	126	<10	<1	31
210	L90N 101+75E	10	<0.2	0.90	<5	80	10	0.30	<1	18	31	32	4.86	<10	0.57	215	1	0.03	26	660	12	<5	<20	17	0.10	<10	234	<10	<1	31
211	L90N 102+00E	5	<0.2	1.11	<5	225	20	0.24	<1	14	27	10	3.96	<10	0.32	379	1	0.03	24	1730	12	<5	<20	18	0.10	<10	180	<10	<1	45
212	L90N 102+25E	10	<0.2	1.07	<5	75	15	0.31	<1	19	23	41	4.69	<10	0.41	119	1	0.03	22	180	16	<5	<20	17	0.11	<10	210	<10	<1	22
213	L90N 102+50E	20	<0.2	0.85	<5	55	20	0.36	<1	18	24	42	5.02	<10	0.67	153	1	0.03	20	490	14	<5	<20	20	0.10	<10	234	<10	<1	23
214	L90N 102+75E	10	<0.2	1.45	<5	160	20	0.32	1	17	23	36	4.00	<10	0.69	254	2	0.03	26	1270	18	5	<20	22	0.10	<10	163	<10	<1	48
215	L90N 103+00E	10	0.2	1.63	<5	220	15	0.20	<1	13	16	18	2.63	<10	0.45	415	1	0.03	21	1520	22	<5	<20	15	0.11	<10	100	<10	<1	43
216	L90N 103+25E	5	0.3	1.47	10	165	5	0.35	<1	15	15	22	2.94	<10	0.63	384	1	0.03	21	830	20	<5	<20	20	0.11	<10	118	<10	<1	53
217	L90N 103+50E	5	0.2	1.46	10	160	20	0.57	<1	10	16	13	2.00	<10	0.30	141	<1	0.02	14	1750	20	<5	<20	26	0.09	<10	56	<10	<1	26
218	L90N 103+75E	5	0.3	1.35	5	190	15	0.41	<1	7	9	10	1.68	<10	0.15	156	<1	0.03	7	2380	20	<5	<20	24	0.09	<10	48	<10	<1	22
219	L90N 104+00E	10	0.5	1.70	5	190	<5	0.86	<1	17	21	310	3.10	<10	0.58	613	1	0.05	35	450	22	<5	<20	38	0.11	<10	82	<10	5	29
220	L90N 104+25E	<5	0.2	1.57	15	185	10	0.35	<1	10	12	18	2.00	<10	0.25	429	<1	0.02	14	1440	22	<5	<20	21	0.10	<10	60	<10	<1	42
221	L90N 104+50E	5	<0.2	1.10	<5	100	15	0.39	<1	17	22	37	3.69	<10	0.52	283	1	0.02	23	860	14	<5	<20	26	0.09	<10	147	<10	<1	43
222	L90N 104+75E	<5	<0.2	1.10	<5	120	10	0.35	<1	14	18	20	2.89	<10	0.41	312	<1	0.03	21	890	16	<5	<20	23	0.09	<10	109	<10	<1	44
223	L90N 105+00E	5	<0.2	1.07	<5	495	10	0.76	<1	11	16	19	2.22	<10	0.30	980	1	0.02	21	2620	16	<5	<20	62	0.08	<10	72	<10	<1	74
224	L90N 105+25E	5	<0.2	1.25	<5	135	20	0.37	<1	18	21	40	3.07	<10	0.42	384	1	0.02	25	1720	16	<5	<20	26	0.09	<10	115	<10	<1	57
225	L90N 105+50E	10	0.2	1.01	<5	170	5	0.37	<1	13	11	29	1.65	<10	0.21	604	1	0.02	22	1260	14	<5	<20	27	0.07	<10	47	<10	<1	70

ECO TECH LABORATORY LTD.												ICP CERTIFICATE OF ANALYSIS AS 2007-951												American Creek Resources Ltd.											
Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn/Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn						
226	L90N 105+75E	10	<0.2	1.32	<5	85	20	0.29	<1	19	21	69	2.85	<10	0.45	375	1	0.02	26	600	18	<5	<20	15	0.10	<10	97	<10	<1	50					
227	L90N 106+00E	25	<0.2	1.17	5	135	5	0.45	<1	15	12	39	1.87	<10	0.26	297	<1	0.02	30	1330	16	<5	<20	33	0.08	<10	53	<10	<1	71					
228	L90N 106+25E	5	<0.2	0.65	<5	265	5	0.41	<1	6	7	6	1.18	<10	0.14	232	<1	0.02	8	1820	8	<5	<20	36	0.07	<10	40	<10	<1	58					
229	L90N 106+50E	<5	<0.2	2.46	20	310	10	0.63	<1	14	10	40	1.59	<10	0.16	322	1	0.03	27	5780	30	5	<20	64	0.09	<10	25	<10	<1	57					
230	L90N 106+75E	<5	<0.2	1.14	5	175	<5	0.26	<1	13	11	16	1.97	<10	0.31	171	1	0.02	22	700	16	<5	<20	21	0.08	<10	62	<10	<1	41					
231	L90N 107+00E	<5	<0.2	0.88	10	350	10	0.54	<1	13	8	19	1.70	<10	0.18	582	<1	0.02	19	2800	14	<5	<20	46	0.07	<10	44	<10	<1	59					
232	L90N 107+25E	25	<0.2	1.90	<5	190	10	0.46	<1	25	24	127	4.00	<10	0.66	289	2	0.02	42	800	24	<5	<20	33	0.10	<10	103	<10	<1	57					
233	L90N 107+50E	5	0.2	1.74	15	130	10	0.30	<1	30	13	106	2.69	<10	0.31	350	<1	0.03	35	1300	24	<5	<20	22	0.10	<10	56	<10	<1	76					
234	L90N 107+75E	10	<0.2	2.07	<5	155	10	0.41	<1	19	18	52	3.01	<10	0.67	299	2	0.02	43	450	28	5	<20	35	0.11	<10	78	<10	<1	95					
235	L90N 108+00E	5	0.2	2.18	15	125	10	0.32	<1	12	12	28	1.99	<10	0.24	279	<1	0.03	22	1640	30	<5	<20	28	0.12	<10	39	<10	<1	86					
236	L90N 108+25E	135	<0.2	2.82	5	135	15	0.49	2	28	60	239	5.99	<10	1.61	404	8	0.02	45	490	46	30	<20	39	0.15	<10	195	<10	<1	79					
237	L90N 108+50E	5	<0.2	1.54	<5	230	<5	0.38	2	13	11	30	2.26	<10	0.29	819	<1	0.02	20	1290	18	<5	<20	41	0.08	<10	47	<10	2	186					
238	L90N 108+75E	10	<0.2	1.81	10	155	10	0.30	<1	17	26	25	3.08	<10	0.44	592	2	0.02	26	1360	28	<5	<20	28	0.11	<10	67	<10	<1	103					
239	L90N 109+00E	5	<0.2	0.74	<5	235	10	0.35	<1	7	9	8	1.41	<10	0.19	368	<1	0.02	10	1230	12	<5	<20	33	0.08	<10	39	<10	<1	136					
240	L90N 109+25E	10	0.2	1.61	15	200	5	0.42	<1	13	19	51	2.12	<10	0.28	952	1	0.02	25	1130	20	<5	<20	39	0.10	<10	45	<10	<1	74					
241	L90N 109+50E	10	<0.2	1.16	<5	250	10	0.41	<1	11	20	30	2.01	<10	0.32	887	<1	0.02	22	1150	16	<5	<20	42	0.09	<10	43	<10	<1	89					
242	L90N 109+75E	10	<0.2	3.03	15	130	20	0.32	<1	23	25	60	3.73	<10	0.67	478	4	0.02	34	1500	38	10	<20	26	0.14	<10	102	<10	<1	123					
243	L90N 110+00E	10	<0.2	1.51	5	320	15	0.50	<1	16	21	28	2.19	<10	0.32	909	1	0.02	34	2370	22	<5	<20	61	0.10	<10	44	<10	<1	171					
244	L94N 100+25E	5	0.2	1.79	<5	115	15	0.28	<1	17	19	49	3.67	<10	0.64	215	1	0.02	28	1060	24	<5	<20	20	0.10	<10	133	<10	<1	49					
245	L94N 100+50E	10	<0.2	1.53	<5	275	15	0.51	<1	18	21	22	4.44	<10	0.64	757	<1	0.02	26	2350	20	<5	<20	44	0.11	<10	173	<10	<1	53					
246	L94N 100+75E	<5	<0.2	1.05	<5	255	10	0.22	<1	7	9	10	1.51	<10	0.14	661	<1	0.02	9	3170	16	<5	<20	14	0.15	<10	44	<10	<1	41					
247	L94N 101+00E	15	<0.2	1.23	<5	170	10	0.40	<1	16	35	19	4.55	<10	0.57	257	1	0.02	25	890	16	<5	<20	16	0.10	<10	192	<10	<1	48					
248	L94N 101+25E	85	0.2	2.10	<5	260	10	0.58	<1	23	35	48	5.66	<10	0.75	430	3	0.03	37	990	32	<5	<20	36	0.13	<10	185	<10	<1	60					
249	L94N 101+50E	75	<0.2	1.53	<5	185	10	0.57	1	23	33	181	4.74	<10	0.77	442	3	0.02	35	970	28	10	<20	33	0.10	<10	144	<10	<1	53					
250	L94N 101+75E	5	<0.2	1.45	<5	120	20	0.33	1	21	33	47	5.06	<10	0.64	197	2	0.02	32	780	22	<5	<20	23	0.11	<10	210	<10	<1	46					
251	L94N 102+00E	5	<0.2	1.15	<5	305	25	0.41	<1	13	13	28	2.84	<10	0.41	512	<1	0.02	19	2040	16	<5	<20	35	0.09	<10	102	<10	<1	74					
252	L94N 102+25E	5	<0.2	1.79	10	120	<5	0.45	<1	20	20	98	4.08	<10	0.86	295	2	0.03	22	1330	24	<5	<20	30	0.11	<10	134	<10	<1	59					
253	L94N 102+50E	5	0.2	1.71	10	290	15	0.66	<1	14	17	45	3.01	<10	0.40	544	1	0.02	23	2850	24	<5	<20	53	0.10	<10	100	<10	<1	60					
254	L94N 102+75E	5	<0.2	2.05	<5	140	10	0.35	<1	18	21	115	3.57	<10	0.45	232	2	0.02	30	1260	28	<5	<20	23	0.11	<10	103	<10	<1	73					
255	L94N 103+00E	15	<0.2	1.36	<5	115	10	0.32	<1	18	21	95	3.54	<10	0.61	230	2	0.02	21	1020	16	<5	<20	22	0.09	<10	124	<10	<1	44					
256	L94N 103+25E	<5	0.2	1.83	<5	80	<5	0.36	<1	27	16	169	2.84	<10	0.33	323	3	0.02	21	1440	24	5	<20	19	0.10	<10	80	<10	<1	63					
257	L94N 103+50E	5	<0.2	1.83	15	205	15	0.36	<1	25	17	134	3.28	<10	0.43	317	2	0.02	34	1540	26	<5	<20	31	0.10	<10	103	<10	<1	76					
258	L94N 103+75E	15	<0.2	1.19	<5	255	5	0.33	<1	10	10	30	2.23	<10	0.29	470	<1	0.02	12	1490	16	<5	<20	30	0.08	<10	62	<10	<1	53					
259	L94N 104+00E	10	<0.2	1.54	5	65	<5	0.52	<1	25	26	218	4.98	<10	1.01	348	2	0.02	22	1470	20	<5	<20	29	0.10	<10	160	<10	<1	49					
260	L94N 104+25E	25	<0.2	1.48	<5	70	<5	0.77	2	39	20	476	5.67	<10	1.03	471	3	0.03	28	2340	18	<5	<20	32	0.10	<10	187	<10	<1	52					
261	L94N 104+50E	10	<0.2	1.35	<5	385	<5	2.20	<1	57	18	686	4.66	<10	0.85	1590	1	0.03	27	3040	20	<5	<20	131	0.10	<10	144	<10	<1	102					
262	L94N 104+75E	30	0.3	1.57	<5	590	<5	1.49	<1	75	15	836	5.39	<10	0.77	2181	1	0.02	27	4520	20	<5	<20	109	0.12	<10	165	<10	2	177					
263	L94N 105+00E	10	<0.2	1.91	<5	430	<5	0.95	<1	29	21	250	4.61	<10	0.94	446	2	0.03	23	860	26	<5	<20	64	0.11	<10	160	<10	<1	46					
264	L94N 105+25E	65	<0.2	1.70	<5	255	5	0.59	<1	27	14	164	4.33	<10	0.71	481	2	0.02	24	1150	24	<5	<20	28	0.09	<10	142	<10	<1	47					
265	L94N 105+50E	10	<0.2	1.19	<5	80	<5																												

ECO TECH LABORATORY LTD.			ICP CERTIFICATE OF ANALYSIS AS 2007-951																		American Creek Resources Ltd.									
Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
266	L94N 105+75E N/S																													
267	L94N 106+00E N/S																													
268	L94N 106+25E N/S																													
269	L94N 106+50E N/S																													
270	L94N 106+75E	10	<0.2	1.22	<5	125	5	0.47	<1	14	8	96	2.24	<10	0.68	159	1	0.04	17	820	20	<5	<20	28	0.09	<10	87	<10	<1	34
271	L94N 107+00E	10	<0.2	1.98	5	220	<5	0.52	<1	19	12	90	2.96	<10	0.88	224	1	0.04	20	160	26	5	<20	28	0.13	<10	114	<10	<1	36
272	L94N 107+25E	50	<0.2	2.14	<5	185	<5	1.25	<1	43	4	313	5.86	<10	1.50	841	2	0.03	14	2010	30	<5	<20	64	0.14	<10	188	<10	<1	79
273	L94N 107+50E	5	<0.2	2.93	10	105	25	0.47	<1	26	16	119	4.85	<10	1.74	211	3	0.02	24	360	36	15	<20	30	0.17	<10	217	<10	<1	53
274	L94N 107+75E	5	<0.2	1.69	5	300	15	0.73	<1	13	18	37	2.40	<10	0.46	1180	1	0.02	22	540	26	<5	<20	45	0.11	<10	53	<10	<1	116
275	L94N 108+00E	80	<0.2	1.74	5	145	15	0.40	<1	14	30	28	2.76	<10	0.56	390	2	0.02	31	480	28	5	<20	25	0.12	<10	52	<10	<1	93
276	L94N 108+25E	10	<0.2	1.43	15	175	5	0.62	<1	16	26	28	2.90	<10	0.58	805	<1	0.01	27	820	22	<5	<20	49	0.11	<10	55	<10	<1	105
277	L94N 108+50E	5	<0.2	1.33	5	275	<5	0.50	1	12	15	29	2.12	<10	0.37	1092	1	0.02	22	710	18	<5	<20	40	0.10	<10	46	<10	<1	156
278	L94N 108+75E	5	0.2	2.02	20	375	20	0.75	1	17	23	32	2.77	<10	0.55	1784	3	0.02	24	530	30	10	<20	55	0.11	<10	50	<10	<1	127
279	L94N 109+00E	25	<0.2	1.77	<5	210	15	0.40	<1	15	23	22	2.86	<10	0.58	1177	1	0.02	21	260	24	<5	<20	32	0.12	<10	61	<10	<1	96
280	L94N 109+25E	10	<0.2	1.91	15	140	10	0.39	<1	13	23	23	2.71	<10	0.53	655	<1	0.02	21	340	26	<5	<20	28	0.12	<10	50	<10	<1	117
281	L94N 109+50E	5	<0.2	2.03	10	210	<5	0.37	<1	12	22	19	2.51	<10	0.55	1110	1	0.02	20	440	26	<5	<20	31	0.11	<10	48	<10	<1	153
282	L94N 109+75E	15	0.2	2.31	10	145	5	0.44	<1	24	27	75	4.16	<10	0.86	864	3	0.02	30	580	38	<5	<20	36	0.13	<10	80	<10	1	133
283	L94N 110+00E	5	<0.2	2.06	15	190	15	0.35	1	19	22	38	3.56	<10	0.66	932	2	0.01	23	370	34	<5	<20	34	0.14	<10	66	<10	<1	141
QC DATA:																														
Repeat:																														
1	L92N 100+25E	5	<0.2	1.27	<5	130	10	0.28	<1	16	17	24	2.65	<10	0.44	675	2	0.02	19	1160	20	<5	<20	21	0.08	<10	99	<10	<1	47
6	L92N 101+50E	110																												
10	L92N 102+50E	15	0.6	2.70	25	160	20	0.59	<1	19	18	40	3.12	<10	0.45	351	2	0.02	28	2720	34	5	<20	51	0.13	<10	99	<10	2	54
13	L92N 103+25E	25																												
19	L92N 104+75E	5	0.2	1.64	5	135	15	0.37	<1	22	20	89	3.22	<10	0.55	414	2	0.02	28	940	24	<5	<20	34	0.10	<10	119	<10	1	50
23	L92N 105+75E	140																												
28	L92N 107+00E	40	0.3	2.21	20	205	15	0.40	2	29	35	89	4.10	<10	0.64	765	6	0.02	69	650	30	10	<20	43	0.12	<10	103	<10	4	267
31	L92N 107+75E	125																												
36	L92N 109+00E	10	<0.2	1.42	5	385	15	0.43	<1	15	15	34	2.42	<10	0.44	678	1	0.02	22	1970	20	<5	<20	52	0.11	<10	82	<10	3	137
45	L93N 101+00E	10	0.2	1.50	10	335	10	0.57	1	16	25	41	3.39	<10	0.82	1109	4	0.02	21	730	18	15	<20	53	0.10	<10	132	<10	<1	76
47	L93N 101+50E	50																												
54	L93N 103+25E	10	0.2	1.90	5	170	5	0.38	<1	15	15	45	2.43	<10	0.35	166	1	0.02	22	1670	24	<5	<20	44	0.11	<10	77	<10	3	36
63	L93N 105+50E	10	0.3	2.24	<5	500	10	0.58	<1	19	27	85	3.28	10	0.68	1582	4	0.02	28	550	24	10	<20	57	0.13	<10	102	<10	3	66
71	L93N 107+50E	15	<0.2	1.85	<5	170	20	0.48	<1	21	29	71	3.09	10	0.67	404	2	0.02	33	780	26	<5	<20	51	0.13	<10	65	<10	3	68
72	L93N 107+75E	50																												
80	L93N 109+75E	5	<0.2	2.13	20	230	10	0.50	3	28	14	60	3.36	20	0.45	1507	3	0.02	26	950	60	<5	<20	60	0.15	<10	59	<10	8	205
89	L91N 91+75E	5	<0.2	1.78	10	75	10	0.30	<1	13	31	26	2.38	<10	0.65	175	3	0.02	19	280	24	10	<20	33	0.11	<10	68	<10	4	37
98	L91N 94+00E	5	<0.2	1.73	15	110	10	0.25	<1	14	16	21	2.70	<10	0.46	304	2	0.02	24	1130	20	<5	<20	27	0.12	<10	93	<10	3	48
106	L91N 96+00E	5	<0.2	1.89	10	150	10	0.23	<1	14	22	41	3.09	10	0.60	254	2	0.02	24	1860	22	<5	<20	26	0.11	<10	109	<10	2	63
115	L91N 98+25E	10	<0.2	1.71	5	260	20	0.26	<1	13	16	32	2.93	<10	0.47	420	2	0.02	16	2070	22	<5	<20	32	0.11	<10	109	<10	3	45
124	L91N 100+50E	10	<0.2	1.41	<5	185	20	0.30	<1	15	21	60	3.15	10	0.60	570	2	0.02	20	1540	20	<5	<20	34	0.10	<10	127	<10	2	41
133	L91N 102+75E	15	<0.2	1.40	<5	205	10	0.35	<1	15	18	24	3.03	10	0.56	555	3	0.03	24	1000	20	<5	<20	45	0.12	<10	124	<10	3	38

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AS 2007-951

American Creek Resources Ltd.

Et #.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Tl %	U	V	W	Y	Zn
141	L91N 104+75E	5	<0.2	1.73	<5	100	15	0.34	<1	19	20	66	3.54	<10	0.46	210	2	0.03	27	1430	22	5	<20	23	0.11	<10	124	<10	<1	43
150	L91N 107+00E	<5	<0.2	1.19	<5	155	15	0.27	<1	14	18	25	2.35	<10	0.34	297	2	0.02	22	740	18	5	<20	21	0.09	<10	70	<10	<1	52
168	L90N 91+25E	10	<0.2	1.60	5	95	<5	0.47	<1	15	21	32	2.87	<10	0.76	665	2	0.02	16	1020	20	5	<20	27	0.09	<10	73	<10	<1	57
176	L90N 93+25E	<5	0.2	2.71	15	100	15	0.22	<1	12	13	24	2.42	<10	0.32	291	2	0.02	20	3770	34	5	<20	18	0.11	<10	55	<10	<1	57
185	L90N 95+50E	10	0.2	1.17	<5	90	10	0.22	<1	12	11	19	2.64	<10	0.31	301	2	0.02	16	1010	16	10	<20	16	0.08	<10	103	<10	<1	57
194	L90N 97+75E	15	<0.2	1.07	<5	150	10	2.81	<1	13	14	75	3.04	<10	0.45	256	<1	0.03	12	140	14	<5	<20	58	0.09	<10	115	<10	<1	22
203	L90N 100+00E	5	0.2	1.33	<5	145	10	0.30	<1	13	14	32	2.86	<10	0.50	436	<1	0.02	17	1160	18	<5	<20	23	0.09	<10	99	<10	<1	42
211	L90N 102+00E	5	<0.2	1.10	<5	210	10	0.25	<1	14	26	12	3.94	<10	0.33	360	<1	0.03	24	1710	16	<5	<20	15	0.10	<10	179	<10	<1	44
220	L90N 104+25E	<5	0.2	1.57	5	175	10	0.35	<1	10	12	17	1.99	<10	0.25	407	<1	0.02	15	1390	20	<5	<20	21	0.10	<10	61	<10	<1	41
229	L90N 106+50E	<5	<0.2	2.68	25	340	<5	0.64	<1	14	11	44	1.50	<10	0.17	338	<1	0.03	28	5890	28	<5	<20	74	0.09	<10	24	<10	3	55
232	L90N 107+25E	35																												
236	L90N 108+25E	340																												
238	L90N 108+75E		<0.2	1.88	10	165	<5	0.32	<1	18	27	26	3.11	<10	0.44	611	2	0.02	26	1410	28	<5	<20	34	0.12	<10	66	<10	<1	106
246	L94N 100+75E	5	<0.2	1.14	<5	270	15	0.24	<1	8	10	11	1.71	<10	0.15	721	<1	0.02	10	3030	16	<5	<20	16	0.08	<10	54	<10	<1	46
248	L94N 101+25E	75																												
249	L94N 101+50E	60																												
255	L94N 103+00E	15	<0.2	1.41	<5	125	<5	0.34	<1	18	24	96	3.66	<10	0.62	241	1	0.02	22	1010	20	<5	<20	28	0.09	<10	132	<10	<1	45
264	070951A264	15	<0.2	1.68	<5	255	<5	0.64	<1	27	14	160	4.09	<10	0.70	514	1	0.02	23	1150	22	<5	<20	34	0.10	<10	133	<10	<1	46
273	070951A273	10	<0.2	3.01	<5	105	<5	0.48	<1	26	15	119	5.22	<10	1.80	215	3	0.03	25	320	34	5	<20	30	0.18	<10	242	<10	<1	52
281	070951A281	5	<0.2	2.14	10	235	<5	0.41	<1	12	24	20	2.58	<10	0.56	1158	2	0.02	22	480	30	5	<20	37	0.11	<10	49	<10	1	162

Standard:

Till 3		0.5	1.02	80	40	<5	0.50	<1	12	57	19	1.98	<10	0.56	298	2	0.03	30	430	28	<5	<20	11	0.07	<10	36	<10	3	37
Till 3		0.5	0.99	85	40	<5	0.49	<1	12	56	19	1.96	<10	0.55	294	2	0.03	30	450	28	<5	<20	11	0.07	<10	36	<10	3	37
Till 3		0.5	1.04	80	40	5	0.51	<1	12	58	19	2.02	<10	0.57	295	1	0.03	34	470	28	<5	<20	12	0.06	<10	38	<10	3	38
Till 3		0.5	1.02	80	45	5	0.51	<1	12	58	19	2.02	<10	0.56	290	1	0.03	31	470	28	<5	<20	12	0.07	<10	38	<10	3	39
Till 3		0.5	0.97	80	45	5	0.49	<1	12	56	19	1.97	<10	0.54	286	3	0.03	32	450	26	<5	<20	12	0.06	<10	36	<10	3	39
Till 3		0.5	1.16	80	50	5	0.53	1	12	60	23	1.99	10	0.55	304	3	0.03	32	480	28	<5	<20	10	0.07	<10	40	<10	6	33
Till 3		0.5	1.24	85	50	5	0.54	1	13	62	21	2.06	10	0.59	319	1	0.03	32	480	28	<5	<20	10	0.08	<10	42	<10	8	33
Till 3		0.5	1.17	65	55	<5	0.52	1	13	61	21	2.00	10	0.57	306	1	0.03	33	480	28	<5	<20	10	0.07	<10	40	<10	7	33
Till 3		0.5	1.20	60	60	5	0.54	1	13	62	21	2.05	10	0.58	312	4	0.03	32	490	28	<5	<20	10	0.09	<10	42	<10	7	35
OXD57		420																											
OXD57		420																											
OXD57		405																											
OXD57		420																											
OXD57		405																											
OXD57		410																											
OXD57		420																											
OXD57		405																											
OXD57		405																											

ECO TECH LABORATORY LTD.

Jutta Jealouse
B.C. Certified AssayerJJ/nl/ji
df/951BS/951AS
XLS/07