

Ministry of Energy & Mines
Energy & Minerals Division
Geological Survey Branch

**ASSESSMENT REPORT
TITLE PAGE AND SUMMARY**

TITLE OF REPORT [type of survey(s)] Stream Sediment Sampling and Soil Geochemical Surveying on the Fable Mineral Claims	TOTAL COST \$43,875.13
---	----------------------------------

AUTHOR(S) Christopher O. Naas SIGNATURE(S) 

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S) N/A YEAR OF WORK 2008

STATEMENT OF WORK - CASH PAYMENT EVENT NUMBER(S)/DATE(S) 4237074

PROPERTY NAME _____

CLAIM NAME(S) (on which work was done) 566178, 566179, 566180, 566181, 566182, 566183, 566184, 566185, 566186, 566187, 566188, 566189, 566190, 566191, 566192, 566193, 566194, 566195, 566196, 566197, 566198, 566199, 566200, 566202

COMMODITIES SOUGHT Gold

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN _____

MINING DIVISION Omineca NTS 93N/12

LATITUDE 55 ° 40 ' 00 " LONGITUDE 125 ° 33 ' 00 " (at centre of work)

OWNER(S)
1) CHRISTOPHER O. NAAS 2) _____

MAILING ADDRESS
2130-21331 GORDON WAY
RICHMOND, BC V6W 1J9

OPERATOR(S) [who paid for the work]
1) CHRISTOPHER O. NAAS 2) _____

MAILING ADDRESS
2130-21331 GORDON WAY
RICHMOND, BC V6W 1J9

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):
The Fable claims are located in the Cache Creek terrane just west of the Pinchi Fault. The Cache Creek terrane is an exotic, northerly-trending, accretionary complex represented by greenschist metamorphosed mafic and ultramafic volcanics, cherts, pelites and limestones, within the Canadian Cordillera, sandwiched and smeared out between the Stikinia and Quesnel terranes.

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS AR 11978, AR 16341
AR 24978

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping _____			
Photo interpretation _____			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic _____			
Electromagnetic _____			
Induced Polarization _____			
Radiometric _____			
Seismic _____			
Other _____			
Airborne _____			
GEOCHEMICAL			
(number of samples analysed for ...)			
Soil <u>435 samples: gold, multi-element ICP</u>	<u>566184, 566187, 566188</u>		<u>42,925.33</u>
Silt <u>7 samples: gold, multi-element ICP</u>	<u>566184, 566188</u>		<u>949.80</u>
Rock _____			
Other _____			
DRILLING			
(total metres; number of holes, size)			
Core _____			
Non-core _____			
RELATED TECHNICAL			
Sampling/assaying _____			
Petrographic _____			
Mineralographic _____			
Metallurgic _____			
PROSPECTING (scale, area) _____			
PREPARATORY/PHYSICAL			
Line/grid (kilometres) _____			
Topographic/Photogrammetric (scale, area) _____			
Legal surveys (scale, area) _____			
Road, local access (kilometres)/trail _____			
Trench (metres) _____			
Underground dev. (metres) _____			
Other _____			
			TOTAL COST <u>\$43,875.13</u>

**BC Geological Survey
Assessment Report
30399**

**ASSESSMENT REPORT
STREAM SEDIMENT SAMPLING AND
SOIL GEOCHEMICAL SURVEYING**

on the

FABLE MINERAL CLAIMS

(566178, 566179, 566180, 566181, 566182, 566183, 566184, 566185, 566186,
566187, 566188, 566189, 566190, 566191, 566192, 566193, 566194, 566195,
566196, 566197, 566198, 566199, 566200, 566202)

Omineca Mining Division, British Columbia, Canada

NTS 93N/12

Latitude: 55°40'N

Longitude: 125°33'W

Owner: Christopher O. Naas

Operator: Christopher O. Naas

by

Christopher O. Naas, *P. Geo.*

December 16, 2008

SUMMARY

The Fable claims are located approximately 50 km southwest of Germansen Landing in the Omineca Mining Division of central British Columbia, Canada.

The property consists of 24 MTO cell claims totalling 10,251.50 ha, 100% owned by Christopher O. Naas.

The Fable claims are located in the Cache Creek terrane just west of the Pinchi Fault. The Cache Creek terrane is an exotic northerly-trending, accretionary complex represented by greenschist metamorphosed mafic and ultramafic volcanics, cherts, pelites, and limestones, within the Canadian Cordillera sandwiched and smeared-out between the Stikinia and the Quesnel terranes.

The current exploration program was carried out between September 3 to 18, 2008. A total of 7 stream sediment samples and 435 soil samples were collected from the Kelly Creek area of the claims.

Results from this program confirmed the presence of historical bedrock gold anomalies with further follow-up exploration recommended.

TABLE OF CONTENTS

	<i>page</i>
SUMMARY	II
1.0 INTRODUCTION	1
1.1 LOCATION AND ACCESS	1
2.0 REGIONAL GEOLOGY	5
3.0 PROPERTY GEOLOGY	6
4.0 WORK HISTORY	9
5.0 EXPLORATION.....	10
5.1 STREAM SEDIMENT SAMPLING	10
5.2 SOIL SAMPLING	10
6.0 CONCLUSIONS.....	12
7.0 REFERENCES	13
8.0 STATEMENT OF QUALIFICATIONS	15
9.0 STATEMENT OF COSTS	ERROR! BOOKMARK NOT DEFINED.

LIST OF TABLES

	<i>page</i>
Table 1: Claim Status, <i>Fable Claims</i>	2

LIST OF FIGURES

	<i>page</i>
1. Location Map, <i>Fable Claims</i> (1:8,500,000).....	3
2. Claim Map, <i>Fable Claims</i> (1:100,000).....	4
3. Regional Geology and Economic Setting, <i>Fable Claims</i> (1:250,000).....	8
4. Surface Geochemical Plan Map, Gold, <i>Fable Claims</i> (1:7,500)	<i>map pocket</i>

LIST OF APPENDICES

- I. Abbreviations and Conversion Factors
- II. Certificates of Analyses

1.0 INTRODUCTION

This report details the results of the exploration program conducted on the Fable mineral claims over 16 days between September 3 and 18, 2008.

Exploration activities during this period consisted of the collection of 7 stream sediment samples and 435 soil samples.

A list of definitions, abbreviations and conversion factors are presented in Appendix I.

1.1 LOCATION AND ACCESS

The Fable claims are centred at latitude 55° 40' N and longitude 125° 33' W, approximately 50 km west of Germansen Landing (Figure 1). They are located in the Omineca Mining Division of north-central British Columbia, Canada.

Access to the claims is by paved highway to Fort St. James and northwest 45 km along the paved Tachie Hwy to the start of the well-maintained Leo Creek Forest Service Road ("FSR"). Turning northwest on the Leo Creek FSR, at 63 km is the start of the well-maintained Driftwood FSR. At 54.4 km along the Driftwood FSR, turn right (east) on the Fall-Tsayta FSR, a somewhat maintained gravel road. At 25.7 km along the Fall-Tsayta FSR is the junction with the Fall-Dream FSR, a poorly maintained gravel road (4WD recommended). Turning left (north) on the Fall-Dream FSR at 17.2 km (across the Kenny Creek bridge and past the first left hand turn off), is the Humphrey FSR (second left-hand turn-off). This road is in poor condition. Heading west 6.3 km, is the junction of the main access road to the work area along Kelly Creek. There are no visible signs for the Fall-Dream and Humphrey FS roads in the field. These names were taken from the Backroad Mapbook, Volume VI, Central BC (Mussio, 2003).

The 10,251.50 hectare Fable claims are 100% owned by Christopher O. Naas. Claim details are listed below and shown on Figure 2.

Table 1: Claim Status, *Fable Claims*

Tenure Number	Claim Name	Area (ha)	Owner (100%)	Good To Date
566178	Fable 1	401.157	C.O. Naas	2009/sep/18
566179	Fable 2	437.846	C.O. Naas	2009/sep/18
566180	Fable 3	383.291	C.O. Naas	2009/sep/18
566181	Fable 4	456.100	C.O. Naas	2009/sep/18
566182	Fable 5	455.863	C.O. Naas	2009/sep/18
566183	Fable 6	455.863	C.O. Naas	2009/sep/18
566184	Fable 7	456.098	C.O. Naas	2009/sep/18
566185	Fable 8	456.327	C.O. Naas	2009/sep/18
566186	Fable 9	273.917	C.O. Naas	2009/sep/18
566187	Fable 10	456.356	C.O. Naas	2009/sep/18
566188	Fable 11	456.133	C.O. Naas	2009/sep/18
566189	Fable 12	455.890	C.O. Naas	2009/sep/18
566190	Fable 13	455.896	C.O. Naas	2009/sep/18
566191	Fable 14	456.141	C.O. Naas	2009/sep/18
566192	Fable 15	456.365	C.O. Naas	2009/sep/18
566193	Fable 16	273.949	C.O. Naas	2009/sep/18
566194	Fable 17	456.413	C.O. Naas	2009/sep/18
566195	Fable 18	456.185	C.O. Naas	2009/sep/18
566196	Fable 19	455.944	C.O. Naas	2009/sep/18
566197	Fable 20	455.733	C.O. Naas	2009/sep/18
566198	Fable 21	309.882	C.O. Naas	2009/sep/18
566199	Fable 22	455.510	C.O. Naas	2009/sep/18
566200	Fable 23	437.302	C.O. Naas	2009/sep/18
566202	Fable 24	437.339	C.O. Naas	2009/sep/18




LEGEND

- Highway
- Secondary route
- River
- Waterbody




LOCATION MAP			
Fable Claims			
Fable Project			
Omineca M.D, British Columbia, Canada			
Project:	C99-Fable	By:	TV
Scale:	1:8,500,000	Drawn:	TV
Figure:	1	Date:	December 2008
CME			



Tenures from BC MTO, August 21, 2008
 Topographic data © Her Majesty the Queen in Right of Canada,
 Department of Natural Resources.
 All rights reserved.

LEGEND

- Fable project claims
- Property boundary
- Work claims
- Other claim boundaries (as of August 21, 2008)
 (Note: placer claims not shown)
- Watercourse
- Contour (50 metre)
- Gravel road
- Rough road
- Waterbody



**CLAIM MAP
 Fable Claims**

Fable Project
 Omineca M.D., British Columbia, Canada

Project No:	C99-Fable	By:	TV
Scale:	1:100,000	Drawn:	TV
Figure:	2	Date:	December 2008



2.0 REGIONAL GEOLOGY

The Fable claims are located in the Cache Creek terrane just west of the Pinchi Fault (Figure 3). The Pinchi Fault can be traced for greater than 600 kilometres through north-central BC and is believed to have been a major thrust fault later reactivated as a right-lateral strike-slip fault (Paterson, 1977). In the project area, the Pinchi Fault separates Cache Creek rocks from the Jurassic Hogen Batholith and Triassic-Jurassic Takla rocks to the west.

The Cache Creek terrane is an exotic northerly-trending, accretionary complex within the Canadian Cordillera sandwiched and smeared-out between the Stikinia and the Quesnel terranes. It is composed of three main rock packages: (1) mafic volcanic rocks with minor ultramafic rocks; (2) chert and associated pelites; and (3) lenses of pure massive limestone in a matrix of chert or basalt (Harris, 2003). These assemblages are representative of the uppermost portions of seamounts and oceanic plateaus. Fusulinids found in sediments intimately associated with these seamounts, have been identified as Tethyan Veerbeekinid (Yabeina) fusulinids of Permian age (Johnson, 2007). The presence of these fusulinids confirms an origin for the Cache Creek terrane rocks in the Tethys Ocean, the internal ocean that separated the northern (Laurasia) and southern (Gondwana) portions of Pangea, and which opened eastward into the westernmost portion of Panthalassa. The Cache Creek seamounts are thus thought to have originated during the Permian on the opposite side of Panthalassa from the Cordilleran accretionary orogen.

In crossing Panthalassa, the Cache Creek seamounts first collided with and accreted to the Stikinia-Quesnellia arc in the Triassic, noted by onlapping quartzose flysch sediments (Johnston, 2007), arc lavas (Struik *et al.*, 2001) Paleozoic platform carbonates and high-pressure metamorphic rocks (Lapierre, 2003). The arc then collided with the previously combined pericratonic belt-Outer Carbonate Platform and being made up of more buoyant thick oceanic plateau rocks which resist subduction (Nur, 1982, Ben-Avraham, 1982), a significant portion of these crustal rocks were accreted to the North American margin (Saunders *et al.*, 1996), then smeared northward along converted thrust faults such as the Pinchi Fault.

Regional metamorphism in the Cache Creek terrane rocks is generally prehnite-pumpellyite facies, with occasional minor zones of higher-grade blueschist facies metasediments and metavolcanics, and serpentinized alpine ultramafites (Paterson, 1977). Structurally, these rocks have a well-developed regional axial planar foliation with a north-northwest trending strike.

There are many prospective mineral occurrences and properties found close by the Fable property in the Cache Creek terrane rocks and nearby the Hogen Batholith. Some of the more noteworthy include, Serengeti Resources' Kwanika copper-gold discovery located approximately 20 kilometres to the south-southeast, Alpha Gold's Lustdust precious metal-copper property located approximately 12 kilometres to the south-southeast, Continental Jade's Axel jade-nephrite-gold property located approximately 30 kilometres to the north, and Lorne Warren's Takla-Rainbow gold-copper property located approximately 10 kilometres to the east of the Fable claims. The Teck Cominco optioned, Lorraine porphyry copper deposit hosted in the Hogen Batholith, lies approximately 25 kilometres north-northeast of the Fable claims. The

Cache Creek terrane rocks also play host to several more gold, silver, chromium and jade-nephrite occurrences nearby. (Figure 3).

3.0 PROPERTY GEOLOGY

The Fable claims are located within the Vital Range at the southern end of Omineca Mountains. The Vital Range consists principally of rocks belonging to the Jurassic to Permian Cache Creek Terrane Complex (Poloni, 1996). The Fable claims are underlain by north to northwest trending, folded, steeply dipping dark grey argillites, light grey phyllites, and interbedded limestone and metavolcanics. These rocks are interpreted as Permian to Lower Jurassic Age Sowchea Succession of the Cache Creek Complex (Struik, 2001). Low-grade to greenschist facies metamorphism has resulted in recrystallization of limestone and alteration of the original sediments. (Figure 3).

Takla Group Rocks:

Sitlika Assemblage:

Clastic unit: Upper Triassic to Lower Jurassic: medium to dark grey slate, phyllite; banded siltstone, sandstone and conglomerate; minor limestone, chert and green chloritic phyllite; locally contains felsic volcanic and plutonic clasts; distal to proximal turbidite succession, minor medium to coarse grained tonalite.

Volcanic Unit: Permian to Lower Triassic: medium to dark green chlorite schist, fragmental chlorite schist and pillowed metabasalt; chlorite-sericite schist containing felsic metavolcanic fragments; lesser amounts of quartz-sericite schist, quartz-feldspar porphyry, metadacite, metarhyolite; minor metasandstone and metachert.

Cache Creek Complex Rocks:

Sowchea Succession: Permian to Lower Jurassic: light to medium grey phyllite, siltstone, siliceous argillite, ribbon chert, slate, intraformational siltstone, conglomerate, chert conglomerate, platy quartzite and metachert; lesser amounts of recrystallized limestone, dark grey phyllite, massive to pillowed greenstone, fragmental greenstone and chlorite schist; minor amounts of metasandstone.

Copley Limestone: Permian to Jurassic: dark grey and grey micritic to clastic limestone (mostly Permian and may include undifferentiated Triassic), massive dark grey to blue-grey recrystallized limestone, minor marble, lesser greenstone chert and argillite.

Rubyrock Igneous Complex: Upper Carboniferous to Triassic: medium grained tonalite, quartz-feldspar porphyry, gabbro, diorite, diabase; locally includes clinopyroxenite, serpentinite, amphibolite, tonalite, massive blocky weathering to schistose greenstone dikes and sills, includes minor mafic flows, chert and phyllite.


Trembleur Ultramafic Unit: Upper Carboniferous to Triassic: variably serpentized harzburgite and dunite; locally includes clinopyroxenite, gabbro, greenstone, diabase, amphibolite, chert limestone, listwanite, nephrite, magnesite-talc schist.

Pope Limestone: early Pennsylvanian to mid-Triassic: Limestone, marble, calcareous sedimentary rocks.

Undifferentiated Andesites: andesitic volcanics and volcaniclastics

Hogem Plutonic Suite:

Lower Jurassic to Lower Cretaceous: plutonic suite consisting of syenites, quartz syenites, granites, granodiorites, tonalities, quartz monzonites, monzonites, quartz monzodiorites, monzodiorites, quartz diorites and diorites. The Hogem Batholith is located to the east of the Cache Creek Complex and separated from the Fable property by the Pinchi Fault.



Minfile Data

Status:

- Past producer
- Developed prospect
- Prospect
- Anomalies/showings
- Placer

Deposit Classification:

- Epigenetic
- Hydrothermal
- Skarn
- Placer
- Porphyry
- Replacement
- Volcanogenic
- Industrial Minerals
- Unknown

LEGEND

- Unnamed: andesitic volcanics
 - Sifton Group: undivided sediments
 - Twin Creek Succession: undivided volcanics
 - Sitlika Assemblage: Clastic Unit - undivided sediments; Volcanic Unit - greenstone
 - Endako Batholith - Hanson Lake Phase
 - Unnamed granodiorite
 - Valleau Creek Plutonic Suite: ultramafic
 - Unnamed undivided intrusive rocks: hybrid of Twin Creek volcanics and monzonite and granodiorite phase of Hogen intrusive suite
- Takla Group**
- Witch Lake Formation: volcanoclastics
 - Volcanoclastics
 - Inzana Lake Formation: undivided sediments
 - Limestone bioherm/reef

Cache Creek Complex

- Sowchea Succession**
- Undivided sediments; fine clastics
 - Basaltic volcanics
- Rubyrock Igneous Complex**
- Tonalite
 - Gabbro
 - Diabase

- Trembleur Ultramafite Unit: serpentinite ultramafic; ultramafic
 - Copley Limestone
 - Pope Succession: limestone
- Hogen Plutonic Suite**
- Granite, alkali feldspar granite
 - Quartz monzonite to monzongranite
 - Gabbro to diorite
 - Monzodiorite to gabbro

Tenures from BC MTO, August 21, 2008 | Geology after BCGS Open File 2005-1
 Mineral deposit information from BC Minfile
 Topographic data © Her Majesty the Queen in Right of Canada,
 Department of Natural Resources.
 All rights reserved.

REGIONAL GEOLOGY AND ECONOMIC SETTING

Fable Claims

Fable Project
 Omineca M.D., British Columbia, Canada

Project No: C99-Fable	By: TV
Scale: 1:250,000	Drawn: TV
Figure: 3	Date: December 2008

4.0 WORK HISTORY

Placer gold was initially discovered on Vital Creek in 1869 (Holland, 1950). In the early 1900's claims along the Vital Creek were owned by several companies including: the Caledonia General Mining Association Limited of Victoria and the Vital Creek (BC) Mining Syndicate of London England. The claims were worked on intermittently until 1936. The largest group to work on Vital Creek was Gow Sing, Lee Tong and Associates between 1922 and 1934. Their initial operations were located 2.4 kilometres upstream from the mouth of Vital Creek at the base of a 25 metre cliff. Initial recovery of gold from the gold bearing horizon was done by sluicing, followed by tunneling along the pre-glacial gold-enriched channel by driving a tunnel along bedrock for 280 metres.

R M Shepard and Associates worked 2.4 kilometres upstream from the Gow Sing, Lee Tong property close to the fork of Vital Creek. In 1933 a tunnel 42 metres long was driven on the north side of the creek just above the water level (Pearson, 1934). It penetrated the right rim of the buried channel and was continued in tight boulder clay. Previous to this work a shaft was sunk at a point 75 metres upstream to a depth of 12 metres and a drift run from the bottom but was discontinued due to flooding.

In 1935 Northern Ventures Limited (Venture Exploration Company of East Africa) acquired all claims and leases on the creek. They abandoned drift mining in favour of hydraulic mining methods, which was also abandoned within several months due to insufficient grade of the creek to carry away the waste and the excessive dilution of gold bearing gravels. The company ceased operations shortly after with little production. Total production on Vital Creek, reported by the Minister of Mines in 1958 was approximately 4,600 ounces of gold (Holland, 1950).

Little is known of any further work on Vital Creek until Lorne Warren of Smithers acquired the leases and claims in 1979. In 1982 Amir Mines Ltd examined the property data from Mr. Warren and optioned the claims and placer agreement signed in December 1982 (Edmunds, 1983).

In 1983, the area encompassing the Fable property was staked as the JO claims by Golden Porphyrite Ltd. Geological exploration during 1983 and 1984 consisted of prospecting, geological mapping and soil, lithogeochemical and heavy mineral sediment sampling. Although numerous significant gold and silver geochemical anomalies were defined as a result of this work, the claims were allowed to lapse in 1986.

In June 1986, the Solstice claims (SOL 1-4) were staked to encompass the drainages from which some of the best anomalies in the previously mentioned program were obtained (Macfarlane, 1987). A follow-up program of heavy mineral sediment geochemistry was conducted on the tributaries to these creeks in 1987. Several additional anomalies were defined as a result of the program. This led to the expansion of the SOL claim boundaries and more heavy mineral sediment samples being taken during 1987. Several samples encountered during this program were considered anomalous and follow-up was recommended, however, the claims were allowed to lapse in 1989.

In 1996, the ACK 1-3 and V.G. 1-6 claims were staked covering the headwaters of Vital and Kelly Creek, where previous heavy mineral sediment sampling returned anomalous gold geochemical values (Poloni, 1996). A program of prospecting, mapping, gridded soil sampling, magnetometer and VLF-EM geophysical surveys was undertaken on the property in order to test the hard rock potential of the property and potentially locate the source of the heavy mineral sediment anomalies. There were several anomalous results generated from this program warranting recommendations for follow-up work, however, the claims were left to lapse.

Based on a positive review of the data on the area, the Fable claims were staked in 2007 by the author.

5.0 EXPLORATION

The current work program was designed to test the Kelly Creek drainage area for anomalous gold values as reported in historical work programs.

Work was carried out over sixteen (16) days between September 3 and 18, 2008. Field work consisted of the collection of 7 stream sediment samples and 435 soil samples.

5.1 STREAM SEDIMENT SAMPLING

A total of 7 stream sediment samples were taken from Kelly Creek and its tributaries (Figure 4) upstream of the historical Kelly Creek placer operations. Stream sediment sample locations were surveyed using a Garmin GPS 60.

All samples were submitted to Eco-Tech Laboratories of Kamloops, BC for sample preparation and for gold analysis by fire assay and multi-elements analysis by ICP-MS. Certificates of analyses are presented in Appendix IIa.

Results

No significant gold results were returned from any of the samples, the highest value being 9 ppb Au from sample 08-2006.

5.2 SOIL SAMPLING

Two (2) survey grids were established in the area of Kelly Creek. The northern grid consisted of 3 east-west trending lines (1900N, 2000N, and 2100N), with sample spacing at 25 metres and lines spaced 100 metres apart and 2 north-south trending lines (8300E and 8800E) with 25 metre sample spacing (313 stations). The southern grid consisted of 3 east-west trending lines (600N, 700N, and 800N) with sample spacing at 25 metres and lines spaced 100 metres apart (123

stations) (Figure 4). Grid stations were surveyed periodically (typically every 200 metres) with a handheld Garmin GPS60 receiver. Coordinates of the intervening sample stations were mathematically interpolated.

A total of 435 soil samples were collected from the B-horizon, approximately 30-40 centimetres from surface on the surveyed lines.

All samples were submitted to Eco-Tech Laboratories of Kamloops, BC for sample preparation and for gold analysis by fire assay and multi-elements analysis by ICP-ES. Certificates of analyses are presented in Appendix IIb.

Results

Soil sampling was successful in locating several gold-in-soil anomalies (Figure 4). In the northern grid area, 7 samples returned greater than 50 ppb Au, with a maximum of 120 ppb. These samples are:

- L2100N 7800E 120 ppb Au
- L2100N 8325E 105 ppb Au
- L2000N 7625E 80 ppb Au
- L8300E 3875N 80 ppb Au
- L8300E 3050N 65 ppb Au
- L1900N 7450E 60 ppb Au
- L1900N 7250E 50 ppb Au

Soil sampling in the southern grid area returned only one moderately anomalous sample of 40 ppb Au (L700N, 6950E).

6.0 CONCLUSIONS

The exploration program on the Fable claims has followed-up and reinforced the historical work done on this ground. Although stream sediment sampling did not yield any anomalous gold values, soil sampling return several anomalous gold results.

Recommendations for a follow-up program includes and airphoto and airborne geophysics acquisition and interpretation, expansion of gridded soil sampling and VLF-EM and mag geophysical surveys and detailed rock sampling and mapping of the anomalous areas on the claims at 1:2,500 with 1:5,000 covering the remainder of the property.

Respectfully Submitted,



Christopher O. Naas, P.Ge.
CME Consultants Inc.
December 16, 2008

7.0 REFERENCES

- Ben-Avraham, Z., Nur, A., and Jones, D.
1982 The Emplacement of Ophiolites by Collision, *in* Journal of Geophysical Research, Volume 87, No. B5, pp. 3861-3867, May 10
- Edmunds, C.
1983 Geological Report on the Vital Creek Property, Omineca Mining Division, for Amir Mines Ltd., AR 11978
- Harris, M.J., Symons, D.T.A., Blackburn, W.H., Hart, C.J.R., and Villeneuve, M.
2003 Travels of the Cache Creek Terrane: a paleomagnetic, geobarometric and Ar40/Ar39 study of the Jurassic Fourth of July Batholith, Canadian Cordillera, *in* Tectonophysics, Volume 362 (2003), pp. 137-159
- Holland, S.S.
1950 "Placer Gold Production of British Columbia" Bulletin No. 28, Ministry of Energy, Mines and Petroleum Resources, Reprinted 1983, Queen's Printer for British Columbia, Victoria, BC
- Johnston, S.T. and Borel, G.D.
2007 The odyssey of the Cache Creek terrane, Canadian Cordillera: Implications for accretionary orogens, tectonic setting of Panthalassa, the Pacific superwell, and break-up of Pangea, *in* Earth and Planetary Science Letters, volume 253 (2007), pp. 415-428
- Lapierre, H., Bosch, D., Tardy, M., and Struik, L.C.
2003 Late Paleozoic and Triassic plume-derived magmas in the Canadian Cordillera played a key role in continental crust growth, *in* Chemical Geology, volume 201, (2003) pp.55-89
- Macfarlane, H.S.
1987 Geochemical Assessment Report on the Solstice Property, Omineca Mining Division, British Columbia, July 26, 1987, AR 16341
- Mussio, W. and Mussio, R.
2003 Backroad Mapbook, Volume VI, Central B.C., Mussio Ventures Ltd. 2003, www.backroadmapbooks.com
- Nur, A. and Ben-Avraham, Z.
1982 Oceanic Plateaus, the Fragmentation of Continents, and Mountain Building, *in* Journal of Geophysical Research, Volume 87, No. B5, pp. 3644-3661, May 10

Paterson, I.A.

1977 The geology and evolution of the Pinchi Fault Zone at Pinchi Lake, central British Columbia, *Canadian Journal of Earth Sciences*, Volume 14, pp. 1324-1342

Pearson, G.S.

1934 Annual Report of the Minister of Mines of the Province of British Columbia for the Year Ended 31st December 1933, Printed by Charles F. Banfield, Victoria, BC

Poloni, J.R.

1996 Assessment Report on the V.G (1-6); ACK 1, 2, and 3 Claims, Vital Mountain Range, British Columbia, Omineca Mining Division, for Rorex Exploration Inc. October 20, 1996, AR 24978

Saunders, A.D., Tarney, J., Kerr, A.C. and Kent, R.W.

1996 The formation and fate of large oceanic igneous provinces, *in* *Lithos*, Volume 37, pp.81-95

Struik, L.C., Schiarizza, P., Orchard, M.J., Cordey, F., Sano, H., MacIntyre, D.G., Lapierre, H., and Tardy, M.

2001 Imbricate architecture of the upper Paleozoic to Jurassic oceanic Cache Creek Terrane, central British Columbia, *in* *Canadian Journal of Earth Sciences*, volume 38 (2001), pp. 495-514

8.0 STATEMENT OF QUALIFICATIONS

I, Christopher O. Naas, *P.Geo.*, do hereby certify that:

1. I am a member in good standing of the Association of Professional Engineers and Geoscientists of British Columbia (Registration Number 20082);
2. I am a graduate in geology of Dalhousie University (*B.Sc.*, 1984); and have practiced in my profession continuously since 1987;
3. Since 1987, I have been involved in mineral exploration for precious and/or base metals in Canada, United States of America, Chile, Venezuela, Ghana, Mali, Nigeria, and Democratic Republic of the Congo (Zaire); for diamonds in Venezuela; and for rare metals in Nigeria. I have also been involved in the determination of base metal and gold resources for properties in Canada and Ghana, respectively, and the valuation of properties in Canada and Equatorial Guinea.
4. I am presently a Consulting Geologist and have been so since November 1987;
5. The opinions and conclusions contained herein are based on a review of previous records and the results of the exploration program supervised by myself.

Dated at Richmond, BC, Canada, this 16th day of December, 2008.



Christopher O. Naas, *P.Geo.*

9.0 STATEMENT OF COSTS

Personnel

C. Naas	5.00 days @ \$525.00	\$ 2,625.00
T. VanderWart	5.00 days @ \$330.00	\$ 1,650.00
C. Swanson	16.25 days @ \$325.00	\$ 5,281.25
L. Crittenden	18.00 days @ \$315.00	\$ 5,670.00
M. Murillo	4.00 days @ \$225.00	\$ 900.00
G. Phillips	1.50 days @ \$200.00	\$ 300.00
J. Mattenley	1.50 days @ \$200.00	\$ 300.00
S. Plugoway	18.25 days @ \$175.00	\$ 3,193.75

Equipment Costs

ATV	18.00 days @ \$ 50.00	\$ 900.00
Truck #251	18.00 days @ \$125.00	\$ 2,250.00
Truck 776 FVB	4.00 days @ \$125.00	\$ 500.00



Disbursements

Accommodation & Food	\$ 616.08
Analysis	\$ 8,759.51
Camp Supplies	\$ 2,618.00
Groceries	\$ 1,423.03
Courier	\$ 16.00
Equipment Rental	\$ 291.04
Field Supplies	\$ 4,715.36
Fuel Truck	\$ 1,405.90
Propane	\$ 102.78
Reproduction & Printing	\$ 281.25
Telephone	\$ 65.13
Travel	\$ 11.05

TOTAL: \$ 43,875.13

125°36'0"W

125°34'0"W



TOPOGRAPHY

- Contour (20 metre interval)
- Watercourse
- Waterbody
- Vegetation
- Swamp
- Rough road
- Rough road (4WD only)
- Tenure boundary and number (as of August 21, 2008)

SYMBOLS

- 08-2002 Silt sample location, number and result (Au ppb)
- Soil grid line

Soil samples

- >50 ppb Au
- 30 - 49 ppb Au
- 10 - 29 ppb Au
- <10 ppb Au
- NS No sample collected



0 250 1000 metres

NAED83, UTM Zone 10 North
TRIM Mapsheet: 09S062, 063
Contour Interval: 20 metres

**SURFACE GEOCHEMICAL PLAN MAP
GOLD (ppb)
Fable Claims**

Fable Project
Omineca M.D., British Columbia, Canada

Project No.:	C99-Fable	By:	LC, TV
Scale:	1:7,500	Drawn:	TV
Figure:	4	Date:	December 2008



APPENDIX I

ABBREVIATIONS AND CONVERSION FACTORS

ABBREVIATIONS

Elements		Abbreviations	
Ag	Silver	Az	azimuth
As	Arsenic	CDN\$	Canadian dollars
Au	Gold	ppm	parts per million
Ba	Barium	ppb	parts per billion
Cd	Cadmium	g/t	grams per metric tonne
Cu	Copper	oz/T	troy ounces per ton
Mo	Molybdenum	tpd	metric tonnes per day
Pb	Lead	Eq. Au	Gold equivalent
Sb	Antimony	UTM	Universal Transverse Mercator
Ti	Titanium	NAD83	North American Datum 1983
Zn	Zinc	° / ' / "	degree/minute/second of arc

CONVERSION FACTORS

Length			
1 millimetre (mm)	0.03937 inches (in)	1 inch (in)	25.40 millimetre (mm)
1 centimetre (cm)	0.394 inches(in)	1 inch (in)	2.540 centimetres (cm)
1 metre (m)	3.281 feet (ft)	1 foot (ft)	0.3048 metres (m)
1 kilometre (km)	0.6214 mile (mi)	1 mile (mi)	1.609 kilometres (km)
Area			
1 sq. centimeter (cm ²)	0.1550 sq. inches (in ²)	1 sq inch (in ²)	6.452 sq. centimetres (cm ²)
1 sq. metre (m ²)	10.76 feet (ft ²)	1 foot (ft)	0.0929 sq. metres (m ²)
1 hectare (ha) (10,000 m ²)	2.471 acres	1 acre	0.4047 hectare (ha)
1 hectare (ha)	0.003861 sq. miles (m ²)	1 sq. mile (m ²)	640 acres
1 hectare (ha)	0.01 sq. kilometre (km ²)	1 sq. mile (m ²)	259.0 hectare (ha)
1 sq. kilometre (km ²)	0.3861 sq. miles (mi ²)	1 sq. mile (m ²)	2.590 sq. kilometres (km ²)
Volume			
1 cu. centimetre (cc)	0.06102 cu. inches (in ³)	1 cu. inch (in ³)	16.39 cu. centimetres (cm ³)
1 cu. metre (m ³)	1.308 cu. yards (yd ³)	1 cu. yard (yd ³)	0.7646 cu. metres (m ³)
1 cu. metre (m ³)	35.310 cu. feet (ft ³)	1 cu. foot (ft ³)	0.02832 cu. metres (m ³)
1 litre (l)	0.2642 gallons (U.S.)	1 gallon (U.S.)	3.785 litres (l)
1 litre (l)	0.2200 gallons (U.K.)	1 gallon (U.K.)	4.546 litres (l)
Weights			
1 gram (g)	0.03215 troy ounce (20dwt)	1 troy ounce (oz)	31.1034 grams (g)
1 gram (g)	0.6430 pennyweight (dwt)	1 pennyweight (dwt)	1.555 grams (g)
1 gram (g)	0.03527 oz avoirdupois	1 oz avoirdupois	28.35 grams (g)
1 kilogram (g)	2.205 lb avoirdupois	1 lb avoirdupois	0.4535 kilograms (kg)
1 tonne (t) (metric)	1.102 tons (T) (short ton)	1 ton (T) (short ton) (2000 lb)	0.9072 tonnes (t)
1 tonne (t)	0.9842 long ton	1 long ton (2240 lb)	1.016 tonnes (t)
Miscellaneous			
1 cm/second	0.01968 ft/min	1 ft/min	50.81 cm/second
1 cu. m/second	22.82 million gal/day	1 million gal/day	0.04382 m ³ /second
1 cu. m/minute	264.2 gal/min	1 gal/min	0.003785 m ³ /minute
1 g/cu. m	62.43 lb/ cu. ft	1 lb/cu. ft ³	0.01602 g/m ³
1 g/cu. m	0.02458 oz/cu. yd	1 oz/cu. yd	40.6817 g/m ³
1 Pascal (Pa)	0.000145 psi	1 psi	6985 Pascal
1 gram/tonne (g/t)	0.029216 troy ounce/ short ton (oz/T)	1 troy ounce/short ton (oz/T)	34.2857 grams/tonne (g/t)
1 g/t	0.583 dwt/short ton	1 dwt/short ton	1.714 g/t
1 g/t	0.653 dwt/long ton	1 dwt/long ton	1.531 g/t
1 g/t	0.0001 %		
1 g/t	1 part per million (ppm)		
1 %	10,000 part per million (ppm)		
1 part per million (ppm)	1,000 part per billion (ppb)		
1 part per billion (ppb)	0.001 part per million (ppm)		

APPENDIX II

CERTIFICATES OF ANALYSES

a. Stream Sediment Samples

b. Soil Samples

APPENDIX II

CERTIFICATES OF ANALYSIS

a. Stream Sediment Samples

APPENDIX II

CERTIFICATES OF ANALYSIS

b. Soil Samples

23-Nov-08
 Alex Stewart Geochemical
 ECO TECH LABORATORY LTD.
 10041 Dallas Drive
 KAMLOOPS, B.C.
 V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2008- 1815

CME Consultants Inc.
 #2130-21331 Gordon Way
 Richmond, BC
 V6W 1J9

Phone: 250-573-5700
 Fax : 250-573-4557

No. of samples received: 123
 Sample type: Soil
 Project Name: Fable
 Project Number: C99-Fable
 Submitted By: Chris Naas

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Na%	Ni	P	Pb	Sb	Sn	Sr	Ti%	U	V	W	Y	Zn
1	L600N 6500E	<5	0.2	1.62	15	390	5	0.39	<1	16	19	48	4.16	<10	0.68	261	10	<0.01	30	550	28	5	<20	16	0.01	<10	47	<10	2	119
2	L600N 6525E	<5	0.4	1.62	10	380	5	0.26	1	9	24	44	4.37	<10	0.46	172	10	<0.01	27	630	26	<5	<20	4	0.01	<10	57	<10	<1	179
3	L600N 6550E	5	0.5	1.36	10	380	<5	0.11	2	11	22	55	4.48	<10	0.48	272	15	<0.01	34	830	24	<5	<20	<1	0.01	<10	64	<10	<1	381
4	L600N 6575E	<5	0.4	1.62	10	310	5	0.17	3	15	29	34	3.46	10	0.47	365	7	<0.01	39	730	24	<5	<20	<1	0.01	<10	49	<10	4	209
5	L600N 6600E	<5	0.5	1.95	15	255	10	0.58	3	19	35	62	4.15	20	0.67	712	8	<0.01	57	1680	30	5	<20	<1	0.02	<10	39	<10	14	180
6	L600N 6625E	<5	<0.2	1.21	10	260	5	0.29	<1	8	38	27	3.07	<10	0.40	196	6	<0.01	26	340	20	10	<20	8	0.01	<10	46	<10	<1	91
7	L600N 6650E	<5	<0.2	1.01	10	260	<5	0.13	<1	8	25	32	3.06	<10	0.42	187	7	<0.01	26	430	16	<5	<20	<1	0.01	<10	40	<10	<1	115
8	L600N 6675E	<5	0.2	0.95	<5	175	5	0.05	<1	9	24	40	4.06	<10	0.31	213	7	<0.01	24	1230	18	<5	<20	<1	0.02	<10	49	<10	<1	114
9	L600N 6700E	<5	<0.2	1.01	5	100	10	0.06	<1	8	27	40	3.54	<10	0.35	222	7	<0.01	28	860	16	<5	<20	<1	0.01	<10	39	<10	<1	95
10	L600N 6725E	<5	0.3	1.13	20	275	<5	0.42	2	14	55	38	2.89	<10	0.59	1021	7	<0.01	44	490	16	<5	<20	13	0.02	<10	36	<10	6	101
11	L600N 6750E	<5	0.4	0.95	15	205	<5	0.66	2	16	53	50	2.94	<10	0.76	907	5	<0.01	52	430	16	10	<20	13	0.02	<10	34	<10	10	91
12	L600N 6775E	<5	0.6	1.14	20	310	<5	1.26	2	10	56	58	2.84	<10	0.44	412	5	<0.01	42	780	18	5	<20	40	0.02	<10	38	<10	8	86
13	L600N 6800E	5	1.3	1.28	20	475	<5	1.40	4	19	66	165	2.91	10	0.47	2089	7	<0.01	69	980	18	5	<20	47	0.03	<10	38	<10	23	119
14	L600N 6825E	<5	0.3	0.60	10	135	5	0.07	<1	4	24	24	1.87	<10	0.11	116	5	<0.01	16	310	10	<5	<20	<1	0.01	<10	40	<10	<1	55
15	L600N 6850E	<5	0.2	1.31	15	170	5	0.05	<1	8	43	46	4.40	<10	0.37	234	10	<0.01	32	640	22	<5	<20	<1	0.02	<10	50	<10	<1	120
16	L600N 6875E	<5	<0.2	1.14	15	290	5	0.18	<1	12	51	38	3.19	<10	0.57	337	7	<0.01	51	350	18	<5	<20	8	0.01	<10	40	<10	<1	96
17	L600N 6900E	<5	0.3	0.68	10	125	5	0.15	<1	7	39	23	2.80	<10	0.28	279	5	<0.01	24	1800	14	<5	<20	<1	0.02	<10	43	<10	<1	77
18	L600N 6925E	<5	1.9	1.22	15	515	5	0.80	2	8	85	94	3.16	10	0.37	408	8	<0.01	51	900	20	<5	<20	41	0.02	<10	44	<10	28	113
19	L600N 6950E	<5	0.3	1.61	15	270	5	0.10	1	18	59	58	4.67	<10	0.56	508	10	<0.01	58	450	24	<5	<20	<1	0.02	<10	50	<10	1	126
20	L600N 6975E	<5	0.5	1.34	15	485	<5	0.42	1	12	76	60	3.21	<10	0.35	348	6	<0.01	42	410	20	<5	<20	22	0.02	<10	54	<10	3	95
21	L600N 7000E	<5	0.3	1.15	15	245	5	0.43	<1	12	95	37	2.99	<10	0.83	473	5	<0.01	68	480	16	10	<20	18	0.02	<10	41	<10	6	98
22	L600N 7025E	<5	0.3	1.06	10	240	<5	0.48	2	17	70	43	3.40	<10	0.75	680	8	<0.01	59	480	18	5	<20	15	0.02	<10	38	<10	4	121
23	L600N 7050E	<5	0.7	1.24	20	420	<5	0.90	1	12	81	68	2.88	<10	0.54	1088	7	<0.01	66	820	18	5	<20	39	0.02	<10	42	<10	11	77
24	L600N 7075E	<5	0.4	0.92	20	205	5	0.51	<1	12	101	58	2.57	<10	0.60	836	6	<0.01	74	890	12	<5	<20	21	0.02	<10	35	<10	11	64
25	L600N 7100E	<5	0.2	0.79	20	85	<5	0.33	<1	14	124	45	2.88	<10	0.95	408	5	<0.01	81	810	14	<5	<20	13	0.03	<10	37	<10	6	111
26	L600N 7125E	<5	0.3	1.24	15	395	<5	0.69	<1	10	61	65	2.59	10	0.32	473	4	<0.01	53	640	18	<5	<20	29	0.02	<10	47	<10	12	72
27	L600N 7150E	<5	0.2	0.73	15	145	10	0.10	<1	5	54	13	2.00	<10	0.37	146	3	<0.01	25	360	12	<5	<20	2	0.02	<10	38	<10	<1	45
28	L600N 7175E	<5	<0.2	0.93	20	90	5	0.08	<1	10	97	18	3.07	<10	0.69	375	5	<0.01	50	970	12	5	<20	<1	0.04	<10	46	<10	<1	61
29	L600N 7200E	<5	<0.2	1.35	10	90	10	0.06	<1	8	125	13	3.55	<10	0.61	246	4	<0.01	38	810	18	<5	<20	<1	0.05	<10	61	<10	<1	62
30	L600N 7225E	<5	<0.2	1.14	15	120	5	0.16	<1	12	129	17	2.90	<10	1.06	325	4	<0.01	77	490	16	5	<20	6	0.04	<10	48	<10	2	59
31	L600N 7250E	<5	<0.2	0.94	15	85	<5	0.09	<1	8	86	10	2.60	<10	0.59	271	4	<0.01	34	500	12	<5	<20	1	0.04	<10	46	<10	<1	47
32	L600N 7275E	<5	<0.2	1.01	20	135	<5	0.11	<1	8	84	9	2.51	<10	0.41	163	3	<0.01	26	490	16	<5	<20	2	0.05	<10	74	<10	<1	41
33	L600N 7300E	<5	<0.2	0.94	15	195	10	0.42	<1	11	119	28	2.59	<10	0.79	534	3	<0.01	80	450	10	10	<20	18	0.03	<10	41	<10	3	67
34	L600N 7325E	<5	0.2	1.09	20	240	5	0.19	<1	12	116	32	2.68	<10	0.68	597	4	<0.01	72	550	16	5	<20	13	0.03	<10	44	<10	5	72
35	L600N 7350E	<5	0.2	1.01	20	155	<5	0.13	<1	17	139	30	3.00	<10	0.73	594	4	<0.01	70	520	14	<5	<20	4	0.03	<10	46	<10	2	77

Et #.	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Na%	Ni	P	Pb	Sb	Sn	Sr	Ti%	U	V	W	Y	Zn
36	L600N 7375E	<5	<0.2	1.00	15	70	10	0.14	<1	12	178	13	3.21	<10	1.23	327	3	<0.01	92	940	14	5	<20	9	0.04	<10	47	<10	1	60
37	L600N 7400E	<5	<0.2	1.00	20	60	10	0.15	<1	15	188	21	3.40	<10	1.28	555	3	<0.01	111	1110	14	10	<20	3	0.04	<10	49	<10	1	59
38	L600N 7425E	<5	<0.2	1.27	20	75	5	0.11	<1	15	177	17	3.34	<10	1.05	351	4	<0.01	92	1240	16	10	<20	3	0.04	<10	54	<10	<1	84
39	L600N 7450E	<5	<0.2	1.29	15	75	10	0.09	<1	13	164	16	3.43	<10	0.85	286	4	<0.01	79	1370	20	<5	<20	2	0.04	<10	55	<10	<1	57
40	L600N 7475E	<5	<0.2	0.92	15	80	5	0.09	<1	13	149	21	3.23	<10	0.84	273	3	<0.01	81	510	14	10	<20	4	0.05	<10	51	<10	1	51
41	L600N 7500E	<5	<0.2	0.85	15	85	5	0.20	<1	19	196	24	3.07	<10	1.36	432	3	<0.01	130	490	12	10	<20	12	0.05	<10	44	<10	2	60
42	L700N 6500E	<5	1.1	1.69	15	195	5	0.11	<1	13	30	45	4.24	<10	0.67	378	7	<0.01	34	1900	24	<5	<20	<1	0.01	<10	47	<10	<1	159
43	L700N 6525E	<5	0.6	1.48	10	165	<5	0.02	1	9	29	46	4.54	<10	0.54	252	8	<0.01	29	1570	24	<5	<20	1	0.02	<10	55	<10	<1	106
44	L700N 6550E	<5	<0.2	1.16	15	185	<5	0.10	<1	7	22	31	3.59	<10	0.47	182	7	<0.01	21	830	20	<5	<20	<1	0.02	<10	60	<10	<1	86
45	L700N 6575E	<5	2.0	1.22	10	105	10	0.01	<1	7	21	35	3.99	<10	0.45	161	8	<0.01	21	1010	22	<5	<20	<1	0.02	<10	53	<10	<1	87
46	L700N 6600E	<5	0.5	1.67	10	165	<5	0.02	2	12	30	79	4.52	<10	0.48	211	8	<0.01	35	740	28	<5	<20	<1	0.02	<10	51	<10	<1	170
47	L700N 6625E	<5	0.4	1.45	15	130	10	0.01	<1	8	24	57	4.07	<10	0.40	194	8	<0.01	27	630	24	<5	<20	<1	0.01	<10	46	<10	<1	104
48	L700N 6650E	<5	0.4	1.09	5	140	5	0.03	1	8	26	49	4.16	<10	0.34	218	9	<0.01	26	1700	26	<5	<20	2	0.02	<10	44	<10	<1	104
49	L700N 6675E	<5	0.3	1.03	15	130	<5	0.05	<1	10	26	42	3.21	<10	0.47	305	6	<0.01	30	1090	18	<5	<20	<1	0.01	<10	36	<10	<1	121
50	L700N 6700E	<5	<0.2	1.19	10	175	<5	0.08	<1	9	52	29	4.04	10	0.40	251	7	<0.01	30	1310	18	<5	<20	<1	0.02	<10	47	<10	<1	90
51	L700N 6725E	<5	0.7	2.41	20	235	10	0.45	1	23	67	46	5.09	10	1.11	626	6	<0.01	49	2860	28	<5	<20	2	0.02	<10	59	<10	2	188
52	L700N 6750E	<5	0.6	0.44	15	190	<5	0.21	<1	5	31	23	1.67	<10	0.19	354	4	<0.01	19	390	8	<5	<20	1	0.02	<10	29	<10	<1	61
53	L700N 6775E	<5	0.3	1.09	10	110	10	0.06	<1	10	73	49	4.89	<10	0.45	270	10	<0.01	43	2280	22	<5	<20	<1	0.02	<10	62	<10	<1	107
54	L700N 6800E	<5	0.9	1.24	15	355	<5	0.52	1	13	33	40	3.43	<10	0.35	298	8	<0.01	43	570	22	<5	<20	19	0.01	<10	41	<10	3	119
55	L700N 6825E	<5	0.5	1.32	15	430	<5	0.64	3	17	63	67	3.24	<10	0.58	1351	8	<0.01	56	610	20	<5	<20	25	0.02	<10	41	<10	9	161
56	L700N 6850E	<5	0.5	1.30	15	445	<5	0.45	1	8	34	58	3.80	<10	0.29	209	10	<0.01	27	680	24	<5	<20	14	0.01	<10	47	<10	<1	116
57	L700N 6875E	<5	1.5	1.18	15	340	<5	1.30	4	14	70	169	2.82	<10	0.48	1396	7	<0.01	70	1550	16	<5	<20	52	0.03	<10	31	<10	24	108
58	L700N 6900E	<5	0.7	1.13	10	335	<5	1.07	4	17	79	100	3.00	<10	0.58	2102	6	<0.01	74	1280	16	<5	<20	37	0.03	<10	33	<10	15	150
59	L700N 6925E	<5	0.3	1.09	15	225	5	0.47	1	20	151	43	3.33	<10	1.04	789	5	<0.01	86	510	18	<5	<20	12	0.03	<10	41	<10	7	102
60	L700N 6950E	40	0.7	1.02	25	195	<5	0.75	<1	14	127	81	3.03	<10	0.67	672	7	<0.01	93	820	18	5	<20	28	0.02	<10	35	<10	14	94
61	L700N 6975E	<5	0.4	0.94	15	290	<5	1.05	1	10	56	46	2.44	<10	0.33	708	5	<0.01	44	440	16	<5	<20	38	0.02	<10	37	<10	5	87
62	L700N 7000E	<5	0.3	0.91	20	130	<5	0.36	<1	13	90	31	2.76	<10	0.79	387	5	<0.01	70	670	14	5	<20	9	0.02	<10	34	<10	5	70
63	L700N 7025E	<5	0.3	0.98	10	195	5	0.41	1	12	66	61	2.98	<10	0.60	495	6	<0.01	58	560	18	<5	<20	19	0.02	<10	34	<10	6	108
64	L700N 7050E	<5	0.6	1.22	20	290	<5	0.91	2	15	81	135	2.92	10	0.46	1441	7	<0.01	72	1600	16	<5	<20	46	0.03	<10	34	<10	19	134
65	L700N 7075E	<5	0.9	1.40	20	315	<5	0.75	1	19	79	111	3.58	<10	0.66	1143	8	<0.01	85	1000	24	<5	<20	38	0.02	<10	38	<10	14	186
66	L700N 7100E	<5	0.5	1.24	20	340	<5	0.75	1	9	95	86	2.87	<10	0.53	891	6	<0.01	57	950	18	<5	<20	41	0.02	<10	41	<10	14	120
67	L700N 7125E	<5	0.2	1.09	5	200	5	0.39	<1	5	59	16	3.19	<10	0.32	130	5	<0.01	22	290	18	<5	<20	16	0.03	<10	55	<10	<1	58
68	L700N 7150E	<5	0.3	0.84	20	225	5	0.83	<1	11	63	63	2.39	<10	0.45	745	5	<0.01	56	660	12	5	<20	33	0.02	<10	30	<10	8	93
69	L700N 7175E	<5	0.6	1.11	20	295	<5	0.95	<1	11	104	44	2.67	<10	0.48	761	5	<0.01	64	1110	18	5	<20	39	0.02	<10	37	<10	8	67
70	L700N 7200E	<5	<0.2	1.15	15	180	15	0.12	<1	8	94	16	3.82	<10	0.50	205	5	<0.01	36	250	20	<5	<20	2	0.05	<10	59	<10	<1	74
71	L700N 7225E	<5	0.5	0.93	15	250	<5	0.82	<1	12	118	36	2.90	<10	0.46	1241	6	<0.01	58	1070	12	<5	<20	36	0.02	<10	43	<10	5	57
72	L700N 7250E	<5	0.2	0.84	5	165	5	0.36	<1	9	91	17	2.49	<10	0.57	481	4	<0.01	51	390	12	5	<20	15	0.02	<10	35	<10	1	66
73	L700N 7275E	<5	0.6	0.86	20	55	<5	0.11	<1	16	164	21	2.98	<10	1.20	322	3	<0.01	121	750	12	10	<20	3	0.03	<10	41	<10	1	60
74	L700N 7300E	<5	<0.2	1.16	15	115	<5	0.04	<1	8	92	13	2.53	<10	0.63	232	3	<0.01	44	490	16	<5	<20	<1	0.02	<10	43	<10	<1	48
75	L700N 7325E	<5	<0.2	1.16	20	85	<5	0.06	<1	8	118	10	3.11	<10	0.33	423	3	<0.01	34	1420	16	<5	<20	<1	0.04	<10	66	<10	<1	46
76	L700N 7350E	<5	<0.2	0.93	15	85	5	0.05	<1	11	133	16	2.64	<10	0.80	351	3	<0.01	70	750	12	<5	<20	<1	0.02	<10	41	<10	<1	51
77	L700N 7375E	<5	<0.2	1.14	20	80	5	0.05	<1	15	152	19	2.80	<10	1.16	289	3	<0.01	115	530	16	5	<20	3	0.03	<10	39	<10	<1	59
78	L700N 7400E	<5	<0.2	0.93	15	80	<5	0.05	<1	9	108	10	2.90	<10	0.56	179	3	<0.01	50	480	12	<5	<20	1	0.04	<10	56	<10	<1	44
79	L700N 7425E	<5	<0.2	0.82	15	80	<5	0.10	<1	15	116	26	2.63	<10	0.92	419	3	<0.01	92	490	14	10	<20	8	0.03	<10	39	<10	1	55
80	L700N 7450E	<5	<0.2	0.96	15	75	<5	0.05	<1	16	133	25	2.73	<10	1.02	290	3	<0.01	105	350	14	10	<20	<1	0.04	<10	37	<10	2	61

Et #.	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Na%	Ni	P	Pb	Sb	Sn	Sr	Ti%	U	V	W	Y	Zn
81	L700N 7475E	<5	<0.2	0.80	20	80	5	0.15	<1	15	115	28	2.61	<10	1.04	427	3	<0.01	96	520	12	5	<20	9	0.03	<10	37	<10	2	58
82	L700N 7500E	<5	<0.2	0.74	15	85	<5	0.12	<1	12	141	18	2.60	<10	1.16	293	3	<0.01	96	430	10	10	<20	7	0.03	<10	39	<10	1	48
83	L800N 6500E	<5	0.5	0.91	20	95	10	0.04	<1	7	29	32	3.56	<10	0.33	275	8	<0.01	24	1910	18	<5	<20	<1	0.01	<10	39	<10	<1	72
84	L800N 6525E	<5	0.4	0.41	15	40	5	<0.01	<1	4	11	26	1.82	<10	0.09	166	7	<0.01	10	690	14	<5	<20	<1	0.01	<10	34	<10	<1	52
85	L800N 6550E	<5	1.3	1.33	5	110	5	<0.01	1	9	20	52	4.16	<10	0.58	247	10	<0.01	34	980	22	<5	<20	<1	0.01	<10	42	<10	<1	142
86	L800N 6575E	<5	0.2	0.33	15	40	<5	<0.01	<1	1	2	16	0.69	<10	<0.01	21	4	<0.01	4	160	6	<5	<20	<1	<0.01	<10	24	<10	<1	22
87	L800N 6600E	<5	3.6	0.95	<5	95	5	<0.01	<1	7	16	42	4.98	<10	0.23	240	8	<0.01	17	1680	22	<5	<20	<1	0.02	<10	50	<10	<1	81
88	L800N 6625E	<5	0.3	0.81	5	120	5	0.05	<1	6	15	47	3.61	<10	0.23	155	9	<0.01	19	930	20	<5	<20	<1	0.01	<10	42	<10	<1	87
89	L800N 6650E	<5	1.2	1.35	<5	200	10	0.07	2	9	26	43	4.94	<10	0.32	290	9	<0.01	22	870	24	<5	<20	1	0.02	<10	46	<10	<1	128
90	L800N 6675E	<5	1.3	0.94	10	150	<5	0.09	<1	8	18	42	3.29	<10	0.40	243	6	<0.01	25	1640	18	<5	<20	<1	0.01	<10	35	<10	<1	106
91	L800N 6700E	<5	0.6	1.04	5	90	<5	0.03	<1	9	17	58	4.25	<10	0.43	228	9	<0.01	27	1480	20	<5	<20	<1	0.01	<10	42	<10	<1	119
92	L800N 6725E	<5	0.8	1.02	5	305	5	0.21	1	10	17	40	3.34	<10	0.25	229	7	<0.01	23	610	18	<5	<20	8	0.01	<10	41	<10	1	102
93	L800N 6750E	<5	0.6	0.88	10	385	<5	0.51	1	11	17	36	3.30	<10	0.30	379	7	<0.01	22	580	18	<5	<20	16	0.02	<10	43	<10	1	106
94	L800N 6775E	<5	0.4	1.10	10	190	10	0.11	<1	11	61	63	4.07	<10	0.44	223	8	<0.01	53	370	22	<5	<20	<1	0.02	<10	37	<10	<1	125
95	L800N 6800E	<5	0.5	0.67	10	80	<5	0.06	<1	8	84	33	2.93	<10	0.44	170	6	<0.01	49	840	14	<5	<20	<1	0.02	<10	40	<10	<1	74
96	L800N 6825E	<5	0.8	0.59	10	120	10	0.03	<1	5	28	33	2.89	<10	0.14	140	8	<0.01	21	990	16	<5	<20	<1	0.02	<10	48	<10	<1	87
97	L800N 6850E	<5	1.2	1.52	<5	340	10	0.37	2	19	57	125	5.56	10	0.35	344	13	<0.01	62	760	22	<5	<20	21	0.02	<10	36	<10	3	215
98	L800N 6875E	<5	0.4	0.60	10	305	<5	0.29	<1	2	15	22	1.88	<10	0.08	67	6	<0.01	9	220	12	<5	<20	16	0.01	<10	37	<10	<1	49
99	L800N 6900E	<5	1.3	0.96	10	280	<5	1.12	5	16	63	111	2.65	<10	0.48	1758	7	<0.01	70	1120	14	5	<20	54	0.02	<10	29	<10	20	152
100	L800N 6925E	<5	0.6	1.13	15	395	<5	0.42	1	10	67	44	3.23	<10	0.38	304	7	<0.01	41	510	18	<5	<20	21	0.02	<10	39	<10	4	115
101	L800N 6950E	<5	0.5	0.83	15	330	5	0.30	<1	7	66	24	2.96	<10	0.22	148	7	<0.01	27	260	16	<5	<20	11	0.04	<10	48	<10	3	66
102	L800N 6975E	<5	0.6	0.83	15	250	<5	0.84	2	13	50	82	2.68	<10	0.44	913	6	<0.01	55	870	14	<5	<20	39	0.02	<10	27	<10	10	137
103	L800N 7000E	<5	0.5	0.66	5	170	5	0.12	<1	6	26	26	2.95	<10	0.18	169	8	<0.01	20	340	14	<5	<20	4	0.02	<10	40	<10	<1	78
104	L800N 7025E	<5	0.4	0.72	15	85	5	0.05	<1	7	59	21	2.44	<10	0.28	249	5	<0.01	30	1050	12	<5	<20	<1	0.02	<10	38	<10	<1	57
105	L800N 7050E	<5	0.5	0.88	15	140	<5	0.08	<1	8	26	39	3.02	<10	0.46	325	7	<0.01	32	770	16	<5	<20	<1	0.01	<10	36	<10	<1	98
106	L800N 7075E	<5	1.1	1.10	10	290	5	0.72	2	13	85	100	2.88	10	0.44	1324	8	<0.01	74	1410	16	<5	<20	28	0.02	<10	31	<10	21	94
107	L800N 7100E	<5	0.9	0.88	15	305	<5	0.93	1	11	62	74	2.50	<10	0.32	890	8	<0.01	54	790	16	<5	<20	37	0.02	<10	30	<10	13	86
108	L800N 7125E	<5	0.9	1.15	20	415	<5	0.93	1	12	80	77	2.72	10	0.37	1060	8	<0.01	61	910	16	<5	<20	41	0.02	<10	31	<10	17	73
109	L800N 7150E	<5	0.6	1.11	15	380	<5	0.16	<1	12	85	46	3.56	<10	0.46	323	9	<0.01	67	290	20	<5	<20	5	0.02	<10	44	<10	3	109
110	L800N 7175E	<5	0.4	0.66	15	290	5	0.55	<1	4	41	25	1.72	<10	0.29	239	4	<0.01	23	250	12	<5	<20	20	0.02	<10	29	<10	2	48
111	L800N 7200E	<5	0.5	0.83	15	255	<5	0.36	<1	9	54	28	2.29	<10	0.43	252	5	<0.01	43	260	14	<5	<20	10	0.02	<10	32	<10	3	68
112	L800N 7225E	<5	0.9	1.03	15	370	<5	1.66	2	11	79	82	2.29	<10	0.41	2584	6	<0.01	81	1760	12	<5	<20	52	0.03	<10	27	<10	17	54
113	L800N 7250E	<5	0.8	1.05	15	310	5	0.96	<1	11	82	49	2.47	<10	0.51	1077	5	<0.01	55	960	14	<5	<20	34	0.02	<10	31	<10	10	65
114	L800N 7275E	<5	0.5	0.92	15	245	<5	0.83	<1	10	80	42	2.37	<10	0.51	772	4	<0.01	59	880	14	<5	<20	32	0.02	<10	31	<10	6	65
115	L800N 7300E	<5	0.4	1.09	20	235	<5	0.11	<1	14	90	37	2.93	<10	0.48	409	5	<0.01	48	360	16	<5	<20	<1	0.02	<10	34	<10	2	85
116	L800N 7325E	<5	0.2	0.66	10	80	<5	0.06	<1	8	70	16	2.24	<10	0.44	230	4	<0.01	36	300	10	<5	<20	3	0.04	<10	39	<10	<1	53
117	L800N 7350E	<5	0.4	0.72	15	80	<5	0.10	<1	11	147	20	2.67	<10	1.22	238	3	<0.01	105	510	10	10	<20	3	0.04	<10	38	<10	1	49
118	L800N 7375E	<5	0.3	0.74	15	260	5	0.14	<1	12	87	26	2.52	<10	0.63	561	5	<0.01	71	590	12	5	<20	1	0.02	<10	33	<10	2	80
119	L800N 7400E	<5	0.3	0.96	10	430	<5	0.34	<1	13	88	34	2.75	<10	0.54	729	5	<0.01	66	650	14	<5	<20	22	0.02	<10	36	<10	5	76
120	L800N 7425E	<5	0.4	0.74	10	225	5	0.47	<1	11	81	28	2.46	<10	0.57	681	4	<0.01	59	380	12	<5	<20	21	0.02	<10	33	<10	3	57
121	L800N 7450E	<5	0.2	0.69	15	135	5	0.08	<1	13	139	17	2.57	<10	0.85	284	3	<0.01	88	240	10	5	<20	3	0.03	<10	37	<10	<1	47
122	L800N 7475E	<5	0.3	0.76	15	115	10	0.10	<1	10	132	13	3.01	<10	0.53	329	3	<0.01	54	580	12	<5	<20	3	0.03	<10	46	<10	<1	64
123	L800N 7500E	<5	0.3	0.69	15	75	<5	0.10	<1	14	147	14	2.75	<10	0.80	313	3	<0.01	74	800	10	<5	<20	<1	0.03	<10	40	<10	<1	62

El #.	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Na%	Ni	P	Pb	Sb	Sn	Sr	Ti%	U	V	W	Y	Zn	
QC DATA:																															
Repeat:																															
1	L600N 6500E	<5	<0.2	1.72	5	420	10	0.41	1	18	20	53	4.41	<10	0.73	287	10	<0.01	32	590	28	<5	<20	15	0.01	<10	49	<10	2	128	
10	L600N 6725E	<5	<0.2	1.12	10	260	5	0.41	2	14	55	39	2.92	<10	0.59	1054	6	<0.01	45	480	18	<5	<20	14	0.02	<10	36	<10	6	103	
19	L600N 6950E	<5	0.3	1.58	15	270	10	0.10	<1	18	59	54	4.58	<10	0.55	505	11	<0.01	57	460	24	<5	<20	<1	0.02	<10	50	<10	<1	122	
28	L600N 7175E	<5	0.2	0.92	15	95	<5	0.08	<1	10	99	18	3.08	<10	0.71	366	4	<0.01	52	990	12	<5	<20	<1	0.04	<10	46	<10	<1	60	
36	L600N 7375E	<5	0.2	1.00	20	65	<5	0.14	<1	12	170	14	3.23	<10	1.22	339	3	<0.01	92	940	14	<5	<20	3	0.04	<10	48	<10	<1	61	
45	L700N 6575E	<5	2.2	1.19	15	100	5	0.01	<1	7	20	35	3.92	<10	0.43	156	8	<0.01	20	1010	22	<5	<20	<1	0.01	<10	53	<10	<1	88	
54	L700N 6800E	<5	0.6	1.19	15	340	5	0.48	1	13	34	40	3.33	<10	0.33	288	9	<0.01	43	570	20	<5	<20	16	0.01	<10	39	<10	3	117	
63	L700N 7025E	<5	0.2	0.98	15	190	<5	0.42	<1	12	68	60	2.97	<10	0.60	485	6	<0.01	59	560	18	<5	<20	18	0.02	<10	33	<10	6	105	
71	L700N 7225E	<5	0.5	0.91	15	240	<5	0.82	1	11	115	36	2.82	<10	0.44	1251	6	<0.01	60	1030	12	<5	<20	38	0.02	<10	41	<10	4	58	
80	L700N 7450E	<5	<0.2	0.94	15	75	5	0.04	<1	16	131	26	2.72	<10	1.00	290	4	<0.01	103	340	14	5	<20	<1	0.04	<10	36	<10	2	60	
89	L800N 6650E	<5	1.0	1.35	10	195	10	0.07	1	9	26	44	4.96	<10	0.32	295	9	<0.01	22	880	24	<5	<20	<1	0.02	<10	46	<10	<1	130	
98	L800N 6875E	<5	0.3	0.61	10	320	10	0.30	<1	2	16	23	1.96	<10	0.08	71	6	<0.01	10	230	12	<5	<20	15	0.01	<10	39	<10	<1	51	
106	L800N 7075E	<5	1.1	1.07	20	260	<5	0.71	2	12	83	98	2.82	10	0.43	1276	7	<0.01	72	1420	18	<5	<20	25	0.02	<10	30	<10	20	91	
115	L800N 7300E	<5	0.2	1.11	20	240	<5	0.10	<1	14	89	38	3.00	<10	0.48	407	6	<0.01	50	350	18	5	<20	<1	0.02	<10	35	<10	2	87	

Standard:																															
TII-3			1.5	1.03	90	45	5	0.51	<1	13	64	20	2.02	10	0.58	303	2	0.03	33	430	28	5	<20	11	0.06	<10	39	<10	7	40	
TII-3			1.4	1.04	90	40	<5	0.52	<1	12	59	19	1.97	<10	0.53	301	<1	0.02	30	490	30	<5	<20	11	0.06	<10	36	<10	7	40	
TII-3			1.5	1.09	85	40	<5	0.54	<1	12	57	19	1.95	<10	0.52	306	<1	0.02	31	470	30	5	<20	9	0.04	<10	39	<10	8	39	
TII-3			1.5	1.03	85	40	<5	0.52	<1	11	60	18	1.89	<10	0.59	314	2	0.02	29	460	28	5	<20	9	0.04	<10	37	<10	7	37	
SE29		600																													
SE29		605																													
SE29		600																													
SE29		595																													

JJ/ndw
 d/1815S
 XLS/08


 ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

Phone: 250-573-5700
 Fax : 250-573-4557

No. of samples received: 146
 Sample type: Soil
 Project Name: Fable
 Project Number: C99-1-Fable
 Submitted By: Chris Naas

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Na%	Ni	P	Pb	Sb	Sn	Sr	Ti%	U	V	W	Y	Zn
1	L1900N 6900E	30	0.6	0.90	♂	375	5	0.24	<1	3	38	49	1.77	10	0.25	639	2	0.01	19	830	6	<5	<20	20	0.02	<10	28	<10	9	50
2	L1900N 6925E	10	0.6	0.78	♂	315	10	0.20	<1	4	28	28	2.36	<10	0.19	229	3	<0.01	14	390	6	<5	<20	12	0.02	<10	35	<10	3	48
3	L1900N 6950E	<5	0.2	0.75	♂	150	10	0.08	<1	5	37	22	2.95	<10	0.24	191	4	<0.01	15	360	6	<5	<20	4	0.03	<10	44	<10	<1	48
4	L1900N 6975E	30	0.7	1.02	♂	95	5	0.02	<1	8	44	38	3.53	<10	0.38	398	4	<0.01	27	520	8	<5	<20	<1	0.03	<10	47	<10	<1	71
5	L1900N 7000E	5	0.4	0.54	♂	100	5	0.05	<1	3	19	19	1.81	<10	0.10	104	2	<0.01	10	330	4	<5	<20	<1	0.03	<10	56	<10	<1	37
6	L1900N 7025E	10	0.6	0.88	♂	160	♂	0.15	<1	11	49	27	3.05	<10	0.24	970	3	<0.01	17	500	6	<5	<20	8	0.03	<10	47	<10	<1	65
7	L1900N 7050E	5	0.6	1.17	♂	155	10	0.06	<1	10	49	39	4.58	<10	0.45	395	4	<0.01	25	470	12	<5	<20	2	0.04	<10	56	<10	<1	104
8	L1900N 7075E	20	0.2	1.04	♂	560	5	0.43	<1	9	28	58	3.28	10	0.30	655	4	0.01	23	660	14	<5	<20	36	0.03	<10	51	<10	7	97
9	L1900N 7100E	10	0.3	1.41	♂	315	♂	0.28	<1	10	59	70	3.84	10	0.45	590	4	<0.01	33	600	12	<5	<20	18	0.03	<10	46	<10	7	137
10	L1900N 7125E	<5	0.4	0.98	♂	235	♂	0.32	<1	9	65	55	3.47	10	0.37	406	5	<0.01	34	510	8	<5	<20	22	0.03	<10	45	<10	8	81
11	L1900N 7150E	15	0.3	1.25	♂	390	♂	0.47	<1	15	49	76	3.44	10	0.53	802	4	<0.01	38	800	12	<5	<20	34	0.03	<10	41	<10	11	115
12	L1900N 7175E	5	<0.2	1.12	♂	100	15	0.04	<1	8	62	25	4.25	<10	0.41	278	5	<0.01	25	450	12	<5	<20	<1	0.04	<10	51	<10	<1	55
13	L1900N 7200E	5	0.3	1.49	♂	420	♂	0.39	<1	12	58	80	3.33	10	0.61	1551	5	<0.01	44	960	12	<5	<20	25	0.03	<10	44	<10	12	124
14	L1900N 7225E	<5	0.4	0.93	♂	110	10	0.05	<1	7	48	25	2.96	<10	0.36	373	4	<0.01	23	780	8	<5	<20	<1	0.03	<10	43	<10	<1	62
15	L1900N 7250E	50	0.2	1.54	♂	85	15	0.10	<1	12	118	34	4.63	<10	0.70	357	2	<0.01	52	700	14	<5	<20	3	0.05	<10	57	<10	<1	70
16	L1900N 7275E	10	0.5	1.33	♂	395	♂	0.51	<1	18	78	110	3.71	20	0.58	1770	6	<0.01	54	920	16	<5	<20	28	0.03	<10	40	<10	31	178
17	L1900N 7300E	5	0.5	1.16	10	225	5	0.50	<1	14	70	89	3.78	10	0.65	544	4	<0.01	60	830	14	<5	<20	30	0.02	<10	35	<10	23	153
18	L1900N 7325E	5	<0.2	0.75	♂	140	♂	0.34	<1	14	67	46	2.58	<10	0.78	491	2	<0.01	64	840	8	<5	<20	19	0.03	<10	29	<10	6	88
19	L1900N 7350E	5	0.3	0.73	♂	95	♂	0.28	<1	17	67	78	2.80	<10	0.88	685	3	<0.01	82	660	10	<5	<20	9	0.03	<10	30	<10	7	102
20	L1900N 7375E	5	<0.2	0.83	♂	105	5	0.20	<1	13	69	64	2.71	<10	0.61	537	4	<0.01	93	640	8	<5	<20	6	0.03	<10	31	<10	6	102
21	L1900N 7400E	<5	0.2	1.03	♂	80	10	0.08	<1	13	120	45	4.02	<10	0.74	749	5	<0.01	65	1360	8	<5	<20	<1	0.04	<10	48	<10	<1	79
22	L1900N 7425E	<5	<0.2	0.96	10	95	5	0.06	<1	7	82	20	2.66	<10	0.50	199	2	<0.01	35	630	8	<5	<20	<1	0.03	<10	47	<10	<1	46
23	L1900N 7450E	60	<0.2	1.28	♂	110	5	0.08	<1	10	46	30	4.53	<10	0.35	324	6	<0.01	23	910	12	<5	<20	<1	0.03	<10	67	<10	<1	102
24	L1900N 7475E	5	0.3	1.12	♂	270	10	0.51	<1	12	35	58	3.23	<10	0.71	876	4	<0.01	43	1070	10	<5	<20	20	0.02	<10	40	<10	11	140
25	L1900N 7500E	5	0.2	1.16	♂	220	10	0.16	<1	9	91	27	2.82	<10	0.55	298	2	<0.01	45	300	8	<5	<20	8	0.03	<10	49	<10	1	80
26	L1900N 7525E	<5	<0.2	1.02	♂	90	10	0.18	<1	16	140	30	3.80	<10	0.67	444	2	<0.01	71	530	10	<5	<20	7	0.06	<10	59	<10	<1	74
27	L1900N 7550E	<5	0.4	1.21	♂	145	5	0.06	<1	11	57	43	4.08	<10	0.43	382	5	<0.01	33	650	12	<5	<20	<1	0.03	<10	55	<10	<1	89
28	L1900N 7575E	10	0.3	1.28	♂	145	10	0.08	<1	9	37	36	3.14	<10	0.41	377	5	<0.01	23	580	12	<5	<20	<1	0.02	<10	47	<10	<1	117
29	L1900N 7600E	5	0.3	1.33	♂	230	5	0.51	<1	12	68	53	3.28	<10	0.70	696	3	<0.01	50	370	10	<5	<20	31	0.03	<10	45	<10	10	108
30	L1900N 7625E	<5	0.3	1.34	♂	250	♂	0.91	<1	13	61	68	3.11	<10	0.81	1365	4	0.01	51	1410	10	<5	<20	57	0.03	<10	40	<10	14	159
31	L1900N 7650E	<5	0.4	1.69	♂	350	♂	0.64	1	14	63	54	4.13	<10	0.68	494	5	0.01	37	570	14	<5	<20	41	0.03	<10	63	<10	2	169
32	L1900N 7675E	5	2.2	1.11	♂	250	10	0.32	<1	7	35	29	3.63	<10	0.33	203	6	<0.01	19	550	12	<5	<20	14	0.04	<10	70	<10	<1	84
33	L1900N 7700E	10	0.2	1.29	♂	130	♂	0.20	<1	8	50	23	3.61	<10	0.36	438	4	<0.01	20	1290	10	<5	<20	6	0.04	<10	75	<10	<1	105
34	L1900N 7725E	5	0.9	1.96	♂	325	10	0.31	2	27	34	100	4.92	<10	1.21	685	9	<0.01	46	1380	22	<5	<20	10	0.03	<10	59	<10	4	222
35	L1900N 7750E	10	0.2	1.87	♂	325	10	0.39	<1	14	66	48	3.68	10	0.80	434	3	<0.01	55	680	12	<5	<20	14	0.02	<10	58	<10	8	136

Et #.	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bl	Ca%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Na%	Ni	P	Pb	Sb	Sn	Sr	Ti%	U	V	W	Y	Zn
36	L1900N 7775E	5	<0.2	1.44	<5	420	<5	0.63	<1	12	73	87	3.48	<10	0.52	946	4	<0.01	43	620	12	<5	<20	46	0.04	<10	55	<10	8	114
37	L1900N 7800E	<5	<0.2	1.32	<5	390	5	0.69	<1	11	58	67	3.28	<10	0.65	614	4	<0.01	39	620	12	<5	<20	45	0.03	<10	49	<10	6	102
38	L1900N 7825E	<5	<0.2	1.16	<5	275	<5	0.69	<1	10	69	49	2.81	<10	0.63	582	4	0.01	35	740	6	<5	<20	44	0.02	<10	44	<10	5	82
39	L1900N 7850E	<5	<0.2	1.74	<5	305	10	0.30	<1	17	71	68	3.88	<10	0.70	375	5	<0.01	53	250	12	<5	<20	11	0.03	<10	60	<10	5	90
40	L1900N 7875E	5	<0.2	1.37	<5	235	10	0.53	<1	16	64	75	3.52	<10	0.82	1120	7	<0.01	54	880	12	<5	<20	27	0.03	<10	41	<10	8	137
41	L1900N 7900E	<5	<0.2	1.71	<5	150	10	0.05	<1	9	48	46	4.32	<10	0.67	315	5	<0.01	35	230	14	<5	<20	<1	0.03	<10	53	<10	<1	84
42	L1900N 7925E	<5	0.5	1.12	<5	380	5	0.91	<1	4	36	67	2.51	<10	0.34	180	5	0.01	29	610	8	<5	<20	62	0.02	<10	43	<10	3	59
43	L1900N 7950E	<5	0.6	1.63	<5	405	<5	1.35	2	13	66	212	3.64	10	0.45	549	6	0.01	54	1340	16	<5	<20	80	0.03	<10	45	<10	24	87
44	L1900N 7975E	<5	<0.2	1.22	<5	170	10	0.06	<1	9	41	42	3.36	<10	0.44	336	6	<0.01	30	390	12	<5	<20	<1	0.03	<10	48	<10	<1	90
45	L1900N 8000E	<5	<0.2	1.35	<5	410	<5	0.36	<1	15	39	40	3.45	<10	0.53	878	5	<0.01	34	610	12	<5	<20	21	0.03	<10	47	<10	3	117
46	L1900N 8025E	<5	<0.2	1.23	<5	275	10	0.30	<1	10	28	27	3.00	<10	0.27	397	6	<0.01	17	800	14	<5	<20	15	0.02	<10	55	<10	<1	108
47	L1900N 8050E	<5	0.3	1.08	<5	345	<5	0.71	<1	14	20	46	2.60	<10	0.28	1645	5	0.01	24	640	10	<5	<20	42	0.03	<10	34	<10	3	98
48	L1900N 8075E	<5	<0.2	1.01	<5	145	5	0.21	<1	7	19	55	3.09	<10	0.41	249	4	<0.01	26	580	16	<5	<20	10	0.02	<10	29	<10	<1	84
49	L1900N 8100E	<5	0.2	1.47	5	340	5	0.75	1	18	34	70	3.28	<10	0.19	661	7	0.01	24	820	16	<5	<20	42	0.03	<10	47	<10	12	113
50	L1900N 8125E	<5	<0.2	0.70	<5	105	10	0.11	<1	6	20	34	3.09	<10	0.15	175	7	<0.01	14	550	6	<5	<20	<1	0.03	<10	48	<10	<1	59
51	L1900N 8150E	<5	<0.2	0.87	<5	350	10	0.43	<1	11	19	36	2.69	<10	0.14	1009	10	<0.01	13	700	10	<5	<20	20	0.03	<10	47	<10	<1	74
52	L1900N 8175E	<5	0.4	0.97	<5	270	5	0.71	<1	8	23	49	2.36	<10	0.19	167	5	0.01	15	600	10	<5	<20	37	0.02	<10	42	<10	7	67
53	L1900N 8200E	<5	<0.2	1.32	<5	295	10	0.41	<1	13	29	42	3.48	<10	0.60	645	5	<0.01	32	850	12	<5	<20	22	0.02	<10	44	<10	1	106
54	L1900N 8225E	<5	0.2	1.09	<5	490	<5	0.75	<1	6	18	48	2.68	<10	0.34	1091	6	<0.01	19	1000	8	<5	<20	43	0.03	<10	39	<10	2	86
55	L1900N 8250E	<5	<0.2	1.61	<5	585	<5	0.75	<1	14	35	43	3.75	<10	0.60	1093	8	<0.01	28	960	14	<5	<20	31	0.03	<10	64	<10	3	135
56	L1900N 8275E	<5	0.2	1.50	10	315	10	0.44	<1	13	52	58	3.20	10	0.65	915	5	<0.01	41	620	10	<5	<20	15	0.03	<10	56	<10	10	128
57	L1900N 8300E	<5	<0.2	2.22	<5	115	5	0.18	<1	20	63	57	5.01	<10	1.04	845	4	0.01	39	1260	14	<5	<20	<1	0.05	<10	93	<10	1	129
58	L1900N 8325E	<5	<0.2	1.01	<5	110	<5	0.16	<1	7	23	28	2.87	<10	0.23	216	3	<0.01	12	750	6	<5	<20	<1	0.06	<10	73	<10	2	49
59	L1900N 8350E	<5	<0.2	1.68	<5	225	10	0.52	<1	13	42	27	4.04	<10	0.55	630	4	0.01	22	880	12	<5	<20	20	0.05	<10	82	<10	1	129
60	L1900N 8375E	<5	<0.2	1.94	<5	320	10	0.61	<1	13	42	38	4.43	<10	0.58	696	5	0.01	25	950	14	<5	<20	24	0.04	<10	81	<10	2	143
61	L1900N 8400E	<5	0.2	1.70	<5	305	10	0.37	<1	12	31	42	3.66	<10	0.49	649	5	0.01	26	720	14	<5	<20	13	0.03	<10	57	<10	2	124
62	L1900N 8425E	<5	<0.2	1.42	<5	180	10	0.09	<1	9	23	47	3.86	10	0.43	345	6	<0.01	25	1180	14	<5	<20	<1	0.02	<10	60	<10	1	86
63	L1900N 8450E	<5	0.5	1.25	<5	90	10	0.08	<1	8	23	35	3.63	<10	0.32	311	4	<0.01	19	880	10	<5	<20	<1	0.03	<10	60	<10	<1	82
64	L1900N 8475E	<5	<0.2	1.66	<5	85	10	0.10	<1	11	32	54	4.43	<10	0.52	296	6	<0.01	28	1080	14	<5	<20	<1	0.03	<10	61	<10	2	101
65	L1900N 8500E	<5	0.7	1.51	<5	120	10	0.06	<1	10	23	51	4.42	10	0.51	337	6	<0.01	27	1630	12	<5	<20	<1	0.03	<10	55	<10	<1	94
66	L1900N 8525E	<5	0.6	1.35	<5	85	5	0.06	<1	9	23	37	3.98	10	0.34	420	4	<0.01	18	1460	10	<5	<20	<1	0.03	<10	54	<10	<1	75
67	L1900N 8550E	<5	0.7	1.71	<5	110	10	0.05	<1	14	33	73	5.47	10	0.54	356	7	<0.01	33	1300	14	<5	<20	<1	0.04	<10	67	<10	2	107
68	L1900N 8575E	<5	<0.2	1.45	<5	115	10	0.12	<1	10	29	45	4.34	<10	0.43	316	4	<0.01	24	1320	12	<5	<20	<1	0.03	<10	59	<10	<1	88
69	L1900N 8600E	<5	0.2	1.64	<5	145	10	0.23	<1	13	35	58	4.33	<10	0.54	367	4	0.01	26	1170	12	<5	<20	2	0.05	<10	72	<10	2	86
70	L1900N 8625E	<5	<0.2	1.59	<5	105	5	0.14	<1	12	32	58	4.25	<10	0.49	310	4	<0.01	26	1020	12	<5	<20	<1	0.04	<10	66	<10	1	93
71	L1900N 8650E	5	0.3	1.43	<5	105	10	0.10	<1	7	25	23	3.76	<10	0.36	272	3	<0.01	13	1410	10	<5	<20	<1	0.05	<10	77	<10	<1	68
72	L1900N 8675E	<5	0.5	1.27	<5	200	15	0.21	<1	11	34	54	4.24	10	0.30	942	6	0.01	21	910	12	<5	<20	3	0.06	<10	74	<10	2	85
73	L1900N 8700E	<5	0.3	0.82	<5	110	5	0.19	<1	6	20	33	2.30	<10	0.13	212	3	0.01	10	560	6	<5	<20	<1	0.04	<10	64	<10	2	45
74	L2000N 6900E	5	0.3	1.32	<5	320	5	0.11	<1	9	37	41	2.92	<10	0.64	640	3	<0.01	31	480	10	<5	<20	<1	0.02	<10	41	<10	2	89
75	L2000N 6925E	<5	0.7	1.15	<5	270	15	0.14	<1	5	37	25	2.82	<10	0.46	301	4	<0.01	21	390	10	<5	<20	4	0.02	<10	44	<10	1	72
76	L2000N 6950E	<5	0.5	0.88	<5	405	10	0.36	<1	10	22	31	2.78	<10	0.25	636	4	<0.01	15	440	8	<5	<20	24	0.04	<10	53	<10	2	69
77	L2000N 6975E	<5	0.4	0.93	<5	320	5	0.32	<1	8	40	43	3.36	<10	0.35	442	6	<0.01	23	510	10	<5	<20	18	0.03	<10	45	<10	2	70
78	L2000N 7000E	10	1.5	1.28	<5	185	<5	0.45	<1	11	62	120	3.22	30	0.39	981	4	<0.01	77	860	14	<5	<20	17	0.02	<10	30	<10	40	148
79	L2000N 7025E	10	0.5	0.94	<5	165	10	0.08	<1	15	57	64	4.03	<10	0.41	721	5	<0.01	34	530	10	<5	<20	<1	0.05	<10	58	<10	2	95
80	L2000N 7050E	<5	0.5	1.59	<5	310	10	0.36	<1	11	45	81	5.56	20	0.51	425	8	<0.01	29	1180	16	<5	<20	15	0.03	<10	45	<10	1	151

Et #.	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Na%	Ni	P	Pb	Sb	Sn	Sr	Ti%	U	V	W	Y	Zn
81	L2000N 7075E	<5	0.4	1.09	5	385	<5	0.35	<1	7	50	60	2.67	20	0.40	518	3	<0.01	26	560	10	<5	<20	19	0.03	<10	43	<10	17	90
82	L2000N 7100E	<5	0.3	0.65	<5	200	<5	0.22	<1	8	30	51	3.21	<10	0.18	392	8	<0.01	21	510	14	<5	<20	7	0.03	<10	57	<10	1	97
83	L2000N 7125E	<5	1.1	1.27	10	450	<5	0.79	1	9	60	178	2.97	40	0.34	1370	5	0.01	39	1270	10	<5	<20	56	0.03	<10	47	<10	42	93
84	L2000N 7150E	<5	0.6	1.15	<5	365	<5	0.58	<1	8	59	69	3.07	20	0.41	531	3	0.01	34	670	8	<5	<20	42	0.03	<10	48	<10	17	88
85	L2000N 7175E	<5	0.5	1.02	<5	305	10	0.23	<1	11	65	45	2.69	<10	0.39	886	3	<0.01	31	600	10	<5	<20	17	0.03	<10	39	<10	5	80
86	L2000N 7200E	5	0.5	1.49	<5	235	<5	0.30	<1	19	78	92	3.70	10	0.62	1135	3	<0.01	54	650	12	<5	<20	12	0.03	<10	45	<10	9	160
87	L2000N 7225E	<5	1.4	1.10	5	430	<5	2.09	2	8	46	302	1.61	80	0.15	1216	4	0.01	73	1230	8	<5	<20	174	0.03	<10	19	<10	111	60
88	L2000N 7250E	5	1.2	1.17	<5	205	<5	1.00	2	15	57	132	2.95	40	0.60	965	4	0.01	76	1160	12	<5	<20	60	0.02	<10	29	<10	51	144
89	L2000N 7275E	5	0.4	0.78	10	115	<5	0.27	<1	13	21	72	2.78	10	0.57	602	4	<0.01	35	800	10	<5	<20	7	0.02	<10	29	<10	8	119
90	L2000N 7300E	5	0.6	0.99	<5	125	5	0.30	<1	12	98	51	2.85	<10	0.77	501	3	<0.01	82	690	8	<5	<20	8	0.03	<10	35	<10	6	97
91	L2000N 7325E	5	0.6	0.73	<5	90	<5	0.31	<1	17	76	72	2.90	<10	0.81	714	4	<0.01	89	720	6	<5	<20	8	0.04	<10	32	<10	6	108
92	L2000N 7350E	<5	0.4	1.27	<5	250	15	0.16	<1	10	91	35	3.69	<10	0.62	383	3	<0.01	48	530	10	<5	<20	7	0.04	<10	51	<10	<1	77
93	L2000N 7375E	5	1.0	1.55	<5	100	10	0.05	<1	13	111	36	5.90	<10	0.61	424	6	<0.01	43	880	16	<5	<20	3	0.06	<10	67	<10	<1	83
94	L2000N 7400E	<5	0.4	1.65	<5	135	10	0.14	<1	10	113	24	4.22	<10	0.41	212	4	<0.01	41	360	14	<5	<20	2	0.05	<10	74	<10	<1	94
95	L2000N 7425E	<5	0.5	1.13	<5	90	<5	0.06	<1	9	108	22	3.48	<10	0.34	236	3	<0.01	37	640	8	<5	<20	2	0.06	<10	67	<10	<1	55
96	L2000N 7450E	5	0.3	1.02	<5	65	10	0.10	<1	8	85	17	4.04	<10	0.48	343	2	<0.01	28	1780	8	<5	<20	<1	0.06	<10	57	<10	<1	53
97	L2000N 7475E	<5	0.5	1.10	<5	140	10	0.26	<1	11	104	28	2.60	<10	0.74	251	1	<0.01	62	430	8	<5	<20	9	0.03	<10	38	<10	3	68
98	L2000N 7500E	5	0.5	0.98	<5	235	<5	0.46	<1	15	24	77	3.22	10	0.63	874	5	<0.01	44	740	12	<5	<20	18	0.03	<10	38	<10	8	147
99	L2000N 7525E	5	0.5	0.95	<5	145	10	0.52	<1	19	70	61	3.43	10	0.82	1281	4	<0.01	92	880	8	<5	<20	17	0.04	<10	38	<10	8	109
100	L2000N 7550E	5	0.5	0.87	5	115	<5	0.44	<1	16	69	69	2.76	<10	0.85	834	3	<0.01	83	860	8	<5	<20	17	0.04	<10	33	<10	8	100
101	L2000N 7575E	5	0.6	1.39	<5	325	<5	0.87	<1	11	81	46	3.03	<10	0.63	609	3	0.01	47	520	10	<5	<20	37	0.03	<10	53	<10	4	96
102	L2000N 7600E	15	0.7	1.82	<5	175	10	0.30	1	22	85	77	4.08	10	1.11	602	4	<0.01	101	950	16	5	<20	<1	0.03	<10	49	<10	8	145
103	L2000N 7625E	80	0.5	1.57	<5	135	15	0.13	<1	11	62	43	3.97	<10	0.78	490	4	<0.01	49	1210	14	<5	<20	<1	0.03	<10	59	<10	1	104
104	L2000N 7650E	5	0.5	1.74	<5	210	10	0.30	<1	13	78	50	3.81	10	0.76	531	4	<0.01	50	1870	12	<5	<20	<1	0.03	<10	57	<10	4	121
105	L2000N 7675E	<5	0.9	1.70	<5	180	10	0.37	1	22	45	27	4.26	10	0.61	1124	3	<0.01	33	1470	14	<5	<20	4	0.04	<10	61	<10	2	136
106	L2000N 7700E	<5	0.3	1.28	<5	190	15	0.09	1	8	40	24	3.62	<10	0.48	405	5	<0.01	23	990	14	<5	<20	<1	0.03	<10	65	<10	<1	79
107	L2000N 7725E	<5	0.7	1.92	<5	435	15	0.41	2	11	40	50	4.32	<10	0.88	300	7	<0.01	37	540	20	<5	<20	8	0.02	<10	59	<10	<1	128
108	L2000N 7750E	<5	0.3	1.40	5	275	<5	0.62	1	14	63	64	3.23	<10	0.82	517	5	<0.01	61	520	16	<5	<20	19	0.02	<10	42	<10	6	88
109	L2000N 7775E	<5	<0.2	1.29	5	395	<5	1.06	1	13	59	71	3.08	<10	0.80	887	5	0.01	48	930	12	<5	<20	54	0.03	<10	51	<10	7	91
110	L2000N 7800E	<5	0.5	1.31	<5	370	10	1.53	2	13	64	94	2.83	<10	0.67	1099	6	0.02	54	1330	12	<5	<20	87	0.03	<10	45	<10	13	86
111	L2000N 7825E	30	0.2	1.28	<5	220	<5	0.68	2	16	65	76	3.27	<10	0.91	1287	7	0.01	58	800	12	<5	<20	33	0.03	<10	44	<10	8	105
112	L2000N 7850E	10	0.2	1.28	<5	240	10	0.61	1	15	81	41	3.43	<10	0.84	631	6	0.01	52	600	14	<5	<20	29	0.02	<10	45	<10	4	124
113	L2000N 7875E	5	0.4	1.15	5	260	<5	1.04	2	13	56	87	2.63	<10	0.58	1298	8	0.01	46	1410	14	<5	<20	56	0.03	<10	30	<10	7	78
114	L2000N 7900E	5	0.9	1.21	5	230	<5	0.72	1	12	64	106	2.91	<10	0.39	347	7	0.01	53	550	16	<5	<20	38	0.03	<10	35	<10	11	68
115	L2000N 7925E	<5	0.3	1.17	<5	225	<5	0.54	1	11	66	51	2.71	<10	0.70	570	7	0.01	44	600	14	<5	<20	27	0.02	<10	37	<10	3	85
116	L2000N 7950E	<5	0.3	1.06	<5	265	<5	0.69	3	16	52	95	2.70	<10	0.60	2594	12	0.01	76	1190	10	<5	<20	33	0.04	<10	33	<10	8	89
117	L2000N 7975E	<5	<0.2	1.36	10	415	<5	0.74	1	17	48	59	3.62	<10	0.52	883	8	0.01	39	630	18	<5	<20	45	0.04	<10	52	<10	6	92
118	L2000N 8000E	<5	0.2	1.30	10	420	<5	0.46	1	12	33	58	3.08	<10	0.51	727	7	0.01	38	570	18	<5	<20	23	0.03	<10	39	<10	5	114
119	L2000N 8025E	<5	0.3	1.25	<5	310	5	0.18	1	16	39	53	3.31	<10	0.42	650	9	0.01	32	590	16	<5	<20	1	0.03	<10	48	<10	4	98
120	L2000N 8050E	<5	<0.2	0.94	<5	345	<5	0.39	1	9	33	61	2.98	<10	0.28	385	8	0.01	24	490	16	<5	<20	17	0.03	<10	48	<10	3	71
121	L2000N 8075E	<5	0.2	0.62	<5	180	5	0.13	<1	4	14	61	2.78	<10	0.08	95	22	<0.01	14	390	12	<5	<20	<1	0.02	<10	49	<10	<1	60
122	L2000N 8100E	5	0.2	1.00	<5	260	15	0.60	2	17	28	79	5.18	10	0.52	842	14	0.01	42	780	18	<5	<20	30	0.03	<10	30	<10	5	90
123	L2000N 8125E	5	0.6	1.15	<5	255	<5	0.93	3	15	29	63	2.94	<10	0.68	1668	7	0.01	52	1510	14	<5	<20	47	0.03	<10	29	<10	9	125
124	L2000N 8150E	<5	<0.2	1.08	<5	140	<5	0.50	1	14	24	52	3.10	<10	0.75	1018	8	<0.01	40	1060	14	<5	<20	18	0.02	<10	30	<10	5	120
125	L2000N 8175E	<5	<0.2	1.09	<5	310	5	0.28	<1	9	20	53	3.44	<10	0.40	533	10	<0.01	25	680	16	<5	<20	5	0.02	<10	50	<10	<1	82

Et #.	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bl	Ca%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Na%	Ni	P	Pb	Sb	Sn	Sr	Tl%	U	V	W	Y	Zn
126	L2000N 8200E	5	0.2	1.41	<5	315	<5	0.45	1	15	36	52	3.51	10	0.79	917	6	<0.01	40	1000	18	<5	<20	13	0.02	<10	41	<10	10	133
127	L2000N 8225E	<5	<0.2	1.28	<5	315	<5	0.21	1	10	20	41	3.86	10	0.30	427	10	<0.01	19	770	22	<5	<20	1	0.02	<10	46	<10	<1	109
128	L2000N 8250E	<5	0.7	1.87	<5	430	5	1.39	2	17	23	38	5.03	20	0.80	1341	7	<0.01	36	6690	16	<5	<20	16	0.03	<10	50	<10	19	192
129	L2000N 8275E	5	0.2	1.31	<5	285	10	0.42	2	16	19	61	3.53	10	0.83	865	8	<0.01	42	960	20	<5	<20	11	0.02	<10	36	<10	9	151
130	L2000N 8300E	5	0.3	2.08	15	315	<5	0.05	2	31	23	126	4.58	10	0.89	2815	18	<0.01	89	890	24	<5	<20	<1	0.03	<10	41	<10	4	266
131	L2000N 8325E	<5	0.5	1.53	<5	185	10	0.04	<1	9	20	60	5.66	10	0.44	385	14	<0.01	25	1780	24	<5	<20	<1	0.03	<10	52	<10	2	117
132	L2000N 8350E	10	0.6	1.28	<5	245	5	0.18	2	11	25	46	3.86	<10	0.46	520	9	<0.01	26	940	18	<5	<20	<1	0.03	<10	59	<10	<1	103
133	L2000N 8375E	<5	0.3	1.73	<5	145	<5	0.05	<1	12	35	64	4.57	10	0.67	593	9	<0.01	30	1610	20	<5	<20	<1	0.03	<10	68	<10	2	102
134	L2000N 8400E	<5	0.3	1.43	10	130	<5	0.06	<1	11	23	48	3.59	10	0.41	486	7	<0.01	21	1080	18	<5	<20	<1	0.02	<10	55	<10	<1	83
135	L2000N 8425E	5	0.2	1.48	10	125	<5	0.05	1	12	26	54	4.51	10	0.48	353	9	<0.01	31	1100	18	<5	<20	<1	0.02	<10	51	<10	<1	104
136	L2000N 8450E	5	0.4	1.44	<5	135	10	0.06	1	12	28	58	4.50	10	0.38	449	9	<0.01	28	1160	20	<5	<20	<1	0.03	<10	55	<10	<1	101
137	L2000N 8475E	5	0.9	1.18	<5	130	5	0.14	1	12	26	50	4.33	10	0.39	554	7	<0.01	24	1430	14	<5	<20	<1	0.05	<10	68	<10	<1	79
138	L2000N 8500E	5	0.5	1.23	<5	110	5	0.12	2	11	22	52	3.90	10	0.42	353	8	0.01	28	1440	14	<5	<20	<1	0.03	<10	55	<10	<1	94
139	L2000N 8525E	<5	0.6	1.42	<5	145	10	0.08	1	12	29	70	4.46	10	0.47	465	9	0.01	31	1070	20	<5	<20	<1	0.03	<10	55	<10	2	89
140	L2000N 8550E	<5	0.5	1.13	<5	120	5	0.18	1	9	22	42	3.72	10	0.30	475	7	0.01	20	1470	16	<5	<20	<1	0.04	<10	66	<10	1	69
141	L2000N 8575E	5	0.3	1.74	<5	170	5	0.10	1	12	34	63	4.64	10	0.53	344	9	<0.01	29	930	18	<5	<20	<1	0.03	<10	69	<10	2	97
142	L2000N 8600E	<5	0.4	0.93	<5	115	5	0.15	<1	8	18	46	2.85	10	0.17	302	7	<0.01	15	870	16	<5	<20	<1	0.05	<10	58	<10	2	60
143	L2000N 8625E	5	<0.2	1.56	<5	140	<5	0.18	<1	14	38	59	5.03	10	0.52	940	5	0.01	24	1380	18	<5	<20	<1	0.08	<10	83	<10	3	90
144	L2000N 8650E	<5	<0.2	1.63	<5	210	20	0.30	1	19	49	38	5.51	10	0.37	3026	6	0.01	18	1710	16	<5	<20	<1	0.16	<10	120	<10	4	68
145	L2000N 8675E	<5	<0.2	1.75	<5	210	10	0.31	1	18	59	47	5.74	10	0.49	2757	4	0.01	21	1960	12	<5	<20	<1	0.16	<10	135	<10	3	76
146	L2000N 8700E	<5	<0.2	1.95	<5	320	15	0.30	1	21	54	74	4.84	10	0.76	1921	7	0.01	30	870	16	10	<20	<1	0.10	<10	91	<10	5	90

QC DATA:

Repeat:

1	L1900N 6900E		0.5	0.95	<5	395	5	0.25	<1	3	41	49	1.87	10	0.26	655	2	<0.01	21	860	8	<5	<20	22	0.02	<10	29	<10	9	53
5	L1900N 7000E	5																												
10	L1900N 7125E	<5	0.4	1.02	<5	235	5	0.34	<1	10	66	56	3.56	10	0.39	414	4	<0.01	34	530	10	<5	<20	21	0.03	<10	45	<10	8	82
19	L1900N 7350E		0.2	0.74	<5	95	<5	0.28	<1	17	69	74	2.78	<10	0.89	687	3	<0.01	83	680	10	<5	<20	6	0.04	<10	30	<10	7	102
28	L1900N 7575E		0.3	1.32	<5	155	5	0.08	<1	10	38	36	3.17	<10	0.42	381	5	<0.01	23	600	12	<5	<20	<1	0.02	<10	48	<10	<1	119
35	L1900N 7750E	<5																												
36	L1900N 7775E		0.2	1.48	<5	425	10	0.63	1	12	74	87	3.53	<10	0.54	957	4	0.01	43	630	14	<5	<20	45	0.04	<10	57	<10	7	117
42	L1900N 7925E	<5																												
45	L1900N 8000E		<0.2	1.42	<5	420	10	0.37	<1	15	40	41	3.55	<10	0.56	882	6	<0.01	36	630	14	<5	<20	18	0.03	<10	49	<10	4	122
53	L1900N 8200E	<5																												
54	L1900N 8225E		<0.2	1.08	<5	490	5	0.75	<1	6	18	48	2.65	<10	0.33	1088	5	<0.01	18	1000	10	<5	<20	42	0.03	<10	39	<10	2	84
62	L1900N 8425E	<5																												
63	L1900N 8450E		0.6	1.24	<5	90	5	0.07	<1	9	23	34	3.56	<10	0.32	301	4	<0.01	18	870	10	<5	<20	<1	0.03	<10	59	<10	1	82
64	L1900N 8475E	<5																												
71	L1900N 8650E	5	0.3	1.40	<5	105	10	0.10	<1	8	25	23	3.80	<10	0.35	274	3	<0.01	15	1450	12	<5	<20	<1	0.05	<10	76	<10	<1	69
80	L2000N 7050E		0.5	1.52	<5	305	<5	0.36	<1	11	43	80	5.41	20	0.50	417	7	<0.01	28	1160	18	<5	<20	8	0.03	<10	43	<10	2	147
86	L2000N 7200E	5																												
89	L2000N 7275E	5	0.4	0.76	<5	110	10	0.27	<1	13	20	71	2.73	10	0.56	597	4	<0.01	33	800	10	<5	<20	4	0.02	<10	28	<10	8	116
98	L2000N 7500E		0.6	0.98	<5	230	<5	0.45	<1	15	24	77	3.24	<10	0.63	869	5	<0.01	43	750	12	<5	<20	18	0.02	<10	37	<10	8	148
99	L2000N 7525E	5																												
106	L2000N 7700E		0.2	1.33	<5	200	10	0.10	1	8	40	26	3.74	<10	0.50	421	5	<0.01	23	1000	14	<5	<20	<1	0.03	<10	67	<10	<1	79
109	L2000N 7775E	<5																												
115	L2000N 7925E		0.4	1.16	<5	230	<5	0.55	<1	12	70	52	2.79	<10	0.71	608	7	0.01	47	630	12	<5	<20	30	0.02	<10	38	<10	3	86
118	L2000N 8000E	<5																												
124	L2000N 8150E		<0.2	1.08	<5	130	<5	0.47	1	14	23	65	3.06	<10	0.78	966	7	<0.01	41	1020	12	<5	<20	18	0.02	<10	31	<10	5	117
130	L2000N 8300E	<5																												
133	L2000N 8375E		0.2	1.73	<5	140	10	0.05	<1	12	35	63	4.60	10	0.67	619	9	<0.01	30	1630	16	<5	<20	<1	0.03	<10	68	<10	1	102
135	L2000N 8425E	<5																												
141	L2000N 8575E	<5	0.3	1.77	<5	175	<5	0.10	1	11	34	63	4.67	10	0.52	351	9	<0.01	29	910	18	<5	<20	<1	0.03	<10	70	<10	1	98

Et #.	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bl	Ca%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Na%	Ni	P	Pb	Sb	Sn	Sr	Ti%	U	V	W	Y	Zn
Standard:																														
TiH3			1.4	1.01	80	40	5	0.48	<1	12	60	23	2.01	<10	0.57	297	<1	0.03	29	460	28	<5	<20	11	0.07	<10	36	<10	10	39
TiH3			1.5	1.01	90	40	5	0.49	<1	12	61	22	2.01	<10	0.58	304	<1	0.03	30	450	30	<5	<20	11	0.07	<10	37	<10	10	39
TiH3			1.4	1.00	80	40	5	0.48	<1	12	60	21	1.99	10	0.58	304	<1	0.03	30	480	30	<5	<20	9	0.07	<10	36	<10	10	38
TiH3			1.4	0.98	75	45	10	0.46	1	12	59	21	2.01	10	0.57	302	2	0.03	29	480	34	<5	<20	8	0.07	<10	35	<10	10	40
TiH3			1.5	1.02	90	45	5	0.49	<1	12	61	23	2.07	10	0.58	297	1	0.03	30	480	34	<5	<20	9	0.08	<10	37	<10	10	40
SE29		590																												
SE29		590																												
SE29		600																												
SE29		595																												
SE29		600																												


 ECO TECH LABORATORY LTD.
 Jutta Jealouse
 B.C. Certified Assayer

JJ/ndw
 dt/1822AS/BS
 XLS/08

Phone: 250-573-5700
 Fax : 250-573-4557

No. of samples received: 167
 Sample type: Soil
 Project Name: C99-1-Fable
 Submitted By: Chris Naas

Values in ppm unless otherwise reported

Et #.	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Na%	Ni	P	Pb	Sb	Sn	Sr	Ti%	U	V	W	Y	Zn
1	L2100N 6900E	<5	<0.2	1.28	<5	495	15	0.24	1	12	74	39	3.79	<10	0.36	1076	7	<0.01	34	640	14	♂	<20	14	0.03	<10	50	<10	<1	129
2	L2100N 6925E	<5	0.5	0.99	<5	150	5	0.06	<1	12	50	29	4.14	<10	0.16	843	6	<0.01	20	1490	14	♂	<20	<1	0.04	<10	63	<10	<1	72
3	L2100N 6950E	<5	0.3	1.28	10	325	<5	0.36	<1	9	46	55	3.45	<10	0.37	310	6	<0.01	37	600	16	♂	<20	15	0.02	<10	39	<10	<1	108
4	L2100N 6975E	<5	0.4	1.38	5	1110	5	0.39	3	15	52	57	4.09	10	0.36	5046	11	<0.01	31	890	12	♂	<20	12	0.06	<10	71	<10	3	212
5	L2100N 7000E	10	<0.2	1.19	5	155	5	0.09	<1	15	94	45	4.19	<10	0.47	673	7	<0.01	43	530	18	♂	<20	<1	0.03	<10	48	<10	<1	98
6	L2100N 7025E	<5	<0.2	1.02	<5	590	5	0.58	<1	6	47	46	3.01	20	0.21	659	6	<0.01	23	570	14	♂	<20	30	0.03	<10	50	<10	8	68
7	L2100N 7050E	10	<0.2	0.73	<5	245	10	0.08	<1	5	55	27	2.40	<10	0.18	241	6	<0.01	23	310	10	♂	<20	<1	0.03	<10	47	<10	<1	55
8	L2100N 7075E	5	1.0	1.46	<5	810	<5	1.33	1	4	74	141	3.04	20	0.27	1121	6	0.01	45	2010	20	♂	<20	85	0.02	<10	33	<10	30	125
9	L2100N 7100E	<5	0.2	1.41	5	665	5	0.83	<1	12	80	126	3.42	20	0.46	2419	6	0.01	50	1400	18	♂	<20	47	0.04	<10	39	<10	29	135
10	L2100N 7125E	<5	0.3	1.11	10	485	10	0.62	<1	7	55	77	3.31	20	0.31	453	6	<0.01	32	620	18	♂	<20	31	0.03	<10	42	<10	11	77
11	L2100N 7150E	<5	0.4	0.99	<5	295	5	0.63	<1	10	77	87	2.70	20	0.56	622	5	<0.01	53	1230	14	♂	<20	35	0.02	<10	29	<10	22	94
12	L2100N 7175E	<5	0.3	0.94	5	510	<5	0.57	1	6	52	64	2.48	10	0.24	787	5	<0.01	27	990	14	♂	<20	40	0.02	<10	32	<10	14	72
13	L2100N 7200E	<5	0.6	0.94	10	195	<5	0.42	1	15	58	70	3.14	10	0.59	861	7	<0.01	54	1070	20	♂	<20	12	0.02	<10	31	<10	14	118
14	L2100N 7225E	<5	<0.2	0.72	<5	135	10	0.24	1	14	41	72	2.79	10	0.52	458	7	<0.01	51	710	14	♂	<20	4	0.02	<10	27	<10	5	113
15	L2100N 7250E	<5	<0.2	0.93	5	230	<5	0.19	2	14	31	80	3.31	10	0.51	543	9	<0.01	38	900	18	♂	<20	<1	0.02	<10	33	<10	4	176
16	L2100N 7275E	<5	0.2	1.07	<5	165	<5	0.09	1	11	60	69	3.48	10	0.46	448	8	<0.01	42	730	16	♂	<20	<1	0.02	<10	40	<10	<1	149
17	L2100N 7300E	<5	<0.2	1.20	<5	170	10	0.18	1	12	136	23	3.70	<10	0.69	320	5	<0.01	68	1100	14	♂	<20	2	0.04	<10	61	<10	<1	98
18	L2100N 7325E	<5	<0.2	1.39	<5	180	<5	0.09	1	10	82	57	4.81	10	0.49	262	9	<0.01	43	970	18	♂	<20	<1	0.03	<10	69	<10	<1	182
19	L2100N 7350E	<5	0.4	1.76	10	160	<5	0.09	1	15	116	38	4.14	<10	0.62	317	6	<0.01	56	710	18	♂	<20	<1	0.05	<10	63	<10	<1	141
20	L2100N 7375E	<5	0.4	2.08	15	240	<5	0.12	2	15	123	53	5.35	10	0.79	772	8	<0.01	73	1760	22	♂	<20	<1	0.03	<10	69	<10	<1	169
21	L2100N 7400E	<5	<0.2	1.53	<5	150	10	0.07	<1	10	92	25	3.84	<10	0.55	248	5	<0.01	44	830	18	♂	<20	<1	0.04	<10	61	<10	<1	117
22	L2100N 7425E	<5	<0.2	1.14	5	115	5	0.10	<1	6	52	16	2.78	<10	0.26	221	5	<0.01	21	1040	14	♂	<20	<1	0.02	<10	50	<10	<1	79
23	L2100N 7450E	<5	<0.2	1.49	<5	165	10	0.06	2	12	58	67	4.40	10	0.70	273	8	<0.01	49	1370	22	♂	<20	<1	0.02	<10	45	<10	<1	117
24	L2100N 7475E	<5	<0.2	1.04	5	200	<5	0.50	1	14	98	59	3.27	10	0.95	898	5	<0.01	66	1200	14	♂	<20	13	0.03	<10	40	<10	9	118
25	L2100N 7500E	<5	<0.2	1.12	5	210	5	0.27	<1	13	23	40	3.21	<10	0.44	619	7	<0.01	26	880	20	♂	<20	1	0.02	<10	53	<10	2	123
26	L2100N 7525E	<5	<0.2	1.05	<5	220	<5	0.72	1	12	76	53	2.75	<10	0.75	815	7	0.01	67	930	16	10	<20	36	0.02	<10	36	<10	6	96
27	L2100N 7550E	<5	<0.2	1.24	10	215	<5	0.29	<1	6	65	11	2.65	<10	0.46	197	5	<0.01	25	250	16	♂	<20	19	0.03	<10	60	<10	<1	60
28	L2100N 7575E	<5	0.7	1.20	<5	425	10	0.32	1	14	71	52	3.94	10	0.51	569	8	<0.01	44	770	18	♂	<20	16	0.02	<10	59	<10	3	110
29	L2100N 7600E	<5	0.3	1.32	10	380	5	1.10	2	13	44	49	3.59	10	0.57	1487	6	0.01	37	2150	16	♂	<20	51	0.03	<10	47	<10	14	133
30	L2100N 7625E	10	<0.2	1.49	<5	425	<5	0.54	2	16	31	49	4.01	10	0.57	698	8	<0.01	31	640	20	♂	<20	26	0.02	<10	57	<10	5	126
31	L2100N 7650E	<5	<0.2	1.32	15	315	5	0.38	1	12	51	50	3.13	10	0.77	652	7	<0.01	48	780	16	5	<20	14	0.02	<10	42	<10	9	97
32	L2100N 7675E	<5	0.4	1.39	<5	365	5	0.55	2	12	53	64	3.22	10	0.67	881	9	<0.01	46	970	18	♂	<20	26	0.02	<10	46	<10	13	101
33	L2100N 7700E	<5	0.2	1.32	<5	325	<5	0.19	<1	9	39	45	3.16	<10	0.55	426	6	<0.01	31	470	16	♂	<20	3	0.02	<10	44	<10	2	85
34	L2100N 7725E	<5	0.2	1.25	<5	155	10	0.06	1	8	34	36	4.51	10	0.40	219	8	<0.01	25	750	20	♂	<20	<1	0.04	<10	51	<10	<1	61
35	L2100N 7750E	15	0.2	1.14	10	275	<5	0.73	2	11	46	63	2.70	<10	0.63	903	6	<0.01	46	960	14	♂	<20	39	0.02	<10	34	<10	8	84

Et #.	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bi	Ce%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Na%	Ni	P	Pb	Sb	Sn	Sr	Ti%	U	V	W	Y	Zn
36	L2100N 7775E	♂	0.7	1.19	<5	250	5	0.76	2	13	37	80	3.20	<10	0.83	975	7	<0.01	43	1030	16	<5	<20	40	0.02	<10	33	<10	9	93
37	L2100N 7800E	120	0.3	1.16	10	305	10	0.72	1	10	49	61	2.90	<10	0.64	546	7	0.01	45	870	30	<5	<20	57	0.02	<10	34	<10	7	102
38	L2100N 7825E	20	0.4	1.34	10	520	<5	0.86	1	10	52	47	3.17	<10	0.82	672	8	<0.01	38	680	18	<5	<20	41	0.02	<10	41	<10	2	129
39	L2100N 7850E	♂	0.9	1.17	10	545	<5	1.06	<1	8	44	70	2.61	<10	0.48	582	6	<0.01	35	1340	14	<5	<20	73	0.02	<10	33	<10	10	69
40	L2100N 7875E	♂	0.6	1.41	15	420	5	0.57	1	11	64	75	3.42	<10	0.79	742	9	<0.01	55	970	18	<5	<20	37	0.02	<10	41	<10	7	121
41	L2100N 7900E	♂	0.3	1.29	10	415	10	0.21	<1	8	58	32	3.13	<10	0.82	361	8	<0.01	34	540	16	<5	<20	15	0.02	<10	46	<10	1	106
42	L2100N 7925E	♂	1.0	1.41	15	495	<5	0.70	1	11	56	73	3.28	<10	0.66	937	12	0.01	54	1380	18	<5	<20	68	0.02	<10	37	<10	13	141
43	L2100N 7950E	♂	0.4	1.24	<5	435	<5	0.32	<1	11	44	56	3.24	<10	0.77	435	8	<0.01	46	640	18	<5	<20	24	0.01	<10	32	<10	7	112
44	L2100N 7975E	♂	0.3	1.17	5	305	10	0.14	<1	12	45	51	2.94	<10	0.61	470	8	<0.01	47	590	16	<5	<20	3	0.02	<10	39	<10	4	105
45	L2100N 8000E	♂	0.8	1.68	<5	355	<5	0.18	1	14	65	56	3.77	<10	0.67	558	9	<0.01	51	880	16	<5	<20	14	0.02	<10	57	<10	5	94
46	L2100N 8025E	♂	0.5	1.45	<5	95	10	0.05	1	9	54	35	4.36	10	0.50	315	7	<0.01	34	1760	18	<5	<20	<1	0.02	<10	53	<10	<1	86
47	L2100N 8050E	♂	0.7	1.60	5	100	<5	0.02	<1	11	45	37	4.06	10	0.39	509	8	<0.01	27	1370	18	<5	<20	<1	0.02	<10	52	<10	<1	90
48	L2100N 8075E	♂	0.3	1.67	10	105	5	0.02	<1	9	58	42	4.03	<10	0.54	387	7	<0.01	30	1410	20	<5	<20	<1	0.02	<10	54	<10	<1	88
49	L2100N 8100E	♂	0.4	1.10	<5	120	10	0.02	<1	7	30	34	3.99	10	0.33	266	9	<0.01	22	1960	18	<5	<20	<1	0.02	<10	64	<10	<1	68
50	L2100N 8125E	♂	0.9	1.42	5	115	<5	0.03	<1	10	45	35	5.27	10	0.47	399	10	<0.01	27	1820	20	<5	<20	<1	0.03	<10	64	<10	<1	97
51	L2100N 8150E	♂	1.1	1.54	<5	135	15	0.05	2	11	36	51	4.54	10	0.73	552	10	<0.01	35	1690	22	<5	<20	<1	0.02	<10	49	<10	<1	142
52	L2100N 8175E	♂	0.9	1.41	<5	175	25	0.10	<1	12	52	32	5.82	10	0.50	603	10	<0.01	29	1700	22	<5	<20	<1	0.04	<10	73	<10	<1	128
53	L2100N 8200E	♂	0.2	0.95	<5	235	10	0.33	3	17	27	28	4.88	20	0.17	1771	7	<0.01	26	3330	16	<5	<20	<1	0.04	<10	59	<10	12	184
54	L2100N 8225E	♂	<0.2	1.50	<5	245	10	0.20	2	12	29	28	3.59	10	0.40	692	5	<0.01	28	1350	16	<5	<20	<1	0.02	<10	46	<10	4	144
55	L2100N 8250E	♂	0.2	1.40	<5	205	10	0.22	1	9	24	40	4.07	10	0.55	302	7	<0.01	24	1190	20	<5	<20	<1	0.02	<10	51	<10	<1	96
56	L2100N 8275E	♂	0.8	1.42	<5	330	5	0.61	1	16	26	42	3.98	10	0.30	1403	8	<0.01	18	1860	16	<5	<20	30	0.03	<10	61	<10	<1	106
57	L2100N 8300E	♂	0.4	1.79	<5	250	<5	0.15	3	21	26	111	4.72	10	1.13	852	12	<0.01	54	1420	26	<5	<20	<1	0.02	<10	46	<10	9	174
58	L2100N 8325E	105	0.7	1.38	<5	145	10	0.08	<1	13	27	38	4.59	10	0.43	1150	8	<0.01	22	2770	18	<5	<20	<1	0.03	<10	76	<10	<1	92
59	L2100N 8350E	♂	0.6	1.23	<5	135	5	0.03	<1	8	19	53	4.25	10	0.34	385	10	<0.01	23	1790	22	<5	<20	<1	0.02	<10	65	<10	<1	84
60	L2100N 8375E	♂	1.5	1.31	<5	130	10	0.04	<1	10	23	65	4.27	10	0.48	457	9	<0.01	29	1680	18	<5	<20	<1	0.02	<10	50	<10	1	99
61	L2100N 8400E	♂	0.6	1.36	<5	160	5	0.02	1	14	29	117	6.00	20	0.43	415	12	<0.01	48	2210	22	<5	<20	<1	0.02	<10	44	<10	<1	143
62	L2100N 8425E	♂	0.9	1.48	10	135	10	0.06	1	12	27	70	4.34	10	0.47	525	9	<0.01	29	1310	20	<5	<20	<1	0.02	<10	50	<10	1	104
63	L2100N 8450E	♂	1.1	1.24	<5	175	<5	0.07	1	10	24	80	4.38	10	0.25	633	9	<0.01	23	1530	14	<5	<20	<1	0.02	<10	52	<10	<1	92
64	L2100N 8475E	♂	0.6	1.29	<5	125	15	0.12	1	9	31	34	4.50	10	0.19	362	7	<0.01	14	1030	20	<5	<20	<1	0.09	<10	81	<10	2	66
65	L2100N 8500E	♂	0.7	1.79	<5	120	5	0.19	1	16	48	94	4.60	10	0.66	541	9	<0.01	36	920	16	<5	<20	<1	0.06	<10	69	<10	3	94
66	L2100N 8525E	♂	1.1	1.31	<5	110	10	0.05	<1	18	23	98	3.94	10	0.45	441	10	<0.01	39	510	20	<5	<20	<1	0.02	<10	40	<10	2	111
67	L2100N 8550E	♂	0.9	1.51	10	170	<5	0.10	<1	12	30	68	4.71	10	0.50	579	9	0.01	29	1410	20	<5	<20	<1	0.03	<10	65	<10	1	91
68	L2100N 8575E	♂	0.4	1.90	<5	170	5	0.20	<1	17	51	80	6.05	10	0.67	1227	6	0.01	30	2010	16	<5	<20	<1	0.08	<10	90	<10	1	101
69	L2100N 8600E	♂	<0.2	1.83	<5	110	10	0.19	<1	14	57	48	5.31	10	0.55	669	5	<0.01	24	1660	16	<5	<20	<1	0.10	<10	88	<10	2	84
70	L2100N 8625E	♂	0.4	1.54	<5	235	10	0.34	<1	15	48	57	4.37	20	0.35	1714	5	0.01	20	1270	14	<5	<20	<1	0.09	<10	100	<10	17	64
71	L2100N 8650E	♂	<0.2	1.87	<5	110	5	0.31	1	14	52	42	4.81	10	0.70	834	7	<0.01	24	1420	18	5	<20	<1	0.09	<10	91	<10	3	63
72	L2100N 8675E	♂	0.3	1.82	<5	105	15	0.15	<1	11	44	39	5.08	10	0.53	374	7	<0.01	23	1320	24	<5	<20	<1	0.07	<10	82	<10	2	77
73	L2100N 8700E	♂	0.4	1.40	<5	95	10	0.18	<1	9	36	33	4.14	<10	0.40	274	6	<0.01	18	1040	20	<5	<20	<1	0.08	<10	75	<10	3	55
74	L8300E 2100N	♂	0.5	1.14	<5	140	<5	0.03	<1	9	20	34	3.63	10	0.37	578	9	<0.01	21	1590	22	<5	<20	<1	0.02	<10	54	<10	<1	78
75	L8300E 2125N	♂	0.3	1.39	<5	150	10	0.06	1	19	28	62	4.71	10	0.52	1142	9	<0.01	31	1930	22	<5	<20	<1	0.02	<10	58	<10	1	136
76	L8300E 2150N	♂	0.4	1.08	<5	125	<5	0.04	<1	8	18	39	3.95	10	0.30	460	9	<0.01	19	1610	20	<5	<20	<1	0.02	<10	54	<10	<1	73
77	L8300E 2175N	♂	1.7	1.14	<5	340	<5	0.88	2	9	25	71	2.88	10	0.43	567	11	<0.01	32	1140	20	<5	<20	65	0.02	<10	39	<10	10	101
78	L8300E 2200N	♂	0.9	1.43	<5	250	10	0.12	1	16	20	74	4.71	10	0.34	461	15	<0.01	41	1070	26	<5	<20	5	0.02	<10	46	<10	2	125
79	L8300E 2225N	♂	1.3	1.24	<5	350	<5	1.23	1	12	25	96	3.16	20	0.54	576	11	<0.01	45	1100	20	<5	<20	90	0.02	<10	38	<10	9	112
80	L8300E 2250N	♂	0.6	1.32	5	300	<5	0.71	1	20	36	66	3.77	10	0.95	2220	9	<0.01	46	830	22	5	<20	34	0.05	<10	54	<10	8	126

Et #.	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Na%	Ni	P	Pb	Sb	Sn	Sr	Tl%	U	V	W	Y	Zn
81	L8300E 2275N	<5	0.3	1.29	<5	230	10	0.47	1	15	49	70	4.56	10	0.53	667	9	<0.01	30	830	22	5	<20	15	0.05	<10	93	<10	3	105
82	L8300E 2300N	<5	1.3	1.38	<5	160	10	0.10	1	19	36	84	4.57	10	0.72	748	10	<0.01	43	990	28	<5	<20	<1	0.02	<10	64	<10	3	140
83	L8300E 2325N	<5	0.6	1.35	<5	115	<5	<0.01	1	18	14	93	3.59	20	0.49	265	11	<0.01	48	420	26	<5	<20	<1	<0.01	<10	24	<10	3	148
84	L8300E 2350N	<5	0.5	1.75	<5	365	20	0.58	1	22	66	43	6.01	10	0.86	1925	9	<0.01	35	630	20	<5	<20	12	0.17	<10	137	<10	5	122
85	L8300E 2375N	<5	0.4	1.74	10	485	<5	1.00	1	29	67	156	5.45	20	1.42	4425	11	0.01	64	1070	16	<5	<20	54	0.08	<10	123	<10	28	158
86	L8300E 2400N	<5	0.4	2.04	<5	140	<5	5.56	1	25	40	75	4.90	10	3.58	692	6	<0.01	50	2040	18	10	<20	95	0.04	<10	70	<10	10	145
87	L8300E 2425N	<5	1.6	1.73	5	335	10	0.95	4	13	33	16	4.29	10	0.78	1194	6	<0.01	19	2060	20	<5	<20	9	0.02	<10	90	<10	8	148
88	L8300E 2450N	<5	0.8	1.93	5	290	10	0.10	2	10	29	32	4.73	10	0.88	215	7	<0.01	25	1450	26	<5	<20	<1	0.02	<10	83	<10	<1	152
89	L8300E 2475N	<5	0.8	1.78	5	235	<5	0.05	2	13	30	67	5.02	10	0.98	262	12	<0.01	36	1400	28	<5	<20	<1	0.02	<10	74	<10	<1	196
90	L8300E 2500N	<5	0.7	1.77	15	360	5	1.72	3	18	28	45	4.47	20	0.89	930	7	<0.01	40	2490	26	<5	<20	12	0.02	<10	69	<10	18	153
91	L8300E 2525N	<5	0.7	1.89	<5	225	5	0.78	2	23	34	65	5.51	20	0.84	450	7	<0.01	53	4160	22	<5	<20	<1	0.02	<10	74	<10	14	156
92	L8300E 2550N	<5	0.6	1.98	<5	205	10	0.66	3	21	38	79	5.04	20	1.02	1092	9	<0.01	62	2470	24	5	<20	<1	0.02	<10	67	<10	27	156
93	L8300E 2575N	<5	0.7	2.03	20	300	10	0.28	1	16	31	38	4.74	10	0.77	472	6	<0.01	37	2130	24	<5	<20	<1	0.02	<10	68	<10	4	200
94	L8300E 2600N	<5	0.6	1.18	<5	220	<5	0.33	1	17	28	58	3.77	10	0.65	856	7	<0.01	36	1330	16	<5	<20	<1	0.02	<10	49	<10	7	125
95	L8300E 2625N	<5	0.3	1.50	5	160	5	0.10	1	14	34	53	3.73	10	0.58	613	8	<0.01	30	1020	24	<5	<20	<1	0.02	<10	53	<10	1	124
96	L8300E 2650N	<5	0.9	1.84	<5	165	10	0.12	2	14	23	51	5.57	10	1.10	393	9	<0.01	36	2550	26	10	<20	<1	0.02	<10	59	<10	2	141
97	L8300E 2675N	<5	0.5	1.54	<5	165	5	0.15	2	14	29	38	4.43	10	0.48	426	7	<0.01	32	1460	18	<5	<20	<1	0.02	<10	56	<10	1	187
98	L8300E 2700N	<5	0.3	1.29	5	220	5	0.84	<1	14	30	49	3.09	10	0.86	527	6	<0.01	31	1240	18	5	<20	27	0.02	<10	51	<10	10	118
99	L8300E 2725N	<5	0.5	1.07	5	170	<5	0.62	1	17	26	58	3.10	10	0.81	723	7	<0.01	37	1230	16	5	<20	11	0.03	<10	51	<10	9	109
100	L8300E 2750N	<5	0.7	1.19	<5	490	<5	0.61	2	12	29	75	3.29	10	0.50	688	9	<0.01	40	1120	20	<5	<20	18	0.02	<10	43	<10	12	118
101	L8300E 2775N	<5	0.5	1.10	<5	170	<5	0.18	<1	8	25	26	3.60	<10	0.29	380	6	<0.01	15	1080	16	<5	<20	<1	0.03	<10	67	<10	<1	71
102	L8300E 2800N	<5	0.5	1.47	5	290	<5	0.28	1	14	24	56	3.79	10	0.86	371	7	<0.01	32	720	22	<5	<20	4	0.02	<10	53	<10	3	111
103	L8300E 2825N	<5	0.4	1.36	5	525	5	0.82	1	21	41	71	3.90	10	0.75	1904	7	<0.01	34	1380	16	<5	<20	31	0.03	<10	75	<10	11	118
104	L8300E 2850N	<5	0.7	1.24	10	355	10	0.14	1	9	22	33	3.48	<10	0.41	580	7	<0.01	23	1320	18	<5	<20	1	0.02	<10	56	<10	<1	96
105	L8300E 2875N	<5	0.9	1.24	<5	295	10	1.31	3	22	24	87	5.00	20	0.99	1130	9	<0.01	46	1960	22	10	<20	11	0.02	<10	54	<10	22	154
106	L8300E 2900N	<5	0.5	0.97	<5	175	<5	0.05	<1	9	18	42	3.86	10	0.28	490	8	<0.01	22	1280	18	<5	<20	<1	0.02	<10	54	<10	<1	97
107	L8300E 2925N	<5	0.6	0.95	<5	160	10	0.07	<1	7	15	35	2.71	<10	0.23	616	7	<0.01	16	1050	16	<5	<20	<1	0.01	<10	48	<10	<1	70
108	L8300E 2950N	<5	0.4	1.45	10	110	5	0.07	<1	10	23	55	3.62	10	0.56	334	7	<0.01	28	990	20	<5	<20	<1	0.01	<10	44	<10	<1	108
109	L8300E 2975N	<5	0.7	1.11	<5	250	10	0.86	2	8	37	45	2.72	<10	0.62	332	6	<0.01	27	1490	18	10	<20	36	0.01	<10	35	<10	9	131
110	L8300E 3000N	<5	1.7	1.17	<5	180	10	0.06	1	11	22	33	4.10	10	0.23	996	8	<0.01	18	940	20	<5	<20	<1	0.02	<10	63	<10	<1	106
111	L8300E 3025N	<5	0.8	1.24	5	110	<5	0.07	<1	9	23	40	3.58	10	0.50	301	7	<0.01	25	790	20	5	<20	<1	0.02	<10	52	<10	<1	92
112	L8300E 3050N	65	1.2	1.51	5	285	<5	0.18	1	15	32	44	3.74	10	0.67	1674	9	<0.01	32	1100	20	10	<20	<1	0.03	<10	59	<10	4	144
113	L8300E 3075N	<5	1.3	1.49	<5	105	<5	0.08	1	11	28	47	4.42	10	0.49	441	8	<0.01	25	860	22	<5	<20	<1	0.03	<10	66	<10	<1	104
114	L8300E 3100N	<5	0.6	1.39	10	180	10	0.07	<1	12	25	42	3.87	10	0.32	920	8	<0.01	21	1070	22	<5	<20	<1	0.04	<10	62	<10	<1	89
115	L8300E 3125N	<5	0.9	1.36	<5	120	10	0.09	<1	9	25	32	3.71	10	0.47	345	7	<0.01	20	1120	20	<5	<20	<1	0.03	<10	56	<10	<1	91
116	L8300E 3150N	<5	0.6	1.15	<5	185	10	0.10	1	10	24	41	3.89	10	0.40	612	8	<0.01	21	1300	20	<5	<20	<1	0.03	<10	62	<10	1	86
117	L8300E 3175N	<5	0.5	1.18	10	130	<5	0.07	<1	8	18	38	3.41	<10	0.52	238	7	<0.01	22	1130	22	<5	<20	<1	0.01	<10	50	<10	<1	82
118	L8300E 3200N	<5	0.8	1.21	<5	175	<5	0.08	<1	10	26	24	3.84	10	0.35	1268	5	<0.01	15	1430	18	<5	<20	<1	0.03	<10	82	<10	<1	80
119	L8300E 3225N	<5	0.6	1.01	10	135	<5	0.05	<1	5	17	24	2.32	<10	0.21	556	5	<0.01	12	960	16	<5	<20	<1	0.01	<10	55	<10	<1	57
120	L8300E 3250N	<5	0.6	1.17	10	185	5	0.06	1	25	19	54	3.20	10	0.41	1632	11	<0.01	33	1640	20	<5	<20	1	0.02	<10	45	<10	3	130
121	L8300E 3275N	15	0.6	1.44	<5	155	10	0.09	<1	11	25	51	3.81	10	0.56	551	7	<0.01	24	1240	22	<5	<20	<1	0.02	<10	61	<10	1	102
122	L8300E 3300N	20	0.3	1.46	10	140	<5	0.08	<1	10	23	39	3.91	10	0.67	319	7	<0.01	27	1260	24	5	<20	<1	0.02	<10	52	<10	1	95
123	L8300E 3325N	10	1.0	1.54	15	155	5	0.07	<1	8	20	32	3.58	10	0.52	399	6	<0.01	21	1560	24	<5	<20	<1	0.01	<10	50	<10	1	101
124	L8300E 3350N	<5	0.7	1.23	10	120	5	0.07	<1	9	21	36	3.47	<10	0.62	332	7	<0.01	26	1140	18	5	<20	<1	0.01	<10	48	<10	<1	98
125	L8300E 3375N	<5	0.7	1.36	10	140	5	0.08	<1	9	20	34	3.44	<10	0.47	405	7	<0.01	19	1030	18	<5	<20	<1	0.02	<10	59	<10	<1	88

Et #.	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Na%	Ni	P	Pb	Sb	Sn	Sr	Tl%	U	V	W	Y	Zn
126	L8300E 3400N	<5	0.6	1.09	20	140	<5	0.05	<1	3	16	19	1.26	<10	0.25	181	3	<0.01	9	1120	16	<5	<20	<1	<0.01	<10	34	<10	<1	40
127	L8300E 3425N	<5	0.6	1.66	15	135	5	0.12	<1	13	28	45	3.68	10	0.90	556	7	<0.01	33	870	24	5	<20	<1	0.02	<10	59	<10	2	109
128	L8300E 3450N	5	0.3	1.60	5	100	<5	0.07	<1	13	27	46	3.62	10	0.78	478	7	<0.01	30	1020	22	<5	<20	<1	0.02	<10	56	<10	1	108
129	L8300E 3475N	<5	0.7	1.47	15	245	<5	0.12	1	32	20	154	4.30	30	0.76	873	21	0.01	58	1040	32	<5	<20	13	0.02	<10	39	<10	13	184
130	L8300E 3500N	5	0.7	1.42	20	145	<5	0.28	1	34	15	158	3.63	40	0.79	1146	14	0.01	73	830	32	5	<20	<1	0.02	<10	27	<10	35	187
131	L8300E 3525N	35	0.3	1.42	15	290	<5	0.20	<1	17	17	78	3.15	<10	0.68	583	12	<0.01	36	1250	24	5	<20	6	0.01	<10	43	<10	4	122
132	L8300E 3550N	5	0.4	2.04	30	120	10	0.08	<1	33	42	113	5.31	10	1.14	1195	17	<0.01	46	1780	34	10	<20	<1	0.03	<10	112	<10	6	177
133	L8300E 3575N	<5	0.2	2.18	10	180	<5	0.37	<1	30	46	99	4.97	10	1.33	1334	10	<0.01	47	1020	28	<5	<20	<1	0.06	<10	98	<10	8	139
134	L8300E 3600N	<5	0.4	1.50	15	120	<5	0.16	2	17	31	59	4.27	10	0.66	1153	9	<0.01	36	1530	24	15	<20	<1	0.03	<10	71	<10	3	117
135	L8300E 3625N	<5	0.2	1.48	10	235	5	0.24	<1	22	31	86	4.01	10	0.85	1742	8	<0.01	51	1440	28	5	<20	12	0.03	<10	66	<10	7	141
136	L8300E 3650N	<5	0.2	1.13	10	135	<5	0.32	<1	9	19	50	2.36	<10	0.64	529	5	<0.01	27	1540	18	5	<20	1	0.01	<10	35	<10	5	91
137	L8300E 3675N	10	0.4	1.15	10	380	<5	1.06	2	6	25	41	2.52	10	0.53	355	6	<0.01	26	4030	22	10	<20	16	<0.01	<10	36	<10	16	142
138	L8300E 3700N	10	0.6	1.54	30	255	5	1.82	2	14	41	76	4.13	20	0.81	621	6	<0.01	43	7250	28	<5	<20	15	0.03	<10	58	<10	30	223
139	L8300E 3725N	20	0.2	1.46	10	270	5	0.57	<1	10	26	42	3.38	10	0.63	523	5	<0.01	28	3180	22	<5	<20	1	0.02	<10	46	<10	12	172
140	L8300E 3750N	<5	0.2	1.21	10	210	<5	0.18	<1	12	21	40	3.21	<10	0.44	1476	6	<0.01	24	2130	18	<5	<20	<1	0.02	<10	47	<10	4	113
141	L8300E 3775N	<5	0.2	1.38	15	200	<5	0.53	2	20	26	89	3.95	10	0.81	928	8	<0.01	54	2130	24	10	<20	4	0.02	<10	43	<10	11	174
142	L8300E 3800N	<5	0.2	1.73	15	480	<5	0.56	2	12	34	92	5.04	20	1.09	5400	9	<0.01	54	1910	16	5	<20	6	0.05	<10	45	<10	27	149
143	L8300E 3825N	<5	0.2	1.43	15	180	<5	0.08	<1	10	20	50	2.91	<10	0.67	335	7	<0.01	29	910	22	<5	<20	<1	0.01	<10	37	<10	<1	104
144	L8300E 3850N	<5	<0.2	1.56	20	185	<5	0.05	<1	11	23	41	3.72	<10	0.42	471	8	<0.01	24	1220	22	<5	<20	<1	0.01	<10	51	<10	<1	130
145	L8300E 3875N	80	0.2	1.25	10	100	10	0.29	<1	15	25	41	3.89	<10	0.30	1112	7	<0.01	20	3830	22	<5	<20	<1	0.02	<10	50	<10	<1	107
146	L8300E 3900N	5	0.5	0.82	20	100	<5	0.02	<1	8	14	24	2.22	<10	0.20	916	6	<0.01	12	1280	16	<5	<20	<1	0.01	<10	38	<10	<1	54
147	L8800E 2200N	<5	<0.2	1.64	5	135	10	0.23	<1	12	48	33	5.62	10	0.46	388	5	<0.01	20	1600	24	<5	<20	<1	0.08	<10	96	<10	2	70
148	L8800E 2225N	<5	<0.2	1.59	15	125	5	0.21	<1	9	33	37	3.25	<10	0.48	267	5	<0.01	18	680	24	<5	<20	<1	0.05	<10	65	<10	2	61
149	L8800E 2250N	<5	<0.2	2.09	<5	145	20	0.19	1	14	53	43	6.53	10	0.51	484	8	<0.01	23	1910	26	10	<20	<1	0.08	<10	101	<10	2	75
150	L8800E 2275N	<5	0.3	2.00	15	120	5	0.21	<1	12	43	38	4.63	10	0.65	465	5	<0.01	25	1280	26	<5	<20	<1	0.09	<10	73	<10	3	77
151	L8800E 2300N	<5	0.2	1.70	15	105	15	0.17	<1	12	43	39	4.88	<10	0.53	449	5	<0.01	22	1210	26	<5	<20	<1	0.09	<10	84	<10	2	75
152	L8800E 2325N	<5	<0.2	1.59	15	85	5	0.18	<1	12	30	38	3.89	10	0.65	428	5	<0.01	23	1410	22	<5	<20	<1	0.04	<10	61	<10	2	71
153	L8800E 2350N	N/S																												
154	L8800E 2375N	10	<0.2	2.41	10	410	<5	0.59	<1	28	86	104	5.84	10	1.31	1505	5	<0.01	42	890	24	<5	<20	5	0.09	<10	129	<10	9	98
155	L8800E 2400N	<5	<0.2	2.08	20	120	5	0.17	<1	16	56	70	5.14	10	0.79	639	8	<0.01	39	870	28	<5	<20	<1	0.05	<10	80	<10	4	106
156	L8800E 2425N	<5	0.2	1.43	15	125	<5	0.15	<1	11	33	65	3.83	10	0.42	519	9	0.01	31	980	24	<5	<20	6	0.02	<10	58	<10	3	113
157	L8800E 2450N	<5	0.2	1.43	<5	115	5	0.13	<1	14	41	47	4.21	10	0.55	959	8	<0.01	29	1340	20	<5	<20	<1	0.04	<10	66	<10	2	92
158	L8800E 2475N	<5	<0.2	2.33	20	485	10	0.91	<1	25	94	108	5.75	20	1.33	3384	7	<0.01	64	1110	26	<5	<20	47	0.06	<10	138	<10	27	118
159	L8800E 2500N	<5	<0.2	1.52	25	275	<5	0.12	<1	26	41	87	4.62	10	0.74	2674	10	<0.01	54	830	24	<5	<20	<1	0.05	<10	84	<10	5	123
160	L8800E 2525N	<5	0.2	1.71	5	160	10	0.13	1	14	49	35	4.58	10	0.69	1331	7	<0.01	31	1350	22	<5	<20	<1	0.05	<10	93	<10	2	110
161	L8800E 2550N	<5	<0.2	1.96	10	235	5	0.17	<1	23	67	62	5.54	10	0.72	3665	9	<0.01	47	1210	24	<5	<20	<1	0.08	<10	108	<10	5	136
162	L8800E 2575N	10	<0.2	2.12	15	805	<5	0.61	<1	36	75	140	7.15	20	0.89	7257	9	0.01	88	1340	32	<5	<20	20	0.09	<10	188	<10	34	193
163	L8800E 2600N	<5	<0.2	2.04	20	275	<5	0.31	<1	41	73	118	5.82	20	0.87	3118	13	<0.01	53	920	28	5	<20	<1	0.07	<10	116	<10	13	110
164	L8800E 2625N	<5	<0.2	3.52	15	215	10	1.10	<1	49	160	177	7.84	10	2.57	2140	6	0.01	54	1030	30	10	<20	13	0.20	<10	216	<10	17	116
165	L8800E 2650N	<5	<0.2	2.56	10	160	15	0.50	<1	31	69	132	5.92	10	1.54	1382	5	<0.01	43	710	26	<5	<20	7	0.13	<10	141	<10	8	97
166	L8800E 2675N	<5	<0.2	2.34	<5	275	15	0.67	<1	36	84	113	6.92	10	1.01	3549	6	0.01	32	1700	20	10	<20	19	0.12	<10	171	<10	7	86
167	L8800E 2700N	<5	<0.2	1.31	10	205	10	0.24	<1	17	33	50	4.21	10	0.52	1806	9	<0.01	39	940	22	<5	<20	<1	0.04	<10	74	<10	3	109

Et #.	Tag #	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	La	Mg%	Mn	Mo	Na%	Ni	P	Pb	Sb	Sn	Sr	Ti%	U	V	W	Y	Zn
QC DATA:																														
Repeat:																														
1	L2100N 6900E	<5	<0.2	1.33	10	505	5	0.25	<1	13	75	39	3.82	<10	0.38	1089	6	<0.01	38	660	16	<5	<20	13	0.03	<10	51	<10	<1	134
10	L2100N 7125E	<5	0.3	1.11	10	470	5	0.61	<1	7	55	75	3.27	10	0.31	431	5	<0.01	30	600	16	<5	<20	32	0.03	<10	42	<10	10	77
19	L2100N 7350E	<5	0.3	1.77	15	165	<5	0.09	<1	15	116	36	4.20	<10	0.63	318	6	<0.01	57	700	18	<5	<20	<1	0.05	<10	65	<10	<1	144
28	L2100N 7575E	<5	0.6	1.22	<5	420	10	0.32	1	14	71	52	3.91	10	0.51	576	7	<0.01	43	750	18	<5	<20	15	0.02	<10	60	<10	3	110
31	L2100N 7650E	50																												
36	L2100N 7775E	<5	0.6	1.23	<5	265	<5	0.79	2	14	38	83	3.22	10	0.63	998	8	0.01	45	1070	18	<5	<20	39	0.02	<10	34	<10	9	93
45	L2100N 8000E	<5	0.7	1.74	<5	350	10	0.18	1	14	66	56	3.83	<10	0.69	557	9	<0.01	51	900	20	<5	<20	9	0.02	<10	60	<10	4	96
46	L2100N 8025E	<5																												
54	L2100N 8225E	<5	0.2	1.53	<5	240	10	0.20	2	12	28	29	3.53	10	0.40	662	4	<0.01	27	1300	18	<5	<20	<1	0.02	<10	47	<10	5	143
63	L2100N 8450E	<5	1.1	1.25	<5	175	5	0.07	1	10	24	59	4.30	10	0.25	621	9	<0.01	22	1510	16	<5	<20	<1	0.03	<10	52	<10	<1	90
64	L2100N 8475E	<5																												
71	L2100N 8650E	<5	<0.2	1.83	<5	115	5	0.30	<1	13	51	42	4.78	10	0.69	625	5	<0.01	23	1410	20	<5	<20	<1	0.10	<10	88	<10	3	63
80	L8300E 2250N	<5	0.7	1.28	<5	305	5	0.73	1	19	34	65	3.80	10	0.92	2195	8	<0.01	45	840	20	<5	<20	37	0.04	<10	52	<10	7	127
83	L8300E 2325N	<5																												127
89	L8300E 2475N	<5	0.7	1.73	15	225	10	0.05	2	13	29	67	4.99	10	0.95	250	13	<0.01	38	1430	30	10	<20	<1	0.01	<10	71	<10	<1	192
98	L8300E 2700N	<5	0.3	1.25	10	215	<5	0.84	1	14	29	48	3.00	<10	0.83	523	5	<0.01	29	1270	18	<5	<20	26	0.02	<10	49	<10	10	116
99	L8300E 2725N	<5																												
108	L8300E 2900N	<5	0.4	1.00	<5	175	10	0.04	<1	9	19	42	3.91	10	0.28	497	8	<0.01	23	1300	18	<5	<20	<1	0.01	<10	56	<10	<1	99
115	L8300E 3125N	<5	0.9	1.34	15	115	10	0.09	<1	9	25	31	3.66	10	0.46	331	7	<0.01	21	1150	20	<5	<20	<1	0.02	<10	55	<10	<1	92
124	L8300E 3350N	<5	0.7	1.24	10	120	5	0.07	<1	10	21	37	3.51	<10	0.62	342	7	<0.01	26	1140	20	5	<20	<1	0.01	<10	49	<10	<1	99
133	L8300E 3575N	<5	0.3	2.21	10	190	10	0.39	<1	30	46	99	5.00	10	1.34	1335	11	<0.01	48	1040	28	5	<20	<1	0.06	<10	100	<10	8	140
141	L8300E 3775N	5	0.2	1.35	15	200	<5	0.52	2	20	26	88	3.92	10	0.79	917	8	<0.01	52	2080	24	10	<20	6	0.02	<10	42	<10	11	171
150	L8800E 2275N	20	0.2	1.92	15	120	15	0.19	<1	12	42	37	4.52	<10	0.64	472	6	<0.01	25	1230	26	<5	<20	<1	0.08	<10	70	<10	3	75
159	L8800E 2500N	<5	<0.2	1.49	15	265	5	0.11	<1	26	40	87	4.61	10	0.74	2642	10	<0.01	55	830	24	<5	<20	<1	0.05	<10	83	<10	5	123

Standard:

Till-3			1.3	0.99	85	45	<5	0.48	<1	12	60	21	2.04	10	0.57	283	2	0.03	31	490	26	5	<20	6	0.06	<10	36	<10	6	39
Till-3			1.5	1.03	90	40	<5	0.49	<1	12	61	21	2.07	10	0.58	290	1	0.03	32	500	24	<5	<20	4	0.07	<10	37	<10	6	39
Till-3			1.4	0.96	85	45	<5	0.48	<1	12	58	19	1.99	10	0.60	287	2	0.02	32	490	28	<5	<20	6	0.06	<10	36	<10	5	39
Till-3			1.4	0.93	85	40	10	0.48	<1	12	58	19	1.97	15	0.58	288	2	0.02	30	490	28	5	<20	10	0.06	<10	36	<10	5	40
Till-3			1.4	0.93	85	45	10	0.48	<1	12	59	18	1.98	10	0.58	300	2	0.02	31	470	28	5	<20	6	0.06	<10	36	<10	5	39
Se29		590																												
Se29		595																												
Se29		590																												
Se29		610																												
Se29		595																												

JJ/ndw
 ct/1826S/a822BS
 XLS/08


 ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer