



ASSESSMENT REPORT TITLE PAGE AND SUMMARY

**TITLE OF REPORT: 2008 GEOLOGICAL, GEOCHEMICAL AND DIAMOND DRILLING EPORT
ON THE GOLDEN EAGLE PROJECT**

TOTAL COST: \$1,025,988

AUTHOR(S): Jeremy Major, B.Sc., Justin McDonald, B.Sc.

SIGNATURE(S): Jeremy Major, B.Sc., Justin McDonald, B.Sc.

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): Mine Permit #0101010; July 21, 2008 to
September 15, 2008

STATEMENT OF WORK EVENT NUMBER(S)/DATE(S): #4344835; September 14, 2009

YEAR OF WORK: 2008

PROPERTY NAME: Golden Eagle

CLAIM NAME(S) (on which work was done):

#516846, 516847, 516851, 516852, 516853, 516856, 392803 (Tannis 7)

COMMODITIES SOUGHT: Gold and silver

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN:

MINING DIVISION: Atlin Mining Division

NTS / BCGS:

LATITUDE: 59 ° 52 ' "

LONGITUDE: 134° 50 ' " (at centre of work)

UTM Zone: 8N EASTING: 510197 NORTHING: 6635826

OWNER(S): Troymet Exploration Corp.

MAILING ADDRESS: 1963 Comox Avenue, Comox, British Columbia V9M 3M4

OPERATOR(S) [who paid for the work]: Troymet Exploration Corp.

MAILING ADDRESS: 1963 Comox Avenue, Comox, British Columbia V9M 3M4

REPORT KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization,
size and attitude. **Do not use abbreviations or codes**)

Gold, silver, arsenic, bismuth, quartz veins, intrusive hosted gold, Cretaceous intrusives, Tertiary
intrusives, diamond drilling, geological mapping

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS:
#27,474 and 27,674.

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (in metric units)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)		#516846, 516847, 516851, 516852, 516853, 516856, 392803 (Tannis 7)	
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for ...)			
Soil			
Silt			
Rock 124 samples - Au, Ag & ICP scan	b	#516846, 516847, 516851, 516852, 516853, 516856, 392803 (Tannis 7)	
Other			
DRILLING (total metres, number of holes, size, storage location)		#516851	
Core 11holes - 2,306m – 958 samples. Core stored on site			
Non-core			
RELATED TECHNICAL			
Sampling / Assaying 124 rock samples & 958 core samples assayed			
Petrographic 8 samples			
Mineralographic			
Metallurgic			

PROSPECTING (scale/area)		
PREPATORY / PHYSICAL		
Line/grid (km)		
Topo/Photogrammetric (scale, area)		
Legal Surveys (scale, area)		
Road, local access (km)/trail		
Trench (number/metres)		
Underground development (metres)		
Other		
	TOTAL COST	\$1,025,988

**BC Geological Survey
Assessment Report
31079**

TroyMet Exploration Corp.

**2008 GEOLOGICAL, GEOCHEMICAL AND
DIAMOND DRILLING REPORT ON THE
GOLDEN EAGLE PROJECT**

Volume I – Text

Located in the Tutshi Lake Area, Atlin Mining Division
NTS 104M/15
BCGS104M.077, 086, 087 and 096
59° 52' N Latitude; 134° 50' W Longitude

-prepared for-

TROYMET EXPLORATION CORP.
1963 Comox Avenue
Comox, British Columbia, Canada
V9M 3M4

-prepared by-

Jeremy Major, B.Sc.
Justin McDonald, B.Sc.
EQUITY EXPLORATION CONSULTANTS LTD.
Suite 700, 700 West Pender Street
Vancouver, British Columbia, Canada
V6C 1G8

December, 2008

TABLE OF CONTENTS

TABLE OF CONTENTS	1
LIST OF APPENDICES.....	1
LIST OF TABLES	2
LIST OF FIGURES	2
1.0 SUMMARY.....	3
2.0 INTRODUCTION.....	3
3.0 RELIANCE ON OTHER EXPERTS	4
4.0 PROPERTY DESCRIPTION AND LOCATION.....	4
5.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY	6
6.0 HISTORY	6
6.1 Northwest Portion of Property (Plateau, Stibnite, LQ, Skarn, Cowboy Zones).....	8
6.2 Central Portion of Property (North Mountain, Middle Ridge, South Mountain)	10
6.3 Southeast Portion of Property (Jessie, Carbonate, Camp).....	10
6.4 Marksmen/Signet/Troymet.....	11
6.5 2008 Exploration Program	12
7.0 REGIONAL GEOLOGY.....	12
8.0 PROPERTY GEOLOGY AND MINERALIZATION.....	15
8.1 Tannis Zone.....	15
8.1.1 Geology.....	15
8.1.2 Mineralization	17
8.2 South Mountain Zone	18
8.2.1 Geology.....	18
8.2.2 Mineralization	18
8.3 Missing Link Zone.....	19
8.3.1 Geology.....	19
8.3.2 Mineralization	20
8.4 Catfish Zone	20
8.4.1 Geology.....	20
8.4.2 Mineralization	20
8.5 Tim Vein.....	21
8.5.1 Geology.....	21
8.5.2 Mineralization	21
8.6 Property Geology and Mineralization Summary	21
9.0 DRILLING.....	22
9.1 Overview.....	22
9.2 Diamond Drill Hole Descriptions	25
9.3 Drilling Summary	30
10.0 DISCUSSION AND CONCLUSIONS.....	31

LIST OF APPENDICES

- Appendix A: References
- Appendix B: Statement of Expenditures
- Appendix C: Rock Sample Descriptions
- Appendix D: Diamond Drill Logs
- Appendix E: Petrography and SEM Analysis

Appendix F: Quality Control / Quality Assurance
 Appendix G: Laboratory Certificates of Analysis (Rock)
 Appendix H: Laboratory Certificates of Analysis (Core)
 Appendix I: Compact Disc
 Appendix J: Geologist's Certificates

LIST OF TABLES

Table 1: Claim Data.....	4
Table 2: Golden Eagle Exploration Programs	6
Table 3: Tannis Zone Significant Mineralization.....	18
Table 4: South Mountain Zone Significant Mineralization	19
Table 5: Missing Link Zone Significant Mineralization.....	20
Table 6: Catfish Zone Significant Mineralization	20
Table 7: Tim Vein Significant Mineralization.....	21
Table 8: 2008 Diamond Drilling Survey Data	22
Table 9: 2008 Diamond Drill Hole Significant Mineralization.....	23

LIST OF FIGURES

Figure 1: Golden Eagle Project Location Map.....	5
Figure 2: Golden Eagle Claim Map	9
Figure 3: Golden Eagle Project Regional Geology Map.....	13
Figure 4: 2008 Map Compilation Area and Mineralized Zones	16
Figure 5: Tannis Zone Geology and Drill Hole Location Map.....	24
Figure 6a: North Mountain-Middle Ridge-South Mountain Geology.....	In pocket
Figure 6b: North Mountain-Middle Ridge-South Mountain Rock Samples and Au Geochemistry	In pocket
Figure 7a: TAN08-16 Drill Section.....	In pocket
Figure 7b: TAN08-08, TAN08-09, TAN08-10, TAN05-01 & TAN06-04 Drill Section.....	In pocket
Figure 7c: TAN08-15, TAN05-02 & TAN05-03 Drill Section.....	In pocket
Figure 7d: TAN08-05, TAN08-07, TAN08-11 & TAN08-14 Drill Section	In pocket
Figure 7e: TAN08-12 & TAN08-13 Drill Section.....	In pocket

1.0 SUMMARY

The Golden Eagle property covers 82 km² within the northern Coast Mountains of British Columbia, just south of the British Columbia/Yukon border. Seven of the 26 mineral claims are owned by TroyMet Exploration Corp. who is earning a 100% interest in the remainder of the property by making annual cash payments under an option agreement with Ron McMillan.

The property lies along the eastern margin of the Late Cretaceous-Tertiary intrusives of the Coast Belt within arc volcanic and arc-derived sedimentary rocks of the Intermontane Belt. The regionally significant, northwest-trending Llewellyn fault zone cuts through the property and has a strong correlation with the majority of BC Minfile occurrences in the region.

The exploration history of the property dates back to the 1890's when prospectors traveling to the Klondike explored the area. Several small adits that are present were probably driven in the early part of the 20th century but no documentation of the work is known. The current Golden Eagle property can be split into three portions (Northwest, Central and Southeast), each of which underwent extensive and parallel exploration campaigns from the early 1980's to the present. The northwest portion of the property contains anomalous multi-element stream geochemistry and notable gold intersections from trenches and drill core as skarn-type mineralization in meta-volcanic rocks bordering Cretaceous intrusions. The central portion of the property contains gold bearing quartz-sulphide veins documented on North Mountain, Middle Ridge and South Mountain and was the focus of the 2008 exploration program. The southeast portion of the property includes an area of quartz-carbonate stockwork veining variably mineralized with gold, copper and zinc in mafic volcanics.

The arsenopyrite-rich quartz veins of the Tannis Zone on Middle Ridge were first drilled in 2005 by Marksmen Resources Ltd., a predecessor of Troymet, with intercepts of 2.9 m @ 14.39 g/t Au and 5.5 m @ 10.73 g/t Au and 104.2 g/t Ag. Further drilling on the Tannis Zone in 2006 was limited to one hole due to winter weather conditions; intersecting two quartz-arsenopyrite veins with lower grades, but indicating their continuity to depth.

The 2008 exploration program consisted of diamond drilling on the Tannis Zone and geologic mapping and prospecting on North Mountain, Middle Ridge and South Mountain. Mapping and prospecting further defined the distribution of rock units and quartz-sulphide veining along a northwest trend nearly 5 km in length and resulted in the collection of 124 rock samples. Twelve diamond drill holes totalling 2306 metres were completed based on recommendations from drilling in 2005 and 2006. Drill intersections from 2008 indicate the highly variable nature of the quartz-sulphide veins both in terms of metal content and continuity along strike and at depth. The best intersections returned 5.09 m @ 7.93 g/t Au and 23.8 g/t Ag and 4.3 m @ 2.05 g/t Au and 43.8 g/t Ag.

Observations from mapping and drill core indicate that the quartz-sulphide veins are synchronous with late-stage cooling of the Late Cretaceous granite pluton and the slightly later rhyolite intrusion. An intrusion-related gold model of mineralization is supported by the presence of a large felsic intrusion, a geochemical signature that includes As-Bi-Sb-Pb-W and relatively cryptic alteration associated with the veining.

Recommendations for future work on the property involve detailed analyses of geochemical and geophysical data to develop and prioritize drill targets on a property-wide scale. The geochemical compilation should be used to identify multi-element zonation patterns as a tool for exploration targeting. Existing geophysical data should be re-interpreted and possibly followed up with ground geophysical surveys with the goal of directing exploration efforts to intervening valleys with little to no outcrop but favourable positioning along the northwest trend of mineralized vein occurrences. The most viable drill target to come out of the surface program is on South Mountain within a cluster of 9 gold and silver bearing veins exposed over a ~100x100 metre area.

2.0 INTRODUCTION

Equity Exploration Consultants Ltd. ("Equity") was contracted by TroyMet Exploration Corp. ("TroyMet") to carry out a diamond drilling program on their Golden Eagle property during the summer of

2008. This program was carried out under the senior author's direction and Equity was requested by TroyMet to compile and interpret the results. The literature used in compiling this report consisted of assessment reports filed with the British Columbia Ministry of Energy and Mines and government reports and maps. Information on property ownership was supplied by TroyMet.

3.0 RELIANCE ON OTHER EXPERTS

The authors have not relied on a report, opinion or statement of an expert for information concerning legal, environmental, political or other issues.


4.0 PROPERTY DESCRIPTION AND LOCATION

The Golden Eagle property is located within the northern Coast Mountains of British Columbia, just south of the BC/Yukon border. It lies within the Atlin Mining Division, centred at 59° 52' north latitude and 134° 50' west longitude (Figure 1).

The Golden Eagle property consists of 26 contiguous mineral claims covering 82 km², as summarized in Table 1 (Figure 2). A predecessor company of TroyMet purchased seven claims and holds them outright; there is no underlying royalty. TroyMet is earning 100% interest in the remainder of the property from Ron McMillan by making annual cash payments. The McMillan option is subject to a 1% net smelter royalty, of which 0.5% can be purchased for \$500,000 prior to October 1, 2009 and to a 2.5 km area of influence.

Table 1: Claim Data

Mineral Tenure	Expiry Date	Owner	Area (Ha)
349361	2011/feb/26	McMillan Option	25.0
349362	2011/feb/26	McMillan Option	50.0
367760	2011/feb/26	McMillan Option	225.0
367761	2011/feb/26	McMillan Option	375.0
389673	2011/feb/26	McMillan Option	225.0
392803	2011/feb/26	McMillan Option	250.0
395715	2011/feb/26	McMillan Option	25.0
408596	2011/feb/26	McMillan Option	225.0
516339	2011/feb/26	100% TroyMet	567.8
516346	2011/feb/26	100% TroyMet	421.9
516832	2011/feb/26	100% TroyMet	129.9
516838	2011/feb/26	100% TroyMet	503.1
516846	2011/feb/26	McMillan Option	454.9
516847	2011/feb/26	McMillan Option	585.4
516851	2011/feb/26	McMillan Option	341.4
516852	2011/feb/26	McMillan Option	390.2
516853	2011/feb/26	McMillan Option	373.9
516856	2011/feb/26	McMillan Option	276.2
516858	2011/feb/26	100% TroyMet	178.6
516861	2011/feb/26	McMillan Option	684.1
516868	2011/feb/26	McMillan Option	293.3
516870	2011/feb/26	McMillan Option	521.1
516875	2011/feb/26	McMillan Option	325.6
516920	2011/feb/26	McMillan Option	227.8
516994	2011/feb/26	100% TroyMet	243.6
516998	2011/feb/26	100% TroyMet	259.8
			8178.3



TroyMet
EXPLORATION CORP.

**Golden Eagle Project
Location Map**

	Date: NOV 2008	Scale: 1:7,000,000	Figure 1
	U.T.M. Zone UTM 8 - NAD83	Mining District ATLIN	
	N.T.S. 104M	State/Province BC	

Surface rights over the Golden Eagle property are owned by the Province of British Columbia. No significant surface disturbance nor any major environmental liabilities were noted during the authors' field visits. Exploration permits must be obtained from the British Columbia Department of Mines prior to carrying out further exploration on the property.

5.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY

The Golden Eagle property lies approximately 35 kilometres south of Carcross (Yukon) and 50 kilometres northeast of Skagway (Alaska). The paved South Klondike Highway runs through the centre of the property, with cat and ATV roads extending away from it (Figure 1). Helicopter access is necessary to reach most of the property and all of the 2008 drilling was helicopter-supported, although an ATV road extends to the eastern edge of the Tannis Zone drilling on Middle Ridge.

The property is located in the Boundary Ranges of the northern Coast Mountains, trending northwesterly for 23 kilometres from southeast of Tutshi Lake to Bennett Lake. The property is rugged and largely above tree-line. Elevations range from 700 metres on Tutshi Lake to over 1,500 metres on Middle Ridge, between Tutshi and Bennett Lakes and 2,100 metres on the peaks southeast of Tutshi Lake. Lower elevations are covered by balsam and lodgepole pine, with willow and alder in avalanche chutes. Alpine vegetation is present above treeline, which lies at about 1,400 metres elevation. The area is subject to a northern climate and, depending on elevation, can be worked from June until October.

6.0 HISTORY

Table 2 summarizes all reported exploration work carried out on the ground currently comprising the Golden Eagle property.

Table 2: Golden Eagle Exploration Programs

Operator Zones	Geochemistry	Geophysics	Trenching and Drilling	Assessment Report (Reference)
Unknown (early 1900's?)				
Middle, North, Plateau			blast-trenches, >7 adits	
Storey (1915-16)				
			adit (180m), crosscut (95m)	BCDM Annual Reports (1915, p. K64; 1916 p. K46)
Bussinger (1929)				
516870				BCDM Annual Report (1929, p. C120-121)
Premier (1970)				
516339		Airborne magnetics		AR #2,681 (ELC, 1970)
Du Pont (1981)				
516870	13 silts, 51 soils, 15 rocks			AR #10,424 (Neelands and Holmgren, 1982a)
Du Pont (1981)				
Plateau	11 silts, 41 soils, 8 rocks			AR #10,427 (Neelands and Holmgren, 1982b)
Du Pont (1982)				
Plateau	203 soils, 33 rocks			AR #11,044 (Copland, 1982)
Texaco Canada (1983)				
Plateau	7 silts, 405 soils, 93 rocks	Ground magnetics, VLF-EM	4 blast-trenches	AR #12,554 (Lhotka and Olsen, 1983)
Copland (1986)				

392803	19 rocks			AR #15,972 (Copland, 1987)
Noranda (1986)				
Jessie, Carbonate	524 soils, 224 rocks			AR #15,500 (Mackay and Reid, 1987)
Lodestar (1987)				
Plateau	30 rocks		blast-trenches	AR #16,569 (Davidson, 1987)
Noranda (1987-88)				
Carbonate	soils	Airborne EM/magnetics Ground HLEM	blast trenches, 1 DDH (134m)	AR #18,319 (Duke, 1988)
Noranda (1987-88)				
Camp	2 silts, 153 soils, 77 rocks	Airborne EM/magnetics Ground IP	2 DDH (286m)	AR #18,651 (Duke, 1989)
Lodestar (1988)				
LQ	12 rocks			AR #17,830 (Davidson, 1988)
Frame (1988)				
Tannis, North, South	14 silts, 283 soils, 61 rocks			AR #18,522 (Morris, 1988)
Frame (1989)				
Tannis, North, South	143 soils, 447 rocks	10 line-km IP	8 blast-trenches	AR #19,527 (Davis, 1989); AR #19,794 (Walcott, 1990)
Lodestar (1989)				
	10 rocks			AR #19186 (Lueck, 1989)
Lodestar (1990)				
Skarn, Cowboy, Plateau, LQ, Stibnite	177 rocks		55 excavator trenches (2,464m); 11 DDH (694m)	AR #20,581 (Blanchflower, 1990)
Hemlo Gold/Lodestar (1993)				
Skarn, Stibnite	1 silt, 221 soils, 38 rocks			AR #23,218 (Duke, 1993)
Hemlo Gold/Lodestar (1994)				
Skarn, Plateau	118 soils, 22 rocks			AR #23,550 (Bidwell, 1994)
McMillan (1994)				
Jessie	19 silts, 1 rock			AR #23,737 (McMillan, 1995)
Westmin (1996)				
Plateau	11 silts, 74 rocks	Magnetics, VLF-EM, 15.7 line-km IP	3 percussion holes (45m)	AR #24,869 (Rowins, 1997)
Kea-Do (1997)				
392803		7.1 line-km VLF-EM		AR #25,096 (Mark, 1997)
Westmin (1997)				
Plateau, Skarn			9 DDH (1,063m)	AR #25,417 (Terry and Bradshaw, 1998)
Prism (1999)				
Camp, Carbonate		Airborne re-processing		AR #26,193 (Walcott, 2000)
Marksmen (2001)				
Camp, Jessie	3 soils, 5 rocks			AR #26,760 (McMillan, 2001)
Marksmen (2002)				
Tannis, Camp, Carbonate	4 rocks	7.7 line-km magnetics, 8.1 line-km IP		AR #27,196 (Downes, 2003; Nebocat, 2002; Dzuiba, 2002)
Marksmen (2003)				

Tannis, South Mountain, Carbonate	27 silts, 137 soils, 148 rocks			AR #27,474 (Casselman, 2003)
Marksmen (2004)		661 line-km airborne magnetics/EM/radiometrics		AR #27,674 (Casselman, 2005; McPhar, 2005)
Carbonate	307 soils, 33 rocks			
Marksmen (2005)		magnetics, HLEM, IP	7 DDH (733m)	(Casselman, 2007)
Skarn, Plateau, Tannis, Camp				
Signet (2006)			6 DDH (1,125m)	(Casselman, 2007)
Skarn, Plateau, Tannis, Carbonate				
Troymet (2008)			12 DDH (2306m)	This report
Tannis	124 rocks			
Totals	105 silts, >2589 soils, >1655 rocks	Ground: VLF-EM, HLEM, magnetics, IP Airborne: magnetic/EM/radiometric	trenches, 48 DDH: (6341m)	

The mineral exploration history of the Bennett Lake area dates back to the 1890's, when prospectors traveling over the Chilkoot trail and down Bennett Lake to the Klondike goldfields first started exploring the area. In 1915-16, Fred Storey drove a 180 metre adit (the "Ruby Silver Adit") in granodiorite above Bennett Lake, without intersecting significant mineralization (BCDM, 1913-16). Four adits on Middle Ridge (the "Tannis Zone"), three more adits about 2.5 kilometres north of the Ruby Silver Adit and one on North Ridge were also likely driven near the start of the 20th century, although documentation is lacking.

The current Golden Eagle property can be split into three portions, each of which underwent extensive and parallel exploration campaigns from the early 1980's to the present.


6.1 Northwest Portion of Property (Plateau, Stibnite, LQ, Skarn, Cowboy Zones)

Premier Mining flew an airborne magnetics survey in 1970 over their claims along Bennett Lake at the extreme northwestern corner of the current Golden Eagle property (ELC, 1970).


In May 1981, Du Pont carried out reconnaissance stream sediment geochemistry over the Tagish-Bennett area and carried out initial exploration on claims staked to cover anomalous streams, including their Tuts (immediately east of the south end of Tutshi Lake), Gaug (Bennett Plateau) and Shui (immediately west of the current Golden Eagle property on the north side of Paddy Pass Creek) claims. The initial anomalous levels of Zn and Cu in stream sediments were confirmed for the Tuts, but no significant mineralization was found and Du Pont let their claims lapse (Neelands and Holmgren, 1982a). On their Gaug claims, anomalous Au, Ag, Cu and Mo values were confirmed and quartz-arsenopyrite-pyrite veins with up to 1.34 g/tonne Au were discovered (Neelands and Holmgren, 1982b). In 1982, Du Pont mapped their Gaug property, reporting a 4-m wide Cu-bearing shear zone and quartz-arsenopyrite(-stibnite-galena-sphalerite) veins with up to 27.6 g/tonne Au. Their grid-based soil survey returned elevated Au-Ag-Pb-Zn values, particularly in the vicinity of the main creek gorge, with peak values of 1150 ppb Au and 44.0 ppm Ag (Copland, 1982).

In 1983, Texaco Canada carried out geophysical and geochemical surveys on their Ben claims, located immediately south of the Gaug claims. Lhotka and Olsen (1983) reported 17 Au- or Ag-bearing occurrences, with up to 22.7 g/tonne Au and up to 2136 g/tonne Ag, mainly from <1 m quartz-sulphide veins.

Du Pont's Gaug claims lapsed in 1986. They were re-staked as the Pavey property and optioned to Lodestar, who re-mapped and sampled the property in 1987 (Davidson, 1987). In 1988, Lodestar optioned Texaco's Ben claims as well and carried out a property examination (Davidson, 1988). The following year,



- Claim with claim number
- Roads
- Railways



TroyMet
EXPLORATION CORP.

Golden Eagle Project

Claim Location Map

EQUITY	Date	NOV 2008	Scale	1:100,000	Figure 2
	U.T.M. Zone	UTM 8 - NAD83	Mining District	ATLIN	
	N.T.S.	104M/15	State/Province	BC	

Lodestar constructed a cat road into the Pavey property from the Klondyke Highway and did limited prospecting (Lueck, 1989). In 1990, Lodestar carried out extensive excavator trenching and re-established road access into their property. Two new showings were discovered during the course of this work: visible gold in quartz-calcite stringers within chlorite-actinolite skarn (the “Skarn Zone”) and fracture-controlled arsenopyrite-stibnite-pyrite within silicified Boundary Ranges metamorphic rocks (the “Cowboy Zone”). Lodestar drilled 11 short holes from 4 drill sites on the Skarn and Cowboy Zones, with the best intersections grading 4.0 m @ 7.4 g/tonne Au and 8.0 m @ 3.4 g/tonne Au, both from the Skarn Zone. (Blanchflower, 1990).

In 1993, Hemlo Gold optioned Lodestar’s Pavey property and carried out a short geochemical program, concluding that “silicification and mineralization....was observed in a northwest trending belt 2.5 km long by 300 m wide” (Duke, 1993). In 1994, Hemlo Gold did limited mapping and soil geochemistry on the Skarn and Plateau zones (Bidwell, 1994).

The Pavey and Ben claims were allowed to lapse in 1995 and 1996 and were re-staked by Westmin Resources as their Bennett property. In 1996, Westmin conducted mapping and geophysical surveying, focused on the till-covered plateau above Bennett Lake, and identified a northerly-trending 700 x 200 metre overburden-covered chargeable zone (Rowins, 1997). Westmin drilled 11 holes on the Skarn Zone and their Plateau chargeability anomaly. Very graphitic argillite was determined to be the source of the chargeability high. On the Skarn Zone, Westmin’s best intersection graded 7.63 g/tonne Au across 3.45 metres core-length (Terry and Bradford, 1998).

6.2 Central Portion of Property (North Mountain, Middle Ridge, South Mountain)

In 1986, Hugh Copland staked his Catfish claim to the southeast of Texaco’s Ben claims on North Mountain, reporting an old 15 m adit on a <1 m wide quartz-pyrite-stibnite-arsenopyrite-galena vein with up to 23.3 g/tonne Au and 147 g/tonne Ag (Copland, 1987).

Frame Mining acquired their Catfish claims over North and South Mountains and Middle Ridge in 1988. Morris (1988) mapped the Catfish property, re-discovered three old adits on Middle Ridge and described a zone of quartz-arsenopyrite veining (now termed the “Tannis Zone”) with up to 47.3 g/tonne Au, which could be “traced for 2.5 kilometres”. Frame’s 1989 program focused on Middle Ridge, with trenching confirming the Au-bearing nature of the Tannis Zone quartz-arsenopyrite veins (Davis, 1989). An induced polarization (IP) survey showed moderate to strong chargeability anomalies over the known veins and a large, complex zone of unexplained moderate to strong chargeability on the south slopes of Paddy Pass Creek, in an area of little outcrop (Walcott, 1990).

The Catfish claims lapsed, were restaked as the Tutshi Lake property and a short VLF-EM survey was run in 1997 over Paddy Pass Creek, between Middle Ridge and North Mountain, without any significant results (Mark, 1997).

6.3 Southeast Portion of Property (Jessie, Carbonate, Camp)

In 1929, Joe Bussinger described two showings: Jessie (Minfile 104M-027, Tenure 516870) and Big Thing (Minfile 104M-071, Tenure 367761). Both of these were described as Au- and Ag-bearing chalcopyrite-pyrrhotite-galena-sphalerite shear zones (BCDM Annual Report, 1929).

As a follow-up to their May 1981 reconnaissance stream sediment geochemistry over the Tagish-Bennett area, Du Pont carried out initial exploration on their Tuts claims, staked to cover anomalous drainages immediately east of the south end of Tutshi Lake and apparently downstream of the Jessie showing. The initial anomalous levels of Zn and Cu in stream sediments were confirmed for the Tuts, but no significant mineralization was found and Du Pont let their claims lapse (Neelands and Holmgren, 1982a).

In 1986, Noranda staked their Tuts claims over a large carbonate-altered zone and several Au-bearing float samples, later expanding it to cover all of the current Golden Eagle property southeast of Tutshi Lake. Mackay and Reid (1987) reported the Carbonate Zone to be up to 300 metres wide and five kilometres long, with <5% stringers and disseminations of pyrite and chalcopyrite and rock samples grading up to 6.4 g/tonne Au and 4% Cu. Noranda reported a grade of 4.13 g/tonne Au across 4.0 metres for the Jessie Zone.

In 1987, Noranda carried out detailed soil geochemistry, mapping, some trenching and an airborne EM/magnetics survey over their Tuts claims; this was not filed for assessment credit. However, the airborne survey indicated an 800 m long conductor aligned with the Carbonate Zone. It was ground-truthed with HLEM and drilled in 1988, showing it to be due to graphitic sediments (Duke, 1988). Two more drill holes tested a linear, 800 m long, NW-trending soil geochemical anomaly in the Camp Zone, located two kilometres southeast of the Jessie Zone. They intersected a wide zone of <1 g/tonne Au results, including 64.5 m @ 146 ppb Au (Duke, 1989).

The Noranda claims started to lapse and R. H. McMillan staked his Tutshi #1 claim over the Jessie showing in 1994. He took silt samples that year which confirmed the previous results (McMillan, 1995), but his claim eventually lapsed.

As more of Noranda's Tuts claims lapsed, R. H. McMillan re-staked them as the Golden Eagle claims. In 1999, Prism Resources acquired them and the data from the 1987 Noranda airborne geophysical survey. Walcott (2000) reprocessed the data and suggested an Eskay Creek VMS model within the Boundary Ranges metamorphic rocks, a model which he felt could be neither supported nor disproved by the airborne survey, since EM conductors are not present either at Eskay Creek nor within the Boundary Ranges rocks on the Golden Eagle property.

6.4 Marksmen/Signet/Troymet

In 2001, Marksmen Resources Ltd. examined and optioned R. H. McMillan's Golden Eagle property southeast of Tutshi Lake (McMillan, 2001) and staked claims over Middle Ridge. In 2003, Marksmen surveyed 10 lines with IP and magnetics over the Carbonate and Camp Zones and 3 more in the Tannis Zone area on Middle Ridge, identifying interesting chargeability anomalies in each area (Dzuiba, 2002).

In 2003, Marksmen purchased the Bennett property from Westmin; these claims are not covered by the McMillan option agreement. Their 2003 program consisted of mapping and geochemical sampling in the vicinity of old showings across the property; they also re-sampled Frame's Tannis Zone trenching (Casselman, 2003).

In 2004, Marksmen commissioned a helicopter-borne magnetic/EM/radiometric survey over the entire Golden Eagle property (McPhar, 2004), with limited follow-up groundwork designed to investigate anomalies. A northerly-trending magnetic high, associated with a number of <500 metre strike-length quadrature lows, was identified in the Camp Zone/Carbonate Zone area; volcanogenic massive sulphide mineralization was suggested as a possible source. Similar magnetic/EM signatures, although not as well defined, were noted also east of the Skarn Zone and west of the Plateau Zone; rhyolite-hosted quartz-arsenopyrite veining in the Tannis Zone did not show any significant magnetic or electromagnetic signature (Casselman, 2005).

Marksmen carried out ground geophysical surveys in 2005 and drilled 7 core holes on the Skarn, Tannis and Camp zones. These included the first three holes drilled on the Tannis Zone, which returned intercepts of 2.9m @ 14.39 g/tonne Au and 5.5m @ 10.73 g/tonne Au and 104.2 g/tonne Ag (Casselman, 2007). In October 2005, Marksmen's mineral properties were transferred to Signet Minerals Inc.

In 2006, Signet built an ATV road up to the Tannis Zone on Middle Ridge and carried out detailed mapping there. Signet drilled one hole on the Skarn Zone, to test a chargeability high and intersected 1-3% pyrrhotite without significant gold grades. A hole testing a chargeability high on the Plateau Zone intersected graphitic mudstone and shale, with no significant precious metals. Three holes on chargeability anomalies at the Carbonate Zone intersected carbonate alteration with disseminated pyrite and pyrrhotite; the best intersection graded 2.64 g/tonne Au across 3.1 metres core-length. Four drill sites were prepared in the Tannis Zone, but only one could be drilled due to winter weather conditions. It intersected two quartz-arsenopyrite veins with lower grades (3.1 m @ 1.58 g/tonne Au and 2.0 m @ 0.58 g/tonne Au), but indicating their continuity to depth (Casselman, 2007). In August 2007, Signet's mineral properties were transferred to Troymet Exploration Corp.

6.5 2008 Exploration Program

Exploration in 2008 comprised a surface program of geological mapping, prospecting and diamond drilling on the central portion of the property (North Mountain, Middle Ridge, and South Mountain). Field crews were based out of Spirit Lake Wilderness Resort, eight kilometres north of Carcross, Yukon. Fieldwork was helicopter and ATV supported from a staging area on the west side of the South Klondike Highway close to the project site. Equity Exploration Consultants Ltd. of Vancouver, BC was contracted to manage and execute the surface exploration program and has been retained to report on the results as described herein.

A total of 124 rock samples were collected between August 7th and September 12th, 2007. Rock samples were marked in the field by a combination of pink and blue flagging plus a small aluminum tag on which has been inscribed the sample number, the type of sample, the initials of the sampler, and the date the sample was taken. All rock samples were located using a hand-held GPS. Characteristics of the rock sample were recorded on a sample form and the data from these forms has been included in Appendix C.

2306 m of NQ-sized diamond drilling in 12 holes was completed during the 2008 program by Apex Diamond Drilling of Smithers, BC (see Section 9.0 for details). All drill core was processed at a tent-covered wood frame core shack at the 2005/06 camp location in the northwest portion of the property. Recovery and rock quality designation (RQD) were measured and recorded for each drill run. A KT-10 magnetic susceptibility metre was used to measure magnetic susceptibility for each drill run. An average value for each run was determined by collecting 3-5 individual measurements. Mineralized and altered sections of drill core were sawn by gasoline powered core saws, with one half submitted for analysis and one half retained on site. Sample intervals are marked by laboratory sample tags stapled into core boxes. All drill core was stacked on site near the core shack.

Samples were transported from the project site to Whitehorse in rice sacks sealed with individually numbered security tags. The rice sacks were transferred to Byers Transportation in Whitehorse and delivered to the ALS Chemex Laboratories preparation facility in Terrace, BC. All rock and drill core samples were analyzed for gold by 30 g fire assay-atomic absorption spectroscopy and a multi-element analysis package that utilized an aqua regia digestion and ICP-AES techniques. Pulp assays were carried out for high geochemical values of Au and Ag by fire assay followed by a gravimetric finish. Pulp assays were also carried out for high geochemical values of As, Cu, Pb, or Zn by atomic absorption spectroscopy. Samples with >10 ppm Au had the reject material analyzed by 1,000 g screen fire assay. These assays were used for plotting and calculations. The procedures, results and conclusions of the sampling QA/QC program are summarized in Appendix F. Certificates of analysis are presented in Appendices G and H.


Upon completion of the field program, eight samples were selected from the drill core and surface samples and prepared as polished thin sections by Vancouver Petrographics Ltd. The thin sections, including offcuts and hand samples were submitted to Minerals Services Canada Inc. in North Vancouver for petrographic and SEM analyses; the report is included in Appendix E.

A magnetic declination of 22.5° E was used for all compass measurements. Structural measurements are all reported utilizing the right-hand rule. All maps and UTM coordinates are referenced to the 1983 North American Datum (NAD-83; Zone 8).

7.0 REGIONAL GEOLOGY

The regional geology of the project area is summarized from Mihalynuk (1999). The Golden Eagle property straddles a Cordilleran scale boundary between the mainly Late Cretaceous-Tertiary intrusives of the Coast Belt and mainly Mesozoic arc volcanic and arc-derived sedimentary rocks of the Intermontane Belt. In the project area, the Intermontane Belt is composed of the regionally metamorphosed Boundary Ranges Metamorphic Suite to the west and the Whitehorse Trough Assemblage to the east. Separating these two major divisions is the Llewellyn fault zone, a crustal scale structure with high regional gold-arsenic and antimony geochemistry (Figure 3).

The Boundary Ranges Metamorphic Suite consists of greenschist to amphibolite facies arc-related metamorphic rocks bounded on the east by the Llewellyn fault and on the west by intrusives of the Coast



Digital Geology Map of BC 1:250 000
 Tile NO8 Northwest B.C., B.C. Ministry of Energy and Mines, GeoFile 2005-8, by N.W.D. Massey, D.G. MacIntyre, P.J. Desjardins and R.T. Cooney.

Lithology

Mesozoic

- LKgr** Unnamed granite, alkali feldspar granite intrusives
- LKqm** Unnamed quartz monzonitic intrusives
- ImJva** andesitic volcanics

Laberge Group

- mJL, ImJLcg** conglomerate, coarse clastic sedimentary rocks
- IJL** undivided sedimentary rocks

Inklin Formation

- IJLst** argillite, greywacke, wacke, conglomerate turbidites

Takwahoni Formation

- IJLTst** argillite, greywacke, wacke, conglomerate turbidites
- IJLTcg** conglomerate, coarse clastic sedimentary rocks

- TrJg** Unnamed intrusive rocks, undivided

uTrJcg

conglomerate, coarse clastic sedimentary rocks

Stikine Plutonic Suite

- LTrStdg** monzodioritic to gabbroic intrusive rocks

Stuhini Group

- uTrScg** conglomerate, coarse clastic sedimentary rocks
- uTrSSIs** limestone bioherm/reef
- uTrSv** undivided volcanic rocks
- uTrSvb** basaltic volcanic rocks

Paleozoic to Mesozoic

Boundary Ranges Metamorphic Suite

- DTrBRvb** basaltic volcanic rocks
- DTrBRlm** limestone, marble, calcareous sedimentary rocks
- DTrBR** metamorphic rocks, undivided
- DTrBRgs** greenstone, greenschist metamorphic rocks



- Geological boundary
- Fault
- Thrust Fault
- 2008 Project Area
- Road
- Railway



**Golden Eagle Project
 Regional Geology**

	Date	NOV 2008	Scale	1:150,000	Figure 3
	U.T.M. Zone	UTM 8 - NAD83	Mining District	ATLIN	
	W.T.S.	104M/15	State/Province	BC	

Belt. This group of rocks is assigned to the Nisling Terrane or Nisling Assemblage, considered to be part of the pericratonic Yukon-Tanana Terrane. Protoliths include a diverse range of sedimentary, volcanic and intrusive rocks. A possible correlation with the Stikine Assemblage based on similar timing of magmatic activity suggests that protoliths of the Boundary Ranges are Devonian to Triassic in age. Metamorphic assemblages in the Tutshi Lake area are generally of low grade, dominated by chlorite-actinolite schists, compared to higher metamorphic grades to the southeast.

The Whitehorse Trough Assemblage is a term proposed by Mihalyuk (1999) to describe the Laberge Group and Stuhini Group strata in this area that together represent an overlap assemblage. The majority of the assemblage occurs within but is not confined to a northwest trending belt defined by the Llewellyn fault to the west and the Nahlin fault to the east.

The Stuhini Group forms a northwest trending belt that is continuous at least as far south as Tulsequah with correlative strata in the Yukon called the Lewes River Group. Lithologies in the Stuhini Group are diverse, including basic to intermediate subalkaline volcanic flows, pyroclastics and related arc sediments. Contacts between the Stuhini Group and the Boundary Ranges Metamorphic Suite are not well exposed in the region and it is possible that parts of the Boundary Ranges suite have Stuhini Group protoliths.

The Laberge Group is a succession of immature marine clastics preserved in a northwest-trending fold and thrust belt. Past workers have divided the Laberge Group into the Takwahoni and Inklin Formations with wide-ranging bases for classification which are not well suited to the project area. An informal definition that can be applied to the project area is that the Inklin Formation is an Early Jurassic mainly fine-grained clastic succession with locally abundant wackes and thin conglomeratic units while the Takwahoni Formation is Early-Middle Jurassic in age and composed of Stikinia derived conglomerate-rich clastic rocks. The rocks are regionally metamorphosed to prehnite-pumpellyite and epidote-albite facies and are hornfelsed to higher grades adjacent to plutons. Clearly defined contacts between the Laberge Group and older strata are limited but do occur near Tutshi Lake and within the Golden Eagle claim block with Laberge strata lying unconformably over Boundary Ranges metamorphic rocks.

As many as five separate young volcanic episodes represented by numerous widespread, isolated remnants occur in the region. In many instances, volcanism appears to have been focused along major structural breaks, such as the Nahlin and Llewellyn faults. Within the project area a package of intermediate pyroclastic and flow units of probable Lower to Middle Jurassic age occur northwest and southeast of Tutshi Lake. A variety of lithologies are present including a conglomeratic unit up to 250 m thick near the middle of the volcanic package most likely derived from the Laberge Group. Contact relations between the volcanics and Laberge Group are uncertain but it appears that the former paraconformably overly the Laberge Group strata.

Intrusive rocks of the Coast Plutonic Complex dominate the western portion of the regional map area (Figure 3), ranging in age from Jurassic to Early Tertiary. The Log Cabin Pluton is a sizable granite body U-Pb dated at 72 \pm 2 Ma that underlies part of the project area. The pluton straddles the assumed contact between Late Cretaceous intrusions comprising the uninterrupted crystalline Coast Belt west of the Boundary Ranges Metamorphic Suite.

The structural geology of the region involves multiple deformation events and crustal scale terrane bounding faults active over long time periods. In the Boundary Ranges Metamorphic Suite, five separate deformation events have been identified, with planar fabrics developed at least locally during each of the four oldest events. Sediments of the Laberge Group record a continuum of deformational events that began during deposition and peaked during contraction of the basin during terrane amalgamation with the resulting fold and thrust belt. Widespread folding of the Laberge Group does not occur in the underlying Stuhini Group and instead appears to have deformed as a series of semi-rigid east-dipping blocks. Late Cretaceous and younger intrusive rocks of the Coast Belt in the project area do not display pervasive structural fabrics; however, discrete zones of late brittle to semi-ductile deformation are common. Brittle deformation of intrusive bodies probably relates to uplift of the complex during the last 10 Ma.

The Llewellyn fault zone is a system of northwest striking, steeply northeast dipping to vertical strands that crosses through the project area with evidence of a protracted history of activity from the Late Triassic into the Tertiary. There is a strong correlation among the majority of the BC Minfile occurrences in the area and the Llewellyn fault zone. The fault zone is commonly one to three kilometres across and comprised of numerous elongate lenses of various, near vertical lithologies but locally consists of a discreet, near vertical structure only tens of metres across.

8.0 PROPERTY GEOLOGY AND MINERALIZATION

Mapping and prospecting in 2008 were limited to Middle Ridge (Tannis and Missing Link zones), North Mountain (Cattfish Zone and Tim Vein) and South Mountain (South Mountain Zone), located in the middle of the Golden Eagle property, west of Tutshi Lake (Figure 4). The focus of mapping was the Tannis Zone, but lithologies present there extend into the other prospected areas.

8.1 Tannis Zone


8.1.1 Geology

The Tannis Zone consists of 6 lithologies of sedimentary, intrusive and metamorphic origin (Figure 6a). The oldest of these units is the Devonian-Triassic Boundary Ranges Metamorphic Suite (**Unit DTrBR**). This unit is seen on the east side of Middle Ridge (Photo 1) and has been strongly deformed with at least two phases of deformation. The rock type is a chlorite+biotite+/-silica+/-epidote schist composed of altered mafic volcanics and volcanic-derived sediments that have a strong S1 fabric, generally with a strike and dip of 340°/70°NE. Minor fluctuations in the S1 orientation are observed, such as F2 folding of the S1 foliation with the fold axis roughly plunging 60° toward the east. In addition to the schist, later intrusions were observed in the form of a plagioclase-phyric diorite with intense biotite+/-chlorite+/-epidote alteration and minor finely crystalline mafic dykes. Due to the scale of these intrusions they were not treated as a separate map unit.


The next oldest unit in the Tannis map area was the Laberge Group (**Unit IJLa**). This unit consists of volcanic-derived clastic sedimentary rocks in the form of argillites and conglomerates with an interval of limestone toward the base. This unit is exposed toward the west side of Middle Ridge and forms a thick package that dips moderately to the southwest. The limestone marker bed at the base of the unit may be the Sinwa Formation carbonate that defines the contact between the Upper Triassic Stuhini Group rocks and the Lower Jurassic Laberge Group rocks, or it may simply be a carbonate bed contained within the Inklin Formation of the lower Laberge Group. Given that both the Stuhini and Laberge Groups contain clastic sedimentary rocks, and the section exposed on Middle Ridge has been intruded by a later equigranular granite at the base, it is difficult to distinguish between the groups, and for the purposes of this report all the strata has been assigned to the Lower Jurassic Laberge Group.


In addition to the above mentioned metamorphic and clastic sedimentary rocks, there are also two later intrusions on Middle Ridge; equigranular biotite granite (**Unit LKg**) and finely crystalline rhyolite (**Unit LKr**). The granite is believed to be the eastern extent of the Late Cretaceous Log Cabin Pluton, part of the Coast Plutonic Complex (Figure 3). On the west side of Middle Ridge, the granite is observed to intrude the Laberge Group sedimentary rocks resulting in the hornfelsing of argillites nearest the intrusion. On the east side of the granite, the later, finely crystalline rhyolite that hosts majority of the mineralization in the area is seen to cross-cut the granite, Laberge Group rocks and the Boundary Range rocks. The rhyolite is observed as one main intrusion that has several small offshoots and near the top of Middle Ridge it engulfs a large slab of the Boundary Ranges. The margins of the rhyolite often show slight displacement from later, very minor movement, but where exposed flow banding is sometimes present suggesting fairly rapid cooling and possibly shallow emplacement.

The last and youngest lithology observed on Middle Ridge is the quartz-sulphide vein system. This vein system was the target of the 2008 drilling and surface program which focused on expanding the vein system along strike to the east and west and identifying new veins in the Middle Ridge, South Mountain and North Mountain locations. The veins of the Tannis Zone are variable in strike length, orientation, sulphide mineralogy and metal content. The most common suite of ore minerals includes arsenopyrite (with associated




- mdy Plagioclase porphyry mafic dyke
- LKr Rhyolite
- LKg Equigranular biotite granite
- ImJv Unnamed andesitic volcanics
- ULa Laberge Group argillite
- uTrSv Stuhini Group volcanics, undivided
- DTrBR Boundary Ranges Metamorphic Suite, undivided
- Approximate extent of overburden
- Map Compilation Area
- Mineralized Zone
- Claim Boundary
- 2008 Rock Samples
- Geologic contact (defined, inferred)





Golden Eagle Project
Map Compilation Area
and Mineralized Zones

	Date	NOV 2008	Scale	1:50,000	Figure 4
	U.T.M. Zone	UTM 8 - NAD83	Mining District	ATLIN	
	N.T.S.	104M/15	State/Province	BC	

scorodite alteration) +/-pyrrhotite+/-pyrite+/-galena+/-sphalerite while there are numerous gangue minerals as well in the form of quartz+/-chalcedony+/-chlorite+/-epidote+/-carbonate. In the Boundary Ranges rocks and the equigranular granite, there is often trace chalcopyrite present. The veins themselves range in thickness from 1-80 cm and strike-length from less than 1 metre to greater than 150 metres, and they “pinch and swell” along strike.




Photo 1: Looking south at Middle Ridge (foreground) and South Mountain (left background). The upper part of the ATV trail is shown in red. Refer to Figure 4 for lithology codes.

Detailed mapping of the vein system on Middle Ridge identified several orientations of veins; however the preferred orientation was undoubtedly $070^{\circ}/85^{\circ}\text{S}$. This orientation is consistent with a pervasive fracture set that is present throughout the rhyolite unit at the Tannis Zone and at the South Mountain Zone. It is likely that the veins are simply filling pre-existing fractures in all lithologies, with the highest concentration occurring in the rhyolite due to its brittle rheology with respect to the surrounding sediments and granite. Several veins on the east end of the Tannis Zone occur in the Boundary Ranges rocks and appear to be massive arsenopyrite that has been remobilized into a fault plane.

8.1.2 Mineralization

On the very westerly extent of the Tannis Zone, the equigranular granite mentioned earlier is in contact with the Laberge Group sediments toward the base of the ridge. A total of four, relatively short (up to 5 metres), quartz-sulphide veins were sampled and contained high grade Au. These veins are initiated at the intrusive contact between the granite and the sediments and continue into the sediments before pinching out. The mineralogy of these three veins is practically identical to the vein system observed in the eastern part of the Tannis Zone. Table 3 shows the assay results for these samples in red.

Table 3: Tannis Zone Significant Mineralization

Sample #	Au g/t	Ag g/t	As %	Pb %	Sample Type
C201101	2.37	11	1.95	0.087	Grab
C202110	13.75	8	20.6	0.002	Grab
C202111	8.3	5	21.4	0.003	Grab
C202112	8.96	3	23.1	0.005	Grab
C287128	1.98	81	2.55	0.305	Float
C287129	9.46	41	28	0.009	Grab
C287132	3.44	4	28	0.004	Grab
C287133	3.64	11	13.6	0.009	Select
C287134	2.56	2	17.45	0.001	Select
C287135	3.6	9	22.8	<0.001	Select
C201113	1.19	10	5.91	0.006	Grab
C201120	2.02	377	2.82	0.646	Grab
C201121	2.48	24	2.46	0.031	Grab

There were a number of veins that were not sampled in any of the previous work completed on Middle Ridge, located in the granite to the west of the rhyolite intrusion. All samples from these veins contained significant Au and variable Ag and are shown in yellow in Table 3.

Sampling on the south side of Middle Ridge produced three samples with anomalous Au values and moderate to high Ag values. Some of these veins may have been sampled previously, as there were other samples in the vicinity. These samples are shown in blue in Table 3.

The quartz-sulphide veins sampled exhibit the same Au-As correlation that is observed in drill core from the Tannis Zone, with only two samples containing notable amounts of Ag (C287128 and C201120).

8.2 South Mountain Zone

8.2.1 Geology

The lithological units observed on South Mountain (Figure 6a) consist of the southern extension of the Tannis Zone rhyolite mentioned above, bounded on the east side by the Boundary Ranges Metamorphic Suite and on the west by an unnamed package of Jurassic(?) volcanic rocks. The rhyolite intrudes these two bounding units and proceeds to pinch out on the south side of South Mountain.

8.2.2 Mineralization

Nine separate quartz-arsenopyrite veins of varying lengths and thicknesses were mapped on South Mountain (Figure 6b). Mineralogy and orientation of these veins is similar to those on Middle Ridge. The longest of these veins is 110 metres and thickness ranges from 2 cm to 80 cm. A total of 15 samples were assayed with 13 returning significant Au+/-Ag+/-Pb values (Table 4).

In this zone alone there is significant variability between Au, Ag, As and Pb. For example, samples C287126 and C201146 are both high in Au, Ag and Pb and are from the same vein some 100 metres apart (strike distance) whereas in another adjacent, very minor vein, sample C202147 has much less Pb but higher Au (7.91 g/t) and Ag (1250 g/t). A thin section of the latter sample showed that the quartz vein material is mostly coarse-grained and internally deformed with localized clusters of small recrystallized grains. Chalcopyrite and galena occur sporadically as infill in cracks and cavities, and are typically pervasively replaced by a variety of secondary lead and copper ore minerals. SEM analysis indicates complex zoning of sulphides and oxides and that Ag occurs in lead-bearing secondary minerals, suggesting a primary argentiferous galena.

Table 4: South Mountain Zone Significant Mineralization

Sample #	Au g/t	Ag g/t	As %	Pb %	Sample Type
C202146	1.32	25	9.84	0.142	Select
C202147	7.91	1250	>30.0	0.355	Select
C287125	1.42	3	11.25	0.01	Select
C287126	2.57	274	2.52	13.85	Select
C201143	4.27	47	15.05	0.708	Select
C201144	2.62	111	26.5	0.171	Select
C201145	5.22	165	21.5	0.071	Select
C201146	5.15	191	8.81	2.75	Select
C201147	1.15	25	5.06	0.04	Select
C201148	1.35	72	29.4	0.039	Select
C201150	1.42	167	16.1	0.61	Select
C286616	0.306	115	3.02	1.16	Select
C286618	1.33	64	13.2	0.504	Select

The presence of high-grade Ag \pm -Pb with Au-As in many of the samples from South Mountain is distinct from other areas where these elements do not usually occur in significant quantities in the same sample. Other anomalous elements that occur in some of the samples are Bi, Cu and Sb (Figure 4).

In addition to these veins, on the south side of South Mountain is a small outcrop (approximately 50x50 metres) of the southernmost extent of the rhyolite intrusion, with two quartz-sulphide veins that were neither measured nor sampled due to helicopter issues with weather. This outcrop is separated from the main rhyolite intrusion on South Mountain by several hundred metres (laterally) of overburden, thus it is likely that the rhyolite extends in subcrop to at least that point.

8.3 Missing Link Zone

8.3.1 Geology

This zone extends west of the Tannis Zone (Figure 4) and is comprised of several lithologies. Perhaps the most significant is the prominent limestone marker bed in the Laberge Group sedimentary rocks which are well exposed and are discussed above in Section 8.1. The equigranular granite is also exposed and is observed to intrude the Laberge Group sedimentary rocks near tree line on Middle Ridge.

Two small dykes occur in this zone, both strikingly different from any of the lithologies observed elsewhere on Middle Ridge. The first is a chlorite-altered mafic dyke with a finely crystalline groundmass and large white weathering, plagioclase phenocrysts up to 10 mm in length throughout. The dyke cuts the Laberge Group and may be related to the volcanic rocks that cap the highest parts of Middle Ridge. Observations from a thin section concluded that most of the groundmass has been replaced by very fine-grained shreddy biotite that is commonly overprinted by chlorite. No primary mafic phase was observed, but granular anhedral titanite and anhedral poikilitic magnetite occur throughout, suggesting replacement of earlier mafic phases.

The second dyke is a medium-crystalline, equigranular tonalite dyke with little to no alteration. A thin section of the dyke identified a fine-grained, anhedral granular texture composed of K-feldspar and quartz, lesser plagioclase and muscovite with coarser-grained K-feldspar occurring throughout. Euhedral arsenopyrite is disseminated throughout the sample. A very low mafic mineral content and the presence of trace amounts of spessartine suggest the sample is an aplite with a linkage to the large granite body nearby.

8.3.2 Mineralization

Table 5: Missing Link Zone Significant Mineralization

Sample #	Au g/t	Ag g/t	As %	Pb %	Sample Type
C202118	0.109	140	0.189	3.69	Grab
C202135	0.057	10	0.107	1.13	Grab
C202136	0.104	17	0.141	1.77	Grab
C202144	1.05	3	19.7	0.002	Select

Fifty-one samples were collected in this zone, mostly of non-vein material mineralized with a suite of sulphide minerals consisting of arsenopyrite, pyrite, pyrrhotite, chalcopyrite, galena, sphalerite and molybdenite. The mineralization periodically occurs on either side of the above mentioned limestone bed, typically in a zone of fine-grained, argillaceous sediments. There is little mineralization in the limestone itself, which may be an artefact of tight porosity due to recrystallization. The mineralized envelope can be as wide as 20 metres on either side of the limestone bed or as narrow as a few centimetres. The grab samples from along the contact with the limestone averaged 1-3 g/t Ag with one sample (C202118) containing 140 g/t Ag (Table 5). An interesting aspect of this zone is the increased amount of Pb, with associated Cu, Sb and Zn anomalies. This may be attributed to the chemistry of the host rock that is not observed elsewhere or due to the disseminated style of mineralization as opposed to the quartz-sulphide veins predominant in the other zones.

The mineralization around the limestone bed in the Laberge Group sediments appears to be related to the equigranular granite. Given the moderate south-southwest dip of the Laberge Group sediments on Middle Ridge, it is likely that these sediments are truncated by the granite at depth, allowing for mineralizing fluids to percolate along bedding planes and deposit metals on route to the surface. Disseminated subhedral to euhedral arsenopyrite throughout the above mentioned mafic dyke, with corresponding biotite alteration and replacement magnetite are probably also related to the later granite intrusion.

A sample of semi-massive arsenopyrite from the aplite dyke (mapped as tonalite) assayed 1.05 g/t Au and 3 g/t Ag. The dyke is potentially a conduit for mineralizing fluids from the granite into the country rocks.

8.4 Catfish Zone

8.4.1 Geology

The Catfish Zone on North Mountain contains five mappable units (Figure 6a). These consist of the Boundary Ranges metamorphic rocks overlain by the Stuhini Group sedimentary rocks, as well as two distinct intrusive units, the equigranular granite (assumed to be the same as that on Middle Ridge based on mapping by Davis, 1989) and a series of small plagioclase porphyritic mafic dykes thought to be similar in origin as the dyke in the Missing Link Zone. The last unit is a series of quartz-sulphide veins with similar composition to those mapped in the Tannis and South Mountain Zones.

8.4.2 Mineralization

Table 6: Catfish Zone Significant Mineralization

Sample #	Au g/t	Ag g/t	As %	Pb %	Sample Type
C287110	0.055	106	0.053	0.614	Float
C287111	0.42	535	0.018	1.35	Grab
C201130	0.241	118	0.217	0.689	Grab
C201125	10.05	71	0.009	0.227	Grab
C201129	1.32	66	0.006	0.085	Grab
C201133	1.03	2	0.004	0.002	Select

A total of 18 grab samples were collected from the Catfish Zone, the majority taken from a number of narrow veins up to several metres long hosted in both the granite intrusion (and associated dykes) and the Boundary Range metamorphic rocks to the east. Comparison of geochemical results of all 2008 rock samples clearly identifies a Bi-Mo-W anomaly in the Catfish Zone that is not present in any other zone.

Six samples with notable results can be divided into two groups. The first group contain anomalous values of Ag and Pb with associated Bi-Sb-Cu and are shown in blue in Table 6, while the second group is composed of Au+/-Ag with associated Bi-Mo-W and are shown in red. The Au bearing veins from the Catfish Zone are very different from other zones due to low As content, anomalous Ag, and generally low sulphide content overall as noted in hand samples with only trace amounts of arsenopyrite and chalcopyrite recorded.

8.5 Tim Vein

8.5.1 Geology

There are two lithologies present at this zone, which lies immediately west of the Golden Eagle property boundary (Figure 6a). The first is the equigranular granite that is also observed to the immediate east in the Catfish Zone and across the valley to the south in both the Missing Link and Tannis Zones. The second lithology is the 370 metre strike length quartz-sulphide vein that is hosted in the granite.

8.5.2 Mineralization

Table 7: Tim Vein Significant Mineralization

Sample #	Au g/t	Ag g/t	As %	Pb %	Sample Type
C201134	0.301	75	0.309	3.16	Grab
C287113	18.0	16	>30.0	0.015	Grab
C287114	3.64	<1	6.35	0.001	Chip
C287115	10.68	5	23.5	<0.001	Grab
C287116	4.11	3	7.76	0.001	Grab
C287117	3.45	2	>30.0	0.001	Grab

Sampling along the Tim Vein returned significant Au values (Table 7), increasing the western strike length of the vein system previously identified by the Catfish work in the late 1980's. The mineralogy of this vein is consistent with that of the known high grade vein system of the Tannis Zone, some 3.2 km to the southeast, with a shared metals association of Au-As (Figure 4).

Petrographic and SEM analyses of sample C287113 identified heavily fractured semi-massive arsenopyrite that is variably oxidized. Minor pyrite and chalcopyrite fill the arsenopyrite fractures and enargite and electrum form small inclusions in the arsenopyrite. Anhedral, fine-grained quartz commonly occurs interstitial to the sulphides.

This vein is thought to be associated with the granite intrusion that is found on both Middle Ridge and North Mountain. The vein is hosted in the granite and continues along strike to the west until it pinches out near the granite contact with a package of sedimentary rocks. This vein is outside the claim block; however it is very important as it indicates the extent of the system and that high grade Au mineralization exists this far from the Tannis Zone.

In contrast to the Au-As rich samples of quartz vein, sample C201134 is much different with 75 g/t Ag and 3.16% Pb. The sample was described as a sulphide-rich rock taken from within a zone of strong carbonate veining or alteration.

8.6 Property Geology and Mineralization Summary

There are a number of different units present on North Mountain, Middle Ridge and South Mountain; of particular importance are the quartz-sulphide vein system, rhyolite intrusion and the large equigranular granite and all may be directly related. The vein system is the youngest event, preceded by the rhyolite and

then the granite. The attitude of the veins is controlled by pre-existing fractures that trend 070°-250° and primarily dip steeply to the south (65°-85°) but are also sometimes observed to dip to the north. Other conjugate(?) fracture sets were observed but are rarely associated with veins.

The quartz-sulphide vein system has been documented on North Mountain, Middle Ridge and South Mountain to be independent of lithology with variable concentrations of Au, Ag, Pb and other associated metals. This is a significantly sized area; the linear distance formed by the Tim Vein, Tannis and South Mountain Zones is nearly 5 km along a northwest-southeast trend with intervening glacial valleys that are covered by overburden and remain underexplored.

From a more regional standpoint, several localities around the granite contact were slightly metamorphosed and replaced by tremolite-actinolite, very similar to the system at the Skarn Zone on the north-western end of the property. It should also be mentioned that the “LQ Vein” in the northwest portion of the property displays strikingly similar characteristics as the North Mountain-Middle Ridge-South Mountain vein system. The LQ Vein occurs in close proximity to the Skarn Zone, both of which are only a few kilometres north of the Catfish zone and the Tim Vein.

Coincident anomalies shown in Figure 4 and discussed in this report are general trends only, derived from a limited amount of selective sampling. A more robust analysis would involve compilation of all previous work on the property and further sampling, however some trends are apparent and deserve attention. Quartz-sulphide veins from the Tannis Zone and the Tim Vein are geochemically related by Au-As anomalies, with limited Ag content. In contrast are the polymetallic veins from South Mountain and the Catfish Zone, although differences between these zones also exist. Samples of quartz-sulphide veins from a rhyolite host on South Mountain appear similar to the Tannis Zone, but include a much more diverse suite of metals of Au-Ag-As+/-Pb+/-Sb+/-Bi. The biggest differences at the Catfish Zone are low As values, and that the metal assemblages can be grouped into two suites: Au-Ag and Ag-Pb with associated anomalous elements that include prominent Bi-Mo-W with lesser Sb and Cu.

The mineralization observed at the Missing Link Zone is quite different than that of the vein systems elsewhere, which indicates a different mechanism of emplacement. Rather than the structural traps which allowed the deposition of quartz-sulphide veins elsewhere, chemical traps allowed emplacement of the same sulphide assemblage in the Missing Link Zone. As mentioned previously, the moderate dip of the Laberge Group rocks would likely intersect the granite intrusion at depth, allowing the limestone marker bed to act as a “chemical trap” leading to metal precipitation along its margins in the bedding planes of the argillites.

9.0 DRILLING

9.1 Overview

Diamond drilling for the 2008 program focused on the Tannis Zone with the completion of eleven holes from eight different setups. Table 8 contains the drill collar data and Figure 5 is a map of the drilling area. Apex Diamond Drilling of Smithers, BC completed 2306 m of drilling between July 30th and Aug. 26th. A total of 958 samples of drill core were collected, including the regular insertion of standards, blanks and duplicates as part of the QA/QC program (Appendix F). Sample lengths ranged from 30 cm to 1 m; selection was based on the presence of sulphide mineralization and veining, guided in part by results from previous drilling. Table 9 highlights significant intersections from the 2008 drill program.


Table 8: 2008 Diamond Drilling Survey Data

Hole #	Northing	Easting	Elevation (m)	Azimuth (°)	Dip (°)	Length (m)
TAN08-05	6637037	509375	1269	165	-45	219.2
TAN08-06	6637037	509375	1269	165	-55	109.4
TAN08-07	6637037	509375	1269	165	-55	231.4
TAN08-08	6637005	509226	1283	165	-45	225.2
TAN08-09	6637005	509226	1283	165	-60	246.6

TAN08-10	6636928	509241	1333	165	-45	237.4
TAN08-11	6637009	509385	1285	165	-45	182.5
TAN08-12	6636975	509422	1303	135	-45	66.8
TAN08-13	6636975	509422	1303	135	-60	69.8
TAN08-14	6637074	509361	1233	165	-60	179.5
TAN08-15	6637063	509287	1233	165	-55	258.8
TAN08-16	6636956	509178	1297	165	-45	279.5

Table 9: 2008 Diamond Drill Hole Significant Mineralization

Hole ID	From	To	Interval	Au g/t	Ag g/t	As %
TAN08-05	156.48	157.78	1.30	1.61	N/A	12.6
TAN08-08	86.94	88.38	1.44	1.42	11.9	4.3
TAN08-08	143.39	143.79	0.40	2.53	38.0	2.2
TAN08-08	197.82	199.16	1.34	3.07	12.0	5.9
TAN08-08	199.16	225.25	26.09	0.103	N/A	0.040
TAN08-09	131.30	136.39	5.09	7.93	23.8	2.6
including	132.84	133.14	0.30	3.85	31.0	15.5
and	134.70	135.27	0.57	66.20	145.0	5.9
TAN08-09	211.59	212.22	0.63	3.30	57.0	5.1
TAN08-09	212.22	246.58	34.36	0.067	N/A	0.0
TAN08-10	15.24	15.54	0.30	1.94	5.0	5.1
TAN08-10	40.17	44.47	4.30	2.05	43.8	3.7
including	42.17	43.17	1.00	5.01	108.0	8.4
TAN08-10	67.59	67.89	0.30	11.05	14.0	6.4
TAN08-10	108.21	108.51	0.30	1.14	65.0	0.4
TAN08-10	191.52	191.82	0.30	1.27	6.0	4.1
TAN08-11	114.62	115.02	0.40	1.96	<1	11.4
TAN08-11	116.02	116.32	0.30	1.21	<1	11.0
TAN08-12	32.44	32.74	0.30	13.15	12.0	2.7
TAN08-12	38.05	41.15	3.10	0.97	N/A	5.7
including	38.99	40.22	1.23	1.70	N/A	10.7
TAN08-13	43.29	43.69	0.40	3.93	6.0	17.0
TAN08-13	48.34	50.18	1.84	0.70	13.3	4.1
TAN08-15	219.58	225.81	6.23	0.35	5.9	3.9
TAN08-16	13.89	18.08	4.19	0.60	N/A	1.5
including	13.89	15.74	1.85	1.06	14.9	2.2
TAN08-16	25.94	26.82	0.88	2.04	14.0	5.4
TAN08-16	143.11	156.25	13.14	0.19	N/A	0.6



Lithologic Units

Qtz Vein Mineralized quartz vein

LATE CRETACEOUS

LKr Rhyolite

LOWER JURASSIC

IJLa Laberge Group argillites

DEVONIAN - TRIASSIC

DTrBR Devonian Triassic Boundary Range

Vein

Drill Hole



Golden Eagle Project

Geology & Drill Plan

	Date:	NOV 2008	Scale:	1:2,000	Figure 5
	U.T.M. Zone	UTM 8 - NAD83	Mining District	ATLIN	
	N.T.S.	104M/15	State/Province	BC	

9.2 Diamond Drill Hole Descriptions

TAN08-05

TAN08-05 was the first hole collared in the metavolcanics of the Boundary Ranges suite, 80 m along strike from quartz-sulphide veins intersected in the rhyolite intrusion in TAN05-03. Alternating lithologies of chlorite-biotite altered volcanics intruded by plagioclase-phyric diorite or granodiorite were encountered (Figure 7d). Veining and mineralization is limited throughout most of the hole with the exception of one zone immediately beneath 67 cm of fault gouge within a plagioclase-phyric intrusion (Photo 2). Arsenopyrite veinlets in the fault gouge indicate at least some of the mineralization post dates faulting.

The strongest mineralization occurs primarily as sulphide replacement of the host rock, consisting of 20% arsenopyrite with minor pyrite and chalcopyrite with an average grade of 1.61 g/t Au across 1.3 m. A thin section from this interval (sample C287261) consists of vaguely brecciated porphyritic rock that has been pervasively replaced by quartz, sericite and trace kaolinite. Former fine to medium-grained, tabular plagioclase and lesser, finer-grained K-feldspar phenocrysts are variably sericite altered. Sulphides consist of small subhedral to euhedral arsenopyrite crystals associated with quartz in vaguely defined ribbons suggesting quartz-arsenopyrite fracture infill after brecciation.



Photo 2: Mineralized zone from TAN08-05. Quartz-sericite-arsenopyrite replacement of a plagioclase-phyric intrusion in sample C287261 (bottom row) beneath a small interval of arsenopyrite rich fault gouge (top right).

TAN08-06

TAN08-06 was drilled to test the continuity of mineralization down dip of TAN08-05 (Figure 7d). This hole was abandoned at 109.4 m after the rods became stuck down the hole and attempts to resume drilling after retrieving the rods were unsuccessful. TAN08-07 is a re-drill of this hole.

TAN08-07

TAN08-07 drilled within similar lithologies as TAN08-05, however correlation among the diorite to granodiorite intrusions (dykes?) is not feasible (Figure 7d). The intrusions have likely been part of at least one of the two deformation events visible in the mafic volcanics, with a lack of tectonic fabric in the intrusions explained by the competency contrast between the diorite/granodiorite and the foliated volcanics. This hole contains only weakly anomalous samples with Au values up to 480 ppb from centimetre scale arsenopyrite veins and replacement mineralization. The mineralized fault encountered in TAN08-05 appears to correspond to a fault in this hole at 192 m that is only weakly mineralized, resulting in a sub-vertical orientation.

TAN08-08

This hole undercuts TAN06-04 which intersected quartz-sulphide veins in the rhyolite intrusion (Figure 7b). TAN08-08 was the first hole to drill through the rhyolite into equigranular biotite granite observed on surface near the base of Middle Ridge and North Mountain and increasing in areal extent to the west. A sharp, undulatory contact divides the rhyolite and granite in the core, with no alteration or textural changes near the contact.

Three zones of quartz-arsenopyrite veining were intersected in TAN08-08 with variable gold values. True widths of mineralized zones are significantly less than the core lengths due to vein orientations that are typically at 20–30 degrees to the core axis. The uppermost vein section is nearly 4 m in core length but significant values are restricted to areas of increased arsenopyrite mineralization with 1.42 g/t Au and 11.9 g/t Ag across 1.44 m. Petrographic analysis of a sample of vein material (sample C287345) identified significant strain to the quartz with deformed and recrystallized grains present in similar amounts. Very fine grained arsenopyrite is disseminated or locally occurs as fracture infill with microcrystalline clusters and rims of possible scorodite (Photo 3).



Photo 3: Quartz-arsenopyrite vein from TAN08-08. Fine grained arsenopyrite disseminations and fracture infill in strained quartz; sample C287346.

The second zone is a 2 m interval of sheeted to massive quartz veins with minor arsenopyrite at 148 m that only returned one notable result of 756 ppb Au from a 62 cm sample. Scorodite was much more prominent than arsenopyrite in this sample. Oxidation at this depth is evident in the surrounding rocks by the amount of fracture controlled goethite and leaching of sulphides. A 40 cm sample of rhyolite breccia above the veined zone assayed 2.53 g/t Au and 38 g/t Ag. Here, quartz-arsenopyrite veins 1-2 cm wide both crosscut the breccia and are brecciated.

The third zone of quartz-arsenopyrite veining occurs within equigranular granite, averaging 3.07 g/t Au across 1.34 m where arsenopyrite+/-pyrite mineralization is strongest.

Consistent disseminated pyrrhotite and trace chalcopyrite mineralization within oxidized to relatively unaltered granite throughout the lower part of the hole produced a 26 m intersection averaging 0.103 g/t Au. An average grade for Ag cannot be calculated due to some samples assaying below the detection limit of 1 g/t but individual assays of 2-3 g/t Ag are common throughout the interval. Pyrrhotite occurs as blebs within the granite, apparently replacing primary biotite. This is the first occurrence of low grade gold mineralization over a significant core length on Middle Ridge.

TAN08-09

TAN08-09 drilled at a steeper angle from the same setup as TAN08-08 to test the continuity of quartz-sulphide veins in both the rhyolite and granite intrusions (Figure 7b). The contact between the rhyolite and granite is very sharp, similar to TAN08-08, but in this hole fragments <1 cm wide of what appear to be granite with diffuse boundaries are present in the rhyolite within 5 cm of the contact. Further down hole a 90 cm rhyolite dyke cross-cuts the granite. Both of these are indicators that the rhyolite post-dates the granite.

Only one sizable zone of quartz-sulphide veining was intersected in TAN08-09, which most likely correlates to the upper intersections in TAN08-08 and TAN06-04. Assay results from individual samples within the 5.09 m zone of quartz-sulphide veining in strongly silica-sericite altered rhyolite are highly variable, similar to the long vein intersections in other holes. Au values across the zone average 7.93 g/t but this is highly skewed as only two samples contain >1 g/t Au, one of which is a 57 cm sample that assayed 66.2 g/t Au and 145 g/t Ag (sample C287488). The combination of arsenopyrite-pyrite+/-chalcopyrite within this sample is notably different from arsenopyrite as the dominant sulphide throughout the rest of the zone and may be significant with respect to the high Au grade. Results from the screen fire assay of this sample show a large difference between Au content of the undersize and oversize fractions, indicating that there may be a substantial amount of coarse free gold. The opposite is noted from screen fire assays conducted on all other samples >10 g/t Au from the drill and surface program, where values from the undersize and oversize fractions are similar. Other anomalous metals contained within the quartz-sulphide veined section include Bi, Cu, Pb, and Sb.

As observed in other holes, sporadic narrow quartz-arsenopyrite-pyrite veins result in anomalous gold values. One sample of low angle quartz-arsenopyrite-pyrite-sphalerite veins in granite yielded 3.30 g/t Au, 57 g/t Ag, 0.32% Pb and 0.54% Zn. The lead and zinc values are the second highest and highest values respectively from the drill program. This sample lies within a large zone of low-grade Au mineralization present across the 80 m interval of granite that forms the lower part of the hole. Au grades are weaker than in TAN08-08 but for comparison a 34.36 m interval below the vein sample mentioned above averages 0.067 g/t Au. Sulphide mineralization consists of disseminated blebs of pyrrhotite with lesser pyrite, arsenopyrite and chalcopyrite with rare quartz-pyrite-arsenopyrite veinlets.

TAN08-10

TAN08-10 was located at the same site as TAN05-01 to test a greater depth and to step forward from previous drill holes on this section that were successful in intersecting quartz-sulphide veins. The dominant lithology was rhyolite, with sections of rhyolite breccia showing evidence of brecciation from hydrothermal veining and elsewhere due to later brittle faulting. A 3.8 m interval of granite near the bottom of the hole may be a xenolith entrained within the later rhyolite intrusion. The hole appears to have been stopped very close to the rhyolite-granite contact judging from the contacts observed in TAN08-08 and TAN08-09 (Figure 7b).

Many anomalous gold samples (>100 ppb) are present in this hole, often as standalone samples related to narrow (1-2 cm) quartz-arsenopyrite veins. Significant mineralization across larger intervals is restricted to the upper part of the drill hole. Between 32.77 and 36.57 m a fault(?) breccia of rhyolite and quartz-arsenopyrite vein fragments is high in arsenic (up to 6.2%) but gold values are in the 300 - 700 ppb range, not as high as might be expected based on the Au-As correlation observed in many other samples. Mineralized fragments indicate that mineralization pre-dates brecciation, which continues below, albeit to a weaker degree into a 4.3 m interval of quartz veining that averages 2.05 g/t Au and 43.8 g/t Ag with anomalous lead (up to 0.63%). A 1 m sample within this zone (G0672135) assayed 5.01 g/t Au and 108 g/t Ag, the second highest silver value from the 2008 drill program. A thin section of this sample included both quartz vein and brecciated wall rock (Photo 4). The quartz is fine to medium-grained, internally deformed and locally recrystallized to a much finer grain size. Subhedral to euhedral arsenopyrite, chalcopyrite and pyrite are disseminated along quartz grain boundaries and occur in partially filled vugs variably associated with sericite. Galena occurs interstitial to quartz and sulphides or intergrown with sulphides. Oxidation is marked by the presence of altered and corroded arsenopyrite, and more commonly by partially leached subhedral vugs and veinlets containing possible scorodite+/-covellite. The breccia hosting the quartz vein is clast supported and consists of small sub-angular clasts of quartz crystals, quartz vein fragments and sericitized and silicified fragments. The interclast matrix is essentially made up of cryptocrystalline material that is partially leached and locally associated with possible scorodite.

An isolated 30 cm sample at 67 m assayed 11.05 g/t Au due to a 3 cm wide quartz-arsenopyrite vein. This sample is highly anomalous in bismuth (970 ppm), one of the few samples anomalous in that element in the entire drill program.



Photo 4: Quartz vein breccia in TAN08-10. The lower portion of sample G0672135 (discussed below) is shown on the bottom row.

Five drill holes have been completed along this line of section with variable results, providing for multiple possibilities in correlating veins (Figure 7b). Mapping on surface has identified numerous veins in this area with multiple orientations (Figure 5). Most of the veins have a strike of approximately 70° and dip 65° - 85° towards the south; however at least one vein dips steeply to the east in the area. The most probable correlations identify two trends, with $\sim 65^\circ$ and $\sim 82^\circ$ dips respectively. These correlations are based on the alignment of veins in cross section, orientation measurements from drill hole intersections with respect to the core axis, and vein measurements made on surface.

TAN08-11

TAN08-11 was designed to test for the up dip continuation of arsenopyrite mineralization encountered in the Boundary Ranges suite in TAN08-05 and for possible strike length extension of quartz-sulphide veining intersected in the rhyolite intrusion in TAN05-02 (Figure 7d). The dominant lithology is chlorite-biotite altered mafic volcanics, locally with a well developed schistosity that has been folded by a second generation event. The volcanics have been intruded by diorite to granodiorite dykes. Both units are affected by later brittle faulting.

Two narrow arsenopyrite-rich samples separated by non-mineralized metavolcanics contain 1.96 g/t Au and 1.21 g/t Au each. The arsenopyrite is medium-grained, replacing the host rock and concentrated in bands 5-15 cm in true width. In cross-section (Figure 7d), this zone lines up with the replacement style of mineralization in TAN08-05 and the weakly mineralized fault gouge in TAN08-07. Some sort of fault would be expected within or beside the mineralization in this hole based on the other observations, but it is evident that arsenic-rich fluids were able to pass through the host rock, possibly linking up a series of small structures.

TAN08-12

TAN08-12 drilled at a different azimuth from the other 2008 holes to drill across a prominent gully 30 m to the southeast containing a quartz-arsenopyrite vein along the gully margin (Figure 7e). The entire drill hole was within chlorite-biotite altered volcanics of the Boundary Ranges Metamorphic Suite.

Semi-massive replacement of silica-flooded volcanics by pyrrhotite and lesser arsenopyrite across 20 cm of core length assayed 13.15 g/t Au, the second highest Au value for the 2008 drill program. This sample also contains the second highest Cu value at 941 ppm. Sulphide mineralization is very limited in samples immediately surrounding this narrow zone. 4 m down hole, fine grained sulphides in quartz boudins and pyrite-pyrrhotite stringers above a fault zone resulted in anomalous gold values up to 583 ppb. Within the strongly sericite altered fault zone, Au values averaging 1.70 g/t over 1.23 m are attributed to arsenopyrite veins, disseminations and matrix to the fault gouge.

TAN08-13

TAN08-13 drilled from the same location as TAN08-12 at a steeper dip. The highest gold assay in TAN08-13 is 3.93 g/t from a 40 cm fault zone with semi-massive arsenopyrite. Further down hole is a larger fault that is believed to correspond with the mineralized fault in TAN08-12, but with slightly lower gold grades encountered in this hole. Of note is the presence of a 10 cm fragment of quartz-arsenopyrite vein within the fault zone, similar to observations in the gully on surface that the disjunctive nature of the veining appears to be due to later faulting that aided the mobilization (remobilization?) of arsenic rich fluids. Plotting the data on a cross section indicates a fault dipping 81° toward the northwest, with the 40 cm fault zone mentioned above a possible fault splay at a slightly shallower angle (Figure 7e).

TAN08-14

TAN08-14 undercut TAN08-07 and drilled entirely within variably deformed, chlorite+/-biotite altered volcanics of the Boundary Ranges Metamorphic Suite (Figure 7d). No significant arsenopyrite mineralization was encountered; however, variable pyrrhotite-pyrite disseminations and minor stringers occurred throughout locally with trace amounts of chalcopyrite. There are no anomalous samples in this hole; the highest Au value returned was 25 ppb.

TAN08-15

TAN08-15 is a 65 m undercut of TAN05-03 and TAN05-02, which were drilled within the rhyolite intrusion and intersected high-grade mineralization within quartz-arsenopyrite veins (Figure 7c). For example, individual assays in TAN05-02 were as high as 87.44 g/t Au and 279 g/t Ag while TAN05-03 had up to 34.28 g/t Au.

Only one interval of quartz-arsenopyrite veining was encountered in TAN08-15, near the bottom of the hole, with mineralization averaging 0.35 g/t Au and 5.9 g/t Ag across 6.23 m. The veins are at low angle to the core axis within sericite-silica altered rhyolite. Anomalous gold values up to 254 ppb occur in rhyolite with disseminated and fracture-controlled arsenopyrite for 18.6 m above the vein zone.

Correlating quartz-arsenopyrite veins among the three drill holes in this section is not straightforward due to widely varying assays and vein widths (Figure 7c). The Au and Ag rich interval in TAN05-02 may be part of a vein dipping at 45° towards the south, an unfavourable orientation in terms of drill targeting due to topographic constraints. The apparent length of the quartz-sulphide veined zone (almost 8 m) can be attributed to the low angle of intersection to the core axis, with vein measurements noted in the drill logs ranging from sub-horizontal to 40° to the core axis. The Au rich vein intersected in the upper part of TAN05-03 could also dip at a moderate angle to the south (between 30°-45°) providing an explanation for the fact that it was not intersected in the holes on either side. If the veins intersected in TAN05-03 followed the usual trend of steeply south-dipping then TAN08-15 should have intersected multiple zones instead of only one weakly mineralized zone near the bottom.

TAN08-16

TAN08-16 is a 60 m step out to the west along strike from all previous drill holes. Lithologies encountered include rhyolite, rhyolite breccia and biotite granite. The contact between the rhyolite breccia and the underlying granite is obscured by a large zone of weakly mineralized quartz-sulphide veining and alteration. Two other variably mineralized zones of quartz-sulphide veining were intersected within the rhyolite and granite; Au and Ag values are generally weak across these vein intersections. Numerous low-grade Au samples are present throughout the hole both as isolated samples and grouped intervals.

Quartz-sulphide veins in sericite-silica altered rhyolite were intersected between 13.89 and 18.08 m. Samples that returned the highest Au and Ag assays can be attributed to sulphide-rich portions of the veins, including one sample with pyrite as the dominant sulphide rather than arsenopyrite that assayed 1.75 g/t Au and 29 g/t Ag. This vein system is exposed on surface dipping steeply to the south ($\sim 85^\circ$) a short distance ahead of the drill collar but inaccuracies stemming from working with a handheld GPS at a small scale results in a poor representation of vein orientation on the cross section (Figure 7a). The vein set intersected in the upper part of this hole can be traced >60 m to the east, potentially forming the top intersection in each of TAN08-08, TAN08-09 and TAN06-04 (Figures 5 and 7b). Sporadic, narrow quartz-arsenopyrite veining (1-10 cm true width) and fracture-controlled arsenopyrite mineralization continues for 12 m beneath the zone of strongest veining with modest results except for one sample that assayed 2.04 g/t Au.

Within the granite is a 13 m zone of weak Au mineralization with anomalous Ag, Pb and Zn, including a 6 m interval of quartz veining with minor arsenopyrite. Results show little difference between Au values from samples of the largest quartz vein (3.5 m core length) and samples taken from granite containing veins <2 cm wide. Projection of a vein mapped on surface 20 m to the northeast that is dipping 85° towards the south onto the line of this cross section (Figure 7a), is in close agreement with the angle of the lower contact of the largest quartz vein. This implies that the lower, weakly mineralized zone of veining in TAN08-16 correlates to the high-grade Au and Ag rich intersections of TAN08-10 and TAN05-01 and potentially, the lower-grade intersection near the bottom of TAN08-08 (Figure 7b).

9.3 Drilling Summary

Drilling in 2008 expanded upon previous drill holes in the Tannis Zone that were directed solely at quartz-sulphide veins within rhyolite and rhyolite breccia to now include similar veins within equigranular biotite granite and the Boundary Ranges Metamorphic Suite. Previous workers recognized the probable link between the granite and rhyolite intrusions, including the possibility of the rhyolite representing a chilled contact (Morris, 1988). Observations from drill core indicate that the rhyolite is a later phase than the granite on Middle Ridge. Two of the three contacts observed in core (TAN08-08 and TAN08-09) were very sharp while the third contact, in TAN08-16, was obscured by a large section of weakly mineralized quartz-sulphide veining and alteration. Rhyolite dykes crosscut the granite, with the best example in TAN08-09 being a 90 cm dyke (core length) that caused strong chlorite alteration along the margins of the host granite. Other possible rhyolite dykes, especially in TAN08-16, have less clearly defined boundaries and at times look more like intense k-spar alteration obscuring the primary texture of the granite. However, alteration is so weak throughout most of the granite that it is more likely they are indeed dykes but may have been emplaced before the granite was fully cooled. The presence of a 3.8 m section of granite near the bottom of hole TAN08-10 could be attributed to a raft of host rock entrained within the rhyolite, also indicating the rhyolite is younger.

Chlorite-biotite alteration prominent in the Boundary Ranges is most likely related to regional deformation and metamorphism that resulted in the schistose texture of the metavolcanics and deformation of non-mineralized quartz and carbonate veins. All of the holes collared in the Boundary Ranges were within 20 m of the rhyolite contact without any apparent alteration or hornfels texture. The actual contact was not drilled due to constraints on drill pad construction with respect to the steep topography.

Gold values >1 g/t occurred in narrow intervals in all three rock units encountered in drill core. Accompanying many of the anomalous gold values are higher than background Ag values, however, only five samples from the entire drill program assayed >50 g/t Ag, all within holes TAN08-09 and TAN08-10. The fact that limited Ag was encountered in TAN08-08 which was drilled between these two holes highlights the variability among intersections.

In the rhyolite and granite intrusions the majority of anomalous gold values can be attributed to specific mineralized veins usually composed of quartz-arsenopyrite but locally including pyrite or pyrrhotite, and rarely chalcopyrite or sphalerite. Many gold assays from isolated, centimetre scale veins are comparable to or greater than gold values within the metre scale quartz-sulphide veins. In TAN08-10 for example, a 30 cm sample yielded 11.05 g/t Au due to the presence of a 3 cm wide quartz-arsenopyrite vein with minimal surrounding mineralization. The presence of weak background Au mineralization in the granite is very

interesting and appears to be associated with the disseminated pyrrhotite rather than the quartz-arsenopyrite veinlets which cause localized 'spikes' of increased Au where they do occur. This large intrusion may be the source of mineralization of other rock units in this area. If this is the case then the mineralized fluids would be from a late cooling stage given that the rhyolite is a younger intrusive phase than the granite.

Four sub-parallel sections have been drilled across >200 metres of strike length, with spacing of 40-60 metres between holes on the same section. The fifth section at the eastern end was at a different azimuth (TAN08-12 and TAN08-13). Similar to observations from surface, the quartz-sulphide veins are discontinuous laterally and also at depth. No major structures are present in the area drilled but brittle faulting evident in the brecciated rhyolite and the Boundary Ranges suite indicates minor vein offsets should be expected. The best estimate of the maximum down dip extent of any vein drilled to date is >200 m from TAN08-10, TAN05-01 and TAN08-08 (Figure 7b).

Variable pyrrhotite-pyrite disseminations and veinlets are present within the Boundary Ranges Metamorphic Suite but the timing and cause of this 'background' mineralization is unknown, especially whether or not it pre-dates the granite intrusion. Gold bearing intervals in the Boundary Ranges drill holes are limited to fault and/or narrow replacement zones. Arsenopyrite is the dominant sulphide for samples that assayed >1 g/t Au, except for the highest assay in the Boundary Ranges of 13.15 g/t in TAN08-12 which contained semi-massive pyrrhotite with lesser arsenopyrite across 20 cm. Previous mapping has confirmed the presence of quartz-arsenopyrite veins in the Boundary Range, especially on the south side of Middle Ridge, but quartz veins in drill core were only noted in TAN08-13 as a 10 cm fragment within a mineralized fault zone.

10.0 DISCUSSION AND CONCLUSIONS

The 2008 program focused on the central portion of the Golden Eagle property and was successful in terms of further defining, as well as expanding, the area of Au-Ag mineralization related to quartz-sulphide veining in multiple rock types. Mapping and prospecting has identified the presence of quartz-sulphide veins that are often similar in appearance across a 5 km long belt. Taking into account similar occurrences in other parts of the property such as the LQ vein and the veins on the south side of South Mountain that were not sampled during the 2008 program, this length is extended to upwards of 8 km. The northwest trend of the quartz-sulphide vein occurrences mirror the trend of the Llewellyn fault zone, located a few kilometres to the east.

Drilling on the Tannis Zone in 2008 highlighted the inherent variability of gold-silver mineralization and discontinuity within veins but the system has been demonstrated to continue along a strike length of nearly 150 metres and greater than 200 metres down dip on at least one section in both the rhyolite and granite intrusions. Results from drill core also identified low-grade Au-Ag mineralization within the granite

Petrographic and SEM analyses of select surface and core samples highlighted a number of key features. The internal deformation and recrystallization of quartz within the vein samples indicate protracted periods of strain after initial vein formation. This conclusion draws attention to the importance of structures in the area, especially one as regionally significant as the Llewellyn fault zone which is known to have continued activity into the Tertiary. Thin section work also demonstrated the extent of oxidation to sulphide minerals, marked by the presence of oxides/hydroxides that are variably iron, lead, molybdenum, arsenic or antimony-bearing. Sulphide oxidation products are very fine-grained and commonly intermixed or occur in successive rims, precluding definitive identification without a comprehensive SEM-EDS analysis.

Based on observations from mapping and drill core in the Tannis Zone, it appears that the quartz-sulphide veins are synchronous with late-stage cooling of the Late Cretaceous granite pluton and the slightly later rhyolite intrusion, locally with multiple phases of sulphide minerals, predominantly arsenopyrite. Regional workers have noted the paucity of data to constrain the timing of mineralization of vein systems in northwestern British Columbia, but comparison with vein deposits immediately to the north in southwestern Yukon indicates that most mineralization is Late Cretaceous to Early Tertiary and related to intrusions of similar age (Mihalynuk, 1999).

In drill core from the Tannis Zone, mineralization was observed to occur both before and after brittle faulting. Deformation after quartz vein formation is supported by observations from thin sections of quartz veins such as in TAN08-10 where quartz vein fragments form clasts within the rhyolite breccia. In contrast is quartz-arsenopyrite infill after weak brecciation of the plagioclase porphyry in the Boundary Ranges suite in TAN08-05.

Despite the chlorite-biotite alteration and weak pyrrhotite-pyrite mineralization in the Boundary Ranges metavolcanics a porphyry model of mineralization is not supported due to the lack of pervasive hydrothermal alteration in the host rocks. Instead, intrusion-related gold is a possible exploration model. Evidence in favour of this model includes the presence of a large felsic intrusion, geochemical signature that includes As-Bi-Sb-Pb-W and relatively cryptic alteration associated with the veining. The role of the Llewellyn fault zone and associated higher order structures in this scenario is uncertain. As mentioned previously there is a strong correlation between the Llewellyn fault zone and the majority of BC Minfile occurrences in the region. This long-lived structure may have supplied metals to the felsic melt for the intrusion-related system.

Exploration in 2008 focused on a relatively small portion of an otherwise large property with numerous gold occurrences and prospects. Recommendations for portions of the Golden Eagle property not part of the 2008 exploration program should be drawn from previous reports, such as Casselman (2007). Recommendations for future work on the central portion of the property and related quartz-sulphide veins are described as follows.

Drilling in 2008 has proved that some of the smallest quartz-arsenopyrite veins (<2 cm) carry significant Au and that searching for areas of increased vein density regardless of vein widths may prove to be a worthwhile endeavour. Further work on the property will need to fully integrate recent data and conclusions into previous work in adjoining areas. The spatial variability in metal content should be explored to determine zonation patterns for use in exploration targeting. In the North Mountain-Middle Ridge-South Mountain area, exploration work has been concentrated near the areas of abundant outcrop which is dominantly alpine and subalpine leaving the intervening glacial valleys underexplored. The distribution of mineralization and veining observed to date indicates that the valley between Middle Ridge and South Mountain, and probably, the larger valley containing Paddy Pass are favourable exploration targets; airborne geophysical data should be re-interpreted in this light, and possibly followed up with ground geophysical surveys. Previous induced polarization (IP) surveys in the Middle Ridge area have concluded that chargeability anomalies do occur over the known veins and that unexplained chargeabilities of interest remain.

The Golden Eagle property on the whole contains many prospective areas for drilling and these should be prioritized once the recommendations described above have been undertaken. The most viable drill target to come out of the surface program is on South Mountain. A cluster of 9 veins is exposed over a ~100x100 metre area, all with approximately the same orientation and all containing significant gold-silver. In addition, there is potential for a "feeder zone" to occur at depth which would be responsible for the tightly clustered veins in this small area with surface samples containing up to 1250 g/t Ag and 7.9 g/t of Au. Initial drilling for this area could involve two holes (from the same setup), one at -45° and another at -60° with azimuth 160° to test the extent and grade of the veins at depth and the extent of the rhyolite at depth.

Respectfully submitted,



Jeremy Major & Justin MacDonald

EQUITY EXPLORATION CONSULTANTS LTD.

Vancouver, British Columbia

December 22, 2009

Appendix A: References

REFERENCES

- Bidwell, G. (1994): Geological, Geochemical and Reclamation Assessment Report on the Pavey Property; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #23,550.
- Blanchflower, J.D. (1990): Trenching and Diamond Drilling Report on the Pavey Property; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #20,581.
- Casselman, S. (2003): Report on the 2003 Mineral Exploration Program on the Golden Eagle Project; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #27,474.
- Casselman, S. (2005): Report on the 2003 and 2004 Mineral Exploration Programs on the Golden Eagle Project; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #27,674.
- Casselman, S. (2007): Report on the 2006 Mineral Exploration Programs on the Golden Eagle Project; Private report for Troymet Exploration Corp., filed on SEDAR October 11, 2007 .
- Copland, H.J. (1982): Geological and Geochemical Report on the Gaug Property; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #11,044.
- Copland, H.J. (1987): Geological Report on the Catfish Claim; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #15,972.
- Davis, J.H. (1989): Geology of the Catfish Mineral Property; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #19,527.
- Davidson, G.S. (1987): Exploration Report on the Pavey Property; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #16,569.
- Davidson, G.S. (1988): Summary Report on the Pavey Property; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #17,830.
- Downes, K. (2003): Geological, Geochemical and Geophysical Report on the Golden Eagle Property; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #27,196.
- Duke, J.L. (1988): Geophysical and Drilling Report, 1988, on the Tut 7 and 8 Claims; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #18,319.
- Duke, J.L. (1989): Geophysical and Drilling Report, 1988, on the Tut 1, 2, 3 and 4 Claims; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #18,651.
- Duke, J.L. (1993): Geochemical Assessment Report on the Pavey Property; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #23,218.
- Dzuiba, F. (2002): A Geophysical Report on an Induced Polarization Survey and a Total Field Magnetic Survey, Golden Eagle Project; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #27,196, Appendix II.
- ELC (1970): Geophysical Report No. A-70-112 over the Dick and Old Claims; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #2,681.
- Lhotka, P.G. and Olsen, R.A. (1983): Exploration 1983 – Ben Mineral Claims; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #12,554.
- Lueck, B.A. (1989): Summary Report on the Pavey and Willard Property; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #19,186.
- Morris, R.J. (1988): Catfish Property, Geological and Geochemical Report; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #18,522.
- Mark, D.G. (1997): Geophysical Report on a VLF-EM Survey on the Tutshi Lake Property; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #25,096.
- Mackay, S.J. and Reid, W. (1987): Geology and Geochemistry Report, 1986, on the Tuts 1-6 Claims; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #15,500.
- McMillan, R.H. (1995): Geological and Geochemical Report on the Tutshi #1 Claim; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #23,737.

- McMillan, R.H. (2001): Mineral Potential of the Golden Eagle Property; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #26,760.
- McPhar (2005): Final Report on a Helicopter-borne Geophysical Survey, Golden Eagle Property; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #27,674, Appendix VI.
- Mihalynuk, M.G. (1999): Geology and Mineral Resources of the Tagish Lake Area (NTS 104M/8, 9, 10E, 15 and 104N/12W), Northwestern British Columbia; British Columbia Ministry of Energy and Mines, Geological Survey Branch, Bulletin 105.
- Nebocat, J. (2002): Report on the Mineralization, Geology and Exploration History of the Golden Eagle Property; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #27,196, Appendix I.
- Neelands, J.T. and Copland, H.J. (1982): Geological and Geochemical Report on the Shui Property; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #10,429.
- Neelands, J.T. and Holmgren, L. (1982a): Geological and Geochemical Report on the Tuts Property; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #10,424.
- Neelands, J.T. and Holmgren, L. (1982b): Geological and Geochemical Report on the Gaug Property; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #10,427.
- Rowins, S. (1997): 1996 Assessment Report, Bennett Property; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #24,869.
- Terry, D.A. and Bradshaw, G.D. (1998): 1997 Assessment Report describing a Diamond Drill Program on the Lew 1 to 13 and LQ Mineral Claims; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #25,417.
- Walcott, P.E. (1990): A Geophysical Report on an Induced Polarization Survey; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #19,794.
- Walcott, P.E. (2000): A Review of Airborne Geophysical Data, Golden Eagle Property; British Columbia Ministry of Energy, Mines and Petroleum Resources Assessment Report #26,193.

Appendix B: Statement of Expenditures

PROFESSIONAL FEES AND WAGES:

Henry Awmack, P.Eng.	8.88 days @ \$650/day	\$ 5,772.00	
Darcy Baker, Ph.D.	4.88 days @ \$650/day	3,172.00	
Christopher Boucher, Sampler	20.00 days @ \$275/day	5,500.00	
Thomas Dodge, Padbuilder	6.00 days @ \$400/day	2,400.00	
Kristy Emery, Advisor	73.25 hours @ \$115/hour	8,423.75	
Jeremy Major, Project Geologist	35.38 days @ \$650/day	22,997.00	
Joe McCreery, Prospector	20.00 days @ \$475/day	9,500.00	
Justin MacDonald, Geologist	61.38 days @ \$525/day	32,224.50	
Ace Norman, Sampler	4.00 days @ \$275/day	1,100.00	
Scott Parker, GIS/Logistics	21.00 hours @ \$75/hour	1,575.00	
Neil Rushton, Project Manager	38.00 days @ \$575/day	21,850.00	
Sean Shore, Sampler	16.00 days @ \$275/day	4,400.00	
Tim Sullivan, Prospector	40.50 days @ \$475/day	19,237.50	
Neil Visser, Logistics	3.00 hrs @ \$75/hour	225.00	
Agata Zurek, GIS	195.00 hrs @ \$75/hour	14,625.00	
Clerical	83.00 hrs @ \$35/hour	<u>2,905.00</u>	\$ 155,906.75

EQUIPMENT RENTALS

Chainsaw	1 days @ \$30/day	\$ 30.00	
Gas Core Saw	26 days @ \$60/day	1,560.00	
Satellite Phones (Iridium)	8 weeks @ \$75.00/week	600.00	
	268 minutes @ \$1.89/min	506.52	
Generator (1kVA)	3 days @ \$20/day	60.00	
Rental Truck Insurance	74 days @ \$10/day	740.00	
Field Computers	119 days @ \$40/day	4,760.00	
First Aid Equipment (Level III)	39 days @ \$30/day	1,170.00	
PDA	37 days @ \$20/day	<u>740.00</u>	10,166.52

EXPENSES:

Chemical Analyses	\$40,326.18	
Field Consumables	1,312.19	
Materials and Supplies	15,106.58	
Plot Charges	313.12	
Camp Food	83.07	
Meals	15,658.04	
Accommodation	19,474.99	
Taxis and Airporters	265.19	
ATV Rental (Non-Equity)	11,507.05	
Truck Rental (Non-Equity)	35,138.67	
Automotive Fuel	3,849.16	
Helicopter Charters	181,942.55	
Airfare	13,422.46	
Tolls and Airport Taxes	189.82	
Telephone Distance Charges	773.27	
Courier	11.37	
Freight	9,042.68	
Bulk Fuel	38,713.85	
Geophysical Equipment Rental	374.00	
Padbuilding	34,441.94	
Contract Construction	1,473.50	
Radio Rental (Non-Equity)	5,556.50	
Downhole Survey Tool Rental (Non-Equity)	2,012.50	
Drilling: Mob/Demob	2,012.50	
Drilling: Footage	325,202.97	
Drilling: Materials	15,873.07	
Petrography	492.00	
Expediting	5,101.01	
Postage	27.12	
Cell Phone Rental	128.40	
Report (estimated)	5,000.00	<u>784,825.75</u>

SUB-TOTAL: \$ 950,899.02

PROJECT SUPERVISION CHARGES:

12% on portion <\$200,000: (\$200,000.00)	
10% on balance: (\$750,899.02)	<u>75,089.90</u>

SUB-TOTAL: \$ 1,025,988.92

GST: 5% on sub-total 51,299.45

TOTAL: \$ 1,077,288.37

Appendix C: Rock Sample Descriptions

MINERALS AND ALTERATION TYPES

AC	actinolite	FP	feldspar	PF	plagioclase
AL	alunite	GA	garnet	PH	phlogopite
AM	amphibole	GE	goethite	PL	pyrolusite
AS	arsenopyrite	GL	galena	PO	pyrrhotite
AU	augite	GR	graphite	PY	pyrite
AZ	azurite	HB	hornblende	QZ	quartz veining
BA	barite	HE	haematite	RE	realgar
BI	biotite	HS	specularite	RN	rhodonite
BO	bornite	HZ	hydrozincite	SB	stibnite
BT	pyrobitumen	IL	illite	SD	siderite
CA	calcite	JA	jarosite	SI	silicification
CB	Fe-carbonate	KF	potassium feldspar	SK	skarn
CC	chalcocite	MC	malachite	SM	smithsonite
CD	chalcedony	MG	magnetite	SP	sphalerite
CL	chlorite	MI	mica	SR	scorodite
CP	chalcopyrite	MN	Mn-oxides	SS	sulphosalts
CU	native copper	MO	molybdenite	ST	smectite
CV	covellite	MR	mariposite/fuchsite	TP	topaz
CY	clay	MS	sericite	TT	tetrahedrite
DC	dickite	MT	marcasite	VG	gold
DS	diaspore	MU	muscovite	ZE	Zeolite
DU	dumortierite	NA	natroalunite	ZN	zunyite
EN	enargite	NE	neotocite		
EP	epidote	PA	pyrargyrite		

ALTERATION INTENSITY

w	weak	s	strong
m	moderate	i	intense

Rock Sample Descriptions

Golden Eagle

Operator: TroyMet Exploration Corp.

Project: TYE08-02 2008

NTS: 104M/15

	Grid North:		Grid East:		Type:	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
C201101 Golden Eagle	UTM 6637155	N	UTM 508821	E	Grab	AS, PY	2370	19500	11	40
	Elevation: 1253		Sample Width: 5	cm	Strike Length Exp:	Metallics: SR	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			090°/74°		True Width: 5	cm	510	870	40	<50
	Host : Granodiorite									
Sampled By: JMC AS and PY in 5cm wide veins. Veins in granodiorite. 17-Aug-08										
C201102 Golden Eagle	UTM 6636991	N	UTM 508741	E	Grab	PY	9	150	2	10
	Elevation: 1395	m	Sample Width: 10	cm	Strike Length Exp:	Metallics:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					True Width: 2.5	m	38	40	<10	<50
	Host :									
Sampled By: JMC Lots of gossan. 17-Aug-08										
C201103 Golden Eagle	UTM 6637136	N	UTM 508247	E	Grab	AS, PY	20	41700	1	<10
	Elevation: 1365	m	Sample Width: 10	cm	Strike Length Exp:	Metallics: SR	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					True Width: 2	m	41	40	290	<50
	Host :									
Sampled By: JMC Lots of gossan. Mineralization looks mostly on fracture planes. 18-Aug-08										
C201104 Golden Eagle	UTM 6637128	N	UTM 508240	E	Grab	?AS, PY	6	2680	2	<10
	Elevation: 1347	m	Sample Width: 10	cm	Strike Length Exp:	Metallics:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					True Width: 1.5	m	35	20	20	<50
	Host :									
Sampled By: JMC Lots of gossan. Might be disseminated AS? 18-Aug-08										
C201105 Golden Eagle	UTM 6637168	N	UTM 508171	E	Grab	?AS, PO,PY	8	13200	1	<10
	Elevation: 1314	m	Sample Width: 10	cm	Strike Length Exp:	Metallics:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					True Width:	Secondarys:	43	10	970	<50
	Host :									
Sampled By: JMC 18-Aug-08										
C201106 Golden Eagle	UTM 6637085	N	UTM 507946	E	Grab	PO	<5	190	<1	<10
	Elevation: 1279	m	Sample Width:		Strike Length Exp:	Metallics:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					True Width:	Secondarys:	48	20	<10	<50
	Host :									
Sampled By: JMC Lots of gossan. Fine-grained, dark grey rock. 18-Aug-08										

Rock Sample Descriptions

Golden Eagle

Operator: TroyMet Exploration Corp.

Project: TYE08-02 2008

NTS: 104M/15

C201107 Golden Eagle	Grid North:		Grid East:		Type: Float	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637124	N	UTM 507821	E	Strike Length Exp:	Metallics: tr AS, tr PY	97	4710	<1	10
	Elevation: 1295	m	Sample Width: 10	cm	True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host :		44	30	20	<50
Sampled By: JMC 19-Aug-08 Quartz vein in granodiorite. Mineralization really spotty. Sampled best of what was there. Small 3-5cm quartz veins?										
C201108 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637015	N	UTM 507655	E	Strike Length Exp:	Metallics:	<5	110	<1	<10
	Elevation: 1298	m	Sample Width: 8	cm	True Width: 1.5	m	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>
					Host :		29	40	<10	<50
Sampled By: JMC 19-Aug-08 No sulphide. Interesting light coloured rock with lots of yellow oxide.										
C201109 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637010	N	UTM 507549	E	Strike Length Exp:	Metallics: tr CP, 10% PO	5	120	4	<10
	Elevation: 1287	m	Sample Width:		True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host :		69	20	<10	80
Sampled By: JMC 19-Aug-08										
C201110 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637322	N	UTM 507967	E	Strike Length Exp:	Metallics: AS, CP, PO	219	1570	<1	10
	Elevation: 1273	m	Sample Width:		True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host :		648	60	10	<50
Sampled By: JMC 19-Aug-08 Mineralization in rock next to carbonate alteration.										
C201111 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6636564	N	UTM 509478	E	Strike Length Exp:	Metallics: tr AS	149	11500	2	<10
	Elevation: 1345	m	Sample Width: 6.5	cm	True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host :		59	10	30	<50
Sampled By: JMC 20-Aug-08 Vein about 10-15cm wide with tr AS.										
C201112 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6636554	N	UTM 509437	E	Strike Length Exp:	Metallics: AS, PO, PY	9	20	<1	10
	Elevation: 1346	m	Sample Width:		True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host :		79	50	20	<50
Sampled By: JMC 20-Aug-08 Gossanous, medium- to fine-grained, medium grey rock. Disseminated sulphide.										

Rock Sample Descriptions

Golden Eagle

Operator: TroyMet Exploration Corp.

Project: TYE08-02 2008

NTS: 104M/15

Sample ID	Grid North	Grid East	Type	Alteration	Au (ppb)	As (ppm)	Ag (ppm)	Bi (ppm)
C201113 Golden Eagle	UTM 6636558	UTM 509383	Grab	AS	1190	59100	10	10
	Elevation: 1366	Sample Width:	Strike Length Exp:	Metallics:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
Host : 40-50cm wide vein with AS. Vein is in the rhyolite.					466	60	310	<50
Sampled By: JMC 20-Aug-08								
C201114 Golden Eagle	UTM 6636477	UTM 509317	Grab		<5	140	<1	<10
	Elevation: 1384	Sample Width:	Strike Length Exp:	Metallics:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
Host : Carbonate alteration.					40	20	<10	<50
Sampled By: JMC 20-Aug-08								
C201115 Golden Eagle	UTM 6636536	UTM 509203	Grab	?AS, PO, PY	<5	16800	<1	<10
	Elevation:	Sample Width:	Strike Length Exp:	Metallics:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
Host : 20					<10	450	<50	
Sampled By: JMC 20-Aug-08								
C201116 Golden Eagle	UTM 6636570	UTM 509205	Grab	AS, PO, PY	5	11200	<1	<10
	Elevation: 1508	Sample Width:	Strike Length Exp:	Metallics:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
Host : Both fracture plane and disseminated mineralization.					19	50	1780	<50
Sampled By: JMC 20-Aug-08								
C201117 Golden Eagle	UTM 6636566	UTM 509201	Grab	tr AS?, PY	7	8050	<1	<10
	Elevation: 1503	Sample Width:	Strike Length Exp:	Metallics:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
Host : 46					70	2610	<50	
Sampled By: JMC 21-Aug-08					Alteration with packets of AS that might be along fracture planes. PY is disseminated; AS might be in tiny veins?			
C201118 Golden Eagle	UTM 6636435	UTM 509229	Grab	PO, PY	5	7520	3	<10
	Elevation: 1451	Sample Width:	Strike Length Exp:	Metallics:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
Host : 30					100	1820	<50	
Sampled By: JMC 21-Aug-08					Nice gossan. Medium to dark grey colour.			

Rock Sample Descriptions

Golden Eagle

Operator: TroyMet Exploration Corp.

Project: TYE08-02 2008

NTS: 104M/15

C201119 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6636406	N	UTM 509192	E	Strike Length Exp:	Metallics: tr AS	19	690	<1	20
	Elevation: 1438	m	Sample Width:		True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host :		28	30	<10	<50
Sampled By: JMC I think fracture plane mineralization in the rhyolite. 21-Aug-08										
C201120 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6636383	N	UTM 509304	E	Strike Length Exp:	Metallics: 2% AS, PY	2020	28200	377	1080
	Elevation: 1358	m	Sample Width:		True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host :		93	6460	220	<50
Sampled By: JMC 50-60cm wide vein. 21-Aug-08										
C201121 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6636398	N	UTM 509329	E	Strike Length Exp:	Metallics: 1% AS	2480	24600	24	80
	Elevation: 1316	m	Sample Width:		True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host :		15	310	60	<50
Sampled By: JMC 70-80cm wide vein. Mineralization located mostly on edges of vein. 21-Aug-08										
C201122 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6636411	N	UTM 509304	E	Strike Length Exp:	Metallics: 1% AS	245	35600	4	50
	Elevation: 1326	m	Sample Width:		True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host :		<5	70	70	<50
Sampled By: JMC Same vein as C201121. Spotty mineralization. 21-Aug-08										
C201123 Golden Eagle	Grid North:		Grid East:		Type: Select	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6639159	N	UTM 508647	E	Strike Length Exp:	Metallics: tr AS	104	280	8	260
	Elevation: 1249	m	Sample Width:		True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host :		<5	260	10	<50
Sampled By: JMC 10cm wide quartz vein with patchy mineralization. Sampled best of what I found. 22-Aug-08										
C201124 Golden Eagle	Grid North:		Grid East:		Type: Float	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6639208	N	UTM 508664	E	Strike Length Exp:	Metallics: AS, CP	51	50	22	470
	Elevation: 1266	m	Sample Width:		True Width:	Secondaries: wMC	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host :		183	330	40	1530
Sampled By: JMC Quartz boulder about 20-30cm wide with CP and AS. 22-Aug-08										

Rock Sample Descriptions

Golden Eagle

Operator: TroyMet Exploration Corp.

Project: TYE08-02 2008

NTS: 104M/15

C201125 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6639341	N	UTM 508716	E	Strike Length Exp:	Metallics: tr AS	10050	90	71	12750
	Elevation: 1371	m	Sample Width:		True Width:	Secondaries: wMC	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
Sampled By: JMC		10-20cm wide quartz veins.								
22-Aug-08										
C201126 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6639339	N	UTM 508725	E	Strike Length Exp:	Metallics: tr AS	19	80	35	740
	Elevation: 1307	m	Sample Width:		True Width:	Secondaries: wMC	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
Sampled By: JMC		10-20cm wide quartz veins								
22-Aug-08										
C201127 Golden Eagle	Grid North:		Grid East:		Type: Float	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6639353	N	UTM 508754	E	Strike Length Exp:	Metallics: 20% AS	56	17200	3	50
	Elevation: 1362	m	Sample Width: 4	cm	True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
Sampled By: JMC		Massive sulphide next to alteration. Sampled most of flat rock.								
22-Aug-08										
C201128 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6639392	N	UTM 508796	E	Strike Length Exp:	Metallics: 2% CP	9	20	7	20
	Elevation: 1359	m	Sample Width:		True Width:	Secondaries: mMC	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
Sampled By: JMC		3 or more quartz veins about 3cm wide. Grab the group of veins.								
22-Aug-08										
C201129 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6639378	N	UTM 508783	E	Strike Length Exp:	Metallics: tr AS, tr CP	1320	60	66	2190
	Elevation: 1397	m	Sample Width:		True Width:	Secondaries: wMC	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
Sampled By: JMC		Grab of quartz veins about 10-20cm wide.								
22-Aug-08										
C201130 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6639383	N	UTM 508741	E	Strike Length Exp:	Metallics: AS, PY	241	2170	118	2580
	Elevation: 1409	m	Sample Width:		True Width:	Secondaries: wAZ, wMC	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
Sampled By: JMC		Quartz vein about 70cm wide at the widest point. Pinches pretty fast though.								
23-Aug-08		Vein 180°/80°								

Rock Sample Descriptions

Golden Eagle

Operator: TroyMet Exploration Corp.

Project: TYE08-02 2008

NTS: 104M/15

	Grid North:		Grid East:		Type:	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
C201131 Golden Eagle	UTM 6639411	N	UTM 508740	E	Grab	AS	999	17500	60	190
	Elevation: 1419	m	Sample Width:		Strike Length Exp:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			Vein 085°/80°		True Width:	Host :	1300	3500	590	<50
Sampled By: JMC 23-Aug-08	Large quartz vein.									
C201132 Golden Eagle	UTM 6639592	N	UTM 508815	E	Grab	?AS, CP, PO, PY	183	10	1	30
	Elevation: 1512	m	Sample Width:		Strike Length Exp:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					True Width:	Host :	864	70	10	110
Sampled By: JMC 23-Aug-08	Lots of gossan and lots of sulphide. Darker coloured rock, maybe altered intrusive?									
C201133 Golden Eagle	UTM 6639592	N	UTM 508808	E	Select	?AS, ?CP, PO, PY	1030	40	2	110
	Elevation: 1503	m	Sample Width:		Strike Length Exp:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					True Width:	Host :	997	20	10	250
Sampled By: JMC 23-Aug-08	Narrow zone of massive sulphide. Best grade sampled.									
C201134 Golden Eagle	UTM 6639053	N	UTM 506558	E	Grab	AS, GL, PO, PY	301	3090	75	100
	Elevation: 1366	m	Sample Width:		Strike Length Exp:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					True Width:	Host :	163	31600	15950	520
Sampled By: JMC 25-Aug-08	Lots of sulphide in or near carbonate alteration/veining.									
C201135 Golden Eagle	UTM 6639037	N	UTM 506692	E	Grab	tr MO	38	850	2	<10
	Elevation: 1353	m	Sample Width:		Strike Length Exp:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					True Width:	Host :	14	70	60	<50
Sampled By: JMC 25-Aug-08	2-3m wide quartz vein with MO.									
C201136 Golden Eagle	UTM 6637284	N	UTM 507938	E	Grab	tr AS, tr CP, PO	6	730	2	<10
	Elevation: 1197	m	Sample Width:		Strike Length Exp:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					True Width:	Host :	230	120	50	<50
Sampled By: JMC 26-Aug-08	Alteration near the carbonate.									

Rock Sample Descriptions

Golden Eagle

Operator: TroyMet Exploration Corp.

Project: TYE08-02 2008

NTS: 104M/15

C201137 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637296	N	UTM 507919	E	Strike Length Exp:	Metallics: tr AS, PO	61	2560	1	<10
	Elevation: 1190	m	Sample Width:		True Width:	Secondaries: tr MC	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host :		502	40	30	<50
Sampled By: JMC Alteration with lots of gossan. 26-Aug-08										
C201138 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637305	N	UTM 507870	E	Strike Length Exp:	Metallics: tr AS, PO	6	710	1	10
	Elevation: 1178	m	Sample Width:		True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host :		222	30	10	<50
Sampled By: JMC Light coloured alteration. 26-Aug-08										
C201139 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6636873	N	UTM 507381	E	Strike Length Exp:	Metallics: AS, PO	9	230	1	10
	Elevation: 1361	m	Sample Width:		True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host :		114	<10	10	<50
Sampled By: JMC Alteration with some veining. 26-Aug-08										
C201140 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6636881	N	UTM 507397	E	Strike Length Exp:	Metallics: PO, PY, SP	<5	240	1	50
	Elevation: 1344	m	Sample Width:		True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host :		33	<10	<10	<50
Sampled By: JMC Light coloured carbonate altered rock with green tinge. Sub-crop. 02-Sep-08										
C201141 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6636846	N	UTM 507404	E	Strike Length Exp:	Metallics: tr AS, 15% PO	<5	470	<1	10
	Elevation: 1357	m	Sample Width:		True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host :		27	<10	10	<50
Sampled By: JMC Medium to dark grey green, medium-grained rock. Lots of sulphide, mostly PO. 02-Sep-08										
C201142 Golden Eagle	Grid North:		Grid East:		Type: Float	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6636787	N	UTM 507380	E	Strike Length Exp:	Metallics: SP	<5	300	1	<10
	Elevation: 1372	m	Sample Width:		True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host :		12	<10	90	<50
Sampled By: JMC Light green coloured carbonate alteration. I'm not convinced it's SP, but it might be. 02-Sep-08										

Rock Sample Descriptions

Golden Eagle

Operator: TroyMet Exploration Corp.

Project: TYE08-02 2008

NTS: 104M/15

C201143 Golden Eagle	Grid North:		Grid East:		Type: Select	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6635962	N	UTM 510033	E	Strike Length Exp:	Metallics: AS, GL	4270	150500	47	30
	Elevation: 1398	m	Sample Width:		True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host :		167	7080	440	<50

Sampled By: JMC Small vein, maybe 3-4cm wide.
03-Sep-08

C201144 Golden Eagle	Grid North:		Grid East:		Type: Select	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6635929	N	UTM 510054	E	Strike Length Exp:	Metallics: 10% AS	2620	265000	111	240
	Elevation: 1435	m	Sample Width:		True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host :		68	1710	1320	<50

Sampled By: JMC Small vein 3-5cm wide. Lots of AS in places; seems to die out in other spots in the vein.
03-Sep-08

C201145 Golden Eagle	Grid North:		Grid East:		Type: Select	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6635916	N	UTM 510010	E	Strike Length Exp:	Metallics: 2% AS	5220	215000	165	340
	Elevation: 1434	m	Sample Width:		True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host :		56	710	1500	<50

Sampled By: JMC Small quartz veinlets 2-3cm wide.
03-Sep-08

C201146 Golden Eagle	Grid North:		Grid East:		Type: Select	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6635902	N	UTM 510062	E	Strike Length Exp:	Metallics: 5% AS	5150	88100	191	150
	Elevation: 1456	m	Sample Width:		True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host :		147	27500	10200	<50

Sampled By: JMC Small quartz veins.
03-Sep-08

C201147 Golden Eagle	Grid North:		Grid East:		Type: Select	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6635957	N	UTM 510022	E	Strike Length Exp:	Metallics: 2% AS	1150	50600	25	80
	Elevation: 1406	m	Sample Width:		True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host :		221	400	170	<50

Sampled By: JMC Small quartz vein.
03-Sep-08

C201148 Golden Eagle	Grid North:		Grid East:		Type: Select	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6635939	N	UTM 509963	E	Strike Length Exp:	Metallics: 20% AS	1350	294000	72	70
	Elevation: 1417	m	Sample Width:		True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host :		82	390	760	<50

Sampled By: JMC Small quartz vein.
03-Sep-08

Rock Sample Descriptions

Golden Eagle

Operator: TroyMet Exploration Corp.

Project: TYE08-02 2008

NTS: 104M/15

Sample ID	Grid North	Grid East	Type	Alteration	Au (ppb)	As (ppm)	Ag (ppm)	Bi (ppm)
C201149 Golden Eagle	Grid North: UTM 6635910	Grid East: UTM 509958	Type: Select	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	Elevation: 1432 m	Sample Width:	Strike Length Exp: E	Metallics: tr AS	171	13800	13	90
			True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			Host :		19	470	320	<50
Sampled By: JMC Small quartz vein. 03-Sep-08								
C201150 Golden Eagle	Grid North: UTM 6635929	Grid East: UTM 510070	Type: Select	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	Elevation: 1432 m	Sample Width:	Strike Length Exp: E	Metallics: 20% AS	1420	161000	167	800
			True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			Host :		1770	6100	1080	<50
Sampled By: JMC Small quartz vein. 03-Sep-08								
C202109 Golden Eagle	Grid North: UTM 6637146	Grid East: UTM 508821	Type: Grab	Alteration: sQZ	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	Elevation:	Sample Width: 2.5 cm	Strike Length Exp: 5 m	Metallics: 3% AS	21	1130	3	<10
		Vein 066°/77° RT	True Width: 2.5 cm	Secondaries: sGE, mHE, wJA, wSC	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			Host : Qtz vein in intrusive		76	50	30	<50
Sampled By: TS TS GE 08-001. Thin fracture controlled veins with AS just SW of fault in intrusive not far below contact with mafics. Hints of thin veins and fractures throughout o/c. 07-Aug-08								
C202110 Golden Eagle	Grid North: UTM 6637191	Grid East: UTM 508680	Type: Grab	Alteration: sQZ	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	Elevation: 1244 m	Sample Width: 6 cm	Strike Length Exp: 5 m	Metallics: 40% AS, 3% PY, ?EN	13750	206000	8	30
		Vein+Fault 066°/74° RT	True Width: 6 cm	Secondaries: sGE, sHE, sSC	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			Host : Qtz breccia(?) in mafics		361	20	1340	<50
Sampled By: TS 5cm wide mineralized lens in wide (possibly 40cm wide) fracture/breccia zone; crosscutting contact between intrusive and mafic. 07-Aug-08								
C202111 Golden Eagle	Grid North: UTM 6637196	Grid East: UTM 508661	Type: Grab	Alteration: sQZ, sSI	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	Elevation:	Sample Width: 20 cm	Strike Length Exp: 15 m	Metallics: 50% AS, 5% PY, ? EN	8300	214000	5	10
		Vein 068°/50° RT	True Width: 20 cm	Secondaries: sGE, sHE, sSC	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			Host : Qtz vein in mafic volcanic		373	30	840	<50
Sampled By: TS 20cm wide qtz veins crosscutting direction of contact with mafic and intrusive. May cut off at intrusive? Mineralization in mafics. Some massive AS. 07-Aug-08								
C202112 Golden Eagle	Grid North: UTM 6637206	Grid East: UTM 508632	Type: Grab	Alteration: sQZ	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	Elevation:	Sample Width: 20 cm	Strike Length Exp: 15 m	Metallics: +50% AS, 10% PY	8960	231000	3	20
		Vein 068°/70° RT	True Width: 20 cm	Secondaries: sGE, sHE, sSC	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			Host : Qtz vein/lens(?) in mafic volcanic		341	50	880	<50
Sampled By: TS 07-Aug-08								

Rock Sample Descriptions

Golden Eagle

Operator: TroyMet Exploration Corp.

Project: TYE08-02 2008

NTS: 104M/15

C202113 Golden Eagle	Grid North:	Grid East:	Type: Grab	Alteration: wCL, sMS, sQZ	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637302 N	UTM 508396 E	Strike Length Exp: 40 m	Metallics: 1% AS, 5% PO, 2% PY	26	2120	<1	<10
	Elevation:	Sample Width: 30 cm	True Width: 30 cm	Secondaries: sGE, sHE, sJA	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			Host : Qtz-sericite-chlorite? altered sandstone		74	20	50	<50
Sampled By: TS 09-Aug-08	Fault cross-cutting gully here seems to have pushed fluids into surrounding rock. Lots of disseminated AS in host rock nearby; whole immediate area has AS.							
C202114 Golden Eagle	Grid North:	Grid East:	Type: Chip	Alteration: mCL, mSI	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637294 N	UTM 508403 E	Strike Length Exp: 40 m	Metallics: 1% AS, 5% PO, 3% PY	36	1200	<1	<10
	Elevation:	Sample Width: 2 m	True Width: 2 m	Secondaries: sGE, sHE	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			Host : Silica-chlorite altered sandstone		24	30	40	<50
Sampled By: TS 09-Aug-08	AS in o/c all around here close to fault. Large carbonate unit uphill; lots of different rock here. Fine- to coarse-grained AS in with PO. No SC.							
C202115 Golden Eagle	Grid North:	Grid East:	Type: Grab	Alteration: sCL	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637288 N	UTM 508399 E	Strike Length Exp: 30 m	Metallics: 10% AS, 10% MG, 1% PY,	7	4040	<1	<10
	Elevation: 1213	Sample Width: 30 cm	True Width: 30 cm	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			Host : Plagioclase mafic dyke		30	10	40	<50
Sampled By: TS 09-Aug-08	Very mafic with disseminated AS and MG throughout. At least 10m wide. Need second opinion on rock type. Very boring rock on the outside.							
C202116 Golden Eagle	Grid North:	Grid East:	Type: Grab	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637283 N	UTM 508402 E	Strike Length Exp: 30 m	Metallics:	7	4590	<1	<10
	Elevation: 1217	Sample Width:	True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			Host : Plagioclase mafic dyke		<5	10	70	<50
Sampled By: TS 09-Aug-08	Need some help with this one. Very mafic with disseminated AS crystals and MG throughout. Very wide zone 5-10m. 120/48 degrees RT is uphill average of seds.							
C202117 Golden Eagle	Grid North:	Grid East:	Type: Grab	Alteration: mCB, sSI	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637216 N	UTM 508369 E	Strike Length Exp: 10+ m	Metallics: 1% AS, 3% PO, tr PY	6	2800	2	<10
	Elevation:	Sample Width: 20 cm	True Width: 20 cm	Secondaries: sGE, sHE, sJA	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			Host : Silicified carbonate sandstone		99	20	30	<50
Sampled By: TS 09-Aug-08	Bad GPS on west side of gully; same gully that 115 and 116 were taken from.							
C202118 Golden Eagle	Grid North:	Grid East:	Type: Grab	Alteration: sCB, wSI	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637218 N	UTM 508373 E	Strike Length Exp: 10 m	Metallics: 2% AS, 1% CP, 2% PO, tr	109	1890	140	30
	Elevation:	Sample Width: 10 cm	True Width: 10 cm	Secondaries: wAZ, sGE, sHE, sJA, m	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
	Bedding 120°/48° RT		Host : Carbonate Limestone?		9620	36900	14250	<50
Sampled By: TS 09-Aug-08	Narrow zone with more copper; large zone of altered rock here at top edge of large carbonate section. Poor GPS west side of gully.							

Rock Sample Descriptions

Golden Eagle

Operator: TroyMet Exploration Corp.

Project: TYE08-02 2008

NTS: 104M/15

	Grid North:		Grid East:		Type:	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
C202119 Golden Eagle	UTM 6637183	N	UTM 508430	E	Grab	mCL, wMS, sSI	6	220	1	<10
	Elevation:		Sample Width: 40	cm	Strike Length Exp: 30 m	Metallics: 3-5% AS, 10-15% PY	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					True Width: 40 cm	Secondaries: sGE, sHE, sJA, wSC	110	120	20	<50
					Host: Siliceous sandstone/tuff					
Sampled By: TS 10-Aug-08	Wide zone of altered rock with disseminated fine-grained PY and AS. Above limestone lens; running peripheral to fault.									
C202120 Golden Eagle	UTM 6637192	N	UTM 508443	E	Grab	sQZ, sSI	5	100	1	<10
	Elevation:		Sample Width: 30	cm	Strike Length Exp: 30 m	Metallics: 5% AS, 5-10% PY	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					True Width: 30 cm	Secondaries: sGE, sHE, sJA, tr SC	50	90	30	<50
					Host: Siliceous lapilli tuff?					
Sampled By: TS 10-Aug-08	Top edge of fault zone.									
C202121 Golden Eagle	UTM 6637193	N	UTM 508402	E	Grab		5	310	1	10
	Elevation:		Sample Width: 30	cm	Strike Length Exp: 3 m	Metallics: 5-10%? AS, 10% PY	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					True Width: 30 cm	Secondaries: sGE, sHE, sJA	<5	<10	10	<50
					Host: Sericite siliceous sandstone					
Sampled By: TS 10-Aug-08	3-5m wide altered zone connected to same zone as 119 and 120. In gully, poor GPS.									
C202122 Golden Eagle	UTM 6637205	N	UTM 508417	E	Grab	sSI	20	67700	4	<10
	Elevation:		Sample Width: 30	cm	Strike Length Exp: 30 m	Metallics: 25% AS, tr CP, 1% PY	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					True Width: 30 cm	Secondaries:	31	20	260	<50
					Host: Siliceous volcanic sandstone					
Sampled By: TS 10-Aug-08	Really nice bedded AS in siliceous sandstone in contact with large carbonate zone. Poor GPS coverage in gully. Very wide zone of AS in this area in siliceous rock.									
C202123 Golden Eagle	UTM 6637255	N	UTM 508420	E	Grab	sCL, sSI	7	1060	1	<10
	Elevation:		Sample Width: 20	cm	Strike Length Exp: 500 m	Metallics: 2% AS, 2% PO, 2% PY	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					True Width: 20 cm	Secondaries: sGE	138	<10	10	<50
					Host: Mafic siltstone CL-BI alteration					
Sampled By: TS 10-Aug-08	Nice AS crystals.									
C202124 Golden Eagle	UTM 6636988	N	UTM 508719	E	Grab	mCL, sQZ, sSI	5	830	<1	<10
	Elevation: 1401	m	Sample Width: 20	cm	Strike Length Exp: 100+ m	Metallics: ?AS, 10% PO, 10% PY	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					True Width: 20 cm	Secondaries: sGE, sHE, sJA, wSC	28	10	10	<50
					Host: Crystal tuff altered					
Sampled By: TS 11-Aug-08	This is along same contact fault as my previous samples above limestone zone; fairly continuous. Mineralized zone is maybe 20m wide in places.									

Rock Sample Descriptions

Golden Eagle

Operator: TroyMet Exploration Corp.

Project: TYE08-02 2008

NTS: 104M/15

C202125 Golden Eagle	Grid North:	Grid East:	Type: Grab	Alteration: ?MS, mSI	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637021 N	UTM 508741 E	Strike Length Exp: 1000 m	Metallics: 1-2% AS, 3% PO, 1% PY	12	3330	2	<10
	Elevation: 1381 m	Sample Width: 30 cm	True Width: 30 cm	Secondaries: sGE, sHE	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
	Bedding 118°/50° RT		Host: Siliceous sandstone (sericitic?)		9	20	10	<50
Sampled By: TS 11-Aug-08 Fine-grained PO and AS in a siliceous (sericitic?) sandstone on top of limestone bed.								
C202126 Golden Eagle	Grid North:	Grid East:	Type: Grab	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637037 N	UTM 508726 E	Strike Length Exp:	Metallics:	148	2270	<1	10
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			Host: Silt sandstone siliceous carbonaceous		12	10	60	<50
Sampled By: TS 11-Aug-08 AS and PO in siliceous silt sandstone; bottom contact of limestone.								
C202127 Golden Eagle	Grid North:	Grid East:	Type: Grab	Alteration: sSI	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637061 N	UTM 508658 E	Strike Length Exp: 100+ m	Metallics: 3% AS, 5% PO, 5% PY	49	16100	3	<10
	Elevation:	Sample Width:	True Width:	Secondaries: sGE, sHE	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
	Bedding 155°/55° RT		Host: Cherty siltstone		21	10	20	<50
Sampled By: TS 11-Aug-08 I'm hoping to find VMS at bottom of limestone.								
C202128 Golden Eagle	Grid North:	Grid East:	Type: Grab	Alteration: sSI	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637042 N	UTM 508627 E	Strike Length Exp: 100 m	Metallics: ?AS, 2% PO, 10% PY	6	330	<1	10
	Elevation:	Sample Width: 20	True Width: 20	Secondaries: sGE, sHE, sJA	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			Host: Crystal tuff		50	100	30	<50
Sampled By: TS 11-Aug-08 Above limestone.								
C202129 Golden Eagle	Grid North:	Grid East:	Type: Grab	Alteration: wCB, ?AC, ?BA	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637263 N	UTM 508231 E	Strike Length Exp: 20 m	Metallics: 15% AS, 5% PO, 10% PY	45	23600	3	10
	Elevation:	Sample Width: 30 cm	True Width: 30 cm	Secondaries: sGE, sHE, sSR	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			Host: Limey siltstone		890	20	430	<50
Sampled By: TS 13-Aug-08 Really cool heavy, fibrous mineral in these samples with sulphides following some fibers. Near limestone contact; may be a large fold here?								
C202130 Golden Eagle	Grid North:	Grid East:	Type: Grab	Alteration: sQZ, sSI	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637289 N	UTM 508374 E	Strike Length Exp: 30 m	Metallics: 3% AS, 1% CP, 1% PO, 2	7	7310	4	<10
	Elevation:	Sample Width: 15 cm	True Width: 15 cm	Secondaries: wAZ, sGE, sHE	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			Host: Chloritic siltstone		300	<10	20	<50
Sampled By: TS 13-Aug-08 Well-developed AS crystals.								

Rock Sample Descriptions

Golden Eagle

Operator: TroyMet Exploration Corp.

Project: TYE08-02 2008

NTS: 104M/15

C202131 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration: sQZ, ?AC, ?BA	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637238	N	UTM 508332	E	Strike Length Exp: 30 m	Metallics: 5-10% AS, 2% PY	76	35600	<1	<10
	Elevation: 1262	m	Sample Width: 15	cm	True Width: 15	cm	Secondaries: sGE, sHE, mSR	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>
					Host : Volcanic siltstones		8	10	2330	<50
Sampled By: TS	Is this a pod or deformed vein? But there is AS throughout unit as pods and disseminations; large area, gets interesting west and down.									
13-Aug-08										
C202132 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration: sQZ, sAC	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637248	N	UTM 508332	E	Strike Length Exp: 10 m	Metallics: 10-15% AS, 3% PO, 1% P	38	37500	<1	<10
	Elevation: 1258	m	Sample Width: 20	cm	True Width: 20	cm	Secondaries: mSR	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>
					Host : Deformed volcanic siltstone?		35	20	120	<50
Sampled By: TS	Very cool AC crystals and very nice AS crystals. Smells like garlic or green onion when broken.									
13-Aug-08										
C202133 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration: sQZ	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637225	N	UTM 508327	E	Strike Length Exp: 50 m	Metallics: 1% AS, tr CP, 5% GL, ?P	65	3030	3	<10
	Elevation:		Sample Width: 15	cm	True Width: 15	cm	Secondaries: sGE, sHE, wJA	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>
					Host : Volcanic sandstone		440	310	14050	<50
Sampled By: TS	The GL looks strange. Cant quite identify possible SP - no brown streak, no red streak. Maybe a silver mineral associate?									
13-Aug-08										
C202134 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration: wCB, stSI	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637286	N	UTM 508073	E	Strike Length Exp: 100+ m	Metallics: 15% AS, 1% CP, 1% PO,	100	32500	8	20
	Elevation:		Sample Width: 20		True Width: 20	cm	Secondaries: sGE, sHE, wJA, tr MC, s	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>
					Host : Silicified carbonate siltstone		462	2420	1200	<50
Sampled By: TS	Close to limestone. Significant showing, can trace for 100-200m. GL-SP-AS-CP with some significant width.									
18-Aug-08										
C202135 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration: wCB, sSI	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637264	N	UTM 508117	E	Strike Length Exp: 100+ m	Metallics: 1% AS, 4% CP, 3% GL, 4	57	1070	10	<10
	Elevation:		Sample Width: 20		True Width: 20	cm	Secondaries: mGE, mHE	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>
					Host : Silicified carbonate siltstone		1595	11300	420	<50
Sampled By: TS	Awesome wide continuous zone. Nice showing, has been growing from the east. In contact with the limestone at the top.									
13-Aug-08										
C202136 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration: wCB, sQZ, sSI	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637268	N	UTM 508134	E	Strike Length Exp: 100+ m	Metallics: 1% AS, 2% CP, 5% GL, 1	104	1410	17	10
	Elevation: 1249		Sample Width: 30	cm	True Width: 30	cm	Secondaries: mGE, mHE, wMC, mHZ	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>
					Host : Silicified carbonate siltstone?		4550	17700	1460	<50
Sampled By: TS	Nice sample. This showing is 100-200m long and possibly 5m wide, in places significantly wider. Nice SP, GL, CP.									
18-Aug-08										

Rock Sample Descriptions

Golden Eagle

Operator: TroyMet Exploration Corp.

Project: TYE08-02 2008

NTS: 104M/15

C202137 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration: sSI	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637255	N	UTM 508161	E	Strike Length Exp: 100+ m	Metallics: 10% AS, 10% PO	65	12700	5	<10
	Elevation: 1252	m	Sample Width: 15	cm	True Width: 15	cm	Secondaries: sGE, sHE	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>
					Host : Silicified sandstone		170	80	130	<50
Sampled By: TS	There are pods of this all along the Bone showing. Awesome zone on top of limestone unit, all around.									
18-Aug-08										
C202138 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration: sCB, wQZ, ?AC	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637256	N	UTM 508241	E	Strike Length Exp: 100+ m	Metallics: <1% AS, 1% PY, 5% SP	91	820	15	10
	Elevation: 1250	m	Sample Width: 15	cm	True Width: 15	cm	Secondaries: sGE, sHE, wHZ	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>
					Host : Limestone breccia		671	740	280	<50
Sampled By: TS	Hard to see AS but nice SP. Part of the Bone showing.									
18-Aug-08										
C202139 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration: sSI	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637238	N	UTM 508281	E	Strike Length Exp: 100+ m	Metallics: <1% AS, <1% GL, 1% SP	84	1770	8	<10
	Elevation: 1248	m	Sample Width: 30	cm	True Width: 30	cm	Secondaries: mGE, mHE, wHZ, sSR	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>
					Host : Silicified sandstone		427	4480	1120	<50
Sampled By: TS	This unit is continuous; related to limestone bed below. Nice disseminated blobs throughout.									
18-Aug-08										
C202140 Golden Eagle	Grid North:		Grid East:		Type: Select/Grab	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637239	N	UTM 508372	E	Strike Length Exp: 100+ m	Metallics: 2% AS, 1% CP, ?EN	118	420	5	10
	Elevation: 1261	m	Sample Width: 15	cm	True Width: 15	cm	Secondaries: mGE, wMC, sSR	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>
					Host : Quartz Baritic sand/siltstone?		778	7360	5190	<50
Sampled By: TS	At top of contact of limestone. Silvery, radiating soft mineral with arsenic; not AS, possibly enargite? Argentite? Most likely a lead arsenic sulphate.									
19-Aug-08										
C202141 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration: sSI	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637235	N	UTM 508330	E	Strike Length Exp: 100+ m	Metallics: 15% AS, 5% PO	9	29700	<1	<10
	Elevation: 1252	m	Sample Width: 30	cm	True Width: 30	cm	Secondaries: mGE, mHE	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>
					Host : Silicified siltstone		19	180	680	<50
Sampled By: TS	Nice zone, sampled close by upper contact with limestone again.									
19-Aug-08										
C202142 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration: wMS, sQZ	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6637301	N	UTM 508216	E	Strike Length Exp: 100+ m	Metallics: 5% AS, 3% PO, 10% PY	22	12700	<1	<10
	Elevation: 1194	m	Sample Width:		True Width:		Secondaries: sGE, sHE, wJA, ?SR	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>
					Host : Quartz sandstone (Quartzite)		34	50	340	<50
Sampled By: TS	Really nice quartz sandstone with amethyst (possibly fluorite) and fine grained PY-AS-PO; possible sulphasalts. Very subtle, hope it runs. Strikes east west. Potentially very wide, sulphides fine and weathered.									
19-Aug-08										

Rock Sample Descriptions

Golden Eagle

Operator: TroyMet Exploration Corp.

Project: TYE08-02 2008

NTS: 104M/15

	Grid North:		Grid East:		Type:	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
C202143 Golden Eagle	UTM 6637337	N	UTM 508223	E	Grab	sCL	<5	3880	4	<10
	Elevation: 1123	m	Sample Width:		Strike Length Exp:	Metallics: 2% AS, 10% MG, ? PO, 2	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					True Width:	Secondaries: wGE	89	20	40	<50
					Host: Mafic Dyke					
Sampled By: TS 19-Aug-08	Plagioclase throughout mafic dyke; disseminated AS crystals throughout. A few large mafic dykes in Bone Zone carrying AS (distal porphyry?).									
C202144 Golden Eagle	UTM 6637293	N	UTM 508021	E	Select	sQZ	1050	197000	3	<10
	Elevation:		Sample Width: 15	cm	Strike Length Exp: 100+ m	Metallics: 50% AS	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			True Width: 15	cm	Secondary: sSR		16	20	1280	<50
					Host: Quartz crystalline tuff?					
Sampled By: TS 19-Aug-08	Feeder vein of AS in quartz; right weird zone? Possible large bedded veins? with disseminations. Just below Bone Zone.									
C202145 Golden Eagle	UTM 6637290	N	UTM 507996	E	Grab	?MS, sQZ, sSI	214	33700	8	<10
	Elevation: 1218	m	Sample Width: 40	cm	Strike Length Exp: 100+ m	Metallics: 15% AS	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			True Width: 40	cm	Secondary: wGE, mSR		120	50	3100	<50
					Host: Siliceous sandstone?					
Sampled By: TS 19-Aug-08	Near Bone Zone; nicely disseminated AS throughout about 1.5m.									
C202146 Golden Eagle	UTM 6635905	N	UTM 510013	E	Select	sQZ	1320	98400	25	110
	Elevation:		Sample Width: 15	cm	Strike Length Exp: 75 m	Metallics: 15% AS	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			True Width: 15	cm	Secondary: sGE, mHE, sSR		57	1420	1280	<50
					Host: Quartz vein in rhyolite					
Sampled By: TS 21-Aug-08	The veins here are thin, few, and far between. I'll take a few selects to check gold but not too exciting.									
C202147 Golden Eagle	UTM 6635939	N	UTM 510036	E	Select	mQZ	7910	>300000	1250	280
	Elevation: 1439	m	Sample Width: 2	cm	Strike Length Exp: 5 m	Metallics: 10% AS, 3% CP, 3% PY, 1	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			True Width: 2	cm	Secondary: sGE, sHE, wJA, sSR		7110	3550	2810	<50
					Host: Quartz vein in rhyolite					
Sampled By: TS 21-Aug-08	This zone is weak; thin pinched veins in a 10m wide zone. Just a couple, just checking. Some scorridite through zone.									
C202148 Golden Eagle	UTM 6639083	N	UTM 508627	E	Float	sQZ	651	1120	94	1040
	Elevation:		Sample Width: 5	cm	Strike Length Exp:	Metallics: <1% AS, <1% CP, <1% G	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			True Width: 5	cm	Secondary: sGE, sHE, wMC, tr SR		2500	1410	160	790
					Host: Quartz vein					
Sampled By: TS 22-Aug-08	Below split in gully									

Rock Sample Descriptions

Golden Eagle

Operator: TroyMet Exploration Corp.

Project: TYE08-02 2008

NTS: 104M/15

C202149 Golden Eagle	Grid North:		Grid East:		Type: Select	Alteration: sQZ	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6639184	N	UTM 508622	E	Strike Length Exp:	Metallics: ?AS, ?MO	419	700	50	2820
	Elevation: 1272	m	Sample Width: 5	cm	True Width: 5	cm	Secondaries: ?SR, ?IM	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>
			085°/85° RT		Host : Quartz vein		76	1630	150	210
Sampled By: TS	Hard to read mineral. Many parallel veins in granite up to 40cm wide over 150m from contact down.									
21-Aug-08										
C202150 Golden Eagle	Grid North:		Grid East:		Type: Float	Alteration: sQZ	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6639232	N	UTM 508645	E	Strike Length Exp:	Metallics: 3% AS, 5% PY	187	1090	9	240
	Elevation:		Sample Width: 15	cm	True Width: 15	cm	Secondaries: sGE, sHE, wSR	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>
					Host : Quartz vein		37	300	60	<50
Sampled By: TS	From just up hill; one of many quartz veins over 160m zone. Very litty and poddy mineralization.									
22-Aug-08										
C286616 Golden Eagle	Grid North:		Grid East:		Type: Select	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6636033	N	UTM 509984	E	Strike Length Exp:	Metallics: 10% AS, tr GL	306	30200	115	20
	Elevation:		Sample Width:		True Width:		Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>
					Host :		149	11600	140	<50
Sampled By: JMC	Small quartz vein.									
03-Sep-08										
C286617 Golden Eagle	Grid North:		Grid East:		Type: Select	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6636041	N	UTM 509984	E	Strike Length Exp:	Metallics: tr AS	39	10600	3	20
	Elevation:		Sample Width:		True Width:		Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>
					Host :		30	100	40	<50
Sampled By: JMC	Small quartz vein.									
03-Sep-08										
C286618 Golden Eagle	Grid North:		Grid East:		Type: Select	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6636047	N	UTM 509979	E	Strike Length Exp:	Metallics: 8% AS, PY	1330	132000	64	60
	Elevation:		Sample Width:		True Width:		Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>
					Host :		160	5040	460	<50
Sampled By: JMC	Small quartz vein.									
03-Sep-08										
C287108 Golden Eagle	Grid North:		Grid East:		Type: Float	Alteration: 5% QZ	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
	UTM 6639232	N	UTM 050864	E	Strike Length Exp:	Metallics: 3% AS, 5% PY	150	1340	24	210
	Elevation:		Sample Width: 15	cm	True Width: 15	cm	Secondaries: strong GE, strong HE, w	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>
					Host : Quartz vein		47	440	60	<50
Sampled By: TS	from Justin Hill, one of many quartz veins over 150m zone. Very litty(?) and poddy mineralization									
22-Aug-08										

Rock Sample Descriptions

Golden Eagle

Operator: TroyMet Exploration Corp.

Project: TYE08-02 2008

NTS: 104M/15

	Grid North:		Grid East:		Type:	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
C287109 Golden Eagle	UTM 6639558	N	UTM 509175	E	Grab	QZ	11	80	<1	<10
	Elevation: 1641		Sample Width: 15	cm	Strike Length Exp: 15 m	Metallics: ?AS, 1% GL, 15% PY, ?S	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					True Width: 15 cm	Secondaries: sGE, sHE, wJA	33	180	<10	<50
					Host: Silicified silt/sandstone					
Sampled By: TS 23-Aug-08	5m wide zone of pyritic silicified stone. Lots of pyrite throughout; some small veins nearby with GL and CP.									
C287110 Golden Eagle	UTM 6639525	N	UTM 509190	E	Float	sQZ	55	530	106	180
	Elevation: 1641		Sample Width: 8	cm	Strike Length Exp:	Metallics: tr AS, 3% GL	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					True Width: 8 cm	Secondaries: sGE, sHE, wJA, wMC, w	560	6140	60	<50
					Host: Quartz vein					
Sampled By: TS 23-Aug-08	This is subcrop. Several 1cm to 10cm parallel veins over 5m zone here.									
C287111 Golden Eagle	UTM 6639530	N	UTM 509191	E	Grab	sQZ	420	180	535	6840
	Elevation: 1640		Sample Width: 5	cm	Strike Length Exp: 15 m	Metallics: <1% AS, <1% CP, 3% GL	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					True Width: 5 cm	Secondaries: sGE, sHE, wJA, wMC, w	2630	13500	1150	<50
					Host: Quartz vein in schistose siltstone					
Sampled By: TS 23-Aug-08	Lots of thin quartz veins, parallel, over 5m.									
C287112 Golden Eagle	UTM 6641509	N	UTM 509170	E	Grab	sQZ	56	150	14	2000
	Elevation: 1477	m	Sample Width: 15	cm	Strike Length Exp: 20 m	Metallics: 1% AS, 1% MO	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					True Width: 15 cm	Secondaries: sGE, sHE, wJA, wFM, ?	58	260	530	<50
					Host: Quartz vein					
Sampled By: TS 24-Aug-08	Vein 278°/78° RT Vein seems fault related?									
C287113 Golden Eagle	UTM 6639138	N	UTM 506901	E	Grab	sQZ, sSI	18000	>300000	16	110
	Elevation: 1378	m	Sample Width: 10		Strike Length Exp: 20 m	Metallics: 40% AS, 1% PY	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					True Width: 10	Secondaries: sGE, sHE, sSR	158	150	910	<50
					Host: Quartz silicate vein?					
Sampled By: TS 25-Aug-08	I can't tell if vein is bedded sulphides or what. Right at fault/contact with granite in sediments; continuous mineralization zone for 100+m along fault.									
C287114 Golden Eagle	UTM 6639099	N	UTM 506828	E	Chip	sQZ, sSI	3640	63500	<1	30
	Elevation: 1369	m	Sample Width: 2.5	m	Strike Length Exp: 50 m	Metallics: 30% AS, tr CP, 5% PY	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					True Width: 2.5 m	Secondaries: sGE, sHE, sSR	215	10	130	<50
					Host: Silica Quartz veins in silt sandstone					
Sampled By: TS 25-Aug-08	Nice showing. Mineralized zone seems to stay close to fault/contact.									

Rock Sample Descriptions

Golden Eagle

Operator: TroyMet Exploration Corp.

Project: TYE08-02 2008

NTS: 104M/15

C287115 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration: sQZ, sSI	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>	
	UTM 6639094	N	UTM 506824	E	Strike Length Exp: 10 m	Metallics:	10680	235000	5	80	
	Elevation: 1381	m	Sample Width: 15	cm	True Width: 51	cm	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host : Quartz silica vein		549	<10	110	<50	

Sampled By: TS
25-Aug-08
This zone of stockworking is possibly 10m wide with AS veins everywhere. Large quartz bleb here with nice mineralization.

C287116 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration: sQZ, sSI	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>	
	UTM 6639041	N	UTM 506796	E	Strike Length Exp:	Metallics: 20% AS, 10% PY	4110	77600	3	30	
	Elevation: 1353	m	Sample Width: 40	cm	True Width: 40	cm	Secondaries: sGE, sHE, sSR	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host : Quartz silica vein		371	10	170	<50	

Sampled By: TS
25-Aug-08
Approximately 40cm wide mineralized zone. Seems like mineralized zone is always folding and pinching.

C287117 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration: sQZ, sSI	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>	
	UTM 6639076	N	UTM 506690	E	Strike Length Exp: 5 m	Metallics: 30% AS, tr CP, 10% PY	3450	>300000	2	<10	
	Elevation: 1350	m	Sample Width: 10	cm	True Width: 10	cm	Secondaries: sGE, sHE, sMN, sSR	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host : Quartz AS vein		434	10	580	<50	

Sampled By: TS
25-Aug-08
Right on top of granite dyke or crystal tuff? Same as last sample; lots of huge parallel quartz veins below here right on fault/fold apex.

C287118 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration: ?MS, sQZ	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>	
	UTM 6637354	N	UTM 507952	E	Strike Length Exp: 20 m	Metallics: 5% AS, 10% PO, 10% PY,	34	2840	1	20	
	Elevation:		Sample Width: 20	cm	True Width: 20	cm	Secondaries: sGE, sHE, mJA	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			Bedding 145°/80° RT		Host : Quartz sandstone		53	150	120	<50	

Sampled By: TS
02-Sep-08
Very fine sulphide throughout; significant zone of AS mineralization. Downhill from here throughout o/c above and below large felsic dyke.

C287119 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration: sQZ, mSI	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>	
	UTM 6637369	N	UTM 507958	E	Strike Length Exp: 25 m	Metallics: <1% AS, 3% PO, 2% PY,	6	490	1	<10	
	Elevation: 1159	m	Sample Width: 15	cm	True Width: 15	cm	Secondaries: sGE, sHE, wJA	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host : Quartz silica sandstone		168	<10	<10	<50	

Sampled By: TS
09-Feb-08

C287120 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration: sQZ, sSI	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>	
	UTM 6637360	N	UTM 507943	E	Strike Length Exp:	Metallics: 15% AS, 2% PY	221	28300	2	10	
	Elevation:		Sample Width: 20	cm	True Width: 20	cm	Secondaries: wGE, wHE, ?SR	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host : Quartz silica sandstone		12	<10	170	<50	

Sampled By: TS
02-Sep-08
Light green throughout rock in this zone - may be scorodite? Lots of AS over a wide area here near felsic dyke.

Rock Sample Descriptions

Golden Eagle

Operator: TroyMet Exploration Corp.

Project: TYE08-02 2008

NTS: 104M/15

C287121 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration: sBI, mQZ, mSI	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>	
	UTM 6637357	N	UTM 507943	E	Strike Length Exp: 25 m	Metallics: 5% AS, 1% PO, 15% PY,	14	740	<1	10	
	Elevation: 1156	m	Sample Width: 15	cm	True Width: 15	cm	Secondaries: sGE, sHE	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host: BI-altered sandstone		370	170	10	<50	

Sampled By: TS
02-Sep-08

C287122 Golden Eagle	Grid North:		Grid East:		Type: Chip	Alteration: sBI, mQZ, mSI	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>	
	UTM 6637356	N	UTM 507939	E	Strike Length Exp: 25 m	Metallics: 10% AS, 5% PY, ?SP	22	6410	1	<10	
	Elevation:		Sample Width: 2	m	True Width: 2	m	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
			52°/70° RT		Host: BI-QZ altered sandstone		79	90	20	<50	

Sampled By: TS
02-Sep-08
Really nice zone of mineralization; wide zone of disseminated AS with visible AS crystals on surface.

C287123 Golden Eagle	Grid North:		Grid East:		Type: Grab	Alteration: sBI, sQZ, sSI, mAC, mCV	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>	
	UTM 6637351	N	UTM 507934	E	Strike Length Exp:	Metallics: 10% AS, 5% PY, 1% SP	35	19700	1	<10	
	Elevation: 1147	m	Sample Width: 20	cm	True Width: 20	cm	Secondaries: wGE	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host: BI-altered sandstone		<5	<10	10	<50	

Sampled By: TS
02-Sep-08
CV-AC in vein-like altered sections with large blebs of AS. At lower contact of large felsic dyke in gully. This zone would make nice drill target. More to sample downhill.

C287124 Golden Eagle	Grid North:		Grid East:		Type: Select	Alteration: sQZ	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>	
	UTM	N	UTM	E	Strike Length Exp: 1 m	Metallics: 1% GL, 5% PY, 3% SP	49	2130	61	20	
	Elevation:		Sample Width: 2	cm	True Width: 2	cm	Secondaries: sGE, sHE	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host: Quartz lens in fracture of siltstone		96	9020	150	<50	

Sampled By: TS
03-Sep-08
Not much of a vein, just checking. Lots of fractured, faulted rock with PO-PY around here.

C287125 Golden Eagle	Grid North:		Grid East:		Type: Select	Alteration: sQZ	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>	
	UTM 6635865	N	UTM 510035	E	Strike Length Exp: 50 m	Metallics: 20% AS	1420	112500	3	10	
	Elevation:		Sample Width: 5	cm	True Width: 5	cm	Secondaries: sGE, mHE, sSC	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host: Quartz-AS vein in rhyolite		35	100	330	<50	

Sampled By: TS
03-Sep-08
Vein swells and pinches; poddy mineralization. Sample taken from widest spot.

C287126 Golden Eagle	Grid North:		Grid East:		Type: Select	Alteration: sQZ	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>	
	UTM 6635873	N	UTM 510021	E	Strike Length Exp: 50 m	Metallics: 20% AS, ?MO	2570	25200	274	1180	
	Elevation: 1463	m	Sample Width: 2	cm	True Width: 2	cm	Secondaries: sGE, sHE, wJA, sSC	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
					Host: Quartz-AS vein in rhyolite		678	138500	>50000	<50	

Sampled By: TS
03-Sep-08
Continuation of C287125

Rock Sample Descriptions

Golden Eagle

Operator: TroyMet Exploration Corp.

Project: TYE08-02 2008

NTS: 104M/15

Sample ID	Grid North	Grid East	Type	Alteration	Au (ppb)	As (ppm)	Ag (ppm)	Bi (ppm)
C287127 Golden Eagle	UTM 6636817	UTM 509085	Grab	sSI	28	8180	<1	20
	Elevation: 1385 m	Sample Width: 20 cm	Strike Length Exp: 20 m	Metallics: tr AS	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
	Bedding 106°/60° RT	True Width: 20 cm	Secondarys: sGE, sHE, wJA, mSR	Host: Dark grey siliceous sandstone	17	110	220	<50
Sampled By: TS 06-Sep-08	On east side of gully; poor GPS coverage.							
C287128 Golden Eagle	UTM 6636876	UTM 509048	Float	sQZ	1980	25500	81	40
	Elevation: 1357 m	Sample Width: 10 cm	Strike Length Exp:	Metallics: 5% AS, 1% CP, 10% PO,	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
		True Width: 10 cm	Secondarys: sGE, sHE, wSR	Host: Quartz	1200	3050	390	<50
Sampled By: TS 06-Sep-08	Out of gully, probably from very close above. Found some similar stuff but have to go. Poor GPS. Large boulder.							
C287129 Golden Eagle	UTM 6636880	UTM 509022	Grab	sQZ, sSI	9460	280000	41	60
	Elevation: 1338 m	Sample Width: 30 cm	Strike Length Exp: 30 m	Metallics: 20% AS, 3% PY	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
	036°°	True Width: 30 cm	Secondarys:	Host: Quartz vein in granodiorite	27	90	2040	<50
Sampled By: TS 06-Sep-08	Poor GPS. Large vein in granodiorite cut off at contact with seds just above sample. Between highest most westerly pad and creek at granodiorite contact.							
C287130 Golden Eagle	UTM 6637280	UTM 507972	Grab	mSI	444	21300	<1	<10
	Elevation: 1193 m	Sample Width: 30	Strike Length Exp: 10 m	Metallics: 5% AS, ?PO, 5+% PY	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
		True Width: 30	Secondarys: sGE, sHE	Host: Grey sandstone (siliceous?)	229	100	110	<50
Sampled By: TS 09-Sep-08	Large zone with good AS percentage; lots going on in this area.							
C287131 Golden Eagle	UTM 6637380	UTM 507937	Grab	mBI, sMS, sQZ, sSI, sAC	34	3940	<1	<10
	Elevation: 1130 m	Sample Width: 20 cm	Strike Length Exp: 15 m	Metallics: tr AS, tr PY	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
	Bedding 139°/51° RT	True Width: 20 cm	Secondarys: wGE, ?SR	Host: Sandstone green skarn	7	<10	10	<50
Sampled By: TS 09-Sep-08	Nice skarn mineralization below large intrusive dyke. Bedding is up right (perpendicular) to bedding above dyke. Green sand.							
C287132 Golden Eagle	UTM 6636951	UTM 508942	Grab	sQZ	3440	280000	4	60
	Elevation: 1322 m	Sample Width: 30 cm	Strike Length Exp: 50 m	Metallics: 40% AS, 10% PY	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
	Vein 070°/52° RT	True Width: 30 cm	Secondarys: sSR	Host: Quartz-AS vein in granite	97	40	1490	<50
Sampled By: TS 10-Sep-08								

Rock Sample Descriptions

Golden Eagle

Operator: TroyMet Exploration Corp.

Project: TYE08-02 2008

NTS: 104M/15

C287133	Grid North:	Grid East:	Type: Select	Alteration: sQZ, sSI	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
Golden Eagle	UTM 6636956 N	UTM 509048 E	Strike Length Exp: 10 m	Metallics: 10% AS	3640	136000	11	60
	Elevation: 1286 m	Sample Width: 10 cm	True Width: 10 cm	Secondaries: sGE, mSR	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
	Vein 060°/64° RT			Host: Quartz-AS vein in granodiorite	445	90	570	<50

Sampled By: TS
11-Sep-08
Far east extension of vein. Thin here: ~2cm to stringers with same alteration. In wall rock with poddy AS.

C287134	Grid North:	Grid East:	Type: Select	Alteration: sQZ	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
Golden Eagle	UTM 6636953 N	UTM 509026 E	Strike Length Exp: 5 m	Metallics: 40% AS	2560	174500	2	20
	Elevation: 1292 m	Sample Width: 10 cm	True Width: 10 cm	Secondaries: sSR	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
	Host: Quartz-AS vein in granodiorite				17	10	1090	<50

Sampled By: TS
11-Sep-08
Large AS pod in otherwise thin stringer to 10cm wide vein; can follow through exposed section of o/c for approximately 150m.

C287135	Grid North:	Grid East:	Type: Select	Alteration: sQZ	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
Golden Eagle	UTM 6636893 N	UTM 509041 E	Strike Length Exp: 30 m	Metallics: 40% AS, 2% PY	3600	228000	9	50
	Elevation: 1326 m	Sample Width: 15 cm	True Width: 15 cm	Secondaries: sSR	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
	Vein 068°/62° RT			Host: Quartz-AS vein in granodiorite	27	<10	1590	<50

Sampled By: TS
11-Sep-08
Contact with seds uphill 10m. Fracture and thin vein mineralization between here and there (QZ-AS). AS mineralization seems better towards contact on veins around here. More to sample but Justin wants to go!

G0672501	Grid North:	Grid East:	Type: Grab	Alteration:	<u>Au (ppb)</u>	<u>As (ppm)</u>	<u>Ag (ppm)</u>	<u>Bi (ppm)</u>
Golden Eagle	UTM 6637310 N	UTM 508023 E	Strike Length Exp:	Metallics: 2% AS	407	17000	1	10
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>	<u>Sb (ppm)</u>	<u>W (ppm)</u>
	Host: Tonalite Dyke				<5	10	520	<50

Sampled By: TS
05-Sep-08
Medium crystalline; mostly plagioclase and quartz; possible scheelite (light brown mineral). From 50cm thick dyke on west side of middle ridge.

Appendix D: Diamond Drill Logs

MINERALS AND ALTERATION TYPES

AC	actinolite	FP	feldspar	PF	plagioclase
AL	alunite	GA	garnet	PH	phlogopite
AM	amphibole	GE	goethite	PL	pyrolusite
AS	arsenopyrite	GL	galena	PO	pyrrhotite
AU	augite	GR	graphite	PY	pyrite
AZ	azurite	HB	hornblende	QZ	quartz veining
BA	barite	HE	haematite	RE	realgar
BI	biotite	HS	specularite	RN	rhodonite
BO	bornite	HZ	hydrozincite	SB	stibnite
BT	pyrobitumen	IL	illite	SD	siderite
CA	calcite	JA	jarosite	SI	silicification
CB	Fe-carbonate	KF	potassium feldspar	SK	skarn
CC	chalcocite	MC	malachite	SM	smithsonite
CD	chalcedony	MG	magnetite	SP	sphalerite
CL	chlorite	MI	mica	SR	scorodite
CP	chalcopyrite	MN	Mn-oxides	SS	sulphosalts
CU	native copper	MO	molybdenite	ST	smectite
CV	covellite	MR	mariposite/fuchsite	TP	topaz
CY	clay	MS	sericite	TT	tetrahedrite
DC	dickite	MT	marcasite	VG	gold
DS	diaspore	MU	muscovite	ZE	Zeolite
DU	dumortierite	NA	natroalunite	ZN	zunyite
EN	enargite	NE	neotocite		
EP	epidote	PA	pyrargyrite		

ALTERATION INTENSITY

1	weak	3	strong
2	moderate		



DRILL LOG

Project: Golden Eagle	Collar Elevation (m): 1269	
Hole TAN08-05	Azimuth (°): 165	
Location: 6637037 m North 509375 m East	Dip (°): -45.0	
Logged by: J. MacDonald	Length (m): 219.08	
Drilled by: Apex		
Assayed by: ALS Chemex		
Core Size: NQ		
Date Started: 2008/07/30		Date Completed: 2008/08/02
Dip Tests By: Reflex		
Objective Test the Boundary Range metamorphics for quartz-arsenopyrite veins along strike from TAN05-03.		

Summary Log:

Alternating lithologies of altered mafic volcanics and plagioclase-phyric intrusions ranging from diorite to granodiorite were encountered. Veining and mineralization is very limited throughout most of the hole with the exception of one zone of significant arsenopyrite replacement mineralization and lesser veining within and immediately below a 70 cm zone of fault gouge.



DRILL LOG

Project: Golden Eagle

Hole ID: TAN08-05

Downhole surveys:

Depth	Dip	Azimuth	Comments
39.31	-45.60	159.70	
69.79	-45.60	158.20	
100.27	-46.10	160.10	
130.75	-45.80	159.70	
161.23	-46.10	159.50	
191.71	-45.60	160.00	
219.08	-46.00	162.10	

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
0.00	9.14	Ogv Overburden							
9.14	23.70	DTrdi Light grey plagioclase porphyrotic granodiorite intrusive. Trace Py throughout. Minor quartz/carbonate veinlets (barren) and some fault gouge toward top of hole. Some minor chlorite/epidote alteration along fractures. « py 0.10% »							
23.70	26.20	DTrBR Altered mafic volcanic. Moderate chlorite and minor biotite alteration throughout. Some fabric (shear fabric?) seen in localized section. Biotite and chlorite preferentially layered. Very minor carbonate veinlets with secondary chlorite localized along fracture planes. Highly fractured with no preferred orientation. < @ 24.88 Foliation mineral segregation S1 45° >							
26.20	28.06	DTrdi Plagioclase porphyry granodiorite intrusive with minor carbonate veinlets. Rubby return. Minor secondary chlorite along fractures.							
28.06	30.70	DTrBR Moderately altered mafic volcanic. Biotite and chlorite alteration with secondary quartz/chlorite alteration as veins and veinlets up to 10 cm. Some trace Cpy and Po but nothing significant. Sampled for cryptic mineralization.	C287251	28.06	29.06	1.00	-0.005	2	0.004

From	To	Rocktype & Description	As	Py	Po	Cl	Mss	Qtz	Sample	From	To	Width	Au ppm	Ag ppm	As %
			0	10	0	5	0	5	0	3	0	3	0		
		« po 0.10%»													
30.70	31.40	Qtz/Chl Vein Relatively barren vein with 5 % chlorite and trace sulphides causing very minor staining. Sampled for cryptic mineralization.							C287252	30.70	31.40	0.70	-0.005	4	0.005
		« py 0.10%»													
31.40	31.87	DTrBR Altered mafic volcanic with chlorite and minor biotite. Contains several 1-2 cm veins of barren qtz/chl and moderate carbonate veinlets throughout.													
31.87	54.60	DTrdi Light grey plagioclase porphyrotic granodiorite intrusive. Trace Py throughout. Moderate quartz/carbonate veinlets (barren) throughout unit. Some minor chlorite/epidote alteration along fractures. Poor return along several sections with rubbly/pebbly material in box.													
		« py 0.10%»													
54.60	55.20	DTrBR Very dark (black/green) mafic volcanic with minor chlorite alteration. Trace Py but not sampled as this appears to be background.													
		« py 0.10%»													
55.20	56.70	DTrdi Plagioclase porphyry granodiorite intrusive with moderate carbonate veinlets													

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
		1-2 mm wide, no preferred orientation.							
56.70	69.50	DTrBR Mafic volcanic, dark green with moderate chlorite alteration throughout. Minor carbonate veining throughout and chlorite along fracture planes. Chlorite/carbonate veinlets 25 Deg to core axis (but variable). Some carbonate veins contain very minor brecciation of country rock but no mineralization. Minor biotite throughout bottom of unit. Trace Po associated with chlorite veinlets throughout. Mineralization: 2 cm wide vein/replacement of chl pyrite in mafic volcanic. Sampled for assay. « 68.55- 68.60 as 5.00%» « py 2.00%» « po 2.00%»	C287253	68.40	68.70	0.30	0.213	1	0.038
69.50	71.45	DTrdi Intermediate granodiorite intrusion with laths of biotite throughout, slightly different composition than previous granodiorite intrusives. Minor carbonate veinlets throughout. Minor quartz/chlorite veining, barren. Contact with underlying mafic volcanic is intrusive however no chill margins are evident in core. Minor trace Po at contact.							
71.45	72.05	DTrBR Mafic volcanic, chlorite alteration, minor carbonate veining. Contact with overlying intrusion described in previous unit. Mineralization: < @ 71.45 15 cm wide veining zone apy 1% > Two small quartz/chlorite veins with 1 % apy, 1 % py. Occurs adjacent to contact with intrusive of last unit. « as 0.25%» « py 0.25%»							
72.05	72.85	DTrdi Intermediate granodiorite intrusion. Contact with mafic volcanic exposed along core axis but no chill margin observed.							
72.85	73.52	DTrBR Mafic volcanic with minor chlorite/biotite alteration. Minor carbonate veinlets throughout. Contact with underlying intrusion is sharp.							
73.52	82.00	DTrdi Intermediate granodiorite intrusion with laths of biotite throughout. Minor carbonate veinlets throughout. Minor quartz/chlorite veining along fractures, barren. Contact with underlying mafic volcanic is sharp. Light grey in color.							

From	To	Rocktype & Description	As	Py	Po	Cl	Mbs	Qtz	Sample	From	To	Width	Au ppm	Ag ppm	As %
			0	10	0	5	0	5	0	3	0	3	0	3	
82.00	82.28	DTrBR Mafic volcanic with minor plagioclase (?) laths (1%) throughout. Carbonate veinlets, trace Py.													
82.28	98.53	DTrdi Homogenous intermediate granodiorite intrusion with minor carbonate veinlets throughout. Several veinlets contain trace Po and Py but not sampled as this is believed to be background and barren. Contact with underlying mafic volcanic is sharp and obvious. « py 0.10% » « po 0.10% »													
98.53	101.31	DTrBR Altered mafic volcanic with moderate biotite and chlorite throughout. Some banding of bio/chl is evident in core. Minor blebs/veinlets of Po and Py but not sampled as it appears background. « py 0.10% » « po 0.10% »							C287254	71.95	72.45	0.50	0.006	1	0.046
101.31	102.11	Qtz/Chl Vein Vein with Qtz/Chl in mafic volcanic. Trace pyrite localized along one strongly chloritized vein. Sampled for assay to check for cryptic mineralization. Vein contains veinlets and large 1 cm blebs of chlorite. « py 0.10% »							C287255	101.31	102.11	0.80	-0.005	1	0.002
102.11	102.83	DTrBR Mafic volcanic with minor carbonate veinlets.													

Project: Golden Eagle

Hole Number: TAN08-05

From	To	Rocktype & Description	As	Py	Po	Cl	Ms	Qz	Sample	From	To	Width	Au ppm	Ag ppm	As %
102.83	128.70	DTrdi Homogenous granodiorite intrusive with moderate carbonate veinlets throughout. Several areas of poor return and sand due to hole cave in where casing was lost down hole. Sand not from downhole but fell down with casing. Casing was reset to 60 feet from the previous 30. Multiple fractures throughout bottom 15 meters approximatly with calcite/quartz with Py and lesser Po. « 114.00- 128.70 py 0.30%» « po 0.10%»	0	10	0	5	0	5	0	3	0	3	0	3	
128.70	130.47	DTrBR Mafic volcanic with minor calcite veinlets and trace Po in several small 1-2 mm veinlets. « po 0.10%»													
130.47	131.28	DTrdi Granodiorite intrusive with minor calcite/quartz veining.													
131.28	131.65	DTrBR Mafic volcanic with chlorite alteration and minor carbonate veinlets.													
131.65	148.69	DTrdi Homogenous granodiorite intrusive with carbonate veinlets and quartz/chlorite replacement. Mineralization:													

From	To	Rocktype & Description	As	Py	Po	Cl	Mss	Qz	Sample	From	To	Width	Au ppm	Ag ppm	As %	
		Several very small flecks of Apy, hard to be certain.	0	10	0	5	0	5	0							
148.69	155.88	DTrBR								C287256	148.69	149.19	0.50	-0.005	-1	-0.001
		Mafic volcanic with intense biotite and chlorite alteration throughout. Slight fabric seen in the form of biotite/chlorite banding. Contains several stringers of Po and some disseminated blebs as well. Selectively sampled for assay. « po 0.50%»								C287257	154.88	155.88	1.00	-0.005	-1	0.017
155.88	156.55	Zfzg								C287258	155.88	156.48	0.60	0.045	3	0.651
		Fault gouge with mafic protolith. Fault gouge marks the start of the mineralized zone and contains Apy. Mineralization: Disseminated Apy throughout fault gouge and it appears to have been post tectonic as there are small veinlets of Apy that are undisturbed relative to the gouge. Note that the mineralization does not cement the gouge and is fairly sparse. Unit contains 2 % Apy throughout. « as 2.00%»								C287259	156.48	156.78	0.30	1.100	2	12.800
156.55	158.49	DTrdi								C287261	156.78	157.78	1.00	1.760	-1	12.600
		Granodiorite intrusive with Apy mineralization throughout. Mineralization: Coarse grained Apy is seen in 1-3 cm quartz veins as well as with a replacement texture in the unveined host rock. On the whole, the interval contains 15 % Apy however one interval contains 20 % (see range feature below) Apy and trace Py and Cpy. The is no scorodite present and only minor chlorite on fracture surfaces. Most of the mineralization is replacement rather than blebs or stringers in large quartz veins like the other holes displayed. The sulphides are most intense next to the fault gouge at the top of the mineralized zone and die out downhole.								C287262	157.78	158.28	0.50	0.193	-1	4.060

Drill Log Legend

DTrBR

DTrdi

Ogv

Qtz/Chl Vein

S1

Vbx

Zfzg

flb

flg

flt

lct

uct

ven





DRILL LOG

Project: Golden Eagle	Collar Elevation (m): 1269	
Hole TAN08-06	Azimuth (°): 165	
Location: 6637037 m North 509375 m East	Dip (°): -55.0	
Logged by: J. MacDonald	Length (m): 109.42	
Drilled by: Apex		
Assayed by: ALS Chemex		
Core Size: NQ		
Date Started: 2008/08/02		Date Completed: 2008/08/03
Dip Tests By: Reflex		
Objective Test the continuity of mineralization down dip of TAN08-05 and for quartz-arsenopyrite veins along strike from TAN05-03.		

Summary Log:

This hole was abandoned at 109.4 m after the rods became stuck down the hole and attempts to resume drilling after retrieving the rods were unsuccessful. TAN08-07 is a re-drill of this hole.



DRILL LOG


Project: Golden Eagle

Hole ID: TAN08-06

Downhole surveys:

Depth	Dip	Azimuth	Comments
0.00	0.00	0.00	

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
0.00	9.14	Ogv							
9.14	29.40	DTrdi Light grey plagioclase porphyritic granodiorite intrusive. Plagioclase phenocrysts up to 3 mm and are blotchy rather than nice euhedral crystals. Minor calcite veining throughout.							
29.40	37.44	DTrBR Mafic Volcanic protolith with scattered quartz veining up to 10 cm wide but barren of sulphides. Minor blebs and stringers of pyrrhotite and pyrite associated with chlorite veinlets. Otherwise barren. « Chlorite cl 2*» « Biotite bi 2.00*» « py 0.10%» « po 0.10%»							
37.44	76.05	DTrdi Granodiorite with 1-4 mm plagioclase phenocrysts and biotite laths up to 5mm in length. 15% mafic component overall. Minor carbonate veinlets in fractures. Disseminated pyrrhotite and pyrite throughout.							



Drill Log Legend

DTrBR

DTrdi

Ogv

S1

Vbx

Zfzg

flb


flg

flt

lct

uct

ven





DRILL LOG

Project: Golden Eagle	Collar Elevation (m): 1269	
Hole TAN08-07	Azimuth (°): 165	
Location: 6637037 m North 509375 m East	Dip (°): -55.0	
Logged by: J. MacDonald	Length (m): 231.35	
Drilled by: Apex		
Assayed by: ALS Chemex		
Core Size: NQ		
Date Started: 2008/08/04		Date Completed: 2008/08/05
Dip Tests By: Reflex		
Objective Test the continuity of mineralization down dip of TAN08-05 and for quartz-arsenopyrite veins along strike from TAN05-03. This is the second attempt at the hole after TAN08-06 was lost at 109.4 m.		

Summary Log:

Chlorite+/-biotite altered, foliated volcanics are intruded by plagioclase-phyric diorites to granodiorites. The mineralization encountered up dip in TAN08-05 is thought to be represented at depth by a narrow zone of disseminated mineralization rather than a competent vein system.



DRILL LOG


Project: Golden Eagle

Hole ID: TAN08-07

Downhole surveys:

Depth	Dip	Azimuth	Comments
30.48	-55.10	161.10	
93.57	-54.70	161.00	
155.14	-55.40	162.90	
188.97	-55.70	164.10	
228.29	-56.20	167.40	

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
0.00	13.43	Ogv							
13.43	29.28	DTrdi Light grey plagioclase porphyritic granodiorite intrusion (toward a tonalite, <10 % mafic component). Moderatly fractured and contains minor carbonate veinlets throughout. Some minor sericite alteration of the plagioclase (?) in the top of the unit. Phenocrysts range from <1mm to 3 mm in length. No sulphides present in unit.							
29.28	37.69	DTrBR Mafic volcanic with intense chlorite+biotite relpacement/alteration throughout. Chlorite and biotite are segregated into bands forming a foliation (S1). Several Axial plane measurements were also gathered. < @ 29.72 Axial Plane SA 60° >< @ 30.68 Axial Plane SA 40° >< @ 31.18 Folaition defined by mineral banding S1 25° > « cl 3.00*»							
37.69	79.01	DTrdi Plagioclase phorphyritic diorite with biotite laths up to 2 mm wide and 5mm long. More mafic component than in last intrusive unit. Minor Po and Py throughout but nothing significant; occurs with minor chlorite and carbonate veinlets and as 1-4mm blebs. Middle section of unit is slightly more fractured							






From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
		<p>with greater amounts of carbonate. < @ 47.06 Quartz vein Barren ven 25° ></p> <p>« po 0.10% » « py 0.10% » « cl 0.50% »</p>							
79.01	183.16	DTrBR	C287276	106.93	107.23	0.30	0.010	-1	0.013
		Mafic volcanic with chlorite/quartz veins to veinlets (up to 2 cm) that have alteration halos surrounding them. Moderate carbonate veinlets throughout and	C287277	107.35	107.65	0.30	-0.005	-1	0.007
			C287278	116.54	116.84	0.30	-0.005	-1	0.029

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %	
		<p>lesser quartz veinlets. Chlorite alteration increases toward the bottom of the unit and veinlets contain minor disseminated Py, Apy, Cpy Po and Scorodite. Several sections show increased biotite alteration, fine to medium grained. « qz 0.50*» « cl 2.00*»</p> <p>Mineralization: « 121.62- 123.91 Trace 0.01% as » < @ 160.54 Trace as > < @ 178.53 1 Cm thick apy vein, 10 deg to CA ven 10° > « 177.38- 178.79 Disseminated and vein hosted as 1%» « 182.99- 183.16 Blebs and disseminated as 5%»</p>								
			C287279	118.81	119.81	1.00	0.007	1	0.061	
			C287281	120.35	121.35	1.00	0.010	-1	0.103	
			C287282	121.35	122.35	1.00	-0.005	-1	0.004	
			C287283	122.35	123.35	1.00	0.006	-1	0.004	
			C287284	123.35	124.35	1.00	0.005	-1	0.019	
			C287285	124.35	125.35	1.00	-0.005	-1	0.001	
			C287286	125.35	126.35	1.00	0.008	-1	0.001	
			C287287	127.03	128.03	1.00	0.011	2	0.007	
			C287288	128.03	129.03	1.00	0.011	-1	-0.001	
			C287289	130.78	131.78	1.00	0.008	1	0.003	
			C287291	131.78	132.78	1.00	-0.005	-1	0.001	
			C287292	132.78	133.78	1.00	0.006	-1	0.004	
			C287293	136.01	137.01	1.00	0.005	-1	0.003	
			C287294	149.21	150.21	1.00	0.013	2	0.005	
			C287295	160.46	160.76	0.30	-0.005	2	0.008	
			C287296	162.47	162.77	0.30	-0.005	-1	0.002	
			C287297	174.66	175.66	1.00	-0.005	1	-0.001	
			C287298	175.66	176.66	1.00	0.009	-1	0.009	
			C287299	176.66	177.66	1.00	0.009	-1	0.026	
			C287301	177.66	178.36	0.70	0.057	-1	2.320	
			C287302	178.36	178.76	0.40	0.480	1	8.200	
			C287303	178.76	179.76	1.00	0.013	1	0.273	
			C287304	179.76	180.76	1.00	0.007	1	0.018	
			C287305	180.76	181.76	1.00	-0.005	2	0.003	
			C287306	181.76	182.56	0.80	-0.005	1	-0.001	
			C287307	182.56	183.16	0.60	0.152	1	1.130	

From	To	Rocktype & Description	As	Py	Po	Cl	Ms	Qz	Sample	From	To	Width	Au ppm	Ag ppm	As %
183.16	191.93	DTrdi Plagioclase porphyritic diorite intrusive with 10-15 % mafic component (biotite) and laths of plag between 1 and 3 mm in length. Moderatly fractured with carbonate infill throughout. Fractures have no preferred orientation. Mineralization: « 190.63- 191.93 Disseminated as 1%»							C287308	183.16	183.86	0.70	0.010	1	0.061
									C287309	183.86	184.62	0.76	-0.005	2	0.025
									C287311	184.62	185.62	1.00	0.005	5	0.006
									C287312	185.62	186.62	1.00	-0.005	-1	0.002
									C287313	186.62	187.62	1.00	0.007	-1	0.023
									C287314	187.62	188.62	1.00	0.056	1	0.690
									C287315	188.62	189.62	1.00	0.005	-1	0.038
									C287316	189.62	190.62	1.00	0.008	1	0.138
									C287317	190.62	191.62	1.00	0.067	5	1.240
									C287318	191.62	192.52	0.90	0.348	1	1.840
									C287319	192.52	193.42	0.90	0.010	4	0.274
191.93	193.42	Zfzg Fault breccia with clasts/fragments up to 2 cm. Mud matrix and light to dark grey color. Minor calcite cement. No orientation data available.													

Drill Log Legend





DRILL LOG

Project: Golden Eagle	Collar Elevation (m): 1283	
Hole TAN08-08	Azimuth (°): 165	
Location: 6637005 m North 509226 m East	Dip (°): -45.0	
Logged by: J. Major	Length (m): 225.25	
Drilled by: Apex		
Assayed by: ALS Chemex		
Core Size: NQ		
Date Started: 2008/08/06		Date Completed: 2008/08/08
Dip Tests By: Reflex		
Objective This hole was drilled as an undercut of TAN06-04 to test for quartz-arsenopyrite veins in the rhyolite intrusion.		

Summary Log:

Three zones of quartz-arsenopyrite veining were intersected, from 2-4 m in core length. The upper two intersections occurred within the rhyolite intrusion and the lower intersection lies within a coarse grained biotite granite. The granite is relatively fresh looking with 1-4% sulphide mineralization typically as blebby pyrrhotite with minor associated chalcopyrite.



Project: Golden Eagle

DRILL LOG

Hole ID: TAN08-08

Downhole surveys:

Depth	Dip	Azimuth	Comments
15.24	-47.20	160.10	
57.61	-47.30	161.70	
86.87	-47.40	162.90	
124.66	-46.80	163.50	
155.14	-46.70	163.60	
185.62	-47.00	171.90	Survey rejected
213.06	-46.70	164.70	
225.25	-46.30	166.60	

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
0.00	8.74	Ogv Overburden							
8.74	85.48	LKr Beige to light pink rhyolite. Fine grained groundmass with 2-5% biotite phenocrysts ~1 mm in length, variably sericitized. Minor quartz eyes up to 2mm wide. Abundant fractures are moderate to strongly oxidized by limonite, potential leaching of former sulphides. Localized submetallic grey manganese oxide on fractures. Minor quartz stringers. « oxidized fractures ge 2.00° » « minor quartz stringers 0.50° » 63.54 - 85.48 m: localized arsenopyrite and pale green yellowish green scorodite fracture coatings « 63.54- 85.48 as 0.01% » < @ 77.85 quartz vein with 5% arsenopyrite 20.00° 2.50cm > 79.19 - 80.24 m Fine to medium grained cubic pyrite fracture fill in a less oxidized/leached section. < @ 82.58 quartz with 1% arsenopyrite ven 20.00° 1.00cm > Three closely spaced, weakly mineralized quartz veins near the contact with the large, strongly mineralized quartz veins below. < @ 84.98 quartz with trace py-as 20.00° 1.50cm > < @ 85.14 quartz with trace as ven 20.00° 0.50cm > < @ 85.22 quartz with trace as ven 20.00° 1.00cm >	C287332	63.54	64.20	0.66	0.135	1	0.407
			C287333	66.50	66.80	0.30	0.053	-1	0.323
			C287334	66.80	67.45	0.65	0.007	-1	0.059
			C287335	67.45	67.75	0.30	0.042	5	0.419
			C287336	77.66	78.01	0.35	0.032	-1	0.278
			C287337	78.01	78.94	0.93	0.008	-1	0.074
			C287338	82.44	82.74	0.30	0.053	-1	0.163
			C287339	82.74	83.64	0.90	0.006	-1	0.107
			C287341	83.64	84.48	0.84	0.013	1	0.130
			C287342	84.48	84.79	0.31	0.025	-1	0.111
			G0672951	84.79	85.48	0.69	0.043	2	0.135

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
85.48	89.43	Qtz Vein 95% of the interval is composed of vein quartz with varying amounts of arsenopyrite; remaining 5% is quartz veined rhyolite or rhyolite fragments. Arsenopyrite shows strong fracture control within the quartz and where abundant results in a dark grey to black appearance to the core. Up to 50% arsenopyrite across 30 cm intervals. Only trace amounts of arsenopyrite across 50cm intervals in the upper part of the section. Rhyolite is pale yellow in colour and silica-sericite altered. Pale to vibrant green unknown mineral on fracture surfaces is typically soft and waxy - possibly scorodite. Also observed in a few places are small clusters of pale green, radiating fibrous crystals believed to be actinolite. Contacts and an overall weak fabric to the rock are at low angles to the core axis. « qz 3.00° » « 85.48- 86.94 patchy mineralization as 3.00% » « 86.94- 88.38 as 25.00% » « 88.38- 89.43 patchy mineralization as 10.00% » < @ 85.58 quartz with 30% as ven 25.00% 12.00cm > < @ 85.68 lower boundary to small vein flg 25° 10mm > < @ 86.05 upper contact of large qz vein ven 30.00° > < @ 89.43 lower contact of large qz vein ven 25.00° >	C287343	85.48	86.15	0.67	0.769	9	1.040
			C287344	86.15	86.94	0.79	0.027	-1	0.183
			C287345	86.94	87.38	0.44	1.740	7	2.870
			C287346	87.38	88.38	1.00	1.280	14	4.860
			C287347	88.38	88.90	0.52	0.061	-1	0.459
			C287348	88.90	89.43	0.53	0.249	1	2.180
89.43	143.39	LKr Weak to moderately oxidized rhyolite, ranging from oxidized fractures to a pervasive rusty orange staining of the core. Minor pyrite-arsenopyrite stringers and disseminations, weakest through the middle of this interval. « ge 2.00° » « as 0.20% » « py 0.10% »	C287349	89.43	90.02	0.59	0.065	-1	0.488
			C287351	90.02	91.01	0.99	0.211	4	0.652
			C287352	91.01	91.50	0.49	0.016	-1	0.146
			C287353	91.50	92.50	1.00	0.032	2	0.221
			C287354	92.50	93.39	0.89	0.068	1	0.298
			C287355	93.39	95.39	2.00	0.189	3	0.306

From	To	Rocktype & Description	As	Py	Po	Cl	Mss	Qz	Sample	From	To	Width	Au ppm	Ag ppm	As %
90.02	91.01	« 90.02- 91.01 ge 2.00*» vuggy, annealed limonitic breccia with minor arsenopyrite (+ lesser pyrite) stringers that are both truncated and penetrative across the brecciated fragments.	0	0	5	0	5	0	C287356	100.35	100.75	0.40	0.015	-1	0.140
									C287357	100.75	101.75	1.00	0.011	-1	0.095
									C287358	101.75	102.75	1.00	0.020	-1	0.102
									C287359	102.75	103.75	1.00	0.008	-1	0.095
									C287361	103.75	104.75	1.00	0.018	-1	0.166
91.50	93.59	« 91.50- 93.59 as 2.00%»« py 1.00%» « qz 2.00*» quartz arsenopyrite-pyrite stockwork veining							C287362	108.09	108.73	0.64	0.017	-1	0.033
									C287363	108.73	109.47	0.74	0.008	-1	0.029
									C287364	109.47	110.30	0.83	0.031	-1	0.109
									C287365	124.66	124.96	0.30	0.133	4	0.376
108.09	133.08	« 108.09- 133.08 cl 1*» chloritized biotite phenos and fracture surfaces							C287366	127.53	127.99	0.46	0.022	-1	0.035
									C287367	128.77	129.59	0.82	0.149	2	0.203
									C287368	129.59	130.35	0.76	0.010	-1	0.063
									C287369	133.08	133.59	0.51	0.010	1	0.090
									C287371	142.39	143.39	1.00	0.020	-1	0.208




From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
143.39	148.30	LKr Bx Rhyolite Breccia Highly fractured crackle-breccia texture to a matrix supported breccia composed of cm-scale fragments separated by a matrix of smaller, mm-size angular fragments and iron oxide cement, locally vuggy. Quartz-arsenopyrite veins are both brecciated and crosscutting the bx. « 143.39- 148.30 oxidized fractures and bx cement ge 2.50*» « qz 1.00*»« localized veins as 1.00%» « py 0.20%» < @ 143.49 qz-arsenopyrite ven 5.00-15.00° 2.50cm > < @ 147.32 qz-as-py ven 20.00° 0.50cm > < @ 147.57 qz-as ven 20.00° 1.50cm >	C287372	143.39	143.79	0.40	2,530	38	2.170
			C287373	143.79	144.79	1.00	0.101	-1	0.388
			C287374	144.79	145.79	1.00	0.031	3	0.253
			C287375	145.79	146.76	0.97	0.019	1	0.184
			C287376	146.76	147.76	1.00	0.033	2	0.317
			C287377	147.76	148.30	0.54	0.023	1	0.196
148.30	150.41	Qtz Vein Sheeted Quartz Veins in Rhyolite and Massive Quartz « qz 3.00*» 148.30 - 148.98 m: Faulted sheeted veins typically 0.5-1 cm wide, increasing in density downwards. Vein orientation are 15-25 degrees to the core axis. The rhyolite is a beige-yellow mosaic of fine grained quartz and sericitized feldspar. Blotchy, inconsistent arsenopyrite mineralization within the quartz. « 148.30- 148.98 as 2.00%» 148.98 - 149.60 m: Quartz vein with pale to vibrant green coatings on fractures and forming thin veins. Probably two different minerals as the vibrant green material is very	C287378	148.30	148.98	0.68	0.111	1	0.799
			C287379	148.98	149.60	0.62	0.756	6	0.948
			C287381	149.60	150.41	0.81	0.028	1	0.331

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
		hard, possibly quartz or chalcedony while the paler green material is soft, clay looking. Only minor amounts of arsenopyrite as disseminations within the quartz. « 148.98- 149.60 as 0.50%»							
		149.60 - 150.41 m: sheeted quartz veins in rhyolite similar to above, veins are at 20-25 degrees to the core axis and decrease in density downwards. The majority of the veins are not mineralized. « 149.60- 150.41 as 1.00%»							
150.41	179.53	LKr							
		Rhyolite							
		Fractured, and iron oxidized rhyolite. Patchy silica or k-spar flooding. 5-10% biotite phenocrysts 1-2 mm in length, locally chloritized.							
		« 150.41- 166.44 qz 1.00*» « as 0.50%» « py 0.10%»							
		Thin (<2mm), discontinuous quartz-arsenopyrite+/-pyrite stringers							
		@ 171.22 m trace chalcopryrite with pyrite in a 2 mm wide quartz vein with a silica alteration halo.							
			C287382	150.41	151.41	1.00	0.008	1	0.095
			C287383	151.41	152.41	1.00	0.010	4	0.170
			C287384	152.41	153.41	1.00	0.012	1	0.105
			C287385	153.41	154.41	1.00	0.024	1	0.155
			C287386	154.41	155.41	1.00	0.022	1	0.211
			C287387	155.41	156.41	1.00	0.015	1	0.128
			C287388	156.41	157.41	1.00	0.014	3	0.200
			C287389	157.41	158.30	0.89	-0.005	1	0.101
			C287391	158.30	159.30	1.00	0.021	-1	0.258
			C287392	159.30	160.30	1.00	0.010	1	0.105
			C287393	160.30	161.30	1.00	0.007	2	0.126
			C287394	163.86	164.55	0.69	0.082	3	0.194
			C287395	164.55	165.55	1.00	-0.005	1	0.033
			C287396	165.55	166.44	0.89	0.015	1	0.085
			C287397	171.12	171.58	0.46	-0.005	1	0.015
			C287398	177.53	178.53	1.00	-0.005	-1	0.029
			C287399	178.53	179.53	1.00	0.006	1	0.049

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
179.53	196.38	<p>LKg</p> <p>Biotite Granite</p> <p>Medium to coarse grained granite. Sharp contact with the rhyolite at 20-30 degrees to the core axis. Dominantly rusty orange oxidation pervasive throughout the core with lesser fresh looking, grey to pinkish grey colour. Consists of 25-30% quartz, 2-5 mm across; 40% feldspar, subhedral, 3-7 mm in length, partially sericitized (soft, pale green); and 5% biotite, mostly chloritized. Trace amounts of interstitial pyrrhotite and pyrite. Minor vuggy cavities 2-3 mm across possibly from leaching of sulphides.</p> <p>« 179.53- 196.38 cl 1.00%» « ms 1.00%» « ge 2%» « po 0.10%» « py 0.10%»</p> <p>« 192.11- 196.38 qz 2.00%» « ms 2.00%» « as 0.50%» « py 0.50%»</p> <p>Quartz veining and sericite alteration are very prominent approaching the lower contact. Veins are planar to irregular/discontinuous and contain variable arsenopyrite and pyrite.</p> <p>< @ 192.26 wavy qz-as-py ven 20° 2cm ></p> <p>< @ 193.15 undulating qz-py-as ven 10-15° 1-10mm ></p> <p>< @ 194.55 qz-cl-py ven 30° 5-10mm ></p>							
			C287401	179.53	180.53	1.00	-0.005	-1	0.035
			C287402	180.53	181.53	1.00	0.006	1	0.077
			C287403	181.53	182.53	1.00	0.007	-1	0.055
			C287404	182.53	183.53	1.00	0.378	1	0.032
			C287405	183.53	184.53	1.00	0.043	1	0.065
			C287406	184.53	185.53	1.00	0.016	-1	0.062
			C287407	185.53	186.53	1.00	0.018	3	0.073
			C287408	186.53	187.53	1.00	0.014	-1	0.076
			C287409	187.53	188.53	1.00	0.053	-1	0.232
			C287411	188.53	189.53	1.00	0.068	-1	0.061
			C287412	189.53	190.53	1.00	0.050	-1	0.061
			C287413	190.53	191.53	1.00	0.012	-1	0.075
			C287414	191.53	192.11	0.58	0.020	-1	0.097
			C287415	192.11	192.41	0.30	0.034	1	0.083
			C287416	192.41	193.00	0.59	0.036	-1	0.095
			C287417	193.00	193.37	0.37	0.043	-1	0.098
			C287418	193.37	194.37	1.00	0.033	-1	0.107
			C287419	194.37	195.11	0.74	0.035	1	0.092
			C287421	195.11	195.50	0.39	0.208	2	0.089
			C287422	195.50	196.38	0.88	0.095	1	0.132
196.38	199.16	<p>Qtz Vein</p> <p>« qz 3.00%»</p> <p>« 196.38- 197.82 as 3.00%» « py 1.00%»</p> <p>Mixed quartz vein and lesser vein breccia with silica flooded granite fragments. Sulphides occur as blebs and fracture fill within the quartz. Minor pale green, soft mineral -possibly scorodite. Overall fabric is at 20-30 degrees to the core axis.</p> <p>« 197.82- 199.16 as 15.00%»</p>							
			C287423	196.38	196.96	0.58	0.151	2	0.163
			C287424	196.96	197.82	0.86	0.145	1	0.342
			C287425	197.82	198.52	0.70	1.520	11	1.400
			C287426	198.52	199.16	0.64	4.760	13	10.800

From	To	Rocktype & Description	As	Py	Po	Cl	Ms	Qz	Sample	From	To	Width	Au ppm	Ag ppm	As %
		Vein quartz with strong fine-grained arsenopyrite mineralization, results in a dark grey to black colour within the quartz where strongest. May be a component of very fine grained pyrite that is contributing to this appearance. Pale to vibrant green, relatively soft mineral observed to form radiating, fibrous clusters - possibly actinolite.													
199.16	225.25	LKg							C287427	199.16	200.16	1.00	0.175	19	0.307
		« 199.16 - 202.44 ms 2.00% » « qz 1.00% » « ge 2.00% » « as 2.00% » « py 1.00% »							C287428	200.16	201.16	1.00	0.075	3	0.091
		Similar mineralogy to the granite above the quartz vein. Contains quartz-chlorite-arsenopyrite-pyrite stringers and thin veins. Also arsenopyrite and pyrite blebs.							C287429	201.16	201.84	0.68	0.075	3	0.058
		200.55m:							C287431	201.84	202.44	0.60	0.078	3	0.082
		30 cm rhyolite dyke (?), fractured and mineralized similar to the surrounding core. Contacts poorly defined due to alteration and fracturing.							C287432	202.44	203.44	1.00	0.038	1	0.044
		« 202.44- 225.25 cl 1.00% » « ms 1.00% » « ge 1.00% » « po 2.00% » « cp 0.20% »							C287433	203.44	204.44	1.00	0.062	3	0.025
		Blebbly chlorite up to 1 cm. Weak sericitization of feldspars. Sulphide mineralization occurs as pyrrhotite blebs (replacement of mafics?), with minor chalcopyrite, ranging from 1-4% total sulphide over m scale intervals.							C287434	204.44	205.44	1.00	0.076	-1	0.015
		Pyrrhotite-chalcopyrite mineralization strongest downhole, in weakly oxidized to non-oxidized core. Rare pyrite and arsenopyrite							C287435	205.44	206.44	1.00	0.024	-1	0.011
									C287436	206.44	207.44	1.00	0.233	2	0.013
									C287437	207.44	208.44	1.00	0.125	-1	0.018
									C287438	208.44	209.44	1.00	0.362	3	0.114
									C287439	209.44	210.44	1.00	0.071	-1	0.037
									C287441	210.44	211.44	1.00	0.176	1	0.034
									C287442	211.44	212.44	1.00	0.311	1	0.024
									C287443	212.44	213.44	1.00	0.075	1	0.017
									C287444	213.44	214.44	1.00	0.047	2	0.017
									C287445	214.44	215.44	1.00	0.046	4	0.017
									C287446	215.44	216.44	1.00	0.121	-1	0.022
									C287447	216.44	217.44	1.00	0.018	2	0.014
									C287448	217.44	218.44	1.00	0.018	2	0.012
									C287449	218.44	219.44	1.00	0.081	1	0.047
									C287451	219.44	220.44	1.00	0.049	3	0.035
									C287452	220.44	221.44	1.00	0.142	-1	0.004
									C287453	221.44	222.44	1.00	0.068	2	0.013
									C287454	222.44	223.44	1.00	0.015	1	0.003
									C287455	223.44	224.44	1.00	0.127	1	0.007
									C287456	224.44	225.25	0.81	0.071	-1	0.004
225.25	225.25	EOH													

Drill Log Legend





DRILL LOG

Project: Golden Eagle	Collar Elevation (m): 1283	
Hole TAN08-09	Azimuth (°): 165	
Location: 6637005 m North 509226 m East	Dip (°): -60.0	
Logged by: J. Major	Length (m): 246.58	
Drilled by: Apex		
Assayed by: ALS Chemex		
Core Size: NQ		
Date Started: 2008/08/08		Date Completed: 2008/08/10
Dip Tests By: Reflex		
Objective TAN08-09 was drilled at a steeper angle from the same setup as TAN08-08 to test the continuity of quartz-arsenopyrite veins encountered in the rhyolite and granite intrusions.		

Summary Log:

Similar lithology to TAN08-08 with rhyolite in the upper part of the hole in sharp contact with equigranular biotite granite below. Only one notable zone of quartz-arsenopyrite veining was intersected, which may be correlated to the upper intersections in TAN08-08 and TAN06-04 indicating a vein system dipping approximately 85 degrees to the south. A deeper zone of quartz-arsenopyrite stringer and stockwork veining in this hole may be an expression of the larger veins drilled further up dip.



DRILL LOG

Project: Golden Eagle

Hole ID: TAN08-09

Downhole surveys:

Depth	Dip	Azimuth	Comments
17.98	-59.80	159.10	
48.46	-59.70	159.20	
78.94	-59.50	207.70	Survey rejected
109.42	-59.60	161.30	
200.86	-59.40	162.90	
222.20	-58.90	165.90	




From	To	Rocktype & Description	As	Py	Po	Cl	Ms	Qz	Sample	From	To	Width	Au ppm	Ag ppm	As %	
0.00	7.41	Ogv Overburden														
7.41	26.46	LKr Beige to light pink rhyolite. 1-2% quartz eyes and felspar phenocrysts, 5-10% biotite and muscovite phenocrysts, variably altered by chlorite and sericite. Iron oxide coated fractures and pervasive alteration by rusty orange-brown goethite. Minor quartz stringers. Very weakly magnetic, localized to some of the mafic phenos that probably contain very fine grained magnetite. « cl 1.00* » « ms 1.00* » « ge 2.00* » « qz 0.50* » « mg 0.10% »														
26.46	27.13	LKr Bx Rhyolite Breccia Angular rhyolite fragments widely ranging in size. Vuggy silica-clay-iron oxide matrix. Average clast/matrix ratio is 70/30. No veins or mineralization in the vicinity.														
27.13	131.30	LKr Rhyolite is the same as above the breccia. Quartz stringers and veins less than 2 mm wide present throughout, +/- chlorite, some veins are leached away leaving vuggy cavities. « 27.13- 131.30 cl 1.00* » « ms 1.00* » « qz 0.50* » « 27.13- 89.15 ge 2.00* »								C287457	60.32	60.65	0.33	-0.005	-1	0.028
										C287458	61.87	62.32	0.45	0.014	-1	0.116
										C287459	64.11	64.55	0.44	0.009	-1	0.035
										C287461	66.38	66.68	0.30	0.008	-1	0.076
										C287462	70.49	70.79	0.30	0.005	-1	0.150
										C287463	76.55	76.85	0.30	0.008	-1	0.060
										C287464	78.48	78.95	0.47	0.016	1	0.211
										C287465	92.04	93.04	1.00	0.005	-1	0.043

From	To	Rocktype & Description	As	Py	Po	Cl	ms	qz	Sample	From	To	Width	Au ppm	Ag ppm	As %
		middle-lower portion of the vein (up to 30% over 30 cm core length). Pale green clay and lesser vibrant green fibrous radiating crystals (actinolite) crosscut the quartz veins.													
		134.23 - 136.39 m: Intense quartz stockwork and alteration with significant arsenopyrite mineralization, locally with chalcopyrite and pyrite also. Most prominent veins are at low angle to the core axis, 10-30 degrees TCA. Bright yellow coating noted on a fracture surface - possibly native sulphur.													
136.39	140.36	LKr Continued quartz-arsenopyrite veining in silica-sericite altered rhyolite. Veins are up to 1 cm wide and contain arsenopyrite with lesser pyrite and chalcopyrite. Gradational lower contact based on decreased veining, mineralization and alteration. Iron oxide stained fractures. « ms 2.00% » « si 2.00% » « qz 2.00% » « as 2.00% » « py 0.50% » « cp 0.25% »							C287492	136.39	137.36	0.97	0.151	-1	0.243
									C287493	137.36	138.36	1.00	0.245	5	0.647
									C287494	138.36	139.36	1.00	0.243	7	0.621
									C287495	139.36	140.36	1.00	0.143	8	0.363
140.36	166.70	LKr Beige to greenish grey coloured rhyolite. 10-15% biotite phenocrysts, variably chloritized. Also chlorite coated fractures where not iron oxidized. Minor cubic pyrite along fractures. Only traces of arsenopyrite below 151 m. « 140.36- 166.70 cl 1.50% » « 140.36- 151.36 qz 1.50% » « as 1.00% » Quartz stringers +/- arsenopyrite with silicic selvages. Scattered quartz-arsenopyrite veins up to 15 mm wide in the upper part of the interval. Minor disseminated arsenopyrite also. < @ 144.75 ven 25.00° 15.00mm > branching quartz-arsenopyrite vein < @ 145.81 ven 25.00° 10.00mm > quartz-arsenopyrite-pyrite vein < @ 148.82 ven 10.00° 3.00-8.00mm >							C287496	140.36	141.36	1.00	0.139	2	0.325
									C287497	141.36	142.36	1.00	0.052	1	0.212
									C287498	142.36	143.36	1.00	0.041	2	0.120
									C287499	143.36	144.36	1.00	0.042	3	0.142
									G0672001	144.36	145.36	1.00	0.065	6	0.569
									G0672002	145.36	146.36	1.00	0.241	3	1.020
									G0672003	146.36	147.36	1.00	0.027	1	0.137
									G0672004	147.36	148.36	1.00	0.028	-1	0.069
									G0672005	148.36	149.36	1.00	0.107	3	0.424
									G0672006	149.36	150.36	1.00	0.006	-1	0.008
									G0672007	150.36	151.36	1.00	0.011	-1	0.008
									G0672008	157.10	157.77	0.67	0.022	-1	0.030
									G0672009	165.70	166.70	1.00	0.014	-1	0.017

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
		quartz-arsenopyrite vein							
166.70	246.58	LKg	G0672011	166.70	167.70	1.00	0.069	-1	0.011
		Sharp upper contact with the rhyolite at 15 degrees to the core axis. Diffuse fragments of what look like granite occur in the rhyolite within 5 cm of the contact. It appears that the rhyolite intrudes the granite. < @ 166.70 uct 15.00° >	G0672012	167.70	168.70	1.00	0.035	-1	0.010
		Coarse grained, equigranular quartz, feldspar and biotite. Pinkish grey to greenish grey in colour dependent on amount of iron oxide or chlorite alteration. Weak to moderate alteration of biotite and fracture coatings. Variable pale green sericitization of feldspars.	G0672013	168.70	169.70	1.00	0.016	-1	0.005
		Disseminated blebs of sulphide occur throughout this unit, typically dominantly pyrrhotite, lesser pyrite, arsenopyrite and chalcopyrite. The sulphides are often present within cm size fine grained chlorite masses. More sporadic types of sulphide mineralization occur within thin quartz veins and stringers, or as fracture coatings. « cl 2.00° » « ms 1.00° » « ge 0.50° » « po 2.00% » « py 0.50% »	G0672014	169.70	170.70	1.00	0.030	-1	0.011
		178.29 - 179.11m: Rhyolite dyke with blebby chlorite, pyrite and arsenopyrite. Pyrite-arsenopyrite fracture coatings. Sharp contacts at 45 and 30 degrees to the core axis with strong chlorite alteration in the granite. « 180.53- 182.58 qz 1.00° » « as 1.00% » « py 2.00% »	G0672015	170.70	171.70	1.00	0.436	15	0.032
		Quartz stringers with pyrite-arsenopyrite 1-2 mm wide, chlorite selvages. < @ 182.48 ven 15.00° 50.00mm > 3 cm wide dark grey quartz vein with prite and possibly very fine grained arsenopyrite. 2 cm wide breccia along one of the vein margins with fragments of	G0672016	171.70	172.70	1.00	0.052	-1	0.021
			G0672017	172.70	173.70	1.00	0.042	-1	0.005
			G0672018	173.70	174.70	1.00	0.095	-1	0.033
			G0672019	174.70	175.70	1.00	0.048	-1	0.020
			G0672021	175.70	176.70	1.00	0.088	-1	0.008
			G0672022	176.70	177.70	1.00	0.128	4	0.010
			G0672023	177.70	178.29	0.59	0.068	3	0.005
			G0672024	178.29	179.11	0.82	0.045	-1	0.073
			G0672025	179.11	179.53	0.42	0.071	-1	0.004
			G0672026	179.53	180.53	1.00	0.046	-1	0.012
			G0672027	180.53	181.53	1.00	0.021	-1	0.011
			G0672028	181.53	182.11	0.58	0.048	-1	0.015
			G0672029	182.11	182.58	0.47	0.184	1	0.122
			G0672031	182.58	183.58	1.00	0.056	-1	0.006
			G0672032	183.58	184.58	1.00	0.032	1	0.008
			G0672033	184.58	185.58	1.00	0.059	2	0.057
			G0672034	185.58	186.58	1.00	0.015	-1	0.006
			G0672035	186.58	187.58	1.00	0.005	-1	0.003
			G0672036	187.58	188.58	1.00	0.145	-1	0.005
			G0672037	188.58	189.20	0.62	0.058	2	0.020
			G0672038	189.20	189.80	0.60	0.021	2	0.014
			G0672039	189.80	190.80	1.00	0.043	2	0.009
			G0672041	190.80	191.80	1.00	0.058	2	0.011
			G0672042	191.80	192.48	0.68	0.010	-1	0.007
			G0672043	192.48	193.02	0.54	0.014	5	0.007
			G0672044	193.02	193.93	0.91	0.158	1	0.259

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
195	195	granodiorite and mineralized quartz vein in a yellowish-white clay matrix.	G0672045	193.93	194.51	0.58	0.010	3	0.010
		« 190.20- 190.80 flg »	G0672046	194.51	194.96	0.45	0.171	9	0.712
		Rubble consisting of granite fragments and abundant clay at a very low angle to the core axis.	G0672047	194.96	195.96	1.00	0.019	3	0.012
		« 193.02- 194.96 qz 2.00% » « py 3.00% » « as 2.00% »	G0672048	195.96	196.96	1.00	0.014	-1	0.009
		Undulating, dark grey quartz stringers with pyrite and fine grained arsenopyrite in the vicinity of a larger vein	G0672049	196.96	197.96	1.00	0.026	2	0.029
		< @ 193.65 ven 20.00° 15.00mm >	G0672051	197.96	198.96	1.00	0.018	3	0.013
		Planar quartz-arsenopyrite vein	G0672052	198.96	199.96	1.00	0.068	2	0.030
		< @ 194.77 ven 20.00° 150.00mm >	G0672053	199.96	200.96	1.00	0.034	4	0.017
		Quartz vein with 5% sulphide of arsenopyrite and pyrite in equal amounts. 15 cm true width.	G0672054	200.96	201.96	1.00	0.025	-1	0.024
		< @ 203.90 ven 15.00° 20.00mm >	G0672055	201.96	202.96	1.00	0.009	3	0.010
		Brecciated quartz-arsenopyrite vein	G0672056	202.96	203.74	0.78	0.119	7	0.180
		« 211.59- 212.22 qz 1.00% » « as 8.00% » « py 5.00% » « sp 0.50% »	G0672057	203.74	204.04	0.30	0.034	3	0.300
		< @ 211.73 ven 25.00° >	G0672058	204.04	205.04	1.00	0.009	2	0.024
		Anastomosing quartz-sulphide veins, 2-3 cm wide. Contains brown, subangular masses of sphalerite up to 5 mm across. Arsenopyrite>pyrite and sphalerite.	G0672059	205.04	206.04	1.00	0.035	5	0.130
		< @ 212.03 ven 25.00° >	G0672061	206.04	207.04	1.00	0.020	5	0.033
		Low angle undulating sulphide 'vein', 2-3 cm wide zone of subhedral to euhedral pyrite and arsenopyrite in clay altered granite.	G0672062	207.04	208.04	1.00	0.013	-1	0.014
			G0672063	208.04	209.04	1.00	0.038	1	-0.001
			G0672064	209.04	210.00	0.96	0.055	1	0.001
			G0672065	210.00	211.00	1.00	0.119	5	0.120
			G0672066	211.00	211.59	0.59	0.156	9	0.259
			G0672067	211.59	212.22	0.63	3.300	57	5.080
			G0672068	212.22	213.22	1.00	0.220	4	0.259
			G0672069	213.22	214.22	1.00	0.115	1	0.042
			G0672071	214.22	215.22	1.00	0.016	2	0.004
			G0672072	215.22	216.22	1.00	0.035	-1	-0.001
			G0672073	216.22	217.22	1.00	0.153	2	0.107
			G0672074	217.22	218.22	1.00	0.056	7	0.013
			G0672075	218.22	219.22	1.00	0.123	3	0.004
			G0672076	219.22	220.22	1.00	0.013	1	0.005
			G0672077	220.22	221.22	1.00	0.040	1	0.006
			G0672078	221.22	222.20	0.98	0.070	3	0.002
			G0672079	222.20	223.20	1.00	0.071	1	0.014
			G0672081	223.20	224.20	1.00	0.050	1	0.012
			G0672082	224.20	225.20	1.00	0.042	-1	0.034
			G0672083	225.20	226.20	1.00	0.037	-1	0.007
			G0672084	226.20	227.20	1.00	0.054	1	0.005
			G0672085	227.20	228.20	1.00	0.045	-1	0.011
			G0672086	228.20	229.20	1.00	0.109	-1	0.019

Drill Log Legend





DRILL LOG

Project: Golden Eagle	Collar Elevation (m): 1333	
Hole TAN08-10	Azimuth (°): 165	
Location: 6636928 m North 509241 m East	Dip (°): -45.0	
Logged by: J. MacDonald	Length (m): 237.44	
Drilled by: Apex		
Assayed by: ALS Chemex		
Core Size: NQ		
Date Started: 2008/08/11		Date Completed: 2008/08/13
Dip Tests By: Reflex		
Objective TAN08-10 was drilled from the same site as TAN05-01 to test a greater depth and to step forward from previous drill holes on this section.		

Summary Log:

TAN08-10 intersected mineralization at many intervals, however, only two of these are considered to be significant in terms of the percentage of arsenopyrite observed. There are very few sections in this hole that did not have arsenopyrite, so the mineralization is indeed pervasive, but of low percentage overall. Two main zones of mineralization were intersected, the first was 3.87 m in core length and contained 3% disseminated arsenopyrite and associated scorodite, chalcedony and minor epidote alteration. This zone was hosted in fault breccia and evidence in the form of mineralized fragments/clasts was observed that indicated mineralization pre-dates faulting. Several metres down hole from this fault breccia, a competent 5 m (core length) quartz vein contained an interval with 1.1 m of 2% arsenopyrite. The second mineralized zone consisted of 10.2 m (core length) of 3% arsenopyrite hosted in a brecciated rhyolite. The quartz-arsenopyrite veining cements the breccia and the arsenopyrite is finely crystalline to crypto-crystalline in some parts of the unit. Whether this breccia is caused by the vein system or by an earlier brittle fault is difficult to determine from the core.



DRILL LOG

Project: Golden Eagle

Hole ID: TAN08-10

Downhole surveys:

Depth	Dip	Azimuth	Comments
48.46	-44.70	163.70	
78.94	-45.10	166.20	
109.42	-45.30	166.40	
139.90	-45.10	166.70	
170.38	-45.10	167.30	
200.86	-45.20	167.60	
231.34	-45.00	168.20	

From	To	Rocktype & Description	As	Py	Po	Cl	Ms	Qz	Sample	From	To	Width	Au ppm	Ag ppm	As %
		Apy possibly remobilized by fault fluids. Unit sampled entirely.													
		Mineralization/Alteration: In the form of finely crystalline Apy hosted in quartz veins and recemented by epidote and chalcedony veining. « as 3.00% » « py 0.01% » « cd 1.00* » « ep 2.00* » « sd 1.00* » « ms 1.00* » « qz 2.00* »													
36.57	40.22	LKr Bx							G0672128	36.57	37.57	1.00	0.069	-1	0.799
		Rhyolite breccia unit, clast supported and derived from brittle faulting. Clasts are up to 40 cm but average 2-4 cm and are angular. Fracture surfaces contain iron staining and minor epidote throughout. Large 3-5 cm epidote lined vugs in fault breccia and several clasts are weakly mineralized.							G0672129	37.57	38.57	1.00	0.051	3	1.440
		Mineralization/Alteration: « ep 1.00* » « as 0.01% » « qz 1.00* »							G0672131	38.57	39.57	1.00	0.038	1	0.594
									G0672132	39.57	40.17	0.60	0.111	8	4.980
40.22	45.27	Qtz Vein							G0672133	40.17	41.17	1.00	0.761	11	2.160
		Quartz vein with stringers of epidote, chalcedony and minor scorodite. Vein system dies out dh to rhyolite protolith with intense quartz veining. Vuggy porosity throughout and minor brecciation (vein breccia by later chalcedony/epidote veins up to 2 cm that cut qtz/Apy veins).							G0672134	41.17	42.17	1.00	2.300	23	4.370
		Mineralization/Alteration: Arseon is fine to meduim crystalline and almost cryptocrystalline in some quartz veins resulting in a dark grey color of the quartz. Chalcedony/epidote veins are narrow and planar to vug filling and blotchey. « qz 3.00* » « 40.22- 43.32 as 2.00% » « py 0.01% » « ep 2.00* » « sr 1.0* » « ep 2.00* » « cd 2.00* » « 43.32- 45.27 ms 2.00* » « si 2.00* » « as 0.01% » « py 0.01% »							G0672135	42.17	43.17	1.00	5.010	108	8.410
									G0672136	43.17	43.47	0.30	0.676	58	0.937
									G0672137	43.47	44.47	1.00	0.547	29	0.651
45.27	96.18	LKr							G0672138	44.47	45.47	1.00	0.122	8	0.284
		Light grey to white /cream colored rhyolite with 5 % mafic component (biotite) throughout. Unit is moderatly fractured with iron staiing on fracture surfaces.							G0672952	45.47	46.07	0.60	0.067	3	0.262
		Mineralization/Alteration:							G0672139	46.07	46.87	0.80	0.123	5	0.585
		Quartz vein/veinlet hosted fine to coarse grained Apy and Py throughout. Occurs							G0672953	46.87	47.57	0.70	0.028	-1	0.207
									G0672141	53.90	54.90	1.00	0.018	3	0.092
									G0672142	54.90	55.90	1.00	0.017	2	0.121
									G0672143	55.90	56.90	1.00	0.055	2	0.141
									G0672144	56.90	57.90	1.00	0.575	6	0.172
									G0672145	57.90	58.90	1.00	0.021	1	0.038

From	To	Rocktype & Description	As	Pb	Po	Cl	Mn	Qz	Sample	From	To	Width	Au ppm	Ag ppm	As %	
		As fracture filling veins. Trace Apy over entire unit. « qz 1.00*»	0	10	0	5	0	5	0	G0672146	58.90	59.90	1.00	0.018	-1	0.089
										G0672147	59.90	60.90	1.00	0.013	1	0.068
										G0672148	65.49	66.09	0.60	0.017	-1	0.090
		« 46.30- 46.68 qz 3.00*» « as 2.00%»								G0672149	66.09	66.59	0.50	0.009	-1	0.054
		« 67.67- 67.78 as 70.00% 30.00mm» 45 degrees to CA								G0672151	66.59	67.59	1.00	0.125	6	0.652
										G0672152	67.59	67.89	0.30	11.050	14	6.370
										G0672153	67.89	68.89	1.00	0.044	-1	0.170
										G0672154	68.89	69.89	1.00	0.030	-1	0.091
										G0672155	69.89	70.89	1.00	0.024	-1	0.111
										G0672156	70.89	71.89	1.00	0.015	-1	0.058
										G0672157	71.89	72.89	1.00	0.026	-1	0.185
										G0672158	72.89	73.89	1.00	0.018	1	0.116
										G0672160	73.89	74.89	1.00	0.047	-1	0.106
										G0672161	74.89	75.49	0.60	0.012	2	0.056
										G0672162	75.49	76.12	0.63	0.013	2	0.025
										G0672163	76.12	77.12	1.00	0.007	-1	0.015
										G0672164	77.12	78.12	1.00	0.009	-1	0.018
										G0672165	78.12	79.12	1.00	0.021	-1	0.028
										G0672166	79.12	80.12	1.00	0.055	4	0.084
										G0672167	80.12	81.12	1.00	0.011	-1	0.013
										G0672168	81.12	82.12	1.00	0.022	-1	0.096
										G0672169	82.12	83.12	1.00	0.021	-1	0.045
										G0672171	83.12	84.12	1.00	0.015	-1	0.048
										G0672172	84.12	85.12	1.00	0.010	-1	0.047
										G0672173	85.12	86.12	1.00	-0.005	-1	0.013
										G0672174	86.12	87.12	1.00	0.006	-1	0.023
										G0672175	87.12	88.12	1.00	0.070	-1	0.153
										G0672176	88.12	89.12	1.00	0.014	-1	0.038
										G0672177	89.12	89.98	0.86	0.013	-1	0.019
										G0672178	89.98	90.98	1.00	0.111	-1	0.253
										G0672179	90.98	91.98	1.00	0.095	-1	0.349
										G0672181	91.98	92.98	1.00	0.005	-1	0.034
										G0672182	92.98	93.98	1.00	0.086	-1	0.224
										G0672183	93.98	94.98	1.00	0.048	-1	0.188
										G0672184	94.98	95.98	1.00	0.022	-1	0.263
										G0672185	95.98	96.68	0.70	0.109	-1	0.929

From	To	Rocktype & Description	As	Py	Po	Cl	Ms	Qz	Sample	From	To	Width	Au ppm	Ag ppm	As %
96.18	98.89	Qtz Vein Large quartz vein with smaller veinlets towards margins hosted in rhyolite. There is moderate epidote, chalcedony and scorodite alteration throughout and epidote is strongest. Some minor vein brecciation and up hole contact is at 20 deg to ca. Mineralization/Alteration: Arseno occurs in the main part of the vein As cryptocrystalline to finely crystalline sulphide in the quartz veins resulting in a dark color. Arseno also occurs on the unit boundary (uphole) As vein hosted, coarse crystals up to 5 mm. Epidote fills/lines quartz vugs throughout and is very finely crystalline. « qz 3.00*» « 96.18- 97.28 as 1.00%» « ms 1.00*» « 97.28- 97.78 as 10.00%» « ep 2.00*» « cd 1.00*» « ms 1.00*» « 97.78- 98.89 as 1.00%» « ep 1.00*» « ms 1.00*»							G0672186	96.68	97.28	0.60	0.058	1	0.294
									G0672187	97.28	97.78	0.50	0.408	6	3.610
									G0672188	97.78	98.78	1.00	0.369	-1	1.110
98.89	174.10	LKr Finely crystalline light grey to white/cream rhyolite with quartz eyes and moderate iron staining on fracture surfaces. Mafic component consists of biotite with size range from 1-4 mm. Minr quartz veining is seen throughout and unit was selectively sampled. Mineralization/Alteration: Trace « as 0.01%» « py 0.01%» throughout in small fractures hosted by quartz. « qz 0.50*»							G0672189	98.78	99.78	1.00	0.038	-1	0.153
									G0672191	99.78	100.78	1.00	0.069	-1	0.133
									G0672192	100.78	101.78	1.00	0.113	-1	0.207
									G0672193	103.75	104.05	0.30	0.139	5	0.225
									G0672194	107.21	108.21	1.00	0.091	-1	0.213
									G0672195	108.21	108.51	0.30	1.140	65	0.424
									G0672196	108.51	109.51	1.00	0.051	1	0.114
									G0672197	115.22	115.82	0.60	0.008	-1	0.067
									G0672198	118.67	119.07	0.40	-0.005	-1	0.030
									G0672199	125.23	126.23	1.00	0.163	2	0.113
									G0672201	126.23	127.23	1.00	0.082	4	0.099
									G0672202	130.95	131.25	0.30	-0.005	1	0.044
									G0672203	141.12	141.42	0.30	-0.005	-1	0.054
									G0672204	155.54	156.54	1.00	-0.005	2	0.027
									G0672205	156.54	157.54	1.00	0.024	-1	0.082
									G0672206	157.54	158.54	1.00	0.030	-1	0.060
									G0672207	158.54	159.54	1.00	-0.005	1	0.014

From	To	Rocktype & Description	As	Py	Po	Cl	Ms	Qz	Sample	From	To	Width	Au ppm	Ag ppm	As %
			0	10	0	5	0	5	0	3	0	3			
									G0672227	197.02	198.02	1.00	0.014	-1	0.031
197.64	207.86	LKr Bx Breccia unit with intense silica replacement. Breccia may be a result of veining rather than a fault. Clasts are up to 10 cm and there are sections of rhyolite 40-60 cm which may be clasts or unaltered wall rock. Fractures contain iron staining. Mineralization/Alteration: Unit is well mineralized in the form of finely crystalline Apy which, along with quartz, cements the breccia. Some veins are up to 4 cm wide and are inconsistently oriented wrt core axis. « py 0.01% » « as 3.00% » « ms 1.00* » « qz 2.00* »							G0672228	198.02	199.02	1.00	0.031	1	0.060
									G0672229	199.02	200.02	1.00	0.033	1	0.110
									G0672231	200.02	201.02	1.00	0.040	-1	0.055
									G0672232	201.02	202.02	1.00	0.069	-1	0.291
									G0672233	202.02	203.02	1.00	0.054	1	0.149
									G0672234	203.02	204.02	1.00	0.050	-1	0.163
									G0672235	204.02	205.02	1.00	0.036	1	0.058
									G0672236	205.02	206.02	1.00	0.163	-1	0.084
									G0672237	206.02	207.02	1.00	0.305	1	0.049
									G0672238	207.02	208.02	1.00	0.144	1	0.120
207.86	226.37	LKr Finely crystalline light grey, highly fractured with intense iron staining on fracture surfaces. Some vein walls contain bleached rhyolite and minor epidote alteration halos. Mineralization/Alteration: Small veins of qtz/Apy/Py irregularly spread and up to 0.5 cm thick. Some minor scorodite alteration along veins. Veins range from 25 to 50 degrees to ca. Apy is fine to coarsely crystalline. « as 1.00% » « py 0.01% » « qz 1.00* »							G0672239	208.02	209.02	1.00	0.058	1	0.214
									G0672241	209.02	210.02	1.00	0.008	1	0.022
									G0672242	214.40	214.70	0.30	0.011	1	0.067
									G0672243	216.46	216.76	0.30	0.036	-1	0.120
									G0672244	219.21	220.21	1.00	0.008	1	0.064
									G0672245	220.21	221.21	1.00	0.012	-1	0.131
									G0672246	221.21	222.21	1.00	0.010	-1	0.073
									G0672247	222.21	223.21	1.00	0.016	-1	0.078
									G0672248	223.21	224.21	1.00	0.010	-1	0.026
									G0672249	224.21	225.21	1.00	0.006	-1	0.019
									G0672251	225.21	226.21	1.00	0.005	1	0.029
									G0672252	226.21	227.21	1.00	0.027	1	0.099
226.37	230.14	LKg Granite intrusive. Orange in color due to iron staining/oxidation and contains large phenos of blotchy feldspar and abundant free quartz. Phenocrysts up to .5 cm. Minor chlorite alteration. Mineralization/Alteration:							G0672253	227.21	228.21	1.00	0.023	1	0.083
									G0672254	228.21	229.21	1.00	0.025	-1	0.072

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
		« cl 1.00*»							
230.14	237.44	LKr	G0672255	229.21	230.21	1.00	0.027	-1	0.036
		Fine grained highly fractured rhyolite, white in color with 5 % mafic.	G0672256	230.21	231.21	1.00	0.008	1	0.037
		< @ 231.34 ft 90.00° 50.00mm >	G0672257	231.21	231.91	0.70	-0.005	-1	0.036
		EOH							
237.44	237.44	EOH							

Drill Log Legend

- LKg
- LKr
- LKr Bx
- Ogv
- Qtz Vein

- S1
- Vbx
- Zfzbx
- flb
- flg

- flt
- lct
- uct
- ven



DRILL LOG

Project: Golden Eagle	Collar Elevation (m): 1285	
Hole TAN08-11	Azimuth (°): 165	
Location: 6637009 m North 509385 m East	Dip (°): -45.0	
Logged by: J. MacDonald	Length (m): 182.51	
Drilled by: Apex		
Assayed by: ALS Chemex		
Core Size: NQ		
Date Started: 2008/08/14		Date Completed: 2008/08/16
Dip Tests By: Reflex		
Objective Test for the up dip continuation of mineralization encountered in the Boundary Range in TAN08-05, and for possible strike length extension of quartz-arsenopyrite veining intersected in the rhyolite in TAN05-02.		

Summary Log:

The dominant lithology is strongly deformed and chlorite+/-biotite altered mafic volcanics cut by non-deformed diorite to granodiorite dykes, with later brittle faulting. A narrow zone with strong patches of arsenopyrite replacment 10-30 cm wide may correspond to the mineralized intersection in TAN08-05.



DRILL LOG

Project: Golden Eagle

Hole ID: TAN08-11

Downhole surveys:




Depth	Dip	Azimuth	Comments
33.22	-45.30	165.80	
63.70	-45.30	186.90	Survey rejected
94.18	-45.10	171.20	
124.67	-45.00	171.40	
182.51	-45.60	172.90	

From	To	Rocktype & Description	As	Py	Po	Cl	Mss	Qz	Sample	From	To	Width	Au ppm	Ag ppm	As %
0.00	6.71	Ogv Overburden	0	0	0	0	0	0							
6.71	18.47	DTrBR Highly altered mafic volcanic. Medium grey/green in color due to intense chlorite and biotite alteration. Minor quartz/carbonate veining which is barren. Moderatly fractured and there is a strong foliation (S1) which is defined by chlorite and biotite +/- quartz but is ranodmly oriented due to secondary deformation folding it (S2). Alteration: « cl 3.00* » « bi 2.00* » « qz 1.00* » « ca 1.00* »	5	0	0	5	0	3							
18.47	35.63	Zfzg Large fault zone with breccia and gouge throughout. No orientation available in core. Intense chlorite alteration and moderate quartz/carbonate veining. Veins up to 15 cm contain chlorite/quartz but no sulphides. Alteration: « qz 1.00* » « cl 3.00* » « ca 1.00* »	20	0	0	0	0	0							
35.63	133.32	DTrBR Mafic volcanic with intense alteration. Color ranges from light brown (in biotite rich sections) to dark green (in chlorite rich sections) to brown/green stripes (both biotite and chlorite). Strong foliation defoined by the alteration minerals forming bands that define a S1 foliation that is folded by F2 open to tight folds. Fold axis vary throughout as do S1 orientations. Significant quartz veining throughout (5 % of unit overall) and are up to 20 cm	35	0	0	0	0	0							
									G0672258	95.32	96.32	1.00	-0.005	-1	0.002
									G0672259	96.32	97.32	1.00	-0.005	-1	-0.001
									G0672261	97.32	98.32	1.00	0.008	-1	-0.001
									G0672262	98.32	99.32	1.00	0.006	-1	-0.001
									G0672263	99.32	100.32	1.00	-0.005	-1	-0.001
									G0672264	100.32	101.32	1.00	-0.005	-1	-0.001
									G0672265	101.32	102.32	1.00	-0.005	-1	-0.001

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
		<p>wide and contain minor chlorite, pyrrhotite and pyrite with lesser magnetite (all coarse grained). Quartz veining cross cuts S1 and F2 and at times are parallel to S1. Carbonate veins are later and less significant ranging from 1mm to 5mm wide.</p> <p>Alteration: « cl 3.00% » « bi 1.00% » « qz 1.00% » « ca 1.00% » « 116.99- 125.50 ep 2.00% » « 99.32- 105.00 mg 1.00% »</p> <p>Mineralization: « 108.00- 111.20 as 0.01% » « 114.67- 114.93 as 45.00% » « 116.02- 116.14 as 40.00% » « 129.76- 130.06 as 3.00% » « 132.81- 133.32 as 2.00% » « 35.63- 133.32 py 0.01% » « po 0.01% » « cp 0.01% »</p>							
			G0672266	102.32	103.32	1.00	-0.005	-1	0.001
			G0672267	103.32	104.32	1.00	-0.005	-1	-0.001
			G0672268	104.32	105.32	1.00	-0.005	-1	-0.001
			G0672269	105.32	106.32	1.00	0.007	1	-0.001
			G0672271	106.32	107.32	1.00	-0.005	-1	-0.001
			G0672272	107.32	108.32	1.00	0.010	4	-0.001
			G0672273	108.32	108.62	0.30	0.039	-1	0.239
			G0672274	108.62	109.62	1.00	0.017	-1	0.018
			G0672275	109.62	110.62	1.00	0.018	-1	0.007
			G0672276	110.62	111.62	1.00	0.009	-1	0.015
			G0672277	111.62	112.62	1.00	0.012	-1	0.007
			G0672278	112.62	113.62	1.00	-0.005	-1	-0.001
			G0672279	113.62	114.62	1.00	0.005	2	0.001
			G0672281	114.62	115.02	0.40	1.960	-1	11.400
			G0672282	115.02	116.02	1.00	0.008	-1	0.022
			G0672283	116.02	116.32	0.30	1.210	-1	11.000
			G0672284	116.32	117.32	1.00	0.022	-1	0.016
			G0672285	117.32	118.32	1.00	0.011	-1	0.006
			G0672286	118.32	119.32	1.00	0.010	2	0.006
			G0672287	119.32	120.32	1.00	0.009	-1	0.003
			G0672288	120.32	121.32	1.00	-0.005	-1	0.001
			G0672289	121.32	122.32	1.00	0.051	5	0.005
			G0672291	122.32	123.32	1.00	0.130	2	0.001
			G0672292	123.32	124.32	1.00	0.006	2	0.014
			G0672293	124.32	125.32	1.00	0.006	2	0.003
			G0672294	125.32	126.32	1.00	0.064	1	0.026
			G0672295	126.32	127.32	1.00	-0.005	-1	0.008
			G0672296	127.32	128.32	1.00	0.008	-1	0.007
			G0672297	128.32	129.32	1.00	-0.005	4	0.006
		G0672298	129.32	130.32	1.00	0.167	-1	0.457	
		G0672299	130.32	131.32	1.00	0.008	2	0.016	
		G0672301	131.32	132.32	1.00	0.021	-1	0.142	
		G0672302	132.32	133.32	1.00	0.024	1	0.550	

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
Alteration: « cl 2.00* » « bi 1.00* » « ca 1.00* »									
143.15	147.85	DTrdi							
Light grey to cream color biotite rich granodiorite. Biotite crystals up to 3 mm and make up 10 % of groundmass. Unit is highly fractured with carbonate veining and fracture fill. Very minor chlorite alteration on some fractures.									
Alteration: « 143.15- 147.85 ca 1.00* » « cl 1.00* » « po 0.01% » « py 0.01% »									
147.85	182.51	DTrBR	G0672309	167.34	168.34	1.00	-0.005	-1	0.003
Altered mafic volcanic. Medium green to grey with calcite veining and minor fault gouge. Contains magnetite throughout. Selective sampling to test magnetite rich zone. Strong chlorite and minor biotite alteration.			G0672311	168.34	169.34	1.00	-0.005	4	0.003
Alteration: « cl 2.00* » « bi 1.00* » « ca 1.00* » « si 1.00* » « mg 0.01% »			G0672312	169.34	170.34	1.00	-0.005	1	0.005
EOH			G0672313	170.34	171.34	1.00	-0.005	1	0.005
			G0672314	171.34	172.34	1.00	-0.005	1	0.003

Drill Log Legend





DRILL LOG

Project: Golden Eagle	Collar Elevation (m): 1303	
Hole TAN08-12	Azimuth (°): 135	
Location: 6636975 m North 509422 m East	Dip (°): -45.0	
Logged by: J. Major	Length (m): 66.75	
Drilled by: Apex		
Assayed by: ALS Chemex		
Core Size: NQ		
Date Started: 2008/08/17		Date Completed: 2008/08/18
Dip Tests By: Reflex		
Objective Drill across the prominent gully 30 m to the southeast containing a quartz-arsenopyrite vein along the gully margin.		

Summary Log:

Persistently chlorite-silica-biotite altered volcanics occur throughout the hole with localized concentrations of pyrrhotite, pyrite and traces of chalcopyrite. There are two intersections containing significant arsenopyrite. The first intersection consists of 20 cm of semi-massive replacement by pyrrhotite-arsenopyrite. The second intersection is a 1.7 m fault zone containing fault gouge and altered volcanics with semi-massive arsenopyrite across 30 cm. Correlation with the gully on surface indicates a subvertical fault.



DRILL LOG

Project: Golden Eagle

Hole ID: TAN08-12

Downhole surveys:

Depth	Dip	Azimuth	Comments
14.90	-45.40	131.20	
66.75	-45.40	132.80	


From	To	Rocktype & Description	As	Py	Po	Cl	Ms	Qz	Sample	From	To	Width	Au ppm	Ag ppm	As %	
0.00	1.52	Ogv Overburden														
1.52	38.54	DTrBR Chlorite-biotite+/-silica and sericite altered mafiv volcanics. Pervasive wavy foliation, locally defined by banded chlorite and biotite rich layers. Flood silica is often intergrown with the chlorite. Where foliation is weak to nonexistent the chlorite+/-silica looks like it is overprinting the brown biotite alteration. Plagioclase phenocrysts 1-2 mm are present across m scale zones with a weak foliation. Localized quartz boudins <2 cm wide and deformed quartz veins. Patchy muscovite/sericite alteration. Variable mineralization across intervals less than 1m with localized concentrations of disseminated to blebby, magnetic pyrrhotite with occasional pyrite and traces of chalcopyrite. Rare patches of disseminated blebs of fine grained magnetite in the upper part of the hole. Sampled intermittently to test zones of increased mineralization. « 1.52- 38.54 cl 2.00* » « si 2.00* » « bi 1.50* » « ms 1.50* » « qz 1.00* » « po 1.00% » « py 0.25% » « cp 0.01% » « 17.11- 21.31 po 2.00% » « py 3.00% » « cp 0.01% » Increased sulphide mineralization along foliation planes, within crosscutting stringers, and quartz vein margins. Possible traces of arsenopyrite within a 30cm wide silicified zone. < @ 23.30 ven > Quartz vein 20 cm core length with non-planar contacts. Penetrative chlorite filled fractures. Traces of pyrrhotite observed. « 32.49- 32.69 po 60.00% » « as 15.00% » 20cm wide zone of semi-massive replacement pyrrhotite and arsenopyrite in silica flooded metavolcanics. Patchy arsenopyrite mineralization occurs along the margins of the pyrrhotite. Pyrrhotite/arsenopyrite ratio is 80/20. Increased pyrrhotite mineralization in the preceding 60 cm.	0	0	0	0	0	0	0							
									G0672315	1.52	2.35	0.83	0.019	1	0.009	
									G0672316	2.35	3.15	0.80	0.024	1	0.016	
									G0672317	3.15	3.96	0.81	0.011	-1	0.005	
									G0672318	3.96	4.96	1.00	0.007	2	-0.001	
									G0672319	6.88	7.26	0.38	-0.005	-1	0.005	
									G0672321	8.84	9.84	1.00	0.009	2	0.004	
									G0672322	9.84	10.84	1.00	0.010	1	0.006	
									G0672323	16.11	17.11	1.00	-0.005	1	0.002	
									G0672324	17.11	17.98	0.87	0.010	6	0.030	
									G0672325	17.98	18.98	1.00	0.019	2	0.011	
									G0672326	18.98	19.70	0.72	-0.005	-1	0.003	
									G0672327	19.70	20.31	0.61	-0.005	-1	0.002	
									G0672328	20.31	21.31	1.00	-0.005	-1	0.007	
									G0672329	23.12	23.45	0.33	-0.005	-1	0.002	
									G0672331	25.23	26.06	0.83	0.005	-1	0.001	
									G0672332	26.06	27.06	1.00	-0.005	-1	0.004	
									G0672333	27.06	28.06	1.00	0.014	-1	0.008	
									G0672334	30.84	31.77	0.93	-0.005	-1	0.004	
									G0672335	31.77	32.44	0.67	0.013	-1	0.001	
									G0672336	32.44	32.74	0.30	13.150	12	2.660	
									G0672337	32.74	33.50	0.76	0.058	-1	0.063	
									G0672338	36.01	36.65	0.64	0.034	-1	0.006	
									G0672339	36.65	37.35	0.70	0.204	-1	0.009	
									G0672341	37.35	38.05	0.70	0.012	-1	0.003	
									G0672342	38.05	38.54	0.49	0.583	-1	0.194	

From	To	Rocktype & Description	As	Py	Po	Cl	Ms	Qz	Sample	From	To	Width	Au ppm	Ag ppm	As %
		« 36.01- 38.54 py 2.00% » « po 1.00% » Patchy pyrite-pyrrhotite stringers and blebs. Dark grey areas within quartz boudins up to 30 cm may contain fine grained arsenopyrite.													
38.54	40.22	Zfzg							G0672343	38.54	38.99	0.45	0.662	-1	2.150
		80% fault gouged metavolcanics with strong pervasive sericite and clay alteration (dull grey, soft). Arsenopyrite veins, disseminations and matrix comprise approximately 5% of the entire zone. Semi-massive arsenopyrite occurs across a 30 cm width near the bottom of the interval.							G0672344	38.99	39.32	0.33	1.420	-1	5.150
		Upper contact is poorly defined. Lower contact is at 60 degrees to the core axis .							G0672345	39.32	39.83	0.51	1.540	-1	5.980
		« ms 3.00* » « cy 3.00* » « as 5.00% »							G0672346	39.83	40.22	0.39	2.140	4	21.500
40.22	66.75	DTrBR													
		Consistent pervasive silica-chlorite alteration with patchy brown alteration. Non-foliated to weakly foliated at low to moderate angles to the core axis. Locally chaotically folded. Variable pyrrhotite-chalcopyrite mineralization as disseminations, blebs and stringers. Short intervals (<60cm) contain up to 3% pyrrhotite and 0.5% chalcopyrite but mineralization is weak throughout most of the unit.							G0672347	40.22	41.15	0.93	0.356	-1	3.670
		« si 2.00* » « cl 2.00* » « bi 1.50* » « py 0.50% » « cp 0.01% »							G0672348	41.15	42.15	1.00	0.008	-1	0.057
		« 44.77- 47.05 qz 1.50* » non-planar quartz veins and blebs (boudins?) up to 4 cm wide with chloritic fractures containing minor sulphides.							G0672349	44.77	45.77	1.00	-0.005	-1	0.017
		« 48.94- 53.36 ca 1.00* » minor calcite veins <1 cm wide							G0672351	45.77	46.77	1.00	-0.005	-1	0.004
									G0672352	46.77	47.77	1.00	0.008	-1	0.012
									G0672353	47.77	48.46	0.69	0.033	-1	0.023
									G0672354	48.46	48.94	0.48	0.100	-1	0.087
									G0672355	48.94	49.94	1.00	0.027	-1	0.015
									G0672356	51.82	52.82	1.00	0.021	-1	0.031
									G0672357	52.82	53.36	0.54	0.007	-1	0.009
									G0672358	53.36	54.36	1.00	0.005	-1	0.008
									G0672359	60.21	61.21	1.00	0.005	-1	0.010
									G0672361	61.21	61.80	0.59	0.007	-1	0.013
									G0672362	61.80	62.58	0.78	0.015	-1	0.014
									G0672363	62.58	63.20	0.62	-0.005	-1	0.005
									G0672364	63.20	63.70	0.50	-0.005	-1	-0.001
									G0672365	63.70	64.70	1.00	0.005	-1	0.002
									G0672366	64.70	65.70	1.00	-0.005	-1	0.015
									G0672367	65.70	66.75	1.05	0.009	-1	0.018

Drill Log Legend

 DTrBR

 Ogv

 S1


 Vbx


 Zfzg

 flb

 flg

 flt

 lct

 uct

 ven



DRILL LOG

Project: Golden Eagle	Collar Elevation (m): 1303	
Hole TAN08-13	Azimuth (°): 135	
Location: 6636975 m North 509422 m East	Dip (°): -60.0	
Logged by: J. Major	Length (m): 69.80	
Drilled by: Apex		
Assayed by: ALS Chemex		
Core Size: NQ		
Date Started: 2008/08/18		Date Completed: 2008/08/19
Dip Tests By: Reflex		
Objective Drilled from the same setup as TAN08-12 to test for quartz-arsenopyrite veins in the Boundary Range as mapped on surface and to test the continuity of the mineralized fault zone.		

Summary Log:

Chlorite-biotite-silica altered metavolcanics with minor pyrrhotite, pyrite and trace chalcopyrite similar to TAN08-12. There were two intersections with mineralized fault zones in this hole, 40 cm and 1.84 cm in core length. The lower intersection is believed to correspond to the fault intersected in TAN08-12.



DRILL LOG

Project: Golden Eagle

Hole ID: TAN08-13

Downhole surveys:

Depth	Dip	Azimuth	Comments
14.94	-59.10	133.30	
39.32	-59.30	132.70	
69.80	-59.50	133.90	

From	To	Rocktype & Description	As	Py	Po	Cl	Ms	Qz	Sample	From	To	Width	Au ppm	Ag ppm	As %	
0.00	1.52	Ogv														
Overburden																
1.52	43.29	DTrBR														
Altered mafic volcanics. Dominantly intergrown silica-chlorite alteration that results in a dark greenish-grey overall appearance. Brown biotite alteration also present as alternating layers with chlorite in the foliation or as patchy alteration. Plagioclase-phyrlic layers 1-2 m wide occur in the upper part of the unit. Weakly to moderately foliated, inconsistent orientation due to later folding. Thin quartz veins mostly parallel to foliation and larger fragments and boudins.																
Variable sulphide content, dominantly pyrrhotite with lesser pyrite and chalcopyrite disseminations, patchy replacement, and stringer veins. « si 2.00% » « cl 2.00% » « bi 1.50% » « qz 1.00% » « po 1.00% » « py 0.25% » « cp 0.10% »										G0672368	4.23	5.00	0.77	0.008	1	0.009
										G0672369	5.00	5.59	0.59	-0.005	1	0.019
										G0672371	5.59	6.36	0.77	0.007	3	0.013
										G0672372	6.36	7.36	1.00	-0.005	1	0.004
										G0672373	7.36	8.36	1.00	-0.005	2	0.004
										G0672374	8.36	9.20	0.84	-0.005	-1	0.002
										G0672375	9.20	9.80	0.60	0.020	-1	0.057
										G0672376	9.80	10.80	1.00	-0.005	1	-0.001
										G0672377	19.00	20.00	1.00	0.006	-1	0.006
										G0672378	26.42	27.29	0.87	-0.005	-1	0.003
										G0672379	30.90	31.90	1.00	0.015	1	0.011
										G0672381	31.90	32.90	1.00	0.011	1	0.006
										G0672382	32.90	33.90	1.00	0.027	1	0.006
										G0672383	33.90	34.90	1.00	0.013	2	0.004
5.59 - 6.36 m: Rubby, chlorite and clay altered, calcite veined fault at low angles to the core axis above. Minor quartz fragments.										G0672384	34.90	35.90	1.00	0.018	5	0.005
										G0672385	35.90	36.90	1.00	-0.005	-1	0.002
										G0672386	36.90	37.90	1.00	-0.005	2	0.005
										G0672387	37.90	38.90	1.00	-0.005	1	0.006
« 6.36- 7.36 qz 3.00% »										G0672388	38.90	39.66	0.76	0.005	1	0.008
60% vein quartz with irregular contacts at low angles to the core axis in altered volcanics. Pyrrhotite, pyrite and chalcopyrite occur within the chlorite septa and selvages of the vein and in the host rock.										G0672389	39.66	40.34	0.68	0.016	3	0.004
										G0672391	40.34	41.34	1.00	0.024	-1	0.011
										G0672392	41.34	42.34	1.00	0.038	2	0.020
										G0672393	42.34	42.84	0.50	0.007	1	0.008
< @ 25.34 flg 50° 6.00cm > rusty brown fault gouge										G0672394	42.84	43.29	0.45	0.163	3	0.076
« 30.90- 43.29 po 2.00% » « py 1.00% » « cp 0.50% »																
Increased sulphide mineralization, dominantly as stringer veins and localized replacement within chlorite altered patches.																
42.84 - 43.29 m: Silica-chlorite-iron carbonate alteration immediately above the mineralized fault zone.																


From	To	Rocktype & Description	As	Py	Po	Cl	ms	Qz	Sample	From	To	Width	Au ppm	Ag ppm	As %
43.29	43.69	Zfzg Dull grey sericite altered zone rubble and fault gouge. More coherent pieces are also silica flooded. « 43.29- 43.69 as 40.00% » « ms 3.00% » « si 2.00% » « ca 1.00% » Semi-massive replacement arsenopyrite within coherent silica-sericite altered volcanics and fault gouge. Minor calcite veining. < @ 43.54 flg 55° 8.00cm >	0	0	0	0	0	0	G0672395	43.29	43.69	0.40	3.930	6	17.000
43.69	48.34	DTrBR Chlorite+/- biotite and silica altered rubble. Pyrrhotite, pyrite and chalcopyrite mineralization. Arsenopyrite is limited to a 10 cm zone at 45.73 m, just above a non-mineralized quartz vein. < @ 45.88 ven 55.00-65.00° 100.00mm > Quartz vein with trace pyrrhotite in chlorite septa. « cl 2.00% » « bi 1.00% » « si 1.00% » « qz 0.50% » « po 1.00% » « py 0.50% » « cp 0.01% » « 45.70- 45.82 as 3.00% »	0	0	0	0	0	0	G0672396	43.69	44.60	0.91	0.025	2	0.188
									G0672397	44.60	45.52	0.92	0.031	8	0.038
									G0672398	45.52	45.82	0.30	0.389	2	2.770
									G0672399	45.82	46.82	1.00	0.023	3	0.019
									G0672401	46.82	47.82	1.00	0.010	-1	0.009
									G0672402	47.82	48.34	0.52	0.013	-1	0.017
48.34	50.18	Zfzg Strongly sericite altered volcanics and fault gouge. Soft, waxy mineral along fracture planes possibly talc. Arsenopyrite, pyrite and chalcopyrite stringers. Fault gouged upper contact is at 35 degrees to the core axis. Lower contact consists of clay and gravel. « 48.34- 50.18 ms 3.00% » « as 3.00% » « py 2.00% » « cp 0.01% » « 48.92- 49.63 as 20.00% » « qz 2.00% » Strongest arsenopyrite mineralization occurs within a section of mostly coherent altered volcanics and quartz vein fragments, including one piece of	0	0	0	0	0	0	G0672403	48.34	48.92	0.58	0.668	19	1.340
									G0672404	48.92	49.63	0.71	0.870	15	6.260
									G0672405	49.63	50.18	0.55	0.509	5	4.090

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
50.18	69.80	DTrBR quartz-arsenopyrite vein 10 cm in length. Silica-chlorite+/-biotite altered mafic volcanics. Patches of strong silica flooding give a pale green clastic appearance, possibly preferential replacement of volcanoclastic texture. Weak sulphide mineralization overall with small patches of increased pyrrhotite-chalcocopyrite. « si 2.00% » « cl 2.00% » « bi 1.00% » « po 0.50% » « cp 0.01% » 54.56 - 55.05 m Sericitic altered, calcite veined fault. Minor fault gouge. Not mineralized. Lower contact at 45 degrees to the core axis. « 62.17- 63.95 po 8.00% » « py 1.00% » « as 0.10% » « cp 0.01% » 5-10% rounded masses of pyrrhotite up to 5 mm across in a plagioclase porphyritic layer, with lesser disseminated pyrrhotite, arsenopyrite and trace chalcocopyrite.	G0672406	50.18	51.18	1.00	0.005	1	0.021
			G0672407	51.18	52.18	1.00	0.006	1	0.026
			G0672408	54.56	55.05	0.49	0.008	-1	0.019
			G0672409	58.20	59.20	1.00	0.089	-1	0.025
			G0672411	62.17	63.02	0.85	-0.005	-1	0.004
			G0672412	63.02	63.95	0.93	-0.005	-1	0.001
69.80	69.80	EOH							

Drill Log Legend

 DTrBR

 Ogv

 S1

 Vbx


 Zfzg

 flb

 flg

 flt

 lct

 uct

 ven



DRILL LOG

Project: Golden Eagle	Collar Elevation (m): 1233	
Hole TAN08-14	Azimuth (°): 165	
Location: 6637074 m North 509361 m East	Dip (°): -60.0	
Logged by: J. Major	Length (m): 179.53	
Drilled by: Apex		
Assayed by: ALS Chemex		
Core Size: NQ		
Date Started: 2008/08/19		Date Completed: 2008/08/21
Dip Tests By: Reflex		
Objective Test for near surface mineralization in the Boundary Range between this location and TAN08-07, as well as for the continuation of narrow replacement arsenopyrite intervals.		

Summary Log:

This hole was entirely in variably deformed, chlorite+/-biotite altered volcanics of the Boundary Range metamorphic suite. No significant arsenopyrite mineralization was encountered, however, variable pyrrhotite-pyrite-chalcopyrite disseminations and minor stringers occurred throughout the hole.



DRILL LOG


Project: Golden Eagle

Hole ID: TAN08-14

Downhole surveys:

Depth	Dip	Azimuth	Comments
17.98	-62.90	163.80	
48.46	-62.90	164.10	
78.64	-62.80	164.60	
109.42	-62.80	165.70	
139.90	-62.70	168.10	
179.53	-63.10	170.30	

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
			G0672444	84.67	85.04	0.37	0.025	1	0.006
			G0672445	85.04	86.04	1.00	0.013	1	0.007
			G0672446	86.04	87.04	1.00	-0.005	-1	-0.001
			G0672447	87.04	88.04	1.00	-0.005	-1	-0.001
			G0672448	105.80	106.80	1.00	-0.005	-1	-0.001
			G0672449	106.80	107.80	1.00	-0.005	1	0.008
			G0672451	107.80	108.80	1.00	-0.005	-1	0.005
			G0672452	108.80	109.42	0.62	-0.005	1	0.003
			G0672453	109.42	110.42	1.00	0.005	-1	0.005
			G0672454	116.57	117.57	1.00	-0.005	-1	0.002
			G0672455	117.57	118.57	1.00	-0.005	-1	-0.001
			G0672456	118.57	119.57	1.00	-0.005	-1	0.017



From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
		<p>chalcopyrite only occurs in trace amounts elsewhere.</p> <p>< @ 124.93 ft 30.00° > 35 cm core length of calcite veined, chlorite altered volcanics with chloritic slickensides. Strong pyrrhotite mineralization above, only trace amounts of sulphide below.</p> <p>< @ 131.95 ft 35.00° > Disjunctive quartz vein with later calcite veinlets and strong sericite alteration forms the lower contact to the foliated metavolcanics.</p>							
131.95	150.57	<p>DTrBR</p> <p>Greenish-black fine grained diorite. No foliation or fabric. Crystalline texture locally visible with abundant plagioclase and possible hornblende or biotite. Pervasive chlorite alteration and fracture coatings. Weak disseminated pyrrhotite+/-pyrite with locally higher concentrations and rare traces of chalcopyrite. Minor calcite veining.</p> <p>« cl 2.00% » « ca 0.50% » « po 0.50% » « py 0.50% »</p> <p>« 139.16- 143.90 ca 2.00% » increased calcite veining, also with a soft, grey-white mineral - type of clay?</p> <p>< @ 150.48 ft > Faulted lower contact with strong calcite veining spans 18 cm of core length. Orientation poorly defined.</p>							
150.57	168.80	<p>DTrBR</p> <p>Silica-chlorite-biotite altered mafic volcanics. Foliation is usually defined by alternating biotite and silica-chlorite layers and is folded by a second</p>	G0672457	151.10	152.10	1.00	0.006	1	0.003
			G0672458	152.10	153.10	1.00	-0.005	-1	0.004
			G0672459	153.10	154.10	1.00	-0.005	-1	0.003

From	To	Rocktype & Description	As	py	po	cl	ms	qz	Sample	From	To	Width	Au ppm	Ag ppm	As %	
		generation deformation. Significant quartz veining mostly as non-planar, irregular blobs up to 30 cm in core length that contain chloritic fragments or fractures and cut by sulphide stringers. Vein density decreases downwards. Strong sulphide mineralization present throughout most of the interval with a gradational lower boundary. Pyrrhotite is the dominant sulphide with lesser pyrite and trace amounts of chalcopyrite occurring as patches of fine grained mineralization, disseminations that follow the S1 foliation, and fracture coatings or stringer veins with quartz that crosscut S1.														
		« si 2.00% » « cl 2.00% » « bi 2.00% » « qz 2.00% » « po 7.00% » « py 3.00% » « cp 0.10% »								G0672461	154.10	155.10	1.00	-0.005	4	0.005
									G0672462	155.10	156.10	1.00	-0.005	1	0.006	
									G0672463	156.10	157.10	1.00	-0.005	-1	0.001	
									G0672464	157.10	158.10	1.00	-0.005	1	0.003	
									G0672465	158.10	159.10	1.00	-0.005	-1	0.002	
									G0672466	159.10	160.10	1.00	-0.005	-1	0.002	
									G0672467	160.10	161.10	1.00	-0.005	3	0.003	
									G0672468	161.10	162.10	1.00	-0.005	-1	0.003	
									G0672469	162.10	163.10	1.00	-0.005	-1	0.004	
									G0672471	163.10	164.10	1.00	0.006	2	0.004	
									G0672472	164.10	165.10	1.00	-0.005	1	0.003	
									G0672473	165.10	166.10	1.00	-0.005	4	0.008	
168.80	179.53	DTrBR														
		Biotite-silica+/-chlorite altered mafic volcanics. Foliation is relatively consistent at moderate to steep angles to the core axis, defined by alternating silica and biotite layers. Minor quartz veining parallel to and crosscutting the foliation. Weak disseminations and stringers of pyrrhotite, pyrite and rare chalcopyrite.														
		« bi 2.00% » « si 1.50% » « cl 1.00% » « po 0.50% » « py 0.50% »														
179.53	179.53	EOH														

Drill Log Legend

 DTrBR

 Ogv

 S1

 Vbx

 flb

 fig

 fit

 lct

 uct

 ven



DRILL LOG

Project: Golden Eagle	Collar Elevation (m): 1233	
Hole TAN08-15	Azimuth (°): 165	
Location: 6637063 m North 509287 m East	Dip (°): -55.0	
Logged by: H. Awmack	Length (m): 258.78	
Drilled by: Apex		
Assayed by: ALS Chemex		
Core Size: NQ		
Date Started: 2008/08/22		Date Completed: 2008/08/24
Dip Tests By: Reflex		
Objective This hole was drilled to undercut TAN05-03 which intersected 3 gold bearing zones.		

Summary Log:

The entire hole was within the rhyolite intrusion and only intersected one mineralized zone with multiple quartz-arsenopyrite veins over 4.8 m core length, probably corresponding to the lowest intersection in TAN05-03. Minor disseminated and fracture-controlled arsenopyrite extends for 18.6 m core length above the vein zone.



Project: Golden Eagle

DRILL LOG


Hole ID: TAN08-15


Downhole surveys:

Depth	Dip	Azimuth	Comments
8.84	-57.10	206.20	Survey rejected
33.22	-57.50	162.60	
63.70	-57.80	164.90	
94.18	-57.10	165.50	
124.66	-56.40	167.30	
155.14	-57.40	187.40	Survey rejected
185.62	-56.60	199.40	Survey rejected
210.01	-56.30	160.90	Survey rejected
258.78	-56.00	182.50	Survey rejected

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
0.00	1.52	Ogv							
Overburden									
1.52	223.60	LKr							
		Rhyolite: pale blue-grey where unoxidized and cream-coloured where oxidized. 5% 0.5 mm muscovite clots, generally altered to pale green mica (sericitized?) and 2% 2mm euhedral quartz phenocrysts, in aphanitic silicious matrix. 2% unaltered to weakly chloritized biotite clots locally (e.g. 73.0-88.3m). Massive (no preferential alignment of phenocrysts) and unfoliated. Non-magnetic, non-calcareous. Oxidized and goethitic along fractures down to 151.05; pervasive goethitic patches extending away from fractures. Below 151.05, these fractures are unweathered, coated with a soft, pale yellow-green, waxy, transarent mineral (sericite?), black chlorite and pyrite cubes.							
		1.52-151.05: « ms 1.00*» pale green mica replacing muscovite clots	G0672551	19.90	20.90	1.00	0.009	-1	0.026
		1.52-41.9: 1-2% 0.5-3mm dark grey planar quartz veinlets (2-5% from 19.9-35.9m) , generally at 40 degrees to core axis. Goethitic where oxidized, but only rare clusters of pyrite and no other sulphides.	G0672552	20.90	21.90	1.00	-0.005	-1	0.033
		« 1.52- 41.90 py 0.01%» « qz 1.00*»	G0672553	21.90	22.90	1.00	0.005	-1	0.046
		33.1-33.4: broken core, locally crushed	G0672554	22.90	23.90	1.00	0.007	-1	0.028
		< @ 10.00 Dark grey quartz ven -50.00°-2.00mm	G0672555	23.90	24.90	1.00	-0.005	-1	0.027
		< @ 13.40 Dark grey quartz ven -45.00°-1.00mm >	G0672556	24.90	25.90	1.00	-0.005	-1	0.012
		< @ 22.50 Dark grey quartz ven -60.00°-3.00mm >	G0672557	25.90	26.90	1.00	-0.005	-1	0.021
		< @ 25.50 Dark grey quartz ven -50.00°-2.00mm >	G0672558	26.90	27.90	1.00	-0.005	-1	0.033
		< @ 30.40 Dark grey quartz ven -20.00°-2.00mm >	G0672559	27.90	28.90	1.00	-0.005	-1	0.049
		< @ 41.70 Dark grey quartz ven -10.00°-3.00mm >	G0672561	28.90	29.90	1.00	-0.005	-1	0.045
		« 73.00- 88.60 cl -1.00*» chlorite replaces biotite phenocrysts	G0672562	29.90	30.90	1.00	-0.005	-1	0.048
		79.50-91.00 <1% 0.5-2mm quartz veinlets, medium grey, commonly stained dark brown (and similar dark brown hairline fractures) « 75.90- 91.00 qz 0.50*»	G0672563	30.90	31.90	1.00	-0.005	-1	0.070
		« 88.40- 88.41 sr -0.50*» trace scorodite on fracture	G0672564	31.90	32.90	1.00	-0.005	-1	0.053
		93.28-99.08 Broken and crushed core, with local jarositic clays	G0672566	32.90	33.90	1.00	0.006	-1	0.049
		« 96.54- 99.00 sr -1.00*» trace scorodite(?) on fractures - greenish tinge to jarositic clays	G0672567	33.90	34.90	1.00	-0.005	-1	0.050
			G0672568	34.90	35.90	1.00	-0.005	-1	0.057
			G0672569	93.28	94.28	1.00	0.007	-1	0.018
			G0672571	94.28	95.28	1.00	0.012	-1	0.018
			G0672572	95.28	96.28	1.00	-0.005	-1	0.012
			G0672573	96.28	97.28	1.00	0.005	-1	0.020
			G0672574	97.28	98.28	1.00	0.010	-1	0.031
			G0672575	98.28	99.00	0.72	0.007	-1	0.055
			G0672719	150.90	151.90	1.00	0.009	-1	0.001
			G0672721	151.90	152.90	1.00	0.005	-1	-0.001
			G0672722	152.90	153.90	1.00	-0.005	-1	-0.001
			G0672723	153.90	154.90	1.00	0.010	-1	0.014
			G0672724	154.90	155.90	1.00	0.019	-1	0.032
			G0672725	155.90	156.90	1.00	0.010	-1	0.007
			G0672726	156.90	157.90	1.00	0.005	-1	0.008
			G0672727	157.90	158.90	1.00	0.023	1	0.027
			G0672728	158.90	159.90	1.00	0.021	-1	0.037
			G0672729	159.90	160.90	1.00	0.006	-1	0.004
			G0672731	160.90	161.90	1.00	0.014	1	0.008
			G0672732	161.90	162.90	1.00	0.019	-1	0.034
			G0672733	162.90	163.90	1.00	0.025	-1	0.018
			G0672734	163.90	164.90	1.00	0.014	-1	0.019

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
103.33-108.82		Broken and crushed core	G0672735	164.90	165.90	1.00	0.006	1	0.005
« 129.60- 129.61 sr -0.50*»		trace scorodite on fracture	G0672736	165.90	166.90	1.00	0.020	1	0.037
131.2-138.0		Very broken core	G0672737	166.90	167.90	1.00	0.028	-1	0.025
« 151.05- 223.60 py -1.00%»	« 151.05- 223.60 cl -1.00*»	« 151.05- 223.60 cy -1.00*»	G0672738	167.90	168.90	1.00	0.086	-1	0.067
		pale yellow clay(?) black chlorite and pyrite cubes on fractures. Pyrite also alone in fractures.	G0672739	168.90	169.90	1.00	0.035	-1	0.016
170.39		mis-latch	G0672741	169.90	170.90	1.00	0.058	1	0.287
170.69-170.89		Open-space fault breccia. Angular rhyolite fragments to 2cm, but no matrix.	G0672742	170.90	171.90	1.00	0.013	1	0.022
« 167.50- 177.00 kf -1.00*»		Patchy pink Kspar(?) alteration extending away from fractures	G0672743	171.90	172.90	1.00	-0.005	1	0.003
« 175.40- 175.60 as -0.50»		arsenopyrite filling some fractures	G0672744	172.90	173.90	1.00	-0.005	1	0.006
« 178.80- 177.81 cp -0.01%»		speck chalcopyrite in pyritic fracture	G0672745	173.90	174.90	1.00	0.006	-1	0.006
182.07-182.61		Open-space fault breccia with angular fragments of rhyolite, no matrix.	G0672576	174.90	175.90	1.00	0.044	-1	0.063
as			G0672746	175.90	176.90	1.00	0.014	-1	0.002
« 201.58- 204.22 kf -3.00*»		pervasive Kspar flooding	G0672747	176.90	177.90	1.00	-0.005	-1	0.003
« 201.58- 205.10 as -3.00% 3.00-8.00mm»		coarse euhedral arsenopyrite (partially replaced by minor fine-grained pyrite) crystals in Kspar flooded rhyolite	G0672748	177.90	178.90	1.00	0.005	-1	0.001
« 204.22- 204.61 kf -2.00*»			G0672749	178.90	179.90	1.00	0.011	1	0.010
« 204.61- 218.78 kf -3.00*»			G0672954	179.90	180.90	1.00	0.012	-1	0.013
« 206.41-206.43 as -50.00%»	< @ 206.41 ven -2.00°-2.00mm >	arsenopyrite filling 2mm fracture	G0672955	180.90	181.90	1.00	-0.005	-1	0.003
« 212.44- 218.78 ms -2.00*»		pale-green sericite, pervasive and along fractures	G0672956	181.90	182.90	1.00	0.009	-1	0.015
			G0672957	182.90	183.90	1.00	0.018	-1	0.004
			G0672958	183.90	184.90	1.00	-0.005	-1	0.009
			G0672959	184.90	185.90	1.00	0.014	-1	0.028
			G0672961	185.90	186.90	1.00	0.009	1	0.009
			G0672962	186.90	187.90	1.00	-0.005	-1	0.001
			G0672963	187.90	188.90	1.00	0.009	-1	0.002
			G0672964	188.90	189.90	1.00	-0.005	-1	-0.001
			G0672965	189.90	190.90	1.00	-0.005	-1	-0.001
			G0672966	190.90	191.90	1.00	-0.005	-1	0.002
			G0672967	191.90	192.90	1.00	0.007	-1	-0.001
			G0672968	192.90	193.90	1.00	0.014	3	0.005
			G0672969	193.90	194.90	1.00	-0.005	-1	-0.001
			G0672971	194.90	195.90	1.00	-0.005	1	-0.001
			G0672972	195.90	196.90	1.00	-0.005	-1	-0.001
			G0672973	196.90	197.90	1.00	-0.005	-1	-0.001
			G0672974	197.90	198.90	1.00	-0.005	-1	-0.001
			G0672975	198.90	199.90	1.00	-0.005	-1	-0.001
			G0672976	199.90	200.90	1.00	-0.005	-1	0.002
			G0672977	200.90	201.58	0.68	0.011	1	0.024
			G0672577	201.58	202.58	1.00	0.254	12	0.836





From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
225.15	258.78	LKr							
		clay on some fractures. « as -7.00% » « ms -3.00* » « qz 3.00* » « si 2.00* » < @ 223.60 uct -60.00° > 3-20 mm aspy < @ 225.15 lct -25.00° > 10 mm aspy							
		Rhyolite: Medium grey. Porphyritic with 2% pale green (sericitized) 1-3 mm muscovite clots, 1% 2-4 mm quartz phenocrysts, 0-2% (generally unaltered) 1-3 mm biotite clots and local pinkish 2-5 mm anhedral feldspar phenos in an aphanitic, fairly hard matrix. Non-magnetic, non-calcareous.	G0672603	225.15	225.81	0.66	0.538	4	3.840
		The rhyolite is commonly disrupted (brecciated locally); mm or cm-scale movement along fractures has created 5-15% voids. Some, but not many, of the voids containing yellow clay. It appears that the disruption occurred after the rhyolite had solidified (allowing brittle breakage) but still hot enough to weld together. This may be the rhyolite breccia in 2005 drill logs? The most developed sections are 228.3-229.9 and 237.2-243.5.	G0672604	225.81	226.81	1.00	0.082	5	0.191
		« 225.15- 225.81 ms -3.00* » « as -2.00% » « py -0.50% » « qz 2.00* » 5% quartz-arsenopyrite veinlets in strongly sericitized rhyolite	G0672605	226.81	227.81	1.00	0.022	-1	0.062
		< @ 225.15 ven -20.00° -10.00mm > quartz-arsenopyrite veinlet	G0672606	227.81	228.81	1.00	0.008	-1	0.015
		v< @ 225.55 ven -30.00°-2.00mm > pyrite-arsenopyrite filled fracture with slickensides	G0672607	228.81	229.81	1.00	0.009	-1	0.008
		« 225.81- 258.78 ms -1.00* » « kf -1.00* » sericite on fractures, patchy Kspar	G0672608	229.81	230.81	1.00	-0.005	-1	0.005
		« 225.81-241.90 py -1.00% » pyrite on fractures	G0672609	230.81	231.81	1.00	-0.005	-1	0.007
		« 225.81- 239.20 as -0.20 » on fractures, generally with pyrite	G0672611	231.81	232.81	1.00	-0.005	-1	0.003
		< @ 229.19 fra -25.00° > pyritic fracture with slickensides perpendicular to core axis	G0672612	232.81	233.81	1.00	0.007	2	0.008
		232.19-235.58 Fault , with rubble, breccia and broken core	G0672613	233.81	234.81	1.00	0.028	-1	0.197
		< @ 239.13 fra -45.00° > arsenopyrite along fracture	G0672614	234.81	235.81	1.00	0.012	-1	0.099
		« 241.90- 258.78 cl -1.00* » black chlorite with sericite on fractures, no more pyrite	G0672615	235.81	236.81	1.00	0.009	-1	0.023
			G0672616	236.81	237.81	1.00	-0.005	-1	0.001
			G0672617	237.81	238.50	0.69	-0.005	-1	-0.001
			G0672618	238.50	239.20	0.70	0.025	-1	0.182
			G0672978	239.20	240.20	1.00	0.013	-1	0.102
			G0672979	240.20	241.20	1.00	-0.005	-1	0.003
			G0672981	241.20	242.20	1.00	-0.005	1	-0.001
			G0672982	242.20	243.20	1.00	-0.005	-1	-0.001
258.78	258.78	EOH							

Drill Log Legend



LKr




Ogv



Qtz Vein



S1



Vbx



fib



flg



fit



lct



uct



ven



DRILL LOG

Project: Golden Eagle	Collar Elevation (m): 1297	
Hole TAN08-16	Azimuth (°): 165	
Location: 6636956 m North 509178 m East	Dip (°): -45.0	
Logged by: J. Major	Length (m): 279.50	
Drilled by: Apex		
Assayed by: ALS Chemex		
Core Size: NQ		
Date Started: 2008/08/24		Date Completed: 2008/08/26
Dip Tests By: Reflex		
Objective Drill the quartz-arsenopyrite veins mapped on surface and test for the along strike continuation of veins intersected in the line of holes 60 m to the east.		

Summary Log:

Four mineralized intervals of quartz-arsenopyrite veins were intersected within both rhyolite and biotite granite, including at the contact between the two rock types. Two of the intersections correlate with veins that occur in holes to the east.



DRILL LOG

Project: Golden Eagle

Hole ID: TAN08-16

Downhole surveys:

Depth	Dip	Azimuth	Comments
11.28	-45.50	163.30	
41.76	-45.80	164.20	
72.24	-45.70	164.40	
102.72	-45.80	164.20	
133.20	-46.20	165.30	
163.68	-46.00	167.00	
194.16	-46.80	167.60	
242.93	-47.20	169.60	
279.50	-47.30	165.60	

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
0.00	1.52	Ogv Overburden							
1.52	10.24	LKr Rhyolite 2% quartz eyes <2 mm wide, 5-10% biotite and muscovite (sericitized?) phenocrysts. Pervasive orange goethite staining and fracture coatings. Trace disseminated arsenopyrite, locally altered to scorodite. « ge 2.00% » « sr 0.5% » < @ 8.68 fra > Pale green to yellowish green scorodite on fracture surface.							
10.24	13.89	LKr Quartz-veined Rhyolite Non-mineralized planar quartz veins 1-10 mm in width, sub-parallel (sheeted?) at 30-50 degrees to the core axis. Veins have mm scale offsets along limonite cemented fractures. Trace amounts of blebby arsenopyrite along fractures. « ge 2.00% » « qz 1.50% » « as 0.01% » < @ 12.04 ven 25.00° 1.00-7.00mm > Later arsenopyrite mineralization along a fracture at 25 degrees TCA that penetrates a 3-10 mm wide quartz vein at 30 degrees TCA.	G0672619	10.24	11.24	1.00	0.047	1	0.114
			G0672621	11.24	11.90	0.66	0.020	4	0.110
			G0672622	11.90	12.20	0.30	0.080	-1	0.416
			G0672623	12.20	13.00	0.80	0.015	-1	0.134
			G0672624	13.00	13.89	0.89	0.028	1	0.182
13.89	18.08	Qtz Vein Mixed quartz+/arsenopyrite veins and altered rhyolite. Quartz comprises approximately 35% of the interval. Quartz-arsenopyrite veins range from 1 mm wide to 60 cm in core length. Also present are non-mineralized quartz veins <1 cm wide at moderate angles to the core axis (~50 degrees). Pale yellow-green pervasive sericite alteration of the rhyolite. Scorodite present along fractures and vein margins. « qz 3.00% » « as 5.00% » « sr 1.0% » « ms 2.00% » « py 1.00% » < @ 14.22 ven 40.00° >	G0672625	13.89	14.47	0.58	1.750	29	0.707
			G0672626	14.47	15.11	0.64	0.161	2	0.340
			G0672627	15.11	15.74	0.63	1.350	15	5.450
			G0672628	15.74	16.74	1.00	0.038	-1	0.481
			G0672629	16.74	17.20	0.46	0.664	4	2.360
			G0672630	17.20	18.08	0.88	0.234	3	0.639

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %	
		<p>QZ-PY vein with dark grey patches within the quartz that may contain arsenopyrite. 8-10 cm true width</p> <p>« 15.11- 15.74 as 20.00%» < @ 15.11 uct 55° > < @ 15.74 lct 40° > Large quartz vein with strong arsenopyrite mineralization, up to 50% across 10 cm intervals.</p> <p>< @ 16.93 ven 15.00° > Quartz-arsenopyrite vein at a low angle to the core axis, 4-5 cm true width</p> <p>< @ 17.95 ven 30.00° > Quartz-arsenopyrite vein, 3 cm true width</p>								
18.08	59.00	LKr	G0672632	18.08	18.90	0.82	0.029	6	0.179	
		<p>Beige to light pink rhyolite. 2% quartz eyes, 2% subhedral k-spar up to 4 mm in length, and 5-10% biotite phenocrysts <1 mm in length. Variable chlorite alteration of the biotite and lesser vein selvages.</p> <p>Rusty orange goethite along fractures and penetrating inwards through the core. Sporadic fracture controlled arsenopyrite mineralization and quartz-arsenopyrite veins 1-2 cm wide with a few larger exceptions. Vein density and arsenopyrite content decreases downhole.</p> <p>« 18.08- 59.00 ge 1.50*» « cl 1.00*»</p> <p>« 18.08- 29.75 qz 2.00*» « as 2.00%» « py 0.10%» « 29.75- 59.00 qz 1.00*» « as 0.50%»</p> <p>Quartz-arsenopyrite veins: < @ 19.09 ven 30.00° 15.00mm > < @ 20.07 ven 20.00° 5.00-10.00mm > < @ 20.60 ven 30.00° 10.00-15.00mm ></p>	G0672633	18.90	19.83	0.93	0.052	-1	0.286	
			G0672634	19.83	20.83	1.00	0.244	3	0.596	
			G0672635	20.83	21.83	1.00	0.021	-1	0.091	
			G0672636	21.83	22.83	1.00	0.009	-1	0.105	
			G0672637	22.83	23.47	0.64	0.080	-1	0.376	
			G0672638	23.47	24.20	0.73	0.167	-1	0.494	
			G0672639	24.20	25.07	0.87	0.045	-1	0.185	
			G0672641	25.07	25.94	0.87	0.046	1	0.155	
			G0672642	25.94	26.82	0.88	2.040	14	5.360	
			G0672643	26.82	27.82	1.00	0.029	1	0.137	
			G0672644	27.82	28.63	0.81	0.028	1	0.134	
			G0672645	28.63	29.15	0.52	0.030	2	0.116	
			G0672646	29.15	29.99	0.84	0.450	3	0.575	
			G0672647	29.99	30.99	1.00	0.015	-1	0.076	
			G0672648	37.32	38.32	1.00	0.088	7	0.428	
			G0672649	38.32	39.32	1.00	0.047	1	0.350	
			G0672651	42.63	43.63	1.00	0.030	-1	0.238	
			G0672652	43.63	44.63	1.00	0.071	3	0.414	

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
59.00	64.00	LKr Bx	G0672653	59.00	59.42	0.42	0.137	1	0.411


From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
		Scorodite and blebby arsenopyrite both within clasts and matrix concentrated in the upper 40 cm, traces elsewhere. Non-planar, sharp lower contact.							
64.00	114.66	LKr							
		Rhyolite	G0672654	74.89	75.89	1.00	0.018	1	0.158
			G0672655	78.33	79.33	1.00	0.045	-1	0.214
			G0672656	79.33	80.33	1.00	0.071	-1	0.266
			G0672657	80.33	81.33	1.00	0.162	1	0.553
			G0672658	81.33	82.24	0.91	0.413	2	1.740
			G0672659	82.24	83.23	0.99	0.421	2	1.280
			G0672661	83.23	84.23	1.00	0.234	1	0.400
			G0672662	84.23	85.21	0.98	0.177	1	0.452
			G0672663	85.21	86.21	1.00	0.008	1	0.119
			G0672664	98.70	99.67	0.97	0.023	-1	0.238
			G0672665	99.67	100.64	0.97	-0.005	-1	0.062
			G0672666	100.64	101.64	1.00	0.071	1	0.191
		« 64.00- 114.66 ge 2.00* » « cl 0.50* » « ms 1.00* » « qz 0.50* » « as 0.10% » « py 0.01% »							
		« 78.33- 85.21 as 1.00-2.00% » « qz 2.00* »							
		Weak to moderate quartz-arsenopyrite veining. Veins are 1-10 mm wide, undulating and branching at low to moderate angles to the core axis. The most prominent veins are 0-30 degrees to the core axis, with smaller veins up to 50 degrees, resulting in cross-cutting relationships. Some veins have vuggy cavities with yellow-green scorodite. One of the larger veins has diffuse, non-planar boundaries and appears as if it was emplaced before the rhyolite was fully cooled and solidified.							
		Pink margins 5-10 mm wide to the larger veins look like possible k-spar alteration, as well as mm-scale pink 'stringers' throughout the core described previously.							

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
114.66	126.50	LKr Bx							
		<p>< @ 114.66 uct 35° ></p> <p>Sharp upper contact between solid rhyolite above and brecciated rhyolite. Degree of brecciation varies from jigsaw fit to 1-2 m zones of subangular to subrounded mm size clasts in a vuggy, oxidized matrix. In some cases strong alteration by silica, sericite (+clay?), and iron oxides results in a brecciated appearance but it is uncertain as to what extent.</p> <p>Arenopyrite mineralization is concentrated in ~1 m intervals, along with scorodite. Faulted quartz-arsenopyrite vein fragments indicate mineralization pre-dates, or is synchronous with brecciation. One locality of dark grey arsenopyrite-pyrite matrix to angular rhyolite fragments is syn-brecciation or possibly late replacement.</p> <p>« si 2.00*» « ge 2.50*» « ms 1.00*» « qz 1.50*» « as 1.00-2.00%» « py 0.50%»</p> <p>The contact between the brecciated rhyolite and the underlying granite can not be pinpointed due to brecciation, alteration and mineralization. Small, altered rhyolite fragments (<5 mm) are difficult to distinguish from quartz phenocrysts in the granite. The lower contact is marked at a discrete fault above a zone of</p>							
			G0672667	114.66	115.26	0.60	0.016	-1	0.216
			G0672668	115.26	115.87	0.61	0.386	3	0.990
			G0672669	115.87	116.80	0.93	0.013	-1	0.187
			G0672671	116.80	117.80	1.00	0.026	-1	0.220
			G0672672	117.80	118.60	0.80	0.020	2	0.118
			G0672673	118.60	119.60	1.00	0.048	1	0.198
			G0672674	119.60	120.60	1.00	0.022	1	0.115
			G0672675	120.60	121.60	1.00	0.033	1	0.130
			G0672676	121.60	122.60	1.00	0.033	1	0.179
			G0672677	122.60	123.60	1.00	0.051	1	0.186
			G0672678	123.60	124.60	1.00	0.020	1	0.073
			G0672679	124.60	125.60	1.00	0.041	2	0.186
			G0672681	125.60	126.50	0.90	0.038	-1	0.175

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
		strong mineralization in what appears to be granite. The rhyolite is harder and more brittle than the granite which may explain the brecciation in the rhyolite.							
126.50	145.39	LKg	G0672682	126.50	127.10	0.60	0.028	1	0.130
		< @ 126.50 flg 20° >	G0672683	127.10	127.80	0.70	0.023	-1	0.055
		Fault gouge 2 cm wide with mineralized fragments of quartz and granite(?).	G0672684	127.80	128.56	0.76	0.096	2	0.157
		« 126.50- 128.56 as 10.00%» « py 5.00%» « qz 1.00*» « ms 1.00*»	G0672685	128.56	129.56	1.00	0.159	1	0.227
		Dark grey very-fine grained arsenopyrite-pyrite mineralization as blobs in quartz, replacment of the host rock and thin stringers. Pervasive silica-sericite alteration.	G0672686	129.56	130.56	1.00	0.017	1	0.059
		« 128.56- 145.39 ge 2.00*» « cl 2.00*» « cy 2.00*» « as 0.10%» « py 0.10%»	G0672687	143.11	143.94	0.83	0.205	3	0.189
		The first occurrence of clearly recognizable biotite granite occurs at 128.56 m. The granite is fractured into pieces <15 cm in length and pervasively oxidized by goethite. Chlorite altered biotite phenocrysts and sausseritized feldspars. Weathering of these minerals results in a locally vuggy texture. Minor blebs and fracture coatings of arsenopyrite or pyrite.	G0672688	143.94	144.70	0.76	0.037	1	0.081
		« 143.11- 145.39 as 2.00%» « py 1.00%»	G0672689	144.70	145.39	0.69	0.165	5	0.285
		Increased arsenopyrite and pyrite disseminated as fine grained masses. Soft, resinous red mineral occurring along fractures with arsenopyrite near the lower contact believed to be realgar.							
145.39	151.25	Qtz Vein	G0672691	145.39	146.05	0.66	0.204	3	1.920
		« qz 3.00*»	G0672692	146.05	147.05	1.00	0.189	2	2.640
		« 145.39- 148.77 as 10.00%»	G0672693	147.05	148.03	0.98	0.067	1	0.869
		Quartz-arsenopyrite vein. Diffuse, non-planar contact with overlying granite. The upper part of the vein margin may actually be intensely silicified granite. Significant arsenopyrite within the quartz and along later fractures, up to 20% across 30 cm. Sharp lower contact with silicified granite.	G0672694	148.03	148.77	0.74	0.419	-1	0.788
			G0672695	148.77	149.65	0.88	0.115	2	0.313
			G0672696	149.65	150.49	0.84	0.126	5	0.320
			G0672697	150.49	151.25	0.76	0.204	5	0.322

From	To	Rocktype & Description	As	py	po	cl	ms	qz	Sample	From	To	Width	Au ppm	Ag ppm	As %
< @ 148.77 lct 35° >															
« 148.77- 150.49 as 2.00%»		Quartz-arsenopyrite veins <1 cm wide and disseminated arsenopyrite in silica flooded granite. Vibrant red realgar(?) present along fractures and microfratures near arsenopyrite disseminations.													
« 150.49- 151.25 as 3.00%»															
< @ 150.49 uct 15° > < @ 10.00 lct 0° >		Quartz arsenopyrite vein at low angles to the core axis.													
151.25	183.80	LKg							G0672698	151.25	152.25	1.00	0.229	9	0.538
Biotite Granite									G0672699	152.25	153.25	1.00	0.132	7	0.237
Medium to coarse grained, equigranular granite composed of 30-35% quartz, 40-50% feldspar and 10-15% biotite. Overall colour varies depending on alteration of the feldspars. Light grey to greenish grey where sericite altered to pinkish grey where iron stained (or k-spar altered?). Minor chlorite alteration of the biotite and fracture coatings. Scattered cm scale patches and blobs with smaller, flakey biotite, uncertain if primary texture or due to biotite alteration.									G0672701	153.25	154.25	1.00	0.125	7	0.108
Weak dissmeinated pyrrhotite through most of the interval with lesse pyrite and traces of chalcopyrite. Veins in the upper portion include sphalerite and arsenopyrite and are noted below.									G0672702	154.25	155.25	1.00	0.516	4	0.045
« ms 1.00*» « ge 1.00*» « cl 1.00*» « po 1.00%» « py 0.10%» « cp 0.01%» « qz 0.50*»									G0672703	155.25	156.25	1.00	0.133	10	0.142
« 151.25- 157.58 as 1.00%» « py 2.00%» « sp 0.25%» « qz 1.00*»									G0672704	160.63	161.10	0.47	0.141	3	0.804
Thin (1-2 mm) quartz veins with minor amounts of pyrite-sphalerite and lesser arsenopyrite. Veins are at moderate angles to the core axis (30-60 degrees). Disseminated pyrite and arsenopyrite also present. Earthy, deep red coloured fracture coating with a red streak at 153.35 m possibly realgar or hematite.									G0672705	169.77	170.07	0.30	0.870	30	1.030

From	To	Rocktype & Description	Sample	From	To	Width	Au ppm	Ag ppm	As %
		<p>< @ 160.89 ven 25.00° 10.00-20.00mm > Undulatory quartz-pyrite-arsenopyrite vein. Void space created by leaching of sulphides. The pyrite, and possibly arsenopyrite appears to be a later pulse of mineralization through the quartz.</p> <p>< @ 169.80 ven 35.00° 40.00mm > Quartz-arsenopyrite-pyrite vein with silicified margins.</p>							
183.80	188.74	<p>LKg Quartz-sulphide veined granite, including wavy pyrite and arsenopyrite stringers and lesser disseminations. « qz 2.00% » « ms 1.00% » « cl 1.00% » « as 3.00% » « py 3.00% »</p> <p>< @ 183.86 ven 25.00° 2.00-5.00mm > Dark grey quartz-pyrite vein</p> <p>< @ 184.67 ven 50.00° > Approximately 20 cm true width dark grey quartz-pyrite vein. Contains ~40% fine grained to very fine grained sulphide, which may include arsenopyrite.</p> <p>< @ 185.27 ven 25.00° 10.00mm > Quartz-arsenopyrite-pyrite</p> <p>< @ 185.78 ven 40.00° 15.00-20.00mm > Quartz-pyrite, possibly with very fine grained arsenopyrite</p> <p>< @ 187.43 ven 35.00° 6.00mm > Quartz-arsenopyrite-pyrite</p> <p>< @ 188.38 ven 30.00-25.00° > Large quartz-arsenopyrite vein 20-25 cm true thickness. Contains 30% arsenopyrite. Fault gouged lower contact at 25 degrees to the core axis.</p>							
			G0672706	183.52	184.52	1.00	0.085	1	0.127
			G0672707	184.52	184.82	0.30	0.085	3	0.081
			G0672708	184.82	185.82	1.00	0.246	4	0.251
			G0672709	185.82	186.84	1.02	0.052	2	0.098
			G0672711	186.84	187.51	0.67	0.190	1	0.324
			G0672712	187.51	188.06	0.55	0.079	5	0.118
			G0672713	188.06	188.74	0.68	0.589	5	1.690
188.74	236.83	<p>LKg Biotite Granite</p>							
			G0672714	188.74	189.74	1.00	0.014	-1	0.039
			G0672715	189.74	190.74	1.00	0.014	1	0.010
			G0672716	190.74	191.44	0.70	0.051	4	0.057



Drill Log Legend

- LKg
- LKr
- LKr
- LKr Bx
- Ogv

- Qtz Vein
- S1
- Vbx
- flb
- flg

- flt
- lct
- uct
- ven

Appendix E: Petrography and SEM Analysis

(Report by Dr. Alexandra Mauler-Steinmann of Mineral Services Canada)

REPORT NO. MSC08/069R

PETROGRAPHY AND SEM ANALYSES OF EIGHT ROCK SAMPLES FROM THE GOLDEN EAGLE PROSPECT (B.C.)

Report prepared for
Equity Exploration Consultants Ltd.
700 – 700 West Pender Street
Vancouver, B.C.
V6C 1G8

By
Mineral Services Canada Inc.
205-930 Harbourside Drive
North Vancouver, B.C.
V7P 3S7

December 15, 2008

TABLE OF CONTENTS

1. INTRODUCTION	1
2. METHODS.....	1
2.1 PETROGRAPHY	1
2.2 SEM ANALYSES	1
3. VEIN SAMPLES	2
3.1. QUARTZ VEIN SAMPLES	2
3.2. ARSENOPYRITE (-QUARTZ) VEIN SAMPLE	2
4. IGNEOUS SAMPLES	3
4.1. LITHOLOGY	3
4.2. ALTERATION	3
4.3. MINERALIZATION.....	4
5. SUMMARY AND CONCLUSION	5

APPENDIX 1: DESCRIPTION OF VEIN SAMPLES

APPENDIX 2: DESCRIPTION OF IGNEOUS SAMPLES

APPENDIX 3: HAND SAMPLE DESCRIPTIONS

CONDITIONS AND DISCLAIMER

This report is issued subject to the following conditions:

This report has been prepared on the basis of information as described in section 1 below. Other than as specifically noted in this report, Mineral Services Canada (MSC) has not conducted any work to verify the source, accuracy or completeness of information provided, and is not responsible for any shortcomings in these regards.

Discussions, conclusions and / or summaries are presented to assist the reader in highlighting key points; however they cannot be interpreted in isolation and must be considered with reference to and in the context of the body of the report.

Any reports, maps, graphs, logs or other information of a geological nature or otherwise, generated by MSC and contained in this report or submitted separately (“the information”), may be used for general information purposes only by the Client to whom the information is addressed. For other uses of the information, such as public disclosure, press releases, regulatory requirements, share exchange, financing and so forth, permission must first be obtained in writing from MSC.

Any quotations, excerpts and references from the report must be made in such a manner that their meaning and intent are not materially changed from the meaning and intent as contained in the report.

MSC will not be held liable for loss or damages resulting from work undertaken or reported in terms of this assignment, or decisions taken on the basis of such work and / or reporting.

PETROGRAPHY AND SEM ANALYSES OF EIGHT ROCK SAMPLES FROM THE GOLDEN EAGLE PROSPECT (B.C.)

1. INTRODUCTION

This report presents the results of petrographic and SEM analyses of eight samples received from Jeremy Major of Equity Exploration Consultants Ltd. Hand samples, polished thin sections and offcuts unstained for K-feldspar were submitted with brief descriptions of the samples.

The aim of the study was to characterize the mineralogy of the samples, focusing on lithology, alteration and mineralization. The SEM analyses were performed in agreement with the client to confirm the identity of uncommon mineral phases for which optical properties are not described in the literature.

2. METHODS

2.1 PETROGRAPHY

Petrographic descriptions were performed in the office of Mineral Services Canada Inc. using a Nikon eclipse E400 microscope equipped with transmitted and reflected light. Optical sample descriptions with representative photomicrographs are presented in Appendices 1 and 2. Hand sample and offcut descriptions are presented in Appendix 3. All modal abundance percentages are approximate.

2.2 SEM ANALYSES

Locations of interest were chosen by the author on four selected thin sections that were then coated using an Edwards 306A vacuum carbon coater to ensure good electrical conductivity and low background signal during SEM analyses.

SEM analyses were undertaken by the author using the scanning electron microscope at the Earth and Ocean Sciences Department of the University of British Columbia. The SEM is a Philips XL30 electron microscope with Princeton Gamma-Tech energy-dispersive X-ray spectrometer and image analysis systems. It is capable of processing various signals (secondary electrons, back scattered electrons) allowing for the examination and digital imaging of minerals and materials at both low and high magnifications, as well as qualitative and semi-quantitative energy-dispersive chemical analysis of minerals. The detection limit of the SEM-EDS semi-quantitative analyses is estimated to be 0.4-0.5 wt%.

3. VEIN SAMPLES

Five of the samples represent vein samples: samples C287345, G0672135, C202147 and C201124 are from quartz veins and sample C287113 is from a massive arsenopyrite (-quartz) vein.

3.1. Quartz vein samples

Quartz is typically fine- to medium-grained and strongly internally deformed as a result of dynamic recrystallization processes, displaying undulose extinction, subgrains and strongly lobate grain boundaries. Recrystallized quartz is variably present: it is rare in sample C202147 and occurs in similar amounts to deformed grains in sample C287345, forming common core-and-mantle textures. The wall rock of the vein is represented in one sample only (sample G0672135, Appendix A1.2) where it is interpreted as a volcanic breccia (possible rhyolite breccia).

Minor sulphides (<3 %) occur in the quartz vein samples. They consist predominantly of arsenopyrite, which in three samples (G0672135, C202147 and C201124, Appendices A1.2 to A1.4) is associated with minor galena, pyrite, chalcopyrite or molybdenite. Sulphides form small grains and clusters interstitial to quartz, locally lining quartz grain boundaries (Figure 2), or occur as very thin discontinuous veinlets associated with sericite.

Alteration is limited to the sporadic occurrence of disseminated sheaves of sericite (\pm epidote \pm titanite \pm carbonate) and to oxidation that is marked by: 1) a reddish stain on sericite and other gangue minerals and 2) the replacement of sulphides by various oxides, hydroxides and possible arsenates (scorodite). Sulphide oxidation products are very fine-grained and commonly intermixed or occur in successive rims (Figure 7). This precludes definitive identification, even with the semi-quantitative results of SEM-EDS analyses.

Alteration of arsenopyrite varies from the development of possible scorodite rims (+ jarosite in sample C287345) to the development of subhedral scorodite pseudomorphs and subhedral leached cavities preserving patchy possible scorodite \pm covellite (Figure 4). Pyrite is variably rimmed by Fe-oxides/hydroxides. Chalcopyrite is locally rimmed by covellite or by various (Pb, Fe)-oxides when associated with galena and molybdenite, which are variably altered to (Pb, Mo)-oxides/hydroxides. Silver commonly occurs in (Pb, Mo)-oxides/hydroxides, suggesting galena is argentiferous (Figure 9).

Rare variably leached veinlets and cavities, containing dark reddish undetermined oxides/hydroxides associated with sporadic malachite, colourless carbonate or sericite, occur in most samples.

3.2. Arsenopyrite (-quartz) vein sample

Heavily fractured semi-massive arsenopyrite occurs with minor pyrite and chalcopyrite filling the arsenopyrite fractures (Appendix A1.5). Enargite and electrum (SEM-confirmed) form small inclusions in arsenopyrite. Electrum inclusions are typically less than 20 μm in size (Figures 12 and 13). Arsenopyrite is variably altered, locally forming corroded and oxidized masses (SEM confirmed). Elongated, fibrous-looking possible scorodite partially fills and lines cracks in arsenopyrite, commonly

enclosing partially preserved arsenopyrite grains and masses of dark, partially leached unresolvable possible clay. Anhedral fine-grained quartz commonly occurs interstitial to sulphides.

4. IGNEOUS SAMPLES

4.1. Lithology

The igneous samples submitted are interpreted as brecciated feldspar porphyry (sample C287261, Appendix A2.1), K-feldspar phyric granite (sample G0672501, Appendix A2.2) and plagioclase porphyry (sample G0672502, Appendix A2.3).

Sample C287261 is the most altered of the igneous samples, only locally preserving partial plagioclase and less common, finer-grained K-feldspar phenocrysts in pervasively altered groundmass. The sample displays a vague possible clastic texture marked by the concentration of arsenopyrite and coarser-grained quartz in ribbons around porphyritic clusters (Figure 18).

The granitic sample G0672501 is characterized by a very low mafic mineral content and minor to trace biotite and spessartine. The fine-grained, anhedral granular texture is made up of quartz, K-feldspar, plagioclase and lesser muscovite with coarser-grained K-feldspar occurring throughout. The sample is therefore classified as K-feldspar phyric granite, but the low mafic mineral content and the presence of spessartine suggest the sample could be aplite. This requires confirmation with field observations.

Sample G0672502 consists of coarse-grained plagioclase phenocrysts in a fine-grained groundmass of quartz, tabular plagioclase and possible minor K-feldspar. No primary mafic phase was observed due to alteration but sub- to euhedral arsenopyrite is disseminated throughout. Alteration is too advanced to reliably identify other primary mineral phases for more specific lithology characterization (Figure 23).

4.2. Alteration

The type and degree of alteration varies throughout the samples.

Sample C287261 is pervasively altered by quartz, sericite and trace kaolinite with sericite itself locally overprinted by clay (Figure 18). A later calcite alteration phase is noted both by disseminated grains and subparallel veinlets cross-cutting the sample.

The granitic sample G0672501 is weakly altered. Alteration is marked by the local replacement of feldspars by secondary K-feldspar and / or sericite, by the local alteration of muscovite by sericite and by the presence of rare oxidation patches and oxidized cracks (Figures 19 and 21).

Sample G0672502 is selectively altered, with most of the groundmass replaced by very fine-grained shreddy biotite (commonly overprinted by chlorite). The primary porphyritic texture of the sample is well preserved. No primary mafic phase was observed, but granular anhedral titanite and anhedral poikilitic magnetite occurs throughout, suggesting replacement of earlier mafic phases (Figure 23).

4.3. Mineralization

Arsenopyrite is the only sulphide occurring in the samples.

In samples G0672501 and G0672502, arsenopyrite occurs disseminated (Figures 20 and 24) as euhedral (to subhedral in sample G0672502) grains that constitute approximately 5% of the intrusive rock in sample G0672502 and less than 1% in sample G0672501. Oxidized microveinlets and yellowish oxidation patches additionally occur in sample G0672501. SEM analyses show that these consist of arsenic- and / or antimony-bearing oxides / hydroxides. Neither scheelite nor powellite were observed in the samples.

Arsenopyrite is more common in sample C287261 (Figure 18). It makes up approximately 15 % of the sample and occurs as small sub- to euhedral crystals associated with quartz in vaguely defined ribbons, suggesting quartz-arsenopyrite fracture infill after brecciation.

5. SUMMARY AND CONCLUSION

- This report presents the results of petrographic and SEM analysis of eight samples from the Golden Eagle Project in British Columbia. The SEM analyses were performed to determine the identity and composition of certain optically unidentified mineral phases.
- The sample suite submitted consists of two sample sets: vein samples and igneous samples.
- Four of the samples are quartz vein samples (C287345, G0672135, C202147 and C201124) and one (C287113) is a massive arsenopyrite-quartz vein sample.
- Alteration in the quartz vein samples is limited to the sporadic occurrence of disseminated sheaves of sericite (\pm epidote \pm titanite \pm carbonate). Mineralization is weak and occurs in the form of small interstitial grains and clusters of arsenopyrite and minor associated pyrite, chalcopyrite, galena (possibly argentiferous) and molybdenite.
- Arsenopyrite in sample C287113 contains numerous small (< 20 microns) electrum inclusions. Enargite, pyrite and chalcopyrite also occur.
- Three of the samples are classified as igneous rocks: sample C287261 is classified as (brecciated) feldspar porphyry, sample G0672502 as plagioclase porphyry and sample G0672501 as K-feldspar phyric granite (possible aplite?). All samples are mineralized with arsenopyrite being the only sulphide.
- Oxidation of the sulphides is common in most samples and marked by the presence of oxides / hydroxides that are variably iron-, lead-, molybdenum-, arsenic- or antimony-bearing. Scorodite, wulfenite, mimetite and malachite were also observed throughout.
- Sulphide oxidation products are very fine-grained and commonly intermixed or occur in successive rims, precluding definitive identification. Comprehensive SEM-EDS analyses are recommended for more complete characterization of the oxides/hydroxides, arsenates and sulphides present in the samples.

Geology reported by:

Alexandra Mauler-Steinmann,
Ph. D., P.Geol.

Report reviewed by:

Tom Nowicki, Ph. D., P. Geo.

APPENDIX 1: DESCRIPTION OF VEIN SAMPLES

A1.1: Thin section description, modal composition and photomicrographs of sample C287345

LITHOLOGY:	Quartz vein	
ALTERATION TYPE:	Sericite, oxidation	
Thin section description:		
<p>This quartz vein sample consists of coarse-grained, internally deformed quartz and granular aggregates of finer-grained, recrystallized quartz grains. Deformed and recrystallized grains are present in similar amounts and locally display core-and-mantle structures. Alteration occurs as rare ribbons of sericite. Very fine-grained arsenopyrite is disseminated or locally occurs as fracture infill. It is variably sub- to euhedral and unaltered or forms small anhedral grains with coronas of possible scorodite that preserve the subhedral outlines of the original arsenopyrite. Clusters of subhedral grains of possible scorodite and jarosite (likely pseudomorphing arsenopyrite) also occur throughout defining thin veinlets .</p>		
MAJOR MINERALS		
Mineral	%	Distribution & Characteristics
Quartz	90	Two types occur in similar proportions: 1) Fine- to medium-grained, anhedral to elongated, displaying subgrains, undulose extinction and irregular grain boundaries 2) Very fine-grained to microcrystalline, likely recrystallized from coarser-grained type 1 quartz
MINOR MINERALS		
Mineral	%	Distribution & Characteristics
Scorodite	3	Disseminated microcrystalline clusters and rims around arsenopyrite, commonly with subhedral to euhedral outlines, variably associated with jarosite
Arsenopyrite	2	Disseminated or along cracks, occurs as small sub- to euhedral unaltered grains or as small anhedral partial grains rimmed by microcrystalline granular clusters of possible scorodite (\pm jarosite) that preserve the sub- to euhedral outline of the original arsenopyrite grains
Sericite	1	Rare clusters of sheaves throughout
Jarosite	tr	Disseminated granular clusters, commonly associated with possible scorodite





Figure 1: Photomicrograph of sample C287345 showing clusters of arsenopyrite lining very thin cracks in the quartz vein. Partially preserved arsenopyrite grains are rimmed by high relief, yellowish clusters of possible scorodite that preserve the subhedral outline of the original arsenopyrite grains. A) PPL, B) RL, = ~ 1.4 mm.




Figure 2: SEM-EDS spectrum obtained on a rim around arsenopyrite, showing it consists mostly of arsenic, iron and oxygen and is thus possible scorodite. Sulphur also occurs in small amounts.

A1.2: Thin section description, modal composition and photomicrographs of sample G0672135

LITHOLOGY:	Quartz vein and volcanic breccia host rock	
ALTERATION TYPE:	Sericite, oxidation	
Thin section description:		
<p>The sample includes part of a wide quartz vein and its brecciated host rock.</p> <p>Quartz in the vein is fine- to medium-grained, internally deformed and locally recrystallized to a much finer grain size. Sub- to euhedral arsenopyrite, chalcopyrite and pyrite are disseminated along quartz grain boundaries and occur in partially filled vugs variably associated with sericite. Galena occurs interstitial to quartz and sulphides or intergrown with sulphides. Oxidation is marked by the presence of altered and corroded arsenopyrite and more commonly by partially leached subhedral vugs and veinlets containing possible scorodite ± covellite.</p> <p>The breccia hosting the quartz vein is clast-supported and consists of small sub-angular clasts made up of quartz crystals, quartz vein fragments and sericitized and silicified fragments. The interclast matrix is essentially made up of cryptocrystalline material (possible smectite/chlorite after devitrified volcanic glass) that is partially leached and locally associated with possible scorodite.</p>		
MAJOR MINERALS		
Mineral	%	Distribution & Characteristics
Quartz	75	1) In the vein: fine- to medium-grained, anhedral to elongated with undulose extinction, subgrains and bulging grain boundaries; also as clusters of very small recrystallized grains 2) In the breccia host rock: fine-grained to microcrystalline, forming the groundmass of most clasts
Devitrified volcanic glass	10	Yellowish to brown, cryptocrystalline, forming interclast matrix in the host breccia, associated with sericite and possible scorodite
Sericite	5	Colourless to brown sheaves, occurring in vugs in the quartz vein and with clay in the interclast matrix of the host breccia
MINOR MINERALS		
Mineral	%	Distribution & Characteristics
Arsenopyrite	2	Small to very small anhedral to euhedral corroded grains in the quartz vein occurring disseminated or in partially filled vugs
Scorodite	tr-1	Microcrystalline to very fine-grained subhedral and locally botryoidal patches and very small rosettes after arsenopyrite
Chalcopyrite	tr	Rare very small grains, occurring with covellite or galena
Pyrite	tr	Small grains, with inclusions of and associated with galena
Covellite	tr	Very small anhedral patches occurring with sericite and an undetermined (As, Fe, O)-phase in partially filled vugs, locally associated with chalcopyrite
Galena	tr	Small interstitial grains or intergrowths in sulphides




Figure 3: Photomicrograph of sample G0672135 showing part of a quartz vein (left side) and its brecciated host rock (right side). Note the very fine-grained sulphides lining quartz grains in the vein. PPL, FOV= ~ 7 mm.




Figure 4: Close-up of the sulphides in the quartz vein of sample G0672135. Sulphides consist of variably corroded whitish arsenopyrite grains associated with blue covellite (hardly visible at this scale) and a transparent (As, Fe, O)-phase that preserves the subhedral outlines of the original arsenopyrite. Anhedronal yellowish pyrite associated with (possibly replaced by) grey galena is also present. RL, FOV = ~ 2.7 mm.

A1.3: Thin section description, modal composition and photomicrographs of sample C202147

LITHOLOGY:	Quartz vein	
ALTERATION TYPE:	Carbonate, oxidation	
Thin section description:		
<p>This sample consists essentially of coarse-grained internally deformed quartz and localized patches in which quartz has recrystallized to a much finer grain size. Chalcopyrite and galena occur sporadically as infill in cracks and cavities, and are typically pervasively replaced by a variety of secondary lead and copper ore minerals, including malachite, mimetite and (Pb, Fe)-oxides, which are locally associated with colourless carbonate or epidote. SEM analyses additionally show that silver occurs in lead-bearing secondary minerals, suggesting a primary argentiferous galena.</p>		
MAJOR MINERALS		
Mineral	%	Distribution & Characteristics
Quartz	95	Typically coarse-grained, anhedral to elongated (ratio up to 1:5), micro-cracked and displaying undulose extinction, subgrains and bulging grain boundaries Also locally as clusters of small recrystallized grains
MINOR MINERALS		
Mineral	%	Distribution & Characteristics
(Pb, Fe)-oxides/ hydroxides	1	Opaque to deep red, occur as rims around sulphides and small anhedral masses lining cracks and cavities Also as pseudomorphs (after pyrite) with subhedral squared outlines in leached microveinlets
Malachite	tr-1	Green extremely fine-grained needles forming fan-like clusters and anhedral patches lining cracks, cavities and sulphides
Chalcopyrite	tr	Small masses, locally filling cracks and typically rimmed by (Pb, Fe)-oxides / hydroxides and malachite Also disseminated as extremely small grains (< 20 µm in size)
Carbonate	tr	Very fine-grained clusters in veins
Mimetite	tr	Small ribbons and masses associated with sulphides
Epidote	tr	Very small anhedral clusters in cracks and cavities
Galena	tr	Few small preserved grains in masses of oxides / hydroxides




Figure 5: Photomicrograph of sample C202147 showing an interstitial mass of malachite (green), light brown carbonate and opaque oxides between quartz grains. PPL, FOV = ~ 0.7 mm.




Figure 6: Photomicrograph of a different interstitial mass of sulphides / oxides in sample C202147. This mass displays complex zoning. The rectangle indicates the location of Figure 7. PPL, FOV = ~ 0.4 mm.




Figure 7: SEM-BSE image of the location indicated by the rectangle in Figure 6 (rotated 90° counterclockwise) showing chemical zoning throughout. A is galena, B is chalcopyrite. SEM-EDS spectra of phases C, D and E are presented in Figure 8 and 9 below.




Figure 8: SEM-EDS spectrum of phase C in Figure 7 showing it consists of a variety of elements dominated by oxygen, iron and lead. Based on the dominance of the oxygen peak, the phase is interpreted as possible (Pb, Fe)-oxide/hydroxide.




Figure 9: SEM-EDS spectra of phases D and E in Figure 7.

A) Phase D is dominated by lead and oxygen, with minor silver, arsenic and sulphur. It is interpreted as a possible lead oxide/hydroxide.


B) Phase E shows a strong arsenic contribution to the spectrum, in addition to lead and oxygen. Chlorine and silver are also present in minor amounts. The phase is interpreted as mimetite.

A1.4: Thin section description, modal composition and photomicrographs of sample C201124

LITHOLOGY:	Quartz vein	
ALTERATION TYPE:	Carbonate, titanite, sericite, kaolinite, oxidation	
Thin section description:		
<p>The sample consists mostly of medium- to coarse-grained, elongated massive quartz, locally associated with finer-grained recrystallized quartz aggregates. Alteration is marked by traces of fine-grained sericite and carbonate, disseminated along coarse-grained quartz grain boundaries or occurring in thin veinlets. Very fine-grained interstitial galena, molybdenite and chalcopyrite occur sporadically and are variably corroded by thin rims of undetermined oxides/hydroxides (possibly variably lead- and/or molybdenum-rich as in sample C202147) or associated with wulfenite (SEM confirmed).</p>		
MAJOR MINERALS		
Mineral	%	Distribution & Characteristics
Quartz	95	Medium- to coarse-grained, strongly elongated (1:3 to 1:4) grains, cracked and displaying undulose extinction, subgrains and bulging grain boundaries Less commonly as finer-grained subhedral recrystallized grain aggregates
MINOR MINERALS		
Mineral	%	Distribution & Characteristics
Carbonate	tr	Clusters of subhedral to euhedral grains lined by Fe-oxides/hydroxides, filling cavities and cracks
Molybdenite	tr	One small strongly elongated mass associated with galena and wulfenite
Oxides / hydroxides	tr	Fine coating lining cavity- and crack-filling minerals
Sericite	tr	Clusters of small sheaves locally associated with carbonate and wulfenite
Wulfenite	tr	One botryoidal mass associated with galena and molybdenite and very small patches associated with sericite
Chalcopyrite	tr	One small grain associated with hematite, lined by Fe-oxides / hydroxides
Galena		One small irregular mass associated with molybdenite



A)



B)

Figure 10: Photomicrograph of sample C201124 showing an altered and oxidized mass of molybdenite (top) and galena (centre left) associated with wulfenite (centre right). The small grey masses associated with sericite in the top right hand corner are of similar composition. A) PPL, B) RL, FOV = ~ 2.7 mm.




Figure 10 (continued): C Representative SEM-EDS spectrum obtained on the wulfenite in the mass depicted in Figure 10 A and B, showing that it essentially consists of lead, molybdenite and oxygen.

A1.5: Thin section description, modal composition and photomicrographs of sample C287113.

LITHOLOGY:	Massive arsenopyrite (-quartz) vein	
ALTERATION TYPE:	Oxidation	
Thin section description:		
<p>The section consists mainly of heavily fractured semi-massive arsenopyrite with minor pyrite and chalcopyrite filling the arsenopyrite fractures. Enargite and electrum (SEM-confirmed) form small inclusions in arsenopyrite. Electrum inclusions are typically less than 20 µm in size. Arsenopyrite is variably altered, locally forming corroded and oxidized masses (SEM confirmed). Elongated, fibrous-looking possible scorodite partially fills and lines cracks in arsenopyrite, commonly enclosing partially preserved arsenopyrite grains and masses of dark, partially leached unresolvable possible clay. Anhedral fine-grained quartz commonly occurs interstitial to sulphides.</p>		
MAJOR MINERALS		
Mineral	%	Distribution & Characteristics
Arsenopyrite	75	1) Semi-massive, intensively cracked with fractures filled with quartz, clay and locally pyrite or chalcopyrite 2) Very small masses, partially preserved in pseudomorphs of possible scorodite
Quartz	10	Fine-grained, saccharoidal, locally with developed subgrains, highly fractured, forms most of the gangue between arsenopyrite
Oxidized arsenopyrite	5	Fine-grained, corroded masses variably pseudomorphing or replacing arsenopyrite and associated with clay
Scorodite	5	Very fine-grained, typically fibrous, lining microcracks in arsenopyrite
MINOR MINERALS		
Mineral	%	Distribution & Characteristics
Clay	1	Microcrystalline, unresolvable patches throughout
Chalcopyrite	1	Small to very small anhedral grains disseminated and filling cracks in arsenopyrite
Pyrite	tr-1	Disseminated small anhedral masses locally intergrown with arsenopyrite, associated with marcasite or filling cracks in arsenopyrite
Enargite	tr-1	Very small anhedral inclusions in arsenopyrite
Electrum	tr	Extremely small (< 20 µm) inclusions in arsenopyrite




Figure 11: Photomicrograph of sample C287113 showing very fine-grained fibrous masses of possible scorodite lining fractured massive arsenopyrite and rimming interstitial arsenopyrite in the fractures. XPL, FOV = ~ 7 mm




Figure 12: Close-up of a fractured mass of arsenopyrite showing inclusions of electrum (particles A and B indicated by the arrows). The presence of electrum is confirmed by SEM analyses (Figure 14). Masses of altered arsenopyrite (indicated by arrows) also occur throughout. RL, FOV = ~ 0.28 mm.




Figure 13: SEM-BSE image of a larger area of the arsenopyrite containing electrum particles A & B shown in Figure 12. This image shows that many more smaller electrum inclusions are present.




Figure 14: Representative SEM-EDS spectrum obtained on electrum particles, showing dominant gold and silver peaks.




Figure 15: SEM-BSE image showing masses and fractures in arsenopyrite, which are filled with two locally intergrown phases. Phase A is light grey, phase B is darker grey.



Figure 16: SEM-EDS spectrum of phase A shown in Figure 15. Sulphur and oxygen are present with arsenic and iron, suggesting this phase is oxidized arsenopyrite.




Figure 17: SEM-EDS spectrum of phase B shown in Figure 15. This phase lacks sulphur and contains only oxygen, iron and oxygen. It is interpreted as possible scorodite.

APPENDIX 2: DESCRIPTION OF IGNEOUS SAMPLES

A2.1: Thin section description, modal composition and photomicrographs of sample C287261

LITHOLOGY:	Brecciated feldspar-porphyry	
ALTERATION TYPE:	Sericite-quartz, kaolinite, clay	
Thin section description:		
<p>The sample consists of a vaguely brecciated and porphyritic rock that has been pervasively replaced by quartz and sericite, which is itself locally replaced by clay. Former fine- to medium-grained, tabular plagioclase and lesser, finer-grained K-feldspar phenocrysts are variably preserved from sericite alteration. Former mafic phases and the groundmass are completely replaced by sericite sheaves and very fine-grained quartz, locally associated with kaolinite. Sulphides consist of fine- to medium-grained euhedral arsenopyrite, associated with medium-grained quartz to form aggregates that are not randomly distributed but appear to form a matrix around poorly-defined porphyritic clasts.</p> <p>A later calcite alteration phase is noted both by disseminated grains and subparallel veinlets cross-cutting the sample.</p> <p>The relative proportion of plagioclase and K-feldspar in the protolith could not be precisely determined due to pervasive alteration.</p>		
MAJOR MINERALS		
Mineral	%	Distribution & Characteristics
Quartz	30	1) Fine- to medium-grained, anhedral with subgrains, undulose extinction and irregular grain boundaries 2) Extremely fine-grained occurring with sericite
Sericite	30	Small colourless to yellow-brown sheaves occurring as pervasive replacement throughout
Plagioclase	(15)	Fine- to medium-grained tabular twinned phenocrysts, variably preserved from sericite replacement
Arsenopyrite	10	Fine- to medium-sized sub- to euhedral grains, disseminated and in clusters
K-feldspar	(5)	Fine-grained tabular phenocrysts recognized by simple twinning, variably preserved from sericite replacement
MINOR MINERALS		
Mineral	%	Distribution & Characteristics
Carbonate	3	Fine- to very fine-grained, commonly elongated in thin veinlets cutting the sample; rarely disseminated
Kaolinite	2	Disseminated extremely fine-grained clots
Clay	tr-1	Dark brown patchy alteration of sericite
Rutile	tr	Extremely fine-grained granular clusters and needles throughout

Modal abundance estimates (%) in parentheses indicate a high degree of uncertainty (see text for explanation)





Figure 18: Photomicrographs of sample C287261 showing medium-grained plagioclase phenocrysts (bottom right) in a finer-grained groundmass of felsic minerals pervasively altered by sericite. Note the roughly circular distribution of arsenopyrite that suggests vaguely defined porphyritic clasts. A) PPL, B) XPL, FOV = ~ 7mm.

A2.2: Thin section description, modal composition and photomicrographs of sample G0672501

LITHOLOGY:	K-feldspar phyric granite	
ALTERATION TYPE:	K-feldspar, sericite, oxidation	
Thin section description:		
<p>This sample consists of granite as indicated by the dominant quartz-K-feldspar modal composition with minor plagioclase, muscovite and biotite components. K-feldspar locally reaches 7.5 mm in length while most phases are typically fine- to medium-grained, suggesting this is K-feldspar phyric granite. Alteration is weak. It is marked by the local development of secondary K-feldspar after feldspars and fine-grained sericite after muscovite and feldspars. Rare euhedral arsenopyrite is disseminated throughout the sample. Sparse subhedral crystals of rutile and spessartine are also disseminated. Oxidation is marked by the presence of small reddish patches of oxides/hydroxides disseminated and filling microcracks, indicated by SEM analyses to contain arsenic, antimony and iron.</p>		
MAJOR MINERALS		
Mineral	%	Distribution & Characteristics
K-Feldspar	50	Fine- to coarse-grained, subhedral to euhedral, typically concentrically zoned and rarely twinned (simple twins suggest possible orthoclase composition); Contains local brownish alteration patches of possible secondary K-feldspar and displays irregular boundaries and non-uniform extinction
Quartz	35	Fine- to medium-sized anhedral grains, interstitial to feldspars
Plagioclase	5	Fine-grained, anhedral to subhedral, twinned with polysynthetic twins locally bent
MINOR MINERALS		
Mineral	%	Distribution & Characteristics
Muscovite	2	Fine-to medium-grained, anhedral poikilitic sheaves
Sericite	2	Disseminated small sheaves and clusters after feldspars and micas
Arsenopyrite	tr-1	Disseminated fine-grained sub- to euhedral rhombs
Biotite	tr	Fine-to medium-grained, anhedral to subhedral brown sheaves
Zircon	tr	Disseminated small subhedral acicular grains
Rutile	tr	Disseminated small acicular grains
Spessartine	tr	Small granular clusters throughout
(Fe, As, Sb)-oxides/hydroxides	tr	Infill in microveinlets and yellowish patches throughout




Figure 19: Photomicrograph of sample G0672501, showing the granular assemblage of quartz, feldspar and colourful muscovite. PPL, FOV = ~ 7 mm.



Figure 20: Close-up of sample G0672501, showing the occurrence of arsenopyrite. RL, FOV = ~ 2.7 mm.




Figure 21: Photomicrograph of sample G0672501, showing the occurrence of brownish masses interpreted as (Fe, Sb, As) oxides/hydroxides. PPL, FOV = ~ 1.4 mm.




Figure 22: Representative SEM-EDS spectrum of the oxides present in sample G0672501, showing they contain iron, antimony and arsenic. The silicon and aluminium peaks are probably due to substratum contamination.

A2.3: Thin section description, modal composition and photomicrographs of sample G0672502

LITHOLOGY:	Plagioclase porphyry	
ALTERATION TYPE:	Shreddy biotite, magnetite, titanite, chlorite	
Thin section description:		
<p>This altered porphyritic rock consists of coarse-grained plagioclase phenocrysts in a fine-grained groundmass of quartz, tabular plagioclase and possible minor K-feldspar. Sub- to euhedral arsenopyrite is disseminated throughout. Shreddy biotite (itself commonly replaced by chlorite) is pervasive throughout the groundmass and commonly associated with titanite. The plagioclase phenocrysts are commonly replaced by shreddy biotite along cracks and cleavages. No primary mafic phase is observed (likely because replaced by titanite) but coarse poikilitic magnetite occurs throughout.</p> <p>A poorly defined quartz vein (with alteration halo of chlorite at the expense of biotite) cuts the sample. The relative proportions of plagioclase and K-feldspar could not be determined precisely since the off-cut was not stained for K-feldspar and because biotite alteration pervasively replaces plagioclase and K-feldspar grains.</p>		
MAJOR MINERALS		
Mineral	%	Distribution & Characteristics
Quartz	30	Small anhedral grains forming part of the groundmass and occurring in a poorly defined vein
Plagioclase	(25)	Disseminated, fine- to medium-grained phenocrysts up to 10 mm in length and microphenocrysts in the groundmass, recognized by characteristic polysynthetic twins
Shreddy biotite	25	Pitted by microcrystalline shreddy biotite and locally zoned Very small sheaves in the groundmass around phenocrysts and pitting plagioclase (phenocrysts and groundmass)
Titanite	5	Disseminated small anhedral grains
Chlorite	5	Local replacement of shreddy biotite in the groundmass and in the alteration halo of a poorly defined quartz vein
K-feldspar	(5)	Small tabular grains enclosed in magnetite and as part of the groundmass, recognized by simple twinning
MINOR MINERALS		
Mineral	%	Distribution & Characteristics
Magnetite	2	Disseminated medium-grained anhedral poikilitic phenocrysts and microphenocrysts, commonly enclosing titanite, quartz and K-feldspar
Arsenopyrite	1	Disseminated, fine- to medium-grained, subhedral to euhedral phenocrysts and microphenocrysts
Actinolite	tr	Small acicular grains throughout




Figure 23: Photomicrograph of sample G0672502, showing the plagioclase phyrlic texture of the rock and the pervasive alteration by very fine-grained brown biotite. PPL, FOV = ~ 7 mm.



Figure 24: Close-up of sample G0672502, showing opaque poikilitic magnetite (right), sub- to euhedral opaque arsenopyrite (left) and granular titanite (centre). PPL, FOV = ~ 2.7 mm.

APPENDIX 3: HAND SAMPLE DESCRIPTIONS

A3.1: Description of vein samples

<i>Sample C287345</i>
The sample derives from a fractured translucent to dark grey, massive quartz vein. Quartz vein fragments are elongated, subangular and typically cemented by an extremely fine-grained black material that locally carries microcrystalline sulphides. Some yellowish to green patches and veinlets cross-cut the sample. The sample is not magnetic and does not react to cold dilute HCl.
<i>Sample G0672135</i>
The sample consists of part of a translucent to dark grey quartz vein and part of its breccia host rock. The quartz vein appears fine- to medium-grained and contains small disseminated sulphides as well as numerous small, anhedral to euhedral tabular vugs and thin veinlets that are commonly lined or filled by a greenish material. The host rock breccia consists of subangular fragments (up to 2 mm in size) including possible quartz vein fragments and fragments of locally layered microcrystalline rock. The interclast matrix is aphanitic, pale green to orange-red in colour and may consist of altered volcanic glass. The sample is not magnetic and does not react to cold dilute HCl.
<i>Sample C287113</i>
The sample is made up of massive, heavily fractured arsenopyrite containing disseminated masses of quartz and anhedral patches of yellowish to green material. The sample is not magnetic and does not react to cold dilute HCl.
<i>Sample C202147</i>
The sample derives from a fractured and oxidized, massive white and aphanitic quartz vein. Numerous cracks and vugs occur in the sample, typically containing sub- to euhedral quartz and lined by orange-red material. Very small patches of green malachite are recognized, disseminated in the quartz vein and associated with oxidized masses of sulphides. The sample is not magnetic and does not react to cold dilute HCl.
<i>Sample C201124</i>
The sample derives from a massive white and aphanitic quartz vein. Numerous cracks and vugs occur in the sample, typically containing sub- to euhedral quartz and locally lined by orange-red material. Small masses of sulphides including arsenopyrite and chalcopyrite are disseminated, sporadically associated with green malachite, but are not represented in the thin section. The sample is not magnetic and does not react to cold dilute HCl.

A3.2: Description of igneous samples

<p><i>Sample C287261</i></p>
<p>This sample of brecciated feldspar porphyry consists of small tabular feldspar phenocrysts in a greenish to brown, translucent aphanitic groundmass. The nature of the feldspars (plagioclase and/or K-feldspar) is unknown (no K-feldspar stain performed). The brecciated rock is cemented by masses of quartz and arsenopyrite, and very thin calcite veinlets cross-cut the sample as indicated by strong reaction of the sample to cold dilute HCl. The sample is not magnetic.</p>
<p><i>Sample G0672501</i></p>
<p>This variably altered sample consists of a fine-grained (vaguely porphyritic) felsic igneous rock that appears to be made up essentially of quartz and feldspar. The nature of the feldspars (plagioclase and/or K-feldspar) is unknown (no K-feldspar stain performed). A brownish micaceous phase (likely biotite) occurs sporadically. Euhedral arsenopyrite is disseminated throughout. The sample is not magnetic and does not react to cold dilute HCl.</p>
<p><i>Sample G0672502</i></p>
<p>This greenish to black sample consists of a porphyritic rock. Dark grey elongated to tabular phenocrysts occur in a greenish to black aphanitic groundmass. Fine- to coarse-grained arsenopyrite is disseminated. The sample is strongly magnetic. It does not react to cold dilute HCl.</p>

Appendix F: Quality Control / Quality

Assurance

QUALITY CONTROL / QUALITY ASSURANCE

I Chain of Custody

All samples were packed in rice sacks and sealed with uniquely-numbered non-resealable security straps. Rice sacks were trucked to ALS Chemex Labs Ltd. preparation facility in Terrace and then transferred to the North Vancouver laboratory, an ISO 9001 registered laboratory. ALS Chemex reported that all bags were received in good condition, with all security straps intact, and with no evidence of tampering.

II Blanks

Blanks are samples which are known to be barren of mineralization and are inserted into the sample stream in the field to determine whether contamination has occurred after sample collection. Blank material for core samples consisted of commercially available fine silica sand.

a. Drill Core Blanks

A total of 24 blanks were inserted into the sample sequence in the field (approximately every 40th sample) and submitted for analysis. Reported values for Au and Ag from all blank samples were near or below the detection limits for these elements. Contamination appears to be an issue for other elements in a number of samples. One sample, C287400 contains anomalous values of Cr, Cu, Ni, Pb and Zn, while five other samples contain one or two anomalous values from a variety of elements. In conclusion, since Au and Ag are the only elements of economic interest the possible contamination indicated in the others is of no particular significance.

III Standards

Standards are mineralized reference samples of known value and are inserted into the sample stream in the field to determine if the reported values are within the acceptable limits of the laboratory. Standard material for core samples was obtained from WCM Minerals with the following reported values and standard deviations:

	Ag g/t	Au g/t	Cu %
Reference Value	372	12.2	5.36
Standard Deviation	17.3	0.53	0.11

a. Core Standards

A total of 25 standards were inserted into the sample sequence in the field (approximately every 40th sample). ALS Chemex analyzed the samples along with the core samples for Au and 34 element ICP. The Ag, Au and Cu values used in the following three figures are derived from fire assay with a gravimetric finish for Ag and Au, and from atomic absorption spectroscopy for Cu. Results were not received for all samples due to non-sufficient sample size required to perform all of the necessary analyses, however, enough data exists to identify trends and draw conclusions. Ag results are on average, 6.9% below the reference value but all samples do fall within three standard deviations of the reference value (Figure 1). Au values are scattered about the reference, with all samples except for one sample within two standard deviations, and the outlier within three standard deviations of the reference value (Figure 2). Scattered Cu values show a slight bias towards higher than reference values, but all sample are within two standard deviations (Figure 3).




Figure 1: Comparison of Ag results from 16 standard PM 1120 samples inserted into the drill core sample stream. Horizontal lines show the known value of the standard, as well as 2 standard deviations and 3 standard deviations as reported from the laboratory supplying the sample material.




Figure 2: Comparison of Au results from 22 standard PM 1120 samples inserted into the drill core sample stream. Horizontal lines show the known value of the standard, as well as 2 standard deviations and 3 standard deviations as reported from the laboratory supplying the sample material. .




Figure 3: Comparison of Cu results from 21 standard PM 1120 samples inserted into the drill core sample stream. Horizontal lines show the known value of the standard, as well as 2 standard deviations and 3 standard deviations as reported from the laboratory supplying the sample material.

IV Field Duplicate Analysis

Field duplicates are separate samples taken in the same manner from the same location. They are used to measure inherent variability in metal content from a single location and sample medium, and give an idea of sample reproducibility in the field. Core duplicates were produced by longitudinally sawing the core in half, and then sawing the half into quarters to form two separate samples with the other half retained on site.

a. Core Duplicates

Forty-six pairs of field duplicates were inserted into the core sample stream in the field (approximately every 20th sample). ALS Chemex analyzed the duplicates along with the core samples by Au fire assay and 34 element ICP. The Thompson and Howarth method of estimating analytical precision for lab duplicates was applied and is illustrated in Figures 4 and 5 for Au and Ag respectively. Core duplicates were reproducible at 60% precision for Au and 20% for Ag. Variability in the Au values can likely be attributed to the vein style of mineralization of the Tannis Zone where differences in mineralization are observed to occur on a very small scale.




Figure 4: Graph illustrating Thompson and Howarth estimation of analytical precision for lab duplicates. The data points represent duplicate pairs, the solid line represents the 90% confidence line of the population, and the dashed line the 99% confidence line of the population (n=46 duplicate pairs). In this case, the probability is 99.2% that the difference in analytical results will exceed the 90% confidence line for 1 out of 46 sample pairs, implying that the Au analyses are most likely reproducible at a 60% precision level.




Figure 5: Graph illustrating Thompson and Howarth estimation of analytical precision for lab duplicates. The data points represent duplicate pairs, the solid line represents the 90% confidence line of the population, and the dashed line the 99% confidence line of the population (n=46 duplicate pairs). In this case, the probability is 99.2% that the difference in analytical results will exceed the 90% confidence line for 1 out of 46 sample pairs, implying that the Au analyses are most likely reproducible at a 20% precision level.

V Conclusions

- There is no evidence of tampering with the samples between collection and the laboratory.
- Consistently low values for metals of interest (Au and Ag) in the blank analyses indicate that contamination of samples with respect to these elements did not take place in the field, or in the lab.
- Analyses of reference material of known value show that Ag is consistently underreported, however all values are within an acceptable range of variation from the reference value. Values for Au and Cu are generally scattered about the reference value and lie within two to three standard deviations.
- Field duplicates show that analytical values are reproducible at the 60% precision level for Au and 20% precision level for Ag.
- By finalizing their analytical certificates, ALS Chemex confirms that their internal QA/QC sampling convinced them that contamination, reproducibility and accuracy are within acceptable limits within the laboratory.

Appendix G: Laboratory Certificates of
Analysis (Rock)



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 17-SEP-2008
Account: EIATYE

CERTIFICATE TR08121073

Project: Golden Eagle

P.O. No.: TYE08-02

This report is for 31 Drill Core samples submitted to our lab in Terrace, BC, Canada on 26-AUG-2008.

The following have access to data associated with this certificate:

HENRY A
JEREMY MAJOR

GENERAL EQUITY ENGINEERING

TRACY HURLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
As-AA46	Ore grade As - aqua regia/AA	AAS
Pb-AA46	Ore grade Pb - aqua regia/AA	AAS
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41a	High Grade Aqua Regia ICP-AES	ICP-AES
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: JEREMY MAJOR
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 17-SEP-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08121073

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
C202109		1.08	0.021		3	0.33	1130	50	<5	<10	0.11	<5	<5	12	76	1.29
C202110		1.29	>10.0	14.25	8	0.14	>100000	<50	<5	30	<0.05	<5	20	<5	361	17.55
C202111		1.71	8.36	8.30	5	0.16	>100000	<50	<5	10	<0.05	<5	70	<5	373	23.5
C202112		1.73	9.16	8.96	3	0.07	>100000	<50	<5	20	<0.05	<5	199	<5	341	20.8
C202113		1.80	0.026		<1	1.45	2120	60	<5	<10	0.37	<5	23	<5	74	3.56
C202114		1.31	0.036		<1	1.67	1200	50	<5	<10	0.73	<5	12	<5	24	3.35
C202115		1.34	0.007		<1	2.90	4040	590	<5	<10	1.83	<5	20	18	30	5.48
C202116		1.50	0.007		<1	3.08	4590	740	<5	<10	1.70	<5	25	18	<5	5.39
C202117		2.23	0.006		2	4.83	2800	70	<5	<10	3.32	<5	29	166	99	4.22
C202118		1.15	0.109		155	0.49	1890	<50	<5	30	1.59	211	12	22	9620	1.47
C202119		1.57	0.006		1	3.86	220	<50	<5	<10	2.31	14	14	31	110	9.70
C202120		1.41	0.005		1	3.20	100	110	<5	<10	1.45	<5	19	16	50	4.07
C202121		1.42	0.005		1	0.58	310	80	<5	10	0.36	<5	8	<5	<5	4.97
C202122		1.90	0.020		4	3.54	64100	60	<5	<10	2.69	<5	18	9	31	6.32
C202123		2.07	0.007		1	8.72	1060	740	<5	<10	4.81	<5	22	79	138	6.80
C202124		1.20	0.005		<1	0.69	830	<50	<5	<10	0.08	<5	10	<5	28	3.25
C202125		1.44	0.012		2	0.87	3330	50	<5	<10	0.35	<5	24	13	9	1.37
C202126		1.88	0.148		<1	1.97	2270	<50	<5	10	2.37	<5	40	129	12	1.40
C202127		1.50	0.049		3	2.96	15700	<50	<5	<10	2.05	<5	52	109	21	8.68
C202128		1.30	0.006		<1	2.33	330	50	<5	10	1.19	<5	11	13	50	6.35
C202129		1.57	0.045		3	0.21	22200	<50	<5	10	1.15	<5	15	6	890	4.94
C202130		1.67	0.007		4	5.03	7310	100	<5	<10	1.97	<5	16	25	300	5.15
C202131		1.53	0.076		<1	0.72	33500	60	<5	<10	1.13	<5	13	<5	8	3.22
C202132		1.99	0.038		<1	2.23	36300	1010	<5	<10	1.83	<5	13	91	35	3.38
C202133		1.47	0.065		3	0.71	3030	1910	<5	<10	0.10	5	12	12	440	3.61
C202134		1.65	0.100		8	0.69	32100	110	<5	20	2.04	60	6	14	462	3.19
C202135		1.89	0.057		10	3.44	1070	50	<5	<10	2.96	24	7	47	1595	1.81
C202136		1.81	0.104		17	1.59	1410	50	<5	10	1.25	175	8	57	4550	1.61
C202137		1.50	0.065		5	1.39	12200	210	<5	<10	1.54	<5	17	31	170	6.88
C202138		1.46	0.091		15	1.12	820	240	<5	10	17.50	242	7	109	671	2.82
C202139		1.65	0.084		8	0.49	1770	140	<5	<10	0.24	64	5	34	427	0.86



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 17-SEP-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08121073

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
Units	ppm	ppm	%	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR	50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5	
C202109	<50	<5	0.19	<50	<0.05	40	<5	<0.05	<5	130	50	0.09	30	<5	38	
C202110	<50	<5	0.07	<50	<0.05	<30	<5	<0.05	<5	210	20	3.16	1340	<5	<5	
C202111	<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	6	50	30	14.25	840	<5	<5	
C202112	<50	5	<0.05	<50	<0.05	<30	<5	<0.05	124	50	50	11.45	880	<5	<5	
C202113	<50	8	0.48	<50	0.32	2820	<5	<0.05	<5	1720	20	1.72	50	<5	<5	
C202114	<50	7	0.59	<50	0.40	2430	<5	<0.05	<5	3340	30	0.82	40	<5	9	
C202115	<50	<5	0.96	<50	1.25	720	<5	0.37	<5	1930	10	0.17	40	7	150	
C202116	<50	<5	1.31	<50	1.40	810	<5	0.35	<5	1950	10	0.17	70	6	163	
C202117	<50	<5	0.20	<50	1.26	420	<5	<0.05	53	720	20	1.66	30	<5	704	
C202118	<50	13	<0.05	<50	1.80	430	14	<0.05	<5	160	34800	0.47	14250	<5	39	
C202119	<50	<5	0.36	<50	0.88	570	<5	<0.05	26	820	120	8.65	20	6	403	
C202120	<50	9	0.56	<50	0.58	390	<5	0.11	21	740	90	3.46	30	<5	414	
C202121	<50	<5	0.35	<50	<0.05	70	<5	<0.05	<5	1780	<10	4.88	10	<5	68	
C202122	<50	7	0.13	<50	0.21	150	15	<0.05	36	260	20	3.12	260	<5	151	
C202123	<50	<5	2.11	<50	2.28	880	<5	0.10	6	1030	<10	0.92	10	22	339	
C202124	<50	<5	0.42	<50	<0.05	210	<5	<0.05	6	400	10	2.76	10	<5	15	
C202125	<50	<5	0.41	<50	0.08	40	<5	<0.05	57	960	20	0.47	10	<5	55	
C202126	<50	<5	0.15	<50	0.80	250	<5	<0.05	341	570	10	0.14	60	<5	151	
C202127	<50	<5	0.33	<50	0.33	80	<5	<0.05	134	1290	10	5.80	20	<5	302	
C202128	<50	8	0.54	<50	0.33	270	<5	<0.05	26	880	100	5.31	30	<5	111	
C202129	<50	<5	<0.05	<50	2.37	480	<5	<0.05	19	60	20	1.95	430	<5	<5	
C202130	<50	7	1.20	<50	1.15	480	<5	0.28	22	780	<10	1.07	20	17	121	
C202131	<50	5	0.05	<50	0.35	210	14	<0.05	32	220	10	1.29	2330	<5	55	
C202132	<50	8	0.43	<50	1.54	350	<5	<0.05	51	590	20	1.37	120	<5	177	
C202133	<50	53	0.31	<50	0.15	530	<5	<0.05	16	620	310	2.58	14050	<5	96	
C202134	<50	7	<0.05	<50	0.80	500	<5	<0.05	34	300	2420	1.52	1200	<5	75	
C202135	<50	<5	0.19	<50	0.49	210	<5	<0.05	38	620	10700	0.69	420	5	287	
C202136	<50	11	0.18	<50	0.34	230	<5	<0.05	39	320	16800	1.38	1460	<5	145	
C202137	<50	6	0.05	<50	0.70	400	15	<0.05	81	230	80	3.63	130	<5	137	
C202138	<50	7	0.26	<50	8.88	2200	<5	<0.05	14	160	740	1.06	280	<5	227	
C202139	<50	5	0.15	<50	0.08	50	22	<0.05	9	250	4480	0.22	1120	<5	66	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 17-SEP-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08121073

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Pb-AA46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	As	Pb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOR	100	0.05	50	50	5	50	10	5	0.01	0.01
C202109		<100	<0.05	<50	<50	<5	<50	<10			
C202110		<100	<0.05	<50	<50	<5	<50	<10		20.6	
C202111		<100	<0.05	<50	<50	<5	<50	<10		21.4	
C202112		<100	<0.05	<50	<50	<5	<50	20		23.1	
C202113		<100	0.10	<50	<50	16	<50	<10			
C202114		<100	0.15	<50	<50	12	<50	10			
C202115		<100	0.51	<50	<50	189	<50	40			
C202116		<100	0.55	<50	<50	180	<50	40			
C202117		<100	0.20	<50	<50	47	<50	60			
C202118		<100	<0.05	<50	<50	<5	<50	3130	140		3.69
C202119		<100	0.08	<50	<50	75	<50	2810			
C202120		<100	<0.05	<50	<50	32	<50	60			
C202121		<100	<0.05	<50	<50	7	<50	<10			
C202122		<100	0.06	<50	<50	31	<50	<10		6.77	
C202123		<100	0.45	<50	<50	288	<50	50			
C202124		<100	<0.05	<50	<50	18	<50	90			
C202125		<100	<0.05	<50	<50	10	<50	20			
C202126		<100	0.08	<50	70	13	<50	10			
C202127		<100	0.06	<50	50	41	<50	10		1.61	
C202128		<100	<0.05	<50	<50	27	<50	20			
C202129		<100	<0.05	<50	<50	6	<50	50		2.36	
C202130		<100	0.29	<50	50	140	<50	20			
C202131		<100	<0.05	<50	<50	5	<50	<10		3.56	
C202132		<100	0.06	<50	<50	28	<50	10		3.75	
C202133		<100	0.11	<50	<50	65	<50	80			
C202134		<100	<0.05	<50	<50	10	<50	2030		3.25	
C202135		<100	0.16	<50	<50	57	<50	840			1.13
C202136		<100	0.05	<50	<50	25	<50	8160			1.77
C202137		<100	0.05	<50	<50	7	<50	60		1.27	
C202138		<100	0.07	<50	<50	29	<50	7620			
C202139		<100	<0.05	<50	<50	<5	<50	420			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 2-OCT-2008
Account: EIATYE

CERTIFICATE TR08122793

Project: TYE-08-02

P.O. No.:

This report is for 48 Rock samples submitted to our lab in Terrace, BC, Canada on 29-AUG-2008.

The following have access to data associated with this certificate:

HENRY A
JEREMY MAJOR

GENERAL EQUITY ENGINEERING

TRACY HURLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
As-AA46	Ore grade As - aqua regia/AA	AAS
Pb-AA46	Ore grade Pb - aqua regia/AA	AAS
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41a	High Grade Aqua Regia ICP-AES	ICP-AES
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: JEREMY MAJOR
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 2-OCT-2008
Account: EIATYE

Project: TYE-08-02

CERTIFICATE OF ANALYSIS TR08122793

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
C202140		1.74	0.118		5	0.97	420	140	<5	10	1.15	13	5	57	778	0.68
C202141		1.63	0.009		<1	3.16	28500	270	<5	<10	2.76	<5	11	17	19	2.76
C202142		1.37	0.022		<1	0.68	12400	90	<5	<10	<0.05	<5	16	21	34	2.82
C202143		1.68	<0.005		4	2.75	3880	190	<5	<10	2.17	<5	16	15	89	4.57
C202144		1.60	1.110	1.05	3	3.44	>100000	<50	<5	<10	2.58	<5	32	29	16	9.49
C202145		1.55	0.214		8	1.29	34200	100	<5	<10	2.81	<5	11	23	120	2.17
C202146		1.59	1.980	1.32	25	<0.05	98900	<50	<5	110	<0.05	<5	17	29	57	8.71
C202147		1.33	7.39	7.91	>200	0.16	>100000	<50	<5	280	<0.05	13	15	<5	7110	27.2
C202148		2.06	0.651		94	<0.05	1120	<50	<5	1040	<0.05	<5	<5	51	2500	1.84
C202149		0.85	0.419		50	0.19	700	<50	<5	2820	<0.05	<5	<5	20	76	0.76
C202150		1.45	0.187		9	<0.05	1090	<50	<5	240	<0.05	<5	<5	68	37	0.95
C287108		1.37	0.150		24	0.05	1340	<50	<5	210	<0.05	<5	<5	39	47	3.75
C287109		1.42	0.011		<1	2.67	80	110	<5	<10	1.05	<5	5	11	33	4.52
C287110		1.63	0.055		106	0.19	530	<50	<5	180	0.05	<5	<5	29	560	1.56
C287111		1.44	0.420		>200	0.24	180	<50	<5	6840	<0.05	16	<5	42	2630	3.00
C201101		0.71	2.39	2.37	11	0.32	19500	50	<5	40	0.07	8	11	16	510	3.09
C201102		0.85	0.009		2	2.33	150	60	<5	10	0.99	<5	13	16	38	6.29
C201103		1.34	0.020		1	0.84	41200	6610	<5	<10	0.06	<5	22	12	41	4.76
C201104		1.14	0.006		2	1.34	2680	1290	<5	<10	0.24	<5	12	11	35	3.50
C201105		1.21	0.008		1	1.01	13400	900	<5	<10	0.11	<5	13	8	43	3.62
C201106		1.60	<0.005		<1	4.48	190	190	<5	<10	1.31	<5	27	36	48	5.71
C201107		0.99	0.097		<1	0.40	4710	60	<5	10	0.07	<5	19	19	44	1.42
C201108		0.89	<0.005		<1	0.81	110	650	<5	<10	0.08	<5	<5	11	29	1.91
C201109		1.26	0.005		4	2.77	120	60	<5	<10	3.67	<5	35	11	69	7.74
C201110		1.98	0.219		<1	0.58	1570	50	<5	10	3.51	<5	13	15	648	5.26
C201111		0.98	0.149		2	0.05	10300	<50	<5	<10	<0.05	<5	<5	28	59	1.35
C201112		1.18	0.009		<1	2.95	20	270	<5	10	1.50	<5	18	20	79	4.80
C201113		1.04	1.120	1.19	10	0.30	57000	<50	<5	10	<0.05	<5	66	8	466	5.04
C201114		1.42	<0.005		<1	1.48	140	<50	<5	<10	22.8	<5	6	7	40	3.27
C201115		1.19	<0.005		<1	0.79	16700	1380	<5	<10	0.31	<5	14	<5	20	2.29
C201116		1.20	0.005		<1	0.78	11600	3310	<5	<10	0.20	6	10	10	19	2.27
C201117		1.28	0.007		<1	3.59	8050	25300	<5	<10	0.10	<5	8	16	46	2.59
C201118		0.84	0.005		3	1.43	7520	500	<5	<10	0.22	<5	19	6	30	3.86
C201119		0.99	0.019		<1	0.55	690	80	<5	20	0.07	<5	<5	16	28	0.88
C201120		1.58	1.890	2.02	>200	0.05	28200	<50	<5	1080	<0.05	<5	30	32	93	3.02
C201121		0.78	2.36	2.48	24	0.09	24800	<50	<5	80	<0.05	<5	<5	35	15	2.52
C201122		1.09	0.245		4	<0.05	33900	<50	<5	50	<0.05	<5	40	36	<5	3.36
C201123		1.43	0.104		8	0.11	280	<50	<5	260	<0.05	<5	<5	50	<5	0.58
C201124		1.56	0.051		22	0.10	50	<50	<5	470	0.78	<5	<5	32	183	0.74
C201125		1.38	>10.0	9.60	71	0.20	90	<50	<5	12750	4.36	10	<5	39	304	2.06



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 2-OCT-2008
Account: EIATYE

Project: TYE-08-02

CERTIFICATE OF ANALYSIS TR08122793

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units LOR	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
C202140		<50	8	0.17	<50	0.11	80	34	<0.05	21	410	7360	0.25	5190	<5	16
C202141		<50	12	0.13	<50	0.32	110	<5	0.09	46	510	180	1.19	680	<5	202
C202142		<50	<5	0.13	<50	0.11	360	6	<0.05	26	220	50	1.29	340	<5	20
C202143		<50	<5	0.52	<50	0.88	610	<5	0.42	19	1920	20	0.21	40	6	193
C202144		<50	<5	0.11	<50	0.34	140	<5	0.05	133	700	20	0.62	1280	<5	178
C202145		<50	<5	0.12	<50	1.12	410	14	<0.05	35	720	50	0.20	3100	<5	123
C202146		<50	5	<0.05	<50	<0.05	<30	<5	<0.05	6	<50	1420	3.70	1280	<5	10
C202147		<50	<5	0.08	<50	<0.05	<30	<5	<0.05	<5	<50	3550	12.55	2810	<5	<5
C202148		<50	<5	<0.05	<50	<0.05	40	203	<0.05	47	70	1410	0.09	160	<5	<5
C202149		<50	7	0.12	<50	<0.05	40	307	<0.05	8	60	1630	0.06	150	<5	<5
C202150		<50	<5	<0.05	<50	<0.05	40	57	<0.05	7	80	300	<0.05	60	<5	17
C287108		<50	<5	<0.05	<50	<0.05	30	20	<0.05	13	<50	440	3.17	60	<5	<5
C287109		<50	<5	0.54	<50	0.98	690	<5	0.31	13	1190	180	3.67	<10	<5	184
C287110		<50	<5	<0.05	<50	0.11	70	<5	<0.05	<5	<50	6140	0.16	60	<5	24
C287111		<50	8	0.08	<50	0.09	110	86	<0.05	14	110	12300	0.43	1150	<5	21
C201101		<50	<5	0.26	<50	<0.05	70	8	<0.05	15	190	870	0.66	40	<5	130
C201102		<50	<5	0.68	<50	0.23	230	<5	0.12	35	1300	40	6.00	<10	<5	197
C201103		<50	5	0.29	<50	0.05	300	<5	<0.05	56	480	40	2.93	290	<5	152
C201104		<50	5	0.49	<50	0.33	760	<5	<0.05	13	1290	20	1.50	20	<5	61
C201105		<50	<5	0.39	<50	0.12	510	<5	<0.05	21	650	10	1.69	970	<5	118
C201106		<50	7	0.44	<50	2.11	1260	<5	0.23	46	1930	20	2.36	<10	<5	378
C201107		<50	6	0.24	<50	<0.05	60	<5	0.06	<5	320	30	0.43	20	<5	27
C201108		<50	5	0.54	<50	<0.05	30	<5	0.09	<5	290	40	0.60	<10	<5	86
C201109		<50	7	<0.05	<50	0.10	580	<5	0.06	20	300	20	4.54	<10	<5	174
C201110		<50	<5	<0.05	<50	1.27	410	18	<0.05	52	190	60	2.85	10	<5	30
C201111		<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	<5	90	10	0.09	30	<5	<5
C201112		<50	6	0.79	<50	0.59	280	<5	0.23	<5	1710	50	2.75	20	7	283
C201113		<50	<5	0.23	<50	<0.05	<30	28	<0.05	<5	70	60	1.45	310	<5	6
C201114		<50	<5	0.05	<50	3.48	1500	<5	<0.05	7	660	20	1.04	<10	<5	313
C201115		<50	5	0.40	<50	<0.05	50	<5	<0.05	14	1460	<10	1.36	450	<5	344
C201116		<50	109	0.41	<50	<0.05	300	<5	<0.05	11	1310	50	1.44	1780	<5	324
C201117		<50	13	0.54	<50	<0.05	60	<5	0.07	30	980	70	0.85	2610	<5	307
C201118		<50	<5	0.51	<50	0.18	740	<5	<0.05	29	1710	100	1.21	1820	<5	954
C201119		<50	5	0.25	<50	<0.05	30	<5	0.13	7	110	30	<0.05	<10	<5	21
C201120		<50	<5	<0.05	<50	<0.05	30	<5	<0.05	<5	90	6460	1.05	220	<5	20
C201121		<50	7	0.06	<50	<0.05	<30	12	<0.05	7	<50	310	0.45	60	<5	35
C201122		<50	<5	<0.05	<50	<0.05	40	<5	<0.05	<5	<50	70	1.42	70	<5	5
C201123		<50	<5	0.18	<50	<0.05	100	40	<0.05	<5	<50	260	<0.05	10	<5	6
C201124		<50	<5	<0.05	<50	<0.05	330	190	<0.05	<5	<50	330	<0.05	40	<5	14
C201125		<50	<5	0.08	<50	0.29	920	475	<0.05	<5	120	2270	0.10	190	<5	78



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 2-OCT-2008
Account: EIATYE

Project: TYE-08-02

CERTIFICATE OF ANALYSIS TR08122793

Sample Description	Method Analyte Units LOR	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Pb-AA46
		Th	Ti	Ti	U	V	W	Zn	Ag	As	Pb
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		100	0.05	50	50	5	50	10	5	0.01	0.01
C202140		<100	0.09	<50	<50	15	<50	90			
C202141		<100	0.08	<50	<50	17	<50	20		2.97	
C202142		<100	<0.05	<50	<50	7	<50	10		1.27	
C202143		<100	0.52	<50	<50	151	<50	30			
C202144		<100	0.06	<50	<50	15	<50	<10		19.70	
C202145		<100	<0.05	<50	<50	12	<50	20		3.37	
C202146		<100	<0.05	<50	<50	<5	<50	<10		9.84	
C202147		<100	<0.05	<50	80	<5	<50	100	1250	>30.0	
C202148		<100	<0.05	<50	<50	5	790	80			
C202149		<100	<0.05	<50	<50	<5	210	<10			
C202150		<100	<0.05	<50	<50	<5	<50	<10			
C287108		<100	<0.05	<50	<50	<5	<50	<10			
C287109		<100	0.10	<50	<50	44	<50	100			
C287110		<100	<0.05	<50	<50	<5	<50	250	106		
C287111		<100	<0.05	<50	<50	<5	<50	100	535		1.35
C201101		<100	<0.05	<50	<50	7	<50	20		1.95	
C201102		<100	<0.05	<50	<50	15	<50	20			
C201103		<100	<0.05	<50	<50	15	<50	70		4.17	
C201104		<100	<0.05	<50	<50	17	<50	90			
C201105		<100	<0.05	<50	<50	15	<50	90		1.32	
C201106		<100	<0.05	<50	<50	60	<50	60			
C201107		<100	<0.05	<50	<50	<5	<50	<10			
C201108		<100	<0.05	<50	<50	15	<50	<10			
C201109		<100	0.07	<50	<50	12	80	70			
C201110		<100	<0.05	<50	60	9	<50	10			
C201111		<100	<0.05	<50	<50	<5	<50	<10		1.15	
C201112		<100	0.07	<50	<50	47	<50	100			
C201113		<100	<0.05	<50	<50	<5	<50	<10		5.91	
C201114		<100	<0.05	<50	<50	25	<50	20			
C201115		<100	<0.05	<50	50	8	<50	80		1.68	
C201116		<100	<0.05	<50	<50	9	<50	1080		1.12	
C201117		<100	<0.05	<50	<50	13	<50	60			
C201118		<100	0.06	<50	<50	22	<50	290			
C201119		<100	<0.05	<50	<50	5	<50	<10			
C201120		<100	<0.05	<50	<50	<5	<50	30	377	2.82	
C201121		<100	<0.05	<50	<50	<5	<50	<10		2.46	
C201122		<100	<0.05	<50	<50	<5	<50	10		3.56	
C201123		<100	<0.05	<50	<50	<5	<50	10			
C201124		<100	<0.05	<50	<50	<5	1530	20			
C201125		<100	<0.05	<50	<50	<5	1230	150			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 2-OCT-2008
Account: EIATYE

Project: TYE-08-02

CERTIFICATE OF ANALYSIS TR08122793

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41a Ag ppm	ME-ICP41a Al %	ME-ICP41a As ppm	ME-ICP41a Ba ppm	ME-ICP41a Be ppm	ME-ICP41a Bi ppm	ME-ICP41a Ca %	ME-ICP41a Cd ppm	ME-ICP41a Co ppm	ME-ICP41a Cr ppm	ME-ICP41a Cu ppm	ME-ICP41a Fe %
		0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
C201126		1.13	0.019		35	0.28	80	<50	<5	740	2.60	<5	<5	21	57	1.76
C201127		0.42	0.056		3	0.10	16250	<50	<5	50	0.22	13	10	30	877	1.99
C201128		1.01	0.009		7	0.61	20	<50	<5	20	0.69	6	9	24	1810	2.59
C201129		1.50	1.010	1.32	66	0.05	60	<50	<5	2190	0.45	7	<5	75	412	0.70
C201130		1.20	0.241		133	0.10	2170	<50	<5	2580	<0.05	70	<5	39	1310	1.29
C201131		1.49	0.999		60	0.16	17000	<50	<5	190	<0.05	13	<5	68	1300	2.26
C201132		1.55	0.183		1	2.54	10	<50	<5	30	1.69	<5	17	112	864	6.56
C201133		1.63	1.285	1.03	2	0.42	40	<50	<5	110	1.21	<5	79	5	997	15.60



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 2-OCT-2008
Account: EIATYE

Project: TYE-08-02

CERTIFICATE OF ANALYSIS TR08122793

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
Units		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
C201126		<50	<5	0.08	<50	0.38	690	377	<0.05	<5	60	1310	<0.05	180	<5	107
C201127		<50	<5	0.08	<50	<0.05	40	<5	<0.05	<5	120	230	4.77	>50000	<5	27
C201128		<50	<5	<0.05	<50	0.46	570	9	<0.05	80	50	90	0.15	60	<5	17
C201129		<50	<5	<0.05	<50	<0.05	150	199	<0.05	<5	<50	850	<0.05	330	<5	10
C201130		<50	<5	0.05	<50	<0.05	70	52	<0.05	<5	90	6890	0.12	2180	<5	63
C201131		<50	<5	0.08	<50	<0.05	30	<5	<0.05	11	120	3500	0.59	590	<5	35
C201132		<50	8	0.20	<50	3.05	750	<5	<0.05	95	560	70	2.88	10	<5	20
C201133		<50	<5	<0.05	<50	2.23	580	<5	<0.05	116	100	20	9.84	10	<5	18



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 2-OCT-2008
Account: EIATYE

Project: TYE-08-02

CERTIFICATE OF ANALYSIS TR08122793

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Pb-AA46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	As	Pb
Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
LOR	100	0.05	50	50	5	50	10	5	0.01	0.01	
C201126		<100	<0.05	<50	<50	<5	50	80			
C201127		<100	<0.05	<50	<50	7	<50	70		1.72	
C201128		<100	<0.05	<50	<50	20	2440	130			
C201129		<100	<0.05	<50	<50	<5	1200	10			
C201130		<100	<0.05	<50	<50	<5	<50	110	118		
C201131		<100	<0.05	<50	<50	5	<50	80		1.75	
C201132		<100	0.15	<50	<50	31	110	140			
C201133		<100	<0.05	<50	<50	15	250	50			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 23-OCT-2008
Account: EIATYE

CERTIFICATE TR08134921

Project: Golden Eagle

P.O. No.: TYE08-02

This report is for 44 Rock samples submitted to our lab in Terrace, BC, Canada on 22-SEP-2008.

The following have access to data associated with this certificate:

HENRY A
JEREMY MAJOR

GENERAL EQUITY ENGINEERING

TRACY HURLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
As-AA46	Ore grade As - aqua regia/AA	AAS
Pb-AA46	Ore grade Pb - aqua regia/AA	AAS
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41a	High Grade Aqua Regia ICP-AES	ICP-AES
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: JEREMY MAJOR
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 23-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08134921

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
C287112		1.58	0.056		14	0.17	150	<50	<5	2000	0.10	<5	<5	8	58	0.81
C287113		2.10	>10.0	17.05	16	0.11	>100000	<50	<5	110	<0.05	<5	72	<5	158	29.2
C287114		1.96	3.44	3.64	<1	0.73	64700	<50	<5	30	0.10	<5	11	<5	215	6.58
C287115		1.50	>10.0	11.10	5	0.05	>100000	<50	<5	80	<0.05	<5	<5	<5	549	18.85
C287116		1.63	3.86	4.11	3	0.45	75700	<50	<5	30	<0.05	<5	21	5	371	9.36
C287117		1.68	3.49	3.45	2	0.18	>100000	<50	<5	<10	<0.05	<5	26	<5	434	26.1
C287118		1.31	0.034		1	0.52	2840	120	<5	20	0.08	<5	34	11	53	2.37
C287119		1.26	0.006		1	1.28	490	100	<5	<10	1.12	<5	10	<5	168	3.57
C287120		1.56	0.221		2	3.50	29500	50	<5	10	3.23	<5	39	69	12	1.77
C287121		1.63	0.014		<1	6.19	740	200	<5	10	3.24	61	20	22	370	5.76
C287122		1.39	0.022		1	7.11	6410	410	<5	<10	3.87	<5	21	63	79	5.32
C287123		1.55	0.035		1	6.69	21000	220	<5	<10	4.70	<5	31	230	<5	4.42
C287124		1.22	0.049		61	0.95	2130	80	<5	20	1.01	110	7	7	96	4.60
C287125		1.18	1.250	1.42	3	0.10	>100000	<50	<5	10	<0.05	<5	<5	<5	35	9.65
C287126		1.15	2.51	2.57	>200	0.34	26600	<50	<5	1180	<0.05	76	<5	<5	678	2.98
C287127		1.25	0.028		<1	0.05	8180	<50	<5	20	<0.05	<5	<5	19	17	1.08
C287128		2.09	1.550	1.98	81	0.70	26500	<50	<5	40	0.09	68	85	12	1200	20.1
C287129		1.42	9.65	9.46	41	0.05	>100000	<50	<5	60	<0.05	<5	45	5	27	21.5
C287130		1.03	0.444		<1	2.71	22100	120	<5	<10	0.95	<5	32	18	229	5.33
C287131		1.35	0.034		<1	2.96	3940	50	<5	<10	2.65	<5	24	465	7	2.25
C287132		2.17	4.65	3.99	4	0.09	>100000	<50	<5	60	<0.05	<5	64	9	97	21.5
C287133		1.07	4.06	3.64	11	0.32	>100000	60	<5	60	<0.05	<5	23	7	445	12.00
C287134		1.52	2.24	2.56	2	0.07	>100000	<50	<5	20	<0.05	<5	39	8	17	14.30
C287135		1.49	3.45	3.60	9	<0.05	>100000	<50	<5	50	<0.05	<5	137	6	27	18.25
C201134		2.28	0.301		75	0.90	3090	100	<5	100	8.67	12	18	15	163	5.08
C201135		1.53	0.038		2	<0.05	850	<50	<5	<10	<0.05	<5	<5	25	14	0.65
C201136		1.33	0.006		2	1.28	730	220	<5	<10	1.57	<5	12	20	230	2.09
C201137		1.18	0.061		1	0.48	2560	<50	<5	<10	1.08	<5	7	19	502	3.98
C201138		1.30	0.006		1	0.53	710	130	<5	10	2.60	<5	12	21	222	2.02
C201139		1.48	0.009		1	4.91	230	190	<5	10	6.77	<5	15	27	114	3.25
C201140		1.31	<0.005		1	0.21	240	100	<5	50	5.31	17	<5	10	33	0.60
C201141		1.19	<0.005		<1	4.34	470	230	<5	10	3.25	<5	9	20	27	4.62
C201142		0.98	<0.005		1	7.69	300	170	<5	<10	12.75	<5	<5	51	12	0.88
C201143		0.83	4.12	4.27	47	0.56	>100000	<50	<5	30	0.09	21	<5	5	167	12.20
C201144		1.43	2.69	2.62	115	0.07	>100000	<50	<5	240	<0.05	<5	78	<5	68	21.3
C201145		0.85	5.26	5.22	179	<0.05	>100000	<50	<5	340	<0.05	<5	<5	5	56	16.80
C201146		0.83	4.65	5.15	>200	0.34	87500	<50	<5	150	<0.05	17	7	6	147	7.29
C201147		1.07	1.080	1.15	25	0.51	52700	<50	<5	80	<0.05	6	<5	6	221	4.84
C201148		1.14	1.365	1.35	72	<0.05	>100000	<50	<5	70	<0.05	<5	<5	<5	82	23.7
C201149		0.97	0.171		13	0.14	15100	<50	<5	90	<0.05	<5	<5	14	19	1.50

Comments: 2nd Au-Gra21 result of C287132 is 2.89 ppm



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 23-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08134921

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
Units	ppm	ppm	%	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR	50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5	
C287112	<50	<5	0.11	<50	<0.05	120	<5	<0.05	<5	120	260	0.15	530	<5	<5	
C287113	<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	25	60	150	13.60	910	<5	<5	
C287114	<50	<5	0.29	<50	0.12	60	<5	<0.05	<5	530	10	3.25	130	<5	<5	
C287115	<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	<5	<50	<10	5.69	110	<5	<5	
C287116	<50	<5	0.20	<50	0.05	60	<5	<0.05	5	140	10	5.57	170	<5	<5	
C287117	<50	<5	0.05	<50	<0.05	30	<5	<0.05	<5	<50	10	11.90	580	<5	<5	
C287118	<50	<5	0.24	<50	0.06	40	23	0.05	219	480	150	1.04	120	<5	14	
C287119	<50	<5	<0.05	<50	0.40	230	<5	0.05	36	190	<10	1.94	<10	<5	78	
C287120	<50	<5	0.06	<50	0.27	110	<5	0.12	484	800	<10	0.27	170	<5	407	
C287121	<50	<5	1.05	<50	1.24	960	<5	0.11	33	780	170	2.63	10	20	155	
C287122	<50	<5	1.11	<50	1.38	850	<5	0.13	63	1150	90	1.26	20	17	271	
C287123	<50	<5	0.79	<50	1.44	660	<5	0.14	104	1130	<10	0.92	10	7	429	
C287124	<50	<5	0.19	<50	0.28	1090	<5	<0.05	<5	630	9020	2.54	150	<5	14	
C287125	<50	<5	<0.05	<50	<0.05	30	<5	<0.05	<5	<50	100	3.73	330	<5	43	
C287126	<50	<5	0.22	<50	<0.05	70	<5	<0.05	<5	<50	>50000	6.99	>50000	<5	103	
C287127	<50	<5	<0.05	<50	<0.05	<30	12	<0.05	<5	130	110	0.25	220	<5	<5	
C287128	<50	<5	<0.05	<50	0.30	260	6	0.08	67	<50	3050	17.15	390	<5	11	
C287129	<50	6	<0.05	<50	<0.05	<30	<5	0.05	<5	<50	90	9.96	2040	<5	<5	
C287130	<50	<5	0.51	<50	0.67	540	9	0.12	27	300	100	2.96	110	6	183	
C287131	<50	<5	0.24	<50	0.75	240	<5	0.10	99	1580	<10	0.17	10	<5	224	
C287132	<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	<5	70	40	9.93	1490	<5	18	
C287133	<50	<5	0.16	<50	<0.05	<30	25	0.06	<5	180	90	1.55	570	<5	67	
C287134	<50	7	<0.05	<50	<0.05	<30	<5	0.06	<5	50	10	7.01	1090	<5	11	
C287135	<50	6	<0.05	<50	<0.05	<30	<5	<0.05	<5	<50	<10	9.41	1590	<5	13	
C201134	<50	10	0.26	<50	3.76	1480	<5	<0.05	38	580	29400	4.04	15950	7	373	
C201135	<50	6	<0.05	<50	<0.05	<30	306	0.07	6	<50	70	0.16	60	<5	5	
C201136	<50	6	0.06	<50	0.52	240	<5	0.10	17	420	120	0.77	50	<5	149	
C201137	<50	5	<0.05	<50	1.19	160	21	0.07	33	110	40	2.36	30	<5	17	
C201138	<50	5	0.05	<50	0.79	390	<5	0.07	96	130	30	0.79	10	<5	95	
C201139	<50	<5	<0.05	<50	0.45	660	36	0.20	36	1190	<10	1.60	10	<5	490	
C201140	<50	5	<0.05	<50	1.49	400	<5	<0.05	11	440	<10	0.27	<10	<5	205	
C201141	<50	6	0.30	<50	0.82	620	<5	0.47	15	740	<10	2.63	10	7	330	
C201142	<50	7	<0.05	<50	0.48	450	<5	0.27	16	1160	<10	0.15	90	<5	1355	
C201143	<50	6	0.26	<50	<0.05	<30	14	0.07	<5	<50	7080	0.52	440	<5	174	
C201144	<50	<5	<0.05	<50	<0.05	<30	<5	0.06	<5	<50	1710	8.33	1320	<5	27	
C201145	<50	<5	<0.05	<50	<0.05	<30	<5	0.06	<5	<50	710	3.18	1500	<5	31	
C201146	<50	6	0.23	<50	<0.05	<30	7	0.07	<5	<50	27400	2.56	10200	<5	28	
C201147	<50	5	0.36	<50	<0.05	<30	<5	0.07	<5	<50	400	0.27	170	<5	380	
C201148	<50	<5	<0.05	<50	<0.05	<30	<5	0.05	<5	<50	390	9.85	760	<5	27	
C201149	<50	5	<0.05	<50	<0.05	<30	<5	0.07	<5	80	470	0.14	320	<5	36	

Comments: 2nd Au-Gra21 result of C287132 is 2.89 ppm



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 23-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08134921

Sample Description	Method Analyte Units LOR	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Pb-AA46
		Th	Ti	Ti	U	V	W	Zn	Ag	As	Pb
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		100	0.05	50	50	5	50	10	5	0.01	0.01
C287112		<100	<0.05	<50	<50	<5	<50	10			
C287113		<100	<0.05	<50	<50	<5	<50	160		>30.0	
C287114		<100	<0.05	<50	<50	5	<50	10		6.35	
C287115		<100	<0.05	<50	<50	<5	<50	<10		23.5	
C287116		<100	<0.05	<50	<50	<5	<50	20		7.76	
C287117		<100	<0.05	<50	<50	<5	<50	10		>30.0	
C287118		<100	<0.05	<50	<50	<5	<50	500			
C287119		<100	<0.05	<50	<50	5	<50	10			
C287120		<100	0.10	<50	<50	13	<50	<10		2.83	
C287121		<100	0.24	<50	<50	182	<50	3930			
C287122		<100	0.28	<50	<50	140	<50	210			
C287123		<100	0.29	<50	<50	121	<50	110		1.97	
C287124		<100	<0.05	<50	<50	13	<50	5930			
C287125		<100	<0.05	<50	<50	<5	<50	20		11.25	
C287126		<100	<0.05	<50	<50	<5	<50	60	274	2.52	13.85
C287127		<100	<0.05	<50	<50	<5	<50	20			
C287128		<100	<0.05	<50	<50	5	<50	1670		2.55	
C287129		<100	<0.05	<50	<50	<5	<50	10		28.0	
C287130		<100	<0.05	<50	<50	39	<50	60		2.13	
C287131		<100	0.20	<50	<50	54	<50	50			
C287132		<100	<0.05	<50	<50	<5	<50	<10		28.0	
C287133		<100	<0.05	<50	<50	6	<50	20		13.60	
C287134		<100	<0.05	<50	<50	<5	<50	<10		17.45	
C287135		<100	<0.05	<50	<50	<5	<50	<10		22.8	
C201134		<100	<0.05	<50	<50	37	520	80			3.16
C201135		<100	<0.05	<50	<50	<5	<50	<10			
C201136		<100	0.15	<50	<50	16	<50	20			
C201137		<100	<0.05	<50	<50	<5	<50	20			
C201138		<100	0.08	<50	<50	16	<50	50			
C201139		<100	0.13	<50	<50	44	<50	30			
C201140		<100	<0.05	<50	<50	17	<50	1430			
C201141		<100	<0.05	<50	<50	82	<50	50			
C201142		<100	0.21	<50	<50	66	<50	80			
C201143		<100	<0.05	<50	<50	<5	<50	230		15.05	
C201144		<100	<0.05	<50	<50	<5	<50	20	111	26.5	
C201145		<100	<0.05	<50	<50	<5	<50	10	165	21.5	
C201146		<100	<0.05	<50	70	<5	<50	30	191	8.81	2.75
C201147		<100	<0.05	<50	<50	<5	<50	80		5.06	
C201148		<100	<0.05	<50	<50	<5	<50	10		29.4	
C201149		<100	<0.05	<50	<50	<5	<50	10		1.38	

Comments: 2nd Au-Gra21 result of C287132 is 2.89 ppm



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 23-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08134921

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41a Ag ppm	ME-ICP41a Al %	ME-ICP41a As ppm	ME-ICP41a Ba ppm	ME-ICP41a Be ppm	ME-ICP41a Bi ppm	ME-ICP41a Ca %	ME-ICP41a Cd ppm	ME-ICP41a Co ppm	ME-ICP41a Cr ppm	ME-ICP41a Cu ppm	ME-ICP41a Fe %
		0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
C201150		1.54	1.225	1.42	172	1.01	>100000	70	<5	800	<0.05	10	8	12	1770	13.55
C286616		0.93	0.306		125	0.48	32200	80	<5	20	<0.05	6	6	12	149	2.99
C286617		0.96	0.039		3	0.54	10800	70	<5	20	<0.05	10	12	13	30	1.44
C286618		0.99	1.240	1.33	64	0.67	>100000	80	<5	60	<0.05	9	7	8	160	10.95

Comments: 2nd Au-Gra21 result of C287132 is 2.89 ppm



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 23-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08134921

Method Analyte Units LOR	ME-ICP41a Ga ppm 50	ME-ICP41a Hg ppm 5	ME-ICP41a K % 0.05	ME-ICP41a La ppm 50	ME-ICP41a Mg % 0.05	ME-ICP41a Mn ppm 30	ME-ICP41a Mo ppm 5	ME-ICP41a Na % 0.05	ME-ICP41a Ni ppm 5	ME-ICP41a P ppm 50	ME-ICP41a Pb ppm 10	ME-ICP41a S % 0.05	ME-ICP41a Sb ppm 10	ME-ICP41a Sc ppm 5	ME-ICP41a Sr ppm 5
Sample Description															
C201150	<50	7	0.57	<50	0.09	<30	<5	0.06	5	450	6100	5.24	1080	<5	93
C286616	<50	8	0.29	<50	<0.05	<30	<5	0.08	<5	<50	11400	0.82	140	<5	63
C286617	<50	<5	0.36	<50	0.06	<30	<5	0.07	7	<50	100	0.32	40	<5	101
C286618	<50	<5	0.47	<50	0.05	40	12	<0.05	11	290	5040	1.64	460	<5	11

Comments: 2nd Au-Gra21 result of C287132 is 2.89 ppm



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 23-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08134921

Method Analyte Units LOR	ME-ICP41a Th ppm	ME-ICP41a Ti %	ME-ICP41a Tl ppm	ME-ICP41a U ppm	ME-ICP41a V ppm	ME-ICP41a W ppm	ME-ICP41a Zn ppm	Ag-GRA21 Ag ppm	As-AA46 As %	Pb-AA46 Pb %
Sample Description	100	0.05	50	50	5	50	10	5	0.01	0.01
C201150	<100	<0.05	<50	<50	22	<50	130	167	16.10	
C286616	<100	<0.05	<50	<50	<5	<50	200	115	3.02	1.16
C286617	<100	<0.05	<50	<50	<5	<50	100		1.06	
C286618	<100	<0.05	<50	<50	7	<50	220		13.20	

Comments: 2nd Au-Gra21 result of C287132 is 2.89 ppm



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 13-OCT-2008
Account: EIATYE

CERTIFICATE TR08136425

Project: Golden Eagle

P.O. No.: TYE08-02

This report is for 1 Drill Core sample submitted to our lab in Terrace, BC, Canada on 25-SEP-2008.

The following have access to data associated with this certificate:

HENRY A
JEREMY MAJOR

GENERAL EQUITY ENGINEERING

TRACY HURLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
SCR-21	Screen to -100 um
LOG-22	Sample login - Rcd w/o BarCode
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: JEREMY MAJOR
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 2 - A

Total # Pages: 2 (A)

Finalized Date: 13-OCT-2008

Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08136425

Sample Description	Method	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
	Analyte	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
	Units	ppm	ppm	ppm	mg	g	g	ppm	ppm
	LOR	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
C202110		13.75	12.70	13.85	0.533	41.98	889.9	13.85	13.80



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 25-OCT-2008

Account: EIATYE

CERTIFICATE TR08143883

Project: Golden Eagle

P.O. No.: TYE08-02

This report is for 1 Other sample submitted to our lab in Terrace, BC, Canada on 8-OCT-2008.

The following have access to data associated with this certificate:

HENRY A
JEREMY MAJOR

GENERAL EQUITY ENGINEERING

TRACY HURLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
SPL-21	Split sample - riffle splitter
LOG-22	Sample login - Rcd w/o BarCode
SCR-21	Screen to -100 um
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: EQUITY EXPLORATION CONSULTANTS LTD.

ATTN: JEREMY MAJOR

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 25-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08143883

Sample Description	Method	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
	Analyte	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
Units		ppm	ppm	ppm	mg	g	g	ppm	ppm
LOR		0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
C201125		10.05	14.30	9.87	0.589	41.19	855.1	9.90	9.84



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 3-DEC-2008

Account: EIATYE

CERTIFICATE TR08162381

Project: Golden Eagle

P.O. No.: TYE08-02

This report is for 2 Crushed Rock samples submitted to our lab in Terrace, BC, Canada on 10-NOV-2008.

The following have access to data associated with this certificate:

HENRY A
JEREMY MAJOR

GENERAL EQUITY ENGINEERING

TRACY HURLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
SPL-21	Split sample - riffle splitter
LOG-22	Sample login - Rcd w/o BarCode
PUL-32	Pulverize 1000g to 85% < 75 um
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: EQUITY EXPLORATION CONSULTANTS LTD.

ATTN: JEREMY MAJOR

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 2 - A

Total # Pages: 2 (A)

Plus Appendix Pages

Finalized Date: 3-DEC-2008

Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08162381

Sample Description	Method Analyte Units LOR	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
		ppm	ppm	ppm	mg	g	g	ppm	ppm
		0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
C287113		18.00	24.1	17.80	0.784	32.57	889.3	18.70	16.85
C287115		NSS	NSS	NSS	NSS	NSS	NSS	10.10	10.40



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 3-DEC-2008

Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08162381

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 27-NOV-2008
Account: EIATYE

CERTIFICATE VA08135717

Project: TYE08-02

P.O. No.:

This report is for 1 Rock sample submitted to our lab in Vancouver, BC, Canada on 19-NOV-2008.

The following have access to data associated with this certificate:

HENRY A
JEREMY MAJOR

GENERAL EQUITY ENGINEERING

TRACY HURLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
As-AA46	Ore grade As - aqua regia/AA	AAS
ME-XRF10	Fusion XRF - Ore Grade	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41a	High Grade Aqua Regia ICP-AES	ICP-AES

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: JEREMY MAJOR
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 27-NOV-2008
Account: EIATYE

Project: TYE08-02

CERTIFICATE OF ANALYSIS VA08135717

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41a Ag ppm	ME-ICP41a Al %	ME-ICP41a As ppm	ME-ICP41a Ba ppm	ME-ICP41a Be ppm	ME-ICP41a Bi ppm	ME-ICP41a Ca %	ME-ICP41a Cd ppm	ME-ICP41a Co ppm	ME-ICP41a Cr ppm	ME-ICP41a Cu ppm	ME-ICP41a Fe %	ME-ICP41a Ga ppm
Sample Description	0.02	0.005	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05	50
G0672501	0.36	0.407	1	0.29	17050	<50	<5	10	0.11	<5	<5	11	<5	0.91	<50



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 27-NOV-2008
Account: EIATYE

Project: TYE08-02

CERTIFICATE OF ANALYSIS VA08135717

Method Analyte Units LOR	ME-ICP41a Hg ppm 5	ME-ICP41a K % 0.05	ME-ICP41a La ppm 50	ME-ICP41a Mg % 0.05	ME-ICP41a Mn ppm 30	ME-ICP41a Mo ppm 5	ME-ICP41a Na % 0.05	ME-ICP41a Ni ppm 5	ME-ICP41a P ppm 50	ME-ICP41a Pb ppm 10	ME-ICP41a S % 0.05	ME-ICP41a Sb ppm 10	ME-ICP41a Sc ppm 5	ME-ICP41a Sr ppm 5	ME-ICP41a Th ppm 100
Sample Description															
G0672501	<5	0.20	<50	<0.05	150	<5	0.05	<5	220	10	<0.05	520	<5	10	<100



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 27-NOV-2008
Account: EIATYE

Project: TYE08-02

CERTIFICATE OF ANALYSIS VA08135717

Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	As-AA46	ME-XRF10	ME-XRF10
Analyte	Ti	Tl	U	V	W	Zn	As	Sn	W
Units	%	ppm	ppm	ppm	ppm	ppm	%	%	%
LOR	0.05	50	50	5	50	10	0.01	0.01	0.01
G0672501	<0.05	<50	<50	<5	<50	<10	1.70	0.01	<0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 4-DEC-2008
Account: EIATYE

CERTIFICATE TR08165475

Project: TYE-08-02

P.O. No.: TYE08-02

This report is for 1 Rock sample submitted to our lab in Terrace, BC, Canada on 19-NOV-2008.

The following have access to data associated with this certificate:

HENRY A
JEREMY MAJOR

GENERAL EQUITY ENGINEERING

TRACY HURLEY

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-XRF10	Fusion XRF - Ore Grade	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: JEREMY MAJOR
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 2 - A

Total # Pages: 2 (A)

Finalized Date: 4-DEC-2008

Account: EIATYE

Project: TYE-08-02

CERTIFICATE OF ANALYSIS TR08165475

Sample Description	Method	ME-XRF10	ME-XRF10
	Analyte	Sn	W
Units	%	%	
LOR	0.01	0.01	
C201129		<0.01	1.69

Appendix H: Laboratory Certificates of
Analysis (Core)



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 8-SEP-2008
Account: EIATYE

CERTIFICATE TR08114604

Project: Golden Eagle TYE08-02

P.O. No.:

This report is for 25 Drill Core samples submitted to our lab in Terrace, BC, Canada on 14-AUG-2008.

The following have access to data associated with this certificate:

HENRY A
JEREMY MAJOR

GENERAL EQUITY ENGINEERING

TRACY HURLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM
As-AA46	Ore grade As - aqua regia/AA	AAS
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41a	High Grade Aqua Regia ICP-AES	ICP-AES

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: JEREMY MAJOR
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 8-SEP-2008
Account: EIATYE

Project: Golden Eagle TYE08-02

CERTIFICATE OF ANALYSIS TR08114604

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
C287251		0.78	<0.005		2	2.86	40	700	<5	10	2.27	<5	14	27	66	4.04
C287252		3.09	<0.005		4	1.26	50	1070	<5	<10	1.33	<5	5	24	27	1.83
C287253		0.89	0.213		1	2.24	380	230	<5	20	2.06	<5	30	<5	216	5.40
C287254		1.18	0.006		1	4.40	460	270	<5	20	2.67	<5	15	6	43	5.60
C287255		1.38	<0.005		1	2.99	20	290	<5	20	2.15	<5	18	25	36	3.38
C287256		1.35	<0.005		<1	3.96	<10	130	<5	<10	3.30	<5	37	47	122	3.66
C287257		1.15	<0.005		<1	5.70	170	280	<5	<10	1.69	<5	24	71	78	7.61
C287258		1.17	0.045		3	5.13	6510	140	6	<10	3.19	<5	16	107	196	8.15
C287259		0.81	1.095	1.10	2	1.60	>100000	120	<5	<10	1.32	<5	23	<5	<5	12.40
C287260		0.07	>10.0	11.80	>200	1.28	2220	100	<5	<10	3.69	31	139	33	>50000	10.25
C287261		1.97	1.700	1.76	<1	1.02	>100000	100	<5	<10	0.60	<5	9	<5	540	10.95
C287262		0.97	0.193		<1	1.05	37500	110	<5	<10	0.36	<5	<5	<5	38	4.40
C287263		1.36	0.010		<1	0.95	1900	120	<5	<10	0.46	<5	<5	8	12	1.22
C287264		2.14	<0.005		<1	0.95	250	100	<5	<10	0.60	<5	<5	9	<5	1.11
C287265		0.05	<0.005		<1	<0.05	10	<50	<5	<10	<0.05	<5	<5	<5	<5	<0.05
C287266		1.19	0.008		<1	1.46	50	90	<5	<10	0.75	<5	<5	8	9	1.86
C287267		0.74	<0.005		<1	1.30	20	70	<5	<10	0.96	<5	<5	9	<5	1.89
C287268		1.30	<0.005		1	1.26	30	80	<5	<10	0.63	<5	<5	9	31	2.15
C287269		1.93	<0.005		<1	1.40	10	70	<5	<10	0.85	<5	<5	7	<5	1.81
C287270		0.07	>10.0	11.35	>200	1.32	620	100	<5	80	3.77	32	142	33	>50000	10.45
C287271		0.85	0.011		<1	1.24	940	110	<5	<10	0.88	<5	<5	9	565	1.96
C287272		1.88	<0.005		<1	1.35	50	110	<5	<10	0.83	<5	<5	8	47	2.01
C287273		1.72	<0.005		<1	2.54	40	190	<5	<10	3.29	<5	11	99	23	3.42
C287274		2.21	<0.005		2	4.13	40	490	<5	<10	2.18	<5	23	12	200	4.53
C287275		1.99	<0.005		2	3.31	20	500	<5	<10	2.55	<5	31	12	403	5.43



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 8-SEP-2008
Account: EIATYE

Project: Golden Eagle TYE08-02

CERTIFICATE OF ANALYSIS TR08114604

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
Units	ppm	ppm	%	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR	50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5	
C287251	<50	<5	0.57	<50	1.74	1040	<5	0.24	27	810	<10	0.21	<10	12	97	
C287252	<50	<5	0.36	<50	0.68	550	6	0.06	12	430	<10	0.12	<10	5	45	
C287253	<50	<5	0.92	<50	1.07	950	6	0.16	<5	2740	50	0.95	10	8	43	
C287254	<50	<5	0.99	<50	1.41	1020	<5	0.49	<5	2580	<10	0.53	30	11	111	
C287255	<50	<5	0.84	<50	1.07	1020	8	0.39	6	690	10	0.54	<10	8	191	
C287256	<50	<5	0.36	<50	0.75	870	<5	0.56	54	760	30	0.49	10	6	261	
C287257	<50	5	4.07	<50	4.75	1790	<5	0.17	9	890	20	0.10	<10	25	67	
C287258	<50	<5	1.56	<50	3.50	2140	<5	0.07	32	790	80	0.49	20	20	98	
C287259	<50	<5	0.68	<50	0.46	590	<5	0.05	<5	430	<10	6.18	220	<5	50	
C287260	<50	9	0.25	60	0.68	2510	<5	0.10	101	2650	400	1.15	3690	5	394	
C287261	<50	<5	0.61	<50	0.13	190	<5	0.05	<5	380	10	5.76	250	<5	32	
C287262	<50	<5	0.61	<50	0.12	150	<5	0.09	<5	410	<10	2.35	70	<5	14	
C287263	<50	<5	0.46	<50	0.19	220	<5	0.09	<5	330	10	0.20	<10	<5	25	
C287264	<50	7	0.38	<50	0.20	280	<5	0.09	<5	330	<10	0.10	<10	<5	26	
C287265	<50	11	<0.05	<50	<0.05	<30	<5	<0.05	<5	<50	<10	0.05	10	<5	<5	
C287266	<50	5	0.35	<50	0.43	440	<5	0.24	<5	620	<10	0.27	<10	<5	66	
C287267	<50	<5	0.25	<50	0.44	470	<5	0.20	<5	640	<10	0.26	<10	<5	68	
C287268	<50	5	0.32	<50	0.44	390	<5	0.20	<5	610	<10	0.44	<10	<5	61	
C287269	<50	<5	0.30	<50	0.44	520	<5	0.22	<5	640	20	0.17	10	<5	61	
C287270	<50	10	0.25	60	0.70	2560	<5	0.10	99	2720	430	1.17	3840	5	403	
C287271	<50	7	0.30	<50	0.41	430	<5	0.20	<5	660	20	0.24	20	<5	61	
C287272	<50	<5	0.32	<50	0.45	450	<5	0.24	<5	640	10	0.20	<10	<5	77	
C287273	<50	<5	0.85	<50	0.96	820	<5	0.13	14	770	20	0.13	<10	8	94	
C287274	<50	<5	0.75	<50	0.85	680	<5	0.51	<5	1250	<10	0.88	<10	13	300	
C287275	<50	<5	0.80	<50	1.16	780	<5	0.23	<5	1260	<10	1.25	<10	14	172	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 8-SEP-2008
Account: EIATYE

Project: Golden Eagle TYE08-02

CERTIFICATE OF ANALYSIS TR08114604

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Cu-AA46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	As	Cu
Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
LOR	100	0.05	50	50	5	50	10	5	0.01	0.01	
C287251	<100	0.24	<50	<50	166	<50	120				
C287252	<100	0.07	<50	<50	60	<50	70				
C287253	<100	0.57	<50	<50	125	80	90				
C287254	<100	0.54	<50	<50	146	<50	90				
C287255	<100	0.29	<50	<50	77	<50	100				
C287256	<100	0.28	<50	<50	98	70	130				
C287257	<100	0.32	<50	<50	211	<50	210				
C287258	<100	0.08	<50	<50	168	<50	280				
C287259	<100	<0.05	<50	<50	13	<50	10		12.80		
C287260	<100	0.45	<50	<50	730	50	1590	350		5.27	
C287261	<100	<0.05	<50	<50	10	<50	10		12.60		
C287262	<100	<0.05	<50	<50	<5	<50	<10		4.06		
C287263	<100	<0.05	<50	<50	5	<50	10				
C287264	<100	<0.05	<50	<50	5	<50	10				
C287265	<100	<0.05	<50	<50	<5	<50	<10				
C287266	<100	0.13	<50	<50	28	<50	30				
C287267	<100	0.12	<50	<50	30	<50	30				
C287268	<100	0.13	<50	<50	26	<50	30				
C287269	<100	0.14	<50	<50	28	<50	40				
C287270	<100	0.46	<50	<50	747	<50	1640	379		5.35	
C287271	<100	0.12	<50	<50	37	<50	60				
C287272	<100	0.14	<50	<50	28	<50	40				
C287273	<100	0.17	<50	<50	67	<50	60				
C287274	<100	0.30	<50	<50	103	<50	60				
C287275	<100	0.31	<50	<50	94	<50	80				



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 21-SEP-2008
Account: EIATYE

CERTIFICATE TR08116372

Project: Golden Eagle TYE08-02

P.O. No.:

This report is for 98 Drill Core samples submitted to our lab in Terrace, BC, Canada on 19-AUG-2008.

The following have access to data associated with this certificate:

HENRY A
JEREMY MAJOR

GENERAL EQUITY ENGINEERING

TRACY HURLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
As-AA46	Ore grade As - aqua regia/AA	AAS
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41a	High Grade Aqua Regia ICP-AES	ICP-AES

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: JEREMY MAJOR
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 21-SEP-2008
Account: EIATYE

Project: Golden Eagle TYE08-02

CERTIFICATE OF ANALYSIS TR08116372

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
C287276		0.79	0.010		<1	2.93	130	190	<5	<10	1.70	<5	6	11	28	2.85
C287277		0.84	<0.005		<1	2.86	70	140	<5	<10	1.77	<5	5	13	21	2.86
C287278		1.32	<0.005		<1	2.07	290	330	<5	<10	1.37	<5	11	52	<5	2.79
C287279		1.93	0.007		1	2.41	610	260	<5	<10	2.09	<5	14	64	11	3.92
C287280		0.04	0.012		<1	<0.05	10	<50	<5	<10	<0.05	<5	<5	<5	17	<0.05
C287281		1.88	0.010		<1	2.51	1030	120	<5	<10	2.21	<5	20	9	50	5.87
C287282		2.33	<0.005		<1	2.38	40	160	<5	<10	2.01	<5	16	<5	38	5.70
C287283		2.04	0.006		<1	2.45	40	220	<5	<10	1.45	<5	12	42	48	4.43
C287284		0.82	0.005		<1	2.69	190	130	<5	<10	1.95	<5	17	80	233	4.20
C287285		2.62	<0.005		<1	3.01	10	170	<5	<10	1.38	<5	18	64	16	3.69
C287286		2.19	0.008		<1	1.32	10	80	<5	<10	2.20	<5	10	39	7	1.75
C287287		2.02	0.011		2	5.97	70	620	<5	<10	3.19	<5	27	36	110	6.80
C287288		1.78	0.011		<1	5.46	<10	440	<5	<10	1.45	<5	25	25	25	7.21
C287289		2.22	0.008		1	4.26	30	120	<5	10	1.33	<5	20	61	172	6.54
C287290		0.98	0.007		<1	4.27	40	110	<5	<10	1.38	<5	18	29	207	6.46
C287291		2.32	<0.005		<1	3.46	10	140	<5	<10	0.72	<5	23	18	55	7.49
C287292		1.97	0.006		<1	2.29	40	250	<5	10	0.69	<5	15	29	137	4.50
C287293		1.83	0.005		<1	2.32	30	220	<5	10	1.62	<5	13	56	26	2.76
C287294		2.38	0.013		2	5.66	50	280	<5	<10	3.83	<5	25	52	118	5.59
C287295		0.76	<0.005		2	2.17	80	90	<5	<10	2.53	<5	13	12	539	3.62
C287296		0.77	<0.005		<1	3.16	20	410	<5	<10	1.42	<5	5	12	59	4.47
C287297		2.05	<0.005		1	2.58	<10	240	<5	<10	1.63	<5	10	11	75	3.92
C287298		2.01	0.009		<1	3.07	90	300	<5	10	1.62	<5	10	13	40	4.07
C287299		2.50	0.009		<1	3.06	260	300	<5	<10	1.29	<5	12	12	82	4.19
C287300		0.06	>10.0	12.05	>200	1.28	580	100	<5	<10	3.87	31	147	33	>50000	10.60
C287301		1.65	0.057		<1	2.83	28300	310	<5	10	0.77	<5	7	12	762	6.02
C287302		1.03	0.480		1	1.82	79700	160	<5	30	0.84	<5	13	8	37	9.18
C287303		2.09	0.013		1	2.76	2730	190	<5	10	1.59	<5	11	12	14	3.92
C287304		2.19	0.007		1	2.56	180	170	<5	<10	1.68	<5	9	12	9	3.61
C287305		2.31	<0.005		2	2.34	30	140	<5	<10	1.47	<5	7	11	35	3.35
C287306		2.75	<0.005		1	2.30	<10	160	<5	<10	1.33	<5	8	11	23	3.32
C287307		1.02	0.152		1	2.21	10900	200	<5	<10	1.14	<5	6	11	36	4.12
C287308		1.25	0.010		1	2.30	610	210	<5	10	1.00	<5	7	13	45	3.58
C287309		0.61	<0.005		2	0.80	250	60	<5	<10	0.50	<5	<5	8	<5	1.13
C287310		0.55	<0.005		3	0.88	380	80	<5	<10	0.41	<5	<5	6	<5	1.34
C287311		1.52	0.005		5	0.74	60	60	<5	<10	0.64	<5	<5	8	<5	1.14
C287312		1.57	<0.005		<1	0.81	20	70	<5	<10	0.65	<5	<5	15	<5	1.21
C287313		2.31	0.007		<1	0.77	230	80	<5	<10	0.73	<5	<5	10	<5	1.10
C287314		1.28	0.056		1	0.62	6900	50	<5	<10	1.16	<5	5	6	<5	1.71
C287315		1.96	0.005		<1	0.70	380	70	<5	<10	0.60	<5	<5	6	7	1.03



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 21-SEP-2008
Account: EIATYE

Project: Golden Eagle TYE08-02

CERTIFICATE OF ANALYSIS TR08116372

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
C287276		<50	<5	0.94	<50	0.84	470	<5	0.46	<5	1570	<10	0.17	<10	5	140
C287277		<50	<5	0.93	<50	0.94	530	<5	0.46	13	1600	<10	0.15	<10	<5	117
C287278		<50	<5	0.85	<50	1.14	550	<5	0.26	10	1270	<10	0.05	<10	6	62
C287279		<50	<5	0.84	<50	1.64	680	<5	0.21	12	1190	<10	0.10	<10	11	80
C287280		<50	<5	<0.05	<50	<0.05	<30	<5	0.05	<5	<50	<10	<0.05	<10	<5	11
C287281		<50	6	0.60	<50	1.31	700	<5	0.15	<5	2670	10	0.23	<10	11	72
C287282		<50	<5	1.00	<50	1.20	670	<5	0.18	<5	2900	<10	0.14	<10	9	75
C287283		<50	7	1.20	<50	1.43	650	<5	0.23	15	1720	<10	0.13	<10	8	75
C287284		<50	<5	1.03	<50	1.83	690	<5	0.20	211	1150	30	0.08	<10	10	92
C287285		<50	<5	1.32	<50	1.45	580	<5	0.35	23	1170	<10	0.06	<10	7	110
C287286		<50	<5	0.22	<50	0.69	450	<5	0.24	<5	1110	<10	0.06	<10	5	98
C287287		<50	<5	2.08	<50	2.24	840	<5	0.22	12	1650	<10	0.26	10	19	204
C287288		<50	<5	1.68	<50	2.10	630	<5	0.15	10	2070	<10	0.18	<10	15	111
C287289		<50	<5	0.53	<50	1.05	510	<5	0.19	23	1660	<10	0.62	<10	8	98
C287290		<50	8	0.52	<50	0.99	500	<5	0.20	10	2060	<10	0.69	<10	7	103
C287291		<50	<5	0.54	<50	0.98	430	<5	0.14	<5	1940	<10	0.81	<10	10	66
C287292		<50	<5	0.94	<50	0.70	360	<5	0.11	29	870	<10	0.55	<10	6	60
C287293		<50	<5	0.88	<50	1.08	460	<5	0.27	39	1100	<10	0.05	<10	6	197
C287294		<50	<5	0.87	<50	1.45	860	<5	0.33	60	860	20	0.67	10	10	272
C287295		<50	<5	0.33	<50	1.13	790	<5	0.12	499	1650	30	0.05	20	7	93
C287296		<50	<5	1.55	<50	1.48	840	<5	0.24	41	1700	<10	0.46	<10	9	152
C287297		50	<5	1.19	<50	1.27	720	<5	0.20	31	1560	<10	0.47	<10	7	99
C287298		50	<5	1.48	<50	1.42	800	<5	0.25	37	1600	<10	0.18	<10	9	94
C287299		<50	<5	1.72	<50	1.55	750	<5	0.23	32	1620	<10	0.23	<10	10	99
C287300		<50	16	0.26	70	0.72	2580	<5	<0.05	131	2790	420	1.15	4080	5	397
C287301		<50	<5	2.32	<50	2.12	600	<5	0.12	23	2270	<10	1.29	30	9	16
C287302		<50	7	1.37	<50	1.41	490	<5	<0.05	34	1510	10	3.59	50	9	19
C287303		<50	6	1.17	<50	1.40	770	<5	0.22	27	1570	<10	0.18	<10	10	97
C287304		<50	<5	0.97	<50	1.15	780	<5	0.21	31	1480	<10	0.06	<10	7	120
C287305		<50	<5	0.95	<50	1.02	750	<5	0.24	22	1550	<10	0.21	<10	<5	99
C287306		<50	<5	1.00	<50	1.01	760	<5	0.22	27	1590	<10	0.15	<10	<5	74
C287307		<50	<5	1.30	<50	1.23	740	<5	0.09	22	1590	<10	0.57	20	6	57
C287308		<50	<5	1.29	<50	1.22	880	<5	0.11	23	1350	10	0.26	10	7	52
C287309		<50	<5	0.29	<50	0.29	300	<5	0.06	15	320	<10	<0.05	<10	<5	27
C287310		<50	5	0.29	<50	0.31	310	<5	0.06	22	310	<10	0.05	<10	<5	30
C287311		<50	<5	0.27	<50	0.20	310	<5	0.05	8	310	<10	0.09	20	<5	29
C287312		<50	<5	0.24	<50	0.26	410	<5	0.05	15	310	<10	<0.05	10	<5	25
C287313		<50	<5	0.31	<50	0.19	370	<5	<0.05	16	330	<10	0.11	10	<5	31
C287314		<50	6	0.31	<50	0.12	460	<5	<0.05	15	270	<10	0.74	30	<5	39
C287315		<50	10	0.29	<50	0.16	360	<5	<0.05	12	300	<10	0.08	<10	<5	23



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 2 - C

Total # Pages: 4 (A - C)

Finalized Date: 21-SEP-2008

Account: EIATYE

Project: Golden Eagle TYE08-02

CERTIFICATE OF ANALYSIS TR08116372

Sample Description	Method Analyte Units LOR	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	As-AA46	Cu-AA46
		Th	Ti	Ti	U	V	W	Zn	As	Cu
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	%
		100	0.05	50	50	5	50	10	0.01	0.01
C287276		<100	0.31	<50	<50	81	<50	50		
C287277		<100	0.32	<50	<50	75	50	70		
C287278		<100	0.28	<50	<50	88	80	60		
C287279		<100	0.30	<50	<50	108	<50	60		
C287280		<100	<0.05	<50	<50	<5	<50	<10		
C287281		<100	0.52	<50	<50	147	<50	90		
C287282		<100	0.62	<50	<50	146	<50	100		
C287283		<100	0.46	<50	<50	114	<50	90		
C287284		<100	0.31	<50	<50	106	<50	150		
C287285		<100	0.34	<50	<50	97	<50	70		
C287286		<100	0.26	<50	<50	54	<50	30		
C287287		<100	0.23	<50	<50	137	<50	170		
C287288		<100	0.19	<50	<50	111	<50	150		
C287289		<100	0.17	<50	<50	54	<50	90		
C287290		<100	0.18	<50	<50	48	<50	90		
C287291		<100	0.17	<50	<50	76	<50	60		
C287292		<100	0.25	<50	<50	70	<50	320		
C287293		<100	0.31	<50	<50	79	<50	70		
C287294		<100	0.29	<50	<50	113	<50	150		
C287295		<100	0.32	<50	<50	97	<50	230		
C287296		<100	0.32	<50	<50	113	<50	140		
C287297		<100	0.30	<50	<50	95	<50	110		
C287298		<100	0.33	<50	<50	104	<50	130		
C287299		<100	0.33	<50	<50	113	<50	120		
C287300		<100	0.47	<50	<50	770	<50	1660		5.37
C287301		<100	0.29	<50	<50	126	<50	120	2.32	
C287302		<100	0.23	<50	<50	104	<50	70	8.20	
C287303		<100	0.33	<50	<50	109	<50	70		
C287304		<100	0.34	<50	<50	94	<50	50		
C287305		<100	0.35	<50	<50	85	<50	70		
C287306		<100	0.35	<50	<50	83	<50	70		
C287307		<100	0.25	<50	<50	83	<50	60	1.13	
C287308		<100	0.23	<50	<50	85	<50	90		
C287309		<100	<0.05	<50	<50	8	<50	10		
C287310		<100	<0.05	<50	<50	10	<50	10		
C287311		<100	<0.05	<50	<50	6	<50	10		
C287312		<100	0.06	<50	<50	11	<50	20		
C287313		<100	<0.05	<50	<50	<5	<50	10		
C287314		<100	<0.05	<50	<50	<5	<50	20		
C287315		<100	<0.05	<50	<50	<5	<50	10		



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 21-SEP-2008
Account: EIATYE

Project: Golden Eagle TYE08-02

CERTIFICATE OF ANALYSIS TR08116372

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
C287316		2.29	0.008		1	0.78	1380	90	<5	<10	0.62	<5	<5	6	14	1.10
C287317		1.78	0.067		5	1.41	12600	90	<5	10	1.39	<5	10	7	20	3.58
C287318		0.82	0.348		1	1.69	18650	120	<5	<10	1.61	<5	11	12	11	4.30
C287319		0.67	0.010		4	2.56	2740	160	<5	10	2.58	<5	7	39	68	4.53
C287320		0.04	<0.005		1	<0.05	70	<50	<5	<10	<0.05	<5	<5	5	<5	<0.05
C287321		1.26	<0.005		<1	2.49	50	200	<5	<10	2.06	<5	8	61	5	3.61
C287322		1.45	<0.005		1	2.76	30	330	<5	10	1.32	<5	16	60	18	3.42
C287323		0.92	0.005		1	3.18	160	200	<5	<10	4.54	<5	8	61	79	5.35
C287324		0.73	0.164		10	3.34	28400	150	<5	20	1.46	5	55	60	192	8.28
C287325		1.10	0.006		<1	2.79	650	220	<5	10	1.88	<5	14	13	26	3.72
C287326		1.98	0.007		<1	4.62	110	250	<5	<10	2.84	<5	23	34	121	5.22
C287327		1.16	0.005		<1	4.19	10	270	<5	<10	1.92	<5	11	67	153	4.07
C287328		1.25	<0.005		<1	2.75	30	130	<5	<10	1.94	<5	12	11	34	3.69
C287329		0.84	0.008		<1	5.61	60	830	<5	<10	1.55	<5	21	177	31	5.52
C287330		0.92	0.007		<1	6.06	30	920	<5	<10	1.25	<5	28	235	31	6.28
C287331		1.26	0.006		<1	3.15	40	430	<5	<10	0.67	<5	7	10	12	3.54
C287332		1.24	0.135		1	0.40	4070	<50	<5	10	<0.05	<5	<5	11	31	0.86
C287333		0.59	0.053		<1	0.42	3230	<50	<5	<10	<0.05	<5	<5	6	39	0.81
C287334		1.39	0.007		<1	0.52	590	<50	<5	<10	<0.05	<5	<5	9	7	0.57
C287335		0.57	0.042		5	0.44	4190	<50	<5	<10	<0.05	<5	<5	6	20	0.79
C287336		0.75	0.032		<1	0.35	2780	<50	<5	<10	<0.05	<5	<5	10	29	0.74
C287337		1.97	0.008		<1	0.46	740	<50	<5	<10	<0.05	<5	<5	11	64	0.53
C287338		0.70	0.053		<1	0.35	1630	<50	<5	<10	<0.05	<5	<5	8	9	0.59
C287339		1.87	0.006		<1	0.49	1070	<50	<5	<10	<0.05	<5	<5	8	11	0.67
C287340		0.06	>10.0	11.30	>200	1.31	640	100	<5	90	3.67	31	140	34	>50000	10.15
C287341		1.29	0.013		1	0.44	1300	<50	<5	<10	<0.05	<5	<5	7	698	0.64
C287342		0.69	0.025		<1	0.39	1110	<50	<5	<10	<0.05	<5	<5	<5	39	0.65
C287343		1.44	0.769		9	0.31	10050	<50	<5	<10	<0.05	<5	<5	9	84	1.17
C287344		1.82	0.027		<1	0.05	1830	<50	<5	<10	<0.05	<5	<5	20	<5	0.38
C287345		0.72	1.810	1.74	7	0.05	27100	<50	<5	10	<0.05	<5	<5	13	50	2.72
C287346		2.58	1.180	1.28	14	0.07	40200	<50	<5	30	<0.05	<5	64	20	17	3.66
C287347		1.06	0.061		<1	<0.05	4590	<50	<5	<10	<0.05	<5	<5	19	<5	0.60
C287348		1.18	0.249		1	0.16	21100	<50	<5	10	<0.05	<5	14	16	7	2.01
C287349		0.60	0.065		<1	0.31	4880	<50	<5	<10	<0.05	<5	<5	8	35	0.70
C287350		0.51	0.072		1	0.32	5290	<50	<5	10	<0.05	<5	<5	11	61	0.77
C287351		1.85	0.211		4	0.39	6520	<50	<5	20	<0.05	<5	<5	11	71	1.04
C287352		0.94	0.016		<1	0.39	1460	<50	<5	<10	<0.05	<5	<5	10	30	0.66
C287353		2.04	0.032		2	0.36	2210	<50	<5	<10	<0.05	<5	<5	7	61	0.67
C287354		1.83	0.068		1	0.33	2980	<50	<5	<10	<0.05	<5	<5	11	47	0.76
C287355		4.08	0.189		3	0.42	3060	<50	<5	<10	<0.05	<5	<5	9	56	0.69



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 21-SEP-2008
Account: EIATYE

Project: Golden Eagle TYE08-02

CERTIFICATE OF ANALYSIS TR08116372

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units LOR	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
C287316		<50	<5	0.38	<50	0.18	310	<5	<0.05	9	270	<10	0.10	10	<5	30
C287317		50	<5	0.48	<50	0.60	530	<5	<0.05	21	740	<10	0.70	20	<5	29
C287318		<50	8	0.60	<50	0.95	810	<5	<0.05	32	1160	10	1.00	10	<5	28
C287319		<50	6	0.56	<50	1.69	1080	<5	<0.05	41	1160	<10	0.22	<10	7	56
C287320		<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	9	60	<10	<0.05	10	<5	<5
C287321		<50	5	0.90	<50	1.46	860	<5	0.17	39	1120	<10	0.05	<10	6	79
C287322		<50	6	1.16	<50	1.36	640	<5	0.29	37	1150	<10	0.06	<10	5	116
C287323		<50	6	1.14	<50	2.05	1190	<5	0.10	40	1030	30	0.18	20	12	116
C287324		<50	7	0.84	<50	2.56	960	<5	<0.05	69	1160	610	1.70	110	12	34
C287325		<50	5	1.09	<50	1.33	710	<5	0.24	32	1570	10	<0.05	10	7	123
C287326		<50	<5	1.45	<50	1.28	770	<5	0.19	38	820	20	0.30	<10	11	254
C287327		<50	<5	1.47	<50	1.31	680	<5	0.40	85	1380	40	0.08	10	11	188
C287328		<50	<5	0.85	<50	1.10	800	<5	0.30	20	1640	20	<0.05	<10	5	131
C287329		<50	<5	2.72	<50	3.43	990	<5	0.15	34	670	<10	<0.05	<10	22	132
C287330		<50	<5	3.13	<50	3.91	1100	<5	0.20	64	740	10	<0.05	<10	25	133
C287331		<50	<5	1.50	<50	1.42	550	<5	0.12	<5	360	<10	<0.05	<10	7	65
C287332		<50	<5	0.22	<50	<0.05	40	<5	0.06	<5	<50	20	0.13	<10	<5	45
C287333		<50	<5	0.21	<50	<0.05	40	<5	0.08	<5	<50	<10	<0.05	<10	<5	68
C287334		<50	<5	0.22	<50	<0.05	40	<5	0.11	<5	<50	<10	<0.05	<10	<5	17
C287335		<50	<5	0.27	<50	<0.05	40	<5	0.10	<5	<50	<10	<0.05	<10	<5	76
C287336		<50	<5	0.22	<50	<0.05	70	<5	0.08	<5	<50	<10	<0.05	10	<5	63
C287337		<50	<5	0.23	<50	<0.05	70	<5	0.11	21	<50	<10	<0.05	10	<5	11
C287338		<50	<5	0.18	<50	<0.05	60	<5	0.07	<5	<50	<10	<0.05	<10	<5	29
C287339		<50	<5	0.22	<50	<0.05	70	<5	0.10	<5	50	<10	<0.05	<10	<5	30
C287340		<50	12	0.26	60	0.68	2500	<5	0.06	102	2640	400	1.06	4230	5	403
C287341		<50	<5	0.21	<50	<0.05	50	<5	0.08	<5	<50	<10	<0.05	<10	<5	26
C287342		<50	<5	0.23	<50	<0.05	40	<5	0.08	<5	60	<10	<0.05	<10	<5	27
C287343		<50	7	0.27	<50	<0.05	<30	<5	<0.05	<5	<50	310	0.09	20	<5	39
C287344		<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	<5	<50	<10	<0.05	<10	<5	17
C287345		<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	<5	<50	320	1.06	50	<5	17
C287346		<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	<5	<50	230	1.59	90	<5	13
C287347		<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	<5	<50	10	<0.05	<10	<5	14
C287348		<50	<5	0.11	<50	<0.05	<30	<5	<0.05	<5	<50	<10	0.72	50	<5	13
C287349		<50	<5	0.26	<50	<0.05	<30	<5	0.06	<5	<50	20	0.06	10	<5	35
C287350		<50	<5	0.25	<50	<0.05	<30	<5	0.06	<5	<50	10	0.10	10	<5	22
C287351		<50	<5	0.24	<50	<0.05	<30	<5	0.10	<5	<50	40	0.11	10	<5	73
C287352		<50	<5	0.17	<50	<0.05	40	<5	0.07	<5	<50	<10	<0.05	<10	<5	47
C287353		<50	<5	0.25	<50	<0.05	30	<5	0.06	<5	60	<10	0.11	10	<5	27
C287354		<50	<5	0.18	<50	<0.05	40	<5	0.07	<5	<50	<10	0.09	<10	<5	29
C287355		<50	<5	0.24	<50	<0.05	30	<5	0.09	<5	<50	10	0.06	<10	<5	19



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - C
Total # Pages: 4 (A - C)
Finalized Date: 21-SEP-2008
Account: EIATYE

Project: Golden Eagle TYE08-02

CERTIFICATE OF ANALYSIS TR08116372

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	As-AA46	Cu-AA46
	Analyte	Th	Ti	Ti	U	V	W	Zn	As	Cu
	Units LOR	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%
		100	0.05	50	50	5	50	10	0.01	0.01
C287316		<100	<0.05	<50	<50	<5	<50	20		
C287317		<100	<0.05	<50	<50	24	<50	20	1.24	
C287318		<100	<0.05	<50	<50	35	<50	50	1.84	
C287319		<100	0.09	<50	<50	74	<50	120		
C287320		<100	<0.05	<50	<50	<5	<50	<10		
C287321		<100	0.31	<50	<50	88	<50	80		
C287322		<100	0.33	<50	<50	89	<50	70		
C287323		<100	0.28	<50	<50	118	<50	100		
C287324		<100	0.20	<50	<50	139	<50	240	2.95	
C287325		<100	0.34	<50	<50	99	<50	80		
C287326		<100	0.25	<50	<50	128	<50	110		
C287327		<100	0.33	<50	<50	86	<50	230		
C287328		<100	0.33	<50	<50	91	<50	90		
C287329		<100	0.29	<50	<50	129	<50	130		
C287330		<100	0.34	<50	<50	159	<50	140		
C287331		<100	0.15	<50	<50	31	<50	60		
C287332		<100	<0.05	<50	<50	<5	<50	<10		
C287333		<100	<0.05	<50	<50	<5	<50	40		
C287334		<100	<0.05	<50	<50	<5	<50	20		
C287335		<100	<0.05	<50	<50	<5	<50	40		
C287336		<100	<0.05	<50	<50	<5	<50	10		
C287337		<100	<0.05	<50	<50	<5	<50	100		
C287338		<100	<0.05	<50	<50	<5	<50	20		
C287339		<100	<0.05	<50	<50	<5	<50	30		
C287340		<100	0.46	<50	<50	737	50	1570		5.35
C287341		<100	<0.05	<50	<50	10	<50	50		
C287342		<100	<0.05	<50	<50	<5	<50	20		
C287343		<100	<0.05	<50	<50	<5	<50	<10	1.04	
C287344		<100	<0.05	<50	<50	<5	<50	<10		
C287345		<100	<0.05	<50	<50	<5	<50	<10	2.87	
C287346		<100	<0.05	<50	<50	<5	<50	<10	4.86	
C287347		<100	<0.05	<50	<50	<5	<50	<10		
C287348		<100	<0.05	<50	<50	<5	<50	<10	2.18	
C287349		<100	<0.05	<50	<50	<5	<50	<10		
C287350		<100	<0.05	<50	<50	<5	<50	<10		
C287351		<100	<0.05	<50	<50	<5	<50	<10		
C287352		<100	<0.05	<50	<50	<5	<50	20		
C287353		<100	<0.05	<50	<50	<5	<50	10		
C287354		<100	<0.05	<50	<50	<5	<50	10		
C287355		<100	<0.05	<50	<50	<5	<50	20		



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 4 (A - C)
Finalized Date: 21-SEP-2008
Account: EIATYE

Project: Golden Eagle TYE08-02

CERTIFICATE OF ANALYSIS TR08116372

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
C287356		0.94	0.015		<1	0.44	1400	<50	<5	<10	<0.05	<5	<5	8	10	0.71
C287357		2.17	0.011		<1	0.47	950	<50	<5	10	<0.05	<5	<5	10	16	0.63
C287358		1.24	0.020		<1	0.36	1020	<50	<5	<10	<0.05	<5	<5	8	14	0.59
C287359		1.60	0.008		<1	0.44	950	<50	<5	<10	<0.05	<5	<5	7	<5	0.56
C287360		0.06	<0.005		<1	<0.05	20	<50	<5	<10	<0.05	<5	<5	<5	<5	<0.05
C287361		1.77	0.018		<1	0.40	1660	<50	<5	<10	<0.05	<5	<5	7	<5	0.63
C287362		1.33	0.017		<1	0.39	330	<50	<5	<10	<0.05	<5	<5	8	7	0.56
C287363		1.67	0.008		<1	0.37	290	<50	<5	<10	<0.05	<5	<5	13	11	0.66
C287364		1.68	0.031		<1	0.39	1090	<50	<5	20	<0.05	<5	<5	12	14	0.69
C287365		0.49	0.133		4	0.37	3760	<50	<5	30	<0.05	<5	<5	10	19	0.99
C287366		0.93	0.022		<1	0.36	350	<50	<5	<10	<0.05	12	<5	12	29	0.58
C287367		1.89	0.149		2	0.36	2030	<50	<5	<10	<0.05	38	<5	13	41	0.85
C287368		1.50	0.010		<1	0.35	630	<50	<5	10	<0.05	<5	<5	13	27	0.71
C287369		0.49	0.010		1	0.39	900	<50	<5	<10	<0.05	<5	<5	7	30	0.82
C287370		0.46	0.022		<1	0.42	980	<50	<5	<10	<0.05	<5	<5	6	23	0.86
C287371		1.80	0.020		<1	0.32	2080	<50	<5	<10	<0.05	<5	<5	5	49	0.79
C287372		0.82	2.32	2.53	38	0.27	20900	<50	<5	40	<0.05	<5	34	8	655	2.01
C287373		1.22	0.101		<1	0.29	3880	<50	<5	<10	<0.05	<5	<5	9	59	0.69



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - B
Total # Pages: 4 (A - C)
Finalized Date: 21-SEP-2008
Account: EIATYE

Project: Golden Eagle TYE08-02

CERTIFICATE OF ANALYSIS TR08116372

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
C287356		<50	<5	0.23	<50	<0.05	60	<5	0.09	<5	<50	<10	<0.05	<10	<5	15
C287357		<50	7	0.23	<50	<0.05	70	<5	0.11	<5	70	<10	<0.05	<10	<5	17
C287358		<50	5	0.19	<50	<0.05	50	<5	0.07	<5	<50	<10	<0.05	<10	<5	17
C287359		<50	6	0.22	<50	<0.05	60	<5	0.09	<5	<50	<10	<0.05	<10	<5	24
C287360		<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	<5	<50	<10	<0.05	<10	<5	10
C287361		<50	<5	0.21	<50	<0.05	80	<5	0.09	<5	<50	<10	<0.05	<10	<5	35
C287362		<50	<5	0.18	<50	<0.05	50	<5	0.08	<5	50	10	<0.05	<10	<5	13
C287363		<50	<5	0.18	<50	<0.05	70	<5	0.07	<5	<50	<10	0.10	<10	<5	6
C287364		<50	<5	0.20	<50	<0.05	90	<5	0.06	<5	<50	10	0.14	<10	<5	10
C287365		<50	<5	0.25	<50	<0.05	50	<5	<0.05	<5	<50	330	0.09	<10	<5	43
C287366		<50	<5	0.22	<50	<0.05	150	<5	0.05	10	<50	40	0.18	10	<5	12
C287367		<50	<5	0.28	<50	<0.05	60	6	<0.05	11	<50	140	0.36	<10	<5	11
C287368		<50	<5	0.18	<50	<0.05	130	<5	0.05	<5	70	10	0.12	<10	<5	18
C287369		<50	<5	0.21	<50	<0.05	170	<5	0.06	<5	<50	<10	<0.05	10	<5	<5
C287370		<50	5	0.23	<50	<0.05	160	<5	0.08	<5	<50	20	<0.05	20	<5	<5
C287371		<50	5	0.19	<50	<0.05	130	<5	<0.05	<5	<50	10	<0.05	<10	<5	7
C287372		<50	<5	0.18	80	<0.05	120	13	<0.05	<5	<50	610	0.89	60	<5	133
C287373		<50	<5	0.18	<50	<0.05	50	<5	<0.05	<5	<50	20	0.10	30	<5	19



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - C
Total # Pages: 4 (A - C)
Finalized Date: 21-SEP-2008
Account: EIATYE

Project: Golden Eagle TYE08-02

CERTIFICATE OF ANALYSIS TR08116372

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	As-AA46	Cu-AA46
	Analyte	Th	Ti	Ti	U	V	W	Zn	As	Cu
Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
LOR	100	0.05	50	50	5	50	10	0.01	0.01	
C287356		<100	<0.05	<50	<50	<5	<50	30		
C287357		<100	<0.05	<50	<50	<5	<50	30		
C287358		<100	<0.05	<50	<50	<5	<50	20		
C287359		<100	<0.05	<50	<50	<5	<50	40		
C287360		<100	<0.05	<50	<50	<5	<50	<10		
C287361		<100	<0.05	<50	<50	<5	<50	30		
C287362		<100	<0.05	<50	<50	<5	<50	50		
C287363		<100	<0.05	<50	<50	<5	<50	10		
C287364		<100	<0.05	<50	<50	<5	<50	40		
C287365		<100	<0.05	<50	<50	<5	<50	50		
C287366		<100	<0.05	<50	<50	<5	<50	140		
C287367		<100	<0.05	<50	<50	<5	<50	420		
C287368		<100	<0.05	<50	<50	<5	<50	50		
C287369		<100	<0.05	<50	<50	<5	<50	50		
C287370		<100	<0.05	<50	<50	<5	<50	50		
C287371		<100	<0.05	<50	50	<5	<50	70		
C287372		<100	<0.05	<50	<50	<5	<50	40	2.17	
C287373		<100	<0.05	<50	<50	<5	<50	30		



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 29-SEP-2008

Account: EIATYE

CERTIFICATE TR08121071

Project: Golden Eagle

P.O. No.: TYE08-02

This report is for 127 Drill Core samples submitted to our lab in Terrace, BC, Canada on 26-AUG-2008.

The following have access to data associated with this certificate:

HENRY A
JEREMY MAJOR

GENERAL EQUITY ENGINEERING

TRACY HURLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
As-AA46	Ore grade As - aqua regia/AA	AAS
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41a	High Grade Aqua Regia ICP-AES	ICP-AES
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: EQUITY EXPLORATION CONSULTANTS LTD.

ATTN: JEREMY MAJOR

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 29-SEP-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08121071

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
C287374		1.34	0.031		3	0.42	2530	<50	<5	<10	<0.05	<5	<5	13	274	0.94
C287375		1.87	0.019		1	0.50	1840	<50	<5	<10	<0.05	<5	<5	12	44	1.04
C287376		2.06	0.033		2	0.43	3170	<50	<5	<10	<0.05	<5	<5	13	84	1.07
C287377		1.42	0.023		1	0.44	1960	<50	<5	10	<0.05	<5	<5	10	60	0.93
C287378		1.25	0.111		1	0.32	7990	<50	<5	10	<0.05	<5	<5	12	156	1.40
C287379		1.36	0.756		6	<0.05	9480	<50	<5	40	<0.05	<5	<5	16	15	1.20
C287380		0.07	>10.0	11.50	>200	1.27	660	100	<5	<10	3.76	30	151	32	>50000	10.20
C287381		1.38	0.028		1	0.35	3310	<50	<5	10	<0.05	<5	<5	15	351	1.21
C287382		1.47	0.008		1	0.49	950	<50	<5	<10	<0.05	<5	<5	12	35	0.86
C287383		1.44	0.010		4	0.46	1700	<50	<5	10	<0.05	<5	<5	12	56	0.97
C287384		2.26	0.012		1	0.47	1050	<50	<5	<10	<0.05	<5	<5	14	74	0.96
C287385		1.76	0.024		1	0.53	1550	<50	<5	10	<0.05	<5	<5	15	25	1.09
C287386		2.25	0.022		1	0.51	2110	<50	<5	<10	<0.05	<5	<5	13	39	1.08
C287387		2.13	0.015		1	0.52	1280	<50	<5	<10	<0.05	<5	<5	12	29	0.92
C287388		2.09	0.014		3	0.46	2000	<50	<5	<10	<0.05	<5	<5	12	68	0.78
C287389		0.75	<0.005		1	0.49	1010	<50	<5	<10	<0.05	<5	<5	12	17	1.00
C287390		0.79	<0.005		1	0.49	720	<50	<5	10	<0.05	<5	<5	13	16	1.15
C287391		1.98	0.021		<1	0.47	2580	<50	<5	<10	<0.05	<5	<5	13	89	0.89
C287392		2.11	0.010		1	0.48	1050	<50	<5	10	<0.05	<5	<5	13	17	0.93
C287393		1.99	0.007		2	0.52	1260	<50	<5	<10	<0.05	<5	<5	13	16	1.50
C287394		1.46	0.082		3	0.53	1940	<50	<5	<10	<0.05	<5	<5	12	34	0.99
C287395		1.98	<0.005		1	0.52	330	<50	<5	<10	<0.05	<5	<5	13	6	1.01
C287396		1.91	0.015		1	0.53	850	<50	<5	<10	<0.05	<5	<5	12	44	1.01
C287397		0.79	<0.005		1	0.54	150	<50	<5	10	<0.05	<5	<5	10	44	0.90
C287398		2.20	<0.005		<1	0.48	290	<50	<5	<10	<0.05	<5	<5	10	6	0.99
C287399		2.02	0.006		1	0.52	490	<50	<5	<10	<0.05	<5	<5	14	7	1.04
C287400		0.05	<0.005		<1	<0.05	<10	<50	<5	<10	<0.05	<5	<5	46	107	<0.05
C287401		2.09	<0.005		<1	0.67	350	<50	<5	<10	0.06	<5	<5	10	39	1.11
C287402		2.11	0.006		1	0.65	770	50	<5	<10	0.09	<5	<5	9	35	1.56
C287403		2.15	0.007		<1	0.71	550	<50	<5	20	0.07	<5	6	9	41	1.45
C287404		2.27	0.378		1	0.73	320	50	<5	10	0.07	<5	<5	9	63	1.17
C287405		1.75	0.043		1	0.60	650	50	<5	10	0.06	<5	<5	8	41	1.39
C287406		1.94	0.016		<1	1.17	620	80	<5	<10	0.09	<5	<5	49	25	4.79
C287407		2.21	0.018		3	0.76	730	50	<5	10	0.09	<5	<5	9	61	1.66
C287408		1.67	0.014		<1	0.68	760	50	<5	<10	0.08	<5	<5	10	62	1.54
C287409		1.11	0.053		<1	0.66	2320	60	<5	20	0.09	<5	<5	11	56	1.54
C287410		1.02	0.051		<1	0.72	1600	60	<5	10	0.08	<5	<5	9	61	1.51
C287411		1.94	0.068		<1	0.66	610	<50	<5	10	0.06	<5	<5	7	26	1.47
C287412		1.68	0.050		<1	0.71	610	50	<5	<10	0.06	<5	<5	7	25	1.49
C287413		1.91	0.012		<1	0.68	750	50	<5	<10	0.06	<5	<5	7	19	1.55



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 29-SEP-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08121071

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
C287374		<50	<5	0.24	<50	<0.05	90	<5	<0.05	220	<50	20	<0.05	<10	<5	22
C287375		<50	<5	0.29	<50	<0.05	90	<5	<0.05	18	<50	<10	<0.05	10	<5	26
C287376		<50	5	0.28	<50	<0.05	80	<5	<0.05	14	<50	<10	<0.05	<10	<5	38
C287377		<50	<5	0.27	<50	<0.05	70	<5	<0.05	<5	<50	<10	<0.05	10	<5	78
C287378		<50	<5	0.27	<50	<0.05	50	<5	<0.05	14	<50	<10	0.25	20	<5	40
C287379		<50	6	<0.05	<50	<0.05	30	<5	<0.05	8	<50	<10	<0.05	70	<5	8
C287380		<50	9	0.26	70	0.69	2520	<5	<0.05	112	2740	400	1.07	4220	5	401
C287381		<50	<5	0.29	<50	<0.05	60	<5	<0.05	<5	<50	<10	<0.05	30	<5	55
C287382		<50	<5	0.29	<50	<0.05	130	<5	<0.05	8	<50	<10	<0.05	10	<5	32
C287383		<50	<5	0.26	<50	<0.05	100	<5	<0.05	<5	<50	<10	<0.05	10	<5	26
C287384		<50	<5	0.26	<50	<0.05	90	<5	<0.05	9	<50	<10	<0.05	<10	<5	18
C287385		<50	5	0.31	<50	<0.05	110	<5	0.05	13	<50	<10	<0.05	10	<5	34
C287386		<50	<5	0.32	<50	<0.05	160	<5	<0.05	11	<50	<10	<0.05	<10	<5	15
C287387		<50	5	0.28	<50	<0.05	140	<5	<0.05	9	<50	<10	<0.05	20	<5	16
C287388		<50	<5	0.27	<50	<0.05	90	<5	<0.05	<5	<50	<10	<0.05	<10	<5	22
C287389		<50	<5	0.26	<50	<0.05	120	<5	<0.05	8	<50	<10	<0.05	10	<5	10
C287390		<50	<5	0.25	<50	<0.05	110	<5	<0.05	8	<50	<10	<0.05	<10	<5	10
C287391		<50	<5	0.29	<50	<0.05	80	<5	<0.05	8	<50	<10	<0.05	<10	<5	14
C287392		<50	<5	0.29	<50	<0.05	190	<5	<0.05	<5	<50	<10	<0.05	10	<5	18
C287393		<50	8	0.27	<50	<0.05	150	6	<0.05	10	<50	<10	<0.05	20	<5	28
C287394		<50	<5	0.39	<50	<0.05	110	<5	<0.05	9	<50	260	<0.05	<10	<5	44
C287395		<50	<5	0.30	<50	<0.05	180	<5	<0.05	<5	<50	<10	<0.05	<10	<5	14
C287396		<50	<5	0.30	<50	<0.05	150	<5	<0.05	<5	<50	<10	<0.05	<10	<5	10
C287397		<50	<5	0.30	<50	<0.05	140	<5	0.06	14	<50	<10	<0.05	10	<5	13
C287398		<50	<5	0.27	<50	<0.05	90	<5	<0.05	<5	<50	<10	<0.05	<10	<5	18
C287399		<50	5	0.25	<50	<0.05	60	<5	<0.05	7	<50	<10	<0.05	20	<5	13
C287400		<50	<5	<0.05	<50	<0.05	30	<5	<0.05	82	<50	60	<0.05	<10	<5	<5
C287401		<50	<5	0.37	<50	0.05	70	<5	0.06	12	140	20	<0.05	<10	<5	9
C287402		<50	<5	0.35	<50	0.08	100	6	0.06	<5	170	10	<0.05	<10	<5	23
C287403		<50	<5	0.38	<50	0.07	90	8	0.08	<5	160	10	0.09	<10	<5	17
C287404		<50	<5	0.40	<50	0.08	80	16	0.07	<5	180	<10	0.05	10	<5	16
C287405		<50	<5	0.37	<50	0.06	80	7	<0.05	7	130	20	<0.05	<10	<5	29
C287406		<50	<5	0.73	<50	0.06	410	12	0.21	<5	190	10	<0.05	10	<5	26
C287407		<50	<5	0.40	<50	0.08	90	9	0.08	<5	180	10	<0.05	10	<5	24
C287408		<50	<5	0.40	<50	0.08	100	<5	0.09	5	170	20	0.07	<10	<5	45
C287409		<50	<5	0.40	<50	0.08	100	<5	0.09	6	180	10	0.07	<10	<5	98
C287410		<50	<5	0.43	<50	0.08	110	<5	0.10	<5	150	10	<0.05	<10	<5	61
C287411		<50	<5	0.37	<50	0.06	70	5	0.07	<5	120	10	<0.05	10	<5	20
C287412		<50	<5	0.42	<50	0.06	70	<5	0.09	5	150	<10	0.05	<10	<5	48
C287413		<50	<5	0.37	<50	0.05	80	<5	0.07	<5	140	10	<0.05	10	<5	40



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 29-SEP-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08121071

Sample Description	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Cu-AA46
	Th	Ti	Ti	U	V	W	Zn	Ag	As	Cu
	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	100	0.05	50	50	5	50	10	5	0.01	0.01
C287374	<100	<0.05	<50	<50	<5	<50	120			
C287375	<100	<0.05	<50	<50	<5	<50	50			
C287376	<100	<0.05	<50	<50	<5	<50	20			
C287377	<100	<0.05	<50	<50	<5	<50	20			
C287378	<100	<0.05	<50	<50	<5	<50	<10			
C287379	<100	<0.05	<50	<50	<5	<50	<10			
C287380	<100	0.47	<50	<50	758	50	1600	340		5.38
C287381	<100	<0.05	<50	<50	7	<50	<10			
C287382	<100	<0.05	<50	<50	<5	<50	10			
C287383	<100	<0.05	<50	<50	<5	<50	10			
C287384	<100	<0.05	<50	<50	<5	<50	<10			
C287385	<100	<0.05	<50	<50	<5	<50	20			
C287386	<100	<0.05	<50	<50	<5	<50	20			
C287387	<100	<0.05	<50	<50	<5	<50	30			
C287388	<100	<0.05	<50	<50	<5	<50	10			
C287389	<100	<0.05	<50	<50	<5	<50	30			
C287390	<100	<0.05	<50	<50	<5	<50	30			
C287391	<100	<0.05	<50	<50	<5	<50	30			
C287392	<100	<0.05	<50	<50	<5	<50	20			
C287393	<100	<0.05	<50	<50	<5	<50	140			
C287394	<100	<0.05	<50	<50	<5	<50	20			
C287395	<100	<0.05	<50	<50	<5	<50	20			
C287396	<100	<0.05	<50	<50	<5	<50	40			
C287397	<100	<0.05	<50	<50	<5	<50	40			
C287398	<100	<0.05	<50	<50	<5	<50	20			
C287399	<100	<0.05	<50	<50	<5	<50	20			
C287400	<100	<0.05	<50	<50	<5	<50	170			
C287401	<100	<0.05	<50	<50	5	<50	70			
C287402	<100	<0.05	<50	<50	6	<50	140			
C287403	<100	<0.05	<50	80	<5	<50	150			
C287404	<100	<0.05	<50	<50	5	<50	130			
C287405	<100	<0.05	<50	<50	5	<50	100			
C287406	<100	<0.05	<50	<50	7	<50	80			
C287407	<100	<0.05	<50	<50	7	<50	110			
C287408	<100	<0.05	<50	<50	8	<50	80			
C287409	<100	<0.05	<50	<50	6	<50	70			
C287410	<100	<0.05	<50	<50	6	<50	50			
C287411	<100	<0.05	<50	<50	5	<50	80			
C287412	<100	<0.05	<50	<50	5	<50	70			
C287413	<100	<0.05	<50	<50	6	<50	90			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 29-SEP-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08121071

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
C287414		1.10	0.020		<1	0.63	970	<50	<5	<10	0.06	<5	<5	5	31	1.63
C287415		0.81	0.034		1	0.49	830	50	<5	10	<0.05	<5	<5	5	52	2.03
C287416		0.90	0.036		<1	0.49	950	<50	<5	20	0.05	<5	<5	16	59	2.08
C287417		0.70	0.043		<1	0.39	980	60	<5	<10	<0.05	<5	<5	9	43	2.38
C287418		2.22	0.033		<1	0.53	1070	80	<5	<10	<0.05	<5	<5	7	27	2.39
C287419		1.62	0.035		1	0.52	920	50	<5	<10	<0.05	<5	<5	7	25	1.68
C287420		0.07	>10.0	12.95	>200	1.33	630	120	<5	<10	4.03	34	159	31	>50000	10.95
C287421		0.71	0.208		2	0.74	890	50	<5	10	<0.05	<5	<5	6	514	1.32
C287422		1.50	0.095		1	0.58	1320	70	<5	<10	0.05	6	<5	7	54	1.99
C287423		0.83	0.151		2	0.25	1630	<50	<5	10	<0.05	<5	<5	10	49	0.78
C287424		1.19	0.145		1	0.30	3420	<50	<5	10	<0.05	<5	<5	11	48	0.94
C287425		0.69	1.415	1.52	11	0.18	14300	<50	<5	40	<0.05	<5	25	14	118	1.79
C287426		0.95	4.33	4.76	13	0.40	>100000	<50	<5	10	0.09	7	17	6	134	10.35
C287427		1.85	0.175		19	0.57	3070	50	<5	<10	<0.05	6	<5	7	30	1.74
C287428		2.13	0.075		3	0.58	910	<50	<5	20	0.05	<5	<5	9	77	1.38
C287429		0.72	0.075		3	0.62	580	<50	<5	10	0.05	<5	<5	7	81	1.48
C287430		0.79	0.066		2	0.66	550	<50	<5	20	0.05	<5	<5	6	69	1.46
C287431		1.06	0.078		3	0.67	820	<50	<5	<10	0.07	<5	<5	9	51	1.40
C287432		1.70	0.038		1	0.74	440	<50	<5	10	0.09	<5	<5	10	51	1.49
C287433		2.11	0.062		3	0.73	250	50	<5	30	0.26	<5	<5	10	87	1.58
C287434		1.99	0.076		<1	0.76	150	50	<5	20	0.35	<5	<5	10	36	1.42
C287435		2.09	0.024		<1	0.75	110	<50	<5	30	0.28	<5	<5	8	37	1.59
C287436		1.85	0.233		2	0.59	130	<50	<5	10	0.27	<5	20	30	69	1.42
C287437		1.96	0.125		<1	0.65	180	<50	<5	10	0.11	<5	<5	13	32	1.42
C287438		1.73	0.362		3	0.58	1140	<50	<5	10	0.07	<5	<5	12	44	1.39
C287439		2.33	0.071		<1	0.67	370	<50	<5	10	0.14	<5	<5	14	38	1.83
C287440		0.04	<0.005		<1	<0.05	30	<50	<5	<10	<0.05	<5	<5	<5	<5	<0.05
C287441		1.98	0.176		1	0.68	340	<50	<5	20	0.11	<5	<5	10	22	1.54
C287442		2.01	0.311		1	0.60	240	<50	<5	10	0.08	<5	<5	8	38	1.44
C287443		1.89	0.075		1	0.69	170	<50	<5	10	0.10	<5	<5	13	42	1.60
C287444		1.89	0.047		2	0.70	170	50	<5	10	0.09	<5	<5	10	59	1.41
C287445		1.64	0.046		4	0.71	170	50	<5	10	0.07	<5	<5	9	88	1.46
C287446		2.13	0.121		<1	0.73	220	<50	<5	<10	0.11	<5	<5	12	43	2.41
C287447		1.87	0.018		2	0.70	140	<50	<5	<10	0.10	<5	<5	12	35	1.39
C287448		1.78	0.018		2	0.64	120	<50	<5	<10	0.09	<5	<5	10	34	1.34
C287449		0.91	0.081		1	0.70	470	<50	<5	10	0.07	<5	<5	12	39	1.61
C287450		0.98	0.168		<1	0.67	590	<50	<5	<10	0.06	<5	7	13	47	1.35
C287451		2.15	0.049		3	0.61	350	<50	<5	10	0.07	<5	<5	9	36	1.38
C287452		1.71	0.142		<1	0.28	40	<50	<5	<10	<0.05	<5	<5	<5	<5	0.69
C287453		1.84	0.068		2	0.70	130	50	<5	10	0.28	<5	<5	11	52	1.47



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 3 - B

Total # Pages: 5 (A - C)

Plus Appendix Pages

Finalized Date: 29-SEP-2008

Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08121071

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units LOR	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
C287414		<50	<5	0.35	<50	<0.05	70	8	<0.05	<5	120	<10	<0.05	<10	<5	28
C287415		<50	<5	0.37	<50	<0.05	50	14	<0.05	<5	120	<10	0.27	<10	<5	49
C287416		<50	<5	0.37	<50	<0.05	60	11	<0.05	<5	130	10	0.27	<10	<5	55
C287417		<50	<5	0.43	<50	<0.05	70	7	<0.05	8	130	10	0.45	10	<5	76
C287418		<50	<5	0.52	<50	<0.05	60	18	0.09	5	140	10	0.47	10	<5	121
C287419		<50	<5	0.40	<50	<0.05	90	8	<0.05	<5	130	10	0.14	<10	<5	60
C287420		<50	5	0.29	80	0.77	2830	5	<0.05	117	3020	460	1.25	4570	5	430
C287421		<50	<5	0.58	<50	<0.05	70	6	<0.05	<5	120	<10	0.14	10	<5	31
C287422		<50	<5	0.53	80	<0.05	110	<5	<0.05	<5	150	40	0.24	<10	<5	130
C287423		<50	<5	0.21	<50	<0.05	70	<5	<0.05	<5	<50	30	0.06	<10	<5	31
C287424		<50	<5	0.25	<50	<0.05	70	<5	<0.05	<5	90	40	0.12	<10	<5	37
C287425		<50	<5	0.13	<50	<0.05	70	<5	<0.05	20	<50	90	0.62	20	<5	21
C287426		<50	<5	0.30	<50	<0.05	90	<5	<0.05	<5	60	440	5.72	180	<5	34
C287427		<50	<5	0.50	<50	<0.05	60	8	<0.05	<5	140	530	0.76	<10	<5	15
C287428		<50	<5	0.39	<50	<0.05	70	5	<0.05	<5	120	90	0.35	<10	<5	5
C287429		<50	<5	0.38	<50	0.05	90	7	<0.05	8	130	20	0.35	<10	<5	<5
C287430		<50	<5	0.38	<50	0.05	100	6	<0.05	<5	110	20	0.27	<10	<5	<5
C287431		<50	<5	0.39	<50	0.05	100	7	<0.05	<5	190	20	0.25	<10	<5	7
C287432		<50	<5	0.37	50	0.13	670	6	0.07	<5	220	10	0.21	<10	<5	14
C287433		<50	<5	0.40	<50	0.11	510	<5	0.05	5	200	20	0.22	<10	<5	16
C287434		<50	<5	0.39	<50	0.13	390	8	0.06	<5	230	20	0.27	10	<5	14
C287435		<50	<5	0.38	<50	0.13	610	8	0.06	9	220	10	0.25	<10	<5	16
C287436		<50	6	0.29	<50	0.13	240	11	0.07	54	170	40	0.26	<10	<5	16
C287437		<50	5	0.30	<50	0.13	140	16	0.10	8	170	<10	0.16	10	<5	<5
C287438		<50	<5	0.25	<50	0.11	110	10	0.07	8	160	<10	0.15	10	<5	<5
C287439		<50	<5	0.31	<50	0.12	300	10	0.09	9	160	<10	0.21	10	<5	7
C287440		<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	10	<50	<10	<0.05	<10	<5	<5
C287441		<50	5	0.31	<50	0.13	470	13	0.10	8	160	10	0.19	10	<5	<5
C287442		<50	<5	0.24	<50	0.11	120	16	0.06	12	160	<10	0.20	<10	<5	<5
C287443		<50	<5	0.29	<50	0.13	150	10	0.07	<5	200	<10	0.15	30	<5	<5
C287444		<50	<5	0.32	<50	0.13	130	29	0.11	10	180	<10	0.16	<10	<5	<5
C287445		<50	<5	0.37	<50	0.11	140	8	0.11	6	190	<10	0.16	10	<5	<5
C287446		<50	<5	0.31	50	0.14	970	12	0.11	5	180	<10	0.20	<10	<5	10
C287447		<50	5	0.34	60	0.13	240	7	0.11	6	170	20	0.20	10	<5	<5
C287448		<50	<5	0.30	<50	0.12	130	7	0.10	6	160	<10	0.20	20	<5	<5
C287449		<50	<5	0.32	<50	0.12	160	7	0.11	9	190	10	0.27	<10	<5	7
C287450		<50	<5	0.32	<50	0.11	120	5	0.09	6	140	<10	0.25	10	<5	<5
C287451		<50	<5	0.27	<50	0.13	260	8	0.07	7	160	<10	0.24	<10	<5	<5
C287452		<50	<5	<0.05	<50	0.06	120	<5	<0.05	6	60	<10	<0.05	<10	<5	<5
C287453		<50	<5	0.36	<50	0.13	130	<5	0.10	6	160	<10	0.32	10	<5	7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - C
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 29-SEP-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08121071

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Cu-AA46
	Analyte	Th	Ti	Ti	U	V	W	Zn	Ag	As	Cu
	Units LOR	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		100	0.05	50	50	5	50	10	5	0.01	0.01
C287414		<100	<0.05	<50	<50	<5	<50	80			
C287415		<100	<0.05	<50	<50	<5	<50	40			
C287416		<100	<0.05	<50	<50	<5	<50	50			
C287417		<100	<0.05	<50	<50	<5	<50	30			
C287418		<100	<0.05	<50	<50	<5	<50	40			
C287419		<100	<0.05	<50	<50	6	<50	40			
C287420		<100	0.50	<50	<50	832	60	1750	356		5.49
C287421		<100	<0.05	<50	<50	11	<50	20			
C287422		<100	<0.05	<50	<50	<5	<50	60			
C287423		<100	<0.05	<50	<50	<5	<50	<10			
C287424		<100	<0.05	<50	<50	<5	<50	<10			
C287425		<100	<0.05	<50	<50	<5	<50	60		1.40	
C287426		<100	<0.05	<50	<50	<5	<50	20		10.80	
C287427		<100	<0.05	<50	<50	<5	<50	120			
C287428		<100	<0.05	<50	<50	<5	<50	80			
C287429		<100	<0.05	<50	<50	<5	<50	70			
C287430		<100	<0.05	<50	<50	<5	<50	80			
C287431		<100	<0.05	<50	<50	7	<50	60			
C287432		<100	<0.05	<50	50	6	<50	200			
C287433		<100	<0.05	<50	<50	5	<50	50			
C287434		<100	<0.05	<50	<50	7	<50	30			
C287435		<100	<0.05	<50	<50	6	<50	80			
C287436		<100	<0.05	<50	<50	9	<50	30			
C287437		<100	0.05	<50	<50	8	<50	110			
C287438		<100	<0.05	<50	<50	8	<50	220			
C287439		<100	<0.05	<50	<50	8	<50	140			
C287440		<100	<0.05	<50	<50	<5	<50	<10			
C287441		<100	<0.05	<50	<50	8	<50	140			
C287442		<100	<0.05	<50	<50	6	<50	130			
C287443		<100	<0.05	<50	<50	8	<50	150			
C287444		<100	<0.05	<50	<50	8	<50	160			
C287445		<100	<0.05	<50	<50	7	<50	70			
C287446		<100	0.05	<50	<50	10	<50	300			
C287447		<100	<0.05	<50	<50	6	<50	90			
C287448		<100	<0.05	<50	<50	7	<50	120			
C287449		<100	<0.05	<50	<50	8	<50	40			
C287450		<100	<0.05	<50	<50	7	<50	90			
C287451		<100	<0.05	<50	<50	8	<50	60			
C287452		<100	<0.05	<50	<50	<5	<50	<10			
C287453		<100	0.05	<50	<50	7	<50	<10			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 29-SEP-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08121071

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
C287454		2.16	0.015		1	0.60	30	50	<5	10	0.37	<5	<5	15	48	1.62
C287455		1.98	0.127		1	0.65	70	<50	<5	<10	0.41	<5	<5	14	49	1.46
C287456		1.67	0.071		<1	0.68	40	<50	<5	10	0.38	<5	<5	13	56	1.65
C287457		0.63	<0.005		<1	0.55	280	<50	<5	<10	<0.05	<5	<5	11	5	0.92
C287458		0.85	0.014		<1	0.52	1160	<50	<5	<10	<0.05	<5	<5	10	11	0.81
C287459		1.01	0.009		<1	0.33	350	<50	<5	<10	<0.05	<5	<5	13	<5	0.80
C287460		0.07	>10.0	13.75	>200	1.30	590	110	<5	<10	3.87	32	146	34	>50000	10.50
C287461		0.64	0.008		<1	0.53	760	<50	<5	<10	<0.05	<5	<5	14	410	1.14
C287462		0.71	0.005		<1	0.60	1500	<50	<5	<10	<0.05	<5	<5	13	207	1.12
C287463		0.59	0.008		<1	0.51	600	<50	<5	<10	<0.05	<5	<5	8	15	0.89
C287464		0.92	0.016		1	0.50	2110	<50	<5	<10	<0.05	<5	<5	13	18	1.14
C287465		2.27	0.005		<1	0.48	430	<50	<5	<10	<0.05	<5	<5	13	16	0.94
C287466		0.59	0.039		<1	0.49	4020	<50	<5	<10	<0.05	<5	<5	11	14	1.38
C287467		2.15	<0.005		<1	0.51	300	<50	<5	<10	<0.05	<5	<5	17	11	1.15
C287468		1.78	<0.005		<1	0.56	210	<50	<5	<10	<0.05	<5	<5	12	<5	0.95
C287469		0.35	0.124		1	0.40	29600	<50	<5	<10	<0.05	<5	5	9	74	3.27
C287470		0.34	0.091		2	0.44	26600	<50	<5	<10	<0.05	<5	7	10	27	2.96
C287471		2.07	0.006		<1	0.54	1040	<50	<5	<10	<0.05	<5	<5	14	8	0.97
C287472		1.04	0.112		4	0.48	2250	<50	<5	<10	<0.05	<5	<5	54	120	0.86
C287473		0.94	0.005		<1	0.55	440	<50	<5	<10	<0.05	<5	<5	16	5	0.96
C287474		1.83	<0.005		<1	0.58	980	<50	<5	<10	<0.05	<5	<5	12	7	0.93
C287475		2.08	0.013		<1	0.50	1190	<50	<5	10	<0.05	<5	<5	12	6	0.95
C287476		2.04	0.011		<1	0.50	450	<50	<5	<10	<0.05	<5	<5	14	<5	1.26
C287477		2.07	0.014		<1	0.54	1090	<50	<5	<10	<0.05	<5	<5	10	<5	0.86
C287478		1.94	0.007		1	0.49	610	<50	<5	<10	<0.05	<5	<5	9	<5	0.94
C287479		1.49	0.059		2	0.50	1210	<50	<5	<10	<0.05	<5	<5	10	5	1.06
C287480		0.06	<0.005		1	<0.05	730	<50	<5	<10	<0.05	<5	<5	7	<5	<0.05
C287481		1.82	0.073		2	0.49	900	<50	<5	<10	<0.05	<5	<5	10	<5	0.84
C287482		1.56	0.496		14	0.52	2150	<50	<5	<10	<0.05	<5	<5	11	15	1.19
C287483		0.97	0.126		2	0.18	3230	<50	<5	10	<0.05	<5	<5	21	17	1.09
C287484		0.99	3.61	3.85	31	0.19	>100000	<50	<5	10	<0.05	<5	52	7	547	20.9
C287485		1.36	0.130		4	0.21	4730	<50	<5	<10	<0.05	<5	<5	18	<5	0.97
C287486		0.70	0.272		6	<0.05	15300	<50	<5	<10	<0.05	<5	27	22	<5	2.07
C287487		1.26	0.553		8	0.29	43000	<50	<5	10	<0.05	<5	31	15	62	4.09
C287488		1.33	>10.0	122.0	134	0.41	58600	<50	<5	220	<0.05	<5	40	9	1155	5.67
C287489		0.53	0.649		7	0.63	16900	<50	<5	<10	<0.05	<5	10	9	691	1.86
C287490		0.59	0.815		12	0.45	19000	<50	<5	<10	<0.05	<5	19	8	1080	2.23
C287491		1.16	0.207		6	0.55	3980	<50	<5	10	<0.05	<5	<5	15	198	0.84
C287492		2.13	0.151		<1	0.47	2430	<50	<5	<10	<0.05	<5	<5	14	125	0.91
C287493		1.92	0.245		5	0.51	6470	<50	<5	<10	<0.05	<5	7	10	477	1.16



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 4 - B

Total # Pages: 5 (A - C)

Plus Appendix Pages

Finalized Date: 29-SEP-2008

Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08121071

Sample Description	Method Analyte Units LOR	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
		Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
C287454		<50	<5	0.29	<50	0.13	160	7	0.09	17	150	<10	0.32	10	<5	9
C287455		<50	8	0.31	<50	0.13	160	<5	0.10	<5	170	<10	0.34	10	<5	14
C287456		<50	<5	0.31	<50	0.13	180	<5	0.11	13	210	<10	0.32	10	<5	5
C287457		<50	<5	0.31	<50	<0.05	120	<5	0.13	6	<50	<10	0.07	<10	<5	<5
C287458		<50	<5	0.31	<50	<0.05	60	<5	0.12	11	<50	<10	0.06	10	<5	<5
C287459		<50	<5	0.19	<50	<0.05	70	10	<0.05	5	<50	<10	<0.05	10	<5	6
C287460		<50	8	0.26	70	0.71	2610	7	<0.05	116	2840	420	1.18	4070	5	402
C287461		<50	5	0.29	<50	<0.05	110	<5	0.10	7	<50	<10	<0.05	<10	<5	13
C287462		<50	<5	0.31	<50	<0.05	130	<5	0.13	180	<50	10	<0.05	<10	<5	11
C287463		<50	<5	0.25	<50	<0.05	110	<5	0.11	10	<50	<10	<0.05	10	<5	<5
C287464		<50	<5	0.30	80	<0.05	90	<5	0.10	<5	<50	<10	<0.05	10	<5	84
C287465		<50	<5	0.27	<50	<0.05	70	<5	0.09	<5	<50	<10	<0.05	<10	<5	8
C287466		<50	<5	0.29	<50	<0.05	140	7	0.08	6	<50	<10	0.21	10	<5	<5
C287467		<50	<5	0.29	<50	<0.05	160	<5	0.11	8	<50	<10	0.06	10	<5	<5
C287468		<50	<5	0.32	<50	<0.05	150	<5	0.14	6	<50	<10	<0.05	<10	<5	9
C287469		<50	8	0.26	<50	<0.05	60	<5	0.07	<5	<50	<10	1.42	100	<5	7
C287470		<50	<5	0.27	<50	<0.05	60	<5	0.07	7	<50	<10	1.27	100	<5	<5
C287471		<50	7	0.30	<50	<0.05	70	<5	0.12	7	<50	<10	<0.05	<10	<5	<5
C287472		<50	<5	0.28	<50	<0.05	110	<5	0.11	91	<50	40	<0.05	<10	<5	25
C287473		<50	<5	0.34	<50	<0.05	180	<5	0.14	14	<50	<10	<0.05	10	<5	<5
C287474		<50	<5	0.31	<50	<0.05	80	<5	0.13	13	<50	<10	<0.05	<10	<5	12
C287475		<50	<5	0.28	<50	<0.05	60	<5	0.10	5	<50	<10	<0.05	<10	<5	14
C287476		<50	6	0.28	<50	<0.05	90	<5	0.10	10	<50	<10	<0.05	<10	<5	5
C287477		<50	<5	0.31	<50	<0.05	40	<5	0.12	9	<50	<10	<0.05	<10	<5	11
C287478		<50	<5	0.28	<50	<0.05	50	<5	0.10	6	<50	<10	<0.05	<10	<5	7
C287479		<50	<5	0.40	<50	<0.05	70	6	0.05	7	<50	220	<0.05	<10	<5	32
C287480		<50	<5	0.26	<50	<0.05	<30	<5	<0.05	<5	<50	<10	<0.05	<10	<5	14
C287481		<50	<5	0.39	<50	<0.05	50	5	<0.05	15	<50	130	<0.05	10	<5	42
C287482		<50	<5	0.39	<50	<0.05	70	17	<0.05	7	<50	2770	<0.05	30	<5	9
C287483		<50	<5	0.13	<50	<0.05	70	<5	<0.05	10	<50	80	<0.05	<10	<5	<5
C287484		<50	<5	0.13	<50	<0.05	<30	6	<0.05	<5	<50	100	14.00	760	<5	<5
C287485		<50	<5	0.17	<50	<0.05	50	<5	<0.05	12	<50	170	0.06	10	<5	<5
C287486		<50	<5	<0.05	<50	<0.05	60	<5	<0.05	8	<50	80	0.69	40	<5	<5
C287487		<50	<5	0.22	<50	<0.05	<30	<5	<0.05	27	<50	170	2.05	70	<5	<5
C287488		<50	<5	0.31	<50	<0.05	30	<5	<0.05	17	<50	820	3.16	110	<5	<5
C287489		<50	<5	0.50	<50	<0.05	30	<5	<0.05	10	<50	50	0.74	10	<5	<5
C287490		<50	<5	0.39	<50	<0.05	<30	<5	<0.05	<5	<50	100	1.12	30	<5	<5
C287491		<50	5	0.46	<50	<0.05	40	<5	<0.05	12	<50	80	0.18	<10	<5	<5
C287492		<50	<5	0.35	<50	<0.05	50	<5	0.09	<5	<50	10	0.10	<10	<5	25
C287493		<50	<5	0.42	<50	<0.05	40	<5	0.05	9	<50	20	0.29	20	<5	18



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - C
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 29-SEP-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08121071

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Cu-AA46
	Analyte	Th	Ti	Ti	U	V	W	Zn	Ag	As	Cu
	Units LOR	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		100	0.05	50	50	5	50	10	5	0.01	0.01
C287454		<100	<0.05	<50	<50	8	<50	<10			
C287455		<100	<0.05	<50	<50	8	<50	<10			
C287456		<100	<0.05	<50	<50	6	<50	<10			
C287457		<100	<0.05	<50	<50	<5	<50	<10			
C287458		<100	<0.05	<50	<50	<5	<50	<10			
C287459		<100	<0.05	<50	<50	<5	<50	<10			
C287460		<100	0.48	<50	<50	772	50	1660	339		5.45
C287461		<100	<0.05	<50	<50	7	<50	10			
C287462		<100	<0.05	<50	<50	<5	<50	80			
C287463		<100	<0.05	<50	<50	<5	<50	20			
C287464		<100	<0.05	<50	<50	<5	<50	<10			
C287465		<100	<0.05	<50	<50	<5	<50	50			
C287466		<100	<0.05	<50	<50	<5	<50	30			
C287467		<100	<0.05	<50	<50	<5	<50	40			
C287468		<100	<0.05	<50	<50	<5	<50	30			
C287469		<100	<0.05	<50	<50	<5	<50	<10		3.08	
C287470		<100	<0.05	<50	<50	<5	<50	<10		2.75	
C287471		<100	<0.05	<50	<50	<5	<50	10			
C287472		<100	<0.05	<50	<50	<5	<50	160			
C287473		<100	<0.05	<50	<50	<5	<50	20			
C287474		<100	<0.05	<50	<50	<5	<50	20			
C287475		<100	<0.05	<50	<50	<5	<50	10			
C287476		<100	<0.05	<50	<50	<5	<50	10			
C287477		<100	<0.05	<50	<50	<5	<50	<10			
C287478		<100	<0.05	<50	<50	<5	<50	10			
C287479		<100	<0.05	<50	<50	<5	<50	<10			
C287480		<100	<0.05	<50	<50	<5	<50	<10			
C287481		<100	<0.05	<50	<50	<5	<50	<10			
C287482		<100	<0.05	<50	<50	<5	<50	<10			
C287483		<100	<0.05	<50	<50	<5	<50	<10			
C287484		<100	<0.05	<50	<50	<5	<50	10		15.50	
C287485		<100	<0.05	<50	<50	<5	<50	<10			
C287486		<100	<0.05	<50	<50	<5	<50	<10		1.59	
C287487		<100	<0.05	<50	<50	<5	<50	60		4.61	
C287488		<100	<0.05	<50	<50	<5	<50	40	194	6.13	
C287489		<100	<0.05	<50	<50	<5	<50	10		1.74	
C287490		<100	<0.05	<50	<50	<5	<50	10		2.03	
C287491		<100	<0.05	<50	<50	<5	<50	<10			
C287492		<100	<0.05	<50	<50	<5	<50	<10			
C287493		<100	<0.05	<50	<50	<5	<50	<10			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 5 - A

Total # Pages: 5 (A - C)

Plus Appendix Pages

Finalized Date: 29-SEP-2008

Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08121071

Sample Description	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41a Ag ppm	ME-ICP41a Al %	ME-ICP41a As ppm	ME-ICP41a Ba ppm	ME-ICP41a Be ppm	ME-ICP41a Bi ppm	ME-ICP41a Ca %	ME-ICP41a Cd ppm	ME-ICP41a Co ppm	ME-ICP41a Cr ppm	ME-ICP41a Cu ppm	ME-ICP41a Fe %
	0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
C287494	1.91	0.243		7	0.50	6210	<50	<5	10	<0.05	<5	6	11	175	1.02
C287495	1.90	0.143		8	0.49	3630	<50	<5	<10	<0.05	11	<5	13	270	1.15
C287496	2.09	0.139		2	0.45	3250	<50	<5	<10	<0.05	<5	<5	10	65	0.86
C287497	2.17	0.052		1	0.51	2120	<50	<5	<10	<0.05	<5	<5	10	74	0.81
C287498	1.98	0.041		2	0.52	1200	<50	<5	10	<0.05	<5	<5	11	80	0.89
C287499	1.85	0.042		3	0.55	1420	<50	<5	<10	<0.05	<5	<5	9	78	0.89
C287500	0.07	>10.0	NSS	>200	1.29	650	110	<5	<10	3.80	31	146	32	>50000	10.30



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 5 - B
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 29-SEP-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08121071

Method Analyte Units LOR	ME-ICP41a Ga ppm	ME-ICP41a Hg ppm	ME-ICP41a K %	ME-ICP41a La ppm	ME-ICP41a Mg %	ME-ICP41a Mn ppm	ME-ICP41a Mo ppm	ME-ICP41a Na %	ME-ICP41a Ni ppm	ME-ICP41a P ppm	ME-ICP41a Pb ppm	ME-ICP41a S %	ME-ICP41a Sb ppm	ME-ICP41a Sc ppm	ME-ICP41a Sr ppm
Sample Description	50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
C287494	<50	<5	0.36	<50	<0.05	40	<5	0.06	7	<50	50	0.33	10	<5	<5
C287495	<50	<5	0.37	<50	<0.05	50	<5	0.06	6	<50	260	0.30	10	<5	<5
C287496	<50	<5	0.31	<50	<0.05	40	<5	0.09	<5	<50	40	0.24	20	<5	<5
C287497	<50	<5	0.31	<50	<0.05	60	<5	0.11	6	<50	20	0.18	10	<5	<5
C287498	<50	<5	0.30	<50	<0.05	100	<5	0.11	7	<50	10	0.15	10	<5	6
C287499	<50	<5	0.38	<50	<0.05	80	<5	0.10	7	<50	20	0.18	<10	<5	<5
C287500	<50	9	0.25	70	0.70	2560	6	<0.05	117	2770	400	1.17	4020	5	399



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 5 - C
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 29-SEP-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08121071

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Cu-AA46
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	As	Cu
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOR	100	0.05	50	50	5	50	10	5	0.01	0.01
C287494		<100	<0.05	<50	<50	<5	<50	20			
C287495		<100	<0.05	<50	<50	<5	<50	240			
C287496		<100	<0.05	<50	<50	<5	<50	20			
C287497		<100	<0.05	<50	<50	<5	<50	<10			
C287498		<100	<0.05	<50	<50	<5	<50	<10			
C287499		<100	<0.05	<50	<50	<5	<50	<10			
C287500		<100	0.47	<50	<50	770	<50	1660	NSS		5.44



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 29-SEP-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08121071

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 16-SEP-2008
Account: EIATYE

CERTIFICATE TR08121072

Project: Golden Eagle TYE 08-02

P.O. No.: TYE08-02

This report is for 86 Drill Core samples submitted to our lab in Terrace, BC, Canada on 26-AUG-2008.

The following have access to data associated with this certificate:

HENRY A
JEREMY MAJOR

GENERAL EQUITY ENGINEERING

TRACY HURLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
As-AA46	Ore grade As - aqua regia/AA	AAS
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41a	High Grade Aqua Regia ICP-AES	ICP-AES
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: JEREMY MAJOR
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 16-SEP-2008
Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08121072

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
G0672001		1.72	0.065		6	0.41	5690	<50	<5	20	<0.05	<5	14	18	109	0.87
G0672002		2.27	0.241		3	0.39	10500	<50	<5	30	<0.05	<5	8	9	81	1.29
G0672003		2.05	0.027		1	0.42	1370	<50	<5	10	<0.05	<5	<5	9	66	0.68
G0672004		2.00	0.028		<1	0.44	690	<50	<5	10	<0.05	<5	<5	6	32	0.68
G0672005		1.87	0.107		3	0.38	4240	<50	<5	30	<0.05	7	<5	9	97	0.88
G0672006		2.15	0.006		<1	0.46	80	<50	<5	20	<0.05	<5	<5	10	15	0.67
G0672007		2.15	0.011		<1	0.47	80	<50	<5	10	<0.05	<5	<5	5	25	0.72
G0672008		3.01	0.022		<1	0.47	300	<50	<5	20	<0.05	<5	<5	7	18	0.68
G0672009		1.15	0.014		<1	0.43	170	<50	<5	30	<0.05	<5	<5	6	28	0.68
G0672010		1.04	0.017		<1	0.46	110	<50	<5	20	<0.05	<5	<5	8	28	0.72
G0672011		1.73	0.069		<1	0.46	110	<50	<5	30	<0.05	<5	<5	7	63	0.82
G0672012		1.90	0.035		<1	0.48	100	<50	<5	30	0.05	<5	<5	6	55	0.92
G0672013		1.84	0.016		<1	0.48	50	<50	<5	20	0.05	<5	<5	6	50	0.85
G0672014		2.03	0.030		<1	0.56	110	<50	<5	20	0.05	<5	<5	6	58	1.08
G0672015		1.91	0.436		15	0.49	320	<50	<5	130	0.05	<5	<5	7	46	0.89
G0672016		2.09	0.052		<1	0.54	210	<50	<5	20	0.07	<5	<5	5	57	1.15
G0672017		2.04	0.042		<1	0.53	50	<50	<5	20	0.37	<5	<5	7	47	1.09
G0672018		1.82	0.095		<1	0.55	330	<50	<5	20	0.06	<5	<5	6	74	1.33
G0672019		2.18	0.048		<1	0.52	200	<50	<5	10	0.06	<5	<5	7	60	1.14
G0672020		0.07	<0.005		<1	<0.05	<10	<50	<5	<10	<0.05	<5	8	17	19	<0.05
G0672021		2.22	0.088		<1	0.49	80	<50	<5	30	0.06	<5	<5	9	63	1.09
G0672022		1.96	0.128		4	0.54	100	<50	<5	20	0.07	<5	<5	7	88	1.21
G0672023		1.16	0.068		3	0.57	50	<50	<5	10	0.07	<5	<5	8	112	1.39
G0672024		1.54	0.045		<1	0.36	730	<50	<5	10	<0.05	<5	<5	9	59	0.79
G0672025		0.91	0.071		<1	0.52	40	<50	<5	20	0.05	<5	<5	8	85	1.16
G0672026		2.03	0.046		<1	0.53	120	<50	<5	20	0.07	<5	<5	9	81	1.23
G0672027		2.06	0.021		<1	0.51	110	<50	<5	20	0.06	<5	<5	5	51	1.14
G0672028		1.10	0.048		<1	0.49	150	<50	<5	20	0.09	<5	<5	6	71	1.19
G0672029		0.44	0.184		1	0.40	1220	<50	<5	20	0.82	<5	<5	<5	181	0.98
G0672030		0.35	0.106		2	0.37	740	<50	<5	20	1.39	<5	<5	<5	57	0.73
G0672031		1.97	0.056		<1	0.53	60	<50	<5	20	0.27	<5	<5	10	63	1.16
G0672032		1.95	0.032		1	0.51	80	<50	<5	<10	0.06	<5	<5	6	44	0.99
G0672033		2.26	0.059		2	0.58	570	<50	<5	20	0.28	11	<5	11	55	1.16
G0672034		2.17	0.015		<1	0.54	60	<50	<5	10	0.20	<5	<5	8	35	1.13
G0672035		1.84	0.005		<1	0.53	30	<50	<5	30	0.28	<5	<5	9	35	1.06
G0672036		2.15	0.145		<1	0.57	50	<50	<5	30	0.27	<5	<5	7	46	1.14
G0672037		1.40	0.058		2	0.54	200	<50	<5	20	0.31	<5	<5	45	124	1.08
G0672038		1.55	0.021		2	0.56	140	<50	<5	20	0.28	<5	<5	9	45	1.22
G0672039		1.82	0.043		2	0.55	90	<50	<5	10	0.11	<5	<5	15	57	1.24
G0672040		0.06	>10.0	12.30	>200	1.29	600	110	<5	<10	3.77	32	146	33	>50000	9.89



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 16-SEP-2008
Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08121072

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
G0672001		<50	<5	0.34	<50	<0.05	30	24	0.14	17	<50	380	0.27	20	<5	5
G0672002		<50	<5	0.27	<50	<0.05	50	6	0.18	<5	<50	60	0.50	10	<5	<5
G0672003		<50	<5	0.23	<50	<0.05	120	<5	0.18	<5	70	20	0.17	<10	<5	<5
G0672004		<50	<5	0.25	<50	<0.05	100	6	0.20	<5	50	70	0.13	10	<5	<5
G0672005		<50	<5	0.25	<50	<0.05	60	5	0.19	<5	70	90	0.39	20	<5	<5
G0672006		<50	<5	0.23	<50	<0.05	240	<5	0.20	<5	<50	30	0.06	<10	<5	<5
G0672007		<50	<5	0.26	<50	<0.05	220	<5	0.19	<5	<50	10	0.09	<10	<5	<5
G0672008		<50	<5	0.28	<50	<0.05	190	<5	0.22	<5	<50	60	0.08	10	<5	<5
G0672009		<50	<5	0.23	<50	<0.05	130	<5	0.19	<5	<50	10	0.07	<10	<5	<5
G0672010		<50	<5	0.23	<50	<0.05	140	<5	0.20	<5	60	<10	0.08	<10	<5	<5
G0672011		<50	5	0.22	<50	0.05	130	9	0.17	<5	150	20	0.17	<10	<5	<5
G0672012		<50	5	0.24	<50	0.06	170	6	0.17	<5	130	20	0.20	<10	<5	<5
G0672013		<50	<5	0.23	<50	0.06	100	5	0.17	<5	150	20	0.15	10	<5	<5
G0672014		<50	<5	0.25	<50	0.08	140	<5	0.21	<5	150	<10	0.22	<10	<5	<5
G0672015		<50	<5	0.24	<50	0.06	90	<5	0.17	<5	150	100	0.21	20	<5	<5
G0672016		<50	<5	0.25	<50	0.07	630	8	0.18	<5	160	<10	0.28	10	<5	<5
G0672017		<50	<5	0.24	50	0.08	640	5	0.17	<5	160	10	0.23	10	<5	13
G0672018		<50	<5	0.27	<50	0.07	220	8	0.17	<5	160	10	0.33	10	<5	<5
G0672019		<50	5	0.22	<50	0.08	190	10	0.18	<5	150	10	0.17	<10	<5	<5
G0672020		<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	14	<50	20	<0.05	<10	<5	<5
G0672021		<50	<5	0.21	<50	0.11	280	14	0.18	<5	150	10	0.20	<10	<5	<5
G0672022		<50	<5	0.24	<50	0.09	470	14	0.17	<5	190	10	0.21	10	<5	<5
G0672023		<50	<5	0.23	<50	0.10	650	12	0.17	<5	210	20	0.32	10	<5	<5
G0672024		<50	<5	0.16	<50	<0.05	140	<5	0.23	<5	<50	20	0.29	10	<5	<5
G0672025		<50	<5	0.22	<50	0.08	380	<5	0.18	<5	170	10	0.27	<10	<5	<5
G0672026		<50	<5	0.21	<50	0.11	340	7	0.19	<5	200	<10	0.33	20	<5	<5
G0672027		<50	<5	0.21	<50	0.09	440	10	0.18	<5	180	10	0.27	<10	<5	<5
G0672028		<50	<5	0.24	<50	0.07	350	12	0.18	<5	160	20	0.34	<10	<5	<5
G0672029		<50	<5	0.25	<50	<0.05	1630	39	0.13	111	130	50	0.27	<10	<5	15
G0672030		<50	<5	0.25	<50	<0.05	1790	27	0.12	<5	130	30	0.15	10	<5	18
G0672031		<50	<5	0.25	<50	0.06	1240	11	0.15	<5	180	10	0.17	<10	<5	<5
G0672032		<50	<5	0.23	<50	0.06	170	9	0.16	<5	160	10	0.22	10	<5	<5
G0672033		<50	<5	0.30	<50	0.08	300	<5	0.16	<5	180	210	0.30	<10	<5	8
G0672034		<50	<5	0.23	<50	0.10	290	<5	0.18	<5	180	20	0.20	<10	<5	5
G0672035		<50	<5	0.22	<50	0.11	260	<5	0.19	<5	200	10	0.17	20	<5	<5
G0672036		<50	<5	0.23	<50	0.13	270	5	0.20	<5	170	10	0.17	<10	<5	<5
G0672037		<50	<5	0.25	<50	0.09	340	<5	<0.05	53	150	50	0.31	<10	<5	5
G0672038		<50	<5	0.25	<50	0.09	510	<5	<0.05	<5	190	10	0.28	<10	<5	<5
G0672039		<50	<5	0.21	<50	0.11	250	<5	<0.05	<5	150	<10	0.37	<10	<5	<5
G0672040		<50	<5	0.26	60	0.70	2560	<5	<0.05	112	2730	420	1.10	4110	5	386



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 16-SEP-2008
Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08121072

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Cu-AA46
	Analyte	Th	Ti	Ti	U	V	W	Zn	Ag	As	Cu
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOR	100	0.05	50	50	5	50	10	5	0.01	0.01
G0672001		<100	<0.05	<50	<50	<5	<50	40			
G0672002		<100	<0.05	<50	<50	<5	<50	10		1.02	
G0672003		<100	<0.05	<50	<50	<5	<50	20			
G0672004		<100	<0.05	<50	<50	<5	<50	30			
G0672005		<100	<0.05	<50	<50	<5	<50	120			
G0672006		<100	<0.05	<50	<50	<5	<50	60			
G0672007		<100	<0.05	<50	<50	<5	<50	30			
G0672008		<100	<0.05	<50	<50	<5	<50	50			
G0672009		<100	<0.05	<50	<50	<5	<50	20			
G0672010		<100	<0.05	<50	<50	<5	<50	20			
G0672011		<100	<0.05	<50	<50	<5	<50	20			
G0672012		<100	<0.05	<50	<50	<5	<50	60			
G0672013		<100	<0.05	<50	<50	<5	<50	10			
G0672014		<100	<0.05	<50	<50	<5	<50	60			
G0672015		<100	<0.05	<50	<50	<5	<50	10			
G0672016		<100	<0.05	<50	<50	<5	<50	70			
G0672017		<100	<0.05	<50	<50	<5	<50	60			
G0672018		<100	<0.05	<50	<50	<5	<50	130			
G0672019		<100	<0.05	<50	<50	<5	<50	170			
G0672020		<100	<0.05	<50	<50	<5	<50	30			
G0672021		<100	<0.05	<50	<50	7	<50	210			
G0672022		<100	<0.05	<50	<50	5	<50	140			
G0672023		<100	<0.05	<50	<50	<5	<50	100			
G0672024		<100	<0.05	<50	<50	<5	<50	30			
G0672025		<100	<0.05	<50	<50	5	<50	70			
G0672026		<100	<0.05	<50	<50	<5	<50	60			
G0672027		<100	<0.05	<50	<50	<5	<50	60			
G0672028		<100	<0.05	<50	<50	<5	<50	30			
G0672029		<100	<0.05	<50	<50	<5	<50	190			
G0672030		<100	<0.05	<50	<50	<5	<50	100			
G0672031		<100	<0.05	<50	<50	<5	<50	130			
G0672032		<100	<0.05	<50	<50	<5	<50	20			
G0672033		<100	<0.05	<50	<50	<5	<50	320			
G0672034		<100	<0.05	<50	<50	6	<50	60			
G0672035		<100	<0.05	<50	<50	<5	<50	60			
G0672036		<100	<0.05	<50	<50	7	<50	50			
G0672037		<100	<0.05	<50	<50	<5	<50	140			
G0672038		<100	<0.05	<50	<50	<5	<50	30			
G0672039		<100	<0.05	<50	<50	<5	<50	20			
G0672040		<100	0.45	<50	<50	751	<50	1620	330		5.39



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 16-SEP-2008
Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08121072

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
G0672041		1.77	0.058		2	0.63	110	<50	<5	10	0.13	<5	<5	16	290	1.22
G0672042		1.43	0.010		<1	0.56	70	<50	<5	<10	0.08	<5	<5	16	74	1.17
G0672043		1.04	0.014		5	0.62	70	<50	<5	20	0.33	7	<5	13	73	1.10
G0672044		1.76	0.158		1	0.49	2590	<50	<5	<10	0.29	<5	<5	17	37	1.23
G0672045		0.86	0.010		3	0.63	100	<50	<5	<10	0.12	<5	<5	12	129	1.42
G0672046		0.95	0.171		9	0.29	7120	<50	<5	<10	<0.05	<5	66	17	167	1.90
G0672047		2.15	0.019		3	0.59	120	<50	<5	<10	0.22	<5	<5	17	74	1.11
G0672048		2.04	0.014		<1	0.59	90	50	<5	<10	0.26	<5	<5	18	42	1.24
G0672049		1.06	0.026		2	0.59	290	<50	<5	<10	0.15	<5	<5	13	92	1.32
G0672050		0.94	0.060		5	0.60	270	<50	<5	10	0.14	<5	6	13	151	1.28
G0672051		1.90	0.018		3	0.61	130	<50	<5	<10	0.34	<5	<5	19	81	1.32
G0672052		2.22	0.068		2	0.63	300	<50	<5	10	0.30	<5	<5	18	72	1.25
G0672053		1.98	0.034		4	0.63	170	<50	<5	10	0.22	<5	<5	14	77	1.33
G0672054		2.04	0.025		<1	0.59	240	<50	<5	<10	0.17	8	<5	15	90	1.14
G0672055		2.02	0.009		3	0.65	100	<50	<5	<10	0.07	<5	<5	18	78	1.36
G0672056		1.36	0.119		7	0.48	1800	<50	<5	10	0.11	<5	<5	14	76	1.11
G0672057		0.49	0.034		3	0.36	3000	<50	<5	10	<0.05	<5	<5	15	20	0.86
G0672058		2.01	0.009		2	0.60	240	<50	<5	<10	0.08	<5	<5	16	52	1.34
G0672059		1.94	0.035		5	0.59	1300	<50	<5	10	0.07	<5	<5	14	79	1.36
G0672060		0.03	0.016		1	<0.05	<10	<50	<5	<10	<0.05	<5	5	<5	35	<0.05
G0672061		1.95	0.020		5	0.56	330	<50	<5	<10	0.07	<5	<5	13	71	1.23
G0672062		2.02	0.013		<1	0.62	140	<50	<5	10	0.18	<5	6	19	45	1.28
G0672063		2.23	0.038		1	0.60	<10	<50	<5	20	0.28	<5	<5	21	31	1.16
G0672064		1.90	0.055		1	0.53	10	<50	<5	20	0.35	<5	<5	16	44	1.19
G0672065		2.18	0.119		5	0.55	1200	<50	<5	<10	0.57	19	<5	17	92	1.03
G0672066		1.37	0.156		9	0.52	2590	<50	<5	10	0.80	54	6	14	125	1.07
G0672067		1.68	3.28	3.30	57	0.44	49400	<50	<5	80	0.13	225	74	9	74	8.77
G0672068		2.18	0.220		4	0.61	2590	<50	<5	<10	0.25	11	<5	18	44	1.55
G0672069		0.96	0.115		1	0.55	420	<50	<5	10	0.31	<5	5	17	34	1.08
G0672070		1.17	0.078		2	0.56	350	<50	<5	10	0.32	<5	<5	16	37	1.09
G0672071		2.28	0.016		2	0.59	40	50	<5	10	0.23	<5	<5	20	30	1.21
G0672072		2.34	0.035		<1	0.60	<10	<50	<5	10	0.31	<5	<5	15	33	1.20
G0672073		1.90	0.153		2	0.51	1070	220	<5	20	0.37	<5	<5	15	118	1.25
G0672074		1.93	0.056		7	0.60	130	60	<5	30	0.45	<5	<5	12	99	1.15
G0672075		1.91	0.123		3	0.56	40	<50	<5	20	0.36	<5	<5	14	49	1.17
G0672076		2.10	0.013		1	0.62	50	50	<5	30	0.30	<5	<5	13	44	1.15
G0672077		2.10	0.040		1	0.59	60	<50	<5	20	0.40	<5	<5	15	61	1.18
G0672078		1.84	0.070		3	0.62	20	<50	<5	20	0.31	<5	<5	16	42	1.27
G0672079		1.73	0.071		1	0.57	140	90	<5	20	0.44	<5	<5	14	54	1.24
G0672080		0.07	>10.0	NSS	>200	1.27	620	150	<5	90	3.73	29	140	32	>50000	10.05



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 16-SEP-2008
Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08121072

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
G0672041		<50	<5	0.27	<50	0.11	270	<5	<0.05	<5	180	20	0.23	30	<5	7
G0672042		<50	<5	0.22	<50	0.11	350	<5	<0.05	<5	230	<10	0.23	<10	<5	<5
G0672043		<50	<5	0.32	<50	0.10	400	<5	<0.05	<5	160	120	0.20	<10	<5	10
G0672044		<50	<5	0.39	<50	<0.05	310	<5	<0.05	<5	170	20	0.77	<10	<5	5
G0672045		<50	<5	0.29	<50	0.12	520	<5	0.05	<5	170	10	0.34	<10	<5	7
G0672046		<50	<5	0.18	<50	<0.05	370	<5	<0.05	<5	50	30	1.29	20	<5	<5
G0672047		<50	<5	0.26	<50	0.11	310	<5	<0.05	<5	170	<10	0.21	20	<5	<5
G0672048		<50	<5	0.29	<50	0.15	200	<5	<0.05	<5	160	<10	0.30	<10	<5	<5
G0672049		<50	<5	0.25	<50	0.12	900	<5	<0.05	<5	230	10	0.27	10	<5	<5
G0672050		<50	<5	0.27	<50	0.12	790	<5	<0.05	<5	180	<10	0.25	<10	<5	<5
G0672051		<50	<5	0.26	<50	0.13	380	<5	<0.05	<5	190	10	0.28	<10	<5	8
G0672052		<50	<5	0.27	<50	0.14	290	<5	<0.05	<5	200	<10	0.26	10	<5	9
G0672053		<50	<5	0.27	<50	0.12	510	<5	<0.05	<5	170	<10	0.32	10	<5	8
G0672054		<50	<5	0.32	<50	0.08	770	<5	<0.05	<5	160	10	0.29	<10	<5	<5
G0672055		<50	<5	0.23	<50	0.16	410	<5	<0.05	8	190	10	0.35	<10	<5	<5
G0672056		<50	<5	0.32	<50	<0.05	310	<5	<0.05	<5	190	80	0.63	<10	<5	6
G0672057		<50	<5	0.20	<50	<0.05	580	<5	<0.05	<5	90	<10	0.19	<10	<5	6
G0672058		<50	<5	0.27	50	0.09	1250	<5	<0.05	<5	190	<10	0.22	10	<5	<5
G0672059		<50	<5	0.26	<50	0.10	480	<5	<0.05	<5	180	10	0.40	<10	<5	<5
G0672060		<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	26	<50	<10	<0.05	<10	<5	<5
G0672061		<50	<5	0.26	<50	0.11	260	<5	<0.05	<5	210	<10	0.39	<10	<5	<5
G0672062		<50	<5	0.28	<50	0.15	400	<5	<0.05	<5	180	<10	0.21	10	<5	18
G0672063		<50	<5	0.26	<50	0.15	190	<5	0.05	<5	180	10	0.21	10	<5	18
G0672064		<50	<5	0.21	<50	0.14	200	<5	<0.05	<5	160	<10	0.26	<10	<5	13
G0672065		<50	<5	0.35	<50	0.06	310	<5	<0.05	<5	180	180	0.52	10	<5	14
G0672066		<50	<5	0.48	<50	<0.05	510	<5	<0.05	<5	190	390	0.79	<10	<5	8
G0672067		<50	<5	0.40	<50	<0.05	1790	<5	<0.05	<5	120	3170	7.35	60	<5	<5
G0672068		<50	<5	0.36	<50	0.09	590	<5	<0.05	<5	140	170	0.69	20	<5	9
G0672069		<50	<5	0.26	<50	0.13	190	<5	<0.05	<5	180	30	0.22	<10	<5	19
G0672070		<50	<5	0.26	<50	0.13	180	<5	<0.05	<5	180	10	0.20	<10	<5	26
G0672071		<50	<5	0.29	<50	0.15	190	<5	0.05	<5	180	<10	0.20	<10	<5	13
G0672072		<50	<5	0.25	<50	0.14	210	<5	<0.05	<5	170	<10	0.17	<10	<5	25
G0672073		<50	<5	0.26	<50	0.08	310	7	0.08	<5	200	90	0.59	10	<5	<5
G0672074		<50	<5	0.27	<50	0.12	290	<5	0.09	43	210	60	0.20	<10	<5	11
G0672075		<50	5	0.26	<50	0.13	220	<5	0.11	<5	210	20	0.21	<10	<5	6
G0672076		<50	<5	0.32	<50	0.14	210	<5	0.12	<5	250	20	0.16	<10	<5	<5
G0672077		<50	<5	0.26	<50	0.14	170	<5	0.11	<5	210	10	0.22	<10	<5	<5
G0672078		<50	<5	0.28	<50	0.15	160	<5	0.12	<5	230	20	0.23	<10	<5	16
G0672079		<50	<5	0.26	<50	0.13	160	<5	0.10	<5	220	20	0.31	<10	<5	<5
G0672080		<50	7	0.25	60	0.69	2510	8	0.07	99	2740	410	1.04	4030	<5	388



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - C
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 16-SEP-2008
Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08121072

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Cu-AA46
	Analyte	Th	Ti	Ti	U	V	W	Zn	Ag	As	Cu
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
LOR		100	0.05	50	50	5	50	10	5	0.01	0.01
G0672041		<100	<0.05	<50	<50	8	<50	20			
G0672042		<100	<0.05	<50	<50	<5	<50	20			
G0672043		<100	<0.05	<50	<50	5	<50	230			
G0672044		<100	<0.05	<50	<50	<5	<50	30			
G0672045		<100	<0.05	<50	<50	7	<50	200			
G0672046		<100	<0.05	<50	<50	<5	<50	70			
G0672047		<100	<0.05	<50	<50	6	<50	80			
G0672048		<100	<0.05	<50	<50	8	<50	<10			
G0672049		<100	<0.05	<50	<50	<5	<50	150			
G0672050		<100	<0.05	<50	<50	6	<50	150			
G0672051		<100	<0.05	<50	<50	6	<50	40			
G0672052		<100	<0.05	<50	<50	5	<50	50			
G0672053		<100	<0.05	<50	<50	6	<50	70			
G0672054		<100	<0.05	<50	<50	<5	<50	280			
G0672055		<100	<0.05	<50	<50	8	<50	50			
G0672056		<100	<0.05	<50	<50	<5	<50	80			
G0672057		<100	<0.05	<50	<50	<5	<50	110			
G0672058		<100	<0.05	<50	<50	<5	<50	250			
G0672059		<100	<0.05	<50	<50	<5	<50	90			
G0672060		<100	<0.05	<50	<50	<5	<50	90			
G0672061		<100	<0.05	<50	<50	<5	<50	20			
G0672062		<100	<0.05	<50	<50	9	<50	70			
G0672063		<100	<0.05	<50	<50	9	<50	<10			
G0672064		<100	<0.05	<50	<50	7	<50	<10			
G0672065		<100	<0.05	<50	<50	5	<50	410			
G0672066		<100	<0.05	<50	<50	<5	<50	1240			
G0672067		<100	<0.05	<50	<50	<5	<50	5400	5.08		
G0672068		<100	<0.05	<50	<50	5	<50	320			
G0672069		<100	<0.05	<50	<50	5	<50	<10			
G0672070		<100	<0.05	<50	<50	7	<50	<10			
G0672071		<100	0.06	<50	<50	10	<50	<10			
G0672072		<100	<0.05	<50	<50	7	<50	<10			
G0672073		<100	<0.05	<50	<50	<5	<50	60			
G0672074		<100	<0.05	<50	<50	<5	<50	50			
G0672075		<100	<0.05	<50	<50	6	<50	20			
G0672076		<100	<0.05	<50	<50	7	<50	20			
G0672077		<100	<0.05	<50	<50	6	<50	<10			
G0672078		<100	<0.05	<50	<50	9	<50	<10			
G0672079		<100	<0.05	<50	<50	6	<50	<10			
G0672080		<100	0.46	<50	<50	746	<50	1600	355		5.45



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 16-SEP-2008
Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08121072

Sample Description	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41a Ag ppm	ME-ICP41a Al %	ME-ICP41a As ppm	ME-ICP41a Ba ppm	ME-ICP41a Be ppm	ME-ICP41a Bi ppm	ME-ICP41a Ca %	ME-ICP41a Cd ppm	ME-ICP41a Co ppm	ME-ICP41a Cr ppm	ME-ICP41a Cu ppm	ME-ICP41a Fe %
	0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
G0672081	1.95	0.050		1	0.63	120	50	<5	30	0.30	<5	<5	17	317	1.31
G0672082	2.03	0.042		<1	0.59	340	130	<5	30	0.20	<5	<5	15	57	1.23
G0672083	2.30	0.037		<1	0.61	70	50	<5	20	0.19	<5	<5	15	51	1.28
G0672084	2.00	0.054		1	0.59	50	50	<5	40	0.24	<5	<5	16	48	1.21
G0672085	2.03	0.045		<1	0.56	110	<50	<5	20	0.31	<5	<5	12	54	1.18
G0672086	2.36	0.109		<1	0.59	190	<50	<5	20	0.35	<5	6	14	108	1.55



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 16-SEP-2008
Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08121072

Sample Description	Method Analyte Units LOR	ME-ICP41a Ga ppm	ME-ICP41a Hg ppm	ME-ICP41a K %	ME-ICP41a La ppm	ME-ICP41a Mg %	ME-ICP41a Mn ppm	ME-ICP41a Mo ppm	ME-ICP41a Na %	ME-ICP41a Ni ppm	ME-ICP41a P ppm	ME-ICP41a Pb ppm	ME-ICP41a S %	ME-ICP41a Sb ppm	ME-ICP41a Sc ppm	ME-ICP41a Sr ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
G0672081		<50	<5	0.28	<50	0.17	160	5	0.13	<5	240	20	0.20	20	<5	<5
G0672082		<50	<5	0.29	<50	0.16	130	<5	0.12	<5	170	<10	0.20	<10	<5	<5
G0672083		<50	<5	0.28	<50	0.16	430	5	0.12	<5	220	<10	0.18	10	<5	<5
G0672084		<50	<5	0.29	<50	0.15	250	<5	0.12	<5	200	20	0.18	<10	<5	6
G0672085		<50	<5	0.24	<50	0.13	320	<5	0.10	<5	180	10	0.20	<10	<5	10
G0672086		<50	<5	0.25	<50	0.15	240	<5	0.10	<5	220	10	0.51	10	<5	6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - C
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 16-SEP-2008
Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08121072

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Cu-AA46	
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	As	Cu
Units		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
LOR		100	0.05	50	50	5	50	10	5	0.01	0.01
G0672081		<100	0.06	<50	<50	14	<50	10			
G0672082		<100	0.06	<50	<50	10	<50	<10			
G0672083		<100	0.05	<50	<50	8	<50	150			
G0672084		<100	<0.05	<50	<50	9	<50	40			
G0672085		<100	<0.05	<50	<50	5	<50	50			
G0672086		<100	<0.05	<50	<50	6	<50	10			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 16-SEP-2008

Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08121072

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 2-OCT-2008
Account: EIATYE

CERTIFICATE TR08122792

Project: TYE08-02

P.O. No.:

This report is for 127 Drill Core samples submitted to our lab in Terrace, BC, Canada on 29-AUG-2008.

The following have access to data associated with this certificate:

HENRY A
JEREMY MAJOR

GENERAL EQUITY ENGINEERING

TRACY HURLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
PUL-31d	Pulverize Split - duplicate
SPL-21d	Split sample - duplicate
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
As-AA46	Ore grade As - aqua regia/AA	AAS
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41a	High Grade Aqua Regia ICP-AES	ICP-AES
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: JEREMY MAJOR
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 2-OCT-2008
Account: EIATYE

Project: TYE08-02

CERTIFICATE OF ANALYSIS TR08122792

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
G0672087		1.34	0.149		<1	0.69	60	<50	<5	10	0.40	<5	9	23	72	1.45
G0672088		2.15	0.057		<1	0.63	30	<50	<5	<10	0.33	<5	<5	17	42	1.27
G0672089		1.09	0.017		2	0.59	80	<50	<5	<10	0.26	<5	<5	17	37	1.37
G0672090		0.98	0.012		<1	0.59	<10	<50	<5	10	0.24	<5	<5	16	31	1.22
G0672091		1.86	0.049		<1	0.58	120	<50	<5	<10	0.38	<5	<5	24	49	1.29
G0672092		1.79	0.034		<1	0.51	710	<50	<5	<10	0.48	<5	<5	12	44	0.92
G0672093		1.97	0.175		<1	0.62	2870	50	<5	<10	0.17	15	<5	11	16	1.08
G0672094		1.90	0.012		<1	0.59	150	<50	<5	<10	0.63	<5	<5	16	28	1.14
G0672095		1.71	0.080		<1	0.68	130	<50	<5	<10	0.28	<5	<5	13	34	1.42
G0672096		2.08	0.211		4	0.64	130	<50	<5	<10	0.27	<5	<5	15	54	1.45
G0672097		2.10	0.040		<1	0.60	200	<50	<5	10	0.35	<5	<5	18	30	1.29
G0672098		1.91	0.022		<1	0.56	50	<50	<5	<10	0.42	<5	<5	15	12	1.02
G0672099		1.77	0.029		<1	0.63	40	<50	<5	<10	0.37	<5	<5	20	17	1.46
G0672100		0.04	<0.005		<1	<0.05	10	<50	<5	<10	<0.05	<5	<5	<5	<5	<0.05
G0672101		2.59	0.047		3	0.57	60	<50	<5	10	0.34	<5	6	20	19	1.19
G0672102		2.13	0.017		1	0.65	10	<50	<5	10	0.34	<5	<5	23	19	1.49
G0672103		1.88	0.038		<1	0.60	70	<50	<5	20	0.27	<5	<5	19	26	1.20
G0672104		1.62	0.057		<1	0.55	50	<50	<5	20	0.28	<5	<5	20	37	1.29
G0672105		2.31	0.020		<1	0.57	40	<50	<5	<10	0.29	<5	6	23	28	1.21
G0672106		0.73	0.034		<1	0.57	350	<50	<5	10	0.27	<5	<5	17	22	1.28
G0672107		2.15	0.006		<1	0.44	710	<50	<5	<10	<0.05	<5	<5	14	16	0.62
G0672108		0.64	1.840	1.94	5	0.32	51800	<50	<5	50	<0.05	<5	30	12	103	4.98
G0672109		1.16	0.011		<1	0.40	1120	<50	<5	<10	<0.05	<5	<5	19	14	0.57
G0672110		1.01	0.016		<1	0.41	1840	<50	<5	10	<0.05	<5	<5	19	76	0.63
G0672111		2.08	0.312		2	0.49	6410	<50	<5	10	<0.05	<5	<5	23	115	0.99
G0672112		2.12	0.077		1	0.42	1920	<50	<5	<10	<0.05	<5	<5	20	46	0.62
G0672113		2.28	0.037		<1	0.45	2330	<50	<5	<10	<0.05	<5	5	20	30	0.77
G0672114		1.13	0.114		1	0.37	5930	<50	<5	<10	<0.05	<5	<5	11	28	0.80
G0672115		0.86	0.200		3	0.43	5560	<50	<5	10	<0.05	<5	<5	14	35	0.89
G0672116		0.94	0.006		<1	0.47	990	<50	<5	10	<0.05	<5	<5	14	<5	0.53
G0672117		0.60	0.139		6	0.42	5310	<50	<5	<10	<0.05	<5	<5	10	67	0.96
G0672118		0.68	0.016		<1	0.41	1420	<50	<5	<10	<0.05	<5	<5	10	15	0.59
G0672119		0.46	0.097		8	0.46	2900	<50	<5	20	<0.05	<5	<5	11	56	0.85
G0672120		0.06	>10.0	11.60	>200	1.25	650	100	<5	<10	3.79	30	142	32	>50000	10.60
G0672121		2.05	0.204		1	0.32	3650	<50	<5	<10	<0.05	<5	<5	16	39	0.78
G0672122		2.09	0.137		3	0.42	2210	<50	<5	20	<0.05	<5	<5	21	88	0.64
G0672123		2.22	0.131		<1	0.33	5270	<50	<5	10	<0.05	<5	<5	38	166	0.73
G0672124		1.71	0.685		3	0.32	40600	<50	<5	30	<0.05	<5	<5	22	116	3.69
G0672125		2.01	0.308		6	0.34	32000	<50	<5	20	<0.05	<5	5	18	199	3.12
G0672126		2.13	0.084		<1	0.35	28600	<50	<5	10	<0.05	<5	<5	14	159	3.11



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 2-OCT-2008
Account: EIATYE

Project: TYE08-02

CERTIFICATE OF ANALYSIS TR08122792

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
G0672087		<50	<5	0.33	<50	0.15	240	<5	0.12	8	200	30	0.22	<10	<5	15
G0672088		<50	<5	0.30	<50	0.14	240	<5	0.11	<5	180	10	0.23	<10	<5	12
G0672089		<50	<5	0.30	<50	0.15	230	<5	0.12	<5	170	<10	0.26	<10	<5	8
G0672090		<50	<5	0.31	<50	0.14	190	<5	0.12	<5	220	10	0.24	<10	<5	<5
G0672091		<50	<5	0.29	<50	0.13	230	<5	0.10	<5	160	10	0.25	<10	<5	15
G0672092		<50	<5	0.28	<50	0.09	250	<5	0.09	<5	170	10	0.23	<10	<5	22
G0672093		<50	<5	0.49	<50	<0.05	100	<5	0.06	<5	220	20	0.62	<10	<5	9
G0672094		<50	<5	0.30	<50	0.12	260	<5	0.11	<5	160	<10	0.23	<10	<5	8
G0672095		<50	<5	0.31	<50	0.13	280	<5	0.10	<5	230	10	0.26	<10	<5	12
G0672096		<50	<5	0.31	<50	0.15	210	<5	0.10	<5	230	20	0.40	<10	<5	6
G0672097		<50	<5	0.29	<50	0.12	230	<5	0.10	<5	190	<10	0.25	<10	<5	10
G0672098		<50	<5	0.28	<50	0.11	220	<5	0.09	<5	180	10	0.14	10	<5	9
G0672099		<50	<5	0.28	<50	0.15	210	<5	0.11	<5	220	<10	0.16	<10	<5	13
G0672100		<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	<5	60	<10	<0.05	<10	<5	<5
G0672101		<50	<5	0.25	<50	0.13	170	<5	0.10	<5	200	<10	0.19	<10	<5	19
G0672102		<50	<5	0.29	<50	0.14	190	<5	0.12	<5	240	<10	0.15	<10	<5	14
G0672103		<50	<5	0.28	<50	0.13	150	<5	0.11	<5	180	<10	0.17	<10	<5	23
G0672104		<50	<5	0.25	<50	0.14	190	<5	0.09	<5	200	10	0.13	<10	<5	7
G0672105		<50	<5	0.25	<50	0.14	170	<5	0.10	<5	160	10	0.18	<10	<5	15
G0672106		<50	<5	0.27	<50	0.13	190	<5	0.10	<5	170	10	0.20	<10	<5	13
G0672107		<50	<5	0.27	<50	<0.05	50	<5	0.12	<5	<50	<10	<0.05	<10	<5	8
G0672108		<50	<5	0.25	<50	<0.05	30	<5	0.09	<5	<50	<10	2.24	310	<5	6
G0672109		<50	<5	0.26	<50	<0.05	40	<5	0.11	<5	<50	10	<0.05	<10	<5	<5
G0672110		<50	<5	0.27	<50	<0.05	40	<5	0.11	<5	<50	<10	<0.05	10	<5	<5
G0672111		<50	<5	0.43	<50	<0.05	<30	<5	0.05	<5	<50	50	0.15	40	<5	9
G0672112		<50	<5	0.31	<50	<0.05	40	<5	0.10	<5	50	<10	0.05	<10	<5	<5
G0672113		<50	<5	0.29	<50	<0.05	40	<5	0.10	<5	50	20	<0.05	<10	<5	<5
G0672114		<50	<5	0.31	<50	<0.05	<30	<5	0.09	<5	<50	20	<0.05	<10	<5	16
G0672115		<50	<5	0.38	<50	<0.05	<30	<5	0.06	<5	<50	40	0.11	<10	<5	19
G0672116		<50	<5	0.25	<50	<0.05	30	<5	0.10	<5	50	10	<0.05	<10	<5	6
G0672117		<50	<5	0.25	<50	<0.05	30	<5	0.09	<5	60	60	<0.05	<10	<5	31
G0672118		<50	<5	0.23	<50	<0.05	<30	<5	0.09	<5	<50	20	<0.05	<10	<5	16
G0672119		<50	<5	0.29	<50	<0.05	40	<5	0.11	<5	<50	50	<0.05	10	<5	22
G0672120		<50	8	0.26	70	0.70	2620	8	0.05	106	2750	430	1.12	4200	5	398
G0672121		<50	8	0.25	<50	<0.05	30	<5	0.08	<5	<50	50	<0.05	10	<5	20
G0672122		<50	<5	0.28	<50	<0.05	50	<5	0.10	<5	<50	20	0.08	<10	<5	20
G0672123		<50	<5	0.26	<50	<0.05	50	<5	0.08	19	<50	60	0.08	<10	<5	17
G0672124		<50	<5	0.24	<50	<0.05	30	<5	0.06	<5	<50	130	0.23	100	<5	21
G0672125		<50	<5	0.29	<50	<0.05	<30	<5	0.05	<5	<50	200	0.34	30	<5	32
G0672126		<50	<5	0.31	<50	<0.05	<30	<5	0.06	<5	50	260	0.22	20	<5	75



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 2 - C

Total # Pages: 5 (A - C)

Plus Appendix Pages

Finalized Date: 2-OCT-2008

Account: EIATYE

Project: TYE08-02

CERTIFICATE OF ANALYSIS TR08122792

Sample Description	Method Analyte Units LOR	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Cu-AA46
		Th	Ti	Tl	U	V	W	Zn	Ag	As	Cu
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		100	0.05	50	50	5	50	10	5	0.01	0.01
G0672087		<100	<0.05	<50	<50	5	<50	20			
G0672088		<100	<0.05	<50	<50	7	<50	10			
G0672089		<100	<0.05	<50	<50	9	<50	10			
G0672090		<100	<0.05	<50	<50	8	<50	10			
G0672091		<100	<0.05	<50	<50	5	<50	10			
G0672092		<100	<0.05	<50	<50	<5	<50	60			
G0672093		<100	<0.05	<50	<50	<5	<50	390			
G0672094		<100	<0.05	<50	<50	8	<50	10			
G0672095		<100	<0.05	<50	<50	<5	<50	10			
G0672096		<100	<0.05	<50	<50	6	<50	10			
G0672097		<100	<0.05	<50	<50	6	<50	10			
G0672098		<100	<0.05	<50	<50	7	<50	<10			
G0672099		<100	<0.05	<50	<50	6	<50	<10			
G0672100		<100	<0.05	<50	<50	<5	<50	<10			
G0672101		<100	<0.05	<50	<50	5	<50	<10			
G0672102		<100	<0.05	<50	<50	11	<50	10			
G0672103		<100	<0.05	<50	<50	8	<50	<10			
G0672104		<100	<0.05	<50	<50	6	<50	10			
G0672105		<100	<0.05	<50	<50	6	<50	10			
G0672106		<100	<0.05	<50	<50	7	<50	30			
G0672107		<100	<0.05	<50	<50	<5	<50	10			
G0672108		<100	<0.05	<50	<50	<5	<50	<10		5.13	
G0672109		<100	<0.05	<50	<50	<5	<50	<10			
G0672110		<100	<0.05	<50	<50	<5	<50	10			
G0672111		<100	<0.05	<50	<50	<5	<50	<10			
G0672112		<100	<0.05	<50	<50	<5	<50	<10			
G0672113		<100	<0.05	<50	<50	<5	<50	10			
G0672114		<100	<0.05	<50	<50	<5	<50	<10			
G0672115		<100	<0.05	<50	<50	<5	<50	<10			
G0672116		<100	<0.05	<50	<50	<5	<50	10			
G0672117		<100	<0.05	<50	<50	<5	<50	<10			
G0672118		<100	<0.05	<50	<50	<5	<50	10			
G0672119		<100	<0.05	<50	<50	<5	<50	<10			
G0672120		<100	0.48	<50	<50	769	60	1730	343		5.39
G0672121		<100	<0.05	<50	<50	<5	<50	<10			
G0672122		<100	<0.05	<50	<50	<5	<50	<10			
G0672123		<100	<0.05	<50	<50	<5	<50	60			
G0672124		<100	<0.05	<50	<50	<5	<50	30		4.01	
G0672125		<100	<0.05	<50	<50	<5	<50	20		3.10	
G0672126		<100	<0.05	<50	<50	<5	<50	20		2.81	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 2-OCT-2008
Account: EIATYE

Project: TYE08-02

CERTIFICATE OF ANALYSIS TR08122792

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
G0672127		2.07	0.506		<1	0.34	62600	<50	<5	10	<0.05	<5	<5	15	167	5.58
G0672128		1.96	0.069		<1	0.31	7990	<50	<5	10	<0.05	<5	<5	21	85	1.35
G0672129		0.95	0.051		3	0.34	14400	<50	<5	10	<0.05	<5	<5	18	58	2.10
G0672130		0.93	0.038		3	0.32	15700	<50	<5	<10	<0.05	<5	<5	17	61	2.08
G0672131		2.07	0.038		1	0.35	5940	<50	<5	10	<0.05	<5	<5	19	102	1.21
G0672132		1.01	0.111		8	0.35	51100	<50	<5	10	<0.05	<5	<5	13	183	4.92
G0672133		2.11	0.761		11	0.21	21100	<50	<5	90	<0.05	<5	7	40	134	2.09
G0672134		2.20	2.39	2.30	23	0.05	43100	<50	<5	50	<0.05	<5	<5	19	111	3.67
G0672135		1.38	4.55	5.01	115	0.19	82700	<50	<5	20	<0.05	9	<5	9	356	7.64
G0672136		0.52	0.676		58	0.32	9370	<50	<5	<10	<0.05	<5	<5	8	209	1.21
G0672137		2.13	0.547		29	0.34	6510	<50	<5	<10	<0.05	<5	<5	12	49	0.96
G0672138		1.83	0.122		8	0.37	2840	<50	<5	<10	<0.05	<5	<5	16	30	0.81
G0672139		1.89	0.123		5	0.24	5850	<50	<5	<10	<0.05	<5	<5	22	83	1.47
G0672140		0.03	0.008		1	<0.05	10	<50	<5	<10	<0.05	<5	<5	<5	<5	<0.05
G0672141		2.39	0.018		3	0.36	920	<50	<5	<10	<0.05	<5	<5	12	28	0.83
G0672142		1.59	0.017		2	0.29	1210	<50	<5	<10	<0.05	<5	<5	12	27	0.69
G0672143		2.14	0.055		2	0.35	1410	<50	<5	<10	<0.05	<5	<5	19	36	0.77
G0672144		2.03	0.575		6	0.39	1720	<50	<5	<10	<0.05	<5	<5	21	48	0.55
G0672145		2.20	0.021		1	0.39	380	<50	<5	<10	<0.05	<5	<5	16	46	0.67
G0672146		2.08	0.018		<1	0.41	890	<50	<5	10	<0.05	<5	<5	17	36	0.85
G0672147		2.10	0.013		1	0.44	680	<50	<5	<10	<0.05	<5	<5	16	35	0.70
G0672148		1.77	0.017		<1	0.43	900	<50	<5	10	<0.05	<5	<5	14	118	0.65
G0672149		0.51	0.009		<1	0.42	540	<50	<5	10	<0.05	<5	<5	14	72	0.76
G0672150		0.50	0.013		<1	0.40	550	<50	<5	<10	<0.05	<5	<5	11	86	0.53
G0672151		2.23	0.125		6	0.41	6520	<50	<5	<10	<0.05	<5	<5	18	279	1.08
G0672152		0.69	>10.0	14.20	14	0.27	61700	<50	<5	970	<0.05	<5	10	11	40	5.24
G0672153		1.92	0.044		<1	0.40	1700	<50	<5	10	<0.05	<5	<5	14	38	0.73
G0672154		2.20	0.030		<1	0.41	910	<50	<5	20	<0.05	<5	<5	11	<5	0.59
G0672155		2.07	0.024		<1	0.41	1110	<50	<5	10	<0.05	<5	<5	18	37	0.97
G0672156		2.11	0.015		<1	0.36	580	<50	<5	10	<0.05	<5	<5	15	54	0.59
G0672157		2.26	0.026		<1	0.38	1850	<50	<5	<10	<0.05	<5	<5	23	75	0.93
G0672158		2.12	0.018		1	0.36	1160	<50	<5	10	<0.05	<5	<5	18	68	0.62
G0672159		0.06	>10.0	12.95	>200	1.25	600	100	<5	70	3.78	32	153	44	>50000	10.15
G0672160		2.28	0.047		<1	0.48	1060	<50	<5	<10	<0.05	<5	6	17	365	0.90
G0672161		1.35	0.012		2	0.38	560	<50	<5	<10	<0.05	<5	5	15	121	0.76
G0672162		0.95	0.013		2	0.41	250	<50	<5	<10	<0.05	<5	<5	18	159	0.92
G0672163		2.09	0.007		<1	0.39	150	<50	<5	<10	<0.05	<5	<5	15	90	0.61
G0672164		2.07	0.009		<1	0.38	180	<50	<5	<10	<0.05	<5	<5	18	103	0.82
G0672165		2.15	0.021		<1	0.38	280	<50	<5	<10	<0.05	<5	<5	15	67	0.71
G0672166		2.10	0.055		4	0.41	840	<50	<5	10	<0.05	<5	<5	19	105	0.78



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 2-OCT-2008
Account: EIATYE

Project: TYE08-02

CERTIFICATE OF ANALYSIS TR08122792

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
G0672127		<50	<5	0.27	<50	<0.05	<30	<5	<0.05	<5	70	360	0.27	80	<5	99
G0672128		<50	<5	0.25	<50	<0.05	<30	<5	0.08	<5	<50	70	0.16	<10	<5	90
G0672129		<50	<5	0.27	<50	<0.05	40	<5	0.08	<5	<50	400	0.20	<10	<5	198
G0672130		<50	<5	0.27	<50	<0.05	<30	<5	0.08	<5	<50	380	0.19	20	<5	206
G0672131		<50	<5	0.29	<50	<0.05	40	<5	0.10	<5	50	140	0.13	20	<5	114
G0672132		<50	<5	0.30	<50	<0.05	<30	20	0.05	<5	50	790	0.36	50	<5	170
G0672133		<50	6	0.17	<50	<0.05	<30	11	<0.05	25	<50	100	0.18	110	<5	19
G0672134		<50	<5	<0.05	<50	<0.05	<30	8	<0.05	<5	<50	250	0.07	440	<5	5
G0672135		<50	6	0.23	<50	<0.05	<30	114	<0.05	<5	50	6320	0.34	570	<5	38
G0672136		<50	<5	0.32	<50	<0.05	<30	10	<0.05	<5	<50	2710	0.18	100	<5	<5
G0672137		<50	<5	0.36	<50	<0.05	<30	11	<0.05	<5	<50	1250	0.09	40	<5	33
G0672138		<50	<5	0.34	<50	<0.05	<30	10	0.06	<5	60	540	0.06	10	<5	48
G0672139		<50	<5	0.25	<50	<0.05	<30	8	0.07	<5	60	100	0.23	<10	<5	123
G0672140		<50	5	<0.05	<50	<0.05	<30	<5	<0.05	<5	50	10	<0.05	<10	<5	6
G0672141		<50	<5	0.25	<50	<0.05	<30	<5	0.09	<5	60	40	<0.05	<10	<5	37
G0672142		<50	<5	0.25	<50	<0.05	<30	<5	0.09	<5	<50	20	<0.05	<10	<5	29
G0672143		<50	10	0.32	<50	<0.05	<30	7	0.08	<5	80	20	0.12	<10	<5	18
G0672144		<50	<5	0.36	<50	<0.05	<30	<5	<0.05	<5	<50	150	0.16	<10	<5	6
G0672145		<50	<5	0.26	<50	<0.05	30	<5	0.11	<5	<50	10	0.13	10	<5	9
G0672146		<50	<5	0.22	<50	<0.05	30	<5	0.10	<5	<50	10	0.07	<10	<5	6
G0672147		<50	<5	0.25	<50	<0.05	70	<5	0.10	<5	<50	10	0.08	<10	<5	12
G0672148		<50	<5	0.22	<50	<0.05	60	<5	0.09	<5	<50	10	0.23	<10	<5	8
G0672149		<50	<5	0.26	<50	<0.05	40	<5	0.10	<5	<50	<10	0.13	<10	<5	<5
G0672150		<50	<5	0.24	<50	<0.05	<30	<5	0.10	<5	<50	<10	0.15	<10	<5	<5
G0672151		<50	<5	0.32	<50	<0.05	30	<5	0.08	<5	<50	10	0.33	10	<5	12
G0672152		<50	<5	0.23	<50	<0.05	<30	<5	0.07	<5	<50	160	2.55	60	<5	10
G0672153		<50	<5	0.23	<50	<0.05	60	<5	0.09	<5	<50	<10	0.15	<10	<5	6
G0672154		<50	<5	0.23	<50	<0.05	60	<5	0.10	<5	<50	<10	0.12	<10	<5	<5
G0672155		<50	<5	0.24	<50	<0.05	40	<5	0.10	<5	<50	10	0.06	<10	<5	7
G0672156		<50	<5	0.19	<50	<0.05	<30	<5	0.09	<5	<50	10	0.20	<10	<5	14
G0672157		<50	<5	0.29	<50	<0.05	30	<5	0.10	<5	<50	<10	0.23	<10	<5	16
G0672158		<50	<5	0.30	<50	<0.05	<30	<5	0.11	<5	60	10	0.23	<10	<5	7
G0672159		<50	7	0.26	70	0.69	2560	8	0.06	131	2720	450	1.16	4090	5	377
G0672160		<50	<5	0.30	<50	<0.05	<30	<5	0.13	<5	<50	30	0.40	<10	<5	<5
G0672161		<50	<5	0.22	<50	<0.05	30	<5	0.10	<5	<50	40	0.37	<10	<5	<5
G0672162		<50	<5	0.25	<50	<0.05	90	<5	0.11	<5	<50	<10	0.44	10	<5	<5
G0672163		<50	<5	0.23	<50	<0.05	<30	<5	0.12	<5	<50	10	0.29	<10	<5	<5
G0672164		<50	<5	0.23	<50	<0.05	40	<5	0.12	10	<50	<10	0.32	<10	<5	<5
G0672165		<50	<5	0.22	<50	<0.05	40	<5	0.12	<5	<50	20	0.30	10	<5	<5
G0672166		<50	<5	0.29	<50	<0.05	50	<5	0.13	<5	<50	80	0.35	<10	<5	<5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - C
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 2-OCT-2008
Account: EIATYE

Project: TYE08-02

CERTIFICATE OF ANALYSIS TR08122792

Sample Description	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Cu-AA46
	Th	Ti	Ti	U	V	W	Zn	Ag	As	Cu
	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	100	0.05	50	50	5	50	10	5	0.01	0.01
G0672127	<100	<0.05	<50	<50	<5	<50	40		6.25	
G0672128	<100	<0.05	<50	<50	<5	<50	<10			
G0672129	<100	<0.05	<50	<50	<5	<50	10		1.44	
G0672130	<100	<0.05	<50	<50	<5	<50	10		1.44	
G0672131	<100	<0.05	<50	<50	<5	<50	<10			
G0672132	<100	<0.05	<50	<50	<5	<50	30		4.98	
G0672133	<100	<0.05	<50	<50	<5	<50	20		2.16	
G0672134	<100	<0.05	<50	<50	<5	<50	<10		4.37	
G0672135	<100	<0.05	<50	<50	<5	<50	40	108	8.41	
G0672136	<100	<0.05	<50	<50	<5	<50	10			
G0672137	<100	<0.05	<50	<50	<5	<50	<10			
G0672138	<100	<0.05	<50	<50	<5	<50	<10			
G0672139	<100	<0.05	<50	<50	<5	<50	<10			
G0672140	<100	<0.05	<50	<50	<5	<50	<10			
G0672141	<100	<0.05	<50	<50	<5	<50	<10			
G0672142	<100	<0.05	<50	50	<5	<50	<10			
G0672143	<100	<0.05	<50	<50	<5	<50	<10			
G0672144	<100	<0.05	<50	<50	<5	<50	<10			
G0672145	<100	<0.05	<50	<50	<5	<50	<10			
G0672146	<100	<0.05	<50	<50	<5	<50	30			
G0672147	<100	<0.05	<50	<50	<5	<50	20			
G0672148	<100	<0.05	<50	<50	<5	<50	10			
G0672149	<100	<0.05	<50	<50	<5	<50	<10			
G0672150	<100	<0.05	<50	<50	<5	<50	<10			
G0672151	<100	<0.05	<50	<50	<5	<50	<10			
G0672152	<100	<0.05	<50	<50	<5	<50	<10		6.37	
G0672153	<100	<0.05	<50	<50	<5	<50	20			
G0672154	<100	<0.05	<50	<50	<5	<50	50			
G0672155	<100	<0.05	<50	<50	<5	<50	20			
G0672156	<100	<0.05	<50	<50	<5	<50	10			
G0672157	<100	<0.05	<50	<50	<5	<50	<10			
G0672158	<100	<0.05	<50	<50	<5	<50	<10			
G0672159	<100	0.46	<50	<50	760	70	1650	335		5.57
G0672160	<100	<0.05	<50	<50	6	<50	10			
G0672161	<100	<0.05	<50	<50	<5	<50	<10			
G0672162	<100	<0.05	<50	<50	<5	<50	30			
G0672163	<100	<0.05	<50	<50	<5	<50	<10			
G0672164	<100	<0.05	<50	<50	<5	<50	<10			
G0672165	<100	<0.05	<50	<50	<5	<50	20			
G0672166	<100	<0.05	<50	<50	<5	<50	50			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 2-OCT-2008
Account: EIATYE

Project: TYE08-02

CERTIFICATE OF ANALYSIS TR08122792

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
G0672167		2.16	0.011		<1	0.41	130	<50	<5	10	<0.05	<5	<5	13	43	0.70
G0672168		2.06	0.022		<1	0.43	960	<50	<5	10	<0.05	<5	<5	12	82	0.81
G0672169		1.05	0.021		<1	0.51	450	<50	<5	<10	<0.05	<5	<5	15	177	0.76
G0672170		1.14	0.015		2	0.51	360	<50	<5	<10	<0.05	<5	<5	11	127	0.66
G0672171		2.22	0.015		<1	0.41	480	<50	<5	10	<0.05	<5	<5	13	104	0.62
G0672172		2.11	0.010		<1	0.47	470	<50	<5	<10	<0.05	<5	<5	13	70	0.63
G0672173		2.38	<0.005		<1	0.51	130	<50	<5	<10	0.05	<5	5	13	5	0.73
G0672174		2.19	0.006		<1	0.45	230	<50	<5	<10	<0.05	<5	<5	12	8	0.83
G0672175		1.63	0.070		<1	0.44	1530	<50	<5	<10	<0.05	<5	<5	10	18	0.87
G0672176		2.04	0.014		<1	0.44	380	<50	<5	<10	<0.05	<5	<5	12	30	0.85
G0672177		1.69	0.013		<1	0.57	190	<50	<5	<10	<0.05	<5	<5	11	15	0.74
G0672178		2.10	0.111		<1	0.46	2530	<50	<5	<10	<0.05	<5	6	11	33	0.83
G0672179		2.06	0.095		<1	0.51	3490	<50	<5	<10	<0.05	<5	7	10	50	0.88
G0672180		0.04	0.005		<1	<0.05	10	<50	<5	10	<0.05	<5	6	10	15	<0.05
G0672181		1.97	0.005		<1	0.55	340	<50	<5	<10	<0.05	<5	<5	13	13	0.81
G0672182		2.17	0.086		<1	0.53	2240	<50	<5	<10	<0.05	<5	<5	12	22	0.97
G0672183		2.25	0.048		<1	0.52	1880	<50	<5	<10	<0.05	<5	<5	12	36	0.90
G0672184		1.90	0.022		<1	0.48	2630	<50	<5	10	<0.05	<5	<5	12	35	0.71
G0672185		1.51	0.109		<1	0.51	9290	<50	<5	10	<0.05	<5	<5	10	119	1.12
G0672186		1.09	0.058		1	0.46	2940	<50	<5	<10	<0.05	<5	<5	13	168	0.71
G0672187		0.79	0.408		6	0.31	35500	<50	<5	20	<0.05	<5	30	12	51	3.40
G0672188		2.47	0.369		<1	0.42	10700	<50	<5	<10	<0.05	<5	6	13	99	1.22
G0672189		1.16	0.038		<1	0.49	1530	<50	<5	10	<0.05	<5	<5	13	34	0.58
G0672190		1.01	0.099		<1	0.48	2360	<50	<5	10	<0.05	<5	<5	12	71	0.61
G0672191		2.10	0.069		<1	0.52	1330	<50	<5	<10	<0.05	<5	<5	12	20	0.81
G0672192		1.80	0.113		<1	0.54	2070	<50	<5	<10	<0.05	<5	<5	14	39	0.78
G0672193		0.70	0.139		5	0.50	2250	<50	<5	20	<0.05	<5	<5	11	37	0.71
G0672194		2.03	0.091		<1	0.42	2130	<50	<5	<10	<0.05	<5	<5	11	25	0.63
G0672195		0.56	1.080	1.14	65	0.35	4240	<50	<5	130	<0.05	<5	<5	6	50	0.88
G0672196		1.96	0.051		1	0.35	1140	<50	<5	<10	<0.05	<5	<5	9	30	0.72
G0672197		1.18	0.008		<1	0.37	670	<50	<5	<10	<0.05	<5	<5	12	<5	0.92
G0672198		0.99	<0.005		<1	0.13	300	<50	<5	<10	<0.05	<5	<5	6	<5	0.22
G0672199		1.91	0.163		2	0.37	1130	<50	<5	10	<0.05	<5	<5	11	24	0.75
G0672200		0.07	>10.0	11.85	>200	1.28	640	100	<5	<10	3.92	32	148	33	>50000	10.60
G0672201		2.13	0.082		4	0.34	990	<50	<5	10	<0.05	<5	<5	8	238	0.79
G0672202		0.51	<0.005		1	0.34	440	<50	<5	10	<0.05	<5	<5	7	8	0.71
G0672203		1.05	<0.005		<1	0.33	540	<50	<5	<10	<0.05	<5	<5	8	12	0.82
G0672204		2.34	<0.005		2	0.37	270	<50	<5	<10	<0.05	<5	<5	11	13	0.60
G0672205		2.27	0.024		<1	0.34	820	<50	<5	<10	<0.05	<5	<5	9	10	0.82
G0672206		2.07	0.030		<1	0.36	600	<50	<5	10	<0.05	<5	<5	9	20	0.89



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - B
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 2-OCT-2008
Account: EIATYE

Project: TYE08-02

CERTIFICATE OF ANALYSIS TR08122792

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
G0672167		<50	<5	0.23	<50	<0.05	50	<5	0.15	<5	<50	30	0.17	10	<5	<5
G0672168		<50	<5	0.25	<50	<0.05	<30	<5	0.14	<5	<50	10	0.25	20	<5	<5
G0672169		<50	<5	0.29	<50	<0.05	<30	<5	0.15	<5	<50	30	0.36	<10	<5	<5
G0672170		<50	<5	0.30	<50	<0.05	<30	<5	0.16	<5	<50	30	0.32	<10	<5	<5
G0672171		<50	<5	0.26	<50	<0.05	<30	<5	0.13	<5	<50	20	0.22	20	<5	<5
G0672172		<50	<5	0.30	<50	<0.05	<30	<5	0.15	<5	<50	20	0.20	10	<5	12
G0672173		<50	<5	0.30	<50	<0.05	260	<5	0.14	<5	50	10	0.05	<10	<5	<5
G0672174		<50	<5	0.26	<50	<0.05	170	<5	0.12	<5	<50	10	0.07	<10	<5	<5
G0672175		<50	<5	0.26	<50	<0.05	140	<5	0.11	<5	<50	30	0.14	<10	<5	<5
G0672176		<50	<5	0.26	<50	<0.05	150	<5	0.11	<5	<50	30	0.19	<10	<5	<5
G0672177		<50	<5	0.30	<50	<0.05	130	<5	0.17	<5	<50	20	0.09	<10	<5	<5
G0672178		<50	<5	0.32	<50	<0.05	40	<5	0.10	<5	<50	50	0.15	10	<5	33
G0672179		<50	<5	0.31	<50	<0.05	120	<5	0.14	<5	<50	30	0.26	10	<5	<5
G0672180		<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	9	<50	<10	<0.05	<10	<5	<5
G0672181		<50	<5	0.31	<50	<0.05	180	<5	0.15	<5	<50	10	<0.05	<10	<5	<5
G0672182		<50	<5	0.32	<50	<0.05	100	<5	0.16	6	<50	30	0.11	10	<5	<5
G0672183		<50	7	0.35	<50	<0.05	100	<5	0.13	<5	<50	30	0.16	10	<5	<5
G0672184		<50	6	0.29	<50	<0.05	50	<5	0.11	6	<50	30	0.14	<10	<5	6
G0672185		<50	<5	0.40	<50	<0.05	<30	<5	0.09	<5	<50	20	0.48	<10	<5	<5
G0672186		<50	<5	0.32	<50	<0.05	<30	<5	0.17	81	<50	70	0.33	<10	<5	<5
G0672187		<50	<5	0.26	<50	<0.05	<30	21	0.05	5	<50	110	0.82	60	<5	22
G0672188		<50	8	0.35	<50	<0.05	<30	<5	0.05	<5	<50	210	0.20	30	<5	8
G0672189		<50	<5	0.38	<50	<0.05	<30	<5	0.16	<5	<50	80	0.08	<10	<5	32
G0672190		<50	<5	0.37	<50	<0.05	<30	<5	0.14	<5	<50	70	0.13	10	<5	40
G0672191		<50	8	0.40	<50	<0.05	30	<5	0.13	<5	<50	90	0.07	<10	<5	40
G0672192		<50	<5	0.43	<50	<0.05	50	<5	0.10	<5	<50	130	0.06	10	<5	32
G0672193		<50	<5	0.37	<50	<0.05	40	<5	0.12	<5	<50	190	0.07	10	<5	39
G0672194		<50	<5	0.31	<50	<0.05	<30	<5	0.13	<5	<50	50	0.06	10	<5	25
G0672195		<50	<5	0.33	<50	<0.05	<30	<5	<0.05	<5	<50	950	0.14	<10	<5	48
G0672196		<50	<5	0.23	<50	<0.05	30	<5	0.06	7	<50	20	<0.05	<10	<5	30
G0672197		<50	<5	0.22	<50	<0.05	40	<5	0.07	<5	<50	<10	<0.05	<10	<5	5
G0672198		<50	<5	0.16	<50	<0.05	<30	<5	<0.05	<5	<50	<10	<0.05	<10	<5	<5
G0672199		<50	<5	0.27	<50	<0.05	40	<5	<0.05	6	<50	190	0.09	<10	<5	13
G0672200		<50	7	0.25	80	0.73	2620	7	<0.05	116	2850	410	1.19	3870	5	390
G0672201		<50	<5	0.23	<50	<0.05	40	<5	0.05	6	<50	30	0.06	<10	<5	20
G0672202		<50	<5	0.22	<50	<0.05	50	<5	0.09	<5	<50	<10	<0.05	<10	<5	11
G0672203		<50	<5	0.17	<50	<0.05	30	<5	0.06	<5	<50	<10	<0.05	10	<5	<5
G0672204		<50	<5	0.18	<50	<0.05	70	<5	0.07	<5	<50	<10	<0.05	10	<5	<5
G0672205		<50	<5	0.20	<50	<0.05	70	6	0.05	<5	<50	<10	<0.05	<10	<5	<5
G0672206		<50	<5	0.20	<50	<0.05	50	<5	0.07	<5	<50	<10	0.08	<10	<5	<5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - C
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 2-OCT-2008
Account: EIATYE

Project: TYE08-02

CERTIFICATE OF ANALYSIS TR08122792

Sample Description	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Cu-AA46
	Th	Ti	Ti	U	V	W	Zn	Ag	As	Cu
	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	100	0.05	50	50	5	50	10	5	0.01	0.01
G0672167	<100	<0.05	<50	<50	<5	<50	10			
G0672168	<100	<0.05	<50	<50	<5	<50	<10			
G0672169	<100	<0.05	<50	<50	<5	<50	<10			
G0672170	<100	<0.05	<50	50	<5	<50	<10			
G0672171	<100	<0.05	<50	<50	<5	<50	<10			
G0672172	<100	<0.05	<50	<50	<5	<50	<10			
G0672173	<100	<0.05	<50	<50	<5	<50	50			
G0672174	<100	<0.05	<50	<50	<5	<50	50			
G0672175	<100	<0.05	<50	<50	<5	<50	40			
G0672176	<100	<0.05	<50	<50	<5	<50	40			
G0672177	<100	<0.05	<50	<50	<5	<50	50			
G0672178	<100	<0.05	<50	<50	<5	<50	<10			
G0672179	<100	<0.05	<50	<50	<5	<50	30			
G0672180	<100	<0.05	<50	<50	<5	<50	<10			
G0672181	<100	<0.05	<50	<50	<5	<50	50			
G0672182	<100	<0.05	<50	<50	<5	<50	30			
G0672183	<100	<0.05	<50	<50	7	<50	40			
G0672184	<100	<0.05	<50	<50	<5	<50	10			
G0672185	<100	<0.05	<50	<50	<5	<50	<10			
G0672186	<100	<0.05	<50	50	<5	<50	20			
G0672187	<100	<0.05	<50	<50	5	<50	<10		3.61	
G0672188	<100	<0.05	<50	<50	<5	<50	<10		1.11	
G0672189	<100	<0.05	<50	50	<5	<50	<10			
G0672190	<100	<0.05	<50	60	<5	<50	<10			
G0672191	<100	<0.05	<50	70	<5	<50	<10			
G0672192	<100	<0.05	<50	<50	<5	<50	<10			
G0672193	<100	<0.05	<50	60	<5	<50	<10			
G0672194	<100	<0.05	<50	<50	<5	<50	<10			
G0672195	<100	<0.05	<50	<50	<5	<50	<10			
G0672196	<100	<0.05	<50	<50	<5	<50	<10			
G0672197	<100	<0.05	<50	<50	<5	<50	10			
G0672198	<100	<0.05	<50	<50	<5	<50	<10			
G0672199	<100	<0.05	<50	<50	<5	<50	10			
G0672200	<100	0.48	<50	<50	779	80	1650	NSS		5.46
G0672201	<100	<0.05	<50	<50	<5	<50	20			
G0672202	<100	<0.05	<50	<50	<5	<50	10			
G0672203	<100	<0.05	<50	<50	<5	<50	10			
G0672204	<100	<0.05	<50	<50	<5	<50	20			
G0672205	<100	<0.05	<50	<50	<5	<50	10			
G0672206	<100	<0.05	<50	<50	<5	<50	20			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 5 - A
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 2-OCT-2008
Account: EIATYE

Project: TYE08-02

CERTIFICATE OF ANALYSIS TR08122792

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41a Ag ppm	ME-ICP41a Al %	ME-ICP41a As ppm	ME-ICP41a Ba ppm	ME-ICP41a Be ppm	ME-ICP41a Bi ppm	ME-ICP41a Ca %	ME-ICP41a Cd ppm	ME-ICP41a Co ppm	ME-ICP41a Cr ppm	ME-ICP41a Cu ppm	ME-ICP41a Fe %
		0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
G0672207		2.03	<0.005		1	0.37	140	<50	<5	10	<0.05	<5	<5	9	<5	0.71
G0672208		2.17	0.007		1	0.40	140	<50	<5	<10	<0.05	<5	<5	10	<5	0.81
G0672209		0.88	<0.005		<1	0.40	90	<50	<5	<10	<0.05	<5	<5	8	<5	0.72
G0672210		1.12	<0.005		1	0.38	100	<50	<5	<10	<0.05	<5	<5	11	7	0.73
G0672951		1.39	0.043		2	0.27	1350	<50	<5	<10	<0.05	<5	<5	9	10	0.51
G0672952		1.58	0.067		3	0.33	2620	<50	<5	<10	<0.05	<5	<5	7	54	1.23
G0672953		0.98	0.028		<1	0.15	2070	<50	<5	<10	<0.05	<5	<5	7	33	0.53



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 5 - B

Total # Pages: 5 (A - C)

Plus Appendix Pages

Finalized Date: 2-OCT-2008

Account: EIATYE

Project: TYE08-02

CERTIFICATE OF ANALYSIS TR08122792

Method Analyte Units LOR	ME-ICP41a Ga ppm	ME-ICP41a Hg ppm	ME-ICP41a K %	ME-ICP41a La ppm	ME-ICP41a Mg %	ME-ICP41a Mn ppm	ME-ICP41a Mo ppm	ME-ICP41a Na %	ME-ICP41a Ni ppm	ME-ICP41a P ppm	ME-ICP41a Pb ppm	ME-ICP41a S %	ME-ICP41a Sb ppm	ME-ICP41a Sc ppm	ME-ICP41a Sr ppm
Sample Description	50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
G0672207	<50	<5	0.18	<50	<0.05	130	<5	0.06	<5	<50	<10	<0.05	<10	<5	<5
G0672208	<50	<5	0.21	<50	<0.05	110	<5	0.09	<5	<50	<10	0.05	<10	<5	<5
G0672209	<50	5	0.21	<50	<0.05	260	<5	0.08	<5	<50	<10	<0.05	<10	<5	<5
G0672210	<50	<5	0.19	<50	<0.05	240	<5	0.08	<5	<50	<10	<0.05	<10	<5	<5
G0672951	<50	<5	0.27	<50	<0.05	<30	<5	<0.05	<5	<50	130	0.06	10	<5	18
G0672952	<50	<5	0.33	<50	<0.05	30	<5	0.06	<5	<50	<10	0.19	20	<5	67
G0672953	<50	<5	0.23	<50	<0.05	<30	<5	<0.05	<5	<50	10	<0.05	<10	<5	6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 5 - C
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 2-OCT-2008
Account: EIATYE

Project: TYE08-02

CERTIFICATE OF ANALYSIS TR08122792

Method Analyte Units LOR	ME-ICP41a Th ppm	ME-ICP41a Ti %	ME-ICP41a Tl ppm	ME-ICP41a U ppm	ME-ICP41a V ppm	ME-ICP41a W ppm	ME-ICP41a Zn ppm	Ag-GRA21 Ag ppm	As-AA46 As %	Cu-AA46 Cu %
Sample Description	100	0.05	50	50	5	50	10	5	0.01	0.01
G0672207	<100	<0.05	<50	<50	<5	<50	40			
G0672208	<100	<0.05	<50	<50	<5	<50	30			
G0672209	<100	<0.05	<50	<50	<5	<50	40			
G0672210	<100	<0.05	<50	<50	<5	<50	40			
G0672951	<100	<0.05	<50	<50	<5	<50	<10			
G0672952	<100	<0.05	<50	<50	<5	<50	<10			
G0672953	<100	<0.05	<50	<50	<5	<50	<10			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 2-OCT-2008

Account: EIATYE

Project: TYE08-02

CERTIFICATE OF ANALYSIS TR08122792

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 1-OCT-2008
Account: EIATYE

CERTIFICATE TR08123742

Project: Golden Eagle TYE08-02
P.O. No.: TYE08-02 Shipment #5
This report is for 80 Drill Core samples submitted to our lab in Terrace, BC, Canada on 2-SEP-2008.

The following have access to data associated with this certificate:

HENRY A JEREMY MAJOR	GENERAL EQUITY ENGINEERING	TRACY HURLEY
-------------------------	----------------------------	--------------

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
As-AA46	Ore grade As - aqua regia/AA	AAS
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41a	High Grade Aqua Regia ICP-AES	ICP-AES
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: JEREMY MAJOR
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 1-OCT-2008
Account: EIATYE

Project: Golden Eagle TYE08-02

CERTIFICATE OF ANALYSIS TR08123742

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
G0672211		1.88	<0.005		<1	0.38	250	80	<5	<10	<0.05	<5	<5	7	21	0.93
G0672212		2.00	0.013		2	0.50	830	<50	<5	10	<0.05	<5	<5	11	15	0.76
G0672213		1.88	0.019		<1	0.45	710	<50	<5	<10	<0.05	<5	<5	10	10	0.95
G0672214		2.29	0.021		1	0.44	660	<50	<5	10	<0.05	<5	<5	12	15	0.81
G0672215		2.18	0.026		1	0.44	560	<50	<5	<10	<0.05	<5	<5	9	21	0.75
G0672216		2.11	0.047		<1	0.20	230	<50	<5	10	<0.05	<5	<5	<5	<5	0.36
G0672217		1.45	0.009		1	0.45	910	<50	<5	<10	<0.05	<5	<5	10	6	0.91
G0672218		0.63	0.049		1	0.38	2480	<50	<5	<10	<0.05	<5	<5	7	18	0.93
G0672219		1.86	0.049		<1	0.41	2860	<50	<5	<10	<0.05	<5	<5	11	20	0.84
G0672220		0.04	<0.005		<1	<0.05	30	<50	<5	<10	<0.05	<5	<5	<5	<5	<0.05
G0672221		0.67	1.250	1.27	6	0.36	40900	<50	<5	50	<0.05	<5	<5	7	24	3.76
G0672222		2.18	0.039		<1	0.40	1620	<50	<5	<10	<0.05	<5	<5	10	18	0.77
G0672223		2.07	0.008		<1	0.49	620	<50	<5	<10	<0.05	<5	<5	14	12	0.95
G0672224		2.12	0.027		<1	0.47	490	<50	<5	<10	<0.05	<5	<5	9	<5	0.81
G0672225		2.17	0.006		1	0.53	320	<50	<5	<10	<0.05	<5	<5	10	<5	0.82
G0672226		2.08	0.017		1	0.50	420	<50	<5	10	<0.05	<5	<5	11	<5	0.78
G0672227		0.82	0.014		<1	0.53	310	<50	<5	10	<0.05	<5	<5	11	10	0.84
G0672228		2.31	0.031		1	0.45	600	<50	<5	<10	<0.05	<5	<5	15	<5	0.78
G0672229		0.96	0.033		1	0.38	1100	<50	<5	<10	<0.05	<5	<5	12	12	0.77
G0672230		0.92	0.065		<1	0.42	780	<50	<5	10	<0.05	<5	<5	9	13	0.72
G0672231		2.19	0.040		<1	0.43	550	<50	<5	<10	<0.05	<5	<5	9	7	0.81
G0672232		1.89	0.069		<1	0.38	2910	<50	<5	<10	<0.05	<5	<5	10	9	0.94
G0672233		2.30	0.054		1	0.35	1490	<50	<5	10	<0.05	<5	<5	10	20	0.82
G0672234		1.87	0.050		<1	0.41	1630	<50	<5	<10	<0.05	<5	<5	11	19	0.84
G0672235		2.33	0.036		1	0.46	580	<50	<5	<10	<0.05	<5	<5	12	55	0.75
G0672236		2.40	0.163		<1	0.40	840	<50	<5	10	<0.05	<5	<5	12	17	0.84
G0672237		2.25	0.305		1	0.37	490	<50	<5	<10	<0.05	<5	<5	10	8	0.59
G0672238		2.21	0.144		1	0.39	1200	<50	<5	<10	<0.05	<5	<5	12	18	0.82
G0672239		2.14	0.058		1	0.43	2140	<50	<5	<10	<0.05	<5	<5	10	18	0.91
G0672240		0.06	>10.0	NSS	>200	1.29	650	100	<5	<10	3.93	32	147	34	>50000	10.60
G0672241		2.42	0.008		1	0.37	220	<50	<5	<10	<0.05	<5	<5	10	288	0.78
G0672242		0.70	0.011		1	0.51	670	<50	<5	<10	<0.05	<5	<5	13	43	0.83
G0672243		0.79	0.036		<1	0.36	1200	<50	<5	<10	<0.05	<5	<5	7	8	0.78
G0672244		2.31	0.008		1	0.48	640	<50	<5	<10	<0.05	<5	<5	11	22	0.84
G0672245		2.06	0.012		<1	0.52	1310	<50	<5	10	<0.05	<5	<5	11	16	0.78
G0672246		2.08	0.010		<1	0.51	730	<50	<5	<10	<0.05	<5	<5	11	<5	0.92
G0672247		1.92	0.016		<1	0.35	780	<50	<5	<10	<0.05	<5	<5	8	27	0.84
G0672248		2.05	0.010		<1	0.39	260	<50	<5	<10	<0.05	<5	<5	11	15	0.89
G0672249		1.09	0.006		<1	0.37	190	<50	<5	<10	<0.05	<5	<5	8	8	0.89
G0672250		0.96	0.006		<1	0.35	160	<50	<5	<10	<0.05	<5	<5	8	5	0.87



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 1-OCT-2008
Account: EIATYE

Project: Golden Eagle TYE08-02

CERTIFICATE OF ANALYSIS TR08123742

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
G0672211		<50	<5	0.20	<50	<0.05	120	<5	0.08	<5	<50	<10	0.05	<10	<5	<5
G0672212		<50	<5	0.27	<50	<0.05	140	<5	0.19	<5	<50	10	0.12	20	<5	10
G0672213		<50	5	0.28	<50	<0.05	80	<5	0.19	<5	<50	<10	0.07	10	<5	35
G0672214		<50	6	0.30	<50	<0.05	50	<5	0.19	<5	<50	<10	0.07	20	<5	18
G0672215		<50	<5	0.26	<50	<0.05	70	<5	0.17	<5	<50	<10	0.21	20	<5	15
G0672216		<50	<5	0.10	<50	<0.05	30	<5	0.08	<5	<50	<10	0.10	<10	<5	20
G0672217		<50	<5	0.25	<50	<0.05	150	<5	0.17	<5	<50	<10	0.18	10	<5	7
G0672218		<50	<5	0.22	<50	<0.05	80	<5	0.14	<5	<50	<10	0.30	20	<5	10
G0672219		<50	<5	0.28	<50	<0.05	240	<5	0.17	<5	<50	<10	0.22	10	<5	9
G0672220		<50	6	<0.05	<50	<0.05	<30	<5	0.05	<5	<50	<10	0.06	<10	<5	<5
G0672221		<50	5	0.25	<50	<0.05	60	<5	0.13	<5	<50	50	1.81	80	<5	11
G0672222		<50	8	0.24	<50	<0.05	90	<5	0.17	<5	<50	<10	0.12	20	<5	12
G0672223		<50	<5	0.31	<50	<0.05	150	<5	0.19	<5	<50	<10	0.08	10	<5	13
G0672224		<50	<5	0.28	<50	<0.05	60	<5	0.17	<5	<50	<10	0.10	20	<5	24
G0672225		<50	<5	0.27	<50	<0.05	130	<5	0.20	<5	<50	<10	0.13	10	<5	5
G0672226		<50	7	0.28	<50	<0.05	170	<5	0.19	<5	<50	<10	0.16	<10	<5	<5
G0672227		<50	<5	0.29	<50	<0.05	250	<5	0.20	<5	<50	<10	0.16	10	<5	<5
G0672228		<50	7	0.27	<50	<0.05	130	<5	0.19	<5	<50	<10	0.17	10	<5	5
G0672229		<50	5	0.26	<50	<0.05	100	<5	0.14	<5	<50	10	0.28	20	<5	11
G0672230		<50	5	0.27	<50	<0.05	100	<5	0.16	<5	50	10	0.28	20	<5	6
G0672231		<50	5	0.26	<50	<0.05	100	<5	0.18	<5	<50	<10	0.30	10	<5	<5
G0672232		<50	<5	0.25	<50	<0.05	50	<5	0.15	<5	<50	10	0.25	20	<5	10
G0672233		<50	<5	0.25	<50	<0.05	50	<5	0.14	<5	<50	20	0.21	10	<5	16
G0672234		<50	<5	0.27	<50	<0.05	80	<5	0.16	<5	50	<10	0.19	20	<5	13
G0672235		<50	<5	0.25	<50	<0.05	80	<5	0.18	<5	<50	<10	0.17	10	<5	7
G0672236		<50	<5	0.29	<50	<0.05	70	<5	0.13	<5	<50	<10	0.30	20	<5	5
G0672237		<50	<5	0.33	<50	<0.05	40	<5	0.10	<5	<50	<10	0.13	20	<5	14
G0672238		<50	<5	0.32	<50	<0.05	50	<5	0.12	<5	<50	<10	0.31	20	<5	31
G0672239		<50	<5	0.28	<50	<0.05	110	<5	0.16	<5	<50	<10	0.37	<10	<5	9
G0672240		<50	7	0.26	70	0.73	2620	6	<0.05	108	2800	430	1.18	3930	5	400
G0672241		<50	<5	0.20	<50	<0.05	220	<5	0.08	<5	<50	10	0.06	<10	<5	<5
G0672242		<50	5	0.29	<50	<0.05	120	<5	0.20	7	<50	<10	0.21	20	<5	11
G0672243		<50	<5	0.21	<50	<0.05	220	<5	0.13	<5	<50	<10	0.15	<10	<5	<5
G0672244		<50	<5	0.26	<50	<0.05	180	<5	0.18	<5	<50	<10	0.11	<10	<5	10
G0672245		<50	5	0.30	<50	<0.05	120	<5	0.21	<5	<50	<10	0.15	10	<5	13
G0672246		<50	<5	0.31	<50	<0.05	180	<5	0.20	<5	<50	<10	0.09	<10	<5	7
G0672247		<50	<5	0.20	<50	<0.05	150	<5	0.06	<5	<50	<10	0.06	10	<5	<5
G0672248		<50	<5	0.22	<50	<0.05	120	<5	0.08	5	<50	<10	0.05	<10	<5	<5
G0672249		<50	<5	0.19	<50	<0.05	160	<5	0.07	<5	<50	<10	<0.05	<10	<5	<5
G0672250		<50	<5	0.17	<50	<0.05	150	<5	0.05	<5	<50	<10	<0.05	<10	<5	<5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 1-OCT-2008
Account: EIATYE

Project: Golden Eagle TYE08-02

CERTIFICATE OF ANALYSIS TR08123742

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Cu-AA46
	Analyte	Th	Ti	Ti	U	V	W	Zn	Ag	As	Cu
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
LOR		100	0.05	50	50	5	50	10	5	0.01	0.01
G0672211		<100	<0.05	<50	<50	<5	<50	30			
G0672212		<100	<0.05	<50	<50	<5	<50	30			
G0672213		<100	<0.05	<50	<50	<5	<50	40			
G0672214		<100	<0.05	<50	<50	<5	<50	10			
G0672215		<100	<0.05	<50	<50	<5	<50	30			
G0672216		<100	<0.05	<50	<50	<5	<50	10			
G0672217		<100	<0.05	<50	<50	<5	<50	30			
G0672218		<100	<0.05	<50	<50	<5	<50	30			
G0672219		<100	<0.05	<50	<50	<5	<50	30			
G0672220		<100	<0.05	<50	<50	<5	<50	<10			
G0672221		<100	<0.05	<50	<50	<5	<50	10		4.08	
G0672222		<100	<0.05	<50	<50	<5	<50	10			
G0672223		<100	<0.05	<50	<50	<5	<50	20			
G0672224		<100	<0.05	<50	<50	<5	<50	30			
G0672225		<100	<0.05	<50	<50	<5	<50	40			
G0672226		<100	<0.05	<50	<50	<5	<50	40			
G0672227		<100	<0.05	<50	<50	<5	<50	30			
G0672228		<100	<0.05	<50	<50	<5	<50	30			
G0672229		<100	<0.05	<50	<50	<5	<50	30			
G0672230		<100	<0.05	<50	<50	<5	<50	50			
G0672231		<100	<0.05	<50	<50	<5	<50	20			
G0672232		<100	<0.05	<50	<50	<5	<50	20			
G0672233		<100	<0.05	<50	<50	<5	<50	10			
G0672234		<100	<0.05	<50	<50	<5	<50	10			
G0672235		<100	<0.05	<50	<50	<5	<50	10			
G0672236		<100	<0.05	<50	<50	<5	<50	20			
G0672237		<100	<0.05	<50	<50	<5	<50	<10			
G0672238		<100	<0.05	<50	<50	<5	<50	10			
G0672239		<100	<0.05	<50	<50	<5	<50	30			
G0672240		<100	0.49	<50	<50	779	80	1660	NSS		NSS
G0672241		<100	<0.05	<50	<50	<5	<50	20			
G0672242		<100	<0.05	<50	<50	<5	<50	20			
G0672243		<100	<0.05	<50	<50	<5	<50	20			
G0672244		<100	<0.05	<50	<50	<5	<50	30			
G0672245		<100	<0.05	<50	<50	<5	<50	10			
G0672246		<100	<0.05	<50	<50	<5	<50	20			
G0672247		<100	<0.05	<50	<50	<5	<50	<10			
G0672248		<100	<0.05	<50	<50	<5	<50	10			
G0672249		<100	<0.05	<50	<50	<5	<50	10			
G0672250		<100	<0.05	<50	<50	<5	<50	10			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 1-OCT-2008
Account: EIATYE

Project: Golden Eagle TYE08-02

CERTIFICATE OF ANALYSIS TR08123742

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
G0672251		1.95	0.005		1	0.37	290	<50	<5	10	<0.05	<5	<5	13	12	0.89
G0672252		1.78	0.027		1	0.42	990	<50	<5	10	0.05	<5	<5	8	37	1.05
G0672253		1.59	0.023		1	0.49	830	<50	<5	20	0.07	<5	<5	7	24	1.70
G0672254		1.97	0.025		<1	0.46	720	<50	<5	<10	0.06	<5	<5	8	20	1.38
G0672255		1.96	0.027		<1	0.39	360	<50	<5	<10	<0.05	<5	<5	7	10	1.09
G0672256		1.79	0.008		1	0.36	370	<50	<5	<10	<0.05	<5	<5	11	10	0.87
G0672257		1.36	<0.005		<1	0.35	360	<50	<5	<10	<0.05	<5	<5	10	104	1.07
G0672258		2.43	<0.005		<1	3.04	20	700	<5	<10	0.47	<5	17	34	55	6.23
G0672259		2.17	<0.005		<1	3.32	<10	850	<5	<10	0.48	<5	22	10	49	6.81
G0672260		0.06	<0.005		<1	<0.05	10	<50	<5	<10	<0.05	<5	<5	9	15	0.09
G0672261		2.01	0.008		<1	2.39	<10	470	<5	<10	0.50	<5	19	27	21	5.34
G0672262		2.18	0.006		<1	2.21	<10	430	<5	<10	0.22	<5	15	32	44	6.17
G0672263		2.17	<0.005		<1	4.01	<10	410	<5	<10	1.29	<5	27	109	96	6.43
G0672264		2.14	<0.005		<1	3.96	<10	300	<5	<10	0.84	<5	30	242	53	5.41
G0672265		2.15	<0.005		<1	3.50	<10	210	<5	<10	0.84	<5	30	54	50	5.51
G0672266		2.28	<0.005		<1	2.74	10	420	<5	<10	1.01	<5	26	101	47	5.51
G0672267		2.27	<0.005		<1	3.38	<10	280	<5	<10	1.28	<5	28	246	68	4.70
G0672268		2.22	<0.005		<1	3.21	<10	310	<5	<10	1.36	<5	24	201	57	4.70
G0672269		1.10	0.007		1	4.18	<10	260	<5	<10	1.84	<5	29	310	99	4.53
G0672270		1.19	<0.005		<1	4.19	<10	300	<5	<10	1.67	<5	31	317	104	4.70
G0672271		2.31	<0.005		<1	3.90	<10	180	<5	10	1.22	<5	20	287	53	5.29
G0672272		1.45	0.010		4	6.04	<10	120	<5	<10	0.81	<5	32	209	110	10.35
G0672273		2.37	0.039		<1	4.72	2390	200	<5	<10	1.28	<5	33	98	46	8.24
G0672274		1.90	0.017		<1	6.78	180	90	<5	10	0.52	<5	27	238	53	12.20
G0672275		2.44	0.018		<1	6.85	70	80	<5	10	0.61	<5	28	271	59	12.25
G0672276		1.43	0.009		<1	6.24	150	170	<5	10	0.67	<5	22	106	45	10.60
G0672277		2.86	0.012		<1	6.48	70	180	<5	10	0.85	<5	25	149	59	10.75
G0672278		2.13	<0.005		<1	4.27	<10	340	<5	10	1.92	<5	31	145	64	5.04
G0672279		1.97	0.005		2	4.22	10	370	<5	<10	2.64	<5	30	68	112	5.14
G0672280		0.04	>10.0	12.05	>200	1.22	600	100	<5	10	3.77	<5	31	144	29	>50000
G0672281		0.91	1.795	1.96	<1	3.97	>100000	330	<5	20	0.91	<5	25	26	84	15.10
G0672282		2.71	0.008		<1	3.77	220	530	<5	10	1.76	<5	17	42	38	5.05
G0672283		0.73	1.415	1.21	<1	4.06	>100000	470	<5	<10	0.94	<5	55	27	98	15.55
G0672284		2.35	0.022		<1	2.23	160	350	<5	<10	1.76	<5	17	17	69	3.60
G0672285		2.35	0.011		<1	4.18	60	470	<5	<10	2.44	<5	17	19	23	4.80
G0672286		1.81	0.010		2	3.44	60	240	<5	<10	3.04	12	19	16	118	3.89
G0672287		2.28	0.009		<1	5.02	30	450	<5	<10	2.66	6	25	105	13	4.88
G0672288		2.36	<0.005		<1	4.67	10	450	<5	<10	2.81	<5	27	94	22	4.79
G0672289		1.42	0.051		5	3.71	50	530	<5	30	2.24	11	23	29	84	5.56
G0672290		1.32	0.026		2	4.25	10	650	<5	30	2.15	10	17	31	102	5.77



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 1-OCT-2008
Account: EIATYE

Project: Golden Eagle TYE08-02

CERTIFICATE OF ANALYSIS TR08123742

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
G0672251		<50	<5	0.18	<50	<0.05	180	<5	0.07	<5	<50	10	<0.05	<10	<5	<5
G0672252		<50	<5	0.21	<50	<0.05	110	6	0.05	<5	130	<10	0.06	<10	<5	<5
G0672253		<50	<5	0.19	<50	<0.05	110	7	0.06	5	150	<10	<0.05	<10	<5	<5
G0672254		<50	<5	0.19	<50	<0.05	90	6	0.07	<5	90	<10	<0.05	<10	<5	<5
G0672255		<50	<5	0.17	<50	<0.05	90	5	0.06	<5	<50	<10	<0.05	10	<5	<5
G0672256		<50	<5	0.21	<50	<0.05	150	<5	0.07	<5	<50	<10	<0.05	10	<5	<5
G0672257		<50	<5	0.24	<50	<0.05	180	<5	0.08	90	<50	20	<0.05	<10	<5	<5
G0672258		<50	<5	1.67	<50	0.96	350	5	0.12	14	220	<10	0.12	<10	10	83
G0672259		<50	<5	1.87	<50	1.21	420	13	0.14	20	650	<10	0.16	<10	12	46
G0672260		<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	<5	<50	10	<0.05	<10	<5	<5
G0672261		<50	<5	1.05	<50	0.77	360	<5	0.12	6	650	10	0.09	<10	10	35
G0672262		<50	<5	1.16	<50	0.54	330	<5	0.08	12	340	<10	0.16	10	8	7
G0672263		<50	<5	1.68	<50	2.98	680	<5	0.32	20	850	<10	0.74	<10	15	135
G0672264		<50	<5	0.91	<50	4.51	550	<5	0.17	45	810	<10	0.24	<10	11	56
G0672265		<50	<5	0.43	<50	3.78	480	<5	0.16	22	910	10	0.30	<10	12	39
G0672266		<50	<5	0.63	<50	2.91	460	<5	0.20	17	1380	<10	0.23	<10	12	55
G0672267		<50	<5	0.61	<50	3.74	540	<5	0.25	43	740	<10	0.26	<10	9	317
G0672268		<50	<5	0.56	<50	3.37	540	<5	0.26	29	840	<10	0.23	10	10	212
G0672269		<50	<5	0.88	<50	3.95	550	<5	0.26	62	830	<10	0.30	<10	8	174
G0672270		<50	<5	1.05	<50	4.13	550	<5	0.27	73	770	10	0.36	<10	8	167
G0672271		<50	<5	0.92	<50	4.13	640	<5	0.18	44	840	<10	0.22	<10	11	67
G0672272		<50	<5	0.65	<50	6.06	1790	5	0.05	54	940	10	1.09	<10	27	25
G0672273		<50	<5	0.77	<50	4.34	1180	<5	0.12	25	1030	<10	0.61	10	24	37
G0672274		<50	<5	0.40	<50	6.33	2310	<5	<0.05	55	960	<10	0.77	<10	32	6
G0672275		<50	<5	0.37	<50	6.22	2350	<5	0.06	63	960	<10	1.18	<10	33	7
G0672276		<50	<5	0.78	<50	5.35	1950	<5	0.12	30	1000	<10	0.79	10	30	13
G0672277		<50	<5	0.87	<50	5.48	1800	<5	0.12	45	1020	<10	0.96	10	28	29
G0672278		<50	<5	1.11	<50	3.05	790	<5	0.36	31	850	10	0.22	<10	15	149
G0672279		<50	<5	1.07	<50	2.57	800	<5	0.36	7	1080	20	0.48	<10	14	159
G0672280		<50	10	0.23	70	0.69	2510	<5	<0.05	108	2760	430	1.09	4160	5	378
G0672281		<50	<5	1.10	<50	2.40	910	<5	0.14	6	1920	20	6.03	160	15	54
G0672282		<50	<5	1.68	<50	2.39	800	<5	0.36	9	1380	<10	0.42	10	12	172
G0672283		<50	<5	1.59	<50	2.11	710	<5	0.22	14	860	<10	5.85	240	14	81
G0672284		<50	<5	0.63	<50	0.76	490	<5	0.27	6	990	<10	0.45	<10	7	99
G0672285		<50	<5	1.10	<50	1.61	670	<5	0.32	<5	1160	<10	0.07	10	11	232
G0672286		<50	<5	0.63	<50	1.28	740	<5	0.25	<5	970	60	0.28	20	6	302
G0672287		<50	<5	1.55	<50	2.79	950	<5	0.39	21	1010	<10	0.05	<10	15	256
G0672288		<50	<5	1.49	<50	2.60	900	<5	0.42	19	920	<10	0.17	<10	15	188
G0672289		<50	<5	1.17	<50	1.54	850	<5	0.35	6	1100	160	1.04	10	13	132
G0672290		<50	<5	1.39	<50	1.71	870	<5	0.39	9	1140	130	0.80	<10	14	134



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 3 - C

Total # Pages: 3 (A - C)

Plus Appendix Pages

Finalized Date: 1-OCT-2008

Account: EIATYE

Project: Golden Eagle TYE08-02

CERTIFICATE OF ANALYSIS TR08123742

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Cu-AA46
	Analyte	Th	Ti	Ti	U	V	W	Zn	Ag	As	Cu
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOR	100	0.05	50	50	5	50	10	5	0.01	0.01
G0672251		<100	<0.05	<50	<50	<5	<50	20			
G0672252		<100	<0.05	<50	<50	<5	<50	40			
G0672253		<100	<0.05	<50	<50	<5	<50	90			
G0672254		<100	<0.05	<50	<50	<5	<50	50			
G0672255		<100	<0.05	<50	<50	<5	<50	20			
G0672256		<100	<0.05	<50	<50	<5	<50	10			
G0672257		<100	<0.05	<50	<50	<5	<50	40			
G0672258		<100	0.23	<50	<50	49	<50	40			
G0672259		<100	0.29	<50	<50	66	<50	60			
G0672260		<100	<0.05	<50	<50	<5	<50	<10			
G0672261		<100	0.23	<50	<50	50	<50	40			
G0672262		<100	0.21	<50	<50	42	<50	40			
G0672263		<100	0.28	<50	<50	163	<50	310			
G0672264		<100	0.22	<50	<50	166	<50	180			
G0672265		<100	0.22	<50	<50	172	<50	120			
G0672266		<100	0.23	<50	<50	172	<50	100			
G0672267		<100	0.20	<50	<50	130	<50	60			
G0672268		<100	0.19	<50	<50	130	<50	60			
G0672269		<100	0.21	<50	<50	129	<50	50			
G0672270		<100	0.22	<50	<50	135	<50	50			
G0672271		<100	0.22	<50	<50	142	<50	70			
G0672272		<100	0.20	<50	<50	203	<50	140			
G0672273		<100	0.20	<50	<50	220	<50	120			
G0672274		<100	0.16	<50	<50	196	<50	180			
G0672275		<100	0.17	<50	<50	212	<50	170			
G0672276		<100	0.22	<50	<50	236	<50	140			
G0672277		<100	0.24	<50	<50	226	<50	140			
G0672278		<100	0.27	<50	<50	145	<50	100			
G0672279		<100	0.30	<50	<50	147	<50	90			
G0672280		<100	0.47	<50	<50	744	<50	1600	NSS		5.49
G0672281		<100	0.12	<50	<50	143	<50	120		11.40	
G0672282		<100	0.30	<50	<50	125	<50	100			
G0672283		<100	0.21	<50	<50	154	<50	90		11.00	
G0672284		<100	0.37	<50	<50	106	<50	60			
G0672285		<100	0.44	<50	<50	144	<50	100			
G0672286		<100	0.36	<50	<50	106	<50	450			
G0672287		<100	0.38	<50	<50	144	<50	280			
G0672288		<100	0.34	<50	<50	143	<50	170			
G0672289		<100	0.41	<50	<50	143	<50	450			
G0672290		<100	0.43	<50	<50	161	120	450			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 1-OCT-2008
Account: EIATYE

Project: Golden Eagle TYE08-02

CERTIFICATE OF ANALYSIS TR08123742

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 13-OCT-2008
Account: EIATYE

CERTIFICATE TR08125700

Project: Golden Eagle

P.O. No.: TYE08-02 Shipment # 6

This report is for 162 Drill Core samples submitted to our lab in Terrace, BC, Canada on 3-SEP-2008.

The following have access to data associated with this certificate:

HENRY A
JEREMY MAJOR

GENERAL EQUITY ENGINEERING

TRACY HURLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
As-AA46	Ore grade As - aqua regia/AA	AAS
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41a	High Grade Aqua Regia ICP-AES	ICP-AES
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: JEREMY MAJOR
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 13-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08125700

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
G0672291		1.88	0.130		2	4.17	10	420	<5	20	2.33	8	25	33	44	4.29
G0672292		2.16	0.006		2	3.74	140	400	<5	<10	2.57	<5	21	17	43	4.68
G0672293		2.49	0.006		2	2.07	30	190	<5	<10	2.11	20	15	10	27	2.44
G0672294		2.55	0.064		1	4.69	260	560	<5	<10	1.72	<5	23	54	46	6.95
G0672295		1.77	<0.005		<1	4.62	80	90	<5	<10	2.31	<5	32	64	31	6.65
G0672296		2.03	0.008		<1	4.94	70	140	<5	<10	1.07	<5	28	123	110	7.60
G0672297		2.03	<0.005		4	4.06	60	90	<5	10	3.86	<5	25	185	75	5.91
G0672298		2.38	0.167		<1	5.15	4570	140	<5	<10	2.63	<5	24	77	48	8.09
G0672299		2.20	0.008		2	5.14	160	280	<5	<10	3.09	<5	33	111	62	7.87
G0672300		0.04	<0.005		<1	<0.05	<10	<50	<5	<10	<0.05	<5	<5	<5	<5	0.05
G0672301		1.86	0.021		<1	3.96	1420	140	<5	10	2.22	<5	20	26	59	7.29
G0672302		2.08	0.024		1	4.07	5500	230	<5	10	2.37	<5	18	33	26	6.65
G0672303		1.79	0.115		<1	2.41	13800	150	<5	10	1.30	<5	16	33	10	5.17
G0672304		1.32	0.064		1	1.20	12300	50	<5	<10	1.71	<5	9	<5	12	2.58
G0672305		1.91	0.005		<1	1.60	340	90	<5	<10	1.62	<5	<5	6	26	2.33
G0672306		1.95	0.005		3	1.44	170	80	<5	<10	0.96	<5	<5	5	44	1.88
G0672307		2.00	<0.005		6	1.38	<10	90	<5	<10	1.18	<5	<5	11	32	1.75
G0672308		2.20	<0.005		1	1.39	30	70	<5	10	1.08	<5	6	9	38	1.86
G0672309		0.99	<0.005		<1	2.93	30	280	<5	10	1.20	<5	28	64	146	6.11
G0672310		1.05	<0.005		3	3.12	<10	290	<5	10	1.31	<5	25	73	156	6.40
G0672311		2.38	<0.005		4	2.69	30	230	<5	10	1.21	<5	15	24	21	5.32
G0672312		1.71	<0.005		1	3.02	50	290	<5	10	4.08	<5	13	88	22	4.03
G0672313		2.19	<0.005		1	2.93	50	180	<5	<10	1.05	<5	22	66	110	6.20
G0672314		1.93	<0.005		1	2.91	30	360	<5	<10	1.18	<5	14	54	82	7.35
G0672315		1.55	0.019		1	4.62	90	2800	<5	<10	1.57	<5	18	62	60	4.17
G0672316		1.09	0.024		1	2.48	160	1860	<5	<10	0.82	<5	<5	35	52	3.01
G0672317		1.31	0.011		<1	2.28	50	2480	<5	10	0.53	<5	7	32	136	3.06
G0672318		2.43	0.007		2	3.93	<10	750	<5	<10	2.03	<5	27	99	87	5.64
G0672319		1.05	<0.005		<1	4.85	50	650	<5	<10	2.31	<5	5	56	16	3.84
G0672320		0.06	>10.0	12.40	>200	1.32	640	110	<5	<10	3.92	32	147	36	>50000	10.60
G0672321		2.18	0.009		2	3.17	40	370	<5	10	2.15	<5	17	171	210	3.90
G0672322		2.05	0.010		1	1.74	60	190	<5	<10	1.59	<5	9	161	45	2.66
G0672323		2.02	<0.005		1	4.31	20	580	<5	<10	2.14	<5	9	10	39	5.03
G0672324		1.88	0.010		6	2.17	300	70	<5	10	2.15	<5	21	27	170	5.35
G0672325		2.24	0.019		2	3.53	110	360	<5	<10	1.25	<5	15	12	111	5.60
G0672326		1.63	<0.005		<1	4.33	30	440	<5	<10	1.62	<5	13	16	61	5.77
G0672327		1.43	<0.005		<1	2.99	20	380	<5	<10	1.38	<5	9	70	178	3.28
G0672328		2.09	<0.005		<1	3.23	70	350	<5	10	1.14	<5	11	12	30	4.74
G0672329		0.29	<0.005		<1	1.68	20	220	<5	<10	0.65	<5	8	6	<5	1.80
G0672330		0.27	<0.005		<1	1.79	10	260	<5	20	0.70	<5	<5	6	<5	1.61



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 2 - B

Total # Pages: 6 (A - C)

Plus Appendix Pages

Finalized Date: 13-OCT-2008

Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08125700

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
G0672291		<50	<5	1.05	<50	1.67	730	<5	0.33	33	1000	70	0.08	<10	12	285
G0672292		<50	<5	1.21	<50	1.82	880	<5	0.23	12	950	20	0.28	<10	10	95
G0672293		<50	<5	0.34	<50	0.61	580	<5	0.16	10	1040	10	0.15	<10	6	88
G0672294		<50	<5	2.30	<50	3.30	1230	<5	0.28	17	960	<10	0.29	10	17	82
G0672295		<50	<5	0.68	<50	5.14	1090	<5	0.09	37	930	<10	<0.05	<10	18	40
G0672296		<50	<5	0.85	<50	5.13	1020	<5	0.08	39	850	<10	0.25	<10	16	21
G0672297		<50	<5	0.44	<50	3.93	1100	<5	0.10	38	830	<10	0.14	<10	20	55
G0672298		<50	8	0.55	<50	3.74	1430	<5	0.09	24	820	<10	0.33	<10	19	53
G0672299		<50	<5	1.10	<50	3.09	1220	<5	0.12	69	1310	<10	0.53	<10	19	82
G0672300		<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	<5	<50	<10	<0.05	<10	<5	<5
G0672301		<50	<5	0.69	<50	2.10	1250	<5	0.08	19	1290	<10	0.54	<10	11	34
G0672302		<50	<5	1.17	<50	1.63	1070	<5	0.13	20	1130	<10	1.03	<10	10	45
G0672303		<50	<5	0.63	<50	1.13	800	<5	<0.05	8	700	<10	0.68	10	5	31
G0672304		<50	<5	0.36	<50	0.34	380	<5	<0.05	<5	510	10	0.61	10	<5	29
G0672305		<50	<5	0.49	<50	0.56	480	<5	<0.05	6	790	<10	0.16	10	<5	55
G0672306		<50	<5	0.42	<50	0.50	340	<5	0.08	<5	570	<10	<0.05	<10	<5	35
G0672307		<50	<5	0.37	<50	0.49	330	<5	0.05	<5	560	<10	<0.05	<10	<5	34
G0672308		<50	<5	0.33	<50	0.51	370	<5	0.07	<5	610	<10	<0.05	<10	<5	43
G0672309		<50	<5	0.79	<50	1.33	540	<5	0.09	35	760	<10	0.27	<10	16	54
G0672310		<50	<5	0.82	<50	1.36	540	<5	0.11	44	560	<10	0.28	<10	17	51
G0672311		<50	<5	0.70	<50	1.01	530	<5	<0.05	18	550	<10	0.06	<10	7	100
G0672312		<50	<5	0.81	<50	1.99	950	<5	0.08	25	760	<10	<0.05	<10	11	116
G0672313		<50	<5	0.52	<50	1.29	510	<5	<0.05	23	450	<10	0.56	<10	11	31
G0672314		<50	<5	1.01	<50	1.17	640	<5	0.07	17	660	<10	0.19	<10	10	48
G0672315		<50	<5	1.86	<50	2.08	640	<5	0.21	54	330	<10	<0.05	<10	19	277
G0672316		<50	<5	0.86	<50	1.45	390	<5	0.07	45	220	10	<0.05	<10	10	101
G0672317		<50	<5	0.63	<50	1.45	270	<5	<0.05	115	230	20	0.09	<10	8	54
G0672318		<50	<5	1.40	<50	1.75	930	<5	0.25	76	980	<10	0.12	<10	21	158
G0672319		<50	<5	1.26	<50	1.36	600	<5	0.29	10	710	<10	<0.05	<10	11	217
G0672320		<50	5	0.27	70	0.73	2610	5	<0.05	106	2850	420	1.14	4060	5	401
G0672321		<50	<5	0.82	<50	1.16	680	<5	0.21	46	1260	<10	<0.05	<10	11	154
G0672322		<50	<5	0.37	<50	0.84	520	<5	0.15	35	1240	<10	<0.05	10	8	81
G0672323		<50	<5	1.35	<50	1.36	690	<5	0.28	<5	1630	<10	<0.05	<10	13	150
G0672324		<50	<5	0.22	<50	0.52	980	<5	0.13	16	1740	30	0.73	<10	11	81
G0672325		<50	<5	1.14	<50	0.90	630	<5	0.22	14	990	<10	0.57	<10	13	108
G0672326		<50	<5	1.54	<50	0.99	680	<5	0.31	15	990	<10	0.23	<10	14	140
G0672327		<50	<5	0.94	<50	0.80	600	<5	0.20	98	830	60	0.12	<10	6	149
G0672328		<50	<5	1.32	<50	0.87	640	<5	0.16	<5	1180	10	0.05	<10	11	87
G0672329		<50	<5	0.57	<50	0.58	280	<5	<0.05	<5	320	10	<0.05	<10	<5	35
G0672330		<50	<5	0.63	<50	0.49	270	<5	0.06	<5	250	<10	<0.05	<10	<5	52



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 2 - C

Total # Pages: 6 (A - C)

Plus Appendix Pages

Finalized Date: 13-OCT-2008

Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08125700

Sample Description	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Cu-AA46
	Th	Ti	Ti	U	V	W	Zn	Ag	As	Cu
	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	100	0.05	50	50	5	50	10	5	0.01	0.01
G0672291	<100	0.39	<50	<50	171	<50	420			
G0672292	<100	0.33	<50	<50	145	<50	230			
G0672293	<100	0.33	<50	<50	83	<50	880			
G0672294	<100	0.39	<50	<50	195	<50	220			
G0672295	<100	0.32	<50	<50	193	<50	130			
G0672296	<100	0.27	<50	<50	180	<50	110			
G0672297	<100	0.23	<50	<50	171	<50	90			
G0672298	<100	0.14	<50	<50	168	<50	110			
G0672299	<100	0.27	<50	<50	126	<50	100			
G0672300	<100	<0.05	<50	<50	<5	<50	<10			
G0672301	<100	0.13	<50	<50	113	<50	90			
G0672302	<100	0.15	<50	<50	113	<50	90			
G0672303	<100	0.05	<50	<50	41	<50	40		1.41	
G0672304	<100	<0.05	<50	<50	6	<50	10		1.22	
G0672305	<100	0.09	<50	<50	30	<50	40			
G0672306	<100	0.09	<50	<50	22	<50	10			
G0672307	<100	0.05	<50	<50	20	<50	<10			
G0672308	<100	0.09	<50	<50	26	<50	30			
G0672309	<100	0.20	<50	<50	140	<50	100			
G0672310	<100	0.21	<50	<50	145	<50	110			
G0672311	<100	0.09	<50	<50	63	<50	70			
G0672312	<100	0.11	<50	<50	74	<50	50			
G0672313	<100	0.09	<50	<50	42	<50	70			
G0672314	<100	0.22	<50	<50	76	<50	130			
G0672315	<100	0.26	<50	<50	188	<50	180			
G0672316	<100	0.14	<50	<50	116	<50	140			
G0672317	<100	0.11	<50	<50	120	<50	100			
G0672318	<100	0.30	<50	<50	199	<50	80			
G0672319	<100	0.22	<50	<50	41	<50	80			
G0672320	<100	0.48	<50	<50	773	80	1640	320		NSS
G0672321	<100	0.26	<50	<50	78	<50	80			
G0672322	<100	0.25	<50	<50	63	<50	60			
G0672323	<100	0.32	<50	<50	97	<50	90			
G0672324	<100	0.32	<50	<50	124	<50	80			
G0672325	<100	0.28	<50	<50	59	<50	70			
G0672326	<100	0.32	<50	<50	69	<50	70			
G0672327	<100	0.20	<50	<50	28	<50	290			
G0672328	<100	0.29	<50	<50	60	<50	80			
G0672329	<100	0.07	<50	<50	29	<50	60			
G0672330	<100	0.09	<50	<50	31	<50	40			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 13-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08125700

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
G0672331		1.86	0.005		<1	0.28	10	50	<5	20	0.14	<5	<5	5	<5	0.36
G0672332		2.23	<0.005		<1	2.87	40	240	<5	<10	2.13	<5	11	37	17	2.39
G0672333		2.25	0.014		<1	5.35	80	370	<5	<10	1.97	<5	27	168	54	5.20
G0672334		1.91	<0.005		<1	4.29	40	290	<5	10	1.10	<5	32	85	30	5.30
G0672335		1.47	0.013		<1	3.95	10	350	<5	20	2.26	<5	14	67	59	5.80
G0672336		0.77	>10.0	13.15	12	3.37	26200	90	<5	290	0.62	<5	37	54	941	20.0
G0672337		1.76	0.058		<1	3.53	630	260	<5	<10	1.65	<5	25	99	19	5.51
G0672338		1.22	0.034		<1	4.80	60	700	<5	10	1.99	<5	14	22	5	4.33
G0672339		1.47	0.204		<1	3.53	90	240	<5	10	0.50	<5	11	8	70	6.58
G0672340		0.04	<0.005		<1	<0.05	<10	<50	<5	<10	<0.05	<5	<5	9	19	<0.05
G0672341		1.47	0.012		<1	3.56	30	160	<5	10	1.33	<5	18	22	14	5.53
G0672342		0.98	0.583		<1	4.03	1940	140	<5	10	1.26	7	25	66	61	7.14
G0672343		1.07	0.662		<1	1.77	21300	160	<5	10	0.70	<5	31	9	121	4.94
G0672344		0.79	1.380	1.42	<1	2.41	49600	50	<5	10	1.17	49	77	22	23	7.52
G0672345		1.16	1.685	1.54	<1	1.14	57700	50	<5	20	0.71	<5	71	14	<5	6.01
G0672346		0.65	2.15	2.14	4	0.81	>100000	<50	<5	40	0.38	19	80	<5	17	18.30
G0672347		2.08	0.356		<1	3.64	37400	250	<5	10	1.61	<5	25	121	23	6.93
G0672348		1.73	0.008		<1	2.50	570	290	<5	<10	1.43	<5	11	61	17	3.75
G0672349		0.91	<0.005		<1	2.94	170	220	<5	<10	1.89	<5	13	9	25	4.77
G0672350		1.03	0.007		<1	2.82	310	170	<5	10	2.03	<5	6	8	25	3.74
G0672351		2.29	<0.005		<1	4.11	40	370	<5	<10	1.48	<5	10	12	18	4.52
G0672352		1.98	0.008		<1	3.10	120	200	<5	<10	1.83	<5	21	23	16	3.58
G0672353		1.54	0.033		<1	7.16	230	150	<5	10	5.54	<5	33	173	66	3.15
G0672354		0.95	0.100		<1	6.30	870	240	<5	10	4.16	<5	84	219	11	3.91
G0672355		2.00	0.027		<1	7.46	150	240	<5	20	5.63	<5	26	227	39	4.17
G0672356		2.55	0.021		<1	5.43	310	220	<5	30	3.43	<5	26	234	17	3.84
G0672357		1.31	0.007		<1	4.40	90	150	<5	<10	3.23	<5	16	197	40	2.51
G0672358		2.49	0.005		<1	4.63	80	160	<5	10	2.82	<5	19	238	18	2.72
G0672359		2.24	0.005		<1	4.61	100	150	<5	10	2.73	<5	22	233	<5	2.75
G0672360		0.07	>10.0	12.05	>200	1.28	590	100	<5	<10	3.85	32	143	35	>50000	10.10
G0672361		1.35	0.007		<1	4.58	130	120	<5	20	3.49	<5	19	118	383	1.89
G0672362		1.87	0.015		<1	3.91	140	380	<5	10	1.59	<5	26	151	158	3.48
G0672363		1.20	<0.005		<1	3.06	50	490	<5	<10	0.90	<5	23	60	146	4.44
G0672364		1.19	<0.005		<1	2.84	<10	650	<5	10	0.65	<5	21	71	108	4.13
G0672365		2.33	0.005		<1	2.22	20	450	<5	10	0.77	<5	14	55	45	3.17
G0672366		2.38	<0.005		<1	4.05	150	380	<5	<10	1.74	<5	27	117	73	4.56
G0672367		2.30	0.009		<1	4.30	180	360	<5	<10	2.75	<5	38	244	47	3.12
G0672368		1.29	0.008		1	3.29	90	460	<5	10	2.23	<5	30	101	72	4.97
G0672369		0.78	<0.005		1	4.08	190	660	<5	<10	3.15	<5	22	108	35	6.07
G0672370		0.77	<0.005		<1	3.75	160	600	<5	<10	3.38	<5	22	100	38	5.46



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 13-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08125700

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
G0672331		<50	<5	0.31	<50	0.10	50	<5	<0.05	<5	50	<10	<0.05	<10	<5	36
G0672332		<50	<5	0.46	<50	1.03	410	<5	0.17	15	980	30	0.08	<10	9	117
G0672333		<50	<5	1.15	<50	3.44	750	<5	0.18	38	1160	<10	0.06	<10	20	108
G0672334		<50	<5	1.04	<50	4.05	640	<5	0.12	22	930	20	<0.05	<10	14	99
G0672335		<50	<5	0.95	<50	2.03	740	<5	0.35	13	1020	<10	0.51	<10	15	164
G0672336		<50	<5	0.32	<50	2.09	830	<5	<0.05	38	650	10	9.88	60	15	31
G0672337		<50	<5	0.96	<50	2.64	690	<5	0.21	18	890	10	0.19	<10	11	97
G0672338		<50	<5	1.31	<50	1.88	570	<5	0.22	<5	1310	20	0.10	<10	14	440
G0672339		<50	<5	1.01	<50	1.71	700	<5	<0.05	<5	1530	<10	1.21	<10	7	30
G0672340		<50	5	<0.05	<50	<0.05	<30	<5	<0.05	12	70	10	<0.05	<10	<5	15
G0672341		<50	<5	0.54	<50	2.00	870	<5	<0.05	<5	1320	30	<0.05	<10	8	63
G0672342		<50	<5	0.63	<50	2.45	1500	<5	<0.05	32	1130	50	0.82	10	9	33
G0672343		<50	<5	0.73	<50	0.51	390	<5	<0.05	11	2210	10	2.22	60	<5	29
G0672344		<50	<5	0.47	<50	1.37	1130	<5	<0.05	51	1330	160	3.02	80	<5	27
G0672345		<50	<5	0.40	<50	0.36	440	<5	<0.05	<5	1260	20	2.78	150	<5	20
G0672346		<50	<5	0.31	<50	0.29	260	<5	<0.05	6	1040	160	9.89	730	<5	13
G0672347		<50	<5	1.37	<50	1.98	860	<5	0.22	44	1060	30	1.78	90	11	110
G0672348		<50	<5	0.81	<50	1.48	780	<5	0.19	12	1170	10	0.16	10	7	105
G0672349		60	<5	0.85	<50	1.00	760	<5	<0.05	<5	1200	10	0.13	10	9	86
G0672350		<50	<5	0.68	<50	0.85	600	<5	<0.05	<5	800	10	0.13	<10	8	70
G0672351		<50	<5	1.64	<50	1.02	660	<5	0.23	<5	1060	20	0.08	<10	11	142
G0672352		<50	<5	0.81	<50	0.96	640	<5	0.24	<5	800	20	0.10	<10	8	132
G0672353		<50	<5	0.88	<50	1.51	610	<5	0.22	60	610	10	0.14	<10	6	484
G0672354		<50	<5	1.42	<50	2.23	760	<5	0.37	80	500	10	0.06	<10	9	383
G0672355		<50	<5	1.29	<50	2.38	940	<5	0.36	90	690	<10	0.05	<10	10	508
G0672356		<50	<5	1.25	<50	2.25	640	<5	0.34	72	740	10	0.06	<10	7	250
G0672357		<50	<5	0.66	<50	1.68	440	<5	0.39	91	500	<10	0.13	<10	5	205
G0672358		<50	<5	0.72	<50	2.31	420	<5	0.34	79	620	<10	<0.05	<10	8	226
G0672359		<50	<5	1.06	<50	2.69	410	<5	0.30	95	500	10	<0.05	10	6	156
G0672360		<50	6	0.26	70	0.72	2550	<5	<0.05	99	2750	420	1.13	4080	5	410
G0672361		<50	<5	0.37	<50	1.08	300	<5	0.52	77	610	20	0.18	10	<5	256
G0672362		<50	<5	1.50	<50	2.46	430	<5	0.24	58	750	<10	0.13	20	8	142
G0672363		<50	6	1.02	<50	2.41	340	<5	0.06	8	950	10	0.18	20	11	72
G0672364		<50	<5	0.93	<50	2.29	330	<5	<0.05	5	640	<10	0.10	<10	13	43
G0672365		<50	5	0.89	<50	1.67	360	<5	0.05	<5	740	10	<0.05	<10	9	51
G0672366		<50	<5	1.43	<50	2.19	510	<5	0.14	40	960	<10	0.10	<10	14	120
G0672367		<50	<5	1.02	<50	1.85	500	<5	0.20	97	1130	10	<0.05	20	10	293
G0672368		<50	<5	1.10	<50	1.42	1080	<5	0.14	61	1240	<10	<0.05	10	19	201
G0672369		<50	<5	1.21	<50	2.14	1150	<5	0.06	39	1020	20	<0.05	50	20	164
G0672370		<50	<5	1.08	<50	1.94	1110	<5	0.07	24	980	<10	<0.05	<10	20	155



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 13-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08125700

Sample Description	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Cu-AA46
	Th	Ti	Ti	U	V	W	Zn	Ag	As	Cu
	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	100	0.05	50	50	5	50	10	5	0.01	0.01
G0672331	<100	<0.05	<50	<50	18	<50	20			
G0672332	<100	0.24	<50	<50	69	<50	80			
G0672333	<100	0.26	<50	<50	183	<50	260			
G0672334	<100	0.26	<50	<50	178	<50	130			
G0672335	<100	0.33	<50	<50	163	<50	90			
G0672336	<100	0.12	<50	<50	151	<50	130		2.66	
G0672337	<100	0.23	<50	<50	122	<50	90			
G0672338	<100	0.24	<50	<50	80	<50	130			
G0672339	<100	0.12	<50	<50	47	<50	70			
G0672340	<100	<0.05	<50	<50	6	<50	50			
G0672341	<100	0.11	<50	<50	55	<50	100			
G0672342	<100	0.05	<50	<50	63	<50	290			
G0672343	<100	<0.05	<50	<50	30	<50	40		2.15	
G0672344	<100	<0.05	<50	<50	45	<50	1510		5.15	
G0672345	<100	<0.05	<50	<50	29	<50	20		5.98	
G0672346	<100	<0.05	<50	<50	14	<50	500		21.5	
G0672347	<100	0.16	<50	<50	111	<50	110		3.67	
G0672348	<100	0.30	<50	<50	94	<50	80			
G0672349	<100	0.23	<50	<50	50	<50	80			
G0672350	<100	0.21	<50	<50	43	<50	60			
G0672351	<100	0.26	<50	<50	48	<50	70			
G0672352	<100	0.25	<50	<50	44	<50	60			
G0672353	<100	0.23	<50	<50	76	<50	100			
G0672354	<100	0.23	<50	<50	90	<50	90			
G0672355	<100	0.27	<50	<50	97	<50	110			
G0672356	<100	0.28	<50	<50	102	<50	80			
G0672357	<100	0.19	<50	<50	71	<50	60			
G0672358	<100	0.23	<50	<50	98	<50	50			
G0672359	<100	0.20	<50	<50	84	<50	60			
G0672360	<100	0.47	<50	<50	765	70	1630	349		5.57
G0672361	<100	0.18	<50	<50	69	<50	40			
G0672362	<100	0.23	<50	<50	124	<50	100			
G0672363	<100	0.24	<50	<50	154	<50	60			
G0672364	<100	0.21	<50	<50	130	<50	70			
G0672365	<100	0.21	<50	<50	104	<50	50			
G0672366	<100	0.25	<50	<50	156	<50	110			
G0672367	<100	0.22	<50	<50	91	<50	160			
G0672368	<100	0.28	<50	<50	180	<50	80			
G0672369	<100	0.22	<50	<50	196	<50	130			
G0672370	<100	0.23	<50	<50	197	<50	130			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 13-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08125700

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
G0672371		1.40	0.007		3	3.25	130	130	<5	10	7.48	<5	18	35	49	5.55
G0672372		1.50	<0.005		1	4.13	40	920	<5	10	2.35	<5	19	42	85	3.44
G0672373		2.03	<0.005		2	4.05	40	480	<5	<10	1.93	<5	9	20	19	3.62
G0672374		1.42	<0.005		<1	5.28	20	320	<5	<10	3.34	<5	13	58	22	4.23
G0672375		1.12	0.020		<1	3.45	570	310	<5	<10	2.61	<5	24	85	102	6.39
G0672376		2.21	<0.005		1	3.92	<10	460	<5	10	2.17	<5	12	14	23	4.55
G0672377		1.84	0.006		<1	2.52	60	200	<5	<10	1.81	<5	15	15	66	3.96
G0672378		2.03	<0.005		<1	3.58	30	470	<5	<10	2.21	<5	19	56	104	3.40
G0672379		2.40	0.015		1	4.47	110	430	<5	<10	2.55	<5	29	67	66	3.77
G0672380		0.08	<0.005		2	<0.05	<10	<50	<5	<10	<0.05	<5	<5	5	<5	<0.05
G0672381		1.99	0.011		1	3.62	60	400	<5	<10	2.50	<5	23	75	32	3.52
G0672382		2.41	0.027		1	4.42	60	490	<5	<10	1.92	<5	27	125	39	4.21
G0672383		2.46	0.013		2	3.67	40	420	<5	<10	1.44	<5	26	126	53	3.94
G0672384		2.11	0.018		5	4.66	50	280	<5	<10	1.43	<5	34	315	127	4.15
G0672385		2.68	<0.005		<1	4.35	20	380	<5	<10	1.26	<5	27	68	47	4.66
G0672386		2.47	<0.005		2	3.70	50	370	<5	<10	1.15	<5	26	156	44	3.84
G0672387		2.51	<0.005		1	3.67	60	390	<5	<10	1.25	<5	28	227	20	3.29
G0672388		1.76	0.005		1	3.38	80	360	<5	<10	2.04	<5	17	130	12	2.43
G0672389		0.90	0.016		3	4.32	40	340	<5	<10	2.13	<5	17	31	87	3.73
G0672390		0.75	0.026		3	4.36	20	350	<5	<10	2.11	<5	20	26	110	3.73
G0672391		2.18	0.024		<1	5.42	110	350	<5	<10	1.81	<5	30	54	89	6.23
G0672392		2.64	0.038		2	7.16	200	410	<5	<10	3.57	<5	35	105	183	6.96
G0672393		1.00	0.007		1	5.23	80	430	<5	<10	3.57	<5	29	41	48	3.65
G0672394		1.14	0.163		3	4.56	760	100	<5	<10	4.19	<5	36	64	62	8.12
G0672395		1.08	4.10	3.93	6	1.08	>100000	80	<5	20	1.08	6	271	9	17	14.60
G0672396		1.04	0.025		2	1.58	1880	120	<5	<10	0.81	<5	5	9	26	2.74
G0672397		1.24	0.031		8	1.81	380	100	<5	<10	0.76	14	11	8	98	4.05
G0672398		0.55	0.389		2	1.07	27700	100	<5	<10	0.35	<5	33	8	18	3.70
G0672399		2.06	0.023		3	3.16	190	160	<5	<10	0.90	<5	13	79	160	6.28
G0672400		0.07	>10.0	12.50	>200	1.28	560	100	<5	<10	3.82	31	146	37	>50000	10.35
G0672401		1.59	0.010		<1	3.68	90	250	<5	<10	0.71	<5	12	56	368	6.37
G0672402		0.91	0.013		<1	3.48	170	380	<5	<10	1.27	<5	16	28	35	5.07
G0672551		2.45	0.009		<1	0.42	260	<50	<5	<10	<0.05	<5	<5	16	<5	0.87
G0672552		2.27	<0.005		<1	0.42	330	<50	<5	<10	<0.05	<5	<5	13	<5	0.77
G0672553		2.13	0.005		<1	0.39	460	<50	<5	<10	<0.05	<5	<5	10	<5	0.87
G0672554		2.20	0.007		<1	0.39	280	<50	<5	<10	<0.05	<5	<5	13	<5	0.78
G0672555		2.24	<0.005		<1	0.41	270	<50	<5	<10	<0.05	<5	<5	12	<5	0.72
G0672556		2.46	<0.005		<1	0.39	120	<50	<5	<10	<0.05	<5	<5	13	<5	0.70
G0672557		2.27	<0.005		<1	0.42	210	<50	<5	<10	<0.05	<5	<5	17	<5	0.80
G0672558		1.84	<0.005		<1	0.43	330	<50	<5	<10	<0.05	<5	<5	12	48	0.94



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 13-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08125700

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
G0672371		<50	<5	0.38	<50	2.42	1450	5	<0.05	5	780	30	<0.05	<10	11	120
G0672372		<50	<5	1.13	<50	1.37	520	<5	0.23	19	870	20	0.28	<10	12	218
G0672373		<50	<5	0.98	<50	1.10	580	<5	0.28	<5	640	20	0.08	<10	9	175
G0672374		<50	<5	1.20	<50	1.53	800	<5	0.36	19	990	10	0.06	<10	15	280
G0672375		<50	<5	0.77	<50	1.47	1010	<5	0.18	21	1350	20	0.19	20	19	115
G0672376		<50	<5	1.11	<50	1.20	730	<5	0.31	<5	1050	10	0.10	<10	13	167
G0672377		<50	<5	0.64	<50	0.58	680	<5	0.26	6	1430	20	0.22	<10	11	103
G0672378		<50	<5	0.92	<50	1.41	540	<5	0.25	26	660	20	0.28	10	13	113
G0672379		<50	<5	1.22	<50	2.07	620	<5	0.46	17	930	<10	0.19	<10	13	188
G0672380		<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	<5	<50	<10	0.05	<10	<5	<5
G0672381		<50	<5	1.08	<50	1.96	610	<5	0.35	18	850	10	0.11	<10	11	130
G0672382		<50	<5	1.83	<50	2.59	590	<5	0.42	32	870	10	0.13	10	11	141
G0672383		<50	<5	1.27	<50	2.52	510	<5	0.34	25	890	10	0.16	<10	12	115
G0672384		<50	<5	1.05	<50	4.15	540	<5	0.19	143	800	30	0.13	10	10	95
G0672385		<50	<5	1.45	<50	3.40	650	<5	0.25	38	920	10	0.12	<10	15	103
G0672386		<50	<5	0.97	<50	3.22	490	<5	0.23	33	830	20	0.10	20	9	123
G0672387		<50	<5	1.32	<50	3.23	460	<5	0.23	52	780	10	0.08	<10	5	129
G0672388		<50	<5	0.81	<50	1.69	380	<5	0.46	40	1370	20	0.08	<10	5	184
G0672389		<50	<5	0.69	<50	1.29	470	<5	0.35	17	900	30	0.32	<10	8	165
G0672390		<50	<5	0.80	<50	1.33	410	<5	0.32	11	860	20	0.42	<10	8	182
G0672391		<50	<5	1.04	<50	1.69	780	<5	0.27	28	910	20	0.23	<10	17	92
G0672392		<50	<5	1.42	<50	1.85	830	<5	0.45	50	1250	20	0.62	20	19	152
G0672393		<50	<5	0.84	<50	1.36	710	<5	0.44	27	1050	30	0.17	10	13	208
G0672394		<50	<5	0.49	<50	2.53	2330	<5	0.09	48	980	30	0.28	30	19	122
G0672395		<50	<5	0.42	<50	0.19	430	<5	<0.05	35	490	130	7.97	380	<5	20
G0672396		<50	<5	0.48	<50	0.48	690	<5	0.05	<5	500	40	0.30	10	<5	19
G0672397		<50	<5	0.40	<50	0.61	940	<5	0.05	<5	440	240	0.95	10	<5	17
G0672398		<50	<5	0.40	<50	0.26	400	<5	0.05	<5	680	60	1.52	50	<5	15
G0672399		<50	<5	0.51	<50	1.36	1000	<5	<0.05	99	870	70	0.34	10	5	25
G0672400		<50	15	0.25	70	0.71	2560	<5	<0.05	107	2860	430	1.16	4040	5	388
G0672401		<50	<5	0.75	<50	1.77	950	<5	<0.05	8	650	20	0.10	10	7	34
G0672402		<50	<5	1.23	<50	1.51	990	<5	0.06	<5	990	40	0.13	20	12	57
G0672551		<50	<5	0.20	<50	<0.05	90	10	<0.05	<5	70	<10	<0.05	<10	<5	<5
G0672552		<50	<5	0.18	<50	<0.05	60	<5	<0.05	<5	70	<10	<0.05	<10	<5	<5
G0672553		<50	<5	0.17	<50	<0.05	60	<5	<0.05	<5	50	<10	<0.05	<10	<5	<5
G0672554		<50	6	0.17	<50	<0.05	70	5	<0.05	<5	60	10	<0.05	<10	<5	<5
G0672555		<50	<5	0.19	<50	<0.05	60	<5	<0.05	<5	90	<10	<0.05	<10	<5	<5
G0672556		<50	<5	0.20	<50	<0.05	80	5	<0.05	<5	80	<10	<0.05	<10	<5	<5
G0672557		<50	<5	0.20	<50	<0.05	70	5	<0.05	<5	60	<10	<0.05	10	<5	<5
G0672558		<50	5	0.19	<50	<0.05	80	<5	<0.05	<5	90	<10	<0.05	<10	<5	5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 13-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08125700

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Cu-AA46
	Analyte	Th	Ti	Ti	U	V	W	Zn	Ag	As	Cu
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
LOR		100	0.05	50	50	5	50	10	5	0.01	0.01
G0672371		<100	<0.05	<50	<50	97	<50	160			
G0672372		<100	0.18	<50	<50	87	<50	100			
G0672373		<100	0.19	<50	<50	39	<50	110			
G0672374		<100	0.28	<50	<50	141	<50	150			
G0672375		<100	0.28	<50	<50	173	<50	160			
G0672376		<100	0.28	<50	<50	63	<50	120			
G0672377		<100	0.30	<50	<50	80	<50	60			
G0672378		<100	0.21	<50	<50	95	<50	180			
G0672379		<100	0.28	<50	<50	113	<50	120			
G0672380		<100	<0.05	<50	<50	<5	<50	<10			
G0672381		<100	0.27	<50	<50	121	<50	110			
G0672382		<100	0.29	<50	<50	143	<50	120			
G0672383		<100	0.24	<50	<50	140	<50	110			
G0672384		<100	0.19	<50	<50	141	<50	220			
G0672385		<100	0.24	<50	<50	134	<50	170			
G0672386		<100	0.21	<50	<50	130	<50	130			
G0672387		<100	0.21	<50	<50	95	<50	100			
G0672388		<100	0.23	<50	<50	80	<50	50			
G0672389		<100	0.21	<50	<50	56	<50	100			
G0672390		<100	0.19	<50	<50	63	<50	110			
G0672391		<100	0.24	<50	<50	154	<50	240			
G0672392		<100	0.26	<50	<50	177	<50	210			
G0672393		<100	0.25	<50	<50	111	<50	130			
G0672394		<100	0.05	<50	<50	152	<50	250			
G0672395		<100	<0.05	<50	<50	12	<50	190		17.00	
G0672396		<100	<0.05	<50	<50	<5	<50	130			
G0672397		<100	<0.05	<50	<50	6	<50	1070			
G0672398		<100	<0.05	<50	<50	<5	<50	140		2.77	
G0672399		<100	0.09	<50	<50	51	<50	240			
G0672400		<100	0.47	<50	<50	763	70	1650	NSS		5.52
G0672401		<100	0.12	<50	<50	166	<50	180			
G0672402		<100	0.18	<50	<50	98	<50	120			
G0672551		<100	<0.05	<50	<50	<5	<50	40			
G0672552		<100	<0.05	<50	<50	<5	<50	40			
G0672553		<100	<0.05	<50	<50	<5	<50	40			
G0672554		<100	<0.05	<50	<50	<5	<50	40			
G0672555		<100	<0.05	<50	<50	<5	<50	40			
G0672556		<100	<0.05	<50	<50	<5	<50	40			
G0672557		<100	<0.05	<50	<50	<5	<50	40			
G0672558		<100	<0.05	<50	<50	<5	<50	50			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 5 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 13-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08125700

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
G0672559		2.15	<0.005		<1	0.45	490	<50	<5	10	<0.05	<5	<5	13	10	0.98
G0672560		0.05	<0.005		<1	<0.05	<10	<50	<5	<10	<0.05	<5	<5	5	<5	<0.05
G0672561		1.38	<0.005		<1	0.43	450	<50	<5	<10	<0.05	<5	<5	10	6	0.91
G0672562		2.01	<0.005		<1	0.45	480	<50	<5	<10	<0.05	<5	<5	13	7	0.93
G0672563		1.79	<0.005		<1	0.40	700	<50	<5	<10	<0.05	5	<5	10	10	1.01
G0672564		1.60	<0.005		<1	0.45	530	<50	<5	10	<0.05	<5	<5	13	8	1.02
G0672565		0.07	>10.0	11.20	>200	1.28	580	100	<5	<10	3.81	31	150	37	>50000	10.25
G0672566		1.50	0.006		<1	0.43	490	<50	<5	<10	<0.05	<5	<5	14	555	0.92
G0672567		1.15	<0.005		<1	0.42	500	<50	<5	<10	<0.05	<5	<5	12	33	0.83
G0672568		1.56	<0.005		<1	0.41	570	<50	<5	<10	<0.05	<5	<5	12	14	0.82
G0672569		0.93	0.007		<1	0.39	180	<50	<5	<10	<0.05	<5	<5	10	<5	0.65
G0672570		0.76	0.007		<1	0.37	180	<50	<5	10	<0.05	<5	<5	11	<5	0.67
G0672571		1.47	0.012		<1	0.32	180	<50	<5	<10	<0.05	<5	<5	10	<5	0.63
G0672572		1.80	<0.005		<1	0.36	120	<50	<5	10	<0.05	<5	<5	16	<5	0.62
G0672573		2.29	0.005		<1	0.43	200	<50	<5	10	<0.05	<5	<5	17	<5	0.86
G0672574		1.95	0.010		<1	0.36	310	<50	<5	10	<0.05	<5	<5	15	7	0.74
G0672575		0.81	0.007		<1	0.36	550	<50	<5	<10	<0.05	<5	<5	14	29	0.58
G0672576		2.54	0.044		<1	0.38	630	<50	<5	10	<0.05	<5	<5	17	7	0.68
G0672577		0.82	0.254		12	0.65	8360	<50	<5	<10	<0.05	<5	<5	8	772	1.31
G0672578		2.06	0.243		8	0.37	15300	<50	<5	<10	<0.05	<5	6	14	136	1.56
G0672579		2.55	0.035		<1	0.40	4440	<50	<5	10	<0.05	<5	<5	12	14	0.79
G0672580		2.28	0.007		<1	0.34	210	<50	<5	10	<0.05	<5	<5	18	22	0.49
G0672581		1.38	0.026		<1	0.39	1430	<50	<5	10	<0.05	<5	<5	17	26	0.67
G0672582		1.19	0.026		<1	0.32	390	<50	<5	10	<0.05	<5	<5	15	30	0.52
G0672583		0.44	0.016		1	0.37	230	<50	<5	<10	<0.05	<5	21	38	170	0.70
G0672584		1.29	0.011		<1	0.34	130	<50	<5	10	<0.05	<5	5	18	28	0.63
G0672585		2.20	0.008		<1	0.08	70	<50	<5	10	<0.05	<5	<5	9	6	0.15
G0672586		2.29	0.037		<1	0.33	2120	<50	<5	10	<0.05	<5	<5	14	35	0.68
G0672587		2.08	0.022		<1	0.34	340	<50	<5	10	<0.05	<5	<5	15	44	0.52
G0672588		2.06	0.116		9	0.38	1240	<50	<5	10	<0.05	15	<5	12	41	0.76
G0672589		1.23	0.208		4	0.38	1560	<50	<5	<10	<0.05	8	<5	11	31	0.78
G0672590		0.95	0.125		3	0.41	1290	<50	<5	<10	<0.05	10	<5	12	23	0.78
G0672591		1.88	0.029		<1	0.32	680	<50	<5	10	<0.05	<5	<5	12	33	0.64
G0672592		1.94	0.040		<1	0.37	1330	<50	<5	<10	<0.05	<5	<5	13	71	0.89
G0672593		2.32	0.049		<1	0.52	2050	<50	<5	<10	<0.05	<5	<5	11	247	0.97
G0672594		2.47	0.068		9	0.41	8200	<50	<5	10	0.06	10	<5	14	239	1.28
G0672595		2.42	0.069		16	0.55	7220	<50	<5	<10	<0.05	63	<5	9	310	1.26
G0672596		2.47	0.386		7	0.41	52400	<50	<5	20	<0.05	11	103	9	55	4.79
G0672597		1.45	0.145		6	0.40	11250	<50	<5	10	<0.05	15	5	10	93	1.63
G0672598		1.29	0.232		10	0.56	12350	<50	<5	10	<0.05	25	9	8	119	1.85



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 5 - B

Total # Pages: 6 (A - C)

Plus Appendix Pages

Finalized Date: 13-OCT-2008

Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08125700

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
G0672559		<50	<5	0.20	<50	<0.05	70	<5	<0.05	<5	60	<10	<0.05	<10	<5	<5
G0672560		<50	9	<0.05	<50	<0.05	<30	<5	<0.05	<5	70	10	<0.05	<10	<5	<5
G0672561		<50	<5	0.19	<50	<0.05	70	<5	<0.05	<5	70	<10	<0.05	<10	<5	<5
G0672562		<50	<5	0.20	<50	<0.05	80	5	<0.05	<5	70	<10	<0.05	10	<5	<5
G0672563		<50	<5	0.17	<50	<0.05	70	6	<0.05	<5	<50	<10	<0.05	10	<5	<5
G0672564		<50	<5	0.20	<50	<0.05	80	<5	0.05	<5	80	<10	<0.05	<10	<5	<5
G0672565		<50	9	0.23	70	0.70	2540	6	0.06	121	2770	420	1.35	4010	5	392
G0672566		<50	6	0.18	<50	<0.05	80	<5	<0.05	<5	80	10	<0.05	10	<5	<5
G0672567		<50	5	0.17	<50	<0.05	60	<5	<0.05	<5	70	10	<0.05	<10	<5	6
G0672568		<50	<5	0.16	<50	<0.05	60	<5	<0.05	<5	70	<10	<0.05	<10	<5	8
G0672569		<50	5	0.25	<50	<0.05	50	<5	<0.05	<5	<50	10	<0.05	<10	<5	9
G0672570		<50	<5	0.24	<50	<0.05	50	5	<0.05	<5	50	<10	<0.05	<10	<5	5
G0672571		<50	<5	0.21	<50	<0.05	30	<5	<0.05	<5	70	10	<0.05	<10	<5	12
G0672572		<50	8	0.21	<50	<0.05	30	<5	<0.05	<5	60	20	<0.05	<10	<5	<5
G0672573		<50	<5	0.25	<50	<0.05	40	<5	<0.05	<5	70	10	<0.05	<10	<5	6
G0672574		<50	<5	0.21	<50	<0.05	30	<5	0.09	<5	80	30	0.08	<10	<5	6
G0672575		<50	<5	0.27	<50	<0.05	<30	<5	0.08	<5	50	20	0.08	<10	<5	15
G0672576		<50	<5	0.19	<50	<0.05	190	8	0.08	<5	60	10	0.16	<10	<5	14
G0672577		<50	<5	0.53	<50	<0.05	50	<5	0.06	<5	80	70	0.91	10	<5	8
G0672578		<50	<5	0.31	<50	<0.05	160	<5	0.08	10	60	90	0.86	10	<5	<5
G0672579		<50	<5	0.27	<50	<0.05	140	<5	0.09	<5	70	<10	0.34	<10	<5	<5
G0672580		<50	7	0.21	<50	<0.05	130	<5	0.10	<5	60	20	0.16	<10	<5	7
G0672581		<50	5	0.25	<50	<0.05	250	<5	0.11	<5	70	<10	0.27	10	<5	10
G0672582		<50	<5	0.21	<50	<0.05	190	<5	0.09	<5	70	10	0.22	<10	<5	<5
G0672583		<50	<5	0.23	<50	<0.05	410	<5	0.09	25	70	30	0.20	<10	<5	<5
G0672584		<50	<5	0.19	<50	<0.05	340	<5	0.08	<5	70	20	0.17	<10	<5	5
G0672585		<50	<5	0.07	<50	<0.05	70	<5	<0.05	<5	50	<10	<0.05	<10	<5	17
G0672586		<50	8	0.25	<50	<0.05	270	<5	0.06	<5	50	20	0.33	<10	<5	11
G0672587		<50	<5	0.23	<50	<0.05	260	<5	0.08	<5	50	20	0.20	20	<5	<5
G0672588		<50	<5	0.35	<50	<0.05	1040	<5	<0.05	<5	80	240	0.37	<10	<5	<5
G0672589		<50	<5	0.33	<50	<0.05	850	<5	<0.05	<5	60	70	0.37	<10	<5	<5
G0672590		<50	<5	0.38	<50	<0.05	1040	<5	<0.05	<5	<50	130	0.33	<10	<5	<5
G0672591		<50	<5	0.21	<50	<0.05	420	<5	0.08	<5	<50	30	0.21	10	<5	<5
G0672592		<50	6	0.27	<50	<0.05	650	<5	0.05	<5	70	40	0.38	<10	<5	7
G0672593		<50	<5	0.40	<50	<0.05	390	<5	<0.05	<5	60	30	0.52	<10	<5	7
G0672594		<50	5	0.34	<50	<0.05	290	<5	<0.05	<5	60	160	0.77	20	<5	14
G0672595		<50	7	0.47	<50	<0.05	540	<5	<0.05	<5	70	750	0.79	30	<5	10
G0672596		<50	<5	0.33	<50	<0.05	330	6	<0.05	<5	<50	290	2.65	100	<5	8
G0672597		<50	<5	0.36	<50	<0.05	690	<5	<0.05	29	90	510	0.89	10	<5	<5
G0672598		<50	<5	0.49	<50	<0.05	330	6	<0.05	<5	80	380	1.28	30	<5	11



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 5 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 13-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08125700

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Cu-AA46
	Analyte	Th	Ti	Ti	U	V	W	Zn	Ag	As	Cu
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
LOR	100	0.05	50	50	5	50	10	5	0.01	0.01	
G0672559	<100	<0.05	<50	<50	<5	<50	70				
G0672560	<100	<0.05	<50	<50	<5	<50	<10				
G0672561	<100	<0.05	<50	<50	<5	<50	60				
G0672562	<100	<0.05	<50	<50	<5	<50	50				
G0672563	<100	<0.05	<50	<50	<5	<50	70				
G0672564	<100	<0.05	<50	<50	<5	<50	60				
G0672565	<100	0.46	<50	<50	759	60	1660	NSS		5.50	
G0672566	<100	<0.05	<50	<50	8	<50	80				
G0672567	<100	<0.05	<50	<50	<5	<50	60				
G0672568	<100	<0.05	<50	<50	<5	<50	60				
G0672569	<100	<0.05	<50	<50	<5	<50	20				
G0672570	<100	<0.05	<50	<50	<5	<50	20				
G0672571	<100	<0.05	<50	<50	<5	<50	20				
G0672572	<100	<0.05	<50	<50	<5	<50	20				
G0672573	<100	<0.05	<50	<50	<5	<50	50				
G0672574	<100	<0.05	<50	<50	<5	<50	30				
G0672575	<100	<0.05	<50	<50	<5	<50	10				
G0672576	<100	<0.05	<50	<50	<5	<50	40				
G0672577	<100	<0.05	<50	50	<5	<50	80				
G0672578	<100	<0.05	<50	<50	<5	<50	90		1.58		
G0672579	<100	<0.05	<50	<50	<5	<50	50				
G0672580	<100	<0.05	<50	<50	<5	<50	40				
G0672581	<100	<0.05	<50	<50	<5	<50	90				
G0672582	<100	<0.05	<50	<50	<5	<50	70				
G0672583	<100	<0.05	<50	<50	<5	<50	210				
G0672584	<100	<0.05	<50	<50	<5	<50	130				
G0672585	<100	<0.05	<50	<50	<5	<50	40				
G0672586	<100	<0.05	<50	<50	<5	<50	70				
G0672587	<100	<0.05	<50	<50	<5	<50	90				
G0672588	<100	<0.05	<50	<50	<5	<50	730				
G0672589	<100	<0.05	<50	<50	<5	<50	420				
G0672590	<100	<0.05	<50	<50	<5	<50	540				
G0672591	<100	<0.05	<50	<50	<5	<50	170				
G0672592	<100	<0.05	<50	<50	<5	<50	210				
G0672593	<100	<0.05	<50	<50	<5	<50	100				
G0672594	<100	<0.05	<50	<50	<5	<50	310				
G0672595	<100	<0.05	<50	<50	<5	<50	1780				
G0672596	<100	<0.05	<50	<50	<5	<50	390		5.51		
G0672597	<100	<0.05	<50	<50	<5	<50	560		1.13		
G0672598	<100	<0.05	<50	<50	<5	<50	750		1.27		



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 6 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 13-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08125700

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41a Ag ppm	ME-ICP41a Al %	ME-ICP41a As ppm	ME-ICP41a Ba ppm	ME-ICP41a Be ppm	ME-ICP41a Bi ppm	ME-ICP41a Ca %	ME-ICP41a Cd ppm	ME-ICP41a Co ppm	ME-ICP41a Cr ppm	ME-ICP41a Cu ppm	ME-ICP41a Fe %
G0672599		2.20	0.422		7	0.57	31400	<50	<5	<10	<0.05	15	36	9	33	3.49
G0672600		0.08	<0.005		<1	<0.05	200	<50	<5	<10	<0.05	<5	<5	<5	<5	<0.05



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 6 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 13-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08125700

Sample Description	Method	Analyte	Units	LOR	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a		
					Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
					ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
					50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
G0672599					<50	<5	0.46	<50	<0.05	230	6	<0.05	<5	70	440	2.10	70	<5	<5
G0672600					<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	<5	<50	<10	<0.05	<10	<5	15



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 6 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 13-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08125700

Method Analyte Units LOR	ME-ICP41a Th ppm	ME-ICP41a Ti %	ME-ICP41a Tl ppm	ME-ICP41a U ppm	ME-ICP41a V ppm	ME-ICP41a W ppm	ME-ICP41a Zn ppm	Ag-GRA21 Ag ppm	As-AA46 As %	Cu-AA46 Cu %
Sample Description	100	0.05	50	50	5	50	10	5	0.01	0.01
G0672599	<100	<0.05	<50	<50	<5	<50	390		3.14	
G0672600	<100	<0.05	<50	<50	<5	<50	<10			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 13-OCT-2008

Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08125700

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 8-OCT-2008
Account: EIATYE

CERTIFICATE TR08126242

Project: Golden Eagle TYE 08-02

P.O. No.: TYE08-02

This report is for 189 Drill Core samples submitted to our lab in Terrace, BC, Canada on 8-SEP-2008.

The following have access to data associated with this certificate:

HENRY A
JEREMY MAJOR

GENERAL EQUITY ENGINEERING

TRACY HURLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
As-AA46	Ore grade As - aqua regia/AA	AAS
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41a	High Grade Aqua Regia ICP-AES	ICP-AES
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: JEREMY MAJOR
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 8-OCT-2008
Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08126242

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
G0672601		1.90	0.552		3	0.20	69200	<50	<5	10	<0.05	<5	146	13	<5	6.19
G0672602		1.82	0.271		2	0.36	67400	<50	<5	<10	<0.05	<5	119	15	<5	5.99
G0672603		1.15	0.538		4	0.80	39600	<50	<5	<10	<0.05	<5	26	6	<5	3.97
G0672604		2.37	0.082		5	0.75	1910	<50	<5	<10	<0.05	<5	<5	10	129	1.74
G0672605		2.15	0.022		<1	0.53	620	<50	<5	<10	<0.05	15	<5	12	24	0.84
G0672606		2.31	0.008		<1	0.49	150	<50	<5	10	<0.05	<5	<5	14	<5	0.71
G0672607		2.10	0.009		<1	0.43	80	<50	<5	<10	<0.05	<5	<5	12	<5	0.72
G0672608		2.05	<0.005		<1	0.47	50	<50	<5	<10	<0.05	<5	<5	11	<5	0.75
G0672609		0.88	<0.005		<1	0.56	70	<50	<5	10	<0.05	<5	<5	13	<5	0.80
G0672610		0.77	<0.005		<1	0.43	10	<50	<5	10	<0.05	<5	<5	13	<5	0.76
G0672611		2.12	<0.005		<1	0.46	30	<50	<5	10	<0.05	<5	<5	14	<5	0.77
G0672612		1.63	0.007		2	0.42	80	<50	<5	<10	0.05	6	<5	9	<5	1.37
G0672613		2.02	0.028		<1	0.41	1970	<50	<5	<10	0.07	5	<5	9	<5	1.71
G0672614		0.99	0.012		<1	0.39	990	<50	6	10	0.19	<5	8	11	<5	2.99
G0672615		1.94	0.009		<1	0.50	230	<50	<5	10	<0.05	<5	<5	11	<5	1.07
G0672616		1.87	<0.005		<1	0.40	10	<50	<5	<10	<0.05	<5	<5	9	<5	0.96
G0672617		1.31	<0.005		<1	0.36	<10	<50	<5	10	<0.05	<5	<5	9	<5	1.33
G0672618		1.17	0.025		<1	0.43	1820	<50	<5	10	<0.05	<5	<5	11	<5	1.22
G0672619		2.06	0.047		1	0.39	1140	<50	<5	30	<0.05	<5	<5	9	41	0.75
G0672620		0.07	>10.0	13.25	>200	1.30	620	100	<5	20	3.87	31	144	34	>50000	10.55
G0672621		1.48	0.020		4	0.30	1100	<50	<5	20	<0.05	<5	<5	9	202	0.56
G0672622		0.68	0.080		<1	0.36	4160	<50	<5	20	<0.05	<5	<5	6	132	0.95
G0672623		1.94	0.015		<1	0.40	1340	<50	<5	20	<0.05	<5	<5	8	44	0.76
G0672624		1.91	0.028		1	0.40	1820	<50	<5	20	<0.05	<5	<5	14	42	0.77
G0672625		1.52	1.750	1.75	29	0.34	7070	<50	<5	60	<0.05	<5	<5	9	392	1.67
G0672626		1.56	0.161		2	0.31	3400	<50	<5	30	<0.05	<5	<5	8	49	0.56
G0672627		1.79	1.095	1.35	15	0.11	51200	<50	<5	70	<0.05	<5	71	12	106	4.80
G0672628		2.30	0.038		<1	0.35	4810	<50	<5	20	<0.05	<5	<5	13	46	0.87
G0672629		1.24	0.664		4	0.20	22500	<50	<5	50	<0.05	<5	28	7	140	2.22
G0672630		1.10	0.234		3	0.30	6390	<50	<5	40	<0.05	<5	<5	11	49	0.85
G0672631		0.91	0.199		3	0.31	7070	<50	<5	30	<0.05	<5	5	9	47	1.00
G0672632		2.22	0.029		6	0.34	1790	<50	<5	40	<0.05	<5	<5	11	54	0.67
G0672633		2.13	0.052		<1	0.37	2860	<50	<5	10	<0.05	<5	<5	10	72	0.83
G0672634		2.18	0.244		3	0.36	5960	<50	<5	30	<0.05	<5	<5	12	53	1.10
G0672635		2.57	0.021		<1	0.38	910	<50	<5	10	<0.05	<5	<5	7	27	0.79
G0672636		2.35	0.009		<1	0.39	1050	<50	<5	10	<0.05	<5	<5	8	20	0.87
G0672637		1.36	0.080		<1	0.38	3760	<50	<5	20	<0.05	<5	<5	10	61	0.89
G0672638		1.89	0.167		<1	0.41	4940	<50	<5	20	<0.05	<5	<5	11	112	0.93
G0672639		1.42	0.045		<1	0.40	1850	<50	<5	30	<0.05	<5	<5	7	57	0.85
G0672640		0.05	<0.005		<1	<0.05	30	<50	<5	10	<0.05	<5	<5	<5	<5	<0.05



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 2 - B

Total # Pages: 6 (A - C)

Plus Appendix Pages

Finalized Date: 8-OCT-2008

Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08126242

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
G0672601		<50	<5	0.13	<50	<0.05	440	5	<0.05	<5	70	140	3.20	230	<5	6
G0672602		<50	<5	0.25	<50	<0.05	230	6	<0.05	<5	100	60	3.17	190	<5	<5
G0672603		<50	<5	0.58	<50	<0.05	170	7	<0.05	<5	80	310	2.32	70	<5	<5
G0672604		<50	<5	0.54	<50	<0.05	170	<5	0.06	<5	80	180	1.34	10	<5	6
G0672605		<50	7	0.36	<50	<0.05	310	<5	0.08	<5	110	160	0.33	<10	<5	<5
G0672606		<50	8	0.29	<50	<0.05	220	<5	0.11	<5	80	20	0.13	<10	<5	9
G0672607		<50	<5	0.25	<50	<0.05	450	<5	0.10	<5	90	<10	0.13	<10	<5	<5
G0672608		<50	<5	0.25	<50	<0.05	350	<5	0.11	<5	70	<10	0.08	<10	<5	<5
G0672609		<50	5	0.34	<50	<0.05	320	<5	0.14	<5	60	<10	0.12	<10	<5	5
G0672610		<50	<5	0.24	<50	<0.05	280	<5	0.10	<5	70	<10	0.10	<10	<5	<5
G0672611		<50	<5	0.27	<50	<0.05	340	<5	0.12	<5	70	20	0.11	<10	<5	6
G0672612		<50	<5	0.23	<50	<0.05	2800	<5	0.10	<5	70	<10	0.20	<10	<5	9
G0672613		<50	<5	0.26	<50	<0.05	3770	<5	0.08	<5	100	20	0.30	<10	<5	6
G0672614		<50	<5	0.23	<50	<0.05	8540	<5	0.09	<5	60	<10	0.17	<10	<5	<5
G0672615		<50	5	0.27	<50	<0.05	1010	<5	0.11	<5	80	<10	0.15	<10	<5	<5
G0672616		<50	<5	0.20	<50	<0.05	1120	<5	0.08	<5	60	10	0.09	<10	<5	<5
G0672617		<50	<5	0.19	<50	<0.05	2360	<5	0.07	<5	90	<10	0.07	10	<5	<5
G0672618		<50	<5	0.25	<50	<0.05	1420	<5	0.09	<5	100	10	0.21	10	<5	15
G0672619		<50	<5	0.28	<50	<0.05	30	<5	0.14	<5	60	10	0.09	10	<5	25
G0672620		<50	<5	0.26	70	0.72	2610	6	0.07	112	2860	440	1.20	4060	5	419
G0672621		<50	<5	0.20	<50	<0.05	30	<5	0.10	<5	<50	10	0.06	10	<5	29
G0672622		<50	<5	0.26	<50	<0.05	30	<5	0.12	7	<50	20	0.29	10	<5	28
G0672623		<50	<5	0.23	<50	<0.05	30	<5	0.11	<5	<50	<10	<0.05	<10	<5	24
G0672624		<50	<5	0.23	<50	<0.05	30	<5	0.11	<5	<50	<10	<0.05	10	<5	42
G0672625		<50	<5	0.32	<50	<0.05	<30	14	0.05	18	<50	450	0.86	30	<5	19
G0672626		<50	<5	0.29	<50	<0.05	<30	<5	0.05	9	<50	80	0.11	10	<5	12
G0672627		<50	<5	0.08	<50	<0.05	<30	27	<0.05	5	<50	110	2.39	140	<5	5
G0672628		<50	<5	0.27	<50	<0.05	30	<5	0.11	9	<50	20	0.17	<10	<5	16
G0672629		<50	<5	0.17	<50	<0.05	<30	<5	<0.05	11	<50	130	1.06	80	<5	<5
G0672630		<50	<5	0.22	<50	<0.05	<30	<5	0.10	13	<50	20	0.33	30	<5	<5
G0672631		<50	<5	0.23	<50	<0.05	30	<5	0.10	5	50	20	0.34	10	<5	<5
G0672632		<50	<5	0.22	<50	<0.05	30	<5	0.10	23	<50	50	0.07	<10	<5	11
G0672633		<50	<5	0.22	<50	<0.05	50	<5	0.09	8	<50	10	0.08	10	<5	19
G0672634		<50	<5	0.27	<50	<0.05	30	<5	0.10	10	60	10	0.19	20	<5	51
G0672635		<50	<5	0.22	<50	<0.05	30	<5	0.09	8	<50	<10	<0.05	30	<5	22
G0672636		<50	<5	0.21	<50	<0.05	50	<5	0.10	5	<50	<10	<0.05	10	<5	9
G0672637		<50	<5	0.24	<50	<0.05	50	<5	0.11	<5	<50	10	0.16	20	<5	26
G0672638		<50	<5	0.27	<50	<0.05	<30	<5	0.10	<5	<50	<10	0.13	10	<5	50
G0672639		<50	<5	0.22	<50	<0.05	40	<5	0.10	5	<50	<10	0.06	<10	<5	40
G0672640		<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	5	<50	<10	<0.05	<10	<5	<5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 8-OCT-2008
Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08126242

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Cu-AA46
	Analyte	Th	Ti	Ti	U	V	W	Zn	Ag	As	Cu
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
LOR	100	0.05	50	50	5	50	10	5	0.01	0.01	
G0672601		<100	<0.05	<50	<50	<5	<50	100		7.11	
G0672602		<100	<0.05	<50	<50	<5	<50	40		6.91	
G0672603		<100	<0.05	<50	50	<5	<50	150		3.84	
G0672604		<100	<0.05	<50	<50	<5	<50	100			
G0672605		<100	<0.05	<50	<50	<5	<50	460			
G0672606		<100	<0.05	<50	<50	<5	<50	80			
G0672607		<100	<0.05	<50	<50	<5	<50	110			
G0672608		<100	<0.05	<50	<50	<5	<50	90			
G0672609		<100	<0.05	<50	<50	<5	<50	70			
G0672610		<100	<0.05	<50	<50	<5	<50	70			
G0672611		<100	<0.05	<50	<50	<5	<50	90			
G0672612		<100	<0.05	<50	<50	<5	<50	660			
G0672613		<100	<0.05	<50	<50	<5	<50	740			
G0672614		<100	<0.05	<50	<50	<5	<50	1440			
G0672615		<100	<0.05	<50	<50	<5	<50	240			
G0672616		<100	<0.05	<50	<50	<5	<50	290			
G0672617		<100	<0.05	<50	<50	<5	<50	610			
G0672618		<100	<0.05	<50	<50	<5	<50	280			
G0672619		<100	<0.05	<50	<50	<5	<50	10			
G0672620		<100	0.48	<50	<50	790	70	1700	333		NSS
G0672621		<100	<0.05	<50	<50	<5	<50	10			
G0672622		<100	<0.05	<50	<50	<5	<50	<10			
G0672623		<100	<0.05	<50	60	<5	<50	30			
G0672624		<100	<0.05	<50	50	<5	<50	10			
G0672625		<100	<0.05	<50	<50	<5	<50	10			
G0672626		<100	<0.05	<50	<50	<5	<50	<10			
G0672627		<100	<0.05	<50	<50	<5	<50	<10		5.45	
G0672628		<100	<0.05	<50	<50	<5	<50	<10			
G0672629		<100	<0.05	<50	<50	<5	<50	<10		2.36	
G0672630		<100	<0.05	<50	<50	<5	<50	<10			
G0672631		<100	<0.05	<50	<50	<5	<50	<10			
G0672632		<100	<0.05	<50	<50	<5	<50	10			
G0672633		<100	<0.05	<50	<50	<5	<50	10			
G0672634		<100	<0.05	<50	<50	<5	<50	<10			
G0672635		<100	<0.05	<50	70	<5	<50	10			
G0672636		<100	<0.05	<50	50	<5	<50	10			
G0672637		<100	<0.05	<50	<50	<5	<50	<10			
G0672638		<100	<0.05	<50	<50	<5	<50	<10			
G0672639		<100	<0.05	<50	50	<5	<50	10			
G0672640		<100	<0.05	<50	<50	<5	<50	<10			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 8-OCT-2008
Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08126242

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
G0672641		1.99	0.046		1	0.39	1550	<50	<5	20	<0.05	<5	<5	9	32	0.95
G0672642		2.33	2.11	2.04	14	0.18	51500	<50	<5	70	<0.05	<5	28	8	248	5.12
G0672643		2.40	0.029		1	0.39	1370	<50	<5	30	<0.05	<5	<5	8	33	0.68
G0672644		1.77	0.028		1	0.42	1340	<50	<5	<10	<0.05	<5	<5	7	47	0.74
G0672645		1.24	0.030		2	0.40	1160	<50	<5	30	<0.05	<5	<5	9	27	0.63
G0672646		2.02	0.450		3	0.38	5750	<50	<5	50	<0.05	<5	<5	11	122	1.05
G0672647		1.57	0.015		<1	0.39	760	<50	<5	40	<0.05	<5	<5	8	22	0.75
G0672648		1.22	0.088		7	0.37	4280	50	<5	30	<0.05	<5	<5	6	235	0.74
G0672649		0.76	0.047		1	0.31	3500	<50	<5	20	<0.05	<5	<5	12	51	1.39
G0672650		0.87	0.047		1	0.29	2070	<50	<5	10	<0.05	<5	<5	7	38	1.02
G0672651		2.26	0.030		<1	0.34	2380	<50	<5	20	<0.05	<5	<5	14	60	0.90
G0672652		2.02	0.071		3	0.37	4140	<50	<5	20	<0.05	<5	<5	10	86	1.00
G0672653		0.95	0.137		1	0.32	4110	<50	<5	10	<0.05	<5	<5	7	36	0.80
G0672654		2.39	0.018		1	0.40	1580	<50	<5	<10	<0.05	<5	<5	19	46	0.72
G0672655		2.24	0.045		<1	0.42	2140	<50	<5	<10	<0.05	<5	<5	10	28	0.72
G0672656		2.28	0.071		<1	0.37	2660	<50	<5	<10	<0.05	<5	<5	9	25	0.74
G0672657		2.09	0.162		1	0.38	5530	<50	<5	<10	<0.05	<5	<5	6	37	0.92
G0672658		2.27	0.413		2	0.39	17900	<50	<5	<10	<0.05	<5	<5	10	57	2.11
G0672659		2.91	0.421		2	0.35	12850	<50	<5	<10	<0.05	<5	<5	8	40	1.41
G0672660		0.06	>10.0	12.30	>200	1.31	670	110	<5	30	3.94	33	148	33	>50000	10.65
G0672661		2.12	0.234		1	0.32	4000	<50	<5	10	<0.05	<5	<5	11	28	0.84
G0672662		1.83	0.177		1	0.39	4520	<50	<5	<10	<0.05	<5	<5	10	46	0.83
G0672663		1.59	0.008		1	0.40	1190	<50	<5	<10	<0.05	<5	<5	8	32	0.71
G0672664		1.71	0.023		<1	0.40	2380	<50	<5	<10	<0.05	<5	<5	12	43	0.61
G0672665		1.48	<0.005		<1	0.47	620	<50	<5	<10	<0.05	<5	<5	8	16	0.74
G0672666		1.85	0.071		1	0.42	1910	<50	<5	<10	<0.05	<5	<5	8	19	0.71
G0672667		1.14	0.016		<1	0.38	2160	<50	<5	10	<0.05	<5	<5	9	58	0.68
G0672668		0.89	0.386		3	0.29	10200	<50	<5	<10	<0.05	5	<5	9	100	1.27
G0672669		0.69	0.013		<1	0.36	1870	<50	<5	<10	0.05	<5	<5	5	80	0.75
G0672670		0.71	0.016		<1	0.41	1770	<50	<5	<10	<0.05	<5	<5	11	47	0.87
G0672671		1.66	0.026		<1	0.41	2200	<50	<5	<10	<0.05	<5	<5	8	48	0.69
G0672672		1.23	0.020		2	0.37	1180	<50	<5	<10	<0.05	<5	<5	7	29	0.73
G0672673		1.72	0.048		1	0.33	1980	<50	<5	<10	<0.05	<5	<5	7	26	0.66
G0672674		1.64	0.022		1	0.37	1150	<50	<5	<10	<0.05	<5	<5	8	29	0.84
G0672675		1.61	0.033		1	0.34	1300	<50	<5	<10	<0.05	<5	<5	10	15	0.78
G0672676		1.65	0.033		1	0.36	1790	<50	<5	<10	<0.05	<5	<5	5	26	0.76
G0672677		1.65	0.051		1	0.36	1860	<50	<5	<10	<0.05	<5	<5	9	42	0.70
G0672678		1.67	0.020		1	0.35	730	<50	<5	<10	<0.05	<5	<5	8	22	0.74
G0672679		1.89	0.041		2	0.33	1860	<50	<5	<10	<0.05	12	<5	9	27	0.66
G0672680		0.04	<0.005		<1	<0.05	10	<50	<5	<10	<0.05	<5	<5	<5	<5	<0.05



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 8-OCT-2008
Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08126242

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
G0672641		<50	<5	0.27	<50	<0.05	70	<5	0.12	<5	<50	<10	0.08	<10	<5	37
G0672642		<50	<5	0.18	<50	<0.05	<30	<5	<0.05	8	<50	60	2.47	130	<5	19
G0672643		<50	<5	0.23	<50	<0.05	50	<5	0.10	8	<50	<10	0.05	20	<5	27
G0672644		<50	<5	0.24	<50	<0.05	90	<5	0.10	6	<50	10	0.05	<10	<5	15
G0672645		<50	<5	0.19	<50	<0.05	60	<5	0.09	<5	<50	<10	0.05	<10	<5	19
G0672646		<50	<5	0.22	<50	<0.05	30	<5	0.10	7	60	10	0.29	20	<5	20
G0672647		<50	<5	0.20	<50	<0.05	30	<5	0.09	6	<50	<10	<0.05	10	<5	24
G0672648		<50	<5	0.32	<50	<0.05	<30	<5	0.07	5	<50	50	0.14	10	<5	40
G0672649		<50	<5	0.31	<50	<0.05	30	<5	0.09	9	<50	10	0.25	30	<5	136
G0672650		<50	<5	0.29	<50	<0.05	<30	<5	0.08	<5	<50	<10	0.21	<10	<5	133
G0672651		<50	<5	0.29	<50	<0.05	30	<5	0.09	8	<50	<10	0.15	10	<5	76
G0672652		<50	<5	0.25	<50	<0.05	40	<5	0.10	<5	<50	<10	0.17	10	<5	49
G0672653		<50	<5	0.21	<50	<0.05	40	<5	0.09	<5	<50	10	0.08	10	<5	84
G0672654		<50	<5	0.23	<50	<0.05	60	<5	0.10	20	<50	20	<0.05	10	<5	<5
G0672655		<50	<5	0.25	<50	<0.05	50	<5	0.11	7	<50	10	0.05	20	<5	7
G0672656		<50	6	0.24	<50	<0.05	40	<5	0.10	<5	<50	<10	0.07	40	<5	11
G0672657		<50	7	0.24	<50	<0.05	40	<5	0.11	9	<50	10	0.19	10	<5	24
G0672658		<50	5	0.27	<50	<0.05	70	<5	0.09	<5	<50	70	0.70	70	<5	43
G0672659		<50	9	0.25	<50	<0.05	40	<5	0.10	<5	<50	60	0.50	60	<5	27
G0672660		<50	8	0.26	70	0.73	2640	6	0.06	117	2880	420	1.20	4260	5	396
G0672661		<50	<5	0.24	<50	<0.05	40	<5	0.08	<5	<50	10	0.16	10	<5	48
G0672662		<50	<5	0.27	<50	<0.05	40	<5	0.13	<5	<50	<10	0.12	20	<5	16
G0672663		<50	8	0.24	<50	<0.05	60	<5	0.11	<5	<50	<10	<0.05	10	<5	15
G0672664		<50	<5	0.29	<50	<0.05	80	<5	0.10	<5	<50	<10	0.08	<10	<5	7
G0672665		<50	8	0.27	<50	<0.05	80	<5	0.14	<5	<50	<10	<0.05	10	<5	<5
G0672666		<50	<5	0.25	<50	<0.05	60	<5	0.11	6	<50	<10	0.05	<10	<5	10
G0672667		<50	8	0.25	<50	<0.05	80	<5	0.11	<5	<50	<10	<0.05	10	<5	28
G0672668		<50	5	0.18	<50	<0.05	50	<5	0.07	<5	<50	<10	0.22	30	<5	77
G0672669		<50	<5	0.20	<50	<0.05	60	<5	0.09	7	<50	<10	<0.05	30	<5	14
G0672670		<50	8	0.23	<50	<0.05	80	<5	0.11	<5	<50	<10	<0.05	10	<5	25
G0672671		<50	5	0.26	<50	<0.05	70	<5	0.11	8	<50	<10	<0.05	20	<5	23
G0672672		<50	<5	0.21	<50	<0.05	60	<5	0.09	7	<50	<10	<0.05	20	<5	<5
G0672673		<50	9	0.22	<50	<0.05	40	5	0.08	<5	<50	<10	0.05	<10	<5	<5
G0672674		<50	7	0.23	<50	<0.05	90	<5	0.11	<5	<50	<10	<0.05	10	<5	<5
G0672675		<50	<5	0.22	<50	<0.05	90	<5	0.10	8	<50	<10	<0.05	20	<5	7
G0672676		<50	<5	0.22	<50	<0.05	80	<5	0.11	<5	<50	<10	<0.05	10	<5	15
G0672677		<50	<5	0.23	<50	<0.05	40	<5	0.09	<5	<50	<10	0.08	20	<5	7
G0672678		<50	7	0.20	<50	<0.05	50	<5	0.08	9	<50	<10	<0.05	30	<5	<5
G0672679		<50	7	0.21	<50	<0.05	40	<5	0.09	<5	<50	<10	<0.05	30	<5	5
G0672680		<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	<5	<50	<10	<0.05	10	<5	<5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 3 - C

Total # Pages: 6 (A - C)

Plus Appendix Pages

Finalized Date: 8-OCT-2008

Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08126242

Sample Description	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Cu-AA46
	Th	Ti	Ti	U	V	W	Zn	Ag	As	Cu
	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	100	0.05	50	50	5	50	10	5	0.01	0.01
G0672641	<100	<0.05	<50	<50	<5	<50	10			
G0672642	<100	<0.05	<50	<50	<5	<50	<10		5.36	
G0672643	<100	<0.05	<50	80	<5	<50	10			
G0672644	<100	<0.05	<50	<50	<5	<50	20			
G0672645	<100	<0.05	<50	<50	<5	<50	20			
G0672646	<100	<0.05	<50	<50	<5	<50	10			
G0672647	<100	<0.05	<50	<50	<5	<50	20			
G0672648	<100	<0.05	<50	<50	<5	<50	<10			
G0672649	<100	<0.05	<50	<50	<5	<50	<10			
G0672650	<100	<0.05	<50	50	<5	<50	<10			
G0672651	<100	<0.05	<50	<50	<5	<50	<10			
G0672652	<100	<0.05	<50	<50	<5	<50	10			
G0672653	<100	<0.05	<50	<50	<5	<50	20			
G0672654	<100	<0.05	<50	<50	<5	<50	50			
G0672655	<100	<0.05	<50	<50	<5	<50	20			
G0672656	<100	<0.05	<50	<50	<5	<50	30			
G0672657	<100	<0.05	<50	<50	<5	<50	30			
G0672658	<100	<0.05	<50	<50	<5	<50	20		1.74	
G0672659	<100	<0.05	<50	70	<5	<50	10		1.28	
G0672660	<100	0.48	<50	<50	794	60	1710	345		5.22
G0672661	<100	<0.05	<50	<50	<5	<50	20			
G0672662	<100	<0.05	<50	<50	<5	<50	<10			
G0672663	<100	<0.05	<50	<50	<5	<50	30			
G0672664	<100	<0.05	<50	<50	<5	<50	10			
G0672665	<100	<0.05	<50	<50	<5	<50	50			
G0672666	<100	<0.05	<50	<50	<5	<50	30			
G0672667	<100	<0.05	<50	<50	<5	<50	30			
G0672668	<100	<0.05	<50	<50	<5	<50	40		0.99	
G0672669	<100	<0.05	<50	<50	5	<50	50			
G0672670	<100	<0.05	<50	<50	<5	<50	40			
G0672671	<100	<0.05	<50	<50	<5	<50	30			
G0672672	<100	<0.05	<50	<50	<5	<50	30			
G0672673	<100	<0.05	<50	<50	<5	<50	20			
G0672674	<100	<0.05	<50	<50	<5	<50	50			
G0672675	<100	<0.05	<50	<50	<5	<50	40			
G0672676	<100	<0.05	<50	<50	<5	<50	40			
G0672677	<100	<0.05	<50	<50	<5	<50	10			
G0672678	<100	<0.05	<50	<50	<5	<50	30			
G0672679	<100	<0.05	<50	<50	<5	<50	20			
G0672680	<100	<0.05	<50	<50	<5	<50	<10			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 8-OCT-2008
Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08126242

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
G0672681		1.60	0.038		<1	0.35	1750	<50	<5	<10	0.05	<5	<5	8	36	0.64
G0672682		1.08	0.028		1	0.44	1300	<50	<5	<10	0.05	<5	<5	8	52	0.86
G0672683		1.25	0.023		<1	0.49	550	<50	<5	10	0.15	<5	<5	6	42	1.07
G0672684		1.30	0.096		2	0.44	1570	<50	<5	10	0.09	<5	<5	8	58	1.08
G0672685		1.69	0.159		1	0.40	2270	<50	<5	<10	0.05	<5	<5	6	62	1.03
G0672686		1.87	0.017		1	0.58	590	60	<5	<10	0.10	<5	<5	9	33	1.17
G0672687		1.63	0.205		3	0.58	1890	<50	<5	<10	0.59	55	<5	5	111	1.20
G0672688		1.37	0.037		1	0.42	810	<50	<5	<10	0.06	6	<5	<5	43	0.84
G0672689		0.50	0.165		5	0.43	2850	<50	<5	<10	<0.05	6	<5	<5	16	0.94
G0672690		0.52	0.077		3	0.46	1790	<50	<5	<10	<0.05	7	<5	9	22	0.81
G0672691		1.26	0.204		3	0.19	19400	<50	<5	<10	<0.05	5	16	11	7	1.98
G0672692		1.79	0.189		2	0.11	28000	<50	<5	<10	<0.05	<5	29	11	8	2.70
G0672693		1.80	0.067		1	<0.05	8690	<50	<5	<10	<0.05	<5	10	13	<5	1.00
G0672694		1.35	0.419		<1	0.11	7880	<50	<5	<10	<0.05	<5	<5	12	9	1.02
G0672695		1.44	0.115		2	0.44	3130	<50	<5	<10	<0.05	11	<5	5	60	1.11
G0672696		1.57	0.126		5	0.54	3200	<50	<5	<10	<0.05	14	<5	7	41	0.97
G0672697		1.40	0.204		5	0.30	3220	<50	<5	<10	0.07	9	<5	9	21	0.66
G0672698		1.70	0.229		9	0.51	5380	<50	<5	<10	0.17	12	13	7	128	1.75
G0672699		2.01	0.132		7	0.61	2370	70	<5	<10	0.22	87	<5	6	71	0.94
G0672700		0.06	>10.0	11.30	>200	1.28	610	100	<5	<10	3.82	33	144	32	>50000	10.35
G0672701		1.77	0.125		7	0.51	1080	<50	<5	20	0.22	23	5	6	54	1.25
G0672702		1.64	0.516		4	0.67	450	<50	<5	20	0.37	13	<5	5	86	1.24
G0672703		1.83	0.133		10	0.64	1420	50	<5	10	0.68	53	<5	6	81	1.12
G0672704		0.96	0.141		3	0.48	8040	<50	<5	<10	0.15	12	9	<5	128	1.72
G0672705		0.47	1.045	0.87	30	0.45	10350	<50	<5	60	0.10	<5	10	<5	34	2.47
G0672706		1.77	0.085		1	0.66	1270	50	<5	<10	0.34	<5	<5	6	67	1.35
G0672707		0.47	0.085		3	0.47	810	<50	<5	<10	2.05	20	<5	<5	37	0.96
G0672708		1.66	0.246		4	0.69	2510	50	<5	<10	0.27	6	<5	5	66	1.55
G0672709		0.59	0.052		2	0.71	980	60	<5	<10	0.29	<5	<5	6	71	1.39
G0672710		0.64	0.050		2	0.69	1010	60	<5	<10	0.25	<5	<5	5	75	1.36
G0672711		1.35	0.190		1	0.63	3240	50	<5	<10	0.43	<5	<5	<5	86	1.51
G0672712		1.14	0.079		5	0.69	1180	60	<5	<10	0.38	9	<5	5	89	1.36
G0672713		1.25	0.589		5	0.42	16950	<50	<5	<10	0.05	8	<5	<5	39	2.14
G0672714		1.80	0.014		<1	0.70	390	60	<5	<10	0.23	<5	<5	6	66	1.51
G0672715		1.58	0.014		1	0.69	100	50	<5	<10	0.32	<5	<5	6	77	1.54
G0672716		1.13	0.051		4	0.53	570	<50	<5	<10	0.12	10	<5	<5	138	1.29
G0672717		1.67	0.016		2	0.55	120	<50	<5	10	0.37	<5	<5	<5	65	1.21
G0672718		1.56	0.026		1	0.58	230	<50	<5	<10	0.23	<5	<5	5	48	1.26
G0672403		1.06	0.668		19	1.65	13350	100	<5	<10	0.56	20	13	<5	306	3.48
G0672404		0.90	0.870		15	1.48	63100	90	<5	40	0.51	27	14	<5	113	7.62



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 8-OCT-2008
Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08126242

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units LOR	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
G0672681		<50	<5	0.23	<50	<0.05	550	16	0.10	7	<50	40	0.06	10	<5	<5
G0672682		<50	5	0.25	<50	<0.05	100	<5	0.06	9	130	<10	0.20	20	<5	13
G0672683		<50	7	0.25	70	0.08	1070	<5	0.06	<5	140	<10	0.28	20	<5	<5
G0672684		<50	<5	0.26	<50	0.05	710	5	0.05	<5	170	20	0.26	20	<5	<5
G0672685		<50	<5	0.28	<50	0.05	50	<5	0.08	<5	130	<10	0.14	30	<5	14
G0672686		<50	<5	0.32	<50	0.14	120	6	0.10	<5	190	<10	<0.05	10	<5	5
G0672687		<50	5	0.41	50	0.05	630	18	0.05	<5	140	1690	0.48	40	<5	5
G0672688		<50	<5	0.25	<50	0.05	280	6	0.05	7	170	30	0.16	10	<5	<5
G0672689		<50	6	0.35	<50	<0.05	30	12	<0.05	<5	80	410	0.53	20	<5	<5
G0672690		<50	7	0.36	<50	<0.05	50	12	<0.05	19	100	190	0.31	<10	<5	<5
G0672691		<50	<5	0.16	<50	<0.05	30	<5	<0.05	<5	<50	170	0.92	60	<5	<5
G0672692		<50	<5	0.08	<50	<0.05	110	<5	<0.05	14	<50	50	1.25	90	<5	<5
G0672693		<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	<5	<50	<10	0.36	30	<5	<5
G0672694		<50	5	0.10	<50	<0.05	<30	<5	<0.05	<5	50	150	0.42	20	<5	<5
G0672695		<50	5	0.39	<50	<0.05	50	15	<0.05	<5	180	250	0.58	20	<5	<5
G0672696		<50	7	0.51	<50	<0.05	40	27	<0.05	<5	150	490	0.52	20	<5	<5
G0672697		<50	7	0.29	<50	<0.05	180	10	<0.05	<5	110	70	0.23	30	<5	<5
G0672698		<50	<5	0.39	<50	<0.05	520	19	<0.05	10	250	190	1.04	30	<5	9
G0672699		<50	<5	0.56	<50	<0.05	360	28	<0.05	<5	180	590	0.65	10	<5	14
G0672700		<50	12	0.26	70	0.71	2560	5	0.05	117	2740	420	1.16	4030	5	397
G0672701		<50	<5	0.37	<50	0.08	380	20	<0.05	<5	180	470	0.44	20	<5	7
G0672702		<50	12	0.35	<50	0.14	490	18	0.08	7	230	80	0.30	<10	<5	7
G0672703		<50	10	0.47	<50	0.08	400	21	0.05	13	200	400	0.53	10	<5	20
G0672704		<50	8	0.34	<50	0.06	380	11	0.05	56	200	110	0.81	20	<5	13
G0672705		<50	6	0.35	<50	0.05	400	28	0.05	21	140	340	1.68	10	<5	<5
G0672706		<50	11	0.34	<50	0.16	270	5	0.08	8	250	<10	0.30	10	<5	<5
G0672707		<50	<5	0.29	<50	0.06	610	22	<0.05	10	100	<10	0.43	20	<5	38
G0672708		<50	5	0.38	<50	0.13	260	7	0.07	<5	240	110	0.62	<10	<5	<5
G0672709		<50	6	0.42	<50	0.13	920	<5	0.07	<5	260	<10	0.35	20	<5	13
G0672710		<50	9	0.39	<50	0.15	540	<5	0.06	5	280	<10	0.37	10	<5	<5
G0672711		<50	9	0.39	<50	0.11	820	<5	0.06	<5	270	20	0.62	<10	<5	14
G0672712		<50	5	0.39	<50	0.12	390	<5	0.07	8	290	110	0.49	<10	<5	22
G0672713		<50	<5	0.37	<50	<0.05	130	12	<0.05	5	140	360	1.24	20	<5	<5
G0672714		<50	6	0.32	50	0.18	910	<5	0.09	<5	290	<10	0.26	20	<5	<5
G0672715		<50	<5	0.29	<50	0.20	670	<5	0.07	17	280	<10	0.23	<10	<5	6
G0672716		<50	7	0.28	<50	0.12	1780	<5	0.06	<5	200	<10	0.34	<10	<5	<5
G0672717		<50	6	0.24	<50	0.15	360	6	0.07	9	210	<10	0.30	<10	<5	<5
G0672718		<50	<5	0.28	<50	0.11	310	6	0.08	12	190	<10	0.32	10	<5	17
G0672403		<50	6	0.62	<50	0.46	740	<5	<0.05	11	1010	520	1.59	70	<5	10
G0672404		<50	7	0.43	<50	0.49	730	<5	<0.05	16	630	390	3.81	180	<5	21



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 4 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 8-OCT-2008
Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08126242

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Cu-AA46
	Analyte	Th	Ti	Ti	U	V	W	Zn	Ag	As	Cu
	Units LOR	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		100	0.05	50	50	5	50	10	5	0.01	0.01
G0672681		<100	<0.05	<50	<50	<5	<50	210			
G0672682		<100	<0.05	<50	<50	<5	<50	70			
G0672683		<100	<0.05	<50	<50	5	<50	470			
G0672684		<100	<0.05	<50	<50	8	<50	260			
G0672685		<100	<0.05	<50	<50	<5	<50	10			
G0672686		<100	0.06	<50	<50	9	<50	20			
G0672687		<100	<0.05	<50	<50	<5	<50	960			
G0672688		<100	<0.05	<50	<50	<5	<50	190			
G0672689		<100	<0.05	<50	<50	<5	<50	70			
G0672690		<100	<0.05	<50	<50	<5	<50	100			
G0672691		<100	<0.05	<50	<50	<5	<50	40		1.92	
G0672692		<100	<0.05	<50	<50	<5	<50	80		2.64	
G0672693		<100	<0.05	<50	<50	<5	<50	<10			
G0672694		<100	<0.05	<50	<50	<5	<50	10			
G0672695		<100	<0.05	<50	<50	<5	<50	120			
G0672696		<100	<0.05	<50	<50	<5	<50	170			
G0672697		<100	<0.05	<50	<50	<5	<50	160			
G0672698		<100	<0.05	<50	<50	<5	<50	300			
G0672699		<100	<0.05	<50	<50	<5	<50	2030			
G0672700		<100	0.47	<50	<50	779	<50	1680	NSS		NSS
G0672701		<100	<0.05	<50	<50	<5	<50	530			
G0672702		<100	<0.05	<50	<50	<5	<50	320			
G0672703		<100	<0.05	<50	<50	5	<50	990			
G0672704		<100	<0.05	<50	<50	<5	<50	210			
G0672705		<100	<0.05	<50	<50	<5	<50	70		1.03	
G0672706		<100	<0.05	<50	<50	8	<50	70			
G0672707		<100	<0.05	<50	50	6	<50	470			
G0672708		<100	<0.05	<50	<50	7	<50	160			
G0672709		<100	<0.05	<50	<50	<5	<50	160			
G0672710		<100	<0.05	<50	<50	7	<50	120			
G0672711		<100	<0.05	<50	<50	<5	<50	160			
G0672712		<100	<0.05	<50	<50	<5	<50	210			
G0672713		<100	<0.05	<50	<50	<5	<50	160		1.69	
G0672714		<100	<0.05	<50	<50	12	<50	150			
G0672715		<100	<0.05	<50	50	9	<50	130			
G0672716		<100	<0.05	<50	<50	<5	<50	320			
G0672717		<100	<0.05	<50	<50	8	<50	20			
G0672718		<100	<0.05	<50	<50	5	<50	30			
G0672403		<100	<0.05	<50	<50	12	<50	610		1.34	
G0672404		<100	<0.05	<50	<50	10	<50	820		6.26	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 5 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 8-OCT-2008
Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08126242

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
G0672405		0.68	0.509		5	3.24	41100	100	<5	20	3.34	7	20	93	51	8.55
G0672406		2.22	0.005		1	4.69	210	430	<5	<10	2.90	<5	22	204	33	3.43
G0672407		2.16	0.006		1	4.60	260	380	<5	<10	2.69	<5	29	328	32	4.53
G0672408		0.79	0.008		<1	2.56	190	<50	<5	<10	4.14	<5	13	64	21	3.85
G0672409		1.04	0.089		<1	6.93	250	330	<5	<10	4.37	<5	36	224	120	4.24
G0672410		1.31	0.111		<1	6.59	310	340	<5	20	3.98	<5	37	231	232	4.49
G0672411		2.19	<0.005		<1	2.81	40	320	<5	<10	0.39	<5	9	28	26	5.85
G0672412		2.07	<0.005		<1	1.99	10	130	<5	20	0.25	<5	<5	28	56	5.32
G0672413		2.54	0.015		<1	5.70	20	660	<5	20	3.22	<5	27	231	100	5.29
G0672414		1.35	0.022		3	4.02	<10	390	<5	30	3.17	<5	17	162	170	3.99
G0672415		2.30	0.011		1	3.63	10	440	<5	20	2.18	<5	17	77	114	3.78
G0672416		1.87	<0.005		<1	6.92	10	970	<5	30	2.18	<5	24	71	18	6.00
G0672417		2.25	<0.005		3	2.81	20	810	<5	20	0.77	<5	8	30	112	3.01
G0672418		2.11	0.005		1	3.05	20	840	<5	30	0.90	<5	<5	28	121	2.96
G0672419		2.12	<0.005		<1	3.86	50	970	<5	10	1.13	<5	<5	33	50	3.17
G0672420		0.06	<0.005		<1	<0.05	<10	<50	<5	20	<0.05	<5	<5	<5	<5	<0.05
G0672421		2.12	<0.005		<1	2.69	<10	610	<5	30	0.52	<5	<5	35	56	3.46
G0672422		1.19	<0.005		<1	2.26	20	630	<5	10	0.63	<5	<5	22	32	2.58
G0672423		0.81	0.006		<1	2.09	70	670	<5	10	0.69	<5	5	32	83	2.24
G0672424		2.12	<0.005		<1	3.46	20	470	<5	30	1.97	<5	15	92	65	4.09
G0672425		2.71	<0.005		<1	4.04	40	710	<5	10	1.88	<5	21	153	94	4.05
G0672426		2.35	0.006		1	4.15	40	1260	<5	20	1.75	<5	28	378	68	4.11
G0672427		1.88	0.006		3	2.51	10	740	<5	<10	2.37	<5	13	141	115	2.63
G0672428		2.14	0.005		<1	3.74	20	620	<5	10	2.59	<5	31	217	247	3.79
G0672429		1.08	<0.005		<1	3.81	10	560	<5	10	2.30	<5	16	95	60	4.58
G0672430		1.08	<0.005		<1	4.08	<10	640	<5	<10	2.33	<5	16	104	48	4.73
G0672431		2.13	0.007		<1	2.21	130	360	<5	20	1.65	<5	13	50	57	3.18
G0672432		2.48	<0.005		<1	2.94	30	680	<5	30	1.02	<5	16	61	42	3.55
G0672433		2.73	0.006		1	3.61	60	1220	<5	10	1.35	<5	20	77	49	4.27
G0672434		1.76	<0.005		<1	3.89	20	1020	<5	<10	1.72	<5	8	81	8	3.46
G0672435		1.25	0.005		<1	5.05	20	590	<5	20	1.26	<5	13	18	143	5.97
G0672436		2.35	<0.005		<1	4.08	40	170	<5	10	2.86	<5	21	114	81	3.43
G0672437		2.42	0.007		<1	3.33	<10	120	<5	20	2.92	<5	16	122	64	3.59
G0672438		1.92	0.006		<1	2.02	60	<50	<5	10	2.30	<5	18	74	66	2.47
G0672439		2.24	0.006		<1	3.47	40	160	<5	20	2.86	<5	25	133	81	4.42
G0672440		0.06	>10.0	12.05	>200	1.35	590	110	<5	20	3.93	31	144	33	>50000	10.70
G0672441		1.88	0.012		1	2.95	50	160	<5	30	2.56	<5	18	116	201	3.74
G0672442		1.98	0.022		2	1.70	70	50	<5	10	2.30	<5	24	74	134	2.91
G0672443		2.58	0.009		1	0.45	30	<50	<5	20	0.93	<5	14	44	103	1.51
G0672444		0.92	0.025		1	1.64	60	<50	<5	30	1.90	<5	10	63	146	2.16



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 5 - B

Total # Pages: 6 (A - C)

Plus Appendix Pages

Finalized Date: 8-OCT-2008

Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08126242

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte Units LOR	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
G0672405		<50	<5	0.66	<50	1.66	1700	10	<0.05	56	830	70	2.30	80	9	70
G0672406		<50	<5	1.25	<50	2.23	650	<5	0.44	68	720	10	0.09	10	8	245
G0672407		<50	6	1.12	<50	2.25	840	<5	0.47	114	990	<10	0.23	20	9	211
G0672408		<50	8	0.19	<50	1.88	740	<5	0.12	28	1110	<10	0.13	<10	12	62
G0672409		<50	9	1.45	<50	2.27	680	<5	0.39	72	430	<10	0.25	<10	7	358
G0672410		<50	5	1.50	<50	2.29	710	<5	0.28	133	440	50	0.36	<10	6	332
G0672411		<50	<5	1.11	<50	0.71	260	<5	0.05	26	500	<10	0.13	10	7	44
G0672412		<50	<5	0.66	<50	0.33	120	<5	<0.05	12	240	<10	<0.05	<10	5	34
G0672413		<50	<5	1.70	<50	3.37	890	<5	0.23	95	730	<10	<0.05	20	16	198
G0672414		<50	<5	0.99	<50	2.39	790	<5	0.15	56	610	<10	<0.05	30	12	97
G0672415		<50	<5	1.30	<50	2.02	580	<5	0.18	38	790	<10	<0.05	20	9	101
G0672416		<50	<5	2.76	<50	4.23	590	<5	0.35	39	920	<10	<0.05	<10	21	194
G0672417		<50	<5	0.99	<50	1.36	250	<5	0.11	16	360	<10	0.21	10	9	80
G0672418		<50	<5	1.17	<50	1.30	200	<5	0.13	13	460	<10	0.35	20	7	62
G0672419		<50	<5	1.41	<50	1.71	240	<5	0.17	12	260	<10	0.11	<10	8	83
G0672420		<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	5	<50	<10	<0.05	10	<5	9
G0672421		<50	<5	0.99	<50	1.62	190	<5	0.05	15	240	<10	0.22	10	10	39
G0672422		<50	<5	1.02	<50	1.25	170	<5	0.07	11	310	<10	0.09	10	6	65
G0672423		<50	<5	1.03	<50	1.12	270	<5	0.12	10	230	<10	<0.05	20	10	72
G0672424		<50	7	0.91	<50	2.51	630	<5	0.22	39	910	<10	0.15	20	13	93
G0672425		<50	<5	1.43	<50	2.72	520	<5	0.22	86	880	<10	0.24	20	16	135
G0672426		<50	<5	1.62	<50	2.54	550	<5	0.21	120	830	<10	0.20	<10	18	124
G0672427		<50	<5	0.60	<50	0.78	390	<5	0.29	69	3070	<10	0.36	10	8	122
G0672428		<50	<5	0.82	<50	1.63	570	<5	0.39	128	940	<10	0.64	20	9	178
G0672429		<50	<5	1.15	<50	2.38	800	<5	0.33	27	930	<10	0.17	10	13	111
G0672430		<50	<5	1.32	<50	2.52	820	<5	0.34	36	1030	<10	0.10	10	14	125
G0672431		<50	<5	0.77	<50	1.78	490	<5	0.15	31	880	<10	0.10	10	10	66
G0672432		<50	<5	1.13	<50	2.17	360	<5	0.15	29	1100	<10	0.07	20	13	78
G0672433		<50	<5	1.55	<50	2.14	520	<5	0.23	39	860	<10	0.08	<10	15	153
G0672434		60	<5	1.25	<50	1.86	450	<5	0.24	36	830	<10	<0.05	<10	13	132
G0672435		<50	<5	1.55	<50	1.94	580	<5	0.16	10	1360	<10	<0.05	<10	15	101
G0672436		<50	<5	0.62	<50	1.71	720	<5	0.36	79	1190	<10	<0.05	20	11	121
G0672437		<50	<5	0.43	<50	1.31	820	<5	0.44	86	1400	<10	0.09	30	12	95
G0672438		<50	<5	0.10	<50	0.63	590	<5	0.45	80	1020	<10	0.09	30	7	65
G0672439		<50	<5	0.62	<50	1.64	870	<5	0.59	99	1310	<10	0.15	10	14	81
G0672440		<50	5	0.28	70	0.73	2650	5	<0.05	111	2930	420	1.14	4170	5	409
G0672441		<50	<5	0.49	<50	1.18	790	<5	0.55	81	1320	<10	<0.05	30	12	85
G0672442		<50	<5	0.10	<50	0.35	680	<5	0.53	79	1310	10	0.21	<10	8	66
G0672443		<50	<5	0.09	<50	0.17	350	<5	0.07	46	590	<10	<0.05	<10	<5	34
G0672444		<50	<5	0.11	<50	0.50	410	<5	0.27	64	1030	20	0.31	10	5	60



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 5 - C
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 8-OCT-2008
Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08126242

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Cu-AA46
	Analyte	Th	Ti	Ti	U	V	W	Zn	Ag	As	Cu
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
LOR	100	0.05	50	50	5	50	10	5	0.01	0.01	
G0672405		<100	0.05	<50	<50	75	<50	240		4.09	
G0672406		<100	0.28	<50	<50	116	<50	70			
G0672407		<100	0.28	<50	<50	116	<50	110			
G0672408		<100	0.35	<50	<50	126	<50	60			
G0672409		<100	0.27	<50	<50	108	<50	120			
G0672410		<100	0.24	<50	<50	104	<50	190			
G0672411		<100	0.22	<50	<50	46	<50	70			
G0672412		<100	0.16	<50	<50	25	<50	20			
G0672413		<100	0.35	<50	<50	183	<50	120			
G0672414		<100	0.26	<50	<50	117	<50	100			
G0672415		<100	0.25	<50	<50	103	<50	60			
G0672416		<100	0.35	<50	<50	204	<50	90			
G0672417		<100	0.13	<50	<50	87	<50	30			
G0672418		<100	0.10	<50	<50	51	<50	40			
G0672419		<100	0.14	<50	<50	75	<50	50			
G0672420		<100	<0.05	<50	<50	<5	<50	<10			
G0672421		<100	0.16	<50	<50	91	<50	60			
G0672422		<100	0.12	<50	<50	67	<50	40			
G0672423		<100	0.15	<50	<50	105	<50	50			
G0672424		<100	0.28	<50	<50	135	<50	150			
G0672425		<100	0.30	<50	<50	166	<50	170			
G0672426		<100	0.29	<50	<50	185	<50	160			
G0672427		<100	0.23	<50	<50	108	<50	60			
G0672428		<100	0.28	<50	<50	111	<50	120			
G0672429		<100	0.27	<50	<50	142	<50	130			
G0672430		<100	0.29	<50	<50	159	<50	140			
G0672431		<100	0.24	<50	<50	103	<50	70			
G0672432		<100	0.22	<50	<50	126	<50	80			
G0672433		<100	0.27	<50	<50	145	<50	130			
G0672434		<100	0.23	<50	<50	116	<50	110			
G0672435		<100	0.25	<50	<50	95	<50	80			
G0672436		<100	0.29	<50	<50	94	<50	70			
G0672437		<100	0.36	<50	<50	122	<50	60			
G0672438		<100	0.32	<50	<50	77	<50	60			
G0672439		<100	0.39	<50	<50	137	<50	90			
G0672440		<100	0.49	<50	<50	793	60	1680	335		5.22
G0672441		<100	0.37	<50	<50	126	<50	80			
G0672442		<100	0.38	<50	<50	75	<50	100			
G0672443		<100	0.22	<50	<50	45	<50	60			
G0672444		<100	0.31	<50	<50	39	<50	260			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 6 - A
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 8-OCT-2008
Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08126242

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
G0672445		2.29	0.013		1	1.76	70	110	<5	20	1.80	<5	12	28	26	1.66
G0672446		2.22	<0.005		<1	2.13	<10	210	<5	<10	1.67	<5	9	9	32	2.30
G0672447		2.13	<0.005		<1	3.03	<10	300	<5	<10	1.91	<5	6	5	26	3.45
G0672448		2.02	<0.005		<1	1.62	<10	300	<5	<10	1.38	<5	8	7	32	2.17
G0672449		1.47	<0.005		1	1.57	80	540	<5	<10	1.13	<5	11	7	27	2.42
G0672450		1.35	<0.005		<1	1.35	<10	510	<5	<10	1.03	<5	10	6	28	2.22
G0672451		2.14	<0.005		<1	1.10	50	270	<5	<10	1.04	<5	8	7	84	1.84
G0672452		1.25	<0.005		1	3.73	30	180	<5	<10	2.98	<5	16	38	12	2.64
G0672453		2.41	0.005		<1	4.23	50	190	<5	<10	3.59	<5	13	43	43	3.18
G0672454		1.87	<0.005		<1	6.67	20	270	<5	<10	4.46	<5	14	19	61	4.95
G0672455		1.94	<0.005		<1	3.82	<10	320	<5	<10	1.51	<5	17	15	108	5.94
G0672456		2.06	<0.005		<1	5.42	170	360	<5	<10	3.25	<5	27	127	88	6.41
G0672457		1.92	0.006		1	4.24	30	180	<5	<10	1.49	<5	16	7	93	5.82
G0672458		1.56	<0.005		<1	2.45	40	170	<5	<10	0.83	<5	<5	11	68	4.15
G0672459		1.46	<0.005		<1	4.10	30	150	<5	<10	2.20	<5	17	12	88	4.59
G0672460		0.04	<0.005		<1	0.06	<10	<50	<5	<10	0.05	<5	<5	<5	5	0.06
G0672461		1.86	<0.005		4	3.63	50	150	<5	<10	2.08	<5	12	14	91	4.96
G0672462		2.25	<0.005		1	4.72	60	210	<5	<10	2.15	<5	17	11	83	5.38
G0672463		1.97	<0.005		<1	5.27	10	270	<5	<10	2.76	<5	8	12	89	5.22
G0672464		2.00	<0.005		1	3.75	30	250	<5	<10	1.46	<5	19	13	86	5.77
G0672465		1.97	<0.005		<1	4.96	20	320	<5	<10	1.73	<5	18	13	73	6.04
G0672466		1.85	<0.005		<1	4.91	20	230	<5	<10	2.72	<5	14	12	71	6.11
G0672467		2.01	<0.005		3	3.72	30	240	<5	<10	1.18	<5	16	12	87	5.75
G0672468		1.34	<0.005		<1	5.80	30	370	<5	<10	2.52	<5	19	14	87	6.31
G0672469		0.93	<0.005		<1	5.33	40	320	<5	<10	2.75	<5	10	10	96	5.30
G0672470		0.83	<0.005		<1	5.46	<10	270	<5	<10	2.98	<5	6	9	57	4.48
G0672471		2.10	0.006		2	5.71	40	250	<5	<10	3.25	<5	17	14	133	5.72
G0672472		1.82	<0.005		1	4.37	30	160	<5	<10	2.36	<5	14	8	99	4.78
G0672473		2.04	<0.005		4	3.84	80	180	<5	<10	1.83	<5	11	10	73	4.85



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 6 - B
Total # Pages: 6 (A - C)
Plus Appendix Pages
Finalized Date: 8-OCT-2008
Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08126242

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units LOR	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
G0672445		<50	<5	0.20	<50	0.49	350	<5	0.36	28	1790	<10	<0.05	20	<5	148
G0672446		<50	<5	0.49	<50	0.68	320	<5	0.40	12	1940	10	<0.05	20	<5	154
G0672447		<50	<5	0.91	<50	1.04	440	<5	0.47	8	1940	<10	<0.05	20	<5	197
G0672448		<50	<5	0.38	<50	0.55	280	<5	0.35	12	1990	<10	0.16	<10	<5	124
G0672449		<50	<5	0.58	<50	0.67	280	<5	0.33	<5	1950	<10	0.14	20	<5	127
G0672450		<50	<5	0.53	<50	0.62	240	<5	0.25	<5	1970	<10	0.11	40	<5	96
G0672451		<50	<5	0.27	<50	0.49	250	<5	0.24	53	1800	60	0.17	30	<5	79
G0672452		<50	<5	0.27	<50	0.82	520	<5	0.41	29	1150	10	<0.05	10	6	186
G0672453		<50	5	0.28	<50	0.65	570	<5	0.49	37	970	10	0.19	10	8	183
G0672454		<50	<5	0.55	<50	0.81	450	<5	0.57	14	1160	<10	0.85	<10	18	171
G0672455		<50	<5	0.96	<50	0.95	390	6	0.25	19	840	<10	1.47	10	15	65
G0672456		<50	<5	1.00	<50	1.59	540	5	0.41	119	870	<10	1.24	20	17	108
G0672457		<50	<5	0.99	<50	1.18	360	<5	0.23	10	820	<10	1.18	30	13	65
G0672458		<50	5	0.70	<50	0.79	320	<5	0.12	22	520	<10	0.77	40	9	37
G0672459		<50	<5	0.56	<50	0.86	370	<5	0.38	<5	900	<10	0.95	10	16	109
G0672460		<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	<5	60	<10	<0.05	20	<5	<5
G0672461		<50	<5	0.61	<50	0.92	430	<5	0.24	13	870	<10	0.72	<10	13	75
G0672462		<50	<5	0.84	<50	1.25	440	<5	0.34	<5	780	<10	0.88	10	18	103
G0672463		<50	<5	0.72	<50	0.99	420	<5	0.38	13	980	<10	1.02	30	18	138
G0672464		<50	7	0.73	<50	1.02	390	<5	0.24	13	730	<10	1.25	20	14	69
G0672465		<50	<5	0.98	<50	1.40	490	<5	0.31	14	930	20	1.04	30	17	77
G0672466		<50	<5	0.64	<50	1.07	700	6	0.30	17	640	20	0.81	30	16	94
G0672467		<50	<5	0.87	<50	1.26	370	<5	0.25	12	930	10	1.06	<10	14	54
G0672468		<50	<5	1.21	<50	1.34	480	<5	0.35	15	1110	<10	0.95	20	20	115
G0672469		<50	<5	0.94	<50	0.86	450	<5	0.44	8	680	<10	0.80	30	16	126
G0672470		<50	6	0.87	<50	0.79	410	<5	0.44	<5	710	10	0.54	10	16	130
G0672471		<50	<5	0.87	<50	0.82	440	5	0.60	<5	950	<10	1.37	20	17	136
G0672472		<50	<5	0.54	<50	0.78	390	<5	0.45	12	830	<10	0.94	30	17	107
G0672473		<50	<5	0.72	<50	0.95	420	<5	0.30	<5	780	<10	0.80	<10	15	106



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 6 - C

Total # Pages: 6 (A - C)

Plus Appendix Pages

Finalized Date: 8-OCT-2008

Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08126242

Sample Description	Method Analyte Units LOR	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	As-AA46	Cu-AA46
		Th	Ti	Tl	U	V	W	Zn	Ag	As	Cu
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		100	0.05	50	50	5	50	10	5	0.01	0.01
G0672445		<100	0.33	<50	<50	59	<50	30			
G0672446		<100	0.31	<50	<50	72	<50	30			
G0672447		<100	0.38	<50	<50	92	<50	30			
G0672448		<100	0.24	<50	<50	59	<50	20			
G0672449		<100	0.24	<50	<50	68	<50	20			
G0672450		<100	0.22	<50	<50	62	<50	20			
G0672451		<100	0.20	<50	<50	49	<50	30			
G0672452		<100	0.32	<50	<50	71	<50	50			
G0672453		<100	0.34	<50	<50	74	<50	80			
G0672454		<100	0.21	<50	<50	146	<50	80			
G0672455		<100	0.22	<50	<50	164	<50	60			
G0672456		<100	0.22	<50	<50	197	<50	110			
G0672457		<100	0.17	<50	<50	131	<50	130			
G0672458		<100	0.15	<50	<50	98	<50	80			
G0672459		<100	0.18	<50	<50	148	<50	120			
G0672460		<100	<0.05	<50	<50	<5	<50	<10			
G0672461		<100	0.14	<50	<50	138	<50	120			
G0672462		<100	0.20	<50	<50	198	<50	130			
G0672463		<100	0.18	<50	<50	180	<50	100			
G0672464		<100	0.16	<50	<50	146	<50	110			
G0672465		<100	0.23	<50	<50	203	<50	120			
G0672466		<100	0.19	<50	<50	176	<50	110			
G0672467		<100	0.17	<50	<50	152	<50	90			
G0672468		<100	0.22	<50	<50	228	<50	120			
G0672469		<100	0.17	<50	<50	112	<50	80			
G0672470		<100	0.16	<50	<50	111	<50	70			
G0672471		<100	0.21	<50	<50	183	<50	70			
G0672472		<100	0.19	<50	<50	158	<50	70			
G0672473		<100	0.18	<50	<50	119	<50	90			



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 8-OCT-2008
Account: EIATYE

Project: Golden Eagle TYE 08-02

CERTIFICATE OF ANALYSIS TR08126242

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 24-OCT-2008

Account: EIATYE

CERTIFICATE TR08134920

Project: Golden Eagle

P.O. No.: TYE08-02

This report is for 64 Drill Core samples submitted to our lab in Terrace, BC, Canada on 22-SEP-2008.

The following have access to data associated with this certificate:

HENRY A
JEREMY MAJOR

GENERAL EQUITY ENGINEERING

TRACY HURLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41a	High Grade Aqua Regia ICP-AES	ICP-AES
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: EQUITY EXPLORATION CONSULTANTS LTD.

ATTN: JEREMY MAJOR

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 24-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08134920

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte Units LOR	Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
G0672719		1.88	0.009		<1	0.50	10	<50	<5	<10	<0.05	<5	<5	7	<5	0.65
G0672720		0.06	<0.005		<1	<0.05	<10	<50	<5	<10	<0.05	<5	<5	<5	<5	<0.05
G0672721		1.98	0.005		<1	0.45	<10	<50	<5	<10	<0.05	<5	<5	8	<5	0.70
G0672722		2.12	<0.005		<1	0.42	<10	<50	<5	<10	<0.05	<5	<5	10	5	0.83
G0672723		2.29	0.010		<1	0.44	140	<50	<5	<10	<0.05	<5	<5	12	<5	0.90
G0672724		1.96	0.019		<1	0.42	320	<50	<5	<10	<0.05	<5	<5	7	5	0.83
G0672725		1.76	0.010		<1	0.44	70	<50	<5	<10	<0.05	<5	<5	14	5	1.00
G0672726		1.41	0.005		<1	0.44	80	<50	<5	<10	<0.05	<5	<5	21	32	0.83
G0672727		2.20	0.023		1	0.43	270	<50	<5	<10	<0.05	<5	<5	14	12	1.10
G0672728		1.61	0.021		<1	0.43	370	<50	<5	<10	<0.05	<5	<5	11	5	0.83
G0672729		0.67	0.006		<1	0.43	40	<50	<5	<10	<0.05	<5	<5	10	12	0.91
G0672730		0.60	0.005		<1	0.43	20	<50	<5	<10	<0.05	<5	<5	11	8	0.88
G0672731		1.86	0.014		1	0.44	80	<50	<5	<10	<0.05	<5	<5	12	12	0.99
G0672732		0.74	0.019		<1	0.36	340	<50	<5	<10	<0.05	<5	<5	7	13	0.67
G0672733		0.82	0.025		<1	0.39	180	<50	<5	<10	<0.05	<5	<5	11	5	0.89
G0672734		2.44	0.014		<1	0.39	190	<50	<5	<10	<0.05	<5	<5	9	5	0.72
G0672735		2.33	0.006		1	0.45	50	<50	<5	<10	0.09	<5	<5	11	7	0.88
G0672736		2.27	0.020		1	0.34	370	<50	<5	<10	<0.05	<5	<5	15	<5	0.60
G0672737		1.12	0.028		<1	0.43	250	<50	<5	<10	<0.05	<5	<5	9	13	0.92
G0672738		0.88	0.086		<1	0.41	670	<50	<5	<10	<0.05	<5	<5	10	7	0.75
G0672739		1.02	0.035		<1	0.39	160	<50	<5	<10	<0.05	<5	<5	11	10	0.89
G0672740		0.07	>10.0	11.20	>200	1.28	600	110	<5	<10	3.81	33	143	31	>50000	10.30
G0672741		1.67	0.058		1	0.38	2870	<50	<5	<10	<0.05	<5	<5	11	45	1.00
G0672742		1.59	0.013		1	0.26	220	<50	<5	<10	<0.05	<5	<5	9	24	0.44
G0672743		1.09	<0.005		1	0.40	30	<50	<5	<10	<0.05	<5	<5	10	16	0.83
G0672744		1.99	<0.005		1	0.50	60	<50	<5	<10	<0.05	<5	<5	14	12	1.05
G0672745		2.21	0.006		<1	0.38	60	<50	<5	<10	<0.05	<5	<5	12	18	0.77
G0672746		1.76	0.014		<1	0.42	20	<50	<5	<10	<0.05	<5	<5	13	15	0.90
G0672747		2.48	<0.005		<1	0.55	30	<50	<5	<10	<0.05	<5	<5	19	11	1.09
G0672748		2.46	0.005		<1	0.41	10	<50	<5	<10	<0.05	<5	<5	10	9	0.83
G0672749		1.53	0.011		1	0.42	100	<50	<5	<10	<0.05	<5	<5	11	12	0.83
G0672750		1.49	0.006		<1	0.41	90	<50	<5	<10	<0.05	<5	<5	12	29	0.97
G0672954		2.22	0.012		<1	0.48	130	<50	<5	10	<0.05	<5	<5	9	19	0.77
G0672955		1.47	<0.005		<1	0.55	30	<50	<5	20	<0.05	<5	<5	14	9	0.94
G0672956		1.57	0.009		<1	0.50	150	<50	<5	<10	<0.05	<5	<5	13	11	0.79
G0672957		1.99	0.018		<1	0.53	40	<50	<5	10	<0.05	<5	<5	17	8	0.93
G0672958		2.24	<0.005		<1	0.53	90	<50	<5	10	<0.05	<5	<5	14	7	0.79
G0672959		2.02	0.014		<1	0.56	280	<50	<5	20	<0.05	<5	<5	14	16	0.84
G0672960		0.09	<0.005		<1	<0.05	<10	<50	<5	10	<0.05	<5	5	7	25	0.05
G0672961		1.98	0.009		1	0.48	90	<50	<5	10	<0.05	<5	<5	12	6	0.72



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 24-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08134920

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units LOR	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5
G0672719		<50	<5	0.32	<50	<0.05	150	<5	0.09	<5	70	10	<0.05	<10	<5	7
G0672720		<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	<5	80	20	<0.05	20	<5	10
G0672721		<50	<5	0.27	<50	<0.05	210	<5	0.11	<5	70	20	<0.05	<10	<5	10
G0672722		<50	<5	0.25	<50	<0.05	250	<5	0.11	<5	50	10	<0.05	<10	<5	11
G0672723		<50	<5	0.27	<50	<0.05	400	<5	0.07	<5	60	20	<0.05	<10	<5	<5
G0672724		<50	<5	0.25	<50	<0.05	180	<5	0.07	<5	70	20	<0.05	<10	<5	13
G0672725		<50	<5	0.27	<50	<0.05	240	<5	0.09	<5	80	30	<0.05	<10	<5	8
G0672726		<50	<5	0.27	<50	<0.05	310	<5	0.09	20	80	60	<0.05	<10	<5	<5
G0672727		<50	<5	0.26	<50	<0.05	450	<5	0.09	<5	80	40	0.15	<10	<5	11
G0672728		<50	<5	0.28	<50	<0.05	200	<5	0.09	<5	100	20	0.08	10	<5	5
G0672729		<50	<5	0.25	<50	<0.05	370	<5	0.09	<5	50	10	0.06	<10	<5	<5
G0672730		<50	<5	0.25	<50	<0.05	350	<5	0.08	<5	80	10	<0.05	<10	<5	6
G0672731		<50	<5	0.26	<50	<0.05	280	<5	0.09	<5	80	10	0.06	<10	<5	5
G0672732		<50	<5	0.31	<50	<0.05	230	<5	0.07	<5	80	20	0.07	<10	<5	<5
G0672733		<50	<5	0.26	<50	<0.05	250	<5	0.06	<5	60	10	<0.05	<10	<5	<5
G0672734		<50	<5	0.21	<50	<0.05	260	<5	0.08	<5	50	20	0.06	<10	<5	5
G0672735		<50	<5	0.23	<50	0.05	300	<5	0.08	<5	130	10	<0.05	<10	<5	<5
G0672736		<50	<5	0.23	<50	<0.05	230	<5	<0.05	<5	<50	10	<0.05	<10	<5	<5
G0672737		<50	<5	0.25	<50	<0.05	280	<5	0.10	<5	70	20	0.07	10	<5	<5
G0672738		<50	<5	0.27	<50	<0.05	230	<5	0.08	<5	60	20	0.10	<10	<5	7
G0672739		<50	<5	0.23	<50	<0.05	250	<5	0.08	<5	70	30	0.13	10	<5	<5
G0672740		<50	<5	0.27	70	0.70	2560	8	<0.05	100	2850	430	1.12	4190	5	389
G0672741		<50	<5	0.22	<50	<0.05	260	<5	0.07	<5	60	30	0.24	<10	<5	<5
G0672742		<50	<5	0.26	<50	<0.05	150	<5	<0.05	<5	60	10	<0.05	<10	<5	17
G0672743		<50	<5	0.21	<50	<0.05	330	<5	0.07	7	70	10	<0.05	10	<5	<5
G0672744		<50	<5	0.27	<50	<0.05	310	<5	0.11	<5	80	20	<0.05	10	<5	8
G0672745		<50	<5	0.20	<50	<0.05	260	<5	0.07	<5	50	10	<0.05	<10	<5	<5
G0672746		<50	<5	0.24	<50	<0.05	250	<5	0.08	<5	80	<10	<0.05	<10	<5	<5
G0672747		<50	<5	0.30	<50	<0.05	380	<5	0.31	<5	90	<10	0.14	10	<5	<5
G0672748		<50	<5	0.24	<50	<0.05	250	<5	0.08	<5	90	20	<0.05	<10	<5	<5
G0672749		<50	<5	0.24	<50	<0.05	270	<5	0.08	<5	70	10	0.05	<10	<5	6
G0672750		<50	<5	0.22	<50	<0.05	280	<5	0.08	<5	50	20	<0.05	<10	<5	<5
G0672954		<50	<5	0.25	<50	<0.05	220	<5	<0.05	7	<50	<10	0.06	<10	<5	<5
G0672955		<50	<5	0.29	<50	<0.05	290	<5	0.06	6	<50	<10	<0.05	<10	<5	<5
G0672956		<50	5	0.28	<50	<0.05	220	<5	<0.05	<5	<50	<10	<0.05	<10	<5	5
G0672957		<50	<5	0.28	<50	<0.05	250	<5	0.05	<5	<50	<10	<0.05	<10	<5	<5
G0672958		<50	<5	0.27	<50	<0.05	240	<5	0.05	<5	<50	<10	<0.05	<10	<5	7
G0672959		<50	<5	0.31	<50	<0.05	250	<5	0.05	<5	50	<10	0.08	<10	<5	8
G0672960		<50	<5	<0.05	<50	<0.05	<30	<5	<0.05	6	<50	40	<0.05	<10	<5	<5
G0672961		<50	<5	0.25	<50	<0.05	250	<5	<0.05	<5	<50	<10	<0.05	<10	<5	<5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 2 - C

Total # Pages: 3 (A - C)

Plus Appendix Pages

Finalized Date: 24-OCT-2008

Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08134920

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	Cu-AA46
	Analyte	Th	Ti	Ti	U	V	W	Zn	Ag	Cu
	Units LOR	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
		100	0.05	50	50	5	50	10	5	0.01
G0672719		<100	<0.05	<50	<50	<5	<50	50		
G0672720		<100	<0.05	<50	<50	<5	<50	<10		
G0672721		<100	<0.05	<50	<50	<5	<50	70		
G0672722		<100	<0.05	<50	<50	<5	<50	70		
G0672723		<100	<0.05	<50	<50	<5	<50	100		
G0672724		<100	<0.05	<50	<50	<5	<50	60		
G0672725		<100	<0.05	<50	<50	<5	<50	80		
G0672726		<100	<0.05	<50	<50	<5	<50	110		
G0672727		<100	<0.05	<50	<50	<5	<50	110		
G0672728		<100	<0.05	<50	<50	<5	<50	40		
G0672729		<100	<0.05	<50	<50	<5	<50	80		
G0672730		<100	<0.05	<50	<50	<5	<50	70		
G0672731		<100	<0.05	<50	<50	<5	<50	50		
G0672732		<100	<0.05	<50	<50	<5	<50	30		
G0672733		<100	<0.05	<50	<50	<5	<50	40		
G0672734		<100	<0.05	<50	<50	<5	<50	50		
G0672735		<100	<0.05	<50	<50	5	<50	40		
G0672736		<100	<0.05	<50	<50	<5	<50	40		
G0672737		<100	<0.05	<50	<50	<5	<50	40		
G0672738		<100	<0.05	<50	<50	<5	<50	150		
G0672739		<100	<0.05	<50	<50	<5	<50	30		
G0672740		<100	0.49	<50	<50	769	60	1640	NSS	5.40
G0672741		<100	<0.05	<50	<50	<5	<50	40		
G0672742		<100	<0.05	<50	<50	<5	<50	40		
G0672743		<100	<0.05	<50	50	5	<50	30		
G0672744		<100	<0.05	<50	<50	<5	<50	30		
G0672745		<100	<0.05	<50	<50	5	<50	30		
G0672746		<100	<0.05	<50	<50	<5	<50	40		
G0672747		<100	<0.05	<50	<50	<5	<50	50		
G0672748		<100	<0.05	<50	<50	<5	<50	40		
G0672749		<100	<0.05	<50	<50	<5	<50	40		
G0672750		<100	<0.05	<50	<50	<5	<50	40		
G0672954		<100	<0.05	<50	<50	<5	<50	30		
G0672955		<100	<0.05	<50	<50	<5	<50	30		
G0672956		<100	<0.05	<50	<50	<5	<50	20		
G0672957		<100	<0.05	<50	<50	<5	<50	30		
G0672958		<100	<0.05	<50	<50	5	<50	30		
G0672959		<100	<0.05	<50	<50	<5	<50	60		
G0672960		<100	<0.05	<50	<50	<5	<50	<10		
G0672961		<100	<0.05	<50	<50	<5	<50	30		



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - A
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 24-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08134920

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41a Ag ppm	ME-ICP41a Al %	ME-ICP41a As ppm	ME-ICP41a Ba ppm	ME-ICP41a Be ppm	ME-ICP41a Bi ppm	ME-ICP41a Ca %	ME-ICP41a Cd ppm	ME-ICP41a Co ppm	ME-ICP41a Cr ppm	ME-ICP41a Cu ppm	ME-ICP41a Fe %
		0.02	0.005	0.05	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05
G0672962		2.11	<0.005		<1	0.58	10	<50	<5	10	<0.05	<5	<5	18	5	0.89
G0672963		2.22	0.009		<1	0.57	20	<50	<5	<10	<0.05	<5	<5	12	5	0.83
G0672964		2.56	<0.005		<1	0.54	<10	<50	<5	<10	<0.05	<5	<5	15	<5	0.88
G0672965		1.83	<0.005		<1	0.61	<10	<50	<5	<10	<0.05	<5	<5	14	<5	0.81
G0672966		2.26	<0.005		<1	0.59	20	<50	<5	10	<0.05	<5	<5	14	<5	0.96
G0672967		2.17	0.007		<1	0.51	<10	<50	<5	10	<0.05	<5	<5	11	<5	0.74
G0672968		2.40	0.014		3	0.52	50	<50	<5	10	<0.05	<5	<5	12	85	0.84
G0672969		1.04	<0.005		<1	0.49	<10	<50	<5	10	<0.05	<5	<5	11	12	0.79
G0672970		1.08	<0.005		<1	0.53	<10	<50	<5	<10	<0.05	<5	<5	10	5	0.82
G0672971		2.50	<0.005		1	0.49	<10	<50	<5	10	<0.05	<5	<5	11	7	0.81
G0672972		1.95	<0.005		<1	0.56	<10	<50	<5	10	<0.05	<5	<5	13	6	0.91
G0672973		2.06	<0.005		<1	0.55	<10	<50	<5	<10	<0.05	<5	<5	13	9	0.80
G0672974		1.58	<0.005		<1	0.57	<10	<50	<5	10	<0.05	<5	<5	12	5	0.88
G0672975		2.00	<0.005		<1	0.55	<10	<50	<5	10	<0.05	<5	<5	12	<5	0.88
G0672976		2.30	<0.005		<1	0.56	20	<50	<5	10	<0.05	<5	<5	15	5	0.79
G0672977		1.17	0.011		1	0.49	240	<50	<5	10	<0.05	<5	<5	10	23	0.71
G0672978		2.24	0.013		<1	0.48	1020	<50	<5	10	<0.05	15	<5	10	28	1.25
G0672979		2.24	<0.005		<1	0.48	30	<50	<5	10	<0.05	<5	<5	12	<5	0.86
G0672980		0.06	>10.0	11.45	>200	1.32	640	110	<5	20	3.78	30	145	34	>50000	10.40
G0672981		1.30	<0.005		1	0.55	<10	<50	<5	10	<0.05	<5	<5	13	178	0.96
G0672982		2.36	<0.005		<1	0.48	<10	<50	<5	10	<0.05	<5	<5	9	13	1.00
G0672983		1.95	0.116		2	0.78	2870	50	<5	10	0.80	14	<5	8	50	1.54
G0672984		2.38	0.249		3	0.88	4770	50	<5	20	0.97	<5	<5	6	143	2.01
G0672985		2.19	0.019		<1	0.85	90	60	<5	<10	0.54	<5	<5	13	70	1.78



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 3 - B
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 24-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08134920

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
Units	ppm	ppm	%	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
LOR	50	5	0.05	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5	
G0672962	<50	<5	0.31	<50	<0.05	330	<5	0.07	<5	<50	<10	<0.05	<10	<5	6	
G0672963	<50	9	0.30	<50	<0.05	280	<5	0.07	5	60	<10	0.06	10	<5	10	
G0672964	<50	<5	0.30	<50	<0.05	250	<5	0.06	<5	50	<10	<0.05	<10	<5	<5	
G0672965	<50	<5	0.34	<50	<0.05	240	<5	0.09	<5	<50	<10	<0.05	<10	<5	11	
G0672966	<50	5	0.33	<50	<0.05	270	<5	0.09	<5	<50	<10	<0.05	<10	<5	7	
G0672967	<50	<5	0.27	<50	<0.05	280	<5	<0.05	<5	<50	<10	<0.05	<10	<5	<5	
G0672968	<50	<5	0.27	<50	<0.05	310	<5	<0.05	61	<50	20	<0.05	10	<5	<5	
G0672969	<50	9	0.27	<50	<0.05	320	<5	<0.05	11	<50	<10	<0.05	<10	<5	<5	
G0672970	<50	7	0.29	<50	<0.05	300	<5	0.05	6	<50	<10	<0.05	<10	<5	<5	
G0672971	<50	9	0.27	<50	<0.05	270	<5	<0.05	<5	<50	<10	<0.05	<10	<5	5	
G0672972	<50	6	0.32	<50	<0.05	280	<5	0.06	<5	<50	<10	<0.05	<10	<5	<5	
G0672973	<50	7	0.30	<50	<0.05	270	<5	0.05	<5	<50	<10	<0.05	<10	<5	<5	
G0672974	<50	<5	0.30	<50	<0.05	290	<5	0.07	6	<50	<10	<0.05	<10	<5	<5	
G0672975	<50	6	0.31	<50	<0.05	290	<5	0.06	<5	50	<10	<0.05	<10	<5	<5	
G0672976	<50	<5	0.31	<50	<0.05	280	<5	0.07	<5	50	<10	<0.05	<10	<5	<5	
G0672977	<50	5	0.27	<50	<0.05	230	<5	<0.05	<5	<50	<10	<0.05	<10	<5	5	
G0672978	<50	6	0.30	<50	<0.05	1550	<5	<0.05	5	50	<10	0.16	<10	<5	7	
G0672979	<50	<5	0.25	<50	<0.05	500	<5	<0.05	<5	<50	<10	0.05	<10	<5	<5	
G0672980	<50	11	0.26	70	0.70	2550	<5	<0.05	101	2810	410	1.14	3890	5	404	
G0672981	<50	<5	0.30	<50	<0.05	220	<5	0.05	<5	<50	<10	<0.05	10	<5	9	
G0672982	<50	10	0.26	<50	<0.05	950	<5	<0.05	<5	<50	<10	<0.05	<10	<5	<5	
G0672983	<50	11	0.50	<50	0.09	1630	<5	<0.05	<5	340	40	0.61	<10	<5	24	
G0672984	<50	<5	0.54	<50	0.14	560	<5	<0.05	<5	480	40	1.12	10	<5	27	
G0672985	<50	<5	0.31	<50	0.24	400	<5	<0.05	<5	370	<10	0.21	<10	<5	33	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 3 - C

Total # Pages: 3 (A - C)

Plus Appendix Pages

Finalized Date: 24-OCT-2008

Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08134920

Sample Description	Method	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	ME-ICP41a	Ag-GRA21	Cu-AA46
	Analyte	Th	Ti	Ti	U	V	W	Zn	Ag	Cu
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
LOR	100	0.05	50	50	5	50	10	5	0.01	
G0672962		<100	<0.05	<50	<50	<5	<50	40		
G0672963		<100	<0.05	<50	<50	<5	<50	30		
G0672964		<100	<0.05	<50	<50	<5	<50	30		
G0672965		<100	<0.05	<50	<50	<5	<50	30		
G0672966		<100	<0.05	<50	<50	<5	<50	30		
G0672967		<100	<0.05	<50	<50	<5	<50	30		
G0672968		<100	<0.05	<50	<50	<5	<50	70		
G0672969		<100	<0.05	<50	<50	5	<50	50		
G0672970		<100	<0.05	<50	<50	<5	<50	40		
G0672971		<100	<0.05	<50	<50	<5	<50	30		
G0672972		<100	<0.05	<50	<50	<5	<50	30		
G0672973		<100	<0.05	<50	<50	<5	<50	30		
G0672974		<100	<0.05	<50	<50	<5	<50	30		
G0672975		<100	<0.05	<50	<50	<5	<50	30		
G0672976		<100	<0.05	<50	<50	<5	<50	30		
G0672977		<100	<0.05	<50	<50	<5	<50	30		
G0672978		<100	<0.05	<50	<50	<5	<50	670		
G0672979		<100	<0.05	<50	<50	<5	<50	100		
G0672980		<100	0.47	<50	<50	767	60	1600	NSS	5.41
G0672981		<100	<0.05	<50	<50	<5	<50	50		
G0672982		<100	<0.05	<50	<50	<5	<50	170		
G0672983		<100	<0.05	<50	<50	6	<50	390		
G0672984		<100	<0.05	<50	<50	11	<50	40		
G0672985		<100	<0.05	<50	<50	15	<50	40		



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 24-OCT-2008

Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08134920

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 1
Finalized Date: 3-OCT-2008
Account: EIATYE

CERTIFICATE TR08135595

Project: Golden Eagle TYE08-02

P.O. No.: TYE08-02

This report is for 41 Drill Core samples submitted to our lab in Terrace, BC, Canada on 23-SEP-2008.

The following have access to data associated with this certificate:

HENRY A
JEREMY MAJOR

GENERAL EQUITY ENGINEERING

TRACY HURLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: JEREMY MAJOR
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 2 - A

Total # Pages: 2 (A)

Finalized Date: 3-OCT-2008

Account: EIATYE

Project: Golden Eagle TYE08-02

CERTIFICATE OF ANALYSIS TR08135595

Sample Description	Method Analyte Units LOR	Ag-GRA21 Ag ppm 5
C287300 C287340		377 358

Comments: ** CORRECTED COPY to report Ag-GRA21 on samples C287300 and C287340 only **



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 20-OCT-2008

This copy reported on 26-NOV-2008

Account: EIATYE

CERTIFICATE TR08140480

Project: Golden Eagle

P.O. No.: TYE08-02

This report is for 1 Other sample submitted to our lab in Terrace, BC, Canada on 30-SEP-2008.

The following have access to data associated with this certificate:

HENRY A
JEREMY MAJOR

GENERAL EQUITY ENGINEERING

TRACY HURLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
SCR-21	Screen to -100 um
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: EQUITY EXPLORATION CONSULTANTS LTD.

ATTN: JEREMY MAJOR

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A)
Finalized Date: 20-OCT-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08140480

Sample Description	Method Analyte Units LOR	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
		Au Total ppm	Au (+) F ppm	Au (-) F ppm	Au (+) m mg	WT. + Fr g	WT. - Fr g	Au ppm	Au ppm
C287488		66.2	616	23.8	32.123	52.11	675.3	22.8	24.7

Comments: **CORRECTED COPY FOR Au-SCR21, Au-AA25 AND Au-AA25D ON SAMPLE C287488**



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 20-OCT-2008

Account: EIATYE

CERTIFICATE TR08142014

Project: Golden Eagle

P.O. No.: TYE08-02

This report is for 1 Other sample submitted to our lab in Terrace, BC, Canada on 2-OCT-2008.

The following have access to data associated with this certificate:

HENRY A
JEREMY MAJOR

GENERAL EQUITY ENGINEERING

TRACY HURLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-32	Pulverize 1000g to 85% < 75 um
SCR-21	Screen to -100 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-SCR21	Au Screen Fire Assay - 100 um	WST-SIM
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
Au-AA25D	Ore Grade Au 30g FA AA Dup	AAS

To: EQUITY EXPLORATION CONSULTANTS LTD.

ATTN: JEREMY MAJOR

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 2 - A

Total # Pages: 2 (A)

Finalized Date: 20-OCT-2008

Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08142014

Sample Description	Method	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-SCR21	Au-AA25	Au-AA25D
	Analyte	Au Total	Au (+) F	Au (-) F	Au (+) m	WT. + Fr	WT. - Fr	Au	Au
	Units	ppm	ppm	ppm	mg	g	g	ppm	ppm
	LOR	0.05	0.05	0.05	0.001	0.01	0.1	0.01	0.01
G0672152		11.05	15.95	10.30	0.883	55.42	337.6	10.25	10.30



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

Page: 1

Finalized Date: 18-NOV-2008

Account: EIATYE

CERTIFICATE TR08152007

Project: Golden Eagle

P.O. No.: TYE08-02

This report is for 1 Other sample submitted to our lab in Terrace, BC, Canada on 21-OCT-2008.

The following have access to data associated with this certificate:

HENRY A
JEREMY MAJOR

GENERAL EQUITY ENGINEERING

TRACY HURLEY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
SPL-21	Split sample - riffle splitter
LOG-22	Sample login - Rcd w/o BarCode
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
As-AA46	Ore grade As - aqua regia/AA	AAS
ME-ICP41a	High Grade Aqua Regia ICP-AES	ICP-AES
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: EQUITY EXPLORATION CONSULTANTS LTD.

ATTN: JEREMY MAJOR

700 - 700 WEST PENDER ST.

VANCOUVER BC V6C 1G8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 18-NOV-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08152007

Method Analyte Units LOR	ME-ICP41a Ag ppm	ME-ICP41a Al %	ME-ICP41a As ppm	ME-ICP41a Ba ppm	ME-ICP41a Be ppm	ME-ICP41a Bi ppm	ME-ICP41a Ca %	ME-ICP41a Cd ppm	ME-ICP41a Co ppm	ME-ICP41a Cr ppm	ME-ICP41a Cu ppm	ME-ICP41a Fe %	ME-ICP41a Ga ppm	ME-ICP41a Hg ppm	ME-ICP41a K %
Sample Description	1	0.05	10	50	5	10	0.05	5	5	5	5	0.05	50	5	0.05
C287488	127	0.53	58700	<50	<5	220	<0.05	<5	43	8	1145	5.80	<50	6	0.38

Comments: 2nd Ag-Gra 21 result of C287488 is 93ppm



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 18-NOV-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08152007

Method Analyte Units LOR	ME-ICP41a La ppm	ME-ICP41a Mg %	ME-ICP41a Mn ppm	ME-ICP41a Mo ppm	ME-ICP41a Na %	ME-ICP41a Ni ppm	ME-ICP41a P ppm	ME-ICP41a Pb ppm	ME-ICP41a S %	ME-ICP41a Sb ppm	ME-ICP41a Sc ppm	ME-ICP41a Sr ppm	ME-ICP41a Th ppm	ME-ICP41a Ti %	ME-ICP41a Tl ppm
Sample Description	50	0.05	30	5	0.05	5	50	10	0.05	10	5	5	100	0.05	50
C287488	<50	<0.05	70	<5	<0.05	<5	<50	740	3.02	110	<5	<5	<100	<0.05	<50

Comments: 2nd Ag-Gra 21 result of C287488 is 93ppm



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
700 - 700 WEST PENDER ST.
VANCOUVER BC V6C 1G8

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 18-NOV-2008
Account: EIATYE

Project: Golden Eagle

CERTIFICATE OF ANALYSIS TR08152007

Sample Description	Method Analyte Units LOR	ME-ICP41a U ppm 50	ME-ICP41a V ppm 5	ME-ICP41a W ppm 50	ME-ICP41a Zn ppm 10	Ag-GRA21 Ag ppm 5	As-AA46 As % 0.01
C287488		<50	<5	<50	50	99	5.60

Comments: 2nd Ag-Gra 21 result of C287488 is 93ppm

Appendix I: Compact Disc

Report text, geochemical and drill databases, geophysical files, drafting and plot files, photographs

Appendix J: Geologist's Certificates

GEOLOGIST'S CERTIFICATE

Jeremy M.P. Major
408 Houston St.,
Nelson, BC, Canada

I, Jeremy Major, am a Geoscientist employed by Equity Exploration Consultants Ltd., with offices at #700–700 West Pender Street in the City of Vancouver, B.C., in the Province of British Columbia.

I am a graduate of Simon Fraser University (2006) with a Bachelor of Science degree in Earth Science, and I have practiced my profession continuously since 2006.

Since 2006 I have been involved in mineral exploration for gold, silver, copper, molybdenum, lead, zinc and uranium in Canada.

I am presently a Consulting Geologist and have been so since June 2006.

Dated at Nelson, British Columbia, this 19th day of December, 2008.



Jeremy Major, B.Sc.

GEOLOGIST'S CERTIFICATE

Justin D. MacDonald
821 Cambie St.,
Vancouver, BC, Canada

I, Justin MacDonald, am employed as a Geoscientist by Equity Exploration Consultants Ltd., with offices at Suite 700–700 West Pender Street in the City of Vancouver, B.C., in the Province of British Columbia.

I am a graduate of Memorial University of Newfoundland (2006) with an Honours Bachelor of Science degree in Geology, and I have practiced my profession periodically since 2005.


Since 2005 I have been involved in mineral exploration for gold, silver, copper, lead and zinc in Canada.

I am presently a Graduate student at the University of Waterloo and a Consulting Geologist and have been so since January 2007.

Dated at Vancouver, British Columbia, this 2nd day of December, 2008.



Justin MacDonald, B.Sc.



LEGEND

Lithologic Units

UNKNOW/AGE
 OqVn Mineralized quartz vein
 tdy Tonalite dyke
 mdy Plagioclase porphyry mafic dyke

PLEISTOCENE AND RECENT
 Unconsolidated
 oq overburden

LATE CRETACEOUS
 LKr Rhyolite
 LKg Equigranular biotite granite

JURASSIC
 LmV Unnamed andesitic volcanics

LOWER JURASSIC
 LKa Laborge Group argillite
 LKl Laborge Group limestone

MIDDLE TRIASSIC
 LKv Stuhni Group volcanics, undivided

DEVONIAN - TRIASSIC
 DTfBR Boundary Ranges Metamorphic Suite, undivided

• Soil Sample
 • u Rock Sample (Grab Bag)
 • Drill Hole

Major fault, normal
 Contact Defined
 Contact Inferred
 Trails

Golden Eagle Claims with Tenure Number
 Map Completion Limit

45 Bedding
 45 Vein
 45 Foliation
 45 Vein, vertical
 45 Dyke
 45 Fold Axis


0 250 500 metres

TroyMet
 EXPLOREATION CORP

Golden Eagle Project

North Mountain-Middle Ridge-South Mountain Geology

Date: Dec 2008 Scale: 1:5,000 Figure
 U.T.M. Zone Mining District
 N.T.S. 1048115 State/Province BC 6a



Lithologic Units

UNKNOWN AGE

- Qiv Ven Mineralized quartz vein
- tdy Tonalite dyke
- mdy Plagioclase porphyry mafic dyke

PLEISTOCENE AND RECENT

Unconsolidated

- Opy overburden

LATE CRETACEOUS

- Rhy Rhyolite

JURASSIC

- IKG Equigranular basaltic granite
- lnsv Unnamed andesitic volcanics

LOWER JURASSIC

- LJLs Laberge Group argillite
- LJLs Laberge Group limestone

UPPER TRIASSIC

- uTTrsv Shuhai Group volcanics, undivided

DEVONIAN - TRIASSIC

- DTRR Boundary Range Metamorphic Suite, undivided

Legend:



- Soil Sample
- ◼ Rock Sample (grain flow)
- Drill Hole
- ~ Major fault, normal
- ~ Contact Defined
- ~ Contact Inferred
- ▭ Claim Outline
- - - Map Completion Limit
- 45 Bedding
- 45 Foliation
- 45 Joint
- 45 Dyke
- 45 Vein
- 45 Fold Axis
- 45 Fault
- 45 Lamination

TroyMet
EXPLORATION CORP.

Golden Eagle Project

North Mountain-Middle Ridge-South Mountain Geology

Date: Dec 2008 Scale: 1:5,000 Figure
 U.T.M. Zone 18N Mining District Attn
 N.T.S. 104M/15 State/Province BC



Lithologic Units	
UNKNOWN AGE	
Qtz Vein	Mineralized quartz vein
Qtz/Chl	Quartz-chlorite vein
Zfzbx	Fault breccia
Zfzg	Fault gouge
PLEISTOCENE AND RECENT	
<i>Unconsolidated</i>	
Ogv	overburden
LATE CRETACEOUS	
LKr	Rhyolite
LKr Bx	Rhyolite breccia
LKg	Equigranular biotite granite
LOWER JURASSIC	
UJa	Laberge Group argillites
DEVONIAN - TRIASSIC	
DTrBR	Boundary Ranges Metamorphic Suite
DTrdi	Diorite to granodiorite in the Boundary Ranges
---	inferred geologic contact
- - -	inferred mineralized veins

HoleID

Au ppm Histogram
2 mm/ppm at 1:1000

Au ppm

Ag ppm Histogram
0.2 mm/ppm at 1:1000

Ag ppm

EOH



TAN08-16
279.5m

TroyMet Exploration Corp.

Golden Eagle Property

TAN08-16 Drill Section

Date: OCT 2008	Scale: 1:1000	Figure
UTM: 10M 8 - NAD83	Mining District: ATLIN	7a
N.T.S. 104M/86, 87, 96	State/Province: BC	



Lithologic Units	
UNKNOWN AGE	
Qtz Vein	Mineralized quartz vein
Qtz/Chl	Quartz-chlorite vein
Zfzbx	Fault breccia
Zfzg	Fault gouge
PLEISTOCENE AND RECENT	
<i>Unconsolidated</i>	
Ogv	overburden
LATE CRETACEOUS	
LKr	Rhyolite
LKr Bx	Rhyolite breccia
LKg	Equigranular biotite granite
LOWER JURASSIC	
UJLa	Laberge Group argillites
DEVONIAN - TRIASSIC	
DTrBR	Boundary Ranges Metamorphic Suite
DTrdi	Diorite to granodiorite in the Boundary Ranges
---	inferred geologic contact
- - -	inferred mineralized veins

■ Au ppm Histogram
 2 mm/ppm at 1:1000

■ Ag ppm Histogram
 0.2 mm/ppm at 1:1000

EOH



■ Au ppm ■ Ag ppm

TroyMet Exploration Corp.


Golden Eagle Property
 TAN08-08, TAN08-09, TAN08-10,
 TAN05-01 & TAN06-04 Drill Sections

Date: OCT 2008	Scale: 1:1000	Figure
UTM 8 - NAD83	Mining District	ATLIN
N.T.S. 104M/86, 87, 96	State/Province	BC

7b





Lithologic Units	
UNKNOWN AGE	
Qtz Vein	Mineralized quartz vein
Qtz/Chl	Quartz-chlorite vein
Zfzbx	Fault breccia
Zfzg	Fault gouge
PLEISTOCENE AND RECENT	
<i>Unconsolidated</i>	
Ogv	overburden
LATE CRETACEOUS	
LKr	Rhyolite
LKr Bx	Rhyolite breccia
LKg	Equigranular biotite granite
LOWER JURASSIC	
ULa	Laberge Group argillites
DEVONIAN - TRIASSIC	
DTrBR	Boundary Ranges Metamorphic Suite
DTrdi	Diorite to granodiorite in the Boundary Ranges
---	inferred geologic contact
---	inferred mineralized veins



TroyMet Exploration Corp.

Golden Eagle Property
TAN08-15, TAN05-02,
& TAN05-03 Drill Section


Date: OCT 2008 Scale: 1:1000 Figure
 U.T.M. 8 - NAD83 Mining District ATLIN
 N.T.S. 104M/86.87.96 State/Province BC 7C



Lithologic Units

UNKNOWN AGE	
Qtz Vein	Mineralized quartz vein
Qtz/Chl	Quartz-chlorite vein
Zfzbx	Fault breccia
Zfzgz	Fault gouge
PLEISTOCENE AND RECENT	
Unconsolidated	
Ogv	overburden
LATE CRETACEOUS	
LKr	Rhyolite
LKr Bx	Rhyolite breccia
LKg	Equigranular biotite granite
LOWER JURASSIC	
UJa	Lalberge Group argillites
DEVONIAN - TRIASSIC	
DTrBR	Boundary Ranges Metamorphic Suite
DTrdi	Diorite to granodiorite in the Boundary Ranges



--- inferred geologic contact
 - - - inferred mineralized veins




TroyMet Exploration Corp.

Golden Eagle Property
 TAN08-05, TAN08-07, TAN08-11,
 & TAN08-14 Drill Section

	Date: OCT 2008	Scale: 1:1000	Figure
	U.T.M. Zone: 11M 8 - NAD83	Mining District: ATLIN	7d
	N.T.S. 104M/86,87.96	State/Province: BC	



Lithologic Units	
UNKNOWN AGE	
Qtz Vein	Mineralized quartz vein
Qtz/Chl	Quartz-chlorite vein
Zfzbx	Fault breccia
Zfzg	Fault gouge
PLEISTOCENE AND RECENT	
<i>Unconsolidated</i>	
Ogv	overburden
LATE CRETACEOUS	
LKr	Rhyolite
LKr Bx	Rhyolite breccia
LKg	Equigranular biotite granite
LOWER JURASSIC	
ULa	Laberge Group argillites
DEVONIAN - TRIASSIC	
DTrBR	Boundary Ranges Metamorphic Suite
DTrdi	Diorite to granodiorite in the Boundary Ranges
---	inferred geologic contact
---	inferred mineralized veins



TroyMet Exploration Corp.

Golden Eagle Property

TAN08-12 & TAN08-13 Drill Section

Date: OCT 2008 Scale: 1:1000 Figure
 U.T.M. Zone: 18N - NAD83 Mining District: ATLIN
 W.F.S. 104M/86.87.96 State/Province: BC 7e