



Ministry of Energy & Mines
 Energy and Minerals Division
 Geological Survey Branch

**ASSESSMENT REPORT
 TITLE PAGE AND SUMMARY**

TITLE OF REPORT [type of survey(s)]	TOTAL COST
HUCKLEBERRY MINES LIMITED 2008 DIAMOND DRILL PROGRAM ON THE WHITING CREEK PROPERTY	\$1,109,329

AUTHOR Gary Lyle Roste, P. Geo. SIGNATURE(S) _____

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S) 08-0200299-1714 YEAR OF WORK 2008

STATEMENT OF WORK - CASH PAYMENT EVENT NUMBER(S)/DATE(S) Event number 4295528

PROPERTY NAME Whiting Creek

CLAIM NAME(S) (on which work was done) 515336, 515338, 515343

COMMODITIES SOUGHT Cu Mo

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN 093E 049, 093E 050, 093E 112 093E 113

MINING DIVISION Omineca NTS 093E 11E 0933E 14E

LATITUDE 53° 45.5' N LONGITUDE 127° 12' W (at centre of work)

OWNERS(S)

1) HUCKLEBERRY MINES LIMITED 2) _____

MAILING ADDRESS

PO Box 3000

Houston BC, VOJ 1Z0

OPERATORS(S) [who paid for the work]

1) HUCKLEBERRY MINES LIMITED 2) _____

MAILING ADDRESS

PO Box 3000

Houston BC, VOJ 1Z0

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Stockwork Molybdenum deposit, Upper Cretaceous Whiting Creek Stock, pyrite halo, quartz stockwork

REFERENCE TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS 27613 27002

26443 25850 24064 23289 22109 10052 09897 09119 08757 05287 03961

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL			
(number of samples analysed for ...)			
Soil			
Silt			
Rock			
Other			
DRILLING			
(total metres; number of holes, size)			
Core	7 holes BTW 2028.43m		\$1,050,746
Non-core			
RELATED TECHNICAL			
Sampling/ assaying			\$8,823
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY/PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			\$24,880
Trench (metres)			
Underground dev. (metres)			
Other	Reclamation		\$24,880
TOTAL COST			\$1,109,329

HUCKLEBERRY MINES LIMITED

BC Geological Survey
Assessment Report
31128

2008 DIAMOND DRILL PROGRAM

ON THE

WHITING CREEK PROPERTY

MINERAL TENURES

515336

515338

515343

OMINECA MINING DIVISION

LATITUDE: 53°45.5'N LONGITUDE: N127°12' W

NTS 093E/11E 093E14E

(TRIM 093E.074 093E.075)

for

Owner: Huckleberry Mines Limited

Operator: Huckleberry Mines Limited

SUMMARY

A helicopter supported diamond drilling program on the Whiting Creek property began on July 17 and ended on October 5 of 2008. The program consisted of seven drillholes for a total of 2,028.43 metres of BTW diamond drilling.

The Whiting Creek property is a large copper-molybdenum alkalic porphyry system situated 9 kms north of the Huckleberry Mine and 80 kms southwest of Houston, B.C.

The Whiting Creek property is comprised of 3 contiguous mineral tenures covering just over 3000 hectares. The property is situated in the Omineca Mining Division and Huckleberry Mines Ltd. holds a 100% interest in the property.

The drilling contractor was Ken Worthing Contracting based in Burns Lake, B.C. and the drill was a fully hydraulic, D-1 made by Multi Power Systems in Kelowna. The drill was moved using a helicopter and five of the seven holes required that the crew be flown to and from the drill. Two of the holes, WC-08-02 and WC-08-07, were drilled off existing roads so the crew was able to drive a pickup or quad to the site. Westland Helicopters of Houston, B.C. was the main helicopter contractor. Canadian Helicopters base in Smithers, B.C., provided an A-Star for times when Westland's Long Ranger 206L was unavailable to move the drill due to prior commitments. The crew was moved between the drill and Huckleberry mine using Westland's Bell 206B.

The geology and drilling crews stayed at the Huckleberry mine camp and were provided with excellent room and board. The core was flown to the mine site daily where it was logged, split and assayed using the mine's facilities.

Three wooden drill platforms were constructed by employees of CJL of Smithers, B.C. while the drill and/or geology crews constructed the other three.

The program was initially designed to focus on the Upper Ridge Zone in the northeastern portion of the property, an area that had not been previously drilled. Four holes were originally planned for the zone but after disappointing results from the first hole, WC-08-01, a decision was made to move the drill to a large mo-in-soils anomaly situated just to the northwest of the Ridge Zone. Two holes had originally been planned for this zone but in the end five holes were completed. Of these five holes, three had to be terminated early due to drilling difficulties. This zone is now referred to as the Moly Creek Zone for the large amount of molybdenite-bearing stockwork quartz veining outcropping in the creek bed. The

host rock for the quartz veining is hornfelsed volcanic tuffs similar to those found at the Huckleberry Mine.

The five holes drilled in the Moly Creek zone returned good values in molybdenum but weaker than anticipated copper values.

The last hole of the 2008 program, WC-08-07, was drilled in the southwestern portion of the Creek Zone and targeted an area where previous drilling had returned good values in both copper and molybdenum. The hole returned 0.040% copper but almost no significant molybdenum values. The hole was lost at 189.89 metres and was moderately improving in grade and alteration over the last 35 metres. For results of the 2008 drilling program see table below.

WHITING CREEK DRILLING RESULTS- 2008

Hole	Dip	Azimuth	Depth (m)	Cu %	Mo %	Width (m)	From	To
WC-08-01	-90	0	353.57	0.035	0.000	349.32	4.25	353.57
WC-08-02	-80	275	365.75	0.056	0.022	360.45	5.30	365.75
	incl.			0.091	0.027	110.50	5.30	115.80
	incl.			0.088	0.046	57.50	290.00	347.50
WC-08-03	-60	135	105.77	0.051	0.057	105.77	0.00	105.77
WC-08-04	-90	0	374.90	0.043	0.028	366.40	8.50	374.90
WC-08-05	-65	120	405.38	0.034	0.013	398.18	7.20	405.38
	incl.			0.040	0.023	87.50	145.00	232.50
WC-08-06	-55	240	233.17	0.066	0.016	224.27	8.90	233.17
	incl.			0.108	0.038	45.67	187.50	233.17
WC-08-07	-60	225	189.89	0.040	0.002	186.19	3.70	189.89
		Total	2028.43					

618500

619000



Hornfels volcanics with quartz stockwork containing Mo & Cu

Monzonitic Intrusion

Sample ID 484164
Cu: 0.058%
Mo: 0.002%

Sample ID 484165
Cu: 0.147%
Mo: 0.129%

WC-08-06
-50/240

0.066%Cu, 0.016%Mo (224.27 m)

WC-08-03
-60/135

0.051%Cu, 0.057%Mo (105.77 m)

WC-08-02
-80/275

0.056%Cu, 0.022%Mo (360.45 m)

WC-08-04
-90/0

0.043%Cu, 0.028% Mo (366.40 m)

WC-08-05
-65/110

0.034%Cu, 0.013%Mo (398.18 m)

DDH-21

DDH-Q72-1

Moly Creek

WHITING CREEK PROPERTY

2008 Exploration

- 2008 Field Sample
- 2008 Diamond Drill Hole
- Old Diamond Drill Hole (pre-2008)
- Intrusive Boundary
- Soil Geochem: Mo = 300ppm
- Soil Geochem: Mo = 100ppm
- Existing Roads




Figure:	UTM Zone 9, NAD83
Date: October, 2009	Drawn By: MD

5959000

5959000

5958500

5958500

TABLE OF CONTENTS

	PAGE
SUMMARY	2
INTRODUCTION	7
2.0 LOCATION AND ACCESS	8
3.0 PHYSIOGRAPHY	11
4.0 LAND TENURE AND OWNERSHIP	11
5.0 PROPERTY HISTORY	13
6.0 GEOLOGY	
6.1 Regional Geology	14
6.2 Property Geology	16
6.3 Mineralization	18
7.0 PROSPECTING	19
8.0 DRILLING	21
9.0 CONCLUSIONS AND RECOMMENDATIONS	27
10.0 REFERENCE LIST	30
11.0 LIST OF PERSONNEL and EXPENDITURES	31
12.0 STATEMENTS OF QUALIFICATIONS	33

FIGURES		PAGE
Figure 2.1	General Location Map	9
Figure 2.2	Detailed Location Map	10
Figure 4.1	Claim Map	12
Figure 6.1	Regional Geology	15
Figure 6.2	Property Geology	17
Figure 7.1	Rock Sample Location Map	20
Figure 8.1	Drill-hole Location Map	23

TABLES

Table 4.1	Claim Status	11
Table 7.1	Prospecting Sample Results	19
Table 8.1	Drillhole Specifications	21
Table 8.2	Drilling Results	22
Table 9.1	Proposed Drillholes	29
Table 9.2	Proposed Work Budget	29

APPENDICES

Appendix A	Drill Logs
Appendix B	Analytical Results
Appendix C	Drill Core Handling Procedure
Appendix D	Analytical Technique
Appendix E	Prospecting Sample Location and Description
Appendix F	Photos

1.0 INTRODUCTION

The Whiting Creek Property is situated in the Central Interior of the Province of British Columbia, approximately 80 kilometres southwest of the town of Houston, BC. The claims lie in the Omineca Mining Division on NTS map sheets 093E/11E and 093E/14E (TRIM 093E.074 and 093E.075). Huckleberry Mines Ltd. has 100% interest in Mineral Tenures 515336, 515338 and 515343. The mineral tenures encompass claims formerly known as the Whit Mineral Claims, and are subject to an agreement dated May 1, 1992 between New Canamin Resource Ltd. and Kennecott Canada Inc.

The drainages of Whiting Creek and Rusty Creek have attracted mineral exploration for close to a century owing to the spectacular gossan produced by the weathering of sulphide minerals in and around the Whiting Creek Stock. Portions of the area have accordingly been explored by geochemical, geophysical and diamond drilling surveys.

As a result of these surveys, the Whiting Creek property hosts a partially delineated resource of 123.5 million tonnes at 0.062% Cu and 0.025% Mo (0.043 % MoS₂) in the Ridge Zone. Higher-grade zones have been reported within this area. Because of the preliminary nature of the resource estimates, further work is required to upgrade the level of confidence in the estimates.

The initial phase of the 2008 drilling was to test the Upper Ridge zone situated approximately 1200 metres northwest of the Ridge zone. Results of the first hole in the Upper Ridge zone were disappointing so the focus was shifted to the Moly Creek zone situated adjacent to the northwest side of the Ridge zone.

2.0 LOCATION AND ACCESS


The Whiting Creek property consists of 3 mineral tenures encompassing a surface area of approximately 3059 hectares. The claims are located on the western margin of the Central Interior physiographic region of the Province of British Columbia, Canada on National Topographic System sheets 093E 11E / 093E 14E (TRIM 093E.074 093E.075). The claims are centered at approximately Universe Transverse Mercator (UTM) co-ordinates 618500E, 5956500N using North American Datum (NAD) 83, or latitude 53°45.5' N longitude 127°12' W. Huckleberry Mines Ltd., 1030-999 West Hastings St., Vancouver, British Columbia, V6B 2W2, holds a one hundred per cent interest in the Whiting Creek Mineral Tenures subject to an agreement with Kennecott Canada Inc. The claims have not been legally surveyed.

The 2008 drilling program on the Whiting Creek property consisted of six drillholes on claim 515338 and one drillhole on claim 515336. No physical work was performed on tenure 515343 apart from some road maintenance where a small portion of the access road crosses into the claim.

The property is situated approximately 80 kilometres south of the town of Houston in the Central Interior of British Columbia.

Houston is a major supply and industrial centre and is serviced by the CNR transcontinental railway as well as by Highway 16, a major thoroughfare. Daily air service to Vancouver is available from Smithers, BC, approximately 70 kilometres by road to the west of Houston.

From Houston, access to the property is mostly on good gravel logging roads. Road access is achieved by first travelling west from Houston on Highway 16 to the intersection with the Morice Forest Service Road; then south 56.5 km on the Morice FSR and the Morice Owen FSR to the intersection with the Morice Nadina Forest Service Road. Travel is then south and west along the Morice Nadina FSR/ Huckleberry Mine road a further 57 kilometres to km 113 where the Sweeney FSR leaves the Huckleberry Mine road near the crossing of Whiting Creek. Travel is then west along the Sweeney FSR approximately 9 kilometres to the junction of the Whiting Creek exploration road. Travel is then by 4 wheel drive vehicle north along the road approximately 3.3 kilometres to Whiting Creek. A bridge was installed across Whiting Creek on July 7th to permit access to the drill sites. From the bridge it is roughly 3.5 kilometres to the Upper Ridge zone.



PACIFIC
OCEAN

**WHITING
CREEK CLAIMS**

**WHITING CREEK PROPERTY
2008 EXPLORATION**

Figure 2.1 - General Location Map




Figure: 2.1

Scale: As Shown

Date: October 2009

Drawn By: MD



3.0 PHYSIOGRAPHY

The property lies at the eastern margin of the Sibola Range. The district is located in the Tahtsa Ranges physiographic region of central British Columbia. Relief is moderate on the property with a maximum difference in elevation of approximately 400 metres.

Climate is transitional between that of the Coast Ranges and that of the Central Interior, with short cool summers, and long relatively mild winters. Annual temperature variation in the region is approximately -25 to +25 degrees Celsius. Snowpack in the winter ranges from approximately 1 to 4 metres. The operating season for ground based activities such as geological mapping, surface sampling and geophysical surveys would extend from approximately late June to late October.

The property is covered by a mature stand of mixed coniferous trees. The Ridge Zone at Whiting Creek extends from sub-alpine to alpine tundra and un-vegetated talus.


4.0 LAND TENURE AND OWNERSHIP

The Whiting Creek property consists of 3 mineral tenures encompassing a surface area of approximately 3059 hectares.

Table 4.1 Claim Status

Summary of Mineral Tenures. Whiting Creek claim group.

Tenure No.	Area (ha)	Issue Date	Expiration Date
515336	1071.063	2005 06 27	2010 10 31
515338	1146.785	2005 06 27	2011 10 31
515343	841.593	2005 06 27	2011 10 31



616000

618000

620000

622000

5960000

5960000

5958000

5958000

5956000

5956000

5954000

5954000

5952000

5952000



515338

515336

515343

Whiting
Creek

Sweeney Lake

**WHITING CREEK PROPERTY
2008 EXPLORATION**

Figure 4.1 - Claim Map

— Claim Boundary

0 500 1,000 2,000 Metres

Figure: 4.1	UTM Zone 9, NAD83
Date: October, 2009	Drawn By: MD

4.0 PROPERTY HISTORY

The spectacular gossan on the south slope of Sibola Peak has attracted mineral exploration for almost 100 years. Portions of the Whiting Creek property were staked in the early part of the 20th century, and explored for precious metals. Kennco Explorations (Western) Ltd. staked the Rusty Creek drainage in 1962, and actively explored the property. The property was subsequently optioned to Quintana Minerals Corporation in 1972, SMCD Mining Ltd. in 1980-81 and New Canamin Resources in 1992. Huckleberry Mines Ltd. is a successor to New Canamin and is conducting the current phase of work.

4.2 Previous Exploration – Whiting Creek

The first recorded work in the area was in 1913 with the discovery of placer gold in Sibola Creek (Cann and Smit, 1995). Exploration of the drainages on Sibola Peak resulted in the discovery of precious and base metal veins in Whiting Creek. Kid Price, a mining pioneer in the central interior of British Columbia, reportedly worked placer and lode claims in the Whiting Creek drainage.


Kennco Explorations (Western) Ltd. while following up stream sediment sample staked portions of the area in 1962, and followed up with geochemical, geophysical and diamond drill programs which led to the discovery of the Ridge Zone. In 1972, Quintana Minerals drilled a single hole to 457 metres in the upper reaches of the Ridge zone. In 1980-81, SMDC followed up with geochemical, geophysical, mapping, percussion drilling and diamond drilling programs. This work led to the statement of a drill-inferred resource of 123.5 million tonnes at 0.062% Cu and 0.043% MoS₂ (0.025% Mo) including 40 million tonnes at 0.17% Cu and 0.10% MoS₂ (0.06% Mo) (Cann and Smit, 1995). These resource estimates were made before the implementation of National Instrument 43-101 regarding the reporting of mineral resources, and may not be compliant with that standard.

6.0 GEOLOGY

6.1 Regional Geology

The rocks underlying the Whiting Creek property have been assigned to Lower to Middle Jurassic Hazelton and Bowser Lake Groups (MacIntyre, 1985). The oldest rocks in the area are the andesitic fragmental unit of the Lower Jurassic (Sinemurian) Telkwa Formation (IJf) of the Hazelton Group. These have been described as thin to thick bedded red to green lapilli, lithic, crystal and ash tuff, tuff breccia, agglomerate and porphyritic andesite flows. Rocks of this unit exposed west of the claims are comprised of red, green and maroon agglomerate typical of the Telkwa Formation. To the east, the Jurassic Rocks are unconformably overlain or in fault contact with a basal conglomerate attributed to the Cretaceous Skeena Group.

The Jurassic sequence has been intruded by plugs of granodiorite and quartz-feldspar porphyry assigned to the Upper Cretaceous Bulkley Intrusions.



WHITING CREEK PROPERTY

Figure 6.1 - REGIONAL GEOLOGY

- qd : Bulkeley Plutonic Suite quartz-dioritic intrusives
- fp : Bulkeley Plutonic Suite feldspar porphyritic intrusives
- qp : Bulkeley Plutonic Suite quartz phyrlic, felsitic intrusives
- ca : Hazelton Group calc-alkaline volcanics
- s : Skeena Group undivided sedimentary rocks
- v : Skeena Group undivided volcanic rocks
- gd : Kasalka Plutonic Suite grandodioritic intrusives
- va : Kasalka Group andesitic volcanics
- sf : Bowser Lake Group mudstone, siltstone, shale, fine clastic sedimentary rocks
- Fault
- Whiting Creek Property Claims

Geology After:
 Massey, N.W.D., MacIntyre, D.G., Haggart, J.W., Desjardins, P.J.,
 Wagner, C.L. and Cooney, R.T., 2005: Digital Map of British Columbia:
 Tile NN8-9 North Coast and Queen Charlotte Islands/Haida Gwaii,
 B.C. Ministry of Energy and Mines, GeoFile
 2005-5.

0 1,250 2,500 5,000 Metres

Date: October 2009

6.2 Property Geology

Rocks attributed to the Lower-Jurassic (Sinemurian) Telkwa Formation underlie much of the property. Where unaffected by the pervasive hydrothermal alteration, rocks of the Telkwa Formation appear as green and maroon volcanics and volcanoclastics.


The volcanic rocks of the Telkwa Formation have been intruded by a number of Upper Cretaceous intrusions. The mineralized zones discussed in this report are associated with these intrusions.

The Ridge Zone is partially underlain by a body of aplitic quartz porphyry. The rock is highly siliceous, with rounded quartz eyes, and is associated with quartz molybdenite mineralization.

The main mass of intrusive rocks within the claim boundaries is the Whiting Stock, which is a body of biotite granodiorite approximately 3km by 4 km in surface dimensions. Radiometric dates fall in the range of 81.3 to 84.1 MA, which places the Whiting stock with the Bulkley Intrusions. Copper-molybdenum mineralization has been reported from diamond drill holes in the Creek and Rusty Zones. Other spatially related intrusive rocks include quartz monzonite porphyry and monzonite/latite porphyry.

A set of rhyolite (felsite) dykes cut all the above lithologies, and appear as prominent narrow ridges protruding from talus in the slopes above timberline.

A pyrite halo approximately 6 km by 3 km in plan dimensions has developed throughout the intrusive and country rocks. Pyrite contents locally reach 8 per cent. Weathering of the halo above the tree line has produced a suite of oxide minerals including limonite, hematite and jarosite. These minerals impart the brilliant red, brown and yellow alteration colouring seen in the headwaters of Rusty Creek. Oxidation is locally so intense as to produce ferricrete.



6.3 Mineralization

Three areas of mineralization have been reported or observed on the Whiting Creek property. These are the Creek Zone, the Ridge Zone and the Rusty Zone.

Creek Zone

The Creek Zone Cu-Mo occurrence is exposed east and north of the junction of Rusty Creek with Whiting Creek. Earlier diamond drill programs had intersected a copper bearing zone near the junction: DDH26 reported 0.26% Cu over 180 metres and DDH43 had reported 0.26% Cu over 200 metres. On the strength of this drilling and a strong underlying IP response, four holes were drilled in 2000. Hole DDHWC00-03 is located approximately 250 metres north of DDH43 and reported 0.328% Cu and 0.016%Mo over 135 metres. The mineralization observed in core occurs as fracture fillings in a medium grained biotite plagioclase granodiorite included with the Whiting Creek stock. The hole is located approximately 650 metres south of the Ridge zone, and historical soil sampling had reported a >200ppm Cu in soils anomaly in the intervening gap. Accordingly, with some overlap with previous surveys, an IP grid was laid out to cover the area between the Creek Zone and the Ridge Zone.

As a result of the surveys, the Creek Zone copper-in-soils anomaly can be traced for approximately 2200 metres in a north-south direction, and approximately 900 metres east-west at a copper concentration of greater than 200 parts per million. For comparison, the Main Zone anomaly on the Huckleberry deposit is approximately 1200 metres by 900 metres. The East Zone at Huckleberry was masked by glacio-lacustrine deposits, and did not have any significant geochemical expression.

Ridge Stockwork Mo Zone

The Ridge stockwork molybdenum zone has been the location of considerable diamond drill activity in previous surveys. The zone has been traced by diamond drilling and trenching discontinuously over a strike length of approximately 800 metres on the ridge that forms the divide between Rusty Creek, Whiting Creek and Comb Creek to the northeast.

Highlights of historical drilling include 0.06% Cu and 0.07% Mo over 62 metres in DDH24, and 0.055% Cu and 0.11% Mo over 285 metres in DDH25. The Mo-Cu mineralization is associated with a body of aplitic quartz porphyry which appears to be a northwesterly trending apophysis on the northern margin of the Whiting Creek stock.

Rusty Zone: penetrative alteration


The Rusty Zone is characterized by the development of an extensive carapace or blanket of ferricrete, which is comprised of till and alluvium cemented by iron oxides.

7.0 PROSPECTING

A limited amount of prospecting was performed during the drilling program. A total of nine samples were collected and analyzed at the Huckleberry Mine Lab for copper and molybdenum.

Table 7.1 Rock sample Results.

SAMPLE	EASTING	NORTHING	Cu %	Mo %
484160	616856	5959235	0.049	0
484161	616882	5959201	0.047	0
484162	616873	5959181	0.012	0
484163	616828	5959138	0.01	0
484164	618810	5959169	0.058	0.002
484165	618810	5959160	0.147	0.129
484166	617198	5959069	0.109	0
484167	617205	5959060	0.006	0
484168	618459	5957972	0.174	0.003



8.0 DRILLING

TABLE 8.1 Drillhole Specifications.

HOLE	EASTING	NORTHING	ELEV	DIP	STRIKE	LENGTH
WC-08-01	618293	5959853	1980	-90	0	353.57
WC-08-02	618897	5958965	1625	-80	275	365.75
WC-08-03	618603	5958883	1600	-60	135	105.77
WC-08-04	618603	5958883	1600	-90	0	374.90
WC-08-05	618549	5958755	1580	-65	110	405.38
WC-08-06	618927	5959190	1715	-50	240	233.17
WC-08-07	618518	5956458	1219	-60	225	189.89
					Total m	2028.43

A helicopter supported drilling program at Whiting Creek began on July 17, 2009 and ended on October 5, 2009. The program consisted of drillholes for a total of 2,028.43 metres of BTW diamond drilling.

The drilling contractor was Ken Worthing Contracting based in Burns Lake, B.C. and utilized a fully hydraulic D-1 made by Multi Power Systems in Kelowna. The drill was moved using a helicopter and five of the seven holes required that the crew be flown to the drill.

Three wooden drill platforms were constructed by CJL of Smithers, B.C.

Of the seven holes, three of them were lost, partly due to driller inexperience and partly due to ground conditions. A future drill program should utilize a larger skid mounted drill capable of overcoming difficult ground conditions and eliminate the need for a helicopter to move the drilling equipment and crew.

The program was initially designed to mainly test the Upper Ridge Zone in the northeastern portion of the property, an area that had not been previously drilled. Four holes were originally planned for the zone but after disappointing results from the first hole, WC-08-01, a decision was made to switch the focus to a large mo-in-soils anomaly in the central-eastern portion of the property where two holes had been planned. The molybdenum in soils anomaly is an 800m by 400m area and contains a few areas greater than 200ppm Mo.

This anomaly is underlain by Hornfelsed volcanic rocks similar to the main host rock at Huckleberry Mine. These rocks are cut by stockwork quartz veining containing molybdenite and lesser amounts of chalcopyrite.


This zone is a northern extension of the Ridge Zone but had seen only limited drilling. Only three drill holes been previously emplaced in this zone, a 280 metre drill hole and two short Winkie drill holes. All three of these holes were drilled on the northeastern edge of the zone and yielded good results. The next five holes were drilled in this zone and returned good values in moly but disappointing copper values.

The last hole, WC-08-07, was drilled in the southwestern portion of the Creek Zone and targeted an area where previous drilling had returned good values in both copper and molybdenum. The hole returned 0.040% copper but almost no significant molybdenum values. The hole was lost at 189.89 metres and was moderately improving in grade and alteration over the last 35 metres.

Table 8.2 Drilling Results.

WHITING CREEK DRILLING RESULTS- 2008

Hole	Dip	Azimuth	Depth (m)	Cu %	Mo %	Width (m)	From	To
WC-08-01	-90	0	353.57	0.035	0.000	349.32	4.25	353.57
WC-08-02	-80	275	365.75	0.056	0.022	360.45	5.30	365.75
incl.				0.091	0.027	110.50	5.30	115.80
incl.				0.088	0.046	57.50	290.00	347.50
WC-08-03	-60	135	105.77	0.051	0.057	105.77	0.00	105.77
WC-08-04	-90	0	374.90	0.043	0.028	366.40	8.50	374.90
WC-08-05	-65	120	405.38	0.034	0.013	398.18	7.20	405.38
incl.				0.040	0.023	87.50	145.00	232.50
WC-08-06	-55	240	233.17	0.066	0.016	224.27	8.90	233.17
incl.				0.108	0.038	45.67	187.50	233.17
WC-08-07	-60	225	189.89	0.040	0.002	186.19	3.70	189.89
		Total	2028.43					



WC-08-01
Dip/Az: -90/0
Length: 353.57m

WC-08-03
Dip/Az: -60/135
Length: 105.77m

WC-08-04
Dip/Az: -90/0
Length: 374.90m

WC-08-05
Dip/Az: -65/110
Length: 405.38m

WC-08-06
Dip/Az: -50/240
Length: 233.17m

WC-08-02
Dip/Az: -80/275
Length: 365.75m

WC-08-07
Dip/Az: -60/225
Length: 189.89m

Moly Creek

DRILL HOLE DESCRIPTIONS

WC-08-01

Drillhole WC-09-01 was planned to be the first of four holes designed to test the Upper Ridge Zone, an area of high magnetometer response and a 200ppm copper-in-soils anomaly. The drillhole was situated roughly 1km north-northeast of the northernmost drilling in the Ridge Zone.

The hole was drilled on an orientation of -90 and to a depth of 353.57 metres. The hole encountered hornfelsed volcanics containing abundant pyrite and lesser amounts of chalcopyrite. The hole averaged 0.035% copper over its entire length. The highest copper assay returned was 0.14%. No significant values for molybdenum were returned.

WC-08-02

This hole was the first of five holes designed to test the large 100 to >300ppm mo-in-soils anomaly that lies just to the north of the Ridge Zone. The extent of the >100ppm contour is roughly 800 by 400 metres and elongated in a northeast-southwest direction. The >100ppm anomaly contains two large >300ppm zones, one in the centre and one at the northeast end. Holes WC-08-03, 04 and 05 tested the central 300ppm zone and hole WC-08-06 was designed to test the northern 300ppm zone.

Hole WC-08-02 was collared roughly in the same location as old Winkie holes W2 and W3. Hole W2 was vertical and returned values of 0.22% copper and 0.04% molybdenum over 22.6 metres.

Hole WC-08-02 was drilled in an orientation of -80 towards 275 and encountered hornfelsed volcanics cut by a few barren felsic dykes. The Hornfelsed volcanics contained stockwork quartz veining containing pyrite, molybdenite and trace amounts of chalcopyrite. The hole returned values of 0.056% copper and 0.022% molybdenum over 365.75 metres. The hole contained two higher grade intervals. The interval from 5.30m to 115.80m graded 0.091% copper and 0.027% molybdenum over 110.50 metres.

From 290.00m to 347.50m the grade was 0.088% copper and 0.046% molybdenum over 57.50 metres. The hole was terminated in a barren felsic dyke.

WC-08-03

Hole WC-08-03 was drilled on an azimuth of 135 and a dip of -60 in an attempt to drill under moly creek from northwest to southeast to see if the creek lay on a structure that had served as a conduit for mineralization. Unfortunately the hole was lost at only 105.77 metres and did not get close to accomplishing the goal. The hole was in hornfelsed volcanics containing stockwork quartz veining containing pyrite, molybdenite and trace amounts of chalcopyrite.

The hole achieved the overall highest grade intersection for molybdenum averaging 0.057% mo over 105.77 metres. The hole averaged 0.051% copper. The highest value for molybdenum was 0.137% from 60.00 to 62.50m.

WC-08-04

After the loss of the previous hole the head was set at -90 on the same pad and hole WC-08-04 was drilled to a depth of 374.90 metres. The hole was collared in hornfelsed volcanics with cu-mo mineralized stockwork quartz veining down to 268.20m. The hole then cut a barren felsic dyke from 268.20m to 285.04m. From 285.04 to the end of hole at 374.90m the rock was mineralized hornfelsed volcanics again. The hole was terminated because the drill had apparently reached it's depth capacity. Upon pulling the rods it was discovered that the drill bit had come off the core barrel. It was decided not to attempt to continue the hole. Unfortunately, the last sample from the bottom of the hole assayed 0.085% mo.

The entire hole averaged 0.043% copper and 0.028% molybdenum over 374.90 metres. Excluding the barren dyke, the two intervals of mineralized hornfelsed volcanics averaged 0.092% copper and 0.027% mo from 5.30m to 268.20m and then .037% cu and 0.029% mo from 285.00m to the end of hole at 374.90 metres. The hole returned six assays greater than 0.10% mo.

WC-08-05

Hole WC-08-05 was collared 135 metres south-southwest of holes WC-08-03 and 04. The hole was drilled on an azimuth of 120 and a dip angle of -65, again in an attempt to drill under the creek. The hole was successful in passing under the creek and testing whether the creek was the surface expression of a structure possibly containing more intense stockwork quartz veining. The drillhole traversed approximately 180 metres horizontally, thus placing the end of the hole about 80m horizontally past the creek. The entire hole returned values of 0.034% copper and 0.013% molybdenum over 405.38 metres, including a zone from 145.00m to 232.50m that contained 0.040% copper and 0.023% molybdenum over 87.50 metres.

WC-08-06

Hole WC-08-06 was drilled on an azimuth of 240 and a dip of -55 and was designed to test the northern >300ppm mo-in-soil anomaly.

The hole was collared in Hornfelsesd volcanics with weak stockwork quartz veining containing molybdenum. The hole passed through two felsic dykes from 150.38m to 163.87m and 169.90 to 177.68 and then continued in hornfelsesd volcanics until the hole was lost at 233.17 metres. The last interval of volcanics was well mineralized and was improving. The sample from 220.00m to 222.50m returned a value of 0.121% molybdenum. The projected depth of the hole was 400m so the target was not adequately tested.

The hole returned values of 0.066% copper and 0.016% molybdenum over the entire 233.17 metres. The hole contained two intervals of higher grade mineralization. From 122.50m to 135.00m the results were 0.056% copper and 0.030% molybdenum over 12.50 metres. The bottom portion of the hole from 187.50m to 233.17m assayed 0.108% copper and 0.038% molybdenum over 45.67 metres.

The hole was lost when the drill string came apart leaving about 90m of drill rod down the hole. Attempts to retrieve the rods were unsuccessful.

WC-08-07

Hole WC-08-07 was drilled in the southwestern portion of the Creek Zone in an area where previous drilling had returned good values in both copper and molybdenum. The hole was collared between PDH-19 (0.223% Cu, 0.04% Mo over 86.2m), DDH-26 (0.26% Cu over 180m) and PDH-20 (0.24% Cu, 0.02% Mo over 89m).

The hole was drilled on an azimuth of 225 and a dip of -60 and was designed to pass under Rusty Creek to see if the structure was a conduit for mineralization.

The hole was lost when a seam of clay/fault gouge was encountered. Copper values had been improving slightly and potassic alteration was increasing from 155 metres down to end of hole at 189.89 metres.

The hole averaged 0.040% copper and 0.002% molybdenum over 189.89 metres.

The drilling crew de-mobbed on Monday the 6th of October and the temporary bridge over Whiting Creek was removed soon after.

9.0 CONCLUSIONS AND RECOMMENDATIONS

The 2008 drilling program at Whiting Creek was successful in expanding the boundary of significant copper-molybdenum mineralization contained within the Ridge Zone. Although the copper values were relatively low when compared to the Huckleberry mine, some of the molybdenum grades encountered in this drilling program are significantly higher. The Huckleberry mine head grade for 2007 was reported as 0.013% molybdenum while the Main Zone Extension is only 0.005% Mo.

Future drill programs at Whiting Creek should be performed using a conventional skid mounted drill rig in order to decrease costs and increase production rates and provide adequate power to complete holes when difficult ground conditions are encountered. The area receives some extreme weather that greatly hindered flying. Road access to the drill is a must to cut costs. Permits will be required to allow for road construction and a bridge may be required in order to cross Rusty Creek. Water supply can be a problem depending on the time of year. Also, the vertical relief poses pumping problems, especially in the northwestern regions where no drilling has been performed to date.

The property is large scale! The distance between hole WC-08-05 in the southwest of the mo-in-soil anomaly and WC-08-06 in the northwest is nearly 600 metres. Using a conservative width of 200 metres and a depth of 250 metres yields a tonnage of 80.7mT using the same 2.69 specific gravity as Huckleberry (similar rocks). There is excellent potential for finding a large ore deposit.

Further drilling is required to adequately test the properties potential. The entire northwestern portion of the porphyry system, an area roughly 2.5km by 1.5 km is untested by even basic systematic prospecting, let alone drilling. Three grab samples taken this year from the area returned values ranging from 0.047% to 0.109% copper. This zone is mostly outcrop so a detailed program of mapping and rock sampling on a grid spacing of 50 metres would be adequate. This would provide a basic understanding of the area as far as surface mineralization and alteration are concerned. A program of reconnaissance diamond drilling should follow. Perhaps 3 to 4 drillholes, each of 500m depth would be adequate. Water for drilling will be a problem but with the right equipment it can be done. There is a good supply of water in Rusty Creek and with plenty of hose-line and at least one or possibly two intermediate pumping stations, getting the water to the drill should be possible. The difference in elevation between water supply and drill may approach 300 metres. The drill crew should include an extra man to take care of the water system.

The large moly-in-soil anomaly has not been fully tested. At least four more holes (see table below) would be required to complete a "first pass" investigation of the zone. The five holes drilled in the zone this year are insufficient to conclude that the zone does not contain significant copper nor high enough moly grades to warrant further work.

Drillhole WC-08-06 was intended to test the northern portion of the moly-in-soil anomaly but the hole was lost. The hole had only been in the well mineralized volcanic horizon for 45.67 metres. The bottom 45.67 metres of the hole returned the highest copper grade of all 2008 holes at 0.108% along with 0.038% Mo over 45.67m.

The contact zone between the copper/moly bearing volcanics that underlie the mo-in-soils anomaly and the intrusion to the west is untested. There may well be some form of enrichment along this contact.

Table 9.1 Proposed Drill holes.

Hole	Easting	Northing	Elevation	Dip	Azimuth	Depth (m)
A	618715	5959100	1607	-90	0	350
B	618760	5959000	1569	-90	0	350
C	618750	5958900	1547	-90	0	350
D	618705	5958775	1516	-90	0	350
E	618549	5958755	1580	-60	270	500
						Total 1900m

PROPOSED WORK BUDGET

A 1900 metre drill program would take approximately one month to complete assuming we have road access to all the drill pads. The program would cost approximately \$404,750 to complete. A budget for the program is presented below:

Table 9.2 Proposed Work Budget.

Proposed Work Budget

EXPENSE TYPE	VOLUME or USAGE	UNITS	UNIT COST in \$\$\$	Totals
DRILLING-mob-demob	2		5000	10,000.00
DRILLING-(all-in)	1,900	metres	125	237,500.00
ASSAYING	1000	samples	25	25,000.00
HELICOPTER 206	25	hours	1250	31,250.00
TRUCK RENTAL	2	monthly rental	2000	4,000.00
SUPPLIES	1	supplies	5000	5,000.00
ROAD, PAD CONSTRUCTION	300	hours	125	37,500.00
SUPERVISION (1 Geo)	30	days	500	15,000.00
LABOUR (2 helpers)	60	man days	250	15,000.00
REPORT PREP.	7	days	500	3,500.00
MEALS and ACCOMODATION	210	man days	100	21,000.00
TOTAL				404,750.00

10.0 REFERENCE LIST

Blower, S. (2000) A Diamond Drilling Assessment Report on the Whiting Creek Property in Central B.C.

Cann, R. M. and Smit, H. (1995). The Whiting Creek copper-molybdenum porphyry, west central British Columbia *in* CIM Special Volume 46.

Comock, S. John A. (199X), A Geophysical Report on an Induced Polarization Survey on the Whiting Creek Property Near Houston, B.C., Unpublished geophysical report by Lloyd Geophysics for Hucklebeny Mines, Ltd.

Foye, G. and Owsiaiki, G. (1995). MINFILE map NTS 93E Whitesail Lake. Geological Survey Branch Ministry of Energy Mines and Petroleum Resources Province of British Columbia.

Hirst, P. E. (1964), Preliminary Report for Whit Claims, Whiting Creek Area. Internal report for Kennco Explorations, (Western) Limited.

Illerbrun, K.L. (1995), A Geochemical Report on the Whiting Creek &-MO Prospect, Unpublished geochemical assessment report for Huckleberry Mines, Ltd.

Lepitre, M.E., Mortensen, J.K., Friedman, R.M. and Jordan, S.J. (1998), Geology and U-Pb Geochronology of Intrusive Rocks Associated with Mineralization in the northern Tahtsa Lake District, West Central British Columbia.

McIntyre, D.G. (1985), Geology and Mineral Deposits of the Tahtsa Lake District, West Central B.C., EMPR Bulletin #75.

Ogryzlo, Peter (2005), Diamond Drill Program, Whiting Creek.

Smit, H. (1992), Diamond Drill Report on the Whit Claims, Unpublished diamond drilling assessment report for Kennecott Canada, Inc.

Stevenson, R. W. (1967), Progress Report for Whit Claims, Whiting Creek Area. Internal Report for Kennco Explorations, (Western) Limited.

Tindal, M. (2003), Whiting Creek Property. Internal Report for Huckleberry Mines Ltd.

11.0 LIST OF PERSONNEL and STATEMENT OF EXPENDITURES

Huckleberry/Imperial Metals field crew

Name	Employer	Position	Arrived	Departed	# of days	Daily Rate	Total
Gary Roste, P.Geo.	Imperial Metals Corp.	Project Manager	17-Jul	6-Oct	47	500	23,500
Mike Vincent	Huckleberry Mines Ltd.	Senior Geotech.	17-Jul	6-Oct	33	300	9,900
Gilbert Wilson	Huckleberry Mines Ltd.	Geotech.	17-Jul	6-Oct	33	300	9,900
Roger Wilson	Huckleberry Mines Ltd.	Geotech.	17-Jul	6-Oct	33	300	9,900
Rodger Ridsdale	Huckleberry Mines Ltd.	Geotech.	17-Jul	6-Oct	33	300	9,900
Kelsie Callow	Huckleberry Mines Ltd.	Geotech.	17-Jul	6-Oct	6	300	1,800
Total							\$64,900

Contractor Personnel

Ken Worthing	Ken Worthing Contracting Ltd.	Drilling Foreman	17-Jul	6-Oct	65	See below for contractor costs.
Arne Burwash	Ken Worthing Contracting Ltd.	Driller	17-Jul	23-Aug	31	
Lyle Martin	Ken Worthing Contracting Ltd.	Driller	17-Jul	24-Jul	8	
Edwin Martineau	Ken Worthing Contracting Ltd.	Driller	2-Sep	6-Oct	35	
Loren Neilson	Ken Worthing Contracting Ltd.	Drill Helper	17-Jul	6-Oct	65	
Tony Gabriel	Ken Worthing Contracting Ltd.	Drill Helper	17-Jul	6-Oct	65	
Darryl Dyck	Ken Worthing Contracting Ltd.	Drill Helper	17-Jul	6-Oct	65	
Curtis Anderson	Ken Worthing Contracting Ltd.	Drill Helper	17-Jul	6-Oct	65	
Tyson Radley	Radley Contracting Inc.	Excavator Operator	17-Jul	6-Oct	14	
Murray Creighton	Radley Contracting Inc.	Dozer Operator	17-Jul	6-Oct	14	

Norm Rafuse	Westland Helicopters Ltd.	Pilot	17-Jul	6-Oct	45
George Dunlop Ryan	Westland Helicopters Ltd.	Pilot	17-Jul	6-Oct	15
Buchanan	Canadian Helicopters Ltd.	Pilot	17-Jul	6-Oct	6
Tom Brooks	Canadian Helicopters Ltd.	Pilot	17-Jul	6-Oct	2
Pat Rooney	Highland Helicopters Ltd.	Pilot	17-Jul	6-Oct	2
Mike Heusner	CJL Enterprises Ltd.	Pad Builder Foreman	5-Aug	8-Aug	4
Clayton Cole	CJL Enterprises Ltd.	Pad Builder	5-Aug	8-Aug	4

Contractor	Cost		
Ken Worthing Contracting Ltd.	\$657,946		
Radley Contracting Inc.	\$49,760		
Westland Helicopters Ltd.	Flying charges- 206 hours	241,193	
	Westland Fuel charges at \$1.80 per litre	38,872	
Canadian Helicopters Ltd.		\$4,821	
Highland Helicopters Ltd.		\$2,270	
CJL Enterprises Ltd.		\$9,454	
Acme Analytical Labs Ltd.		\$8,823	
	Total	\$1,013,139	Total \$1,013,139

Other Costs		
Fuel (drilling, trucks, etc.)	\$23,740	
Eztrac downhole survey tool rental	\$7,550	
	Total	31,290
		Total \$31,290

Grand Total \$1,109,329

12.0 STATEMENTS OF QUALIFICATION

STATEMENT OF QUALIFICATIONS for Gary Lyle Roste, P. Geo.

I, Gary Lyle Roste, of the city of Quesnel, in the province of British Columbia, do hereby certify:

1. I am a graduate of the University of British Columbia (1986) with a Bachelor of Science degree in Geology.
2. I have been practicing my profession for the past twenty years.
3. I am a registered member of the Association of Professional Engineers and Geoscientists of British Columbia.
4. I maintain an office at 1857 Alma Road, Quesnel, B.C. V2J 6J3.
5. I was on-site during the program and personally supervised the work described in this report.

Signed at:

Vancouver, British Columbia

Date:



Gary Lyle Roste, P. Geo.

APPENDIX A

DRILL LOGS

Huckleberry Mines Ltd.

QA/QC COMPLETE

Hole No. **WC-08-01** Collar Northing: 5959853
 Location: **Whiting Creek** Easting: 618293
 Inclination: **-90** Elevation: 1980 metres
 Azimuth: Date Started: July 19, 2008
 Depth(m) **353.7m** Date Comp: Jul 27, 2008

Core Size: BTW

Multi-shot survey- No multi-shot test taken. Core was lodged in the core barrel.

Date Logged: July 19-27, 2008
 Logged by: GLR

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L Cu%	A.A.L Mo%	DUPLICATE	STANDARD	BLANK	Mag	Core	R.Q.D.	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	Vein Sulphides		Veinlet		Gangue		Selvage Alt'n		JOINT								
															S ₂ Assem	S ₂	Width (mm)	ϕ	(qtz, mag, chl, zois, anh, gyp)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARD-NESS	No./Run	Condition	SG	NPR		
0	4.25	4.25	ns	ns	ns									Casing 0.00 to 0.57																	
4.25	4.57	0.32	12281	0.026	0.000	0.023	0.000							0.57 - 45.60m Andesite. Dark green to black fine to medium textured. Very pyritic with 1-2% disseminated. Trace fine diss'd chalcopyrite along with the pyrite. Weakly fractured, bleached along fractures.																4	
4.6	7.5	2.9	12281	0.026	0.000	0.023	0.000																74	81	21	4	n	3			
7.5	10.0	2.5	12282	0.030	0.001	0.031	0.000																57	83	30	4	28	3			
10.0	12.5	2.5	12283	0.045	0.000	0.045	0.000																75	89	41	4	6	2			
12.5	15.0	2.5	12284	0.038	0.000	0.039	0.000																77	85	33	4	4	1			
15.0	17.5	2.5	12285	0.045	0.000	0.044	0.000																66	80	54	4	4	1			
17.5	20.0	2.5	12286	0.017	0.000	0.020	0.000																65	82	13	4	8	1			
20.0	22.5	2.5	12287	0.050	0.000	0.052	0.000																69	98	50	4	14	1			
22.5	25.0	2.5	12288	0.031	0.000	0.029	0.000	12289, 0.033, 0.000																9	80	35	4	14	1		
25.0	27.5	2.5	12290	0.037	0.000	0.031	0.000	AAL 12289 0.031 0.000																47	92	87	4	2	1		
27.5	30.0	2.5	12291	0.019	0.001	0.018	0.000																	100	90	87	4	1	1		
30.0	32.5	2.5	12292	0.026	0.001	0.025	0.000																	10	91	91	4	0	1		
32.5	35.0	2.5	12293	0.043	0.000	0.044	0.000																	37	98	95	4	1	1		
35.0	37.5	2.5	12294	0.040	0.000	0.038	0.000																	83	93	91	4	1	1		
37.5	40.0	2.5	12295	0.075	0.000	0.076	0.000																	50	90	87	4	1	1		
40.0	42.5	2.5	12296	0.072	0.000	0.076	0.000																	36	92	87	4	2	1		
42.5	45.0	2.5	12297	0.051	0.001	0.054	0.000																	67	98	96	4	1	1		

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L Cu%	A.A.L Mo%	DUPLICATE	STANDARD	BLANK	Mag	Core	R.Q.D.	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	CS	S ₁ Assem	S ₂	Width (mm)	ϕ	(qtz, mag, chl, zois, anh, gyp)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARDNESS	No./Run	Condition	SG	NPR
45.0	47.5	2.5	12298	0.051	0.000	0.048	0.000							45.60 - 135.50m Porphyritic Andesite. Probably sub-intrusive. Dark green to black fine textured groundmass with about 10-15% fuzzy white plag phenos.								90	85	83	4	1	1			
47.5	50.0	2.5	12299	0.028	0.001	0.028	0.000															58	94	94	4	0	1			
50.0	52.5	2.5	12300	0.024	0.000	0.023	0.000															64	98	97	4	1	1			
52.5	55.0	2.5	12301	0.042	0.000	0.041	0.000															61	90	86	4	1	1			
55.0	57.5	2.5	12302	0.071	0.000	0.070	0.000			12303, Silica 0.002,0.000												53	85	82	4	1	1			
57.5	60.0	2.5	12304	0.037	0.000	0.042	0.000															51	95	93	4	1	1			
60.0	62.5	2.5	12305	0.052	0.000	0.057	0.000															45	97	90	4	5	1			
62.5	65.0	2.5	12306	0.027	0.000	0.028	0.000															58	88	83	4	1	1			
65.0	67.5	2.5	12307	0.042	0.000	0.039	0.000															42	100	98	4	1	1			
67.5	70.0	2.5	12308	0.047	0.000	0.046	0.000															36	100	95	4	3	1			
70.0	72.5	2.5	12309	0.044	0.000	0.042	0.000															44	89	83	4	2	1			
72.5	75.0	2.5	12310	0.037	0.001	0.036	0.001															47	95	94	4	1	1			
75.0	77.5	2.5	12311	0.031	0.000	0.030	0.000															36	91	91	4	0	1			
77.5	80.0	2.5	12312	0.039	0.000	0.036	0.000															8	93	90	4	1	1			
80.0	82.5	2.5	12313	0.030	0.000	0.029	0.000															38	82	70	4	4	1			
82.5	85.0	2.5	12314	0.031	0.000	0.030	0.000		12315, HML0.5Cu #12 0.525, 0.015													40	93	90	4	1	1			
85.0	87.5	2.5	12316	0.048	0.000	0.042	0.000		AAL #12, 1231 5	0.556	0.015										34	78	51	4	9	1				
87.5	90.0	2.5	12317	0.039	0.000	0.036	0.000															54	97	92	4	2	1			
90.0	92.5	2.5	12318	0.042	0.000	0.037	0.000															50	98	92	4	3	1			
92.5	95.0	2.5	12319	0.020	0.000	0.019	0.000															61	73	73	4	0	1			
95.0	97.5	2.5	12320	0.038	0.000	0.035	0.000															46	95	86	4	5	1			

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L Cu%	A.A.L Mo%	DUPLICATE	STANDARD	BLANK	Mag	Core	R.Q.D.	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	CS	S ₁ Assem	S ₂	Width (mm)	ϕ	(qtz, mag, chl, zois, anh, gyp)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARDNESS	No./Run	Condition	SG	NPR
97.5	100.0	2.5	12321	0.027	0.000	0.025	0.000															64	95	95	4	0	1			
100.0	102.5	2.5	12322	0.038	0.000	0.037	0.000															60	95	95	4	0	1			
102.5	105.0	2.5	12323	0.028	0.000	0.025	0.000															76	96	96	4	0	1			
105.0	107.5	2.5	12324	0.064	0.000	0.064	0.000															50	98	88	4	4	1			
107.5	110.0	2.5	12325	0.039	0.000	0.035	0.000															54	94	90	4	1	1			
110.0	112.5	2.5	12326	0.044	0.000	0.042	0.000															28	98	94	4	1	1			
112.5	115.0	2.5	12327	0.049	0.001	0.048	0.000															62	96	96	4	0	1			
115.0	117.5	2.5	12328	0.045	0.000	0.042	0.000															70	98	96	4	1	1			
117.5	120.0	2.5	12329	0.052	0.001	0.048	0.000	12330, 0.052, 0.002															57	98	98	4	0	1		
120.0	122.5	2.5	12331	0.022	0.000			AAL 12330 0.054	0.000														67	90	87	4	1	1		
122.5	125.0	2.5	12332	0.020	0.001	0.019	0.000																60	92	92	4	0	1		
125.0	127.5	2.5	12333	0.027	0.000	0.025	0.000																49	100	100	4	0	1		
127.5	130.0	2.5	12334	0.028	0.001	0.025	0.000																44	98	96	4	1	1		
130.0	132.5	2.5	12335	0.036	0.000	0.031	0.000																103	94	94	4	0	1		
132.5	135.0	2.5	12336	0.036	0.000	0.037	0.000																46	94	94	4	0	1		
135.0	137.5	2.5	12337	0.036	0.000	0.038	0.000																36	98	98	4	0	1		
137.5	140.0	2.5	12338	0.052	0.000	0.052	0.000																45	94	92	4	1	1		
140.0	142.5	2.5	12339	0.064	0.000	0.065	0.000																61	96	94	4	1	1		
142.5	145.0	2.5	12340	0.030	0.000	0.033	0.000																57	94	92	4	1	1		
145.0	147.5	2.5	12341	0.033	0.000	0.035	0.000																67	99	99	4	1	1		
147.5	150.0	2.5	12343	0.020	0.000	0.022	0.000																42	96	96	4	0	1		

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L Cu%	A.A.L Mo%	DUPLICATE	STANDARD	BLANK	Mag	Core	R.Q.D.	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	S ₁	S ₂	Width (mm)	ϕ	(qtz, mag, chl, zois, anh, gyp)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARDNESS	No./Run	Condition	SG	NPR
150.0	152.5	2.5	12344	0.037	0.000	0.024	0.000															77	99	99	4	0	1		
152.5	155.0	2.5	12345	0.024	0.000	0.038	0.000							152.50 - 353.57m Andesite.								57	96	92	4	1	1		
155.0	157.5	2.5	12346	0.025	0.000	0.026	0.000															109	96	93	4	1	1		
157.5	160.0	2.5	12347	0.033	0.000	0.036	0.000															100	97	97	4	0	1		
160.0	162.5	2.5	12348	0.035	0.000	0.036	0.000															102	98	98	4	0	1		
162.5	165.0	2.5	12349	0.024	0.000	0.025	0.000															123	96	96	4	0	1		
165.0	167.5	2.5	12350	0.030	0.000	0.032	0.000															86	98	98	4	0	1		
167.5	170.0	2.5	12351	0.022	0.000	0.024	0.000															90	93	93	4	0	1		
170.0	172.5	2.5	12352	0.011	0.000	0.010	0.000															102	98	98	4	0	1		
172.5	175.0	2.5	12353	0.074	0.000	0.083	0.000															94	98	96	4	1	1		
175.0	177.5	2.5	12354	0.057	0.000	0.054	0.000															99	96	92	4	2	1		
177.5	180.0	2.5	12355	0.062	0.000	0.064	0.000		HML0.5Cu #12, 12356, 0.522, 0.016													91	96	96	4	0	1		
180.0	182.5	2.5	12357	0.022	0.000	0.021	0.000		AAL 12356	0.670	0.013											76	97	97	4	1	1		
182.5	185.0	2.5	12358	0.026	0.000	0.024	0.000															69	92	90	4	1	1		
185.0	187.5	2.5	12359	0.092	0.000	0.091	0.000															49	87	76	4	6	1		
187.5	190.0	2.5	12360	0.085	0.000	0.087	0.000															63	86	75	4	8	1		
190.0	192.5	2.5	12361	0.138	0.000	0.125	0.000															63	90	90	4	0	1		
192.5	195.0	2.5	12362	0.062	0.000	0.059	0.000															90	90	86	4	2	1		
195.0	197.5	2.5	12363	0.028	0.000	0.027	0.000															88	97	96	4	1	1		
197.5	200.0	2.5	12364	0.043	0.000	0.042	0.000															74	100	100	4	0	1		
200.0	202.5	2.5	12365	0.038	0.000	0.037	0.000															90	100	99	4	1	1		

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L Cu%	A.A.L Mo%	DUPLICATE	STANDARD	BLANK	Mag	Core	R.Q.D.	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	CS	S ₁ Assem	S ₂	Width (mm)	ϕ	(qtz, mag, chl, zois, anh, gyp)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARDNESS	No./Run	Condition	SG	NPR
202.5	205.0	2.5	12366	0.036	0.000	0.034	0.000															86	93	89	4	1	1			
205.0	207.5	2.5	12367	0.011	0.000	0.011	0.000															42	97	94	4	2	1			
207.5	210.0	2.5	12368	0.034	0.000	0.032	0.000	12369, 0.032, 0.000														113	98	98	4	0	1			
210.0	212.5	2.5	12370	0.067	0.000	0.062	0.000	AAL 12369	0.030	0.000												143	100	100	4	0	1			
212.5	215.0	2.5	12371	0.028	0.000	0.028	0.000															98	98	98	4	0	1			
215.0	217.5	2.5	12372	0.014	0.000	0.015	0.000															54	97	97	4	0	1			
217.5	220.0	2.5	12373	0.010	0.000	0.012	0.000															61	99	99	4	0	1			
220.0	222.5	2.5	12374	0.027	0.000	0.027	0.000															98	96	96	4	0	1			
222.5	225.0	2.5	12375	0.016	0.000	0.018	0.000															74	93	90	4	1	1			
225.0	227.5	2.5	12376	0.034	0.000	0.032	0.000															91	96	90	4	5	1			
227.5	230.0	2.5	12377	0.051	0.000	0.053	0.000															76	100	99	4	2	1			
230.0	232.5	2.5	12378	0.024	0.000	0.024	0.000															81	92	91	4	1	1			
232.5	235.0	2.5	12379	0.025	0.000	0.025	0.000															88	98	98	4	0	1			
235.0	237.5	2.5	12380	0.044	0.000	0.039	0.000															76	98	95	4	2	1			
237.5	240.0	2.5	12381	0.048	0.000	0.044	0.000		12382, #12 HML 0.5Cu, 0.540, 0.016													98	92	91	4	2	1			
240.0	242.5	2.5	12383	0.018	0.000	0.017	0.000		AAL 12382	0.561	0.044											71	92	82	4	8	1			
242.5	245.0	2.5	12384	0.021	0.000	0.018	0.000															54	100	94	4	5	1			
245.0	247.5	2.5	12385	0.010	0.000	0.010	0.000															60	96	90	4	3	1			
247.5	250.0	2.5	12386	0.050	0.000	0.044	0.000															69	94	85	4	3	1			
250.0	252.5	2.5	12387	0.027	0.000	0.022	0.000															63	96	91	4	2	1			
252.5	255.0	2.5	12388	0.016	0.000	0.013	0.000															88	95	90	4	2	1			

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L Cu%	A.A.L Mo%	DUPLICATE	STANDARD	BLANK	Mag	Core	R.Q.D.	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	CS	S ₁ Assem	S ₁	Width (mm)	ϕ	(qtz, mag, chl, zois, anh, gyp)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARDNESS	No./Run	Condition	SG	NPR
255.0	257.5	2.5	12389	0.034	0.000	0.029	0.000															72	94	92	4	1	1			
257.5	260.0	2.5	12390	0.016	0.000	0.013	0.000															52	99	99	4	0	1			
260.0	262.5	2.5	12391	0.025	0.000	0.021	0.000															73	88	83	4	3	1			
262.5	265.0	2.5	12392	0.037	0.000	0.032	0.000															57	94	91	4	1	1			
265.0	267.5	2.5	12393	0.063	0.000	0.060	0.000															47	95	90	4	3	1			
267.5	270.0	2.5	12394	0.070	0.000	0.066	0.000															88	96	88	4	3	1			
270.0	272.5	2.5	12395	0.083	0.000	0.078	0.000			Silica, 12396, 0.000, 0.000												67	98	98	4	0	1			
272.5	275.0	2.5	12397	0.027	0.000	0.024	0.000			AAL 1239 6	0.004	0.000										72	98	95	4	1	1			
275.0	277.5	2.5	12398	0.013	0.000	0.011	0.000															70	98	98	4	0	1			
277.5	280.0	2.5	12399	0.053	0.000	0.048	0.000															45	97	97	4	0	1			
280.0	282.5	2.5	12400	0.031	0.000	0.028	0.000															67	96	96	4	0	1			
282.5	285.0	2.5	12401	0.014	0.000	0.014	0.000															71	99	95	4	1	1			
285.0	287.5	2.5	12402	0.025	0.000	0.022	0.000															53	98	96	4	1	1			
287.5	290.0	2.5	12403	0.016	0.000	0.016	0.000															44	98	95	4	2	1			
290.0	292.5	2.5	12404	0.016	0.000	0.013	0.000															61	100	97	4	4	1			
292.5	295.0	2.5	12405	0.032	0.000	0.029	0.000															97	87	87	4	0	1			
295.0	297.5	2.5	12406	0.017	0.000	0.015	0.000															110	98	96	4	1	1			
297.5	300.0	2.5	12407	0.018	0.000	0.016	0.000															102	99	99	4	0	1			
300.0	302.5	2.5	12408	0.021	0.000	0.020	0.000															110	98	92	4	1	1			
302.5	305.0	2.5	12409	0.019	0.000	0.019	0.000															75	98	95	4	2	1			
305.0	307.5	2.5	12410	0.022	0.000	0.020	0.000	12411, 0.019, 0.000															84	99	99	4	0	1		

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L Cu%	A.A.L Mo%	DUPLICATE		STANDARD	BLANK	Mag	Core	R.Q.D.	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	CS	S ₁ Assem	S ₁	Width (mm)	ϕ	(qtz, mag, chl, zois, anh, gyp)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARD-NESS	No. /Run	Condition	SG	NPR
307.5	310.0	2.5	12412	0.045	0.000	0.045	0.000	AAL 1241 1	0.021	0.000													58	99	99	4	0	1			
310.0	312.5	2.5	12413	0.053	0.000	0.051	0.000																34	94	93	4	1	1			
312.5	315.0	2.5	12414	0.023	0.000	0.020	0.000																57	99	93	4	3	1			
315.0	317.5	2.5	12415	0.027	0.000	0.024	0.000																70	99	99	4	0	1			
317.5	320.0	2.5	12416	0.021	0.000	0.019	0.000																58	98	96	4	1	1			
320.0	322.5	2.5	12417	0.017	0.000	0.015	0.000																63	95	87	4	2	1			
322.5	325.0	2.5	12418	0.021	0.000	0.020	0.000																53	94	93	4	2	1			
325.0	327.5	2.5	12419	0.018	0.000	0.018	0.000																80	99	96	4	2	1			
327.5	330.0	2.5	12420	0.020	0.000	0.018	0.000																80	98	94	4	5	1			
330.0	332.5	2.5	12421	0.027	0.000	0.025	0.000																21	94	92	4	2	1			
332.5	335.0	2.5	12422	0.013	0.000	0.012	0.000																20	89	83	4	4	1			
335.0	337.5	2.5	12423	0.012	0.000	0.011	0.000																28	86	75	4	4	1			
337.5	340.0	2.5	12424	0.015	0.000	0.015	0.000																21	99	88	4	5	1			
340.0	342.5	2.5	12425	0.016	0.000	0.014	0.000			HML#12 0.5Cu, 12426, 0.538, 0.015												42	98	82	4	9	1				
342.5	345.0	2.5	12427	0.026	0.000	0.022	0.000	AAL 1242 6	0.539	0.016													47	91	88	4	2	1			
345.0	347.5	2.5	12428	0.015	0.000	0.013	0.000																42	98	97	4	1	1			
347.5	350.0	2.5	12429	0.017	0.000	0.017	0.000																28	85	63	4	7	1			
350.0	352.5	2.5	12430	0.029	0.000	0.025	0.000																35	98	95	4	1	1			
352.5	353.6	1.1	12431	0.020	0.000	0.017	0.000								353.60m End of Hole. No multi-shot test due to core stuck in the core barrel.								53	99	99	4	0	1			

Huckleberry Mines Ltd. QA/QC COMPLETE

Hole No. **WC-08-02** Collar Northing: 5958965
 Location: **Whiting Creek** Easting: 618897
 Inclination: **-80** Elevation: 1625 metres
 Azimuth: **275** Date Started: Aug/08
 Depth(m) **365.76** Date Comp: 17/08/2008

Core Size: BTW
 Multi-shot survey- yes
 Cor.Test

Date Logged: Aug 9-17, 2008
 Logged by: GLR

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L Cu%	A.A.L Mo%	DUPLICATE	STANDARD	BLANK	MAG	CORE	ROD	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	Vein Sulphides		Veinlet		Gangue		Selvage Alt'n		JOINT							
															Asse	S _x	Width (mm)	ø	Mag. chl.	Type	Width (mm)	MAG SUCS	CORE REC	RQD (%)	HARDNESS	No./Run	Condition	SG	NPR	
0	5.27	5.27	ns	ns	ns									0.00 - 6.10m Casing.																
5.3	7.5	2.2	12432	0.026	0.067	0.027	0.066							6.10 - 115.21m Hornfelsed Volcanics. Black fine textured. Fairly fractured. Lots of blocking of the core tube. Well mineralized with moly and cpy in narrow (<1cm) quartz veinlets. Moly is within the veinlets as a thin ribbon of small (1-2mm) crystals of molybdenite. Pyrite is abundant and is both dissolved in 3mm cubes and as veinlets of solid pyrite up to a few mm thick.							33	85	36	4	n	4				
7.5	10.0	2.5	12433	0.043	0.011	0.040	0.010																25	89	57	4	8	3		
10.0	12.5	2.5	12434	0.066	0.036																		69	97	67	4	10	3		
12.5	15.0	2.5	12435	0.096	0.007	0.095	0.008																95	88	68	4	9	3		
15.0	17.5	2.5	12436	0.111	0.034	0.109	0.033																163	93	76	4	11	3		
17.5	20.0	2.5	12437	0.132	0.035	0.124	0.035																243	88	60	4	14	3		
20.0	22.5	2.5	12438	0.124	0.006	0.118	0.007																205	84	77	4	4	1		
22.5	25.0	2.5	12439	0.087	0.060	0.085	0.058																48	76	50	4	11	1		
25.0	27.5	2.5	12440	0.141	0.024	0.141	0.023																73	99	93	4	4	1		
27.5	30.0	2.5	12441	0.062	0.005	0.060	0.006																103	89	80	4	5	1		
30.0	32.5	2.5	12442	0.063	0.021	0.062	0.020																77	72	34	2	n	1		
32.5	35.0	2.5	12443	0.135	0.011	0.136	0.011																65	56	20	3	n	1		
35.0	37.5	2.5	12444	0.096	0.002	0.083	0.002																79	80	47	4	24	1		
37.5	40.0	2.5	12445	0.170	0.015	0.165	0.014																180	86	58	4	26	1		
40.0	42.5	2.5	12447	0.077	0.011	0.069	0.011																895	85	59	4	19	1		
42.5	45.0	2.5	12448	0.091	0.038	0.086	0.035																342	98	80	4	7	1		
45.0	47.5	2.5	12449	0.109	0.048	0.105	0.045																100	90	88	4	1	1		
47.5	50.0	2.5	12450	0.109	0.003	0.099	0.003																109	78	44	4	25	1		
50.0	52.5	2.5	12451	0.088	0.011	0.086	0.010																134	79	41	4	25	1		

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L Cu%	A.A.L Mo%	DUPLICATE	STANDARD	BLANK	MAG	CORE	RQD	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	§	S _x Assem	S _x	Width (mm)	φ	Mag. ch. scale	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARDNESS	No./Run	Condition	SG	NPR
52.5	55.0	2.5	12452	0.188	0.046																	373	88	69	4	11	1			
55.0	57.5	2.5	12453	0.081	0.013	0.076	0.012															234	87	71	4	21	1			
57.5	60.0	2.5	12454	0.074	0.074	0.067	0.072															113	96	73	4	9	1			
60.0	62.5	2.5	12455	0.047	0.137	0.041	0.131															172	93	88	4	2	1			
62.5	65.0	2.5	12456	0.131	0.011	0.123	0.010															81	70	56	4	8	1			
65.0	67.5	2.5	12457	0.184	0.027	0.176	0.025															99	98	75	4	7	1			
67.5	70.0	2.5	12458	0.087	0.010	0.078	0.010			Silica, 12459, 0.000, 0.000												102	92	78	4	3	1			
70.0	72.5	2.5	12460	0.121	0.004	0.113	0.004			AAL Silica 0.009 0.001												96	87	82	4	2	1			
72.5	75.0	2.5	12461	0.100	0.009	0.099	0.010															123	94	78	4	6	1			
75.0	77.5	2.5	12462	0.094	0.010	0.091	0.010															103	96	82	4	5	1			
77.5	80.0	2.5	12463	0.095	0.026	0.088	0.027															80	96	73	4	13	1			
80.0	82.5	2.5	12464	0.093	0.035	0.090	0.035															214	89	87	4	2	1			
82.5	85.0	2.5	12465	0.095	0.008	0.089	0.009															107	90	82	4	4	1			
85.0	87.5	2.5	12466	0.074	0.010	0.074	0.010															253	96	91	4	2	1			
87.5	90.0	2.5	12467	0.070	0.039	0.067	0.040															170	91	83	4	5	1			
90.0	92.5	2.5	12468	0.127	0.018	0.126	0.018															61	85	65	4	7	1			
92.5	95.0	2.5	12469	0.073	0.006																	125	86	61	4	9	1			
95.0	97.5	2.5	12470	0.070	0.014	0.071	0.015															40	80	52	4	10	1			
97.5	100.0	2.5	12471	0.074	0.023	0.072	0.024															65	84	60	4	13	1			
100.0	102.5	2.5	12472	0.028	0.106	0.026	0.116															123	100	74	4	13	1			
102.5	105.0	2.5	12473	0.075	0.023	0.077	0.024	12474, 0.078, 0.014															49	93	89	4	3	1		
105.0	107.5	2.5	12475	0.057	0.032	0.057	0.031	AAL 12474 0.074 0.014															54	83	58	4	11	1		

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L Cu%	A.A.L Mo%	DUPLICATE	STANDARD	BLANK	MAG	CORE	RQD	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	§	S _x Assem	S _x	Width (mm)	e	Mag. ch. scale	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARDNESS	No. /Run	Condition	SG	NPR
107.5	110.0	2.5	12476	0.058	0.029	0.055	0.029															31	85	38	4	17	1			
110.0	112.5	2.5	12477	0.023	0.015	0.021	0.014															34	68	12	4	n	1			
112.5	115.0	2.5	12478	0.099	0.022	0.090	0.022															87	98	87	4	6	1			
115.0	115.8	0.8	12479	0.054	0.003	0.049	0.003							115.21-154.84 Felsic Dyke. Bone coloured. Very fine textured. Fairly solid, hard core. Contains 0.5% very fine diss'd pyrite. Contacts are broken.																
115.8	117.5	2.5	12480	0.005	0.001	0.005	0.001															12	71	17	4	35	1			
117.5	120.0	2.5	12481	0.018	0.000	0.017	0.001															10	62	26	4	18	1			
120.0	122.5	2.5	12482	0.004	0.001	0.004	0.001															7	59	0	4	39	1			
122.5	125.0	2.5	12483	0.007	0.000	0.004	0.000															9	78	12	4	n	1			
125.0	127.5	2.5	12484	0.007	0.000																	9	77	27	4	n	1			
127.5	130.0	2.5	12485	0.007	0.000	0.005	0.000															11	64	12	4	n	1			
130.0	132.5	2.5	12486	0.005	0.000	0.004	0.000															10	60	0	4	n	1			
132.5	135.0	2.5	12487	0.006	0.000	0.003	0.000															10	73	24	4	23	1			
135.0	137.5	2.5	12488	0.006	0.000	0.005	0.000		12489, #13HML0.5Cu, 0.490, 0.016													10	74	10	4	n	1			
137.5	140.0	2.5	12490	0.008	0.000	0.006	0.000		AAL 12489 0.494 0.015													12	80	22	4	35	1			
140.0	142.5	2.5	12491	0.010	0.000	0.006	0.000															14	68	24	4	36	1			
142.5	145.0	2.5	12492	0.009	0.000	0.009	0.000															14	62	10	4	n	1			
145.0	147.5	2.5	12493	0.007	0.000	0.005	0.000															10	69	21	4	42	1			
147.5	150.0	2.5	12494	0.009	0.000	0.007	0.000															14	86	25	4	40	1			
150.0	152.5	2.5	12495	0.007	0.000	0.006	0.000															7	72	12	4	42	1			
152.5	155.0	2.5	12496	0.006	0.008	0.004	0.008															13	74	22	4	n	1			
155.0	157.5	2.5	12497	0.065	0.022	0.064	0.022															25	97	70	4	9	1			
157.5	160.0	2.5	12498	0.035	0.006	0.036	0.006															40	63	0	4	n	1			

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L Cu%	A.A.L Mo%	DUPLICATE	STANDARD	BLANK	MAG	CORE	RQD	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	§	S _x Assem	S _x	Width (mm)	e	Mag. ch. scale	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARDNESS	No./Run	Condition	SG	NPR		
160.0	162.5	2.5	12499	0.047	0.006	0.047	0.007							veins are at all angles to ca. The moly grade will certainly spike when we assay an interval that has drilled down a vein.										67	0	4	n	1				
162.5	165.0	2.5	12500	0.024	0.014	0.023	0.013																		63	0	4	n	1			
165.0	167.5	2.5	12501	0.010	0.003	0.009	0.004			12502, Silica, 0.002, 0.000														17	56	0	4	n	1			
167.5	170.0	2.5	12503	0.036	0.009					AAL 12502	0.002	0.0													32	84	61	4	16	1		
170.0	172.5	2.5	12504	0.035	0.018	0.031	0.017																		42	97	83	4	13	1		
172.5	175.0	2.5	12505	0.062	0.003	0.060	0.003																		87	97	78	4	16	1		
175.0	177.5	2.5	12506	0.043	0.013	0.043	0.012																		58	93	81	4	10	1		
177.5	180.0	2.5	12507	0.044	0.020	0.043	0.019																		59	100	60	4	24	1		
180.0	182.5	2.5	12508	0.019	0.024	0.018	0.022																		21	79	55	4	16	1		
182.5	185.0	2.5	12509	0.037	0.054	0.033	0.050																		26	92	61	4	17	1		
185.0	187.5	2.5	12510	0.036	0.043	0.033	0.038																		41	83	23	4	n	1		
187.5	190.0	2.5	12511	0.031	0.040	0.029	0.036																		39	78	47	4	28	1		
190	192.5	2.5	12512	0.042	0.006	0.043	0.006																		33	92	62	4	17	1		
192.5	195.0	2.5	12513	0.026	0.017	0.026	0.016			12514, 0.028, 0.031															12	99	88	4	6	1		
195	197.5	2.5	12515	0.105	0.006	0.058	0.015			AAL 12514	0.027	0.028													45	100	98	4	1	1		
197.5	200.0	2.5	12516	0.060	0.015	0.103	0.007																		82	98	98	4	0	1		
200	202.5	2.5	12517	0.021	0.015	0.061	0.007																		123	100	98	4	4	1		
202.5	205.0	2.5	12518	0.063	0.007	0.019	0.015																		40	96	88	4	6	1		
205	207.5	2.5	12519	0.020	0.012	0.021	0.013																		51	98	74	4	11	1		
207.5	210.0	2.5	12520	0.045	0.008	0.045	0.010																		44	93	79	4	7	1		
210	212.5	2.5	12521	0.019	0.022	0.019	0.022																	34	95	84	4	4	1			
212.5	215.0	2.5	12522	0.041	0.017	0.044	0.018																	37	94	77	4	8	1			

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L Cu%	A.A.L Mo%	DUPLICATE	STANDARD	BLANK	MAG	CORE	RQD	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	§	S _x Assem	S _x	Width (mm)	e	Mag. ch. scale	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARDNESS	No./Run	Condition	SG	NPR
215	217.5	2.5	12523	0.024	0.012	0.024	0.013		12524.HML# 13, 0.5Cu, 0.495, 0.014													43	94	77	4	7	1			
217.5	220.0	2.5	12525	0.018	0.005	0.019	0.005		AAL 12524 0.418 0.014													49	92	58	4	18	1			
220	222.5	2.5	12526	0.021	0.011	0.020	0.011															33	94	83	4	6	1			
222.5	225.0	2.5	12527	0.011	0.010	0.012	0.010															25	92	80	4	7	1			
225	227.5	2.5	12528	0.032	0.012	0.028	0.011															25	98	90	4	5	1			
227.5	230.0	2.5	12529	0.104	0.033	0.100	0.031															51	90	78	4	9	1			
230	232.5	2.5	12530	0.017	0.018	0.017	0.017															38	93	88	4	14	1			
232.5	235.0	2.5	12531	0.015	0.012	0.015	0.011															30	88	61	4	17	1			
235	237.5	2.5	12532	0.014	0.009	0.015	0.009															39	91	70	4	13	1			
237.5	240.0	2.5	12533	0.015	0.009	0.017	0.010															25	85	42	4	22	1			
240	242.5	2.5	12534	0.033	0.037	0.033	0.038		Silica, 12535, 0.000, 0.000													34	86	52	4	26	1			
242.5	245.0	2.5	12536	0.089	0.021	0.083	0.022		AAL 12535 0.002 0.000													59	89	68	4	7	1			
245	247.5	2.5	12537	0.036	0.016	0.036	0.017															20	90	41	4	30	1			
247.5	250.0	2.5	12538	0.033	0.016	0.032	0.017															38	89	31	4	27	1			
250	252.5	2.5	12539	0.018	0.009	0.018	0.010															27	91	51	4	13	1			
252.5	255.0	2.5	12540	0.031	0.022	0.031	0.024															38	97	68	4	7	1			
255	257.5	2.5	12541	0.006	0.009	0.007	0.010															27	91	66	4	8	1			
257.5	260.0	2.5	12542	0.012	0.010	0.012	0.010		12543, 0.013, 0.011													21	88	58	4	15	1			
260	262.5	2.5	12544	0.018	0.028	0.017	0.028		AAL 12543 0.014 0.012													44	94	79	4	11	1			
262.5	265.0	2.5	12545	0.027	0.014	0.026	0.014															44	88	66	4	8	1			
265	267.5	2.5	12546	0.030	0.026	0.027	0.025															63	92	65	4	6	1			
267.5	270.0	2.5	12547	0.023	0.020	0.022	0.020															53	92	65	4	8	1			

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L Cu%	A.A.L Mo%	DUPLICATE	STANDARD	BLANK	MAG	CORE	RQD	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	§	S _x Assem	S _x	Width (mm)	e	Net mag. ch. vol.	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARDNESS	No./Run	Condition	SG	NPR
270	272.5	2.5	12548	0.022	0.016	0.021	0.015															63	100	76	4	8	1			
272.5	275.0	2.5	12549	0.022	0.003	0.022	0.004																114	87	68	4	7	1		
275	277.5	2.5	12550	0.020	0.021	0.021	0.021																30	84	50	4	7	1		
277.5	280.0	2.5	12551	0.021	0.023	0.023	0.023																16	86	56	4	9	1		
280	282.5	2.5	12552	0.014	0.073	0.016	0.075		HML #13, 0.5Cu, 12553, 0.544, 0.016														18	100	55	4	12	1		
282.5	285.0	2.5	12554	0.018	0.011	0.017	0.011		AAL 12553 0.444 0.010														49	90	43	4	29	1		
285	287.5	2.5	12555	0.026	0.037	0.025	0.038																48	94	51	4	16	1		
287.5	290.0	2.5	12556	0.021	0.008	0.021	0.008																50	94	60	4	9	1		
290	292.5	2.5	12557	0.151	0.011	0.150	0.011																111	94	66	4	10	1		
292.5	295.0	2.5	12558	0.096	0.010	0.091	0.012																87	87	52	4	12	1		
295	297.5	2.5	12559	0.113	0.007	0.100	0.008																56	98	72	4	8	1		
297.5	300.0	2.5	12560	0.014	0.006	0.015	0.007																26	92	62	4	13	1		
300	302.5	2.5	12561	0.057	0.013	0.056	0.013																41	97	29	4	19	1		
302.5	305.0	2.5	12562	0.071	0.042	0.070	0.041																842	86	48	4	22	1		
305	307.5	2.5	12563	0.073	0.007	0.074	0.007																42	95	62	4	10	1		
307.5	310.0	2.5	12564	0.047	0.024	0.045	0.024																45	80	34	4	10	1		
310	312.5	2.5	12565	0.146	0.008	0.143	0.008																70	88	30	4	19	1		
312.5	314.0	1.5	12566	0.108	0.021	0.104	0.021																45	98	10	4	20	1		
314	315.5	1.49	12567	0.040	0.672	0.038	#####		Silica, 12568, 0.002, 0.001														7	100	35	4	7	1		
315.5	317.5	2.0	12569	0.111	0.037				AAL 12568 0.002 0.000														39	88	59	4	41	1		
317.5	320	2.5	12570	0.087	0.031																		36	84	17	4	n	1		
320.0	322.5	2.5	12571	0.406	0.028																		17	78	14	4	n	1		

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L Cu%	A.A.L Mo%	DUPLICATE	STANDARD	BLANK	MAG	CORE	RQD	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	§	S _x Assem	S _x	Width (mm)	e	Mag. ch. scale	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARDNESS	No./Run	Condition	SG	NPR	
322.5	325	2.5	12572	0.066	0.009									348.69-365.75 Felsic Dyke. Same bone coloured hard massive fine textured felsic dyke as above. Contains 0.5% very fine diss'd pyrite.								52	84	25	4	22	1				
325.0	327.5	2.5	12573	0.040	0.008																		46	78	17	4	20	1			
327.5	330	2.5	12574	0.116	0.012	0.103	0.012																49	88	48	4	19	1			
330.0	332.5	2.5	12575	0.084	0.021	0.078	0.019																60	82	20	4	20	1			
332.5	335	2.5	12576	0.088	0.013	0.082	0.011																37	97	47	4	24	1			
335.0	337.5	2.5	12577	0.029	0.004	0.023	0.003																61	71	13	4	30	1			
337.5	340	2.5	12578	0.052	0.044	0.043	0.040																45	85	22	4	36	1			
340.0	342.5	2.5	12579	0.024	0.031	0.017	0.023																35	82	30	4	40	1			
342.5	345	2.5	12580	0.059	0.022	0.051	0.019																98	92	31	4	40	1			
345.0	347.5	2.5	12581	0.032	0.012	0.031	0.010																116	92	23	4	40	1			
347.5	350	2.5	12582	0.018	0.005	0.016	0.005	12583, 0.010, 0.008																7	97	68	4	12	1		
350.0	352.5	2.5	12584	0.004	0.001	0.003	0.000	AAL 12583	0.006	0.006														7	86	33	4	9	1		
352.5	355	2.5	12585	0.003	0.000	0.001	0.000																	8	90	66	4	3	1		
355.0	357.5	2.5	12586	0.006	0.000	0.004	0.000																	8	90	49	4	9	1		
357.5	360	2.5	12587	0.009	0.000	0.007	0.000																	8	85	13	4	30	1		
360.0	362.5	2.5	12588	0.003	0.000	0.002	0.000																14	92	43	4	7	1			
362.5	365.8	3.26	12589	0.004	0.000	0.003	0.000																5	88	48	4	13	1			

EOH

Huckleberry Mines Ltd.

QA/QC COMPLETE

Hole No. **WC-08-03** Collar Northing: 5958883
 Location: Whiting Creek Easting: 618603
 Inclination: -60 Elevation: 1600m
 Azimuth: 135 Date Started: August 17, 2008
 Depth(m) 105.77 Date Comp: August 19, 2008

Core Size: BTW

Multi-shot test: No
 Cor.Test

Date Logged: August 17-19, 2008
 Logged by: GLR

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L. Cu%	A.A.L. Mo%	DUPLICATE	STANDARD	BLANK	Cu Gt	Au ppb	Ag ppm	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	Vein Sulphides		Veinlet		Gangue		Selvage Alt		JOINT							
															S _x Assem	S _x	Width (mm)	ϕ	(qtz, mag, chl, zals, anit, gyp, ept, bio)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARD-NESS	No./Run	Condition	SG	NPR	
0	15.24	15.24	12590	0.030	0.113	0.024	0.103							Casing. Some recovery. Hornfelsed volcanics							18	0	0	1	n	4				
15.2	17.5	2.3	12591	0.018	0.047	0.015	0.048							15.24-105.77 Hornfelsed volcanics. Strong surface oxidation down to 18.5 metres. Grey to nearly black, lighter bleached colour where fractured and/or veined. Abundant stockwork quartz veining, most at 45 to parallel to core axis(ca). Veins average from 1-5cms and contain moly as the usual thin ribbons within the vein. Cpy is present as about 0.25% and also trace chalcocite noted. Molybdenite is about 0.10%. Pyritic as always at about 2-3%.							22	83	0	1	n	4				
17.5	20.0	2.5	12592	0.110	0.017	0.094	0.017															27	79	14	1	n	4			
20.0	22.5	2.5	12593	0.168	0.020	0.144	0.020															45	62	13	4	n	4			
22.5	25.0	2.5	12594	0.130	0.020	0.083	0.015		HML0.5Cu, 12595, 0.560, 0.016														48	84	10	4	n	2		
25.0	27.5	2.5	12596	0.070	0.028	0.058	0.027		AAL 12595	0.487	0.016												49	85	5	4	n	1		
27.5	30.0	2.5	12597	0.056	0.022	0.047	0.021																111	86	11	4	n	1		
30.0	32.5	2.5	12598	0.072	0.028	0.053	0.025																47	84	14	4	10	1		
32.5	35.0	2.5	12599	0.061	0.018	0.046	0.017																95	81	19	4	n	1		
35.0	37.5	2.5	12600	0.051	0.125	0.046	0.122																70	81	26	4	n	1		
37.5	40.0	2.5	12601	0.043	0.091	0.034	0.080																53	82	25	4	21	1		
40.0	42.5	2.5	12602	0.113	0.046	0.089	0.042																91	76	4	4	n	1		
42.5	45.0	2.5	12603	0.038	0.018	0.031	0.017																61	80	12	4	22	1		
45.0	47.5	2.5	12604	0.040	0.012	0.031	0.011																70	85	18	4	21	1		
47.5	50.0	2.5	12605	0.069	0.020	0.056	0.019																50	90	24	4	10	1		
50.0	52.5	2.5	12606	0.098	0.053	0.067	0.045																78	77	14	4	11	1		
52.5	55.0	2.5	12607	0.054	0.025	0.040	0.024			Silica, 12608, 0.001, 0.001													83	52	0	4	n	1		
55.0	57.5	2.5	12609	0.066	0.061	0.062	0.064		AAL 12608	0.002	0.000												67	54	11	4	8	1		
57.5	60.0	2.5	12610	0.040	0.036	0.039	0.036															62	84	29	4	9	1			

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L. Cu%	A.A.L. Mo%	DUPLICATE	STANDARD	BLANK	Cu O ₂	Au ppb	Ag ppm	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	g	S _x Assem	S _x	Width (mm)	ϕ	(qtz, mag, chl, zols, anh, gyp, ept, bit)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARD-NESS	No. /Run	Condition	SG	NPR
60.0	62.5	2.5	12611	0.034	0.040	0.032	0.041															34	82	37	4	8	1			
62.5	65.0	2.5	12612	0.032	0.019	0.030	0.020															63	100	28	4	11	1			
65.0	67.5	2.5	12613	0.034	0.040	0.034	0.046															31	86	38	4	30	1			
67.5	70.0	2.5	12614	0.018	0.079	0.020	0.084															103	66	15	4	30	1			
70.0	72.5	2.5	12615	0.035	0.042	0.037	0.043															79	57	19	4	8	1			
72.5	75.0	2.5	12616	0.022	0.014	0.021	0.014															81	74	18	4	30	1			
75.0	77.5	2.5	12617	0.076	0.017	0.074	0.017															55	82	46	4	30	1			
77.5	80.0	2.5	12618	0.050	0.010	0.046	0.009															64	88	51	4	11	1			
80.0	82.5	2.5	12619	0.030	0.051	0.029	0.051	12620, 0.021, 0.052															30	80	36	4	23	1		
82.5	85.0	2.5	12621	0.030	0.065	0.029	0.063	AAL 12620	0.021	0.054												67	100	61	4	10	1			
85.0	87.5	2.5	12622	0.024	0.046	0.026	0.049															63	89	44	4	11	1			
87.5	90.0	2.5	12623	0.019	0.125	0.020	0.141															58	81	24	4	20	1			
90.0	92.5	2.5	12624	0.027	0.014	0.025	0.014															67	83	0	4	n	1			
92.5	95.0	2.5	12625	0.030	0.057	0.018	0.046															93	94	49	4	7	1			
95.0	97.5	2.5	12626	0.033	0.089	0.029	0.085															43	72	19	4	12	1			
97.5	100.0	2.5	12627	0.017	0.538	0.014	0.391															48	84	4	4	30	1			
100.0	102.5	2.5	12628	0.038	0.024	0.035	0.024															50	92	0	4	30	1			
102.5	105.6	3.1	12629	0.029	0.027	0.024	0.024							E.O.H. 105.77 metres. Hole was lost due to squeezing on the rods.								26	68	0	4	n	1			
			E.O.H.																											

Huckleberry Mines Ltd.

QA/QC COMPLETE

Hole No. **WC-08-04** Collar Northing: 5958883 Core Size: BTW
 Location: Whiting Creek Easting: 618603
 Inclination: -90 Elevation: 1600m
 Azimuth: Date Started: August 19, 2008 Date Logged: Aug 19- Sept. 5, 2008 Multi-shot test: Yes
 Depth(m) **374.90m** Date Comp: Sept 7 Sept. 5, 2008 Logged by: GLR Cor.Test

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L. Cu%	A.A.L. Mo%	DUPLICATE	STANDARD	BLANK	Cu O ₂	Au ppb	Ag ppb	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	Vein Sulphides		Veinlet		Gangue		Selvage Alt'		JOINT															
															S _x Assem	S _x	Width (mm)	ø	(etc. mag. chl, zols, anh, gyp, epi, bio)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARDNESS	No./Run	Condition	SG	NPR									
0.0	8.5	8.5	na	na	na																																	
8.5	10.0	1.5	12630	0.033	0.011	0.03035	0.00991							0.00-9.15 Casing																								
10.0	12.5	2.5	12631	0.093	0.018	0.090	0.018							9.15-268.20 Hornfelsed Volcanics. Surface oxidation persisted on fractures down to about 12.50m. The usual dark grey to black and bleached around veins and fractures. Stockwork quartz veins average about 1cm and are at 45 to parallel to ca. Most of the pyrite is in 2-4mm thick veinlets. Cpy is about 0.25% and Moly is the usual 0.10%. This seems to be a good average estimate for all the drilling so far. Very little alteration. Some weak patchy epidote. Also a few gypsum veins as usual.																								
12.5	15.0	2.5	12632	0.079	0.016	0.074	0.015																															
15.0	17.5	2.5	12633	0.059	0.030	0.052	0.027				Silica, 12634, 0.000, 0.000																											
17.5	20.0	2.5	12635	0.036	0.055	0.032	0.050				AAL 12634	0.002	0.000																									
20.0	22.5	2.5	12636	0.070	0.012	0.060	0.010																															
22.5	25.0	2.5	12637	0.091	0.006	0.067	0.005																															
25.0	27.5	2.5	12638	0.044	0.030	0.039	0.029																															
27.5	30.0	2.5	12639	0.052	0.012	0.047	0.011																															
30.0	32.5	2.5	12640	0.063	0.029	0.058	0.030																															
32.5	35.0	2.5	12641	0.056	0.050	0.045	0.048																															
35.0	37.5	2.5	12642	0.083	0.074	0.072	0.071																															
37.5	40.0	2.5	12643	0.114	0.067	0.091	0.058																															
40.0	42.5	2.5	12644	0.039	0.019	0.045	0.094																															
42.5	45.0	2.5	12645	0.058	0.102	0.028	0.017																															
45.0	47.5	2.5	12646	0.077	0.022	0.071	0.021				HML0.5Cu, 12647, 0.501, 0.016																											
47.5	50.0	2.5	12648	0.044	0.040	0.032	0.037				AAL 12647	0.466	0.016																									
50.0	52.5	2.5	12649	0.194	0.084	0.188	0.084																															
52.5	55.0	2.5	12650	0.068	0.025	0.055	0.023																															

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L. Cu%	A.A.L. Mo%	DUPLICATE	STANDARD	BLANK	Cu O ₂	Au ppb	Ag ppm	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	S _x Assem	S _x	Width (mm)	ϕ	(qtz, mag, chl, zols, anh, gyp, eps, bio)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARD-NESS	No./Run	Condition	SG	NPR
55.0	57.5	2.5	12651	0.045	0.027	0.035	0.024															105	100	96	4	5	1		
57.5	60.0	2.5	12652	0.046	0.071	0.037	0.062															90	97	87	4	6	1		
60.0	62.5	2.5	12653	0.049	0.043	0.035	0.037															80	97	91	4	1	1		
62.5	65.0	2.5	12654	0.070	0.038	0.060	0.035															97	98	85	4	8	1		
65.0	67.5	2.5	12655	0.074	0.014	0.060	0.013															78	96	80	4	9	1		
67.5	70.0	2.5	12656	0.046	0.016	0.036	0.015															73	97	81	4	9	1		
70.0	72.5	2.5	12657	0.031	0.155	0.027	0.150															62	82	48	4	28	1		
72.5	75.0	2.5	12658	0.037	0.045	0.028	0.041															13	83	69	4	5	1		
75.0	77.5	2.5	12659	0.029	0.055	0.022	0.054															79	94	66	4	15	1		
77.5	80.0	2.5	12660	0.040	0.039	0.032	0.036															119	93	37	4	27	1		
80.0	82.5	2.5	12661	0.074	0.035	0.064	0.032															102	90	60	4	24	1		
82.5	85.0	2.5	12662	0.024	0.032	0.022	0.031															93	95	63	4	19	1		
85.0	87.5	2.5	12663	0.043	0.014	0.041	0.013	12664, 0.051, 0.011														88	97	79	4	7	1		
87.5	90.0	2.5	12665	0.037	0.016	0.037	0.016	AAL 12664 0.052	0.011													131	91	56	4	21	1		
90.0	92.5	2.5	12666	0.036	0.013	0.033	0.012															143	84	50	4	35	1		
92.5	95.0	2.5	12667	0.024	0.011	0.024	0.010															104	96	64	4	23	1		
95.0	97.5	2.5	12668	0.032	0.009	0.032	0.009															105	54	12	4	40	1		
97.5	100.0	2.5	12669	0.040	0.007	0.034	0.007															50	49	5	4	n	1		
100.0	102.5	2.5	12670	0.041	0.180	0.033	0.186															109	91	49	4	38	1		
102.5	105.0	2.5	12671	0.052	0.008	0.043	0.007															232	99	82	4	11	1		
105.0	107.5	2.5	12672	0.028	0.017	0.022	0.015															61	97	76	4	15	1		
107.5	110.0	2.5	12673	0.021	0.016	0.015	0.014															33	96	67	4	13	1		

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L. Cu%	A.A.L. Mo%	DUPLICATE	STANDARD	BLANK	Cu O ₂	Au ppb	Ag ppm	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	S _x Assem	S _x	Width (mm)	φ	(qtz, mag, chl, zols, anh, gyp, eps, bio)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARD-NESS	No./Run	Condition	SG	NPR		
110.0	112.5	2.5	12674	0.038	0.014	0.035	0.014															85	96	57	4	23	1				
112.5	115.0	2.5	12675	0.064	0.007	0.057	0.006																85	98	80	4	11	1			
115.0	117.5	2.5	12676	0.069	0.014	0.055	0.013																105	94	58	4	25	1			
117.5	120.0	2.5	12677	0.041	0.018	0.033	0.017			Silica, 12678, 0.001, 0.001													87	100	78	4	15	1			
120.0	122.5	2.5	12679	0.021	0.075	0.018	0.061			AAL 12678	0.002	0.0											59	98	73	4	17	1			
122.5	125.0	2.5	12680	0.050	0.136	0.047	0.147																67	96	80	3	12	1			
125.0	127.5	2.5	12681	0.128	0.015	0.108	0.014																75	100	86	4	7	1			
127.5	130.0	2.5	12682	0.050	0.035	0.041	0.031																122	98	92	4	4	1			
130.0	132.5	2.5	12683	0.039	0.032	0.029	0.027																57	97	70	4	4	1			
132.5	135.0	2.5	12684	0.041	0.012	0.023	0.006																64	93	43	4	13	1			
135.0	137.5	2.5	12685	0.048	0.011	0.041	0.010																56	80	59	4	6	1			
137.5	140.0	2.5	12686	0.036	0.005	0.030	0.005																68	98	78	4	8	1			
140.0	142.5	2.5	12687	0.034	0.051	0.032	0.050																70	94	66	4	6	1			
142.5	145.0	2.5	12688	0.042	0.025	0.035	0.024																54	93	79	4	6	1			
145.0	146.7	1.7	12689	0.028	0.037	0.025	0.036																46	98	50	4	6	1			
146.7	148.9	2.1	12690	0.044	0.064	0.035	0.065							146.72 - 148.86 Light green pre-mineralization dyke. Still cut by min'd veins. Contains abundant fine diss'd pyrite.								69	96	42	4	16	1				
148.9	150.0	1.1	12691	0.030	0.012	0.024	0.012																								
150.0	152.5	2.5	12692	0.044	0.006	0.039	0.006		HML#13, 0.5Cu, 12693, 0.529, 0.015														105	93	59	4	10	1			
152.5	155.0	2.5	12694	0.041	0.026	0.024	0.024		AAL 12693	0.472	0.015												80	92	60	4	14	1			
155.0	157.5	2.5	12695	0.046	0.011	0.035	0.010																58	97	69	4	8	1			
157.5	160.0	2.5	12696	0.053	0.014	0.044	0.013																81	100	86	4	5	1			
160.0	162.5	2.5	12697	0.015	0.007	0.011	0.006																92	100	52	4	30	1			

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L Cu%	A.A.L Mo%	DUPLICATE	STANDARD	BLANK	Cu O ₂	Au ppb	Ag ppm	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	S _x Assem	S _x	Width (mm)	ϕ	(qtz, mag, chl, zols, anh, gyp, epi, bio)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARD-NESS	No./Run	Condition	SG	NPR		
162.5	165.0	2.5	12698	0.030	0.010	0.021	0.010															86	99	68	4	6	1				
165.0	167.5	2.5	12699	0.035	0.019	0.028	0.018																166	88	34	4	30	1			
167.5	170.0	2.5	12700	0.058	0.009	0.049	0.008																230	94	68	4	10	1			
170.0	172.5	2.5	12701	0.053	0.012	0.048	0.012																106	87	39	4	9	1			
172.5	175.0	2.5	12702	0.045	0.021	0.039	0.021																94	98	81	4	4	1			
175.0	177.5	2.5	12703	0.042	0.030	0.038	0.029																96	90	58	4	6	1			
177.5	180.0	2.5	12704	0.105	0.016	0.105	0.015																163	100	90	4	4	1			
180.0	182.5	2.5	12705	0.050	0.036	0.053	0.035																126	100	98	4	1	1			
182.5	185.0	2.5	12706	0.026	0.010	0.026	0.010																67	60	33	4	13	1			
185.0	187.5	2.5	12707	0.021	0.046	0.021	0.044																86	87	55	4	8	1			
187.5	190.0	2.5	12708	0.060	0.019	0.062	0.018																91	96	54	4	25	1			
190.0	192.5	2.5	12709	0.072	0.019	0.068	0.018	12710, 0.055, 0.023																85	88	65	4	6	1		
192.5	195.0	2.5	12711	0.054	0.015	0.059	0.014	AAL 12710 0.056	0.023															73	100	75	4	6	1		
195.0	197.5	2.5	12712	0.032	0.009	0.030	0.009																	88	90	44	4	12	1		
197.5	200.0	2.5	12713	0.028	0.004	0.027	0.003																	83	94	80	4	4	1		
200.0	202.5	2.5	12714	0.025	0.011	0.026	0.010																	86	87	60	4	10	1		
202.5	205.0	2.5	12715	0.035	0.006	0.035	0.006																	68	91	62	4	11	1		
205.0	207.5	2.5	12716	0.027	0.028	0.025	0.027																	76	95	60	4	20	1		
207.5	210.0	2.5	12717	0.017	0.028	0.017	0.027																	75	100	66	4	9	1		
210.0	212.5	2.5	12718	0.037	0.019	0.038	0.020																	71	90	52	4	16	1		
212.5	215.0	2.5	12719	0.027	0.009	0.033	0.010																	70	95	75	4	5	1		
215.0	217.5	2.5	12720	0.029	0.013	0.036	0.015																	65	92	76	4	5	1		

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L Cu% A.A.L Mo%	DUPLICATE	STANDARD	BLANK	Cu O ₂	Au ppb	Ag ppm	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	S _x Assem	S _x	Width (mm)	ϕ	(qtz, mag, chl, zois, anh, gyp, epi, bio)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARD-NESS	No./Run	Condition	SG	NPR
217.5	220.0	2.5	12721	0.072	0.019	0.084	0.021														45	96	64	4	8	1		
220.0	222.5	2.5	12722	0.026	0.009	0.032	0.011														54	100	59	4	19	1		
222.5	225.0	2.5	12723	0.015	0.007	0.016	0.008														54	91	83	4	5	1		
225.0	227.5	2.5	12724	0.033	0.027	0.040	0.031		Silica, 12725, 0.000, 0.000												58	93	69	4	6	1		
227.5	230.0	2.5	12726	0.035	0.036	0.038	0.037		AAL 12725 0.003 0.000												79	97	70	4	8	1		
230.0	232.5	2.5	12727	0.018	0.023	0.020	0.023														81	86	69	4	5	1		
232.5	235.0	2.5	12728	0.027	0.031	0.026	0.028														84	100	27	4	16	1		
235.0	237.5	2.5	12729	0.035	0.007	0.037	0.007														82	92	56	4	5	1		
237.5	240.0	2.5	12730	0.023	0.007	0.027	0.007														68	88	81	4	3	1		
240.0	242.5	2.5	12731	0.015	0.031	0.016	0.030														79	95	47	4	16	1		
242.5	245.0	2.5	12732	0.038	0.016	0.041	0.017														100	96	83	4	3	1		
245.0	247.5	2.5	12733	0.026	0.109	0.030	0.118														107	95	81	4	3	1		
247.5	250.0	2.5	12734	0.042	0.030	0.043	0.031														78	96	73	4	3	1		
250.0	252.5	2.5	12735	0.031	0.033	0.031	0.032														104	97	80	4	5	1		
252.5	255.0	2.5	12736	0.145	0.021	0.151	0.021														77	99	87	4	6	1		
255.0	257.5	2.5	12737	0.056	0.006	0.057	0.007														93	89	58	4	10	1		
257.5	260.0	2.5	12738	0.025	0.019	0.022	0.016	12739, 0.035, 0.007													91	100	74	4	5	1		
260.0	262.5	2.5	12740	0.040	0.021	0.045	0.021	AAL 12739 0.038 0.008													93	98	66	4	7	1		
262.5	265.0	2.5	12741	0.104	0.018	0.106	0.021														88	97	80	4	3	1		
265.0	267.5	2.5	12742	0.034	0.017	0.033	0.017														77	75	60	4	5	1		
267.5	270.0	2.5	12743	0.019	0.003	0.018	0.003														66	93	71	4	7	1		
270.0	272.5	2.5	12744	0.005	0.001	0.004	0.000														10	100	85	4	4	1		

268.20-285.04 Felsic Dyke. Bone coloured porphyritic felsic dyke. Very fine textured groundmass with about 15% feldspar phenos, mostly 2-4mm plagioclase phenos but also larger 5mm potassic feldspars. About 1% fine disseminated pyrite as 1mm cubes. Sharp contacts at 45-50 degrees to core axis with 1cm chill margins. No copper or moly noted.

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L Cu%	A.A.L Mo%	DUPLICATE	STANDARD	BLANK	Cu O ₂	Au ppb	Ag ppm	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	g	S _x Assem	S _x	Width (mm)	φ	(qtz, mag, chl, zols, anh, gyp, epi, bio)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARD-NESS	No./Run	Condition	SG	NPR
272.5	275.0	2.5	12745	0.009	0.001	0.008	0.000															11	100	71	4	8	1			
275.0	277.5	2.5	12746	0.003	0.000	0.003	0.000															10	100	77	4	9	1			
277.5	280.0	2.5	12747	0.003	0.000	0.003	0.000															14	100	84	4	5	1			
280.0	282.5	2.5	12748	0.001	0.000	0.002	0.000															3	93	85	4	2	1			
282.5	285.0	2.5	12749	0.001	0.000	0.002	0.000															6	99	79	4	9	1			
285.0	287.5	2.5	12750	0.023	0.029	0.023	0.031		HML0.5Cu, #13, 12751, 0.496, 0.015					285.04-374.90 Homfelses Volcanics. As above.....								83	98	89	4	4	1			
287.5	290.0	2.5	12752	0.028	0.024	0.019	0.024		AAL 12751	0.490	0.016											90	92	57	4	12	1			
290.0	292.5	2.5	12753	0.022	0.053	0.020	0.050															101	96	76	4	9	1			
292.5	295.0	2.5	12754	0.028	0.025	0.026	0.024															93	100	88	4	7	1			
295.0	297.5	2.5	12755	0.029	0.034	0.028	0.032															129	94	75	4	8	1			
297.5	300.0	2.5	12756	0.013	0.021	0.012	0.020															98	99	79	4	10	1			
300.0	302.5	2.5	12757	0.037	0.015	0.038	0.014															170	92	62	4	17	1			
302.5	305.0	2.5	12758	0.069	0.057	0.069	0.057															123	97	73	4	9	1			
305.0	307.5	2.5	12759	0.041	0.034	0.038	0.031															65	100	98	4	2	1			
307.5	310.0	2.5	12760	0.038	0.010	0.039	0.010															70	96	83	4	4	1			
310.0	312.5	2.5	12761	0.034	0.017	0.024	0.012															71	95	84	4	5	1			
312.5	315.0	2.5	12762	0.033	0.014	0.030	0.014		Silica, 12763, 0.000, 0.000													57	98	86	4	8	1			
315.0	317.5	2.5	12764	0.045	0.025	0.040	0.022		AAL 12763	0.002	0.001											76	98	93	4	2	1			
317.5	320.0	2.5	12765	0.028	0.022	0.027	0.021															63	97	82	4	8	1			
320.0	322.5	2.5	12766	0.030	0.027	0.028	0.025															150	98	88	4	5	1			
322.5	325.0	2.5	12767	0.026	0.032	0.040	0.029															80	98	91	4	4	1			
325.0	327.5	2.5	12768	0.042	0.031	0.024	0.027															92	97	85	4	5	1			

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L Cu%	A.A.L Mo%	DUPLICATE	STANDARD	BLANK	Cu O ₂	Au ppb	Ag ppm	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	S _x Assem	S _x	Width (mm)	ϕ	(qtz, mag, chl, zols, anh, gyp, epi, bio)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARD-NESS	No. /Run	Condition	SG	NPR
327.5	330.0	2.5	12769	0.023	0.017	0.020	0.014															73	98	89	4	6	1		
330.0	332.5	2.5	12770	0.019	0.024	0.016	0.018															97	99	92	4	5	1		
332.5	335.0	2.5	12771	0.022	0.022	0.021	0.019															83	99	92	4	3	1		
335.0	337.5	2.5	12772	0.018	0.029	0.017	0.026															60	98	91	4	4	1		
337.5	340.0	2.5	12773	0.038	0.134	0.039	0.129															12	87	49	4	20	1		
340.0	342.5	2.5	12774	0.023	0.007	0.024	0.006															77	100	56	4	19	1		
342.5	345.0	2.5	12775	0.016	0.046	0.014	0.040															53	92	77	4	13	1		
345.0	347.5	2.5	12776	0.036	0.010	0.034	0.010															77	99	92	4	4	1		
347.5	350.0	2.5	12777	0.026	0.007	0.027	0.007															83	94	84	4	6	1		
350.0	352.5	2.5	12778	0.052	0.005	0.057	0.006	12779, 0.065, 0.008														79	92	78	4	7	1		
352.5	355.0	2.5	12780	0.038	0.005	0.034	0.005	AAL 12779 0.064 0.008														98	97	89	4	8	1		
355.0	357.5	2.5	12781	0.047	0.022	0.042	0.022															108	97	91	4	4	1		
357.5	360.0	2.5	12782	0.050	0.016	0.054	0.016															88	93	88	4	4	1		
360.0	362.5	2.5	12783	0.086	0.012	0.081	0.012															110	100	98	4	2	1		
362.5	365.0	2.5	12784	0.089	0.095	0.088	0.100															86	100	91	4	6	1		
365.0	367.5	2.5	12785	0.063	0.011	0.062	0.010															105	96	90	4	5	1		
367.5	370.0	2.5	12786	0.049	0.008	0.046	0.008															119	94	76	4	7	1		
370.0	372.5	2.5	12787	0.025	0.009	0.025	0.010															95	96	70	4	15	1		
372.5	374.9	2.4	12788	0.033	0.085	0.027	0.077															90	80	70	4	7	1		

EOH

Huckleberry Mines Ltd.

QA/QC COMPLETE

Hole No. **WC-08-05** Collar Northing: 5958755
 Location: Whiting Creek Easting: 618549
 Inclination: -65 Elevation: 1580m
 Azimuth: 120 Date Started: September 6, 2008
 Depth(m) 405.38m Date Comp: Sept. 14, 2008

Core Size: BTW

Multi-shot test: Yes
 Cor.Test

Date Logged: Sept. 6-14, 2008
 Logged by: GLR

FROM	TO	RUN (m)	SAMPLE No	Cu% HML	Mo% HML	A.A.L. Cu%	A.A.L. Mo%	DUPLICATE	STANDARD	BLANK	Cu O ₂	Au ppb	Ag ppb	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	Vein Sulphides		Veinlet		Gangue		Selvage Alt		JOINT									
															S ₂ Assem	S ₂	Width (mm)	ø	(ref. mag. ch. rock, arch. gyps. epl. bio)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARDNESS	No./Run	Condition	SG	NPR			
0	7.2								Mp-2, 12789, 0.089, 0.240					0.00-6.40 Casing. (Later advanced to 7.20m)																		
7.2	10.0	2.8	12790	0.022	0.009	0.024	0.009		AAL HV-2 12789	0.570	0.045			6.40-405.38 Hornfelsed Volcanics. A very long run of homogenous hornfelsed volcanics with only slightly varying intensity of stockwork quartz veining containing molybdenite and lesser amounts of chalcopyrite. Very similar to holes WC-08-03 and 4. Higher grade intervals of Mo can be expected from drilling down individual veins but the average of the																		
10.0	12.5	2.5	12791	0.009	0.023	0.009	0.023																									
12.5	15.0	2.5	12792	0.015	0.038	0.016	0.037																									
15.0	17.5	2.5	12793	0.029	0.015	0.032	0.015																									
17.5	20.0	2.5	12794	0.044	0.020	0.041	0.019																									
20.0	22.5	2.5	12795	0.040	0.015	0.047	0.014																									
22.5	25.0	2.5	12796	0.070	0.009	0.075	0.009																									
25.0	27.5	2.5	12797	0.063	0.019	0.069	0.019																									
27.5	30.0	2.5	12798	0.087	0.004	0.087	0.003																									
30.0	32.5	2.5	12799	0.060	0.012	0.061	0.012																									
32.5	35.0	2.5	12800	0.042	0.003	0.042	0.002																									
35.0	37.5	2.5	12801	0.037	0.018	0.044	0.017			Silica, 12802, 0.002, 0.000																						
37.5	40.0	2.5	12803	0.037	0.007	0.041	0.007			AAL 12802	0.002	0.000																				
40.0	42.5	2.5	12804	0.026	0.018	0.033	0.019																									
42.5	45.0	2.5	12805	0.037	0.023	0.035	0.026																									
45.0	47.5	2.5	12806	0.041	0.014	0.043	0.017																									
47.5	50.0	2.5	12807	0.037	0.027	0.034	0.030																									
50.0	52.5	2.5	12808	0.017	0.017	0.019	0.019																									
52.5	55.0	2.5	12809	0.021	0.006	0.020	0.007																									
55.0	57.5	2.5	12810	0.027	0.007	0.025	0.008																									
57.5	60.0	2.5	12811	0.023	0.018	0.020	0.020																									

FROM	TO	RUN (m)	SAMPLE No	Cu% HML	Mo% HML	A.A.L Cu%	A.A.L Mo%	DUPLICATE	STANDARD	BLANK	Cu O ₂	Au ppb	Ag ppm	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	g	S ₁ Assem	S ₂	Width (mm)	ø	(gr. mag. chl. sol. anh. crys. epi. bio)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARDNESS	No./Run	Condition	SG	NPR
60.0	62.5	2.5	12812	0.032	0.014	0.028	0.015																96	85	33	4	20	1		
62.5	65.0	2.5	12813	0.018	0.006	0.018	0.007																76	81	38	4	16	1		
65.0	67.5	2.5	12814	0.018	0.005	0.019	0.006																76	90	45	4	24	1		
67.5	70.0	2.5	12815	0.031	0.011	0.029	0.012																161	78	13	4	37	1		
70.0	72.5	2.5	12816	0.039	0.011	0.042	0.012																90	75	21	4	37	1		
72.5	75.0	2.5	12817	0.029	0.020	0.025	0.021	Dup, 12818, 0.026, 0.021															97	84	38	4	28	1		
75.0	77.5	2.5	12819	0.029	0.041	0.026	0.046	AAL, 12818 0.022 0.022															101	73	24	4	37	1		
77.5	80.0	2.5	12820	0.042	0.020	0.039	0.021																70	81	34	4	22	1		
80.0	82.5	2.5	12821	0.047	0.008	0.049	0.009																71	84	25	4	27	1		
82.5	85.0	2.5	12822	0.015	0.012	0.019	0.013																42	48	0	4	n	1		
85.0	88.0	3.0	12823	0.016	0.019	0.018	0.020																64	90	38	4	42	1		
88.0	89.5	1.5	12824	0.009	0.014	0.012	0.015																13	96	31	4	7	1		
89.5	92.5	3.0	12825	0.029	0.016	0.026	0.016																81	98	69	4	9	1		
92.5	95.0	2.5	12826	0.035	0.013	0.035	0.014	HML0.5Cu, #1 3, 12827, 0.505, 0.014															88	98	83	4	7	1		
95.0	97.5	2.5	12828	0.030	0.014	0.026	0.015	AAL, HML#1 3, 12827 0.498 0.016															113	93	74	4	10	1		
97.5	100.0	2.5	12829	0.026	0.011	0.025	0.012																93	85	52	4	18	1		
100.0	102.5	2.5	12830	0.033	0.006	0.030	0.007																74	98	59	4	26	1		
102.5	105.0	2.5	12831	0.031	0.013	0.031	0.013																116	95	78	4	12	1		
105.0	107.5	2.5	12832	0.028	0.010	0.026	0.011																82	100	93	4	6	1		
107.5	110.0	2.5	12833	0.033	0.005	0.032	0.006																63	100	93	4	7	1		
110.0	112.5	2.5	12834	0.031	0.011	0.032	0.012																62	98	90	4	8	1		
112.5	115.0	2.5	12835	0.017	0.020	0.018	0.021			Silica Blk. 12836, 0.000, 0.000												67	95	78	4	9	1			
115.0	117.5	2.5	12837	0.035	0.020	0.038	0.023			AAL, 12836 0.003 0.000												63	97	83	4	8	1			
117.5	120.0	2.5	12838	0.029	0.010	0.031	0.010																48	98	83	4	5	1		

FROM	TO	RUN (m)	SAMPLE No	Cu% HML	Mo% HML	A.A.L	Cu% A.A.L	Mo% A.A.L	DUPLICATE	STANDARD	BLANK	Cu O ₂	Au ppb	Ag ppm	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	g	S _x Assem	S _x	Width (mm)	ø	[gr, mag, chl, calc, anht, gyps, eps, bio]	Type	Width (mm)	MAG SUCS	CORE REC	RQD (%)	HARD-NESS	No./Run	Condition	SG	NPR
120.0	122.5	2.5	12839	0.018	0.011	0.022	0.011																68	99	94	4	5	1			
122.5	125.0	2.5	12840	0.031	0.014	0.033	0.015																94	94	86	4	6	1			
125.0	127.5	2.5	12841	0.022	0.008	0.025	0.008																105	91	79	4	4	1			
127.5	130.0	2.5	12842	0.024	0.015	0.027	0.016																56	96	86	4	3	1			
130.0	132.5	2.5	12843	0.022	0.018	0.027	0.018																51	90	72	4	6	1			
132.5	135.0	2.5	12844	0.023	0.012	0.026	0.013																49	92	77	4	9	1			
135.0	137.5	2.5	12845	0.031	0.022	0.036	0.022																49	100	92	4	5	1			
137.5	140.0	2.5	12846	0.027	0.007	0.032	0.008																68	96	88	4	5	1			
140.0	142.5	2.5	12848	0.036	0.008	0.035	0.008		AAL, 12847	0.031	0.016												86	94	68	4	9	1			
142.5	145.0	2.5	12849	0.059	0.020	0.062	0.020																72	100	90	4	8	1			
145.0	147.5	2.5	12850	0.039	0.032	0.039	0.033																61	86	44	4	14	1			
147.5	150.0	2.5	12851	0.066	0.016	0.064	0.016																67	85	35	4	10	1			
150.0	152.5	2.5	12852	0.067	0.030	0.066	0.032																45	100	83	4	6	1			
152.5	155.0	2.5	12853	0.040	0.011	0.042	0.012																22	96	85	4	4	1			
155.0	157.5	2.5	12854	0.049	0.013	0.051	0.014			HML 0.5 Cu 12855, 0.488, 0.015													83	87	73	4	8	1			
157.5	160.0	2.5	12856	0.076	0.012	0.075	0.013			AAL, hml#13, 12855	0.518	0.016											72	100	88	4	5	1			
160.0	162.5	2.5	12857	0.048	0.087	0.049	0.095																69	92	61	4	5	1			
162.5	165.0	2.5	12858	0.079	0.011	0.079	0.012																90	93	57	4	20	1			
165.0	167.5	2.5	12859	0.045	0.011	0.045	0.012																77	95	78	4	4	1			
167.5	170.0	2.5	12860	0.028	0.013	0.026	0.014																41	97	72	4	6	1			
170.0	172.5	2.5	12861	0.048	0.017	0.049	0.018																74	90	69	4	11	1			
172.5	175.0	2.5	12862	0.028	0.011	0.020	0.011																59	94	52	4	12	1			
175.0	177.5	2.5	12863	0.059	0.032	0.053	0.031																45	100	91	4	5	1			
177.5	180.0	2.5	12864	0.042	0.012	0.045	0.012																61	90	61	4	14	1			

FROM	TO	RUN (m)	SAMPLE No	Cu% HML	Mo% HML	A.A.L Cu%	A.A.L Mo%	DUPLICATE	STANDARD	BLANK	Cu O ₂	Au ppb	Ag ppm	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	g	S _x Assem	S _x	Width (mm)	ø	[gr. mag. chl. solc. anh. gyps. epi. bio]	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARDNESS	No./Run	Condition	SG	NPR
180.0	182.5	2.5	12865	0.032	0.014	0.030	0.015															39	100	58	4	13	1			
182.5	185.0	2.5	12866	0.024	0.013	0.027	0.013																102	97	79	4	8	1		
185.0	187.5	2.5	12867	0.029	0.023	0.029	0.025			Silica Blk. 12868, 0.003, 0.001													57	97	76	4	7	1		
187.5	190.0	2.5	12869	0.019	0.022	0.021	0.024			AAL 12868	0.003	0.001											36	78	33	4	16	1		
190.0	192.5	2.5	12870	0.027	0.037	0.025	0.041																50	100	86	4	7	1		
192.5	195.0	2.5	12871	0.026	0.038	0.024	0.041																40	97	83	4	5	1		
195.0	197.5	2.5	12872	0.043	0.047	0.041	0.054																68	89	78	4	3	1		
197.5	200.0	2.5	12873	0.050	0.008	0.049	0.009																46	93	88	4	4	1		
200.0	202.5	2.5	12874	0.037	0.032	0.036	0.035																107	100	98	4	3	1		
202.5	205.0	2.5	12875	0.037	0.014	0.033	0.015			HV-2, 12876, 0.566, 0.043													115	99	62	4	15	1		
205.0	207.5	2.5	12877	0.029	0.044	0.024	0.044			AAL 12 876	0.581	0.045											61	97	81	4	8	1		
207.5	210.0	2.5	12918	0.028	0.041	0.023	0.039																83	100	98	4	5	1		
210.0	212.5	2.5	12919	0.020	0.008	0.018	0.008																82	90	76	4	6	1		
212.5	215.0	2.5	12920	0.021	0.006	0.022	0.006																64	85	52	4	20	1		
215.0	217.5	2.5	12921	0.018	0.016	0.018	0.015																57	94	70	4	8	1		
217.5	220.0	2.5	12922	0.021	0.010	0.020	0.010																58	95	81	4	4	1		
220.0	222.5	2.5	12923	0.021	0.009	0.020	0.009																84	97	62	4	14	1		
222.5	225.0	2.5	12878	0.017	0.010	0.012	0.010																39	93	81	4	4	1		
225.0	227.5	2.5	12879	0.012	0.028	0.012	0.026																21	88	64	4	10	1		
227.5	230.0	2.5	12880	0.018	0.013	0.017	0.012																30	88	28	4	24	1		
230.0	232.5	2.5	12881	0.019	0.013	0.019	0.012																58	88	23	4	40	1		
232.5	235.0	2.5	12882	0.033	0.032	0.028	0.028																45	82	22	4	n	1		
235.0	237.5	2.5	12883	0.040	0.010	0.035	0.010																59	100	82	4	7	1		
237.5	240.0	2.5	12884	0.038	0.022	0.038	0.019																70	98	87	4	3	1		

FROM	TO	RUN (m)	SAMPLE No	Cu% HML	Mo% HML	A.A.L Cu%	A.A.L Mo%	DUPLICATE	STANDARD	BLANK	Cu O ₂	Au ppb	Ag ppm	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	g	S _x Assem	S _x	Width (mm)	ø	[gr. mag. chl. solc. anh. gyps. epi. bio]	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARD-NESS	No./Run	Condition	SG	NPR
240.0	242.5	2.5	12885	0.045	0.009	0.039	0.009																51	92	54	4	18	1		
242.5	245.0	2.5	12886	0.039	0.017	0.034	0.016		HML#13, 0.5Cu, 12887, 0.524, 0.015														71	79	40	4	n	1		
245.0	247.5	2.5	12888	0.055	0.017	0.050	0.018		AAL, 12887 0.467 0.015														81	99	65	4	10	1		
247.5	250.0	2.5	12889	0.090	0.009	0.092	0.009																53	88	62	4	14	1		
250.0	252.5	2.5	12890	0.074	0.009	0.069	0.010																76	100	46	4	20+	1		
252.5	255.0	2.5	12891	0.070	0.009	0.068	0.009																47	79	42	4	n	1		
255.0	257.5	2.5	12892	0.117	0.010	0.111	0.010																49	84	56	4	10	1		
257.5	260.0	2.5	12893	0.076	0.005	0.069	0.005																47	100	52	4	7	1		
260.0	262.5	2.5	12894	0.081	0.010	0.083	0.010																53	90	72	4	7	1		
262.5	265.0	2.5	12895	0.069	0.005	0.066	0.004																87	86	63	4	12	1		
265.0	267.5	2.5	12896	0.057	0.006	0.053	0.006																53	100	91	4	4	1		
267.5	270.0	2.5	12897	0.092	0.012	0.096	0.012																84	95	82	4	5	1		
270.0	272.5	2.5	12898	0.077	0.008	0.078	0.008																77	95	80	4	7	1		
272.5	275.0	2.5	12899	0.056	0.010	0.056	0.010																61	93	68	4	8	1		
275.0	277.5	2.5	12900	0.038	0.009	0.033	0.009																75	97	80	4	10	1		
277.5	280.0	2.5	12901	0.017	0.002	0.017	0.002		12902, 0.022, 0.004														18	100	93	4	4	1		
280.0	282.5	2.5	12903	0.031	0.017	0.028	0.018		AAL, 12902 0.022 0.004														51	95	78	4	7	1		
282.5	285.0	2.5	12904	0.030	0.016	0.028	0.016																31	91	62	4	10	1		
285.0	287.5	2.5	12905	0.033	0.004	0.032	0.004																14	94	64	4	13	1		
287.5	290.0	2.5	12906	0.030	0.008	0.028	0.008																17	97	74	4	7	1		
290.0	292.5	2.5	12907	0.024	0.009	0.021	0.009																39	97	70	4	7	1		
292.5	295.0	2.5	12908	0.117	0.011	0.113	0.010																51	95	70	4	10	1		
295.0	297.5	2.5	12909	0.032	0.027	0.028	0.027																39	86	44	4	22	1		
297.5	300.0	2.5	12910	0.022	0.009	0.021	0.008																41	99	72	4	17	1		

FROM	TO	RUN (m)	SAMPLE No	Cu% HML	Mo% HML	A.A.L. Cu%	A.A.L. Mo%	DUPLICATE	STANDARD	BLANK	Cu O ₂	Au ppb	Ag ppm	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	g	S _x Assem	S _x	Width (mm)	ø	(gr. mag. chl. calc. anh. gyps. epi. bio)	Type	Width (mm)	MAG SUC	CORE REC	RQD (%)	HARD-NESS	No./Run	Condition	SG	NPR
300.0	302.5	2.5	12911	0.021	0.010	0.022	0.011							Quartz veining changes from 1-2cm thick stockwork to larger "bull quartz" veins that are 10's of cms thick. They contain less molybdenite overall.								60	94	46	4	18	1			
302.5	305.0	2.5	12912	0.023	0.015	0.022	0.016																63	44	64	4	16	1		
305.0	307.5	2.5	12913	0.014	0.007	0.013	0.007																33	94	39	4	19	1		
307.5	310.0	2.5	12914	0.019	0.015	0.014	0.014																33	89	45	4	22	1		
310.0	312.5	2.5	12915	0.027	0.007	0.024	0.007																63	100	74	4	13	1		
312.5	315.0	2.5	12916	0.017	0.014	0.016	0.015		HML#13, 0.5Cu, 12917, 0.484, 0.015														45	90	80	4	7	1		
315.0	317.5	2.5	12924	0.039	0.003	0.035	0.004		AAL, 12917	0.493	0.015												25	96	61	4	14	1		
317.5	320.0	2.5	12925	0.032	0.007	0.028	0.008																90	90	51	4	23	1		
320.0	322.5	2.5	12926	0.023	0.008	0.022	0.008																75	98	31	4	35	1		
322.5	325.0	2.5	12927	0.038	0.006	0.036	0.007																27	89	52	4	n	1		
325.0	327.5	2.5	12928	0.041	0.010	0.041	0.010																44	95	57	4	15	1		
327.5	330.0	2.5	12929	0.066	0.007	0.064	0.007																40	95	74	4	14	1		
330.0	332.5	2.5	12930	0.028	0.003	0.029	0.004																17	100	66	4	16	1		
332.5	335.0	2.5	12931	0.024	0.015	0.022	0.016																6	98	92	4	3	1		
335.0	337.5	2.5	12932	0.028	0.010	0.027	0.011																12	96	49	4	20	1		
337.5	340.0	2.5	12933	0.011	0.002	0.012	0.002																18	78	20	4	n	1		
340.0	342.5	2.5	12934	0.006	0.024	0.006	0.026																5	91	48	4	n	1		
342.5	345.0	2.5	12935	0.052	0.011	0.049	0.012																18	99	78	4	3	1		
345.0	347.5	2.5	12936	0.024	0.002	0.021	0.002																13	98	79	4	6	1		
347.5	350.0	2.5	12937	0.020	0.006	0.021	0.008																24	94	35	4	n	1		
350.0	352.5	2.5	12938	0.029	0.005	0.029	0.005															27	75	38	4	n	1			
352.5	355.0	2.5	12939	0.026	0.003	0.025	0.003															9	99	77	4	7	1			
355.0	357.5	2.5	12940	0.026	0.003	0.027	0.004		MP-2, 12941, 0.076, 0.223													14	98	89	4	11	1			
357.5	360.0	2.5	12942	0.011	0.003	0.009	0.003		AAL, 12941	0.086	0.245											10	95	76	4	8	1			

FROM	TO	RUN (m)	SAMPLE No	Cu% HML	Mo% HML	A.A.L Cu%	A.A.L Mo%	DUPLICATE	STANDARD	BLANK	Cu O ₂	Au ppb	Ag ppm	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	g	S _x Assem	S _x	Width (mm)	ø	[gr. mag. chl. sol. anh. gyps. epi. bio]	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARD-NESS	No./Run	Condition	SG	NPR
360.0	362.5	2.5	12943	0.017	0.008	0.014	0.008																13	97	66	4	10	1		
362.5	365.0	2.5	12944	0.016	0.003	0.016	0.003																18	94	66	4	12	1		
365.0	367.5	2.5	12945	0.009	0.001	0.009	0.002																21	99	53	4	13	1		
367.5	370.0	2.5	12946	0.010	0.002	0.010	0.003																39	83	38	4	22	1		
370.0	372.5	2.5	12947	0.008	0.000	0.007	0.000																15	92	39	4	24	1		
372.5	375.0	2.5	12948	0.006	0.000	0.007	0.000																9	100	40	4		1		
375.0	377.5	2.5	12949	0.010	0.002	0.013	0.003																20	85	58	4	9	1		
377.5	380.0	2.5	12950	0.016	0.002	0.019	0.002																42	86	54	4	11	1		
380.0	382.5	2.5	12951	0.021	0.002	0.022	0.002																52	94	81	4	5	1		
382.5	385.0	2.5	12952	0.017	0.003	0.019	0.003																34	100	94	4	2	1		
385.0	387.5	2.5	12953	0.015	0.001	0.019	0.002																31	95	88	4	4	1		
387.5	390.0	2.5	12954	0.012	0.002	0.016	0.002																16	99	68	4	12	1		
390.0	392.5	2.5	12955	0.039	0.003	0.037	0.004																28	98	82	4	7	1		
392.5	395.0	2.5	12956	0.024	0.004	0.020	0.004																47	97	57	4	11	1		
395.0	397.5	2.5	12957	0.033	0.004	0.029	0.004																28	84	55	4	7	1		
397.5	400.0	2.5	12958	0.027	0.004	0.025	0.005																34	91	49	4	10	1		
400.0	402.5	2.5	12959	0.009	0.002	0.009	0.002																20	88	27	4	12	1		
402.5	405.4	2.9	12960	0.009	0.001	0.009	0.002																25	84	47	4	11	1		

E.O.H

Hole was shut down since we reached the depth capacity of the drill rig.

Huckleberry Mines Ltd.

QA/QC COMPLETE

Hole No. **WC-08-06** Collar Northing: 5959190
 Location: Pad WC-L Easting: 618927
 Inclination: -55 Elevation: 1715m
 Azimuth: 240 Date Started: Sept. 15, 2008
 Depth(m) **233.17m** Date Comp: Sept. 22, 2008

Core Size: BTW

Multi-shot test: No.
 Cor.Test

Date Logged: Sept. 15-22, 2008
 Logged by:

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L. Cu%	A.A.L. Mo%	DUPLICATE	STANDARD	BLANK	Cu O ₂	Au ppb	Ag ppm	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	Vein Sulphides		Veinlet		Gangue		Selvage Alt'r		JOINT						
															S _x Assem	S _x	Width (mm)	ϕ	(qtz, mag, chl, zals, anht, gyp, ept, bio)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARD-NESS	No./Run	Condition	SG	NPR
0	8.9	8.9	ns	ns	ns									0.00-15.24 Casing. Some recovery from 8.90 metres down.															
8.9	10.0	1.1	12961	0.015	0.004	0.016	0.004							8.90-150.38 Hornfelsed Volcanics.								20	41	0	4	n	4		
10.0	12.5	2.5	12962	0.063	0.006	0.056	0.006															24	43	0	4	n	2		
12.5	15.0	2.5	12963	0.018	0.003	0.018	0.004															20	66	4	4	n	1		
15.0	17.5	2.5	12964	0.018	0.003	0.018	0.003															32	80	5	4	n	1		
17.5	20.0	2.5	12965	0.084	0.007	0.078	0.007															17	72	24	4	22	1		
20.0	22.5	2.5	12966	0.048	0.005	0.044	0.005			Silica 12967, 0.003, 0.000												5	80	26	4	39	1		
22.5	25.0	2.5	12968	0.333	0.002	0.328	0.003			AAL, 12967	0.004	0.000										18	43	0	4	n	1		
25.0	27.5	2.5	12969	0.021	0.004	0.019	0.005															18	46	0	4	n	1		
27.5	30.0	2.5	12970	0.049	0.001	0.046	0.001															22	56	0	4	n	1		
30.0	35.0	5.0	12971	0.047	0.001	0.046	0.001															40	28	6	4	n	1		
35.0	37.5	2.5	12972	0.130	0.006	0.126	0.007															24	75	12	4	28	1		
37.5	40.0	2.5	12973	0.044	0.001	0.039	0.001															40	96	54	4	19	1		
40.0	42.5	2.5	12974	0.078	0.003	0.070	0.003															20	90	56	4	15	1		
42.5	45.0	2.5	12975	0.040	0.002	0.038	0.002			Dup 12976, 0.058, 0.001												14	97	58	4	17	1		
45.0	47.5	2.5	12977	0.033	0.005	0.030	0.006			AAL, 12976	0.054	0.001										38	78	24	4	24	1		
47.5	50.0	2.5	12978	0.027	0.005	0.023	0.005															35	94	37	4	26	1		
50.0	52.5	2.5	12979	0.042	0.003	0.037	0.003															50	82	18	4	39	1		
52.5	55.0	2.5	12980	0.034	0.002	0.030	0.002															48	80	34	4	21	1		

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L. Cu%	A.A.L. Mo%	DUPLICATE	STANDARD	BLANK	Cu O ₂	Au ppb	Ag ppm	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	g/g	S _x Assem	S _x	Width (mm)	ϕ	(qtz, mag, chl, zols, anh, gyp, epi, bio)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARD- NESS	No. /Run	Condi- tion	SG	NPR
55.0	57.5	2.5	12981	0.032	0.002	0.027	0.002																58	84	28	4	35	1		
57.5	60.0	2.5	12982	0.040	0.001	0.038	0.001																38	67	8	4	n	1		
60.0	62.5	2.5	12983	0.119	0.002	0.123	0.002																35	64	8	4	39	1		
62.5	65.0	2.5	12984	0.058	0.029	0.051	0.029																29	83	29	4	28	1		
65.0	67.5	2.5	12985	0.031	0.010	0.028	0.010																27	89	32	4	33	1		
67.5	70.0	2.5	12986	0.037	0.003	0.037	0.004																25	74	11	4	36	1		
70.0	72.5	2.5	12987	0.015	0.001	0.016	0.002		HML#13, 12988, 0.530, 0.016														34	78	14	4	29	1		
72.5	75.0	2.5	12989	0.021	0.007	0.020	0.007		AAL, 12988	0.485	0.016												32	94	53	4	16	1		
75.0	77.5	2.5	12990	0.040	0.006	0.035	0.006																32	91	53	4	10	1		
77.5	80.0	2.5	12991	0.042	0.009	0.036	0.009																33	97	49	4	16	1		
80.0	82.5	2.5	12992	0.033	0.021	0.030	0.020																36	94	61	4	11	1		
82.5	85.0	2.5	12993	0.079	0.013	0.075	0.014																59	91	32	4	19	1		
85.0	87.5	2.5	12994	0.044	0.020	0.038	0.021																60	82	25	4	28	1		
87.5	90.0	2.5	12995	0.103	0.042	0.099	0.043		Silica, 12996, 0.000, 0.000														70	96	35	4	19	1		
90.0	92.5	2.5	12997	0.066	0.008	0.063	0.009		AAL, 12996	0.004	0.001												43	90	60	4	8	1		
92.5	95.0	2.5	12998	0.059	0.006	0.053	0.006																30	63	54	4	4	1		
95.0	97.5	2.5	12999			#VALUE!	#VALUE!																18	71	9	4	36	1		
97.5	100.0	2.5	13000	0.041	0.034	0.036	0.034																20	64	8	4	n	1		
100.0	102.5	2.5	13001	0.027	0.028	0.024	0.028																23	68	20	4	22	1		
102.5	105.0	2.5	13002	0.027	0.013	0.027	0.013																41	65	34	4	15	1		
105.0	107.5	2.5	13003	0.054	0.002	0.051	0.002																46	80	28	4	40	1		

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L. Cu%	A.A.L. Mo%	DUPLICATE	STANDARD	BLANK	Cu O ₂	Au ppb	Ag ppm	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	S _x Assem	S _x	Width (mm)	ϕ	(qtz, mag, chl, zols, anh, gyp, epi, bio)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARD-NESS	No. /Run	Condition	SG	NPR
107.5	110.0	2.5	13004	0.061	0.008	0.059	0.008															28	94	61	4	10	1		
110.0	112.5	2.5	13005	0.041	0.016	0.041	0.016											6				188	95	37	4	38	1		
112.5	115.0	2.5	13006	0.056	0.015	0.055	0.015															58	77	41	4	15	1		
115.0	117.5	2.5	13007	0.043	0.043	0.041	0.043		MP-2, 13008, 0.087, 0.238													61	89	44	4	15	1		
117.5	120.0	2.5	13009	0.024	0.019	0.022	0.019		AAL 13008 0.080	0.228												31	90	60	4	13	1		
120.0	122.5	2.5	13010	0.049	0.010	0.047	0.010															37	95	60	4	12	1		
122.5	125.0	2.5	13011	0.064	0.031	0.062	0.030															13	86	68	4	7	1		
125.0	127.5	2.5	13012	0.090	0.035	0.088	0.034															83	100	62	4	24	1		
127.5	130.0	2.5	13013	0.071	0.060	0.070	0.061															52	91	45	4	17	1		
130.0	132.5	2.5	13014	0.062	0.013	0.062	0.012															70	89	62	4	18	1		
132.5	135.0	2.5	13015	0.045	0.026	0.043	0.026		13016, 0.042, 0.018													55	94	51	4	17	1		
135.0	137.5	2.5	13017	0.056	0.004	0.057	0.004		AAL 13016 0.042	0.018												92	88	38	4	19	1		
137.5	140.0	2.5	13018	0.139	0.007	0.137	0.007															84	95	55	4	14	1		
140.0	142.5	2.5	13019	0.097	0.008	0.097	0.008															37	97	50	4	14	1		
142.5	145.0	2.5	13020	0.077	0.006	0.078	0.006															72	88	52	4	18	1		
145.0	147.5	2.5	13021	0.064	0.014	0.054	0.013															79	84	367	4	28	1		
147.5	150.0	2.5	13022	0.117	0.012	0.125	0.014															61	89	53	4	19	1		
150.0	150.4	0.4	13023	0.002	0.000	0.002	0.000							150.38-163.87 Felsic Dyke.								67	91	37	4	n	1		
150.4	152.5	2.1	13024	0.002	0.000	0.002	0.000																						
152.5	155.0	2.5	13025	0.061	0.029	0.062	0.031		13026, HML#13, 0.492, 0.016													10	82	35	4	20	1		
155.0	157.5	2.5	13027	0.003	0.000	0.003	0.000		AAL 13026 0.525	0.016												16	96	57	4	14	1		

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L. Cu%	A.A.L. Mo%	DUPLICATE	STANDARD	BLANK	Cu O ₂	Au ppb	Ag ppm	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	g/g	S _x Assem	S _x	Width (mm)	ϕ	(qtz, mag, chl, zols, anh, gyp, epi, bio)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARDNESS	No. /Run	Condition	SG	NPR
157.5	160.0	2.5	13028	0.001	0.000	0.002	0.000															14	93	62	4	20	1			
160.0	162.5	2.5	13029	0.005	0.000	0.005	0.000															8	82	40	4	19	1			
162.5	163.9	1.3	13030	0.024	0.004	0.024	0.005							163.87-169.90 Hornfelsed Volcanics.								55	85	20	4	30	1			
163.9	165.0	1.2	13031	0.063	0.012	0.065	0.013																							
165.0	167.5	2.5	13032	0.080	0.006	0.085	0.007															45	84	42	4	40	1			
167.5	170.0	2.5	13033	0.091	0.012	0.100	0.013															58	94	38	4	17	1			
170.0	172.5	2.5	13034	0.005	0.001	0.003	0.000							169.90-177.68 Felsic Volcanics.								12	83	5	4	n	1			
172.5	175.0	2.5	13035	0.005	0.001	0.003	0.001															12	93	45	4	30	1			
175.0	177.5	2.5	13036	0.009	0.001	0.008	0.001				Silica, 13037, 0.003, 0.001											13	76	24	4	22	1			
177.5	180.0	2.5	13038	0.076	0.005	0.075	0.005				AAL, 13037	0.003	0.000	177.68-233.17 Hornfelsed Volcanics.								88	94	44	4	14	1			
180.0	182.5	2.5	13039	0.113	0.006	0.114	0.006															126	98	63	4	10	1			
182.5	185.0	2.5	13040	0.147	0.004	0.143	0.004															60	100	80	4	8	1			
185.0	187.5	2.5	13041	0.096	0.004	0.096	0.004															78	87	62	4	9	1			
187.5	190.0	2.5	13042	0.104	0.038	0.100	0.041															119	97	67	4	11	1			
190.0	192.5	2.5	13043	0.089	0.013	0.077	0.013															81	91	70	4	16	1			
192.5	195.0	2.5	13044	0.092	0.032	0.090	0.035															160	100	51	4	20	1			
195.0	197.5	2.5	13045	0.048	0.022	0.048	0.024															158	96	60	4	11	1			
197.5	200.0	2.5	13046	0.061	0.041	0.061	0.043															308	99	78	4	10	1			
200.0	202.5	2.5	13047	0.118	0.064	0.116	0.067															157	93	77	4	4	1			
202.5	205.0	2.5	13048	0.075	0.018	0.078	0.019															95	96	64	4	13	1			
205.0	207.5	2.5	13049	0.105	0.041	0.103	0.042				MP-2, 13050, 0.093, 0.238											78	83	48	4	13	1			

FROM	TO	RUN (m)	SAMPLE No.	Cu% HML	Mo% HML	A.A.L. Cu%	A.A.L. Mo%	DUPLICATE	STANDARD	BLANK	Cu O ₆	Au ppb	Ag ppm	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	S _x Assem	S _x	Width (mm)	ϕ	(qtz, mag, chl, zols, anh, gyp, epi, bio)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARD-NESS	No. /Run	Condition	SG	NPR
207.5	210.0	2.5	13051	0.165	0.031	0.166	0.033		AAL 13050	0.091	0.244										254	97	78	4	5	1			
210.0	212.5	2.5	13052	0.126	0.089	0.132	0.095														130	94	53	4	11	1			
212.5	215.0	2.5	13053	0.156	0.033	0.161	0.033														100	97	65	4	14	1			
215.0	217.5	2.5	13054	0.136	0.037	0.135	0.039														137	95	63	4	8	1			
217.5	220.0	2.5	13055	0.105	0.021	0.111	0.024														125	93	25	4	30+	1			
220.0	222.5	2.5	13056	0.110	0.121	0.115	0.133														66	87	55	4	15	1			
222.5	225.0	2.5	13057	0.133	0.022	0.127	0.023														59	92	52	4	8	1			
225.0	227.5	2.5	13057	0.133	0.022	0.127	0.023														72	87	20	4	n	1			
227.5	230.0	2.5	13058	0.110	0.027	0.103	0.028														16	86	28	4	n	1			
230.0	233.2	2.5	13059	0.085	0.017	0.079	0.017														112	87	46	4	n	1			

E.O.H.

Hole was lost due to drill rods coming apart at the threads leaving about 90 metres of drill string in the hole. Caving on top of the stuck rods prevented their recovery. No multi-shot test.

Huckleberry Mines Ltd.

QA/QC COMPLETE

Hole No. **WC-08-07** Collar Northing: 5956458
 Location: WC Easting: 618518
 Inclination: -60 Elevation: 1219
 Azimuth: 225 Date Started: Sept.23
 Depth(m): 189.89 Date Comp: Oct.4

Core Size: BTW

Acid Dip Test

Date Logged:
 Logged by: GLR





Cor. Test

FROM	TO	RUN (m)	SAMPLE No.	Cu%	Mo%	A.A.L. Cu%	A.A.L. Mo%	DUPLICATE	STANDARD	BLANK	Cu O ₂	Au ppb	Ag ppm	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	Vein Sulphides		Veinlet		Gangue		Selvage Alt'n		JOINT		SG	NPR				
															S _x Assem	S _x	Width (mm)	e	(qtz, mag, chl, zols, anh, gyp, ept, bio)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)			HARD-NESS	No. /Run	Condition	
0	3.66	3.66	ns	ns	ns									0.00-3.66 Casing					3.66-10			26	16	0	4	n	4			
3.7	12.5	8.8	13060	0.006	0.000	0.008	0.001							Surface oxidation down to 19.50m.					10-12.5			20	30	0	4	n	4			
12.5	15.0	2.5	13061	0.014	0.002	0.016	0.002							3.66 - 33.60 Granodiorite. Coarse textured. Weak potassic alteration on fractures. Pyrite as 2% disseminated and 1% in veinlets. Trace disseminated chalcopyrite.								14	74	0	4	n	4			
15.0	17.5	2.5	13062	0.030	0.002	0.030	0.002			Silica, 13063, 0.000, 0.000												15	82	34	4	25	2			
17.5	20.0	2.5	13064	0.026	0.001	0.026	0.001			AAL, 13063	0.002	0.000										17	98	40	4	22	1			
20.0	22.5	2.5	13065	0.016	0.001	0.020	0.002															15	94	43	4	16	1			
22.5	25.0	2.5	13066	0.024	0.002	0.025	0.002															20	92	36	4	26	1			
25.0	27.5	2.5	13067	0.025	0.002	0.025	0.002															19	93	66	4	14	1			
27.5	30.0	2.5	13068	0.023	0.001	0.021	0.002															19	94	58	4	16	1			
30.0	32.5	2.5	13069	0.019	0.003	0.022	0.003															9	56	41	4	24	1			
32.5	35.0	2.5	13070	0.036	0.001	0.036	0.001							33.60 - 58.55 Granite dyke. Chilled contacts at 35 to ca. Grey, medium textured. Contains 2% disseminated pyrite and trace disseminated chalcopyrite.								19	88	23	4	n	1			
35.0	37.5	2.5	13071	0.101	0.001	0.089	0.001															19	94	26	4	n	1			
37.5	40.0	2.5	13072	0.067	0.001	0.059	0.001															19	97	30	4	27	1			
40.0	42.5	2.5	13073	0.044	0.002	0.041	0.002															12	92	31	4	25	1			
42.5	45.0	2.5	13074	0.078	0.002	0.076	0.003															11	93	24	4	33	1			
45.0	47.5	2.5	13075	0.049	0.001	0.046	0.001															9	81	14	4	23	1			
47.5	50.0	2.5	13076	0.005	0.002	0.005	0.002	13077, 0.005, 0.002															9	91	28	4	23	1		
50.0	52.5	2.5	13078	0.004	0.001	0.003	0.001	AAL, 13077	0.004	0.002												13	96	10	4	n	1			
52.5	55.0	2.5	13079	0.027	0.001	0.025	0.001															12	87	29	4	34	1			

FROM	TO	RUN (m)	SAMPLE No.	Cu%	Mo%	A.A.L. Cu%	A.A.L. Mo%	DUPLICATE	STANDARD	BLANK	Cu Ox	Au ppb	Ag ppm	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	S _x Assem	S _x	Width (mm)	e	(qtz, mag, chl, zois, anh, gyp, sph, bio)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARD-NESS	No. /Run	Condition	SG	NPR
55.0	57.5	2.5	13080	0.033	0.001	0.032	0.001															13	78	19	4	36	1		
57.5	60.0	2.5	13081	0.027	0.001	0.025	0.001							58.55 - EOH, Granodiorite. Coarse textured, weak alteration but improves in intensity with depth. Trace disseminated molybdenite and 0.1% chalcopyrite.								21	94	50	4	23	1		
60.0	62.5	2.5	13082	0.025	0.001	0.023	0.001															22	100	64	4	11	1		
62.5	65.0	2.5	13083	0.019	0.001	0.020	0.001															19	92	42	4	9	1		
65.0	67.5	2.5	13084	0.023	0.001	0.022	0.002															17	94	61	4	14	1		
67.5	70.0	2.5	13085	0.020	0.002	0.017	0.002															8	98	67	4	8	1		
70.0	72.5	2.5	13086	0.034	0.002	0.032	0.002															17	96	38	4	19	1		
72.5	75.0	2.5	13087	0.073	0.006	0.070	0.006															10	97	68	4	13	1		
75.0	77.5	2.5	13088	0.028	0.003	0.025	0.004															17	89	42	4	11	1		
77.5	80.0	2.5	13089	0.027	0.002	0.026	0.002															16	100	88	4	4	1		
80.0	82.5	2.5	13090	0.021	0.001	0.020	0.002		MP-2, 13091, 0.082, 0.241													24	87	48	4	13	1		
82.5	85.0	2.5	13092	0.032	0.001	0.027	0.001		AAL, MP-2 13091	0.083	0.258											19	99	62	4	16	1		
85.0	87.5	2.5	13093	0.037	0.001	0.037	0.002															22	92	53	4	14	1		
87.5	90.0	2.5	13094	0.044	0.001	0.046	0.001															20	100	55	4	19	1		
90.0	92.5	2.5	13095	0.016	0.000	0.017	0.001															27	97	54	4	13	1		
92.5	95.0	2.5	13096	0.027	0.002	0.028	0.002															24	96	40	4	20	1		
95.0	97.5	2.5	13097	0.021	0.001	0.023	0.002															21	91	12	4	n	1		
97.5	100.0	2.5	13098	0.022	0.001	0.022	0.002															25	84	35	4	14	1		
100.0	102.5	2.5	13099	0.048	0.002	0.048	0.003															30	95	50	4	18	1		
102.5	105.0	2.5	13100	0.031	0.003	0.032	0.003															31	89	70	4	13	1		
105.0	107.5	2.5	13101	0.082	0.003	0.083	0.004															28	96	68	4	11	1		

FROM	TO	RUN (m)	SAMPLE No.	Cu%	Mo%	A.A.L. Cu%	A.A.L. Mo%	DUPLICATE	STANDARD	BLANK	Cu Ox	Au ppb	Ag ppm	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	S _x Assem	S _x	Width (mm)	e	(qtz, mag, chl, zois, anh, gyp, spt, bio)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARD-NESS	No. /Run	Condition	SG	NPR	
107.5	110.0	2.5	13102	0.023	0.002	0.021	0.002															21	94	63	4	12	1			
110.0	112.5	2.5	13103	0.031	0.001	0.031	0.001															28	78	48	4	14	1			
112.5	115.0	2.5	13104	0.027	0.002	0.027	0.002			Silica, 13105, 0.000, 0.000												28	87	40	4	17	1			
115.0	117.5	2.5	13106	0.025	0.002	0.025	0.002			AAL, Silica, 13105	0.003	0.000										25	91	63	4	20	1			
117.5	120.0	2.5	13107	0.204	0.002	0.207	0.002															25	87	38	4	21	1			
120.0	122.5	2.5	13108	0.040	0.004	0.035	0.004															25	84	47	4	23	1			
122.5	125.0	2.5	13109	0.027	0.003	0.028	0.004															25	90	56	4	26	1			
125.0	127.5	2.5	13110	0.036	0.002	0.038	0.002															14	90	65	4	17	1			
127.5	130.0	2.5	13111	0.030	0.001	0.031	0.002															32	99	64	4	15	1			
130.0	132.5	2.5	13112	0.036	0.002	0.037	0.003															27	88	61	4	14	1			
132.5	135.0	2.5	13113	0.058	0.001	0.058	0.001															20	87	65	4	12	1			
135.0	137.5	2.5	13114	0.023	0.002	0.023	0.002															15	86	69	4	10	1			
137.5	140.0	2.5	13115	0.035	0.002	0.037	0.002															17	90	65	4	8	1			
140.0	142.5	2.5	13116	0.042	0.002	0.042	0.003															15	92	51	4	20	1			
142.5	145.0	2.5	13117	0.026	0.002	0.025	0.003															12	87	60	4	12	1			
145.0	147.5	2.5	13118	0.033	0.002	0.034	0.003															8	86	32	4	18	1			
147.5	150.0	2.5	13119	0.025	0.001	0.026	0.002	13120, 0.019, 0.001															15	81	38	4	17	1		
150.0	152.5	2.5	13121	0.029	0.000	0.023	0.000	AAL, 13120	0.022	0.002													16	56	88	4	26	1		
152.5	153.8	1.3	13122	0.027	0.001	0.027	0.001																17	77	20	4	28	1		
153.8	155.0	1.2	13122	0.027	0.001	0.027	0.001																15	75	0	4	23	1		
155.0	157.5	2.5	13123	0.051	0.003	0.053	0.003																25	91	44	4	25	1		


FROM	TO	RUN (m)	SAMPLE No.	Cu%	Mo%	A.A.L. Cu%	A.A.L. Mo%	DUPLICATE	STANDARD	BLANK	Cu Ox	Au ppb	Ag ppm	DESCRIPTION (Rock type, structure, alteration, weathering, etc)	S _x Assem	S _x	Width (mm)	e	(qtz, mag, chl, zois, anh, gyp, spt, bio)	Type	Width (mm)	MAG SUSC	CORE REC	RQD (%)	HARD-NESS	No. /Run	Condition	SG	NPR	
157.5	160.0	2.5	13124	0.049	0.002	0.051	0.002															13	88	60	4	19	1			
160.0	162.5	2.5	13125	0.035	0.002	0.036	0.002															12	75	28	4	21	1			
162.5	165.0	2.5	13126	0.033	0.001	0.033	0.001															15	95	71	4	9	1			
165.0	167.5	2.5	13127	0.181	0.015	0.192	0.016															23	87	60	4	11	1			
167.5	170.0	2.5	13128	0.044	0.002	0.039	0.002															20	97	70	4	7	1			
170.0	172.5	2.5	13129	0.058	0.003	0.061	0.003															18	93	84	4	6	1			
172.5	175.0	2.5	13130	0.036	0.001	0.037	0.002		MP-2, 13131, 0.081, 0.207													28	89	68	4	9	1			
175.0	177.5	2.5	13132	0.063	0.001	0.063	0.002		AAL, MP-2, 13131	0.082	0.235											30	83	40	4	21	1			
177.5	180.0	2.5	13133	0.060	0.001	0.063	0.002															24	84	57	4	13	1			
180.0	182.5	2.5	13134	0.084	0.001	0.086	0.002															20	100	90	4	2	1			
182.5	185.0	2.5	13135	0.044	0.001	0.043	0.001															24	99	92	4	3	1			
185.0	187.5	2.5	13136	0.079	0.004	0.084	0.004															24	94	84	4	4	1			
187.5	189.9	2.4	13137	0.037	0.002	0.037	0.002							Hole was lost. EOH 189.89 metres.								25	85	71	4	14	1			



COMPANY:	HUCKLEBERRY MINES
PROJECT:	WHITING CREEK
REPORT:	2008 ASSESSMENT
SCALE:	X = 1mm : 800mm
	Y = 1mm : 800mm
SECTION:	East 618280.00
STRIP LOG:	GEOLOGY // COPPER%, MOL%



COMPANY:	HUCKLEBERRY MINES
PROJECT:	WHITING CREEK
REPORT:	2008 ASSESSMENT
SCALE:	X = 1mm : 800mm
	Y = 1mm : 800mm
SECTION:	East 618480.00
STRIP LOG:	GEOLOGY // COPPER%, MOL%



COMPANY:	HUCKLEBERRY MINES
PROJECT:	WHITING CREEK
REPORT:	2008 ASSESSMENT
SCALE:	X = 1mm : 800mm
	Y = 1mm : 800mm
SECTION:	East 618780.00
STRIP LOG:	GEOLOGY // COPPER%, MOL%

APPENDIX B

Huckleberry Mine Lab Assay Results

DeptSampleID	Date	Cu%	Mo%
12281	7/30/2008	0.03	0.00
12282	7/29/2008	0.03	0.00
12283	7/29/2008	0.04	0.00
12284	7/29/2008	0.04	0.00
12285	7/29/2008	0.04	0.00
12285	7/31/2008	0.05	0.00
12286	7/29/2008	0.02	0.00
12287	7/29/2008	0.05	0.00
12288	7/30/2008	0.03	0.00
12289	7/30/2008	0.03	0.00
12290	7/30/2008	0.04	0.00
12291	7/30/2008	0.02	0.00
12292	7/30/2008	0.03	0.00
12293	7/30/2008	0.04	0.00
12294	7/30/2008	0.04	0.00
12295	7/30/2008	0.07	0.00
12296	7/30/2008	0.07	0.00
12297	7/30/2008	0.05	0.00
12298	7/30/2008	0.05	0.00
12299	7/30/2008	0.03	0.00
12300	7/31/2008	0.02	0.00
12301	7/31/2008	0.04	0.00
12302	7/31/2008	0.07	0.00
12303	7/31/2008	0.00	0.00
12304	7/31/2008	0.04	0.00
12305	7/31/2008	0.05	0.00
12306	7/31/2008	0.03	0.00
12307	8/1/2008	0.04	0.00
12308	8/1/2008	0.05	0.00
12309	8/1/2008	0.04	0.00
12310	8/1/2008	0.04	0.00
12311	8/1/2008	0.03	0.00
12312	8/1/2008	0.04	0.00
12313	8/1/2008	0.03	0.00
12314	8/1/2008	0.03	0.00
12315	8/2/2008	0.52	0.01
12316	8/2/2008	0.05	0.00
12317	8/2/2008	0.04	0.00
12318	8/2/2008	0.04	0.00
12319	8/2/2008	0.02	0.00
12320	8/2/2008	0.04	0.00
12321	8/2/2008	0.03	0.00

DeptSampleID	Date	Cu%	Mo%
12322	8/2/2008	0.04	0.00
12323	8/2/2008	0.03	0.00
12324	8/2/2008	0.06	0.00
12325	8/2/2008	0.04	0.00
12326	8/2/2008	0.04	0.00
12327	8/2/2008	0.05	0.00
12328	8/2/2008	0.05	0.00
12329	8/2/2008	0.05	0.00
12330	8/2/2008	0.05	0.00
12331	8/2/2008	0.02	0.00
12332	8/2/2008	0.02	0.00
12333	8/2/2008	0.03	0.00
12334	8/2/2008	0.03	0.00
12335	8/2/2008	0.04	0.00
12336	8/3/2008	0.04	0.00
12337	8/3/2008	0.04	0.00
12338	8/3/2008	0.05	0.00
12339	8/3/2008	0.06	0.00
12340	8/3/2008	0.03	0.00
12341	8/3/2008	0.03	0.00
12342	8/3/2008	0.00	0.00
12343	8/3/2008	0.02	0.00
12344	8/3/2008	0.04	0.00
12345	8/3/2008	0.02	0.00
12346	8/3/2008	0.03	0.00
12347	8/3/2008	0.03	0.00
12348	8/3/2008	0.03	0.00
12349	8/3/2008	0.02	0.00
12350	8/3/2008	0.03	0.00
12351	8/3/2008	0.02	0.00
12352	8/3/2008	0.01	0.00
12353	8/3/2008	0.07	0.00
12354	8/3/2008	0.06	0.00
12355	8/3/2008	0.06	0.00
12356	8/3/2008	0.52	0.02
12357	8/3/2008	0.02	0.00
12358	8/4/2008	0.03	0.00
12359	8/4/2008	0.09	0.00
12360	8/4/2008	0.09	0.00
12361	8/4/2008	0.14	0.00
12362	8/4/2008	0.06	0.00
12363	8/4/2008	0.03	0.00
12364	8/4/2008	0.04	0.00
12365	8/4/2008	0.04	0.00
12366	8/4/2008	0.04	0.00
12367	8/4/2008	0.01	0.00

DeptSampleID	Date	Cu%	Mo%
12368	8/4/2008	0.03	0.00
12369	8/4/2008	0.03	0.00
12370	8/4/2008	0.07	0.00
12371	8/4/2008	0.03	0.00
12372	8/4/2008	0.01	0.00
12373	8/4/2008	0.01	0.00
12374	8/4/2008	0.03	0.00
12375	8/4/2008	0.02	0.00
12376	8/4/2008	0.03	0.00
12377	8/4/2008	0.05	0.00
12378	8/4/2008	0.02	0.00
12379	8/4/2008	0.03	0.00
12380	8/5/2008	0.04	0.00
12381	8/5/2008	0.05	0.00
12382	8/5/2008	0.54	0.02
12383	8/5/2008	0.02	0.00
12384	8/5/2008	0.02	0.00
12385	8/5/2008	0.01	0.00
12386	8/5/2008	0.05	0.00
12387	8/5/2008	0.03	0.00
12388	8/5/2008	0.02	0.00
12389	8/5/2008	0.03	0.00
12390	8/5/2008	0.02	0.00
12391	8/5/2008	0.02	0.00
12392	8/5/2008	0.04	0.00
12393	8/5/2008	0.06	0.00
12394	8/6/2008	0.07	0.00
12395	8/5/2008	0.08	0.00
12396	8/5/2008	0.00	0.00
12397	8/5/2008	0.03	0.00
12398	8/5/2008	0.01	0.00
12399	8/5/2008	0.05	0.00
12400	8/5/2008	0.03	0.00
12401	8/5/2008	0.01	0.00
12402	8/5/2008	0.02	0.00
12403	8/5/2008	0.02	0.00
12404	8/7/2008	0.02	0.00
12405	8/7/2008	0.03	0.00
12406	8/7/2008	0.02	0.00
12407	8/7/2008	0.02	0.00
12408	8/7/2008	0.02	0.00
12409	8/7/2008	0.02	0.00
12410	8/7/2008	0.02	0.00
12411	8/7/2008	0.02	0.00
12412	8/7/2008	0.04	0.00
12413	8/7/2008	0.05	0.00
12414	8/8/2008	0.02	0.00

DeptSampleID	Date	Cu%	Mo%
12415	8/8/2008	0.03	0.00
12416	8/8/2008	0.02	0.00
12417	8/8/2008	0.02	0.00
12418	8/8/2008	0.02	0.00
12419	8/8/2008	0.02	0.00
12420	8/10/2008	0.02	0.00
12421	8/10/2008	0.03	0.00
12422	8/10/2008	0.01	0.00
12423	8/10/2008	0.01	0.00
12424	8/10/2008	0.02	0.00
12425	8/10/2008	0.02	0.00
12426	8/10/2008	0.54	0.01
12427	8/10/2008	0.03	0.00
12428	8/10/2008	0.01	0.00
12429	8/10/2008	0.02	0.00
12430	8/10/2008	0.03	0.00
12431	8/10/2008	0.02	0.00
12432	8/12/2008	0.03	0.07
12433	8/12/2008	0.04	0.01
12434	8/12/2008	0.07	0.04
12435	8/12/2008	0.10	0.01
12436	8/12/2008	0.11	0.03
12437	8/12/2008	0.13	0.04
12438	8/12/2008	0.12	0.01
12439	8/12/2008	0.09	0.06
12440	8/12/2008	0.14	0.02
12441	8/13/2008	0.06	0.01
12442	8/13/2008	0.06	0.02
12443	8/13/2008	0.13	0.01
12444	8/13/2008	0.10	0.00
12445	8/13/2008	0.17	0.01
12447	8/13/2008	0.08	0.01
12448	8/13/2008	0.09	0.04
12449	8/13/2008	0.11	0.05
12450	8/13/2008	0.11	0.00
12451	8/13/2008	0.09	0.01
12452	8/13/2008	0.19	0.05
12453	8/13/2008	0.08	0.01
12454	8/15/2008	0.07	0.07
12455	8/15/2008	0.05	0.14
12456	8/15/2008	0.13	0.01
12457	8/15/2008	0.18	0.03
12458	8/15/2008	0.09	0.01
12459	8/15/2008	0.00	0.00
12460	8/15/2008	0.12	0.00
12461	8/16/2008	0.10	0.01

DeptSampleID	Date	Cu%	Mo%
12462	8/16/2008	0.09	0.01
12463	8/16/2008	0.09	0.03
12464	8/16/2008	0.09	0.03
12465	8/16/2008	0.10	0.01
12466	8/16/2008	0.07	0.01
12467	8/16/2008	0.07	0.04
12468	8/16/2008	0.13	0.02
12469	8/16/2008	0.07	0.01
12470	8/16/2008	0.07	0.01
12471	8/16/2008	0.07	0.02
12472	8/16/2008	0.03	0.11
12473	8/16/2008	0.08	0.02
12474	8/16/2008	0.08	0.01
12475	8/16/2008	0.06	0.03
12476	8/16/2008	0.06	0.03
12477	8/16/2008	0.02	0.01
12478	8/16/2008	0.10	0.02
12479	8/16/2008	0.05	0.00
12480	8/16/2008	0.00	0.00
12481	8/16/2008	0.02	0.00
12482	8/16/2008	0.00	0.00
12483	8/17/2008	0.01	0.00
12484	8/17/2008	0.01	0.00
12485	8/17/2008	0.01	0.00
12486	8/17/2008	0.01	0.00
12487	8/17/2008	0.01	0.00
12488	8/17/2008	0.01	0.00
12489	8/17/2008	0.49	0.02
12490	8/17/2008	0.01	0.00
12491	8/18/2008	0.01	0.00
12492	8/18/2008	0.01	0.00
12493	8/18/2008	0.01	0.00
12494	8/18/2008	0.01	0.00
12495	8/18/2008	0.01	0.00
12496	8/18/2008	0.01	0.01
12497	8/18/2008	0.07	0.02
12498	8/18/2008	0.04	0.01
12499	8/18/2008	0.05	0.01
12500	8/18/2008	0.02	0.01
12501	8/18/2008	0.01	0.00
12502	8/18/2008	0.00	0.00
12503	8/18/2008	0.04	0.01
12504	8/19/2008	0.04	0.02
12505	8/19/2008	0.06	0.00
12506	8/19/2008	0.04	0.01
12507	8/19/2008	0.04	0.02
12508	8/19/2008	0.02	0.02

DeptSampleID	Date	Cu%	Mo%
12509	8/19/2008	0.04	0.05
12510	8/19/2008	0.04	0.04
12511	8/19/2008	0.03	0.04
12512	8/19/2008	0.04	0.01
12513	8/19/2008	0.03	0.02
12514	8/19/2008	0.03	0.03
12515	8/20/2008	0.11	0.01
12516	8/20/2008	0.06	0.02
12517	8/20/2008	0.02	0.02
12518	8/20/2008	0.06	0.01
12519	8/20/2008	0.02	0.01
12520	8/20/2008	0.05	0.01
12521	8/20/2008	0.02	0.02
12522	8/20/2008	0.04	0.02
12523	8/20/2008	0.02	0.01
12524	8/20/2008	0.49	0.01
12525	8/20/2008	0.02	0.00
12526	8/21/2008	0.02	0.01
12527	8/21/2008	0.01	0.01
12528	8/21/2008	0.03	0.01
12529	8/21/2008	0.10	0.03
12530	8/21/2008	0.02	0.02
12531	8/21/2008	0.01	0.01
12532	8/23/2008	0.01	0.01
12533	8/23/2008	0.02	0.01
12534	8/23/2008	0.03	0.04
12535	8/23/2008	0.00	0.00
12536	8/23/2008	0.09	0.02
12537	8/23/2008	0.04	0.02
12538	8/23/2008	0.03	0.02
12539	8/23/2008	0.02	0.01
12540	8/23/2008	0.03	0.02
12541	8/23/2008	0.01	0.01
12542	8/23/2008	0.01	0.01
12543	8/23/2008	0.01	0.01
12544	8/23/2008	0.02	0.03
12545	8/23/2008	0.03	0.01
12546	8/23/2008	0.03	0.03
12547	8/23/2008	0.02	0.02
12548	8/26/2008	0.02	0.02
12549	8/26/2008	0.02	0.00
12550	8/26/2008	0.02	0.02
12551	8/26/2008	0.02	0.02
12552	8/26/2008	0.01	0.07
12553	8/26/2008	0.54	0.02
12554	8/26/2008	0.02	0.01

DeptSampleID	Date	Cu%	Mo%
12555	8/26/2008	0.03	0.04
12556	8/26/2008	0.02	0.01
12557	8/26/2008	0.15	0.01
12558	8/26/2008	0.10	0.01
12559	8/26/2008	0.11	0.01
12560	8/26/2008	0.01	0.01
12561	8/26/2008	0.06	0.01
12562	8/26/2008	0.07	0.04
12563	8/26/2008	0.07	0.01
12564	8/26/2008	0.05	0.02
12565	8/26/2008	0.15	0.01
12566	8/26/2008	0.11	0.02
12567	8/26/2008	0.04	0.67
12568	8/26/2008	0.00	0.00
12569	8/26/2008	0.11	0.04
12570	8/26/2008	0.09	0.03
12571	8/26/2008	0.41	0.03
12572	8/26/2008	0.07	0.01
12573	8/26/2008	0.04	0.01
12574	8/26/2008	0.12	0.01
12575	8/26/2008	0.08	0.02
12576	8/26/2008	0.09	0.01
12577	8/26/2008	0.03	0.00
12578	8/26/2008	0.05	0.04
12579	8/26/2008	0.02	0.03
12580	8/26/2008	0.06	0.02
12581	8/26/2008	0.03	0.01
12582	8/26/2008	0.02	0.01
12583	8/26/2008	0.01	0.01
12584	8/26/2008	0.00	0.00
12585	8/26/2008	0.00	0.00
12586	8/26/2008	0.01	0.00
12587	8/27/2008	0.01	0.00
12588	8/27/2008	0.00	0.00
12589	8/27/2008	0.00	0.00
12590	8/27/2008	0.03	0.11
12591	8/27/2008	0.02	0.05
12592	8/27/2008	0.11	0.02
12593	8/27/2008	0.17	0.02
12594	8/27/2008	0.13	0.02
12595	8/27/2008	0.56	0.02
12596	8/27/2008	0.07	0.03
12597	8/27/2008	0.06	0.02
12598	8/27/2008	0.07	0.03
12599	8/27/2008	0.06	0.02
12600	8/27/2008	0.05	0.13
12601	8/27/2008	0.04	0.09

DeptSampleID	Date	Cu%	Mo%
12602	8/27/2008	0.11	0.05
12603	8/27/2008	0.04	0.02
12604	8/27/2008	0.04	0.01
12605	8/27/2008	0.07	0.02
12606	8/27/2008	0.10	0.05
12607	8/27/2008	0.05	0.02
12608	8/27/2008	0.00	0.00
12609	8/28/2008	0.07	0.06
12610	8/28/2008	0.04	0.04
12611	8/28/2008	0.03	0.04
12612	8/28/2008	0.03	0.02
12613	8/28/2008	0.03	0.04
12614	8/28/2008	0.02	0.08
12615	8/28/2008	0.04	0.04
12616	8/28/2008	0.02	0.01
12617	8/28/2008	0.08	0.02
12618	8/28/2008	0.05	0.01
12619	8/28/2008	0.03	0.05
12620	8/28/2008	0.02	0.05
12621	8/28/2008	0.03	0.06
12622	8/28/2008	0.02	0.05
12623	8/28/2008	0.02	0.12
12624	8/28/2008	0.03	0.01
12625	8/29/2008	0.03	0.06
12626	8/29/2008	0.03	0.09
12627	8/29/2008	0.02	0.54
12628	8/29/2008	0.04	0.02
12629	8/29/2008	0.03	0.03
12630	8/29/2008	0.03	0.01
12631	8/29/2008	0.09	0.02
12632	8/29/2008	0.08	0.02
12633	8/29/2008	0.06	0.03
12634	8/29/2008	0.00	0.00
12635	8/29/2008	0.04	0.06
12636	8/29/2008	0.07	0.01
12637	8/30/2008	0.09	0.01
12638	8/30/2008	0.04	0.03
12639	8/30/2008	0.05	0.01
12640	8/30/2008	0.06	0.03
12641	8/31/2008	0.06	0.05
12642	8/31/2008	0.08	0.07
12643	8/31/2008	0.11	0.07
12644	8/31/2008	0.04	0.02
12645	8/31/2008	0.06	0.10
12646	8/31/2008	0.08	0.02
12647	8/31/2008	0.50	0.02

DeptSampleID	Date	Cu%	Mo%
12648	8/31/2008	0.04	0.04
12649	8/31/2008	0.19	0.08
12650	8/31/2008	0.07	0.03
12651	8/31/2008	0.04	0.03
12652	8/31/2008	0.05	0.07
12653	8/31/2008	0.05	0.04
12654	8/31/2008	0.07	0.04
12655	8/31/2008	0.07	0.01
12656	8/31/2008	0.05	0.02
12657	8/31/2008	0.03	0.15
12658	8/31/2008	0.04	0.04
12659	8/31/2008	0.03	0.06
12660	8/31/2008	0.04	0.04
12661	8/31/2008	0.07	0.04
12662	9/1/2008	0.02	0.03
12663	9/1/2008	0.04	0.01
12664	9/1/2008	0.05	0.01
12665	9/1/2008	0.04	0.02
12666	9/1/2008	0.04	0.01
12667	9/1/2008	0.02	0.01
12668	9/1/2008	0.03	0.01
12668	9/9/2008	0.03	0.03
12669	9/2/2008	0.04	0.01
12670	9/2/2008	0.04	0.18
12671	9/2/2008	0.05	0.01
12672	9/2/2008	0.03	0.02
12673	9/2/2008	0.02	0.02
12674	9/2/2008	0.04	0.01
12675	9/2/2008	0.06	0.01
12676	9/2/2008	0.07	0.01
12677	9/2/2008	0.04	0.02
12678	9/2/2008	0.00	0.00
12679	9/2/2008	0.02	0.07
12680	9/2/2008	0.05	0.14
12681	9/2/2008	0.13	0.01
12682	9/2/2008	0.05	0.04
12683	9/2/2008	0.04	0.03
12684	9/2/2008	0.04	0.01
12685	9/2/2008	0.05	0.01
12686	9/2/2008	0.04	0.01
12687	9/2/2008	0.03	0.05
12688	9/2/2008	0.04	0.02
12689	9/2/2008	0.03	0.04
12690	9/2/2008	0.04	0.06
12691	9/2/2008	0.03	0.01
12692	9/2/2008	0.04	0.01

DeptSampleID	Date	Cu%	Mo%
12693	9/2/2008	0.53	0.01
12694	9/2/2008	0.04	0.03
12695	9/2/2008	0.05	0.01
12696	9/2/2008	0.05	0.01
12697	9/2/2008	0.02	0.01
12698	9/2/2008	0.03	0.01
12699	9/2/2008	0.03	0.02
12700	9/2/2008	0.06	0.01
12701	9/2/2008	0.05	0.01
12702	9/2/2008	0.04	0.02
12703	9/2/2008	0.04	0.03
12704	9/3/2008	0.11	0.02
12705	9/3/2008	0.05	0.04
12706	9/3/2008	0.03	0.01
12707	9/3/2008	0.02	0.05
12708	9/3/2008	0.06	0.02
12709	9/3/2008	0.07	0.02
12710	9/3/2008	0.06	0.02
12711	9/3/2008	0.05	0.01
12712	9/3/2008	0.03	0.01
12713	9/3/2008	0.03	0.00
12714	9/3/2008	0.03	0.01
12715	9/3/2008	0.04	0.01
12716	9/3/2008	0.03	0.03
12717	9/3/2008	0.02	0.03
12718	9/3/2008	0.04	0.02
12719	9/3/2008	0.03	0.01
12720	9/3/2008	0.03	0.01
12721	9/3/2008	0.07	0.02
12722	9/3/2008	0.03	0.01
12723	9/3/2008	0.02	0.01
12724	9/3/2008	0.03	0.03
12725	9/6/2008	0.00	0.00
12726	9/6/2008	0.03	0.04
12727	9/6/2008	0.02	0.02
12728	9/6/2008	0.03	0.03
12729	9/6/2008	0.04	0.01
12730	9/6/2008	0.02	0.01
12731	9/6/2008	0.01	0.03
12732	9/6/2008	0.04	0.02
12733	9/6/2008	0.03	0.11
12734	9/6/2008	0.04	0.03
12735	9/6/2008	0.03	0.03
12736	9/6/2008	0.15	0.02
12737	9/6/2008	0.06	0.01
12738	9/6/2008	0.03	0.02

DeptSampleID	Date	Cu%	Mo%
12739	9/6/2008	0.03	0.01
12740	9/6/2008	0.04	0.02
12741	9/7/2008	0.10	0.02
12742	9/7/2008	0.03	0.02
12743	9/7/2008	0.02	0.00
12744	9/7/2008	0.00	0.00
12745	9/7/2008	0.01	0.00
12746	9/7/2008	0.00	0.00
12747	9/7/2008	0.00	0.00
12748	9/7/2008	0.00	0.00
12749	9/7/2008	0.00	0.00
12750	9/7/2008	0.02	0.03
12751	9/7/2008	0.50	0.01
12752	9/8/2008	0.03	0.02
12753	9/8/2008	0.02	0.05
12754	9/8/2008	0.03	0.03
12755	9/8/2008	0.03	0.03
12756	9/8/2008	0.01	0.02
12757	9/8/2008	0.04	0.01
12758	9/8/2008	0.07	0.06
12759	9/8/2008	0.04	0.03
12760	9/8/2008	0.04	0.01
12761	9/8/2008	0.03	0.02
12762	9/8/2008	0.03	0.01
12763	9/8/2008	0.00	0.00
12764	9/8/2008	0.05	0.02
12765	9/8/2008	0.03	0.02
12766	9/8/2008	0.03	0.03
12767	9/9/2008	0.04	0.03
12769	9/9/2008	0.02	0.02
12770	9/9/2008	0.02	0.02
12771	9/9/2008	0.02	0.02
12772	9/9/2008	0.02	0.03
12773	9/9/2008	0.04	0.13
12774	9/9/2008	0.02	0.01
12775	9/9/2008	0.02	0.05
12776	9/10/2008	0.04	0.01
12777	9/10/2008	0.03	0.01
12778	9/10/2008	0.05	0.01
12779	9/10/2008	0.07	0.01
12780	9/10/2008	0.04	0.00
12781	9/10/2008	0.05	0.02
12782	9/10/2008	0.05	0.02
12783	9/10/2008	0.09	0.01
12784	9/10/2008	0.09	0.09
12785	9/10/2008	0.06	0.01

DeptSampleID	Date	Cu%	Mo%
12786	9/10/2008	0.05	0.01
12787	9/10/2008	0.02	0.01
12788	9/10/2008	0.03	0.09
12789	9/10/2008	0.09	0.24
12790	9/11/2008	0.02	0.01
12791	9/11/2008	0.01	0.02
12792	9/11/2008	0.01	0.04
12793	9/11/2008	0.03	0.02
12794	9/11/2008	0.04	0.02
12795	9/11/2008	0.04	0.01
12796	9/11/2008	0.07	0.01
12797	9/11/2008	0.06	0.02
12798	9/11/2008	0.09	0.00
12799	9/11/2008	0.06	0.01
12800	9/11/2008	0.04	0.00
12801	9/11/2008	0.04	0.02
12802	9/11/2008	0.00	0.00
12803	9/11/2008	0.04	0.01
12804	9/11/2008	0.03	0.02
12805	9/12/2008	0.04	0.02
12806	9/12/2008	0.04	0.01
12807	9/12/2008	0.04	0.03
12808	9/12/2008	0.02	0.02
12809	9/12/2008	0.02	0.01
12810	9/12/2008	0.03	0.01
12811	9/12/2008	0.02	0.02
12812	9/12/2008	0.03	0.01
12813	9/12/2008	0.02	0.01
12814	9/12/2008	0.02	0.01
12815	9/12/2008	0.03	0.01
12816	9/12/2008	0.04	0.01
12817	9/12/2008	0.03	0.02
12818	9/12/2008	0.03	0.02
12819	9/12/2008	0.03	0.04
12820	9/13/2008	0.04	0.02
12820	9/13/2008	0.04	0.02
12821	9/13/2008	0.05	0.01
12821	9/13/2008	0.05	0.01
12822	9/13/2008	0.02	0.01
12822	9/13/2008	0.02	0.01
12823	9/13/2008	0.02	0.02
12823	9/13/2008	0.02	0.02
12824	9/13/2008	0.01	0.01
12824	9/13/2008	0.01	0.01
12825	9/14/2008	0.03	0.02
12826	9/14/2008	0.03	0.01

DeptSampleID	Date	Cu%	Mo%
12827	9/14/2008	0.50	0.01
12828	9/14/2008	0.03	0.01
12829	9/14/2008	0.03	0.01
12830	9/14/2008	0.03	0.01
12831	9/14/2008	0.03	0.01
12832	9/14/2008	0.03	0.01
12833	9/14/2008	0.03	0.01
12834	9/14/2008	0.03	0.01
12835	9/14/2008	0.02	0.02
12836	9/14/2008	0.00	0.00
12837	9/14/2008	0.03	0.02
12838	9/15/2008	0.03	0.01
12839	9/15/2008	0.02	0.01
12840	9/15/2008	0.03	0.01
12841	9/15/2008	0.02	0.01
12842	9/15/2008	0.02	0.02
12843	9/15/2008	0.02	0.02
12844	9/15/2008	0.02	0.01
12845	9/15/2008	0.03	0.02
12846	9/15/2008	0.03	0.01
12847	9/15/2008	0.03	0.02
12848	9/16/2008	0.04	0.01
12849	9/16/2008	0.06	0.02
12850	9/16/2008	0.04	0.03
12851	9/16/2008	0.07	0.02
12852	9/16/2008	0.07	0.03
12853	9/16/2008	0.04	0.01
12854	9/16/2008	0.05	0.01
12855	9/16/2008	0.49	0.01
12856	9/16/2008	0.08	0.01
12857	9/16/2008	0.05	0.09
12858	9/16/2008	0.08	0.01
12859	9/16/2008	0.05	0.01
12860	9/16/2008	0.03	0.01
12861	9/16/2008	0.05	0.02
12862	9/17/2008	0.03	0.01
12863	9/17/2008	0.06	0.03
12864	9/17/2008	0.04	0.01
12865	9/17/2008	0.03	0.01
12866	9/17/2008	0.02	0.01
12867	9/17/2008	0.03	0.02
12868	9/17/2008	0.00	0.00
12869	9/17/2008	0.02	0.02
12870	9/18/2008	0.03	0.04
12871	9/18/2008	0.03	0.04
12872	9/18/2008	0.04	0.05
12873	9/18/2008	0.05	0.01

DeptSampleID	Date	Cu%	Mo%
12874	9/18/2008	0.04	0.03
12875	9/18/2008	0.04	0.01
12876	9/18/2008	0.57	0.04
12877	9/18/2008	0.03	0.04
12878	9/20/2008	0.02	0.01
12879	9/20/2008	0.01	0.03
12880	9/20/2008	0.02	0.01
12881	9/20/2008	0.02	0.01
12882	9/20/2008	0.03	0.03
12883	9/20/2008	0.04	0.01
12884	9/20/2008	0.04	0.02
12885	9/20/2008	0.04	0.01
12886	9/21/2008	0.04	0.02
12887	9/21/2008	0.52	0.02
12888	9/21/2008	0.05	0.02
12889	9/21/2008	0.09	0.01
12890	9/21/2008	0.07	0.01
12891	9/21/2008	0.07	0.01
12892	9/21/2008	0.12	0.01
12893	9/21/2008	0.08	0.00
12894	9/21/2008	0.08	0.01
12895	9/21/2008	0.07	0.00
12896	9/21/2008	0.06	0.01
12897	9/21/2008	0.09	0.01
12898	9/21/2008	0.08	0.01
12899	9/21/2008	0.06	0.01
12900	9/22/2008	0.04	0.01
12901	9/22/2008	0.02	0.00
12902	9/22/2008	0.02	0.00
12903	9/22/2008	0.03	0.02
12904	9/22/2008	0.03	0.02
12905	9/22/2008	0.03	0.00
12906	9/22/2008	0.03	0.01
12907	9/22/2008	0.02	0.01
12908	9/22/2008	0.12	0.01
12909	9/22/2008	0.03	0.03
12910	9/22/2008	0.02	0.01
12911	9/22/2008	0.02	0.01
12912	9/22/2008	0.02	0.01
12913	9/22/2008	0.01	0.01
12914	9/23/2008	0.02	0.01
12915	9/23/2008	0.03	0.01
12916	9/23/2008	0.02	0.01
12917	9/23/2008	0.48	0.01
12918	9/20/2008	0.03	0.04
12919	9/20/2008	0.02	0.01

DeptSampleID	Date	Cu%	Mo%
12920	9/20/2008	0.02	0.01
12921	9/20/2008	0.02	0.02
12922	9/20/2008	0.02	0.01
12923	9/20/2008	0.02	0.01
12924	9/23/2008	0.04	0.00
12925	9/23/2008	0.03	0.01
12926	9/23/2008	0.02	0.01
12927	9/23/2008	0.04	0.01
12928	9/23/2008	0.04	0.01
12929	9/23/2008	0.07	0.01
12930	9/23/2008	0.03	0.00
12931	9/23/2008	0.02	0.01
12932	9/23/2008	0.03	0.01
12933	9/23/2008	0.01	0.00
12934	9/24/2008	0.01	0.02
12935	9/24/2008	0.05	0.01
12936	9/24/2008	0.02	0.00
12937	9/24/2008	0.02	0.01
12938	9/24/2008	0.03	0.00
12939	9/24/2008	0.03	0.00
12940	9/24/2008	0.03	0.00
12941	9/24/2008	0.08	0.22
12942	9/25/2008	0.01	0.00
12943	9/25/2008	0.02	0.01
12944	9/25/2008	0.02	0.00
12945	9/25/2008	0.01	0.00
12946	9/25/2008	0.01	0.00
12947	9/25/2008	0.01	0.00
12948	9/25/2008	0.01	0.00
12949	9/25/2008	0.01	0.00
12950	9/25/2008	0.02	0.00
12951	9/25/2008	0.02	0.00
12952	9/25/2008	0.02	0.00
12953	9/25/2008	0.02	0.00
12954	9/25/2008	0.01	0.00
12955	9/26/2008	0.04	0.00
12956	9/26/2008	0.02	0.00
12957	9/26/2008	0.03	0.00
12958	9/26/2008	0.03	0.00
12959	9/26/2008	0.01	0.00
12960	9/26/2008	0.01	0.00
12961	9/26/2008	0.01	0.00
12962	9/26/2008	0.06	0.01
12963	9/26/2008	0.02	0.00
12964	9/26/2008	0.02	0.00
12965	9/27/2008	0.08	0.01

DeptSampleID	Date	Cu%	Mo%
12966	9/27/2008	0.05	0.00
12967	9/27/2008	0.00	0.00
12968	9/27/2008	0.33	0.00
12969	9/27/2008	0.02	0.00
12970	9/27/2008	0.05	0.00
12971	9/27/2008	0.05	0.00
12972	9/27/2008	0.13	0.01
12973	9/27/2008	0.04	0.00
12974	9/27/2008	0.08	0.00
12975	9/27/2008	0.04	0.00
12976	9/27/2008	0.06	0.00
12977	9/27/2008	0.03	0.00
12978	9/27/2008	0.03	0.00
12979	9/27/2008	0.04	0.00
12980	9/28/2008	0.03	0.00
12981	9/28/2008	0.03	0.00
12982	9/28/2008	0.04	0.00
12983	9/28/2008	0.12	0.00
12984	9/28/2008	0.06	0.03
12985	9/28/2008	0.03	0.01
12986	9/28/2008	0.04	0.00
12987	9/28/2008	0.01	0.00
12988	9/28/2008	0.53	0.02
12989	9/29/2008	0.02	0.01
12990	9/29/2008	0.04	0.01
12991	9/29/2008	0.04	0.01
12992	9/29/2008	0.03	0.02
12993	9/29/2008	0.08	0.01
12994	9/29/2008	0.04	0.02
12995	9/29/2008	0.10	0.04
12996	9/29/2008	0.00	0.00
12997	9/29/2008	0.07	0.01
12998	9/29/2008	0.06	0.01
13000	9/29/2008	0.04	0.03
13001	9/29/2008	0.03	0.03
13002	9/30/2008	0.03	0.01
13003	9/30/2008	0.05	0.00
13004	9/30/2008	0.06	0.01
13005	9/30/2008	0.04	0.02
13006	9/30/2008	0.06	0.02
13007	9/30/2008	0.04	0.04
13008	9/30/2008	0.09	0.24
13009	9/30/2008	0.02	0.02
13010	9/30/2008	0.05	0.01
13011	9/30/2008	0.06	0.03
13012	9/30/2008	0.09	0.03

DeptSampleID	Date	Cu%	Mo%
13013	9/30/2008	0.07	0.06
13014	10/1/2008	0.06	0.01
13015	10/1/2008	0.05	0.03
13016	10/1/2008	0.04	0.02
13017	10/1/2008	0.06	0.00
13018	10/1/2008	0.14	0.01
13019	10/1/2008	0.10	0.01
13020	10/1/2008	0.08	0.01
13021	10/1/2008	0.06	0.01
13022	10/1/2008	0.12	0.01
13023	10/2/2008	0.00	0.00
13024	10/2/2008	0.00	0.00
13025	10/2/2008	0.06	0.03
13026	10/2/2008	0.49	0.02
13027	10/2/2008	0.00	0.00
13028	10/2/2008	0.00	0.00
13029	10/2/2008	0.01	0.00
13030	10/2/2008	0.02	0.00
13031	10/2/2008	0.06	0.01
13032	10/2/2008	0.08	0.01
13033	10/4/2008	0.09	0.01
13034	10/4/2008	0.00	0.00
13035	10/4/2008	0.00	0.00
13036	10/4/2008	0.01	0.00
13037	10/4/2008	0.00	0.00
13038	10/5/2008	0.08	0.01
13039	10/5/2008	0.11	0.01
13040	10/5/2008	0.15	0.00
13041	10/5/2008	0.10	0.00
13042	10/5/2008	0.10	0.04
13043	10/5/2008	0.09	0.01
13044	10/5/2008	0.09	0.03
13045	10/5/2008	0.05	0.02
13046	10/5/2008	0.06	0.04
13047	10/5/2008	0.12	0.06
13048	10/5/2008	0.07	0.02
13049	10/5/2008	0.11	0.04
13050	10/5/2008	0.09	0.24
13051	10/5/2008	0.16	0.03
13052	10/5/2008	0.13	0.09
13053	10/5/2008	0.16	0.03
13054	10/5/2008	0.14	0.04
13055	10/7/2008	0.11	0.02
13056	10/7/2008	0.11	0.12
13057	10/7/2008	0.13	0.02
13058	10/7/2008	0.11	0.03

DeptSampleID	Date	Cu%	Mo%
13059	10/7/2008	0.09	0.02
13060	10/7/2008	0.01	0.00
13061	10/7/2008	0.01	0.00
13062	10/7/2008	0.03	0.00
13063	10/7/2008	0.00	0.00
13064	10/7/2008	0.03	0.00
13065	10/7/2008	0.02	0.00
13066	10/7/2008	0.02	0.00
13067	10/7/2008	0.03	0.00
13068	10/7/2008	0.02	0.00
13069	10/7/2008	0.02	0.00
13070	10/7/2008	0.04	0.00
13071	10/7/2008	0.10	0.00
13072	10/7/2008	0.07	0.00
13073	10/7/2008	0.04	0.00
13074	10/7/2008	0.08	0.00
13075	10/7/2008	0.05	0.00
13076	10/8/2008	0.01	0.00
13077	10/8/2008	0.01	0.00
13078	10/8/2008	0.00	0.00
13079	10/8/2008	0.03	0.00
13080	10/8/2008	0.03	0.00
13081	10/8/2008	0.03	0.00
13082	10/8/2008	0.02	0.00
13083	10/8/2008	0.02	0.00
13084	10/8/2008	0.02	0.00
13085	10/8/2008	0.02	0.00
13086	10/8/2008	0.03	0.00
13087	10/8/2008	0.07	0.01
13088	10/8/2008	0.03	0.00
13089	10/8/2008	0.03	0.00
13090	10/8/2008	0.02	0.00
13091	10/8/2008	0.08	0.24
13092	10/8/2008	0.03	0.00
13093	10/8/2008	0.04	0.00
13094	10/8/2008	0.04	0.00
13095	10/8/2008	0.02	0.00
13096	10/8/2008	0.03	0.00
13097	10/8/2008	0.02	0.00
13098	10/8/2008	0.02	0.00
13099	10/8/2008	0.05	0.00
13100	10/9/2008	0.03	0.00
13101	10/9/2008	0.08	0.00
13102	10/9/2008	0.02	0.00
13103	10/9/2008	0.03	0.00
13104	10/9/2008	0.03	0.00

DeptSampleID	Date	Cu%	Mo%
13105	10/9/2008	0.00	0.00
13106	10/9/2008	0.02	0.00
13107	10/9/2008	0.20	0.00
13108	10/9/2008	0.04	0.00
13109	10/9/2008	0.03	0.00
13110	10/9/2008	0.04	0.00
13111	10/9/2008	0.03	0.00
13112	10/9/2008	0.04	0.00
13113	10/9/2008	0.06	0.00
13114	10/9/2008	0.02	0.00
13115	10/9/2008	0.04	0.00
13116	10/9/2008	0.04	0.00
13117	10/9/2008	0.03	0.00
13118	10/9/2008	0.03	0.00
13119	10/9/2008	0.02	0.00
13120	10/9/2008	0.02	0.00
13121	10/10/2008	0.03	0.00
13122	10/10/2008	0.03	0.00
13123	10/10/2008	0.05	0.00
13124	10/10/2008	0.05	0.00
13125	10/10/2008	0.04	0.00
13126	10/10/2008	0.03	0.00
13127	10/10/2008	0.18	0.02
13128	10/10/2008	0.04	0.00
13129	10/10/2008	0.06	0.00
13130	10/10/2008	0.04	0.00
13131	10/10/2008	0.08	0.21
13132	10/10/2008	0.06	0.00
13133	10/10/2008	0.06	0.00
13134	10/10/2008	0.08	0.00
13135	10/10/2008	0.04	0.00
13136	10/10/2008	0.08	0.00
13137	10/10/2008	0.04	0.00

ANALYTICAL RESULTS- ACME ANALYTICAL LABS LTD.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Submitted By: Gary Roste
 Receiving Lab: Canada-Vancouver
 Received: September 03, 2008
 Report Date: September 29, 2008
 Page: 1 of 11

CERTIFICATE OF ANALYSIS

VAN08008918.1

CLIENT JOB INFORMATION

Project: WC
 Shipment ID:
 P.O. Number 74753
 Number of Samples: 286

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
No Prep	286	Sorting of samples on arrival and labeling		
1EX	286	4 Acid digestion ICP-MS analysis	0.25	Completed

SAMPLE DISPOSAL

RTRN-PLP Return

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Huckleberry Mines Limited
 P.O. Box 3000
 Houston BC V0J 1Z0
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: September 29, 2008

Page: 2 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
12281	Rock Pulp	1.3	232.9	17.3	235	0.4	20.6	24.9	1045	9.54	11	<0.1	<0.1	0.5	284	0.2	1.5	9.9	305	2.38	0.057
12282	Rock Pulp	4.1	309.5	17.5	221	0.4	17.2	47.6	833	9.35	10	<0.1	<0.1	0.5	177	0.4	1.6	12.1	279	2.44	0.064
12283	Rock Pulp	1.4	448.7	23.0	230	0.8	14.7	39.8	831	9.48	13	0.2	<0.1	0.5	255	0.4	2.5	30.5	353	3.43	0.075
12284	Rock Pulp	1.2	389.0	18.9	147	0.7	14.1	31.0	764	8.94	6	0.1	0.1	0.5	299	0.2	1.8	16.4	299	3.14	0.070
12285	Rock Pulp	0.8	442.5	27.4	98	0.6	13.1	32.8	974	9.54	12	0.4	<0.1	0.5	301	0.3	2.8	13.4	330	3.07	0.068
12286	Rock Pulp	0.8	199.6	25.9	182	0.4	12.9	24.9	1353	8.86	21	0.5	<0.1	0.7	180	0.1	2.5	8.5	268	2.60	0.070
12287	Rock Pulp	2.2	520.2	46.3	347	1.3	31.5	36.9	1298	10.81	33	0.4	0.3	0.4	206	0.6	2.8	11.7	276	2.60	0.048
12288	Rock Pulp	2.1	293.0	44.8	351	0.8	35.7	31.5	1357	10.43	23	0.4	<0.1	0.5	208	0.7	3.2	9.7	285	2.86	0.054
12289	Rock Pulp	1.1	309.5	38.7	352	0.7	32.1	40.7	889	11.42	13	0.3	0.2	0.3	183	0.7	2.7	26.4	257	3.31	0.046
12290	Rock Pulp	0.8	307.5	31.3	373	0.5	30.3	39.2	991	9.73	11	0.4	0.3	0.3	214	0.6	2.6	11.2	272	3.44	0.056
12291	Rock Pulp	2.6	182.0	47.2	231	0.8	22.1	67.7	605	19.01	31	0.4	0.4	0.2	85	0.3	1.7	22.3	236	1.43	0.045
12292	Rock Pulp	2.7	246.5	31.8	278	0.7	18.5	40.0	261	22.27	12	0.3	0.2	0.1	61	2.4	1.1	21.2	167	1.08	0.027
12293	Rock Pulp	0.8	440.1	39.0	1325	0.8	27.3	35.0	1019	12.13	17	0.5	0.2	0.4	162	10.4	3.3	25.1	286	3.37	0.053
12294	Rock Pulp	0.5	379.3	21.3	315	0.6	30.0	43.4	1213	9.23	8	0.5	<0.1	0.5	289	0.4	2.2	10.3	305	4.38	0.055
12295	Rock Pulp	0.7	763.7	29.4	312	0.9	26.7	33.4	902	10.47	9	0.4	<0.1	0.4	219	0.6	2.1	19.2	310	3.63	0.048
12296	Rock Pulp	0.7	763.9	26.4	211	0.9	30.6	36.5	814	10.76	8	0.5	<0.1	0.4	233	0.3	1.7	11.9	295	3.44	0.055
12297	Rock Pulp	0.6	536.0	29.1	187	0.6	33.9	47.1	921	9.91	9	0.4	<0.1	0.5	247	0.3	2.2	15.4	285	3.88	0.060
12298	Rock Pulp	0.7	483.6	23.5	180	0.5	26.9	31.7	854	9.60	7	0.4	0.1	0.5	215	0.3	2.3	13.7	273	3.57	0.047
12299	Rock Pulp	1.0	277.5	25.8	220	0.3	41.6	33.5	1212	8.60	6	0.5	<0.1	0.5	244	0.3	2.5	8.0	303	4.41	0.046
12300	Rock Pulp	0.5	231.8	33.2	304	0.3	44.7	41.1	1605	7.96	6	0.3	<0.1	0.4	254	0.4	2.4	8.8	261	4.52	0.045
12301	Rock Pulp	1.8	414.0	30.6	192	0.5	37.2	28.5	1486	8.00	6	0.4	<0.1	0.5	379	0.4	2.8	8.3	283	6.35	0.045
12302	Rock Pulp	1.1	703.1	33.2	281	0.8	36.6	30.5	1478	8.93	6	0.5	<0.1	0.5	347	0.7	2.2	12.4	282	5.23	0.041
12304	Rock Pulp	0.7	417.2	43.8	1365	1.0	35.6	52.1	1344	10.65	7	0.6	0.1	0.5	338	8.0	1.8	45.3	278	5.13	0.054
12305	Rock Pulp	0.9	570.2	34.1	452	0.8	36.1	29.4	1695	8.66	7	0.7	<0.1	0.5	276	1.5	2.3	14.1	282	4.89	0.056
12306	Rock Pulp	1.2	276.5	28.0	215	0.4	35.9	30.9	1481	8.87	4	0.5	<0.1	0.5	384	0.4	2.3	12.0	295	6.29	0.046
12307	Rock Pulp	1.0	386.5	26.4	232	0.5	35.7	35.7	1233	8.32	3	0.5	<0.1	0.5	296	0.4	2.2	7.8	284	4.81	0.059
12308	Rock Pulp	0.9	463.2	42.8	227	1.1	33.5	27.2	1239	8.33	5	0.5	<0.1	0.5	326	0.7	2.8	28.8	282	5.35	0.050
12309	Rock Pulp	1.1	419.8	39.4	199	0.6	34.1	35.8	1493	8.40	5	0.5	<0.1	0.5	250	0.6	2.1	10.3	290	4.79	0.058
12310	Rock Pulp	8.8	359.3	38.6	192	0.4	25.3	25.1	1407	7.55	4	0.7	<0.1	0.9	400	0.6	2.8	4.8	285	6.01	0.058
12311	Rock Pulp	1.6	304.4	28.6	260	0.4	32.9	24.7	1356	8.02	5	0.5	<0.1	0.5	288	0.4	1.9	5.9	292	4.88	0.056



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: September 29, 2008

Page: 2 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	
Unit	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
MDL	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1	
12281	Rock Pulp	3.3	87	2.60	108	0.321	7.35	0.689	0.59	3.7	4.6	8	2.4	12.8	0.4	<0.1	<1	38	10.0	4.1	21.3
12282	Rock Pulp	2.8	62	2.05	46	0.261	6.75	0.599	0.75	2.9	3.4	8	2.8	13.2	0.7	<0.1	<1	34	10.9	6.5	28.5
12283	Rock Pulp	3.9	70	1.86	95	0.353	7.40	1.013	0.61	3.8	4.0	10	2.6	15.7	0.8	<0.1	<1	38	10.4	5.8	26.4
12284	Rock Pulp	3.8	73	2.07	84	0.307	6.97	0.926	0.40	2.8	3.1	9	1.8	13.3	0.7	<0.1	<1	35	9.0	5.0	20.5
12285	Rock Pulp	3.3	63	2.17	38	0.346	7.46	1.005	0.63	4.1	3.2	9	3.0	15.4	0.7	<0.1	<1	36	10.1	6.1	24.9
12286	Rock Pulp	4.0	67	2.15	31	0.431	7.03	0.514	1.29	6.2	3.8	10	3.4	17.1	1.0	<0.1	<1	34	9.6	5.3	50.2
12287	Rock Pulp	2.6	69	2.73	28	0.306	7.81	0.743	1.24	5.1	4.2	7	3.1	12.6	0.6	<0.1	<1	32	12.8	6.8	38.1
12288	Rock Pulp	2.5	82	2.79	35	0.325	8.02	0.836	1.16	7.1	5.1	7	3.8	12.1	0.6	<0.1	<1	32	14.0	5.8	30.7
12289	Rock Pulp	2.3	50	2.81	24	0.188	7.24	0.633	1.05	6.3	3.6	6	3.3	12.3	0.4	<0.1	<1	27	18.6	8.9	21.4
12290	Rock Pulp	2.2	54	2.87	33	0.216	8.12	1.145	0.63	2.9	3.7	6	1.9	12.1	0.4	<0.1	<1	30	15.3	6.7	8.2
12291	Rock Pulp	0.9	69	1.79	8	0.202	5.91	0.455	1.59	4.6	3.0	3	6.3	8.4	0.4	<0.1	<1	27	8.9	>10	49.8
12292	Rock Pulp	0.5	88	0.95	7	0.095	5.34	0.331	1.53	5.1	2.4	2	8.5	5.4	0.3	<0.1	<1	21	6.8	>10	57.5
12293	Rock Pulp	2.6	63	2.47	45	0.294	7.17	0.633	1.52	15.1	3.8	6	4.6	12.0	0.7	<0.1	<1	29	15.6	9.7	36.2
12294	Rock Pulp	2.9	77	3.03	61	0.394	8.32	0.709	0.41	3.3	5.4	7	2.4	15.0	0.9	<0.1	<1	34	10.3	4.8	9.6
12295	Rock Pulp	2.4	65	3.02	44	0.266	7.65	1.129	0.50	4.6	4.5	6	2.3	12.5	0.6	<0.1	<1	32	15.8	7.3	7.0
12296	Rock Pulp	2.7	66	2.99	41	0.258	8.23	1.288	0.44	4.0	5.7	7	2.2	13.4	0.6	<0.1	<1	32	13.6	8.5	7.4
12297	Rock Pulp	3.4	65	3.24	84	0.290	8.93	1.067	0.40	2.5	3.7	9	1.6	15.2	0.6	<0.1	<1	34	14.7	6.1	10.4
12298	Rock Pulp	3.3	78	2.79	73	0.269	7.85	0.927	0.40	2.5	3.9	8	1.6	14.6	0.5	<0.1	<1	32	9.2	5.2	14.4
12299	Rock Pulp	2.9	105	3.50	115	0.343	9.55	1.267	0.39	3.4	6.8	7	2.6	14.0	0.6	<0.1	<1	34	10.6	3.4	7.5
12300	Rock Pulp	2.6	94	3.63	138	0.338	9.24	1.602	0.41	2.1	8.7	7	2.1	11.6	1.0	<0.1	<1	30	10.3	3.1	7.8
12301	Rock Pulp	3.1	118	2.70	111	0.334	9.87	1.394	0.38	1.6	10.2	7	2.0	13.5	0.9	<0.1	<1	31	8.5	1.7	10.1
12302	Rock Pulp	3.1	99	3.02	126	0.339	9.71	1.391	0.52	2.6	9.8	7	3.4	13.3	0.7	<0.1	<1	31	5.9	3.9	13.0
12304	Rock Pulp	3.3	91	2.90	97	0.356	8.98	1.157	0.51	8.9	9.4	8	3.1	14.6	0.8	<0.1	<1	31	8.4	6.9	10.9
12305	Rock Pulp	3.5	90	3.51	141	0.374	9.76	1.295	0.74	5.5	9.7	8	3.7	15.1	0.7	<0.1	<1	32	10.2	4.3	18.4
12306	Rock Pulp	3.2	110	2.79	95	0.345	9.84	1.090	0.52	2.8	9.5	8	3.2	13.9	0.7	<0.1	<1	33	6.0	3.6	17.4
12307	Rock Pulp	3.2	100	3.19	110	0.368	9.51	1.435	0.54	2.6	10.0	7	2.6	14.6	0.9	<0.1	<1	32	7.2	3.9	12.4
12308	Rock Pulp	3.3	109	2.87	107	0.363	9.43	1.081	0.63	3.0	8.8	8	2.8	15.0	0.8	<0.1	<1	31	6.5	4.4	15.6
12309	Rock Pulp	3.0	93	3.21	136	0.380	9.51	1.464	0.89	4.3	9.6	8	2.6	15.8	0.8	<0.1	<1	33	7.0	4.3	27.0
12310	Rock Pulp	4.8	116	2.59	134	0.414	9.72	1.336	0.76	3.5	14.0	11	3.0	19.3	1.4	<0.1	<1	34	6.8	2.2	43.0
12311	Rock Pulp	3.5	112	3.03	164	0.337	9.78	1.438	0.80	3.8	9.8	8	2.6	12.9	0.8	<0.1	<1	33	7.4	4.7	34.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

September 29, 2008

Page:

2 of 11

Part 3

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
12281	0.2
12282	0.1
12283	0.2
12284	0.2
12285	0.1
12286	0.2
12287	0.1
12288	0.1
12289	0.1
12290	0.1
12291	0.1
12292	0.1
12293	0.1
12294	0.2
12295	0.2
12296	0.2
12297	0.2
12298	0.2
12299	0.3
12300	0.3
12301	0.3
12302	0.4
12304	0.3
12305	0.3
12306	0.4
12307	0.4
12308	0.4
12309	0.2
12310	0.6
12311	0.4



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: September 29, 2008

Page: 3 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
12312	Rock Pulp	1.2	361.6	25.0	242	0.5	33.3	36.9	1072	9.19	4	0.6	<0.1	0.5	272	0.4	1.1	14.7	275	4.00	0.061
12313	Rock Pulp	3.2	287.4	31.2	305	0.4	32.2	31.8	1505	8.10	5	0.4	<0.1	0.5	241	0.4	1.3	12.4	290	4.43	0.052
12314	Rock Pulp	0.8	296.3	30.4	270	0.4	31.0	23.2	1959	7.64	6	0.5	<0.1	0.6	278	0.7	2.6	10.2	333	5.42	0.056
12315	Rock Pulp	147.2	5558	1.2	63	1.6	78.7	34.4	955	5.23	3	0.4	<0.1	0.7	289	<0.1	0.3	0.8	283	5.73	0.052
12316	Rock Pulp	1.0	423.8	32.4	1542	0.7	29.7	22.0	1653	8.42	5	0.5	<0.1	0.5	301	14.0	2.2	11.0	338	5.05	0.061
12317	Rock Pulp	1.0	355.0	27.7	274	0.5	32.6	46.1	1406	8.66	6	0.5	<0.1	0.5	364	0.3	2.2	7.7	310	4.94	0.053
12318	Rock Pulp	1.5	374.9	24.3	196	0.4	35.3	30.4	1211	7.72	4	0.5	<0.1	0.5	317	0.5	1.9	4.3	298	4.45	0.053
12319	Rock Pulp	0.9	193.6	28.1	174	0.3	31.9	30.0	1385	8.04	4	0.6	<0.1	0.6	336	0.4	2.2	3.5	324	5.26	0.058
12320	Rock Pulp	2.0	351.7	21.8	228	0.5	33.2	27.8	1207	8.43	5	0.5	<0.1	0.5	326	0.3	1.6	6.3	277	4.13	0.051
12321	Rock Pulp	1.0	247.8	20.4	181	0.2	30.9	27.8	1104	8.40	4	0.5	<0.1	0.6	301	0.2	1.8	4.3	284	4.45	0.050
12322	Rock Pulp	0.8	370.6	19.7	225	0.3	35.6	49.7	917	8.57	6	0.5	<0.1	0.5	252	0.4	2.0	6.1	282	3.93	0.053
12323	Rock Pulp	1.3	253.4	21.4	317	0.2	38.2	34.4	1026	8.68	4	0.5	<0.1	0.5	329	0.5	1.4	5.3	285	3.99	0.057
12324	Rock Pulp	1.0	642.5	22.8	316	0.7	44.4	36.5	1501	8.49	3	0.7	<0.1	0.5	249	0.7	1.9	6.0	307	4.18	0.050
12325	Rock Pulp	1.1	349.4	24.9	257	0.4	33.2	23.4	1043	8.31	4	0.5	<0.1	0.6	361	0.4	1.3	4.3	312	4.28	0.060
12326	Rock Pulp	1.1	419.8	27.2	202	0.5	29.4	49.6	866	10.61	12	1.0	<0.1	0.6	300	0.4	1.8	9.0	279	3.88	0.052
12327	Rock Pulp	0.7	477.5	21.1	228	0.6	31.9	39.8	1153	9.91	7	0.6	<0.1	0.6	294	0.6	2.2	8.0	328	4.57	0.060
12328	Rock Pulp	1.1	424.1	27.9	258	0.4	29.8	27.6	1145	8.21	7	0.6	<0.1	0.6	329	0.5	1.8	6.9	311	4.86	0.058
12329	Rock Pulp	0.7	483.8	22.1	272	0.6	43.4	33.3	1482	8.23	4	0.5	<0.1	0.5	302	0.6	1.5	5.1	311	4.51	0.052
12330	Rock Pulp	1.1	537.2	22.2	261	0.7	42.7	34.7	1530	8.38	5	0.7	<0.1	0.5	320	0.6	2.0	6.1	327	4.67	0.053
12332	Rock Pulp	1.0	193.6	27.6	219	0.3	32.7	35.1	1478	8.40	5	0.5	<0.1	0.6	351	0.4	2.0	3.0	338	4.89	0.060
12333	Rock Pulp	1.2	254.2	24.7	246	0.4	31.2	37.9	1154	8.50	4	0.7	<0.1	0.6	295	0.5	1.5	5.5	325	4.11	0.056
12334	Rock Pulp	2.7	252.0	25.8	251	0.5	33.5	39.0	1187	8.44	4	0.7	<0.1	0.6	294	0.5	1.5	5.0	329	4.15	0.059
12335	Rock Pulp	0.9	313.5	25.9	277	0.5	34.9	29.1	1489	8.24	4	0.7	<0.1	0.6	315	0.5	1.9	3.0	340	4.48	0.055
12336	Rock Pulp	1.4	367.6	27.6	251	0.5	32.9	32.7	1059	8.82	4	1.0	<0.1	0.5	256	0.4	1.3	3.9	320	3.54	0.056
12337	Rock Pulp	1.5	379.3	23.8	300	0.5	33.3	24.3	1136	8.58	4	0.8	<0.1	0.6	226	0.4	1.6	7.2	327	3.72	0.060
12338	Rock Pulp	0.9	520.4	21.0	237	0.7	31.0	22.6	968	9.79	3	0.6	<0.1	0.5	267	0.4	1.3	6.9	312	3.81	0.054
12339	Rock Pulp	1.1	654.0	23.5	290	0.9	31.1	21.5	1093	8.81	4	0.6	<0.1	0.5	250	0.5	1.6	10.9	338	4.02	0.058
12340	Rock Pulp	1.0	325.2	27.7	485	0.5	30.0	41.9	1141	8.27	6	0.8	<0.1	0.5	300	2.7	1.9	4.8	333	4.33	0.060
12341	Rock Pulp	0.6	354.0	24.4	351	0.7	29.7	15.2	1578	8.93	5	0.7	<0.1	0.6	254	0.4	1.8	6.0	333	4.12	0.060
12342	Rock Pulp	1.1	25.9	62.0	56	0.2	6.1	7.4	93	0.23	6	0.6	<0.1	0.9	143	0.6	4.1	0.4	9	7.29	0.006



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: September 29, 2008

Page: 3 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	
Unit	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
MDL	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1	
12312	Rock Pulp	3.9	125	3.14	171	0.298	9.63	1.432	0.78	6.0	9.3	9	2.6	14.3	0.8	<0.1	<1	34	8.1	6.6	35.1
12313	Rock Pulp	3.4	104	3.22	176	0.359	9.57	1.572	0.79	5.1	9.3	8	2.4	12.6	0.9	<0.1	<1	33	8.1	4.0	29.0
12314	Rock Pulp	3.7	91	3.01	192	0.429	9.51	1.610	0.80	4.3	12.1	9	3.1	15.9	1.0	<0.1	<1	34	5.9	2.1	28.5
12315	Rock Pulp	13.4	198	3.95	224	0.358	9.41	1.355	1.93	4.0	5.7	27	1.7	12.1	0.7	<0.1	<1	39	21.2	3.1	140.8
12316	Rock Pulp	4.0	110	3.07	139	0.414	9.78	1.347	0.71	5.7	10.9	9	3.9	15.5	1.0	<0.1	<1	35	8.2	4.3	28.1
12317	Rock Pulp	3.8	129	2.95	128	0.344	9.64	1.233	0.58	7.8	9.7	9	2.6	13.2	0.8	<0.1	<1	33	10.5	4.6	21.7
12318	Rock Pulp	3.3	120	3.24	132	0.329	9.57	1.369	0.57	4.6	9.5	8	2.4	13.0	0.8	<0.1	<1	32	9.4	4.0	16.5
12319	Rock Pulp	4.0	127	2.93	109	0.366	9.67	1.226	0.57	5.2	11.3	9	2.8	14.9	1.0	<0.1	<1	34	8.2	3.7	22.9
12320	Rock Pulp	3.2	93	3.18	91	0.307	8.89	1.120	0.57	6.3	6.7	8	2.4	12.7	0.6	<0.1	<1	31	9.7	5.3	19.2
12321	Rock Pulp	3.7	123	2.94	81	0.308	9.27	1.025	0.52	4.8	7.5	9	1.7	15.1	0.7	<0.1	<1	33	7.0	3.4	20.3
12322	Rock Pulp	3.6	120	3.32	98	0.294	9.06	1.210	0.46	4.0	7.8	8	1.7	13.8	0.7	<0.1	<1	32	10.7	4.4	13.0
12323	Rock Pulp	3.0	121	3.36	121	0.291	8.95	1.119	0.56	5.8	10.2	8	2.5	13.1	0.8	<0.1	<1	34	9.1	5.0	20.2
12324	Rock Pulp	3.0	128	3.47	118	0.326	8.83	1.095	0.49	5.3	13.8	7	2.1	13.2	0.9	<0.1	<1	31	8.4	4.2	13.0
12325	Rock Pulp	3.8	134	3.20	89	0.328	9.26	1.057	0.74	5.7	6.5	9	2.4	14.0	0.7	<0.1	<1	35	9.6	4.6	31.4
12326	Rock Pulp	7.4	148	2.76	86	0.244	8.66	1.178	0.64	6.4	6.2	14	2.1	13.4	0.6	<0.1	<1	34	7.7	8.7	36.2
12327	Rock Pulp	5.0	129	2.98	81	0.354	9.17	1.032	0.56	5.9	6.4	11	2.1	14.7	0.9	<0.1	<1	36	6.8	5.9	23.7
12328	Rock Pulp	4.1	114	2.78	133	0.343	9.68	1.100	0.82	5.8	8.9	10	2.8	15.5	1.0	<0.1	<1	35	8.9	4.3	37.5
12329	Rock Pulp	3.1	126	3.59	93	0.362	8.55	0.995	0.62	6.8	10.3	7	2.2	13.5	0.8	<0.1	<1	32	10.2	4.0	19.8
12330	Rock Pulp	3.7	151	3.50	99	0.367	8.92	1.012	0.65	5.9	10.6	9	2.8	14.3	0.9	<0.1	<1	34	8.8	3.7	20.8
12332	Rock Pulp	3.8	116	3.17	139	0.365	9.88	1.424	0.78	8.4	11.9	9	1.8	15.3	0.7	<0.1	<1	37	7.2	2.9	41.4
12333	Rock Pulp	4.1	105	3.13	134	0.375	9.55	1.320	0.90	9.0	8.8	9	2.2	13.9	0.8	<0.1	<1	37	10.4	4.6	50.0
12334	Rock Pulp	4.0	118	3.19	145	0.396	9.52	1.390	0.92	9.1	9.7	10	2.1	15.0	0.8	<0.1	<1	37	9.2	4.3	45.8
12335	Rock Pulp	4.1	119	3.33	109	0.412	10.03	1.406	0.92	7.9	7.8	9	2.6	14.9	0.8	<0.1	<1	38	10.3	3.1	49.9
12336	Rock Pulp	3.7	128	3.30	136	0.340	9.11	1.460	0.92	36.6	9.0	9	2.5	14.2	0.8	<0.1	<1	36	10.1	5.6	40.2
12337	Rock Pulp	4.0	97	3.46	141	0.333	9.13	1.099	1.29	81.2	7.9	10	2.7	13.1	0.7	<0.1	<1	34	9.6	5.0	49.2
12338	Rock Pulp	4.3	100	3.03	88	0.251	8.76	1.156	0.88	7.4	11.8	9	2.2	10.8	0.5	<0.1	<1	34	9.6	7.1	35.9
12339	Rock Pulp	4.0	126	3.13	79	0.349	8.92	1.075	0.98	4.8	7.5	10	2.9	12.9	0.8	<0.1	<1	37	10.6	5.3	43.5
12340	Rock Pulp	4.7	117	2.95	94	0.269	9.42	1.110	1.13	7.9	9.8	11	3.2	12.2	0.6	<0.1	<1	36	12.1	5.9	49.7
12341	Rock Pulp	3.8	107	2.91	110	0.379	9.11	1.063	1.41	19.1	7.6	9	3.0	11.7	0.8	<0.1	<1	35	11.1	5.5	54.4
12342	Rock Pulp	4.6	203	0.40	591	0.037	1.07	9.901	0.49	0.3	100.5	10	9.5	3.6	1.4	<0.1	<1	<1	9.0	<0.1	15.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

September 29, 2008

Page:

3 of 11

Part 3

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
12312	Rock Pulp 0.4
12313	Rock Pulp 0.4
12314	Rock Pulp 0.5
12315	Rock Pulp 0.2
12316	Rock Pulp 0.5
12317	Rock Pulp 0.3
12318	Rock Pulp 0.5
12319	Rock Pulp 0.4
12320	Rock Pulp 0.3
12321	Rock Pulp 0.2
12322	Rock Pulp 0.2
12323	Rock Pulp 0.3
12324	Rock Pulp 0.6
12325	Rock Pulp 0.3
12326	Rock Pulp 0.2
12327	Rock Pulp 0.3
12328	Rock Pulp 0.4
12329	Rock Pulp 0.4
12330	Rock Pulp 0.5
12332	Rock Pulp 0.4
12333	Rock Pulp 0.3
12334	Rock Pulp 0.4
12335	Rock Pulp 0.3
12336	Rock Pulp 0.4
12337	Rock Pulp 0.3
12338	Rock Pulp 0.4
12339	Rock Pulp 0.3
12340	Rock Pulp 0.3
12341	Rock Pulp 0.4
12342	Rock Pulp 2.5



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: September 29, 2008

Page: 4 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
12343	Rock Pulp	1.8	218.8	18.6	333	0.4	30.4	32.6	1168	9.43	3	0.6	<0.1	0.6	245	0.6	1.2	6.4	319	3.69	0.057
12344	Rock Pulp	2.8	241.8	15.6	223	0.5	22.4	56.0	1275	10.02	7	0.8	<0.1	0.6	287	0.3	1.7	6.9	347	3.78	0.062
12345	Rock Pulp	2.0	380.1	14.0	205	0.8	23.3	14.9	1416	9.21	4	0.7	<0.1	0.6	366	0.3	1.9	6.8	340	4.12	0.065
12346	Rock Pulp	0.9	262.3	11.3	100	0.5	12.9	17.8	999	8.94	4	0.7	<0.1	0.7	552	0.2	2.2	4.6	409	5.93	0.074
12347	Rock Pulp	1.0	359.6	15.0	171	0.6	15.7	33.1	1105	9.65	8	0.9	<0.1	0.7	378	0.4	1.9	6.5	394	4.92	0.077
12348	Rock Pulp	0.7	361.8	12.8	147	0.5	20.6	20.7	1106	8.94	3	0.7	<0.1	0.6	308	0.3	1.3	3.0	338	4.91	0.068
12349	Rock Pulp	0.5	249.5	10.7	109	0.3	15.9	18.6	1149	9.02	3	0.6	<0.1	0.6	218	0.3	1.6	2.2	437	4.81	0.078
12350	Rock Pulp	1.0	324.8	11.2	158	0.7	13.0	21.1	1400	7.90	3	0.5	<0.1	0.7	322	0.3	1.4	3.0	370	4.25	0.078
12351	Rock Pulp	1.1	235.5	13.8	173	0.4	15.3	27.5	1427	8.81	8	0.4	<0.1	0.6	244	0.3	1.3	2.6	336	3.50	0.057
12352	Rock Pulp	0.6	103.5	10.7	116	0.1	12.7	35.3	1241	9.19	3	0.4	<0.1	0.6	229	0.1	1.2	1.3	306	3.45	0.066
12353	Rock Pulp	0.7	833.8	14.0	224	0.9	11.4	31.7	1162	9.84	5	0.6	<0.1	0.6	190	0.5	1.2	4.1	293	3.30	0.068
12354	Rock Pulp	1.0	544.3	16.7	279	0.7	14.4	21.8	1512	9.57	5	0.6	<0.1	0.6	183	0.4	1.3	5.0	291	3.49	0.072
12355	Rock Pulp	1.3	635.5	13.9	161	0.6	12.2	25.0	950	9.66	3	0.8	<0.1	0.6	209	0.3	1.3	4.4	296	3.23	0.062
12356	Rock Pulp	131.7	6701	1.3	61	2.2	67.1	20.5	852	4.90	2	0.3	<0.1	0.4	293	0.1	0.2	1.4	254	5.74	0.047
12357	Rock Pulp	0.2	211.2	13.0	104	0.2	12.1	34.4	690	8.27	2	0.5	<0.1	0.6	277	<0.1	0.9	1.9	352	3.58	0.056
12358	Rock Pulp	0.9	236.9	16.7	139	0.3	15.6	31.0	668	9.03	2	0.6	<0.1	0.7	266	0.2	0.7	2.1	347	3.04	0.053
12359	Rock Pulp	0.7	906.0	40.9	1762	1.0	21.1	26.5	901	7.82	6	0.4	<0.1	0.5	131	11.1	0.9	3.5	296	4.74	0.054
12360	Rock Pulp	0.6	869.1	27.1	314	1.2	27.0	22.3	951	8.62	4	0.5	<0.1	0.4	225	1.0	0.9	5.2	310	4.64	0.054
12361	Rock Pulp	0.6	1245	24.7	2136	3.0	13.3	22.5	1114	9.92	10	0.9	<0.1	0.7	315	20.0	1.4	20.1	263	4.22	0.069
12362	Rock Pulp	1.4	589.3	14.6	721	1.2	13.0	19.6	956	9.39	5	0.8	<0.1	0.6	301	4.7	1.0	7.0	239	4.06	0.067
12363	Rock Pulp	1.3	265.9	14.2	626	0.6	12.7	20.3	982	8.11	4	0.6	<0.1	0.7	347	5.2	1.6	5.8	251	4.02	0.071
12364	Rock Pulp	1.0	422.9	13.4	163	0.4	11.9	29.0	763	8.94	4	0.5	<0.1	0.6	266	0.2	1.2	2.5	267	3.36	0.072
12365	Rock Pulp	0.8	367.7	13.9	210	0.4	13.7	54.3	758	10.11	5	0.4	<0.1	0.6	174	0.3	0.9	2.8	271	3.00	0.067
12366	Rock Pulp	0.9	342.9	13.5	152	0.4	14.3	30.6	769	8.69	2	0.5	<0.1	0.6	246	0.3	0.8	2.3	274	3.12	0.074
12367	Rock Pulp	0.7	108.1	14.0	196	0.1	8.5	11.5	689	4.99	2	0.4	<0.1	1.0	262	0.2	0.7	1.7	129	3.42	0.071
12368	Rock Pulp	0.4	319.9	13.4	203	0.4	16.2	24.9	1034	8.29	4	0.5	<0.1	0.6	258	0.4	0.7	2.6	267	3.44	0.059
12369	Rock Pulp	0.7	302.1	13.0	217	0.5	13.2	19.7	1053	7.93	4	0.4	<0.1	0.6	241	0.3	0.7	2.2	275	3.48	0.057
12370	Rock Pulp	1.0	622.4	10.9	135	0.6	15.9	27.7	839	9.37	6	0.5	<0.1	0.5	218	0.4	0.8	1.6	293	3.71	0.072
12371	Rock Pulp	1.1	282.2	9.8	165	0.3	14.3	20.9	648	7.98	6	0.4	<0.1	0.5	198	0.3	1.0	1.5	286	3.52	0.073
12372	Rock Pulp	1.5	148.3	11.8	175	0.2	10.6	15.3	681	6.86	5	0.4	<0.1	0.6	251	0.2	0.9	1.4	244	3.43	0.048



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: September 29, 2008

Page: 4 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method Analyte Unit MDL	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	
	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1	
12343	Rock Pulp	4.2	105	3.06	93	0.242	9.33	1.223	1.13	7.2	5.9	10	2.0	11.0	0.5	<0.1	<1	37	10.6	7.8	58.0
12344	Rock Pulp	4.6	114	2.37	87	0.335	7.92	0.862	0.94	10.5	7.2	11	2.3	13.6	0.7	<0.1	<1	37	9.0	7.6	52.1
12345	Rock Pulp	4.0	385	2.01	60	0.450	7.78	0.698	0.78	15.9	8.7	10	2.8	16.4	1.6	<0.1	<1	38	6.5	5.6	48.8
12346	Rock Pulp	4.3	113	1.83	13	0.524	8.04	0.391	0.20	8.7	14.7	10	2.8	19.1	1.1	<0.1	<1	42	3.8	4.9	9.5
12347	Rock Pulp	4.8	117	2.28	39	0.536	8.62	0.567	0.54	44.8	12.6	11	2.5	19.9	1.0	<0.1	<1	44	6.9	5.6	32.7
12348	Rock Pulp	4.7	116	2.28	38	0.447	8.87	0.809	0.51	5.9	9.3	11	2.3	15.4	1.1	<0.1	<1	40	7.5	4.4	23.5
12349	Rock Pulp	4.5	106	2.48	30	0.540	8.81	1.003	0.37	6.0	10.1	10	2.2	18.6	1.2	<0.1	<1	45	6.4	3.6	24.0
12350	Rock Pulp	4.4	108	2.21	44	0.473	8.05	0.826	0.56	4.7	8.4	11	1.9	18.1	1.0	<0.1	<1	37	8.7	2.7	32.9
12351	Rock Pulp	4.2	146	2.31	60	0.530	8.36	1.132	0.68	8.6	4.0	10	1.6	15.3	1.1	<0.1	<1	40	10.0	3.2	38.3
12352	Rock Pulp	4.0	93	2.47	42	0.596	8.47	1.329	0.53	4.5	3.7	9	1.4	17.1	1.1	<0.1	<1	42	8.2	1.7	28.8
12353	Rock Pulp	3.9	85	2.73	40	0.437	8.12	1.034	0.53	11.2	5.1	9	1.4	13.8	0.9	<0.1	<1	42	9.5	5.6	26.8
12354	Rock Pulp	3.8	113	2.49	57	0.476	8.41	0.861	0.97	13.8	6.3	9	2.0	12.2	0.9	<0.1	<1	43	10.0	6.3	48.9
12355	Rock Pulp	4.1	123	2.41	50	0.419	8.03	0.911	0.78	6.1	6.1	10	1.4	12.5	0.8	<0.1	<1	41	9.0	5.0	42.1
12356	Rock Pulp	4.5	171	3.71	175	0.324	8.79	1.342	1.77	2.1	4.4	9	1.3	10.2	0.7	<0.1	<1	36	17.7	2.7	114.4
12357	Rock Pulp	3.9	95	2.46	61	0.397	8.55	1.115	0.87	4.2	4.6	10	1.5	12.1	0.7	<0.1	<1	39	9.9	3.3	42.1
12358	Rock Pulp	4.4	96	2.71	74	0.334	8.92	1.253	1.04	5.3	3.4	11	1.1	11.2	0.7	<0.1	<1	40	15.7	5.2	49.3
12359	Rock Pulp	3.3	84	2.47	96	0.350	8.88	0.557	1.39	5.8	4.3	8	1.9	12.9	0.7	<0.1	<1	37	36.3	4.5	79.2
12360	Rock Pulp	2.8	112	2.93	57	0.363	8.97	0.707	0.80	5.9	6.6	7	1.8	12.8	1.0	<0.1	<1	35	21.5	5.4	25.6
12361	Rock Pulp	4.4	102	2.41	45	0.476	7.66	0.421	0.63	11.2	10.4	10	2.4	17.9	1.2	<0.1	<1	38	14.7	6.5	38.2
12362	Rock Pulp	4.1	112	1.88	38	0.418	7.83	0.536	0.73	11.2	8.1	9	1.8	14.4	0.9	<0.1	<1	35	6.4	6.4	35.6
12363	Rock Pulp	5.1	143	1.94	37	0.459	7.84	0.700	0.63	7.0	8.4	12	1.5	15.7	1.0	<0.1	<1	37	9.7	3.3	37.4
12364	Rock Pulp	4.2	118	2.28	50	0.311	7.90	0.715	0.78	11.2	4.7	10	1.4	12.1	0.7	<0.1	<1	38	10.6	5.1	38.2
12365	Rock Pulp	3.9	87	2.43	54	0.331	7.40	0.795	0.79	4.9	4.9	10	1.0	10.3	0.6	<0.1	<1	38	9.6	5.9	35.9
12366	Rock Pulp	5.0	126	2.15	105	0.349	7.90	0.942	1.03	5.2	5.9	11	1.7	12.8	0.7	<0.1	<1	37	10.6	4.7	56.2
12367	Rock Pulp	5.9	117	1.46	279	0.355	8.50	1.355	1.52	3.9	10.3	14	1.8	13.6	1.9	0.1	<1	24	7.5	2.0	64.8
12368	Rock Pulp	4.3	115	2.40	76	0.408	8.54	0.804	1.03	5.4	5.3	10	1.5	11.8	0.8	<0.1	<1	39	10.8	4.1	56.7
12369	Rock Pulp	4.0	117	2.42	75	0.410	8.37	0.797	1.04	4.7	5.2	9	1.4	11.4	0.8	<0.1	<1	39	10.5	3.7	53.0
12370	Rock Pulp	4.1	138	2.28	50	0.415	7.92	0.712	0.71	4.4	6.7	10	1.5	12.6	0.9	<0.1	<1	39	7.4	4.0	37.1
12371	Rock Pulp	3.7	131	1.98	137	0.359	8.01	0.797	1.04	4.3	4.6	9	1.5	12.6	0.7	<0.1	<1	39	8.5	3.9	45.1
12372	Rock Pulp	4.4	94	2.00	170	0.376	8.90	1.338	1.37	4.0	5.5	11	1.5	12.1	1.0	<0.1	<1	34	8.4	3.1	58.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

September 29, 2008

Page:

4 of 11

Part 3

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
12343	0.2
12344	0.3
12345	0.4
12346	0.7
12347	0.5
12348	0.4
12349	0.5
12350	0.4
12351	0.2
12352	0.2
12353	0.2
12354	0.3
12355	0.2
12356	0.2
12357	0.2
12358	0.2
12359	0.2
12360	0.2
12361	0.4
12362	0.3
12363	0.3
12364	0.2
12365	0.2
12366	0.3
12367	0.3
12368	0.2
12369	0.2
12370	0.3
12371	0.2
12372	0.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: September 29, 2008

Page: 5 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
12373	Rock Pulp	1.2	119.4	14.6	143	0.1	11.5	33.9	484	7.04	5	0.4	<0.1	0.6	256	0.2	2.0	2.7	270	3.51	0.055
12374	Rock Pulp	1.6	273.7	13.4	273	0.6	16.2	38.5	718	9.42	18	0.4	<0.1	0.4	208	0.6	2.8	3.5	306	2.45	0.059
12375	Rock Pulp	1.0	178.1	13.1	219	0.3	14.4	38.7	695	8.20	11	0.4	<0.1	0.5	194	0.2	3.2	4.3	329	2.93	0.068
12376	Rock Pulp	0.5	317.3	12.7	218	0.6	11.2	60.0	883	9.65	4	0.6	<0.1	0.6	257	0.3	1.3	6.2	275	3.33	0.072
12377	Rock Pulp	1.1	533.0	13.5	271	0.8	11.0	46.6	921	9.67	5	0.6	<0.1	0.5	246	1.3	0.8	6.1	267	3.39	0.068
12378	Rock Pulp	0.8	237.9	13.2	189	0.4	10.6	25.5	1099	8.76	4	0.5	<0.1	0.6	209	0.5	1.0	3.0	264	3.67	0.064
12379	Rock Pulp	1.4	246.1	12.5	138	0.5	9.5	25.0	1167	8.94	5	0.5	<0.1	0.6	228	0.4	1.0	2.6	257	3.88	0.063
12380	Rock Pulp	2.3	391.1	15.9	146	0.6	11.0	54.7	874	8.76	7	0.5	<0.1	0.6	213	0.4	1.4	3.4	252	3.27	0.066
12381	Rock Pulp	0.6	444.9	17.5	415	0.5	8.1	40.3	1035	9.02	5	0.6	<0.1	0.6	189	5.3	1.1	2.6	260	3.73	0.073
12382	Rock Pulp	444.3	5606	7.6	54	1.9	2.5	2.4	446	0.99	10	0.8	<0.1	0.7	496	0.1	7.6	0.7	49	2.38	0.033
12383	Rock Pulp	0.5	166.6	15.6	219	0.3	9.2	20.4	1059	7.52	3	0.5	<0.1	0.7	233	0.2	1.1	1.1	358	3.35	0.092
12384	Rock Pulp	1.1	177.8	14.6	140	0.3	8.4	23.5	874	6.65	3	0.4	<0.1	0.7	338	0.1	0.9	1.5	214	2.98	0.055
12385	Rock Pulp	1.3	96.2	11.0	123	0.1	9.0	19.5	997	6.64	2	0.4	<0.1	0.7	281	0.2	0.7	1.2	206	3.54	0.065
12386	Rock Pulp	0.6	440.9	25.7	192	1.4	9.2	22.6	950	7.76	4	0.7	<0.1	0.8	209	0.7	1.4	10.4	233	2.81	0.056
12387	Rock Pulp	0.6	220.7	14.3	147	0.5	8.5	31.0	947	8.90	4	0.5	<0.1	0.7	241	0.4	0.9	4.3	240	2.53	0.060
12388	Rock Pulp	1.2	129.1	10.4	113	0.2	7.9	26.4	883	8.59	2	0.5	<0.1	0.8	272	<0.1	0.6	1.3	282	3.09	0.073
12389	Rock Pulp	1.0	290.7	13.4	114	0.4	6.2	25.5	966	8.24	5	0.5	<0.1	0.8	252	0.2	0.9	2.8	239	2.87	0.070
12390	Rock Pulp	1.5	129.3	13.9	106	0.2	7.7	19.2	834	7.10	3	0.4	<0.1	0.9	342	0.2	0.9	1.3	208	3.03	0.084
12391	Rock Pulp	0.9	209.2	11.9	179	0.4	38.8	33.2	780	9.39	5	1.6	0.5	0.5	176	0.3	0.7	3.0	201	1.79	0.065
12392	Rock Pulp	0.6	318.2	17.3	163	0.7	17.1	27.3	709	8.94	10	0.3	0.4	0.5	154	0.5	0.9	4.5	193	2.11	0.054
12393	Rock Pulp	1.7	595.1	35.3	172	1.5	11.0	28.1	541	9.47	21	0.4	<0.1	0.7	152	0.7	1.4	7.8	209	1.82	0.037
12394	Rock Pulp	0.7	658.5	13.9	159	1.0	43.0	38.4	779	9.43	14	0.4	<0.1	0.7	195	0.6	1.4	4.4	233	2.30	0.079
12395	Rock Pulp	0.9	776.4	16.0	151	1.3	21.9	21.8	869	8.20	8	0.5	<0.1	0.7	322	0.8	0.8	9.2	206	3.36	0.077
12396	Rock Pulp	1.8	42.8	69.7	322	0.2	6.6	7.5	89	0.22	5	0.6	<0.1	1.1	145	0.7	3.9	0.5	6	7.29	0.005
12397	Rock Pulp	1.1	236.6	11.3	336	0.5	6.7	14.6	924	6.82	2	0.5	<0.1	0.8	348	3.1	0.8	2.2	179	3.92	0.083
12398	Rock Pulp	1.5	114.1	11.4	236	0.2	8.9	17.1	1081	6.70	3	0.6	<0.1	0.8	321	0.3	1.0	1.4	201	4.01	0.078
12399	Rock Pulp	1.1	477.6	13.9	169	0.9	7.7	15.9	639	7.52	4	0.5	<0.1	0.7	286	0.2	0.9	3.8	182	3.14	0.068
12400	Rock Pulp	1.4	276.0	13.4	176	0.8	5.7	24.9	695	7.54	4	0.8	<0.1	0.7	308	0.2	1.0	3.5	164	3.15	0.076
12401	Rock Pulp	4.8	142.5	13.9	149	0.5	4.5	13.6	756	6.61	2	0.6	<0.1	0.8	297	0.2	0.8	3.7	148	3.48	0.074
12402	Rock Pulp	1.4	224.8	15.3	230	2.2	3.6	14.9	947	6.31	3	0.6	<0.1	0.9	282	0.5	0.8	3.4	129	3.33	0.086

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: September 29, 2008

Page: 5 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	
Unit	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
MDL	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1	
12373	Rock Pulp	4.1	132	1.47	147	0.286	8.48	1.117	1.20	3.3	3.5	11	1.8	13.1	0.7	<0.1	<1	34	7.6	4.4	58.4
12374	Rock Pulp	3.1	114	1.87	41	0.350	7.70	0.710	1.57	5.4	2.8	8	2.7	11.3	0.6	<0.1	<1	40	8.3	6.6	72.1
12375	Rock Pulp	3.5	109	1.92	75	0.371	7.52	0.840	1.34	3.5	3.9	8	2.0	11.6	0.8	<0.1	<1	40	9.3	5.0	83.5
12376	Rock Pulp	4.2	102	2.23	92	0.399	7.82	0.867	1.17	5.3	4.9	9	2.7	12.9	0.8	<0.1	<1	38	10.4	5.8	75.0
12377	Rock Pulp	4.0	82	2.33	56	0.439	7.68	0.916	0.90	14.5	6.7	9	1.8	14.1	0.8	<0.1	<1	39	9.9	6.2	50.3
12378	Rock Pulp	4.0	112	2.37	43	0.520	8.35	0.808	0.88	6.8	9.1	9	2.1	16.0	1.0	<0.1	<1	39	8.8	3.9	55.3
12379	Rock Pulp	4.2	109	2.35	44	0.526	8.20	0.913	0.84	8.2	6.3	10	2.2	18.2	1.1	<0.1	<1	40	9.9	3.9	52.9
12380	Rock Pulp	4.2	101	2.25	65	0.393	7.66	0.922	0.89	17.1	5.8	10	1.6	13.0	0.8	<0.1	<1	37	15.8	4.7	48.2
12381	Rock Pulp	4.2	87	2.29	57	0.476	7.79	1.010	0.87	5.0	7.7	10	1.8	16.6	1.0	<0.1	<1	39	20.0	4.6	54.7
12382	Rock Pulp	5.1	4	0.29	493	0.082	7.84	2.256	2.04	2.4	12.1	11	1.6	4.1	1.5	<0.1	1	2	11.8	0.5	36.4
12383	Rock Pulp	5.1	82	2.11	108	0.418	8.18	1.092	1.02	4.8	6.5	12	1.7	17.0	1.0	<0.1	<1	35	21.1	2.9	58.6
12384	Rock Pulp	5.8	100	1.59	206	0.370	8.32	1.403	1.19	3.4	11.8	14	1.4	12.2	1.0	<0.1	<1	32	12.6	2.8	71.5
12385	Rock Pulp	5.8	132	1.80	170	0.391	8.22	0.958	1.17	2.9	5.3	13	1.3	13.0	1.4	<0.1	<1	31	9.2	2.6	67.7
12386	Rock Pulp	5.7	81	1.74	39	0.362	8.46	0.771	1.98	6.2	4.5	14	2.4	15.2	1.1	<0.1	<1	36	10.9	4.9	106.2
12387	Rock Pulp	4.8	96	1.89	93	0.352	7.50	1.046	1.34	4.8	3.8	12	1.7	12.1	0.7	<0.1	<1	36	7.6	6.1	78.2
12388	Rock Pulp	4.9	98	2.00	92	0.363	7.98	0.990	1.02	3.0	4.0	12	0.7	11.6	0.9	<0.1	<1	36	7.2	3.8	61.1
12389	Rock Pulp	5.4	100	1.97	118	0.339	7.69	0.700	1.23	4.7	5.0	13	1.5	15.0	0.8	<0.1	<1	34	7.9	4.8	73.1
12390	Rock Pulp	6.3	103	1.78	138	0.345	8.50	1.119	1.33	3.9	4.9	15	1.5	14.3	1.0	<0.1	<1	33	8.1	3.6	78.1
12391	Rock Pulp	5.6	127	2.74	93	0.187	8.22	0.611	1.87	3.9	2.8	13	1.9	9.9	0.5	<0.1	<1	31	10.6	6.6	107.0
12392	Rock Pulp	5.1	101	1.78	31	0.193	8.30	0.553	2.18	9.4	2.7	13	2.8	13.8	0.6	<0.1	<1	31	11.5	7.2	116.5
12393	Rock Pulp	4.4	96	1.24	16	0.219	7.77	0.647	1.97	5.3	2.9	12	2.6	12.4	0.6	<0.1	<1	30	7.2	8.4	96.7
12394	Rock Pulp	6.6	126	2.41	84	0.252	8.57	0.677	1.94	4.7	2.8	16	2.4	12.8	0.7	<0.1	<1	35	10.7	6.1	112.0
12395	Rock Pulp	5.6	119	2.18	106	0.328	8.05	0.615	1.14	4.2	4.5	14	2.1	14.6	1.1	<0.1	<1	33	10.2	4.5	72.4
12396	Rock Pulp	4.5	200	0.37	538	0.032	1.06	9.601	0.46	0.1	110.9	10	7.3	3.4	1.8	<0.1	<1	<1	9.9	<0.1	14.1
12397	Rock Pulp	5.4	126	1.76	108	0.423	7.97	0.600	0.96	3.3	5.2	14	1.1	14.4	1.4	<0.1	<1	32	6.3	2.5	58.6
12398	Rock Pulp	5.8	134	1.75	96	0.443	8.09	0.655	0.99	4.1	3.8	14	1.2	16.0	1.6	<0.1	<1	34	5.9	2.2	66.1
12399	Rock Pulp	5.1	105	1.54	98	0.282	7.24	0.511	1.20	5.9	3.7	12	1.7	14.4	0.8	<0.1	<1	29	6.0	5.5	69.7
12400	Rock Pulp	5.4	92	1.53	97	0.288	7.15	0.440	1.17	12.9	5.5	14	1.6	15.1	0.9	<0.1	<1	28	6.1	5.2	65.4
12401	Rock Pulp	6.2	116	1.33	123	0.339	7.29	0.439	1.18	12.4	6.5	15	1.7	16.0	1.2	<0.1	<1	27	4.2	3.8	67.2
12402	Rock Pulp	6.5	100	1.44	122	0.376	7.47	0.440	1.31	3.9	8.2	15	1.4	17.4	1.5	0.1	<1	27	5.9	3.7	83.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

September 29, 2008

Page:

5 of 11

Part 3

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
12373	Rock Pulp 0.2
12374	Rock Pulp 0.1
12375	Rock Pulp 0.2
12376	Rock Pulp 0.2
12377	Rock Pulp 0.3
12378	Rock Pulp 0.4
12379	Rock Pulp 0.3
12380	Rock Pulp 0.3
12381	Rock Pulp 0.3
12382	Rock Pulp 0.5
12383	Rock Pulp 0.3
12384	Rock Pulp 0.2
12385	Rock Pulp 0.2
12386	Rock Pulp 0.2
12387	Rock Pulp 0.1
12388	Rock Pulp 0.2
12389	Rock Pulp 0.2
12390	Rock Pulp 0.2
12391	Rock Pulp <0.1
12392	Rock Pulp 0.1
12393	Rock Pulp <0.1
12394	Rock Pulp <0.1
12395	Rock Pulp 0.1
12396	Rock Pulp 2.6
12397	Rock Pulp 0.2
12398	Rock Pulp 0.2
12399	Rock Pulp 0.2
12400	Rock Pulp 0.2
12401	Rock Pulp 0.3
12402	Rock Pulp 0.3



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: September 29, 2008

Page: 6 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
12403	Rock Pulp	1.9	160.9	18.0	162	0.6	5.1	14.8	663	5.51	3	0.7	<0.1	1.0	206	0.2	0.6	5.7	104	2.66	0.070
12404	Rock Pulp	0.4	126.3	15.5	166	0.2	9.6	23.0	658	6.42	4	0.4	<0.1	0.6	199	<0.1	0.5	1.9	202	2.20	0.029
12405	Rock Pulp	0.8	292.3	12.5	231	0.4	11.1	27.9	855	8.43	4	0.5	<0.1	0.4	202	0.2	0.6	4.8	263	2.86	0.076
12406	Rock Pulp	0.6	153.9	11.4	134	0.2	9.7	25.9	733	8.75	3	0.4	<0.1	0.4	208	<0.1	0.5	1.5	236	3.21	0.071
12407	Rock Pulp	0.5	158.2	12.1	118	0.3	10.8	19.6	599	8.05	4	0.6	<0.1	0.5	204	0.2	0.5	2.6	219	2.82	0.078
12408	Rock Pulp	0.7	201.8	11.1	171	0.3	15.3	44.8	684	11.16	24	0.4	<0.1	0.4	223	0.3	0.5	7.6	239	2.49	0.078
12409	Rock Pulp	0.7	193.8	17.4	218	0.3	10.7	24.9	807	9.23	13	0.4	<0.1	0.5	205	0.2	0.8	2.4	222	2.68	0.071
12410	Rock Pulp	0.8	201.1	17.8	185	0.3	10.3	29.6	653	8.82	14	0.5	<0.1	0.4	185	0.3	0.6	2.6	206	2.80	0.076
12411	Rock Pulp	1.2	211.1	18.4	192	0.4	10.7	33.3	657	9.09	15	0.5	<0.1	0.5	201	0.4	0.7	2.9	203	2.77	0.084
12412	Rock Pulp	0.8	448.8	27.1	170	0.8	9.8	25.6	600	8.23	17	0.7	<0.1	0.5	170	0.4	1.2	11.3	204	2.60	0.072
12413	Rock Pulp	0.8	510.1	17.5	158	0.6	10.0	33.9	610	8.58	27	0.5	<0.1	0.4	177	0.4	0.7	11.9	194	2.72	0.083
12414	Rock Pulp	1.1	203.8	14.6	192	0.3	8.9	23.0	984	8.66	7	0.6	<0.1	0.5	194	0.4	0.7	2.1	242	2.84	0.083
12415	Rock Pulp	1.7	242.7	19.8	169	0.3	9.6	24.2	826	8.56	5	0.6	<0.1	0.4	194	0.3	1.0	2.9	206	2.50	0.078
12416	Rock Pulp	1.5	191.8	15.2	202	0.3	10.9	20.3	814	8.88	6	0.4	<0.1	0.5	190	0.2	0.4	2.5	218	2.53	0.082
12417	Rock Pulp	0.7	150.3	68.4	244	0.6	12.1	35.8	888	9.83	6	0.5	<0.1	0.5	150	0.5	0.6	5.1	234	2.61	0.082
12418	Rock Pulp	0.8	198.8	12.7	169	0.3	9.4	21.1	742	8.79	3	0.5	<0.1	0.5	218	0.3	0.4	2.9	226	2.49	0.083
12419	Rock Pulp	0.6	176.9	10.6	126	0.2	10.7	18.4	765	9.04	3	0.4	<0.1	0.5	256	<0.1	0.5	2.2	257	3.26	0.075
12420	Rock Pulp	1.0	175.7	17.9	51	0.2	6.3	13.5	326	4.61	9	0.5	<0.1	0.7	192	<0.1	0.7	1.5	108	2.12	0.052
12421	Rock Pulp	1.8	254.5	16.2	83	0.3	17.0	21.8	362	7.10	10	0.6	<0.1	0.8	196	0.3	0.7	4.0	140	1.87	0.078
12422	Rock Pulp	1.1	123.7	36.5	116	0.2	4.9	12.5	352	5.23	7	0.6	<0.1	0.8	143	0.5	0.5	1.7	99	2.30	0.089
12423	Rock Pulp	1.3	110.3	13.6	143	0.1	7.9	19.2	592	6.18	5	0.5	<0.1	0.9	241	0.1	0.5	2.3	143	2.23	0.108
12424	Rock Pulp	1.1	148.7	15.1	123	0.3	7.9	12.6	588	6.18	7	0.6	<0.1	0.8	253	0.1	0.6	2.2	139	2.64	0.099
12425	Rock Pulp	2.6	138.0	30.3	175	0.3	8.0	15.1	771	5.87	7	0.5	<0.1	0.7	196	0.5	0.8	2.1	124	3.00	0.090
12426	Rock Pulp	155.8	5391	1.7	64	1.6	84.3	31.1	898	5.19	<1	0.4	<0.1	0.4	271	0.1	0.4	1.1	269	5.58	0.046
12427	Rock Pulp	1.1	216.2	12.9	124	0.3	10.5	15.0	793	6.27	7	0.6	<0.1	0.7	310	0.3	0.8	3.6	141	3.36	0.110
12428	Rock Pulp	1.1	125.9	12.6	107	0.2	10.4	11.5	736	5.65	5	0.7	<0.1	0.7	328	0.2	0.7	2.1	136	3.55	0.103
12429	Rock Pulp	1.3	168.0	14.5	126	0.4	8.9	10.8	571	6.50	9	0.6	<0.1	0.8	221	0.5	0.6	7.7	126	2.80	0.093
12430	Rock Pulp	1.1	253.9	14.4	145	0.3	10.0	11.7	588	6.64	9	0.6	<0.1	0.9	318	0.3	0.5	4.0	129	2.86	0.084
12431	Rock Pulp	1.7	165.9	10.2	177	0.3	8.9	14.6	788	6.44	6	0.7	<0.1	1.0	322	0.2	0.6	2.2	134	2.92	0.087
12432	Rock Pulp	655.1	274.8	5.2	116	0.4	10.1	9.9	979	5.13	3	1.3	<0.1	0.9	147	<0.1	0.6	15.6	140	1.52	0.073



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: September 29, 2008

Page: 6 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	
Unit	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
MDL	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1	
12403	Rock Pulp	7.8	116	1.18	70	0.285	7.50	0.861	1.52	24.3	8.6	19	2.1	18.7	1.4	<0.1	<1	24	6.6	3.2	85.9
12404	Rock Pulp	5.0	64	1.25	63	0.322	8.06	1.476	1.48	4.6	3.1	12	2.3	10.6	0.8	<0.1	<1	32	4.3	3.6	79.0
12405	Rock Pulp	4.3	85	2.17	92	0.351	8.07	1.047	1.07	5.1	3.9	10	1.1	11.5	0.7	<0.1	<1	40	8.5	4.7	62.7
12406	Rock Pulp	4.1	82	2.08	72	0.365	8.13	1.167	0.88	6.8	4.7	10	1.0	12.1	0.6	<0.1	<1	40	9.1	3.8	55.4
12407	Rock Pulp	3.7	70	1.69	78	0.309	7.45	1.019	0.97	4.0	6.7	9	1.3	11.6	0.5	<0.1	<1	35	6.8	4.8	57.9
12408	Rock Pulp	3.9	77	2.13	57	0.256	7.32	0.894	1.06	3.6	3.8	10	1.0	10.0	0.5	<0.1	<1	37	9.6	8.1	64.1
12409	Rock Pulp	3.9	73	2.13	79	0.276	8.04	1.104	1.19	4.5	4.1	10	1.5	10.8	0.4	<0.1	<1	38	9.5	6.5	69.8
12410	Rock Pulp	3.9	81	1.70	81	0.266	7.24	1.024	1.07	4.0	3.8	9	1.4	10.0	0.5	<0.1	<1	35	7.5	6.4	64.1
12411	Rock Pulp	4.2	97	1.78	81	0.271	7.41	0.977	1.14	4.7	4.5	9	0.9	10.4	0.6	<0.1	<1	35	9.0	6.9	71.1
12412	Rock Pulp	3.7	83	1.84	86	0.253	7.20	0.779	1.20	6.4	4.5	9	1.4	12.4	0.6	<0.1	<1	34	7.9	6.6	69.8
12413	Rock Pulp	3.7	107	1.92	77	0.231	7.52	0.899	1.05	3.5	4.1	9	1.4	11.0	0.4	<0.1	<1	36	9.5	7.6	60.9
12414	Rock Pulp	4.0	65	2.24	97	0.357	8.29	0.948	1.32	7.8	3.2	10	1.5	11.4	0.6	<0.1	<1	40	12.6	5.4	82.6
12415	Rock Pulp	3.6	85	1.80	76	0.327	7.23	0.846	1.29	5.2	3.2	9	1.1	12.0	0.6	<0.1	<1	36	10.3	6.4	76.9
12416	Rock Pulp	4.1	70	2.03	80	0.307	7.50	1.024	1.28	4.9	2.9	10	1.3	11.2	0.6	<0.1	<1	37	13.9	5.8	79.2
12417	Rock Pulp	3.6	85	2.16	77	0.292	7.79	0.757	1.26	5.0	3.6	9	1.2	11.9	0.6	<0.1	<1	39	23.2	7.3	77.1
12418	Rock Pulp	4.1	83	2.14	93	0.306	7.82	0.852	1.34	4.4	2.3	10	1.7	11.9	0.5	<0.1	<1	41	12.7	5.9	81.8
12419	Rock Pulp	4.3	58	2.28	84	0.388	8.80	1.106	1.21	5.3	2.7	11	1.3	11.2	0.7	<0.1	<1	42	12.7	4.6	74.0
12420	Rock Pulp	4.8	91	1.03	47	0.225	5.98	1.163	0.90	6.6	4.6	12	1.6	18.0	1.0	<0.1	<1	20	6.7	3.3	44.5
12421	Rock Pulp	6.1	66	1.58	21	0.171	7.18	1.023	1.46	8.1	7.4	15	2.4	15.5	0.7	<0.1	<1	25	10.7	6.8	63.3
12422	Rock Pulp	5.5	88	1.11	27	0.229	7.01	0.989	1.41	5.4	8.0	14	1.9	16.8	1.3	<0.1	<1	21	8.5	4.3	67.3
12423	Rock Pulp	5.5	74	1.49	35	0.309	7.70	1.512	1.42	5.9	4.2	14	1.8	15.2	1.0	<0.1	<1	28	8.1	4.0	63.4
12424	Rock Pulp	4.9	68	1.34	42	0.281	7.36	1.214	1.28	5.7	6.5	13	1.7	15.8	1.0	<0.1	<1	25	8.1	4.3	57.1
12425	Rock Pulp	4.9	68	1.28	56	0.300	6.82	1.156	1.01	5.8	6.3	12	1.3	15.9	1.2	<0.1	<1	24	17.7	3.5	48.4
12426	Rock Pulp	5.3	134	4.21	131	0.362	8.80	1.366	1.80	2.4	4.6	11	1.2	12.7	0.6	<0.1	<1	37	17.4	2.9	110.8
12427	Rock Pulp	5.1	94	1.52	89	0.358	7.37	0.990	0.99	5.6	7.2	13	2.2	16.5	1.4	<0.1	<1	26	9.8	3.5	45.9
12428	Rock Pulp	4.9	77	1.50	106	0.335	7.37	0.998	0.94	5.9	6.3	12	1.3	16.0	1.3	<0.1	<1	24	8.6	2.7	44.7
12429	Rock Pulp	5.2	111	1.42	44	0.271	6.88	0.653	1.60	6.8	6.6	12	2.0	15.6	0.8	<0.1	<1	24	6.7	4.9	75.2
12430	Rock Pulp	5.5	77	1.39	38	0.276	7.57	0.813	1.51	5.9	7.5	13	1.6	18.5	1.1	<0.1	<1	25	10.8	5.2	68.1
12431	Rock Pulp	5.5	99	1.57	55	0.395	6.93	0.855	1.23	4.4	12.3	13	1.6	18.0	0.9	<0.1	<1	31	8.1	3.3	72.4
12432	Rock Pulp	5.7	68	1.74	271	0.385	7.14	1.461	2.33	24.7	11.0	13	4.9	18.9	1.7	<0.1	<1	27	5.9	0.7	143.3



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

September 29, 2008

Page:

6 of 11

Part 3

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
12403	Rock Pulp 0.2
12404	Rock Pulp 0.1
12405	Rock Pulp 0.2
12406	Rock Pulp 0.2
12407	Rock Pulp 0.2
12408	Rock Pulp 0.2
12409	Rock Pulp 0.1
12410	Rock Pulp 0.2
12411	Rock Pulp 0.2
12412	Rock Pulp 0.2
12413	Rock Pulp 0.2
12414	Rock Pulp 0.1
12415	Rock Pulp 0.1
12416	Rock Pulp 0.1
12417	Rock Pulp 0.2
12418	Rock Pulp <0.1
12419	Rock Pulp 0.2
12420	Rock Pulp 0.2
12421	Rock Pulp 0.2
12422	Rock Pulp 0.3
12423	Rock Pulp 0.1
12424	Rock Pulp 0.2
12425	Rock Pulp 0.2
12426	Rock Pulp 0.2
12427	Rock Pulp 0.3
12428	Rock Pulp 0.2
12429	Rock Pulp 0.2
12430	Rock Pulp 0.3
12431	Rock Pulp 0.2
12432	Rock Pulp 0.4



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: September 29, 2008

Page: 7 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
12433	Rock Pulp	102.6	402.0	5.1	114	0.4	12.8	14.5	1076	4.89	3	0.8	<0.1	0.5	193	<0.1	0.5	5.5	144	1.87	0.086
12435	Rock Pulp	76.2	946.2	5.2	271	0.8	29.8	33.4	2189	9.90	4	1.2	<0.1	0.3	233	0.3	0.8	5.6	475	2.69	0.056
12436	Rock Pulp	326.9	1085	4.0	204	0.8	23.4	42.2	1996	9.28	3	1.6	<0.1	0.3	249	<0.1	0.5	5.8	468	2.14	0.057
12437	Rock Pulp	350.9	1242	5.1	208	0.9	23.0	43.2	1948	10.11	3	1.3	<0.1	0.3	284	<0.1	0.7	7.9	463	2.06	0.059
12438	Rock Pulp	65.9	1180	16.2	90	0.8	16.9	32.8	1583	9.06	7	1.8	<0.1	0.4	730	0.3	2.3	9.1	410	6.61	0.071
12439	Rock Pulp	580.2	847.5	15.1	162	1.0	18.6	25.2	1805	7.73	7	1.5	<0.1	0.5	444	<0.1	1.8	12.5	305	3.59	0.051
12440	Rock Pulp	229.0	1412	7.7	177	1.1	21.7	46.0	2063	9.77	4	2.2	<0.1	0.4	392	0.1	1.0	13.6	410	3.00	0.058
12441	Rock Pulp	56.4	604.7	18.2	87	0.6	17.3	24.5	1840	9.00	7	1.3	<0.1	0.3	588	<0.1	2.6	7.2	355	6.33	0.056
12442	Rock Pulp	197.2	620.3	14.0	141	0.6	16.2	29.6	1913	9.22	5	1.6	<0.1	0.4	397	<0.1	1.8	10.6	429	3.54	0.052
12443	Rock Pulp	105.2	1363	12.8	162	0.9	18.7	33.2	1888	10.08	5	1.5	<0.1	0.4	283	0.1	1.4	13.1	514	2.35	0.058
12444	Rock Pulp	20.8	834.0	9.1	165	0.7	20.3	28.2	2257	9.00	5	1.3	<0.1	0.4	308	<0.1	1.3	5.7	449	3.53	0.053
12445	Rock Pulp	135.3	1647	18.9	149	1.3	14.3	28.1	1978	10.46	7	2.1	<0.1	0.4	480	0.4	2.2	10.3	445	4.59	0.058
12446	Rock Pulp	111.2	4906	2.0	62	1.3	71.5	24.6	902	5.20	2	0.4	<0.1	0.4	274	<0.1	0.2	0.7	285	5.90	0.045
12447	Rock Pulp	110.8	693.7	9.8	213	0.5	18.0	32.9	2401	13.26	5	2.3	<0.1	0.5	647	<0.1	1.4	13.2	607	4.65	0.083
12448	Rock Pulp	350.7	855.3	8.9	132	0.8	18.6	27.0	1639	9.94	4	1.8	<0.1	0.5	779	<0.1	1.3	6.4	497	4.52	0.067
12449	Rock Pulp	447.4	1053	6.0	214	0.8	18.3	35.8	2138	9.97	3	1.6	<0.1	0.4	487	<0.1	0.9	5.4	525	3.49	0.072
12450	Rock Pulp	34.5	994.4	11.7	213	1.0	14.6	25.6	2142	8.44	3	1.7	<0.1	0.9	357	0.1	2.1	11.5	393	2.28	0.082
12451	Rock Pulp	101.8	858.7	12.4	160	0.8	18.4	26.1	1817	8.25	6	2.1	<0.1	0.9	599	<0.1	2.2	11.2	406	3.98	0.097
12453	Rock Pulp	123.3	763.9	8.3	178	0.7	20.7	27.1	2075	10.47	3	1.5	<0.1	0.5	574	0.1	1.4	7.1	508	3.81	0.074
12454	Rock Pulp	718.5	667.8	14.2	191	0.8	17.7	32.1	1897	9.27	9	1.0	<0.1	0.5	241	<0.1	1.3	15.9	452	2.74	0.059
12455	Rock Pulp	1311	406.8	7.4	147	0.3	16.0	25.8	1704	8.46	3	0.9	<0.1	0.5	242	<0.1	0.8	7.1	443	2.93	0.062
12456	Rock Pulp	101.0	1228	12.9	241	1.0	82.6	45.3	2247	9.39	6	1.8	<0.1	0.9	178	0.2	1.9	16.5	369	4.17	0.066
12457	Rock Pulp	252.9	1764	6.2	188	1.4	41.3	40.4	2167	8.69	4	1.7	<0.1	0.7	312	<0.1	1.2	10.9	425	3.37	0.060
12458	Rock Pulp	100.6	775.2	7.0	235	0.6	18.9	37.0	2082	9.62	3	1.0	<0.1	0.4	268	0.5	1.2	6.1	478	3.63	0.063
12459	Rock Pulp	11.8	92.9	54.0	63	0.2	7.3	10.2	177	0.45	5	0.7	<0.1	1.0	141	0.3	3.1	0.8	22	7.38	0.009
12460	Rock Pulp	40.4	1126	6.3	183	0.8	20.7	63.2	2181	9.98	3	1.2	<0.1	0.4	335	0.2	1.4	8.2	492	3.93	0.068
12461	Rock Pulp	103.9	989.5	7.3	252	0.9	15.9	39.3	2209	9.39	3	1.6	<0.1	0.4	302	0.1	1.5	7.6	479	3.76	0.065
12462	Rock Pulp	102.7	913.1	8.2	265	1.0	17.7	35.0	2506	9.35	4	1.4	<0.1	0.5	230	0.1	1.0	14.9	486	2.94	0.069
12463	Rock Pulp	266.9	876.1	7.2	217	0.8	18.4	33.6	1898	9.25	3	1.7	<0.1	0.5	180	0.1	0.8	8.5	492	2.97	0.069
12464	Rock Pulp	351.2	901.8	6.9	206	0.7	18.1	29.3	1865	9.80	3	1.5	<0.1	0.5	301	0.1	1.1	12.3	516	3.68	0.073



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: September 29, 2008

Page: 7 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	
Unit	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
MDL	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1	
12433	Rock Pulp	4.2	73	1.65	315	0.407	7.46	1.832	2.28	16.2	5.9	10	4.7	16.1	1.6	<0.1	<1	28	6.2	1.7	139.6
12435	Rock Pulp	2.7	65	3.39	93	0.573	8.47	1.546	2.46	31.9	11.0	7	6.4	17.2	0.9	<0.1	<1	47	8.5	1.8	149.9
12436	Rock Pulp	2.2	95	3.07	93	0.561	8.62	1.864	2.70	38.2	12.3	6	6.4	16.3	0.9	<0.1	<1	47	9.6	1.7	154.2
12437	Rock Pulp	2.3	83	3.08	99	0.568	8.56	1.626	3.23	21.3	11.8	6	5.3	13.9	0.8	<0.1	<1	47	10.0	1.8	191.9
12438	Rock Pulp	3.6	91	1.53	39	0.547	8.93	0.582	1.23	47.1	17.3	8	5.4	19.4	1.0	<0.1	<1	46	4.9	1.8	86.8
12439	Rock Pulp	4.1	49	2.53	129	0.398	8.02	0.591	1.87	26.1	10.6	10	5.6	15.3	1.0	<0.1	<1	35	6.9	3.7	92.9
12440	Rock Pulp	3.1	63	3.31	94	0.560	7.89	0.512	2.53	51.9	11.2	8	6.9	18.6	0.9	<0.1	<1	51	10.0	3.6	191.5
12441	Rock Pulp	3.2	108	1.64	24	0.527	7.84	0.287	0.80	44.5	16.4	8	5.9	17.2	0.9	<0.1	<1	46	5.0	2.0	61.0
12442	Rock Pulp	2.2	108	2.12	75	0.473	7.60	0.126	1.75	45.5	13.4	6	6.0	12.6	0.7	<0.1	<1	43	6.3	4.8	66.0
12443	Rock Pulp	2.5	81	2.32	76	0.507	7.30	0.074	2.40	57.5	11.8	7	6.0	14.7	0.9	<0.1	<1	43	9.2	5.2	99.5
12444	Rock Pulp	3.2	92	2.74	63	0.501	7.33	0.220	1.57	32.7	10.4	8	4.9	16.8	0.9	<0.1	<1	45	13.7	2.5	117.8
12445	Rock Pulp	3.6	92	1.86	92	0.564	8.39	0.559	1.78	57.8	12.3	9	7.5	21.0	0.9	<0.1	<1	48	12.6	3.2	127.3
12446	Rock Pulp	4.8	149	3.87	177	0.355	8.68	1.451	1.71	5.5	5.6	10	1.5	12.9	0.6	<0.1	<1	38	19.3	2.9	117.4
12447	Rock Pulp	4.1	81	3.02	79	0.816	9.55	0.631	2.05	68.2	15.0	10	10.4	25.3	1.4	<0.1	<1	53	12.7	2.1	64.5
12448	Rock Pulp	3.7	85	2.48	62	0.599	8.27	0.628	1.86	49.0	14.1	8	7.5	21.5	0.8	<0.1	<1	51	12.5	2.0	138.5
12449	Rock Pulp	3.1	82	3.88	73	0.751	8.49	0.684	2.85	50.7	13.1	8	7.7	20.7	1.2	<0.1	<1	55	14.1	1.9	167.5
12450	Rock Pulp	6.5	55	3.14	96	0.547	7.73	1.190	2.64	31.0	14.7	15	5.3	16.6	2.8	0.1	<1	37	8.5	2.9	166.2
12451	Rock Pulp	5.8	76	2.09	223	0.656	9.35	1.235	2.20	57.5	18.9	13	8.2	18.8	2.8	0.1	1	42	8.6	2.1	120.7
12453	Rock Pulp	3.5	73	3.40	123	0.711	8.59	0.559	2.54	41.9	13.5	9	6.2	21.9	1.3	<0.1	<1	51	11.4	1.4	132.7
12454	Rock Pulp	3.2	57	3.41	133	0.582	7.64	1.006	2.36	28.5	10.5	8	5.7	18.8	1.0	<0.1	<1	50	9.6	2.7	170.3
12455	Rock Pulp	3.1	63	3.10	118	0.563	7.78	1.114	2.27	27.2	11.2	8	4.0	19.0	0.8	<0.1	<1	50	9.3	2.0	167.8
12456	Rock Pulp	6.2	218	4.10	83	0.502	7.91	0.600	1.59	43.5	18.7	12	4.6	15.9	1.5	<0.1	<1	42	20.0	3.3	117.3
12457	Rock Pulp	5.0	152	3.72	137	0.583	8.17	0.927	2.31	28.3	17.5	11	6.0	19.1	1.6	<0.1	<1	46	8.2	2.2	168.9
12458	Rock Pulp	3.3	71	2.84	115	0.591	7.71	1.613	1.31	28.4	12.6	8	3.5	18.3	1.1	<0.1	<1	50	6.7	2.4	85.4
12459	Rock Pulp	5.0	217	0.43	562	0.057	1.39	>10	0.55	1.6	101.0	11	140.7	3.9	1.6	0.1	<1	2	9.4	0.1	20.9
12460	Rock Pulp	3.6	88	3.00	110	0.601	8.05	1.183	1.53	46.3	11.9	8	4.6	18.5	1.0	<0.1	<1	52	7.3	2.8	109.5
12461	Rock Pulp	3.7	125	3.03	132	0.608	8.08	0.897	1.68	40.7	13.1	8	4.5	18.8	0.9	<0.1	<1	51	7.1	2.3	126.4
12462	Rock Pulp	3.6	111	3.12	161	0.586	7.94	1.110	1.77	39.4	12.1	8	5.0	19.7	1.1	<0.1	<1	52	8.9	2.6	126.5
12463	Rock Pulp	3.6	112	3.17	129	0.617	8.34	1.081	2.38	38.0	16.3	8	5.2	18.2	1.1	<0.1	<1	53	12.7	2.7	178.9
12464	Rock Pulp	4.0	93	3.15	121	0.643	8.67	0.751	2.64	31.4	13.6	9	7.5	21.0	1.1	<0.1	<1	56	8.1	1.5	196.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

September 29, 2008

Page:

7 of 11

Part 3

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
12433	Rock Pulp 0.2
12435	Rock Pulp 0.5
12436	Rock Pulp 0.6
12437	Rock Pulp 0.5
12438	Rock Pulp 0.7
12439	Rock Pulp 0.5
12440	Rock Pulp 0.5
12441	Rock Pulp 0.7
12442	Rock Pulp 0.6
12443	Rock Pulp 0.6
12444	Rock Pulp 0.8
12445	Rock Pulp 0.6
12446	Rock Pulp 0.2
12447	Rock Pulp 0.7
12448	Rock Pulp 0.6
12449	Rock Pulp 0.5
12450	Rock Pulp 0.5
12451	Rock Pulp 0.7
12453	Rock Pulp 0.5
12454	Rock Pulp 0.5
12455	Rock Pulp 0.5
12456	Rock Pulp 0.8
12457	Rock Pulp 0.6
12458	Rock Pulp 0.8
12459	Rock Pulp 2.4
12460	Rock Pulp 0.5
12461	Rock Pulp 0.5
12462	Rock Pulp 0.6
12463	Rock Pulp 0.6
12464	Rock Pulp 0.6



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: September 29, 2008

Page: 8 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
12465	Rock Pulp	86.2	889.7	4.0	159	0.7	16.6	37.4	1800	9.15	2	1.1	<0.1	0.5	206	0.2	0.5	8.3	464	3.67	0.067
12466	Rock Pulp	103.7	735.2	3.8	227	0.6	18.2	36.0	1972	10.22	2	1.2	<0.1	0.4	189	0.1	0.5	5.6	510	2.81	0.065
12467	Rock Pulp	399.1	667.9	6.0	157	0.6	16.5	30.1	1951	9.87	3	1.4	0.3	0.4	308	<0.1	1.0	9.4	468	3.32	0.067
12468	Rock Pulp	182.8	1264	7.8	263	0.9	18.3	32.8	2915	9.81	4	1.6	<0.1	0.5	334	<0.1	1.2	7.6	560	3.36	0.109
12470	Rock Pulp	147.2	708.8	10.0	154	0.6	8.2	27.4	1694	6.34	5	1.5	<0.1	0.9	533	0.2	1.6	7.0	143	4.85	0.078
12471	Rock Pulp	237.1	722.5	8.9	147	0.7	8.3	24.4	1291	6.18	6	1.8	<0.1	0.8	229	0.3	1.1	9.4	145	4.08	0.067
12472	Rock Pulp	1164	263.6	6.0	143	0.3	8.0	22.2	1297	5.39	2	1.6	<0.1	1.4	291	<0.1	0.5	4.5	169	2.07	0.072
12473	Rock Pulp	239.8	767.1	5.9	118	0.5	9.4	27.4	1138	6.83	2	1.7	<0.1	1.5	348	<0.1	0.7	11.4	174	2.77	0.069
12474	Rock Pulp	137.3	735.5	6.1	166	0.6	10.9	29.5	1585	7.54	3	1.4	<0.1	1.2	313	0.1	0.7	9.9	273	3.00	0.068
12475	Rock Pulp	311.9	568.6	9.5	87	0.4	9.1	18.6	1131	5.47	3	1.7	<0.1	2.7	386	0.1	1.1	9.7	167	3.70	0.070
12476	Rock Pulp	287.8	547.3	10.0	71	0.5	8.1	16.1	921	6.02	2	1.5	<0.1	1.0	226	<0.1	0.6	13.8	138	2.19	0.050
12477	Rock Pulp	142.5	209.7	7.0	82	0.2	7.0	16.2	1270	5.25	2	0.8	<0.1	0.8	241	<0.1	0.8	3.4	164	2.76	0.075
12478	Rock Pulp	222.4	900.2	10.7	120	0.7	10.5	25.9	1692	7.78	5	2.0	<0.1	1.5	213	<0.1	0.8	13.5	344	2.32	0.097
12479	Rock Pulp	31.3	485.9	23.1	154	1.2	6.9	14.2	525	9.47	25	7.0	<0.1	6.7	72	0.8	3.4	23.2	77	1.51	0.017
12480	Rock Pulp	10.8	47.2	15.1	52	0.1	3.9	1.4	203	0.86	<1	5.6	<0.1	9.2	159	0.2	1.6	1.3	12	0.37	0.007
12481	Rock Pulp	7.8	173.6	28.5	438	0.7	4.0	1.1	290	1.00	1	5.2	<0.1	8.9	157	1.9	0.7	4.8	8	0.56	0.007
12482	Rock Pulp	10.3	40.1	9.4	95	0.1	3.0	0.9	118	0.76	<1	5.1	<0.1	8.1	75	0.4	0.5	1.5	7	0.13	0.006
12483	Rock Pulp	2.3	44.9	16.1	198	0.1	2.5	0.9	121	0.71	2	5.1	<0.1	9.1	74	0.8	0.7	1.8	8	0.17	0.007
12485	Rock Pulp	3.1	45.8	18.7	361	0.2	3.3	0.8	122	0.74	3	4.7	<0.1	8.4	63	1.7	1.1	2.5	7	0.13	0.007
12486	Rock Pulp	2.4	43.1	15.6	141	0.1	2.8	1.0	119	0.76	2	4.4	<0.1	8.4	61	0.6	0.6	1.2	8	0.12	0.007
12487	Rock Pulp	1.3	34.0	18.4	230	0.1	2.6	0.7	108	0.70	2	5.1	<0.1	9.8	74	0.8	0.8	1.4	5	0.10	0.006
12488	Rock Pulp	1.7	48.8	13.2	33	0.2	2.3	0.8	120	0.81	2	5.8	<0.1	7.3	58	0.1	0.5	1.8	8	0.11	0.007
12489	Rock Pulp	151.1	4943	1.6	57	1.5	74.1	32.0	958	5.04	2	0.4	<0.1	0.5	287	<0.1	0.3	1.0	270	5.57	0.052
12490	Rock Pulp	3.4	57.8	14.4	103	0.2	2.6	1.0	119	0.78	2	5.1	<0.1	6.9	61	0.5	0.6	2.1	8	0.09	0.007
12491	Rock Pulp	1.4	57.4	18.8	208	0.1	2.4	0.7	120	0.71	2	4.6	<0.1	8.6	81	0.8	0.6	1.6	6	0.10	0.006
12492	Rock Pulp	1.6	86.9	17.1	278	0.2	2.8	0.7	121	0.68	2	4.5	<0.1	7.8	71	1.1	0.9	3.0	6	0.07	0.007
12493	Rock Pulp	1.3	52.3	20.0	158	0.2	2.3	0.7	121	0.67	1	4.8	<0.1	7.8	70	0.6	0.6	1.6	8	0.09	0.007
12494	Rock Pulp	2.3	73.1	30.9	263	0.3	2.3	1.0	144	0.73	2	4.5	<0.1	8.7	86	1.1	0.8	2.6	7	0.17	0.007
12495	Rock Pulp	1.6	57.2	28.8	171	0.3	2.6	0.8	248	0.62	<1	4.9	<0.1	8.6	148	0.7	0.5	1.3	7	0.33	0.007
12496	Rock Pulp	80.9	38.9	38.0	75	0.2	3.4	1.2	275	0.83	2	5.3	<0.1	7.9	123	0.3	1.6	1.9	3	0.27	0.007

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: September 29, 2008

Page: 8 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	
Unit	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
MDL	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1	
12465	Rock Pulp	3.9	121	3.09	114	0.570	8.39	1.294	1.60	29.8	14.4	9	4.2	18.2	1.1	<0.1	<1	49	6.0	1.8	122.7
12466	Rock Pulp	3.6	132	3.47	138	0.603	8.15	0.967	2.68	25.0	9.5	8	5.5	18.0	1.0	<0.1	<1	54	8.5	2.1	196.9
12467	Rock Pulp	3.5	140	2.83	129	0.598	8.24	0.867	2.19	33.5	11.1	8	5.9	19.9	1.0	<0.1	<1	52	9.5	1.8	158.9
12468	Rock Pulp	4.1	91	4.00	155	0.732	9.12	0.786	3.35	33.9	10.9	10	5.8	20.9	1.4	<0.1	<1	54	17.9	2.3	163.8
12470	Rock Pulp	6.1	82	1.96	67	0.479	8.50	0.792	1.40	17.2	14.7	14	5.1	28.1	1.6	<0.1	<1	34	9.4	1.3	106.7
12471	Rock Pulp	5.9	70	1.54	120	0.432	7.91	0.814	2.22	18.5	10.3	13	5.2	23.0	1.3	<0.1	<1	30	18.2	2.1	144.8
12472	Rock Pulp	7.1	106	2.41	326	0.453	8.36	1.284	3.26	15.2	16.3	16	7.4	25.1	2.1	0.1	<1	32	13.3	1.6	185.6
12473	Rock Pulp	8.7	122	2.11	254	0.492	9.20	1.278	2.52	19.0	20.2	19	7.4	27.0	2.3	<0.1	<1	35	12.2	3.0	163.7
12474	Rock Pulp	6.8	102	2.52	218	0.526	8.96	1.246	2.27	19.7	14.7	15	6.4	24.7	1.9	0.1	<1	40	9.8	2.3	153.9
12475	Rock Pulp	11.2	118	1.63	325	0.388	8.73	1.151	2.07	12.0	18.2	23	4.6	27.2	3.0	0.2	<1	26	10.2	1.9	135.3
12476	Rock Pulp	6.9	141	1.30	278	0.449	7.80	1.346	2.46	32.6	8.6	16	5.6	22.6	2.1	0.1	<1	29	8.2	3.1	136.3
12477	Rock Pulp	5.4	110	1.50	262	0.465	7.99	1.629	2.05	8.2	7.2	13	3.0	18.4	1.7	<0.1	<1	30	10.4	0.9	128.4
12478	Rock Pulp	6.6	86	2.53	297	0.538	8.52	0.987	3.04	20.9	12.9	14	6.0	19.6	1.3	<0.1	1	40	16.7	3.3	181.2
12479	Rock Pulp	17.1	179	0.25	28	0.098	5.24	1.454	2.50	7.2	34.0	31	3.5	8.9	3.4	0.2	<1	9	2.5	>10	98.4
12480	Rock Pulp	22.4	132	0.15	1392	0.060	7.18	2.687	3.85	2.1	66.3	38	1.1	7.4	8.6	0.6	1	2	3.4	0.6	130.0
12481	Rock Pulp	21.1	142	0.14	1308	0.058	7.03	2.012	4.31	1.8	63.9	37	0.8	7.0	8.7	0.6	2	2	2.3	0.8	148.8
12482	Rock Pulp	20.3	102	0.13	1130	0.051	7.22	2.036	3.58	1.3	65.0	36	0.8	6.2	7.1	0.5	2	2	3.1	0.6	122.0
12483	Rock Pulp	23.8	74	0.11	1349	0.047	7.29	2.760	3.68	1.1	65.5	42	0.8	6.6	5.9	0.5	1	1	4.4	0.6	122.4
12485	Rock Pulp	20.9	101	0.10	1317	0.045	7.26	2.811	3.46	1.3	64.2	36	0.6	6.1	6.3	0.5	1	1	2.5	0.7	113.1
12486	Rock Pulp	21.0	97	0.11	1304	0.050	7.30	2.331	3.59	3.1	66.3	37	0.6	5.8	7.1	0.5	1	1	3.5	0.7	117.7
12487	Rock Pulp	22.1	85	0.09	1385	0.045	7.23	2.700	3.67	1.2	66.0	39	0.3	6.2	6.4	0.5	1	1	3.1	0.7	119.6
12488	Rock Pulp	19.3	75	0.12	1047	0.050	7.39	1.712	3.34	1.3	67.8	35	0.8	5.9	7.4	0.6	2	1	3.2	0.8	116.6
12489	Rock Pulp	6.2	163	3.83	196	0.352	8.88	1.403	1.77	11.1	5.3	12	1.2	11.1	0.7	<0.1	<1	36	16.5	2.9	105.4
12490	Rock Pulp	18.4	84	0.12	1079	0.047	7.48	2.071	3.57	2.1	66.7	33	0.7	6.0	6.1	0.5	1	1	3.5	0.7	120.6
12491	Rock Pulp	21.6	83	0.09	1379	0.045	7.03	2.806	3.45	1.4	62.3	39	0.4	6.0	6.0	0.4	<1	1	2.5	0.7	112.9
12492	Rock Pulp	19.5	73	0.10	1389	0.048	7.15	2.160	3.19	1.0	64.0	35	0.7	5.5	7.2	0.5	1	1	3.2	0.7	108.3
12493	Rock Pulp	20.6	81	0.09	1273	0.043	6.97	2.942	3.29	1.0	62.6	36	0.3	6.0	5.9	0.4	1	1	2.9	0.6	105.0
12494	Rock Pulp	21.2	74	0.09	1254	0.049	6.95	3.284	3.49	1.3	61.4	39	0.4	6.9	6.3	0.5	1	2	2.9	0.7	111.4
12495	Rock Pulp	20.7	91	0.11	1248	0.058	6.93	3.018	3.65	1.5	62.8	37	0.5	7.0	8.3	0.6	1	1	3.4	0.5	120.4
12496	Rock Pulp	18.8	101	0.13	463	0.070	5.72	2.542	3.39	2.2	54.5	31	1.0	7.0	7.8	0.6	<1	2	2.7	0.6	104.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

September 29, 2008

Page:

8 of 11

Part 3

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
12465	Rock Pulp 0.7
12466	Rock Pulp 0.4
12467	Rock Pulp 0.5
12468	Rock Pulp 0.4
12470	Rock Pulp 0.8
12471	Rock Pulp 0.5
12472	Rock Pulp 0.7
12473	Rock Pulp 0.6
12474	Rock Pulp 0.6
12475	Rock Pulp 0.7
12476	Rock Pulp 0.5
12477	Rock Pulp 0.2
12478	Rock Pulp 0.5
12479	Rock Pulp 1.4
12480	Rock Pulp 2.6
12481	Rock Pulp 2.5
12482	Rock Pulp 2.4
12483	Rock Pulp 2.5
12485	Rock Pulp 2.5
12486	Rock Pulp 2.5
12487	Rock Pulp 2.6
12488	Rock Pulp 2.5
12489	Rock Pulp 0.2
12490	Rock Pulp 2.6
12491	Rock Pulp 2.3
12492	Rock Pulp 2.4
12493	Rock Pulp 2.5
12494	Rock Pulp 2.3
12495	Rock Pulp 2.5
12496	Rock Pulp 2.2



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: September 29, 2008

Page: 9 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
12497	Rock Pulp	220.5	635.1	12.5	110	0.7	11.9	16.8	1908	6.15	3	2.4	<0.1	1.0	199	<0.1	1.2	11.9	207	2.05	0.065
12498	Rock Pulp	62.4	360.6	11.4	77	0.4	10.8	20.1	1456	5.82	2	2.7	<0.1	1.0	288	0.1	1.4	4.5	210	3.55	0.063
12499	Rock Pulp	66.4	474.2	11.0	98	0.7	7.8	22.3	1441	6.47	2	2.0	<0.1	1.0	191	<0.1	0.7	10.8	166	2.87	0.075
12500	Rock Pulp	133.6	229.5	7.3	112	0.3	6.7	16.1	1405	6.42	2	1.0	<0.1	0.8	165	<0.1	0.6	4.8	163	2.46	0.074
12501	Rock Pulp	35.9	94.1	6.6	46	0.2	3.7	8.6	911	4.55	3	1.0	<0.1	1.0	124	<0.1	1.1	3.8	57	3.07	0.068
12502	Rock Pulp	0.9	23.2	60.4	57	0.1	7.5	6.8	104	0.23	6	0.7	<0.1	1.0	148	0.5	4.2	0.6	4	7.46	0.007
12504	Rock Pulp	167.1	314.5	11.6	71	0.4	7.0	14.7	1204	5.77	6	0.9	<0.1	0.6	335	<0.1	1.6	7.6	185	4.19	0.059
12505	Rock Pulp	29.9	599.6	11.8	85	0.6	9.3	22.9	1367	6.59	2	0.8	<0.1	0.7	322	<0.1	1.1	9.9	211	3.92	0.063
12506	Rock Pulp	118.4	432.5	10.6	116	0.4	18.2	18.3	1619	6.68	2	1.2	<0.1	1.0	376	<0.1	0.5	9.0	161	4.41	0.084
12507	Rock Pulp	187.4	434.9	6.1	62	0.3	12.5	15.8	972	5.73	2	1.1	<0.1	0.9	251	<0.1	0.6	9.2	227	3.87	0.061
12508	Rock Pulp	215.7	177.6	7.3	28	0.2	9.0	6.6	492	3.04	2	0.6	<0.1	1.0	145	<0.1	0.7	4.5	56	2.91	0.043
12509	Rock Pulp	499.4	332.4	7.6	56	0.4	8.0	10.0	584	3.83	3	0.7	<0.1	1.0	146	<0.1	0.3	9.3	107	2.93	0.080
12510	Rock Pulp	384.2	329.0	9.2	61	0.3	13.3	12.8	741	5.04	2	0.6	<0.1	1.3	159	<0.1	0.3	10.7	107	2.35	0.060
12511	Rock Pulp	356.0	291.2	8.1	58	0.2	11.7	13.7	720	5.01	3	0.6	<0.1	1.0	174	<0.1	0.3	4.1	125	2.32	0.043
12512	Rock Pulp	63.8	431.9	9.8	74	0.3	8.8	13.1	885	4.15	2	0.6	<0.1	0.9	200	<0.1	0.6	6.1	132	3.09	0.050
12513	Rock Pulp	161.5	255.2	15.6	101	0.3	20.9	9.8	711	3.15	2	1.2	<0.1	5.1	148	<0.1	0.4	5.8	80	3.39	0.046
12514	Rock Pulp	280.6	265.0	10.3	67	0.6	20.7	11.9	685	3.17	1	1.3	<0.1	6.3	135	<0.1	0.4	5.8	77	3.44	0.047
12515	Rock Pulp	149.4	578.5	8.7	110	0.8	16.5	20.5	1453	6.09	2	1.2	<0.1	1.6	226	<0.1	0.3	10.2	228	3.33	0.045
12516	Rock Pulp	70.3	1032	8.4	116	1.1	15.3	17.7	893	6.83	2	1.3	<0.1	1.2	349	0.3	0.6	17.1	255	4.22	0.054
12517	Rock Pulp	72.8	605.7	6.1	70	0.5	8.1	17.5	873	5.41	<1	0.6	<0.1	0.5	249	<0.1	0.4	8.8	175	2.89	0.062
12518	Rock Pulp	153.1	193.4	6.1	48	0.2	10.0	12.1	720	4.86	<1	0.6	<0.1	0.8	165	<0.1	0.3	3.8	125	2.88	0.055
12519	Rock Pulp	129.9	205.6	5.6	68	0.1	8.0	14.8	997	5.61	1	0.6	<0.1	1.1	109	<0.1	0.3	3.5	88	3.65	0.092
12520	Rock Pulp	95.1	450.8	5.5	58	0.2	8.5	14.6	866	5.59	2	0.7	<0.1	1.1	200	<0.1	0.5	3.9	137	3.12	0.056
12521	Rock Pulp	224.2	193.0	4.6	88	0.2	7.0	14.6	891	5.13	2	0.7	<0.1	0.7	154	<0.1	0.2	3.9	119	2.83	0.074
12522	Rock Pulp	180.3	440.3	7.7	69	0.5	7.0	15.4	977	5.39	2	0.7	<0.1	0.7	170	<0.1	0.3	3.4	110	3.31	0.074
12523	Rock Pulp	127.0	241.6	9.2	75	0.3	5.8	13.6	856	4.84	3	0.5	<0.1	0.7	178	<0.1	0.7	2.5	101	3.95	0.067
12524	Rock Pulp	137.2	4185	1.6	52	1.2	74.1	28.7	909	4.76	1	0.3	<0.1	0.5	254	<0.1	0.3	1.3	265	5.32	0.044
12525	Rock Pulp	50.1	190.6	3.1	53	0.2	5.2	12.6	916	4.49	<1	0.6	<0.1	0.7	163	<0.1	0.4	2.7	95	3.60	0.072
12526	Rock Pulp	106.9	197.4	7.0	61	0.4	4.2	11.3	707	4.86	3	0.8	<0.1	1.2	118	<0.1	0.8	11.1	68	3.10	0.066
12527	Rock Pulp	100.4	117.1	5.9	61	0.1	6.7	7.6	923	3.64	1	0.6	<0.1	1.1	174	<0.1	0.7	2.4	47	3.51	0.068

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: September 29, 2008

Page: 9 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	Analyte	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb
Unit		ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
MDL		0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	
12497	Rock Pulp	5.9	93	2.09	56	0.402	7.48	0.831	2.77	22.7	15.0	14	5.0	21.7	1.7	0.1	<1	31	21.6	3.6	145.6
12498	Rock Pulp	5.6	107	1.63	151	0.490	7.82	1.225	1.82	19.8	11.0	13	3.1	21.9	1.8	0.1	<1	30	15.1	1.1	84.2
12499	Rock Pulp	5.4	90	1.60	237	0.529	7.50	1.589	1.79	14.9	5.3	12	2.8	24.6	1.7	<0.1	1	32	13.6	2.0	79.3
12500	Rock Pulp	5.6	79	1.90	250	0.519	7.51	1.476	2.27	10.6	4.9	12	2.9	24.7	1.6	<0.1	1	33	9.4	1.3	129.2
12501	Rock Pulp	6.2	119	0.98	198	0.406	6.78	0.880	1.57	29.3	9.2	14	2.4	28.1	1.8	0.1	<1	23	5.3	1.8	64.6
12502	Rock Pulp	5.3	179	0.37	535	0.032	1.21	9.768	0.47	0.2	94.7	10	125.0	3.9	1.6	0.2	<1	<1	5.3	<0.1	15.7
12504	Rock Pulp	5.4	92	1.25	123	0.444	7.64	1.107	1.96	23.5	8.1	12	3.9	21.3	1.7	<0.1	<1	27	7.7	3.3	91.5
12505	Rock Pulp	4.9	94	1.62	169	0.537	8.14	1.503	1.75	19.9	6.2	12	3.8	21.4	1.8	<0.1	1	33	11.5	2.6	91.2
12506	Rock Pulp	7.7	88	2.89	187	0.574	8.38	0.771	2.02	28.6	21.7	16	4.0	28.2	1.8	0.1	<1	36	15.0	2.6	131.2
12507	Rock Pulp	7.3	124	1.74	122	0.447	6.89	0.801	1.86	27.5	11.4	15	3.9	23.1	1.6	<0.1	<1	27	11.6	3.2	115.1
12508	Rock Pulp	5.8	143	0.68	108	0.242	5.98	1.212	1.73	14.3	12.6	14	3.0	19.2	2.2	0.1	1	14	17.0	2.1	66.2
12509	Rock Pulp	5.7	141	0.97	77	0.300	6.21	1.149	2.10	13.6	10.2	14	3.7	18.1	1.8	<0.1	<1	19	18.5	3.1	91.9
12510	Rock Pulp	7.3	140	1.20	79	0.384	7.31	1.627	2.70	18.7	8.4	17	3.9	16.6	2.7	0.1	<1	25	12.0	2.4	105.9
12511	Rock Pulp	5.4	139	1.17	76	0.394	7.38	1.683	2.63	14.8	8.6	13	3.5	13.4	1.9	<0.1	1	26	18.4	2.2	105.6
12512	Rock Pulp	5.6	117	1.22	203	0.361	7.11	1.750	1.94	11.0	7.2	12	2.1	15.7	1.8	0.1	<1	22	12.3	1.9	92.0
12513	Rock Pulp	11.8	172	1.40	47	0.270	6.98	1.215	2.82	9.8	11.9	23	4.0	18.6	2.1	0.1	<1	18	8.7	3.9	103.7
12514	Rock Pulp	8.9	167	1.37	41	0.272	6.70	1.252	2.76	10.3	13.1	19	4.3	18.3	2.4	0.1	<1	18	9.8	4.3	97.7
12515	Rock Pulp	4.1	92	2.60	58	0.391	7.69	1.262	3.26	14.8	10.7	10	3.2	14.5	1.3	<0.1	1	33	14.7	4.5	128.9
12516	Rock Pulp	4.3	72	1.71	66	0.395	7.48	1.017	2.62	31.5	7.8	10	4.4	15.6	1.2	<0.1	2	31	9.8	5.3	95.2
12517	Rock Pulp	3.8	69	1.89	124	0.358	7.67	2.009	2.28	12.3	6.3	9	3.9	13.0	1.5	<0.1	<1	25	12.0	3.3	98.1
12518	Rock Pulp	5.4	111	1.12	100	0.414	7.08	2.005	2.17	15.6	6.6	13	3.0	16.0	1.6	<0.1	<1	26	6.1	2.3	90.4
12519	Rock Pulp	6.7	122	1.39	272	0.494	7.40	0.955	1.78	11.1	4.3	15	2.0	23.2	1.8	<0.1	<1	27	9.3	1.8	72.9
12520	Rock Pulp	6.3	113	1.35	92	0.498	7.60	1.494	2.35	16.4	8.0	15	4.2	20.2	2.1	0.1	<1	30	9.3	2.3	86.5
12521	Rock Pulp	4.7	109	1.69	88	0.421	6.96	1.206	2.33	12.3	6.2	11	3.3	19.9	1.1	<0.1	<1	28	10.6	2.6	112.3
12522	Rock Pulp	5.2	114	1.44	91	0.457	7.14	1.247	1.72	12.1	5.5	12	2.2	21.2	1.6	<0.1	<1	27	10.1	2.3	78.8
12523	Rock Pulp	5.4	117	1.24	86	0.411	6.81	0.784	1.89	12.9	4.6	12	2.6	20.9	1.4	<0.1	<1	27	18.1	2.2	89.9
12524	Rock Pulp	5.1	147	3.57	98	0.313	8.18	1.178	1.51	4.2	4.3	10	1.0	11.4	0.5	<0.1	<1	32	15.7	2.6	100.0
12525	Rock Pulp	5.4	118	1.32	241	0.438	6.93	1.004	1.59	12.4	5.7	12	2.3	23.5	1.4	<0.1	<1	26	9.4	1.5	65.0
12526	Rock Pulp	5.0	101	0.96	44	0.339	6.19	0.728	2.18	14.1	7.1	11	5.6	22.2	1.4	<0.1	<1	22	4.1	4.6	93.2
12527	Rock Pulp	6.7	169	0.99	105	0.406	6.45	1.158	1.62	11.8	10.9	15	2.2	30.2	2.1	<0.1	<1	21	8.5	2.4	63.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

September 29, 2008

Page:

9 of 11

Part 3

CERTIFICATE OF ANALYSIS

VAN08008918.1

	Method	1EX
	Analyte	Hf
	Unit	ppm
	MDL	0.1
12497	Rock Pulp	0.6
12498	Rock Pulp	0.4
12499	Rock Pulp	0.2
12500	Rock Pulp	0.2
12501	Rock Pulp	0.4
12502	Rock Pulp	2.3
12504	Rock Pulp	0.3
12505	Rock Pulp	0.3
12506	Rock Pulp	0.5
12507	Rock Pulp	0.4
12508	Rock Pulp	0.4
12509	Rock Pulp	0.3
12510	Rock Pulp	0.2
12511	Rock Pulp	0.3
12512	Rock Pulp	0.3
12513	Rock Pulp	0.4
12514	Rock Pulp	0.4
12515	Rock Pulp	0.4
12516	Rock Pulp	0.3
12517	Rock Pulp	0.2
12518	Rock Pulp	0.2
12519	Rock Pulp	0.1
12520	Rock Pulp	0.3
12521	Rock Pulp	0.2
12522	Rock Pulp	0.2
12523	Rock Pulp	0.2
12524	Rock Pulp	0.2
12525	Rock Pulp	0.2
12526	Rock Pulp	0.3
12527	Rock Pulp	0.3



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: September 29, 2008

Page: 10 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
12528	Rock Pulp	113.1	284.1	7.3	72	0.2	10.4	14.2	944	4.83	2	1.0	<0.1	0.9	254	<0.1	0.7	4.0	89	3.92	0.076
12529	Rock Pulp	307.9	1000	6.5	66	0.6	6.3	16.2	803	5.95	2	0.9	<0.1	0.8	271	<0.1	0.8	7.1	109	4.58	0.080
12530	Rock Pulp	174.0	168.2	4.3	50	0.1	4.7	11.0	930	4.84	1	0.5	<0.1	0.8	175	<0.1	0.4	2.3	80	3.59	0.077
12531	Rock Pulp	113.7	148.5	5.2	43	0.1	4.2	8.3	769	4.07	1	0.5	<0.1	0.8	165	<0.1	0.6	2.9	58	3.53	0.075
12532	Rock Pulp	91.3	149.1	7.2	52	0.1	3.9	9.5	814	4.64	2	0.5	<0.1	0.8	145	<0.1	0.5	2.9	70	3.39	0.078
12533	Rock Pulp	101.1	170.6	5.1	47	0.1	5.7	10.9	792	4.83	2	0.9	<0.1	0.8	190	<0.1	0.5	2.5	80	3.73	0.074
12534	Rock Pulp	381.1	327.9	7.7	114	0.2	30.0	24.1	1154	5.96	2	0.9	<0.1	0.7	167	<0.1	0.7	3.7	223	3.46	0.074
12535	Rock Pulp	0.9	23.8	82.9	54	0.2	8.0	7.3	90	0.23	5	0.7	<0.1	1.2	152	0.7	4.1	0.4	11	7.62	0.006
12536	Rock Pulp	221.4	834.8	5.3	113	0.5	22.4	35.0	1344	8.45	2	1.0	<0.1	0.6	143	<0.1	0.4	4.5	375	3.50	0.083
12537	Rock Pulp	171.3	358.4	5.0	122	0.3	53.2	20.4	1152	5.92	1	1.3	<0.1	1.1	147	<0.1	0.4	4.9	186	2.74	0.061
12538	Rock Pulp	172.4	321.6	6.2	50	0.3	5.6	12.7	786	4.33	2	1.0	<0.1	1.2	194	<0.1	0.6	4.5	94	2.99	0.070
12539	Rock Pulp	97.1	177.4	4.1	53	0.2	4.5	10.4	913	4.96	2	0.7	<0.1	0.8	174	<0.1	0.3	4.2	78	3.14	0.078
12540	Rock Pulp	239.0	306.2	4.5	59	0.2	3.7	10.7	977	4.30	2	0.6	<0.1	0.9	260	<0.1	0.4	4.2	75	3.61	0.077
12541	Rock Pulp	102.9	68.4	3.9	46	<0.1	5.9	8.1	942	4.29	2	0.6	<0.1	0.8	255	<0.1	0.4	2.1	70	3.70	0.078
12542	Rock Pulp	104.0	117.5	3.9	57	0.1	4.2	8.5	847	4.62	1	0.6	<0.1	0.8	286	<0.1	0.4	3.2	69	3.00	0.097
12543	Rock Pulp	118.7	141.0	4.4	55	0.1	5.8	9.2	825	4.59	2	0.7	<0.1	0.9	184	<0.1	0.4	3.5	68	2.85	0.085
12544	Rock Pulp	278.3	173.1	4.6	80	0.3	5.8	15.2	730	5.90	2	0.6	<0.1	0.9	151	<0.1	0.4	8.6	109	2.35	0.070
12545	Rock Pulp	140.3	259.0	4.7	81	0.3	8.6	17.3	943	5.85	<1	0.6	<0.1	0.8	197	<0.1	0.4	7.9	140	2.39	0.058
12546	Rock Pulp	254.0	272.4	4.1	85	0.3	8.9	19.2	1204	6.47	2	0.8	<0.1	0.8	217	<0.1	0.3	5.3	153	3.26	0.096
12547	Rock Pulp	199.4	223.3	3.6	60	0.2	6.7	15.7	1108	6.35	2	0.7	<0.1	0.8	245	<0.1	0.4	4.4	134	3.95	0.092
12548	Rock Pulp	148.6	207.8	4.0	62	0.2	7.0	20.3	999	5.91	<1	0.8	<0.1	0.7	218	<0.1	0.2	3.7	117	3.76	0.089
12549	Rock Pulp	36.9	220.1	3.9	66	0.2	7.9	18.9	1094	6.62	2	1.0	<0.1	0.9	210	<0.1	0.4	5.3	122	4.42	0.090
12550	Rock Pulp	213.0	208.6	3.8	65	0.2	7.4	15.3	1143	4.93	<1	0.6	<0.1	0.7	171	<0.1	0.2	3.6	102	3.74	0.075
12551	Rock Pulp	233.3	233.0	3.9	38	0.3	4.7	10.2	623	5.10	1	1.0	<0.1	0.8	102	<0.1	0.4	6.6	52	3.34	0.053
12552	Rock Pulp	754.5	156.6	4.1	37	0.1	3.5	5.1	535	3.58	1	0.9	<0.1	0.9	120	<0.1	0.4	4.1	51	3.56	0.045
12553	Rock Pulp	100.6	4436	1.9	58	1.2	74.6	25.1	938	4.91	1	0.4	<0.1	0.6	269	<0.1	0.3	0.7	290	5.68	0.047
12554	Rock Pulp	114.0	171.4	5.0	54	0.2	7.0	15.7	863	5.36	<1	0.6	<0.1	0.8	224	0.1	0.3	4.6	157	2.79	0.077
12555	Rock Pulp	384.9	251.9	6.4	100	0.2	10.4	18.9	1011	6.03	2	0.6	<0.1	0.8	226	<0.1	0.4	3.9	146	2.87	0.039
12556	Rock Pulp	80.5	214.9	3.7	114	0.2	11.5	20.6	1189	6.01	<1	0.8	<0.1	0.9	253	0.1	0.3	4.0	161	3.27	0.082
12557	Rock Pulp	111.7	1505	4.5	78	0.9	14.0	24.9	1135	7.09	1	0.8	<0.1	0.8	260	0.1	0.3	5.9	168	3.43	0.078

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: September 29, 2008

Page: 10 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	
Unit	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
MDL	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1	
12528	Rock Pulp	6.0	137	1.35	118	0.451	7.44	1.260	1.81	18.1	14.9	14	3.4	27.8	1.6	<0.1	1	26	9.7	2.7	79.2
12529	Rock Pulp	5.6	78	1.24	80	0.448	7.94	0.925	2.09	30.5	8.3	13	4.7	27.3	1.5	<0.1	<1	29	17.6	4.0	86.6
12530	Rock Pulp	5.8	99	1.33	251	0.462	7.29	1.045	1.66	11.6	4.5	13	2.1	21.9	1.8	<0.1	<1	26	10.5	1.8	67.2
12531	Rock Pulp	5.5	118	1.05	101	0.410	6.78	1.042	1.60	13.1	7.1	13	2.1	24.7	1.8	<0.1	1	22	13.9	1.9	60.4
12532	Rock Pulp	5.8	82	1.14	128	0.414	6.66	0.914	1.57	15.1	6.6	13	1.7	23.3	1.6	<0.1	<1	24	21.4	2.3	74.8
12533	Rock Pulp	4.8	125	1.28	99	0.427	6.76	1.126	1.56	14.5	6.8	12	2.4	24.3	1.6	<0.1	<1	25	11.3	2.6	58.6
12534	Rock Pulp	4.2	68	2.77	175	0.509	7.33	0.937	2.18	15.0	12.2	11	3.1	21.1	1.2	<0.1	<1	33	21.0	2.5	95.2
12535	Rock Pulp	4.4	102	0.37	522	0.034	1.03	>10	0.46	0.3	107.1	10	19.9	3.7	1.3	<0.1	<1	<1	7.6	<0.1	16.9
12536	Rock Pulp	3.2	74	2.92	90	0.614	7.21	0.733	2.64	27.2	9.9	9	4.4	16.4	1.4	<0.1	<1	40	20.8	4.9	86.3
12537	Rock Pulp	4.8	82	3.06	158	0.361	7.11	1.226	2.51	22.9	20.5	12	5.2	17.3	1.6	<0.1	<1	23	17.7	3.8	124.4
12538	Rock Pulp	5.6	141	1.16	212	0.377	6.57	1.721	1.73	18.2	21.1	15	2.9	24.8	2.0	<0.1	<1	22	9.2	2.3	71.8
12539	Rock Pulp	4.8	107	1.24	98	0.407	6.86	1.199	1.80	13.6	5.4	13	2.4	23.7	1.5	<0.1	<1	25	6.3	2.6	82.2
12540	Rock Pulp	4.9	106	1.21	201	0.416	6.64	1.308	1.62	11.7	11.2	13	2.4	23.7	1.5	<0.1	<1	23	6.7	2.1	65.5
12541	Rock Pulp	4.4	156	1.14	251	0.417	6.55	1.246	1.32	9.2	7.8	11	2.4	24.5	1.6	<0.1	<1	22	6.5	1.7	44.0
12542	Rock Pulp	4.8	114	1.17	179	0.396	6.38	1.178	1.87	14.0	10.5	12	2.9	22.8	1.8	<0.1	<1	22	7.9	2.8	71.2
12543	Rock Pulp	5.4	139	1.18	124	0.375	6.40	1.180	1.76	14.1	8.8	13	2.7	23.1	1.5	<0.1	<1	22	8.4	2.8	78.1
12544	Rock Pulp	4.6	101	1.33	120	0.397	6.65	1.373	2.22	22.3	4.9	12	3.5	15.7	1.5	<0.1	<1	26	6.9	3.9	84.0
12545	Rock Pulp	4.2	81	1.53	128	0.438	7.21	1.544	2.15	19.5	5.8	11	2.6	17.9	0.9	<0.1	<1	30	7.5	3.3	104.2
12546	Rock Pulp	4.0	108	1.87	139	0.493	7.04	1.323	1.87	24.6	5.5	10	2.7	22.4	0.7	<0.1	<1	32	8.2	3.2	102.6
12547	Rock Pulp	4.0	120	1.60	187	0.504	7.07	1.144	1.38	14.5	6.5	10	2.3	22.7	1.2	<0.1	<1	31	6.5	2.2	67.6
12548	Rock Pulp	4.6	89	1.69	186	0.496	6.90	1.207	1.62	15.5	7.6	11	2.1	22.5	1.1	<0.1	<1	30	9.2	2.5	84.9
12549	Rock Pulp	5.5	99	1.65	80	0.502	7.53	1.103	1.42	16.2	10.4	13	2.9	27.0	1.3	<0.1	<1	32	5.4	3.1	91.2
12550	Rock Pulp	3.4	92	1.47	224	0.463	6.73	1.327	1.61	14.9	14.3	9	2.0	21.5	1.2	<0.1	<1	25	7.4	2.1	50.9
12551	Rock Pulp	4.3	117	0.97	80	0.318	6.15	0.808	1.63	22.8	9.0	12	3.6	23.9	1.8	<0.1	<1	19	3.5	4.3	52.4
12552	Rock Pulp	4.9	128	0.81	117	0.306	6.15	0.953	1.39	14.7	7.5	13	2.5	27.0	1.7	<0.1	<1	18	5.1	2.9	48.8
12553	Rock Pulp	4.6	185	4.09	184	0.370	9.05	1.265	1.87	6.6	5.4	10	1.1	12.3	0.7	<0.1	<1	38	15.9	2.5	139.1
12554	Rock Pulp	4.5	132	1.19	207	0.434	7.11	1.998	1.87	13.0	4.7	12	2.2	16.5	1.5	<0.1	<1	28	6.7	2.4	73.1
12555	Rock Pulp	3.7	100	1.35	157	0.498	7.31	2.183	2.04	15.3	4.0	10	2.0	16.6	1.5	<0.1	<1	31	7.1	2.4	78.8
12556	Rock Pulp	4.7	86	2.12	140	0.508	7.54	1.765	1.95	15.6	4.5	12	2.5	24.3	1.2	<0.1	<1	32	7.7	1.7	124.9
12557	Rock Pulp	4.2	121	1.86	163	0.482	7.23	1.596	1.64	18.5	4.9	11	3.2	22.9	1.1	<0.1	<1	33	7.6	3.0	96.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

September 29, 2008

Page:

10 of 11

Part 3

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
12528	Rock Pulp 0.4
12529	Rock Pulp 0.4
12530	Rock Pulp 0.2
12531	Rock Pulp 0.3
12532	Rock Pulp 0.2
12533	Rock Pulp 0.3
12534	Rock Pulp 0.3
12535	Rock Pulp 2.6
12536	Rock Pulp 0.3
12537	Rock Pulp 0.7
12538	Rock Pulp 0.7
12539	Rock Pulp 0.2
12540	Rock Pulp 0.2
12541	Rock Pulp 0.4
12542	Rock Pulp 0.2
12543	Rock Pulp 0.2
12544	Rock Pulp 0.2
12545	Rock Pulp <0.1
12546	Rock Pulp 0.2
12547	Rock Pulp 0.2
12548	Rock Pulp 0.2
12549	Rock Pulp 0.4
12550	Rock Pulp 0.3
12551	Rock Pulp 0.3
12552	Rock Pulp 0.2
12553	Rock Pulp 0.2
12554	Rock Pulp 0.1
12555	Rock Pulp 0.1
12556	Rock Pulp 0.4
12557	Rock Pulp 0.2



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: September 29, 2008

Page: 11 of 11 Part 1

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
12558	Rock Pulp	115.0	912.6	4.8	80	0.6	10.3	25.9	1097	7.29	2	1.1	<0.1	0.8	281	<0.1	0.4	8.9	154	4.47	0.091
12559	Rock Pulp	80.8	1001	4.0	80	0.7	11.7	33.7	1033	6.56	2	1.1	<0.1	0.9	267	<0.1	0.4	4.5	135	4.36	0.087
12560	Rock Pulp	68.8	147.7	3.0	57	0.1	7.2	15.1	891	5.39	1	0.5	<0.1	0.9	223	<0.1	0.2	2.4	95	3.55	0.076
12561	Rock Pulp	133.9	558.1	3.2	57	0.2	7.6	17.8	910	6.10	2	0.6	<0.1	0.8	255	0.1	0.3	2.0	126	3.09	0.104
12562	Rock Pulp	413.0	698.1	4.4	72	0.5	10.5	44.3	1049	8.58	2	1.2	<0.1	1.4	267	<0.1	0.6	4.5	108	3.51	0.060
12563	Rock Pulp	74.1	739.1	6.2	127	0.6	67.6	31.4	1732	6.39	2	0.9	<0.1	0.7	399	<0.1	0.7	4.5	198	5.04	0.063
12564	Rock Pulp	236.8	447.4	10.0	101	0.4	34.4	22.4	1413	5.87	2	0.9	<0.1	0.9	397	<0.1	0.5	4.4	161	4.37	0.077
12565	Rock Pulp	83.2	1432	10.0	128	0.8	70.5	32.6	1497	7.75	3	1.8	<0.1	0.8	292	<0.1	0.6	27.4	253	4.31	0.072
12566	Rock Pulp	214.5	1044	6.8	145	0.9	75.8	33.9	1645	7.89	1	1.8	<0.1	0.8	168	<0.1	0.4	17.0	266	4.29	0.068
12567	Rock Pulp	>4000	376.3	32.7	106	0.5	11.0	5.7	268	1.76	2	0.4	<0.1	0.2	146	<0.1	0.5	3.8	27	5.22	0.021
12568	Rock Pulp	4.0	23.3	74.6	55	0.2	7.9	7.2	86	0.20	5	0.7	<0.1	1.2	151	0.4	4.4	0.4	7	7.89	0.006
12569	Rock Pulp	333.6	1010	17.3	110	1.0	28.0	18.3	1274	6.56	2	1.7	<0.1	0.9	180	<0.1	0.9	28.8	235	3.82	0.053
12570	Rock Pulp	281.7	833.0	8.6	62	0.8	6.8	13.6	853	5.51	4	1.1	<0.1	1.0	160	<0.1	0.5	24.6	107	2.86	0.075
12571	Rock Pulp	257.8	4310	14.0	52	2.3	4.0	8.1	559	5.88	5	0.9	<0.1	1.0	103	0.2	0.4	171.7	63	1.79	0.094
12572	Rock Pulp	87.7	583.3	5.0	63	0.4	4.6	17.1	938	6.24	4	0.6	<0.1	1.1	193	<0.1	0.4	17.3	142	2.31	0.076
12573	Rock Pulp	79.4	391.1	31.9	197	0.7	23.7	16.3	1566	6.38	3	0.7	<0.1	0.8	203	0.4	0.7	15.3	158	2.93	0.068



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: September 29, 2008

Page: 11 of 11 Part 2

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	
Unit	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
MDL	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1	
12558	Rock Pulp	4.5	100	1.77	88	0.499	7.11	1.498	1.51	32.1	6.1	11	4.0	23.9	1.0	<0.1	<1	33	8.9	3.8	105.4
12559	Rock Pulp	5.5	118	1.78	120	0.488	7.39	1.288	1.64	19.8	7.1	13	4.0	25.4	1.1	<0.1	<1	31	6.5	3.3	113.1
12560	Rock Pulp	4.5	94	1.51	250	0.479	7.12	1.487	1.73	16.6	5.9	12	2.4	22.9	1.7	<0.1	<1	27	6.5	1.9	69.4
12561	Rock Pulp	4.7	134	1.52	227	0.473	6.98	1.763	1.76	8.6	5.3	12	2.6	21.3	1.9	<0.1	<1	29	7.5	2.0	84.4
12562	Rock Pulp	7.0	95	1.50	73	0.436	6.66	1.177	1.55	15.1	30.8	17	3.0	26.9	2.0	<0.1	<1	26	8.5	2.9	106.4
12563	Rock Pulp	4.9	149	3.39	199	0.445	7.44	0.898	1.87	25.5	33.8	12	3.4	18.7	1.3	<0.1	<1	30	16.3	2.9	106.4
12564	Rock Pulp	5.7	126	2.48	241	0.491	7.54	1.367	1.49	18.6	9.9	13	2.7	23.1	1.4	<0.1	<1	31	11.2	1.8	101.5
12565	Rock Pulp	5.4	145	3.64	119	0.479	7.23	0.768	2.01	45.5	11.7	13	4.4	17.5	1.5	<0.1	<1	30	18.9	4.3	99.6
12566	Rock Pulp	5.7	189	4.03	97	0.447	6.99	0.636	2.38	37.5	23.5	13	6.0	13.1	1.7	<0.1	<1	30	26.1	5.4	130.2
12567	Rock Pulp	2.9	132	0.33	25	0.038	0.83	0.037	0.25	2.3	1.1	6	0.7	5.9	0.4	<0.1	<1	3	4.3	5.7	17.9
12568	Rock Pulp	5.0	146	0.36	559	0.035	1.00	>10	0.44	0.2	108.9	11	62.8	4.0	1.5	<0.1	<1	<1	8.0	<0.1	16.7
12569	Rock Pulp	5.5	66	2.35	75	0.347	7.38	1.034	2.45	21.8	15.2	13	4.7	17.2	1.3	<0.1	<1	30	27.9	4.6	161.5
12570	Rock Pulp	6.1	116	1.39	135	0.340	7.01	1.435	1.76	15.2	11.0	15	3.5	27.0	1.7	<0.1	<1	26	11.4	3.5	105.6
12571	Rock Pulp	5.7	93	1.15	32	0.277	6.43	0.842	2.29	12.2	7.1	15	5.1	23.3	1.4	<0.1	<1	22	8.1	4.7	127.4
12572	Rock Pulp	7.8	37	1.55	140	0.440	8.01	2.051	2.27	14.1	3.7	18	3.4	17.6	1.5	<0.1	<1	34	12.9	2.8	134.3
12573	Rock Pulp	6.0	89	2.30	211	0.390	7.65	1.674	1.70	12.3	5.4	14	2.4	17.3	1.4	<0.1	<1	32	27.2	2.4	112.1



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

September 29, 2008

Page:

11 of 11

Part 3

CERTIFICATE OF ANALYSIS

VAN08008918.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
12558	Rock Pulp 0.3
12559	Rock Pulp 0.3
12560	Rock Pulp 0.2
12561	Rock Pulp 0.2
12562	Rock Pulp 0.7
12563	Rock Pulp 0.4
12564	Rock Pulp 0.5
12565	Rock Pulp 0.5
12566	Rock Pulp 0.4
12567	Rock Pulp <0.1
12568	Rock Pulp 2.6
12569	Rock Pulp 0.5
12570	Rock Pulp 0.5
12571	Rock Pulp 0.2
12572	Rock Pulp 0.1
12573	Rock Pulp 0.2

QUALITY CONTROL REPORT

VAN08008918.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
Pulp Duplicates																					
12290	Rock Pulp	0.8	307.5	31.3	373	0.5	30.3	39.2	991	9.73	11	0.4	0.3	0.3	214	0.6	2.6	11.2	272	3.44	0.056
REP 12290	QC	0.7	319.4	32.7	388	0.5	31.3	39.7	1033	10.17	12	0.4	<0.1	0.4	225	0.7	2.8	11.7	279	3.58	0.051
12329	Rock Pulp	0.7	483.8	22.1	272	0.6	43.4	33.3	1482	8.23	4	0.5	<0.1	0.5	302	0.6	1.5	5.1	311	4.51	0.052
REP 12329	QC	0.8	497.5	30.6	275	0.6	44.4	35.0	1459	8.37	4	0.5	<0.1	0.5	302	0.5	1.6	5.2	315	4.64	0.054
12369	Rock Pulp	0.7	302.1	13.0	217	0.5	13.2	19.7	1053	7.93	4	0.4	<0.1	0.6	241	0.3	0.7	2.2	275	3.48	0.057
REP 12369	QC	0.6	299.1	13.5	217	0.4	13.8	19.1	1012	7.91	4	0.6	<0.1	0.6	241	0.3	0.7	2.2	272	3.45	0.055
12404	Rock Pulp	0.4	126.3	15.5	166	0.2	9.6	23.0	658	6.42	4	0.4	<0.1	0.6	199	<0.1	0.5	1.9	202	2.20	0.029
REP 12404	QC	0.5	134.5	15.9	176	0.3	10.9	23.1	700	6.76	4	0.4	<0.1	0.8	216	0.2	0.7	2.1	198	2.35	0.032
12485	Rock Pulp	3.1	45.8	18.7	361	0.2	3.3	0.8	122	0.74	3	4.7	<0.1	8.4	63	1.7	1.1	2.5	7	0.13	0.007
REP 12485	QC	2.9	43.8	17.3	340	0.1	3.6	0.8	106	0.69	3	4.4	<0.1	7.6	61	1.4	1.2	2.3	5	0.14	0.008
12532	Rock Pulp	91.3	149.1	7.2	52	0.1	3.9	9.5	814	4.64	2	0.5	<0.1	0.8	145	<0.1	0.5	2.9	70	3.39	0.078
REP 12532	QC	91.2	147.3	7.1	51	0.2	3.9	9.8	837	4.77	1	0.5	<0.1	0.9	147	<0.1	0.4	2.9	72	3.46	0.082
12546	Rock Pulp	254.0	272.4	4.1	85	0.3	8.9	19.2	1204	6.47	2	0.8	<0.1	0.8	217	<0.1	0.3	5.3	153	3.26	0.096
REP 12546	QC	248.1	276.7	4.5	81	0.3	8.6	19.9	1197	6.49	2	0.8	<0.1	0.6	213	<0.1	0.4	5.4	149	3.25	0.094
Reference Materials																					
STD DST6	Standard	12.0	114.3	39.0	161	0.3	31.7	13.0	920	3.69	23	7.4	<0.1	6.5	304	6.1	5.8	5.2	104	2.08	0.099
STD DST6	Standard	12.7	126.7	35.3	175	0.3	31.8	14.1	932	3.71	22	8.4	<0.1	7.4	315	6.0	5.0	5.0	112	2.08	0.087
STD DST6	Standard	12.7	143.7	45.0	190	0.3	33.2	15.1	994	4.19	25	9.1	<0.1	7.6	322	6.0	6.2	6.5	116	2.20	0.095
STD DST6	Standard	12.9	137.9	37.0	178	0.3	32.4	14.9	961	3.97	26	8.5	<0.1	6.9	313	7.0	5.9	5.3	107	2.08	0.097
STD DST6	Standard	12.5	139.7	35.2	184	0.3	31.0	14.3	964	3.84	26	7.3	<0.1	6.4	313	6.4	5.1	5.0	91	2.12	0.096
STD DST6	Standard	11.7	120.9	39.7	151	0.3	29.6	12.9	916	3.70	24	8.3	<0.1	6.6	310	6.2	5.6	5.3	96	1.98	0.092
STD DST6	Standard	13.1	129.6	48.2	158	0.3	31.7	14.0	1014	4.02	24	8.8	<0.1	7.1	323	6.1	6.0	5.9	110	2.15	0.099
STD DST6	Standard	13.2	151.2	44.6	184	0.3	32.7	15.8	1008	4.06	27	9.2	<0.1	7.9	326	7.5	6.1	5.4	116	2.25	0.108
STD DST6	Standard	13.5	131.0	41.7	173	0.3	31.5	13.2	960	3.86	25	8.8	<0.1	7.1	317	6.5	5.9	5.4	102	2.13	0.094
STD DST6	Standard	12.6	130.7	44.6	163	0.3	32.6	14.5	934	3.62	23	8.6	<0.1	7.3	307	6.5	5.5	5.5	111	2.06	0.090
STD OREAS24P	Standard	2.1	50.0	3.3	116	<0.1	146.8	45.8	1169	7.65	2	0.7	<0.1	2.6	399	0.1	<0.1	<0.1	169	5.82	0.137
STD OREAS45P	Standard	2.2	691.2	21.3	137	0.3	378.2	117.9	1257	18.46	10	1.8	<0.1	9.1	32	0.2	0.7	0.2	258	0.27	0.047
STD OREAS45P	Standard	2.1	723.4	22.5	140	0.3	374.4	124.8	1330	18.70	11	2.4	<0.1	9.9	31	0.2	0.8	0.3	281	0.27	0.040

QUALITY CONTROL REPORT

VAN08008918.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	
Unit	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
MDL	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1	
Pulp Duplicates																					
12290	Rock Pulp	2.2	54	2.87	33	0.216	8.12	1.145	0.63	2.9	3.7	6	1.9	12.1	0.4	<0.1	<1	30	15.3	6.7	8.2
REP 12290	QC	2.4	63	3.08	33	0.226	8.40	1.078	0.66	2.6	3.2	6	2.2	12.9	0.5	<0.1	<1	31	14.3	7.0	10.4
12329	Rock Pulp	3.1	126	3.59	93	0.362	8.55	0.995	0.62	6.8	10.3	7	2.2	13.5	0.8	<0.1	<1	32	10.2	4.0	19.8
REP 12329	QC	3.3	124	3.58	94	0.356	8.79	1.004	0.63	7.2	10.2	8	2.8	13.7	0.8	<0.1	<1	34	10.6	4.1	19.8
12369	Rock Pulp	4.0	117	2.42	75	0.410	8.37	0.797	1.04	4.7	5.2	9	1.4	11.4	0.8	<0.1	<1	39	10.5	3.7	53.0
REP 12369	QC	4.2	110	2.41	77	0.405	8.50	0.762	1.06	5.6	6.5	10	1.2	10.8	0.9	<0.1	<1	39	9.7	3.7	60.2
12404	Rock Pulp	5.0	64	1.25	63	0.322	8.06	1.476	1.48	4.6	3.1	12	2.3	10.6	0.8	<0.1	<1	32	4.3	3.6	79.0
REP 12404	QC	5.5	70	1.33	87	0.352	8.54	1.576	1.59	5.1	3.0	13	1.7	12.0	0.9	<0.1	<1	34	6.7	3.8	82.9
12485	Rock Pulp	20.9	101	0.10	1317	0.045	7.26	2.811	3.46	1.3	64.2	36	0.6	6.1	6.3	0.5	1	1	2.5	0.7	113.1
REP 12485	QC	19.4	100	0.09	1322	0.048	6.91	2.636	3.43	1.3	62.7	34	0.4	5.8	6.2	0.4	<1	1	3.1	0.7	111.0
12532	Rock Pulp	5.8	82	1.14	128	0.414	6.66	0.914	1.57	15.1	6.6	13	1.7	23.3	1.6	<0.1	<1	24	21.4	2.3	74.8
REP 12532	QC	5.6	83	1.16	114	0.425	6.73	0.933	1.71	14.9	5.9	13	2.2	23.2	1.5	0.1	1	24	16.6	2.3	71.0
12546	Rock Pulp	4.0	108	1.87	139	0.493	7.04	1.323	1.87	24.6	5.5	10	2.7	22.4	0.7	<0.1	<1	32	8.2	3.2	102.6
REP 12546	QC	3.5	108	1.85	137	0.497	6.79	1.309	1.80	24.2	5.7	9	2.5	21.3	0.8	<0.1	<1	32	7.8	3.2	89.2
Reference Materials																					
STD DST6	Standard	23.5	217	1.02	687	0.371	6.40	1.817	1.42	8.4	58.4	50	6.5	14.5	10.6	0.5	2	10	25.7	<0.1	59.0
STD DST6	Standard	27.4	250	1.00	626	0.352	6.92	1.668	1.37	7.5	64.0	57	6.2	16.1	10.4	0.5	3	12	24.8	<0.1	62.2
STD DST6	Standard	27.3	260	1.14	663	0.415	6.82	1.712	1.48	8.9	65.5	51	7.5	16.7	11.1	0.6	4	12	27.6	<0.1	61.8
STD DST6	Standard	23.9	256	1.05	716	0.402	6.43	1.658	1.42	9.2	63.5	51	7.3	14.8	10.5	0.6	4	11	27.3	<0.1	62.7
STD DST6	Standard	22.7	256	1.06	626	0.372	6.65	1.681	1.49	7.9	61.2	46	6.0	14.2	10.1	0.6	3	11	29.4	<0.1	56.4
STD DST6	Standard	23.5	240	1.00	613	0.375	6.08	1.680	1.32	7.3	57.9	50	5.5	14.5	9.7	0.5	3	11	26.6	<0.1	55.4
STD DST6	Standard	23.4	223	1.08	666	0.394	7.04	1.817	1.44	7.6	59.4	51	5.7	16.4	9.6	0.5	4	12	24.2	<0.1	60.9
STD DST6	Standard	29.1	271	1.09	746	0.408	7.40	1.729	1.55	8.8	69.7	57	6.8	16.4	11.1	0.6	4	13	29.1	<0.1	67.6
STD DST6	Standard	23.9	197	1.06	644	0.389	6.46	1.676	1.38	7.7	60.7	52	5.8	17.2	10.3	0.6	3	12	27.3	<0.1	55.1
STD DST6	Standard	22.2	256	1.05	631	0.378	6.38	1.611	1.34	8.5	66.9	49	5.3	13.7	10.3	0.6	4	11	24.1	<0.1	54.0
STD OREAS24P	Standard	18.0	185	4.17	270	1.081	8.43	2.502	0.70	0.5	149.3	37	1.9	20.5	21.4	1.1	1	21	7.9	<0.1	24.3
STD OREAS45P	Standard	24.3	1063	0.18	271	0.981	6.65	0.073	0.36	1.3	146.2	48	2.3	12.2	19.6	1.2	<1	63	13.9	<0.1	23.2
STD OREAS45P	Standard	25.1	1090	0.21	246	0.998	6.92	0.070	0.34	0.9	149.4	49	1.8	12.7	20.5	1.2	1	69	11.7	<0.1	23.2

QUALITY CONTROL REPORT

VAN08008918.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
Pulp Duplicates	
12290 Rock Pulp	0.1
REP 12290 QC	0.1
12329 Rock Pulp	0.4
REP 12329 QC	0.4
12369 Rock Pulp	0.2
REP 12369 QC	0.3
12404 Rock Pulp	0.1
REP 12404 QC	0.1
12485 Rock Pulp	2.5
REP 12485 QC	2.3
12532 Rock Pulp	0.2
REP 12532 QC	0.2
12546 Rock Pulp	0.2
REP 12546 QC	0.2
Reference Materials	
STD DST6 Standard	1.9
STD DST6 Standard	1.7
STD DST6 Standard	1.9
STD DST6 Standard	1.9
STD DST6 Standard	1.7
STD DST6 Standard	1.6
STD DST6 Standard	1.9
STD DST6 Standard	2.1
STD DST6 Standard	1.8
STD DST6 Standard	1.9
STD OREAS24P Standard	4.0
STD OREAS45P Standard	3.9
STD OREAS45P Standard	4.0

QUALITY CONTROL REPORT

VAN08008918.1

		1EX Mo ppm 0.1	1EX Cu ppm 0.1	1EX Pb ppm 0.1	1EX Zn ppm 1	1EX Ag ppm 0.1	1EX Ni ppm 0.1	1EX Co ppm 0.2	1EX Mn ppm 1	1EX Fe % 0.01	1EX As ppm 1	1EX U ppm 0.1	1EX Au ppm 0.1	1EX Th ppm 0.1	1EX Sr ppm 1	1EX Cd ppm 0.1	1EX Sb ppm 0.1	1EX Bi ppm 0.1	1EX V ppm 1	1EX Ca % 0.01	1EX P % 0.001
STD OREAS45P	Standard	1.2	768.5	31.5	156	0.4	385.5	127.0	1380	19.19	12	2.7	<0.1	11.1	38	0.3	1.0	0.4	285	0.27	0.045
STD OREAS45P	Standard	2.2	722.8	24.3	150	0.3	365.2	126.6	1314	18.50	12	2.4	<0.1	10.0	35	0.2	0.9	0.2	269	0.27	0.044
STD OREAS45P	Standard	1.8	740.8	21.5	153	0.3	353.4	124.5	1306	19.40	12	2.1	<0.1	9.0	31	0.2	0.7	0.2	267	0.27	0.042
STD OREAS45P	Standard	2.3	765.7	26.9	156	0.3	368.6	134.9	1336	19.65	14	2.5	<0.1	11.2	37	0.2	0.9	0.4	279	0.31	0.045
STD OREAS45P	Standard	2.4	752.9	336.2	157	1.0	373.8	143.8	1364	19.00	16	2.6	<0.1	11.6	41	0.1	1.7	0.2	275	0.31	0.050
STD OREAS45P	Standard	2.1	727.3	23.8	146	0.4	373.2	131.8	1352	19.18	13	2.4	<0.1	10.1	35	0.3	1.1	0.2	294	0.29	0.052
STD OREAS45P	Standard	2.0	739.2	26.5	152	0.3	361.4	117.7	1299	19.20	13	2.5	<0.1	11.0	36	0.1	0.9	0.3	275	0.28	0.046
STD OREAS45P	Standard	1.8	742.8	29.2	143	0.3	393.2	130.7	1370	19.75	12	2.8	<0.1	11.9	36	0.1	0.9	0.2	286	0.26	0.040
STD OREAS45P	Standard	3.9	750.2	24.2	140	0.3	381.9	120.4	1365	18.98	13	2.4	<0.1	9.7	32	0.2	0.9	0.2	280	0.29	0.046
STD DST6 Expected		12.7	129.7	36.7	176	0.4	30.4	13.7	980	3.91	24	7.8	0	6.9	298	5.6	5.4	4.7	115	2.26	0.099
STD OREAS24P Expected		1.5	52	2.9	114	0.06	141	44	1100	7.97	2	0.75		2.85	403	0.3	0.14		183	6.07	0.136
STD OREAS45P Expected		1.9	749	22	141	0.32	385	120	1270	19.22	13.4	2.4	0.055	9.8	32.6	0.2	0.92	0.21	267	0.3	0.047
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001
BLK	Blank	<0.1	<0.1	0.3	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: September 29, 2008

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

VAN08008918.1

		1EX La ppm 0.1	1EX Cr ppm 1	1EX Mg % 0.01	1EX Ba ppm 1	1EX Ti % 0.001	1EX Al % 0.01	1EX Na % 0.001	1EX K % 0.01	1EX W ppm 0.1	1EX Zr ppm 0.1	1EX Ce ppm 1	1EX Sn ppm 0.1	1EX Y ppm 0.1	1EX Nb ppm 0.1	1EX Ta ppm 0.1	1EX Be ppm 1	1EX Sc ppm 1	1EX Li ppm 0.1	1EX S % 0.1	1EX Rb ppm 0.1
STD OREAS45P	Standard	30.3	1117	0.24	286	1.104	7.27	0.088	0.35	1.1	161.6	53	2.8	14.7	21.8	1.2	1	70	14.0	<0.1	23.4
STD OREAS45P	Standard	26.7	1093	0.22	303	1.036	6.97	0.077	0.33	1.1	157.2	51	2.8	12.9	21.8	1.4	<1	68	14.7	<0.1	25.4
STD OREAS45P	Standard	23.6	1068	0.21	256	1.034	6.96	0.081	0.35	1.0	145.6	46	2.3	12.5	19.9	1.1	1	69	16.5	<0.1	22.5
STD OREAS45P	Standard	26.9	1096	0.24	279	1.085	7.20	0.093	0.35	1.0	162.8	51	2.6	14.8	21.5	1.2	<1	71	16.9	<0.1	23.3
STD OREAS45P	Standard	27.3	1035	0.24	287	1.025	7.09	0.090	0.37	1.1	163.7	55	2.7	15.3	22.2	1.3	<1	74	17.3	<0.1	26.2
STD OREAS45P	Standard	27.4	1117	0.23	296	1.040	7.11	0.081	0.35	1.2	152.7	53	2.8	13.8	20.9	1.2	<1	69	15.6	<0.1	26.2
STD OREAS45P	Standard	26.6	1072	0.22	268	1.002	7.01	0.081	0.30	1.2	153.1	52	1.9	14.0	21.3	1.2	<1	69	14.8	<0.1	23.0
STD OREAS45P	Standard	26.3	1108	0.22	266	1.082	7.00	0.073	0.33	1.1	163.9	52	2.4	13.2	21.4	1.3	<1	71	13.6	<0.1	23.0
STD OREAS45P	Standard	25.0	1099	0.24	284	1.074	7.27	0.095	0.39	1.2	159.9	48	2.7	13.5	20.2	1.3	1	69	15.1	<0.1	22.5
STD DST6 Expected		25.7	230	1.03	702	0.387	6.92	1.673	1.42	7.4	50.1	52	6.3	15.2	8.1	0.6	3	10	25.4		61.2
STD OREAS24P Expected		17.4	221	4.13	285	1.1	7.66	2.31	0.7	0.5	141	37.6	1.6	22.9	21	1.3		20	8.7		22.4
STD OREAS45P Expected		24.8	1140	0.22	281	1.18	6.82	0.081	0.35	1.1	279	48.9	3.1	18	24	1.33		67	14.7	0.03	23
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.							

QUALITY CONTROL REPORT

VAN08008918.1

		1EX Hf ppm 0.1
STD OREAS45P	Standard	4.2
STD OREAS45P	Standard	4.3
STD OREAS45P	Standard	3.7
STD OREAS45P	Standard	4.2
STD OREAS45P	Standard	4.4
STD OREAS45P	Standard	4.0
STD OREAS45P	Standard	3.9
STD OREAS45P	Standard	4.4
STD OREAS45P	Standard	4.3
STD DST6 Expected		1.8
STD OREAS24P Expected		3.6
STD OREAS45P Expected		3.8
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1



ACME ANALYTICAL LABORATORIES LTD.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Submitted By: Gary Roste
Receiving Lab: Canada-Vancouver
Received: September 26, 2008
Report Date: October 24, 2008
Page: 1 of 9

CERTIFICATE OF ANALYSIS

VAN08009737.1

CLIENT JOB INFORMATION

Project: WC
Shipment ID:
P.O. Number 74753
Number of Samples: 230

SAMPLE DISPOSAL

RTRN-PLP Return

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
No Prep	230	Sorting of samples on arrival and labeling		
1EX	230	4 Acid digestion ICP-MS analysis	0.25	Completed

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Huckleberry Mines Limited
P.O. Box 3000
Houston BC V0J 1Z0
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: October 24, 2008

Page: 2 of 9

Part 1

CERTIFICATE OF ANALYSIS

VAN08009737.1

Method	Analyte	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001
12574	Rock Pulp	117.2	1026	4.6	77	0.6	7.0	16.8	978	6.36	2	0.8	<0.1	0.6	205	<0.1	0.3	10.8	137	2.82	0.094
12575	Rock Pulp	190.3	777.5	5.8	71	1.5	6.5	22.1	1031	6.99	2	0.8	<0.1	0.6	172	0.2	0.5	9.8	129	3.27	0.092
12576	Rock Pulp	114.1	824.9	10.9	76	1.0	6.3	19.5	1156	6.60	3	0.9	<0.1	0.6	137	<0.1	1.4	22.8	115	3.65	0.087
12577	Rock Pulp	27.7	229.3	3.9	62	0.2	6.3	13.0	961	5.75	2	0.5	<0.1	0.5	163	0.1	0.5	3.4	116	3.47	0.093
12578	Rock Pulp	395.7	432.8	5.0	56	0.4	6.0	13.5	936	5.27	2	0.6	<0.1	0.6	176	<0.1	0.5	6.8	109	3.29	0.084
12579	Rock Pulp	226.2	172.5	5.9	51	0.2	5.0	10.2	728	4.02	2	0.4	<0.1	0.5	111	0.2	1.3	2.9	78	2.88	0.062
12580	Rock Pulp	185.6	508.1	3.8	46	0.5	5.2	28.6	891	4.19	2	0.5	<0.1	0.7	134	<0.1	0.7	2.1	55	3.52	0.059
12581	Rock Pulp	101.4	314.4	4.4	45	0.4	6.2	7.6	790	4.12	2	1.1	<0.1	1.0	145	<0.1	0.5	3.9	49	3.33	0.061
12582	Rock Pulp	46.0	163.5	7.1	23	0.2	3.8	5.7	302	1.97	<1	3.6	<0.1	5.3	238	<0.1	0.8	2.3	25	1.99	0.030
12583	Rock Pulp	60.6	61.6	6.7	17	0.2	2.6	3.8	235	1.83	<1	3.5	<0.1	4.4	184	<0.1	0.6	2.2	27	1.58	0.025
12584	Rock Pulp	4.2	28.3	7.9	15	0.1	2.9	1.9	156	1.05	1	5.0	<0.1	7.1	289	<0.1	1.1	1.8	18	1.09	0.023
12585	Rock Pulp	3.9	14.8	8.7	18	<0.1	3.6	1.7	179	1.03	1	5.3	<0.1	6.8	291	<0.1	0.6	1.4	17	1.15	0.020
12586	Rock Pulp	2.7	36.3	9.3	37	<0.1	7.2	2.1	262	1.20	<1	5.2	<0.1	7.4	314	<0.1	0.5	1.3	20	1.34	0.025
12587	Rock Pulp	2.5	66.4	10.5	93	0.1	4.3	2.1	307	1.13	1	6.0	<0.1	8.1	336	0.3	0.4	1.2	20	1.33	0.023
12588	Rock Pulp	1.0	22.5	8.5	34	0.1	3.4	2.0	200	1.16	1	5.6	<0.1	7.7	282	<0.1	0.4	1.9	23	1.13	0.021
12589	Rock Pulp	0.7	30.3	11.0	93	<0.1	3.5	1.4	269	0.98	1	5.6	<0.1	7.9	315	0.3	0.5	1.6	16	1.09	0.021
12590	Rock Pulp	1029	237.6	5.9	75	0.4	24.2	9.2	758	5.43	2	1.2	<0.1	0.6	177	0.2	0.8	2.5	254	0.99	0.045
12591	Rock Pulp	484.7	145.2	4.0	77	0.3	30.0	12.2	861	5.89	1	0.7	<0.1	0.5	149	<0.1	0.7	1.9	314	0.51	0.043
12592	Rock Pulp	167.1	944.2	2.5	100	0.4	29.3	38.2	1103	6.69	1	0.8	<0.1	0.4	252	0.2	0.1	1.6	350	1.69	0.059
12593	Rock Pulp	204.9	1440	3.4	82	0.4	22.7	39.3	1106	8.80	2	1.7	<0.1	0.5	205	0.1	0.2	6.0	329	1.35	0.058
12594	Rock Pulp	150.7	827.2	1.9	49	0.3	10.7	18.4	777	6.15	1	0.8	<0.1	0.3	145	0.1	0.2	3.5	264	1.89	0.046
12595	Rock Pulp	162.7	4866	1.8	57	1.5	75.6	26.6	935	4.92	2	0.3	<0.1	0.5	284	<0.1	0.2	1.2	272	5.72	0.046
12596	Rock Pulp	267.5	584.1	2.3	63	0.3	14.5	20.9	1045	7.64	2	1.2	<0.1	0.6	153	<0.1	0.4	3.3	331	2.50	0.065
12597	Rock Pulp	214.1	471.3	9.5	69	0.2	14.8	23.6	975	7.65	2	1.2	<0.1	0.4	197	<0.1	2.2	3.0	307	2.60	0.063
12598	Rock Pulp	249.9	529.4	4.3	50	0.3	13.6	22.4	748	7.21	2	1.1	0.2	0.5	293	0.2	0.8	6.0	285	2.99	0.060
12599	Rock Pulp	165.1	459.2	5.0	54	0.3	15.0	23.6	1006	7.39	3	1.1	<0.1	0.5	211	<0.1	0.6	3.2	311	2.66	0.063
12600	Rock Pulp	1223	459.5	3.0	54	0.3	17.8	26.3	1140	7.70	1	1.0	<0.1	0.5	234	<0.1	0.4	3.3	316	2.39	0.057
12601	Rock Pulp	801.6	340.4	3.0	51	0.2	22.4	21.4	1245	6.85	2	1.2	<0.1	0.6	242	0.2	0.3	3.4	295	2.80	0.062
12602	Rock Pulp	415.5	893.7	2.7	62	0.4	35.9	34.0	1244	7.81	1	1.2	<0.1	0.6	178	<0.1	0.4	4.1	284	2.39	0.058
12603	Rock Pulp	167.8	314.1	3.0	57	0.2	12.0	19.8	1253	7.13	2	1.2	<0.1	0.5	227	<0.1	0.3	1.9	329	2.96	0.061



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: October 24, 2008

Page: 2 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN08009737.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	
Unit	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
MDL	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1	
12574	Rock Pulp	4.8	68	1.86	184	0.454	7.05	1.409	1.91	18.0	8.0	11	3.3	17.4	1.0	<0.1	<1	31	13.6	2.8	105.3
12575	Rock Pulp	4.3	62	1.73	241	0.464	6.99	1.160	1.92	20.9	22.4	11	3.8	17.9	2.1	<0.1	<1	32	12.3	3.9	104.1
12576	Rock Pulp	4.3	59	1.52	195	0.381	6.39	0.607	2.08	25.0	4.2	10	3.7	19.6	1.0	<0.1	<1	28	16.5	4.8	108.0
12577	Rock Pulp	4.5	86	1.56	184	0.431	6.64	1.139	1.42	13.0	8.6	10	2.3	18.3	0.9	<0.1	<1	28	12.8	2.0	77.7
12578	Rock Pulp	4.3	94	1.47	206	0.416	6.50	1.273	1.37	15.1	24.5	10	2.2	19.4	1.2	<0.1	<1	27	9.0	2.1	83.2
12579	Rock Pulp	3.7	69	1.03	166	0.320	5.40	0.677	1.50	11.0	10.5	9	2.0	14.7	0.9	<0.1	<1	21	19.0	2.1	78.8
12580	Rock Pulp	5.5	98	1.01	248	0.340	6.54	0.874	1.42	14.1	13.6	13	2.5	24.7	1.4	<0.1	<1	21	12.2	1.9	79.0
12581	Rock Pulp	6.2	127	0.89	254	0.304	6.48	1.070	1.66	22.2	33.4	15	3.7	28.3	1.6	<0.1	<1	20	13.0	2.7	87.4
12582	Rock Pulp	12.0	110	0.32	136	0.140	6.62	2.309	2.69	5.2	46.6	25	2.0	11.2	5.4	0.3	<1	6	4.9	2.2	84.5
12583	Rock Pulp	10.2	87	0.26	82	0.108	5.45	1.931	2.32	12.0	41.1	21	1.7	9.3	4.3	0.3	<1	5	4.1	2.2	73.8
12584	Rock Pulp	14.1	86	0.11	131	0.082	6.43	2.934	3.16	1.3	60.6	28	0.7	6.1	7.5	0.5	1	2	3.4	1.4	90.4
12585	Rock Pulp	14.0	87	0.13	198	0.081	6.51	2.754	3.27	1.4	59.9	28	0.4	5.8	7.4	0.5	1	2	4.2	1.4	95.4
12586	Rock Pulp	15.1	183	0.13	148	0.083	6.69	2.596	3.39	1.5	62.2	30	0.6	6.0	7.7	0.6	1	2	6.5	1.5	99.7
12587	Rock Pulp	17.5	106	0.14	197	0.085	7.08	2.855	3.64	2.7	67.1	33	0.3	6.8	8.0	0.5	1	2	5.4	1.4	117.9
12588	Rock Pulp	16.7	85	0.14	149	0.083	6.74	2.234	3.46	1.6	63.9	32	0.8	6.8	7.3	0.6	2	2	4.8	1.6	108.3
12589	Rock Pulp	16.0	91	0.09	188	0.083	6.69	2.963	3.45	1.6	64.7	30	0.4	6.5	8.1	0.6	1	2	4.5	1.1	116.2
12590	Rock Pulp	3.6	167	2.06	129	0.373	6.01	0.608	1.72	19.0	10.9	8	5.5	10.2	1.1	<0.1	<1	31	4.8	0.9	114.5
12591	Rock Pulp	2.2	123	3.13	198	0.347	7.89	0.719	2.99	13.9	12.7	5	8.0	4.4	0.7	<0.1	<1	31	5.8	0.5	126.3
12592	Rock Pulp	2.9	79	3.35	165	0.388	8.75	0.910	2.80	20.1	12.6	7	5.3	8.8	0.7	<0.1	<1	29	6.3	1.4	120.5
12593	Rock Pulp	3.3	91	2.85	121	0.389	8.70	0.765	2.20	27.5	10.2	7	6.4	10.8	0.7	<0.1	<1	34	6.2	4.8	125.3
12594	Rock Pulp	2.5	74	1.71	62	0.389	6.08	0.953	1.23	16.3	6.7	6	3.2	12.1	0.8	<0.1	<1	30	3.2	2.3	81.2
12595	Rock Pulp	5.2	152	3.79	193	0.363	8.54	1.380	1.78	3.5	5.8	10	1.4	10.4	0.7	<0.1	<1	35	13.7	2.8	104.1
12596	Rock Pulp	3.5	102	2.00	82	0.518	8.11	1.307	1.53	34.0	9.7	9	4.3	17.1	1.0	<0.1	<1	39	4.9	2.7	88.5
12597	Rock Pulp	3.5	102	2.09	65	0.484	7.91	1.369	1.30	25.9	9.9	9	4.7	17.2	0.9	<0.1	<1	37	7.1	2.6	80.1
12598	Rock Pulp	3.6	91	1.86	68	0.423	7.77	1.266	1.37	27.8	10.2	9	4.4	17.9	1.0	<0.1	<1	35	3.9	3.4	75.8
12599	Rock Pulp	3.8	116	1.97	77	0.471	7.38	1.174	1.39	26.5	16.9	9	4.1	16.2	1.1	<0.1	<1	35	7.2	2.8	89.8
12600	Rock Pulp	4.3	95	2.18	102	0.471	7.13	1.218	1.62	29.3	7.9	10	4.2	16.0	1.3	<0.1	<1	34	5.2	3.5	113.4
12601	Rock Pulp	4.2	113	2.20	84	0.484	7.15	1.189	1.58	27.6	10.3	10	4.9	16.1	1.1	<0.1	<1	34	6.1	2.6	101.2
12602	Rock Pulp	5.1	161	2.51	91	0.420	6.63	0.867	1.61	41.9	19.7	11	4.4	15.3	1.3	<0.1	<1	31	5.1	3.9	102.7
12603	Rock Pulp	4.1	73	2.02	78	0.504	7.63	1.400	1.43	31.0	12.5	10	3.8	17.9	1.1	<0.1	<1	35	3.0	2.5	89.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

October 24, 2008

Page:

2 of 9

Part 3

CERTIFICATE OF ANALYSIS

VAN08009737.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
12574	Rock Pulp 0.4
12575	Rock Pulp 0.3
12576	Rock Pulp 0.3
12577	Rock Pulp 0.8
12578	Rock Pulp 0.2
12579	Rock Pulp 0.6
12580	Rock Pulp 0.7
12581	Rock Pulp 1.5
12582	Rock Pulp 1.8
12583	Rock Pulp 1.6
12584	Rock Pulp 2.1
12585	Rock Pulp 2.2
12586	Rock Pulp 2.3
12587	Rock Pulp 2.3
12588	Rock Pulp 2.2
12589	Rock Pulp 2.4
12590	Rock Pulp 0.6
12591	Rock Pulp 0.4
12592	Rock Pulp 0.4
12593	Rock Pulp 0.4
12594	Rock Pulp 0.4
12595	Rock Pulp 0.7
12596	Rock Pulp 0.7
12597	Rock Pulp 0.5
12598	Rock Pulp 0.5
12599	Rock Pulp 0.6
12600	Rock Pulp 0.4
12601	Rock Pulp 0.5
12602	Rock Pulp 0.6
12603	Rock Pulp 0.5



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: October 24, 2008

Page: 3 of 9

Part 1

CERTIFICATE OF ANALYSIS

VAN08009737.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
12604	Rock Pulp	110.6	308.4	2.9	71	0.2	13.1	16.9	1381	7.18	2	1.0	<0.1	0.5	180	<0.1	0.4	2.8	337	3.14	0.059
12605	Rock Pulp	185.7	561.3	3.6	68	0.3	16.5	20.2	1224	7.64	3	1.1	<0.1	0.6	209	<0.1	0.5	5.3	334	2.86	0.062
12606	Rock Pulp	448.8	674.5	3.1	50	0.3	15.5	21.3	980	6.49	2	1.1	<0.1	0.5	233	<0.1	0.3	5.6	344	2.36	0.057
12607	Rock Pulp	242.7	398.8	3.8	69	0.2	18.0	27.7	1278	7.49	3	1.3	<0.1	0.5	243	<0.1	0.2	4.4	360	2.12	0.062
12608	Rock Pulp	1.4	20.8	57.2	54	0.1	5.2	6.7	78	0.14	5	0.5	<0.1	0.9	135	0.3	3.6	0.3	8	7.11	0.005
12609	Rock Pulp	644.8	616.0	3.2	56	0.2	11.9	29.4	1121	8.28	2	1.2	<0.1	0.6	303	<0.1	0.2	3.4	347	2.57	0.065
12610	Rock Pulp	361.5	389.6	2.5	52	0.2	10.5	24.0	953	7.57	3	0.8	<0.1	0.3	302	<0.1	0.3	3.2	408	2.37	0.070
12611	Rock Pulp	411.6	323.3	2.6	56	<0.1	21.2	29.5	845	6.86	1	0.8	<0.1	0.4	633	<0.1	0.2	2.6	326	1.95	0.058
12612	Rock Pulp	199.1	299.8	3.1	68	0.2	22.2	31.7	1148	7.01	1	0.8	<0.1	0.4	533	<0.1	0.4	2.5	370	3.30	0.063
12613	Rock Pulp	461.1	337.6	3.1	98	0.2	20.4	29.6	1537	6.38	1	0.7	<0.1	0.5	397	<0.1	0.2	2.0	294	1.78	0.057
12614	Rock Pulp	836.0	195.8	2.6	73	0.2	16.7	22.2	1316	7.13	1	0.9	<0.1	0.4	874	<0.1	0.3	1.8	399	3.54	0.052
12615	Rock Pulp	425.9	367.0	3.3	58	0.3	19.0	16.4	1151	7.34	2	1.1	<0.1	0.5	928	0.2	0.4	4.6	449	4.71	0.053
12616	Rock Pulp	135.0	214.6	3.1	41	0.2	7.9	12.5	543	4.25	<1	1.8	<0.1	2.4	235	<0.1	0.2	1.9	139	1.07	0.050
12617	Rock Pulp	170.9	735.0	9.2	95	0.7	18.2	31.5	1245	8.04	2	0.9	<0.1	0.4	412	<0.1	0.3	11.2	357	2.27	0.048
12618	Rock Pulp	93.5	459.6	2.3	93	0.2	20.8	26.2	1160	7.20	1	0.8	<0.1	0.4	210	<0.1	0.1	3.1	434	2.47	0.057
12619	Rock Pulp	512.3	287.1	2.1	65	0.2	22.4	25.1	876	6.13	<1	0.7	<0.1	0.3	307	<0.1	0.1	2.0	329	1.66	0.052
12620	Rock Pulp	539.9	210.0	2.0	67	0.1	23.2	25.7	862	6.61	<1	1.2	<0.1	0.3	320	0.2	0.1	1.5	329	1.66	0.060
12621	Rock Pulp	630.5	290.8	2.4	64	0.1	25.8	21.7	1121	7.30	1	0.7	<0.1	0.3	325	0.2	0.1	2.5	364	2.14	0.065
12622	Rock Pulp	494.7	260.0	2.3	85	0.1	26.3	25.8	1428	7.30	1	0.7	<0.1	0.4	459	0.2	0.2	2.4	398	2.81	0.059
12623	Rock Pulp	1406	202.0	3.4	76	0.1	25.6	28.0	1327	7.90	<1	0.6	<0.1	0.4	529	<0.1	0.2	2.2	319	2.82	0.062
12624	Rock Pulp	142.1	247.7	3.0	76	0.2	29.7	27.9	1252	7.39	1	0.8	<0.1	0.4	249	<0.1	0.4	2.3	382	3.20	0.057
12625	Rock Pulp	462.2	181.6	2.2	59	0.1	23.6	24.0	1075	6.29	<1	1.1	<0.1	0.3	477	0.2	0.2	2.3	295	3.06	0.050
12626	Rock Pulp	851.3	289.5	5.8	71	0.2	31.5	21.6	887	6.18	2	0.9	<0.1	0.3	650	<0.1	0.8	4.4	279	2.13	0.055
12627	Rock Pulp	3914	135.3	2.7	68	0.1	27.0	19.6	886	4.81	1	1.0	<0.1	0.3	355	<0.1	0.3	2.6	219	2.02	0.048
12628	Rock Pulp	235.2	352.9	19.1	127	0.3	29.4	28.2	2361	7.76	5	2.0	<0.1	0.4	113	<0.1	4.1	4.0	329	1.41	0.070
12629	Rock Pulp	236.1	242.6	3.7	105	0.1	31.5	27.9	1297	6.57	2	0.8	<0.1	0.3	160	0.2	0.4	2.6	315	2.28	0.062
12630	Rock Pulp	99.1	303.5	3.0	52	0.2	14.8	13.5	1187	6.91	4	0.8	<0.1	0.4	376	<0.1	0.6	3.1	276	3.71	0.061
12631	Rock Pulp	175.7	895.2	2.2	90	0.4	50.8	27.6	1164	8.40	2	0.9	<0.1	0.3	206	<0.1	0.2	4.4	330	2.50	0.061
12632	Rock Pulp	150.9	736.1	3.4	74	0.3	16.5	24.9	994	8.02	1	1.1	<0.1	0.4	201	0.1	0.6	3.2	362	3.30	0.062
12633	Rock Pulp	274.1	524.2	4.3	72	0.3	14.1	24.8	1057	8.51	3	1.0	<0.1	0.4	140	0.1	0.3	4.5	330	3.42	0.068

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: October 24, 2008

Page: 3 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN08009737.1

Method	Analyte	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb
Unit		ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1
12604	Rock Pulp	3.8	111	1.97	70	0.512	7.66	1.513	1.30	18.9	9.2	9	4.0	18.6	1.2	<0.1	<1	36	2.9	1.8	90.6
12605	Rock Pulp	3.9	94	2.26	86	0.476	7.65	1.322	1.58	32.6	45.9	10	5.6	17.2	1.0	<0.1	<1	37	3.7	3.1	108.6
12606	Rock Pulp	3.5	92	1.94	84	0.430	6.61	1.174	1.44	23.3	22.0	8	4.8	14.3	1.0	<0.1	<1	32	2.9	2.6	103.8
12607	Rock Pulp	3.6	95	2.57	90	0.461	7.55	0.954	1.68	32.6	29.6	9	4.7	16.3	1.0	<0.1	<1	37	5.1	3.2	111.2
12608	Rock Pulp	3.9	116	0.31	555	0.031	0.91	9.540	0.46	0.3	100.0	9	8.5	3.1	1.4	<0.1	<1	<1	9.3	<0.1	12.9
12609	Rock Pulp	4.1	82	2.29	103	0.506	8.05	1.419	1.85	32.2	17.1	10	4.6	18.5	1.3	<0.1	<1	38	4.8	3.8	123.1
12610	Rock Pulp	2.6	81	1.86	112	0.412	6.13	0.889	1.80	35.6	9.7	7	4.1	14.7	1.2	<0.1	<1	27	4.6	3.7	88.6
12611	Rock Pulp	3.1	61	2.85	118	0.269	7.21	0.550	2.39	25.6	11.8	8	3.9	10.7	0.6	<0.1	<1	25	5.1	4.2	94.3
12612	Rock Pulp	2.9	44	2.98	109	0.376	7.90	0.920	2.26	40.2	12.4	8	4.3	9.3	0.8	<0.1	<1	27	5.6	2.7	70.7
12613	Rock Pulp	3.7	85	3.03	148	0.402	7.62	1.027	3.29	18.0	10.1	10	4.3	12.4	1.2	<0.1	<1	33	6.7	2.4	176.9
12614	Rock Pulp	3.3	97	2.57	81	0.446	7.57	0.441	1.78	22.7	9.3	9	3.6	16.4	1.3	<0.1	<1	37	3.5	2.2	113.7
12615	Rock Pulp	3.8	113	1.68	68	0.470	8.03	0.708	1.31	37.7	12.2	10	5.0	17.2	1.3	<0.1	<1	39	3.3	2.4	81.1
12616	Rock Pulp	9.3	123	1.41	223	0.252	6.53	1.176	2.39	23.8	49.0	24	4.6	26.3	2.2	0.1	<1	17	3.4	2.4	106.6
12617	Rock Pulp	4.2	103	2.89	167	0.412	6.86	0.675	2.36	19.8	6.8	11	5.3	15.3	1.2	<0.1	<1	35	5.8	4.3	149.5
12618	Rock Pulp	2.8	116	2.81	136	0.438	7.20	1.095	2.41	19.1	15.2	8	3.8	13.7	1.0	<0.1	<1	36	4.2	2.1	145.1
12619	Rock Pulp	3.2	147	2.73	162	0.371	6.98	1.069	2.74	18.1	9.5	8	4.5	14.2	0.7	<0.1	<1	35	5.5	2.3	172.5
12620	Rock Pulp	3.2	153	2.74	169	0.363	6.82	1.060	2.72	18.4	9.9	8	4.4	13.7	0.9	<0.1	<1	35	5.0	2.8	174.4
12621	Rock Pulp	3.1	122	2.86	129	0.373	7.43	1.114	2.42	21.6	12.4	8	3.9	13.5	0.6	<0.1	<1	37	3.8	2.9	151.0
12622	Rock Pulp	3.5	120	3.12	127	0.482	8.13	1.381	2.29	19.1	9.1	9	3.7	15.5	1.2	<0.1	<1	40	3.8	1.8	159.6
12623	Rock Pulp	3.3	93	3.02	127	0.430	7.52	1.252	2.09	20.2	8.1	9	3.2	15.2	1.0	<0.1	<1	37	7.1	3.2	133.8
12624	Rock Pulp	2.9	126	2.97	104	0.441	7.91	1.411	2.00	20.0	9.8	8	3.8	15.6	0.9	<0.1	<1	37	12.1	1.6	144.7
12625	Rock Pulp	2.7	93	2.39	68	0.368	6.47	1.038	1.43	15.1	66.5	7	3.8	13.9	0.8	<0.1	<1	31	5.0	1.6	97.0
12626	Rock Pulp	2.9	145	2.42	100	0.348	6.59	0.666	1.87	30.9	7.0	8	4.9	15.7	1.0	<0.1	<1	30	7.9	3.0	127.2
12627	Rock Pulp	2.3	164	2.01	69	0.274	5.76	0.724	1.37	18.3	6.1	6	3.2	12.6	0.9	<0.1	<1	24	5.3	1.9	96.4
12628	Rock Pulp	2.4	120	2.58	177	0.404	7.03	0.798	2.28	30.7	10.5	7	5.4	12.3	0.8	<0.1	<1	31	15.5	3.8	139.7
12629	Rock Pulp	2.0	55	3.08	157	0.365	7.48	0.935	3.10	14.0	11.8	5	3.7	7.0	0.7	<0.1	<1	26	11.9	2.2	124.2
12630	Rock Pulp	3.1	99	1.74	51	0.485	7.18	1.003	1.08	22.7	11.0	8	4.6	15.5	1.0	<0.1	<1	35	3.1	0.6	78.0
12631	Rock Pulp	2.9	98	3.03	105	0.449	7.71	1.208	2.30	28.0	10.8	8	5.3	13.0	0.9	<0.1	<1	32	6.2	3.1	131.0
12632	Rock Pulp	3.1	99	2.05	50	0.515	7.62	1.781	1.24	41.5	12.0	9	4.8	17.6	1.0	<0.1	<1	37	4.9	2.4	84.6
12633	Rock Pulp	3.1	96	2.13	46	0.507	7.31	1.483	1.12	35.7	20.6	8	5.1	18.0	1.1	<0.1	<1	37	2.5	3.1	70.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

October 24, 2008

Page:

3 of 9

Part 3

CERTIFICATE OF ANALYSIS

VAN08009737.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
12604	Rock Pulp 0.5
12605	Rock Pulp 0.4
12606	Rock Pulp 0.7
12607	Rock Pulp 0.5
12608	Rock Pulp 2.1
12609	Rock Pulp 0.4
12610	Rock Pulp 0.5
12611	Rock Pulp 0.3
12612	Rock Pulp 0.5
12613	Rock Pulp 0.4
12614	Rock Pulp 0.4
12615	Rock Pulp 0.6
12616	Rock Pulp 1.6
12617	Rock Pulp 0.3
12618	Rock Pulp 0.6
12619	Rock Pulp 0.5
12620	Rock Pulp 0.4
12621	Rock Pulp 0.5
12622	Rock Pulp 0.4
12623	Rock Pulp 0.4
12624	Rock Pulp 0.4
12625	Rock Pulp 0.4
12626	Rock Pulp 0.3
12627	Rock Pulp 0.5
12628	Rock Pulp 0.5
12629	Rock Pulp 0.4
12630	Rock Pulp 0.5
12631	Rock Pulp 0.5
12632	Rock Pulp 0.5
12633	Rock Pulp 0.6



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: October 24, 2008

Page: 4 of 9

Part 1

CERTIFICATE OF ANALYSIS

VAN08009737.1

Method	Analyte	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001
12634	Rock Pulp	1.4	20.4	61.6	42	0.2	5.0	6.1	86	0.14	4	1.0	<0.1	0.8	137	0.5	3.7	0.2	5	7.21	0.005
12635	Rock Pulp	496.7	319.5	2.6	60	0.2	10.1	27.9	927	7.79	<1	0.8	<0.1	0.4	125	0.3	0.4	2.7	334	3.77	0.067
12636	Rock Pulp	100.7	599.4	2.3	52	0.3	10.2	22.8	896	7.18	1	0.8	<0.1	0.4	130	<0.1	0.4	3.1	312	3.30	0.054
12637	Rock Pulp	48.9	670.8	2.4	58	0.4	9.3	22.9	1053	7.43	<1	0.8	<0.1	0.3	126	<0.1	0.3	7.3	311	3.38	0.058
12638	Rock Pulp	294.0	389.8	2.4	62	0.2	12.0	27.2	1049	8.57	<1	0.9	<0.1	0.4	171	<0.1	0.2	3.2	334	3.66	0.067
12639	Rock Pulp	108.8	466.5	3.8	63	0.3	12.3	31.0	1011	8.74	3	0.7	<0.1	0.4	186	<0.1	0.4	8.2	309	3.30	0.059
12640	Rock Pulp	296.5	579.4	9.2	81	0.4	13.5	28.6	1147	8.86	4	1.0	<0.1	0.4	174	0.1	0.6	7.0	300	2.44	0.066
12641	Rock Pulp	483.0	454.9	2.1	58	0.2	13.0	28.5	1000	8.80	2	0.8	<0.1	0.5	195	<0.1	0.3	2.8	313	2.81	0.075
12642	Rock Pulp	705.2	717.0	2.1	41	0.4	14.1	26.1	630	10.12	<1	1.0	<0.1	0.4	149	<0.1	0.2	8.5	276	1.90	0.055
12643	Rock Pulp	582.7	914.2	3.7	51	0.5	9.3	24.7	781	7.45	2	0.7	<0.1	0.4	152	0.2	0.4	6.5	238	2.41	0.056
12644	Rock Pulp	937.9	447.1	12.3	70	0.4	11.0	29.4	1177	7.83	3	0.9	<0.1	0.5	149	0.2	0.6	4.5	304	3.08	0.069
12645	Rock Pulp	166.5	279.3	2.5	49	0.1	11.9	18.3	1041	7.48	<1	0.8	<0.1	0.5	231	0.2	0.3	2.1	335	3.45	0.069
12646	Rock Pulp	209.4	707.7	2.9	57	0.3	12.8	30.1	1022	7.77	2	1.0	<0.1	0.4	188	<0.1	0.2	4.4	343	2.48	0.054
12647	Rock Pulp	158.4	4663	1.6	52	1.3	68.2	29.8	875	4.70	2	0.3	<0.1	0.4	263	0.3	0.2	1.0	257	5.39	0.040
12648	Rock Pulp	366.4	316.6	2.7	51	0.2	12.8	23.2	1020	8.28	2	1.1	<0.1	0.4	183	0.3	0.2	4.9	320	2.13	0.057
12649	Rock Pulp	841.3	1876	3.5	52	0.7	14.3	38.3	1156	10.67	3	2.5	<0.1	0.4	224	0.2	0.4	75.4	323	2.33	0.057
12650	Rock Pulp	232.5	547.3	3.1	55	0.3	11.9	26.6	1174	8.70	2	1.1	<0.1	0.5	245	0.2	0.3	8.9	331	2.77	0.059
12651	Rock Pulp	240.5	347.5	3.1	56	0.2	11.7	24.1	1065	7.79	1	1.0	<0.1	0.5	217	0.1	0.3	4.9	346	2.81	0.056
12652	Rock Pulp	621.2	373.7	4.3	78	0.3	13.2	31.4	1400	7.77	2	1.2	<0.1	0.6	210	0.3	0.4	4.6	345	2.78	0.063
12653	Rock Pulp	367.1	346.5	2.5	53	0.2	9.4	22.6	974	6.81	2	1.0	<0.1	0.5	168	<0.1	0.2	2.1	312	2.67	0.058
12654	Rock Pulp	354.2	601.8	3.1	58	0.3	10.4	25.0	932	8.29	3	1.1	<0.1	0.6	179	0.1	0.2	5.1	348	2.96	0.062
12655	Rock Pulp	128.6	596.5	5.9	66	0.3	23.9	32.0	1104	7.86	3	1.1	<0.1	0.6	274	0.3	0.2	4.0	337	2.61	0.058
12656	Rock Pulp	149.4	364.5	2.7	66	0.2	58.1	27.3	1500	7.19	2	0.9	<0.1	0.8	361	<0.1	0.2	2.5	391	3.43	0.057
12657	Rock Pulp	1498	271.4	3.1	69	0.2	28.3	27.4	1036	6.86	3	1.0	<0.1	0.6	292	0.3	0.2	3.8	316	1.61	0.053
12658	Rock Pulp	408.7	281.1	4.4	100	0.2	74.0	45.5	1233	7.99	4	0.6	<0.1	0.2	217	0.1	0.2	2.7	292	2.33	0.047
12659	Rock Pulp	536.2	215.5	2.2	100	0.1	92.3	45.4	1478	7.30	3	0.8	<0.1	0.7	310	<0.1	0.1	1.8	288	2.90	0.056
12660	Rock Pulp	362.4	320.4	6.2	75	0.2	46.7	28.1	1046	7.72	4	1.0	<0.1	0.6	528	<0.1	0.5	3.3	288	2.49	0.056
12661	Rock Pulp	322.1	641.8	7.4	62	0.4	16.7	28.1	858	8.58	5	1.1	<0.1	0.5	257	0.9	0.4	3.6	288	2.93	0.060
12662	Rock Pulp	310.9	223.6	4.0	44	0.2	11.9	18.5	959	7.27	1	1.1	<0.1	0.6	159	0.2	0.2	1.8	308	3.59	0.056
12663	Rock Pulp	125.2	407.3	3.1	49	0.3	12.5	19.8	883	7.48	2	1.0	<0.1	0.5	193	<0.1	0.3	2.7	306	2.92	0.056



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: October 24, 2008

Page: 4 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN08009737.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	
Unit	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
MDL	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1	
12634	Rock Pulp	3.7	131	0.31	537	0.025	0.97	9.538	0.45	0.2	92.4	9	6.7	2.8	1.3	<0.1	<1	<1	7.5	<0.1	14.1
12635	Rock Pulp	3.0	72	1.91	42	0.507	7.22	1.239	0.98	57.5	10.6	9	4.1	17.8	1.1	<0.1	<1	36	2.1	2.7	66.3
12636	Rock Pulp	2.9	86	1.78	49	0.488	6.76	1.265	1.07	28.6	9.7	8	4.6	16.1	1.0	<0.1	<1	34	2.4	2.1	74.7
12637	Rock Pulp	3.2	62	1.91	42	0.479	6.83	1.418	0.83	17.0	9.3	8	3.9	17.3	0.9	<0.1	<1	34	2.0	2.1	58.7
12638	Rock Pulp	3.6	72	2.13	49	0.530	7.65	1.571	1.05	34.5	12.5	10	3.7	18.2	1.1	<0.1	<1	38	3.4	3.3	71.2
12639	Rock Pulp	3.2	93	1.88	61	0.449	7.20	1.408	1.00	38.5	10.4	9	4.4	15.1	1.1	<0.1	<1	34	4.8	4.3	63.9
12640	Rock Pulp	3.5	94	2.43	90	0.404	7.50	0.809	1.46	33.2	9.3	10	5.5	15.5	0.8	<0.1	<1	35	9.7	5.2	79.5
12641	Rock Pulp	3.4	80	2.07	103	0.457	7.44	1.291	1.65	32.8	9.0	9	4.7	16.4	0.8	<0.1	<1	35	4.3	4.4	112.3
12642	Rock Pulp	3.2	95	1.55	71	0.335	6.31	0.820	1.65	38.9	8.8	9	4.8	15.0	0.8	<0.1	<1	29	4.0	8.1	86.5
12643	Rock Pulp	3.1	121	1.67	54	0.401	6.19	1.256	1.09	35.4	7.3	9	3.7	14.5	1.0	<0.1	<1	29	5.8	3.8	80.2
12644	Rock Pulp	3.3	87	2.22	64	0.492	7.34	1.251	1.53	29.6	8.9	10	3.9	16.4	1.1	<0.1	<1	35	11.6	3.1	106.9
12645	Rock Pulp	3.9	112	1.93	69	0.484	7.61	1.202	1.39	36.1	10.3	10	4.0	16.8	1.0	<0.1	<1	34	3.0	2.0	95.7
12646	Rock Pulp	3.2	91	2.24	76	0.384	7.07	0.913	1.63	40.9	8.0	7	5.0	12.5	0.9	<0.1	<1	31	2.9	3.7	78.3
12647	Rock Pulp	5.3	140	3.62	174	0.333	8.04	1.248	1.70	3.5	5.6	10	1.1	10.2	0.7	<0.1	<1	33	15.2	2.6	114.8
12648	Rock Pulp	3.5	75	2.14	76	0.386	7.14	0.850	1.49	33.2	7.2	8	4.4	12.8	0.7	<0.1	<1	34	3.0	4.2	98.7
12649	Rock Pulp	3.9	78	2.52	74	0.375	7.20	0.693	1.31	36.3	6.8	10	4.1	13.9	0.7	<0.1	1	35	3.5	7.1	77.9
12650	Rock Pulp	4.1	99	2.12	57	0.445	7.37	0.897	1.17	42.4	7.8	9	4.3	13.8	0.8	<0.1	<1	34	3.2	4.4	76.7
12651	Rock Pulp	3.9	104	1.98	66	0.467	7.40	1.247	1.48	28.5	8.8	9	4.5	16.7	1.0	<0.1	<1	35	2.6	3.0	96.7
12652	Rock Pulp	3.8	89	2.23	77	0.522	7.68	1.301	1.59	37.4	9.2	9	4.8	18.0	1.1	<0.1	<1	37	3.2	2.7	109.6
12653	Rock Pulp	3.9	79	1.91	68	0.486	7.08	1.357	1.45	25.8	8.4	9	4.2	17.4	1.2	<0.1	<1	34	3.2	2.1	103.9
12654	Rock Pulp	4.3	113	1.93	83	0.499	7.59	1.517	1.55	48.2	8.9	10	5.5	18.1	1.1	<0.1	<1	37	3.9	3.4	100.5
12655	Rock Pulp	4.9	147	2.44	89	0.479	7.28	1.173	1.66	31.0	10.6	11	5.5	17.4	1.2	<0.1	<1	34	5.8	3.1	119.5
12656	Rock Pulp	5.2	198	3.47	91	0.462	7.39	0.817	1.79	44.2	17.2	11	4.2	15.5	1.5	<0.1	<1	33	5.1	2.3	145.9
12657	Rock Pulp	4.3	138	2.76	110	0.399	6.67	0.875	2.00	25.3	10.6	10	4.3	14.2	0.9	<0.1	<1	29	7.1	2.8	141.8
12658	Rock Pulp	2.4	63	4.09	165	0.360	7.88	0.688	3.27	23.9	6.1	6	4.4	6.8	0.5	<0.1	<1	25	14.5	4.1	126.2
12659	Rock Pulp	5.4	186	4.83	142	0.452	8.26	0.689	2.88	21.7	25.4	11	3.9	11.2	1.3	<0.1	<1	31	9.7	2.4	188.3
12660	Rock Pulp	5.2	156	3.18	107	0.413	7.28	0.804	2.16	50.1	38.8	11	4.0	13.3	1.0	<0.1	<1	32	10.8	4.0	149.7
12661	Rock Pulp	4.1	104	2.14	64	0.434	7.05	1.242	1.41	34.7	9.3	9	4.3	16.5	0.9	<0.1	<1	33	11.5	4.7	91.4
12662	Rock Pulp	3.9	139	2.02	54	0.505	7.44	1.635	1.20	29.5	43.5	10	3.8	18.4	1.1	<0.1	<1	35	6.7	2.2	84.7
12663	Rock Pulp	3.6	135	1.94	58	0.467	7.07	1.496	1.38	23.5	7.5	9	3.9	16.7	1.2	<0.1	<1	34	3.1	2.0	90.1



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

October 24, 2008

Page:

4 of 9

Part 3

CERTIFICATE OF ANALYSIS

VAN08009737.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
12634	Rock Pulp 2.2
12635	Rock Pulp 0.6
12636	Rock Pulp 0.4
12637	Rock Pulp 0.6
12638	Rock Pulp 0.6
12639	Rock Pulp 0.5
12640	Rock Pulp 0.4
12641	Rock Pulp 0.5
12642	Rock Pulp 0.4
12643	Rock Pulp 0.4
12644	Rock Pulp 0.4
12645	Rock Pulp 0.5
12646	Rock Pulp 0.4
12647	Rock Pulp 0.3
12648	Rock Pulp 0.5
12649	Rock Pulp 0.4
12650	Rock Pulp 0.4
12651	Rock Pulp 0.6
12652	Rock Pulp 0.5
12653	Rock Pulp 0.5
12654	Rock Pulp 0.5
12655	Rock Pulp 0.5
12656	Rock Pulp 0.6
12657	Rock Pulp 0.4
12658	Rock Pulp 0.2
12659	Rock Pulp 0.7
12660	Rock Pulp 0.4
12661	Rock Pulp 0.5
12662	Rock Pulp 0.4
12663	Rock Pulp 0.5



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: October 24, 2008

Page: 5 of 9

Part 1

CERTIFICATE OF ANALYSIS

VAN08009737.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
12664	Rock Pulp	109.3	519.7	4.4	54	0.3	14.4	24.2	927	8.08	3	1.2	<0.1	0.5	222	0.1	0.4	3.3	319	3.02	0.057
12665	Rock Pulp	155.2	374.2	4.1	58	0.2	13.3	20.1	1025	7.95	3	1.0	<0.1	0.5	165	<0.1	0.4	4.7	315	2.97	0.063
12666	Rock Pulp	124.4	329.7	4.0	59	0.2	12.9	19.2	969	7.90	3	1.0	<0.1	0.5	194	<0.1	0.3	4.7	324	2.52	0.063
12667	Rock Pulp	95.3	236.0	3.0	62	0.2	9.2	22.8	882	7.38	6	0.9	<0.1	0.5	230	0.1	0.7	1.3	296	3.22	0.055
12668	Rock Pulp	92.1	322.1	3.1	50	0.2	10.5	16.2	1008	7.76	3	1.1	<0.1	0.6	228	<0.1	0.7	4.0	350	3.97	0.062
12669	Rock Pulp	67.2	336.0	3.8	46	0.2	10.1	22.0	1221	7.42	3	3.1	<0.1	0.6	267	<0.1	0.6	2.6	377	4.45	0.062
12670	Rock Pulp	1863	334.1	4.0	43	0.2	7.6	21.1	699	6.58	3	1.0	<0.1	0.4	198	0.3	0.3	3.8	301	3.99	0.051
12671	Rock Pulp	71.9	433.3	3.5	71	0.3	8.3	29.2	1009	8.78	3	1.3	<0.1	0.4	152	<0.1	0.2	5.3	327	3.82	0.057
12672	Rock Pulp	154.3	223.3	5.9	86	0.2	7.7	21.1	1142	6.46	2	0.7	<0.1	0.6	171	0.2	0.6	1.8	520	3.27	0.048
12673	Rock Pulp	137.7	152.8	3.0	57	0.1	10.8	21.2	723	5.43	1	0.5	<0.1	0.6	167	<0.1	<0.1	1.8	413	2.72	0.030
12674	Rock Pulp	142.2	350.2	2.2	55	0.2	19.6	24.6	1117	7.35	4	0.9	<0.1	0.5	356	<0.1	0.2	2.4	378	6.07	0.040
12675	Rock Pulp	61.4	573.1	2.0	46	0.3	16.3	25.6	968	7.20	3	1.0	<0.1	0.4	324	<0.1	0.2	6.6	340	5.50	0.042
12676	Rock Pulp	134.4	548.3	1.9	42	0.3	14.4	19.9	933	7.22	3	1.2	<0.1	0.4	345	0.1	0.2	7.3	339	5.56	0.040
12677	Rock Pulp	174.5	331.5	1.6	50	0.2	15.3	22.0	909	6.49	3	1.2	<0.1	0.7	294	0.1	0.2	1.4	379	4.60	0.048
12678	Rock Pulp	2.5	24.4	86.5	52	0.1	6.3	6.4	80	0.16	5	0.5	<0.1	0.8	130	0.7	3.9	0.4	2	7.16	0.005
12679	Rock Pulp	606.6	183.2	1.8	63	0.1	40.1	19.6	765	4.89	1	1.0	<0.1	0.4	138	0.1	0.2	1.0	213	3.84	0.058
12680	Rock Pulp	1472	467.0	2.7	109	0.3	77.7	28.7	1242	6.87	4	0.7	<0.1	0.4	233	<0.1	0.2	3.9	279	5.32	0.055
12681	Rock Pulp	141.3	1076	2.7	35	0.5	13.3	20.1	712	6.81	3	1.2	<0.1	0.3	409	0.1	0.3	4.5	316	5.32	0.038
12682	Rock Pulp	307.9	412.5	2.6	41	0.2	17.3	24.9	770	7.41	2	1.5	<0.1	0.4	468	<0.1	0.3	2.8	369	6.11	0.039
12683	Rock Pulp	267.6	294.4	2.1	50	0.2	16.4	20.4	701	7.08	1	1.2	<0.1	0.2	352	<0.1	0.1	3.4	324	5.04	0.035
12684	Rock Pulp	62.9	225.7	1.2	44	0.1	13.1	17.6	583	5.14	2	0.6	<0.1	0.2	158	<0.1	<0.1	1.6	201	2.56	0.026
12685	Rock Pulp	104.3	409.1	2.2	71	0.2	22.2	31.2	928	7.73	3	1.0	<0.1	0.4	294	<0.1	0.3	2.2	363	4.42	0.054
12686	Rock Pulp	49.3	302.6	1.9	63	0.1	21.8	29.6	1020	7.89	2	0.8	<0.1	0.4	183	<0.1	<0.1	1.9	350	4.34	0.047
12687	Rock Pulp	503.3	316.1	3.6	53	0.2	24.9	27.7	961	7.38	2	0.9	<0.1	0.4	353	<0.1	0.2	2.3	364	5.46	0.050
12688	Rock Pulp	235.5	354.4	4.0	54	0.3	26.3	36.5	764	8.12	2	0.9	<0.1	0.3	232	<0.1	0.8	4.7	362	5.01	0.045
12689	Rock Pulp	362.2	248.4	2.6	45	0.2	23.8	24.3	631	6.31	2	1.1	<0.1	0.9	226	<0.1	0.3	2.0	278	4.20	0.049
12690	Rock Pulp	650.7	349.7	6.1	48	0.3	14.7	11.9	497	3.41	2	2.0	<0.1	2.6	293	<0.1	0.5	3.8	77	2.96	0.066
12691	Rock Pulp	115.9	242.5	2.8	118	0.4	26.3	25.5	1955	9.10	2	0.9	<0.1	0.4	83	<0.1	0.3	4.8	327	2.14	0.045
12692	Rock Pulp	59.2	389.6	2.8	66	0.3	20.5	24.0	1241	7.41	1	1.0	<0.1	0.4	229	<0.1	0.3	4.3	321	5.22	0.044
12693	Rock Pulp	147.7	4723	1.4	60	1.3	71.9	27.3	955	5.04	2	0.4	<0.1	0.4	272	<0.1	0.3	1.3	275	5.60	0.044

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: October 24, 2008

Page: 5 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN08009737.1

Method	Analyte	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb
Unit		ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
MDL		0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	
12664	Rock Pulp	4.0	142	2.10	60	0.479	7.42	1.568	1.27	31.3	9.0	9	4.3	17.1	1.3	<0.1	<1	35	3.6	2.7	84.6
12665	Rock Pulp	4.5	145	2.13	61	0.514	7.49	1.639	1.51	28.3	6.5	10	4.0	18.4	1.2	<0.1	<1	36	6.3	2.2	105.9
12666	Rock Pulp	3.5	109	2.15	77	0.489	7.74	1.735	1.72	34.3	6.1	9	4.0	16.3	1.0	<0.1	<1	36	5.4	2.5	115.2
12667	Rock Pulp	3.9	101	1.79	65	0.493	7.00	1.300	1.43	46.8	6.0	9	4.1	16.3	1.0	<0.1	<1	33	16.0	1.5	105.7
12668	Rock Pulp	4.1	146	1.78	45	0.531	7.62	1.140	1.14	42.9	8.3	10	5.1	18.8	1.1	<0.1	<1	36	7.4	1.5	85.0
12669	Rock Pulp	3.9	134	1.94	38	0.513	7.48	1.055	1.01	43.4	10.8	10	5.7	23.2	1.1	<0.1	<1	35	4.6	1.9	78.6
12670	Rock Pulp	3.6	101	1.37	67	0.396	6.53	1.011	1.31	32.7	6.5	9	4.5	17.5	1.0	<0.1	<1	27	3.8	3.9	104.3
12671	Rock Pulp	4.1	112	1.70	73	0.458	6.69	1.435	1.29	34.9	8.2	9	5.3	16.2	1.1	<0.1	<1	31	5.7	4.1	97.5
12672	Rock Pulp	4.1	82	2.22	164	0.437	7.26	1.078	2.15	29.4	4.8	9	3.1	14.0	0.8	<0.1	<1	33	11.6	3.2	155.2
12673	Rock Pulp	3.7	78	2.27	140	0.347	6.89	1.316	2.30	8.5	4.6	9	3.4	8.3	0.8	<0.1	<1	30	6.6	3.3	164.9
12674	Rock Pulp	3.3	125	2.43	44	0.478	7.48	0.517	1.10	26.6	8.1	8	3.7	14.8	0.8	<0.1	<1	38	6.1	3.1	85.8
12675	Rock Pulp	3.2	104	2.27	39	0.440	7.02	0.442	1.00	25.7	7.0	8	4.0	14.2	0.8	<0.1	<1	34	7.0	3.9	76.8
12676	Rock Pulp	3.3	98	1.92	33	0.422	6.61	0.565	0.81	32.8	8.4	8	4.2	14.1	0.9	<0.1	<1	33	3.4	3.9	60.0
12677	Rock Pulp	4.1	115	2.41	64	0.429	7.09	0.921	1.53	31.3	10.8	10	4.0	15.6	1.2	<0.1	<1	35	4.6	3.1	116.0
12678	Rock Pulp	4.1	131	0.34	510	0.031	0.88	9.301	0.44	0.2	98.6	9	18.9	3.1	1.4	0.1	<1	<1	8.2	<0.1	13.7
12679	Rock Pulp	3.7	86	2.58	68	0.326	5.66	0.862	1.65	34.1	9.8	8	3.8	9.9	0.8	<0.1	<1	25	4.8	3.6	130.4
12680	Rock Pulp	3.7	121	3.99	86	0.387	7.01	0.504	2.52	37.4	7.2	8	4.2	11.1	1.3	<0.1	<1	31	6.2	5.3	194.2
12681	Rock Pulp	3.3	117	1.33	34	0.331	6.56	0.686	0.83	35.6	5.9	7	5.6	12.3	0.8	<0.1	<1	26	2.4	3.8	67.6
12682	Rock Pulp	3.3	117	1.64	36	0.430	7.18	0.935	0.83	50.5	9.9	7	5.2	14.4	1.1	<0.1	<1	36	2.0	5.0	68.3
12683	Rock Pulp	2.9	79	2.35	49	0.369	6.40	0.648	1.44	26.6	5.4	7	3.6	11.9	0.9	<0.1	<1	33	4.8	6.4	110.6
12684	Rock Pulp	1.7	54	1.74	48	0.263	4.20	0.355	1.14	26.4	3.0	4	2.5	7.9	0.5	<0.1	<1	23	3.9	3.4	80.9
12685	Rock Pulp	3.4	85	3.42	85	0.459	7.80	0.657	2.28	47.3	6.6	8	4.6	14.0	0.8	<0.1	<1	42	7.4	4.7	165.7
12686	Rock Pulp	3.1	106	3.01	76	0.434	7.68	1.110	1.86	28.5	5.3	7	3.8	14.7	0.9	<0.1	<1	39	6.3	4.0	139.6
12687	Rock Pulp	3.3	108	2.84	64	0.437	7.88	0.844	1.81	36.3	8.0	8	3.5	14.4	1.0	<0.1	<1	38	7.0	4.5	128.5
12688	Rock Pulp	3.3	81	2.58	109	0.354	7.11	0.916	1.89	36.0	7.3	8	5.0	11.6	0.7	<0.1	<1	36	7.4	7.3	116.3
12689	Rock Pulp	5.4	171	2.01	123	0.331	7.52	1.074	1.84	24.5	17.7	12	3.8	18.7	1.4	<0.1	<1	32	5.9	4.9	112.5
12690	Rock Pulp	11.8	131	0.98	83	0.246	6.74	1.800	1.65	10.0	45.8	27	2.3	25.5	3.1	0.2	<1	12	4.1	3.5	82.4
12691	Rock Pulp	3.8	108	2.88	95	0.394	7.17	0.384	2.60	32.3	7.9	9	4.7	14.0	0.8	<0.1	<1	36	8.4	6.1	138.9
12692	Rock Pulp	3.2	116	2.29	82	0.402	7.61	0.850	1.29	32.8	19.5	8	3.7	15.2	1.0	<0.1	<1	35	5.5	4.3	83.2
12693	Rock Pulp	5.2	196	3.68	189	0.359	8.54	1.315	1.78	6.1	5.4	11	1.0	10.9	0.7	<0.1	<1	36	17.3	2.6	107.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

October 24, 2008

Page:

5 of 9

Part 3

CERTIFICATE OF ANALYSIS

VAN08009737.1

	Method	1EX
	Analyte	Hf
	Unit	ppm
	MDL	0.1
12664	Rock Pulp	0.4
12665	Rock Pulp	0.4
12666	Rock Pulp	0.3
12667	Rock Pulp	0.6
12668	Rock Pulp	0.4
12669	Rock Pulp	0.5
12670	Rock Pulp	0.3
12671	Rock Pulp	0.4
12672	Rock Pulp	0.2
12673	Rock Pulp	0.3
12674	Rock Pulp	0.4
12675	Rock Pulp	0.5
12676	Rock Pulp	0.5
12677	Rock Pulp	0.5
12678	Rock Pulp	2.3
12679	Rock Pulp	0.3
12680	Rock Pulp	0.2
12681	Rock Pulp	0.3
12682	Rock Pulp	0.9
12683	Rock Pulp	0.4
12684	Rock Pulp	0.2
12685	Rock Pulp	0.4
12686	Rock Pulp	0.4
12687	Rock Pulp	0.4
12688	Rock Pulp	0.3
12689	Rock Pulp	1.0
12690	Rock Pulp	1.6
12691	Rock Pulp	0.3
12692	Rock Pulp	0.4
12693	Rock Pulp	0.3



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: October 24, 2008

Page: 6 of 9

Part 1

CERTIFICATE OF ANALYSIS

VAN08009737.1

Method	Analyte	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	1	0.01	0.001	
12694	Rock Pulp	242.9	244.8	2.6	45	0.2	21.9	21.0	881	6.19	2	0.8	<0.1	0.3	305	<0.1	0.2	2.1	329	6.01	0.047
12695	Rock Pulp	103.6	351.8	1.9	76	0.2	31.8	33.6	1268	8.28	2	0.8	<0.1	0.4	238	<0.1	0.1	2.9	371	4.51	0.052
12696	Rock Pulp	125.4	439.5	4.3	46	0.2	13.0	21.2	955	7.12	3	1.0	<0.1	0.5	406	<0.1	0.4	3.4	335	5.71	0.051
12697	Rock Pulp	63.6	111.8	8.2	51	0.2	15.0	31.7	557	12.12	3	0.6	<0.1	0.3	115	<0.1	0.2	5.5	319	2.32	0.046
12698	Rock Pulp	95.8	207.1	2.0	42	0.4	12.6	26.0	789	8.32	2	0.8	<0.1	0.4	181	<0.1	0.2	2.7	324	3.76	0.050
12699	Rock Pulp	177.2	281.2	3.3	54	0.2	15.7	20.3	968	8.01	3	1.6	<0.1	0.4	223	<0.1	0.4	3.5	296	4.74	0.063
12700	Rock Pulp	82.8	486.1	2.9	43	0.3	13.2	27.6	857	8.46	2	1.4	<0.1	0.4	209	<0.1	0.3	4.5	310	5.40	0.055
12701	Rock Pulp	118.1	480.4	1.9	57	0.3	13.0	28.5	1086	9.11	3	1.2	<0.1	0.4	121	<0.1	0.2	2.9	320	4.83	0.068
12702	Rock Pulp	206.1	391.4	1.9	54	0.2	15.0	30.1	1149	8.85	2	1.1	<0.1	0.4	137	<0.1	0.2	3.1	335	5.08	0.059
12703	Rock Pulp	293.2	375.2	2.0	56	0.2	14.9	28.0	1001	8.38	3	1.6	<0.1	0.3	258	<0.1	0.2	3.7	344	4.63	0.057
12704	Rock Pulp	145.7	1054	2.9	61	0.6	14.1	27.9	801	8.88	2	1.2	<0.1	0.3	99	<0.1	0.1	4.4	230	3.89	0.051
12705	Rock Pulp	349.2	534.0	2.2	55	0.3	12.8	28.9	916	8.34	3	1.0	<0.1	0.3	114	<0.1	0.2	3.4	289	4.36	0.055
12706	Rock Pulp	95.6	259.7	2.5	47	0.2	11.6	26.6	842	8.13	2	1.1	<0.1	0.3	124	<0.1	0.3	3.3	291	4.22	0.053
12707	Rock Pulp	435.1	205.1	1.8	39	0.1	10.9	19.3	604	6.62	1	1.5	<0.1	0.3	122	<0.1	0.1	2.0	245	3.71	0.044
12708	Rock Pulp	180.7	616.2	2.2	52	0.3	11.3	28.6	777	8.95	2	1.6	<0.1	0.4	164	<0.1	0.2	10.0	299	4.24	0.051
12709	Rock Pulp	178.3	682.2	2.4	48	0.4	11.4	25.2	844	8.82	3	1.0	<0.1	0.4	144	<0.1	0.1	9.7	305	4.31	0.052
12710	Rock Pulp	228.8	559.0	2.6	51	0.3	13.4	26.7	839	8.88	2	1.4	<0.1	0.4	152	<0.1	0.2	9.1	300	4.42	0.054
12711	Rock Pulp	142.5	590.6	4.0	67	0.4	11.9	30.5	923	8.12	2	1.1	<0.1	0.4	189	<0.1	0.2	4.3	346	4.66	0.055
12712	Rock Pulp	87.0	297.7	3.4	55	0.2	11.5	28.5	1154	8.01	3	1.0	<0.1	0.3	214	<0.1	0.4	2.2	385	5.69	0.054
12713	Rock Pulp	33.3	271.6	2.3	50	0.2	12.8	32.2	1005	8.39	3	1.0	<0.1	0.4	169	<0.1	0.3	2.7	330	4.87	0.057
12714	Rock Pulp	102.9	256.2	2.5	56	0.1	13.8	32.3	1065	8.59	4	1.4	<0.1	0.4	152	<0.1	0.2	2.6	289	4.84	0.060
12715	Rock Pulp	56.7	345.1	4.3	51	0.2	10.7	26.9	946	8.04	4	1.3	<0.1	0.4	142	<0.1	0.7	2.4	274	5.59	0.048
12716	Rock Pulp	266.3	251.4	3.7	145	0.2	25.6	29.4	1006	7.62	3	0.8	<0.1	0.3	147	<0.1	0.4	2.3	273	3.78	0.050
12717	Rock Pulp	272.6	173.0	3.0	58	<0.1	12.9	26.7	851	8.03	2	0.7	<0.1	0.3	193	<0.1	0.3	1.7	392	3.89	0.053
12718	Rock Pulp	200.6	380.3	3.0	52	0.2	13.4	29.1	842	8.27	2	1.0	<0.1	0.5	231	<0.1	0.2	2.4	333	4.58	0.067
12719	Rock Pulp	98.1	328.5	2.3	87	0.1	54.5	29.6	1123	8.52	3	0.9	<0.1	0.5	237	<0.1	0.2	2.8	366	5.15	0.080
12720	Rock Pulp	146.9	357.8	15.3	129	0.5	21.6	33.2	1900	10.91	7	1.4	<0.1	0.2	223	<0.1	1.3	5.2	449	4.71	0.065
12721	Rock Pulp	206.0	838.5	22.8	120	0.6	14.2	27.3	1484	7.97	5	1.2	<0.1	0.5	313	<0.1	1.9	4.7	371	4.18	0.051
12722	Rock Pulp	107.6	324.8	11.6	108	0.4	21.4	33.4	1122	8.64	2	1.1	<0.1	0.6	244	<0.1	0.5	5.0	432	3.78	0.060
12723	Rock Pulp	78.0	164.9	4.0	41	<0.1	9.7	12.5	458	4.61	3	1.4	<0.1	2.3	393	0.2	0.5	1.4	167	4.60	0.024



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: October 24, 2008

Page: 6 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN08009737.1

Method	Analyte	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb
Unit		ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1
12694	Rock Pulp	3.3	126	2.16	53	0.407	6.82	0.746	1.18	28.5	8.6	7	3.7	14.6	0.9	<0.1	<1	34	4.7	3.7	85.4
12695	Rock Pulp	3.4	125	3.31	135	0.478	8.46	1.231	2.06	25.9	6.5	8	3.8	14.9	1.0	<0.1	<1	41	6.2	4.1	155.1
12696	Rock Pulp	4.0	118	1.86	75	0.497	7.42	0.776	1.44	28.9	9.8	9	3.9	16.9	1.4	<0.1	<1	39	3.4	3.1	108.8
12697	Rock Pulp	2.5	126	2.14	14	0.307	6.08	0.643	2.54	29.5	5.6	6	8.2	7.8	0.7	<0.1	<1	35	5.0	>10	152.5
12698	Rock Pulp	3.1	83	1.69	101	0.421	6.97	1.443	1.59	18.6	4.8	7	3.6	13.1	0.8	<0.1	<1	38	3.7	5.1	95.0
12699	Rock Pulp	3.8	132	1.82	92	0.460	7.03	1.330	1.43	48.2	10.5	9	4.5	15.8	1.2	<0.1	<1	36	6.3	4.5	91.1
12700	Rock Pulp	3.3	94	1.70	80	0.453	7.48	1.097	1.28	42.4	8.1	8	5.8	15.6	1.0	<0.1	<1	40	4.1	5.0	71.2
12701	Rock Pulp	3.5	96	2.16	82	0.534	7.69	1.785	1.24	44.6	7.8	8	4.9	18.6	1.2	<0.1	<1	44	3.4	4.4	70.6
12702	Rock Pulp	3.4	126	2.25	78	0.525	7.72	1.411	1.19	29.3	7.6	8	4.0	17.3	1.1	<0.1	<1	43	4.0	4.3	81.9
12703	Rock Pulp	3.1	103	2.27	89	0.516	7.42	1.642	1.44	37.5	6.5	8	3.7	16.1	1.1	<0.1	<1	41	4.5	4.6	97.7
12704	Rock Pulp	3.8	100	1.73	72	0.442	6.99	1.473	1.71	26.7	7.7	9	5.6	14.0	1.0	<0.1	<1	39	3.4	6.0	88.4
12705	Rock Pulp	3.5	94	2.03	129	0.506	7.56	1.742	1.54	26.7	7.1	8	3.6	16.0	1.1	<0.1	<1	42	4.5	4.5	102.5
12706	Rock Pulp	3.5	70	2.09	100	0.476	7.29	1.736	1.66	18.5	5.7	8	4.0	14.3	1.1	<0.1	<1	41	4.7	4.8	103.0
12707	Rock Pulp	2.8	119	1.50	97	0.355	5.70	1.339	1.22	27.6	5.1	7	3.0	12.6	0.8	<0.1	<1	31	2.7	4.6	76.1
12708	Rock Pulp	3.4	115	1.88	89	0.453	6.79	1.338	1.34	35.0	7.2	9	4.4	15.5	1.0	<0.1	<1	38	2.6	6.2	89.6
12709	Rock Pulp	3.3	96	1.97	109	0.503	7.50	1.599	1.53	26.0	6.8	8	4.0	16.1	1.0	<0.1	<1	42	2.8	4.6	104.3
12710	Rock Pulp	3.4	103	1.97	108	0.502	7.51	1.509	1.50	27.5	10.6	8	3.8	16.0	0.9	<0.1	<1	41	3.6	4.8	93.6
12711	Rock Pulp	3.1	76	2.00	75	0.506	7.45	1.347	1.59	34.4	6.8	8	4.1	15.1	1.0	<0.1	<1	41	5.4	4.1	100.5
12712	Rock Pulp	3.4	97	2.18	57	0.525	7.67	1.045	1.18	18.8	7.5	8	3.2	17.4	1.2	<0.1	<1	42	5.2	3.2	75.1
12713	Rock Pulp	3.1	80	2.00	86	0.498	7.33	1.455	1.19	21.4	7.0	8	2.5	17.2	1.3	<0.1	<1	41	4.4	4.2	84.2
12714	Rock Pulp	3.6	90	2.58	78	0.528	7.29	0.931	1.54	26.7	7.1	9	3.7	18.0	1.1	<0.1	<1	43	10.7	4.8	111.3
12715	Rock Pulp	3.2	79	1.81	89	0.441	6.90	0.722	1.20	36.8	8.6	8	3.4	14.3	1.0	<0.1	<1	37	20.1	5.2	76.1
12716	Rock Pulp	3.1	88	2.85	122	0.403	7.68	0.929	2.07	30.1	9.5	7	3.9	11.4	0.7	<0.1	<1	39	14.4	4.7	129.6
12717	Rock Pulp	3.2	61	2.48	147	0.450	7.87	1.478	2.12	15.2	5.5	8	3.8	11.4	0.8	<0.1	<1	43	11.9	4.6	138.7
12718	Rock Pulp	4.0	94	2.44	117	0.456	7.78	1.157	1.88	29.6	46.1	8	3.6	15.6	1.0	<0.1	<1	40	8.3	4.6	130.9
12719	Rock Pulp	5.7	166	4.04	127	0.501	8.96	1.047	2.58	32.9	13.6	12	5.9	16.0	1.5	<0.1	<1	45	9.9	4.9	195.2
12720	Rock Pulp	3.6	95	3.38	101	0.546	8.40	1.708	2.04	24.8	12.6	6	6.4	15.1	0.6	<0.1	<1	51	24.2	7.1	147.3
12721	Rock Pulp	4.4	76	2.71	144	0.487	8.28	2.062	1.44	25.0	10.9	8	4.9	16.6	1.3	<0.1	<1	41	28.6	4.6	101.8
12722	Rock Pulp	4.7	84	3.30	153	0.483	9.15	1.350	2.27	27.6	11.8	9	5.4	14.7	1.1	<0.1	<1	44	20.5	4.6	162.3
12723	Rock Pulp	8.8	136	1.19	119	0.266	7.29	1.077	1.25	17.0	22.3	19	3.0	26.5	2.6	0.2	<1	23	6.5	3.0	76.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

October 24, 2008

Page:

6 of 9

Part 3

CERTIFICATE OF ANALYSIS

VAN08009737.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
12694	Rock Pulp 0.6
12695	Rock Pulp 0.4
12696	Rock Pulp 0.6
12697	Rock Pulp 0.3
12698	Rock Pulp 0.3
12699	Rock Pulp 0.6
12700	Rock Pulp 0.5
12701	Rock Pulp 0.5
12702	Rock Pulp 0.5
12703	Rock Pulp 0.4
12704	Rock Pulp 0.5
12705	Rock Pulp 0.5
12706	Rock Pulp 0.4
12707	Rock Pulp 0.3
12708	Rock Pulp 0.5
12709	Rock Pulp 0.4
12710	Rock Pulp 0.4
12711	Rock Pulp 0.5
12712	Rock Pulp 0.3
12713	Rock Pulp 0.5
12714	Rock Pulp 0.4
12715	Rock Pulp 0.4
12716	Rock Pulp 0.4
12717	Rock Pulp 0.4
12718	Rock Pulp 0.4
12719	Rock Pulp 0.6
12720	Rock Pulp 0.5
12721	Rock Pulp 0.5
12722	Rock Pulp 0.5
12723	Rock Pulp 0.9



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: October 24, 2008

Page: 7 of 9

Part 1

CERTIFICATE OF ANALYSIS

VAN08009737.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
12724	Rock Pulp	314.5	403.1	8.1	99	0.3	18.1	28.9	925	8.63	3	1.0	<0.1	0.4	255	<0.1	0.4	3.6	397	5.25	0.051
12725	Rock Pulp	2.7	26.9	72.4	57	0.2	8.3	7.0	108	0.29	5	0.7	<0.1	1.1	150	0.7	4.7	0.5	8	7.62	0.006
12726	Rock Pulp	370.9	378.9	8.1	92	0.4	16.0	25.0	943	10.83	5	1.3	<0.1	0.2	158	<0.1	0.3	6.5	377	4.62	0.052
12727	Rock Pulp	234.7	201.7	3.3	71	0.2	16.3	24.3	958	9.09	2	1.4	<0.1	0.5	198	<0.1	0.4	1.9	363	4.78	0.056
12728	Rock Pulp	277.5	258.6	2.3	55	0.1	13.0	20.0	858	8.14	2	1.5	<0.1	0.2	191	<0.1	0.2	2.3	348	4.22	0.051
12729	Rock Pulp	68.0	371.8	2.6	68	0.2	17.9	28.2	1210	9.08	2	1.3	<0.1	0.4	237	<0.1	0.2	2.1	431	5.34	0.062
12730	Rock Pulp	68.1	266.6	4.8	139	0.2	16.8	28.7	1755	8.52	1	1.1	<0.1	0.4	207	<0.1	0.2	3.8	414	5.05	0.052
12731	Rock Pulp	298.5	155.0	3.4	68	0.1	15.8	20.5	811	6.31	<1	1.1	<0.1	0.2	186	<0.1	0.2	1.8	315	4.69	0.041
12732	Rock Pulp	173.4	407.3	3.0	69	0.2	18.8	31.1	1170	8.74	1	1.1	<0.1	0.3	242	<0.1	0.2	5.2	442	5.71	0.052
12733	Rock Pulp	1178	299.7	3.9	84	0.2	20.5	31.6	1017	8.11	1	1.4	<0.1	0.4	183	<0.1	0.2	2.4	367	5.22	0.044
12734	Rock Pulp	308.5	427.9	3.1	72	0.2	18.5	26.4	1085	7.89	1	1.1	<0.1	0.3	201	<0.1	0.2	3.8	400	5.73	0.048
12735	Rock Pulp	324.9	310.9	2.8	68	0.2	15.7	19.2	921	7.71	2	1.1	<0.1	0.3	172	<0.1	0.1	2.5	381	4.74	0.046
12736	Rock Pulp	212.3	1506	3.4	92	0.8	21.0	26.3	1226	8.46	<1	1.3	<0.1	0.4	191	<0.1	0.1	3.7	411	4.49	0.054
12737	Rock Pulp	65.0	569.7	3.3	75	0.3	18.2	25.5	1129	7.84	<1	1.3	<0.1	0.3	229	<0.1	0.1	6.4	421	4.69	0.052
12738	Rock Pulp	163.1	221.0	2.2	48	0.1	13.7	19.8	940	6.72	<1	0.8	<0.1	0.3	186	<0.1	0.1	1.7	349	4.35	0.040
12739	Rock Pulp	77.3	384.6	2.3	64	0.1	18.2	25.1	1060	8.19	1	1.2	<0.1	0.4	228	<0.1	0.2	2.4	414	5.40	0.049
12740	Rock Pulp	205.1	452.7	4.0	82	0.2	18.8	25.2	1289	8.69	1	1.3	<0.1	0.6	234	0.1	0.2	6.0	434	5.53	0.056
12741	Rock Pulp	205.1	1056	3.5	101	0.5	19.9	27.3	1428	8.81	1	1.2	<0.1	0.4	217	<0.1	0.2	2.5	436	5.55	0.055
12742	Rock Pulp	174.8	330.6	4.1	107	0.2	19.0	28.1	1419	7.75	<1	1.0	<0.1	0.4	241	<0.1	0.2	2.1	403	5.50	0.048
12743	Rock Pulp	27.7	182.5	4.6	68	0.1	7.6	12.8	705	4.02	2	3.0	<0.1	5.2	229	0.1	0.3	2.9	162	2.67	0.035
12744	Rock Pulp	2.9	44.4	8.0	12	<0.1	3.0	2.0	143	1.28	<1	5.0	<0.1	7.4	295	0.1	0.2	1.9	21	1.25	0.022
12745	Rock Pulp	3.3	84.1	11.9	21	<0.1	4.0	1.8	311	1.13	<1	5.7	<0.1	8.0	290	0.1	0.3	1.7	15	1.07	0.022
12746	Rock Pulp	2.4	28.3	7.9	14	<0.1	2.9	1.6	133	1.15	<1	4.9	<0.1	7.4	286	<0.1	0.1	1.5	23	1.29	0.022
12747	Rock Pulp	3.2	30.2	5.7	12	<0.1	3.2	1.4	115	1.44	<1	4.0	<0.1	7.8	295	<0.1	0.2	1.4	25	1.14	0.021
12748	Rock Pulp	3.5	21.2	6.9	9	0.1	2.9	2.2	124	1.55	<1	4.4	<0.1	7.6	297	<0.1	0.3	1.3	31	1.27	0.022
12749	Rock Pulp	1.9	23.3	6.5	17	<0.1	3.7	1.9	141	1.39	<1	4.6	<0.1	8.1	274	<0.1	0.3	1.6	22	1.35	0.022
12750	Rock Pulp	313.5	225.4	4.2	76	0.1	20.1	24.3	1290	7.10	3	0.8	<0.1	0.4	247	<0.1	0.2	1.5	368	5.39	0.046
12751	Rock Pulp	161.9	4901	1.4	55	1.9	81.0	27.3	976	4.98	1	0.3	<0.1	0.6	275	<0.1	0.3	1.2	276	5.84	0.049
12752	Rock Pulp	244.2	187.4	4.1	83	0.1	21.0	29.0	1405	7.52	<1	0.9	<0.1	0.3	230	<0.1	0.5	1.7	381	5.57	0.048
12753	Rock Pulp	503.1	201.7	6.9	59	0.2	17.6	22.3	1041	7.24	<1	1.4	<0.1	0.3	191	<0.1	0.9	1.8	345	4.49	0.041



AcmeLabs ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Huckleberry Mines Limited

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: October 24, 2008

Page: 7 of 9 **Part** 2

CERTIFICATE OF ANALYSIS

VAN08009737.1

Method	Analyte	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb
Unit		ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1
12724	Rock Pulp	3.3	103	2.63	92	0.449	8.03	0.842	1.80	30.6	9.1	6	4.3	14.1	1.1	<0.1	<1	42	13.1	5.8	128.9
12725	Rock Pulp	5.4	207	0.35	583	0.037	1.23	>10	0.50	0.9	105.4	9	58.1	4.2	1.7	<0.1	<1	1	9.3	0.1	16.1
12726	Rock Pulp	3.1	105	2.38	77	0.451	7.49	1.376	1.51	32.6	12.5	5	5.9	14.0	0.9	<0.1	<1	44	8.1	7.1	107.6
12727	Rock Pulp	3.9	96	2.69	100	0.485	7.75	1.461	2.07	63.6	35.8	8	5.1	13.6	1.0	<0.1	<1	45	9.0	5.7	143.6
12728	Rock Pulp	2.2	98	2.29	82	0.429	6.91	1.351	1.49	44.7	11.1	4	4.1	14.3	0.9	<0.1	<1	39	3.6	5.3	101.6
12729	Rock Pulp	3.6	103	2.74	112	0.523	8.31	1.563	1.51	33.9	11.5	6	4.3	16.2	1.0	<0.1	<1	47	4.4	5.0	101.8
12730	Rock Pulp	2.6	93	2.50	110	0.499	8.05	1.206	1.90	30.8	11.2	5	4.3	14.1	1.1	<0.1	<1	46	7.2	5.9	126.7
12731	Rock Pulp	2.4	122	2.03	90	0.365	6.31	1.044	1.58	21.7	10.1	4	3.6	11.8	1.1	<0.1	<1	36	8.3	5.1	110.9
12732	Rock Pulp	2.8	94	2.77	119	0.511	8.66	1.483	1.70	31.3	10.6	5	3.6	15.7	0.8	<0.1	<1	49	5.8	5.4	114.8
12733	Rock Pulp	2.6	166	2.70	102	0.393	7.14	1.372	2.06	59.0	13.8	4	4.0	11.7	0.8	<0.1	<1	42	5.3	6.1	142.9
12734	Rock Pulp	2.8	114	2.32	96	0.494	7.75	1.218	1.51	38.8	10.7	5	5.0	15.7	0.9	<0.1	<1	43	4.6	4.3	108.8
12735	Rock Pulp	2.9	112	2.17	102	0.421	7.27	1.591	1.53	29.0	9.8	5	3.9	12.6	0.7	<0.1	<1	39	5.8	4.6	108.6
12736	Rock Pulp	3.2	100	2.77	156	0.515	7.98	1.832	2.07	23.6	9.4	6	5.0	14.3	0.7	<0.1	<1	47	5.8	4.0	145.6
12737	Rock Pulp	2.7	92	2.89	142	0.489	8.10	1.771	1.96	26.8	10.6	5	4.6	13.8	1.1	<0.1	<1	47	6.7	4.2	135.9
12738	Rock Pulp	2.5	85	2.35	98	0.393	6.80	1.360	1.32	22.0	9.6	4	3.8	12.6	0.7	<0.1	<1	39	5.5	3.4	84.4
12739	Rock Pulp	2.9	90	2.74	111	0.445	7.77	1.484	1.61	39.7	10.4	5	3.5	14.6	0.9	<0.1	<1	46	6.5	5.4	104.7
12740	Rock Pulp	3.9	116	2.92	119	0.545	8.58	1.799	1.65	36.9	10.4	8	4.9	16.3	1.0	<0.1	<1	48	5.7	4.4	111.3
12741	Rock Pulp	2.7	115	2.82	120	0.545	8.49	1.754	1.64	39.0	12.3	5	4.6	16.3	1.7	<0.1	<1	50	6.6	4.2	110.1
12742	Rock Pulp	2.7	101	2.78	118	0.505	8.17	1.555	1.32	21.3	9.8	5	3.1	14.4	1.5	<0.1	<1	46	8.1	3.8	86.2
12743	Rock Pulp	11.8	103	1.12	217	0.235	7.17	1.534	2.19	10.0	46.6	21	3.1	8.5	4.0	0.3	<1	18	4.7	2.7	92.8
12744	Rock Pulp	15.3	92	0.19	86	0.070	6.80	2.261	2.71	3.0	65.4	29	1.3	5.6	5.3	0.4	1	2	3.0	2.1	85.8
12745	Rock Pulp	16.5	119	0.21	121	0.073	6.80	2.877	3.27	1.9	71.3	30	0.5	5.5	6.4	0.5	2	2	3.5	1.5	98.5
12746	Rock Pulp	16.5	86	0.18	80	0.077	6.81	1.981	3.04	2.7	67.1	29	1.4	6.1	6.2	0.4	1	2	2.8	2.0	101.2
12747	Rock Pulp	16.8	90	0.20	76	0.081	6.95	1.207	3.12	4.2	69.9	30	2.0	6.4	6.5	0.5	2	2	3.5	2.4	99.6
12748	Rock Pulp	16.5	82	0.21	65	0.088	7.12	1.200	3.22	5.1	72.0	31	2.1	6.5	7.9	0.5	1	2	3.8	2.5	103.9
12749	Rock Pulp	17.5	92	0.22	64	0.074	6.82	1.844	2.77	3.8	69.2	32	2.1	6.2	6.7	0.4	1	2	4.3	2.4	87.0
12750	Rock Pulp	2.8	97	2.73	140	0.456	8.57	1.636	1.68	18.6	10.5	5	3.3	13.9	1.1	<0.1	<1	44	6.3	3.5	110.3
12751	Rock Pulp	6.0	221	3.95	198	0.365	8.79	1.376	1.75	7.3	5.7	10	1.2	11.3	0.8	<0.1	<1	38	16.4	2.8	115.1
12752	Rock Pulp	2.4	119	2.80	131	0.488	8.55	1.548	1.59	29.6	8.7	4	2.6	14.4	1.2	<0.1	<1	45	8.6	3.5	108.4
12753	Rock Pulp	2.7	96	2.46	112	0.403	7.48	1.568	1.51	30.9	10.4	4	4.1	11.4	1.2	<0.1	<1	40	7.7	4.6	102.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

October 24, 2008

Page:

7 of 9

Part 3

CERTIFICATE OF ANALYSIS

VAN08009737.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
12724	Rock Pulp 0.4
12725	Rock Pulp 2.5
12726	Rock Pulp 0.6
12727	Rock Pulp 0.5
12728	Rock Pulp 0.4
12729	Rock Pulp 0.5
12730	Rock Pulp 0.4
12731	Rock Pulp 0.3
12732	Rock Pulp 0.6
12733	Rock Pulp 0.6
12734	Rock Pulp 0.5
12735	Rock Pulp 0.4
12736	Rock Pulp 0.4
12737	Rock Pulp 0.5
12738	Rock Pulp 0.4
12739	Rock Pulp 0.4
12740	Rock Pulp 0.6
12741	Rock Pulp 0.5
12742	Rock Pulp 0.4
12743	Rock Pulp 1.7
12744	Rock Pulp 2.1
12745	Rock Pulp 2.5
12746	Rock Pulp 2.3
12747	Rock Pulp 2.5
12748	Rock Pulp 2.4
12749	Rock Pulp 2.5
12750	Rock Pulp 0.5
12751	Rock Pulp 0.2
12752	Rock Pulp 0.5
12753	Rock Pulp 0.4



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: October 24, 2008

Page: 8 of 9

Part 1

CERTIFICATE OF ANALYSIS

VAN08009737.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
12754	Rock Pulp	235.6	259.3	3.3	66	0.2	17.2	21.5	1060	8.02	<1	1.2	<0.1	0.3	205	<0.1	0.2	3.1	388	4.30	0.045
12755	Rock Pulp	321.9	279.0	2.5	62	0.2	19.1	23.5	1070	8.33	1	1.1	<0.1	0.3	218	0.2	0.2	4.3	392	4.53	0.053
12756	Rock Pulp	195.8	121.1	2.9	59	<0.1	16.7	23.2	855	8.77	<1	0.8	<0.1	0.2	196	<0.1	0.1	2.2	385	3.73	0.042
12757	Rock Pulp	139.1	377.0	2.5	64	0.2	17.6	29.9	1008	9.16	<1	1.3	<0.1	0.3	179	0.1	0.2	2.9	422	4.05	0.053
12758	Rock Pulp	572.6	693.3	1.8	76	0.4	19.3	31.2	1182	9.70	1	1.8	<0.1	0.4	155	0.2	0.2	5.8	440	3.89	0.060
12759	Rock Pulp	312.2	383.2	4.3	58	0.2	23.2	28.1	808	8.92	2	1.0	<0.1	0.2	218	0.2	0.1	14.1	380	4.38	0.046
12760	Rock Pulp	95.7	394.3	1.6	66	0.2	36.6	26.0	1340	7.84	<1	1.0	<0.1	0.3	250	<0.1	0.1	2.1	409	5.08	0.048
12761	Rock Pulp	115.5	241.8	1.4	44	0.1	16.7	24.1	843	6.40	<1	0.9	<0.1	0.2	170	<0.1	0.1	2.5	298	3.65	0.037
12762	Rock Pulp	135.2	298.8	2.5	65	0.1	19.6	23.1	1010	7.60	<1	1.1	<0.1	0.3	228	<0.1	0.3	2.3	380	4.62	0.045
12763	Rock Pulp	5.2	23.3	60.7	52	0.2	7.7	6.3	92	0.24	4	0.6	<0.1	1.0	140	0.5	3.9	0.5	9	7.15	0.006
12764	Rock Pulp	215.9	397.0	1.6	47	0.2	17.1	21.4	719	7.39	1	0.9	<0.1	0.3	182	0.2	0.1	3.0	335	3.66	0.041
12765	Rock Pulp	208.9	267.0	2.0	51	0.1	18.9	21.0	757	6.74	<1	0.8	<0.1	0.3	213	0.1	<0.1	2.1	334	4.64	0.043
12766	Rock Pulp	254.2	282.5	3.3	72	0.2	18.1	23.1	956	7.77	<1	1.4	<0.1	0.3	210	<0.1	0.2	2.1	415	4.41	0.051
12767	Rock Pulp	286.8	402.0	2.5	60	0.2	20.4	27.0	964	7.65	<1	0.9	<0.1	0.4	211	<0.1	0.1	3.5	373	4.78	0.047
12768	Rock Pulp	273.8	243.4	1.7	55	0.1	16.7	25.8	835	7.06	<1	0.8	<0.1	0.3	214	<0.1	0.2	2.6	326	4.68	0.042
12769	Rock Pulp	141.4	196.4	1.7	49	0.1	16.4	21.8	698	6.39	<1	0.9	<0.1	0.5	200	<0.1	0.1	2.9	280	4.77	0.069
12770	Rock Pulp	175.4	156.6	2.4	56	<0.1	15.4	21.0	873	5.90	<1	0.8	<0.1	0.5	202	0.1	0.2	1.0	282	4.40	0.061
12771	Rock Pulp	188.2	211.4	1.9	56	<0.1	19.1	29.0	977	7.68	<1	1.4	<0.1	0.5	248	<0.1	0.2	1.9	365	5.06	0.043
12772	Rock Pulp	260.8	167.7	2.3	47	<0.1	16.2	21.4	699	6.30	<1	0.9	<0.1	0.2	203	0.2	0.2	2.3	328	4.93	0.038
12773	Rock Pulp	1288	385.2	10.4	66	0.4	15.0	29.9	833	9.69	4	2.3	<0.1	0.3	131	0.3	0.3	10.8	303	4.68	0.035
12774	Rock Pulp	56.1	243.7	1.9	55	0.2	18.6	27.7	983	7.20	<1	1.2	<0.1	0.3	211	<0.1	0.2	1.5	364	5.16	0.045
12775	Rock Pulp	396.8	136.5	2.5	45	0.1	15.6	22.9	700	7.37	<1	0.8	<0.1	0.3	208	<0.1	0.2	2.1	285	4.96	0.031
12776	Rock Pulp	100.2	336.6	1.8	57	0.2	19.2	32.6	1019	8.12	<1	1.3	<0.1	0.3	228	<0.1	0.2	2.8	385	5.34	0.045
12777	Rock Pulp	71.2	267.4	2.1	50	0.1	17.7	30.1	985	8.09	<1	1.0	<0.1	0.3	220	<0.1	0.2	1.1	382	5.42	0.044
12778	Rock Pulp	55.9	570.4	1.5	49	0.2	20.8	31.4	1059	8.56	<1	1.1	<0.1	0.3	230	<0.1	0.3	1.8	416	5.37	0.047
12779	Rock Pulp	80.3	636.5	1.7	45	0.3	20.9	35.1	937	9.01	<1	1.6	<0.1	0.2	215	0.1	0.2	2.3	372	4.96	0.047
12780	Rock Pulp	45.6	342.7	1.4	52	0.2	18.6	31.1	1148	8.27	<1	0.9	<0.1	0.3	209	<0.1	0.3	3.4	381	5.11	0.043
12781	Rock Pulp	222.2	422.7	1.7	63	0.2	17.4	26.8	1275	8.62	<1	1.2	<0.1	0.3	203	<0.1	0.2	5.2	426	4.68	0.049
12782	Rock Pulp	161.6	536.3	1.5	37	0.3	14.2	27.8	702	7.67	<1	1.0	<0.1	0.4	233	<0.1	0.1	4.3	249	4.92	0.044
12783	Rock Pulp	122.2	814.1	1.4	43	0.3	16.0	15.8	697	7.49	<1	1.2	<0.1	0.3	220	0.1	0.1	5.3	303	4.75	0.041

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: October 24, 2008

Page: 8 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN08009737.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	
Unit	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
MDL	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1	
12754	Rock Pulp	2.2	98	2.48	128	0.381	7.79	1.460	1.76	30.8	11.4	6	3.1	9.7	0.7	<0.1	<1	39	6.4	5.2	98.8
12755	Rock Pulp	2.2	106	2.55	126	0.436	7.95	1.655	1.75	30.3	12.6	6	4.1	11.8	0.8	<0.1	<1	41	7.3	4.8	113.0
12756	Rock Pulp	2.1	78	2.58	148	0.368	7.73	1.521	2.27	34.6	25.2	5	4.2	7.0	1.0	<0.1	<1	39	6.4	5.2	141.3
12757	Rock Pulp	2.8	94	2.82	105	0.422	7.42	1.131	2.09	36.0	12.3	7	4.1	14.9	0.6	<0.1	<1	42	10.5	5.3	144.3
12758	Rock Pulp	2.9	94	3.68	106	0.482	7.14	0.971	2.36	51.0	30.9	7	4.8	12.8	0.9	<0.1	<1	48	9.2	5.8	165.8
12759	Rock Pulp	2.4	80	2.90	140	0.396	7.71	1.553	2.30	30.5	9.8	5	5.2	9.5	0.6	<0.1	<1	39	5.6	7.0	143.2
12760	Rock Pulp	2.7	106	3.35	125	0.460	8.06	1.632	1.91	39.9	9.5	6	4.0	12.1	1.2	<0.1	<1	41	4.5	3.3	100.8
12761	Rock Pulp	1.8	79	2.01	98	0.344	5.86	1.184	1.24	24.7	8.9	4	3.1	9.7	0.7	<0.1	<1	30	3.4	3.6	86.2
12762	Rock Pulp	2.0	84	2.57	138	0.421	7.70	1.563	1.86	29.1	7.9	5	3.5	11.2	0.9	<0.1	<1	39	5.6	4.3	107.6
12763	Rock Pulp	4.0	192	0.33	551	0.030	0.96	9.420	0.49	0.5	98.7	9	33.3	3.1	1.4	<0.1	<1	<1	9.0	<0.1	13.8
12764	Rock Pulp	2.1	87	2.33	134	0.343	7.15	1.373	2.01	22.6	7.5	5	3.9	7.4	0.7	<0.1	<1	36	5.1	4.9	130.8
12765	Rock Pulp	2.1	110	2.42	127	0.355	7.29	1.350	2.10	15.9	10.4	5	3.4	8.0	0.8	<0.1	<1	37	5.4	5.0	144.0
12766	Rock Pulp	2.5	98	2.72	124	0.413	7.25	1.211	2.25	21.4	13.1	6	3.3	9.8	0.7	<0.1	<1	43	10.7	4.5	156.1
12767	Rock Pulp	2.4	71	2.68	148	0.432	7.75	1.432	2.14	20.4	12.5	6	4.2	10.1	1.1	<0.1	<1	40	6.5	4.8	143.6
12768	Rock Pulp	2.0	74	2.37	124	0.359	7.03	1.215	1.69	20.8	7.3	5	3.1	10.7	1.2	<0.1	<1	36	5.6	5.3	112.5
12769	Rock Pulp	4.2	67	2.23	103	0.366	6.47	1.288	1.74	24.3	10.0	10	2.8	11.7	1.1	<0.1	<1	31	5.0	5.1	120.2
12770	Rock Pulp	3.9	76	2.23	100	0.383	6.43	1.184	1.45	29.6	14.7	9	3.0	12.3	1.5	<0.1	<1	31	3.2	3.7	101.3
12771	Rock Pulp	2.4	82	2.46	121	0.420	7.73	1.406	1.57	29.1	7.5	6	2.8	12.9	1.0	<0.1	<1	39	4.1	5.1	103.2
12772	Rock Pulp	2.1	105	2.33	132	0.315	7.41	1.159	1.77	23.2	13.3	5	3.4	9.2	0.6	<0.1	<1	37	6.5	5.5	119.6
12773	Rock Pulp	2.9	81	2.06	63	0.243	6.49	0.571	1.58	53.8	10.6	6	4.1	8.3	1.2	<0.1	<1	34	16.0	>10	105.3
12774	Rock Pulp	2.3	80	2.48	109	0.406	8.00	1.255	1.42	29.4	8.3	6	2.4	12.6	0.9	<0.1	<1	40	7.9	4.8	100.5
12775	Rock Pulp	2.0	90	1.98	102	0.289	6.11	1.021	1.37	27.8	6.9	4	2.5	9.7	0.8	<0.1	<1	31	6.0	7.3	89.6
12776	Rock Pulp	2.6	78	2.56	126	0.439	8.23	1.403	1.35	60.9	12.2	7	2.7	13.7	0.8	<0.1	<1	42	6.9	4.9	92.5
12777	Rock Pulp	2.4	84	2.48	127	0.441	8.32	1.311	1.38	34.4	8.4	6	2.3	13.2	0.8	<0.1	<1	42	5.5	4.5	97.9
12778	Rock Pulp	2.3	101	2.69	122	0.477	8.54	1.337	1.36	44.3	8.7	6	3.0	13.8	0.9	<0.1	<1	44	5.2	4.7	96.3
12779	Rock Pulp	2.0	76	2.47	111	0.418	7.41	1.221	1.28	73.4	6.8	5	2.4	12.0	0.9	<0.1	<1	38	5.7	6.9	69.9
12780	Rock Pulp	2.2	71	2.52	112	0.437	7.71	1.288	1.09	26.0	8.6	5	2.2	14.0	1.0	<0.1	<1	40	4.5	4.9	72.0
12781	Rock Pulp	2.7	97	2.62	131	0.473	8.10	1.406	1.37	35.4	8.7	6	4.2	13.7	0.8	<0.1	<1	44	4.8	4.3	97.2
12782	Rock Pulp	3.0	100	1.67	67	0.372	6.36	0.817	1.14	24.3	7.5	7	3.7	12.7	1.2	<0.1	<1	34	4.0	5.2	86.3
12783	Rock Pulp	2.4	122	1.71	43	0.373	6.00	0.509	0.96	34.1	5.6	6	4.6	13.5	1.0	<0.1	<1	37	3.4	5.0	76.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

October 24, 2008

Page:

8 of 9

Part 3

CERTIFICATE OF ANALYSIS

VAN08009737.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
12754	Rock Pulp 0.4
12755	Rock Pulp 0.5
12756	Rock Pulp 0.3
12757	Rock Pulp 0.4
12758	Rock Pulp 0.5
12759	Rock Pulp 0.4
12760	Rock Pulp 0.4
12761	Rock Pulp 0.5
12762	Rock Pulp 0.4
12763	Rock Pulp 2.3
12764	Rock Pulp 0.4
12765	Rock Pulp 0.4
12766	Rock Pulp 0.6
12767	Rock Pulp 0.5
12768	Rock Pulp 0.3
12769	Rock Pulp 0.4
12770	Rock Pulp 0.5
12771	Rock Pulp 0.6
12772	Rock Pulp 0.4
12773	Rock Pulp 0.5
12774	Rock Pulp 0.4
12775	Rock Pulp 0.3
12776	Rock Pulp 0.4
12777	Rock Pulp 0.4
12778	Rock Pulp 0.4
12779	Rock Pulp 0.4
12780	Rock Pulp 0.4
12781	Rock Pulp 0.6
12782	Rock Pulp 0.4
12783	Rock Pulp 0.3



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: October 24, 2008

Page: 9 of 9

Part 1

CERTIFICATE OF ANALYSIS

VAN08009737.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
12784	Rock Pulp	1003	877.4	2.2	45	0.5	18.1	27.4	868	9.10	2	1.4	<0.1	0.4	369	0.3	0.3	5.2	329	6.91	0.056
12785	Rock Pulp	100.7	619.9	2.4	39	0.4	17.3	22.2	885	7.97	2	1.4	<0.1	0.4	407	<0.1	0.4	3.6	238	6.21	0.039
12786	Rock Pulp	78.1	464.9	2.3	35	0.2	17.8	19.5	687	7.47	2	1.0	<0.1	0.3	313	<0.1	0.3	2.7	275	5.51	0.037
12787	Rock Pulp	100.6	248.1	1.9	43	0.1	18.5	27.2	719	10.20	1	1.6	<0.1	0.3	187	<0.1	<0.1	2.4	371	3.39	0.048
12788	Rock Pulp	765.0	270.0	1.7	43	0.1	19.1	21.0	689	7.34	<1	1.1	<0.1	0.3	223	<0.1	<0.1	1.7	348	4.06	0.039
12789	Rock Pulp	448.6	5704	7.4	47	2.1	2.5	2.1	441	1.07	7	1.1	<0.1	0.8	493	<0.1	7.6	0.8	54	2.37	0.033
12790	Rock Pulp	90.2	236.7	8.4	101	0.7	15.2	13.5	1087	7.15	2	0.8	<0.1	0.7	233	0.2	0.3	1.6	273	2.10	0.060
12791	Rock Pulp	229.4	85.8	4.4	18	0.1	5.3	4.3	191	3.40	4	1.3	<0.1	1.1	151	0.1	0.2	1.5	61	0.48	0.021
12792	Rock Pulp	370.9	159.4	4.8	28	1.6	6.3	6.1	331	4.05	1	1.2	<0.1	1.1	268	0.2	0.3	1.4	88	1.00	0.040
12793	Rock Pulp	147.5	316.5	5.0	73	0.3	8.3	8.9	497	5.04	3	1.0	<0.1	0.9	421	0.1	0.2	6.3	133	1.60	0.061
12794	Rock Pulp	191.5	407.7	4.4	72	0.2	16.8	26.4	1020	9.75	3	0.6	<0.1	0.5	432	<0.1	0.1	4.7	356	1.64	0.064
12795	Rock Pulp	142.8	467.6	2.8	57	0.2	17.0	27.9	971	9.54	4	0.8	<0.1	0.5	665	<0.1	0.1	3.4	375	2.81	0.066
12796	Rock Pulp	85.2	749.8	4.6	66	0.3	17.6	34.8	834	10.69	20	0.9	<0.1	0.4	558	0.2	0.3	9.0	357	2.03	0.065
12797	Rock Pulp	189.8	686.5	5.3	41	0.3	15.3	19.5	579	8.51	4	1.2	<0.1	0.5	531	0.2	0.4	9.1	226	1.70	0.064
12798	Rock Pulp	34.9	866.3	4.1	60	0.5	16.0	32.0	797	9.04	3	1.3	<0.1	0.4	428	0.1	0.3	5.0	318	2.29	0.064
12799	Rock Pulp	118.1	609.1	2.6	58	0.3	14.8	34.4	958	9.71	3	1.1	<0.1	0.5	391	0.1	0.4	5.5	315	3.14	0.056
12800	Rock Pulp	24.3	422.2	3.7	37	0.2	21.0	29.5	585	7.54	2	2.6	<0.1	2.9	233	<0.1	0.6	7.8	151	1.77	0.082
12801	Rock Pulp	169.6	436.5	2.8	56	0.2	14.0	29.2	920	9.19	4	0.9	<0.1	0.4	346	<0.1	0.3	5.3	331	2.54	0.061
12802	Rock Pulp	1.3	23.2	65.1	47	0.2	6.2	6.1	88	0.17	4	0.4	<0.1	0.9	143	0.7	4.1	0.4	1	7.39	0.005
12803	Rock Pulp	71.3	406.1	1.9	56	0.2	15.4	28.4	956	8.97	2	0.7	<0.1	0.4	354	<0.1	0.1	3.0	352	3.00	0.068



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: October 24, 2008

Page: 9 of 9 Part 2

CERTIFICATE OF ANALYSIS

VAN08009737.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	
Unit	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
MDL	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1	
12784	Rock Pulp	3.1	90	1.69	48	0.449	7.68	0.503	1.09	60.7	7.7	8	4.9	16.2	1.6	<0.1	<1	40	3.4	7.4	84.8
12785	Rock Pulp	3.0	93	1.66	35	0.419	7.12	0.528	0.88	53.2	7.7	8	4.2	14.0	1.5	<0.1	<1	33	3.4	4.9	73.0
12786	Rock Pulp	2.4	96	1.68	46	0.349	7.05	0.734	0.93	33.9	5.6	6	3.2	11.4	0.8	<0.1	<1	32	5.0	5.2	76.6
12787	Rock Pulp	2.4	57	2.35	141	0.370	7.87	1.620	2.37	53.3	6.1	6	4.2	9.3	0.5	<0.1	<1	39	7.5	7.9	129.1
12788	Rock Pulp	2.7	82	2.03	81	0.385	6.67	1.137	1.46	36.1	11.0	6	2.9	10.6	1.3	<0.1	<1	35	5.7	4.5	108.8
12789	Rock Pulp	6.0	4	0.30	506	0.080	7.98	2.293	2.05	2.4	11.0	12	1.1	4.4	1.4	<0.1	1	3	11.4	0.5	37.2
12790	Rock Pulp	5.0	116	1.90	283	0.471	7.91	1.428	1.77	20.7	13.2	12	3.5	13.9	1.7	0.1	<1	32	8.2	1.0	117.2
12791	Rock Pulp	5.6	127	0.36	132	0.183	5.60	0.944	2.27	13.3	13.5	15	3.8	11.1	1.8	<0.1	<1	14	3.0	2.1	92.5
12792	Rock Pulp	5.7	133	0.56	191	0.246	6.76	1.201	2.14	22.7	14.1	14	4.7	16.6	1.7	0.1	<1	18	4.4	2.1	90.6
12793	Rock Pulp	5.2	86	1.00	244	0.316	8.68	1.395	1.96	15.8	11.0	13	4.1	15.6	1.3	<0.1	<1	26	6.5	2.4	92.2
12794	Rock Pulp	3.4	114	2.44	141	0.471	8.82	1.104	2.02	15.4	6.7	9	3.5	12.2	0.7	<0.1	<1	43	7.3	4.2	149.9
12795	Rock Pulp	3.3	104	2.49	118	0.473	8.75	0.370	1.45	31.4	9.9	8	3.5	18.7	1.0	<0.1	<1	41	12.0	3.9	102.4
12796	Rock Pulp	2.7	113	2.20	116	0.367	7.20	0.357	1.80	34.1	7.9	7	5.8	15.5	1.0	<0.1	<1	36	4.9	7.9	114.9
12797	Rock Pulp	3.3	130	1.07	85	0.328	6.28	0.339	1.23	29.2	7.7	8	4.5	13.7	1.3	<0.1	<1	27	4.3	5.7	84.5
12798	Rock Pulp	3.2	87	2.20	105	0.356	7.54	0.401	1.63	61.0	9.3	8	5.5	16.5	0.8	<0.1	<1	36	7.4	5.8	102.5
12799	Rock Pulp	3.5	90	1.97	154	0.403	8.06	0.548	1.48	41.9	10.4	9	5.1	19.5	1.0	<0.1	<1	36	4.2	5.8	78.3
12800	Rock Pulp	9.3	104	1.52	27	0.240	7.13	0.791	1.81	74.1	31.7	22	5.4	11.5	2.0	0.1	<1	14	8.1	5.9	100.3
12801	Rock Pulp	2.9	101	2.26	151	0.449	7.78	0.877	1.83	21.5	7.9	8	5.1	17.3	1.0	<0.1	<1	39	8.9	4.5	105.5
12802	Rock Pulp	4.3	125	0.35	572	0.033	1.09	9.992	0.53	1.4	102.6	9	7.6	3.4	1.4	0.2	<1	<1	8.4	<0.1	14.7
12803	Rock Pulp	3.3	98	2.42	113	0.508	8.38	0.957	1.79	21.3	8.7	9	5.1	19.4	1.2	<0.1	<1	41	3.9	2.7	102.7



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

October 24, 2008

Page:

9 of 9

Part 3

CERTIFICATE OF ANALYSIS

VAN08009737.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
12784	Rock Pulp 0.4
12785	Rock Pulp 0.5
12786	Rock Pulp 0.2
12787	Rock Pulp 0.2
12788	Rock Pulp 0.4
12789	Rock Pulp 0.5
12790	Rock Pulp 0.6
12791	Rock Pulp 0.5
12792	Rock Pulp 0.5
12793	Rock Pulp 0.4
12794	Rock Pulp 0.3
12795	Rock Pulp 0.7
12796	Rock Pulp 0.4
12797	Rock Pulp 0.3
12798	Rock Pulp 0.5
12799	Rock Pulp 0.4
12800	Rock Pulp 1.1
12801	Rock Pulp 0.3
12802	Rock Pulp 2.5
12803	Rock Pulp 0.5

QUALITY CONTROL REPORT

VAN08009737.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
Pulp Duplicates																					
12586	Rock Pulp	2.7	36.3	9.3	37	<0.1	7.2	2.1	262	1.20	<1	5.2	<0.1	7.4	314	<0.1	0.5	1.3	20	1.34	0.025
REP 12586	QC	2.7	38.8	9.0	38	<0.1	7.0	2.0	265	1.15	<1	5.6	<0.1	8.1	321	<0.1	0.5	1.4	16	1.35	0.022
12610	Rock Pulp	361.5	389.6	2.5	52	0.2	10.5	24.0	953	7.57	3	0.8	<0.1	0.3	302	<0.1	0.3	3.2	408	2.37	0.070
REP 12610	QC	364.2	384.8	2.5	56	0.2	12.2	23.5	961	7.63	2	0.9	<0.1	0.5	318	0.4	0.3	3.4	406	2.45	0.066
12676	Rock Pulp	134.4	548.3	1.9	42	0.3	14.4	19.9	933	7.22	3	1.2	<0.1	0.4	345	0.1	0.2	7.3	339	5.56	0.040
REP 12676	QC	140.6	572.3	2.1	45	0.3	13.7	21.3	976	7.55	3	1.2	<0.1	0.4	366	<0.1	0.3	8.4	355	5.86	0.043
12683	Rock Pulp	267.6	294.4	2.1	50	0.2	16.4	20.4	701	7.08	1	1.2	<0.1	0.2	352	<0.1	0.1	3.4	324	5.04	0.035
REP 12683	QC	287.8	293.8	2.0	52	0.2	15.1	20.4	696	7.06	2	1.2	<0.1	0.3	352	<0.1	0.1	3.5	318	4.97	0.038
12747	Rock Pulp	3.2	30.2	5.7	12	<0.1	3.2	1.4	115	1.44	<1	4.0	<0.1	7.8	295	<0.1	0.2	1.4	25	1.14	0.021
REP 12747	QC	2.8	29.4	5.5	10	<0.1	2.6	1.5	114	1.41	1	4.0	<0.1	7.9	282	<0.1	0.2	1.4	25	1.14	0.022
12760	Rock Pulp	95.7	394.3	1.6	66	0.2	36.6	26.0	1340	7.84	<1	1.0	<0.1	0.3	250	<0.1	0.1	2.1	409	5.08	0.048
REP 12760	QC	93.7	380.8	1.4	65	0.2	35.2	26.6	1298	7.67	<1	1.0	<0.1	0.4	247	<0.1	0.1	2.0	393	4.93	0.046
Reference Materials																					
STD OREAS24P	Standard	1.5	50.9	3.2	119	<0.1	142.7	45.6	1129	7.74	<1	0.8	<0.1	2.8	393	0.3	0.1	<0.1	185	5.73	0.133
STD OREAS24P	Standard	1.4	49.9	3.6	114	<0.1	137.5	43.2	1068	7.18	1	0.8	<0.1	2.6	379	0.2	<0.1	<0.1	164	5.62	0.127
STD OREAS24P	Standard	1.9	47.9	2.9	105	0.1	139.7	45.6	1083	7.25	2	0.7	<0.1	2.6	373	0.1	0.1	<0.1	162	5.71	0.119
STD OREAS24P	Standard	1.5	48.8	3.1	108	<0.1	142.2	47.4	1132	7.53	1	0.5	<0.1	2.6	392	0.2	<0.1	<0.1	165	5.74	0.127
STD OREAS24P	Standard	1.7	49.3	2.7	115	<0.1	142.6	45.0	1113	7.33	<1	0.6	<0.1	2.4	386	<0.1	<0.1	<0.1	165	5.81	0.147
STD OREAS24P	Standard	1.9	48.5	3.0	119	0.1	139.5	46.6	1123	7.51	2	0.7	<0.1	2.6	382	<0.1	0.1	<0.1	174	5.81	0.124
STD OREAS24P	Standard	1.4	49.5	3.0	115	0.1	153.1	46.9	1154	7.57	<1	0.6	<0.1	3.0	393	0.2	0.1	<0.1	174	6.01	0.135
STD OREAS45P	Standard	1.9	740.8	24.7	146	0.3	401.5	124.0	1299	19.22	13	2.5	<0.1	10.7	35	0.2	0.9	0.2	302	0.29	0.046
STD OREAS45P	Standard	2.1	720.8	24.1	146	0.3	376.1	122.7	1288	18.97	13	2.3	<0.1	10.5	34	0.2	0.8	0.2	277	0.28	0.041
STD OREAS45P	Standard	2.4	716.0	22.4	120	0.3	371.8	117.3	1265	18.88	12	2.2	<0.1	9.6	32	0.1	0.9	0.3	271	0.27	0.040
STD OREAS45P	Standard	2.2	731.7	24.2	148	0.3	374.2	121.2	1326	19.15	12	2.1	<0.1	10.2	34	0.3	0.8	0.1	275	0.31	0.045
STD OREAS45P	Standard	2.1	715.0	21.0	143	0.3	378.4	117.9	1265	18.75	11	2.0	<0.1	8.8	30	<0.1	0.8	0.2	277	0.28	0.046
STD OREAS45P	Standard	2.4	753.5	24.0	144	0.4	402.9	120.9	1334	18.91	12	2.6	<0.1	9.5	33	0.2	0.9	0.2	292	0.27	0.043
STD OREAS45P	Standard	2.4	786.4	26.1	151	0.5	415.9	134.0	1366	21.18	13	2.4	<0.1	10.5	33	0.4	0.9	0.2	291	0.30	0.046
STD OREAS24P Expected		1.5	52	2.9	114	0.06	141	44	1100	7.97	2	0.75		2.85	403	0.3	0.14		183	6.07	0.136

QUALITY CONTROL REPORT

VAN08009737.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	
Unit	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
MDL	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1	
Pulp Duplicates																					
12586	Rock Pulp	15.1	183	0.13	148	0.083	6.69	2.596	3.39	1.5	62.2	30	0.6	6.0	7.7	0.6	1	2	6.5	1.5	99.7
REP 12586	QC	16.3	150	0.13	214	0.085	6.80	2.659	3.47	1.5	65.8	31	0.7	6.4	8.1	0.6	2	2	7.8	1.5	104.3
12610	Rock Pulp	2.6	81	1.86	112	0.412	6.13	0.889	1.80	35.6	9.7	7	4.1	14.7	1.2	<0.1	<1	27	4.6	3.7	88.6
REP 12610	QC	3.7	85	1.99	117	0.397	7.03	0.974	1.77	35.4	9.4	10	4.6	16.5	1.0	<0.1	<1	33	3.8	3.7	117.8
12676	Rock Pulp	3.3	98	1.92	33	0.422	6.61	0.565	0.81	32.8	8.4	8	4.2	14.1	0.9	<0.1	<1	33	3.4	3.9	60.0
REP 12676	QC	3.3	107	2.00	36	0.441	7.03	0.581	0.81	31.6	8.7	8	4.2	15.3	0.9	<0.1	<1	35	4.2	4.1	62.7
12683	Rock Pulp	2.9	79	2.35	49	0.369	6.40	0.648	1.44	26.6	5.4	7	3.6	11.9	0.9	<0.1	<1	33	4.8	6.4	110.6
REP 12683	QC	2.9	79	2.35	49	0.367	6.48	0.677	1.49	26.6	5.2	6	3.3	11.5	0.8	<0.1	<1	33	3.8	6.4	101.8
12747	Rock Pulp	16.8	90	0.20	76	0.081	6.95	1.207	3.12	4.2	69.9	30	2.0	6.4	6.5	0.5	2	2	3.5	2.4	99.6
REP 12747	QC	16.5	88	0.19	73	0.076	6.61	1.173	3.00	3.8	66.3	30	1.9	6.2	6.6	0.4	2	2	3.3	2.3	101.0
12760	Rock Pulp	2.7	106	3.35	125	0.460	8.06	1.632	1.91	39.9	9.5	6	4.0	12.1	1.2	<0.1	<1	41	4.5	3.3	100.8
REP 12760	QC	2.7	108	3.32	119	0.453	8.01	1.563	1.84	41.6	10.7	6	3.5	13.6	0.9	<0.1	<1	42	4.7	3.2	122.3
Reference Materials																					
STD OREAS24P	Standard	18.4	194	4.05	282	1.152	7.61	2.418	0.69	0.5	143.8	37	1.6	21.3	20.5	1.0	1	20	8.1	<0.1	22.4
STD OREAS24P	Standard	16.3	197	3.92	259	1.052	7.41	2.128	0.65	0.5	129.4	33	1.6	19.0	19.1	1.0	1	19	6.7	<0.1	18.2
STD OREAS24P	Standard	18.2	205	3.96	264	1.012	7.44	2.150	0.63	0.5	138.9	35	1.4	20.4	19.2	1.0	<1	19	7.5	<0.1	21.7
STD OREAS24P	Standard	17.7	180	4.06	268	1.023	8.16	2.311	0.68	0.6	140.9	36	1.5	20.0	20.2	1.0	1	20	7.1	<0.1	25.0
STD OREAS24P	Standard	16.5	190	4.05	274	1.007	7.60	2.667	0.67	0.4	143.3	37	1.5	19.1	20.9	1.0	1	19	9.6	<0.1	21.0
STD OREAS24P	Standard	18.3	188	3.92	275	1.060	7.85	2.247	0.65	0.4	142.3	36	1.7	20.3	21.7	1.1	<1	20	8.8	<0.1	21.0
STD OREAS24P	Standard	19.5	200	4.28	270	1.184	8.28	2.335	0.69	0.5	138.4	38	1.1	22.8	21.2	1.1	1	20	8.2	<0.1	21.1
STD OREAS45P	Standard	25.4	1123	0.21	277	1.112	7.08	0.090	0.36	1.2	158.7	51	2.6	13.3	21.2	1.3	<1	68	16.7	<0.1	24.4
STD OREAS45P	Standard	24.0	1096	0.20	284	1.049	6.73	0.087	0.36	1.1	160.7	49	2.4	12.3	21.4	1.2	1	65	14.2	<0.1	22.9
STD OREAS45P	Standard	24.5	1015	0.19	276	1.002	6.67	0.077	0.35	0.9	155.2	48	2.9	12.2	20.5	1.3	<1	64	14.5	<0.1	24.1
STD OREAS45P	Standard	24.6	1080	0.21	290	1.045	7.00	0.084	0.37	1.2	172.2	51	2.8	12.2	21.6	1.2	<1	68	16.4	<0.1	24.3
STD OREAS45P	Standard	22.0	1079	0.18	278	0.943	6.35	0.077	0.35	0.9	146.7	47	2.7	11.2	20.0	1.2	<1	63	14.1	<0.1	22.3
STD OREAS45P	Standard	25.5	1135	0.20	296	1.088	6.96	0.085	0.34	1.0	158.4	50	2.5	12.6	22.0	1.2	1	70	16.0	<0.1	23.2
STD OREAS45P	Standard	28.4	1172	0.22	311	1.173	7.22	0.080	0.37	1.1	163.6	52	2.7	14.2	23.1	1.3	<1	72	15.7	<0.1	27.5
STD OREAS24P Expected		17.4	221	4.13	285	1.1	7.66	2.31	0.7	0.5	141	37.6	1.6	22.9	21	1.3		20	8.7		22.4



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

October 24, 2008

Page:

1 of 2

Part 3

QUALITY CONTROL REPORT

VAN08009737.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
Pulp Duplicates	
12586 Rock Pulp	2.3
REP 12586 QC	2.4
12610 Rock Pulp	0.5
REP 12610 QC	0.4
12676 Rock Pulp	0.5
REP 12676 QC	0.5
12683 Rock Pulp	0.4
REP 12683 QC	0.4
12747 Rock Pulp	2.5
REP 12747 QC	2.1
12760 Rock Pulp	0.4
REP 12760 QC	0.5
Reference Materials	
STD OREAS24P Standard	3.5
STD OREAS24P Standard	3.4
STD OREAS24P Standard	3.4
STD OREAS24P Standard	3.6
STD OREAS24P Standard	3.5
STD OREAS24P Standard	3.7
STD OREAS24P Standard	3.7
STD OREAS45P Standard	4.1
STD OREAS45P Standard	4.3
STD OREAS45P Standard	4.0
STD OREAS45P Standard	4.4
STD OREAS45P Standard	4.0
STD OREAS45P Standard	4.5
STD OREAS45P Standard	4.5
STD OREAS24P Expected	3.6

QUALITY CONTROL REPORT

VAN08009737.1

		1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001
STD OREAS45P Expected		1.9	749	22	141	0.32	385	120	1270	19.22	13.4	2.4	0.055	9.8	32.6	0.2	0.92	0.21	267	0.3	0.047
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001
BLK	Blank	0.4	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001
BLK	Blank	1.5	<0.1	<0.1	<1	<0.1	<0.1	<0.2	18	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	6	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001

QUALITY CONTROL REPORT

VAN08009737.1

		1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb
		ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1
STD OREAS45P Expected		24.8	1140	0.22	281	1.18	6.82	0.081	0.35	1.1	279	48.9	3.1	18	24	1.33		67	14.7	0.03	23
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	0.08	0.006	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	1.6	<1	<0.01	10	<0.001	0.09	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

October 24, 2008

Page:

2 of 2

Part 3

QUALITY CONTROL REPORT

VAN08009737.1

		1EX Hf ppm 0.1
STD OREAS45P Expected		3.8
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Submitted By:

Faisal Sayeed

Receiving Lab:

Canada-Vancouver

Received:

December 12, 2008

Report Date:

January 14, 2009

Page:

1 of 13

CERTIFICATE OF ANALYSIS

VAN08011604.1

CLIENT JOB INFORMATION

Project: WC
Shipment ID:
P.O. Number
Number of Samples: 334

SAMPLE DISPOSAL

RTRN-PLP Return

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
No Prep	333	Sorting of samples on arrival and labeling		
1EX	333	4 Acid digestion ICP-MS analysis	0.25	Completed

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Huckleberry Mines Limited
P.O. Box 3000
Houston BC V0J 1Z0
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 2 of 13 Part 1

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	Analyte	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001
12804	Rock Pulp	192.6	333.9	2.9	56	0.2	15.0	29.9	1076	8.58	<1	0.8	<0.1	0.6	238	0.3	0.3	3.3	327	3.77	0.078
12805	Rock Pulp	263.4	351.6	2.4	56	0.2	14.5	31.4	1012	8.73	1	0.8	<0.1	0.4	221	0.3	0.7	6.7	306	3.40	0.076
12806	Rock Pulp	165.6	432.2	2.9	56	0.2	16.2	29.7	977	8.71	5	0.9	<0.1	0.4	258	0.3	10.8	5.1	305	3.03	0.073
12807	Rock Pulp	297.9	344.7	3.0	58	0.2	17.5	38.0	934	8.49	3	0.8	<0.1	0.5	261	0.3	0.3	2.5	290	2.53	0.071
12808	Rock Pulp	190.7	187.0	1.9	49	<0.1	12.8	27.6	927	8.28	1	0.6	<0.1	0.4	283	0.1	0.2	1.8	326	2.80	0.072
12809	Rock Pulp	70.1	202.3	1.8	56	0.1	14.0	31.3	1115	8.70	1	0.7	<0.1	0.5	306	<0.1	0.2	2.1	323	3.50	0.078
12810	Rock Pulp	83.1	249.9	1.9	55	0.1	13.8	27.8	1119	8.27	1	0.7	<0.1	0.5	369	<0.1	0.3	3.5	323	3.16	0.075
12811	Rock Pulp	204.6	201.4	5.2	49	<0.1	14.2	21.4	979	7.33	1	1.0	<0.1	0.6	446	<0.1	0.2	2.1	285	2.57	0.067
12812	Rock Pulp	150.8	279.5	2.8	54	0.1	15.0	30.6	887	8.93	2	0.7	<0.1	0.5	346	0.1	0.2	2.6	286	2.80	0.071
12813	Rock Pulp	68.8	177.8	1.7	49	<0.1	13.5	22.6	1054	8.01	1	0.6	<0.1	0.5	283	<0.1	0.2	3.0	325	3.42	0.074
12814	Rock Pulp	60.0	194.9	3.0	55	<0.1	12.5	23.0	1008	8.07	2	0.6	<0.1	0.4	289	<0.1	0.2	2.3	317	3.18	0.067
12815	Rock Pulp	120.9	292.3	4.2	65	0.2	12.5	29.8	1124	9.74	2	0.8	<0.1	0.5	438	<0.1	0.3	5.3	327	3.09	0.087
12816	Rock Pulp	121.0	417.8	4.3	82	0.2	12.3	25.9	1047	9.89	5	1.0	<0.1	0.5	600	<0.1	0.4	4.5	293	2.43	0.066
12817	Rock Pulp	212.8	250.1	8.8	91	0.2	10.3	30.1	1014	8.43	13	1.2	<0.1	0.6	489	0.5	1.0	2.7	285	4.67	0.071
12818	Rock Pulp	223.2	216.2	8.4	104	0.2	10.7	35.7	1140	8.72	12	1.1	<0.1	0.5	372	0.5	1.0	2.9	289	4.93	0.080
12819	Rock Pulp	457.4	259.0	2.1	52	0.1	12.5	31.1	1085	8.82	2	0.9	<0.1	0.5	552	0.2	0.2	2.7	311	2.74	0.072
12820	Rock Pulp	210.7	394.8	3.5	59	0.2	11.0	37.5	1085	9.53	2	1.1	<0.1	0.6	745	0.2	0.3	3.0	304	2.67	0.072
12821	Rock Pulp	87.5	488.3	7.3	74	0.2	9.1	40.3	1182	8.93	1	0.7	<0.1	0.5	546	0.1	0.3	3.1	291	3.03	0.078
12822	Rock Pulp	125.3	190.9	5.3	75	0.1	10.1	24.1	1039	6.92	<1	0.6	<0.1	0.5	168	<0.1	0.3	1.2	280	1.49	0.060
12823	Rock Pulp	198.3	179.8	3.4	74	0.4	14.3	26.1	1196	7.19	1	0.5	<0.1	0.8	245	<0.1	0.2	1.5	278	3.85	0.049
12824	Rock Pulp	146.6	118.6	3.7	14	<0.1	3.6	6.0	219	2.64	3	2.1	<0.1	2.8	147	<0.1	0.3	1.2	55	2.19	0.045
12825	Rock Pulp	164.8	262.5	2.7	60	0.1	17.2	29.7	1223	7.87	2	0.9	<0.1	0.4	306	<0.1	0.2	2.7	350	5.47	0.051
12826	Rock Pulp	143.2	350.3	1.9	47	0.1	19.9	33.6	1170	8.10	1	0.7	<0.1	0.4	281	<0.1	0.2	3.5	409	6.06	0.051
12827	Rock Pulp	159.5	4983	3.0	56	1.5	77.0	29.7	1018	5.17	2	0.4	<0.1	0.4	286	0.1	0.7	1.7	273	5.76	0.051
12828	Rock Pulp	146.6	262.1	1.3	45	0.1	18.8	32.6	1185	8.51	1	0.9	<0.1	0.4	384	0.2	0.1	1.6	397	6.32	0.048
12829	Rock Pulp	119.4	250.4	1.9	47	0.1	17.4	33.1	1119	8.00	1	1.3	<0.1	0.4	242	<0.1	0.1	1.5	388	6.11	0.045
12830	Rock Pulp	69.4	303.1	3.2	55	0.1	19.9	25.4	1217	7.80	1	0.8	<0.1	0.4	605	<0.1	0.2	2.3	416	5.37	0.051
12831	Rock Pulp	133.2	306.8	5.2	47	0.2	19.8	27.9	992	7.26	<1	0.8	<0.1	0.6	285	0.2	0.2	2.1	396	5.56	0.052
12832	Rock Pulp	105.4	263.9	4.3	47	0.1	17.8	30.4	1337	8.17	1	0.6	<0.1	0.4	269	<0.1	0.2	1.6	432	6.24	0.052
12833	Rock Pulp	58.2	317.0	5.8	80	0.2	18.9	39.5	1353	9.08	2	0.6	<0.1	0.3	171	0.1	0.4	4.9	391	4.23	0.054

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 2 of 13 Part 2

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	Analyte	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb
Unit		ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1
12804	Rock Pulp	3.1	150	2.11	82	0.573	7.18	1.622	0.65	22.6	10.1	8	4.1	18.5	1.4	<0.1	<1	35	2.7	1.8	24.2
12805	Rock Pulp	3.1	94	2.00	95	0.519	6.85	1.371	0.67	27.4	9.4	8	3.9	17.7	1.4	<0.1	<1	34	2.4	2.7	27.1
12806	Rock Pulp	3.1	93	2.08	115	0.445	7.20	1.401	0.74	46.3	7.9	8	4.7	17.8	1.5	<0.1	<1	33	3.1	3.3	32.4
12807	Rock Pulp	3.2	135	2.12	136	0.454	6.75	1.350	1.01	25.9	7.2	9	4.1	16.9	1.0	<0.1	<1	32	4.3	3.6	45.1
12808	Rock Pulp	3.0	145	2.09	145	0.459	7.07	1.742	0.71	23.5	8.8	8	3.6	16.3	1.2	<0.1	<1	34	3.9	2.8	31.2
12809	Rock Pulp	3.7	136	2.11	120	0.550	6.77	1.727	0.78	24.8	9.0	9	3.3	19.3	1.5	<0.1	<1	36	3.1	2.5	40.9
12810	Rock Pulp	3.7	113	2.09	117	0.535	7.39	1.548	0.76	22.0	8.6	9	3.9	18.9	1.1	<0.1	<1	37	3.0	2.0	40.4
12811	Rock Pulp	4.2	110	2.06	126	0.496	6.69	1.286	0.99	18.6	8.4	10	4.1	19.3	1.5	<0.1	<1	34	7.6	1.5	62.0
12812	Rock Pulp	3.7	159	1.96	128	0.440	7.25	1.627	0.75	20.1	12.4	9	3.8	18.9	1.6	<0.1	<1	33	3.6	3.5	47.1
12813	Rock Pulp	3.4	126	2.00	120	0.527	7.37	1.643	0.91	15.5	8.3	9	4.3	18.4	1.8	<0.1	<1	36	2.4	1.4	39.1
12814	Rock Pulp	3.1	117	2.09	149	0.528	7.33	1.714	1.04	18.7	7.9	8	4.4	16.7	1.4	<0.1	<1	34	2.5	2.2	41.5
12815	Rock Pulp	3.8	131	2.29	158	0.537	7.33	1.851	0.84	26.3	8.9	10	4.6	19.1	1.3	<0.1	<1	36	5.8	2.8	40.1
12816	Rock Pulp	3.9	119	2.24	159	0.459	7.33	1.449	0.94	46.6	7.8	10	5.2	18.2	1.1	<0.1	<1	35	9.0	4.4	52.6
12817	Rock Pulp	4.2	102	1.68	130	0.419	6.25	1.120	0.94	33.8	13.6	10	3.8	18.2	1.0	<0.1	<1	33	32.3	3.5	71.2
12818	Rock Pulp	4.3	87	1.75	144	0.458	6.79	1.176	1.13	27.7	7.0	10	3.9	19.5	1.1	<0.1	<1	34	29.8	3.3	79.1
12819	Rock Pulp	3.7	110	2.27	129	0.440	6.94	1.403	1.14	28.9	8.0	10	3.9	18.2	1.2	<0.1	<1	35	6.1	3.0	56.2
12820	Rock Pulp	3.8	77	2.35	142	0.454	6.96	1.478	1.17	45.4	10.4	10	4.9	17.2	1.3	<0.1	<1	35	5.8	4.3	62.0
12821	Rock Pulp	3.9	74	2.04	156	0.521	6.91	1.630	0.87	33.7	8.9	10	4.8	17.7	1.3	<0.1	<1	34	4.9	3.0	49.1
12822	Rock Pulp	3.4	58	2.76	331	0.465	7.16	1.522	1.36	13.1	6.3	9	4.1	10.6	1.1	<0.1	<1	32	15.0	1.8	77.7
12823	Rock Pulp	4.9	70	2.62	253	0.452	7.86	1.407	1.23	16.6	10.4	12	3.8	14.4	1.6	<0.1	<1	35	9.0	2.4	74.0
12824	Rock Pulp	8.1	103	0.62	63	0.181	6.54	1.394	2.06	14.3	53.3	21	4.6	27.9	2.6	0.1	<1	11	4.1	2.8	78.1
12825	Rock Pulp	2.6	84	2.53	125	0.438	6.26	0.706	0.81	24.3	8.1	7	3.9	14.4	1.3	<0.1	<1	34	4.0	3.4	35.9
12826	Rock Pulp	3.1	94	2.54	71	0.446	6.86	0.715	0.74	38.7	7.0	8	3.3	14.3	1.3	<0.1	<1	34	3.7	3.9	34.8
12827	Rock Pulp	5.3	201	3.70	209	0.363	8.35	1.452	0.79	6.5	7.2	11	1.5	10.4	0.7	<0.1	<1	31	15.8	2.6	56.6
12828	Rock Pulp	3.0	97	2.76	63	0.434	6.32	0.603	0.67	22.8	7.1	7	2.7	14.8	1.0	<0.1	<1	35	5.0	4.5	38.6
12829	Rock Pulp	3.0	101	2.65	62	0.453	6.75	0.815	0.81	36.3	7.6	7	3.0	14.2	1.3	<0.1	<1	36	3.9	4.4	47.2
12830	Rock Pulp	2.8	120	2.73	82	0.484	8.15	0.784	0.86	21.9	6.6	7	3.0	14.7	1.1	<0.1	<1	37	5.8	3.7	43.8
12831	Rock Pulp	3.5	139	2.53	90	0.444	7.44	0.972	0.81	34.2	10.8	8	2.6	15.3	1.7	<0.1	<1	36	4.3	3.3	39.2
12832	Rock Pulp	2.9	126	2.64	58	0.503	7.99	0.862	0.66	12.8	7.2	7	2.7	15.2	1.3	<0.1	<1	35	4.5	3.7	35.0
12833	Rock Pulp	1.9	122	2.51	122	0.419	6.07	0.731	0.87	16.2	6.9	5	4.7	12.3	1.1	<0.1	<1	33	6.8	6.1	35.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

January 14, 2009

Page:

2 of 13

Part 3

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
12804	Rock Pulp 0.5
12805	Rock Pulp 0.6
12806	Rock Pulp 0.4
12807	Rock Pulp 0.4
12808	Rock Pulp 0.5
12809	Rock Pulp 0.4
12810	Rock Pulp 0.4
12811	Rock Pulp 0.4
12812	Rock Pulp 0.5
12813	Rock Pulp 0.5
12814	Rock Pulp 0.5
12815	Rock Pulp 0.5
12816	Rock Pulp 0.5
12817	Rock Pulp 0.6
12818	Rock Pulp 0.5
12819	Rock Pulp 0.6
12820	Rock Pulp 0.5
12821	Rock Pulp 0.4
12822	Rock Pulp 0.2
12823	Rock Pulp 0.6
12824	Rock Pulp 1.9
12825	Rock Pulp 0.4
12826	Rock Pulp 0.4
12827	Rock Pulp 0.3
12828	Rock Pulp 0.4
12829	Rock Pulp 0.5
12830	Rock Pulp 0.4
12831	Rock Pulp 0.5
12832	Rock Pulp 0.4
12833	Rock Pulp 0.4



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 3 of 13 Part 1

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	Analyte	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	1	0.01	0.001	
12834	Rock Pulp	119.0	316.2	4.2	69	0.1	21.3	27.5	1133	7.33	<1	0.9	<0.1	0.4	233	0.1	0.2	1.4	354	5.19	0.052
12835	Rock Pulp	214.0	179.9	6.4	38	0.2	16.3	24.1	607	5.82	<1	0.7	<0.1	0.3	148	<0.1	0.2	1.8	214	3.89	0.037
12836	Rock Pulp	1.1	28.0	63.4	56	0.2	7.3	6.8	107	0.19	6	0.5	<0.1	1.0	147	0.6	4.1	0.4	4	7.78	0.007
12837	Rock Pulp	226.0	382.2	7.1	69	0.3	26.1	33.7	1213	8.10	2	0.7	<0.1	0.3	248	0.3	0.3	2.6	322	4.32	0.053
12838	Rock Pulp	103.6	312.2	4.8	70	0.2	25.5	26.9	1261	7.43	<1	0.6	<0.1	0.4	197	0.2	0.3	2.1	306	4.88	0.053
12839	Rock Pulp	110.6	218.4	5.0	65	0.1	23.8	26.2	1009	7.02	1	0.7	<0.1	0.4	188	<0.1	0.3	1.6	329	4.81	0.057
12840	Rock Pulp	146.3	334.2	3.5	57	0.1	26.8	27.2	1024	7.10	1	1.1	<0.1	0.5	212	0.1	0.2	1.9	365	5.44	0.056
12841	Rock Pulp	79.5	247.4	4.7	72	0.2	29.8	25.7	1395	6.63	3	0.9	<0.1	0.4	204	<0.1	1.1	1.5	314	6.00	0.046
12842	Rock Pulp	163.2	272.6	8.4	74	0.2	18.6	26.1	739	6.14	3	1.1	<0.1	0.5	190	0.1	1.3	2.2	267	4.43	0.054
12843	Rock Pulp	177.8	268.6	9.0	77	0.2	16.1	28.8	982	7.44	3	1.5	<0.1	0.5	249	0.2	1.2	1.8	325	5.45	0.052
12844	Rock Pulp	126.7	262.1	11.9	92	0.3	15.3	32.1	1285	6.77	2	0.7	<0.1	0.4	207	0.1	1.1	2.6	283	5.02	0.056
12845	Rock Pulp	224.8	355.5	26.1	104	0.7	12.3	27.2	1215	8.26	4	1.3	<0.1	0.3	219	0.8	0.8	4.3	267	5.27	0.039
12846	Rock Pulp	75.7	315.9	11.3	63	0.4	14.7	31.6	1069	8.69	3	1.5	<0.1	0.4	202	<0.1	1.4	2.2	267	5.91	0.053
12847	Rock Pulp	160.5	307.9	11.2	52	0.4	12.2	26.9	1135	8.22	3	1.2	<0.1	0.4	193	0.1	1.3	2.3	244	6.49	0.047
12848	Rock Pulp	79.7	347.3	7.1	49	0.2	13.6	30.2	1109	8.60	3	1.2	<0.1	0.5	158	<0.1	1.4	2.5	300	5.53	0.060
12849	Rock Pulp	202.4	617.1	12.2	61	0.6	15.1	34.6	1466	8.68	7	1.0	<0.1	0.4	153	0.3	1.8	5.2	264	6.03	0.058
12850	Rock Pulp	333.6	391.8	2.3	41	0.2	15.4	34.5	808	8.86	2	1.6	<0.1	0.5	159	<0.1	0.2	2.7	281	5.18	0.052
12851	Rock Pulp	160.7	641.1	2.9	56	0.3	16.7	36.8	1189	8.82	3	1.8	<0.1	0.5	227	0.1	0.3	3.2	315	5.97	0.067
12852	Rock Pulp	317.8	663.5	52.6	145	1.0	19.7	41.3	2503	8.40	45	1.3	<0.1	0.4	177	2.1	13.4	6.4	260	6.16	0.050
12853	Rock Pulp	117.4	423.5	25.8	129	0.4	15.9	18.9	1136	6.49	14	1.4	<0.1	0.5	211	1.2	5.0	9.5	260	5.44	0.056
12854	Rock Pulp	138.4	505.1	4.0	63	0.3	16.2	32.6	1320	9.56	4	1.4	<0.1	0.4	190	0.2	0.6	6.4	292	5.21	0.064
12855	Rock Pulp	163.5	5179	2.7	63	1.6	86.4	34.0	1015	5.40	2	0.5	<0.1	0.5	298	0.1	0.4	1.4	277	6.13	0.051
12856	Rock Pulp	128.6	753.2	4.8	52	0.4	17.6	34.3	1188	8.90	5	1.3	<0.1	0.5	302	0.1	0.9	6.6	312	6.74	0.064
12857	Rock Pulp	946.3	486.5	5.1	75	0.3	31.2	34.3	1433	8.27	4	0.9	<0.1	0.4	216	0.4	0.6	4.3	301	5.36	0.058
12858	Rock Pulp	115.7	792.8	8.4	81	0.5	13.6	32.2	1032	8.62	6	1.0	<0.1	0.5	185	0.7	0.9	3.4	306	5.60	0.058
12859	Rock Pulp	116.2	446.6	4.6	33	0.2	13.0	23.2	943	7.01	3	1.5	<0.1	0.4	323	0.1	1.2	18.1	296	7.38	0.047
12860	Rock Pulp	139.0	262.6	5.1	52	0.2	16.3	13.2	1197	6.10	3	1.6	<0.1	0.5	252	<0.1	1.5	15.1	345	5.91	0.059
12861	Rock Pulp	183.8	486.0	3.1	44	0.2	19.3	16.3	763	6.76	3	2.1	<0.1	0.5	280	0.1	0.6	6.0	351	5.46	0.060
12862	Rock Pulp	114.5	203.2	2.5	62	0.1	14.0	28.4	1001	8.98	1	1.2	<0.1	0.5	174	<0.1	0.2	3.2	468	3.29	0.062
12863	Rock Pulp	311.3	534.3	3.4	61	0.3	14.7	34.0	978	6.92	3	0.9	<0.1	0.7	374	<0.1	0.2	8.1	318	4.81	0.053

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 3 of 13 Part 2

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	Analyte	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb
Unit		ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1
12834	Rock Pulp	2.9	115	2.70	103	0.454	7.02	1.156	1.09	18.5	7.0	7	3.3	13.9	1.3	<0.1	<1	36	7.3	3.9	59.5
12835	Rock Pulp	2.3	172	1.84	110	0.239	4.93	0.949	1.16	18.6	4.5	6	2.5	10.0	1.4	<0.1	<1	24	5.1	5.1	81.2
12836	Rock Pulp	4.6	219	0.36	634	0.033	1.01	>10	0.49	0.3	102.8	11	6.9	3.4	1.6	<0.1	<1	<1	8.6	<0.1	15.7
12837	Rock Pulp	3.0	108	2.74	186	0.414	7.48	1.425	1.09	23.6	6.5	7	4.3	12.3	1.1	<0.1	<1	34	6.4	4.7	56.7
12838	Rock Pulp	2.8	89	2.66	138	0.374	6.73	1.201	1.16	29.1	5.6	7	3.7	12.4	1.4	<0.1	<1	33	5.8	4.8	62.5
12839	Rock Pulp	3.1	92	2.53	168	0.372	6.64	1.554	1.21	20.9	7.1	7	3.4	13.5	1.2	<0.1	<1	33	5.0	4.5	87.6
12840	Rock Pulp	3.8	113	2.75	129	0.455	7.52	1.478	1.62	32.6	8.6	8	4.5	17.6	1.7	<0.1	<1	38	5.0	4.2	116.7
12841	Rock Pulp	3.6	129	2.82	126	0.455	7.64	0.933	1.98	16.6	7.4	8	4.2	16.6	1.3	<0.1	<1	38	15.6	3.1	146.6
12842	Rock Pulp	3.6	103	2.11	125	0.417	6.81	1.277	2.06	20.2	7.2	8	4.3	15.0	1.5	<0.1	<1	33	13.8	4.7	144.7
12843	Rock Pulp	4.2	83	2.09	149	0.469	6.86	0.854	1.85	22.0	8.0	9	3.3	17.2	1.2	<0.1	<1	38	18.4	4.3	138.3
12844	Rock Pulp	3.5	97	2.19	170	0.428	6.33	0.934	1.94	16.8	5.7	7	3.6	14.5	1.1	<0.1	<1	35	17.5	5.0	139.7
12845	Rock Pulp	3.1	69	1.65	40	0.322	5.47	0.521	2.13	27.7	5.6	7	4.6	12.1	1.6	<0.1	<1	31	11.1	8.6	133.1
12846	Rock Pulp	3.3	102	1.66	107	0.428	6.25	0.753	1.81	30.4	7.7	7	3.8	16.1	1.0	<0.1	<1	35	13.6	7.8	119.4
12847	Rock Pulp	3.7	77	1.68	112	0.385	5.67	0.734	1.63	25.5	7.4	8	3.4	16.1	1.1	<0.1	<1	32	13.1	8.1	108.8
12848	Rock Pulp	3.8	107	1.78	132	0.504	7.17	1.164	1.45	27.1	7.8	8	3.7	19.6	1.1	<0.1	<1	41	15.8	4.4	102.2
12849	Rock Pulp	4.3	87	1.97	126	0.473	6.48	0.705	1.73	27.2	6.0	9	4.8	18.3	1.1	<0.1	<1	38	14.0	6.4	125.9
12850	Rock Pulp	3.6	90	1.98	104	0.451	6.34	1.173	1.45	43.5	6.3	8	4.1	16.4	1.2	<0.1	<1	36	9.4	7.3	100.1
12851	Rock Pulp	4.3	88	2.35	130	0.527	7.50	1.382	1.53	76.7	11.6	10	5.9	21.1	1.2	<0.1	<1	46	10.8	5.7	117.2
12852	Rock Pulp	3.8	89	2.11	86	0.453	6.18	0.660	2.17	31.6	32.8	9	5.0	16.6	1.2	<0.1	<1	36	26.7	6.5	171.3
12853	Rock Pulp	3.9	109	2.10	105	0.473	7.00	0.593	1.83	42.9	7.1	8	8.5	18.2	1.4	<0.1	<1	38	35.6	4.5	151.1
12854	Rock Pulp	4.1	97	2.35	115	0.498	7.03	0.993	1.71	32.2	7.0	9	5.9	20.6	1.1	<0.1	<1	43	10.5	5.8	127.7
12855	Rock Pulp	7.2	213	4.03	225	0.447	8.48	1.424	1.86	5.7	6.8	13	1.5	15.0	0.9	<0.1	<1	38	18.4	2.9	141.4
12856	Rock Pulp	4.6	101	2.07	91	0.515	7.17	0.827	1.53	32.3	7.7	10	6.2	20.9	1.1	<0.1	<1	42	8.5	5.6	112.2
12857	Rock Pulp	4.2	111	3.10	185	0.507	7.72	0.869	2.33	21.5	7.9	9	5.2	17.9	1.3	<0.1	<1	42	11.4	4.6	170.6
12858	Rock Pulp	4.0	89	1.94	139	0.477	6.67	0.749	1.73	26.2	6.4	9	5.0	17.1	1.1	<0.1	<1	40	23.7	5.8	136.9
12859	Rock Pulp	4.0	132	1.30	75	0.440	6.14	0.522	1.11	31.7	7.7	9	7.9	17.6	1.5	<0.1	<1	35	7.5	6.0	81.0
12860	Rock Pulp	4.9	87	2.21	137	0.488	6.89	0.626	2.00	26.5	7.1	10	8.8	18.7	2.1	<0.1	<1	38	9.3	4.1	149.0
12861	Rock Pulp	4.6	104	2.32	145	0.453	7.06	0.941	2.14	22.4	8.5	10	7.4	18.8	1.0	<0.1	<1	42	9.0	6.5	153.4
12862	Rock Pulp	4.0	80	2.86	85	0.482	7.19	1.206	2.39	22.7	7.4	9	5.2	14.4	1.0	<0.1	<1	43	10.1	6.3	153.3
12863	Rock Pulp	5.2	80	2.61	215	0.486	8.34	1.504	2.26	20.9	20.2	12	3.9	17.6	1.6	<0.1	<1	41	7.0	3.9	169.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

January 14, 2009

Page:

3 of 13

Part 3

CERTIFICATE OF ANALYSIS

VAN08011604.1

	Method	1EX
	Analyte	Hf
	Unit	ppm
	MDL	0.1
12834	Rock Pulp	0.3
12835	Rock Pulp	0.2
12836	Rock Pulp	2.5
12837	Rock Pulp	0.3
12838	Rock Pulp	0.3
12839	Rock Pulp	0.4
12840	Rock Pulp	0.5
12841	Rock Pulp	0.4
12842	Rock Pulp	0.4
12843	Rock Pulp	0.6
12844	Rock Pulp	0.2
12845	Rock Pulp	0.2
12846	Rock Pulp	0.4
12847	Rock Pulp	0.5
12848	Rock Pulp	0.5
12849	Rock Pulp	0.3
12850	Rock Pulp	0.3
12851	Rock Pulp	0.6
12852	Rock Pulp	0.3
12853	Rock Pulp	0.3
12854	Rock Pulp	0.4
12855	Rock Pulp	0.4
12856	Rock Pulp	0.4
12857	Rock Pulp	0.4
12858	Rock Pulp	0.2
12859	Rock Pulp	0.3
12860	Rock Pulp	0.3
12861	Rock Pulp	0.4
12862	Rock Pulp	0.3
12863	Rock Pulp	1.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 4 of 13 Part 1

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
12864	Rock Pulp	122.0	446.1	3.0	76	0.3	17.4	28.8	1219	7.96	2	1.2	<0.1	0.5	316	<0.1	0.4	3.3	366	4.50	0.052
12865	Rock Pulp	147.7	299.0	3.8	66	0.2	19.7	36.9	1029	7.41	3	1.7	<0.1	1.2	251	0.2	0.2	2.1	290	4.79	0.058
12866	Rock Pulp	132.6	265.8	10.0	78	0.1	18.9	27.3	985	6.91	4	2.0	<0.1	1.0	240	0.5	0.4	2.0	305	4.88	0.047
12867	Rock Pulp	247.5	291.1	5.1	77	0.2	22.5	38.3	1125	7.55	4	0.9	<0.1	0.3	248	0.2	0.2	2.7	359	5.30	0.052
12868	Rock Pulp	8.6	34.7	65.1	52	0.2	8.1	7.4	134	0.34	5	0.6	<0.1	1.1	154	0.6	4.7	0.5	10	7.86	0.006
12869	Rock Pulp	241.2	207.2	4.2	56	0.2	39.2	28.6	774	7.23	2	1.1	<0.1	0.3	147	<0.1	0.2	3.6	262	4.54	0.047
12870	Rock Pulp	409.6	246.0	3.9	61	0.2	17.6	27.1	920	7.24	5	1.2	<0.1	0.9	250	0.1	0.2	2.8	282	4.44	0.051
12871	Rock Pulp	409.6	242.1	3.3	32	0.3	12.8	16.6	555	5.03	3	1.5	<0.1	1.4	334	<0.1	0.5	6.2	215	5.36	0.036
12872	Rock Pulp	536.9	414.4	6.7	44	0.3	17.0	24.2	806	7.55	3	1.3	<0.1	0.3	353	<0.1	0.9	4.3	351	6.89	0.048
12873	Rock Pulp	93.7	491.3	2.3	58	0.2	20.0	32.6	1013	7.92	2	1.3	<0.1	0.3	289	<0.1	0.2	2.5	384	5.99	0.051
12874	Rock Pulp	345.6	357.4	2.7	61	0.2	17.8	32.8	1025	8.19	3	1.7	<0.1	0.3	283	0.1	0.2	3.1	418	6.66	0.051
12875	Rock Pulp	150.4	325.7	3.6	68	0.2	22.6	37.6	1115	9.15	9	1.1	<0.1	0.2	252	<0.1	0.3	3.0	379	5.08	0.049
12876	Rock Pulp	449.0	5806	9.2	52	1.9	6.1	3.8	464	1.28	9	1.0	<0.1	0.9	472	0.6	9.2	1.2	58	2.38	0.035
12877	Rock Pulp	435.4	238.9	3.5	58	0.1	18.2	29.2	1016	7.97	3	1.2	<0.1	0.3	245	0.3	0.1	2.8	360	5.13	0.042
12878	Rock Pulp	100.2	119.3	2.0	36	<0.1	13.5	13.1	536	4.51	3	0.7	<0.1	0.2	147	<0.1	0.1	1.5	197	3.90	0.025
12879	Rock Pulp	256.3	121.5	1.7	25	<0.1	12.9	7.2	353	3.18	2	0.4	<0.1	0.2	110	0.2	0.2	0.7	124	3.37	0.018
12880	Rock Pulp	119.5	171.9	2.2	53	<0.1	16.4	19.2	763	5.70	2	0.7	<0.1	0.3	185	0.1	0.2	1.7	283	4.67	0.036
12881	Rock Pulp	118.2	187.5	2.1	56	<0.1	17.5	19.0	1006	5.74	2	0.8	<0.1	0.3	214	0.2	0.3	1.6	295	4.84	0.037
12882	Rock Pulp	277.0	280.9	2.2	68	0.2	19.8	19.7	1149	6.06	3	0.9	<0.1	0.3	228	0.3	0.4	7.7	318	5.18	0.037
12883	Rock Pulp	104.1	353.6	4.1	69	0.2	19.1	27.8	987	7.14	3	1.1	<0.1	0.4	206	0.1	0.5	14.1	334	4.83	0.044
12884	Rock Pulp	190.2	382.5	2.7	70	0.2	17.8	24.1	966	6.67	2	1.0	<0.1	0.3	202	0.1	0.1	6.5	328	4.89	0.041
12885	Rock Pulp	85.4	392.7	6.0	81	0.2	18.2	27.3	1181	7.10	3	0.9	<0.1	0.3	219	0.1	0.4	9.2	347	4.86	0.041
12886	Rock Pulp	162.9	342.0	4.2	86	0.2	21.1	32.3	1294	8.02	3	1.1	<0.1	0.3	207	0.1	0.3	6.0	376	4.45	0.045
12887	Rock Pulp	146.2	4666	3.2	58	1.3	77.9	30.5	910	4.89	3	0.4	<0.1	0.5	268	0.3	0.5	2.2	263	5.45	0.044
12888	Rock Pulp	178.2	495.1	3.1	93	0.3	17.7	39.5	1189	8.71	3	1.5	<0.1	0.4	203	<0.1	0.2	20.8	387	4.51	0.049
12889	Rock Pulp	92.5	919.4	3.5	84	0.5	19.6	28.8	1405	7.96	5	1.0	<0.1	0.4	238	0.2	1.5	12.1	404	5.36	0.050
12890	Rock Pulp	96.7	685.3	3.3	94	0.3	59.5	32.5	1302	7.77	3	1.1	<0.1	0.4	210	<0.1	0.3	27.0	318	4.30	0.058
12891	Rock Pulp	92.9	679.3	3.3	88	0.3	46.1	23.7	1256	6.69	2	0.7	<0.1	0.3	228	<0.1	0.2	5.5	318	4.45	0.042
12892	Rock Pulp	99.9	1113	7.8	75	0.6	27.8	26.5	991	6.77	3	1.4	<0.1	0.8	228	0.3	1.5	14.8	253	4.78	0.067
12893	Rock Pulp	50.1	693.6	51.7	228	1.3	22.1	30.3	1314	7.98	31	1.5	<0.1	0.4	155	3.8	36.3	12.6	372	5.01	0.050

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 4 of 13 Part 2

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	
Unit	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
MDL	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1	
12864	Rock Pulp	4.3	107	2.70	155	0.506	7.79	1.344	2.53	27.2	9.2	10	4.9	14.9	1.4	<0.1	<1	42	7.6	3.4	184.1
12865	Rock Pulp	5.9	114	2.50	175	0.475	7.90	1.240	2.24	25.6	15.7	13	4.4	19.7	1.7	<0.1	<1	37	18.9	5.1	149.9
12866	Rock Pulp	4.8	140	2.46	193	0.464	8.04	1.227	2.21	45.6	31.4	10	5.0	18.6	1.6	<0.1	<1	41	46.8	4.4	163.3
12867	Rock Pulp	3.0	106	3.32	173	0.473	8.03	1.195	2.16	21.8	7.1	7	5.6	13.2	0.9	<0.1	<1	46	13.6	5.2	152.8
12868	Rock Pulp	5.4	258	0.44	607	0.046	1.08	9.680	0.50	0.6	103.8	10	45.7	4.4	1.8	0.1	<1	1	9.7	0.1	17.7
12869	Rock Pulp	2.9	207	3.01	144	0.375	5.53	0.692	2.18	18.0	7.2	6	4.9	9.1	1.0	<0.1	<1	33	8.6	6.7	158.8
12870	Rock Pulp	5.1	92	2.47	212	0.449	7.13	1.302	2.35	23.1	17.7	11	4.4	15.0	1.6	<0.1	<1	37	7.6	5.3	158.7
12871	Rock Pulp	6.9	131	1.36	147	0.302	6.44	1.155	1.56	27.2	18.5	15	5.1	22.0	2.5	<0.1	<1	26	6.6	4.8	121.3
12872	Rock Pulp	2.9	139	1.70	89	0.457	7.68	0.799	1.39	39.4	9.7	6	5.5	14.2	1.0	<0.1	<1	40	5.8	4.9	93.1
12873	Rock Pulp	2.8	128	2.72	92	0.452	7.64	0.798	1.89	30.8	7.8	6	4.6	14.2	0.8	<0.1	<1	44	5.3	5.3	125.9
12874	Rock Pulp	3.0	109	2.43	95	0.445	7.53	0.911	1.73	38.7	9.4	7	6.4	15.1	1.0	<0.1	<1	42	5.5	6.3	102.4
12875	Rock Pulp	2.5	190	2.57	155	0.453	7.64	1.481	2.14	30.3	7.9	6	5.3	11.5	1.0	<0.1	<1	44	6.6	6.3	123.3
12876	Rock Pulp	5.8	119	0.38	526	0.126	7.83	2.379	1.93	3.0	14.0	12	2.3	5.6	2.0	<0.1	1	3	12.3	0.6	40.8
12877	Rock Pulp	2.4	85	2.53	145	0.455	7.23	1.427	1.61	27.5	6.5	6	3.8	13.3	1.0	<0.1	<1	43	5.2	6.4	115.6
12878	Rock Pulp	2.1	145	1.67	122	0.291	4.86	0.775	1.71	13.3	4.8	5	3.2	9.7	2.4	<0.1	<1	27	4.1	4.5	120.7
12879	Rock Pulp	1.8	234	1.00	127	0.193	3.22	0.325	1.26	7.3	3.0	4	2.1	7.3	1.9	<0.1	<1	17	4.2	3.9	91.5
12880	Rock Pulp	2.5	126	2.13	135	0.410	6.41	1.146	1.94	13.3	5.9	6	3.2	12.2	2.9	<0.1	<1	37	7.5	4.5	144.9
12881	Rock Pulp	2.7	126	2.44	144	0.448	6.67	1.327	1.73	13.1	6.7	5	2.8	13.9	3.1	<0.1	<1	38	6.6	3.6	133.1
12882	Rock Pulp	2.9	115	2.64	139	0.426	7.05	1.231	1.70	19.2	6.9	6	3.8	15.2	2.2	<0.1	<1	41	7.4	4.0	133.0
12883	Rock Pulp	2.7	126	2.47	151	0.455	7.10	1.286	1.82	34.1	7.1	6	4.1	14.2	1.7	<0.1	<1	42	6.8	5.4	133.5
12884	Rock Pulp	2.6	131	2.28	133	0.446	6.86	1.295	1.62	23.1	7.1	6	3.6	13.5	1.3	<0.1	<1	40	3.7	4.6	130.0
12885	Rock Pulp	2.8	108	2.61	150	0.432	7.06	1.310	1.55	39.6	7.3	6	4.3	13.9	1.5	<0.1	<1	43	5.5	4.4	110.5
12886	Rock Pulp	2.8	105	2.85	174	0.440	7.16	1.336	1.93	33.6	7.8	7	4.3	14.8	1.1	<0.1	<1	44	8.0	5.1	144.5
12887	Rock Pulp	6.4	228	3.68	200	0.405	7.75	1.245	1.63	7.5	5.2	11	1.7	12.8	0.8	<0.1	<1	37	16.4	2.8	126.3
12888	Rock Pulp	3.0	108	2.58	153	0.470	7.23	1.355	1.61	51.0	8.1	7	4.2	16.5	1.2	<0.1	<1	47	6.0	6.0	123.0
12889	Rock Pulp	3.1	113	2.90	156	0.488	7.29	1.311	1.39	19.6	7.0	7	5.1	16.7	1.3	<0.1	<1	49	7.1	3.9	99.2
12890	Rock Pulp	4.0	110	3.67	193	0.450	7.53	1.179	2.29	22.6	8.4	8	4.4	13.9	1.0	<0.1	<1	41	10.6	5.0	165.7
12891	Rock Pulp	3.0	133	2.92	140	0.442	8.21	1.539	2.09	13.4	6.4	7	5.0	10.8	0.9	<0.1	<1	38	7.7	3.6	151.0
12892	Rock Pulp	5.7	105	2.36	112	0.426	6.85	1.027	1.83	59.0	11.1	12	5.0	16.3	1.6	<0.1	<1	35	9.5	5.9	132.0
12893	Rock Pulp	3.6	104	1.99	127	0.433	7.27	0.668	2.07	41.1	7.3	8	6.8	14.2	1.3	<0.1	<1	40	52.3	6.9	127.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

January 14, 2009

Page:

4 of 13

Part 3

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
12864	Rock Pulp 0.6
12865	Rock Pulp 0.6
12866	Rock Pulp 0.7
12867	Rock Pulp 0.3
12868	Rock Pulp 2.4
12869	Rock Pulp 0.2
12870	Rock Pulp 0.8
12871	Rock Pulp 0.7
12872	Rock Pulp 0.4
12873	Rock Pulp 0.4
12874	Rock Pulp 0.4
12875	Rock Pulp 0.4
12876	Rock Pulp 0.5
12877	Rock Pulp 0.3
12878	Rock Pulp 0.2
12879	Rock Pulp <0.1
12880	Rock Pulp 0.3
12881	Rock Pulp 0.3
12882	Rock Pulp 0.3
12883	Rock Pulp 0.4
12884	Rock Pulp 0.3
12885	Rock Pulp 0.4
12886	Rock Pulp 0.4
12887	Rock Pulp 0.2
12888	Rock Pulp 0.4
12889	Rock Pulp 0.4
12890	Rock Pulp 0.3
12891	Rock Pulp 0.2
12892	Rock Pulp 0.5
12893	Rock Pulp 0.3



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 5 of 13 Part 1

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
12894	Rock Pulp	97.5	831.3	9.8	111	0.5	19.0	26.8	1031	8.11	5	1.1	<0.1	0.3	209	0.2	1.1	7.7	372	5.02	0.047
12895	Rock Pulp	44.2	659.8	22.3	145	0.6	20.6	28.5	1202	8.58	17	1.0	<0.1	0.3	181	1.1	13.3	6.3	362	4.15	0.050
12896	Rock Pulp	58.4	533.5	12.9	97	0.3	17.9	29.1	1106	7.53	14	1.0	<0.1	0.3	222	0.4	4.7	4.8	352	4.26	0.047
12897	Rock Pulp	121.6	961.2	16.7	447	0.6	15.4	26.7	1001	7.57	19	1.1	<0.1	0.5	191	2.6	4.8	5.4	353	4.10	0.053
12898	Rock Pulp	83.9	784.7	5.6	100	0.4	14.9	30.0	1135	8.07	3	1.6	<0.1	0.9	196	0.2	0.3	15.9	385	4.35	0.077
12899	Rock Pulp	104.6	564.3	5.8	100	0.3	16.2	27.3	1085	8.25	3	1.4	<0.1	0.7	219	<0.1	0.3	11.7	427	4.29	0.069
12900	Rock Pulp	94.9	329.2	2.7	40	0.2	10.5	14.9	614	5.96	2	1.0	<0.1	0.6	230	0.2	0.5	4.2	159	4.03	0.057
12901	Rock Pulp	22.9	173.1	3.6	28	<0.1	8.0	13.8	342	6.33	<1	0.9	<0.1	0.5	136	<0.1	0.4	3.1	158	2.44	0.048
12902	Rock Pulp	44.2	217.4	5.7	28	0.1	6.8	13.0	310	5.13	1	0.8	<0.1	0.5	125	<0.1	0.3	2.5	159	2.35	0.044
12903	Rock Pulp	176.7	275.7	4.4	41	0.1	6.8	13.1	538	4.41	2	0.7	<0.1	0.5	176	0.1	0.3	3.6	148	3.68	0.060
12904	Rock Pulp	163.3	282.5	8.1	68	0.3	8.6	16.7	693	4.88	8	0.7	<0.1	0.6	168	0.5	3.0	3.5	169	3.35	0.066
12905	Rock Pulp	43.7	323.5	5.3	55	0.3	19.2	14.1	601	6.61	8	1.1	<0.1	0.5	190	0.4	5.4	5.2	208	4.01	0.051
12906	Rock Pulp	81.1	275.6	4.2	43	0.2	19.2	18.8	605	6.51	2	1.0	<0.1	0.5	196	<0.1	0.4	5.4	216	3.38	0.053
12907	Rock Pulp	87.3	205.9	3.6	40	0.2	7.2	16.8	567	5.50	1	0.6	<0.1	0.5	237	<0.1	0.3	2.3	171	3.39	0.066
12908	Rock Pulp	104.9	1126	5.5	66	0.7	13.7	20.3	844	6.38	3	0.9	<0.1	0.5	277	0.2	0.3	33.7	190	3.98	0.063
12909	Rock Pulp	269.7	276.7	4.3	69	0.2	19.9	27.5	757	7.55	1	0.9	<0.1	0.5	153	0.2	0.2	6.2	229	3.14	0.063
12910	Rock Pulp	83.0	208.2	4.0	32	0.1	7.0	19.5	438	5.12	<1	0.7	<0.1	0.5	178	<0.1	0.2	2.7	133	2.55	0.059
12911	Rock Pulp	107.4	218.9	2.9	39	0.1	8.5	17.2	610	6.13	3	0.7	<0.1	0.7	226	0.1	0.2	6.6	166	3.35	0.059
12912	Rock Pulp	163.3	217.1	4.2	35	0.1	6.3	16.3	562	6.01	3	1.2	<0.1	0.6	171	<0.1	0.3	4.6	111	3.88	0.073
12913	Rock Pulp	70.8	125.0	3.8	34	<0.1	5.4	8.5	498	4.23	1	0.6	<0.1	0.8	112	<0.1	0.2	2.2	53	3.47	0.067
12914	Rock Pulp	144.7	144.9	2.3	23	0.1	6.5	9.3	432	5.50	<1	0.5	<0.1	0.7	120	<0.1	0.2	4.2	62	3.12	0.070
12915	Rock Pulp	74.1	241.9	4.3	40	0.2	6.1	7.5	474	4.23	1	0.5	<0.1	0.8	142	<0.1	0.4	5.6	55	3.86	0.059
12916	Rock Pulp	148.1	160.5	5.1	30	<0.1	9.4	19.8	459	5.84	<1	0.7	<0.1	0.5	157	<0.1	0.8	2.5	167	2.64	0.069
12917	Rock Pulp	149.9	4926	1.9	57	1.5	79.9	30.3	958	5.20	2	0.5	<0.1	0.5	277	0.2	0.3	2.0	248	6.13	0.048
12918	Rock Pulp	391.6	225.7	2.5	48	0.1	18.3	24.9	853	6.56	2	0.9	<0.1	0.3	205	<0.1	0.2	1.3	276	5.25	0.041
12919	Rock Pulp	83.8	179.0	2.4	65	0.1	20.6	29.6	1297	7.88	2	0.9	<0.1	0.4	210	<0.1	0.1	1.7	357	5.73	0.053
12920	Rock Pulp	60.8	220.7	3.2	75	0.1	20.1	26.9	1406	7.43	3	1.1	<0.1	0.3	221	<0.1	0.2	1.2	354	5.64	0.049
12921	Rock Pulp	154.9	181.5	2.9	49	<0.1	17.8	24.5	822	6.60	4	1.0	<0.1	0.3	205	0.1	0.1	1.4	276	5.16	0.042
12922	Rock Pulp	102.0	197.7	2.5	47	0.2	19.5	26.7	872	7.49	2	1.9	<0.1	0.3	201	<0.1	0.2	1.7	305	5.01	0.046
12923	Rock Pulp	88.9	198.9	2.9	62	0.1	19.3	27.5	1390	7.33	11	0.7	<0.1	0.4	202	0.1	1.4	1.9	344	5.90	0.045

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 5 of 13 Part 2

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	Analyte	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb
Unit		ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1
12894	Rock Pulp	3.4	84	2.12	115	0.445	7.18	0.763	1.66	40.5	6.7	8	6.4	14.7	1.0	<0.1	<1	39	12.9	6.8	122.5
12895	Rock Pulp	2.6	79	2.42	119	0.439	7.33	0.864	1.78	22.4	10.1	6	5.4	13.4	1.7	<0.1	<1	42	56.2	4.4	103.6
12896	Rock Pulp	2.7	69	2.22	66	0.418	7.11	1.468	2.05	24.6	7.2	7	4.2	11.3	1.7	<0.1	<1	39	30.4	5.8	128.0
12897	Rock Pulp	3.7	71	2.00	53	0.453	6.91	1.225	2.21	24.4	8.0	8	8.4	13.0	1.3	<0.1	<1	40	63.5	6.1	149.8
12898	Rock Pulp	5.6	89	2.28	99	0.578	6.92	1.438	1.70	25.3	12.7	12	6.9	22.9	1.9	<0.1	<1	42	14.5	4.9	130.2
12899	Rock Pulp	5.3	74	2.37	172	0.508	7.49	1.519	2.35	41.8	12.0	11	5.7	18.1	1.2	<0.1	<1	46	13.2	5.5	160.3
12900	Rock Pulp	4.4	116	1.41	134	0.403	6.40	1.098	1.89	19.2	8.1	10	4.2	14.3	2.1	<0.1	<1	32	17.0	4.6	110.5
12901	Rock Pulp	4.0	112	1.17	38	0.297	6.17	0.824	2.44	25.5	4.1	9	5.5	11.1	1.3	<0.1	<1	29	14.2	6.4	117.2
12902	Rock Pulp	4.0	90	1.17	60	0.283	6.28	0.723	2.37	22.1	4.5	9	5.1	8.8	1.1	<0.1	<1	28	13.0	5.2	114.1
12903	Rock Pulp	4.1	117	1.32	89	0.370	6.52	1.310	2.01	28.5	5.7	10	4.4	12.2	1.4	<0.1	<1	28	16.9	3.6	110.5
12904	Rock Pulp	4.6	114	1.23	114	0.380	6.31	0.969	2.08	19.6	5.0	11	3.9	12.8	1.4	<0.1	<1	29	130.2	3.6	119.7
12905	Rock Pulp	5.0	82	2.13	47	0.288	6.97	0.640	2.52	54.0	7.0	11	5.1	10.2	1.3	<0.1	<1	27	60.2	6.9	150.8
12906	Rock Pulp	4.2	86	2.32	53	0.350	7.20	1.183	2.66	50.6	7.5	10	5.1	10.8	1.1	<0.1	<1	31	10.1	6.0	151.2
12907	Rock Pulp	4.5	62	1.57	69	0.324	6.63	1.150	1.98	22.7	3.9	10	3.5	11.3	1.0	<0.1	<1	30	5.9	4.9	116.5
12908	Rock Pulp	4.9	112	2.05	164	0.421	7.16	1.280	1.71	28.4	6.2	11	5.4	13.8	1.5	<0.1	<1	31	6.6	4.6	108.7
12909	Rock Pulp	4.5	83	2.77	77	0.399	7.54	1.118	3.04	33.2	6.9	10	4.7	9.5	0.8	<0.1	<1	32	9.6	5.6	160.0
12910	Rock Pulp	4.4	112	1.41	140	0.296	5.97	1.205	1.81	18.0	6.3	10	2.9	10.7	1.0	<0.1	<1	25	5.4	4.1	106.2
12911	Rock Pulp	4.5	118	1.53	173	0.409	6.50	1.261	1.72	24.3	4.2	11	3.3	12.9	1.4	<0.1	<1	32	7.0	3.9	99.6
12912	Rock Pulp	3.9	116	1.12	150	0.343	6.61	1.010	1.75	31.0	4.0	10	3.6	11.7	1.1	<0.1	<1	27	10.2	3.9	50.7
12913	Rock Pulp	4.5	165	0.88	213	0.334	6.03	1.062	1.53	15.1	5.9	11	2.7	15.3	1.8	<0.1	<1	21	4.5	2.7	48.4
12914	Rock Pulp	3.9	246	0.87	115	0.296	5.81	1.082	1.71	19.2	5.5	10	3.2	13.4	1.4	<0.1	<1	21	3.5	4.3	59.8
12915	Rock Pulp	4.4	182	0.86	199	0.304	5.85	1.089	1.33	15.5	8.1	11	2.7	15.8	1.5	<0.1	<1	19	4.3	2.7	47.5
12916	Rock Pulp	4.1	95	1.64	135	0.328	7.16	1.347	1.99	33.6	6.3	10	4.4	9.7	1.1	<0.1	<1	28	7.5	4.8	77.9
12917	Rock Pulp	5.9	223	3.84	205	0.387	8.70	1.438	1.77	4.7	6.9	12	1.3	11.8	1.0	<0.1	<1	38	17.1	2.7	117.2
12918	Rock Pulp	2.4	123	2.18	115	0.396	6.61	1.380	1.53	14.7	11.1	6	2.7	13.8	1.3	<0.1	<1	36	4.5	4.7	105.9
12919	Rock Pulp	2.3	94	2.71	147	0.517	8.37	1.561	1.78	22.3	7.5	6	3.3	15.3	1.3	<0.1	<1	45	5.2	3.7	98.5
12920	Rock Pulp	2.3	133	2.76	157	0.543	8.69	1.871	2.15	19.3	7.9	6	3.4	13.7	1.7	<0.1	<1	44	7.0	3.3	110.6
12921	Rock Pulp	2.5	138	2.31	169	0.400	7.57	1.405	2.08	24.4	7.0	5	3.8	12.3	5.7	<0.1	<1	38	6.3	5.2	128.7
12922	Rock Pulp	2.2	124	2.44	148	0.407	7.70	1.430	2.09	25.4	7.6	6	3.2	12.2	1.3	<0.1	<1	40	4.4	5.2	130.0
12923	Rock Pulp	2.4	112	2.62	132	0.508	8.27	1.445	2.21	16.5	6.8	6	3.2	13.2	1.6	<0.1	<1	45	11.4	3.9	138.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

January 14, 2009

Page:

5 of 13

Part 3

CERTIFICATE OF ANALYSIS

VAN08011604.1

	Method Analyte Unit MDL	1EX Hf ppm 0.1
12894	Rock Pulp	0.3
12895	Rock Pulp	0.4
12896	Rock Pulp	0.3
12897	Rock Pulp	0.3
12898	Rock Pulp	0.5
12899	Rock Pulp	0.4
12900	Rock Pulp	0.3
12901	Rock Pulp	0.2
12902	Rock Pulp	0.2
12903	Rock Pulp	0.2
12904	Rock Pulp	0.2
12905	Rock Pulp	0.3
12906	Rock Pulp	0.3
12907	Rock Pulp	0.1
12908	Rock Pulp	0.2
12909	Rock Pulp	0.3
12910	Rock Pulp	0.2
12911	Rock Pulp	0.2
12912	Rock Pulp	0.2
12913	Rock Pulp	0.2
12914	Rock Pulp	0.2
12915	Rock Pulp	0.4
12916	Rock Pulp	0.2
12917	Rock Pulp	0.2
12918	Rock Pulp	0.4
12919	Rock Pulp	0.4
12920	Rock Pulp	0.4
12921	Rock Pulp	0.4
12922	Rock Pulp	0.4
12923	Rock Pulp	0.3



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

January 14, 2009

Page:

6 of 13

Part 1

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	Analyte	1EX Mo	1EX Cu	1EX Pb	1EX Zn	1EX Ag	1EX Ni	1EX Co	1EX Mn	1EX Fe	1EX As	1EX U	1EX Au	1EX Th	1EX Sr	1EX Cd	1EX Sb	1EX Bi	1EX V	1EX Ca	1EX P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001
12924	Rock Pulp	35.1	351.0	5.1	30	0.3	8.5	14.3	406	5.84	1	0.7	<0.1	0.6	170	<0.1	0.2	5.5	119	2.82	0.044
12925	Rock Pulp	75.9	283.5	4.4	41	0.2	10.7	16.0	571	6.51	2	0.7	<0.1	0.7	188	<0.1	0.2	3.3	176	2.87	0.052
12926	Rock Pulp	83.8	217.8	3.4	45	0.1	10.0	17.4	690	7.29	<1	0.5	<0.1	0.5	191	<0.1	0.2	3.8	208	3.45	0.067
12927	Rock Pulp	71.1	361.3	13.9	37	0.2	9.0	15.9	556	6.05	1	1.1	<0.1	0.7	209	<0.1	2.1	6.7	137	3.21	0.092
12928	Rock Pulp	101.6	407.2	5.3	41	0.2	15.6	19.2	661	5.91	1	1.2	<0.1	0.9	239	<0.1	0.2	5.6	131	3.81	0.047
12929	Rock Pulp	71.2	637.5	6.4	53	0.3	8.5	17.6	799	6.50	1	0.8	<0.1	0.7	192	<0.1	0.2	10.8	169	2.81	0.097
12930	Rock Pulp	36.5	288.5	33.9	157	0.3	16.0	15.5	690	6.14	1	0.7	<0.1	0.8	126	0.5	0.3	4.8	132	2.46	0.052
12931	Rock Pulp	156.2	222.5	57.5	84	0.8	9.8	11.3	499	5.95	<1	1.1	<0.1	0.9	120	0.1	0.4	9.6	102	2.67	0.058
12932	Rock Pulp	110.5	273.3	5.4	24	0.2	8.3	11.8	424	6.00	2	1.2	<0.1	0.9	151	<0.1	0.2	3.4	127	2.71	0.078
12933	Rock Pulp	22.4	115.6	4.1	18	0.1	8.9	10.2	279	5.27	<1	0.9	<0.1	0.8	121	<0.1	0.3	2.6	96	2.46	0.040
12934	Rock Pulp	260.6	56.7	1.7	6	<0.1	6.4	3.2	88	3.06	<1	0.6	<0.1	0.4	54	<0.1	0.1	1.4	34	1.40	0.009
12935	Rock Pulp	117.8	490.5	3.7	21	0.4	8.8	10.1	339	5.10	<1	1.2	<0.1	0.7	129	<0.1	0.2	3.2	117	2.21	0.039
12936	Rock Pulp	17.7	207.0	4.0	21	0.2	6.6	8.0	357	5.22	<1	1.0	<0.1	0.9	100	<0.1	0.3	2.7	69	1.85	0.029
12937	Rock Pulp	77.0	207.5	4.5	31	0.2	7.1	8.6	467	4.90	1	0.7	<0.1	1.0	125	<0.1	0.3	2.7	90	2.25	0.058
12938	Rock Pulp	49.7	293.2	5.7	42	0.3	7.4	12.3	719	5.44	1	1.0	<0.1	1.3	190	<0.1	0.2	5.5	134	2.77	0.066
12939	Rock Pulp	31.8	250.2	6.1	29	0.3	8.6	9.7	493	4.02	<1	0.5	<0.1	0.9	226	<0.1	0.3	4.2	82	3.29	0.044
12940	Rock Pulp	39.9	272.2	7.3	27	0.5	5.9	6.5	518	4.47	1	1.2	<0.1	2.0	139	<0.1	0.3	4.9	78	2.23	0.047
12941	Rock Pulp	2446	856.0	381.5	3632	4.4	8.3	6.5	763	3.84	1255	50.0	0.1	72.4	18	9.9	4.6	2492	12	2.71	0.011
12942	Rock Pulp	31.9	91.9	5.3	20	0.2	6.4	5.3	414	3.38	3	0.8	<0.1	0.9	169	<0.1	0.3	4.7	44	2.80	0.031
12943	Rock Pulp	84.9	142.7	7.5	37	0.2	9.4	10.3	663	4.27	2	0.8	<0.1	1.0	162	<0.1	0.3	12.5	72	2.70	0.051
12944	Rock Pulp	25.9	162.7	4.7	43	0.2	28.1	17.9	495	5.96	1	1.3	<0.1	0.9	157	<0.1	0.2	3.6	109	2.81	0.055
12945	Rock Pulp	17.1	88.5	4.0	31	<0.1	10.6	11.6	356	5.26	<1	0.5	<0.1	0.6	176	<0.1	0.3	2.4	84	2.92	0.035
12946	Rock Pulp	25.6	98.7	7.7	43	<0.1	7.8	16.0	573	4.86	1	1.5	<0.1	2.8	319	<0.1	0.4	2.2	91	3.26	0.076
12947	Rock Pulp	2.9	72.4	8.5	28	<0.1	9.9	15.1	464	3.38	2	2.5	<0.1	5.2	423	0.1	0.5	1.5	82	2.90	0.123
12948	Rock Pulp	4.3	71.1	18.1	26	<0.1	8.8	11.5	391	3.35	2	2.6	<0.1	4.0	260	<0.1	0.8	1.5	83	2.31	0.121
12949	Rock Pulp	29.0	127.4	15.2	21	0.1	6.8	9.2	325	4.47	<1	1.6	<0.1	1.7	199	0.1	0.5	2.7	66	2.52	0.077
12950	Rock Pulp	19.8	185.2	7.9	27	<0.1	15.7	11.3	412	3.87	1	0.9	<0.1	0.5	153	<0.1	0.1	2.0	87	2.56	0.086
12951	Rock Pulp	24.2	220.1	4.4	45	0.1	14.2	22.9	738	6.19	1	0.4	<0.1	0.5	201	<0.1	0.2	6.1	189	2.98	0.072
12952	Rock Pulp	29.3	190.9	3.8	24	<0.1	5.1	12.2	401	5.02	1	1.1	<0.1	0.7	154	<0.1	<0.1	2.8	67	2.48	0.069
12953	Rock Pulp	18.2	194.0	3.9	37	<0.1	13.0	16.6	646	4.91	<1	0.6	<0.1	0.6	212	<0.1	0.1	3.5	123	3.16	0.056



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 6 of 13 Part 2

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	Analyte	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb
Unit		ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
MDL		0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	
12924	Rock Pulp	3.7	150	1.31	133	0.259	6.12	1.125	2.13	25.9	5.3	9	4.6	9.5	1.1	<0.1	<1	23	5.8	5.3	93.8
12925	Rock Pulp	4.0	108	1.76	202	0.310	7.59	1.652	2.35	24.2	7.1	10	3.0	7.8	1.1	<0.1	<1	29	7.3	4.2	116.2
12926	Rock Pulp	4.0	136	1.73	216	0.400	7.04	1.551	1.85	23.8	5.4	10	2.9	9.9	1.2	<0.1	<1	31	6.7	4.2	92.5
12927	Rock Pulp	4.2	134	1.64	113	0.306	6.85	1.332	2.18	79.9	8.8	10	4.5	11.8	1.2	<0.1	<1	28	8.1	4.6	95.2
12928	Rock Pulp	5.0	135	1.53	179	0.325	6.94	1.307	1.76	45.7	8.3	13	3.5	12.2	1.7	<0.1	<1	25	5.8	4.2	79.7
12929	Rock Pulp	4.4	82	1.87	252	0.406	7.41	1.693	2.45	16.8	6.0	11	3.1	10.2	1.2	<0.1	<1	34	7.9	3.6	124.8
12930	Rock Pulp	4.5	154	1.30	121	0.270	6.83	0.816	2.30	42.0	8.0	12	4.0	10.0	1.3	<0.1	<1	25	6.5	5.5	106.0
12931	Rock Pulp	5.2	128	0.93	68	0.197	6.16	0.640	2.44	79.6	7.7	13	4.1	10.1	2.1	<0.1	<1	19	6.6	6.7	109.7
12932	Rock Pulp	5.4	119	1.04	75	0.278	7.07	1.162	2.42	66.8	7.2	13	5.3	11.7	1.6	<0.1	<1	24	6.5	5.9	91.9
12933	Rock Pulp	4.9	169	0.70	70	0.196	6.17	0.664	2.25	94.7	8.3	12	4.4	10.7	2.2	<0.1	<1	20	4.2	5.9	94.3
12934	Rock Pulp	2.6	252	0.26	176	0.077	2.44	0.121	1.12	46.7	35.1	6	2.7	6.3	5.0	<0.1	<1	6	2.5	3.9	50.9
12935	Rock Pulp	4.6	166	0.94	96	0.243	6.17	1.007	2.41	46.1	5.6	12	4.2	10.6	1.9	<0.1	<1	24	5.5	5.1	94.7
12936	Rock Pulp	5.2	169	0.68	59	0.206	5.39	0.798	2.22	61.8	7.8	13	4.4	11.6	2.0	<0.1	<1	18	5.2	5.5	103.8
12937	Rock Pulp	5.5	173	0.99	98	0.256	5.94	0.902	2.15	25.7	10.3	13	4.7	13.3	1.3	<0.1	<1	21	6.7	4.6	110.5
12938	Rock Pulp	6.0	159	1.30	147	0.356	6.88	1.395	1.96	26.6	14.3	15	3.7	13.8	2.0	<0.1	<1	25	8.1	4.0	83.6
12939	Rock Pulp	5.0	125	0.87	110	0.256	6.27	1.172	2.23	26.0	7.9	13	3.4	11.1	1.6	<0.1	<1	20	9.2	4.6	107.6
12940	Rock Pulp	7.1	150	0.67	79	0.211	6.02	0.861	2.14	33.0	26.1	18	5.0	17.3	2.7	<0.1	<1	17	6.3	4.7	88.6
12941	Rock Pulp	187.5	286	0.08	16	0.033	1.89	0.064	0.41	>200	112.5	383	32.2	235.1	0.9	<0.1	<1	6	49.8	0.6	69.7
12942	Rock Pulp	5.6	112	0.53	136	0.160	5.38	0.407	2.45	36.8	8.3	14	3.1	14.0	1.9	<0.1	<1	12	4.2	4.5	114.1
12943	Rock Pulp	6.5	113	0.86	130	0.257	6.22	0.905	2.52	29.4	13.4	17	3.8	14.2	2.8	<0.1	<1	18	8.6	4.2	126.2
12944	Rock Pulp	6.0	98	1.59	81	0.283	7.27	1.081	2.30	25.4	5.8	16	3.7	12.7	1.3	<0.1	<1	25	10.2	5.3	104.2
12945	Rock Pulp	4.2	129	0.88	69	0.205	5.61	0.932	2.36	27.6	8.1	11	4.4	10.4	2.5	<0.1	<1	19	6.6	5.9	100.4
12946	Rock Pulp	9.5	83	1.27	65	0.267	7.64	2.052	2.74	15.2	40.9	23	3.2	8.6	1.8	<0.1	<1	15	7.2	4.7	113.2
12947	Rock Pulp	14.8	101	0.94	103	0.270	8.57	2.771	2.13	5.5	97.1	31	1.3	8.4	3.6	0.2	1	7	7.3	2.6	84.3
12948	Rock Pulp	13.4	97	0.87	129	0.266	7.21	2.491	2.24	7.4	93.3	26	1.3	7.5	3.3	0.2	1	6	7.5	3.1	77.2
12949	Rock Pulp	7.3	130	0.68	152	0.258	6.43	1.546	2.36	34.4	29.3	15	3.5	12.6	2.7	<0.1	<1	13	6.3	4.5	91.5
12950	Rock Pulp	4.0	187	0.94	150	0.277	5.34	1.351	2.18	28.4	9.2	9	2.8	11.1	2.1	<0.1	<1	17	6.7	3.5	75.8
12951	Rock Pulp	3.5	86	1.71	181	0.413	6.65	2.055	2.29	35.7	5.5	8	3.4	9.0	1.7	<0.1	<1	28	9.3	4.0	93.6
12952	Rock Pulp	4.7	126	1.04	78	0.285	6.10	1.817	2.68	26.1	10.6	11	3.6	11.7	2.2	<0.1	<1	19	6.0	4.6	97.7
12953	Rock Pulp	3.9	140	1.33	193	0.373	6.29	2.111	2.44	16.2	19.9	9	2.4	10.4	2.8	<0.1	<1	24	6.5	3.7	82.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

January 14, 2009

Page:

6 of 13

Part 3

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
12924	Rock Pulp 0.2
12925	Rock Pulp 0.3
12926	Rock Pulp 0.2
12927	Rock Pulp 0.3
12928	Rock Pulp 0.3
12929	Rock Pulp 0.2
12930	Rock Pulp 0.2
12931	Rock Pulp 0.3
12932	Rock Pulp 0.3
12933	Rock Pulp 0.3
12934	Rock Pulp 0.2
12935	Rock Pulp 0.2
12936	Rock Pulp 0.2
12937	Rock Pulp 0.3
12938	Rock Pulp 0.5
12939	Rock Pulp 0.2
12940	Rock Pulp 0.8
12941	Rock Pulp 8.1
12942	Rock Pulp 0.4
12943	Rock Pulp 0.4
12944	Rock Pulp 0.2
12945	Rock Pulp 0.2
12946	Rock Pulp 1.1
12947	Rock Pulp 2.6
12948	Rock Pulp 2.6
12949	Rock Pulp 0.8
12950	Rock Pulp 0.3
12951	Rock Pulp 0.4
12952	Rock Pulp 0.5
12953	Rock Pulp 0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 7 of 13 Part 1

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
12954	Rock Pulp	17.6	162.8	1.8	44	<0.1	46.5	20.1	567	5.06	<1	0.8	<0.1	0.4	105	<0.1	<0.1	1.7	133	2.54	0.034
12955	Rock Pulp	37.9	365.6	2.5	76	0.2	96.8	34.7	1083	7.64	<1	0.6	<0.1	0.3	150	<0.1	<0.1	2.4	231	2.76	0.061
12956	Rock Pulp	42.2	202.5	6.5	37	0.1	13.8	20.4	643	6.70	<1	0.4	<0.1	0.4	227	<0.1	<0.1	2.6	166	3.37	0.067
12957	Rock Pulp	38.6	289.2	8.6	42	0.1	11.1	17.7	603	4.87	<1	0.5	<0.1	0.3	220	<0.1	<0.1	1.7	137	2.64	0.076
12958	Rock Pulp	47.9	252.3	11.0	34	0.1	9.4	16.2	493	4.30	2	0.4	<0.1	0.5	220	<0.1	0.1	5.4	110	2.93	0.058
12959	Rock Pulp	21.4	94.1	8.1	15	<0.1	7.8	10.1	220	4.89	<1	0.4	<0.1	0.6	102	<0.1	0.1	2.1	80	2.23	0.037
12960	Rock Pulp	20.3	92.3	7.0	13	<0.1	5.6	4.9	241	3.42	<1	0.5	<0.1	0.6	99	<0.1	0.1	2.8	27	2.68	0.042
12961	Rock Pulp	44.1	155.0	8.5	108	0.4	9.9	9.5	1174	5.55	4	0.8	<0.1	1.3	153	0.1	1.2	2.6	129	1.72	0.074
12962	Rock Pulp	63.5	555.3	7.8	89	0.5	10.9	48.3	836	7.98	2	1.4	<0.1	0.8	99	0.1	0.6	10.8	141	1.43	0.074
12963	Rock Pulp	38.4	183.7	10.1	97	0.2	8.2	16.7	887	5.18	3	0.8	<0.1	0.9	111	0.1	0.9	4.2	133	1.81	0.074
12964	Rock Pulp	31.6	183.4	7.2	58	0.3	8.1	20.3	894	5.64	3	0.8	<0.1	1.1	108	<0.1	0.7	10.6	123	2.66	0.066
12965	Rock Pulp	72.8	781.6	29.1	170	1.0	21.4	26.9	1046	6.39	17	1.9	<0.1	1.0	64	0.4	6.6	27.2	146	3.06	0.055
12966	Rock Pulp	53.3	439.3	69.6	231	1.1	26.2	32.0	1347	7.89	48	1.1	<0.1	0.6	93	1.0	4.8	31.4	192	5.75	0.059
12967	Rock Pulp	1.3	35.4	67.6	51	0.2	6.5	6.2	109	0.23	6	0.6	<0.1	1.1	144	0.7	4.3	0.6	<1	7.59	0.007
12968	Rock Pulp	27.6	3275	101.4	537	1.5	12.9	28.5	1490	8.39	346	0.9	<0.1	0.7	38	9.3	131.4	5.5	210	4.52	0.067
12969	Rock Pulp	47.3	188.5	20.5	85	0.4	9.4	38.8	757	7.76	10	1.0	<0.1	0.9	38	0.2	3.0	15.4	128	2.91	0.091
12970	Rock Pulp	5.0	462.1	22.8	146	0.7	8.8	20.6	1194	6.84	6	1.1	<0.1	1.2	66	0.3	2.4	32.9	157	2.37	0.073
12971	Rock Pulp	9.6	455.5	22.9	127	0.4	10.6	17.2	1300	6.34	5	1.2	<0.1	1.6	132	0.1	4.8	9.8	147	2.57	0.074
12972	Rock Pulp	72.2	1259	34.6	111	1.1	15.0	36.9	1020	9.14	5	2.2	<0.1	1.2	165	0.3	1.5	80.6	142	2.78	0.106
12973	Rock Pulp	12.7	387.4	12.4	308	0.4	6.2	30.4	1053	7.89	3	1.8	<0.1	0.8	209	1.3	0.9	8.8	182	2.93	0.089
12974	Rock Pulp	32.9	701.3	16.5	88	0.5	5.9	32.2	913	7.74	3	2.2	<0.1	0.8	186	0.2	1.6	9.5	167	2.50	0.127
12975	Rock Pulp	22.8	375.6	19.3	117	0.4	5.5	25.1	1044	7.31	1	1.5	<0.1	0.8	141	<0.1	0.8	7.1	164	2.51	0.110
12976	Rock Pulp	14.0	542.1	16.4	117	0.4	6.4	34.1	1066	7.77	4	1.4	<0.1	0.8	133	0.2	0.7	4.6	166	2.01	0.111
12977	Rock Pulp	55.8	295.8	10.9	74	0.2	6.1	16.8	993	5.54	2	1.0	<0.1	0.7	176	0.1	0.6	4.0	182	2.52	0.109
12978	Rock Pulp	48.7	226.9	7.4	78	0.3	4.7	16.6	1008	5.58	3	0.7	<0.1	0.9	202	<0.1	0.7	8.0	129	2.63	0.066
12979	Rock Pulp	34.8	372.3	13.5	400	0.5	9.4	20.3	1121	6.35	3	0.9	<0.1	0.8	179	2.1	0.7	20.8	146	3.14	0.076
12980	Rock Pulp	21.0	302.1	14.6	120	0.5	8.5	36.9	1015	7.39	2	1.1	<0.1	0.7	165	0.2	0.5	28.3	190	1.96	0.075
12981	Rock Pulp	20.5	270.0	7.0	82	0.3	9.9	22.4	1008	6.88	2	0.8	<0.1	0.8	206	0.1	0.7	14.2	156	2.82	0.071
12982	Rock Pulp	8.8	377.4	8.7	462	0.5	11.0	38.8	1021	7.44	2	0.7	<0.1	0.9	163	2.0	1.0	9.5	164	2.10	0.065
12983	Rock Pulp	19.8	1228	15.7	148	1.0	20.9	47.8	1121	7.57	3	1.0	<0.1	0.7	168	0.5	2.3	11.1	185	2.62	0.058

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

January 14, 2009

Page:

7 of 13

Part 2

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	Analyte	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb
Unit		ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1
12954	Rock Pulp	3.6	129	2.24	123	0.274	5.35	0.441	2.67	50.8	4.6	8	5.0	7.1	2.3	<0.1	<1	20	10.0	4.9	114.2
12955	Rock Pulp	2.9	51	3.85	177	0.443	7.09	1.149	3.01	40.9	6.9	7	4.6	7.4	1.6	<0.1	<1	23	15.5	4.2	114.5
12956	Rock Pulp	3.4	106	1.42	116	0.377	6.09	1.672	2.03	55.5	4.3	8	2.6	9.0	1.9	<0.1	<1	25	8.6	5.5	73.3
12957	Rock Pulp	3.3	75	1.59	156	0.352	6.80	2.386	2.51	29.4	4.1	8	2.5	7.4	1.5	<0.1	<1	23	8.0	3.4	86.3
12958	Rock Pulp	3.5	130	1.34	156	0.333	6.13	2.021	2.14	20.1	5.3	8	2.7	8.0	1.9	<0.1	<1	20	6.2	3.2	66.9
12959	Rock Pulp	4.4	156	0.64	30	0.218	5.51	0.533	2.59	33.5	3.5	10	3.0	9.5	1.7	<0.1	<1	21	5.0	5.6	101.4
12960	Rock Pulp	4.8	239	0.51	88	0.191	3.94	0.600	1.22	25.9	3.7	11	2.5	13.6	1.8	<0.1	<1	12	4.6	3.8	60.5
12961	Rock Pulp	7.2	126	1.31	480	0.469	7.62	2.016	1.86	13.6	15.5	16	4.4	18.7	2.2	0.1	<1	27	14.3	0.4	87.0
12962	Rock Pulp	5.1	100	1.10	31	0.412	6.95	1.269	2.60	20.9	8.1	12	8.7	17.2	1.8	<0.1	<1	24	11.4	5.3	122.2
12963	Rock Pulp	5.8	71	1.31	315	0.466	7.34	1.470	2.16	20.9	6.7	13	5.3	16.4	1.8	<0.1	<1	24	18.1	1.9	110.5
12964	Rock Pulp	7.0	78	1.28	96	0.424	7.16	1.267	1.89	23.2	6.5	16	6.8	15.0	2.2	0.1	<1	23	24.7	2.3	92.2
12965	Rock Pulp	5.7	40	1.48	169	0.444	7.30	0.601	2.37	23.6	8.1	12	7.0	14.5	1.7	<0.1	1	24	32.7	2.9	105.8
12966	Rock Pulp	4.7	46	0.87	108	0.412	6.77	0.136	2.45	25.5	8.2	11	8.8	13.5	1.2	<0.1	<1	28	54.2	5.8	92.0
12967	Rock Pulp	5.0	221	0.39	564	0.038	0.94	9.242	0.46	0.4	101.7	10	31.4	3.8	1.4	<0.1	<1	<1	8.4	<0.1	17.3
12968	Rock Pulp	5.2	58	1.62	118	0.418	6.51	0.193	2.38	19.7	9.8	12	6.0	15.8	1.2	<0.1	<1	27	28.4	4.5	118.4
12969	Rock Pulp	5.0	61	0.87	64	0.396	6.49	0.360	2.65	22.8	10.2	11	8.7	15.6	1.5	<0.1	<1	22	37.1	5.7	114.1
12970	Rock Pulp	6.9	50	1.40	169	0.502	7.40	0.456	2.43	23.4	7.5	15	7.9	19.7	2.9	0.1	<1	26	20.6	3.5	84.7
12971	Rock Pulp	8.3	80	1.62	297	0.505	7.95	0.704	2.57	19.0	14.7	19	8.6	21.9	4.2	0.2	1	26	21.5	2.1	91.8
12972	Rock Pulp	6.7	69	1.47	83	0.436	7.16	0.830	2.56	43.0	18.4	15	12.2	25.9	2.0	<0.1	<1	22	10.0	6.5	104.3
12973	Rock Pulp	5.1	96	1.68	132	0.438	6.63	0.843	1.49	38.6	18.1	12	6.1	21.7	1.7	<0.1	<1	25	8.7	4.7	67.5
12974	Rock Pulp	5.4	102	1.89	101	0.399	6.21	0.900	2.02	40.1	33.8	13	7.2	24.6	1.8	<0.1	<1	20	9.2	5.3	61.3
12975	Rock Pulp	4.6	83	1.64	135	0.409	6.69	1.232	2.10	21.3	20.0	11	7.7	22.1	1.3	<0.1	<1	23	7.7	5.4	82.3
12976	Rock Pulp	5.3	100	1.69	139	0.416	6.69	1.242	2.01	21.0	19.2	12	7.2	21.9	1.6	<0.1	<1	24	8.4	5.6	99.6
12977	Rock Pulp	4.9	108	1.40	259	0.443	6.99	1.369	1.81	14.1	10.8	11	5.8	17.6	1.6	<0.1	<1	25	6.2	2.1	83.3
12978	Rock Pulp	4.8	75	1.35	235	0.430	6.69	1.472	1.60	20.6	8.4	12	4.8	17.9	1.9	<0.1	<1	25	6.8	2.0	67.9
12979	Rock Pulp	5.1	96	1.39	258	0.455	7.42	1.367	1.84	25.1	7.9	11	5.9	19.3	1.7	<0.1	<1	27	9.2	2.5	77.0
12980	Rock Pulp	5.0	87	1.60	155	0.449	7.08	1.375	2.14	25.3	9.0	11	6.7	17.7	1.5	<0.1	<1	28	9.4	4.3	114.3
12981	Rock Pulp	5.5	81	1.42	288	0.485	7.60	1.799	1.72	18.7	6.2	13	4.5	18.7	1.8	<0.1	<1	30	5.7	2.3	82.0
12982	Rock Pulp	5.7	81	1.63	226	0.497	7.42	1.944	2.15	23.5	4.5	13	6.5	17.9	1.8	<0.1	<1	30	7.7	3.8	106.9
12983	Rock Pulp	5.0	98	1.85	152	0.441	6.72	0.851	1.97	32.9	6.0	11	6.3	16.6	1.2	<0.1	<1	28	9.4	4.4	89.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

January 14, 2009

Page:

7 of 13

Part 3

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
12954	Rock Pulp 0.2
12955	Rock Pulp 0.3
12956	Rock Pulp 0.2
12957	Rock Pulp 0.2
12958	Rock Pulp 0.1
12959	Rock Pulp <0.1
12960	Rock Pulp 0.2
12961	Rock Pulp 0.5
12962	Rock Pulp 0.3
12963	Rock Pulp 0.3
12964	Rock Pulp 0.2
12965	Rock Pulp 0.3
12966	Rock Pulp 0.4
12967	Rock Pulp 2.3
12968	Rock Pulp 0.4
12969	Rock Pulp 0.4
12970	Rock Pulp 0.3
12971	Rock Pulp 0.5
12972	Rock Pulp 0.8
12973	Rock Pulp 0.6
12974	Rock Pulp 1.1
12975	Rock Pulp 0.7
12976	Rock Pulp 0.7
12977	Rock Pulp 0.4
12978	Rock Pulp 0.3
12979	Rock Pulp 0.3
12980	Rock Pulp 0.4
12981	Rock Pulp 0.3
12982	Rock Pulp 0.2
12983	Rock Pulp 0.3



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 8 of 13 Part 1

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	Analyte	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001
12984	Rock Pulp	293.9	512.4	10.6	113	0.5	27.7	40.6	1089	7.54	5	1.0	<0.1	0.9	246	0.4	1.3	12.9	174	3.08	0.050
12985	Rock Pulp	100.0	283.2	7.7	270	0.6	9.4	20.6	878	5.81	2	0.9	<0.1	1.3	185	1.4	0.5	8.1	140	2.06	0.071
12986	Rock Pulp	38.2	368.8	6.3	127	0.4	7.4	15.7	824	4.58	2	1.4	<0.1	1.7	213	0.6	0.9	9.3	92	3.06	0.059
12987	Rock Pulp	18.7	156.8	5.9	252	0.2	7.3	17.0	950	5.56	3	0.8	<0.1	1.8	181	1.1	0.7	7.2	118	3.05	0.050
12988	Rock Pulp	155.2	4853	1.8	56	1.5	78.2	31.9	973	4.96	3	0.5	<0.1	0.4	289	0.3	0.3	2.2	263	5.82	0.049
12989	Rock Pulp	71.1	202.2	5.3	128	0.2	10.2	21.3	878	5.73	2	1.0	<0.1	1.2	210	0.2	0.4	5.0	146	2.30	0.070
12990	Rock Pulp	60.1	346.2	7.1	344	0.3	14.1	28.1	943	5.68	2	1.0	<0.1	1.1	245	1.7	0.7	10.8	175	2.65	0.068
12991	Rock Pulp	91.4	364.6	4.3	87	0.3	13.0	26.8	737	5.78	2	1.2	<0.1	1.2	259	<0.1	0.4	6.1	163	2.70	0.090
12992	Rock Pulp	200.3	297.8	5.7	536	0.3	12.2	20.3	838	5.84	2	0.9	<0.1	0.9	217	2.7	0.3	9.4	172	2.21	0.067
12993	Rock Pulp	135.3	747.5	10.7	388	0.8	9.6	23.7	1122	7.27	3	0.9	<0.1	0.9	231	1.5	0.9	23.6	193	2.43	0.059
12994	Rock Pulp	205.0	378.2	5.8	228	0.4	9.8	20.7	1251	6.62	3	0.9	<0.1	0.7	227	0.5	0.4	6.0	179	2.72	0.084
12995	Rock Pulp	433.3	988.1	14.4	151	0.8	22.0	21.6	1260	7.91	4	1.2	<0.1	0.8	343	0.5	1.1	23.8	277	3.98	0.070
12996	Rock Pulp	7.2	40.7	80.0	56	0.2	7.4	7.1	127	0.32	5	0.6	<0.1	1.1	150	0.5	4.8	1.0	5	7.62	0.007
12997	Rock Pulp	88.2	627.0	6.9	134	0.5	21.3	27.7	1029	6.16	2	1.0	<0.1	0.7	281	0.1	0.6	4.2	188	3.07	0.069
12998	Rock Pulp	60.6	533.6	4.4	79	0.4	7.8	29.4	731	6.54	1	1.0	<0.1	0.5	169	<0.1	0.3	8.3	157	1.74	0.073
12999	Rock Pulp	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
13000	Rock Pulp	336.8	362.9	7.2	243	0.5	6.2	19.0	696	4.21	3	1.2	<0.1	0.9	131	1.2	0.6	6.8	84	2.45	0.074
13001	Rock Pulp	280.8	240.3	6.5	83	0.3	7.1	11.3	827	5.24	2	0.9	<0.1	0.9	158	0.1	0.4	9.8	109	2.46	0.057
13002	Rock Pulp	125.5	265.2	5.1	121	0.2	8.2	13.4	1035	4.97	3	0.9	<0.1	0.9	165	<0.1	0.5	4.6	135	2.63	0.094
13003	Rock Pulp	22.4	512.7	19.7	226	0.5	7.2	22.6	1106	6.15	5	1.2	<0.1	0.8	542	1.4	1.5	6.1	184	5.95	0.064
13004	Rock Pulp	83.9	592.5	5.3	184	0.5	36.5	23.9	1354	7.45	2	1.1	<0.1	0.6	238	0.2	0.6	6.8	218	3.40	0.063
13005	Rock Pulp	157.5	410.2	4.0	76	0.3	6.6	18.6	887	5.43	2	1.0	<0.1	0.9	187	<0.1	0.5	4.5	95	2.94	0.079
13006	Rock Pulp	148.5	545.8	3.4	285	0.4	12.1	22.0	1228	7.27	2	1.0	<0.1	0.6	156	1.1	0.4	7.1	190	2.02	0.086
13007	Rock Pulp	428.3	411.3	3.7	139	0.4	8.0	26.6	1021	7.15	2	1.3	<0.1	0.8	153	0.1	0.4	9.2	157	2.55	0.076
13008	Rock Pulp	2285	798.9	373.6	3425	4.1	21.5	8.0	842	4.43	1188	52.2	0.1	74.2	20	10.1	4.5	2552	12	2.53	0.012
13009	Rock Pulp	190.4	222.2	4.8	218	0.2	10.2	23.5	933	6.52	3	1.0	<0.1	0.9	201	0.8	0.5	3.9	177	2.98	0.076
13010	Rock Pulp	96.3	474.1	6.5	148	0.4	9.0	18.3	1017	6.04	2	1.3	<0.1	0.9	270	0.5	0.9	5.8	151	3.59	0.071
13011	Rock Pulp	301.7	619.3	5.5	250	0.5	50.7	40.3	1567	7.39	4	1.5	<0.1	0.4	242	0.2	0.4	3.8	283	3.93	0.060
13012	Rock Pulp	343.1	881.1	4.9	294	0.8	28.3	46.9	1350	8.31	3	1.3	<0.1	0.6	160	0.8	0.5	9.6	222	3.10	0.066
13013	Rock Pulp	607.7	699.5	7.6	275	0.6	11.6	26.9	1158	7.19	5	1.1	<0.1	0.8	199	1.0	0.8	5.7	147	3.86	0.063

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 8 of 13 Part 2

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	Analyte	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb
Unit		ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1
12984	Rock Pulp	5.9	118	1.66	99	0.418	7.00	0.915	1.90	27.2	9.4	13	7.9	16.4	1.6	0.1	<1	25	6.7	4.2	105.4
12985	Rock Pulp	7.4	103	1.21	280	0.503	7.18	1.597	2.13	23.6	9.8	16	7.2	19.5	2.4	0.1	<1	23	5.3	2.9	102.9
12986	Rock Pulp	9.4	142	0.80	204	0.399	6.15	1.057	1.17	17.9	15.6	20	4.0	18.8	3.8	0.2	<1	16	3.6	1.8	42.9
12987	Rock Pulp	8.8	115	1.02	312	0.508	6.92	1.259	1.69	13.9	13.4	20	5.3	17.8	4.2	0.2	<1	20	4.6	2.4	74.9
12988	Rock Pulp	6.7	200	3.74	204	0.428	8.29	1.346	1.72	4.6	5.3	12	1.7	12.1	0.9	<0.1	<1	36	17.7	2.7	109.0
12989	Rock Pulp	7.4	92	1.31	380	0.537	7.06	1.441	2.16	16.4	8.9	17	6.9	17.8	2.5	0.1	<1	25	5.0	2.3	103.9
12990	Rock Pulp	6.3	118	1.37	320	0.514	7.07	1.163	2.26	26.3	10.5	14	9.0	18.5	2.2	0.1	<1	26	5.6	2.3	111.6
12991	Rock Pulp	6.2	126	1.29	302	0.491	7.28	1.286	2.18	23.2	10.1	15	8.2	22.1	2.2	<0.1	<1	26	5.7	2.4	100.4
12992	Rock Pulp	5.7	109	1.48	325	0.460	6.95	1.464	2.13	15.7	7.7	13	7.2	17.3	1.6	<0.1	<1	28	6.1	2.5	122.1
12993	Rock Pulp	5.9	101	1.59	318	0.553	7.83	1.751	2.10	17.3	4.7	14	6.9	18.5	1.9	<0.1	<1	33	6.7	2.4	120.7
12994	Rock Pulp	5.1	100	1.69	167	0.503	7.22	1.517	1.81	13.2	6.2	12	4.8	19.7	1.5	<0.1	<1	31	7.0	1.6	99.9
12995	Rock Pulp	4.9	103	2.24	108	0.519	7.69	0.440	2.11	38.6	11.4	11	9.2	18.4	1.3	<0.1	<1	36	8.0	2.8	89.6
12996	Rock Pulp	5.1	283	0.41	587	0.045	1.18	9.641	0.47	0.8	103.7	10	185.0	4.2	1.6	<0.1	<1	1	10.1	<0.1	17.2
12997	Rock Pulp	5.2	126	2.13	175	0.448	7.25	0.982	2.13	23.7	9.9	12	6.5	17.3	1.1	<0.1	<1	29	6.8	2.4	107.9
12998	Rock Pulp	4.5	96	1.38	173	0.461	6.52	1.192	2.06	28.0	6.9	11	8.1	17.6	1.4	<0.1	<1	25	5.7	4.2	109.6
12999	Rock Pulp	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
13000	Rock Pulp	5.9	125	0.96	310	0.387	7.06	1.014	2.08	14.3	11.6	13	6.4	26.1	1.7	<0.1	<1	22	4.6	2.3	98.6
13001	Rock Pulp	5.2	140	1.20	340	0.429	6.47	1.013	1.77	10.7	9.7	12	5.5	22.2	1.4	<0.1	<1	24	5.5	2.2	80.7
13002	Rock Pulp	5.4	98	1.78	287	0.504	7.41	1.238	2.09	17.3	7.5	12	6.0	19.6	1.6	<0.1	<1	30	8.8	1.3	108.0
13003	Rock Pulp	6.0	191	0.76	93	0.524	7.52	0.457	1.28	9.0	16.9	13	6.4	22.8	1.8	<0.1	<1	29	3.2	2.2	64.5
13004	Rock Pulp	4.6	151	2.99	148	0.462	7.75	0.936	2.22	18.6	9.8	10	6.9	15.0	1.2	<0.1	<1	29	10.3	2.8	109.5
13005	Rock Pulp	5.4	150	1.32	175	0.508	6.16	0.890	1.71	19.3	10.4	12	6.4	24.3	1.7	<0.1	<1	26	5.1	2.3	80.4
13006	Rock Pulp	4.6	286	2.09	169	0.507	6.69	1.259	2.08	30.6	5.7	11	6.6	19.0	1.6	<0.1	<1	34	7.0	2.1	126.9
13007	Rock Pulp	5.4	136	1.61	268	0.554	7.33	1.012	2.19	30.6	5.3	12	7.2	22.5	1.5	<0.1	<1	33	6.7	3.2	114.9
13008	Rock Pulp	187.0	1076	0.23	13	0.041	2.19	0.030	0.42	>200	111.4	357	40.8	212.0	0.4	<0.1	<1	6	47.0	0.6	67.1
13009	Rock Pulp	5.3	167	1.60	205	0.554	7.06	1.286	2.01	25.3	5.6	12	6.2	19.5	1.6	<0.1	<1	32	5.2	2.4	111.1
13010	Rock Pulp	5.3	142	1.54	97	0.535	6.80	0.916	1.84	26.1	10.0	12	6.1	21.6	1.6	<0.1	<1	30	5.4	2.1	94.4
13011	Rock Pulp	4.1	103	4.46	99	0.472	8.61	0.661	2.59	32.5	14.2	8	6.5	11.5	0.9	<0.1	<1	38	13.8	2.4	130.7
13012	Rock Pulp	4.7	119	3.05	119	0.513	7.69	0.626	2.26	29.4	9.8	10	8.5	14.9	1.0	<0.1	<1	36	12.9	4.1	127.9
13013	Rock Pulp	5.5	147	1.74	71	0.543	6.53	0.468	1.64	32.7	12.2	12	5.6	23.5	1.7	<0.1	<1	32	7.7	2.7	108.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

January 14, 2009

Page:

8 of 13

Part 3

CERTIFICATE OF ANALYSIS

VAN08011604.1

	Method	1EX
	Analyte	Hf
	Unit	ppm
	MDL	0.1
12984	Rock Pulp	0.4
12985	Rock Pulp	0.3
12986	Rock Pulp	0.5
12987	Rock Pulp	0.5
12988	Rock Pulp	0.2
12989	Rock Pulp	0.3
12990	Rock Pulp	0.3
12991	Rock Pulp	0.3
12992	Rock Pulp	0.2
12993	Rock Pulp	0.1
12994	Rock Pulp	0.2
12995	Rock Pulp	0.4
12996	Rock Pulp	2.3
12997	Rock Pulp	0.4
12998	Rock Pulp	0.2
12999	Rock Pulp	L.N.R.
13000	Rock Pulp	0.4
13001	Rock Pulp	0.3
13002	Rock Pulp	0.2
13003	Rock Pulp	0.7
13004	Rock Pulp	0.4
13005	Rock Pulp	0.5
13006	Rock Pulp	0.2
13007	Rock Pulp	0.2
13008	Rock Pulp	7.4
13009	Rock Pulp	0.2
13010	Rock Pulp	0.4
13011	Rock Pulp	0.5
13012	Rock Pulp	0.3
13013	Rock Pulp	0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 9 of 13 Part 1

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
13014	Rock Pulp	124.7	618.3	6.6	260	0.5	9.6	28.5	1270	7.26	3	1.0	<0.1	0.9	193	0.7	0.4	7.7	166	3.25	0.081
13015	Rock Pulp	257.8	433.7	7.6	226	0.4	14.2	29.7	1131	6.91	2	1.1	<0.1	0.7	200	0.5	0.5	4.5	229	2.80	0.066
13016	Rock Pulp	178.0	417.5	8.9	527	0.4	12.5	22.9	1195	6.85	3	1.2	<0.1	0.7	234	2.9	0.9	5.9	220	3.14	0.068
13017	Rock Pulp	40.9	571.8	10.3	662	0.5	20.2	24.7	1663	11.30	4	1.1	<0.1	0.3	204	3.5	0.6	5.5	545	2.81	0.069
13018	Rock Pulp	70.0	1370	16.7	468	1.3	22.7	43.6	2038	12.29	5	2.0	<0.1	0.3	206	1.0	0.9	12.6	583	2.78	0.077
13019	Rock Pulp	82.5	968.2	12.2	1079	1.0	22.2	37.0	1631	11.15	3	1.6	<0.1	0.3	207	4.7	0.6	9.4	520	2.47	0.071
13020	Rock Pulp	62.1	783.4	7.9	244	0.7	22.0	31.3	1943	9.91	6	1.9	<0.1	0.5	158	0.2	1.1	4.3	494	4.31	0.068
13021	Rock Pulp	126.3	535.9	6.5	182	0.5	18.0	20.6	1452	7.82	3	1.5	<0.1	0.3	160	0.2	1.1	8.2	410	2.81	0.050
13022	Rock Pulp	137.0	1251	7.8	264	1.2	22.6	36.0	2169	10.25	3	2.5	<0.1	0.3	146	0.5	1.1	17.4	546	3.57	0.063
13023	Rock Pulp	2.9	24.9	21.2	88	0.1	4.7	2.2	416	1.36	2	5.8	<0.1	8.4	179	0.4	0.9	1.6	20	0.77	0.037
13024	Rock Pulp	1.2	16.0	13.2	38	<0.1	4.1	2.6	528	1.23	1	5.2	<0.1	8.4	221	0.1	0.6	0.8	21	1.15	0.032
13025	Rock Pulp	306.7	621.9	15.8	313	0.9	21.6	25.9	3147	9.79	5	3.9	<0.1	0.5	140	0.3	1.0	12.1	528	4.90	0.062
13026	Rock Pulp	158.7	5250	0.6	63	1.3	79.6	30.3	1010	5.28	2	0.5	<0.1	0.5	298	0.4	0.4	1.8	283	6.05	0.046
13027	Rock Pulp	2.4	31.5	17.7	58	<0.1	4.6	2.3	657	1.11	1	4.7	<0.1	8.3	235	0.2	0.7	0.3	15	1.28	0.029
13028	Rock Pulp	1.2	15.7	10.7	41	<0.1	3.4	2.2	604	1.03	<1	5.9	<0.1	8.2	217	0.1	0.7	0.2	13	1.16	0.028
13029	Rock Pulp	2.8	52.6	22.0	58	<0.1	3.7	2.6	633	1.22	1	4.6	<0.1	8.3	223	0.2	0.8	0.5	22	1.18	0.028
13030	Rock Pulp	45.5	244.7	19.9	223	0.4	5.7	9.0	782	2.15	3	5.0	<0.1	7.2	257	1.0	1.1	3.1	62	1.77	0.037
13031	Rock Pulp	130.2	648.8	11.8	711	0.9	20.8	37.3	2431	9.61	9	1.5	<0.1	0.4	223	3.6	1.4	6.7	476	4.08	0.057
13032	Rock Pulp	68.6	848.3	15.2	417	0.8	22.6	26.7	1720	8.80	4	1.4	<0.1	0.3	234	1.2	0.9	19.0	426	3.41	0.045
13033	Rock Pulp	134.3	997.4	7.2	171	0.7	22.8	33.1	1465	8.86	2	1.9	<0.1	0.3	213	0.2	0.5	10.3	390	2.70	0.047
13034	Rock Pulp	3.2	30.9	44.1	147	0.1	4.9	2.0	352	1.25	<1	4.5	<0.1	7.6	185	0.8	0.7	1.3	20	0.68	0.025
13035	Rock Pulp	5.2	30.9	15.4	108	<0.1	4.7	2.3	552	1.13	<1	5.6	<0.1	8.3	218	0.3	0.5	0.8	22	0.90	0.033
13036	Rock Pulp	9.3	79.9	14.5	264	<0.1	3.7	2.4	538	1.50	<1	5.3	<0.1	7.8	219	1.0	0.6	1.9	27	0.79	0.042
13037	Rock Pulp	3.6	29.3	66.3	63	0.2	8.1	7.7	139	0.26	5	0.7	<0.1	1.1	144	0.3	4.8	0.7	5	7.92	0.007
13038	Rock Pulp	53.1	750.9	10.9	223	0.8	20.1	30.3	2259	8.52	5	1.3	<0.1	0.4	270	0.3	2.0	10.9	430	4.29	0.049
13039	Rock Pulp	59.4	1135	7.7	474	0.9	20.2	33.1	1748	9.36	4	1.3	<0.1	0.3	294	2.4	0.9	22.5	417	4.32	0.048
13040	Rock Pulp	36.2	1429	9.3	457	1.2	24.2	33.8	1889	9.01	4	1.5	<0.1	0.4	278	1.7	0.7	20.2	412	4.44	0.052
13041	Rock Pulp	44.9	963.7	7.4	231	0.8	24.1	37.3	1803	8.78	3	1.6	<0.1	0.3	260	0.4	0.9	13.7	408	4.45	0.048
13042	Rock Pulp	410.9	1002	4.8	180	0.7	22.9	44.2	1730	9.84	2	1.9	<0.1	0.3	320	0.6	0.9	8.1	453	4.65	0.052
13043	Rock Pulp	131.6	766.0	8.1	165	0.8	18.4	28.6	1772	9.01	2	1.7	<0.1	0.4	233	0.2	1.5	15.6	407	3.58	0.054

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 9 of 13 Part 2

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	Analyte	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb
Unit		ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
MDL		0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	
13014	Rock Pulp	5.6	123	1.88	160	0.533	6.88	1.078	1.94	26.7	5.0	12	5.9	23.4	1.6	<0.1	<1	36	6.8	2.5	114.6
13015	Rock Pulp	4.7	145	2.01	199	0.535	7.34	1.165	2.32	28.2	6.0	11	7.8	17.9	1.7	<0.1	<1	34	7.8	2.6	110.6
13016	Rock Pulp	5.7	144	1.94	164	0.556	7.80	1.073	2.39	30.7	8.1	13	7.2	23.1	1.4	<0.1	<1	34	8.5	2.6	136.6
13017	Rock Pulp	3.4	143	3.50	153	0.653	7.46	0.867	2.34	29.5	9.5	8	8.3	18.5	1.1	<0.1	<1	54	17.2	2.6	124.7
13018	Rock Pulp	3.6	125	3.85	142	0.671	7.81	0.509	2.16	74.7	10.3	8	11.0	18.2	1.1	<0.1	<1	57	17.4	5.5	104.1
13019	Rock Pulp	3.3	129	3.59	128	0.630	7.56	0.740	3.09	75.5	10.9	8	9.5	18.6	1.0	<0.1	<1	54	16.4	4.8	172.9
13020	Rock Pulp	4.1	116	3.27	133	0.616	7.58	0.736	2.34	47.3	12.8	9	9.9	19.5	1.1	<0.1	<1	53	27.8	3.2	166.6
13021	Rock Pulp	2.7	109	2.47	154	0.482	6.05	0.800	1.86	42.5	9.5	6	6.2	16.2	0.8	<0.1	<1	42	15.4	2.7	135.0
13022	Rock Pulp	3.4	178	3.48	26	0.618	8.22	1.072	2.16	55.7	12.6	8	8.6	20.3	0.8	<0.1	<1	54	27.8	4.4	165.7
13023	Rock Pulp	21.1	99	0.13	233	0.090	6.40	2.386	3.36	2.9	54.9	39	1.4	8.4	8.2	0.6	<1	1	6.4	0.8	100.8
13024	Rock Pulp	21.3	105	0.12	1118	0.093	6.67	2.671	3.19	2.1	54.6	35	0.5	7.6	8.3	0.6	<1	1	5.3	0.5	83.2
13025	Rock Pulp	7.2	110	3.05	125	0.648	8.08	1.347	1.78	26.8	13.3	13	6.0	22.0	1.0	<0.1	1	55	37.0	2.9	156.3
13026	Rock Pulp	6.5	214	4.03	212	0.377	9.12	1.514	1.83	7.2	5.7	12	1.6	14.0	0.9	<0.1	<1	39	18.7	2.8	130.5
13027	Rock Pulp	19.8	96	0.12	1410	0.094	7.49	2.794	3.47	2.2	55.8	38	0.6	8.3	8.1	0.5	1	1	9.2	0.1	88.6
13028	Rock Pulp	19.5	90	0.12	1255	0.096	7.63	2.885	3.38	1.9	53.7	37	0.7	7.9	8.4	0.6	1	1	14.6	0.1	77.4
13029	Rock Pulp	20.3	94	0.15	1227	0.100	6.67	2.670	3.46	2.0	53.1	35	0.5	7.4	9.2	0.7	<1	2	13.8	0.2	78.0
13030	Rock Pulp	16.2	118	0.40	550	0.144	7.25	2.446	2.42	6.7	53.8	32	1.1	9.1	7.9	0.6	1	6	30.0	0.7	73.1
13031	Rock Pulp	3.3	114	2.98	346	0.591	9.03	1.266	1.55	33.9	14.2	8	5.1	20.7	1.0	<0.1	<1	50	22.4	2.1	124.7
13032	Rock Pulp	2.5	115	3.35	189	0.482	9.64	1.125	2.43	49.1	10.3	6	6.6	16.1	0.7	<0.1	<1	43	23.3	3.5	174.5
13033	Rock Pulp	2.5	118	3.07	263	0.432	9.22	1.027	2.75	58.8	10.0	6	7.9	14.7	0.6	<0.1	<1	40	26.3	3.6	189.4
13034	Rock Pulp	22.6	103	0.16	509	0.090	6.52	2.166	3.48	2.7	60.3	37	0.6	6.9	8.0	0.6	1	1	11.8	0.7	92.1
13035	Rock Pulp	21.2	121	0.16	1325	0.094	6.85	2.360	3.13	2.5	61.1	38	0.7	7.8	9.2	0.6	1	2	6.4	0.4	76.6
13036	Rock Pulp	22.5	111	0.23	224	0.110	7.09	2.577	3.42	3.7	58.7	42	0.6	8.7	8.4	0.6	1	2	6.5	0.8	95.7
13037	Rock Pulp	5.3	199	0.43	642	0.036	1.26	9.506	0.53	0.8	114.1	11	110.7	4.5	1.7	<0.1	<1	<1	11.7	<0.1	17.9
13038	Rock Pulp	3.6	134	2.91	393	0.495	9.50	1.373	1.87	40.6	10.9	8	6.7	17.0	0.7	<0.1	<1	44	23.9	2.3	145.0
13039	Rock Pulp	3.2	126	2.82	153	0.497	9.16	1.257	1.96	57.8	12.0	7	6.9	15.7	0.7	<0.1	<1	44	18.9	3.3	145.3
13040	Rock Pulp	3.0	116	3.14	149	0.489	9.89	1.328	1.77	51.9	10.8	7	6.3	17.6	1.1	<0.1	<1	45	13.2	3.5	129.8
13041	Rock Pulp	3.0	128	2.85	153	0.521	9.76	1.399	1.69	51.3	12.4	7	5.8	17.1	0.5	<0.1	<1	45	14.7	3.2	132.8
13042	Rock Pulp	3.2	131	2.95	137	0.519	9.79	1.367	2.13	69.8	11.8	7	8.0	18.3	0.7	<0.1	<1	48	11.2	3.7	180.0
13043	Rock Pulp	3.0	133	2.90	154	0.512	9.42	1.403	1.88	58.7	12.9	7	7.6	17.9	0.6	<0.1	<1	45	9.8	3.0	142.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

January 14, 2009

Page:

9 of 13

Part 3

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
13014	Rock Pulp 0.2
13015	Rock Pulp 0.3
13016	Rock Pulp 0.4
13017	Rock Pulp 0.4
13018	Rock Pulp 0.4
13019	Rock Pulp 0.5
13020	Rock Pulp 0.5
13021	Rock Pulp 0.4
13022	Rock Pulp 0.4
13023	Rock Pulp 2.2
13024	Rock Pulp 1.9
13025	Rock Pulp 0.5
13026	Rock Pulp 0.2
13027	Rock Pulp 2.0
13028	Rock Pulp 1.9
13029	Rock Pulp 1.8
13030	Rock Pulp 1.9
13031	Rock Pulp 0.5
13032	Rock Pulp 0.4
13033	Rock Pulp 0.4
13034	Rock Pulp 2.0
13035	Rock Pulp 2.1
13036	Rock Pulp 2.1
13037	Rock Pulp 2.7
13038	Rock Pulp 0.4
13039	Rock Pulp 0.4
13040	Rock Pulp 0.4
13041	Rock Pulp 0.5
13042	Rock Pulp 0.5
13043	Rock Pulp 0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 10 of 13 Part 1

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
13044	Rock Pulp	353.4	903.5	3.4	164	0.9	25.5	37.0	1552	9.26	2	1.5	<0.1	0.3	204	0.5	0.4	12.7	421	3.04	0.051
13045	Rock Pulp	236.9	481.8	2.7	107	0.4	18.9	35.0	1965	9.15	1	1.7	<0.1	0.4	251	<0.1	0.7	3.6	446	4.47	0.058
13046	Rock Pulp	429.5	612.7	6.4	225	0.5	23.0	32.8	1748	10.20	4	1.6	<0.1	0.4	268	0.6	0.8	7.0	485	4.10	0.058
13047	Rock Pulp	666.3	1158	12.5	874	1.2	18.3	33.3	1711	9.34	2	2.2	<0.1	0.4	188	3.9	0.9	11.7	472	3.16	0.058
13048	Rock Pulp	187.6	784.0	7.7	235	0.7	20.5	29.3	1688	9.20	2	1.8	<0.1	0.4	190	0.2	1.1	7.2	463	2.93	0.060
13049	Rock Pulp	421.1	1035	6.0	212	0.7	18.1	39.4	1625	8.85	2	1.7	<0.1	0.4	205	1.1	0.6	15.8	442	3.86	0.055
13050	Rock Pulp	2437	908.0	417.5	3742	4.4	6.6	6.6	785	3.61	1106	52.7	0.1	76.0	15	12.3	5.9	2483	<1	2.72	0.010
13051	Rock Pulp	326.4	1664	5.3	166	1.3	18.4	32.6	1578	9.86	<1	1.9	<0.1	0.4	223	0.3	0.6	30.2	462	3.46	0.056
13052	Rock Pulp	953.2	1323	7.7	274	0.9	18.8	35.5	1498	10.48	3	2.6	<0.1	0.4	200	0.9	0.7	19.0	455	2.72	0.063
13053	Rock Pulp	330.5	1608	6.0	187	1.3	19.7	33.0	1425	10.15	<1	1.8	<0.1	0.3	222	0.2	1.1	37.6	435	2.71	0.054
13054	Rock Pulp	386.1	1350	9.4	260	1.2	21.1	32.6	1343	11.36	2	2.0	<0.1	0.4	168	0.8	0.8	23.5	418	2.29	0.052
13055	Rock Pulp	235.6	1114	6.7	683	0.9	20.3	37.6	1735	10.89	3	1.9	<0.1	0.5	189	3.5	0.7	16.1	481	2.81	0.057
13056	Rock Pulp	1330	1153	7.9	735	1.3	19.9	33.8	1464	10.43	2	2.8	<0.1	0.5	186	4.4	0.7	16.5	433	2.93	0.058
13057	Rock Pulp	234.7	1267	11.4	359	1.0	19.6	29.9	1526	9.65	3	1.8	<0.1	0.5	151	1.6	0.9	19.8	405	3.06	0.057
13058	Rock Pulp	277.3	1028	10.9	276	0.8	79.5	34.9	1781	8.22	3	1.5	<0.1	0.6	113	0.4	1.1	12.3	312	3.62	0.083
13059	Rock Pulp	166.3	794.4	8.0	243	0.7	27.0	37.0	1808	9.55	2	1.6	<0.1	0.5	151	0.2	0.7	10.3	410	2.72	0.072
13060	Rock Pulp	5.2	77.8	16.7	106	0.2	41.7	14.6	1010	4.20	<1	1.8	<0.1	4.2	341	0.4	1.2	0.7	112	2.62	0.079
13061	Rock Pulp	17.6	161.0	63.6	84	0.2	12.6	10.1	390	2.77	<1	4.0	<0.1	6.1	383	0.3	0.4	0.8	79	1.42	0.067
13062	Rock Pulp	20.5	303.8	396.7	2650	0.4	13.4	19.7	510	2.79	1	5.1	<0.1	6.3	312	17.6	1.0	1.5	71	2.10	0.071
13063	Rock Pulp	1.1	23.3	66.0	48	0.2	5.8	6.2	89	0.20	<1	0.6	<0.1	0.9	143	0.7	4.0	0.6	4	7.41	0.005
13064	Rock Pulp	7.8	264.5	31.3	89	0.2	14.3	12.3	322	2.90	<1	5.4	<0.1	7.3	399	0.4	0.4	1.1	73	1.71	0.081
13065	Rock Pulp	16.1	197.8	12.5	38	<0.1	13.8	15.4	280	3.39	<1	5.6	<0.1	6.6	403	<0.1	0.3	1.1	71	1.54	0.079
13066	Rock Pulp	19.7	247.6	21.9	42	0.1	13.9	34.0	326	3.82	<1	4.9	<0.1	7.0	372	0.1	0.4	1.5	69	1.60	0.077
13067	Rock Pulp	23.4	247.6	55.7	87	0.3	13.7	29.8	368	3.39	<1	4.8	<0.1	6.6	341	0.3	0.4	3.1	70	1.59	0.072
13068	Rock Pulp	18.2	210.4	8.6	30	<0.1	16.2	45.4	290	3.84	<1	5.1	<0.1	7.7	404	0.2	0.3	1.4	72	1.86	0.075
13069	Rock Pulp	32.0	221.2	17.5	37	0.1	15.4	34.5	259	3.50	<1	4.6	<0.1	6.3	309	<0.1	0.4	2.2	77	1.31	0.074
13070	Rock Pulp	10.9	359.6	7.3	25	0.1	12.9	19.4	263	3.72	<1	5.4	<0.1	6.0	340	<0.1	0.4	3.1	73	1.33	0.087
13071	Rock Pulp	11.8	888.7	7.0	26	0.3	10.4	11.6	216	3.48	<1	6.3	<0.1	5.0	429	0.1	0.3	1.2	68	1.36	0.087
13072	Rock Pulp	13.7	593.4	9.8	29	0.2	11.1	16.8	254	3.30	<1	4.5	<0.1	4.4	406	0.1	0.3	0.8	66	1.52	0.089
13073	Rock Pulp	24.0	410.3	9.8	19	0.2	9.1	16.9	184	3.04	<1	4.3	<0.1	4.6	334	<0.1	0.6	1.0	57	1.50	0.076

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

January 14, 2009

Page:

10 of 13

Part 2

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	Analyte	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb
Unit		ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1
13044	Rock Pulp	2.7	127	3.21	176	0.498	9.07	1.201	2.81	46.0	9.8	6	8.0	15.2	0.8	<0.1	<1	44	14.3	4.3	201.8
13045	Rock Pulp	3.5	194	2.87	156	0.586	9.38	1.646	1.57	45.7	16.3	8	6.1	20.4	0.8	<0.1	<1	50	9.1	1.7	128.2
13046	Rock Pulp	3.3	119	2.71	180	0.583	8.62	1.318	2.06	46.7	14.2	8	6.1	19.3	0.7	<0.1	<1	49	11.3	2.9	155.4
13047	Rock Pulp	3.2	141	2.67	152	0.535	8.53	1.073	2.15	63.0	12.7	8	7.9	18.5	0.9	<0.1	<1	48	13.2	4.1	167.4
13048	Rock Pulp	3.8	147	2.70	138	0.539	8.09	1.077	2.19	53.1	13.1	8	9.6	18.4	0.9	<0.1	<1	47	12.2	3.4	171.3
13049	Rock Pulp	2.9	112	2.86	115	0.548	8.38	1.297	1.64	54.0	13.0	7	6.1	18.6	0.8	<0.1	<1	47	11.0	3.4	127.7
13050	Rock Pulp	192.6	138	0.06	11	0.025	1.90	0.046	0.39	>200	113.4	370	32.3	234.8	0.1	<0.1	<1	6	47.4	0.6	59.3
13051	Rock Pulp	3.6	148	2.79	122	0.558	8.06	1.311	2.14	74.6	14.5	8	6.9	19.2	1.0	<0.1	<1	48	11.4	3.3	168.2
13052	Rock Pulp	3.2	136	2.98	146	0.542	8.30	1.243	2.72	160.1	13.0	7	7.1	17.2	0.7	<0.1	<1	48	12.6	5.4	209.5
13053	Rock Pulp	3.4	140	2.56	179	0.511	7.62	1.104	2.61	56.5	9.5	8	7.0	16.3	0.9	<0.1	<1	45	10.2	3.2	213.3
13054	Rock Pulp	3.5	127	2.52	41	0.494	7.65	1.041	2.81	89.5	7.2	8	7.7	17.2	0.8	<0.1	<1	44	13.2	6.4	209.2
13055	Rock Pulp	3.3	121	2.98	185	0.525	8.65	1.146	2.58	45.3	11.7	7	7.2	18.1	0.9	<0.1	<1	48	9.8	4.0	204.6
13056	Rock Pulp	3.3	155	2.67	68	0.510	8.48	1.077	2.23	85.7	12.7	8	5.8	18.1	1.0	<0.1	<1	45	12.6	5.7	154.5
13057	Rock Pulp	3.5	122	2.65	115	0.506	7.22	1.012	1.84	64.5	13.8	8	7.5	18.5	1.0	<0.1	<1	42	10.5	4.6	103.6
13058	Rock Pulp	4.9	219	4.32	80	0.452	8.66	0.569	2.09	58.5	15.1	11	8.8	14.7	1.4	<0.1	<1	40	17.2	3.5	145.9
13059	Rock Pulp	4.0	115	3.44	131	0.552	8.12	0.809	1.32	46.7	12.2	9	9.1	17.3	1.0	<0.1	<1	49	12.8	3.8	100.1
13060	Rock Pulp	9.9	158	1.27	604	0.365	7.46	2.551	0.79	1.9	29.5	21	1.0	13.6	5.3	0.3	<1	16	19.2	<0.1	19.7
13061	Rock Pulp	12.6	170	0.87	942	0.231	7.89	2.438	1.55	6.8	19.8	25	1.1	7.6	4.9	0.4	1	7	12.0	0.5	59.6
13062	Rock Pulp	11.9	176	0.75	118	0.200	7.31	2.257	2.32	10.2	17.9	24	1.4	7.4	3.9	0.3	<1	6	28.8	1.6	88.3
13063	Rock Pulp	4.5	176	0.34	573	0.032	0.92	9.510	0.46	0.2	97.4	9	67.9	3.7	1.6	<0.1	<1	<1	8.9	<0.1	13.7
13064	Rock Pulp	13.5	190	0.96	126	0.208	8.00	2.339	2.89	12.5	20.2	28	1.5	8.5	4.2	0.3	2	7	12.4	1.8	115.7
13065	Rock Pulp	12.6	213	0.98	91	0.193	8.00	2.326	2.91	9.8	19.3	26	0.9	7.7	3.7	0.3	1	7	9.8	2.4	119.5
13066	Rock Pulp	13.7	195	0.96	79	0.199	7.45	2.155	2.49	13.7	16.9	27	1.2	7.9	4.0	0.3	1	7	12.4	2.6	102.9
13067	Rock Pulp	12.0	220	0.86	86	0.187	7.68	2.234	2.58	16.6	16.5	24	1.5	6.8	3.6	0.3	<1	6	10.8	2.2	108.5
13068	Rock Pulp	13.1	224	0.91	81	0.231	7.78	2.338	2.49	10.2	17.9	26	1.1	8.6	4.9	0.4	1	7	16.1	2.3	110.8
13069	Rock Pulp	14.5	251	0.94	225	0.183	7.33	1.911	2.49	19.8	15.6	28	1.8	6.4	3.4	0.2	1	7	12.7	2.6	115.1
13070	Rock Pulp	17.1	186	1.00	96	0.206	8.07	2.310	2.78	10.7	65.2	33	1.7	7.7	3.1	0.2	2	7	19.2	2.7	137.4
13071	Rock Pulp	15.1	153	0.96	146	0.204	7.85	2.456	2.49	19.5	89.6	30	1.9	8.5	3.4	0.3	2	7	15.8	2.5	108.0
13072	Rock Pulp	11.7	156	0.93	77	0.204	7.59	2.604	2.67	13.0	73.7	25	1.4	7.3	3.7	0.2	1	7	16.5	2.5	103.3
13073	Rock Pulp	12.1	155	0.69	75	0.163	7.50	2.287	2.68	13.9	73.2	24	1.8	7.1	3.7	0.3	<1	6	15.8	2.7	102.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

January 14, 2009

Page:

10 of 13

Part 3

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
13044	Rock Pulp 0.4
13045	Rock Pulp 0.7
13046	Rock Pulp 0.6
13047	Rock Pulp 0.6
13048	Rock Pulp 0.6
13049	Rock Pulp 0.6
13050	Rock Pulp 8.1
13051	Rock Pulp 0.6
13052	Rock Pulp 0.6
13053	Rock Pulp 0.4
13054	Rock Pulp 0.3
13055	Rock Pulp 0.5
13056	Rock Pulp 0.5
13057	Rock Pulp 0.5
13058	Rock Pulp 0.5
13059	Rock Pulp 0.5
13060	Rock Pulp 1.0
13061	Rock Pulp 0.7
13062	Rock Pulp 0.7
13063	Rock Pulp 2.3
13064	Rock Pulp 0.7
13065	Rock Pulp 0.8
13066	Rock Pulp 0.7
13067	Rock Pulp 0.6
13068	Rock Pulp 0.7
13069	Rock Pulp 0.7
13070	Rock Pulp 1.8
13071	Rock Pulp 2.6
13072	Rock Pulp 2.3
13073	Rock Pulp 2.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 11 of 13 Part 1

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	Analyte	Unit	MDL	1EX Mo	1EX Cu	1EX Pb	1EX Zn	1EX Ag	1EX Ni	1EX Co	1EX Mn	1EX Fe	1EX As	1EX U	1EX Au	1EX Th	1EX Sr	1EX Cd	1EX Sb	1EX Bi	1EX V	1EX Ca	1EX P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001
13074	Rock Pulp	26.3	764.0	6.9	21	0.2	9.8	21.8	186	3.28	5	4.2	<0.1	4.3	317	<0.1	0.6	1.6	59	1.46	0.076		
13075	Rock Pulp	11.7	461.1	11.3	27	0.2	10.6	18.3	210	3.17	9	4.4	<0.1	4.4	318	0.1	0.5	5.1	65	1.55	0.090		
13076	Rock Pulp	22.5	48.2	7.1	31	<0.1	10.4	18.8	170	3.11	<1	5.0	<0.1	4.7	329	0.1	0.2	2.4	52	1.11	0.084		
13077	Rock Pulp	20.2	43.6	6.3	17	<0.1	10.1	18.5	178	2.83	<1	5.1	<0.1	4.9	331	<0.1	0.2	2.1	51	1.08	0.080		
13078	Rock Pulp	6.3	30.5	8.2	21	<0.1	10.6	12.1	186	2.89	<1	4.7	<0.1	5.1	307	0.1	0.3	2.0	54	1.29	0.078		
13079	Rock Pulp	11.9	249.1	7.5	17	0.1	10.4	12.6	169	3.06	<1	4.0	<0.1	4.6	323	<0.1	0.2	1.3	53	1.47	0.076		
13080	Rock Pulp	5.7	319.0	7.3	32	0.1	11.9	13.1	291	3.58	3	3.7	<0.1	3.8	306	0.1	0.7	1.0	78	1.88	0.093		
13081	Rock Pulp	8.7	251.0	5.9	22	<0.1	13.0	13.3	224	3.30	<1	5.1	<0.1	6.2	398	<0.1	0.2	2.7	73	1.31	0.078		
13082	Rock Pulp	14.3	227.6	6.8	25	<0.1	14.1	16.8	296	3.39	<1	4.9	<0.1	6.5	413	<0.1	0.2	0.8	73	1.72	0.076		
13083	Rock Pulp	11.7	196.6	22.3	53	<0.1	13.3	15.0	259	3.57	<1	4.7	<0.1	6.2	345	0.3	0.2	1.9	74	1.23	0.078		
13084	Rock Pulp	16.3	220.6	8.1	29	<0.1	14.6	34.3	225	4.77	<1	5.1	<0.1	5.3	428	0.1	0.2	1.1	80	1.49	0.084		
13085	Rock Pulp	24.2	167.2	7.4	27	0.1	12.9	27.8	202	3.91	<1	4.5	<0.1	7.0	434	<0.1	<0.1	0.9	75	1.43	0.071		
13086	Rock Pulp	17.0	323.2	11.7	33	0.1	13.6	25.1	312	3.95	<1	6.1	<0.1	5.3	404	0.1	0.3	0.9	87	1.51	0.086		
13087	Rock Pulp	61.0	702.5	42.6	64	0.3	13.1	19.5	307	3.82	<1	6.2	<0.1	5.6	385	0.4	0.2	1.1	80	1.48	0.083		
13088	Rock Pulp	35.7	254.9	5.6	22	0.1	14.7	26.4	189	3.99	<1	6.3	<0.1	6.2	443	<0.1	0.2	1.1	80	1.64	0.089		
13089	Rock Pulp	18.1	256.9	5.8	21	<0.1	13.7	13.6	188	3.44	<1	6.2	<0.1	8.3	417	<0.1	0.1	1.0	73	1.68	0.075		
13090	Rock Pulp	16.6	201.3	5.5	21	<0.1	12.4	11.5	214	3.10	<1	4.3	<0.1	6.8	392	<0.1	0.1	1.2	72	1.76	0.070		
13091	Rock Pulp	2580	826.3	388.8	3647	4.4	3.4	6.1	688	3.55	720	50.3	0.2	72.9	12	11.4	6.4	2554	5	2.51	0.010		
13092	Rock Pulp	7.4	273.4	5.7	18	<0.1	12.9	30.9	214	3.39	<1	5.1	<0.1	6.8	391	<0.1	0.2	1.0	72	1.65	0.074		
13093	Rock Pulp	15.7	370.2	6.4	25	0.2	14.4	15.1	243	3.83	3	5.7	<0.1	7.0	363	<0.1	0.6	1.1	81	1.72	0.081		
13094	Rock Pulp	7.9	459.4	5.4	24	<0.1	13.7	12.4	265	3.19	1	6.0	<0.1	7.5	416	<0.1	0.3	1.5	77	1.61	0.079		
13095	Rock Pulp	5.9	168.7	5.5	18	<0.1	14.3	15.0	226	3.27	2	6.0	<0.1	7.4	415	<0.1	0.2	1.4	84	1.68	0.085		
13096	Rock Pulp	23.0	281.6	4.9	18	<0.1	15.4	19.5	203	3.69	2	5.2	<0.1	7.9	409	<0.1	0.1	1.0	77	1.60	0.079		
13097	Rock Pulp	21.5	232.5	5.8	24	<0.1	14.7	45.0	233	3.36	1	4.8	<0.1	7.6	440	<0.1	0.2	1.1	78	1.69	0.081		
13098	Rock Pulp	18.0	221.8	9.0	33	0.1	14.7	15.9	325	3.18	5	5.2	<0.1	7.6	437	0.2	0.3	0.9	81	1.98	0.081		
13099	Rock Pulp	26.9	475.8	5.5	25	0.1	13.5	12.6	237	3.11	2	5.6	<0.1	7.3	425	0.2	0.2	0.4	79	1.85	0.078		
13100	Rock Pulp	28.7	320.4	5.1	22	<0.1	14.3	17.8	239	3.64	<1	5.3	<0.1	7.0	435	<0.1	0.1	0.8	82	1.86	0.078		
13101	Rock Pulp	35.6	829.7	6.6	29	0.3	13.7	28.2	310	3.54	1	5.0	<0.1	7.4	424	0.2	0.2	2.4	78	1.81	0.077		
13102	Rock Pulp	16.9	214.2	8.4	27	<0.1	14.9	22.8	261	3.44	1	5.8	<0.1	8.4	414	<0.1	0.2	0.7	79	1.71	0.086		
13103	Rock Pulp	10.4	311.5	42.7	238	0.3	13.2	17.6	711	3.05	2	4.7	<0.1	8.4	429	2.4	0.3	2.0	75	1.92	0.081		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 11 of 13 Part 2

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	Analyte	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb
Unit		ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
MDL		0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	
13074	Rock Pulp	11.6	152	0.74	67	0.160	7.35	2.360	3.01	16.0	76.1	24	1.5	7.3	3.4	0.2	1	6	12.1	3.1	117.3
13075	Rock Pulp	11.5	154	0.81	77	0.199	7.75	2.378	2.82	13.5	77.6	24	1.5	8.4	4.3	0.3	1	7	14.2	2.8	114.6
13076	Rock Pulp	15.0	159	0.72	75	0.152	7.63	2.207	2.74	15.2	77.5	34	1.9	7.6	3.5	0.3	1	5	9.7	3.0	105.5
13077	Rock Pulp	16.9	166	0.72	90	0.155	7.82	2.264	3.09	12.6	75.0	35	1.5	8.5	3.7	0.2	1	5	10.9	2.6	118.8
13078	Rock Pulp	11.9	179	0.70	77	0.157	7.72	2.314	2.50	11.9	73.7	26	1.6	7.4	3.2	0.3	1	5	13.2	2.7	100.1
13079	Rock Pulp	10.6	169	0.67	70	0.147	7.29	2.198	2.60	11.3	77.5	22	1.3	7.2	3.2	0.3	<1	5	13.9	2.9	103.5
13080	Rock Pulp	10.4	134	0.91	84	0.237	7.14	2.532	2.27	24.8	78.0	23	1.6	7.8	4.2	0.3	1	7	19.3	2.4	93.3
13081	Rock Pulp	13.4	169	0.94	164	0.217	7.79	2.559	3.03	10.6	71.8	26	1.5	7.6	3.9	0.3	1	7	19.2	2.0	143.9
13082	Rock Pulp	11.7	158	0.88	105	0.233	7.71	2.430	2.48	7.2	37.1	24	0.9	7.8	5.1	0.4	1	6	14.7	1.7	105.8
13083	Rock Pulp	11.9	181	0.94	81	0.214	7.67	2.357	3.05	11.7	60.9	26	1.3	7.7	3.4	0.3	1	7	16.8	2.4	140.9
13084	Rock Pulp	15.0	170	0.99	48	0.221	7.86	2.383	2.74	10.9	46.5	30	1.0	7.2	2.6	0.2	<1	7	19.3	3.6	133.1
13085	Rock Pulp	18.4	162	1.00	670	0.199	8.17	2.300	1.73	16.9	38.4	31	1.4	7.3	2.5	0.2	1	7	16.4	2.8	72.2
13086	Rock Pulp	19.4	165	1.10	104	0.246	7.95	2.511	2.82	11.4	45.7	33	1.2	7.4	2.8	0.2	1	8	16.1	2.3	139.9
13087	Rock Pulp	15.6	173	1.02	125	0.224	7.66	2.420	2.62	54.1	43.3	29	1.4	6.9	3.0	0.2	1	7	15.3	2.3	128.8
13088	Rock Pulp	14.3	203	1.01	82	0.226	7.89	2.444	2.53	74.0	33.1	28	1.7	7.5	3.4	0.3	1	8	18.3	2.7	119.8
13089	Rock Pulp	13.8	204	0.87	112	0.216	8.00	2.304	2.68	12.2	18.8	27	1.6	7.5	4.3	0.3	1	7	17.0	2.0	122.8
13090	Rock Pulp	12.2	182	0.89	118	0.222	7.50	2.569	2.57	8.5	15.1	24	1.5	7.0	4.6	0.3	1	6	12.3	1.4	108.8
13091	Rock Pulp	179.6	5	0.03	7	0.018	1.74	0.008	0.34	>200	125.8	373	30.6	225.3	1.1	0.2	<1	5	47.0	0.6	62.3
13092	Rock Pulp	14.8	199	0.89	77	0.217	7.51	2.448	2.29	10.7	19.0	28	1.2	7.4	4.6	0.4	1	6	15.2	1.9	98.5
13093	Rock Pulp	11.8	240	0.89	103	0.276	8.01	2.368	3.70	10.1	19.5	22	1.5	7.4	4.8	0.4	1	6	15.6	1.8	125.9
13094	Rock Pulp	14.5	219	0.92	131	0.254	7.21	2.650	3.12	10.0	17.1	26	1.1	7.7	4.3	0.3	1	6	10.5	1.7	116.3
13095	Rock Pulp	15.4	246	1.06	85	0.267	7.83	2.622	3.40	9.0	17.9	27	1.8	7.4	4.3	0.3	1	8	11.7	2.0	140.8
13096	Rock Pulp	15.7	241	0.94	57	0.238	7.20	2.463	3.10	9.1	19.5	30	1.3	8.1	4.2	0.3	1	7	13.5	2.3	128.4
13097	Rock Pulp	16.4	228	0.96	86	0.275	7.47	2.633	3.14	9.6	17.0	30	0.9	8.2	4.9	0.3	1	6	11.4	1.7	132.2
13098	Rock Pulp	15.8	199	0.91	521	0.300	7.62	2.644	2.84	9.8	16.5	28	1.4	8.9	5.9	0.4	1	6	14.1	1.0	110.6
13099	Rock Pulp	14.9	218	0.91	586	0.275	6.87	2.683	2.38	6.5	14.1	25	1.0	8.2	5.1	0.4	1	6	13.5	1.1	99.8
13100	Rock Pulp	14.9	214	0.95	90	0.276	7.13	2.671	2.60	8.7	14.8	27	1.1	8.6	5.6	0.4	1	6	10.0	1.8	109.2
13101	Rock Pulp	15.0	228	0.92	390	0.299	7.10	2.628	2.82	8.0	16.4	26	1.2	8.5	6.0	0.4	1	6	11.0	1.3	114.8
13102	Rock Pulp	14.7	213	0.94	104	0.282	7.57	2.625	3.00	7.5	18.2	26	1.0	8.3	5.2	0.3	2	6	9.6	1.8	112.2
13103	Rock Pulp	15.2	198	0.91	880	0.294	7.44	2.737	2.55	8.3	15.2	26	1.1	8.9	6.7	0.5	1	6	10.2	0.8	91.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

January 14, 2009

Page:

11 of 13

Part 3

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
13074	Rock Pulp 2.3
13075	Rock Pulp 2.3
13076	Rock Pulp 2.4
13077	Rock Pulp 2.2
13078	Rock Pulp 2.3
13079	Rock Pulp 2.3
13080	Rock Pulp 2.2
13081	Rock Pulp 2.0
13082	Rock Pulp 1.3
13083	Rock Pulp 1.7
13084	Rock Pulp 1.5
13085	Rock Pulp 1.5
13086	Rock Pulp 1.5
13087	Rock Pulp 1.4
13088	Rock Pulp 1.2
13089	Rock Pulp 0.8
13090	Rock Pulp 0.6
13091	Rock Pulp 8.1
13092	Rock Pulp 0.9
13093	Rock Pulp 0.8
13094	Rock Pulp 0.8
13095	Rock Pulp 0.9
13096	Rock Pulp 0.8
13097	Rock Pulp 0.8
13098	Rock Pulp 0.7
13099	Rock Pulp 0.7
13100	Rock Pulp 0.7
13101	Rock Pulp 0.7
13102	Rock Pulp 0.8
13103	Rock Pulp 0.7



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 12 of 13 Part 1

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
13104	Rock Pulp	18.8	273.3	55.0	190	0.3	14.1	34.8	585	3.33	2	5.6	<0.1	7.4	373	2.0	0.4	2.2	74	1.74	0.076
13105	Rock Pulp	1.2	27.6	59.2	55	0.2	9.3	6.8	108	0.22	7	0.6	<0.1	1.1	147	0.8	4.1	0.4	9	7.42	0.006
13106	Rock Pulp	23.1	246.9	10.1	35	0.2	14.7	21.6	363	3.84	2	5.2	<0.1	7.4	390	0.1	0.2	1.7	77	1.73	0.081
13107	Rock Pulp	16.2	2072	39.9	46	1.1	15.3	36.1	295	3.58	2	5.4	<0.1	7.2	423	0.4	0.3	45.1	77	1.68	0.076
13108	Rock Pulp	38.0	346.7	6.2	24	0.1	15.6	15.2	260	3.39	2	5.3	<0.1	7.1	420	<0.1	0.2	0.5	76	1.83	0.081
13109	Rock Pulp	35.9	275.4	35.4	72	0.3	16.4	22.3	499	3.38	8	6.0	<0.1	7.5	385	0.7	2.2	1.9	79	2.02	0.074
13110	Rock Pulp	24.8	381.0	64.8	152	0.2	15.2	38.8	508	3.75	4	6.8	<0.1	8.1	315	0.8	0.5	3.1	70	1.67	0.073
13111	Rock Pulp	15.4	307.5	7.6	28	0.1	16.3	13.3	278	3.28	1	5.8	<0.1	8.3	438	<0.1	0.2	0.6	80	1.92	0.075
13112	Rock Pulp	27.2	372.0	16.0	41	0.2	13.9	35.7	460	3.51	1	5.5	<0.1	7.4	413	0.2	1.0	2.7	78	1.67	0.075
13113	Rock Pulp	10.5	579.0	6.6	31	0.2	14.6	43.0	262	3.45	2	5.9	<0.1	6.8	407	<0.1	0.2	1.2	80	1.66	0.079
13114	Rock Pulp	18.5	233.3	5.6	22	<0.1	13.8	19.7	271	3.43	2	4.6	<0.1	6.7	434	<0.1	0.2	2.7	78	1.87	0.075
13115	Rock Pulp	19.3	366.8	7.8	28	0.1	15.0	20.6	312	3.50	2	5.8	<0.1	6.7	445	<0.1	0.2	3.0	79	1.82	0.074
13116	Rock Pulp	29.7	423.2	11.9	39	0.2	16.2	22.0	476	3.60	2	7.1	<0.1	7.3	433	<0.1	0.4	1.9	80	1.73	0.083
13117	Rock Pulp	25.3	248.6	16.1	63	0.1	12.7	29.8	227	3.10	2	4.5	<0.1	6.9	423	0.4	0.2	0.6	75	1.74	0.072
13118	Rock Pulp	25.0	336.6	6.3	25	<0.1	13.9	16.7	213	3.13	1	4.3	<0.1	7.0	431	<0.1	0.2	0.7	76	1.68	0.076
13119	Rock Pulp	18.2	260.4	5.2	27	0.1	16.7	18.4	303	3.53	1	4.6	<0.1	7.3	448	<0.1	0.1	0.5	84	1.93	0.084
13120	Rock Pulp	17.4	216.6	5.7	28	<0.1	16.3	15.7	305	3.37	<1	4.8	<0.1	8.0	462	<0.1	0.2	0.4	82	1.98	0.079
13121	Rock Pulp	3.7	227.4	5.3	29	<0.1	14.4	24.0	304	3.40	2	6.5	<0.1	7.9	426	<0.1	0.2	0.4	83	1.88	0.083
13122	Rock Pulp	9.3	273.0	13.3	47	0.2	15.2	14.7	523	3.63	4	4.7	<0.1	5.8	562	0.1	0.6	1.2	89	2.53	0.091
13123	Rock Pulp	27.5	533.2	57.4	88	0.5	13.3	14.3	471	3.77	2	3.5	<0.1	4.6	477	0.8	0.3	1.1	90	2.10	0.095
13124	Rock Pulp	17.9	512.2	5.4	30	0.2	13.6	14.0	308	3.75	1	4.4	<0.1	4.9	495	<0.1	0.3	0.8	77	1.77	0.089
13125	Rock Pulp	17.0	359.5	27.8	40	0.3	11.7	14.0	344	3.99	11	3.9	<0.1	4.7	525	0.9	6.9	1.1	74	3.30	0.080
13126	Rock Pulp	8.6	326.7	7.0	33	0.2	14.3	19.9	298	3.99	3	5.1	<0.1	5.0	416	0.1	0.3	1.9	82	1.90	0.097
13127	Rock Pulp	161.5	1919	505.7	315	2.9	12.2	17.6	586	2.46	197	6.3	<0.1	8.0	290	21.2	110.2	4.0	61	1.95	0.064
13128	Rock Pulp	24.2	390.1	5.1	25	0.1	12.9	26.2	261	4.18	<1	5.6	<0.1	6.0	338	<0.1	0.6	1.1	76	1.62	0.070
13129	Rock Pulp	29.8	606.1	6.0	32	0.3	16.5	41.1	299	3.53	2	5.0	<0.1	6.5	371	<0.1	0.2	1.3	77	1.91	0.077
13130	Rock Pulp	15.9	367.9	7.1	31	0.2	16.2	17.8	384	3.07	3	5.7	<0.1	7.5	395	<0.1	0.3	1.0	79	2.09	0.080
13131	Rock Pulp	2353	823.9	391.6	3485	4.1	5.8	7.8	794	3.86	1189	49.3	0.1	74.6	26	11.0	6.9	2535	6	2.82	0.016
13132	Rock Pulp	18.2	628.2	7.6	36	0.3	15.5	25.5	447	3.03	4	6.1	<0.1	8.2	354	<0.1	0.7	1.9	78	2.44	0.079
13133	Rock Pulp	16.7	633.3	7.7	35	0.2	16.2	25.5	372	3.16	8	5.2	<0.1	7.9	403	0.1	0.5	1.2	75	2.32	0.078

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 12 of 13 Part 2

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	
Unit	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
MDL	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1	
13104	Rock Pulp	14.4	199	0.86	204	0.267	6.71	2.532	2.44	15.5	15.6	26	0.8	7.6	5.4	0.4	<1	6	9.7	1.6	87.5
13105	Rock Pulp	4.9	239	0.38	549	0.036	1.01	9.667	0.46	0.3	100.4	9	20.0	3.7	1.5	<0.1	<1	<1	7.2	<0.1	17.1
13106	Rock Pulp	14.6	222	0.93	85	0.277	6.96	2.413	2.64	7.2	14.6	26	1.1	8.0	5.4	0.4	<1	6	10.0	2.0	90.6
13107	Rock Pulp	14.6	227	0.90	377	0.286	6.79	2.490	2.54	6.0	15.0	25	1.0	8.1	5.4	0.4	<1	6	10.3	1.3	90.6
13108	Rock Pulp	13.5	222	0.93	292	0.300	6.87	2.691	2.56	10.5	14.4	24	1.3	8.1	6.2	0.4	<1	6	9.3	1.1	94.5
13109	Rock Pulp	13.8	208	0.90	610	0.294	7.04	2.365	2.93	8.5	17.1	24	1.0	8.2	5.8	0.4	1	7	32.7	1.1	95.0
13110	Rock Pulp	11.8	218	0.79	89	0.258	6.52	2.297	3.08	8.4	16.2	22	1.2	7.0	4.9	0.4	1	6	13.3	2.0	92.0
13111	Rock Pulp	15.1	229	0.97	547	0.304	7.57	2.674	2.82	7.1	17.0	27	1.2	8.1	6.5	0.5	1	6	10.0	1.1	107.0
13112	Rock Pulp	15.6	218	0.92	174	0.270	7.11	2.706	3.14	9.1	18.0	27	1.2	8.2	5.5	0.4	1	6	10.6	1.4	98.6
13113	Rock Pulp	15.6	226	0.97	146	0.287	7.06	2.682	2.66	26.0	15.8	27	1.4	7.7	5.4	0.3	1	6	9.6	1.7	110.6
13114	Rock Pulp	14.6	228	0.93	187	0.296	7.46	2.717	3.02	19.7	15.8	27	1.3	8.4	5.9	0.4	1	6	10.5	1.3	121.8
13115	Rock Pulp	14.9	229	0.96	120	0.298	7.25	2.729	2.94	10.4	13.6	27	1.3	7.8	5.1	0.4	<1	6	9.3	1.6	116.1
13116	Rock Pulp	16.6	222	0.99	94	0.292	7.59	2.768	3.05	8.6	14.4	31	1.1	8.9	5.2	0.4	<1	7	11.7	1.7	112.7
13117	Rock Pulp	12.3	183	0.92	172	0.257	6.60	2.567	3.08	7.9	11.3	22	1.2	6.8	4.7	0.3	1	6	11.6	1.4	104.6
13118	Rock Pulp	13.9	222	0.92	272	0.262	6.87	2.711	2.48	11.0	14.2	25	1.4	7.1	4.4	0.3	1	6	11.8	1.7	100.3
13119	Rock Pulp	16.7	269	1.04	667	0.316	7.15	2.791	2.59	12.7	15.7	28	1.4	8.2	6.5	0.4	2	6	12.5	1.2	100.4
13120	Rock Pulp	17.0	230	1.05	887	0.337	7.62	2.821	2.47	8.5	14.1	30	1.3	8.9	6.9	0.5	1	6	11.8	0.8	95.9
13121	Rock Pulp	16.1	207	1.02	434	0.302	7.16	2.761	2.80	12.0	15.6	28	1.4	8.3	6.6	0.5	2	7	11.6	1.4	103.5
13122	Rock Pulp	13.3	176	1.08	150	0.332	7.39	2.498	3.03	17.7	44.9	25	1.8	7.9	5.3	0.4	1	7	20.9	1.9	109.9
13123	Rock Pulp	14.8	150	1.18	78	0.337	7.04	2.510	3.03	22.4	67.3	27	2.0	8.8	5.2	0.3	1	8	14.2	2.1	109.8
13124	Rock Pulp	17.1	198	1.03	67	0.305	7.53	2.527	3.25	16.2	66.3	27	2.4	8.5	4.4	0.3	1	6	11.6	2.4	130.5
13125	Rock Pulp	14.3	205	1.01	48	0.268	6.73	2.046	3.22	17.3	62.5	26	2.3	8.2	3.8	0.2	<1	6	14.3	4.0	122.3
13126	Rock Pulp	16.2	178	1.06	69	0.322	7.51	2.653	3.20	11.5	63.6	29	2.4	9.3	4.7	0.3	1	7	12.5	2.4	128.6
13127	Rock Pulp	13.5	200	0.40	876	0.260	6.20	1.435	2.64	17.9	17.8	24	1.2	6.4	5.8	0.5	1	5	184.4	0.6	93.8
13128	Rock Pulp	11.9	250	0.85	51	0.233	6.68	2.165	2.97	24.7	11.2	22	2.6	7.0	3.8	0.3	1	6	10.3	3.3	112.2
13129	Rock Pulp	11.0	270	0.89	110	0.277	6.15	2.585	3.28	32.4	15.1	20	1.4	7.0	4.7	0.4	1	6	15.1	2.4	97.0
13130	Rock Pulp	14.3	242	0.96	587	0.328	6.24	2.627	2.36	53.4	14.7	26	1.5	8.3	6.9	0.6	1	6	12.3	1.1	72.8
13131	Rock Pulp	193.6	100	0.19	92	0.067	2.23	0.137	0.42	>200	125.5	373	34.9	213.4	0.5	<0.1	<1	8	46.1	0.6	63.2
13132	Rock Pulp	13.2	249	0.84	349	0.301	6.51	2.385	2.20	30.0	15.7	23	1.2	7.6	6.1	0.5	<1	6	18.3	1.4	68.9
13133	Rock Pulp	13.3	239	0.79	353	0.318	6.67	2.585	2.60	38.4	20.9	25	1.4	7.8	6.8	0.5	1	6	19.3	1.4	77.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

January 14, 2009

Page:

12 of 13

Part 3

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
13104	Rock Pulp 0.7
13105	Rock Pulp 2.3
13106	Rock Pulp 0.7
13107	Rock Pulp 0.6
13108	Rock Pulp 0.8
13109	Rock Pulp 0.8
13110	Rock Pulp 0.7
13111	Rock Pulp 0.8
13112	Rock Pulp 0.8
13113	Rock Pulp 0.6
13114	Rock Pulp 0.8
13115	Rock Pulp 0.6
13116	Rock Pulp 0.8
13117	Rock Pulp 0.5
13118	Rock Pulp 0.6
13119	Rock Pulp 0.7
13120	Rock Pulp 0.7
13121	Rock Pulp 0.7
13122	Rock Pulp 1.4
13123	Rock Pulp 1.9
13124	Rock Pulp 1.9
13125	Rock Pulp 1.9
13126	Rock Pulp 2.0
13127	Rock Pulp 0.8
13128	Rock Pulp 0.5
13129	Rock Pulp 0.8
13130	Rock Pulp 0.8
13131	Rock Pulp 8.7
13132	Rock Pulp 0.7
13133	Rock Pulp 0.9



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 13 of 13 Part 1

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
13134	Rock Pulp	16.9	863.0	6.1	31	0.4	14.5	20.0	322	2.86	3	6.6	<0.1	8.5	380	0.1	0.3	1.2	70	1.84	0.067
13135	Rock Pulp	13.3	433.4	9.7	28	0.2	14.0	14.5	312	2.61	4	7.4	<0.1	8.5	397	<0.1	0.9	0.7	68	1.90	0.067
13136	Rock Pulp	39.8	843.6	6.2	31	0.3	12.9	19.8	338	2.95	2	8.0	<0.1	8.2	370	<0.1	0.3	0.9	75	1.89	0.072
13137	Rock Pulp	20.6	366.7	139.6	105	0.6	14.3	30.3	801	3.33	2	4.7	<0.1	6.8	390	0.5	0.4	1.6	75	2.54	0.074



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
 Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 13 of 13 Part 2

CERTIFICATE OF ANALYSIS

VAN08011604.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	
Unit	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
MDL	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1	
13134	Rock Pulp	16.6	229	0.85	410	0.285	5.77	2.585	2.48	10.2	19.2	28	1.2	7.5	6.6	0.5	1	5	12.1	1.3	86.0
13135	Rock Pulp	13.7	225	0.83	756	0.282	5.94	2.678	3.22	35.7	22.1	24	0.9	7.5	6.1	0.5	1	5	13.5	1.0	97.1
13136	Rock Pulp	13.9	188	0.87	470	0.294	6.15	2.610	2.48	33.8	20.5	24	1.5	7.2	6.6	0.5	1	5	12.9	1.3	87.8
13137	Rock Pulp	13.0	179	0.92	250	0.298	6.16	2.526	2.93	18.3	13.1	25	0.9	8.0	5.5	0.4	<1	6	18.0	1.5	87.8



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

January 14, 2009

Page:

13 of 13

Part 3

CERTIFICATE OF ANALYSIS

VAN08011604.1

	Method	1EX
	Analyte	Hf
	Unit	ppm
	MDL	0.1
13134	Rock Pulp	0.9
13135	Rock Pulp	1.0
13136	Rock Pulp	1.0
13137	Rock Pulp	0.6



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 1 of 3 Part 1

QUALITY CONTROL REPORT

VAN08011604.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001	
Pulp Duplicates																					
12837	Rock Pulp	226.0	382.2	7.1	69	0.3	26.1	33.7	1213	8.10	2	0.7	<0.1	0.3	248	0.3	0.3	2.6	322	4.32	0.053
REP 12837	QC	215.7	373.4	5.1	75	0.3	26.0	35.6	1193	7.99	<1	0.5	<0.1	0.4	250	0.2	0.3	2.2	322	4.26	0.055
12847	Rock Pulp	160.5	307.9	11.2	52	0.4	12.2	26.9	1135	8.22	3	1.2	<0.1	0.4	193	0.1	1.3	2.3	244	6.49	0.047
REP 12847	QC	163.1	299.3	11.3	53	0.5	13.4	28.5	1122	8.02	3	1.2	<0.1	0.3	188	0.2	1.3	2.4	244	6.54	0.047
12899	Rock Pulp	104.6	564.3	5.8	100	0.3	16.2	27.3	1085	8.25	3	1.4	<0.1	0.7	219	<0.1	0.3	11.7	427	4.29	0.069
REP 12899	QC	103.5	557.3	5.5	97	0.3	16.0	28.0	1069	8.16	3	1.3	<0.1	0.7	214	0.1	0.3	11.5	413	4.26	0.069
12946	Rock Pulp	25.6	98.7	7.7	43	<0.1	7.8	16.0	573	4.86	1	1.5	<0.1	2.8	319	<0.1	0.4	2.2	91	3.26	0.076
REP 12946	QC	26.0	102.9	8.4	46	0.1	9.8	17.8	601	5.04	<1	1.6	<0.1	2.9	338	<0.1	0.4	2.2	95	3.33	0.077
12981	Rock Pulp	20.5	270.0	7.0	82	0.3	9.9	22.4	1008	6.88	2	0.8	<0.1	0.8	206	0.1	0.7	14.2	156	2.82	0.071
REP 12981	QC	21.9	276.4	6.5	83	0.3	10.2	22.9	1015	6.83	2	0.8	<0.1	0.8	203	0.1	0.6	13.8	157	2.80	0.078
13017	Rock Pulp	40.9	571.8	10.3	662	0.5	20.2	24.7	1663	11.30	4	1.1	<0.1	0.3	204	3.5	0.6	5.5	545	2.81	0.069
REP 13017	QC	40.1	580.4	9.9	688	0.5	20.1	25.1	1656	11.37	4	1.1	<0.1	0.3	204	3.1	0.6	5.8	551	2.82	0.071
13056	Rock Pulp	1330	1153	7.9	735	1.3	19.9	33.8	1464	10.43	2	2.8	<0.1	0.5	186	4.4	0.7	16.5	433	2.93	0.058
REP 13056	QC	1334	1139	6.7	721	1.4	20.3	34.4	1465	10.38	3	2.8	<0.1	0.4	181	4.5	0.8	15.7	428	2.94	0.060
13057	Rock Pulp	234.7	1267	11.4	359	1.0	19.6	29.9	1526	9.65	3	1.8	<0.1	0.5	151	1.6	0.9	19.8	405	3.06	0.057
REP 13057	QC	237.7	1233	11.3	369	1.1	20.2	31.6	1588	9.79	4	1.9	<0.1	0.6	155	1.7	1.2	21.1	406	3.09	0.061
13071	Rock Pulp	11.8	888.7	7.0	26	0.3	10.4	11.6	216	3.48	<1	6.3	<0.1	5.0	429	0.1	0.3	1.2	68	1.36	0.087
REP 13071	QC	12.1	887.0	7.3	29	0.3	10.4	11.3	218	3.49	<1	6.7	<0.1	5.0	437	0.2	0.3	1.3	69	1.37	0.091
13106	Rock Pulp	23.1	246.9	10.1	35	0.2	14.7	21.6	363	3.84	2	5.2	<0.1	7.4	390	0.1	0.2	1.7	77	1.73	0.081
REP 13106	QC	24.1	236.5	9.5	33	0.1	14.2	22.3	369	3.88	2	5.1	<0.1	7.3	391	<0.1	0.2	1.6	75	1.73	0.077
Reference Materials																					
STD OREAS24P	Standard	1.7	52.8	3.8	117	<0.1	156.2	51.0	1161	7.87	3	0.9	<0.1	3.4	396	0.1	0.1	<0.1	163	6.34	0.143
STD OREAS24P	Standard	1.8	57.8	3.7	127	<0.1	157.2	47.5	1138	7.76	1	0.6	<0.1	3.0	397	0.2	0.2	<0.1	169	6.01	0.150
STD OREAS24P	Standard	1.8	55.5	3.7	119	<0.1	146.6	49.8	1152	7.72	2	0.9	<0.1	3.1	405	0.3	0.1	<0.1	164	6.10	0.144
STD OREAS24P	Standard	1.6	58.9	3.3	118	<0.1	145.6	48.0	1075	7.43	2	0.8	<0.1	3.0	382	0.2	0.1	<0.1	159	5.71	0.131
STD OREAS24P	Standard	1.9	64.9	3.4	128	<0.1	157.0	51.7	1204	8.18	3	0.9	<0.1	3.2	424	0.2	0.1	0.3	178	6.43	0.149
STD OREAS24P	Standard	2.0	62.4	4.0	126	<0.1	160.8	54.1	1201	8.12	2	0.8	<0.1	3.0	404	0.2	0.1	<0.1	173	6.31	0.140
STD OREAS24P	Standard	1.6	56.8	3.5	118	<0.1	152.6	49.1	1180	7.83	1	0.8	<0.1	2.9	399	0.2	<0.1	<0.1	169	6.17	0.143



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 1 of 3 Part 2

QUALITY CONTROL REPORT

VAN08011604.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	
Unit	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	
MDL	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	0.1	
Pulp Duplicates																					
12837	Rock Pulp	3.0	108	2.74	186	0.414	7.48	1.425	1.09	23.6	6.5	7	4.3	12.3	1.1	<0.1	<1	34	6.4	4.7	56.7
REP 12837	QC	2.6	119	2.72	180	0.396	6.58	1.496	1.00	22.1	5.8	7	3.7	13.0	1.2	<0.1	<1	33	5.6	4.8	48.2
12847	Rock Pulp	3.7	77	1.68	112	0.385	5.67	0.734	1.63	25.5	7.4	8	3.4	16.1	1.1	<0.1	<1	32	13.1	8.1	108.8
REP 12847	QC	3.5	74	1.64	117	0.386	5.65	0.688	1.60	25.3	6.9	8	3.5	16.2	1.0	<0.1	<1	32	13.0	8.1	108.2
12899	Rock Pulp	5.3	74	2.37	172	0.508	7.49	1.519	2.35	41.8	12.0	11	5.7	18.1	1.2	<0.1	<1	46	13.2	5.5	160.3
REP 12899	QC	5.2	70	2.30	165	0.509	7.38	1.487	2.31	43.0	11.1	11	5.3	20.0	1.4	<0.1	<1	45	12.9	5.5	161.5
12946	Rock Pulp	9.5	83	1.27	65	0.267	7.64	2.052	2.74	15.2	40.9	23	3.2	8.6	1.8	<0.1	<1	15	7.2	4.7	113.2
REP 12946	QC	10.0	89	1.29	84	0.289	7.71	2.001	2.48	15.7	44.4	23	3.0	8.8	2.3	0.1	<1	16	8.1	4.7	103.2
12981	Rock Pulp	5.5	81	1.42	288	0.485	7.60	1.799	1.72	18.7	6.2	13	4.5	18.7	1.8	<0.1	<1	30	5.7	2.3	82.0
REP 12981	QC	5.7	81	1.44	285	0.487	7.56	1.810	1.80	18.0	6.1	13	4.5	19.2	1.8	0.1	<1	30	5.7	2.2	84.0
13017	Rock Pulp	3.4	143	3.50	153	0.653	7.46	0.867	2.34	29.5	9.5	8	8.3	18.5	1.1	<0.1	<1	54	17.2	2.6	124.7
REP 13017	QC	3.4	140	3.46	146	0.646	7.63	0.936	1.98	29.9	9.4	8	8.0	17.9	0.9	<0.1	<1	54	17.1	2.6	110.5
13056	Rock Pulp	3.3	155	2.67	68	0.510	8.48	1.077	2.23	85.7	12.7	8	5.8	18.1	1.0	<0.1	<1	45	12.6	5.7	154.5
REP 13056	QC	3.3	153	2.59	61	0.522	8.50	1.091	2.31	86.3	12.4	7	7.0	17.3	0.6	<0.1	<1	46	9.2	5.7	149.3
13057	Rock Pulp	3.5	122	2.65	115	0.506	7.22	1.012	1.84	64.5	13.8	8	7.5	18.5	1.0	<0.1	<1	42	10.5	4.6	103.6
REP 13057	QC	3.4	127	2.70	125	0.523	7.62	1.062	1.89	71.2	13.1	8	7.9	19.3	1.1	<0.1	<1	43	9.9	4.6	113.4
13071	Rock Pulp	15.1	153	0.96	146	0.204	7.85	2.456	2.49	19.5	89.6	30	1.9	8.5	3.4	0.3	2	7	15.8	2.5	108.0
REP 13071	QC	15.3	151	0.96	91	0.208	8.14	2.536	2.69	20.2	90.4	31	2.1	9.1	3.6	0.2	1	7	16.8	2.6	111.5
13106	Rock Pulp	14.6	222	0.93	85	0.277	6.96	2.413	2.64	7.2	14.6	26	1.1	8.0	5.4	0.4	<1	6	10.0	2.0	90.6
REP 13106	QC	14.4	217	0.91	85	0.280	7.10	2.527	2.74	7.5	14.9	27	1.0	8.4	5.6	0.4	1	6	8.6	1.9	91.5
Reference Materials																					
STD OREAS24P	Standard	20.1	205	4.19	306	1.143	7.71	2.346	0.72	0.3	153.8	39	1.9	23.2	22.1	1.2	1	22	10.5	<0.1	22.3
STD OREAS24P	Standard	18.5	200	4.14	323	1.099	7.16	2.363	0.58	0.3	137.5	36	1.8	20.9	21.3	1.2	1	19	9.5	<0.1	20.7
STD OREAS24P	Standard	21.4	206	4.11	291	1.127	7.46	2.366	0.66	0.7	142.8	38	1.9	23.4	20.8	1.0	1	22	8.0	<0.1	21.9
STD OREAS24P	Standard	20.3	197	4.03	276	1.056	7.08	2.370	0.64	0.5	136.2	37	2.0	23.2	21.1	1.1	1	21	7.7	<0.1	22.3
STD OREAS24P	Standard	22.7	222	4.30	341	1.207	7.72	2.504	0.70	1.2	158.0	39	2.1	24.6	23.2	1.2	2	22	8.5	<0.1	21.1
STD OREAS24P	Standard	22.2	226	4.10	304	1.157	7.72	2.403	0.68	0.4	149.0	41	1.9	25.6	22.9	1.1	1	22	8.5	<0.1	24.5
STD OREAS24P	Standard	20.7	230	4.07	288	1.149	7.59	2.343	0.68	0.4	144.5	38	1.9	24.1	21.9	1.1	<1	21	7.9	<0.1	20.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

January 14, 2009

Page:

1 of 3

Part 3

QUALITY CONTROL REPORT

VAN08011604.1

Method	1EX
Analyte	Hf
Unit	ppm
MDL	0.1
Pulp Duplicates	
12837 Rock Pulp	0.3
REP 12837 QC	0.3
12847 Rock Pulp	0.5
REP 12847 QC	0.3
12899 Rock Pulp	0.4
REP 12899 QC	0.4
12946 Rock Pulp	1.1
REP 12946 QC	1.2
12981 Rock Pulp	0.3
REP 12981 QC	0.2
13017 Rock Pulp	0.4
REP 13017 QC	0.4
13056 Rock Pulp	0.5
REP 13056 QC	0.5
13057 Rock Pulp	0.5
REP 13057 QC	0.6
13071 Rock Pulp	2.6
REP 13071 QC	2.5
13106 Rock Pulp	0.7
REP 13106 QC	0.6
Reference Materials	
STD OREAS24P Standard	3.7
STD OREAS24P Standard	3.5
STD OREAS24P Standard	3.5
STD OREAS24P Standard	3.4
STD OREAS24P Standard	4.0
STD OREAS24P Standard	3.9
STD OREAS24P Standard	3.6



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

January 14, 2009

Page:

2 of 3

Part 1

QUALITY CONTROL REPORT

VAN08011604.1

		1EX Mo ppm 0.1	1EX Cu ppm 0.1	1EX Pb ppm 0.1	1EX Zn ppm 1	1EX Ag ppm 0.1	1EX Ni ppm 0.1	1EX Co ppm 0.2	1EX Mn ppm 1	1EX Fe % 0.01	1EX As ppm 1	1EX U ppm 0.1	1EX Au ppm 0.1	1EX Th ppm 0.1	1EX Sr ppm 1	1EX Cd ppm 0.1	1EX Sb ppm 0.1	1EX Bi ppm 0.1	1EX V ppm 1	1EX Ca % 0.01	1EX P % 0.001
STD OREAS24P	Standard	1.6	59.7	2.8	122	<0.1	155.1	51.1	1174	7.79	2	0.8	<0.1	2.9	408	0.2	0.1	<0.1	171	6.16	0.144
STD OREAS24P	Standard	1.5	53.3	2.2	126	<0.1	154.8	50.2	1189	8.03	<1	0.8	<0.1	3.1	406	0.2	<0.1	<0.1	175	6.27	0.135
STD OREAS24P	Standard	1.5	50.4	2.9	117	<0.1	144.7	45.6	1073	7.80	<1	0.6	<0.1	2.8	380	0.2	<0.1	<0.1	158	5.86	0.135
STD OREAS24P	Standard	1.3	48.9	6.4	117	0.2	141.0	46.7	1108	7.28	<1	0.7	<0.1	2.8	378	0.1	<0.1	<0.1	150	5.60	0.126
STD OREAS24P	Standard	1.5	69.9	3.3	151	<0.1	157.0	48.7	1121	8.41	<1	0.9	<0.1	3.4	398	<0.1	<0.1	<0.1	162	6.11	0.147
STD OREAS45P	Standard	2.0	764.1	25.8	157	0.3	402.0	128.1	1322	18.59	14	2.6	<0.1	11.2	38	0.1	0.8	0.2	253	0.26	0.046
STD OREAS45P	Standard	2.1	752.7	23.0	148	0.3	388.7	130.5	1346	18.99	13	2.2	<0.1	10.4	34	0.3	0.8	0.2	278	0.28	0.048
STD OREAS45P	Standard	2.5	766.1	24.4	147	0.3	385.5	124.9	1317	18.41	13	2.6	<0.1	10.5	37	0.2	0.8	0.5	262	0.29	0.048
STD OREAS45P	Standard	2.1	763.5	24.7	146	0.4	387.0	128.9	1296	19.46	13	2.5	<0.1	10.3	41	0.2	0.9	0.3	278	0.31	0.043
STD OREAS45P	Standard	2.1	801.7	24.8	151	0.3	404.9	128.2	1367	19.14	13	2.5	<0.1	10.7	39	0.3	1.1	0.3	277	0.29	0.048
STD OREAS45P	Standard	3.1	770.4	24.8	155	0.4	419.6	131.0	1339	18.37	14	2.5	<0.1	9.8	38	0.2	0.9	0.3	268	0.27	0.048
STD OREAS45P	Standard	2.2	758.0	23.5	147	0.3	396.6	126.1	1339	18.56	14	2.5	<0.1	10.3	36	0.3	0.9	0.3	263	0.28	0.046
STD OREAS45P	Standard	2.2	773.7	22.3	144	0.3	399.9	127.1	1336	18.71	14	2.5	<0.1	10.6	38	0.2	0.9	0.3	267	0.30	0.048
STD OREAS45P	Standard	1.5	785.1	23.6	151	0.3	420.1	128.3	1359	19.04	11	2.7	<0.1	11.0	37	0.1	0.9	0.3	277	0.28	0.050
STD OREAS45P	Standard	2.0	705.7	20.6	144	0.3	371.7	120.0	1212	17.68	12	2.2	<0.1	9.2	32	0.2	0.9	0.3	246	0.26	0.044
STD OREAS45P	Standard	2.2	734.1	23.0	138	0.3	362.3	122.2	1267	18.22	12	2.2	<0.1	9.5	33	0.1	0.7	0.2	240	0.25	0.039
STD OREAS45P	Standard	1.9	758.4	26.8	163	0.3	382.2	130.3	1290	20.74	12	3.0	<0.1	12.8	42	0.1	0.9	0.4	265	0.32	0.051
STD OREAS24P Expected		1.5	52	2.9	114	0.06	141	44	1100	7.97	2	0.75		2.85	403	0.15	0.14		183	6.07	0.136
STD OREAS45P Expected		1.9	749	22	141	0.32	385	120	1270	19.22	13.4	2.4	0.055	9.8	32.6	0.2	0.92	0.21	267	0.3	0.047
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001
BLK	Blank	<0.1	<0.1	1.4	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	9	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 2 of 3 Part 2

QUALITY CONTROL REPORT

VAN08011604.1

		1EX La ppm 0.1	1EX Cr ppm 1	1EX Mg % 0.01	1EX Ba ppm 1	1EX Ti % 0.001	1EX Al % 0.01	1EX Na % 0.001	1EX K % 0.01	1EX W ppm 0.1	1EX Zr ppm 0.1	1EX Ce ppm 1	1EX Sn ppm 0.1	1EX Y ppm 0.1	1EX Nb ppm 0.1	1EX Ta ppm 0.1	1EX Be ppm 1	1EX Sc ppm 1	1EX Li ppm 0.1	1EX S % 0.1	1EX Rb ppm 0.1
STD OREAS24P	Standard	21.2	236	4.18	286	1.177	7.55	2.404	0.67	0.6	145.3	36	1.9	23.0	21.7	1.1	<1	21	8.0	<0.1	23.4
STD OREAS24P	Standard	20.5	215	4.20	281	1.137	8.41	2.372	0.71	0.8	151.9	38	2.1	24.1	21.3	1.1	<1	22	9.6	<0.1	23.4
STD OREAS24P	Standard	18.5	213	3.96	289	1.123	7.72	2.292	0.54	0.5	137.7	35	1.7	22.0	20.7	1.1	1	21	7.4	<0.1	17.5
STD OREAS24P	Standard	18.7	194	3.93	273	1.023	7.58	2.267	0.64	0.5	136.4	35	1.4	21.2	20.9	1.1	1	21	8.4	<0.1	19.4
STD OREAS24P	Standard	21.8	218	4.06	303	1.087	8.03	2.443	0.74	0.2	146.6	40	2.0	26.5	23.0	1.1	1	20	9.8	<0.1	20.9
STD OREAS45P	Standard	24.1	1123	0.22	315	1.078	6.83	0.089	0.37	0.9	161.4	49	3.1	12.8	21.7	1.2	<1	70	15.2	<0.1	23.6
STD OREAS45P	Standard	24.5	1118	0.21	306	1.033	6.62	0.084	0.35	1.4	163.9	49	3.3	13.1	22.8	1.3	<1	65	15.5	<0.1	25.1
STD OREAS45P	Standard	26.1	1108	0.23	289	1.023	6.62	0.084	0.35	1.6	157.1	48	2.6	13.2	20.4	1.2	<1	69	15.5	<0.1	21.9
STD OREAS45P	Standard	27.2	1103	0.24	297	1.041	6.82	0.082	0.35	1.4	166.0	52	2.5	15.4	21.5	1.1	<1	74	15.7	<0.1	27.2
STD OREAS45P	Standard	28.1	1163	0.25	321	1.136	6.99	0.088	0.35	1.2	159.6	49	3.3	13.6	22.7	1.4	<1	70	16.1	<0.1	22.2
STD OREAS45P	Standard	25.5	1111	0.23	312	1.070	6.37	0.086	0.36	1.2	162.8	48	2.6	14.4	22.8	1.2	<1	68	14.0	<0.1	24.8
STD OREAS45P	Standard	26.5	1121	0.24	298	1.031	6.73	0.088	0.37	0.9	153.7	49	2.6	13.7	21.2	1.2	<1	69	15.2	<0.1	24.6
STD OREAS45P	Standard	28.0	1131	0.24	303	1.045	6.91	0.090	0.36	1.2	156.8	49	3.1	14.3	21.5	1.2	<1	71	16.2	<0.1	24.3
STD OREAS45P	Standard	28.6	1132	0.22	294	1.021	7.62	0.087	0.37	1.1	157.7	54	2.4	15.0	20.8	1.1	<1	71	16.2	<0.1	23.9
STD OREAS45P	Standard	23.0	1042	0.19	291	0.997	6.84	0.080	0.34	1.0	151.8	44	2.3	12.4	19.3	1.2	<1	68	14.4	<0.1	24.2
STD OREAS45P	Standard	22.7	1006	0.20	276	1.012	6.42	0.076	0.34	1.0	151.2	42	2.0	11.6	19.1	1.1	1	69	13.1	<0.1	21.9
STD OREAS45P	Standard	30.8	1068	0.23	325	1.038	7.63	0.092	0.40	1.2	154.7	57	3.0	16.1	21.7	1.2	<1	66	18.6	<0.1	25.3
STD OREAS24P Expected		17.4	221	4.13	285	1.1	7.66	2.31	0.7	0.5	141	37.6	1.6	22.9	21	1.3		20	8.7		22.4
STD OREAS45P Expected		24.8	1140	0.22	281	1.18	6.82	0.081	0.35	1.1	154	48.9	2.4	13	24	1.33		67	14.7	0.03	23
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	8	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	0.06	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	1.0	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	0.05	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

January 14, 2009

Page:

2 of 3

Part 3

QUALITY CONTROL REPORT

VAN08011604.1

		1EX Hf ppm 0.1
STD OREAS24P	Standard	3.7
STD OREAS24P	Standard	3.5
STD OREAS24P	Standard	3.4
STD OREAS24P	Standard	3.5
STD OREAS24P	Standard	3.9
STD OREAS45P	Standard	4.5
STD OREAS45P	Standard	4.4
STD OREAS45P	Standard	4.0
STD OREAS45P	Standard	4.0
STD OREAS45P	Standard	4.4
STD OREAS45P	Standard	4.4
STD OREAS45P	Standard	3.8
STD OREAS45P	Standard	4.1
STD OREAS45P	Standard	4.1
STD OREAS45P	Standard	3.8
STD OREAS45P	Standard	4.0
STD OREAS45P	Standard	4.6
STD OREAS24P Expected		3.6
STD OREAS45P Expected		3.8
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1
BLK	Blank	<0.1



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 3 of 3 Part 1

QUALITY CONTROL REPORT

VAN08011604.1

		1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.001
BLK	Blank	<0.1	<0.1	1.4	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	5	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.001



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Huckleberry Mines Limited**

P.O. Box 3000
Houston BC V0J 1Z0 Canada

Project: WC

Report Date: January 14, 2009

Page: 3 of 3 Part 2

QUALITY CONTROL REPORT

VAN08011604.1

		1EX La ppm 0.1	1EX Cr ppm 1	1EX Mg % 0.01	1EX Ba ppm 1	1EX Ti % 0.001	1EX Al % 0.01	1EX Na % 0.001	1EX K % 0.01	1EX W ppm 0.1	1EX Zr ppm 0.1	1EX Ce ppm 1	1EX Sn ppm 0.1	1EX Y ppm 0.1	1EX Nb ppm 0.1	1EX Ta ppm 0.1	1EX Be ppm 1	1EX Sc ppm 1	1EX Li ppm 0.1	1EX S % 0.1	1EX Rb ppm 0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	<0.1



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Huckleberry Mines Limited

P.O. Box 3000

Houston BC V0J 1Z0 Canada

Project:

WC

Report Date:

January 14, 2009

Page:

3 of 3

Part 3

QUALITY CONTROL REPORT

VAN08011604.1

		1EX Hf ppm 0.1
BLK	Blank	<0.1
BLK	Blank	<0.1

APPENDIX C

DRILL CORE HANDLING PROCEDURE

Drill core was delivered to the logging area by helicopter after every shift. The core boxes were covered and secured during the move, and slung by long line. All core boxes have a wooden cover which is attached to the core box with rubber cords. This prevents core from coming out of the box or becoming mixed during transport. The core is carried into the logging area by the geologist.

Core is placed in sequence on the tables, measured, and the drillers blocks changed from imperial to metric units. All core is photographed with a high-quality digital camera, and the photos stored by drill hole. Core logging, using defined rock types and alteration codes, is completed on a Toughbook laptop computer using a logging software package from North Face Software called Lagger. Drill logs are found attached as Appendix A.

Once logged, the geologist marks the core for sampling. This is done according to rock type, alteration and observed mineralization. Most samples are 2.5 m in length, but may be as small as 20 cm. The core is not preferentially oriented in the box, but is generally left as placed there by the drillers. The core is not reoriented to avoid imposing a bias on the core sampling.

Sample books with sequential sample numbers supplied by Acme Laboratories are used to identify the split samples. The books were filled out by the geologist with the position of the sample down the hole. Each page in the sample book has a removable waterproof tag that is placed with the split sample in the bag and shipped to the lab.

The core cutters place the split samples into a single plastic bag. The bags are closed with a plastic zap strap and put into a poly rice bags. Each shipment is checked by the geologist before shipment.

Sample shipments are given a shipment number, and a "Request for Analysis" form is produced for the laboratory. Samples are flown by float plane to Smithers where they are collected by an expediter and then delivered to the Acme prep lab facility in Smithers. The pulps are then forwarded to Acme Laboratory in Vancouver by contract trucking. A copy of the assay sheets are attached as Appendix B and a description of the analytical procedure is provided as Appendix C.

APPENDIX D

ANALYTICAL TECHNIQUE

Drill core and prospecting rock samples were analysed at The Huckleberry Mine Assay Lab for copper and molybdenum. Sample preparation and analytical techniques are summarized below.

Huckleberry Drill Samples: Sorting, Splitting, Pulverizing

Version 2 May 5, 2008 Sample Preparation
--

Necessary Tools and Supplies:

pans, compressed air, Jaw crusher, Rolls crusher, Jones splitter, pot pulverizer, Brown rolling paper, sand steel-toed boots, safety glasses, rubber gloves, respirator, hearing protection, exhaust fan

Collection

- ! Drill samples are delivered to the bucking room by the Geologist.
- ! Samples bags are opened and tickets are checked.

Safety and Quality Issues

! Tickets from samples received are checked and any discrepancies are noted.

! Not doing this could result in bad assaying.

Splitting and Drying

! Samples are placed in pans and dried in the large oven.

! Samples are put through the jaw crusher

! Samples are then put through the small crusher set at 10 mesh.

! Samples are split down to leave about 150 g.

! Rejects are put back into the original bag.

! The sample is placed in a loaf pan with its ticket.

Safety and Quality Issues

! Keep work area clean at all times.

! Ensure samples are pre-mixed before splitting.

! Not doing this results in bad assaying.

Pulverizing

! Remove pulverizer pots from under work bench.

! Pour sample into clean designated pulverizer pot.

! Set timer for 150 seconds and start.

! Remove from machine and place on work bench.

! Remove contents from pot and place on brown rolling paper.

! Roll the sample 25 times to mix.

! Form brown paper into funnel and pour into labelled bag.

! Clean work area and pulverizer pot with air and paper towels.

! Repeat steps for pulverizing with all samples.

! Sand out pots when completed for 60 seconds and clean out.

! Return pulverizer pots to designated storage area.

Safety and Quality Issues

- ! All personal safety equipment is to be used.
- ! Keep work area clean.
- ! Cross contamination can occur if work area and pulverizer pots are not kept clean.
- ! Sample placed in properly labelled bag.
- ! Random samples are screened to make sure that pulverising times are sufficient to achieve 95% -150 mesh.

Geology Samples Copper and Molybdenum by Atomic Absorption

Necessary Safety Equipment:

WHMIS sheets, fume hood, hot plate, steel-toed boots, safety glasses, rubber gloves, lab coat.

1.) Scope

This method is used to determine the copper and molybdenum content in ore samples. Interferences can occur from other metals.

2.) Method Summary

The sample is weighed and digested using HNO_3 , and HCl . Interferences are eliminated by adding Al to the solution and then it is bulked and analyzed on the AAS.

3.) Apparatus

- 3.1) Analytical balance.....0.001 g
- 3.2) Volumetric flask
- 3.3) Acid dispensing burette pump on bottles
- 3.4) Phosphoric volumetric flask.....200 mL
- 3.5) Atomic absorption spectrometer Varian or equivalent

4.) Reagents

Safety glasses and gloves must be worn when handling acids.

- 4.1) Nitric acid (HNO_3) ACS reagent grade
- 4.2) Bromine (Br) ACS reagent grade
- 4.3) Hydrochloric acid (HCl)..... ACS reagent grade
- 4.4) Aluminium chlorate hexahydrate ($\text{AlCl}_3 \cdot 6\text{H}_2\text{O}$) ACS reagent grade

4.5) Aluminium solution 20 000 ppm. Dissolve 358g of $\text{AlCl}_3 \cdot 6\text{H}_2\text{O}$ in 1L of deionized water, mix, bulk to 2L with deionized water.

5.) Operating Procedure

- 5.1) Clean and tare analytical balance.
- 5.2) Weigh 2.000 g of sample into a 200 mL phosphoric flask.
- 5.3) Add 15 mL HNO_3 and two drops of Br and let sit 1 minute.
- 5.4) Place on a medium hot plate for 5 minutes. Remove and cool slightly.
- 5.5) Add 10 mL Al solution and 20 mL HCl and place on a medium hot plate for 7 minutes. Remove from hot plate and cool.
- 5.6) Bulk to 200 mL with distilled water and mix.
- 5.7) High samples are diluted with the diluter using the dilution solution.
- 5.8) Refer to the operating manuals for the proper way to operate each AAS.
- 5.9) Analyze the solutions on the AA using pre-programmed operating parameters automatically called for each element.

Parameters	Copper	Molybdenum
Delay Time	2.0 sec	2.0 sec
Measurement Time	7.0 sec	7.0 sec
Replicates	3	3
Wavelength	324.8 nm	313.3 nm
Lamp Current	3	7
Slit Width	0.5 nm	0.5 nm
	Air	

Parameters	Copper	Molybdenum
Oxidant Type		N ₂ O
Oxidant Flow Rate	3.5 L/min	3.5 L/min
Acetylene Flow Rate	1.4 L/min	6.0 L/min

5.11) Record all readings in the proper place on the right sheet. Dilutions are made with a solution of 5% HNO₃, 10% HCl, and 5% Al solution.

6.) Calculations

All calculations are done by AA computer program.

APPENDIX E

PROSPECTING SAMPLE DESCRIPTIONS

SAMPLE	EASTING	NORTHING	SAMPLE	Cu %	Mo %
484160	616856	5959235	WC-A	0.049	0
484161	616882	5959201	WC-B	0.047	0
484162	616873	5959181	WC-C	0.012	0
484163	616828	5959138	WC-D	0.01	0
484164	618810	5959169	WC-E	0.058	0.002
484165	618810	5959160	WC-F	0.147	0.129
484166	617198	5959069	484166	0.109	0
484167	617205	5959060	484167	0.006	0
484168	618459	5957972	484168	0.174	0.003

484160 to 484163- Volcanic tuff containing up to 10% coarse disseminated pyrite and trace amounts of chalcopyrite. Abundant limonite coating. Samples are all from strong gossanous zones within the host volcanics.

484164- Grab sample of pyritic, hornfelsed volcanic tuff. Contains one 5mm quartz stringer with visible molybdenite. Pyrite is diss'd and in veinlets, 1.5% pyrite.

484165- Grab sample of molybdenite bearing quartz vein material. (high-grade sample).

484166- Highly weathered, pyrite bearing intrusive rock, probably of granodiorite protolith. Contains 0.25% chalcopyrite along with 3% pyrite.

484167- Similar to the sample above but more weathered. Very little primary sulphide visible. Probably granodiorite.

484168- Grab sample of quartz porphyry containing 2% diss'd pyrite and 0.25% diss'd chalcopyrite.

APPENDIX F

Photos



Photo 1: Gossans around WC-08-03, 04 and 05




Photo 2: Looking north towards Whiting Creek Project



Photo 3: Looking west towards WC-08-03, 04 and 05



Photo 4: Moly Creek and new drill pads



Photo 5: Molybdenite and pyrite in quartz vein



Photo 6: WC-08-02, looking across to holes WC-08-03, 04 and 05



Photo 7: WC-08-05 looking southwest