2009 DIAMOND DRILLING, PROSPECTING AND SURFACE SAMPLING REPORT

On The

Premier Gold Property
Stewart, BC

BC Geological Survey
Assessment Report
31489

37 Mineral Tenures
3 Mining Leases
16 Crown Granted Mineral Claims, mineral and surface title
154 Crown Granted Mineral Claims, mineral title only

Skeena Mining Division

BCGS Map Sheets: 104B.010/020, 104A.001/011

Latitude: 56° 06' North, Longitude: 130° 01' West

Owner:
Boliden Mineral AB
SE-936 81 Boliden, Sweden

Operator:
Ascot Resources Ltd.
Suite 420 - 475 Howe Street, Vancouver, BC, V6C 2B3

Authors:
Leif Bjornson, M.Sc., P.Geo., and Susan Deane, B.Sc.

April 30, 2010

TABLE OF CONTENTS

Section	Title			Page
1.0	Introduction			5
2.0	Location and Access			5
3.0	Physiography and Vegetation			7
4.0	Claim Information			7
5.0	History			13
6.0	Geological Setting			15
	6.1	Regional Geology		15
	6.2	Property Geology		15
		6.2.1	Volcanic Sequences	15
		6.2.2	Intrusive Sequences	16
	6.3	Lithology		17
	6.4	Alteration and Mineralization		18
	6.5	Structure		18
7.0	Surface Sampling			20
8.0	Drilling			21
	8.1	3RD/Premier Pit		24
	8.2	Hope-Power Zone		25
	8.3	Loui's Showing		25
	8.4	S1 Pit		26
	8.5	Northstar Zone		26
	8.6	Province Zone		27
	8.7	Martha Ellen-Montana Zone		28
	8.8	Silver Tip Zone		29
	8.9	Rambler Zone		29
	8.10	Unicorn Zone		29
	8.11	Golden Crown Zone		30
	8.12	Granduc Mudstones		30
9.0	Conclusions			31
10.0	Recommendations			31
11.0	References			32
12.0	Statement of Costs			33
13.0	List of Personnel			34
14.0	Statement of Qualifications			35

FIGURES

Figure	Title	Scale	Page
Figure 1	Location Map	N/A	6
Figure 2	Premier Property, Claim Map	N/A	8
Figure 3	Premier Property, Simplified Geology Map	N/A	19
Figure 4a	DDH and Surface Sampling Plan - North Half	1:5,000	Back Pocket
Figure 4b	DDH and Surface Sampling Plan - South Half	1:5,000	Back Pocket
Figure 5	Drill Section: Holes P09-001 to P09-002	1:500	Back Pocket
Figure 6	Drill Section: Holes P09-003 to P09-005	1:500	Back Pocket
Figure 7	Drill Section: Hole P09-006	1:500	Back Pocket
Figure 8	Drill Section: Holes P09-007 to P09-009	1:500	Back Pocket
Figure 9	Drill Section: Holes P09-010 to P09-011	1:500	Back Pocket
Figure 10	Drill Section: Holes P09-012 to P09-014	1:500	Back Pocket
Figure 11	Drill Section: Holes P09-015 to P09-016	1:500	Back Pocket
Figure 12	Drill Section: Holes P09-017 to P09-019	1:500	Back Pocket
Figure 13	Drill Section: Hole P09-020	1:500	Back Pocket
Figure 14	Drill Section: Holes P09-021 and P09-022	1:500	Back Pocket
Figure 15	Drill Section: Holes P09-022 and P09-023	1:500	Back Pocket
Figure 16	Drill Section: Holes P09-024 and P09-040	1:500	Back Pocket
Figure 17	Drill Section: Holes P09-025 and P09-043	1:500	Back Pocket
Figure 18	Drill Section: Hole P09-026	1:500	Back Pocket
Figure 19	Drill Section: Hole P09-027	1:500	Back Pocket
Figure 20	Drill Section: Hole P09-028	1:500	Back Pocket
Figure 21	Drill Section: Hole P09-029	1:500	Back Pocket
Figure 22	Drill Section: Hole P09-030	1:500	Back Pocket
Figure 23	Drill Section: Hole P09-031	1:500	Back Pocket
Figure 24	Drill Section: Holes P09-032 and P09-033	1:500	Back Pocket
Figure 25	Drill Section: Hole P09-034	1:500	Back Pocket
Figure 26	Drill Section: Hole P09-035	1:500	Back Pocket
Figure 27	Drill Section: Hole P09-036	1:500	Back Pocket
Figure 28	Drill Section: Hole P09-037	1:500	Back Pocket
Figure 29	Drill Section: Hole P09-038	1:500	Back Pocket
Figure 30	Drill Section: Hole P09-039	1:500	Back Pocket
Figure 31	Drill Section: Hole P09-041	1:500	Back Pocket
Figure 32	Drill Section: Hole P09-042	1:500	Back Pocket
Figure 33	Drill Section: Hole P09-044	1:500	Back Pocket
Figure 34	Drill Section: Holes P09-045 and P09-046	1:500	Back Pocket
Figure 35	Drill Section: Hole P09-047	1:500	Back Pocket
Figure 36	Drill Section: Hole P09-048	1:500	Back Pocket

TABLES

Table	Title	Page
Table 1a	Claim Information, Mineral Tenures	9
Table 1b	Claim Information, Mining Lease	10
Table 2a	Claim Information, Premier Crown Grants	10
Table 2b	Claim Information, Big Missouri Crown Grants	12
Table 3	Claim Summary Information	12
Table 4	Premier Gold Reserves	14
Table 5	Stratigraphy of Hazelton Group	15
Table 6	Significant Chip Sampling Intersections	20
Table 7	Significant Grab Samples	20
Table 8	2009 Drill Hole Summary	21
Table 9	Significant Drilling Intersections	22
Table 10	Statement of Expenditures	33
Table 11	List of Personnel	34

APPENDICES

Appendix A List of Assay Certificates
Appendix B Drill Logs
Appendix C Surface sample descriptions
Appendix D Analytical Data - Drilling
Appendix E Analytical Data - Rock Samples
Appendix F Assay Data
- Statement of Analytical Procedures
- Assay Certificates
Appendix G Maps (Figure 4a and 4b)
Appendix H Drilling Cross-sections (Figures 5-36)

1.0 INTRODUCTION

This report summarizes the exploration activities conducted on the Premier Gold Property (PGP) by Ascot Resources Ltd during the 2009 field season. The PGP has a long history of exploration and mining beginning in 1904 and includes the Silbak-Premier Mine and the Big Missouri Mine, as well as many smaller showings and prospects. From 1988 to 1996 Premier Gold produced 3,039,680 tons grading 0.085 oz./t gold and 1.67 oz/t silver. Current proven and probable reserves for Premier Gold are 313,916 tons grading 0.257 oz/ton gold and 1.345 oz/ton silver (Internal Memorandum prepared by Westmin Resources, 1997).

Ascot Resources Ltd acquired the property from Boliden Ltd under the terms of an option agreement dated June 12, 2009. The area held by Ascot Resources is part of the Stewart Mining Camp, one of the more prolific gold camps in BC, and includes the formerly producing Silbak-Premier and Big Missouri Mines. Additionally, Ascot has an option on the 3060.3 ha Dilworth Property just north of and adjacent to the Premier Property. The combined Silbak-Premier and Big Missouri Properties (Premier Property) are comprised of 37 mineral claim, 3 mining leases and 170 crown grants with a total area of 7442.63 ha (see Tables 1 and 2).

Operations on the property commenced on June 13, 2009 after the completion of an option agreement between Ascot Resources Ltd (Ascot) of Vancouver, BC and Boliden Limited of Boliden, Sweden. Drilling was conducted on the property from Jun 30 to Oct 16, 2009 with the completion of the field component on Oct 21, 2009. The final samples were shipped to Assayers Canada, the assay lab for the duration of the project. The program consisted of diamond drilling, chip and prospecting samples with much of the chip sampling on pre-existing trenches. The program included 7465.3m of BQ diamond drill core, 4629 core samples and 792 trench and grab samples. Field operations ceased on Oct 21, 2009. The program was designed to confirm the results of previous operators and to better understand the distribution of gold around the property.

2.0 LOCATION AND ACCESS

The Property is located along the eastern margin of the Coast Mountains, in northwestern British Columbia near the town of Stewart, BC. Stewart, and nearby Hyder, Alaska are situated at the head of the Portland Canal, a 115 km long fjord that marks the boundary between the Alaskan Panhandle and northwestern British Columbia. The south boundary of the property is marked by the Canada-US border. The town of Stewart provides many services including fuel, groceries, lodging, helicopter, a reliable work force, and also includes a deep-sea port with loading facilities. Currently there is no power to the Premier Mine due to a blown transformer near the mill although the lines and infrastructure are intact.

The Silbak-Premier Mine is situated at the southern end of the property, 13 km north of Stewart, with the property stretching an additional 13 km to the north. Mount Dilworth at 1660+m is the highest point in the area, located near the northern edge of the property, and 25 km from Stewart. Coordinates for the Silbak-Premier area are Latitude 56 4'N, Longitude 130 1'W, and for the Big Missouri area are 56 7'N, 130 1'W. The area is covered by BCGS mapsheets 104B.010/020 and 104A.001/011.

The Granduc Road provides easy access to the southern portion of the property where Boliden Ltd maintains a small maintenance camp. The Granduc Road continues up the western edge of


Ascot Resources Ltd.
DILWORTH PROPERTY
130°W
N
BRITISH COLUMBIA
37
37A
37
SILBAK-PREMIER MINE
Boliden Ltd.
SILBAK-PREMIER PROPERTY
56°N
ALASKA
Hyder
Stewart
Portland Canal
YUKON TERRITORY
N.W.T.
GENERAL LOCATION MAP
Dease Lake
Fort Nelson
ALASKA
DILWORTH PROPERTY
Stewart
Fort St. John
Dawson Creek
BRITISH COLUMBIA
ALBERTA
Prince Rupert
Terrace
Kitimat
Prince George
Pacific Ocean
Bella Coola
Quesnel
Williams Lake
Kamloops
Kelowna
Cranbrook
Nelson
Victoria
Vancouver
U.S.A.
LEGEND
Road
Town / City
0
300 km
Ascot Resources Ltd.
Swamp Point
Aggregate Quarry
LEGEND
Roads
Icefield
0
10 km
Ascot Resources Ltd.
DILWORTH PROPERTY
BRITISH COLUMBIA
LOCATION MAP
Figure 1
April 2010

the property. The Premier Mine, Big Missouri and Granduc (also known as the Canada Wide) Roads provide access through the central portion of the property, with old roads and quad trails providing additional access to almost every other part of the property. The Big Missouri Road slowly gains elevation as it heads north, following Cascade Creek, and ends at the Province Zone along Big Missouri Ridge at 1060m.

A washout on the Granduc Road below the Premier Mine near the end of July necessitated use of a helicopter to supply material to the drill sites. Prism Helicopters maintains a summer base in Stewart, and was used throughout the program for drill moves and to supply equipment to the drill.

3.0 PHYSIOGRAPHY AND VEGETATION

The Property encompasses a wide variation in elevation and vegetation types. The lower parts of the property are to the west at the Salmon Glacier and Salmon River where elevations extend below 200m. The south flowing Cascade Creek, which bisects almost the entire length of the property and whose valley creates a large, elongate bowl, joins the Salmon River just after the Creek crosses the Canada-US border. Bear Ridge is a large elongate ridge to the east of the property and marks the height of land in the area, and Mount Dilworth to the north of the Property creates a prominent topographic feature. The terrain is variable from gently rolling and undulating to more rugged with local steep areas including cliffs and deep gullies.

The lower elevations contain stands of Hemlock with thick low brush. Upper elevations contain a carpet of heather but are mostly barren of trees and other shrubs, exposed outcrop is scattered through the area. Small lakes and ponds dot the area with the water supplied by melting snow that locally lasts into August.

4.0 CLAIM INFORMATION

The PGP, comprising the Silbak-Premier and the Big Missouri Properties are comprised of 37 mineral tenures, 3 mining leases and 170 crown granted mineral claims covering a gross area of 7442.63 ha. All claims are owned by Boliden Ltd and lie within the Skeena Mining Division. The location of the property and mineral claims are shown in Figures 1 to 2. The details of the mineral claims that comprise the PGP are listed in Table 1 and 2, and summarized in Table 3.

Ascot Resources Ltd acquired its interest in the property from Boliden Limited under the terms of an option agreement dated June 12, 2009 (Execution date), granting Ascot Resources Ltd. of Vancouver, BC the non-exclusive right and option to conduct exploration and development on the property subject to additional terms listed in the agreement. Upon signing of the agreement, Ascot is required to make payment to Boliden Ltd in the amount of $100,000, within 10 days of the signing of the option deal and prior to every anniversary of the execution date while the option remains in force, and a final payment of $20,000,000 on or before the Closing date of October 1, 2012. The conditions to exercise the option are the completion of money transfers as listed above, plus Ascot must exercise its option to purchase the mineral claims of the Dilworth Property under the 2007 option agreement. Upon completion of the option Boliden Ltd retains a 1% NSR and the first right to purchase any 'base-metal concentrate(s) produced from the Property or from ore extracted therefrom.'


LEGEND
Paved Road
Gravel Road
Rough Road
Lake
Icefield
Creek
531759
Mineral Claim, Mineral Lease or Crown Grant with Tenure Number
Map Sheets 104B010/020 104A001/011
Topographic Contour interval = 100m
Projection: UTM Zone 9 Datum: NAD83
(base after B.C. MAP PLACE)
N
Salmon Glacier
Cascade River
Long Lake
Noname Lake
Indian Lake
Salmon River
Boundary Creek
BRITISH COLUMBIA
ALASKA
6220000mN
6210000mN
56°06'N
130°00'W
440000mE
0
2 km
Ascot Resources Ltd.
PREMIER PROPERTY
BRITISH COLUMBIA
CLAIM MAP
Figure 2
April 2010

Table 1a. Mineral Tenures

Tenure Number	Claim Name	Map no.	Expiry Date	Area (ha)
250350	N/A	104B.020	Mar 4, 2011	25
250351	N/A	104B.020	Mar 4, 2011	25
250353	N/A	104B.020	Mar 4, 2011	25
250354	N/A	104B.020	Mar 4, 2011	25
250526	N/A	104B010	Mar 4, 2011	25
250527	N/A	104B010	Mar 4, 2011	25
250528	N/A	104B010	Mar 4, 2011	25
250529	N/A	104B010	Mar 4, 2011	25
250530	N/A	104B010	Mar 4, 2011	25
250531	N/A	104B010	Mar 4, 2011	25
250532	N/A	104B010	Mar 4, 2011	25
250533	N/A	104B010	Mar 4, 2011	25
250534	N/A	104B010	Mar 4, 2011	25
250535	N/A	104B010	Mar 4, 2011	25
250536	N/A	104B010	Mar 4, 2011	25
250537	N/A	104B010	Mar 4, 2011	25
250538	N/A	104B010	Mar 4, 2011	25
250539	N/A	104B010	Mar 4, 2011	25
250540	N/A	104B010	Mar 4, 2011	25
250541	N/A	104B010	Mar 4, 2011	25
250542	N/A	104B010	Mar 4, 2011	25
250666	N/A	104B.020	Mar 4, 2011	25
250712	N/A	104A	Mar 4, 2011	25
250713	N/A	104A	Mar 4, 2011	25
250714	N/A	104B010	Mar 4, 2011	25
250770	Silver Lake	104B010	Mar 4, 2011	100
251067	Pam Fr.	104B010	Mar 4, 2011	25
251120	Melissa	104A	Mar 4, 2011	75
251121	Mag Fr.	104A	Mar 4, 2011	25
251122	Mush Fr.	104A	Mar 4, 2011	25
251778	Refer to Lot table	104B.020	Mar 4, 2011	25
252194	Marie Rita	104B.020	Mar 4, 2011	25
252201	Tiger Fr.	104B.020	Mar 4, 2011	25
252952	Marie No. 2	104B.020	Mar 4, 2011	200
255397	N/A	104B.020	Mar 4, 2011	25
255398	N/A	104B.020	Mar 4, 2011	25
255399	N/A	104B.020	Mar 4, 2011	25
			Total Mineral Tenures =	1225.0

Table 1b. Mining Lease

Tenure Number	Claim Name	Map no.	Expiry Date	Area (ha)
302030		104B.020	Dec 17, 2010	231.2
302115		104B.010	Dec 17, 2010	0.69
254532		104B.020	Dec 14, 2010	160.1
			Total Mining Lease =	391.99

Table 2a. Premier Crown Grants

Mineral and Surface Title

Lot #	Claim Name	Area (ha)	Lot #	Claim Name	Area (ha)
L0272	Cascade Falls No. 5	16.29	L3606	Cascade Forks No. 4	8.09
L3590	Cascade Falls No. 4	12.95	L3607	Cascade Forks No. 5	12.26
L3596	Pictou	20.89	L3608	Cascade Forks No. 6	15.66
L3597	Rupert	20.12	L3609	Wood Fraction	2.27
L3603	Cascade Forks No. 1	18.98	L4146	Halton	13.48
L3604	Cascade Forks No. 2	11.39	L4147	Bush Fractional	13.40
L3605	Cascade Forks No. 3	12.75			
				Total Premier Crown Grants =	178.53

Mineral Title Only

Lot #	Claim Name	Area (ha)	Lot #	Claim Name	Area (ha)
L0511	Brookland	20.28	L4064	Morn	17.52
L0512	Forty-Five	18.53	L4116	Winner	6.21
L1843	Exchange No. 1	1.18	L4119	Ruby Silver No. 1	18.23
L1844	Exchange No. 2	4.25	L4120	Ruby Silver No. 2	16.10
L1845	Exchange No. 3	16.36	L4123	Ruby Silver	20.89
L1846	Exchange No. 4	8.49	L4133	Texada	8.92
L1847	Exchange No. 5	2.31	L4134	Texada Fraction	12.63
L1848	Exchange Fraction	0.14	L4135	Dixie	3.57
L1979	Portland No. 2	11.85	L4136	Humbolt #2 Fraction	7.27
L1980	Portland No. 1	13.74	L4137	Humbolt Fraction	13.22
L1981	Big Dick	16.26	L4138	Paul	14.38
L1982	Fritz	10.48	L4139	Joe Fraction	18.92
L2315	Boundary No. 2	19.08	L4140	Bluox	20.90
L2316	Missing Link Fraction	13.10	L4141	Mountain	20.90
L3591	Cascade Falls No. 8	17.00	L4142	Grandview	11.76
L3592	Simpson	12.55	L4143	Rincon	10.68
L3593	Essington	19.04	L4144	U and I	20.34

L3594	Pat Fraction	9.23
L3595	Dally	20.90
L3610	Forks	15.70
L3611	Trites	12.18
L3688	Premier Extension #1	15.75
L3689	Premier Extension #2	9.83
L3690	Premier Extension #3	18.41
L3691	Premier Extension #4	20.81
L3692	Extension Fraction	11.19
L3693	True Blue	2.71
L3838	Lesley M	20.90
L3839	Lesley	20.90
L3840	Limit	20.90
L3841	Climax	20.63
L3842	Bell	16.38
L3843	Lesley #2	20.46
L3844	Lesley #4	11.53
L3845	Lesley #3	16.68
L3846	Lesley #5	15.86
L3847	Lesley #6	20.82
L3848	Lesley Fraction	12.74
L3849	Bell #2	16.28
L3850	Mahood	12.91
L3851	Ten Fraction	16.44
L3852	Ax Fraction	2.65
L3922	Cabin	16.96
L3923	International Fraction	11.25
L3930	International	20.29
L3931	Wood Fraction	6.84
L4016	Gun Fr.	8.28
L4019	Hooligan	20.85
L4020	Oakwood	2.97
L4021	Oakville Fraction	4.81
L4022	Oakville #2 Fr.	8.06
L4047	Northern Light #2	19.90
L4048	Northern Light #1 Fract	3.77
L4049	Northern Light #3	12.12
L4050	Northern Light #4	18.12
L4051	Northern Light #5	14.12
L4052	Northern Light #6	11.99
L4053	Cobalt	9.60
L4054	Cobalt No. 2	9.53
L4055	Northern Light #7	15.27
L4145	Simcoe	9.95
L4148	Neill Fractional	14.46
L4149	Mist #1	20.77
L4150	Mist #2	10.66
L4151	Mist Fr.	20.83
L4165	Border	9.64
L4194	Sunshine	20.90
L4277	Bluebird	16.09
L4278	Club Frac	6.44
L4279	Premier Fraction	0.39
L4281	Lucky Frac	4.09
L4421	Glacier No. 7	9.33
L4423	ACC Frac	10.29
L4426	Blue Jay Frac	10.91
L4427	B x 1	20.90
L4428	B x 2	20.87
L4429	B x 3	20.90
L4430	B x 4 Fraction	17.98
L4431	B x 5 Fraction	13.07
L4432	B x 6 Fraction	17.69
L4433	B x 7 Fraction	14.74
L4434	B x 8 Fraction	19.06
L4440	A.M. Fraction	1.87
L4441	O'Brien Fraction	15.34
L4442	Maggie Jiggs Fract	2.74
L4447	Maple Leaf No. 5	6.12
L4449	Maple Leaf No. 3	20.19
L4450	Maple Leaf No. 2	20.90
L4451	Maple Leaf No. 1	20.58
L4452	M.L. Fraction	9.32
L4454	Northern Light #9 Fr.	1.77
L4767	Pit Fraction	0.04
L5180	X.10.U.8.	11.37
L5181	X.10.U.8. No. 2	15.96
L5182	X.10.U.8. No. 3	14.78
L5183	X.10.U.8. No. 4	18.32
L5184	X.10.U.8. No. 5	17.23
L5185	X.10.U.8. No. 6	14.58
L5188	Three	17.97
L5189	Three Fraction	4.93
L5190	One Fraction	8.72
L5191	Four Fraction	20.78
L5192	Five Fraction	11.39

L4056	Loser	14.04	L5193	Extra	7.51
L4057	Northern Light Fraction	8.49	L5195	X.10.U.8. Fraction	18.92
L4058	Northern Light #1	13.40	L5524	Pay Roll Number 3	19.17
L4063	Northern Light #8	1.80	L5525	Pay Roll Number 4	18.71
				Total =	1711.50

Table 2b. Big Missouri Crown Grants

Mineral and Surface Title

Lot no	Claim Name Mineral and Surface Title	Area (ha)	Lot no	Claim Name	Area (ha)
L3213	E Pluribus	20.66	L4540	Silver Creek Fraction	5.12
L3216	Unum Fraction	4.68			
				Total =	30.46

Minerals Only

Lot no	Claim Name Mineral Title only	Area (ha)	Lot no	Claim Name	Area (ha)
L1521	Martha Ellen	19.38	L4130	Day No 3	8.99
L1522	Glacier	17.80	L4131	Day No 4	19.64
L1525	Leckie Fraction	2.67	L4132	Day Fraction	18.91
L3208	Province	20.60	L4163	September Fraction	15.58
L3210	Golden Crown	20.90	L4534	Unicorn	13.89
L3211	J P Fraction	3.13	L4535	Unicorn No. 2	20.23
L4036	Bella Coola	16.80	L4536	Unicorn No. 3	17.70
L4037	Good Hope	11.97	L4537	Unity	7.13
L4038	May P.J.	13.97	L4538	Good Hope	20.39
L4039	Silver Leaf	20.80	L4539	Snow King	15.60
L4040	Ladybird #2	20.90	L4541	H and W Fraction	7.80
L4127	Day No 1	11.18	L4542	Unity Fraction	0.62
L4129	Day No 2	20.79	L4543	V Fraction	0.29
				Total	367.66
				Total Area (ha) =	3905.15

Table 3. Claim summary information:

Claim type	Number	Area
Mineral Tenures	37	1225.00
Mining Leases	3	391.99
Premier Grants, Mineral and surface title	13	178.53
Premier Grants, Mineral title only	128	1711.50
Big Missouri Grants, Mineral and surface title	3	30.46
Big Missouri Grants, Mineral title only	26	3905.15
Total Area	**210**	**7442.63**

5.0 HISTORY

The Premier Gold Property is part of the Stewart mining camp, an area that has experienced over 100 years of exploration and is ranked as one of the best gold producing areas in British Columbia. The first report of activity in the area was a survey by the United States Army Core of Engineers in 1896. Prospectors first arrived in the area in 1898 when a group trekked inland from the head of the Portland Canal to Meziadin Lake in search of placer gold. Their search failed, and with prospectors passing through the area from the Klondike, started the influx of settlement into the area. The post office was established in 1905 by two brothers, John and Robert Stewart who had great visions for a prosperous mining town, the townsite of Stewart was incorporated in 1907. By 1910, the population of Stewart had almost reached 2000, but with much speculation by the end of the year Stewart experienced a population high with over 10,000 people. However the population dropped rapidly to less than two dozen people during the First World War, and during the winter of 1917/1918 only three people remained in the town. The population has continually varied.

The oldest claim in the area, the Big Missouri deposit located 8km north of Premier, was staked in 1904 and from 1927 to 1942 produced 847,612 tons of ore using underground mining methods. Today the Big Missouri deposit includes the Golden Grown, Province, S1, Dago, Unicorn, Rambler, Martha Ellen, Northstar and Creek Zones. Dago and the S1 were mined with open pit mining methods by Westmin Resources Ltd, the operators prior to Boliden Ltd. Plans have been proposed for the development of the Province, Northstar and Martha Ellen zones but with the exception of a small pit at the Province, little work has been completed.

The Indian Mine was located in 1910 on Indian Ridge, 5 km north of Premier. Most of the ore was produced in 1952 and transported by a two mile aerial tramline to be concentrated at the Premier Mill. The Indian Mine closed in 1953 due to low metal prices.

The largest producer from the property, the Silbak-Premier Mine first discovered in 1910 by Charles Bunting and William Dilworth, produced 7.3 million tons of gold-silver-lead-zinc-copper ore almost continuously from 1918 to 1968, with minor amounts from 1976 to 1979, and again from 1989 to 1996. Original production was from underground mining methods. Westmin Resources Ltd (formerly Western Mines Ltd) acquired the Big Missouri property in 1978 from Tournigan Mines Ltd and then the Silbak-Premier property in 1982. The consolidation of the Premier Mining Camp was a major advance in the history of the PGP and helped allow Westmin to bring the Premier Mill to operation in 1989. Westmin acquired a 100% interest in Premier and Big Missouri plus partial interest in the Indian and Silver Butte mines.

Westmin Resources Ltd. conducted extensive exploration from 1979 to 1996 on the combined Big Missouri and Silbak-Premier properties. From 1988 to 1989 a new 2000 ton per day mill facility was constructed and was in production from 1989 to Dec 1996 when the mill permanently closed due to low metal prices. In addition to the Premier Pit, the S1 and Dago zones were also mined using open pit mining methods. The Property has been under care and maintenance since closure in 1996.

From 1989 to 1996 Premier Gold produced 3,039,680 tons grading 0.085 oz./t gold and 1.67 oz/t silver. At the time of the mill closure in 1996, the property contained 350,140 tonnes of ore grading 7.19 g/t gold, 37.7 g/t silver and 1.6% zinc. See Minfile 104B 054 for a detailed production report for the Silbak-Premier Mine. Table 4 (below) contains a non-NI 43-101 compliant summary of reserves for the Premier Gold Property.

Table 4, Premier Gold Reserves (summarized from Table 1-1 Premier Gold - Fact Sheet, Westmin Resources Internal Memorandum, 1997).

Premier Gold Mine	Tons	Au (oz/ton)	Ag (oz/ton)
Published Reserve after 1996 Drilling Program			
Proven and Probable	313,916	0.257	1.345
Possible	119,809	0.250	0.780
Total Published Reserve	433,725	0.255	1.189
Power Zone			
Probable, Diluted	15,763	0.204	2.812
Possible, Diluted	17,097	0.082	2.488
Total	32,860	0.140	2.643
Martha Ellen Open Pit Reserve (using cut-off grade of 0.03 oz Au/ton)			
Probable	1,511,267	0.075	1.200
Possible	-	-	-
Total	1,511,267	0.075	1.200
Total Reserves and Remaining Resources*			
Total Proven and Probable Reserves	1,840,946	0.102	1.022
Total Possible Reserves	136,906	0.086	0.305
Total Reserves P&P&P	1,977,852	0.099	0.869
Undrilled Premier Resource (1995)	858,100	0.231	NC
Total Reserves and Resources	2,835,952	0.129	-
Production			
1918-1987	5,599,029	0.331	7.117
1988-1996	3,039,680	0.085	1.670
Total	8,638,709		

* The 1996 Westmin Resource for Premier Gold included a 50% interest in the Kansas Zone that is not included in this table. This is reflected in the tons but gold grades have not been adjusted.

NC - not calculated

Note: calculations are historic in nature and do not conform to current NI 43-101 regulations. Results have not been verified.

6.0 GEOLOGICAL SETTING

6.1 Regional Geology (largely from Ray, 2008, after Alldrick, 1993)

The Stewart Mining camp is situated on the east side of the Coast Plutonic Complex within Stikinia, an accreted early Jurassic island-arc complex. Further to the east and outside the property area, post-accretionary sedimentary rocks of the Bowser Lake Group uncomformably overlie the volcanic sequences of Stikinia. Stikinia is comprised of the Stuhini/Takla Group and the Hazelton Group which together make up the Stikine assemblage (Monger, 1977). The Stuhini/Takla Group is a Late Triassic volcanic and sedimentary rock sequence of Carnian to Norian age that encircle the Bowser Basin. The Stuhini Group comprises pyroxene-porphyritic basalts to basaltic andesites, bladed feldspar porphyry volcaniclastic rocks and derived sedimentary rocks. The Takla Group consists of pyroxene and pyroxene-feldspar-porphyritic flows grading laterally to distal sedimentary facies, overlain by feldspar-porphyritic volcanic rocks with proximal volcaniclastic sedimentary facies.

The volcanic sequences of the Hazelton Group are comprised largely of a thick succession of andesites with minor interbeds of siltstone. The andesites typically lack bedding structures which created confusion amoung geologists as to orientations and facing directions.

The Post-Hazelton Bowser Lake Group comprises a thick sequence of Middle Jurassic to Upper Jurassic sedimentary and rare volcanic rocks. The type area lies northeast of the study area. Chert-pebble conglomerates are diagnostic of the base of the group and these are overlain by shale, siltstone and intraformational conglomerates.

6.2 Property Geology

6.2.1 Volcanic Sequence

The Stewart Mining Camp is dominated by a package of sedimentary, volcanic and tuffaceous rocks of the early Jurassic Hazelton Group. These rocks consisting of calcalkaline basalt to rhyolite and derived volcaniclastic sedimentary rocks, are the main host to mineralization in the area. The Hazelton Group has been separated into the following formations and members, listed in Table 5 below (after Alldrick, 1993):

Table 5. Stratigraphy of the Hazelton Group:

Salmon River Formation:
- Middle to Upper Jurassic
- thick sequence of complexly folded, colour-banded tuffaceous siltstone and lithic wackes (siltstones, mudstones and limestones)
- Base marked by rhyolite, chert, and carbonate lenses

Mount Dilworth Formation:
- Tuffs and ignimbrites

Betty Creek Formation:
- Middle Toarcian to Middle Bajocian
- Volcanic and sedimentary members
- bright red and green volcaniclastic sedimentary rocks with intercalated andesitic volcanic flows, pillow lavas, chert and carbonate lenses

Unuk River Formation:
- predominantly andesitic sequence of lava flows, pyroclastic rocks and

epiclastic and clastic sedimentary rocks
- Members:
    - Premier Porphyry
    - Upper Andesite
    - Upper Siltstone
    - Middle Andesite
    - Lower Siltstone
    - Lower Andesite

6.2.2 Intrusive Units

Two suites of intrusive units occur in the area. The Lower Jurassic Premier Porphyry and the Eocene Portland Canal dyke swarms.

The Texas Creek Plutonic suite in the Stewart area coincides with a period of increased igneous activity in the Canadian Cordillera and is interpreted as coeval subvolcanic magma chambers to Early Jurassic island-arc volcanic complexes. Within Stikinia, Early Jurassic plutons are relatively small, and interpreted as the source of Hazelton volcanics. The calc-alkaline Texas Creek suite is represented by batholiths and stocks of distinctive coarse-grained hornblende granodiorite that contain potassium feldspar megacrysts.

The Early Jurassic phase included emplacement of Texas Creek granodiorite suite, which resulted in the Texas Creek Batholith and the Summit Stock. As well as these larger bodies, the Texas Creek phase also produced the Premier Porphyry flows at the top of the Unuk River Formation, as well as dykes, sills and small intrusive bodies that were presumably feeders for the overlying flows/dykes. These minor bodies have been variously termed the "Texas Creek Dykes", "potassium feldspar porphyry", "two-feldspar porphyry" or "Premier Porphyry". This economically important suite appears to be spatially and genetically related to the Zn-Pb-Ag-Au mineralization at both the Silbak Premier Mine and the Silver Coin deposit. In places it is characterized by widely scattered Potassium-Feldspar megacrysts, up to 2cm long, together with plagioclase phenocrysts set in a fine-grained matrix. The unit is most easily identified by the megacrystic feldspars, but different phases of the same unit can be very fine grained with very rare coarse phenocrysts. This can make identification of the unit difficult. This fine grained phase of the unit is seen just north of the S1 pit, and along the Big Missouri Ridge in the Unicorn area.

Within Stikinia, small high-level Eocene plutons and dykes mark a period of widespread intrusive activity. Regionally these intrusive phases resulted in large bodies such as the Hyder Batholith and Boundary Stock, which range compositionally from granite to tonalite to granodiorite. This Eocene phase also resulted in a varied suite of dykes that are widespread throughout the mining camp, although two notable dyke swarms are recognized. The Mount Welker (also referred to as Hyder) swarm is SE-NW trending and lies approximately 9km south of Ascots property. Further north part of the E-W to ESE striking Portland Canal dyke swarm lies along the southern boundary of Ascot's adjacent Dilworth Property from where it passes westwards across the Salmon River Valley. Compositionally, this multiphase swarm includes rocks of the dacite-granodiorite, latite, andesite, lamprophyre and quartz porphyry rhyolite composition, many of which are seen on Ascot's property.

6.3 Lithology

To be consistent with previous work, Ascot geologists adopted the four-character Geolog rock codes established by Westmin Resources Ltd. which are included in the drill logs, see Appendix B. An earlier number-letter code is also included although the number sequence does not represent the order of the rock sequence. Codes are used below after the equivalent rock term in the format (Westmin lithology-Westmin Geolog code) and are also included in the drill logs.

The mudstone unit encountered along the Granduc Road may represent the Lower Siltstone Member of the sequence with the majority of the drilling in the Middle or Upper Andesite Member of the Unuk River Formation. Premier Porphyry was intruded into the Andesites at the top of the sequence. Contacts in the Unuk River Formation are gradational and the top of the Unuk River Formation is located just to the east of Unicorn-S1. Further east is a thin sliver of the Betty Creek Formation although this unit was not encountered in drilling. Continuing east and up-section are rhyolite-latites of the Mount Dilworth Formation (3-R3XX), and the middle to upper Jurassic sedimentary rocks of the Salmon River Formation (2-R2XX), in faulted contact with the Bowser Lake Group (11-BAXX). The Silver Tip showings and workings are located near the contact of the Bowser Lake Group argillites and siltstones with the Hazelton Group volcaniclastics. See also Figure 3 and Table 5.

Andesitic rocks vary in texture and alteration, but are the most common rocktype encountered during drilling. The typical form are medium to dark green, fine grained unaltered (9a-AXXX) to weakly porphyritic (9fp-AFPX) although these appear bleached where hydrothermally altered. Other varieties include andesitic flows (9f-AFXX), tuffs (9t-ATXX), and lapilli tuffs (9Lt-ALXX). Siliceous altered varieties were interpreted as chert tuffs (9c-CXXX) or siliceous breccias (9cx-CBXX) although the silicification is now interpreted as a secondary process. This is a large sequence which generally lacks bedding so it is difficult to know exactly where these are in the stratigraphy.

The common intrusive rocks that cut the andesites are termed Premier Porphyry (7-PIXX) and are considered to be the source for mineralizing fluids. These are of dacitic composition but include a variety of subtypes. Premier Porphyry is pale to medium greenish in colour with a fine grained matrix, potassium feldspar phenocrysts are often euhedral in outline and up to 2cm across with smaller rounded plagioclase phenocryst scattered through the matrix. Another variety of poorly-recognized Premier Porphyry observed in the Big Missouri area has a darker grey coloured groundmass and plagioclase phenocrysts up to 0.5cm across. The most common types contain phenocrysts of feldspar and hornblende (7a-PIPX) but other varieties are mineralized vein (7v-VMXX), and siliceous breccia (7s-QBXX). Some large bodies of Premier Porphyry have been recognized, but smaller dykes and sills with a fine grained matrix (7-PIXX) and feldspar phenocrysts varying from 1-2mm up to over 3cm may also represent part of this intrusive suite.

The main focus for exploration has been quartz breccias and quartz vein breccias (7s-QBXX). These units represent silica flooding, silicification and quartz stockwork and although originally interpreted as a sedimentary horizon of cherty tuff, they are now considered to be a secondary process of quartz alteration of andesites. While the interpretation has changed this does not lessen the significance of this unit. Instead of being discrete horizons, the quartz breccias may be discontinuous and have no preferred orientation adding additional complications for exploration.

Later stage intrusives are found north of Martha Ellen including swarms of Eocene Portland Canal Dykes (21-D/XX), and Tertiary Andesite and Diorite Dykes (22-D/AX). Another set of swarms related to the Portland Canal Dykes, termed the Hyder Dykes, are observed south of the Silbak-Premier Mine. The Portland Canal and Hyder Dykes have a composition varying from latite to dacite, are commonly leucocratic and aphanitic to very fine grained. The Andesite Dykes (22-D/AX) are massive and generally uniform with a medium to dark green groundmass.

6.4 Alteration and Mineralization

Various styles of alteration are recognized with local quartz veining and stockwork being very prominent at the surface. Other types typically recognized include pervasive silicification, quartz veins, stockwork and stringer zones, pervasive sericitization, and calcite veining and replacement. Pyrite mineralization appears related to quartz veins and zones of intense silicification with base metals observed as sulphides of sphalerite and galena. Silver is often present in small amounts. Gold and silver have low background levels throughout the system as can be seen in the assay results. The economic zones at Silbak-Premier are large quartz veins/silicification. Large quartz veins so far have not been identified at Big Missouri, exploration is targeting areas of strong quartz stockwork, chalcedony and sulphide mineralization especially base metals.

6.5 Structure

The property is largely comprised of a thick package of homogeneous andesitic tuffs and flows which lack reliable bedding or layering. This created confusion among early geologist as the true orientation and facing direction of the various units were unknown. Regional mapping by Alldrick (1993) and others indicate that the entire Hazelton Group package between the Salmon valley and Mount Dilworth was a north to NW striking steeply east dipping succession that younged to the east. Thus the Unuk River Formation is believed to be the oldest Hazelton Group rocks in the area, being overlain in turn to the east by the Betty Creek, Mount Dilworth and Salmon River Formations (see Table 5). These rocks on the east side of the Salmon Glacier occupy the west limb of a large synformal fold whose steeply inclined NNW trending axis passes beneath the Mount Dilworth icefield. This large F1 structure belonged to a phase of regional-scale folding that resulted in large open folds in the volcanics and tight to isoclinal structures in the less competent sedimentary rocks (Alldrick, 1993). It was for the most part accompanied by greenschist facies metamorphism.

Later multiphase extension led to sets of E-W to SE trending fractures that were subsequently filled by various dyke phases, including the Mount Welker (Hyder) and Portland Canal Dyke swarms. This pre-and syn-Eocene extension was presumably related to movement along deep structures in the basement beneath the younger Hazelton Group cover rocks.


LEGEND
Paved Road
Gravel Road
Rough Road
Lake
Icefield
Creek
Property Boundary
Map Sheets 104B010/020
104A001/011
Topographic Contour
interval = 100m
Projection: UTM Zone 9
Datum: NAD83
GEOLOGY LEGEND
Eocene
Eqm Coast Plutonic Complex(?): Quartz monzonitic intrusive
EBo Boundary Stock: Granodioritic intrusive
Middle to Upper Jurassic
muJHs Hazelton Group: Sediments
muJHM Hazelton Group: Mount Dilworth Fm: Calc-alkaline Volcanics
Lower Jurassic
IJHB Hazelton Group: Betty Creek Formation: Volcaniclastic rocks
IJHU Hazelton Group: Unuk River Formation: Andesitic Volcanics
Early Jurassic
EJTCS Texas Creek Plutonic Suite: Granodioritic intrusive
Fault
Minfile Showing
(from Government
1:250,000 scale geology)
N
Salmon Glacier
Cascade River
Long Lake
Noname Lake
Indian Lake
Salmon River
Boundary Creek
BRITISH COLUMBIA
ALASKA
6220000mN
6210000mN
440000mE
56°06'N
130°00'W
IJHU
IJHB
muJHM
muJHs
Eqm
EBo
EJTCS
LION
SILVER HILL
MONTANA
MARTHA ELLEN
SILVER TIP
RAMBLER
A VEIN
UNITY
H
AMBER
NORTHSTAR
LINDEBORG
SILVER BASIN
CREEK
BIG MISSOURI
S-1
DAY
DAGO HILL
PROVINCE WEST
PROVINCE
CALCITE CUTS
GOLDEN CROWN
WOLFGANG
BOUNDARY (L.2314)
SILVER COIN
PAYROLL (L.5525)
X 10U 8 FR. (L. 5195)
SUNSHINE (L. 4194)
INDIAN
COBALT
LESLEY M (L. 3838)
VANCOUVER
SEBAKWE
WOODBINE
FORK
NORTHERN LIGHTS
HOPE-POWER
B.C. SILVER
PREMIER
PICTOU
SOUTH PICTOU
SIMCOE
INTERNATIONAL
BRITON (L. 4414)
HIGH ORE GOLD
0
2 km
Ascot Resources Ltd.
PREMIER PROPERTY
BRITISH COLUMBIA
SIMPLIFIED GEOLOGY
Figure 3
April 2010

7.0 SURFACE SAMPLING

The surface sampling program ran concurrently with the drilling program and consisted of 786 1 meter chip samples, and 26 grab samples. Analytical data for these samples is presented in Appendix E, and analytical procedures are presented in Appendix F along with assay certificates. Table 6 summarizes the more significant chip samples, and Table 7 summarizes the grab samples, shown below. Trench and chip samples do not represent true thicknesses. Microsoft Excel was used to record and summarize all data. A more detailed description of results for the various zones is included with the discussion on drilling results in Section 8.0 Drilling. Chip and grab sample locations are shown on Figures 4a and 4b.

Table 6. Significant Chip Sample Intersections (not true width):

Area	Sample	Width (m)	Au (g/t)	Ag (g/t)
Hope	Chip	8.0	3.75	
Hope	Chip	3.0	13.80	
S1	Chip	9.0	7.35	
Northstar	Chip	9.0	20.75	
Northstar	Chip	8.0	9.12	
Province	Chip	3.0	7.92	
Loui's	Chip	7.0	7.69	
Northstar	Chip	6.0	6.09	
Northstar	Chip	10.0	4.30	
Mudstones	Chip	3.0	24.67	
Golden Crown	Chip	8.0	7.33	
Silver Tip	Chip	14.0	4.25	1996.7

Table 7. Significant Grab Samples:

Area	Sample	Au (g/t)	Ag (g/t)	Pb (%)	Zn (%)	Cu (%)
Power Adit	Grab at entrance	18.08	167.0	0.93	1.99	0.46
Hope	Silicified porphyry	2.32	66.1	0.53		0.41
Big Missouri	Silica w/ py, near trench	1.64	82.6		0.30	0.03
Big Missouri	Quartz-py stockwork,	4.52	22.4	0.03	0.02	0.00
Myrtle	Siliceous rubble	30.48	3178.0	3.51	0.81	3.95
Unicorn	70cm vein	1.31	130.6	1.65	0.96	0.36
Unicorn	Tunnel muck	0.96	32.1	0.11	0.08	0.00
Unicorn	End of tunnel	19.41	22.5	0.15	0.18	0.04
Indian	Tramline cliff wall	1.92	31.0			
Indian	Grab, Indian Mine	79.80				
Indian	Grab by tunnel	76.04				
Mudstones	Grab, galena w/ pyrite	136.70	867.0	4.87	3.61	
Myrtle	Grab	4.87	559.1	10.80	17.90	1.17
Creek	Grab by tunnel	4.29	2390.0	6.00	10.90	

8.0 DRILLING

The exploration program began on June 13 with drilling commencing on Jun 30/09 and continuing until Oct 16/09. Final crew shift was Oct 21 when the last shipment of samples was sent to Assays Canada Ltd in Vancouver. Crews stayed in Stewart where most personnel lived and a warehouse was used for gear storage and core logging. The town also provided fuel, food and lodging facilities for the non-resident crews. The field site (Premier Mill area) is a 30 minute drive up the Granduc Road with the furthest road access point at the S1 pit at the end of the Big Missouri road, about 1 hour from Stewart. Additional areas were accessed by quad or helicopter. At the end of operations 7465.30m of BQ diamond drill had been drilled. Drill hole locations and traces are shown on Figures 4a and 4b, cross-sections with geology and assay results are shown on Figures 5-36. Table 8 is a summary of drill hole information, and Table 9 is a summary of the significant drill intersections.

Ascot Resources Ltd purchased its own diamond drill that was used for the duration of the summer program. The drill rig was operated by company drillers, who also lived in Stewart. Prism Helicopters of Stewart used an MD500 (Hughes 500) helicopter to move the drill and material about the property. Ascot personnel constructed 16 x 16 foot wooden pads for the drill, which was moved by Prism Helicopters but access to the site for crew changes could be done with trucks or quads.

Drill core was transported to a secure warehouse in Stewart where the core was logged geotechnically (RQD) and geologically. Geotechnical logging included conversion of blocks to metres and the recording of core recovery, RQD length (>10cm), fracture count and photographing all core in groups of three boxes once the geologist had completed logging. For core logging, blanks, standards and duplicates were randomly inserted into the sample sequence roughly every 20th sample and sample tags were placed at the beginning of every sample interval. A hydraulic core splitter was used to split samples and the split sample was placed in clear poly ore bags with the sample tag and sealed with a zap-strap. Sealed samples were placed in woven poly rice bags and shipped to the assay lab in Vancouver, BC by commercial freight carrier. The remaining piece of core was placed back in the wooden core box and transported to the Premier Mill site at the end of the program for permanent storage. Microsoft Excel was used to record all data including drill logs.

Table 8, 2009 Drill Hole Summary:

Hole	UTM:NAD83, Zone 9		Elev	Length	Zone	Azi	Dip	Start	Finish
	East	North	(m)	(m)		(°)	(°)		
P09-001	436662	6212355	500	47.26	3RD	045	-55	Jun 30/09	Jul 2/09
P09-002	436662	6212355	500	65.85	3RD	045	-65	Jul 2/09	Jul 3/09
P09-003	436676	6212342	491	50.00	3RD	045	-45	Jul 4/09	Jul 5/09
P09-004	436676	6212342	491	45.73	3RD	045	-55	Jul 5/09	Jul 6/09
P09-005	436672	6212340	492	42.07	Premier Pit	225	-45	Jul 7/09	Jul 8/09
P09-006	436641	6212341	540	78.35	Premier Pit	140	-45	Jul 9/09	Jul 10/09
P09-007	436648	6212357	518	50.30	Premier Pit	045	-45	Jul 10/09	Jul 11/09
P09-008	436648	6212357	518	44.82	Premier Pit	045	-55	Jul 12/09	Jul 12/09
P09-009	436648	6212357	518	75.91	Premier Pit	045	-65	Jul 13/09	Jul 14/09
P09-010	436647	6212361	523	32.01	Premier Pit	045	-45	Jul 15/09	Jul 15/09
P09-011	436647	6212361	523	55.79	Premier Pit	045	-65	Jul 16/09	Jul 17/09
P09-012	436010	6213022	255	58.54	Power	000	-90	Jul 18/09	Jul 19/09
P09-013	436010	6213022	255	133.54	Power	160	-60	Jul 19/09	Jul 21/09

P09-014	436010	6213022	255	75.92	Power	340	-60	Jul 21/09	Jul 22/09
P09-015	435999	6212862	243	157.93	Hope	155	-45	Jul 22/09	Jul 24/09
P09-016	435999	6212862	243	209.42	Hope	155	-65	Jul 24/09	Jul 26/09
P09-017	436121	6212827	314	130.48	Hope	180	-45	Jul 26/09	Jul 27/09
P09-018	436121	6212827	314	81.83	Power	000	-90	Jul 27/09	Jul 28/09
P09-019	436121	6212827	314	75.91	Power	000	-45	Jul 28/09	Jul 29/09
P09-020	436672	6214098	476	178.96	Loui's	163	-45	Jul 29/09	Jul 31/09
P09-021	436519	6219484	1003	78.03	S1	125	-65	Aug 1/09	Aug 2/09
P09-022	436519	6219484	1003	102.74	S1	000	-90	Aug 2/09	Aug 5/09
P09-023	436519	6219484	1003	142.07	S1	090	-60	Aug 5/09	Aug 7/09
P09-024	436285	6219979	1139	228.05	Northstar	090	-45	Aug 7/09	Aug 10/09
P09-025	436282	6219893	1113	249.70	Northstar	090	-50	Aug 10/09	Aug 13/09
P09-026	436279	6219801	1117	280.20	Northstar	080	-50	Aug 13/09	Aug 16/09
P09-027	436334	6219720	1104	280.20	Northstar	090	-50	Aug 16/09	Aug 21/09
P09-028	436331	6219719	1103	243.60	Northstar	225	-50	Aug 21/09	Aug 23/09
P09-029	436146	6219290	1045	218.29	Province	090	-50	Aug 23/09	Aug 26/09
P09-030	436210	6219153	1063	267.68	Province	090	-50	Aug 26/09	Aug 29/09
P09-031	435890	6220880	1166	227.74	Martha Ellen	240	-55	Aug 30/09	Sep 2/09
P09-032	435977	6220788	1100	164.02	Martha Ellen	240	-50	Sep 2/09	Sep 4/09
P09-033	435977	6220788	1100	185.67	Martha Ellen	000	-90	Sep 4/09	Sep 7/09
P09-034	435954	6221084	1199	279.87	Montana	090	-50	Sep 7/09	Sep 10/09
P09-035	436022	6221291	1241	274.09	Montana	090	-50	Sep 10/09	Sep 13/09
P09-036	435766	6221302	1200	271.03	Martha Ellen	270	-50	Sep 13/09	Sep 16/09
P09-037	436114	6220269	1106	273.48	Rambler	090	-50	Sep 16/09	Sep 20/09
P09-038	437290	6220800	1100	103.05	Silver Tip	030	-60	Sep 20/09	Sep 22/09
P09-039	437290	6220800	1100	88.11	Silver Tip	330	-60	Sep 22/09	Sep 23/09
P09-040	436513	6219986	1117	230.49	Unicorn	090	-50	Sep 23/09	Sep 26/09
P09-041	436506	6220085	1130	228.35	Unicorn	090	-50	Sep 26/09	Sep 28/09
P09-042	436514	6219853	1082	246.34	Unicorn	090	-50	Sep 28/09	Oct 2/09
P09-043	436156	6219901	1099	273.78	Rambler	090	-50	Oct 2/09	Oct 6/09
P09-044	436083	6219562	1040	254.88	Rambler	090	-50	Oct 6/09	Oct 9/09
P09-045	436497	6218638	998	88.11	Golden Crown	100	-55	Oct 9/09	Oct 10/09
P09-046	436417	6218629	1020	270.73	Golden Crown	090	-55	Oct 10/09	Oct 14/09
P09-047	434709	6221207	873	109.14	Mudstones	035	-45	Oct 14/09	Oct 15/09
P09-048	434709	6221207	873	115.24	Mudstones	055	-45	Oct 15/09	Oct 16/09
Core size for al holes was BQ. Coordinates were recorded using a handheld GPS.									

Table 9, Significant Drilling Intersections:

Zone	Hole	From (m)	To (m)	Width (m)	Au (g/t)
Premier Pit	P09-001	13.00	36.90	23.90	2.39
incl.		28.20	34.60	6.40	7.94
Premier Pit	P09-002	21.50	46.20	24.70	6.85
incl.		41.50	45.20	3.70	40.43
also		57.50	65.85	8.35	1.69
Premier Pit	P09-003	5.50	29.90	24.40	0.93

incl.		27.50	29.90	2.40	7.12
Premier Pit	P09-004	20.50	38.00	17.50	0.73
Premier Pit	P09-007	2.13	35.00	32.87	2.09
incl.		23.50	32.80	9.30	6.67
Premier Pit	P09-008	5.00	36.20	31.20	1.16
incl.		25.00	36.20	11.20	2.82
incl.		33.00	36.20	3.20	4.56
Premier Pit	P09-009	43.75	73.00	29.25	3.34
incl.		59.50	65.00	5.50	9.67
Premier Pit	P09-010	15.00	29.10	14.10	1.05
Premier Pit	P09-011	34.50	50.85	16.35	2.34
incl.		47.50	50.85	3.35	6.37
Premier Pit	P09-012	37.87	41.07	3.20	1.84
Power	P09-013	36.00	39.00	3.00	7.68
Power	P09-014	52.99	65.05	12.06	2.00
incl.		52.99	56.76	3.77	4.18
S1	P09-022	45.00	48.00	3.00	15.25
incl.		45.00	45.25	0.25	146.00
S1	P09-023	95.89	128.36	32.47	2.64
incl.		124.66	127.88	3.22	24.07
Northstar	P09-024	99.00	101.85	2.85	8.36
Northstar	P09-026	186.00	201.00	15.00	1.06
Northstar	P09-027	32.82	40.00	7.18	1.79
also		182.50	188.50	6.00	5.00
Northstar	P09-028	23.50	35.50	12.00	2.60
incl.		23.50	27.50	4.00	6.63
also		61.00	61.50	0.50	18.01
Province	P09-029	186.90	197.90	11.00	50.51
incl.		192.90	195.90	3.00	180.00
incl.		192.90	193.90	1.00	499.30
Province	P09-030	33.80	35.80	2.00	0.78
also		43.80	45.80	2.00	1.01
also		114.20	124.20	10.00	0.47
also		218.00	248.00	30.00	0.56
incl.		224.00	226.00	2.00	3.30
Martha Ellen	P09-031	76.00	78.00	2.00	1.12
also		85.00	87.00	2.00	1.21
also		174.00	186.00	12.00	0.35
also		198.00	200.00	2.00	1.91
Martha Ellen	P09-032	100.39	100.73	0.34	20.56
Martha Ellen	P09-033	103.00	110.00	7.00	0.89
Martha Ellen	P09-036	145.75	146.39	0.64	14.43
Rambler	P09-037	62.79	64.00	1.21	2.93
also		130.00	133.00	3.00	0.49
also		139.16	139.91	0.75	1.84
Silver Tip	P09-038	75.90	76.30	0.40	3.01
Silver Tip	P09-039	27.70	28.20	0.50	1.47
also		44.40	45.40	1.00	10.01
Unicorn	P09-040	16.30	17.30	1.00	3.39
also		23.30	26.10	2.80	1.07
also		31.60	32.30	0.70	1.98
also		47.50	103.00	55.50	1.32
incl.		48.50	56.10	7.60	1.63

incl.		92.60	103.00	10.40	4.09
incl.		99.00	103.00	4.00	7.34
also		129.00	130.00	1.00	4.51
also		149.30	161.30	12.00	1.86
incl.		151.30	153.30	2.00	5.34
Unicorn	P09-041	19.00	20.00	1.00	1.29
also		47.00	52.00	5.00	0.42
Unicorn	P09-042	33.20	34.85	1.65	0.78
also		98.20	99.65	1.45	1.37
also		106.40	126.49	20.09	1.43
incl.		119.00	120.85	1.58	10.62
also		150.50	152.53	2.03	0.80
also		189.30	191.30	2.00	1.21
also		223.30	246.34	23.04	1.80
incl.		228.30	232.30	4.00	5.81
Rambler	P09-043	51.00	52.00	1.00	1.19
also		121.40	137.00	15.60	0.57
also		176.00	177.00	1.00	0.97
also		194.80	211.80	17.00	0.35
also		234.70	235.70	1.00	6.65
Rambler	P09-044	214.3	247.2	32.90	0.87
incl.		214.64	230.10	15.46	1.27
Golden Crown	P09-045	17.60	18.60	1.00	6.02
also		44.60	54.60	10.00	0.69
also		65.90	66.90	1.00	0.82
Golden Crown	P09-046	82.00	87.00	5.00	0.58
also		111.00	114.00	3.00	0.83
also		127.37	134.00	6.63	2.76

8.1 3RD Zone/Premier Pit

Due to snow conditions at the higher elevations, the 2009 program was started in the Premier Pit where existing permits allowed early access. Eleven holes (P09-001 to 011) were drilled from five pads constructed along the access ramp at the bottom of the Premier Pit. Targets were designed to confirm the previous results of Westmin Resources, and to test for the possible extension of additional resources below the existing pit. Most drill holes were oriented at an azimuth of 045, perpendicular to long axis of the pit. Figures 5 to 9 show the drill results in cross-sections.

Sulphide mineralization consists of fine grained pyrite with occasional sphalerite/galena hosted in a quartz-vein breccia. Host rocks are andesites with Premier Porphyry (feldspar porphyry) in close proximity. Except for P09-005, all holes encountered gold-bearing quartz veins with individual results varying from 1.46g/t over 2.0m in P09-006, to 18.28g/t over 7.70m in P09-002 (see Table 9 for additional results). Results show continuity of the vein system both in length and grade.

Drill holes P09-001 to 002 on Figure 05 encountered a 4m wide sub-vertical quartz, breccia silicified zone approximately 40m below the ground surface (bottom of Premier Pit). The zone contains strong silica alteration with up to 15% pyrite and fine grained to clots of variable sphalerite, galena, and chalcopyrite. This zone is also observed to the east in drill holes P09-

003 and 004 (Figure 06) although with a smaller zone and lower grades. Drill hole P09-005 (Figure 06) was drilled opposite to the rest of the holes (azimuth = 225°) and was targeting quartz veining on the pit wall observed behind the drill. The hole encountered 1.42g/t over 1.0m, otherwise the hole was unproductive. Drill hole P09-006 (Figure 07) was drilled to the southwest, parallel to the length of the pit. Similar to 005, this hole was targeting quartz veining in the pit wall and was unproductive.

Drill holes P09-007 to 009 (Figure 8) and P09-010 to 011 (Figure 09) were step-outs to the west from the initial holes. All holes were successful, with P09-007 to 009 encountering a high-grade zone including 45.49g/t over 1.0m in P09-007, and with P09-010 to 011 encountering a wide but lower grade zone of 2.34g/t over 16.35m. Further exploration of this area is recommended after a careful review of all previous Westmin results.

8.2 Hope-Power Zone

The Hope-Power Zone is located adjacent to the former Westmin Maintenance Shops near the junction of the Premier Mine Road with the Granduc Road. Surface sampling yielded good results including the re-sampling of an old trench on the Hope Zone (see Table 6). Drill holes 012 to 014, and 018 to 019 targeted the Power Zone, while holes 015 to 017 targeted the Hope Zone, all located within the same area. Figures 10 to 12 summarize the drill holes in cross-section.

Holes 012 to 014 yielded good results with one intersection in P09-013 of 7.68g/t over 3.0m; this demonstrates the continuity of the flat-lying Power Zone vein over 60m. Drill hole P09-013 also identified minor silicification and mineralization below the Premier Porphyry body that opens up the lower contact to additional exploration. In the past, only the upper contact had been explored. Drill holes P09-012 and 014 also yielded short intersections of mineralization although the intensity of sulphides and silicification were lower with corresponding lower gold grades. Results in drill holes P09-015 to 017 were low with the best intersection in P09-015 (1.65g/t Au over 0.79m). Drill holes 016 and 017 encountered silicification but the length and grades were low. Holes 018 and 019 yielded no significant results, and assay values were often below detection limits. It may be that some of the drill holes were planned with too large of a step-out from known occurrences; tighter spacing and close control on targets may be necessary to further define the zones. The main Hope Zone samples on the Granduc Road cut, is likely cut off at depth by a shallow lying shear zone. This theory was illustrated by Westmin Resources and Ascot's drilling appears to support the model.

8.3 Loui's Showing

Situated in a road-cut along the Big Missouri Road, just beyond the crusher, a strong sulphide-bearing vein was found in outcrop. An excavator was used to expose the vein which was visible for over 10m along the edge of the road. Orientation of the vein was variable but appeared to be dipping gently to the east into the hillside. Surface sampling results were excellent with the best 1m chip sample yielding 16.44g/t Au, 647.9g/t Ag, 0.18% Cu, 24.00% Pb, and 0.98% Zn. Other samples also had good results and showed the vein extending for at least 10m in outcrop.

One drill hole (P09-020, see Figure 13) was done from a setup along the road just above the showing but did not yield any significant results. It was later proposed that the vein may be flat lying, and after drilling through thick overburden and road fill the rest of the hole was already

below the mineralization. Fabrics in the rock indicate a variable orientation although there is a predominant flat lying occurrence. Rocktypes encountered in core were a mix of feldspar porphyry and andesite. Several locations in the hillside above the showing have been found and may be used in subsequent programs for drill setups.

8.4 S1 Pit

Drill holes P09-021 to P09-023 in the S1 pit were proposed to follow-up excellent chip sampling results along the north wall of the pit. Previous work by Westmin indicated a flat-lying system and with encouraging results from chip sampling there is potential for expansion along the north wall. Three holes were proposed from one pad to confirm the results and to provide a better orientation of the mineralization. The S1 system appears to be part of several parallel north-northwesterly trending mineralized zones including the Unicorn, Northstar, Rambler and Province. These zones are all part of the larger Missouri Ridge topographic feature, see Figure 4a. Altered andesite observed at the surface contains variable pyrite to 5% with abundant chalcedonic quartz.

The majority of the rock encountered in drill core was poorly altered andesite, with rare Feldspar Porphyry. While there were occasional results >0.50g/t, generally most assay results were low, <0.20g/t. However one intersection in P09-022 yielded significant results. At 45.18m is a thin veinlet of visible gold hosted within a 1-3mm thick quartz vein, a weighted average yielded 15.25g/t over 3.0m. Results indicate this to be a flat lying veinlet although similar to the Westmin interpretation, fabrics (foliation/jointing) on the east side of the pit appear to roll upwards as the flat lying fabrics in the middle of the pit become moderately westerly dipping along the east wall. This may be due to the proximity of a large fault that has been mapped along the east of the pit and coincides with Cascade Creek.

8.5 Northstar Zone

A series of four holes (P09-023 to 027, Figures 16 to 19) were done in a north-south line along the axis of the Big Missouri ridge, all drilled to the east. One additional drill hole (P09-028, Figure 20) was done from the most southerly site, drilling to the west to target surface mineralization. The Northstar holes, in addition to the Province, Unicorn and Rambler were planned as a widely spaces fence to test the continuity of mineralization from surface to depth and along a roughly north-south trend following the zones. Old trenches and workings are scattered throughout this area including the Big Missouri underground workings at the southern end of the Big Missouri ridge. Previous drilling was shallow and defined a small open pit that was historically planned to be mined along with the Province Pit, and the Martha Ellen. The 2009 deep holes were designed to tie surface mineralization with shallow deposits and also test for additional mineralization at depth.

Assay results indicate decent gold mineralization including at depth, see Table 9 and Figures 16 to 20. Drill hole P09-024 observed on Figure 16 encountered a small zone of 8.36g/t over 2.85m at 99.0m depth. Rocks in the drill hole are varieties of andesite with the mineralization hosted in a quartz breccia vein. Several more silicified zones were encountered although gold grades were low (<0.36g/t). A small low-grade zone was encountered in P09-025 with 2.20g/t over 2.70m at 70.60m at a silica flooded contact between a Porphyritic Andesite and a more massive Andesite. Another silicified zone occurred at 210.68m although gold grades in this zone were negligible. This hole was shut down prematurely due to poor rock conditions and

nearing the limit of the drill hence the drill hole never reached its intended target. It ended in a breccia zone although the target was to test what was beyond the breccia (fault?) zone. Drill hole P09-026 did not yield any large intersections although there is a large low grade zone, 1.06g/t over 15.00m at 186.0m hosted in an interval of strong silicification along with fine pyrite, and trace sphalerite and galena. There was a silicified zone higher in the hole similar to P09-024 and 025 although there were no reports of sphalerite or galena and the gold values at this depth in P09-026 were low (<0.66g/t). Minor silicification was reported elsewhere although there were no quartz-breccia zones. In drill hole P09-027, several silicified zones with minor base-metal sulphides were encountered that may correlate with zones observed elsewhere in the area. These zones yielded 1.79g/t over 7.18m at 32.82m, 6.45g/t Au over 0.50m at 122.0m, and 5.00g/t over 6.00m at 182.50m.

Drill hole P09-028 was located at the same site as P09-027, the drill rig was turned to an azimuth of 225° to target an old trench near the last drill pad (see Figure 20). This drill hole yielded 2.60g/t over 12.00m at 23.50m down the hole, and18.01g/t over 0.50m at 61.00m down the hole.

All holes yielded encouraging results although either grades or intervals were low. Rocks encountered during drilling were typically some form of andesite and no varieties of Feldspar Porphyry were noted in the logs. Silicification was minor. With variable grades, long distances between holes, and variable depth of occurrence it is difficult to correlate these intersections at this time. It is likely that there are several parallel vein systems along the Big Missouri Ridge. The grades and interval widths warrant additional exploration in this area, especially in relation to the connection between the surrounding zones. Due to the wide drill hole spacing, vein orientation is still uncertain as the models of a shallowly west dipping system or steeply vertical system both fit. The quartz stockwork and quartz breccia zones that host the mineralization are not clearly oriented in the core. Tighter drill spacing will help tie these zones together. This area has great potential and should be explored further.

8.6 Province Zone

The Province Zone is on the southeastern flank of the Big Missouri Ridge above the old Big Missouri underground mine workings. It is part of a line of zones that includes the Northstar, Rambler, and Unicorn. The Province was planned to be mined as a shallow pit by Westmin Resources. It was modeled as a shallow flat lying feature sub-parallel to the Big Missouri workings below. At the time the mineralization in the area was accepted to be stratigraphically controlled and dipping shallowly to the west. All historical holes were short and did not test the area between the Province surface showings, and the Big Missouri deposit below. The 2009 drilling was designed to test this area.

The two holes in the Province zone (P09-029 and 030) were drilled to the east on section with old surface trenches, see Figures 21 and 22 for cross-sections. Trench sampling and prospecting yielded some significant results, including 2.47g/t Au over 11m in a trench (Prem-09-33) near drill hole P09-029. A maximum value of 24.04g/t Au over 1m was from another trench just to the west, and still in line with drill hole P09-029.

Results from hole P09-029 were generally low although there were some excellent results near the base, 50.51g/t Au over 11.00m at 186.90m that included 179.97g/t Au over 3.0m at 192.9m and 499.30g/t over 1.0m from a small strung-out veinlet of gold-bearing quartz. Several silicified zones were encountered from 184.0-206.2m although only the one had any significant results.

The results from drill hole P09-030 were significantly lower with sporadic mineralization over sometimes long lengths, 0.56g/t Au over 30.00m from 218.0-248.0m and one moderate result of 3.30g/t Au over 2.0m at 224.0m. This drill hole ended in a major fault zone. The presence of significant mineralization in the tested area could suggest that mineralization is not stratigraphically controlled, but rather steeply dipping and structurally controlled. The area is prospective for high grades and a deep mineralized zone.

8.7 Martha Ellen-Montana Zone

Previous mapping has defined a large body of Premier Porphyry along a south-facing ridge to the north of the Rambler zone termed Martha Ellen, see Figure 4a. The Martha Ellen Zone is located to the west and the Montana zone to the east of the Premier Porphyry body. Drill holes were designed to test for mineralization at both the east and west sides of the contact between the Porphyry and Hazelton Group Andesites. It was proposed that the Porphyry body may be bowl-shaped and hence there may be mineralization in the andesite below the Porphyry between the Martha Ellen and Montana zones. After drilling the porphyry body appears to be an irregular steeply dipping unit. Mineralization is generally weak gold with hundreds of ppm silver, and is hosted within the porphyry and the volcanics proximal to the contact.

Gold results from Montana were poor although assay results indicated minor silver, 0.35g/t Au and 112.75g/t Ag over 4.0m from 54.0-58.0m in hole P09-034. Drill hole P09-035 had no significant results with most samples below detection limits. Both these holes were drilling under an area of intense quartz stockwork and veining. Some surface trench samples had low gold but elevated silver values, 0.25g/t Au and 129.3g/t Ag over 1m in Prem-09-75, and 0.76g/t Au and 605.6g/t Ag over 1m in Prem-09-76.

Reporting from north to south, the most northerly drill hole, P09-036 (Figure 27), targeted some old surface showings and yielded 14.43g/t Au over 0.64m at 145.75m, and 1.61g/t Au over 0.89m at 179.0m; other results were negligible. Surface sampling from this area yielded some excellent results; see the results from trenches Prem-09-78 to 82 in the table in Figure 4a. Subsurface assay results do not appear to coincide with surface results although the drill hole ended underneath the surface showings and did not test the full extend of the silicified zone. If mineralization is dipping to the west this hole was not long enough to test for the mineralization observed at the surface although the hole depth was getting close to the maximum for the drill. A closer collar location may be more appropriate in this early stage of exploration.

Drill hole P09-031(see Figure 23) along with holes 032 and 033 (Figure 24) were drilled at the southwest corner of the Premier Porphyry and yielded variable results with low grades over short intervals. The maximum value in P09-031 is 1.91g/t Au over 2.0m at 198.0m, and the largest intersection is 0.35g/t Au over 12.0m at 174.0m. The rest of the results were short intersections. P09-032 and 033 were drilled from the same setup, with 032 drilled to the southwest (azimuth = 240°) and 033 drilled vertically. P09-032 had only one hit of any significance, 20.56g/t Au (Fire Assay) and 145.7g/t Ag over 0.34m at 100.39m. Assay results for hole P09-033 were low with only one interval of any significance, 0.89g/t Au over 7.0m from 103.0-110.0m. Although there is often strong quartz veining and stockwork observed at the surface, the silicification in drill core is poor along with poor sulphide mineralization. Minor sporadic pyrite was observed but sphalerite and galena were not noted.

Westmin Resources calculated a small resource for Martha Ellen and the area is still very prospective. Additional drilling and mapping in the area is recommended.

8.8 Silver Tip Zone

Prospecting and chip sampling found a base-metal-bearing sulphide vein along a stream gully above the old Silver Tip underground workings. Chip samples yielded low gold values although elevated silver, lead and zinc were present. Two holes (P09-038 and 039, see Figures 29 and 30) were drilled 30 degrees either side of north to target the thin vein (<1.0m true thickness) which appeared to be dipping to the south. Gold values were low as they were in surface samples although results indicated elevated silver, lead and zinc grades, see analytical results in Appendix D. The only significant results were 3.01g/t Au, >200.0g/t Ag, 2362 ppm Pb, and 4365ppm Zn over 0.40m at 75.90m in P09-038, and 1.27g/t Au, >200.0g/t Ag, 6185g/t Pb, and 4943ppm Zn over 0.50m and 10.01g/t Au over 1.0m at 44.40m in drill hole P09-039. All other results were low. These mineralized intervals correspond to small sulphide-bearing quartz veins hosted in the upper part of Premier Porphyry intrusive units. The significance of the high gold value of 10.01g/t Au is uncertain as the silver and base-metal values are low for this sample, trace galena, chalcopyrite and pyrite were observed. The strong presence of base-metal sulphides may indicate a higher part of the system. Mineralization was hosted in porphyritic and felsic dykes, below the contact with the overlying siltstones (Betty Creek Formation).

8.9 Rambler Zone

Three holes spaced 300m apart in a north-south line were drilled on the west side of the Big Missouri ridge. All holes were drilled to the east and yielded low results. Drill hole P09-037, the most northerly, drilled underneath a surface showing of strong silicification and quartz stockwork and just south of small adit. Several chip/trench samples in the vicinity of P09-037 contained minor gold (max 1.51g/t Au), however silver results were high, max = 6321g/t Ag in trench Prem-09-73. The best result from P09-037 is 2.93g/t Au over 1.21m at 62.79m, which is hosted at the top of an altered andesite adjacent to a Premier Porphyry intrusive; sporadic sphalerite was also noted. The high silver values observed at surface were not seen in the samples from drill core.

Drill holes P09-043 and 044 encountered some long intervals of low grade, 0.57g/t over 15.60m at 121.40m in 043, and 0.87g/t over 32.90m at 214.30m in 044. A higher grade sample was found in P09-043 which encountered 6.65g/t over 1.00m at 234.70m. Rocktypes encountered included varieties of altered andesites and feldspar porphyry with mineralization hosted in quartz breccia.

The three Rambler holes were targeting under the Big Missouri Ridge to test the western limits of mineralization. Mineralized showings and quartz stockwork and flooding are observed throughout the Big Missouri Ridge. All holes were successful as low-grade intersections were encountered in all holes indicating this area is still in the mineralized system, and there is potential for a parallel system to the Northstar and Unicorn mineralization.

8.10 Unicorn Zone

Trenches in the Unicorn Zone yielded negligible results, but several grab samples and some former underground workings indicate the presence of a gold-bearing system. Another fence of east-west drill holes were laid out from north to south to test for mineralization at depth with

assay results from drilling indicating some small high-grade zones plus some potentially larger zones. The holes were spaced roughly 100 meters apart and wide alteration zones were intersected in three of the holes indicating a large system. In P09-042, 10.62g/t over 1.58m was encountered, as well as 1.32g/t over 55.50m in P09-040. Drill hole P09-041 was the furthest to the north and while results were lower than the other two, it still indicates the presence of mineralization. Results include 1.29g/t over 1.0m at 19.0m and 0.73g/t over 0.79m at 219.21m. Host rocks are altered andesites with strong silicification and quartz stockwork. Sulphides are pyrite with minor and variable sphalerite observed within the zones. Drill hole P09-041 may be too far north, or off the trend of mineralization. From P09-040 and 042, mineralization was encountered to the northwest in the Rambler and this is also in line with the Martha Ellen further to the northwest. This trend may indicate the focus for future exploration.

The Big Missouri Ridge including the Province, S1, Northstar, Unicorn, and Rambler Zones is very prospective and should be explored further. Surface sampling yielded good results, (see Tables 6 and 7) and this was supported by diamond drilling. A small high-grade zone in the Province Zone (drill hole P09-029) indicates there is still much potential for this area. The wide spacing does not allow for an investigation of the continuity of the system but this is something that should be investigated further, with tighter spacing of drill holes.

8.11 Golden Crown Zone

The Golden Crown Zone is located above Hog Lake and the former mill site of the Big Missouri Mine. Several old underground workings are situated below the drill site. Surface samples in strongly mineralized rock near the entrances to the adits yielded several low-grade intervals (1.0-2.0g/t Au) over short intervals of up to 2.0m in chip sampling. Drill holes P09-045 and 046, both seen on Figure 34, were drilled easterly. Results include 6.02g/t Au over 1.00m at 17.60m and 1.09g/t Au over 4.0m in P09-045, and 2.76g/t over 6.63m at 127.37m in P09-046. These narrow, low-grade intersections were encountered in both holes and may represent a steep westerly dipping stockwork zones. Rocktypes encountered were varieties of andesites with minor quartz veins/flooding marking the mineralized zones.

8.12 Granduc Mudstones

Rust stained mudstones exposed in outcrop along the Granduc Road became of interest when a prospecting sample yielded 136.70g/t Au, 867.0g/t Ag, 4.87% Pb, and 3.61% Zn (see Table 7), and was followed by chip sampling, which yielded 24.67g/t Au over a 3.0m interval (see Table 6). Sampling was done across mudstones adjacent to the footwall of a felsic dike. Two drill holes, the last of the season, were done to test for mineralization in the subsurface. The best intersection in P09-047 is 0.36g/t Au over 2.0m at 58.0m; other results are poor. P09-048 encountered 1.17g/t Au over 1.0m at 92.0m and several additional 1.0m results around 0.5g/t Au however most results were poor (see Figures 35 and 36). It is uncertain about the stark difference between surface and subsurface results, although this may be due to structural complexities, spotty mineralization along the dyke contact, or a combination of structural controls along the contact. The mudstones are an excellent host for gold mineralization, so this small showing should be followed-up on with mapping, soil and surface sampling, and if warranted possibly more drilling.

9.0 CONCLUSIONS

The 2009 drilling and trenching program at the Premier Gold Property was successful as it confirmed the previous results of Westmin Resources and also indicated additional areas of mineralization. Drilling known reserves, including the Premier Pit, the Hope zone, and the Power zone indicate this area still has the potential to host additional reserves. Limited time was spent drilling the zones proximal to the Premier Area since it is largely understood relative to the outlying areas. A resource is defined for much of the existing underground and nearby area, although, eventually further drilling will be required to expand and define the known resource.

The drill program on the Big Missouri Ridge from Province to Unicorn indicates the potential for a large system with good results through most of the area including some high gold intersections. Gold mineralization occurs in quartz stockwork, healed quartz breccias, quartz veining and silicified andesites. The relationship between gold and the Premier Porphyry in this area is not known as the Premier Porphyry was not always encountered in drill core. Trenching and prospecting on the surface yielded good results and drilling indicates mineralization continues to depth, up to 200m down hole. The presence of wide low grade zones coupled with narrow bonanza zones indicates at least 2, possibly several, mineralizing events. It is likely the different events have utilized the same general structural features. The area is structurally complex, but the possibility that several phases of gold mineralization exist in these structures, should be kept in mind for further exploration.

Westmin Resources had calculated a small resource for the Martha Ellen Zone and this area should be investigated further. There is a large body of Premier Porphyry between Martha Ellen and Montana although only a small area has been investigated in detail. The geometry of the porphyry body is still uncertain and it is possible there are other ore bodies similar to the Martha Ellen at other locations along the porphyry contact. Mineralization in the Premier Mine area is largely within the Porphyry body while the Martha Ellen is hosted in the andesites. The presence of mineralization within the Porphyry and externally in the andesites, increases the exploration possibilities greatly. Alteration and textures observed in the rocks make this entire area prospective.

10.0 RECOMMENDATIONS

Recommendations for ongoing work on the Silbak-Premier/Big Missouri properties include:

1. Comprehensive data compilation of Westmin Resources and other historic data. This would include scanning and data entry of drill logs and assays, trenching results, prospecting, soil sampling, and mapping. All data should be entered in digital format and put into a GIS system for manipulation and interpretation. As additional work is performed, it should be added to the combined database to keep the data current and to allow for better interpretation and limit repetition.

2. Follow-up on significant results from the data compilation. Early-stage exploration techniques such as prospecting, reconnaissance mapping and soil sampling should be conducted in the areas surrounding the Big Missouri ridge.

3. Mapping of target areas, including Martha Ellen/Montana, Dago-Creek, A-Vein (adjacent to Unicorn), Silver Tip, and the Big Missouri Ridge (Province/Northstar/Unicorn/Rambler area).

4. Drilling – follow-up on good results from 2009 program to include:
- determining the structural orientation of units and mineralization
- tighter spacing of drill holes, especially around Northstar, Unicorn and Province zones, to determine extent of zones and mineralization.
- investigate new areas as discovered.

5. Underground mapping where there is access to gain better control on contacts and structural orientations.

6. Prospect and sample below the Granduc Road near Martha Ellen where the claims extend to the west. Prospect the eastern contact of the Hazelton volcanics and into the sediments of the Betty Creek Formation.

7. The main focus should be the Big Missouri Ridge as this area has the greatest potential for a large tonnage deposit. Other areas should be investigated as time permits.

8. No work was done on the adjoining Dilworth Property in 2009, but the promising results from the 2008 exploration program should be followed up on. At the very least the soil grids should be expanded and tightened, and stream sediment samples in the northeast corner of the property should be followed up with prospecting and mapping.

11.0 REFERENCES

Alldrick, D., 1993. Geology and Metallogeny of the Stewart Mining Camp, Northwestern British Columbia. BC Ministry of Energy, Mines and Petroleum Resources, Bulletin 85, 105 pages.

Deane, S., and Gruenwald, W., 2009. Diamond Drilling, Prospecting and Surface Soil Sampling Assessment Report on the Dilworth Property, Stewart BC., for Ascot Resources Ltd; BC Assessment Report #31000.

Monger, J., 1977. Upper Paleozoic Rocks of the Western Cordillera and their Bearing on Cordilleran Evolution. Canadian Journal of Earth Sciences, vol 14, pages 1832-1859.

Ray, G., 2008. Geology and Zn-Pb-Ag-Au Mineralization at the Mount Dilworth Property, Stewart Area, Northern BC. Internal report for Ascot Resources Ltd. 36 pages.

Westmin Resources Ltd, 1997. Confidential Information Memorandum Premier Gold Operations. Internal report prepared by Westmin Resources Ltd. and Midland Walwyn.

12.0 STATEMENT OF COSTS

Table 10, Statement of expenditures.

Field Personnel	See table 11				
					$773,561.34
Consulting	See table 11				
					$76,009.37
Analytical	**Notes**	**No.**	**Rate**	**Subtotal**	**Total**
Assayers Canada	Core/rock	4629/792		$137,476.53	
Acme Labs	Rock			$255.88	
West Coast Minerals	Standards			$660.51	
					$138,392.92
Transportation	**Notes**	**No.**	**Rate**	**Subtotal**	**Total**
Helicopter - Prism Helicopters, Stewart, BC	A-star B2 (hours) Hu500 (hours) Fuel (litres)	0.5 142.3 19,926	$1950/hr $975/hr $1.75/litre	$169,089.10	
Air Fare (return trips)	Mackenzie Travel, VISA	20	$702.82	$14,056.32	
Shipping (# shipments)	Bandstra	19	$865.36	$16,441.79	
Fuel + service (litres)	Granmac	28,111		$41,361.13	
Quads (# quads/quad days)	Pattison, Stevens, Burke	2/70	$150/day	$10,500	
Truck Rental and service (# trucks/truck-days)	Frontier K Miller	5/273 8/487	$63.3/day $63/day	$57,145.27	
					$308,593.61
Accommodation and Food	**Notes**	**No.**	**Rate**	**Subtotal**	**Total**
Stewart Apartment Rentals (# apts/# months)	Pacific Apartments	3/5	$500/month	$10,875.00	
Hotels + food (# nights)	King Edward, Ripley Creek	67		$9,582.84	
Warehouse Rental + extras (year)	Jojabrina	1	$10,800	$11,585.00	
					$32,042.84
Miscellaneous	**Notes**	**No.**	**Rate**	**Subtotal**	**Total**
Drill Supplies / Parts	WDS / Superior / Multi			$110,251.95	
Supplies, expediting - other				$57,352.04	
Dominion Blue, scanning				$2,444.80	
Core Boxes (# boxes)	Rodway	960	$14	$13,500.00	
					$183,548.79

Total Expenditures	**$1,512,148.87**

13.0 LIST OF PERSONNEL

Table 11, List of Personnel.

Personnel (Name / Position)	Field Days	Days	Rate	Subtotal	Total ($)
Rick Kasum / Operations Manager	Jun 13-Oct 21/09	130	500	65,000.00	
Sue Deane / Project Geologist	Jun 13-Oct 11/09	116	500	58,000.00	
Leif Bjornson / Geologist	Jul 21-Oct 20/09	45.5	500	22,750.00	
Chris Burnett / Prospector	Jun 13-Oct 20/09	122	350	44,408.00	
Darrel Mrowka / Prospector	Jun 13-Oct 18/09	122	350	44,408.00	
Paul Bilka / Prospector	Jun 14-Oct 18/09	113	350	41,132.00	
Rhett Kennedy / Prospector	Jun 13-Oct 21/09	126	350	45,136.00	
Evan Breton / Prospector	Jul 13-Oct 4/09	83	350	30,212.00	
Wayne Joeger / Core technician	Jul 6-Oct 21/09	107	250	27,820.00	
Donalda Partridge / Core Splitter	Jul 6-Oct 20/09	101	300	31,512.00	
Amy Rediker / Core splitter helper	Jul 7-Oct 11/09	92	250	23,920.00	
Victoria Kasum / Expeditor	Jun 14-Oct 21/09	125	250	32,500.00	
Jason Burnett / Driller	Jun 18-Oct 17/09	113	450+	66,548.56	
Dereck Eckess / Driller	Jun 28-Oct 19/09	99	450+	54,021.76	
Adriaan Markus / Drill helper	Jul 13-Oct 10/09	78	350+	33,235.02	
Neal Rowe / Drill helper	Jul 20-Oct 13/09	79	350+	34,397.48	
Douglas Bonnie / Driller	Sep 3-Oct 18/09	33	450+	18,525.52	
Lloyd Rodway / Drill helper	Sep 2-Sep 15/09	4	350+	2,085.20	
Stuart Rodway / Drill helper	Sep 2-Oct 11/09	8	350+	3,478.80	
Per Diem				59,400.00	
Employers CPP/EI				35,071.00	
					$773,561.34
Consulting	**Personnel**	**Days**	**Rate**	**Subtotal**	
Drafting / Compilation	Terry Lee			1,860.00	
Compilation /Report & expenses	Bjornson/Deane	33	500	21,806.60	
Graden Geoscience, time/expenses	G. Evans	32.5	800	31,806.46	
Pac Geological				14,186.77	
Ken Carter				2,149.54	
GeoSim Services	Ron Simpson			4,200.00	
					$76,009.37

14.0 STATEMENT OF QUALIFICATIONS

For: **Leif T. Bjornson** of 304-1932 West 1st Avenue, Vancouver, BC, V6J 1G6, hereby certify that:

I graduated from Carleton University with a Bachelor of Science Degree (Highest Honours) in Geology and Physical Geography (2000);

I graduated from Carleton University with a Master of Science Degree in Structural Geology (2003);

I have been practicing my profession as a geologist in mineral exploration and mining continuously since 2003;

I am a fellow in good standing with the Geological Association of Canada;

I am a member in good standing with the Society of Economic Geologists;

I am a registered member in good standing as a Professional Geoscientist with the Association of Professional Engineers and Geoscientists of British Columbia;

The observations, conclusions and recommendations contained in the report are based on field examinations, personal surveying and the evaluation of results of the exploration program completed by the operator of the property.

_____

Leif T. Bjornson, M.Sc., P.Geo.

For: **Susan Deane** of 1832 Butte St, Rossland, British Columbia, V0G 1Y0 hereby certify that:

I graduated from the University of British Columbia with a Bachelor of Science Degree in Geology (2000);

I have been working as a geologist, independently consulting or as an employee, for the last 10 years;

I have practiced as a geologist in Alaska, Nunavut, The Northwest Territories and British Columbia for the last 10 years;

I was the project geologist on the 2009 exploration program on the Premier Gold Property;

The observations, conclusions and recommendations contained in the report are based on field examinations, personal surveying and the evaluation of results of the exploration program completed by the operator of the property.

_____

Susan Deane, B.Sc..

APPENDIX A

LIST OF ASSAY CERTIFICATES

List of Assay Certificates:

File Number	Date Of Certificate	Number of Samples	Sample Type	Analytical Procedure
9V-0667-RA	Jun 4, 2009	18	Rock	Au by FA, Ag from ICP Solution
9V-0667-RJ	Jun 4, 2009	18	Rock	Multi-element ICP-AES
9V-0801-RA	Jul 6, 2009	27	Rock	Au by FA, Ag from ICP Solution
9V-0801-RJ	Jul 6, 2009	27	Rock	Multi-element ICP-AES
9V-0863-RA	Jul 22, 2009	94	Core	Au by FA, Ag from ICP Solution
9V-0863-RJ	Jul 22, 2009	94	Core	Multi-element ICP-AES
9V-0863-RM	Jul 22, 2009	1	Core	Metallic Au
9V-0864-RA	Jul 21, 2009	3	Rock	Au by FA, Ag from ICP Solution
9V-0864-RJ	Jul 21, 2009	3	Rock	Multi-element ICP-AES
9V-0865-RA	Jul 20, 2009	72	Rock	Au by FA, Ag from ICP Solution
9V-0865-RJ	Jul 20, 2009	72	Rock	Multi-element ICP-AES
9V-0883-RA	Jul 23, 2009	104	Core	Au by FA, Ag from ICP Solution
9V-0883-RJ	Jul 23, 2009	104	Core	Multi-element ICP-AES
9V-0897-RA	Jul 28, 2009	59	Core	Au by FA, Ag from ICP Solution
9V-0897-RJ	Jul 28, 2009	59	Core	Multi-element ICP-AES
9V-0898-RA	Jul 29, 2009	27	Rock	Au by FA, Ag from ICP Solution
9V-0898-RJ	Jul 29, 2009	27	Rock	Multi-element ICP-AES
9V-0899-RA	Jul 24, 2009	1	Rock	Au by FA, Ag from ICP Solution
9V-0899-RJ	Jul 24, 2009	1	Rock	Multi-element ICP-AES
9V-0917-RA	Jul 30, 2009	97	Core	Au by FA, Ag from ICP Solution
9V-0917-RJ	Jul 30, 2009	97	Core	Multi-element ICP-AES
9V-0918-RA	Jul 30, 2009	63	Rock	Au by FA, Ag from ICP Solution
9V-0918-RJ	Jul 30, 2009	63	Rock	Multi-element ICP-AES
9V-0938-RA	Aug 5, 2009	80	Core	Au by FA, Ag from ICP Solution
9V-0938-RJ	Aug 5, 2009	80	Core	Multi-element ICP-AES
9V-0951-RA	Aug 4, 2009	16	Rock	Au by FA, Ag from ICP Solution
9V-0951-RJ	Aug 4, 2009	16	Rock	Multi-element ICP-AES
9V-0951-RM	Aug 4, 2009	16	Rock	Metallic Au
9V-0952-RA	Aug 10, 2009	146	Core	Au by FA, Ag from ICP Solution
9V-0952-RJ	Aug 10, 2009	146	Core	Multi-element ICP-AES
9V-0953-RA	Aug 12, 2009	50	Rock	Au by FA, Ag from ICP Solution
9V-0953-RJ	Aug 12, 2009	50	Rock	Multi-element ICP-AES
9V-0954-RA	Aug 12, 2009	3	Rock	Au by FA, Ag from ICP Solution
9V-0954-RA	Aug 12, 2009	3	Rock	Multi-element ICP-AES
9V-0998-RA	Aug 20, 2009	184	Core	Au by FA, Ag from ICP Solution
9V-0998-RJ	Aug 20, 2009	184	Core	Multi-element ICP-AES
9V-1002-RA	Aug 24, 2009	104	Core	Au by FA, Ag from ICP Solution
9V-1002-RJ	Aug 24, 2009	104	Core	Multi-element ICP-AES
9V-1002-RM	Aug 24, 2009	1	Core	Metallic Au
9V-1003-RA	Aug 25, 2009	83	Rock	Au by FA, Ag from ICP Solution
9V-1003-RJ	Aug 25, 2009	83	Rock	Multi-element ICP-AES
9V-1030-RA	Aug 28, 2009	125	Core	Au by FA, Ag from ICP Solution
9V-1030-RJ	Aug 28, 2009	125	Core	Multi-element ICP-AES
9V-1030-RM	Aug 28, 2009	2	Core	Metallic Au

9V-1031-RA	Aug 28, 2009	47	Rock	Au by FA, Ag from ICP Solution
9V-1031-RJ	Aug 28, 2009	47	Rock	Multi-element ICP-AES
9V-1071-RA	Sep 1, 2009	103	Core	Au by FA, Ag from ICP Solution
9V-1071-RJ	Sep 1, 2009	103	Core	Multi-element ICP-AES
9V-1071-RM	Sep 1, 2009	1	Core	Metallic Au
9V-1072-RA	Sep 1, 2009	16	Rock	Au by FA, Ag from ICP Solution
9V-1072-RJ	Sep 1, 2009	16	Rock	Multi-element ICP-AES
9V-1085-RA	Sep 3, 2009	145	Core	Au by FA, Ag from ICP Solution
9V-1085-RJ	Sep 3, 2009	145	Core	Multi-element ICP-AES
9V-1086-RA†	Sep 3, 2009	31	Core	Au by FA, Ag from ICP Solution
9V-1086-RJ†	Sep 3, 2009	31	Core	Multi-element ICP-AES
9V-1091-RA	Sep 9, 2009	56	Rock	Au by FA, Ag from ICP Solution
9V-1091-RJ	Sep 9, 2009	56	Rock	Multi-element ICP-AES
9V-1092-RA	Sep 8, 2009	2	Rock	Au by FA, Ag from ICP Solution
9V-1092-RJ	Sep 8, 2009	2	Rock	Multi-element ICP-AES
9V-1093-RA	Sep 10, 2009	23	Core	Au by FA, Ag from ICP Solution
9V-1093-RJ	Sep 10, 2009	23	Core	Multi-element ICP-AES
9V-1119-RA	Sep 15, 2009	61	Core	Au by FA, Ag from ICP Solution
9V-1119-RJ	Sep 15, 2009	61	Core	Multi-element ICP-AES
9V-1152-RA	Sep 18, 2009	174	Core	Au by FA, Ag from ICP Solution
9V-1152-RJ	Sep 18, 2009	174	Core	Multi-element ICP-AES
9V-1152-RM	Sep 18, 2009	2	Core	Metallic Au
9V-1172-RA	Sep 22, 2009	81	Core	Au by FA, Ag from ICP Solution
9V-1172-RJ	Sep 22, 2009	81	Core	Multi-element ICP-AES
9V-1173-RA	Sep 22, 2009	10	Rock	Au by FA, Ag from ICP Solution
9V-1173-RJ	Sep 22, 2009	10	Rock	Multi-element ICP-AES
9V-1186-RA	Sep 25, 2009	115	Core	Au by FA, Ag from ICP Solution
9V-1186-RJ	Sep 25, 2009	115	Core	Multi-element ICP-AES
9V-1187-RA	Sep 22, 2009	11	Rock	Au by FA, Ag from ICP Solution
9V-1187-RJ	Sep 22, 2009	11	Rock	Multi-element ICP-AES
9V-1207-RA	Sep 24, 2009	112	Core	Au by FA, Ag from ICP Solution
9V-1207-RJ	Sep 24, 2009	112	Core	Multi-element ICP-AES
9V-1208-RA	Sep 28, 2009	145	Core	Au by FA, Ag from ICP Solution
9V-1208-RJ	Sep 28, 2009	145	Core	Multi-element ICP-AES
9V-1208-RM	Sep 28, 2009	1	Core	Metallic Au
9V-1224-RA	Sep 29, 2009	139	Core	Au by FA, Ag from ICP Solution
9V-1224-RJ	Sep 29, 2009	139	Core	Multi-element ICP-AES
9V-1225-RA	Oct 2, 2009	16	Rock	Au by FA, Ag from ICP Solution
9V-1225-RJ	Oct 2, 2009	16	Rock	Multi-element ICP-AES
9V-1235-RA	Oct 2, 2009	206	Core	Au by FA, Ag from ICP Solution
9V-1235-RJ	Oct 2, 2009	206	Core	Multi-element ICP-AES
9V-1236-RA	Oct 8, 2009	112	Rock	Au by FA, Ag from ICP Solution
9V-1236-RJ	Oct 8, 2009	112	Rock	Multi-element ICP-AES
9V-1255-RA	Oct 6, 2009	120	Core	Au by FA, Ag from ICP Solution
9V-1255-RJ	Oct 6, 2009	120	Core	Multi-element ICP-AES
9V-1256-RA	Oct 6, 2009	25	Rock	Au by FA, Ag from ICP Solution
9V-1256-RJ	Oct 6, 2009	25	Rock	Multi-element ICP-AES
9V-1279-RA	Oct 13, 2009	209	Core	Au by FA, Ag from ICP Solution

9V-1279-RJ	Oct 13, 2009	209	Core	Multi-element ICP-AES
9V-1309-RA	Oct 15, 2009	92	Core	Au by FA, Ag from ICP Solution
9V-1309-RJ	Oct 15, 2009	92	Core	Multi-element ICP-AES
9V-1310-RA	Oct 15, 2009	25	Rock	Au by FA, Ag from ICP Solution
9V-1310-RJ	Oct 15, 2009	25	Rock	Multi-element ICP-AES
9V-1320-RA	Oct 16, 2009	220	Core	Au by FA, Ag from ICP Solution
9V-1320-RJ	Oct 16, 2009	220	Core	Multi-element ICP-AES
9V-1321-RA	Oct 20, 2009	208	Core	Au by FA, Ag from ICP Solution
9V-1321-RJ	Oct 20, 2009	208	Core	Multi-element ICP-AES
9V-1322-RA	Oct 22, 2009	25	Rock	Au by FA, Ag from ICP Solution
9V-1322-RJ	Oct 22, 2009	25	Rock	Multi-element ICP-AES
9V-1335-RA	Oct 23, 2009	39	Rock	Au by FA, Ag from ICP Solution
9V-1335-RJ	Oct 23, 2009	39	Rock	Multi-element ICP-AES
9V-1336-RA	Oct 21, 2009	72	Core	Au by FA, Ag from ICP Solution
9V-1336-RJ	Oct 21, 2009	72	Core	Multi-element ICP-AES
9V-1367-RA	Oct 27, 2009	327	Core	Au by FA, Ag from ICP Solution
9V-1367-RJ	Oct 27, 2009	327	Core	Multi-element ICP-AES
9V-1367-RM	Oct 27, 2009	1	Core	Metallic Au
9V-1368-RA	Oct 28, 2009	26	Rock	Au by FA, Ag from ICP Solution
9V-1368-RJ	Oct 28, 2009	26	Rock	Multi-element ICP-AES
9V-1400-RA	Nov 2, 2009	153	Core	Au by FA, Ag from ICP Solution
9V-1400-RJ	Nov 2, 2009	153	Core	Multi-element ICP-AES
9V-1401-RA	Nov 5, 2009	253	Core	Au by FA, Ag from ICP Solution
9V-1401-RJ	Nov 5, 2009	253	Core	Multi-element ICP-AES
9V-1402-RA	Nov 5, 2009	12	Rock	Au by FA, Ag from ICP Solution
9V-1402-RJ	Nov 5, 2009	12	Rock	Multi-element ICP-AES
9V-1439-RA	Nov 6, 2009	160	Core	Au by FA, Ag from ICP Solution
9V-1439-RJ	Nov 6, 2009	160	Core	Multi-element ICP-AES
9V-1440-RA	Nov 10, 2009	9	Rock	Au by FA, Ag from ICP Solution
9V-1440-RJ	Nov 10, 2009	9	Rock	Multi-element ICP-AES
9V-1458-RA	Nov 10, 2009	91	Core	Au by FA, Ag from ICP Solution
9V-1458-RJ	Nov 10, 2009	91	Core	Multi-element ICP-AES
9V-1518-RA	Nov 13, 2009	154	Core	Au by FA, Ag from ICP Solution
9V-1518-RJ	Nov 13, 2009	154	Core	Multi-element ICP-AES
9V-1519-RA	Nov 16, 2009	212	Core	Au by FA, Ag from ICP Solution
9V-1519-RJ	Nov 16, 2009	212	Core	Multi-element ICP-AES
9V-1551-RA	Nov 17, 2009	26	Core	Au by FA, Ag from ICP Solution
9V-1551-RJ	Nov 17, 2009	26	Core	Multi-element ICP-AES

Analyses carried out by Assayers Canada Ltd of Vancouver, BC. Gold by Fire assay with AA finish. When analyzed Ag, Cu, Pb and Zn 4 acid digest, AA finish.

† Lab file dated Mar 9, 2009. Date sent from lab is Sep 3, 2009.

Total rock samples = 794

Total core samples = 4625

APPENDIX B

DRILL LOGS

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
16.70	44.5	-54.0
38.11	45.8	52.9

P09-001

3RD Zone - Targeting deeper western corner of 3RD zone where there is a hole in the ore body. Hole successfully intersected a 7.4 meter wide zone at 28.2 meters.

UTM E (NAD 83): 436663	**Azimuth (deg):** 045	**Start:** 30-Jun-09
UTM N (NAD 83): 6212359	**Dip (deg):** -55	**Finish:** 2-Jul-09
Elev (m): 519	**Total Depth (m):** 47.26	**Logged by:** SD
Core Size: BQ	**Pad:** 1	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	1.17	OVB	CAS	Casing																131001	1.17	3.00	1.83	0.31	32.1
																				131002	3.00	5.00	2.00	0.63	9.2
1.17	21.30	7b	PIKX	**Premier Porphyry -** Grey, very fine groundmass with up to 1cm white sub-angular fsps (3%), abundant hornblende blades 1-4mm long. Overall common fine white cc veinlets and few qtz veinlets. Rusty coatings on fractures. More significant rust and vugs as indicated.																131003	5.00	7.00	2.00	0.22	2.5
				1.17-3.0 - Intermittent quartz veining with chlorite blebs and up to 3% pyrite, trace gn, trace sph, trace of soft flakey silver mineral at 2.45m.										3	0.1	0.1			0.1	131004	7.00	9.00	2.00	0.2	2.2
				4.2 - 3cm rusty stain									3							131005	9.00	11.00	2.00	0.2	3.4
				4.85 - 15cm rusty with weak vugs									3							131006	11.00	13.00	2.00	0.3	3
				5.25 - 4cm qtz chlorite calcite vein, straight, 35 tca	qtz chl vn	35														131007	13.00	14.00	1.00	0.66	9.2
				5.35 - 4 <cm qtz veinlets in cluster roughly 70-90 tca with traces py, sph, and soft grey/silver mineral (?). Some pyrolusite spots around veining										1		0.1			0.1	131008	14.00	15.00	1.00	0.19	2.6
				5.45 - 8cm weak rusty stain around fracture with moderate black pyrolusite staining.									2							131009	15.00	16.50	1.50	0.1	1
				5.83 - 8cm weak rusty stain around fracture, weak pyrol.									2							131010	16.50	18.00	1.50	0.19	5.3
				6.8 - 5cm weak rusty stain									1							131011	18.00	20.00	2.00	0.66	20.1
				6.9 - 20 cm moderate rust stain with weak vugs, weak pyrol.									3							131012	20.00	21.20	1.20	0.3	2.9
				12.83-13.2 - moderate rust stain on fractures, weak pyrol									2							131013	21.20	22.20	1.00	0.26	17.4
				14.2-16.45 - weakly rusty throughout with moderate pyrol. Spots throughout, fsps are weakly rust stained and zone looks weakly altered, moderate fractureing			1						2							131014	22.20	23.20	1.00	0.3	56.5
				16.5-21.3 - Weakly silicified, weakly chloritic, few mm scale qtz veinlets, traces of fine pyrite, sph, gn throughout as fine clots associated with veinlets and silicified pods.					1		1			2	0.5	0.5				131015	23.20	24.20	1.00	0.78	14.2
				21.3 - Lower contact marked by rusty fracture, contact with vein below is 15 tca.	LC	15														131016	24.20	25.20	1.00	0.58	6.2
																				131017	25.20	26.20	1.00	0.37	10.8
21.30	34.14	7v	VMXX	**Quartz Vein - Main 3RD zone**																131018	26.20	27.20	1.00	0.13	9.3
				Overall silicified and brecciated from end to end with overlapping veining. (1-Earlier quartz stockwork/breccia/silica flooding and fine sulfides, 2-and later white quartz with coarse sphalerite,gn, cpy clots). Sphalerite in this zone is distinctly honey coloured, much lighter than sphalerite seen up hole. Zone grades from weakly chloritic breccia stockwork with lesser sulphides uphole to massive fine grained sphalerite, pyrite, tr cpy, gn at lower contact. Lower contact is sharp with fine grained massive sulphides next to chloritic silicified porphyry.				5	5		1			3	1	2		1		131019	27.20	28.20	1.00	0.41	23.7
				23.54-23.67 - 15% medium grained pyrite clustered in quatrz breccia matrix.										15						131020	28.20	29.20	1.00	5.62	8.5
				30.09-30.58 - 65% white late quartz veining with clots of coarse honey sphalerite, galena, chalcopyrite, veins 25 tca.	white qtz vn	25									2	3		2		131021	29.20	30.00	0.80	0.54	5.5

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
				31.73-33.1 - dark grey qtz with strong pyrite and sphalerite as fine grained network of veinlets (like mesh), 15% pyrite, 4% sphalerite										15		4				131022	30.00	30.80	0.80	0.86	10.7
				33.4-34.14 - as unit above										15		4				131023	30.80	31.60	0.80	1.25	10.1
				Lower contact sharp 30 tca	LC	30														131024	31.60	32.60	1.00	8.71	42.4
																				131025	32.60	33.60	1.00	31.18	31.3
34.14	36.90	7	PIXX	Porphyry - pale grey green, fine grained, abundant fsps up to 3mm, common fine hornblend blades up to 2 mm, 1% fine disseminated pyrite, few white quartz veins 30 tca.	qtz vns	30		1	2		1			1						131026	33.60	34.60	1.00	3.71	46.7
				Lower contact sharp, 30 tca, with blebs of pyrite and red brown sphalerite along contact	LC	30								2		2				131027	34.60	35.60	1.00	0.21	3.2
																				131028	35.60	36.90	1.30	0.32	20.5
36.90	47.26	9zy	AXXY	Andesite - Dark grey green, very fine grained, soupy texture with fine white quartz veinlets and blebs swirled around, rare 15cm fine grained fsp porphyry late andesite dike. Strongly chloritic, 2% finely disseminated pyrite, weakly to moderatly silicified.					2		4			2						131029	BLANK			0.01	<0.1
																				131030	STD	PM405		0.31	0.7
																				131031	36.90	38.90	2.00	0.24	3.6
																				131032	38.90	40.90	2.00	0.01	0.7
																				131033	40.90	42.90	2.00	0.02	0.9
																				131034	42.90	44.90	2.00	0.03	0.7
																				131035	44.90	47.26	2.36	0.05	0.9
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
17.07	45.6	-65.1
56.71	47.9	-63.8

P09-002

3RD Zone - Targetting hole in ore body on western side and lower end.
Hole intersected the 4.8 meters wide zone at 41.5 meters.

UTM E (NAD 83): 436662	**Azimuth (deg):** 045	**Start:** 02-Jul-09
UTM N (NAD 83): 6212355	**Dip (deg):** -65	**Finish:** 03-Jul-09
Elev (m): 500	**Total Depth (m):** 65.85	**Logged by:** SD
Core Size: BQ	**Pad:** 1	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	1.80	OVB	CAS	Casing																131036	1.80	2.80	1.00	0.1	5.1
																				131037	2.80	3.80	1.00	0.41	12.1
1.80	27.60	7b	PIKX	**Premier Porphyry -** Grey, very fine groundmass with up to 1cm white sub-angular fsps (3%), abundant hornblend blades 1-4mm long. Overall common fine white cc veinlets and few qtz veinlets. Rusty coatings on fractures. More significant rust and vugs as indicated.																131038	3.80	4.80	1.00	0.73	61
				1.8-3.02 - Rubbly and weakly altered, weakly rusty, few small vugs									1							131039	4.80	5.80	1.00	0.11	3.4
				4.14-4.50 - messy qtz veining with 3% blebby red-brown sphalerite, tr gn, py. Swirly texture.				4						1	1	3				131040	5.80	6.80	1.00	0.1	2.1
				4.9-8.0 - rusty zone with rusty fracture, weak to moderate vugs, dark brown black pyrolusite staining along fractures and vugs.									3							131041	6.80	7.80	1.00	0.25	5.6
				15.6-17.5 - moderately rust stained halo's around fractures, moderately fractures.									2							131042	7.80	9.80	2.00	0.13	2.6
				20.8 - 5cm white vuggy qtz vein with pink and yellow carbonate alteration as a halo a few cm's from vein. Roughly 40 tca, not mineralized.	Qtz vn	40														131043	9.80	11.80	2.00	0.14	2.8
				21.5-27.6 - mineralization starting as silicification, quartz stockwork, and weak blebs of pyrite, sphalerite, rare galena, rare cpy. This is still within the porphyry and windows of distinct fsp porphyry are seen through the veining and mineralization. Most of the Main 3RD zone is likely in porphyry as well, it's just obliterated by the veining.																131044	11.80	13.80	2.00	0.16	2.3
				The above zone is moderately silicified with moderate chlorite as disseminated stain, and dark green clots. Intermittent quartz veinlets have up to 2% blebs of red brown sphalerite and up to 4% pyrite with trace galena.					3		3			4	0.1	2				131045	13.80	15.80	2.00	0.09	0.8
																				131046	15.80	17.80	2.00	0.13	1.4
27.60	50.20	7v	VMXX	**Quartz Vein - Main 3RD zone**																131047	17.80	19.80	2.00	0.05	2.5
				Silicified vein stockwork and breccia with varying amounts of pyrite, honey sphalerite, galena, tetrahedrite?, rare VG (? Very small).				5	5		2			5	0.1	3		1		131048	19.80	21.50	1.70	0.17	2.8
				Areas of semi-massive to massive sulfides as indicated, and zones of lesser silicification where porphyry is seen as indicated.																131049	21.50	22.50	1.00	1.34	31.3
																				131050	22.50	23.50	1.00	0.51	2.6
				27.5-29.0 - strong quartz stockwork breccia with pale green staining and dark green chlorite blebs. Bands and clusters of py, grey black sphalerite, (or possibly tetrahedrite), Pyrite up to 15%, sphalerite up to 4%.				5	5		3			15		4				131051	23.50	24.50	1.00	0.87	27.5
				29.0-48.3 - strongly silicified with strong quartz stockwork and bleached pale green matriz with dark chlorite clots common, 3% pyrite, 1% sphalerite, trace galena, fine dark blue black mineral common (?).				5	5		2			3	0.1	1				131052	24.50	25.50	1.00	0.54	2.8
				32.8 - 12 cm rusty vuggy section, soft gougy rusty punk and black mineral in vugs.				5	5				3							131053	25.50	26.50	1.00	0.66	5.8

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
				42.75 - 2 <mm size specks of VG with with py/sph in fine sulfide veinlets. Light coloured so likely electrum.										4		3		0.1	VG	131054	26.50	27.50	1.00	0.48	22.4
				42.3-42.85 - Increased sulfides as fine veinlets and clusters				5	5		2			4		3		0.1		131055	27.50	28.50	1.00	1.37	29.1
				43.8-45.16 - Massive sulfide - 25% fine to medium grained pyrite, 1% black mineral in matrix				5	5					25					blk	131056	28.50	29.50	1.00	7.61	13.3
				47.7-49.4 - weak fracturing with orange rust staining, fractures consistently 40 tca, weakly vuggy, some shiny white kaolinite accumulation on fractures.	fxs	40							2							131057	29.50	30.50	1.00	0.09	3.2
																				131058	30.50	31.50	1.00	0.12	4.1
50.20	58.50	7	PIXX	**Porphyry** - Grey fine grained fsp porphyry with abundant fsps phenocrysts up to 3mm. Fine grained matrix, common hornblend blades up to 3mm. Generally weak to moderate quartz stockwork with and silicification with more intense zones as indicated				3	3		2			2						131059	31.50	32.50	1.00	0.36	14.4
				56.65-57.62 - White bleached zone with abundant fine chlorite spots, 3cm late white quartz vein at lower end 10 tca. 57.1 - cm wide pale yellow carbonate veinlet 10 tca	qtz cb vns	10			4		2									131060	32.50	33.50	1.00	0.38	2.9
				57.62-58.4 - Massive Sulfide - 15% fine grained pyrite mesh, with 30% red brown coarse clusters of sphalerite.					5					15		30				131061	33.50	34.50	1.00	0.34	26.6
																				131062	34.50	35.50	1.00	0.36	13.1
58.50	65.85	9zy	AXXY	**Andesite -** Dark grey fine grained andesite, swirly textured with abundant white quartz veinlets and fine pyrite veinlets, .5% sphalerite spots with rare richer py/shp veinlets, weakly silicified.				3	2		1			3		0.5				131063	35.50	36.50	1.00	0.2	3.8
	EOH			EOH																131064	36.50	37.50	1.00	0.13	4.2
																				131065	37.50	38.50	1.00	3.19	10.9
																				131066	38.50	39.50	1.00	0.07	2
																				131067	39.50	40.50	1.00	0.08	4.8
																				131068	40.50	41.50	1.00	0.26	4.9
																				131069	41.50	42.50	1.00	2.47	6.1
																				131070	42.50	43.00	0.50	8.65	9.9
																				131071	43.00	43.80	0.80	5.09	14.5
																				131072	43.80	45.20	1.40	99.09	112.9
																				131073	45.20	46.20	1.00	0.83	3.8
																				131074	Blank			0.02	0.1
																				131075	STD	PM427		3.39	1.5
																				131076	46.20	47.20	1.00	0.27	1.2
																				131077	47.20	48.20	1.00	0.14	2
																				131078	48.20	49.20	1.00	0.22	2.6
																				131079	49.20	50.20	1.00	0.3	3
																				131080	50.20	51.20	1.00	0.1	1.9
																				131081	51.20	52.20	1.00	0.15	0.8
																				131082	52.20	53.20	1.00	0.11	1.9
																				131083	53.20	54.20	1.00	0.04	1.5
																				131084	54.20	55.20	1.00	0.3	2.1
																				131085	55.20	56.20	1.00	0.47	2.6
																				131086	56.20	57.50	1.30	0.09	3.5
																				131087	57.50	58.40	0.90	1.33	33.2
																				131088	58.40	59.40	1.00	2.83	6.4
																				131089	59.40	60.40	1.00	2.78	8.3
																				131090	60.40	61.40	1.00	0.32	4.4
																				131091	61.40	62.40	1.00	0.52	3.4
																				131092	62.40	63.40	1.00	2.59	5.2

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				131093	63.40	64.40	1.00	1.08	10.1
																				131094	64.40	65.85	1.45	1.94	6.9
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
16.46	45.0	-44.7
40.85	44.7	-43.6

P09-003

3RD Zone - Targeting hole in the eatern side of the ore body.
Intersected a 2.4 meter zone at 27.5 meters.

UTM E (NAD 83): 436676	**Azimuth (deg):** 045	**Start:** 4-Jul-09
UTM N (NAD 83): 6212342	**Dip (deg):** -45	**Finish:** 5-Jul-09
Elev (m): 491	**Total Depth (m):** 50.0	**Logged by:** SD
Core Size: BQ	**Pad:** 2	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	1.52	OVB	CAS	Casing																					
1.52	21.90	7b	PIKX	**Premier Porphyry** - grey fine grained porphyry with abundant fine grained hornblend blades up to 3 mm, abundant blurred white fsps up to 3mm and rare white sub-angular fsp phenocrysts up to 1cm. This unit is finer grained with less fsps than holes 001 and 002. White quartz veinlets very from rare to stockworked. Few white quartz chlorite veins up to 5cm. Top of hole is rubbly and drillers reported going through bedrock to 5 feet and then a rubbly section to 30 feet that might have been a filled in stope of adit. 3% finely disseminated pyrite with few mineralized zones as indicated.																						
								3	2		2			3						131095	1.52	3.50	1.98	0.04	0.7
				7.9-8.0 - fine pyrite sphalerite veinlets and blebs, 4% pyrite, 4% sphalerite										4		4				131096	3.50	5.50	2.00	0.04	1.8
				13.5-13.85 - White quartz chlorite vein with dark green clots of chlorite.																131097	5.50	7.50	2.00	0.23	2.4
				14.35-21.9 - Increased silicification and quartz stockwork. Trace sphalerite and galena, fine disseminated pyrite				3	3		2			3	0.1	0.1				131098	7.50	9.50	2.00	0.28	4.1
																				131099	9.50	11.50	2.00	0.32	1.9
21.90	29.90	7v	VMXX	**Quartz Vein - Main 3RD zone** Grey white porridgy looking silicified zone of quartz flooding and stockwork. Weak chloritic stain throughout. Generally weak sulfides with 2% pyrite, 1% sphalerite, .5% galena. Increased sulfides towards lower ind of zone, but not as juicy as 001 and 002.																131100	11.50	13.50	2.00	0.36	1.8
								4	4		2			2	0.5	1				131101	13.50	14.50	1.00	0.2	4.6
				28.8-29 - pyrite, sphalerite and tr galena with tr cpy in bands about 60 tca.	slfx vnlts	60		2	5					7	0.5	3		0.1		131102	14.50	15.50	1.00	0.25	18
				29-29.90 - dark grey silicified to lower contact																131103	15.50	16.50	1.00	0.23	46.6
																				131104	16.50	17.50	1.00	0.63	44.9
29.90	50.00	9zy	AXXY	**Andesite -** Dark grey fine grained andesite, swirly textured with few white quartz veinlets and fine pyrite veinlets, .5% sphalerite spots with rare richer py/shp veinlets, weakly silicified.																131105	17.50	18.50	1.00	0.23	6.7
				44.75 - 10cm weakly rusty zone with yellow and white carbonate veinlet 50 tca.	qtz cb vnlt	50							2							131106	18.50	19.50	1.00	0.17	3.5
	EOH			EOH																131107	19.50	20.50	1.00	0.35	4.2
																				131108	20.50	21.50	1.00	0.2	3.2
																				131109	21.50	22.50	1.00	0.36	10.1
																				131110	22.50	23.50	1.00	0.18	7.4
																				131111	23.50	24.50	1.00	0.29	7.5
																				131112	24.50	25.50	1.00	0.07	2.6
																				131113	25.50	26.50	1.00	0.25	4.7
																				131114	26.50	27.50	1.00	0.06	6.5
																				131115	27.50	28.50	1.00	1.36	7
																				131116	28.50	29.20	0.70	1.84	23.3
																				131117	29.20	29.90	0.70	20.63	71.2

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				131118	29.90	31.00	1.10	0.12	4.3
																				131119	31.00	32.00	1.00	0.04	1.9
																				131120	32.00	34.00	2.00	0.03	2.3
																				131121	34.00	36.00	2.00	0.03	0.9
																				131122	36.00	38.00	2.00	<0.01	1.1
																				131123	38.00	40.00	2.00	0.18	1.9
																				131124	40.00	42.00	2.00	0.15	9.9
																				131125	42.00	44.00	2.00	0.04	3.6
																				131126	44.00	46.00	2.00	0.35	1.5
																				131127	46.00	48.00	2.00	0.01	0.7
																				131128	48.00	50.00	2.00	<0.01	0.9
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
17.38	-	-54.4
35.67	-	-53.2

P09-004

3RD - Targetinghole in eastern side of ore body. Small 1.03 meter gold zone, but relatively unseccessful. Note: Azimuth readings invalid.

UTM E (NAD 83): 436676	**Azimuth (deg):** 045	**Start:** 5-Jul-09
UTM N (NAD 83): 6212342	**Dip (deg):** -55	**Finish:** 6-Jul-09
Elev (m): 491	**Total Depth (m):** 45.73	**Logged by:** SD
Core Size: BQ	**Pad:** 2	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	1.52	OVB	CAS	Casing																131129	1.52	3.00	1.48	0.03	0.5
																				131130	3.00	4.50	1.50	0.04	1.4
1.52	22.47	7a	PIKX	**Premier Porphyry -** Grey fine grained fsp hornblend porphyry with abundant blurry white fsps and abundant fine hornblend blades up to 3 mm. Rare angular to sub-angular white fsp phenocrysts up to 1 cm. Generally less fsp phenocrysts than on west side of 3RD. 1% finely disseminated pyrite, common fine qtz calcite veinlets at varying orientations. Few veinlets cm csale with fine seams of pyrite and sphalerite				1			1			1		0.5				131131	4.50	6.50	2.00	0.1	3.3
				1.52-3.1 - weakly rusty, strongly fractured, dark brown coatings on fractures.									3							131132	6.50	8.50	2.00	0.59	1.3
				4.9-6.9 - rubbly zone with gougy pale kaolinitic fault from about 6.2-6.5. Fault planes 60 tca.	Fault gg	60							1							131133	8.50	10.50	2.00	0.26	1.9
				7.7-8.6 - 2-2-3 cm wide ribbon qtz vein running roughly 0 tca with 4% red brown sphalerite and 3% pyrite.	qtz vn	0		3						3		4				131134	10.50	12.50	2.00	0.23	2.1
				10.38-10.46 - irregular quartz veining with clusters of sphalerite and pyrite along margins.				2						2		2				131135	12.50	14.50	2.00	0.2	1.3
				10.73-10.64 - ribbon qtz vein with 1% sphalerite and 2% pyrite, cut by late qtz chlorite vein 25 tca.	qtz chl vn	25		4			2			2		1				131136	14.50	16.50	2.00	0.03	1
				11.95-12.2 - white qtz veining with pyrite and sphalerite cut by qtz chlorite vein with very strong massive green chlorite. Irregualr veins				4			5			3		2				131137	16.50	18.50	2.00	0.11	2.6
				17.5-17.6 - several <cm scale qtz veinlets with 2% pyrite and tr sphalerite, 60 tca.	Qtz vnlts	60		3						2		0.1				131138	18.50	20.50	2.00	0.23	7.2
				18.7-18.95 - qtz cc veining with 2% pyrite,1% sphalerite and tr galena. Sphalerite is very pale honey colour. Roughly 30 tca.	Qtz cc vn	30		3						2	0.1	1				131139	20.50	22.47	1.97	0.36	19
				20.6 - 3cm qtz cc veinlet 25 tca with 2% honey sphalerite, 1% pyrite, tr gn. Ribbon texture with cc beside qtz.	qtz cc vn	25								1	0.1	2				131140	22.47	23.50	1.03	7.6	18.3
																				131141	23.50	24.50	1.00	0.05	2.6
22.47	41.00	7v	VMXX	**Quartz Vein - Main 3RD zone**																131142	24.50	25.50	1.00	0.1	5.7
				Silicified stockworked zone. Silicification and veining cut by later white qtz chlorite veins. 1-4% - Pyrite, sphalerit, tr galena and tr cpy disseminated and as fine veinlets. Sulfides increased to semi-massive at towards lower end of zone.				5	5		3			3	0.1	3		0.1		131143	25.50	26.50	1.00	0.18	8.4
				35.8-37.85 - Semi-massive sulfide - 20% medium to coarse grained pyrite disseminated through silica. Possible trace sphalerite, but appears to be just pyrite.				3	5					20		0.1				131144	26.50	27.50	1.00	0.16	7.9
				38.6-38.8 - rubbly rusty fault zone, rock softened with small scale fractures as well as larger fractures with strong rust on fracture surfaces. Minimal white qtz associated. Fxs 60 tca (?)	Fxs	60							3							131145	27.50	28.50	1.00	0.14	4.5
				40.3-41.0 - Massive white quartz vein with chlorite clots				5												131146	28.50	29.50	1.00	0.1	4.9
																				131147	29.50	30.50	1.00	0.81	11.6

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
41.00	44.70	7b	PIKX	**Premier Porphyry - G**rey green hornblend fsp porphyry with abundant white mm scale blurry fsps, and common fine black hornblend blades up to 3mm. Very rare sub-angular fsp phenocrysts up to 1cm.																					
								3	2		3			4						131148	30.50	31.50	1.00	0.21	11.4
				Moderately chloritic. 4% disseminated pyrite. Moderate quartz veining and weak silicification.																131149	31.50	32.50	1.00	0.22	6.6
				44.65-44.7 - 3% fine disseminated gn parallel to lower contact.											3					131150	32.50	33.50	1.00	0.29	33.4
				Lower contact 27 tca	LC	27														131151	33.50	34.50	1.00	0.14	4.1
																				131152	34.50	35.50	1.00	0.14	4.4
44.70	45.73	9fv	AFVX	**Andesite** - fine grained tuffaceous andesite with fine crystals and fragments in a vitreous groundmass. Grey green chloritc, moderately silicified. 1% disseminated pyrite.					3		3			1						131153	35.50	36.50	1.00	0.29	33.9
				44.9-45.73 - rubbly and fault gouge to end of hole.																131154	36.50	37.20	0.70	1.2	24.2
																				131155	37.20	38.00	0.80	0.81	11.3
				EOH																131156	BLANK			<0.01	<0.1
																				131157	STD	PM405		0.27	0.7
																				131158	38.00	38.80	0.80	0.08	6.5
																				131159	38.80	39.80	1.00	0.06	10.1
																				131160	39.80	41.00	1.20	0.05	3
																				131161	41.00	42.00	1.00	0.07	3
																				131162	42.00	43.00	1.00	0.04	2.5
																				131163	43.00	44.00	1.00	0.03	1.6
																				131164	44.00	44.65	0.65	0.05	3.9
																				131165	44.65	45.73	1.08	1.11	17.2
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
15.24	226.7	-43.8
32.93	229.6	-43.7

P09-005

Pit Wall - Targeting veining on pit wall behind drill. Hole unproductive.

UTM E (NAD 83): 436672	**Azimuth (deg):** 225	**Start:** 7-Jul-09
UTM N (NAD 83): 6212340	**Dip (deg):** -45	**Finish:** 8-Jul-09
Elev (m): 492	**Total Depth (m):** 42.07	**Logged by:** SD
Core Size: BQ	**Pad:** 2	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	1.50	OVB	CAS	Casing																131166	1.50	3.50	2.00	0.31	5.5
																				131167	3.50	4.50	1.00	0.57	3.1
1.50	30.97	7a	PIPX	**Premier Porphyry -** Grey green medium grained fsp hornblend porphyry with some pyroxene phenocrysts. Fsps are up to a few mm's and blurry in groundmass. Hornblend is as dark blades up to 4mm long. Very rare large white fsp phenocrysts up to 1.5 cm, sub-angular. Few fine qtz calcite veinlets throughout.				2	2		2		1	2	0.1	1		0.1		131168	4.50	5.50	1.00	0.1	15.3
				1.5-3.5 - Fractured and moderately rubbly with some qtz cc veining.																131169	5.50	6.50	1.00	0.23	36.6
				3.2-3.6 - 1-2cm qtz chl pyrite vein parallel to core axis	qtz chl py vn	0		3			4			8						131170	6.50	7.50	1.00	1.42	10.8
				3.6-4.2 - 8% disseminated pyrite in swirly siliceous zone					3					8						131171	7.50	8.50	1.00	0.11	3.1
				4.2-14.3 - few cm scale qtz cc veinlets with up to 2% red brown sphalerite and pyrite, tr gn, rare tr cpy in qtz and cc.				1						2	0.1	2		0.1		131172	8.50	10.50	2.00	0.05	1.7
				16.95-19.34 - weakly iron stained, weakly vuggy, orange brown rust staining on fractures, moderately fractured. Vugs seem to be roughly 35 tca	vugs	35							2	1						131173	10.50	12.50	2.00	0.16	0.8
				22.3 - 3cm qtz yellow carbonate vein 25 tca	qtz cb vn	25														131174	12.50	14.50	2.00	0.05	2.2
				23.9-24.4 - moderate fabric to hornblend in porphyry, 40 tca.	foliation	40														131175	14.50	16.00	1.50	0.1	0.7
				24.7-29.22 - 30% white quartz chlorite veining with lesser fine yellow carbonate veinlets. Carbonate commonly 0 tca. 3% disseminated pyrite	cb vnlts	0		3			4			3						131176	16.00	16.95	0.95	0.04	9.3
					Contact	15														131177	16.95	17.90	0.95	0.04	8.3
30.97	31.70	22a	D/AX	**Andesite Dike -** grey green very fine grained aphanitic with few fine white 'spots'. Upper contact 15 tca, lower contact 7	LC	7														131178	17.90	18.90	1.00	0.06	8.5
																				131179	18.90	19.50	0.60	0.1	2.2
31.70	37.40	7a	PIPX	**Premier Porphyry -** As above, but is finer grained moving down hole, generally unaltered and lacking veining. Fresh. .5% disseminated pyrite										0.5						131180	24.20	26.20	2.00	0.11	104.5
				32.8-33.2 - qtz veining ~25 tca, with 4cm vuggy section in middle with bright orange rust in vugs	qtz vns	25							2	0.5						131181	26.20	28.00	1.80	0.14	4.2
				37.3 - small wiggly qtz cc veinlets wit 1% pyrite, tr cpy, and 1% soft red mineral in vn.										1				0.1	red n	131182	28.00	29.25	1.25	0.08	4.1
				Lower contact 65 tca	LC	65														131183	31.50	32.20	0.70	0.09	0.8
																				131184	32.20	33.20	1.00	0.18	3.9
37.40	42.07	9a	AXXX	**Andesite -** Grey fine grained andesite. Fresh, not veining except very rare fine white qtz veinlet 0 tca.	qtz vnlt	0														131185	33.20	33.70	0.50	0.03	0.8
																				131186	36.50	37.00	0.50	0.12	1.3
				EOH																131187	37.00	37.40	0.40	0.07	0.5
																				131188	37.40	38.00	0.60	0.01	<0.1
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
26.52	142.3	-43.4
69.21	143.8	-40.8

P09-006

Pit Wall - Targeting veining on pit wall behind drill. Hole unproductive.

UTM E (NAD 83): 436641	**Azimuth (deg):** 140	**Start:** 8-Jul-09
UTM N (NAD 83): 6212341	**Dip (deg):** -45	**Finish:** 10-Jul-09
Elev (m): 540	**Total Depth (m):** 78.35	**Logged by:** SD
Core Size: BQ	**Pad:** 3	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	1.52	OVB	CAS	Casing																131189	1.52	3.50	1.98	0.56	1.6
																				131190	3.50	5.50	2.00	0.02	0.6
1.52	75.23	7b	PIKX	**Premier Porphyry** - Grey green fsp hornblend porphyry with 5% white large sub-angular to rounded fsps up to 2cm. Very weakly chloritic, 1% very finely disseminated pyrite, common fine qtz veinlets with blebs of pyrite and red-brown sphalerite. Rusty vuggy iron oxidized zones as indicated. Increased veining and sulfides as indicated.				1			1		1	1		0.5				131191	5.50	7.50	2.00	0.25	1.9
				8.69-8.83 - irregular quartz veining with 5% red bronw sphalerite and 5% pyrite.				4						5		5				131192	7.50	9.50	2.00	1.46	2.7
				12.65-12.8 - rusty zone with weak vugs, 65-80 tca	rust zone	75							4							131193	9.50	11.50	2.00	0.01	1
				13.86-14.23 - rubbly rusty zone with small vuggy qtz veinlets 50-55 tca.	vuggy vnlts	55							4							131194	11.50	13.50	2.00	0.03	1.3
				14.65-14.85 - fractured zone with rusty coatings, weakly vuggy and weak quartz veining									3							131195	13.50	14.50	1.00	0.31	9
				15.0 - few cm's qtz veining with pyrite seams	py seams	45		3						4						131196	14.50	15.50	1.00	1	4.8
				15.45-16.5 - fine grained zone may be fg andesite dike. Rusty fractures, increased silicification, veining, clots and seams of pyrite and clots of pyrite up to 4% locally. Pyrite seams and some quartz roughly 75 tca.	py seams	75		3	3				3	4		3				131197	15.50	16.50	1.00	0.28	2.7
				17.38 - 1cm qtz veinlet curving roughly parallel tca, with seam of sphalerite blebs along center line and line of fine pyrite along each margin in host.	qtz vnlt	0								2		2				131198	16.50	17.50	1.00	0.16	1.7
				18.1 - qtz vein 40 tca, 3cm wide, white qtz with dark grey green selvages and clast outlines(?), interesting looking texture in vein; outlines define white quartz outside and in. 3% pyrite in qtz.	qtz vnlt	40		3						3						131199	24.80	25.80	1.00	0.03	1.9
				25.98-26.25 - 5cm white qtz vein with med gr pyrite seams in rusty stained zone with weak fracturing and vugs. Zone is all 70 tca.	qtz and rust	70		3					2	2						131200	25.80	26.80	1.00	0.23	2.2
				26.63-27.16 - weakly bleached zone with dark rusty stains on fractures, very weak vugs, silicified with seams of med gr pyrite. Zone has sharp margins and is 50 tca.	alt'd zone	50	2	1	3				2	2						131201	26.80	28.80	2.00	0.08	2.5
				27.6 - dark brown rusty vugs over 5cm									2							131202	28.80	30.80	2.00	0.04	2.7
				27.8-28.1 - silicified zone with tr sphalerite and galena				3	3					1	0.5	0.5				131203	30.80	32.80	2.00	0.14	3.5
				30.1-30.5 - bleached weakly rusty zone with weak vugs, silicification, 2% pyrite disseminated				1	2				2	2						131204	32.80	33.90	1.10	0.01	2
				31-31.25 - weak vugs and weak iron stain									2							131205	33.90	34.90	1.00	0.06	3.4
				31.95-32.3 - rubbly with creamy white silicification, weak vugs, chlorite, dark dendritic mineral stain (pyrolusite?).				1	3		2		3							131206	34.90	36.90	2.00	0.58	9.7
				33.98-34.9 - 4 swirly pyrite veins in this zone. 30 to 50 tca. Mesh of fine pyrite with qtz cc veining, rusty staining in fine rim around pyrite	pyrite vns	40							1	4						131207	36.90	38.90	2.00	0.15	11.5
				35.9-46.6 - generally altered rusty zone with silicified zones and bleached zones, vugs, rusty fractured zones, increased disseminated pyrite as indicated.				3	3		2		3	3						131208	38.90	39.90	1.00	0.19	7.3

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
				35.9-39.4 - strong rust staining, pyrolusite disseminated, green chloritic stain, weakly vuggy.							2		3	1						131209	39.90	40.90	1.00	0.72	2.8
				39.75-42.5 - strong silicification, stockwork and breccia, with up to 15% disseminated pyrite as fine graine seams and rimming breccia clasts.	py seams	50		4	4		2			10						131210	40.90	41.90	1.00	0.37	2
				42.5-44.5 - rusty, bleached, weak vugs, rust caked on fractures				2					3							131211	41.90	42.90	1.00	0.54	18.9
				44.5-46.2 - generally 15% quartz stockwork roughly 70 tca	qtz stckwk	70														131212	42.90	43.90	1.00	0.12	1.3
				46.2-75.23 - small intermittent rusty zones, weak qtz calcite stockwork without alteration, few small vuggy seams, occasional larger white quartz chlorite vein, occasionally weakly bleached. Generally uninteresting.																131213	43.90	44.90	1.00	0.08	5.4
																				131214	44.90	46.90	2.00	0.01	2.7
75.23	78.35	9a	AXXX	**Andesite -** grey green fine grained andesite with fine grained white spots. Increased pyrite near contact area which is generally messy. Contact is not clear.										4						131215	BLANK			0.02	<0.1
				75.8-77.2 - rubbly fault zone, rusty coating of rubble pieces, weakly vuggy									3							131216	STD	PM427		3.48	1.5
				77.2-78.35 - aphanitic green andesite with few fine qtz calcite veinlets.																131217	55.30	57.30	2.00	0.31	31.2
																				131218	60.00	61.00	1.00	<0.01	1.4
				EOH																131219	68.00	69.00	1.00	0.01	2.1
																				131220	69.00	70.00	1.00	0.11	1.8
																				131221	70.00	72.00	2.00	0.02	0.5
																				131222	72.00	74.00	2.00	0.07	1.1
																				131223	74.00	75.23	1.23	0.06	1.5
																				131224	75.23	77.20	1.97	0.06	3.1
																				131225	77.20	78.35	1.15	0.01	1.2
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
16.77	47.7	-43.8
41.16	49.1	-42.3

P09-007

3RD - Extending ore body to west. 8.6 meter zone at 20.5 meter depth

UTM E (NAD 83): 436648	**Azimuth (deg):** 045	**Start:** 10-Jul-09
UTM N (NAD 83): 6212357	**Dip (deg):** -45	**Finish:** 11-Jul-09
Elev (m): 518	**Total Depth (m):** 50.31	**Logged by:** SD
Core Size: BQ	**Pad:** 4	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	2.13	OVB	CAS	Casing																131226	2.13	4.00	1.87	0.38	15.3
																				131227	4.00	5.00	1.00	1.01	15.1
2.13	23.00	7b	PIKX	**Premier Porphyry -** grey green largely altered and quartz stockworked. Fine grained matrix with fine grained fsps, fine grained hornblend, 5% white sub-angular to sub-rounded fsp phenocrysts up to 2cm. About 1% fine disseminated pyrite. Moderate quartz stockwork throughout and intermittent silicified vuggy rusty zones as indicated. Overall weakly chloritic				3	2		2		2	1						131228	5.00	6.00	1.00	0.23	11.5
				2.13-5.8 - bleached silicified zone, strong quartz stockwork, rubbly, broke, weak Feox staining, moderate pyrolusite staining, weakly vuggy, 2% pyrite disseminated.				4	4				2	2						131229	6.00	7.00	1.00	0.08	4.3
				6.3-9.46 - bleached, weakly rusty, yellowed, strong quartz stockwork with dark bronw coated vugs, fsps altered creamy yellow, rubble at 7.62. Late white quartz roughly 10-30 tca.	white qtz	20		3	3				3	2						131230	7.00	8.00	1.00	0.12	3.4
				13-13.8 - weakly iron stained and vuggy									2							131231	8.00	9.00	1.00	0.1	3.9
				15.6-18.85 - rubbly, bleached, vuggy, quartz veining, altered pitted fsps, weak Feox on fractures.				3	2				2							131232	9.00	10.00	1.00	0.51	7.3
				18.85-19.55 - wiggly quartz veining roughly parallel to CA, margins of veining (inside vein) has strong pyrite, honey sphalerite, chalcopyrite and dark grey crumbly mineral (tetrahedrite?)	qtz vn	0		4	4					5		3		1	tet?	131233	10.00	11.00	1.00	0.32	6.5
				22.0 - 3cm banded qttz, py, honey sphalerite veinlet 65 tca	qtz py vn	65														131234	11.00	12.00	1.00	0.31	12
																				131235	12.00	13.00	1.00	0.11	12.2
23.00	32.80	7v	VMXX	**Main 3RD Zone -** strongly silicified, quartz stockworked, weak chlorite staining, overall bleached. Zone is most intense a lower end, and grades back to less sulfides and silicification at top of zone. Sulfides are pyrite and honey sphalerite mostly with lesser chalcopyrite and lesser galena				5	5		2			7	0.1	3		0.1		131236	13.00	14.00	1.00	0.07	13.8
				23.68-24 - fine pyrite and grey sphalerite banded roughly 70 tca, with weak vugs,	py sph vn	70								7		3				131237	14.00	15.00	1.00	0.36	11.1
				24.6-24.95 - strong medium grained pyrite clustered in pods										10						131238	15.00	16.00	1.00	0.19	15.6
				26.03-26.2 - massive pyrite vein 40 tca, lesser honey sphalerite	py vein	40								25		2				131239	16.00	17.00	1.00	0.11	6
				29.5-30.3 - semi-massive pyrite in medium to coarse grained clusters , fine honey sphalerite mostly at lower end, tr gn?										15		3				131240	17.00	18.00	1.00	0.11	2.2
				31.25-31.8 - massive pyrite as fine to medium grained clusters in a quartz breccia, lesser sphalerite. Upper contact fractured, rusty and 35 tca.	UC msv slfx	35								15		2				131241	18.00	18.85	0.85	0.15	3.8
				31.8-32.8 - quartz breccia, mixed texture of sub-rounded quartz clasts and wispy fine grained material.																					
				32.65 - 10% fine pyrite and galena pods with orange rusty rims.										8	2					131242	18.85	19.55	0.70	1.68	24.9
32.80	34.06	7	PIXX	**Porphyry -** grey fine grained fsp porphyry lacking larger fsp phase, fresh, few fine qtz veinlets. Lower contact sharp and 45 tca.	LC	45														131243	19.55	20.50	0.95	0.06	2
																				131244	20.50	22.50	2.00	0.2	7.5
34.06	50.31	9zy	AXXY	**Andesite -** grey green very fine grained andesite with weak fine qtz calcite stockwork.							3									131245	22.50	23.50	1.00	0.19	3.5

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
				EOH																131246	23.50	24.50	1.00	1.29	10
																				131247	24.50	25.50	1.00	1.4	5.6
																				131248	25.50	26.50	1.00	0.97	5.3
																				131249	26.50	27.50	1.00	0.81	7.2
																				131250	27.50	28.50	1.00	45.49	60.2
																				131251	28.50	29.50	1.00	4.84	17.5
																				131252	29.50	30.30	0.80	2.02	25.9
																				131253	30.30	31.10	0.80	0.74	9.9
																				131254	31.10	31.80	0.70	6.1	66.5
																				131255	31.80	32.80	1.00	0.74	17.9
																				131256	32.80	34.06	1.26	0.2	3
																				131257	34.06	35.00	0.94	0.15	3.3
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
17.38	48.2	-55.9
35.67	49.6	-54.6

P09-008

3RD - Extending zone to the west. 2 Zones intersected between 25 and 36.2 meters.

UTM E (NAD 83): 436648	**Azimuth (deg):** 045	**Start:** 12-Jul-09
UTM N (NAD 83): 6212357	**Dip (deg):** -55	**Finish:** 12-Jul-09
Elev (m): 518	**Total Depth (m):** 44.82	**Logged by:** SD
Core Size: BQ	**Pad:** 4	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	2.13	OVB	CAS	Casing																131258	2.13	3.00	0.87	0.1	20
																				131259	3.00	4.00	1.00	0.08	5.9
2.13	26.50	7b	PIKX	**Premier Porphyry -** grey green fsp hornblend porphyry with fine graned fsp phenocrysts and fine dark hornblend blades. Large white sub-angular fsp phenocrysts common. Generally weakly chloritic, moderate fine quartz stockwork with areas of increased veining and silicification as indicated. So weakly rusty vuggy zones with pyrolusite.				3	3		2		1	1						131260	4.00	5.00	1.00	0.38	24
				2.13-7.85 - strong silicification with quartz stockwork and late white quartz stockwork. Porphyry texture is blurred by silicification. Some weak iron staining on fractures and associated with weak vugs and chalky looking fsps. 2% pyrite throughout, with .5% fine sphalerite spots and .5 % fine galena. Some pyrolusite associated with vuggy areas				4	4				2	2	0.5	0.5				131261	5.00	6.00	1.00	0.38	25.3
				9.5-10.0 - fractured with weak iron oxidation, weakly vuggy									2							131262	6.00	7.00	1.00	0.26	15.4
				13.75 - quartz vein, vuggy pitted with dark brown coating in vugs																131263	7.00	8.00	1.00	0.18	16.5
				15.1-15.5 - weakly altered with chalky looking fsps, weak iron stain, weakly vuggy.									2							131264	8.00	10.00	2.00	0.34	3.2
				18.5-19.5 - weeakkly iron stained, frac tured, dark pyrolusite dendrites around fractures.									2							131265	10.00	12.00	2.00	0.25	1.3
				21.4-21.65 - pyrite and sphalerite clustered irregularly roughly along core axis. Rusty rims around pyrite. 10% py, 2% sphalerite										10		2				131266	12.00	14.00	2.00	0.14	1.2
														10						131267	14.00	16.00	2.00	0.2	1.4
26.50	36.20	7v	VMXX	**Main 3RD Zone -** strongly silicified, quartz stockworked, weak chlorite staining. Zone is most intense a lower end, and grades back to less sulfides and silicification at top of zone. Sulfides are pyrite and honey sphalerite mostly with lesser chalcopyrite and lesser galena				5	5		1		2	4	1	2		1		131268	16.00	18.00	2.00	0.15	2.6
				26.4-26.62 - increased pyrite as seams and clusters																131269	18.00	20.00	2.00	0.24	2.6
				29.3-29.9 - rusty zone with white veining and 5% disseminated pyrite										5						131270	20.00	21.00	1.00	0.37	8.8
				32.3-33 - white massive quartz vein. Late. With coarse clusters of sphalerite, chalcopyrite and galena. Lesser pyrite. Roughly parallel to core axis.	qtz vn	0								1	3	3		3		131271	21.00	22.00	1.00	0.35	8.6
				33.95-36.1 - semi-massive pyrite with up to 4% large patches of honey sphalerite, tr gn and tr cpy.					5					10	0.1	4		0.1		131272	22.00	23.00	1.00	0.26	2.9
				Lower contact sharp at 40 tca, and upper side crackle textured	LC	40														131273	23.00	24.00	1.00	0.34	8.6
36.20	44.82	9zy	AXXY	**Andesite -** Dark grey fine grained andesite. 2% disseminated pyrite. Fine wispy qtz cc stockwork roughly 70-90 tca. Generally fresh.																					
					stcwk	80		1						2						131274	24.00	25.00	1.00	0.09	5.1
																				131275	25.00	26.00	1.00	1.56	8.8
				EOH																131276	26.00	27.00	1.00	13.23	115.3
																				131277	27.00	28.00	1.00	0.41	13.4
																				131278	28.00	29.00	1.00	0.9	9.6

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				131279	29.00	30.00	1.00	0.24	6.7
																				131280	30.00	31.00	1.00	0.35	7.3
																				131281	31.00	32.00	1.00	0.08	7.6
																				131282	32.00	33.00	1.00	0.19	79.9
																				131283	33.00	34.00	1.00	1.42	14.7
																				131284	34.00	35.00	1.00	1.44	12.3
																				131285	35.00	35.50	0.50	9.91	70.3
																				131286	35.50	36.20	0.70	9.67	168.8
																				131287	BLANK			0.02	0.3
																				131288	STD	PM427		3.52	1.7
																				131289	36.20	37.20	1.00	0.35	5.8
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
17.99	44.4	-66.5
66.77	51.2	-64.3

P09-009

3RD Zone - Extending zone to the west. Wide low grade zone from 43.75 to 69 meters with some short high grade within it. Zone runs 4.29 g/t Au over 21.25 meters.

UTM E (NAD 83): 436648	**Azimuth (deg):** 045	**Start:** 13-Jul-09
UTM N (NAD 83): 6212357	**Dip (deg):** -65	**Finish:** 14-Jul-09
Elev (m): 518	**Total Depth (m):** 75.92	**Logged by:** SD
Core Size: BQ	**Pad:** 4	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	2.13	OVB	CAS	Casing																131290	2.13	3.00	0.87	0.33	55.6
																				131291	3.00	4.00	1.00	0.2	40.3
2.13	32.13	7b	PIKX	**Premier Porphyry -** grey green fsp hornblend porphyry with abundant fine dark hornblend blades up to 4mm, abundant blurred fsps in groundmass, common large white sub-angular fsp phenocrysts up to 2cm. Generally weakly chloritic and weak quartz calcite stockwork thorughout. Weakly oxidized zones with vugs as indicated, STronger veining and sulfides as indicated. Lower end of unit marked by rubbly fractured rusty veining - fault zone.				2	1		2		2	1						131292	4.00	5.00	1.00	0.07	28
				2.31-8.3 - strong quartz stockwork and moderate silicification with intermittent weakly iron oxidized zones with small vugs. 2-3% pyrite, up to 1% disseminated spots of orange brown sphalerite, and tr gn.				4	3		1		2	2	0.1	1				131293	5.00	6.00	1.00	0.1	6.8
				2.35-2.45 - 5% spotty bronw sphalerite disseminated in quartz, with tr galena and 2% pyrite.				3	4					2	0.1	5				131294	6.00	7.00	1.00	0.1	6
				10.9-12.0 - weakly rusty, chalky yellow fsps, weakly fractured									2							131295	7.00	8.00	1.00	1.09	14.1
				13.5-15.1 - weakly fractured with weak iron stain, weak vugs.									2							131296	8.00	10.00	2.00	0.22	3.2
				15.15 - 10 cm zone of irregular mineralization roughly parallel to CA, rusty spots and weak vugs with rusty coatings, 1% sphalerite and .5 % galena as seam in this small zone.	sph/gn	0							2		0.5	1				131297	10.00	12.00	2.00	0.23	1.5
				19-20 - weakly rusty zone with fine pyrolusite dendrites. Slightly bleached.									2							131298	12.00	14.00	2.00	0.14	1.9
				20.6-21.65 - bleached pale green and weakly rusty zone, weak vugs.									2							131299	14.00	15.00	1.00	0.18	5.5
				26.9-27.13 - quartz with coarse chlorite vein roughly parallel to CA.	qtz chl vn	0		4			3									131300	15.00	16.00	1.00	0.19	3.9
				28.15-28.75 - 70% irregular white quartz with strong coarse chlorite				4			3									131301	16.00	18.00	2.00	0.23	3.9
				30.65-32.13 - bleached, weakly rusty on fractures, fine grained texture but still with fsp phenos. Grainy fsp hornblende texture.																131302	18.00	20.00	2.00	0.25	40.9
																				131303	20.00	22.00	2.00	0.35	2.9
32.13	48.65	7v	VMXX	**Main 3RD zone -** Strongly stockworked and silicified zone grading from stockwork and silicifictation with a few % sulfides at the top end, to very strong silicification and massive sulfides at the bottom end. The top is marked by a rusty fractured fault zone. Sulfides are a finely disseminated and veinlets of pyrite, sphalerite, chlacopyrite and galena in that order of abundance. Overall well mineralized with the best looking zones highlighted below.				4	4		3			2	0.1	1		0.1		131304	22.00	24.00	2.00	0.18	2.5
				32.12-32.75 - rusty rubbly fault zone with quartz veining with pyrite.				3	3				2	3						131305	24.00	26.00	2.00	0.6	1.4

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
				43.75-45.38 - super silicified zone, white and grey quartz with evenly disseminated pyrite, sphalerite, chalcopyrite and galena and a nifely disseminated 'mesh'. Sulfides are associated with a dark grey black mineral (likely tetrahedrite) situated in fine vugs in qtz. Sphalerite is pale honey coloured.					5					4	0.5	3		0.5	tet?	131306	26.00	28.00	2.00	0.14	2.2
				45.38-46.4 - massive sulfide, mostly pyrite in grey quartz.																131307	28.00	30.00	2.00	0.21	8.6
				46.4-48.65 - super siliceous zone with finely disseminated sulfides										3	0.1	1		0.1		131308	30.00	32.00	2.00	0.55	25.2
																				131309	32.00	32.75	0.75	1.03	60.2
48.65	53.85	9a	AXXX	**Andesite -** Generally fine grained aphanitic andesite, but with quartz breccia textures that are likely associated with the above mineralizing event. Intermittent veinlets of pyrite as disseminated bands up to 10 % locally. Moderately silicified.				3	4		2			4						131310	32.75	33.75	1.00	0.31	7.1
																				131311	33.75	34.75	1.00	0.25	7.4
53.85	65.20	7b	PIKX	**Premier Porphyry -** Top contact marked by gougy fault zone from 53.85-54.06. 70 tca. Pyrite disseminated in gouge.	Fault gg	70								3						131312	34.75	35.75	1.00	0.23	9.7
				Grey green fsp hornblende porphyry with white fsps disseminated. Moderate quartz stockwork and silicification and chlorite staining througout. Increased veining and mineralization as indicated. Overall 3% pyrite disseminated.				3	3		3			3						131313	35.75	36.75	1.00	0.36	6.3
				54.06-54.97 - white grey green quartz veining with 2% disseminated pyrite, trace sphalerite.	qtz vn	70		5	5		3			2		0.1				131314	36.75	37.75	1.00	0.35	7.7
				54.97-59.0 - moderate quartz stockwork and silicification with wispy veinlets and disseminations of pyrite, 1% honey and pale grey sphalerite, and tr galena associated with cherty grey quartz mostly.				3	3		3			4	0.1	1				131315	37.75	38.75	1.00	0.4	8.3
				59.0-60.6 - stronger silicification with increased sulfides and veins mostly 40 tca. 5% pyrite, 3% pale orangy brown sphalerite, tr galena, tr chalcopyrite. Sulfides increasing to semi-massive at lower end of this zone. Brecciated texture towards end of this zone.	slfx vnx	40		3	4		4			5	0.5	3		0.1		131316	38.75	39.75	1.00	0.26	7.8
				60.25-60.6 - semi-massive orange brown sphalerite and pyrite with small clots of coarse chalcopyrite and tr galena				3	4		4			10	0.1	10		0.1		131317	39.75	40.75	1.00	0.3	7.9
				60.6-61.13 - quartz breccia, sub-angular clasts in a pale grey quartz matrix. Clasts are darker grey quartz and grey green siliceous clasts.																131318	40.75	41.75	1.00	1.77	96
				Lower contact sharp 80 tca	LC	80														131319	41.75	42.75	1.00	0.47	3.3
																				131320	42.75	43.75	1.00	0.24	6
65.20	69.94	9zy	AXXY	**Andesite -** dark grey greenish fine grained andesite. Fine quartz calcite veinlets throughout, and wiggly white quartz veinlets with medium to coarse grained pyrite in these veins. Overall 3% disseminated pyrite. Weakly silicified				1	1		1			3						131321	43.75	44.50	0.75	5.26	54.2
				68.35-68.5 - blebby quartz veining with 5% pyrite, 3% orangy honey sphalerite, tr gn, tr cpy. Roughly 90 tca.	qtz py sph vn	90		3	3					5	0.1	3		0.1		131322	44.50	45.38	0.88	3.43	18.7
																				131323	45.38	46.40	1.02	16.39	58.6
				Lower contact sharp 80 tca	LC	80														131324	BLANK			<0.01	<0.1
																				131325	STD	PM405		0.29	0.9
69.94	75.92	7b	PIKX	**Premier Porphyry ? -** grey green fsp hornblende porphyry with fine grained texture at upper contact grading to coarser fsps down hole. Weakly bleached/altered. No big fsps seen. Moderate quartz stockwork and silicification. Moderately chloritic. 3% disseminated pyrite with .5% sphalerite and .5% gn in quartz veinlets.				3	3		3			3	0.5	0.5				131326	46.40	47.40	1.00	1.71	10.9

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
				72.4-72.48 - massive coarse pyrite 50 %, with quartz and calcite										50						131327	47.40	48.40	1.00	2.46	43.3
																				131328	48.40	49.40	1.00	0.92	9.4
																				131329	49.40	50.40	1.00	0.78	15.3
																				131330	50.40	51.40	1.00	0.85	73.7
				EOH																131331	51.40	52.40	1.00	1.89	24.6
																				131332	52.40	53.85	1.45	0.43	10.1
																				131333	53.85	55.00	1.15	1.08	6.6
																				131334	55.00	56.00	1.00	1.64	31
																				131335	56.00	57.00	1.00	0.57	10.8
																				131336	57.00	58.00	1.00	1.05	5.7
																				131337	58.00	59.00	1.00	0.21	2.1
																				131338	59.00	59.50	0.50	0.78	17.9
																				131339	59.50	60.00	0.50	2.22	21.4
																				131340	60.00	60.60	0.60	1.5	58.4
																				131341	60.60	61.13	0.53	1.33	>200.0
																				131342	61.13	62.00	0.87	2.65	4.1
																				131343	62.00	63.00	1.00	6.44	6.4
																				131344	63.00	64.00	1.00	8.4	4.8
																				131345	64.00	65.00	1.00	33.35	14
																				131346	65.00	66.00	1.00	0.76	4.6
																				131347	66.00	67.00	1.00	0.91	5
																				131348	67.00	68.00	1.00	0.93	4.9
																				131349	68.00	69.00	1.00	1.98	10.4
																				131350	69.00	69.94	0.94	0.15	4.7
																				131351	69.94	72.10	2.16	0.26	1.8
																				131352	72.10	73.00	0.90	1.41	5
																				131353	73.00	74.00	1.00	0.43	4.4
																				131354	74.00	75.92	1.92	0.39	4.2
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
22.26	45.4	-42.7

P09-010

3RD Zone - Extending zone to the west. Low grade gold intersected through zone.

UTM E (NAD 83): 436647	**Azimuth (deg):** 045	**Start:** 15-Jul-09
UTM N (NAD 83): 6212361	**Dip (deg):** -45	**Finish:** 15-Jul-09
Elev (m): 523	**Total Depth (m):** 32.01	**Logged by:** SD
Core Size: BQ	**Pad:** 5	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	6.00	7b	PIKX	**Premier Porphyry -** Grey green silicified porphyry with fine qtz stockwork, and generally messed texture. 2% disseminated pyrite with more in veinlets, 1% disseminated spots of honey and red brown sphalerite in groundmass.																					
								3	3		2			1		2				131355	0.00	1.00	1.00	0.11	2
				1.0-1.1 - 10% medium grained pyrite veining, irregular										10						131356	1.00	2.00	1.00	0.27	3.8
																				131357	2.00	3.00	1.00	0.14	6.3
6.00	32.01	7v	VMXX	**Main 3RD Zone -** Strongly silicified stockworked porphyry with grey green porphyry seen through veining and silicification. Late white quartz and chlorite veining cuts other veins. Largely brecciated quartz texture. Intermittent rusty sections with vugs and pyrolusite. Rubble as indicated and likely ending in a stope or adit. Lost water and last peices of core are mixed rubble. 3% pyrite finely disseminated and stronger in veinlets, 2% honey sphalerite disseminated and stronger in veinlets, tr galena, tr cpy, dark grey black mineral in vugs (may be sphalerite?).				4	4		2		2	3	0.1	2		0.1	blk?	131358	3.00	4.00	1.00	0.55	5.1
				7.5-7.97 - weakly rusty zone with abundant vugs with dark brown coatings inside, and 5% med gr pyrite disseminated in quartz				5	5				3	5						131359	4.00	5.00	1.00	0.82	2.8
				15.1-15.35 - 4% sphalerite here as small spots in groundmass of silicified porphyry.																131360	5.00	6.00	1.00	0.2	3.7
				16.23-17.23 - moderately rusty section with weak vugs, pyrolusite staining around vugs									3							131361	6.00	7.00	1.00	0.59	3.4
				18-19.21 - weakly rusty, weak vugs, strong pyrolusite staining, pyrite, sphalerite and tr galena in quartz in this zone.									3	3	0.5	1				131362	7.00	8.00	1.00	0.56	6.6
				19.21-20.5 - rubbly section with vuggy quartz.																131363	8.00	9.00	1.00	0.2	13.9
				22.2-23.2 - rubbly section with rusty fractures, and some vuggy quartz.									3							131364	9.00	10.00	1.00	0.32	7.7
				23.9-29.1 - strongest silicification with finely disseminated flecks of pyrite, sphalerite and tr galena and tr cpy. Stronger sulfides (mostly sphalerite and pyrite) in bands at **24.6** and **25.6.**																					
								5	5					4	0.5	3		0.1		131365	10.00	11.00	1.00	1.19	24.7
				Last pieces of core and mixed rubble and driller lost water here. Likely hit a stope or adit.																131366	11.00	12.00	1.00	0.07	3.7
																				131367	12.00	13.00	1.00	0.1	3.8
																				131368	13.00	14.00	1.00	0.39	2.3
				EOH																131369	14.00	15.00	1.00	0.13	4.6
																				131370	15.00	16.00	1.00	0.65	6.3
																				131371	16.00	17.00	1.00	1.29	3.6
																				131372	17.00	18.00	1.00	3.05	5.8
																				131373	18.00	19.00	1.00	0.98	5.5
																				131374	19.00	20.00	1.00	1.22	4.7
																				131375	20.00	21.00	1.00	0.2	2.5
																				131376	21.00	22.00	1.00	0.64	27.6
																				131377	22.00	23.00	1.00	0.18	3.3
																				131378	23.00	24.00	1.00	0.19	4.5
																				131379	24.00	25.00	1.00	2.55	11.9
																				131380	25.00	26.00	1.00	2.04	27.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				131381	26.00	27.00	1.00	0.8	10.4
																				131382	27.00	28.00	1.00	0.22	2.6
																				131383	28.00	29.10	1.10	0.69	4.9
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
17.07	46.0	-65.9
44.51	46.4	-64.8

P09-011

3RD Zone - Extending zone to the west. Low grade intersected over 16 meters with 1 sample running 12.38 g/t Au.

UTM E (NAD 83): 436647	**Azimuth (deg):** 045	**Start:** 16-Jul-09
UTM N (NAD 83): 6212361	**Dip (deg):** -65	**Finish:** 17-Jul-09
Elev (m): 523	**Total Depth (m):** 55.79	**Logged by:** SD
Core Size: BQ	**Pad:** 5	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	32.63	7b	PIKX	**Premier Porphyry -** grey green fsp hornblende porphyry with common sub-angular white fsps up to 2cm. Weakly chloritic, weak to strong silicification and veining. See indicated intervals. Intermittent intervals of rusty oxidized vuggy pyrolusitic fractured rock as indicated. Pods of massive coarse pyrite as indicated, but overall 1% finely disseminated pyrite. Spotty sphalerite mostly dark orange brown with some fine honey coloured sphalerite with fine galena as indicated. Stronger clots of chlorite associated with white quartz and sometimes associated with sphalerite and trace chalcopyrite.																						
								3	3		3		2	1	0.1	0.5		0.1		131384	0.00	1.70	1.70	3.76	9.4
				1.6 - cm wide quartz veinlet with large coarse dark red brown sphalerite clots.	qtz vnlt	45										5				131385	1.70	2.70	1.00	0.37	5
				6.98-8.98 - strong silicification with white quartz stockwork cross cutting at about 40 tca and rust stained qtz chlorite veining at 25 tca. 8-8.15 - 4% red brown sphalerite with tr chalcopyrite disseminated in grey qtz. 8.3-8.5 - massive pyrite.	qtz vnlts	40														131386	2.70	3.70	1.00	0.11	2.1
					qtz chl vn	25		4	4		3			4		2		0.1		131387	3.70	4.70	1.00	0.25	4.7
				9.3-25.1 - increased silicification and veining, with indicated zones of rusty vuggy blocky rock. Spotty fine sphalerite up to 2%. 4% pyrite mostly finely disseminated and as medium grained veinlets. Late white quartz chlorite veining.				4	3		3		2	4		2				131388	4.70	5.70	1.00	0.16	1.9
				11.3-13 - weakly rusty and vuggy with pyrolusite staining									3							131389	5.70	6.70	1.00	0.28	4.4
				12.62-25.1 - moderate to strong iron staining, rubbly and faulted, vuggy.																131390	6.70	7.70	1.00	0.11	4.8
				23.59-23.69 - Fault Gouge roughly 65 tca.	fault gg	65														131391	7.70	8.70	1.00	0.75	8.8
				25.1-25.5 - messed up breccia texture with very fine disseminated pyrite										4						131392	8.70	9.70	1.00	0.24	4.3
																				131393	9.70	10.70	1.00	0.33	7.4
32.63	50.85	7v	VMXX	**Main 3RD Zone -** Strong silicification and quartz stockwork with late white quartz chlorite as well. Moderate chloritic stain in silicified groundmass. Strong pyrite throughout mostly as medium to coarse grained clusters, veinlets and pods up to 15%. Trace to 1% sphalerite as fine honey spots mostly between 47.5 and 50.85. Some of the sphalerite here is pale grey. Lower end of zone is again marked by massive clots of pyrite.																						
								5	5		3			7	0.1	1		0.1		131394	10.70	11.70	1.00	0.11	1.2
				Few short vuggy rusty sections.																131395	11.70	12.70	1.00	0.16	1.9
				Dark grey brecciated quartz towards lower end.																131396	12.70	13.70	1.00	0.37	1.9
				Lower contact sharp but roughly 70 tca.	LC	70														131397	13.70	14.70	1.00	0.22	3.7
																				131398	14.70	15.70	1.00	0.28	7.7
50.85	55.79	9zy	AXXY	**Andesite -** Dark grey fine grained andesite. Very fine texture, blocky with rusty fractures. Weakly bleached for 50 cm below upper contact. Weak fabric 80 tca. Very fine weak qtz cc stockwork.																				
													2							131399	15.70	16.70	1.00	1.19	3.7
																				131400	16.70	17.70	1.00	0.15	1.6
																				131401	17.70	18.70	1.00	0.19	3.5

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				131402	18.70	19.70	1.00	0.17	5
																				131403	19.70	20.70	1.00	0.25	2.4
																				131404	20.70	21.70	1.00	0.06	3
																				131405	21.70	22.70	1.00	0.2	5.9
																				131406	22.70	23.70	1.00	0.18	3.1
																				131407	23.70	24.70	1.00	0.19	2.6
																				131408	24.70	25.50	0.80	0.1	5.2
																				131409	25.50	27.50	2.00	0.11	2.9
																				131410	27.50	29.50	2.00	0.16	26.9
																				131411	29.50	30.50	1.00	0.46	8.4
																				131412	30.50	31.50	1.00	0.08	5.3
																				131413	31.50	32.65	1.15	0.06	12.1
																				131414	32.65	33.50	0.85	0.19	35.8
																				131415	33.50	34.50	1.00	0.23	11.7
																				131416	34.50	35.50	1.00	0.72	37.8
																				131417	35.50	36.50	1.00	0.77	60.4
																				131418	36.50	37.50	1.00	0.66	21.2
																				131419	37.50	38.50	1.00	1.38	30.2
																				131420	38.50	39.50	1.00	4.33	54.9
																				131421	39.50	40.50	1.00	1.4	12.8
																				131422	40.50	41.50	1.00	1.14	35.4
																				131423	41.50	42.50	1.00	1.23	21.2
																				131424	42.50	43.50	1.00	1.2	12.1
																				131425	43.50	44.50	1.00	2.35	162.4
																				131426	44.50	45.50	1.00	0.28	8.4
																				131427	45.50	46.50	1.00	0.46	5.4
																				131428	BLANK			0.01	<0.1
																				131429	STD	PM427		3.52	1.8
																				131430	46.50	47.50	1.00	0.98	12.8
																				131431	47.50	48.50	1.00	2.34	12.1
																				131432	48.50	49.50	1.00	2.31	19.3
																				131433	49.50	50.85	1.35	12.38	129.6
																				131434	50.85	52.00	1.15	0.28	8.8
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
3.66	19.1	-88.9
47.87	15.8	-88.8

P09-012

Power Zone - Targeting flat lying zone in middle of body to confirm Westmin's drilling.

UTM E (NAD 83): 436010	**Azimuth (deg):** 000	**Start:** 17-Jul-09
UTM N (NAD 83): 6213022	**Dip (deg):** -90	**Finish:** 19-Jul-09
Elev (m): 255	**Total Depth (m):** 58.54	**Logged by:** SD
Core Size: BQ	**Pad:** 6	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	37.04	7a	PIPX	**Porphyry -** Grey green fine grained weakly foliated porphyry, blurred texture of fsp phenocrysts, dark spots of hornblende and/or pyroxene phenocrysts, extremely fine groundmass, vitreous looking groundmass. Very rare larger sub-angular phenocrysts up to 1cm. 1% very finely disseminated pyrite.																131435	36.00	37.04	1.04	0.22	6.5
				Very fresh looking.																131436	37.04	37.87	0.83	0.1	3.7
				Weak foliation 50-55	fol	50								1						131437	37.87	38.40	0.53	3.86	664.3
				20.43-20.77 - rubble																131438	38.40	39.00	0.60	2.83	27.6
				21.25 - very fine fault seam 30 tca	fault	30														131439	39.00	39.50	0.50	0.23	5.6
				22-23.34 - rubbly section with weak quartz veining, up to 3% fine pyrite, gougy kaolinitic coating on rubble pieces, lower end marked by fault goug plane 70 tca.	fault	70		2						3						131440	39.50	40.00	0.50	0.16	4.7
				23.23-37.04 - 2% disseminated pyrite										2						131441	40.00	40.50	0.50	0.06	3.6
				26.9-29.07 - moderately silicified zone, bleached weakly, texture weakly obscurred.				2	3											131442	40.50	41.07	0.57	3.36	54.4
				27.5-29.07 - rubbly fractured with moderate quartz stockwork roughly 0 tca and 25 tca.																131443	41.07	43.00	1.93	0.18	3.6
				Lower contact marked by start of white quartz veining. Actual contact between porphyry and andesite below is somewhere in this mineralized veined zone, but textures are obscurred.																131444	43.00	45.00	2.00	0.21	3.2
																				131445	45.00	47.00	2.00	0.37	2.9
37.04	41.07	7v	VMXX	**Mineralized vein zone -** Mostly white late-looking quartz with lesser dark green chlorite, blobby and roughly 0 tca to 70 tca. Rock between these veins is silicified and brecciated, but the mineralization appears to be associated with these late white veins. Sulfide percents are given for overall zone, but sulfides are semi-massive, and described below. between massive slfx blobs and white veins pyrite is 5% disseminated.				4	2		2			5	5	4		2		131446	47.00	49.00	2.00	0.08	3.4
				37.87-38.24 - massive sulfides, fine grained, 20% pyrite, 20% soft dark platey mineral (sph? Too soft to be galena. Crumbles dark grey when scratched, but smeared bright silver by drill). 10% red bronw sphalerite, 10% galena, 4% chalcopyrite										20	10	10		4	20? Fdm	131447	49.00	50.22	1.22	0.09	1.2
				38.47- 38.62 - Strong fine grained sulfides roughly 40 tca. Pyrite, sphalerite, chalcopyrite. Some flecks of chalcopyrite and sphalerite in fine earlier quartz veinlets. Sphalerite is red brown in colour.	qtz/slfx	40								15		8		3							
				38.9-40.0 - 8% pyrite and 3% red brown sphalerite in siliceous rock around white qtz.										8		3									
				40.7-41.0 - bands of white quartz roughly 50 tca with strong sulfides similar to zone at 37.87. Fine grained massive bands of pyrite, sphalerite, silvery grey mineral (?gn?) and lesser chalcopyrite flecks	qtz/slfx	50								8	3	4		2	6 (?)						

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
41.07	50.22	9a	AXXX	**Andesite -** grey very fine grained to aphanitic but sometimes finely grainy andesite. Weakly chloritic, 4% pyrite throughout. Weak fine qtz calcite veinlets with rare larger white qtz chlorite vein.				1			3			4											
				Lower contact 55 tca	LC	55																			
50.22	51.74	7a	PIPX	**Porphyry -** grey fine grained porphyry as at top of hole.																					
				Lower contact 90 tca	LC	90																			
51.74	52.52	9a	AXXX	**Andesite -** fine grained andesite a little messed up texture, some quartz veining adjacent contacts. 4% very fine pyrite and 1% red brown sphalerite close to upper contact.				2	1					4		1									
				Lower contact 80 tca	LC	80																			
52.52	53.48	7a	PIPX	**Porphyry -** grey fine grained porphyry as at top of hole.																					
				53.0 - <cm scale qtz sphalerite veinlet at 50 tca	sph vnlt	50										3									
				Lower contact 60 tca	LC	60																			
53.48	53.70	9a	AXXX	**Andesite -** fine grained grey andesite with a little broken up texture and weak qtz calcite wisps.																					
				Lower contact 60 tca	LC	60																			
53.70	58.54	7a	PIPX	**Porphyry -** grey fine grained porphyry as at top of hole.																					
				EOH																					

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
14.63	161.6	-58.6
60.37	164.5	-57.6
124.39	166.3	-56.3

P09-013

Power Zone - Confirming dip and thickness of zone. Also drilled through the Premier Porphyry to check for mineralization at the lower contact, and did see silicification, brecciation and sulfides.

UTM E (NAD 83): 436010	**Azimuth (deg):** 160	**Start:** 19-Jul-09
UTM N (NAD 83): 6213022	**Dip (deg):** -60	**Finish:** 21-Jul-09
Elev (m): 255	**Total Depth (m):** 136.59	**Logged by:** SD
Core Size: BQ	**Pad:** 6	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	3.66	OVB	CAS	Casing																					
3.66	34.93	7a	PIPX	**Porphyry -** Grey green fine grained weakly foliated porphyry, blurred texture of fsp phenocrysts, dark spots of hornblende and/or pyroxene phenocrysts, extremely fine groundmass, vitreous looking groundmass. Very rare larger sub-angular phenocrysts up to 1cm. 1% very finely disseminated pyrite. Weak fabric 60 tca. .5% finely disseminated pyrite.							1			0.5						131448	33.30	34.93	1.63	0.02	2.9
				15.5-21.7 - weakly fractured with weak iron staining on fracture surfaces									1							131449	34.93	35.50	0.57	0.09	10.8
				22.45-22.8 - quartz calcite veining giving brecciated texture, up to 1% pyrite, not particularlly juicy, no alteration.				3						1						131450	35.50	36.00	0.50	0.45	9.2
				33.3-34.93 - Fault Zone - weakly bleached fractured and fault gouged with gougy fault planes at 20 tca and 0 tca	fault gg	20														131451	36.00	36.50	0.50	12.62	72.7
					fault gg	0														131452	36.50	37.00	0.50	23.2	71.5
																				131453	37.00	37.50	0.50	1.43	14.5
34.93	39.75	7v	VMXX	**Mineralized Veined zone - Power Zone -** grey silicified zone cut by white quartz calcite veins in blobby bands. Strong bands of massive sulfides (pyrite, sphalerite, galena, chalcopyrite, silver mineral?,) looks it could be either associated with earlier silicification of later white veins (?) Towards end of zone sulfides are a fairly evenly spaced spots of pyrite and sphalerite. Overall sulfides are finely disseminated and as fine veinlets throughout the zone with indicated stronger zones.				4	4					10	2	4		1		131454	37.50	38.00	0.50	0.93	16.8
				36.1-37.35 - Most intense sulfide with 20% pyrite, 6% sphalerite, 3% galena, 2% chalcopyrite in massive fine grained bands.										20	3	6		2		131455	38.00	38.50	0.50	0.21	5.6
				38.6-39.02 - Spotty textured sulfides with 10% pyrite, 5% sphalerite, 2% galena. Sphalerite is pale orangy honey coloured.										10	2	5				131456	38.50	39.00	0.50	7.68	73.6
				Zone is fine grained and silicified to lower contact. Looks almost like andesite towards end, but may be just silicified texture obscurring.																131457	39.00	39.75	0.75	0.11	4.5
				Lower contact sharp and about 75 tca.	LC	75														131458	BLANK			<0.01	<0.1
																				131459	STD	PM405		0.28	0.3
39.75	76.01	7a	PIPX	**Porphyry -** As at top of hole but with rare quartz calcite veinlets irregular though core and 2-4% disseminated pyrite.										3						131460	39.75	41.75	2.00	0.12	1.4
				45.17-45.58 - silicified zone with brecciated texture, 4% very fine pyrite in dark matrix and trace sphalerite.				3	3					4		0.5				131461	41.75	43.75	2.00	0.12	1.5
				48.95-49.03 - pale grey quartz vein 60 tca with 3% pyrite, 5% dark red clots of sphalerite, .5% galena.	Qtz vn	60		4	4					3	0.5	5				131462	43.75	45.10	1.35	0.07	1.6
				69.65-70.04 - Weakly brecciated and silicified at top and bottom over 5cm, narrow quartz veins with minor small blebs of pyrite and sphalerite.					4					4		0.5				131463	45.10	45.60	0.50	0.03	1.2
				70.04-76.01 - Weak silicification to end of unit, minor pyrite (2%).					1					2											
				Crystal shapes at lower contact become faint, slight green tinge with a faint breccia texture.																131464	45.60	47.60	2.00	0.05	0.4

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
																				131465	47.60	48.75	1.15	0.11	0.5
																				131466	48.75	49.08	0.33	0.34	6.6
																				131467	49.08	50.08	1.00	0.04	0.1
76.01	94.74	9a	AXXX	**Andesite -** Variable unit of weakly altered and brecciated andesite. Fine grained matrix with minor short intervals of 1-2mm rounded plagioclase phenocrysts. Rock is dark green-black coloured with a faint bleached texture. Quartz viens up to 1cm occury throughout unit, ~45 tca, with a more rare cross-cutting set at 10 tca.					2					2						131468	75.01	76.01	1.00	0.01	0.1
				76.01-77.19 - Dark coloured more uniform andesite with fine diss py. Small blebs of sphalerite/pyrite/galena over 20 cm at top of unit.					1					10	0.5	1				131469	76.01	76.24	0.23	0.22	51.5
				87.19-89.60 - Weakly altered and bleached plag porphyry, wavy contacts about 45 tca. Minor pyrite.					1					2						131470	76.24	77.19	0.95	0.05	1.4
				90.10-90.27 - Quartz flood with strong pyrite and minor strung out blebs of sphalerite.	Qtz	70			4					10		1				131471	77.19	78.19	1.00	0.21	4.2
				Lower contact sharp at 65 tca,																131472	78.19	79.19	1.00	0.2	2.1
94.74	117.31	7a	PIPX	**Porphyry** - Medium grey coloured, medium grained groundmass with 10% euhedral feldspar crystals to 1cm. Minor thin quartz veinlets, 30-45 tca. Minor disseminated pyrite through unit with sporadic narrow blebs. Rock is only weakly altered to 107.87m. From 107.87m to end of unit rock is variably silica flooded. Plagioclase crystals become more faint with increasing quartz flooding.																131473	105.87	106.87	1.00	0.06	1.4
				106.0-108.0 - prominent <1mm pyroxene crystals.																131474	106.87	107.87	1.00	0.04	1.9
				108.98-110.02 - Weathered rock with strong silica flood and moderate fine pyrite.					2					3						131475	107.87	108.98	1.11	0.57	2.2
				110.02-111.82 - None to weak silica flood																131476	108.98	110.02	1.04	0.42	3
				111.82-117.31 - Quartz flood with fine grained and small blebs of pyrite.					4					2						131477	110.02	111.02	1.00	0.51	2.4
				114.64-114.84 - Quartz-Calcite vein with sharp contacts at 45 tca.					5											131478	111.02	111.82	0.80	0.08	2.1
				Lower contact contains a 2cm thick quartz vein.		40														131479	111.82	112.82	1.00	0.24	4.1
																				131480	112.82	113.82	1.00	0.06	3.1
																				131481	113.82	115.31	1.49	0.14	6.8
																				131482	115.31	116.31	1.00	0.54	21.5
																				131483	116.31	117.31	1.00	0.54	39.9
117.31	119.45	7a	PIPX	**Porphyry** - Mixed unit largely of Porphyry plus some fragments of andesite. Locally heavily brecciated with a fine to medium grained calcite +quartz matrix. Andesite fragments are a deep green colour, porphyry fragments have a faint green tinge and contain a weak crackle breccia texture. Disseminated to small blebs of pyrite throughout, small blebs of brown sphalerite below 118.31 along with more abundant andesite.					3		1			3						131484	117.31	118.31	1.00	0.2	16.3
				117.94-118.31 - Strong calcite in matrix																131485	118.31	119.45	1.14	0.13	17.7
				118.31-119.45 - Minor small blebs of sphalerite.										3		1				131486	BLANK			<0.01	0.1
				Lower contact sharp 50 tca.																131487	STD	PM427		3.56	0.9
119.45	130.43	9a	AXXX	**Andesite** - Dark green coloured, fine to medium grained with abundant thin quartz-calcite veins. Increasing alteration with depth. Fine to small blebs of pyrite through unit.										7						131488	119.45	120.45	1.00	0.4	47.5
				128.33-128.77 - Strong pyrite-sphalerite stockwork, strung out 20-30 tca. Blue calcite in middle of interval.										30		5				131489	120.45	121.45	1.00	0.29	20.1
				128.77-130.03 - Abundant blebs to stringers of fine grained pyrite.										15						131490	127.33	128.33	1.00	0.18	64.5

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
				128.77-129.76 - Weathered rock																131491	128.33	128.77	0.44	1.81	369.8
				129.02-129.14 - Quartz-calcite vein, lct 60 tca.	Ct	60														131492	128.77	129.76	0.99	1.45	131.8
				129.76-130.03 - Faulted, fragmental, minor gouge.	Flt	10														131493	129.76	130.43	0.67	0.22	33
				Lower contact marks an end to alteration below fault, somewhat gradational.																					
130.43	136.59	9a	AXXX	**Andesite** - Dark green to black coloured, fine grained and none to poorly altered. Minor quartz-calcite veins at shallow angle tca. Minor fine grained pyrite often defining fractures. Local weak brecciation with irregular quartz-calcite matrix.										7											
136.59 =EOH																									

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
17.38	342	-58.6
75.00	346.2	-56.4

P09-014

Power Zone - Confirming dip and thickness of zone.

UTM E (NAD 83): 436010	**Azimuth (deg):** 340	**Start:** 21-Jul-09
UTM N (NAD 83): 6213022	**Dip (deg):** -60	**Finish:** 22-Jul-09
Elev (m): 255	**Total Depth (m):** 75.92	**Logged by:** L. Bjornson
Core Size: BQ	**Pad:** 6	**Analysis:** Assayers Canada

Depth (m)				DESCRIPTION - LITHOLOGY	STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)						Sample No.	Interval (m)			Au g/t	Ag g/t
From	To	Lith	Code		Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other		From	To	Width		
0.00	2.13	OVB	CAS	**Casing**																					
2.13	9.35	7a	PIPX	**Porphyry** - Dull green-grey coloured, fine grained rock with 20%, 1-2mm euhedral plagioclase phenocrysts. Minor 2-3mm thick quartz-calcite veinlets at various angles tca. Weak banded appearance, 45 tca. Minor disseminated to small blebs containing fine grained pyrite.										0.5											
				Lower contact is wavy, 40 tca.																					
9.35	20.68	9z	AXXZ	**Andesite** - Medium to dark green unit of fine to medium grained, altered and brecciated andesite. None to moderate banded appearance ~50 tca. Poor fine grained, disseminated pyrite.										2											
				Lower contact fractured, 50 tca.																					
20.68	28.18	7a	PIPX	**Porphyry** - Medium green coloured with a fine grained matrix and 1-3mm subhedral fsp phenocrysts. Moderate to strong bleached appearance. Minor disseminated pyrite. Increasingly altered and brecciated with depth, especially over last metre. Minor quartz-calcite veins to 1cm thick, about 45 tca.					1		1			3											
				Lower contact at 80 tca, marked by a faint change in groundmass. Altered and brecciated above and below.																131494	27.18	28.18	1.00	0.01	0.7
28.18	30.63	9z	AXXZ	**Andesite** - strongly altered and brecciated. Abundant quartz-calcite veinlets and pods comprising up to 15% of rock, no preferred orientation. Abundant, fine grained disseminated pyrite. Irregular shape to fragments with the rare occurrence of 2-3cm angular fragments. Quartz-calcite matrix is barren of sulphides.					2		1			10						131495	28.18	29.18	1.00	0.01	1.9
				Lower contact moderately distinct, change in alteration and rock texture.																131496	29.18	30.18	1.00	0.03	3.4
																				131497	30.18	30.63	0.45	0.01	1.6
																				131498	30.63	31.63	1.00	0.82	22.8
																				131499	31.63	32.63	1.00	0.16	7.4
																				131500	32.63	33.63	1.00	0.11	3.2
30.63	54.99	7a	PIPX	**Porphyry -** Medium grey coloured, weakly bleached with a fine to medium grained matrix, 5% 1cm euhedral fsp phenocrysts. Fsp phenocrysts are rare at top and bottom of unit over several metres. Minor fine grained disseminated pyrite.					1					2											
				30.63-32.00 - Rare small blebs containing fine grained pyrite observed at top of unit.																					
				Lower contact 35 tca, wavy but sharp.																					

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
54.99	56.76	7a	PIPX	**Porphyry -** Mineralized. Medium grey coloured, fine to medium grained unit with strong chunky quartz veining and moderate silicification. Abundant fine grained pyrite ocurring as blebs and stringers.				1	3					15						131501	52.99	53.99	1.00	0.52	55.6
				56.51-56.76 - Strong blue coloured calcite over 25cm at base.																131502	53.99	54.99	1.00	0.71	42.8
				Lower contact 35 tca, sharp.																131503	54.99	55.99	1.00	12.34	40.8
																				131504	55.99	56.76	0.77	2.84	17.5
56.76	61.09	22a	D/AX	**Andesite** - Dark coloured, fine to medium grained with little to no alteration. Sporadic <1mm quartz-calcite veinlets, at a shallow angle tca. Elongate, rounded plag crystals to 3mm long, very minor.																131505	56.76	57.76	1.00	0.05	<0.1
				Lower contact 55 tca with a weak chilled margin over 2cm.																131506	57.76	58.76	1.00	0.02	<0.1
																				131507	58.76	60.09	1.33	<0.01	<0.1
61.09	65.05	7v	VNXX	**Porphyry** - Dark coloured fine to medium grained host rock with abundant white coloured quartz and calcite. Abundant sulphides but weakens after 63.31m. Blebs containing fine grained pyrite observed to 0.5cm, galena appears rimming pyrite blebs and sometimes strung out. Sulphides appear in host rock or adjacent to quartz but not contained in quartz.					4											131508	60.09	61.09	1.00	<0.01	<0.1
				61.09-63.31 - Strong sulphides, pyrite plus galena.										20	5										
				63.31-65.05 - Weak sulphides, rare sphalerite										5		0.5				131509	61.09	62.09	1.00	1.77	63.4
																				131510	62.09	63.31	1.22	1.09	7.5
65.05	75.92	7a	PIPX	**Porphyry** - Medium grey coloured, fine to medium grained groundmass with subangular plag crystals up to 3mm in dia (20%) and a second set of angular plag up to 1cm across. Minor fine grained pyrtie through unit. Locally moderate quartz veining but with an irregular shape. Abundant medium to course grained quartz at bottom of hole over 30cm but devoid of sulphides. Most of groundmass is very fine grained with faint crystal outlines.				1						1						131511	63.31	64.31	1.00	2.35	7.5
																				131512	64.31	65.05	0.74	0.7	12.8
75.92 = EOH (249')																				131513	BLANK			0.01	0.3
																				131514	STD	PM 405		0.27	0.2
																				131515	65.05	66.05	1.00	0.04	1.2
																				131516	66.05	67.05	1.00	0.03	2.2

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
11.58	157.3	-44.3
72.56	161.1	-40.9
148.78	163.6	-36.3

P09-015

Hope Zone - Drilling from north to south across steep dipping Hope. Intersected a zone that appeared to be too early and not of the right mineralization to be the Hope, and then nothing. Possible it was the Hope.

UTM E (NAD 83): 435999	**Azimuth (deg):** 155	**Start:** July 22/09
UTM N (NAD 83): 6212862	**Dip (deg):** -45	**Finish:** July 24/09
Elev (m): 243	**Total Depth (m):** 157.93	**Logged by:** L. Bjornson
Core Size: BQ	**Pad:** 7	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	4.57	OVB	CAS	**Casing**																					
4.57	32.17	7a	PIPX	**Porphyry** - Medium grey coloured, with a fine to medium grained matrix containg over 20% 2-3mm rounded fsp crystals. Weak crackle quartz-calcite breccia texture with veinlets at various angles, typically shallow tca. Several short intervals of strong quartz flood with sulphides as noted below. Quartz vein, 56cm thick at bottom of unit above contact. Large cm-sized plag crystals are minor ~5%.																							
														1						131517	14.47	15.47	1.00	0.02	0.5
				15.47-16.61 - Strong quartz flood with abundant pyrite					5					10						131518	15.47	15.82	0.35	0.02	2.3
				14.47-18.20 - Quartz alteration halo adjacent to vein					2					3						131519	15.82	16.61	0.79	1.65	121.2
				18.81-18.86 - Mixed gravel and gouge fault, 55 tca.	Fault	55														131520	16.61	17.61	1.00	0.05	4.9
				30.34-30.89 - Moderate quartz crackle breccia with minor brown-tan sphalerite and small chunks of pyrite.				3						3		3				131521	17.61	18.61	1.00	0.02	1.7
				31.61-32.17 - Quartz vein					5																
				Lower contact below quartz vein, sharp 60 tca.																					
32.17	46.26	9a	AXXX	**Andesite** - Dark coloured, with a fine to medium grained matrix and abundant quartz-calcite veins. Locally brecciated with chunks of rounded quartz, veinlets give a strong crackle breccia texture to rock. Variable sulphides, weak pyrite overall. Rock is weakly broken up, especially near bottom of unit. Weak chlorite alteration.							1			1						131522	29.34	30.34	1.00	0.17	21.9
				36.49-38.85 - Strong brecciation with chunky rounded quartz.										2						131523	30.34	30.89	0.55	0.14	46.7
				38.85-42.35 - Stringers to small blebs of sulphides ocurring as fracture fill. Pyrite plus more locallized sphalerite.										5		5				131524	30.89	31.61	0.72	0.1	16.3
				42.35-46.26 - Small blebs of pyrite, rare sphalerite										2		0.5				131525	31.61	32.17	0.56	0.15	14.9
																				131526	BLANK			<0.01	0.2
46.26	72.94	9a	AXXX	**Andesite** - Dark green coloured, fine grained with minor quartz-calcite veinlets, typically at 45 tca but also variable. Unit is very uniform, and weakly bleached more in the middle.																131527	STD	PM 427		3.54	0.9
				67.44-69.59 - Weakly brecciated and with 1mm pyrite crystals over 10cm at top of interval. Stronger brecciation 67.97-68.45m with minor quartz.										2						131528	32.17	33.17	1.00	0.01	1.8
				Lower contact is sharp, 80 tca																131529	33.17	34.17	1.00	0.01	0.5
																				131530	34.17	35.17	1.00	0.03	0.9
72.94	113.09	7a	PIPX	**Porphyry** - Dull grey coloured, medium grained groundmass with minor euhedral plag crystals to 1cm. Weak fracture fill to small blebs of pyrite. Groundmass becomes finer grained with depth and slightly more bleached.					1					3						131531	35.17	36.49	1.32	0.01	1
				96.42-99.56 - Dark green coloured, fine to medium grained Andesite. Weakly bleached and minor pyrite.																131532	36.49	37.85	1.36	<0.01	2.1
				99.56-99.66 - Quartz vein, contacts 20 tca.																131533	37.85	38.85	1.00	<0.01	1.9
				101.0-103.0 - Weakly fractured with fractures <45 tca.																131534	38.85	39.85	1.00	0.11	5.6
				Lower contact represents a change in texture																					

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
																				131535	39.85	40.85	1.00	0.28	16.3
113.09	119.09	9a	AXXX																						
				Andesite - Dark green coloured with a fine to medium grained well brecciated rock. Rock appears locally brecciated with cm-sized clasts of andesite and stong quartz-calcite infill. Clasts are only weakly altered, incresing slightly lower in unit. Minor pyrite but locally strong sphalerite over 30cm. Quartz typically appears as irregular fracture fill but there are several cm-banded quartz veins, 80 tca. Rock above 116.37m has a crackle breccia texture, below 116.37m stronger infilling of quartz-calcite.				3						1		3				131536	40.85	41.57	0.72	0.13	11
				Lower contact marks a distinct change in rock texture.																131537	41.57	42.35	0.78	0.08	6
																				131538	42.35	43.35	1.00	0.03	6
119.09	132.56	9a	AXXX	**Andesite** - Dark grey-green coloured, fine grained and largely unaltered. Minor crackle breccia texture at top of unit weakens with depth. Scattered small blebs of pyrite to 3mm.																131539	43.35	44.35	1.00	0.03	4.3
																				131540	44.35	45.12	0.77	0.01	4.9
				130.63-132.56 - Several intervals up to 30cm long containing megacrystic quartz, calcite and feldspar.																131541	45.12	46.26	1.14	0.03	2.1
				Lower contact at bottom of quartz vein.																131542	46.26	47.26	1.00	<0.01	0.1
																				131543	47.26	48.26	1.00	0.01	1.3
132.56	139.08	7a	PIPX	**Porphyry** - Dull green-grey coloured, medium grained with minor pyroxene and ~10% rounded fsp to 2mm long. Minor shallow angle quartz-calcite veinlets. Minor pyrite.										1						131544	111.09	112.09	1.00	<0.01	0.4
				Lower contact 50 tca.																131545	112.09	113.09	1.00	0.01	0.7
																				131546	113.09	114.09	1.00	0.05	2.1
139.08	157.93	9a	AXXX																						
				Andesite - Fine grained, green-grey colour with a weak breccia texture. Quartz calcite veins at 45 tca. Fine grained disseminated pyrite.										3						131547	114.09	115.09	1.00	0.01	0.8
																				131548	115.09	116.37	1.28	0.02	3.3
157.93 = End of hole (518 feet)																				131549	116.37	117.09	0.72	0.12	8.8
																				131550	117.09	118.09	1.00	0.02	11.6
																				131551	118.09	119.09	1.00	0.17	20.7
																				131552	119.09	120.09	1.00	0.27	<0.1
																				131553	120.09	121.09	1.00	<0.01	0.6

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
24.09	158	-65.7
109.45	163.3	-65.1
200.91	163.0	-64.5

P09-016

Hope Zone - Targeting underneath zone intersected in previous hole.
Successfully intersected, and deemed to be sub-vertical.

UTM E (NAD 83): 435999	**Azimuth (deg):** 155	**Start:** July 24/09
UTM N (NAD 83): 6212862	**Dip (deg):** -65	**Finish:** July 26/09
Elev (m): 243	**Total Depth (m):** 209.42	**Logged by:** L. Bjornson
Core Size: BQ	**Pad:** 7	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	5.18	OVB	CAS	**Casing**																					
5.18	42.20	7a	PIPX	**Porphyry** - Dull green-grey coloured, medium grained with fsp, pyroxene and minor hornblende to 1mm. Weakly silicified along with minor pyrite but over short (<30cm) intervals. Minor fsp phenos to 1cm. After 22.0m Quartz-calcite veining becomes stronger with some veins up to 1cm and locally brecciated.				2	1					1						131554	11.85	12.85	1.00	<0.01	1.6
				12.85-13.48 - Strong quartz-calcite filled fractures with cross cutting pyrite				4	2					5						131555	12.85	13.48	0.63	0.03	5.1
				13.48-15.96 - Altered fine grained andesite. Weak quartz-calcite stockwork.																131556	13.48	14.48	1.00	0.02	8.9
				33.06-42.20 - Weak silica flood with small rounded blebs of pyrite. Minor sphalerite				3	3					5						131557	31.06	32.06	1.00	0.01	2.9
				39.33-42.20 - Strong pyrite mineralization in silicified host rock. Minor sphalerite observed on margins of quartz veins.				2	4					20		3				131558	32.06	33.06	1.00	0.02	13.3
				Lower contact is sharp at 50 tca with strong silicification over 3cm above contact.	Lct	50														131559	33.06	34.06	1.00	0.01	5.1
																				131560	34.06	35.06	1.00	0.07	6.5
42.20	67.89	22a	D/AX	**Andesite** - Dull green-grey coloured and fine grained. Moderate quartz crackle at top of unit to 49.0m then becomes uniform and largely unaltered. Minor fracture fill pyrite.										3						131561	35.06	36.06	1.00	0.05	1.6
				57.84-63.64 - Weakly porphyritic with <1mm rounded plag phenos. Weakly weathered above and strong brecciation below over 1m.																131562	36.06	37.06	1.00	0.04	12.8
				Lower contact sharp 45 tca	Lct	45														131563	37.06	38.06	1.00	0.01	4
																				131564	38.06	39.33	1.27	0.03	9.2
67.89	86.33	7b	PIKX	**Porphyry** - dull grey coloured, medium grained matrix with 5% euhedral fsp phenos to 1cm. Minor quartz veinlets, uniform unit.																131565	39.33	40.33	1.00	0.16	32.5
				Lower contact wavy at a high angle tca.																131566	40.33	41.33	1.00	0.7	72.9
																				131567	41.33	42.20	0.87	0.01	1.3
86.33	88.93	22a	D/AX	**Andesite** - Dark green-grey coloured, fine grained and weakly altered.																131568	BLANK			<0.01	<0.1
				Lower contact weakly fractured.																131569	STD	PM405		0.28	0.3
																				131570	42.20	43.20	1.00	0.03	1.9
88.93	106.92	7a	PIPX	**Porphyry** - Dull grey coloured, medium grained with minor fsp phenos. No alteration with very minor quartz veinlets, 45 tca. Groundmass contains rounded plag phenos to 1mm, plus hornblende and some pyroxene to 2mm. No sulphides observed.																131571	43.20	44.20	1.00	0.01	1.9
				Lower contact sharp, 45 tca	Lct	45																			

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
106.92	130.76	9a	AXXX	**Andesite** - Dull green-grey coloured, fine grained with minor quartz-calcite veinlets and small blebs of pyrite. Rock is fairly uniform, but becomes moderatly brecciated over 2m at base.																					
				128.76-130.76 - Moderate quartz-fill breccia				2						2											
				Lower contact marks an increase in sulphide (sph) mineralization.																					
130.76	132.87	9a	AXXX	**Andesite** - Similar to above but with a strong quartz fill breccia and increased sulphides. Disseminated to small blebs of pyrite observed through unit plus small stringers and several knots of sphalerite. Weak chlorite alteration.				3	1					5		5				131572	128.76	129.76	1.00	0.04	4.4
				Lower contact marks an end to mineralization.																131573	129.76	130.76	1.00	0.01	1.1
																				131574	130.76	131.76	1.00	0.2	6.1
																				131575	131.76	132.87	1.11	0.16	21.2
																				131576	132.87	133.87	1.00	0.04	4.7
																				131577	133.87	134.87	1.00	0.01	1.8
132.87	182.62	9a	AXXX	**Andesite** - Large unit of dark grey coloured, fine grained andesite. Variable unit ranging from unaltered, to short bleached sections to weakly brecciated. Pyrite observed in quartz veins and disseminated in matrix of breccia. Minor quartz fill crackle breccia at top to 144.0m.										2						131578	164.52	165.52	1.00	0.01	<0.1
				132.87-144.00 - Weak quartz stockwork.				2						3						131579	165.52	166.20	0.68	0.02	<0.1
				138.28 - Fault, gravel and gouge, 45 tca over 3cm	Flt-gg	45														131580	166.20	167.20	1.00	0.01	<0.1
				165.52-166.20 - Small blebs of pyrite plus sphalerite at the top.							2			3		1				131581	172.63	173.63	1.00	0.13	0.3
				173.63-177.69 - Bleached. Fracture fill quartz veins with minor chlorite and blebs of pyrite. Variable orientation.					2		1			5						131582	173.63	174.63	1.00	0.19	0.5
				177.69-177.96 - Sphalerite stringers over 5cm at 35 tca in centre with several more stringers on either side.	Vein	35			1							20				131583	174.63	175.63	1.00	0.09	0.5
				177.96-182.62 - Locally strong brecciation, weakly bleached and with minor fracture fill pyrite.					3		2			7						131584	175.63	176.63	1.00	0.09	1
				182.42-182.62 - Strong silicification with a prominent banded appearance, 50-60 tca.					5											131585	176.63	177.69	1.06	0.05	1.3
				Lower contact is marked by weaker alteration and more uniform rock below.																131586	177.69	177.96	0.27	0.53	7.1
																				131587	BLANK			<0.01	<0.1
182.62	209.42	22a	D/AX	**Andesite** - Dark green coloured, fine grained with local weak brecciation containing minor fracture fill pyrite. Short intervals of weak silica flooding (=1) but overall low. Rare occurences of sphalerite observed as small lenses to 1cm long.																	STD				
																				131588		PM 427		3.46	1.6
																				131589	177.96	178.96	1.00	0.03	1.4
209.42 = End of hole (689 feet)																				131590	178.96	179.96	1.00	0.02	0.8
																				131591	179.96	180.96	1.00	0.01	0.6
																				131592	180.96	181.96	1.00	0.03	0.5
																				131593	181.96	182.62	0.66	0.01	0.6
																				131594	182.62	183.62	1.00	0.01	1

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
14.63	178.7	-45.5
121.34	171	-44.4

P09-017

Hope - Targeting Hope zone from north to south at eastern end near large trench. Unsuccessful. Zone may be faulted off at a fairly shallow depth.

UTM E (NAD 83): 436121	**Azimuth (deg):** 180	**Start:** July 26/09
UTM N (NAD 83): 6212827	**Dip (deg):** -45	**Finish:** July 27/09
Elev (m): 314	**Total Depth (m):** 130.48	**Logged by:** L. Bjornson
Core Size: BQ	**Pad:** 8	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	2.44	OVB	CAS	**Casing**																					
2.44	39.83	7a	PIPX	**Porphyry** - Light green to grey coloured, 1-2mm rounded plag crystals with a fine grained groundmass. Locally altered with weak shear bands and minor fracture fill pyrite. Rusty weathering fractures at a shallow angle tca observed in top of unit to 25.0m. After 25.0m rock becomes more competent. Minor quartz veins up to 1cm thick, 45 tca. Disseminated pyrite throughout. Some altered intervals have a weak fabric, 25-40 tca.										2						131595	23.26	24.26	1.00	0.03	0.3
				24.26-24.58 - Silicified with small pods of sphalerite.										5		3				131596	24.26	24.58	0.32	0.01	2.7
				36.00-39.83 - Bleached with disseminated to fracture fill pyrite.					2					4						131597	24.58	25.58	1.00	0.01	0.3
				39.34-39.83 - Silicified with shear bands, 60 tca.					4											131598	34.98	35.98	1.00	0.01	0.9
				Lower contact 65 tca.	Lct	65														131599	35.98	36.98	1.00	0.01	0.4
																				131600	36.98	37.98	1.00	0.02	0.6
39.83	65.94	9a	AXXX	**Andesite** - Dark green coloured, fine grained with weak silica alteration and stockwork. Alteration is variable, weak. Minor disseminated pyrite with local fracture fill pyrite; rare occurence of sphalerite. Fracture surfaces are rusty at 45 tca, but less commonly a set parallel tca.										2						131601	37.98	38.98	1.00	0.01	0.6
				43.20-43.41 - Low angle gravel-gouge fault, mushy weathered, 20 tca.	Flt	20														131602	38.98	39.34	0.36	0.01	0.4
				54.00-59.46 - Weakly bleached with disseminated to fracture fill pyrite.					2					5						131603	39.34	39.83	0.49	0.02	0.7
				58.80-59.00 - Small blebs of sphalerite					2						1					131604	BLANK			<0.01	<0.1
				Lower contact is fairly sharp.	Lct	65														131605	STD	PM405		0.27	0.8
																				131606	39.83	40.83	1.00	<0.01	1.8
65.94	70.55	7a	PIPX	**Porphyry** - Dull greenish grey coloured, medium grained with a fine grained groundmass, minor hornblende. Weak quartz stockwork with minor disseminated pyrite.				1	1					1						131607	40.83	41.83	1.00	0.01	2.2
				70.05-70.55 - Moderate stockwork				3	3					2						131608	41.83	42.83	1.00	0.01	2.9
				Lower contact sharp at 60 tca, chilled 5cm above ct.	Lct	60														131609	42.83	43.97	1.14	0.02	2.5
																				131610	43.97	44.97	1.00	0.04	2.2
70.55	82.02	9a	AXXX	**Andesite** - Dark coloured, fine grained, with a quartz stockwork. Alteration is slightly variable but weak. Brecciated at top of unit over a metre. Disseminated pyrite at top of unit, weakens with depth. Altered at base over 5cm.				2												131611	44.97	45.97	1.00	0.01	2.3
				70.55-75.55 - Disseminated pyrite.										5						131612	56.80	57.80	1.00	0.01	0.9
				79.0-80.0 - Fracture with ca, weak oxidation.																131613	57.80	58.80	1.00	0.02	3.5
				Lower contact is sharp, parallel to a weak fabric at 55 tca.	Lct	55														131614	58.80	59.00	0.20	0.27	69.4
																				131615	59.00	59.46	0.46	1.97	704.6

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
82.02	103.08	7a	PIPX	**Porphyry** - Dull grey coloured, medium grained with a fine grained groundmass. Minor quartz veins, up to 0.5cm thick, at 30 tca. Competent rock. Rare sulphides.																131616	59.46	60.46	1.00	0.1	8.5
				94.35-94.55 - Quartz vein, 30 tca. Weakly bleached with stockwork above over 20cm.					5											131617	69.05	70.05	1.00	0.04	4.8
				94.55-96.98 - Andesite, as unit above. 3cm quartz vein at base, 70 tca.										4						131618	70.05	70.55	0.50	0.06	7.3
				Lower contact sharp, 70 tca.	Lct	70														131619	70.55	71.55	1.00	0.05	4.1
																				131620	71.55	72.55	1.00	0.02	2.2
103.08	130.48	9a	AXXX	**Andesite** - Dark coloured, fine grained with little to no alteration. Weak quartz-calcite stockwork. Rare fine pyrite. Brecciated over 5cm at top with a sericite altered matrix.				1												131621	72.55	73.55	1.00	0.03	2.9
																				131622	73.55	74.55	1.00	0.11	8
130.48 = End of hole (428 feet)																				131623	74.55	75.55	1.00	0.12	4.1
																				131624	BLANK			<0.01	<0.1
																				131625	STD	PM427		3.62	1.6
																				131626	75.55	76.55	1.00	0.04	3.8

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
11.58	37.4	-88.6
72.56	42.2	-86.4

P09-018

Power Zone - Targeting possible extension of Power Zone to east. Unsuccessful.

UTM E (NAD 83): 436121	**Azimuth (deg):** 000	**Start:** July 27/09
UTM N (NAD 83): 6212827	**Dip (deg):** -90	**Finish:** July 28/09
Elev (m): 314	**Total Depth (m):** 81.83	**Logged by:** L. Bjornson
Core Size: BQ	**Pad:** 8	**Analysis:** Assayers Canada

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
0.00	2.44	OVB	CAS	**Casing**																					
2.44	51.94	7a	PIPX	**Porphyry** - Dull greenish grey coloured, medium grained plag crystals in a fine grained groundmass. Altered at top of unit with a weak crackle breccia texture and alteration halos, bleached over short intervals. Minor pyrite often associated with breccia matrix. Rock is very competent. Moderate foliation in bleached intervals.				1	1					2						131627	28.62	29.62	1.00	<0.01	0.7
				29.62-31.82 - Bleached, pale looking rock with some quartz veins and a weak breccia texture.			1													131628	29.62	30.62	1.00	<0.01	4.2
				31.82-32.12 - Small flattened pods of pyrite-galena-sphalerite mixed in a quartz-calcite vein, 2 veins about 2cm thick.	Vein	35								2	3	3				131629	30.62	31.82	1.20	<0.01	1.7
				45.81-47.81 - Bleached			2													131630	31.82	32.12	0.30	0.08	56.7
				47.07 - Thin mud slip, 50 tca.																131631	32.12	33.12	1.00	<0.01	0.8
				47.81-51.94 - Bleached and with small blebs of sphalerite aligned with a weak foliation.	Fol	40								2		1				131632	33.12	34.12	1.00	0.01	0.6
				Lower contact sharp, 80 tca.	Lct	80														131633	44.81	45.81	1.00	<0.01	0.7
																				131634	45.81	46.81	1.00	<0.01	0.6
51.94	81.83	9a	AXXX	**Andesite** - Dark green coloured, fine grained, and moderately brecciated throughout. Matrix is fine grained and black, clasts display a weak porphyritic texture. Minor quartz-calcite veins, 45 tca but variable, creates a noticeable fabric. Disseminated pyrite.	Fol	45								3						131635	46.81	47.81	1.00	0.01	1
				51.94-56.00 - Prominent breccia texture with flattened angular clasts, 45 tca.																131636	47.81	48.81	1.00	0.01	1.7
				57.66-57.92 - Quartz vein, white coloured, course grained. True thickness about 8cm.	Vein	15														131637	48.81	49.83	1.02	0.01	1.3
																				131638	49.83	50.83	1.00	0.02	3
81.83 = End of hole (268.5 feet)																				131639	50.83	51.94	1.11	0.02	5.7
																				131640	BLANK			<0.01	<0.1
																				131641	STD	PM405		0.29	0.8
																				131642	51.94	52.94	1.00	0.02	2.1
																				131643	52.94	53.94	1.00	0.01	2
																				131644	53.94	54.94	1.00	0.01	2
																				131645	54.94	55.94	1.00	0.02	2.4
																				131646	55.94	56.94	1.00	0.02	2.3

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
17.99	1.4	-44.7
66.77	5.6	-40.2

P09-019

Power Zone

UTM E (NAD 83): 436121	**Azimuth (deg):** 000	**Start:** July 28/09
UTM N (NAD 83): 6212827	**Dip (deg):** -45	**Finish:** July 29/09
Elev (m): 314	**Total Depth (m):** 75.91	**Logged by:** L. Bjornson
Core Size: BQ	**Pad:** 8	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	6.09	OVB	CAS	**Casing**																					
6.09	30.95	7a	PIPX	**Porphyry** - Pale green coloured, medium grained with a fine grained groundmass. Minor quartz veinlets/veins 45 tca but also irregular and wavy with ca. Unit is moderate to well brecciated over short intervals as indicated below, rest of unit has a weak crackle breccia texture with fine grained chlorite infilling fractures. Pyrite is observed through most of unit as fracture fill around clasts. Clasts are subangular with prominent outlines and contain medium grained porphyryr.										5						131647	6.09	7.00	0.91	0.01	0.6
				6.09-17.47 - Variably brecciated. Weakly bleached with sericite alteration			1							5						131648	7.00	8.50	1.50	<0.01	0.4
				17.47-22.27 - Strong brecciation.			1	2						10						131649	8.50	10.00	1.50	<0.01	0.5
				22.27-24.21 - Weak brecciation.										5						131650	10.00	11.50	1.50	<0.01	1
				24.21-25.61 - Brecciated			1	2						10						131651	11.50	13.00	1.50	<0.01	1.1
				25.61-29.27 - Weak crackle breccia				2						3						131652	13.00	14.50	1.50	<0.01	1.1
				29.27-30.95 - Brecciated, weak fabric, 35 tca.			2				2			5						131653	14.50	16.00	1.50	<0.01	1
				Lower contact is sharp, 50 tca, at the end of the last breccia intervals.	Lct	50														131654	16.00	17.47	1.47	0.01	0.8
																				131655	17.47	18.47	1.00	<0.01	1.4
30.95	45.98	7a	PIPX	**Porphyry** - Pale green coloured becoming darker with depth, medium grained fsp within a fine grained groundmass. Slightly bleached. Weak fabric, 45 tca observed to 38m. Fine disseminated through unit.			1							5						131656	18.47	19.47	1.00	<0.01	1
				35.78-35.98 - Sulphide band, 4cm thick, 50 tca.					3					10						131657	19.47	20.47	1.00	<0.01	0.9
				36.50-37.5 - Minor quartz veins to 1cm thick, somewhat irregular, 35 tca.	Qtz vein	35														131658	20.47	21.47	1.00	<0.01	1.5
				Lower contact sharp, intrusive.	Lct	45														131659	21.47	22.27	0.80	0.01	1.5
																				131660	22.27	23.27	1.00	<0.01	0.4
45.98	49.16	22a	D/AX	**Dyke** - Pale green coloured, fine grained bleached with minor bladed hornblende to 2mm long. Sericite altered fsp create a porphyritic texture. 6cm chilled margins, rest of rock is uniform.																131661	23.27	24.21	0.94	<0.01	0.4
				Lower contact, sharp, intrusive.	Lct	45														131662	24.21	25.61	1.40	<0.01	1.5
																				131663	25.61	26.61	1.00	<0.01	0.7
49.16	75.91	7a	PIPX	**Porphyry** - Medium to dark green coloured, medium grained fsp with a fine grained groundmass. Similar to top unit but not brecciated. Unit is uniform. Weak sericite alteration. Minor disseminated pyrite.			1							1						131664	26.61	27.61	1.00	<0.01	0.3
				56.61-57.12 - White coloured, course grained quartz veins comprising 40% of interval. No sulphides observed.																131665	27.61	28.61	1.00	<0.01	0.4

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
				63.85-67.32 - White coloured, course grained quartz vein, almost a granitic pegmatite, comprising 50% of interval. No sulphides observed.																					
																				131666	28.61	29.27	0.66	<0.01	0.4
																				131667	29.27	30.95	1.68	0.01	0.8
75.91 = End of hole (249 feet)																				131668	BLANK			<0.01	<0.1
																				131669	STD	PM 427		3.41	1.4
																				131670	30.95	32.16	1.21	<0.01	0.4
																				131671	32.16	33.16	1.00	<0.01	0.2
																				131672	33.16	34.16	1.00	<0.01	0.2
																				131673	34.16	34.78	0.62	<0.01	0.2
																				131674	34.78	35.78	1.00	0.03	0.2
																				131675	35.78	35.98	0.20	<0.01	0.9
																				131676	35.98	36.98	1.00	<0.01	0.4
																				131677	36.98	37.98	1.00	<0.01	3
																				131678	37.98	38.98	1.00	<0.01	0.6
																				131679	38.98	39.98	1.00	<0.01	0.6
																				131680	39.98	40.98	1.00	<0.01	0.4

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
17	166.0	-43.1
93.6	168.7	-38.5
175.91	170.8	-33.0

P09-020

Loui's Zone - Targeting trench sampled on Big Missouri Road. Zone is flat lying and hole went under it.

UTM E (NAD 83): 436672	**Azimuth (deg):** 163	**Start:** July 29/09
UTM N (NAD 83): 6214098	**Dip (deg):** -45	**Finish:** July 31/09
Elev (m): 476	**Total Depth (m):** 178.96	**Logged by:** L. Bjornson
Core Size: BQ	**Pad:** 9	**Analysis:** Assayers Canada

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
0.00	3.66	OVB	CAS	**Casing**																					
3.66	8.43	7a	PIPX	**Porphyry** - Pale to medium green coloured, medium grained with a weak alteration. Moderate quartz veins. Rock is under road, broken up. One piece contains fracture fill galena but overall sulphides are poor.																					
																				131681	9.77	11.00	1.23	0.03	5.2
				Lower contact broken																131682	11.00	12.50	1.50	<0.01	2
																				131683	12.50	14.00	1.50	0.07	2.7
8.43	9.77	9a	AXXX	**Andesite** - Dark green coloured, fine grained, and brecciated. Weak porphyritic texture. Strong crackle breccia texture with narrow microfractures surrounding mm-scale clasts.																131684	14.00	15.50	1.50	0.09	3.9
				Lower contact fairly sharp.																131685	15.50	17.00	1.50	0.03	4.7
																				131686	17.00	18.50	1.50	0.01	2
9.77	39.44	7a	PIPX	Porphyry - Pale greenish coloured, medium grained, with a variable crackle breccia texture producing subangular clasts up to 5cm across and sometimes defining a weakly aligned fabric, 45 tca. Strong disseminated to fracture pyrite observed in matrix. Rock is bleached from top of unit then becomes weaker after 24.35m. Rare galena.			1							10						131687	18.50	20.00	1.50	0.01	0.7
				9.77-24.35 - Bleached, quartz-sericite alteration.			2													131688	20.00	21.50	1.50	0.01	0.7
				24.35-39.44 - Weak alteration			1													131689	21.50	23.00	1.50	0.02	1.1
																				131690	23.00	24.35	1.35	0.23	4.9
39.44	55.51	9a	AXXX	**Andesite Volcanic Breccia** - Medium green to black coloured, rounded fragments to 4cm comprising fine grained andesite. Core of fragments are lighter coloured (sericite?) with darker rims. Altered fsp give a prominent porphyrytic texture. Matrix is fine grained with the appearance of small shear bands 45 tca. Several small mafic dykes. Small veinlets of pyrrhotite and galena/sphalerite, 45 tca, up to 5mm thick plus disseminated to small blebs of pyrite. Matrix-rich at top of unit wth a mix of fine to medium grained material, becomes more matrix-poor with depth becoming more of a crakle breccia at base. Flattened clasts 45 tca.																131691	BLANK			<0.01	<0.1
				50.15-50.39 - Mafic dyke, very fine grained, pale greenish coloured.																131692	STD	PM 405		0.28	0.8
				54.29-54.42 - Mafic dyke, as above.																131693	24.35	25.94	1.59	0.03	1.3
				55.05-55.51 - Mafic dyke, as above																131694	25.94	27.50	1.56	0.04	1.5
				Lower contact is intrusive marked by mafic dyke at base, change in alteration below dyke.																131695	27.50	29.00	1.50	0.01	1
																				131696	29.00	30.50	1.50	0.02	2.3

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
55.51	84.46	9a	AXXX	**Andesite** - altered. Pale greenish, fine grained with a weak breccia texture and moderate crackle breccia texture. Minor clasts of dark coloured andesite similar to unit above along with short intervals of darker coloured breccia. Fsp crystals are flattened and define a fabric 45 tca, with alteration at a variable angle to fabric. Rock becomes darker with depth with a noticeable change around 72.0m. Minor quartz veinlets, following fabric and less commonly cross-cutting. Several inclusions of small fsp prophyry clasts. Sulphides observed as narrow fracture fill bands, 45 tca, to 4mm thick but they are rare.																							
																				131697	30.50	32.00	1.50	0.04	1.7
				Lower contact is faulted, 75 tca with gravel-sized fragments of quartz/calcite and a weathered chlorite(?) mush.	Lct	75														131698	32.00	33.50	1.50	0.02	1.9
																				131699	33.50	35.00	1.50	0.03	3.8
84.46	98.48	7a	PIPX	**Porphyry** - Medium to dark green coloured, medium grained, with a fine grained groundmass. Prominent white rounded fsp crystals to 2mm across. Minor quartz veinlets up to 3mm thick typically 45 tca and cutting across fabric but also irregular creating a crackle breccia appearance. Weak fabric at top, becomes stronger and shallower (=30 tca) with depth.																131700	35.00	36.50	1.50	0.01	0.8
				91.80-92.00 - Sulphide vein ~5mm thick 45 tca with fracture fill pyrrhotite and pyrite. Po crystals up to 3mm.										1			3			131701	36.50	38.00	1.50	0.02	0.9
				93.02-93.12 - Quartz vein. Minor blebs of pyrite.					5					2											
				Lower contact marks a change in rocktype and increased brecciation below.																131702	38.00	39.44	1.44	0.01	0.6
																				131703	BLANK			<0.01	<0.1
98.48	118.33	9a	AXXX	**Andesite** - Pale to medium green coloured, fine grained with a prominent fabric, 45 tca. Fabric may be a shear fabric? 50 tca at 106.0m, 40 tca at 114.0m. Minor disseminated pyrite. Weak sericite altered crackle breccia texture with quartz veins up to 5mm thick, aligned with fabric but also variable.			1							1						131704	STD	PM 427		3.77	1.5
				100.89 - Fault, gravelly with weathered host rock for up to 2cm either side.	Fault	45														131705	39.44	40.44	1.00	0.16	3.2
				105.01 - Fault, gravelly and with a chlorite altered fabric. Crumbly for up to 10cm either side.	Fault	50														131706	40.44	41.44	1.00	1.43	18.6
				116.96 - Fault, mud slip, 50 tca. Weathered and mushy below.																131707	41.44	42.44	1.00	0.07	3.3
				116.96-117.84 - Porphyry, as below.																131708	42.44	43.44	1.00	0.01	0.6
																				131709	43.44	44.44	1.00	0.15	9
118.33	157.29	7a	PIPX	**Porphyry** - Pale green-grey, medium grained fsp with a fine grained groundmass. Variable alteration with short intervals (1-2m) almost appearing like brecciated andesite. Sporadic sulphides appearing as small blebs in narrow fractures. Abundant quartz veins in more brecciated intervals, 50-60 tca.																131710	44.44	45.44	1.00	<0.01	0.5
				118.33-118.39 - Fault, mushy at top then grades into weathered porphyry.	Fault	30														131711	45.44	46.44	1.00	<0.01	0.9
				Lower contact is gradational into similar unit below																131712	46.44	47.44	1.00	0.01	0.6
																				131713	47.44	48.44	1.00	0.01	<0.1
157.29	178.96	7a	PIPX	**Porphyry** - Same as above but unaltered and displaying a weak and variable fabric.																131714	48.44	49.44	1.00	0.01	0.2
																				131715	49.44	50.44	1.00	0.06	1.3
178.96 = End of hole (587 feet)																				131716	50.44	51.44	1.00	0.01	3.2

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				131717	51.44	52.44	1.00	<0.01	0.5
																				131718	52.44	53.44	1.00	<0.01	0.4
																				131719	53.44	54.44	1.00	0.02	0.9
																				131720	54.44	55.05	0.61	0.08	1.5
																				131721	55.05	55.51	0.46	0.01	<0.1
																				131722	90.80	91.80	1.00	0.01	5.5
																				131723	91.80	92.00	0.20	0.29	178.6
																				131724	92.00	93.12	1.12	0.07	12
																				131725	93.12	94.12	1.00	0.01	2.3
																				131726	BLANK			<0.01	<0.1
																				131727	STD	PM 405		0.28	0.5

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
20.12	127.9	-59.6
71.95	130.7	-57.1

P09-021

S1 Pit - Targeting sampling of west dipping zones seen on north wall of pit. Appear to not have intersected the zone.

UTM E (NAD 83): 436519	**Azimuth (deg):** 125	**Start:** August 1, 2009
UTM N (NAD 83): 6219484	**Dip (deg):** -65	**Finish:** August 2, 2009
Elev (m): 1003	**Total Depth (m):** 78.03	**Logged by:** L. Bjornson
Core Size: BQ	**Pad:** 10	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	1.83	OVB	CAS	**Casing**																					
1.83	11.01	9a	AXXX	**Andesite** - Dull bleuy-grey coloured slightly bleached, fine to medium grained groundmass with dark coloured, fine grained angular breccia clasts, weakly aligned at 45 tca. Clasts comprise up to 30% of unit. Fine disseminated pyrite. Minor quartz veins, typically aligned with ca, with 2 stages observed.				1						3						131728	1.83	3.00	1.17	<0.01	<0.1
				Lower contact appears to be an alteration front, 80 tca.																131729	3.00	4.50	1.50	0.01	<0.1
																				131730	4.50	6.00	1.50	0.01	<0.1
11.01	29.12	9a	AXXX	**Andesite** - as above but with a strong quartz stockwork, especially at top of unit, breccia clasts are not as apparent. Fine disseminated pyrite locally concentrated, plus occassional sphalerite as small blebs. Rock is finer grained and black coloured over 4m at base of unit. Possibly three stages of quartz veinlets/veins.																131731	6.00	7.50	1.50	0.01	0.4
				11.01-17.00 - Strong quartz stockwork.				5						3						131732	7.50	8.50	1.00	0.01	0.4
				17.00-23.00 - Moderate quartz stockwork.				2						2		1				131733	8.50	10.00	1.50	0.02	0.6
				23.00-29.12 - Quartz stockwork with occasional veins up to 5cm thick and increased pyrite.				3						10						131734	10.00	11.01	1.01	0.01	<0.1
				Lower contact sharp 40 tca. Intrusive below.	Lct	40														131735	11.01	12.50	1.49	0.36	11.3
																				131736	12.50	14.00	1.50	0.12	22.1
29.12	42.52	22a	D/AX	**Andesite Dyke** - Dull green-grey coloured, fine to medium grained with a chilled upper contact. Minor disseminated pyrite, little to no alteration. Fault 40.02, gravelly +clay over 5cm, chips for another 25cm as fracturing weakens.										1						131737	14.00	15.50	1.50	0.09	26.6
				39.72-39.97 - Fault, chips and chunks.																131738	15.50	17.00	1.50	0.43	4
				39.97-40.02 - Fault, gravel and gouge.																131739	17.00	18.50	1.50	0.07	2.1
				41.68-41.92 - Quartz vein, 60 tca.	Qtz vn	60														131740	18.50	20.00	1.50	0.21	5.8
				Lower contact, wavy through core.																131741	20.00	21.50	1.50	0.31	2.2
																				131742	21.50	23.00	1.50	0.11	1.2
42.52	46.62	9a	AXXX	**Andesite, altered** - Similar to 29.12-42.52m but moderately sericite altered and abundant disseminated pyrite, some crystals to 1mm. Quartz vein at top of unit, moderate stockwork through rest of unit. Rare red sphalerite observed in veinlets.										15						131743	23.00	24.50	1.50	0.14	5
				42.52-43.17 - Quartz vein	Qtz vn				5					10						131744	24.50	26.00	1.50	0.16	2.1
				43.17-43.52 - Altered, bleached with quartz stringers at bottom over 3cm, 70 tca.			3	2						5						131745	26.00	27.50	1.50	0.32	1.9
				Lower contact sharp, 60 tca, intrusive below.	Lct	60														131746	27.50	29.12	1.62	1.54	2.7
																				131747	BLANK			0.01	<0.1
46.62	50.35	22a	D/AX	**Andesite** - same as 29.12-42.52m. Chilled contacts. Minor pyrite.										0.5						131748	STD	PM 427		3.43	1.7

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
				Lower contact chilled over 5cm, sharp.	Lct	30														131749	29.12	30.50	1.38	0.02	<0.1
																				131750	30.50	32.00	1.50	0.01	<0.1
50.35	52.75	9a	AXXX	**Andesite** - Dark coloured almost black, fine grained with a weak crackle breccia texture and strong fine disseminated pyrite. Minor alteration halos associated with microfractures.				1						10						131751	32.00	33.50	1.50	0.06	<0.1
				Lower contact sharp, intrusive, 40 tca.	Lct	40														131752	33.50	35.00	1.50	0.01	<0.1
																				131753	35.00	36.50	1.50	0.02	<0.1
52.75	71.25	22a	D/AX	**Andesite** - Same as 29.12-42.52. Chilled contacts, medium grained, with minor pyrite. Becomes pale coloured over last metres. Faulted at base.										5						131754	36.50	38.00	1.50	<0.01	<0.1
				55.93-56.26 - Cherty looking chunks, grey very fine grained, concoidal fracture.																131755	38.00	39.50	1.50	0.01	<0.1
				Lower contact faulted, 30 tca.	Lct	30														131756	39.50	40.02	0.52	<0.01	<0.1
																				131757	40.02	41.68	1.66	0.01	<0.1
71.25	78.03	9a	AXXX	**Andesite, altered** - Pale green-grey coloured, fine grained, with minor quartz veinlets at various angles. Faulted upper contact, and fault around 72.5m (see below). Minor disseminated pyrite. Silicified.				2	4					3						131758	41.68	41.92	0.24	0.3	2.6
				71.25-71.33 - Fault, gravelly, minor gouge.																131759	41.92	42.52	0.60	0.34	<0.1
				72.63-72.89 - Fault, gravelly and gouge. Mud seam at top, 3mm thick 25 tca.	Flt	25														131760	42.52	43.52	1.00	0.37	2
																				131761	43.52	44.52	1.00	0.11	1.8
78.03 = End of hole (256 feet).																				131762	44.52	45.52	1.00	0.19	2
																				131763	45.52	46.62	1.10	0.18	3
																				131764	46.62	48.12	1.50	0.01	<0.1
																				131765	48.12	49.12	1.00	<0.01	<0.1
																				131766	49.12	50.35	1.23	0.05	<0.1
																				131767	50.35	51.35	1.00	0.17	1.4
																				131768	51.35	52.75	1.40	0.51	0.9
																				131769	BLANK			0.01	<0.1
																				131770	STD	PM 405		0.3	0.8
																				131771	52.75	53.75	1.00	0.13	1
																				131772	53.75	54.75	1.00	0.34	1
																				131773	54.75	55.93	1.18	0.13	1.7
																				131774	55.93	56.26	0.33	0.02	5.8
																				131775	56.26	57.26	1.00	0.07	25.6
																				131776	57.26	58.00	0.74	0.09	0.5
																				131777	58.00	59.50	1.50	0.26	1.1
																				131778	59.50	61.00	1.50	0.22	0.7
																				131779	61.00	62.50	1.50	0.84	1.2
																				131780	62.50	64.00	1.50	0.3	1.8
																				131781	64.00	65.50	1.50	0.09	0.9
																				131782	65.50	67.00	1.50	0.04	0.6
																				131783	67.00	68.50	1.50	0.09	0.4
																				131784	68.50	70.00	1.50	0.02	0.4

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				131785	70.00	71.25	1.25	0.01	0.1
																				131786	BLANK			<0.01	<0.1
																				131787	STD	PM 427		3.7	1.4
																				131788	71.25	72.25	1.00	<0.01	0.3
																				131789	72.25	73.75	1.50	0.09	1.2
																				131790	73.75	75.25	1.50	0.27	2.1
																				131791	75.25	76.75	1.50	0.02	1.4
																				131792	76.75	78.03	1.28	0.06	1

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
17.38	366.9	-87.7
93.60	378.7	-86.7

P09-022

S1 Pit - Targeting sampling of west dipping zones seen on north wall of pit. Appear to not have intersected the zone. Rich cm wide gold vein at 45.18 meters dipping shallowly (not orientated).

UTM E (NAD 83): 436519	**Azimuth (deg):** 000	**Start:** August 2/09
UTM N (NAD 83): 6219484	**Dip (deg):** -90	**Finish:** August 5/09
Elev (m): 1003	**Total Depth (m):** 102.74	**Logged by:** L. Bjornson
Core Size: BQ	**Pad:** 10	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	26.75	9a	AXXX	**Andesite** - Dark green coloured, fine to medium grained and variably bleached over short intervals. Moderate quartz stockwork with most veins 45 tca. Bladed hornblende up to 5mm aligned 60 tca. Minor white coloured rounded fsp create a weak porphyritic textrue. Minor disseminated pyrite in host with additional pyrite + occassional sphalerite associated with quartz stringers. Increasing alteration over last 50cm above intrustive contact.				2	2					5		0.1				131793	0.00	1.50	1.50	<0.01	0.3
				10.80-11.12 - Fault, fractured with gravel-gouge at 10.95, mm's thick approx 45 tca.																131794	1.50	3.00	1.50	<0.01	0.1
				20.37-21.62 - Andesite, Dark coloured, fine grained, unaltered andesite with chilled contacts. Same as andesite at 26.75-32.38m.																131795	3.00	4.50	1.50	<0.01	<0.1
				Lower contact sharp, 25 tca.	Lct	25														131796	4.50	6.00	1.50	<0.01	<0.1
																				131797	6.00	7.50	1.50	<0.01	0.6
26.75	32.38	22c	D/AP	**Andesite, unaltered** - Dark coloured, fine to medium grained with a weak fsp porphyritic texture and minor calcite filled amygdules. Prominent fracturing 20 tca.																131798	7.50	9.00	1.50	0.03	0.5
				Lower contact, unit becomes altered at base, with inclusion of altered andesite below. Contact is a little indistinct.																131799	9.00	10.50	1.50	<0.01	0.5
																				131800	10.50	12.00	1.50	<0.01	0.2
32.38	34.51	9a	AXXX	**Andesite** - Light coloured, fine to medium grained with a very strong quartz flood. Quartz comprises majority of unit. Small blebs of fracture fill pyrite.				3	5					2						131801	12.00	13.50	1.50	<0.01	1
				Lower contact marks an end to quartz flood.																131802	13.50	15.00	1.50	0.19	6.8
																				131803	15.00	16.50	1.50	0.12	5.4
34.51	43.83	22c	D/AP	**Andesite, unaltered** - same as 26.75-32.38. Inclusion of pyrite-bearing, altered andesite, 43.51-43.63m.																131804	16.50	18.00	1.50	0.36	3.5
				Lower contact is chilled over 30cm.																131805	18.00	19.50	1.50	0.26	3.2
																				131806	19.50	20.37	0.87	0.16	1.1
43.83	51.58	9a	AXXX	**Andesite** - Altered and mineralized, dark coloured, fine to medium grained andesite. Variably bleached with strong quartz stockwork. Disseminated and small blebs of pyrite throughout plus fracture fill sphalerite and galena, weakens after 49.0m. Breccia texture over 50cm at top.				3	3					10	0.1	0.5				131807	20.37	21.62	1.25	<0.01	<0.1
				45.18 - gold vein, 65 tca, 1-3mm thick in quartz vein.															VG	131808	21.62	22.50	0.88	<0.01	0.9
				43.83-49.00 - Darker coloured rock with strong cubic pyrite to 1mm.										20	1	3				131809	22.50	24.00	1.50	0.34	3
				Lower contact, faint.	Lct	10														131810	24.00	25.50	1.50	1.15	4
																				131811	25.50	26.75	1.25	0.13	2.8
51.58	59.92	7	PIXX	**Porphyry** - Unit is similar in appearance to 43.83-51.58m but with medium grained rounded fsp crystals to 3mm giving a prominent porphyritic texture and a medium blue-grey colour. Locally strong quartz stockwork.																131812	26.75	27.28	0.53	0.04	0.7

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
				56.55-56.82 - Dyke, fine grained, dark coloured with chilled margins.																131813	BLANK		0.00	0.01	<0.1
				Lower contact is faint.																131814	STD	PM 405	0.00	0.3	0.7
																				131815	27.28	28.50	1.22	0.01	<0.1
59.92	86.58	9a	AXXX																						
				Andesite - Same as 43.83-51.58m but with weaker mineralization. Altered and mineralized, dark coloured, fine to medium grained andesite. Variably bleached with strong quartz stockwork. Disseminated and small blebs of pyrite throughout plus minor fracture fill sphalerite and galena.				3	3					7	0.1	0.5				131816	28.50	30.00	1.50	0.01	<0.1
				72.40-74.16 - Bleached, silicified					4											131817	30.00	31.50	1.50	0.01	<0.1
				81.21-81.71 - Dyke, dark coloured, fine grained.																131818	31.50	32.47	0.97	0.02	<0.1
				75.57 - Mud slip, 30 tca.																131819	32.47	33.47	1.00	0.41	2.2
				81.70-86.58 - Bleached, silicified.					4											131820	33.47	34.51	1.04	0.46	1.4
				85.43-86.58 - Dyke-rich, inclusion of 80cm andesite dyke within altered andesite, before lct.																131821	34.51	36.00	1.49	0.01	<0.1
				Lower contact sharp, intrusive.	Lct	20														131822	36.00	37.50	1.50	<0.01	<0.1
																				131823	37.50	39.00	1.50	0.01	<0.1
86.58	102.74	22a	D/AX	**Andesite dyke** - Dark coloured, fine to medium grained, with little to no alteration. Minor hornblende and rare pyrite blebs.																131824	39.00	40.50	1.50	0.01	<0.1
																				131825	40.50	42.00	1.50	0.56	<0.1
102.74 = End of hole (337 feet)																				131826	42.00	43.51	1.51	0.01	<0.1
																				131827	43.51	43.83	0.32	0.07	0.4
																				131828	43.83	45.00	1.17	0.21	2.9
																				131829	45.00	45.25	0.25	146	306.3
																				131830	45.25	46.00	0.75	0.59	6.1
																				131831	46.00	47.00	1.00	6.48	4
																				131832	47.00	48.00	1.00	2.33	4.3
																				131833	48.00	49.00	1.00	0.3	5.1
																				131834	BLANK		0.00	0.02	<0.1
																				131835	STD	PM 427	0.00	3.68	1.5
																				131836	49.00	50.00	1.00	0.36	5.6
																				131837	50.00	51.00	1.00	0.39	2.3
																				131838	51.00	51.58	0.58	0.46	4.2
																				131839	51.58	52.00	0.42	0.19	2.1
																				131840	52.00	53.00	1.00	0.28	6.4
																				131841	53.00	54.00	1.00	0.5	4.7
																				131842	54.00	55.00	1.00	0.11	3.8
																				131843	55.00	56.55	1.55	0.12	6.7
																				131844	56.55	56.82	0.27	<0.01	<0.1
																				131845	56.82	58.00	1.18	0.08	1.2
																				131846	58.00	59.00	1.00	0.77	4
																				131847	59.00	59.92	0.92	0.17	1.6
																				131848	59.92	61.50	1.58	0.11	3.1
																				131849	61.50	63.00	1.50	0.08	1.7
																				131850	63.00	64.50	1.50	0.39	4.7

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				131851	64.50	66.00	1.50	0.15	2.2
																				131852	66.00	67.50	1.50	0.17	1.8
																				131853	67.50	69.00	1.50	0.16	1.1
																				131854	69.00	70.50	1.50	0.09	1.6
																				131855	70.50	72.00	1.50	0.1	1.2
																				131856	72.00	73.50	1.50	0.25	2.4
																				131857	73.50	75.00	1.50	0.22	1.3
																				131858	75.00	76.50	1.50	0.13	0.9
																				131859	76.50	78.00	1.50	0.48	0.9
																				131860	78.00	79.50	1.50	0.09	2.1
																				131861	79.50	81.21	1.71	0.06	1.3
																				131862	81.21	81.70	0.49	0.02	<0.1
																				131863	81.70	82.50	0.80	0.36	3.9
																				131864	82.50	84.00	1.50	0.79	2.6
																				131865	84.00	85.43	1.43	0.4	2
																				131866	85.43	86.58	1.15	0.87	1.6
																				131867	86.58	88.08	1.50	0.01	<0.1
																				131868	88.08	89.58	1.50	0.01	<0.1

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
17.07	91.7	-59.4
71.95	93.7	-56.6
132.93	95.7	-52.9

P09-023

S1 Pit - Testing north eastern extension of the pit mineraliztion. Some promising looking zones in this hole.

UTM E (NAD 83): 436519	**Azimuth (deg):** 090	**Start:** August 5/09
UTM N (NAD 83): 6219484	**Dip (deg):** -60	**Finish:** August 7/09
Elev (m): 1003	**Total Depth (m):** 142.07	**Logged by:** L. Bjornson
Core Size: BQ	**Pad:** 10	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	15.51	9a	AXXX	**Andesite** - Green-grey coloured, medium grained, with a weak and variable alteration (alteration fronts?). Minor quartz veins, various angles tca. Fine disseminated pyrite. Minor oxidation on fracture surfaces.																					
														3						131869	0.00	1.50	1.50	<0.01	<0.1
				13.00-15.51 - Quartz stockwork.				3												131870	1.50	3.00	1.50	<0.01	<0.1
				Lower contact sharp.	Lct	40														131871	3.00	4.50	1.50	<0.01	<0.1
																				131872	4.50	6.00	1.50	<0.01	<0.1
15.51	21.54	22a	D/AP	**Andesite Dyke** - Grey coloured, medium grained with abundant plag fsp and hornblende with 20% fine grained matrix. Minor mm-scale quartz-calcite filled amygdules. No sulphides observed.																					
																				131873	6.00	7.50	1.50	0.01	<0.1
				19.54-21.54 - Second dyke, chill margin at 19.64m.																131874	7.50	9.00	1.50	0.01	<0.1
				Lower contact sharp.	Lct	75														131875	9.00	10.50	1.50	<0.01	<0.1
																				131876	10.50	12.00	1.50	<0.01	<0.1
21.54	38.45	9a	AXXX	Andesite - Dull blue-grey coloured, and fine to medium grained. Weathered over 5cm at top adjacent to dyke.																131877	12.00	13.50	1.50	0.04	9.2
				21.54-31.19 - Abundant pyrite, blebs										10						131878	13.50	15.00	1.50	0.13	6.3
				23.82-24.32 - Layered chalcedony veins with wavy contacts 20 tca. Blue calcite at contacts. Actual thickness ~10cm.																131879	15.00	15.51	0.51	0.09	3.5
				25.52 - Mud slip, 45 tca.	Mud slip	45														131880	15.51	16.50	0.99	<0.01	<0.1
				31.19-38.45 - Quartz-calcite stockwork, fine disseminated pyrite (5%) plus as fracture fill (2%).				5						7						131881	16.50	18.00	1.50	<0.01	<0.1
																				131882	18.00	19.64	1.64	<0.01	<0.1
38.45	74.90	9a	AXXX	Andesite - Pale blue-tannish coloured, fine to medium grained with minor quartz veins and short intervals of quartz stockwork. Slightly darker near top of unit. Quartz-sericite alteration, moderate and variable, weak near top, becomes stronger ~51.0m. Locally strong quartz but over short (<1m) intervals.			2	2	2											131883	19.64	21.00	1.36	0.03	<0.1
				Lower contact marks a change in alteration, irregular.																131884	21.00	21.54	0.54	0.01	<0.1
																				131885	21.54	22.50	0.96	0.43	0.8
74.90	81.83	9a	AXXX	Andesite - Similar to above but with strong quartz-sericite alteration. Fine grained and tan coloured. Strong white to colourless quartz stockwork creates a breccia texture with angular to subangular clasts. Minor disseminated pyrite with locally strong blebs to fracture fill but overall low.			2	4	2					2						131886	22.50	23.84	1.34	0.28	2.3
				76.31-76.73 - Strong quartz flood with cavities filled with tiny well formed quartz crystals. Interesting 8-sided, yellow mineral in cavity at 76.35m.				3	5											131887	23.84	24.32	0.48	0.05	2.2
				Lower contact is sharp, along quartz-filled fractures, no prefered orientation.																131888	24.32	25.50	1.18	0.14	1.3
																				131889	25.50	27.00	1.50	0.92	1.1

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
81.83	99.14	9a	AXXX	**Andesite** - Fine to medium grained, variable dull grey to bluey-tan coloured, with weak quartz stockwork. Minor disseminated pyrite.																131890	27.00	28.50	1.50	0.94	6.2
				81.83-90.31 - Quartz stockwork, weak alteration, greenish coloured.			1	2												131891	28.50	30.00	1.50	1.89	18.5
				87.27-89.16 - Locally strong banded chalcedony, with layers subparallel tca.																131892	30.00	31.19	1.19	0.38	7.6
				93.73-94.30 - Strong quartz-sericite alteration above a fault.																131893	31.19	33.00	1.81	0.42	5.3
				94.30-94.32 - Fault, gravelly and weathered, abundant carbonate.	Fault	45														131894	33.00	34.50	1.50	0.22	1.6
				94.32-94.90 - Strong brecciation adjacent to fault.																131895	34.50	36.00	1.50	0.3	7.8
				94.32-99.14 - Weak but variable sericite. Moderate quartz stockwork and small blebs of pyrite.			1	2						2						131896	36.00	37.50	1.50	1.86	10.7
				95.55-95.89 - Dark coloured and fine grained, chilled margins, contacts 55 tca																131897	37.50	38.45	0.95	0.55	2.9
				Lower contact marks a change in alteration.																131898	BLANK			0.01	<0.1
																				131899	STD	PM 405		0.29	0.4
99.14	105.46	9a	AXXX	**Andesite, quartz-sericite altered** - Similar to 74.90-81.83m. Fine grained and tan coloured, with strong quartz-sericite alteration and moderate quartz stockwork. Pyrite observed along margins of quartz veins and as small blebs within host rock.			2	3	2					5						131900	38.45	39.00	0.55	0.33	2.3
				Lower contact marks a decrease in alteration at a quartz vein.	Lct	65														131901	39.00	40.50	1.50	0.36	2.3
																				131902	40.50	42.00	1.50	0.33	1.6
105.46	142.07	9a	AXXX	Andesite - Dull green-grey coloured, fine to medium grained, with minor pyrite observed as small blebs and locally bleached (quartz-sericite).										2						131903	42.00	43.50	1.50	3.35	3.7
				105.46-110.15 - Weakly altered but with strong fracture fill pyrite.				1						10						131904	43.50	45.00	1.50	0.21	0.4
				110.15-123.81 - Weak but variable silicification, minor quartz-calcite crackle breccia.																131905	45.00	46.50	1.50	0.18	0.5
				119.92-120.14 - Fault, fractured with 3cm of gravel +gouge at 119.05m, 50 tca.	Fault	50														131906	46.50	48.00	1.50	1.55	2.5
				123.42-123.81 - Fault, gravelly at top, brecciated below.	Fault	45														131907	48.00	49.50	1.50	0.22	3.1
				123.81-124.66 - Quartz vein, white coloured, course grained.																131908	49.50	51.00	1.50	0.37	5.9
				126.88-128.36 - Quartz-sericite alteration with minor crackle breccia.																131909	51.00	52.50	1.50	0.46	1.6
				129.88-131.11 - Andesite Dyke, fine grained with chilled margins.																131910	52.50	54.00	1.50	0.26	0.1
				131.11-142.07 - Weak alteration with moderate crackle breccia texture and variable fracture fill pyrite.				3						5						131911	54.00	55.50	1.50	0.03	<0.1
				135.98-136.91 - Quartz-Sericite alteration. Rubble at base.			2	3												131912	55.50	57.00	1.50	0.05	<0.1
				141.41-142.07 - Quartz-sericite alteration. Bleached.			2	3						3						131913	57.00	58.50	1.50	0.03	<0.1
				Some loss of core at base, rubbly and weakly weathered.																131914	58.50	60.00	1.50	0.11	<0.1
																				131915	60.00	61.50	1.50	0.06	<0.1
142.07 = End of hole (466 feet)																				131916	61.50	63.00	1.50	0.44	1.2
																				131917	63.00	64.50	1.50	0.21	1.1
																				131918	64.50	66.00	1.50	0.2	1.5
																				131919	66.00	67.50	1.50	0.47	12.8
																				131920	67.50	69.00	1.50	0.35	1
																				131921	69.00	70.50	1.50	0.2	1.3
																				131922	70.50	72.00	1.50	0.15	1.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				131923	72.00	73.50	1.50	0.07	0.1
																				131924	73.50	74.90	1.40	0.47	3.7
																				131925	75.00	76.31	1.31	1.25	13.6
																				131926	76.31	76.73	0.42	0.92	27.8
																				131927	76.73	78.00	1.27	0.73	4.4
																				131928	78.00	79.00	1.00	0.46	1.8
																				131929	79.00	80.00	1.00	0.54	5.1
																				131930	80.00	81.00	1.00	0.23	1.5
																				131931	81.00	81.83	0.83	0.25	1
																				131932	BLANK			<0.01	<0.1
																				131933	STD	PM 427		3.35	1
																				131934	81.83	82.50	0.67	0.22	1.4
																				131935	82.50	84.00	1.50	0.13	2.4
																				131936	84.00	85.00	1.00	0.04	0.4
																				131937	85.00	86.00	1.00	0.08	0.7
																				131938	86.00	87.28	1.28	0.38	1.9
																				131939	87.28	88.47	1.19	0.12	1.2
																				131940	88.47	89.21	0.74	0.05	0.8
																				131941	89.21	90.31	1.10	0.04	0.3
																				131942	90.31	91.81	1.50	0.01	<0.1
																				131943	91.81	93.00	1.19	0.01	<0.1
																				131944	93.00	93.73	0.73	<0.01	<0.1
																				131945	93.73	94.31	0.58	0.02	<0.1
																				131946	94.31	95.55	1.24	0.3	1.7
																				131947	95.55	95.89	0.34	0.01	<0.1
																				131948	95.89	96.89	1.00	2.62	4.5
																				131949	96.89	97.89	1.00	0.1	2
																				131950	97.89	99.14	1.25	0.06	1.2
																				131951	99.14	100.14	1.00	0.09	1.5
																				131952	100.14	101.14	1.00	0.41	1
																				131953	101.14	102.14	1.00	0.05	0.2
																				131954	102.14	103.14	1.00	0.03	0.9
																				131955	103.14	104.14	1.00	0.19	2
																				131956	104.14	105.46	1.32	0.08	2.4
																				131957	105.46	106.46	1.00	0.21	5.2
																				131958	106.46	107.46	1.00	0.57	1.7
																				131959	107.46	108.46	1.00	0.11	2.9
																				131960	108.46	110.15	1.69	0.08	1.4
																				131961	110.15	111.00	0.85	0.78	2.8
																				131962	111.00	112.50	1.50	0.92	2.4
																				131963	112.50	114.00	1.50	0.05	<0.1
																				131964	114.00	115.50	1.50	0.02	<0.1
																				131965	115.50	117.00	1.50	0.1	0.4

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				131966	117.00	118.50	1.50	0.19	1.2
																				131967	118.50	119.92	1.42	0.07	1
																				131968	119.92	120.14	0.22	0.09	1
																				131969	120.14	121.64	1.50	0.17	2.5
																				131970	121.64	123.42	1.78	0.18	1
																				131971	123.42	123.81	0.39	0.07	0.9
																				131972	123.81	124.66	0.85	0.03	1.1
																				131973	124.66	126.00	1.34	1.03	1.1
																				131974	126.00	126.88	0.88	66.99	34
																				131975	126.88	127.88	1.00	17.17	8.2
																				131976	127.88	128.36	0.48	0.3	0.9
																				131977	128.36	129.88	1.52	0.06	<0.1
																				131978	129.88	131.11	1.23	0.04	<0.1
																				131979	131.11	132.00	0.89	0.26	1.1
																				131980	132.00	133.50	1.50	0.11	0.1
																				131981	133.50	135.00	1.50	0.09	<0.1
																				131982	135.00	135.98	0.98	0.22	1.2
																				131983	135.98	136.91	0.93	0.03	<0.1
																				131984	136.91	138.50	1.59	0.07	0.6
																				131985	138.50	139.50	1.00	0.13	0.2
																				131986	139.50	141.41	1.91	0.57	1
																				131987	141.41	142.07	0.66	0.17	0.9

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
20.73	91.2	-44.4
96.95	92.8	-39.5
218.90	97.5	-30.5

P09-024

Northstar - Drilling north hole of a fence of 4 holes. Testing northern extension of larger scale zone from S1 pit north through the Unicorn. Hit two zones: 100-101m and 169-179m.

UTM E (NAD 83): 436285	**Azimuth (deg):** 090	**Start:** 7-Aug-09
UTM N (NAD 83): 6219979	**Dip (deg):** -45	**Finish:** 10 Aug-09
Elev (m): 1139	**Total Depth (m):** 228.05	**Logged by:** SD
Core Size: BQ	**Pad:** 11	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	31.90	9fp	AFPX	**Porphyritic Andesite Flow -** Grey green fine grained andesite with abundant pale grey beige angular to rounded feldspar phenocrysts up to .5 cm.							1		2	3						131988	6.00	6.95	0.95	0.02	<0.1
				Weakly chloritic and blocky rusty sections, but generally very fresh with few fine qta calcite veinlets. Rare grey quartz breccia zones with trace galena and sphalerite as indicated. Rare white quartz calcite veining, looks late.																131989	6.95	7.60	0.65	1	3.7
				3% pyrite as fine to medium grained veinlets and disseminated																131990	7.60	8.60	1.00	0.02	<0.1
				6.95-7.93 - quartz breccia vein with 3% fine red brown sphalerite, trace galena, 3% pyrite.	qtz bx vn	35		4	4					3	0.1	3				131991	45.50	46.50	1.00	0.03	<0.1
				21-31.9 - Moderate intermittent rusty staining due to weathering. Weakly vuggy, moderately blocky. Not altered, just weathered. Dark brown coatings in vuggy spaces.									3							131992	46.50	47.20	0.70	0.11	1.7
																				131993	47.20	48.20	1.00	0.03	<0.1
31.90	70.18	9t	ATXX	**Andesite** - Grey green fine grained andesite. Intermittent zones of abundant tiny white flecks (leucoxene?). Possibly tuffaceous, or flow. Weakly chloritic, 2% disseminated pyrite, few fine quartz calcite veinlets, and few white late quartz calcite veins up to 3cm. Rare pyrite veinlet <1cm.							2		1	2						131994	98.00	99.00	1.00	0.03	0.3
				31.90-34.1 - moderate rust staining associated with blocky zone, weakly vuggy with dark brown coatings in vugs.									3							131995	99.00	100.07	1.07	2.51	2
				46.65-47.07 - quartza vein breccia, roughly 0 tca. Fine lines of sulfides in quartz breccia. 2% sphalerite, 2% pyrite, tr gn. Weathered vuggy below vein for 10 cm.	qtz vn bx	0		4	4					2	0.1	2				131996	100.07	101.00	0.93	18.93	28.9
				47.07- - weakly blocky with fine weak vuggy sections and weak rust staining on fracture surfaces.									2							131997	101.00	101.85	0.85	4.16	8.1
				58.36 - 10cm qtz vn 80 tca	qtz vn	80														131998	BLANK			0.01	0.2
				61.4-67.60 - rubbly, moderate rust staining on and around fractures, dark brown coatings on fractures, weakly vuggy.									3							131999	101.85	103.00	1.15	0.05	0.5
				63.47-63.56 - breccia with siliceous matrix, subangular andesite bleached andesite clasts, 5% pyrite with tr sphalerite in matrix around clasts, zone is 75 tca.	bx	75			3					5		0.1				132000	103.00	104.00	1.00	0.05	0.8
				70.04-70.18 - quartz vein with planar gouge seam 65 tca. Grey quartz, very fine pyrite disseminated with fault gouge.	qtz vn gg	65			3					2						132001	133.50	135.00	1.50	0.05	1.9
					LC	65														132002	135.00	136.00	1.00	0.19	6.4
70.18	73.56	22c	D/AP	**Amygduloidal Andesite Dike -** Dark grey very fine grained fresh looking, abundant round white and pink calcite amygdules. Both upper and lower contacts marked by faulting. LC 60 tca	LC	60														132003	136.00	137.00	1.00	0.23	7.5
																				132004	137.00	139.00	2.00	0.05	2.1

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
73.56	86.20	9fp	AFPX	**Porphyritic Andesite Flow -** grey green fine grained andesite grading in and out of porphyritic texture. Some zones with increased pale grey sub-angular fsps (sort of ghostly) grading to zones lacking phenocrysts. Generally very fresh with few fine qtz calcite veinlets. Common tiny white flecks likely leucoxene.							2								132005	139.00	141.00	2.00	1.38	2.4
				73.56-75.8 - blocky, fine quartz stockwork and weakly crackle brecciated in places, weak rust on fracture surfaces. 3% finely disseminated pyrite.				1					1	3						132006	141.00	143.00	2.00	0.05	1.6
				85.4-86.2 - 20% irreglar white quartz calcite veining.																132007	143.00	145.00	2.00	0.01	0.3
					LC	50														132008	145.00	147.00	2.00	0.01	0.4
86.20	86.65	22a	D/AX	**Andesite Dike -** Very fine grained dike. Late. Sharp contact with fine chill margins. UC 50 tca, LC 45 tca.	LC	45														132009	147.00	148.00	1.00	0.03	1.9
																				132010	148.00	149.00	1.00	3.61	13.7
86.65	100.07	9Lt	ALXX	**Andesite Tuff / Lapilli -** Mostly fine grained tuff with intermittent lapilli zones if sub-rounded to sub-angular mm-few cm scale dark grey clasts. Lapilli are generally elongated 90 tca.	lap elong	90														132011	149.00	150.00	1.00	0.06	2.1
				Fresh with few fine qtz calcite veinlets, weakly chloritic, up to 1% finely disseminated pyrite.							2			1						132012	150.00	151.00	1.00	0.15	2.7
				LC 80 tca and marked by planar fault seam	LC gg	80														132013	151.00	152.00	1.00	0.12	1
																				132014	152.00	153.00	1.00	0.03	0.5
100.07	101.85	7v	VMXX	**Quartz Breccia Vein -** strong quartz flooding in matrix with grey green chloritic andesite clasts and quartz clasts. Lesser calcite throughout. 3% red brown sphalerite disseminated throughout, 2% fine galena disseminated throughout, .5% cpy, 2% pyrite.				5	5		3			2	2	3		0.5		132015	153.00	154.00	1.00	0.01	0.3
				LC roughly 20 tca	LC	20														132016	154.00	156.00	2.00	0.07	15.4
																				132017	156.00	158.00	2.00	0.01	0.4
101.85	104.40	9Lt	ALXX	**Lapilli Tuff -** grey green fine grained andesite with common lapilli from mm-few cm scale, sub-rounded and elongated along 90 tca.	lap elong	90														132018	158.00	158.90	0.90	0.01	<0.1
				2% finely disseminated pyrite.																132019	158.90	159.60	0.70	0.19	27.3
				Few grey/beige cherty lapilli (or veins?).																132020	STD	PM427		3.56	1.2
																				132021	159.60	161.60	2.00	0.04	2
104.40	177.40	9a	AXXX	**Andesite -** fine grained grey, fine white flecks of leucoxene thoughout (?). Few fine quartz calcite veinlets with rare white qtz calcite chlorite veins up to 10 cm. Flecked texture almost porphyryitic in spots and possibly lapilli texture in spots. A bit of a mixture of andesitic volcanics but overall fine grained flow.				1			2			2						132022	161.60	163.60	2.00	0.02	2.9
				2-5% disseminated pyrite thoughout and as coarse massive veinlets with angular clusters of pyrite in veining, but only a cm or 2 wide.																132023	163.60	165.60	2.00	0.03	2.6
				135.15-177.40 - Increased pyrite in this zone from 4-5%, disseminated medium grained throughout, and pyrite veinlets.										4						132024	165.60	167.60	2.00	0.06	2.6
				136.04-136.9 - moderately silicified as white and grey stockwork, breccia, flooding, with strong pyrite disseminated as as broken seams.				3	4					5						132025	167.60	168.60	1.00	0.09	3.6
				147.5-149 - moderately silicified, with stockwork, flooding, increased pyrite and trace sphalerite.				3	3					4		0.1				132026	168.60	169.60	1.00	0.26	7.2
				149.32-149.46 - very fine grained pale grey beige late dike 50 tca.	dk	50														132027	169.60	170.60	1.00	0.17	2.7
				149.65-149.8 - pale grey beige late dike soft and fault gouged, fine grained. 60 tca.	dk	60														132028	170.60	171.60	1.00	0.25	3.7

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
				150.15-151.5 - weak to moderate quaertz veining with 1-2% sphalerite in few veins.				3	3					3		1				132029	171.60	172.60	1.00	0.3	4.4
				152.5-169 - disseminated pyrite up to 5%, weak silicification and few wispy quartz veins.										3						132030	172.60	173.60	1.00	0.35	4.8
				169-177.4 - moderately silicified, bleached, with rubbly faulted zones, some veining with sphalerite, galena and pyrite, later white quartz calcite chlorite veins.			3	3	3		3			4	0.5	1				132031	172.60	173.60	1.00	0.36	4.7
				172.4-175 - Main vein within zone, quartz breccia vein with greenish chloritic clasts, fine mesh of pale red brown/yellow and grey sphalerit, fine galena, fine pyrite.				4	4		3			3	0.5	2				132032	173.60	174.60	1.00	0.26	9.5
				175-177.4 - several 10-15cm white qtz calcite chlorite veins, rubbly, andesite between veins is pale grey bleached (sericitic?), generally faulted looking with gougy material in rubble.			3	1	1		3			3						132033	174.60	175.60	1.00	0.13	4.9
																				132034	175.60	177.40	1.80	0.1	3.9
177.40	186.90	9Lt	ALXX	**Andesite Lapilli -** Grey green fine to medium grained tuff with sub-rounded andesitic clasts up to a few cms. Clasts appear to be elongated roughly 80 tca. Moderate quartz stockwork with few veins bearing red brown / yellow sphalerite up to 3% and tr galena. Some white and dark green quartz calcite chlorite veins.	lap elong	80														132035	177.40	178.40	1.00	0.2	7.4
																				132036	178.40	179.40	1.00	0.04	0.8
				186.4 - fault gouge with qtz breccia over 10 cm, 60 tca.	flt gg	60														132037	179.40	180.40	1.00	0.11	1.2
																				132038	180.40	181.40	1.00	0.08	2.4
186.90	207.62	9fp	AFPX	**Porphyritic Andesite -** mixed unit of mostly fsp and hornblende porphyritic textures mixed with liquid looking very fine grained to aphanitic patches. Doesn't quite look like a lapilli, more like a mixture of flows. Weak chlorite and weak intermittent bleaching. Few fine qtz calcite veinlets throughout with rare patches of qtz calcite with moderate to strong pyrite and sphalerite with traces of galena.			1	1			2			2	0.1	0.1				132039	181.40	183.40	2.00	0.12	0.8
				190.2 - 12cm banded qtz chl calcite vein with tr pyrite, sphalerite.	qtz chl vn	40			4					1		1				132040	183.40	185.40	2.00	0.03	1.5
				191.66 - round patch of qtz cc with strong sphalerite and pyrite and tr gn.										2	0.5	4				132041	BLANK			<0.01	<0.1
																				132042	185.40	187.40	2.00	0.17	0.9
207.62	212.46	22c	D/AP	**Andesite Dike -** grey fine grained very homogenous and fresh. Rare fine calcite veinlet. Upper and lower contact 35 tca.	and dk	35														132043	187.40	189.40	2.00	0.01	<0.1
																				132044	189.40	191.40	2.00	0.22	1.1
212.46	228.05	9fp	AFPX	**Porphyritic Andesite -** grey green fine to medium grained andesite with abundant pale grey fsps. Some zones of finer grained andesite. In and out of porphyritic and non-porphyritic flow. Few calcite veinlets. Increased calcite veining at upper contact against dike. 1% very fine pyrite.																132045	191.40	193.40	2.00	0.06	2
																				132046	193.40	195.40	2.00	0.11	<0.1
				EOH																					

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
11.89	90.1	-48.9
118.60	93.0	-42.6
240.55	97.6	-33.6

P09-025

Northstar - Drilling second hole of a fence of 4 holes. Testing northern extension of larger scale zone from S1 pit north through the Unicorn. Intersected wide zone from about 190 -219 meters. S

UTM E (NAD 83): 436282	**Azimuth (deg):** 090	**Start:** 10-Aug-09
UTM N (NAD 83): 6219893	**Dip (deg):** -50	**Finish:** 13-Aug-09
Elev (m): 1113	**Total Depth (m):** 249.70	**Logged by:** SD
Core Size: BQ	**Pad:** 12	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	10.60	9fp	AFPX	**Porphyritic Andesite -** dark grey green fine to medium grained, messy texture with fine veinlets and swirling, mostly porphyritic with abundant angular to sub-rounded fsps up to .5cm.				1	3		3			3						132047	1.52	2.60	1.08	0.05	0.5
				Moderately chloritic, 3% fine to coarse grained disseminated pyrite and as veinlets.																132048	2.60	4.60	2.00	0.15	3.4
				Fine quartz calcite veinlets up to 1cm, and very fine calcite crackle.																132049	4.60	6.60	2.00	0.09	0.9
				Overall moderately silicified.																132050	6.60	8.60	2.00	0.23	2.1
				LC 70 tca	LC	70														132051	8.60	10.60	2.00	0.03	0.3
																				132052	14.52	16.50	1.98	0.03	<0.1
10.60	14.52	22b	D/AN	**Andesite Dike -** medium grained andesite to diorite dike. Very fresh and homogenous phaneritic texture. Aphanitic at chilled margins. LC 45 tca.	LC	45														132053	16.50	18.50	2.00	0.02	<0.1
																				132054	18.50	20.50	2.00	0.02	<0.1
14.52	27.63	9a	AXXX	**Andesite -** fine grained mottled dark green grey, with fine quartz calcite veinlets, moderate to strong chloritization, 1% fine pyrite with increased pyrite locally as veinlets.				1	1		4			1						132055	20.50	22.50	2.00	0.06	0.3
				14.52-16.4 - weakly rubbly, vuggy, and rusty coating on fracture surfaces									2							132056	22.50	23.60	1.10	0.22	5.5
				23.32-23.6 - 2cm quartz calcite vein roughly running along core axis and other irregular branches, with 5% sphalerite, 1% galena, 1% pyrite. Weakly vuggy. Vein cut by later qtz chlorite pyrite veining.	qtz sph vn	0		4			3			2	1	5				132057	23.60	25.60	2.00	0.69	1
				24-25.5 - strong disseminated medium grained pyrite, 8%										8						132058	25.60	27.63	2.03	0.03	0.4
				26.3-27.63 - moderately rubbly with dark brown coating on fractures																132059	30.12	31.20	1.08	0.26	2.5
				LC 70 tca	LC	70														132060	STD	PM405		0.28	0.5
																				132061	31.20	32.20	1.00	0.67	4.3
27.63	30.12	22b	D/AN	**Andesite Dike -** medium grained andesite to diorite dike. Very fresh and homogenous phaneritic texture. Aphanitic at chilled margins. LC 60 tca.	LC	60														132062	32.20	33.20	1.00	0.52	0.9
30.12	44.60	9fp	AFPX	**Porphyritic Andesite -** fine grained andesite grading to porphyritic fsp. Grey green with overall mottled texture. Silicified mineralized zone as indicated followed by rubbly section with dark brown coatings on fractures as indicated. Freshest rock has few fine qtz calcite veinlets and 1% disseminated pyrite.							3		1	1						132063	33.20	34.20	1.00	0.22	1.7
				30.12-35.39 - moderately silicified, messy texture, moderate quatz calcite stockwork, intermittent brecciated sections with fine pale sphalerite, traces of galena, and pyrite. Some clots of very coarse clustered pyrite.				4	4		3			4	1	2				132064	34.20	35.40	1.20	0.84	6.5
				35.6-40.2 - moderately rubbly and vuggy with dark brown coatings on fracture surfaces.																132065	35.40	36.40	1.00	0.13	1.8

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
																				132066	51.30	52.30	1.00	0.01	<0.1
44.60	60.60	9Lt	ALXX	**Andesite Lapilli -** grey green fresh lapilli with mm-few cm scale lapillit clasts. Ghostly textured with matrix of finer grained wispy looking material. Moderately chloritic. Few fine calcite veinlets throughout. 0-3% disseminated fine to coarse grained pyrite.							3			2						132067	52.30	52.90	0.60	0.05	<0.1
				52.65 - 10cm qtz calcite, bright red hematite, pyrite vein 45 tca	qtz hem vn	45														132068	52.90	53.90	1.00	<0.01	<0.1
				Contact between these units is gradational from lapilli above to porphyry below over about 5 meters.																132069	66.00	67.69	1.69	0.01	0.2
																				132070	67.69	68.60	0.91	0.21	2.1
60.60	71.15	9fp	AFPX	**Porphyritic Andesite -** grey green porphyritic andesite with abundant pale fsps. Moderately chloritic, with intermitent clots of coarse pyrite in groundmass. Few fine qtz calcite veinlets throughout. Silicified mineralized zone towards end of unit as indicated.							3			2						132071	68.60	69.60	1.00	0.35	3.2
				67.69-71.15 - Moderate to strong silicification, quartz stockwork and brecciation. Significant feature of this zone is grey massive chert chunks in breccia. Could be 'cherty tuff' horizon Westmin theorized as main mineralizing control. Could be alteration, but it does look like sedimentary chert clasts in a silicified matrix. Possible weak bedding in chert clasts. 3% pyrite, 2% red-brown sphalerite, trace galena.				4	4		3			3	0.1	2				132072	69.60	70.60	1.00	0.32	4.7
				Lower contact mixed a little with andesite below, and pyrite clustered in contact.																132073	70.60	71.30	0.70	4.22	5.6
																				132074	71.30	72.30	1.00	0.03	0.6
71.15	137.54	9a	AXXX	**Andesite -** fine grained grey green, massive, weakly porphyritic in spots, but generally massive fine grained flow with white flecks of leucoxene and disseminated pyrite. Weakly to moderately chloritic. Few fine white quartz calcite veinlets thoughout, with rare large white calcite qtz chlorite veins.				1			3			1						132075	72.30	73.30	1.00	2.95	3.6
				Some rubbly sections.																132076	73.30	75.30	2.00	0.24	1.1
				77.1-78.4 - rubbly with dark coatings on fracture surfaces.																132077	75.30	77.30	2.00	0.09	0.6
				81.1-81.5 - rusty stained with weak vuggy texture									3							132078	77.30	79.30	2.00	0.03	0.4
				83.7-85.3 - intermittently rusty zone with quartz carbonate breccia. <cm scale grey green andesite clasts in a matrix supported qtz carbonate matrix. Some pyrite. Zone inds with 14cm white qtz carbonate chlorite vein.				3			2		3	1						132079	79.30	81.30	2.00	0.05	0.6
				89-90.6 - rusty rubble and white and green quartz calcite chlorite veining. Weakly vuggy and rusty and dark brown coatings on fracture surfaces.				2			2		3							132080	BLANK			<0.01	<0.1
				113.4-114 - stronger porphyritic texture in this zone.																132081	81.30	83.30	2.00	0.02	0.3
				Increased weak crackly calcite veining close to lower contact.																132082	83.30	85.30	2.00	0.03	0.2
				Lower contact sharp with chill margin on dike, 30 tca	LC	30														132083	149.00	150.00	1.00	0.01	0.2
																				132084	150.00	150.60	0.60	0.15	6.7
137.54	143.48	21d	D/DI	**Diorite Dike -** Medium gray fine to medium grained homogenous massive fresh dike. Very few very fine calcite veinlets.																132085	150.60	151.60	1.00	0.03	2.1
				Lower contact sharp with chill margin 25 tca	LC	25														132086	151.60	153.60	2.00	0.03	0.9
																				132087	153.60	155.60	2.00	0.01	0.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
143.48	204.60	9a	AXXX	**Andesite -** fine grained grey green, massive, weakly porphyritic in spots, but generally massive fine grained flow with white flecks of leucoxene and disseminated pyrite. Weakly to moderately chloritic. Few fine white quartz calcite veinlets thoughout, with few white calcite qtz chlorite veins.																132088	155.60	157.00	1.40	0.04	2
																				132089	157.00	159.00	2.00	0.01	0.5
				147.8-166.5 - this zone has weak quartz calcite stockwork that is dominantly 80-90 tca.	stwk	85														132090	159.00	161.00	2.00	0.12	2.7
				150.4-150.52 - qtz vein with banded texture, 4% pyrite, 4% dark red sphalerite, tr galena. 55 tca.	qtz vn	55		4	3					4	0.1	4				132091	161.00	163.00	2.00	0.02	0.6
				156.1-156.35 - quartz breccia vein with andesite clasts in quartz matrix. 3% pyrite, 2% sphalerite, tr galena. 65 tca.	Qtz bx vn	65		4	4					3	0.1	2				132092	163.00	165.00	2.00	0.03	1.6
				156.8-156.9 - quartz breccia vein similar to one above. Small angular clasts, clast supported, cherty. 60 tca	qtz bx vn	60								2						132093	165.00	167.00	2.00	0.04	2.8
				160.1 - 1.5cm qtz vein 85 tca with abundant dark red/purple sphalerite throughout veinlet.	sph vn	85										5				132094	167.00	169.00	2.00	0.02	0.7
				162.75 - 3cm qtz calcite pyrite vein 85 tca. Strong brassy looking pyrite throughout vein	py vn	85								5						132095	169.00	171.00	2.00	0.15	1.1
				190.8-204.6 - Moderately silicified. Andesite is hard and waxy. Weak to strong quartz stockwork, chloritic stain, tr-4% disseminated pyrite and sphalerite in veining.				3	3		3			1		1				132096	171.00	173.00	2.00	0.01	0.4
				192.9 - cm wide fault gouge 60 tca.	flt gg	60														132097	189.00	190.00	1.00	0.04	1.7
				194-196 - stronger quartz stockwork and silicification, crackle, stockwork, later white quartz, 3% disseminated pyrite, .5% fine pale brown sphalerite.				4	3		2			3		0.5				132098	190.00	191.00	1.00	0.23	0.4
				202-202.85 - 50% white quartz calcite chlorite veining, irregular and blebby.				3			4									132099	191.00	192.00	1.00	0.45	1.7
				202.85-204.6 - strong silicification, stockwork, brecciated texture (stockwork related), fine calcite veinlets, green chloritic stain, 2% pyrite disseminated, 3% sphalerite as pale brown veinlets and wisps, trace galena. Lower contact 20 tca.	LC	20		5	5		3			2	0.1	3				132100	STD	PM427		3.45	1.1
																				132101	192.00	193.00	1.00	0.27	1.6
204.60	205.86	22c	D/AP	**Andesite Dike -** Dark grey fine grained homogenous, <mm scale calcite amygdules and fine white spots. Sharp contact. Very fresh. Few very fine calcite seams.																132102	193.00	194.00	1.00	0.18	1.1
				Lower Contact 40 tca	LC	40														132103	194.00	195.00	1.00	0.9	3.5
																				132104	195.00	196.00	1.00	0.29	1.7
205.86	207.83	9a	AXXX	**Andesite -** grey green andesite, but entire unit is strongly silicified and stockworked. 3% disseminated pyrite, and .5% sphalerite as fine red brown spots.				5	5		3			3		0.5				132105	196.00	197.00	1.00	0.05	1.8
				Lower Contact 40 tca.	LC	40														132106	197.00	199.00	2.00	0.08	2.7
																				132107	199.00	201.00	2.00	0.03	2.9
207.83	208.35	22c	D/AP	**Andesite Dike -** Dark grey fine grained homogenous, <mm scale calcite amygdules and fine white spots. Sharp contact. Very fresh. Few very fine calcite seams.																132108	201.00	202.00	1.00	0.25	15.3
				Lower contact 65 tca	LC	65														132109	202.00	203.00	1.00	0.31	3.1
																				132110	203.00	204.00	1.00	0.27	4.6
208.35	210.06	9a	AXXX	**Andesite -** grey green andesite, but entire unit is strongly silicified and stockworked. 3% disseminated pyrite, and .5% sphalerite as fine red brown spots.				5	5		3			3		0.5				132111	204.00	204.60	0.60	0.37	3

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
				Lower Contact 50 tca	LC	50														132112	204.60	205.86	1.26	<0.01	<0.1
																				132113	205.86	206.80	0.94	0.36	2.2
210.06	210.68	22c	D/AP	**Andesite Dike -** Dark grey fine grained homogenous, <mm scale calcite amygdules and fine white spots. Sharp contact. Very fresh. Few very fine calcite seams.																132114	206.80	207.83	1.03	0.75	59.3
																				132115	207.83	208.35	0.52	<0.01	<0.1
210.68	241.13	9a	AXXX	**Andesite -** Grey green fine grained, moderately chloritic, largely silicified and mineralized as indicated. Weak to moderate quartz calcite stockwork throughout. Some more grainy sections and possibly weakly porphyritic, but generally fine grained flow. 1% disseminated pyrite throughout groundmass. Increased sulfides with silicification as indicated.				2			3			1						132116	208.35	210.06	1.71	1.06	4
				210.68-219.65 - strong silicification, stockwork, several veining events, later calcite veinlets, brecciation with silicified angular andesite clasts. 2-5% disseminated pyrite and as coarse clusters, 1-3% sphalerite as disseminated spots and fine veinlets honey coloured to dark red brown, trace galena. Sulfides increase towards lower end of zone. Best looking mineralization is in last 5 meters of zone.				5	5					4	0.1	2				132117	210.06	210.68	0.62	<0.01	<0.1
																				132118	210.68	211.60	0.92	0.73	2.6
				219.65-241.13 - some stockwork and silicification. Few veinlets with weak sphalerite spots and pyrite				2	1		3			1		0				132119	211.60	212.60	1.00	0.3	1.6
				Lower Contact 30 tca sharp	LC	30														132120	212.60	213.60	1.00	0.32	2.6
																				132121	213.60	214.60	1.00	0.6	2.4
241.13	242.24	22a	D/AX	**Andesite Dike -** grey very fine grained homogenous dike without chill margins. Contacts are sharp and a little irregular. No veining.																132122	214.60	215.60	1.00	0.76	1.8
				Lower Contact 40 tca	LC	40														132123	215.60	216.60	1.00	0.51	9.4
																				132124	216.60	217.60	1.00	0.69	7.4
242.24	249.70	9a	AXXX	**Andesite -** grey green fine grained andesite with moderate silicification, moderate fine quartz stockwork, few calcite veinlets, 2% pyrite disseminated and in veinlets, and .5% sphalerite fleck clusters associated with veinlets.				3	3		3			2		1				132125	217.60	218.60	1.00	0.59	10.1
				248.4-249.7 - brecciated texture with silica matrix and silicified andesite clasts. Trace pyrite.																132126	218.60	219.60	1.00	0.34	4.9
				Hole shut down due to drill limitations. This breccia zone may continue.				3	4		3			1						132127	219.60	220.60	1.00	0.17	0.6
																				132128	220.60	222.60	2.00	0.15	<0.1
				EOH 819' / 249.70m																132129	222.60	224.60	2.00	0.09	1
																				132130	224.60	226.60	2.00	0.1	0.8
																				132131	226.60	228.60	2.00	0.27	2.5
																				132132	228.60	230.60	2.00	0.46	3.9
																				132133	230.60	232.60	2.00	0.15	1.8
																				132134	232.60	234.60	2.00	0.15	1.1
																				132135	234.60	236.60	2.00	0.18	1.7
																				132136	236.60	238.60	2.00	0.25	2.4
																				132137	238.60	240.60	2.00	0.21	0.5
																				132138	240.60	242.60	2.00	0.02	<0.1
																				132139	242.60	244.60	2.00	0.42	3.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				132140	BLANK			<0.01	<0.1
																				132141	244.60	246.60	2.00	0.27	1.7
																				132142	246.60	248.60	2.00	0.1	1.8
																				132143	248.60	249.70	1.10	0.18	
																						EOH			
																									1.8

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
21.0	82.8	-50.5
149.1	79.6	-48.0
271.0	82.8	-42.4

P09-026

Northstar - Drilling third hole of a fence of 4 holes. Testing northern extension of larger scale zone from S1 pit north through the Unicorn. A couple 2-3 meters silicified zones in this hole, but nothing spectacular.

UTM E (NAD 83): 436279	**Azimuth (deg):** 080	**Start:** 13-Aug-09
UTM N (NAD 83): 6219801	**Dip (deg):** -50	**Finish:** 16-Aug-09
Elev (m): 1117	**Total Depth (m):** 280.18	**Logged by:** SD
Core Size: BQ	**Pad:** 13	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	1.52	OVB	CAS	Casing																					
1.52	20.80	9a	AXXX	**Andesite -** grey green fine grained andesitic flow. Homogenous texture, moderately chloritic, Few quartz calcite veinlets with increased veining as indicated. Trace disseminated pyrite.				1			2		1	0.5						132144	13.00	15.00	2.00	0.02	0.6
				1.52-9.7 - rubbly with weak rust staining on fracture surfaces.									2							132145	15.00	16.00	1.00	0.05	8.8
				13.7-14 - fractured with dark rusty coating on fractures									3							132146	16.00	17.80	1.80	0.02	1.1
				15-16 - quartz calcite veining roughly 80-90 tca. Weakly vuggy. 3% pyrite as vein clusters.	qtz cc vns	85		3	3		2		2	3						132147	17.80	18.80	1.00	0.03	0.6
				17.85-18.35 - quartz calcite breccia vein with angular green andesite clasts in white and grey qtz calcite. 2% pyrite in quartz				3			2			2						132148	18.80	20.80	2.00	0.02	0.5
				Lower contact sharp 45 tca	LC	45														132149	20.80	22.00	1.20	<0.01	<0.1
																				132150	22.00	23.45	1.45	<0.01	<0.1
20.80	23.45	22a	D/AX	**Andisite dike -** grey fine to medium grained with white calcite spots common. Homogenous, fresh, fractured, very rare white calcite veinlet.																132151	23.45	25.00	1.55	0.04	1.7
				Lower contact sharp and 60 tca.	LC	60														132152	25.00	27.00	2.00	0.01	0.4
																				132153	27.00	28.70	1.70	<0.01	<0.1
23.45	29.70	9a	AXXX	**Andesite -** grey green fine grained andesite with quartz calcite veining as indicated and rubbly fault zone as indicated. Weakly chloritic.				2			2			0.1						132154	28.70	29.70	1.00	0.03	3.2
				23.45-24 - quartz calcite breccia veining with angular grey green andesite clasts in matrix supported quartz calcite.				3												132155	29.70	31.48	1.78	<0.01	<0.1
				26.8-28.7 - strong rubble zone. Pieces of core are sub-rounded and weakly rust stained.									2							132156	31.48	32.53	1.05	0.06	4.4
				28.7-29.7 - 80% white quartz calcite veining with very fine black and pyritic selvages. Mostly 60 tca.	qtz cc vns	60														132157	32.53	34.50	1.97	0.03	<0.1
				Lower contact sharp and 85 tca	LC	85														132158	34.50	36.50	2.00	0.24	0.8
29.70	31.48	22a	D/AX	**Andesite Dike -** pale grey medium grained andesite dike with dark green chloritized acicular hornblende phenocrysts abundant.																132159	36.50	38.50	2.00	0.01	0.4
				Lower contact sharp and 45 tca	LC	45														132160	STD	PM405		0.29	0.8
																				132161	38.50	40.50	2.00	0.04	0.3
31.48	42.20	9a	AXXX	**Andesite -** grey green fine to medium grained andesite. Grades into coarser flow, weakly porphyritic, and occasional section with common small calcite phenocrysts. Not clear boundaries, so the unit is lumped together.				2			2			0.1						132162	40.50	42.50	2.00	<0.01	<0.1
				Generally fresh with common quartz calcite veinlets througout and increased veining as indicated.																132163	42.50	44.50	2.00	0.05	0.3
				31.48-32.53 - quartz calcite breccia, matrix supported, angular andesite clasts in a white matrix. 4% fine to medium grained pyrite and veinlets and disseminated in quartz and calcite.				4	4		2			4						132164	44.50	46.50	2.00	0.02	0.3

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
				38.2-40.2 - strong rubble section with rusty staining on fracture surfaces. Fractures are commonly 60-90 tca.	fxs	75														132165	60.20	62.20	2.00	0.05	3
																				132166	62.20	64.20	2.00	0.04	0.5
42.20	57.90	9Lt	ALXX	**Lapilli Andesite -** grey green medium grained andesite with angular to sub-rounded andesitic clasts of phorpyritic to aphanitic texture. Weakly chloritic, few qtz calcite veinlets, but nothing significant.							2									132167	64.20	66.20	2.00	0.04	0.8
				50.7-52 - rubbly with rusty fractures, fractures are roughly 0 tca and 65 tca.	fxs	0							3							132168	66.20	68.20	2.00	0.17	0.9
				Lower contact 50 tca	fxs	65														132169	68.20	70.20	2.00	0.59	1.4
				57.62 - Bit change rubble	LC	50														132170	70.20	72.20	2.00	0.04	0.4
																				132171	72.20	74.20	2.00	0.41	3.3
57.90	60.20	22a	D/AX	**Andesite Dike -** grey green fine to medium grained dike with abundant chloritized acicular hornblende phenocrysts. Homogenous and fresh.																132172	74.20	76.20	2.00	0.16	1.6
				Lower contact unclear in rubble towards end of unit.																132173	76.20	78.20	2.00	0.48	4.3
																				132174	78.20	79.20	1.00	0.57	5.9
60.20	103.85	9Lt	ALXX																						
				Lapilli Andesite - grey green medium grained andesite with pale weakly porphyritic clasts and fine grained andesitic clasts. Weakly porphyritic fsp hornblend texture towards lower half of unit with the matrix being darker green and clasts pale green, slightly vitreous. Moderately chloritic, weak fine quartz calcite veinlets throughout with increased veining and silicification and indicated. 1% finely disseminated pyrite. White flecks (leucoxene ?) associated with porphyritic textured sections lower donw unit.				1			3			1						132175	79.20	80.20	1.00	0.64	8.2
				60.8-60.9 - vuggy pyrite galena vein 60 tca. Rusty around vugs, 10% pyrite, 5% galena over this short interval.	py gn vn	60		3						10	5					132176	80.20	81.20	1.00	0.43	19.6
				61.1-61.6 - weakly vuggy rusty section followed by weakly silicified messy textured section with few pyrite vnlts.					2				2	2						132177	81.20	82.20	1.00	0.66	10
				66.2-69.3 - intemittent silicification messing up texture, fine qtz calctie blebs, up to 3% disseminated pyrite, some grey cherty veins (clasts).				2	2					2						132178	82.20	83.20	1.00	0.57	9.9
				69.3-71.7 - moderately silicifed and messed into swirly texture, dark grey colour, 5% finely disseminated pyrite. Lower contact of this zone sharp 90 tca with grey green less altered andesite below. Is this the cherty tuff horizon?	LC	90		1	3		2			5						132179	83.20	85.20	2.00	0.06	1.6
				72.25-72.5 - irregulat white and dark green quartz calcite chlorite veining, blocky and fractured				4			4									132180	BLANK			<0.01	<0.1
				72.75 - 3cm white quartz veinlet with strong galena and honey coloured sphalerite lining margins.	qtz sph gn vn	45								1	4	5				132181	85.20	87.20	2.00	0.04	1.1
				76.63-82.9 - this zone weakly silicfied throughout to grey colour, with 4% finely disseminated pyrite, fine quart veinlets and intermittent (3/meter) 3cm -15cm quartz breccia zones with angular grey andesite clasts in white qtz matrix. General fine fabric (pyrite banding and breccia zones) 90 tca.	fabric	90		3	3					5						132182	128.00	130.00	2.00	<0.01	<0.1
				81.6-82.3 - quartz breccia with angular grey andesite clast in grey/white quartz matrix. 5% fine pyrite lining clasts and disseminated.				4	4					5						132183	130.00	132.06	2.06	0.03	0.3

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
				82.65-82.9 - quartz stockwork, breccia with angular grey green andesite clasts in white qtz. 5% fine pyrite assiciated with stockwork. Stockwork cut by later vein with honey sphalerite and galena along margins. This also cut by later white quartz chlorite veinlets. At least quartz events in this section.				3	3		2			5	3	3				132184	132.06	133.43	1.37	0.01	<0.1
				82.9-103.85 - Generally moderately chloritic, few quartz calcite veinlets throughout.																132185	133.43	135.50	2.07	0.11	<0.1
				Lower contact fairly clear, weakly bleached, 50 tca	LC	50														132186	135.50	137.50	2.00	0.12	0.8
																				132187	137.50	139.70	2.20	0.16	0.1
103.85	132.06	9a	AXXX	**Andesite -** grey green fine to medium grained andesite flow. Moderately chloritic throughout, with common fine quartz calcite and quartz calcite chlorite veinlets. 2% fine to medium grained disseminated pyrite increased locally. Weakly vitreous looking throughout. Commonly fine white flecks of leucoxene (?) throughout.				1			3			2						132188	139.70	141.65	1.95	0.01	<0.1
				112.6-113.5 - few cm wide parallel quartz calcite chlorite veinlets consistently 20 tca.	qtz chl vn	20														132189	141.65	143.43	1.78	0.01	0.1
				113.95 - 3cm finely banded qtz calcite veinlet with pyrite, sphalerite and galena. Planar 15 tca.	qtz vn	15								2	0.5	2				132190	143.43	144.10	0.67	<0.01	<0.1
				114.3-114.8 - beige coloured fine grained bleached zone, few fine quartz yellow carbonate veinlets 20-40 tca.	qtz cb vn	30														132191	144.10	145.50	1.40	0.02	0.9
				119.8-120.05 - quartz chlorite vein running at 0 tca, fine rusty seams with in veining.	qtz chl vn	0							2							132192	145.50	146.75	1.25	0.02	0.4
				130-130.28 - 50% quartz calcite chlorite veining as irregular parallel veins overall roughly 90 tca. Andesite between veins is bleached beige in this zone (sericite?). 3% fine pyrite veinlets.			2	3			3			3						132193	146.75	147.40	0.65	<0.01	<0.1
				131.33-132.06 - 50% quartz calcite chlorite veining and irregular blebs and patches. Andesite is weakly bleached beige. 2% disseminated pyrite			2	3			3			2						132194	147.40	149.40	2.00	0.01	<0.1
				Lower contact sharp 60 tca.	LC	60														132195	149.40	151.40	2.00	0.01	0.4
132.06	133.43	22a	D/AX	**Andesite Dike -** grey medium grained andesite dike. Grainy texture, homogenous, with few fine planar quartz calcite veinlets 55 tca. Margins are weakly chilled over a few mm's.	qtz cc vn	55														132196	151.40	153.00	1.60	0.01	0.5
				Lower contact sharp 70 tca	LC	70														132197	153.00	154.00	1.00	0.09	1.8
																				132198	154.00	155.00	1.00	0.02	0.8
133.43	139.70	9a	AXXX	**Andesite -** grey green fine grained, weakly chloritic, common quartz calcite chlorite veinlets and veins up to 5cm wide. 1% disseminated fine pyrite, abundant fine white flecks of leucoxene (?).				2			2			1						132199	155.00	156.00	1.00	0.05	1.7
				133.43-133.86 - black coloured section, still andesite, just very dark colouration.																132200	STD	PM427		3.48	1.2
				Lower contact sharp and 30 tca	LC	30														132201	156.00	157.00	1.00	0.1	1.3
139.70	141.65	22c	D/AP	**Diorite dike -** grey fine grained porphyritic with fine grey beige groundmass with pale grey sub-anugular to sub-rounded fsp phenocrysts common, and common round calcite amygdules.																132202	157.00	158.00	1.00	0.35	2.6
				Lower contact sharp 50 tca	LC	50														132203	158.00	160.00	2.00	0.33	1
																				132204	160.00	162.00	2.00	0.1	0.7
141.65	143.43	9a	AXXX	**Andesite -** grey green fine to medium grained andesite with common quartz calcite veinlets and yellow carbonate veining near upper contact with dike.				2			2									132205	162.00	163.00	1.00	2.41	8.1
				Lower contact sharp 35 tca	LC	35														132206	163.00	164.00	1.00	0.42	5.6

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
																				132207	164.00	166.00	2.00	0.24	0.4
143.43	144.10	22c	D/AP	**Diorite dike -** grey fine grained porphyritic with fine grey beige groundmass with pale grey sub-anugular to sub-rounded fsp phenocrysts common, and common round calcite amygdules.																132208	166.00	168.00	2.00	0.26	1
				Lower contact sharp 45 tca	LC	45														132209	168.00	170.00	2.00	0.19	1.8
																				132210	170.00	172.00	2.00	<0.01	<0.1
144.10	146.75	9a	AXXX	**Andesite -** fine grained andesite with common fine quartz calcite veinlets. Few <10 chunks of andesite dike (same as unit below).				2			2									132211	172.00	174.00	2.00	<0.01	<0.1
				Lower contact sharp 75 tca	LC	75														132212	174.00	176.00	2.00	0.27	0.3
																				132213	176.00	178.00	2.00	0.09	0.9
146.75	147.40	22aH	D/AH	**Andesite Dike -** grey beige very fine grained dike with dark green acicular hornblend phenocrysts, few quartz eyes (amygdules?) and few vague fsp phenocrysts. Common fine white spots throughout.																132214	178.00	180.00	2.00	0.13	0.6
				Lower contact sharp 80 tca.	LC	80														132215	180.00	182.00	2.00	0.13	0.8
																				132216	182.00	184.00	2.00	0.03	0.4
147.40	170.30	9a	AXXX	**Andesite -** grey green fine grained andesite flow. Weakly chloritic, common quartz calcite and quartz calcite chlorite veining. Increased veining and mineralization as indicated.				2			2			1						132217	184.00	186.00	2.00	0.37	1.3
				Overall 1% finely disseminated pyrite with increased pyrite locally.																132218	186.00	188.00	2.00	2.13	20.7
				161.8-164 - 30% quartz veining with up to 3% pyrite, 2% fine galena, 2% dark red sphalerite spots locally in veins.				4	2		2.00			3	2	2				132219	188.00	190.00	2.00	1.57	1.2
				168.3-169 - 5% fine pyrite disseminated, associated with blobby white quartz veining.				3						5						132220	BLANK			<0.01	<0.1
				169.9-170.3 - fine yellow carbonate veining and breccia generally 40 tca.	cb vns	40														132221	190.00	192.00	2.00	0.54	1.8
				Lower Contact sharp 30 tca.	LC	30														132222	192.00	194.00	2.00	0.25	2.2
																				132223	194.00	196.00	2.00	0.33	1.2
170.30	174.00	22a	D/AX	**Andesite Dike -** grey fine grained andesite. Homogenous with few fine yellow carbonate veinlets roughly 40 tca	cb vns	40														132224	196.00	197.00	1.00	1.75	3.2
				Lower contact sharp and 20 tca.	LC	20														132225	197.00	198.00	1.00	1.09	5.9
																				132226	198.00	199.25	1.25	1.67	7.9
174.00	208.33	9a	AXXX	**Andesite -** grey fine grained flow. Few quartz calcite veinlets, weakly chloritic. Increased veining and rubbly as indicated. Main silicified zone from 196.15-199.25.				2	1		2			0.5						132227	199.25	201.00	1.75	0.74	6.7
				174.5-176.3 - rubbly blocky sections with weak rust staining on fracture surfaces.									2							132228	201.00	203.00	2.00	0.06	1.1
				184-185 - blocky with some rubble, very weak iron stain on some fracture surfaces.									1							132229	203.00	205.00	2.00	0.13	1.5
				187.1-187.25 - finely banded bedding texture in clast? with 6% finely disseminated around it.										6						132230	205.00	207.00	2.00	0.02	1.5
				191.6-192.25 - strong quartz stockwork, late quartz calcite veining and some quartz chlorite veining. Trace sphalerite and galena.				4						0.5	0.10	0.1				132231	207.00	208.33	1.33	0.02	1.5
				196.15-199.25 - Main silicified zone. Strong quartz stockwork with silica flooding 1.5% fine pyrite in quartz, trace of very fine sphalerite and galena. Zone margins roughly 85 tca.	silic zone	85		4	4					1.5	0.10	0.1				132232	208.33	211.60	3.27	0.12	3.4
				Lower contact 70 tca	LC	70														132234	211.60	213.63	2.03	0.11	4.3

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
208.33	209.65	9x	ABXX	**Andesite Breccia/Lapilli -** grey clastic unit with sub-angular to sub-rounded clasts up to 1cm, heterolithic, somewhat sorted by size, moderate fabric / alignment 70 tca, clast supported. Matrix is paler grey fine grained aphanitic. Few fine qtz calcite veinlets but generally fresh. Upper and lower contact gradational over a few cm's and both 70 tca.	LC / Bedding	70														132235	213.63	215.60	1.97	0.19	30.5
																				132236	215.60	217.60	2.00	0.17	4.5
209.65	211.65	9Lt	ALXX	**Andesite Lapilli-** grey green fine grained, with few darker angular clasts. With fine quartz calcite veinlets and fine pyrite veinlets. Many veinlets roughly 75 tca.				1			2			1						132237	217.60	219.60	2.00	0.08	2.9
																				132238	219.60	221.60	2.00	0.05	6.6
211.65	213.63	9x	ABXX	**Andesite Breccia/Lapilli -** grey clastic unit with sub-angular to sub-rounded clasts up to 1cm, heterolithic, somewhat sorted by size. Moderate fabric roughly 80 tca, clasts supported, paler aphanitic matrix. Upper and lower contacts not as clear as previous unit, but roughly 80 tca.	Bed	80														132239	221.60	223.60	2.00	0.03	17.3
																				132240	223.60	225.60	2.00	<0.01	0.3
213.63	228.95	9Lt	ALXX	**Andesite Lapilli -** grey green with generally darker angular clasts in paler matrix, clasts common, not abundant. Weak quartz calcite stockwork, few (2/m) cm scale veinlets with red brown sphalerite totally about .5% locally. 2% pyrite throughout as fine disseminations, fine veinlets, and coarse euhedral crystals in groundmass with small calcite pressure shadows.																132241	225.60	227.60	2.00	0.01	0.6
				Lower contact sharp 80 tca without chill margins.	LC	80		1			2			2		1				132242	227.60	228.96	1.36	0.03	1.5
228.95	231.88	22b	D/AN	**Diorite Dike -** pale grey fine grained magnetic dike. Homogenous texture with small common white blurred rounded fsps. Lower contact 70 tca	LC	70																			
231.88	280.18	9Lt	ALXX	**Andesite Lapilli -** grey green with darker sub-rounded to angular clasts up to 5cm in a paler grey green matrix. Weak quartz calcite stockwork thoughout. Texture in and out of fine grained andesite and lapilli texture. 2% pyrite finely disseminated, in veinlets, and as coarse euhedral clusters of crystals in groundmass.				1			2			2											
				EOH - 280.18m 919'																					

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
18.0	89.3	-49.8
213.1	95.6	-40.9
271.0	97.2	-38.1

P09-027

Northstar - Drilling fourth hole of a fence of 4 holes. Testing northern extension of larger scale zone from S1 pit north through the Unicorn.

UTM E (NAD 83): 436334	**Azimuth (deg):** 090	**Start:** 16-Aug-09
UTM N (NAD 83): 6219720	**Dip (deg):** -50	**Finish:** 21-Aug-09
Elev (m): 1104	**Total Depth (m):** 218.18	**Logged by:** SD
Core Size: BQ	**Pad:** 14	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	1.22	OVB	CAS	**Casing**																132243	17.30	19.30	2.00	0.8	1.6
																				132244	19.30	20.30	1.00	0.05	2.5
1.22	13.77	9a	AXXX	**Andesite -** grey green fine grained andesite flow. Grainy texture with abundant tiny white flecks of leucoxene. Weak rust staining on fractures, few fine quartz calcite veinlets, rare wider barren quartz vein and weakly silicified zone. Rubbly towards lower contact. Lower contact 70 tca and sharp.	LC	70		1			3		2							132245	20.30	21.30	1.00	0.02	2.1
																				132246	21.30	23.30	2.00	0.06	1.7
13.77	17.30	22c	D/AP	**Andesite or diorite Dike -** grey fine grained dike with common fsp phenocrysts and irregular calcite amygdules.																132247	23.30	25.30	2.00	0.08	1
				Lower contact rubbly, can't get orientation																132248	25.30	27.30	2.00	0.14	2.9
																				132249	27.30	29.30	2.00	0.4	1.3
17.30	41.18	9a	AXXX	**Andesite -** grey green fine grained andesite flow. Some grainy texture grading from very fine to medium grained. Few fine quartz calcite veinlets througout, few fine pyrite veinlets. Overall largely rubbly through this unit as indicated below. Weakly chloritic. 1% pyrite overall disseminated and as fine veinlets.				1			3		2	1						132250	29.30	31.30	2.00	0.13	1.7
				17.3-25.65 - very rubbly with dark brown earthy coatings on fracture surfaces. Weakly vuggy thoughout.																132251	31.30	32.82	1.52	0.26	1.6
				19.8-19.9 0 - rusty quartz veining with .5% pyrite, 60 tca	qtz vn	60		3					3	60						132252	32.82	34.11	1.29	5.68	14
				31.3-32.9 - strong rusty rubble									2							132253	BLANK			<0.01	<0.1
				32.9-34.11 - strong silicification and quartz breccia with patched of chloritic stain, 4% disseminated pyrite, 2% sphalerite as red brown patches, .5 % galena. Zone is more breccia than stockwork.				3	5		2			4	0.5	2				132254	34.11	35.10	0.99	0.47	4.1
				Lower contact of breccia zone is sharp at about 85 tca. Is this the cherty tuff horizon? Or just a quartz breccia zone. Not yet sold on the idea that the mineralized silicified zones are stratigraphic. They might just be altered silica zones that appear to be along bedding.	LC	85														132255	35.10	36.10	1.00	2.75	7
				34.7-41.18 - about 50% rubbly and vuggy with dark brown coating on fractures and in vugs.																132256	36.10	38.00	1.90	0.7	2.2
																				132257	38.00	40.00	2.00	0.5	1.6
41.18	46.00	22b	D/AN	**Andesite or Diorite Dike -** grey fine grained homogenous texture, magnetic. Fine dark green hornblend phenocrysts. Lower contact rubbly.																132258	40.00	42.00	2.00	0.15	1.2
																				132259	42.00	44.00	2.00	<0.01	<0.1
46.00	54.00	9a	AXXX	**Andesite -** grey green fine grained andesite flow. Common fine quartz calcite veinlets and pyrite veinlets.				1			3			1						132260	44.00	46.00	2.00	<0.01	<0.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
				46.76-48.68 - white quartz calcite veining and breccia with angular grey green andesite clasts in a white quartz calcite matrix. Towards lower end of zone, breccia is fine and changes to quartz clasts in a grey green grainy andesitic matrix. 3% disseminated pyrite mostly towards lower end of unit.				3	3		3			3						132261	46.00	47.00	1.00	0.91	1.5
				53.9-54 - rubbly with weak rust on fracture surfaces									2							132262	47.00	48.00	1.00	0.03	1.3
																				132263	48.00	48.68	0.68	0.05	2.1
54.00	56.70	22b	D/AN	**Andesite or Diorite Dike -** grey fine grained homogenous texture, magnetic. Fine dark green hornblend phenocrysts. Upper contact rubbly.																132264	48.68	50.00	1.32	0.01	0.8
				Lower contact 60 tca and sharp with aphanitic chill margin	LC	60														132265	50.00	52.00	2.00	0.14	0.2
																				132266	111.40	112.40	1.00	<0.01	<0.1
56.70	209.04	9a	AXXX	**Andesite -** grey green fine to medium grained andesite flow. Texture grades in and out of aphanitic to grainy to weakly porphyritic. Some sections of clasitc texture but andesite in andesite. Not particularly well developed lapilli horizons. Moderately chloritic. Few fine quartz calcite veinlets. Few larger white and dark green quartz chlorite calcite veins up to 1m wide with chunky dark green chlorite crystals.Overall 1% pyrite as fine veinlets and medium grained euhedral crystals.				1			3			1						132267	112.40	113.40	1.00	0.17	<0.1
				64-64.24 - white quartz calcite breccia with angular andesite clasts in white quartz calcite matrix. Barren looking.																132268	113.40	114.40	1.00	0.08	0.8
				78.3-78.7 - pale green fine grained to aphanitic dike with fine pale quartz eyes/spots. Non-magnetic. 45 tca	dike	45														132269	121.00	122.00	1.00	0.19	0.3
				91.2-92.35 - white and dark green quartz calcite chlorite vein with very strong dark green chlorite througout. 2% pyrite along margins.				3			5			2						132270	122.00	122.50	0.50	6.45	15.8
				112.75-114.1 - weakly silicified with 4% pyrite finely disseminated and as pyrite veinlets roughly 80 tca. Weak clastic texture here with green andesitic clasts in the green andesitic matrix.																132271	122.50	123.50	1.00	0.44	1.9
				122.1-122.27 - 70% quartz veining with 2% galena, .5% sphalerite, 5% medium grained pyrite banded along quartz. Veining orientated 40 tca.	qtz gn py vn	40														132272	148.00	149.00	1.00	0.27	1.7
				149-149.35 - weakly silicified zone of wispy quartz horsetails and blurred greey siliceous blebs, with fine mesh-like pale yellow to pale orangey brown sphalerite (3%), trace galena and 2% pyrite. Sphalerite is distinctively different in this little zone. Pale and as fine wisps.				1	2		3			2	0.5	3				132273	149.00	149.50	0.50	0.17	5.8
				154.9-156 - rubble broken sections with weak rusty staining.									1							132274	149.50	150.50	1.00	0.11	<0.1
				163.6-164.18 - silicified brecciated sections with quartz stockwork, strong chlorite and 2% medium grained pyrite.				3	3		4			2						132275	162.60	163.60	1.00	0.06	1.5
				164.85 - rubble over 10cm with weakly bleached zone preceeding it for 15 cm.																132276	163.60	164.20	0.60	<0.01	1.6
				168.69-169.55 - weakly silicifed with moderate quartz calcite stockwork running roughly 0 tca. 4% pyrite in veining and 2% coarse clusters of sphalerite red brown and pale honey coloured centers. (zones sphalerite). Trace galena.	qtz py sph vn	0		2	3		4			4		2				132277	164.20	166.20	2.00	<0.01	0.6
				179.25-181.48 - few veinlets with .5% red brown sphalerite in fine veinlets spaced through this zone.				2			4				0.1	0.5				132278	166.20	168.20	2.00	0.01	1.2

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
				182.5-188.47 - Moderately silicified zone with strong pyrite. 7% pyrite as medium grained patches and veinlets, and very finely disseminated. Possible sphalerite as greyish mineral. (?) Silicified dark green chloritic groundmass with moderate quartz stockwork and later white and green coarse crystalline quartz calcite chlorite veins. Common off-white flecks of whispy mineral (like tissue flecks ?). Some veining roughly 80 tca	qtz vns	80		3	3		4			7		?				132279	168.20	169.60	1.40	0.02	2
				187.8 - 3cm gravelly fault gouge																132280	BLANK			<0.01	<0.1
				187.92 - 1cm planar fault gouge 35 tca	flt gg	35														132281	169.60	171.60	2.00	<0.01	1.6
				203.25-203.5 - rhyolite quartz eye dike - pale beige green aphanitic with abundant irregular quartz eyes and fsps flecks. Sharp contacts with fine chill margins 25 tca.	rhy dike	25														132282	171.60	173.60	2.00	0.02	0.6
				203.7-205.5 - strong very fine pyrite disseminated throughout. 4%										4						132283	173.60	175.60	2.00	0.03	0.6
				205.5 - 5cm rubble																132284	175.60	177.60	2.00	0.13	1.6
				Lower contact is arbitrary. Difficult to see actual contact, but definitely a change from massive andesite to bedded unit that still looks like andesite with fragmental sections as well.																132285	177.60	179.60	2.00	0.05	0.6
																				132286	179.60	181.50	1.90	0.35	4.4
209.04	231.80	9t	ATXX	**Andesite Tuff -** Fine grained grey green andesitic bedded tuff. Graded from andesite above into this occasionally bedded unit. Hard to differentiate into clear units. Beds are fine ghostly bands often at high angle to core axis. Ghostly patches and bands of fragments (?). Fine quartz calcite stockwork weakly throughout, moderately chloritic. 1% disseminated pyrite.				1			3			1		0.1				132287	181.50	182.50	1.00	0.47	2.8
				Commonly fine orangy sphalerite as fine wisps along bedding ? Veining?																132288	182.50	183.50	1.00	1.73	3.3
				219.05 - clear bedding, 3cm wide bed with finely fining upwards up hole, bed it 30 tca. Not orientated so assuming beds strike roughly north south, bed is either 1) very steep dipping to east with tops to west, or 2) almost flat lying dipping slightly to east with tops up.	bed	30														132289	183.50	184.50	1.00	5.59	5
				220.6 - bedding 50 tca. No way up.	bed	50														132290	184.50	185.50	1.00	8.06	6.4
				228.57-230.73 - moderate stowckwork and silicification. Dark grey green waxy with fine stockwork mostly at 40-60 tca as parallel angular (fracture fill) veinlets. 2% fine pyrite and trace fine sphalerite and very fine veinlets.	stwk	50		3	3		4			2		0.1				132291	185.50	186.50	1.00	9.05	10.5
				230.1-230.73 - brecciated texture with siliceous matrix and grey green <cm scale andesitic clasts.																132292	186.50	187.50	1.00	2.25	3.9
				Lower contact gradational and hard to pick out. Unit below grades into clear clastic unti with large angular fragments of andesite in sndesitic matrix. Actual contact here not clear though.																132293	187.50	188.50	1.00	3.34	7.9
																				132294	188.50	190.50	2.00	0.05	3
231.80	280.18	9Lt	ALXX	**Andesite Lapilli -** grey green fine to medium grained fragmental unit with andesitic clast in an andesitic matrix. Generally ghostly clasts grading in to clear sub-angular dark clasts in a plaer matrix at end of hole.				1			3			2						132295	190.50	192.50	2.00	0.19	4.9
				2% pyrite as fine to coarse grained disseminated euhedral crystals.																132296	192.50	194.50	2.00	0.04	6.8
				weak fine quartz calcite stockwork throughout.																132297	194.50	196.50	2.00	0.11	5.3
				234.7 - fault gouge and rubble, gouge 35 tca.	flt gg	35														132298	196.50	198.50	2.00	0.03	3.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
				241.19 - blob of clay gouge with pebbles in it. No orientation																132299	198.50	200.50	2.00	0.02	3.2
				247.17-247.6 - bleached pale grey beige zone with 3cm quartz calcite yellow carbonate veinlet in the middle. 2% disseminated coarse euhedral pyrite in bleached material.			2	1						2						132300	STD	PM405		0.29	0.7
				251.72-254.77 - weakly bleached zone with 20% white and grey quartz calcite and cherty chalcedony veining. Also few very fine yellow carbonate veinlets. 2% disseminated medium grained euhedral pyrite.			2	3	1					2						132301	200.50	202.50	2.00	0.03	3.5
				256.6-256.92 - weakly bleached zone with fine calcite yellow carbonate veinlets, some weather out to kaolinite. <1cm qtz carbonate breccia veinlet planar and 53 tca in this zone.	qtz cb bx vn	53														132302	202.50	204.50	2.00	0.05	5.7
				266.3-268 - weakly fractured through this zone. Some strong pyrite in grounmass up to 5% as fine grained bands. Weakly bleached.	py bands	65	1	1						4						132303	204.50	206.50	2.00	0.05	5.8
				267.55-267.75 - grey beige pale rhyolite quartz eye dike. Aphanitic with irregular quratz eyes and white fsps flecks. Upper contact 70 to core axis and marked by fine fault gouge seam. Lower contact sharp and 55 tca.																132304	206.50	208.50	2.00	0.01	2.8
				267.75-280.18 - abundand coarse fragments as darker angular clasts in a pare matrix.																132305	208.50	210.50	2.00	<0.01	2.1
				279.15-280.18 - strong pyrite in matrix and clasta and medium to coarse grained euhedral crystals thoughout.										5						132306	226.50	228.57	2.07	0.01	2.2
																				132307	228.57	229.60	1.03	<0.01	0.8
				EOH - 280.18m, 919'																132308	229.60	230.80	1.20	0.18	1.5
																				132309	230.80	232.80	2.00	0.04	0.7
																				132310	246.10	247.10	1.00	<0.01	<0.1
																				132311	247.10	247.80	0.70	0.07	0.3
																				132312	247.80	249.80	2.00	0.04	<0.1
																				132313	249.80	251.72	1.92	0.02	0.5
																				132314	251.72	252.70	0.98	0.98	2.3
																				132315	252.70	253.70	1.00	0.65	1.5
																				132316	253.70	254.70	1.00	0.05	0.5
																				132317	254.70	256.50	1.80	0.05	<0.1
																				132318	256.50	257.00	0.50	<0.01	<0.1
																				132319	257.00	258.00	1.00	<0.01	<0.1
																				132320	STD	PM427		3.46	1.2
																				132321	275.15	277.15	2.00	0.17	0.5
																				132322	277.15	279.15	2.00	0.03	0.4
																				132323	279.15	280.18	1.03	0.61	1.7
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
21.04	226.4	-48.4
112.50	227.8	-44.3
233.54	231.4	-36.6

P09-028

Drilling west off pad 14 towards some trenches on ridge. From Northstar pad.

UTM E (NAD 83): 436331	**Azimuth (deg):** 225	**Start:** 21-Aug-09
UTM N (NAD 83): 6219719	**Dip (deg):** -50	**Finish:** -Aug-09
Elev (m): 1103	**Total Depth (m):** 243.59	**Logged by:** SD
Core Size: BQ	**Pad:** 14	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	1.52	OVB	CAS	**Casing**																132324	1.52	4.00	2.48	0.54	3
																				132325	4.00	5.50	1.50	0.13	0.9
1.52	54.90	9a	AXXX	**Andesite -** grey green fine to medium grained andesite flow. Some small fragmental looking sections, but texture is sort of ghostly. Appears to get coarser grained towards lower end of unit. Moderately chloritic throughout. Weak to moderate quartz calcite stockwork throughout. .5% finely disseminated pyrite throughout.				2			3		2	0.5						132326	5.50	7.50	2.00	0.04	1.3
				Some rubbly sections with weak rust staining on fractures and weakly vuggy with dark brown coatings in vugs.																132327	7.50	9.50	2.00	0.27	1.7
				4.4-4.85 - Few quartz calcite veinlets with 2% red brown sphalerite and pyrite. Veinlets generally 40 tca.	qtz sph vns	40		3						2		2				132328	9.50	11.50	2.00	1.51	5.2
				5.79-6.4 - strongly rubbly with orange and brown rusty coatings on fractures.									3							132329	11.50	13.50	2.00	0.17	0.5
				17.75-24.32 - moderately rubbly with slightly brecciated vuggy texture and weakly weathered throughout. Weakly rusty. Common fine quartz calcite veinlets with vugs.				2			3		2							132330	13.50	15.50	2.00	0.05	1.4
				24.32-31.13 - Moderate white quartz calcite stockwork and fine veinlts throughout. Not altered in host, just stockwork. Occasional yellow carb veinlet cutting stockwork. Occasional wider white and rusty barren quartz vein cutting stockwork. Up to 2% fine pyrite in stockwork and less disseminated in host. Stockwork irregular, but some running 0 tca.	stwk	0		3			3			2						132331	15.50	17.50	2.00	0.04	<0.1
				30.6-31.5 - rusty rubble with pieces of dark brown coated vuggy quartz with minimal pyrite.				3					3							132332	17.50	19.50	2.00	0.03	0.2
				52.4 - weakly rusty fault gouge seam 15 tca.	flt gg	15														132333	19.50	21.50	2.00	0.03	0.4
				Lower contact sharp 17 tca and chilled in dike margin	LC	17														132334	21.50	23.50	2.00	0.04	0.2
																				132335	23.50	25.50	2.00	1.49	1.5
54.90	59.42	22c	D/AP	**Andesite Dike -** fine grained grey andesite dike with patches of abundant <cm scale white calcite amygdules.																132336	25.50	27.50	2.00	11.78	9.9
				Mostly fine grained to aphanitic.																132337	27.50	29.50	2.00	0.62	1.2
				Lower contact sharp 40 tca with fine chill margin.	LC	40														132338	29.50	31.50	2.00	0.58	0.6
																				132339	31.50	33.50	2.00	0.95	0.2
59.42	64.86	9a	AXXX	**Andesite -** grey green fine grained to grainy andesite flow. Moderate quartz stockwork and 1% finely disseminated pyrite. Chuncks of fine grained fragmental running at 5 tca. Hard to tell where andesite turns into lapilli below.				2			3			1						132340	BLANK			<0.01	<0.1
				61-61.5 - bands of white quartz and vuggy quartz with strong pyrite, galena and sphalerite as bands along margins of veining.				3						4	3	2				132341	33.50	35.50	2.00	0.19	<0.1
				Bands roughly 40 tca.	qtz,sph,py	40														132342	59.42	61.00	1.58	0.03	<0.1
																				132343	61.00	61.50	0.50	18.01	79.8

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
64.86	76.35	9Lt	ALXX	**Andesite Lapilli -** grey green fine grained grainy andesite matrix with angular fragments of andesitic material. Matrix supported with fragments up to 4cm. Weak quartz calcite stockwork with not alteration. Some quartz veinlets with increased pyrite and trace dark red brown sphalerite, but 1% overall disseminated.																132344	61.50	63.00	1.50	0.06	<0.1
				72.2-73.2 - 50% blobby white quartz calcite veining barren and irregular but roughly low angel to core axis.																132345	84.70	85.70	1.00	0.05	<0.1
				Lower contact 35 tca and sharp with no chill margin on dike.	LC	35														132346	85.70	86.70	1.00	0.14	<0.1
																				132347	86.70	88.70	2.00	0.16	<0.1
76.35	81.50	22aH	D/AH	**Andesite dike -** grey pale green fine grained dike with abundant acicular dark green hornblend crystals and white irregular fsps.																132348	88.70	90.70	2.00	0.02	<0.1
				Lower contact 20 tca and shrap with no chill margin.	LC	20														132349	90.70	92.70	2.00	0.11	0.7
																				132350	92.70	94.70	2.00	0.57	2
81.50	82.80	9Lt	ALXX	**Andesite Lapilli -** grey green andesite with 2% disseminated pyrite, weak quartz calcite stockwork, moderately chloritic.																132351	94.70	96.70	2.00	0.02	0.3
				Lower contact 18 tca with mm wide seam of green chlorite along contact.	LC	18														132352	109.20	111.20	2.00	0.28	0.4
																				132353	111.20	111.70	0.50	0.6	5.3
82.80	83.38	22aH	D/AH	**Andesite Dike -** grey pale green andesite with abundant fsps phenocrysts and lesser fine dark green acicular hornblend phenocrysts.																132354	111.70	113.70	2.00	1.13	5.3
				Lower contact rubbly, can't get orientation																132355	146.30	148.30	2.00	0.03	0.1
																				132356	148.30	149.30	1.00	0.04	1.9
83.38	103.52	9a	AXXX	**Andesite -** grey green fine to medium grained grainy andesite flow. Moderately chloritic throughout, weak to moderate quartz calcite stockwork throughout. 1% finely disseminated pyrite.				2			3			1						132357	149.30	150.30	1.00	0.03	1.9
				85.8-86.4 - parallel white quartz calcite veining 15 tca mostly barren but one band has .5% dark red brown sphalerite clots.	qtz cc vn	15										0.5				132358	150.30	151.30	1.00	0.03	1.9
				93.2-93.67 - weakly silicifed with moderate quartz stockwork with 3% coarse pyrite clusters and .5% dark red brown sphalerite. Veining roughly 45 tca.	qtz vn	45		3	2					3		0.5				132359	151.30	152.30	1.00	0.03	2.7
				Lower contact 50 tca sharp	LC	50														132360	152.30	153.30	1.00	0.03	1.7
103.52	106.60	22c	D/AP	**Andesite Dike -** pale grey pale green fine grained dike with common fsps and calcite spots (amygdules), common fine dark green hornblend crystals																132361	153.30	154.30	1.00	0.02	2.2
				Lower contact 40 tca sharp with 1cm chill margin.	LC	40														132362	154.30	155.30	1.00	0.07	2.8
																				132363	155.30	156.30	1.00	0.13	2.4
106.60	117.50	9a	AXXX	**Andesite -** grey green fine grained grainy andesite flow. Weak quartz calcite stockwork, weakly chloritic, 2.5% finely disseminated pyrite throughout.				1			2			2.5						132364	156.30	157.30	1.00	0.13	2.2
				111.4-111.6 - silicified zone roughly 30-50 tca with .5% rusty coloured sphalerite spots and 2% pyrite.	qtz vn	40		3	3					2		0.5				132365	157.30	158.10	0.80	0.06	1.5
				Lower contact moderately sharp 60 tca.	LC	60														132366	158.10	160.10	2.00	0.02	<0.1
																				132367	160.10	161.08	0.98	0.01	<0.1
117.50	120.40	21cQ	D/RQ	**Dacite or Rhyodacite Dike - Eocene Portland Canal and Hyder Dikes -** medium to coarse grained phaneritic texture, Abundant quartz and plagioclase crystals with few dark green mafic flecks. Homogenous fresh texture without chill margins.																132368	161.08	162.40	1.32	0.01	<0.1
				Lower contact gradual over 3cm and 30 tca.	LC	30														132369	162.40	164.40	2.00	0.01	<0.1
																				132370	208.90	210.90	2.00	0.06	1.3

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
120.40	126.12	9a	AXXX	**Andesite -** grey green andesite with weak quartz stockwork and 2% disseminated pyrite. Grainy texture medium grained flow.				1			2			2						132371	210.90	211.50	0.60	0.34	5.8
				Lower contact sharp and 35 tca.	LC	35														132372	211.50	213.50	2.00	0.08	1.1
																				132373	218.90	219.90	1.00	0.01	0.2
126.12	129.93	22c	D/AP	**Andesite dike -** fine grained grey green aphanitic dike with clusters of white spots of calcite amygdules and fsp phenocrysts.																					
																				132374	219.90	221.60	1.70	0.09	1.8
				Lower contact sharp with weak chill margin 20 tca.	LC	20														132375	221.60	222.60	1.00	0.04	1.7
																				132376	230.60	232.60	2.00	0.03	0.3
129.93	130.68	9a	AXXX	**Andesite -** grey green fine grained andesite with grainy texture, 3% disseminated pyrite, few fine qtz calcite veinlets. Common fine white flecks (leucoxene?).				1			3			3						132377	232.60	234.60	2.00	0.03	0.2
					LC	30														132378	234.60	235.60	1.00	0.03	0.4
130.68	131.06	22c	D/AP	**Andesite dike -** grey beige aphanitic dike (might be more felsic?). With fine fsps aligned along 50 tca. Upper and lower contacts 30 tca sharp and finely chilled.																					
					LC	30														132379	235.60	236.60	1.00	0.02	<0.1
					fsps align	50														132380	BLANK			<0.01	<0.1
131.06	176.00	9Lt	ALXX	**Andesite Lapilli -** grey green fine grained matrix with lapilli fragments common but not abundant. Fragments are generally darker than matrix, and angular, and commonly porphyritic with abundand fsp phenocrysts. Moderately chloritic with few fine quartz and quartz calcite veinlets. Up to 2% pyrite finely disseminated and as coarse clusters. Common fine white flecks (leucoxene?).				1			3			1						132381	236.60	237.60	1.00	0.09	4.8
																				132382	237.60	239.60	2.00	0.01	0.3
				148.3-158.1 - 50% irregular large white quartz calcite veins with fine seams and selvages of pyrite that have subsequently been broken into little strips. Appears to be only pyrite in the veining. Moderately chloritic between veins, but lacking chunks of massive chlorite like many of these late quartz calcite veins.				4			3			2						132383	239.60	241.60	2.00	0.12	0.7
				157.85-158.1 - rusty fractured section with weakly vuggy veining, not much pyrite.									4							132384	241.60	243.59	1.99	0.18	1.2
				161.08-162.4 - weakly bleached patches of beige with few quartz veinlets **173.6-173.8** - dark brown rusty vuggy section, fractured with gouge seam 0 tca and 20 tca.	flt gg	0																EOH			
					flt gg	20																			
				Lower contact sharp but a little irregular 30 tca.	LC	30																			
176.00	177.58	22a	D/AX	**Andesite dike -** grey green fine grained with fine irregular dark green phenocrysts and fine white fsps flecks.																					
				Contact weakly chilled. Lower contact sharp 85 tca	LC	85																			
177.58	182.95	9Lt	ALXX	**Andesite Lapilli -** grey green grainy textured lighter and darker grey green spots and patches, clasts are darker than matrix with abundant fine fsps. Few fine quartz calcite veinlets and blebs. 1% finely disseminated pyrite.				1			3			1											
				Lower contact sharp and 30 tca.	LC	30																			

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
182.95	185.50	10	G/TX	**Porphyry dike - Texas Creek -** grey green fsp and hornblend porphyry dike with abundant white calcite filled amygdules. Andesitic of dioritic. Few fine calcite veinlets, finer grained at margins, coarse grained in middle. Wide chill margin.																						
				Lower contact sharp 20 tca.	LC	20																			
185.50	243.59	9Lt	ALXX	**Andesite Lapilli -** grey green andesitic lapilli with darker clasts in a paler matrix. Grainy patchy texture thoughout. Commonly weak fabric to clasts roughly 30 tca. Few quartz calcite veinlets, up to 3% disseminated fine to medium grained sub-euhedral and euhedral pyrite.				1			3.00			2											
				210.9-211.5 - 70% white quartz veining with strong pyrite along margins and around chunks of host in vein. Irregluar.				4						3											
				219.98-221.6 - quartz calcite veining and fine brecciated texture. White quartz veining and banding of selvages with fine fault gouge roughly 0-20 tca.	flt gg	10		3						3											
				224.9 - 20 cm of messy fine veining and fracturing roughly 10 tca.	flt / vn	10																			
				231.86-243.59 - Moderate quartz veining and brecciation intermittently. Few small chalcedony quartz veinlets. Not particularly juicy with few sulfides other than indicated below. Overall 2% disseminated pyrite.				2			3			2											
				236.9-237.4 - veining here has 3% red brown sphalerite spots throughout.												3									
				243.45 - 2 parallel <cm wide fault seams with gritty fault gouge both 55 tca.	flt gg x 2	55																			
				EOH - 243.59m, 799'																					

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
17.07	92.5	-49.8
93.29	87.7	-47.9
209.15	88.2	-43.6

P09-029

Drilling east from northern of two Province Pads. Intersect several zones indicating a connection between the Province above and the Big Missouri below. This supports sub-vertical form to zone as opposed the previous thinking that it was a shallow west dipping stratabound zone.

UTM E (NAD 83): 436146	**Azimuth (deg):** 90	**Start:** 23-Aug-09
UTM N (NAD 83): 6219290	**Dip (deg):** -50	**Finish:** 26-Aug-09
Elev (m): 1045	**Total Depth (m):** 218.29	**Logged by:** SD
Core Size: BQ	**Pad:** 15	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	82.30	9Lt	ALXX	**Andesite Lapilli -** grey green fine grained to medium grained with mix of clasts commonly porphyritic, clasts often ghostly and angular to sub-rounded. Generally few fine calcite and quartz veinlets. Moderately chloritic. Overall 1% disseminated medium grained sub-hedral pyrite.				1			3			1						132385	0.00	3.20	3.20	0.14	0.8
				0-8.3 - zone of intermittent cm scale quartz veinlets with up to 2% sphalerite, 1% galena, 1% pyrite.				2						1	1	2				132386	3.20	4.20	1.00	0.38	2.1
				8.3-8.6 - Massive sphalerite and galena. Roughly 40 tca. Almost entire core section is pyrite, fine galena and large clots of sphalerite with zoned red brown rims and paler honey centers. Vein in vuggy with small pits.	sph gn vn	40								10	30	30				132387	4.20	5.20	1.00	0.09	1.4
				22.07 - rusty fault gouge seam 50 tca followed by 20 cm weakly bleached zone.	flt gg	50														132388	5.20	6.20	1.00	0.32	7
				29.38-30.6 - weakly bleached zone with 3% pyrite and rubble section at end. Fault gouge seam 70 tca.	flt gg	70														132389	6.20	7.20	1.00	0.18	1.7
				42.8-60.8 - moderate to strong silicification and up to 5% pyrite finely disseminated along bands at high angels tca and as coarse clusters. Zones of strong quartz veining as indicated within this zone. Core is bleached varying degrees of pale grey thoughout.				3	3					4						132390	7.20	8.20	1.00	0.12	0.2
				43.5-44.3 - moderate quartz veining / flooding with 7% fine pyrite throughout.				4	4					7						132391	8.20	8.80	0.60	0.26	26.2
				45.77-46.23 - grey strongly silicified zone with 6% medium grained pyrite and gougy rubbly fractured nature to zone.				4	4					6						132392	8.80	10.80	2.00	0.24	3.5
				47.7-49 - rubbly broken zone with poor recovery. Stongly silicified with moderate white quartz stockwork.				4	4											132393	10.80	12.80	2.00	0.1	0.4
				52.37-53.4 - white barren quartz calcite vein with minimal chloritic selvages.																132394	39.50	41.50	2.00	<0.01	<0.1
				53.4-54 - rubble with quartz veining and schistosity in host 30 tca.	fol	30														132395	41.50	43.50	2.00	0.03	1.6
				58.4-58.8 - blebby quartz veining with fine seams of red brown sphalerite (2%) and fine galena (1%).											1	2				132396	43.50	44.30	0.80	0.33	7.9
				77.22-78.1 - zone fractured at consistently high angle to core axis, argillite in volcanics making zone dark and very fine grained. Patches of pyrite and veinlets with trace sphalerite.	fxs	80								5						132397	44.30	45.30	1.00	0.15	3.2
				Lower contact arbitrary. Defined by lack of clasts.																132398	45.30	46.30	1.00	0.2	3.1
																				132399	46.30	47.30	1.00	0.07	1.4
82.30	148.90	9t	ATXX	**Andesite -** grey fine grained grainy fextured andesite with few clasts? (weakly porphyritic sections). Generally not super chloritic and weakly silicified as hue is paler grey than rick is harder than chloritic andesite. Few fine quartz calcite veinlets throughout. 1 disseminated pyrite and as clusters of coarser pyrite disseminated.				1	1		1			1						132400	STD	PM405		0.28	0.5

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
				89.97-90.3 - pale grey green bleached zone with fine quartz calcite veining bands and pyrite, red brown and honey sphalerite, trace chalcopyrite and trace galena as band. All features are 70 tca.	vns, sph	70	2	3	3					1	0.1	2		0.1		132401	47.30	49.30	2.00	0.25	2.8
				90.3-90.7 - rubble broken section.																132402	49.30	51.30	2.00	0.31	3.6
				93.63-96.4 - moderately blocky with weak rust staining on fracture surfaces.																132403	51.30	52.37	1.07	0.37	5.3
				117.72 - 140 - This zone includes a large calcitic breccia vein section, but these are the limits of fine blue black seams in the andsite and with quartz calcite veinlets. Seams look like fine argillitic layers or ppossibly manganese oxide(?).				2	3					1						132404	52.37	53.40	1.03	0.11	2.1
				120.5-126.55 - massive calcite quartz breccia zone with minimal pyrite, and apparently lacking other sulfides. Fine blue/black and black seams throughout and lining clasts. Fracture surfaces graphitic. Argillitic layers in this zone. Vein and argillite bands at lower end of unit 40 tca.				3	2					1						132405	53.40	55.40	2.00	0.28	5.1
148.90	163.45	9Lt	ALXX	**Andesite Lapilli -** grey fine grained andesite with few angular to sub-rounded andesitic clasts. Not very well developed lapilli. Just enough clasta around to break it out as a different unit. Few fine quartz calcite veinlets. Weakly chloritic, possibly very weakly silicified. .5% disseminated pyrite.				1	1		2			0.5						132406	55.40	57.40	2.00	0.16	0.8
				149.5-150.0 - Irregular white quartz calcite veining about 1-2 cm wide blobby veins overall at high angle to core axis. With 2% dark red brown clots of sphalerite and trace galena. 1% pyrite finely disseminated in host.	veining	85		3			2			1	0.1	2				132407	57.40	58.30	0.90	<0.01	0.1
				156.4 - 3cm quartz calcite veining 30 tca with few clots of dark red brown sphalerite.	qtz cc cvn	30		2								0.5				132408	58.30	58.80	0.50	0.02	2.3
																				132409	58.80	60.80	2.00	0.04	0.9
163.45	206.20	9t	ATXX	**Andesite -** grey to pale grey beige fine grained andesite. With moderate fine quartz calcite stockwork. Overall 2% disseminated pyrite as fine veinlets, clots, and medium to coarse grained sub-hedral crystals.				2			1			2						132410	60.80	62.80	2.00	0.03	0.4
				172.2-172.6 - fine quartz calcite stockwork with fine crackly seams of blue black mineral, likely argillite seams in andesite moved along fractures.				3												132411	62.80	64.80	2.00	0.03	0.9
				177.5-177.8 - abundnat blue black crackly seams with some quartz calcite veining and pyrite up to 4% as coarse sub-hedral crystals. Veining and fractures a roughly high angle to core axis.				2						4						132412	64.80	66.80	2.00	0.02	0.3
				178.7-182.9 - bleached zone to pale grey beige bleached zone with rare fine quartz yellow carbonate veinlets.			3	1												132413	66.80	68.80	2.00	<0.01	<0.1
				182.3-182.9 - abundant fine blue black seams with weak quartz carbonate stockwork and 10% very fine pyrite disseminated.			3	1						10						132414	68.80	70.80	2.00	0.01	<0.1
				184.65-185.3 - moderate silicification with quartz veinlets and ghostly brecciated texture, moderately chloritic, 7% fine disseminated pyrite.				2	3		3			7						132415	70.80	72.80	2.00	0.01	<0.1
				185.95-190.9 - 80% quartz breccia stockwork and silicification. Common fine blue black seams, but not abundant. 3% finely disseminated pyrite. Trace of sphalerite throughout, (may be more as fine pale wisps). Host clasts are weakly greenish (chloritic)				5	5		1			3		0.1				132416	72.80	74.00	1.20	0.03	<0.1

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
				190.4 - 10cm breccia with dark green angular host clast in quartz and coarse clots of green sphalerite with red brown spots in middle of clots, .5% galena around sphalerite, trace chalcopyrite and possibly tetrahedrite.										1	0.5	5		0.1	tet	132417	74.00	75.10	1.10	<0.01	<0.1
				190.9-206.20 - moderate quartz stockwork commonly at high angle to core axis. Intermittent quartz veinlets with red brown sphalerite (1/m). Weak to moderate silicification overall. 4% finely disseminated pyrite.				3	3					4		0.5				132418	75.10	77.10	2.00	0.01	<0.1
				199.22-199.7 - 75% quartz veining with fine blue black selvages and fine pyrite seams.	qtz veining	30		4	3					4						132419	77.10	78.10	1.00	0.06	0.6
				206.32-204.28 - breccia zone, crackley tecture with silicified clasts in clast supported quartz matrix. Some clasts pyrite replaced	bx zone	70		3	4		1			5						132420	BLANK			<0.01	<0.1
																				132421	78.10	79.10	1.00	<0.01	<0.1
206.20	218.29	9LT	ALXX	**Andesite Lapilli -** grey green fine grained andesite with mixed andsitic clasts, some porphyritic, hard rock, moderately silicified, but not bleached. Fine quartz calcite stockwork. Common veinlets with spots of red brown sphalerite. Overall 5% fine pyrite.				2	3		1			5		0.5				132422	87.70	89.70	2.00	0.01	<0.1
																				132423	89.70	90.30	0.60	0.09	2.8
				EOH - 218.29m / 716'																132424	90.30	92.30	2.00	0.02	0.3
																				132425	92.30	94.30	2.00	<0.01	<0.1
																				132426	94.30	96.30	2.00	0.25	<0.1
																				132427	96.30	98.30	2.00	0.18	1.3
																				132428	98.30	100.30	2.00	<0.01	<0.1
																				132429	100.30	102.30	2.00	<0.01	<0.1
																				132430	102.30	104.30	2.00	<0.01	<0.1
																				132431	104.30	106.30	2.00	<0.01	<0.1
																				132432	106.30	108.30	2.00	0.01	<0.1
																				132433	108.30	110.30	2.00	0.01	<0.1
																				132434	110.30	112.30	2.00	<0.01	<0.1
																				132435	112.30	114.30	2.00	0.01	<0.1
																				132436	114.30	116.30	2.00	0.01	<0.1
																				132437	116.30	118.30	2.00	0.01	0.2
																				132438	118.30	119.50	1.20	<0.01	0.2
																				132439	119.50	120.50	1.00	0.02	0.6
																				132440	120.50	121.50	1.00	0.01	0.3
																				132441	121.50	122.50	1.00	0.02	0.4
																				132442	122.50	123.50	1.00	0.05	1
																				132443	123.50	124.50	1.00	0.07	1.2
																				132444	124.50	125.50	1.00	0.04	1.9
																				132445	125.50	126.55	1.05	0.02	0.9
																				132446	126.55	128.50	1.95	<0.01	<0.1
																				132447	128.50	130.50	2.00	<0.01	<0.1
																				132448	130.50	132.50	2.00	<0.01	<0.1
																				132449	132.50	134.50	2.00	0.04	<0.1
																				132450	134.50	136.50	2.00	0.34	0.9

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				132451	136.50	138.50	2.00	<0.01	<0.1
																				132452	138.50	140.50	2.00	<0.01	<0.1
																				132453	140.50	142.50	2.00	0.22	7.1
																				132454	142.50	144.50	2.00	0.01	0.6
																				132455	144.50	146.50	2.00	<0.01	<0.1
																				132456	146.50	148.50	2.00	<0.01	0.2
																				132457	148.50	150.50	2.00	<0.01	1.1
																				132458	150.50	152.50	2.00	<0.01	0.3
																				132459	152.50	154.50	2.00	0.01	0.1
																				132460	154.50	156.50	2.00	0.06	<0.1
																				132461	156.50	158.50	2.00	0.07	<0.1
																				132462	158.50	160.50	2.00	<0.01	<0.1
																				132463	160.50	162.50	2.00	<0.01	<0.1
																				132464	162.50	164.50	2.00	<0.01	<0.1
																				132465	164.50	166.50	2.00	0.01	<0.1
																				132466	166.50	168.50	2.00	0.01	0.2
																				132467	168.50	170.50	2.00	0.01	<0.1
																				132468	170.50	172.50	2.00	0.02	0.2
																				132469	172.50	174.50	2.00	<0.01	<0.1
																				132470	174.50	176.50	2.00	<0.01	<0.1
																				132471	176.50	178.50	2.00	0.02	0.3
																				132472	178.50	180.50	2.00	0.03	0.4
																				132473	180.50	181.50	1.00	0.07	0.4
																				132474	181.50	182.50	1.00	0.1	1.2
																				132475	182.50	184.50	2.00	0.1	2.8
																				132476	184.50	185.95	1.45	0.55	3.2
																				132477	185.95	186.90	0.95	0.3	2.2
																				132478	186.90	187.90	1.00	7.08	11
																				132479	187.90	188.90	1.00	4.4	8.6
																				132480	188.90	189.90	1.00	0.58	2
																				132481	189.90	190.90	1.00	0.59	3.7
																				132482	190.90	191.90	1.00	0.79	3.2
																				132483	191.90	192.90	1.00	0.58	3.7
																				132484	192.90	193.90	1.00	499.3	119.6
																				132485	193.90	194.90	1.00	32.02	5.4
																				132486	194.90	195.90	1.00	8.6	6
																				132487	195.90	196.90	1.00	0.99	3.8
																				132488	196.90	197.90	1.00	0.68	2.8
																				132489	197.90	198.90	1.00	0.29	2.6
																				132490	198.90	199.70	0.80	1.49	3.7
																				132491	199.70	201.70	2.00	0.35	1.4
																				132492	201.70	203.30	1.60	0.34	2.5

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				132493	203.30	204.30	1.00	0.72	6.3
																				132494	204.30	206.30	2.00	0.24	3.1
																				132495	206.30	208.30	2.00	0.17	1.7
																				132496	208.30	210.30	2.00	0.05	2.2
																				132497	210.30	212.30	2.00	0.67	2.7
																				132498	212.30	213.40	1.10	0.08	2.2
																				132499	213.40	214.63	1.23	0.42	3.8
																				132500	BLANK			0.02	<0.1

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
14.63	85.7	-49.4
136.59	82.9	-43.3
258.54	84.6	-35.6

P09-030

Drilling east from southern of two Province Pads.

UTM E (NAD 83): 436210	**Azimuth (deg):** 90	**Start:** 26-Aug-09
UTM N (NAD 83): 6219153	**Dip (deg):** -50	**Finish:** 29-Aug-09
Elev (m): 1063	**Total Depth (m):** 267.68	**Logged by:** SD
Core Size: BQ	**Pad:** 16	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	2.13	OVB	CAS	**Casing**																132501	2.13	4.00	1.87	0.01	0.3
																				132502	4.00	6.00	2.00	0.01	<0.1
2.13	14.90	9t	ATXX	**Andesite -** grey green fine grained andesite with fine fragments of black argillitic material. Weakly banded (bedded?) at high angle to core axis. Not supper consistent, but generally high angle to core axis. Moderately chloritic throughout, weak to moderate quartz calcite and some quartz yellow carbonate stockwork. 2% finely disseminated pyrite with increased local coarser veinlets up to 5%.	bedding?	75		2			3			2						132503	6.00	8.00	2.00	<0.01	0.4
				2.8-3.5 - white massive bull quartz with minimal carbonate. 20 tca.	qtz vn	20														132504	8.00	10.00	2.00	0.02	0.6
				10.7-11.45 - blocky and sheared looking with chloritic fractures at high angle to core axis. Minimal quartz yellow carb veinlets associated with this broken zone. Host weakly bleached.	fol	80		3						2						132505	10.00	12.00	2.00	0.08	0.6
				Lower contact fairly clear between finer grained tuff above to coarse clastic unit below.																132506	12.00	14.00	2.00	<0.01	<0.1
																				132507	14.00	16.00	2.00	0.12	0.6
14.90	125.65	9Lt	ALXX	**Andesite Lapilli Tuff -** grey green fine grained matrix with sub-angular to sub-rounded clasts up to 5cm. Clasts are elongated along plane at high angle to core axis. Moderately chloritic. Generally weak quartz calcite stockwork with silicified zones as indicated. Overall 1% disseminated pyrite with locally increased pyrite as coarser clusters and veinlets.	clast fol	70		2			3			1						132508	16.00	18.00	2.00	0.06	1
				33.8-39.23 - strong silicification, grey quartz flooding throughout with mesh of strong fine grained pyrite up to 7%. Fine quartz calcite mesh-like stockwork overprinting. Rare gtrace sphalerite.				2	4					7		0.1				132509	18.00	20.00	2.00	0.06	0.3
				37.8-38.7 - pale green hue to andesite here, sericite pervasively disseminated.			3													132510	20.00	22.00	2.00	0.01	<0.1
				42.8-43.55 - strong silicification as grey pervasive quartz flooding. Moderate quartz caclite stockwork as fine mesh. 7% pyrite as medium grained clusters mostely assoiated with stockworking.				2	4					7						132511	22.00	23.80	1.80	<0.01	<0.1
				45.92-46.45 - strong silicification with weak stockwork blebs and 7% disseminated fine to medium grained pyrite.				2	4					7						132512	23.80	25.80	2.00	<0.01	<0.1
				46.45-50.1 - strong disseminated pyrite in andesite. Pyrite as fine to medium grained disseminations and veinlets and coarser clusters.										5						132513	25.80	27.80	2.00	0.02	1.4
				50.1-89.61 - moderate stockwork with 3% pyrite.				2						3						132514	27.80	29.80	2.00	<0.01	<0.1
				71.1-79.22 - darker grey green zone appears to have fine argillite disseminated within andesite giving a darker grey black hue to core. Argillite increases to end of zone described below.																132515	29.80	31.80	2.00	0.01	<0.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
				78.65-79.22 - graphitic argillite with quartz carbonate veining and fine seams of fine pyrite. General fabric at high angle to core axis.	fol / vns	80		3						2						132516	31.80	33.80	2.00	0.02	0.1
				88.86-90.45 - weakly bleached pale green, sericitic, moderate quartz calcite stockwork. Fine disseminated pyrite in host, not veining.			2	3												132517	33.80	34.80	1.00	0.88	3
				111.2-125.65 - moderate quartz calcite stockwork with weak silicification in host, 4% pyrite as medium to coarse grained cluster mostly in veining. Traces of sphalerite associated with veining. Trace chalcopyrite associated with veining.				3	1		2			4		0.1		0.1		132518	34.80	35.80	1.00	0.67	3.2
																				132519	35.80	36.80	1.00	0.11	2.7
125.65	198.50	9a	AXXX	**Andesite - (flow? tuff?)**grey green fine grained andesite. Grainy texture. With moderate quartz calcite stockwork throughout with some stockwork as breccia veining with angular fresh andesite clasts in matrix supported quartz calcite. 1% fine disseminated pyrite throughout with increased concentrations locally. Moderately chloritic. Weakly bleached silicified sections and locally fine veinlets with fine red brown sphalerite and traces of galena.				3	1		3			1						132520	36.80	37.80	1.00	0.46	3.8
				175.8-178.1 - 50% white and creamy yellow quartz carbonate veining irregular but roughly low angle to core axis. .5% pyrite as medium to carse grained clusters. Looks like earlier white quartz calcite veining cut by later quartz yellow carbonate veining.	qtz cb vns	20		3						0.5						132521	37.80	38.80	1.00	0.17	6.1
				182.8-183.2 - 50% quartz calcite veining with medium to coarse grained pyrite clusters up to 10% locally.				3						5						132522	38.80	40.80	2.00	0.02	0.2
				186.4-187.7 - intermittent grey chert veins a few cm's wide, and about 6 over the interval. Irregular orientations.				3												132523	40.80	42.80	2.00	<0.01	<0.1
				190.5- 198.5 few fine quartz calcite veinlets with fine red brown sphalerite as fine seams and spots and fine traces of galena. Overall trace sphalerite and galena.											0.1	0.1				132524	42.80	43.80	1.00	0.39	7.5
				Lower contact is a bit arbitraty, but defined by presence of larger (or larger?) fragments in andesite groundmass.																132525	43.80	45.80	2.00	1.01	13
																				132526	45.80	46.80	1.00	0.02	0.5
198.50	223.00	9Lt	ALXX	**Lapilli tuff -** grey green grainy textured tuff with sub-rounded to angular clasts up to 5cm. Clasts are abundant in area and common in others. Generally weakly bleached with increased silicification and sericite as indicated. Weakly chloritic throughout.Weak to strong quartz calcite stockwork throughout. 4% disseminated fine to medium grained pyrite.			2	3	2		2			4						132527	46.80	48.80	2.00	0.07	1.6
				Stockwork is of several stages, with the latest appearing to be few cm wide white and bluey grey quartz calcite veins that cut across other stockwork, silicification.																132528	48.80	50.80	2.00	0.06	1.1
				218.65-223.00 - strong quartz and quartz calcite stockwork, and quartz brecciation of andesite. Grey greenish andesite. Calcite is commonly blueish in colour. Quartz stockwork commonly at moderate to high angel to core axis, while quartz calcite veining at low to moderate angels to core axis. Strong fine disseminated pyrite mostly in host up to 7%, 1% fine wispy red brown and pale sphalerite, trace galena. Sulfides associated mainly with early stockwork and brecciation.			1	4	4		2			7	0.1	1				132529	50.80	52.80	2.00	<0.01	0.2
																				132530	77.00	78.65	1.65	<0.01	0.3

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
223.00	231.60	9t	ATXX	**Andesite Tuff with 50% black argillite beds/bands within tuff.** -grey green fine grained tuff beds alternating with 5-20cm wide aphanitic black agrillite beds. Bedding variable from 80 tca to 40 tca over 1 meter. Moderate quartz and quartz calcite stockwork and moderate to strong silicification thoughout with juicier zones as indicated. Some late quartz calcite veining cutting bedding at roughly 90 degrees, and earlier stockwork and silicification (some breccia) appears to follow bedding more. 4% disseminated pyrite mostly in andesite beds and stockwork and silicification.																							
								3	3		2			4						132531	78.65	79.22	0.57	0.34	4.4
				224.5-226.3 - strong silicification as brecciation, and strong quartz and quartz calcite stockwork. Some blueish coloured calcite veining. 7% pyrite finely disseminated and as coarser clots, .5% fine seams of red brown sphalerite, trace galena.				4	4		2			7	0.1	0.5				132532	79.22	81.00	1.78	<0.01	<0.1
				228.15-228.8 - quartz calcite breccia and veining. Breccia is crackly in silicified argillaceous rock. Quartz caclite veining is distinctly running along core axis here. Some crackle texture in argillitic andesite has formed fine parallel seams of calcite a mm or two apart cutting earlier stockwork at ~90 degrees.				3	4											132533	87.50	88.86	1.36	<0.01	<0.1
				231.5 - black argillite here is cut by silica flooding. Silica has strong pyrite. Contacts with silica are sharp, a bit irregular, and 30-70 tca.																132534	88.86	90.45	1.59	0.01	0.7
																				132535	90.45	92.50	2.05	0.01	0.8
231.60	267.68	9t	ATXX	**Andesite -** mixed unit of lapilli, fine grained to grainy andesite, weakly porphyritic sections, small amygduoidal sections. Overall this looks like a mixed lapilli, but clasts may be large. Grey green, moderately chloritic, moderate stockwork throughout, moderately silicified throughout with stronger silicified zones as indicated. 3% pyrite disseminated as medium grained sub-hedral crystals. Towards end of hole (last 6 meters is brecciated, sericitic, blocky, and last meter is strong black fault gouge with white quartz calcite veining and bleached sericitic andesite chunks in the veining. Very brittle and sheared here.																							
								3	3		2			3						132536	92.50	93.50	1.00	0.01	1.3
				231.60-240 - strong silicification and stockwork, quartz breccia cut by quartz stockwork and later quartz calcite stockwork. 5% disseminated pyrite, .5% sphalerite as fine orange veinlets and spots, trace galena.				4	4		2			5	0.1	0.5				132537	93.50	94.50	1.00	0.01	0.3
				243.3 - few cm wide red brown irregular sphalerite veining associated with quartz stockwork voer 15 cm. Overall 3% sphalerite				3	3							3				132538	109.20	111.20	2.00	0.09	1.3
				258.5-267.68 - sericite alteration and brecciation increasing towards end of hole through this section. Rock is pale beige bleached with fine dark seams between sericitic clasts (patches?). Fine quartz/yellow carbonate stockwork throughout. About 20% of this zone argillaceous. 2% fine disseminated pyrite. Several fault gouge seams in this unit at moderate to high angles to core axis.																							
														2						132539	111.20	112.20	1.00	0.09	1.2
				266.35-267.68 - strong argillaceous fault gravel and gouge with white quartz calcite veining with angular clasts of argillite and beige bleached sericitic andesite (or argillite?) in veining. **Major fault Zone.**																132540	112.20	114.20	2.00	0.09	3.2
																				132541	114.20	115.20	1.00	0.75	4.4

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
				EOH - 267.68m 878'																132542	115.20	116.20	1.00	0.33	6.6
																				132543	116.20	117.20	1.00	0.37	10
																				132544	117.20	118.20	1.00	0.41	6.4
																				132545	118.20	119.20	1.00	0.63	10.2
																				132546	119.20	120.20	1.00	0.52	8
																				132547	120.20	121.20	1.00	0.3	1.7
																				132548	121.20	122.20	1.00	0.14	1.1
																				132549	122.20	123.20	1.00	0.39	2.2
																				132550	123.20	124.20	1.00	0.81	1.9
																				132551	124.20	125.20	1.00	0.13	2.7
																				132552	125.20	126.20	1.00	0.05	2
																				132553	126.20	128.20	2.00	0.02	<0.1
																				132554	140.00	142.00	2.00	0.04	1.3
																				132555	142.00	144.00	2.00	0.1	1.9
																				132556	144.00	146.00	2.00	0.05	3.2
																				132557	146.00	148.00	2.00	0.1	2.8
																				132558	148.00	150.00	2.00	0.05	1.6
																				132559	150.00	152.00	2.00	0.01	0.6
																				132560	BLANK			<0.01	<0.1
																				132561	152.00	154.00	2.00	0.07	0.8
																				132562	154.00	156.00	2.00	0.04	1.1
																				132563	156.00	158.00	2.00	0.02	1.1
																				132564	158.00	160.00	2.00	0.02	0.6
																				132565	160.00	162.00	2.00	0.28	2.8
																				132566	162.00	164.00	2.00	0.01	<0.1
																				132567	164.00	166.00	2.00	<0.01	<0.1
																				132568	166.00	168.00	2.00	0.05	0.8
																				132569	168.00	170.00	2.00	0.02	0.6
																				132570	170.00	172.00	2.00	<0.01	0.5
																				132571	172.00	174.00	2.00	<0.01	0.6
																				132572	174.00	176.00	2.00	0.02	0.7
																				132573	176.00	178.00	2.00	0.07	2.8
																				132574	178.00	180.00	2.00	0.03	1
																				132575	180.00	182.00	2.00	0.02	1.7
																				132576	182.00	184.00	2.00	0.02	1.7
																				132577	184.00	186.00	2.00	0.06	0.9
																				132578	186.00	188.00	2.00	0.04	1.3
																				132579	188.00	190.00	2.00	0.04	1.2
																				132580	190.00	192.00	2.00	0.01	0.3
																				132581	192.00	194.00	2.00	0.05	0.7
																				132582	194.00	196.00	2.00	0.16	1
																				132583	196.00	198.00	2.00	0.21	0.5
																				132584	198.00	200.00	2.00	0.1	0.8

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				132585	200.00	202.00	2.00	0.07	0.7
																				132586	202.00	204.00	2.00	0.07	0.7
																				132587	204.00	206.00	2.00	0.06	0.3
																				132588	206.00	208.00	2.00	0.02	0.2
																				132589	208.00	210.00	2.00	0.08	0.2
																				132590	210.00	212.00	2.00	0.03	0.2
																				132591	212.00	214.00	2.00	0.05	0.2
																				132592	214.00	216.00	2.00	0.09	0.8
																				132593	216.00	218.00	2.00	0.09	0.3
																				132594	218.00	220.00	2.00	0.49	8.9
																				132595	220.00	222.00	2.00	0.27	3
																				132596	222.00	224.00	2.00	0.15	0.9
																				132597	224.00	226.00	2.00	3.3	1.8
																				132598	226.00	228.00	2.00	0.45	1.7
																				132599	228.00	230.00	2.00	0.35	0.5
																				132600	STD	PM405		0.29	0.6
																				132601	230.00	232.00	2.00	0.15	1.2
																				132602	232.00	234.00	2.00	0.34	1.8
																				132603	234.00	236.00	2.00	0.29	1.4
																				132604	236.00	238.00	2.00	0.23	1
																				132605	238.00	240.00	2.00	1.15	3.7
																				132606	240.00	242.00	2.00	0.19	2.3
																				132607	242.00	244.00	2.00	0.51	2.6
																				132608	244.00	246.00	2.00	0.23	1.4
																				132609	246.00	248.00	2.00	0.34	1.3
																				132610	248.00	250.00	2.00	0.09	1.7
																				132611	250.00	252.00	2.00	0.09	0.8
																				132612	252.00	254.00	2.00	0.19	1.7
																				132613	254.00	256.00	2.00	0.04	0.7
																				132614	256.00	258.00	2.00	0.02	0.5
																				132615	258.00	260.00	2.00	0.05	1.3
																				132616	260.00	262.00	2.00	0.01	0.6
																				132617	262.00	264.00	2.00	0.02	0.9
																				132618	264.00	266.00	2.00	0.04	0.6
																				132619	266.00	267.68	1.68	0.02	1.1
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
12.20	236.9	-55.0
69.21	239.0	-55.9
145.43	240.5	-55.2
221.64	243.8	-54.7

P09-031

Martha Ellen - First of 3 holes testing east dipping orientation to.

UTM E (NAD 83): 435890	**Azimuth (deg):** 240	**Start:** 30-Aug-09
UTM N (NAD 83): 6220880	**Dip (deg):** -55	**Finish:** Sept 2, 2009
Elev (m): 1166	**Total Depth (m):** 227.74	**Logged by:** L. Bjornson
Core Size: BQ	**Pad:** 17	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	1.52	OVB	CAS	**Casing**																					
1.52	73.27	7b	PIKX	**Plagioclase Porphyry** - Medium grained rounded plag crystals with a fine grained groundmass, blue-grey coloured with <5% subhedral fsp phenos up to 1cm across and minor hornblende. Minor quartz veinlets typically at a high angle tca, up to 2mm thick. Unit is fairly homogeneous. Minor fine grained disseminated pyrite.																						
														1						132620	BLANK			<0.01	<0.1
				36.84-73.27m - Minor white coloured quartz veins 5-15cm thick, along with increased quartz veinlets.																132621	1.52	2.00	0.48	0.01	0.7
				43.75-46.77m - Weakly hornfelsed and minor disseminated pyrite.	Qtz vn	60			1					3						132622	2.00	4.00	2.00	0.03	1
				67.41-73.27m - Darker coloured with an increasing hornfelsed texture to quartz vein at lower contact.					1											132623	4.00	6.00	2.00	<0.01	1.2
				73.27m - Lct, sharp, high angle tca.																132624	6.00	8.00	2.00	0.02	0.9
																				132625	8.00	10.00	2.00	0.01	1
73.27	74.34	7s	QBXX	**Quartz-Carbonate Vein** - White coloured, course grained. Sharp contacts with minor chunky chlorite over 15cm in quartz-carbonate. Fabric observed with flattened quartz-carbonate aligned 45 tca.																					
											1									132626	10.00	12.00	2.00	0.02	1.3
				74.38m - Lct 65 tca, sharp.																132627	12.00	14.00	2.00	0.01	0.7
																				132628	14.00	16.00	2.00	0.01	0.6
74.34	84.13	7a	PIPX	**Porphyry, silica-flooded, hornfelsed** - Similar to porphyry above but with a moderate silica flood and weakly hornfelsed. Brown to grey coloured, fine to medium grained, with flattened fluidal clasts and a dark coloured, fine grained wispy matrix, moderately brecciated.																						
									2					5						132629	16.00	18.00	2.00	<0.01	0.3
				84.13m - Lct gradational, increasingly clastic with decreasing porphyry.																132630	18.00	20.00	2.00	<0.01	0.6
																				132631	20.00	22.00	2.00	0.01	1.1

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
84.13	98.35	9z	AXXZ	**Quartz Vein Andesite Breccia** - Rock is blue-grey coloured, fine to medium grained with abundant quartz veins/veinlets. Andesite clasts are elongate, angular with an irregular somewhat fluidal form. Matrix locally comprising up to 40% of rock is light white coloured and fine grained. Two stages of quartz are recognized, a light buff coloured stage with minor fine pyrite, cross-cut by a white coloured course grained stage up to 1cm thick. Later stage does not appear to be associated with pyrite. Quartz veinlets create a moderate crackle breccia texture, approx with ca, but also at a high angle; silica alteration of host is weak. Later quartz veins have no preferred orientation. Minor stringers to blebs of sphalerite; blebs to 0.5cm and disseminated pyrite																							
								5	1					10		0.5				132632	22.00	24.00	2.00	0.02	1.8
				89.69-89.93m - Dyke, buff coloured, very fine grained. Cts 35 tca.																132633	24.00	26.00	2.00	<0.01	0.4
				97.55-98.35m - Strong quartz flood.				5												132634	26.00	28.00	2.00	<0.01	0.2
				98.35m - Lct marks a sharp decrease in quartz and brecciation.																132635	28.00	30.00	2.00	<0.01	<0.1
																				132636	30.00	32.00	2.00	<0.01	<0.1
98.35	227.74	9a	AXXX	**Andesite** - Dark green-grey, fine grained, weakly porphyritic and locally brecciated. Small blebs and minor disseminated pyrite throughout. Minor quartz veinlets subparallel tca, some up to 1cm but typically 2-3mm. Minor occurrence of subrounded andesite volcanic clasts with a very fine grained matrix.										2						132637	32.00	34.00	2.00	<0.01	<0.1
				98.35-102.41m - Hornfelsed and altered. Minor silicification and small blebs of pyrite, rare sphalerite.				2						5						132638	34.00	36.00	2.00	<0.01	0.5
				102.01m - Small blebs of sphalerite aligned in quartz vein.																132639	36.00	36.84	0.84	0.01	0.4
				108.05m - Small blebs of sphalerite aligned in quartz vein.																132640	STD	PM427		3.54	1.5
				139.16-142.54m - Silicified. Strong silicification with several megacrystic quartz-rich veins at a high angle tca (40 tca). Minor chunky chlorite.					3					3						132641	36.84	38.00	1.16	<0.01	0.4
				140.91-141.52m - Plagioclase porphyry intrusive. Light coloured medium grained, sharp contacts at 30 tca.																132642	38.00	40.00	2.00	0.01	<0.1
																				132643	40.00	42.00	2.00	<0.01	<0.1
227.74 = EOH (747 feet)																				132644	42.00	43.75	1.75	<0.01	<0.1
																				132645	43.75	46.00	2.25	0.01	0.4
																				132646	46.00	46.77	0.77	0.01	0.1
																				132647	46.77	48.00	1.23	0.01	<0.1
																				132648	48.00	50.00	2.00	<0.01	0.1
																				132649	50.00	52.00	2.00	<0.01	<0.1
																				132650	52.00	54.00	2.00	<0.01	<0.1
																				132651	54.00	56.00	2.00	<0.01	<0.1
																				132652	56.00	58.00	2.00	<0.01	<0.1
																				132653	58.00	60.00	2.00	<0.01	<0.1
																				132654	60.00	62.00	2.00	<0.01	<0.1
																				132655	62.00	64.00	2.00	<0.01	<0.1
																				132656	64.00	66.00	2.00	<0.01	0.7
																				132657	66.00	67.41	1.41	<0.01	0.5
																				132658	67.41	68.00	0.59	<0.01	0.3
																				132659	68.00	70.00	2.00	<0.01	0.4

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				132660	STD	PM405		0.28	0.6
																				132661	70.00	72.00	2.00	<0.01	0.4
																				132662	72.00	73.27	1.27	<0.01	0.6
																				132663	73.27	74.34	1.07	<0.01	1
																				132664	74.34	76.00	1.66	0.05	3.8
																				132665	76.00	78.00	2.00	1.12	100.6
																				132666	78.00	80.00	2.00	<0.01	1.6
																				132667	80.00	82.00	2.00	0.11	1.3
																				132668	82.00	84.13	2.13	0.12	1.6
																				132669	84.13	85.00	0.87	0.08	1.8
																				132670	85.00	86.00	1.00	1.51	7.2
																				132671	86.00	87.00	1.00	0.9	7.2
																				132672	87.00	88.00	1.00	0.31	4.8
																				132673	88.00	89.00	1.00	0.25	4.1
																				132674	89.00	90.00	1.00	0.27	9.9
																				132675	90.00	91.00	1.00	0.21	6
																				132676	91.00	92.00	1.00	0.27	7.9
																				132677	92.00	93.00	1.00	0.17	5.5
																				132678	93.00	94.00	1.00	0.18	4.3
																				132679	94.00	95.00	1.00	0.26	6.3
																				132680	BLANK			<0.01	<0.1
																				132681	95.00	96.00	1.00	0.31	4.7
																				132682	96.00	97.00	1.00	0.67	4.4
																				132683	97.00	98.35	1.35	0.42	3.6
																				132684	98.35	99.00	0.65	0.13	1.7
																				132685	99.00	100.00	1.00	0.05	2.6
																				132686	100.00	101.00	1.00	0.01	1.8
																				132687	101.00	102.41	1.41	0.08	6.3
																				132688	102.41	104.00	1.59	0.03	0.9
																				132689	104.00	106.00	2.00	0.46	3.8
																				132690	106.00	108.00	2.00	0.17	1.9
																				132691	108.00	110.00	2.00	0.3	3.9
																				132692	110.00	112.00	2.00	0.03	1.4
																				132693	112.00	114.00	2.00	0.18	3.6
																				132694	114.00	116.00	2.00	0.06	1.5
																				132695	116.00	118.00	2.00	0.08	3.4
																				132696	118.00	120.00	2.00	0.12	3.1
																				132697	120.00	122.00	2.00	0.08	1.9
																				132698	122.00	124.00	2.00	0.01	1
																				132699	124.00	126.00	2.00	0.03	1.6
																				132700	STD	PM427		3.61	1.4
																				132701	126.00	128.00	2.00	0.09	2.1
																				132702	128.00	130.00	2.00	0.09	1.3

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				132703	130.00	132.00	2.00	0.11	0.5
																				132704	132.00	134.00	2.00	0.32	1.4
																				132705	134.00	136.00	2.00	0.03	1
																				132706	136.00	138.00	2.00	0.07	1.9
																				132707	138.00	139.16	1.16	0.04	0.8
																				132708	139.16	140.00	0.84	0.03	0.8
																				132709	140.00	141.00	1.00	0.09	0.7
																				132710	141.00	142.00	1.00	0.29	0.8
																				132711	142.00	142.54	0.54	0.06	0.9
																				132712	142.54	143.54	1.00	0.03	0.6
																				132713	143.54	144.54	1.00	0.05	1.1
																				132714	144.54	146.00	1.46	0.04	2.3
																				132715	146.00	148.00	2.00	0.02	0.8
																				132716	148.00	150.00	2.00	0.02	0.8
																				132717	150.00	152.00	2.00	0.05	2.1
																				132718	152.00	154.00	2.00	0.02	1.4
																				132719	154.00	156.00	2.00	0.04	0.6
																				132720	STD	PM405		0.37	0.7
																				132721	156.00	158.00	2.00	0.35	3.5
																				132722	158.00	160.00	2.00	<0.01	1.6
																				132723	160.00	162.00	2.00	<0.01	0.2
																				132724	162.00	164.00	2.00	<0.01	0.3
																				132725	164.00	166.00	2.00	<0.01	0.9
																				132726	166.00	168.00	2.00	0.04	<0.1
																				132727	168.00	170.00	2.00	<0.01	0.1
																				132728	170.00	172.00	2.00	0.17	0.5
																				132729	172.00	174.00	2.00	0.28	0.6
																				132730	174.00	176.00	2.00	1.13	1.2
																				132731	176.00	178.00	2.00	0.05	1.1
																				132732	178.00	180.00	2.00	0.12	0.5
																				132733	180.00	182.00	2.00	0.08	1
																				132734	182.00	184.00	2.00	0.13	2.1
																				132735	184.00	186.00	2.00	0.56	2
																				132736	186.00	188.00	2.00	0.05	1.9
																				132737	188.00	190.00	2.00	0.03	0.5
																				132738	190.00	192.00	2.00	<0.01	0.7
																				132739	192.00	194.00	2.00	<0.01	0.2
																				132740	194.00	196.00	2.00	<0.01	0.3
																				132741	196.00	198.00	2.00	0.03	0.9
																				132742	198.00	200.00	2.00	1.91	0.2
																				132743	200.00	202.00	2.00	0.08	0.7
																				132744	202.00	204.00	2.00	0.05	0.6
																				132745	204.00	206.00	2.00	0.02	0.3
																				132746	206.00	208.00	2.00	0.05	0.5

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				132747	208.00	210.00	2.00	0.04	<0.1
																				132748	210.00	212.00	2.00	0.25	3.1
																				132749	212.00	214.00	2.00	0.46	2.6
																				132750	214.00	216.00	2.00	0.03	0.2
																				132751	216.00	218.00	2.00	0.08	2.7
																				132752	218.00	220.00	2.00	<0.01	0.4
																				132753	220.00	222.00	2.00	<0.01	<0.1
																				132754	222.00	224.00	2.00	<0.01	<0.1
																				132755	224.00	226.00	2.00	<0.01	0.3
																				132756	226.00	227.74	1.74	0.01	0.7

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
11.59	240.1	-50.0
63.41	242.1	-49.3
154.88	248.0	-46.2

P09-032

Martha Ellen - Testing potential mineralized zone near contact of Porphyry and Andesite.

UTM E (NAD 83): 435977	**Azimuth (deg):** 240	**Start:** Sept 2, 2009
UTM N (NAD 83): 6220788	**Dip (deg):** -50	**Finish:** Sept 4, 2009
Elev (m): 1100	**Total Depth (m):** 164.02	**Logged by:** L. Bjornson
Core Size: BQ	**Pad:** 18	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	5.79	OVB	CAS	**Casing**																					
5.79	11.78	7a	PIPX	**Silicified Plagioclase Porphyry** - Pale greenish coloured irregularily shaped matrix, with 7%, euhedral 3mm long slightly elongate white coloured plag phenos. Lct contains abundant 1mm euhedral pyrite over 2cm next to contact. Fine disseminated pyrite throughout. Minor quartz veinlets at various angles, with thin alteration halos. Faint breccia appearance to matrix but with no prefered orientation and subrounded clasts.				2	5		2			3						132757	5.79	7.00	1.21	0.03	11.4
				Lct sharp, 15 tca.																132758	7.00	8.00	1.00	0.01	5.5
																				132759	8.00	9.00	1.00	0.01	3.8
11.78	18.69	9x	ABXX	**Brecciated Plagioclase Porphyry** - Dark coloured with a fine grained chlorite altered matrix and rounded clasts containing prominent 2-3mm plag phenos. Fine disseminated pyrite throughout. Plag phenos are locally up to 15%. Plag Porphyry clasts are flattened with a slight fluidal shape, and oriented close to ca.				1	1		4			3						132760	BLANK			<0.01	<0.1
				Lct is gradational, appears as an alteration front.																132761	9.00	10.00	1.00	0.02	7
																				132762	10.00	11.00	1.00	0.3	24.9
18.69	20.59	7s	QBXX	**Silicified Plagioclase Porphyry** - Same as 5.79-11.78m. Slight brown hue to rocks in middle of unit (sericite).			1	1	5		2			3						132763	11.00	11.78	0.78	0.02	28.6
				Lct is sharp, 25 ca.																132764	11.78	13.00	1.22	0.03	14.3
																				132765	13.00	14.00	1.00	0.04	15.6
20.59	48.44	7s	QBXX	**Plagioclase Porphyry, Brecciated** - Dark coloured, fine grained groundmass with prominent white 1mm, rounded plag phenos occurring within irregular shaped clasts. Rest of matrix is medium green coloured, very fine grained, and chl/ep altered with faint plag phenos. Later weak breccia texture from weathering and alteration. Minor quartz veins to 3mm thick, and weak quartz crackle breccia. Fabric is at a shallow angle tca. Fine disseminated pyrite throught with small blebs observed in quartz veins.					3		2			2						132766	14.00	15.00	1.00	0.07	11.6
				46.0-48.44 - Rusty weathered fracture, little weathering. Oriented with ca.																132767	15.00	16.00	1.00	0.05	14.4
				Lct is gradational, marked by a weakening of brecciation																132768	16.00	17.00	1.00	0.04	22.9
																				132769	17.00	18.69	1.69	0.01	5
48.44	57.62	7a	PIPX	**Plagioclase Porphyry** - Similar to above but more homogeneous, none to weak chlorite alterated matrix.					2		1									132770	18.69	19.69	1.00	0.18	5.4
				55.6-57.62m - Increasing silicification					3											132771	19.69	20.59	0.90	0.01	1.7
																				132772	20.59	22.00	1.41	<0.01	0.6

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
57.62	57.94	7s	QBXX	**Quartz Breccia** - Short interval with fine grained white coloured matrix mixed with 50% subangular fine grained quartz clasts up to 0.7cm across. Contacts are sharp, about 50 tca. Minor disseminated pyrite.				1	4					1						132773	22.00	24.00	2.00	<0.01	0.6
				Lct sharp.	Lct	50														132774	24.00	26.00	2.00	<0.01	0.6
																				132775	26.00	28.00	2.00	<0.01	0.3
57.94	69.62	7a	PIPX	**Plagioclase Porphyry** - Similar to 20.59-48.44m but with weaker chlorite alteration and brecciation. Variable fine disseminated pyrite but minor. Plag porphyry texture is weak with a strong siliceous and sericite alteration of matrix, plag phenos are faint. Rock overall is dark brown grey coloured. Minor quartz veinlets.				1	3		2			1						132776	28.00	30.00	2.00	<0.01	0.5
				Lct is gradational, marked by a decrease in chlorite alteration.																132777	30.00	32.00	2.00	<0.01	0.4
																				132778	32.00	34.00	2.00	0.01	0.5
69.62	100.39	7a	PIPX	**Plagioclase Porphyry** - Dark brown-grey coloured with a fine grained matrix and prominent white coloured rounded, plag phenos to 2mm.																132779	34.00	36.00	2.00	<0.01	0.4
				72.0-73.0 - Fractured rock with 1-5cm long angular chips.																132780	STD	PM427		3.59	1.5
				85.0-86.0 - Fractured rock with angular chips.																132781	36.00	38.00	2.00	<0.01	0.5
				98.0-98.6m - Shallow angle quartz-carbonate vein, 10 tca. Minor chunky sphalerite-galena at uct. True thickness is ~15cm.					2										132782	38.00	40.00	2.00	<0.01	0.5
				Lct is sharp, 50 tca.	Lct	50														132783	40.00	42.00	2.00	0.02	0.5
																				132784	42.00	44.00	2.00	0.03	0.3
100.39	100.73	7s	QBXX	**Quartz-Carbonate Vein** - Strong white coloured, coarse grained quartz-carbonate vein in medium grained, chlorite altered plagioclase porphyry. Strong pyrite-sphalerite mineralization as 2-4mm angular blebs. Sphalerite is a dark rusty-brown colour.	Vein	50			3		1			10		10				132785	44.00	46.00	2.00	0.01	0.6
				Lct is sharp, 55 tca.																132786	46.00	47.00	1.00	<0.01	0.6
																				132787	47.00	48.44	1.44	<0.01	0.5
100.73	126.54	7a	PIPX	**Plagioclase Porphyry, silicified** - Pale brown-tan coloured, fine to medium grained rock with a moderate wispy breccia textrure. Weak quartz-carbonate stockwork. Minor rounded plag feldspar phenos to 3mm. Fine disseminated pyrite throughout. Locally strong fabric (silica stringers) 20 tca.			1							5						132788	48.44	50.00	1.56	0.03	0.6
				116.42-118.14m - Siliceous fine grained and with a dark brown colour. Fine disseminated pyrite. Prominent subhedral, pinkish fsp to 3mm, comprising 5%.				3	4					5						132789	50.00	52.00	2.00	0.01	0.5
				117.42-126.54m - Strong hydrothermal brecciation. Abundant fine dark coloured matrix with irregular shaped clasts.																132790	52.00	54.00	2.00	0.01	0.2
				124.84-124.86m - Gougey-gravelly fault, strong weathering, 20 tca.																132791	54.00	55.62	1.62	0.02	0.6
				Lct marks a fault below.																132792	55.62	56.62	1.00	0.02	0.5
																				132793	56.62	57.62	1.00	0.01	0.5
126.54	127.85	7a	PIPX	**Plagioclase Porphyry, Faulted** - As above but broken up chips and chunks with gravel-gouge over short intervals up to 2cm thick. Gravelly section orientation is variable from parellel to shallow angle tca. Weak weathering.																132794	57.62	57.94	0.32	0.45	1.6
				Lct faulted.																132795	57.94	58.94	1.00	0.01	0.4
																				132796	58.94	60.00	1.06	<0.01	0.3

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
127.85	130.68	7a	PIPX	**Plagioclase Porphyry, silicified** - As above (100.73-126.54m). Pale brown-tan colour, fine grained with strong silica alteration. Minor disseminated pyrite.				3	4					5						132797	60.00	62.00	2.00	0.01	0.4
				Lct is fractured. Abrupt change in rocktype and alteration.																132798	62.00	64.00	2.00	<0.01	0.6
																				132799	64.00	66.00	2.00	<0.01	0.5
130.68	154.14	21d	D/DI	**Late-stage Dyke** - Dark coloured, medium to course grained, with prominent subhedral minerals in groundmass. Abundant mafic minerals give a dark colour to rock. Top of unit is chilled beginning about 133m and gradational towards uct and includes rounded fsp crystals with a white centre and pink coloured rims. Top 50cm is lightly tan coloured next to contact (alteration front) then grades to darker coloured dyke. Rest of unit is uniformly unaltered including lower contact. Groundmass contains course grained pale green coloured, rounded fsp to 4mm long, and black bladed needles of hornblende to 5mm.																132800	STD	PM405		0.29	0.7
				140.0-141.5m - Rusty weathering fracture with a rough surface oriented with ca.																132801	66.00	68.00	2.00	<0.01	0.4
				Lct sharp, intrusive, 45 tca																132802	68.00	69.62	1.62	0.02	1.7
																				132803	69.62	70.62	1.00	<0.01	2.4
154.14	164.02	21a	D/LA	**Dyke** - Fine to medium grained, pale blue-grey coloured cross-cutting dykes with 2-3cm chilled margins.																132804	70.62	72.00	1.38	0.01	2.9
				156.53-157.81m - Short interval of Tertiary Dyke as above.																132805	72.00	74.00	2.00	0.26	3
																				132806	74.00	76.00	2.00	0.08	4.3
164.02 = EOH (538 feet)																				132807	76.00	78.00	2.00	0.01	3
																				132808	78.00	80.00	2.00	0.01	4
																				132809	80.00	82.00	2.00	0.02	11.5
																				132810	82.00	84.00	2.00	0.37	6
																				132811	84.00	86.00	2.00	0.01	3.4
																				132812	86.00	88.00	2.00	0.02	6
																				132813	88.00	90.00	2.00	0.01	2.4
																				132814	90.00	92.00	2.00	<0.01	1.9
																				132815	92.00	94.00	2.00	0.01	1.9
																				132816	94.00	96.00	2.00	0.01	3.6
																				132817	96.00	98.00	2.00	0.04	4.3
																				132818	98.00	99.39	1.39	0.31	7.4
																				132819	99.39	100.39	1.00	0.1	7.7
																				132820	BLANK			<0.01	<0.1
																				132821	100.39	100.73	0.34	19.95	145.7
																				132822	100.73	101.73	1.00	0.22	4.1
																				132823	101.73	103.00	1.27	0.37	6.1
																				132824	103.00	104.00	1.00	0.06	4.4
																				132825	104.00	106.00	2.00	0.07	5.5
																				132826	106.00	108.00	2.00	<0.01	4.7
																				132827	108.00	110.00	2.00	0.03	3.6
																				132828	110.00	112.00	2.00	0.03	4.5
																				132829	112.00	114.00	2.00	0.06	2.5

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				132830	114.00	115.00	1.00	0.04	4.1
																				132831	115.00	116.00	1.00	0.01	4.2
																				132832	116.00	116.42	0.42	0.01	2.5
																				132833	116.42	117.42	1.00	0.01	5.2
																				132834	117.42	118.14	0.72	<0.01	5
																				132835	118.14	119.00	0.86	<0.01	3.1
																				132836	119.00	120.00	1.00	<0.01	2.1
																				132837	120.00	122.00	2.00	<0.01	2.6
																				132838	122.00	124.00	2.00	<0.01	3.2
																				132839	124.00	126.00	2.00	<0.01	2.7
																				132840	STD	PM427		3.78	1.2
																				132841	126.00	126.54	0.54	<0.01	1.7
																				132842	126.54	127.85	1.31	<0.01	7.4
																				132843	127.85	129.00	1.15	<0.01	1.9
																				132844	129.00	130.00	1.00	<0.01	3.1
																				132845	130.00	130.68	0.68	<0.01	1.6
																				132846	130.68	132.00	1.32	<0.01	<0.1
																				132847	132.00	134.00	2.00	<0.01	<0.1

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
18.29	0.0	-89.8
94.21	0.0	-88.3
176.52	0.0	-86.0

P09-033

Martha Ellen - Testing potential mineralized zone near contact of Porphyry and Andesite, and depth to Andesite.

UTM E (NAD 83): 435977	**Azimuth (deg):** 000	**Start:** Sept 4, 2009
UTM N (NAD 83): 6220788	**Dip (deg):** -90	**Finish:** Sept 7, 2009
Elev (m): 1100	**Total Depth (m):** 185.67	**Logged by:** L. Bjornson
Core Size: BQ	**Pad:** 18	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	2.13	OVB	CAS	**Casing**																					
2.13	15.27	7a	PIPX	**Plagioclase Porphyry, Silicified** - Dull grey coloured, fine to medium grained with locally prominent white coloured, rounded plag phenos but typically siliceous with a faint alignment of fabrics at 45 tca. Fine disseminated pyrite with strong silica alteration.				3	4					5						132848	2.13	3.05	0.92	<0.01	7.3
				3.05-3.99m - Quartz vein breccia. White coloured, course grained.																132849	3.05	3.99	0.94	0.04	73
				10.23-10.33m - Weathered at a gravelly fault. Rusty for 1m either side.																132850	3.99	5.00	1.01	<0.01	14
				10.33-14.57m - Weak silica alteration. Weak breccia, medium grained with abundant plag phenos.				1	2											132851	5.00	6.00	1.00	<0.01	2.8
				14.57-15.27m - Strong siliceous alteration with blebs of pyrite.				3	5					7						132852	6.00	7.05	1.05	<0.01	5.9
				Lct is an alteration contact, 45 tca, but fairly sharp.																132853	7.05	8.00	0.95	<0.01	4.5
																				132854	8.00	9.00	1.00	0.06	6.3
15.27	51.56	7a	PIPX	**Plagioclase Porphyry, Altered** - Dark grey-green coloured, with a fine grained matrix and abundant 2-3mm rounded white coloured plagioclase phenos. Rock is weakly broken up. Quartz-chlorite? alteration has produced a weak breccia texture with subangular PP fragments alinged 45 tca, with a green coloured, fine to medium grained matrix. Minor disseminated pyrite.				1	2					1						132855	9.00	10.33	1.33	0.18	16.5
				17.85-18.62m - Fault, with strong chlorite alteration over 30cm at top, a gravel zone at 10tca in middle with chips and chunks below. Minor weathering.																132856	10.33	10.83	0.50	0.29	4.2
				28.10-28.23m - Dyke, very fine grained, black in centre with greenish coloured chill margins.	Dyke	60														132857	10.83	12.00	1.17	0.03	3.2
																				132858	12.00	13.00	1.00	<0.01	2.8
51.56	71.25	7a	PIPX	**Plagioclase Porphyry, Quartz-sericite altered** - Pale tan-brownish coloured, with a fine grained matrix and 1-2mm subrounded white to tan coloured fsp phenos. Minor pyrite. Moderate but variable quartz-sericite alteration. Quartz stockwork veinlets are variable orientation but commonly at 45 tca. Alteration weakens after 66.3m.			2	1	3					1						132859	13.00	14.57	1.57	<0.01	5.1
				55.24-56.13m - Chunky Quartz Vein, light coloured, course grained, poor sulphides.																132860	STD	PM405		0.27	0.7
				68.20 - Clay altered fault zone, <1cm thick, 10 tca, filled with mush.																132861	14.57	15.27	0.70	<0.01	1.8
				Lct marks a change in alteration	Lct	45														132862	15.27	16.00	0.73	<0.01	0.9
																				132863	16.00	17.00	1.00	<0.01	0.7

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
71.25	83.88	7a	PIPX	**Plagioclase Porphyry** - Pale green coloured, fine to medium grained. Alteration creates a weak to moderate breccia texture with 2-5cm, dark coloured, med grained subangular 'clasts' within a finer, green matrix. Prominent fsp phenos in clasts, faint in matrix. Some clast boundaries appear sharp. Moderate quartz-carbonate stockwork with veins at 45 tca, weakens with depth. Minor pyrite.				2	1					0.5						132864	17.00	17.85	0.85	<0.01	0.7
				Lct is gradational, alteration front.																132865	17.85	18.62	0.77	<0.01	3.3
				74.4-74.6m - Weakly fractured.																132866	18.62	20.00	1.38	0.02	3.5
																				132867	20.00	22.00	2.00	0.07	2.1
83.88	100.93	7a	PIPX	**Plagioclase Porphyry** - Dark green-grey coloured, with a fine to medium grained matrix and prominent 1-2mm rounded, white coloured fsp phenos. Rock has a faint brown hue, possibly from quartz-sericite alteration. Poor sulphides.			1	1	2											132868	22.00	24.00	2.00	<0.01	1.9
				83.88-93.0 - More altered, moderate quartz-carbonate stockwork.			1	3	4											132869	24.00	26.00	2.00	<0.01	1.2
				93.0-100.93 - Weakly altered, less green.																132870	26.00	28.00	2.00	<0.01	0.7
				Lct is sharp, 90 tca.	Lct	90														132871	28.00	30.00	2.00	<0.01	0.6
																				132872	30.00	32.00	2.00	<0.01	1
100.93	111.84	7a	PIPX	**Plagioclase Porphyry, Silicified** - Pale green-grey coloured, fine to medium grained groundmass with chunky white quartz. Strong silicification (and sericite?) alteration of groundmass with faint outline of fsp phenos. Minor irregular, cream coloured cross-cutting veinlets. Mineralization consists of pyrite, sphalerite and some galena, as small blebs and up to irregular fracture fill chunks over 5cm long. Galena is a little more spotty.			2	3	4					5	5	2				132873	32.00	34.00	2.00	<0.01	1.4
																				132874	34.00	36.00	2.00	0.59	22.3
111.84	125.12	7a	PIPX	**Plagioclase Porphyry, Quartz-sericite altered** - Variable dark grey to pale brownish coloured, fine to medium grained matrix with locally prominent white coloured, 1-2mm rounded fsp phenos. Minor quartz-carbonate veinlets with weak quartz crackle breccia. Prominent fabric orientation (banded appearance), 45 tca. Strong silicification, poor to weak sulphides.			2	1	4					1						132875	36.00	38.00	2.00	0.01	5.1
				Lct is wavy, intrusive with dyke below.																132876	38.00	40.00	2.00	0.01	3
																				132877	40.00	42.00	2.00	<0.01	1.5
125.12	185.67	9a	AXXX	**Plagioclase Porphyry** - Medium grey-green coloured and fine to medium grained. Slightly darker at top to 136.0m and with fine quartz microfractures, two sets perpendicular to each other. Most of unit is weakly siliceous altered with faint breccia 'clasts' and a locally moderate fabric oriented 45 tca. Locally moderate pyrite but poor mineralization overall.					1											132878	42.00	44.00	2.00	<0.01	3.7
				125.12-125.74m - Green coloured, fine grained dyke, Lct 30 tca.																132879	44.00	46.00	2.00	<0.01	1.6
				130.80-131.53m - Green coloured, fine grained dyke, Lct 25 tca.	Dyke	25														132880	BLANK			<0.01	<0.1
				132.51-133.35m - Green coloured, fine grained dyke, Lct 20 tca.																132881	46.00	48.00	2.00	0.13	23.1
				147.0-149.0m - Moderate fracture fill pyrite in brecciated rock, weakly aligned 45.										5						132882	48.00	50.00	2.00	<0.01	2.3
				154.10-155.12m - Chunky Quartz Vein, Light coloured, course grained. Abundant quartz at base. No sulphides observed.																132883	50.00	51.56	1.56	0.07	35.4
				182.10-184.59m - Weak brecciation, with wispy chlorite filled microfractures.				1						1						132884	51.56	52.00	0.44	<0.01	1.6
				184.59-185.67m - Minor sulphides and quartz veining.				3						2						132885	52.00	54.00	2.00	0.01	24.8

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
185.67 = EOH (609 feet)																				132886	54.00	55.24	1.24	0.02	13.6
																				132887	55.24	56.13	0.89	0.04	13
																				132888	56.13	58.00	1.87	<0.01	1.6
																				132889	58.00	60.00	2.00	<0.01	0.8
																				132890	60.00	62.00	2.00	<0.01	0.7
																				132891	62.00	64.00	2.00	<0.01	1.6
																				132892	64.00	66.00	2.00	0.04	1.3
																				132893	66.00	68.00	2.00	0.04	0.8
																				132894	68.00	70.00	2.00	0.04	0.7
																				132895	70.00	71.25	1.25	<0.01	1.3
																				132896	71.25	72.00	0.75	0.01	0.8
																				132897	72.00	74.00	2.00	0.16	1.1
																				132898	74.00	76.00	2.00	<0.01	0.9
																				132899	76.00	78.00	2.00	<0.01	1
																				132900	STD	PM427		3.76	1.3
																				132901	78	80.00	2.00	<0.01	1.2
																				132902	80.00	82.00	2.00	<0.01	0.8
																				132903	82.00	83.88	1.88	<0.01	0.7
																				132904	83.88	86.00	2.12	<0.01	<0.1
																				132905	86.00	88.00	2.00	<0.01	1.2
																				132906	88.00	90.00	2.00	<0.01	1.1
																				132907	90.00	92.00	2.00	<0.01	0.8
																				132908	92.00	94.00	2.00	<0.01	1.8
																				132909	94.00	96.00	2.00	<0.01	1.3
																				132910	96.00	98.00	2.00	<0.01	0.2
																				132911	98.00	100.00	2.00	<0.01	0.7
																				132912	100.00	100.93	0.93	<0.01	6.6
																				132913	100.93	102.00	1.07	0.15	4.1
																				132914	102.00	103.00	1.00	0.27	21.2
																				132915	103.00	104.00	1.00	0.56	8.3
																				132916	104.00	105.00	1.00	0.56	18.8
																				132917	105.00	106.00	1.00	0.87	7.9
																				132918	106.00	107.00	1.00	0.88	11.1
																				132919	107.00	108.00	1.00	1.2	27.3
																				132920	STD	PM405		0.29	0.6
																				132921	108.00	109.00	1.00	0.78	8.9
																				132922	109.00	110.00	1.00	1.4	19.6
																				132923	110.00	111.00	1.00	0.33	11.9
																				132924	111.00	111.84	1.00	0.17	7.2
																				132925	111.84	113.00	0.84	0.05	2.5
																				132926	113.00	114.00	1.00	0.12	10.6
																				132927	114.00	115.00	1.00	0.36	3.7
																				132928	115.00	116.00	1.00	0.02	8.6

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				132929	116.00	117.00	1.00	<0.01	4.6
																				132930	117.00	118.00	1.00	0.02	3.1
																				132931	118.00	119.00	1.00	0.01	1.6
																				132932	119.00	120.00	1.00	<0.01	1.6
																				132933	120.00	121.00	1.00	<0.01	1.9
																				132934	121.00	122.00	1.00	<0.01	1.4
																				132935	122.00	123.00	1.00	0.22	1.8
																				132936	123.00	124.00	1.00	0.2	2.9
																				132937	124.00	125.12	1.12	<0.01	1.4
																				132938	125.12	125.74	0.62	<0.01	0.7
																				132939	125.74	127.00	1.26	<0.01	3.8
																				132940	BLANK			<0.01	<0.1
																				132941	127.00	128.00	1.00	<0.01	3.4
																				132942	128.00	130.00	2.00	0.02	4.6
																				132943	130.00	132.00	2.00	<0.01	1.1
																				132944	132.00	134.00	2.00	<0.01	0.3
																				132945	134.00	136.00	2.00	<0.01	0.8
																				132946	136.00	138.00	2.00	0.01	0.5
																				132947	138.00	140.00	2.00	0.15	0.2
																				132948	140.00	142.00	2.00	<0.01	1.2
																				132949	142.00	144.00	2.00	0.04	1.3
																				132950	144.00	146.00	2.00	0.03	0.9
																				132951	146.00	148.00	2.00	0.08	2.1
																				132952	148.00	150.00	2.00	0.08	2.7
																				132953	150.00	152.00	2.00	0.21	15.7
																				132954	152.00	154.10	2.10	0.09	4.3
																				132955	154.10	155.12	1.02	0.1	5.8
																				132956	155.12	156.00	0.88	0.08	3.3
																				132957	156.00	158.00	2.00	0.08	5.1
																				132958	158.00	160.00	2.00	0.81	1.5
																				132959	160.00	162.00	2.00	<0.01	0.8
																				132960	STD	PM427		3.65	1.2
																				132961	162.00	164.00	2.00	0.07	1.2
																				132962	164.00	166.00	2.00	0.01	2.3
																				132963	166.00	168.00	2.00	0.03	2.4
																				132964	168.00	170.00	2.00	0.04	6.4
																				132965	170.00	172.00	2.00	<0.01	2.7
																				132966	172.00	174.00	2.00	<0.01	3.7
																				132967	174.00	176.00	2.00	<0.01	1.8
																				132968	176.00	178.00	2.00	0.35	5
																				132969	178.00	180.00	2.00	0.02	1.1
																				132970	180.00	182.10	2.10	<0.01	4.7
																				132971	182.10	183.74	1.64	0.06	14.6

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				132972	183.74	184.59	0.85	<0.01	4.1
																				132973	184.59	185.67	1.08	0.07	97.2

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
17.68	89.6	-48.4
87.80	94.9	-44.9
179.27	100.3	-40.1
270.73	105.2	-35.2

P09-034

Montana - Testing potential mineralized zone near contact of Porphyry and Andesite.

UTM E (NAD 83): 435954	**Azimuth (deg):** 090	**Start:** Sept 7, 2009
UTM N (NAD 83): 6221084	**Dip (deg):** -50	**Finish:** Sept 10, 2009
Elev (m): 1203	**Total Depth (m):** 279.87	**Logged by:** L. Bjornson
Core Size: BQ	**Pad:** 19	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	3.04	OVB	CAS	**Casing**																					
3.04	11.81	7a	PIPX	**Plagioclase Porphyry** - Dull blue-grey coloured, with a fine grained matrix and 1-3mm rounded white coloured plag phenos comprising 20% of unit. Minor quartz-carbonate veinlets at various angles tca. Minor disseminated pyrite throughout. Uniform unit.					1					0.5						132974	3.04	4.00	0.96	<0.01	<0.1
				Lct is sharp, 40 tca.	Lct	40														132975	4.00	6.00	2.00	<0.01	1.6
																				132976	6.00	8.00	2.00	<0.01	2.1
11.81	13.35	7s	QBXX	**Quartz Breccia** - Dark coloured, fine to medium grained 1-3cm angular Plag Porphyry fragments in a white to light grey coloured, fine grained quartz-rich matrix. Some quartz in matrix up to 0.5mm across. Minor fine diss pyrite in matrix.				5	2					0.5						132977	8.00	10.00	2.00	<0.01	1.3
				Lct sharp, sharp decrease in brecciation, 55 tca.	Lct	55														132978	10.00	11.81	1.81	<0.01	0.5
																				132979	11.81	13.35	1.54	<0.01	3.9
13.35	65.93	7a	PIPX	**Plagioclase Porphyry, as above 3.04-11.81m** - Dull blue-grey coloured fine grained matrix with 20% white coloured, rounded plag phenos. Minor quartz-carbonate veins (weak crackle breccia) at various angles near top plus some grey coloured quartz veins, weaken after 22.0m.					1											132980	STD	PM405		0.26	0.6
				13.53-13.83m - Strong rusty weathering along fractures.																132981	13.35	14.60	1.25	0.08	4.4
				14.60-16.21m - Fine grained weakly altered rock with a faint porphyrytic texture.																132982	14.60	16.21	1.61	<0.01	<0.1
				16.86-16.91m - Fine grained tan-grey coloured, dyke. Sharp contacts 55 tca.	Dyke	55														132983	16.21	17.00	0.79	<0.01	1.2
				41.0-44.0m - Weak quartz stock work with small blebs/chunks of hornblende/chlorite to 4mm long.																132984	17.00	18.00	1.00	<0.01	1.4
				41.0-48.0m - Minor disseminated to small blebs of pyrite. Chlorite altered hornblende, subrounded with a medium grained texture. Minor preserved hbl crystal faces. Weak plag porphyry texture.							1									132985	18.00	20.00	2.00	<0.01	1
				Lct marks brecciated rock below.																132986	20.00	22.00	2.00	<0.01	0.6
																				132987	22.00	24.00	2.00	<0.01	0.5
65.93	70.94	7s	QBXX	**Plagioclase Porphyry, Brecciated/Silicified** - Medium grey coloured, fine to medium grained clasts containing a variable weak to strong porphyritic texture of rounded plag phenos. Stockwork matrix is light coloured and quartz-rich and with no prefered orientation. Thicker quartz-chlorite veins cross-cut all fabric. Sulphides observed as disseminated to small blebs of pyrite. Locally weak sericite alteration near top and bottom of unit.			0.5	4	2		2			3						132988	24.00	26.00	2.00	<0.01	0.9
				Lct marks a weakening of brecciation and silicification.																132989	26.00	28.00	2.00	<0.01	0.9

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
																				132990	28.00	30.00	2.00	<0.01	1.3
70.94	77.18	7a	PIPX	**Plagioclase Porphyry, unaltered** - As above, 13.35-65.94m. Dull blue-grey coloured, fine to medium grained matrix with 1-2mm white coloured, rounded plag phenos. Minor euhedral, weakly zoned, Kfsp phenos to 5mm. Minor quartz veining, 45-65 tca, and silicification. Tight rocks. Minor disseminated to small blebs of pyrite.				1	2					2						132991	30.00	32.00	2.00	<0.01	1.6
				Lct, rocks become fractured and altered below.																132992	32.00	34.00	2.00	0.02	2.2
																				132993	34.00	36.00	2.00	<0.01	0.7
77.18	89.74	7s	QBXX	**Plagioclase Porphyry, Brecciated/Silicified** - Similar to 65.93-70.94 but with stronger quartz and brecciation. Medium grey coloured, fine to medium grained clasts containing variable weak to strong porphyrytic texture of small rounded plag phenos. Stockwork matrix is light coloured, and quartz-rich with no preferred orientation. Quartz-chlorite veins cross-cut other fabrics. Weak to moderate sericite alteration throughout with strong silicification. Minor fine grained disseminated plus minor fracture fill pyrite. Rock is weakly broken up.			2	5	3		2			2						132994	36.00	38.00	2.00	<0.01	0.3
				79.0-82.0 - Weaker silicification and brecciation.			1	3	2		2			2						132995	38.00	40.00	2.00	<0.01	0.4
																				132996	40.00	42.00	2.00	<0.01	0.6
89.74	130.49	7a	PIPX	**Plagioclase Porphyry, unaltered** - As above, 13.35-65.94. Short intervals of weak silicification and brecciation. Prominent 1-2mm rounded plag phenos with sparse euhedral Kfsp phenos to 6mm. Rock is a dull blue-grey colour and fairly uniform with some weak alteration. Locally moderate chlorite.				1	3					1						132997	42.00	44.00	2.00	0.02	1.5
				94.64-95.02m - Pale green coloured, fine grained dyke with sharp contacts, 65 tca																132998	44.00	46.00	2.00	<0.01	1.3
				103.98-104.56m - Brecciated with chunky quartz and hornblende-chlorite alteration. Minor pyrite.				3	5		2			2						132999	46.00	48.00	2.00	0.04	13.4
				Lct is altered PP below.																133000	BLANK			<0.01	<0.1
																				133001	48	50.00	2.00	<0.01	3.6
130.49	163.28	7a	PIPX	**Plagioclase Porphyry, altered** - As above (13.35-65.94m) but variably altered. Bleached at top of unit, around 146.0m grades to darker alteration till end of unit. Plag phenos not as prominent especially in areas of strong bleaching. Weakly brecciated with quartz-filled microfractures. Minor pyrite observed with quartz-filled microfractures. Becomes more plag crystal-rich in last 157-																133002	50.00	52.00	2.00	<0.01	4.4
				135.59-135.76m - Prominent fine grained quartz-rich fabric (shear?) 60 tca.																133003	52.00	54.00	2.00	<0.01	1.6
				130.49-146.0m - Bleached, with fracture fill pyrite in quartz-filled fractures.			3		2					3						133004	54.00	56.00	2.00	0.5	178.3
				145.0-150.0m - Prominent hornblende crystals, to 4mm long.																133005	56.00	58.00	2.00	0.19	47.2
				146.0-163.25 - Dark coloured, chl/bio alteration with strong graphite on fracture surfaces.																133006	58.00	60.00	2.00	<0.01	6.3
				157.0-163.25 - Becomes more plag crystal-rich and with larger crystals, up to 4mm.																133007	60.00	62.00	2.00	<0.01	3.1
				Lct abrupt change in alteration (and rock?), 60 tca but broken.	Lct	60														133008	62.00	64.00	2.00	0.15	59.3
																				133009	64.00	65.93	1.93	<0.01	6

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
163.28	171.04	7s	PIPX	**Breccia** - Fragments are light coloured and bleached (quartz +sericite), subangular and fine grained with a weak plag prophyrytic texture of elongate almost needle-like crystals to 3mm. Matrix is dark coloured, and fine grained (Biotite +chlorite), with small fracture fill blebs of pyrite. Minor graphite on fracture surfaces. Minor cross-cutting veinlets, to 2mm thick, mainly at a shallow angle tca.			3		1		1			4						133010	65.93	67.00	1.07	0.3	114.5
				166.0-166.18m - Quartz veins, with very fine quartz (chalcedony) and veins aligned 55 tca. Some sericite alteration in middle over 4cm. Near top are vugs with small (~1mm) euhedral quartz crystals lining cavities. Highly weathered and mushy over 1cm at top.					5											133011	67.00	68.00	1.00	<0.01	2.5
				Lct sharp end to brecciation, 75 tca.																133012	68.00	69.00	1.00	<0.01	5.5
																				133013	69.00	70.00	1.00	<0.01	7.8
171.04	198.44	7s	PIPX	**Pagioclase Porphyry, Bleached** - Light cream coloured, fine to medium grained with prominent hornblende crystals to 4mm long. Plagioclase are faint, 1-2mm, light coloured and rounded to elongate. Strong bleached appearance to rock. Several short fine grained light green-tan coloured, cross cutting dykes. Fine grained pyrite throughout.			3		3					5						133014	70.00	70.94	0.94	0.16	33.7
				178.91-180.54m - Dyke, dark greenish coloured, fine grained with 2cm chilled margins. Upper contact, 40 tca, Lower contact 20 tca.																133015	70.94	72.00	1.06	<0.01	2.4
				198.08-198.44m - Dyke, as above.																133016	72.00	74.00	2.00	<0.01	1.8
																				133017	74.00	76.00	2.00	<0.01	1.3
198.44	207.31	7s	QBXX	**Breccia** - Similar to 163.28-171.04m. Light cream-tan coloured, fine to medium grained fragments contain a weak plag prophyritic texture. Matrix is dark coloured and fine grained with strong pyrite. Rocks become darker with stronger brecciation especially after 202.0m. Minor quartz-carbonate veinlets.			1		3		1			3						133018	76.00	77.18	1.18	<0.01	1.3
				202.0-204.52 - Strong brecciation with abundant biotite/chlorite in matrix.			2		4		3			10						133019	77.18	78.00	0.82	<0.01	5.1
				202.26-202.49m - Pale green-tan coloured very fine grained dyke, 1cm chilled margins, contacts 45 tca.																133020	STD	PM427		3.71	1.3
				204.52-204.98m - Dyke, as above.																133021	78.00	79.00	1.00	<0.01	16.4
				206.53-206.94m - Dyke, as above.																133022	79.00	80.00	1.00	<0.01	3.3
				205.4-205.9m - Moderately weathered and weakly broken up.																133023	80.00	81.00	1.00	<0.01	5.7
				Lct marks a sharp change in alteration.																133024	81.00	82.00	1.00	<0.01	2
																				133025	82.00	83.00	1.00	<0.01	1.3
207.31	220.89	7a	PIPX	**Plagioclase Porphyry, silicified/sercite altered** - Light cream-tan coloured, with a fine grained groundmass and <10% white coloured, rounded plag phenos. Minor white-tan coloured fine grained quartz veinlets cut by a weak brecciation with fine grained chlorite/biotite matrix. Minor fine grained pyrite.			2		3					1						133026	83.00	84.00	1.00	<0.01	3
				209.7-210.0m - Weakly weathered and broken up rock.																133027	84.00	85.00	1.00	<0.01	2.1
				217.15-219.00 - Chunky quartz-rich over top of interval with abundant biotite and chlorite. Weakly weathered with a wavy fabric subparallel tca to 2218.0m, more prominent with aligned quartz bands 218-219m, 45 tca.			0	2	3		2			2						133028	85.00	86.00	1.00	<0.01	2.4
				Lct marks a change in alteration, 65 tca.	Lct	65														133029	86.00	87.00	1.00	<0.01	4.3

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	Interval (m) To	Interval (m) Width	Au g/t	Ag g/t
																				133030	87.00	88.00	1.00	0.02	88
220.89	265.42	9a	AXXX	**Andesite, unaltered** - Dark green coloured, fine to medium grained groundmass with 2mm rounded plag crystals creating a weak porphyritic texture. Weak quartz crackle breccia. Weak appearance of possible flow contacts containing abrupt rock change and chill margins.																133031	88.00	89.00	1.00	0.03	164
				220.89-226.0m - Elongate 2mm long plag crystals, aligned 65 tca.																133032	89.00	89.74	0.74	0.02	109
				223.36-224.62m - Dark green-black coloured, fine grained dyke with 1-2cm chilled margins. Variable contact orientations.																133033	89.74	91.00	1.26	<0.01	20.2
				225.67-226.04m - Dyke, as above.																133034	91.00	92.00	1.00	<0.01	5.2
				240.71-241.11m - Dyke, as above.																133035	92.00	94.00	2.00	<0.01	4.6
				247.15-249.57m - Dyke, as above.																133036	94.00	96.00	2.00	<0.01	1.9
				251.01-251.53m - Dyke, as above.																133037	96.00	98.00	2.00	0.02	12.4
				Lct gradational over 10cm into different rock type.																133038	98.00	100.00	2.00	<0.01	9.2
																				133039	100.00	102.00	2.00	0.01	9.9
265.42	279.87	9x	ABXX	**Andesite, Volcanic breccia** - Dark green-black coloured, fine to medium grained weakly plag porphyritic, subangular clasts 1-4cm long. Some smaller clasts have a fluidal shape. Matrix is pale blue-green coloured, fine to medium grained, with 1-2mm subhedral biotite (med brown, appear flakey). Clasts are crystal-rich, and some are over 10cm thick in core. Trace pyrite as blebs.																133040	STD	PM405		0.27	0.7
																				133041	102.00	103.98	1.98	<0.01	0.8
279.87 = EOH (918 feet)																				133042	103.98	104.56	0.58	0.01	10.4
																				133043	104.56	106.00	1.44	<0.01	0.5
																				133044	106.00	108.00	2.00	<0.01	1
																				133045	108.00	110.00	2.00	<0.01	0.6
																				133046	110.00	112.00	2.00	<0.01	0.7
																				133047	112.00	114.00	2.00	<0.01	3.1
																				133048	114.00	116.00	2.00	<0.01	0.5
																				133049	116.00	118.00	2.00	<0.01	0.6
																				133050	118.00	120.00	2.00	<0.01	1.1
																				133051	120.00	122.00	2.00	<0.01	1.1
																				133052	122.00	124.00	2.00	<0.01	1.3
																				133053	124.00	126.00	2.00	<0.01	0.6
																				133054	126.00	128.00	2.00	<0.01	0.2
																				133055	128.00	130.00	2.00	<0.01	<0.1
																				133056	130.00	130.49	0.49	<0.01	<0.1
																				133057	130.49	132.00	1.51	<0.01	0.9
																				133058	132.00	134.00	2.00	<0.01	0.2
																				133059	134.00	136.00	2.00	<0.01	0.3
																				133060	BLANK			<0.01	<0.1
																				133061	136.00	138.00	2.00	<0.01	0.3
																				133062	138.00	140.00	2.00	<0.01	0.2
																				133063	140.00	142.00	2.00	<0.01	0.5
																				133064	142.00	144.00	2.00	0.01	<0.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				133065	144.00	146.00	2.00	<0.01	<0.1
																				133066	146.00	148.00	2.00	<0.01	<0.1
																				133067	148.00	150.00	2.00	<0.01	<0.1
																				133068	150.00	152.00	2.00	<0.01	<0.1
																				133069	152.00	154.00	2.00	<0.01	0.2
																				133070	154.00	156.00	2.00	<0.01	0.3
																				133071	156.00	158.00	2.00	<0.01	0.3
																				133072	158.00	160.00	2.00	<0.01	0.2
																				133073	160.00	162.00	2.00	<0.01	0.3
																				133074	162.00	163.28	1.28	<0.01	1.1
																				133075	163.28	164.39	1.11	<0.01	0.3
																				133076	164.39	165.00	0.61	<0.01	0.8
																				133077	165.00	166.00	1.00	<0.01	0.7
																				133078	166.00	167.00	1.00	0.02	0.8
																				133079	167.00	168.00	1.00	<0.01	0.7
																				133080	STD	PM427		3.65	1.2
																				133081	168.00	169.00	1.00	<0.01	0.6
																				133082	169.00	170.00	1.00	0.06	2.4
																				133083	170.00	171.04	1.04	0.01	1.2
																				133084	171.04	172.00	0.96	<0.01	<0.1
																				133085	172.00	174.00	2.00	<0.01	0.3
																				133086	174.00	176.00	2.00	<0.01	0.1
																				133087	176.00	178.00	2.00	<0.01	0.2
																				133088	178.00	178.91	0.91	<0.01	0.1
																				133089	178.91	180.54	1.63	<0.01	<0.1
																				133090	180.54	182.00	1.46	<0.01	0.6
																				133091	182.00	184.00	2.00	<0.01	1.2
																				133092	184.00	186.00	2.00	<0.01	0.4
																				133093	186.00	188.00	2.00	<0.01	0.4
																				133094	188.00	190.00	2.00	<0.01	<0.1
																				133095	190.00	192.00	2.00	<0.01	<0.1
																				133096	192.00	194.00	2.00	<0.01	0.5
																				133097	194.00	196.00	2.00	<0.01	0.9
																				133098	196.00	198.08	2.08	<0.01	0.6
																				133099	198.08	198.44	0.36	<0.01	<0.1
																				133100	STD	PM405		0.27	0.4
																				133101	198.44	200.00	1.56	<0.01	2
																				133102	200.00	202.00	2.00	<0.01	1.2
																				133103	202.00	204.00	2.00	<0.01	2
																				133104	204.00	204.52	0.52	<0.01	0.5
																				133105	204.52	204.98	0.46	<0.01	<0.1
																				133106	204.98	206.53	1.55	<0.01	1.8
																				133107	206.53	207.31	0.78	<0.01	<0.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				133108	207.31	208.00	0.69	<0.01	0.8
																				133109	208.00	210.00	2.00	<0.01	0.7
																				133110	210.00	212.00	2.00	<0.01	0.4
																				133111	212.00	214.00	2.00	<0.01	1
																				133112	214.00	216.00	2.00	<0.01	0.7
																				133113	216.00	217.31	1.31	<0.01	1.7
																				133114	217.31	218.00	0.69	<0.01	21.2
																				133115	218.00	219.00	1.00	<0.01	0.8
																				133116	219.00	220.00	1.00	<0.01	<0.1
																				133117	220.00	220.89	0.89	<0.01	<0.1
																				133118	220.89	222.00	1.11	<0.01	<0.1
																				133119	222.00	224.00	2.00	<0.01	<0.1
																				133120	BLANK			<0.01	<0.1
																				133121	224.00	226.00	2.00	<0.01	<0.1
																				133122	226.00	228.00	2.00	0.04	<0.1
																				133123	228.00	230.00	2.00	<0.01	<0.1

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
17.99	92.7	-48.6
82.01	97.2	-45.9
173.48	102.0	-41.4
264.94	105.9	-36.0

P09-035

Montana - Testing potential mineralized zone near contact of Porphyry and Andesite.

UTM E (NAD 83): 436022	**Azimuth (deg):** 090	**Start:** Sept 10, 2009
UTM N (NAD 83): 6221291	**Dip (deg):** -50	**Finish:** Sept 13, 2009
Elev (m): 1241	**Total Depth (m):** 274.09	**Logged by:** L. Bjornson
Core Size: BQ	**Pad:** 20	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	3.04	OVB	CAS	**Casing**																					
3.04	8.54	7a	PIPX	**Plagioclase Porphyry** - Pale blue-grey coloured, fine to medium grained, with prominent 2mm rounded plag phenos. Minor quartz veinlets typically at 45 tca.				1	1					0.5						133124	3.04	4.00	0.96	<0.01	0.1
				Lct sharp, 45 tca marked by a change in alteration.																133125	4.00	6.00	2.00	<0.01	1.2
																				133126	6.00	8.00	2.00	<0.01	1.1
8.54	22.39	7a	PIPX	**Plagioclase Porphyry, altered** - Pale blue-grey coloured, fine to medium grained, with variable locally strong plag and hornblende-rich intervals. Variable siliceous +sericite alteration, and weakly brecciated with quartz-carbonate veinlets. Minor pyrite throughout with sporadic strong pyrite-filled veins. Several short intervals of chunky quartz.			2	1	3					1						133127	8.00	8.54	0.54	0.01	0.7
				14.95-16.11m - Dyke, altered. Pale greenish coloured, fine grained with chilled margins.																133128	8.54	10.00	1.46	0.02	7.2
				18.44-18.84m - Course grained, chunky quartz.					5											133129	10.00	12.00	2.00	0.03	25.1
				Lct is sharp, intursive contact.	Lct	45														133130	12.00	14.00	2.00	0.02	1.5
																				133131	14.00	14.95	0.95	0.01	2.5
22.39	26.61	22a	D/AX	**Dyke** - Dark green coloured, fine grained with a weak porphyritic texture of 1mm rounded plag. Chilled margins over 1cm at upper and lower contact.																133132	14.95	16.11	1.16	<0.01	<0.1
																				133133	16.11	18.00	1.89	0.01	2
26.61	36.00	7a	PIPX	**Plagioclase Porphyry, altered** - Similar to 8.54-22.39m. Pale blue-grey coloured, fine to medium grained, with variable locally strong plag and hornblende-rich intervals. Variable siliceous + weak sericite alteration, and weakly brecciated with quartz-carbonate veinlets. Minor pyrite throughout with sporadic strong pyrite filled veins. Includes several dykes and a short interval of chunky quartz. Fracture fill pyrite observed throughout										5						133134	18.00	18.44	0.44	0.01	2.2
				29.09-30.54m - Dyke, Pale green coloured, fine grained. Sharp contacts, 65 tca.																133135	18.44	18.84	0.40	0.04	6.8
				33.30-34.86m - Dyke, pale green coloured, fine grained. Sharp contacts, 65 tca, with narrow chilled margins (<2cm).																133136	18.84	20.00	1.16	<0.01	1.6
				34.86-36.0m - Course grained, chunky quartz.																133137	20.00	22.00	2.00	<0.01	2.7
				Lct is gradational, alteration.																133138	22.00	22.39	0.39	<0.01	1.8
																				133139	22.39	24.00	1.61	<0.01	<0.1

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
36.00	60.84	7a	PIPX	**Plagioclase Porphyry, altered** - Fine grained rock producing a variable dark grey-black to green-tannish colour. Lighter coloured subrounded clasts often appear with the darker material as a matrix. Plagioclase crystals are rounded to subhedral, and often with faint boundaries. Strong fracture fill pyrite.																							
							3		4		2			7						133140	STD	PM427		3.61	0.8
				Lct is marked by an intrusion below.																133141	24.00	26.00	2.00	<0.01	<0.1
																				133142	26.00	26.61	0.61	<0.01	<0.1
60.84	70.57	22c	D/AP	**Dyke** - Medium to dark grey coloured, fine grained becoming more medium grained in the middle of unit. Crystals are not very distinct. Chilled margin over 2cm at top. Little to no alteration.																					
																				133143	26.61	28.00	1.39	<0.01	1.5
				67.21-68.39m - Altered plag Porphyry as 36-60.84m.																133144	28.00	29.09	1.09	<0.01	1.6
																				133145	29.09	30.54	1.45	<0.01	<0.1
70.57	74.80	22c	D/AP	**Dyke** - Dark green-grey coloured, medium grained groundmass with 2-3mm subhedral hornblende and 1-2mm, faint to distinct, euhedral fsp crystals. Minor fracture fill pyrite. Several white coloured, 3mm thick, quartz-calcite veins, 40 tca. Rock is weakly bleached and crystal-rich with 25% fsp and hornblende.					2					0.5						133146	30.54	32.00	1.46	<0.01	0.5
				Lct sharp, intrusive with contact 40 tca.	Lct	40														133147	32.00	33.30	1.30	<0.01	2.3
																				133148	33.30	34.86	1.56	<0.01	<0.1
74.80	76.42	22c	D/AP	**Dyke** - Same as 60.84-70.57m.																133149	34.86	36.00	1.14	0.03	12.7
				Lct sharp, intrusive 55 tca.	Lct	55														133150	36.00	38.00	2.00	<0.01	3.6
																				133151	38.00	40.00	2.00	<0.01	2.5
76.42	77.69	22c	D/AP	**Dyke** - Same as 70.57-74.80 but slightly browner in colour (quartz-sericite alteration?).			1		3					1						133152	40.00	42.00	2.00	0.02	1
				Lct, slightly wavy, about 65 tca, with alteration at base over <1cm.																133153	42.00	44.00	2.00	<0.01	1.7
																				133154	44.00	46.00	2.00	<0.01	1.1
77.69	78.87	7s	QBXX	**Quartz Vein Breccia** - Chunky white coloured quartz-rich clasts in a tan coloured (sericite) fine grained, matrix. Fragments are subrounded including abundant 2mm sized pieces in matrix. Host appears to be highly altered version of unit below. Quartz appears banded with fabric 30 tca. Minor fracture fill pyrite in matrix.			2	2	5					1						133155	46.00	48.00	2.00	0.02	5.3
				Lct marks a sharp decrease in quartz.																133156	48.00	50.00	2.00	0.01	6.6
																				133157	50.00	52.00	2.00	0.01	5.9
78.87	81.47	22c	D/AP	**Dyke** - Similar to 70.57-74.80. Highly altered near top creating a light tannish-grey colour, becoming darker green coloured with depth. Top has faint appearance of hornblende with strong siliceous alteration and some quartz bands. Hornblende become more prominent with depth, euhedral and up to 6mm long, faint outline of plag with a fine to medium grained texture of groundmass.																133158	52.00	54.00	2.00	<0.01	1.2
				Lct is sharp, 45 tca with no chilled margin.	Lct	45														133159	54.00	56.00	2.00	<0.01	2.6
																				133160	STD	PM405		0.28	0.6
81.47	82.61	22c	D/AP	**Dyke** - Short section, fine grained and dark grey coloured with weak chilled margins over 2cm.																133161	56.00	58.00	2.00	<0.01	2
				82.33-82.47m - Inclusion of altered dyke as 78.87-81.47m.																133162	58.00	60.00	2.00	<0.01	4.7
				Lct sharp, intrusive at 55 tca.	Lct	55														133163	60.00	60.84	0.84	<0.01	0.7

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
																				133164	60.84	62.00	1.16	<0.01	<0.1
82.61	102.04	7a	PIPX	**Plagioclase Porphyry** - Dull blue-grey coloured, fine to medium grained matrix with abundant 2mm subhedral to euhedral fsp phenos. Very minor fsp to 10mm. Weak alteration and brecciation over last 50cm above lct. Minor quartz-carbonate veins 1mm thick, fine pyrite observed associated with veins and disseminated through unit. Some thicker veins appear to have quartz-sericite rims, with quartz-carbonate core, and weakly vuggy in centre.																						
								1						2						133165	62.00	64.00	2.00	<0.01	<0.1
				Lct intrusive with dyke below, rock is weakly broken up.																133166	64.00	66.00	2.00	<0.01	<0.1
																				133167	66.00	67.21	1.21	<0.01	<0.1
102.04	107.94	22a	D/AX	**Dyke** - Tan coloured (quartz-sericite) and fine grained at top of unit with sharp change in alteration at 104.99m to dark green-black coloured, fine to medium grained tuffaceous looking rock. None to weak alteration below 104.99m. Minor quartz veins including a vein bx at 104.17, containing fine grained quartz and 1mm rims of tan coloured quartz-sericite?; weakly vuggy.																						
				102.04-104.99m - Strong quartz-sericite alteration with fine grained rock.																133168	67.21	68.39	1.18	<0.01	1
				Poor pyrite.			4		4					0.5						133169	68.39	70.00	1.61	<0.01	<0.1
				104.17-104.27m - Quartz vein breccia, minor inclusions of host rock.																					
									5											133170	70.00	70.57	0.57	<0.01	<0.1
				104.27-104.68m - Inclusion of Plagioclase Porphyry.																133171	70.57	72.00	1.43	<0.01	0.8
				104.99-107.94m - Unaltered dyke.																133172	72.00	74.00	2.00	<0.01	0.6
				Lct sharp intrusive with weak chilled margin over 3cm.	Lct	75														133173	74.00	74.80	0.80	<0.01	0.6
																				133174	74.80	76.42	1.62	<0.01	<0.1
107.94	157.25	7a	PIPX	**Plagioclase Porphyry** - Dull blue-grey colour with a fine to medium grained groundmass and 1-2mm rounded to subhedral fsp cyrstals. Minor quartz filled fractures, at various angles and minor 2mm subhedral hornblende. Faint quartz crackle breccia texture, and minor pyrite as small fracture fill blebs. Unit is fairly uniform with short altered sections as listed below.																						
														3						133175	76.42	77.69	1.27	<0.01	1.5
				131.24-131.29 - Quartz vein, fine grained 40 tca with cross cutting quartz-sericite vein. Quartz alteration 20cm and 60cm below. No pyrite observed																133176	77.69	78.87	1.18	<0.01	2
				131.07-131.92 - Quartz alteration halo for vein above.			2		4											133177	78.87	79.36	0.49	<0.01	3.5
				137.01-137.41m - Quartz-sericite breccia with alteration and strong bleaching of rock. Fabric ~15 tca. Fracture fill pyrite similar to rest of unit.			4	5	5					2						133178	79.36	81.47	2.11	<0.01	1.1
				140.53-141.06m - Quartz-sericite breccia with moderate fine pyrite. Strong alteration but weak breccia.			3	3	4					5						133179	81.47	82.61	1.14	<0.01	<0.1
				142.94-143.46m - Quartz-sericite breccia with breccia over 5cm near top then decreasing intensity with depth into crackle breccia. Moderate to strong alteration with several mm-scale pyrite veinlets.			3	5	4					5						133180	BLANK			<0.01	<0.1
				Lct is gradational, marked by a change in alteration.																133181	82.61	84.00	1.39	<0.01	0.5
																				133182	84.00	86.00	2.00	<0.01	0.2

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
157.25	180.11	7a	PIPX	**Plagioclase Porphyry, altered** - Fine to medium grained clasts with a light green to tannish colour and moderate to strong siliceous +sericite alteration. Fsp and hornblende are faint, up to 2mm long. Matrix is fine grained chlorite/biotite appearing almost as veins with some stronger sections. Alteration is slightly variable including some heavily brecciated intervals. Minor cross-cutting quartz veinlets. Minor disseminated pyrite through unit with fracture fill blebs observed in quartz veins.			4	2	5		2			7						133183	86.00	88.00	2.00	<0.01	0.4
				166.0-169.94m - Darker coloured rock with prominent hornblende and strong chlorite/biotite alteration.			2	3	5		3			10						133184	88.00	90.00	2.00	<0.01	0.5
				169.94-170.72 - Dyke, Fine grained, green-grey coloured, with 2cm chilled margins. Uct 65 tca.																133185	90.00	92.00	2.00	<0.01	0.5
				172.05-172.55m - Quartz Vein, Light coloured, course grained chunky quartz. Sharp contacts 80 tca, with minor blebs of pyrite.																133186	92.00	94.00	2.00	<0.01	0.3
				172.55-180.11m - Lighter greenish coloured, with less chlorite/biotite but still strong siliceous alteration.																133187	94.00	96.00	2.00	<0.01	0.5
				Lct is gradational with a weakening of alteration.																133188	96.00	98.00	2.00	<0.01	0.6
																				133189	98.00	100.00	2.00	<0.01	0.3
180.11	191.10	7a	PIPX	**Plagioclase Porphyry, unaltered** - Pale blue-grey coloured, fine to medium grained groundmass and 1-2mm rounded to subhedral fsp crystals creating a weak porphyritic texture. Minor quartz-carbonate veinlets at various angles tca. Faint quartz crackle breccia texture, and moderate fine pyrite as small fracture fill blebs and disseminated through unit.				1						5						133190	100.00	102.04	2.04	<0.01	0.3
				Lct is a gradational change in alteration.																133191	102.04	104.17	2.13	<0.01	5.3
																				133192	104.17	104.99	0.82	<0.01	15.5
191.10	202.95	7a	PIPX	**Plagioclase Porphyry, altered** - Similar to 157.25-180.11m. Strong quartz-sericite alteration producing a light green to tannish colour with moderate fine grained chlorite/biotite matrix creating a prominent breccia texture. Minor diss pyrite through unit with fracture fill blebs observed in quartz veins.			4	2	5		1			7						133193	104.99	106.00	1.01	<0.01	<0.1
				Lct is a change in alteration and a strong weakening of brecciation.																133194	106.00	107.94	1.94	<0.01	<0.1
																				133195	107.94	110.00	2.06	<0.01	2.1
202.95	274.09	7a	PIPX	**Plagioclase Porphyry, unaltered** - Similar to 180.11-191.10m. Pale blue-grey coloured, fine to medium grained groundmass and 1-2mm rounded to subhedral fsp crystals creating a weak porphyritic texture. Minor quartz-carbonate veinlets and moderate fine pyrite as small fracture fill blebs and disseminated through unit. Little to no alteration at end.				1						1						133196	110.00	112.00	2.00	<0.01	0.6
				214.85-225.25m - Increased quartz veining.				2						3						133197	112.00	114.00	2.00	<0.01	1.9
				216.37-217.21m - Variably brecciated with angular fragments and a fine grained quartz-rich matrix, strong 217.0-217.21m.				5	2											133198	114.00	116.00	2.00	<0.01	0.2
				250.0-252.7m - Light coloured, course grained chunky quartz veins with quartz-sericite altered host. Veins comprise about 30% of interval. Weak pyrite.			2	3	4		1			1						133199	116.00	118.00	2.00	<0.01	0.3
				250.0-272.44m - Pale green-grey coloured, fine to medium grained caused by weak quartz-sericite alteration.			2		3					2						133200	STD	PM427		3.39	1.4
				265.47-266.00m - Moderate quartz-sericite alteration with several quartz-sericite veins, up 1cm thick and 55 tca. Weakly vuggy.			4	2	4											133201	118.00	120.00	2.00	<0.01	0.4
																				133202	120.00	122.00	2.00	<0.01	0.5

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
274.09 = EOH (899 feet)																				133203	122.00	124.00	2.00	0.01	0.7
																				133204	124.00	126.00	2.00	0.01	0.4
																				133205	126.00	128.00	2.00	<0.01	0.5
																				133206	128.00	130.00	2.00	<0.01	1
																				133207	130.00	131.07	1.07	<0.01	0.8
																				133208	131.07	131.92	0.85	0.04	7.1
																				133209	131.92	134.00	2.08	0.08	0.6
																				133210	134.00	136.00	2.00	<0.01	0.4
																				133211	136.00	137.01	1.01	<0.01	0.4
																				133212	137.01	137.41	0.40	<0.01	0.8
																				133213	137.41	138.00	0.59	<0.01	0.7
																				133214	138.00	140.00	2.00	<0.01	0.5
																				133215	140.00	140.53	0.53	<0.01	0.5
																				133216	140.53	141.06	0.53	<0.01	0.7
																				133217	141.06	142.94	1.88	<0.01	<0.1
																				133218	142.94	143.46	0.52	<0.01	0.1
																				133219	143.46	144.62	1.16	<0.01	0.4
																				133220	STD	PM405		0.28	0.6
																				133221	144.62	146.00	1.38	<0.01	<0.1
																				133222	146.00	148.00	2.00	<0.01	<0.1
																				133223	148.00	150.00	2.00	<0.01	<0.1
																				133224	150.00	152.00	2.00	<0.01	0.2
																				133225	152.00	154.00	2.00	<0.01	0.3
																				133226	154.00	156.00	2.00	<0.01	<0.1
																				133227	156.00	157.25	1.25	<0.01	<0.1
																				133228	157.25	158.00	0.75	<0.01	0.5
																				133229	158.00	160.00	2.00	<0.01	0.6
																				133230	160.00	162.00	2.00	<0.01	0.4
																				133231	162.00	164.00	2.00	<0.01	0.7
																				133232	164.00	166.00	2.00	<0.01	1.3
																				133233	166.00	168.00	2.00	<0.01	1.4
																				133234	168.00	169.94	1.94	0.01	8.6
																				133235	169.94	170.72	0.78	<0.01	<0.1
																				133236	170.72	172.05	1.33	<0.01	2.2
																				133237	172.05	172.55	0.50	0.05	35.1
																				133238	172.55	174.00	1.45	<0.01	6
																				133239	174.00	176.00	2.00	<0.01	10.1
																				133240	BLANK			<0.01	<0.1
																				133241	176.00	178.00	2.00	<0.01	1
																				133242	178.00	180.11	2.11	<0.01	0.4
																				133243	180.11	182.00	1.89	<0.01	0.8
																				133244	182.00	184.00	2.00	<0.01	0.3
																				133245	184.00	186.00	2.00	<0.01	0.6

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				133246	186.00	188.00	2.00	<0.01	0.3
																				133247	188.00	190.00	2.00	<0.01	0.2
																				133248	190.00	191.11	1.11	<0.01	<0.1
																				133249	191.11	192.00	0.89	<0.01	0.6
																				133250	192.00	194.00	2.00	<0.01	1
																				133251	194.00	196.00	2.00	<0.01	1.4
																				133252	196.00	198.00	2.00	<0.01	1.2
																				133253	198.00	200.00	2.00	<0.01	1.2
																				133254	200.00	202.00	2.00	<0.01	1.3
																				133255	202.00	202.95	0.95	<0.01	1.5
																				133256	202.95	204.00	1.05	<0.01	0.9
																				133257	204.00	206.00	2.00	0.01	0.7
																				133258	206.00	208.00	2.00	<0.01	0.7
																				133259	208.00	210.00	2.00	<0.01	0.1
																				133260	STD	PM427		3.68	1.4
																				133261	210.00	212.00	2.00	<0.01	0.8
																				133262	212.00	214.00	2.00	<0.01	0.4
																				133263	214.00	214.85	0.85	<0.01	0.6
																				133264	214.85	216.00	1.15	<0.01	0.8
																				133265	216.00	218.00	2.00	<0.01	0.9
																				133266	218.00	220.00	2.00	<0.01	0.6
																				133267	220.00	222.00	2.00	<0.01	0.5
																				133268	222.00	224.00	2.00	<0.01	0.7
																				133269	224.00	225.25	1.25	<0.01	1.4
																				133270	225.25	226.00	0.75	<0.01	0.3
																				133271	226.00	228.00	2.00	<0.01	0.2
																				133272	228.00	230.00	2.00	<0.01	0.3
																				133273	230.00	232.00	2.00	<0.01	0.3
																				133274	232.00	234.00	2.00	<0.01	0.2
																				133275	234.00	236.00	2.00	<0.01	0.7
																				133276	236.00	238.00	2.00	<0.01	0.5
																				133277	238.00	240.00	2.00	<0.01	1.6
																				133278	240.00	242.00	2.00	<0.01	6.2
																				133279	242.00	244.00	2.00	<0.01	6.3
																				133280	STD	PM405		0.28	0.7
																				133281	244.00	246.00	2.00	<0.01	<0.1
																				133282	246.00	248.00	2.00	<0.01	<0.1
																				133283	248.00	250.00	2.00	<0.01	<0.1
																				133284	250.00	252.12	2.12	<0.01	<0.1
																				133285	252.12	252.70	0.58	<0.01	0.8
																				133286	252.70	254.00	1.30	<0.01	2.6
																				133287	254.00	256.00	2.00	0.02	2.5
																				133288	256.00	258.00	2.00	<0.01	<0.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				133289	258.00	260.00	2.00	<0.01	<0.1
																				133290	260.00	262.00	2.00	<0.01	<0.1
																				133291	262.00	264.00	2.00	<0.01	0.4
																				133292	264.00	265.47	1.47	<0.01	0.5
																				133293	265.47	266.00	0.53	<0.01	0.2
																				133294	266.00	268.00	2.00	<0.01	<0.1
																				133295	268.00	270.00	2.00	<0.01	0.3
																				133296	270.00	272.00	2.00	<0.01	0.3
																				133297	272.00	272.44	0.44	<0.01	2.5
																				133298	272.44	274.09	1.65	<0.01	0.2

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
14.94	270.7	-48.7
182.62	280.2	-41.3
261.89	285.1	-37.0

P09-036

Martha Ellen - Testing potential mineralized zone near contact of Porphyry and Andesite.

UTM E (NAD 83): 435766	**Azimuth (deg):** 270	**Start:** Sept 13, 2009
UTM N (NAD 83): 6221302	**Dip (deg):** -50	**Finish:** Sept 16, 2009
Elev (m): 1200	**Total Depth (m):** 271.03	**Logged by:** L. Bjornson
Core Size: BQ	**Pad:** 21	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	3.04	OVB	CAS	**Casing**																					
3.04	33.09	7a	PIPX	**Plagioclase Porphyry** - Dull blue-grey coloured, fine grained, with 2mm subrounded, white coloured plag crystals and minor white subhedral Kfsp <1cm. Minor sporadic hornblende, weakly aligned 45 tca. White to light tan coloured, fine grained, quartz (+sericite) veinlets to 2mm thick, minor to 10cm, typically 45 tca. Variable weak quartz crackle breccia. Minor fracture fill pyrite.			1		1					2						133299	3.04	4.00	0.96	0.04	0.7
				Lct is sharp change in texture with quartz-matrix below.																133300	BLANK			0.01	<0.1
				11.89-12.15m - Fractured rock																133301	4.00	6.00	2.00	0.03	1.1
																				133302	6.00	8.00	2.00	0.04	1.3
33.09	43.31	7s	QBXX	**Porphyritic Maroon breccia/flow** - Dark maroon green-grey coloured, medium grained grainy looking matrix with prominent and abundant rounded plag phenocrysts. Matrix is green-grey coloured in short intervals, and appear to be associated with quartz veins and silicification. Clasts are up to 4cm across, subangular and maroon coloured with a strong plag porphyritic texture with euhedral to subhedral phenocrysts up to 3mm. Minor pyrite occuring as small fracture fill blebs. Strong crystal-rich porphyritic texture.				1	3					1						133303	8.00	10.00	2.00	0.03	1.2
				33.09-33.33m - Quartz-matrix breccia with irregular shaped clasts. Strong siliceous alteration.				5												133304	10.00	12.00	2.00	0.17	3.3
				Lct is sharp intrusive contact.	Lct	20														133305	12.00	14.00	2.00	0.01	0.2
																				133306	14.00	16.00	2.00	<0.01	<0.1
43.31	53.98	22b	D/AN	**Dyke** - Medium green coloured, fine grained to grainy texture and weakly porphyritic with faint plagioclase to 1mm. Slightly magnetic. Locally strong quartz and quartz-sericite crackle breccia through most of unit. Minor disseminated pyrite.																133307	16.00	18.00	2.00	<0.01	<0.1
				50.4m - Rusty weathering fracture, 20 tca with strong oxidation 10cm either side.																133308	18.00	20.00	2.00	0.02	0.2
																				133309	20.00	22.00	2.00	0.02	1.4
53.98	78.81	7s	QBXX	**Porphyritic Andesite, Breccia/Flow** - Similar to 33.09-43.31m. Dark green-grey coloured, with abundant subangular to subrounded clasts to 3cm. Matrix is fine grained to grainy and is often altered and bleached. Clasts have sharp boundaries and contain a plag porphyritic texture becoming more uniformly plag porphyry after 67.60m. Rock is more maroon coloured near top, becomes more uniformly green after 60.0m. Rare occurence of quartz veins, some at top of unit and below fault.																133310	22.00	24.00	2.00	0.13	3.3
				53.98-63.50m - Moderate breccia texture.																133311	24.00	26.00	2.00	0.03	1.1
				63.5-67.6m - Very strong brecciation with prominent clasts.																133312	26.00	28.00	2.00	<0.01	0.5

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
				67.6-78.81m - Massive, minor breccia clasts. Prominent porphyritic texture.																133313	28.00	30.00	2.00	0.01	0.3
				60.05-60.06m - Fault, gravel	Flt	20														133314	30.00	32.00	2.00	0.04	0.3
				Lct is sharp, intrusive, 10 tca.	Lct	10														133315	32.00	33.09	1.09	0.02	0.5
																				133316	33.09	33.33	0.24	0.25	32.8
78.81	88.73	22a	D/AX	**Dyke** - Dark grey coloured almost black, and fine grained. Contacts are sharp but with strong alteration. Weakly altered and broken up over short sections, minor epidote. Minor inclusions of dark coloured, porphyritic andesite.										3						133317	33.33	34.00	0.67	0.1	2.6
				78.81-80.69m - Altered, pale green coloured, weakly brecciated, chunky quartz veins.																133318	34.00	36.00	2.00	0.01	0.6
				83.0-85.5m - Weakly brecciated.																133319	36.00	38.00	2.00	<0.01	<0.1
				85.34-88.73m - Moderate pyrite, small blebs and often strung out along fractures.										7						133320	STD	PM427		3.41	1.9
				88.17-88.73m - Bleached, strong pyrite at base adjacent to contact.	Lct	20														133321	38.00	40.00	2.00	0.01	0.9
				Lct is gradational over 1m due to alteartion. Displays a prominent fabric 20 tca.																133322	40.00	42.00	2.00	<0.01	<0.1
																				133323	42.00	43.31	1.31	<0.01	<0.1
88.73	122.92	7a	PIPX	**Plagioclase Porphyry** - Medium green-brown coloured, fine grained with abundant white subrounded to euhedral, 2mm plag phenos. Minor quartz-carbonate veins, and a locally moderate crackle breccia. Abundant disseminated to spotty fine grained pyrite.										10						133324	43.31	44.00	0.69	<0.01	<0.1
				88.73-92.0m - Weakly brecciated decreasing intensity with depth, with a weak chlorite/epidote alteration of matrix and rounded porphyrytic clasts.																133325	44.00	46.00	2.00	<0.01	<0.1
				118.54-119.05m - Siliceous alteration.					4					2						133326	46.00	48.00	2.00	0.01	<0.1
				118.87-119.05m - Chunky quartz vein																133327	48.00	50.00	2.00	0.02	<0.1
				119.05-122.92m - Weakly pale greenish coloured, quartz-epidote alteration. Weak breccia.										3						133328	50.00	52.00	2.00	<0.01	<0.1
				Lct is a faint change in rocktype, with a sharp decrease in plag porphyry phenos.																133329	52.00	53.98	1.98	<0.01	<0.1
																				133330	53.98	56.00	2.02	<0.01	<0.1
122.92	130.14	7s	QBXX	**Quartz vein breccia** - Dull green-grey coloured, fine grained with faint 1-2mm rounded plag phenos. Abundant white to dull grey coloured, chunky quartz veins with an irregular fabric. Minor subhedral black, weathered hornblende crystals, up to 3mm long but generally 1mm. Fine disseminated pyrite throughout. Moderate quartz crackle breccia.			2	4	4					5						133331	56.00	58.00	2.00	<0.01	<0.1
				122.92-125.30m - Weak quartz breccia and siliceous alteration. Moderate crackle breccia. Moderate plag porphyritic texture.			1	3	3					3						133332	58.00	60.00	2.00	0.01	<0.1
				128.81-130.14m - Weaker breccia and siliceous alteration.			1	2	3					5						133333	60.00	62.00	2.00	0.09	0.7
				Lct marks a decrease in quartz brecciation.																133334	62.00	64.00	2.00	0.03	0.7
																				133335	64.00	66.00	2.00	0.02	0.1
130.14	146.39	9a	AXXX	**Andesite, bleached** - Dull gree-grey coloured, fine grained with ghostly outlines of plag phenos and a grainy texture to groundmass. Minor quartz veins create a jig-saw fit breccia. Quartz veins at various orientations but angles typically close to ca. Increasing siliceous alteration with depth.			1		1					1						133336	66.00	68.00	2.00	<0.01	<0.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
				140.75-145.75m - Quartz brecciation. Increasing quartz veining and stockwork, subparallel to ca. Quartz is white to grey.				3	2					2						133337	68.00	70.00	2.00	<0.01	<0.1
				145.75-146.39m - Chunky quartz vein subparallel to ca, with large blebs to 1cm of honey brown sphalerite strung out in vein. Minor pyrite +galena.				5	3					1	1	5				133338	70.00	72.00	2.00	<0.01	<0.1
				Lct is end of quartz vein.																133339	72.00	74.00	2.00	<0.01	<0.1
																				133340	STD	PM405		0.29	0.7
146.39	150.62	9z	AXXZ	**Andesite, bleached** - Similar to 130.14-146.39m but more highly altered. Pale green-grey altered, fine grained with a weak ghostly porphyritic texture. Weak breccia with faint outline of clasts.			3	2	4					2						133341	74.00	76.00	2.00	<0.01	<0.1
				Lct, rock is brecciated below																133342	76.00	78.00	2.00	<0.01	<0.1
																				133343	78.00	78.81	0.81	<0.01	<0.1
150.62	151.88	7s	QBXX	**Quartz Vein Breccia** - Quartz-rich with strong breccia texture. Matrix is white to grey coloured, fine grained with minor spots/veins of tan coloured quartz-sericite. Clasts are angular up to 3cm across, fine grained pale green-grey in colour with a weak porphyritic texture, very similar to 146.39-150.62m. Sulphides are poor. Quartz-sericite produces a fine overprinting crackle breccia.			3	5	5											133344	78.81	80.00	1.19	<0.01	<0.1
				150.62-150.65m - Fine grained and laminated, sheared? Fabric 40 tca.																133345	80.00	80.69	0.69	<0.01	<0.1
				150.81-150.86m - Quartz vein, 50 tca, white coloured and fine grained with irregular veins/chunks of quartz-sericite.			3	5	5											133346	80.69	82.00	1.31	<0.01	<0.1
				151.70-151.88m - Quartz vein, 35 tca, white coloured fine grained quartz with blebs/chunks of quartz-sericite.																133347	82.00	84.00	2.00	<0.01	<0.1
				Lct is bottom of quartz vein.																133348	84.00	85.34	1.34	<0.01	0.3
																				133349	85.34	86.00	0.66	0.01	0.4
151.88	161.97	9z	AXXZ	**Andesite, bleached and brecciated** - Dull green-grey coloured, fine grained grainy looking rock. Weak ghostly porphyritic texture. Moderate quartz stockwork, locally strong. Quartz veins are white coloured and fine grained with an irregular pattern, slight preferred orientation subparallel tca. Weak sulphides except at base.			1	2	1											133350	86.00	88.17	2.17	<0.01	0.3
				151.88-154.10m - Bleached.			2	5	3											133351	88.17	88.73	0.56	<0.01	1.1
				159.18-160.57m - Strong quartz stockwork, moderate siliceous alteration.			1	5	4											133352	88.73	90.00	1.27	0.01	1
				161.28-161.97m - Quartz veining with chunky honey brown sphalerite (+galena) aligned with veins. Largely at top and bottom of interval. Weak silicification.				2	2					1	2	7				133353	90.00	92.00	2.00	<0.01	0.9
				Lct is at end of sulphides, rocktype continues below.																133354	92.00	94.00	2.00	0.01	0.6
																				133355	94.00	96.00	2.00	<0.01	0.2
161.97	183.44	9a	AXXX	**Andesite, unaltered** - Dull green-grey coloured, fine grained with minor quartz-carbonate veinlets at a shallow angle tca. Weak porphyritic texture with up to 2mm long lath shaped, subhedral crystals possibly sericite altered hornblende. Groundmass is very grainy.										2						133356	96.00	98.00	2.00	<0.01	0.2
				161.97-168.00m - Weak bleaching and breccia texture, decreasing with depth. Clasts are rounded, medium grained and medium grey coloured.			1	1	3											133357	98.00	100.00	2.00	<0.01	0.7
				176.0-179.89m - Increasing quartz crackle breccia.				2												133358	100.00	102.00	2.00	0.01	2.3

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
				176.43-176.45m - 2cm fine grained quartz-sericite vein, sharp contacts, 70 tca.	Qtz-cb vn	70														133359	102.00	104.00	2.00	0.03	3.8
				179.89-181.00m - Minor disseminated pyrite and small strung out blebs of sphalerite. Weak to moderate siliceous alteration.			1	2	2					2		1				133360	BLANK			<0.01	<0.1
				181.00-183.44m - Increasing siliceous and sericite alteration. Weak breccia texture with rounded clast to 3cm. Matrix is dark grey black coloured, and fine grained			2	1	2											133361	104.00	106.00	2.00	0.02	2.1
				Lct marks a change in alteration.																133362	106.00	108.00	2.00	0.04	2.3
																				133363	108.00	110.00	2.00	0.01	1.4
183.44	190.75	9z	AXXZ	**Andesite, brecciated** - Similar to 151.88-161.97m. Dull green-grey coloured, with a fine grained medium grey coloured altered matrix. Strong siliceous alteration with irregular shaped almost fluidal shaped clasts. Several stages of cross-cutting quartz +/- sericite veinlets at various angles to ca. Ghostly plag crystals plus minor white/tan coloured, lath shaped crystals similar to 161.97-183.44m. Abundant fine grained pyrite in matrix.			1	2	5					5						133364	110.00	112.00	2.00	0.01	1.8
				Lct is a sharp decrease in alteration, 10 tca.	Lct	10														133365	112.00	114.00	2.00	0.19	5.5
																				133366	114.00	116.00	2.00	0.07	4.9
190.75	214.23	9a	AXXX	**Andesite** - Dull green-grey coloured, fine to medium grained, with minor quartz veining and a faint ghostly plag porphyritic appearance. Short brecciated intervals are similar in appearance to brecciated andesite at 183.44-190.75m. Weak crackle breccia.				1	1					1						133367	116.00	118.00	2.00	0.03	4.1
				194.55-196.18m - Breccia, gine grained pyrite in matrix. Pale green coloured, fine grained fluidal clasts. Locally strong quartz stockwork.			1	2	4					5						133368	118.00	118.54	0.54	0.02	3.7
				196.18-199.95m - Weak breccia at top, weakens with depth.																133369	118.54	119.05	0.51	0.09	3
				199.95-201.08m - Chunky quartz veining with small quartz pods and 1cm banded quartz vein with ca. Fine grained pyrite in matrix. Contact mark a distinct decrease/end to brecciation.			1	5	2					5						133370	119.05	120.00	0.95	0.07	1.1
				206.92-209.42m - Breccia, fine grained dark coloured pyrite-bearing matrix with pale green coloured, weakly porphyritic clasts. Clasts are flattened and aligned 45 tca, over 40cm at top of interval. Fine grained anastomosing matrix.				3	1		1			5						133371	120.00	122.00	2.00	0.05	0.9
				212.0-214.23m - Weak quartz stockwork, stronger pyrite near base.				3	1		1			5						133372	122.00	122.92	0.92	0.03	1.9
				Lct, brecciation continues below, but host rock appears different.																133373	122.92	124.00	1.08	0.03	6
																				133374	124.00	126.00	2.00	0.06	6.7
214.23	224.07	9a	AXXX	**Andesite, tuff** - Dark green coloured, fine grained to weakly plag porphyritic, grainy texture. Minor quartz veinlets to 2mm thick produce a weak crackle breccia texture. None to weak alteration, faint breccia.				1						1						133375	126.00	128.00	2.00	0.17	3.2
				214.23-216.59m - Moderate quartz stockwork, irregular shaped to thin lenses, oriented 35 tca. Minor chlorite alteration of matrix and weak fine grained pyrite.				3			1			2						133376	128.00	128.81	0.81	0.01	0.6
				Lct marks a change in rocktype.																133377	128.81	130.14	1.33	<0.01	0.7
																				133378	130.14	132.00	1.86	<0.01	0.4

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
224.07	251.35	9Lt	ALXX	**Andesite, Lapilli tuff** - Dark green black coloured, with a fine grained matrix. Clasts are subangular, flattened and 0.5-2.5cm long, rare up to 10cm. Orientation of clasts are close to ca. Minor white coloured fine grained, quartz veins up to 1cm thick, 75 tca. Weak quartz crackle breccia with thin quartz filled microfractures at various angles tca. Locally weak pyrite.																							
																				133379	132.00	134.00	2.00	0.02	0.5
				224.07-238.0m - Moderate quartz stockwork creating a breccia. Quartz is white coloured and fine grained.																133380	STD	PM427		3.36	1.4
				242.0-251.35m - Medium green coloured, with prominent aligned clasts.																133381	134.00	136.00	2.00	0.01	0.2
				Lct marks end of clasts.																133382	136.00	138.00	2.00	<0.01	0.2
																				133383	138.00	140.00	2.00	0.02	0.5
251.35	271.03	9z	AXXZ	**Andesite, brecciated** - Dark green to black coloured, fine grained with moderate quartz stockwork and short sections of brecciation. Minor lapilli observed. Rock is variably altered with locally strong fine grained pyrite. Weak fabric 45 tca, becomes shallower with depth.																					
							1	2	1											133384	140.00	140.75	0.75	0.01	0.5
				251.35-251.50m - Quartz vein, banded, 35 tca.	Qtz vn	35														133385	140.75	142.00	1.25	0.03	1
				262.25-263.57m - Weakly brecciated, pyrite-bearing with fine grained crystals.										10						133386	142.00	143.00	1.00	0.01	0.5
				263.57-271.03m - Minor small blebs of sphalerite.												1				133387	143.00	144.00	1.00	0.03	0.8
																				133388	144.00	145.00	1.00	0.24	0.7
271.03 = EOH (889 feet)																				133389	145.00	145.75	0.75	0.15	0.5
																				133390	145.75	146.39	0.64	14.43	45.6
																				133391	146.39	148.00	1.61	0.02	0.5
																				133392	148.00	149.00	1.00	0.03	0.3
																				133393	149.00	150.00	1.00	0.01	0.3
																				133394	150.00	150.62	0.62	0.8	3.5
																				133395	150.62	151.88	1.26	0.23	2.7
																				133396	151.88	153.00	1.12	<0.01	0.5
																				133397	153.00	154.10	1.10	<0.01	0.6
																				133398	154.10	156.00	1.90	<0.01	0.3
																				133399	156.00	158.00	2.00	<0.01	<0.1
																				133400	STD	PM405		0.3	0.6
																				133401	158.00	159.18	1.18	0.01	<0.1
																				133402	159.18	160.57	1.39	0.02	1
																				133403	160.57	161.28	0.71	0.43	1.3
																				133404	161.28	161.97	0.69	0.3	16.9
																				133405	161.97	163.00	1.03	0.1	1.1
																				133406	163.00	164.00	1.00	0.05	0.2
																				133407	164.00	165.00	1.00	0.03	0.2
																				133408	165.00	166.00	1.00	0.02	0.2
																				133409	166.00	168.00	2.00	0.03	<0.1
																				133410	168.00	170.00	2.00	0.15	<0.1
																				133411	170.00	172.00	2.00	0.03	0.5
																				133412	172.00	174.00	2.00	0.02	<0.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				133413	174.00	176.00	2.00	0.01	<0.1
																				133414	176.00	178.00	2.00	0.05	<0.1
																				133415	178.00	179.00	1.00	0.03	<0.1
																				133416	179.00	179.89	0.89	1.61	4.1
																				133417	179.89	181.00	1.11	0.15	0.9
																				133418	181.00	181.72	0.72	0.02	0.3
																				133419	181.72	183.44	1.72	<0.01	<0.1
																				133420	BLANK			<0.01	<0.1
																				133421	183.44	184.00	0.56	<0.01	<0.1
																				133422	184.00	185.00	1.00	<0.01	<0.1
																				133423	185.00	186.00	1.00	<0.01	0.5
																				133424	186.00	187.00	1.00	<0.01	1.1
																				133425	187.00	188.00	1.00	<0.01	0.9
																				133426	188.00	189.00	1.00	0.03	3.1
																				133427	189.00	190.00	1.00	0.01	1.6
																				133428	190.00	190.75	0.75	<0.01	0.6
																				133429	190.75	192.00	1.25	<0.01	<0.1
																				133430	192.00	193.00	1.00	<0.01	<0.1
																				133431	193.00	194.55	1.55	0.05	1.2
																				133432	194.55	196.18	1.63	0.38	0.9
																				133433	196.18	198.00	1.82	0.14	1.3
																				133434	198.00	199.95	1.95	0.03	0.5
																				133435	199.95	201.08	1.13	0.38	1.4
																				133436	201.08	202.00	0.92	<0.01	0.9
																				133437	202.00	204.00	2.00	0.01	1.9
																				133438	204.00	206.00	2.00	0.01	1.6
																				133439	206.00	206.92	0.92	<0.01	0.7
																				133440	STD	PM427		3.73	1.1
																				133441	206.92	208.00	1.08	0.05	2
																				133442	208.00	209.00	1.00	0.08	4.3
																				133443	209.00	209.42	0.42	0.02	4.2
																				133444	209.42	211.00	1.58	<0.01	0.6
																				133445	211.00	212.00	1.00	<0.01	0.6
																				133446	212.00	213.00	1.00	0.07	1.3
																				133447	213.00	214.23	1.23	0.02	0.5
																				133448	214.23	215.00	0.77	0.06	6
																				133449	215.00	216.59	1.59	0.46	3.9
																				133450	216.59	218.00	1.41	<0.01	0.3
																				133451	218.00	220.00	2.00	0.03	0.7
																				133452	220.00	222.00	2.00	0.01	0.3
																				133453	222.00	223.00	1.00	<0.01	0.7
																				133454	223.00	224.07	1.07	<0.01	0.6
																				133455	224.07	226.00	1.93	0.03	1.3

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				133456	226.00	228.00	2.00	<0.01	<0.1
																				133457	228.00	229.57	1.57	0.01	1.2
																				133458	229.57	230.93	1.36	0.01	4.2
																				133459	230.93	231.40	0.47	<0.01	0.2
																				133460	STD	PM405		0.29	0.6
																				133461	231.40	232.00	0.60	<0.01	<0.1
																				133462	232.00	234.00	2.00	<0.01	1
																				133463	234.00	236.00	2.00	0.02	0.6
																				133464	236.00	238.00	2.00	<0.01	0.7
																				133465	238.00	240.00	2.00	<0.01	0.5
																				133466	240.00	242.00	2.00	<0.01	0.2
																				133467	242.00	244.00	2.00	<0.01	<0.1
																				133468	244.00	246.00	2.00	<0.01	<0.1
																				133469	246.00	248.00	2.00	<0.01	<0.1
																				133470	248.00	250.00	2.00	<0.01	<0.1
																				133471	250.00	251.35	1.35	0.01	<0.1
																				133472	251.35	252.00	0.65	0.02	<0.1
																				133473	252.00	254.00	2.00	<0.01	<0.1
																				133474	254.00	256.00	2.00	<0.01	<0.1
																				133475	256.00	258.00	2.00	0.02	<0.1
																				133476	258.00	260.00	2.00	<0.01	<0.1
																				133477	260.00	261.00	1.00	<0.01	<0.1
																				133478	261.00	262.25	1.25	<0.01	<0.1
																				133479	262.25	263.57	1.32	0.28	1.4
																				133480	BLANK			<0.01	<0.1
																				133481	263.57	264.00	0.43	0.01	<0.1
																				133482	264.00	265.00	1.00	0.24	1.7
																				133483	265.00	266.00	1.00	0.04	1.1
																				133484	266.00	267.00	1.00	0.04	0.9
																				133485	267.00	268.00	1.00	0.13	4.2
																				133486	268.00	269.00	1.00	<0.01	0.4
																				133487	269.00	270.00	1.00	0.53	0.7
																				133488	270.00	271.03	1.03	0.09	2.7

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
14.33	90	-47.4
136.28	90	-44.7
264.33	90	-39.9

P09-037

Rambler hole targeting strong quartz veining at surface. Downhole survey az values were suspect..

UTM E (NAD 83): 436114	**Azimuth (deg):** 090	**Start:** Sept 16, 2009
UTM N (NAD 83): 6220269	**Dip (deg):** -50	**Finish:** Sept 20, 2009
Elev (m): 1106	**Total Depth (m):** 273.48	**Logged by:** L. Bjornson
Core Size: BQ	**Pad:** 22	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	1.52	OVB	CAS	**Casing**, minor recovery of overburden.																					
1.52	14.94	9a	AXXX	**Andesite** - Dark green-greyish coloured, fine grained grainy texture with moderate quartz-carbonate crackle breccia. Weak porphyritic texture. Minor fracture fill blebs to locally strong disseminated pyrite.				3						0.5						133489	1.52	2.00	0.48	<0.01	2.2
				Lct is sharp, intrusive at 40 tca and cuts fabric in andesite.	Lct	40														133490	2.00	4.00	2.00	0.05	2.1
																				133491	4.00	6.00	2.00	0.06	2.4
14.94	22.04	22a	D/AX	**Dyke** - Dark black coloured, very fine grained with a weak porphyritic texture of fine white coloured rounded fsp. Minor rusty weathering along fractures. Minor quartz veinlets to 3mm. Pyrite observed as fine grained crystals in small blebs. Weakly chilled over 3cm at base.										1						133492	6.00	8.00	2.00	0.12	1.5
				Lct is sharp, 40 tca.	Lct	40														133493	8.00	10.00	2.00	0.09	2.5
																				133494	10.00	12.00	2.00	<0.01	1.6
22.04	34.32	9a	AXXX	**Andesite, porphyritic** - Similar to 1.52-14.94m but with a more prominent and variable plag porphyry texture. Contains metre long intervals of plag porph with gradational contacts. Moderate quartz veining at a high angle tca, with a minor quartz-carbonate crackle breccia that appears to overprint the veins.			1	2	1					3						133495	12.00	14.00	2.00	0.02	1.6
				30.0-31.0m - Minor fine grained chlorite matrix breccia.							2									133496	14.00	14.94	0.94	<0.01	0.7
				Lct is faulted at a <cm thick rusty weathering gougey fault, 25 tca.	Lct	25														133497	14.94	16.00	1.06	<0.01	<0.1
																				133498	16.00	18.00	2.00	<0.01	<0.1
34.32	39.22	9a	AXXX	**Andesite** - Dark green to grey coloured, fine grained, with a weak quartz crackle breccia. Faint hornblende crystals, becomes weakly plag porphyritic in last metre. Minor crackle breccia, fairly uniform.																133499	18.00	20.00	2.00	<0.01	<0.1
				39.21-39.22m - Fault, gougey. Fine grained, grey coloured. 30 tca																133500	STD	PM427		3.5	1.3
				Lct gougey fault over <1cm, 30 tca.	Lct	30														133501	20.00	22.04	2.04	<0.01	<0.1
																				133502	22.04	24.00	1.96	<0.01	<0.1
39.22	45.01	7s	QBXX	**Quartz vein breccia** - Dull green-grey coloured, fine grained brecciated clasts of andesite in a quartz-rich (30%) matrix. Quartz matrix is fine grained from veinlets to large chunks. Veins typically 45 tca. Strong fine grained pyrite throughout matrix, somewhat concentrated, very minor sphalerite.				5	1			0.5		10		0.5				133503	24.00	26.00	2.00	0.11	0.2
				39.22-41.14m - Quartz vein with 80% quartz. Several large knots of epidote.				5				0.5								133504	26.00	28.00	2.00	<0.01	0.4
				Lct marks a change to strong carbonate alteration.																133505	28.00	30.00	2.00	<0.01	<0.1
																				133506	30.00	32.00	2.00	<0.01	0.3

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
45.01	47.10	7s	QBXX	**Carbonate Breccia** - Light grey-white coloured, fine to medium grained with an irregular, swirled texture. Clasts are rounded up to 3cm across.										5						133507	32.00	33.00	1.00	<0.01	0.5
				46.70-47.10m - Jig-saw fit breccia with carbonate matrix.																133508	33.00	34.32	1.32	0.02	0.4
				Lct marks a sharp decrease in carbonate and brecciation.																133509	34.32	36.00	1.68	<0.01	1
																				133510	36.00	38.00	2.00	0.01	0.5
47.10	60.12	9Lt	ALXX	**Andesite, tuff, lapilli tuff** - Dark green coloured, fine grained with a variable quartz-carbonate matrix breccia. Increasing lapilli with depth, especially noticeable after 56.0m. Weakly quartz altered rock. Minor plag porphyritic texture including lapilli. Minor fine grained disseminated pyrite, sometime observed as up 1mm euhedral crystals.				3	2					3						133511	38.00	39.22	1.22	<0.01	0.7
				48.38-49.26m - Dark coloured, fine grained hydrothermal breccia. Angular fragments with abundant pyrite in matrix.				4						10						133512	39.22	40.20	0.98	0.05	2.4
				50.28-50.67m - Quartz-fsp vein. Light greyish chunky quartz with white needle-like fsp. Cts 20 tca.				5												133513	40.20	41.14	0.94	0.14	2.7
				Lct is irregular.																133514	41.14	42.14	1.00	0.13	1.4
																				133515	42.14	43.14	1.00	0.63	4
60.12	62.79	7a	PIPX	**Plagioclase Porphyry** - Dull green-grey coloured, fine grained with subhedral fsp to 5mm, but generally 2mm. Incresing crackle breccia with depth, with a fine grained dark coloured matrix (chlorite and pyrite). Moderate fine grained disseminated pyrite.																133516	43.14	44.14	1.00	0.27	2.3
				61.0-62.79m - increasing crackle breccia, increasing siliceous alteration.				1	2					3						133517	44.14	45.01	0.87	0.04	1.5
				Lct is weakly gradational with a decrease in plag phenos.																133518	45.01	46.00	0.99	0.03	3.8
																				133519	46.00	47.10	1.10	0.1	2.8
62.79	73.34	9a	AXXX	**Andesite, altered** - Dark green-grey coloured, fine grained with a variable siliceous alteration and brecciation. Locally abundant plag phenos almost as PP clasts scattered through unit with moderate pyrite and siliceous alteration of matrix. Quartz stockwork with light grey to white coloured medium grained quartz (+fsp). Altered andesite clasts are fine grained and irregular in shape. Sporadic sphalerite.				1	2					4		0.5				133520	STD	PM405		0.28	0.6
				62.79-65.88m - Increased siliceous alteration.				3	3					7						133521	47.10	48.38	1.28	0.02	2.8
				72.0-73.34m - Minor carbonate-bearing veins.																133522	48.38	49.26	0.88	<0.01	4
				Lct marks a change in rocktype.																133523	49.26	50.28	1.02	0.01	2.2
																				133524	50.28	51.28	1.00	<0.01	2.2
73.34	78.48	7a	PIPX	**Plagioclase Porphyry, Altered** - Dark green-black coloured, fine grained with a variable but generally strong plag porphyry texture. Alteration is locallized, and irregular in form and very fine grained. Minor fine grained quartz-carbonate veins often with minor fine chlorite/biotite? crystals <1mm long. Moderate disseminated pyrite. Minor carbonate alteration.				2	2					5						133525	51.28	51.87	0.59	<0.01	1.3
				Lct marks a decrease in alteration and brecciation.																133526	51.87	53.00	1.13	0.05	2.9
																				133527	53.00	54.00	1.00	0.05	2.5

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
78.48	88.97	7a	PIPX	**Plagioclase Porphyry** - Similar to above (73.34-78.48m) but none to weak alteration. Dark green-grey coloured, fine grained with prominent subhedral to euhedral plag phenos to 2mm. Weak crackle breccia with minor disseminated pyrite. Locally moderate quartz stockwork.				1						3						133528	54.00	56.00	2.00	0.02	0.8
				86.0-88.97m - Slightly incresing quartz sericite alteration.			1	1	1											133529	56.00	58.00	2.00	0.01	7.3
				Lct is sharp but altered. PP is altered for 10cm above contact.																133530	58.00	59.00	1.00	<0.01	0.2
																				133531	59.00	60.12	1.12	<0.01	1.2
88.97	102.52	9Lt	ALXX	**Andesite, bleached lapilli tuff** - Pale tan coloured, fine grained matrix with elongate angular fragments to 3cm long containing a weak and minor porphyritic texture. Moderate and pervasive quartz-sericite alteration. Minor quartz stockwork.			2	1	3					1						133532	60.12	61.12	1.00	<0.01	0.5
				93.70-96.41m - More uniform tuff texture, rare lapilli.																133533	61.12	62.12	1.00	0.02	2.1
				95.56-96.41m - Minor veinlets of fracture fill pyrite.																133534	62.12	62.79	0.67	0.04	3.1
				96.41-97.87m - Darker coloured rock, chlorite/biotite alteration. Locally moderate fine grained pyrite.			1	2	3		3			3						133535	62.79	64.00	1.21	2.93	3.8
				Lct marks an increase in brecciation with similar rocktype below.																133536	64.00	65.00	1.00	0.09	2.7
																				133537	65.00	65.88	0.88	<0.01	1.1
102.52	118.72	9a	AXXX	**Andesite, brecciated** - Similar to 88.97-102.52m but with a pronounced hydrothermal brecciation of the rock. Clasts are angular, fine grained and a pale tan colour. Matrix is dark coloured and very fine grained. Rock is matrix supported with a weak jig-saw fit texture. Locally strong pyrite in matrix. Light coloured, fine grained quartz veinlets overprint the hydrothermal brecciation.			2	1	3					4						133538	65.88	67.00	1.12	<0.01	0.3
				111.12m - Rusty weathering fault/fracture, 2mm thick, 45 tca.	Frx	45														133539	67.00	68.00	1.00	<0.01	0.8
				113.50-118.72m - Slightly darker coloured rock (chlorite alteration?) with more rounded clasts.							2									133540	BLANK			<0.01	<0.1
				Lct marks a sharp decrease in brecciation.																133541	68.00	69.00	1.00	<0.01	0.9
																				133542	69.00	70.00	1.00	<0.01	1.3
118.72	134.74	9Lt	ALXX	**Andesite, lapilli tuff** - Pale green coloured, weakly bleached, fine grained matrix with fine grained angular lapilli to 3cm. Become less common with depth.																133543	70.00	71.00	1.00	<0.01	0.7
				130.18-130.33m - White coloured, chunky quartz vein.																133544	71.00	72.00	1.00	0.13	44.7
				Lct is sharp at 20 tca, intrusive.	Lct	20														133545	72.00	73.34	1.34	<0.01	0.7
																				133546	73.34	74.00	0.66	<0.01	0.6
134.74	137.05	22c	D/AP	**Dyke** - Dark to black coloured, very fine grained, unaltered rock. Minor calcite amygdules near top. Contacts are sharp with up to 5cm chilled margins.																133547	74.00	75.00	1.00	0.03	0.4
																				133548	75.00	76.00	1.00	0.05	0.9
137.05	145.80	9Lt	ALXX	**Andesite, lapilli tuff** - Pale green coloured, fine grained weakly bleached matrix, with medium to dark green weakly porphyrytic angular clasts to 3cm, decreasing occurrence downhole. Weakly brecciated. Moderate pyrite near top, decreases after quartz vein.										1						133549	76.00	77.00	1.00	0.01	0.7
				137.05-139.16 - Moderate fine disseminated pyrite. Minor silicification				1	2					4						133550	77.00	78.00	1.00	<0.01	1.7
				139.16-139.91m - Chunky, white coloured quartz vein comprising 50 % of interval. Irregular contacts. Moderate pyite.				3	4					3						133551	78.00	78.48	0.48	0.04	6.8
				Lct is a rusty weathering fracture adjacent to dyke.																133552	78.48	79.00	0.52	<0.01	2.3

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	Interval (m) To	Interval (m) Width	Au g/t	Ag g/t
																				133553	79.00	80.00	1.00	0.07	11.4
145.80	150.18	22a	D/AX																						
				Dyke - Dark coloured, fine grained with chilled contacts in unit representing several stages. Weakly porphyrytic with <0.5mm calcite and hornblende.																133554	80.00	82.00	2.00	0.04	12
				Lct is intrusive 70 tca.	Lct	70														133555	82.00	84.00	2.00	<0.01	0.8
																				133556	84.00	86.00	2.00	<0.01	<0.1
150.18	216.36	9Lt	ALXX																						
				Andesite, lapilli tuff - Pale green coloured, fine grained weakly bleached matrix with medium to dark green weakly porphyritic angular clasts to 5cm but typically around 2cm. Weakly brecciated. Minor to weak pyrite. Weak quartz-carbonate stockwork.																133557	86.00	88.00	2.00	<0.01	<0.1
				Lct is gradational into tuff.																133558	88.00	88.97	0.97	<0.01	<0.1
																				133559	88.97	90.00	1.03	<0.01	<0.1
216.36	250.55	9a	AXXX																						
				Andesite, tuff, minor lapilli - Pale green-grey coloured, fine grained and weakly bleached with a weak porphyritic texture. Grainy looking. Weak banded to laminated appearance perpendicular tca (bedding/alteration). Minor quartz (+/-carbonate) veins. Several short sections of lapilli tuff. Minor hornblende to 1mm observed through most of unit. Cross cutting quartz-carbonate vein, 4mm wide and parallel tca commonly observed in core.																133560	STD	PM427		3.55	1.3
				Lct is sharp, intrusive at 60 tca.																133561	90.00	92.00	2.00	<0.01	0.6
																				133562	92.00	94.00	2.00	<0.01	0.8
250.55	252.51	22b	D/AN	**Dyke** - Dark coloured fine grained with weak chilled margins. Weakly plag/hornblende porphyritic in middle.																133563	94.00	95.56	1.56	<0.01	1.8
				Lct is sharp, 35 tca with a 5cm chilled margin																133564	95.56	96.41	0.85	0.04	9.5
																				133565	96.41	97.00	0.59	0.05	5.7
252.51	270.55	9a	AXXX																						
				Andesite, altered + lapilli - Pale green-grey coloured, fine to medium grained and weakly bleached and with a weak plag porphyritic texture. Moderate quartz-carbonate stockwork, decreasing in middle.																133566	97.00	97.87	0.87	0.02	4.5
				252.51-253.99m - Brecciated and altered with fine grained pyrite, quartz-carbonate veinlets and a swirled fabric. Strong carbonate crackle breccia over 20cm at top, swirled fractures subparallel tca.																133567	97.87	99.00	1.13	<0.01	3.3
				268.89-270.55m - Increasingly quartz altered and with quartz-sericite veinlets creating a breccia texture. Minor pyrite.										1						133568	99.00	100.00	1.00	<0.01	10.7
				Lct is a sharp change in alteration.																133569	100.00	102.00	2.00	<0.01	1.6
																				133570	102.00	102.52	0.52	<0.01	2.3
270.55	273.48	9a	AXXX	**Andesite, altered** - Pale green-tan coloured, fine grained with a weak porphyritic texture and strong quartz-sericite alteration.																133571	102.52	104.00	1.48	0.03	5.2
				271.77-271.87m - Quartz vein, 15 tca.																133572	104.00	105.00	1.00	<0.01	1.3
																				133573	105.00	106.00	1.00	<0.01	1.1
273.48 = eoh (897 feet)																				133574	106.00	107.00	1.00	0.02	2
																				133575	107.00	108.00	1.00	0.03	2.1
																				133576	108.00	109.00	1.00	0.02	4
																				133577	109.00	110.00	1.00	0.03	8.1
																				133578	110.00	111.00	1.00	<0.01	2.6
																				133579	111.00	112.00	1.00	0.02	3.4

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				133580	STD	PM405		0.27	0.9
																				133581	112.00	113.00	1.00	0.01	2.8
																				133582	113.00	113.50	0.50	0.01	1.4
																				133583	113.50	114.00	0.50	<0.01	0.7
																				133584	114.00	115.00	1.00	0.02	5
																				133585	115.00	116.00	1.00	<0.01	2.3
																				133586	116.00	117.00	1.00	<0.01	3.4
																				133587	117.00	118.00	1.00	0.01	2.3
																				133588	118.00	118.72	0.72	<0.01	1.7
																				133589	118.72	120.00	1.28	0.01	0.7
																				133590	120.00	122.00	2.00	<0.01	0.8
																				133591	122.00	124.00	2.00	<0.01	0.2
																				133592	124.00	126.00	2.00	<0.01	0.1
																				133593	126.00	128.00	2.00	<0.01	0.6
																				133594	128.00	130.00	2.00	<0.01	0.2
																				133595	130.00	131.00	1.00	0.63	2.5
																				133596	131.00	132.00	1.00	0.29	1.6
																				133597	132.00	133.00	1.00	0.56	1.1
																				133598	133.00	134.00	1.00	0.17	1.1
																				133599	134.00	134.74	0.74	0.06	0.7
																				133600	BLANK			<0.01	<0.1
																				133601	134.74	136.00	1.26	<0.01	<0.1
																				133602	136.00	137.05	1.05	0.06	<0.1
																				133603	137.05	138.00	0.95	0.01	0.6
																				133604	138.00	139.16	1.16	0.19	1.4
																				133605	139.16	139.91	0.75	1.84	5.5
																				133606	139.91	141.00	1.09	0.44	2.2
																				133607	141.00	142.00	1.00	0.05	0.8
																				133608	142.00	144.00	2.00	<0.01	0.1
																				133609	144.00	145.80	1.80	<0.01	0.3
																				133610	145.80	147.00	1.20	0.03	<0.1
																				133611	147.00	149.00	2.00	<0.01	<0.1
																				133612	248.55	250.55	2.00	<0.01	<0.1
																				133613	250.55	252.51	1.96	<0.01	<0.1
																				133614	252.51	253.00	0.49	0.06	1.8
																				133615	253.00	253.99	0.99	0.12	1.3
																				133616	253.99	256.00	2.01	<0.01	0.4
																				133617	256.00	258.00	2.00	<0.01	<0.1
																				133618	258.00	260.00	2.00	<0.01	<0.1
																				133619	260.00	262.00	2.00	<0.01	<0.1
																				133620	STD	PM427	.	3.31	1.5
																				133621	262.00	264.00	2.00	<0.01	<0.1
																				133622	264.00	266.00	2.00	<0.01	<0.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				133623	266.00	268.00	2.00	<0.01	<0.1
																				133624	268.00	268.89	0.89	<0.01	<0.1
																				133625	268.89	270.55	1.66	0.01	0.5
																				133626	270.55	272.00	1.45	<0.01	<0.1
																				133627	272.00	273.48	1.48	<0.01	<0.1
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
17.68	30	-60.5
93.90	30	-58.1
-	-	-

P09-038

Silver Tip - Drilling south dipping Silver Tip structure/vein. Drilling intersected a short mineralized zone apparently related to a large porphyry (Premier Porphyry? Fine grained). Hole ends in swarm of several felsic dikes of Portland of Hyder swarms, and late andesite dikes cut everything. Downhole suvey az suspect.

UTM E (NAD 83): 437290	**Azimuth (deg):** 030	**Start:** Sept 21,2009
UTM N (NAD 83): 6220800	**Dip (deg):** -60	**Finish:** Sept 22, 2009
Elev (m): 1100	**Total Depth (m):** 106.10	**Logged by:** Sue Deane
Core Size: BQ	**Pad:** 23	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	1.52	OVB	CAS	**Casing**																133628	1.52	3.10	1.58	0.01	0.2
																				133629	3.10	5.10	2.00	0.01	0.4
1.52	15.32	11	BAXX	**Musdstone and Siltstone -** Black and pale grey finely bedded, largely dark black carbonaceous looking graphitic mst with fine pyritic and graphitic smears on fractures. Fine white horsetail quartz carbonate veinlets in black mudstones with lesser veinlets in paler silty layers. 3% finely disseminated pyrite and as occasional massive clot associated with band of coarser sediments.				1						3						133630	5.10	7.10	2.00	0.01	<0.1
				7.6 - possible fold hinge with tops downhole above hinge, and tops up hole below hinge.	bed top dn	65														133631	7.10	9.10	2.00	0.01	0.4
				8.3 - fine bedding 40 tca, tops up hole (load and flame structures)	bed top up	40														133632	9.10	11.10	2.00	0.01	0.3
				10.3 - bedding 45 tca	bed	45														133633	11.10	13.10	2.00	0.01	1.7
				11.1 - bedding 30 tca	bed	30														133634	13.10	15.10	2.00	0.01	2.1
				12.3 - bedding 65 tca, tops down hole	bed top dn	65														133635	15.10	15.70	0.60	0.01	1.8
				Lower contact marked by white quartz calcite veining with minimal pyrite. Contact is gradational over 20cm with fine wisps of black mst grading out into massive siltstone.																133636	15.70	17.70	2.00	<0.01	0.2
				Contact 50 tca.	LC	50														133637	17.70	19.70	2.00	<0.01	0.2
																				133638	19.70	20.70	1.00	0.01	<0.1
15.32	21.20	11	BAXX	**Siltstone -** massive grey fine grained siltstone with few coarser sub-rounded clasts and very occasional angualar fsp crystal. Very weakly bedded / foliated, roughly 60 tca. Few fine qtz carbonate veinlets 30-80 tca.																133639	20.70	21.20	0.50	0.01	0.6
				Lower contact sharp 60 tca.	LC	60														133640	21.20	22.90	1.70	0.01	1.1
				Slst has increased subrounded clasts? Spots towards lower contact.																133641	22.90	23.90	1.00	<0.01	0.6
																				133642	23.90	24.60	0.70	0.1	27.8
21.20	42.14	7a (21cQ?)	PIPX	**Porphyry - Premier? -** pale grey green sericite altered. Fine grained texture with grainy porphyritic texture, fsps and hornblend phenocryts/fragments. No megacrysts. Some sub-rounded quartz eyes (clasts?) in unit. Could a later felsic ot intermediate dike. but looks more porphyritic. Common fine quartz yellow carbonate veinlets. Few veinlets with honey sphalerite and lesser galena.			3	2	1					3	0.5	1				133643	24.60	26.60	2.00	0.03	2.9
				23.9-24.53 - quartz veining with fairly evenly distributed small angualr brecciated host clasts, and fairly evenly distributed clusters of honey sphalerite, trace galena, trace pyrite.				4	4					1	0.1	4				133644	26.60	28.60	2.00	0.01	2.4
				Lower contact sharp 70 tca.	LC	70														133645	28.60	30.60	2.00	0.02	3.7
																				133646	30.60	32.60	2.00	0.01	1.2

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	Interval (m) To	Interval (m) Width	Au g/t	Ag g/t
42.14	43.14	22c	D/AP	**Andesite Dike -** aphanitic andesite with sharp weakly chilled margins and abundant calcite amygdules and fine white fsps spots in core of dike.																133647	32.60	34.60	2.00	0.01	0.9
				Lower contact - 65 tca	LC	65														133648	34.60	36.60	2.00	<0.01	0.6
																				133649	36.60	38.60	2.00	<0.01	0.2
43.14	50.95	7a (21cQ?)	PIPX	**Pophyry -** As unit at 21.20-42.14 - Premier porphyry or later felsic to intermediate dike. Abundant fsps, lesser chloritic hornblend and some grey quartz eyes. Weakly sericite bleached in bands throughout, fine quartz carbonate veinlets.			2	1						1						133650	38.60	40.60	2.00	0.01	1
				Lower contact sharp and irregular.																133651	40.60	42.14	1.54	0.01	1.3
																				133652	42.14	43.14	1.00	<0.01	<0.1
50.95	51.92	21cQ ?	D/RQ	**Porphyry (rhyolite?)-** grey yellowy beige sericitic bleached coarse grained, fsp porphyry dike with sub-round amethyst quartz eyes. Contacts sharp. Groundmass is aphanitic vitreous greenish beige.																133653	43.14	45.00	1.86	<0.01	1.3
				Lower contact 70 tca.	LC	70	3													133654	45.00	47.00	2.00	0.01	2.7
																				133655	47.00	49.00	2.00	<0.01	0.3
51.92	52.06	22c	D/AP	**Andesite dike -** Amygduoidal (calcite and quartz), grey green fine grained grainy textured with fine white fsp spots and common amygdules.																133656	49.00	50.95	1.95	<0.01	1.2
				Lower contact sharp 65 tca.	LC	65														133657	50.95	51.92	0.97	<0.01	1.2
																				133658	51.92	52.06	0.14	<0.01	<0.1
52.06	54.22	21cQ	D/RQ	**Rhyolitic porphyry dike -** coarse grained fsp quartz eye porphyry with aphanitic groundmass. Few fine chloritic spots, but overall pinkish grey hue and very felsic. Colour grades in and out of grey green and pink, but texture is fairly consistent. No chill margins. Andesite dikes are younger.																133659	52.06	54.22	2.16	<0.01	<0.1
				Lower contact 60 tca.	LC	60														133660	54.22	54.44	0.22	<0.01	<0.1
																				133661	54.44	55.60	1.16	<0.01	<0.1
54.22	54.44	22c	D/AP	**Andesite dike -** Amygduoidal (calcite and quartz), grey green fine grained grainy textured with fine white fsp spots and common amygdules.																133662	55.60	56.10	0.50	0.02	4.4
				Lower contact 65 tca	LC	60														133663	56.10	57.10	1.00	<0.01	<0.1
																				133664	57.10	58.10	1.00	<0.01	<0.1
54.44	60.62	21cQ	D/RQ	**Rhyolitic porphyry dike -** coarse grained fsp quartz eye porphyry with aphanitic groundmass. Few fine chloritic spots, but overall pinkish grey hue and very felsic. Colour grades in and out of grey green and pink, but texture is fairly consistent. No chill margins. Andesite dikes are younger. Few white quartz veinlets, often vuggy with sulfides.																133665	58.10	59.10	1.00	0.012	0.1
				55.92 - 6cm white vuggy quartz vein roughly 80 tca with spots of honey sphalerite, trace cpy, pyrite, tr galena, and possibly coarse euhedral (some twinned crystals) of tetrahedrite in vug with nice fine euhedral quartz prisms.				3						2	0.1	3		0.1	tet	133666	59.10	60.10	1.00	<0.01	<0.1
				Lower contact sharp 30 tca	LC	30														133667	60.10	60.62	0.52	<0.01	<0.1
																				133668	60.62	61.90	1.28	0.01	1
60.62	61.90	7a	PIPX	**Porphyry - (Premier?) -** Grey green fine grained with blurred fsp porphyry texture. Fine dark green hornblends, few fine quartz carbonate vienlets. 2% disseminated pyrite and occasional pyrite veinlet.				1	1		2			2						133669	61.90	62.90	1.00	0.01	0.3

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
				Lower contact sharp 80 tca.	LC	80														133670	62.90	63.90	1.00	<0.01	0.2
																				133671	63.90	64.90	1.00	<0.01	0.1
61.90	71.50	22cQ	D/RQ	**Rhyolite dike -** pale grey greenish, very fine aphanitic groundmass with abundant white fsps and grey quartz eyes. Rare white quartz veinlets at irregular orientations. Rare of these veinlets has sulfides.																133672	64.90	65.90	1.00	<0.01	<0.1
				Lower contact sharp 50 tca. No chill margin.	LC	50														133673	65.90	66.90	1.00	<0.01	0.2
																				133674	66.90	67.90	1.00	0.01	0.5
71.50	75.39	7a	PIPX	**Porphyry - (Premier?) -** Grey green fine grained with blurred fsp porphyry texture. Fine dark green hornblends, few fine quartz carbonate vienlets. 2% disseminated pyrite and occasional pyrite veinlet.				1	1		2			2						133675	67.90	68.90	1.00	<0.01	0.5
																				133676	68.90	69.50	0.60	<0.01	<0.1
75.39	87.24	21a	D/AX	**Felsite Dike -** very pale grey green bleached looking aphanitic groundmass, fine fsp phenocrysts and fine grey quartz eyes. Much finer grained and paler than dike at 61.90, but looks like it could be the same magma. Few fine quartz veinlets, rare white quartz vein with sulfides.																133677	69.50	70.50	1.00	<0.01	<0.1
				76.03 - 8cm quartz vein with angular slivers of dike in vein. Vuggy, with coarse pyrite, sphalerite, tr galena and tr cpy. Possibly tetrahedrite in vugs.				4						3	0.5	3		0.1	tet	133678	70.50	71.50	1.00	<0.01	<0.1
				84.5-85.8 - few cm scale quartz veinlets with pyrite, sphalerite, galena, tr cpy in this intersection.					2					1	0.5	0.5		0.1		133679	71.50	72.50	1.00	0.01	1
				Lower contact 55 tca. Sharp	LC	55														133680	72.50	73.50	1.00	0.01	2.9
																				133681	73.50	74.50	1.00	0.01	1.8
87.24	88.68	7a	PIPX	**Porphyry - (Premier?) -** Grey green fine grained with blurred fsp porphyry texture. Fine dark green hornblends, few fine quartz carbonate vienlets. 2% disseminated pyrite and occasional pyrite veinlet.				1	1		2			2						133682	74.50	75.39	0.89	<0.01	0.4
				Lower contact 80 tca	LC	80														133683	75.39	75.90	0.51	0.01	0.1
																				133684	75.90	76.30	0.40	3.01	>200.0
88.68	106.10	21d	D/DI	**Diorite dike -** grey beige fine grained near margins to medium grained in core Pinkish beige fsps and common fine greenish hornblends. Few fine quartz veinlets with pyrite and sometimes other sulfides.																133685	76.30	77.30	1.00	0.04	7.6
				105.75 - 3cm vuggy quartz veining with coarse galena, pyrite and sphalerite and slivers of beige dike in vein. 70 tca	qtz gn vn	70		3						1	3	1				133686	77.30	78.30	1.00	0.04	3.5
																				133687	78.30	79.30	1.00	0.01	2.4
				EOH - 348' - 106.10m.																133688	79.30	80.30	1.00	0.01	2.3
																				133689	80.30	81.30	1.00	<0.01	1
																				133690	81.30	82.30	1.00	0.01	1.1
																				133691	82.30	83.30	1.00	<0.01	1.4
																				133692	83.30	84.30	1.00	<0.01	0.4
																				133693	84.30	84.70	0.40	0.03	0.7
																				133694	84.70	85.20	0.50	<0.01	0.3
																				133695	85.20	85.70	0.50	0.05	4.1
																				133696	85.70	86.20	0.50	0.05	0.7
																				133697	86.20	87.24	1.04	0.01	<0.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				133698	87.24	88.00	0.76	<0.01	0.9
																				133699	88.00	88.68	0.68	0.01	1
																				133700	BLANK			<0.01	0.2
																				133701	STD	PM405		0.3	0.7
																				133702	88.68	89.70	1.02	<0.01	1.4
																				133703	89.70	90.70	1.00	<0.01	<0.1
																				133704	90.70	91.70	1.00	<0.01	<0.1
																				133705	91.70	92.70	1.00	<0.01	<0.1
																				133706	92.70	93.70	1.00	0.01	<0.1
																				133707	93.70	94.70	1.00	0.01	<0.1
																				133708	94.70	95.70	1.00	0.01	0.2
																				133709	95.70	96.70	1.00	0.02	0.8
																				133710	96.70	97.70	1.00	<0.01	0.2
																				133711	97.70	98.70	1.00	0.02	0.2
																				133712	98.70	99.70	1.00	<0.01	<0.1
																				133713	99.70	100.70	1.00	<0.01	<0.1
																				133714	100.70	101.70	1.00	<0.01	<0.1
																				133715	101.70	102.70	1.00	<0.01	<0.1
																				133716	102.70	103.70	1.00	0.01	0.3
																				133717	103.70	104.70	1.00	<0.01	0.6
																				133718	104.70	105.20	0.50	0.01	2
																				133719	105.20	106.10	0.90	0.03	6.3
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
17.99	328.2	-59.0
78.96	331.8	-56.8
-	-	-

P09-039

Silver Tip - Drilling south dipping Silver Tip structure/vein. Drilling intersected a short mineralized zone apparently related to a large porphyry (Premier Porphyry? Fine grained). Hole ends in swarm of several felsic dikes of Portland of Hyder swarms, and late andesite dikes cut everything.

UTM E (NAD 83): 437290	**Azimuth (deg):** 330	**Start:** Sept 22,2009
UTM N (NAD 83): 6220800	**Dip (deg):** -60	**Finish:** Sept 23, 2009
Elev (m): 1100	**Total Depth (m):** 88.11	**Logged by:** Sue Deane
Core Size: BQ	**Pad:** 23	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	3.04	OVB	CAS	**Casing**																133720	3.04	5.40	2.36	<0.01	0.2
																				133721	5.40	6.40	1.00	0.01	0.4
3.04	13.48	11	BAXX	**Musdstone and Siltstone -** Black and pale grey finely bedded, largely dark black carbonaceous looking graphitic mst with fine pyritic and graphitic smears on fractures. Fine white horsetail quartz carbonate veinlets in black mudstones with lesser veinlets in paler silty layers. 2% finely disseminated pyrite and as very fine grained bands along bedding.				1						2						133722	6.40	7.40	1.00	0.03	0.4
				58 - fine bedding 70 tca	bed	70														133723	7.40	8.40	1.00	<0.01	0.3
				8.1 - fine bedding 75 tca	bed	70														133724	8.40	9.40	1.00	0.01	1.3
				11.6 - fine bedding 65 tca, with way ups down hole	bed top dn	65														133725	9.40	10.40	1.00	<0.01	2.7
				Lower contact roughly 75 tca and marked by 5cm black gougy mst fault	LC flt	75														133726	10.40	11.40	1.00	<0.01	2
																				133727	11.40	12.40	1.00	<0.01	2
13.48	20.10	11	BAXX	**Siltstone -** massive grey fine grained siltstone with few sub-rounded clasts and fsp crystals. Few fine qtz carbonate veinlets at 20-60 tca mostly. At lower end of this unit, there area grey paler patches from mm-5cm scale. Look to be volcanic clasts, subrounded, making a matrix supported homogeneous conglomerate texture.																133728	12.40	13.48	1.08	0.01	1.7
				Lower contact 60 tca.	LC	60														133729	13.48	14.10	0.62	0.01	2.3
																				133730	14.10	15.10	1.00	<0.01	0.7
20.10	27.38	11	BAXX	**Silstone Wacke Tuff -** This unit appears to be part of the Bower Group sediments as it is not faulted at the contact with the siltstone above. It is a mish mash of fine argillitic wisps, siltstone, greywacke fragments, clasts, ash. It looks like some of the components of this mixed are of volcanic origin, but could just be mixed sediments. Grey green colour, few fine quartz caboante veinlets, Mottled patchy texture.																133731	15.10	16.10	1.00	<0.01	<0.1
																				133732	16.10	17.10	1.00	0.01	<0.1
27.38	36.50	7a	PIPX	Porphyry - Premier Porphyry? - grey green fine grained fsp hornblend porphyry. Bleached sericitic at top end for 4 meters, with quartz veining and stockwork decreasing downhole. Sulfides associated with veining near upper contact (as indicated). Upper contact looks wealky faulted.			3	3						1						133733	17.10	18.10	1.00	<0.01	<0.1
				27.75-28.55 - strong quartz veining with clusters of n=honey sphalerite, trace galena, trace chalcopyrite, pyrite, and possibly tetrahedrite.			4	5	2					2	0.5	3		0.1	tet	133734	18.10	19.10	1.00	0.01	0.3
				36.4 - <cm scale quartz calcite veinlets at roughly 90 tca and 5 tca, contain strong bright red mineral and silvery mineral, possibly ruby silver or other silver mineral.															Ag?	133735	19.10	20.10	1.00	0.01	0.2
																				133736	20.10	21.20	1.10	<0.01	<0.1

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
36.50	42.38	21d	D/DI	Diorite Dike - grey green beige fine to medium grained dike with abundant fine fsps and greenish hornblends. Few fine quartz calcite veinlets.																133737	21.20	22.20	1.00	0.01	0.4
																				133738	22.20	23.20	1.00	<0.01	0.4
42.38	48.55	7a	PIPX	Porphyry (Premier Porphyry?) - grey green fine grained porphyry with blurred texture, fsps and hornblende, weakly altered and strained.																133739	23.20	24.20	1.00	<0.01	<0.1
				47-47.2 vuggy quartz yellow carbonate vein stockwork. Nice fine prismatic quartz crystals in the vugs. Trace gn and cpy, 1% pyrite.				3						1	0.1			0.1		133740	BLANK			<0.01	<0.1
																				133741	STD	PM427		3.66	1.2
48.55	49.65	22c	D/AP	**Andesite dike -** fine grained grey dike with fine white fsps and white calcite amygdules.																133742	24.20	25.20	1.00	<0.01	0.5
				Lower contact 70 tca	LC	70														133743	25.20	26.20	1.00	<0.01	<0.1
																				133744	26.20	27.20	1.00	<0.01	0.2
49.65	56.75	7a	PIPX	Porphyry (Premier Porphyry?) - grey green fine grained porphyry with blurred texture, fsps and hornblende, weakly altered and strained.																133745	27.20	27.70	0.50	0.04	11.1
																				133746	27.70	28.20	0.50	1.47	>200.0
56.75	57.50	22cQ	D/RQ	**Rhyolite dike -** Pale grey greenish fsp porphyry with grey quartz eyes in a very fine aphanitic groundmass.																133747	28.20	28.70	0.50	0.01	9.2
																				133748	28.70	29.20	0.50	0.01	3.8
57.50	59.00	22c	D/AP	**Andesite dike -** fine grained grey dike with fine white fsps and white calcite amygdules.																133749	29.20	29.70	0.50	0.01	5.1
																				133750	29.70	30.20	0.50	0.01	6.2
59.00	72.97	22cQ	D/RQ	**Rhyolite dike -** Pale grey greenish grading to pink fsp porphyry with grey and amethyst purple quartz eyes in a very fine to medium grained groundmass. Texture becomes much coarser grained in middle of unit with fsps up to 1cm, and larg quartz eyes.																133751	30.20	31.20	1.00	<0.01	1.7
				62.6-66.9 - strong pink colour through this zone.																133752	31.20	32.20	1.00	<0.01	0.4
																				133753	32.20	33.20	1.00	<0.01	1.5
72.97	76.15	7a?9t	PIPX	**Porphyry? -** Grey green fine fo mediume grained, fine porphyry=itic texture, or fsp tuff, with dark patches and spots. Weakly foliated roughly 70 tca. Weak quartz calcite stockwork.				2												133754	33.20	34.20	1.00	<0.01	0.3
																				133755	34.20	35.20	1.00	<0.01	<0.1
76.15	86.84	21a	D/AX	**Felsite Dike -** very pale grey green grading to pink bleached looking aphanitic groundmass, fine fsp phenocrysts and fine grey quartz eyes. Much finer grained and paler than other felsic dikes in this hole, but looks like it could be the same magma. Few fine quartz veinlets.																133756	35.20	36.20	1.00	<0.01	0.2
				85.44-85.62 - small andesite dike with up to cm scale white calcite amygdules (22c)																133757	36.20	36.50	0.30	<0.01	<0.1
																				133758	BLANK			<0.01	<0.1
86.84	88.11	9Lt	ALXX	**Lapilli Tuff -** grey green fine to medium grained lapilli tuff with subrounded clasts weakly aligned along 70 tca. Generally mixed clasts in a mixed matrix. Few quartz calcite veinlets.																133759	36.50	37.50	1.00	<0.01	<0.1
																				133760	37.50	38.50	1.00	<0.01	0.7
				EOH - 88.11m - 289'																133761	38.50	39.50	1.00	<0.01	0.2
																				133762	39.50	40.50	1.00	<0.01	<0.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				133763	40.50	41.50	1.00	<0.01	<0.1
																				133764	41.50	42.38	0.88	<0.01	<0.1
																				133765	42.38	43.40	1.02	0.01	2.3
																				133766	43.40	44.40	1.00	<0.01	1.2
																				133767	44.40	45.40	1.00	10.01	<0.1
																				133768	45.40	46.40	1.00	<0.01	1.1
																				133769	46.40	47.40	1.00	<0.01	1.7
																				133770	47.40	48.55	1.15	<0.01	0.7
																				133771	48.55	49.65	1.10	<0.01	0.5
																				133772	49.65	50.60	0.95	0.02	2.1
																				133773	50.60	51.60	1.00	0.01	1.9
																				133774	51.60	52.60	1.00	0.05	7.4
																				133775	52.60	53.60	1.00	<0.01	1
																				133776	53.60	54.60	1.00	0.01	3.3
																				133777	54.60	55.60	1.00	<0.01	0.7
																				133778	55.60	56.75	1.15	<0.01	0.7
																				133779	56.75	57.50	0.75	0.01	6
																				133780	57.50	59.00	1.50	<0.01	1.2
																				133781	59.00	59.59	0.59	<0.01	<0.1
																				133782	59.59	60.60	1.01	<0.01	0.4
																				133783	60.60	61.60	1.00	<0.01	<0.1
																				133784	61.60	62.60	1.00	0.01	<0.1
																				133785	62.60	63.60	1.00	<0.01	<0.1
																				133786	63.60	64.60	1.00	<0.01	<0.1
																				133787	64.60	65.60	1.00	<0.01	<0.1
																				133788	65.60	66.60	1.00	<0.01	<0.1
																				133789	66.60	67.60	1.00	<0.01	<0.1
																				133790	67.60	68.60	1.00	<0.01	<0.1
																				133791	68.60	69.60	1.00	<0.01	0.6
																				133792	69.60	70.60	1.00	<0.01	0.5
																				133793	70.60	71.60	1.00	<0.01	2
																				133794	71.60	72.97	1.37	<0.01	0.1
																				133795	72.97	74.00	1.03	0.01	1.4
																				133796	74.00	75.00	1.00	<0.01	1.1
																				133797	75.00	76.15	1.15	<0.01	0.2
																				133798	76.15	76.60	0.45	<0.01	0.2
																				133799	76.60	77.60	1.00	<0.01	<0.1
																				133800	STD	PM405		0.27	0.9
																				133801	77.60	78.60	1.00	<0.01	<0.1
																				133802	78.60	79.60	1.00	<0.01	0.4
																				133803	79.60	80.60	1.00	<0.01	<0.1
																				133804	80.60	81.60	1.00	<0.01	<0.1
																				133805	81.60	82.60	1.00	<0.01	0.4

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				133806	82.60	83.60	1.00	<0.01	0.2
																				133807	83.60	84.60	1.00	<0.01	<0.1
																				133808	84.60	85.62	1.02	<0.01	0.2
																				133809	85.62	86.84	1.22	<0.01	<0.1
																				133810	86.84	88.11	1.27	<0.01	0.2
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
20.12	94.2	-49.7
111.59	97.5	-44.9
221.34	103.0	-40.0

P09-040

Unicorn - Drilling east through main Unicorn trend (NS) on section with A-Vein. Hole is mostlyin andesite and is largely silicified and sericite altered, with moderate to strong mineralization associated with veining and stockwork.

UTM E (NAD 83): 436513	**Azimuth (deg):** 090	**Start:** Sept 23,2009
UTM N (NAD 83): 6219986	**Dip (deg):** -50	**Finish:** Sept 26, 2009
Elev (m): 1117	**Total Depth (m):** 230.49	**Logged by:** Sue Deane
Core Size: BQ	**Pad:** 24	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	3.17	9a	AXXX	**Andesite -** grey green fine grained rubble with weak dark brown coatings on fractures. Weakly silicified, weak fine quartz carbonate stockwork. 1% pyrite disseminated and as clots in veinlets. Lower contact 70 tca.	LC	70		2	2		2		2	1						133811	0.00	2.17	2.17	0.04	4.7
																				133812	2.17	3.17	1.00	0.03	2.5
3.17	4.70	22c	D/AP	**Andesite dike -** grey fine grained with small white calcite amygdules. Fine grained at margins.																133813	3.17	4.70	1.53	<0.01	<0.1
				Lower contact 50 tca.	LC	50														133814	4.70	5.70	1.00	0.07	3.2
																				133815	5.70	6.70	1.00	0.18	2.4
4.70	28.87	9a	AXXX	**Andesite -** grey green fine grained with weak mottly texture. Rubbly sections with rusty fracture coatings, moderate quartz carbonate stockwork throughout increased as indicated. Overall weak to moderately silicified with stronger sections as indicated. Weakly sericitic bleached zones.				2	2		2		3	1						133816	6.70	7.70	1.00	0.18	1
				12.3-13.8 - rubbly with rusty fracture surfaces.									3							133817	7.70	8.70	1.00	0.05	1
				14.14-14.24 - white quartz breccia vein with 1% pyrite, blurry andesite clasts in quartz.				4	4					1						133818	8.70	9.70	1.00	0.05	2
				25-27- strong orange rust staining and fracturing with some vugs.									4							133819	9.70	10.70	1.00	0.11	2.1
																				133820	10.70	11.70	1.00	0.29	3.2
28.87	31.60	22c	D/AP	**Andesite Dike -** grey fine grained with fine calcite amygdules and fine chilled margins.																133821	11.70	12.70	1.00	0.06	3.9
				Lower contact 40 tca	LC	40														133822	12.70	13.70	1.00	0.04	1.1
																				133823	13.70	14.30	0.60	0.28	2.7
31.60	46.48	7a	PIPX	**Premier Porphyry? -** grey homogenous fine to medium grained fresh looking unit. Fine fsp and hornblend crystals throughout. Not porphyritic looking, but fine grained phaneritic.																133824	14.30	15.30	1.00	0.13	1
				32-32.15 - grey quartz vein with blebby quartz through silicified host. 3% pyrite, 1% pale sphalerite, trace galena.				3	4					3	0.1	1				133825	15.30	16.30	1.00	0.08	1.1
				From 40.6 to end of unit is very fine grained a looks like a later andesite dike, but there is no clear contact. Just grades into fine grained texture.																133826	16.30	17.30	1.00	3.39	3.7
				42.6-44.2 - bleached pale beige section with section of very strong iron stained fault breccia with some quartz veining and bleached slivers of host in fault. Several shades of iron stain from bright orange to dark brown.			3	1					5	1						133827	17.30	18.30	1.00	0.08	1.6
																				133828	18.30	19.30	1.00	0.07	2.1
46.48	64.30	9a	AXXX	**Andesite -** grey green fine grained andesite with moderate to strong stockwork throughout. Intermittent veinlets and siliceous zones with pyrite, sphalerite, galena.				3	1		2			1						133829	19.30	20.30	1.00	0.09	1.5
				54.4-55 - increased stockwork with clots of red brown sphalerite.				4						1		3				133830	20.30	21.30	1.00	0.04	2.1
				62.06-62.8 - increased stockwork with 2% red brown sphalerite with pale honey cores to clusters.				4						1		2				133831	21.30	22.30	1.00	0.03	2

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				133832	22.30	23.30	1.00	0.06	2.6
64.30	66.13	22c	D/AP	**Andesite Dike -** grey fine grained with slightly coarser core. Confused about this dike versus the potential Premier Porphyry unit. On surface the PP can look quite fine grained and fresh.																133833	23.30	24.30	1.00	1.07	4.7
				Lower contact 85 tca.	LC	85														133834	24.30	25.30	1.00	0.96	2.1
																				133835	25.30	26.10	0.80	1.24	1.9
66.13	95.23	9a	AXXX	**Andesite -** grey fine grained andesite with moderate to strong quartz carbonate stockwork throughout, and some sericitic beige bleached zones with fine blue black seams and patches. Some later white bull-looking quartz veins. Some veining with up to 3% reb brown and honey sphalerite. Stockwork is generally at high angle to core axis indicating mineralized zones are close to true thickness in this hole.			3	3	3					1						133836	26.10	26.90	0.80	0.05	4.2
				66.13-67.57 - strong quartz stockwork breccia with little sulfides				4	4											133837	26.90	27.70	0.80	0.13	3.6
				87.25-94.2 - strong quartz stockwork and moderate sericite bleaching of host. Several layers of veining from older grey quartz veining and flooding to youngest white quartz. Fine blue black seams and patches associated with earlier veining. 4% disseminated pyrite and pyrtie clusters, 1% pale sphalerite mostly concetrated towards end of unit.			4	4	4					4		1				133838	27.70	28.87	1.17	0.27	2.2
				Lower contact sharp 30 tca.	LC	30														133839	28.87	29.90	1.03	<0.01	0.1
																				133840	BLANK			<0.01	<0.1
95.23	96.00	22c	D/AP	**Andesite Dike -** grey fine grained andesite dike with fine white calcite amygdules.																133841	29.90	30.90	1.00	<0.01	<0.1
				Lower contact sharp 65 tca.	LC	65														133842	30.90	31.60	0.70	<0.01	<0.1
																				133843	31.60	32.30	0.70	1.98	5.4
96.00	230.49	9a	AXXX	**Andesite -** grey green fine grained andesite with moderate to strong quartz carbonate stockwork throughout at roughly 70-80 tca. Overall stockworked though this entire unit. Some bleached beige sericitic zones. 2% disseminated pyrite with increased pyrite as indicated. Many stockwork veins have trace to 1% red brown and honey wispy sphalerite, with increased concentrations as indicated.	stwk	75	2	3	2		2			2		0.1				133844	32.30	33.30	1.00	<0.01	<0.1
				96-103 - strong stockwork with 4% fine pyrite, 3% red brown honey cored sphalerite with more massive wispy bands locally. Some sphalerite is as fine pale beige wispy bands. Trace galena, but not significant. Trace chalcopyrite. Stockwork is irregularly orientated and mineralization is consistent through zone (i.e. not locally massive).	flt gg	60	2	4	3		1			4	0.1	3		0.1		133845	33.30	34.30	1.00	<0.01	<0.1
				138.7-139 - blocky and sheared with fine fault gouge seams 60 and 45 tca.	flt gg	45														133846	34.30	35.30	1.00	<0.01	0.2
				139.7-139.78 - vuggy quartz with nice fine euhedral quartz prisms in vugs. Blue black patches and fine dots in qtz, and 1% fine pyrite	vug qtz vn	70		4						1					blk?	133847	35.30	36.30	1.00	0.01	<0.1
				140.3-140.55 - vuggy quartz with nice qtz prisms in vugs																133848	36.30	37.30	1.00	<0.01	<0.1
				140.9-141.15 - vuggy quartz with nice qtz prisms and black spots and bands, 1% pyrite.	vug qtz vn	75		4						1					blk?	133849	37.30	38.30	1.00	0.01	<0.1
				155.5-158.65 - beige bleached sericitic, silicified, crackle breccia texture with fine blue black crackle seams and 4% medium grained pyrite througout. Moderate quartz stockwork.			3	3	3					4						133850	38.30	39.30	1.00	0.01	<0.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
				164.4 - fault gouge over 5cm. Gravelly gougy with weak sericite bleaching. Fault seam 28 tca.	flt gg	28	2													133851	39.30	40.30	1.00	0.01	<0.1
				163.37 - 3cm quartz calcite veining with bright red spotty mineral with fine pyrite. Vein cut by later white quartz veinlet.															red?	133852	40.30	41.30	1.00	<0.01	<0.1
				166-167.4 - beige sericite bleached zone with fine creamy quartz carbonate seams. Blocky fractured mostly 60 tca.	fxs	60	4													133853	41.30	42.30	1.00	<0.01	<0.1
				167.4-168.4 - strong fine quartz stockwork and sheared texture with shear fabric roughly 0 tca. Clay on fracture surfaces, fine black seams in shear fabric	shear fol	0		4												133854	42.30	43.30	1.00	<0.01	0.1
				168.4-168.6 - beige sericite stained sections			3													133855	43.30	44.30	1.00	<0.01	0.1
				168.6-169.85 - quartz stockwork with sheared fabric and chloritic green stain.							3									133856	44.30	45.30	1.00	<0.01	<0.1
				170.28 - 3cm fault gouge seam 70 tca.	flt gg	70														133857	45.30	46.45	1.15	<0.01	<0.1
				171.6-179.4 - generally blocky fractured rock, with moderate quartz stockwork throughout. 2% pyrite disseminated and as fine veinlets.				3						2						133858	46.45	47.50	1.05	0.11	9
				180.9-181.97 - strong silicification and quartz veining with strong shear foliation mostly at margins. Brittle breccia texture throughout. Upper contact 25 tca, lower contact 20 tca.	shear/qtz vn	25		4	4											133859	47.50	48.50	1.00	0.68	7.2
				186.3 - moderate foliation through this area 50 tca	fol	50														133860	STD	PM405		0.28	0.9
				191.75 - 20cm banded irregular quartz carbonate veining roughly 30 tca.	qtz vns	30														133861	48.50	49.50	1.00	0.49	6
				192.43-192.98 - beige bleached sericitic zone with 70% quartz yellow carbonate veining and sheared texture.			3	4												133862	49.50	50.50	1.00	0.49	12.5
				193.2 - moderate foliation wiggly but roughly 35 tca.	fol	35														133863	50.50	51.50	1.00	0.92	3.6
				194.67-194.84 - quart breccia vein with coarse dark red sphalerite in quartz. Roughly 30 tca.	qtz sph vn	30		4								2				133864	51.50	52.50	1.00	2.85	2.2
				194.94-195.12 - bleached pale beige fine grained, sericitic			3													133865	52.50	53.66	1.16	<0.01	<0.1
				196.4 - fine fault gouge seam 85 tca.	flt gg	85														133866	53.66	54.30	0.64	0.87	3.7
				197.7-202.07 - strong quartz stockwork quartz breccia with 1% disseminated pyrite and trace of fine orange sphalerite. Some veining and shear features at 10-30 tca.	qtz/shear	20		4	3					1		0.1				133867	54.30	55.10	0.80	7.98	14.2
				204.2-204.87 - pale green weakly bleached section with fine fabric 60 tca	fol	60	2													133868	55.10	56.10	1.00	0.5	2.3
				205.9 - fine mineral fabric/foliation 27 tca.	fol	27														133869	56.10	57.10	1.00	0.32	2.4
				207.4 - 15cm quartz veining 40 tca. Some brecciated host clasts replaced with very fine pyrite.	qtz vns	40		4						2						133870	57.10	58.10	1.00	0.15	1
				210.18-211.08 - beige sericite bleached and fractured, clay on fractures.			3													133871	58.10	59.10	1.00	0.29	2.7
				211.5-212.3 - beige sericite bleached, fine creamy carbonate veinlets 80 tca.	cb vnlts	80	4													133872	59.10	60.10	1.00	0.24	5
				212.63-214.97 - moderate beige sericite bleaching this whole zone			3													133873	60.10	61.10	1.00	0.2	10.6
				213.35-214.5 - very strong quartz carbonate stockwork with fine pyrite, breccia textures, and overall brittle brecciated with fine gravelly seams and fractures. Some very fine dark grey/black seams in breccia. Upper contact 70 tca, lower contact 50 tca.	bx qtz vng	60	3	5	5					2						133874	61.10	62.00	0.90	3.39	8.6
				222.95-223.8 - Pale beige bleached sericitic zone. Upper end of this alteration is sharp 40 tca.	ser zone	40	4													133875	62.00	62.90	0.90	0.51	11.9

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
				223.8 - 230.49 - moderate to strong sericite alteration and quartz stockwork with sheared fabric and fault seams 0-65 tca and several fine fault gouge seams.			3	3												133876	62.90	63.60	0.70	0.07	1.4
				225.25 - sericite front 20 tca	ser zone	20														133877	63.60	64.30	0.70	0.26	4.1
				225.59 - 2cm fault gouge 65 tca.	flt gg	65														133878	64.30	66.13	1.83	0.01	<0.1
				226.1 - shear fabric 0 tca	shear fol	0														133879	66.13	66.90	0.77	0.89	8.5
				226.7 - gravelly rubble over 10 cm																133880	STD	PM427		3.5	1.7
				227.67 - two fault seams at 55 tca and 15 tca, strong chlorite stain to sheared rock here	flt gg	55														133881	66.90	67.60	0.70	1.72	5.3
					flt gg	15														133882	67.60	68.60	1.00	0.61	5.5
				229.5-230.49 - foliation and quarz stockwork 40 tca.	fol	40														133883	68.60	69.60	1.00	0.65	6.7
					qtz vnlts	40														133884	69.60	70.60	1.00	0.26	12.8
																				133885	70.60	71.60	1.00	0.48	29.3
				EOH - 230.49m - 756'																133886	71.60	72.60	1.00	0.19	3
																				133887	72.60	73.60	1.00	0.44	3.6
																				133888	73.60	74.60	1.00	0.46	2.8
																				133889	74.60	75.60	1.00	0.17	2.1
																				133890	75.60	76.60	1.00	0.49	2.9
																				133891	76.60	77.60	1.00	0.58	4.3
																				133892	77.60	78.60	1.00	0.73	6.6
																				133893	78.60	79.60	1.00	0.35	3
																				133894	79.60	80.60	1.00	0.45	2.5
																				133895	80.60	81.60	1.00	0.66	53.6
																				133896	81.60	82.60	1.00	0.65	9
																				133897	82.60	83.60	1.00	0.18	3.8
																				133898	83.60	84.60	1.00	0.09	1.3
																				133899	84.60	85.60	1.00	0.07	2.8
																				133900	85.60	86.60	1.00	0.04	2.2
																				133901	86.60	87.60	1.00	0.95	8.7
																				133902	87.60	88.60	1.00	0.4	11.3
																				133903	88.60	89.60	1.00	0.17	6.3
																				133904	89.60	90.60	1.00	0.05	4.3
																				133905	90.60	91.60	1.00	0.14	8.7
																				133906	91.60	92.60	1.00	0.45	13.8
																				133907	92.60	93.60	1.00	1.88	11.5
																				133908	93.60	94.30	0.70	3.05	14.5
																				133909	94.30	95.23	0.93	1.5	1.9
																				133910	95.23	96.00	0.77	0.01	<0.1
																				133911	96.00	97.00	1.00	2.95	7.4
																				133912	97.00	98.00	1.00	1.68	6.3
																				133913	98.00	99.00	1.00	3.11	5.5
																				133914	99.00	100.00	1.00	9.48	14.3
																				133915	100.00	101.00	1.00	2.47	4.3
																				133916	101.00	102.00	1.00	10.86	18.3

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				133917	102.00	103.00	1.00	6.53	10.5
																				133918	103.00	104.00	1.00	0.07	2.5
																				133919	104.00	105.00	1.00	0.32	3.9
																				133920	105.00	106.00	1.00	0.1	2.9
																				133921	106.00	107.00	1.00	0.04	1.5
																				133922	107.00	108.00	1.00	0.08	1.9
																				133923	108.00	109.00	1.00	0.04	1.6
																				133924	109.00	110.00	1.00	0.18	3.2
																				133925	110.00	111.00	1.00	0.03	2.4
																				133926	111.00	112.00	1.00	0.07	1.5
																				133927	112.00	113.00	1.00	0.03	1.8
																				133928	113.00	114.00	1.00	0.04	2.1
																				133929	114.00	115.00	1.00	0.12	2.9
																				133930	115.00	116.00	1.00	0.07	2.8
																				133931	116.00	117.00	1.00	0.06	1.8
																				133932	117.00	118.00	1.00	0.03	1
																				133933	118.00	119.00	1.00	0.01	0.8
																				133934	119.00	120.00	1.00	0.13	2.9
																				133935	120.00	121.00	1.00	0.04	1.2
																				133936	121.00	122.00	1.00	0.02	1.2
																				133937	122.00	123.00	1.00	0.02	1.1
																				133938	123.00	124.00	1.00	0.03	1.4
																				133939	124.00	125.00	1.00	0.03	1.9
																				133940	125.00	126.00	1.00	0.08	1.7
																				133941	126.00	127.00	1.00	0.4	3.2
																				133942	127.00	128.00	1.00	0.04	2.3
																				133943	128.00	129.00	1.00	<0.01	0.8
																				133944	129.00	130.00	1.00	4.51	4.4
																				133945	130.00	131.00	1.00	0.03	2.1
																				133946	131.00	132.00	1.00	0.01	1.6
																				133947	132.00	133.00	1.00	<0.01	1.7
																				133948	133.00	134.00	1.00	0.05	2.6
																				133949	134.00	135.00	1.00	0.03	1
																				133950	135.00	136.00	1.00	<0.01	0.8
																				133951	136.00	137.00	1.00	0.02	0.6
																				133952	137.00	138.00	1.00	0.5	2.6
																				133953	138.00	139.00	1.00	0.11	1.7
																				133954	139.00	140.00	1.00	0.19	2.6
																				133955	140.00	140.80	0.80	0.04	2.2
																				133956	140.80	141.30	0.50	0.03	3.6
																				133957	141.30	142.30	1.00	0.03	2.3
																				133958	142.30	143.30	1.00	0.09	4.9
																				133959	143.30	144.30	1.00	0.03	2.7

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				133960	BLANK			<0.01	<0.1
																				133961	144.30	145.30	1.00	0.02	0.6
																				133962	145.30	146.30	1.00	0.19	1.5
																				133963	146.30	147.30	1.00	0.04	1.4
																				133964	147.30	148.30	1.00	0.22	2.9
																				133965	148.30	149.30	1.00	0.23	1.9
																				133966	149.30	150.30	1.00	0.5	2.2
																				133967	150.30	151.30	1.00	0.21	1
																				133968	151.30	152.30	1.00	3.15	3.4
																				133969	152.30	153.30	1.00	7.53	8
																				133970	153.30	154.30	1.00	0.22	3.1
																				133971	154.30	155.30	1.00	0.09	1.9
																				133972	155.30	156.30	1.00	0.75	4
																				133973	156.30	157.30	1.00	3.18	6.1
																				133974	157.30	158.30	1.00	4.1	5.3
																				133975	158.30	159.30	1.00	0.64	1.5
																				133976	159.30	160.30	1.00	0.56	1.8
																				133977	160.30	161.30	1.00	1.37	2.4
																				133978	161.30	162.30	1.00	0.11	0.9
																				133979	162.30	163.30	1.00	0.16	2.8
																				133980	STD	PM405		0.31	0.2
																				133981	163.30	164.30	1.00	<0.01	<0.1
																				133982	164.30	165.30	1.00	<0.01	<0.1
																				133983	165.30	166.30	1.00	<0.01	<0.1
																				133984	166.30	167.30	1.00	<0.01	<0.1
																				133985	167.30	168.30	1.00	0.09	1.6
																				133986	168.30	169.30	1.00	0.09	1.5
																				133987	169.30	170.30	1.00	0.05	1.5
																				133988	170.30	171.30	1.00	0.02	0.4
																				133989	171.30	172.30	1.00	0.01	0.6
																				133990	172.30	173.30	1.00	0.23	1.2
																				133991	173.30	174.30	1.00	0.08	1.9
																				133992	174.30	175.30	1.00	0.24	2.1
																				133993	175.30	176.30	1.00	0.07	0.9
																				133994	176.30	177.30	1.00	0.12	1.5
																				133995	177.30	178.30	1.00	0.23	1.4
																				133996	178.30	179.30	1.00	0.2	3.6
																				133997	179.30	180.10	0.80	0.05	0.3
																				133998	180.10	180.90	0.80	0.01	0.2
																				133999	180.90	181.97	1.07	0.09	10
																				134000	BLANK			<0.01	<0.1
																				134001	181.97	183.00	1.03	<0.01	0.2
																				134002	183.00	184.00	1.00	<0.01	<0.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				134003	184.00	185.00	1.00	0.01	0.5
																				134004	185.00	186.00	1.00	<0.01	1.3
																				134005	186.00	187.00	1.00	<0.01	0.1
																				134006	187.00	188.00	1.00	0.04	0.2
																				134007	188.00	189.00	1.00	0.02	<0.1
																				134008	189.00	190.00	1.00	<0.01	<0.1
																				134009	190.00	191.00	1.00	<0.01	<0.1
																				134010	191.00	192.00	1.00	<0.01	<0.1
																				134011	192.00	193.00	1.00	<0.01	<0.1
																				134012	193.00	194.00	1.00	<0.01	<0.1
																				134013	194.00	194.60	0.60	0.08	0.4
																				134014	194.60	195.30	0.70	0.03	0.9
																				134015	195.30	196.30	1.00	0.02	0.4
																				134016	196.30	197.30	1.00	0.01	<0.1
																				134017	197.30	197.90	0.60	0.01	2.4
																				134018	197.90	198.50	0.60	0.03	2.8
																				134019	198.50	199.10	0.60	0.85	3.1
																				134020	STD	PM427		3.82	<0.1
																				134021	199.10	199.70	0.60	0.37	1.6
																				134022	199.70	200.30	0.60	0.18	<0.1
																				134023	200.30	200.90	0.60	0.05	<0.1
																				134024	200.90	201.50	0.60	<0.01	<0.1
																				134025	201.50	202.10	0.60	0.02	0.2
																				134026	202.10	203.10	1.00	<0.01	<0.1
																				134027	203.10	204.10	1.00	0.01	<0.1
																				134028	204.10	205.10	1.00	<0.01	0.7
																				134029	205.10	206.10	1.00	0.03	0.7
																				134030	206.10	207.10	1.00	<0.01	0.4
																				134031	207.10	208.10	1.00	0.07	1
																				134032	208.10	209.10	1.00	0.01	0.6
																				134033	209.10	210.10	1.00	0.04	0.5
																				134034	210.10	211.10	1.00	<0.01	0.7
																				134035	211.10	212.10	1.00	<0.01	0.6
																				134036	212.10	213.10	1.00	<0.01	0.5
																				134037	213.10	213.80	0.70	0.29	2.5
																				134038	213.80	214.50	0.70	0.49	2.1
																				134039	214.50	215.50	1.00	<0.01	0.9
																				134040	215.50	216.50	1.00	0.14	1.9
																				134041	216.50	217.50	1.00	<0.01	0.8
																				134042	217.50	218.50	1.00	<0.01	0.2
																				134043	218.50	219.50	1.00	<0.01	0.2
																				134044	219.50	220.50	1.00	0.09	0.5
																				134045	220.50	221.50	1.00	<0.01	0.7

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				134046	221.50	222.50	1.00	0.28	1.8
																				134047	222.50	223.50	1.00	0.07	1.3
																				134048	223.50	224.50	1.00	0.47	5.4
																				134049	224.50	225.50	1.00	0.21	2.1
																				134050	225.50	226.50	1.00	0.06	0.8
																				134051	226.50	227.50	1.00	0.06	0.8
																				134052	227.50	228.50	1.00	0.09	0.7
																				134053	228.50	229.50	1.00	0.06	1
																				134054	229.50	230.49	0.99	0.11	3
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
17.99	92.3	-51.6
124.70	94.0	-53.4
219.21	98.3	-53.9

P09-041

Unicorn - Drilling east through main Unicorn trend (NS) on section with #2(?) Adit (near A-Vein). Hole is mostly andesite with fine grained dikes (Premeir Porphyry Unit?). Moderate stockwork and sericite alteration throughout. Main feature is wide fault zone near bottom with strong vuggy quartz.

UTM E (NAD 83): 436506	**Azimuth (deg):** 090	**Start:** Sept 26,2009
UTM N (NAD 83): 6220085	**Dip (deg):** -50	**Finish:** Sept 28, 2009
Elev (m): 1130	**Total Depth (m):** 228.35	**Logged by:** Sue Deane
Core Size: BQ	**Pad:** 25	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	1.52	OVB	CAS	**Casing**																					
1.52	55.79	9a	AXXX	**Andesite -** grey greenish, very fine grained to medium grained, grainy textured. Generally homogenous texture with weak to moderate quartz carbonate stockwork at high angle tca overall (50-90). Sections of rusty rubble as indicated. 1% finely disseminated pyrite, pyrite increased locally in veinlets. Some stronger silicified zones as indicated.				3	1		2		2	1						134055	1.52	3.00	1.48	0.13	4.9
				1.52-4.5 - rubbly with rusty fracture surfaces. Fine grained here with weak crackle texture.									3							134056	3.00	4.00	1.00	0.06	3.9
				9.03-9.2 - strong rusty vuggy weathered section, silicified and weathered out pits coated in orange and dark brown rust. Fractures roughly 90 tca.	fxs	90		4					4							134057	4.00	5.00	1.00	0.02	1.8
				15.4-18 - strongly broken and blocky with moderately rusty fracture surfaces, bleached beige, and finely porphyritic (white spots).			3						4							134058	5.00	6.00	1.00	0.02	1.8
				24.23-27.7 - blocky, broken, very fine grained (dike?), strong rust stains around fracture surfaces,																134059	6.00	7.00	1.00	0.04	2.2
				27.35-28.3 - beige sericite bleached zone, alteration causing spotty mottled texture.			3													134060	BLANK			<0.01	<0.1
				35.3-37.68 - moderately blocky with weak dark bronw iron staining and weakly vuggy									2							134061	7.00	8.00	1.00	0.37	1.2
				53.5-55.38 - strong quartz stockwork and breccia, silica flooding, angular host clasts in white quartz calcite. 2% fine pyrite disseminated and as fine seams, trace orangy sphalerite.				4	4		2			2		0.1				134062	8.00	9.00	1.00	0.25	11.8
				Lower contact sharp 25 tca. No real chill margin on dike below.	LC	25														134063	9.00	10.00	1.00	0.03	2
																				134064	10.00	11.00	1.00	0.09	4.9
55.79	59.70	7a	PIPX	**Premier Porphry ? -** grey green fine grained fsp hornblend dike. Fsps and hornblend are fine in a fine grained matrix. Few very fine calcite seams. Rusty stained fractures. Rare creamy carbonate veinlets as irregular blebs.																134065	11.00	12.00	1.00	0.02	3.7
				Lower contact 50 tca, sharp and fsps become finer towards contact but hornblends do not. Hornblends are dark green chloritic.	LC	50														134066	12.00	13.00	1.00	0.08	5.6
																				134067	13.00	14.00	1.00	0.26	17.3
59.70	85.28	9a	AXXX	**Andesite -** grey green fine grained andesite with moderate to strong quartz carbonate stockwork. 2% pyrite overall with increased concentrations as fine grained bands.				3	1		2			2						134068	14.00	15.00	1.00	0.05	3.2
				59.70-66.6 - strong quartz calcite carbonate stockwork (mostly quartz) with fine pyrite up to 3%. Possible trace of sphalerite, but appears to void of other sulfides. Stockwork is generally about 70 tca.	stkwk	70		4	1		2			3						134069	15.00	16.00	1.00	<0.01	1.4

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
				Overall in this unit stockwork is at high angel tto core axis (70-85)																134070	16.00	17.00	1.00	0.02	0.5
				Lower contact sharp 85 tca.	LC	85														134071	17.00	18.00	1.00	0.07	4.7
																				134072	18.00	19.00	1.00	0.24	3.1
85.28	87.06	22a	D/AX	**Andesite Dike -** grey fine grained massive homogenous with fine white fsp 'spots'. Few quartz calcite veinlets and weak rust on fractures.																134073	19.00	20.00	1.00	1.29	3
				Lower contact sharp 60 tca.	LC	60														134074	20.00	21.00	1.00	0.2	3
																				134075	21.00	22.00	1.00	0.14	2.4
87.06	109.30	9a	AXXX	**Andesite -** grey fine grained andesite. Moderately chloritic green sections, moderate quartz carbonate stockwork largely 70-90 tca, and weak foliation at same orientation.	stockwork	80								2						134076	22.00	23.00	1.00	0.04	4
				Some white spotty sections looking weakly porphyritic. 2% finely disseminated pyrite. Weakly silicified. Occasional white quartz calcite vein.	fol	80														134077	23.00	24.00	1.00	0.15	4.2
				Lower contact sharp 75 tca.	LC	45														134078	24.00	25.00	1.00	0.06	2
																				134079	25.00	26.00	1.00	0.02	1
109.30	112.78	7a	PIPX	**Premier Porphyry? -** Fine grained grey greenish dike with fine green chloritized hornblends and fine white fsps flecks. Premier Porphyry magma? The difference between this unit and the 22 dikes is the presence of moderate quartz creamy yellow carbonate veining with breccia and angular dike clasts in veining, and moderate sericite alteration near upper contact. The 22 dikes generally have no more than a few very fine quartz calcite or just calcite seams.			2	1												134080	26.00	27.00	1.00	0.01	0.8
				Lower contact 60 tca.	LC	60														134081	27.00	28.00	1.00	0.03	0.6
																				134082	28.00	29.00	1.00	0.04	23.6
112.78	162.30	9a	AXXX	**Andesite -** Grey green fine grained andesite. Fine grainy texture, spotty white sections almost porphyritic. Moderately chloritic as green patchy staining. Moderate quartz carbonate stockwork mostly 60-80 tca. Faulted zones as indicated, and bleached pale beige sericitic zones as indicated. 1% fine pyrite disseminated.			2	2	1		2			1						134083	29.00	30.00	1.00	0.02	3.1
				115.26-115.38 - quartz veing 85 tca with 5% pyrite as small blebs and seams.	qtz py vn	85			4					5						134084	30.00	31.00	1.00	0.03	1.8
				130.8-135.8 - weak beige sericite bleaching and weak to moderate quartz creamy carbonate veining. Veining largely 80 tca with exception of the followint intersection.	qtz cb stkwk	80	2	2												134085	31.00	32.00	1.00	0.12	9.6
				131.3-132.05 - blebby quartz and grey fine grained gougy seams paralle along 25-30 tca.	qtz/flt	30	2	3												134086	32.00	33.00	1.00	0.02	2.4
				135.8-150.8 - moderate to strong beige sericite bleaching, fine creamy quartz carbonate veinlets throughout, fractured and faulted in the middle of this section over 5 meters. White barren looking quartz associated with faulted area. Outside faulted area stockwork is at a high angle to core axis. Inside faulted zone shear features area at a low angle to core axis.	shear fol	20	4	2												134087	33.00	34.00	1.00	0.05	2.1
					stwk	75														134088	34.00	35.00	1.00	0.01	1.4
				Lower contact somewhat gradational over 30cm																134089	35.00	36.00	1.00	0.04	3.1
																				134090	36.00	37.00	1.00	0.02	3.3

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
162.30	166.40	9Lt	ALXX	**Lapilli Andesite -** grey green fine grained andesite with darker somewhat ghostly clasts. Clasts are mm-5cm scale and are generally aligned roughly 80 tca.	fol/bed?	80		2			2									134091	37.00	38.00	1.00	0.26	4.7
				Weak fine quartz creamy carbonate stockwork at moderate angel to core axis.	stwk	60														134092	38.00	39.00	1.00	0.06	1.9
																				134093	39.00	40.00	1.00	0.29	32.2
166.40	228.35	9a	AXXX	**Andesite -** grey green fine grained. Largely altered, stockworked and wide fault zones.			2	3			2									134094	40.00	41.00	1.00	0.04	10.3
				169.7-172.1 - beige sericite stained with strain fabric roughly 0 tca, fine dark grey blueish crackle seams throughout, swirly texture, fractured blebs of yellow carbonate veining.	fol	0	4	2												134095	41.00	42.00	1.00	0.03	7.1
				175.86-180.6 - weak beige sericite stain throughout massive andesite			3													134096	42.00	43.00	1.00	0.2	3.8
				180.37-180.58 - strong sericite beige stain with creamy quartz carbonate veinlets and fault gouge 50 tca.	flt	50														134097	43.00	44.00	1.00	0.07	6.5
				183.03 - 184.74 - swirly textured brecciated looking. Weakly silicified with brecciated blebby quartz towards lower ind of intersection. 3% pyrite disseminated and as clusters. Weakly sericitic and moderate creamy quartz carbonate stockwork.			3	2	3					3						134098	44.00	45.00	1.00	0.04	3
				189.8-190.37 - moderate quartz carbonate stockwork, sericite stained host, abundant blue black mineral (pyrolusite?) in host.	qtz vng	45	3	3	2											134099	45.00	46.00	1.00	0.07	9.2
				191.1-208.1 - weak sericite staining throughout with weak to moderate strain fabric and low to moderate angels to core axis. Moderate fine creamy quartz carbonate stockwork and as blebs along shear foliation.	shear fol	20	3	2												134100	STD	PM405		0.28	0.7
				208.1-209.26 - strong quartz calcite veining with strong fine pyrite. Messy texture.			4	4	3					5						134101	46.00	47.00	1.00	0.27	30.8
				209.26-214.2 - moderate sericite staining with moderate creamy and white quartz carbonate stockwork. Increasingly blocky and blocky downhole through this zone. Grades into fault zone below.			3	3												134102	47.00	48.00	1.00	0.64	22.3
				214.2-219.21 - Fault Zone - very strongly broken. Faulted brecciated gougy. Clasts of host and quartz in finer gravelly matrix. About 50% of this unit is vuggy quartz breccia with 4% pyrite. Nice fine quartz prisms in vugs.			3	5	3					4						134103	48.00	49.00	1.00	0.37	22.3
				219.21-227.2 - strong beige sericite staining with moderate fine quartz creamy carbonate veining. Still moderately fractured and sheared.			4	3	2											134104	49.00	50.00	1.00	0.45	5.7
				222.32-222.84 - quartz veining with bluey black seams, small vugs with nice fine quartz prisms, 4% pyrite.				4	4					4						134105	50.00	51.00	1.00	0.08	2.9
				226.4-226.7 - white quartz carbonate veining looks barren.																134106	51.00	52.00	1.00	0.55	3.1
				226.7-227.3 - grey silicified with fine pyrite and fractured breccia texture.				3	3					3						134107	52.00	53.00	1.00	0.11	5.9
																				134108	53.00	53.50	0.50	0.13	14.1
				EOH - 228.35m - 749'																134109	53.50	54.00	0.50	0.25	13.8
																				134110	54.00	54.50	0.50	0.37	14.8
																				134111	54.50	55.00	0.50	0.24	2
																				134112	55.00	55.50	0.50	0.16	2.5
																				134113	55.50	55.79	0.29	0.12	3.2
																				134114	55.79	56.70	0.91	<0.01	<0.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				134115	56.70	57.70	1.00	<0.01	<0.1
																				134116	57.70	58.70	1.00	<0.01	<0.1
																				134117	58.70	59.70	1.00	<0.01	<0.1
																				134118	59.70	60.70	1.00	0.22	6.2
																				134119	60.70	61.70	1.00	0.07	3.9
																				134120	61.70	62.70	1.00	0.07	4.1
																				134121	62.70	63.70	1.00	0.08	4.4
																				134122	63.70	64.70	1.00	0.11	7.8
																				134123	64.70	65.70	1.00	0.18	9.5
																				134124	65.70	66.70	1.00	0.05	3.7
																				134125	66.70	67.70	1.00	0.02	1.5
																				134126	67.70	68.70	1.00	0.01	1.7
																				134127	68.70	69.70	1.00	<0.01	1.1
																				134128	69.70	70.70	1.00	<0.01	0.9
																				134129	70.70	71.70	1.00	0.01	2
																				134130	71.70	72.70	1.00	<0.01	1.1
																				134131	72.70	73.70	1.00	0.19	4.2
																				134132	73.70	74.70	1.00	0.02	1.6
																				134133	74.70	75.70	1.00	0.03	2
																				134134	75.70	76.70	1.00	0.08	2.3
																				134135	76.70	77.70	1.00	0.01	2.7
																				134136	77.70	78.70	1.00	0.01	3.2
																				134137	78.70	79.70	1.00	0.01	2.1
																				134138	79.70	80.70	1.00	0.01	4.2
																				134139	80.70	81.70	1.00	0.03	5.6
																				134140	BLANK			<0.01	<0.1
																				134141	81.70	82.70	1.00	0.03	4.7
																				134142	82.70	83.70	1.00	0.1	5.3
																				134143	83.70	84.70	1.00	0.01	3.3
																				134144	84.70	85.28	0.58	<0.01	1.1
																				134145	85.28	86.20	0.92	<0.01	<0.1
																				134146	86.20	87.06	0.86	<0.01	<0.1
																				134147	87.06	88.00	0.94	0.09	6.6
																				134148	88.00	89.30	1.30	<0.01	1.2
																				134149	89.30	90.30	1.00	<0.01	0.2
																				134150	90.30	91.30	1.00	<0.01	0.9
																				134151	91.30	92.30	1.00	0.02	0.6
																				134152	92.30	93.30	1.00	0.01	1.3
																				134153	93.30	94.30	1.00	0.03	4.8
																				134154	94.30	95.30	1.00	0.04	9.2
																				134155	95.30	96.30	1.00	0.03	10.2
																				134156	96.30	97.30	1.00	0.03	4.2
																				134157	97.30	98.30	1.00	0.05	4.9

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				134158	98.30	99.30	1.00	0.01	1.7
																				134159	99.30	100.30	1.00	0.11	5.3
																				134160	BLANK			<0.01	<0.1
																				134161	100.30	101.30	1.00	0.07	2
																				134162	101.30	102.30	1.00	0.04	1.3
																				134163	102.30	103.30	1.00	<0.01	0.5
																				134164	103.30	104.30	1.00	<0.01	0.4
																				134165	104.30	105.30	1.00	0.02	2.6
																				134166	105.30	106.30	1.00	<0.01	0.7
																				134167	106.30	107.30	1.00	<0.01	0.3
																				134168	107.30	108.30	1.00	0.01	1.1
																				134169	108.30	109.30	1.00	0.01	0.9
																				134170	109.30	110.30	1.00	0.02	0.2
																				134171	110.30	111.40	1.10	<0.01	<0.1
																				134172	111.40	112.78	1.38	<0.01	<0.1
																				134173	112.78	113.80	1.02	0.03	2.3
																				134174	113.80	114.80	1.00	0.02	2.2
																				134175	114.80	115.80	1.00	0.04	8.6
																				134176	115.80	116.80	1.00	0.01	1.8
																				134177	116.80	117.80	1.00	<0.01	0.6
																				134178	117.80	118.80	1.00	<0.01	0.5
																				134179	118.80	119.80	1.00	0.02	4.1
																				134180	119.80	120.80	1.00	0.17	2.5
																				134181	120.80	121.80	1.00	<0.01	<0.1
																				134182	121.80	122.80	1.00	<0.01	<0.1
																				134183	122.80	123.80	1.00	<0.01	<0.1
																				134184	123.80	124.80	1.00	<0.01	0.3
																				134185	124.80	125.80	1.00	0.01	2.4
																				134186	125.80	126.80	1.00	<0.01	<0.1
																				134187	126.80	127.80	1.00	0.03	3.3
																				134188	127.80	128.80	1.00	0.01	0.7
																				134189	128.80	129.80	1.00	<0.01	0.7
																				134190	129.80	130.80	1.00	0.01	0.4
																				134191	130.80	131.80	1.00	0.02	2.3
																				134192	131.80	132.80	1.00	0.02	1
																				134193	132.80	133.80	1.00	<0.01	1.4
																				134194	133.80	134.30	0.50	0.05	11.3
																				134195	134.30	134.80	0.50	0.23	9.8
																				134196	134.80	135.80	1.00	0.05	2.6
																				134197	135.80	136.80	1.00	0.02	3.9
																				134198	136.80	137.80	1.00	0.03	2.2
																				134199	137.80	138.80	1.00	0.01	1.7
																				134200	BLANK			<0.01	<0.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				134201	138.80	139.80	1.00	0.01	1.7
																				134202	139.80	140.80	1.00	<0.01	2
																				134203	140.80	141.80	1.00	<0.01	1.8
																				134204	141.80	142.80	1.00	<0.01	2.5
																				134205	142.80	143.80	1.00	<0.01	1.1
																				134206	143.80	144.80	1.00	<0.01	1.1
																				134207	144.80	145.80	1.00	<0.01	1.7
																				134208	145.80	146.80	1.00	0.01	1.4
																				134209	146.80	147.80	1.00	0.02	3
																				134210	147.80	148.80	1.00	<0.01	0.5
																				134211	148.80	149.80	1.00	0.02	16.9
																				134212	149.80	150.80	1.00	0.11	3.1
																				134213	150.80	151.80	1.00	0.04	3.3
																				134214	151.80	152.80	1.00	0.01	1.8
																				134215	152.80	153.80	1.00	<0.01	0.8
																				134216	153.80	154.80	1.00	0.01	1.2
																				134217	154.80	155.80	1.00	<0.01	<0.1
																				134218	155.80	156.80	1.00	<0.01	<0.1
																				134219	156.80	157.80	1.00	<0.01	<0.1
																				134220	157.80	158.80	1.00	<0.01	<0.1
																				134221	158.80	159.80	1.00	<0.01	0.5
																				134222	159.80	160.80	1.00	<0.01	0.4
																				134223	160.80	161.80	1.00	<0.01	0.6
																				134224	161.80	162.80	1.00	0.01	0.7
																				134225	162.80	163.80	1.00	<0.01	0.4
																				134226	163.80	164.80	1.00	<0.01	0.9
																				134227	164.80	165.80	1.00	<0.01	0.6
																				134228	165.80	166.80	1.00	0.08	2.2
																				134229	166.80	167.80	1.00	0.01	3.3
																				134230	167.80	168.80	1.00	<0.01	<0.1
																				134231	168.80	169.80	1.00	<0.01	0.2
																				134232	169.80	170.80	1.00	<0.01	1.4
																				134233	170.80	171.80	1.00	<0.01	1.7
																				134234	171.80	172.80	1.00	<0.01	1.1
																				134235	172.80	173.80	1.00	0.03	8.6
																				134236	173.80	174.80	1.00	<0.01	2
																				134237	174.80	175.80	1.00	<0.01	1.4
																				134238	175.80	176.80	1.00	<0.01	1.3
																				134239	176.80	177.80	1.00	<0.01	0.4
																				134240	177.80	178.80	1.00	<0.01	0.1
																				134241	178.80	179.80	1.00	<0.01	0.7
																				134242	179.80	180.80	1.00	0.01	1
																				134243	180.80	181.80	1.00	<0.01	0.5

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				134244	181.80	182.80	1.00	0.02	1.3
																				134245	182.80	183.80	1.00	0.02	2.1
																				134246	183.80	184.80	1.00	0.06	3.8
																				134247	184.80	185.80	1.00	<0.01	1
																				134248	185.80	186.80	1.00	0.02	2.5
																				134249	186.80	187.80	1.00	0.02	2
																				134250	187.80	188.80	1.00	<0.01	0.6
																				134251	188.80	189.80	1.00	<0.01	0.9
																				134252	189.80	190.80	1.00	0.02	1.3
																				134253	190.80	191.80	1.00	0.02	0.5
																				134254	191.80	192.80	1.00	<0.01	0.7
																				134255	192.80	193.80	1.00	0.01	1.6
																				134256	193.80	194.80	1.00	<0.01	0.4
																				134257	194.80	195.80	1.00	<0.01	0.4
																				134258	195.80	196.80	1.00	0.02	0.6
																				134259	196.80	197.80	1.00	<0.01	0.3
																				134260	BLANK			<0.01	<0.1
																				134261	197.80	198.80	1.00	<0.01	0.6
																				134262	198.80	199.80	1.00	<0.01	0.2
																				134263	199.80	200.80	1.00	<0.01	1.2
																				134264	200.80	201.80	1.00	<0.01	0.6
																				134265	201.80	202.80	1.00	0.06	2
																				134266	202.80	203.80	1.00	<0.01	0.6
																				134267	203.80	204.80	1.00	<0.01	0.3
																				134268	204.80	205.80	1.00	<0.01	0.7
																				134269	205.80	206.80	1.00	<0.01	1.5
																				134270	206.80	207.80	1.00	0.01	5.2
																				134271	207.80	208.60	0.80	0.04	3.1
																				134272	208.60	209.40	0.80	0.13	9.1
																				134273	209.40	210.40	1.00	0.03	1.1
																				134274	210.40	211.40	1.00	0.37	2.8
																				134275	211.40	212.40	1.00	0.02	1.2
																				134276	212.40	213.40	1.00	0.01	1.1
																				134277	213.40	214.40	1.00	<0.01	1.1
																				134278	214.40	215.40	1.00	0.32	10
																				134279	215.40	216.20	0.80	0.06	4.7
																				134280	216.20	217.20	1.00	0.06	3.5
																				134281	217.20	218.20	1.00	0.06	5.4
																				134282	218.20	219.21	1.01	0.38	3.5
																				134283	219.21	220.00	0.79	0.73	3.6
																				134284	220.00	221.20	1.20	0.04	3.6
																				134285	221.20	222.20	1.00	0.09	3
																				134286	222.20	223.20	1.00	0.01	1.3

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				134287	223.20	224.20	1.00	0.1	1.1
																				134288	224.20	225.20	1.00	0.03	1.1
																				134289	225.20	226.20	1.00	<0.01	1
																				134290	226.20	227.20	1.00	0.5	2.7
																				134291	227.20	228.33	1.13	0.09	3.4
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
17.68	86.2	-48.9
124.39	93.2	-43.6
237.20	94.9	-36.2

P09-042

Unicorn - South Pad of Unicorn Holes drilling east through Unicorn zone and fault at bottom. Best zone is wide fault/silicified altered zone below 720'. AT 119.62, one mm scale spot of VG with a clot of galena in quartz chlorite veining.

UTM E (NAD 83): 436514	**Azimuth (deg):** 090	**Start:** Sept 29,2009
UTM N (NAD 83): 6219853	**Dip (deg):** -50	**Finish:** Oct 2, 2009
Elev (m): 1082	**Total Depth (m):** 246.34	**Logged by:** Sue Deane
Core Size: BQ	**Pad:** 26	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	1.52	OVB	CAS	**Casing**																					
2.74	8.98	9a	AXXX	**Andesite -** fine grained grey green andesite. Rubbly with dark brown rust coatings on fracture surfaces. Some vuggy textures associated with fractures. Few white quartz calcite veinlets and wider barren quartz calcite chlorite veins.				1			2		2							134292	2.74	4.00	1.26	0.14	0.8
				Lower contact sharp and irregular																134293	4.00	5.00	1.00	<0.01	0.4
																				134294	5.00	6.00	1.00	0.01	1.2
8.98	12.02	22c	D/AP	**Andesite Dike -** grey green fine grained dike with white calcite spots/amygdules.																134295	6.00	7.00	1.00	0.18	0.8
				Lower contact sharp and irregular																134296	7.00	8.00	1.00	0.02	0.3
																				134297	8.00	8.98	0.98	0.11	0.4
12.02	31.45	9a	AXXX	**Andesite -** grey green fine grained andesite. Weak quartz carbonate stockwork, weakly chloritic, spotty grainy texture, blocky with moderate dark brown rust staining on fractures.				2			2		2							134298	8.98	10.00	1.02	<0.01	<0.1
				12.02-13.85 - vuggy rusty quartz calcite chlorite veining, irregular.				3			3									134299	10.00	11.00	1.00	<0.01	<0.1
				14.3-16.5 - blocky with dark brown rust on fracture surfaces.																134300	11.00	12.02	1.02	<0.01	<0.1
				Lower contact sharp 50 tca.	LC	50														134301	12.02	13.00	0.98	0.07	2.5
																				134302	13.00	13.85	0.85	0.08	11.3
31.45	33.20	22c	D/AP	**Andesite Dike -** fine grained grey greenish dike with chloritic spots dark spots, and fine white calcite spots/amygdules.																134303	13.85	15.00	1.15	<0.01	0.4
				Lower contact sharp 40 tca	LC	40														134304	15.00	16.00	1.00	0.02	0.7
																				134305	16.00	17.00	1.00	0.17	0.9
33.20	34.85	9a	AXXX	**Andesite -** grey green fine grained andesite with a few quartz carbonate veinlets.				2			2									134306	17.00	18.00	1.00	0.02	0.8
				Lower contact sharp 20 tca.	LC	20														134307	18.00	19.00	1.00	0.01	<0.1
																				134308	19.00	20.00	1.00	<0.01	0.2
34.85	35.65	22c	D/AP	**Andesite Dike -** fine grained grey greenish dike with white calcite amygdules.																134309	20.00	21.00	1.00	0.02	0.6
				Lower contact sharp 40 tca.	LC	40														134310	21.00	22.00	1.00	0.2	1.9
																				134311	22.00	23.00	1.00	0.26	7.4
35.65	56.60	9a	D/AP	**Andesite -** grey green fine grained andesite with weak to moderate quartz carbonate stockwork with common creamy carbonate veinlets. Generally weak sericite alteration as weak pale stain, and pale patches. Some texture here looks weakly porphyritic as fine pale ghostly spots. 1% fine disseminated pyrite				3			2			1						134312	23.00	24.00	1.00	0.09	1.2
				48.1-49.4 - rubbly with weak rust staining on fractures. Upper end of zone marked by thin gouge seam and quartz carbonate veining.	flt gg vng	30														134313	24.00	25.00	1.00	0.06	1

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
				49.82-56.73 - moderate fine quartz creamy carbonate wispy veining with rare fine black seams, and 2% pale beige sphalerite and 2% fine dark pyrite. Veining generally 45 tca.	qtz cb vng	45		3	2					2		2				134314	25.00	26.00	1.00	0.02	0.6
				54.3-54.8 - strong quartz veining with calcite, vuggy with calcite blades in the vugs, weak fine pyrite, large chunk of black crumbly crystalline material in vug, films of grey graphitic material. Rusty in vugs.				4	1	?			2	2						134315	26.00	27.00	1.00	0.56	1.5
				Lower contact sharp 60 tca	LC	60														134316	27.00	28.00	1.00	0.02	1.1
																				134317	28.00	29.00	1.00	0.06	1
56.60	57.17	22c	D/AP	**Andesite Dike -** dark grey fine grained with core of abundant fine white calcite amygdules.																134318	29.00	30.00	1.00	0.02	0.8
				Lower contact sharp 55 tca.	LC	55														134319	30.00	31.45	1.45	<0.01	0.5
																				134320	BLANK			<0.01	<0.1
57.17	62.16	9a	AXXX	**Andesite -** grey fine grained with weak sericite staining and moderate fine quartz calcite stockwork with some brecciation of the host. Weak to moderate silicification 2% fine disseminated pyrite.			1	3	2					2						134321	31.45	32.45	1.00	<0.01	<0.1
				59.7-61.16 - grey cherty host here, may be primary or silicification.																134322	32.45	33.20	0.75	<0.01	<0.1
				Lower contact sharp 60 tca	LC	60														134323	33.20	34.00	0.80	0.9	0.6
																				134324	34.00	34.85	0.85	0.67	0.6
62.16	65.23	22c	D/AP	**Andesite Dike -** grey fine grained dike with fine white calcite amygdules.																134325	34.85	35.65	0.80	<0.01	<0.1
				Lower contact rubbly																134326	35.65	36.60	0.95	0.07	0.6
																				134327	36.60	37.60	1.00	<0.01	0.6
65.23	99.65	9a	AXXX	**Andesite -** grey green fine grained andesite. Grainy to weakly porphyritic texture. Zones of chloritic spots possibly altered hornblends. Weak quartz calcite stockwork throughout. 1% very fine disseminated pyrite. Weak sericite bleaching and patchy alteration, weak silicification locally.			1	2	1		2			1						134328	37.60	38.60	1.00	0.03	0.6
				66.48 - 2cm qtz cc veinlet with clots of dark orangy red brown sphalerite. 70 tca	qtz sph vnlt	70										3				134329	38.60	39.60	1.00	0.02	0.9
				82.57-85.7 - moderate beige sericite staining with quartz and creamy carbonate fine stockwork.			3	2												134330	39.60	40.60	1.00	0.1	0.5
				93.85-94.2 - rubbly section with weak rust staining on fractures.																134331	40.60	41.60	1.00	0.31	1.2
				98.6-99.4 - bleached silicified zone with chlorite flecks, pale purple hematite staining, creamy pale beigey green quartz.																134332	41.60	42.60	1.00	0.83	1.6
				Lower contact sharp 30 tca	LC	30														134333	42.60	43.60	1.00	0.3	1.6
																				134334	43.60	44.60	1.00	0.17	1.3
99.65	103.94	7a	PIPX	**Premier Porphyry Dike (?) -** grey beige (buff) fine to medium grained with common chloritized hornblend phenocrysts, fine white irregular shaped fsps. Gets very fine grained towards lower contact and hornblends dissappear, but fine fsps are abundant in this finer grained area near the contact.																134335	44.60	45.60	1.00	0.03	1.9
				Lower contact sharp 70 tca.	LC	70														134336	45.60	46.60	1.00	0.16	1.5
																				134337	46.60	47.60	1.00	0.03	0.9

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
103.94	120.58	9a	AXXX	**Andesite -** grey green fine grained andesite with moderate to strong quartz carbonate stockwork throughout. Generally moderately silicified with 3% finely disseminated pyrite. Few large white quartz calcite chlorite veins. .5% pale sphalerite and tr galena associated with earlier quartz stockworking. Sphalerite is as fine beige and dark orange wisps.			1	3	2		3			3	0.1	0.5				134338	47.60	48.60	1.00	0.03	1.3
				110.5-111.05 - white and green quartz calcite chlorite veining with few coarse grained clots of galena.				4			4				0.3					134339	48.60	49.60	1.00	0.06	1.4
				119-120.3 - several layers of quartz veining with later quartz calcite chlorite veining overprinting. 4% fine disseminated and veinlets of pyrite. Trace of sphalerite and galena				4	2		3			4	0.1	0.1				134340	BLANK			<0.01	<0.1
				119.62 - One mm scale speck of VG with small clot of galena											0.1				VG	134341	49.60	50.60	1.00	0.13	3.8
				Lower contact sharp 60 tca.	LC	60														134342	50.60	51.60	1.00	0.17	1.2
																				134343	51.60	52.60	1.00	0.94	1.8
120.58	122.80	22c	D/AP	**Andesite Dike -** grey green fine grained dike with few calcite amygdules in core, and few quartz creamy carbonate veinlets mostly 75 tca.	qtz/cb vnlts	75														134344	52.60	53.60	1.00	0.04	1.1
				Lower contact 55 tca	LC	55														134345	53.60	54.10	0.50	0.03	1.5
																				134346	54.10	54.60	0.50	0.06	1.7
122.80	126.49	9a	AXXX	**Andesite -** grey fine grained andesite with moderate silicification and silica brecciation with moderate quartz calcite stockwork. 3% fine disseminated pyrite. Some beige bleached sericitic patches.				3	4		2			3						134347	54.60	55.10	0.50	0.95	2.4
				Stockwork and 70-90 tca	stkwk	80														134348	55.10	55.90	0.80	0.2	1.6
				Lower contact sharp 50 tca	LC	50														134349	55.90	56.60	0.70	0.14	2.7
																				134350	56.60	57.17	0.57	<0.01	<0.1
126.49	132.65	7a	PIPX	**Premier Porphyry Dike (?) -** grey green beige fine grained with coarser grained buff coloured core. Hornblend phenocrysts and fsps. Fine quartz creamy carbonate stockwork generall 60-70 tca.	qtz cb stcwk	65														134351	57.17	58.20	1.03	0.07	1.8
				130.73-130.9 - white and dark grey coarser grained section of dike with fsp and dark grey crystals in fine phaneritic texture. Boundaries are gradational so part of the same unit.																134352	58.20	59.20	1.00	0.29	4.4
				Lower contact sharp and chilled 60 tca.	LC	60														134353	59.20	60.20	1.00	0.43	8.3
																				134354	60.20	61.20	1.00	0.12	3
132.65	152.53	9a	AXXX	**Andesite -** grey green fine grained andesite with moderate quartz carbonate stockwork, moderate chloritic alteration, small patches of weak beige sericite alteration, 2% disseminated pyrite, rare trace of sphalerite in veining except where indicated below.			1	3	1		2			2		0.1				134355	61.20	62.16	0.96	0.06	2.6
				151.3-151.9 - stronger quartz stockwork with 1% red brown sphalerite, trace galena, 2% fine pyrite.				4	3					2	0.1	1				134356	62.16	63.20	1.04	<0.01	<0.1
				Lower contact fairly sharp 65 tca. Looks like a bedding contact or flow boundary.	LC	65														134357	63.20	64.20	1.00	<0.01	<0.1
																				134358	64.20	65.23	1.03	<0.01	<0.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
152.53	163.34	9a	AXXX	**Amygduloidal Andesite -** grey green fine to medium grained groundmass as andesites up hole, but with abundant white irregular shaped quartz calcite filled amygdules. Amygdules appear to be strained and squished forming irregular shaped unlike nicely round amygdules seen in the 22c late dikes. Moderate quartz calcite stockwork throughout, 1% disseminated pyrite with some increased pyrite in veining. Weak fabric or bedding with aligned squished amygdules 60 tca.	fol / bed?	60		2			2			1						134359	65.23	66.20	0.97	0.29	4.3
				Lower contact farily sharp 60 tca, looks like a bedding contact	LC	60														134360	66.20	67.20	1.00	0.15	1.9
																				134361	67.20	68.20	1.00	<0.01	0.8
163.34	246.34	9a	AXXX	**Andesite -** grey green andesite with moderate to strong quartz carboante stockwork, moderately chloritic, intermittent beige sericitic zones, 1-2% disseminated pyrite throughout. Alteration and veining increases lower in hole towards massive wide quartz veining as indicated. Generally grainy mottled texture likely due to alteration, but may be lapilli texture. Alteration is strong in areas, and may be obscuring primary textures, so the unit is undifferentiated andesite. Stockwork is largely 50-70 tca.	stkwk	60	1	3	1		2			2						134362	68.20	69.20	1.00	<0.01	0.9
				179.3-181.2 - moderate beige sericite staining			3													134363	69.20	70.20	1.00	<0.01	0.8
				197.75-209.65 - strong beige sericite bleaching, moderate fine creamy carbonate stockwork, fine grey seams, 2% disseminated pyrite, fine gougy fault seams generally 50-70 tca.	flt gg	60	4	2	1					2						134364	70.20	71.20	1.00	0.01	1.1
				213.7 - 3cm fault gouge 40 tca	flt gg	40														134365	71.20	72.20	1.00	0.68	1.4
				214.42 - 3cm fault gouge 50 tca	flt gg	50														134366	72.20	73.20	1.00	<0.01	0.7
				216.5-221.5 - strong beige sericite staining with weak fine quartz creamy carbonate stockwork.			4	2												134367	73.20	74.20	1.00	<0.01	0.8
				221.5-223.9 - messed up section with strong sericite alteration, quartz carbonate veining, shear foliation from 0-70 tca, small fodl structures.			4	3	2											134368	74.20	75.20	1.00	<0.01	0.7
				223.9-231.9 - massive grey and white brecciated quartz veining with some silicified host chunks, fine grey selvages, brittle fracturing, about 5% creamy carbonate with quartz. 3% fine pyrite thoughout. General fracturing and seam fabric at 50-70 tca. Some fine bluey black seams look like stylolites in limestone (fine wiggly lines)	shear fol	60	4	5	5		1			3						134369	75.20	76.20	1.00	<0.01	0.9
				231.9-240.2 - about 50/50 quartz and sericite altered host. Still part of a messed up alteration zone associated with the massive veining, which is likely associated with a large shear structure in the Unicorn gully. Fine creamy carbonate and quartz stockwork, some gougy sections at 70 tca. Large barren looking white quartz veining overprinting earlier stockwork and silicification.	gg	70	4	4	3					2						134370	76.20	77.20	1.00	0.07	1
				240.2-246.34 - moderate sericite staining, moderate quartz stockwork, 2% pyrite associated with veining and disseminated.			3	3	2					2						134371	77.20	78.20	1.00	<0.01	0.8
																				134372	78.20	79.20	1.00	<0.01	0.7
				EOH - 246.34m - 808'																134373	79.20	80.20	1.00	<0.01	1
																				134374	80.20	81.20	1.00	<0.01	1.2
																				134375	81.20	82.20	1.00	0.05	2
																				134376	82.20	83.20	1.00	0.01	2
																				134377	83.20	84.20	1.00	0.02	2.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				134378	84.20	85.20	1.00	0.01	1.7
																				134379	85.20	86.20	1.00	0.08	1.8
																				134380	86.20	87.20	1.00	0.01	1.1
																				134381	87.20	88.20	1.00	0.52	2.4
																				134382	88.20	89.20	1.00	0.03	1.5
																				134383	89.20	90.20	1.00	0.02	0.9
																				134384	90.20	91.20	1.00	0.04	1.2
																				134385	91.20	92.20	1.00	<0.01	1.8
																				134386	92.20	93.20	1.00	<0.01	1.3
																				134387	93.20	94.20	1.00	0.13	1.7
																				134388	94.20	95.20	1.00	0.09	1.9
																				134389	95.20	96.20	1.00	0.01	1.1
																				134390	96.20	97.20	1.00	0.15	2.8
																				134391	97.20	98.20	1.00	0.16	1.9
																				134392	98.20	99.65	1.45	1.37	2.9
																				134393	99.65	101.00	1.35	<0.01	<0.1
																				134394	101.00	102.00	1.00	<0.01	<0.1
																				134395	102.00	103.00	1.00	<0.01	<0.1
																				134396	103.00	103.94	0.94	<0.01	<0.1
																				134397	103.94	104.40	0.46	0.06	0.7
																				134398	104.40	105.40	1.00	0.2	1.6
																				134399	105.40	106.40	1.00	0.15	2.4
																				134400	106.40	107.40	1.00	0.51	1.4
																				134401	107.40	108.40	1.00	0.06	1.9
																				134402	108.40	109.40	1.00	0.35	4.4
																				134403	109.40	110.40	1.00	2.21	4.5
																				134404	110.40	111.10	0.70	0.06	1.5
																				134405	111.10	112.00	0.90	0.75	4.2
																				134406	112.00	113.00	1.00	0.44	4.4
																				134407	113.00	114.00	1.00	0.33	3.1
																				134408	114.00	115.00	1.00	1.86	8.1
																				134409	115.00	116.00	1.00	0.37	2.7
																				134410	116.00	117.00	1.00	0.02	1
																				134411	117.00	118.00	1.00	0.1	1.6
																				134412	118.00	119.00	1.00	0.49	2.8
																				134413	119.00	119.50	0.50	11.97	10.3
																				134414	119.50	119.80	0.30	21.13	4.1
																				134415	BLANK			<0.01	<0.1
																				134416	119.80	120.58	0.78	5.72	8.2
																				134417	120.58	121.80	1.22	<0.01	<0.1
																				134418	121.80	122.80	1.00	<0.01	<0.1
																				134419	122.80	123.80	1.00	0.54	3
																				134420	123.80	124.80	1.00	0.68	3.7

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				134421	124.80	125.80	1.00	0.53	4
																				134422	125.80	126.49	0.69	0.67	2.6
																				134423	126.49	127.50	1.01	<0.01	0.1
																				134424	127.50	128.50	1.00	<0.01	<0.1
																				134425	128.50	129.50	1.00	<0.01	<0.1
																				134426	129.50	130.50	1.00	<0.01	<0.1
																				134427	130.50	131.50	1.00	<0.01	<0.1
																				134428	131.50	132.65	1.15	<0.01	<0.1
																				134429	132.65	133.50	0.85	<0.01	0.4
																				134430	133.50	134.50	1.00	<0.01	0.7
																				134431	134.50	135.50	1.00	0.07	1.8
																				134432	135.50	136.50	1.00	0.01	0.7
																				134433	136.50	137.50	1.00	<0.01	0.7
																				134434	137.50	138.50	1.00	0.02	1.7
																				134435	138.50	139.50	1.00	<0.01	0.6
																				134436	139.50	140.50	1.00	0.01	1.4
																				134437	140.50	141.50	1.00	0.18	0.6
																				134438	141.50	142.50	1.00	0.08	2.2
																				134439	142.50	143.50	1.00	0.2	2.7
																				134440	BLANK			<0.01	<0.1
																				134441	STD	PM405		0.27	0.8
																				134442	143.50	144.50	1.00	0.23	1.6
																				134443	144.50	145.50	1.00	0.17	1
																				134444	145.50	146.50	1.00	0.03	1.4
																				134445	146.50	147.50	1.00	0.13	1.9
																				134446	147.50	148.50	1.00	0.33	2.8
																				134447	148.50	149.50	1.00	0.09	1.8
																				134448	149.50	150.50	1.00	0.15	1.5
																				134449	150.50	151.50	1.00	0.94	3.1
																				134450	151.50	152.53	1.03	0.66	1.7
																				134451	152.53	153.50	0.97	0.01	1
																				134452	153.50	154.50	1.00	<0.01	0.4
																				134453	154.50	155.50	1.00	<0.01	0.2
																				134454	155.50	156.50	1.00	<0.01	1
																				134455	156.50	157.50	1.00	<0.01	1.7
																				134456	157.50	158.50	1.00	0.01	1.8
																				134457	158.50	159.50	1.00	0.12	0.8
																				134458	159.50	160.50	1.00	0.03	0.8
																				134459	160.50	161.50	1.00	0.06	1.3
																				134460	161.50	162.50	1.00	0.02	2.3
																				134461	162.50	163.34	0.84	<0.01	3.8
																				134462	163.34	164.30	0.96	0.03	1.6
																				134463	164.30	165.30	1.00	0.01	1.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				134464	165.30	166.30	1.00	<0.01	1.1
																				134465	166.30	167.30	1.00	0.03	1.9
																				134466	167.30	168.30	1.00	0.05	1.5
																				134467	168.30	169.30	1.00	0.01	1.1
																				134468	169.30	170.30	1.00	0.03	0.6
																				134469	170.30	171.30	1.00	0.01	1
																				134470	171.30	172.30	1.00	0.01	0.8
																				134471	172.30	173.30	1.00	0.04	1.3
																				134472	173.30	174.30	1.00	<0.01	1.6
																				134473	174.30	175.30	1.00	0.14	1
																				134474	175.30	176.30	1.00	0.06	0.5
																				134475	176.30	177.30	1.00	0.13	0.9
																				134476	177.30	178.30	1.00	0.68	1.2
																				134477	178.30	179.30	1.00	0.23	1.1
																				134478	179.30	180.30	1.00	0.28	1.3
																				134479	180.30	181.30	1.00	0.29	1.4
																				134480	181.30	182.30	1.00	0.06	4.5
																				134481	182.30	183.30	1.00	0.02	0.9
																				134482	183.30	184.30	1.00	0.07	3.6
																				134483	184.30	185.30	1.00	0.15	5.2
																				134484	185.30	186.30	1.00	0.55	4.3
																				134485	186.30	187.30	1.00	0.13	1.6
																				134486	187.30	188.30	1.00	0.07	0.6
																				134487	188.30	189.30	1.00	0.17	0.9
																				134488	189.30	190.30	1.00	1.65	2.4
																				134489	190.30	191.30	1.00	0.77	1.2
																				134490	191.30	192.30	1.00	0.36	1.6
																				134491	192.30	193.30	1.00	0.18	2.2
																				134492	193.30	194.30	1.00	0.2	1.6
																				134493	194.30	195.30	1.00	0.1	3.9
																				134494	195.30	196.30	1.00	0.07	2.8
																				134495	196.30	197.30	1.00	0.01	1.4
																				134496	197.30	198.30	1.00	<0.01	1
																				134497	198.30	199.30	1.00	<0.01	0.2
																				134498	199.30	200.30	1.00	0.13	1.8
																				134499	200.30	201.30	1.00	0.68	4.2
																				134500	BLANK			<0.01	<0.1
																				134501	201.30	202.30	1.00	0.66	5
																				134502	202.30	203.30	1.00	0.19	1.6
																				134503	203.30	204.30	1.00	<0.01	0.7
																				134504	204.30	205.30	1.00	0.07	1.5
																				134505	205.30	206.30	1.00	0.18	2.5
																				134506	206.30	207.30	1.00	<0.01	0.8

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				134507	207.30	208.30	1.00	0.14	1.9
																				134508	208.30	209.30	1.00	0.06	4
																				134509	209.30	210.30	1.00	0.13	4
																				134510	210.30	211.30	1.00	0.07	7.7
																				134511	211.30	212.30	1.00	0.15	8.2
																				134512	212.30	213.30	1.00	0.13	11.4
																				134513	213.30	214.30	1.00	0.69	9.8
																				134514	214.30	215.30	1.00	0.15	2
																				134515	215.30	216.30	1.00	0.1	2.2
																				134516	216.30	217.30	1.00	0.13	1
																				134517	217.30	218.30	1.00	0.11	0.4
																				134518	218.30	219.30	1.00	0.11	0.1
																				134519	219.30	220.30	1.00	0.31	0.5
																				134520	220.30	221.30	1.00	0.72	0.7
																				134521	221.30	222.30	1.00	0.05	3.4
																				134522	222.30	223.30	1.00	0.04	2.2
																				134523	223.30	224.30	1.00	0.42	5.9
																				134524	224.30	225.30	1.00	0.61	3.8
																				134525	225.30	226.30	1.00	2.92	12.8
																				134526	226.30	227.30	1.00	0.3	1.9
																				134527	227.30	228.30	1.00	0.57	2.1
																				134528	228.30	229.30	1.00	1.02	3.5
																				134529	229.30	230.30	1.00	5.7	7.3
																				134530	230.30	231.30	1.00	1.87	7.4
																				134531	231.30	232.30	1.00	14.65	29.6
																				134532	232.30	233.30	1.00	0.84	2.7
																				134533	233.30	234.30	1.00	0.77	3.2
																				134534	234.30	235.30	1.00	0.37	2.9
																				134535	235.30	236.30	1.00	0.77	3.2
																				134536	236.30	237.30	1.00	0.22	2.8
																				134537	237.30	238.30	1.00	0.59	2.4
																				134538	238.30	239.30	1.00	0.08	0.7
																				134539	239.30	240.30	1.00	0.32	2
																				134540	240.30	241.30	1.00	0.6	3.6
																				134541	241.30	242.30	1.00	6.16	6.5
																				134542	242.30	243.30	1.00	0.87	4.9
																				134543	243.30	244.30	1.00	1.44	2.6
																				134544	244.30	245.30	1.00	0.47	10.3
																				134545	245.30	246.34	1.04	0.26	3.8
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
14.94	87.7	-49.8
136.89	91.5	-44.8
264.94	96.9	-36.7

P09-043

Rambler - Middle pad of 3 Rambler holes.

UTM E (NAD 83): 436156	**Azimuth (deg):** 090	**Start:** Oct 2,2009
UTM N (NAD 83): 6219901	**Dip (deg):** -50	**Finish:** Oct 5, 2009
Elev (m): 1099	**Total Depth (m):** 273.78	**Logged by:** Sue Deane
Core Size: BQ	**Pad:** 27	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	3.04	OVB	CAS	**Casing**																134546	3.04	5.00	1.96	<0.01	0.7
																				134547	5.00	6.00	1.00	0.04	<0.1
3.04	40.67	9a	AXXX	**Andesite -** grey green fine grained andesite with weak to moderate quartz carbonate stockwork, weakly chloritic, .5% disseminated fine pyrite. Few veins with semi-massive pyrite. Rubbly and weakly rusty at top of hole.				2	1		2		1	0.5						134548	6.00	7.00	1.00	0.08	0.5
				3.04-10.7 - moderately rubbly and fractured with weak rusty and dark brown iron staining on fractures.									2							134549	7.00	8.00	1.00	<0.01	<0.1
				22.5-23.8 - intermittent quartz veining, some greccia textures, pyrite up to 10% in veining.				3						5						134550	8.00	9.00	1.00	<0.01	<0.1
				26.18-36.25 - moderate quartz stockwork at irregular orientations, some vuggy quartz with brown iron stain in vug.				3					1							134551	9.00	10.00	1.00	0.02	0.3
				Lower contact sharp 60 tca	LC	60														134552	10.00	11.00	1.00	0.03	0.6
																				134553	11.00	12.00	1.00	0.59	<0.1
40.67	41.02	22b	D/AN	**Andesite Dike -** dark grey blackish very fine grained, strongly magnetic, fine white flecks of calcite and fine pink fsps throughout no amygdules.																134554	12.00	13.00	1.00	<0.01	<0.1
				Lower contact 60 tca.	LC	60														134555	13.00	14.00	1.00	<0.01	<0.1
																				134556	14.00	15.00	1.00	<0.01	<0.1
41.02	61.50	9a	AXXX	**Andesite -** grey green fine grained homogenous andesite with weak quartz carbonate stockwork, moderately chloritic.				2			2									134557	15.00	16.00	1.00	<0.01	<0.1
				Lower contact sharp 60 tca.	LC	60														134558	16.00	17.00	1.00	<0.01	0.2
																				134559	17.00	18.00	1.00	0.29	0.6
61.50	64.05	22b	D/AN	**Andesite Dike -** fine grained grey magnetic dike with few fine white calcite flecks that may be amygdules. Lower contact is sharp and 70 tca.																					
					LC	70														134560	BLANK			<0.01	<0.1
																				134561	18.00	19.00	1.00	<0.01	0.2
64.05	108.17	9a	AXXX	**Andesite -** grey greenish fine grained homogenous andesite with weak quartz carbonate stockwork. Generally very fresh looking andesite overall. Texture grades in and out of weakly pophyritic (or possibly calcite filled amygduloidal texture). Silicified with red jasper veining as indicated.																134562	19.00	20.00	1.00	0.02	0.4
				94.05-99.18 - moderately silicifed as increased hardness. Weak stockwork, but main feature is grey silicification homogenously throughout. Intermittent quartz jasper veinlets and irregular bodies. Jasper is opaque red. 2% dissiminated pyrite through this zone.					3					2					jas	134563	20.00	21.00	1.00	0.01	0.6
				Lower contact sharp 40 tca.	LC	40														134564	21.00	22.00	1.00	<0.01	0.3
																				134565	22.00	23.00	1.00	<0.01	0.7
108.17	111.71	22b	D/AN	**Andesite Dike -** grey fine grained magnetic dike with a few fine calcite amygdules.																134566	23.00	24.00	1.00	0.01	2.4

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
				Lower contact sharp 70 tca.	LC	70														134567	24.00	25.00	1.00	<0.01	<0.1
																				134568	25.00	26.00	1.00	0.02	<0.1
111.71	112.45	22b	D/AN	**Mafic dike -** strongly magnetic dark grey black with fine calcite spots and fine pink fsp crystals throughout. Chill margin on this dike indicate it is younger than the previous one.																134569	26.00	27.00	1.00	0.02	0.9
				Lower contact sharp 40 tca.	LC	40														134570	27.00	28.00	1.00	0.01	1.2
																				134571	28.00	29.00	1.00	0.07	1
112.45	212.75	9a	AXXX	**Andesite -** grey fine grained andesite. Weak to moderate quartz carboante stockwork with increased areas as indicated. 2% fine to coarse grained pyrite disseminated. Weak to moderate silicification and increased hardness. Intermittent veinlets with red brown or pale sphalerite with pyrite and possible trace galena.				2	2		1			2	0.1	0.1				134572	29.00	30.00	1.00	0.03	4.7
				125.8 - gougy gravelly section, fault, no orientation, just a pile of pyritic sand and gouge.										5						134573	30.00	31.00	1.00	0.09	2.7
				125.9-129.17 - about 50% white and dark green quartz calcite chlorite veining. Coarse grained crystals of all components. No pyrite assoicated with this veining, but host has 3% disseminated. Irregular, but roughly 40 tca.	qtz cc chl vn	40								2						134574	31.00	32.00	1.00	0.12	2.8
				133.92-134.96 - strong quartz stockwork with fine pyrite sphalerite, trace galena. Sulfides are fine grained and sphalerite is generally pale wispy or dark grey. Zone irregular but roughly 30 tca.	qtz stkwk	30		4			2			4	0.5	3				134575	32.00	33.00	1.00	0.01	0.9
				134.96-179.65 - weak to moderate quartz carbonate stockwork and zones if increased silicification as increased hardness. Occasional grey microcrystaline grey cherty vein (significant due to historical cherty tuff model for mineralization, here chert is clearly veining). 2% medium grained disseminated pyrite. Some spotty texure to andesite as spots of faint calcite.				2	2					2						134576	33.00	34.00	1.00	0.05	1.3
				179.6-180.86 - strong quartz breccia with angular to rounded silicified andesite and quartz clasts in a grey and white qquartz matrix with minimal calcite. Some brownish dirty looking clasts (could these be barite? This is seen sometimes with veining on surface. ?)																134577	34.00	35.00	1.00	0.07	1.1
				180.86-195.04 - moderate to strong stockwork, silicification and brecciated sections. Some veining has pale pink dolomite crystals. Generally stockwork oriented at high angels to core axis (60-90). 3% fine disseminated pyrite. Some grey cherty veins and clasts. Trace dark brownish red sphalerite.	stckwk	80		4	3					3		0.1				134578	35.00	36.00	1.00	0.12	1
				195.04-200.75 - strong quartz calcite stockwork and breccia, cherty quartz in matrix. 2% fine disseminated pyrite, trace dark brown sphalerite as locallized clusters of crystals. Stockwork generally fairly high angle to core axis.	stckwk	70		5	4					2		0.1				134579	36.00	37.00	1.00	0.06	2.2
				200.75-212.75 - weak to moderate fine quartz stockwork with moderate silicification and increased hardness throughout. 2% fine disseminated pyrite, 1% fine veinlets of pale orangy brown sphalerite throughout.	stckwk	70		3	3					2		1				134580	37.00	38.00	1.00	<0.01	1.5
																				134581	38.00	39.00	1.00	<0.01	0.7
212.75	260.58	9Lt	ALXX	**Andesite Lapilli -** grey fine grained andesite with sub-angular to sub-rounded andesitic clasts in fine grained andesitic matrix. Clast are generally darker than matrix. Weak quartz carbonate stockwork.				1			2									134582	39.00	40.00	1.00	<0.01	1.8

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
				212.75-224 - 1% fine red brown sphalerite in stockwork.												1				134583	40.00	40.67	0.67	<0.01	0.9
				229.4-229.67 - grey white quartz calcite veining 55 tca with 1% fine pyrite and .5% pale sphalerite.				3						1		0.5				134584	40.67	41.02	0.35	<0.01	<0.1
				Below 229.7 veining drops off to weak quartz calcite stockwork roughly 80 tca. 3% medium to coarse grained euhedral pyrite disseminated in andesite.										3						134585	41.02	42.00	0.98	<0.01	1.1
				Lower contact gradational to andesite lacking clasts.																134586	42.00	43.00	1.00	<0.01	1.4
																				134587	43.00	44.00	1.00	<0.01	0.6
260.58	265.10	9a	AXXX	**Andesite -** grey green fine grained with few fine quartz calcite veinlets. 1% pyrite a localized clots with veinlets.				1			2			1						134588	44.00	45.00	1.00	<0.01	0.4
				Lower contact sharp 60 tca.	LC	60														134589	45.00	46.00	1.00	<0.01	0.6
																				134590	46.00	47.00	1.00	0.02	1.3
265.10	268.38	22c	D/AP	**Andesite Dike -** grey fine grained fsp porphyry dike with ghostly fsps and occasional small angular larger fsps. Weakly to moderately magnetic. Premier Porphyry? Margins not chilled.																134591	47.00	48.00	1.00	<0.01	0.7
				Lower contact sharp 55 tca.	LC	55														134592	48.00	49.00	1.00	<0.01	0.6
																				134593	49.00	50.00	1.00	<0.01	0.9
268.38	273.78	9a	AXXX	**Andesite -** grey green fine grained andesite with few fine quartz calcite veinlets.				1			2									134594	50.00	51.00	1.00	0.02	0.8
																				134595	51.00	52.00	1.00	1.19	7.9
				EOH - 273.78m - 898'																134596	52.00	53.00	1.00	0.42	3.5
																				134597	53.00	54.00	1.00	0.01	0.8
																				134598	54.00	55.00	1.00	<0.01	0.8
																				134599	55.00	56.00	1.00	<0.01	0.6
																				134600	56.00	57.00	1.00	<0.01	0.5
																				134601	57.00	58.00	1.00	<0.01	0.2
																				134602	58.00	59.00	1.00	<0.01	0.4
																				134603	59.00	60.00	1.00	<0.01	0.3
																				134604	60.00	61.50	1.50	<0.01	0.5
																				134605	61.50	62.50	1.00	0.01	<0.1
																				134606	62.50	64.05	1.55	<0.01	<0.1
																				134607	64.05	65.00	0.95	<0.01	<0.1
																				134608	65.00	66.00	1.00	0.01	0.3
																				134609	66.00	67.00	1.00	<0.01	0.4
																				134610	67.00	68.00	1.00	<0.01	1
																				134611	68.00	69.00	1.00	<0.01	0.6
																				134612	69.00	70.00	1.00	<0.01	0.7
																				134613	70.00	71.00	1.00	<0.01	0.6
																				134614	71.00	72.00	1.00	<0.01	0.3
																				134615	72.00	73.00	1.00	<0.01	0.2
																				134616	73.00	74.00	1.00	0.01	0.4
																				134617	74.00	75.00	1.00	0.01	0.3
																				134618	75.00	76.00	1.00	0.02	0.5
																				134619	76.00	77.00	1.00	<0.01	0.3
																				134620	77.00	78.00	1.00	0.01	1.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				134621	78.00	79.00	1.00	0.01	0.6
																				134622	79.00	80.00	1.00	<0.01	0.3
																				134623	80.00	81.00	1.00	<0.01	0.3
																				134624	81.00	82.00	1.00	0.01	0.5
																				134625	82.00	83.00	1.00	0.02	0.3
																				134626	83.00	84.00	1.00	0.02	0.4
																				134627	84.00	85.00	1.00	0.01	0.2
																				134628	85.00	86.00	1.00	0.01	0.4
																				134629	86.00	87.00	1.00	0.01	0.9
																				134630	87.00	88.00	1.00	0.01	1
																				134631	88.00	89.00	1.00	0.18	0.8
																				134632	89.00	90.00	1.00	0.03	0.7
																				134633	90.00	91.00	1.00	<0.01	0.4
																				134634	91.00	92.00	1.00	0.01	0.5
																				134635	92.00	93.00	1.00	0.01	0.3
																				134636	93.00	94.00	1.00	0.01	0.6
																				134637	94.00	95.00	1.00	0.01	0.7
																				134638	95.00	96.00	1.00	0.31	1.1
																				134639	96.00	97.00	1.00	0.18	0.8
																				134640	BLANK			<0.01	0.9
																				134641	97.00	98.00	1.00	<0.01	0.7
																				134642	98.00	98.60	0.60	0.23	1.2
																				134643	98.60	99.20	0.60	0.12	1.1
																				134644	99.20	100.20	1.00	0.01	0.8
																				134645	100.20	101.20	1.00	0.01	1.1
																				134646	101.20	102.20	1.00	<0.01	0.7
																				134647	102.20	103.20	1.00	0.03	0.6
																				134648	103.20	104.00	0.80	0.03	0.7
																				134649	104.00	104.80	0.80	0.01	0.7
																				134650	104.80	105.40	0.60	<0.01	<0.1
																				134651	105.40	106.40	1.00	<0.01	0.6
																				134652	106.40	107.40	1.00	<0.01	0.7
																				134653	107.40	108.17	0.77	0.02	0.6
																				134654	108.17	109.20	1.03	<0.01	<0.1
																				134655	109.20	110.20	1.00	<0.01	<0.1
																				134656	110.20	111.20	1.00	<0.01	<0.1
																				134657	111.20	111.71	0.51	0.01	<0.1
																				134658	111.71	112.45	0.74	<0.01	<0.1
																				134659	112.45	113.40	0.95	0.02	0.6
																				134660	113.40	114.40	1.00	0.02	0.5
																				134661	114.40	115.40	1.00	0.04	1.1
																				134662	115.40	116.40	1.00	0.02	1
																				134663	116.40	117.40	1.00	0.01	0.6

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				134664	117.40	118.40	1.00	0.03	0.5
																				134665	118.40	119.40	1.00	0.02	0.7
																				134666	119.40	120.40	1.00	0.08	0.6
																				134667	120.40	121.40	1.00	0.25	1.1
																				134668	121.40	122.40	1.00	0.56	2.3
																				134669	122.40	123.40	1.00	0.17	1.7
																				134670	123.40	124.40	1.00	1	3
																				134671	124.40	125.40	1.00	0.15	2.7
																				134672	125.40	125.90	0.50	0.36	3
																				134673	125.90	126.90	1.00	0.02	1.8
																				134674	126.90	127.90	1.00	0.11	2.4
																				134675	127.90	128.90	1.00	0.01	2.2
																				134676	128.90	129.90	1.00	0.06	1.9
																				134677	129.90	130.90	1.00	1.7	4.6
																				134678	130.90	131.90	1.00	0.78	6
																				134679	131.90	132.90	1.00	0.08	1.7
																				134680	132.90	133.90	1.00	0.16	2.3
																				134681	133.90	135.00	1.10	2.79	17.2
																				134682	BLANK			<0.01	0.9
																				134683	STD	PM427		3.56	2.2
																				134684	135.00	136.00	1.00	0.17	1.3
																				134685	136.00	137.00	1.00	0.65	1.9
																				134686	137.00	138.00	1.00	0.11	1.4
																				134687	138.00	139.00	1.00	0.1	1.6
																				134688	139.00	140.00	1.00	0.02	1.3
																				134689	140.00	141.00	1.00	0.06	1.2
																				134690	141.00	142.00	1.00	0.03	1
																				134691	142.00	143.00	1.00	0.02	1.2
																				134692	143.00	144.00	1.00	0.04	1.4
																				134693	144.00	145.00	1.00	0.04	1.3
																				134694	145.00	146.00	1.00	0.01	1
																				134695	146.00	147.00	1.00	0.02	1
																				134696	147.00	148.00	1.00	0.03	1.3
																				134697	148.00	149.00	1.00	0.02	1.4
																				134698	149.00	150.00	1.00	0.2	2.6
																				134699	150.00	151.00	1.00	0.06	1.5
																				134700	BLANK			<0.01	<0.1
																				134701	151.00	152.00	1.00	0.02	1
																				134702	152.00	153.00	1.00	0.03	2
																				134703	153.00	154.00	1.00	0.01	0.7
																				134704	154.00	155.00	1.00	0.01	0.5
																				134705	155.00	156.00	1.00	0.02	0.8
																				134706	156.00	157.00	1.00	0.04	1.2

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				134707	157.00	158.00	1.00	0.07	1.8
																				134708	158.00	159.00	1.00	0.06	2.1
																				134709	159.00	160.00	1.00	0.06	2.1
																				134710	160.00	161.00	1.00	0.07	2
																				134711	161.00	162.00	1.00	0.02	0.9
																				134712	162.00	163.00	1.00	0.04	1.5
																				134713	163.00	164.00	1.00	0.03	0.9
																				134714	164.00	165.00	1.00	0.02	1
																				134715	165.00	166.00	1.00	0.04	1
																				134716	166.00	167.00	1.00	<0.01	0.4
																				134717	167.00	168.00	1.00	0.05	0.8
																				134718	168.00	169.00	1.00	0.22	1
																				134719	169.00	170.00	1.00	0.01	0.8
																				134720	170.00	171.00	1.00	0.48	3.4
																				134721	171.00	172.00	1.00	0.03	0.6
																				134722	172.00	173.00	1.00	0.05	1.2
																				134723	173.00	174.00	1.00	0.3	2.2
																				134724	174.00	175.00	1.00	0.19	2.3
																				134725	175.00	176.00	1.00	0.11	1.5
																				134726	176.00	177.00	1.00	0.97	3.2
																				134727	177.00	178.00	1.00	0.12	1.8
																				134728	178.00	179.00	1.00	0.06	1.3
																				134729	179.00	179.60	0.60	0.08	1.9
																				134730	179.60	180.20	0.60	0.14	2.2
																				134731	180.20	180.86	0.66	0.08	2
																				134732	180.86	181.80	0.94	0.06	2.1
																				134733	181.80	182.80	1.00	0.07	1.8
																				134734	182.80	183.80	1.00	0.04	1.2
																				134735	183.80	184.80	1.00	0.03	1.3
																				134736	184.80	185.80	1.00	0.06	1.7
																				134737	185.80	186.80	1.00	0.14	1.6
																				134738	186.80	187.80	1.00	0.07	2.2
																				134739	187.80	188.80	1.00	0.12	1.1
																				134740	188.80	189.80	1.00	0.13	1.8
																				134741	189.80	190.80	1.00	0.07	1.7
																				134742	190.80	191.80	1.00	0.35	2.8
																				134743	191.80	192.80	1.00	0.16	2.9
																				134744	192.80	193.80	1.00	0.14	1.6
																				134745	193.80	194.80	1.00	0.27	1.2
																				134746	194.80	195.80	1.00	0.52	1.8
																				134747	195.80	196.80	1.00	0.58	2.4
																				134748	196.80	197.80	1.00	0.33	1.1
																				134749	197.80	198.80	1.00	0.16	1.2

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				134750	198.80	199.80	1.00	0.19	1
																				134751	199.80	200.80	1.00	0.24	1.4
																				134752	200.80	201.80	1.00	0.2	1
																				134753	201.80	202.80	1.00	0.14	1.8
																				134754	202.80	203.80	1.00	0.44	1.5
																				134755	203.80	204.80	1.00	0.2	1.3
																				134756	204.80	205.80	1.00	0.61	2.6
																				134757	205.80	206.80	1.00	0.77	4.2
																				134758	206.80	207.80	1.00	0.13	2
																				134759	207.80	208.80	1.00	0.15	1.6
																				134760	BLANK			<0.01	<0.1
																				134761	208.80	209.80	1.00	0.27	1.7
																				134762	209.80	210.80	1.00	0.41	2.2
																				134763	210.80	211.80	1.00	0.53	1.2
																				134764	211.80	212.75	0.95	0.34	2.7
																				134765	212.75	213.70	0.95	0.16	1.7
																				134766	213.70	214.70	1.00	0.09	2.6
																				134767	214.70	215.70	1.00	0.09	2.6
																				134768	215.70	216.70	1.00	0.13	2.6
																				134769	216.70	217.70	1.00	0.04	5.5
																				134770	217.70	218.70	1.00	0.12	2.4
																				134771	218.70	219.70	1.00	0.02	4.4
																				134772	219.70	220.70	1.00	0.01	7.7
																				134773	220.70	221.70	1.00	0.06	1.5
																				134774	221.70	222.70	1.00	0.01	1.5
																				134775	222.70	223.70	1.00	0.04	2.4
																				134776	223.70	224.70	1.00	0.02	3.2
																				134777	224.70	225.70	1.00	0.01	2.3
																				134778	225.70	226.70	1.00	0.01	1.6
																				134779	226.70	227.70	1.00	0.03	3.2
																				134780	227.70	228.70	1.00	0.02	1.5
																				134781	228.70	229.70	1.00	0.13	2.4
																				134782	229.70	230.70	1.00	0.05	1.7
																				134783	230.70	231.70	1.00	0.03	1.3
																				134784	231.70	232.70	1.00	0.04	1.5
																				134785	232.70	233.70	1.00	0.01	1.4
																				134786	233.70	234.70	1.00	0.1	2.9
																				134787	234.70	235.70	1.00	6.65	7.9
																				134788	235.70	236.70	1.00	0.03	1.3
																				134789	236.70	237.70	1.00	<0.01	1.5
																				134790	237.70	238.70	1.00	<0.01	1.1
																				134791	238.70	239.70	1.00	0.02	1.1
																				134792	239.70	240.70	1.00	0.1	1.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				134793	240.70	241.70	1.00	0.13	1.2
																				134794	241.70	242.70	1.00	0.1	1.9
																				134795	242.70	243.70	1.00	0.05	1.1
																				134796	243.70	244.70	1.00	0.04	1.1
																				134797	244.70	245.70	1.00	0.05	1.4
																				134798	245.70	246.70	1.00	0.03	0.9
																				134799	246.70	247.70	1.00	<0.01	1
																				134800	247.70	248.70	1.00	0.01	1
																				134801	248.70	249.70	1.00	0.04	1
																				134802	249.70	250.70	1.00	0.05	1.4
																				134803	250.70	251.70	1.00	0.02	0.9
																				134804	251.70	252.70	1.00	<0.01	1
																				134805	252.70	253.70	1.00	0.02	1
																				134806	253.70	254.70	1.00	0.01	1
																				134807	254.70	255.70	1.00	<0.01	0.6
																				134808	255.70	256.70	1.00	<0.01	0.6
																				134809	256.70	257.70	1.00	0.02	1.1
																				134810	257.70	258.70	1.00	<0.01	1.6
																				134811	258.70	259.70	1.00	<0.01	1.6
																				134812	259.70	260.58	0.88	<0.01	1.2
																				134813	260.58	261.70	1.12	0.02	1.5
																				134814	261.70	262.70	1.00	0.01	1.6
																				134815	262.70	263.70	1.00	0.02	0.8
																				134816	263.70	264.70	1.00	0.01	0.9
																				134817	264.70	265.10	0.40	0.01	1.1
																				134818	265.10	266.10	1.00	<0.01	<0.1
																				134819	266.10	267.10	1.00	<0.01	<0.1
																				134820	267.10	268.00	0.90	<0.01	<0.1
																				134821	268.00	268.38	0.38	<0.01	<0.1
																				134822	268.38	269.30	0.92	<0.01	0.8
																				134823	269.30	270.30	1.00	<0.01	0.9
																				134824	270.30	271.30	1.00	<0.01	0.9
																				134825	271.30	272.30	1.00	0.01	1.3
																				134826	272.30	273.78	1.48	<0.01	1.4
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
15.24	88.3	-48.7
126.83	92.2	-42.3
242.68	93.6	-34.8

P09-044

Rambler - South pad of 3 Rambler holes.

UTM E (NAD 83): 436083	**Azimuth (deg):** 090	**Start:** Oct 6,2009
UTM N (NAD 83): 6219562	**Dip (deg):** -50	**Finish:** Oct 9, 2009
Elev (m): 1040	**Total Depth (m):** 254.88	**Logged by:** Sue Deane
Core Size: BQ	**Pad:** 28	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	3.04	OVB	CAS	**Casing**																134827	3.04	3.50	0.46	<0.01	<0.1
																				134828	3.50	4.50	1.00	<0.01	0.5
3.04	3.50	22c	D/AP	**Mafic Dike -** Dark grey black dike, very magnetic, fine white and pink calcite and fsps spots.																134829	4.50	5.50	1.00	<0.01	0.5
				Lower contact sharp and irregular.																134830	5.50	6.50	1.00	0.03	0.9
																				134831	6.50	7.50	1.00	<0.01	0.6
3.50	19.50	9Lt	ALXX	**Andesite Lapilli -** grey green fine grained andesitic lapilli with sub-rounded to sub-angular clasts of mixed andesitic texture. Many fsp pophyritic clasts. Weak quartz calcite stockwork. Weak sericite intermittently throughout. Pyrite up to 5% as medium to coarse grained clots and disseminated throughout.			1	2			2			2						134832	7.50	8.50	1.00	0.01	0.6
				9.45-9.8 - strong pyrite as coarse grained clusters.										7						134833	8.50	9.50	1.00	0.13	1
				12.5-13 - weakly sericitic and rubbly with rust staining on fractures.			2						2							134834	9.50	10.50	1.00	0.01	1.5
19.50	115.83	9a	AXXX	**Andesite -** grey green pale beige, fine grained, homogenous with some spotty calcite texture and weak calcite amygdules in irregular shapes, intermittent sericite beige and quartz alteration, weak quartz carbonate stockwork.			3	2	1		2		1	2						134835	10.50	11.50	1.00	<0.01	0.5
				25.9-27.22 - strong beige sericite stain.			4													134836	11.50	12.50	1.00	<0.01	0.4
				27.53-27.8 - fault gouge and fault breccia roughly 85 tca.	flt	85														134837	12.50	13.50	1.00	<0.01	0.6
				27.8-31.2 - moderate sericite alteration, with some rusty rubble, fine pyrite bands 75 tca. 30.5-31.0 - quartz veining with 7% pyrite as medium to coarse grained clusters with quartz.	py vns	75	3	1						3						134838	13.50	14.50	1.00	0.01	0.6
				33.6-36 - sericite staining with moderate quartz stockwork, 4% disseminated pyrite.			3	2	2					4						134839	14.50	15.50	1.00	<0.01	0.4
				34.4-34.87 - irregualr quartz calcite veining with 5% fine pyrite, 1% fine galena, .5% orangy brown sphalerite.				3	2					5	1	0.5				134840	15.50	16.50	1.00	<0.01	0.4
				40.7-41.5 - rubbly and weakly sericite bleached			2													134841	16.50	17.50	1.00	<0.01	0.2
				47.6-48 - quartz veining and messy sheared lookinng texture with 3% fine pyrite.	qtz vn	35	2	2	2					3						134842	17.50	18.50	1.00	<0.01	0.3
				64.63 - 4cm blob of bright red jasper with some quartz and calcite.															jas	134843	18.50	19.50	1.00	<0.01	0.4
				70.2-84.7 - generally blocky with very planar fractures 30-50 tca.	fxs	40														134844	19.50	20.50	1.00	<0.01	0.4
				79.8-81.4 - very blocky with weak rust on fracture surfaces.									2							134845	20.50	21.50	1.00	0.01	1
				87.4-96.22 - weak quartz calcite epidote stockwork with veinlets banded with epidote mostly on margins.Moderate chlorite throughout.				2			3	3								134846	21.50	22.50	1.00	<0.01	0.4
				108.6-115.85 - moderate to strong quartz calcite epidote chlorite veining. Irregular blebby veins with coarse grained chlorite and epidote crystals. 1-2% pyrite mostly in host, but a few crystals in veining.				3			3	3		2						134847	22.50	23.50	1.00	<0.01	0.8

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
				Some smaller zones of calcite amygdules, irregular and strained looking, but not very wide, and look to be irregualr zones within the massive andesite. The unit below is wider and more consistent, but the contact between this unit and the one below is gradational so amygdules look to be part of the same flow.																134848	23.50	24.50	1.00	<0.01	0.6
																				134849	24.50	25.50	1.00	<0.01	0.6
115.83	134.05	9a	AXXX	**Amygduloidal Andesite -** grey green fine grained andesite basalt with abundant <cm scale irregular shaped calcite filled amygdules. Weak calcite quartz stockwork. Moderately chloritic.				2			3									134850	25.50	26.50	1.00	<0.01	0.7
				131.5-132.7 - moderate foliation to amygdules 35 tca.	fol	35														134851	26.50	27.50	1.00	0.01	0.4
																				134852	27.50	28.50	1.00	0.02	0.8
134.05	166.60	9a	AXXX	**Andesite -** grey green fine grained with intermittent weak porphyritic texture and calcitic amygdules. Weak quartz calcite stockwork . 2% medium grained pyrite disseminated. Moderately chloritic with some weakly bleached sericitic zones.			1	2			2			2						134853	28.50	29.50	1.00	0.02	1
				143.2-143.5 - rubble with weak rust staining on fractures.									2							134854	29.50	30.50	1.00	0.03	1.5
				154.6-154.9 - quartz calcite veining and fine stockwork overall 30 tca.	stkwk	30		3												134855	30.50	31.00	0.50	0.23	3.1
				162.75-166.6 - coarse texture looke like lapilli here, but may be porphyritic andesite with grey cherty silica flooding as fine grained irregular patches.					2											134856	31.00	31.60	0.60	0.02	0.8
				Lower contact sharp 22 tca	LC	22														134857	31.60	32.60	1.00	0.01	0.8
																				134858	32.60	33.60	1.00	0.01	0.8
166.60	169.33	22c	D/AP	**Andesite Amygduloidal Porphyritic Dike -** grey green fine grained groundmass with abundant chloritic hornblend blades and ghostly fsps and calcite amygdules.																134859	33.60	34.30	0.70	0.04	5
				Lower contact sharp 55 tca.	LC	55														134860	34.30	35.00	0.70	0.12	16.9
																				134861	35.00	36.00	1.00	0.04	1.2
169.33	194.00	9a	AXXX	**Andesite -** grey green medium grained andesite withmoderate quartz carbonate stockwork. Moderately chloritic with zones of weak sericite staining. Weakly foliated 65 tca. 3% disseminated pyrite.			1	2			2			3						134862	36.00	37.00	1.00	0.02	0.8
				174.16-176.5 - weak sericite as pale beige bleaching. Weakly silicifed and moderately blocky.			2	3	2											134863	37.00	38.00	1.00	0.06	0.9
				176-176.5 - white barren looking quartz carbonate chlorite veining.				4			3									134864	38.00	39.00	1.00	0.02	0.8
				177.87-181.81 - weak beige sericite staining with few creamy quartz carbonate veinlets.			3	2												134865	39.00	40.00	1.00	0.03	0.7
				183.34-183.52 - fault gouge with fine pyrite. Broken brittle breccia with fault gouge.	flt gg	65														134866	40.00	41.00	1.00	0.04	1.2
				191.57 - cm scale red brown sphalerite veinlet 40 tca.	sph vnlt	40										2				134867	41.00	42.00	1.00	<0.01	0.5
				192.3 - few fine red brown sphalerite seams with calcite and quartz.												1				134868	42.00	43.00	1.00	0.01	0.8
				Lower contact sharp but sheared and rubbly.																134869	43.00	44.00	1.00	<0.01	0.6
																				134870	44.00	45.00	1.00	<0.01	0.4
194.00	197.13	22c	D/AP	**Andesite Dike, Amygduloidal and Porphyritic -** grey green fine grained groundmass with abundant rounded amygdules and hornblend and fsps phenocrysts.																134871	45.00	46.00	1.00	0.01	0.5
				Few quart calcite veinlets.																134872	46.00	47.00	1.00	0.01	0.4
				Lower contact sharp 45 tca.																134873	47.00	47.60	0.60	<0.01	0.8

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
																				134874	47.60	48.00	0.40	0.08	3.5
197.13	200.67	9a	AXXX	**Andesite -** grey green fine grained with weak quartz calcite stockwork and moderately rubbly.				2			2									134875	48.00	49.00	1.00	0.01	0.9
				Lower contact sharp 42 tca.	LC	42														134876	49.00	50.00	1.00	<0.01	0.8
																				134877	50.00	51.00	1.00	<0.01	0.8
200.67	203.36	22c	D/AP	**Andesite Dike, Amygduloidal and Porphyritic -** grey green fine grained groundmass with abundant rounded amygdules and hornblend and fsps phenocrysts.																134878	51.00	52.00	1.00	0.01	1
				Lower contact sharp 30 tca.	LC	30														134879	52.00	53.00	1.00	0.01	0.8
																				134880	BLANK			<0.01	0.6
203.36	228.00	9a	AXXX	**Andesite -** grey green fine grained with weak to moderate quartz calcite carbonate stockwork. Moderately chloritic. Wide zone of strongly brecciated silicified pyritic rock as indicated.				3			3			2						134881	53.00	54.00	1.00	0.03	0.5
				Some coarse grained pyrite clots disseminated in andesite.																134882	54.00	55.00	1.00	<0.01	0.5
				214.64-225.2 - strong silicification and quartz stockwork. Stockwork is dominantly at 70-75 tca. Andesite through this zone is grey green with strong pyrite. 5% pyrite throughout with stronger zones locally. Trace sphalerite throughout. Some grey cherty veinlets cutting across stockwork (no evidence of a cherty tuff layer).	stkwk	70	3	4	4		3			5		0.1				134883	55.00	56.00	1.00	<0.01	0.5
				225.2-226.2 - quartz calcite veining with 7% fine pyrite, trace galena and possibly trace of native silver.				4	4		3			7	0.1				Ag?	134884	56.00	57.00	1.00	0.01	0.6
				227.25-228 - rubbly and broken																134885	57.00	58.00	1.00	<0.01	0.6
																				134886	58.00	59.00	1.00	<0.01	0.7
228.00	247.20	9Lt	ALXX	**Andesite Lapilli -** dark grey green fine grained with dark sub-angular clasts in a very fine matrix. Moderate fine quartz calcite stockwork through this zone, and weakly silicified. Generally common red brown sphalerite in veinlets and trace of galena. Zone as indicated at the top of this zone with po and cpy.				3	2		2			2	0.1	0.3				134887	59.00	60.00	1.00	<0.01	0.4
				228-228.8 - fine irregular veinlets with galena, sphalerite, pyrrhotite, pyrite and fine chalcopyrite.										2	0.2	0.2	0.2	0.1		134888	60.00	61.00	1.00	<0.01	0.4
				242.25-244.5 - few fine irregular quartz calcite veinlets with very fine grey sphalerite, fine galena and pyrite. The sphalerite (?) is very soft, possibly another mineral?).										1	1	1				134889	61.00	62.00	1.00	<0.01	0.4
				242.2-247.2 - moderate sericite staining as pale beige and pale green gradational patches throughout.																134890	62.00	63.00	1.00	<0.01	0.5
				Lower contact sharp 70 tca.	LC	70														134891	63.00	64.00	1.00	<0.01	0.4
																				134892	64.00	65.00	1.00	<0.01	0.4
247.20	254.88	9Lt	ALXX	**Andesite and mudstone lapilli -** dark grey blackish fine grained matrix with sub-angular andesitic and porphyritic clasts. Moderate fine horsetail quartz calcite stockwork.																134893	65.00	66.00	1.00	0.01	0.5
																				134894	66.00	67.00	1.00	<0.01	0.6
																				134895	67.00	68.00	1.00	0.01	0.5
				EOH - 254.88m - 836'																134896	68.00	69.00	1.00	0.04	3.3
																				134897	69.00	70.00	1.00	0.01	0.9
																				134898	70.00	71.00	1.00	0.01	0.6
																				134899	71.00	72.00	1.00	<0.01	7
																				134900	72.00	73.00	1.00	<0.01	6.9

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				134901	73.00	74.00	1.00	0.01	2.5
																				134902	74.00	75.00	1.00	<0.01	1.3
																				134903	75.00	76.00	1.00	<0.01	1.9
																				134904	76.00	77.00	1.00	<0.01	1.1
																				134905	77.00	78.00	1.00	<0.01	0.5
																				134906	78.00	79.00	1.00	<0.01	1.7
																				134907	79.00	80.00	1.00	<0.01	1
																				134908	80.00	81.00	1.00	0.01	<0.1
																				134909	81.00	82.00	1.00	<0.01	<0.1
																				134910	82.00	83.00	1.00	<0.01	<0.1
																				134911	83.00	84.00	1.00	0.02	<0.1
																				134912	84.00	85.00	1.00	0.01	0.5
																				134913	85.00	86.00	1.00	0.01	0.8
																				134914	86.00	87.00	1.00	0.01	<0.1
																				134915	87.00	88.00	1.00	0.09	0.4
																				134916	88.00	89.00	1.00	0.47	1
																				134917	89.00	90.00	1.00	0.08	1.6
																				134918	90.00	91.00	1.00	0.11	2.4
																				134919	91.00	92.00	1.00	0.09	0.9
																				134920	92.00	93.00	1.00	0.01	<0.1
																				134921	93.00	94.00	1.00	0.07	<0.1
																				134922	94.00	95.00	1.00	0.02	<0.1
																				134923	95.00	96.00	1.00	0.02	<0.1
																				134924	96.00	97.00	1.00	0.19	<0.1
																				134925	97.00	98.00	1.00	0.07	<0.1
																				134926	98.00	99.00	1.00	0.09	<0.1
																				134927	99.00	100.00	1.00	0.02	<0.1
																				134928	100.00	101.00	1.00	0.01	<0.1
																				134929	101.00	102.00	1.00	0.01	<0.1
																				134930	102.00	103.00	1.00	0.01	<0.1
																				134931	103.00	104.00	1.00	0.01	<0.1
																				134932	104.00	105.00	1.00	<0.01	<0.1
																				134933	105.00	106.00	1.00	0.02	<0.1
																				134934	106.00	107.00	1.00	0.05	<0.1
																				134935	107.00	108.00	1.00	0.03	<0.1
																				134936	108.00	109.00	1.00	0.02	<0.1
																				134937	109.00	110.00	1.00	0.01	<0.1
																				134938	110.00	111.00	1.00	0.01	<0.1
																				134939	111.00	112.00	1.00	0.01	<0.1
																				134940	112.00	113.00	1.00	0.01	<0.1
																				134941	113.00	114.00	1.00	0.01	<0.1
																				134942	114.00	115.00	1.00	<0.01	<0.1
																				134943	115.00	115.83	0.83	<0.01	<0.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				134944	115.83	116.80	0.97	0.01	<0.1
																				134945	116.80	117.80	1.00	<0.01	<0.1
																				134946	117.80	118.80	1.00	<0.01	<0.1
																				134947	118.80	119.80	1.00	<0.01	<0.1
																				134948	119.80	120.80	1.00	<0.01	<0.1
																				134949	120.80	121.80	1.00	<0.01	<0.1
																				134950	121.80	122.80	1.00	<0.01	<0.1
																				134951	122.80	123.80	1.00	<0.01	<0.1
																				134952	123.80	124.80	1.00	<0.01	<0.1
																				134953	124.80	125.80	1.00	<0.01	<0.1
																				134954	125.80	126.80	1.00	<0.01	<0.1
																				134955	126.80	127.80	1.00	<0.01	<0.1
																				134956	127.80	128.80	1.00	<0.01	<0.1
																				134957	128.80	129.80	1.00	<0.01	<0.1
																				134958	129.80	130.80	1.00	<0.01	<0.1
																				134959	130.80	131.80	1.00	<0.01	<0.1
																				134960	131.80	132.80	1.00	0.01	<0.1
																				134961	132.80	133.80	1.00	<0.01	<0.1
																				134962	133.80	134.80	1.00	<0.01	<0.1
																				134963	134.80	135.80	1.00	0.01	<0.1
																				134964	135.80	136.80	1.00	<0.01	<0.1
																				134965	136.80	137.80	1.00	0.01	<0.1
																				134966	137.80	138.80	1.00	<0.01	<0.1
																				134967	138.80	139.80	1.00	0.01	<0.1
																				134968	139.80	140.80	1.00	0.01	<0.1
																				134969	140.80	141.80	1.00	<0.01	<0.1
																				134970	141.80	142.80	1.00	0.01	<0.1
																				134971	142.80	143.80	1.00	0.01	<0.1
																				134972	143.80	144.80	1.00	0.01	<0.1
																				134973	144.80	145.80	1.00	0.01	<0.1
																				134974	145.80	146.80	1.00	<0.01	<0.1
																				134975	146.80	147.80	1.00	<0.01	<0.1
																				134976	147.80	148.80	1.00	0.02	<0.1
																				134977	148.80	149.80	1.00	<0.01	<0.1
																				134978	149.80	150.80	1.00	<0.01	<0.1
																				134979	150.80	151.80	1.00	<0.01	0.3
																				134980	BLANK			<0.01	<0.1
																				134981	151.80	152.80	1.00	<0.01	<0.1
																				134982	152.80	153.80	1.00	<0.01	<0.1
																				134983	153.80	154.80	1.00	<0.01	<0.1
																				134984	154.80	155.80	1.00	<0.01	<0.1
																				134985	155.80	156.80	1.00	0.14	1
																				134986	156.80	157.80	1.00	<0.01	<0.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				134987	157.80	158.80	1.00	<0.01	<0.1
																				134988	158.80	159.80	1.00	<0.01	<0.1
																				134989	159.80	160.80	1.00	<0.01	<0.1
																				134990	160.80	161.80	1.00	<0.01	<0.1
																				134991	161.80	162.80	1.00	0.01	<0.1
																				134992	162.80	163.80	1.00	0.03	<0.1
																				134993	163.80	164.80	1.00	0.04	<0.1
																				134994	164.80	165.80	1.00	0.02	<0.1
																				134995	165.80	166.60	0.80	0.03	<0.1
																				134996	166.60	167.60	1.00	<0.01	<0.1
																				134997	167.60	168.60	1.00	<0.01	<0.1
																				134998	168.60	169.33	0.73	<0.01	<0.1
																				134999	169.33	170.30	0.97	0.02	0.4
																				135000	170.30	171.30	1.00	0.03	0.6
																				135001	171.30	172.30	1.00	<0.01	<0.1
																				135002	172.30	173.30	1.00	<0.01	<0.1
																				135003	173.30	174.30	1.00	0.01	<0.1
																				135004	174.30	175.30	1.00	0.04	0.1
																				135005	175.30	176.30	1.00	<0.01	<0.1
																				135006	176.30	177.30	1.00	0.03	0.1
																				135007	177.30	178.30	1.00	<0.01	0.3
																				135008	178.30	179.30	1.00	<0.01	<0.1
																				135009	179.30	180.30	1.00	<0.01	<0.1
																				135010	180.30	181.30	1.00	<0.01	<0.1
																				135011	181.30	182.30	1.00	<0.01	<0.1
																				135012	182.30	183.30	1.00	<0.01	<0.1
																				135013	183.30	184.30	1.00	<0.01	<0.1
																				135014	184.30	185.30	1.00	<0.01	0.1
																				135015	185.30	186.30	1.00	<0.01	<0.1
																				135016	186.30	187.30	1.00	<0.01	<0.1
																				135017	187.30	188.30	1.00	<0.01	<0.1
																				135018	188.30	189.30	1.00	<0.01	<0.1
																				135019	189.30	190.30	1.00	<0.01	<0.1
																				135020	190.30	191.30	1.00	0.01	<0.1
																				135021	191.30	192.30	1.00	0.03	0.2
																				135022	192.30	193.30	1.00	<0.01	0.1
																				135023	193.30	194.00	0.70	0.01	<0.1
																				135024	194.00	195.00	1.00	<0.01	<0.1
																				135025	195.00	196.00	1.00	0.01	<0.1
																				135026	196.00	197.13	1.13	<0.01	<0.1
																				135027	197.13	198.10	0.97	0.02	<0.1
																				135028	198.10	199.10	1.00	0.02	<0.1
																				135029	199.10	200.10	1.00	<0.01	<0.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				135030	200.10	200.67	0.57	0.01	<0.1
																				135031	200.67	201.60	0.93	<0.01	<0.1
																				135032	201.60	202.40	0.80	<0.01	<0.1
																				135033	202.40	203.36	0.96	0.01	<0.1
																				135034	203.36	204.30	0.94	0.02	<0.1
																				135035	204.30	205.30	1.00	0.01	<0.1
																				135036	205.30	206.30	1.00	<0.01	<0.1
																				135037	206.30	207.30	1.00	0.01	<0.1
																				135038	207.30	208.30	1.00	0.01	<0.1
																				135039	208.30	209.30	1.00	0.02	<0.1
																				135040	209.30	210.30	1.00	0.01	<0.1
																				135041	210.30	211.30	1.00	0.01	<0.1
																				135042	211.30	212.30	1.00	0.02	<0.1
																				135043	212.30	213.30	1.00	0.02	<0.1
																				135044	213.30	214.30	1.00	0.06	<0.1
																				135045	214.30	214.64	0.34	0.24	<0.1
																				135046	214.64	215.60	0.96	1.12	0.8
																				135047	215.60	216.60	1.00	1.26	3.9
																				135048	216.60	217.60	1.00	0.45	5.9
																				135049	217.60	218.60	1.00	1.31	1.7
																				135050	218.60	219.60	1.00	0.51	1.9
																				135051	219.60	220.60	1.00	0.85	0.3
																				135052	220.60	221.60	1.00	2.13	0.9
																				135053	221.60	222.60	1.00	2.88	2.1
																				135054	222.60	223.60	1.00	1.35	2.3
																				135055	223.60	224.60	1.00	1.02	2.7
																				135056	224.60	225.20	0.60	0.93	2
																				135057	225.20	225.70	0.50	0.76	5.1
																				135058	225.70	226.20	0.50	1.92	12
																				135059	226.20	227.20	1.00	2.94	8
																				135060	BLANK			0.01	0.1
																				135061	227.20	228.10	0.90	0.31	5.3
																				135062	228.10	228.60	0.50	0.64	10.3
																				135063	228.60	229.10	0.50	0.65	10.8
																				135064	229.10	230.10	1.00	0.96	2
																				135065	230.10	231.10	1.00	0.16	3.1
																				135066	231.10	232.10	1.00	0.27	3.1
																				135067	232.10	233.10	1.00	0.08	2
																				135068	233.10	234.10	1.00	0.21	2.6
																				135069	234.10	235.10	1.00	0.12	3.1
																				135070	235.10	236.10	1.00	0.16	2.1
																				135071	236.10	237.10	1.00	0.08	1.5
																				135072	237.10	238.10	1.00	0.19	2.9

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				135073	238.10	239.10	1.00	0.36	3.9
																				135074	239.10	240.10	1.00	0.31	16.4
																				135075	240.10	241.10	1.00	0.71	15.9
																				135076	241.10	242.10	1.00	0.91	5.7
																				135077	242.10	242.80	0.70	1.93	7.3
																				135078	242.80	243.50	0.70	3.61	2.6
																				135079	243.50	244.00	0.50	0.54	6.1
																				135080	STD	PM427		3.6	1.1
																				135081	244.00	244.50	0.50	0.28	15.5
																				135082	244.50	245.50	1.00	0.51	2.4
																				135083	245.50	246.50	1.00	0.19	0.9
																				135084	246.50	247.20	0.70	0.81	0.8
																				135085	247.20	248.20	1.00	0.02	1.3
																				135086	248.20	249.20	1.00	0.02	1
																				135087	249.20	250.20	1.00	0.05	1
																				135088	250.20	251.20	1.00	0.02	0.6
																				135089	251.20	252.20	1.00	0.05	0.4
																				135090	252.20	253.20	1.00	0.02	0.5
																				135091	253.20	254.20	1.00	0.01	0.9
																				135092	254.20	254.88	0.68	<0.01	1.3
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
78.96	112.6	-51

P09-045

Golden Crown

UTM E (NAD 83): 436338	**Azimuth (deg):** 100	**Start:** Oct 9,2009
UTM N (NAD 83): 6218202	**Dip (deg):** -55	**Finish:** Oct 10, 2009
Elev (m): 1035	**Total Depth (m):** 88.11	**Logged by:** Sue Deane
Core Size: BQ	**Pad:** 29	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	10.67	OVB	CAS	**Casing**																135093	10.67	11.60	0.93	0.27	18.7
																				135094	11.60	12.60	1.00	0.01	0.2
10.67	30.40	9a	AXXX	**Andesite -** grey green fine grained to grainy to weakly porphyritic (patches). Moderate quartz creamy carbonate stockwork, moderately silicified, 3% disseminated pyrite. Fine grained towards end of unit with black mudstone seams and clasts intermixed within andesite. Weak to moderate beige sericite staining throughout. some rubbly sections with strong rust staining on fracture surfaces.			3	3	3		2		2	3						135095	12.60	13.60	1.00	0.01	0.1
				10.67-12.4 - strong quartz sericite with fine pyrite, trace galena, trace sphalerite. Fine pyrite banding and quartz roughly 70 tca.	fol	70	4	3	3					4	0.1	0.1				135096	13.60	14.60	1.00	<0.01	<0.1
				12.5-12.9 - fractured 25 tca with strong rust staining on fractures.	fxs	25							4							135097	14.60	15.60	1.00	0.01	0.4
				14.3-15 - strong beige sericite staining.			4													135098	15.60	16.60	1.00	0.01	1.2
				15.4-15.75 - strong rust staining on fracture surfaces									4							135099	16.60	17.60	1.00	0.04	2.5
				16.22-16.4 - strong fracturing and rust staining									4							135100	BLANK			<0.01	<0.1
				16.4-17.8 - quartz sericite with fine blue black seams and fine pyrite. Fine creamy carbonate stockwork.			3	3	3				3	3						135101	17.60	18.60	1.00	6.02	6.6
				17.8-25 - moderate quartz carbonate stockwork, weak sericite, moderate green chlorite stain, moderately silicified, 3% disseminated pyrite clusters. Some fine blue black seams. Weak rust on some fracture surfaces.			2	3	3		3		1	3						135102	18.60	19.60	1.00	0.16	1.5
				25-29.6 - zone with strong black mudstone presence in andesite. Messed up texture with brecciated andesite and calciteic clasts, quartz stockwork and breccia, fine rusty seams and fine disseminated pyrite.				3	2				2	3						135103	19.60	20.60	1.00	0.05	1.1
				Lower contact marked by presence of sub-rounded lapilli at roughly 75 tca elogation (bedding?).	Bed?	75														135104	20.60	21.60	1.00	0.09	2.2
																				135105	21.60	22.60	1.00	0.21	3
30.40	35.23	9Lt	ALXX	**Andesite Lapilli -** grey green fine grained andesite with grainy to 20cm darker clasts (some porphyritic). 3% finely disseminated pyrite. Some rubbly with rusty fracture surfaces. Some pebbly texture with clast supported sub-rounded pebbles in fine matrix. Weak sericite alteration. Weakly chloritic			2	1	1		2		2	3						135106	22.60	23.60	1.00	0.14	2.3
				34.1 - bedding 75 tca in pebbly aligned clasts	bed	75														135107	23.60	24.60	1.00	0.15	2.7
				Lower contact marked by lack of clasts.																135108	24.60	25.60	1.00	0.66	7
																				135109	25.60	27.60	2.00	0.08	1.2
35.23	88.11	9a	AXXX	**Andesite -** grey green fine grained andesite. Some zones of increased black mudstone material interbedded with andesite. Rare clast, but not enough to call it a lapilli. Weakly porphyritic and grainy. Weakly to moderately sericitic throughout, weak to moderate silicification. Weak to moderate quartz carbonate stockwork with common sphalerite and galena.			2	2	2		2			2	0.1	0.5				135110	27.60	28.60	1.00	0.08	2.4

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
				41.6-57.7 - moderate quartz calcite stockwork with red brown sphalerite and fine galena associated with stockwork.																135111	28.60	29.60	1.00	0.04	1.9
				42.9-45.8 - quartz stockwork with messy strained texture to andesite, some fine grained seds, black, with andesite, rusty vugs with veining.				3					2							135112	29.60	30.60	1.00	<0.01	0.5
				64.53-64.75 - quartz stockwork with strong red brown sphalerite, galena, pyrite and chalcopyrite.				3						2	1	4		0.3		135113	30.60	31.60	1.00	<0.01	0.2
				73.15-75.8 - beige sericite bleached			3													135114	31.60	32.60	1.00	0.01	0.2
				76.8-81.3 - weak sericite bleaching, moderate foliation 65 tca. Mottled texture with brecciated texture towards end of unit.	fol	65	2													135115	32.60	33.60	1.00	0.01	<0.1
				83.3-85.7 - moderate beige sericite bleaching with minimal quartz veining in the middle.			4	2												135116	33.60	34.60	1.00	0.01	<0.1
				86.3-86.9 - beige sericite bleaching			4													135117	34.60	35.60	1.00	0.01	0.3
																				135118	35.60	36.60	1.00	0.02	<0.1
				EOH - 88.11m - 289'																135119	36.60	37.60	1.00	0.03	1.3
																				135120	37.60	38.60	1.00	0.38	1.5
																				135121	38.60	39.60	1.00	0.08	1.7
																				135122	39.60	40.60	1.00	0.03	0.5
																				135123	40.60	41.60	1.00	0.01	0.7
																				135124	41.60	42.60	1.00	0.09	4.4
																				135125	42.60	43.60	1.00	0.15	3.7
																				135126	43.60	44.60	1.00	0.15	1
																				135127	44.60	45.60	1.00	2.29	5.5
																				135128	45.60	46.60	1.00	0.11	1.2
																				135129	46.60	47.60	1.00	0.5	5.2
																				135130	47.60	48.60	1.00	1.44	3.9
																				135131	48.60	49.60	1.00	0.44	1.6
																				135132	49.60	50.60	1.00	0.67	4.4
																				135133	50.60	51.60	1.00	0.09	0.8
																				135134	51.60	52.60	1.00	0.08	0.7
																				135135	52.60	53.60	1.00	0.17	0.7
																				135136	53.60	54.60	1.00	1.14	3.1
																				135137	54.60	55.60	1.00	0.05	0.4
																				135138	55.60	56.60	1.00	0.13	1.5
																				135139	56.60	57.60	1.00	0.19	1.3
																				135140	BLANK			<0.01	0.6
																				135141	57.60	58.60	1.00	0.19	0.8
																				135142	58.60	59.60	1.00	0.09	1.2
																				135143	59.60	60.60	1.00	0.07	0.6
																				135144	60.60	61.60	1.00	0.14	0.5
																				135145	61.60	62.60	1.00	0.04	0.9
																				135146	62.60	63.60	1.00	0.03	0.2
																				135147	63.60	64.40	0.80	0.04	0.4
																				135148	64.40	64.90	0.50	0.21	16.7
																				135149	64.90	65.90	1.00	0.29	1.2

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				135150	65.90	66.90	1.00	0.82	1.4
																				135151	66.90	67.90	1.00	0.09	0.8
																				135152	67.90	68.90	1.00	0.04	0.7
																				135153	68.90	69.90	1.00	0.04	0.8
																				135154	69.90	70.90	1.00	0.07	3.7
																				135155	70.90	71.90	1.00	0.04	1.9
																				135156	71.90	72.90	1.00	0.06	0.9
																				135157	72.90	73.90	1.00	0.11	1.2
																				135158	73.90	74.90	1.00	0.15	1.2
																				135159	74.90	75.90	1.00	0.1	0.4
																				135160	75.90	76.90	1.00	0.01	<0.1
																				135161	76.90	77.90	1.00	0.02	<0.1
																				135162	77.90	78.90	1.00	0.03	0.5
																				135163	78.90	79.90	1.00	0.03	<0.1
																				135164	79.90	80.90	1.00	0.06	0.1
																				135165	80.90	81.90	1.00	0.08	0.1
																				135166	81.90	82.90	1.00	0.02	<0.1
																				135167	82.90	83.90	1.00	0.01	<0.1
																				135168	83.90	84.90	1.00	<0.01	0.1
																				135169	84.90	85.90	1.00	<0.01	<0.1
																				135170	85.90	86.90	1.00	<0.01	<0.1
																				135171	86.90	88.11	1.21	0.01	<0.1
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
15.24	90.9	-53.8
136.59	95.8	-46
261.59	97.4	-35.2

P09-046

Golden Crown

UTM E (NAD 83): 436253	**Azimuth (deg):** 090	**Start:** Oct 10,2009
UTM N (NAD 83): 6218104	**Dip (deg):** -55	**Finish:** Oct 14, 2009
Elev (m): 1067	**Total Depth (m):** 270.73	**Logged by:** L. Bjornson
Core Size: BQ	**Pad:** 30	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	4.57	OVB	Cas	**Casing**																					
4.57	10.99	9Lt	ALXX	**Andesite, Lapilli** - Dark grey-green coloured, with a fine to medium grained matrix and angular clasts up to 2cm long aligned at 50 tca. Matrix appears weakly altered and is lighter coloured than the clasts. Matrix supported with dark almost black coloured, plag porphyritic clasts. Rare quartz sericite veinlets at angle to aligned clasts. Rare pyrite veinlets observed.																							
														0.5						135172	4.57	6.00	1.43	0.02	<0.1
				9.5-10.99m - rusty weathering and moderately fractured.									4							135173	6.00	8.00	2.00	0.02	<0.1
				10.99 - Lct is fairly sharp, 45 tca with a distinct change in rock and minor alteration over several cm above and below contact.	Lct	45														135174	8.00	10.00	2.00	0.01	<0.1
																				135175	10.00	10.99	0.99	0.03	<0.1
10.99	12.85	9a	AXXX	**Andesite** - Dark green-grey coloured, fine grained with a weak porphyritic texture of minor fine, rounded plagioclase crystals. Weakly vuggy with thin bands containing elongate cavities.									1							135176	10.99	12.00	1.01	<0.01	<0.1
				12.85m - Fairly sharp similar to contact above, weakly broken but distinct change in rock.	Lct	45														135177	12.00	12.85	0.85	0.01	<0.1
																				135178	12.85	14.00	1.15	0.02	<0.1
12.85	18.79	9a	AXXX	**Andesite** - Dark green-grey coloured, fine to medium grained with minor ghostly grey, rounded plag crystals. Several rusty weathered and weakly vuggy intervals over 40cm. Minor quartz veins/veinlets at a high angle tca, also locally producing an irregular stockwork. Becomes chunky and rusty weathered at base.									2							135179	14.00	16.00	2.00	0.06	0.2
				18.79m - Lct is a distinct change in rocktype similar to fine grained andesite above. Rusty weathered.																135180	BLANK			<0.01	0.6
																				135181	16.00	18.00	2.00	0.02	0.5
18.79	23.63	9a	AXXX	**Andesite** - Pale green-grey coloured, and fine grained. Rusty weathered through majority of unit, locally very strong. Very siliceous, increasing downhole. Unit appears to be fine grained andesite at top over 1m, but rest of altered unit has the appearance of an intrusion, contacts are sharp but weathered and broken. Minor white quartz-carbonate veinlets.				1	3				4	1						135182	18.00	18.79	0.79	0.06	0.5
				23.63m - Lct is a change in rocktype but contact is fractured and rusty weathered.																135183	18.79	20.00	1.21	<0.01	<0.1
																				135184	20.00	22.00	2.00	0.01	<0.1
23.63	50.47	9a	AXXX	**Andesite** - Green-grey coloured, with a fine to medium grained grainy groundmass. Moderate quartz (+/- carbonate) veinlets and stockwork creating a prominent breccia texture. Rare small blebs of sphalerite, variable disseminated to locally fracture fill pyrite.																135185	22.00	23.63	1.63	0.02	0.1

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	Interval (m) To	Interval (m) Width	Au g/t	Ag g/t
				23.63-26.0m - Weakly bleached, fine grained with minor quartz sericite.			2		2											135186	23.63	25.00	1.37	0.42	2.5
				26.73-27.74m - Strong quartz stockwork with light coloured medium to coarse grained quartz.					4					2						135187	25.00	26.00	1.00	0.32	1.5
				34.0-34.55m - Strong disseminated pyrite, moderate quartz.					3					10						135188	26.00	26.73	0.73	0.08	2.3
				45.0-46.89m - Quartz stockwork with white coloured medium to coarse grained, irregular chunky quartz.			1	4						3						135189	26.73	27.74	1.01	0.09	1.8
				46.89-49.00m - Abundant fine grained, disseminated pyrite. Weakly bleached in middle of interval.			1	3	2					10						135190	27.74	29.00	1.26	0.23	0.9
				49.00-50.47m - Minor quartz stockwork.				2	1					2						135191	29.00	30.00	1.00	0.09	0.5
				50.47m - marks a distinct change in rock with a decrease in quartz-sericite stockwork below.																135192	30.00	32.00	2.00	0.14	0.9
																				135193	32.00	34.00	2.00	0.15	1.6
50.47	64.32	9a	AXXX	**Andesite** - Pale green-grey, medium grained rock, fairly uniform with little alteration and minor quartz-carbonate veinlets. Alteration creates a local very weak breccia appearance. Minor small blebs of pyrite.				0.5	0.5					0.5						135194	34.00	34.55	0.55	0.24	1.5
				64.32m - Increasing pyrite and alteration over last metre but weak.																135195	34.55	36.00	1.45	0.14	3.4
																				135196	36.00	38.00	2.00	0.23	0.9
64.32	71.47	9t	ATXX	**Andesite, tuffaceous and fragmental** - Dark green-grey coloured, fine to medium grained, with a weak medium grained plag and hornblende porphyritic texture. Abundant coarse grained chunky quartz creating a strong stockwork and comprising up to 30% of unit. Minor chlorite with coarse quartz. Andesite groundmass has a moderate crackle breccia texture with a fine grained black matrix. Minor pyrite observed as small blebs, some finely disseminated. Rare sphalerite veinlets.			1	3	1		1			2		0.5				135197	38.00	40.00	2.00	0.09	1.2
				71.47m - Lct marks a weakening of alteration and brecciation.																135198	40.00	42.00	2.00	0.41	1.8
																				135199	42.00	43.00	1.00	0.06	<0.1
71.47	80.93	9a	AXXX	**Andesite** - Similar to 50.47-64.32m. Pale green-grey coloured, medium grained uniform rock with little alteration and minor quartz-carbonate veinlets. Weak breccia texture created by weak siliceous-sericite alteration. Minor disseminated pyrite.			0.5	1	1					0.5						135200	43.00	44.00	1.00	0.13	3.6
				80.93m - Lct marks a change in alteration.																135201	44.00	45.00	1.00	0.06	1.6
																				135202	45.00	46.00	1.00	0.25	4.5
80.93	108.83	9z	AXXZ	**Andesite, bleached** - Pale green to tan coloured, fine to medium grained groundmass with a weakly porphyritic texture of white to tan coloured, rounded elongate plag?. Alteration is variable with intervals of strong quartz-sericite, chunky white coloured, coarse grained chunky quartz, and short intervals of brecciated andesite containing a wispy texture. Quartz-sericite (bleaching) is predominant with other alteration occuring as intervals up to 2m long. Bleaching is weak in last 3m. Disseminated pyrite is moderate through most of unit, with short sections of pyrite stringers/veinlets.			2	2	3					2						135203	46.00	46.89	0.89	0.23	6.1
				88.98-92.16m - Weak alteration and bleaching.			1	2	1					1						135204	46.89	48.17	1.28	0.24	3.1
				98.0-106.3m - Strong bleaching (quartz-sericite alteration). Weakly vuggy and brecciated. Minor disseminated pyrite.			3	3	4					1						135205	48.17	49.00	0.83	0.17	0.8
				100.0-100.3m - Quartz vein breccia, with large knots of pyrite and some galena.				5	1					5						135206	49.00	50.00	1.00	<0.01	0.5

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	Interval (m) To	Interval (m) Width	Au g/t	Ag g/t
				106.3-108.83m - Weak alteration and bleaching. Moderate brecciation.				2	1											135207	50.00	50.47	0.47	0.01	0.5
				108.83m - Lct marks a change in alteration.																135208	50.47	51.00	0.53	0.02	0.2
																				135209	51.00	52.00	1.00	0.01	0.2
108.83	127.37	9a	AXXX	**Andesite** - Dark green to black coloured, fine to medium grained with a weak plag porphyritic texture. Weak pseudo breccia texture with a black coloured (chlorite/biotite?), fine grained almost wispy matrix. Some alteration of clasts. Moderate disseminated pyrite with euhedral crystals <1mm. Moderate quartz veinlets creating a weak stockwork texture.				3	1		2			3						135210	52.00	54.00	2.00	0.01	0.3
				114.0-116.0m - Subrounded blebs to 5mm of fine grained pyrite.																135211	54.00	56.00	2.00	0.01	<0.1
				117.0-123.0m - Weaker chlorite/biotite alteration.				3	1		1			2						135212	56.00	58.00	2.00	0.02	0.7
				126.0-127.37m - Faulted containing polished surfaces oriented with ca. Well brecciated with <1cm subrounded fragments.																135213	58.00	60.00	2.00	0.04	1.2
				127.37m - Fractured lct, with quartz vein below, 35 tca.	Lct	35														135214	60.00	62.00	2.00	0.02	0.9
																				135215	62.00	63.00	1.00	0.01	0.2
127.37	136.59	9z	AXXZ	**Andesite, siliceous** - Pale green-grey coloured, fine to medium grained with moderate siliceous alteration, abundant quartz veinlets (quartz crackle breccia), and several thick quartz veins.				3	3											135216	63.00	64.32	1.32	0.03	1.5
				136.37-136.49m - White coloured, fine grained quartz vein.																135217	64.32	65.00	0.68	0.05	1.5
				133.38-133.65m - White coloured, fine grained quartz vein with some inclusions of andesite.																135218	65.00	66.00	1.00	0.17	1
				134.59-134.88m - White coloured, fine grained quartz vein.																135219	66.00	67.00	1.00	0.08	1.9
				136.59m - Lct marks a change in alteration, weakly gradational.																135220	BLANK			<0.01	0.3
																				135221	67.00	68.00	1.00	0.09	1.3
136.59	149.19	9a	AXXX	**Andesite, porphyrytic/flow** - Dark green coloured, fine to medium grained with a weak and variable plag porphyritic texture. Minor dark almost black, weakly plag porphyritic angular fragments to 3cm. Small blebs and fracture fill pyrite observed through most of unit. Locally strong sphalerite over 5cm occuring as small blebs, becomes weaker after 146.0m. Weak wispy biotite crackle breccia. Moderate quartz-carbonate stockwork, along with minor quartz veining. Becomes weakly altered in last several metres.				3	1					5		0.5				135222	68.00	69.00	1.00	0.12	8.9
				136.59-146.0m - Locally strong sphalerite.												2				135223	69.00	70.00	1.00	0.03	0.8
				146.0-149.19m - Moderate localized sphalerite.												0.5				135224	70.00	71.00	1.00	0.05	<0.1
				149.19m - Lct marks a distinct change in rocktype, with abundant fragments below, ct at 50.	Lct	50														135225	71.00	71.47	0.47	0.01	<0.1
																				135226	71.47	72.00	0.53	0.01	0.2
149.19	167.56	9x	ABXX	**Andesite, Volcanic breccia/Fragmental** - Fine to medium grained medium green-tan coloured matrix and dark coloured plag porphyritic angular fragments. Plag phenos are white coloured, up to 1mm diameter and rounded to subrounded. Matrix supported with several short clast-poor intervals, especially lower in unit. Weak quartz veining. Poor sulphides.										0.5						135227	72.00	74.00	2.00	0.01	0.3
				151.64-154.44m - Heavily bleached with a small fracture with ca. Angular fragments observed.			3		1											135228	74.00	76.00	2.00	0.01	0.5
				167.56m - Lct marks a change in rock.																135229	76.00	78.00	2.00	0.01	0.2
																				135230	78.00	80.00	2.00	0.01	<0.1

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
167.56	200.02	9a	AXXX	**Andesite, brecciated** - Dark green to black coloured, fine to medium grained, with a prominent hyrdothermal brecciation. Clasts are subrounded to angular, often elongate, with a medium green (postachio?) colour and a fine to porphyritic texture. White coloured plag phenos are rounded and up to 1mm in dia. Matrix is dark coloured, almost black and fine grained. Brecciation pattern creates a wispy texture to rock with jigsaw fit clasts common. Minor euhedral to rounded pyrite to 2mm but typically <1mm. Locally strong fine disseminated pyrite occurring as thin pyrite-rich veins. Several short sections of fragmentals similar to unit above, but <1m and not common. Weak quartz-carbonate veining.																							
								2	0.5			1		1						135231	80.00	80.93	0.93	0.03	2.6
				192.14-193.04m - Quartz vein. Bright white coloured, coarse grained with sharp contacts at 10 tca.					5											135232	80.93	82.00	1.07	0.11	3.8
				193.04-200.02m - Brecciation becomes more irregular with less angular and more fluidal shaped clasts.																135233	82.00	83.00	1.00	1.26	170.1
				196.68-197.29m - Quartz vein, with short inclusion of host. Bright white, coarse grained.					5											135234	83.00	84.00	1.00	0.3	6.7
				198.89-200.02m - Weak brecciation.																135235	84.00	85.00	1.00	0.23	4.2
				200.02m - Lct marks an end to brecciation.																135236	85.00	86.00	1.00	0.14	3.5
																				135237	86.00	87.00	1.00	0.99	135.6
200.02	248.78	9a	AXXX	**Andesite** - Medium green-grey, fairly uniform largely unaltered rock with a local very weak wispy brecciation. Moderate quartz-carbonate stockwork through most of unit. Larger quartz +/-carbonate veins observed at top of unit. Minor quartz crackle breccia. Very minor fine pyrite.				2												135238	87.00	88.00	1.00	0.35	1.5
				200.02-222.0m - Quartz Veins up to 30cm thick, with sharp contacts 20-30 tca. Quartz is white coloured and medium to very coarse grained.																135239	88.00	88.98	0.98	0.01	0.8
				220.90-221.20m - Weathered fracture at top with weathered crumbly rock below.																135240	BLANK			0.01	0.3
				236.75-237.08m - Fault, sand and gravel. Uct fairly distinct at 60 tca.																135241	88.98	90.00	1.02	0.01	1.4
				248.78m - Sharp contact at 35 tca. Minor alteration over 10cm at base.																135242	90.00	91.00	1.00	0.01	0.3
																				135243	91.00	92.16	1.16	0.01	<0.1
248.78	267.30	9a	AXXX	**Andesite, siliceous** - Dull grey-tan coloured, fine grained with a quartz banded/laminated appearance. Very siliceous. Variable but abundant pyrite, as fine disseminations concentrated in thin bands, minor small blebs. Minor small subangular porphyritic fragments to 3cm surrounded by a siliceous matrix. Fairly uniform unit.	Qtz bands	60		1	5					3						135244	92.16	93.00	0.84	0.03	0.8
				248.78-255.0m - Weak quartz stockwork.				2												135245	93.00	94.00	1.00	0.04	0.9
				255.0-267.3m - None to poor quartz stockwork.				0												135246	94.00	95.00	1.00	0.17	14
				267.30m - Lct marks a sharp decrease in silica.																135247	95.00	96.00	1.00	0.09	2.5
																				135248	96.00	97.00	1.00	0.01	0.7
267.30	270.73	9a	AXXX	**Andesite** - Dull green-grey, fine to medium grained with minor fine, <1mm long hornblende crystals giving a weak porphyritic texture. Weak siliceous alteration weaks with depth. Minor quartz stockwork.																135249	97.00	98.00	1.00	0.06	0.3
				267.3-269.16m - Weak silica					1											135250	98.00	99.00	1.00	0.05	0.7

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
				269.16-270.73m - None to poor siliceous alteration.					0											135251	99.00	100.00	1.00	0.04	1.5
																				135252	100.00	100.30	0.30	0.9	37
270.73 = EOH (888 feet)																				135253	100.30	101.00	0.70	0.05	3
																				135254	101.00	102.00	1.00	0.04	1
																				135255	102.00	103.00	1.00	0.17	1.6
																				135256	103.00	104.02	1.02	0.07	1.4
																				135257	104.02	105.00	0.98	<0.01	0.8
																				135258	105.00	106.30	1.30	0.01	0.9
																				135259	106.30	107.00	0.70	0.01	0.5
																				135260	BLANK			<0.01	0.4
																				135261	107.00	108.00	1.00	<0.01	<0.1
																				135262	108.00	108.83	0.83	0.09	3.9
																				135263	108.83	110.00	1.17	0.09	0.4
																				135264	110.00	111.00	1.00	0.12	2.9
																				135265	111.00	112.00	1.00	1.25	3.4
																				135266	112.00	113.00	1.00	0.2	3.8
																				135267	113.00	114.00	1.00	1.06	1.2
																				135268	114.00	115.00	1.00	0.07	0.7
																				135269	115.00	116.00	1.00	0.11	0.3
																				135270	116.00	117.00	1.00	0.05	0.5
																				135271	117.00	118.00	1.00	0.01	0.4
																				135272	118.00	119.00	1.00	0.02	0.5
																				135273	119.00	120.00	1.00	0.02	0.8
																				135274	120.00	121.00	1.00	0.03	0.7
																				135275	121.00	122.00	1.00	0.01	0.6
																				135276	122.00	123.00	1.00	0.22	1.1
																				135277	123.00	124.00	1.00	0.08	1.1
																				135278	124.00	125.00	1.00	0.07	0.7
																				135279	125.00	126.00	1.00	0.03	0.6
																				135280	BLANK			<0.01	0.3
																				135281	126.00	126.70	0.70	0.06	1.1
																				135282	126.70	127.37	0.67	0.12	1.4
																				135283	127.37	128.00	0.63	2.77	2.6
																				135284	128.00	129.00	1.00	3.97	4.1
																				135285	129.00	130.00	1.00	1.89	2.7
																				135286	130.00	131.00	1.00	2.88	4
																				135287	131.00	132.00	1.00	4.23	4.4
																				135288	132.00	133.00	1.00	2	2.3
																				135289	133.00	134.00	1.00	1.61	4.2
																				135290	134.00	135.00	1.00	0.09	3.2
																				135291	135.00	136.00	1.00	0.22	1.3
																				135292	136.00	136.59	0.59	0.29	1.6

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				135293	136.59	137.00	0.41	0.18	1.9
																				135294	137.00	138.00	1.00	0.05	0.5
																				135295	138.00	139.16	1.16	0.08	1.6
																				135296	139.16	140.00	0.84	0.02	1.4
																				135297	140.00	141.00	1.00	0.25	4.9
																				135298	141.00	142.00	1.00	0.1	1.3
																				135299	142.00	143.00	1.00	0.46	6.2
																				135300	BLANK			<0.01	0.4
																				135301	143.00	144.00	1.00	0.42	2.6
																				135302	144.00	145.00	1.00	0.22	1.3
																				135303	145.00	146.00	1.00	0.49	2.6
																				135304	146.00	147.00	1.00	0.05	1.8
																				135305	147.00	148.00	1.00	0.03	0.9
																				135306	148.00	149.19	1.19	0.03	0.4
																				135307	149.19	150.00	0.81	0.02	0.2
																				135308	150.00	151.00	1.00	<0.01	<0.1
																				135309	151.00	151.64	0.64	<0.01	<0.1
																				135310	151.64	153.00	1.36	0.01	<0.1
																				135311	153.00	154.44	1.44	0.01	0.1
																				135312	154.44	156.00	1.56	0.04	0.1
																				135313	156.00	158.00	2.00	0.03	0.2
																				135314	158.00	160.00	2.00	0.06	<0.1
																				135315	160.00	162.00	2.00	0.02	<0.1
																				135316	162.00	164.00	2.00	0.03	<0.1
																				135317	164.00	166.00	2.00	0.02	<0.1
																				135318	166.00	167.56	1.56	0.02	<0.1
																				135319	167.56	168.00	0.44	0.04	0.9
																				135320	BLANK			<0.01	0.4
																				135321	168.00	170.00	2.00	0.05	1.4
																				135322	170.00	172.00	2.00	0.09	0.4
																				135323	172.00	174.00	2.00	0.03	0.9
																				135324	174.00	176.00	2.00	0.08	1
																				135325	176.00	178.00	2.00	0.05	0.8
																				135326	178.00	180.00	2.00	0.02	<0.1
																				135327	180.00	182.00	2.00	0.06	2.3
																				135328	182.00	184.00	2.00	0.03	0.5
																				135329	184.00	186.00	2.00	0.03	1.3
																				135330	186.00	188.00	2.00	0.02	0.2
																				135331	188.00	190.00	2.00	0.02	0.9
																				135332	190.00	192.14	2.14	0.09	0.6
																				135333	192.14	193.04	0.90	0.02	1.7
																				135334	193.04	194.00	0.96	0.06	1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				135335	194.00	196.00	2.00	0.23	2.4
																				135336	196.00	196.68	0.68	0.01	0.9
																				135337	196.68	197.29	0.61	<0.01	1.6
																				135338	197.29	198.00	0.71	0.01	1.5
																				135339	198.00	198.89	0.89	0.01	3.7
																				135340	BLANK			<0.01	0.4
																				135341	198.89	200.02	1.13	<0.01	1
																				135342	200.02	202.00	1.98	0.16	11.8
																				135343	202.00	204.00	2.00	0.01	3
																				135344	204.00	206.00	2.00	0.02	7.4
																				135345	206.00	208.00	2.00	0.03	1.2
																				135346	208.00	210.00	2.00	0.02	18.1
																				135347	210.00	212.00	2.00	0.03	0.9
																				135348	212.00	214.00	2.00	0.02	2.3
																				135349	214.00	216.00	2.00	0.01	3.1
																				135350	216.00	218.00	2.00	0.01	1.5
																				135351	218.00	220.00	2.00	0.03	2.7
																				135352	220.00	222.00	2.00	0.02	1.4
																				135353	222.00	224.00	2.00	0.02	1.5
																				135354	224.00	226.00	2.00	0.11	17.5
																				135355	226.00	228.00	2.00	0.11	4.7
																				135356	228.00	230.00	2.00	0.01	2.5
																				135357	230.00	232.00	2.00	0.01	1.2
																				135358	232.00	234.00	2.00	0.02	12.4
																				135359	234.00	236.00	2.00	0.03	1.6
																				135360	BLANK			<0.01	<0.1
																				135361	236.00	238.00	2.00	0.01	1.4
																				135362	238.00	240.00	2.00	<0.01	1.7
																				135363	240.00	242.00	2.00	0.01	2.8
																				135364	242.00	244.00	2.00	0.01	1.8
																				135365	244.00	246.00	2.00	0.01	0.9
																				135366	246.00	248.00	2.00	0.02	1.6
																				135367	248.00	248.78	0.78	0.03	0.7
																				135368	248.78	250.00	1.22	0.18	4.7
																				135369	250.00	251.00	1.00	0.31	2.5
																				135370	251.00	252.00	1.00	0.03	1.8
																				135371	252.00	253.00	1.00	0.23	24.5
																				135372	253.00	254.00	1.00	0.39	3.9
																				135373	254.00	255.00	1.00	0.13	1.3
																				135374	255.00	256.00	1.00	0.07	1.3
																				135375	256.00	257.00	1.00	0.06	1.1
																				135376	257.00	258.00	1.00	0.06	1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				135377	258.00	259.00	1.00	0.03	1.3
																				135378	259.00	260.00	1.00	0.03	1.4
																				135379	260.00	261.00	1.00	0.02	2.1
																				135380	BLANK			<0.01	<0.1
																				135381	261.00	262.00	1.00	0.02	1.7
																				135382	262.00	263.00	1.00	0.29	2.7
																				135383	263.00	264.00	1.00	0.05	4
																				135384	264.00	265.00	1.00	0.03	2.6
																				135385	265.00	266.00	1.00	0.01	1.7
																				135386	266.00	267.00	1.00	0.02	1.7
																				135387	267.00	267.30	0.30	0.01	1.7
																				135388	267.30	268.00	0.70	0.01	0.5
																				135389	268.00	269.16	1.16	<0.01	0.2
																				135390	269.16	270.00	0.84	<0.01	0.5
																				135391	270.00	270.73	0.73	<0.01	1.2
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
17.68	32.6	-42.6
100	35.1	-35.8

P09-047

Mudstones along Granduc Road

UTM E (NAD 83): 434709	**Azimuth (deg):** 35	**Start:** Oct 14,2009
UTM N (NAD 83): 6221207	**Dip (deg):** -45	**Finish:** Oct 15, 2009
Elev (m): 873	**Total Depth (m):** 109.14	**Logged by:** L. Bjornson
Core Size: BQ	**Pad:** 31	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	3.04	OVB	CAS	**Casing**																					
3.04	62.89	11	BAXX	**Mudstone** - Dark coloured black, fine grained and locally weakly brecciated. Thin bands/laminations of medium grey-tan coloured and fine to medium grained. Variable moderate quartz-carbonate crackle breccia. Moderate to strong pyrite as blebs, fracture fill, disseminated as 1mm euhedral crystals. Pyrite crystals appear to have grown across banding.																						
														5						135392	3.04	4.00	0.96	0.02	1
				59.5-62.98m - Weak brecciation with abundant disseminated pyrite.																135393	4.00	6.00	2.00	0.01	1.2
				62.89M - Lct, sharp intrusive contact, 70 tca.	Lct	70														135394	6.00	8.00	2.00	0.04	2.9
																				135395	8.00	10.00	2.00	0.01	1
62.89	69.51	7a	PIXX	**Plagioclase Porphyry** - Dull green-grey coloured, fine to medium grained with minor pyrite observed as fine grained fracture fill. Weakly porphyritic with fine ghostly, rounded plag phenos.										2						135396	10.00	12.00	2.00	0.15	2.5
				69.51m - Lct sharp, 70 tca.																135397	12.00	14.00	2.00	0.01	1.3
																				135398	14.00	16.00	2.00	<0.01	1.4
69.51	71.79	7a	PIXX	**Plagioclase porphyry** - Dark coloured, fine grained matrix, with white coloured, elongate plag crystals to 3mm long, slightly rounded.																135399	16.00	18.00	2.00	0.01	22.2
				71.79m - Lct sharp, 50 tca.	Lct	50														135400	BLANK			<0.01	<0.1
																				135401	18.00	20.00	2.00	0.03	3.7
71.79	75.61	7a	PIXX	**Plagioclase Porphyry** - Same as 62.89-69.51m. Dull green-grey coloured, fine grained. Weak breccia, minor pyrite.										1						135402	20.00	22.00	2.00	0.01	2.3
				75.61m - Sharp lct, 70 tca.	Lct	70														135403	22.00	24.00	2.00	0.01	2
																				135404	24.00	26.00	2.00	0.06	3.4
75.61	90.74	7a	PIXX	**Plagioclase Porphyry** - Similar to 69.51-71.79m. Dark coloured, fine grained with abundant and prominent elongate plag phenos. Minor fracture fill pyrite as small veinlets. Rock is very tight.										2						135405	26.00	28.00	2.00	<0.01	0.7
				90.0-90.74m - Slight increase in fracture fill pyrite.										5						135406	28.00	30.00	2.00	0.01	1.6
				90.74m - Lct is faint.																135407	30.00	32.00	2.00	0.01	1.3
																				135408	32.00	34.00	2.00	0.09	1.6
90.74	98.05	7a	PIXX	**Plagioclase Porphyry** - Dull green-grey coloured, fine grained with a variable breccia texture. Cm inclusions of mudstone with abundant euhedral pyrite. Minor quartz stockwork. Variable pyrite as small disseminations to 2mm, plus some fracture fill pyrite and pyrrhotite.										3			1			135409	34.00	36.00	2.00	0.02	1.9
				90.74-95.42m - Dull coloured with ghostly plag crystals.										3			1			135410	36.00	38.00	2.00	0.01	0.6

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
				95.42-98.05m - Greenish coloured, weakly bleached and brecciated. Subhedral pyrite crystals to 3mm. Several short intrusions of white coloured, coarse grained quartz, with sharp contacts.																						
														5			1			135411	38.00	40.00	2.00	0.01	1
				98.05m - Lct is sharp, intrusive.																135412	40.00	42.00	2.00	<0.01	1
																				135413	42.00	44.00	2.00	0.01	0.3
98.05	99.12	22c	D/AP	**Dyke** - Dull green coloured, fine to medium grained matrix with euhedral, rimmed greenish coloured plag crystals to 3mm.																135414	44.00	46.00	2.00	0.02	0.9
				99.12m - Lct is intrusive, sharp with an irregular contact.																135415	46.00	48.00	2.00	0.21	2.8
																				135416	48.00	50.00	2.00	0.02	2.1
99.12	103.35	7a	PIXX	**Plagioclase Porphyry** - Light to dull green-grey coloured, fine to medium grained, with a weak plagioclase porphyry texture, and weak to moderate alteration (siliceous?). Rock is very hard. Weak quartz stockwork, plus several white coloured, coarse grained quartz veins including some small vugs and prismatic quartz crystals.																135417	50.00	52.00	2.00	0.01	1.5
				103.35m - Lct is gradational.																135418	52.00	54.00	2.00	0.05	3.3
																				135419	54.00	56.00	2.00	0.06	2
103.35	107.84	7a	PIXX	**Plagioclase Porphyry** - Similar to 75.61-90.74m. Dark coloured, fine grained matrix with prominent white to grey coloured, elongate plag crystals to 3mm long, slightly rounded. Minor fracture fill pyrite as small veinlets and rare pyrrhotite. Rock is tight, very hard (silica?). Several broken up inclusions of mudstone over <5cm, containing euhedral pyrite.																135420	BLANK			<0.01	<0.1
				107.84m - Lct is sharp and intrusive, 35 tca but slightly wavy.																135421	56.00	58.00	2.00	0.02	2.6
																				135422	58.00	59.00	1.00	0.31	5.5
107.84	109.14	22c	D/AP	**Dyke** - Dull green-grey coloured, fine grained with minor spotty subhedral carbonate blebs to 2mm.																135423	59.00	60.00	1.00	0.4	2.5
																				135424	60.00	61.00	1.00	0.03	2.1
109.14m = EOH (358 feet.)																				135425	61.00	62.00	1.00	0.23	1.5
																				135426	62.00	62.89	0.89	0.02	0.9
																				135427	62.89	64.00	1.11	0.11	0.1
																				135428	64.00	65.00	1.00	0.07	<0.1
																				135429	65.00	66.00	1.00	0.03	<0.1
																				135430	66.00	67.00	1.00	0.18	<0.1
																				135431	67.00	68.00	1.00	0.05	<0.1
																				135432	68.00	69.00	1.00	0.01	<0.1
																				135433	69.00	69.51	0.51	<0.01	<0.1
																				135434	69.51	70.00	0.49	0.01	<0.1
																				135435	70.00	71.79	1.79	0.01	<0.1
																				135436	71.79	73.00	1.21	<0.01	<0.1
																				135437	73.00	74.00	1.00	0.01	<0.1
																				135438	74.00	75.00	1.00	0.02	<0.1
																				135439	75.00	75.61	0.61	0.01	<0.1
																				135440	BLANK			<0.01	<0.1
																				135441	75.61	76.00	0.39	0.01	<0.1

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				135442	76.00	78.00	2.00	<0.01	<0.1
																				135443	78.00	80.00	2.00	0.03	<0.1
																				135444	80.00	82.00	2.00	0.1	0.3
																				135445	82.00	84.00	2.00	0.02	0.2
																				135446	84.00	86.00	2.00	0.05	0.3
																				135447	86.00	88.00	2.00	0.04	0.3
																				135448	88.00	89.00	1.00	0.05	0.4
																				135449	89.00	90.00	1.00	0.08	<0.1
																				135450	90.00	90.74	0.74	0.06	0.1
																				135451	90.74	92.00	1.26	0.02	0.3
																				135452	92.00	93.00	1.00	0.03	<0.1
																				135453	93.00	94.00	1.00	0.07	0.2
																				135454	94.00	95.00	1.00	0.03	0.6
																				135455	95.00	95.42	0.42	0.02	0.5
																				135456	95.42	96.00	0.58	0.01	0.8
																				135457	96.00	97.00	1.00	0.01	0.7
																				135458	97.00	98.05	1.05	0.01	0.4
																				135459	98.05	99.12	1.07	<0.01	<0.1
																				135460	BLANK			<0.01	<0.1
																				135461	99.12	100.00	0.88	0.03	0.2
																				135462	100.00	101.00	1.00	0.01	0.3
																				135463	101.00	102.00	1.00	0.06	0.1
																				135464	102.00	103.00	1.00	0.03	0.1
																				135465	103.00	103.35	0.35	0.01	0.5
																				135466	103.35	104.00	0.65	0.02	0.2
																				135467	104.00	106.00	2.00	0.02	<0.1
																				135468	106.00	107.84	1.84	<0.01	<0.1
																				135469	107.84	109.14	1.30	0.1	<0.1
																						EOH			

Downhole Tests		
Depth (m)	Az (°)	Dip (°)
17.68	54.2	-42.6
106.1	60.4	-34.1

P09-048

Mudstones along Granduc Road

UTM E (NAD 83): 434709	**Azimuth (deg):** 55	**Start:** Oct 15,2009
UTM N (NAD 83): 6221207	**Dip (deg):** -45	**Finish:** Oct 16, 2009
Elev (m): 873	**Total Depth (m):** 115.24	**Logged by:** L. Bjornson
Core Size: BQ	**Pad:** 31	**Analysis:** Assayers Canada

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
0.00	3.04	OVB	CAS	**Casing**																					
3.04	53.59	11	BAXX	**Mudstone** - Dark coloured black, fine grained and variably brecciated with a strong quartz-carbonate crackle breccia. Thin bands/laminations of medium grey-tan coloured and fine to medium grained, prominent through most of unit. Moderate to strong pyrite as blebs, fracture fill, and disseminated as 1mm euhedral crystals. Sporadic but minor galena. Pyrite crystals appear to have grown across banding.				2						5	0.5					135470	3.04	4.00	0.96	0.02	0.8
																				135471	4.00	5.00	1.00	<0.01	0.9
53.59	63.69	7a	PIXX	**Plagioclase Porphyry, brecciated** - Dull green-grey coloured, fine to medium grained, with a dark coloured, fine grained matrix. Brecciation is weak except for 57.13-60.57m where it is very strong. Moderate fracture fill pyrite through unit with subhedral pyrite to 5mm in strong brecciated area. Weak quartz-calcite stockwork as thin veinlets, ~45 tca. Brecciation is weak in last metre above lct.				1						3						135472	5.00	6.00	1.00	<0.01	0.6
				57.13-60.57m - Strong brecciation with increased pyrite, irregular pattern. Darker coloured (chlorite/biotite?). Weak disseminated carbonate.							2			7						135473	6.00	7.00	1.00	0.01	0.8
				63.69m - Lct marks an end to brecciation.																135474	7.00	8.00	1.00	<0.01	0.8
																				135475	8.00	9.00	1.00	0.01	1.2
63.69	93.90	7a	PIXX	**Plagioclase Porphyry** - Similar to above but unaltered. Medium to dark grey coloured, fine to medium grained with abundant subrounded to euhedral lathes of plag to 2mm. Moderate quartz-calcite veinlets, 45 tca, plus with a weak crackle breccia texture. Minor white coloured, coarse grained, quartz veins to 40cm thick with sharp contacts. Unit is fairly uniform, tight rocks with little fracturing. Minor small blebs of pyrite. Rare sporadic, small fracture fill blebs of pyrrhotite.				2						0.5			0.2			135476	9.00	10.00	1.00	0.25	0.9
				79.42-93.90m - Weak brecciation, minor blebs/fracture fill pyrite. Dark coloured, fine grained matrix (chlorite/biotite).							1			2						135477	10.00	11.00	1.00	0.03	0.6
				93.90m - Lct is sharp intrusive contact at high angle tca, slightly wavy.																135478	11.00	12.00	1.00	0.01	1.4
																				135479	12.00	13.00	1.00	0.01	3
93.90	95.17	22c	D/AP	**Dyke** - Green coloured, fine grained matrix with subhedral, slightly zoned plag to 5mm and with a slight green tinge. Contact are sharp.																135480	BLANK			<0.01	<0.1
																				135481	13.00	14.00	1.00	<0.01	2.6
95.17	115.24	7a	PIXX	**Plagioclase Porphyry** - Same as 63.69-93.90m.				2						0.5						135482	14.00	15.00	1.00	0.04	11

Depth (m) From	Depth (m) To	Lith	Code	DESCRIPTION - LITHOLOGY	STRUCTURE Type	STRUCTURE Angle	ALTERATION (1-5 = v wk-v stg) Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	MINERALIZATION (%) Py	Gn	Sph	Po	Cpy	Other	Sample No.	Interval (m) From	To	Width	Au g/t	Ag g/t
				95.17-100.95m - Weak brecciation, minor fracture fill pyrite. Dark coloured, fine grained matrix (chlorite/biotite). Slightly increased quartz stockwork, veins to 1.5cm.				3			1			2			0.2			135483	15.00	16.00	1.00	0.06	6.7
				100.95-115.24m - Minor fracture fill pyrite. No brecciation and decreasing quartz veinlets.				2						4						135484	16.00	17.00	1.00	0.03	7.2
				112.58-113.12m - Quart vein (+/- carbonate). White coloured, medium to coarse grained. Sharp contacts ~30 tca.																135485	17.00	18.00	1.00	0.02	2.1
																				135486	18.00	19.00	1.00	0.02	1.6
115.24 = EOH (378 feet)																				135487	19.00	20.00	1.00	0.02	3.4
																				135488	20.00	21.00	1.00	0.48	24.4
																				135489	21.00	22.00	1.00	0.1	15.2
																				135490	22.00	23.00	1.00	0.02	2.6
																				135491	23.00	24.00	1.00	0.03	2.8
																				135492	24.00	25.00	1.00	0.01	1.5
																				135493	25.00	26.00	1.00	0.01	1.7
																				135494	26.00	27.00	1.00	0.02	2.6
																				135495	27.00	28.00	1.00	0.03	2.5
																				135496	28.00	29.00	1.00	0.02	3.7
																				135497	29.00	30.00	1.00	0.01	0.9
																				135498	30.00	31.00	1.00	0.01	2.1
																				135499	31.00	32.00	1.00	<0.01	2.4
																				135500	BLANK			<0.01	<0.1
																				135601	32.00	33.00	1.00	0.01	1.9
																				135602	33.00	34.00	1.00	0.03	1.7
																				135603	34.00	35.00	1.00	<0.01	1.3
																				135604	35.00	36.00	1.00	0.24	2.4
																				135605	36.00	37.00	1.00	0.01	1.9
																				135606	37.00	38.00	1.00	0.01	4.2
																				135607	38.00	39.00	1.00	0.01	1.3
																				135608	39.00	40.00	1.00	<0.01	0.4
																				135609	40.00	41.00	1.00	0.01	0.3
																				135610	41.00	42.00	1.00	0.02	0.5
																				135611	42.00	43.00	1.00	0.01	1.5
																				135612	43.00	44.00	1.00	0.04	1.2
																				135613	44.00	45.00	1.00	0.02	1.3
																				135614	45.00	46.00	1.00	0.25	13.1
																				135615	46.00	47.00	1.00	0.08	2.8
																				135616	47.00	48.00	1.00	0.03	0.5
																				135617	48.00	49.00	1.00	0.01	1.3
																				135618	49.00	50.00	1.00	0.01	2
																				135619	50.00	51.00	1.00	0.02	2.5
																				135620	BLANK			<0.01	<0.1
																				135621	51.00	52.00	1.00	0.06	3.6

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				135622	52.00	53.00	1.00	0.02	30.4
																				135623	53.00	53.59	0.59	0.05	37.5
																				135624	53.59	54.00	0.41	0.05	2.4
																				135625	54.00	55.00	1.00	0.03	2.1
																				135626	55.00	56.00	1.00	0.05	1.3
																				135627	56.00	57.13	1.13	0.06	0.6
																				135628	57.13	58.00	0.87	0.02	1.2
																				135629	58.00	59.00	1.00	0.01	3
																				135630	59.00	59.51	0.51	0.02	1
																				135631	59.51	60.00	0.49	0.02	0.7
																				135632	60.00	60.57	0.57	0.03	0.8
																				135633	60.57	61.00	0.43	0.03	1
																				135634	61.00	62.00	1.00	0.02	0.6
																				135635	62.00	63.00	1.00	0.01	0.7
																				135636	63.00	63.69	0.69	0.01	0.7
																				135637	63.69	64.00	0.31	0.01	0.3
																				135638	64.00	65.00	1.00	0.03	0.5
																				135639	65.00	66.00	1.00	0.04	<0.1
																				135640	BLANK			<0.01	<0.1
																				135641	66.00	67.00	1.00	0.02	<0.1
																				135642	67.00	68.00	1.00	0.01	<0.1
																				135643	68.00	69.00	1.00	0.01	0.2
																				135644	69.00	70.00	1.00	0.01	0.2
																				135645	70.00	71.00	1.00	0.01	0.9
																				135646	71.00	72.00	1.00	0.01	<0.1
																				135647	72.00	73.00	1.00	0.03	<0.1
																				135648	73.00	74.00	1.00	0.05	0.2
																				135649	74.00	75.00	1.00	0.08	0.4
																				135650	75.00	76.00	1.00	0.05	<0.1
																				135651	76.00	77.00	1.00	0.03	<0.1
																				135652	77.00	78.00	1.00	0.01	<0.1
																				135653	78.00	79.00	1.00	0.03	0.2
																				135654	79.00	79.42	0.42	0.49	0.4
																				135655	79.42	80.00	0.58	0.11	0.5
																				135656	80.00	81.00	1.00	0.08	0.4
																				135657	81.00	82.00	1.00	0.13	0.3
																				135658	82.00	83.00	1.00	0.05	0.2
																				135659	83.00	84.00	1.00	0.03	0.1
																				135660	BLANK			<0.01	<0.1
																				135661	84.00	85.00	1.00	0.03	0.2
																				135662	85.00	86.00	1.00	<0.01	0.2
																				135663	86.00	87.00	1.00	0.03	0.2

Depth (m)					STRUCTURE		ALTERATION (1-5 = v wk-v stg)							MINERALIZATION (%)							Interval (m)				
From	To	Lith	Code	DESCRIPTION - LITHOLOGY	Type	Angle	Sericite	Qtz Stk	Si Flood	Bitumen	Chlorite	Epidote	Fe Ox	Py	Gn	Sph	Po	Cpy	Other	Sample No.	From	To	Width	Au g/t	Ag g/t
																				135664	87.00	88.00	1.00	0.05	0.2
																				135665	88.00	89.00	1.00	0.01	0.3
																				135666	89.00	90.00	1.00	0.08	0.3
																				135667	90.00	91.00	1.00	<0.01	<0.1
																				135668	91.00	92.00	1.00	0.06	0.6
																				135669	92.00	93.00	1.00	1.17	0.5
																				135670	93.00	93.90	0.90	0.03	0.5
																				135671	93.90	94.50	0.60	0.01	<0.1
																				135672	94.50	95.17	0.67	0.02	<0.1
																				135673	95.17	96.00	0.83	0.06	0.4
																				135674	96.00	97.00	1.00	0.09	0.6
																				135675	97.00	98.00	1.00	0.04	0.6
																				135676	98.00	99.00	1.00	0.55	0.7
																				135677	99.00	100.00	1.00	0.32	0.6
																				135678	100.00	100.95	0.95	0.11	0.5
																				135679	100.95	102.00	1.05	0.05	1.5
																				135680	BLANK			<0.01	0.4
																				135681	102.00	103.00	1.00	0.02	0.3
																				135682	103.00	104.00	1.00	0.01	0.3
																				135683	104.00	105.00	1.00	0.01	0.4
																				135684	105.00	106.00	1.00	<0.01	0.4
																				135685	106.00	107.00	1.00	0.02	0.7
																				135686	107.00	108.00	1.00	0.02	0.4
																				135687	108.00	109.00	1.00	0.02	0.5
																				135688	109.00	110.00	1.00	0.04	0.3
																				135689	110.00	111.00	1.00	0.03	0.3
																				135690	111.00	112.00	1.00	0.01	0.3
																				135691	112.00	112.58	0.58	0.05	0.5
																				135692	112.58	113.12	0.54	0.56	1.1
																				135693	113.12	114.00	0.88	0.01	0.6
																				135694	114.00	115.24	1.24	<0.01	0.5

APPENDIX C

Surface Sample Descriptions

Sample Number	Area	Easting NAD83	Northing NAD83	Elevation (m)	Sample Type	Width (m)	Sampler	Description	Au g/t	Ag g/t	Cu %	Pb %	Zn %
49501	Power Adit	435917	6212973	305	Grab	-	SD	Grab of silicified andesite at adit entrance, 7% fg py, 1% fg gn, sp?	18.08	167.0	0.46	0.93	1.99
49502	Hope	436048	6212791	283	Grab	-	SD	Silicified porphyry (?) with 7% py, 5% brown black sphalerite, cpy, gn	2.32	66.1	0.41	0.53	
49503	Big Missouri	436233	6219282	1083	Grab	-	SD	Near lg trench on ridge. Silica with fine pyrite, sph, gn, soft grey min (silver min?)	1.64	82.6	0.03		0.30
49504	Big Missouri	436254	6219275	1085	Grab	-	SD	EW trench of ridge. 2 drill holes here, dark grey qtz, py, stockwork	4.52	22.4	0.00	0.03	0.02
49505	Myrtle	435492	6215872	704	Grab	-	SD	Grab of siliceous rubble, py, cpy, mala, grey min?, fill on old grown in road.	30.48	3178.0	3.95	3.51	0.81
49506	Unicorn	436504	6219790	1068	Grab	-	SD	70 cm wide vn, qtz/py/gn, rune 078/-80, dips south, vein goes left, tunnel right.	1.31	130.6	0.36	1.65	0.96
49507	Unicorn	436596	6219897	1073	Grab	-	SD	8m tunnel, az 250, hand sorted muck, grey cherty qtz, fg pyrite, tr gn, qtz bx.	0.96	32.1	0	0.11	0.08
49508	Unicorn	436596	6219897	1073	Grab	-	SD	Grab at end of tunnel, same as 49508, pyr, gn, cpy, blue black seams.	19.41	22.5	0.04	0.15	0.18
49509	Bruce's	434575	6221198	825	Grab	-	SD	Lower Granduc Rd, boulder of blk mst, silic, fine qtz, 3% py.	0.04	7.8			
49510	Bruce's	434780	6221186	947	Grab	-	SD	Blk mst with chert patches, silic, 3% fine py, north side of fsp por dk contact	<0.01	1.5			
49511	Bruce's	434704	6221182	883	Grab	-	SD	Blk mst, 1% py, fine silic vnlts, euh py, on Granduc Rd 5m south of Bruce's	0.02	0.4			
130702	Hope	436043	6212791	303	chip	1	RK		0.23	10.2	0.02	0.06	0.23
130703	Hope	436043	6212791	303	chip	1	RK		1.73	21.3	0.04	0.16	1.05
130704	Hope	436043	6212791	303	chip	1	RK		1.18	13.3	0.06	0.04	1.25
130705	Hope	436043	6212791	303	chip	1	RK	GPS at middle of chip line on Granduc road just above Westmin shop/generator. Pyrite, galena	11.12	46.1	0.11	0.10	2.36
130706	Hope	436043	6212791	303	chip	1	RK	sphalerite with lesser chalcopyrite in green silicified andesite with porphyry towards south end of	3.20	86.2	0.20	0.38	1.88
130707	Hope	436043	6212791	303	chip	1	RK	line.	1.54	134.1	0.74	1.38	5.60
130708	Hope	436043	6212791	303	chip	1	RK		4.69	139.1	2.64	0.86	25.30
130709	Hope	436043	6212791	303	chip	1	RK		3.85	260.0	1.00	1.10	10.50
130710	Hope	436043	6212791	303	chip	1	RK		2.70	97.0	0.27	0.27	1.96
130711	Crusher	436741	6213698	438	chip	1	RK		1.27	69.5	0.01	1.96	0.20
130712	Crusher	436741	6213698	438	chip	1	RK		2.63	74.0	0.13	0.61	1.92
130713	Crusher	436741	6213698	438	chip	1	RK		3.78	124.6	0.13	3.47	3.39
								NOTE: 130714 not sampled					
130715	Woodbine	435644	6213031	364	chip	1	RK	Chip line south to north from upper Woodbine adit entrance along north wall, silicified andesite	0.33	9.6	0.03	0.02	0.59
130716	Woodbine	435644	6213031	364	chip	1	RK	and quartz veining, py, cpy, malachite, hosted in conglomerate of cherty rounded clasts in a dark	0.29	20.1	0.07	0.03	1.48
130717	Woodbine	435644	6213031	364	chip	1	RK	green andisite matrix.	1.62	41.0	0.27	0.04	4.03
130718	Woodbine	435644	6213031	364	chip	1	RK		0.69	42.2	0.25	0.06	2.32
130720	Woodbine	435602	6212968	330	chip	1	PB/RK		0.20	4.9			
130721	Woodbine	435602	6212968	330	chip	1	PB/RK	North south chip line, ~40m southwest of the Woodbine tunnel, Silicified andesite with 5% pyrite,	0.06	3.3			
130722	Woodbine	435602	6212968	330	chip	1	PB/RK	1% sphaleritie finely disseminated, fine quartz carbonate stockwork.	0.06	3.5			
130723	Woodbine	435602	6212968	330	chip	1	PB/RK		0.07	4.4			
130724	Woodbine	435602	6212968	330	chip	1	PB/RK		0.06	2.5			0.26
130725	Hope	436096	6212771	311	chip	1	PB/RK		0.23	25.7	0.00	0.84	1.21
130726	Hope	436096	6212771	311	chip	1	PB/RK		33.09	151.0	0.01	2.19	2.05
130727	Hope	436096	6212771	311	chip	1	PB/RK		5.20	110.0	0.04	2.81	2.11
130728	Hope	436096	6212771	311	chip	1	PB/RK		3.22	63.3	0.03	1.18	1.77
130729	Hope	436096	6212771	311	chip	1	PB/RK		0.52	92.6	0.15	2.88	4.13
130730	Hope	436096	6212771	311	chip	1	PB/RK		0.43	99.9	0.07	0.88	1.30
130731	Hope	436096	6212771	311	chip	1	PB/RK		0.19	118.0			
130732	Hope	436096	6212771	311	chip	1	PB/RK		0.45	87.3			
130733	Hope	436096	6212771	311	chip	1	PB/RK	Chip line 20 meters up slope (east) of Hope showing on road. GPS taken at middle of chip line. Line	0.09	8.8			
130734	Hope	436096	6212771	311	chip	1	PB/RK	runs north south. Andesites at north end, porphyry at south end. Mineralization is fine grained	0.21	34.7			
130735	Hope	436096	6212771	311	chip	1	PB/RK	pyrite throughout with sporadic fine to medium grained galena. Pyrite and galena in porphyry looks	0.44	61.6	0.01	1.85	0.97
130736	Hope	436096	6212771	311	chip	1	PB/RK	porridgy. Lesser fine sphalerite and chalcopyrite.	0.67	6.6			
130737	Hope	436096	6212771	311	chip	1	PB/RK		0.97	6.2			
130738	Hope	436096	6212771	311	chip	1	PB/RK		0.53	7.0			
130739	Hope	436096	6212771	311	chip	1	PB/RK		0.11	5.2			
130740	Hope	436096	6212771	311	chip	1	PB/RK		0.11	2.8			
130741	Hope	436096	6212771	311	chip	1	PB/RK		0.17	3.5			
130742	Hope	436096	6212771	311	chip	1	PB/RK		0.19	1.6			
130743	Hope	436096	6212771	311	chip	1	PB/RK		1.69	3.5			
130744	Hope	436096	6212771	311	chip	1	PB/RK		2.71	6.7			
130745	Hope	436096	6212771	311	chip	1	PB/RK		1.68	8.1			
130746	Indian	435754	6214705	468	Grab	-	RK	Left side of tramline cliff wall, Grey quartz with pyrite	1.92	31.0			
130747	Indian	435653	6215053	685	Grab	-	RK	Enrance to Indian mine, heavy pyrite, galena, 3-4 m wide vein	79.80				

130748	Dago Pit	436996	6219100	910	Grab	-	RK	heavy pyrite, black mineral (?)	0.02	1.8
130749	Dago Pit	437049	6219112	921	Chip	1	TK	EW chip ine near top of pit. Fine pyrite with black mineral, possibly galena.	**4.37**	
130750	Dago Pit	437049	6219112	921	Chip	1	CB		0.25	**74.7**
130751	Dago Pit	436971	6219053	911	Chip	1	RK		**1.85**	**19.5**
130752	Dago Pit	436971	6219053	911	Chip	1	RK	EW line on cliff wall in pit	0.09	5.4
130753	Dago Pit	436971	6219053	911	Chip	1	RK		0.11	7.4
130754	Dago Pit	437022	6219132	934	Chip	1	RK		0.05	6.1
130755	Dago Pit	437022	6219132	934	Chip	1	RK	EW line in pit near the top	0.07	6.9
130756	Dago Pit	437022	6219132	934	Chip	1	RK		0.08	9.8
130757	Dago Pit	437042	6219176	-	Grab	-	RK	Grey rock with pyrite in quartz	**2.45**	
130758	S1 Pit	436523	6219457	985	Chip	1	RK		**1.31**	8.8
130759	S1 Pit	436523	6219457	985	Chip	1	RK		**0.72**	6.7
130760	S1 Pit	436523	6219457	985	Chip	1	RK		**0.51**	4.4
130761	S1 Pit	436523	6219457	985	Chip	1	RK		**3.65**	**22.5**
130762	S1 Pit	436523	6219457	985	Chip	1	RK		0.22	**64.6**
130763	S1 Pit	436523	6219457	985	Chip	1	RK	EW line, fine pyrite in quartz, grey rock	**2.19**	**14.8**
130764	S1 Pit	436523	6219457	985	Chip	1	RK		**2.85**	8.1
130765	S1 Pit	436523	6219457	985	Chip	1	RK		**2.68**	7.1
130766	S1 Pit	436523	6219457	985	Chip	1	RK		**3.93**	**28.7**
130767	S1 Pit	436523	6219457	985	Chip	1	RK		**6.98**	**15.1**
130768	S1 Pit	436523	6219457	985	Chip	1	RK		**0.67**	5.2
130769	S1 Pit	436506	6219451	979	Chip	1	RK		**1.96**	4.8
130770	S1 Pit	436506	6219451	979	Chip	1	RK	EW line on wall	**2.01**	2.6
130771	S1 Pit	436506	6219451	979	Chip	1	RK		**0.81**	3.0
130772	S1 Pit	436557	6219470	982	Chip	1	RK	Massive pyrite, gn, grey rock, quartz	**3.03**	**65.2**
130773	S1 Pit	436456	6219361	1016	Chip	1	RK	Yellow stained rock, pyrite, south wall of pit	0.02	1.4
130774	S1 Pit	436540	6219448	964	Chip	1	RK		**0.53**	5.7
130775	S1 Pit	436540	6219448	964	Chip	2	RK		**0.81**	6.2
130776	S1 Pit	436540	6219448	964	Chip	3	RK		0.24	5.1
130777	S1 Pit	436540	6219448	964	Chip	4	RK		**0.56**	8.3
130778	S1 Pit	436540	6219448	964	Chip	5	RK		0.34	5.1
130779	S1 Pit	436540	6219448	964	Chip	6	RK		**2.34**	7.7
130780	S1 Pit	436540	6219448	964	Chip	7	RK		**1.41**	8.0
130781	S1 Pit	436540	6219448	964	Chip	8	RK		**1.90**	7.6
130782	S1 Pit	436540	6219448	964	Chip	9	RK		**0.96**	4.0
130783	S1 Pit	436540	6219448	964	Chip	10	RK		**2.18**	7.7
130784	S1 Pit	436540	6219448	964	Chip	11	RK		**1.65**	2.9
130785	S1 Pit	436540	6219448	964	Chip	12	RK		**0.87**	3.9
130786	S1 Pit	436540	6219448	964	Chip	13	RK	EW line on north wall of S1 Pit. Massive pyrite, grey rock, lots of quartz veins, purple coloured rock.	**2.23**	**20.4**
130787	S1 Pit	436540	6219448	964	Chip	14	RK		**0.91**	4.1
130788	S1 Pit	436540	6219448	964	Chip	15	RK		0.36	4.5
130789	S1 Pit	436540	6219448	964	Chip	16	RK		0.47	6.8
130790	S1 Pit	436540	6219448	964	Chip	17	RK		**7.03**	**29.7**
130791	S1 Pit	436540	6219448	964	Chip	18	RK		**12.84**	**125.0**
130792	S1 Pit	436540	6219448	964	Chip	19	RK		**7.67**	**54.6**
130793	S1 Pit	436540	6219448	964	Chip	20	RK		**7.92**	**110.0**
130794	S1 Pit	436540	6219448	964	Chip	21	RK		**10.01**	**94.5**
130795	S1 Pit	436540	6219448	964	Chip	22	RK		**8.90**	**60.5**
130796	S1 Pit	436540	6219448	964	Chip	23	RK		**4.24**	**15.1**
130797	S1 Pit	436540	6219448	964	Chip	24	RK		**0.72**	5.7
130798	S1 Pit	436540	6219448	964	Chip	25	RK		**6.82**	**21.6**
130799	S1 Pit	436572	6219446	961	Chip	1	RK		0.39	6.9
130800	S1 Pit	436572	6219446	961	Chip	2	RK		**0.51**	4.4

130801	S1 Pit	436572	6219446	961	Chip	3	RK		0.39	3.8			
130802	S1 Pit	436572	6219446	961	Chip	4	RK		0.36	5.0			
130803	S1 Pit	436572	6219446	961	Chip	5	RK	EW line on north wall of S pit. Real rusty looking rock. Yellowish rock, quartz veins. Some pyrite.	0.34	5.2			
130804	S1 Pit	436572	6219446	961	Chip	6	RK		0.42	6.1			
130805	S1 Pit	436572	6219446	961	Chip	7	RK		0.23	6.6			
130806	S1 Pit	436572	6219446	961	Chip	8	RK		**0.73**	4.3			
130807	S1 Pit	436572	6219446	961	Chip	9	RK		**0.73**	7.8			
130808	S1 Pit	436572	6219446	961	Chip	10	RK		**0.72**	3.5			
130809	Indian	437439	6218476	1000	Grab	-	RK	grab from trench full of water	**1.13**	**130.0**			
130810	Indian	437439	6218476	1000	Grab	-	RK	grab from trench full of water	**0.60**	**67.5**			
130811	Indian	435654	6215091	676	Grab	-	PB	Indian Mine Tunnel, #001 marking.	**96.04**				
130812	S1 Pit	436508	6219183	985	Chip	2	PB		**1.15**	**20.3**			
130813	S1 Pit	436508	6219183	985	Chip	2	PB	North south chip line on north wall of S1 pit	**35.86**	**67.1**			
130814	S1 Pit	436508	6219183	985	Chip	2	PB		**2.88**	**18.7**			
130815	S1 Pit	436508	6219183	985	Chip	2	PB		**1.47**	**22.2**			
130816	S1	436593	6219401	985	Chip	2	PB	S1 pit north wall. Marking # 3	**1.63**	5.5			
130817	S1	436593	6219401	985	Chip	2	PB		**2.69**	7.1			
130818	Indian	435850	6215832	867	Chip	1	RK		0.14	1.2			
130819	Indian	435850	6215832	867	Chip	1	RK		0.11	0.8			
130820	Indian	435850	6215832	867	Chip	1	RK	North of the Indian Mine. Yellow stain, fine pyrite.	0.10	1.2			
130821	Indian	435850	6215832	867	Chip	1	RK		0.26	1.6			
130822	Indian	435850	6215832	867	Chip	1	RK		0.31	3.0			
130823	Indian	435388	6216139	622	Grab	-	RK	On west wall of Murtle Creek. Fine pyrite, rusty, stained rock.	0.17	**63.3**	0.16		
130824	Northstar	436347	6219905	1136	Chip	1	RK		**43.64**	**109.0**	0.67	2.94	11.20
130825	Northstar	436347	6219905	1136	Chip	1	RK		**14.23**	**45.7**	0.44	1.65	9.50
130826	Northstar	436347	6219905	1136	Chip	1	RK		**23.98**	**51.9**	0.31	1.11	7.70
130827	Northstar	436347	6219905	1136	Chip	1	RK	GPS taken at Tunnel entrance. Samples on north wall of adit E-W. Very hard rock, pyrite, quartz, looks black, some galena.	**23.87**	**95.9**	0.97	3.35	12.40
130828	Northstar	436347	6219905	1136	Chip	1	RK		**7.86**	8.1	0.06	0.19	0.65
130829	Northstar	436347	6219905	1136	Chip	1	RK		**49.71**	**15.0**	0.06	0.06	0.47
130830	Northstar	436347	6219905	1136	Chip	1	RK		**15.39**	6.2	0.01	0.15	0.49
130831	Northstar	436347	6219905	1136	Chip	1	RK		**2.02**	2.1	0.00	0.09	0.11
130832	Northstar	436347	6219905	1136	Chip	1	RK		**6.10**	7.7	0.02	0.40	0.09
130833	Northstar	436347	6219905	1136	Chip	1	RK		**2.10**	3.2	0.01	0.12	0.40
130834	Northstar	436347	6219905	1136	Chip	1	RK		0.28	0.5	0.01	0.02	0.24
130835	Northstar	436347	6219905	1136	Chip	1	RK		0.10	0.3	0.01	0.02	0.09
130836	Northstar	436347	6219905	1136	Chip	1	RK		**2.75**	1.8	0.01	0.06	0.16
130837	Northstar	436347	6219905	1136	Chip	1	RK		**11.81**	7.4	0.01	0.09	0.49
130838	Northstar	436347	6219905	1136	Chip	1	RK	GPS taken at Tunnel entrance. Samples on south wall of adit E-W. Very hard rock, pyrite, quartz, looks black, some galena.	**18.20**	8.5	0.01	0.17	0.47
130839	Northstar	436347	6219905	1136	Chip	1	RK		**10.59**	**12.9**	0.09	0.21	0.69
130840	Northstar	436347	6219905	1136	Chip	1	RK		**10.85**	**49.7**	0.32	2.08	0.79
130841	Northstar	436347	6219905	1136	Chip	1	RK		**8.42**	**35.9**	0.13	1.14	0.84
130842	Northstar	436347	6219905	1136	Chip	1	RK		**6.21**	**29.8**	0.16	1.12	0.71
130843	Northstar	436347	6219905	1136	Chip	1	RK		**4.10**	**86.9**	0.45	5.80	11.10
130844	Province	436334	6219870	1127	Chip	1	RK		**1.26**	4.2	0.00	0.20	0.07
130845	Province	436334	6219870	1127	Chip	1	RK	Trenches above S1 pit Chip samples south to north. Grey rusty rock. GPS at middle of line as always.	**8.07**	**28.1**	0.01	0.99	0.18
130846	Province	436334	6219870	1127	Chip	1	RK		0.17	1.1	0.00	0.04	0.02
130847	Province	436330	6219893	1134	Chip	1	RK		**3.29**	6.5	0.00	0.14	0.04
130848	Province	436330	6219893	1134	Chip	1	RK	Trench above S1 pit. Chips samples west to east. Grey green rock, pyrite, veining with quartz, yellow stain, sulfides.	**15.07**	**15.7**	0.02	0.21	0.63
130849	Province	436330	6219893	1134	Chip	1	RK		**5.40**	7.2	0.01	0.12	0.23
130850	S1 pit	436620	6219434	962	Chip	1	RK		**1.08**	2.6			
130851	S1 pit	436620	6219434	962	Chip	1	RK		**1.35**	2.1			
130852	S1 pit	436620	6219434	962	Chip	1	RK		**2.98**	2.1			

130853	S1 pit	436620	6219434	962	Chip	1	RK		0.75	0.4
130854	S1 pit	436620	6219434	962	Chip	1	RK		0.96	1.5
130855	S1 pit	436620	6219434	962	Chip	1	RK	S1 Pit, north side. Grey rock, pyrite, quartz veining.	0.83	0.8
130856	S1 pit	436620	6219434	962	Chip	1	RK		2.32	3.4
130857	S1 pit	436620	6219434	962	Chip	1	RK		4.98	6.1
130858	S1 pit	436620	6219434	962	Chip	1	RK		1.85	1.3
130859	S1 pit	436620	6219434	962	Chip	1	RK		1.64	1.1
130860	S1 pit	436620	6219434	962	Chip	1	RK		1.94	2.6
130861	Dago Pit	437047	6219181	959	Chip	1	RK		0.10	11.7
130862	Dago Pit	437047	6219181	959	Chip	1	RK		0.54	20.3
130863	Dago Pit	437047	6219181	959	Chip	1	RK	Dago Pit trench, north side on top. Yellow stone, pyrite, galena, black veins.	0.39	57.1
130864	Dago Pit	437047	6219181	959	Chip	1	RK		0.84	127.7
130865	Dago Pit	437047	6219181	959	Chip	1	RK		0.23	48.2
130866	Dago Pit	437040	6219193	960	Chip	1	RK		0.36	50.5
130867	Dago Pit	437040	6219193	960	Chip	1	RK	Dago Pit on north end on top of pit. Yellow stone, pyrite, galena, black veins.	5.71	67.8
130868	Dago Pit	437040	6219193	960	Chip	1	RK		21.45	78.9
130869	Dago Pit	437047	6219169	949	Chip	1	RK		0.08	7.3
130870	Dago Pit	437047	6219169	949	Chip	1	RK		0.18	27.5
130871	Dago Pit	437047	6219169	949	Chip	1	RK		0.13	29.5
130872	Dago Pit	437047	6219169	949	Chip	1	RK	Dago Pit on north end on top of pit. Yellow stone, pyrite, galena, black veins.	0.09	29.8
130873	Dago Pit	437047	6219169	949	Chip	1	RK		0.05	14.1
130874	Dago Pit	437047	6219169	949	Chip	1	RK		0.12	25.1
130875	S1 Pit	436230	6219270	1088	Chip	1	RK		0.38	5.5
130876	S1 Pit	436230	6219270	1088	Chip	1	RK		24.04	45.3
130877	S1 Pit	436230	6219270	1088	Chip	1	RK		1.13	12.3
130878	S1 Pit	436230	6219270	1088	Chip	1	RK		0.54	5.9
130879	S1 Pit	436230	6219270	1088	Chip	1	RK		0.22	3.8
130880	S1 Pit	436230	6219270	1088	Chip	1	RK	Chip line EW. GSP in middle. Very rusty grey rock, big quartz veins, very fine grained pyrite.	0.52	11.1
130881	S1 Pit	436230	6219270	1088	Chip	1	RK		0.91	20.3
130882	S1 Pit	436230	6219270	1088	Chip	1	RK		2.38	29.8
130883	S1 Pit	436230	6219270	1088	Chip	1	RK		0.64	13.5
130884	S1 Pit	436230	6219270	1088	Chip	1	RK		1.34	47.8
130885	S1 Pit	436238	6219270	1088	Chip	1	RK		2.75	70.1
130886	S1 Pit	436238	6219270	1088	Chip	1	RK	Chip line EW. GSP in middle. Very rusty grey rock, big quartz veins, very fine grained pyrite.	1.72	19.3
130887	S1 Pit	436238	6219270	1088	Chip	1	RK		0.46	24.3
130888	S1 Pit	436255	6219270	1088	Chip	1	RK		0.24	5.1
130889	S1 Pit	436255	6219270	1088	Chip	1	RK		1.52	7.8
130890	S1 Pit	436255	6219270	1088	Chip	1	RK		0.36	4.9
130891	S1 Pit	436255	6219270	1088	Chip	1	RK		1.96	12.3
130892	S1 Pit	436255	6219270	1088	Chip	1	RK		4.85	29.2
130893	S1 Pit	436255	6219270	1088	Chip	1	RK		0.76	6.8
130894	S1 Pit	436255	6219270	1088	Chip	1	RK	Chip line EW. GSP in middle. Very rusty grey rock, big quartz veins, very fine grained pyrite.	0.99	9.1
130895	S1 Pit	436255	6219270	1088	Chip	1	RK		0.41	2.4
130896	S1 Pit	436255	6219270	1088	Chip	1	RK		0.33	7.2
130897	S1 Pit	436255	6219270	1088	Chip	1	RK		0.27	5.0
130898	S1 Pit	436255	6219270	1088	Chip	1	RK		0.47	15.5
130899	S1 Pit	436255	6219270	1088	Chip	1	RK		1.34	12.2
130900	S1 Pit	436264	6219270	1088	Chip	1	RK		1.91	13.0
130901	S1 Pit	436264	6219270	1088	Chip	1	RK		0.96	13.8
130902	S1 Pit	436264	6219270	1088	Chip	1	RK	Chip line EW. GSP in middle. Very rusty grey rock, big quartz veins, very fine grained pyrite.	0.51	23.8
130903	S1 Pit	436264	6219270	1088	Chip	1	RK		0.93	17.0
130904	S1 Pit	436264	6219270	1088	Chip	1	RK		0.61	22.2
130905	S1 Pit	436272	6219270	1088	Chip	1	RK		0.21	3.9
130906	S1 Pit	436272	6219270	1088	Chip	1	RK	Chip line EW. GSP in middle. Very rusty grey rock, big quartz veins, very fine grained pyrite.	1.39	4.1
130907	S1 Pit	436272	6219270	1088	Chip	1	RK		1.10	25.4

130908	S1 Pit	436256	6219261	1081	Chip	1	RK		0.18	4.1			
130909	S1 Pit	436256	6219261	1081	Chip	1	RK		0.43	3.9			
130910	S1 Pit	436256	6219261	1081	Chip	1	RK	EW line. GPS in middle. Rusty looking rock, yellow stone, pyrite, quartz	0.52	4.7			
130911	S1 Pit	436256	6219261	1081	Chip	1	RK		0.85	35.5			
130912	S1 Pit	436256	6219261	1081	Chip	1	RK		2.55	38.3		1.53	3.08
130913	S1 Pit	436256	6219261	1081	Chip	1	RK		0.30	7.3			
130914	S1 Pit	436257	6219235	1079	Chip	1	RK		0.41	19.6			
130915	S1 Pit	436257	6219235	1079	Chip	1	RK		0.57	4.5			
130916	S1 Pit	436257	6219235	1079	Chip	1	RK		0.60	2.4			
130917	S1 Pit	436257	6219235	1079	Chip	1	RK		0.50	2.3			
130918	S1 Pit	436257	6219235	1079	Chip	1	RK		1.45	5.0			
130919	S1 Pit	436257	6219235	1079	Chip	1	RK		0.84	3.8			
130920	S1 Pit	436257	6219235	1079	Chip	1	RK		2.68	21.3			
130921	S1 Pit	436257	6219235	1079	Chip	1	RK	EW chip line. GPS in the middle. Heavy pyrite, galena, quartz, very rusty stained	0.93	30.8			
130922	S1 Pit	436257	6219235	1079	Chip	1	RK		1.55	27.2			
130923	S1 Pit	436257	6219235	1079	Chip	1	RK		0.90	3.1			
130924	S1 Pit	436257	6219235	1079	Chip	1	RK		2.62	12.9			
130925	S1 Pit	436257	6219235	1079	Chip	1	RK		3.37	6.6			
130926	S1 Pit	436257	6219235	1079	Chip	1	RK		0.77	5.7			
130927	S1 Pit	436257	6219235	1079	Chip	1	RK		17.17	15.9			
130928	S1 Pit	436257	6219235	1079	Chip	1	RK		8.12	16.4			
130929	S1 Pit	436257	6219235	1079	Chip	1	RK		3.23	28.6			
130930	S1 Pit	436261	6219215	1076	Chip	1	RK		5.31	12.0			
130931	S1 Pit	436261	6219215	1076	Chip	1	RK		2.60	15.7			
130932	S1 Pit	436261	6219215	1076	Chip	1	RK		1.14	6.1			
130933	S1 Pit	436261	6219215	1076	Chip	1	RK		1.03	4.7			
130934	S1 Pit	436261	6219215	1076	Chip	1	RK	EW chip line. GPS in middle. Long trench above S1 pit. Lots of pyrite in the quartz, very rusty on the outside.	1.16	14.1			
130935	S1 Pit	436261	6219215	1076	Chip	1	RK		0.63	13.0			
130936	S1 Pit	436261	6219215	1076	Chip	1	RK		1.15	5.0			
130937	S1 Pit	436261	6219215	1076	Chip	1	RK		3.39	9.5			
130938	S1 Pit	436261	6219215	1076	Chip	1	RK		4.00	7.4			
130939	S1 Pit	436261	6219215	1076	Chip	1	RK		3.54	7.4			
130940	S1 Pit	436261	6219215	1076	Chip	1	RK		3.24	5.5			
130941	S1 Pit	436552	6219447	959	Chip	1	RK		0.70	5.0			
130942	S1 Pit	436552	6219447	959	Chip	1	RK		0.77	14.7			
130943	S1 Pit	436552	6219447	959	Chip	1	RK		12.39	24.3			
130944	S1 Pit	436552	6219447	959	Chip	1	RK		0.57	2.3			
130945	S1 Pit	436552	6219447	959	Chip	1	RK		0.44	2.3			
130946	S1 Pit	436552	6219447	959	Chip	1	RK	EW line on north wall of S1 pit. This chip line joined 2 others (between 130718 and130799).	0.80	4.9			
130947	S1 Pit	436552	6219447	959	Chip	1	RK		0.55	2.6			
130948	S1 Pit	436552	6219447	959	Chip	1	RK		1.47	7.8			
130949	S1 Pit	436552	6219447	959	Chip	1	RK		0.56	2.8			
130950	S1 Pit	436552	6219447	959	Chip	1	RK		1.17	14.1			
130951	S1 Pit	436552	6219447	959	Chip	1	RK		1.90	7.1			
130952	S1 Pit	436552	6219447	959	Chip	1	RK		0.18	1.7			
130962	Granduc Rd	435445	6219924	826	Grab	-	RK	Grab on Granduc Road	0.30	1.3			
130963	Granduc Rd	435030	6220714	827	Grab	-	RK	Grab on Granduc Road	0.04	0.7			
130964	Granduc Rd	434678	6221338	891	Grab	-	RK	Black rock, lots of little pyrite veining.	0.02	1.9			
130965	Granduc Rd	434710	6221229	898	Grab	-	RK	Galena, lots of pyrite	136.70	867.0		4.87	3.61
130966	Granduc Rd	435411	6220212	830	Grab	-	RK	Fine pyrite, rusty looking rock.	0.06	3.2			
130967	Myrtle	435499	6215873	701	Chip	1	RK		0.67	33.7	0.06	0.38	0.39
130968	Myrtle	435499	6215873	701	Chip	1	RK	Myrtle vein (Payroll), copper, Chalcopyrite, pyrite, quartz.	1.91	233.2	0.16	0.72	0.47
130969	Myrtle	435499	6215873	701	Chip	1	RK		3.43	434.2	0.56	0.91	3.97
130970	Myrtle	435499	6215873	701	Chip	1	RK		4.43	534.5	0.89	1.62	0.91
130971	Myrtle	435499	6215873	701	Chip	1	RK		0.98	88.6	0.00	0.23	0.27
130972	Myrtle	435499	6215873	701	Grab	-	RK	Black in quartz, maybe silver.	4.87	559.1	1.17	10.80	17.90

130973	Loui's	436683	6214077	477	Chip	1	RK		2.26	66.8	0.07	0.79	0.89
130974	Loui's	436683	6214077	477	Chip	1	RK		4.34	116.2	0.05	2.46	0.81
130975	Loui's	436683	6214077	477	Chip	1	RK		8.80	354.7	0.10	10.00	0.82
130976	Loui's	436683	6214077	477	Chip	1	RK		7.66	104.0	0.03	1.73	0.50
130977	Loui's	436683	6214077	477	Chip	1	RK	Loui's trench on Big Missouri Road above mill. Flattish lying quartz vein with pyrite, galena,	11.90	390.6	0.13	7.40	3.93
130978	Loui's	436683	6214077	477	Chip	1	RK	arsenopyrite. Chip sampled NS.	11.68	459.2	0.06	13.70	0.97
130979	Loui's	436683	6214077	477	Chip	1	RK		7.22	103.6	0.10	0.59	12.10
130980	Loui's	436683	6214077	477	Chip	1	RK		0.45	5.6	0.00	0.05	0.07
130981	Loui's	436683	6214077	477	Chip	1	RK		0.39	46.2	0.05	0.51	0.75
130982	Loui's	436683	6214077	477	Chip	1	RK		16.44	647.9	0.18	24.00	0.98
130983	Northstar	436233	6219677	1096	Chip	1	RK		3.92	6.3			
130984	Northstar	436233	6219677	1096	Chip	1	RK		3.30	2.0			
130985	Northstar	436233	6219677	1096	Chip	1	RK		3.57	22.6			
130986	Northstar	436233	6219677	1096	Chip	1	RK	Chip line NS. GPS in middle.	3.97	19.3			
130987	Northstar	436233	6219677	1096	Chip	1	RK		14.89	13.9			
130988	Northstar	436233	6219677	1096	Chip	1	RK		6.87	13.1			
130989	Northstar	436187	6219781	1102	Chip	1	RK		1.71	28.3			
130990	Northstar	436187	6219781	1102	Chip	1	RK		2.12	13.3			
130991	Northstar	436187	6219781	1102	Chip	1	RK		1.03	13.9			
130992	Northstar	436187	6219781	1102	Chip	1	RK	North of S1 Pit. NS chip line.	1.49	32.6			
130993	Northstar	436187	6219781	1102	Chip	1	RK		14.90	171.5			
130994	Northstar	436187	6219781	1102	Chip	1	RK		3.37	346.0			
130995	Northstar	436187	6219782	1105	Chip	1	RK		5.71	117.0			
130996	Northstar	436187	6219782	1105	Chip	1	RK		3.57	33.4			
130997	Northstar	436187	6219782	1105	Chip	1	RK	Chip line EW. GPS in middle of line. Fine grained galena in quartz, with pyrite, Yellow, grey mineral.	4.07	91.8			
130998	Northstar	436187	6219782	1105	Chip	1	RK		2.11	22.7			
130999	Northstar	436212	6219742	1107	Chip	1	RK		1.57	125.4			
131000	Northstar	436212	6219742	1107	Chip	1	RK	Heavy pyrite in quartz.	2.53	63.1			
139701	Northstar	436212	6219742	1107	Chip	1	RK		2.68	13.4			
139702	Northstar	436260	6219664	1116	Chip	1	RK		4.52	18.7			
139703	Northstar	436260	6219664	1116	Chip	1	RK		3.02	51.9			
139704	Northstar	436260	6219664	1116	Chip	1	RK		2.73	35.3			
139705	Northstar	436260	6219664	1116	Chip	1	RK		3.01	17.6			
139706	Northstar	436260	6219664	1116	Chip	1	RK		2.09	19.8			
139707	Northstar	436260	6219664	1116	Chip	1	RK	Chip sampled NS	6.76	71.4			
139708	Northstar	436260	6219664	1116	Chip	1	RK		5.42	34.4			
139709	Northstar	436260	6219664	1116	Chip	1	RK		3.39	11.6			
139710	Northstar	436260	6219664	1116	Chip	1	RK		5.50	15.1			
139711	Northstar	436260	6219664	1116	Chip	1	RK		6.82	25.8			
								Sample Tags 139712 and 139713 not used					
139715	Unicorn	436599	6219899	1073	Chip	1	RK		1.26	2.2			
139716	Unicorn	436599	6219899	1073	Chip	1	RK		1.66	9.3			
139717	Unicorn	436599	6219899	1073	Chip	1	RK		0.76	5.8			
139718	Unicorn	436599	6219899	1073	Chip	1	RK		0.38	4.1			
139719	Unicorn	436599	6219899	1073	Chip	1	RK	South wall of tunnel north of S1 pit on road to Martha Ellen across from flattened cabin. Tunnel	1.37	4.0			
139720	Unicorn	436599	6219899	1073	Chip	1	RK	runs EW. GSP at entrance. Massive pyrite, yellow, sulfides, rusty rock.	0.23	2.0			
139721	Unicorn	436599	6219899	1073	Chip	1	RK		0.09	2.3			
139722	Unicorn	436599	6219899	1073	Chip	1	RK		0.13	1.4			
139723	Unicorn	436599	6219899	1073	Chip	1	RK		2.95	4.6			
139724	Unicorn	436599	6219899	1073	Chip	1	RK		0.64	2.6			
139725	Unicorn	436599	6219899	1073	Chip	1	RK		4.76	5.1			
139726	Unicorn	436599	6219899	1073	Chip	1	RK	North wall of tunnel north of S1 pit on road to Martha Ellen across from flattened cabin. Tunnel	0.49	3.0			
139727	Unicorn	436599	6219899	1073	Chip	1	RK	runs EW. GSP at entrance. Massive pyrite, yellow, sulfides, rusty rock.	5.69	14.4			
139728	Unicorn	436599	6219899	1073	Chip	1	RK		0.29	2.3			

139729	Unicorn	436599	6219899	1073	Chip	1	RK		0.99	11.8
139730	Unicorn	436599	6219899	1073	Chip	1	RK		0.42	5.8
139731	Unicorn	436583	6220000	1084	Chip	1	RK		0.33	7.7
139732	Unicorn	436583	6220000	1084	Chip	1	RK	Tunnel 100 meters north of above (139716-139730). GPS at entrance. South wall of tunnel.	8.58	32.1
139733	Unicorn	436583	6220000	1084	Chip	1	RK	Samples EW. Very yellow rock, lots of pyrite, smells like cyanide (?)	14.06	17.9
139734	Unicorn	436583	6220000	1084	Chip	1	RK		0.23	2.3
139735	Unicorn	436583	6220000	1084	Chip	1	RK		0.50	3.8
139736	Unicorn	436583	6220000	1084	Chip	1	RK		4.34	16.0
139737	Unicorn	436583	6220000	1084	Chip	1	RK		1.08	15.0
139738	Unicorn	436583	6220000	1084	Chip	1	RK	Tunnel 100 meters north of above (139716-139730). GPS at entrance. North wall of tunnel.	1.32	4.4
139739	Unicorn	436583	6220000	1084	Chip	1	RK	Samples EW. Very yellow rock, lots of pyrite, smells like cyanide (?)	0.87	3.7
139740	Unicorn	436583	6220000	1084	Chip	1	RK		0.91	2.8
139741	S1	436586	6219398	958	Chip	1	RK		0.21	1.9
139742	S1	436586	6219398	958	Chip	1	RK		0.45	2.8
139743	S1	436586	6219398	958	Chip	1	RK		0.50	6.3
139744	S1	436586	6219398	958	Chip	1	RK		1.10	2.7
139745	S1	436586	6219398	958	Chip	1	RK	South wall of S1 pit on knob sticking out into pond. Chip line is EW. GPS in middle.	0.80	10.8
139746	S1	436586	6219398	958	Chip	1	RK		1.09	4.4
139747	S1	436586	6219398	958	Chip	1	RK		0.21	2.9
139748	S1	436586	6219398	958	Chip	1	RK		0.10	3.1
139749	Unicorn	436651	6219990	1045	Chip	1	RK		1.59	374.6
139750	Unicorn	436651	6219990	1045	Chip	1	RK		3.35	38.2
139751	Unicorn	436651	6219990	1045	Chip	1	RK	Trench on the flats just off the road to Martha Ellen. North wall of Trench. GPS in the middle.	2.86	30.6
139752	Unicorn	436651	6219990	1045	Chip	1	RK		0.81	148.2
139753	Unicorn	436651	6219990	1045	Chip	1	RK		0.31	9.1
139754	Unicorn	436651	6219990	1045	Chip	1	RK		0.52	22.8
139755	Unicorn	436651	6219990	1045	Chip	1	RK		0.71	10.7
139756	Unicorn	436651	6219990	1045	Chip	1	RK	Trench on the flats just off the road to Martha Ellen. South wall of Trench. GPS in the middle.	0.44	25.0
139757	Unicorn	436651	6219990	1045	Chip	1	RK		1.27	16.2
139758	Unicorn	436651	6219990	1045	Chip	1	RK		0.33	8.1
139759	Unicorn	436701	6220004	1048	Chip	1	RK		2.38	43.1
139760	Unicorn	436701	6220004	1048	Chip	1	RK		1.76	63.5
139761	Unicorn	436701	6220004	1048	Chip	1	RK		0.80	46.8
139762	Unicorn	436701	6220004	1048	Chip	1	RK		2.93	37.3
139763	Unicorn	436701	6220004	1048	Chip	1	RK		1.24	85.4
139764	Unicorn	436701	6220004	1048	Chip	1	RK	Unicorn Trench. Sampled east to west. Massive pyrite, lots of quartz. GSP in middle of trench.	0.78	70.2
139765	Unicorn	436701	6220004	1048	Chip	1	RK		0.96	50.9
139766	Unicorn	436701	6220004	1048	Chip	1	RK		1.15	77.5
139767	Unicorn	436701	6220004	1048	Chip	1	RK		0.62	79.3
139768	Unicorn	436701	6220004	1048	Chip	1	RK		0.53	16.4
139769	Province	436334	6218679	1039	Chip	1	RK		0.26	2.9
139770	Province	436334	6218679	1039	Chip	1	RK		0.42	4.8
139771	Province	436334	6218679	1039	Chip	1	RK	West Province. Chip samples north to south. GSP in middle of line. Fine pyrite, yellow rock, grey.	0.65	2.4
139772	Province	436334	6218679	1039	Chip	1	RK		0.46	3.0
139773	Province	436388	6218609	1040	Chip	1	RK		1.50	4.7
139774	Province	436388	6218609	1040	Chip	1	RK		1.59	10.1
139775	Province	436388	6218609	1040	Chip	1	RK	Samples north to south. GSP in middle of line.	0.98	7.7
139776	Province	436388	6218609	1040	Chip	1	RK		0.45	5.7
139777	Province	436394	6218632	1045	Chip	1	RK		0.23	3.2
139778	Province	436394	6218632	1045	Chip	1	RK		0.54	3.1
139779	Province	436394	6218632	1045	Chip	1	RK	Samples north to south. GPS in middle of line.	1.62	6.3
139780	Province	436394	6218632	1045	Chip	1	RK		0.62	6.4
139781	Creek	436881	6219407	914	Chip	1	RK		0.54	11.0

139782	Creek	436881	6219407	914	Chip	1	RK		2.35	32.6			3.46
139783	Creek	436881	6219407	914	Chip	1	RK		2.66	105.6			3.50
139784	Creek	436881	6219407	914	Chip	1	RK		0.95	93.0	1.07	2.88	4.69
139785	Creek	436881	6219407	914	Chip	1	RK		1.29	77.7		5.00	6.20
139786	Creek	436881	6219407	914	Chip	1	RK		0.89	39.6			
139787	Creek	436881	6219407	914	Chip	1	RK	Samples north to south. In creek north between S1 and Dago to north. Beside old tunnel. Massive pyrite, lots of galena, lots of malachite. GPS in middle of line.	0.28	3.2			
139788	Creek	436881	6219407	914	Chip	1	RK		0.58	9.1			
139789	Creek	436881	6219407	914	Chip	1	RK		0.69	190.7			
139790	Creek	436881	6219407	914	Chip	1	RK		0.79	169.7			
139791	Creek	436881	6219407	914	Chip	1	RK		0.49	3.0			
139792	Creek	436881	6219407	914	Chip	1	RK		4.03	189.9	2.29	7.00	12.30
139793	Creek	436881	6219407	914	Chip	1	RK		1.22	500.2		5.01	
139794	Creek	436881	6219407	914	Chip	1	RK		2.66	120.6	1.2	6.60	4.47
139795	Creek	436884	6219430	918	Chip	1	RK		0.14	5.7			
139796	Creek	436884	6219430	918	Chip	1	RK		0.10	2.7			
139797	Creek	436884	6219430	918	Chip	1	RK		2.26	17.7			
139798	Creek	436884	6219430	918	Chip	1	RK		1.17	14.5			
139799	Creek	436884	6219430	918	Chip	1	RK		0.11	8.3			
139800	Creek	436884	6219430	918	Chip	1	RK	Creek Zone between Dago and S1 to north. GPS in middle of line.	0.19	7.1			
139801	Creek	436884	6219430	918	Chip	1	RK		0.27	6.3			
139802	Creek	436884	6219430	918	Chip	1	RK		0.12	2.8			
139803	Creek	436884	6219430	918	Chip	1	RK		0.29	4.8			
139804	Creek	436884	6219430	918	Chip	1	RK		0.19	2.9			
139805	Creek	436884	6219430	918	Chip	1	RK		0.79	25.8			
139806	Creek	436867	6219398	946	Chip	1	RK		0.17	7.0			
139807	Creek	436867	6219398	946	Chip	1	RK		0.88	26.6			
139808	Creek	436867	6219398	946	Chip	1	RK		0.90	15.3			
139809	Creek	436867	6219398	946	Chip	1	RK		5.21	54.8			3.66
139810	Creek	436867	6219398	946	Chip	1	RK	Creek Zone in tunnel. GPS in middle of line.	5.97	23.6			
139811	Creek	436867	6219398	946	Chip	1	RK		0.81	23.6			6.20
139812	Creek	436867	6219398	946	Chip	1	RK		1.16	17.0			2.38
139813	Creek	436867	6219398	946	Chip	1	RK		4.34	27.6			3.91
139814	Creek	436867	6219398	946	Chip	1	RK		0.28	9.2			
139815	Creek	436867	6219398	946	Chip	1	RK		0.61	20.6			2.25
139816	Creek	436886	6219227	911	Chip	1	RK		0.06	12.5			
139817	Creek	436886	6219227	911	Chip	1	RK		0.10	13.3			
139818	Creek	436886	6219227	911	Chip	1	RK	Chip line from north to south. GPS in middle of line.	0.27	59.1			
139819	Creek	436886	6219227	911	Chip	1	RK		0.49	116.8			
139820	Creek	436886	6219227	911	Chip	1	RK		1.62	76.9			
139821	Creek	436886	6219227	911	Chip	1	RK		0.87	277.0			
139822	Creek	437018	6219198	955	Chip	1	RK		0.25	8.4			
139823	Creek	437018	6219198	955	Chip	1	RK	Chip line west to east. GPS in middle of line. Pyrite, very rusty rock.	0.59	179.7			
139824	Creek	437018	6219198	955	Chip	1	RK		0.68	89.7			
139825	Creek	437018	6219198	955	Chip	1	RK		1.03	44.9			
139826	Dago	437097	6219246	969	Chip	1	RK		0.10	12.5			
139827	Dago	437097	6219246	969	Chip	1	RK		0.21	51.0			
139828	Dago	437097	6219246	969	Chip	1	RK	Trench above Dago Pit. Chip line west to east. GPS in middle of line.	0.65	25.8			
139829	Dago	437097	6219246	969	Chip	1	RK		0.35	35.3			
139830	Dago	437097	6219246	969	Chip	1	RK		0.05	16.7			
139831	Dago	437097	6219246	969	Chip	1	RK		0.17	17.0			
139832	Bruce's	434714	6221221	880	Chip	1	CB		0.04	<0.1			
139833	Bruce's	434714	6221221	880	Chip	1	CB		0.05	0.3			
139834	Bruce's	434714	6221221	880	Chip	1	CB		0.73	2.3			
139835	Bruce's	434714	6221221	880	Chip	1	CB		22.57	273.7			
139836	Bruce's	434714	6221221	880	Chip	1	CB		42.31	715.8			
139837	Bruce's	434714	6221221	880	Chip	1	CB	Chip sampled north to south. GPS in middle of road. OC on Granduc road. Grab sample here ran 137 g/t Au. Strong pyrite, sphalerite, galena in black mudstones. Fine pyrite, galena, sphalerite, clay	9.12	877.0		1.15	
139838	Bruce's	434714	6221221	880	Chip	1	CB	shale quartz	0.05	4.5			

139839	Bruce's	434714	6221221	880	Chip	1	CB	shale quartz.	0.05	5.5			
139840	Bruce's	434714	6221221	880	Chip	1	CB		0.18	3.6			
139841	Bruce's	434714	6221221	880	Chip	1	CB		0.01	2.1			
139842	Bruce's	434714	6221221	880	Chip	1	CB		<0.01	3.8			
139843	Bruce's	434714	6221221	880	Chip	1	CB		0.02	2.7			
139844	Bruce's	434706	6221199	880	Chip	1	CB		<0.01	2.5			
139845	Bruce's	434706	6221199	880	Chip	1	CB	Chip samples north to south. GPS in middle of line. OC on Granduc Road. Grab here ran 137 g/t Au.	0.07	4.3			
139846	Bruce's	434706	6221199	880	Chip	1	CB	Pyrite in shale with quartz.	0.13	5.5			
139847	Bruce's	434706	6221199	880	Chip	1	CB		0.02	1.5			
139851	Creek Zone	437214	6220915	1062	Grab	-	TK	Grab sample by tunnel	**4.29**	**2390.0**		6.00	10.90
139849	Creek Zone	436881	6219433	1044	Chip	1	RK		0.02	6.7			
139850	Creek Zone	436881	6219433	1044	Chip	1	RK		0.01	4.8			
139852	Creek Zone	436881	6219433	1044	Chip	1	RK		0.02	7.1			
139853	Creek Zone	436881	6219433	1044	Chip	1	RK		0.03	9.1			
139854	Creek Zone	436881	6219433	1044	Chip	1	RK		0.01	3.4			
139855	Creek Zone	436881	6219433	1044	Chip	1	RK		0.02	4.3			
139856	Creek Zone	436881	6219433	1044	Chip	1	RK	Creek Zone chip sampled north to south, GPS in middle of line.	0.02	3.5			
139857	Creek Zone	436881	6219433	1044	Chip	1	RK		0.07	2.7			
139858	Creek Zone	436881	6219433	1044	Chip	1	RK		<0.01	1.4			
139859	Creek Zone	436881	6219433	1044	Chip	1	RK		0.01	4.2			
139860	Creek Zone	436881	6219433	1044	Chip	1	RK		0.01	4.7			
139861	Creek Zone	436881	6219433	1044	Chip	1	RK		<0.01	2.3			
139862	Golden Crown	436518	6219628	979	Chip	1	RK		0.07	0.9			
139863	Golden Crown	436518	6219628	979	Chip	1	RK		**3.19**	9.8			
139864	Golden Crown	436518	6219628	979	Chip	1	RK		**10.59**	**59.3**		1.68	
139865	Golden Crown	436518	6219628	979	Chip	1	RK		**3.49**	**13.6**			
139866	Golden Crown	436518	6219628	979	Chip	1	RK	Chipped north to south, GPS in middle of line. Fine pyrite, galena, quartz.	**5.28**	**18.5**			
139867	Golden Crown	436518	6219628	979	Chip	1	RK		**4.64**	7.6			
139868	Golden Crown	436518	6219628	979	Chip	1	RK		**2.84**	4.5			
139869	Golden Crown	436518	6219628	979	Chip	1	RK		**7.29**	**52.5**		1.71	4.82
139870	Golden Crown	436518	6219628	979	Chip	1	RK		**5.87**	**12.4**			
139871	Golden Crown	436518	6219628	979	Chip	1	RK		**15.42**	**64.2**			
139872	Golden Crown	436534	6218629	974	Chip	1	RK		0.22	2.5			
139873	Golden Crown	436534	6218629	974	Chip	1	RK		0.27	1.4			
139874	Golden Crown	436534	6218629	974	Chip	1	RK	Chip Sampled south to north. This just below (east) of previous line.	**1.63**	3.5			
139875	Golden Crown	436534	6218629	974	Chip	1	RK		**0.65**	2.3			
139876	Golden Crown	436534	6218629	974	Chip	1	RK		0.33	1.0			
139877	Silver Tip	437314	6220833	1085	Chip	1	RK		**2.04**	**7030.0**			
139878	Silver Tip	437314	6220833	1085	Chip	1	RK		**1.52**	**1073.0**			
139879	Silver Tip	437314	6220833	1085	Chip	1	RK		**0.55**	**120.8**			
139880	Silver Tip	437314	6220833	1085	Chip	1	RK		**1.78**	**341.0**		1.48	
139881	Silver Tip	437314	6220833	1085	Chip	1	RK		**7.36**	**4854.0**	0.17	6.70	9.90
139882	Silver Tip	437314	6220833	1085	Chip	1	RK		**9.81**	**6320.0**	0.12	3.38	4.76
139883	Silver Tip	437314	6220833	1085	Chip	1	RK		**3.05**	**1617.0**		2.71	
139884	Silver Tip	437314	6220833	1085	Chip	1	RK	Chip Sampled west to east. Heavy galena, pyrite, quartz breccia.	**0.82**	**186.8**		3.30	
139885	Silver Tip	437314	6220833	1085	Chip	1	RK		**1.41**	**679.0**		1.08	
139886	Silver Tip	437314	6220833	1085	Chip	1	RK		0.05	**45.7**			
139887	Silver Tip	437314	6220833	1085	Chip	1	RK		**4.04**	**506.0**	0.31	5.30	5.70
139888	Silver Tip	437314	6220833	1085	Chip	1	RK		**16.23**	**3700.0**	0.40	7.30	7.20
139889	Silver Tip	437314	6220833	1085	Chip	1	RK		**9.32**	**1300.0**	0.21	5.50	11.60
139890	Silver Tip	437314	6220833	1085	Chip	1	RK		**1.56**	**180.1**			
139891	Silver Tip	437281	6220835	1083	Chip	1	RK		**1.85**	**327.6**	0.20	3.77	7.70
139892	Silver Tip	437281	6220835	1083	Chip	1	RK		0.13	**45.5**		1.94	
139893	Silver Tip	437281	6220835	1083	Chip	1	RK		0.20	**42.9**			
139894	Silver Tip	437281	6220835	1083	Chip	1	RK		0.40	**120.2**	0.19	8.30	11.30
139895	Silver Tip	437281	6220835	1083	Chip	1	RK	GPS in middle of line. Galena. Lots of fine pyrite. Breccia. Quartz.	**0.60**	**191.7**	0.23	2.97	4.02

139896	Silver Tip	437281	6220835	1083	Chip	1	RK		0.67	275.9	0.13	5.00	6.00
139897	Silver Tip	437281	6220835	1083	Chip	1	RK		0.02	20.9			
139898	Silver Tip	437281	6220835	1083	Chip	1	RK		0.81	146.6	0.11	2.52	4.34
139899	Silver Tip	437281	6220835	1083	Chip	1	RK		4.53	163.4		7.50	3.66
139900	Silver Tip	437283	6220846	1084	Chip	1	RK		0.80	221.6			
139901	Silver Tip	437283	6220846	1084	Chip	1	RK	GPS in middle of line. No other description.	1.73	123.2			
139902	Silver Tip	437283	6220846	1084	Chip	1	RK		8.70	524.0	0.18	3.14	7.70
139903	Silver Tip	437211	6220844	1070	Chip	1	RK	Chip Samples 3m in tunnel. Goes SE angle chipped at end ot tunnel 1m of left side, 1m across back and 1m on right side. Lots of galena, quartz, heavy pyrite.	0.02	6.8			
139904	Silver Tip	437211	6220844	1070	Chip	1	RK		0.06	23.0		1.78	
139905	Silver Tip	437211	6220844	1070	Chip	1	RK		0.18	45.9		2.80	9.20
139906	Rambler	436303	6220243	1162	Chip	1	RK		0.04	8.8			
139907	Rambler	436303	6220243	1162	Chip	1	RK		0.06	15.3			
139908	Rambler	436303	6220243	1162	Chip	1	RK	Chipped North to South. Yellow stone, grey rock.	0.07	30.6			
139909	Rambler	436303	6220243	1162	Chip	1	RK		0.01	9.1			
139910	Rambler	436303	6220243	1162	Chip	1	RK		<0.01	2.2			
139911	Rambler	436298	6220218	1160	Chip	1	RK		0.09	3.1			
139912	Rambler	436298	6220218	1160	Chip	1	RK		0.02	2.1			
139913	Rambler	436298	6220218	1160	Chip	1	RK		0.09	3.6			
139914	Rambler	436298	6220218	1160	Chip	1	RK	No Description	0.07	2.0			
139915	Rambler	436298	6220218	1160	Chip	1	RK		0.07	2.0			
139916	Rambler	436298	6220218	1160	Chip	1	RK		0.21	5.2			
139917	Rambler	436298	6220218	1160	Chip	1	RK		0.17	4.0			
139951	Montana	436505	6220694	1148	Chip	1	RK		0.01	11.8			
139952	Montana	436505	6220694	1148	Chip	1	RK		0.01	9.2			
139953	Montana	436505	6220694	1148	Chip	1	RK	No Description	<0.01	4.3			
139954	Montana	436505	6220694	1148	Chip	1	RK		0.03	32.3			
139955	Montana	436505	6220694	1148	Chip	1	RK		0.01	12.2			
139956	Unicorn	436606	6220215	1094	Chip	1	RK		0.14	3.4			
139957	Unicorn	436606	6220215	1094	Chip	1	RK		0.11	6.2			
139958	Unicorn	436606	6220215	1094	Chip	1	RK	Chip sampled west to east.	0.22	3.4			
139959	Unicorn	436606	6220215	1094	Chip	1	RK		0.37	3.4			
139960	Unicorn	436606	6220215	1094	Chip	1	RK		0.56	3.6			
139961	Rambler	436176	6220422	1114	Chip	1	RK		<0.01	3.8			
139962	Rambler	436176	6220422	1114	Chip	1	RK	Small south facing portal. Chipped from east side around inside wall to west side of entrance. Lots of pyrite, quartz, weird jelly on the rock (?).	0.02	6.4			
139963	Rambler	436176	6220422	1114	Chip	1	RK		0.04	5.2			
139964	Rambler	436176	6220422	1114	Chip	1	RK		1.51	37.9			
139965	Rambler	436176	6220422	1114	Chip	1	RK		0.25	8.9			
139966	Rambler	436158	6220394	1120	Chip	1	RK		0.70	161.9			
139967	Rambler	436158	6220394	1120	Chip	1	RK	Quartz with pyrite.	1.50	5601.0		2.04	
139968	Rambler	436158	6220394	1120	Chip	1	RK		1.41	6321.0			
139969	Rambler	436180	6220332	1142	Chip	1	RK		0.75	246.3			
139970	Rambler	436180	6220332	1142	Chip	1	RK	No Description	0.54	504.9			
139971	Rambler	436180	6220332	1142	Chip	1	RK		0.15	6.5			
139972	Martha Ellen	435940	6221128	1208	Chip	1	RK		0.04	16.5			
139973	Martha Ellen	435940	6221128	1208	Chip	1	RK		0.05	17.3			
139974	Martha Ellen	435940	6221128	1208	Chip	1	RK		0.43	61.5			
139975	Martha Ellen	435940	6221128	1208	Chip	1	RK	Chip Sampled north to south. Quartz with pyrite.	0.23	89.9			
139976	Martha Ellen	435940	6221128	1208	Chip	1	RK		0.45	84.3			
139977	Martha Ellen	435940	6221128	1208	Chip	1	RK		0.31	76.0			
139978	Martha Ellen	435940	6221128	1208	Chip	1	RK		0.25	129.3			
139979	Martha Ellen	435774	6221136	1168	Chip	1	RK		0.01	3.1			
139980	Martha Ellen	435774	6221136	1168	Chip	1	RK		0.76	605.6			

139981	Martha Ellen	435774	6221136	1168	Chip	1	RK	Lots of very fine pyrite. Quartz with a little galena.	0.17	36.4		
139982	Martha Ellen	435774	6221136	1168	Chip	1	RK		0.19	40.9		
139983	Martha Ellen	435774	6221136	1168	Chip	1	RK		0.15	43.4		
139984	Montana	436077	6221294	1252	Chip	1	RK	Chip sampled south to north.	<0.01	2.4		
139985	Montana	436077	6221294	1252	Chip	1	RK		0.02	30.1		
139986	Montana	436077	6221294	1252	Chip	1	RK		0.01	7.5		
139987	Montana	436077	6221294	1252	Chip	1	RK		<0.01	1.7		
139988	Martha Ellen	435567	6221297	1187	Chip	1	RK	Grey green rock with pyrite and galena. Sampled north to south.	0.21	3.8		
139989	Martha Ellen	435567	6221297	1187	Chip	1	RK		0.66	15.1		
139990	Martha Ellen	435567	6221297	1187	Chip	1	RK		0.26	4.3		
139991	Martha Ellen	435567	6221297	1187	Chip	1	RK		1.11	8.6		
139992	Martha Ellen	435567	6221297	1187	Chip	1	RK		1.48	28.6		
139993	Martha Ellen	435567	6221297	1187	Chip	1	RK		12.69	29.7		
139994	Martha Ellen	435567	6221297	1187	Chip	1	RK		1.64	56.7	2.54	
139995	Martha Ellen	435567	6221297	1187	Chip	1	RK		12.26	38.6	1.15	
139996	Martha Ellen	435567	6221297	1187	Chip	1	RK		1.64	22.9		
139997	Martha Ellen	435567	6221297	1187	Chip	1	RK		1.95	22.5		
139998	Martha Ellen	435567	6221297	1187	Chip	1	RK		6.99	33.0		
139999	Martha Ellen	435567	6221297	1187	Chip	1	RK		1.84	28.8		
140000	Martha Ellen	435559	6221301	1137	Chip	1	RK	GPS in middle of line. Very hard rock with massive pyrite, strong rust staining on grey rock. Chip sampled west to east.	1.24	6.7		
139601	Martha Ellen	435559	6221301	1137	Chip	1	RK		0.53	6.3		
139602	Martha Ellen	435559	6221301	1137	Chip	1	RK		0.79	25.7		
139603	Martha Ellen	435559	6221301	1137	Chip	1	RK		0.62	3.8		
139604	Martha Ellen	435559	6221301	1137	Chip	1	RK		1.89	7.9		
139605	Martha Ellen	435559	6221301	1137	Chip	1	RK		0.75	2.2		
139606	Martha Ellen	435559	6221301	1137	Chip	1	RK		1.86	5.9		
139607	Martha Ellen	435559	6221301	1137	Chip	1	RK		1.55	13.1		
139608	Martha Ellen	435559	6221301	1137	Chip	1	RK		1.56	63.6		
139609	Martha Ellen	435559	6221301	1137	Chip	1	RK		1.25	16.0		
139610	Martha Ellen	435559	6221301	1137	Chip	1	RK		1.80	13.6		
139611	Martha Ellen	435559	6221301	1137	Chip	1	RK		0.13	2.2		
139612	Martha Ellen	435559	6221301	1137	Chip	1	RK		0.81	6.4		
139613	Martha Ellen	435559	6221301	1137	Chip	1	RK		1.66	18.2		
139614	Martha Ellen	435559	6221301	1137	Chip	1	RK		0.56	6.7		
139615	Martha Ellen	435576	6221286	1149	Chip	1	RK	Pop hole sampled around sides from west to north to east sides. Grey green rock with strong pyrite and galena.	8.34	98.4	9.70	4.93
139616	Martha Ellen	435576	6221286	1149	Chip	1	RK		3.62	83.4	6.00	9.10
139617	Martha Ellen	435576	6221286	1149	Chip	1	RK		6.72	135.9	11.10	4.65
139618	Martha Ellen	435576	6221286	1149	Chip	1	RK		14.65	49.4	2.38	3.67
139619	Martha Ellen	435576	6221286	1149	Chip	1	RK		6.75	19.5		2.09
139620	Martha Ellen	435576	6221286	1149	Chip	1	RK		2.10	10.5		
139621	Martha Ellen	435552	6221282	1143	Chip	1	RK	Very long chip line sampled north to south. Green rock with quartz, pyrite, galena. GPS in middle of	1.24	4.9		
139622	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.84	4.6		
139623	Martha Ellen	435552	6221282	1143	Chip	1	RK		1.56	19.3		
139624	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.65	4.9		
139625	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.72	4.6		
139626	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.35	2.8		
139627	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.88	2.6		
139628	Martha Ellen	435552	6221282	1143	Chip	1	RK		35.62	19.5		
139629	Martha Ellen	435552	6221282	1143	Chip	1	RK		35.49	28.2		
139630	Martha Ellen	435552	6221282	1143	Chip	1	RK		2.82	7.2		
139631	Martha Ellen	435552	6221282	1143	Chip	1	RK		1.43	3.7		
139632	Martha Ellen	435552	6221282	1143	Chip	1	RK		2.38	4.7		
139633	Martha Ellen	435552	6221282	1143	Chip	1	RK		1.65	4.6		
139634	Martha Ellen	435552	6221282	1143	Chip	1	RK		1.52	2.8		
139635	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.95	3.6		
139636	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.49	4.8		
139637	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.25	3.4		
139638	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.16	2.9		

139639	Martha Ellen	435552	6221282	1143	Chip	1	RK	line.	2.08	3.2		
139640	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.30	2.2		
139641	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.12	1.9		
139642	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.92	1.4		
139643	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.60	2.3		
139644	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.21	2.0		
139645	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.19	2.5		
139646	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.12	1.3		
139647	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.02	1.2		
139648	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.03	0.8		
139649	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.89	10.0		
139650	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.73	3.5		
139651	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.85	4.0		
139652	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.33	2.1		
139653	Martha Ellen	435552	6221282	1143	Chip	1	RK		1.19	4.6		
139654	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.51	4.0		
139655	Martha Ellen	435552	6221282	1143	Chip	1	RK		1.89	50.7	2.38	2.25
139656	Martha Ellen	435552	6221282	1143	Chip	1	RK		0.73	8.6		
139657	Martha Ellen	435583	6221300	1152	Chip	1	RK		0.45	6.4		
139658	Martha Ellen	435583	6221300	1152	Chip	1	RK		0.08	1.8		
139659	Martha Ellen	435583	6221300	1152	Chip	1	RK		0.69	3.6		
139660	Martha Ellen	435583	6221300	1152	Chip	1	RK		0.94	4.7		
139661	Martha Ellen	435583	6221300	1152	Chip	1	RK		2.68	10.3		
139662	Martha Ellen	435583	6221300	1152	Chip	1	RK		2.91	11.6		
139663	Martha Ellen	435583	6221300	1152	Chip	1	RK		1.62	9.5		
139664	Martha Ellen	435583	6221300	1152	Chip	1	RK		2.42	5.9		
139665	Martha Ellen	435583	6221300	1152	Chip	1	RK		3.07	30.8		
139666	Martha Ellen	435583	6221300	1152	Chip	1	RK		3.51	27.1		
139667	Martha Ellen	435583	6221300	1152	Chip	1	RK		2.50	13.8		
139668	Martha Ellen	435583	6221300	1152	Chip	1	RK		2.78	16.4		
139669	Martha Ellen	435583	6221300	1152	Chip	1	RK		4.05	27.3		
139670	Martha Ellen	435583	6221300	1152	Chip	1	RK		6.23	32.0	1.24	
139671	Martha Ellen	435583	6221300	1152	Chip	1	RK		4.75	21.7		
139672	Martha Ellen	435583	6221300	1152	Chip	1	RK		10.52	39.7	1.62	
139673	Martha Ellen	435583	6221300	1152	Chip	1	RK		5.71	26.8		
139674	Martha Ellen	435583	6221300	1152	Chip	1	RK		1.36	9.1		
139675	Martha Ellen	435583	6221300	1152	Chip	1	RK		1.48	2.3		
139676	Martha Ellen	435583	6221300	1152	Chip	1	RK		0.59	1.9		
139677	Martha Ellen	435583	6221300	1152	Chip	1	RK	Very long chip line. No orientation indicated. Rusty siliceous rock with quartz, pyrite and galena.	1.03	5.1		
139678	Martha Ellen	435583	6221300	1152	Chip	1	RK		0.03	0.8		
139679	Martha Ellen	435583	6221300	1152	Chip	1	RK	GPS in middle of line.	0.03	1.0		
139680	Martha Ellen	435583	6221300	1152	Chip	1	RK		0.24	2.1		
139681	Martha Ellen	435583	6221300	1152	Chip	1	RK		0.76	6.1		
139682	Martha Ellen	435583	6221300	1152	Chip	1	RK		1.65	5.8		
139683	Martha Ellen	435583	6221300	1152	Chip	1	RK		2.24	9.8		
139684	Martha Ellen	435583	6221300	1152	Chip	1	RK		1.52	6.2		
139685	Martha Ellen	435583	6221300	1152	Chip	1	RK		1.85	4.3		
139686	Martha Ellen	435583	6221300	1152	Chip	1	RK		2.09	7.1		
139687	Martha Ellen	435583	6221300	1152	Chip	1	RK		2.66	3.7		
139688	Martha Ellen	435583	6221300	1152	Chip	1	RK		8.23	26.7	1.11	
139689	Martha Ellen	435583	6221300	1152	Chip	1	RK		0.79	13.8		
139690	Martha Ellen	435583	6221300	1152	Chip	1	RK		3.19	19.2		
139691	Martha Ellen	435583	6221300	1152	Chip	1	RK		2.48	20.8		
139692	Martha Ellen	435583	6221300	1152	Chip	1	RK		2.89	14.0		
139693	Martha Ellen	435583	6221300	1152	Chip	1	RK		6.00	26.0		
139694	Martha Ellen	435583	6221300	1152	Chip	1	RK		7.18	87.0	10.00	7.50
139695	Martha Ellen	435583	6221300	1152	Chip	1	RK		5.36	32.7	2.43	2.27
139696	Martha Ellen	435583	6221300	1152	Chip	1	RK		2.22	27.5	1.68	
139697	Martha Ellen	435583	6221300	1152	Chip	1	RK		3.06	30.8	2.05	
139698	Martha Ellen	435583	6221300	1152	Chip	1	RK		4.83	62.5	1.53	3.85
139699	Martha Ellen	435583	6221300	1152	Chip	1	RK		7.46	113.4	8.40	

139700	Martha Ellen	435815	6221359	1211	Chip	1	RK		0.33	53.9
122801	Martha Ellen	435815	6221359	1211	Chip	1	RK	West side of small trench. Chip sampled south to north. GPS in middle of trench.	0.64	16.7
122802	Martha Ellen	435815	6221359	1211	Chip	1	RK		0.43	17.2
122803	Martha Ellen	435815	6221359	1211	Chip	1	RK		0.25	20.1
122804	Martha Ellen	435815	6221359	1211	Chip	1	RK	East side of small trench. Chip sampled north to south. GPS in middle of trench.	0.19	12.3
122805	Martha Ellen	435815	6221359	1211	Chip	1	RK		0.76	85.6
122806	Unicorn	436493	6220687	1142	Chip	1	RK		0.29	193.1
122807	Unicorn	436493	6220687	1142	Chip	1	RK		0.02	30.6
122808	Unicorn	436493	6220687	1142	Chip	1	RK		<0.01	15.7
122809	Unicorn	436493	6220687	1142	Chip	1	RK		<0.01	10.7
122810	Unicorn	436493	6220687	1142	Chip	1	RK		<0.01	20.1
122811	Unicorn	436493	6220687	1142	Chip	1	RK		0.01	28.2
122812	Unicorn	436493	6220687	1142	Chip	1	RK	Sampled west to east. Silicified stockwork with fine black seams in andesite. Right along ATV road.	0.02	19.2
122813	Unicorn	436493	6220687	1142	Chip	1	RK	GPS in middle of line.	<0.01	16.4
122814	Unicorn	436493	6220687	1142	Chip	1	RK		0.04	39.3
122815	Unicorn	436493	6220687	1142	Chip	1	RK		<0.01	6.1
122816	Unicorn	436493	6220687	1142	Chip	1	RK		<0.01	4.1
122817	Unicorn	436493	6220687	1142	Chip	1	RK		<0.01	0.9
122818	Unicorn	436493	6220687	1142	Chip	1	RK		0.13	65.0
122819	Unicorn	436493	6220687	1142	Chip	1	RK		0.05	23.4
122820	Unicorn	436508	6220699	1141	Chip	1	RK		<0.01	6.8
122821	Unicorn	436508	6220699	1141	Chip	2	RK		0.01	8.0
122822	Unicorn	436508	6220699	1141	Chip	3	RK	Sampled west to east. Right along ATV road. Silicified with strong stockwork and fine black seams,	0.08	20.3
122823	Unicorn	436508	6220699	1141	Chip	4	RK	strong pyrite. GPS in middle of line.	0.01	5.5
122824	Unicorn	436508	6220699	1141	Chip	5	RK		0.05	3.1
122825	Unicorn	436512	6220081	1127	Chip	1	RK		1.16	7.6
122826	Unicorn	436512	6220081	1127	Chip	1	RK		0.8	12.2
122827	Unicorn	436512	6220081	1127	Chip	1	RK		0.58	8.4
122828	Unicorn	436512	6220081	1127	Chip	1	RK	GPS in middle of line. Chip sampled south to north.	0.15	2.8
122829	Unicorn	436512	6220081	1127	Chip	1	RK		2.91	19.5
122830	Unicorn	436512	6220081	1127	Chip	1	RK		0.4	4.8
122831	Unicorn	436512	6220081	1127	Chip	1	RK		0.4	5.3
122832	Unicorn	436511	6220117	1128	Chip	1	RK		0.08	9.9
122833	Unicorn	436511	6220117	1128	Chip	1	RK		0.03	4.9
122834	Unicorn	436511	6220117	1128	Chip	1	RK	Chip sampled east to west, GPS in middle of line.	0.03	5.1
122835	Unicorn	436511	6220117	1128	Chip	1	RK		0.04	9.1
122836	Unicorn	436501	6220113	1131	Chip	1	RK		0.03	1.7
122837	Unicorn	436501	6220113	1131	Chip	1	RK		3.22	24.5
122838	Unicorn	436501	6220113	1131	Chip	1	RK		0.03	1.5
122839	Unicorn	436501	6220113	1131	Chip	1	RK		0.1	1.7
122840	Unicorn	436501	6220113	1131	Chip	1	RK		0.01	1.6
122841	Unicorn	436501	6220113	1131	Chip	1	RK	Chip sampled just west of chip line above. Samples east to west. GPS in middle of line	0.04	1.4
122842	Unicorn	436501	6220113	1131	Chip	1	RK		2.29	14.8
122843	Unicorn	436501	6220113	1131	Chip	1	RK		0.7	8.7
122844	Unicorn	436501	6220113	1131	Chip	1	RK		0.01	2.5
122845	Unicorn	436501	6220113	1131	Chip	1	RK		<0.01	1
122846	Unicorn	436501	6220113	1131	Chip	1	RK		0.01	0.9
122847	Unicorn	436489	6220124	1130	Chip	1	RK		0.07	1.1
122848	Unicorn	436489	6220124	1130	Chip	1	RK	No description	0.05	1.4
122849	Unicorn	436489	6220124	1130	Chip	1	RK		0.04	1.6
122850	Unicorn	436531	6219939	1126	Chip	1	RK		0.01	1.4
122854	Unicorn	436531	6219939	1126	Chip	1	RK		<0.01	0.6
122855	Unicorn	436531	6219939	1126	Chip	1	RK	Tag book missing 122851-122853. Sample north to south.	0.02	0.5
122856	Unicorn	436531	6219939	1126	Chip	1	RK		0.18	0.6
122857	Unicorn	436531	6219939	1126	Chip	1	RK		<0.01	<0.1

122858	Unicorn	436539	6219935	1110	Chip	1	RK		0.2	0.8
122859	Unicorn	436539	6219935	1110	Chip	1	RK		0.58	1.1
122860	Unicorn	436539	6219935	1110	Chip	1	RK		0.02	0.6
122861	Unicorn	436539	6219935	1110	Chip	1	RK	Samples north to south.	0.08	1.5
122862	Unicorn	436545	6219904	1101	Chip	1	RK	Chip across silicified pyritic rusty pit wall.	0.6	0.8
122863	Unicorn	436541	6219892	1103	Chip	1	RK		0.16	1.2
122864	Unicorn	436541	6219892	1103	Chip	1	RK		0.27	2.2
122865	Unicorn	436541	6219892	1103	Chip	1	RK		5.15	8.1
122866	Unicorn	436541	6219892	1103	Chip	1	RK		0.73	2
122867	Unicorn	436541	6219892	1103	Chip	1	RK	Sampled North to South. No other description.	2.12	14.8
122868	Unicorn	436541	6219892	1103	Chip	1	RK		0.18	2.4
122869	Unicorn	436541	6219892	1103	Chip	1	RK		0.21	2
122870	Unicorn	436541	6219892	1103	Chip	1	RK		1.51	5.7
122871	Unicorn	436541	6219892	1103	Chip	1	RK		0.1	0.8
122872	Unicorn	436544	6219876	1102	Chip	1	RK		0.57	1.1
122873	Unicorn	436544	6219876	1102	Chip	1	RK		3	2.9
122874	Unicorn	436544	6219876	1102	Chip	1	RK		0.62	6.7
122875	Unicorn	436544	6219876	1102	Chip	1	RK	Sampled north to south. No other description.	0.27	1.4
122876	Unicorn	436544	6219876	1102	Chip	1	RK		0.15	0.6
122877	Unicorn	436544	6219876	1102	Chip	1	RK		0.31	0.6
122878	Unicorn	436715	6220005	1060	Chip	1	RK		0.27	5.8
122879	Unicorn	436715	6220005	1060	Chip	1	RK		0.52	5.5
122880	Unicorn	436715	6220005	1060	Chip	1	RK		0.2	3.8
122881	Unicorn	436715	6220005	1060	Chip	1	RK		0.32	3.3
122882	Unicorn	436715	6220005	1060	Chip	1	RK		0.53	8.1
122883	Unicorn	436715	6220005	1060	Chip	1	RK		0.26	12.5
122884	Unicorn	436715	6220005	1060	Chip	1	RK		0.43	14
122885	Unicorn	436715	6220005	1060	Chip	1	RK		0.83	17.5
122886	Unicorn	436715	6220005	1060	Chip	1	RK		0.6	11.9
122887	Unicorn	436715	6220005	1060	Chip	1	RK		0.58	19.5
122888	Unicorn	436715	6220005	1060	Chip	1	RK		0.64	15.5
122889	Unicorn	436715	6220005	1060	Chip	1	RK		0.64	10.1
122890	Unicorn	436715	6220005	1060	Chip	1	RK		1.42	16.3
122891	Unicorn	436715	6220005	1060	Chip	1	RK	Sampled west to east. No other description.	3.67	8.5
122892	Unicorn	436715	6220005	1060	Chip	1	RK		0.83	53.3
122893	Unicorn	436715	6220005	1060	Chip	1	RK		1.24	38.3
122894	Unicorn	436715	6220005	1060	Chip	1	RK		0.99	15.2
122895	Unicorn	436715	6220005	1060	Chip	1	RK		0.72	11.4
122896	Unicorn	436715	6220005	1060	Chip	1	RK		0.96	48.8
122897	Unicorn	436715	6220005	1060	Chip	1	RK		1.16	56.2
122898	Unicorn	436715	6220005	1060	Chip	1	RK		0.52	57.8
122899	Unicorn	436715	6220005	1060	Chip	1	RK		1.23	20.3
122900	Unicorn	436715	6220005	1060	Chip	1	RK		0.49	9
122289	Unicorn	436715	6220005	1060	Chip	1	RK		0.51	14.3
122290	Unicorn	436715	6220005	1060	Chip	1	RK		0.22	8.5
122291	Unicorn	436715	6220005	1060	Chip	1	RK		0.78	10.7
122292	Unicorn	436732	6219996	1030	Chip	1	RK		0.3	6.4
122293	Unicorn	436732	6219996	1030	Chip	1	RK		0.85	51.8
122294	Unicorn	436732	6219996	1030	Chip	1	RK		0.55	34.7
122295	Unicorn	436732	6219996	1030	Chip	1	RK	Sampled south to north. No other description.	0.77	31.3
122296	Unicorn	436732	6219996	1030	Chip	1	RK		0.12	5.9
122297	Unicorn	436732	6219996	1030	Chip	1	RK		0.12	11.4
122451	Unicorn	436697	6220326	1100	Chip	1	RK		0.15	42.6
122452	Unicorn	436697	6220326	1100	Chip	1	RK		0.1	16.2
122453	Unicorn	436697	6220326	1100	Chip	1	RK		0.19	42.4
122454	Unicorn	436697	6220326	1100	Chip	1	RK	Snowing! Strong pyrite in black rock with quartz. Sampled west to east. GPS in middle of line.	0.2	33.4

122455	Unicorn	436697	6220326	1100	Chip	1	RK		0.07	6.8
122456	Unicorn	436697	6220326	1100	Chip	1	RK		0.04	19.1
122299	Unicorn	436690	6219970	1051	Chip	1	RK	Right beside old drill hole (-90, P81 117). Fine pyrite throughout with lesser galena. Sampled weat to east.	0.33	9.8
122300	Unicorn	436690	6219970	1051	Chip	1	RK		0.44	11.1
122457	Unicorn	436690	6219970	1051	Chip	1	RK		0.13	1.1
122458	Unicorn	436848	6219652	993	Chip	1	RK	Sampled west to east. Lots of pyrite, quartz and very black rock. GPS in middle of line	0.31	7.8
122459	Unicorn	436848	6219652	993	Chip	1	RK		0.27	8.3
122460	Unicorn	436848	6219652	993	Chip	1	RK		0.51	8.4
122461	Unicorn	436848	6219652	993	Chip	1	RK		0.35	7.9
122462	Unicorn	436848	6219652	993	Chip	1	RK		0.22	8.3
122463	Unicorn	436848	6219652	993	Chip	1	RK		0.66	9.8
122464	Silver Tip	437129	6220770	1066	Chip	1	RK	Sampled west to east. Rusty dark rock with strong pyrite. GPS in middle of line.	0.04	274.5
122465	Silver Tip	437129	6220770	1066	Chip	1	RK		<0.01	9.5
122466	Silver Tip	437129	6220770	1066	Chip	1	RK		<0.01	3.5
122467	Silver Tip	437129	6220770	1066	Chip	1	RK		<0.01	1.5
122468	Silver Tip	437129	6220770	1066	Chip	1	RK		<0.01	15.1
122469	Silver Tip	437129	6220770	1066	Chip	1	RK		<0.01	37
122470	Silver Tip	437129	6220770	1066	Chip	1	RK		<0.01	7.9
122471	Silver Tip	437129	6220770	1066	Chip	1	RK		<0.01	1.1
122472	Silver Tip	437129	6220770	1066	Chip	1	RK		<0.01	1
122473	Silver Tip	437129	6220770	1066	Chip	1	RK		<0.01	0.3
122474	Silver Tip	437129	6220770	1066	Chip	1	RK		<0.01	0.1
122475	Silver Tip	437129	6220770	1066	Chip	1	RK		<0.01	0.2
122476	Silver Tip	437129	6220770	1066	Chip	1	RK		<0.01	0.6
122477	Silver Tip	437129	6220770	1066	Chip	1	RK		<0.01	3.9
122478	Silver Tip	437129	6220770	1066	Chip	1	RK		<0.01	7
122479	Silver Tip	437129	6220770	1066	Chip	1	RK		0.06	156.7
122480	Silver Tip	437129	6220770	1066	Chip	1	RK		0.06	135
122481	Silver Tip	437109	6220768	1050	Chip	1	RK	Sampled south to north. GPS in middle of line. Rusty dark rock with abundant pyrite.	0.03	1.8
122482	Silver Tip	437109	6220768	1050	Chip	1	RK		0.01	<0.1
122483	Silver Tip	437109	6220768	1050	Chip	1	RK		0.02	<0.1
122484	Silver Tip	437109	6220768	1050	Chip	1	RK		0.03	0.5
122485	Silver Tip	437109	6220768	1050	Chip	1	RK		0.03	2.3
122486	Silver Tip	437134	6220754	1055	Chip	1	RK	Small chip line, srong pyrite, silicified, rusty.	0.03	4.6
122490	Silver Tip	436807	6221501	1252	Chip	1	RK	Trench beside the upper Silver Tip tunnel.	0.03	85.6
122498	Silver Tip	436807	6221501	1252	Chip	1	RK		0.03	47.6
122499	Silver Tip	436807	6221501	1252	Chip	1	RK		0.04	108
122500	Silver Tip	436807	6221501	1252	Chip	1	RK		0.03	35.3
122552	Silver Tip	436807	6221501	1252	Chip	1	RK		0.03	22.6
122553	Silver Tip	436807	6221501	1252	Chip	1	RK		0.03	53.7

APPENDIX D

Analytical Data - Drilling

Drilling Analytical Results 2009

Au: <0.5 | 0.5-1.0 | 1.0-5.0 | >5.0   Ag: <10 | 10-100 | 100-500 | >500

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
P09-001 - 3RD - PAD 1 - 436662E 6212355N, Elev: 500m, Az: 045, Dip: -55, EOH: 47.26m																																								
90863RA/RJ/RM	P09-001	131001	1.17	3.00	1.83	0.31	0.28	32.1	0.34	41	289	<0.5	<5	1.75	6	4	22	53	0.9	<1	0.31	<10	0.03	794	<2	0.01	1	647	275	0.63	8	1	65	<5	<0.01	<10	<10	3	<10	629	4
90863RA/RJ/RM	P09-001	131002	3.00	5.00	2.00	0.63	0.61	9.2	0.41	52	268	<0.5	<5	1.59	4	5	14	33	1.27	<1	0.36	10	0.03	769	<2	0.01	1	732	276	0.96	<5	1	57	<5	<0.01	<10	<10	4	<10	405	4
90863RA/RJ/RM	P09-001	131003	5.00	7.00	2.00	0.22	0.24	2.5	0.37	68	266	<0.5	<5	2.03	6	5	17	11	1.37	<1	0.32	10	0.03	904	6	0.01	1	750	394	1.01	<5	1	52	<5	<0.01	<10	<10	3	<10	570	3
90863RA/RJ/RM	P09-001	131004	7.00	9.00	2.00	0.2	0.15	2.2	0.39	62	295	<0.5	<5	1.57	2	4	13	4	1.33	<1	0.35	<10	0.03	923	3	0.01	1	718	90	0.82	<5	1	43	<5	<0.01	<10	<10	4	<10	201	4
90863RA/RJ/RM	P09-001	131005	9.00	11.00	2.00	0.2	0.19	3.4	0.35	70	241	<0.5	<5	2.35	2	5	16	14	1.39	<1	0.33	<10	0.03	1052	2	0.01	1	670	54	1.04	<5	1	75	<5	<0.01	<10	<10	3	<10	149	4
90863RA/RJ/RM	P09-001	131006	11.00	13.00	2.00	0.3	0.26	3	0.4	68	272	<0.5	<5	1.99	10	5	14	27	1.47	<1	0.35	<10	0.04	988	3	0.01	1	721	479	1.11	<5	1	60	<5	<0.01	<10	<10	4	15	1009	4
90863RA/RJ/RM	P09-001	131007	13.00	14.00	1.00	0.66	0.76	9.2	0.34	48	232	<0.5	<5	1.94	11	4	25	30	1.43	<1	0.28	<10	0.03	1010	2	0.01	1	583	479	1.14	<5	1	91	<5	<0.01	<10	<10	3	<10	1087	3
90863RA/RJ/RM	P09-001	131008	14.00	15.00	1.00	0.19	0.19	2.6	0.47	37	512	<0.5	<5	1.42	12	4	18	19	1.35	<1	0.31	11	0.05	1120	<2	0.01	1	698	139	0.51	<5	1	46	<5	<0.01	<10	<10	4	<10	732	3
90863RA/RJ/RM	P09-001	131009	15.00	16.50	1.50	0.1	0.07	1	0.6	15	479	<0.5	<5	0.79	7	4	18	9	1.55	<1	0.29	14	0.11	1356	<2	0.01	1	709	47	0.18	<5	1	21	5	<0.01	<10	<10	3	<10	1038	3
90863RA/RJ/RM	P09-001	131010	16.50	18.00	1.50	0.19	0.12	5.3	0.42	22	310	<0.5	<5	1.9	3	4	23	7	1.4	<1	0.33	<10	0.08	1093	2	0.01	1	690	156	0.72	<5	1	78	<5	<0.01	<10	<10	4	<10	341	3
90863RA/RJ/RM	P09-001	131011	18.00	20.00	2.00	0.66	0.48	20.1	0.31	34	254	<0.5	<5	1.19	27	5	31	35	1.88	<1	0.27	<10	0.09	818	2	0.01	1	601	527	1.19	<5	1	57	<5	<0.01	<10	<10	3	19	2460	2
90863RA/RJ/RM	P09-001	131012	20.00	21.20	1.20	0.3	0.36	2.9	0.39	14	312	<0.5	<5	1.45	5	3	19	10	1.16	<1	0.33	12	0.08	1070	<2	0.01	1	720	179	0.58	<5	1	60	<5	<0.01	<10	<10	4	<10	563	2
90863RA/RJ/RM	P09-001	131013	21.20	22.20	1.00	0.26	0.31	17.4	0.21	35	207	<0.5	<5	0.5	10	4	44	44	1.27	<1	0.19	<10	0.01	195	2	0.01	1	400	498	1.05	<5	<1	22	<5	<0.01	<10	<10	2	<10	924	2
90863RA/RJ/RM	P09-001	131014	22.20	23.20	1.00	0.3	0.33	56.5	0.13	29	134	<0.5	<5	0.68	78	4	54	133	1.02	1	0.12	<10	0.01	305	7	0.01	2	297	1474	1.24	11	<1	135	<5	<0.01	<10	<10	1	58	5117	1
90863RA/RJ/RM	P09-001	131015	23.20	24.20	1.00	0.78	0.97	14.2	0.23	85	90	<0.5	<5	2.9	15	11	39	28	2.7	<1	0.2	<10	0.07	1191	2	0.01	2	910	960	2.55	6	1	114	<5	<0.01	<10	10	7	11	1422	1
90863RA/RJ/RM	P09-001	131016	24.20	25.20	1.00	0.58	0.57	6.2	0.51	54	83	<0.5	<5	0.76	9	12	46	26	3.75	<1	0.23	<10	0.15	757	<2	0.01	3	1000	328	2.42	<5	2	32	<5	<0.01	<10	<10	12	<10	870	2
90863RA/RJ/RM	P09-001	131017	25.20	26.20	1.00	0.37	0.37	10.8	0.11	40	72	<0.5	<5	1.41	26	4	78	33	3.13	<1	0.07	<10	0.07	1098	<2	0.01	2	271	294	2.54	5	1	79	<5	<0.01	<10	11	1	18	2161	1
90863RA/RJ/RM	P09-001	131018	26.20	27.20	1.00	0.13	0.12	9.3	0.11	15	162	<0.5	<5	0.46	9	2	108	8	2.21	<1	0.08	<10	0.1	680	<2	0.01	2	238	198	1.51	<5	1	34	<5	<0.01	<10	<10	2	<10	879	1
90863RA/RJ/RM	P09-001	131019	27.20	28.20	1.00	0.41	0.25	23.7	0.12	17	178	<0.5	<5	0.83	12	3	96	14	1.97	<1	0.08	<10	0.11	858	<2	0.01	2	264	1388	1.36	6	1	41	<5	<0.01	<10	<10	3	<10	1169	1
90863RA/RJ/RM	P09-001	131020	28.20	29.20	1.00	5.62	5.31	8.5	0.12	16	128	<0.5	<5	0.96	30	3	105	30	2.03	<1	0.08	<10	0.12	1057	<2	0.01	2	265	612	1.44	<5	1	71	<5	<0.01	<10	<10	3	20	2456	1
90863RA/RJ/RM	P09-001	131021	29.20	30.00	0.80	0.54	0.69	5.5	0.1	20	136	<0.5	<5	0.83	33	3	94	30	2.24	<1	0.08	<10	0.14	1111	2	0.01	3	307	910	1.65	5	1	59	<5	<0.01	<10	<10	2	24	2790	1
90863RA/RJ/RM	P09-001	131022	30.00	30.80	0.80	0.86	0.97	10.7	0.11	35	82	<0.5	6	0.87	70	5	106	228	3.14	1	0.08	<10	0.14	983	<2	0.01	3	357	2819	2.58	10	1	57	<5	<0.01	<10	10	1	51	4607	1
90863RA/RJ/RM	P09-001	131023	30.80	31.60	0.80	1.25	1.46	10.1	0.13	69	30	<0.5	<5	0.42	25	6	92	18	5.26	<1	0.11	<10	0.08	555	4	0.01	2	463	537	4.24	<5	1	38	<5	<0.01	<10	10	4	18	2155	2
90863RA/RJ/RM	P09-001	131024	31.60	32.60	1.00	8.71	8.3	42.4	0.07	216	14	<0.5	15	0.86	244	5	87	119	10.44	3	0.06	<10	0.06	755	<2	0.01	1	163	794	>5.00	7	<1	31	<5	<0.01	<10	25	4	148	6327	4
90863RA/RJ/RM	P09-001	131025	32.60	33.60	1.00	23.9	31.18	31.3	0.07	220	15	<0.5	14	0.9	228	5	98	280	11.78	3	0.05	<10	0.09	894	<2	0.01	1	173	528	>5.00	5	1	31	<5	<0.01	<10	30	4	126	6302	4
90863RA/RJ/RM	P09-001	131026	33.60	34.60	1.00	3.71	3.55	46.7	0.2	133	19	<0.5	9	1.95	227	8	62	285	7.21	3	0.18	<10	0.04	1038	11	0.01	1	553	9781	>5.00	25	1	103	<5	<0.01	<10	19	4	141	5781	3
90863RA/RJ/RM	P09-001	131027	34.60	35.60	1.00	0.21	0.34	3.2	0.29	19	247	<0.5	<5	1.42	5	5	64	93	1.17	<1	0.24	<10	0.01	619	5	0.01	2	772	243	1.04	<5	1	97	<5	<0.01	<10	<10	3	<10	463	1
90863RA/RJ/RM	P09-001	131028	35.60	36.90	1.30	0.32	0.36	20.5	0.27	35	136	<0.5	<5	2.75	67	5	46	198	1.37	1	0.22	<10	0.02	1127	7	0.01	2	616	2828	1.68	15	1	115	<5	<0.01	<10	<10	3	44	3884	1
90863RA/RJ/RM	P09-001	131029	BLANK			0.01		<0.2	0.05	<5	29	<0.5	<5	>15.00	<1	1	3	3	0.05	2	0.01	<10	1.26	30	<2	0.01	1	43	<2	0.84	<5	<1	5660	<5	<0.01	<10	<10	1	<10	18	<1
90863RA/RJ/RM	P09-001	131030	STD	PM405		0.31		0.7	0.57	810	1210	0.5	9	0.79	10	9	54	36	3.7	2	0.13	14	0.37	496	6	0.01	34	1044	159	0.22	639	5	215	6	<0.01	<10	<10	55	<10	240	14
90863RA/RJ/RM	P09-001	131031	36.90	38.90	2.00	0.24	0.23	3.6	0.57	79	49	<0.5	<5	4.33	17	20	16	34	5.18	<1	0.35	<10	0.11	1616	2	0.01	1	1695	833	4.58	<5	2	121	<5	0.01	<10	15	11	12	1423	2
90863RA/RJ/RM	P09-001	131032	38.90	40.90	2.00	0.01	0.01	0.7	1.63	17	165	<0.5	<5	5.55	1	19	12	22	5.05	<1	0.32	<10	0.69	2654	<2	0.01	1	1640	16	1.95	<5	2	143	<5	0.03	<10	19	22	<10	84	2
90863RA/RJ/RM	P09-001	131033	40.90	42.90	2.00	0.02	0.02	0.9	1.79	14	179	<0.5	<5	5.11	<1	18	9	20	4.56	<1	0.32	<10	0.73	2481	<2	0.01	1	1565	10	1.19	<5	3	125	<5	0.02	<10	17	24	<10	63	2
90863RA/RJ/RM	P09-001	131034	42.90	44.90	2.00	0.03	<0.01	0.7	2.1	12	154	<0.5	<5	5.47	<1	19	4	30	4.8	<1	0.29	<10	0.92	2951	<2	0.01	<1	1639	6	0.63	<5	3	124	<5	0.02	<10	20	26	<10	77	2
90863RA/RJ/RM	P09-001	131035	44.90	47.26	2.36	0.05	0.05	0.9	1.87	12	161	<0.5	<5	4.85	<1	16	5	25	4.82	<1	0.31	<10	0.82	2789	<2	0.01	<1	1522	14	1.45	<5	2	113	<5	0.01	<10	19	25	<10	67	2
P09-002 - 3RD - PAD 1 - 436662E 6212355N, Elev: 500m, Az: 045, Dip: -65, EOH: 65.85m																																								
90863RA/RJ/RM	P09-002	131036	1.80	2.80	1.00	0.1	0.1	5.1	0.38	34	320	<0.5	<5	2.71	3	5	18	11	1.25	<1	0.32	12	0.04	1584	3	0.01	1	678	84	0.58	<5	1	87	<5	<0.01	<10	<10	3	<10	218	3
90863RA/RJ/RM	P09-002	131037	2.80	3.80	1.00	0.45	0.41	12.1	0.37	43	161	<0.5	<5	1.55	2	4	20	21	1.07	<1	0.31	11	0.03	779	<2	0.01	1	611	153	0.83	<5	1	77	<5	<0.01	<10	<10	3	<10	193	3
90863RA/RJ/RM	P09-002	131038	3.80	4.80	1.00	0.61	0.73	61	0.33	60	203	<0.5	<5	1.37	30	5	23	45	1.33	<1	0.28	<10	0.02	478	<2	0.01	1	633	1168	1.22	6	1	50	<5	<0.01	<10	<10	3	21	2419	3
90863RA/RJ/RM	P09-002	131039	4.80	5.80	1.00	0.1	0.11	3.4	0.36	48	234	<0.5	<5	1.46	7	4	19	9	1.41	<1	0.31	<10	0.02	703	2	0.01	1	646	358	0.96	<5	1	32	<5	<0.01	<10	<10	3	<10	456	3
90863RA/RJ/RM	P09-002	131040	5.80	6.80	1.00	0.22	0.1	2.1	0.34	45	436	<0.5	<5	3.26	7	4	11	3	1.27	<1	0.3	15	0.02	1927	2	0.01	1	743	106	0.41	<5	1	37	<5	<0.01	<10	<10	2	<10	583	3
90863RA/RJ/RM	P09-002	131041	6.80	7.80	1.00	0.45	0.25	5.6	0.42	59	821	<0.5	<5	0.17	4	6	24	11	1.84	<1	0.3	13	0.04	840	<2	0.01	1	656	309	0.27	<5	1	13	<5	<0.01	<10	<10	3	<10	742	3
90863RA/RJ/RM	P09-002	131042	7.80	9.80	2.00	0.15	0.13	2.6	0.4	64	256	<0.5	<5	2.79	1	5	14	3	1.48	<1	0.36	10	0.04	1218	<2	0.01	1	689	49	0.98	<5	1	113	<5	<0.01	<10	<10	3	<10	62	4
90863RA/RJ/RM	P09-002	131043	9.80	11.80	2.00	0.14	0.14	2.8	0.41	79	269	<0.5	<5	2.53	1	5	15	4	1.42	<1	0.39	10	0.04	1390	<2	0.01	1	678	40	1.1	<5	1	92	<5	<0.01	<10	<10	3	<10	29	4
90863RA/RJ/RM	P09-002	131044	11.80	13.80	2.00	0.21	0.16	2.3	0.4	30	335	<0.5	<5	2.84	5	4	14	8	1.34	<1	0.35	11	0.04	1424	<2	0.01	1	686	169	0.67	<5	1	91	<5	<0.01	<10	<10	3	<10	573	4
90863RA/RJ/RM	P09-002	131045	13.80	15.80	2.00	0.08	0.09	0.8	0.41	16	365	<0.5	<5	2.39	2	5	14	2	1.34	<1	0.35	<10	0.08	1430	<2	0.01	<1	646	55	0.59	<5	1	91	<5	<0.01	<10	<10	3	<10	179	3
90863RA/RJ/RM	P09-002	131046	15.80	17.80	2.00	0.24	0.13	1.4	0.42	17	329	<0.5	<5	2.31	4	5	18	4	1.33	<1	0.33	11	0.05	1864	2	0.01	1	666	76	0.37	<5	1	83	<5	<0.01	<10	<10	3	<10	342	3
90863RA/RJ/RM	P09-002	131047	17.80	19.80	2.00	0.05	0.05	2.5	0.41	16	310	<0.5	<5	2.02	1	4	21	3	1.05	<1	0.37	10	0.05	1455	3	0.01	1	702	105	0.58	<5	1	83	<5	<0.01	<10	<10	3	<10	120	3
90863RA/RJ/RM	P09-002	131048	19.80	21.50	1.70	0.18	0.17	2.8	0.37	28	297	<0.5	<5	1.41	6	5	25	16	1.16	<1	0.35	<10	0.04	872	2	0.01	1	693	113	0.76	<5	1	63	<5	<0.01	<10	<10	3	<10	446	2
90863RA/RJ/RM	P09-002	131049	21.50	22.50	1.00	1.63	1.34	31.3	0.25	86	144	<0.5	<5	1.04	31	4	42	56	2.51	<1	0.23	<10	0.03	476	<2	0.01	1	443	986	2.32	15	<1	57	<5	<0.01	<10	<10	3	21	2558	2
90863RA/RJ/RM	P09-002	131050	22.50	23.50	1.00	0.5	0.51	2.6	0.31	33	240	<0.5	<5	0.71	9	5	35	11	1.56	<1	0.28	<10	0.03	383	<2	0.01	1	631	344	1.3	5	<1	34	<5	<0.01	<10	<10	3	<10	836	2
90863RA/RJ/RM	P09-002	131051	23.50	24.50	1.00	0.63	0.87	27.5	0.25	89	99	<0.5	5	0.82	13	5	46	108	4.05	<1	0.27	<10	0.03	600	<2	0.01	1	496	403	3.53	32	<1	49	<5	<0.01	<10	10	2	<10	1039	3
90863RA/RJ/RM	P09-002	131052	24.50	25.50	1.00	0.56	0.54	2.8	0.26	22	241	<0.5	<5	2.01	2	4	37	4	1.26	<1	0.24	<10	0.03	1249	2	0.01	1	550	210	1.02	<5	1	77	<5	<0.01	<10	<10	3	<10	169	2
90863RA/RJ/RM	P09-002	131053	25.50	26.50	1.00	0.63	0.66	5.8	0.27	29	230	<0.5	<5	1.57	11	5	34	29	1.34	<1	0.26	<10	0.03	780	3	0.01	1	619	448	1.25	6	1	72	<5	<0.01	<10	<10	3	<10	992	2
90863RA/RJ/RM	P09-002	131054	26.50	27.50	1.00	0.47	0.48	22.4	0.27	21	229	<0.5	<5	0.54	19	4	48	69	1.42	<1	0.2	<10	0.05	519	3	0.01	2	508	630	1.03	5	1	34	<5	<0.01	<10	<10	4	13	1810	2
90863RA/RJ/RM	P09-002	131055	27.50	28.50	1.00	1.21	1.37	29.1	0.19	62	118	<0.5	5	0.29	105	3	62	151	2.58	1	0.13	<10	0.04	328	2	0.01	2	363	273	2.31	<5	<1	18	<5	<0.01	<10	<10	3	66	4567	2
90863RA/RJ/RM	P09-002	131056	28.50	29.50	1.00	3.31	7.61	13.3	0.29	199	47	<0.5	13	0.3	13	10	44	16	6.8	<1	0.22	<10	0.1	882	3	0.01	1	930	324	>5.00	6	1	14	<5	<0.01	<10	19	9	<10	1030	3
90863RA/RJ/RM	P09-002	131057	29.50	30.50	1.00	0.08	0.09	3.2	0.11	38	69	<0.5	<5	0.72	5	6	71	3	3.18	<1	0.1	<10	0.16	994	<2	0.01	2	424	173	2.28	5	1	56	<5	<0.01	<10	11	3	<10	456	1
90863RA/RJ/RM	P09-002	131058	30.50	31.50	1.00	0.12	0.12	4.1	0.14	35	108	<0.5	<5	1.04	2	7	73	2	3.48	<1	0.12	<10	0.25	1489	2	0.01	3	542	72	2.23	<5	2	92	<5	<0.01	<10	15	3	<10	157	1
90863RA/RJ/RM	P09-002	131059	31.50	32.50	1.00	0.31	0.36	14.4	0.32	32	109	<0.5	<5	0.91	2	7	71	<1	3.87	<1	0.11	<10	0.39	1493	<2	0.01	2	591	525	2.31	5	2	70	<5	<0.01	<10	14	12	<10	155	2
90863RA/RJ/RM	P09-002	131060	32.50	33.50	1.00	0.35	0.38	2.9	0.16	27	154	<0.5	<5	1.36	5	5	84	<1	2.93	<1	0.14	<10	0.25	1539	2	0.01	2	496	75	1.74	5	1	102	<5	<0.01	<10	11	3	<10	430	1
90863RA/RJ/RM	P09-002	131061	33.50	34.50	1.00	0.75	0.34	26.6	0.08	17	137	<0.5	<5	2.04	28	3	83	13	1.47	1	0.08	<10	0.07	1502	2	0.01	2	204	443	1.3	11	1	114	<5	<0.01	<10	11	1	19	2474	1
90863RA/RJ/RM	P09-002	131062	34.50	35.50	1.00	0.34	0.36	13.1	0.15	35	125	<0.5	<5	1.7	10	5	73	8	2.52	<1	0.12	<10	0.1	1646	5	0.01	2	557	355	1.96	6	1	86	<5	<0.01	<10	13	4	<10	870	1
90863RA/RJ/RM	P09-002	131063	35.50	36.50	1.00	0.25	0.2	3.8	0.18	21	193	<0.5	<5	0.96	4	4	71	1	2.54	<1	0.14	<10	0.26	1518	<2	0.01	2	496	133	1.4	<5	1	87	<5	<0.01	<10	12	5	<10	398	1
90863RA/RJ/RM	P09-002	131064	36.50	37.50	1.00	0.12	0.13	4.2	0.19	21	208	<0.5	<5	0.68	10	5	79	10	2.78	<1	0.13	<10	0.24	1358	<2	0.01	3	455	360	1.51	5	1	65	<5	<0.01	<10	<10	5	<10	955	1
90863RA/RJ/RM	P09-002	131065	37.50	38.50	1.00	3.52	3.19	10.9	0.14	32	138	<0.5	<5	0.69	21	3	93	38	2.36	<1	0.11	<10	0.16	1203	<2	0.01	3	309	766	1.72	9	1	52	<5	<0.01	<10	10	2	15	1905	1
90863RA/RJ/RM	P09-002	131066	38.50	39.50	1.00	0.14	0.07	2	0.16	7	129	<0.5	<5	0.68	12	3	98	9	2.04	<1	0.1	<10	0.25	1436	<2	0.01	3	338	243	0.95	<5	1	51	<5	<0.01	<10	10	3	<10	1108	1
90863RA/RJ/RM	P09-002	131067	39.50	40.50	1.00	0.09	0.08	4.8	0.19	8	215	<0.5	<5	1.17	18	4	70	28	2.93	<1	0.16	<10	0.39	2164	<2	0.01	2	501	103	1.07	5	1	99	<5	<0.01	<10	15	4	10	1416	1
90863RA/RJ/RM	P09-002	131068	40.50	41.50	1.00	0.26	0.26	4.9	0.17	11	217	<0.5	<5	1.17	34	4	80	38	2.46	<1	0.14	<10	0.36	1991	<2	0.01	2	459	548	1.01	<5	1	88	<5	<0.01	<10	13	4	19	2377	1
90863RA/RJ/RM	P09-002	131069	41.50	42.50	1.00	2.13	2.47	6.1	0.24	19	184	<0.5	<5	1.01	53	3	70	55	2.16	1	0.13	<10	0.28	1885	<2	0.01	2	441	2136	1	<5	1	59	<5	<0.01	<10	13	6	32	3214	1
90863RA/RJ/RM	P09-002	131070	42.50	43.00	0.50	5.26	8.65	9.9	0.19	20	140	<0.5	<5	1.86	117	2	87	128	2.03	1	0.13	<10	0.19	1899	<2	0.01	3	332	2267	1.41	<5	1	126	<5	<0.01	<10	13	3	67	4310	1
90863RA/RJ/RM	P09-002	131071	43.00	43.80	0.80	5.1	5.09	14.5	0.16	44	92	<0.5	9	0.7	160	3	74	622	3.73	2	0.12	<10	0.09	1027	<2	0.01	2	349	1001	3.1	<5	1	49	<5	<0.01	<10	12	3	90	4799	1
90863RA/RJ/RM	P09-002	131072	43.80	45.20	1.40	91.36	99.09	112.9	0.27	360	27	<0.5	49	0.09	120	5	58	1587	>15.00	1	0.13	<10	0.11	397	<2	0.01	<1	548	1546	>5.00	10	<1	4	<5	<0.01	<10	53	5	62	4318	8
90863RA/RJ/RM	P09-002	131073	45.20	46.20	1.00	0.67	0.83	3.8	0.53	23	141	<0.5	<5	0.56	31	5	57	84	3.11	<1	0.18	<10	0.22	843	<2	0.01	2	653	548	1.67	<5	1	31	<5	<0.01	<10	<10	7	17	2169	2
90863RA/RJ/RM	P09-002	131074	Blank			0.02		<0.2	0.03	<5	12	<0.5	<5	>15.00	1	1	5	13	0.18	<1	0.01	<10	1.09	31	<2	0.01	<1	64	8	0.94	<5	<1	4583	<5	<0.01	<10	<10	1	<10	18	<1
90863RA/RJ/RM	P09-002	131075	STD	PM427		3.39		1.5	1.33	6248	72	0.6	133	5.82	75	97	31	280	4.51	<1	0.21	<10	0.47	711	28	0.06	56	895	15	0.87	9	3	58	<5	0.12	<10	10	48	35	76	11

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
90863RA/RJ/RM	P09-002	131076	46.20	47.20	1.00	0.24	0.27	1.2	0.31	22	167	<0.5	<5	0.68	8	4	60	22	2.11	<1	0.18	<10	0.13	907	<2	0.01	2	562	78	1.13	<5	1	36	<5	<0.01	<10	<10	4	<10	729	1
90863RA/RJ/RM	P09-002	131077	47.20	48.20	1.00	0.15	0.14	2	0.17	13	139	<0.5	<5	0.71	20	3	92	14	1.34	<1	0.1	<10	0.08	1240	<2	0.01	3	232	505	0.76	<5	<1	26	<5	<0.01	<10	<10	2	10	1424	1
90863RA/RJ/RM	P09-002	131078	48.20	49.20	1.00	0.26	0.22	2.6	0.27	17	61	<0.5	<5	1.75	32	3	88	23	1.63	<1	0.13	<10	0.14	1901	<2	0.01	3	250	979	0.97	<5	<1	72	<5	<0.01	<10	12	1	17	2069	1
90863RA/RJ/RM	P09-002	131079	49.20	50.20	1.00	0.34	0.3	3	0.18	10	64	<0.5	<5	2.01	16	2	101	16	1.12	<1	0.08	<10	0.11	1849	<2	0.01	3	157	822	0.56	<5	<1	80	<5	<0.01	<10	11	1	<10	1135	1
90863RA/RJ/RM	P09-002	131080	50.20	51.20	1.00	0.07	0.1	1.9	1.21	19	120	<0.5	<5	1.41	20	7	45	29	3.89	<1	0.24	<10	0.58	2125	<2	0.01	1	909	259	1.08	<5	1	64	<5	<0.01	<10	17	14	<10	1272	2
90863RA/RJ/RM	P09-002	131081	51.20	52.20	1.00	0.17	0.15	0.8	0.87	8	283	<0.5	<5	1.24	4	4	65	9	2.87	<1	0.18	<10	0.48	1948	<2	0.01	2	587	163	0.74	<5	1	61	<5	<0.01	<10	14	12	<10	351	2
90863RA/RJ/RM	P09-002	131082	52.20	53.20	1.00	0.12	0.11	1.9	1.25	11	319	<0.5	<5	0.82	4	7	30	42	3.54	<1	0.19	<10	0.9	3177	<2	0.01	1	974	299	0.72	<5	2	47	<5	<0.01	<10	21	28	<10	443	2
90863RA/RJ/RM	P09-002	131083	53.20	54.20	1.00	0.22	0.04	1.5	1.09	11	249	<0.5	<5	0.95	9	6	32	9	3.28	<1	0.22	<10	0.87	3215	<2	0.01	1	914	192	0.7	<5	2	58	<5	<0.01	<10	20	19	<10	816	2
90863RA/RJ/RM	P09-002	131084	54.20	55.20	1.00	0.29	0.3	2.1	0.95	9	325	<0.5	<5	0.98	18	7	24	27	3.1	<1	0.24	<10	0.77	2674	<2	0.01	1	1002	253	0.74	<5	2	59	<5	<0.01	<10	16	14	11	1467	2
90863RA/RJ/RM	P09-002	131085	55.20	56.20	1.00	0.53	0.47	2.6	0.52	55	131	<0.5	<5	0.88	8	9	28	10	4.59	<1	0.28	<10	0.45	2175	2	0.01	1	966	226	2.53	<5	2	77	<5	<0.01	<10	18	9	<10	717	2
90863RA/RJ/RM	P09-002	131086	56.20	57.50	1.30	0.09	0.09	3.5	0.31	18	190	<0.5	<5	2.86	5	5	46	52	2.56	<1	0.14	<10	0.24	1603	<2	0.01	1	749	323	1.28	<5	3	209	<5	<0.01	<10	12	11	<10	427	1
90863RA/RJ/RM	P09-002	131087	57.50	58.40	0.90	0.91	1.33	33.2	0.13	127	21	<0.5	18	0.26	1553	5	56	1728	7.53	5	0.05	<10	0.05	602	<2	<0.01	1	234	1162	>5.00	<5	<1	24	<5	<0.01	<10	19	3	1097	>10000	3
90863RA/RJ/RM	P09-002	131088	58.40	59.40	1.00	2.45	2.83	6.4	0.41	32	155	<0.5	<5	1.01	28	7	64	39	3.32	<1	0.16	<10	0.22	1279	2	0.01	2	577	865	2.1	<5	1	83	<5	<0.01	<10	10	7	18	2143	1
90863RA/RJ/RM	P09-002	131089	59.40	60.40	1.00	2.63	2.78	8.3	0.91	35	79	<0.5	7	0.99	123	11	55	170	4.97	1	0.2	<10	0.51	2326	<2	0.01	1	839	1349	3.41	6	1	50	<5	0.01	<10	10	12	142	6603	<1
90863RA/RJ/RM	P09-002	131090	60.40	61.40	1.00	0.48	0.32	4.4	1.13	35	102	<0.5	<5	2.59	20	20	23	60	4.54	1	0.26	<10	0.54	2855	<2	0.01	2	1445	915	2.43	6	2	130	<5	0.01	<10	<10	16	25	1644	<1
90863RA/RJ/RM	P09-002	131091	61.40	62.40	1.00	0.34	0.52	3.4	1.05	23	127	<0.5	<5	2.57	27	21	14	81	4.36	1	0.31	<10	0.48	2793	3	0.01	1	1589	733	2.57	6	2	85	<5	0.02	<10	<10	16	34	2257	<1
90863RA/RJ/RM	P09-002	131092	62.40	63.40	1.00	1.34	2.59	5.2	1.25	50	59	<0.5	6	2.01	31	18	21	89	6.56	1	0.28	<10	0.6	3038	<2	0.01	<1	1430	956	4.03	9	2	71	<5	0.02	<10	13	18	39	2507	<1
90863RA/RJ/RM	P09-002	131093	63.40	64.40	1.00	0.75	1.08	10.1	1.09	43	78	<0.5	<5	1.78	44	20	25	159	5.61	1	0.29	<10	0.56	3117	<2	0.01	1	1368	1260	3.51	9	2	72	<5	0.01	<10	11	16	55	3414	<1
90863RA/RJ/RM	P09-002	131094	64.40	65.85	1.45	1.4	1.94	6.9	0.97	40	114	<0.5	<5	2.14	27	19	19	109	4.91	1	0.32	<10	0.45	3140	2	0.01	1	1492	1533	2.77	7	2	78	<5	<0.01	<10	<10	14	35	2327	<1

P09-003 - 3RD - PAD 2 - 436676E 6212342N, Elev: 491m, Az: 045, Dip: -45, EOH: 50.0m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0883RA/RJ	P09-003	131095	1.52	3.50	1.98	0.04		0.7	1.28	14	261	<0.5	<5	2.28	2	8	24	8	3.17	<1	0.3	<10	0.69	2455	<2	0.01	1	1153	82	0.61	8	2	121	<5	<0.01	<10	14	21	<10	331	2
9V0883RA/RJ	P09-003	131096	3.50	5.50	2.00	0.04		1.8	1.12	27	269	<0.5	<5	1.8	4	8	35	7	3.44	<1	0.28	<10	0.56	2278	3	0.01	1	1033	124	0.96	<5	2	81	<5	<0.01	<10	13	22	<10	507	3
9V0883RA/RJ	P09-003	131097	5.50	7.50	2.00	0.23		2.4	0.84	26	270	<0.5	<5	1.91	11	7	27	26	2.26	<1	0.35	<10	0.25	1382	3	0.01	1	1007	424	0.95	<5	2	61	<5	0.01	<10	<10	13	<10	1018	3
9V0883RA/RJ	P09-003	131098	7.50	9.50	2.00	0.28		4.1	0.68	42	236	<0.5	<5	1.74	29	10	26	54	1.91	<1	0.45	<10	0.1	1009	6	0.01	1	1204	825	1.41	<5	1	49	<5	0.02	<10	<10	10	21	2495	3
9V0883RA/RJ	P09-003	131099	9.50	11.50	2.00	0.32		1.9	0.79	52	149	<0.5	<5	1.3	7	9	34	10	3.12	<1	0.37	<10	0.26	1211	5	0.01	1	1094	432	1.91	<5	1	44	<5	0.02	<10	<10	14	<10	640	3
9V0883RA/RJ	P09-003	131100	11.50	13.50	2.00	0.36		1.8	0.96	50	213	<0.5	<5	2.58	1	9	28	11	3.35	<1	0.38	<10	0.38	1990	<2	0.01	1	1132	24	1.66	<5	2	148	<5	0.01	<10	10	18	<10	60	3
9V0883RA/RJ	P09-003	131101	13.50	14.50	1.00	0.2		4.6	0.56	39	248	<0.5	<5	3.09	3	7	57	4	2.25	<1	0.31	<10	0.16	1940	2	0.01	2	908	164	1.49	<5	1	233	<5	<0.01	<10	<10	9	<10	255	2
9V0883RA/RJ	P09-003	131102	14.50	15.50	1.00	0.25		18	0.3	29	181	<0.5	<5	0.93	17	5	89	9	2.05	<1	0.18	<10	0.09	908	10	0.01	2	325	1186	1.49	5	1	56	<5	<0.01	<10	<10	5	13	1653	1
9V0883RA/RJ	P09-003	131103	15.50	16.50	1.00	0.23		46.6	0.22	24	157	<0.5	<5	0.6	15	4	114	18	1.51	1	0.14	<10	0.05	590	5	0.01	3	274	994	1.11	5	<1	118	<5	<0.01	<10	<10	3	11	1447	1
9V0883RA/RJ	P09-003	131104	16.50	17.50	1.00	0.63		44.9	0.3	21	121	<0.5	<5	0.59	20	5	86	13	1.54	1	0.2	<10	0.05	548	6	0.01	2	472	940	1.09	<5	1	87	<5	<0.01	<10	<10	5	15	1956	1
9V0883RA/RJ	P09-003	131105	17.50	18.50	1.00	0.23		6.7	0.38	23	131	<0.5	<5	1.87	8	6	68	8	2.15	<1	0.29	<10	0.07	1421	3	0.01	2	699	660	1.46	<5	1	148	<5	<0.01	<10	<10	5	<10	771	1
9V0883RA/RJ	P09-003	131106	18.50	19.50	1.00	0.17		3.5	0.2	17	173	<0.5	<5	1.15	16	4	130	20	2.21	<1	0.16	<10	0.07	999	4	0.01	3	274	303	1.52	<5	1	67	<5	<0.01	<10	<10	3	11	1372	1
9V0883RA/RJ	P09-003	131107	19.50	20.50	1.00	0.35		4.2	0.3	38	168	<0.5	<5	0.37	1	5	79	1	2.45	<1	0.24	<10	0.05	327	5	0.01	2	526	98	1.75	<5	1	20	<5	<0.01	<10	<10	5	<10	18	1
9V0883RA/RJ	P09-003	131108	20.50	21.50	1.00	0.2		3.2	0.28	23	236	<0.5	<5	0.6	3	5	109	5	2.22	<1	0.21	<10	0.08	547	5	0.01	2	410	123	1.4	<5	1	36	<5	<0.01	<10	<10	5	<10	282	1
9V0883RA/RJ	P09-003	131109	21.50	22.50	1.00	0.36		10.1	0.25	21	210	<0.5	<5	1.05	7	5	97	14	2.32	<1	0.21	<10	0.15	1206	3	0.01	3	460	419	1.53	9	1	68	<5	<0.01	<10	<10	3	<10	732	1
9V0883RA/RJ	P09-003	131110	22.50	23.50	1.00	0.18		7.4	0.17	12	140	<0.5	<5	0.6	4	4	176	5	1.42	<1	0.1	<10	0.06	593	10	0.04	3	345	267	0.94	7	1	48	<5	<0.01	<10	<10	1	<10	399	1
9V0883RA/RJ	P09-003	131111	23.50	24.50	1.00	0.29		7.5	0.16	9	180	<0.5	<5	0.4	17	3	161	12	1.13	<1	0.11	<10	0.04	398	3	0.02	4	273	465	0.82	7	1	30	<5	<0.01	<10	<10	1	12	1619	1
9V0883RA/RJ	P09-003	131112	24.50	25.50	1.00	0.07		2.6	0.3	18	107	<0.5	<5	0.6	4	5	126	14	2.45	<1	0.19	<10	0.09	869	<2	0.01	3	371	388	1.72	<5	1	35	<5	<0.01	<10	<10	3	<10	457	1
9V0883RA/RJ	P09-003	131113	25.50	26.50	1.00	0.25		4.7	0.17	6	394	<0.5	<5	0.28	5	2	171	3	0.93	<1	0.13	<10	0.02	195	5	0.01	3	163	232	0.64	5	<1	14	<5	<0.01	<10	<10	2	<10	549	1
9V0883RA/RJ	P09-003	131114	26.50	27.50	1.00	0.06		6.5	0.18	12	199	<0.5	<5	1.07	14	3	150	18	1.51	<1	0.13	<10	0.08	1099	4	0.01	3	176	923	1.14	5	<1	57	<5	<0.01	<10	<10	2	11	1559	1
9V0883RA/RJ	P09-003	131115	27.50	28.50	1.00	1.36		7	0.14	20	131	<0.5	<5	0.76	6	4	147	23	2.22	<1	0.09	<10	0.11	931	3	0.01	4	283	470	1.5	5	1	54	<5	<0.01	<10	<10	3	<10	659	1
9V0883RA/RJ	P09-003	131116	28.50	29.20	0.70	1.84		23.3	0.19	45	93	<0.5	<5	1.86	36	6	100	145	3.56	<1	0.14	<10	0.1	1079	9	0.01	2	377	3508	2.96	9	1	126	<5	<0.01	<10	<10	3	25	2921	1
9V0883RA/RJ	P09-003	131117	29.20	29.90	0.70	20.63		71.2	0.45	55	93	<0.5	<5	3.76	55	13	36	214	3.42	<1	0.34	<10	0.05	1605	3	0.01	2	1065	1827	3.3	8	1	142	<5	<0.01	<10	<10	7	34	3771	2
9V0883RA/RJ	P09-003	131118	29.90	31.00	1.10	0.12		4.3	1.86	17	306	<0.5	<5	5.91	3	18	13	99	4.92	<1	0.4	<10	0.63	3055	<2	0.01	2	1707	116	1.38	<5	3	164	<5	0.01	<10	19	23	<10	362	2
9V0883RA/RJ	P09-003	131119	31.00	32.00	1.00	0.04		1.9	1.73	12	272	<0.5	<5	5.92	<1	15	7	39	4.38	<1	0.41	<10	0.57	3004	<2	0.01	2	1799	20	1.2	<5	2	149	<5	0.01	<10	16	21	<10	61	2
9V0883RA/RJ	P09-003	131120	32.00	34.00	2.00	0.03		2.3	1.98	23	243	<0.5	<5	5.76	4	16	8	45	4.81	<1	0.43	<10	0.68	3076	<2	0.01	2	1693	202	1.15	<5	2	150	<5	0.01	<10	19	23	<10	380	2
9V0883RA/RJ	P09-003	131121	34.00	36.00	2.00	0.03		0.9	2.35	11	240	<0.5	<5	5.04	<1	18	3	30	5.38	<1	0.39	<10	0.88	3049	<2	0.01	<1	1791	18	0.74	<5	3	122	<5	0.02	<10	21	27	<10	90	2
9V0883RA/RJ	P09-003	131122	36.00	38.00	2.00	<0.01		1.1	2.08	12	239	<0.5	<5	5.21	1	18	3	14	4.78	<1	0.41	<10	0.78	2906	<2	0.01	<1	1798	63	1.03	<5	3	129	<5	0.01	<10	18	25	<10	133	2
9V0883RA/RJ	P09-003	131123	38.00	40.00	2.00	0.18		1.9	1.76	40	182	<0.5	<5	4.14	1	19	6	41	5.05	<1	0.38	<10	0.66	2310	<2	0.01	<1	1768	153	2.09	<5	2	110	<5	0.01	<10	17	21	<10	136	2
9V0883RA/RJ	P09-003	131124	40.00	42.00	2.00	0.15		9.9	1.55	27	220	<0.5	<5	4.29	23	15	9	300	4.54	<1	0.39	<10	0.49	2609	<2	0.01	1	1605	1284	1.95	<5	2	117	<5	<0.01	<10	18	24	14	1845	2
9V0883RA/RJ	P09-003	131125	42.00	44.00	2.00	0.04		3.6	1.5	30	193	<0.5	<5	4.51	6	16	8	75	4.36	<1	0.39	<10	0.5	2576	<2	0.01	1	1618	332	2.09	<5	2	126	<5	<0.01	<10	16	20	<10	555	2
9V0883RA/RJ	P09-003	131126	44.00	46.00	2.00	0.35		1.5	1.85	20	246	<0.5	<5	4.63	1	16	8	31	4.58	<1	0.33	<10	0.99	2543	<2	0.01	1	1597	55	1.08	<5	3	119	<5	<0.01	<10	17	25	<10	151	2
9V0883RA/RJ	P09-003	131127	46.00	48.00	2.00	0.01		0.7	2.65	15	212	<0.5	<5	4.37	<1	17	5	24	5.34	<1	0.28	<10	1.68	2759	<2	0.01	1	1680	12	0.66	<5	4	109	<5	<0.01	<10	20	34	<10	49	2
9V0883RA/RJ	P09-003	131128	48.00	50.00	2.00	<0.01		0.9	2.84	11	156	<0.5	<5	5.17	<1	16	7	22	5.52	<1	0.31	<10	1.78	3169	<2	0.01	<1	1746	16	0.79	<5	4	124	<5	0.01	<10	21	34	<10	50	3

P09-004 - 3RD - PAD 2 - 436676E 6212342N, Elev: 491m, Az: 045, Dip: -55, EOH: 50.0m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0883RA/RJ	P09-004	131129	1.52	3.00	1.48	0.03		0.5	1.55	10	338	<0.5	<5	1.65	12	9	17	16	3.6	<1	0.34	12	0.78	2456	<2	0.01	1	1233	38	0.39	<5	3	31	<5	0.01	<10	12	28	<10	1162	3
9V0883RA/RJ	P09-004	131130	3.00	4.50	1.50	0.04		1.4	1.44	22	258	<0.5	<5	2.54	2	8	21	9	3.58	<1	0.33	<10	0.75	2837	<2	0.01	1	1101	146	0.85	<5	3	114	<5	0.01	<10	16	27	<10	205	2
9V0883RA/RJ	P09-004	131131	4.50	6.50	2.00	0.1		3.3	1.27	40	222	<0.5	<5	2.07	15	10	25	16	3.97	<1	0.37	<10	0.52	2041	2	0.01	1	1229	461	1.69	<5	2	64	<5	0.01	<10	12	21	10	1315	3
9V0883RA/RJ	P09-004	131132	6.50	8.50	2.00	0.59		1.3	0.96	25	252	<0.5	<5	2.15	10	8	28	22	2.84	<1	0.38	<10	0.28	1369	<2	0.01	1	972	165	1.31	<5	2	84	<5	0.03	<10	<10	14	<10	865	2
9V0883RA/RJ	P09-004	131133	8.50	10.50	2.00	0.26		1.9	0.95	41	208	<0.5	<5	1.26	9	9	26	8	3.02	<1	0.41	<10	0.28	1226	4	0.01	1	1097	508	1.55	<5	2	49	<5	0.03	<10	<10	14	<10	888	3
9V0883RA/RJ	P09-004	131134	10.50	12.50	2.00	0.23		2.1	0.99	31	246	<0.5	<5	0.91	8	9	30	19	2.66	<1	0.44	<10	0.3	1242	4	0.01	1	1090	319	1.31	<5	1	44	<5	0.02	<10	<10	13	<10	755	3
9V0883RA/RJ	P09-004	131135	12.50	14.50	2.00	0.2		1.3	1.07	10	366	<0.5	<5	1.99	<1	8	17	36	2.56	<1	0.44	10	0.45	1994	3	0.01	1	1203	68	0.62	<5	2	85	<5	0.01	<10	<10	12	<10	65	2
9V0883RA/RJ	P09-004	131136	14.50	16.50	2.00	0.03		1	1.34	15	361	<0.5	<5	2.26	1	8	14	5	2.88	<1	0.44	<10	0.59	2245	<2	0.01	1	1097	119	0.78	<5	2	89	<5	0.02	<10	11	14	<10	88	2
9V0883RA/RJ	P09-004	131137	16.50	18.50	2.00	0.11		2.6	1.04	14	277	<0.5	<5	1.8	7	8	15	17	2.71	<1	0.4	<10	0.39	1972	<2	0.01	1	1019	372	0.93	<5	2	72	<5	0.01	<10	<10	12	<10	649	2
9V0883RA/RJ	P09-004	131138	18.50	20.50	2.00	0.23		7.2	0.54	11	244	<0.5	<5	1.1	2	6	20	9	1.29	<1	0.42	11	0.05	959	<2	0.01	1	1006	154	0.81	<5	1	77	<5	<0.01	<10	<10	8	<10	210	1
9V0883RA/RJ	P09-004	131139	20.50	22.47	1.97	0.36		19	0.5	28	105	<0.5	<5	1.48	3	9	21	15	2.78	<1	0.35	<10	0.16	1535	2	0.01	1	955	473	1.65	5	1	79	<5	<0.01	<10	<10	10	<10	291	2
9V0883RA/RJ	P09-004	131140	22.47	23.50	1.03	7.6		18.3	0.13	17	104	<0.5	<5	0.88	49	3	140	48	3.35	1	0.08	<10	0.15	1235	2	0.01	3	79	1077	2.5	12	<1	56	<5	<0.01	<10	<10	3	34	3459	1
9V0883RA/RJ	P09-004	131141	23.50	24.50	1.00	0.05		2.6	0.18	7	207	<0.5	<5	1.11	5	3	136	2	1.94	<1	0.09	<10	0.12	1360	<2	0.01	4	183	258	1.13	<5	1	79	<5	<0.01	<10	<10	4	<10	498	1
9V0883RA/RJ	P09-004	131142	24.50	25.50	1.00	0.1		5.7	0.18	22	100	<0.5	<5	1.25	2	5	137	5	4.25	<1	0.13	<10	0.24	1634	2	0.01	3	295	248	2.94	6	1	111	<5	<0.01	<10	12	4	<10	210	2
9V0883RA/RJ	P09-004	131143	25.50	26.50	1.00	0.18		8.4	0.21	27	123	<0.5	<5	1.16	3	7	101	8	4.03	<1	0.15	<10	0.24	1598	2	0.01	3	485	273	2.64	5	2	89	<5	<0.01	<10	11	3	<10	297	2
9V0883RA/RJ	P09-004	131144	26.50	27.50	1.00	0.16		7.9	0.32	43	74	<0.5	<5	0.37	1	5	97	7	4.67	<1	0.19	<10	0.19	676	5	0.01	2	507	62	3.25	<5	1	26	<5	<0.01	<10	<10	8	<10	94	2
9V0883RA/RJ	P09-004	131145	27.50	28.50	1.00	0.14		4.5	0.17	16	278	<0.5	<5	0.81	<1	4	131	1	1.89	<1	0.14	<10	0.16	1004	4	0.02	4	408	73	1.1	<5	1	68	<5	<0.01	<10	<10	2	<10	<1	1
9V0883RA/RJ	P09-004	131146	28.50	29.50	1.00	0.1		4.9	0.19	16	271	<0.5	<5	0.48	2	4	136	3	1.59	<1	0.11	<10	0.08	573	8	0.07	3	328	131	0.98	5	1	43	<5	<0.01	<10	<10	2	<10	167	1
9V0883RA/RJ	P09-004	131147	29.50	30.50	1.00	0.81		11.6	0.19	30	177	<0.5	<5	0.45	17	7	100	15	2.92	<1	0.13	<10	0.08	553	12	0.04	3	521	653	2.23	5	1	36	<5	<0.01	<10	<10	1	13	1575	1
9V0883RA/RJ	P09-004	131148	30.50	31.50	1.00	0.21		11.4	0.28	20	211	<0.5	<5	0.3	6	4	87	21	1.59	<1	0.2	<10	0.07	317	6	0.01	2	416	856	1.14	12	1	19	<5	<0.01	<10	<10	4	<10	577	1
9V0883RA/RJ	P09-004	131149	31.50	32.50	1.00	0.22		6.6	0.31	33	163	<0.5	<5	0.71	8	6	88	12	2.46	<1	0.2	<10	0.12	871	4	0.01	3	534	683	1.77	<5	1	49	<5	<0.01	<10	<10	6	<10	788	1
9V0883RA/RJ	P09-004	131150	32.50	33.50	1.00	0.29		33.4	0.23	20	127	<0.5	<5	1.57	87	5	112	28	2.57	<1	0.11	<10	0.21	2023	5	0.01	3	340	1209	1.99	6	1	97	<5	<0.01	<10	11	3	59	4870	1
9V0883RA/RJ	P09-004	131151	33.50	34.50	1.00	0.14		4.1	0.29	16	124	<0.5	<5	1.14	9	4	127	5	2.76	<1	0.05	<10	0.15	1319	<2	0.01	3	232	409	1.82	<5	1	72	<5	<0.01	<10	<10	6	<10	766	1

Drilling Analytical Results 2009

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0883RA/RJ	P09-004	131152	34.50	35.50	1.00	0.14		4.4	0.26	17	82	<0.5	<5	0.57	28	2	141	18	2.37	<1	0.07	<10	0.1	800	3	0.01	3	129	958	1.64	<5	<1	30	<5	<0.01	<10	<10	4	18	2189	1
9V0883RA/RJ	P09-004	131153	35.50	36.50	1.00	0.29		33.9	0.31	163	27	<0.5	9	0.36	15	5	110	804	12.3	<1	0.15	<10	0.09	458	<2	0.01	1	303	4817	>5.00	11	<1	16	<5	<0.01	<10	28	5	10	1012	5
9V0883RA/RJ	P09-004	131154	36.50	37.20	0.70	1.2		24.2	0.19	199	26	<0.5	9	0.3	47	3	144	262	12.13	<1	0.17	<10	0.02	180	<2	0.01	<1	257	4104	>5.00	10	<1	13	<5	<0.01	<10	25	3	33	3394	5
9V0883RA/RJ	P09-004	131155	37.20	38.00	0.80	0.81		11.3	0.3	216	25	<0.5	7	0.45	34	5	117	133	12.93	<1	0.18	<10	0.07	504	<2	0.01	1	255	2389	>5.00	8	<1	16	<5	<0.01	<10	28	4	21	2394	5
9V0883RA/RJ	P09-004	131156	BLANK			<0.01		<0.1	0.03	<5	24	<0.5	<5	>15.00	<1	1	5	<1	0.09	<1	0.02	<10	1.54	37	<2	0.01	<1	65	19	0.89	<5	<1	5453	<5	<0.01	<10	<10	1	<10	<1	<1
9V0883RA/RJ	P09-004	131157	STD	PM405		0.27		0.7	0.65	797	1384	0.6	<5	0.82	11	9	53	37	3.9	2	0.14	16	0.38	509	4	0.01	33	1124	159	0.24	634	5	223	7	<0.01	<10	<10	59	<10	212	14
9V0883RA/RJ	P09-004	131158	38.00	38.80	0.80	0.08		6.5	0.48	14	181	<0.5	<5	0.89	49	3	87	10	2.43	<1	0.12	<10	0.22	1103	<2	0.01	2	318	2801	1.43	<5	1	55	<5	<0.01	<10	<10	5	28	3316	1
9V0883RA/RJ	P09-004	131159	38.80	39.80	1.00	0.06		10.1	0.4	28	182	<0.5	<5	1.85	28	6	78	39	3.35	<1	0.21	<10	0.41	2975	<2	0.01	2	686	2027	2.12	<5	1	162	<5	<0.01	<10	17	4	22	2658	2
9V0883RA/RJ	P09-004	131160	39.80	41.00	1.20	0.05		3	0.43	9	193	<0.5	<5	1.57	14	3	102	6	2.06	<1	0.17	<10	0.26	2253	<2	0.01	3	420	633	1.05	<5	1	95	<5	<0.01	<10	10	4	<10	1191	1
9V0883RA/RJ	P09-004	131161	41.00	42.00	1.00	0.07		3	1.08	14	209	<0.5	<5	1.41	8	6	52	39	3.35	<1	0.22	<10	0.61	2595	<2	0.01	1	753	285	1.29	<5	2	71	<5	<0.01	<10	14	14	<10	718	2
9V0883RA/RJ	P09-004	131162	42.00	43.00	1.00	0.04		2.5	1.3	11	287	<0.5	<5	1.01	2	7	38	54	3.35	<1	0.31	<10	0.65	2859	2	0.01	1	1000	165	0.94	<5	2	60	<5	<0.01	<10	14	17	<10	197	2
9V0883RA/RJ	P09-004	131163	43.00	44.00	1.00	0.03		1.6	1.19	27	209	<0.5	<5	1.09	2	7	44	9	3.73	<1	0.3	<10	0.69	3131	<2	0.01	1	926	99	1.27	<5	2	56	<5	<0.01	<10	15	13	<10	250	2
9V0883RA/RJ	P09-004	131164	44.00	44.65	0.65	0.05		3.9	1.18	40	224	<0.5	<5	1.32	6	7	43	27	3.59	<1	0.31	<10	0.7	3079	3	0.01	1	915	278	1.22	5	2	58	<5	<0.01	<10	15	11	<10	634	2
9V0883RA/RJ	P09-004	131165	44.65	45.73	1.08	1.11		17.2	1.01	52	89	<0.5	<5	2.65	32	11	43	248	4.34	<1	0.33	<10	0.37	2302	4	0.01	2	923	1814	2.64	5	3	113	<5	<0.01	<10	14	15	23	2895	2

P09-005 - Pit - PAD 2 - 436672E 6212340N, Elev: 492m, Az: 225, Dip: -45, EOH: 42.07m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0883RA/RJ	P09-005	131166	1.50	3.50	2.00	0.31		5.5	1.56	56	56	<0.5	<5	2.08	3	9	30	10	6.65	<1	0.29	<10	0.8	2845	3	0.01	<1	1035	219	3.8	<5	2	117	<5	0.02	<10	23	24	<10	232	5
9V0883RA/RJ	P09-005	131167	3.50	4.50	1.00	0.57		3.1	1.66	89	38	<0.5	<5	0.79	3	9	40	11	10.56	<1	0.25	<10	0.82	2283	<2	0.01	<1	834	333	>5.00	<5	2	42	<5	0.03	<10	31	31	<10	195	5
9V0883RA/RJ	P09-005	131168	4.50	5.50	1.00	0.1		15.3	1.2	14	250	<0.5	<5	1.53	43	7	26	54	3.07	<1	0.31	<10	0.47	2015	2	0.01	1	1006	1086	1	<5	2	95	<5	0.01	<10	<10	25	29	3381	2
9V0883RA/RJ	P09-005	131169	5.50	6.50	1.00	0.23		36.6	1.33	18	277	<0.5	<5	1.93	42	8	22	61	3.32	<1	0.34	<10	0.46	1885	3	0.01	1	1014	2007	0.82	6	2	75	<5	0.03	<10	10	26	28	3271	3
9V0883RA/RJ	P09-005	131170	6.50	7.50	1.00	1.42		10.8	1.47	23	210	<0.5	<5	1.64	146	9	23	101	3.48	1	0.31	<10	0.67	2188	<2	0.01	1	1058	2219	1.47	<5	2	93	<5	0.04	<10	12	27	89	6165	3
9V0883RA/RJ	P09-005	131171	7.50	8.50	1.00	0.11		3.1	1.41	25	236	<0.5	<5	1.41	13	9	26	15	3.74	<1	0.27	<10	0.68	2174	<2	0.01	1	1104	807	1.14	<5	2	72	<5	0.03	<10	12	26	11	1262	3
9V0883RA/RJ	P09-005	131172	8.50	10.50	2.00	0.05		1.7	1.51	19	262	<0.5	<5	1.63	5	9	22	14	3.82	<1	0.34	<10	0.73	2347	2	0.01	1	1151	369	1.1	<5	2	78	<5	0.04	<10	14	27	<10	549	3
9V0883RA/RJ	P09-005	131173	10.50	12.50	2.00	0.16		0.8	1.29	26	252	<0.5	<5	2.76	3	9	15	11	3.49	<1	0.37	<10	0.72	2859	<2	0.01	1	1187	89	0.98	<5	3	164	<5	0.01	<10	15	21	<10	282	3
9V0883RA/RJ	P09-005	131174	12.50	14.50	2.00	0.05		2.2	1.57	24	247	<0.5	<5	2.39	11	9	20	15	3.81	<1	0.31	<10	0.84	2925	<2	0.01	<1	1119	577	1.08	<5	3	133	<5	0.03	<10	17	34	<10	1059	3
9V0883RA/RJ	P09-005	131175	14.50	16.00	1.50	0.1		0.7	1.49	28	200	<0.5	<5	2.3	1	9	18	4	3.59	<1	0.33	<10	0.78	2383	<2	0.01	1	1184	49	0.97	<5	2	109	<5	0.03	<10	13	26	<10	84	3
9V0883RA/RJ	P09-005	131176	16.00	16.95	0.95	0.04		9.3	1.56	18	212	<0.5	<5	1.98	2	10	17	15	3.55	<1	0.36	<10	0.76	2239	<2	0.01	1	1217	143	0.71	<5	2	100	<5	0.03	<10	12	29	<10	205	3
9V0883RA/RJ	P09-005	131177	16.95	17.90	0.95	0.04		8.3	1.47	30	315	<0.5	<5	0.6	3	10	20	17	3.89	<1	0.34	10	0.7	1948	<2	0.01	1	1283	291	0.64	<5	2	25	<5	0.02	<10	10	28	<10	357	4
9V0883RA/RJ	P09-005	131178	17.90	18.90	1.00	0.06		8.5	1.22	36	236	<0.5	<5	1.8	4	8	19	15	3.77	<1	0.33	<10	0.57	1755	2	0.01	1	1174	385	1.35	<5	2	68	<5	0.01	<10	10	24	<10	435	3
9V0883RA/RJ	P09-005	131179	18.90	19.50	0.60	0.1		2.2	1.29	44	323	<0.5	<5	1.47	3	9	32	10	3.92	<1	0.33	10	0.58	2161	<2	0.01	1	1173	66	0.78	<5	2	68	<5	<0.01	<10	11	22	<10	452	3
9V0883RA/RJ	P09-005	131180	24.20	26.20	2.00	0.11		104.5	0.96	28	231	<0.5	<5	1.8	7	7	37	16	2.9	<1	0.33	<10	0.46	2210	2	0.01	1	905	451	1.29	10	2	128	<5	<0.01	<10	12	16	<10	725	2
9V0883RA/RJ	P09-005	131181	26.20	28.00	1.80	0.14		4.2	1.03	25	236	<0.5	<5	1.67	4	8	46	19	3.43	<1	0.29	<10	0.64	3041	3	0.01	1	953	141	1.07	<5	2	109	<5	<0.01	<10	15	16	<10	398	2
9V0883RA/RJ	P09-005	131182	28.00	29.25	1.25	0.08		4.1	0.95	15	245	<0.5	<5	2.16	1	7	64	6	2.46	<1	0.35	<10	0.42	2241	<2	0.01	2	968	155	0.72	<5	1	187	<5	0.01	<10	<10	12	<10	97	2
9V0883RA/RJ	P09-005	131183	31.50	32.20	0.70	0.09		0.8	1.7	10	304	<0.5	<5	1.87	<1	10	15	20	3.01	<1	0.54	13	0.71	1431	<2	0.01	1	1277	11	0.53	<5	3	69	<5	0.02	<10	<10	25	<10	92	2
9V0883RA/RJ	P09-005	131184	32.20	33.20	1.00	0.18		3.9	1.24	30	230	<0.5	<5	2.43	9	9	35	28	2.93	<1	0.44	<10	0.47	1894	5	0.01	1	926	302	1.13	<5	2	80	<5	0.03	<10	10	19	<10	673	2
9V0883RA/RJ	P09-005	131185	33.20	33.70	0.50	0.03		0.8	1.55	8	294	<0.5	<5	2.27	1	9	13	10	2.94	<1	0.48	11	0.61	2008	<2	0.01	1	1167	99	0.43	<5	2	64	<5	0.04	<10	<10	20	<10	116	3
9V0883RA/RJ	P09-005	131186	36.50	37.00	0.50	0.12		1.3	1.57	15	315	<0.5	<5	2.27	<1	9	16	60	2.62	<1	0.55	11	0.5	1504	<2	0.01	1	1054	20	0.52	<5	3	57	<5	0.02	<10	<10	25	<10	39	3
9V0883RA/RJ	P09-005	131187	37.00	37.40	0.40	0.07		0.5	1.58	6	259	<0.5	<5	1.63	<1	11	21	22	2.57	<1	0.48	12	0.59	1256	2	0.01	1	1053	<2	0.34	<5	3	59	<5	<0.01	<10	<10	27	<10	119	3
9V0883RA/RJ	P09-005	131188	37.40	38.00	0.60	0.01		<0.1	1.37	<5	1186	<0.5	<5	3.44	<1	11	14	7	3.04	<1	0.36	22	0.87	1229	<2	0.03	4	1677	<2	0.24	<5	3	157	<5	<0.01	<10	<10	38	<10	40	2

P09-006 - Pit - PAD 3 - 436641E 6212341N, Elev: 540m, Az: 140, Dip: -45, EOH: 78.35m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0883RA/RJ	P09-006	131189	1.52	3.50	1.98	0.56		1.6	0.97	17	324	<0.5	<5	2.15	12	6	23	17	1.99	<1	0.44	11	0.26	1603	<2	0.01	1	737	420	0.64	<5	1	109	<5	0.01	<10	<10	8	<10	1134	4
9V0883RA/RJ	P09-006	131190	3.50	5.50	2.00	0.02		0.6	1.08	12	366	<0.5	<5	2.89	3	5	15	6	1.82	<1	0.49	13	0.26	1775	<2	0.01	1	740	183	0.42	<5	1	157	<5	0.02	<10	<10	10	<10	344	3
9V0883RA/RJ	P09-006	131191	5.50	7.50	2.00	0.25		1.9	1.49	13	565	<0.5	<5	3.15	17	5	27	41	1.96	<1	0.77	13	0.26	1793	<2	0.01	1	601	554	0.45	<5	2	183	<5	0.03	<10	<10	14	12	1546	5
9V0883RA/RJ	P09-006	131192	7.50	9.50	2.00	1.46		2.7	1.01	19	364	<0.5	<5	2.96	27	6	14	41	2.05	<1	0.48	12	0.22	1692	<2	0.01	1	629	659	0.61	<5	1	133	<5	0.02	<10	<10	10	17	2182	5
9V0883RA/RJ	P09-006	131193	9.50	11.50	2.00	0.01		1	0.86	12	406	<0.5	<5	3.8	2	5	13	5	1.49	<1	0.53	16	0.15	1943	<2	0.01	1	765	109	0.43	<5	1	154	<5	0.01	<10	<10	7	<10	224	4
9V0883RA/RJ	P09-006	131194	11.50	13.50	2.00	0.03		1.3	1.13	20	442	<0.5	<5	3.68	2	12	11	14	3.06	<1	0.55	13	0.48	2968	<2	0.01	1	1110	122	0.73	<5	2	139	<5	<0.01	<10	13	18	<10	267	3
9V0883RA/RJ	P09-006	131195	13.50	14.50	1.00	0.31		9	1.38	97	93	<0.5	<5	1.11	43	25	17	39	6.71	<1	0.51	<10	0.48	2589	2	0.01	3	1511	2390	2.6	6	3	36	<5	<0.01	<10	19	30	28	3016	3
9V0883RA/RJ	P09-006	131196	14.50	15.50	1.00	1		4.8	1.05	109	99	<0.5	<5	1.47	23	20	24	21	6.07	<1	0.55	<10	0.19	2052	<2	0.01	3	1524	600	3.05	<5	3	46	<5	0.01	<10	15	26	19	2174	3
9V0883RA/RJ	P09-006	131197	15.50	16.50	1.00	0.28		2.7	0.91	124	67	<0.5	<5	0.6	21	14	44	7	5.65	<1	0.43	<10	0.19	1213	6	0.01	1	1002	318	3.17	<5	2	22	<5	<0.01	<10	12	12	12	1374	3
9V0883RA/RJ	P09-006	131198	16.50	17.50	1.00	0.16		1.7	1.1	32	265	<0.5	<5	2.35	17	9	25	11	3.26	<1	0.38	<10	0.41	2084	<2	0.01	1	1061	446	1.13	<5	2	83	<5	<0.01	<10	11	16	12	1573	3
9V0897RA/RJ	P09-006	131199	24.80	25.80	1.00	0.03		1.9	1.37	18	174	<0.5	8	2.9	2	10	18	43	3.47	<1	0.35	11	0.78	3029	<2	0.01	1	1265	84	0.44	<5	3	111	<5	<0.01	<10	16	22	<10	193	3
9V0897RA/RJ	P09-006	131200	25.80	26.80	1.00	0.23		2.2	1.04	19	334	<0.5	7	2.89	7	8	23	64	3.27	<1	0.33	<10	0.51	2990	<2	0.01	1	1130	57	0.63	<5	3	91	<5	<0.01	<10	16	17	<10	640	2
9V0897RA/RJ	P09-006	131201	26.80	28.80	2.00	0.08		2.5	1.11	13	370	<0.5	6	1.96	8	7	19	39	2.97	<1	0.32	<10	0.5	2495	<2	0.01	1	1056	167	0.46	<5	2	66	<5	<0.01	<10	13	18	<10	649	2
9V0897RA/RJ	P09-006	131202	28.80	30.80	2.00	0.04		2.7	0.98	13	411	<0.5	6	2.71	6	8	22	25	2.92	<1	0.34	10	0.42	2544	<2	0.01	1	1111	113	0.43	<5	2	97	<5	<0.01	<10	13	16	<10	590	3
9V0897RA/RJ	P09-006	131203	30.80	32.80	2.00	0.14		3.5	0.61	33	297	<0.5	5	3.01	9	8	22	48	2.53	<1	0.34	<10	0.17	2002	2	0.01	1	1089	195	1.12	<5	2	108	<5	<0.01	<10	<10	11	<10	801	2
9V0897RA/RJ	P09-006	131204	32.80	33.90	1.10	0.01		2	0.64	11	253	<0.5	<5	2.2	1	7	11	27	1.6	<1	0.43	10	0.14	1346	<2	0.01	1	1234	100	0.43	<5	2	75	<5	0.01	<10	<10	10	<10	125	2
9V0897RA/RJ	P09-006	131205	33.90	34.90	1.00	0.06		3.4	0.46	39	165	<0.5	6	3.54	4	6	17	25	2.93	<1	0.36	<10	0.1	1833	2	0.01	<1	1100	167	2.23	5	1	111	<5	<0.01	<10	10	8	<10	390	3
9V0897RA/RJ	P09-006	131206	34.90	36.90	2.00	0.58		9.7	0.76	19	306	<0.5	5	2.66	7	7	16	34	2.57	<1	0.35	<10	0.28	2267	2	0.01	1	1085	661	0.75	<5	2	72	<5	0.01	<10	10	13	<10	699	2
9V0897RA/RJ	P09-006	131207	36.90	38.90	2.00	0.15		11.5	0.6	23	396	<0.5	5	2.17	7	7	23	42	2.28	<1	0.3	<10	0.1	1563	<2	0.01	1	1026	283	0.68	<5	2	47	<5	<0.01	<10	<10	10	<10	551	2
9V0897RA/RJ	P09-006	131208	38.90	39.90	1.00	0.19		7.3	0.47	103	224	<0.5	7	0.86	17	16	16	26	3.13	<1	0.39	<10	0.07	1314	6	0.01	2	1200	1513	1.88	5	1	21	<5	<0.01	<10	<10	9	11	1280	2
9V0897RA/RJ	P09-006	131209	39.90	40.90	1.00	0.72		2.8	0.61	154	63	<0.5	19	1.78	8	12	45	7	7.79	<1	0.23	<10	0.17	1639	3	0.01	1	559	353	>5.00	<5	1	77	<5	<0.01	<10	21	12	<10	651	3
9V0897RA/RJ	P09-006	131210	40.90	41.90	1.00	0.37		2	0.44	115	83	<0.5	13	1.81	3	10	59	<1	5.16	<1	0.17	<10	0.16	1709	12	0.01	1	504	143	3.84	<5	1	79	<5	<0.01	<10	16	9	<10	236	2
9V0897RA/RJ	P09-006	131211	41.90	42.90	1.00	0.54		18.9	0.44	87	95	<0.5	10	2.56	13	9	39	16	5	<1	0.4	<10	0.1	2101	3	0.01	1	714	343	3.26	6	1	59	<5	<0.01	<10	16	9	10	1234	2
9V0897RA/RJ	P09-006	131212	42.90	43.90	1.00	0.12		1.3	0.42	24	389	<0.5	<5	2.59	5	6	17	6	1.51	<1	0.45	<10	0.05	1411	3	0.01	1	1211	130	0.69	<5	1	84	<5	<0.01	<10	<10	5	<10	457	2
9V0897RA/RJ	P09-006	131213	43.90	44.90	1.00	0.08		5.4	0.43	22	378	<0.5	<5	3.09	5	8	25	8	1.47	<1	0.33	<10	0.05	1810	2	0.01	1	1154	77	0.66	<5	2	120	<5	<0.01	<10	<10	6	<10	326	2
9V0897RA/RJ	P09-006	131214	44.90	46.90	2.00	0.01		2.7	0.59	25	371	<0.5	<5	7.25	1	7	16	22	1.99	<1	0.34	<10	0.12	3387	3	0.01	<1	983	35	0.58	<5	2	261	<5	<0.01	<10	16	8	<10	75	2
9V0897RA/RJ	P09-006	131215	BLANK			0.02		<0.1	0.04	<5	21	<0.5	<5	>15.00	<1	1	2	1	0.06	<1	0.02	<10	1.44	54	<2	0.01	<1	57	<2	0.89	<5	<1	5980	<5	<0.01	<10	<10	1	<10	<1	<1
9V0897RA/RJ	P09-006	131216	STD	PM427		3.48		1.5	1.48	7371	80	0.9	161	6.91	74	114	36	296	4.99	<1	0.2	<10	0.52	837	34	0.07	68	948	17	0.99	11	3	66	<5	0.14	<10	10	54	40	64	13
9V0897RA/RJ	P09-006	131217	55.30	57.30	2.00	0.31		31.2	0.84	36	272	<0.5	8	4.77	14	7	22	52	3.03	<1	0.3	<10	0.26	3096	2	0.01	1	900	615	0.65	<5	2	168	<5	<0.01	<10	17	13	10	1264	2
9V0897RA/RJ	P09-006	131218	60.00	61.00	1.00	<0.01		1.4	1.06	18	277	<0.5	6	3.6	1	9	12	11	2.59	<1	0.34	<10	0.36	1852	<2	0.01	1	1210	135	0.28	<5	2	66	<5	0.01	<10	10	15	<10	274	2
9V0897RA/RJ	P09-006	131219	68.00	69.00	1.00	0.01		2.1	0.69	34	381	<0.5	6	8.69	4	9	25	10	2.59	<1	0.29	<10	0.2	3682	3	0.01	1	1122	55	1	<5	2	138	<5	0.01	<10	20	10	<10	304	2
9V0897RA/RJ	P09-006	131220	69.00	70.00	1.00	0.11		1.8	0.45	79	238	<0.5	6	5.56	7	10	20	6	2.76	<1	0.36	<10	0.08	2489	3	0.01	1	1140	216	2.14	<5	1	146	<5	<0.01	<10	15	7	<10	585	3
9V0897RA/RJ	P09-006	131221	70.00	72.00	2.00	0.02		0.5	1.02	12	197	<0.5	<5	4.58	<1	8	7	10	2.64	<1	0.38	<10	0.35	2321	<2	0.01	<1	1109	6	0.4	<5	2	161	<5	<0.01	<10	12	12	<10	41	2
9V0897RA/RJ	P09-006	131222	72.00	74.00	2.00	0.07		1.1	0.78	27	316	<0.5	<5	4.85	1	9	11	7	2.48	<1	0.36	<10	0.23	2311	<2	0.01	1	1109	33	0.81	<5	1	163	<5	<0.01	<10	12	9	<10	100	2
9V0897RA/RJ	P09-006	131223	74.00	75.23	1.23	0.06		1.5	0.54	50	284	<0.5	<5	5.22	2	12	10	6	2.09	<1	0.41	<10	0.08	2421	<2	0.01	1	1191	48	1.19	<5	1	109	<5	<0.01	<10	13	7	<10	277	2
9V0897RA/RJ	P09-006	131224	75.23	77.20	1.97	0.06		3.1	1.38	53	334	<0.5	<5	4.51	20	22	25	42	4.56	<1	0.36	<10	0.55	2891	<2	0.01	3	1593	629	1.34	<5	2	95	<5	<0.01	<10	17	23	15	1629	2
9V0897RA/RJ	P09-006	131225	77.20	78.35	1.15	0.01		1.2	2.76	21	313	<0.5	<5	4.9	3	23	4	63	5.99	<1	0.35	<10	1.43	3373	<2	0.01	2	1797	173	0.43	<5	4	125	<5	0.01	<10	23	49	<10	359	3

P09-007 - Pit - PAD 4 - 436648E 6212357N, Elev: 518m, Az: 045, Dip: -45, EOH: 50.31m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0897RA/RJ	P09-007	131226	2.13	4.00	1.87	0.38		15.3	0.22	31	154	<0.5	<5	1.36	6	4	56	11	1.38	<1	0.18	<10	0.02	578	5	0.01	2	422	250	1.09	<5	<1	39	<5	<0.01	<10	<10	2	<10	578	2
9V0897RA/RJ	P09-007	131227	4.00	5.00	1.00	1.01		15.1	0.21	20	336	<0.5	<5	0.12	3	4	76	6	1.37	<1	0.19	<10	0.02	148	5	0.01	2	356	328	0.77	<5	<1	7	<5	<0.01	<10	<10	2	<10	445	2
9V0897RA/RJ	P09-007	131228	5.00	6.00	1.00	0.23		11.5	0.23	27	225	<0.5	<5	0.22	15	5	65	18	1.59	<1	0.22	<10	0.02	104	6	0.01	2	460	631	1.19	<5	<1	8	<5	<0.01	<10	<10	3	11	1158	3
9V0897RA/RJ	P09-007	131229	6.00	7.00	1.00	0.08		4.3	0.31	29	565	<0.5	<5	0.12	5	4	68	9	1.38	<1	0.27	<10	0.02	87	5	0.01	2	545	129	0.46	<5	<1	10	<5	<0.01	<10	<10	3	<10	449	2
9V0897RA/RJ	P09-007	131230	7.00	8.00	1.00	0.12		3.4	0.31	23	743	<0.5	<5	0.86	8	5	73	17	1.11	<1	0.27	<10	0.02	990	4	0.01	3	675	92	0.44	<5	1	54	<5	<0.01	<10	<10	2	<10	541	3
9V0897RA/RJ	P09-007	131231	8.00	9.00	1.00	0.1		3.9	0.35	27	255	<0.5	<5	2.61	7	5	44	37	1.3	<1	0.34	<10	0.02	1323	7	0.01	1	828	555	1.03	<5	1	202	5	<0.01	<10	<10	3	<10	621	4
9V0897RA/RJ	P09-007	131232	9.00	10.00	1.00	0.51		7.3	0.3	27	258	<0.5	<5	4.01	11	5	39	57	1.12	<1	0.31	<10	0.02	1804	5	0.01	2	584	709	0.9	<5	1	243	<5	<0.01	<10	<10	2	<10	1009	3
9V0897RA/RJ	P09-007	131233	10.00	11.00	1.00	0.32		6.5	0.37	27	273	<0.5	<5	4	21	5	25	67	1.35	<1	0.36	<10	0.04	2020	3	0.01	1	719	1494	1.13	<5	1	167	<5	<0.01	<10	<10	3	15	1741	3
9V0897RA/RJ	P09-007	131234	11.00	12.00	1.00	0.31		12	0.38	25	267	<0.5	<5	1.83	10	6	28	62	1.31	<1	0.37	<10	0.03	939	2	0.01	1	768	1165	1.06	<5	1	98	<5	<0.01	<10	<10	4	<10	931	3
9V0897RA/RJ	P09-007	131235	12.00	13.00	1.00	0.11		12.2	0.36	37	259	<0.5	<5	2.49	13	5	28	55	1.5	<1	0.33	<10	0.03	1170	4	0.01	1	661	588	1.25	<5	1	83	<5	<0.01	<10	<10	3	10	1126	3
9V0897RA/RJ	P09-007	131236	13.00	14.00	1.00	0.07		13.8	0.41	36	333	<0.5	<5	0.37	4	6	27	10	1.66	<1	0.36	<10	0.03	465	<2	0.01	1	747	144	0.78	5	1	9	<5	<0.01	<10	<10	4	<10	482	4
9V0897RA/RJ	P09-007	131237	14.00	15.00	1.00	0.36		11.1	0.34	28	240	<0.5	<5	0.73	8	5	24	11	1.75	<1	0.3	<10	0.02	460	3	0.01	1	724	65	1.27	<5	1	20	<5	<0.01	<10	<10	3	<10	248	3
9V0897RA/RJ	P09-007	131238	15.00	16.00	1.00	0.19		15.6	0.32	26	267	<0.5	<5	1.73	2	5	66	11	1.33	<1	0.28	<10	0.02	805	3	0.01	2	586	148	1.1	<5	1	81	<5	<0.01	<10	<10	3	<10	157	2
9V0897RA/RJ	P09-007	131239	16.00	17.00	1.00	0.11		6	0.32	20	845	<0.5	<5	0.13	3	3	56	15	1.04	<1	0.27	11	0.03	564	4	0.01	2	593	71	0.17	<5	1	7	<5	<0.01	<10	<10	3	<10	397	2
9V0897RA/RJ	P09-007	131240	17.00	18.00	1.00	0.11		2.2	0.32	24	400	<0.5	<5	0.27	3	4	37	21	0.99	<1	0.28	<10	0.02	421	2	0.01	1	674	105	0.23	<5	1	6	<5	<0.01	<10	<10	3	<10	333	2
9V0897RA/RJ	P09-007	131241	18.00	18.85	0.85	0.15		3.8	0.34	32	305	<0.5	<5	0.25	14	4	33	21	1.37	<1	0.27	<10	0.04	314	2	0.01	1	623	470	0.61	<5	1	10	<5	<0.01	<10	<10	4	12	1302	2
9V0897RA/RJ	P09-007	131242	18.85	19.55	0.70	1.68		24.9	0.18	294	44	<0.5	11	0.43	299	7	64	356	7.35	2	0.17	<10	0.02	249	<2	0.01	1	201	1283	>5.00	<5	<1	19	<5	<0.01	<10	14	3	222	6812	3
9V0897RA/RJ	P09-007	131243	19.55	20.50	0.95	0.06		2	0.32	17	360	<0.5	<5	0.47	2	4	35	6	1.03	<1	0.32	<10	0.02	242	2	0.01	1	811	151	0.81	<5	1	20	<5	<0.01	<10	<10	3	<10	211	1
9V0897RA/RJ	P09-007	131244	20.50	22.50	2.00	0.2		7.5	0.25	36	194	<0.5	<5	0.78	14	4	55	13	1.46	<1	0.25	<10	0.02	366	5	0.01	2	506	585	1.26	<5	<1	80	<5	<0.01	<10	<10	3	11	1295	1
9V0897RA/RJ	P09-007	131245	22.50	23.50	1.00	0.19		3.5	0.14	44	194	<0.5	<5	1.42	3	4	45	8	1.52	<1	0.15	<10	0.01	805	10	0.01	1	367	203	1.34	<5	<1	71	<5	<0.01	<10	<10	1	<10	300	2
9V0897RA/RJ	P09-007	131246	23.50	24.50	1.00	1.29		10	0.22	101	48	<0.5	12	0.44	50	6	41	40	5.18	<1	0.18	<10	0.03	157	11	0.01	1	526	794	4.41	6	1	29	<5	<0.01	<10	<10	4	37	3375	3
9V0897RA/RJ	P09-007	131247	24.50	25.50	1.00	1.4		5.6	0.23	111	66	<0.5	11	0.97	31	4	40	36	4.86	<1	0.2	<10	0.02	504	3	0.01	1	510	839	4.14	<5	<1	27	<5	<0.01	<10	<10	3	24	2441	3
9V0897RA/RJ	P09-007	131248	25.50	26.50	1.00	0.97		5.3	0.31	154	41	<0.5	17	0.63	29	4	39	20	7.01	<1	0.31	<10	0.03	385	3	0.01	<1	516	408	>5.00	<5	<1	19	<5	<0.01	<10	13	5	19	2090	4
9V0897RA/RJ	P09-007	131249	26.50	27.50	1.00	0.81		7.2	0.2	37	173	<0.5	<5	0.58	15	5	42	22	1.73	<1	0.19	<10	0.02	351	7	0.01	2	468	486	1.48	<5	<1	22	<5	<0.01	<10	<10	3	12	1441	2
9V0897RA/RJ	P09-007	131250	27.50	28.50	1.00	45.49		60.2	0.23	46	125	<0.5	<5	0.89	69	6	42	70	1.76	<1	0.21	<10	0.02	276	6	0.01	2	588	454	1.78	<5	1	39	<5	<0.01	<10	<10	4	48	4022	2
9V0897RA/RJ	P09-007	131251	28.50	29.50	1.00	4.84		17.5	0.16	121	60	<0.5	15	0.74	132	5	48	152	4.99	<1	0.15	<10	0.04	472	5	0.01	1	407	438	4.5	<5	<1	48	<5	<0.01	<10	<10	3	95	5315	3
9V0897RA/RJ	P09-007	131252	29.50	30.30	0.80	2.02		25.9	0.12	489	21	<0.5	111	0.81	232	5	78	238	>15.00	2	0.1	<10	0.1	521	3	0.01	<1	199	758	>5.00	25	<1	36	<5	<0.01	<10	51	8	<10	8006	5
9V0897RA/RJ	P09-007	131253	30.30	31.10	0.80	0.74		9.9	0.18	85	68	<0.5	12	0.62	22	7	66	82	4.99	<1	0.13	<10	0.08	566	4	0.01	2	570	392	3.98	<5	1	43	<5	<0.01	<10	<10	6	16	1817	2
9V0897RA/RJ	P09-007	131254	31.10	31.80	0.70	6.1		66.5	0.17	183	26	<0.5	32	0.41	423	5	89	1175	10.11	3	0.13	<10	0.05	528	5	0.01	<1	332	4324	>5.00	35	<1	28	<5	<0.01	<10	21	4	275	7786	4
9V0897RA/RJ	P09-007	131255	31.80	32.80	1.00	0.74		17.9	0.26	58	112	<0.5	7	0.72	140	9	47	215	3.1	<1	0.2	<10	0.03	412	5	0.01	2	629	6168	3.04	13	1	31	<5	<0.01	<10	<10	4	103	5374	2
9V0897RA/RJ	P09-007	131256	32.80	34.06	1.26	0.2		3	0.94	25	245	<0.5	5	3.31	11	10	19	78	2.88	<1	0.34	<10	0.35	2514	7	0.01	1	1169	248	1.38	<5	1	143	<5	<0.01	<10	12	10	<10	1137	2
9V0897RA/RJ	P09-007	131257	34.06	35.00	0.94	0.15		3.3	1.87	20	205	<0.5	10	2.83	3	20	7	173	5	<1	0.32	10	0.92	2926	<2	0.01	1	2053	35	1.19	5	3	83	<5	0.01	<10	17	25	<10	301	2

P09-008 - Pit - PAD 4 - 436648E 6212357N, Elev: 518m, Az: 045, Dip: -55, EOH: 44.82 m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0917RA/RJ	P09-008	131258	2.13	3.00	0.87	0.1		20	0.24	26	197	<0.5	5	1.23	25	4	67	57	1.26	<1	0.24	<10	0.02	563	4	0.01	3	388	736	1.23	<5	<1	83	<5	<0.01	<10	<10	3	<10	2069	2
9V0917RA/RJ	P09-008	131259	3.00	4.00	1.00	0.08		5.9	0.34	34	194	<0.5	8	0.57	8	5	55	11	1.97	<1	0.32	<10	0.03	367	7	0.01	2	581	251	1.42	<5	1	26	<5	<0.01	<10	<10	5	<10	693	3
9V0917RA/RJ	P09-008	131260	4.00	5.00	1.00	0.38		24	0.35	30	206	<0.5	6	1.03	28	5	56	28	1.49	<1	0.31	<10	0.03	563	4	0.01	2	537	842	1.21	<5	1	35	<5	<0.01	<10	<10	5	<10	2055	2
9V0917RA/RJ	P09-008	131261	5.00	6.00	1.00	0.38		25.3	0.31	23	203	<0.5	5	0.47	17	4	75	24	1.39	<1	0.26	<10	0.03	182	5	0.01	2	418	739	1.25	<5	<1	22	<5	<0.01	<10	<10	4	<10	1557	2
9V0917RA/RJ	P09-008	131262	6.00	7.00	1.00	0.26		15.4	0.34	39	266	<0.5	5	0.17	12	4	61	29	1.36	<1	0.31	<10	0.03	92	5	0.01	2	525	520	1	<5	<1	7	<5	<0.01	<10	<10	4	<10	896	2
9V0917RA/RJ	P09-008	131263	7.00	8.00	1.00	0.18		16.5	0.29	20	245	<0.5	<5	0.77	11	4	101	24	0.85	<1	0.28	<10	0.02	315	8	0.01	3	450	727	0.65	<5	<1	26	<5	<0.01	<10	<10	3	<10	968	2
9V0917RA/RJ	P09-008	131264	8.00	10.00	2.00	0.34		3.2	0.49	28	313	<0.5	5	1.36	7	6	31	23	1.17	<1	0.43	10	0.04	779	5	0.01	2	655	281	0.84	<5	1	46	<5	<0.01	<10	<10	5	<10	500	3
9V0917RA/RJ	P09-008	131265	10.00	12.00	2.00	0.25		1.3	0.53	56	301	<0.5	5	2.03	2	5	30	5	1.12	<1	0.43	11	0.05	1116	2	0.01	1	619	30	0.69	<5	1	53	<5	<0.01	<10	<10	6	<10	174	3
9V0917RA/RJ	P09-008	131266	12.00	14.00	2.00	0.14		1.2	0.46	34	317	<0.5	5	1.22	5	5	29	5	1.19	<1	0.38	<10	0.04	742	2	0.01	1	605	40	0.69	<5	1	32	<5	<0.01	<10	<10	5	<10	345	3
9V0917RA/RJ	P09-008	131267	14.00	16.00	2.00	0.2		1.4	0.47	34	350	<0.5	5	1.3	3	4	28	6	1.22	<1	0.39	<10	0.05	793	2	0.01	1	615	82	0.71	<5	1	39	<5	<0.01	<10	<10	5	<10	290	3
9V0917RA/RJ	P09-008	131268	16.00	18.00	2.00	0.15		2.6	0.56	36	366	<0.5	5	1.47	5	5	25	14	1.32	<1	0.43	10	0.06	900	<2	0.01	1	704	109	0.73	<5	1	38	<5	<0.01	<10	<10	6	<10	348	3
9V0917RA/RJ	P09-008	131269	18.00	20.00	2.00	0.24		2.6	0.63	16	479	<0.5	5	0.84	4	4	32	22	1.26	<1	0.41	13	0.09	716	2	0.01	1	713	246	0.41	<5	1	28	5	<0.01	<10	<10	7	<10	468	2
9V0917RA/RJ	P09-008	131270	20.00	21.00	1.00	0.37		8.8	0.49	28	309	<0.5	5	0.75	7	5	37	54	1.28	<1	0.38	10	0.07	515	2	0.01	1	572	274	0.79	<5	1	46	<5	<0.01	<10	<10	7	<10	664	2
9V0917RA/RJ	P09-008	131271	21.00	22.00	1.00	0.35		8.6	0.38	50	160	<0.5	23	0.43	25	4	53	24	2.68	<1	0.27	<10	0.11	616	3	0.01	1	438	968	1.72	<5	1	35	<5	<0.01	<10	<10	7	<10	1794	2
9V0917RA/RJ	P09-008	131272	22.00	23.00	1.00	0.26		2.9	0.35	26	229	<0.5	7	0.58	54	4	46	31	1.79	<1	0.3	<10	0.1	603	<2	0.01	2	391	455	1.08	<5	1	41	<5	<0.01	<10	<10	6	<10	3483	2
9V0917RA/RJ	P09-008	131273	23.00	24.00	1.00	0.34		8.6	0.36	27	239	<0.5	7	0.99	33	4	44	61	1.38	<1	0.33	<10	0.07	774	3	0.01	2	561	1127	1.01	5	1	63	<5	<0.01	<10	<10	6	<10	2663	2
9V0917RA/RJ	P09-008	131274	24.00	25.00	1.00	0.09		5.1	0.38	18	287	<0.5	<5	0.79	14	4	31	23	1.02	<1	0.29	<10	0.05	442	4	0.01	1	576	585	0.74	<5	1	37	<5	<0.01	<10	<10	5	<10	1192	2
9V0917RA/RJ	P09-008	131275	25.00	26.00	1.00	1.56		8.8	0.33	24	244	<0.5	<5	1.38	10	3	44	63	0.98	<1	0.32	<10	0.02	632	3	0.01	1	516	537	0.94	<5	1	64	<5	<0.01	<10	<10	5	<10	967	1
9V0917RA/RJ	P09-008	131276	26.00	27.00	1.00	13.23		115.3	0.27	55	52	<0.5	10	0.83	12	3	45	29	2.55	1	0.25	<10	0.03	538	<2	0.01	1	324	374	2.13	7	<1	34	<5	<0.01	<10	<10	5	<10	1082	2
9V0917RA/RJ	P09-008	131277	27.00	28.00	1.00	0.41		13.4	0.15	30	153	<0.5	<5	0.61	5	3	61	33	0.91	<1	0.15	<10	0.01	405	10	0.01	2	272	200	0.88	11	<1	89	<5	<0.01	<10	<10	2	<10	446	1
9V0917RA/RJ	P09-008	131278	28.00	29.00	1.00	0.9		9.6	0.27	40	122	<0.5	5	0.14	9	4	47	57	1.35	<1	0.23	<10	0.02	51	8	0.01	2	472	171	1.31	15	1	18	<5	<0.01	<10	<10	5	<10	725	2
9V0917RA/RJ	P09-008	131279	29.00	30.00	1.00	0.24		6.7	0.29	42	69	<0.5	9	0.17	11	5	65	27	2.09	<1	0.23	<10	0.02	266	10	0.01	2	483	369	1.78	7	1	120	<5	<0.01	<10	<10	5	<10	687	2
9V0917RA/RJ	P09-008	131280	30.00	31.00	1.00	0.35		7.3	0.22	45	110	<0.5	10	1.03	11	4	81	18	2.56	<1	0.2	<10	0.07	600	4	0.01	3	353	319	2.09	5	<1	65	<5	<0.01	<10	<10	4	<10	838	2
9V0917RA/RJ	P09-008	131281	31.00	32.00	1.00	0.08		7.6	0.11	14	171	<0.5	8	1.39	7	2	130	4	1.65	1	0.09	<10	0.13	1436	4	0.01	3	169	101	1.25	7	1	100	<5	<0.01	<10	<10	3	<10	498	1
9V0917RA/RJ	P09-008	131282	32.00	33.00	1.00	0.19		79.9	0.11	23	121	<0.5	10	1.18	45	2	155	952	2.13	1	0.09	<10	0.15	1180	<2	0.01	4	138	3924	1.61	143	1	83	<5	<0.01	<10	<10	2	<10	2660	1
9V0917RA/RJ	P09-008	131283	33.00	34.00	1.00	1.42		14.7	0.17	32	101	<0.5	12	1.23	39	5	142	57	3.13	<1	0.14	<10	0.19	1344	4	0.01	3	374	586	2.25	18	1	84	<5	<0.01	<10	<10	4	<10	2405	1
9V0917RA/RJ	P09-008	131284	34.00	35.00	1.00	1.44		12.3	0.23	134	28	<0.5	31	0.91	122	5	119	88	7.08	2	0.17	<10	0.16	983	<2	0.01	3	433	367	>5.00	5	1	57	<5	<0.01	<10	<10	10	<10	5338	2
9V0917RA/RJ	P09-008	131285	35.00	35.50	0.50	9.91		70.3	0.17	297	21	<0.5	75	1.17	360	6	100	173	14.3	3	0.09	<10	0.09	840	4	0.02	<1	274	728	>5.00	41	<1	117	<5	<0.01	<10	32	15	<10	5833	4
9V0917RA/RJ	P09-008	131286	35.50	36.20	0.70	9.67		168.8	0.06	299	23	<0.5	68	2.53	319	5	82	293	13.21	4	0.05	<10	0.03	1172	4	0.02	<1	112	992	>5.00	164	<1	184	<5	<0.01	<10	28	12	<10	6000	4
9V0917RA/RJ	P09-008	131287	BLANK			0.02		0.3	0.02	<5	23	<0.5	<5	>15.00	1	1	4	5	0.06	<1	0.01	<10	1.09	29	<2	0.01	<1	43	<2	0.84	<5	<1	4794	<5	<0.01	<10	<10	1	<10	45	<1
9V0917RA/RJ	P09-008	131288	STD	PM427		3.52		1.7	1.33	6515	79	0.8	162	6.46	4	105	37	275	4.87	<1	0.19	<10	0.47	846	29	0.06	65	860	20	0.99	12	3	65	<5	0.11	<10	<10	56	16	87	11
9V0917RA/RJ	P09-008	131289	36.20	37.20	1.00	0.35		5.8	0.45	59	211	<0.5	12	1.88	11	17	22	171	2.34	<1	0.42	<10	0.11	1300	5	0.01	3	1528	370	1.77	<5	2	118	<5	<0.01	<10	<10	9	<10	794	1

P09-009 - Pit - PAD 4 - 436648E 6212357N, Elev: 518m, Az: 045, Dip: -65, EOH: 75.92m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0917RA/RJ	P09-009	131290	2.13	3.00	0.87	0.33		55.6	0.22	49	115	<0.5	7	0.9	110	6	78	89	1.94	1	0.21	<10	0.02	351	5	0.01	3	338	1456	1.94	5	<1	29	<5	<0.01	<10	<10	3	<10	4466	2
9V0917RA/RJ	P09-009	131291	3.00	4.00	1.00	0.2		40.3	0.3	68	121	<0.5	11	1.14	22	6	67	14	2.86	<1	0.28	<10	0.02	443	5	0.01	2	533	610	2.45	5	<1	70	<5	<0.01	<10	<10	5	<10	1820	2
9V0917RA/RJ	P09-009	131292	4.00	5.00	1.00	0.07		28	0.33	26	275	<0.5	5	1.44	8	5	73	8	1.36	<1	0.29	<10	0.02	746	6	0.01	2	553	683	0.88	<5	1	46	<5	<0.01	<10	<10	4	<10	603	2
9V0917RA/RJ	P09-009	131293	5.00	6.00	1.00	0.1		6.8	0.35	25	325	<0.5	5	0.81	13	5	103	30	1.35	<1	0.3	<10	0.03	467	4	0.01	3	524	458	0.77	<5	<1	33	<5	<0.01	<10	<10	4	<10	915	3
9V0917RA/RJ	P09-009	131294	6.00	7.00	1.00	0.1		6	0.32	23	199	<0.5	<5	1.02	14	4	62	25	1.27	<1	0.29	<10	0.02	434	11	0.01	1	576	389	1.07	<5	<1	39	<5	<0.01	<10	<10	4	<10	1011	2
9V0917RA/RJ	P09-009	131295	7.00	8.00	1.00	1.09		14.1	0.33	23	462	<0.5	<5	0.63	13	4	83	19	1.04	<1	0.3	<10	0.02	380	5	0.01	2	542	304	0.58	<5	1	21	<5	<0.01	<10	<10	4	<10	407	2
9V0917RA/RJ	P09-009	131296	8.00	10.00	2.00	0.22		3.2	0.44	40	307	<0.5	5	1.55	5	5	46	29	1.22	<1	0.4	10	0.03	687	4	0.01	1	699	233	0.86	<5	1	53	<5	<0.01	<10	<10	6	<10	371	2
9V0917RA/RJ	P09-009	131297	10.00	12.00	2.00	0.23		1.5	0.45	39	333	<0.5	5	1.36	6	5	40	10	1.19	<1	0.4	11	0.03	833	<2	0.01	2	719	31	0.62	<5	1	39	<5	<0.01	<10	<10	5	<10	367	2
9V0917RA/RJ	P09-009	131298	12.00	14.00	2.00	0.14		1.9	0.51	37	298	<0.5	5	2.91	2	5	27	7	1.34	<1	0.41	<10	0.05	1185	3	0.01	1	710	30	0.73	<5	1	84	<5	<0.01	<10	<10	5	<10	185	3
9V0917RA/RJ	P09-009	131299	14.00	15.00	1.00	0.18		5.5	0.47	43	1279	<0.5	5	0.38	7	4	34	18	1.26	<1	0.37	11	0.05	621	<2	0.01	1	664	133	0.17	<5	1	14	<5	<0.01	<10	<10	5	<10	526	3
9V0917RA/RJ	P09-009	131300	15.00	16.00	1.00	0.19		3.9	0.37	37	288	<0.5	5	1.85	4	4	50	39	1.19	<1	0.32	<10	0.03	1024	4	0.01	1	586	353	0.84	<5	1	54	<5	<0.01	<10	<10	5	<10	172	2
9V0917RA/RJ	P09-009	131301	16.00	18.00	2.00	0.23		3.9	0.45	51	286	<0.5	5	1.65	3	5	26	17	1.33	<1	0.38	<10	0.05	1068	<2	0.01	1	690	157	0.71	<5	1	49	<5	<0.01	<10	<10	5	<10	320	2

Drilling Analytical Results 2009

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0917RA/RJ	P09-009	131302	18.00	20.00	2.00	0.25		40.9	0.51	45	318	<0.5	6	1.57	6	4	22	27	1.41	<1	0.35	<10	0.09	1148	<2	0.01	1	642	205	0.63	<5	1	46	<5	<0.01	<10	<10	6	<10	682	3
9V0917RA/RJ	P09-009	131303	20.00	22.00	2.00	0.35		2.9	0.43	27	308	<0.5	5	1.73	10	5	36	24	1.32	<1	0.3	<10	0.07	1150	2	0.01	1	611	226	0.64	<5	1	39	<5	<0.01	<10	<10	5	<10	484	2
9V0917RA/RJ	P09-009	131304	22.00	24.00	2.00	0.18		2.5	0.55	25	265	<0.5	7	1.24	10	5	26	16	1.79	<1	0.34	<10	0.12	893	<2	0.01	1	520	456	0.78	<5	1	58	<5	<0.01	<10	<10	7	<10	870	2
9V0917RA/RJ	P09-009	131305	24.00	26.00	2.00	0.6		1.4	0.4	30	258	<0.5	6	1.21	3	4	41	11	1.29	<1	0.33	<10	0.08	831	2	0.01	1	531	153	0.68	<5	1	65	<5	<0.01	<10	<10	6	<10	210	1
9V0917RA/RJ	P09-009	131306	26.00	28.00	2.00	0.14		2.2	0.45	21	317	<0.5	5	1.04	5	4	34	26	1.25	<1	0.39	<10	0.08	793	<2	0.01	1	625	217	0.75	<5	1	60	<5	<0.01	<10	<10	6	<10	444	2
9V0917RA/RJ	P09-009	131307	28.00	30.00	2.00	0.21		8.6	0.37	14	278	<0.5	7	3.1	11	4	45	19	1.58	<1	0.27	<10	0.16	1808	<2	0.01	1	514	345	0.67	5	1	217	<5	<0.01	<10	<10	6	<10	898	2
9V0917RA/RJ	P09-009	131308	30.00	32.00	2.00	0.55		25.2	0.32	41	197	<0.5	7	0.84	13	5	37	28	1.7	<1	0.28	<10	0.04	616	2	0.01	1	540	445	1.35	6	1	34	<5	<0.01	<10	<10	4	<10	1087	2
9V0917RA/RJ	P09-009	131309	32.00	32.75	0.75	1.03		60.2	0.27	112	43	<0.5	22	0.18	28	6	77	36	5.51	1	0.21	<10	0.03	501	4	0.01	2	344	867	3.48	9	<1	11	<5	<0.01	<10	<10	7	<10	2119	2
9V0917RA/RJ	P09-009	131310	32.75	33.75	1.00	0.31		7.1	0.29	36	77	<0.5	14	0.78	29	7	84	28	3.54	<1	0.15	<10	0.12	876	3	0.01	3	484	311	2.66	<5	1	52	<5	<0.01	<10	<10	9	<10	2273	1
9V0917RA/RJ	P09-009	131311	33.75	34.75	1.00	0.25		7.4	0.36	33	151	<0.5	18	4.21	15	10	51	17	4.65	<1	0.16	<10	0.47	4385	6	0.01	2	647	431	2.47	<5	4	460	<5	<0.01	<10	<10	14	<10	1111	1
9V0917RA/RJ	P09-009	131312	34.75	35.75	1.00	0.23		9.7	1.14	45	79	<0.5	27	0.77	15	15	54	38	6.49	<1	0.17	<10	0.86	2169	5	0.01	3	1050	374	3.29	5	5	53	<5	<0.01	<10	<10	50	<10	997	2
9V0917RA/RJ	P09-009	131313	35.75	36.75	1.00	0.36		6.3	0.76	33	70	<0.5	19	0.82	4	9	87	11	4.43	<1	0.09	<10	0.51	1845	4	0.01	3	515	264	2.52	<5	3	71	<5	<0.01	<10	<10	34	<10	229	2
9V0917RA/RJ	P09-009	131314	36.75	37.75	1.00	0.35		7.7	0.36	48	58	<0.5	17	1.04	6	7	74	10	4.36	<1	0.13	<10	0.43	1749	<2	0.01	3	571	377	2.46	<5	3	81	<5	<0.01	<10	<10	18	<10	346	1
9V0917RA/RJ	P09-009	131315	37.75	38.75	1.00	0.4		8.3	0.3	27	140	<0.5	13	1.18	26	5	112	18	3.09	<1	0.12	<10	0.25	1553	4	0.01	3	363	597	2.04	5	2	90	<5	<0.01	<10	<10	13	<10	2049	1
9V0917RA/RJ	P09-009	131316	38.75	39.75	1.00	0.26		7.8	0.15	43	53	<0.5	17	1.48	17	8	97	8	4.31	<1	0.14	<10	0.2	1713	2	0.01	3	587	433	3.2	<5	2	107	<5	<0.01	<10	<10	6	<10	1204	1
9V0917RA/RJ	P09-009	131317	39.75	40.75	1.00	0.3		7.9	0.19	55	72	<0.5	16	1.04	8	13	88	<1	3.77	<1	0.18	<10	0.15	1231	4	0.01	3	802	211	2.94	<5	2	75	<5	<0.01	<10	<10	9	<10	444	1
9V0917RA/RJ	P09-009	131318	40.75	41.75	1.00	1.77		96	0.14	18	123	<0.5	7	2.27	37	4	108	20	1.9	<1	0.12	<10	0.15	2045	<2	0.01	3	357	1656	1.36	17	1	93	<5	<0.01	<10	<10	3	<10	2909	1
9V0917RA/RJ	P09-009	131319	41.75	42.75	1.00	0.47		3.3	0.08	18	103	<0.5	9	0.88	9	2	141	6	2.25	<1	0.06	<10	0.14	1064	3	0.01	3	66	528	1.54	<5	<1	52	<5	<0.01	<10	<10	3	<10	719	1
9V0917RA/RJ	P09-009	131320	42.75	43.75	1.00	0.24		6	0.11	18	86	<0.5	11	0.29	12	2	138	6	2.81	<1	0.04	<10	0.12	839	<2	<0.01	3	46	735	2.09	<5	<1	24	<5	<0.01	<10	<10	5	<10	1025	1
9V0917RA/RJ	P09-009	131321	43.75	44.50	0.75	5.26		54.2	0.07	21	45	<0.5	8	0.31	382	1	132	425	2.04	5	0.06	<10	0.06	472	6	0.01	3	168	521	2.71	18	1	25	<5	<0.01	<10	<10	2	<10	7744	1
9V0917RA/RJ	P09-009	131322	44.50	45.38	0.88	3.43		18.7	0.1	59	21	<0.5	17	0.32	728	3	114	1048	4.07	8	0.06	<10	0.07	694	6	0.02	3	393	513	4.99	<5	1	23	<5	<0.01	<10	<10	5	<10	9851	1
9V0917RA/RJ	P09-009	131323	45.38	46.40	1.02	16.39		58.6	0.07	410	26	<0.5	129	0.09	109	4	92	844	>15.00	1	0.05	<10	0.04	144	<2	0.02	<1	87	6374	>5.00	16	<1	5	<5	<0.01	<10	51	25	<10	4944	6
9V0917RA/RJ	P09-009	131324	BLANK			<0.01		<0.1	0.02	<5	29	<0.5	<5	>15.00	<1	<1	4	7	0.05	1	<0.01	<10	1.15	23	<2	0.01	<1	41	<2	0.75	<5	<1	5467	<5	<0.01	<10	<10	1	<10	62	<1
9V0917RA/RJ	P09-009	131325	STD	PM405		0.29		0.9	0.52	675	994	0.5	13	0.66	2	8	52	34	3.11	2	0.13	14	0.31	464	5	0.01	31	885	143	0.22	521	4	205	6	<0.01	<10	<10	53	<10	235	12
9V0917RA/RJ	P09-009	131326	46.40	47.40	1.00	1.71		10.9	0.24	60	46	<0.5	19	0.7	41	9	78	79	4.18	1	0.18	<10	0.06	636	7	0.02	2	569	1726	3.68	7	1	53	<5	<0.01	<10	<10	7	<10	3113	2
9V0917RA/RJ	P09-009	131327	47.40	48.40	1.00	2.46		43.3	0.17	43	78	<0.5	13	2.19	58	4	89	102	2.81	1	0.14	<10	0.02	1049	4	0.02	2	320	1289	2.66	31	<1	131	<5	<0.01	<10	<10	4	<10	3855	1
9V0917RA/RJ	P09-009	131328	48.40	49.40	1.00	0.92		9.4	0.4	62	98	<0.5	14	2.38	29	13	31	107	3.2	<1	0.33	<10	0.04	1215	2	0.01	1	1216	1287	2.88	5	1	90	<5	<0.01	<10	<10	9	<10	2289	1
9V0917RA/RJ	P09-009	131329	49.40	50.40	1.00	0.78		15.3	0.37	91	108	<0.5	12	2.23	30	13	26	181	2.85	<1	0.28	<10	0.04	1260	6	0.01	2	1053	1841	2.55	6	1	89	<5	<0.01	<10	<10	8	<10	2158	1
9V0917RA/RJ	P09-009	131330	50.40	51.40	1.00	0.85		73.7	0.58	34	162	<0.5	10	2.46	19	10	24	185	2.28	<1	0.3	<10	0.17	1882	6	0.01	1	962	937	1.56	5	1	97	<5	<0.01	<10	<10	11	<10	1644	1
9V0917RA/RJ	P09-009	131331	51.40	52.40	1.00	1.89		24.6	0.59	65	87	<0.5	20	2.79	69	12	22	164	4.26	<1	0.31	<10	0.16	2534	<2	0.01	1	1102	576	3.66	<5	1	104	<5	<0.01	<10	<10	13	<10	4345	1
9V0917RA/RJ	P09-009	131332	52.40	53.85	1.45	0.43		10.1	1.13	29	166	<0.5	18	2.01	17	11	14	122	4.24	<1	0.32	<10	0.42	2253	2	0.01	<1	1262	602	2.24	<5	1	94	<5	<0.01	<10	<10	17	<10	1435	1
9V0917RA/RJ	P09-009	131333	53.85	55.00	1.15	1.08		6.6	0.32	20	140	<0.5	7	1.3	8	5	64	42	1.71	<1	0.19	<10	0.07	1022	2	0.01	2	477	411	1.35	<5	1	95	<5	<0.01	<10	<10	5	<10	580	1
9V0917RA/RJ	P09-009	131334	55.00	56.00	1.00	1.64		31	0.71	24	204	<0.5	11	1	22	7	31	188	2.57	<1	0.25	<10	0.35	1762	<2	0.01	2	755	878	1.25	<5	1	66	<5	0.01	<10	<10	13	<10	1839	1
9V0917RA/RJ	P09-009	131335	56.00	57.00	1.00	0.57		10.8	0.67	31	148	<0.5	10	0.41	9	7	45	36	2.59	<1	0.17	<10	0.4	1602	15	0.01	2	670	471	1.13	<5	1	34	<5	<0.01	<10	<10	14	<10	739	1
9V0917RA/RJ	P09-009	131336	57.00	58.00	1.00	1.05		5.7	1.07	13	223	<0.5	13	0.61	38	6	30	49	3.21	<1	0.19	<10	0.71	2564	<2	0.01	1	735	332	1.13	<5	2	37	<5	0.01	<10	<10	22	<10	2828	1
9V0917RA/RJ	P09-009	131337	58.00	59.00	1.00	0.21		2.1	1.26	16	214	<0.5	15	0.47	21	6	39	18	3.51	<1	0.2	<10	0.83	2467	<2	0.01	1	849	157	1.19	<5	2	28	<5	<0.01	<10	<10	26	<10	1725	2
9V0917RA/RJ	P09-009	131338	59.00	59.50	0.50	0.78		17.9	0.61	52	68	<0.5	21	0.83	465	6	46	166	4.86	3	0.12	<10	0.47	2657	<2	0.01	2	533	332	4.41	<5	2	56	<5	<0.01	<10	<10	22	<10	8369	2
9V0917RA/RJ	P09-009	131339	59.50	60.00	0.50	2.22		21.4	0.57	31	128	<0.5	14	0.33	233	4	68	84	3.23	1	0.12	<10	0.34	1383	<2	0.01	2	400	326	2.51	<5	1	21	<5	<0.01	<10	<10	17	<10	6757	1
9V0917RA/RJ	P09-009	131340	60.00	60.60	0.60	1.5		58.4	0.29	135	30	<0.5	43	0.17	1766	5	61	885	9.34	4	0.07	<10	0.14	889	<2	0.01	1	155	4904	>5.00	<5	<1	11	<5	<0.01	<10	15	15	<10	>10000	3
9V0917RA/RJ	P09-009	131341	60.60	61.13	0.53	1.33		>200.0	0.21	67	37	<0.5	21	1.43	112	5	78	114	4.69	<1	0.11	<10	0.11	1194	<2	0.01	2	279	5631	4.17	39	1	98	<5	<0.01	<10	<10	8	<10	5500	1
9V0917RA/RJ	P09-009	131342	61.13	62.00	0.87	2.65		4.1	0.83	12	226	<0.5	11	0.77	22	7	40	50	2.78	<1	0.28	<10	0.36	1920	2	0.01	2	763	561	1.11	<5	1	52	<5	<0.01	<10	<10	10	<10	1834	1
9V0917RA/RJ	P09-009	131343	62.00	63.00	1.00	6.44		6.4	0.58	8	227	<0.5	11	0.96	18	5	37	26	2.65	<1	0.29	<10	0.37	1949	2	0.01	2	697	455	0.92	5	1	76	<5	<0.01	<10	<10	8	<10	1368	1
9V0917RA/RJ	P09-009	131344	63.00	64.00	1.00	8.4		4.8	0.81	6	285	<0.5	11	0.88	15	6	32	39	2.68	<1	0.28	<10	0.45	2273	<2	0.01	2	738	540	0.67	<5	1	61	<5	<0.01	<10	<10	12	<10	1244	1
9V0917RA/RJ	P09-009	131345	64.00	65.00	1.00	33.35		14	1.17	11	262	<0.5	14	0.61	29	7	29	33	3.25	<1	0.34	<10	0.5	1724	2	0.01	1	858	576	1.07	<5	1	33	<5	0.01	<10	<10	14	<10	2295	1
9V0917RA/RJ	P09-009	131346	65.00	66.00	1.00	0.76		4.6	1.44	72	46	<0.5	38	1.31	14	14	20	22	7.72	<1	0.27	<10	0.67	3168	<2	0.01	2	1041	303	4.78	<5	2	65	<5	0.01	<10	10	26	<10	804	3
9V0917RA/RJ	P09-009	131347	66.00	67.00	1.00	0.91		5	1.15	35	95	<0.5	21	1.7	14	18	12	54	4.88	<1	0.34	<10	0.48	2632	<2	0.01	2	1342	547	2.81	<5	2	62	<5	0.01	<10	<10	19	<10	1074	2
9V0917RA/RJ	P09-009	131348	67.00	68.00	1.00	0.93		4.9	0.87	23	92	<0.5	18	2.32	9	20	5	39	3.86	<1	0.4	<10	0.29	2736	<2	0.01	2	1454	336	2.74	<5	2	77	<5	0.01	<10	<10	16	<10	632	2
9V0917RA/RJ	P09-009	131349	68.00	69.00	1.00	1.98		10.4	1.13	37	69	<0.5	23	1.66	108	19	9	167	5.56	<1	0.38	<10	0.38	2247	3	0.01	2	1341	2027	3.79	6	2	62	<5	0.02	<10	<10	20	<10	5189	2
9V0917RA/RJ	P09-009	131350	69.00	69.94	0.94	0.15		4.7	0.89	24	121	<0.5	17	2.19	19	21	5	70	3.96	<1	0.43	<10	0.21	2264	<2	0.01	2	1428	681	2.5	<5	2	76	<5	0.01	<10	<10	16	<10	1511	2
9V0917RA/RJ	P09-009	131351	69.94	72.10	2.16	0.26		1.8	0.55	6	344	<0.5	6	1.79	28	6	20	48	1.34	<1	0.42	<10	0.07	1464	3	0.01	1	815	217	0.74	<5	1	74	<5	<0.01	<10	<10	6	<10	2029	1
9V0917RA/RJ	P09-009	131352	72.10	73.00	0.90	1.41		5	0.5	92	44	<0.5	23	2.79	20	5	22	47	5.18	<1	0.35	<10	0.07	1545	3	0.01	<1	592	371	4.17	<5	1	101	<5	<0.01	<10	<10	8	<10	1414	2
9V0917RA/RJ	P09-009	131353	73.00	74.00	1.00	0.43		4.4	0.45	29	81	<0.5	11	2.29	42	6	29	103	2.56	<1	0.32	<10	0.06	1020	5	0.01	1	605	805	2.07	<5	1	76	<5	<0.01	<10	<10	5	<10	2998	1
9V0917RA/RJ	P09-009	131354	74.00	75.92	1.92	0.39		4.2	0.61	53	88	<0.5	14	2.56	22	5	26	38	2.97	<1	0.36	<10	0.15	2203	5	0.01	1	634	459	2.14	<5	1	95	<5	<0.01	<10	<10	7	<10	1777	1
P09-010 - Pit - PAD 5 - 436647E 6212361N, Elev: 523m, Az: 045, Dip: -45, EOH: 32.01m																																									
9V0938RA/RJ	P09-010	131355	0.00	1.00	1.00	0.11		2	0.39	31	244	<0.5	7	4.54	5	5	28	11	1.65	<1	0.36	<10	0.04	1697	2	0.03	4	694	347	1.29	<5	1	133	<5	<0.01	<10	<10	5	<10	395	3
9V0938RA/RJ	P09-010	131356	1.00	2.00	1.00	0.27		3.8	0.36	88	197	<0.5	12	2.1	17	6	32	35	2.81	<1	0.33	<10	0.03	894	6	0.03	2	675	729	2.34	<5	1	49	<5	<0.01	<10	<10	6	<10	1267	3
9V0938RA/RJ	P09-010	131357	2.00	3.00	1.00	0.14		6.3	0.46	62	262	<0.5	8	1.35	28	7	30	25	2.08	<1	0.34	<10	0.05	647	4	0.02	3	681	992	1.43	5	1	35	<5	0.01	<10	<10	8	<10	2074	3
9V0938RA/RJ	P09-010	131358	3.00	4.00	1.00	0.55		5.1	0.45	62	201	<0.5	10	1.95	50	6	48	39	2.5	<1	0.27	<10	0.06	862	8	0.02	2	626	461	1.62	<5	1	49	<5	0.01	<10	<10	9	<10	3082	2
9V0938RA/RJ	P09-010	131359	4.00	5.00	1.00	0.82		2.8	0.66	43	329	<0.5	10	0.78	10	6	35	14	2.41	<1	0.32	<10	0.1	450	3	0.02	2	834	449	0.95	<5	1	26	<5	0.01	<10	<10	18	<10	783	3
9V0938RA/RJ	P09-010	131360	5.00	6.00	1.00	0.2		3.7	0.79	51	250	<0.5	16	3.02	12	8	39	16	3.78	<1	0.22	<10	0.14	1335	6	0.02	1	900	230	1.44	<5	1	50	<5	0.01	<10	<10	18	<10	833	2
9V0938RA/RJ	P09-010	131361	6.00	7.00	1.00	0.59		3.4	0.38	121	102	<0.5	20	6.09	7	5	43	3	4.63	<1	0.13	<10	0.08	2776	3	0.02	1	533	95	3.3	<5	2	102	<5	<0.01	<10	<10	15	<10	283	2
9V0938RA/RJ	P09-010	131362	7.00	8.00	1.00	0.56		6.6	0.24	126	215	<0.5	14	6.66	21	5	54	18	3.31	<1	0.2	<10	0.04	3499	9	0.02	2	359	299	2.1	<5	1	94	<5	<0.01	<10	<10	6	<10	1517	2
9V0938RA/RJ	P09-010	131363	8.00	9.00	1.00	0.2		13.9	0.16	49	206	<0.5	7	3.13	35	4	61	29	1.75	<1	0.16	<10	0.02	1319	9	0.02	2	263	695	1.64	<5	<1	63	<5	<0.01	<10	<10	3	<10	2573	2
9V0938RA/RJ	P09-010	131364	9.00	10.00	1.00	0.32		7.7	0.17	32	199	<0.5	5	2.93	17	3	82	32	1.18	<1	0.16	<10	0.01	1804	12	0.02	2	274	750	0.72	<5	<1	61	<5	<0.01	<10	<10	2	<10	1342	2
9V0938RA/RJ	P09-010	131365	10.00	11.00	1.00	1.19		24.7	0.23	53	187	<0.5	11	2.84	77	5	64	110	2.57	<1	0.18	<10	0.07	1851	10	0.02	2	465	1906	1.98	<5	1	97	<5	<0.01	<10	<10	6	<10	4052	2
9V0938RA/RJ	P09-010	131366	11.00	12.00	1.00	0.07		3.7	0.14	28	334	<0.5	5	4.03	10	3	77	6	1.31	<1	0.12	<10	0.04	2354	11	0.02	2	264	342	0.94	<5	1	174	<5	<0.01	<10	<10	3	<10	623	1
9V0938RA/RJ	P09-010	131367	12.00	13.00	1.00	0.1		3.8	0.28	38	185	<0.5	13	0.91	10	6	85	6	2.96	<1	0.2	<10	0.08	994	6	0.02	3	494	145	1.88	<5	1	49	<5	<0.01	<10	<10	6	<10	728	2
9V0938RA/RJ	P09-010	131368	13.00	14.00	1.00	0.39		2.3	0.31	36	141	<0.5	14	0.8	6	6	85	2	3.53	<1	0.21	<10	0.09	759	4	0.02	2	514	58	2.28	<5	1	27	<5	<0.01	<10	<10	8	<10	386	2
9V0938RA/RJ	P09-010	131369	14.00	15.00	1.00	0.13		4.6	0.26	39	202	<0.5	11	6.77	7	5	57	4	2.66	<1	0.24	<10	0.05	3374	20	0.02	2	533	580	2.15	<5	1	283	<5	<0.01	<10	<10	6	<10	495	2
9V0938RA/RJ	P09-010	131370	15.00	16.00	1.00	0.65		6.3	0.38	42	196	<0.5	15	2.81	38	6	82	8	3.44	<1	0.25	<10	0.09	1828	30	0.01	2	539	913	2.46	<5	1	106	<5	<0.01	<10	<10	7	<10	2642	2
9V0938RA/RJ	P09-010	131371	16.00	17.00	1.00	1.29		3.6	0.32	35	297	<0.5	12	1.38	14	6	98	22	2.86	<1	0.26	<10	0.04	1377	2	0.01	3	583	166	1.5	<5	1	28	<5	<0.01	<10	<10	6	<10	903	2
9V0938RA/RJ	P09-010	131372	17.00	18.00	1.00	3.05		5.8	0.29	45	168	<0.5	13	1.13	16	6	87	15	2.84	<1	0.27	<10	0.04	671	12	0.01	2	648	527	2.08	<5	1	57	<5	<0.01	<10	<10	6	<10	1036	2
9V0938RA/RJ	P09-010	131373	18.00	19.00	1.00	0.98		5.5	0.35	40	250	<0.5	13	0.3	9	5	114	30	2.75	<1	0.23	<10	0.06	727	6	0.01	3	489	623	1.48	<5	1	13	<5	<0.01	<10	<10	4	<10	654	2
9V0938RA/RJ	P09-010	131374	19.00	20.00	1.00	1.22		4.7	0.53	45	466	<0.5	13	0.14	8	5	102	29	3.44	<1	0.22	<10	0.12	297	12	0.01	2	553	289	0.74	<5	<1	10	<5	<0.01	<10	<10	5	<10	1124	2
9V0938RA/RJ	P09-010	131375	20.00	21.00	1.00	0.2		2.5	0.44	26	597	<0.5	8	0.09	6	4	117	11	2.25	<1	0.15	<10	0.13	582	4	0.01	3	356	153	0.36	<5	1	7	<5	<0.01	<10	<10	5	<10	674	1
9V0938RA/RJ	P09-010	131376	21.00	22.00	1.00	0.64		27.6	0.32	22	452	<0.5	8	0.07	5	4	132	22	2.32	<1	0.16	<10	0.07	740	7	0.01	3	313	200	0.69	<5	<1	6	<5	<0.01	<10	<10	4	<10	399	1
9V0938RA/RJ	P09-010	131377	22.00	23.00	1.00	0.18		3.3	0.22	22	396	<0.5	9	0.33	12	3	146	33	2.37	<1	0.11	<10	0.04	912	5	0.01	3	224	127	0.58	<5	<1	18	<5	<0.01	<10	<10	4	<10	739	1
9V0938RA/RJ	P09-010	131378	23.00	24.00	1.00	0.19		4.5	0.22	21	305	<0.5	6	0.28	129	3	134	65	1.54	1	0.11	<10	0.04	848	2	0.01	3	213	310	0.93	<5	<1	8	<5	<0.01	<10	<10	3	<10	4506	1
9V0938RA/RJ	P09-010	131379	24.00	25.00	1.00	2.55		11.9	0.33	30	77	<0.5	14	1.31	514	3	130	430	2.53	2	0.14	<10	0.07	1267	5	0.01	3	227	832	3.15	<5	<1	45	<5	<0.01	<10	<10	4	<10	7454	1

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0938RA/RJ	P09-010	131380	25.00	26.00	1.00	2.04		27.1	0.23	90	51	<0.5	24	1.31	199	3	124	376	5.58	1	0.13	<10	0.05	1144	5	0.01	3	222	1581	4.74	<5	<1	48	<5	<0.01	<10	<10	7	<10	5361	2
9V0938RA/RJ	P09-010	131381	26.00	27.00	1.00	0.8		10.4	0.2	41	82	<0.5	14	1.3	182	3	163	191	3.37	1	0.09	<10	0.04	1024	7	0.01	4	103	740	3.03	<5	<1	53	<5	<0.01	<10	<10	4	<10	5217	1
9V0938RA/RJ	P09-010	131382	27.00	28.00	1.00	0.22		2.6	0.16	15	298	<0.5	6	1.28	26	3	176	75	1.52	<1	0.09	<10	0.03	1096	5	0.01	3	163	300	1.05	<5	1	42	<5	<0.01	<10	<10	2	<10	1578	1
9V0938RA/RJ	P09-010	131383	28.00	29.10	1.10	0.69		4.9	0.12	16	219	<0.5	7	0.55	90	2	179	95	1.57	<1	0.07	<10	0.02	489	5	0.01	4	115	309	1.37	<5	<1	20	<5	<0.01	<10	<10	2	<10	3999	1

P09-011 - Pit - PAD 5 - 436647E 6212361N, Elev: 523m, Az: 045, Dip: -65, EOH: 55.79m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0938RA/RJ	P09-011	131384	0.00	1.70	1.70	3.76		9.4	0.56	28	255	<0.5	6	3.08	37	5	46	23	1.55	<1	0.39	<10	0.07	1164	<2	0.01	2	734	591	0.97	<5	1	81	<5	<0.01	<10	<10	6	<10	2450	3
9V0938RA/RJ	P09-011	131385	1.70	2.70	1.00	0.37		5	0.79	102	118	<0.5	26	1.53	23	9	45	32	5.52	<1	0.32	<10	0.22	1047	2	0.01	1	796	941	3.69	6	1	59	<5	0.01	<10	<10	20	<10	1620	3
9V0938RA/RJ	P09-011	131386	2.70	3.70	1.00	0.11		2.1	0.43	64	176	<0.5	10	2.78	9	6	28	6	2.47	<1	0.33	<10	0.05	1151	3	0.01	1	684	376	2.02	<5	1	92	<5	<0.01	<10	<10	8	<10	717	3
9V0938RA/RJ	P09-011	131387	3.70	4.70	1.00	0.25		4.7	0.53	96	222	<0.5	12	3.15	11	13	30	17	2.69	<1	0.38	<10	0.07	1320	5	0.01	4	1029	550	2.02	<5	1	115	<5	0.01	<10	<10	11	<10	827	2
9V0938RA/RJ	P09-011	131388	4.70	5.70	1.00	0.16		1.9	0.56	47	308	<0.5	8	2.1	5	9	37	11	2.03	<1	0.35	<10	0.08	828	9	0.01	2	942	293	1.15	<5	1	66	<5	0.01	<10	<10	11	<10	355	2
9V0938RA/RJ	P09-011	131389	5.70	6.70	1.00	0.28		4.4	0.62	97	250	<0.5	13	1.16	22	17	33	26	3.02	<1	0.45	<10	0.07	504	10	0.01	4	1334	521	2.22	<5	1	45	<5	0.02	<10	<10	18	<10	1773	2
9V0938RA/RJ	P09-011	131390	6.70	7.70	1.00	0.11		4.8	0.38	39	298	<0.5	7	0.61	10	6	63	19	1.87	<1	0.26	<10	0.05	295	4	0.01	2	615	392	1.14	<5	1	29	<5	<0.01	<10	<10	8	<10	835	2
9V0938RA/RJ	P09-011	131391	7.70	8.70	1.00	0.75		8.8	0.33	155	78	<0.5	27	2.04	92	5	88	34	5.88	1	0.22	<10	0.05	1103	4	0.01	1	357	243	4.8	<5	1	54	<5	<0.01	<10	<10	10	<10	4082	2
9V0938RA/RJ	P09-011	131392	8.70	9.70	1.00	0.24		4.3	0.63	49	238	<0.5	14	1.74	8	7	55	12	3.53	<1	0.29	<10	0.1	1040	3	0.01	2	705	264	1.77	<5	1	77	<5	<0.01	<10	<10	13	<10	580	2
9V0938RA/RJ	P09-011	131393	9.70	10.70	1.00	0.33		7.4	0.35	32	201	<0.5	7	1.96	10	5	64	7	1.83	<1	0.24	<10	0.05	845	5	0.01	2	534	140	1.09	<5	1	65	<5	<0.01	<10	<10	7	<10	822	2
9V0938RA/RJ	P09-011	131394	10.70	11.70	1.00	0.11		1.2	0.39	29	412	<0.5	6	3.19	3	5	39	5	1.35	<1	0.31	<10	0.04	1515	6	0.01	2	658	46	0.62	<5	1	86	<5	<0.01	<10	<10	5	<10	255	3
9V0938RA/RJ	P09-011	131395	11.70	12.70	1.00	0.16		1.9	0.31	31	436	<0.5	8	1.46	13	4	92	18	1.96	<1	0.2	<10	0.04	1446	5	0.01	2	473	202	0.58	<5	1	62	<5	<0.01	<10	<10	5	<10	931	2
9V0938RA/RJ	P09-011	131396	12.70	13.70	1.00	0.37		1.9	0.32	57	270	<0.5	10	1.02	5	3	87	6	2.49	<1	0.19	<10	0.05	823	2	0.01	2	337	69	1.3	<5	<1	32	<5	<0.01	<10	<10	6	<10	323	2
9V0938RA/RJ	P09-011	131397	13.70	14.70	1.00	0.22		3.7	0.5	37	265	<0.5	9	3.09	7	5	63	10	2.11	<1	0.27	<10	0.08	1587	9	0.01	2	514	142	1.09	<5	1	135	<5	<0.01	<10	<10	7	<10	522	2
9V0938RA/RJ	P09-011	131398	14.70	15.70	1.00	0.28		7.7	0.23	104	100	<0.5	16	2.84	46	6	91	57	3.61	<1	0.19	<10	0.03	1490	5	0.01	2	286	497	3.22	<5	<1	101	<5	<0.01	<10	<10	5	<10	2967	2
9V0938RA/RJ	P09-011	131399	15.70	16.70	1.00	1.19		3.7	0.4	16	499	<0.5	5	1.82	25	4	75	50	1.07	<1	0.33	<10	0.04	1054	6	0.01	2	596	343	0.8	<5	1	59	<5	<0.01	<10	<10	5	<10	2021	3
9V0938RA/RJ	P09-011	131400	16.70	17.70	1.00	0.15		1.6	0.26	32	313	<0.5	5	4.93	2	4	72	9	1.15	<1	0.25	<10	0.02	2562	5	0.01	2	418	54	1.05	<5	1	143	<5	<0.01	<10	<10	3	<10	112	2
9V0938RA/RJ	P09-011	131401	17.70	18.70	1.00	0.19		3.5	0.24	36	320	<0.5	7	5.04	4	4	71	6	1.61	<1	0.18	<10	0.03	2397	5	0.01	2	295	143	1.23	<5	<1	225	<5	<0.01	<10	<10	3	<10	232	1
9V0938RA/RJ	P09-011	131402	18.70	19.70	1.00	0.17		5	0.33	55	160	<0.5	11	7.64	7	5	56	8	2.52	<1	0.22	<10	0.06	4036	6	0.01	2	331	263	2.04	<5	1	370	<5	<0.01	<10	<10	4	<10	483	1
9V0938RA/RJ	P09-011	131403	19.70	20.70	1.00	0.25		2.4	0.4	55	183	<0.5	12	3.52	5	5	49	5	2.64	<1	0.33	<10	0.05	2150	8	0.01	1	530	77	2.06	<5	1	128	<5	<0.01	<10	<10	6	<10	215	2
9V0938RA/RJ	P09-011	131404	20.70	21.70	1.00	0.06		3	0.27	25	775	<0.5	<5	0.21	8	3	103	10	1.11	<1	0.24	<10	0.01	357	5	0.01	3	431	136	0.44	<5	<1	17	<5	<0.01	<10	<10	3	<10	397	2
9V0938RA/RJ	P09-011	131405	21.70	22.70	1.00	0.2		5.9	0.27	46	338	<0.5	8	0.12	7	5	88	20	2.2	<1	0.22	<10	0.02	544	12	0.01	2	442	490	0.88	<5	<1	12	<5	<0.01	<10	<10	4	<10	661	2
9V0938RA/RJ	P09-011	131406	22.70	23.70	1.00	0.18		3.1	0.39	29	1092	<0.5	5	0.15	5	4	69	15	1.31	<1	0.3	13	0.05	234	4	0.01	2	637	138	0.18	<5	1	10	<5	<0.01	<10	<10	4	<10	575	2
9V0938RA/RJ	P09-011	131407	23.70	24.70	1.00	0.19		2.6	0.42	30	491	<0.5	5	0.15	6	4	55	18	1.34	<1	0.33	11	0.05	1056	3	0.01	2	644	243	0.18	<5	1	7	<5	<0.01	<10	<10	4	<10	756	2
9V0938RA/RJ	P09-011	131408	24.70	25.50	0.80	0.1		5.2	0.32	44	303	<0.5	8	5.48	10	5	41	11	1.89	<1	0.3	<10	0.05	4040	6	0.01	2	471	426	1.09	<5	2	166	<5	<0.01	<10	<10	5	<10	884	2
9V0938RA/RJ	P09-011	131409	25.50	27.50	2.00	0.11		2.9	0.43	22	387	<0.5	5	1.19	8	5	41	8	1.15	<1	0.38	10	0.04	712	5	0.01	1	707	318	0.78	<5	1	60	<5	<0.01	<10	<10	4	<10	619	3
9V0938RA/RJ	P09-011	131410	27.50	29.50	2.00	0.16		26.9	0.37	25	252	<0.5	5	2.35	9	4	52	9	1.19	<1	0.34	<10	0.03	1498	4	0.01	2	556	360	0.99	<5	1	95	<5	<0.01	<10	<10	4	<10	917	1
9V0938RA/RJ	P09-011	131411	29.50	30.50	1.00	0.46		8.4	0.38	25	398	<0.5	5	1.36	7	5	71	19	1.15	<1	0.32	<10	0.02	1095	4	0.01	2	622	216	0.81	<5	1	90	<5	<0.01	<10	<10	4	<10	584	2
9V0938RA/RJ	P09-011	131412	30.50	31.50	1.00	0.08		5.3	0.4	25	306	<0.5	5	0.85	3	4	55	12	1.17	<1	0.36	10	0.03	419	2	0.01	3	719	62	0.96	<5	1	54	<5	<0.01	<10	<10	5	<10	205	2
9V0938RA/RJ	P09-011	131413	31.50	32.65	1.15	0.06		12.1	0.35	18	726	<0.5	<5	0.62	5	4	67	13	0.78	<1	0.3	11	0.02	717	4	0.01	2	607	279	0.47	<5	1	34	<5	<0.01	<10	<10	4	<10	241	2
9V0938RA/RJ	P09-011	131414	32.65	33.50	0.85	0.19		35.8	0.2	30	310	<0.5	6	0.94	14	4	97	15	1.3	<1	0.19	<10	0.01	455	4	0.01	3	356	456	1.11	7	<1	73	<5	<0.01	<10	<10	3	<10	1240	1
9V0938RA/RJ	P09-011	131415	33.50	34.50	1.00	0.23		11.7	0.22	17	282	<0.5	5	0.72	62	4	96	36	1.17	1	0.18	<10	0.02	384	8	0.01	2	368	1459	1.12	<5	1	69	<5	<0.01	<10	<10	3	<10	3639	1
9V0938RA/RJ	P09-011	131416	34.50	35.50	1.00	0.72		37.8	0.26	51	261	<0.5	8	0.11	13	4	91	75	2.05	<1	0.18	<10	0.03	429	8	0.01	2	341	277	1.27	5	<1	7	<5	<0.01	<10	<10	4	<10	1082	2
9V0938RA/RJ	P09-011	131417	35.50	36.50	1.00	0.77		60.4	0.15	21	324	<0.5	5	1.02	16	3	135	47	1.18	<1	0.12	<10	0.02	953	8	0.01	3	203	502	0.88	5	<1	40	<5	<0.01	<10	<10	2	<10	1348	1
9V0938RA/RJ	P09-011	131418	36.50	37.50	1.00	0.66		21.2	0.17	60	179	<0.5	12	0.68	57	3	119	39	2.67	<1	0.16	<10	0.04	537	5	0.01	3	310	450	2.24	<5	<1	46	<5	<0.01	<10	<10	4	<10	3663	2
9V0938RA/RJ	P09-011	131419	37.50	38.50	1.00	1.38		30.2	0.18	294	40	<0.5	48	0.08	41	4	124	46	9.66	<1	0.16	<10	0.04	131	9	0.01	2	206	305	>5.00	6	<1	5	<5	<0.01	<10	15	12	<10	2628	3
9V0938RA/RJ	P09-011	131420	38.50	39.50	1.00	4.33		54.9	0.2	371	41	<0.5	60	3.99	50	5	86	60	11.4	<1	0.13	<10	0.06	2163	9	0.01	1	241	551	>5.00	7	1	150	<5	<0.01	<10	15	14	<10	3337	4
9V0938RA/RJ	P09-011	131421	39.50	40.50	1.00	1.4		12.8	0.34	190	52	<0.5	41	0.57	37	5	121	35	8.63	<1	0.12	<10	0.18	906	3	0.01	2	296	335	>5.00	5	1	28	<5	<0.01	<10	12	15	<10	2489	3
9V0938RA/RJ	P09-011	131422	40.50	41.50	1.00	1.14		35.4	0.15	315	34	<0.5	64	0.69	74	4	118	86	12.34	1	0.09	<10	0.1	730	<2	0.01	1	140	701	>5.00	10	<1	43	<5	<0.01	<10	21	16	<10	4075	4
9V0938RA/RJ	P09-011	131423	41.50	42.50	1.00	1.23		21.2	0.27	279	39	<0.5	67	1.56	58	7	110	85	12.38	<1	0.15	<10	0.13	1272	2	0.01	1	400	511	>5.00	8	1	73	<5	<0.01	<10	19	19	<10	3438	4
9V0938RA/RJ	P09-011	131424	42.50	43.50	1.00	1.2		12.1	0.27	119	48	<0.5	31	0.42	37	4	112	87	6.97	<1	0.14	<10	0.08	655	<2	0.01	2	317	746	>5.00	6	1	24	<5	<0.01	<10	<10	9	<10	2467	2
9V0938RA/RJ	P09-011	131425	43.50	44.50	1.00	2.35		162.4	0.16	433	24	<0.5	95	0.16	96	6	149	129	>15.00	<1	0.06	<10	0.06	284	8	0.01	1	73	5395	>5.00	15	<1	10	<5	<0.01	<10	35	23	<10	4217	5
9V0938RA/RJ	P09-011	131426	44.50	45.50	1.00	0.28		8.4	0.66	41	132	<0.5	18	1.05	14	8	114	35	4.44	<1	0.16	<10	0.26	1268	2	0.01	3	677	247	2.65	<5	2	104	<5	<0.01	<10	<10	21	<10	1009	2
9V0938RA/RJ	P09-011	131427	45.50	46.50	1.00	0.46		5.4	0.19	16	229	<0.5	7	1.35	39	3	184	36	1.8	<1	0.09	<10	0.06	1069	5	0.01	3	244	229	1.37	<5	1	106	<5	<0.01	<10	<10	3	<10	2776	1
9V0938RA/RJ	P09-011	131428	BLANK			0.01		<0.1	0.01	<5	10	<0.5	<5	>15.00	<1	1	3	1	0.04	<1	<0.01	<10	1.6	26	<2	0.01	<1	43	8	0.79	<5	<1	5478	<5	<0.01	<10	<10	1	<10	18	<1
9V0938RA/RJ	P09-011	131429	STD	PM427		3.52		1.8	1.49	6380	75	0.9	166	6.27	4	97	35	292	4.64	<1	0.2	<10	0.47	804	29	0.07	59	881	20	0.93	11	3	64	<5	0.11	<10	<10	56	17	81	12
9V0938RA/RJ	P09-011	131430	46.50	47.50	1.00	0.98		12.8	0.21	140	54	<0.5	29	1.53	19	5	150	37	5.91	<1	0.09	<10	0.06	1169	5	0.01	3	269	330	>5.00	<5	1	120	<5	<0.01	<10	<10	7	<10	1110	2
9V0938RA/RJ	P09-011	131431	47.50	48.50	1.00	2.34		12.1	0.26	105	50	<0.5	28	1.72	27	6	135	80	5.92	<1	0.09	<10	0.08	1359	4	0.01	3	338	632	>5.00	5	1	89	<5	<0.01	<10	<10	7	<10	1593	2
9V0938RA/RJ	P09-011	131432	48.50	49.50	1.00	2.31		19.3	0.28	116	39	<0.5	36	1.76	73	7	143	150	7.42	<1	0.08	<10	0.08	1375	5	0.01	3	159	1942	>5.00	6	1	76	<5	<0.01	<10	<10	10	<10	4092	2
9V0938RA/RJ	P09-011	131433	49.50	50.85	1.35	12.38		129.6	0.22	316	24	<0.5	71	1.16	184	5	104	321	13.32	1	0.14	<10	0.04	610	4	0.01	<1	265	1587	>5.00	20	<1	41	<5	<0.01	<10	23	16	<10	6632	4
9V0938RA/RJ	P09-011	131434	50.85	52.00	1.15	0.28		8.8	1.24	48	131	<0.5	22	0.85	43	19	23	95	5.1	<1	0.39	<10	0.4	1634	3	0.01	2	1819	742	1.93	<5	3	29	<5	<0.01	<10	<10	24	<10	2926	2

P09-012 - Power - PAD 6 - 436010E 6213022N, Elev: 255m, Az: NA, Dip: -90, EOH: 58.54m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0952RA/RJ	P09-012	131435	36.00	37.04	1.04	0.22		6.5	0.74	73	231	<0.5	13	3.1	4	8	32	37	2.11	2	0.35	<10	0.29	1619	2	0.01	1	921	907	1.49	7	1	177	<5	0.02	<10	<10	8	<10	269	2
9V0952RA/RJ	P09-012	131436	37.04	37.87	0.83	0.1		3.7	0.18	35	233	<0.5	<5	9.11	1	2	105	27	0.7	1	0.12	<10	0.08	4345	<2	0.01	2	274	165	0.55	<5	1	1228	<5	0.01	<10	13	1	<10	69	1
9V0952RA/RJ	P09-012	131437	37.87	38.40	0.53	3.86		664.3	0.1	98	42	<0.5	119	7.94	640	4	68	4882	9.69	9	0.07	<10	0.08	5242	3	0.01	<1	79	103000	>5.00	421	<1	675	<5	<0.01	<10	42	5	<10	49600	3
9V0952RA/RJ	P09-012	131438	38.40	39.00	0.60	2.83		27.6	0.05	39	66	<0.5	17	>15.00	327	5	35	744	3.74	6	0.06	<10	0.06	8649	2	0.01	<1	300	2170	4.76	8	<1	1478	<5	<0.01	<10	39	<1	<10	33300	1
9V0952RA/RJ	P09-012	131439	39.00	39.50	0.50	0.23		5.6	0.43	61	66	<0.5	26	1.13	17	17	31	56	5.63	<1	0.35	<10	0.07	370	4	0.02	1	1575	265	>5.00	7	1	58	<5	0.01	<10	11	7	<10	1150	2
9V0952RA/RJ	P09-012	131440	39.50	40.00	0.50	0.16		4.7	0.36	51	72	<0.5	22	1.78	8	14	40	23	4.63	<1	0.33	<10	0.05	666	6	0.02	1	1322	180	4.3	6	1	99	<5	0.01	<10	<10	5	<10	463	2
9V0952RA/RJ	P09-012	131441	40.00	40.50	0.50	0.06		3.6	0.32	33	140	<0.5	14	3.07	8	8	66	20	2.86	1	0.29	<10	0.05	1250	7	0.01	1	799	368	2.88	6	1	176	<5	<0.01	<10	<10	4	<10	545	1
9V0952RA/RJ	P09-012	131442	40.50	41.07	0.57	3.36		54.4	0.21	32	144	<0.5	11	6.55	114	6	103	858	2.36	2	0.19	<10	0.04	2698	4	0.01	1	539	4866	3.06	32	1	434	<5	<0.01	<10	14	3	<10	7175	1
9V0952RA/RJ	P09-012	131443	41.07	43.00	1.93	0.18		3.6	1.12	28	166	<0.5	20	4.91	7	17	15	50	4.46	<1	0.42	<10	0.63	2784	2	0.01	<1	1463	272	2.81	6	1	328	<5	0.01	<10	13	18	<10	598	1
9V0952RA/RJ	P09-012	131444	43.00	45.00	2.00	0.21		3.2	0.98	40	177	<0.5	17	4.62	3	16	13	39	3.7	<1	0.36	<10	0.52	2536	5	0.01	<1	1311	112	2.22	5	1	224	<5	0.01	<10	15	16	<10	196	1
9V0952RA/RJ	P09-012	131445	45.00	47.00	2.00	0.37		2.9	1.33	29	253	<0.5	17	5.02	5	16	15	34	3.99	<1	0.35	<10	0.76	3178	4	0.01	<1	1423	143	1.98	7	2	441	<5	0.03	<10	15	24	<10	379	2
9V0952RA/RJ	P09-012	131446	47.00	49.00	2.00	0.08		3.4	1.32	37	218	<0.5	18	3.41	2	20	9	34	3.94	<1	0.37	<10	0.71	2132	9	0.01	<1	1614	30	1.94	7	2	156	<5	0.03	<10	13	21	<10	93	1
9V0952RA/RJ	P09-012	131447	49.00	50.22	1.22	0.09		1.2	1.35	37	233	<0.5	18	6.09	2	15	9	38	4.24	<1	0.33	<10	0.73	3475	<2	0.01	<1	1502	15	1.94	6	2	331	<5	0.03	<10	15	22	<10	73	1

P09-013 - Power - PAD 6 - 436010E 6213022N, Elev: 255m, Az: 160, Dip: -60, EOH: 136.59m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0952RA/RJ	P09-013	131448	33.30	34.93	1.63	0.02		2.9	0.6	11	120	<0.5	15	3.96	2	10	26	14	2.88	1	0.28	<10	0.21	1639	<2	0.01	1	1017	45	2.44	6	1	134	<5	<0.01	<10	10	8	<10	55	2
9V0952RA/RJ	P09-013	131449	34.93	35.50	0.57	0.09		10.8	0.53	24	165	<0.5	15	5.93	7	9	29	227	3.02	<1	0.3	<10	0.19	2350	7	0.03	<1	885	189	2.55	5	1	379	<5	<0.01	<10	13	8	<10	456	1
9V0952RA/RJ	P09-013	131450	35.50	36.00	0.50	0.45		9.2	0.26	26	200	<0.5	10	12.51	73	7	41	64	2.65	1	0.21	<10	0.06	4832	6	0.01	<1	640	1590	2.94	<5	1	815	<5	<0.01	<10	25	2	<10	5179	1
9V0952RA/RJ	P09-013	131451	36.00	36.50	0.50	12.62		72.7	0.18	185	48	<0.5	75	8.28	802	4	54	1239	13.97	6	0.08	<10	0.1	4106	<2	0.01	<1	51	22500	>5.00	37	<1	510	<5	<0.01	<10	49	8	<10	68000	4
9V0952RA/RJ	P09-013	131452	36.50	37.00	0.50	23.2		71.5	0.18	88	38	<0.5	48	3.77	732	4	89	676	10.55	10	0.11	<10	0.09	2125	<2	0.01	<1	117	8854	>5.00	20	<1	284	<5	<0.01	<10	32	5	<10	65000	3
9V0952RA/RJ	P09-013	131453	37.00	37.50	0.50	1.43		14.5	0.24	60	64	<0.5	31	6.48	166	4	57	345	7.35	3	0.17	<10	0.08	3015	5	0.01	<1	419	2775	>5.00	11	<1	344	<5	<0.01	<10	24	5	<10	9856	2

Drilling Analytical Results 2009

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0952RA/RJ	P09-013	131454	37.50	38.00	0.50	0.93		16.8	0.23	21	170	<0.5	9	8.38	55	4	60	374	2.19	1	0.17	<10	0.07	3475	6	0.01	<1	434	1750	2.41	8	1	383	<5	<0.01	<10	15	3	<10	4109	1
9V0952RA/RJ	P09-013	131455	38.00	38.50	0.50	0.21		5.6	0.32	19	195	<0.5	8	5.14	9	4	60	26	2.07	<1	0.22	<10	0.12	3247	6	0.01	<1	485	508	1.89	5	1	266	<5	<0.01	<10	14	5	<10	766	1
9V0952RA/RJ	P09-013	131456	38.50	39.00	0.50	7.68		73.6	0.59	44	51	<0.5	22	2.57	506	2	94	582	6.06	7	0.1	<10	0.51	2709	3	0.01	<1	149	15700	>5.00	22	<1	128	<5	<0.01	<10	18	16	<10	45000	1
9V0952RA/RJ	P09-013	131457	39.00	39.75	0.75	0.11		4.5	0.49	24	217	<0.5	12	8.25	18	10	29	28	2.81	<1	0.28	<10	0.22	3905	6	0.01	<1	913	733	2.73	5	1	602	<5	<0.01	<10	15	9	<10	1531	1
9V0952RA/RJ	P09-013	131458	BLANK			<0.01		<0.1	0.02	<5	<10	<0.5	<5	>15.00	<1	1	3	20	0.02	1	0.02	<10	0.68	16	<2	0.05	<1	78	<2	0.62	<5	<1	5944	<5	<0.01	<10	19	1	<10	1	1
9V0952RA/RJ	P09-013	131459	STD	PM405		0.28		0.3	0.56	662	1481	0.5	16	0.79	4	9	55	38	3.44	2	0.15	15	0.34	484	5	0.01	33	948	149	0.22	565	5	219	7	<0.01	<10	<10	56	<10	253	13
9V0952RA/RJ	P09-013	131460	39.75	41.75	2.00	0.12		1.4	0.77	27	252	<0.5	13	3.94	2	8	20	22	2.45	<1	0.32	<10	0.32	2108	4	0.02	<1	992	46	1.59	6	1	200	<5	0.01	<10	<10	12	<10	77	2
9V0952RA/RJ	P09-013	131461	41.75	43.75	2.00	0.12		1.5	0.79	24	237	<0.5	10	4.38	6	8	15	21	2.45	<1	0.32	<10	0.36	2251	<2	0.01	<1	876	195	1.4	5	1	213	<5	0.01	<10	10	11	<10	420	1
9V0952RA/RJ	P09-013	131462	43.75	45.10	1.35	0.07		1.6	0.68	24	241	<0.5	10	5.06	1	7	20	16	2.07	<1	0.33	<10	0.26	2283	<2	0.01	<1	928	25	1.23	<5	1	259	<5	0.01	<10	11	10	<10	61	1
9V0952RA/RJ	P09-013	131463	45.10	45.60	0.50	0.03		1.2	0.46	29	198	<0.5	11	5.11	6	8	26	12	2.77	<1	0.31	<10	0.14	2393	3	0.01	<1	879	223	2.45	5	1	221	<5	0.01	<10	13	8	<10	448	2
9V0952RA/RJ	P09-013	131464	45.60	47.60	2.00	0.05		0.4	0.59	26	223	<0.5	9	4.05	1	7	16	6	2.21	<1	0.36	<10	0.2	1988	2	0.01	<1	875	22	1.69	<5	1	167	<5	0.01	<10	<10	8	<10	54	1
9V0952RA/RJ	P09-013	131465	47.60	48.75	1.15	0.11		0.5	0.57	22	230	<0.5	8	4.96	1	7	18	5	2.1	<1	0.33	<10	0.21	2268	2	0.01	<1	860	16	1.54	<5	1	189	<5	0.01	<10	10	8	<10	34	1
9V0952RA/RJ	P09-013	131466	48.75	49.08	0.33	0.34		6.6	0.52	40	169	<0.5	11	8.86	74	9	22	138	3.1	1	0.28	<10	0.24	4065	3	0.01	<1	826	1007	2.96	6	1	398	<5	0.01	<10	16	9	<10	5640	1
9V0952RA/RJ	P09-013	131467	49.08	50.08	1.00	0.04		0.1	0.68	20	224	<0.5	10	3.09	1	8	17	8	2.22	<1	0.34	<10	0.29	1675	<2	0.01	<1	933	16	1.32	<5	1	125	<5	0.01	<10	<10	8	<10	54	1
9V0952RA/RJ	P09-013	131468	75.01	76.01	1.00	0.01		0.1	0.72	24	182	<0.5	11	3.83	2	8	24	8	2.64	<1	0.29	<10	0.4	2065	<2	0.01	<1	853	35	1.73	<5	2	258	<5	0.01	<10	<10	18	<10	87	1
9V0952RA/RJ	P09-013	131469	76.01	76.24	0.23	0.22		51.5	0.93	52	64	<0.5	23	4.41	347	12	42	411	6.57	3	0.29	<10	0.55	2521	14	0.01	<1	813	12500	>5.00	39	1	313	<5	0.01	<10	19	21	<10	27800	2
9V0952RA/RJ	P09-013	131470	76.24	77.19	0.95	0.05		1.4	1.47	35	171	<0.5	23	5.42	7	18	9	32	5.3	<1	0.41	<10	0.85	3227	2	0.01	<1	1664	277	2.69	9	2	261	<5	0.03	<10	15	29	<10	529	2
9V0952RA/RJ	P09-013	131471	77.19	78.19	1.00	0.21		4.2	0.67	15	181	<0.5	10	4.24	21	8	21	49	2.27	<1	0.38	<10	0.27	2067	<2	0.01	<1	873	1061	1.63	6	1	175	<5	0.01	<10	10	9	<10	1764	1
9V0952RA/RJ	P09-013	131472	78.19	79.19	1.00	0.2		2.1	0.99	21	175	<0.5	11	7.69	5	10	12	22	2.56	1	0.37	<10	0.49	4375	6	0.01	<1	1110	262	1.15	6	2	360	<5	0.02	<10	14	14	<10	388	1
9V0952RA/RJ	P09-013	131473	105.87	106.87	1.00	0.06		1.4	0.88	15	240	<0.5	13	2.79	1	9	16	29	2.57	<1	0.37	<10	0.37	1341	2	0.01	<1	1033	18	1.24	5	1	100	<5	0.01	<10	<10	12	<10	72	2
9V0952RA/RJ	P09-013	131474	106.87	107.87	1.00	0.04		1.9	0.68	11	203	<0.5	7	1.85	1	6	11	53	1.61	<1	0.38	<10	0.26	1193	2	0.01	<1	908	13	0.51	<5	1	61	<5	0.01	<10	<10	9	<10	46	1
9V0952RA/RJ	P09-013	131475	107.87	108.98	1.11	0.57		2.2	0.57	12	215	<0.5	7	1.02	1	7	16	39	1.45	<1	0.39	<10	0.18	813	<2	0.01	<1	915	20	0.72	<5	1	36	<5	0.01	<10	<10	8	<10	47	1
9V0952RA/RJ	P09-013	131476	108.98	110.02	1.04	0.42		3	0.6	24	162	<0.5	13	2.79	3	8	23	34	2.61	<1	0.27	<10	0.33	1653	2	0.01	<1	847	159	1.59	6	2	146	<5	<0.01	<10	10	16	<10	150	1
9V0952RA/RJ	P09-013	131477	110.02	111.02	1.00	0.51		2.4	0.53	34	178	<0.5	10	4.08	1	8	15	31	2.14	<1	0.37	<10	0.15	1596	3	0.01	<1	992	42	1.74	<5	1	130	<5	0.01	<10	<10	7	<10	59	1
9V0952RA/RJ	P09-013	131478	111.02	111.82	0.80	0.08		2.1	0.65	29	199	<0.5	8	3.4	1	8	13	33	1.97	<1	0.39	<10	0.24	1663	<2	0.01	<1	1059	21	1.16	<5	1	118	<5	0.01	<10	<10	9	<10	50	1
9V0952RA/RJ	P09-013	131479	111.82	112.82	1.00	0.24		4.1	0.35	26	195	<0.5	7	5.05	1	7	26	42	1.51	1	0.26	<10	0.09	2078	4	0.01	<1	730	48	1.38	<5	1	210	<5	<0.01	<10	<10	6	<10	47	1
9V0952RA/RJ	P09-013	131480	112.82	113.82	1.00	0.06		3.1	0.41	24	181	<0.5	7	6.53	5	8	27	22	1.69	<1	0.32	<10	0.11	2537	4	0.01	<1	795	28	1.47	<5	1	328	<5	0.01	<10	11	7	<10	377	2
9V0952RA/RJ	P09-013	131481	113.82	115.31	1.49	0.14		6.8	0.45	34	212	<0.5	8	5.56	2	7	41	37	1.73	1	0.38	<10	0.11	2924	3	0.01	<1	922	48	1.45	<5	2	566	<5	0.01	<10	11	8	<10	182	2
9V0952RA/RJ	P09-013	131482	115.31	116.31	1.00	0.54		21.5	0.27	32	176	<0.5	8	3.64	4	6	49	31	1.89	<1	0.21	<10	0.09	1714	3	0.01	<1	570	127	1.66	<5	1	147	<5	<0.01	<10	<10	5	<10	286	1
9V0952RA/RJ	P09-013	131483	116.31	117.31	1.00	0.54		39.9	0.26	24	181	<0.5	6	2.87	3	6	43	42	1.42	<1	0.23	<10	0.04	1291	5	0.01	<1	665	196	1.34	7	1	114	<5	<0.01	<10	<10	5	<10	189	1
9V0952RA/RJ	P09-013	131484	117.31	118.31	1.00	0.2		16.3	0.07	18	111	<0.5	<5	13.55	11	3	23	45	0.82	1	0.08	<10	0.05	4937	8	0.01	<1	224	486	0.99	<5	1	514	<5	<0.01	<10	21	<1	<10	1052	<1
9V0952RA/RJ	P09-013	131485	118.31	119.45	1.14	0.13		17.7	0.25	22	117	<0.5	<5	13.42	19	5	30	46	1.4	<1	0.18	<10	0.11	5559	12	0.01	<1	448	405	1.37	5	1	697	<5	<0.01	<10	25	3	<10	1795	1
9V0952RA/RJ	P09-013	131486	BLANK			<0.01		0.1	<0.01	<5	<10	<0.5	<5	>15.00	<1	<1	2	1	0.04	<1	0.01	<10	1.38	51	<2	0.01	<1	53	<2	0.71	<5	<1	5030	<5	<0.01	<10	21	1	<10	5	<1
9V0952RA/RJ	P09-013	131487	STD	PM427		3.56		0.9	1.28	5319	72	0.6	148	5.6	2	98	31	264	4.26	<1	0.19	<10	0.47	691	27	0.06	56	718	15	0.81	16	2	54	<5	0.1	<10	13	46	<10	69	9
9V0952RA/RJ	P09-013	131488	119.45	120.45	1.00	0.4		47.5	1.49	30	151	<0.5	19	4.71	6	16	16	66	4.07	<1	0.34	<10	0.93	2907	2	0.01	<1	1289	217	1.76	9	2	184	<5	0.02	<10	18	28	<10	452	2
9V0952RA/RJ	P09-013	131489	120.45	121.45	1.00	0.29		20.1	2.01	53	136	<0.5	26	3.66	9	21	16	108	5.3	<1	0.25	<10	1.48	3556	<2	0.01	1	1332	298	1.72	10	5	167	<5	0.05	<10	18	83	<10	646	2
9V0952RA/RJ	P09-013	131490	127.33	128.33	1.00	0.18		64.5	2.08	60	132	<0.5	29	3.79	33	23	18	223	6.2	1	0.24	<10	1.46	3780	3	0.01	1	1241	1522	2.39	13	6	154	<5	0.06	<10	20	87	<10	2797	2
9V0952RA/RJ	P09-013	131491	128.33	128.77	0.44	1.81		369.8	0.64	117	86	<0.5	48	5.63	733	23	21	1084	7.67	4	0.17	<10	0.34	4601	4	0.01	<1	609	12700	>5.00	39	2	303	<5	0.01	<10	28	24	<10	73000	2
9V0952RA/RJ	P09-013	131492	128.77	129.76	0.99	1.45		131.8	1.31	63	97	<0.5	30	4.9	131	20	19	335	5.99	1	0.3	<10	0.67	3233	9	0.01	<1	968	4771	4.28	13	3	389	<5	0.01	<10	20	30	<10	8801	2
9V0952RA/RJ	P09-013	131493	129.76	130.43	0.67	0.22		33	1.61	66	158	<0.5	29	3.39	7	25	15	56	5.63	1	0.39	<10	0.86	2303	5	0.01	2	1578	204	2.9	12	2	129	<5	0.02	<10	18	34	<10	435	2

P09-014 - Power - PAD 6 - 436010E 6213022N, Elev: 255m, Az: 340, Dip: -60, EOH: 75.92m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0952RA/RJ	P09-014	131494	27.18	28.18	1.00	0.01		0.7	0.55	12	146	<0.5	12	4.6	2	8	23	9	2.75	<1	0.27	<10	0.19	1767	3	0.01	<1	901	23	2.17	5	1	124	<5	<0.01	<10	<10	6	<10	70	1
9V0952RA/RJ	P09-014	131495	28.18	29.18	1.00	0.01		1.9	0.99	26	142	<0.5	20	7.43	3	15	18	36	4.38	<1	0.24	<10	0.44	2313	4	0.01	1	1199	20	3.12	7	2	212	<5	0.01	<10	18	16	<10	73	2
9V0952RA/RJ	P09-014	131496	29.18	30.18	1.00	0.03		3.4	1.01	42	114	<0.5	27	3.91	4	23	15	22	4.65	<1	0.25	<10	0.41	1725	7	0.01	2	1449	49	3.33	10	1	113	<5	<0.01	<10	13	15	<10	77	2
9V0952RA/RJ	P09-014	131497	30.18	30.63	0.45	0.01		1.6	1.07	16	124	<0.5	20	2.36	4	14	15	20	3.57	<1	0.24	<10	0.49	1492	3	0.01	1	1146	38	1.8	8	1	74	<5	0.01	<10	11	15	<10	169	1
9V0952RA/RJ	P09-014	131498	30.63	31.63	1.00	0.82		22.8	0.96	45	144	<0.5	13	5.22	8	8	11	27	2.66	<1	0.24	<10	0.44	2852	2	0.01	<1	914	195	1.21	9	1	205	<5	<0.01	<10	14	11	<10	685	1
9V0952RA/RJ	P09-014	131499	31.63	32.63	1.00	0.16		7.4	1.11	36	177	<0.5	16	3.01	7	9	12	53	2.77	<1	0.3	<10	0.49	1710	4	0.01	1	1028	372	1.23	12	1	113	<5	0.01	<10	10	12	<10	551	1
9V0952RA/RJ	P09-014	131500	32.63	33.63	1.00	0.11		3.2	1.17	13	175	<0.5	14	4.28	6	8	8	21	2.86	<1	0.32	<10	0.58	2623	<2	0.01	<1	998	70	0.75	6	1	192	<5	0.01	<10	13	14	<10	557	1
9V0952RA/RJ	P09-014	131501	52.99	53.99	1.00	0.52		55.6	0.33	23	185	<0.5	12	3.86	14	8	17	65	2.43	<1	0.26	<10	0.07	1507	5	0.01	<1	864	343	2.53	10	1	201	<5	<0.01	<10	10	5	<10	1101	2
9V0952RA/RJ	P09-014	131502	53.99	54.99	1.00	0.71		42.8	0.23	57	157	<0.5	26	11.48	57	6	24	295	4.28	1	0.32	<10	0.08	6601	8	0.01	<1	473	1534	5	14	1	543	<5	<0.01	<10	33	4	<10	4259	2
9V0952RA/RJ	P09-014	131503	54.99	55.99	1.00	12.34		40.8	0.44	91	54	<0.5	29	6.77	252	10	35	825	6.89	3	0.36	<10	0.15	3233	<2	0.01	<1	780	7371	>5.00	13	1	471	<5	0.01	<10	26	8	<10	21500	2
9V0952RA/RJ	P09-014	131504	55.99	56.76	0.77	2.84		17.5	0.64	50	122	<0.5	24	12.75	35	16	26	175	4.66	<1	0.49	<10	0.3	6131	3	0.01	<1	1153	992	4.83	12	3	1004	<5	0.01	<10	30	12	<10	2498	2
9V0952RA/RJ	P09-014	131505	56.76	57.76	1.00	0.05		<0.1	1.39	<5	1094	<0.5	18	2.81	3	11	30	2	3.6	<1	0.22	29	1.04	879	2	0.04	6	2296	37	0.22	7	2	167	<5	0.01	<10	<10	36	<10	164	3
9V0952RA/RJ	P09-014	131506	57.76	58.76	1.00	0.02		<0.1	1.4	<5	667	<0.5	19	3.09	2	11	32	<1	3.56	<1	0.24	33	1.04	933	2	0.04	7	2379	16	0.16	7	3	156	5	<0.01	10	<10	36	<10	127	3
9V0952RA/RJ	P09-014	131507	58.76	60.09	1.33	<0.01		<0.1	1.39	<5	1233	<0.5	18	2.89	2	12	29	2	3.64	<1	0.23	31	1.06	817	2	0.04	6	2349	14	0.18	6	3	227	5	0.01	<10	<10	41	<10	122	2
9V0952RA/RJ	P09-014	131508	60.09	61.09	1.00	<0.01		<0.1	1.44	<5	1145	<0.5	20	2.91	2	12	32	2	3.57	<1	0.21	31	1.07	803	4	0.04	6	2380	9	0.18	8	2	180	5	0.01	10	<10	41	<10	114	3
9V0952RA/RJ	P09-014	131509	61.09	62.09	1.00	1.77		63.4	0.26	87	57	<0.5	30	7.7	65	7	35	102	6.28	<1	0.19	<10	0.11	3148	3	0.01	<1	389		>5.00	22	1	595	<5	<0.01	<10	23	5	<10	4887	2
9V0952RA/RJ	P09-014	131510	62.09	63.31	1.22	1.09		7.5	0.31	99	64	<0.5	28	5.21	34	8	48	49	6.12	<1	0.14	<10	0.17	2533	9	0.02	<1	524	636	>5.00	10	1	359	<5	<0.01	<10	20	6	<10	2552	2
9V0952RA/RJ	P09-014	131511	63.31	64.31	1.00	2.35		7.5	0.18	28	37	<0.5	11	2.31	26	9	21	40	2.69	<1	0.12	<10	0.06	1191	4	<0.01	<1	548	1158	2.17	<5	<1	153	<5	<0.01	<10	11	4	<10	1889	1
9V0952RA/RJ	P09-014	131512	64.31	65.05	0.74	0.7		12.8	0.35	42	91	<0.5	19	7.42	10	12	17	40	3.69	<1	0.3	<10	0.12	3370	7	0.01	<1	894	1407	3.71	8	1	361	<5	<0.01	<10	20	6	<10	769	1
9V0952RA/RJ	P09-014	131513	BLANK			0.01		0.3	0.02	<5	10	<0.5	<5	>15.00	<1	1	2	1	0.04	<1	0.01	<10	2.16	60	<2	0.01	<1	74	5	0.75	<5	<1	4532	<5	<0.01	<10	19	1	<10	7	<1
9V0952RA/RJ	P09-014	131514	STD	PM 405		0.27		0.2	0.59	693	1405	0.5	16	0.76	4	9	58	38	3.4	2	0.14	16	0.35	477	5	0.01	34	930	158	0.22	564	5	216	7	<0.01	<10	<10	60	<10	247	13
9V0952RA/RJ	P09-014	131515	65.05	66.05	1.00	0.04		1.2	0.43	17	283	<0.5	7	4.13	1	5	13	10	1.42	<1	0.31	<10	0.11	1708	3	0.01	<1	722	40	1.18	<5	1	165	<5	<0.01	<10	<10	4	<10	56	1
9V0952RA/RJ	P09-014	131516	66.05	67.05	1.00	0.03		2.2	0.43	24	273	<0.5	8	2.73	6	6	22	11	1.67	<1	0.33	<10	0.09	1197	3	0.01	<1	657	196	1.34	<5	1	127	<5	<0.01	<10	<10	4	<10	490	1

P09-015 - Hope - PAD 7 - 435999E 6212862N, Elev: 243m, Az: 155, Dip: -45, EOH: 157.93m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0952RA/RJ	P09-015	131517	14.47	15.47	1.00	0.02		0.5	0.79	8	257	<0.5	10	3.46	1	7	17	14	2.14	<1	0.3	<10	0.34	1678	<2	0.01	<1	742	25	0.78	<5	1	127	<5	0.01	<10	<10	8	<10	44	2
9V0952RA/RJ	P09-015	131518	15.47	15.82	0.35	0.02		2.3	0.59	19	139	<0.5	13	6.15	1	22	32	6	2.9	<1	0.3	<10	0.2	2365	<2	0.01	<1	665	58	2.1	<5	1	224	<5	<0.01	<10	12	6	<10	31	2
9V0952RA/RJ	P09-015	131519	15.82	16.61	0.79	1.65		121.2	0.57	43	69	<0.5	121	3.01	29	62	81	3425	4.84	<1	0.2	<10	0.24	1576	<2	0.01	3	417	1355	3.55	15	1	123	<5	<0.01	<10	17	6	<10	1246	2
9V0952RA/RJ	P09-015	131520	16.61	17.61	1.00	0.05		4.9	0.69	16	178	<0.5	10	5.15	4	10	21	36	2.22	<1	0.29	<10	0.28	2227	3	0.01	<1	748	58	1.11	<5	1	186	<5	<0.01	<10	13	7	<10	232	2
9V0952RA/RJ	P09-015	131521	17.61	18.61	1.00	0.02		1.7	0.59	12	171	<0.5	9	6.62	3	7	18	20	1.82	<1	0.25	<10	0.25	2703	2	0.01	<1	718	192	1.06	<5	1	239	<5	<0.01	<10	13	6	<10	192	1
9V0952RA/RJ	P09-015	131522	29.34	30.34	1.00	0.17		21.9	0.64	37	194	<0.5	10	3.09	14	8	14	29	2.28	<1	0.3	<10	0.26	1805	<2	0.01	<1	845	497	1.29	8	1	123	<5	0.01	<10	<10	7	<10	1228	2
9V0952RA/RJ	P09-015	131523	30.34	30.89	0.55	0.14		46.7	0.77	54	169	<0.5	14	6.06	102	6	21	245	2.93	1	0.31	<10	0.32	3463	3	0.01	<1	743	3861	2.31	27	1	275	<5	0.01	<10	15	9	<10	7743	2
9V0952RA/RJ	P09-015	131524	30.89	31.61	0.72	0.1		16.3	0.83	24	206	<0.5	11	4.15	13	6	11	41	1.93	1	0.38	<10	0.29	2534	3	0.01	1	884	349	0.85	11	1	181	<5	0.01	<10	11	9	<10	1304	2
9V0952RA/RJ	P09-015	131525	31.61	32.17	0.56	0.15		14.9	0.11	12	66	<0.5	7	>15.00	6	1	6	30	1.22	1	0.1	<10	0.13	>10000	3	0.01	<1	149	387	0.88	13	<1	895	<5	<0.01	16	56	<1	<10	700	1
9V0952RA/RJ	P09-015	131526	BLANK			<0.01		0.2	0.03	<5	19	<0.5	<5	>15.00	<1	<1	2	<1	0.03	<1	0.02	<10	1.34	46	<2	0.01	1	83	<2	0.78	<5	<1	5228	<5	<0.01	<10	22	1	<10	6	<1
9V0952RA/RJ	P09-015	131527	STD	PM 427		3.54		0.9	1.4	5356	72	0.6	153	5.53	2	91	31	276	4.22	<1	0.19	<10	0.44	720	27	0.06	54	606	14	0.73	21	3	59	<5	0.12	<10	13	49	<10	66	11
9V0952RA/RJ	P09-015	131528	32.17	33.17	1.00	0.01		1.8	0.93	30	245	<0.5	12	6.64	2	9	6	29	2.44	<1	0.41	<10	0.51	3953	7	0.01	1	813	30	0.62	7	2	255	<5	<0.01	<10	15	11	<10	87	1
9V0952RA/RJ	P09-015	131529	33.17	34.17	1.00	0.01		0.5	1.02	21	242	<0.5	16	5.33	4	11	9	23	3.11	<1	0.47	<10	0.68	3129	<2	0.01	1	884	6	0.63	7	2	201	<5	0.01	<10	13	14	<10	183	1

Drilling Analytical Results 2009

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0952RA/RJ	P09-015	131530	34.17	35.17	1.00	0.03		0.9	0.89	19	236	<0.5	12	7.04	1	10	8	23	2.6	<1	0.42	<10	0.54	3615	<2	0.01	1	845	10	0.7	6	2	324	<5	<0.01	<10	15	12	<10	42	1
9V0952RA/RJ	P09-015	131531	35.17	36.49	1.32	0.01		1	0.87	27	269	<0.5	15	4.82	2	10	8	24	2.73	<1	0.51	<10	0.53	2858	2	0.01	2	977	7	0.78	6	2	200	<5	0.01	<10	11	13	<10	49	1
9V0952RA/RJ	P09-015	131532	36.49	37.85	1.36	<0.01		2.1	0.97	32	202	<0.5	14	11.04	2	12	6	28	2.55	<1	0.39	<10	0.48	6242	2	0.01	<1	934	26	0.84	8	2	353	<5	0.01	<10	23	15	<10	162	1
9V0952RA/RJ	P09-015	131533	37.85	38.85	1.00	<0.01		1.9	0.43	26	132	<0.5	6	>15.00	<1	8	9	14	1.61	1	0.27	<10	0.2	7006	3	0.01	<1	581	12	1.05	6	1	587	<5	<0.01	11	28	8	<10	17	1
9V0952RA/RJ	P09-015	131534	38.85	39.85	1.00	0.11		5.6	1.53	65	145	<0.5	23	5.06	59	13	19	114	4.87	<1	0.22	<10	0.78	4205	<2	0.01	<1	843	107	2.08	8	2	188	<5	0.01	<10	22	34	<10	4153	2
9V0952RA/RJ	P09-015	131535	39.85	40.85	1.00	0.28		16.3	2.56	90	164	<0.5	30	3.22	131	17	13	248	6.52	2	0.24	<10	1.44	4447	<2	0.01	<1	1381	747	2.13	14	3	126	<5	0.02	<10	24	65	<10	7641	2
9V0952RA/RJ	P09-015	131536	40.85	41.57	0.72	0.13		11	1.89	85	171	<0.5	27	2.86	83	14	17	134	5.49	1	0.24	<10	1.07	4039	<2	0.01	1	1263	287	2.12	11	3	122	<5	0.03	<10	21	58	<10	5818	2
9V0952RA/RJ	P09-015	131537	41.57	42.35	0.78	0.08		6	2.18	83	159	<0.5	29	5.38	113	16	10	166	5.95	2	0.25	<10	1.2	5188	<2	0.01	<1	1211	96	2.05	10	3	197	<5	0.02	<10	25	55	<10	7096	2
9V0952RA/RJ	P09-015	131538	42.35	43.35	1.00	0.03		6	2.44	51	180	<0.5	28	5.72	42	17	11	100	5.39	1	0.31	<10	1.38	5162	2	0.01	2	1352	357	1.11	11	4	213	<5	0.03	<10	21	59	<10	3224	2
9V0952RA/RJ	P09-015	131539	43.35	44.35	1.00	0.03		4.3	2.84	55	166	<0.5	32	4.05	66	19	14	138	6.44	1	0.3	<10	1.75	4712	2	0.01	2	1415	91	1.44	12	4	177	<5	0.03	<10	24	70	<10	4707	2
9V0952RA/RJ	P09-015	131540	44.35	45.12	0.77	0.01		4.9	3.37	43	304	<0.5	36	7.04	12	31	16	133	7.12	2	0.25	<10	2.29	6011	2	0.01	10	1202	255	1.02	14	10	299	<5	0.05	<10	32	140	<10	853	2
9V0952RA/RJ	P09-015	131541	45.12	46.26	1.14	0.03		2.1	1.86	71	231	<0.5	24	5.83	8	11	16	84	4.88	<1	0.37	<10	0.96	3993	8	0.01	<1	1310	30	1.41	9	2	374	<5	0.01	<10	18	34	<10	555	2
9V0952RA/RJ	P09-015	131542	46.26	47.26	1.00	<0.01		0.1	2.32	44	322	<0.5	23	4.88	2	18	7	45	4.85	1	0.32	<10	1.46	2713	<2	0.01	3	1257	15	0.68	9	2	210	<5	0.01	<10	13	52	<10	115	1
9V0952RA/RJ	P09-015	131543	47.26	48.26	1.00	0.01		1.3	1.68	167	190	<0.5	21	4.39	3	19	14	51	4.26	<1	0.3	<10	1.01	2137	<2	0.02	6	1300	37	1.29	10	2	209	<5	0.01	<10	15	45	<10	135	1
9V0952RA/RJ	P09-015	131544	111.09	112.09	1.00	<0.01		0.4	0.85	33	147	<0.5	10	4.99	2	5	17	19	1.88	<1	0.39	<10	0.26	1915	<2	0.01	<1	648	13	0.41	5	1	250	5	0.01	<10	10	10	<10	159	1
9V0952RA/RJ	P09-015	131545	112.09	113.09	1.00	0.01		0.7	1.08	26	225	<0.5	10	3.91	2	4	20	14	1.78	1	0.54	<10	0.26	1731	2	0.01	1	638	16	0.38	5	1	181	<5	0.01	<10	<10	11	<10	94	2
9V0952RA/RJ	P09-015	131546	113.09	114.09	1.00	0.05		2.1	0.99	31	170	<0.5	11	5.22	11	7	18	36	2.21	1	0.4	<10	0.35	2259	3	0.01	<1	788	38	0.66	6	1	241	<5	<0.01	<10	10	12	<10	910	1
9V0952RA/RJ	P09-015	131547	114.09	115.09	1.00	0.01		0.8	1.62	27	158	<0.5	18	4.33	2	12	8	33	3.61	1	0.41	11	0.75	2300	18	0.01	1	1566	13	0.9	7	2	163	<5	0.04	<10	<10	25	<10	132	2
9V0952RA/RJ	P09-015	131548	115.09	116.37	1.28	0.02		3.3	1.46	31	185	<0.5	17	5.95	51	14	8	144	3.77	1	0.43	<10	0.6	2667	21	0.01	1	1481	15	1.54	7	2	228	<5	0.05	<10	12	23	<10	3878	1
9V0952RA/RJ	P09-015	131549	116.37	117.09	0.72	0.12		8.8	1.57	30	206	<0.5	21	7.7	140	15	12	430	4.29	2	0.37	<10	0.49	3369	10	0.01	1	1259	234	1.68	8	2	331	<5	0.03	<10	16	26	<10	8068	1
9V0952RA/RJ	P09-015	131550	117.09	118.09	1.00	0.02		11.6	1.86	24	215	<0.5	23	7.6	162	13	6	486	5	2	0.47	<10	0.63	3697	4	0.01	<1	1375	68	1.6	6	2	336	<5	0.03	<10	16	28	<10	9033	2
9V0952RA/RJ	P09-015	131551	118.09	119.09	1.00	0.17		20.7	1.85	30	163	<0.5	22	7.75	385	14	13	810	5.73	3	0.31	<10	0.7	3686	2	0.01	<1	854	85	2.94	6	2	404	<5	0.02	<10	21	30	<10	32500	2
9V0952RA/RJ	P09-015	131552	119.09	120.09	1.00	0.27		<0.1	1.29	124	187	<0.5	23	3.72	4	25	8	42	4.58	<1	0.5	<10	0.48	1252	<2	0.01	1	1760	27	2.47	8	2	171	<5	0.05	<10	11	26	<10	196	2
9V0952RA/RJ	P09-015	131553	120.09	121.09	1.00	<0.01		0.6	1.12	101	211	<0.5	16	6.52	4	17	6	42	3.58	1	0.46	<10	0.45	1974	<2	0.01	1	1522	65	1.8	8	2	283	<5	0.04	<10	<10	27	<10	220	1

P09-016 - Hope - PAD 7 - 435999E 6212862N, Elev: 243m, Az: 155, Dip: -65, EOH: 209.42m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0952RA/RJ	P09-016	131554	11.85	12.85	1.00	<0.01		1.6	1.18	10	229	<0.5	11	2.96	1	8	11	14	2.35	<1	0.35	11	0.51	1690	<2	0.02	<1	938	7	0.24	5	1	149	<5	0.01	<10	<10	12	<10	73	2
9V0952RA/RJ	P09-016	131555	12.85	13.48	0.63	0.03		5.1	1.03	31	201	<0.5	15	8.04	2	14	9	42	3.25	1	0.42	<10	0.38	3781	<2	0.01	<1	1477	38	1.88	7	2	254	<5	0.01	<10	16	13	<10	64	1
9V0952RA/RJ	P09-016	131556	13.48	14.48	1.00	0.02		8.9	1.3	31	205	<0.5	21	5.98	4	14	19	58	3.47	1	0.46	<10	0.49	3325	3	0.01	1	1541	71	1.58	11	2	343	<5	0.01	<10	12	18	<10	146	2
9V0952RA/RJ	P09-016	131557	31.06	32.06	1.00	0.01		2.9	1.3	44	199	<0.5	17	4.89	7	10	17	15	3.5	1	0.36	<10	0.55	3114	11	0.01	1	1086	359	1.43	8	2	239	<5	0.01	<10	17	15	<10	545	2
9V0952RA/RJ	P09-016	131558	32.06	33.06	1.00	0.02		13.3	0.92	43	144	<0.5	16	9.13	29	7	18	147	3.37	1	0.33	<10	0.42	5579	10	0.01	1	663	1413	1.91	17	1	445	<5	<0.01	<10	19	11	<10	2958	1
9V0952RA/RJ	P09-016	131559	33.06	34.06	1.00	0.01		5.1	1.1	30	214	<0.5	16	3.74	11	8	12	35	2.84	<1	0.4	<10	0.52	2680	5	0.01	1	953	312	1.19	11	1	172	<5	0.01	<10	13	12	<10	930	2
9V0952RA/RJ	P09-016	131560	34.06	35.06	1.00	0.07		6.5	1.13	72	151	<0.5	24	3.4	14	14	17	39	4.09	<1	0.37	<10	0.59	2790	3	0.01	1	1084	247	2.33	12	2	147	<5	<0.01	<10	14	18	<10	1247	2
9V0952RA/RJ	P09-016	131561	35.06	36.06	1.00	0.05		1.6	0.83	66	96	<0.5	22	3.98	6	7	21	10	4.19	<1	0.44	<10	0.41	2949	6	0.01	1	743	237	2.86	8	1	147	<5	0.01	<10	14	11	<10	387	2
9V0952RA/RJ	P09-016	131562	36.06	37.06	1.00	0.04		12.8	1.11	74	94	<0.5	20	2.85	54	8	17	79	4.46	1	0.33	<10	0.54	2449	3	0.01	<1	884	2757	2.94	12	1	109	<5	0.01	<10	12	13	<10	3963	2
9V0952RA/RJ	P09-016	131563	37.06	38.06	1.00	0.01		4	0.66	55	126	<0.5	16	5.28	19	7	24	24	2.96	1	0.29	<10	0.31	3622	3	0.01	<1	815	690	2.14	7	1	214	<5	<0.01	<10	13	8	<10	1538	2
9V0952RA/RJ	P09-016	131564	38.06	39.33	1.27	0.03		9.2	0.96	50	131	<0.5	19	2.32	50	7	32	86	3.7	<1	0.26	<10	0.5	2232	3	0.01	<1	792	1576	2.23	10	1	90	<5	0.01	<10	13	13	<10	4002	2
9V0952RA/RJ	P09-016	131565	39.33	40.33	1.00	0.16		32.5	0.34	100	53	<0.5	22	8.46	133	5	25	279	5.38	1	0.13	<10	0.2	4544	2	0.01	<1	286	2767	4.14	16	1	263	<5	<0.01	<10	21	5	<10	8332	1
9V0952RA/RJ	P09-016	131566	40.33	41.33	1.00	0.7		72.9	0.47	212	32	<0.5	54	1.41	71	7	46	116	9.36	<1	0.23	<10	0.17	1142	3	0.01	<1	423	1977	>5.00	33	<1	65	<5	0.01	<10	24	6	<10	6179	3
9V0952RA/RJ	P09-016	131567	41.33	42.20	0.87	0.01		1.3	0.97	25	258	<0.5	10	8.84	1	7	8	14	2.22	1	0.38	<10	0.41	4693	4	0.01	<1	871	24	0.65	6	1	366	<5	0.01	<10	15	9	<10	87	2
9V0952RA/RJ	P09-016	131568	BLANK			<0.01		<0.1	0.02	<5	<10	<0.5	<5	>15.00	<1	<1	2	1	0.06	<1	0.01	<10	1.56	30	<2	0.01	1	48	<2	0.8	<5	<1	4416	<5	<0.01	<10	22	1	<10	11	<1
9V0952RA/RJ	P09-016	131569	STD	PM405		0.28		0.3	0.52	693	1302	0.5	15	0.68	4	8	51	37	3.28	2	0.14	14	0.33	460	6	0.01	32	888	143	0.22	615	4	205	6	<0.01	<10	<10	51	<10	238	12
9V0952RA/RJ	P09-016	131570	42.20	43.20	1.00	0.03		1.9	1.86	26	235	<0.5	21	6.06	5	19	5	59	4.39	<1	0.44	<10	0.88	3431	<2	0.01	1	1440	127	0.89	10	2	236	<5	0.02	<10	13	30	<10	321	2
9V0952RA/RJ	P09-016	131571	43.20	44.20	1.00	0.01		1.9	1.35	26	215	<0.5	16	9.92	2	15	6	39	3.37	1	0.46	<10	0.61	4848	2	0.01	1	1192	46	1.12	8	2	359	<5	0.03	<10	19	22	<10	122	1
9V0952RA/RJ	P09-016	131572	128.76	129.76	1.00	0.04		4.4	1.65	35	160	<0.5	21	7.1	28	17	11	128	4.3	1	0.39	<10	0.87	3206	7	0.01	2	1578	1628	1.86	10	2	354	<5	0.03	<10	14	37	<10	2124	2
9V0952RA/RJ	P09-016	131573	129.76	130.76	1.00	0.01		1.1	2.3	26	165	<0.5	25	3.54	37	17	5	84	5.48	<1	0.41	<10	1.3	2663	6	0.01	1	1805	30	1.32	9	2	167	<5	0.01	<10	12	42	<10	2746	2
9V0952RA/RJ	P09-016	131574	130.76	131.76	1.00	0.2		6.1	2.17	38	158	<0.5	26	3.25	208	22	10	358	6.01	2	0.35	<10	1.09	2874	2	0.01	4	1436	64	2.4	8	3	157	<5	0.01	<10	17	59	<10	9371	2
9V0952RA/RJ	P09-016	131575	131.76	132.87	1.11	0.16		21.2	2.2	42	85	<0.5	25	4.16	1090	23	9	1101	6.23	5	0.29	<10	0.96	3378	2	0.01	1	882	123	>5.00	6	3	184	<5	0.01	<10	21	46	<10	94000	2
9V0952RA/RJ	P09-016	131576	132.87	133.87	1.00	0.04		4.7	2.02	41	149	<0.5	28	4.26	72	15	13	134	5.59	1	0.27	<10	1.06	3318	2	0.01	<1	1414	373	1.94	11	3	206	<5	<0.01	<10	18	52	<10	5243	2
9V0952RA/RJ	P09-016	131577	133.87	134.87	1.00	0.01		1.8	1.78	27	143	<0.5	20	4.92	20	14	8	70	4.31	1	0.35	<10	0.97	2975	2	0.01	1	1464	43	0.92	8	2	201	<5	<0.01	<10	12	38	<10	1578	2
9V0952RA/RJ	P09-016	131578	164.52	165.52	1.00	0.01		<0.1	1.43	17	128	<0.5	23	3.31	8	17	11	42	4.5	1	0.36	<10	0.78	2055	<2	0.02	4	1833	77	2.29	9	2	142	<5	0.05	<10	12	26	<10	608	2
9V0952RA/RJ	P09-016	131579	165.52	166.20	0.68	0.02		<0.1	2.43	16	124	<0.5	32	2.34	81	17	13	119	6.5	1	0.27	<10	1.46	2968	<2	0.02	4	1693	49	2.12	11	4	112	<5	0.06	<10	19	53	<10	5832	2
9V0952RA/RJ	P09-016	131580	166.20	167.20	1.00	0.01		<0.1	1.51	9	123	0.5	22	2.49	4	13	13	16	4.27	<1	0.3	<10	0.85	1963	6	0.04	4	1428	32	1.6	9	3	136	<5	0.09	<10	13	38	<10	256	2
9V0998RA/RJ	P09-016	131581	172.63	173.63	1.00	0.13		0.3	1.8	8	187	0.6	18	3.94	2	19	7	74	4.4	<1	0.33	<10	1.17	1453	<2	0.02	7	2000	15	0.9	<5	3	252	<5	0.07	<10	<10	37	<10	84	3
9V0998RA/RJ	P09-016	131582	173.63	174.63	1.00	0.19		0.5	1.3	15	187	0.6	18	4.96	3	20	20	98	4.25	<1	0.33	<10	0.72	1470	<2	0.03	12	1959	31	2.04	<5	2	246	<5	0.09	<10	<10	29	<10	65	3
9V0998RA/RJ	P09-016	131583	174.63	175.63	1.00	0.09		0.5	1	15	180	0.7	16	4.92	2	18	12	62	3.61	<1	0.35	<10	0.46	1690	<2	0.02	6	1972	9	2.07	<5	2	223	<5	0.11	<10	<10	22	<10	53	2
9V0998RA/RJ	P09-016	131584	175.63	176.63	1.00	0.09		1	1.1	29	110	0.7	23	3.92	15	20	17	86	5.17	<1	0.33	<10	0.53	1943	<2	0.02	7	1991	33	3.18	<5	3	211	<5	0.11	<10	<10	35	<10	1046	2
9V0998RA/RJ	P09-016	131585	176.63	177.69	1.06	0.05		1.3	1.35	23	130	0.5	23	2.85	62	17	15	131	5.1	<1	0.29	<10	0.68	2271	<2	0.02	7	1916	21	2.59	<5	3	159	<5	0.09	<10	<10	44	<10	3270	2
9V0998RA/RJ	P09-016	131586	177.69	177.96	0.27	0.53		7.1	1.37	55	38	<0.5	29	3.78	1536	24	17	718	6.14	11	0.21	<10	0.64	2992	<2	0.01	3	1090	48	>5.00	<5	2	231	<5	0.03	<10	<10	34	<10	11700	2
9V0998RA/RJ	P09-016	131587	BLANK			<0.01		<0.1	0.02	<5	10	<0.5	<5	>15.00	<1	<1	2	22	0.03	<1	0.01	<10	1.5	32	<2	0.01	<1	55	<2	0.78	<5	<1	4891	<5	<0.01	<10	<10	1	<10	56	<1
9V0998RA/RJ	P09-016	131588	STD	PM 427		3.46		1.6	1.36	6137	71	0.7	158	5.81	4	95	34	265	4.63	<1	0.18	<10	0.45	758	28	0.06	54	820	17	0.88	10	3	58	<5	0.11	<10	<10	53	13	89	11
9V0998RA/RJ	P09-016	131589	177.96	178.96	1.00	0.03		1.4	1.81	27	171	<0.5	25	2.91	79	18	15	185	5.55	<1	0.37	<10	0.8	2384	<2	0.01	7	1934	13	2.05	<5	2	156	<5	0.06	<10	<10	37	<10	3942	2
9V0998RA/RJ	P09-016	131590	178.96	179.96	1.00	0.02		0.8	1.54	21	182	0.5	20	4.16	19	18	17	61	4.71	<1	0.39	<10	0.6	2318	<2	0.01	6	1903	12	1.58	<5	2	195	<5	0.06	<10	<10	26	<10	1405	2
9V0998RA/RJ	P09-016	131591	179.96	180.96	1.00	0.01		0.6	1.56	14	185	0.6	16	5.65	2	16	7	79	4	<1	0.38	11	0.57	2439	<2	0.02	6	1916	5	0.61	<5	2	241	<5	0.08	<10	<10	26	<10	111	2
9V0998RA/RJ	P09-016	131592	180.96	181.96	1.00	0.03		0.5	1.46	21	182	0.6	16	5.37	3	16	10	66	3.86	<1	0.38	10	0.5	2142	<2	0.02	5	2041	9	0.86	<5	2	235	<5	0.07	<10	<10	24	<10	136	2
9V0998RA/RJ	P09-016	131593	181.96	182.62	0.66	0.01		0.6	1.42	15	202	0.6	12	7.56	2	14	5	68	3.11	<1	0.4	<10	0.47	2412	<2	0.02	5	1720	6	0.63	<5	2	304	<5	0.09	<10	<10	20	<10	68	2
9V0998RA/RJ	P09-016	131594	182.62	183.62	1.00	0.01		1	1.79	34	154	0.6	18	4.44	5	17	8	55	3.94	<1	0.33	<10	0.91	2250	<2	0.02	2	1377	25	0.63	<5	2	194	<5	0.08	<10	<10	25	<10	281	2

P09-017 - Hope - PAD 8 - 436121E 6212827N, Elev: 314m, Az: 180, Dip: -45, EOH: 130.48m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0998RA/RJ	P09-017	131595	23.26	24.26	1.00	0.03		0.3	1.04	27	143	<0.5	16	1.13	3	13	11	21	3.73	<1	0.31	<10	0.43	759	2	0.01	1	1618	20	2.07	<5	1	47	<5	<0.01	<10	<10	14	<10	56	2
9V0998RA/RJ	P09-017	131596	24.26	24.58	0.32	0.01		2.7	0.5	23	157	<0.5	11	3.17	36	10	38	116	2.4	<1	0.28	<10	0.11	1299	10	0.01	2	976	483	2.16	<5	1	183	<5	<0.01	<10	<10	7	<10	2886	1
9V0998RA/RJ	P09-017	131597	24.58	25.58	1.00	0.01		0.3	1.61	8	268	<0.5	15	3.03	2	9	10	43	3.38	<1	0.27	<10	0.79	1428	<2	0.02	1	1217	16	0.48	<5	2	168	<5	<0.01	<10	<10	18	<10	98	2
9V0998RA/RJ	P09-017	131598	34.98	35.98	1.00	0.01		0.9	1.66	7	215	<0.5	15	2.72	11	9	13	40	3.24	<1	0.24	10	0.89	1468	<2	0.02	1	1196	236	0.28	<5	2	181	<5	<0.01	<10	<10	25	<10	1018	2
9V0998RA/RJ	P09-017	131599	35.98	36.98	1.00	0.01		0.4	1.41	8	218	<0.5	13	3.01	2	8	9	38	3.16	<1	0.28	<10	0.82	1441	<2	0.02	1	1080	32	0.36	<5	2	164	<5	<0.01	<10	<10	19	<10	124	1
9V0998RA/RJ	P09-017	131600	36.98	37.98	1.00	0.02		0.6	0.87	18	204	<0.5	14	3.33	2	9	14	29	3.32	<1	0.33	<10	0.75	1548	<2	0.01	1	1176	9	0.84	<5	2	234	<5	<0.01	<10	<10	14	<10	81	1
9V0998RA/RJ	P09-017	131601	37.98	38.98	1.00	0.01		0.6	1.13	12	172	<0.5	17	3.35	3	10	15	26	4.11	<1	0.3	<10	0.65	1472	<2	0.01	1	1330	10	2.08	<5	2	148	<5	<0.01	<10	<10	14	<10	76	2
9V0998RA/RJ	P09-017	131602	38.98	39.34	0.36	0.01		0.4	0.91	11	110	<0.5	20	2.34	3	13	21	23	4.16	<1	0.28	<10	0.46	1019	<2	0.01	1	1723	15	3.03	<5	1	104	<5	<0.01	<10	<10	12	<10	57	2
9V0998RA/RJ	P09-017	131603	39.34	39.83	0.49	0.02		0.7	1.02	12	164	<0.5	16	3.99	3	12	17	20	3.6	<1	0.3	<10	0.55	1930	<2	0.01	2	1313	11	2.13	<5	1	180	<5	<0.01	<10	<10	11	<10	55	2
9V0998RA/RJ	P09-017	131604	BLANK			<0.01		<0.1	0.03	<5	11	<0.5	<5	>15.00	<1	<1	2	12	0.03	<1	0.01	<10	1.37	17	<2	0.01	<1	37	<2	0.73	<5	<1	5462	<5	<0.01	<10	<10	1	<10	3	<1
9V0998RA/RJ	P09-017	131605	STD	PM405		0.27		0.8	0.6	698	1305	0.5	14	0.64	2	8	56	35	3.34	2	0.14	16	0.33	464	5	0.01	31	924	145	0.21	526	5	234	7	<0.01	<10	<10	58	<10	235	12

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0998RA/RJ	P09-017	131606	39.83	40.83	1.00	<0.01		1.8	1.87	29	178	<0.5	19	2.99	3	23	10	95	4.58	<1	0.29	<10	1.11	1939	<2	0.01	4	1482	6	1.33	<5	2	117	<5	<0.01	<10	<10	28	<10	86	2
9V0998RA/RJ	P09-017	131607	40.83	41.83	1.00	0.01		2.2	1.57	26	92	<0.5	21	3.6	4	21	13	71	5.42	<1	0.31	<10	0.91	2177	<2	0.01	4	1257	23	2.59	<5	2	153	<5	<0.01	<10	<10	24	<10	83	2
9V0998RA/RJ	P09-017	131608	41.83	42.83	1.00	0.01		2.9	1.53	26	134	<0.5	23	3.3	4	23	12	110	5.53	<1	0.32	<10	0.83	1924	<2	0.01	5	1240	20	2.77	<5	2	108	<5	<0.01	<10	<10	24	<10	79	2
9V0998RA/RJ	P09-017	131609	42.83	43.97	1.14	0.02		2.5	1.79	36	100	<0.5	23	3.96	4	22	17	84	5.55	<1	0.29	<10	0.96	2509	<2	0.01	4	1264	18	2.16	<5	3	137	<5	<0.01	<10	<10	32	<10	89	2
9V0998RA/RJ	P09-017	131610	43.97	44.97	1.00	0.04		2.2	1.02	24	160	<0.5	16	7.2	1	7	15	45	2.69	<1	0.31	<10	0.42	2770	<2	0.01	1	804	26	1.03	<5	1	272	<5	<0.01	<10	<10	13	<10	48	1
9V0998RA/RJ	P09-017	131611	44.97	45.97	1.00	0.01		2.3	1.34	25	185	<0.5	16	2.9	2	13	9	24	3.77	<1	0.37	<10	0.56	1782	<2	0.01	1	1171	23	1.12	<5	1	104	<5	<0.01	<10	<10	17	<10	67	1
9V0998RA/RJ	P09-017	131612	56.80	57.80	1.00	0.01		0.9	0.82	19	146	<0.5	11	2.99	2	7	14	2	2.85	<1	0.35	<10	0.28	1286	2	0.01	1	925	19	1.56	<5	1	119	<5	<0.01	<10	<10	9	<10	40	1
9V0998RA/RJ	P09-017	131613	57.80	58.80	1.00	0.02		3.5	0.89	30	146	<0.5	13	4.45	3	11	18	13	3.22	<1	0.32	<10	0.34	2031	3	0.01	2	1054	42	1.85	<5	1	187	<5	<0.01	<10	<10	12	<10	95	2
9V0998RA/RJ	P09-017	131614	58.80	59.00	0.20	0.27		69.4	0.78	11	129	<0.5	10	8.48	28	6	15	80	2.55	<1	0.3	<10	0.37	3251	<2	0.01	1	876	220	1.48	18	2	352	<5	<0.01	<10	<10	12	<10	2550	1
9V0998RA/RJ	P09-017	131615	59.00	59.46	0.46	1.97		704.6	0.54	87	123	<0.5	15	12.11	80	11	24	194	3.26	<1	0.25	<10	0.23	4423	<2	0.01	2	837	3490	3.12	96	2	522	<5	<0.01	<10	<10	10	<10	5002	1
9V0998RA/RJ	P09-017	131616	59.46	60.46	1.00	0.1		8.5	0.87	68	124	<0.5	15	6.21	3	12	15	10	4.16	<1	0.31	<10	0.41	2696	2	0.01	2	997	34	2.66	<5	2	263	<5	<0.01	<10	<10	16	<10	63	1
9V0998RA/RJ	P09-017	131617	69.05	70.05	1.00	0.04		4.8	0.57	28	151	<0.5	10	4.25	2	7	18	10	2.58	<1	0.3	<10	0.16	1665	2	0.01	1	815	29	1.85	<5	1	137	<5	<0.01	<10	<10	8	<10	42	2
9V0998RA/RJ	P09-017	131618	70.05	70.55	0.50	0.06		7.3	0.44	56	127	<0.5	14	4.73	8	9	14	38	3.26	<1	0.34	<10	0.09	1845	2	0.01	1	793	233	2.66	<5	1	139	<5	<0.01	<10	<10	7	<10	626	2
9V0998RA/RJ	P09-017	131619	70.55	71.55	1.00	0.05		4.1	0.96	42	127	<0.5	18	7.75	3	12	22	10	4.29	<1	0.29	<10	0.38	3181	3	0.01	1	1002	33	2.53	<5	1	298	<5	0.01	<10	<10	15	<10	60	1
9V0998RA/RJ	P09-017	131620	71.55	72.55	1.00	0.02		2.2	1.75	20	151	<0.5	19	3.58	3	18	21	17	5.07	<1	0.29	<10	0.76	2060	<2	0.01	1	1390	26	1.5	<5	2	113	<5	0.01	<10	<10	27	<10	91	2
9V0998RA/RJ	P09-017	131621	72.55	73.55	1.00	0.03		2.9	1.1	27	146	<0.5	15	4.35	2	18	19	25	3.67	<1	0.29	<10	0.41	2039	<2	0.01	1	1485	27	1.59	<5	2	153	<5	0.01	<10	<10	16	<10	54	1
9V0998RA/RJ	P09-017	131622	73.55	74.55	1.00	0.11		8	1.86	24	145	<0.5	20	4.43	26	16	15	89	4.88	<1	0.28	<10	0.77	2445	<2	0.01	1	1416	177	1.18	<5	2	149	<5	0.01	<10	<10	26	<10	1871	2
9V0998RA/RJ	P09-017	131623	74.55	75.55	1.00	0.12		4.1	1.34	17	158	<0.5	17	4.65	10	14	18	59	4.2	<1	0.32	<10	0.5	2283	<2	0.01	1	1364	163	1.54	<5	2	168	<5	0.01	<10	<10	20	<10	778	1
9V0998RA/RJ	P09-017	131624	BLANK			<0.01		<0.1	0.02	<5	<10	<0.5	<5	>15.00	<1	<1	3	4	0.03	<1	<0.01	<10	1.94	15	<2	0.01	1	64	<2	0.7	<5	<1	5004	<5	<0.01	<10	<10	1	<10	4	<1
9V0998RA/RJ	P09-017	131625	STD	PM427		3.62		1.6	1.35	6650	77	0.7	160	6.31	3	102	37	269	5.05	<1	0.19	<10	0.5	820	29	0.06	59	780	18	0.92	11	3	62	<5	0.12	<10	<10	56	14	83	12
9V0998RA/RJ	P09-017	131626	75.55	76.55	1.00	0.04		3.8	1.46	19	262	<0.5	17	6.68	5	16	12	36	4.38	<1	0.35	<10	0.64	2884	<2	0.01	2	1326	117	1.15	<5	2	279	<5	0.01	<10	<10	24	<10	288	1

P09-018 - Power - PAD 8 - 436121E 6212827N, Elev: 314m, Az: NA, Dip: -90, EOH: 81.83m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0998RA/RJ	P09-018	131627	28.62	29.62	1.00	<0.01		0.7	0.98	15	221	<0.5	15	3.4	2	9	13	10	3.75	<1	0.28	<10	0.72	1330	<2	0.01	1	1151	10	1.26	<5	2	159	<5	<0.01	<10	<10	15	<10	82	2
9V0998RA/RJ	P09-018	131628	29.62	30.62	1.00	<0.01		4.2	0.47	10	316	<0.5	14	5	3	8	17	7	3.63	<1	0.3	<10	1.13	1626	<2	0.01	1	999	14	0.81	<5	2	260	<5	<0.01	<10	<10	10	<10	73	1
9V0998RA/RJ	P09-018	131629	30.62	31.82	1.20	<0.01		1.7	0.85	10	211	<0.5	13	3.42	2	9	10	8	3.59	<1	0.28	<10	0.65	1215	2	0.02	1	1052	17	1.18	<5	1	140	<5	<0.01	<10	<10	12	<10	60	1
9V0998RA/RJ	P09-018	131630	31.82	32.12	0.30	0.08		56.7	0.57	>10000	61	<0.5	26	4.97	348	13	12	207	4.94	5	0.26	<10	0.29	1495	6	0.01	1	948	3358	3.92	24	1	217	<5	<0.01	<10	<10	10	<10	6672	2
9V0998RA/RJ	P09-018	131631	32.12	33.12	1.00	<0.01		0.8	1.35	21	211	<0.5	15	3.78	2	9	6	9	3.87	<1	0.26	<10	0.9	1406	<2	0.01	1	1089	23	0.84	<5	1	153	<5	<0.01	<10	<10	17	<10	123	2
9V0998RA/RJ	P09-018	131632	33.12	34.12	1.00	0.01		0.6	1.39	29	202	<0.5	14	3.43	2	9	8	10	3.44	<1	0.26	<10	0.89	1393	<2	0.02	1	1097	22	0.42	<5	2	157	<5	<0.01	<10	<10	18	<10	159	1
9V0998RA/RJ	P09-018	131633	44.81	45.81	1.00	<0.01		0.7	1.49	151	183	<0.5	14	3.73	2	9	7	9	3.79	<1	0.23	<10	0.83	1455	<2	0.02	1	1059	11	0.54	<5	1	150	<5	<0.01	<10	<10	19	<10	80	2
9V0998RA/RJ	P09-018	131634	45.81	46.81	1.00	<0.01		0.6	1.41	12	187	<0.5	13	3.61	2	9	6	7	3.62	<1	0.25	<10	0.8	1475	<2	0.01	1	991	8	0.66	<5	1	146	<5	<0.01	<10	<10	17	<10	78	2
9V0998RA/RJ	P09-018	131635	46.81	47.81	1.00	0.01		1	0.4	76	74	<0.5	7	2.97	3	5	9	<1	1.93	<1	0.13	<10	0.22	917	<2	0.01	<1	511	48	1.18	<5	1	129	<5	<0.01	<10	<10	6	<10	238	1
9V0998RA/RJ	P09-018	131636	47.81	48.81	1.00	0.01		1.7	0.84	27	156	<0.5	13	5	24	9	11	7	3.51	1	0.26	<10	0.51	1754	<2	0.01	1	925	23	1.86	<5	1	169	<5	<0.01	<10	<10	10	<10	2239	2
9V0998RA/RJ	P09-018	131637	48.81	49.83	1.02	0.01		1.3	0.96	21	157	<0.5	12	4.69	4	8	16	5	3.49	<1	0.26	<10	0.6	1530	<2	0.01	1	1044	50	1.62	<5	1	161	<5	<0.01	<10	<10	12	<10	241	1
9V0998RA/RJ	P09-018	131638	49.83	50.83	1.00	0.02		3	0.46	28	84	<0.5	17	3.74	8	11	16	5	4.49	<1	0.26	<10	0.2	1097	<2	0.02	2	1215	150	3.31	<5	1	149	<5	<0.01	<10	<10	8	<10	574	2
9V0998RA/RJ	P09-018	131639	50.83	51.94	1.11	0.02		5.7	0.78	18	143	<0.5	13	2.8	37	9	23	8	3.28	1	0.24	<10	0.46	1119	<2	0.01	1	1045	478	2.01	<5	1	116	<5	<0.01	<10	<10	10	<10	2924	2
9V0998RA/RJ	P09-018	131640	BLANK			<0.01		<0.1	0.04	<5	13	<0.5	<5	>15.00	<1	<1	2	<1	0.05	<1	0.01	<10	1.5	21	<2	0.01	<1	52	<2	0.81	<5	<1	4791	<5	<0.01	<10	<10	1	<10	8	<1
9V0998RA/RJ	P09-018	131641	STD			0.29		0.8	0.57	767	1334	0.5	14	0.73	2	9	58	31	3.61	2	0.14	16	0.36	478	5	0.01	34	878	161	0.21	532	5	230	7	<0.01	<10	<10	59	<10	246	13
9V0998RA/RJ	P09-018	131642	51.94	52.94	1.00	0.02		2.1	0.79	23	162	<0.5	14	7.85	6	10	22	8	3.73	<1	0.24	<10	0.51	2926	7	0.01	1	970	35	2.2	<5	1	258	<5	<0.01	<10	<10	12	<10	396	1
9V0998RA/RJ	P09-018	131643	52.94	53.94	1.00	0.01		2	1.46	30	173	<0.5	21	3.64	4	17	16	2	5.4	<1	0.27	<10	0.98	1678	3	0.01	1	1457	23	2.38	<5	2	125	<5	<0.01	<10	<10	25	<10	119	2
9V0998RA/RJ	P09-018	131644	53.94	54.94	1.00	0.01		2	1.24	25	194	<0.5	19	3.74	4	17	15	7	4.89	<1	0.33	<10	0.84	1803	<2	0.01	2	1381	20	2.01	<5	2	136	<5	<0.01	<10	<10	22	<10	148	2
9V0998RA/RJ	P09-018	131645	54.94	55.94	1.00	0.02		2.4	1.03	40	227	<0.5	20	4.9	4	16	14	9	4.92	<1	0.34	<10	1	2058	2	0.01	1	1466	35	1.97	<5	3	261	<5	<0.01	<10	<10	25	<10	159	2
9V0998RA/RJ	P09-018	131646	55.94	56.94	1.00	0.02		2.3	1.14	29	231	<0.5	18	2.53	3	16	14	15	4.3	<1	0.35	<10	0.89	1508	<2	0.01	2	1273	37	1.32	<5	3	121	<5	<0.01	<10	<10	21	<10	121	2

P09-019 - Power - PAD 8 - 436121E 6212827N, Elev: 314m, Az: 000, Dip: -45, EOH: 75.91m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0998RA/RJ	P09-019	131647	6.09	7.00	0.91	0.01		0.6	1.47	16	165	<0.5	16	2.96	2	10	13	16	3.75	<1	0.24	10	0.79	1440	<2	0.02	1	1100	9	1.28	<5	1	145	<5	<0.01	<10	<10	21	<10	72	2
9V0998RA/RJ	P09-019	131648	7.00	8.50	1.50	<0.01		0.4	1.7	57	170	<0.5	15	3.14	2	9	10	15	3.59	<1	0.24	11	0.88	1639	<2	0.01	1	1107	5	0.57	<5	2	161	<5	<0.01	<10	<10	22	<10	73	1
9V0998RA/RJ	P09-019	131649	8.50	10.00	1.50	<0.01		0.5	1.91	21	161	<0.5	17	2.83	2	11	12	16	4.13	<1	0.22	11	1.03	1641	<2	0.01	1	1138	8	0.74	<5	2	140	<5	<0.01	<10	<10	27	<10	92	2
9V0998RA/RJ	P09-019	131650	10.00	11.50	1.50	<0.01		1	1.18	29	139	<0.5	18	2.59	3	10	15	19	3.66	<1	0.24	<10	0.65	1475	2	0.02	1	1059	17	1.84	<5	1	131	<5	<0.01	<10	<10	17	<10	69	2
9V0998RA/RJ	P09-019	131651	11.50	13.00	1.50	<0.01		1.1	1.35	37	117	<0.5	18	2.91	3	11	16	22	4.13	<1	0.23	<10	0.73	1347	2	0.02	1	1108	16	2.13	<5	1	140	<5	<0.01	<10	<10	20	<10	70	2
9V0998RA/RJ	P09-019	131652	13.00	14.50	1.50	<0.01		1.1	1.25	31	142	<0.5	17	3.07	3	10	17	19	4.14	<1	0.21	10	0.67	1358	<2	0.02	1	1133	17	2.29	<5	1	151	<5	<0.01	<10	<10	18	<10	69	2
9V0998RA/RJ	P09-019	131653	14.50	16.00	1.50	<0.01		1	1.14	32	140	<0.5	16	2.76	2	10	15	17	3.86	<1	0.23	<10	0.62	1226	<2	0.01	1	1105	14	2.12	<5	1	126	<5	<0.01	<10	<10	16	<10	57	2
9V0998RA/RJ	P09-019	131654	16.00	17.47	1.47	0.01		0.8	1.22	20	147	<0.5	15	3.35	2	8	16	16	3.8	<1	0.21	<10	0.68	1604	<2	0.01	1	996	13	1.9	<5	1	158	<5	<0.01	<10	<10	17	<10	62	2
9V0998RA/RJ	P09-019	131655	17.47	18.47	1.00	<0.01		1.4	1.35	48	107	<0.5	21	3.32	3	13	18	27	5.04	<1	0.22	<10	0.78	1571	<2	0.01	2	1005	17	2.93	<5	1	137	<5	<0.01	<10	<10	19	<10	76	2
9V0998RA/RJ	P09-019	131656	18.47	19.47	1.00	<0.01		1	1.46	32	164	<0.5	17	3.35	3	12	15	11	4.26	<1	0.23	<10	0.82	1629	6	0.01	2	1119	9	1.9	<5	2	127	<5	<0.01	<10	<10	20	<10	78	2
9V0998RA/RJ	P09-019	131657	19.47	20.47	1.00	<0.01		0.9	1.25	32	150	<0.5	16	3.32	2	11	15	16	3.91	<1	0.23	<10	0.65	1563	2	0.01	1	1097	10	1.94	<5	1	143	<5	<0.01	<10	<10	18	<10	64	2
9V0998RA/RJ	P09-019	131658	20.47	21.47	1.00	<0.01		1.5	1.3	20	140	<0.5	16	3.29	3	9	15	15	4.19	<1	0.24	<10	0.69	1561	<2	0.01	1	1029	14	1.99	<5	1	144	<5	<0.01	<10	<10	16	<10	75	2
9V0998RA/RJ	P09-019	131659	21.47	22.27	0.80	0.01		1.5	1.09	24	126	<0.5	16	2.76	3	11	15	11	4.11	<1	0.24	<10	0.54	1345	5	0.01	1	1079	15	2.33	<5	1	126	<5	<0.01	<10	<10	15	<10	55	2
9V0998RA/RJ	P09-019	131660	22.27	23.27	1.00	<0.01		0.4	1.55	9	173	<0.5	16	3.12	2	8	14	10	3.76	<1	0.23	11	0.83	1612	<2	0.02	1	1066	6	1.32	<5	2	137	<5	<0.01	<10	<10	19	<10	79	2
9V0998RA/RJ	P09-019	131661	23.27	24.21	0.94	<0.01		0.4	1.52	7	159	<0.5	15	3.37	2	8	15	9	3.49	<1	0.21	10	0.83	1674	<2	0.02	1	1025	3	1.03	<5	2	150	<5	<0.01	<10	<10	18	<10	67	2
9V0998RA/RJ	P09-019	131662	24.21	25.61	1.40	<0.01		1.5	1.98	26	164	<0.5	22	3.19	3	15	7	14	4.93	<1	0.22	<10	1.19	1921	6	0.01	1	1398	12	1.7	<5	2	163	<5	<0.01	<10	<10	30	<10	82	2
9V0998RA/RJ	P09-019	131663	25.61	26.61	1.00	<0.01		0.7	1.18	16	159	<0.5	14	2.92	2	9	25	9	3.65	<1	0.22	<10	0.61	1208	2	0.02	1	1029	7	1.73	<5	1	147	<5	<0.01	<10	<10	17	<10	49	2
9V0998RA/RJ	P09-019	131664	26.61	27.61	1.00	<0.01		0.3	1.64	9	159	<0.5	15	3.2	2	8	17	11	3.54	<1	0.2	10	0.86	1513	<2	0.02	1	1058	4	0.79	<5	2	179	<5	0.01	<10	<10	20	<10	66	2
9V0998RA/RJ	P09-019	131665	27.61	28.61	1.00	<0.01		0.4	1.34	12	166	<0.5	14	3.31	2	8	20	8	3.46	<1	0.22	<10	0.66	1441	<2	0.02	1	1015	5	1.28	<5	1	158	<5	0.01	<10	<10	16	<10	54	2
9V0998RA/RJ	P09-019	131666	28.61	29.27	0.66	<0.01		0.4	1.5	60	186	<0.5	14	3.11	2	9	20	15	3.37	<1	0.24	<10	0.7	1468	<2	0.02	1	1123	5	0.94	<5	2	124	<5	0.01	<10	<10	19	<10	57	2
9V0998RA/RJ	P09-019	131667	29.27	30.95	1.68	0.01		0.8	2.51	25	174	<0.5	23	1.82	3	17	5	13	5.19	<1	0.21	<10	1.27	1765	13	0.01	1	1370	8	0.58	<5	3	73	<5	0.01	<10	<10	38	<10	96	2
9V0998RA/RJ	P09-019	131668	BLANK			<0.01		<0.1	0.02	<5	<10	<0.5	<5	>15.00	<1	<1	1	3	0.02	<1	<0.01	<10	1.66	17	<2	0.01	<1	43	<2	0.69	<5	<1	4749	<5	<0.01	<10	<10	1	<10	3	<1
9V0998RA/RJ	P09-019	131669	STD	PM 427		3.41		1.4	1.14	5882	80	0.8	138	7.45	5	104	37	253	5.22	<1	0.2	<10	0.46	812	27	0.05	64	784	19	0.91	11	3	65	<5	0.11	<10	<10	54	15	75	11
9V0998RA/RJ	P09-019	131670	30.95	32.16	1.21	<0.01		0.4	1.43	11	141	<0.5	14	3.4	2	9	21	6	3.39	<1	0.19	<10	0.7	1474	2	0.02	1	951	6	0.71	<5	1	164	<5	0.01	<10	<10	18	<10	61	1
9V0998RA/RJ	P09-019	131671	32.16	33.16	1.00	<0.01		0.2	1.63	7	171	<0.5	13	2.96	1	7	7	9	3.18	<1	0.22	<10	0.78	1293	<2	0.01	1	928	3	0.18	<5	1	143	<5	0.03	<10	<10	17	<10	67	2
9V0998RA/RJ	P09-019	131672	33.16	34.16	1.00	<0.01		0.2	1.74	8	183	<0.5	13	3.52	1	8	9	8	3.28	<1	0.24	<10	0.85	1322	<2	0.02	1	985	2	0.13	<5	2	174	<5	0.05	<10	<10	18	<10	70	2
9V0998RA/RJ	P09-019	131673	34.16	34.78	0.62	<0.01		0.2	1.74	10	165	<0.5	13	3.84	1	8	6	7	3.28	<1	0.2	<10	0.86	1310	<2	0.02	1	897	5	0.17	<5	2	182	<5	0.04	<10	<10	18	<10	75	2
9V0998RA/RJ	P09-019	131674	34.78	35.78	1.00	0.03		0.2	1.63	11	165	<0.5	13	3.34	1	8	8	9	3.29	<1	0.2	<10	0.82	1274	<2	0.02	1	903	5	0.43	<5	1	158	<5	0.02	<10	<10	17	<10	72	1
9V0998RA/RJ	P09-019	131675	35.78	35.98	0.20	<0.01		0.9	1.22	31	164	<0.5	15	3.01	2	9	10	11	3.74	<1	0.22	<10	0.65	1190	2	0.02	1	999	20	1.54	<5	1	171	<5	0.01	<10	<10	17	<10	61	2
9V0998RA/RJ	P09-019	131676	35.98	36.98	1.00	<0.01		0.4	1.28	22	145	<0.5	14	3.47	2	8	11	6	3.58	<1	0.17	<10	0.7	1282	<2	0.02	1	979	13	1.27	<5	1	170	<5	0.01	<10	<10	16	<10	66	2
9V0998RA/RJ	P09-019	131677	36.98	37.98	1.00	<0.01		3	1.02	24	138	<0.5	14	5.84	2	8	12	64	3.34	<1	0.17	<10	0.56	1622	3	0.02	1	965	343	1.74	7	1	284	<5	0.01	<10	<10	14	<10	70	2
9V0998RA/RJ	P09-019	131678	37.98	38.98	1.00	<0.01		0.6	1.21	17	146	<0.5	13	3.44	2	7	15	9	3.3	<1	0.17	<10	0.68	1252	2	0.02	1	941	7	1.25	<5	1	177	<5	0.01	<10	<10	14	<10	76	1
9V0998RA/RJ	P09-019	131679	38.98	39.98	1.00	<0.01		0.6	1.3	19	156	<0.5	15	3.7	2	8	16	11	3.46	<1	0.2	<10	0.71	1376	2	0.02	1	1016	8	1.37	<5	1	188	<5	0.01	<10	<10	16	<10	83	2
9V0998RA/RJ	P09-019	131680	39.98	40.98	1.00	<0.01		0.4	1.64	17	150	<0.5	17	2.87	2	9	12	8	3.75	<1	0.2	<10	0.9	1229	<2	0.02	1	1035	9	0.85	<5	1	167	<5	<0.01	<10	<10	19	<10	80	2

Drilling Analytical Results 2009

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
P09-020 - Loui's - PAD 9 - 436672E 6214098N, Elev: 476m, Az: 163, Dip: -45, EOH: 178.96m																																									
9V0998RA/RJ	P09-020	131681	9.77	11.00	1.23	0.03		5.2	0.84	27	57	<0.5	22	2.33	4	11	18	16	4.94	<1	0.21	<10	0.48	947	2	0.02	1	1104	58	3.27	<5	2	67	<5	<0.01	<10	<10	15	<10	89	2
9V0998RA/RJ	P09-020	131682	11.00	12.50	1.50	<0.01		2	0.7	21	60	<0.5	22	3.08	4	10	14	10	5.03	<1	0.22	<10	0.52	999	<2	0.02	1	1143	37	3.72	<5	2	94	<5	<0.01	<10	<10	16	<10	78	2
9V0998RA/RJ	P09-020	131683	12.50	14.00	1.50	0.07		2.7	0.59	140	48	<0.5	22	1.82	9	12	24	9	5.51	<1	0.26	<10	0.26	1107	<2	0.02	1	1192	214	4.23	<5	1	47	<5	<0.01	<10	<10	14	<10	369	2
9V0998RA/RJ	P09-020	131684	14.00	15.50	1.50	0.09		3.9	0.46	1594	49	<0.5	25	2.27	7	13	25	6	5.56	<1	0.21	<10	0.14	1769	<2	0.01	2	1247	187	4.4	<5	1	63	<5	<0.01	<10	<10	11	<10	177	2
9V0998RA/RJ	P09-020	131685	15.50	17.00	1.50	0.03		4.7	0.49	164	45	<0.5	26	2.19	5	13	24	11	5.43	<1	0.24	<10	0.18	1284	<2	0.01	1	1264	110	4.37	<5	1	60	<5	<0.01	<10	<10	12	<10	49	2
9V0998RA/RJ	P09-020	131686	17.00	18.50	1.50	0.01		2	0.4	73	32	<0.5	23	3.09	5	16	28	7	5.3	<1	0.21	<10	0.22	1412	<2	0.01	2	1405	20	4.17	<5	2	86	<5	<0.01	<10	<10	11	<10	80	2
9V0998RA/RJ	P09-020	131687	18.50	20.00	1.50	0.01		0.7	0.55	44	74	<0.5	20	2.87	4	13	27	5	4.89	<1	0.22	<10	0.36	1293	<2	0.01	1	1374	12	3.74	<5	1	75	<5	<0.01	<10	<10	13	<10	114	2
9V0998RA/RJ	P09-020	131688	20.00	21.50	1.50	0.01		0.7	0.49	64	45	<0.5	24	1.72	5	14	29	7	6.03	<1	0.23	<10	0.21	702	<2	0.01	1	1294	16	4.24	<5	1	43	<5	<0.01	<10	<10	15	<10	46	2
9V0998RA/RJ	P09-020	131689	21.50	23.00	1.50	0.02		1.1	0.52	79	54	<0.5	22	1.42	4	15	31	4	5.76	<1	0.22	<10	0.23	580	<2	0.01	1	1535	18	3.92	<5	1	31	<5	<0.01	<10	<10	15	<10	38	2
9V0998RA/RJ	P09-020	131690	23.00	24.35	1.35	0.23		4.9	0.4	4009	80	<0.5	19	1.25	9	13	29	14	4.58	<1	0.23	<10	0.11	500	3	0.01	2	1375	722	3.35	7	1	26	<5	<0.01	<10	<10	10	<10	379	2
9V0998RA/RJ	P09-020	131691	BLANK			<0.01		<0.1	0.03	<5	12	<0.5	<5	>15.00	<1	<1	2	1	0.03	1	0.01	<10	1.7	13	<2	0.01	<1	59	<2	0.82	<5	<1	4546	<5	<0.01	<10	<10	1	<10	<1	<1
9V0998RA/RJ	P09-020	131692	STD	PM 405		0.28		0.8	0.67	798	1462	0.6	15	0.73	2	9	61	36	3.48	2	0.15	17	0.35	483	6	0.01	34	1069	155	0.21	562	5	223	7	<0.01	<10	<10	68	<10	249	14
9V0998RA/RJ	P09-020	131693	24.35	25.94	1.59	0.03		1.3	0.81	97	62	<0.5	21	2.11	4	14	31	16	4.8	<1	0.25	<10	0.45	844	3	0.01	2	1602	41	3.97	<5	2	48	<5	<0.01	<10	<10	16	<10	54	2
9V0998RA/RJ	P09-020	131694	25.94	27.50	1.56	0.04		1.5	1.55	95	123	<0.5	19	2.56	4	12	18	13	4.39	<1	0.24	<10	1.19	1435	<2	0.01	1	1559	187	2.56	<5	1	64	<5	<0.01	<10	<10	22	<10	227	2
9V0998RA/RJ	P09-020	131695	27.50	29.00	1.50	0.01		1	1.28	40	133	<0.5	17	2.83	3	11	21	7	3.86	<1	0.25	<10	0.86	1233	<2	0.01	1	1385	42	2.38	<5	1	71	<5	<0.01	<10	<10	17	<10	98	2
9V0998RA/RJ	P09-020	131696	29.00	30.50	1.50	0.02		2.3	1.36	179	165	<0.5	16	3.83	4	10	30	13	3.64	<1	0.23	<10	0.97	1642	<2	0.01	1	1342	329	2.05	<5	1	124	<5	0.01	<10	<10	18	<10	212	2
9V0998RA/RJ	P09-020	131697	30.50	32.00	1.50	0.04		1.7	1.02	305	68	<0.5	23	2.99	9	14	45	14	5.23	<1	0.24	<10	0.58	1451	<2	0.02	2	1573	117	3.84	<5	2	84	<5	<0.01	<10	<10	21	<10	433	2
9V0998RA/RJ	P09-020	131698	32.00	33.50	1.50	0.02		1.9	1.5	33	104	<0.5	22	3.01	4	14	38	21	5.2	<1	0.22	<10	0.85	1389	<2	0.02	2	1583	46	2.82	<5	2	104	<5	<0.01	<10	<10	30	<10	159	2
9V0998RA/RJ	P09-020	131699	33.50	35.00	1.50	0.03		3.8	1.34	206	111	<0.5	19	4.63	6	11	41	18	4.61	<1	0.22	<10	0.66	2376	<2	0.01	2	1444	93	2.46	<5	2	156	<5	<0.01	<10	<10	22	<10	318	2
9V0998RA/RJ	P09-020	131700	35.00	36.50	1.50	0.01		0.8	1.9	60	159	<0.5	22	3.05	3	12	24	11	5.3	<1	0.21	<10	0.95	1844	<2	0.02	1	1733	38	1.88	<5	2	79	<5	<0.01	<10	<10	33	<10	148	2
9V0998RA/RJ	P09-020	131701	36.50	38.00	1.50	0.02		0.9	1.96	60	185	<0.5	21	3.36	4	11	29	12	5.2	<1	0.22	<10	0.95	1885	<2	0.02	1	1707	54	1.55	<5	3	138	<5	<0.01	<10	<10	36	<10	160	2
9V0998RA/RJ	P09-020	131702	38.00	39.44	1.44	0.01		0.6	2.35	64	181	<0.5	22	2.73	3	13	24	7	5.18	<1	0.2	<10	1.1	1803	<2	0.02	1	1438	103	0.91	<5	3	63	<5	<0.01	<10	<10	38	<10	174	2
9V0998RA/RJ	P09-020	131703	BLANK			<0.01		<0.1	0.01	<5	<10	<0.5	<5	>15.00	<1	<1	3	1	0.03	<1	0.01	<10	1.7	21	<2	0.01	<1	34	<2	0.85	<5	<1	3377	<5	<0.01	<10	<10	1	<10	3	<1
9V0998RA/RJ	P09-020	131704	STD	PM 427		3.77		1.5	1.47	6548	73	0.8	156	6.23	3	97	36	268	4.71	<1	0.19	<10	0.47	834	30	0.06	58	867	17	0.9	13	3	63	<5	0.13	<10	<10	56	15	77	13
9V0998RA/RJ	P09-020	131705	39.44	40.44	1.00	0.16		3.2	1.42	2136	123	<0.5	21	2.13	16	14	31	38	4.5	<1	0.22	<10	0.58	1461	2	0.02	2	1466	477	1.97	5	2	49	<5	<0.01	<10	<10	24	<10	949	2
9V0998RA/RJ	P09-020	131706	40.44	41.44	1.00	1.43		18.6	1.81	>10000	93	0.5	38	1.26	41	16	18	115	6.96	<1	0.21	<10	0.74	1423	<2	0.01	2	1212	1732	2.51	28	2	27	<5	<0.01	<10	<10	27	<10	2088	3
9V0998RA/RJ	P09-020	131707	41.44	42.44	1.00	0.07		3.3	2.35	755	183	0.6	23	0.93	11	17	14	25	5.52	<1	0.18	<10	0.9	1391	<2	0.01	2	958	476	0.51	<5	2	22	<5	<0.01	<10	<10	29	<10	673	2
9V0998RA/RJ	P09-020	131708	42.44	43.44	1.00	0.01		0.6	2.58	76	182	<0.5	25	2.19	4	16	27	16	6.21	<1	0.18	11	0.91	1673	<2	0.02	3	1377	20	0.69	<5	3	52	<5	<0.01	<10	<10	42	<10	147	2
9V0998RA/RJ	P09-020	131709	43.44	44.44	1.00	0.15		9	2.37	1499	184	<0.5	24	1.12	25	14	14	35	5.76	<1	0.2	<10	0.81	1331	<2	0.01	2	1006	2404	0.78	7	2	25	<5	<0.01	<10	<10	34	<10	1420	2
9V0998RA/RJ	P09-020	131710	44.44	45.44	1.00	<0.01		0.5	2.41	33	183	<0.5	25	2.35	4	15	15	12	6.03	<1	0.18	<10	0.77	1532	<2	0.02	2	1487	35	0.9	<5	3	55	<5	<0.01	<10	<10	39	<10	152	2
9V0998RA/RJ	P09-020	131711	45.44	46.44	1.00	<0.01		0.9	2.53	66	180	<0.5	23	2.42	3	13	16	19	5.65	<1	0.19	10	0.83	1599	<2	0.02	2	1520	51	0.22	<5	3	58	<5	<0.01	<10	<10	39	<10	122	2
9V0998RA/RJ	P09-020	131712	46.44	47.44	1.00	0.01		0.6	2.5	52	211	<0.5	23	2.93	3	14	15	16	5.52	<1	0.2	15	0.82	1726	<2	0.02	2	1535	15	0.26	<5	3	69	<5	<0.01	<10	<10	38	<10	122	2
9V0998RA/RJ	P09-020	131713	47.44	48.44	1.00	0.01		<0.1	2.14	12	177	<0.5	23	1.54	3	13	19	15	5	<1	0.18	11	0.74	1531	<2	0.01	<1	1331	10	0.25	9	2	34	<5	<0.01	<10	<10	31	<10	102	2
9V0998RA/RJ	P09-020	131714	48.44	49.44	1.00	0.01		0.2	2.62	109	161	<0.5	28	2.37	5	16	24	8	6.14	1	0.2	11	0.96	2381	<2	0.01	<1	1365	52	0.47	12	3	54	<5	<0.01	<10	<10	41	<10	182	3
9V0998RA/RJ	P09-020	131715	49.44	50.44	1.00	0.06		1.3	2.17	905	187	<0.5	28	2.32	7	20	34	17	5.96	<1	0.2	11	1.14	1785	4	0.02	12	1708	197	1.78	14	3	64	<5	0.01	<10	<10	48	<10	322	3
9V0998RA/RJ	P09-020	131716	50.44	51.44	1.00	0.01		3.2	1.46	2305	177	<0.5	22	4.69	3	15	18	24	4.71	1	0.19	<10	0.51	1975	3	0.01	<1	1004	22	2.16	14	2	146	<5	<0.01	<10	<10	17	<10	111	2
9V0998RA/RJ	P09-020	131717	51.44	52.44	1.00	<0.01		0.5	2.62	266	188	<0.5	29	1.06	4	17	8	31	6.13	<1	0.2	<10	1.01	1538	<2	0.01	<1	752	15	0.76	11	2	26	<5	<0.01	<10	<10	29	<10	166	2
9V0998RA/RJ	P09-020	131718	52.44	53.44	1.00	<0.01		0.4	2.21	107	182	<0.5	25	1.12	4	17	10	32	5.37	<1	0.19	<10	0.81	1378	<2	0.01	<1	894	19	0.94	11	2	30	<5	<0.01	<10	<10	23	<10	149	2
9V0998RA/RJ	P09-020	131719	53.44	54.44	1.00	0.02		0.9	1.56	277	201	0.5	24	0.87	6	17	17	30	5.09	<1	0.22	<10	0.64	1068	<2	0.01	4	768	70	2.23	11	2	25	<5	<0.01	<10	<10	22	<10	258	2
9V0998RA/RJ	P09-020	131720	54.44	55.05	0.61	0.08		1.5	1.74	1048	188	0.6	22	0.84	12	18	17	29	4.62	<1	0.23	<10	0.69	1573	<2	0.01	6	749	386	1.19	11	2	17	<5	<0.01	<10	<10	18	<10	687	2
9V0998RA/RJ	P09-020	131721	55.05	55.51	0.46	0.01		<0.1	2.77	28	229	0.7	25	4.41	3	25	68	24	5.84	1	0.09	26	2.26	1993	<2	0.05	40	3191	54	0.24	15	7	127	<5	0.12	<10	<10	106	<10	182	5
9V0998RA/RJ	P09-020	131722	90.80	91.80	1.00	0.01		5.5	1.44	91	200	<0.5	16	2.02	6	10	37	16	3.31	1	0.24	10	0.61	1874	<2	0.01	1	1179	359	0.72	11	1	66	<5	<0.01	<10	<10	15	<10	355	2
9V0998RA/RJ	P09-020	131723	91.80	92.00	0.20	0.29		178.6	1.36	4097	169	<0.5	19	1.04	13	13	51	107	3.87	<1	0.21	<10	0.57	948	3	0.02	2	1066	862	1.23	84	1	37	<5	<0.01	<10	<10	15	<10	1443	1
9V0998RA/RJ	P09-020	131724	92.00	93.12	1.12	0.07		12	1.19	1071	219	<0.5	14	0.92	7	13	48	23	3.25	<1	0.21	<10	0.48	1028	4	0.01	2	909	295	1.03	15	1	33	<5	<0.01	<10	<10	11	<10	409	1
9V0998RA/RJ	P09-020	131725	93.12	94.12	1.00	0.01		2.3	1.48	54	173	<0.5	15	2.48	3	9	25	8	3.32	<1	0.22	<10	0.61	1536	<2	0.01	<1	1003	64	0.51	8	1	93	<5	<0.01	<10	<10	14	<10	108	1
9V0998RA/RJ	P09-020	131726	BLANK			<0.01		<0.1	0.02	<5	10	<0.5	<5	>15.00	<1	<1	2	<1	0.03	<1	0.01	<10	1.34	23	<2	0.01	<1	93	<2	0.82	<5	<1	4934	<5	<0.01	<10	19	1	<10	1	<1
9V0998RA/RJ	P09-020	131727	STD	PM 405		0.28		0.5	0.62	801	1499	0.5	16	0.65	4	9	61	35	3.41	2	0.15	17	0.34	489	6	0.01	36	995	165	0.23	632	5	217	7	<0.01	<10	<10	60	<10	249	13
P09-021 - S1 - PAD 10 - 436519E 6219484N, Elev: 1003m, Az: 125, Dip: -65, EOH: 78.03m																																									
9V0998RA/RJ	P09-021	131728	1.83	3.00	1.17	<0.01		<0.1	2.34	30	179	<0.5	22	2.9	3	14	14	<1	4.91	<1	0.26	10	1.46	1395	<2	0.01	<1	1497	3	0.29	10	4	79	<5	<0.01	<10	<10	39	<10	102	2
9V0998RA/RJ	P09-021	131729	3.00	4.50	1.50	0.01		<0.1	1.77	145	230	<0.5	20	2.79	3	14	17	<1	4.52	<1	0.28	<10	0.97	1220	<2	0.01	<1	1463	6	1.26	13	3	63	<5	<0.01	<10	<10	31	<10	83	2
9V0998RA/RJ	P09-021	131730	4.50	6.00	1.50	0.01		<0.1	1.49	52	215	<0.5	18	4.09	3	12	19	<1	4.03	<1	0.3	<10	0.72	1518	<2	0.01	<1	1402	5	1.4	9	3	111	<5	<0.01	<10	<10	26	<10	80	2
9V0998RA/RJ	P09-021	131731	6.00	7.50	1.50	0.01		0.4	1.64	83	181	<0.5	22	2.95	3	14	27	7	4.73	1	0.34	<10	0.74	1367	<2	0.01	<1	1550	10	1.71	12	3	84	<5	<0.01	<10	<10	29	<10	83	2
9V0998RA/RJ	P09-021	131732	7.50	8.50	1.00	0.01		0.4	1.61	73	181	<0.5	19	3.86	3	13	18	<1	4.04	1	0.3	<10	0.78	1673	<2	0.01	<1	1566	9	1.2	8	3	112	<5	<0.01	<10	<10	30	<10	114	2
9V0998RA/RJ	P09-021	131733	8.50	10.00	1.50	0.02		0.6	1.8	78	210	<0.5	20	3.45	3	14	17	<1	4.31	<1	0.31	<10	0.86	1672	<2	0.01	<1	1492	9	0.85	9	3	110	<5	<0.01	<10	<10	34	<10	79	2
9V0998RA/RJ	P09-021	131734	10.00	11.01	1.01	0.01		<0.1	1.89	26	193	<0.5	19	3.98	3	13	16	4	4.28	1	0.29	<10	0.96	2072	<2	0.01	<1	1430	6	0.59	9	3	123	<5	<0.01	<10	<10	34	<10	119	2
9V0998RA/RJ	P09-021	131735	11.01	12.50	1.49	0.36		11.3	0.8	241	160	<0.5	10	6.13	18	7	46	30	2.18	1	0.24	<10	0.33	2792	3	0.01	2	972	252	0.94	7	2	157	<5	<0.01	<10	<10	18	<10	1317	1
9V0998RA/RJ	P09-021	131736	12.50	14.00	1.50	0.12		22.1	0.97	188	174	<0.5	12	7.21	5	9	31	22	2.76	<1	0.25	<10	0.41	2898	<2	0.01	2	1001	120	1.04	6	2	203	<5	<0.01	<10	<10	19	<10	581	1
9V0998RA/RJ	P09-021	131737	14.00	15.50	1.50	0.09		26.6	1	110	163	<0.5	12	7.84	4	7	41	20	2.75	<1	0.25	<10	0.44	3219	<2	0.01	2	922	190	1.04	5	2	205	<5	<0.01	<10	<10	20	<10	465	1
9V0998RA/RJ	P09-021	131738	15.50	17.00	1.50	0.43		4	1.5	45	180	<0.5	16	3.63	17	9	34	23	3.81	1	0.28	<10	0.77	2342	<2	0.01	1	1239	368	1.08	<5	3	103	<5	<0.01	<10	<10	38	<10	1379	2
9V0998RA/RJ	P09-021	131739	17.00	18.50	1.50	0.07		2.1	1.76	38	432	<0.5	17	2.61	6	12	29	15	4.18	<1	0.32	<10	0.85	2076	<2	0.01	2	1463	201	0.58	<5	3	79	<5	<0.01	<10	<10	37	<10	549	2
9V0998RA/RJ	P09-021	131740	18.50	20.00	1.50	0.21		5.8	1.81	28	242	<0.5	19	2.08	31	12	30	54	4.33	1	0.3	<10	0.94	2352	<2	0.01	2	1434	1310	0.95	<5	3	70	<5	<0.01	<10	<10	43	<10	2490	2
9V0998RA/RJ	P09-021	131741	20.00	21.50	1.50	0.31		2.2	1.43	48	108	<0.5	20	3.29	9	12	41	15	4.76	<1	0.27	<10	0.86	3054	<2	0.01	2	1233	214	2.25	<5	3	134	<5	<0.01	<10	<10	42	<10	824	2
9V0998RA/RJ	P09-021	131742	21.50	23.00	1.50	0.11		1.2	1.51	31	215	<0.5	19	5.11	3	11	22	29	4.14	<1	0.34	<10	0.72	2704	<2	0.01	2	1398	23	1.42	<5	3	122	<5	<0.01	<10	<10	29	<10	134	2
9V0998RA/RJ	P09-021	131743	23.00	24.50	1.50	0.14		5	0.94	70	140	<0.5	17	6.49	26	8	43	75	3.44	1	0.23	<10	0.48	2484	<2	0.01	1	899	680	1.9	<5	2	119	<5	<0.01	<10	<10	23	<10	2178	1
9V0998RA/RJ	P09-021	131744	24.50	26.00	1.50	0.16		2.1	1.43	48	179	<0.5	16	2.43	13	11	35	87	3.91	<1	0.26	<10	0.9	2667	<2	0.01	2	1166	458	1.45	<5	3	60	<5	<0.01	<10	<10	37	<10	1272	2
9V0998RA/RJ	P09-021	131745	26.00	27.50	1.50	0.32		1.9	1.92	35	273	0.6	20	2.6	18	13	35	41	4.64	1	0.69	<10	1.07	2757	<2	0.02	4	1513	607	1.32	<5	4	53	<5	0.06	<10	<10	50	<10	1673	5
9V0998RA/RJ	P09-021	131746	27.50	29.12	1.62	1.54		2.7	1.54	56	125	0.5	18	4.36	45	12	28	110	4.22	3	0.67	<10	0.74	2360	<2	0.01	2	1157	447	2.03	<5	4	67	<5	0.05	<10	<10	43	<10	3232	3
9V0998RA/RJ	P09-021	131747	BLANK			0.01		<0.1	0.02	<5	13	<0.5	<5	>15.00	<1	<1	5	2	0.04	<1	0.01	<10	2.12	35	<2	0.01	<1	88	<2	0.79	<5	<1	5056	<5	<0.01	<10	<10	1	<10	7	<1
9V0998RA/RJ	P09-021	131748	STD	PM 427		3.43		1.7	1.38	6716	73	0.8	158	5.8	3	96	35	272	4.54	1	0.19	<10	0.45	794	31	0.06	55	875	18	0.91	13	3	68	<5	0.12	<10	<10	56	<10	80	13
9V0998RA/RJ	P09-021	131749	29.12	30.50	1.38	0.02		<0.1	2.26	19	483	2.3	23	3.08	3	30	100	23	5.49	1	0.06	40	2.61	1113	<2	0.05	47	4867	15	0.23	<5	7	183	<5	0.33	17	<10	115	<10	220	19
9V0998RA/RJ	P09-021	131750	30.50	32.00	1.50	0.01		<0.1	2.28	9	567	1.8	24	3.04	3	29	106	18	5.25	<1	0.09	43	2.66	1006	<2	0.04	49	4912	10	0.18	<5	6	210	<5	0.23	16	<10	108	<10	145	14
9V0998RA/RJ	P09-021	131751	32.00	33.50	1.50	0.06		<0.1	2.3	8	1033	1.7	23	3.69	3	29	116	20	5.63	<1	0.09	41	2.67	1004	<2	0.04	48	4847	7	0.21	<5	6	248	<5	0.23	17	<10	115	<10	115	14
9V0998RA/RJ	P09-021	131752	33.50	35.00	1.50	0.01		<0.1	2.36	9	528	<0.5	25	4.24	3	23	100	20	5.64	<1	0.13	55	2.6	1182	<2	0.03	43	4778	12	0.2	<5	5	262	5	0.01	19	<10	111	<10	129	5
9V0998RA/RJ	P09-021	131753	35.00	36.50	1.50	0.02		<0.1	2.34	<5	1653	0.6	24	3.62	3	24	100	19	5.76	<1	0.11	55	2.72	1019	<2	0.03	46	4758	9	0.21	<5	6	320	5	0.04	18	<10	109	<10	113	6
9V0998RA/RJ	P09-021	131754	36.50	38.00	1.50	<0.01		<0.1	2.27	7	668	1.6	22	3.56	3	27	91	20	5.57	1	0.09	44	2.62	1012	<2	0.04	45	4793	5	0.18	<5	6	281	<5	0.22	16	<10	106	<10	109	13
9V0998RA/RJ	P09-021	131755	38.00	39.50	1.50	0.01		<0.1	2.42	8	1710	1.6	23	3.28	3	27	104	22	5.56	1	0.11	43	2.69	1025	<2	0.04	47	4694	5	0.18	<5	6	240	<5	0.22	16	<10	100	<10	138	14
9V0998RA/RJ	P09-021	131756	39.50	40.02	0.52	<0.01		<0.1	2.66	8	2258	0.8	23	3.31	3	26	113	23	5.68	<1	0.13	58	2.81	1107	<2	0.03	48	4944	7	0.19	<5	6	245	5	0.07	19	<10	102	<10	170	8
9V0998RA/RJ	P09-021	131757	40.02	41.68	1.66	0.01		<0.1	2.2	9	1264	1	22	3.47	2	25	93	21	5.38	<1	0.08	46	2.58	930	<2	0.03	45	4578	4	0.25	<5	5	1164	<5	0.12	14	<10	92	<10	106	9

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0998RA/RJ	P09-021	131758	41.68	41.92	0.24	0.3		2.6	1.06	127	179	0.8	17	1.16	9	16	106	21	4.01	1	0.13	10	0.9	733	4	0.03	11	1651	118	1.57	<5	4	215	<5	0.11	<10	<10	68	<10	602	7
9V0998RA/RJ	P09-021	131759	41.92	42.52	0.60	0.34		<0.1	2.12	15	616	2.9	23	3.39	3	31	97	27	5.68	<1	0.17	41	2.45	877	<2	0.14	47	4977	7	0.34	<5	8	1062	5	0.41	16	<10	127	<10	114	26
9V0998RA/RJ	P09-021	131760	42.52	43.52	1.00	0.37		2	0.66	107	127	<0.5	19	1.58	15	13	88	58	4.25	<1	0.34	<10	0.67	1320	<2	0.01	5	1340	134	1.99	<5	4	121	<5	0.01	<10	<10	31	<10	1129	3
9V0998RA/RJ	P09-021	131761	43.52	44.52	1.00	0.11		1.8	2.12	112	134	<0.5	26	1.49	33	15	23	39	6.24	1	0.34	<10	1.5	2083	<2	0.01	2	1474	694	2.15	<5	5	50	<5	0.01	<10	<10	59	<10	2283	2
9V0998RA/RJ	P09-021	131762	44.52	45.52	1.00	0.19		2	1.58	137	95	<0.5	25	1.46	15	15	55	8	5.7	<1	0.34	<10	0.99	2067	2	0.01	2	1321	246	2.74	<5	4	36	<5	<0.01	<10	<10	39	<10	1178	2
9V0998RA/RJ	P09-021	131763	45.52	46.62	1.10	0.18		3	2.11	137	134	<0.5	26	3.78	32	15	21	18	6.13	<1	0.62	<10	1.22	3766	<2	0.01	2	1438	319	2.66	<5	5	83	<5	0.01	<10	<10	56	<10	2472	2
9V0998RA/RJ	P09-021	131764	46.62	48.12	1.50	0.01		<0.1	2.14	11	1171	1.9	22	3.35	2	27	106	22	5.4	<1	0.08	35	2.63	972	<2	0.05	46	4624	8	0.32	<5	6	1298	<5	0.27	12	<10	106	<10	97	15
9V1002RA/RJ	P09-021	131765	48.12	49.12	1.00	<0.01		<0.1	2.06	11	1533	2.1	24	3.11	2	29	112	27	5.41	1	0.06	36	2.5	947	<2	0.06	47	4672	3	0.31	<5	6	967	<5	0.27	15	<10	104	<10	105	18
9V1002RA/RJ	P09-021	131766	49.12	50.35	1.23	0.05		<0.1	1.68	13	1001	1.5	20	2.91	4	24	85	46	4.56	1	0.04	31	2.07	941	<2	0.04	37	3884	11	0.27	<5	5	943	<5	0.19	13	<10	88	<10	275	13
9V1002RA/RJ	P09-021	131767	50.35	51.35	1.00	0.17		1.4	2.96	54	224	1.1	26	3.48	29	18	20	20	5.71	1	0.83	<10	1.66	3009	3	0.05	2	1487	324	1.11	<5	9	96	<5	0.12	10	<10	101	<10	2388	3
9V1002RA/RJ	P09-021	131768	51.35	52.75	1.40	0.51		0.9	2.51	36	322	1.3	23	3.27	25	20	38	25	5.39	1	0.72	13	1.7	2086	<2	0.04	14	2314	145	0.84	<5	7	90	<5	0.15	11	<10	88	<10	2085	7
9V1002RA/RJ	P09-021	131769	BLANK			0.01		<0.1	0.04	<5	11	<0.5	<5	>15.00	<1	<1	3	2	0.07	1	0.02	<10	4.3	89	<2	0.01	1	126	<2	0.66	<5	<1	2218	<5	<0.01	12	<10	2	<10	7	<1
9V1002RA/RJ	P09-021	131770	STD	PM 405		0.3		0.8	0.53	739	1206	0.5	15	0.7	2	9	54	32	3.38	2	0.12	14	0.33	451	5	0.01	32	978	152	0.21	513	4	183	6	<0.01	<10	<10	56	<10	231	12
9V1002RA/RJ	P09-021	131771	52.75	53.75	1.00	0.13		1	2.01	96	149	0.5	22	4.01	6	16	15	12	5.04	<1	0.7	<10	1.17	2692	<2	0.01	2	1448	120	1.59	<5	5	73	<5	0.02	<10	<10	61	<10	509	2
9V1002RA/RJ	P09-021	131772	53.75	54.75	1.00	0.34		1	2.47	38	350	<0.5	22	4.18	24	14	15	14	5.22	<1	0.5	<10	1.39	2964	<2	0.04	1	1485	163	0.85	<5	6	86	<5	0.01	<10	<10	67	<10	2071	2
9V1002RA/RJ	P09-021	131773	54.75	55.93	1.18	0.13		1.7	2.06	60	196	<0.5	23	5.58	14	13	21	13	5.17	<1	0.25	<10	1.28	3825	<2	0.03	2	1256	176	1.14	<5	4	103	<5	<0.01	<10	<10	59	<10	1329	2
9V1002RA/RJ	P09-021	131774	55.93	56.26	0.33	0.02		5.8	0.49	16	184	<0.5	6	4.65	7	3	96	9	1.43	<1	0.08	<10	0.3	1948	<2	0.01	2	316	171	0.38	<5	1	65	<5	<0.01	<10	<10	14	<10	730	1
9V1002RA/RJ	P09-021	131775	56.26	57.26	1.00	0.07		25.6	1.91	48	139	<0.5	22	6.53	10	13	21	19	4.72	<1	0.22	<10	1.26	3491	<2	0.02	2	1326	247	1.05	5	4	121	<5	<0.01	10	<10	59	<10	1057	2
9V1002RA/RJ	P09-021	131776	57.26	58.00	0.74	0.09		0.5	1.93	84	230	<0.5	22	3.61	2	15	17	3	5.15	<1	0.24	<10	1.35	2806	<2	0.02	2	1441	23	1.17	<5	4	71	<5	<0.01	<10	<10	56	<10	161	2
9V1002RA/RJ	P09-021	131777	58.00	59.50	1.50	0.26		1.1	1.64	191	148	<0.5	23	3.98	6	15	19	7	5.17	<1	0.24	<10	1.12	2835	<2	0.02	2	1386	128	2.03	<5	4	83	<5	<0.01	<10	<10	49	<10	534	2
9V1002RA/RJ	P09-021	131778	59.50	61.00	1.50	0.22		0.7	1.91	83	142	<0.5	23	3.37	2	15	17	12	5.46	<1	0.24	<10	1.24	2394	<2	0.02	1	1528	28	1.36	<5	4	77	<5	<0.01	<10	<10	52	<10	114	2
9V1002RA/RJ	P09-021	131779	61.00	62.50	1.50	0.84		1.2	1.5	117	130	<0.5	22	5.56	5	14	20	11	5	<1	0.23	<10	1	3199	<2	0.01	1	1310	116	1.92	<5	3	134	<5	<0.01	<10	<10	40	<10	404	2
9V1002RA/RJ	P09-021	131780	62.50	64.00	1.50	0.3		1.8	1.66	89	131	<0.5	21	5.09	2	13	18	40	4.54	<1	0.23	<10	1.1	3055	<2	0.01	2	1292	236	1.31	<5	3	135	<5	<0.01	<10	<10	40	<10	142	2
9V1002RA/RJ	P09-021	131781	64.00	65.50	1.50	0.09		0.9	1.75	100	126	<0.5	21	4.1	2	15	16	16	4.87	<1	0.22	<10	1.28	2199	<2	0.01	1	1410	19	1.22	<5	3	119	<5	<0.01	<10	<10	37	<10	91	2
9V1002RA/RJ	P09-021	131782	65.50	67.00	1.50	0.04		0.6	1.98	52	172	<0.5	23	3.45	2	16	13	12	5.07	<1	0.24	<10	1.42	1849	<2	0.01	1	1467	9	0.91	<5	4	107	<5	<0.01	<10	<10	44	<10	96	2
9V1002RA/RJ	P09-021	131783	67.00	68.50	1.50	0.09		0.4	1.98	56	178	<0.5	23	4.1	2	16	12	<1	5.33	<1	0.23	<10	1.42	1887	<2	0.01	1	1490	7	0.94	<5	4	118	<5	<0.01	<10	<10	43	<10	100	2
9V1002RA/RJ	P09-021	131784	68.50	70.00	1.50	0.02		0.4	1.86	46	178	<0.5	22	4.74	2	15	13	5	5.06	<1	0.26	<10	1.44	2179	<2	0.01	1	1510	8	0.69	<5	4	122	<5	<0.01	<10	<10	40	<10	102	2
9V1002RA/RJ	P09-021	131785	70.00	71.25	1.25	0.01		0.1	1.68	5	96	<0.5	20	3.91	2	16	46	21	4.55	<1	0.2	17	1.68	1361	<2	0.02	12	2110	15	0.38	<5	5	141	<5	<0.01	10	<10	52	<10	110	2
9V1002RA/RJ	P09-021	131786	BLANK			<0.01		<0.1	0.03	<5	<10	<0.5	<5	>15.00	<1	<1	2	1	0.04	<1	0.01	<10	4.14	84	<2	0.01	1	112	<2	0.73	<5	<1	3864	<5	<0.01	<10	<10	1	<10	<1	<1
9V1002RA/RJ	P09-021	131787	STD	PM 427		3.7		1.4	1.23	5931	67	0.7	142	5.25	3	92	31	245	4.03	1	0.17	<10	0.41	701	27	0.05	53	770	15	0.79	10	3	53	<5	0.1	<10	<10	50	<10	70	11
9V1002RA/RJ	P09-021	131788	71.25	72.25	1.00	<0.01		0.3	1.45	8	123	0.5	19	3.45	3	17	53	19	4.21	1	0.24	24	1.77	1222	<2	0.03	17	2496	27	0.2	<5	5	186	<5	<0.01	10	<10	50	<10	103	3
9V1002RA/RJ	P09-021	131789	72.25	73.75	1.50	0.09		1.2	0.51	47	97	0.5	18	3.76	3	14	24	23	3.99	<1	0.33	11	1.12	2182	3	0.01	4	1571	18	0.75	<5	5	258	<5	<0.01	<10	<10	19	<10	83	2
9V1002RA/RJ	P09-021	131790	73.75	75.25	1.50	0.27		2.1	0.47	202	113	0.5	25	3.45	5	16	23	2	5.33	<1	0.34	<10	1.15	2645	<2	0.01	1	1369	48	1.86	<5	5	215	<5	<0.01	<10	<10	21	<10	172	2
9V1002RA/RJ	P09-021	131791	75.25	76.75	1.50	0.02		1.4	0.62	60	455	0.5	20	3.15	4	15	20	33	4.55	<1	0.35	<10	1.14	2803	10	0.01	1	1417	33	0.61	<5	5	180	<5	<0.01	<10	<10	23	<10	165	2
9V1002RA/RJ	P09-021	131792	76.75	78.03	1.28	0.06		1	1.14	67	157	<0.5	21	3.99	4	16	20	6	4.7	<1	0.34	<10	1.22	3084	<2	0.01	2	1360	60	0.88	<5	5	207	<5	<0.01	<10	<10	31	<10	159	2

P09-022 - S1 - PAD 10 - 436519E 6219484N, Elev: 1003m, Az: NA, Dip: -90, EOH: 102.74m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1002RA/RJ	P09-022	131793	0.00	1.50	1.50	<0.01		0.3	1.5	44	262	<0.5	17	4.45	2	11	22	5	4.07	<1	0.28	12	1.02	1437	<2	0.01	5	1825	6	1.08	<5	4	142	<5	<0.01	<10	<10	33	<10	77	2
9V1002RA/RJ	P09-022	131794	1.50	3.00	1.50	<0.01		0.1	1.71	114	177	<0.5	18	4.22	2	12	19	4	4.13	<1	0.27	<10	0.88	1270	<2	0.01	1	1271	4	1.03	6	3	91	<5	<0.01	<10	<10	31	<10	77	2
9V1002RA/RJ	P09-022	131795	3.00	4.50	1.50	<0.01		<0.1	2.08	24	212	<0.5	19	3.75	2	14	17	<1	4.48	<1	0.3	11	0.96	1226	<2	0.01	1	1616	<2	0.36	<5	4	100	<5	<0.01	<10	<10	37	<10	94	2
9V1002RA/RJ	P09-022	131796	4.50	6.00	1.50	<0.01		<0.1	2.35	41	189	<0.5	23	3.34	2	16	15	1	5.1	<1	0.3	10	1.15	1499	<2	0.01	1	1670	3	0.35	<5	4	93	<5	<0.01	<10	<10	42	<10	101	2
9V1002RA/RJ	P09-022	131797	6.00	7.50	1.50	<0.01		0.6	1.98	80	193	<0.5	19	4.99	2	12	23	2	4.35	<1	0.3	<10	1.01	2061	<2	0.01	2	1721	9	0.73	<5	4	146	<5	<0.01	<10	<10	37	<10	93	2
9V1002RA/RJ	P09-022	131798	7.50	9.00	1.50	0.03		0.5	1.67	59	185	<0.5	18	3.63	2	11	21	6	4.07	<1	0.28	<10	0.81	1742	<2	0.01	1	1531	6	0.73	<5	3	106	<5	<0.01	<10	<10	35	<10	112	2
9V1002RA/RJ	P09-022	131799	9.00	10.50	1.50	<0.01		0.5	1.99	82	220	<0.5	20	4.49	2	14	22	5	4.58	<1	0.32	<10	0.98	2024	<2	0.01	1	1740	9	0.72	<5	4	139	<5	<0.01	<10	<10	40	<10	89	2
9V1002RA/RJ	P09-022	131800	10.50	12.00	1.50	<0.01		0.2	1.85	33	201	<0.5	19	4.59	2	12	18	<1	4.12	<1	0.3	<10	0.88	1548	<2	0.01	1	1673	5	0.51	<5	4	178	<5	<0.01	<10	<10	36	<10	84	2
9V1002RA/RJ	P09-022	131801	12.00	13.50	1.50	<0.01		1	1.89	43	195	<0.5	19	3.63	2	14	22	41	4.4	<1	0.3	10	0.94	1737	<2	0.01	1	1719	7	0.72	<5	4	106	<5	<0.01	<10	<10	39	<10	113	2
9V1002RA/RJ	P09-022	131802	13.50	15.00	1.50	0.19		6.8	1.41	109	190	<0.5	15	4.36	3	12	26	18	3.71	<1	0.28	<10	0.65	2180	<2	0.01	1	1324	198	1.07	<5	3	125	<5	<0.01	<10	<10	26	<10	208	2
9V1002RA/RJ	P09-022	131803	15.00	16.50	1.50	0.12		5.4	1.01	91	193	<0.5	16	2.33	10	10	51	35	3.48	<1	0.28	<10	0.42	2083	<2	0.01	2	1165	235	1.69	6	2	77	<5	<0.01	<10	<10	25	<10	1006	2
9V1002RA/RJ	P09-022	131804	16.50	18.00	1.50	0.36		3.5	1.4	82	199	<0.5	18	3.17	7	11	31	37	3.91	<1	0.33	<10	0.58	3202	<2	0.01	2	1310	211	1.22	<5	2	92	<5	<0.01	<10	<10	33	<10	678	2
9V1002RA/RJ	P09-022	131805	18.00	19.50	1.50	0.26		3.2	1.63	55	217	<0.5	16	2.35	8	12	38	88	3.68	<1	0.35	<10	0.73	2645	<2	0.01	2	1400	244	0.64	<5	3	79	<5	<0.01	<10	<10	36	<10	775	2
9V1002RA/RJ	P09-022	131806	19.50	20.37	0.87	0.16		1.1	1.59	18	181	<0.5	15	2.32	4	11	32	20	3.44	<1	0.31	<10	0.75	2454	4	0.01	2	1323	129	0.42	<5	3	53	<5	<0.01	<10	<10	32	<10	458	2
9V1002RA/RJ	P09-022	131807	20.37	21.62	1.25	<0.01		<0.1	2.7	8	698	0.6	25	4.14	3	25	93	16	5.88	<1	0.14	33	2.33	1881	<2	0.05	24	3387	8	0.31	<5	6	121	<5	0.06	13	<10	87	<10	209	7
9V1002RA/RJ	P09-022	131808	21.62	22.50	0.88	<0.01		0.9	1.97	12	427	<0.5	18	2.48	2	13	31	30	3.97	<1	0.31	10	1.02	2596	<2	0.01	2	1395	38	0.26	<5	3	59	<5	<0.01	<10	<10	37	<10	264	2
9V1002RA/RJ	P09-022	131809	22.50	24.00	1.50	0.34		3	1.54	36	158	<0.5	14	1.97	8	10	31	93	3.38	<1	0.28	<10	0.8	2668	<2	0.01	2	1062	326	0.58	<5	2	51	<5	<0.01	<10	<10	31	<10	816	2
9V1002RA/RJ	P09-022	131810	24.00	25.50	1.50	1.15		4	1.63	57	193	<0.5	16	0.68	4	11	35	183	3.87	<1	0.31	<10	0.88	2675	<2	0.01	2	1278	157	0.98	5	3	24	<5	<0.01	<10	<10	32	<10	456	2
9V1002RA/RJ	P09-022	131811	25.50	26.75	1.25	0.13		2.8	1.74	56	300	<0.5	16	1.31	4	11	21	89	3.81	<1	0.52	10	0.86	2999	<2	0.01	2	1382	139	0.92	<5	3	36	<5	0.01	<10	<10	38	<10	323	2
9V1002RA/RJ	P09-022	131812	26.75	27.28	0.53	0.04		0.7	2.06	38	268	0.5	18	2.01	2	15	66	21	4.42	<1	0.24	19	1.61	1886	<2	0.04	17	2250	39	0.64	<5	5	94	<5	0.03	<10	<10	73	<10	162	5
9V1002RA/RJ	P09-022	131813	BLANK		0.00	0.01		<0.1	0.03	<5	<10	<0.5	<5	>15.00	<1	<1	3	1	0.04	<1	0.01	<10	2.45	67	<2	0.01	1	72	<2	0.68	<5	<1	4208	<5	<0.01	<10	<10	1	<10	3	<1
9V1002RA/RJ	P09-022	131814	STD	PM 405	0.00	0.3		0.7	0.55	701	1272	0.5	13	0.6	2	8	52	31	3	1	0.14	15	0.3	417	5	0.01	29	950	137	0.2	555	4	202	6	<0.01	<10	<10	55	<10	212	12
9V1002RA/RJ	P09-022	131815	27.28	28.50	1.22	0.01		<0.1	2.07	11	1371	1.3	22	3.37	3	25	88	19	4.98	<1	0.06	39	2.29	1166	<2	0.04	39	4310	5	0.25	<5	6	233	<5	0.18	15	<10	108	<10	121	11
9V1002RA/RJ	P09-022	131816	28.50	30.00	1.50	0.01		<0.1	2.13	9	915	1.7	21	3.31	2	26	90	20	5.14	<1	0.07	36	2.46	910	<2	0.04	42	4274	4	0.21	<5	6	202	<5	0.25	14	<10	101	<10	100	15
9V1002RA/RJ	P09-022	131817	30.00	31.50	1.50	0.01		<0.1	1.92	10	389	1.6	20	2.89	3	25	90	17	4.74	<1	0.07	34	2.23	900	<2	0.05	40	4230	3	0.19	<5	5	175	<5	0.22	13	<10	95	<10	92	15
9V1002RA/RJ	P09-022	131818	31.50	32.47	0.97	0.02		<0.1	2.1	6	1489	0.9	21	3.13	3	23	88	21	4.99	<1	0.08	41	2.3	914	<2	0.03	40	4254	4	0.22	<5	5	256	<5	0.1	14	<10	100	<10	104	9
9V1002RA/RJ	P09-022	131819	32.47	33.47	1.00	0.41		2.2	0.68	24	199	<0.5	11	1.89	21	7	69	26	2.62	<1	0.2	<10	0.6	1734	<2	0.01	3	770	89	1.05	<5	2	82	<5	<0.01	<10	<10	17	<10	1832	2
9V1002RA/RJ	P09-022	131820	33.47	34.51	1.04	0.46		1.4	0.28	24	136	<0.5	6	1.78	6	5	115	23	1.54	<1	0.15	<10	0.27	978	<2	0.01	3	419	46	0.77	<5	1	51	<5	<0.01	<10	<10	7	<10	545	1
9V1002RA/RJ	P09-022	131821	34.51	36.00	1.49	0.01		<0.1	2.11	6	1702	0.7	22	3.32	3	23	91	20	5.07	<1	0.09	50	2.26	891	<2	0.04	42	4390	6	0.23	<5	6	276	<5	0.08	17	<10	105	<10	107	8
9V1002RA/RJ	P09-022	131822	36.00	37.50	1.50	<0.01		<0.1	2.07	8	369	1.8	22	3.11	3	26	95	23	5.04	<1	0.08	37	2.4	825	<2	0.04	42	4230	3	0.17	<5	6	195	<5	0.26	14	<10	99	<10	93	15
9V1002RA/RJ	P09-022	131823	37.50	39.00	1.50	0.01		<0.1	2.1	10	399	2	22	3.1	3	27	100	23	5.11	<1	0.08	35	2.46	874	<2	0.05	45	4425	3	0.19	<5	6	228	<5	0.28	14	<10	101	<10	94	16
9V1002RA/RJ	P09-022	131824	39.00	40.50	1.50	0.01		<0.1	2.09	8	349	2	21	2.98	2	27	105	20	5.17	<1	0.08	33	2.45	872	<2	0.04	42	4344	5	0.16	<5	6	217	<5	0.27	14	<10	102	<10	96	17
9V1002RA/RJ	P09-022	131825	40.50	42.00	1.50	0.56		<0.1	2.03	9	300	1.9	20	2.87	3	26	100	22	4.98	<1	0.08	34	2.37	858	<2	0.05	42	3726	4	0.15	<5	5	382	<5	0.28	13	<10	92	<10	95	16
9V1002RA/RJ	P09-022	131826	42.00	43.51	1.51	0.01		<0.1	2.13	8	942	1.9	21	3.15	2	25	87	24	5.13	<1	0.07	40	2.45	987	<2	0.04	41	3610	8	0.17	<5	6	357	<5	0.27	15	<10	104	<10	111	16
9V1002RA/RJ	P09-022	131827	43.51	43.83	0.32	0.07		0.4	2.23	20	689	2.1	20	3.13	23	24	80	41	4.91	1	0.06	32	2.44	1240	<2	0.04	35	3337	23	0.44	<5	7	298	<5	0.3	13	<10	105	<10	1787	19
9V1002RA/RJ	P09-022	131828	43.83	45.00	1.17	0.21		2.9	2.14	96	216	<0.5	19	1.4	10	12	27	18	4.43	<1	0.68	<10	1.46	1923	<2	0.02	3	1274	443	1.19	<5	7	72	<5	0.04	<10	<10	81	<10	876	3
9V1002RA/RJ	P09-022	131829	45.00	45.25	0.25	146		306.3	1.59	217	162	<0.5	17	1.13	39	14	32	32	3.72	1	0.72	<10	0.99	1881	<2	0.02	2	1373	1305	1.76	<5	5	44	<5	0.01	<10	<10	58	<10	2836	2
9V1002RA/RJ	P09-022	131830	45.25	46.00	0.75	0.59		6.1	2.11	266	89	<0.5	25	1.05	13	20	23	26	5.73	<1	0.83	<10	1.35	2164	<2	0.02	2	1344	1576	2.6	<5	6	43	<5	0.02	<10	<10	63	<10	1142	2
9V1002RA/RJ	P09-022	131831	46.00	47.00	1.00	6.48		4	2.46	143	336	<0.5	22	1.2	34	14	21	61	4.86	<1	0.44	<10	1.79	2822	<2	0.02	2	1428	1499	1.18	<5	6	52	<5	0.01	<10	<10	99	<10	2591	2
9V1002RA/RJ	P09-022	131832	47.00	48.00	1.00	2.33		4.3	2.2	229	117	<0.5	26	2.29	43	15	21	43	5.65	<1	0.28	<10	1.53	3407	<2	0.01	2	1365	1302	2.22	<5	5	74	<5	0.01	<10	<10	86	<10	3006	2
9V1002RA/RJ	P09-022	131833	48.00	49.00	1.00	0.3		5.1	2.28	184	137	<0.5	27	2.05	84	16	23	70	5.59	1	0.22	<10	1.66	3387	<2	0.02	2	1327	1044	1.88	<5	5	66	<5	0.01	<10	<10	85	<10	4212	2
9V1002RA/RJ	P09-022	131834	BLANK		0.00	0.02		<0.1	0.03	<5	<10	<0.5	<5	>15.00	<1	<1	2	1	0.04	<1	0.01	<10	4.84	80	<2	0.01	1	182	<2	0.61	<5	<1	2897	<5	<0.01	<10	<10	1	<10	22	<1
9V1002RA/RJ	P09-022	131835	STD	PM 427	0.00	3.68		1.5	1.41	6375	71	0.8	152	5.94	3	97	34	255	4.43	<1	0.19	<10	0.44	810	27	0.06	55	846	18	0.86	11	3	61	<5	0.12	<10	<10	55	<10	77	12

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1002RA/RJ	P09-022	131836	49.00	50.00	1.00	0.36		5.6	1.93	238	147	<0.5	23	2.22	45	14	31	65	4.77	<1	0.21	<10	1.49	3097	<2	0.01	2	1241	426	1.78	<5	5	71	<5	0.01	<10	<10	83	<10	3128	2
9V1002RA/RJ	P09-022	131837	50.00	51.00	1.00	0.39		2.3	1.81	249	132	<0.5	23	1.34	20	14	31	14	5.29	<1	0.19	<10	1.35	2579	<2	0.01	2	1200	460	2.15	<5	4	52	<5	0.01	<10	<10	75	<10	1694	2
9V1002RA/RJ	P09-022	131838	51.00	51.58	0.58	0.46		4.2	1.61	222	131	<0.5	21	1.49	26	10	47	54	4.56	<1	0.22	<10	1.1	2725	<2	0.01	2	1100	643	1.95	<5	4	57	<5	<0.01	<10	<10	67	<10	2196	2
9V1002RA/RJ	P09-022	131839	51.58	52.00	0.42	0.19		2.1	1.71	116	100	<0.5	19	1.2	38	10	43	71	4.05	<1	0.16	<10	1.21	2856	<2	0.01	2	930	249	1.15	<5	4	39	<5	<0.01	<10	<10	66	<10	3063	2
9V1002RA/RJ	P09-022	131840	52.00	53.00	1.00	0.28		6.4	1.88	203	136	<0.5	23	1.78	77	15	41	168	4.76	1	0.22	<10	1.29	3112	3	0.01	2	1173	1022	1.71	<5	5	77	<5	<0.01	<10	<10	73	<10	4319	2
9V1002RA/RJ	P09-022	131841	53.00	54.00	1.00	0.5		4.7	1.64	200	117	<0.5	22	2.39	35	17	39	83	4.58	<1	0.25	<10	1.16	3362	<2	0.01	2	1028	1498	1.73	<5	5	83	<5	<0.01	<10	<10	67	<10	2752	2
9V1002RA/RJ	P09-022	131842	54.00	55.00	1.00	0.11		3.8	1.73	201	91	<0.5	22	1.62	17	15	27	25	4.81	<1	0.26	<10	1.4	3348	<2	0.01	2	1158	695	1.38	<5	5	73	<5	<0.01	<10	<10	71	<10	1585	2
9V1002RA/RJ	P09-022	131843	55.00	56.55	1.55	0.12		6.7	1.91	113	200	<0.5	20	2.96	12	14	31	37	4.5	<1	0.28	<10	1.32	3200	<2	0.01	2	1212	407	0.89	<5	6	93	<5	<0.01	<10	<10	65	<10	1271	2
9V1002RA/RJ	P09-022	131844	56.55	56.82	0.27	<0.01		<0.1	2.1	<5	1225	0.5	23	3.46	3	23	89	8	4.9	<1	0.06	51	2.19	1569	<2	0.05	44	4108	22	0.28	<5	7	342	<5	0.04	17	<10	93	<10	190	6
9V1002RA/RJ	P09-022	131845	56.82	58.00	1.18	0.08		1.2	2.05	83	207	<0.5	23	1.91	9	14	28	17	4.77	<1	0.22	11	1.4	2852	<2	0.01	4	1430	249	1.07	<5	6	81	<5	0.01	<10	<10	82	<10	735	3
9V1002RA/RJ	P09-022	131846	58.00	59.00	1.00	0.77		4	2.03	128	144	<0.5	23	1.28	38	14	31	97	4.95	<1	0.2	<10	1.43	3027	<2	0.01	2	1265	1367	1.63	<5	5	58	<5	0.01	<10	<10	82	<10	2907	2
9V1002RA/RJ	P09-022	131847	59.00	59.92	0.92	0.17		1.6	2.23	48	98	<0.5	22	1.54	14	14	42	27	4.58	<1	0.22	<10	1.48	3243	<2	0.01	2	1257	376	0.69	<5	5	80	<5	<0.01	<10	<10	72	<10	1290	2
9V1002RA/RJ	P09-022	131848	59.92	61.50	1.58	0.11		3.1	2.05	88	143	<0.5	22	2.27	12	14	27	109	4.98	<1	0.26	<10	1.44	3291	<2	0.01	2	1367	583	1.26	<5	5	93	<5	<0.01	<10	<10	73	<10	1040	2
9V1002RA/RJ	P09-022	131849	61.50	63.00	1.50	0.08		1.7	2.09	77	136	<0.5	23	2.52	14	16	25	11	5.2	<1	0.26	<10	1.47	3139	<2	0.02	2	1424	705	1.36	<5	5	86	<5	<0.01	<10	<10	73	<10	1303	2
9V1002RA/RJ	P09-022	131850	63.00	64.50	1.50	0.39		4.7	1.39	299	101	<0.5	22	2.95	39	14	53	57	4.62	<1	0.26	<10	0.9	2989	3	0.01	3	1133	881	2.38	<5	4	94	<5	<0.01	<10	<10	47	<10	2859	2
9V1002RA/RJ	P09-022	131851	64.50	66.00	1.50	0.15		2.2	1.94	202	119	<0.5	23	1.64	13	16	22	13	5.16	<1	0.26	<10	1.34	2743	<2	0.01	3	1501	568	1.72	<5	4	57	<5	<0.01	<10	<10	67	<10	1020	2
9V1002RA/RJ	P09-022	131852	66.00	67.50	1.50	0.17		1.8	1.64	240	104	<0.5	22	1.71	25	14	28	30	4.69	<1	0.28	<10	1.13	2626	<2	0.01	2	1441	518	1.98	<5	4	67	<5	<0.01	<10	<10	61	<10	2029	2
9V1002RA/RJ	P09-022	131853	67.50	69.00	1.50	0.16		1.1	1.7	185	122	<0.5	21	2.81	8	11	34	6	4.47	1	0.23	<10	1.19	3089	<2	0.01	2	1249	67	1.56	<5	4	76	<5	<0.01	<10	<10	69	<10	713	2
9V1002RA/RJ	P09-022	131854	69.00	70.50	1.50	0.09		1.6	1.68	104	160	<0.5	21	2.48	14	14	27	20	4.43	<1	0.24	<10	1.26	2547	<2	0.01	2	1356	254	1.33	<5	4	76	<5	<0.01	<10	<10	57	<10	1244	2
9V1002RA/RJ	P09-022	131855	70.50	72.00	1.50	0.1		1.2	1.48	128	119	<0.5	21	3.7	5	14	22	9	4.7	<1	0.27	<10	1.24	3044	<2	0.01	3	1333	90	1.54	<5	5	148	<5	<0.01	<10	<10	48	<10	313	2
9V1002RA/RJ	P09-022	131856	72.00	73.50	1.50	0.25		2.4	1.38	93	156	<0.5	21	4.24	13	17	19	24	4.63	<1	0.31	<10	1.46	3453	<2	0.01	5	1454	560	1.04	<5	6	228	<5	<0.01	<10	<10	46	<10	1182	2
9V1002RA/RJ	P09-022	131857	73.50	75.00	1.50	0.22		1.3	1.62	94	123	<0.5	22	3.71	9	13	26	8	4.83	<1	0.29	<10	1.33	3452	2	0.01	2	1286	282	1.04	<5	6	261	<5	<0.01	<10	<10	47	<10	677	2
9V1002RA/RJ	P09-022	131858	75.00	76.50	1.50	0.13		0.9	2.19	66	223	<0.5	24	2.93	6	13	25	<1	5.27	<1	0.24	<10	1.48	4073	<2	0.01	3	1376	57	0.92	<5	6	152	<5	<0.01	<10	<10	68	<10	449	2
9V1002RA/RJ	P09-022	131859	76.50	78.00	1.50	0.48		0.9	2.23	70	129	<0.5	25	2.78	5	14	31	<1	5.22	<1	0.26	<10	1.46	3881	<2	0.01	4	1437	86	1.03	<5	5	129	<5	0.01	<10	<10	73	<10	357	2
9V1002RA/RJ	P09-022	131860	78.00	79.50	1.50	0.09		2.1	2.18	106	167	<0.5	24	2.39	21	17	20	7	4.98	<1	0.21	<10	1.49	3276	<2	0.01	3	1388	901	1.16	<5	5	119	<5	<0.01	<10	<10	83	<10	1924	2
9V1002RA/RJ	P09-022	131861	79.50	81.21	1.71	0.06		1.3	2.07	78	182	<0.5	23	3.54	10	16	25	11	4.93	<1	0.23	<10	1.54	3379	<2	0.01	4	1301	135	1.14	<5	5	200	<5	0.01	<10	<10	73	<10	837	2
9V1002RA/RJ	P09-022	131862	81.21	81.70	0.49	0.02		<0.1	2.08	13	130	2	21	2.65	3	29	71	9	4.51	<1	0.13	15	2.02	1225	<2	0.08	38	1892	6	0.33	<5	7	84	<5	0.27	<10	<10	91	<10	111	15
9V1002RA/RJ	P09-022	131863	81.70	82.50	0.80	0.36		3.9	1.33	130	136	0.5	17	3.88	46	13	45	41	3.49	<1	0.27	<10	0.91	2251	<2	0.02	5	1090	887	1.67	<5	4	143	<5	0.05	<10	<10	48	<10	3482	5
9V1002RA/RJ	P09-022	131864	82.50	84.00	1.50	0.79		2.6	1.13	130	114	<0.5	15	3.67	11	9	47	22	3.39	<1	0.16	<10	0.76	2151	<2	0.01	2	810	142	1.45	<5	3	70	<5	0.02	<10	<10	51	<10	952	2
9V1002RA/RJ	P09-022	131865	84.00	85.43	1.43	0.4		2	1.32	151	75	0.5	19	4.22	14	13	52	25	4.13	<1	0.17	<10	0.87	1855	<2	0.02	4	865	52	1.98	<5	4	82	<5	0.07	<10	<10	50	<10	1219	3
9V1002RA/RJ	P09-022	131866	85.43	86.58	1.15	0.87		1.6	1.48	75	66	2	19	3.25	19	24	66	46	3.83	1	0.14	10	1.4	1304	<2	0.06	24	1691	151	1.09	<5	5	75	<5	0.28	<10	<10	73	<10	1535	10
9V1002RA/RJ	P09-022	131867	86.58	88.08	1.50	0.01		<0.1	1.79	25	49	2.1	20	2.06	2	26	69	19	4.14	<1	0.06	15	1.86	906	<2	0.07	32	2083	16	0.2	<5	5	66	<5	0.3	10	<10	93	<10	112	14
9V1002RA/RJ	P09-022	131868	88.08	89.58	1.50	0.01		<0.1	1.87	23	616	2.5	22	3.36	3	33	85	19	5.09	<1	0.05	19	2.3	694	<2	0.06	45	2621	54	0.25	<5	6	99	<5	0.39	12	<10	100	<10	122	17
P09-023 - S1 - PAD 10 - 436519E 6219484N, Elev: 1003m, Az: 090, Dip: -60, EOH: 142.07m																																									
9V1030RA/RJ	P09-023	131869	0.00	1.50	1.50	<0.01		<0.1	1.81	207	171	<0.5	22	3.95	3	12	16	3	4.99	1	0.27	<10	0.95	1331	<2	0.01	<1	1312	11	1.62	16	3	87	<5	<0.01	<10	11	30	<10	87	2
9V1030RA/RJ	P09-023	131870	1.50	3.00	1.50	<0.01		<0.1	2.19	13	211	<0.5	20	3.63	3	13	13	1	4.94	<1	0.33	12	1.07	1292	<2	0.01	<1	1611	6	0.23	10	4	99	<5	<0.01	<10	<10	40	<10	95	2
9V1030RA/RJ	P09-023	131871	3.00	4.50	1.50	<0.01		<0.1	2.13	17	221	<0.5	21	4.21	3	12	9	5	5.03	<1	0.34	11	0.99	1782	<2	0.01	<1	1471	6	0.29	9	4	125	<5	<0.01	<10	10	38	<10	85	2
9V1030RA/RJ	P09-023	131872	4.50	6.00	1.50	<0.01		<0.1	1.87	97	287	<0.5	20	3.47	2	12	13	2	4.47	<1	0.31	<10	1.05	1497	<2	0.01	<1	1540	9	0.91	8	3	79	<5	<0.01	<10	<10	34	<10	76	2
9V1030RA/RJ	P09-023	131873	6.00	7.50	1.50	0.01		<0.1	2.27	71	191	<0.5	21	4.11	3	13	10	6	5.05	<1	0.29	10	1.42	2063	<2	0.01	<1	1662	13	0.78	11	3	86	<5	<0.01	<10	10	39	<10	220	2
9V1030RA/RJ	P09-023	131874	7.50	9.00	1.50	0.01		<0.1	1.89	38	220	<0.5	18	5.04	2	10	11	5	4.32	1	0.35	10	0.94	1953	<2	0.01	<1	1559	7	0.44	8	3	138	<5	<0.01	<10	<10	34	<10	85	1
9V1030RA/RJ	P09-023	131875	9.00	10.50	1.50	<0.01		<0.1	1.94	28	246	<0.5	19	5.62	2	12	8	1	4.57	1	0.38	10	0.92	1836	<2	0.01	<1	1724	9	0.61	10	4	155	<5	<0.01	<10	<10	37	<10	88	2
9V1030RA/RJ	P09-023	131876	10.50	12.00	1.50	<0.01		<0.1	1.73	56	252	<0.5	17	4.53	2	11	7	11	4.21	1	0.32	10	0.82	1870	<2	0.01	<1	1483	10	0.69	8	4	124	<5	<0.01	<10	<10	31	<10	75	1
9V1030RA/RJ	P09-023	131877	12.00	13.50	1.50	0.04		9.2	1.62	68	227	<0.5	16	5.19	4	11	12	10	4.1	1	0.33	<10	0.76	2312	<2	0.01	<1	1366	87	1.14	8	3	118	<5	<0.01	<10	12	30	<10	305	1
9V1030RA/RJ	P09-023	131878	13.50	15.00	1.50	0.13		6.3	0.78	104	133	<0.5	14	3.21	7	9	26	19	3.36	<1	0.36	<10	0.23	1324	<2	0.01	<1	1097	145	2.49	7	2	66	<5	<0.01	<10	<10	20	<10	514	1
9V1030RA/RJ	P09-023	131879	15.00	15.51	0.51	0.09		3.5	0.51	137	124	<0.5	11	9.8	6	9	29	19	2.74	1	0.28	<10	0.14	3246	<2	0.01	<1	899	113	2.49	7	2	143	<5	0.01	<10	17	15	<10	390	2
9V1030RA/RJ	P09-023	131880	15.51	16.50	0.99	<0.01		<0.1	2.12	15	553	2.2	23	2.89	3	30	100	24	5.46	<1	0.05	33	2.43	946	<2	0.08	51	4553	13	0.21	15	5	167	6	0.34	12	<10	104	<10	125	18
9V1030RA/RJ	P09-023	131881	16.50	18.00	1.50	<0.01		<0.1	2.18	14	194	2.2	26	3.07	3	32	112	29	5.67	<1	0.06	31	2.55	942	<2	0.09	54	4818	16	0.17	16	5	185	5	0.35	12	<10	106	<10	112	18
9V1030RA/RJ	P09-023	131882	18.00	19.64	1.64	<0.01		<0.1	2.18	13	195	2.2	24	2.97	3	31	111	28	5.69	<1	0.05	35	2.58	889	<2	0.07	52	4764	14	0.12	15	6	160	5	0.36	10	<10	109	<10	108	18
9V1030RA/RJ	P09-023	131883	19.64	21.00	1.36	0.03		<0.1	2.23	34	301	1.6	21	2.79	4	21	59	13	4.97	1	0.4	15	1.7	1335	<2	0.03	11	2140	100	0.71	13	6	81	<5	0.24	<10	<10	77	<10	262	9
9V1030RA/RJ	P09-023	131884	21.00	21.54	0.54	0.01		<0.1	2.37	36	388	<0.5	22	1.46	4	13	22	5	5.17	1	0.45	10	1.42	2552	<2	0.02	<1	1428	59	0.65	8	4	44	<5	0.01	<10	11	51	<10	402	2
9V1030RA/RJ	P09-023	131885	21.54	22.50	0.96	0.43		0.8	1.4	28	161	<0.5	21	3.52	3	12	20	74	4.79	1	0.34	<10	0.74	3377	<2	0.01	<1	1419	63	2.4	9	3	81	<5	<0.01	<10	15	33	<10	294	2
9V1030RA/RJ	P09-023	131886	22.50	23.84	1.34	0.28		2.3	1.38	27	122	<0.5	21	3.13	9	14	13	72	5.01	1	0.35	<10	0.69	2531	<2	0.01	<1	1461	238	2.71	12	3	78	<5	<0.01	<10	13	25	<10	653	2
9V1030RA/RJ	P09-023	131887	23.84	24.32	0.48	0.05		2.2	0.3	209	89	<0.5	17	12.76	2	7	25	10	4.16	1	0.23	<10	0.1	3240	<2	0.01	<1	745	18	3.95	13	1	208	<5	<0.01	13	21	7	<10	89	1
9V1030RA/RJ	P09-023	131888	24.32	25.50	1.18	0.14		1.3	1.83	33	181	<0.5	21	2.04	7	14	15	54	4.82	1	0.29	10	1.02	2952	<2	0.01	<1	1413	255	1.41	11	3	81	<5	<0.01	<10	13	34	<10	586	2
9V1030RA/RJ	P09-023	131889	25.50	27.00	1.50	0.92		1.1	1.93	22	184	<0.5	23	2.8	5	13	15	55	4.84	<1	0.29	<10	0.97	3840	<2	0.01	<1	1389	116	0.99	9	3	61	<5	<0.01	<10	18	36	<10	354	2
9V1030RA/RJ	P09-023	131890	27.00	28.50	1.50	0.94		6.2	1.82	30	172	<0.5	20	1.16	62	14	19	280	4.67	2	0.28	<10	0.94	3170	<2	0.01	<1	1256	1322	1.35	9	3	31	<5	<0.01	<10	15	35	<10	4930	2
9V1030RA/RJ	P09-023	131891	28.50	30.00	1.50	1.89		18.5	0.99	185	57	<0.5	32	1.91	211	9	29	870	6.42	7	0.16	<10	0.55	2865	2	0.01	<1	632	6694	>5.00	16	1	32	<5	<0.01	<10	22	24	<10	9575	2
9V1030RA/RJ	P09-023	131892	30.00	31.19	1.19	0.38		7.6	1.35	290	97	<0.5	25	0.88	22	10	27	85	5.82	5	0.22	<10	0.75	2504	<2	0.01	<1	1019	396	3.01	32	2	29	<5	<0.01	<10	16	33	<10	1943	2
9V1030RA/RJ	P09-023	131893	31.19	33.00	1.81	0.42		5.3	0.76	267	128	<0.5	17	1.49	7	6	70	46	3.75	5	0.15	<10	0.5	2295	3	0.01	<1	543	469	2.22	28	1	34	<5	<0.01	<10	13	23	<10	612	1
9V1030RA/RJ	P09-023	131894	33.00	34.50	1.50	0.22		1.6	0.78	56	168	<0.5	14	1.51	4	7	56	7	3.04	1	0.16	<10	0.51	2472	<2	0.01	<1	689	186	1.71	7	2	44	<5	<0.01	<10	12	29	<10	275	1
9V1030RA/RJ	P09-023	131895	34.50	36.00	1.50	0.3		7.8	0.57	146	118	<0.5	14	1.48	19	7	69	46	3.15	2	0.21	<10	0.3	1567	<2	0.01	<1	667	158	2.33	20	1	31	<5	<0.01	<10	<10	17	<10	1792	1
9V1030RA/RJ	P09-023	131896	36.00	37.50	1.50	1.86		10.7	0.71	185	138	<0.5	16	5.12	11	9	71	18	3.49	2	0.15	<10	0.46	3958	3	0.01	<1	539	359	2.4	17	2	93	<5	<0.01	<10	20	23	<10	1132	1
9V1030RA/RJ	P09-023	131897	37.50	38.45	0.95	0.55		2.9	1.32	365	104	<0.5	26	1.28	6	15	44	4	5.75	1	0.23	<10	0.86	2792	<2	0.01	<1	1083	99	3.37	11	3	43	<5	<0.01	<10	18	41	<10	326	2
9V1030RA/RJ	P09-023	131898	BLANK			0.01		<0.1	0.12	<5	<10	<0.5	<5	>15.00	<1	1	7	4	0.1	<1	0.01	<10	3.37	68	<2	0.01	3	70	<2	0.75	<5	<1	4772	<5	<0.01	<10	19	3	<10	7	<1
9V1030RA/RJ	P09-023	131899	STD	PM 405		0.29		0.4	0.59	703	1525	0.5	15	0.68	4	8	58	36	3.17	2	0.14	16	0.33	466	5	0.01	31	944	151	0.22	605	4	216	8	<0.01	<10	<10	59	<10	243	13
9V1030RA/RJ	P09-023	131900	38.45	39.00	0.55	0.33		2.3	2.11	228	107	<0.5	25	1.24	69	13	22	36	5.79	4	0.29	<10	1.45	3387	<2	0.01	<1	1369	151	2.36	11	3	36	<5	<0.01	<10	18	49	<10	5829	2
9V1030RA/RJ	P09-023	131901	39.00	40.50	1.50	0.36		2.3	1.51	419	109	<0.5	23	1.61	16	14	21	15	5.34	1	0.32	<10	0.91	2766	<2	0.01	<1	1382	232	2.71	10	3	42	<5	<0.01	<10	15	34	<10	1416	2
9V1030RA/RJ	P09-023	131902	40.50	42.00	1.50	0.33		1.6	0.98	380	98	<0.5	25	2.41	12	14	38	12	5.46	1	0.31	<10	0.54	2207	2	0.01	<1	1218	94	3.79	11	2	69	<5	<0.01	<10	15	24	<10	1064	2
9V1030RA/RJ	P09-023	131903	42.00	43.50	1.50	3.35		3.7	0.69	368	58	<0.5	24	1.74	8	16	27	14	5.18	<1	0.36	<10	0.37	1345	2	0.01	<1	1319	136	4.11	11	2	98	<5	<0.01	<10	11	16	<10	547	2
9V1030RA/RJ	P09-023	131904	43.50	45.00	1.50	0.21		0.4	1.62	194	145	<0.5	20	3.86	6	14	29	14	4.68	<1	0.28	<10	1	2725	4	0.01	<1	1231	70	2	9	3	126	<5	<0.01	<10	14	36	<10	482	1
9V1030RA/RJ	P09-023	131905	45.00	46.50	1.50	0.18		0.5	1.69	159	132	<0.5	20	2.88	30	14	17	17	4.92	2	0.27	<10	1.07	2846	3	0.01	<1	1116	271	1.93	7	3	75	<5	<0.01	<10	14	43	<10	2542	1
9V1030RA/RJ	P09-023	131906	46.50	48.00	1.50	1.55		2.5	1.35	273	166	<0.5	22	3.93	28	16	20	40	5.37	1	0.38	<10	0.77	2521	3	0.01	<1	1436	680	3.03	9	3	102	<5	<0.01	<10	13	32	<10	2358	2
9V1030RA/RJ	P09-023	131907	48.00	49.50	1.50	0.22		3.1	0.53	291	99	<0.5	23	2.94	5	16	25	12	5.21	<1	0.37	<10	0.21	1284	48	0.01	<1	1238	137	4.7	15	2	90	<5	<0.01	<10	11	12	<10	286	2
9V1030RA/RJ	P09-023	131908	49.50	51.00	1.50	0.37		5.9	0.37	397	72	<0.5	29	3.46	8	17	39	15	6.36	1	0.31	<10	0.21	1356	58	0.01	<1	870	193	>5.00	21	2	130	<5	<0.01	<10	15	10	<10	458	2
9V1030RA/RJ	P09-023	131909	51.00	52.50	1.50	0.46		1.6	0.48	274	85	<0.5	20	1.24	9	17	25	21	4.79	<1	0.37	<10	0.37	950	5	0.01	<1	1359	330	3.14	8	3	52	<5	<0.01	<10	<10	15	<10	642	1
9V1030RA/RJ	P09-023	131910	52.50	54.00	1.50	0.26		0.1	1.2	204	127	<0.5	24	2.99	4	18	36	17	5.62	1	0.43	13	1.09	1218	9	0.02	9	1897	26	2.66	10	6	113	<5	<0.01	<10	<10	56	<10	147	2
9V1030RA/RJ	P09-023	131911	54.00	55.50	1.50	0.03		<0.1	1.6	8	968	<0.5	23	4.57	3	22	68	27	5.35	<1	0.28	27	2.13	1186	<2	0.03	34	3233	23	0.45	9	7	270	<5	<0.01	<10	<10	56	<10	141	3
9V1030RA/RJ	P09-023	131912	55.50	57.00	1.50	0.05		<0.1	1.1	10	799	0.5	21	4.25	3	22	38	21	5.25	<1	0.32	27	1.71	2051	<2	0.02	29	3023	19	0.51	7	9	236	5	<0.01	<10	<10	33	<10	118	2
9V1030RA/RJ	P09-023	131913	57.00	58.50	1.50	0.03		<0.1	1.01	28	193	0.7	20	2.86	4	16	14	20	4.99	1	0.55	11	1.13	2100	<2	0.02	2	1517	27	0.64	6	9	168	<5	<0.01	<10	<10	38	<10	163	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1030RA/RJ	P09-023	131914	58.50	60.00	1.50	0.11		<0.1	1.72	55	323	<0.5	21	3.69	4	19	25	21	5.42	1	0.55	13	1.5	2120	<2	0.02	9	1650	66	1.06	8	8	160	<5	<0.01	<10	<10	55	<10	218	2
9V1030RA/RJ	P09-023	131915	60.00	61.50	1.50	0.06		<0.1	2.09	28	655	<0.5	23	3.46	4	22	60	22	5.46	<1	0.25	24	2.13	1217	<2	0.03	27	2145	46	0.57	9	7	147	<5	<0.01	<10	<10	74	<10	166	3
9V1030RA/RJ	P09-023	131916	61.50	63.00	1.50	0.44		1.2	1.35	203	142	<0.5	21	3.11	12	14	21	11	4.94	1	0.36	<10	1.17	2908	<2	0.01	<1	1272	161	1.83	7	4	150	<5	<0.01	<10	12	36	<10	1031	2
9V1030RA/RJ	P09-023	131917	63.00	64.50	1.50	0.21		1.1	2.03	154	165	<0.5	25	3.66	12	17	16	16	5.76	1	0.35	<10	1.57	3383	<2	0.01	<1	1469	286	1.7	8	5	144	<5	<0.01	<10	14	54	<10	1031	2
9V1030RA/RJ	P09-023	131918	64.50	66.00	1.50	0.2		1.5	2.32	149	152	<0.5	28	2.03	12	16	16	11	5.42	<1	0.37	<10	1.49	2983	<2	0.01	<1	1303	414	1.58	8	5	79	<5	<0.01	<10	13	56	<10	1196	2
9V1030RA/RJ	P09-023	131919	66.00	67.50	1.50	0.47		12.8	1.67	180	224	<0.5	19	3.95	32	12	20	37	4.41	1	0.28	<10	0.96	3387	<2	0.01	<1	1115	1006	1.45	9	4	130	<5	<0.01	<10	15	48	<10	3016	1
9V1030RA/RJ	P09-023	131920	67.50	69.00	1.50	0.35		1	2.16	99	204	<0.5	24	3.32	9	14	13	10	5.2	1	0.27	<10	1.34	3350	<2	0.01	<1	1304	415	1	7	5	117	<5	<0.01	<10	15	61	<10	899	2
9V1030RA/RJ	P09-023	131921	69.00	70.50	1.50	0.2		1.3	2.12	237	134	<0.5	29	2.55	7	16	14	12	5.7	<1	0.3	<10	1.39	3318	<2	0.02	<1	1333	199	2.03	9	5	98	<5	<0.01	<10	17	71	<10	643	2
9V1030RA/RJ	P09-023	131922	70.50	72.00	1.50	0.15		1.1	2.08	108	233	<0.5	22	2.59	17	13	18	6	5.02	1	0.22	<10	1.46	3630	<2	0.02	<1	1254	283	1.03	9	5	108	<5	<0.01	<10	16	72	<10	1513	2
9V1030RA/RJ	P09-023	131923	72.00	73.50	1.50	0.07		0.1	1.87	64	276	<0.5	23	3.02	4	17	23	11	5.02	<1	0.28	10	1.46	2762	<2	0.02	8	1626	168	0.79	9	5	153	<5	<0.01	<10	11	53	<10	216	2
9V1030RA/RJ	P09-023	131924	73.50	74.90	1.40	0.47		3.7	2.04	111	237	<0.5	23	2.43	15	14	21	10	5.25	1	0.23	<10	1.42	3746	<2	0.02	<1	1250	180	1.21	8	4	100	<5	<0.01	<10	17	62	<10	1270	2
9V1030RA/RJ	P09-023	131925	75.00	76.31	1.31	1.25		13.6	0.78	195	106	<0.5	28	2.18	12	12	31	41	6	1	0.3	<10	1.02	4103	<2	0.01	<1	1125	842	2.11	10	4	149	<5	<0.01	<10	21	39	<10	1024	2
9V1030RA/RJ	P09-023	131926	76.31	76.73	0.42	0.92		27.8	0.28	108	67	<0.5	10	0.42	15	6	93	28	2.37	1	0.18	<10	0.21	951	<2	0.01	1	472	2326	1.32	6	1	32	<5	<0.01	<10	<10	12	<10	1669	1
9V1030RA/RJ	P09-023	131927	76.73	78.00	1.27	0.73		4.4	0.38	397	91	<0.5	15	6.17	7	9	53	6	3.76	1	0.24	<10	0.43	3424	<2	0.01	<1	675	137	2.73	8	2	169	<5	<0.01	<10	19	11	<10	582	1
9V1030RA/RJ	P09-023	131928	78.00	79.00	1.00	0.46		1.8	0.86	294	128	<0.5	20	3.77	7	14	47	8	4.93	1	0.25	<10	1.07	3176	2	0.01	<1	1144	123	2.4	8	4	149	<5	<0.01	<10	14	37	<10	585	2
9V1030RA/RJ	P09-023	131929	79.00	80.00	1.00	0.54		5.1	0.63	225	104	<0.5	14	3.62	4	10	47	4	3.67	1	0.2	<10	0.72	2881	<2	0.01	<1	867	57	1.87	5	3	128	<5	<0.01	<10	11	26	<10	322	1
9V1030RA/RJ	P09-023	131930	80.00	81.00	1.00	0.23		1.5	1.12	187	139	<0.5	20	6.41	3	11	50	3	4.65	1	0.29	<10	0.94	4895	2	0.01	<1	1025	89	1.93	8	4	140	<5	<0.01	<10	19	39	<10	204	2
9V1030RA/RJ	P09-023	131931	81.00	81.83	0.83	0.25		1	0.5	115	257	<0.5	19	4.69	5	15	27	9	4.7	1	0.28	10	1.26	4406	<2	0.01	<1	1321	123	1.3	6	5	289	<5	<0.01	<10	16	30	<10	307	2
9V1030RA/RJ	P09-023	131932	BLANK			<0.01		<0.1	0.01	<5	<10	<0.5	<5	>15.00	<1	<1	2	1	0.04	<1	0.01	<10	2.34	59	<2	0.01	<1	56	<2	0.85	<5	<1	3222	<5	<0.01	<10	20	1	<10	1	<1
9V1030RA/RJ	P09-023	131933	STD	PM 427		3.35		1	1.28	6358	74	<0.5	153	5.9	1	102	34	279	4.6	1	0.19	<10	0.46	775	29	0.06	57	828	19	0.92	15	3	58	5	0.1	<10	10	50	<10	76	10
9V1030RA/RJ	P09-023	131934	81.83	82.50	0.67	0.22		1.4	1.58	197	109	<0.5	19	3.21	4	15	42	13	4.58	1	0.23	<10	1.36	3184	<2	0.01	<1	1236	90	1.57	9	4	102	<5	<0.01	<10	12	56	<10	272	2
9V1030RA/RJ	P09-023	131935	82.50	84.00	1.50	0.13		2.4	2.09	70	123	<0.5	22	4.37	13	16	26	16	4.8	3	0.24	11	1.57	3813	<2	0.01	<1	1195	341	0.84	9	6	177	<5	<0.01	<10	16	87	<10	1215	2
9V1030RA/RJ	P09-023	131936	84.00	85.00	1.00	0.04		0.4	2.26	60	143	<0.5	24	5.12	4	16	26	15	5.27	2	0.24	12	1.91	4733	<2	0.01	<1	1291	95	0.75	11	8	195	<5	<0.01	<10	23	87	<10	291	2
9V1030RA/RJ	P09-023	131937	85.00	86.00	1.00	0.08		0.7	1.89	111	136	<0.5	23	4.68	4	16	28	24	5.13	1	0.23	10	1.55	3624	<2	0.01	<1	1185	86	1.32	8	6	162	<5	<0.01	<10	17	70	<10	264	2
9V1030RA/RJ	P09-023	131938	86.00	87.28	1.28	0.38		1.9	1.14	392	105	<0.5	19	8.52	3	13	27	25	4.31	1	0.23	<10	0.92	3243	<2	0.01	<1	989	104	2.27	10	4	228	<5	<0.01	<10	18	37	<10	189	2
9V1030RA/RJ	P09-023	131939	87.28	88.47	1.19	0.12		1.2	0.66	119	422	<0.5	9	>15.00	1	6	16	17	2.16	2	0.11	11	0.59	3422	<2	0.01	<1	546	31	1.43	12	2	305	<5	<0.01	15	20	27	<10	87	1
9V1030RA/RJ	P09-023	131940	88.47	89.21	0.74	0.05		0.8	1.33	172	247	<0.5	18	11.72	2	12	26	13	3.98	3	0.21	11	1.06	2783	<2	0.01	<1	941	41	1.65	30	4	218	<5	<0.01	22	17	50	<10	103	2
9V1030RA/RJ	P09-023	131941	89.21	90.31	1.10	0.04		0.3	1.21	66	121	<0.5	19	7.77	3	15	23	14	4.52	1	0.3	10	1.47	3101	<2	0.01	<1	1201	28	1.1	9	6	325	<5	<0.01	<10	16	49	<10	125	2
9V1030RA/RJ	P09-023	131942	90.31	91.81	1.50	0.01		<0.1	2.04	29	655	<0.5	24	4.93	3	22	53	15	5.38	1	0.18	18	2.13	1791	<2	0.02	26	2168	19	0.56	9	6	209	<5	<0.01	<10	<10	77	<10	131	3
9V1030RA/RJ	P09-023	131943	91.81	93.00	1.19	0.01		<0.1	2.21	11	1043	<0.5	25	4.02	3	26	89	18	5.66	1	0.13	26	2.46	997	<2	0.03	44	2717	8	0.25	9	7	169	<5	0.01	<10	<10	86	<10	112	4
9V1030RA/RJ	P09-023	131944	93.00	93.73	0.73	<0.01		<0.1	2.15	13	761	<0.5	26	3.67	3	28	85	19	5.74	1	0.2	24	2.47	990	<2	0.03	46	2813	11	0.31	10	7	172	<5	0.01	<10	<10	97	<10	111	4
9V1030RA/RJ	P09-023	131945	93.73	94.31	0.58	0.02		<0.1	0.51	31	101	<0.5	17	4.98	3	15	25	9	4.1	1	0.31	14	1.37	2652	3	0.01	12	2166	25	0.72	7	5	330	<5	<0.01	<10	<10	16	<10	122	2
9V1030RA/RJ	P09-023	131946	94.31	95.55	1.24	0.3		1.7	1.16	220	107	<0.5	26	2.79	13	16	22	15	5.93	1	0.29	<10	1.15	2606	<2	0.01	1	1318	73	2.73	10	4	128	<5	<0.01	<10	17	47	<10	1094	2
9V1030RA/RJ	P09-023	131947	95.55	95.89	0.34	0.01		<0.1	1.83	15	153	<0.5	18	3.36	2	16	60	18	4.11	1	0.19	18	1.87	1127	<2	0.03	17	1635	12	0.25	7	7	180	5	0.01	<10	<10	75	<10	121	3
9V1030RA/RJ	P09-023	131948	95.89	96.89	1.00	2.62		4.5	1.93	102	119	<0.5	22	4.05	5	14	26	25	4.97	2	0.2	<10	1.64	3393	<2	0.01	<1	1352	277	0.99	9	5	172	<5	<0.01	<10	16	83	<10	385	2
9V1030RA/RJ	P09-023	131949	96.89	97.89	1.00	0.1		2	1.61	136	204	<0.5	22	5.7	5	15	15	25	4.95	1	0.21	10	1.46	3188	<2	0.01	<1	1273	107	1.56	13	5	224	<5	<0.01	<10	17	67	<10	309	2
9V1030RA/RJ	P09-023	131950	97.89	99.14	1.25	0.06		1.2	1.4	108	215	<0.5	21	4.93	6	16	24	18	4.93	1	0.21	<10	1.63	3686	<2	0.01	<1	1265	149	1.64	12	6	247	<5	<0.01	<10	19	65	<10	495	2
9V1030RA/RJ	P09-023	131951	99.14	100.14	1.00	0.09		1.5	0.5	80	124	<0.5	20	3.2	13	16	26	28	4.7	1	0.27	<10	1.35	2826	<2	0.01	1	1346	187	1.28	9	6	219	<5	<0.01	<10	14	37	<10	1265	2
9V1030RA/RJ	P09-023	131952	100.14	101.14	1.00	0.41		1	0.73	130	127	<0.5	22	3.86	4	16	17	28	5.07	1	0.24	<10	1.34	2580	<2	0.01	<1	1266	103	2.26	9	5	200	<5	<0.01	<10	16	32	<10	221	2
9V1030RA/RJ	P09-023	131953	101.14	102.14	1.00	0.05		0.2	0.77	102	182	<0.5	23	4.11	6	16	18	23	5.14	1	0.24	<10	1.66	2455	<2	0.01	1	1324	60	1.72	8	6	263	<5	<0.01	<10	15	31	<10	458	2
9V1030RA/RJ	P09-023	131954	102.14	103.14	1.00	0.03		0.9	0.34	116	143	<0.5	20	2.86	4	17	22	39	4.72	1	0.24	<10	1.1	2087	<2	0.01	2	1328	52	1.92	10	4	231	<5	<0.01	<10	11	19	<10	217	1
9V1030RA/RJ	P09-023	131955	103.14	104.14	1.00	0.19		2	0.34	124	95	<0.5	22	3.17	6	16	23	39	4.7	1	0.28	<10	1.37	2156	<2	0.01	1	1117	141	1.77	6	4	352	<5	<0.01	<10	12	17	<10	412	1
9V1030RA/RJ	P09-023	131956	104.14	105.46	1.32	0.08		2.4	0.42	89	272	<0.5	21	2.13	9	16	19	53	5.09	1	0.24	<10	1.63	2270	<2	0.01	<1	1361	126	1.01	8	5	266	<5	<0.01	<10	11	37	<10	793	1
9V1030RA/RJ	P09-023	131957	105.46	106.46	1.00	0.21		5.2	1.41	129	227	<0.5	23	2.12	5	16	24	42	5.03	1	0.32	<10	1.55	2195	26	0.01	1	1353	92	1.37	12	5	145	<5	<0.01	<10	10	47	<10	374	2
9V1030RA/RJ	P09-023	131958	106.46	107.46	1.00	0.57		1.7	1.21	203	142	<0.5	20	1.5	6	45	391	89	4.7	<1	0.25	<10	7.73	974	5	0.05	627	732	193	1.11	25	5	71	<5	0.03	<10	11	49	<10	417	2
9V1030RA/RJ	P09-023	131959	107.46	108.46	1.00	0.11		2.9	1	219	111	<0.5	20	3.65	7	18	27	68	4.55	1	0.31	<10	0.82	2015	56	0.01	2	1156	172	2.64	15	3	125	<5	<0.01	<10	12	28	<10	594	1
9V1030RA/RJ	P09-023	131960	108.46	110.15	1.69	0.08		1.4	1.98	89	178	<0.5	24	2.34	10	16	31	39	5.29	1	0.26	10	1.52	2658	24	0.01	2	1370	150	1.47	13	6	95	<5	<0.01	<10	14	83	<10	817	2
9V1030RA/RJ	P09-023	131961	110.15	111.00	0.85	0.78		2.8	2.12	87	194	<0.5	23	1.2	9	16	27	25	5.32	1	0.29	11	1.54	2150	129	0.01	<1	1415	121	1.06	12	6	62	<5	<0.01	<10	<10	88	<10	773	2
9V1030RA/RJ	P09-023	131962	111.00	112.50	1.50	0.92		2.4	1.95	100	313	<0.5	25	1.5	11	17	25	14	5.7	2	0.33	12	1.82	2525	118	0.01	<1	1406	113	0.96	14	7	138	<5	<0.01	<10	11	73	<10	960	2
9V1030RA/RJ	P09-023	131963	112.50	114.00	1.50	0.05		<0.1	1.88	70	356	<0.5	21	1.84	3	19	26	19	5.03	1	0.34	12	1.71	1723	14	0.02	6	1603	34	0.86	9	6	156	<5	<0.01	<10	<10	56	<10	143	2
9V1030RA/RJ	P09-023	131964	114.00	115.50	1.50	0.02		<0.1	1.87	11	186	<0.5	18	4.47	2	16	42	9	4.41	1	0.25	21	1.77	1928	<2	0.03	16	2207	15	0.35	9	4	321	5	0.01	<10	<10	53	<10	112	3
9V1030RA/RJ	P09-023	131965	115.50	117.00	1.50	0.1		0.4	1.99	52	128	<0.5	22	4.05	12	17	37	12	5.13	1	0.27	13	1.65	2617	<2	0.02	8	1544	154	1.1	10	6	173	<5	0.01	<10	11	78	<10	1062	3
9V1030RA/RJ	P09-023	131966	117.00	118.50	1.50	0.19		1.2	2.3	54	273	<0.5	25	1.76	24	18	27	24	5.41	2	0.26	11	1.95	2984	<2	0.01	<1	1387	521	1.04	12	7	107	<5	<0.01	<10	13	95	<10	2123	2
9V1030RA/RJ	P09-023	131967	118.50	119.92	1.42	0.07		1	2.24	79	246	<0.5	25	2.43	11	18	33	17	5.5	1	0.27	11	1.97	3129	<2	0.01	<1	1384	164	1.18	15	7	110	<5	<0.01	<10	15	91	<10	1042	2
9V1030RA/RJ	P09-023	131968	119.92	120.14	0.22	0.09		1	1.56	102	227	<0.5	22	2.56	11	17	26	10	5.06	1	0.29	10	1.48	3273	<2	0.01	<1	1253	173	1.27	12	6	191	<5	<0.01	<10	14	53	<10	968	2
9V1030RA/RJ	P09-023	131969	120.14	121.64	1.50	0.17		2.5	1.6	183	151	<0.5	29	4.03	8	18	21	23	5.87	3	0.28	<10	1.67	3363	2	0.01	<1	1427	140	2.46	37	6	239	<5	<0.01	20	20	67	<10	566	2
9V1030RA/RJ	P09-023	131970	121.64	123.42	1.78	0.18		1	1.88	48	285	<0.5	25	2.81	19	19	26	9	5.52	2	0.3	10	1.97	3492	<2	0.01	1	1476	155	1.23	12	7	243	<5	<0.01	<10	18	79	<10	1632	2
9V1030RA/RJ	P09-023	131971	123.42	123.81	0.39	0.07		0.9	1.35	36	428	<0.5	24	4.64	8	17	20	7	5.4	1	0.31	<10	1.88	3706	<2	0.01	<1	1303	134	0.83	9	6	393	<5	<0.01	<10	19	51	<10	593	2
9V1030RA/RJ	P09-023	131972	123.81	124.66	0.85	0.03		1.1	0.55	26	270	<0.5	7	11.17	1	5	58	3	1.99	2	0.1	<10	0.63	5272	<2	0.01	<1	331	30	0.61	10	5	792	<5	<0.01	<10	21	20	<10	114	1
9V1030RA/RJ	P09-023	131973	124.66	126.00	1.34	1.03		1.1	2.25	53	233	<0.5	25	3.61	38	18	25	21	5.81	1	0.24	<10	1.99	3507	<2	0.01	<1	1413	189	1.2	9	7	253	<5	<0.01	<10	19	93	<10	3011	2
9V1030RA/RJ	P09-023	131974	126.00	126.88	0.88	66.99		34	2.43	48	129	<0.5	28	3.02	123	19	27	49	6.27	2	0.23	10	1.98	3405	<2	0.01	<1	1520	127	1.44	10	9	184	<5	<0.01	<10	17	114	<10	7141	2
9V1030RA/RJ	P09-023	131975	126.88	127.88	1.00	17.17		8.2	0.62	46	252	0.5	26	3.09	53	17	20	25	5.99	1	0.37	10	1.4	3413	<2	0.01	<1	1511	51	1.33	8	6	251	<5	<0.01	<10	14	34	<10	3959	2
9V1030RA/RJ	P09-023	131976	127.88	128.36	0.48	0.3		0.9	0.57	50	292	<0.5	21	4.67	23	14	19	5	5.28	1	0.3	<10	1.46	3801	<2	0.01	<1	1229	104	1.18	6	6	323	<5	<0.01	<10	16	24	<10	1953	2
9V1030RA/RJ	P09-023	131977	128.36	129.88	1.52	0.06		<0.1	1.99	23	118	<0.5	25	3.56	8	17	23	<1	5.74	1	0.32	12	1.82	3218	<2	0.01	<1	1444	88	0.55	8	7	217	<5	<0.01	<10	13	73	<10	623	2
9V1030RA/RJ	P09-023	131978	129.88	131.11	1.23	0.04		<0.1	1.5	75	413	<0.5	23	4.57	3	20	22	7	5.36	1	0.28	25	1.64	2737	<2	0.02	12	3580	13	0.86	8	4	290	<5	<0.01	<10	<10	45	<10	174	3
9V1030RA/RJ	P09-023	131979	131.11	132.00	0.89	0.26		1.1	1.83	133	230	<0.5	25	3.74	5	14	28	7	5.33	2	0.32	<10	1.52	3154	<2	0.01	2	1527	36	1.47	10	7	262	<5	<0.01	<10	15	65	<10	325	2
9V1030RA/RJ	P09-023	131980	132.00	133.50	1.50	0.11		0.1	2.3	97	153	<0.5	30	2.43	5	13	38	2	6.1	2	0.25	<10	1.84	3549	<2	0.01	<1	1367	28	1.46	11	7	155	<5	<0.01	<10	19	90	<10	288	2
9V1030RA/RJ	P09-023	131981	133.50	135.00	1.50	0.09		<0.1	2.49	78	146	<0.5	29	1.49	13	15	29	7	6.18	2	0.26	11	1.93	3059	<2	0.01	<1	1465	67	1.32	11	7	92	<5	<0.01	<10	16	100	<10	1048	2
9V1030RA/RJ	P09-023	131982	135.00	135.98	0.98	0.22		1.2	1.62	76	267	<0.5	25	3.7	6	13	25	3	5.8	1	0.32	<10	1.51	3644	<2	0.01	1	1269	65	1.93	11	6	253	<5	<0.01	<10	15	59	<10	350	2
9V1030RA/RJ	P09-023	131983	135.98	136.91	0.93	0.03		<0.1	1.8	25	312	<0.5	19	4.29	7	15	49	13	4.65	1	0.24	12	1.7	3431	<2	0.02	15	1595	33	0.6	8	5	251	<5	<0.01	<10	10	61	<10	688	2
9V1030RA/RJ	P09-023	131984	136.91	138.50	1.59	0.07		0.6	2.32	38	259	<0.5	25	2.85	27	17	26	6	5.7	2	0.28	<10	2	4136	<2	0.01	<1	1526	312	1.08	9	8	167	<5	<0.01	<10	16	90	<10	2342	2
9V1030RA/RJ	P09-023	131985	138.50	139.50	1.00	0.13		0.2	2.46	48	249	<0.5	27	2.68	35	17	48	11	6.04	2	0.25	10	1.89	3815	<2	0.01	1	1378	54	0.9	10	7	147	<5	<0.01	<10	15	99	<10	3073	2
9V1030RA/RJ	P09-023	131986	139.50	141.41	1.91	0.57		1	1.64	56	300	<0.5	23	3.33	47	12	27	28	5.34	2	0.37	<10	1.38	3486	<2	0.01	<1	1163	83	1.13	8	6	196	<5	<0.01	<10	14	58	<10	3890	2
9V1030RA/RJ	P09-023	131987	141.41	142.07	0.66	0.17		0.9	0.51	55	269	<0.5	21	4.58	18	9	23	6	4.84	1	0.35	<10	1.2	4227	<2	0.01	<1	1172	50	1.18	7	5	322	<5	<0.01	<10	17	19	<10	1533	2
P09-024 - Northstar - PAD 11 - 436288E 6219983N, Elev: 1131m, Az: 090, Dip: -45, EOH: 228.05m																																									
9V1030RA/RJ	P09-024	131988	6.00	6.95	0.95	0.02		<0.1	1.76	34	212	<0.5	22	3.47	3	19	11	26	4.95	1	0.37	<10	0.87	1978	<2	0.01	<1	1528	11	1.77	11	4	129	<5	<0.01	<10	<10	43	<10	120	2
9V1030RA/RJ	P09-024	131989	6.95	7.60	0.65	1		3.7	0.63	140	96	<0.5	17	2.76	46	12	42	18	4.22	3	0.3	<10	0.24	1769	2	0.01	<1	850	1900	3.55	17	2	87	<5	<0.01	<10	11	18	<10	3995	2
9V1030RA/RJ	P09-024	131990	7.60	8.60	1.00	0.02		<0.1	2.08	30	193	<0.5	26	2.08	6	17	16	28	5.53	<1	0.33	<10	1.05	1562	<2	0.01	<1	1329	144	1.74	13	4	70	<5	<0.01	<10	11	45	<10	457	2
9V1030RA/RJ	P09-024	131991	45.50	46.50	1.00	0.03		<0.1	2.14	58	256	<0.5	22	0.56	4	15	22	10	4.9	1	0.31	<10	1.22	1955	<2	0.02	<1	1411	48	0.92	13	3	15	<5	<0.01	<10	<10	34	<10	278	2

Drilling Analytical Results 2009

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1030RA/RJ	P09-024	131992	46.50	47.20	0.70	0.11		1.7	1.35	97	240	<0.5	21	4.79	12	11	20	24	4.63	1	0.28	<10	0.86	4611	<2	0.01	<1	1098	299	1.31	12	3	294	<5	<0.01	<10	20	25	<10	1274	2
9V1030RA/RJ	P09-024	131993	47.20	48.20	1.00	0.03		<0.1	2.29	29	259	<0.5	24	1.49	5	16	13	18	5.42	<1	0.32	11	1.25	2450	<2	0.02	<1	1486	22	0.62	11	4	43	<5	<0.01	<10	<10	41	<10	344	2
9V1071RA/RJ	P09-024	131994	98.00	99.00	1.00	0.03		0.3	1.69	71	207	<0.5	20	1.48	7	16	23	13	4.42	1	0.32	<10	0.98	1277	<2	0.01	1	1142	38	1.56	9	3	45	<5	<0.01	<10	<10	28	<10	598	2
9V1071RA/RJ	P09-024	131995	99.00	100.07	1.07	2.51		2	1.55	75	162	<0.5	19	1.44	7	16	27	68	4.32	1	0.35	10	0.89	1631	<2	0.01	1	1178	185	1.6	11	3	43	<5	<0.01	<10	<10	30	<10	583	2
9V1071RA/RJ	P09-024	131996	100.07	101.00	0.93	18.93		28.9	0.49	39	118	<0.5	11	1.38	166	9	75	859	2.59	9	0.23	<10	0.25	1752	<2	0.01	3	441	5062	2.49	12	1	50	<5	<0.01	<10	<10	10	<10	8228	1
9V1071RA/RJ	P09-024	131997	101.00	101.85	0.85	4.16		8.1	0.38	32	147	<0.5	7	3.27	26	5	94	417	1.58	2	0.18	<10	0.14	1802	2	0.01	2	294	802	1.14	8	1	89	<5	<0.01	<10	<10	6	<10	2258	1
9V1071RA/RJ	P09-024	131998	BLANK			0.01		0.2	0.03	<5	<10	<0.5	<5	>15.00	<1	<1	3	4	0.05	<1	0.01	<10	4.25	69	<2	0.01	1	82	13	0.64	<5	<1	3443	<5	<0.01	<10	19	2	<10	43	<1
9V1071RA/RJ	P09-024	131999	101.85	103.00	1.15	0.05		0.5	1.93	60	249	<0.5	19	0.93	4	13	22	27	4.43	<1	0.37	10	0.97	1993	<2	0.01	1	1297	58	0.65	9	3	33	<5	<0.01	<10	<10	35	<10	359	2
9V1071RA/RJ	P09-024	132000	103.00	104.00	1.00	0.05		0.8	1.73	93	247	<0.5	21	0.51	4	16	24	13	4.51	1	0.4	<10	0.86	1335	3	0.01	1	1270	55	1.44	13	3	27	<5	<0.01	<10	<10	29	<10	259	2
9V1071RA/RJ	P09-024	132001	133.50	135.00	1.50	0.05		1.9	1.58	182	249	<0.5	18	1.19	2	14	12	31	4.29	1	0.4	10	0.74	1467	<2	0.01	<1	1378	16	1.17	13	3	46	<5	<0.01	<10	<10	49	<10	145	2
9V1071RA/RJ	P09-024	132002	135.00	136.00	1.00	0.19		6.4	0.96	524	76	<0.5	22	1.98	4	14	15	9	4.82	1	0.39	<10	0.35	1513	<2	0.01	<1	1329	42	3.3	24	2	57	<5	<0.01	<10	<10	24	<10	204	2
9V1071RA/RJ	P09-024	132003	136.00	137.00	1.00	0.23		7.5	0.57	513	132	<0.5	24	0.62	4	14	22	12	5.32	1	0.35	<10	0.16	490	4	0.01	<1	922	76	4.02	35	1	33	<5	<0.01	<10	<10	13	<10	181	2
9V1071RA/RJ	P09-024	132004	137.00	139.00	2.00	0.05		2.1	1.06	219	172	<0.5	19	1.35	3	12	19	11	4.24	1	0.34	<10	0.46	1233	<2	0.01	<1	1185	30	2.26	18	2	41	<5	<0.01	<10	<10	21	<10	119	2
9V1071RA/RJ	P09-024	132005	139.00	141.00	2.00	1.38		2.4	1.63	123	154	<0.5	22	0.81	5	13	16	29	4.79	<1	0.3	<10	0.95	1672	<2	0.01	<1	1280	99	1.61	13	2	41	<5	<0.01	<10	<10	29	<10	350	2
9V1071RA/RJ	P09-024	132006	141.00	143.00	2.00	0.05		1.6	1.82	138	208	<0.5	22	3.64	10	13	11	23	4.9	1	0.34	<10	0.96	2707	<2	0.01	<1	1427	375	1.35	10	3	111	<5	<0.01	<10	10	31	<10	810	2
9V1071RA/RJ	P09-024	132007	143.00	145.00	2.00	0.01		0.3	1.65	54	180	<0.5	23	3.56	4	15	10	14	5.23	<1	0.34	<10	0.84	2183	<2	0.01	<1	1461	73	2.06	9	3	114	<5	<0.01	<10	10	28	<10	153	2
9V1071RA/RJ	P09-024	132008	145.00	147.00	2.00	0.01		0.4	1.88	72	199	<0.5	23	3	6	15	8	17	5.1	1	0.35	<10	0.98	2180	<2	0.01	<1	1369	106	1.65	9	3	91	<5	<0.01	<10	<10	34	<10	399	2
9V1071RA/RJ	P09-024	132009	147.00	148.00	1.00	0.03		1.9	1.06	86	130	<0.5	19	2.22	3	13	13	10	4.21	<1	0.36	<10	0.45	1383	<2	0.01	<1	1286	44	2.52	8	2	82	<5	<0.01	<10	<10	21	<10	102	2
9V1071RA/RJ	P09-024	132010	148.00	149.00	1.00	3.61		13.7	0.68	177	105	<0.5	18	1.45	5	13	19	18	4.02	1	0.35	<10	0.25	928	<2	0.01	<1	1084	120	2.93	11	2	71	<5	<0.01	<10	<10	14	<10	266	2
9V1071RA/RJ	P09-024	132011	149.00	150.00	1.00	0.06		2.1	1.61	123	148	<0.5	23	2	4	14	18	12	5.07	1	0.37	10	0.91	1421	<2	0.01	4	1521	86	1.98	13	4	129	<5	<0.01	<10	<10	31	<10	134	2
9V1071RA/RJ	P09-024	132012	150.00	151.00	1.00	0.15		2.7	0.88	88	85	<0.5	23	3.38	8	14	18	30	5.02	1	0.34	<10	0.39	2329	<2	0.01	<1	1133	663	3.49	8	2	130	<5	<0.01	<10	11	18	<10	533	2
9V1071RA/RJ	P09-024	132013	151.00	152.00	1.00	0.12		1	1.25	55	131	<0.5	20	2.98	9	14	15	21	4.59	1	0.35	<10	0.82	2598	<2	0.01	1	1405	247	1.9	6	3	139	<5	<0.01	<10	<10	27	<10	740	2
9V1071RA/RJ	P09-024	132014	152.00	153.00	1.00	0.03		0.5	1.6	81	204	<0.5	24	5.45	4	11	9	18	5.52	1	0.37	<10	0.71	3011	3	0.01	<1	1446	66	2.28	10	3	173	<5	<0.01	<10	12	29	<10	167	2
9V1071RA/RJ	P09-024	132015	153.00	154.00	1.00	0.01		0.3	1.57	37	202	<0.5	20	2.99	5	12	9	15	4.48	1	0.34	<10	0.7	2093	<2	0.01	<1	1473	148	1.2	7	3	97	<5	<0.01	<10	<10	30	<10	383	2
9V1071RA/RJ	P09-024	132016	154.00	156.00	2.00	0.07		15.4	1.15	150	127	<0.5	17	2.33	4	11	15	18	3.8	2	0.37	<10	0.46	1426	<2	0.01	<1	1325	141	1.93	13	2	76	<5	<0.01	<10	<10	19	<10	271	2
9V1071RA/RJ	P09-024	132017	156.00	158.00	2.00	0.01		0.4	1.56	49	164	<0.5	21	3.14	3	13	15	11	4.62	1	0.33	<10	0.81	1955	<2	0.01	<1	1444	20	1.87	9	3	110	<5	<0.01	<10	<10	25	<10	81	2
9V1071RA/RJ	P09-024	132018	158.00	158.90	0.90	0.01		<0.1	1.73	20	229	<0.5	19	3.07	2	10	7	4	4.02	1	0.33	<10	0.93	2020	<2	0.01	<1	1502	22	1.03	7	3	119	<5	<0.01	<10	<10	30	<10	89	2
9V1071RA/RJ	P09-024	132019	158.90	159.60	0.70	0.19		27.3	1.79	57	86	<0.5	29	3.53	110	11	16	423	6.11	3	0.27	<10	1.02	2804	<2	0.01	<1	1077	6266	3.45	53	2	157	<5	<0.01	<10	15	30	<10	6810	2
9V1071RA/RJ	P09-024	132020	STD	PM427		3.56		1.2	1.38	5993	74	<0.5	160	5.91	2	102	35	271	4.58	<1	0.19	<10	0.46	816	26	0.06	61	766	22	0.89	17	3	59	5	0.11	<10	10	52	<10	85	11
9V1071RA/RJ	P09-024	132021	159.60	161.60	2.00	0.04		2	1.33	82	189	<0.5	15	2.02	5	10	10	27	3.13	1	0.33	<10	0.67	1592	<2	0.01	<1	1385	112	0.88	10	2	63	<5	<0.01	<10	<10	21	<10	400	1
9V1071RA/RJ	P09-024	132022	161.60	163.60	2.00	0.02		2.9	1.66	72	187	<0.5	18	2.31	3	13	9	14	4.29	<1	0.34	<10	0.83	1671	<2	0.01	<1	1451	49	1.23	9	2	75	<5	<0.01	<10	<10	26	<10	118	2
9V1071RA/RJ	P09-024	132023	163.60	165.60	2.00	0.03		2.6	1.43	81	172	<0.5	20	2.56	3	14	8	13	4.28	<1	0.36	<10	0.71	1519	<2	0.01	<1	1386	34	1.85	8	3	98	<5	<0.01	<10	<10	21	<10	185	2
9V1071RA/RJ	P09-024	132024	165.60	167.60	2.00	0.06		2.6	0.96	155	100	<0.5	21	2.7	3	12	17	9	4.46	<1	0.3	<10	0.58	1462	<2	0.01	<1	1225	32	3.14	11	2	102	<5	<0.01	<10	<10	16	<10	100	2
9V1071RA/RJ	P09-024	132025	167.60	168.60	1.00	0.09		3.6	1.16	498	97	<0.5	24	0.91	3	14	11	11	5.11	1	0.32	<10	0.64	860	2	0.01	<1	1404	77	3.02	26	2	35	<5	<0.01	<10	<10	19	<10	92	2
9V1071RA/RJ	P09-024	132026	168.60	169.60	1.00	0.26		7.2	1.96	96	78	<0.5	32	1.12	72	12	20	26	6.34	1	0.26	<10	1.69	1877	<2	0.01	<1	1117	1799	3.56	11	3	50	<5	<0.01	<10	14	40	<10	5480	2
9V1071RA/RJ	P09-024	132027	169.60	170.60	1.00	0.17		2.7	0.97	142	113	<0.5	21	1.61	16	12	16	15	4.47	<1	0.37	<10	0.65	1318	<2	0.01	<1	1394	359	3	9	3	96	<5	<0.01	<10	<10	17	<10	1346	2
9V1071RA/RJ	P09-024	132028	170.60	171.60	1.00	0.25		3.7	0.63	320	70	<0.5	22	1.39	4	12	25	8	4.65	<1	0.35	<10	0.2	611	2	0.01	<1	1332	64	3.88	11	2	38	<5	<0.01	<10	<10	12	<10	186	2
9V1071RA/RJ	P09-024	132029	171.60	172.60	1.00	0.3		4.4	0.5	325	65	<0.5	24	1	5	12	30	5	5.49	1	0.31	<10	0.12	609	2	0.01	<1	1104	41	4.65	14	1	50	<5	<0.01	<10	<10	11	<10	238	2
9V1071RA/RJ	P09-024	132030	172.60	173.60	1.00	0.35		4.8	1.09	142	119	<0.5	20	2.82	49	12	61	30	4.82	2	0.17	<10	0.59	2758	<2	0.01	<1	818	105	2.69	12	2	129	<5	<0.01	<10	14	44	<10	4020	2
9V1071RA/RJ	P09-024	132031	172.60	173.60	1.00	0.36		4.7	1.13	131	121	<0.5	20	2.78	53	11	57	36	4.79	2	0.16	<10	0.62	2667	<2	0.01	<1	784	120	2.54	11	2	130	<5	<0.01	<10	14	44	<10	4252	2
9V1071RA/RJ	P09-024	132032	173.60	174.60	1.00	0.26		9.5	0.81	206	83	<0.5	17	2.69	217	13	65	116	4.5	4	0.15	<10	0.42	2244	<2	0.01	<1	564	321	3.57	13	2	93	<5	<0.01	<10	13	28	<10	8959	1
9V1071RA/RJ	P09-024	132033	174.60	175.60	1.00	0.13		4.9	1.16	202	147	<0.5	17	2.89	30	14	63	21	4.04	2	0.26	<10	0.7	3182	<2	0.01	1	919	367	1.83	14	3	210	<5	<0.01	<10	12	29	<10	2552	1
9V1071RA/RJ	P09-024	132034	175.60	177.40	1.80	0.1		3.9	1.45	152	122	<0.5	22	1.37	17	18	57	30	4.82	1	0.32	<10	0.85	1732	<2	0.01	3	1465	524	1.96	15	4	85	<5	<0.01	<10	<10	43	<10	1312	2
9V1071RA/RJ	P09-024	132035	177.40	178.40	1.00	0.2		7.4	1.98	161	172	<0.5	25	1.01	44	20	26	65	5.6	1	0.3	<10	1.13	2424	3	0.01	2	1431	1908	1.65	15	5	58	<5	<0.01	<10	11	52	<10	3633	2
9V1071RA/RJ	P09-024	132036	178.40	179.40	1.00	0.04		0.8	2.56	37	195	<0.5	29	1.55	10	17	31	27	6.32	1	0.28	<10	1.43	3238	<2	0.01	<1	1451	389	1.1	10	6	76	<5	<0.01	<10	15	65	<10	795	2
9V1071RA/RJ	P09-024	132037	179.40	180.40	1.00	0.11		1.2	2.38	76	225	<0.5	27	1.66	6	19	22	13	5.77	1	0.31	<10	1.23	2957	<2	0.01	1	1441	219	1.05	13	5	62	<5	<0.01	<10	13	60	<10	397	2
9V1071RA/RJ	P09-024	132038	180.40	181.40	1.00	0.08		2.4	1.95	53	262	<0.5	20	3.46	43	15	31	30	4.61	2	0.28	<10	0.97	4798	<2	0.01	<1	1089	443	0.82	8	4	357	<5	<0.01	<10	16	48	<10	3670	1
9V1071RA/RJ	P09-024	132039	181.40	183.40	2.00	0.12		0.8	2.18	44	159	<0.5	26	1.64	15	16	28	20	5.61	1	0.32	<10	1.12	3382	<2	0.01	<1	1302	415	1.37	9	5	77	<5	<0.01	<10	14	65	<10	1169	2
9V1071RA/RJ	P09-024	132040	183.40	185.40	2.00	0.03		1.5	2.11	14	239	<0.5	24	4.38	31	14	24	73	5.17	1	0.32	<10	1.09	3806	<2	0.01	<1	1185	1176	1.43	9	5	180	<5	<0.01	<10	16	57	<10	2579	2
9V1071RA/RJ	P09-024	132041	BLANK			<0.01		<0.1	0.07	<5	24	<0.5	<5	>15.00	<1	<1	3	1	0.09	<1	0.03	<10	2.36	63	<2	0.01	1	52	2	0.78	<5	<1	3838	<5	<0.01	<10	21	3	<10	17	<1
9V1071RA/RJ	P09-024	132042	185.40	187.40	2.00	0.17		0.9	2.41	21	251	<0.5	26	3.75	12	19	20	31	5.67	1	0.35	<10	1.35	4488	<2	0.01	<1	1460	583	1.26	10	7	205	<5	<0.01	<10	18	70	<10	1007	2
9V1071RA/RJ	P09-024	132043	187.40	189.40	2.00	0.01		<0.1	2.83	15	179	<0.5	29	4.42	4	21	20	35	6.31	1	0.3	<10	1.57	5430	<2	0.01	<1	1392	35	0.69	11	8	227	<5	<0.01	<10	21	95	<10	174	2
9V1071RA/RJ	P09-024	132044	189.40	191.40	2.00	0.22		1.1	2.52	28	196	<0.5	27	2.66	24	19	25	35	5.9	1	0.32	<10	1.35	4853	<2	0.01	<1	1310	1137	1.04	10	6	138	<5	<0.01	<10	17	92	<10	1971	2
9V1071RA/RJ	P09-024	132045	191.40	193.40	2.00	0.06		2	2.48	44	219	<0.5	24	2.82	35	19	17	51	5.74	1	0.35	<10	1.27	4032	<2	0.01	<1	1313	1302	0.73	9	7	132	<5	0.01	<10	14	83	<10	2958	2
9V1071RA/RJ	P09-024	132046	193.40	195.4	2.00	0.11		<0.1	2.11	63	215	<0.5	25	1.56	5	15	23	25	5.31	<1	0.35	<10	1.08	2166	<2	0.01	<1	1356	77	1.33	10	6	57	<5	<0.01	<10	11	57	<10	280	2

P09-025 - Northstar - PAD 12 - 436282E 6219893N, Elev: 1113m, Az: 090, Dip: -50, EOH: 249.70m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1071RA/RJ	P09-025	132047	1.52	2.60	1.08	0.05		0.5	2	39	169	<0.5	23	1.29	6	18	23	33	4.79	1	0.29	<10	0.97	2482	<2	0.01	2	1273	70	0.79	9	5	33	<5	<0.01	<10	10	70	<10	325	2
9V1071RA/RJ	P09-025	132048	2.60	4.60	2.00	0.15		3.4	1.91	93	173	<0.5	23	1.07	9	17	32	81	4.75	2	0.3	<10	1.02	2974	<2	0.02	1	1254	349	1.22	14	6	37	<5	0.01	<10	11	69	<10	806	2
9V1071RA/RJ	P09-025	132049	4.60	6.60	2.00	0.09		0.9	2.25	103	209	<0.5	26	1.37	4	17	23	51	5.35	1	0.37	<10	1.11	2604	<2	0.02	2	1442	24	1.11	12	7	33	<5	0.01	<10	10	73	<10	147	2
9V1071RA/RJ	P09-025	132050	6.60	8.60	2.00	0.23		2.1	2.32	36	196	<0.5	24	3.06	19	16	26	53	5.18	1	0.34	<10	1.13	3079	<2	0.01	<1	1328	509	0.61	8	7	96	<5	0.01	<10	12	65	<10	1621	2
9V1071RA/RJ	P09-025	132051	8.60	10.60	2.00	0.03		0.3	2.2	71	263	0.5	25	3.01	5	19	22	30	5.29	1	0.4	10	1.02	2733	<2	0.01	1	1427	41	0.89	9	8	94	<5	0.01	<10	11	67	<10	380	2
9V1071RA/RJ	P09-025	132052	14.52	16.50	1.98	0.03		<0.1	2.52	86	390	1.5	23	0.8	12	24	41	72	5.25	<1	0.55	<10	1.24	1507	<2	0.04	1	1256	46	0.6	13	10	21	<5	0.2	<10	<10	91	<10	1050	3
9V1071RA/RJ	P09-025	132053	16.50	18.50	2.00	0.02		<0.1	2.73	100	177	1	27	1.29	6	28	39	37	5.89	1	0.35	<10	1.59	2377	<2	0.02	1	1343	28	0.51	15	8	34	<5	0.14	<10	11	90	<10	327	3
9V1071RA/RJ	P09-025	132054	18.50	20.50	2.00	0.02		<0.1	2.68	115	156	0.8	28	0.93	5	27	47	30	6.09	1	0.28	<10	1.77	2515	<2	0.01	1	1314	15	0.61	16	8	21	<5	0.11	<10	11	103	<10	244	3
9V1071RA/RJ	P09-025	132055	20.50	22.50	2.00	0.06		0.3	2.67	169	186	<0.5	28	0.73	5	24	43	28	6.23	2	0.32	<10	1.74	2680	<2	0.01	2	1247	64	1	21	8	29	<5	0.04	<10	11	109	<10	239	2
9V1071RA/RJ	P09-025	132056	22.50	23.60	1.10	0.22		5.5	2.42	113	137	0.5	31	1.51	45	24	44	41	6.44	2	0.26	<10	1.43	3480	<2	0.01	2	1074	2941	1.7	16	7	64	<5	0.06	<10	16	88	<10	3671	2
9V1071RA/RJ	P09-025	132057	23.60	25.60	2.00	0.69		1	3.25	68	131	<0.5	40	0.9	18	23	46	28	8.25	2	0.24	<10	2.11	5164	2	0.01	<1	1276	534	1.67	17	8	32	<5	0.03	<10	25	120	<10	1528	3
9V1071RA/RJ	P09-025	132058	25.60	27.63	2.03	0.03		0.4	2.42	89	188	1	26	2.22	7	26	47	55	5.72	1	0.31	<10	1.52	3035	<2	0.02	4	1201	84	0.88	15	9	46	<5	0.14	<10	13	106	<10	635	4
9V1071RA/RJ	P09-025	132059	30.12	31.20	1.08	0.26		2.5	2.25	59	249	0.5	24	1.39	32	22	38	93	5.51	2	0.34	<10	1.19	3927	<2	0.01	1	1144	1295	1.14	10	6	33	<5	0.07	<10	14	74	<10	2686	2
9V1071RA/RJ	P09-025	132060	STD	PM405		0.28		0.5	0.55	696	1094	0.5	16	0.68	4	8	54	37	3.36	3	0.14	15	0.33	473	5	0.01	33	887	152	0.22	538	5	212	7	<0.01	<10	<10	55	<10	243	12
9V1071RA/RJ	P09-025	132061	31.20	32.20	1.00	0.67		4.3	1.86	84	136	<0.5	26	1.76	73	21	76	163	5.94	3	0.26	<10	1.08	4259	3	0.01	2	1018	1127	2.4	13	5	37	<5	0.03	<10	15	74	<10	5528	2
9V1071RA/RJ	P09-025	132062	32.20	33.20	1.00	0.52		0.9	2.55	55	160	<0.5	32	1.06	7	22	55	45	7.04	2	0.26	<10	1.6	4753	2	0.01	1	1225	159	1.9	12	7	30	<5	0.01	<10	19	101	<10	467	2
9V1071RA/RJ	P09-025	132063	33.20	34.20	1.00	0.22		1.7	1.09	57	197	<0.5	19	2.43	13	13	59	66	4.31	2	0.28	<10	1.01	4261	<2	0.01	1	962	345	1.17	9	5	126	<5	<0.01	<10	12	42	<10	1057	1
9V1071RA/RJ	P09-025	132064	34.20	35.40	1.20	0.84		6.5	0.96	102	100	<0.5	28	1.54	49	21	47	200	5.63	2	0.32	<10	0.91	3606	<2	0.01	1	1060	2649	2.78	16	5	100	<5	<0.01	<10	14	38	<10	3741	2
9V1071RA/RJ	P09-025	132065	35.40	36.40	1.00	0.13		1.8	2.37	41	320	<0.5	26	1.22	30	21	46	88	5.48	2	0.34	10	1.53	2877	<2	0.01	1	1373	680	0.58	11	9	69	<5	<0.01	<10	10	87	<10	2374	2
9V1071RA/RJ	P09-025	132066	51.30	52.30	1.00	0.01		<0.1	2.44	43	205	<0.5	25	3.26	4	17	23	3	5.39	1	0.33	<10	1.39	2049	<2	0.01	<1	1367	14	0.49	9	7	112	<5	<0.01	<10	10	56	<10	195	2
9V1071RA/RJ	P09-025	132067	52.30	52.90	0.60	0.05		<0.1	2.71	24	187	<0.5	31	2.68	5	20	31	7	6.08	1	0.32	<10	1.58	2271	<2	0.01	<1	1562	18	0.78	11	7	90	<5	<0.01	<10	13	78	<10	203	2
9V1071RA/RJ	P09-025	132068	52.90	53.90	1.00	<0.01		<0.1	3.01	44	227	<0.5	31	1.25	12	23	38	6	6.32	1	0.31	12	1.76	2508	<2	0.01	1	1543	10	0.31	11	7	36	<5	<0.01	<10	11	82	<10	1080	2
9V1071RA/RJ	P09-025	132069	66.00	67.69	1.69	0.01		0.2	1.87	62	201	<0.5	21	1.63	3	15	21	18	4.41	<1	0.33	11	0.96	1455	<2	0.01	<1	1433	13	0.69	8	3	46	<5	<0.01	<10	<10	34	<10	124	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1071RA/RJ	P09-025	132070	67.69	68.60	0.91	0.21		2.1	1.23	109	149	<0.5	21	1.91	8	13	41	11	4.51	1	0.26	<10	0.67	1999	5	0.01	<1	906	128	1.54	11	2	67	<5	<0.01	<10	<10	23	<10	626	2
9V1071RA/RJ	P09-025	132071	68.60	69.60	1.00	0.35		3.2	1.36	117	171	<0.5	20	1.04	22	13	41	19	4.03	1	0.28	<10	0.61	1953	11	0.01	<1	1081	326	1.44	13	2	34	<5	<0.01	<10	<10	26	<10	1815	2
9V1071RA/RJ	P09-025	132072	69.60	70.60	1.00	0.32		4.7	0.83	230	101	<0.5	18	1.34	13	13	39	16	4.09	2	0.31	<10	0.32	1554	12	0.01	<1	844	360	2.73	20	2	48	<5	<0.01	<10	<10	16	<10	1089	2
9V1071RA/RJ	P09-025	132073	70.60	71.30	0.70	4.22		5.6	0.91	121	157	<0.5	15	2.02	8	9	46	95	3.45	1	0.28	<10	0.35	2244	4	0.01	<1	720	685	1.9	14	1	47	<5	<0.01	<10	<10	18	<10	579	2
9V1071RA/RJ	P09-025	132074	71.30	72.30	1.00	0.03		0.6	1.8	51	217	<0.5	21	3.38	3	14	19	36	4.25	1	0.35	10	0.75	3168	<2	0.01	<1	1266	19	0.86	9	3	93	<5	<0.01	<10	10	33	<10	176	2
9V1071RA/RJ	P09-025	132075	72.30	73.30	1.00	2.95		3.6	1.05	50	58	<0.5	22	0.76	147	13	32	141	5.15	5	0.33	<10	0.44	1147	6	0.01	<1	1077	744	3.71	6	2	27	<5	<0.01	<10	<10	18	<10	7238	2
9V1071RA/RJ	P09-025	132076	73.30	75.30	2.00	0.24		1.1	1.83	24	253	<0.5	19	3.01	16	12	20	76	4.07	1	0.36	10	0.89	2867	<2	0.01	<1	1480	506	0.64	8	3	89	<5	<0.01	<10	<10	30	<10	1289	2
9V1071RA/RJ	P09-025	132077	75.30	77.30	2.00	0.09		0.6	2.02	19	221	<0.5	20	2.46	7	12	25	39	4.31	1	0.36	13	1.06	2477	<2	0.01	<1	1514	400	0.54	8	3	72	<5	<0.01	<10	<10	29	<10	535	2
9V1071RA/RJ	P09-025	132078	77.30	79.30	2.00	0.03		0.4	1.85	21	241	<0.5	20	2.29	8	13	20	18	4.42	1	0.36	11	1.02	2342	<2	0.01	<1	1531	224	0.68	7	3	81	<5	<0.01	<10	<10	26	<10	742	2
9V1071RA/RJ	P09-025	132079	79.30	81.30	2.00	0.05		0.6	1.53	24	222	<0.5	17	2.24	8	12	22	18	3.88	1	0.33	<10	0.84	2261	<2	0.01	<1	1442	169	1.02	7	3	96	<5	<0.01	<10	<10	25	<10	739	2
9V1071RA/RJ	P09-025	132080	BLANK			<0.01		<0.1	0.14	<5	14	<0.5	<5	>15.00	<1	1	18	2	0.11	<1	0.02	<10	2.68	61	<2	0.01	2	70	<2	0.74	<5	1	4555	<5	<0.01	<10	19	3	<10	12	<1
9V1071RA/RJ	P09-025	132081	81.30	83.30	2.00	0.02		0.3	1.77	23	194	0.5	17	2.16	4	12	19	18	3.97	1	0.33	11	0.98	2145	<2	0.01	<1	1505	14	0.58	6	3	61	<5	<0.01	<10	<10	26	<10	323	2
9V1071RA/RJ	P09-025	132082	83.30	85.30	2.00	0.03		0.2	1.78	24	199	<0.5	17	1.46	4	10	49	13	3.79	<1	0.32	10	0.98	1820	<2	0.01	1	1372	21	0.35	7	2	62	<5	<0.01	<10	<10	25	<10	348	2
9V1071RA/RJ	P09-025	132083	149.00	150.00	1.00	0.01		0.2	1.3	30	233	<0.5	13	1.21	2	13	31	8	2.98	<1	0.39	<10	0.48	1115	4	0.01	1	1483	26	0.69	7	2	70	<5	<0.01	<10	<10	24	<10	191	1
9V1071RA/RJ	P09-025	132084	150.00	150.60	0.60	0.15		6.7	1.42	166	164	<0.5	17	2.75	23	12	42	35	3.99	3	0.33	<10	0.62	2076	<2	0.01	<1	1247	430	1.62	24	3	93	<5	0.01	<10	<10	27	<10	2398	1
9V1071RA/RJ	P09-025	132085	150.60	151.60	1.00	0.03		2.1	1.73	93	259	<0.5	18	1.52	9	14	28	29	4.23	1	0.33	<10	0.84	1857	<2	0.01	<1	1427	394	1.02	13	3	74	<5	0.01	<10	<10	26	<10	714	2
9V1071RA/RJ	P09-025	132086	151.60	153.60	2.00	0.03		0.9	1.52	89	188	<0.5	18	1.43	5	13	27	9	3.99	<1	0.32	<10	0.74	1712	<2	0.01	<1	1385	68	1.21	11	3	72	<5	<0.01	<10	<10	23	<10	491	2
9V1071RA/RJ	P09-025	132087	153.60	155.60	2.00	0.01		0.1	1.81	44	197	<0.5	18	2.42	3	13	22	11	4.32	1	0.34	<10	0.92	1995	2	0.01	<1	1459	18	0.95	11	3	113	<5	<0.01	<10	<10	31	<10	140	2
9V1071RA/RJ	P09-025	132088	155.60	157.00	1.40	0.04		2	1.59	134	214	<0.5	16	3.3	6	12	36	15	3.83	1	0.32	<10	0.85	2234	2	0.01	<1	1265	71	1.04	16	3	127	<5	<0.01	<10	10	25	<10	444	2
9V1071RA/RJ	P09-025	132089	157.00	159.00	2.00	0.01		0.5	1.56	58	248	<0.5	16	2.23	2	11	23	17	3.53	<1	0.35	<10	0.7	1818	<2	0.01	<1	1412	29	0.78	10	3	84	<5	<0.01	<10	<10	22	<10	135	2
9V1071RA/RJ	P09-025	132090	159.00	161.00	2.00	0.12		2.7	1.68	109	219	<0.5	18	1.62	6	13	20	16	3.97	1	0.37	10	0.76	1511	<2	0.01	<1	1436	163	1.04	13	3	57	<5	<0.01	<10	<10	25	<10	641	2
9V1071RA/RJ	P09-025	132091	161.00	163.00	2.00	0.02		0.6	1.82	97	180	<0.5	20	2.32	3	14	15	10	4.52	1	0.31	<10	0.91	1727	<2	0.01	<1	1427	11	1.48	12	3	81	<5	<0.01	<10	<10	27	<10	104	2
9V1071RA/RJ	P09-025	132092	163.00	165.00	2.00	0.03		1.6	1.62	133	187	<0.5	21	1.9	3	13	14	10	4.57	<1	0.33	11	1.01	1643	2	0.01	<1	1488	19	1.38	13	3	71	<5	<0.01	<10	<10	27	<10	138	2
9V1071RA/RJ	P09-025	132093	165.00	167.00	2.00	0.04		2.8	1.37	308	181	<0.5	22	1.02	3	14	21	11	4.59	1	0.38	11	0.74	1070	3	0.01	<1	1427	23	2.19	17	3	40	<5	<0.01	<10	<10	24	<10	113	2
9V1071RA/RJ	P09-025	132094	167.00	169.00	2.00	0.02		0.7	1.04	98	88	<0.5	20	3.32	3	14	14	9	4.77	<1	0.34	<10	0.83	1659	11	0.01	<1	1528	20	2.96	10	3	147	<5	<0.01	<10	<10	18	<10	77	2
9V1071RA/RJ	P09-025	132095	169.00	171.00	2.00	0.15		1.1	1.34	123	107	<0.5	22	2.01	7	14	19	13	4.89	<1	0.3	<10	0.91	1470	11	0.01	<1	1531	70	2.66	10	3	88	<5	<0.01	<10	<10	23	<10	476	2
9V1071RA/RJ	P09-025	132096	171.00	173.00	2.00	0.01		0.4	1.48	55	133	<0.5	20	3.02	3	14	13	10	4.7	1	0.3	<10	0.84	1476	3	0.01	<1	1555	13	2.34	9	3	112	<5	<0.01	<10	<10	24	<10	101	2
9V1085RA/RJ	P09-025	132097	189.00	190.00	1.00	0.04		1.7	1.79	23	129	<0.5	19	2.43	12	14	19	13	4.84	1	0.29	<10	1.04	2538	<2	0.01	<1	1377	1172	1.97	8	3	92	<5	<0.01	<10	10	25	<10	1050	2
9V1085RA/RJ	P09-025	132098	190.00	191.00	1.00	0.23		0.4	2.08	51	173	<0.5	21	2.72	4	12	20	18	4.83	1	0.29	<10	1.21	3197	<2	0.01	<1	1368	47	1.26	11	3	96	<5	<0.01	<10	11	32	<10	302	2
9V1085RA/RJ	P09-025	132099	191.00	192.00	1.00	0.45		1.7	2.16	26	154	<0.5	22	1.26	27	14	20	11	4.97	1	0.28	<10	1.42	3213	<2	0.01	<1	1356	1486	1.51	10	3	63	<5	<0.01	<10	10	35	<10	2392	2
9V1085RA/RJ	P09-025	132100	STD	PM427		3.45		1.1	1.44	6067	73	0.5	156	6.18	2	100	35	293	4.72	1	0.19	<10	0.46	792	27	0.06	60	778	19	0.87	16	3	60	5	0.11	<10	10	52	<10	75	11
9V1085RA/RJ	P09-025	132101	192.00	193.00	1.00	0.27		1.6	1.41	138	77	<0.5	20	1.42	11	13	24	7	4.67	1	0.26	<10	0.93	2383	<2	0.01	<1	1299	753	2.36	8	2	86	<5	<0.01	<10	<10	25	<10	1119	2
9V1085RA/RJ	P09-025	132102	193.00	194.00	1.00	0.18		1.1	1.33	163	107	<0.5	21	2.69	8	14	18	15	4.72	<1	0.3	<10	0.82	1837	<2	0.01	<1	1326	310	2.66	8	3	101	<5	<0.01	<10	<10	21	<10	671	2
9V1085RA/RJ	P09-025	132103	194.00	195.00	1.00	0.9		3.5	0.45	126	94	<0.5	13	3.18	18	6	69	34	2.86	1	0.15	<10	0.28	2244	6	0.01	<1	564	238	2.33	6	1	177	<5	<0.01	<10	13	17	<10	1847	1
9V1085RA/RJ	P09-025	132104	195.00	196.00	1.00	0.29		1.7	0.68	82	103	<0.5	15	2.25	8	9	70	9	3.24	1	0.19	<10	0.49	2312	2	0.01	1	914	476	2.16	7	2	132	<5	<0.01	<10	<10	26	<10	762	2
9V1085RA/RJ	P09-025	132105	196.00	197.00	1.00	0.05		1.8	1.16	71	134	<0.5	15	1.52	3	11	47	22	3.49	1	0.22	<10	0.66	2145	2	0.01	<1	1223	37	1.26	9	2	69	<5	<0.01	<10	<10	41	<10	276	2
9V1085RA/RJ	P09-025	132106	197.00	199.00	2.00	0.08		2.7	1.17	152	136	<0.5	15	1.64	3	11	41	24	3.68	1	0.23	<10	0.63	2359	<2	0.01	<1	1281	45	1.29	13	2	56	<5	<0.01	<10	<10	48	<10	225	2
9V1085RA/RJ	P09-025	132107	199.00	201.00	2.00	0.03		2.9	1.4	94	150	<0.5	15	0.94	3	12	35	21	3.86	1	0.26	<10	0.78	1995	2	0.01	<1	1324	82	0.93	11	3	43	<5	<0.01	<10	<10	51	<10	288	2
9V1085RA/RJ	P09-025	132108	201.00	202.00	1.00	0.25		15.3	1.12	107	145	<0.5	14	1.91	10	10	59	20	3.55	1	0.19	<10	0.65	2436	4	0.01	<1	1001	351	1.31	8	2	113	<5	<0.01	<10	<10	41	<10	946	1
9V1085RA/RJ	P09-025	132109	202.00	203.00	1.00	0.31		3.1	0.46	58	65	<0.5	8	4.72	19	5	111	29	1.84	1	0.09	<10	0.28	4185	<2	0.01	1	309	127	0.96	<5	3	390	<5	<0.01	<10	<10	20	<10	1807	1
9V1085RA/RJ	P09-025	132110	203.00	204.00	1.00	0.27		4.6	0.55	59	63	<0.5	14	2.49	88	8	100	122	2.57	3	0.12	<10	0.32	2107	2	0.01	1	254	154	2.01	5	1	86	<5	<0.01	<10	<10	24	129	5889	1
9V1085RA/RJ	P09-025	132111	204.00	204.60	0.60	0.37		3	0.31	34	33	<0.5	5	1.95	80	5	157	105	1.39	4	0.07	<10	0.18	1188	<2	0.01	2	122	74	1.14	<5	1	62	<5	<0.01	<10	<10	13	<10	5305	1
9V1085RA/RJ	P09-025	132112	204.60	205.86	1.26	<0.01		<0.1	2.5	10	772	0.6	24	3.41	3	27	86	18	5.73	1	0.06	22	2.49	1088	<2	0.04	42	2544	5	0.21	12	7	565	<5	0.09	<10	<10	94	<10	187	7
9V1085RA/RJ	P09-025	132113	205.86	206.80	0.94	0.36		2.2	0.69	67	90	<0.5	16	2.53	15	8	120	40	3.32	1	0.21	<10	0.32	2091	<2	0.01	1	454	104	2.21	7	2	85	<5	<0.01	<10	10	30	<10	1166	1
9V1085RA/RJ	P09-025	132114	206.80	207.83	1.03	0.75		59.3	1.23	60	94	<0.5	19	2.45	14	11	83	38	4.47	1	0.12	<10	0.78	3005	<2	0.01	<1	667	131	1.93	8	4	83	<5	<0.01	<10	13	75	<10	1194	2
9V1085RA/RJ	P09-025	132115	207.83	208.35	0.52	<0.01		<0.1	2.3	11	973	1	25	3.5	3	30	89	23	5.84	<1	0.08	17	2.49	1218	<2	0.06	49	2428	6	0.24	13	9	228	<5	0.16	<10	<10	112	<10	149	8
9V1085RA/RJ	P09-025	132116	208.35	210.06	1.71	1.06		4	0.93	77	74	<0.5	16	3.32	24	8	95	66	3.89	2	0.09	<10	0.62	3271	<2	0.01	1	571	404	1.96	8	3	130	<5	<0.01	<10	13	48	<10	1968	1
9V1085RA/RJ	P09-025	132117	210.06	210.68	0.62	<0.01		<0.1	2.3	5	797	<0.5	20	3.9	3	19	82	16	5.13	1	0.13	22	2.13	1070	<2	0.03	20	2545	11	0.18	10	6	164	<5	0.01	<10	<10	85	<10	143	4
9V1085RA/RJ	P09-025	132118	210.68	211.60	0.92	0.73		2.6	1.01	89	94	<0.5	21	3.77	17	12	78	24	4.76	1	0.14	<10	0.67	2911	<2	0.01	1	684	165	2.8	9	2	138	<5	<0.01	<10	13	43	<10	1320	2
9V1085RA/RJ	P09-025	132119	211.60	212.60	1.00	0.3		1.6	0.34	43	58	<0.5	8	2.25	2	6	101	5	1.82	1	0.07	<10	0.22	1992	<2	0.01	1	220	44	1.23	5	1	107	<5	<0.01	<10	<10	13	<10	136	1
9V1085RA/RJ	P09-025	132120	212.60	213.60	1.00	0.32		2.6	0.75	176	71	<0.5	14	3.08	3	8	77	4	3.2	1	0.09	<10	0.53	2800	<2	0.01	1	455	74	1.68	10	3	219	<5	<0.01	<10	12	31	<10	203	1
9V1085RA/RJ	P09-025	132121	213.60	214.60	1.00	0.6		2.4	0.55	65	61	<0.5	9	4.56	2	6	88	4	2.05	1	0.07	<10	0.39	3577	<2	0.01	1	322	59	1.06	7	3	278	<5	<0.01	<10	11	24	<10	149	1
9V1085RA/RJ	P09-025	132122	214.60	215.60	1.00	0.76		1.8	0.62	93	85	<0.5	12	1.29	6	7	96	5	2.42	1	0.09	<10	0.42	1648	<2	0.01	2	400	129	1.23	7	1	49	<5	<0.01	<10	<10	25	<10	510	1
9V1085RA/RJ	P09-025	132123	215.60	216.60	1.00	0.51		9.4	0.74	281	57	<0.5	19	0.61	308	20	65	143	4.42	10	0.21	<10	0.38	1533	2	0.01	1	837	1368	3.94	10	2	28	<5	<0.01	<10	<10	22	<10	8566	2
9V1085RA/RJ	P09-025	132124	216.60	217.60	1.00	0.69		7.4	0.48	174	66	<0.5	16	0.51	182	13	79	44	2.72	6	0.17	<10	0.25	1295	<2	0.01	2	534	2047	2.54	6	1	22	<5	<0.01	<10	<10	13	<10	7065	1
9V1085RA/RJ	P09-025	132125	217.60	218.60	1.00	0.59		10.1	0.73	241	63	<0.5	23	1.85	193	15	69	85	4.18	6	0.19	<10	0.42	2226	<2	0.01	1	613	1593	3.5	10	1	43	<5	<0.01	<10	10	20	<10	7962	1
9V1085RA/RJ	P09-025	132126	218.60	219.60	1.00	0.34		4.9	0.64	518	53	<0.5	24	1.15	11	15	54	9	5.59	2	0.27	<10	0.27	1216	3	0.01	2	884	292	4.28	42	2	34	<5	<0.01	12	<10	15	<10	859	2
9V1085RA/RJ	P09-025	132127	219.60	220.60	1.00	0.17		0.6	1.78	117	115	<0.5	22	3.43	4	15	33	17	4.77	1	0.26	<10	0.91	2122	<2	0.01	1	1188	65	1.26	12	4	100	<5	<0.01	<10	<10	46	<10	319	2
9V1085RA/RJ	P09-025	132128	220.60	222.60	2.00	0.15		<0.1	1.97	114	121	<0.5	21	3.61	4	15	30	13	4.76	1	0.28	10	1.07	2149	<2	0.01	2	1285	50	0.9	10	4	123	<5	<0.01	<10	<10	51	<10	195	2
9V1085RA/RJ	P09-025	132129	222.60	224.60	2.00	0.09		1	1.89	115	139	<0.5	19	2.4	6	16	27	28	4.35	1	0.28	10	1.04	1978	2	0.01	2	1294	121	0.68	12	3	78	<5	<0.01	<10	<10	50	<10	583	2
9V1085RA/RJ	P09-025	132130	224.60	226.60	2.00	0.1		0.8	1.9	78	141	<0.5	21	2.32	13	16	25	22	4.6	1	0.3	11	1.01	2087	<2	0.01	3	1288	214	0.97	10	3	74	<5	<0.01	<10	<10	48	<10	1248	2
9V1085RA/RJ	P09-025	132131	226.60	228.60	2.00	0.27		2.5	1.22	143	100	<0.5	20	1.73	42	15	34	43	4.36	1	0.27	<10	0.74	2139	<2	0.01	2	1194	499	1.76	7	3	89	<5	<0.01	<10	<10	28	<10	3837	2
9V1085RA/RJ	P09-025	132132	228.60	230.60	2.00	0.46		3.9	1.3	162	77	<0.5	20	1.1	121	17	44	70	4.55	3	0.26	<10	0.68	2128	<2	0.01	2	987	773	2.51	8	2	41	<5	<0.01	<10	<10	33	<10	7351	2
9V1085RA/RJ	P09-025	132133	230.60	232.60	2.00	0.15		1.8	1.42	154	94	<0.5	22	2.08	28	17	38	17	4.85	1	0.28	<10	0.73	2504	<2	0.01	2	1116	409	2.46	12	3	71	<5	<0.01	<10	10	35	<10	2595	2
9V1085RA/RJ	P09-025	132134	232.60	234.60	2.00	0.15		1.1	1.6	113	143	<0.5	18	3.32	12	14	30	15	4.16	1	0.26	10	0.87	2792	<2	0.01	2	1194	328	1.29	9	3	91	<5	<0.01	<10	<10	41	<10	1205	2
9V1085RA/RJ	P09-025	132135	234.60	236.60	2.00	0.18		1.7	1.42	187	125	<0.5	17	2.89	18	15	33	17	3.79	1	0.28	10	0.75	2502	2	0.01	2	1224	514	1.38	12	3	83	<5	<0.01	<10	<10	46	<10	1757	2
9V1085RA/RJ	P09-025	132136	236.60	238.60	2.00	0.25		2.4	1.57	99	140	<0.5	19	3.6	16	17	26	59	4.49	1	0.29	11	1	2837	2	0.01	4	1293	680	1.02	11	4	142	<5	<0.01	<10	<10	47	<10	1623	2
9V1085RA/RJ	P09-025	132137	238.60	240.60	2.00	0.21		0.5	1.33	104	137	<0.5	18	3.6	10	15	32	10	4.35	1	0.32	10	0.86	2015	2	0.01	4	1265	234	1.67	9	4	172	<5	<0.01	<10	<10	34	<10	908	2
9V1085RA/RJ	P09-025	132138	240.60	242.60	2.00	0.02		<0.1	2.04	45	236	0.7	21	2.91	5	24	55	17	5.02	1	0.2	16	1.71	1990	2	0.04	26	1774	84	0.49	13	7	95	<5	0.12	<10	<10	88	<10	401	5
9V1085RA/RJ	P09-025	132139	242.60	244.60	2.00	0.42		3.1	1.1	264	98	<0.5	16	3.15	26	13	39	29	3.77	1	0.24	<10	0.57	2017	6	0.01	3	888	985	2.08	10	2	96	<5	<0.01	<10	<10	27	<10	2459	1
9V1085RA/RJ	P09-025	132140	BLANK			<0.01		<0.1	0.02	<5	10	<0.5	<5	>15.00	<1	<1	3	1	0.04	<1	0.01	<10	1.66	29	<2	0.01	1	55	<2	0.77	<5	<1	5130	<5	<0.01	<10	20	1	<10	11	<1
9V1085RA/RJ	P09-025	132141	244.60	246.60	2.00	0.27		1.7	1.3	406	114	<0.5	20	3.27	11	18	33	25	4.79	1	0.33	<10	0.69	2291	2	0.01	3	1209	389	2.71	11	3	110	<5	<0.01	<10	<10	35	<10	951	2
9V1085RA/RJ	P09-025	132142	246.60	248.60	2.00	0.1		1.8	1.49	106	136	<0.5	19	2.38	21	14	36	17	4.65	1	0.31	<10	0.86	3081	<2	0.01	2	1103	275	1.82	10	3	67	<5	<0.01	<10	<10	43	<10	1984	2
9V1085RA/RJ	P09-025	132143	248.60	249.70	1.10	0.18		1.8	0.96	37	131	<0.5	11	2.03	4	7	55	2	2.75	1	0.18	<10	0.39	2361	<2	0.01	1	686	48	0.59	6	2	66	<5	<0.01	<10	<10	26	<10	316	1

P09-026 - Northstar - PAD 13 - 436279E 6219801N, Elev: 1117m, Az: 080, Dip: -50, EOH: 280.2m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1085RA/RJ	P09-026	132144	13.00	15.00	2.00	0.02		0.6	1.83	74	140	<0.5	19	3.03	3	13	27	7	4.28	1	0.31	<10	1.04	1624	4	0.01	1	1297	10	1.17	11	3	66	<5	<0.01	<10	<10	28	<10	103	1
9V1085RA/RJ	P09-026	132145	15.00	16.00	1.00	0.05		8.8	0.29	139	124	<0.5	7	9.9	1	7	35	6	2.06	2	0.23	<10	0.07	2088	2	0.01	1	610	18	1.9	19	1	148	<5	<0.01	12	11	6	<10	78	1
9V1085RA/RJ	P09-026	132146	16.00	17.80	1.80	0.02		1.1	0.71	117	125	<0.5	15	4.79	2	14	18	23	3.53	1	0.38	<10	0.22	1543	3	0.01	1	1241	16	2.77	15	3	141	<5	<0.01	<10	<10	17	<10	113	2
9V1085RA/RJ	P09-026	132147	17.80	18.80	1.00	0.03		0.6	1.21	168	135	<0.5	15	7.42	3	11	16	13	3.61	1	0.34	<10	0.53	2559	<2	0.01	<1	1130	23	1.51	12	3	128	<5	<0.01	<10	<10	29	<10	182	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1085RA/RJ	P09-026	132148	18.80	20.80	2.00	0.02		0.5	1.49	68	276	<0.5	16	5.57	2	11	15	19	3.93	1	0.35	10	0.73	2277	<2	0.01	<1	1308	21	0.87	10	3	162	<5	<0.01	<10	<10	36	<10	129	2
9V1085RA/RJ	P09-026	132149	20.80	22.00	1.20	<0.01		<0.1	2.63	<5	1524	0.5	25	3.39	4	25	91	24	5.99	<1	0.11	50	2.56	961	<2	0.04	48	4367	8	0.16	11	5	213	<5	0.05	11	<10	93	<10	151	7
9V1085RA/RJ	P09-026	132150	22.00	23.45	1.45	<0.01		<0.1	2.52	5	945	0.9	24	3.11	3	27	104	22	5.74	<1	0.08	42	2.59	930	<2	0.04	52	4297	8	0.14	14	5	176	<5	0.12	11	<10	102	<10	129	12
9V1085RA/RJ	P09-026	132151	23.45	25.00	1.55	0.04		1.7	0.99	185	181	<0.5	15	7.34	3	12	23	10	3.87	1	0.34	<10	0.48	2479	5	0.01	1	1189	24	2.27	14	2	137	<5	<0.01	10	<10	25	<10	113	3
9V1085RA/RJ	P09-026	132152	25.00	27.00	2.00	0.01		0.4	1.86	101	199	<0.5	20	1.02	3	15	18	32	4.44	<1	0.32	12	1.06	1673	<2	0.02	<1	1443	23	0.76	10	4	33	<5	<0.01	<10	<10	54	<10	141	2
9V1085RA/RJ	P09-026	132153	27.00	28.70	1.70	<0.01		<0.1	2.72	31	371	<0.5	25	0.83	4	23	72	26	5.42	<1	0.2	46	2.33	948	<2	0.02	41	3946	14	0.08	11	4	41	5	<0.01	10	<10	75	<10	263	3
9V1085RA/RJ	P09-026	132154	28.70	29.70	1.00	0.03		3.2	0.39	120	154	<0.5	5	>15.00	1	4	23	4	1.69	4	0.17	<10	0.21	7020	5	0.01	<1	407	29	1.5	17	1	222	<5	<0.01	19	25	6	<10	65	1
9V1085RA/RJ	P09-026	132155	29.70	31.48	1.78	<0.01		<0.1	2.49	13	681	1.5	26	3.76	3	31	109	27	5.99	<1	0.06	46	2.74	1017	<2	0.05	54	4211	3	0.25	17	7	144	<5	0.26	12	<10	123	<10	116	17
9V1085RA/RJ	P09-026	132156	31.48	32.53	1.05	0.06		4.4	0.29	260	159	<0.5	10	13.46	2	5	30	6	2.8	3	0.16	<10	0.12	2935	3	0.01	1	468	18	2.58	28	2	157	<5	0.01	14	13	9	<10	77	2
9V1085RA/RJ	P09-026	132157	32.53	34.50	1.97	0.03		<0.1	1.54	85	184	<0.5	18	1.6	3	15	24	9	4.25	1	0.35	14	0.84	1414	<2	0.02	3	1513	17	1.19	10	3	44	<5	0.01	<10	<10	43	<10	139	3
9V1085RA/RJ	P09-026	132158	34.50	36.50	2.00	0.24		0.8	1.79	96	213	<0.5	20	1.48	3	13	22	44	4.52	1	0.29	<10	1.01	2236	<2	0.01	<1	1301	40	1.01	12	3	75	<5	<0.01	<10	<10	51	<10	145	2
9V1085RA/RJ	P09-026	132159	36.50	38.50	2.00	0.01		0.4	1.53	74	185	<0.5	17	2.6	3	13	21	15	4.17	1	0.33	<10	0.79	2221	<2	0.01	<1	1352	22	1.13	11	3	104	<5	<0.01	<10	<10	40	<10	112	2
9V1085RA/RJ	P09-026	132160	STD	PM405		0.29		0.8	0.52	685	1038	0.5	16	0.64	4	8	53	40	3.19	2	0.13	14	0.32	467	6	0.01	33	855	151	0.21	494	4	205	6	<0.01	<10	<10	51	<10	241	12
9V1085RA/RJ	P09-026	132161	38.50	40.50	2.00	0.04		0.3	1.91	106	315	0.6	20	1.16	4	19	34	13	4.67	<1	0.42	18	1.22	1217	<2	0.02	10	1744	45	0.77	12	4	36	<5	0.05	<10	<10	55	<10	269	4
9V1085RA/RJ	P09-026	132162	40.50	42.50	2.00	<0.01		<0.1	2.29	16	516	1	24	4.19	3	28	76	24	5.77	<1	0.21	31	2.13	1326	<2	0.03	36	2760	16	0.57	15	7	167	<5	0.17	<10	<10	89	<10	129	9
9V1085RA/RJ	P09-026	132163	42.50	44.50	2.00	0.05		0.3	2.1	37	179	<0.5	22	2.58	3	16	22	14	5.32	1	0.24	<10	1.14	1981	<2	0.01	1	1352	14	0.96	10	3	80	<5	<0.01	<10	<10	44	<10	104	2
9V1085RA/RJ	P09-026	132164	44.50	46.50	2.00	0.02		0.3	1.66	33	140	<0.5	20	3.54	3	18	20	16	4.94	1	0.26	<10	0.84	1719	<2	0.01	1	1423	14	1.7	9	3	93	<5	<0.01	<10	<10	35	<10	102	2
9V1085RA/RJ	P09-026	132165	60.20	62.20	2.00	0.05		3	1.32	103	178	<0.5	16	1.4	18	13	22	80	4.16	1	0.29	<10	0.6	1364	4	0.01	1	904	489	1.46	11	2	36	<5	<0.01	<10	<10	23	<10	1460	2
9V1085RA/RJ	P09-026	132166	62.20	64.20	2.00	0.04		0.5	1.6	50	152	<0.5	21	2.64	4	14	16	18	4.81	1	0.3	<10	0.82	1817	2	0.01	1	1178	76	1.84	11	3	74	<5	<0.01	<10	<10	34	<10	185	2
9V1085RA/RJ	P09-026	132167	64.20	66.20	2.00	0.04		0.8	1.6	37	138	<0.5	23	1.8	8	15	16	22	5.21	1	0.29	<10	0.88	1487	<2	0.01	1	1194	304	2.31	11	3	60	<5	<0.01	<10	<10	36	<10	583	2
9V1085RA/RJ	P09-026	132168	66.20	68.20	2.00	0.17		0.9	0.84	71	107	<0.5	18	3.39	4	12	23	7	4.2	<1	0.3	<10	0.39	1470	<2	0.01	<1	1128	35	3.07	8	2	121	<5	<0.01	<10	<10	17	<10	161	2
9V1085RA/RJ	P09-026	132169	68.20	70.20	2.00	0.59		1.4	0.71	69	157	<0.5	13	2.19	5	10	37	21	2.75	1	0.27	<10	0.31	1335	<2	0.01	1	969	356	1.85	8	1	75	<5	<0.01	<10	<10	13	<10	438	1
9V1085RA/RJ	P09-026	132170	70.20	72.20	2.00	0.04		0.4	1.06	56	172	<0.5	14	1.22	2	12	29	7	3.35	1	0.28	<10	0.54	1157	<2	0.01	1	1079	15	1.49	7	2	63	<5	<0.01	<10	<10	21	<10	85	1
9V1085RA/RJ	P09-026	132171	72.20	74.20	2.00	0.41		3.3	1.66	65	144	<0.5	21	1.19	32	15	29	29	4.97	1	0.26	<10	0.95	2152	<2	0.01	1	1019	1218	1.82	8	3	55	<5	<0.01	<10	<10	39	<10	2642	2
9V1085RA/RJ	P09-026	132172	74.20	76.20	2.00	0.16		1.6	1.92	128	129	<0.5	25	1.71	7	17	15	15	5.58	1	0.25	<10	1.18	2339	<2	0.01	<1	1412	245	2.04	10	3	56	<5	<0.01	<10	10	40	<10	535	2
9V1085RA/RJ	P09-026	132173	76.20	78.20	2.00	0.48		4.3	1.11	324	82	<0.5	25	2	6	15	29	11	5.38	1	0.25	<10	0.67	1785	3	0.01	1	1132	169	3.39	16	2	74	<5	<0.01	<10	11	23	<10	373	2
9V1085RA/RJ	P09-026	132174	78.20	79.20	1.00	0.57		5.9	0.68	388	51	<0.5	32	1.22	7	18	31	10	6.86	1	0.25	<10	0.34	1164	4	0.01	<1	938	288	>5.00	19	1	39	<5	<0.01	<10	13	16	<10	274	2
9V1085RA/RJ	P09-026	132175	79.20	80.20	1.00	0.64		8.2	0.61	254	50	<0.5	33	1.36	13	16	49	59	6.88	1	0.21	<10	0.32	1431	5	0.01	1	690	704	>5.00	16	1	56	<5	<0.01	<10	15	17	<10	861	2
9V1085RA/RJ	P09-026	132176	80.20	81.20	1.00	0.43		19.6	0.34	275	59	<0.5	36	2.96	5	15	27	12	5.9	1	0.28	<10	0.07	1394	2	0.01	1	731	170	>5.00	11	1	72	<5	<0.01	<10	14	10	<10	146	2
9V1085RA/RJ	P09-026	132177	81.20	82.20	1.00	0.66		10	0.25	439	52	<0.5	32	1.27	7	15	57	18	6.37	1	0.23	<10	0.04	722	4	0.01	1	617	293	>5.00	26	1	47	<5	<0.01	<10	12	6	<10	312	2
9V1085RA/RJ	P09-026	132178	82.20	83.20	1.00	0.57		9.9	0.64	372	55	<0.5	31	1.49	21	14	49	47	6.56	2	0.24	<10	0.3	1316	5	0.01	<1	887	673	>5.00	30	1	45	<5	<0.01	<10	13	12	<10	1655	2
9V1085RA/RJ	P09-026	132179	83.20	85.20	2.00	0.06		1.6	1.37	85	177	<0.5	17	1.84	4	13	34	40	4.06	1	0.28	<10	0.8	1790	2	0.01	6	1333	105	1.45	11	3	58	<5	<0.01	<10	<10	32	<10	211	2
9V1085RA/RJ	P09-026	132180	BLANK			<0.01		<0.1	0.09	<5	13	<0.5	<5	>15.00	<1	1	2	1	0.12	<1	0.01	<10	1.39	29	<2	0.01	1	51	<2	0.8	<5	<1	5152	<5	<0.01	<10	20	2	<10	2	<1
9V1085RA/RJ	P09-026	132181	85.20	87.20	2.00	0.04		1.1	1.59	122	188	<0.5	19	2.55	3	13	16	16	4.43	1	0.33	<10	0.79	1995	<2	0.01	<1	1344	20	1.29	11	3	98	<5	<0.01	<10	<10	32	<10	101	2
9V1085RA/RJ	P09-026	132182	128.00	130.00	2.00	<0.01		<0.1	2.1	15	224	<0.5	21	2.09	3	17	10	11	5.08	<1	0.33	11	1.14	1951	<2	0.02	<1	1654	9	0.73	10	3	104	<5	0.04	<10	<10	46	<10	122	3
9V1085RA/RJ	P09-026	132183	130.00	132.06	2.06	0.03		0.3	1.51	15	208	<0.5	18	5.35	3	12	36	13	4.18	1	0.29	<10	0.72	2363	<2	0.01	<1	1394	52	0.84	8	2	383	<5	0.01	<10	<10	28	<10	211	2
9V1085RA/RJ	P09-026	132184	132.06	133.43	1.37	0.01		<0.1	2.17	16	892	1.3	23	3.41	3	31	80	17	5.81	1	0.09	17	2.44	1084	<2	0.04	44	2479	5	0.22	15	7	107	<5	0.26	<10	<10	99	<10	98	9
9V1085RA/RJ	P09-026	132185	133.43	135.50	2.07	0.11		<0.1	1.64	21	188	<0.5	17	2.52	3	15	21	17	4.02	1	0.36	<10	0.71	1840	2	0.02	<1	1553	34	0.6	8	3	131	<5	0.05	<10	<10	33	<10	153	2
9V1085RA/RJ	P09-026	132186	135.50	137.50	2.00	0.12		0.8	1.81	21	160	<0.5	18	2.22	6	13	17	29	4.47	<1	0.28	<10	0.88	2050	2	0.01	<1	1484	257	0.52	8	3	110	<5	0.01	<10	<10	38	<10	475	2
9V1085RA/RJ	P09-026	132187	137.50	139.70	2.20	0.16		0.1	1.95	46	176	<0.5	21	2.49	4	14	14	12	4.78	1	0.29	10	1.05	2510	<2	0.02	<1	1497	70	0.64	10	4	115	<5	0.01	<10	<10	56	<10	216	2
9V1085RA/RJ	P09-026	132188	139.70	141.65	1.95	0.01		<0.1	1.69	<5	437	<0.5	16	3.31	2	14	45	12	4	<1	0.21	17	1.49	815	<2	0.03	13	1753	9	0.19	8	3	144	<5	<0.01	<10	<10	50	<10	100	4
9V1085RA/RJ	P09-026	132189	141.65	143.43	1.78	0.01		0.1	1.89	23	167	<0.5	20	2.13	3	13	14	18	4.73	1	0.27	<10	1.28	2268	<2	0.02	1	1428	27	0.6	9	3	109	<5	<0.01	<10	<10	45	<10	166	2
9V1085RA/RJ	P09-026	132190	143.43	144.10	0.67	<0.01		<0.1	1.78	<5	171	<0.5	16	2.98	2	15	53	14	4.08	1	0.16	18	1.62	926	<2	0.04	16	1651	5	0.17	8	5	107	<5	0.01	<10	<10	67	<10	82	4
9V1085RA/RJ	P09-026	132191	144.10	145.50	1.40	0.02		0.9	1.81	88	164	<0.5	17	1.24	3	12	11	25	4.25	<1	0.28	10	1.06	1706	<2	0.01	<1	1362	16	0.51	10	3	82	<5	<0.01	<10	<10	37	<10	116	2
9V1085RA/RJ	P09-026	132192	145.50	146.75	1.25	0.02		0.4	1.66	80	170	<0.5	18	2.35	2	13	13	11	4.19	1	0.3	10	1	1766	<2	0.01	1	1421	10	0.77	10	3	144	<5	<0.01	<10	<10	38	<10	97	2
9V1085RA/RJ	P09-026	132193	146.75	147.40	0.65	<0.01		<0.1	1.65	<5	96	<0.5	16	3.57	2	14	43	16	3.9	<1	0.21	17	1.41	1407	<2	0.03	13	1664	5	0.21	8	4	221	<5	<0.01	<10	<10	45	<10	131	3
9V1085RA/RJ	P09-026	132194	147.40	149.40	2.00	0.01		<0.1	1.86	22	152	<0.5	20	3.58	3	15	13	14	4.74	1	0.29	<10	1.14	2359	<2	0.01	<1	1431	8	1.09	9	3	147	<5	<0.01	<10	<10	30	<10	104	2
9V1085RA/RJ	P09-026	132195	149.40	151.40	2.00	0.01		0.4	1.58	32	146	<0.5	17	1.7	2	11	17	13	4.01	<1	0.27	<10	0.95	1551	<2	0.01	<1	1422	10	0.82	9	2	63	<5	<0.01	<10	<10	25	<10	115	1
9V1085RA/RJ	P09-026	132196	151.40	153.00	1.60	0.01		0.5	1.21	66	148	<0.5	17	3.39	2	12	16	11	3.78	1	0.28	<10	0.79	2397	<2	0.01	<1	1404	12	0.98	9	3	154	<5	<0.01	<10	<10	22	<10	94	1
9V1085RA/RJ	P09-026	132197	153.00	154.00	1.00	0.09		1.8	0.42	225	73	<0.5	22	1.06	3	13	25	7	4.97	<1	0.26	<10	0.14	413	<2	0.01	<1	1238	24	4.07	18	1	34	<5	<0.01	<10	<10	7	<10	65	2
9V1085RA/RJ	P09-026	132198	154.00	155.00	1.00	0.02		0.8	0.38	73	83	<0.5	18	0.82	3	16	21	10	4.3	<1	0.28	<10	0.09	270	<2	0.01	1	1462	17	3.64	8	1	25	<5	<0.01	<10	<10	8	<10	89	2
9V1085RA/RJ	P09-026	132199	155.00	156.00	1.00	0.05		1.7	0.75	197	138	<0.5	12	2.73	2	10	33	12	2.59	1	0.25	<10	0.38	1457	2	0.01	1	1062	24	1.39	16	2	77	<5	<0.01	<10	<10	10	<10	201	1
9V1085RA/RJ	P09-026	132200	STD	PM427		3.48		1.2	1.2	6808	79	<0.5	160	5.53	1	103	35	278	4.61	<1	0.2	<10	0.49	733	30	0.05	66	809	19	0.9	19	2	55	<5	0.09	<10	<10	50	<10	78	9
9V1085RA/RJ	P09-026	132201	156.00	157.00	1.00	0.1		1.3	1.15	132	137	<0.5	16	3.49	3	11	31	21	3.79	1	0.25	<10	0.68	2070	<2	0.01	<1	1202	213	1.68	12	2	95	<5	<0.01	<10	<10	19	<10	257	2
9V1085RA/RJ	P09-026	132202	157.00	158.00	1.00	0.35		2.6	0.86	158	111	<0.5	14	3.38	9	9	33	53	3.12	1	0.21	<10	0.48	2121	<2	0.01	<1	979	326	1.62	14	1	97	<5	<0.01	<10	10	14	<10	866	1
9V1085RA/RJ	P09-026	132203	158.00	160.00	2.00	0.33		1	1.42	23	128	<0.5	17	2.47	11	10	36	49	3.67	1	0.24	<10	0.77	2082	<2	0.01	<1	1234	327	0.9	8	3	138	<5	<0.01	<10	<10	42	<10	1052	2
9V1085RA/RJ	P09-026	132204	160.00	162.00	2.00	0.1		0.7	1.48	29	135	<0.5	21	1.49	9	14	23	10	4.84	1	0.25	<10	0.9	2643	6	0.01	<1	1349	238	1.97	9	3	54	<5	<0.01	<10	<10	47	<10	819	2
9V1085RA/RJ	P09-026	132205	162.00	163.00	1.00	2.41		8.1	0.84	36	97	<0.5	15	4.21	21	9	52	409	3.28	1	0.17	<10	0.52	3348	5	0.01	<1	838	3454	1.96	9	2	117	<5	<0.01	<10	11	25	<10	1842	1
9V1085RA/RJ	P09-026	132206	163.00	164.00	1.00	0.42		5.6	1.33	45	135	<0.5	16	2.12	39	11	42	83	3.8	1	0.24	<10	0.77	2299	19	0.01	<1	1243	3211	1.42	8	2	64	<5	<0.01	<10	<10	34	<10	3562	2
9V1085RA/RJ	P09-026	132207	164.00	166.00	2.00	0.24		0.4	1.58	27	148	<0.5	19	1.72	4	13	20	13	4.55	1	0.26	<10	0.92	2424	<2	0.01	<1	1416	84	1.34	8	3	76	<5	<0.01	<10	<10	46	<10	213	2
9V1085RA/RJ	P09-026	132208	166.00	168.00	2.00	0.26		1	1.04	27	119	<0.5	19	1.94	4	14	29	13	4.62	1	0.27	<10	0.62	1690	<2	0.01	<1	1528	66	2.8	9	2	69	<5	<0.01	<10	<10	17	<10	246	2
9V1085RA/RJ	P09-026	132209	168.00	170.00	2.00	0.19		1.8	0.38	27	79	<0.5	21	4.4	4	13	36	14	4.9	1	0.26	<10	0.25	1748	<2	0.01	<1	1363	43	4.23	8	2	302	<5	<0.01	<10	10	7	<10	63	2
9V1085RA/RJ	P09-026	132210	170.00	172.00	2.00	<0.01		<0.1	2.19	8	730	<0.5	22	3.75	3	23	69	10	5.39	<1	0.17	17	2.18	1434	<2	0.03	35	2631	5	0.38	10	4	193	<5	0.01	<10	<10	56	<10	107	3
9V1085RA/RJ	P09-026	132211	172.00	174.00	2.00	<0.01		<0.1	2.34	10	509	<0.5	24	3.64	3	26	74	14	5.68	1	0.11	20	2.37	1212	<2	0.03	40	2752	6	0.42	10	5	169	<5	0.02	<10	<10	74	<10	116	4
9V1085RA/RJ	P09-026	132212	174.00	176.00	2.00	0.27		0.3	1.55	50	176	<0.5	19	2.47	6	12	24	15	4.16	1	0.26	<10	0.94	2071	<2	0.01	<1	1428	84	1.01	8	3	96	<5	<0.01	<10	<10	24	<10	491	1
9V1085RA/RJ	P09-026	132213	176.00	178.00	2.00	0.09		0.9	1.7	47	147	<0.5	19	1.73	7	13	23	17	4.64	1	0.24	<10	1.06	2040	<2	0.01	<1	1348	114	1.19	10	2	68	<5	<0.01	<10	<10	21	<10	565	2
9V1085RA/RJ	P09-026	132214	178.00	180.00	2.00	0.13		0.6	1.85	17	132	<0.5	19	2.87	5	13	21	30	4.48	1	0.23	<10	1.06	2883	<2	0.01	<1	1400	90	0.67	9	3	107	<5	<0.01	<10	<10	25	<10	367	2
9V1085RA/RJ	P09-026	132215	180.00	182.00	2.00	0.13		0.8	1.39	18	131	<0.5	18	3.75	5	13	22	13	4.23	1	0.23	<10	0.81	2603	<2	0.01	<1	1365	133	1.68	7	2	148	<5	<0.01	<10	<10	18	<10	306	2
9V1085RA/RJ	P09-026	132216	182.00	184.00	2.00	0.03		0.4	1.47	16	128	<0.5	20	3.19	3	12	12	19	4.38	1	0.24	<10	0.84	2353	<2	0.01	<1	1505	24	1.61	8	3	144	<5	<0.01	<10	<10	19	<10	110	2
9V1085RA/RJ	P09-026	132217	184.00	186.00	2.00	0.37		1.3	1.52	14	138	<0.5	19	2.61	10	12	19	14	4.37	<1	0.25	<10	0.98	2359	<2	0.01	<1	1405	263	1.64	8	3	121	<5	<0.01	<10	<10	21	<10	896	2
9V1085RA/RJ	P09-026	132218	186.00	188.00	2.00	2.13		20.7	0.95	48	80	<0.5	21	1.61	16	11	23	17	5.02	1	0.26	<10	0.56	1677	<2	0.01	<1	1242	431	3.4	10	2	66	<5	<0.01	<10	<10	16	<10	1269	2
9V1085RA/RJ	P09-026	132219	188.00	190.00	2.00	1.57		1.2	1.9	19	176	<0.5	20	2.38	16	12	16	23	4.87	1	0.28	<10	0.96	2988	<2	0.02	<1	1471	359	0.81	9	3	120	<5	<0.01	<10	<10	41	<10	1410	2
9V1085RA/RJ	P09-026	132220	BLANK			<0.01		<0.1	0.03	<5	<10	<0.5	<5	>15.00	<1	<1	3	<1	0.05	<1	0.02	<10	1.74	51	<2	0.01	1	48	<2	0.82	<5	<1	3459	<5	<0.01	<10	20	1	<10	3	<1
9V1085RA/RJ	P09-026	132221	190.00	192.00	2.00	0.54		1.8	1.59	24	156	<0.5	18	1.9	12	12	26	49	4.23	1	0.24	<10	0.85	2407	<2	0.01	<1	1287	198	1.04	8	3	86	<5	<0.01	<10	<10	29	<10	1258	2
9V1085RA/RJ	P09-026	132222	192.00	194.00	2.00	0.25		2.2	1.48	42	153	<0.5	17	2.37	12	10	24	23	3.76	1	0.25	<10	0.74	2373	<2	0.01	<1	1223	298	0.98	9	3	84	<5	<0.01	<10	<10	23	<10	1105	2
9V1085RA/RJ	P09-026	132223	194.00	196.00	2.00	0.33		1.2	1.65	58	140	<0.5	18	0.88	5	12	33	26	4.06	1	0.23	<10	0.9	1978	<2	0.01	<1	1338	155	0.75	9	3	46	<5	<0.01	<10	<10	30	<10	348	2
9V1085RA/RJ	P09-026	132224	196.00	197.00	1.00	1.75		3.2	0.99	93	116	<0.5	16	1.77	8	10	50	11	3.53	1	0.18	<10	0.63	2258	2	0.01	<1	946	374	1.67	9	2	74	<5	<0.01	<10	<10	25	<10	758	1
9V1085RA/RJ	P09-026	132225	197.00	198.00	1.00	1.09		5.9	0.74	98	97	<0.5	14	1.15	6	7	75	17	3.24	1	0.11	<10	0.53	2052	4	0.01	1	655	71	1.63	11	2	52	<5	<0.01	<10	<10	36	<10	562	1
9V1085RA/RJ	P09-026	132226	198.00	199.25	1.25	1.67		7.9	0.28	65	57	<0.5	6	2.88	6	3	98	22	1.54	1	0.05	<10	0.19	1984	3	0.01	2	270	304	0.86	10	1	126	<5	<0.01	<10	<10	11	<10	778	1
9V1085RA/RJ	P09-026	132227	199.25	201.00	1.75	0.74		6.7	1.19	413	113	<0.5	21	2.81	7	17	35	15	4.75	1	0.2	<10	0.76	2271	2	0.01	1	1242	182	2.69	16	2	100	<5	<0.01	<10	<10	39	<10	609	2

Drilling Analytical Results 2009

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1085RA/RJ	P09-026	132228	201.00	203.00	2.00	0.06		1.1	2.21	149	117	<0.5	23	2.83	3	18	31	8	5.2	2	0.17	<10	1.53	3409	<2	0.01	<1	1313	26	1.01	13	4	98	<5	<0.01	<10	12	73	<10	184	2
9V1085RA/RJ	P09-026	132229	203.00	205.00	2.00	0.13		1.5	1.99	110	173	<0.5	22	2.8	3	23	18	52	5.24	1	0.3	<10	0.84	3203	<2	0.01	2	1459	76	0.74	9	4	106	<5	<0.01	<10	12	59	<10	154	2
9V1085RA/RJ	P09-026	132230	205.00	207.00	2.00	0.02		1.5	2.08	324	175	<0.5	23	2.6	4	21	13	68	5.63	1	0.29	<10	0.62	2780	2	0.02	1	1438	27	0.44	12	4	92	<5	<0.01	<10	11	62	<10	138	2
9V1085RA/RJ	P09-026	132231	207.00	208.33	1.33	0.02		1.5	1.76	86	146	<0.5	21	2.57	3	23	15	45	5.2	1	0.24	<10	0.55	2587	<2	0.01	2	1261	23	0.63	9	4	80	<5	<0.01	<10	11	49	<10	111	2
9V1085RA/RJ	P09-026	132232	208.33	211.60	3.27	0.12		3.4	1.22	205	174	<0.5	19	2.41	3	32	18	60	4.56	1	0.33	<10	0.4	1814	5	0.01	6	1457	30	1.83	11	3	86	<5	<0.01	<10	<10	30	<10	117	2
9V1085RA/RJ	P09-026	132234	211.60	213.63	2.03	0.11		4.3	1.24	79	165	<0.5	20	2.39	4	40	21	69	4.71	1	0.28	<10	0.4	2176	6	0.01	8	1277	65	1.99	10	3	74	<5	<0.01	<10	<10	30	<10	206	2
9V1085RA/RJ	P09-026	132235	213.63	215.60	1.97	0.19		30.5	1.46	1764	193	<0.5	21	2.33	21	17	17	19	4.78	1	0.31	<10	0.55	2642	<2	0.01	<1	1233	928	1.6	17	2	71	<5	<0.01	<10	11	37	<10	1870	1
9V1085RA/RJ	P09-026	132236	215.60	217.60	2.00	0.17		4.5	1.47	133	162	<0.5	23	2.68	21	21	14	49	5.24	1	0.28	<10	0.68	2817	<2	0.01	<1	1367	785	2.34	10	2	100	<5	<0.01	<10	11	44	<10	1828	2
9V1085RA/RJ	P09-026	132237	217.60	219.60	2.00	0.08		2.9	1.31	1064	171	<0.5	20	2.85	27	17	13	38	4.76	1	0.32	<10	0.5	2420	<2	0.02	<1	1236	419	2.21	15	2	106	<5	<0.01	<10	<10	39	<10	2373	1
9V1085RA/RJ	P09-026	132238	219.60	221.60	2.00	0.05		6.6	1.78	1742	168	<0.5	20	2.85	35	17	23	30	4.87	2	0.3	<10	0.73	2262	<2	0.02	<1	1273	1394	1.23	18	3	91	<5	<0.01	<10	<10	42	<10	3087	1
9V1085RA/RJ	P09-026	132239	221.60	223.60	2.00	0.03		17.3	1.64	1207	137	<0.5	18	4.15	6	15	13	28	4.19	1	0.26	<10	0.68	2574	<2	0.01	<1	1189	275	0.72	15	3	128	<5	<0.01	<10	10	44	<10	514	1
9V1085RA/RJ	P09-026	132240	223.60	225.60	2.00	<0.01		0.3	1.92	48	147	<0.5	20	4.02	3	16	12	34	4.74	<1	0.28	<10	0.87	2175	<2	0.02	<1	1338	9	0.56	9	3	121	<5	<0.01	<10	<10	47	<10	94	1
9V1085RA/RJ	P09-026	132241	225.60	227.60	2.00	0.01		0.6	1.92	238	146	<0.5	19	4.35	3	18	16	26	4.48	1	0.26	<10	0.91	2469	<2	0.02	<1	1401	70	0.53	9	3	140	<5	<0.01	<10	<10	51	<10	104	1
9V1085RA/RJ	P09-026	132242	227.60	228.96	1.36	0.03		1.5	1.58	355	156	<0.5	18	5.77	4	20	11	37	4.59	1	0.25	<10	0.69	3271	2	0.03	<1	1243	38	1	10	3	176	<5	<0.01	<10	11	51	<10	276	1
P09-027 - Northstar - PAD 14 - 436334E 6219720N, Elev: 1104m, Az: 090, Dip: -50, EOH: 280.2m																																									
9V1093RA/RJ	P09-027	132243	17.30	19.30	2.00	0.8		1.6	1.59	67	308	<0.5	19	0.29	5	14	22	20	4.56	<1	0.29	14	0.64	1115	<2	0.01	2	1486	13	0.53	<5	3	8	<5	<0.01	<10	<10	39	<10	180	3
9V1093RA/RJ	P09-027	132244	19.30	20.30	1.00	0.05		2.5	2.15	126	104	<0.5	20	0.1	5	7	59	3	4.59	<1	0.09	<10	2.04	1630	5	0.01	1	481	70	0.8	5	3	3	<5	<0.01	<10	<10	51	13	230	2
9V1093RA/RJ	P09-027	132245	20.30	21.30	1.00	0.02		2.1	2.97	49	216	<0.5	22	0.41	7	11	46	<1	5.02	<1	0.14	<10	2.72	2661	3	0.01	2	740	95	0.39	<5	4	12	<5	<0.01	<10	<10	61	11	322	3
9V1093RA/RJ	P09-027	132246	21.30	23.30	2.00	0.06		1.7	2.2	44	417	<0.5	21	0.24	7	15	28	7	4.8	<1	0.25	10	1.18	3053	3	0.01	2	1393	54	0.16	<5	4	8	<5	<0.01	<10	<10	43	<10	297	3
9V1093RA/RJ	P09-027	132247	23.30	25.30	2.00	0.08		1	2.07	50	281	<0.5	21	0.41	6	13	14	13	4.78	<1	0.27	13	0.86	1799	<2	0.01	1	1573	39	0.26	<5	5	13	<5	<0.01	<10	<10	47	<10	212	2
9V1093RA/RJ	P09-027	132248	25.30	27.30	2.00	0.14		2.9	1.88	82	148	<0.5	20	0.67	9	16	18	11	4.67	<1	0.3	<10	0.84	1430	<2	0.01	2	1407	391	1.11	<5	4	25	<5	<0.01	<10	<10	48	<10	534	2
9V1093RA/RJ	P09-027	132249	27.30	29.30	2.00	0.4		1.3	1.91	40	156	<0.5	22	0.42	6	13	21	9	4.79	<1	0.28	<10	0.92	1823	<2	0.01	1	1428	73	1.04	<5	4	14	<5	<0.01	<10	<10	59	10	294	3
9V1093RA/RJ	P09-027	132250	29.30	31.30	2.00	0.13		1.7	1.78	120	125	<0.5	21	0.96	6	14	19	15	4.58	<1	0.27	<10	0.9	2231	<2	0.01	1	1347	255	1.15	6	4	21	<5	<0.01	<10	<10	60	<10	410	3
9V1093RA/RJ	P09-027	132251	31.30	32.82	1.52	0.26		1.6	1.72	52	171	<0.5	17	0.27	9	13	27	44	4.17	<1	0.22	<10	0.9	2790	<2	0.01	2	1395	143	0.55	<5	3	7	<5	<0.01	<10	<10	50	<10	580	2
9V1093RA/RJ	P09-027	132252	32.82	34.11	1.29	5.68		14	0.53	210	29	<0.5	23	0.78	73	6	74	134	4.95	2	0.12	<10	0.33	1240	2	0.01	2	421	6106	3.93	<5	1	35	<5	<0.01	<10	<10	13	15	4615	2
9V1093RA/RJ	P09-027	132253	BLANK			<0.01		<0.1	0.03	<5	10	<0.5	<5	>15.00	<1	<1	3	1	0.05	<1	0.01	<10	2.61	33	<2	0.01	1	76	4	0.64	<5	<1	3841	<5	<0.01	<10	<10	1	<10	14	<1
9V1093RA/RJ	P09-027	132254	34.11	35.10	0.99	0.47		4.1	1.25	69	95	<0.5	19	1.73	24	9	43	98	3.84	<1	0.24	<10	0.66	2089	3	0.01	1	1085	511	1.97	<5	2	48	<5	<0.01	<10	<10	22	<10	1815	2
9V1093RA/RJ	P09-027	132255	35.10	36.10	1.00	2.75		7	1.35	65	79	<0.5	21	1.04	144	9	42	396	4.8	1	0.19	<10	0.9	2429	<2	0.01	2	836	294	2.6	<5	2	22	<5	<0.01	<10	<10	40	11	5876	2
9V1093RA/RJ	P09-027	132256	36.10	38.00	1.90	0.7		2.2	2.02	37	110	<0.5	21	0.86	22	12	28	39	4.71	<1	0.22	<10	1.41	2884	<2	0.01	2	1184	179	1.17	<5	4	24	<5	<0.01	<10	<10	63	<10	1705	3
9V1093RA/RJ	P09-027	132257	38.00	40.00	2.00	0.5		1.6	1.83	42	168	<0.5	17	1.5	8	10	35	36	3.88	<1	0.18	12	1.18	2394	<2	0.01	4	1353	192	0.32	<5	3	30	<5	<0.01	<10	<10	54	<10	592	2
9V1093RA/RJ	P09-027	132258	40.00	42.00	2.00	0.15		1.2	2.34	21	429	0.6	21	1.66	9	16	52	49	4.85	<1	0.16	21	1.9	1932	<2	0.02	20	2620	353	0.48	<5	4	84	<5	0.05	<10	<10	78	<10	620	6
9V1093RA/RJ	P09-027	132259	42.00	44.00	2.00	<0.01		<0.1	2.67	8	1000	<0.5	25	2.89	6	23	96	22	5.52	<1	0.09	36	2.71	1128	<2	0.04	48	4404	14	0.26	<5	6	184	<5	0.04	11	<10	106	<10	181	6
9V1093RA/RJ	P09-027	132260	44.00	46.00	2.00	<0.01		<0.1	2.72	7	782	<0.5	25	2.95	6	22	91	25	5.47	<1	0.08	35	2.7	1367	<2	0.04	45	4052	14	0.29	<5	5	160	<5	0.03	11	<10	94	<10	221	6
9V1093RA/RJ	P09-027	132261	46.00	47.00	1.00	0.91		1.5	1.47	45	168	<0.5	17	4.44	11	9	32	29	3.46	<1	0.25	<10	0.91	2308	<2	0.01	2	1130	221	1.03	<5	2	146	<5	<0.01	<10	<10	28	<10	869	2
9V1093RA/RJ	P09-027	132262	47.00	48.00	1.00	0.03		1.3	1.18	22	101	<0.5	12	11.55	3	6	26	5	2.55	<1	0.16	<10	0.77	4911	<2	0.01	2	899	21	0.6	<5	2	815	<5	<0.01	<10	<10	20	<10	144	1
9V1093RA/RJ	P09-027	132263	48.00	48.68	0.68	0.05		2.1	1.16	43	69	<0.5	15	10.24	8	8	24	15	3.06	<1	0.27	<10	0.67	3147	<2	0.01	2	983	110	1.35	<5	2	748	<5	<0.01	<10	<10	17	<10	634	1
9V1093RA/RJ	P09-027	132264	48.68	50.00	1.32	0.01		0.8	1.79	49	196	0.5	16	1.1	5	12	21	13	3.75	<1	0.32	10	0.78	1257	<2	0.01	2	1470	18	0.52	5	3	35	<5	<0.01	<10	<10	26	<10	330	2
9V1093RA/RJ	P09-027	132265	50.00	52.00	2.00	0.14		0.2	1.7	51	165	<0.5	19	2.22	3	13	18	48	3.98	<1	0.3	<10	0.75	1610	<2	0.01	<1	1439	48	0.98	9	3	98	<5	<0.01	<10	<10	31	<10	212	2
9V1119RA/RJ	P09-027	132266	111.40	112.40	1.00	<0.01		<0.1	1.85	28	186	<0.5	20	1.97	3	13	13	12	4.13	<1	0.26	<10	1.05	1983	2	0.01	<1	1478	18	0.52	8	3	70	<5	<0.01	<10	<10	26	<10	143	2
9V1119RA/RJ	P09-027	132267	112.40	113.40	1.00	0.17		<0.1	1.88	30	193	<0.5	20	2.07	3	13	13	12	4.32	<1	0.27	<10	1.09	2055	2	0.01	<1	1526	19	0.52	9	3	72	<5	<0.01	<10	<10	27	<10	150	2
9V1119RA/RJ	P09-027	132268	113.40	114.40	1.00	0.08		0.8	1.83	166	161	<0.5	23	1.56	4	17	11	13	5.16	<1	0.28	<10	1.21	1832	<2	0.01	<1	1615	38	1.72	14	3	73	<5	<0.01	<10	10	29	<10	184	2
9V1119RA/RJ	P09-027	132269	121.00	122.00	1.00	0.19		0.3	2.13	25	201	<0.5	24	1.75	5	15	19	28	5.02	1	0.31	11	1.34	3186	<2	0.01	<1	1632	164	0.78	10	4	72	<5	<0.01	<10	11	37	<10	393	2
9V1119RA/RJ	P09-027	132270	122.00	122.50	0.50	6.45		15.8	1.32	114	63	<0.5	35	0.88	55	11	31	371	6.72	<1	0.19	<10	0.92	2667	2	0.01	<1	941	8503	4.45	15	2	44	<5	<0.01	<10	20	33	<10	4155	2
9V1119RA/RJ	P09-027	132271	122.50	123.50	1.00	0.44		1.9	1.74	70	189	<0.5	21	2.49	32	11	22	52	4.58	1	0.28	<10	1.04	3408	<2	0.01	<1	1307	687	1.29	13	3	77	<5	<0.01	<10	13	31	<10	2537	2
9V1119RA/RJ	P09-027	132272	148.00	149.00	1.00	0.27		1.7	1.92	19	135	<0.5	20	2.15	12	13	26	63	4.49	1	0.25	<10	1.29	3137	2	0.01	4	1356	755	0.52	9	4	91	<5	0.01	<10	12	58	<10	972	2
9V1119RA/RJ	P09-027	132273	149.00	149.50	0.50	0.17		5.8	1.75	32	107	<0.5	21	1.74	92	14	38	48	4.92	1	0.23	<10	1.29	3788	10	0.01	<1	1089	3418	2.11	9	3	91	<5	<0.01	<10	17	47	<10	5620	2
9V1119RA/RJ	P09-027	132274	149.50	150.50	1.00	0.11		<0.1	2.04	25	172	<0.5	23	2.28	4	15	12	19	4.94	<1	0.3	11	1.19	3402	<2	0.02	<1	1591	44	0.59	9	5	105	<5	<0.01	<10	12	68	<10	246	2
9V1119RA/RJ	P09-027	132275	162.60	163.60	1.00	0.06		1.5	1.55	87	115	<0.5	18	5.07	3	12	21	48	3.94	1	0.29	10	0.94	3520	<2	0.01	<1	1358	103	0.89	10	3	282	<5	<0.01	<10	13	38	<10	178	2
9V1119RA/RJ	P09-027	132276	163.60	164.20	0.60	<0.01		1.6	1.12	61	78	<0.5	17	4.78	7	7	39	9	3.71	1	0.21	<10	0.87	3614	3	0.01	<1	886	182	1.13	9	2	232	<5	<0.01	<10	14	25	<10	565	2
9V1119RA/RJ	P09-027	132277	164.20	166.20	2.00	<0.01		0.6	1.6	25	121	<0.5	20	2.5	5	13	14	15	4.51	<1	0.28	<10	1.07	1998	<2	0.01	<1	1571	89	1.26	8	3	98	<5	<0.01	<10	<10	26	<10	273	2
9V1119RA/RJ	P09-027	132278	166.20	168.20	2.00	0.01		1.2	1.45	18	105	<0.5	22	4.19	4	14	15	10	5.07	1	0.27	<10	1.04	2449	<2	0.01	<1	1377	46	2.71	10	3	159	<5	<0.01	<10	13	23	<10	143	2
9V1119RA/RJ	P09-027	132279	168.20	169.60	1.40	0.02		2	1.34	37	92	<0.5	27	2.66	16	11	28	6	5.66	<1	0.25	<10	0.94	2332	21	0.01	<1	1021	514	3.42	10	2	111	<5	<0.01	<10	15	25	<10	1207	2
9V1119RA/RJ	P09-027	132280	BLANK			<0.01		<0.1	0.04	<5	10	<0.5	<5	>15.00	<1	1	2	<1	0.06	<1	0.02	<10	2.31	42	<2	0.01	1	80	<2	0.75	<5	<1	3939	<5	<0.01	<10	26	2	<10	3	<1
9V1119RA/RJ	P09-027	132281	169.60	171.60	2.00	<0.01		1.6	1.63	42	125	<0.5	22	5.17	10	9	32	6	4.77	<1	0.2	<10	1.62	2885	7	0.01	<1	954	232	2.47	11	3	186	<5	<0.01	<10	20	31	<10	700	2
9V1119RA/RJ	P09-027	132282	171.60	173.60	2.00	0.02		0.6	1.67	61	135	<0.5	21	2.58	5	14	22	6	4.67	1	0.26	10	1.13	2449	<2	0.01	<1	1462	47	1.38	10	4	108	<5	<0.01	<10	10	46	<10	293	2
9V1119RA/RJ	P09-027	132283	173.60	175.60	2.00	0.03		0.6	1.8	50	161	<0.5	20	3.2	17	13	21	31	4.66	1	0.29	11	1	3177	<2	0.02	<1	1577	261	0.87	9	4	113	<5	<0.01	<10	10	61	<10	1265	2
9V1119RA/RJ	P09-027	132284	175.60	177.60	2.00	0.13		1.6	1.79	34	153	<0.5	24	3.07	14	13	18	34	4.83	1	0.28	10	1.02	3499	<2	0.01	<1	1559	531	1.33	9	4	84	<5	<0.01	<10	14	56	<10	1053	2
9V1119RA/RJ	P09-027	132285	177.60	179.60	2.00	0.05		0.6	1.63	46	176	<0.5	19	3.04	10	11	16	15	4.34	1	0.29	<10	0.9	3346	<2	0.01	<1	1476	188	1.27	8	3	93	<5	<0.01	<10	12	46	<10	793	2
9V1119RA/RJ	P09-027	132286	179.60	181.50	1.90	0.35		4.4	1.92	30	128	<0.5	30	2.49	40	16	15	6	5.89	1	0.27	<10	1.32	4689	3	0.01	<1	1612	1086	2.89	11	3	159	<5	<0.01	<10	23	36	<10	3104	3
9V1119RA/RJ	P09-027	132287	181.50	182.50	1.00	0.47		2.8	1.93	29	141	<0.5	28	0.54	19	19	13	15	5.73	1	0.31	<10	1.31	2458	3	0.01	<1	1851	579	2.53	11	3	25	<5	<0.01	<10	14	33	<10	1552	2
9V1119RA/RJ	P09-027	132288	182.50	183.50	1.00	1.73		3.3	1.57	30	65	<0.5	34	1.74	9	15	56	15	7.14	<1	0.18	<10	1.1	3269	4	0.01	1	1116	228	3.57	<5	2	130	<5	<0.01	<10	11	32	12	296	3
9V1119RA/RJ	P09-027	132289	183.50	184.50	1.00	5.59		5	1.62	57	33	<0.5	39	0.65	19	18	18	6	8.43	<1	0.24	<10	1.16	2098	3	0.01	<1	1581	468	4.57	<5	2	32	<5	<0.01	<10	12	34	14	1179	3
9V1119RA/RJ	P09-027	132290	184.50	185.50	1.00	8.06		6.4	2.23	62	58	<0.5	43	1.37	11	17	27	16	8.72	<1	0.22	<10	1.6	3578	4	0.01	<1	1299	139	4.1	<5	3	70	<5	<0.01	<10	14	42	14	486	3
9V1119RA/RJ	P09-027	132291	185.50	186.50	1.00	9.05		10.5	1.83	105	43	<0.5	49	4.74	12	18	41	2	9.72	<1	0.13	<10	1.42	5855	5	0.01	<1	805	286	>5.00	<5	2	284	<5	<0.01	<10	18	42	14	407	3
9V1119RA/RJ	P09-027	132292	186.50	187.50	1.00	2.25		3.9	1.41	109	36	<0.5	38	1.48	11	13	55	<1	8.13	<1	0.13	<10	1.06	2873	2	0.01	<1	731	135	4.28	<5	2	86	<5	<0.01	<10	13	29	16	452	3
9V1119RA/RJ	P09-027	132293	187.50	188.50	1.00	3.34		7.9	1.32	124	41	<0.5	43	1.2	45	16	44	109	9.02	<1	0.2	<10	0.72	2024	6	0.01	<1	786	263	>5.00	<5	2	59	<5	<0.01	<10	14	30	17	3184	3
9V1119RA/RJ	P09-027	132294	188.50	190.50	2.00	0.05		3	1.76	54	159	<0.5	23	2.28	5	31	17	45	4.94	<1	0.29	<10	0.45	2404	<2	0.01	3	1657	28	0.8	<5	3	101	<5	<0.01	<10	<10	43	<10	102	2
9V1119RA/RJ	P09-027	132295	190.50	192.50	2.00	0.19		4.9	1.58	139	105	<0.5	29	3.78	9	36	12	81	6.93	<1	0.31	<10	0.44	2630	<2	0.01	4	1448	59	2.85	<5	4	143	<5	<0.01	<10	<10	49	<10	290	2
9V1119RA/RJ	P09-027	132296	192.50	194.50	2.00	0.04		6.8	1.14	88	72	<0.5	30	3.34	7	46	9	57	7.15	<1	0.33	<10	0.29	2062	3	0.01	10	1430	36	4.06	<5	3	107	<5	<0.01	<10	<10	30	<10	101	3
9V1119RA/RJ	P09-027	132297	194.50	196.50	2.00	0.11		5.3	0.99	98	112	<0.5	21	3.32	7	26	19	64	5.11	<1	0.29	<10	0.26	1968	3	0.01	4	1353	102	2.57	<5	2	115	<5	<0.01	<10	<10	29	<10	284	2
9V1119RA/RJ	P09-027	132298	196.50	198.50	2.00	0.03		3.1	1.67	56	111	<0.5	27	3.27	9	24	12	43	6.44	<1	0.25	<10	0.44	2365	3	0.01	2	1392	205	2.06	<5	4	107	<5	<0.01	<10	<10	56	<10	388	2
9V1119RA/RJ	P09-027	132299	198.50	200.50	2.00	0.02		3.2	1.76	53	139	<0.5	27	4.06	7	24	6	41	6.36	<1	0.28	<10	0.44	2452	<2	0.01	2	1590	26	1.82	<5	4	120	<5	<0.01	<10	<10	55	<10	113	2
9V1119RA/RJ	P09-027	132300	STD	PM405		0.29		0.7	0.52	742	1124	0.5	15	0.74	3	9	51	31	3.67	2	0.12	13	0.34	481	5	0.01	33	1014	149	0.22	529	4	210	6	<0.01	<10	<10	51	<10	240	12
9V1119RA/RJ	P09-027	132301	200.50	202.50	2.00	0.03		3.5	1.76	181	158	<0.5	24	3.3	7	36	9	72	5.68	<1	0.29	<10	0.47	2445	<2	0.01	5	1645	79	1.33	<5	4	110	<5	<0.01	<10	<10	54	<10	246	2
9V1119RA/RJ	P09-027	132302	202.50	204.50	2.00	0.05		5.7	1.57	99	97	<0.5	30	3.63	9	46	13	58	7.07	<1	0.31	<10	0.51	2623	5	0.01	10	1414	137	3.36	<5	3	139	<5	<0.01	<10	<10	45	<10	320	3
9V1119RA/RJ	P09-027	132303	204.50	206.50	2.00	0.05		5.8	1.24	111	58	<0.5	31	2.25	13	49	9	75	7.42	<1	0.31	<10	0.32	2242	3	0.01	11	1225	318	4.06	<5	3	93	<5	<0.01	<10	10	35	<10	676	3
9V1119RA/RJ	P09-027	132304	206.50	208.50	2.00	0.01		2.8	2.17	48	171	<0.5	29	2.76	13	38	10	71	6.56	<1	0.28	<10	0.65	3174	5	0.01	7	1589	263	1.27	<5	4	103	<5	<0.01	<10	<10	61	<10	691	2
9V1119RA/RJ	P09-027	132305	208.50	210.50	2.00	<0.01		2.1	2.09	42	202	<0.5	27	3.02	15	32	11	81	5.85	<1	0.26	<10	0.63	2994	7	0.01	5	1651	342	0.5	<5	5	119	<5	<0.01	<10	<10	70	<10	1067	2
9V1119RA/RJ	P09-027	132306	226.50	228.57	2.07	0.01		2.2	2.04	32	203	<0.5	23	2.9	14	27	11	62	5.57	<1	0.28	<10	0.78	3394	<2	0.01	7	1812	328	0.53	<5	4	97	<5	<0.01	<10	<10	60	<10	1011	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1119RA/RJ	P09-027	132307	228.57	229.60	1.03	<0.01		0.8	2.12	38	135	<0.5	24	1.85	6	17	20	<1	5.5	<1	0.19	<10	1	3918	<2	0.01	7	1673	61	0.4	<5	5	79	<5	<0.01	<10	<10	83	<10	215	2
9V1119RA/RJ	P09-027	132308	229.60	230.80	1.20	0.18		1.5	1.4	52	231	<0.5	19	4.81	7	16	12	9	4.39	<1	0.28	<10	0.64	3729	<2	0.01	4	1560	111	0.66	<5	3	201	<5	<0.01	<10	<10	38	<10	394	2
9V1119RA/RJ	P09-027	132309	230.80	232.80	2.00	0.04		0.7	1.41	294	143	<0.5	19	4.85	4	19	7	26	4.68	<1	0.29	<10	0.48	2105	<2	0.01	1	1630	13	0.87	<5	3	151	<5	<0.01	<10	<10	32	<10	87	2
9V1119RA/RJ	P09-027	132310	246.10	247.10	1.00	<0.01		<0.1	1.8	38	151	<0.5	24	4.58	4	20	8	22	5.01	1	0.36	<10	0.64	2294	<2	0.02	<1	1790	10	0.54	9	4	160	<5	<0.01	<10	14	44	<10	106	2
9V1119RA/RJ	P09-027	132311	247.10	247.80	0.70	0.07		0.3	0.81	40	138	<0.5	19	4.88	8	16	15	16	4.42	1	0.35	<10	0.61	3152	<2	0.01	<1	1664	127	1	7	3	228	<5	<0.01	<10	13	20	<10	566	2
9V1119RA/RJ	P09-027	132312	247.80	249.80	2.00	0.04		<0.1	1.58	94	148	<0.5	22	4.05	3	18	8	28	4.58	<1	0.31	<10	0.52	1926	<2	0.02	<1	1735	17	0.78	8	3	135	<5	<0.01	<10	11	40	<10	110	2
9V1119RA/RJ	P09-027	132313	249.80	251.72	1.92	0.02		0.5	1.6	98	194	<0.5	22	4.87	3	18	9	38	4.72	1	0.3	<10	0.5	1847	<2	0.01	<1	1686	10	0.9	9	3	155	<5	<0.01	<10	12	38	<10	88	2
9V1119RA/RJ	P09-027	132314	251.72	252.70	0.98	0.98		2.3	1	314	187	<0.5	16	8.84	3	18	20	54	3.89	1	0.29	<10	0.29	2709	<2	0.01	1	1268	21	1.73	9	3	278	<5	<0.01	<10	14	24	<10	65	1
9V1119RA/RJ	P09-027	132315	252.70	253.70	1.00	0.65		1.5	0.57	195	138	<0.5	15	9.92	3	12	23	30	3.75	1	0.31	<10	0.28	3855	<2	0.01	<1	1291	31	1.67	8	2	297	<5	<0.01	<10	18	13	<10	81	1
9V1119RA/RJ	P09-027	132316	253.70	254.70	1.00	0.05		0.5	0.56	58	422	<0.5	18	5.61	3	17	18	27	4.08	1	0.37	<10	0.41	2693	<2	0.01	<1	1622	22	0.66	6	3	178	<5	<0.01	<10	12	15	<10	76	1
9V1119RA/RJ	P09-027	132317	254.70	256.50	1.80	0.05		<0.1	1.3	41	154	<0.5	23	5.05	4	21	11	33	4.9	1	0.34	<10	0.53	2291	<2	0.01	<1	1730	21	0.45	8	4	179	<5	<0.01	<10	14	38	<10	146	2
9V1119RA/RJ	P09-027	132318	256.50	257.00	0.50	<0.01		<0.1	0.75	32	153	<0.5	20	3.43	4	20	14	43	4.57	<1	0.36	10	0.53	1969	<2	0.01	<1	1767	17	0.35	6	4	115	<5	<0.01	<10	<10	20	<10	91	2
9V1119RA/RJ	P09-027	132319	257.00	258.00	1.00	<0.01		<0.1	1.37	35	177	<0.5	24	4.76	4	20	11	37	5.06	<1	0.33	<10	0.52	1984	<2	0.02	<1	1786	12	0.72	8	4	152	<5	<0.01	<10	14	39	<10	88	2
9V1119RA/RJ	P09-027	132320	STD	PM427		3.46		1.2	1.41	6744	81	0.6	167	6.46	2	111	39	290	4.8	1	0.2	10	0.5	850	32	0.06	63	876	21	0.95	20	3	63	5	0.11	<10	15	56	<10	83	13
9V1119RA/RJ	P09-027	132321	275.15	277.15	2.00	0.17		0.5	1.35	515	149	<0.5	19	5.84	3	18	13	40	4.37	<1	0.34	<10	0.46	1813	<2	0.01	<1	1566	23	0.99	8	3	174	<5	<0.01	<10	11	36	<10	133	2
9V1119RA/RJ	P09-027	132322	277.15	279.15	2.00	0.03		0.4	1.43	386	127	<0.5	20	5.35	3	17	12	36	4.5	<1	0.3	<10	0.48	1783	<2	0.01	<1	1606	19	0.71	9	3	152	<5	<0.01	<10	10	39	<10	135	2
9V1119RA/RJ	P09-027	132323	279.15	280.18	1.03	0.61		1.7	0.46	3200	110	<0.5	18	4.4	2	16	39	24	3.86	<1	0.29	<10	0.09	946	<2	0.01	1	1335	36	3.26	30	1	128	<5	<0.01	<10	10	8	<10	120	1

P09-028- Northstar - PAD 14 - 436334E 6219720N, Elev: 1104m, Az: 225, Dip: -50, EOH: 243.59m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1119RA/RJ	P09-028	132324	1.52	4.00	2.48	0.54		3	1.43	137	152	<0.5	14	0.37	9	8	42	54	3.54	1	0.23	<10	0.9	1784	<2	0.01	<1	1220	214	0.79	12	2	8	<5	<0.01	<10	<10	29	<10	1422	2
9V1119RA/RJ	P09-028	132325	4.00	5.50	1.50	0.13		0.9	1.72	48	165	<0.5	18	1.33	41	13	36	18	4.28	4	0.24	<10	1.12	2566	3	0.01	<1	1307	257	0.97	8	3	38	<5	<0.01	<10	<10	35	<10	3011	2
9V1119RA/RJ	P09-028	132326	5.50	7.50	2.00	0.04		1.3	1.65	87	200	<0.5	21	0.54	12	17	26	14	4.52	1	0.28	12	0.96	1944	4	0.01	1	1501	175	0.89	9	3	15	<5	<0.01	<10	<10	36	<10	626	2
9V1152RA/RJ	P09-028	132327	7.50	9.50	2.00	0.27		1.7	1.6	100	135	<0.5	20	0.39	23	14	39	28	4.53	1	0.34	<10	1.12	2092	2	0.01	<1	1291	685	1.73	11	3	10	<5	<0.01	<10	11	33	<10	1128	2
9V1152RA/RJ	P09-028	132328	9.50	11.50	2.00	1.51		5.2	1.3	146	53	<0.5	34	0.54	33	15	33	56	7.74	2	0.39	<10	0.9	1884	2	0.01	<1	1274	3318	4.44	17	2	14	<5	<0.01	<10	20	26	<10	1983	4
9V1152RA/RJ	P09-028	132329	11.50	13.50	2.00	0.17		0.5	1.49	109	99	<0.5	21	1.97	6	12	34	5	4.6	<1	0.36	<10	1.13	2179	3	0.01	<1	1334	269	2.43	11	3	65	<5	<0.01	<10	14	29	<10	413	2
9V1152RA/RJ	P09-028	132330	13.50	15.50	2.00	0.05		1.4	1.97	61	195	<0.5	19	3.18	7	11	19	18	4.19	<1	0.34	10	1.35	2631	<2	0.01	<1	1459	628	0.9	10	3	106	<5	<0.01	<10	15	35	<10	618	2
9V1152RA/RJ	P09-028	132331	15.50	17.50	2.00	0.04		<0.1	2.23	121	164	<0.5	23	1.14	4	12	30	11	4.9	<1	0.32	10	1.63	1675	<2	0.01	<1	1249	91	0.85	15	4	38	<5	<0.01	<10	14	46	<10	802	2
9V1152RA/RJ	P09-028	132332	17.50	19.50	2.00	0.03		0.2	1.69	92	645	<0.5	16	0.33	4	9	31	10	3.67	<1	0.3	11	1.03	1266	2	0.01	<1	1323	160	0.2	10	3	13	<5	<0.01	<10	<10	32	<10	441	2
9V1152RA/RJ	P09-028	132333	19.50	21.50	2.00	0.03		0.4	1.92	95	418	0.5	20	0.58	4	15	17	19	4.32	<1	0.36	11	1.13	1868	<2	0.01	<1	1685	93	0.45	11	3	21	<5	<0.01	<10	10	38	<10	467	3
9V1152RA/RJ	P09-028	132334	21.50	23.50	2.00	0.04		0.2	1.92	79	315	0.6	21	0.33	5	14	13	31	4.71	<1	0.34	12	1.03	1608	<2	0.01	<1	1726	175	0.26	11	3	8	<5	<0.01	<10	<10	39	<10	694	3
9V1152RA/RJ	P09-028	132335	23.50	25.50	2.00	1.49		1.5	1.27	55	170	<0.5	16	1.54	4	11	45	27	3.74	<1	0.32	<10	0.81	2691	2	0.01	<1	1092	143	1.17	9	3	77	<5	<0.01	<10	15	29	<10	320	2
9V1152RA/RJ	P09-028	132336	25.50	27.50	2.00	11.78		9.9	1.23	59	145	<0.5	15	1.51	5	12	39	32	3.44	<1	0.33	<10	0.66	2603	2	0.01	<1	1239	171	1.45	8	3	60	<5	<0.01	<10	14	29	<10	361	2
9V1152RA/RJ	P09-028	132337	27.50	29.50	2.00	0.62		1.2	1.17	49	126	<0.5	17	2.4	3	12	54	61	3.74	<1	0.33	<10	0.62	2874	3	0.01	<1	1156	126	1.91	9	3	54	<5	<0.01	<10	17	27	<10	256	2
9V1152RA/RJ	P09-028	132338	29.50	31.50	2.00	0.58		0.6	1.39	69	144	<0.5	18	1.94	6	12	51	29	4.25	<1	0.34	<10	0.78	2730	4	0.01	<1	1232	114	1.83	10	3	53	<5	<0.01	<10	18	32	<10	487	2
9V1152RA/RJ	P09-028	132339	31.50	33.50	2.00	0.95		0.2	1.47	33	175	<0.5	19	1.96	7	13	37	9	4.02	<1	0.3	<10	0.82	2526	4	0.01	<1	1297	200	1.39	9	3	62	<5	<0.01	<10	16	35	<10	517	2
9V1152RA/RJ	P09-028	132340	BLANK			<0.01		<0.1	0.01	<5	<10	<0.5	<5	>15.00	<1	1	6	<1	0.04	<1	0.01	<10	2.94	48	<2	0.01	1	63	<2	0.69	<5	<1	3300	<5	<0.01	<10	28	1	<10	<1	<1
9V1152RA/RJ	P09-028	132341	33.50	35.50	2.00	0.19		<0.1	1.67	40	221	<0.5	18	2.88	3	13	18	13	4.14	<1	0.35	<10	0.83	2950	<2	0.01	<1	1445	31	0.95	8	3	96	<5	<0.01	<10	16	35	<10	219	2
9V1152RA/RJ	P09-028	132342	59.42	61.00	1.58	0.03		<0.1	2.17	17	202	<0.5	21	3.76	2	14	11	17	4.61	<1	0.39	12	1.16	2639	<2	0.02	<1	1725	12	0.56	10	5	155	<5	<0.01	<10	19	46	<10	115	2
9V1152RA/RJ	P09-028	132343	61.00	61.50	0.50	18.01		79.8	0.87	446	20	<0.5	40	5.07	603	12	34	3060	9.26	27	0.26	<10	0.4	2980	<2	0.01	<1	730	>10000	>5.00	23	1	113	<5	<0.01	<10	38	18	<10	9267	3
9V1152RA/RJ	P09-028	132344	61.50	63.00	1.50	0.06		<0.1	2.24	18	291	<0.5	21	4.36	3	14	14	47	4.67	<1	0.39	10	1.21	3999	2	0.01	<1	1690	66	0.6	11	4	138	<5	<0.01	<10	22	43	<10	227	2
9V1152RA/RJ	P09-028	132345	84.70	85.70	1.00	0.05		<0.1	1.73	18	193	<0.5	16	3.71	3	12	30	15	4.23	<1	0.34	<10	0.81	2204	<2	0.01	<1	1430	80	0.78	9	3	96	<5	<0.01	<10	14	30	<10	213	2
9V1152RA/RJ	P09-028	132346	85.70	86.70	1.00	0.14		<0.1	1.6	48	231	<0.5	19	11.08	3	10	14	64	4.16	<1	0.33	11	0.78	3441	<2	0.01	<1	1283	75	1.52	12	3	188	<5	<0.01	<10	25	31	<10	295	2
9V1152RA/RJ	P09-028	132347	86.70	88.70	2.00	0.16		<0.1	1.91	31	205	<0.5	20	3.92	2	15	26	14	4.61	<1	0.31	<10	0.91	2515	3	0.01	<1	1394	26	0.89	11	3	125	<5	<0.01	<10	16	35	<10	114	2
9V1152RA/RJ	P09-028	132348	88.70	90.70	2.00	0.02		<0.1	2.03	51	222	<0.5	22	4.81	2	14	16	25	4.65	<1	0.37	11	0.96	2866	<2	0.01	<1	1553	26	0.76	12	4	183	<5	<0.01	<10	18	38	<10	121	2
9V1152RA/RJ	P09-028	132349	90.70	92.70	2.00	0.11		0.7	1.99	37	175	<0.5	22	3	6	16	22	33	4.73	1	0.36	10	0.92	2053	2	0.01	<1	1538	241	1.12	11	3	109	<5	<0.01	<10	17	36	<10	504	2
9V1152RA/RJ	P09-028	132350	92.70	94.70	2.00	0.57		2	1.63	36	172	<0.5	19	3.32	9	11	23	107	3.97	1	0.36	10	0.73	2226	<2	0.01	<1	1423	163	1.27	9	3	102	<5	<0.01	<10	18	33	<10	815	2
9V1152RA/RJ	P09-028	132351	94.70	96.70	2.00	0.02		0.3	1.73	34	190	<0.5	21	3.25	2	13	22	10	4.17	<1	0.37	10	0.81	1705	3	0.01	<1	1537	12	1.19	10	3	112	<5	<0.01	<10	15	34	<10	83	2
9V1152RA/RJ	P09-028	132352	109.20	111.20	2.00	0.28		0.4	1.27	26	65	<0.5	21	2.48	9	14	35	7	4.46	<1	0.34	<10	0.66	1922	2	0.02	<1	1247	273	2.61	9	2	96	<5	<0.01	<10	18	30	<10	701	2
9V1152RA/RJ	P09-028	132353	111.20	111.70	0.50	0.6		5.3	1.02	32	58	<0.5	20	3.33	41	12	51	14	4.71	1	0.29	<10	0.54	2343	2	0.02	<1	1014	1465	3.25	11	2	125	<5	<0.01	<10	20	25	<10	3198	2
9V1152RA/RJ	P09-028	132354	111.70	113.70	2.00	1.13		5.3	1.68	524	114	<0.5	25	2.92	12	26	251	433	5.22	<1	0.36	<10	2.43	1897	10	0.03	142	1168	438	1.51	20	4	129	<5	0.02	<10	20	46	<10	844	3
9V1152RA/RJ	P09-028	132355	146.30	148.30	2.00	0.03		0.1	2.12	33	214	<0.5	23	2.51	3	13	18	15	4.72	<1	0.37	<10	1.07	1756	2	0.01	<1	1387	90	0.76	13	3	86	<5	<0.01	<10	17	37	<10	240	2
9V1152RA/RJ	P09-028	132356	148.30	149.30	1.00	0.04		1.9	0.45	165	102	<0.5	6	>15.00	1	4	46	6	1.78	2	0.16	<10	0.22	5417	3	0.01	<1	472	26	1.33	29	1	312	<5	<0.01	27	40	7	<10	88	1
9V1152RA/RJ	P09-028	132357	149.30	150.30	1.00	0.03		1.9	1.03	127	190	<0.5	14	8.57	1	10	23	11	3.1	1	0.37	<10	0.37	3081	2	0.01	<1	1080	9	1.66	21	2	147	<5	<0.01	13	21	18	<10	67	1
9V1152RA/RJ	P09-028	132358	150.30	151.30	1.00	0.03		1.9	0.69	190	182	<0.5	11	9.48	1	8	30	7	2.51	2	0.32	<10	0.23	3227	<2	0.01	1	884	8	1.45	25	1	170	<5	<0.01	17	24	12	<10	45	1
9V1152RA/RJ	P09-028	132359	151.30	152.30	1.00	0.03		2.7	0.31	360	110	<0.5	9	>15.00	1	6	40	5	2.29	2	0.19	<10	0.18	5909	2	0.01	<1	441	7	1.96	37	1	387	<5	<0.01	29	46	5	<10	28	1
9V1152RA/RJ	P09-028	132360	152.30	153.30	1.00	0.03		1.7	0.48	124	132	<0.5	6	>15.00	<1	4	37	5	1.64	2	0.22	<10	0.19	5527	3	0.01	<1	589	6	1.26	22	1	343	<5	<0.01	22	38	8	<10	41	1
9V1152RA/RJ	P09-028	132361	153.30	154.30	1.00	0.02		2.2	0.25	282	87	<0.5	5	>15.00	<1	3	23	3	1.35	2	0.15	<10	0.15	6680	3	0.01	<1	363	5	1.37	27	1	388	<5	<0.01	27	52	3	<10	24	1
9V1152RA/RJ	P09-028	132362	154.30	155.30	1.00	0.07		2.8	0.3	218	136	<0.5	8	>15.00	4	6	24	12	2.06	2	0.22	<10	0.21	6160	5	0.01	<1	532	285	1.51	19	2	445	<5	<0.01	17	47	5	<10	416	1
9V1152RA/RJ	P09-028	132363	155.30	156.30	1.00	0.13		2.4	0.31	262	139	<0.5	12	13.66	3	6	37	5	2.89	3	0.21	<10	0.24	3847	5	0.01	<1	553	169	2.39	49	2	325	<5	<0.01	32	32	7	<10	238	1
9V1152RA/RJ	P09-028	132364	156.30	157.30	1.00	0.13		2.2	0.44	485	122	<0.5	16	14.57	3	7	82	5	3.44	6	0.21	<10	0.26	4428	7	0.01	<1	639	99	2.67	69	2	417	<5	<0.01	54	37	9	<10	204	1
9V1152RA/RJ	P09-028	132365	157.30	158.10	0.80	0.06		1.5	0.4	172	152	<0.5	14	9.87	2	8	24	7	3.25	<1	0.27	<10	0.21	2832	6	0.01	1	1033	15	1.99	14	3	202	<5	<0.01	10	23	9	<10	37	1
9V1152RA/RJ	P09-028	132366	158.10	160.10	2.00	0.02		<0.1	1.23	44	201	<0.5	18	3.35	2	12	20	12	4.04	<1	0.34	<10	0.75	1324	2	0.01	<1	1246	15	1.1	10	4	93	<5	<0.01	<10	12	23	<10	80	2
9V1152RA/RJ	P09-028	132367	160.10	161.08	0.98	0.01		<0.1	1.66	41	209	<0.5	19	1.65	3	12	19	11	4.09	<1	0.33	12	0.89	921	<2	0.01	<1	1290	22	0.5	11	3	47	<5	<0.01	<10	<10	30	<10	191	2
9V1152RA/RJ	P09-028	132368	161.08	162.40	1.32	0.01		<0.1	1.07	44	217	<0.5	18	3.46	3	12	20	11	3.98	<1	0.35	11	0.83	1596	<2	0.01	<1	1281	37	0.42	9	5	124	<5	<0.01	<10	12	26	<10	161	2
9V1152RA/RJ	P09-028	132369	162.40	164.40	2.00	0.01		<0.1	2.18	9	215	<0.5	21	4.04	3	13	12	<1	4.56	<1	0.32	13	1.14	1375	<2	0.01	<1	1384	11	0.15	11	5	214	<5	<0.01	<10	12	33	<10	116	2
9V1152RA/RJ	P09-028	132370	208.90	210.90	2.00	0.06		1.3	1.85	28	187	<0.5	19	1.5	10	12	22	49	4.11	<1	0.31	10	0.96	2133	<2	0.02	<1	1235	308	0.73	13	3	63	<5	<0.01	<10	14	41	<10	859	2
9V1152RA/RJ	P09-028	132371	210.90	211.50	0.60	0.34		5.8	0.63	1071	95	<0.5	26	12.25	19	6	22	26	5.27	21	0.15	<10	0.35	6214	14	0.01	<1	610	395	4.11	240	1	398	<5	<0.01	155	38	13	<10	1576	2
9V1152RA/RJ	P09-028	132372	211.50	213.50	2.00	0.08		1.1	1.79	46	208	<0.5	22	1.22	4	13	33	30	4.59	1	0.26	<10	1.08	2188	<2	0.02	<1	1323	131	1.15	13	3	57	<5	<0.01	<10	<10	40	<10	291	2
9V1152RA/RJ	P09-028	132373	218.90	219.90	1.00	0.01		0.2	1.91	44	242	<0.5	20	3.34	3	14	18	24	4.44	1	0.3	10	1.19	2267	<2	0.02	<1	1437	17	1.01	10	4	182	<5	<0.01	<10	<10	39	<10	137	2
9V1152RA/RJ	P09-028	132374	219.90	221.60	1.70	0.09		1.8	0.8	64	90	<0.5	19	6.2	4	11	30	16	4.06	1	0.28	<10	0.4	2460	2	0.01	<1	1027	68	2.97	11	2	252	<5	<0.01	<10	14	17	<10	243	2
9V1152RA/RJ	P09-028	132375	221.60	222.60	1.00	0.04		1.7	0.47	22	47	<0.5	26	2.88	4	20	16	11	5.52	<1	0.33	<10	0.12	956	3	0.01	1	1190	43	4.81	10	2	117	<5	<0.01	<10	13	10	<10	89	2
9V1152RA/RJ	P09-028	132376	230.60	232.60	2.00	0.03		0.3	1.42	41	141	<0.5	22	5.29	3	14	28	5	4.6	<1	0.3	<10	0.73	1694	<2	0.01	1	1228	21	2.33	10	4	158	<5	<0.01	<10	13	25	<10	93	2
9V1152RA/RJ	P09-028	132377	232.60	234.60	2.00	0.03		0.2	1.74	15	174	<0.5	21	2.2	3	11	28	15	4.42	<1	0.3	<10	0.91	1456	<2	0.01	1	1091	15	1.32	9	3	68	<5	<0.01	<10	10	35	<10	114	2
9V1152RA/RJ	P09-028	132378	234.60	235.60	1.00	0.03		0.4	1.38	19	163	<0.5	17	3.36	3	11	34	16	3.76	1	0.26	<10	0.69	1417	<2	0.01	1	950	22	1.4	9	3	77	<5	<0.01	<10	11	27	<10	127	1
9V1152RA/RJ	P09-028	132379	235.60	236.60	1.00	0.02		<0.1	0.65	16	41	<0.5	27	1.51	9	17	32	23	5.67	<1	0.31	<10	0.23	658	<2	0.01	1	1155	81	4.61	9	2	50	<5	<0.01	<10	11	14	<10	559	2
9V1152RA/RJ	P09-028	132380	BLANK			<0.01		<0.1	0.66	<5	10	<0.5	<5	>15.00	<1	4	12	3	0.12	<1	0.03	<10	2.83	42	<2	0.01	7	192	<2	0.7	<5	1	3532	<5	0.03	<10	20	13	<10	50	1
9V1152RA/RJ	P09-028	132381	236.60	237.60	1.00	0.09		4.8	0.91	24	60	<0.5	22	3.26	275	14	35	180	4.91	4	0.28	<10	0.45	1491	<2	0.01	1	846	132	4.55	6	2	103	<5	<0.01	<10	13	20	<10	8486	2
9V1152RA/RJ	P09-028	132382	237.60	239.60	2.00	0.01		0.3	1.36	18	192	<0.5	18	4.85	4	12	29	11	3.84	1	0.28	<10	0.78	1798	2	0.01	1	990	72	1.36	8	4	204	<5	<0.01	<10	10	30	<10	264	1
9V1152RA/RJ	P09-028	132383	239.60	241.60	2.00	0.12		0.7	1.09	112	138	<0.5	18	4.41	3	13	19	3	3.84	<1	0.39	<10	0.53	1629	<2	0.01	1	1436	24	2.44	10	4	221	<5	<0.01	<10	<10	20	<10	104	2
9V1152RA/RJ	P09-028	132384	241.60	243.59	1.99	0.18		1.2	1.09	156	124	<0.5	18	4.48	3	13	31	3	3.8	<1	0.31	<10	0.65	1983	4	0.01	1	1259	36	2.27	12	4	191	<5	<0.01	<10	11	20	<10	75	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
P09-029- Province - PAD 15 - 436146E 6219290N, Elev: 1045m, Az: 090, Dip: -50, EOH: 218.29m																																									
9V1152RA/RJ	P09-029	132385	0.00	3.20	3.20	0.14		0.8	1.56	123	104	<0.5	23	0.41	16	18	23	28	5.26	1	0.3	10	0.97	2442	2	0.01	<1	1345	614	2.31	18	3	20	<5	<0.01	<10	<10	40	<10	1358	2
9V1152RA/RJ	P09-029	132386	3.20	4.20	1.00	0.38		2.1	1.12	376	71	<0.5	24	0.49	25	18	30	15	5.45	2	0.28	<10	0.65	2162	<2	0.01	<1	1211	666	3.26	27	2	22	<5	<0.01	<10	<10	26	<10	2013	2
9V1152RA/RJ	P09-029	132387	4.20	5.20	1.00	0.09		1.4	1.84	178	164	<0.5	23	0.7	24	17	27	19	5.25	2	0.27	<10	1.33	2966	<2	0.01	<1	1335	1200	1.83	19	3	34	<5	<0.01	<10	10	41	<10	2076	2
9V1152RA/RJ	P09-029	132388	5.20	6.20	1.00	0.32		7	1.35	383	102	<0.5	22	1.46	72	16	35	39	5.01	2	0.26	<10	1.02	3587	<2	0.01	<1	1164	5281	2.55	25	3	71	<5	<0.01	<10	13	30	<10	4858	2
9V1152RA/RJ	P09-029	132389	6.20	7.20	1.00	0.18		1.7	2.03	47	246	<0.5	22	1.61	25	17	19	165	5.12	2	0.29	10	1.46	4119	<2	0.01	<1	1424	1108	1	11	5	84	<5	<0.01	<10	12	42	<10	2177	2
9V1152RA/RJ	P09-029	132390	7.20	8.20	1.00	0.12		0.2	1.37	118	121	<0.5	23	1.58	8	19	18	19	4.79	1	0.33	<10	1.03	3010	<2	0.01	1	1430	312	2.17	9	4	71	<5	<0.01	<10	10	31	<10	644	2
9V1152RA/RJ	P09-029	132391	8.20	8.80	0.60	0.26		26.2	0.98	276	19	<0.5	30	1.3	780	20	51	217	7.5	16	0.21	<10	0.83	2436	<2	0.01	<1	394	>10000	>5.00	24	2	71	<5	<0.01	<10	24	31	<10	>10000	2
9V1152RA/RJ	P09-029	132392	8.80	10.80	2.00	0.24		3.5	0.95	293	56	<0.5	27	1.34	21	19	42	52	6.19	<1	0.31	<10	0.62	1876	2	0.01	1	1088	545	4.21	15	3	72	<5	<0.01	<10	13	22	<10	1745	2
9V1152RA/RJ	P09-029	132393	10.80	12.80	2.00	0.1		0.4	1.07	261	112	<0.5	28	3.79	6	22	22	19	5.84	1	0.28	<10	1.05	1815	<2	0.01	1	1485	70	3.1	14	5	115	<5	<0.01	<10	16	26	<10	224	2
9V1152RA/RJ	P09-029	132394	39.50	41.50	2.00	<0.01		<0.1	1.84	88	117	<0.5	21	2.01	3	17	29	18	4.81	1	0.27	<10	1.29	1283	<2	0.01	1	1654	39	1.77	11	4	62	<5	<0.01	<10	<10	38	<10	133	2
9V1152RA/RJ	P09-029	132395	41.50	43.50	2.00	0.03		1.6	0.93	241	86	<0.5	23	0.64	3	22	17	19	4.88	1	0.28	<10	0.51	458	<2	0.01	2	1623	18	3.34	15	2	23	<5	<0.01	<10	<10	18	<10	103	2
9V1152RA/RJ	P09-029	132396	43.50	44.30	0.80	0.33		7.9	0.23	548	53	<0.5	27	0.96	5	13	76	4	5.89	1	0.18	<10	0.05	365	2	0.01	1	713	39	>5.00	36	1	41	<5	<0.01	<10	12	4	<10	87	2
9V1152RA/RJ	P09-029	132397	44.30	45.30	1.00	0.15		3.2	0.34	274	65	<0.5	21	0.43	3	20	30	7	4.81	1	0.25	<10	0.04	93	<2	0.01	2	1214	20	4.21	20	1	14	<5	<0.01	<10	<10	7	<10	48	2
9V1152RA/RJ	P09-029	132398	45.30	46.30	1.00	0.2		3.1	0.41	626	44	<0.5	39	0.9	6	26	48	13	8.24	1	0.23	<10	0.14	369	<2	0.01	1	1216	38	>5.00	26	1	34	<5	<0.01	<10	18	7	<10	83	3
9V1152RA/RJ	P09-029	132399	46.30	47.30	1.00	0.07		1.4	0.51	261	63	<0.5	27	1.96	5	24	39	13	6.15	1	0.3	<10	0.17	794	<2	0.01	2	1590	22	>5.00	21	2	95	<5	<0.01	<10	12	10	<10	102	2
9V1152RA/RJ	P09-029	132400	STD	PM405		0.28		0.5	0.54	786	1216	0.5	15	0.76	4	9	59	36	3.52	2	0.13	14	0.35	501	6	0.01	36	982	164	0.23	552	5	210	6	<0.01	<10	<10	54	<10	256	13
9V1152RA/RJ	P09-029	132401	47.30	49.30	2.00	0.25		2.8	0.3	331	71	<0.5	20	0.72	3	16	59	5	4.79	<1	0.23	<10	0.05	237	<2	0.01	2	1085	24	4.13	19	1	26	<5	<0.01	<10	<10	6	<10	50	2
9V1152RA/RJ	P09-029	132402	49.30	51.30	2.00	0.31		3.6	0.36	475	64	<0.5	22	0.36	4	20	25	7	4.97	1	0.27	<10	0.05	74	<2	0.01	2	1198	24	4.22	23	1	11	<5	<0.01	<10	<10	7	<10	93	2
9V1152RA/RJ	P09-029	132403	51.30	52.37	1.07	0.37		5.3	0.27	523	45	<0.5	23	0.79	3	14	53	3	5.29	1	0.2	<10	0.04	260	<2	0.01	1	980	24	4.58	27	1	27	<5	<0.01	<10	<10	4	<10	15	2
9V1152RA/RJ	P09-029	132404	52.37	53.40	1.03	0.11		2.1	0.09	63	22	<0.5	5	1.78	<1	3	188	2	0.99	1	0.06	<10	0.07	765	<2	0.01	4	275	7	0.72	9	1	106	<5	<0.01	<10	<10	1	<10	10	<1
9V1152RA/RJ	P09-029	132405	53.40	55.40	2.00	0.28		5.1	0.4	472	52	<0.5	25	2.13	4	19	59	7	5.38	2	0.22	<10	0.16	832	2	0.01	1	1236	45	4.52	29	1	117	<5	<0.01	<10	13	6	<10	97	2
9V1152RA/RJ	P09-029	132406	55.40	57.40	2.00	0.16		0.8	1.23	203	62	<0.5	24	0.8	5	18	28	18	5.31	<1	0.29	<10	0.74	718	9	0.01	<1	1410	33	3.32	16	2	23	<5	<0.01	<10	10	25	<10	121	2
9V1152RA/RJ	P09-029	132407	57.40	58.30	0.90	<0.01		0.1	1.44	63	105	<0.5	23	0.61	4	17	28	10	4.99	1	0.26	<10	0.92	816	<2	0.01	<1	1633	38	2.59	12	2	20	<5	<0.01	<10	<10	23	<10	135	2
9V1152RA/RJ	P09-029	132408	58.30	58.80	0.50	0.02		2.3	0.61	78	98	<0.5	11	1.3	65	15	74	12	2.92	2	0.23	<10	0.34	1083	<2	0.01	1	621	2303	2.17	8	1	48	<5	<0.01	<10	<10	11	<10	4287	1
9V1152RA/RJ	P09-029	132409	58.80	60.80	2.00	0.04		0.9	0.65	187	67	<0.5	21	0.7	4	17	26	8	4.92	<1	0.26	<10	0.3	357	2	0.01	<1	1407	41	3.81	16	2	19	<5	<0.01	<10	<10	11	<10	151	2
9V1152RA/RJ	P09-029	132410	60.80	62.80	2.00	0.03		0.4	1	174	91	<0.5	22	2.48	6	24	27	6	4.83	1	0.29	<10	0.59	1856	2	0.01	1	1248	120	3.45	15	2	96	<5	<0.01	<10	14	18	<10	328	2
9V1152RA/RJ	P09-029	132411	62.80	64.80	2.00	0.03		0.9	0.96	237	96	<0.5	21	0.91	4	17	26	12	4.78	1	0.26	<10	0.54	725	2	0.01	<1	1419	55	3.18	18	2	32	<5	<0.01	<10	<10	16	<10	138	2
9V1152RA/RJ	P09-029	132412	64.80	66.80	2.00	0.02		0.3	1.26	156	108	<0.5	20	1.74	3	18	22	10	4.74	1	0.27	<10	0.78	1416	3	0.01	<1	1338	25	2.63	15	2	63	<5	<0.01	<10	11	19	<10	87	2
9V1152RA/RJ	P09-029	132413	66.80	68.80	2.00	<0.01		<0.1	1.76	27	129	<0.5	25	2.4	3	20	22	16	5.24	1	0.28	<10	1.13	1675	<2	0.01	<1	1562	14	2.17	10	3	82	<5	<0.01	<10	13	29	<10	116	2
9V1152RA/RJ	P09-029	132414	68.80	70.80	2.00	0.01		<0.1	1	53	102	<0.5	23	3.65	4	19	20	8	4.92	1	0.28	<10	0.61	1783	<2	0.01	<1	1318	36	3.52	12	2	135	<5	<0.01	<10	14	16	<10	154	2
9V1152RA/RJ	P09-029	132415	70.80	72.80	2.00	0.01		<0.1	1.78	20	155	<0.5	27	3.32	4	22	17	24	5.64	<1	0.29	<10	1.23	1988	<2	0.01	<1	1689	19	2.54	12	3	113	<5	<0.01	<10	15	30	<10	143	2
9V1152RA/RJ	P09-029	132416	72.80	74.00	1.20	0.03		<0.1	1.46	76	119	<0.5	24	2.12	4	21	19	12	5.58	1	0.26	<10	0.97	1281	<2	0.01	<1	1432	23	2.96	15	3	63	<5	<0.01	<10	13	26	<10	117	2
9V1152RA/RJ	P09-029	132417	74.00	75.10	1.10	<0.01		<0.1	2.01	26	166	<0.5	24	2.34	3	22	11	22	5.45	1	0.27	<10	1.24	1569	<2	0.01	<1	1410	13	1.44	11	3	73	<5	<0.01	<10	13	37	<10	114	2
9V1152RA/RJ	P09-029	132418	75.10	77.10	2.00	0.01		<0.1	1.78	54	138	<0.5	26	1.65	4	22	16	18	5.58	1	0.25	<10	1.1	1312	2	0.01	<1	1648	17	2.28	15	3	58	<5	<0.01	<10	11	35	<10	139	2
9V1152RA/RJ	P09-029	132419	77.10	78.10	1.00	0.06		0.6	0.87	98	144	<0.5	16	1.71	4	15	16	13	4.07	1	0.28	<10	0.58	962	4	0.01	1	1053	109	2.38	15	2	74	<5	<0.01	<10	<10	14	<10	194	2
9V1152RA/RJ	P09-029	132420	BLANK			<0.01		<0.1	0.03	<5	12	<0.5	<5	>15.00	<1	1	2	1	0.05	1	0.02	<10	1.68	38	<2	0.01	<1	64	<2	0.83	<5	<1	3450	<5	<0.01	<10	22	2	<10	6	<1
9V1152RA/RJ	P09-029	132421	78.10	79.10	1.00	<0.01		<0.1	1.76	45	163	<0.5	20	2.01	3	17	14	18	4.27	1	0.24	<10	1.01	1444	<2	0.01	1	1173	13	0.79	13	3	67	<5	<0.01	<10	<10	33	<10	100	2
9V1152RA/RJ	P09-029	132422	87.70	89.70	2.00	0.01		<0.1	1.94	39	151	<0.5	21	1.27	3	19	13	17	4.63	1	0.21	<10	1.21	1363	<2	0.01	<1	1353	11	0.72	10	4	41	<5	<0.01	<10	<10	50	<10	123	2
9V1152RA/RJ	P09-029	132423	89.70	90.30	0.60	0.09		2.8	0.89	218	152	<0.5	13	1.3	49	12	26	51	3.13	5	0.23	<10	0.42	958	<2	0.01	<1	712	857	1.65	27	2	42	<5	<0.01	<10	<10	19	<10	2999	2
9V1152RA/RJ	P09-029	132424	90.30	92.30	2.00	0.02		0.3	1.67	83	218	<0.5	18	2.11	3	15	13	13	4.12	1	0.27	<10	0.9	1361	<2	0.02	<1	1607	15	0.72	13	3	51	<5	<0.01	<10	<10	42	<10	116	2
9V1152RA/RJ	P09-029	132425	92.30	94.30	2.00	<0.01		<0.1	2.06	19	206	<0.5	20	3.88	3	14	14	20	4.65	1	0.24	<10	1.21	1981	<2	0.02	<1	1610	7	0.49	8	4	139	<5	<0.01	<10	<10	45	<10	105	2
9V1152RA/RJ	P09-029	132426	94.30	96.30	2.00	0.25		<0.1	1.64	48	146	<0.5	23	2.04	4	16	15	19	5.23	1	0.26	<10	1.02	1575	2	0.02	<1	1648	65	2.35	12	3	82	<5	<0.01	<10	10	35	<10	207	2
9V1152RA/RJ	P09-029	132427	96.30	98.30	2.00	0.18		1.3	1.71	80	166	<0.5	22	0.99	7	15	18	40	4.94	1	0.25	<10	1.08	1198	<2	0.02	<1	1452	239	1.73	18	3	46	<5	<0.01	<10	<10	37	<10	496	2
9V1152RA/RJ	P09-029	132428	98.30	100.30	2.00	<0.01		<0.1	1.87	58	192	<0.5	20	1.01	2	14	18	16	4.25	1	0.24	<10	1.26	916	<2	0.02	<1	1560	9	0.62	13	3	38	<5	<0.01	<10	<10	36	<10	107	2
9V1152RA/RJ	P09-029	132429	100.30	102.30	2.00	<0.01		<0.1	2.08	18	212	<0.5	21	3.54	3	14	11	19	4.73	1	0.25	<10	1.35	1475	<2	0.03	<1	1515	5	0.54	10	4	142	<5	<0.01	<10	<10	47	<10	98	2
9V1152RA/RJ	P09-029	132430	102.30	104.30	2.00	<0.01		<0.1	2.04	36	195	<0.5	21	3.42	3	15	11	23	4.83	1	0.24	<10	1.38	1338	<2	0.02	<1	1588	5	0.82	11	4	145	<5	<0.01	<10	<10	43	<10	112	2
9V1152RA/RJ	P09-029	132431	104.30	106.30	2.00	<0.01		<0.1	1.98	83	201	<0.5	18	3.6	2	14	10	<1	4.57	1	0.26	<10	1.29	1295	<2	0.03	<1	1596	5	0.76	10	4	152	<5	<0.01	<10	<10	41	<10	91	2
9V1152RA/RJ	P09-029	132432	106.30	108.30	2.00	0.01		<0.1	2.09	19	230	<0.5	21	4.38	3	14	10	<1	4.73	1	0.25	<10	1.23	1482	<2	0.02	<1	1603	6	0.45	9	4	187	<5	<0.01	<10	<10	42	<10	98	2
9V1152RA/RJ	P09-029	132433	108.30	110.30	2.00	0.01		<0.1	1.64	75	226	<0.5	19	3.98	3	14	9	1	4.4	1	0.29	<10	1	1206	<2	0.02	<1	1537	9	1.5	11	4	151	<5	<0.01	<10	<10	33	<10	93	2
9V1152RA/RJ	P09-029	132434	110.30	112.30	2.00	<0.01		<0.1	1.53	49	229	<0.5	18	4.29	2	14	11	<1	3.88	1	0.25	<10	0.95	1319	<2	0.02	<1	1504	7	1.04	10	4	171	<5	<0.01	<10	<10	32	<10	86	2
9V1152RA/RJ	P09-029	132435	112.30	114.30	2.00	0.01		<0.1	1.84	142	240	<0.5	21	3.45	3	15	10	2	4.4	1	0.28	<10	1.24	1252	<2	0.02	<1	1593	8	1.12	12	4	126	<5	<0.01	<10	<10	36	<10	101	2
9V1152RA/RJ	P09-029	132436	114.30	116.30	2.00	0.01		<0.1	1.93	127	214	<0.5	20	2.74	3	16	14	9	4.67	1	0.24	<10	1.28	1240	<2	0.02	<1	1590	7	0.99	13	3	101	<5	<0.01	<10	<10	37	<10	103	2
9V1152RA/RJ	P09-029	132437	116.30	118.30	2.00	0.01		0.2	1.13	250	149	<0.5	21	2.09	3	14	11	8	4.42	1	0.32	<10	0.57	939	<2	0.02	<1	1335	13	2.58	30	2	78	<5	<0.01	<10	<10	22	<10	78	2
9V1152RA/RJ	P09-029	132438	118.30	119.50	1.20	<0.01		0.2	1.09	76	166	<0.5	18	2.5	2	13	12	12	3.88	1	0.29	<10	0.6	982	<2	0.02	<1	1347	10	2.16	13	2	102	<5	<0.01	<10	<10	21	<10	95	2
9V1152RA/RJ	P09-029	132439	119.50	120.50	1.00	0.02		0.6	0.93	76	114	<0.5	17	2.02	3	13	12	20	3.83	1	0.31	<10	0.45	704	<2	0.01	<1	1267	44	2.43	12	2	71	<5	<0.01	<10	<10	17	<10	158	2
9V1152RA/RJ	P09-029	132440	120.50	121.50	1.00	0.01		0.3	0.48	47	165	<0.5	9	8.56	1	9	19	11	2.21	1	0.2	<10	0.23	1368	<2	0.01	1	778	13	1.65	7	2	236	<5	<0.01	<10	<10	11	<10	76	1
9V1152RA/RJ	P09-029	132441	121.50	122.50	1.00	0.02		0.4	0.32	40	156	<0.5	10	11.37	1	10	15	7	2.56	1	0.22	<10	0.12	2159	<2	0.01	1	836	12	2.43	8	2	276	<5	<0.01	<10	14	6	<10	64	1
9V1152RA/RJ	P09-029	132442	122.50	123.50	1.00	0.05		1	0.45	40	199	<0.5	11	13.73	1	9	20	11	2.4	2	0.21	<10	0.24	3323	<2	0.01	1	795	10	2.15	8	2	410	<5	<0.01	10	18	8	<10	71	1
9V1152RA/RJ	P09-029	132443	123.50	124.50	1.00	0.07		1.2	0.3	76	181	<0.5	10	12.51	1	11	13	9	2.36	1	0.25	<10	0.1	2661	<2	0.01	1	838	13	2.29	10	2	383	<5	<0.01	10	14	6	<10	90	1
9V1152RA/RJ	P09-029	132444	124.50	125.50	1.00	0.04		1.9	0.14	39	128	<0.5	8	>15.00	1	5	12	13	1.82	2	0.13	<10	0.14	4146	<2	0.01	3	509	34	2.19	11	1	1034	<5	<0.01	15	24	3	<10	179	1
9V1152RA/RJ	P09-029	132445	125.50	126.55	1.05	0.02		0.9	0.85	43	159	<0.5	16	5.62	4	14	35	16	3.65	1	0.25	<10	0.45	1963	<2	0.01	1	1044	81	2.48	10	2	288	<5	<0.01	<10	10	14	<10	213	1
9V1152RA/RJ	P09-029	132446	126.55	128.50	1.95	<0.01		<0.1	1.86	12	174	<0.5	19	2.75	4	14	34	26	4.16	1	0.24	<10	1.09	1818	<2	0.01	1	1227	115	0.67	9	3	98	<5	<0.01	<10	<10	33	<10	234	1
9V1152RA/RJ	P09-029	132447	128.50	130.50	2.00	<0.01		<0.1	1.89	12	192	<0.5	20	3.39	3	15	24	13	4.27	1	0.25	<10	1.11	1552	<2	0.02	1	1256	11	0.7	10	3	97	<5	<0.01	<10	<10	32	<10	121	2
9V1152RA/RJ	P09-029	132448	130.50	132.50	2.00	<0.01		<0.1	1.94	19	180	<0.5	21	3.24	3	17	30	15	4.64	<1	0.24	<10	1.15	1705	<2	0.02	<1	1248	38	0.9	11	3	104	<5	<0.01	<10	10	35	<10	143	2
9V1152RA/RJ	P09-029	132449	132.50	134.50	2.00	0.04		<0.1	2.61	15	216	<0.5	24	3.23	3	18	21	30	5.23	1	0.25	<10	1.7	1866	<2	0.02	<1	1465	113	0.3	11	4	100	<5	<0.01	<10	11	45	<10	169	2
9V1152RA/RJ	P09-029	132450	134.50	136.50	2.00	0.34		0.9	2.25	13	183	<0.5	24	3.82	7	17	24	34	5.18	1	0.23	<10	1.44	2247	<2	0.02	<1	1427	169	1	10	4	126	<5	<0.01	<10	12	44	<10	520	2
9V1152RA/RJ	P09-029	132451	136.50	138.50	2.00	<0.01		<0.1	2.22	10	258	<0.5	23	3.68	4	16	20	22	4.9	1	0.24	<10	1.46	2318	<2	0.02	<1	1377	64	0.93	10	4	134	<5	<0.01	<10	11	42	<10	286	2
9V1152RA/RJ	P09-029	132452	138.50	140.50	2.00	<0.01		<0.1	2.14	13	210	<0.5	24	2.78	6	17	25	9	4.87	1	0.23	<10	1.51	2646	<2	0.02	<1	1333	151	1.07	10	4	111	<5	<0.01	<10	12	41	<10	429	2
9V1152RA/RJ	P09-029	132453	140.50	142.50	2.00	0.22		7.1	1.65	24	195	<0.5	20	2.86	15	14	24	29	4.24	1	0.23	<10	1.04	2703	<2	0.02	<1	1152	512	1.26	10	3	109	<5	<0.01	<10	12	34	<10	1280	2
9V1152RA/RJ	P09-029	132454	142.50	144.50	2.00	0.01		0.6	1.89	21	189	<0.5	21	3.06	9	16	22	17	4.56	1	0.24	<10	1.27	2611	<2	0.02	<1	1234	374	1.17	10	3	134	<5	<0.01	<10	12	36	<10	745	2
9V1152RA/RJ	P09-029	132455	144.50	146.50	2.00	<0.01		<0.1	2.08	16	198	<0.5	23	3.01	3	17	25	14	4.85	1	0.23	<10	1.37	2258	<2	0.02	<1	1358	14	0.84	10	4	114	<5	<0.01	<10	11	40	<10	130	2
9V1152RA/RJ	P09-029	132456	146.50	148.50	2.00	<0.01		0.2	1.7	24	202	<0.5	20	4.18	3	16	22	15	4.08	1	0.26	<10	1.05	2962	2	0.02	<1	1389	37	0.99	9	3	127	<5	<0.01	<10	10	34	<10	190	2
9V1152RA/RJ	P09-029	132457	148.50	150.50	2.00	<0.01		1.1	1.65	57	197	<0.5	20	4.55	8	17	23	54	4.47	1	0.28	<10	0.88	2669	<2	0.01	<1	1302	256	1.35	11	4	136	<5	<0.01	<10	12	38	<10	679	2
9V1152RA/RJ	P09-029	132458	150.50	152.50	2.00	<0.01		0.3	1.68	38	175	<0.5	23	3.16	6	18	31	23	4.77	1	0.24	<10	0.89	1997	<2	0.01	<1	1290	51	1.52	11	4	106	<5	<0.01	<10	11	42	<10	395	2
9V1152RA/RJ	P09-029	132459	152.50	154.50	2.00	0.01		0.1	1.88	41	211	<0.5	25	2.52	4	20	20	19	4.86	1	0.29	<10	1.04	1723	<2	0.01	<1	1397	15	1.2	12	4	75	<5	<0.01	<10	11	46	<10	160	2
9V1152RA/RJ	P09-029	132460	154.50	156.50	2.00	0.06		<0.1	1.74	33	195	<0.5	23	3.41	4	21	19	21	4.86	1	0.27	<10	0.99	1698	<2	0.01	<1	1495	30	1.52	10	4	94	<5	<0.01	<10	12	37	<10	193	2
9V1152RA/RJ	P09-029	132461	156.50	158.50	2.00	0.07		<0.1	1.78	30	196	<0.5	22	4.26	4	18	16	21	4.86	1	0.28	<10	1.04	1848	<2	0.01	<1	1436	84	1.61	10	4	121	<5	<0.01	<10	10	38	<10	245	2
9V1152RA/RJ	P09-029	132462	158.50	160.50	2.00	<0.01		<0.1	2.17	29	280	<0.5	26	4.74	3	20	21	16	5.26	1	0.32	<10	1.34	2035	<2	0.01	1	1665	16	1.31	11	5	188	<5	<0.01	<10	12	45	<10	126	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1152RA/RJ	P09-029	132463	160.50	162.50	2.00	<0.01		<0.1	2.07	14	199	<0.5	21	3.75	3	17	17	20	4.38	1	0.26	<10	1.32	1535	<2	0.01	<1	1372	11	0.53	9	4	124	<5	<0.01	<10	11	44	<10	109	2
9V1152RA/RJ	P09-029	132464	162.50	164.50	2.00	<0.01		<0.1	2.12	13	191	<0.5	24	3.94	3	18	15	18	4.64	1	0.27	<10	1.39	1554	<2	0.01	<1	1375	11	0.76	10	5	138	<5	<0.01	<10	12	43	<10	114	2
9V1152RA/RJ	P09-029	132465	164.50	166.50	2.00	0.01		<0.1	2.16	13	182	<0.5	23	4.36	3	18	17	26	4.8	1	0.24	<10	1.52	1703	<2	0.01	<1	1326	10	0.96	9	4	144	<5	<0.01	<10	12	40	<10	125	2
9V1152RA/RJ	P09-029	132466	166.50	168.50	2.00	0.01		0.2	1.74	21	237	<0.5	20	3.9	2	18	10	19	4.32	1	0.31	<10	1.13	2056	<2	0.01	<1	1356	10	1.05	8	4	170	<5	<0.01	<10	<10	34	<10	107	1
9V1152RA/RJ	P09-029	132467	168.50	170.50	2.00	0.01		<0.1	1.24	47	132	<0.5	22	4.84	3	16	16	12	4.73	1	0.24	<10	0.98	2028	<2	0.01	<1	1241	16	2.51	10	4	203	<5	<0.01	<10	13	23	<10	127	1
9V1152RA/RJ	P09-029	132468	170.50	172.50	2.00	0.02		0.2	0.8	42	98	<0.5	22	3.05	5	17	11	9	4.75	<1	0.25	<10	0.6	1369	<2	0.01	<1	1202	35	3.24	11	3	141	<5	<0.01	<10	10	13	<10	194	1
9V1152RA/RJ	P09-029	132469	172.50	174.50	2.00	<0.01		<0.1	1	25	94	<0.5	22	3.09	4	17	15	12	5.08	<1	0.27	<10	0.92	1475	<2	0.01	1	1144	15	2.8	10	4	129	<5	<0.01	<10	10	17	<10	106	2
9V1152RA/RJ	P09-029	132470	174.50	176.50	2.00	<0.01		<0.1	1.19	41	109	<0.5	24	2.92	5	17	14	17	4.74	1	0.28	<10	1.05	1762	<2	0.01	<1	1188	103	2.75	10	4	129	<5	<0.01	<10	11	27	<10	301	2
9V1152RA/RJ	P09-029	132471	176.50	178.50	2.00	0.02		0.3	1.38	30	113	<0.5	24	3.35	7	17	19	20	4.97	1	0.25	<10	1.1	2174	<2	0.01	<1	1161	192	2.27	10	4	156	<5	<0.01	<10	12	29	<10	448	2
9V1152RA/RJ	P09-029	132472	178.50	180.50	2.00	0.03		0.4	0.76	15	128	<0.5	21	2.9	4	17	10	25	4.92	1	0.3	<10	0.84	1949	<2	0.01	<1	1289	46	1.98	9	4	145	<5	<0.01	<10	<10	15	<10	190	2
9V1152RA/RJ	P09-029	132473	180.50	181.50	1.00	0.07		0.4	0.35	9	390	<0.5	17	3.06	3	12	20	51	4.01	<1	0.24	<10	1.17	2090	<2	0.01	<1	1061	88	0.59	6	4	251	<5	<0.01	<10	<10	13	<10	129	1
9V1152RA/RJ	P09-029	132474	181.50	182.50	1.00	0.1		1.2	0.6	16	215	<0.5	19	3.02	16	14	17	63	4.41	1	0.25	<10	0.92	2426	<2	0.01	<1	1185	373	0.85	7	4	151	<5	<0.01	<10	10	19	<10	1308	1
9V1152RA/RJ	P09-029	132475	182.50	184.50	2.00	0.1		2.8	1.43	36	146	<0.5	24	1.91	6	16	15	41	4.94	1	0.26	<10	1.05	2533	<2	0.01	<1	1213	277	1.26	9	4	82	<5	<0.01	<10	12	30	<10	435	2
9V1152RA/RJ	P09-029	132476	184.50	185.95	1.45	0.55		3.2	1.02	202	68	<0.5	28	1.32	16	16	26	21	5.49	1	0.25	<10	0.8	1852	<2	0.01	<1	1050	407	3.29	13	3	70	<5	<0.01	<10	13	22	<10	1248	2
9V1152RA/RJ	P09-029	132477	185.95	186.90	0.95	0.3		2.2	0.36	65	133	<0.5	12	1.8	15	9	49	20	2.85	1	0.17	<10	0.39	1706	<2	0.01	1	528	413	1.46	6	1	70	<5	<0.01	<10	10	7	<10	1402	1
9V1152RA/RJ	P09-029	132478	186.90	187.90	1.00	7.08		11	0.37	159	74	<0.5	17	2.02	80	11	42	446	4.22	1	0.22	<10	0.24	1593	3	0.01	1	671	1180	3.48	8	1	64	<5	<0.01	<10	10	8	<10	5613	1
9V1152RA/RJ	P09-029	132479	187.90	188.90	1.00	4.4		8.6	0.2	150	65	<0.5	16	2.35	35	8	74	274	3.36	1	0.13	<10	0.1	1378	2	0.01	2	287	555	2.89	9	1	53	<5	<0.01	<10	10	3	<10	3234	1
9V1152RA/RJ	P09-029	132480	188.90	189.90	1.00	0.58		2	0.16	98	148	<0.5	10	12.97	3	5	39	23	2.29	2	0.1	<10	0.16	4987	2	0.01	<1	280	147	1.79	7	1	513	<5	<0.01	<10	20	3	<10	195	1
9V1152RA/RJ	P09-029	132481	189.90	190.90	1.00	0.59		3.7	0.77	126	165	<0.5	17	10.25	19	8	31	43	3.62	<1	0.23	<10	0.75	4918	2	0.01	1	680	1380	1.67	6	3	384	<5	<0.01	<10	<10	28	<10	1559	2
9V1152RA/RJ	P09-029	132482	190.90	191.90	1.00	0.79		3.2	1.18	88	122	<0.5	21	3.94	75	12	50	141	4.73	<1	0.21	<10	1.13	3549	2	0.01	2	928	680	1.74	<5	4	152	<5	<0.01	<10	<10	44	<10	3987	2
9V1152RA/RJ	P09-029	132483	191.90	192.90	1.00	0.58		3.7	1.17	106	135	<0.5	19	4.18	65	15	31	52	4.25	<1	0.3	<10	0.53	3328	<2	0.01	2	1026	326	1.89	<5	2	160	<5	<0.01	<10	<10	23	<10	3766	2
9V1152RA/RJ	P09-029	132484	192.90	193.90	1.00	499.3	487.95	119.6	0.77	259	96	<0.5	19	2.85	32	16	29	38	4.39	<1	0.34	<10	0.22	2354	<2	0.01	2	1204	471	2.97	<5	1	103	<5	<0.01	<10	<10	15	<10	2539	2
9V1152RA/RJ	P09-029	132485	193.90	194.90	1.00	32.02	29.53	5.4	1.26	134	153	<0.5	17	2.19	64	19	13	42	4.38	1	0.39	<10	0.38	2343	<2	0.01	2	1274	167	1.95	<5	2	71	<5	<0.01	<10	<10	23	<10	3768	2
9V1152RA/RJ	P09-029	132486	194.90	195.90	1.00	8.6		6	1.4	294	69	<0.5	23	2.42	93	24	19	70	6.24	1	0.43	<10	0.44	3073	3	0.01	3	960	714	2.86	<5	2	83	<5	<0.01	<10	<10	36	<10	5237	2
9V1152RA/RJ	P09-029	132487	195.90	196.90	1.00	0.99		3.8	1.27	405	119	<0.5	24	2.58	23	23	22	39	5.69	<1	0.31	<10	0.41	3120	<2	0.01	3	1085	738	2.99	<5	2	110	<5	<0.01	<10	<10	31	<10	1888	2
9V1152RA/RJ	P09-029	132488	196.90	197.90	1.00	0.68		2.8	1.09	259	110	<0.5	21	3.85	13	22	27	55	5.47	<1	0.31	<10	0.3	2964	2	0.01	3	806	370	3.01	<5	2	128	<5	<0.01	<10	<10	27	<10	1045	2
9V1152RA/RJ	P09-029	132489	197.90	198.90	1.00	0.29		2.6	0.41	150	60	<0.5	19	2.8	6	21	18	59	4.65	<1	0.34	<10	0.04	1097	<2	0.01	5	1061	83	4.04	<5	2	83	<5	<0.01	<10	<10	12	<10	287	2
9V1152RA/RJ	P09-029	132490	198.90	199.70	0.80	1.49		3.7	0.21	82	73	<0.5	12	5.92	61	10	37	69	2.72	<1	0.19	<10	0.03	1971	2	0.01	4	407	283	3.04	<5	1	237	<5	<0.01	<10	<10	6	<10	4742	1
9V1152RA/RJ	P09-029	132491	199.70	201.70	2.00	0.35		1.4	0.98	47	76	<0.5	19	2.74	8	15	14	47	4.24	<1	0.34	<10	0.25	2085	2	0.01	4	986	97	2.35	<5	2	131	<5	<0.01	<10	<10	16	<10	550	2
9V1152RA/RJ	P09-029	132492	201.70	203.30	1.60	0.34		2.5	1.68	22	156	<0.5	20	2.58	17	15	17	45	4.37	<1	0.33	<10	0.53	3030	<2	0.01	4	1123	284	0.8	<5	3	117	<5	<0.01	<10	<10	31	<10	1539	2
9V1152RA/RJ	P09-029	132493	203.30	204.30	1.00	0.72		6.3	0.94	139	45	<0.5	28	3.97	100	21	27	248	5.97	<1	0.32	<10	0.42	3179	3	0.01	4	955	522	3.86	<5	3	232	<5	<0.01	<10	<10	22	<10	5637	3
9V1152RA/RJ	P09-029	132494	204.30	206.30	2.00	0.24		3.1	1.13	97	101	<0.5	21	2.78	34	18	24	50	4.79	<1	0.31	<10	0.4	2390	<2	0.01	4	1056	432	2.57	<5	3	108	<5	<0.01	<10	<10	26	<10	2948	2
9V1152RA/RJ	P09-029	132495	206.30	208.30	2.00	0.17		1.7	2.06	32	175	<0.5	23	2.98	19	15	20	44	5.25	<1	0.34	<10	0.76	3475	<2	0.01	4	1216	212	1.02	<5	4	120	<5	<0.01	<10	<10	52	<10	1638	2
9V1152RA/RJ	P09-029	132496	208.30	210.30	2.00	0.05		2.2	2.24	42	221	<0.5	27	3.5	24	20	18	70	6.07	<1	0.32	<10	0.9	4122	<2	0.01	4	1380	226	1.05	<5	5	196	<5	<0.01	<10	<10	70	<10	1739	3
9V1152RA/RJ	P09-029	132497	210.30	212.30	2.00	0.67		2.7	2.17	77	155	<0.5	26	2.16	45	20	22	68	5.8	<1	0.28	<10	0.97	3943	<2	0.01	4	1319	575	1.32	<5	4	91	<5	<0.01	<10	<10	66	<10	3089	3
9V1152RA/RJ	P09-029	132498	212.30	213.40	1.10	0.08		2.2	2.35	48	183	<0.5	26	2.18	36	20	21	41	6.01	<1	0.31	<10	1.07	3596	3	0.01	4	1346	199	1.2	<5	5	88	<5	<0.01	<10	<10	70	<10	2696	3
9V1152RA/RJ	P09-029	132499	213.40	214.63	1.23	0.42		3.8	2.12	105	157	<0.5	27	2.17	34	23	21	79	6.3	<1	0.29	<10	1.01	3657	2	0.01	5	1266	631	1.86	<5	4	91	<5	<0.01	<10	<10	61	<10	2483	3
9V1152RA/RJ	P09-029	132500	BLANK			0.02		<0.1	0.03	<5	<10	<0.5	<5	>15.00	<1	1	4	2	0.07	<1	0.01	<10	3.42	64	<2	0.01	1	109	<2	0.65	<5	<1	3672	<5	<0.01	<10	16	1	<10	50	<1

P09-030- Province - PAD 16 - 436210E 6219153N, Elev: 1063m, Az: 090, Dip: -50, EOH: 267.68m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1172RA/RJ	P09-030	132501	2.13	4.00	1.87	0.01		0.3	1.25	234	160	<0.5	20	2.14	3	18	81	5	4.18	1	0.29	<10	0.9	1859	2	0.01	6	1126	13	1.78	21	4	170	<5	<0.01	<10	<10	27	<10	103	2
9V1172RA/RJ	P09-030	132502	4.00	6.00	2.00	0.01		<0.1	2.59	133	202	<0.5	30	1.43	4	25	34	25	6.32	1	0.38	<10	1.65	1953	2	0.01	3	1546	17	1.38	22	6	58	<5	<0.01	<10	<10	60	<10	140	2
9V1172RA/RJ	P09-030	132503	6.00	8.00	2.00	<0.01		0.4	1.81	681	143	<0.5	25	1.15	7	24	41	29	5.52	2	0.39	<10	1.03	1611	2	0.01	4	1360	23	2.2	48	4	63	<5	<0.01	<10	<10	44	<10	427	2
9V1172RA/RJ	P09-030	132504	8.00	10.00	2.00	0.02		0.6	2.06	419	155	<0.5	28	0.53	4	24	45	22	5.94	1	0.38	<10	1.09	950	3	0.02	2	1362	20	2.2	37	6	27	<5	<0.01	<10	<10	59	<10	138	2
9V1172RA/RJ	P09-030	132505	10.00	12.00	2.00	0.08		0.6	1.92	183	176	<0.5	29	2.19	4	23	58	37	5.47	1	0.31	<10	1.29	1576	3	0.01	6	1339	29	1.48	27	7	94	<5	<0.01	<10	<10	58	<10	133	2
9V1172RA/RJ	P09-030	132506	12.00	14.00	2.00	<0.01		<0.1	2.47	88	225	<0.5	29	2.49	4	25	71	24	5.93	1	0.31	<10	1.53	1943	<2	0.02	2	1272	10	1.06	18	9	109	<5	<0.01	<10	<10	81	<10	107	2
9V1172RA/RJ	P09-030	132507	14.00	16.00	2.00	0.12		0.6	1.82	119	200	<0.5	26	2.9	4	22	42	23	5.64	1	0.29	<10	1.06	1826	2	0.02	2	1339	13	2.1	18	6	125	<5	<0.01	<10	<10	50	<10	94	2
9V1172RA/RJ	P09-030	132508	16.00	18.00	2.00	0.06		1	2.09	238	223	<0.5	25	2.77	3	21	34	48	5.41	1	0.33	<10	1.3	2000	<2	0.02	1	1394	22	1.36	22	7	118	<5	<0.01	<10	<10	58	<10	112	2
9V1172RA/RJ	P09-030	132509	18.00	20.00	2.00	0.06		0.3	2.22	132	199	<0.5	27	2.42	3	22	31	39	5.56	1	0.32	<10	1.37	1852	<2	0.02	1	1494	18	1.11	17	6	101	<5	<0.01	<10	<10	60	<10	110	2
9V1172RA/RJ	P09-030	132510	20.00	22.00	2.00	0.01		<0.1	2.3	94	166	<0.5	26	3.3	3	22	36	15	5.43	1	0.27	<10	1.5	1621	<2	0.01	2	1424	9	0.85	15	7	127	<5	<0.01	<10	<10	57	<10	108	2
9V1172RA/RJ	P09-030	132511	22.00	23.80	1.80	<0.01		<0.1	2.8	103	232	<0.5	30	2.12	4	24	30	30	6.33	<1	0.33	<10	1.64	1522	<2	0.02	1	1572	10	0.78	17	7	101	<5	<0.01	<10	<10	72	<10	126	2
9V1172RA/RJ	P09-030	132512	23.80	25.80	2.00	<0.01		<0.1	2.76	23	180	<0.5	28	3.99	4	21	31	21	5.85	1	0.29	<10	1.59	2074	<2	0.01	1	1496	8	0.52	13	8	177	<5	<0.01	<10	<10	71	<10	113	2
9V1172RA/RJ	P09-030	132513	25.80	27.80	2.00	0.02		1.4	2.05	208	143	<0.5	29	1.16	4	23	27	21	5.99	1	0.34	<10	1.13	1129	<2	0.02	2	1347	16	2.45	26	5	63	<5	<0.01	<10	<10	51	<10	103	2
9V1172RA/RJ	P09-030	132514	27.80	29.80	2.00	<0.01		<0.1	2.79	40	193	<0.5	31	3.07	4	22	43	26	6.18	1	0.33	<10	1.67	2142	<2	0.02	2	1385	8	0.69	15	8	115	<5	<0.01	<10	<10	82	<10	124	2
9V1172RA/RJ	P09-030	132515	29.80	31.80	2.00	0.01		<0.1	2.7	25	187	<0.5	30	3.52	4	23	35	27	6.14	2	0.31	<10	1.74	2254	<2	0.02	2	1415	9	0.69	14	8	147	<5	<0.01	<10	<10	73	<10	123	2
9V1172RA/RJ	P09-030	132516	31.80	33.80	2.00	0.02		0.1	2.03	138	156	<0.5	26	3.17	3	19	22	17	5.41	1	0.28	<10	1.28	1487	<2	0.01	<1	1444	15	1.71	16	4	131	<5	<0.01	<10	<10	43	<10	102	2
9V1172RA/RJ	P09-030	132517	33.80	34.80	1.00	0.88		3	0.36	571	45	<0.5	30	1.73	5	10	56	7	6.5	3	0.26	<10	0.08	479	<2	0.01	<1	629	29	>5.00	52	1	76	<5	<0.01	<10	11	3	11	100	2
9V1172RA/RJ	P09-030	132518	34.80	35.80	1.00	0.67		3.2	0.38	448	52	<0.5	28	1.17	5	12	55	5	6.16	4	0.28	<10	0.08	315	<2	0.01	<1	791	23	>5.00	55	1	55	<5	<0.01	10	<10	3	<10	111	2
9V1172RA/RJ	P09-030	132519	35.80	36.80	1.00	0.11		2.7	0.44	448	61	<0.5	27	2.01	4	18	56	8	5.63	3	0.29	<10	0.13	677	<2	0.01	1	1158	23	>5.00	39	1	118	<5	<0.01	<10	<10	5	<10	137	2
9V1172RA/RJ	P09-030	132520	36.80	37.80	1.00	0.46		3.8	0.45	572	78	<0.5	27	3.77	4	15	51	11	5.52	2	0.25	<10	0.22	1468	2	0.01	<1	789	24	4.83	30	1	235	<5	<0.01	<10	11	3	<10	77	2
9V1172RA/RJ	P09-030	132521	37.80	38.80	1.00	0.17		6.1	0.56	366	86	<0.5	21	1.5	4	19	58	6	4.77	1	0.31	<10	0.2	597	<2	0.01	2	1298	26	4.12	25	2	81	<5	<0.01	<10	<10	6	<10	98	2
9V1172RA/RJ	P09-030	132522	38.80	40.80	2.00	0.02		0.2	2.04	92	176	<0.5	23	2.08	4	19	27	10	5.17	1	0.34	<10	1.37	1357	<2	0.01	<1	1537	13	1.66	14	3	78	<5	<0.01	<10	<10	31	<10	140	2
9V1172RA/RJ	P09-030	132523	40.80	42.80	2.00	<0.01		<0.1	2.46	28	393	<0.5	23	2.97	3	18	25	16	4.88	2	0.31	<10	1.37	1869	<2	0.01	<1	1338	6	0.53	10	5	138	<5	<0.01	<10	<10	48	<10	108	2
9V1172RA/RJ	P09-030	132524	42.80	43.80	1.00	0.39		7.5	0.56	427	74	<0.5	25	2.28	4	19	26	17	5.46	3	0.37	<10	0.11	1001	<2	0.01	<1	1145	36	4.78	35	2	124	<5	<0.01	<10	<10	9	<10	105	2
9V1172RA/RJ	P09-030	132525	43.80	45.80	2.00	1.01		13	0.83	445	66	<0.5	27	1.49	5	18	22	24	5.7	2	0.38	<10	0.3	666	<2	0.01	<1	945	64	4.45	24	2	76	<5	<0.01	<10	<10	13	<10	202	2
9V1172RA/RJ	P09-030	132526	45.80	46.80	1.00	0.02		0.5	2.07	43	190	<0.5	20	2.21	3	15	23	19	4.58	1	0.33	<10	1.17	1758	<2	0.01	1	1379	30	0.93	9	3	104	<5	<0.01	<10	<10	35	<10	132	2
9V1172RA/RJ	P09-030	132527	46.80	48.80	2.00	0.07		1.6	1.24	216	150	<0.5	21	2.69	3	17	14	15	4.62	1	0.35	<10	0.62	1128	<2	0.01	1	1241	14	2.96	13	3	126	<5	<0.01	<10	<10	18	<10	121	2
9V1172RA/RJ	P09-030	132528	48.80	50.80	2.00	0.06		1.1	1.45	138	167	<0.5	23	1.32	4	19	21	10	4.8	1	0.41	<10	0.71	979	<2	0.01	1	1335	16	2.77	16	3	61	<5	<0.01	<10	<10	24	<10	105	2
9V1172RA/RJ	P09-030	132529	50.80	52.80	2.00	<0.01		0.2	2.28	31	198	<0.5	23	3.65	3	18	12	16	4.9	1	0.34	<10	1.42	2310	<2	0.01	<1	1244	9	1.22	10	5	130	<5	<0.01	<10	<10	38	<10	120	2
9V1172RA/RJ	P09-030	132530	77.00	78.65	1.65	<0.01		0.3	2.32	33	152	<0.5	25	3.46	3	20	13	15	5.23	2	0.28	<10	1.48	2369	<2	0.02	<1	1323	11	0.42	10	7	155	<5	<0.01	<10	<10	54	<10	114	2
9V1172RA/RJ	P09-030	132531	78.65	79.22	0.57	0.34		4.4	0.67	313	133	<0.5	14	5.7	2	10	35	21	3.54	2	0.26	<10	0.35	2227	4	0.01	<1	828	82	2.48	25	2	191	<5	<0.01	<10	<10	12	<10	58	2
9V1172RA/RJ	P09-030	132532	79.22	81.00	1.78	<0.01		<0.1	2.35	16	195	<0.5	22	3.24	3	15	9	17	5.06	1	0.3	10	1.36	1877	<2	0.02	<1	1490	9	0.53	10	4	138	<5	<0.01	<10	<10	47	<10	111	2
9V1172RA/RJ	P09-030	132533	87.50	88.86	1.36	<0.01		<0.1	1.22	81	201	<0.5	20	3.5	3	13	9	11	4.72	1	0.38	<10	0.94	1073	<2	0.02	<1	1378	8	0.81	10	5	184	<5	<0.01	<10	<10	23	<10	85	2
9V1172RA/RJ	P09-030	132534	88.86	90.45	1.59	0.01		0.7	0.86	62	271	<0.5	21	9.27	3	13	12	8	4.6	2	0.33	<10	0.94	2148	2	0.01	<1	1022	11	1.59	12	4	468	<5	<0.01	<10	<10	20	<10	84	2
9V1172RA/RJ	P09-030	132535	90.45	92.50	2.05	0.01		0.8	1.2	80	172	<0.5	21	2.83	3	13	10	13	4.58	1	0.34	<10	0.82	1079	<2	0.02	<1	1343	15	2.22	13	4	143	<5	<0.01	<10	<10	23	<10	78	2
9V1172RA/RJ	P09-030	132536	92.50	93.50	1.00	0.01		1.3	1.35	165	228	<0.5	19	4.05	3	13	7	10	4.18	2	0.39	<10	0.79	1730	<2	0.01	<1	1303	21	1.51	21	4	182	<5	<0.01	<10	<10	21	<10	85	1
9V1172RA/RJ	P09-030	132537	93.50	94.50	1.00	0.01		0.3	1.53	136	186	<0.5	20	3.95	3	13	12	8	4.68	1	0.36	<10	0.97	1590	<2	0.01	<1	1361	7	1.4	11	4	188	<5	<0.01	<10	<10	26	<10	81	2
9V1172RA/RJ	P09-030	132538	109.20	111.20	2.00	0.09		1.3	0.97	111	131	<0.5	22	1.54	4	16	11	6	4.92	1	0.45	<10	0.4	1144	<2	0.01	<1	1383	21	3.48	18	3	77	<5	<0.01	<10	<10	19	<10	103	2
9V1172RA/RJ	P09-030	132539	111.20	112.20	1.00	0.09		1.2	0.87	82	109	<0.5	22	3.58	4	14	17	7	5	1	0.39	<10	0.43	1961	<2	0.01	<1	1091	22	3.82	12	2	198	<5	<0.01	<10	<10	12	<10	84	2
9V1172RA/RJ	P09-030	132540	112.20	114.20	2.00	0.09		3.2	1.14	187	132	<0.5	21	0.68	4	17	11	11	4.64	1	0.49	<10	0.43	549	2	0.01	1	1586	28	3.01	25	2	36	<5	<0.01	<10	<10	21	<10	126	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1172RA/RJ	P09-030	132541	114.20	115.20	1.00	0.75		4.4	0.65	300	80	<0.5	20	0.91	4	14	28	9	4.47	1	0.37	<10	0.17	580	4	0.01	<1	1261	48	3.56	31	2	46	<5	<0.01	<10	<10	11	<10	133	2
9V1172RA/RJ	P09-030	132542	115.20	116.20	1.00	0.33		6.6	0.76	304	79	<0.5	23	1.54	10	15	22	8	4.94	2	0.45	<10	0.18	788	3	0.01	<1	1179	172	3.94	26	2	71	<5	<0.01	<10	<10	16	<10	755	2
9V1172RA/RJ	P09-030	132543	116.20	117.20	1.00	0.37		10	0.71	403	72	<0.5	26	1.07	12	16	44	82	5.97	2	0.38	<10	0.2	730	8	0.01	<1	1168	665	4.65	37	2	40	<5	<0.01	<10	<10	11	<10	820	2
9V1172RA/RJ	P09-030	132544	117.20	118.20	1.00	0.41		6.4	0.67	153	99	<0.5	19	1.77	13	16	43	129	4.34	1	0.39	<10	0.22	1189	4	0.01	1	1138	627	3.39	15	2	61	<5	<0.01	<10	<10	10	<10	1119	2
9V1172RA/RJ	P09-030	132545	118.20	119.20	1.00	0.63		10.2	0.94	110	124	<0.5	18	1.56	28	15	38	175	4.06	3	0.35	<10	0.41	1501	<2	0.01	<1	1152	286	2.68	14	2	58	<5	<0.01	<10	<10	21	<10	2521	2
9V1172RA/RJ	P09-030	132546	119.20	120.20	1.00	0.52		8	1.01	84	163	<0.5	14	2.98	18	11	54	84	3.36	3	0.25	<10	0.55	2896	<2	0.01	1	1015	863	1.47	15	2	120	<5	<0.01	<10	<10	26	<10	1725	1
9V1172RA/RJ	P09-030	132547	120.20	121.20	1.00	0.3		1.7	1.23	60	143	<0.5	18	4.82	3	12	23	13	3.93	2	0.28	<10	0.82	3353	2	0.01	<1	1170	30	1.41	11	3	175	<5	<0.01	<10	<10	28	<10	109	2
9V1172RA/RJ	P09-030	132548	121.20	122.20	1.00	0.14		1.1	2.09	58	169	<0.5	21	3.17	3	13	16	8	4.8	2	0.33	<10	1.33	3553	<2	0.02	<1	1307	39	0.84	12	4	122	<5	<0.01	<10	<10	47	<10	129	2
9V1172RA/RJ	P09-030	132549	122.20	123.20	1.00	0.39		2.2	1.64	51	171	<0.5	22	1.47	3	14	16	7	4.75	1	0.35	<10	0.91	2521	2	0.01	<1	1308	47	1.96	10	3	75	<5	<0.01	<10	<10	38	<10	129	2
9V1172RA/RJ	P09-030	132550	123.20	124.20	1.00	0.81		1.9	1.59	50	227	<0.5	19	1.62	3	13	27	27	4.08	2	0.29	<10	0.95	2716	2	0.01	<1	1208	41	1.24	11	3	72	<5	<0.01	<10	<10	37	<10	149	2
9V1172RA/RJ	P09-030	132551	124.20	125.20	1.00	0.13		2.7	1.4	95	184	<0.5	18	1.26	8	12	33	92	3.88	2	0.3	<10	0.77	1988	<2	0.01	<1	1155	236	1.18	15	3	63	<5	<0.01	<10	<10	32	<10	706	2
9V1172RA/RJ	P09-030	132552	125.20	126.20	1.00	0.05		2	1.31	182	169	<0.5	20	1.54	3	14	17	20	4.08	2	0.39	<10	0.64	1519	2	0.01	<1	1275	19	1.92	17	3	69	<5	<0.01	<10	<10	31	<10	94	2
9V1172RA/RJ	P09-030	132553	126.20	128.20	2.00	0.02		<0.1	1.8	62	212	<0.5	22	2.93	3	14	13	4	4.69	1	0.36	<10	1.09	1660	<2	0.02	<1	1382	9	1.3	12	4	158	<5	<0.01	<10	<10	45	<10	100	2
9V1172RA/RJ	P09-030	132554	140.00	142.00	2.00	0.04		1.3	1.46	55	158	<0.5	21	3.91	3	13	12	7	4.59	1	0.36	<10	0.77	2161	<2	0.01	<1	1332	18	2.15	8	3	248	<5	<0.01	<10	<10	31	<10	139	2
9V1172RA/RJ	P09-030	132555	142.00	144.00	2.00	0.1		1.9	1.2	73	142	<0.5	20	3.72	3	14	19	5	4.16	1	0.34	<10	0.59	1741	2	0.01	<1	1399	44	2.33	9	3	128	<5	<0.01	<10	<10	29	<10	145	2
9V1172RA/RJ	P09-030	132556	144.00	146.00	2.00	0.05		3.2	1.23	52	120	<0.5	22	3.4	3	14	14	27	4.59	1	0.33	<10	0.66	2062	3	0.01	<1	1414	105	2.57	11	3	158	<5	<0.01	<10	<10	26	<10	117	2
9V1172RA/RJ	P09-030	132557	146.00	148.00	2.00	0.1		2.8	1.08	77	138	<0.5	19	3.11	4	13	29	5	3.99	1	0.32	<10	0.56	1726	<2	0.01	<1	1273	116	2.4	10	2	116	<5	<0.01	<10	<10	26	<10	290	2
9V1172RA/RJ	P09-030	132558	148.00	150.00	2.00	0.05		1.6	1.3	68	139	<0.5	23	3.48	3	14	15	8	4.84	1	0.39	<10	0.67	1848	2	0.01	<1	1374	19	2.65	11	3	155	<5	<0.01	<10	<10	32	<10	86	2
9V1172RA/RJ	P09-030	132559	150.00	152.00	2.00	0.01		0.6	1.93	20	157	<0.5	23	3.2	3	14	18	11	4.99	1	0.32	<10	1.17	2270	2	0.01	<1	1399	47	1.35	10	4	144	<5	<0.01	<10	<10	50	<10	145	2
9V1172RA/RJ	P09-030	132560	BLANK			<0.01		<0.1	0.05	<5	19	<0.5	<5	>15.00	<1	1	4	1	0.08	<1	0.02	<10	2.25	57	<2	0.01	1	110	<2	0.86	<5	<1	4712	<5	<0.01	<10	20	2	<10	2	<1
9V1172RA/RJ	P09-030	132561	152.00	154.00	2.00	0.07		0.8	1.87	47	173	<0.5	22	3.37	3	13	12	10	4.62	1	0.34	<10	1.08	2201	2	0.02	<1	1392	25	1.24	9	4	158	<5	<0.01	<10	<10	49	<10	145	2
9V1172RA/RJ	P09-030	132562	154.00	156.00	2.00	0.04		1.1	1.95	42	191	<0.5	21	3.64	3	14	14	27	4.58	1	0.32	10	1.07	2360	<2	0.02	<1	1414	25	0.65	9	5	164	<5	0.02	<10	<10	55	<10	156	2
9V1172RA/RJ	P09-030	132563	156.00	158.00	2.00	0.02		1.1	2.06	46	220	<0.5	20	4.82	3	13	15	29	4.65	2	0.34	10	1.08	2467	2	0.02	<1	1283	29	0.59	9	5	201	<5	0.02	<10	<10	54	<10	140	2
9V1172RA/RJ	P09-030	132564	158.00	160.00	2.00	0.02		0.6	1.93	59	205	<0.5	22	4.61	3	14	12	26	4.83	1	0.31	10	1.07	2581	<2	0.02	<1	1331	23	1	12	4	154	<5	0.02	<10	<10	51	<10	92	2
9V1172RA/RJ	P09-030	132565	160.00	162.00	2.00	0.28		2.8	1.76	44	233	<0.5	20	4.28	3	14	10	9	4.52	2	0.36	<10	0.93	2811	<2	0.02	<1	1316	46	1.16	10	4	168	<5	0.01	<10	<10	45	<10	210	2
9V1172RA/RJ	P09-030	132566	162.00	164.00	2.00	0.01		<0.1	2.06	24	226	<0.5	21	3.17	3	14	10	18	4.75	1	0.35	11	1.1	2011	<2	0.02	<1	1450	4	0.31	8	5	162	<5	0.03	<10	<10	56	<10	90	2
9V1172RA/RJ	P09-030	132567	164.00	166.00	2.00	<0.01		<0.1	2.23	32	202	<0.5	22	2.63	3	13	9	7	4.71	4	0.36	11	1.21	1678	<2	0.02	<1	1551	7	0.41	9	4	123	<5	<0.01	<10	<10	53	<10	90	2
9V1172RA/RJ	P09-030	132568	166.00	168.00	2.00	0.05		0.8	1.4	33	118	<0.5	22	4.24	3	15	11	10	4.65	2	0.37	<10	0.79	1935	<2	0.01	<1	1440	14	2.67	12	3	178	<5	<0.01	<10	<10	23	<10	79	2
9V1172RA/RJ	P09-030	132569	168.00	170.00	2.00	0.02		0.6	1.46	16	162	<0.5	22	2.92	3	16	8	13	4.49	1	0.39	<10	0.81	1180	<2	0.01	<1	1557	11	2.37	13	3	132	<5	<0.01	<10	<10	23	<10	85	2
9V1172RA/RJ	P09-030	132570	170.00	172.00	2.00	<0.01		0.5	2.06	27	206	<0.5	24	3.44	3	14	9	15	5.06	1	0.38	<10	1.23	1716	<2	0.01	<1	1459	12	1.41	11	3	151	<5	<0.01	<10	<10	39	<10	111	2
9V1172RA/RJ	P09-030	132571	172.00	174.00	2.00	<0.01		0.6	2.07	64	227	<0.5	23	3.56	3	17	8	14	4.91	2	0.39	11	1.13	1842	<2	0.01	<1	1518	10	0.89	11	4	152	<5	<0.01	<10	<10	52	<10	111	2
9V1172RA/RJ	P09-030	132572	174.00	176.00	2.00	0.02		0.7	1.28	59	167	<0.5	19	4.4	3	13	17	8	4.33	1	0.37	<10	0.72	1837	<2	0.01	<1	1539	13	1.97	10	3	225	<5	<0.01	<10	<10	23	<10	71	2
9V1172RA/RJ	P09-030	132573	176.00	178.00	2.00	0.07		2.8	0.44	210	160	<0.5	12	14.13	4	7	19	7	3.14	4	0.28	<10	0.43	4084	<2	0.01	<1	819	21	2.08	18	2	629	<5	<0.01	<10	11	7	<10	508	1
9V1172RA/RJ	P09-030	132574	178.00	180.00	2.00	0.03		1	1.56	129	208	<0.5	20	3.23	3	13	16	25	4.5	2	0.37	<10	0.75	1863	<2	0.01	<1	1520	24	1.37	15	3	98	<5	<0.01	<10	<10	31	<10	109	2
9V1172RA/RJ	P09-030	132575	180.00	182.00	2.00	0.02		1.7	1.56	213	206	<0.5	19	7.24	2	12	11	11	4.14	2	0.37	<10	0.8	2719	<2	0.01	<1	1327	7	1.45	19	3	288	<5	<0.01	<10	<10	32	<10	90	2
9V1172RA/RJ	P09-030	132576	182.00	184.00	2.00	0.02		1.7	1.44	205	174	<0.5	20	3.78	3	14	10	11	4.29	2	0.35	<10	0.73	1559	2	0.01	<1	1453	12	1.75	21	3	94	<5	<0.01	<10	<10	30	<10	104	2
9V1172RA/RJ	P09-030	132577	184.00	186.00	2.00	0.06		0.9	1.49	106	229	<0.5	20	6.79	3	13	9	9	4.23	2	0.38	<10	0.75	2550	<2	0.01	<1	1335	15	1.71	17	4	262	<5	<0.01	<10	<10	34	<10	93	2
9V1172RA/RJ	P09-030	132578	186.00	188.00	2.00	0.04		1.3	1.26	159	192	<0.5	17	3.43	2	12	18	8	4	2	0.37	<10	0.6	1632	<2	0.01	<1	1267	226	1.68	18	3	109	<5	<0.01	<10	<10	27	<10	94	2
9V1172RA/RJ	P09-030	132579	188.00	190.00	2.00	0.04		1.2	0.91	112	121	<0.5	16	5.02	3	11	20	9	3.67	1	0.34	<10	0.37	1423	<2	0.01	<1	1290	14	2.35	12	2	161	<5	<0.01	<10	<10	18	<10	102	2
9V1172RA/RJ	P09-030	132580	190.00	192.00	2.00	0.01		0.3	1.98	29	194	<0.5	23	3.32	7	13	15	13	4.85	1	0.29	<10	1.17	2527	<2	0.02	<1	1538	189	1.28	12	3	128	<5	<0.01	<10	<10	40	<10	528	2
9V1172RA/RJ	P09-030	132581	192.00	194.00	2.00	0.05		0.7	1.28	63	135	<0.5	19	4.68	11	12	17	17	4.33	1	0.31	<10	0.82	1966	<2	0.02	<1	1362	216	2.77	10	3	166	<5	<0.01	<10	<10	27	<10	877	2
9V1186RA/RJ	P09-030	132582	194.00	196.00	2.00	0.16		1	1.17	32	115	<0.5	21	3.84	18	11	26	13	4.38	2	0.23	<10	0.79	2104	<2	0.02	<1	1087	315	2.49	7	2	139	<5	<0.01	<10	<10	24	36	1546	2
9V1186RA/RJ	P09-030	132583	196.00	198.00	2.00	0.21		0.5	1.28	34	141	<0.5	20	5.75	4	11	18	9	4.47	2	0.25	<10	0.89	2101	<2	0.02	<1	1252	55	2.36	8	3	174	<5	<0.01	<10	<10	22	<10	251	2
9V1186RA/RJ	P09-030	132584	198.00	200.00	2.00	0.1		0.8	1.01	51	158	<0.5	19	7.28	12	10	21	6	4.34	2	0.27	<10	0.66	3152	<2	0.02	<1	1131	210	2.62	8	2	218	<5	<0.01	<10	11	22	12	983	2
9V1186RA/RJ	P09-030	132585	200.00	202.00	2.00	0.07		0.7	0.87	74	130	<0.5	21	4.99	3	14	23	13	4.28	1	0.35	<10	0.44	1578	7	0.02	<1	1317	27	3.22	10	2	170	<5	<0.01	<10	<10	14	<10	133	2
9V1186RA/RJ	P09-030	132586	202.00	204.00	2.00	0.07		0.7	0.96	203	153	<0.5	20	7.22	3	16	20	7	4.36	2	0.32	<10	0.54	1971	3	0.02	<1	1184	41	2.95	12	2	199	<5	<0.01	<10	<10	15	<10	133	2
9V1186RA/RJ	P09-030	132587	204.00	206.00	2.00	0.06		0.3	1.3	31	204	<0.5	19	7.69	4	10	20	5	4.39	2	0.31	<10	0.84	2676	<2	0.02	<1	1226	73	2.34	8	2	221	<5	<0.01	<10	<10	21	18	226	2
9V1186RA/RJ	P09-030	132588	206.00	208.00	2.00	0.02		0.2	1.24	34	150	<0.5	22	3.55	3	13	19	13	4.48	1	0.31	<10	0.79	2007	<2	0.02	<1	1347	18	2.51	9	3	137	<5	<0.01	<10	<10	23	<10	112	2
9V1186RA/RJ	P09-030	132589	208.00	210.00	2.00	0.08		0.2	1.21	51	92	<0.5	28	2.76	8	15	20	<1	5.3	1	0.34	<10	0.81	1963	<2	0.02	<1	1528	118	3.44	10	3	107	<5	<0.01	<10	10	25	<10	507	2
9V1186RA/RJ	P09-030	132590	210.00	212.00	2.00	0.03		0.2	1.6	28	208	<0.5	24	4.51	4	14	18	10	4.92	2	0.3	<10	1.06	2523	<2	0.03	<1	1430	59	2.32	9	4	162	<5	<0.01	<10	<10	38	13	208	2
9V1186RA/RJ	P09-030	132591	212.00	214.00	2.00	0.05		0.2	1.1	27	157	<0.5	18	5.08	3	10	35	9	3.9	1	0.24	<10	0.76	1826	<2	0.02	4	1162	54	2.16	11	2	149	<5	<0.01	<10	<10	24	<10	154	1
9V1186RA/RJ	P09-030	132592	214.00	216.00	2.00	0.09		0.8	1.64	23	168	<0.5	24	2.56	15	15	20	13	5.25	2	0.25	<10	1.35	2457	<2	0.02	<1	1360	425	2.2	9	3	113	<5	<0.01	<10	10	49	29	1204	2
9V1186RA/RJ	P09-030	132593	216.00	218.00	2.00	0.09		0.3	1.53	<5	376	<0.5	15	3.09	4	3	42	6	3.06	2	0.22	12	1.11	2842	<2	0.02	<1	1289	90	0.08	6	4	156	<5	<0.01	<10	<10	45	<10	294	2
9V1186RA/RJ	P09-030	132594	218.00	220.00	2.00	0.49		8.9	0.89	<5	188	<0.5	11	3.68	12	1	80	496	1.87	2	0.21	<10	0.64	2443	<2	0.01	<1	920	268	0.1	6	2	125	<5	<0.01	<10	<10	24	20	1144	1
9V1186RA/RJ	P09-030	132595	220.00	222.00	2.00	0.27		3	0.65	<5	147	<0.5	8	8.16	4	1	70	42	1.5	2	0.11	<10	0.5	3466	<2	0.01	<1	547	217	0.2	5	2	240	<5	<0.01	<10	<10	15	<10	399	1
9V1186RA/RJ	P09-030	132596	222.00	224.00	2.00	0.15		0.9	1.08	<5	166	<0.5	10	8.61	4	1	46	9	2.18	2	0.17	<10	0.7	3541	<2	0.01	<1	889	242	0.2	5	3	161	<5	<0.01	<10	<10	23	14	381	1
9V1186RA/RJ	P09-030	132597	224.00	226.00	2.00	3.3		1.8	0.77	<5	116	<0.5	6	5.3	11	1	94	31	1.55	2	0.15	<10	0.44	2793	<2	0.01	1	550	191	0.13	7	2	155	<5	<0.01	<10	<10	16	26	1125	1
9V1186RA/RJ	P09-030	132598	226.00	228.00	2.00	0.45		1.7	1.66	<5	198	<0.5	15	3.6	27	2	49	39	3.12	2	0.28	12	0.91	3461	<2	0.01	<1	1038	396	0.09	7	3	107	<5	0.01	<10	<10	34	46	2236	1
9V1186RA/RJ	P09-030	132599	228.00	230.00	2.00	0.35		0.5	1.39	<5	202	<0.5	11	2.6	3	1	49	7	2.5	2	0.31	13	0.67	3019	<2	0.01	<1	1109	50	0.06	6	3	84	<5	<0.01	<10	<10	25	13	288	1
9V1186RA/RJ	P09-030	132600	STD	PM405		0.29		0.6	0.59	397	1510	0.5	15	0.71	4	7	49	32	3.33	2	0.12	17	0.36	468	5	0.01	31	1024	159	0.1	758	4	221	7	0.01	<10	<10	46	13	249	14
9V1186RA/RJ	P09-030	132601	230.00	232.00	2.00	0.15		1.2	1.24	98	229	<0.5	21	2.04	7	16	27	19	4.46	2	0.42	<10	0.53	2344	4	0.01	2	1389	98	2.55	12	3	57	<5	0.01	<10	<10	19	<10	441	3
9V1186RA/RJ	P09-030	132602	232.00	234.00	2.00	0.34		1.8	0.51	68	107	<0.5	15	5.75	5	10	86	7	3.37	2	0.16	<10	0.33	2982	<2	0.01	1	578	123	2.47	9	2	158	<5	<0.01	<10	<10	8	<10	390	1
9V1186RA/RJ	P09-030	132603	234.00	236.00	2.00	0.29		1.4	0.75	101	55	<0.5	30	3.21	11	14	98	11	5.55	2	0.12	<10	0.56	2423	<2	0.01	1	415	145	3.91	10	2	114	<5	<0.01	<10	17	13	22	824	2
9V1186RA/RJ	P09-030	132604	236.00	238.00	2.00	0.23		1	0.35	84	114	<0.5	14	7.72	5	8	92	<1	3.2	2	0.14	<10	0.21	2793	<2	0.01	1	309	37	2.38	7	1	182	<5	<0.01	<10	11	7	<10	348	1
9V1186RA/RJ	P09-030	132605	238.00	240.00	2.00	1.15		3.7	1.45	56	122	<0.5	26	2.58	30	14	50	78	4.98	2	0.28	<10	0.93	2715	3	0.01	2	964	767	2.29	9	2	85	<5	<0.01	<10	11	25	<10	2348	2
9V1186RA/RJ	P09-030	132606	240.00	242.00	2.00	0.19		2.3	0.44	177	52	<0.5	30	3.33	8	14	97	6	5.63	1	0.23	<10	0.21	1971	4	0.01	2	662	208	4.43	10	1	94	<5	<0.01	<10	13	9	<10	462	2
9V1186RA/RJ	P09-030	132607	242.00	244.00	2.00	0.51		2.6	1.98	83	104	<0.5	26	2.25	97	16	54	66	6.06	5	0.27	<10	1.24	3582	2	0.01	1	1073	803	2.31	10	3	80	<5	<0.01	<10	12	45	40	5211	2
9V1186RA/RJ	P09-030	132608	244.00	246.00	2.00	0.23		1.4	2.15	55	214	<0.5	25	4.39	20	20	28	37	5.52	3	0.3	<10	1.32	3523	<2	0.01	1	1303	641	1.38	9	4	142	<5	<0.01	<10	11	44	<10	1581	2
9V1186RA/RJ	P09-030	132609	246.00	248.00	2.00	0.34		1.3	1.84	40	200	<0.5	22	3.02	30	16	39	54	4.75	2	0.29	<10	1.11	2841	<2	0.01	2	1145	548	1.18	10	3	101	<5	<0.01	<10	<10	35	13	2517	2
9V1186RA/RJ	P09-030	132610	248.00	250.00	2.00	0.09		1.7	1.87	28	244	<0.5	22	5.34	7	16	24	54	5.03	2	0.31	<10	1.12	3002	<2	0.01	2	1229	334	1.28	9	3	145	<5	<0.01	<10	<10	28	<10	518	2
9V1186RA/RJ	P09-030	132611	250.00	252.00	2.00	0.09		0.8	1.7	19	195	<0.5	20	3.97	8	15	30	11	4.39	2	0.32	<10	1.01	2928	<2	0.01	2	1087	127	1.02	8	3	103	<5	<0.01	<10	<10	25	<10	629	1
9V1186RA/RJ	P09-030	132612	252.00	254.00	2.00	0.19		1.7	1.74	104	173	<0.5	21	5.9	8	16	33	61	4.7	3	0.28	<10	1.07	4032	<2	0.01	1	1106	131	1.04	9	4	148	<5	<0.01	<10	<10	31	<10	717	1
9V1186RA/RJ	P09-030	132613	254.00	256.00	2.00	0.04		0.7	1.86	20	184	<0.5	21	2.93	8	16	26	28	4.58	2	0.31	<10	1.42	2978	<2	0.01	2	1230	238	0.72	8	4	104	<5	<0.01	<10	<10	26	<10	688	2
9V1186RA/RJ	P09-030	132614	256.00	258.00	2.00	0.02		0.5	1.99	31	176	<0.5	24	3.6	14	17	22	21	5.15	2	0.32	<10	1.56	2900	<2	0.01	2	1219	285	0.96	7	4	119	<5	<0.01	<10	<10	30	<10	1124	2
9V1186RA/RJ	P09-030	132615	258.00	260.00	2.00	0.05		1.3	1.23	58	216	<0.5	21	3.2	8	16	32	17	4.59	2	0.36	<10	1.18	2787	6	0.01	2	1187	388	1.31	9	3	120	<5	<0.01	<10	<10	19	<10	629	2
9V1186RA/RJ	P09-030	132616	260.00	262.00	2.00	0.01		0.6	1.05	29	190	<0.5	22	3.35	4	17	20	20	4.79	2	0.37	<10	1.31	2871	4	0.01	2	1221	30	0.97	7	4	140	<5	<0.01	<10	<10	17	<10	145	1
9V1186RA/RJ	P09-030	132617	262.00	264.00	2.00	0.02		0.9	0.42	30	237	<0.5	13	3.4	4	12	31	21	3.25	1	0.39	<10	0.65	2205	<2	0.01	1	1263	71	0.72	5	3	160	<5	<0.01	<10	<10	7	<10	242	1
9V1186RA/RJ	P09-030	132618	264.00	266.00	2.00	0.04		0.6	0.47	21	134	<0.5	23	5.82	4	19	20	42	5.46	2	0.41	<10	1.17	3279	<2	0.01	<1	1818	167	0.86	7	4	290	<5	<0.01	<10	<10	9	<10	147	1
9V1186RA/RJ	P09-030	132619	266.00	267.68	1.68	0.02		1.1	0.32	23	213	<0.5	14	13.83	3	10	24	14	3.6	3	0.32	<10	0.51	4873	<2	0.01	<1	1149	34	0.99	6	2	1054	<5	<0.01	<10	11	4	<10	151	1

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
P09-031- Martha Ellen - PAD 17 - 435890E 6220880N, Elev: 1166m, Az: 240, Dip: -55, EOH: 227.74m																																									
9V1186RA/RJ	P09-031	132620	BLANK			<0.01		<0.1	0.07	<5	14	<0.5	<5	>15.00	<1	1	4	<1	0.09	<1	0.02	<10	1.11	39	<2	0.01	1	60	<2	0.8	<5	<1		<5	<0.01	<10	17	2	<10	4	<1
9V1186RA/RJ	P09-031	132621	1.52	2.00	0.48	0.01		0.7	1.62	50	134	<0.5	16	1.48	2	11	44	5	3.67	1	0.29	10	1.3	1358	<2	0.02	1	1100	7	0.4	9	3	59	<5	<0.01	<10	<10	37	<10	83	2
9V1186RA/RJ	P09-031	132622	2.00	4.00	2.00	0.03		1	1.55	44	134	<0.5	17	2.08	2	11	46	7	4.07	1	0.3	<10	1.19	1653	<2	0.01	<1	1036	6	1.17	8	3	75	<5	<0.01	<10	<10	33	<10	76	2
9V1186RA/RJ	P09-031	132623	4.00	6.00	2.00	<0.01		1.2	1.35	50	120	<0.5	15	2.01	2	11	36	8	3.74	1	0.3	<10	1.16	1555	<2	0.02	<1	1111	6	1.42	8	3	70	<5	<0.01	<10	<10	29	<10	76	2
9V1186RA/RJ	P09-031	132624	6.00	8.00	2.00	0.02		0.9	1.2	48	111	<0.5	13	4.01	2	9	40	6	3.17	1	0.3	<10	0.89	2281	<2	0.02	<1	996	4	1.22	7	2	144	<5	<0.01	<10	<10	21	<10	61	1
9V1186RA/RJ	P09-031	132625	8.00	10.00	2.00	0.01		1	1.47	50	146	<0.5	18	2.76	2	11	40	7	3.66	1	0.3	<10	1.27	2014	<2	0.02	<1	1157	5	1.22	7	3	99	<5	<0.01	<10	<10	32	<10	66	2
9V1186RA/RJ	P09-031	132626	10.00	12.00	2.00	0.02		1.3	1.38	58	118	<0.5	19	2.64	2	10	28	5	3.74	2	0.28	<10	1.04	1879	<2	0.02	<1	1017	8	1.42	9	3	83	<5	<0.01	<10	<10	32	<10	61	2
9V1186RA/RJ	P09-031	132627	12.00	14.00	2.00	0.01		0.7	1.51	39	114	<0.5	16	2.92	2	10	33	8	3.63	2	0.29	<10	1.08	1981	<2	0.02	<1	1039	6	1.05	7	3	103	<5	<0.01	<10	<10	33	<10	73	1
9V1186RA/RJ	P09-031	132628	14.00	16.00	2.00	0.01		0.6	1.45	32	158	<0.5	17	3.55	2	10	27	9	3.32	2	0.34	11	0.96	2125	<2	0.02	<1	1037	3	1.03	6	3	147	<5	<0.01	<10	<10	30	<10	67	1
9V1186RA/RJ	P09-031	132629	16.00	18.00	2.00	<0.01		0.3	1.65	46	119	<0.5	16	3.14	2	11	25	10	3.53	1	0.37	<10	1.12	1927	<2	0.02	<1	1124	2	0.83	7	3	141	<5	<0.01	<10	<10	33	<10	73	2
9V1186RA/RJ	P09-031	132630	18.00	20.00	2.00	<0.01		0.6	1.28	37	366	<0.5	13	4.91	1	9	27	10	2.79	2	0.35	<10	0.81	2335	<2	0.02	<1	925	2	0.81	7	3	184	<5	<0.01	<10	<10	25	<10	58	1
9V1186RA/RJ	P09-031	132631	20.00	22.00	2.00	0.01		1.1	1.39	53	113	<0.5	12	3.23	2	9	37	8	3.02	1	0.32	<10	0.94	1991	<2	0.02	<1	936	3	0.71	8	3	156	<5	<0.01	<10	<10	27	<10	60	2
9V1186RA/RJ	P09-031	132632	22.00	24.00	2.00	0.02		1.8	1.57	70	115	<0.5	15	2.4	2	11	36	16	3.55	1	0.32	<10	1.12	1891	<2	0.02	<1	1069	4	0.79	8	3	150	<5	<0.01	<10	<10	32	<10	68	2
9V1186RA/RJ	P09-031	132633	24.00	26.00	2.00	<0.01		0.4	1.72	22	191	<0.5	18	3.2	2	11	24	8	3.89	1	0.34	10	1.23	2214	<2	0.02	<1	1149	2	0.95	7	4	113	<5	<0.01	<10	<10	43	<10	71	2
9V1186RA/RJ	P09-031	132634	26.00	28.00	2.00	<0.01		0.2	1.65	19	272	<0.5	16	3.72	2	10	23	7	3.59	2	0.35	10	1.17	2274	<2	0.02	<1	1091	2	0.77	7	4	132	<5	<0.01	<10	<10	45	<10	75	2
9V1186RA/RJ	P09-031	132635	28.00	30.00	2.00	<0.01		<0.1	1.96	18	155	<0.5	18	3.21	2	11	24	2	4.03	1	0.33	12	1.42	1819	<2	0.02	<1	1212	3	0.39	7	4	130	<5	<0.01	<10	<10	55	<10	82	2
9V1186RA/RJ	P09-031	132636	30.00	32.00	2.00	<0.01		<0.1	1.91	20	115	<0.5	19	3.04	2	11	23	3	4	1	0.32	12	1.32	1821	<2	0.02	<1	1197	4	0.23	8	4	144	<5	<0.01	<10	<10	54	<10	87	2
9V1186RA/RJ	P09-031	132637	32.00	34.00	2.00	<0.01		<0.1	1.99	33	117	<0.5	19	2.68	2	12	26	<1	4.16	1	0.31	13	1.46	1694	<2	0.02	<1	1173	3	0.23	7	4	114	<5	<0.01	<10	<10	54	<10	86	2
9V1186RA/RJ	P09-031	132638	34.00	36.00	2.00	<0.01		0.5	1.83	294	141	<0.5	18	3.17	2	11	22	4	3.83	1	0.38	12	1.32	2010	<2	0.02	<1	1258	6	0.65	7	3	109	<5	<0.01	<10	<10	48	<10	82	2
9V1186RA/RJ	P09-031	132639	36.00	36.84	0.84	0.01		0.4	1.79	42	134	<0.5	17	3.38	2	11	25	17	3.8	1	0.3	10	1.38	2267	<2	0.01	<1	1137	7	0.56	6	4	109	<5	<0.01	<10	<10	52	<10	83	2
9V1186RA/RJ	P09-031	132640	STD	PM427		3.54		1.5	1.39	5984	75	<0.5	170	6.06	1	110	36	282	4.64	1	0.2	10	0.46	818	28	0.06	62	803	17	0.9	20	3	61	<5	0.11	<10	<10	50	14	76	11
9V1186RA/RJ	P09-031	132641	36.84	38.00	1.16	<0.01		0.4	1.61	40	255	<0.5	16	3	2	10	28	10	3.66	1	0.31	10	1.17	1830	<2	0.01	<1	1118	5	0.76	6	3	206	<5	<0.01	<10	<10	34	<10	73	2
9V1186RA/RJ	P09-031	132642	38.00	40.00	2.00	0.01		<0.1	1.9	37	132	<0.5	17	3.17	2	12	26	5	3.88	1	0.31	11	1.36	1694	<2	0.03	<1	1203	7	0.34	7	4	177	<5	<0.01	<10	<10	50	<10	89	2
9V1186RA/RJ	P09-031	132643	40.00	42.00	2.00	<0.01		<0.1	2	18	149	<0.5	18	2.72	2	12	24	6	4.2	1	0.32	13	1.43	1520	<2	0.03	<1	1199	7	0.19	6	4	149	<5	<0.01	<10	<10	52	<10	94	2
9V1186RA/RJ	P09-031	132644	42.00	43.75	1.75	<0.01		<0.1	2.07	33	146	<0.5	19	2.37	3	13	31	<1	4.4	1	0.29	12	1.56	1605	<2	0.03	<1	1268	6	0.25	7	4	134	<5	<0.01	<10	<10	55	<10	93	2
9V1186RA/RJ	P09-031	132645	43.75	46.00	2.25	0.01		0.4	1.82	18	141	<0.5	17	3.25	2	11	24	16	3.9	1	0.3	10	1.32	1988	<2	0.03	<1	1204	4	0.46	8	3	276	<5	<0.01	<10	<10	40	<10	79	2
9V1186RA/RJ	P09-031	132646	46.00	46.77	0.77	0.01		0.1	1.76	13	98	<0.5	18	3.14	2	11	26	6	3.83	2	0.24	<10	1.31	2201	<2	0.02	<1	1047	3	0.35	7	3	259	<5	<0.01	<10	<10	42	<10	73	1
9V1186RA/RJ	P09-031	132647	46.77	48.00	1.23	0.01		<0.1	1.93	21	181	<0.5	19	2.13	3	12	21	2	4.23	1	0.34	<10	1.38	1780	<2	0.02	<1	1266	3	0.59	6	3	123	<5	<0.01	<10	<10	43	<10	88	2
9V1186RA/RJ	P09-031	132648	48.00	50.00	2.00	<0.01		0.1	1.64	31	185	<0.5	17	3.19	2	10	41	5	3.74	1	0.28	<10	1.17	1892	<2	0.03	1	1017	4	0.76	8	3	148	<5	<0.01	<10	<10	39	<10	71	2
9V1186RA/RJ	P09-031	132649	50.00	52.00	2.00	<0.01		<0.1	1.86	36	201	<0.5	18	2.66	2	11	34	11	3.94	1	0.3	10	1.33	1981	<2	0.03	<1	1051	2	0.46	6	4	77	<5	<0.01	<10	<10	49	<10	77	2
9V1186RA/RJ	P09-031	132650	52.00	54.00	2.00	<0.01		<0.1	1.91	18	169	<0.5	17	3.34	2	11	33	<1	3.83	1	0.31	11	1.23	2174	<2	0.03	<1	1096	3	0.3	7	3	190	<5	<0.01	<10	<10	45	<10	80	2
9V1186RA/RJ	P09-031	132651	54.00	56.00	2.00	<0.01		<0.1	1.79	20	235	<0.5	17	3.32	2	10	28	<1	3.63	1	0.34	<10	1.12	2039	<2	0.03	<1	1044	3	0.47	6	3	215	<5	<0.01	<10	<10	35	<10	70	2
9V1186RA/RJ	P09-031	132652	56.00	58.00	2.00	<0.01		<0.1	1.6	31	128	<0.5	16	2.95	2	10	39	1	3.46	1	0.29	<10	1.04	1836	<2	0.02	1	1066	5	0.57	6	2	205	<5	<0.01	<10	<10	33	<10	72	1
9V1186RA/RJ	P09-031	132653	58.00	60.00	2.00	<0.01		<0.1	1.91	31	128	<0.5	18	2.88	2	11	27	<1	3.9	1	0.28	10	1.24	1531	<2	0.03	<1	1038	4	0.3	7	4	121	<5	0.01	<10	<10	44	<10	76	2
9V1186RA/RJ	P09-031	132654	60.00	62.00	2.00	<0.01		<0.1	1.72	58	133	<0.5	17	2.87	2	11	27	12	3.51	1	0.29	10	1.09	1410	<2	0.03	<1	1057	6	0.27	7	3	139	<5	<0.01	<10	<10	40	<10	76	1
9V1186RA/RJ	P09-031	132655	62.00	64.00	2.00	<0.01		<0.1	1.77	18	154	<0.5	17	3.27	2	11	22	10	3.65	1	0.34	11	1.08	2002	<2	0.02	<1	1049	3	0.35	7	3	140	<5	<0.01	<10	<10	31	<10	77	2
9V1186RA/RJ	P09-031	132656	64.00	66.00	2.00	<0.01		0.7	1.3	30	133	<0.5	15	4.53	2	9	40	18	3.12	1	0.29	10	0.82	2398	<2	0.02	1	907	12	0.52	7	2	331	<5	<0.01	<10	<10	20	<10	73	1
9V1186RA/RJ	P09-031	132657	66.00	67.41	1.41	<0.01		0.5	1.31	29	141	<0.5	16	4.6	2	11	29	9	3.39	1	0.34	11	0.97	2421	<2	0.02	<1	1043	7	0.39	6	3	306	<5	<0.01	<10	<10	20	<10	77	2
9V1186RA/RJ	P09-031	132658	67.41	68.00	0.59	<0.01		0.3	1.55	23	133	<0.5	16	2.41	2	10	41	8	3.4	1	0.3	10	1.03	1640	<2	0.02	1	1024	4	0.28	7	2	123	<5	<0.01	<10	<10	22	<10	66	1
9V1186RA/RJ	P09-031	132659	68.00	70.00	2.00	<0.01		0.4	1.54	27	135	<0.5	15	4.07	2	10	30	9	3.23	1	0.3	<10	0.88	2261	<2	0.02	<1	965	4	0.46	6	2	310	<5	<0.01	<10	<10	21	<10	67	1
9V1186RA/RJ	P09-031	132660	STD	PM405		0.28		0.6	0.57	676	1417	<0.5	16	0.7	4	8	53	33	3.63	2	0.14	14	0.35	488	6	0.01	34	842	151	0.22	615	4	203	6	<0.01	<10	<10	51	<10	244	12
9V1186RA/RJ	P09-031	132661	70.00	72.00	2.00	<0.01		0.4	1.74	35	194	<0.5	17	2.41	2	12	21	12	3.98	1	0.33	10	1.13	1756	<2	0.02	<1	1121	6	0.39	8	2	136	<5	<0.01	<10	<10	21	<10	83	1
9V1186RA/RJ	P09-031	132662	72.00	73.27	1.27	<0.01		0.6	1.68	21	171	<0.5	19	2.39	2	14	24	7	3.97	1	0.36	10	1.07	1754	<2	0.02	1	1266	6	0.34	7	3	143	<5	<0.01	<10	<10	19	11	93	2
9V1186RA/RJ	P09-031	132663	73.27	74.34	1.07	<0.01		1	0.28	7	102	<0.5	<5	14.92	<1	1	96	<1	1.11	4	0.06	14	0.26	5737	2	0.01	2	166	<2	0.41	5	2	1754	<5	<0.01	<10	<10	1	<10	18	<1
9V1186RA/RJ	P09-031	132664	74.34	76.00	1.66	0.05		3.8	0.6	221	153	<0.5	14	3.45	2	9	35	9	2.9	1	0.34	<10	0.34	1729	<2	0.01	1	1311	19	1.69	7	1	263	<5	<0.01	<10	<10	4	<10	81	1
9V1186RA/RJ	P09-031	132665	76.00	78.00	2.00	1.12		100.6	1.02	162	181	<0.5	16	1.74	6	12	31	9	3.76	2	0.37	<10	0.56	1324	<2	0.01	1	1375	103	1.52	17	1	94	<5	<0.01	<10	<10	9	11	690	2
9V1186RA/RJ	P09-031	132666	78.00	80.00	2.00	<0.01		1.6	0.8	40	210	<0.5	15	2.63	2	11	27	7	3.57	1	0.34	<10	0.62	1836	<2	0.01	<1	1329	13	1.05	7	2	157	<5	<0.01	<10	<10	10	<10	84	2
9V1186RA/RJ	P09-031	132667	80.00	82.00	2.00	0.11		1.3	0.58	36	174	<0.5	14	3.13	2	9	65	3	2.88	1	0.3	<10	0.33	1606	2	0.01	1	1091	15	1.61	7	1	236	<5	<0.01	<10	<10	6	<10	79	2
9V1186RA/RJ	P09-031	132668	82.00	84.13	2.13	0.12		1.6	0.7	83	201	<0.5	13	2.72	3	11	38	24	3.12	1	0.33	<10	0.49	1927	<2	0.01	2	1043	52	0.98	6	2	204	<5	<0.01	<10	<10	11	<10	132	1
9V1186RA/RJ	P09-031	132669	84.13	85.00	0.87	0.08		1.8	1.41	87	187	<0.5	16	4.23	2	12	26	44	3.79	2	0.27	<10	0.59	3483	<2	0.01	1	924	27	0.77	6	2	163	<5	<0.01	<10	<10	19	<10	126	1
9V1186RA/RJ	P09-031	132670	85.00	86.00	1.00	1.51		7.2	1.16	147	180	<0.5	16	6.16	44	9	21	97	3.78	6	0.28	<10	0.46	3854	2	0.01	<1	884	1619	1.76	9	2	223	<5	<0.01	<10	<10	17	96	3814	1
9V1186RA/RJ	P09-031	132671	86.00	87.00	1.00	0.9		7.2	1.26	244	150	<0.5	25	3.77	32	12	23	113	4.95	3	0.28	<10	0.52	3008	<2	0.01	<1	963	825	2.65	9	2	119	<5	<0.01	<10	<10	20	76	3030	2
9V1186RA/RJ	P09-031	132672	87.00	88.00	1.00	0.31		4.8	1.17	282	166	<0.5	20	3.36	7	10	36	58	4.02	2	0.25	<10	0.49	2825	<2	0.01	1	842	312	1.7	9	2	124	<5	<0.01	<10	<10	20	13	626	2
9V1186RA/RJ	P09-031	132673	88.00	89.00	1.00	0.25		4.1	0.87	112	178	<0.5	13	5.53	9	9	29	38	3.09	3	0.26	<10	0.4	3444	<2	0.01	1	941	316	1.55	5	2	219	<5	<0.01	<10	<10	15	<10	862	1
9V1186RA/RJ	P09-031	132674	89.00	90.00	1.00	0.27		9.9	1.05	214	162	<0.5	15	8.98	5	12	33	37	3.47	3	0.26	10	0.84	4152	<2	0.02	9	1368	337	1.39	6	3	410	<5	<0.01	<10	<10	20	11	632	2
9V1186RA/RJ	P09-031	132675	90.00	91.00	1.00	0.21		6	0.5	157	122	<0.5	9	8.66	6	7	43	23	2.33	3	0.17	<10	0.28	3455	2	0.01	1	590	280	1.53	7	1	469	<5	<0.01	<10	<10	8	16	716	1
9V1186RA/RJ	P09-031	132676	91.00	92.00	1.00	0.27		7.9	0.64	103	138	<0.5	16	4.81	5	10	42	12	3.68	2	0.22	<10	0.38	2529	2	0.01	1	931	244	2.4	11	1	282	<5	<0.01	<10	<10	9	11	374	1
9V1186RA/RJ	P09-031	132677	92.00	93.00	1.00	0.17		5.5	0.57	77	131	<0.5	10	8.67	3	9	32	10	2.54	3	0.21	<10	0.31	4202	7	0.01	1	713	184	1.7	8	1	423	<5	<0.01	<10	<10	8	<10	235	1
9V1186RA/RJ	P09-031	132678	93.00	94.00	1.00	0.18		4.3	0.48	138	105	<0.5	9	7.67	5	6	77	15	2.34	3	0.12	<10	0.31	3760	3	0.01	1	441	465	1.45	6	1	463	<5	<0.01	<10	<10	7	14	565	1
9V1186RA/RJ	P09-031	132679	94.00	95.00	1.00	0.26		6.3	0.48	167	151	<0.5	11	5.36	6	8	57	16	2.76	2	0.19	<10	0.32	2909	4	0.01	1	663	696	1.84	8	1	268	<5	<0.01	<10	<10	8	<10	534	1
9V1186RA/RJ	P09-031	132680	BLANK			<0.01		<0.1	0.01	<5	<10	<0.5	<5	>15.00	<1	1	4	<1	0.04	<1	0.01	<10	2.79	48	<2	0.01	1	112	<2	0.75	<5	<1	4156	<5	<0.01	<10	18	1	<10	4	<1
9V1186RA/RJ	P09-031	132681	95.00	96.00	1.00	0.31		4.7	0.98	97	169	<0.5	15	6.23	13	11	26	7	3.51	3	0.25	<10	0.62	3342	3	0.01	1	951	310	1.91	7	2	347	<5	<0.01	<10	<10	13	18	1222	1
9V1186RA/RJ	P09-031	132682	96.00	97.00	1.00	0.67		4.4	0.83	156	143	<0.5	14	7.05	4	10	41	7	3.22	2	0.21	<10	0.55	3668	4	0.01	1	849	153	1.8	7	2	308	<5	<0.01	<10	<10	12	<10	344	1
9V1186RA/RJ	P09-031	132683	97.00	98.35	1.35	0.42		3.6	0.53	87	141	<0.5	9	4.2	4	7	59	16	2.18	2	0.19	<10	0.31	2942	3	0.01	1	576	168	1.21	7	1	227	<5	<0.01	<10	<10	9	<10	456	1
9V1186RA/RJ	P09-031	132684	98.35	99.00	0.65	0.13		1.7	2.05	183	174	<0.5	21	1.5	4	15	50	47	4.84	2	0.23	<10	1.4	3095	<2	0.01	1	1193	57	0.61	9	3	66	<5	<0.01	<10	<10	50	<10	214	1
9V1186RA/RJ	P09-031	132685	99.00	100.00	1.00	0.05		2.6	2.25	156	209	<0.5	26	2.74	5	19	25	43	5.32	3	0.32	<10	1.58	4372	<2	0.01	<1	1307	150	0.76	12	5	134	<5	<0.01	<10	<10	48	<10	348	2
9V1186RA/RJ	P09-031	132686	100.00	101.00	1.00	0.01		1.8	2.02	59	186	<0.5	23	2.29	4	19	23	39	4.88	2	0.34	<10	1.27	3577	<2	0.01	<1	1343	34	0.9	11	5	94	<5	<0.01	<10	<10	43	<10	179	2
9V1186RA/RJ	P09-031	132687	101.00	102.41	1.41	0.08		6.3	2.33	328	210	<0.5	22	2.62	45	15	23	105	5	5	0.31	<10	1.48	4241	<2	0.01	<1	1272	1046	0.86	10	5	113	<5	<0.01	<10	<10	49	85	3404	1
9V1186RA/RJ	P09-031	132688	102.41	104.00	1.59	0.03		0.9	2.52	174	280	<0.5	26	1.24	4	17	23	23	5.03	3	0.3	<10	1.72	3404	<2	0.01	<1	1462	38	0.39	9	5	55	<5	<0.01	<10	<10	50	<10	229	1
9V1186RA/RJ	P09-031	132689	104.00	106.00	2.00	0.46		3.8	1.83	114	193	<0.5	21	3.81	5	15	20	112	4.37	3	0.31	<10	1.14	3971	<2	0.01	<1	1115	183	1.27	9	4	115	<5	0.01	<10	<10	39	11	411	1
9V1186RA/RJ	P09-031	132690	106.00	108.00	2.00	0.17		1.9	1.91	40	190	<0.5	22	2.1	3	18	22	59	4.7	3	0.3	<10	1.27	3847	<2	0.01	<1	1290	16	1.29	9	4	71	<5	0.01	<10	<10	41	<10	131	2
9V1186RA/RJ	P09-031	132691	108.00	110.00	2.00	0.3		3.9	1.61	39	191	<0.5	17	5.16	6	13	28	158	3.58	3	0.26	10	1.01	4322	<2	0.01	<1	1001	58	0.86	7	4	126	<5	0.01	<10	<10	41	11	643	1
9V1186RA/RJ	P09-031	132692	110.00	112.00	2.00	0.03		1.4	2.57	62	202	<0.5	27	1.57	4	20	23	56	5.45	3	0.31	10	1.55	4110	<2	0.01	1	1358	13	0.71	11	6	61	<5	0.02	<10	<10	62	<10	150	2
9V1186RA/RJ	P09-031	132693	112.00	114.00	2.00	0.18		3.6	2.3	134	194	<0.5	27	2.53	9	18	26	123	5.39	3	0.31	<10	1.42	3967	<2	0.01	<1	1213	216	1.19	11	5	88	<5	0.01	<10	<10	54	16	742	2
9V1186RA/RJ	P09-031	132694	114.00	116.00	2.00	0.06		1.5	2.43	135	187	<0.5	26	3.01	3	18	22	40	5.71	3	0.31	<10	1.56	3858	<2	0.01	<1	1249	11	1.16	10	5	102	<5	0.01	<10	<10	54	12	114	2
9V1186RA/RJ	P09-031	132695	116.00	118.00	2.00	0.08		3.4	2.04	41	201	<0.5	20	3.52	3	16	16	103	4.28	3	0.3	<10	1.28	4017	<2	0.01	<1	1252	19	0.64	9	5	119	<5	0.01	<10	<10	48	<10	119	1
9V1186RA/RJ	P09-031	132696	118.00	120.00	2.00	0.12		3.1	1.79	45	196	<0.5	19	3.16	2	14	24	119	4.12	2	0.29	<10	1.06	3847	<2	0.01	1	1190	13	0.89	9	4	116	<5	0.01	<10	<10	45	<10	105	1
9V1207RA/RJ	P09-031	132697	120.00	122.00	2.00	0.08		1.9	2.45	56	226	<0.5	23	3.84	3	19	20	64	5.34	3	0.33	<10	1.63	4605	<2	0.02	<1	1462	15	0.88	10	6	138	<5	0.02	<10	<10	54	<10	137	2
9V1207RA/RJ	P09-031	132698	122.00	124.00	2.00	0.01		1	2.42	27	211	<0.5	23	3.56	3	19	25	27	5.44	3	0.3	<10	1.69	4532	<2	0.02	<1	1469	9	0.89	10	5	112	<5	0.02	<10	<10	52	<10	125	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1207RA/RJ	P09-031	132699	124.00	126.00	2.00	0.03		1.6	2.62	43	241	<0.5	27	2.04	4	19	24	70	5.94	2	0.35	10	1.7	3671	<2	0.01	<1	1534	10	0.83	11	5	66	<5	0.02	<10	<10	53	<10	131	2
9V1207RA/RJ	P09-031	132700	STD	PM427		3.61		1.4	1.43	6624	81	<0.5	166	6.47	1	111	38	303	4.96	<1	0.21	10	0.51	849	31	0.06	67	843	19	0.95	20	3	61	5	0.12	<10	<10	51	<10	85	12
9V1207RA/RJ	P09-031	132701	126.00	128.00	2.00	0.09		2.1	2.51	100	260	<0.5	23	1.8	3	17	23	53	5.66	2	0.35	11	1.58	3323	<2	0.01	<1	1644	14	0.63	13	5	64	<5	0.01	<10	<10	59	<10	145	2
9V1207RA/RJ	P09-031	132702	128.00	130.00	2.00	0.09		1.3	2.37	94	220	<0.5	24	3.12	4	16	21	47	5.81	3	0.33	<10	1.59	4359	<2	0.01	<1	1525	24	1.34	11	5	113	<5	0.01	<10	<10	62	<10	146	2
9V1207RA/RJ	P09-031	132703	130.00	132.00	2.00	0.11		0.5	1.68	20	122	<0.5	24	2.44	4	18	22	13	5.77	2	0.34	<10	1.01	3094	<2	0.02	<1	1480	33	2.83	10	4	87	<5	0.01	<10	<10	43	<10	157	2
9V1207RA/RJ	P09-031	132704	132.00	134.00	2.00	0.32		1.4	2.24	101	260	<0.5	22	4.18	4	16	21	44	5.44	2	0.33	<10	1.35	4362	<2	0.01	<1	1340	22	1.15	12	5	128	<5	0.01	<10	10	55	<10	163	2
9V1207RA/RJ	P09-031	132705	134.00	136.00	2.00	0.03		1	2	44	264	<0.5	22	2.52	3	17	23	24	4.9	2	0.39	<10	1.19	3076	<2	0.01	<1	1315	15	1.15	11	5	70	<5	0.02	<10	<10	56	<10	128	2
9V1207RA/RJ	P09-031	132706	136.00	138.00	2.00	0.07		1.9	2.38	19	348	<0.5	20	7.29	3	16	16	113	4.47	3	0.55	12	1.32	5789	<2	0.04	<1	1407	10	0.47	11	7	220	<5	0.09	<10	<10	80	<10	118	2
9V1207RA/RJ	P09-031	132707	138.00	139.16	1.16	0.04		0.8	2.7	23	225	<0.5	26	4.48	4	19	16	46	5.97	4	0.37	10	1.71	4996	<2	0.01	<1	1574	7	0.62	12	5	218	<5	0.04	<10	<10	64	<10	143	2
9V1207RA/RJ	P09-031	132708	139.16	140.00	0.84	0.03		0.8	1.17	14	151	<0.5	15	4.3	2	11	95	4	3.48	2	0.22	<10	0.83	4283	<2	0.01	1	788	19	1.13	10	3	395	<5	0.04	<10	<10	28	<10	115	2
9V1207RA/RJ	P09-031	132709	140.00	141.00	1.00	0.09		0.7	1.87	43	242	<0.5	25	2.66	6	19	33	23	5.99	2	0.44	<10	1.45	3561	<2	0.02	<1	1540	116	1.74	12	6	140	<5	0.06	<10	<10	65	<10	321	2
9V1207RA/RJ	P09-031	132710	141.00	142.00	1.00	0.29		0.8	1.08	30	80	<0.5	25	2.6	9	17	58	6	5.91	2	0.31	<10	0.82	2519	<2	0.01	1	1419	197	3.85	9	3	116	<5	0.01	<10	12	28	<10	627	2
9V1207RA/RJ	P09-031	132711	142.00	142.54	0.54	0.06		0.9	1.54	33	127	<0.5	27	3.51	7	18	66	4	5.95	1	0.29	<10	1.17	3429	<2	0.01	2	1297	240	2.94	12	4	208	<5	0.01	<10	16	39	<10	459	2
9V1207RA/RJ	P09-031	132712	142.54	143.54	1.00	0.03		0.6	2.56	22	265	<0.5	24	2.06	4	17	30	19	5.75	2	0.35	<10	1.81	4172	<2	0.01	<1	1607	26	1.02	13	5	75	<5	0.05	<10	<10	67	<10	199	3
9V1207RA/RJ	P09-031	132713	143.54	144.54	1.00	0.05		1.1	2.17	21	252	<0.5	23	3.02	4	15	42	70	5.44	2	0.38	<10	1.44	4396	<2	0.01	<1	1270	13	1.45	11	5	101	<5	0.05	<10	<10	71	<10	125	2
9V1207RA/RJ	P09-031	132714	144.54	146.00	1.46	0.04		2.3	3.01	20	320	<0.5	25	2.24	3	18	22	135	5.71	2	0.5	10	2.01	4791	<2	0.03	<1	1545	9	0.54	13	7	68	<5	0.07	<10	<10	84	<10	153	2
9V1207RA/RJ	P09-031	132715	146.00	148.00	2.00	0.02		0.8	3.29	17	349	0.5	25	2.47	4	18	22	36	5.89	3	0.57	<10	2.17	4931	<2	0.05	<1	1555	19	0.61	13	7	78	<5	0.07	<10	<10	97	<10	187	2
9V1207RA/RJ	P09-031	132716	148.00	150.00	2.00	0.02		0.8	3.33	31	439	0.7	28	0.92	4	19	21	28	6.18	2	0.7	<10	2.12	4223	<2	0.04	<1	1566	11	0.78	13	7	37	<5	0.1	<10	<10	91	<10	175	3
9V1207RA/RJ	P09-031	132717	150.00	152.00	2.00	0.05		2.1	2.9	61	372	<0.5	25	2.36	4	18	24	72	5.7	3	0.66	<10	1.91	4269	<2	0.05	<1	1466	23	0.97	13	6	70	<5	0.07	<10	<10	79	<10	172	3
9V1207RA/RJ	P09-031	132718	152.00	154.00	2.00	0.02		1.4	3.74	41	651	0.8	25	1.73	3	20	34	62	5.58	3	1.12	<10	1.93	3836	<2	0.1	1	1429	13	0.62	15	8	71	<5	0.13	<10	<10	98	<10	138	3
9V1207RA/RJ	P09-031	132719	154.00	156.00	2.00	0.04		0.6	3.87	35	597	1.1	26	2.04	3	19	36	17	5.47	2	1.41	<10	1.68	3494	<2	0.07	1	1409	6	0.77	17	9	68	<5	0.18	<10	<10	107	<10	125	3
9V1207RA/RJ	P09-031	132720	STD	PM405		0.37		0.7	0.64	717	1327	0.5	16	0.74	4	8	56	36	3.53	2	0.15	16	0.35	498	6	0.01	34	942	152	0.21	554	4	207	7	<0.01	<10	<10	55	<10	244	13
9V1207RA/RJ	P09-031	132721	156.00	158.00	2.00	0.35		3.5	3.18	49	524	0.8	21	3.08	3	16	30	153	4.62	2	1.38	<10	1.29	3632	<2	0.09	1	1304	19	0.92	16	7	100	<5	0.11	<10	11	79	<10	146	3
9V1207RA/RJ	P09-031	132722	158.00	160.00	2.00	<0.01		1.6	3.39	29	800	0.8	24	1.14	3	19	26	76	5.35	2	1.53	<10	1.7	3096	<2	0.06	1	1418	16	0.64	16	7	46	<5	0.12	<10	<10	82	<10	141	3
9V1207RA/RJ	P09-031	132723	160.00	162.00	2.00	<0.01		0.2	5.14	33	1071	1.4	29	2.85	3	21	33	14	5.85	3	1.88	<10	1.95	3825	<2	0.24	<1	1472	2	0.62	20	14	106	<5	0.23	<10	10	151	<10	126	3
9V1207RA/RJ	P09-031	132724	162.00	164.00	2.00	<0.01		0.3	5.2	31	918	1.3	26	3.81	3	22	28	14	5.62	2	1.74	<10	1.82	3786	<2	0.35	1	1376	<2	0.71	21	15	122	<5	0.23	<10	<10	156	<10	129	3
9V1207RA/RJ	P09-031	132725	164.00	166.00	2.00	<0.01		0.9	4.09	36	271	1.1	25	3.39	3	23	26	28	5.48	2	1.63	<10	1.63	3163	<2	0.21	<1	1450	5	1.21	20	12	114	<5	0.21	<10	10	126	<10	121	3
9V1207RA/RJ	P09-031	132726	166.00	168.00	2.00	0.04		<0.1	4.74	23	758	1.4	28	3.28	3	24	26	26	5.41	3	1.5	10	1.7	3565	<2	0.3	<1	1544	<2	0.32	21	16	141	<5	0.27	<10	10	186	<10	123	4
9V1207RA/RJ	P09-031	132727	168.00	170.00	2.00	<0.01		0.1	4.98	13	792	1.5	25	2.54	3	21	31	49	5.06	2	1.64	<10	1.79	3410	<2	0.3	<1	1525	<2	0.25	21	16	111	<5	0.26	<10	<10	184	<10	134	3
9V1207RA/RJ	P09-031	132728	170.00	172.00	2.00	0.17		0.5	3.61	16	359	1	23	1.68	8	20	22	12	5.17	2	1.63	<10	1.48	2628	2	0.11	<1	1391	181	0.99	14	9	80	<5	0.17	<10	<10	105	<10	636	3
9V1207RA/RJ	P09-031	132729	172.00	174.00	2.00	0.28		0.6	3.46	13	563	0.6	22	6.77	5	17	27	20	4.94	3	1.21	<10	1.4	4556	2	0.12	<1	1104	42	0.87	16	10	190	<5	0.17	<10	15	123	<10	342	3
9V1207RA/RJ	P09-031	132730	174.00	176.00	2.00	1.13		1.2	4.25	18	592	1.1	25	3.02	3	19	32	60	5.33	2	1.46	<10	1.72	2722	3	0.17	<1	1253	11	0.46	18	14	107	<5	0.18	<10	10	167	<10	169	3
9V1207RA/RJ	P09-031	132731	176.00	178.00	2.00	0.05		1.1	4.15	25	435	1.3	25	3.7	3	20	27	78	5.02	2	1.05	<10	1.65	3259	<2	0.14	<1	1395	4	0.5	17	14	129	<5	0.19	<10	12	170	<10	174	3
9V1207RA/RJ	P09-031	132732	178.00	180.00	2.00	0.12		0.5	4.14	27	405	1.3	26	3.19	3	25	31	15	5.76	2	1.1	<10	1.7	3376	<2	0.13	1	1284	6	1.05	20	15	113	<5	0.2	<10	<10	165	<10	141	3
9V1207RA/RJ	P09-031	132733	180.00	182.00	2.00	0.08		1	3.31	67	278	0.9	25	2.81	4	21	26	38	5.83	2	0.72	<10	1.86	3639	<2	0.05	<1	1305	44	0.83	17	10	69	<5	0.16	<10	<10	129	<10	173	2
9V1207RA/RJ	P09-031	132734	182.00	184.00	2.00	0.13		2.1	2.2	98	331	0.5	17	3.65	3	18	32	98	4.05	1	0.63	<10	1.26	3262	<2	0.02	2	1293	32	0.73	13	5	205	<5	0.11	<10	<10	53	<10	177	2
9V1207RA/RJ	P09-031	132735	184.00	186.00	2.00	0.56		2	2.97	159	488	0.9	22	2.43	4	23	26	71	4.72	1	1.37	<10	1.5	2256	<2	0.03	2	1560	105	1.03	15	9	50	<5	0.13	<10	<10	86	<10	312	2
9V1207RA/RJ	P09-031	132736	186.00	188.00	2.00	0.05		1.9	3.65	247	388	1	23	3.73	3	25	31	10	4.91	2	1.38	<10	1.58	2530	<2	0.1	2	1375	14	1.38	19	10	83	<5	0.16	<10	<10	101	<10	120	2
9V1207RA/RJ	P09-031	132737	188.00	190.00	2.00	0.03		0.5	4.24	70	881	1.4	24	2.33	3	23	34	30	4.84	1	1.75	<10	1.78	2405	<2	0.11	2	1385	6	0.59	21	11	88	<5	0.23	<10	10	115	<10	147	3
9V1207RA/RJ	P09-031	132738	190.00	192.00	2.00	<0.01		0.7	4.63	48	841	1.2	26	3.58	3	25	31	63	5	1	1.77	<10	1.62	2768	<2	0.08	2	1448	5	0.65	20	12	115	<5	0.22	<10	11	124	<10	140	3
9V1207RA/RJ	P09-031	132739	192.00	194.00	2.00	<0.01		0.2	5	31	1076	1.2	27	3.79	3	26	29	36	5.27	2	2.07	<10	1.6	2693	<2	0.14	2	1399	4	0.5	20	12	138	<5	0.21	<10	12	124	<10	152	3
9V1207RA/RJ	P09-031	132740	194.00	196.00	2.00	<0.01		0.3	5.2	41	621	0.9	26	7.36	2	22	27	15	5.29	3	1.51	<10	1.31	3858	<2	0.21	1	1165	2	0.73	19	13	319	<5	0.18	<10	15	131	<10	115	3
9V1207RA/RJ	P09-031	132741	196.00	198.00	2.00	0.03		0.9	3.97	54	563	0.9	26	4.62	3	24	27	42	4.74	1	1.55	<10	1.16	2433	<2	0.09	2	1286	7	0.92	16	9	143	<5	0.13	<10	12	98	<10	190	3
9V1207RA/RJ	P09-031	132742	198.00	200.00	2.00	1.91		0.2	5.33	39	665	1.2	31	2.99	3	26	30	14	5.76	1	2	<10	1.68	2144	<2	0.18	1	1552	9	0.89	21	13	101	<5	0.15	<10	11	155	<10	154	3
9V1207RA/RJ	P09-031	132743	200.00	202.00	2.00	0.08		0.7	4.66	35	629	1.2	25	3.62	3	22	32	40	5.29	1	1.68	<10	1.51	2337	<2	0.12	1	1451	9	0.95	19	12	121	<5	0.16	<10	11	136	<10	141	3
9V1207RA/RJ	P09-031	132744	202.00	204.00	2.00	0.05		0.6	4.52	46	531	1.1	29	3.74	3	26	26	28	5.57	1	1.58	<10	1.28	2006	<2	0.13	2	1387	7	1.22	21	12	98	<5	0.18	<10	12	123	<10	125	4
9V1207RA/RJ	P09-031	132745	204.00	206.00	2.00	0.02		0.3	5.13	37	516	1.3	27	3.4	3	26	29	14	5.31	1	1.51	<10	1.32	2022	<2	0.25	2	1394	7	0.9	20	14	101	<5	0.19	<10	12	138	<10	120	3
9V1207RA/RJ	P09-031	132746	206.00	208.00	2.00	0.05		0.5	4.18	37	373	1	23	4.2	3	21	26	29	4.93	2	1.04	<10	1.25	2663	<2	0.18	1	1285	14	0.77	18	11	115	<5	0.16	<10	12	123	<10	150	3
9V1207RA/RJ	P09-031	132747	208.00	210.00	2.00	0.04		<0.1	5.41	36	448	1.2	27	4.24	3	22	33	19	5.13	2	1.27	<10	1.33	2640	<2	0.34	1	1379	8	0.78	20	15	138	<5	0.18	<10	13	166	<10	145	3
9V1207RA/RJ	P09-031	132748	210.00	212.00	2.00	0.25		3.1	3.89	77	258	0.9	31	3.57	4	24	28	216	5.85	1	0.7	<10	1.15	2496	<2	0.2	1	1350	33	2.07	18	11	91	<5	0.15	<10	16	124	<10	151	3
9V1207RA/RJ	P09-031	132749	212.00	214.00	2.00	0.46		2.6	1.8	68	317	<0.5	15	8.12	2	15	26	54	3.89	2	0.87	<10	0.58	4517	3	0.03	1	903	20	1.49	13	4	232	<5	0.06	<10	16	48	<10	81	2
9V1207RA/RJ	P09-031	132750	214.00	216.00	2.00	0.03		0.2	4.55	29	403	1.3	26	5	2	25	28	24	4.87	3	1.12	<10	1.18	3442	3	0.25	2	1328	7	0.35	19	14	163	<5	0.22	<10	11	147	<10	123	3
9V1207RA/RJ	P09-031	132751	216.00	218.00	2.00	0.08		2.7	4.21	40	413	1.2	22	5.18	3	23	30	223	5.01	2	1.13	<10	1.27	3020	<2	0.09	2	1285	10	0.76	19	11	116	<5	0.24	<10	12	119	<10	118	3
9V1207RA/RJ	P09-031	132752	218.00	220.00	2.00	<0.01		0.4	5.79	43	519	1.7	28	4.22	2	28	32	78	5.38	1	1.7	<10	1.49	2602	<2	0.1	2	1487	3	0.58	23	17	115	<5	0.29	<10	12	185	<10	128	3
9V1207RA/RJ	P09-031	132753	220.00	222.00	2.00	<0.01		<0.1	5.71	41	409	1.9	25	3.51	2	27	35	42	5	1	1.47	<10	1.56	2160	<2	0.09	2	1502	<2	0.36	24	17	109	<5	0.3	<10	10	183	<10	115	4
9V1207RA/RJ	P09-031	132754	222.00	224.00	2.00	<0.01		<0.1	6.18	36	501	1.8	26	3.98	2	27	32	23	5.31	1	1.81	<10	1.65	2349	<2	0.1	2	1464	<2	0.39	23	18	128	<5	0.29	<10	11	186	<10	127	3
9V1207RA/RJ	P09-031	132755	224.00	226.00	2.00	<0.01		0.3	4.57	37	539	1.3	27	2.21	3	24	27	15	5.3	1	1.63	<10	1.57	1755	2	0.08	2	1354	6	0.59	20	12	84	<5	0.19	<10	<10	138	<10	129	3
9V1207RA/RJ	P09-031	132756	226.00	227.74	1.74	0.01		0.7	3.31	19	458	0.7	19	2.18	2	17	28	25	4.41	1	1.09	<10	1.37	2084	9	0.07	1	1029	5	0.38	15	8	66	<5	0.1	<10	<10	103	<10	120	2
P09-032- Martha Ellen - PAD 18 - 435977E 6220788N, Elev: 1100m, Az: 240, Dip: -50, EOH: 164.02m																																									
9V1207RA/RJ	P09-032	132757	5.79	7.00	1.21	0.03		11.4	1.07	38	177	<0.5	15	4.45	4	11	32	10	3.34	2	0.28	<10	0.8	3548	<2	0.01	<1	936	122	1.41	9	2	278	<5	<0.01	<10	12	11	<10	327	2
9V1207RA/RJ	P09-032	132758	7.00	8.00	1.00	0.01		5.5	0.71	24	165	<0.5	13	4.02	3	8	23	7	3.29	1	0.34	<10	0.85	3335	<2	0.01	1	957	23	1.42	9	2	185	<5	<0.01	<10	<10	9	<10	151	2
9V1207RA/RJ	P09-032	132759	8.00	9.00	1.00	0.01		3.8	0.52	56	134	<0.5	9	1.57	2	8	76	8	2.28	<1	0.23	<10	0.43	1476	<2	0.01	2	728	21	1.19	8	1	69	<5	<0.01	<10	<10	6	<10	81	1
9V1207RA/RJ	P09-032	132760	BLANK			<0.01		<0.1	0.02	<5	10	<0.5	<5	>15.00	<1	1	5	1	0.03	<1	0.02	<10	1.49	23	2	0.01	2	83	<2	0.79	5	<1	5652	<5	<0.01	<10	25	1	<10	2	<1
9V1207RA/RJ	P09-032	132761	9.00	10.00	1.00	0.02		7	0.89	31	212	<0.5	10	0.51	2	9	52	8	2.43	<1	0.27	<10	0.52	763	<2	0.01	2	808	15	0.97	7	1	28	<5	<0.01	<10	<10	10	<10	115	1
9V1207RA/RJ	P09-032	132762	10.00	11.00	1.00	0.3		24.9	0.66	30	314	<0.5	9	2.21	2	7	73	8	2.01	3	0.18	<10	0.46	1516	<2	0.01	2	679	70	0.72	8	1	75	<5	<0.01	<10	<10	7	<10	177	1
9V1207RA/RJ	P09-032	132763	11.00	11.78	0.78	0.02		28.6	0.89	38	183	<0.5	12	2.45	2	8	53	49	2.49	3	0.22	<10	0.61	2173	<2	0.01	1	901	55	0.78	8	2	99	<5	<0.01	<10	<10	11	<10	175	1
9V1207RA/RJ	P09-032	132764	11.78	13.00	1.22	0.03		14.3	1.28	46	140	<0.5	17	1.45	2	10	50	19	3.6	2	0.24	<10	0.89	2197	<2	0.01	<1	1128	10	1.12	9	2	72	<5	<0.01	<10	<10	16	<10	99	2
9V1207RA/RJ	P09-032	132765	13.00	14.00	1.00	0.04		15.6	1.82	39	156	<0.5	20	1.16	3	13	37	12	4.49	2	0.26	<10	1.15	1954	<2	0.01	<1	1462	42	0.85	9	2	51	<5	<0.01	<10	<10	21	<10	153	2
9V1207RA/RJ	P09-032	132766	14.00	15.00	1.00	0.07		11.6	1.09	68	147	<0.5	16	2.57	3	12	61	24	3.49	3	0.24	<10	0.81	2913	<2	0.01	1	1064	89	1.58	10	2	150	<5	<0.01	<10	10	13	<10	151	2
9V1207RA/RJ	P09-032	132767	15.00	16.00	1.00	0.05		14.4	1.41	79	158	<0.5	18	1.57	3	14	33	17	4.64	2	0.27	<10	1.1	1981	<2	0.01	<1	1528	36	1.92	10	2	64	<5	<0.01	<10	<10	18	<10	173	2
9V1207RA/RJ	P09-032	132768	16.00	17.00	1.00	0.04		22.9	1.54	78	154	<0.5	16	3.67	3	11	35	29	4.39	2	0.28	<10	1.38	3557	<2	0.01	<1	1218	55	1.28	11	2	156	<5	<0.01	<10	10	19	<10	213	2
9V1207RA/RJ	P09-032	132769	17.00	18.69	1.69	0.01		5	1.94	53	173	<0.5	19	3.32	3	14	39	16	4.82	2	0.29	<10	1.59	3276	<2	0.01	<1	1262	12	1.05	10	3	146	<5	<0.01	<10	11	25	<10	115	2
9V1207RA/RJ	P09-032	132770	18.69	19.69	1.00	0.18		5.4	0.39	93	170	<0.5	11	2.42	2	6	73	27	2.31	1	0.27	<10	0.15	1378	<2	0.01	2	314	168	2	7	1	129	<5	<0.01	<10	<10	5	<10	167	1
9V1207RA/RJ	P09-032	132771	19.69	20.59	0.90	0.01		1.7	0.54	35	177	<0.5	12	3.58	2	8	51	3	2.48	2	0.28	<10	0.16	1960	<2	0.01	1	411	12	2	6	1	151	<5	<0.01	<10	<10	5	<10	48	1
9V1207RA/RJ	P09-032	132772	20.59	22.00	1.41	<0.01		0.6	1.24	13	192	<0.5	16	3.89	2	7	26	7	3.34	2	0.27	<10	0.64	2336	<2	0.01	<1	1435	15	0.95	7	1	163	<5	<0.01	<10	<10	15	<10	87	2
9V1207RA/RJ	P09-032	132773	22.00	24.00	2.00	<0.01		0.6	1.74	11	210	<0.5	16	3.06	2	9	22	8	3.89	1	0.33	<10	0.88	2129	<2	0.01	<1	1449	15	0.43	8	2	105	<5	<0.01	<10	<10	17	<10	91	2
9V1207RA/RJ	P09-032	132774	24.00	26.00	2.00	<0.01		0.6	1.75	24	204	<0.5	17	2.5	2	13	35	13	4.08	1	0.3	11	0.91	2035	<2	0.01	<1	1613	20	0.42	9	2	77	<5	<0.01	<10	<10	14	<10	91	1
9V1207RA/RJ	P09-032	132775	26.00	28.00	2.00	<0.01		0.3	1.64	14	206	<0.5	13	3.62	2	9	30	9	3.59	2	0.31	13	0.78	2365	<2	0.01	<1	1309	6	0.2	6	1	102	<5	<0.01	<10	<10	13	<10	85	1
9V1207RA/RJ	P09-032	132776	28.00	30.00	2.00	<0.01		0.5	1.32	24	246	<0.5	15	1.48	2	10	32	11	3.35	1	0.31	<10	0.61	1407	<2	0.01	<1	1474	8	0.57	7	1	55	<5	<0.01	<10	<10	13	<10	82	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1207RA/RJ	P09-032	132777	30.00	32.00	2.00	<0.01		0.4	1.09	28	215	<0.5	14	4.2	2	8	39	6	3.3	2	0.34	<10	0.47	2379	<2	0.01	<1	1335	5	1.26	7	1	152	<5	<0.01	<10	<10	10	<10	72	2
9V1207RA/RJ	P09-032	132778	32.00	34.00	2.00	0.01		0.5	1.34	21	255	<0.5	15	4.73	2	10	26	14	3.78	2	0.38	<10	0.59	2595	<2	0.01	<1	1428	5	1.21	8	2	171	<5	<0.01	<10	<10	13	<10	89	2
9V1207RA/RJ	P09-032	132779	34.00	36.00	2.00	<0.01		0.4	1.29	13	223	<0.5	15	3.61	2	8	39	19	3.23	2	0.33	<10	0.54	2310	<2	0.01	<1	1261	4	0.74	7	1	122	<5	<0.01	<10	<10	16	<10	80	2
9V1207RA/RJ	P09-032	132780	STD	PM427		3.59		1.5	1.45	7163	84	<0.5	172	6.73	1	114	39	306	5.08	<1	0.2	10	0.53	877	31	0.06	69	886	19	1	24	3	64	5	0.12	<10	<10	53	<10	86	12
9V1207RA/RJ	P09-032	132781	36.00	38.00	2.00	<0.01		0.5	1.35	20	264	<0.5	13	3.41	3	8	20	8	3.34	<1	0.45	10	0.46	1931	<2	0.01	1	1360	6	1.3	<5	2	118	<5	<0.01	<10	<10	18	<10	77	2
9V1207RA/RJ	P09-032	132782	38.00	40.00	2.00	<0.01		0.5	1.11	25	195	<0.5	16	4.63	2	8	39	14	3.58	2	0.33	<10	0.52	2511	<2	0.01	<1	1335	5	1.57	7	1	144	<5	<0.01	<10	<10	13	<10	70	2
9V1207RA/RJ	P09-032	132783	40.00	42.00	2.00	0.02		0.5	0.95	46	239	<0.5	10	4.94	1	7	30	18	2.59	2	0.34	10	0.36	2526	<2	0.01	<1	1271	4	0.9	6	2	155	<5	<0.01	<10	<10	11	<10	70	1
9V1207RA/RJ	P09-032	132784	42.00	44.00	2.00	0.03		0.3	1.28	19	191	<0.5	16	1.92	2	9	16	18	3.39	1	0.28	<10	0.54	1452	<2	0.01	<1	1219	5	0.56	6	2	63	<5	<0.01	<10	<10	16	<10	79	2
9V1207RA/RJ	P09-032	132785	44.00	46.00	2.00	0.01		0.6	1.18	18	165	<0.5	14	3.6	2	9	19	10	3.4	1	0.33	<10	0.44	1839	<2	0.01	1	1249	15	1.15	6	2	168	<5	<0.01	<10	<10	15	<10	90	2
9V1207RA/RJ	P09-032	132786	46.00	47.00	1.00	<0.01		0.6	1.11	23	271	<0.5	14	1.76	2	8	30	12	2.87	<1	0.31	<10	0.41	1130	<2	0.01	1	1198	11	0.67	7	1	81	<5	<0.01	<10	<10	13	<10	78	2
9V1207RA/RJ	P09-032	132787	47.00	48.44	1.44	<0.01		0.5	1.16	23	167	<0.5	15	3.38	2	7	25	17	3.22	1	0.32	<10	0.42	1668	<2	0.01	1	1098	5	0.93	6	1	90	<5	<0.01	<10	<10	15	<10	62	2
9V1207RA/RJ	P09-032	132788	48.44	50.00	1.56	0.03		0.6	1.05	25	163	<0.5	13	3.52	2	8	30	8	3.27	1	0.33	<10	0.38	1775	2	0.01	1	1106	7	1.36	7	1	106	<5	<0.01	<10	<10	14	<10	61	2
9V1207RA/RJ	P09-032	132789	50.00	52.00	2.00	0.01		0.5	1.32	13	217	<0.5	15	4.54	2	8	22	13	3.1	1	0.41	<10	0.48	2319	<2	0.03	<1	1115	5	0.88	7	2	148	<5	<0.01	<10	<10	19	<10	75	1
9V1207RA/RJ	P09-032	132790	52.00	54.00	2.00	0.01		0.2	2.1	10	357	<0.5	17	2.79	2	8	26	9	3.51	<1	0.63	10	0.65	1955	<2	0.1	<1	1286	4	0.63	9	3	110	<5	0.02	<10	<10	31	<10	81	2
9V1207RA/RJ	P09-032	132791	54.00	55.62	1.62	0.02		0.6	1.83	18	226	<0.5	17	3.46	2	10	23	9	3.56	1	0.56	<10	0.49	2163	<2	0.1	<1	1185	5	1.26	9	3	123	<5	0.01	<10	<10	27	<10	72	2
9V1207RA/RJ	P09-032	132792	55.62	56.62	1.00	0.02		0.5	1.16	11	204	<0.5	16	2.82	2	7	38	14	3.29	1	0.42	<10	0.39	1766	<2	0.02	1	1138	5	1.23	7	2	83	<5	0.01	<10	<10	16	<10	63	1
9V1207RA/RJ	P09-032	132793	56.62	57.62	1.00	0.01		0.5	1.27	19	158	<0.5	15	3.11	2	8	35	18	3.48	1	0.37	<10	0.45	1765	<2	0.01	1	1201	4	1.08	8	2	128	<5	<0.01	<10	<10	13	<10	76	2
9V1207RA/RJ	P09-032	132794	57.62	57.94	0.32	0.45		1.6	0.48	13	97	<0.5	5	>15.00	<1	4	53	30	1.45	3	0.19	<10	0.19	5076	2	0.01	1	458	5	0.85	6	1	539	<5	<0.01	<10	12	6	<10	37	1
9V1207RA/RJ	P09-032	132795	57.94	58.94	1.00	0.01		0.4	2.34	15	359	<0.5	18	3.63	2	9	15	14	3.88	2	0.65	10	0.86	2576	<2	0.11	<1	1268	3	0.51	9	3	149	<5	0.02	<10	<10	34	<10	86	2
9V1207RA/RJ	P09-032	132796	58.94	60.00	1.06	<0.01		0.3	1.76	16	286	<0.5	16	3.19	2	9	39	10	3.36	1	0.47	<10	0.69	2151	<2	0.07	1	1218	<2	0.43	9	3	112	<5	0.01	<10	<10	31	<10	76	2
9V1207RA/RJ	P09-032	132797	60.00	62.00	2.00	0.01		0.4	1.84	23	272	<0.5	16	4.67	2	9	22	9	3.5	1	0.54	10	0.66	2567	<2	0.08	<1	1246	2	0.62	9	3	144	<5	0.01	<10	<10	33	<10	81	2
9V1207RA/RJ	P09-032	132798	62.00	64.00	2.00	<0.01		0.6	1.42	14	181	<0.5	16	3.15	2	10	32	11	3.68	1	0.35	<10	0.63	1873	3	0.03	1	1309	6	1.1	8	2	112	<5	<0.01	<10	<10	22	<10	67	2
9V1207RA/RJ	P09-032	132799	64.00	66.00	2.00	<0.01		0.5	1.18	18	203	<0.5	14	3.77	2	8	18	9	3.05	1	0.48	<10	0.5	2250	<2	0.01	<1	1259	4	1.01	7	2	121	<5	0.01	<10	<10	17	<10	69	1
9V1207RA/RJ	P09-032	132800	STD	PM405		0.29		0.7	0.56	693	1070	<0.5	16	0.73	4	8	52	36	3.61	2	0.13	14	0.35	502	6	0.01	35	935	158	0.22	563	5	202	6	<0.01	<10	<10	50	<10	252	13
9V1207RA/RJ	P09-032	132801	66.00	68.00	2.00	<0.01		0.4	1.65	16	233	<0.5	16	3.75	2	8	35	14	3.4	1	0.43	10	0.56	2381	<2	0.07	1	1205	3	0.82	9	3	129	<5	0.01	<10	<10	24	<10	79	2
9V1207RA/RJ	P09-032	132802	68.00	69.62	1.62	0.02		1.7	0.57	14	95	<0.5	17	3.27	3	11	29	10	3.95	1	0.32	<10	0.18	1407	8	0.02	1	1422	16	3.22	8	1	119	<5	<0.01	<10	<10	5	<10	41	2
9V1207RA/RJ	P09-032	132803	69.62	70.62	1.00	<0.01		2.4	0.35	9	77	<0.5	19	2.17	3	11	28	8	4.33	<1	0.29	<10	0.19	741	6	0.01	1	1312	18	3.71	8	1	69	<5	<0.01	<10	<10	2	<10	50	2
9V1207RA/RJ	P09-032	132804	70.62	72.00	1.38	0.01		2.9	0.32	13	75	0.5	20	1.07	3	12	21	8	4.74	<1	0.28	<10	0.2	531	2	0.01	1	1547	21	3.96	9	1	47	<5	<0.01	<10	<10	1	<10	49	2
9V1207RA/RJ	P09-032	132805	72.00	74.00	2.00	0.26		3	0.32	25	59	<0.5	19	0.75	3	11	47	5	4.21	<1	0.28	<10	0.14	431	4	0.01	2	1245	33	3.52	8	1	36	<5	<0.01	<10	<10	1	<10	135	2
9V1207RA/RJ	P09-032	132806	74.00	76.00	2.00	0.08		4.3	0.43	16	102	<0.5	20	0.9	3	12	42	8	4.62	<1	0.36	<10	0.18	644	2	0.01	2	1325	21	3.85	8	1	41	<5	<0.01	<10	<10	2	<10	28	2
9V1207RA/RJ	P09-032	132807	76.00	78.00	2.00	0.01		3	0.44	14	60	<0.5	22	2.12	3	11	34	6	5.06	1	0.35	<10	0.14	763	<2	0.01	<1	1319	20	4.49	9	1	69	<5	<0.01	<10	<10	3	<10	34	2
9V1207RA/RJ	P09-032	132808	78.00	80.00	2.00	0.01		4	0.43	21	42	<0.5	18	3.38	3	10	35	6	4.26	1	0.37	<10	0.09	1211	<2	0.01	<1	1311	22	4.03	9	1	108	<5	<0.01	<10	<10	3	<10	113	2
9V1208RA/RJ	P09-032	132809	80.00	82.00	2.00	0.02		11.5	0.33	25	58	<0.5	21	1.95	3	10	34	3	3.97	1	0.29	<10	0.08	763	<2	0.01	1	1213	19	3.58	8	1	59	<5	<0.01	<10	<10	2	<10	71	2
9V1208RA/RJ	P09-032	132810	82.00	84.00	2.00	0.37		6	0.29	33	95	<0.5	19	4.2	4	10	24	3	3.22	2	0.31	<10	0.14	2060	2	0.01	1	1302	39	3.22	8	1	137	<5	<0.01	<10	<10	2	<10	134	1
9V1208RA/RJ	P09-032	132811	84.00	86.00	2.00	0.01		3.4	0.4	30	110	0.5	25	2.21	4	13	24	4	4.03	1	0.32	<10	0.28	1263	3	0.01	1	1704	19	3.64	9	1	75	<5	<0.01	<10	<10	4	<10	51	1
9V1208RA/RJ	P09-032	132812	86.00	88.00	2.00	0.02		6	0.31	36	98	<0.5	17	3.41	3	8	45	2	2.96	1	0.32	<10	0.19	1532	4	0.01	2	1136	17	2.9	10	1	120	<5	<0.01	<10	<10	3	<10	39	1
9V1208RA/RJ	P09-032	132813	88.00	90.00	2.00	0.01		2.4	0.56	69	93	<0.5	21	1.78	3	11	23	5	3.73	1	0.31	<10	0.31	984	4	0.01	1	1347	33	3.05	9	1	56	<5	<0.01	<10	<10	6	<10	75	1
9V1208RA/RJ	P09-032	132814	90.00	92.00	2.00	<0.01		1.9	0.65	32	82	<0.5	19	2.81	3	9	31	3	3.53	1	0.31	<10	0.43	1511	3	0.02	1	1202	12	2.5	8	2	87	<5	<0.01	<10	<10	8	<10	51	1
9V1208RA/RJ	P09-032	132815	92.00	94.00	2.00	0.01		1.9	1.26	33	113	<0.5	26	2.6	3	11	19	9	3.77	1	0.38	10	0.68	2181	4	0.06	1	1400	29	2.21	11	2	83	<5	0.01	<10	<10	20	11	106	1
9V1208RA/RJ	P09-032	132816	94.00	96.00	2.00	0.01		3.6	1	47	76	<0.5	23	2.14	4	11	26	5	3.66	1	0.41	<10	0.59	1999	3	0.03	1	1423	18	2.62	11	2	67	<5	<0.01	<10	<10	20	<10	157	1
9V1208RA/RJ	P09-032	132817	96.00	98.00	2.00	0.04		4.3	0.75	59	88	<0.5	21	2.78	3	10	22	3	3.24	1	0.32	<10	0.44	2121	3	0.02	1	1293	34	2.46	9	2	83	<5	<0.01	<10	<10	12	<10	114	1
9V1208RA/RJ	P09-032	132818	98.00	99.39	1.39	0.31		7.4	0.47	51	107	<0.5	20	6.15	5	7	40	17	3.31	2	0.26	<10	0.23	2800	4	0.01	1	1005	469	3.26	11	1	186	<5	<0.01	<10	<10	5	13	435	1
9V1208RA/RJ	P09-032	132819	99.39	100.39	1.00	0.1		7.7	0.68	50	87	<0.5	20	2.97	3	10	25	6	3.35	1	0.34	<10	0.37	2110	3	0.02	1	1253	40	3.13	10	2	87	<5	<0.01	<10	<10	14	<10	87	1
9V1208RA/RJ	P09-032	132820	BLANK			<0.01		<0.1	0.04	<5	11	<0.5	<5	>15.00	<1	1	3	<1	0.07	<1	0.02	<10	1.2	59	<2	0.01	1	83	<2	0.74	5	<1	5581	<5	<0.01	<10	16	2	15	3	<1
9V1208RA/RJ	P09-032	132821	100.39	100.73	0.34	19.95	20.56	145.7	0.28	55	16	<0.5	33	8.46	656	2	46	95	9.3	95	0.1	<10	0.34	5233	<2	0.01	<1	124	>10000	>5.00	27	<1	351	<5	<0.01	<10	28	<1	541	>10000	2
9V1208RA/RJ	P09-032	132822	100.73	101.73	1.00	0.22		4.1	0.82	51	72	<0.5	23	2.4	5	11	39	2	3.93	2	0.35	<10	0.43	2691	3	0.02	2	1409	253	2.49	11	1	60	<5	<0.01	<10	<10	12	<10	311	1
9V1208RA/RJ	P09-032	132823	101.73	103.00	1.27	0.37		6.1	0.74	38	102	<0.5	19	2.31	3	8	44	1	3.34	1	0.33	<10	0.41	1946	2	0.02	1	1076	46	2.99	8	2	68	<5	<0.01	<10	<10	15	<10	139	1
9V1208RA/RJ	P09-032	132824	103.00	104.00	1.00	0.06		4.4	0.78	27	109	<0.5	13	5.9	2	6	41	<1	3.03	2	0.24	<10	0.41	3479	<2	0.03	1	778	20	1.98	6	2	184	<5	<0.01	<10	<10	14	11	71	1
9V1208RA/RJ	P09-032	132825	104.00	106.00	2.00	0.07		5.5	1.17	36	109	<0.5	19	4.16	3	9	34	1	3.65	2	0.34	<10	0.57	3059	2	0.05	<1	1243	61	2.2	8	2	145	<5	<0.01	<10	<10	21	10	249	1
9V1208RA/RJ	P09-032	132826	106.00	108.00	2.00	<0.01		4.7	1.49	45	103	<0.5	22	2.89	3	11	35	3	4.31	1	0.39	<10	0.7	2729	<2	0.09	<1	1408	18	2.55	10	3	213	<5	<0.01	<10	<10	27	<10	70	1
9V1208RA/RJ	P09-032	132827	108.00	110.00	2.00	0.03		3.6	1.05	39	103	<0.5	20	2.3	3	11	35	<1	4.05	1	0.39	<10	0.61	2177	2	0.05	<1	1432	14	2.39	9	2	72	<5	<0.01	<10	<10	18	<10	81	1
9V1208RA/RJ	P09-032	132828	110.00	112.00	2.00	0.03		4.5	0.74	57	85	<0.5	20	3.34	3	10	33	<1	4.33	2	0.32	<10	0.54	2337	<2	0.03	<1	1348	18	2.87	8	2	89	<5	<0.01	<10	<10	13	<10	67	1
9V1208RA/RJ	P09-032	132829	112.00	114.00	2.00	0.06		2.5	0.68	45	81	<0.5	19	3.11	3	9	34	<1	3.89	1	0.31	<10	0.59	2093	2	0.03	<1	1262	13	2.25	7	2	83	<5	<0.01	<10	<10	11	<10	105	1
9V1208RA/RJ	P09-032	132830	114.00	115.00	1.00	0.04		4.1	0.42	74	94	<0.5	19	1.73	3	10	36	<1	3.97	1	0.29	<10	0.46	1263	7	0.02	<1	1412	20	2.52	8	2	57	<5	<0.01	<10	<10	5	<10	72	1
9V1208RA/RJ	P09-032	132831	115.00	116.00	1.00	0.01		4.2	0.58	38	120	<0.5	16	3.11	2	8	21	2	3.09	1	0.31	<10	0.51	1778	3	0.01	<1	1091	19	1.82	9	2	96	<5	<0.01	<10	<10	8	<10	90	1
9V1208RA/RJ	P09-032	132832	116.00	116.42	0.42	0.01		2.5	1.23	25	181	<0.5	15	3.12	2	8	20	<1	3.23	1	0.44	<10	0.89	1795	<2	0.01	1	1048	11	1.14	8	3	73	<5	<0.01	<10	<10	17	<10	82	1
9V1208RA/RJ	P09-032	132833	116.42	117.42	1.00	0.01		5.2	1.5	26	74	0.5	25	3.26	3	14	16	17	5.11	1	0.66	<10	1.11	2079	<2	0.01	1	997	15	3.05	12	4	76	<5	0.01	<10	<10	29	<10	86	2
9V1208RA/RJ	P09-032	132834	117.42	118.14	0.72	<0.01		5	1.75	21	80	0.6	27	1.95	4	15	16	22	5.61	1	0.82	<10	1.36	1636	<2	0.01	1	1070	17	3.11	12	4	54	<5	0.01	<10	<10	34	<10	96	3
9V1208RA/RJ	P09-032	132835	118.14	119.00	0.86	<0.01		3.1	0.97	21	69	0.5	28	3.09	4	15	13	15	5.62	1	0.5	<10	0.8	1664	<2	0.01	<1	1239	20	3.69	11	4	91	<5	<0.01	<10	<10	20	<10	94	2
9V1208RA/RJ	P09-032	132836	119.00	120.00	1.00	<0.01		2.1	0.49	13	69	<0.5	25	3.66	4	14	17	5	4.87	1	0.36	<10	0.37	1530	<2	0.01	<1	1202	18	3.75	7	3	100	<5	<0.01	<10	<10	9	<10	67	2
9V1208RA/RJ	P09-032	132837	120.00	122.00	2.00	<0.01		2.6	0.78	20	65	0.5	23	3.08	3	13	16	12	4.76	<1	0.37	<10	0.65	1473	<2	0.01	1	953	18	3.12	8	4	99	<5	<0.01	<10	<10	13	<10	80	2
9V1208RA/RJ	P09-032	132838	122.00	124.00	2.00	<0.01		3.2	1.39	31	123	0.6	21	2.68	3	13	18	10	4.42	1	0.5	<10	1.13	1572	<2	0.01	1	1260	11	2.2	9	4	75	<5	<0.01	<10	<10	25	<10	88	2
9V1208RA/RJ	P09-032	132839	124.00	126.00	2.00	<0.01		2.7	0.62	21	66	<0.5	22	5.18	3	14	19	7	4.53	1	0.37	<10	0.37	1879	<2	0.01	<1	1202	19	3.57	8	5	161	<5	<0.01	<10	<10	12	<10	59	1
9V1208RA/RJ	P09-032	132840	STD	PM427		3.78		1.2	1.34	5659	71	<0.5	162	5.47	1	105	33	278	4.38	<1	0.19	<10	0.45	723	30	0.06	60	727	16	0.81	23	2	59	<5	0.11	<10	<10	46	<10	74	10
9V1208RA/RJ	P09-032	132841	126.00	126.54	0.54	<0.01		1.7	0.56	14	35	<0.5	23	3.2	3	13	25	6	4.54	<1	0.36	<10	0.26	1208	2	0.01	1	1200	14	3.53	8	5	96	<5	<0.01	<10	<10	10	<10	32	1
9V1208RA/RJ	P09-032	132842	126.54	127.85	1.31	<0.01		7.4	0.76	17	43	<0.5	22	3.06	4	13	31	10	5.02	<1	0.44	<10	0.32	1003	6	0.01	1	1163	44	3.44	9	4	77	<5	<0.01	<10	<10	13	<10	177	1
9V1208RA/RJ	P09-032	132843	127.85	129.00	1.15	<0.01		1.9	1.37	14	40	0.5	29	2.66	4	17	20	20	5.76	1	0.43	<10	0.62	1094	2	0.01	1	1275	18	3.7	9	5	65	<5	<0.01	<10	<10	36	<10	99	2
9V1208RA/RJ	P09-032	132844	129.00	130.00	1.00	<0.01		3.1	1.44	11	38	0.5	22	3.13	3	15	45	14	4.69	1	0.29	<10	0.67	1304	2	0.03	1	1173	17	3.11	9	5	121	<5	0.04	<10	<10	51	<10	72	4
9V1208RA/RJ	P09-032	132845	130.00	130.68	0.68	<0.01		1.6	1.22	16	60	<0.5	24	2.56	4	15	21	9	5.03	1	0.36	13	0.69	1090	<2	0.02	1	1197	16	3.29	7	3	68	<5	<0.01	<10	<10	31	<10	122	1
9V1208RA/RJ	P09-032	132846	130.68	132.00	1.32	<0.01		<0.1	2.61	31	171	1.1	22	3.16	3	32	112	29	4.81	1	0.12	21	2.28	687	<2	0.19	50	1979	6	0.68	16	8	109	<5	0.33	<10	<10	106	<10	81	16
9V1208RA/RJ	P09-032	132847	132.00	134.00	2.00	<0.01		<0.1	2.43	12	99	0.9	24	3.93	3	29	71	12	4.86	<1	0.11	24	2.31	823	<2	0.12	31	2186	8	0.14	14	7	162	7	0.23	<10	<10	114	<10	93	12

P09-033- Martha Ellen - PAD 18 - 435977E 6220788N, Elev: 1100m, Az: -, Dip: -90, EOH: 185.67m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1208RA/RJ	P09-033	132848	2.13	3.05	0.92	<0.01		7.3	1.43	53	193	0.5	21	0.55	3	14	27	<1	4.17	1	0.26	11	0.69	1143	<2	0.01	1	869	25	1.29	7	2	20	<5	<0.01	<10	<10	24	<10	113	2
9V1208RA/RJ	P09-033	132849	3.05	3.99	0.94	0.04		73	0.5	76	127	<0.5	11	1.52	2	6	72	3	2.52	1	0.17	<10	0.29	1356	<2	0.01	2	375	70	1.49	12	1	83	<5	<0.01	<10	<10	6	<10	152	1
9V1208RA/RJ	P09-033	132850	3.99	5.00	1.01	<0.01		14	1.27	62	193	<0.5	14	1.1	2	10	41	13	3.33	1	0.28	<10	0.84	1551	<2	0.01	1	909	26	0.99	8	2	67	<5	<0.01	<10	<10	15	<10	107	1
9V1208RA/RJ	P09-033	132851	5.00	6.00	1.00	<0.01		2.8	1.4	37	193	<0.5	14	2.28	2	9	30	18	3.23	1	0.31	<10	1.03	2370	<2	0.01	<1	970	8	0.66	7	2	116	<5	<0.01	<10	<10	16	<10	83	1
9V1208RA/RJ	P09-033	132852	6.00	7.05	1.05	<0.01		5.9	1.35	36	198	<0.5	15	1.19	2	11	38	11	3.44	1	0.3	<10	0.83	1726	<2	0.01	<1	1008	26	0.85	7	2	56	<5	<0.01	<10	<10	14	<10	123	1
9V1208RA/RJ	P09-033	132853	7.05	8.00	0.95	<0.01		4.5	0.73	33	196	<0.5	11	0.38	1	7	30	2	2.28	<1	0.26	<10	0.27	617	<2	0.01	1	831	12	0.95	<5	1	18	<5	<0.01	<10	<10	7	<10	63	2
9V1208RA/RJ	P09-033	132854	8.00	9.00	1.00	0.06		6.3	0.32	22	153	<0.5	9	1.29	2	7	62	<1	1.98	1	0.21	<10	0.13	961	<2	0.01	2	234	18	1.38	5	1	53	<5	<0.01	<10	<10	3	<10	71	1

Drilling Analytical Results 2009

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1208RA/RJ	P09-033	132855	9.00	10.33	1.33	0.18		16.5	0.28	36	191	<0.5	9	1.38	2	6	74	7	2.11	1	0.2	<10	0.28	1079	<2	0.01	2	480	48	1.26	6	1	77	<5	<0.01	<10	<10	4	<10	124	1
9V1208RA/RJ	P09-033	132856	10.33	10.83	0.50	0.29		4.2	0.73	35	154	<0.5	15	4.18	2	10	41	15	3.39	2	0.24	<10	0.89	3289	<2	0.01	<1	1017	12	1.25	7	3	254	<5	<0.01	<10	<10	9	<10	90	1
9V1208RA/RJ	P09-033	132857	10.83	12.00	1.17	0.03		3.2	1.55	59	139	<0.5	20	3.04	3	11	26	27	4.11	2	0.28	<10	1.35	3337	<2	0.01	<1	1146	8	1.24	7	4	208	<5	<0.01	<10	<10	20	<10	102	2
9V1208RA/RJ	P09-033	132858	12.00	13.00	1.00	<0.01		2.8	1.63	94	138	<0.5	19	2.2	2	13	26	8	4.3	1	0.27	<10	1.43	2510	<2	0.01	<1	1168	10	1.29	8	3	135	<5	<0.01	<10	<10	19	<10	94	2
9V1208RA/RJ	P09-033	132859	13.00	14.57	1.57	<0.01		5.1	1.45	137	141	<0.5	20	2.78	3	12	23	13	4.3	2	0.29	<10	1.25	3129	<2	0.01	<1	1132	14	1.62	8	3	222	<5	<0.01	<10	10	18	<10	100	2
9V1208RA/RJ	P09-033	132860	STD	PM405		0.27		0.7	0.66	743	1217	0.5	17	0.77	5	9	60	37	3.83	2	0.15	16	0.39	511	6	0.01	36	978	163	0.23	573	5	230	7	<0.01	<10	<10	60	<10	261	13
9V1208RA/RJ	P09-033	132861	14.57	15.27	0.70	<0.01		1.8	0.77	46	149	0.6	15	1.54	2	12	17	5	3.17	1	0.3	<10	0.36	1247	<2	0.01	1	556	13	1.76	7	1	109	<5	<0.01	<10	<10	5	<10	38	1
9V1208RA/RJ	P09-033	132862	15.27	16.00	0.73	<0.01		0.9	1.19	32	169	<0.5	14	3.09	2	10	12	6	3.01	1	0.3	<10	0.67	2485	<2	0.01	<1	717	8	0.69	6	1	212	<5	<0.01	<10	<10	7	<10	74	1
9V1208RA/RJ	P09-033	132863	16.00	17.00	1.00	<0.01		0.7	1.37	13	158	0.5	15	0.93	2	11	9	2	3.53	1	0.28	10	0.78	1369	<2	0.01	<1	647	8	0.59	6	1	61	<5	<0.01	<10	<10	6	<10	69	1
9V1208RA/RJ	P09-033	132864	17.00	17.85	0.85	<0.01		0.7	1.45	16	166	0.5	17	0.57	2	11	11	15	3.54	<1	0.3	13	0.81	1124	<2	0.01	<1	772	5	0.53	6	1	38	<5	<0.01	<10	<10	7	<10	85	1
9V1208RA/RJ	P09-033	132865	17.85	18.62	0.77	<0.01		3.3	0.68	34	168	0.5	14	2.39	2	16	17	9	3.12	1	0.3	<10	0.57	1769	<2	0.01	1	687	14	1.41	6	3	211	<5	<0.01	<10	<10	5	<10	62	1
9V1208RA/RJ	P09-033	132866	18.62	20.00	1.38	0.02		3.5	1.69	128	148	<0.5	23	3.84	3	17	23	15	5.36	2	0.3	<10	1.19	3287	<2	0.01	<1	1456	11	1.88	9	3	173	<5	<0.01	<10	13	21	<10	110	2
9V1208RA/RJ	P09-033	132867	20.00	22.00	2.00	0.07		2.1	2.2	100	151	<0.5	33	2.57	4	16	25	18	6.72	1	0.29	<10	1.36	2772	<2	0.01	<1	1320	11	1.78	10	3	114	<5	<0.01	<10	15	25	<10	101	2
9V1208RA/RJ	P09-033	132868	22.00	24.00	2.00	<0.01		1.9	1.58	48	156	<0.5	24	2.13	3	14	22	18	5.2	1	0.3	<10	0.94	2353	<2	0.01	<1	1075	9	1.67	9	3	93	<5	<0.01	<10	<10	16	<10	90	2
9V1208RA/RJ	P09-033	132869	24.00	26.00	2.00	<0.01		1.2	1.43	65	147	<0.5	21	4.12	3	13	24	13	4.44	2	0.29	<10	1.13	3237	<2	0.01	<1	1245	6	1.46	8	3	259	<5	<0.01	<10	<10	17	<10	84	1
9V1208RA/RJ	P09-033	132870	26.00	28.00	2.00	<0.01		0.7	1.11	53	134	<0.5	19	4.02	3	12	19	5	4.17	2	0.28	<10	1.25	3095	<2	0.01	<1	1213	5	0.93	7	4	205	<5	<0.01	<10	<10	15	<10	85	1
9V1208RA/RJ	P09-033	132871	28.00	30.00	2.00	<0.01		0.6	1.84	81	363	<0.5	22	4.39	3	16	27	11	4.57	2	0.27	<10	1.56	2915	<2	0.02	4	1271	5	0.71	8	5	232	<5	<0.01	<10	<10	29	<10	97	2
9V1208RA/RJ	P09-033	132872	30.00	32.00	2.00	<0.01		1	1.56	56	227	<0.5	19	3.88	2	12	21	11	4.15	2	0.28	<10	1.23	2583	<2	0.01	<1	1171	6	1.13	8	4	244	<5	<0.01	<10	<10	20	<10	93	1
9V1208RA/RJ	P09-033	132873	32.00	34.00	2.00	<0.01		1.4	1.46	32	132	<0.5	17	4.06	2	12	25	24	3.86	2	0.25	<10	1.2	2847	<2	0.01	<1	1048	7	0.99	8	3	177	<5	<0.01	<10	<10	19	<10	105	1
9V1208RA/RJ	P09-033	132874	34.00	36.00	2.00	0.59		22.3	0.68	77	122	<0.5	10	3.46	2	7	60	46	2.31	1	0.21	<10	0.45	1684	<2	0.01	1	665	111	1.18	8	1	194	<5	<0.01	<10	<10	9	<10	263	1
9V1208RA/RJ	P09-033	132875	36.00	38.00	2.00	0.01		5.1	0.83	50	140	<0.5	12	5.7	1	7	62	24	2.43	2	0.28	<10	0.6	2801	<2	0.01	1	748	21	1.07	7	2	241	<5	<0.01	<10	<10	13	<10	98	1
9V1208RA/RJ	P09-033	132876	38.00	40.00	2.00	0.01		3	1.32	54	161	<0.5	16	3.09	2	10	45	24	3.5	2	0.31	<10	0.97	2537	<2	0.01	<1	939	9	1.2	8	3	141	<5	<0.01	<10	<10	24	<10	96	1
9V1208RA/RJ	P09-033	132877	40.00	42.00	2.00	<0.01		1.5	1.58	32	148	<0.5	17	2.8	2	11	49	22	4.01	2	0.28	<10	1.24	2583	<2	0.02	<1	1036	4	1.03	8	3	118	<5	<0.01	<10	<10	26	<10	88	2
9V1208RA/RJ	P09-033	132878	42.00	44.00	2.00	<0.01		3.7	1.2	61	154	<0.5	15	3.31	2	9	42	16	3.48	2	0.3	<10	0.97	2530	<2	0.01	<1	919	7	1.2	7	3	139	<5	<0.01	<10	<10	18	<10	76	1
9V1208RA/RJ	P09-033	132879	44.00	46.00	2.00	<0.01		1.6	1.35	58	162	<0.5	18	3.08	2	10	46	17	3.84	2	0.29	<10	1.15	2626	<2	0.01	<1	980	5	1.14	8	3	142	<5	<0.01	<10	<10	21	<10	77	1
9V1208RA/RJ	P09-033	132880	BLANK			<0.01		<0.1	0.04	<5	13	<0.5	<5	>15.00	<1	1	3	1	0.03	<1	0.01	<10	1.69	25	<2	0.01	<1	90	<2	0.83	<5	<1		<5	<0.01	<10	21	1	<10	<1	<1
9V1208RA/RJ	P09-033	132881	46.00	48.00	2.00	0.13		23.1	1.18	27	177	<0.5	14	3.09	2	9	34	19	3.13	2	0.29	<10	0.86	2603	<2	0.01	<1	899	9	0.88	8	2	144	<5	<0.01	<10	<10	17	<10	76	1
9V1208RA/RJ	P09-033	132882	48.00	50.00	2.00	<0.01		2.3	1.43	28	168	<0.5	17	4.3	2	10	42	22	3.58	2	0.32	<10	1.05	3557	<2	0.01	<1	1012	5	0.89	8	3	208	<5	<0.01	<10	<10	21	<10	93	1
9V1208RA/RJ	P09-033	132883	50.00	51.56	1.56	0.07		35.4	1.07	18	154	<0.5	13	4.57	2	9	32	42	2.96	2	0.27	<10	0.74	3385	<2	0.01	<1	906	36	0.89	22	2	303	<5	<0.01	<10	<10	16	<10	122	1
9V1208RA/RJ	P09-033	132884	51.56	52.00	0.44	<0.01		1.6	1.21	23	151	<0.5	17	3.35	2	11	24	15	3.87	2	0.29	<10	1.1	2820	<2	0.01	<1	1067	4	1.12	7	3	142	<5	<0.01	<10	<10	16	<10	81	1
9V1208RA/RJ	P09-033	132885	52.00	54.00	2.00	0.01		24.8	0.97	49	157	<0.5	16	3.12	2	10	28	17	3.75	2	0.32	<10	1.03	2568	<2	0.01	<1	1000	41	1.17	9	3	133	<5	<0.01	<10	<10	14	<10	125	1
9V1208RA/RJ	P09-033	132886	54.00	55.24	1.24	0.02		13.6	0.44	21	161	<0.5	12	3.29	2	8	43	23	2.8	1	0.26	<10	0.69	2350	<2	0.01	<1	786	25	1.11	6	2	146	<5	<0.01	<10	<10	6	<10	107	1
9V1208RA/RJ	P09-033	132887	55.24	56.13	0.89	0.04		13	0.23	29	110	<0.5	5	7.79	1	4	49	17	1.39	2	0.2	<10	0.17	3145	<2	0.01	1	460	70	1.03	6	1	229	<5	<0.01	<10	<10	2	<10	178	<1
9V1208RA/RJ	P09-033	132888	56.13	58.00	1.87	<0.01		1.6	0.36	23	191	<0.5	11	2.24	2	7	39	21	2.72	1	0.28	<10	0.41	1786	<2	0.01	<1	920	18	0.94	5	1	81	<5	<0.01	<10	<10	4	<10	64	1
9V1208RA/RJ	P09-033	132889	58.00	60.00	2.00	<0.01		0.8	0.37	69	238	<0.5	12	1.45	2	8	30	5	2.82	1	0.32	<10	0.4	1334	<2	0.01	1	1132	8	0.87	5	2	74	<5	<0.01	<10	<10	4	<10	62	1
9V1208RA/RJ	P09-033	132890	60.00	62.00	2.00	<0.01		0.7	0.37	69	150	<0.5	13	2.03	2	8	43	1	2.91	1	0.3	<10	0.33	1495	<2	0.01	<1	907	8	0.8	5	1	79	<5	<0.01	<10	<10	2	<10	71	1
9V1208RA/RJ	P09-033	132891	62.00	64.00	2.00	<0.01		1.6	0.42	89	178	<0.5	12	2.67	2	9	31	9	2.81	1	0.32	<10	0.3	1671	<2	0.01	<1	995	10	1.35	5	1	114	<5	<0.01	<10	<10	4	<10	64	1
9V1208RA/RJ	P09-033	132892	64.00	66.00	2.00	0.04		1.3	0.67	92	181	<0.5	12	3.09	2	7	25	20	2.65	1	0.32	<10	0.36	1899	<2	0.01	<1	1044	10	1.08	6	1	118	<5	<0.01	<10	<10	6	<10	56	1
9V1208RA/RJ	P09-033	132893	66.00	68.00	2.00	0.04		0.8	0.97	60	189	<0.5	16	2.46	2	8	33	14	3.63	1	0.31	<10	0.7	1963	<2	0.01	<1	1208	18	1.14	7	1	101	<5	<0.01	<10	<10	10	<10	66	1
9V1208RA/RJ	P09-033	132894	68.00	70.00	2.00	0.04		0.7	0.79	44	238	<0.5	11	2.74	1	9	23	8	2.46	1	0.29	<10	0.62	2024	<2	0.01	<1	1104	8	0.56	5	2	155	<5	<0.01	<10	<10	8	<10	39	1
9V1208RA/RJ	P09-033	132895	70.00	71.25	1.25	<0.01		1.3	0.43	23	324	<0.5	10	7.67	1	5	44	3	2.47	2	0.22	<10	0.61	4073	<2	0.01	<1	580	20	0.9	6	1	438	<5	<0.01	<10	11	7	<10	40	1
9V1208RA/RJ	P09-033	132896	71.25	72.00	0.75	0.01		0.8	1.33	23	141	<0.5	18	4.23	2	10	44	16	3.87	2	0.21	<10	1.03	3025	<2	0.01	<1	938	23	1.22	7	2	196	<5	<0.01	<10	<10	26	<10	103	1
9V1208RA/RJ	P09-033	132897	72.00	74.00	2.00	0.16		1.1	1.08	23	135	<0.5	15	3.6	2	8	39	9	3.18	2	0.25	<10	0.77	2379	<2	0.01	<1	955	20	1.23	7	2	155	<5	<0.01	<10	<10	14	<10	69	1
9V1208RA/RJ	P09-033	132898	74.00	76.00	2.00	<0.01		0.9	1.36	47	207	<0.5	18	3	2	10	22	23	3.75	1	0.32	<10	1	2275	<2	0.01	<1	1190	11	1.38	8	2	142	<5	<0.01	<10	<10	18	<10	83	2
9V1208RA/RJ	P09-033	132899	76.00	78.00	2.00	<0.01		1	1.55	58	143	<0.5	19	3.58	2	12	28	38	4.04	2	0.31	<10	1.23	2583	<2	0.02	<1	1209	7	1.21	9	3	156	<5	<0.01	<10	<10	27	<10	91	2
9V1208RA/RJ	P09-033	132900	STD	PM427		3.76		1.3	1.49	6151	78	<0.5	167	6.66	1	108	39	279	5	1	0.2	10	0.48	892	29	0.07	65	813	18	0.94	19	3	63	<5	0.11	<10	<10	53	<10	81	12
9V1208RA/RJ	P09-033	132901	78	80.00	2.00	<0.01		1.2	1.68	54	152	<0.5	19	2.92	2	12	26	36	4.12	1	0.32	<10	1.25	2339	<2	0.02	<1	1203	14	1.01	9	3	109	<5	<0.01	<10	<10	27	<10	92	2
9V1208RA/RJ	P09-033	132902	80.00	82.00	2.00	<0.01		0.8	2.06	33	230	<0.5	21	2.55	3	14	25	19	4.98	1	0.29	<10	1.46	2413	<2	0.02	<1	1266	15	0.94	10	3	106	<5	<0.01	<10	<10	30	<10	107	2
9V1208RA/RJ	P09-033	132903	82.00	83.88	1.88	<0.01		0.7	1.64	36	178	<0.5	20	1.25	2	11	22	21	4.12	1	0.33	<10	0.95	1572	<2	0.01	<1	1162	12	0.96	9	2	62	<5	<0.01	<10	<10	15	<10	83	1
9V1208RA/RJ	P09-033	132904	83.88	86.00	2.12	<0.01		<0.1	1.99	34	193	<0.5	21	1.28	3	12	16	1	4.79	1	0.37	12	0.98	1713	<2	0.01	<1	1394	11	0.69	8	2	66	<5	<0.01	<10	<10	21	<10	110	2
9V1208RA/RJ	P09-033	132905	86.00	88.00	2.00	<0.01		1.2	1.44	70	206	<0.5	21	1.06	3	12	24	16	4.65	1	0.36	10	0.62	1599	<2	0.01	<1	1324	10	1.67	9	2	67	<5	<0.01	<10	<10	21	<10	83	2
9V1208RA/RJ	P09-033	132906	88.00	90.00	2.00	<0.01		1.1	1.38	47	238	<0.5	16	2.55	2	10	30	6	3.8	1	0.29	<10	0.62	2030	<2	0.01	<1	1134	11	0.82	7	1	84	<5	<0.01	<10	<10	13	<10	83	1
9V1208RA/RJ	P09-033	132907	90.00	92.00	2.00	<0.01		0.8	1.77	18	184	<0.5	17	2.14	2	10	22	7	4.07	2	0.3	10	0.87	1778	<2	0.01	<1	1221	9	0.3	8	2	80	<5	<0.01	<10	<10	18	<10	93	1
9V1208RA/RJ	P09-033	132908	92.00	94.00	2.00	<0.01		1.8	1.09	43	175	<0.5	17	3.8	2	11	23	9	3.69	1	0.35	<10	0.5	2123	2	0.01	<1	1248	11	1.88	7	1	140	<5	<0.01	<10	<10	11	<10	65	2
9V1208RA/RJ	P09-033	132909	94.00	96.00	2.00	<0.01		1.3	1	53	156	<0.5	17	2.53	3	12	14	11	3.99	1	0.36	<10	0.46	1384	2	0.01	<1	1381	14	2.33	8	1	121	<5	<0.01	<10	<10	14	<10	67	2
9V1208RA/RJ	P09-033	132910	96.00	98.00	2.00	<0.01		0.2	1.82	18	398	<0.5	21	2.09	3	11	22	10	4.34	1	0.31	11	0.92	1402	<2	0.02	<1	1391	9	0.52	8	2	90	<5	<0.01	<10	<10	32	<10	102	2
9V1208RA/RJ	P09-033	132911	98.00	100.00	2.00	<0.01		0.7	0.88	58	83	<0.5	19	3.21	3	12	11	8	4.37	<1	0.35	<10	0.41	1380	3	0.01	<1	1416	15	2.83	8	2	125	<5	<0.01	<10	<10	10	<10	65	2
9V1208RA/RJ	P09-033	132912	100.00	100.93	0.93	<0.01		6.6	7.49	173	1056	1.6	151	>15.00	20	93	96	43	32.92	7	3.19	61	3.63	9594	58	0.11	2	>10000	123	>5.00	58	14	1102	15	0.01	29	50	86	23	567	16
9V1208RA/RJ	P09-033	132913	100.93	102.00	1.07	0.15		4.1	0.99	59	137	<0.5	20	1.39	5	12	34	25	4.35	3	0.37	<10	0.39	912	7	0.01	2	976	153	2.47	13	1	50	<5	<0.01	<10	<10	13	<10	501	2
9V1208RA/RJ	P09-033	132914	102.00	103.00	1.00	0.27		21.2	0.94	113	147	<0.5	17	0.29	8	10	51	63	3.92	2	0.27	<10	0.46	1561	2	0.01	1	758	348	1.92	17	1	19	<5	<0.01	<10	<10	15	<10	678	1
9V1208RA/RJ	P09-033	132915	103.00	104.00	1.00	0.56		8.3	0.85	120	141	<0.5	19	0.49	7	9	71	86	4.26	4	0.27	<10	0.43	1388	<2	0.01	1	732	642	2.54	16	1	36	<5	<0.01	<10	<10	15	<10	490	1
9V1208RA/RJ	P09-033	132916	104.00	105.00	1.00	0.56		18.8	1.3	74	169	<0.5	19	0.25	12	12	41	115	4.31	2	0.26	<10	0.78	2220	<2	0.01	1	815	502	1.63	14	2	20	<5	<0.01	<10	<10	22	<10	1009	1
9V1208RA/RJ	P09-033	132917	105.00	106.00	1.00	0.87		7.9	1.02	51	127	<0.5	18	0.66	91	11	62	239	4.83	7	0.22	<10	1.13	3741	<2	0.01	<1	774	2095	1.96	13	1	57	<5	<0.01	<10	<10	16	17	5393	1
9V1208RA/RJ	P09-033	132918	106.00	107.00	1.00	0.88		11.1	0.72	119	120	<0.5	16	0.57	77	10	50	190	3.92	4	0.29	<10	0.57	2051	4	0.01	1	809	1272	1.96	14	1	60	<5	<0.01	<10	<10	9	14	4876	1
9V1208RA/RJ	P09-033	132919	107.00	108.00	1.00	1.2		27.3	0.89	104	63	<0.5	15	1.29	321	10	106	443	4.55	15	0.29	<10	0.53	2623	2	0.01	1	684	>10000	3.84	19	1	61	<5	<0.01	<10	<10	14	57	9480	1
9V1208RA/RJ	P09-033	132920	STD	PM405		0.29		0.6	0.66	707	1593	0.5	17	0.75	4	8	65	36	3.59	3	0.16	17	0.37	505	5	0.01	36	958	168	0.24	611	5	216	7	<0.01	<10	<10	64	<10	282	13
9V1208RA/RJ	P09-033	132921	108.00	109.00	1.00	0.78		8.9	1.4	97	172	<0.5	22	0.67	48	15	60	281	5.04	5	0.38	<10	0.87	2743	<2	0.01	1	1236	1429	2.19	14	2	54	<5	<0.01	<10	<10	22	11	3642	2
9V1208RA/RJ	P09-033	132922	109.00	110.00	1.00	1.4		19.6	0.97	79	96	<0.5	15	0.56	82	8	121	372	3.96	9	0.24	<10	0.56	2208	<2	0.01	1	644	>10000	2.45	22	1	35	<5	<0.01	<10	<10	20	17	5423	1
9V1208RA/RJ	P09-033	132923	110.00	111.00	1.00	0.33		11.9	0.94	67	67	<0.5	23	0.59	98	13	85	348	5.76	10	0.34	<10	0.46	1689	20	0.01	1	825	6044	4.06	19	1	48	<5	<0.01	<10	<10	13	21	6173	2
9V1208RA/RJ	P09-033	132924	111.00	111.84	1.00	0.17		7.2	1.08	71	64	<0.5	29	0.42	31	12	93	20	6.49	3	0.26	<10	0.62	1856	97	0.01	<1	668	1843	4.16	17	1	34	<5	<0.01	<10	11	21	<10	2198	2
9V1208RA/RJ	P09-033	132925	111.84	113.00	0.84	0.05		2.5	1.1	37	79	<0.5	25	0.6	5	12	59	5	5.77	2	0.29	<10	0.69	2336	42	0.01	<1	1043	128	3.61	11	1	34	<5	<0.01	<10	<10	22	<10	211	2
9V1208RA/RJ	P09-033	132926	113.00	114.00	1.00	0.12		10.6	1.3	50	70	<0.5	27	0.64	9	13	53	3	6.05	3	0.29	<10	0.91	2710	44	0.01	<1	1187	7776	3.75	17	2	39	<5	<0.01	<10	<10	29	<10	648	2
9V1208RA/RJ	P09-033	132927	114.00	115.00	1.00	0.36		3.7	0.89	54	109	<0.5	20	0.66	11	10	82	5	4.66	3	0.27	<10	0.61	2012	16	0.01	1	897	543	3.2	11	1	39	<5	<0.01	<10	<10	16	<10	957	2
9V1208RA/RJ	P09-033	132928	115.00	116.00	1.00	0.02		8.6	0.83	37	91	<0.5	20	1.96	6	12	43	8	4.65	2	0.33	<10	0.5	2122	9	0.02	<1	1159	142	3.39	9	2	95	<5	<0.01	<10	<10	14	<10	433	2
9V1208RA/RJ	P09-033	132929	116.00	117.00	1.00	<0.01		4.6	0.94	25	98	<0.5	20	2.27	5	11	37	7	4.48	2	0.32	<10	0.65	2167	8	0.02	<1	1072	88	2.99	8	2	116	<5	<0.01	<10	<10	13	<10	296	1
9V1208RA/RJ	P09-033	132930	117.00	118.00	1.00	0.02		3.1	0.92	18	112	<0.5	18	2.81	4	13	33	8	4.16	2	0.35	<10	0.52	2534	8	0.02	<1	1148	100	2.61	9	2	128	<5	<0.01	<10	<10	13	<10	279	1
9V1208RA/RJ	P09-033	132931	118.00	119.00	1.00	0.01		1.6	1.49	15	246	<0.5	21	0.8	3	18	14	7	4.1	3	0.36	<10	0.7	2083	2	0.02	3	1036	16	0.74	8	3	63	<5	<0.01	<10	<10	20	<10	105	2
9V1208RA/RJ	P09-033	132932	119.00	120.00	1.00	<0.01		1.6	0.62	16	245	<0.5	21	0.27	4	22	21	4	4.62	2	0.41	10	0.63	1757	5	0.02	3	923	14	0.64	8	4	33	<5	<0.01	<10	<10	13	<10	96	2
9V1208RA/RJ	P09-033	132933	120.00	121.00	1.00	<0.01		1.9	0.57	23	286	0.6	16	0.23	2	51	10	28	3.18	2	0.37	10	0.41	1255	2	0.01	6	827	12	0.37	8	3	30	<5	<0.01	<10	<10	10	<10	106	2
9V1208RA/RJ	P09-033	132934	121.00	122.00	1.00	<0.01		1.4	1.31	21	283	0.5	26	0.32	4	22	15	36	5.36	1	0.41	15	0.7	1945	3	0.02	4	696	22	0.67	8	4	38	<5	<0.01	<10	<10	20	<10	102	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1208RA/RJ	P09-033	132935	122.00	123.00	1.00	0.22		1.8	0.82	15	154	0.5	29	0.52	5	15	16	18	6.36	1	0.41	<10	0.7	2357	<2	0.03	3	274	18	1.71	9	3	40	<5	<0.01	<10	<10	18	<10	118	2
9V1208RA/RJ	P09-033	132936	123.00	124.00	1.00	0.2		2.9	0.69	15	164	<0.5	26	0.42	4	14	18	50	5.64	1	0.38	<10	0.59	1835	<2	0.03	2	296	12	1.45	8	3	35	<5	<0.01	<10	<10	15	<10	96	2
9V1208RA/RJ	P09-033	132937	124.00	125.12	1.12	<0.01		1.4	0.71	12	196	0.5	24	0.58	4	11	10	25	5.07	1	0.37	10	0.64	1595	<2	0.03	3	316	13	1	8	4	45	<5	<0.01	<10	<10	15	<10	67	2
9V1208RA/RJ	P09-033	132938	125.12	125.74	0.62	<0.01		0.7	1.32	15	433	<0.5	20	3.15	3	16	31	18	4.17	1	0.4	18	1.7	1361	3	0.06	10	1128	12	0.65	9	10	178	<5	<0.01	<10	<10	31	<10	87	2
9V1208RA/RJ	P09-033	132939	125.74	127.00	1.26	<0.01		3.8	0.61	20	96	<0.5	22	2.77	4	13	40	9	4.22	2	0.31	<10	0.86	2503	3	0.02	1	1034	21	2.41	9	3	135	<5	<0.01	<10	<10	10	<10	241	1
9V1208RA/RJ	P09-033	132940	BLANK			<0.01		<0.1	0.18	<5	11	<0.5	<5	>15.00	<1	1	4	<1	0.11	<1	0.01	<10	1.45	46	<2	0.01	1	131	<2	0.95	5	<1	5510	<5	<0.01	<10	22	2	<10	4	1
9V1208RA/RJ	P09-033	132941	127.00	128.00	1.00	<0.01		3.4	0.5	16	70	<0.5	21	3.32	4	13	14	12	4.64	1	0.26	<10	0.91	2293	2	0.02	1	1262	27	2.93	9	3	163	<5	<0.01	<10	<10	7	<10	114	2
9V1208RA/RJ	P09-033	132942	128.00	130.00	2.00	0.02		4.6	0.58	18	76	<0.5	19	4.54	3	12	18	8	4.52	3	0.3	<10	0.62	2818	<2	0.02	<1	1251	26	2.75	9	3	164	<5	<0.01	<10	<10	7	<10	99	1
9V1208RA/RJ	P09-033	132943	130.00	132.00	2.00	<0.01		1.1	1.7	17	237	<0.5	23	2.58	3	17	19	16	4.99	1	0.29	<10	1.35	1728	<2	0.04	5	1032	14	1.13	9	4	155	<5	<0.01	<10	<10	23	<10	92	1
9V1208RA/RJ	P09-033	132944	132.00	134.00	2.00	<0.01		0.3	1.55	44	507	0.5	21	1.76	3	13	30	20	4.18	<1	0.35	11	1.23	959	<2	0.04	7	946	4	0.68	9	6	120	<5	<0.01	<10	<10	31	<10	75	2
9V1208RA/RJ	P09-033	132945	134.00	136.00	2.00	<0.01		0.8	0.68	30	191	0.5	20	1.32	3	11	14	26	3.96	<1	0.35	13	0.54	1490	<2	0.03	3	617	6	0.67	6	4	98	<5	<0.01	<10	<10	12	<10	75	2
9V1208RA/RJ	P09-033	132946	136.00	138.00	2.00	0.01		0.5	2.22	13	189	0.6	24	0.4	3	11	7	40	5.23	<1	0.32	17	0.9	1056	<2	0.03	3	469	5	0.35	10	3	30	<5	<0.01	<10	<10	29	<10	129	2
9V1208RA/RJ	P09-033	132947	138.00	140.00	2.00	0.15		0.2	1.85	8	546	<0.5	20	4.3	3	12	22	12	4.25	1	0.29	10	1.15	1823	<2	0.04	3	1313	7	0.62	8	5	178	<5	<0.01	<10	<10	33	<10	94	2
9V1208RA/RJ	P09-033	132948	140.00	142.00	2.00	<0.01		1.2	1.78	11	160	<0.5	23	4.37	3	11	13	14	4.98	1	0.25	<10	0.87	2182	<2	0.03	<1	1160	13	1.4	9	3	129	<5	<0.01	<10	<10	18	<10	94	1
9V1208RA/RJ	P09-033	132949	142.00	144.00	2.00	0.04		1.3	1.33	15	165	<0.5	15	4.17	2	11	20	9	3.34	1	0.25	<10	0.6	2394	<2	0.03	1	1077	9	0.78	7	2	130	<5	<0.01	<10	<10	17	<10	82	1
9V1208RA/RJ	P09-033	132950	144.00	146.00	2.00	0.03		0.9	1.79	15	190	<0.5	19	4.67	3	11	19	14	4.4	1	0.26	<10	0.79	2371	<2	0.04	<1	1212	10	0.79	9	3	129	<5	<0.01	<10	<10	25	<10	98	1
9V1208RA/RJ	P09-033	132951	146.00	148.00	2.00	0.08		2.1	1.76	90	219	<0.5	23	1.56	3	14	13	32	5.08	1	0.29	<10	0.8	1562	2	0.04	2	637	11	1.39	11	2	54	<5	<0.01	<10	<10	25	<10	90	2
9V1208RA/RJ	P09-033	132952	148.00	150.00	2.00	0.08		2.7	1.36	114	194	<0.5	18	2.07	3	12	25	39	4.15	1	0.27	<10	0.64	1714	<2	0.03	2	782	12	1.37	9	2	66	<5	<0.01	<10	<10	16	<10	69	1
9V1208RA/RJ	P09-033	132953	150.00	152.00	2.00	0.21		15.7	0.68	92	137	<0.5	15	2.5	8	10	32	9	3.09	2	0.25	<10	0.27	1646	<2	0.02	1	918	244	2.14	8	1	81	<5	<0.01	<10	<10	9	<10	633	1
9V1224RA/RJ	P09-033	132954	152.00	154.10	2.10	0.09		4.3	1.17	87	187	<0.5	18	2.03	3	12	44	15	3.79	1	0.27	<10	0.52	1570	<2	0.03	2	1140	63	1.55	9	2	69	<5	<0.01	<10	10	18	14	164	2
9V1224RA/RJ	P09-033	132955	154.10	155.12	1.02	0.1		5.8	0.36	100	112	<0.5	7	0.71	1	6	105	10	1.8	<1	0.17	<10	0.13	531	3	0.01	3	506	50	1.1	8	1	40	<5	<0.01	<10	<10	5	<10	92	1
9V1224RA/RJ	P09-033	132956	155.12	156.00	0.88	0.08		3.3	1.44	66	201	<0.5	19	1.61	3	16	32	15	4.29	1	0.3	<10	0.68	1366	2	0.03	1	1313	68	1.36	11	2	75	<5	<0.01	<10	<10	22	<10	121	2
9V1224RA/RJ	P09-033	132957	156.00	158.00	2.00	0.08		5.1	1.35	61	212	<0.5	17	3.97	2	12	29	15	3.78	1	0.33	<10	0.59	2337	<2	0.03	<1	1213	14	1.2	9	2	128	<5	<0.01	<10	12	23	<10	81	2
9V1224RA/RJ	P09-033	132958	158.00	160.00	2.00	0.81		1.5	1.42	54	205	<0.5	17	2.04	2	12	34	34	4.02	1	0.3	<10	0.63	2001	<2	0.02	1	1186	67	1.07	9	2	69	<5	<0.01	<10	<10	23	<10	127	2
9V1224RA/RJ	P09-033	132959	160.00	162.00	2.00	<0.01		0.8	1.74	39	233	<0.5	20	2.71	2	13	18	12	4.44	1	0.36	<10	0.72	1905	<2	0.03	<1	1412	6	0.89	10	2	97	<5	<0.01	<10	<10	27	<10	84	2
9V1224RA/RJ	P09-033	132960	STD	PM427		3.65		1.2	1.39	6261	75	<0.5	161	5.85	1	111	35	284	4.73	<1	0.2	<10	0.49	792	28	0.06	63	801	16	0.9	19	3	58	5	0.1	<10	12	50	45	77	10
9V1224RA/RJ	P09-033	132961	162.00	164.00	2.00	0.07		1.2	1.73	62	223	<0.5	20	2.47	2	13	14	15	4.42	1	0.35	<10	0.72	1844	<2	0.03	<1	1343	6	0.86	10	2	94	<5	<0.01	<10	10	25	<10	123	2
9V1224RA/RJ	P09-033	132962	164.00	166.00	2.00	0.01		2.3	1.41	104	214	<0.5	15	2.19	2	14	17	24	4.08	1	0.37	<10	0.58	1795	<2	0.02	<1	1226	11	1.23	11	2	84	<5	<0.01	<10	<10	22	<10	91	2
9V1224RA/RJ	P09-033	132963	166.00	168.00	2.00	0.03		2.4	1.6	81	215	<0.5	18	3.17	2	14	19	19	4.35	1	0.33	<10	0.75	2247	2	0.03	<1	1372	23	1.16	12	2	90	<5	<0.01	<10	11	27	<10	120	2
9V1224RA/RJ	P09-033	132964	168.00	170.00	2.00	0.04		6.4	0.97	59	170	<0.5	14	2.73	2	11	31	7	3.64	1	0.29	<10	0.45	1521	4	0.02	1	1077	39	1.78	8	2	109	<5	<0.01	<10	10	12	<10	113	1
9V1224RA/RJ	P09-033	132965	170.00	172.00	2.00	<0.01		2.7	1.44	23	191	<0.5	19	3.75	2	14	14	10	4.29	1	0.32	<10	0.74	2168	4	0.03	<1	1369	14	1.7	9	3	138	<5	<0.01	<10	10	24	<10	81	2
9V1224RA/RJ	P09-033	132966	172.00	174.00	2.00	<0.01		3.7	0.88	22	162	<0.5	16	3.55	2	13	16	7	3.82	2	0.32	<10	0.43	1746	2	0.03	1	1250	22	2.5	9	3	146	<5	<0.01	<10	<10	15	<10	76	2
9V1224RA/RJ	P09-033	132967	174.00	176.00	2.00	<0.01		1.8	1.31	17	162	<0.5	17	4.14	2	12	11	11	3.87	2	0.29	<10	0.68	2050	3	0.03	<1	1231	12	1.55	9	3	175	<5	<0.01	<10	13	25	<10	74	1
9V1224RA/RJ	P09-033	132968	176.00	178.00	2.00	0.35		5	1.22	45	170	<0.5	17	4.1	3	12	15	12	3.84	1	0.31	<10	0.64	2112	2	0.03	<1	1201	91	1.72	9	3	191	<5	<0.01	<10	14	20	<10	210	2
9V1224RA/RJ	P09-033	132969	178.00	180.00	2.00	0.02		1.1	1.7	21	186	<0.5	20	3.26	2	14	9	22	4.6	1	0.31	<10	0.91	1900	<2	0.03	<1	1299	12	0.88	9	3	145	<5	<0.01	<10	10	30	<10	86	2
9V1224RA/RJ	P09-033	132970	180.00	182.10	2.10	<0.01		4.7	1.91	46	340	<0.5	20	3.63	3	15	8	22	4.8	1	0.36	11	0.99	2040	<2	0.02	<1	1379	21	0.71	11	3	182	<5	<0.01	<10	13	32	14	95	2
9V1224RA/RJ	P09-033	132971	182.10	183.74	1.64	0.06		14.6	1.18	66	152	<0.5	20	3.1	3	15	9	26	4.58	2	0.36	<10	0.55	1747	2	0.03	<1	1347	73	2.33	11	3	133	<5	<0.01	<10	12	25	<10	121	2
9V1224RA/RJ	P09-033	132972	183.74	184.59	0.85	<0.01		4.1	1.13	32	165	<0.5	20	3.72	3	13	13	9	4.58	1	0.32	<10	0.54	2050	2	0.03	1	1336	21	2.45	11	2	143	<5	<0.01	<10	13	18	14	106	2
9V1224RA/RJ	P09-033	132973	184.59	185.67	1.08	0.07		97.2	0.89	76	140	<0.5	17	3.99	6	11	13	22	4.01	2	0.28	<10	0.37	2136	<2	0.02	<1	1076	158	2.36	12	2	148	<5	<0.01	<10	11	14	19	675	1

P09-034- Montana - PAD 19 - 435954E 6221084N, Elev: 1199m, Az: 090, Dip: -50, EOH: 279.87m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1224RA/RJ	P09-034	132974	3.04	4.00	0.96	<0.01		<0.1	2.51	14	319	1.1	26	2.38	4	33	88	16	5.95	<1	0.12	31	2.42	1312	<2	0.04	44	2425	8	0.26	18	9	65	<5	0.22	<10	<10	99	<10	166	9
9V1224RA/RJ	P09-034	132975	4.00	6.00	2.00	<0.01		1.6	1.6	22	300	0.5	17	2.26	2	17	45	10	4.19	<1	0.21	14	1.39	1088	<2	0.02	13	1456	11	0.83	11	4	77	<5	0.08	<10	<10	52	18	87	4
9V1224RA/RJ	P09-034	132976	6.00	8.00	2.00	<0.01		2.1	1.05	80	143	<0.5	14	1.74	2	9	49	10	3.64	1	0.22	<10	0.75	1514	<2	0.01	1	1173	11	1.35	8	2	40	<5	<0.01	<10	<10	32	<10	71	2
9V1224RA/RJ	P09-034	132977	8.00	10.00	2.00	<0.01		1.3	1.72	73	209	<0.5	20	1.24	3	11	35	7	4.53	1	0.25	12	1.27	1694	<2	0.02	<1	1261	35	0.91	11	4	59	<5	<0.01	<10	<10	53	<10	116	2
9V1224RA/RJ	P09-034	132978	10.00	11.81	1.81	<0.01		0.5	1.64	14	219	<0.5	16	2.48	3	10	36	3	4.14	1	0.22	11	1.2	2111	<2	0.02	<1	1253	41	0.68	7	4	125	<5	<0.01	<10	<10	44	19	108	2
9V1224RA/RJ	P09-034	132979	11.81	13.35	1.54	<0.01		3.9	0.19	69	127	<0.5	6	12.15	1	5	34	5	1.87	2	0.13	<10	0.11	4553	<2	0.01	<1	451	22	1.78	8	2	811	<5	<0.01	<10	21	6	11	49	1
9V1224RA/RJ	P09-034	132980	STD	PM405		0.26		0.6	0.57	706	1547	0.5	16	0.75	4	8	59	37	3.69	2	0.14	15	0.37	509	6	0.01	36	928	162	0.23	615	5	217	7	<0.01	<10	<10	56	<10	258	13
9V1224RA/RJ	P09-034	132981	13.35	14.60	1.25	0.08		4.4	0.82	113	201	<0.5	9	11.64	1	6	24	11	2.84	2	0.16	<10	0.68	4486	<2	0.01	<1	773	27	1.21	8	3	758	<5	<0.01	<10	19	28	<10	76	2
9V1224RA/RJ	P09-034	132982	14.60	16.21	1.61	<0.01		<0.1	2.57	<5	925	<0.5	18	4.04	2	26	182	23	4.7	1	0.1	17	3.39	1184	<2	0.04	75	1330	2	0.18	14	9	140	<5	0.04	<10	<10	112	<10	86	5
9V1224RA/RJ	P09-034	132983	16.21	17.00	0.79	<0.01		1.2	1.41	66	165	<0.5	14	4.39	2	10	25	9	3.62	2	0.2	<10	1.13	2582	<2	0.01	1	1089	21	0.98	8	5	181	<5	<0.01	<10	<10	59	<10	97	2
9V1224RA/RJ	P09-034	132984	17.00	18.00	1.00	<0.01		1.4	1.4	73	95	<0.5	16	4.37	3	10	25	24	4.01	1	0.17	10	1.18	2692	<2	0.01	<1	1128	14	1.07	8	4	183	<5	<0.01	<10	10	55	11	121	2
9V1224RA/RJ	P09-034	132985	18.00	20.00	2.00	<0.01		1	1.5	39	89	<0.5	14	2.93	3	10	22	21	3.97	1	0.16	10	1.25	2157	<2	0.02	<1	1057	16	0.83	7	5	124	<5	<0.01	<10	<10	57	<10	160	2
9V1224RA/RJ	P09-034	132986	20.00	22.00	2.00	<0.01		0.6	1.46	34	89	<0.5	16	3.49	2	10	26	10	3.77	1	0.17	10	1.22	2517	<2	0.02	<1	1049	12	0.75	9	5	161	<5	<0.01	<10	<10	61	13	82	2
9V1224RA/RJ	P09-034	132987	22.00	24.00	2.00	<0.01		0.5	1.59	33	106	<0.5	17	3.02	2	11	23	10	4.31	1	0.21	11	1.39	2007	<2	0.02	<1	1075	13	0.83	8	5	100	<5	<0.01	<10	<10	53	<10	88	2
9V1224RA/RJ	P09-034	132988	24.00	26.00	2.00	<0.01		0.9	1.74	31	111	<0.5	18	2.64	2	11	30	12	4.63	2	0.21	12	1.6	2323	<2	0.02	<1	1186	12	0.6	8	5	89	<5	<0.01	<10	<10	59	<10	95	2
9V1224RA/RJ	P09-034	132989	26.00	28.00	2.00	<0.01		0.9	1.25	50	116	<0.5	17	2.84	3	10	25	12	4.18	1	0.25	11	1.31	2075	<2	0.02	<1	1118	24	1.06	8	4	117	<5	<0.01	<10	<10	39	16	173	2
9V1224RA/RJ	P09-034	132990	28.00	30.00	2.00	<0.01		1.3	1.51	68	121	<0.5	17	3.45	2	10	32	11	4.23	1	0.2	11	1.34	2308	<2	0.02	<1	1113	7	1.11	9	4	122	<5	<0.01	<10	<10	50	<10	78	2
9V1224RA/RJ	P09-034	132991	30.00	32.00	2.00	<0.01		1.6	1.22	35	102	<0.5	15	2.84	2	9	24	9	3.96	1	0.22	10	1.08	1863	<2	0.01	<1	1081	10	1.41	8	3	87	<5	<0.01	<10	<10	34	<10	83	2
9V1224RA/RJ	P09-034	132992	32.00	34.00	2.00	0.02		2.2	1.28	29	100	<0.5	15	2.17	3	10	32	12	3.91	1	0.23	10	1.14	1705	<2	0.01	<1	1112	50	1.03	8	3	81	<5	<0.01	<10	<10	34	<10	169	2
9V1224RA/RJ	P09-034	132993	34.00	36.00	2.00	<0.01		0.7	1.66	26	120	<0.5	16	2.55	2	11	25	10	4.19	1	0.2	11	1.41	2015	<2	0.02	<1	1085	8	0.63	8	4	73	<5	<0.01	<10	<10	56	<10	82	2
9V1224RA/RJ	P09-034	132994	36.00	38.00	2.00	<0.01		0.3	1.62	19	93	<0.5	16	2.63	2	11	29	10	4.19	1	0.21	11	1.44	2189	<2	0.02	<1	1120	6	0.64	7	4	96	<5	<0.01	<10	<10	53	<10	76	2
9V1224RA/RJ	P09-034	132995	38.00	40.00	2.00	<0.01		0.4	1.53	31	100	<0.5	15	2.59	2	11	21	8	4.19	1	0.22	11	1.39	2091	<2	0.02	<1	1133	8	0.64	7	5	106	<5	<0.01	<10	<10	48	<10	81	2
9V1224RA/RJ	P09-034	132996	40.00	42.00	2.00	<0.01		0.6	1.56	34	91	<0.5	15	3.27	2	10	28	10	4.11	1	0.2	10	1.27	2078	<2	0.02	<1	1088	9	0.73	8	4	103	<5	<0.01	<10	<10	47	<10	74	2
9V1224RA/RJ	P09-034	132997	42.00	44.00	2.00	0.02		1.5	1.44	60	107	<0.5	15	3.5	2	10	21	10	3.87	2	0.2	10	1.11	3099	<2	0.02	<1	1079	22	0.79	7	4	96	<5	<0.01	<10	<10	50	<10	99	2
9V1224RA/RJ	P09-034	132998	44.00	46.00	2.00	<0.01		1.3	1.72	48	113	<0.5	18	1.84	3	10	28	17	4.32	1	0.25	11	1.19	1925	<2	0.02	<1	1195	22	0.71	8	4	62	<5	<0.01	<10	<10	53	<10	110	2
9V1224RA/RJ	P09-034	132999	46.00	48.00	2.00	0.04		13.4	1.67	41	135	<0.5	17	2.16	3	10	26	10	4.27	1	0.23	11	1.19	1836	<2	0.02	<1	1106	38	0.82	9	4	49	<5	<0.01	<10	<10	49	<10	165	2
9V1224RA/RJ	P09-034	133000	BLANK			<0.01		<0.1	0.11	<5	<10	<0.5	<5	>15.00	<1	1	2	1	0.15	<1	0.02	<10	1.74	54	<2	0.01	1	78	<2	1.02	<5	<1	5547	<5	<0.01	<10	26	2	10	3	<1
9V1224RA/RJ	P09-034	133001	48	50.00	2.00	<0.01		3.6	1.7	30	109	<0.5	15	3.31	2	10	27	9	4.22	1	0.26	12	1.26	2031	<2	0.02	<1	1077	31	0.88	9	3	91	<5	<0.01	<10	<10	44	<10	94	2
9V1224RA/RJ	P09-034	133002	50.00	52.00	2.00	<0.01		4.4	1.77	21	137	<0.5	17	2.67	2	11	36	9	4.3	1	0.25	13	1.27	1838	<2	0.03	<1	1162	22	0.79	10	4	94	<5	<0.01	<10	<10	45	<10	111	2
9V1224RA/RJ	P09-034	133003	52.00	54.00	2.00	<0.01		1.6	1.91	25	140	<0.5	18	1.93	2	11	24	14	4.43	1	0.28	14	1.39	1731	<2	0.03	<1	1225	10	0.71	10	4	63	<5	<0.01	<10	<10	51	10	98	3
9V1224RA/RJ	P09-034	133004	54.00	56.00	2.00	0.5		178.3	1.38	32	131	<0.5	16	2.93	5	10	31	45	3.94	4	0.31	11	0.67	1883	<2	0.02	<1	1178	215	1.16	18	2	86	<5	<0.01	<10	<10	34	10	438	2
9V1224RA/RJ	P09-034	133005	56.00	58.00	2.00	0.19		47.2	1.38	37	146	<0.5	16	2.91	4	10	33	23	3.79	2	0.3	10	0.84	1849	<2	0.02	<1	1119	111	1	12	3	108	<5	<0.01	<10	<10	36	10	331	2
9V1224RA/RJ	P09-034	133006	58.00	60.00	2.00	<0.01		6.3	1.33	27	290	<0.5	15	3.6	2	9	30	23	3.71	1	0.24	11	0.94	2038	<2	0.02	<1	1027	39	1.01	9	3	133	<5	<0.01	<10	<10	34	<10	130	2
9V1224RA/RJ	P09-034	133007	60.00	62.00	2.00	<0.01		3.1	1.52	18	137	<0.5	15	3.02	2	9	19	11	3.69	1	0.23	11	1.06	1790	<2	0.02	<1	1064	29	0.57	7	2	105	<5	<0.01	<10	<10	32	<10	151	2
9V1224RA/RJ	P09-034	133008	62.00	64.00	2.00	0.15		59.3	0.99	35	279	<0.5	13	3.66	5	9	34	19	3.15	2	0.25	<10	0.71	1967	<2	0.02	<1	901	207	0.83	12	3	125	<5	<0.01	<10	<10	24	24	507	2
9V1224RA/RJ	P09-034	133009	64.00	65.93	1.93	<0.01		6	1.32	22	114	<0.5	15	3.27	3	9	27	6	3.65	1	0.27	10	0.9	1787	<2	0.02	<1	1015	41	0.87	8	3	102	<5	<0.01	<10	<10	32	<10	275	2
9V1224RA/RJ	P09-034	133010	65.93	67.00	1.07	0.3		114.5	0.87	33	240	<0.5	13	5.82	6	8	39	58	3.16	3	0.26	<10	0.61	2576	<2	0.01	<1	879	228	1.37	17	2	207	<5	<0.01	<10	11	18	25	712	2
9V1224RA/RJ	P09-034	133011	67.00	68.00	1.00	<0.01		2.5	1.12	24	118	<0.5	12	5.32	2	8	26	6	3.21	1	0.23	<10	0.65	2337	<2	0.01	<1	899	10	1.05	8	2	166	<5	<0.01	<10	10	32	<10	92	2
9V1224RA/RJ	P09-034	133012	68.00	69.00	1.00	<0.01		5.5	1.06	20	166	<0.5	12	4.88	2	8	38	8	3.09	1	0.2	<10	0.72	2194	<2	0.01	<1	909	24	1.01	7	2	212	<5	<0.01	<10	<10	31	10	118	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1224RA/RJ	P09-034	133013	69.00	70.00	1.00	<0.01		7.8	1.07	23	123	<0.5	11	5.71	2	8	32	9	3.05	2	0.22	<10	0.68	2628	<2	0.01	<1	877	18	0.9	8	2	176	<5	<0.01	<10	11	34	<10	97	2
9V1224RA/RJ	P09-034	133014	70.00	70.94	0.94	0.16		33.7	0.74	34	119	<0.5	10	7.33	2	7	44	17	2.94	3	0.2	<10	0.57	2844	<2	0.01	<1	813	63	1.04	15	2	194	<5	<0.01	<10	11	23	13	168	2
9V1224RA/RJ	P09-034	133015	70.94	72.00	1.06	<0.01		2.4	1.25	20	120	<0.5	13	4.55	2	9	27	8	3.53	2	0.26	10	0.82	2468	<2	0.01	<1	1096	19	0.9	7	3	144	<5	<0.01	<10	<10	37	10	115	2
9V1224RA/RJ	P09-034	133016	72.00	74.00	2.00	<0.01		1.8	1.34	16	110	<0.5	13	4.37	2	10	32	9	3.7	2	0.26	11	0.84	2563	<2	0.02	<1	1110	11	0.86	8	3	162	<5	<0.01	<10	<10	38	<10	92	2
9V1224RA/RJ	P09-034	133017	74.00	76.00	2.00	<0.01		1.3	1.11	16	132	<0.5	13	4.25	2	9	24	9	3.34	1	0.24	<10	0.62	2231	2	0.02	<1	1033	12	0.99	7	3	171	<5	<0.01	<10	<10	34	13	83	2
9V1224RA/RJ	P09-034	133018	76.00	77.18	1.18	<0.01		1.3	1.45	22	179	<0.5	16	3.28	2	10	31	10	3.86	1	0.22	11	1.06	1933	<2	0.02	<1	1051	13	0.8	8	3	108	<5	<0.01	<10	<10	46	<10	91	2
9V1224RA/RJ	P09-034	133019	77.18	78.00	0.82	<0.01		5.1	0.64	35	142	<0.5	9	1.87	1	6	67	5	2.52	1	0.18	<10	0.55	1045	<2	0.01	1	622	14	1.03	8	2	74	<5	<0.01	<10	<10	17	<10	69	1
9V1224RA/RJ	P09-034	133020	STD	PM427		3.71		1.3	1.41	6259	75	<0.5	164	6.04	1	104	36	278	4.54	1	0.2	10	0.46	830	29	0.06	62	780	17	0.89	20	3	61	5	0.11	<10	11	52	32	77	12
9V1224RA/RJ	P09-034	133021	78.00	79.00	1.00	<0.01		16.4	0.79	38	181	<0.5	11	3.99	2	7	50	10	2.58	1	0.22	<10	0.63	1685	<2	0.01	<1	732	30	1.27	10	2	184	<5	<0.01	<10	<10	23	10	133	2
9V1224RA/RJ	P09-034	133022	79.00	80.00	1.00	<0.01		3.3	0.77	18	151	<0.5	8	2.6	1	5	115	7	2.07	1	0.21	<10	0.58	1139	<2	0.01	3	580	13	0.58	8	2	82	<5	<0.01	<10	<10	15	17	64	1
9V1224RA/RJ	P09-034	133023	80.00	81.00	1.00	<0.01		5.7	1.3	24	136	<0.5	14	4.08	2	9	40	7	3.18	2	0.31	<10	1	2115	<2	0.02	<1	999	10	0.87	9	3	111	<5	<0.01	<10	<10	27	11	81	1
9V1224RA/RJ	P09-034	133024	81.00	82.00	1.00	<0.01		2	1.31	22	138	<0.5	16	2.76	2	9	57	7	3.64	1	0.3	10	1.07	1812	<2	0.02	<1	1027	8	0.96	10	3	84	<5	<0.01	<10	<10	30	<10	83	2
9V1224RA/RJ	P09-034	133025	82.00	83.00	1.00	<0.01		1.3	0.63	29	103	<0.5	14	2.68	2	9	43	8	3.53	1	0.32	10	1.09	1697	<2	0.02	<1	1023	28	0.95	8	3	169	<5	<0.01	<10	<10	13	15	112	2
9V1224RA/RJ	P09-034	133026	83.00	84.00	1.00	<0.01		3	0.36	50	215	<0.5	12	2.17	2	8	85	8	2.92	1	0.27	<10	0.74	1186	<2	0.01	1	818	11	1.22	10	2	161	<5	<0.01	<10	<10	6	<10	56	1
9V1224RA/RJ	P09-034	133027	84.00	85.00	1.00	<0.01		2.1	0.5	55	185	<0.5	15	1.4	2	10	47	9	3.75	1	0.3	10	0.79	993	<2	0.02	<1	1001	11	1.6	10	3	94	<5	<0.01	<10	<10	13	11	70	2
9V1224RA/RJ	P09-034	133028	85.00	86.00	1.00	<0.01		2.4	0.52	41	233	<0.5	11	2.84	2	7	83	7	2.98	1	0.25	<10	0.79	1595	<2	0.01	1	809	11	0.98	9	3	133	<5	<0.01	<10	<10	11	<10	53	1
9V1224RA/RJ	P09-034	133029	86.00	87.00	1.00	<0.01		4.3	0.51	45	104	<0.5	10	1.42	2	6	59	6	2.56	1	0.21	<10	0.55	900	<2	0.01	1	621	23	1	9	2	74	<5	<0.01	<10	<10	9	10	72	1
9V1224RA/RJ	P09-034	133030	87.00	88.00	1.00	0.02		88	0.28	25	68	<0.5	9	2.54	3	5	120	15	2.48	1	0.18	<10	0.59	1201	<2	0.01	2	551	158	1.41	20	2	151	<5	<0.01	<10	<10	4	13	363	1
9V1224RA/RJ	P09-034	133031	88.00	89.00	1.00	0.03		164	0.36	56	88	<0.5	12	4.49	5	6	62	27	3.03	1	0.23	<10	0.43	1468	<2	0.01	2	749	303	2.47	35	2	180	<5	<0.01	<10	10	7	24	869	2
9V1224RA/RJ	P09-034	133032	89.00	89.74	0.74	0.02		109	0.28	59	68	<0.5	15	2.24	5	8	79	25	3.67	1	0.24	<10	0.5	1121	<2	0.01	1	777	223	2.89	32	2	130	<5	<0.01	<10	<10	4	23	777	2
9V1224RA/RJ	P09-034	133033	89.74	91.00	1.26	<0.01		20.2	1.16	30	129	<0.5	18	1.37	2	11	35	12	4	1	0.29	11	1.31	1423	<2	0.01	<1	1081	24	2.05	11	4	75	<5	<0.01	<10	<10	26	11	139	2
9V1224RA/RJ	P09-034	133034	91.00	92.00	1.00	<0.01		5.2	0.99	21	114	<0.5	17	1.66	3	11	50	20	4.16	1	0.27	10	1.29	1507	<2	0.01	1	1095	24	1.99	10	4	100	<5	<0.01	<10	<10	19	<10	122	2
9V1224RA/RJ	P09-034	133035	92.00	94.00	2.00	<0.01		4.6	0.88	26	121	<0.5	16	1.59	2	10	37	6	3.73	1	0.3	<10	1.06	1448	<2	0.01	<1	1037	18	1.77	8	3	105	<5	<0.01	<10	<10	20	<10	100	2
9V1224RA/RJ	P09-034	133036	94.00	96.00	2.00	<0.01		1.9	1.26	15	381	<0.5	18	3	2	11	30	15	4.03	1	0.33	14	1.46	1750	<2	0.02	2	1472	13	0.8	8	5	186	<5	<0.01	<10	<10	32	<10	92	2
9V1224RA/RJ	P09-034	133037	96.00	98.00	2.00	0.02		12.4	1.23	33	116	<0.5	15	3.04	2	10	34	8	3.66	1	0.25	11	1.08	1856	<2	0.02	<1	1103	21	1.27	10	4	117	<5	<0.01	<10	<10	42	<10	125	2
9V1224RA/RJ	P09-034	133038	98.00	100.00	2.00	<0.01		9.2	1.39	25	100	<0.5	15	2.78	2	10	35	10	3.73	1	0.22	10	1.19	1742	<2	0.02	<1	1043	15	0.98	9	4	93	<5	<0.01	<10	<10	46	<10	119	2
9V1224RA/RJ	P09-034	133039	100.00	102.00	2.00	0.01		9.9	1.38	30	99	<0.5	17	2.65	2	10	26	9	3.91	1	0.23	<10	1.23	1752	<2	0.02	<1	1027	25	1.33	9	4	102	<5	<0.01	<10	<10	41	22	123	2
9V1224RA/RJ	P09-034	133040	STD	PM405		0.27		0.7	0.58	738	1586	0.5	15	0.72	4	7	58	36	3.48	2	0.14	15	0.35	486	6	0.01	35	910	161	0.23	635	5	211	7	<0.01	<10	<10	56	<10	249	12
9V1224RA/RJ	P09-034	133041	102.00	103.98	1.98	<0.01		0.8	1.41	17	86	<0.5	17	1.87	2	10	29	9	3.95	1	0.23	10	1.3	1379	<2	0.02	<1	1037	11	0.86	9	4	80	<5	<0.01	<10	<10	48	<10	81	2
9V1224RA/RJ	P09-034	133042	103.98	104.56	0.58	0.01		10.4	0.63	39	61	<0.5	10	5.45	1	6	48	7	2.64	2	0.2	<10	0.6	2641	<2	0.01	<1	655	13	1.3	7	3	308	<5	<0.01	<10	<10	24	<10	72	1
9V1224RA/RJ	P09-034	133043	104.56	106.00	1.44	<0.01		0.5	1.51	13	94	<0.5	17	1.89	2	10	31	9	3.97	1	0.2	10	1.24	1518	<2	0.01	<1	1085	8	0.86	8	5	85	<5	<0.01	<10	<10	63	<10	86	2
9V1224RA/RJ	P09-034	133044	106.00	108.00	2.00	<0.01		1	1.59	13	93	<0.5	18	2.05	2	10	31	9	3.87	1	0.22	11	1.2	1578	<2	0.02	<1	1040	11	0.88	8	4	63	<5	<0.01	<10	<10	56	<10	80	2
9V1224RA/RJ	P09-034	133045	108.00	110.00	2.00	<0.01		0.6	1.65	13	95	<0.5	18	2.07	2	11	30	9	4.08	1	0.21	11	1.31	1547	<2	0.02	<1	1091	9	0.89	8	5	61	<5	<0.01	<10	<10	68	<10	79	2
9V1224RA/RJ	P09-034	133046	110.00	112.00	2.00	<0.01		0.7	1.39	19	92	<0.5	18	2.18	2	10	27	3	4.09	1	0.25	11	1.33	1866	<2	0.02	<1	1071	13	0.96	8	5	99	<5	<0.01	<10	<10	51	<10	64	2
9V1224RA/RJ	P09-034	133047	112.00	114.00	2.00	<0.01		3.1	0.8	23	270	<0.5	15	2.93	5	10	34	16	3.65	1	0.33	10	1.09	2061	<2	0.02	<1	1012	19	1.08	8	4	180	<5	<0.01	<10	<10	23	24	332	2
9V1224RA/RJ	P09-034	133048	114.00	116.00	2.00	<0.01		0.5	1.45	16	164	<0.5	17	2.34	2	10	27	4	3.9	1	0.28	11	1.23	1826	<2	0.02	<1	1096	11	0.91	8	4	137	<5	<0.01	<10	<10	42	<10	59	2
9V1224RA/RJ	P09-034	133049	116.00	118.00	2.00	<0.01		0.6	1.31	22	110	<0.5	16	3.57	2	9	29	5	3.36	1	0.27	10	0.99	1999	<2	0.02	<1	1041	10	1.31	7	3	165	<5	<0.01	<10	<10	37	15	66	2
9V1224RA/RJ	P09-034	133050	118.00	120.00	2.00	<0.01		1.1	1.37	16	105	<0.5	16	3.45	2	10	30	14	3.62	1	0.25	<10	1.09	2146	<2	0.03	<1	1056	9	1.45	7	4	154	<5	<0.01	<10	<10	42	<10	74	2
9V1224RA/RJ	P09-034	133051	120.00	122.00	2.00	<0.01		1.1	1.35	28	99	<0.5	16	2.62	2	10	30	17	3.68	1	0.27	10	1.18	1748	<2	0.03	<1	1037	9	1.19	8	4	113	<5	<0.01	<10	<10	40	<10	73	2
9V1224RA/RJ	P09-034	133052	122.00	124.00	2.00	<0.01		1.3	1.38	32	98	<0.5	16	2.88	2	10	30	16	3.91	1	0.26	10	1.23	1850	<2	0.02	<1	1061	10	1.43	8	4	108	<5	<0.01	<10	<10	37	<10	68	2
9V1224RA/RJ	P09-034	133053	124.00	126.00	2.00	<0.01		0.6	1.58	19	185	<0.5	17	2.52	2	10	33	14	4.08	1	0.27	10	1.32	1815	<2	0.03	<1	1108	10	1.13	9	4	88	<5	<0.01	<10	<10	45	<10	73	2
9V1224RA/RJ	P09-034	133054	126.00	128.00	2.00	<0.01		0.2	1.57	23	123	<0.5	18	2.23	2	10	30	11	3.94	1	0.22	11	1.24	1545	<2	0.02	<1	1096	8	0.82	8	4	85	<5	<0.01	<10	<10	52	<10	71	2
9V1224RA/RJ	P09-034	133055	128.00	130.00	2.00	<0.01		<0.1	1.67	26	97	<0.5	17	2.81	2	10	30	11	3.74	1	0.22	12	1.28	1607	<2	0.03	<1	1087	6	0.54	7	5	122	<5	<0.01	<10	<10	59	<10	80	2
9V1224RA/RJ	P09-034	133056	130.00	130.49	0.49	<0.01		<0.1	1.64	21	379	<0.5	17	2.05	2	10	29	11	3.71	<1	0.26	12	1.19	1249	<2	0.03	<1	1047	6	0.4	8	4	90	<5	<0.01	<10	<10	37	<10	70	2
9V1224RA/RJ	P09-034	133057	130.49	132.00	1.51	<0.01		0.9	0.98	36	273	<0.5	14	3.42	2	9	31	10	3.3	1	0.29	11	1	1828	<2	0.02	<1	1026	14	0.89	7	4	244	<5	<0.01	<10	<10	27	<10	83	2
9V1224RA/RJ	P09-034	133058	132.00	134.00	2.00	<0.01		0.2	1.44	25	158	<0.5	17	2.6	2	10	28	10	3.63	1	0.27	13	1.34	1478	<2	0.03	<1	1019	12	0.26	7	5	159	<5	<0.01	<10	<10	41	<10	74	2
9V1224RA/RJ	P09-034	133059	134.00	136.00	2.00	<0.01		0.3	1.01	47	112	<0.5	14	2.92	2	10	32	10	3.26	1	0.33	10	1.28	1675	<2	0.02	<1	1044	9	0.44	7	5	229	<5	<0.01	<10	<10	33	<10	60	1
9V1224RA/RJ	P09-034	133060	BLANK			<0.01		<0.1	0.02	<5	10	<0.5	<5	>15.00	<1	<1	2	1	0.05	<1	0.01	<10	1.17	52	<2	0.01	1	63	<2	0.81	<5	<1	5880	<5	<0.01	<10	24	2	<10	2	<1
9V1224RA/RJ	P09-034	133061	136.00	138.00	2.00	<0.01		0.3	0.98	65	116	<0.5	12	2.53	2	9	26	5	3	1	0.34	12	1.17	1748	<2	0.02	<1	1080	12	0.53	7	4	148	<5	<0.01	<10	<10	22	<10	89	1
9V1224RA/RJ	P09-034	133062	138.00	140.00	2.00	<0.01		0.2	0.9	42	432	<0.5	13	2.86	2	9	28	9	3.01	1	0.33	11	1.13	1719	<2	0.02	<1	1316	9	0.43	6	4	189	<5	<0.01	<10	<10	19	22	78	2
9V1224RA/RJ	P09-034	133063	140.00	142.00	2.00	<0.01		0.5	1.07	32	110	<0.5	15	2.98	2	10	26	9	3.49	1	0.34	11	1.24	1808	<2	0.01	<1	1044	10	0.58	7	4	192	<5	<0.01	<10	<10	23	18	81	2
9V1224RA/RJ	P09-034	133064	142.00	144.00	2.00	0.01		<0.1	1.39	26	120	<0.5	15	3.09	2	10	22	7	3.27	1	0.34	11	1.04	1407	<2	0.02	<1	1131	8	0.35	7	4	164	<5	<0.01	<10	<10	27	<10	76	1
9V1224RA/RJ	P09-034	133065	144.00	146.00	2.00	<0.01		<0.1	1.68	23	124	<0.5	16	3.58	2	11	27	8	3.76	1	0.37	13	1.27	1504	<2	0.02	<1	1143	10	0.44	8	4	164	<5	<0.01	<10	<10	30	<10	76	2
9V1224RA/RJ	P09-034	133066	146.00	148.00	2.00	<0.01		<0.1	1.85	21	230	<0.5	18	3.31	2	12	24	7	4.04	<1	0.37	14	1.28	1315	<2	0.02	<1	1789	15	0.29	9	4	167	<5	<0.01	<10	<10	32	<10	113	2
9V1224RA/RJ	P09-034	133067	148.00	150.00	2.00	<0.01		<0.1	1.83	13	118	<0.5	16	3.39	2	11	24	10	4.13	<1	0.36	14	1.41	1256	<2	0.02	<1	1163	11	0.17	9	5	165	<5	<0.01	<10	<10	34	<10	79	2
9V1224RA/RJ	P09-034	133068	150.00	152.00	2.00	<0.01		<0.1	2.12	20	130	<0.5	16	3.39	2	12	24	9	4.33	<1	0.37	14	1.49	1337	<2	0.02	<1	1198	11	0.17	9	5	178	<5	<0.01	<10	<10	40	<10	95	2
9V1224RA/RJ	P09-034	133069	152.00	154.00	2.00	<0.01		0.2	1.72	35	225	<0.5	16	3.22	2	11	23	8	3.84	1	0.39	13	1.27	1370	<2	0.02	<1	1202	10	0.41	7	4	177	<5	<0.01	<10	<10	31	<10	80	2
9V1224RA/RJ	P09-034	133070	154.00	156.00	2.00	<0.01		0.3	1.94	69	124	<0.5	17	2.9	2	12	22	8	4.06	1	0.34	12	1.37	1370	<2	0.02	<1	1247	10	0.48	8	4	159	<5	<0.01	<10	<10	40	<10	82	2
9V1224RA/RJ	P09-034	133071	156.00	158.00	2.00	<0.01		0.3	1.96	42	285	<0.5	17	2.93	2	11	22	8	4.23	<1	0.29	11	1.55	1558	2	0.02	<1	1164	10	0.39	9	5	165	<5	<0.01	<10	<10	46	<10	76	1
9V1224RA/RJ	P09-034	133072	158.00	160.00	2.00	<0.01		0.2	1.63	61	122	<0.5	16	2.17	2	11	27	3	3.53	<1	0.3	11	1.2	1285	<2	0.03	<1	1215	9	0.44	9	5	126	<5	<0.01	<10	<10	44	<10	70	2
9V1224RA/RJ	P09-034	133073	160.00	162.00	2.00	<0.01		0.3	1.47	49	119	<0.5	17	2.13	2	11	22	9	3.8	1	0.27	11	1.39	1176	<2	0.02	<1	1104	9	0.32	8	5	138	<5	<0.01	<10	<10	37	10	76	1
9V1224RA/RJ	P09-034	133074	162.00	163.28	1.28	<0.01		1.1	1.8	70	193	<0.5	18	2.07	2	11	22	10	4.06	<1	0.31	11	1.62	1225	<2	0.02	<1	1170	12	0.4	8	5	142	<5	<0.01	<10	<10	43	<10	96	1
9V1224RA/RJ	P09-034	133075	163.28	164.39	1.11	<0.01		0.3	1.02	65	96	<0.5	16	4.08	2	10	20	5	3.78	<1	0.36	<10	1.35	1692	<2	0.02	<1	1083	11	0.5	8	5	343	<5	<0.01	<10	<10	21	<10	68	1
9V1224RA/RJ	P09-034	133076	164.39	165.00	0.61	<0.01		0.8	0.52	140	174	<0.5	15	2.86	2	12	24	8	3.61	<1	0.39	10	1.03	1317	<2	0.02	<1	1224	13	0.95	8	5	209	<5	<0.01	<10	<10	11	<10	68	2
9V1224RA/RJ	P09-034	133077	165.00	166.00	1.00	<0.01		0.7	0.43	90	111	<0.5	11	3.56	2	11	29	7	2.59	1	0.34	11	1.08	1599	<2	0.01	<1	1233	13	0.54	6	4	363	<5	<0.01	<10	<10	7	13	59	1
9V1224RA/RJ	P09-034	133078	166.00	167.00	1.00	0.02		0.8	0.4	135	241	<0.5	16	4.67	2	10	34	5	3.74	1	0.34	<10	1.28	2406	2	0.01	<1	1079	16	0.9	8	4	370	<5	<0.01	<10	<10	8	<10	51	2
9V1224RA/RJ	P09-034	133079	167.00	168.00	1.00	<0.01		0.7	0.46	99	133	<0.5	14	3.1	2	11	26	7	3.5	1	0.36	11	1.06	1549	2	0.01	<1	1114	13	0.96	7	4	223	<5	<0.01	<10	<10	9	<10	57	1
9V1224RA/RJ	P09-034	133080	STD	PM427		3.65		1.2	1.51	6135	73	<0.5	157	6.44	1	104	36	286	4.79	<1	0.2	10	0.47	859	30	0.07	59	767	18	0.85	21	3	61	5	0.12	<10	<10	51	26	76	12
9V1224RA/RJ	P09-034	133081	168.00	169.00	1.00	<0.01		0.6	0.77	92	124	<0.5	16	1.7	2	11	33	9	3.46	<1	0.35	10	0.92	1216	2	0.02	1	1270	24	0.49	9	5	149	<5	<0.01	<10	<10	20	<10	79	2
9V1224RA/RJ	P09-034	133082	169.00	170.00	1.00	0.06		2.4	0.32	164	273	<0.5	13	3.32	2	8	44	9	2.8	<1	0.3	<10	0.98	1697	2	0.01	2	980	37	0.94	9	3	294	<5	<0.01	<10	10	6	<10	78	1
9V1224RA/RJ	P09-034	133083	170.00	171.04	1.04	0.01		1.2	0.31	132	225	<0.5	13	4.16	2	8	40	9	2.86	1	0.28	<10	1.08	2122	<2	0.01	1	887	19	0.84	8	3	341	<5	<0.01	<10	11	6	<10	68	1
9V1224RA/RJ	P09-034	133084	171.04	172.00	0.96	<0.01		<0.1	0.57	49	376	<0.5	14	2.44	2	9	27	11	2.97	1	0.35	<10	0.78	1417	<2	0.01	1	1057	8	0.5	7	3	183	<5	<0.01	<10	<10	12	14	71	2
9V1224RA/RJ	P09-034	133085	172.00	174.00	2.00	<0.01		0.3	1.13	33	135	<0.5	14	1.55	2	10	32	11	2.94	1	0.34	11	0.86	1165	<2	0.01	1	1143	7	0.61	8	3	126	<5	<0.01	<10	<10	20	<10	67	2
9V1224RA/RJ	P09-034	133086	174.00	176.00	2.00	<0.01		0.1	1.25	21	126	0.5	14	0.59	2	9	29	10	3.02	<1	0.4	11	0.77	845	2	0.01	2	1071	16	0.72	8	2	66	<5	<0.01	<10	<10	18	10	88	2
9V1224RA/RJ	P09-034	133087	176.00	178.00	2.00	<0.01		0.2	1.19	24	107	<0.5	12	0.58	2	11	30	12	2.86	<1	0.37	10	0.67	765	2	0.01	2	1072	11	0.87	9	2	65	<5	<0.01	<10	<10	16	<10	65	2
9V1224RA/RJ	P09-034	133088	178.00	178.91	0.91	<0.01		0.1	1.37	32	198	0.5	12	1.39	2	10	32	10	2.71	<1	0.43	12	0.69	988	3	0.01	2	1164	8	0.72	9	3	109	<5	<0.01	<10	<10	20	<10	74	2
9V1224RA/RJ	P09-034	133089	178.91	180.54	1.63	<0.01		<0.1	2.1	<5	956	<0.5	23	3	3	19	64	19	4.47	1	0.16	23	1.76	1035	2	0.04	19	2397	4	0.17	12	6	172	<5	0.01	<10	<10	69	<10	127	4
9V1224RA/RJ	P09-034	133090	180.54	182.00	1.46	<0.01		0.6	0.72	35	108	0.7	12	0.96	2	11	27	13	3.01	<1	0.35	<10	0.4	505	2	0.01	2	1046	13	1.69	7	2	77	<5	<0.01	<10	<10	10	<10	50	2
9V1224RA/RJ	P09-034	133091	182.00	184.00	2.00	<0.01		1.2	0.94	45	127	<0.5	19	1.6	3	10	30	13	3.34	<1	0.39	10	0.54	1189	3	0.01	2	1110	18	2	10	2	97	<5	<0.01	<10	<10	16	<10	58	2
9V1224RA/RJ	P09-034	133092	184.00	186.00	2.00	<0.01		0.4	1.59	26	187	<0.5	16	1.19	3	10	27	10	3.26	<1	0.37	11	1.1	1176	2	0.01	2	1069	9	0.56	10	3	86	<5	<0.01	<10	<10	27	<10	76	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1235RA/RJ	P09-034	133093	186.00	188.00	2.00	<0.01		0.4	1.8	69	147	<0.5	20	1.37	2	11	22	15	4.31	1	0.36	11	1.51	1390	<2	0.01	<1	1152	15	1.18	11	3	88	<5	<0.01	<10	10	34	<10	111	2
9V1235RA/RJ	P09-034	133094	188.00	190.00	2.00	<0.01		<0.1	2.03	48	128	<0.5	18	1.88	2	11	22	14	3.96	<1	0.4	13	1.54	1351	<2	0.02	<1	1271	10	0.56	8	4	103	<5	<0.01	<10	<10	38	10	95	2
9V1235RA/RJ	P09-034	133095	190.00	192.00	2.00	<0.01		<0.1	2.17	27	138	<0.5	18	2.17	2	11	16	6	4.28	1	0.32	12	1.64	1546	<2	0.02	<1	1182	8	0.25	8	4	134	<5	<0.01	<10	10	52	<10	98	2
9V1235RA/RJ	P09-034	133096	192.00	194.00	2.00	<0.01		0.5	1.52	46	122	<0.5	18	2.83	3	13	17	7	4.14	1	0.36	12	1.59	1978	<2	0.02	<1	1178	16	0.56	9	4	209	<5	<0.01	<10	10	36	19	200	2
9V1235RA/RJ	P09-034	133097	194.00	196.00	2.00	<0.01		0.9	1.49	92	138	<0.5	17	1.71	2	11	12	8	3.76	1	0.38	11	1.23	1500	<2	0.01	<1	1129	22	1.19	9	3	110	<5	<0.01	<10	<10	29	10	61	2
9V1235RA/RJ	P09-034	133098	196.00	198.08	2.08	<0.01		0.6	1.65	74	134	<0.5	15	1.99	2	11	13	12	3.52	<1	0.36	12	1.43	1388	<2	0.02	<1	1138	18	0.76	10	3	96	<5	<0.01	<10	<10	32	10	86	2
9V1235RA/RJ	P09-034	133099	198.08	198.44	0.36	<0.01		<0.1	1.96	31	189	0.7	23	3.26	3	21	42	16	5.34	<1	0.5	21	2.27	1655	<2	0.02	17	2260	11	0.67	11	8	233	6	0.01	<10	<10	67	18	127	6
9V1235RA/RJ	P09-034	133100	STD	PM405		0.27		0.4	0.63	719	1531	0.5	15	0.75	4	9	61	40	3.64	2	0.15	16	0.37	505	6	0.01	36	952	152	0.24	604	5	219	8	<0.01	<10	<10	60	<10	255	12
9V1235RA/RJ	P09-034	133101	198.44	200.00	1.56	<0.01		2	0.71	128	124	<0.5	16	0.95	2	11	15	36	3.48	<1	0.37	<10	0.63	821	<2	0.01	<1	885	23	2.02	8	2	83	<5	<0.01	<10	<10	13	<10	55	2
9V1235RA/RJ	P09-034	133102	200.00	202.00	2.00	<0.01		1.2	0.68	105	190	<0.5	12	1.35	2	11	11	13	3.08	<1	0.38	<10	0.82	1162	<2	0.01	<1	1001	20	1.34	7	3	114	<5	<0.01	<10	<10	14	13	62	2
9V1235RA/RJ	P09-034	133103	202.00	204.00	2.00	<0.01		2	0.45	106	99	<0.5	20	2.47	3	12	11	20	4.8	<1	0.36	<10	0.85	1535	<2	0.01	1	1143	31	2.72	11	3	171	<5	<0.01	<10	14	14	<10	85	2
9V1235RA/RJ	P09-034	133104	204.00	204.52	0.52	<0.01		0.5	0.45	28	445	0.5	13	3.09	2	11	11	16	3.38	<1	0.34	<10	0.97	1884	<2	0.01	1	1160	18	0.72	9	4	165	<5	<0.01	<10	12	11	<10	92	1
9V1235RA/RJ	P09-034	133105	204.52	204.98	0.46	<0.01		<0.1	0.49	7	86	<0.5	20	5.19	3	20	15	18	4.89	<1	0.35	18	1.73	1918	<2	0.02	12	2482	8	0.27	8	7	284	5	<0.01	<10	<10	27	19	107	2
9V1235RA/RJ	P09-034	133106	204.98	206.53	1.55	<0.01		1.8	0.46	27	394	<0.5	15	3.31	2	11	11	13	3.75	1	0.36	<10	1.14	2220	<2	0.01	<1	1177	9	0.39	6	4	182	<5	<0.01	<10	13	12	13	48	1
9V1235RA/RJ	P09-034	133107	206.53	207.31	0.78	<0.01		<0.1	0.51	7	319	<0.5	20	4.79	3	16	12	15	4.43	<1	0.39	15	1.69	1805	<2	0.02	8	2197	7	0.31	8	7	289	<5	<0.01	<10	<10	21	23	89	2
9V1235RA/RJ	P09-034	133108	207.31	208.00	0.69	<0.01		0.8	0.42	63	281	<0.5	14	4.16	2	10	9	9	3.43	<1	0.36	<10	1.16	2509	<2	0.01	<1	1070	16	1.13	8	3	258	<5	<0.01	<10	14	9	<10	45	2
9V1235RA/RJ	P09-034	133109	208.00	210.00	2.00	<0.01		0.7	0.36	49	250	<0.5	12	4.04	2	9	10	11	3.22	<1	0.32	<10	1.07	2472	<2	0.01	<1	972	9	1.03	8	3	221	<5	<0.01	<10	13	7	<10	49	2
9V1235RA/RJ	P09-034	133110	210.00	212.00	2.00	<0.01		0.4	0.36	43	277	<0.5	13	4.42	2	9	12	6	3.37	<1	0.31	<10	1.06	2680	<2	0.01	<1	969	11	1.04	6	3	262	<5	<0.01	<10	14	8	17	47	2
9V1235RA/RJ	P09-034	133111	212.00	214.00	2.00	<0.01		1	0.51	89	163	<0.5	14	5.36	2	10	10	6	3.52	1	0.31	<10	0.97	2801	<2	0.01	<1	947	12	1.37	8	3	228	<5	<0.01	<10	14	14	15	48	2
9V1235RA/RJ	P09-034	133112	214.00	216.00	2.00	<0.01		0.7	0.7	66	260	<0.5	14	5.38	2	9	11	9	3.33	<1	0.32	<10	0.9	2557	<2	0.02	<1	936	8	1.3	7	3	226	<5	<0.01	<10	13	18	11	51	2
9V1235RA/RJ	P09-034	133113	216.00	217.31	1.31	<0.01		1.7	0.53	99	146	<0.5	12	10.59	1	7	12	11	3.04	1	0.28	<10	0.73	3940	<2	0.01	<1	750	10	1.52	10	3	457	<5	<0.01	<10	22	11	<10	34	1
9V1235RA/RJ	P09-034	133114	217.31	218.00	0.69	<0.01		21.2	0.7	114	203	<0.5	11	6.94	81	12	25	149	3.3	1	0.3	<10	0.63	3725	<2	0.01	<1	847	4327	2.16	8	3	472	<5	<0.01	<10	19	15	148	6091	1
9V1235RA/RJ	P09-034	133115	218.00	219.00	1.00	<0.01		0.8	1.39	29	270	<0.5	15	4.26	2	12	9	35	3.42	<1	0.39	<10	0.74	2078	<2	0.01	<1	1241	20	0.65	8	3	352	<5	<0.01	<10	12	21	18	125	1
9V1235RA/RJ	P09-034	133116	219.00	220.00	1.00	<0.01		<0.1	1.31	6	286	<0.5	18	3.85	2	11	6	14	4.17	<1	0.41	13	0.8	2157	<2	0.02	<1	1214	14	0.12	7	3	158	<5	<0.01	<10	11	17	14	90	1
9V1235RA/RJ	P09-034	133117	220.00	220.89	0.89	<0.01		<0.1	0.56	5	2906	<0.5	16	2.94	2	10	7	14	4.17	<1	0.4	13	0.93	1827	<2	0.02	<1	1208	11	0.15	6	3	167	<5	<0.01	<10	<10	11	<10	77	1
9V1235RA/RJ	P09-034	133118	220.89	222.00	1.11	<0.01		<0.1	1.32	6	263	<0.5	17	2.73	2	13	6	21	3.84	<1	0.42	15	0.75	1602	<2	0.02	<1	1405	7	0.09	8	2	106	<5	<0.01	<10	<10	14	<10	79	1
9V1235RA/RJ	P09-034	133119	222.00	224.00	2.00	<0.01		<0.1	2.15	5	814	<0.5	22	3.99	2	15	26	19	4.83	1	0.36	17	1.33	1766	<2	0.02	6	1722	5	0.23	9	4	164	<5	<0.01	<10	<10	36	23	100	3
9V1235RA/RJ	P09-034	133120	BLANK			<0.01		<0.1	0.05	<5	21	<0.5	<5	>15.00	<1	1	1	1	0.05	<1	0.03	<10	1.63	46	<2	0.01	<1	68	<2	0.83	<5	<1	4422	<5	<0.01	<10	23	2	13	2	<1
9V1235RA/RJ	P09-034	133121	224.00	226.00	2.00	<0.01		<0.1	2.51	12	841	<0.5	23	3.31	3	18	35	21	5.08	<1	0.43	21	1.66	1235	<2	0.04	10	1937	4	0.33	9	5	127	5	0.02	<10	<10	59	<10	117	4
9V1235RA/RJ	P09-034	133122	226.00	228.00	2.00	0.04		<0.1	1.91	7	432	<0.5	19	2.92	2	12	5	17	4.14	<1	0.39	14	0.75	1485	<2	0.02	<1	1257	6	0.15	9	2	123	<5	<0.01	<10	<10	19	<10	85	2
9V1235RA/RJ	P09-034	133123	228.00	230.00	2.00	<0.01		<0.1	1.8	13	284	<0.5	19	6.2	2	13	9	18	4.13	<1	0.36	11	0.67	2650	<2	0.02	<1	1102	21	0.38	9	2	258	<5	<0.01	<10	14	18	14	82	2
P09-035- Montana - PAD 20 - 436022E 6221291N, Elev: 1241m, Az: 090, Dip: -50, EOH: 274.09m																																									
9V1235RA/RJ	P09-035	133124	3.04	4.00	0.96	<0.01		0.1	1.22	16	200	<0.5	18	3.02	2	11	15	13	4.06	<1	0.29	11	0.95	1774	<2	0.02	<1	1034	8	1.21	9	4	93	<5	<0.01	<10	11	33	16	82	2
9V1235RA/RJ	P09-035	133125	4.00	6.00	2.00	<0.01		1.2	1.31	18	238	<0.5	16	3.62	2	10	15	13	3.72	<1	0.26	10	1.04	1695	<2	0.02	<1	950	12	1.01	8	4	140	<5	<0.01	<10	11	35	14	85	2
9V1235RA/RJ	P09-035	133126	6.00	8.00	2.00	<0.01		1.1	0.98	16	173	<0.5	15	5.33	2	9	13	12	3.38	<1	0.28	<10	0.79	2144	<2	0.02	<1	923	15	1.3	7	4	228	<5	<0.01	<10	13	26	14	82	2
9V1235RA/RJ	P09-035	133127	8.00	8.54	0.54	0.01		0.7	1	21	157	<0.5	16	2.72	2	10	16	11	3.65	<1	0.3	10	0.86	1348	<2	0.02	<1	994	14	1.3	8	4	120	<5	<0.01	<10	<10	25	11	85	2
9V1235RA/RJ	P09-035	133128	8.54	10.00	1.46	0.02		7.2	0.54	210	96	<0.5	19	0.94	3	11	25	22	4.28	2	0.32	<10	0.34	518	4	0.01	<1	822	87	3.08	37	2	52	<5	<0.01	<10	<10	15	<10	136	2
9V1235RA/RJ	P09-035	133129	10.00	12.00	2.00	0.03		25.1	0.89	57	159	<0.5	15	3.66	3	10	24	27	3.45	1	0.32	<10	0.61	1124	2	0.01	1	853	130	1.87	16	3	124	<5	<0.01	<10	11	24	<10	218	3
9V1235RA/RJ	P09-035	133130	12.00	14.00	2.00	0.02		1.5	0.7	28	140	<0.5	16	3.21	3	11	20	16	3.49	<1	0.33	<10	0.66	1262	<2	0.01	<1	922	169	1.95	8	3	151	<5	<0.01	<10	10	15	10	174	2
9V1235RA/RJ	P09-035	133131	14.00	14.95	0.95	0.01		2.5	0.56	74	124	<0.5	17	1.32	3	12	22	35	3.76	<1	0.35	<10	0.54	763	4	0.01	<1	879	136	2.18	12	2	84	<5	<0.01	<10	<10	15	11	191	2
9V1235RA/RJ	P09-035	133132	14.95	16.11	1.16	<0.01		<0.1	1.75	23	626	<0.5	29	5.69	4	27	52	23	6.49	1	0.2	18	2.93	1561	<2	0.03	23	1975	12	0.65	11	9	530	<5	<0.01	<10	<10	132	<10	144	3
9V1235RA/RJ	P09-035	133133	16.11	18.00	1.89	0.01		2	1.06	103	147	<0.5	15	0.96	2	11	22	16	3.67	<1	0.3	11	0.86	772	6	0.03	<1	977	22	1.13	9	3	54	<5	<0.01	<10	<10	36	10	95	2
9V1235RA/RJ	P09-035	133134	18.00	18.44	0.44	0.01		2.2	0.84	68	127	<0.5	15	1.21	2	11	15	12	3.4	<1	0.31	10	0.71	782	8	0.01	<1	993	32	1.23	9	2	75	<5	<0.01	<10	<10	22	<10	83	2
9V1235RA/RJ	P09-035	133135	18.44	18.84	0.40	0.04		6.8	0.13	39	360	<0.5	6	1.33	7	4	116	4	1.35	<1	0.1	<10	0.37	846	9	0.01	2	173	590	0.72	8	2	82	<5	<0.01	<10	<10	3	26	844	1
9V1235RA/RJ	P09-035	133136	18.84	20.00	1.16	<0.01		1.6	0.9	74	127	<0.5	15	1.89	2	11	15	15	3.43	<1	0.28	10	0.88	1145	6	0.02	<1	1004	54	1.06	10	3	113	<5	<0.01	<10	<10	23	<10	89	2
9V1235RA/RJ	P09-035	133137	20.00	22.00	2.00	<0.01		2.7	0.63	122	108	<0.5	13	1.42	2	10	41	16	3.03	1	0.27	<10	0.61	763	13	0.02	1	933	43	1.39	13	2	87	<5	<0.01	<10	<10	17	<10	56	2
9V1235RA/RJ	P09-035	133138	22.00	22.39	0.39	<0.01		1.8	0.85	52	91	<0.5	12	0.99	2	10	31	32	2.71	1	0.27	10	0.53	622	3	0.01	1	1090	57	0.94	7	2	54	<5	<0.01	<10	<10	20	<10	99	2
9V1235RA/RJ	P09-035	133139	22.39	24.00	1.61	<0.01		<0.1	1.7	8	168	<0.5	23	3.9	3	20	52	23	4.94	<1	0.29	23	1.9	1255	<2	0.03	19	2668	9	0.29	10	7	237	<5	<0.01	<10	<10	47	<10	120	3
9V1235RA/RJ	P09-035	133140	STD	PM427		3.61		0.8	1.48	6100	76	0.5	165	6.41	2	107	37	296	4.75	<1	0.2	10	0.47	870	28	0.06	64	801	17	0.92	19	3	63	5	0.11	<10	12	55	38	79	12
9V1235RA/RJ	P09-035	133141	24.00	26.00	2.00	<0.01		<0.1	2.28	6	332	<0.5	23	3.92	3	21	61	22	5.44	1	0.22	25	2.17	999	<2	0.04	20	2641	6	0.21	11	6	158	5	0.01	<10	<10	66	<10	139	4
9V1235RA/RJ	P09-035	133142	26.00	26.61	0.61	<0.01		<0.1	2.02	5	235	<0.5	22	3.72	3	21	59	21	5.34	<1	0.19	22	2.15	961	<2	0.04	19	2570	6	0.26	9	7	140	<5	0.01	<10	<10	59	<10	139	3
9V1235RA/RJ	P09-035	133143	26.61	28.00	1.39	<0.01		1.5	1	39	143	<0.5	15	2.37	2	9	36	12	3.31	<1	0.27	<10	0.73	1062	<2	0.01	<1	952	11	1.4	7	3	75	<5	<0.01	<10	<10	24	<10	68	3
9V1235RA/RJ	P09-035	133144	28.00	29.09	1.09	<0.01		1.6	1.36	48	143	<0.5	16	4.34	2	10	28	17	3.46	1	0.28	11	0.97	1916	<2	0.02	<1	1034	19	0.85	8	4	170	<5	<0.01	<10	11	40	<10	96	2
9V1235RA/RJ	P09-035	133145	29.09	30.54	1.45	<0.01		<0.1	1.91	5	324	<0.5	23	4.07	3	21	58	20	5.49	<1	0.19	20	2.31	1172	<2	0.03	20	2679	9	0.26	9	6	213	<5	<0.01	<10	<10	57	<10	128	3
9V1235RA/RJ	P09-035	133146	30.54	32.00	1.46	<0.01		0.5	0.97	43	782	<0.5	11	5.92	1	7	20	9	2.6	<1	0.22	13	0.68	1502	2	0.02	<1	815	6	0.72	6	3	139	<5	<0.01	<10	<10	29	<10	59	1
9V1235RA/RJ	P09-035	133147	32.00	33.30	1.30	<0.01		2.3	0.66	69	111	<0.5	10	3.51	1	7	37	10	2.32	<1	0.22	<10	0.43	1047	8	0.01	<1	697	15	1.07	9	2	82	<5	<0.01	<10	<10	16	12	72	1
9V1235RA/RJ	P09-035	133148	33.30	34.86	1.56	<0.01		<0.1	2.25	11	1219	<0.5	23	4.02	3	24	92	22	5.28	1	0.12	17	2.74	1112	<2	0.04	58	1963	7	0.31	9	10	199	<5	0.01	<10	<10	92	<10	103	4
9V1235RA/RJ	P09-035	133149	34.86	36.00	1.14	0.03		12.7	0.72	54	130	<0.5	11	0.94	2	8	60	12	2.54	<1	0.23	<10	0.47	525	4	0.01	2	753	45	1.16	9	2	37	<5	<0.01	<10	<10	18	<10	146	2
9V1235RA/RJ	P09-035	133150	36.00	38.00	2.00	<0.01		3.6	1.13	45	129	<0.5	16	1.55	2	11	28	14	3.64	1	0.26	10	0.9	1130	3	0.01	<1	987	20	1.19	11	3	57	<5	<0.01	<10	<10	28	<10	90	2
9V1235RA/RJ	P09-035	133151	38.00	40.00	2.00	<0.01		2.5	0.87	57	253	<0.5	15	2.93	2	8	43	10	3.09	<1	0.24	12	0.76	1284	5	0.01	<1	863	23	0.9	9	3	102	<5	<0.01	<10	<10	24	<10	112	2
9V1235RA/RJ	P09-035	133152	40.00	42.00	2.00	0.02		1	1.01	53	157	<0.5	17	2.79	2	10	30	11	3.94	1	0.25	10	1.06	1518	2	0.02	<1	1009	12	1.26	9	4	141	<5	<0.01	<10	10	35	<10	77	2
9V1235RA/RJ	P09-035	133153	42.00	44.00	2.00	<0.01		1.7	0.72	51	617	<0.5	11	6.75	2	8	26	11	3.05	<1	0.26	12	0.74	2204	2	0.01	<1	857	11	1.14	8	4	203	<5	<0.01	<10	10	22	<10	69	2
9V1235RA/RJ	P09-035	133154	44.00	46.00	2.00	<0.01		1.1	0.38	26	349	<0.5	12	6.47	2	8	22	10	2.97	<1	0.28	12	0.74	2467	<2	0.01	<1	871	13	0.9	6	3	263	<5	<0.01	<10	<10	11	<10	71	1
9V1235RA/RJ	P09-035	133155	46.00	48.00	2.00	0.02		5.3	0.47	166	158	<0.5	12	2.45	2	7	54	14	3.16	1	0.25	<10	0.64	1446	11	0.01	<1	736	79	1.52	23	2	108	<5	<0.01	<10	<10	14	<10	158	2
9V1235RA/RJ	P09-035	133156	48.00	50.00	2.00	0.01		6.6	0.53	112	111	<0.5	14	2.38	3	9	35	15	3.24	1	0.27	10	0.68	1346	7	0.01	<1	969	83	1.27	19	3	115	<5	<0.01	<10	<10	15	11	283	2
9V1235RA/RJ	P09-035	133157	50.00	52.00	2.00	0.01		5.9	0.85	78	345	<0.5	13	5.89	2	9	32	15	3.11	1	0.27	12	0.68	2055	8	0.01	1	927	27	1.35	15	4	179	<5	0.01	<10	10	29	<10	97	3
9V1235RA/RJ	P09-035	133158	52.00	54.00	2.00	<0.01		1.2	1.41	49	390	<0.5	17	5.55	2	12	37	16	3.56	1	0.21	16	1.15	1889	2	0.02	5	1280	18	0.74	10	5	178	<5	<0.01	<10	<10	53	<10	105	2
9V1235RA/RJ	P09-035	133159	54.00	56.00	2.00	<0.01		2.6	1.39	67	147	<0.5	16	3.97	3	10	27	14	3.71	2	0.3	11	1.04	1806	3	0.02	<1	1046	21	1.02	8	3	150	<5	<0.01	<10	<10	33	<10	87	2
9V1235RA/RJ	P09-035	133160	STD	PM405		0.28		0.6	0.7	772	1507	0.5	17	0.78	5	9	61	39	3.78	3	0.16	17	0.37	524	6	0.01	36	1051	161	0.23	692	5	223	7	<0.01	<10	<10	63	<10	252	14
9V1235RA/RJ	P09-035	133161	56.00	58.00	2.00	<0.01		2	1.61	80	147	<0.5	17	2.74	4	11	24	14	3.93	2	0.29	10	1.03	1698	<2	0.02	<1	1080	29	1.05	7	3	141	<5	<0.01	<10	<10	44	<10	190	3
9V1235RA/RJ	P09-035	133162	58.00	60.00	2.00	<0.01		4.7	1.15	166	185	<0.5	15	2.73	2	9	29	12	3.31	1	0.29	<10	0.58	1205	2	0.02	<1	993	18	1.38	11	2	97	<5	<0.01	<10	<10	29	<10	84	3
9V1235RA/RJ	P09-035	133163	60.00	60.84	0.84	<0.01		0.7	1.12	50	240	<0.5	14	1.67	2	9	44	16	2.9	1	0.28	<10	0.64	614	<2	0.02	3	909	20	1	5	2	49	<5	<0.01	<10	<10	24	<10	75	2
9V1235RA/RJ	P09-035	133164	60.84	62.00	1.16	<0.01		<0.1	1.6	9	1025	<0.5	18	2.97	2	12	38	25	3.59	1	0.21	49	1.29	538	5	0.05	9	2079	23	0.23	6	3	94	5	0.01	<10	<10	48	<10	99	4
9V1235RA/RJ	P09-035	133165	62.00	64.00	2.00	<0.01		<0.1	1.6	7	1130	<0.5	15	3.27	2	11	40	4	3.49	<1	0.26	51	1.27	530	<2	0.05	7	2151	30	0.11	5	3	111	5	<0.01	<10	<10	46	<10	106	6
9V1235RA/RJ	P09-035	133166	64.00	66.00	2.00	<0.01		<0.1	1.5	<5	1039	<0.5	15	3.07	2	11	34	1	3.34	<1	0.24	50	1.2	488	<2	0.05	7	2111	28	0.1	7	3	104	5	<0.01	<10	<10	43	<10	102	6
9V1235RA/RJ	P09-035	133167	66.00	67.21	1.21	<0.01		<0.1	1.57	<5	1034	<0.5	14	3.15	2	11	32	5	3.44	<1	0.24	52	1.2	530	3	0.05	7	2175	29	0.15	6	3	101	5	0.01	<10	<10	46	<10	98	5
9V1235RA/RJ	P09-035	133168	67.21	68.39	1.18	<0.01		1	1.81	40	157	<0.5	16	3.65	3	10	21	15	3.75	1	0.3	11	1.09	1776	<2	0.06	<1	1088	21	0.76	6	5	130	<5	0.03	<10	<10	56	<10	109	3
9V1235RA/RJ	P09-035	133169	68.39	70.00	1.61	<0.01		<0.1	2.82	24	309	1.3	27	4.64	4	35	114	28	5.9	<1	0.09	21	3.48	1525	<2	0.07	70	2446	6	0.6	18	10	171	<5	0.28	<10	<10	137	<10	110	19
9V1235RA/RJ	P09-035	133170	70.00	70.57	0.57	<0.01		<0.1	2.76	27	180	1	29	4.43	4	34	115	26	6.08	1	0.09	21	3.36	1513	<2	0.08	65	2524	17	0.67	18	9	148	<5	0.22	<10	<10	136	<10	107	17

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1235RA/RJ	P09-035	133171	70.57	72.00	1.43	<0.01		0.8	1.55	31	140	<0.5	19	5.14	3	11	23	11	4.14	1	0.33	11	1.18	1963	<2	0.02	<1	1186	14	1.24	7	4	190	<5	<0.01	<10	<10	32	<10	75	2
9V1235RA/RJ	P09-035	133172	72.00	74.00	2.00	<0.01		0.6	1.52	33	134	<0.5	18	3.34	3	12	12	11	4.28	1	0.32	12	1.2	1437	<2	0.03	<1	1239	12	1.21	7	4	154	<5	<0.01	<10	<10	31	<10	75	3
9V1235RA/RJ	P09-035	133173	74.00	74.80	0.80	<0.01		0.6	1.63	40	130	<0.5	20	3.1	3	13	22	14	4.65	<1	0.31	11	1.27	1374	<2	0.03	<1	1272	17	1.7	8	4	113	<5	<0.01	<10	<10	37	<10	80	2
9V1235RA/RJ	P09-035	133174	74.80	76.42	1.62	<0.01		<0.1	3.22	17	762	0.5	32	5.64	5	35	84	32	7.16	1	0.08	17	3.71	1562	<2	0.04	47	2096	29	0.38	15	12	232	<5	0.11	<10	<10	179	<10	143	9
9V1235RA/RJ	P09-035	133175	76.42	77.69	1.27	<0.01		1.5	1.47	25	160	<0.5	15	5.32	2	11	15	9	3.65	1	0.37	12	1.09	2056	<2	0.02	<1	1200	13	0.64	7	4	344	<5	<0.01	<10	<10	21	<10	50	2
9V1235RA/RJ	P09-035	133176	77.69	78.87	1.18	<0.01		2	0.53	14	179	<0.5	13	3.91	2	6	53	3	2.73	1	0.36	<10	0.88	1971	2	0.01	1	460	12	0.46	6	3	330	<5	<0.01	<10	<10	13	<10	45	2
9V1235RA/RJ	P09-035	133177	78.87	79.36	0.49	<0.01		3.5	0.6	43	138	<0.5	16	4.41	3	10	19	11	3.83	1	0.39	<10	0.98	2056	<2	0.01	<1	1214	27	1.33	7	3	346	<5	<0.01	<10	11	9	<10	52	3
9V1235RA/RJ	P09-035	133178	79.36	81.47	2.11	<0.01		1.1	1.63	34	116	<0.5	19	4.55	3	12	14	12	4.24	1	0.31	11	1.27	1880	<2	0.02	<1	1232	14	0.98	8	5	219	<5	<0.01	<10	<10	23	<10	72	2
9V1235RA/RJ	P09-035	133179	81.47	82.61	1.14	<0.01		<0.1	2.57	15	696	0.5	25	4.33	4	28	92	27	5.95	<1	0.14	19	3.2	1224	<2	0.05	51	2305	5	0.53	13	10	166	<5	0.1	<10	<10	131	<10	100	10
9V1235RA/RJ	P09-035	133180	BLANK			<0.01		<0.1	0.04	<5	18	<0.5	<5	>15.00	<1	1	3	1	0.09	<1	0.03	<10	2.25	88	<2	0.01	<1	116	<2	0.74	<5	<1	6212	<5	<0.01	<10	33	2	<10	<1	<1
9V1235RA/RJ	P09-035	133181	82.61	84.00	1.39	<0.01		0.5	1.64	30	154	<0.5	17	2.58	3	12	16	13	4.21	1	0.33	11	1.28	1391	<2	0.02	<1	1213	10	1.07	6	4	107	<5	<0.01	<10	<10	38	<10	77	2
9V1235RA/RJ	P09-035	133182	84.00	86.00	2.00	<0.01		0.2	1.83	23	135	<0.5	19	2.66	3	13	16	13	4.6	<1	0.33	13	1.49	1520	<2	0.03	1	1307	15	0.88	7	5	102	<5	<0.01	<10	<10	47	<10	91	2
9V1235RA/RJ	P09-035	133183	86.00	88.00	2.00	<0.01		0.4	1.62	28	160	<0.5	19	2.22	3	12	20	13	4.44	1	0.37	13	1.24	1375	<2	0.02	<1	1304	17	1.04	6	4	119	<5	<0.01	<10	<10	36	<10	91	3
9V1235RA/RJ	P09-035	133184	88.00	90.00	2.00	<0.01		0.5	1.57	40	121	<0.5	19	2.25	3	11	15	11	4.39	1	0.36	12	1.24	1369	<2	0.02	<1	1225	17	1.07	7	3	97	<5	<0.01	<10	<10	36	<10	89	2
9V1235RA/RJ	P09-035	133185	90.00	92.00	2.00	<0.01		0.5	1.77	34	126	<0.5	18	1.7	3	12	17	11	4.16	1	0.33	13	1.19	1429	<2	0.02	<1	1200	15	0.8	7	4	54	<5	<0.01	<10	<10	40	<10	85	2
9V1235RA/RJ	P09-035	133186	92.00	94.00	2.00	<0.01		0.3	1.64	30	132	<0.5	18	3.2	3	12	13	12	4.24	1	0.32	12	1.28	1762	<2	0.02	<1	1209	14	0.8	6	4	116	<5	<0.01	<10	<10	37	<10	97	2
9V1235RA/RJ	P09-035	133187	94.00	96.00	2.00	<0.01		0.5	1.46	32	158	<0.5	18	1.23	3	12	20	11	4.19	<1	0.36	11	0.97	1124	<2	0.02	<1	1284	18	1.47	9	3	47	<5	<0.01	<10	<10	32	<10	94	3
9V1235RA/RJ	P09-035	133188	96.00	98.00	2.00	<0.01		0.6	1.6	31	107	<0.5	19	2.74	3	12	12	12	4.35	1	0.3	11	1.23	1609	<2	0.02	<1	1218	13	1.13	7	4	84	<5	<0.01	<10	<10	37	<10	86	2
9V1235RA/RJ	P09-035	133189	98.00	100.00	2.00	<0.01		0.3	1.72	26	124	<0.5	19	1.99	3	12	14	13	4.3	1	0.35	12	1.3	1435	<2	0.03	<1	1232	10	0.83	6	4	75	<5	<0.01	<10	<10	40	<10	79	2
9V1235RA/RJ	P09-035	133190	100.00	102.04	2.04	<0.01		0.3	1.63	31	169	<0.5	17	1.16	3	12	12	13	4.33	<1	0.42	12	1.24	1243	<2	0.02	<1	1214	10	0.91	7	4	55	<5	<0.01	<10	<10	37	<10	86	2
9V1235RA/RJ	P09-035	133191	102.04	104.17	2.13	<0.01		5.3	1.14	<5	827	<0.5	24	5.7	4	25	50	29	5.6	1	0.27	18	2.76	1807	<2	0.03	37	2228	16	0.44	14	11	444	<5	<0.01	<10	<10	59	<10	105	4
9V1235RA/RJ	P09-035	133192	104.17	104.99	0.82	<0.01		15.5	0.61	24	409	<0.5	21	4.36	4	18	19	53	4.72	1	0.4	14	1.59	1613	<2	0.02	12	1538	44	0.72	20	7	299	<5	<0.01	<10	<10	26	<10	76	2
9V1235RA/RJ	P09-035	133193	104.99	106.00	1.01	<0.01		<0.1	2.59	15	649	2.1	27	4.11	5	41	88	30	6.49	1	0.15	20	3.18	1252	<2	0.15	49	2254	2	0.28	19	11	176	<5	0.45	<10	<10	156	<10	110	34
9V1235RA/RJ	P09-035	133194	106.00	107.94	1.94	<0.01		<0.1	2.78	21	482	2.3	29	4.34	5	45	96	30	6.64	1	0.11	18	3.55	1307	<2	0.15	58	2165	4	0.36	20	11	153	<5	0.53	<10	<10	166	<10	130	32
9V1235RA/RJ	P09-035	133195	107.94	110.00	2.06	<0.01		2.1	1.79	23	208	<0.5	18	1.94	3	12	17	11	4.38	1	0.48	13	1.11	1496	<2	0.03	<1	1435	11	1.4	7	4	70	<5	0.01	<10	<10	45	<10	82	3
9V1235RA/RJ	P09-035	133196	110.00	112.00	2.00	<0.01		0.6	1.61	19	117	<0.5	19	0.65	3	12	14	12	4.42	1	0.36	12	1.05	1208	<2	0.01	<1	1362	11	1.39	6	3	32	<5	<0.01	<10	<10	36	<10	85	2
9V1235RA/RJ	P09-035	133197	112.00	114.00	2.00	<0.01		1.9	1.59	29	167	<0.5	17	0.62	3	12	17	13	4.36	1	0.29	12	1.21	1315	<2	0.02	<1	1255	13	1.28	6	4	35	<5	0.01	<10	<10	42	<10	91	3
9V1235RA/RJ	P09-035	133198	114.00	116.00	2.00	<0.01		0.2	1.78	29	109	<0.5	21	0.45	3	13	18	11	4.81	<1	0.29	12	1.29	1371	<2	0.02	<1	1362	11	1.48	7	4	28	<5	<0.01	<10	<10	50	<10	82	3
9V1235RA/RJ	P09-035	133199	116.00	118.00	2.00	<0.01		0.3	1.56	29	161	<0.5	19	0.73	3	12	16	9	4.5	1	0.3	12	1.25	1322	<2	0.02	<1	1247	10	1.24	7	3	53	<5	<0.01	<10	<10	41	<10	74	2
9V1235RA/RJ	P09-035	133200	STD	PM427		3.39		1.4	1.44	6777	81	<0.5	162	6.71	1	118	38	303	4.97	<1	0.2	<10	0.51	811	33	0.07	67	865	18	0.91	23	3	63	5	0.11	<10	10	52	<10	78	11
9V1235RA/RJ	P09-035	133201	118.00	120.00	2.00	<0.01		0.4	1.68	34	155	<0.5	19	0.46	3	13	16	11	4.64	<1	0.32	13	1.28	1222	<2	0.01	<1	1352	11	1.41	6	3	35	<5	<0.01	<10	<10	44	<10	84	3
9V1235RA/RJ	P09-035	133202	120.00	122.00	2.00	<0.01		0.5	1.66	17	140	<0.5	21	0.53	4	14	16	12	4.88	1	0.34	13	1.22	1235	<2	0.01	<1	1426	13	1.95	6	4	36	<5	<0.01	<10	<10	46	<10	76	3
9V1235RA/RJ	P09-035	133203	122.00	124.00	2.00	0.01		0.7	1.12	25	154	<0.5	15	1.69	3	11	36	11	3.75	1	0.3	10	0.85	1302	<2	0.01	<1	1110	11	1.56	7	3	82	<5	<0.01	<10	<10	28	<10	64	2
9V1235RA/RJ	P09-035	133204	124.00	126.00	2.00	0.01		0.4	1.87	14	146	<0.5	19	3.21	3	12	23	12	4.29	2	0.23	12	1.39	1898	<2	0.03	<1	1181	9	0.68	6	4	118	<5	<0.01	<10	<10	52	<10	83	2
9V1235RA/RJ	P09-035	133205	126.00	128.00	2.00	<0.01		0.5	1.46	25	139	<0.5	16	3.5	3	10	29	12	3.8	1	0.27	11	1.01	1725	<2	0.02	<1	1047	9	1.06	6	3	111	<5	<0.01	<10	<10	36	<10	66	2
9V1235RA/RJ	P09-035	133206	128.00	130.00	2.00	<0.01		1	1.58	24	153	<0.5	19	2.81	3	13	26	15	4.3	1	0.31	12	1.24	1397	<2	0.02	2	1321	13	1.11	8	4	118	<5	<0.01	<10	<10	42	<10	111	2
9V1235RA/RJ	P09-035	133207	130.00	131.07	1.07	<0.01		0.8	1.46	29	149	<0.5	18	2.9	3	11	21	13	4.14	1	0.3	12	1.23	1564	<2	0.02	<1	1191	12	0.91	7	4	136	<5	<0.01	<10	<10	34	<10	82	2
9V1235RA/RJ	P09-035	133208	131.07	131.92	0.85	0.04		7.1	1.2	32	255	<0.5	17	4.95	3	10	21	13	3.77	1	0.3	10	1.04	2041	<2	0.01	<1	1108	23	1.06	7	3	188	<5	<0.01	<10	<10	25	<10	97	2
9V1235RA/RJ	P09-035	133209	131.92	134.00	2.08	0.08		0.6	1.52	24	139	<0.5	17	3.1	3	11	19	11	4.38	1	0.3	12	1.25	1525	<2	0.02	<1	1166	14	1.06	7	4	123	<5	<0.01	<10	<10	36	<10	85	2
9V1235RA/RJ	P09-035	133210	134.00	136.00	2.00	<0.01		0.4	1.05	22	263	<0.5	16	3.35	3	10	20	10	3.86	1	0.31	11	1.1	1537	<2	0.02	<1	1175	10	0.91	6	4	152	<5	<0.01	<10	<10	22	<10	57	2
9V1235RA/RJ	P09-035	133211	136.00	137.01	1.01	<0.01		0.4	1.39	31	111	<0.5	17	3.21	3	11	22	11	4.1	1	0.25	10	1.1	1476	<2	0.02	<1	1116	10	1.04	6	4	122	<5	<0.01	<10	<10	33	<10	70	2
9V1235RA/RJ	P09-035	133212	137.01	137.41	0.40	<0.01		0.8	0.61	26	112	<0.5	17	8.09	3	10	22	7	4.39	2	0.26	10	1.49	3137	<2	0.02	<1	942	12	1.06	7	3	344	<5	<0.01	<10	15	14	<10	107	2
9V1235RA/RJ	P09-035	133213	137.41	138.00	0.59	<0.01		0.7	1.56	41	109	<0.5	19	4.56	3	12	24	13	4.34	1	0.28	12	1.15	1837	<2	0.02	<1	1220	20	1.31	8	4	114	<5	<0.01	<10	<10	37	<10	83	2
9V1235RA/RJ	P09-035	133214	138.00	140.00	2.00	<0.01		0.5	1.38	37	177	<0.5	18	3.31	3	11	23	11	4.13	1	0.3	11	1.11	1520	<2	0.02	<1	1194	10	1.33	8	4	108	<5	<0.01	<10	<10	34	<10	77	2
9V1235RA/RJ	P09-035	133215	140.00	140.53	0.53	<0.01		0.5	1.12	29	179	<0.5	17	2.58	3	12	32	12	4.34	1	0.3	11	1.19	1332	<2	0.02	<1	1223	13	1.28	8	4	132	<5	<0.01	<10	<10	29	<10	71	2
9V1235RA/RJ	P09-035	133216	140.53	141.06	0.53	<0.01		0.7	0.39	13	140	<0.5	17	4.23	3	11	39	7	3.96	<1	0.27	<10	1.2	1387	<2	0.02	<1	954	10	1.6	5	3	268	<5	<0.01	<10	<10	10	<10	26	2
9V1235RA/RJ	P09-035	133217	141.06	142.94	1.88	<0.01		<0.1	2.23	5	447	<0.5	29	4.76	5	33	65	35	6.81	1	0.24	17	3.38	1212	<2	0.03	45	2054	8	0.51	10	14	337	<5	0.01	<10	<10	111	<10	123	3
9V1235RA/RJ	P09-035	133218	142.94	143.46	0.52	<0.01		0.1	0.69	16	106	<0.5	17	4.32	3	13	20	8	4.15	<1	0.33	<10	1.41	1153	<2	0.02	1	1204	10	1.26	6	5	271	<5	<0.01	<10	<10	18	<10	76	2
9V1235RA/RJ	P09-035	133219	143.46	144.62	1.16	<0.01		0.4	1.08	31	112	<0.5	17	2.88	3	12	20	11	4.03	1	0.33	11	1.07	1122	<2	0.02	<1	1169	13	1.53	7	4	140	<5	<0.01	<10	<10	20	<10	75	2
9V1235RA/RJ	P09-035	133220	STD	PM405		0.28		0.6	0.68	764	1268	0.5	16	0.78	5	9	60	37	3.79	2	0.15	16	0.37	523	5	0.01	35	1007	158	0.21	607	5	219	7	<0.01	<10	<10	60	<10	241	13
9V1235RA/RJ	P09-035	133221	144.62	146.00	1.38	<0.01		<0.1	1.62	46	133	<0.5	19	2.46	3	13	19	12	4.37	<1	0.34	11	1.32	1119	<2	0.02	<1	1238	11	1.03	8	5	99	<5	<0.01	<10	<10	30	<10	79	2
9V1235RA/RJ	P09-035	133222	146.00	148.00	2.00	<0.01		<0.1	1.85	11	128	<0.5	17	3.28	3	12	17	14	4.19	1	0.32	12	1.43	1404	<2	0.02	<1	1295	8	0.51	6	5	124	<5	<0.01	<10	<10	38	<10	76	2
9V1235RA/RJ	P09-035	133223	148.00	150.00	2.00	<0.01		<0.1	1.85	11	119	<0.5	18	3.51	3	12	20	12	4.25	1	0.32	12	1.37	1479	<2	0.02	<1	1267	7	0.56	8	4	113	<5	<0.01	<10	<10	42	<10	84	2
9V1235RA/RJ	P09-035	133224	150.00	152.00	2.00	<0.01		0.2	1.35	23	112	<0.5	17	2.74	3	12	20	12	4.24	1	0.35	10	1.07	1188	<2	0.02	<1	1239	10	1.86	7	4	105	<5	<0.01	<10	<10	24	<10	73	2
9V1235RA/RJ	P09-035	133225	152.00	154.00	2.00	<0.01		0.3	1.22	22	135	<0.5	17	2.62	3	11	16	11	4.1	<1	0.35	10	1.12	1216	<2	0.02	<1	1219	9	1.78	7	4	107	<5	<0.01	<10	<10	24	<10	77	2
9V1235RA/RJ	P09-035	133226	154.00	156.00	2.00	<0.01		<0.1	1.27	16	110	<0.5	18	2.7	3	11	15	11	4.1	1	0.34	10	1.04	1135	<2	0.02	<1	1223	9	1.96	7	4	91	<5	<0.01	<10	<10	25	<10	75	2
9V1235RA/RJ	P09-035	133227	156.00	157.25	1.25	<0.01		<0.1	1.43	14	116	<0.5	16	2.38	2	11	15	13	3.6	<1	0.33	11	1.12	1134	<2	0.03	<1	1203	9	1.08	6	5	89	<5	<0.01	<10	<10	29	<10	79	2
9V1235RA/RJ	P09-035	133228	157.25	158.00	0.75	<0.01		0.5	1.31	53	92	<0.5	20	0.58	3	12	20	11	4.61	1	0.32	<10	0.9	617	<2	0.02	<1	1165	18	2.22	8	3	43	<5	<0.01	<10	<10	23	<10	84	2
9V1235RA/RJ	P09-035	133229	158.00	160.00	2.00	<0.01		0.6	1.37	69	127	<0.5	18	0.97	3	11	19	11	4.05	1	0.33	11	1	843	<2	0.02	<1	1350	15	1.6	7	3	54	<5	<0.01	<10	<10	26	<10	83	2
9V1235RA/RJ	P09-035	133230	160.00	162.00	2.00	<0.01		0.4	1.03	54	153	<0.5	16	1.56	3	12	17	9	3.89	1	0.39	11	0.99	980	<2	0.02	<1	1355	13	1.51	9	4	98	<5	<0.01	<10	<10	21	<10	78	2
9V1235RA/RJ	P09-035	133231	162.00	164.00	2.00	<0.01		0.7	0.73	100	138	<0.5	14	2.79	2	11	15	8	3.38	1	0.38	12	1.07	1418	<2	0.02	<1	1215	12	0.73	7	4	241	<5	<0.01	<10	<10	16	<10	64	2
9V1235RA/RJ	P09-035	133232	164.00	166.00	2.00	<0.01		1.3	0.61	34	140	<0.5	18	2.29	3	12	11	12	3.77	1	0.37	11	0.97	1299	3	0.02	<1	1273	12	1.25	6	4	191	<5	<0.01	<10	<10	15	<10	77	1
9V1235RA/RJ	P09-035	133233	166.00	168.00	2.00	<0.01		1.4	0.66	48	129	<0.5	16	1.23	3	11	20	11	3.74	1	0.39	<10	0.68	1062	3	0.01	<1	1143	14	1.79	7	3	115	<5	<0.01	<10	<10	14	<10	71	2
9V1235RA/RJ	P09-035	133234	168.00	169.94	1.94	0.01		8.6	0.99	60	133	<0.5	18	0.55	3	12	16	14	4.09	<1	0.44	10	0.72	788	<2	0.01	<1	1179	24	1.99	9	3	56	<5	<0.01	<10	<10	16	<10	130	2
9V1235RA/RJ	P09-035	133235	169.94	170.72	0.78	<0.01		<0.1	2.47	9	373	<0.5	27	4.4	5	25	61	18	6.42	1	0.13	17	2.74	1282	<2	0.07	19	2601	5	0.31	11	10	198	<5	0.05	<10	<10	173	<10	112	7
9V1235RA/RJ	P09-035	133236	170.72	172.05	1.33	<0.01		2.2	1.3	24	218	<0.5	14	3.54	3	11	21	13	3.96	1	0.43	10	1.04	1611	<2	0.02	1	1144	12	1.02	6	4	174	<5	0.01	<10	<10	31	<10	88	3
9V1235RA/RJ	P09-035	133237	172.05	172.55	0.50	0.05		35.1	0.06	15	53	<0.5	<5	>15.00	<1	1	26	36	0.69	6	0.06	<10	0.08	8256	<2	0.01	<1	145	59	1	23	1	1071	<5	<0.01	11	31	<1	<10	161	<1
9V1235RA/RJ	P09-035	133238	172.55	174.00	1.45	<0.01		6	0.66	27	161	<0.5	15	4.19	3	10	16	12	3.47	1	0.4	11	0.8	1854	<2	0.01	<1	1151	17	1.34	8	3	202	<5	<0.01	<10	<10	13	<10	90	2
9V1235RA/RJ	P09-035	133239	174.00	176.00	2.00	<0.01		10.1	0.76	20	135	<0.5	15	1.93	3	10	15	10	3.6	1	0.42	10	0.71	1240	<2	0.01	<1	1171	19	1.82	8	3	128	<5	<0.01	<10	<10	13	<10	106	2
9V1235RA/RJ	P09-035	133240	BLANK			<0.01		<0.1	0.09	<5	<10	<0.5	<5	>15.00	<1	1	2	1	0.13	<1	0.02	<10	1.97	33	<2	0.01	<1	58	<2	0.85	<5	<1	6132	<5	<0.01	<10	32	2	<10	<1	1
9V1235RA/RJ	P09-035	133241	176.00	178.00	2.00	<0.01		1	0.88	25	144	<0.5	16	2.28	3	10	20	10	3.67	<1	0.35	10	0.82	1337	<2	0.01	<1	1032	13	1.81	8	3	131	<5	<0.01	<10	<10	18	<10	78	2
9V1235RA/RJ	P09-035	133242	178.00	180.11	2.11	<0.01		0.4	1.23	20	148	<0.5	17	1.62	3	10	19	10	3.87	<1	0.35	11	0.94	1168	<2	0.01	<1	1107	10	1.77	8	3	67	<5	<0.01	<10	<10	24	<10	77	2
9V1235RA/RJ	P09-035	133243	180.11	182.00	1.89	<0.01		0.8	1.24	16	152	<0.5	16	3.64	3	11	25	12	3.9	1	0.32	11	1.09	1843	<2	0.02	<1	1125	11	1.63	8	4	113	<5	<0.01	<10	<10	25	<10	78	2
9V1235RA/RJ	P09-035	133244	182.00	184.00	2.00	<0.01		0.3	1.59	14	171	<0.5	18	3.42	3	11	20	11	4.05	1	0.31	11	1.22	1841	<2	0.02	<1	1209	8	1.16	6	4	106	<5	<0.01	<10	<10	35	<10	78	2
9V1235RA/RJ	P09-035	133245	184.00	186.00	2.00	<0.01		0.6	1.51	15	131	<0.5	16	3.21	3	10	23	12	3.9	1	0.31	10	1.1	1629	<2	0.03	<1	1123	12	1.3	7	3	114	<5	<0.01	<10	<10	28	<10	84	2
9V1235RA/RJ	P09-035	133246	186.00	188.00	2.00	<0.01		0.3	1.41	28	149	<0.5	15	3.5	3	10	17	11	3.69	1	0.3	10	1.05	1707	<2	0.02	<1	1082	10	1.21	7	3	113	<5	<0.01	<10	<10	29	<10	115	2
9V1235RA/RJ	P09-035	133247	188.00	190.00	2.00	<0.01		0.2	1.51	20	123	<0.5	18	2.66	3	11	17	12	4.01	1	0.3	10	1.07	1410	<2	0.03	<1	1182	11	1.5	7	4	123	<5	<0.01	<10	<10	32	<10	78	2
9V1235RA/RJ	P09-035	133248	190.00	191.11	1.11	<0.01		<0.1	1.46	35	114	<0.5	18	2.62	3	11	13	11	4.05	<1	0.29	10	1.09	1279	<2	0.03	<1	1228	9	1.6	9	3	100	<5	<0.01	<10	<10	29	<10	83	2
9V1235RA/RJ	P09-035	133249	191.11	192.00	0.89	<0.01		0.6	1.17	73	93	<0.5	24	2.68	4	11	15	12	5.25	1	0.29	<10	0.84	1236	<2	0.02	<1	1073	14	3.11	13	3	116	<5	<0.01	<10	<10	20	<10	72	2
9V1235RA/RJ	P09-035	133250	192.00	194.00	2.00	<0.01		1	0.95	49	99	<0.5	17	3.66	3	10	17	12	4.13	1	0.32	<10	0.89	1682	<2	0.02	<1	1099	13	2.03	9	3	123	<5	<0.01	<10	<10	18	<10	75	2

Drilling Analytical Results 2009

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1235RA/RJ	P09-035	133251	194.00	196.00	2.00	<0.01		1.4	0.44	80	91	<0.5	17	2.78	3	10	17	11	3.86	1	0.32	<10	0.79	1537	<2	0.02	<1	1102	16	1.86	9	3	168	<5	<0.01	<10	<10	8	<10	70	2
9V1235RA/RJ	P09-035	133252	196.00	198.00	2.00	<0.01		1.2	0.77	22	122	<0.5	15	2.85	3	9	17	12	3.45	1	0.31	<10	0.89	1885	<2	0.02	<1	1052	20	1.29	6	3	153	<5	<0.01	<10	<10	16	<10	78	2
9V1235RA/RJ	P09-035	133253	198.00	200.00	2.00	<0.01		1.2	1.01	37	114	<0.5	15	3.19	3	8	24	11	3.3	1	0.26	<10	0.74	1649	<2	0.02	<1	918	21	1.24	6	3	141	<5	<0.01	<10	<10	23	<10	81	2
9V1235RA/RJ	P09-035	133254	200.00	202.00	2.00	<0.01		1.3	1.34	41	117	<0.5	17	3.9	3	10	14	12	3.66	2	0.25	10	1.16	2847	<2	0.02	<1	1148	24	0.89	8	4	324	<5	<0.01	<10	<10	37	<10	60	2
9V1235RA/RJ	P09-035	133255	202.00	202.95	0.95	<0.01		1.5	1.37	74	120	<0.5	16	3.76	3	8	21	6	3.32	2	0.21	<10	1.13	3191	<2	0.02	<1	1020	42	0.78	7	5	312	<5	<0.01	<10	11	40	<10	112	1
9V1235RA/RJ	P09-035	133256	202.95	204.00	1.05	<0.01		0.9	1.2	65	135	<0.5	16	3.08	3	9	27	6	3.63	2	0.2	<10	1.1	2658	<2	0.02	<1	1022	20	1.02	7	5	210	<5	<0.01	<10	10	38	<10	81	2
9V1235RA/RJ	P09-035	133257	204.00	206.00	2.00	0.01		0.7	1.16	432	154	<0.5	17	2.61	3	10	18	8	3.83	1	0.25	<10	1.11	1920	<2	0.02	<1	1125	22	1.21	8	4	132	<5	<0.01	<10	<10	33	<10	84	2
9V1235RA/RJ	P09-035	133258	206.00	208.00	2.00	<0.01		0.7	1.09	193	128	<0.5	16	2.83	3	10	16	9	3.91	1	0.27	10	1.05	2194	<2	0.02	<1	1142	19	1.44	7	4	146	<5	<0.01	<10	<10	26	<10	70	2
9V1235RA/RJ	P09-035	133259	208.00	210.00	2.00	<0.01		0.1	1.42	24	111	<0.5	17	2.75	3	10	14	10	3.82	1	0.26	10	1.14	1872	<2	0.03	<1	1132	11	1.32	6	4	128	<5	<0.01	<10	<10	33	<10	80	2
9V1235RA/RJ	P09-035	133260	STD	PM427		3.68		1.4	1.34	5804	77	<0.5	155	5.98	1	104	36	271	4.51	<1	0.18	<10	0.48	724	30	0.06	60	771	17	0.79	18	2	52	<5	0.09	<10	13	44	10	79	9
9V1235RA/RJ	P09-035	133261	210.00	212.00	2.00	<0.01		0.8	1.09	49	81	<0.5	19	2.19	3	11	17	10	3.83	<1	0.28	<10	0.8	1381	<2	0.01	1	1077	14	2.17	9	3	107	<5	<0.01	<10	<10	24	<10	72	2
9V1235RA/RJ	P09-035	133262	212.00	214.00	2.00	<0.01		0.4	1.34	33	118	<0.5	18	3.82	3	10	13	11	3.7	<1	0.27	<10	0.99	1886	<2	0.02	1	1064	12	1.48	8	4	145	<5	<0.01	<10	<10	32	<10	72	2
9V1235RA/RJ	P09-035	133263	214.00	214.85	0.85	<0.01		0.6	1.2	42	101	<0.5	19	2.92	3	10	16	12	3.78	<1	0.25	<10	0.98	1692	<2	0.02	1	1084	14	1.8	9	3	116	<5	<0.01	<10	<10	29	<10	82	2
9V1235RA/RJ	P09-035	133264	214.85	216.00	1.15	<0.01		0.8	1.44	45	204	<0.5	18	4.97	6	10	15	12	3.86	1	0.21	<10	1.02	2809	2	0.02	1	1040	38	1.15	10	4	217	<5	<0.01	<10	<10	41	<10	452	2
9V1235RA/RJ	P09-035	133265	216.00	218.00	2.00	<0.01		0.9	1.36	48	158	<0.5	17	4.05	4	10	16	9	3.78	1	0.24	10	0.94	2245	<2	0.02	1	1096	90	1.3	8	4	147	<5	<0.01	<10	<10	34	<10	176	2
9V1235RA/RJ	P09-035	133266	218.00	220.00	2.00	<0.01		0.6	1.21	40	133	<0.5	17	3.8	3	10	14	12	3.66	1	0.25	10	1.01	2104	<2	0.02	1	1055	9	0.98	9	4	155	<5	<0.01	<10	<10	33	<10	71	2
9V1235RA/RJ	P09-035	133267	220.00	222.00	2.00	<0.01		0.5	1.33	40	145	<0.5	18	2.92	3	10	16	13	3.65	1	0.24	<10	1	2057	<2	0.02	1	1081	10	1.26	8	4	112	<5	<0.01	<10	<10	39	<10	79	3
9V1235RA/RJ	P09-035	133268	222.00	224.00	2.00	<0.01		0.7	1.19	50	140	<0.5	18	2.77	3	10	20	11	3.72	<1	0.26	<10	0.89	1691	2	0.02	1	1064	11	1.54	11	3	93	<5	<0.01	<10	<10	32	<10	72	3
9V1235RA/RJ	P09-035	133269	224.00	225.25	1.25	<0.01		1.4	0.96	43	115	<0.5	17	2.44	3	10	20	14	3.51	<1	0.28	<10	0.75	1941	<2	0.02	1	1082	13	1.96	8	3	118	<5	<0.01	<10	<10	25	<10	79	3
9V1235RA/RJ	P09-035	133270	225.25	226.00	0.75	<0.01		0.3	1.32	18	123	<0.5	17	3.57	3	10	16	12	3.61	1	0.23	10	1	2172	<2	0.02	<1	1082	9	1.3	8	4	169	<5	<0.01	<10	<10	36	<10	73	2
9V1235RA/RJ	P09-035	133271	226.00	228.00	2.00	<0.01		0.2	1.45	28	135	<0.5	18	3	3	11	15	14	3.71	1	0.27	11	1.17	1813	<2	0.02	<1	1162	9	1.14	8	4	137	<5	<0.01	<10	<10	37	<10	81	2
9V1235RA/RJ	P09-035	133272	228.00	230.00	2.00	<0.01		0.3	1.33	25	119	<0.5	18	2.76	3	11	16	11	3.91	<1	0.26	10	0.99	1556	<2	0.02	<1	1122	9	1.78	8	3	117	<5	<0.01	<10	<10	35	<10	77	2
9V1235RA/RJ	P09-035	133273	230.00	232.00	2.00	<0.01		0.3	1.38	26	151	<0.5	20	3.96	3	10	19	11	3.78	1	0.28	11	1	1941	<2	0.02	<1	1172	8	1.58	9	4	145	<5	<0.01	<10	<10	39	<10	77	2
9V1235RA/RJ	P09-035	133274	232.00	234.00	2.00	<0.01		0.2	1.44	24	149	<0.5	17	2.54	3	10	18	11	3.7	<1	0.25	10	1.02	1585	<2	0.02	<1	1113	7	1.18	7	4	93	<5	<0.01	<10	<10	44	<10	74	2
9V1235RA/RJ	P09-035	133275	234.00	236.00	2.00	<0.01		0.7	1.4	16	128	<0.5	17	3.27	3	10	15	17	3.74	1	0.27	10	0.99	2058	<2	0.02	<1	1141	73	1.42	9	4	148	<5	<0.01	<10	<10	38	<10	97	2
9V1235RA/RJ	P09-035	133276	236.00	238.00	2.00	<0.01		0.5	1.41	15	126	<0.5	18	4.04	3	10	16	13	3.51	1	0.23	10	0.97	1881	<2	0.03	<1	1076	32	0.95	8	4	204	<5	<0.01	<10	<10	43	<10	83	2
9V1235RA/RJ	P09-035	133277	238.00	240.00	2.00	<0.01		1.6	1.37	22	152	<0.5	20	3.38	4	10	15	16	3.81	1	0.25	10	0.99	1753	<2	0.02	<1	1124	38	1.04	7	3	150	<5	<0.01	<10	<10	39	<10	105	2
9V1235RA/RJ	P09-035	133278	240.00	242.00	2.00	<0.01		6.2	0.77	13	202	<0.5	19	3.5	5	10	13	33	3.79	1	0.31	10	1.04	2250	<2	0.02	<1	1150	154	0.92	9	4	216	<5	<0.01	<10	<10	17	<10	292	2
9V1235RA/RJ	P09-035	133279	242.00	244.00	2.00	<0.01		6.3	1.34	11	154	<0.5	18	3.48	5	11	13	19	4.01	1	0.25	12	1.17	1979	<2	0.03	<1	1161	157	0.46	8	5	191	<5	<0.01	<10	<10	38	<10	257	2
9V1235RA/RJ	P09-035	133280	STD	PM405		0.28		0.7	0.59	702	1165	0.5	16	0.69	5	8	56	36	3.51	2	0.13	14	0.34	481	6	0.01	33	958	149	0.21	608	4	195	6	<0.01	<10	<10	54	<10	242	13
9V1235RA/RJ	P09-035	133281	244.00	246.00	2.00	<0.01		<0.1	1.48	12	326	<0.5	17	3.15	3	10	13	11	3.82	<1	0.27	12	1.14	1387	<2	0.02	<1	1134	8	0.51	8	4	213	<5	<0.01	<10	<10	37	<10	73	2
9V1235RA/RJ	P09-035	133282	246.00	248.00	2.00	<0.01		<0.1	1.54	14	166	<0.5	20	2.71	3	11	16	15	3.89	1	0.29	12	1.07	1680	<2	0.02	<1	1189	18	1.1	8	4	160	<5	<0.01	<10	<10	43	<10	86	2
9V1235RA/RJ	P09-035	133283	248.00	250.00	2.00	<0.01		<0.1	1.53	15	211	<0.5	17	3.08	3	10	14	12	3.68	<1	0.29	12	1.07	1605	<2	0.02	<1	1150	15	0.85	8	4	165	<5	<0.01	<10	<10	42	<10	84	2
9V1235RA/RJ	P09-035	133284	250.00	252.12	2.12	<0.01		<0.1	1.6	11	208	<0.5	21	2.15	3	11	18	12	3.94	<1	0.27	12	1.2	1455	<2	0.03	<1	1199	10	1.08	9	4	116	<5	<0.01	<10	<10	45	<10	81	2
9V1235RA/RJ	P09-035	133285	252.12	252.70	0.58	<0.01		0.8	0.52	16	220	<0.5	12	>15.00	2	5	15	3	3.06	1	0.22	<10	0.94	4106	2	0.01	<1	681	24	1.08	8	1	1545	<5	<0.01	<10	23	10	<10	37	1
9V1235RA/RJ	P09-035	133286	252.70	254.00	1.30	<0.01		2.6	1.27	83	132	<0.5	14	3.53	3	10	14	14	3.37	1	0.32	<10	0.81	1576	<2	0.02	1	1139	114	1.48	8	2	182	<5	<0.01	<10	<10	22	<10	109	2
9V1235RA/RJ	P09-035	133287	254.00	256.00	2.00	0.02		2.5	1.45	63	140	<0.5	20	1.61	4	11	13	20	3.88	1	0.33	10	1.02	1209	<2	0.02	<1	1277	99	1.68	9	3	101	<5	<0.01	<10	<10	27	<10	153	2
9V1235RA/RJ	P09-035	133288	256.00	258.00	2.00	<0.01		<0.1	1.51	58	249	<0.5	16	2.24	2	10	14	8	3.28	<1	0.32	10	1.05	1226	<2	0.02	1	1176	9	0.81	7	3	118	<5	<0.01	<10	<10	29	<10	75	2
9V1235RA/RJ	P09-035	133289	258.00	260.00	2.00	<0.01		<0.1	1.49	22	168	<0.5	13	2.69	2	10	14	15	2.95	<1	0.32	11	1	1469	<2	0.02	1	1161	18	0.31	7	4	153	<5	<0.01	<10	<10	26	<10	86	2
9V1235RA/RJ	P09-035	133290	260.00	262.00	2.00	<0.01		<0.1	1.43	69	126	<0.5	13	2.32	2	11	15	12	2.99	1	0.32	12	0.95	1215	<2	0.02	1	1160	10	0.55	8	3	123	<5	<0.01	<10	<10	26	<10	72	2
9V1235RA/RJ	P09-035	133291	262.00	264.00	2.00	<0.01		0.4	1.4	76	159	<0.5	15	3.18	2	10	15	11	3.38	1	0.32	10	1.04	1335	<2	0.02	<1	1108	11	0.98	5	3	145	<5	<0.01	<10	<10	23	<10	74	2
9V1235RA/RJ	P09-035	133292	264.00	265.47	1.47	<0.01		0.5	0.9	41	149	<0.5	13	2.79	2	10	17	15	3.07	1	0.34	11	1	1448	<2	0.01	<1	1132	13	0.71	6	3	198	<5	<0.01	<10	<10	15	<10	73	2
9V1235RA/RJ	P09-035	133293	265.47	266.00	0.53	<0.01		0.2	0.38	19	187	<0.5	12	5.14	2	9	12	1	2.82	1	0.31	10	1.17	1993	<2	0.01	<1	1170	13	0.43	<5	3	405	<5	<0.01	<10	<10	6	<10	51	1
9V1235RA/RJ	P09-035	133294	266.00	268.00	2.00	<0.01		<0.1	1.63	29	158	<0.5	16	2.14	2	10	16	12	3.78	1	0.32	12	1.25	1277	<2	0.02	<1	1205	8	0.57	6	3	121	<5	<0.01	<10	<10	32	<10	78	2
9V1235RA/RJ	P09-035	133295	268.00	270.00	2.00	<0.01		0.3	1.51	63	196	<0.5	14	1.87	2	11	17	10	3.44	1	0.34	11	1.05	1225	<2	0.01	<1	1170	9	0.91	6	3	107	<5	<0.01	<10	<10	24	<10	75	2
9V1235RA/RJ	P09-035	133296	270.00	272.00	2.00	<0.01		0.3	1.38	81	156	<0.5	15	1.59	2	10	17	13	3.47	1	0.32	10	0.98	1147	<2	0.02	<1	1144	8	1.17	8	3	93	<5	<0.01	<10	<10	23	<10	72	2
9V1235RA/RJ	P09-035	133297	272.00	272.44	0.44	<0.01		2.5	1.15	43	207	<0.5	13	2.54	2	10	24	12	3.21	<1	0.28	10	0.97	1390	<2	0.01	<1	1043	22	0.88	6	3	179	<5	<0.01	<10	<10	19	<10	77	2
9V1235RA/RJ	P09-035	133298	272.44	274.09	1.65	<0.01		0.2	1.79	20	154	<0.5	16	2.78	3	10	15	12	3.85	1	0.27	11	1.33	1488	<2	0.02	<1	1145	24	0.33	6	3	159	<5	<0.01	<10	<10	35	<10	93	2
P09-036- Martha Ellen - PAD 21 - 435766E 6221302N, Elev: 1200m, Az: 270, Dip: -50, EOH: 271.03m																																									
9V1255RA/RJ	P09-036	133299	3.04	4.00	0.96	0.04		0.7	1.47	93	92	<0.5	17	3.26	2	10	23	8	3.87	1	0.24	10	1.12	1722	<2	0.02	<1	1006	27	0.81	10	4	127	<5	<0.01	<10	<10	45	<10	89	2
9V1255RA/RJ	P09-036	133300	BLANK			0.01		<0.1	0.04	<5	<10	<0.5	<5	>15.00	<1	1	4	2	0.05	1	<0.01	<10	1.69	31	<2	0.01	<1	91	41	0.61	<5	<1	5358	<5	0.01	<10	25	3	<10	18	<1
9V1255RA/RJ	P09-036	133301	4.00	6.00	2.00	0.03		1.1	1.28	53	91	<0.5	14	4.29	3	9	12	18	3.59	2	0.28	10	1.21	2609	<2	0.02	<1	1065	40	0.51	<5	5	265	<5	<0.01	<10	10	34	<10	98	2
9V1255RA/RJ	P09-036	133302	6.00	8.00	2.00	0.04		1.3	1.11	45	104	<0.5	12	4.22	3	10	9	20	3.53	2	0.34	10	0.98	2124	<2	0.01	<1	1093	65	0.38	5	5	254	<5	<0.01	<10	<10	24	<10	108	2
9V1255RA/RJ	P09-036	133303	8.00	10.00	2.00	0.03		1.2	1.61	65	101	<0.5	16	4	2	9	19	13	3.83	1	0.23	10	1.14	2307	<2	0.01	<1	1037	23	0.55	6	4	186	<5	<0.01	<10	<10	47	<10	72	2
9V1255RA/RJ	P09-036	133304	10.00	12.00	2.00	0.17		3.3	1.31	158	100	<0.5	17	3.73	4	8	17	36	3.74	2	0.2	<10	0.8	2050	<2	0.01	<1	1006	38	1.48	<5	3	148	<5	<0.01	<10	<10	41	<10	213	2
9V1255RA/RJ	P09-036	133305	12.00	14.00	2.00	0.01		0.2	1.73	24	125	<0.5	15	2.36	4	9	20	7	3.68	1	0.25	12	1.1	1738	<2	0.02	<1	1075	18	0.27	<5	4	114	<5	<0.01	<10	<10	48	<10	209	2
9V1255RA/RJ	P09-036	133306	14.00	16.00	2.00	<0.01		<0.1	1.75	15	82	<0.5	16	2.3	3	10	26	14	3.81	1	0.27	13	1.1	1447	<2	0.02	<1	1148	16	0.18	5	4	106	<5	<0.01	<10	<10	48	<10	113	2
9V1255RA/RJ	P09-036	133307	16.00	18.00	2.00	<0.01		<0.1	1.75	8	194	<0.5	15	2.67	3	10	21	13	3.71	1	0.25	12	1.14	1568	<2	0.02	<1	1114	9	0.13	6	4	107	<5	<0.01	<10	<10	53	<10	110	2
9V1255RA/RJ	P09-036	133308	18.00	20.00	2.00	0.02		0.2	1.58	18	162	<0.5	15	2.79	3	9	22	14	3.46	1	0.26	10	0.98	1515	<2	0.02	<1	1081	14	0.29	6	3	112	<5	<0.01	<10	<10	45	<10	160	2
9V1255RA/RJ	P09-036	133309	20.00	22.00	2.00	0.02		1.4	1.41	136	99	<0.5	14	2.41	4	9	24	15	3.51	1	0.28	<10	0.96	1511	<2	0.01	<1	1052	12	0.86	9	3	86	<5	<0.01	<10	<10	40	<10	144	2
9V1255RA/RJ	P09-036	133310	22.00	24.00	2.00	0.13		3.3	1.5	215	95	<0.5	15	2.13	3	9	22	13	3.98	2	0.23	<10	1	1523	<2	0.01	<1	1089	19	1.07	18	3	70	<5	<0.01	<10	<10	50	<10	93	2
9V1255RA/RJ	P09-036	133311	24.00	26.00	2.00	0.03		1.1	1.7	45	85	<0.5	17	2.83	19	9	20	37	3.76	2	0.23	11	1.09	1916	<2	0.02	<1	1107	47	0.53	8	4	92	<5	<0.01	<10	<10	57	<10	1050	2
9V1255RA/RJ	P09-036	133312	26.00	28.00	2.00	<0.01		0.5	1.6	55	91	<0.5	14	2.8	3	9	19	11	3.57	1	0.24	11	1.01	1777	<2	0.02	<1	1086	9	0.49	6	4	101	<5	<0.01	<10	<10	51	<10	88	2
9V1255RA/RJ	P09-036	133313	28.00	30.00	2.00	0.01		0.3	1.58	53	85	<0.5	15	2.97	3	9	21	13	3.47	1	0.23	10	1.04	1611	<2	0.02	<1	1058	7	0.42	8	4	107	<5	<0.01	<10	<10	47	<10	88	2
9V1255RA/RJ	P09-036	133314	30.00	32.00	2.00	0.04		0.3	1.78	43	111	<0.5	15	2.78	4	10	21	23	3.92	1	0.24	12	1.16	1817	<2	0.02	<1	1139	10	0.39	8	4	107	<5	<0.01	<10	<10	55	<10	163	2
9V1255RA/RJ	P09-036	133315	32.00	33.09	1.09	0.02		0.5	1.57	52	116	<0.5	15	1.83	2	9	24	13	3.49	1	0.25	<10	1.04	1554	<2	0.01	<1	1090	8	0.37	6	3	63	<5	<0.01	<10	<10	44	<10	93	2
9V1255RA/RJ	P09-036	133316	33.09	33.33	0.24	0.25		32.8	0.45	205	87	<0.5	5	2.46	3	4	68	226	1.73	1	0.21	<10	0.24	1067	2	0.01	1	595	88	0.98	10	1	105	<5	<0.01	<10	<10	9	<10	127	1
9V1255RA/RJ	P09-036	133317	33.33	34.00	0.67	0.1		2.6	0.77	292	128	<0.5	11	1.86	2	8	21	9	2.63	1	0.33	<10	0.31	1158	<2	0.01	<1	1060	15	1.48	7	2	60	<5	<0.01	<10	<10	14	<10	47	2
9V1255RA/RJ	P09-036	133318	34.00	36.00	2.00	0.01		0.6	1.13	52	146	<0.5	12	2.57	2	10	16	14	2.71	1	0.39	<10	0.44	1457	<2	0.01	<1	1239	8	0.52	<5	2	100	<5	0.02	<10	<10	20	<10	79	2
9V1255RA/RJ	P09-036	133319	36.00	38.00	2.00	<0.01		<0.1	1.15	8	405	<0.5	12	1.93	2	8	15	13	2.85	1	0.43	11	0.45	1226	<2	0.01	1	1178	3	0.17	5	2	88	<5	0.04	<10	<10	27	<10	59	2
9V1255RA/RJ	P09-036	133320	STD	PM427		3.41		1.9	1.44	5793	68	<0.5	147	5.91	2	93	34	272	4.4	1	0.18	<10	0.46	793	26	0.06	51	740	15	0.8	19	3	54	<5	0.12	<10	12	48	<10	70	12
9V1255RA/RJ	P09-036	133321	38.00	40.00	2.00	0.01		0.9	0.98	31	234	<0.5	10	2.74	1	8	8	11	2.42	2	0.35	<10	0.5	1503	<2	0.01	<1	1061	8	0.55	<5	2	97	<5	0.01	<10	<10	17	<10	56	1
9V1255RA/RJ	P09-036	133322	40.00	42.00	2.00	<0.01		<0.1	0.93	6	285	0.5	12	2.15	2	10	7	13	2.52	2	0.42	11	0.42	1258	<2	0.01	<1	1275	4	0.15	<5	2	80	<5	0.04	<10	<10	22	<10	49	2
9V1255RA/RJ	P09-036	133323	42.00	43.31	1.31	<0.01		<0.1	0.83	<5	1049	0.8	13	1.96	2	8	8	16	2.67	1	0.38	13	0.38	906	<2	0.02	<1	1223	6	0.05	<5	2	93	<5	0.06	<10	<10	33	<10	41	2
9V1255RA/RJ	P09-036	133324	43.31	44.00	0.69	<0.01		<0.1	2.08	<5	2854	<0.5	23	4.88	4	20	54	2	4.94	1	0.1	29	2.02	1504	<2	0.04	29	3250	21	0.15	9	5	447	<5	0.01	<10	<10	73	<10	150	3
9V1255RA/RJ	P09-036	133325	44.00	46.00	2.00	<0.01		<0.1	2.14	<5	1784	<0.5	22	4.03	3	20	50	13	4.61	2	0.15	26	1.9	1129	<2	0.03	27	3052	22	0.14	9	5	347	<5	<0.01	<10	<10	67	10	138	2
9V1255RA/RJ	P09-036	133326	46.00	48.00	2.00	0.01		<0.1	2.31	7	806	<0.5	24	4.05	4	22	57	4	5.36	1	0.18	26	2.09	1218	<2	0.03	30	3337	20	0.25	8	5	239	<5	0.01	<10	<10	67	<10	151	3
9V1255RA/RJ	P09-036	133327	48.00	50.00	2.00	0.02		<0.1	1.99	8	469	<0.5	23	4.11	4	22	53	<1	4.76	1	0.17	22	1.84	1376	<2	0.03	28	3326	7	0.43	11	5	244	<5	<0.01	<10	<10	53	<10	152	2
9V1255RA/RJ	P09-036	133328	50.00	52.00	2.00	<0.01		<0.1	1.63	7	360	<0.5	22	4.59	4	20	41	<1	4.67	1	0.18	19	1.64	1773	<2	0.03	25	3175	5	0.34	9	4	263	<5	<0.01	<10	<10	43	<10	117	2

Drilling Analytical Results 2009

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1255RA/RJ	P09-036	133329	52.00	53.98	1.98	<0.01		<0.1	1.99	<5	887	<0.5	24	3.98	4	21	51	<1	4.97	1	0.15	22	1.75	1351	<2	0.03	28	3242	5	0.25	9	4	224	<5	<0.01	<10	<10	55	<10	146	3
9V1255RA/RJ	P09-036	133330	53.98	56.00	2.02	<0.01		<0.1	1.08	7	613	<0.5	14	2.11	2	8	7	1	3.06	2	0.35	10	0.59	961	<2	0.02	<1	1281	3	0.29	<5	2	107	<5	0.01	<10	<10	24	<10	62	1
9V1255RA/RJ	P09-036	133331	56.00	58.00	2.00	<0.01		<0.1	0.87	<5	879	0.5	12	2.02	2	7	8	3	2.78	2	0.31	13	0.42	991	<2	0.02	<1	1293	2	0.05	5	2	104	<5	0.03	<10	<10	32	<10	48	2
9V1255RA/RJ	P09-036	133332	58.00	60.00	2.00	0.01		<0.1	0.92	<5	377	<0.5	12	1.75	2	6	9	16	2.85	2	0.35	12	0.37	926	<2	0.02	<1	1321	3	0.21	<5	3	93	<5	0.02	<10	<10	25	<10	49	2
9V1255RA/RJ	P09-036	133333	60.00	62.00	2.00	0.09		0.7	0.99	40	197	<0.5	14	2.45	2	10	10	11	3.39	1	0.33	<10	0.47	1489	<2	0.02	<1	1280	8	1.1	5	3	144	<5	<0.01	<10	<10	26	<10	64	1
9V1255RA/RJ	P09-036	133334	62.00	64.00	2.00	0.03		0.7	1.04	26	226	<0.5	12	2.23	2	10	6	2	2.63	1	0.37	11	0.48	1287	<2	0.01	<1	1381	7	0.67	5	3	134	<5	<0.01	<10	<10	19	<10	48	1
9V1255RA/RJ	P09-036	133335	64.00	66.00	2.00	0.02		0.1	1.02	16	199	<0.5	12	2.47	2	11	7	3	2.85	1	0.35	12	0.55	1324	<2	0.02	<1	1394	5	0.31	5	3	124	<5	0.02	<10	<10	24	<10	61	2
9V1255RA/RJ	P09-036	133336	66.00	68.00	2.00	<0.01		<0.1	1.29	5	223	<0.5	15	2.12	2	11	5	20	3.1	1	0.32	12	0.7	1341	<2	0.02	<1	1384	5	0.1	6	3	106	<5	0.01	<10	<10	28	<10	75	2
9V1255RA/RJ	P09-036	133337	68.00	70.00	2.00	<0.01		<0.1	1.54	<5	135	<0.5	17	2.32	3	11	6	20	3.79	1	0.28	14	0.75	1408	<2	0.02	<1	1378	7	0.07	6	3	102	<5	0.02	<10	<10	34	<10	79	1
9V1255RA/RJ	P09-036	133338	70.00	72.00	2.00	<0.01		<0.1	1.66	9	155	<0.5	19	2.3	3	10	6	16	3.83	1	0.27	14	0.85	1383	<2	0.02	<1	1390	8	0.11	7	4	90	<5	0.01	<10	<10	39	<10	84	2
9V1255RA/RJ	P09-036	133339	72.00	74.00	2.00	<0.01		<0.1	1.65	30	135	<0.5	19	1.96	3	11	6	19	4	1	0.26	12	0.77	1311	<2	0.02	<1	1426	9	0.18	7	3	89	<5	0.01	<10	<10	36	<10	90	1
9V1255RA/RJ	P09-036	133340	STD	PM405		0.29		0.7	0.52	730	917	<0.5	15	0.67	5	8	52	34	3.32	3	0.12	14	0.35	464	4	0.01	31	920	144	0.19	499	4	192	6	<0.01	<10	<10	51	<10	239	11
9V1255RA/RJ	P09-036	133341	74.00	76.00	2.00	<0.01		<0.1	1.53	12	150	<0.5	15	1.72	2	10	4	15	3.62	<1	0.31	13	0.69	1190	<2	0.02	<1	1416	6	0.13	7	2	61	<5	0.02	<10	<10	28	<10	82	1
9V1255RA/RJ	P09-036	133342	76.00	78.00	2.00	<0.01		<0.1	1.72	15	261	<0.5	21	2.04	3	12	4	12	4.19	1	0.31	14	0.73	1557	<2	0.02	<1	1383	11	0.12	8	3	80	<5	0.04	<10	<10	33	<10	86	2
9V1255RA/RJ	P09-036	133343	78.00	78.81	0.81	<0.01		<0.1	1.66	31	168	<0.5	17	1.42	3	13	4	15	3.87	1	0.34	13	0.68	1410	<2	0.01	<1	1346	13	0.18	8	3	52	<5	0.04	<10	<10	30	<10	78	2
9V1255RA/RJ	P09-036	133344	78.81	80.00	1.19	<0.01		<0.1	1.55	12	190	<0.5	15	5.57	3	9	3	16	3.5	2	0.37	13	0.66	2944	<2	0.01	<1	1287	9	0.13	9	3	358	<5	<0.01	<10	<10	25	<10	71	1
9V1255RA/RJ	P09-036	133345	80.00	80.69	0.69	<0.01		<0.1	1.75	17	187	<0.5	17	2.14	3	10	3	16	3.93	1	0.38	17	0.7	1912	<2	0.01	<1	1384	7	0.06	9	3	101	<5	0.01	<10	<10	24	<10	78	1
9V1255RA/RJ	P09-036	133346	80.69	82.00	1.31	<0.01		<0.1	1.65	13	215	0.6	17	1.72	3	11	3	17	3.73	1	0.45	15	0.6	2041	<2	0.01	<1	1431	12	0.22	9	2	62	<5	0.04	<10	<10	18	<10	67	2
9V1255RA/RJ	P09-036	133347	82.00	84.00	2.00	<0.01		<0.1	1.93	24	182	<0.5	19	1.57	4	9	2	16	4.56	1	0.39	12	0.65	1846	<2	0.01	<1	1249	8	0.16	11	2	47	<5	0.04	<10	<10	27	<10	72	2
9V1255RA/RJ	P09-036	133348	84.00	85.34	1.34	<0.01		0.3	2.11	36	169	<0.5	27	1	5	18	4	16	5.41	1	0.38	11	0.55	1452	<2	0.01	<1	1367	19	0.43	11	3	33	<5	0.02	<10	<10	40	<10	106	2
9V1255RA/RJ	P09-036	133349	85.34	86.00	0.66	0.01		0.4	1.76	29	319	0.8	21	0.19	4	17	3	26	4.84	1	0.48	13	0.36	1270	<2	0.01	5	583	11	0.42	10	3	21	<5	0.06	<10	<10	25	<10	75	2
9V1255RA/RJ	P09-036	133350	86.00	88.17	2.17	<0.01		0.3	2.25	26	283	1.4	31	0.16	6	14	5	31	6.78	<1	0.52	<10	0.43	1599	<2	0.01	3	257	12	0.63	15	3	26	<5	0.18	<10	<10	39	<10	79	3
9V1255RA/RJ	P09-036	133351	88.17	88.73	0.56	<0.01		1.1	1.63	44	85	0.6	25	0.19	5	24	3	20	6	3	0.48	<10	0.46	892	<2	0.01	2	266	36	2.33	12	2	23	<5	0.02	<10	<10	26	<10	61	3
9V1255RA/RJ	P09-036	133352	88.73	90.00	1.27	0.01		1	2.19	29	175	<0.5	30	0.52	6	26	8	22	6.66	3	0.45	12	0.94	1292	<2	0.01	2	978	29	2.24	11	3	27	<5	0.01	<10	<10	40	<10	91	3
9V1255RA/RJ	P09-036	133353	90.00	92.00	2.00	<0.01		0.9	1.31	67	45	<0.5	25	0.66	5	16	6	19	5.8	2	0.38	<10	0.64	768	5	0.01	<1	1656	19	3.58	9	2	36	<5	0.01	<10	<10	26	<10	101	3
9V1255RA/RJ	P09-036	133354	92.00	94.00	2.00	0.01		0.6	1.3	48	72	<0.5	26	2.47	5	14	8	17	5.27	2	0.31	<10	0.76	1306	2	0.01	<1	1275	15	3.45	7	2	85	<5	0.01	<10	<10	28	<10	122	2
9V1255RA/RJ	P09-036	133355	94.00	96.00	2.00	<0.01		0.2	1.25	21	71	<0.5	21	2.45	4	14	7	24	4.97	2	0.3	<10	0.7	1070	<2	0.02	<1	1200	16	3.27	8	2	80	<5	0.01	<10	<10	25	<10	102	2
9V1255RA/RJ	P09-036	133356	96.00	98.00	2.00	<0.01		0.2	1.18	13	87	<0.5	20	2.48	3	14	8	20	4.34	2	0.32	<10	0.66	985	<2	0.02	<1	1227	12	2.71	6	2	78	<5	0.01	<10	<10	24	<10	81	2
9V1255RA/RJ	P09-036	133357	98.00	100.00	2.00	<0.01		0.7	1.09	19	48	<0.5	26	2.29	5	14	9	19	5.83	2	0.33	<10	0.57	1003	<2	0.01	<1	1195	17	4.35	10	2	75	<5	0.01	<10	11	18	<10	81	3
9V1255RA/RJ	P09-036	133358	100.00	102.00	2.00	0.01		2.3	0.97	21	57	<0.5	23	2.6	5	13	8	26	5.2	2	0.34	<10	0.53	1251	<2	0.01	<1	1140	21	3.96	9	2	97	<5	<0.01	<10	<10	17	<10	75	2
9V1255RA/RJ	P09-036	133359	102.00	104.00	2.00	0.03		3.8	0.96	31	55	<0.5	22	1.62	6	15	10	29	4.92	2	0.37	<10	0.47	952	2	0.01	<1	1208	165	3.87	9	2	62	<5	<0.01	<10	<10	20	<10	196	3
9V1255RA/RJ	P09-036	133360	BLANK			<0.01		<0.1	0.02	<5	10	<0.5	<5	>15.00	<1	1	1	1	0.03	1	0.01	<10	1.7	25	<2	0.01	<1	67	<2	0.61	<5	<1	5000	<5	<0.01	<10	23	1	<10	<1	<1
9V1255RA/RJ	P09-036	133361	104.00	106.00	2.00	0.02		2.1	1.05	20	65	<0.5	20	1.36	4	13	10	23	4.55	2	0.36	<10	0.52	803	<2	0.01	<1	1168	16	3.09	8	2	55	<5	<0.01	<10	<10	20	<10	81	2
9V1255RA/RJ	P09-036	133362	106.00	108.00	2.00	0.04		2.3	1.02	33	59	<0.5	19	0.98	4	14	12	25	4.37	1	0.36	<10	0.54	721	5	0.01	1	1174	19	2.99	10	2	46	<5	<0.01	<10	<10	20	<10	66	2
9V1255RA/RJ	P09-036	133363	108.00	110.00	2.00	0.01		1.4	0.89	24	79	<0.5	19	1.97	3	14	21	24	4.4	3	0.32	<10	0.47	925	<2	0.02	<1	1256	16	3.39	6	2	89	<5	<0.01	<10	<10	19	<10	64	2
9V1255RA/RJ	P09-036	133364	110.00	112.00	2.00	0.01		1.8	1.19	19	83	<0.5	18	1.86	3	15	12	20	4.63	2	0.36	<10	0.71	1047	<2	0.01	<1	1404	19	2.98	5	2	77	<5	0.01	<10	<10	28	<10	95	2
9V1255RA/RJ	P09-036	133365	112.00	114.00	2.00	0.19		5.5	0.83	94	64	<0.5	20	0.99	4	13	23	17	4.76	2	0.34	<10	0.35	729	5	0.01	<1	1029	357	3.48	8	1	51	<5	<0.01	<10	<10	18	<10	140	3
9V1255RA/RJ	P09-036	133366	114.00	116.00	2.00	0.07		4.9	0.88	48	65	<0.5	21	0.9	4	14	15	18	4.69	1	0.35	<10	0.38	755	4	0.01	<1	1107	65	3.45	7	2	56	<5	<0.01	<10	<10	21	<10	133	3
9V1255RA/RJ	P09-036	133367	116.00	118.00	2.00	0.03		4.1	0.94	29	96	<0.5	20	1.13	4	14	14	18	4.45	1	0.34	<10	0.45	934	<2	0.01	<1	1171	95	3.16	8	2	60	<5	<0.01	<10	<10	23	<10	70	3
9V1255RA/RJ	P09-036	133368	118.00	118.54	0.54	0.02		3.7	0.87	27	85	<0.5	20	3.11	4	15	10	19	4.45	1	0.36	<10	0.34	1774	<2	0.01	<1	1261	28	3.47	8	2	141	<5	<0.01	<10	<10	20	<10	70	3
9V1255RA/RJ	P09-036	133369	118.54	119.05	0.51	0.09		3	0.89	43	95	<0.5	15	4.06	3	15	25	14	3.53	2	0.31	<10	0.37	2200	<2	0.01	<1	931	49	2.11	7	1	296	<5	<0.01	<10	11	14	<10	118	2
9V1255RA/RJ	P09-036	133370	119.05	120.00	0.95	0.07		1.1	1.33	72	206	<0.5	15	2.64	2	12	17	16	3.69	1	0.36	<10	0.56	1898	<2	0.01	<1	1182	14	1.26	6	2	125	<5	<0.01	<10	<10	20	<10	61	1
9V1255RA/RJ	P09-036	133371	120.00	122.00	2.00	0.05		0.9	1.37	57	223	<0.5	13	2.78	2	11	13	19	3.38	1	0.39	10	0.51	1610	<2	0.02	<1	1218	16	0.77	5	2	97	<5	<0.01	<10	<10	22	<10	104	2
9V1255RA/RJ	P09-036	133372	122.00	122.92	0.92	0.03		1.9	1.32	21	151	<0.5	17	1.05	3	12	14	14	4.13	1	0.39	<10	0.51	1013	<2	0.01	<1	1198	16	1.71	6	2	43	<5	<0.01	<10	<10	22	<10	74	2
9V1255RA/RJ	P09-036	133373	122.92	124.00	1.08	0.03		6	0.56	34	104	<0.5	14	1.08	3	14	9	15	3.39	1	0.38	<10	0.13	502	<2	0.01	<1	1180	32	2.82	5	2	51	<5	<0.01	<10	<10	8	<10	118	2
9V1255RA/RJ	P09-036	133374	124.00	126.00	2.00	0.06		6.7	1	28	201	<0.5	13	1.83	2	15	11	26	2.78	3	0.38	<10	0.42	1168	<2	0.01	<1	1272	29	1.47	6	2	79	<5	<0.01	<10	<10	12	<10	103	2
9V1255RA/RJ	P09-036	133375	126.00	128.00	2.00	0.17		3.2	1.42	114	164	<0.5	17	5.25	9	14	21	54	4.32	1	0.29	<10	0.84	2734	<2	0.01	<1	1150	334	1.91	9	3	174	<5	<0.01	<10	12	33	<10	746	1
9V1255RA/RJ	P09-036	133376	128.00	128.81	0.81	0.01		0.6	1.85	96	133	<0.5	22	7.35	3	17	20	14	5	1	0.29	<10	1.22	2727	<2	0.01	<1	1172	16	1.94	9	4	219	<5	<0.01	<10	13	45	<10	85	1
9V1255RA/RJ	P09-036	133377	128.81	130.14	1.33	<0.01		0.7	2.12	65	184	<0.5	19	6.9	3	15	13	12	4.49	2	0.33	<10	1.29	3487	<2	0.01	<1	1220	13	0.64	9	3	315	<5	<0.01	<10	10	38	<10	104	1
9V1255RA/RJ	P09-036	133378	130.14	132.00	1.86	<0.01		0.4	2.12	27	209	<0.5	20	3.3	3	15	12	13	4.71	1	0.36	11	1.1	2336	<2	0.01	<1	1291	8	0.53	8	3	124	<5	<0.01	<10	<10	35	<10	93	1
9V1255RA/RJ	P09-036	133379	132.00	134.00	2.00	0.02		0.5	2.2	46	185	<0.5	23	4.1	4	15	12	7	5.17	1	0.32	10	1.21	2711	<2	0.02	1	1220	25	0.99	8	3	131	<5	<0.01	<10	<10	44	<10	102	1
9V1255RA/RJ	P09-036	133380	STD	PM427		3.36		1.4	1.61	5938	75	<0.5	157	7.3	2	108	37	273	5.07	1	0.2	10	0.5	866	27	0.07	61	775	18	0.85	16	3	61	5	0.12	<10	10	52	<10	77	13
9V1255RA/RJ	P09-036	133381	134.00	136.00	2.00	0.01		0.2	2.37	17	204	<0.5	22	5.41	3	15	10	12	4.9	1	0.34	12	1.36	3069	<2	0.02	<1	1303	13	0.57	9	4	168	<5	<0.01	<10	<10	40	<10	99	1
9V1255RA/RJ	P09-036	133382	136.00	138.00	2.00	<0.01		0.2	2.36	14	194	<0.5	21	5.04	3	15	8	17	4.87	1	0.32	11	1.46	3124	<2	0.01	<1	1272	5	0.49	9	4	171	<5	<0.01	<10	<10	37	<10	90	1
9V1255RA/RJ	P09-036	133383	138.00	140.00	2.00	0.02		0.5	1.74	33	185	<0.5	22	4.21	4	16	13	12	5	1	0.33	<10	1.12	2280	2	0.01	1	1319	15	1.97	7	3	136	<5	<0.01	<10	13	31	<10	93	2
9V1255RA/RJ	P09-036	133384	140.00	140.75	0.75	0.01		0.5	1.45	40	144	<0.5	22	3.8	4	16	15	14	5.09	1	0.33	<10	0.98	2070	<2	0.01	1	1321	24	2.6	7	3	129	<5	<0.01	<10	12	28	<10	125	2
9V1255RA/RJ	P09-036	133385	140.75	142.00	1.25	0.03		1	0.99	39	145	<0.5	18	11.7	3	13	17	9	4.18	3	0.29	<10	0.66	5657	<2	0.01	1	1123	16	2.53	8	2	268	<5	<0.01	<10	19	18	<10	83	1
9V1255RA/RJ	P09-036	133386	142.00	143.00	1.00	0.01		0.5	1.17	25	160	<0.5	20	5.41	4	15	18	15	4.82	1	0.33	<10	0.84	2953	<2	0.01	3	1256	16	2.48	6	3	131	<5	<0.01	<10	10	19	<10	92	2
9V1255RA/RJ	P09-036	133387	143.00	144.00	1.00	0.03		0.8	1.05	52	108	<0.5	23	3.78	4	18	18	15	5.13	1	0.3	<10	0.75	2303	3	0.01	3	1226	26	2.95	6	3	138	<5	<0.01	<10	14	19	<10	86	2
9V1255RA/RJ	P09-036	133388	144.00	145.00	1.00	0.24		0.7	0.9	28	122	<0.5	21	5.1	4	14	17	5	4.86	1	0.31	<10	0.75	3027	<2	0.01	3	1095	42	2.84	6	3	180	<5	<0.01	<10	14	17	<10	91	2
9V1255RA/RJ	P09-036	133389	145.00	145.75	0.75	0.15		0.5	0.87	40	101	<0.5	22	4.44	5	15	18	7	5.11	1	0.3	<10	0.68	2389	<2	0.01	3	1296	60	3.13	6	3	151	<5	<0.01	<10	12	18	<10	157	2
9V1255RA/RJ	P09-036	133390	145.75	146.39	0.64	14.43		45.6	0.28	66	96	<0.5	6	9.05	704	11	25	223	3.1	21	0.22	<10	0.49	4098	<2	0.01	1	514	>10000	>5.00	26	2	350	<5	<0.01	<10	14	5	251	>10000	1
9V1255RA/RJ	P09-036	133391	146.39	148.00	1.61	0.02		0.5	0.48	21	139	<0.5	21	3.3	6	16	15	13	5.19	1	0.31	<10	1.06	2964	<2	0.01	2	1245	78	1.94	5	4	123	<5	<0.01	<10	<10	12	<10	234	2
9V1255RA/RJ	P09-036	133392	148.00	149.00	1.00	0.03		0.3	0.49	20	166	<0.5	20	2.64	5	18	16	16	5.02	1	0.38	12	1.28	3067	<2	0.01	2	1388	43	0.51	5	6	125	<5	<0.01	<10	<10	16	<10	224	1
9V1255RA/RJ	P09-036	133393	149.00	150.00	1.00	0.01		0.3	0.49	13	157	<0.5	18	2.95	4	15	18	17	4.6	1	0.34	12	1.24	3016	<2	0.01	2	1238	11	0.46	6	4	136	<5	<0.01	<10	<10	16	<10	109	1
9V1255RA/RJ	P09-036	133394	150.00	150.62	0.62	0.8		3.5	0.48	24	207	<0.5	19	4.31	9	14	26	16	4.82	2	0.33	10	1.08	3371	<2	0.01	2	1107	284	0.85	7	5	168	<5	<0.01	<10	<10	16	<10	624	1
9V1255RA/RJ	P09-036	133395	150.62	151.88	1.26	0.23		2.7	0.31	40	230	<0.5	14	5.57	18	9	54	26	3.61	3	0.23	<10	1.21	5508	4	0.01	1	597	1368	0.97	6	4	267	<5	<0.01	<10	17	10	<10	1637	1
9V1255RA/RJ	P09-036	133396	151.88	153.00	1.12	<0.01		0.5	0.52	20	171	0.7	20	4.15	4	18	12	17	4.97	1	0.38	12	1.43	3253	<2	0.01	1	1228	24	0.46	6	6	186	<5	<0.01	<10	<10	19	<10	113	1
9V1255RA/RJ	P09-036	133397	153.00	154.10	1.10	<0.01		0.6	0.35	26	148	<0.5	18	9.88	4	16	14	17	4.39	2	0.31	10	1.14	4806	<2	0.01	1	1075	14	0.51	7	5	388	<5	<0.01	<10	14	14	<10	78	1
9V1255RA/RJ	P09-036	133398	154.10	156.00	1.90	<0.01		0.3	1.3	12	196	<0.5	19	7.84	4	17	12	18	4.87	2	0.33	12	1.39	4273	<2	0.01	1	1196	9	0.37	7	5	200	<5	<0.01	<10	10	35	<10	92	1
9V1255RA/RJ	P09-036	133399	156.00	158.00	2.00	<0.01		<0.1	2.32	22	300	<0.5	21	5.33	4	18	15	19	5.29	1	0.3	13	1.7	3139	<2	0.01	2	1270	10	0.46	9	5	200	<5	<0.01	<10	<10	50	<10	96	2
9V1255RA/RJ	P09-036	133400	STD	PM405		0.3		0.6	0.6	662	1130	<0.5	15	0.7	5	7	58	35	3.48	2	0.13	15	0.33	482	5	0.01	32	930	143	0.2	480	4	204	6	<0.01	<10	<10	54	<10	233	12
9V1255RA/RJ	P09-036	133401	158.00	159.18	1.18	0.01		<0.1	2.31	21	296	<0.5	23	5.07	4	19	15	15	5.46	1	0.27	11	1.76	3139	<2	0.02	2	1222	10	0.62	8	6	202	<5	<0.01	<10	10	58	<10	104	2
9V1255RA/RJ	P09-036	133402	159.18	160.57	1.39	0.02		1	1.09	54	139	<0.5	16	13.53	6	12	12	11	3.91	3	0.26	<10	1.08	5983	<2	0.01	1	937	141	0.85	5	4	422	<5	<0.01	<10	20	30	<10	412	1
9V1255RA/RJ	P09-036	133403	160.57	161.28	0.71	0.43		1.3	1.83	132	124	<0.5	27	3.32	26	17	27	18	5.89	2	0.21	<10	1.38	3074	<2	0.03	1	1147	761	2.51	9	5	116	<5	<0.01	<10	12	62	<10	2174	2
9V1255RA/RJ	P09-036	133404	161.28	161.97	0.69	0.3		16.9	1.47	74	88	<0.5	16	3.71	687	21	30	70	4.86	15	0.2	<10	1.17	3209	<2	0.02	1	858	>10000	4.16	6	3	132	<5	<0.01	<10	11	48	208	>10000	1
9V1255RA/RJ	P09-036	133405	161.97	163.00	1.03	0.1		1.1	2.09	88	112	<0.5	22	3.69	63	17	25	28	5.69	3	0.21	<10	1.75	2984	<2	0.03	2	1153	657	1.71	8	5	117	<5	<0.01	<10	10	67	23	4786	2
9V1255RA/RJ	P09-036	133406	163.00	164.00	1.00	0.05		0.2	0.94	147	72	<0.5	26	3.44	6	21	19	16	5.71	1	0.29	<10	1.19	1996	2	0.01	2	1306	60	2.88	7	5	138	<5	<0.01	<10	12	30	<10	183	2
9V1255RA/RJ	P09-036	133407	164.00	165.00	1.00	0.03		0.2	1.18	116	136	<0.5	23	3.51	6	20	16	17	5.43	<1	0.27	<10	1.2	2159	<2	0.01	2	1308	129	2.29	6	5	122	<5	<0.01	<10	12	34	<10	290	2
9V1255RA/RJ	P09-036	133408	165.00	166.00	1.00	0.02		0.2	1.84	41	116	<0.5	22	6.24	4	17	18	28	5.05	1	0.23	<10	1.58	2897	<2	0.02	2	1097	13	1.05	8	5	159	<5	<0.01	<10	12	48	<10	101	1

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1255RA/RJ	P09-036	133409	166.00	168.00	2.00	0.03		<0.1	1.62	34	157	<0.5	22	3.4	3	19	14	13	5.34	1	0.29	<10	1.49	2097	<2	0.02	2	1162	13	1.38	7	6	98	<5	<0.01	<10	<10	46	<10	118	1
9V1255RA/RJ	P09-036	133410	168.00	170.00	2.00	0.15		<0.1	1.35	72	110	<0.5	23	5.32	3	18	19	11	5.14	1	0.24	<10	1.16	2016	2	0.01	2	1078	21	2.7	7	4	143	<5	<0.01	<10	11	33	<10	81	2
9V1255RA/RJ	P09-036	133411	170.00	172.00	2.00	0.03		0.5	1.55	122	84	<0.5	25	3.3	3	20	17	10	5.86	1	0.3	<10	1.26	1807	<2	0.01	2	1135	14	2.71	8	5	107	<5	<0.01	<10	13	37	<10	69	2
9V1255RA/RJ	P09-036	133412	172.00	174.00	2.00	0.02		<0.1	2.4	20	170	<0.5	24	3.5	3	17	19	15	5.28	1	0.26	12	1.62	2239	<2	0.01	2	1191	9	0.49	8	5	97	<5	<0.01	<10	<10	62	<10	110	1
9V1255RA/RJ	P09-036	133413	174.00	176.00	2.00	0.01		<0.1	2.4	22	171	<0.5	23	3.5	3	18	19	15	5.24	1	0.25	11	1.63	2175	<2	0.01	1	1217	9	0.49	8	5	99	<5	<0.01	<10	<10	62	<10	112	1
9V1255RA/RJ	P09-036	133414	176.00	178.00	2.00	0.05		<0.1	1.84	35	149	<0.5	19	4.58	3	16	19	11	4.5	1	0.24	<10	1.31	2498	<2	0.01	3	1078	23	0.83	7	4	118	<5	<0.01	<10	11	44	<10	124	1
9V1255RA/RJ	P09-036	133415	178.00	179.00	1.00	0.03		<0.1	1.86	32	144	<0.5	18	4.97	3	15	17	15	4.4	1	0.23	<10	1.32	2740	<2	0.01	2	1093	66	0.62	7	4	134	<5	<0.01	<10	10	46	<10	239	1
9V1255RA/RJ	P09-036	133416	179.00	179.89	0.89	1.61		4.1	1.51	56	148	<0.5	18	5.06	14	17	19	81	4.48	1	0.23	<10	1.02	2731	<2	0.01	3	1114	795	1.77	8	3	136	<5	<0.01	<10	10	39	<10	1223	1
9V1255RA/RJ	P09-036	133417	179.89	181.00	1.11	0.15		0.9	1.54	48	157	<0.5	19	6.19	13	16	20	10	4.67	2	0.26	<10	1.07	3032	<2	0.01	2	1063	266	1.99	6	4	151	<5	<0.01	<10	12	39	<10	1057	1
9V1255RA/RJ	P09-036	133418	181.00	181.72	0.72	0.02		0.3	1.81	34	145	<0.5	22	4.65	3	21	22	12	4.9	1	0.24	<10	1.3	2419	<2	0.02	4	1150	14	1.68	8	4	131	<5	<0.01	<10	12	47	<10	82	2
9V1279RA/RJ	P09-036	133419	181.72	183.44	1.72	<0.01		<0.1	1.67	42	133	<0.5	25	3.47	4	20	17	16	5.4	<1	0.22	<10	1.32	1796	<2	0.01	4	1284	11	2.25	10	4	107	<5	<0.01	<10	12	40	14	121	2
9V1279RA/RJ	P09-036	133420	BLANK			<0.01		<0.1	0.02	<5	<10	<0.5	<5	>15.00	<1	<1	2	<1	0.04	<1	<0.01	<10	1.35	21	<2	0.01	<1	60	<2	0.94	<5	<1	4748	<5	<0.01	<10	21	1	19	<1	<1
9V1279RA/RJ	P09-036	133421	183.44	184.00	0.56	<0.01		<0.1	0.53	44	152	<0.5	18	4.86	3	19	17	9	4.46	1	0.23	<10	1	1489	3	0.01	4	1314	10	2.29	8	5	154	<5	<0.01	<10	<10	19	<10	58	2
9V1279RA/RJ	P09-036	133422	184.00	185.00	1.00	<0.01		<0.1	0.91	40	137	<0.5	21	3.85	3	20	17	15	5.15	1	0.23	<10	1.23	1631	2	0.01	4	1317	12	2.29	9	5	122	<5	<0.01	<10	<10	25	<10	116	2
9V1279RA/RJ	P09-036	133423	185.00	186.00	1.00	<0.01		0.5	0.39	58	106	<0.5	20	4.77	3	19	20	18	5.16	1	0.26	<10	1.22	2082	2	0.01	5	1324	16	2.5	12	5	198	<5	<0.01	<10	11	15	<10	59	2
9V1279RA/RJ	P09-036	133424	186.00	187.00	1.00	<0.01		1.1	0.49	61	101	<0.5	21	3.98	3	20	14	21	5.21	1	0.26	<10	1.1	1844	4	0.01	5	1260	36	2.71	11	5	169	<5	<0.01	<10	13	16	10	113	2
9V1279RA/RJ	P09-036	133425	187.00	188.00	1.00	<0.01		0.9	0.32	58	132	<0.5	18	6.68	3	20	17	4	4.68	1	0.25	<10	1.01	1907	3	0.01	5	1097	14	2.64	8	5	236	<5	<0.01	<10	12	14	11	49	1
9V1279RA/RJ	P09-036	133426	188.00	189.00	1.00	0.03		3.1	0.42	60	125	<0.5	20	5.77	3	28	15	3	5.02	1	0.22	<10	1.04	2149	10	0.01	6	1069	17	2.78	9	5	138	<5	<0.01	<10	13	15	<10	55	2
9V1279RA/RJ	P09-036	133427	189.00	190.00	1.00	0.01		1.6	1.35	38	128	<0.5	25	3.46	3	25	16	9	5.18	1	0.23	<10	1.5	2137	6	0.01	6	1192	15	1.53	10	5	98	<5	<0.01	<10	13	34	<10	116	2
9V1279RA/RJ	P09-036	133428	190.00	190.75	0.75	<0.01		0.6	2.38	22	112	<0.5	24	3.2	3	18	17	17	5.48	1	0.2	<10	1.77	2376	2	0.01	4	1183	8	0.61	11	5	83	<5	<0.01	<10	<10	52	21	130	1
9V1279RA/RJ	P09-036	133429	190.75	192.00	1.25	<0.01		<0.1	1.82	22	121	<0.5	22	3.69	3	18	16	18	4.88	<1	0.21	<10	1.44	2221	2	0.02	4	1151	13	1.28	11	5	89	<5	<0.01	<10	11	40	56	103	1
9V1279RA/RJ	P09-036	133430	192.00	193.00	1.00	<0.01		<0.1	1.82	20	107	<0.5	23	4.1	3	18	16	17	4.92	<1	0.2	<10	1.41	2458	2	0.02	4	1031	15	1.47	9	5	108	<5	<0.01	<10	11	45	18	124	1
9V1279RA/RJ	P09-036	133431	193.00	194.55	1.55	0.05		1.2	1.82	29	109	<0.5	20	3.43	7	14	16	24	4.62	1	0.19	<10	1.4	2135	2	0.02	3	1024	177	1.22	9	4	91	<5	<0.01	<10	12	39	19	538	1
9V1279RA/RJ	P09-036	133432	194.55	196.18	1.63	0.38		0.9	1.05	111	106	<0.5	20	5.04	3	16	19	5	4.78	1	0.19	<10	0.75	2257	4	0.01	4	891	42	2.87	8	3	133	<5	<0.01	<10	12	27	17	85	1
9V1279RA/RJ	P09-036	133433	196.18	198.00	1.82	0.14		1.3	1.19	88	125	<0.5	20	4.38	4	16	17	11	4.32	1	0.22	<10	0.84	1954	4	0.01	5	1046	62	2.28	8	3	122	<5	<0.01	<10	12	24	38	156	1
9V1279RA/RJ	P09-036	133434	198.00	199.95	1.95	0.03		0.5	1.85	84	116	<0.5	25	3.18	4	18	17	16	5.56	1	0.21	<10	1.36	1883	3	0.01	5	1059	15	2.12	9	3	95	<5	<0.01	<10	12	38	<10	106	2
9V1279RA/RJ	P09-036	133435	199.95	201.08	1.13	0.38		1.4	0.98	88	105	<0.5	15	5.61	5	13	19	14	3.7	1	0.19	<10	0.65	2261	4	0.01	4	819	174	2.2	8	2	157	<5	<0.01	<10	12	19	<10	355	1
9V1279RA/RJ	P09-036	133436	201.08	202.00	0.92	<0.01		0.9	1.39	64	90	<0.5	24	2.18	3	22	17	15	5.15	<1	0.21	<10	1.04	1229	2	0.01	6	1076	12	2.98	8	3	70	<5	<0.01	<10	<10	33	<10	61	2
9V1279RA/RJ	P09-036	133437	202.00	204.00	2.00	0.01		1.9	1.49	77	95	<0.5	25	4.48	4	19	18	15	5.32	<1	0.2	<10	1.11	1946	10	0.01	5	930	18	3.06	9	3	130	<5	<0.01	<10	16	35	21	64	2
9V1279RA/RJ	P09-036	133438	204.00	206.00	2.00	0.01		1.6	1.35	72	91	<0.5	22	3.95	3	17	15	20	4.83	1	0.18	<10	1.04	1769	7	0.01	5	995	16	2.49	9	3	121	<5	<0.01	<10	14	35	<10	59	2
9V1279RA/RJ	P09-036	133439	206.00	206.92	0.92	<0.01		0.7	1.67	45	93	<0.5	20	4.43	3	16	18	25	4.56	<1	0.18	<10	1.22	2036	5	0.02	5	1005	18	1.76	8	4	114	<5	<0.01	<10	13	36	<10	90	1
9V1279RA/RJ	P09-036	133440	STD	PM427		3.73		1.1	1.26	5591	72	<0.5	164	5.3	1	101	32	282	4.19	<1	0.19	<10	0.49	682	28	0.06	63	722	17	0.81	20	2	54	<5	0.09	<10	10	43	16	73	7
9V1279RA/RJ	P09-036	133441	206.92	208.00	1.08	0.05		2	1.33	160	104	<0.5	21	6.01	4	17	18	25	4.84	2	0.22	<10	1.03	2443	2	0.01	4	1069	62	2.88	9	3	167	<5	<0.01	<10	15	27	<10	175	1
9V1279RA/RJ	P09-036	133442	208.00	209.00	1.00	0.08		4.3	1.42	261	94	<0.5	24	5.36	4	20	21	10	5.23	2	0.21	<10	1.12	2453	<2	0.01	4	1079	44	2.9	9	3	138	<5	<0.01	<10	13	35	<10	173	1
9V1279RA/RJ	P09-036	133443	209.00	209.42	0.42	0.02		4.2	1.74	158	96	<0.5	22	5.46	3	16	23	11	4.94	2	0.22	<10	1.25	2556	3	0.01	4	1131	25	2.2	10	3	134	<5	<0.01	<10	13	40	28	83	1
9V1279RA/RJ	P09-036	133444	209.42	211.00	1.58	<0.01		0.6	2.42	26	96	<0.5	23	3.84	4	17	22	17	5.21	2	0.2	<10	1.7	2496	2	0.02	3	1213	14	1.01	11	4	99	<5	<0.01	<10	11	57	11	170	1
9V1279RA/RJ	P09-036	133445	211.00	212.00	1.00	<0.01		0.6	2	51	106	<0.5	25	5.85	3	17	20	15	5.2	1	0.22	<10	1.36	2921	2	0.01	3	1268	23	1.96	10	3	141	<5	<0.01	<10	15	44	12	111	1
9V1279RA/RJ	P09-036	133446	212.00	213.00	1.00	0.07		1.3	1.77	147	100	<0.5	27	3.88	4	21	20	11	5.68	1	0.22	<10	1.21	2168	2	0.01	4	1269	46	2.41	11	3	107	<5	<0.01	<10	14	43	<10	148	2
9V1279RA/RJ	P09-036	133447	213.00	214.23	1.23	0.02		0.5	2.17	52	121	<0.5	23	4.53	4	17	22	13	5.36	1	0.2	<10	1.51	2527	2	0.01	3	1196	31	1.36	10	3	128	<5	<0.01	<10	14	59	<10	184	2
9V1279RA/RJ	P09-036	133448	214.23	215.00	0.77	0.06		6	1.98	88	116	<0.5	23	5.21	3	20	13	1084	5.42	2	0.24	<10	1.24	2963	<2	0.01	2	1263	30	1.86	11	3	165	<5	<0.01	<10	16	43	<10	155	1
9V1279RA/RJ	P09-036	133449	215.00	216.59	1.59	0.46		3.9	1.94	117	93	<0.5	24	6.18	24	23	10	254	5.66	3	0.27	<10	1.21	3805	<2	0.01	1	1228	1336	2.37	10	3	254	<5	<0.01	<10	18	42	18	1972	1
9V1279RA/RJ	P09-036	133450	216.59	218.00	1.41	<0.01		0.3	2.57	11	104	<0.5	31	3.14	4	28	6	148	6.43	1	0.23	<10	1.73	2394	<2	0.01	4	1255	29	1.52	11	4	95	<5	<0.01	<10	18	57	11	318	2
9V1279RA/RJ	P09-036	133451	218.00	220.00	2.00	0.03		0.7	4.12	89	282	<0.5	43	7.88	5	38	16	78	9.01	2	0.39	<10	2.87	4923	<2	0.02	12	1779	38	2.3	18	8	321	<5	<0.01	<10	32	88	29	305	2
9V1279RA/RJ	P09-036	133452	220.00	222.00	2.00	0.01		0.3	2.8	40	124	<0.5	27	5.25	3	26	9	72	6.08	2	0.24	<10	2.01	2760	<2	0.01	10	1200	14	1.35	11	5	167	<5	<0.01	<10	18	60	<10	196	2
9V1279RA/RJ	P09-036	133453	222.00	223.00	1.00	<0.01		0.7	2.44	26	112	<0.5	28	2.75	4	29	5	132	6.36	1	0.26	<10	1.83	2338	<2	0.01	4	1329	33	1.67	12	5	83	<5	<0.01	<10	18	50	<10	402	2
9V1279RA/RJ	P09-036	133454	223.00	224.07	1.07	<0.01		0.6	2.24	68	117	<0.5	29	3.84	4	24	5	97	6.52	1	0.3	<10	1.58	2715	<2	0.01	3	1294	86	2.17	12	5	151	<5	<0.01	<10	20	47	12	474	2
9V1279RA/RJ	P09-036	133455	224.07	226.00	1.93	0.03		1.3	2.35	87	114	<0.5	36	4.35	17	40	9	205	7.98	1	0.28	<10	1.57	2652	<2	0.01	6	1745	187	2.27	14	4	173	<5	<0.01	<10	24	40	<10	775	2
9V1279RA/RJ	P09-036	133456	226.00	228.00	2.00	<0.01		<0.1	1.92	9	142	<0.5	22	4.26	3	24	10	59	5.1	1	0.28	<10	1.12	2575	<2	0.01	1	1447	11	0.69	8	6	119	<5	<0.01	<10	13	28	<10	145	1
9V1279RA/RJ	P09-036	133457	228.00	229.57	1.57	0.01		1.2	2.3	45	113	<0.5	29	5.24	36	25	8	100	6.17	3	0.24	<10	1.24	3239	<2	0.01	1	1378	752	1.38	11	5	152	<5	<0.01	<10	22	36	26	2926	2
9V1279RA/RJ	P09-036	133458	229.57	230.93	1.36	0.01		4.2	1.62	39	105	<0.5	27	5.06	81	24	7	69	5.43	5	0.24	<10	1.16	2999	<2	0.01	<1	1291	2334	1.62	8	4	139	<5	<0.01	<10	17	26	28	5494	1
9V1279RA/RJ	P09-036	133459	230.93	231.40	0.47	<0.01		0.2	0.54	7	101	<0.5	17	4.86	3	25	7	78	4.3	1	0.26	<10	1.07	2609	<2	0.01	<1	1818	17	0.95	8	5	139	<5	<0.01	<10	12	14	<10	155	1
9V1279RA/RJ	P09-036	133460	STD	PM405		0.29		0.6	0.55	780	1045	0.5	16	0.77	5	9	58	39	3.88	2	0.13	14	0.38	533	6	0.01	38	962	176	0.24	603	5	223	7	<0.01	<10	<10	56	<10	278	13
9V1279RA/RJ	P09-036	133461	231.40	232.00	0.60	<0.01		<0.1	2.14	12	102	<0.5	27	4.58	4	24	4	55	6.29	2	0.26	<10	1.61	3264	<2	0.02	<1	1608	14	0.51	10	6	131	<5	<0.01	<10	15	36	21	184	2
9V1279RA/RJ	P09-036	133462	232.00	234.00	2.00	<0.01		1	2.53	28	103	<0.5	27	5.33	4	25	6	37	6.05	1	0.25	<10	1.48	3276	<2	0.01	<1	1689	17	0.94	10	4	124	<5	<0.01	<10	16	39	13	160	2
9V1279RA/RJ	P09-036	133463	234.00	236.00	2.00	0.02		0.6	2.18	39	105	<0.5	25	6.91	3	21	9	10	5.67	2	0.24	<10	1.17	3514	<2	0.01	1	1437	18	1.32	10	3	151	<5	<0.01	<10	17	34	<10	120	2
9V1279RA/RJ	P09-036	133464	236.00	238.00	2.00	<0.01		0.7	2.32	18	127	<0.5	26	5.99	3	27	6	60	5.82	2	0.26	<10	1.19	3015	<2	0.02	<1	1632	10	1.1	10	4	134	<5	<0.01	<10	14	37	24	110	2
9V1279RA/RJ	P09-036	133465	238.00	240.00	2.00	<0.01		0.5	2.97	5	134	<0.5	27	4.76	3	27	3	66	6.46	1	0.26	<10	1.5	2711	<2	0.02	<1	1562	4	0.38	10	4	125	<5	<0.01	<10	15	47	15	109	2
9V1279RA/RJ	P09-036	133466	240.00	242.00	2.00	<0.01		0.2	2.64	<5	141	<0.5	25	5.92	3	20	3	61	5.55	1	0.27	<10	1.3	2620	<2	0.02	<1	1500	4	0.43	10	4	146	<5	<0.01	<10	14	42	<10	96	2
9V1279RA/RJ	P09-036	133467	242.00	244.00	2.00	<0.01		<0.1	2.39	8	134	<0.5	24	6.21	3	24	3	41	5.44	2	0.29	<10	1.23	2826	<2	0.02	<1	1529	7	0.73	9	4	161	<5	<0.01	<10	14	36	<10	96	2
9V1279RA/RJ	P09-036	133468	244.00	246.00	2.00	<0.01		<0.1	2.66	14	131	<0.5	29	5.1	3	26	3	68	6.09	1	0.28	<10	1.39	2553	<2	0.02	<1	1681	7	0.87	10	4	162	<5	<0.01	<10	15	40	<10	134	2
9V1279RA/RJ	P09-036	133469	246.00	248.00	2.00	<0.01		<0.1	2.63	<5	155	<0.5	25	4.01	3	24	1	64	5.89	1	0.3	<10	1.3	2090	<2	0.02	<1	1784	<2	0.11	10	3	113	<5	<0.01	<10	12	36	<10	102	2
9V1279RA/RJ	P09-036	133470	248.00	250.00	2.00	<0.01		<0.1	2.39	<5	149	<0.5	23	5.4	3	24	1	87	5.37	1	0.27	<10	1.27	2048	<2	0.02	1	1607	<2	0.12	9	3	146	<5	<0.01	<10	<10	33	20	89	1
9V1279RA/RJ	P09-036	133471	250.00	251.35	1.35	0.01		<0.1	2.54	5	126	<0.5	25	4.08	3	23	1	56	5.92	1	0.26	<10	1.38	1791	<2	0.02	<1	1703	2	0.41	9	4	102	<5	<0.01	<10	14	36	<10	93	2
9V1279RA/RJ	P09-036	133472	251.35	252.00	0.65	0.02		<0.1	2.96	<5	99	<0.5	25	6.69	3	25	3	60	5.7	1	0.2	<10	1.99	2232	<2	0.01	2	1059	<2	0.24	10	4	180	<5	<0.01	<10	14	41	<10	89	1
9V1279RA/RJ	P09-036	133473	252.00	254.00	2.00	<0.01		<0.1	2.93	7	144	<0.5	27	5.04	3	24	5	53	5.92	1	0.25	<10	1.89	2253	<2	0.01	1	1072	2	0.18	10	5	146	<5	<0.01	<10	14	42	<10	99	1
9V1279RA/RJ	P09-036	133474	254.00	256.00	2.00	<0.01		<0.1	2.08	8	167	<0.5	21	5.82	3	22	3	40	5.16	2	0.3	<10	1.19	2188	<2	0.01	1	1427	5	0.39	9	4	164	<5	<0.01	<10	12	31	10	92	1
9V1279RA/RJ	P09-036	133475	256.00	258.00	2.00	0.02		<0.1	2.76	9	144	<0.5	29	5.45	4	27	7	55	6.53	1	0.28	<10	1.25	2057	<2	0.02	3	1607	8	0.38	11	6	143	<5	<0.01	<10	12	64	<10	115	2
9V1279RA/RJ	P09-036	133476	258.00	260.00	2.00	<0.01		<0.1	2.56	<5	226	<0.5	29	6.98	4	28	6	53	6.54	1	0.28	<10	1.29	2446	<2	0.02	2	1675	8	0.51	12	9	192	<5	<0.01	<10	13	64	21	112	2
9V1279RA/RJ	P09-036	133477	260.00	261.00	1.00	<0.01		<0.1	2.95	11	131	<0.5	32	6.17	4	30	8	62	7.14	1	0.26	<10	1.37	2646	<2	0.02	3	1618	8	0.44	13	9	180	<5	<0.01	<10	18	80	<10	121	2
9V1279RA/RJ	P09-036	133478	261.00	262.25	1.25	<0.01		<0.1	1.73	30	128	<0.5	30	6.14	4	27	6	69	6.79	1	0.26	<10	0.87	2140	2	0.02	2	1655	19	3.15	12	5	175	<5	<0.01	<10	16	39	10	90	2
9V1279RA/RJ	P09-036	133479	262.25	263.57	1.32	0.28		1.4	1.38	95	107	<0.5	28	5.26	35	25	10	55	6.35	1	0.25	<10	0.67	2124	2	0.02	2	1368	894	3.83	8	4	144	<5	<0.01	<10	16	31	24	2735	2
9V1279RA/RJ	P09-036	133480	BLANK			<0.01		<0.1	0.28	<5	14	<0.5	<5	>15.00	<1	1	1	<1	0.18	<1	0.02	<10	1.78	42	<2	0.01	<1	95	<2	1.05	<5	<1	4847	<5	<0.01	<10	22	3	<10	1	1
9V1279RA/RJ	P09-036	133481	263.57	264.00	0.43	0.01		<0.1	2.45	19	138	<0.5	29	2.6	4	27	4	45	6.35	1	0.26	<10	1.12	2041	<2	0.02	2	1788	90	0.59	10	3	69	<5	<0.01	<10	13	53	<10	262	1
9V1279RA/RJ	P09-036	133482	264.00	265.00	1.00	0.24		1.7	2.2	103	124	<0.5	25	5.39	27	18	6	82	6.05	2	0.25	<10	1.06	3121	<2	0.01	1	1297	739	1.3	12	3	140	<5	<0.01	<10	18	42	29	2137	1
9V1279RA/RJ	P09-036	133483	265.00	266.00	1.00	0.04		1.1	2.66	53	154	<0.5	31	2	18	27	7	17	7.22	1	0.27	<10	1.19	2288	<2	0.01	2	1373	532	1.29	14	4	52	<5	<0.01	<10	15	54	<10	1345	2
9V1279RA/RJ	P09-036	133484	266.00	267.00	1.00	0.04		0.9	2.53	35	173	<0.5	29	1.32	6	28	3	56	6.6	1	0.29	<10	1.11	1978	<2	0.01	2	1510	162	0.9	11	4	39	<5	<0.01	<10	11	49	<10	382	1
9V1279RA/RJ	P09-036	133485	267.00	268.00	1.00	0.13		4.2	1.88	181	109	<0.5	24	4.85	35	20	11	33	5.36	2	0.22	<10	0.88	3014	<2	0.01	<1	835	1528	1.68	8	2	136	<5	<0.01	<10	20	31	18	3091	1
9V1279RA/RJ	P09-036	133486	268.00	269.00	1.00	<0.01		0.4	2.35	26	169	<0.5	25	5.94	3	27	3	44	5.67	2	0.3	<10	0.99	3436	<2	0.01	1	1227	40	0.72	10	4	152	<5	<0.01	<10	18	41	<10	156	1
9V1279RA/RJ	P09-036	133487	269.00	270.00	1.00	0.53		0.7	2.28	26	140	<0.5	24	6.38	6	24	3	39	5.68	3	0.28	<10	0.96	3592	<2	0.01	1	1192	151	0.71	9	4	148	<5	<0.01	<10	18	39	<10	466	1
9V1279RA/RJ	P09-036	133488	270.00	271.03	1.03	0.09		2.7	2.05	221	131	<0.5	30	5.87	13	27	8	35	6.36	2	0.27	<10	0.89	3722	<2	0.01	2	1119	925	2.04	11	2	197	<5	<0.01	<10	24	38	<10	1150	1

Drilling Analytical Results 2009

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
P09-037- Rambler - PAD 22 - 436114E 6220269N, Elev: 1106m, Az: 090, Dip: -50, EOH: 273.48m																																									
9V1279RA/RJ	P09-037	133489	1.52	2.00	0.48	<0.01		2.2	2.33	29	233	<0.5	27	2.43	3	18	10	18	5.95	2	0.23	<10	1.22	2213	<2	0.01	3	1510	15	0.32	10	4	70	<5	<0.01	<10	10	44	<10	161	2
9V1279RA/RJ	P09-037	133490	2.00	4.00	2.00	0.05		2.1	2.12	123	160	<0.5	24	2.57	4	17	10	15	5.58	1	0.29	<10	1.09	2132	<2	0.01	<1	1616	45	1.12	10	3	86	<5	<0.01	<10	12	34	<10	266	2
9V1279RA/RJ	P09-037	133491	4.00	6.00	2.00	0.06		2.4	2.23	42	183	<0.5	23	2.92	3	19	10	15	5.1	1	0.27	<10	1.14	2618	<2	0.01	<1	1487	10	0.51	10	3	157	<5	<0.01	<10	<10	36	<10	120	2
9V1279RA/RJ	P09-037	133492	6.00	8.00	2.00	0.12		1.5	2.2	58	190	<0.5	25	2.95	3	28	7	12	5.4	2	0.29	<10	1.01	2816	<2	0.01	<1	1580	14	0.81	9	3	164	<5	<0.01	<10	11	38	<10	119	2
9V1279RA/RJ	P09-037	133493	8.00	10.00	2.00	0.09		2.5	2.35	42	175	<0.5	27	3.12	3	23	9	65	5.65	2	0.27	<10	1.1	3216	<2	0.01	<1	1566	17	0.74	10	3	166	<5	<0.01	<10	16	39	<10	127	2
9V1279RA/RJ	P09-037	133494	10.00	12.00	2.00	<0.01		1.6	2.31	42	195	<0.5	25	3.15	3	33	8	44	5.57	2	0.3	10	1.11	3162	<2	0.01	1	1753	7	0.59	10	3	165	<5	<0.01	<10	11	38	<10	121	2
9V1279RA/RJ	P09-037	133495	12.00	14.00	2.00	0.02		1.6	1.87	94	142	<0.5	23	2.47	3	22	7	9	5.54	2	0.31	<10	0.9	2620	<2	0.01	<1	1551	37	1.48	9	3	120	<5	<0.01	<10	13	29	<10	156	2
9V1279RA/RJ	P09-037	133496	14.00	14.94	0.94	<0.01		0.7	1.97	75	179	<0.5	24	2.18	3	19	12	4	5.4	1	0.32	<10	1.06	2187	2	0.01	<1	1473	10	1.27	8	3	87	<5	<0.01	<10	<10	31	<10	195	2
9V1279RA/RJ	P09-037	133497	14.94	16.00	1.06	<0.01		<0.1	2.95	29	289	0.8	32	4.33	4	43	94	25	6.84	1	0.17	13	2.9	1743	<2	0.15	41	1346	2	0.21	17	16	243	<5	0.18	<10	<10	135	<10	107	5
9V1279RA/RJ	P09-037	133498	16.00	18.00	2.00	<0.01		<0.1	3.13	19	253	0.6	31	4.34	4	42	96	25	6.77	1	0.13	12	3.01	1496	<2	0.16	41	1270	4	0.35	17	15	217	<5	0.14	<10	<10	124	<10	103	4
9V1279RA/RJ	P09-037	133499	18.00	20.00	2.00	<0.01		<0.1	3.1	7	228	<0.5	30	3.85	4	40	95	23	6.84	1	0.13	12	3.01	1533	<2	0.11	41	1304	3	0.18	15	13	162	<5	0.09	<10	11	113	<10	114	3
9V1279RA/RJ	P09-037	133500	STD	PM427		3.5		1.3	1.24	6309	79	<0.5	172	5.4	1	110	34	295	4.35	1	0.2	<10	0.53	689	31	0.06	62	835	17	0.92	21	2	58	<5	0.09	<10	<10	48	<10	78	8
9V1279RA/RJ	P09-037	133501	20.00	22.04	2.04	<0.01		<0.1	3.03	9	180	<0.5	31	3.99	4	40	94	23	6.82	1	0.13	13	3.04	1451	<2	0.12	41	1329	2	0.13	15	13	161	<5	0.09	<10	10	115	<10	110	3
9V1279RA/RJ	P09-037	133502	22.04	24.00	1.96	<0.01		<0.1	2.2	46	118	<0.5	28	2.05	3	23	14	19	6.27	1	0.25	<10	1.34	1339	3	0.02	2	1421	9	1.83	10	5	56	<5	<0.01	<10	12	48	<10	121	2
9V1279RA/RJ	P09-037	133503	24.00	26.00	2.00	0.11		0.2	1.83	77	136	<0.5	25	2.24	3	23	18	20	5.68	1	0.27	<10	1.05	1289	6	0.01	2	1436	11	2.11	11	4	59	<5	<0.01	<10	10	41	<10	151	2
9V1279RA/RJ	P09-037	133504	26.00	28.00	2.00	<0.01		0.4	1.59	141	113	<0.5	25	5.05	3	19	13	17	5.79	1	0.25	<10	0.93	1835	<2	0.01	1	1279	9	2.88	13	4	144	<5	<0.01	<10	11	34	<10	91	2
9V1279RA/RJ	P09-037	133505	28.00	30.00	2.00	<0.01		<0.1	2.64	22	203	<0.5	28	4.86	3	24	14	27	6.04	1	0.27	<10	1.43	2170	<2	0.01	<1	1540	3	0.82	12	6	146	<5	<0.01	<10	12	54	<10	114	2
9V1279RA/RJ	P09-037	133506	30.00	32.00	2.00	<0.01		0.3	2.27	110	146	<0.5	27	2.79	3	23	11	21	6.04	1	0.3	<10	1.21	1538	<2	0.01	<1	1475	8	1.36	12	5	97	<5	<0.01	<10	<10	47	<10	105	2
9V1279RA/RJ	P09-037	133507	32.00	33.00	1.00	<0.01		0.5	2.89	80	181	<0.5	29	3.4	3	26	18	39	6.35	1	0.28	<10	1.56	1949	<2	0.01	<1	1543	9	0.54	12	6	148	<5	<0.01	<10	11	60	<10	114	2
9V1279RA/RJ	P09-037	133508	33.00	34.32	1.32	0.02		0.4	2.93	73	233	<0.5	29	2.74	4	26	26	15	6.64	1	0.21	<10	1.68	1828	<2	0.01	<1	1289	64	0.56	12	6	143	<5	<0.01	<10	14	71	<10	170	2
9V1279RA/RJ	P09-037	133509	34.32	36.00	1.68	<0.01		1	2.11	172	162	<0.5	23	3.89	3	23	10	17	5.26	1	0.31	<10	1.23	1902	<2	0.01	<1	1444	13	1.08	13	5	169	<5	<0.01	<10	10	39	<10	99	2
9V1279RA/RJ	P09-037	133510	36.00	38.00	2.00	0.01		0.5	2.7	117	210	<0.5	28	2.44	4	27	13	16	6.3	1	0.32	<10	1.55	1728	<2	0.01	<1	1595	24	0.73	11	6	108	<5	<0.01	<10	11	56	<10	145	2
9V1279RA/RJ	P09-037	133511	38.00	39.22	1.22	<0.01		0.7	2.55	68	157	<0.5	29	1.78	4	28	11	7	6.48	1	0.3	<10	1.39	1583	<2	0.01	<1	1667	12	1.32	12	4	93	<5	<0.01	<10	11	55	<10	135	2
9V1279RA/RJ	P09-037	133512	39.22	40.20	0.98	0.05		2.4	0.5	33	357	<0.5	6	>15.00	1	5	47	3	1.75	5	0.19	10	0.35	7771	3	0.01	<1	415	63	0.98	6	3	1455	<5	<0.01	<10	20	6	<10	181	<1
9V1279RA/RJ	P09-037	133513	40.20	41.14	0.94	0.14		2.7	0.86	99	121	<0.5	15	10.92	2	11	30	4	3.73	3	0.21	<10	0.46	5785	<2	0.01	<1	678	46	2.18	6	3	827	<5	<0.01	<10	16	9	<10	115	1
9V1279RA/RJ	P09-037	133514	41.14	42.14	1.00	0.13		1.4	1.4	37	158	<0.5	17	3.79	3	14	28	2	4.09	1	0.27	<10	0.72	2467	3	0.01	<1	1359	61	1.34	8	2	224	<5	<0.01	<10	<10	20	<10	208	1
9V1279RA/RJ	P09-037	133515	42.14	43.14	1.00	0.63		4	0.56	67	119	<0.5	11	4.17	8	10	30	6	3.15	1	0.29	<10	0.21	1998	6	0.01	1	729	121	2.17	8	1	252	<5	<0.01	<10	<10	7	<10	704	1
9V1279RA/RJ	P09-037	133516	43.14	44.14	1.00	0.27		2.3	0.34	106	83	<0.5	14	4.6	3	10	36	8	3.15	1	0.23	<10	0.1	1711	7	0.01	1	789	91	2.58	10	1	279	<5	<0.01	<10	<10	5	<10	201	1
9V1279RA/RJ	P09-037	133517	44.14	45.01	0.87	0.04		1.5	0.28	116	76	<0.5	21	6.08	3	17	16	3	5.21	1	0.28	<10	0.06	2006	<2	0.01	1	1043	20	4.57	15	2	169	<5	<0.01	<10	12	4	<10	33	1
9V1279RA/RJ	P09-037	133518	45.01	46.00	0.99	0.03		3.8	0.12	235	77	<0.5	18	>15.00	2	7	18	3	4.02	4	0.16	<10	0.08	6132	2	0.01	<1	424	23	3.97	28	2	596	<5	<0.01	14	28	<1	26	19	1
9V1279RA/RJ	P09-037	133519	46.00	47.10	1.10	0.1		2.8	0.17	100	108	<0.5	13	>15.00	1	9	10	3	3.49	3	0.19	<10	0.11	5966	<2	0.01	<1	528	11	3.54	9	3	661	<5	<0.01	12	28	1	13	17	1
9V1279RA/RJ	P09-037	133520	STD	PM405		0.28		0.6	0.56	690	921	0.5	16	0.71	4	9	56	38	3.64	2	0.13	15	0.36	510	6	0.01	35	912	161	0.21	527	5	222	7	<0.01	<10	<10	54	<10	256	12
9V1279RA/RJ	P09-037	133521	47.10	48.38	1.28	0.02		2.8	0.42	60	39	<0.5	27	5.93	4	27	13	16	6.2	1	0.34	<10	0.11	2043	<2	0.01	3	1468	25	>5.00	12	3	173	<5	<0.01	<10	13	7	<10	96	2
9V1279RA/RJ	P09-037	133522	48.38	49.26	0.88	<0.01		4	0.38	67	51	<0.5	24	5.98	4	19	6	17	5.2	1	0.31	<10	0.08	2224	2	0.01	1	1332	38	4.84	15	2	189	<5	<0.01	<10	15	6	<10	57	2
9V1279RA/RJ	P09-037	133523	49.26	50.28	1.02	0.01		2.2	0.46	36	42	<0.5	28	3.58	5	29	13	21	6.06	1	0.32	<10	0.14	1537	2	0.01	2	1420	39	>5.00	11	2	122	<5	<0.01	<10	14	7	11	90	2
9V1279RA/RJ	P09-037	133524	50.28	51.28	1.00	<0.01		2.2	1.1	44	185	<0.5	12	10.71	2	9	12	24	2.87	2	0.25	<10	0.54	5877	<2	0.01	1	1033	8	1.01	7	2	753	<5	<0.01	<10	13	13	17	79	1
9V1279RA/RJ	P09-037	133525	51.28	51.87	0.59	<0.01		1.3	1.32	23	131	<0.5	12	10.22	2	7	20	11	2.91	3	0.24	<10	0.69	4915	<2	0.01	1	995	16	0.56	7	2	283	<5	<0.01	<10	16	17	24	96	1
9V1279RA/RJ	P09-037	133526	51.87	53.00	1.13	0.05		2.9	1.57	46	159	<0.5	17	5.38	2	11	10	46	3.78	1	0.3	<10	0.75	2934	3	0.01	1	1385	26	0.92	10	2	144	<5	<0.01	<10	11	21	13	107	1
9V1279RA/RJ	P09-037	133527	53.00	54.00	1.00	0.05		2.5	2.02	73	162	<0.5	23	2.85	3	16	11	16	5.32	1	0.31	<10	0.96	2842	6	0.01	<1	1529	33	1.23	11	3	94	<5	<0.01	<10	12	29	<10	174	2
9V1279RA/RJ	P09-037	133528	54.00	56.00	2.00	0.02		0.8	2.16	26	181	<0.5	22	2.26	3	15	9	13	4.61	1	0.3	<10	1.1	2485	2	0.01	<1	1558	34	0.41	9	3	90	<5	<0.01	<10	<10	34	<10	171	1
9V1279RA/RJ	P09-037	133529	56.00	58.00	2.00	0.01		7.3	2.41	42	260	<0.5	23	1.62	4	16	13	13	4.91	2	0.42	14	1.15	1914	2	0.01	<1	1759	36	0.47	11	3	72	<5	<0.01	<10	<10	39	<10	308	2
9V1279RA/RJ	P09-037	133530	58.00	59.00	1.00	<0.01		0.2	2.46	21	675	<0.5	23	3	3	13	7	9	5.32	2	0.36	12	1.2	2642	3	0.01	<1	1622	9	0.3	9	4	125	<5	<0.01	<10	<10	44	<10	139	2
9V1279RA/RJ	P09-037	133531	59.00	60.12	1.12	<0.01		1.2	1.17	45	181	<0.5	20	6.97	3	13	14	12	4.61	3	0.34	<10	0.56	3978	<2	0.01	<1	1164	14	2.51	9	3	505	<5	<0.01	<10	11	22	<10	91	1
9V1279RA/RJ	P09-037	133532	60.12	61.12	1.00	<0.01		0.5	0.99	38	48	<0.5	31	2.88	5	23	6	23	6.68	1	0.44	<10	0.39	1111	<2	0.01	1	1460	17	>5.00	10	4	110	<5	<0.01	<10	11	19	<10	95	2
9V1279RA/RJ	P09-037	133533	61.12	62.12	1.00	0.02		2.1	0.92	41	59	<0.5	30	4.16	4	19	13	26	6.65	1	0.42	<10	0.35	1750	4	0.01	<1	1358	43	>5.00	12	3	201	<5	<0.01	<10	14	17	<10	102	2
9V1279RA/RJ	P09-037	133534	62.12	62.79	0.67	0.04		3.1	1.06	50	42	<0.5	39	3.46	6	26	9	30	8.01	1	0.45	<10	0.41	1277	<2	0.01	1	1621	41	>5.00	15	4	129	<5	<0.01	<10	16	22	<10	100	2
9V1279RA/RJ	P09-037	133535	62.79	64.00	1.21	2.93		3.8	1	96	60	<0.5	27	1.67	5	21	16	17	6.2	1	0.39	<10	0.39	1120	7	0.01	<1	1372	118	4.69	13	3	90	<5	<0.01	<10	<10	24	23	206	2
9V1279RA/RJ	P09-037	133536	64.00	65.00	1.00	0.09		2.7	1.87	93	174	<0.5	24	2.8	5	20	16	39	5.47	2	0.38	<10	1	2520	<2	0.01	<1	1492	126	2.27	20	4	178	<5	<0.01	<10	<10	43	<10	270	2
9V1279RA/RJ	P09-037	133537	65.00	65.88	0.88	<0.01		1.1	2.51	39	207	<0.5	27	2.48	3	21	16	29	6.23	2	0.35	<10	1.3	2557	<2	0.01	<1	1587	14	1.02	15	5	160	<5	<0.01	<10	<10	58	<10	121	2
9V1279RA/RJ	P09-037	133538	65.88	67.00	1.12	<0.01		0.3	2.55	18	257	<0.5	26	4.74	3	20	12	29	5.83	2	0.4	11	1.34	3140	<2	0.01	<1	1481	5	0.56	12	7	264	<5	<0.01	<10	<10	71	<10	108	2
9V1279RA/RJ	P09-037	133539	67.00	68.00	1.00	<0.01		0.8	1.85	23	111	<0.5	23	2.5	3	22	10	15	5.69	1	0.45	<10	0.98	1884	<2	0.01	<1	1592	18	2.34	13	4	115	<5	<0.01	<10	<10	43	<10	112	2
9V1279RA/RJ	P09-037	133540	BLANK			<0.01		<0.1	0.02	<5	<10	<0.5	<5	>15.00	<1	<1	2	<1	0.04	<1	0.01	<10	2.2	36	<2	0.01	<1	68	<2	0.84	<5	<1	3828	<5	<0.01	<10	21	2	<10	<1	<1
9V1279RA/RJ	P09-037	133541	68.00	69.00	1.00	<0.01		0.9	1.87	29	151	<0.5	24	3.04	3	20	10	22	5.56	1	0.43	<10	0.94	1836	<2	0.01	<1	1586	18	2.21	15	5	125	<5	<0.01	<10	<10	43	<10	104	2
9V1279RA/RJ	P09-037	133542	69.00	70.00	1.00	<0.01		1.3	2.05	77	202	<0.5	28	3.91	3	18	19	13	5.97	2	0.4	<10	1.14	2300	<2	0.01	<1	1515	15	2.26	15	5	176	<5	<0.01	<10	13	51	<10	112	2
9V1279RA/RJ	P09-037	133543	70.00	71.00	1.00	<0.01		0.7	2.39	15	224	<0.5	28	3.96	4	21	15	20	6.55	2	0.4	<10	1.31	3031	<2	0.01	<1	1606	10	1.88	12	7	180	<5	<0.01	<10	11	62	<10	115	2
9V1279RA/RJ	P09-037	133544	71.00	72.00	1.00	0.13		44.7	1.92	55	131	<0.5	29	3.36	9	22	22	37	6.52	2	0.35	<10	1.02	2704	3	0.01	<1	1540	150	2.84	22	4	155	<5	<0.01	<10	14	50	<10	843	2
9V1279RA/RJ	P09-037	133545	72.00	73.34	1.34	<0.01		0.7	2.21	26	212	<0.5	27	6.77	3	15	17	24	6.15	2	0.33	<10	1.15	2833	<2	0.01	<1	1259	6	1.65	13	6	250	<5	<0.01	<10	13	58	<10	106	2
9V1279RA/RJ	P09-037	133546	73.34	74.00	0.66	<0.01		0.6	2.07	25	165	<0.5	27	2.45	4	19	15	6	6.29	1	0.36	<10	1.18	1468	<2	0.01	<1	1642	13	2.26	12	5	97	<5	<0.01	<10	10	44	<10	124	2
9V1279RA/RJ	P09-037	133547	74.00	75.00	1.00	0.03		0.4	2.14	19	169	<0.5	28	2.52	4	18	18	12	6.44	1	0.37	<10	1.23	1425	<2	0.01	<1	1526	10	2.27	13	6	87	<5	<0.01	<10	<10	50	16	110	2
9V1279RA/RJ	P09-037	133548	75.00	76.00	1.00	0.05		0.9	1.71	37	125	<0.5	31	3.99	4	15	23	14	6.67	1	0.36	<10	1.13	1971	<2	0.01	<1	1379	11	3.34	14	5	173	<5	<0.01	<10	14	41	<10	97	2
9V1279RA/RJ	P09-037	133549	76.00	77.00	1.00	0.01		0.7	1.87	33	148	<0.5	27	2.3	3	17	22	18	5.96	1	0.31	<10	1.16	1393	<2	0.01	<1	1386	11	2.19	12	4	87	<5	<0.01	<10	10	47	<10	98	2
9V1279RA/RJ	P09-037	133550	77.00	78.00	1.00	<0.01		1.7	1.81	60	143	<0.5	27	1.4	3	18	32	16	6.02	1	0.33	<10	0.98	1078	<2	0.01	1	1345	13	2.27	14	4	61	<5	<0.01	<10	<10	45	<10	91	2
9V1279RA/RJ	P09-037	133551	78.00	78.48	0.48	0.04		6.8	1.3	103	81	<0.5	27	1.72	4	16	21	22	6	1	0.34	<10	0.66	989	<2	0.01	1	1199	33	3.45	20	3	77	<5	<0.01	<10	<10	32	<10	102	2
9V1279RA/RJ	P09-037	133552	78.48	79.00	0.52	<0.01		2.3	2.06	39	114	<0.5	31	0.82	4	20	23	23	7.01	1	0.37	<10	1.06	842	<2	0.01	1	1559	15	2.72	16	5	40	<5	<0.01	<10	<10	53	<10	130	2
9V1279RA/RJ	P09-037	133553	79.00	80.00	1.00	0.07		11.4	2	95	163	<0.5	29	1.67	5	18	25	9	6.51	1	0.34	<10	1.04	1126	<2	0.01	1	1473	207	2.25	16	5	65	<5	<0.01	<10	<10	52	<10	316	2
9V1279RA/RJ	P09-037	133554	80.00	82.00	2.00	0.04		12	2.29	84	171	<0.5	34	2.36	6	20	28	26	7.59	1	0.39	<10	1.22	1677	<2	0.01	<1	1570	85	2.35	16	7	86	<5	<0.01	<10	12	63	<10	386	2
9V1279RA/RJ	P09-037	133555	82.00	84.00	2.00	<0.01		0.8	2.58	71	209	<0.5	36	2.47	5	21	20	16	8.02	2	0.37	<10	1.4	1756	<2	0.01	<1	1774	18	1.86	18	7	86	<5	<0.01	<10	12	66	<10	128	2
9V1279RA/RJ	P09-037	133556	84.00	86.00	2.00	<0.01		<0.1	2.43	17	427	<0.5	27	2.74	3	17	18	19	6.24	1	0.39	11	1.43	1694	<2	0.01	<1	1674	8	0.62	11	6	95	<5	<0.01	<10	<10	48	14	123	2
9V1279RA/RJ	P09-037	133557	86.00	88.00	2.00	<0.01		<0.1	2.02	18	342	<0.5	25	3.49	3	18	11	15	5.67	1	0.37	<10	1.47	1717	<2	0.01	<1	1607	7	0.66	9	6	129	<5	<0.01	<10	<10	34	34	114	2
9V1279RA/RJ	P09-037	133558	88.00	88.97	0.97	<0.01		<0.1	1.28	20	221	<0.5	22	3.36	3	19	13	14	5.66	1	0.42	<10	1.49	1638	<2	0.01	<1	1601	7	0.57	9	7	98	<5	<0.01	<10	<10	25	23	115	2
9V1279RA/RJ	P09-037	133559	88.97	90.00	1.03	<0.01		<0.1	0.65	20	194	<0.5	24	2.69	4	18	7	10	5.88	<1	0.43	10	1.35	1491	<2	0.01	<1	1634	8	0.9	9	6	65	<5	<0.01	<10	<10	15	<10	111	2
9V1279RA/RJ	P09-037	133560	STD	PM427		3.55		1.3	1.56	6550	81	<0.5	180	6.88	1	115	40	293	5.44	<1	0.2	10	0.53	918	29	0.07	69	854	19	0.98	19	3	68	5	0.12	<10	<10	55	28	82	12
9V1279RA/RJ	P09-037	133561	90.00	92.00	2.00	<0.01		0.6	0.61	19	187	<0.5	23	3.46	4	17	17	8	5.67	1	0.43	<10	1.44	1867	<2	0.01	<1	1545	8	1.23	9	6	93	<5	<0.01	<10	<10	14	<10	105	2
9V1279RA/RJ	P09-037	133562	92.00	94.00	2.00	<0.01		0.8	0.57	14	501	<0.5	21	2.88	3	16	11	11	5.28	1	0.4	11	1.47	1682	<2	0.01	<1	1572	3	0.27	9	6	97	<5	<0.01	<10	<10	15	<10	98	2
9V1279RA/RJ	P09-037	133563	94.00	95.56	1.56	<0.01		1.8	0.56	28	180	<0.5	24	3.58	4	15	20	12	5.78	1	0.43	<10	1.41	1941	<2	0.01	<1	1438	10	1.59	13	6	210	<5	<0.01	<10	<10	16	<10	94	2
9V1279RA/RJ	P09-037	133564	95.56	96.41	0.85	0.04		9.5	0.57	53	197	<0.5	23	1.43	4	17	16	17	5.63	1	0.41	<10	1.2	1296	<2	0.01	<1	1512	34	1.47	17	6	81	<5	<0.01	<10	<10	17	<10	138	2
9V1279RA/RJ	P09-037	133565	96.41	97.00	0.59	0.05		5.7	0.49	292	68	<0.5	33	1.73	6	18	26	10	7.32	2	0.35	<10	0.77	1173	3	0.01	<1	1258	90	4.69	38	4	94	<5	<0.01	<10	12	11	<10	211	2
9V1279RA/RJ	P09-037	133566	97.00	97.87	0.87	0.02		4.5	0.57	134	161	<0.5	25	0.99	4	21	15	14	5.83	1	0.43	<10	1.09	997	<2	0.01	2	1434	22	2.11	21	5	61	<5	<0.01	<10	<10	16	<10	78	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1279RA/RJ	P09-037	133567	97.87	99.00	1.13	<0.01		3.3	0.59	25	188	<0.5	24	1.76	4	17	21	19	5.59	1	0.41	<10	1.47	1688	<2	0.01	1	1430	7	0.51	15	6	77	<5	<0.01	<10	<10	17	13	99	2
9V1279RA/RJ	P09-037	133568	99.00	100.00	1.00	<0.01		10.7	0.55	30	193	<0.5	21	1.59	4	15	19	30	4.98	1	0.41	<10	1.19	1257	<2	0.01	1	1437	311	1.05	19	5	79	<5	<0.01	<10	<10	14	<10	155	2
9V1279RA/RJ	P09-037	133569	100.00	102.00	2.00	<0.01		1.6	0.62	26	261	<0.5	23	3.87	4	15	18	11	5.47	1	0.44	<10	1.61	2164	<2	0.01	1	1335	7	0.75	12	7	230	<5	<0.01	<10	<10	18	<10	82	2
9V1279RA/RJ	P09-037	133570	102.00	102.52	0.52	<0.01		2.3	0.5	20	164	<0.5	23	3.11	4	16	12	14	5.2	1	0.37	<10	1.49	1955	<2	0.01	<1	1417	8	0.71	12	7	148	<5	<0.01	<10	<10	15	18	81	1
9V1279RA/RJ	P09-037	133571	102.52	104.00	1.48	0.03		5.2	0.52	117	110	<0.5	23	2.32	6	17	19	21	5.32	1	0.37	<10	0.96	1465	3	0.01	1	1267	94	2.52	15	6	126	<5	<0.01	<10	10	15	22	317	2
9V1279RA/RJ	P09-037	133572	104.00	105.00	1.00	<0.01		1.3	0.52	63	171	<0.5	22	2.61	3	16	16	<1	5.13	1	0.35	<10	1.25	1977	<2	0.01	<1	1253	10	1.29	10	7	139	<5	<0.01	<10	10	19	<10	80	2
9V1279RA/RJ	P09-037	133573	105.00	106.00	1.00	<0.01		1.1	0.67	88	167	<0.5	58	3.68	6	21	9	<1	6.13	<1	0.36	<10	1.52	2534	<2	0.01	1	1441	14	1.54	<5	10	168	<5	<0.01	<10	<10	28	<10	82	2
9V1279RA/RJ	P09-037	133574	106.00	107.00	1.00	0.02		2	0.49	183	127	<0.5	55	4.26	6	18	8	2	5.96	<1	0.38	<10	1.46	2759	<2	0.02	2	1396	22	2.18	5	10	223	<5	<0.01	<10	<10	21	<10	71	2
9V1279RA/RJ	P09-037	133575	107.00	108.00	1.00	0.03		2.1	0.56	150	154	<0.5	48	4.38	6	20	10	4	5.56	<1	0.38	<10	1.44	2777	<2	0.02	2	1339	18	1.61	<5	9	268	<5	<0.01	<10	<10	23	<10	95	2
9V1279RA/RJ	P09-037	133576	108.00	109.00	1.00	0.02		4	0.48	269	113	<0.5	40	1.88	6	24	10	7	5.27	2	0.38	<10	0.92	1266	<2	0.02	2	1363	16	2.2	26	6	117	<5	<0.01	<10	<10	19	<10	71	2
9V1279RA/RJ	P09-037	133577	109.00	110.00	1.00	0.03		8.1	0.51	153	152	<0.5	36	1.24	7	20	17	79	6.09	1	0.38	<10	1.27	1357	3	0.02	2	1336	14	1.33	26	7	97	<5	<0.01	<10	<10	26	<10	89	2
9V1279RA/RJ	P09-037	133578	110.00	111.00	1.00	<0.01		2.6	0.48	78	189	<0.5	31	1.13	6	17	16	38	5.47	<1	0.34	<10	1.22	1634	<2	0.02	2	1230	10	0.79	7	7	64	<5	<0.01	<10	<10	27	<10	92	2
9V1279RA/RJ	P09-037	133579	111.00	112.00	1.00	0.02		3.4	0.55	115	152	<0.5	46	1.53	6	15	20	37	5	<1	0.36	<10	1.16	1540	<2	0.01	2	1243	13	1.01	11	6	74	<5	<0.01	<10	<10	26	<10	92	2
9V1279RA/RJ	P09-037	133580	STD	PM405		0.27		0.9	0.58	643	1173	0.5	22	0.68	3	8	54	37	3.45	2	0.14	15	0.34	481	5	0.01	32	875	153	0.21	575	5	212	7	<0.01	<10	<10	60	<10	249	12
9V1279RA/RJ	P09-037	133581	112.00	113.00	1.00	0.01		2.8	0.47	133	121	<0.5	48	0.91	6	16	21	21	5.71	1	0.32	<10	0.86	1132	<2	0.02	2	1173	16	2.11	14	6	40	<5	<0.01	<10	<10	24	10	96	2
9V1279RA/RJ	P09-037	133582	113.00	113.50	0.50	0.01		1.4	0.57	74	145	<0.5	33	0.71	6	18	15	12	5.34	<1	0.31	<10	1.01	997	<2	0.01	2	1321	11	1.12	7	6	32	<5	<0.01	<10	<10	26	<10	114	2
9V1279RA/RJ	P09-037	133583	113.50	114.00	0.50	<0.01		0.7	0.82	31	178	<0.5	39	0.69	5	15	20	1	4.61	<1	0.34	<10	0.98	1138	<2	0.01	3	1294	6	0.67	<5	6	32	<5	<0.01	<10	<10	28	<10	98	2
9V1279RA/RJ	P09-037	133584	114.00	115.00	1.00	0.02		5	1.08	292	115	<0.5	24	0.58	6	19	20	32	6.11	3	0.35	<10	0.92	947	<2	0.01	2	1328	24	2.28	39	5	25	<5	<0.01	11	<10	36	10	115	3
9V1279RA/RJ	P09-037	133585	115.00	116.00	1.00	<0.01		2.3	1.41	91	175	<0.5	38	0.54	6	17	19	30	5.65	1	0.35	<10	1.03	953	<2	0.01	2	1346	12	1.38	7	6	23	<5	<0.01	<10	<10	47	<10	90	2
9V1279RA/RJ	P09-037	133586	116.00	117.00	1.00	<0.01		3.4	1.09	116	143	<0.5	31	1.81	5	15	32	19	4.58	1	0.33	<10	0.65	941	<2	0.01	3	1176	16	2.05	14	4	109	<5	<0.01	<10	<10	31	<10	86	2
9V1279RA/RJ	P09-037	133587	117.00	118.00	1.00	0.01		2.3	0.74	91	152	<0.5	41	2.98	4	12	21	20	3.69	1	0.31	<10	1.06	1354	<2	<0.01	2	936	13	1.34	9	4	129	<5	<0.01	<10	<10	20	<10	65	1
9V1279RA/RJ	P09-037	133588	118.00	118.72	0.72	<0.01		1.7	0.88	79	178	<0.5	43	3.52	4	11	20	15	3.76	<1	0.32	<10	1.16	1781	<2	<0.01	1	929	15	1.36	6	6	161	<5	<0.01	<10	<10	21	<10	128	1
9V1279RA/RJ	P09-037	133589	118.72	120.00	1.28	0.01		0.7	2.12	155	167	<0.5	54	2.78	5	20	9	11	4.94	<1	0.32	<10	1.57	1673	<2	0.01	1	1364	11	0.45	<5	7	107	<5	<0.01	<10	<10	55	<10	150	2
9V1279RA/RJ	P09-037	133590	120.00	122.00	2.00	<0.01		0.8	1.88	84	174	<0.5	39	3.85	5	18	12	20	4.78	<1	0.32	<10	1.25	2013	<2	<0.01	1	1307	11	0.71	<5	6	189	<5	<0.01	<10	<10	45	<10	108	2
9V1279RA/RJ	P09-037	133591	122.00	124.00	2.00	<0.01		0.2	2.43	109	138	<0.5	54	3.76	5	19	9	10	5.75	<1	0.28	<10	1.69	1774	<2	<0.01	1	1354	6	0.43	<5	7	134	<5	<0.01	<10	<10	57	<10	108	2
9V1279RA/RJ	P09-037	133592	124.00	126.00	2.00	<0.01		0.1	2.44	67	307	<0.5	64	3.67	6	19	11	17	5.83	<1	0.27	<10	1.86	1767	<2	<0.01	1	1275	8	0.43	<5	8	131	<5	<0.01	<10	<10	63	<10	104	2
9V1279RA/RJ	P09-037	133593	126.00	128.00	2.00	<0.01		0.6	1.96	87	173	<0.5	61	4	6	20	10	17	6.17	<1	0.34	<10	1.67	2167	<2	<0.01	1	1275	11	0.73	<5	8	174	<5	<0.01	<10	<10	51	<10	98	2
9V1279RA/RJ	P09-037	133594	128.00	130.00	2.00	<0.01		0.2	2.57	30	280	<0.5	60	3.78	6	19	10	21	6.09	<1	0.29	<10	1.76	1932	<2	<0.01	2	1338	7	0.76	<5	6	131	<5	<0.01	<10	<10	60	<10	105	2
9V1279RA/RJ	P09-037	133595	130.00	131.00	1.00	0.63		2.5	1.6	859	87	<0.5	54	3.55	9	19	14	15	6.08	<1	0.32	<10	0.96	2537	<2	<0.01	2	1335	258	2.83	5	4	153	<5	<0.01	<10	<10	37	<10	393	2
9V1279RA/RJ	P09-037	133596	131.00	132.00	1.00	0.29		1.6	1.99	175	118	<0.5	61	3.63	7	20	17	67	6.25	<1	0.31	<10	1.41	2852	<2	<0.01	3	1357	205	2.13	<5	5	156	<5	<0.01	<10	<10	49	<10	186	2
9V1279RA/RJ	P09-037	133597	132.00	133.00	1.00	0.56		1.1	2.44	50	270	0.7	73	4.83	8	28	63	24	6.58	<1	0.32	28	2.84	2443	<2	0.02	32	2656	474	0.77	<5	12	249	<5	0.03	10	<10	129	<10	176	6
9V1279RA/RJ	P09-037	133598	133.00	134.00	1.00	0.17		1.1	1.67	232	95	<0.5	40	3.35	7	21	10	15	6.3	<1	0.37	<10	1.2	1742	<2	<0.01	1	1418	34	3.31	5	7	213	<5	<0.01	<10	<10	44	<10	94	2
9V1279RA/RJ	P09-037	133599	134.00	134.74	0.74	0.06		0.7	1.46	148	89	0.5	71	3.67	7	21	13	11	6.05	<1	0.37	<10	1.32	1617	<2	<0.01	3	1359	39	2.99	<5	8	174	<5	<0.01	<10	<10	47	<10	124	2
9V1279RA/RJ	P09-037	133600	BLANK			<0.01		<0.1	0.04	<5	11	<0.5	75	>15.00	<1	1	2	<1	0.46	<1	0.03	<10	12.5	211	<2	<0.01	1	172	<2	0.44	<5	<1	46	<5	<0.01	<10	<10	2	<10	14	<1
9V1279RA/RJ	P09-037	133601	134.74	136.00	1.26	<0.01		<0.1	2.73	18	741	0.7	88	4.68	8	38	77	20	7.36	<1	0.27	12	3.24	1375	<2	0.12	43	1200	12	0.35	<5	15	289	<5	0.02	<10	<10	94	<10	110	4
9V1279RA/RJ	P09-037	133602	136.00	137.05	1.05	0.06		<0.1	2.84	19	668	1.2	76	4.83	7	35	101	27	6.76	<1	0.17	31	3.95	1128	<2	0.17	58	2816	7	0.36	<5	17	351	5	0.1	12	<10	194	<10	111	7
9V1279RA/RJ	P09-037	133603	137.05	138.00	0.95	0.01		0.6	1	83	166	0.5	69	5.79	6	18	13	8	5.51	<1	0.4	<10	1.86	2576	<2	0.01	4	1309	16	1.43	<5	10	279	<5	<0.01	<10	<10	37	<10	96	2
9V1279RA/RJ	P09-037	133604	138.00	139.16	1.16	0.19		1.4	1.07	380	90	<0.5	53	2.89	7	22	17	11	5.95	<1	0.38	<10	1.15	2033	<2	<0.01	1	1258	38	2.9	5	7	147	<5	<0.01	<10	<10	30	<10	102	2
9V1279RA/RJ	P09-037	133605	139.16	139.91	0.75	1.84		5.5	0.49	1469	81	<0.5	74	4.35	5	13	26	10	4.02	<1	0.26	<10	0.45	1775	12	<0.01	2	678	77	2.95	10	3	156	<5	<0.01	<10	<10	16	<10	197	1
9V1279RA/RJ	P09-037	133606	139.91	141.00	1.09	0.44		2.2	1.37	503	103	<0.5	70	2.76	6	21	14	12	5.76	<1	0.31	<10	1.08	1756	<2	<0.01	2	1158	21	2.51	5	6	93	<5	<0.01	<10	<10	38	<10	99	2
9V1279RA/RJ	P09-037	133607	141.00	142.00	1.00	0.05		0.8	1.99	182	140	<0.5	56	3.56	7	21	12	13	6.12	<1	0.3	<10	1.53	1895	<2	<0.01	2	1247	16	1.89	<5	7	95	<5	<0.01	<10	<10	49	<10	101	2
9V1279RA/RJ	P09-037	133608	142.00	144.00	2.00	<0.01		0.1	2.59	129	169	<0.5	69	5.05	7	21	10	8	6.66	<1	0.3	<10	1.59	1737	<2	<0.01	1	1296	10	1.45	<5	8	133	<5	<0.01	<10	<10	62	<10	113	2
9V1279RA/RJ	P09-037	133609	144.00	145.80	1.80	<0.01		0.3	2.32	154	195	<0.5	59	4.59	6	22	9	43	6.14	<1	0.34	<10	1.36	1375	<2	0.01	2	1281	16	1.22	<5	7	99	<5	<0.01	<10	<10	66	<10	103	2
9V1279RA/RJ	P09-037	133610	145.80	147.00	1.20	0.03		<0.1	2.32	6	1076	<0.5	71	4.23	6	24	58	11	6.13	<1	0.14	43	2.42	1075	<2	0.04	32	3147	7	0.34	<5	6	158	<5	0.01	13	<10	90	<10	122	4
9V1279RA/RJ	P09-037	133611	147.00	149.00	2.00	<0.01		<0.1	2.56	10	726	1.1	59	4.67	6	31	149	20	6.05	1	0.14	37	3.49	1038	<2	0.17	65	3167	6	0.24	<5	9	332	<5	0.13	13	<10	141	<10	118	9
9V1279RA/RJ	P09-037	133612	248.55	250.55	2.00	<0.01		<0.1	2.62	13	252	<0.5	59	4.28	5	16	9	15	5.59	<1	0.32	10	1.53	1547	<2	0.04	1	1278	7	0.32	<5	5	122	<5	0.02	<10	<10	45	<10	108	2
9V1279RA/RJ	P09-037	133613	250.55	252.51	1.96	<0.01		<0.1	2.07	11	559	2	42	3.26	6	27	41	25	5.45	1	0.09	19	1.91	919	<2	0.05	13	2583	7	0.28	<5	6	93	<5	0.31	10	<10	107	<10	113	16
9V1279RA/RJ	P09-037	133614	252.51	253.00	0.49	0.06		1.8	0.8	112	44	<0.5	49	5.15	8	19	8	5	6.95	<1	0.27	<10	0.36	1416	<2	<0.01	1	881	46	>5.00	6	2	140	<5	<0.01	<10	<10	13	10	46	2
9V1279RA/RJ	P09-037	133615	253.00	253.99	0.99	0.12		1.3	0.98	176	99	<0.5	43	3.17	5	15	14	17	4.37	<1	0.26	<10	0.56	827	<2	<0.01	2	1076	27	2.75	<5	2	81	<5	<0.01	<10	<10	17	<10	73	2
9V1279RA/RJ	P09-037	133616	253.99	256.00	2.01	<0.01		0.4	2.11	33	189	<0.5	44	3.89	6	16	10	31	5.28	<1	0.26	<10	1.41	1355	<2	0.01	1	1214	12	1.25	<5	4	91	<5	<0.01	<10	<10	34	<10	121	2
9V1279RA/RJ	P09-037	133617	256.00	258.00	2.00	<0.01		<0.1	2.45	22	287	<0.5	26	4.62	4	17	14	12	5.91	<1	0.32	<10	1.72	1620	2	0.01	1	1461	11	0.97	13	4	114	<5	<0.01	<10	14	36	<10	114	2
9V1279RA/RJ	P09-037	133618	258.00	260.00	2.00	<0.01		<0.1	2.41	26	242	<0.5	26	4.91	4	18	28	3	6.09	1	0.28	<10	1.71	1701	<2	0.02	1	1372	16	1.06	11	5	101	<5	<0.01	<10	15	43	<10	143	1
9V1279RA/RJ	P09-037	133619	260.00	262.00	2.00	<0.01		<0.1	2.49	12	284	<0.5	27	4.27	5	19	22	8	6.37	1	0.29	<10	1.83	1774	<2	0.02	<1	1554	11	0.83	13	5	93	<5	<0.01	<10	13	42	<10	128	2
9V1279RA/RJ	P09-037	133620	STD	PM427	.	3.31		1.5	1.53	7186	84	<0.5	168	8.16	2	124	40	296	5.59	<1	0.2	<10	0.58	937	31	0.06	71	861	19	0.98	19	3	60	5	0.12	<10	12	56	10	68	12
9V1279RA/RJ	P09-037	133621	262.00	264.00	2.00	<0.01		<0.1	2.37	51	238	<0.5	25	4.08	4	17	17	9	5.91	<1	0.31	<10	1.62	1573	<2	0.02	<1	1478	9	0.72	11	4	98	<5	<0.01	<10	12	34	<10	99	2
9V1279RA/RJ	P09-037	133622	264.00	266.00	2.00	<0.01		<0.1	2.38	59	230	<0.5	23	3.29	4	16	15	6	5.63	<1	0.3	<10	1.58	1385	<2	0.02	<1	1381	9	0.64	13	4	66	<5	<0.01	<10	<10	36	<10	93	1
9V1279RA/RJ	P09-037	133623	266.00	268.00	2.00	<0.01		<0.1	2.51	24	277	<0.5	23	3.61	4	18	22	11	5.79	<1	0.33	10	1.72	1730	<2	0.02	2	1419	11	0.54	12	5	81	<5	<0.01	<10	12	39	<10	113	2
9V1279RA/RJ	P09-037	133624	268.00	268.89	0.89	<0.01		<0.1	2.32	42	211	<0.5	26	0.92	5	19	17	2	6.3	1	0.32	<10	1.61	1129	<2	0.01	2	1403	105	1.54	13	4	29	<5	<0.01	<10	10	35	<10	179	2
9V1279RA/RJ	P09-037	133625	268.89	270.55	1.66	0.01		0.5	1.37	75	208	<0.5	25	2.54	12	21	20	10	5.69	1	0.34	<10	1.45	1824	6	0.01	3	1321	494	1.58	14	5	84	<5	<0.01	<10	13	26	<10	766	2
9V1279RA/RJ	P09-037	133626	270.55	272.00	1.45	<0.01		<0.1	0.68	41	322	<0.5	25	3.6	5	19	18	4	5.94	1	0.37	<10	1.86	1962	<2	0.02	3	1421	15	1.03	12	6	107	<5	<0.01	<10	15	21	<10	79	1
9V1279RA/RJ	P09-037	133627	272.00	273.48	1.48	<0.01		<0.1	1.54	32	239	<0.5	23	1.94	4	20	17	15	5.76	<1	0.34	<10	1.57	1217	<2	0.02	3	1438	13	0.75	11	6	55	<5	<0.01	<10	<10	32	<10	89	2

P09-038- Silver Tip - PAD 23 - 437290E 6220800N, Elev: 1100m, Az: 030, Dip: -60, EOH: 103.05m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1309RA/RJ	P09-038	133628	1.52	3.10	1.58	0.01		0.2	2.24	28	130	<0.5	22	1.03	3	22	99	55	4.99	1	0.19	<10	1.6	421	<2	0.03	136	1291	31	1.03	14	6	92	<5	<0.01	<10	<10	41	<10	153	2
9V1309RA/RJ	P09-038	133629	3.10	5.10	2.00	0.01		0.4	1.97	33	112	<0.5	23	2.36	3	20	88	51	4.83	1	0.21	<10	1.54	776	<2	0.02	114	1064	31	0.99	13	5	219	<5	<0.01	<10	<10	37	14	176	2
9V1309RA/RJ	P09-038	133630	5.10	7.10	2.00	0.01		<0.1	2.45	24	126	<0.5	25	1.29	3	26	109	57	5.27	1	0.19	10	1.41	502	<2	0.02	142	1052	21	0.82	14	4	123	<5	<0.01	<10	<10	47	<10	165	2
9V1309RA/RJ	P09-038	133631	7.10	9.10	2.00	0.01		0.4	0.96	14	115	<0.5	12	2.59	2	6	35	15	2.82	1	0.22	<10	0.62	941	4	0.02	22	654	19	0.92	7	3	208	<5	<0.01	<10	<10	9	<10	132	2
9V1309RA/RJ	P09-038	133632	9.10	11.10	2.00	0.01		0.3	0.88	16	120	<0.5	11	1.94	2	5	26	11	2.69	1	0.2	<10	0.46	753	15	0.03	17	586	17	1.15	7	3	174	<5	<0.01	<10	<10	7	10	138	1
9V1309RA/RJ	P09-038	133633	11.10	13.10	2.00	0.01		1.7	0.74	19	115	<0.5	12	3.05	5	6	35	21	2.98	1	0.23	<10	0.54	1076	7	0.02	28	931	16	1.28	9	4	250	<5	<0.01	<10	<10	17	<10	208	1
9V1309RA/RJ	P09-038	133634	13.10	15.10	2.00	0.01		2.1	1.13	30	101	0.5	18	1.54	8	12	25	28	4.18	1	0.27	<10	0.58	784	5	0.02	33	582	51	1.76	13	5	107	<5	<0.01	<10	<10	20	15	317	2
9V1309RA/RJ	P09-038	133635	15.10	15.70	0.60	0.01		1.8	1.4	10	125	<0.5	14	5.7	14	8	48	71	3.44	2	0.21	25	0.7	2543	<2	0.01	5	131	45	0.32	7	3	783	5	<0.01	<10	<10	8	43	1919	2
9V1309RA/RJ	P09-038	133636	15.70	17.70	2.00	<0.01		0.2	2.68	7	107	<0.5	25	0.28	5	16	9	14	5.68	<1	0.26	29	1.35	558	<2	0.01	3	277	14	0.04	10	3	28	6	<0.01	<10	<10	12	11	315	2
9V1309RA/RJ	P09-038	133637	17.70	19.70	2.00	<0.01		0.2	2.09	8	123	0.5	19	0.34	3	16	10	10	4.39	<1	0.29	31	1.11	447	<2	0.01	6	132	15	0.08	8	2	33	6	<0.01	<10	<10	9	<10	132	2
9V1309RA/RJ	P09-038	133638	19.70	20.70	1.00	0.01		<0.1	2.2	6	113	<0.5	21	0.15	3	15	10	7	4.85	<1	0.26	22	1.27	348	<2	0.01	9	366	13	0.02	8	2	18	<5	<0.01	<10	<10	9	<10	113	2
9V1309RA/RJ	P09-038	133639	20.70	21.20	0.50	0.01		0.6	1.57	9	152	0.7	14	0.13	2	10	11	30	3.5	<1	0.33	15	0.92	258	<2	0.01	5	24	9	0.11	6	2	23	<5	<0.01	<10	<10	8	<10	86	2
9V1309RA/RJ	P09-038	133640	21.20	22.90	1.70	0.01		1.1	0.79	7	127	<0.5	10	1.74	4	7	25	9	2.3	1	0.31	15	0.6	1162	<2	0.02	1	385	58	0.14	5	1	120	<5	<0.01	<10	<10	11	<10	287	2
9V1309RA/RJ	P09-038	133641	22.90	23.90	1.00	<0.01		0.6	1.25	11	180	0.8	12	0.72	2	11	10	9	2.77	<1	0.39	22	0.66	768	<2	0.02	1	751	26	0.06	5	1	69	6	<0.01	<10	<10	10	<10	102	2
9V1309RA/RJ	P09-038	133642	23.90	24.60	0.70	0.1		27.8	0.3	11	90	<0.5	<5	0.55	194	9	84	916	1.22	2	0.23	<10	0.12	561	7	0.01	3	265	4938	1.33	5	1	32	<5	<0.01	<10	<10	3	259	6961	1
9V1309RA/RJ	P09-038	133643	24.60	26.60	2.00	0.03		2.9	0.58	12	106	0.7	6	1.5	4	5	24	87	1.52	1	0.37	16	0.34	1149	2	0.02	<1	645	489	0.28	<5	1	86	<5	<0.01	<10	<10	6	<10	277	1
9V1309RA/RJ	P09-038	133644	26.60	28.60	2.00	0.01		2.4	0.61	5	103	0.6	7	2.19	6	4	37	48	1.76	1	0.36	17	0.51	1592	2	0.02	<1	609	458	0.13	<5	2	111	<5	<0.01	<10	<10	6	<10	455	1

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1309RA/RJ	P09-038	133645	28.60	30.60	2.00	0.02		3.7	0.75	10	96	0.7	8	2.04	35	7	20	80	2.19	1	0.4	15	0.56	1460	2	0.02	<1	682	1075	0.28	5	2	99	<5	<0.01	<10	<10	8	54	2346	2
9V1309RA/RJ	P09-038	133646	30.60	32.60	2.00	0.01		1.2	0.7	7	159	0.9	9	2.37	6	6	16	26	2.3	1	0.41	20	0.58	1458	<2	0.02	<1	713	173	0.12	<5	2	118	6	<0.01	<10	<10	7	10	417	2
9V1309RA/RJ	P09-038	133647	32.60	34.60	2.00	0.01		0.9	1.04	6	134	0.7	11	2.03	3	7	13	22	2.54	1	0.37	18	0.65	1201	<2	0.02	<1	685	111	0.1	5	2	104	5	<0.01	<10	<10	13	<10	227	2
9V1309RA/RJ	P09-038	133648	34.60	36.60	2.00	<0.01		0.6	1.06	<5	139	0.8	9	2.29	2	7	17	9	2.29	1	0.42	19	0.59	1242	2	0.03	1	753	54	0.14	5	2	91	5	<0.01	<10	<10	17	<10	125	2
9V1309RA/RJ	P09-038	133649	36.60	38.60	2.00	<0.01		0.2	0.98	<5	117	<0.5	9	2.6	2	8	34	3	2.31	<1	0.29	20	0.81	632	<2	0.04	6	961	244	0.11	<5	3	127	5	<0.01	<10	<10	26	<10	115	6
9V1309RA/RJ	P09-038	133650	38.60	40.60	2.00	0.01		1	0.95	<5	101	<0.5	9	2.29	4	8	43	22	2.11	1	0.22	15	0.74	566	<2	0.03	6	856	45	0.13	<5	3	118	<5	<0.01	<10	<10	25	<10	419	5
9V1309RA/RJ	P09-038	133651	40.60	42.14	1.54	0.01		1.3	0.93	<5	137	<0.5	9	2.4	2	8	38	3	2.22	1	0.25	16	0.77	635	<2	0.04	6	946	99	0.13	<5	3	125	<5	<0.01	<10	<10	24	<10	117	5
9V1309RA/RJ	P09-038	133652	42.14	43.14	1.00	<0.01		<0.1	1.54	<5	357	<0.5	19	2.82	3	16	42	13	4.34	1	0.17	22	1.42	1007	<2	0.04	12	2432	16	0.1	7	4	131	<5	<0.01	<10	<10	29	<10	154	4
9V1309RA/RJ	P09-038	133653	43.14	45.00	1.86	<0.01		1.3	1.1	<5	113	0.6	10	2.95	4	7	19	59	2.47	2	0.29	14	0.58	1271	<2	0.03	1	658	119	0.2	5	2	117	<5	<0.01	<10	<10	22	11	460	2
9V1309RA/RJ	P09-038	133654	45.00	47.00	2.00	0.01		2.7	1.01	8	98	0.6	11	2.03	4	8	15	91	2.55	1	0.31	13	0.59	1267	<2	0.03	<1	616	119	0.19	<5	1	103	<5	<0.01	<10	<10	11	10	311	2
9V1309RA/RJ	P09-038	133655	47.00	49.00	2.00	<0.01		0.3	1.2	<5	166	0.5	9	2.02	1	7	15	17	2.35	1	0.33	15	0.58	1046	<2	0.03	<1	653	28	0.09	<5	2	116	<5	0.01	<10	<10	17	<10	70	2
9V1309RA/RJ	P09-038	133656	49.00	50.95	1.95	<0.01		1.2	0.97	<5	109	0.5	11	1.61	3	8	17	22	2.53	2	0.29	19	0.68	1614	<2	0.04	<1	649	76	0.09	<5	2	85	5	<0.01	<10	<10	16	<10	189	2
9V1309RA/RJ	P09-038	133657	50.95	51.92	0.97	<0.01		1.2	0.4	<5	58	0.5	<5	1.29	1	3	37	75	0.92	1	0.25	16	0.14	563	<2	0.04	1	230	44	0.08	<5	<1	81	12	<0.01	<10	<10	2	<10	97	7
9V1309RA/RJ	P09-038	133658	51.92	52.06	0.14	<0.01		<0.1	1.24	<5	109	0.6	18	3.53	3	16	46	22	4.03	1	0.3	22	1.44	1354	<2	0.03	15	2739	17	0.16	6	5	230	<5	<0.01	<10	<10	28	<10	128	2
9V1309RA/RJ	P09-038	133659	52.06	54.22	2.16	<0.01		<0.1	0.34	<5	39	<0.5	<5	1	<1	2	56	1	0.98	<1	0.21	16	0.16	346	<2	0.04	2	238	16	0.07	<5	<1	64	14	<0.01	<10	<10	1	<10	27	8
9V1309RA/RJ	P09-038	133660	54.22	54.44	0.22	<0.01		<0.1	1.39	<5	81	1.5	17	2.85	2	15	35	11	3.98	1	0.26	26	1.27	865	<2	0.04	11	2351	9	0.11	7	6	203	<5	0.01	<10	<10	37	<10	117	4
9V1309RA/RJ	P09-038	133661	54.44	55.60	1.16	<0.01		<0.1	0.29	<5	36	0.5	<5	0.99	<1	2	61	<1	0.99	1	0.2	19	0.11	321	<2	0.05	1	206	18	0.03	<5	1	65	16	<0.01	<10	<10	2	<10	22	8
9V1309RA/RJ	P09-038	133662	55.60	56.10	0.50	0.02		4.4	0.23	<5	40	<0.5	<5	0.4	105	3	59	38	0.95	1	0.22	10	0.09	263	2	0.03	1	175	272	0.57	<5	<1	30	12	<0.01	<10	<10	<1	122	4858	6
9V1309RA/RJ	P09-038	133663	56.10	57.10	1.00	<0.01		<0.1	0.32	<5	43	0.5	<5	0.78	1	2	69	<1	0.99	<1	0.2	22	0.1	298	<2	0.04	2	200	17	0.04	<5	<1	42	16	<0.01	<10	<10	2	<10	93	9
9V1309RA/RJ	P09-038	133664	57.10	58.10	1.00	<0.01		<0.1	0.31	<5	54	0.6	<5	0.92	1	2	75	<1	0.98	1	0.21	23	0.1	324	<2	0.05	1	210	17	0.03	<5	1	56	17	<0.01	<10	<10	2	<10	55	9
9V1309RA/RJ	P09-038	133665	58.10	59.10	1.00	0.012		0.1	0.24	<5	39	<0.5	<5	0.34	1	1	78	4	0.64	<1	0.23	15	0.07	324	<2	0.03	2	177	29	0.07	<5	<1	25	14	<0.01	<10	<10	<1	<10	40	8
9V1309RA/RJ	P09-038	133666	59.10	60.10	1.00	<0.01		<0.1	0.27	<5	41	<0.5	<5	0.59	1	2	75	2	0.82	<1	0.27	15	0.08	429	<2	0.03	1	199	29	0.07	<5	<1	45	15	<0.01	<10	<10	<1	<10	40	10
9V1309RA/RJ	P09-038	133667	60.10	60.62	0.52	<0.01		<0.1	0.28	<5	63	0.6	<5	1.26	1	2	61	<1	0.98	1	0.24	15	0.12	576	5	0.04	2	249	29	0.05	<5	<1	85	12	<0.01	<10	<10	1	<10	38	6
9V1309RA/RJ	P09-038	133668	60.62	61.90	1.28	0.01		1	0.49	<5	98	0.9	8	2.08	5	6	24	16	1.94	1	0.31	12	0.44	1403	<2	0.03	1	863	173	0.16	<5	2	127	<5	<0.01	<10	<10	7	12	383	2
9V1309RA/RJ	P09-038	133669	61.90	62.90	1.00	0.01		0.3	0.22	<5	35	<0.5	<5	0.54	3	1	70	15	0.48	<1	0.23	10	0.02	312	<2	0.05	1	30	54	0.08	<5	<1	44	15	<0.01	<10	<10	<1	<10	213	7
9V1309RA/RJ	P09-038	133670	62.90	63.90	1.00	<0.01		0.2	0.21	<5	32	<0.5	<5	0.44	2	<1	71	9	0.41	<1	0.25	12	0.01	293	<2	0.04	1	20	54	0.03	<5	<1	42	17	<0.01	<10	<10	<1	<10	172	8
9V1309RA/RJ	P09-038	133671	63.90	64.90	1.00	<0.01		0.1	0.19	<5	36	<0.5	<5	1.22	1	<1	69	2	0.45	1	0.23	12	0.01	941	<2	0.04	1	21	65	0.04	<5	1	121	18	<0.01	<10	<10	<1	<10	96	7
9V1309RA/RJ	P09-038	133672	64.90	65.90	1.00	<0.01		<0.1	0.25	<5	30	<0.5	<5	0.54	1	<1	93	<1	0.46	<1	0.27	11	0.01	339	<2	0.05	1	18	43	0.03	<5	<1	43	19	<0.01	<10	<10	<1	<10	40	8
9V1309RA/RJ	P09-038	133673	65.90	66.90	1.00	<0.01		0.2	0.23	<5	31	<0.5	<5	0.25	2	<1	79	3	0.4	<1	0.26	11	0.01	236	<2	0.04	1	15	80	0.06	<5	<1	21	18	<0.01	<10	<10	<1	<10	139	8
9V1309RA/RJ	P09-038	133674	66.90	67.90	1.00	0.01		0.5	0.27	<5	36	<0.5	<5	0.17	1	<1	94	6	0.41	<1	0.29	11	0.01	216	<2	0.04	1	14	106	0.05	<5	<1	17	18	<0.01	<10	<10	<1	<10	98	8
9V1309RA/RJ	P09-038	133675	67.90	68.90	1.00	<0.01		0.5	0.26	<5	38	0.5	<5	0.13	3	1	84	3	0.36	<1	0.27	11	0.02	217	<2	0.03	2	10	126	0.07	<5	<1	16	17	<0.01	<10	<10	<1	<10	191	6
9V1309RA/RJ	P09-038	133676	68.90	69.50	0.60	<0.01		<0.1	0.22	<5	30	<0.5	<5	0.49	1	<1	97	<1	0.5	1	0.22	11	0.02	348	<2	0.05	1	19	34	0.03	<5	<1	37	18	<0.01	<10	<10	<1	<10	34	8
9V1309RA/RJ	P09-038	133677	69.50	70.50	1.00	<0.01		<0.1	0.23	<5	28	0.5	<5	0.55	<1	<1	94	<1	0.54	1	0.25	13	0.01	302	<2	0.06	2	26	26	0.02	<5	1	41	19	<0.01	<10	<10	<1	<10	19	9
9V1309RA/RJ	P09-038	133678	70.50	71.50	1.00	<0.01		<0.1	0.27	<5	35	<0.5	<5	0.52	1	<1	91	<1	0.49	<1	0.27	12	0.02	314	<2	0.05	1	21	45	0.03	<5	<1	44	17	<0.01	<10	<10	<1	<10	56	7
9V1309RA/RJ	P09-038	133679	71.50	72.50	1.00	0.01		1	0.81	5	131	0.7	11	1.8	3	7	31	40	2.41	1	0.33	14	0.42	1331	<2	0.04	<1	603	108	0.26	<5	2	119	7	<0.01	<10	<10	14	<10	234	1
9V1309RA/RJ	P09-038	133680	72.50	73.50	1.00	0.01		2.9	0.56	7	102	0.6	11	1.28	8	9	40	88	2.61	1	0.32	11	0.46	1454	<2	0.04	<1	598	262	0.39	<5	2	81	6	<0.01	<10	<10	7	<10	547	1
9V1309RA/RJ	P09-038	133681	73.50	74.50	1.00	0.01		1.8	0.57	8	85	0.7	11	2.06	6	8	30	56	2.76	2	0.31	12	0.61	2209	10	0.03	<1	555	136	0.27	<5	2	157	6	<0.01	<10	<10	8	<10	388	1
9V1309RA/RJ	P09-038	133682	74.50	75.39	0.89	<0.01		0.4	1.2	<5	87	0.9	11	2.34	2	6	27	5	2.72	2	0.3	14	0.76	1931	<2	0.04	<1	604	29	0.13	<5	2	106	6	<0.01	<10	<10	20	<10	156	1
9V1309RA/RJ	P09-038	133683	75.39	75.90	0.51	0.01		0.1	0.27	<5	60	<0.5	<5	0.52	<1	1	58	1	0.46	<1	0.24	11	0.06	379	<2	0.04	1	58	18	0.05	<5	<1	42	10	<0.01	<10	<10	<1	<10	32	8
9V1309RA/RJ	P09-038	133684	75.90	76.30	0.40	3.01		>200.0	0.25	9	51	<0.5	<5	0.14	88	2	91	180	0.86	2	0.25	<10	0.03	201	6	0.04	1	26	2362	0.75	19	<1	17	7	<0.01	<10	<10	<1	107	4365	8
9V1309RA/RJ	P09-038	133685	76.30	77.30	1.00	0.04		7.6	0.26	<5	47	<0.5	<5	0.11	2	<1	83	4	0.33	<1	0.29	11	0.02	166	<2	0.04	2	15	95	0.04	<5	<1	15	10	<0.01	<10	<10	<1	<10	179	6
9V1309RA/RJ	P09-038	133686	77.30	78.30	1.00	0.04		3.5	0.25	<5	42	<0.5	<5	0.46	1	<1	87	15	0.34	<1	0.28	13	0.01	260	<2	0.04	1	21	60	0.03	<5	<1	28	11	<0.01	<10	<10	<1	<10	96	7
9V1309RA/RJ	P09-038	133687	78.30	79.30	1.00	0.01		2.4	0.23	<5	41	<0.5	<5	0.7	1	<1	68	43	0.35	<1	0.26	14	0.01	287	<2	0.05	1	21	47	0.03	<5	<1	41	12	<0.01	<10	<10	<1	<10	76	7
9V1309RA/RJ	P09-038	133688	79.30	80.30	1.00	0.01		2.3	0.27	<5	42	<0.5	<5	0.39	10	<1	89	50	0.36	<1	0.3	11	0.01	229	<2	0.05	1	18	416	0.1	<5	<1	26	13	<0.01	<10	<10	<1	11	725	6
9V1309RA/RJ	P09-038	133689	80.30	81.30	1.00	<0.01		1	0.26	<5	43	<0.5	<5	0.66	2	1	73	2	0.47	<1	0.29	14	0.02	413	<2	0.05	2	42	70	0.05	<5	<1	33	14	<0.01	<10	<10	<1	<10	109	5
9V1309RA/RJ	P09-038	133690	81.30	82.30	1.00	0.01		1.1	0.24	<5	41	<0.5	<5	0.4	3	1	81	3	0.39	<1	0.27	11	0.01	335	<2	0.04	1	16	78	0.07	<5	<1	25	13	<0.01	<10	<10	<1	<10	254	5
9V1309RA/RJ	P09-038	133691	82.30	83.30	1.00	<0.01		1.4	0.22	<5	36	<0.5	<5	0.66	1	<1	68	2	0.45	<1	0.25	15	0.01	298	<2	0.05	1	24	37	0.02	<5	<1	33	13	<0.01	<10	<10	<1	<10	39	6
9V1309RA/RJ	P09-038	133692	83.30	84.30	1.00	<0.01		0.4	0.25	<5	74	<0.5	<5	0.61	1	1	82	6	0.48	<1	0.26	14	0.02	353	<2	0.05	2	44	54	0.03	<5	<1	31	12	<0.01	<10	<10	<1	<10	77	7
9V1309RA/RJ	P09-038	133693	84.30	84.70	0.40	0.03		0.7	0.24	<5	43	<0.5	<5	0.38	33	1	89	9	0.38	1	0.26	10	0.01	285	<2	0.04	2	16	652	0.16	<5	<1	27	11	<0.01	<10	<10	<1	39	2255	7
9V1309RA/RJ	P09-038	133694	84.70	85.20	0.50	<0.01		0.3	0.25	<5	39	<0.5	<5	0.47	3	1	81	5	0.45	1	0.29	11	0.02	341	<2	0.04	2	18	114	0.05	<5	<1	35	10	<0.01	<10	<10	<1	<10	255	6
9V1309RA/RJ	P09-038	133695	85.20	85.70	0.50	0.05		4.1	0.26	<5	79	<0.5	<5	0.13	20	1	108	31	0.52	1	0.28	10	0.02	196	5	0.04	2	53	803	0.22	<5	<1	14	8	<0.01	<10	<10	<1	18	1320	6
9V1309RA/RJ	P09-038	133696	85.70	86.20	0.50	0.05		0.7	0.25	<5	40	<0.5	<5	0.6	1	<1	90	7	0.38	1	0.28	12	0.02	359	<2	0.04	2	20	2143	0.06	<5	<1	42	9	<0.01	<10	<10	<1	<10	91	7
9V1309RA/RJ	P09-038	133697	86.20	87.24	1.04	0.01		<0.1	0.25	<5	38	<0.5	<5	0.54	1	<1	83	1	0.49	1	0.24	13	0.03	377	<2	0.05	1	24	53	0.02	<5	<1	37	10	<0.01	<10	<10	<1	<10	51	8
9V1309RA/RJ	P09-038	133698	87.24	88.00	0.76	<0.01		0.9	1.09	<5	164	1	11	1.72	7	9	30	68	2.52	1	0.42	13	0.67	1086	2	0.04	1	644	352	0.38	<5	2	129	7	<0.01	<10	<10	17	11	500	2
9V1309RA/RJ	P09-038	133699	88.00	88.68	0.68	0.01		1	1.03	<5	299	0.8	9	1.59	2	9	28	86	2.21	1	0.42	13	0.71	823	<2	0.03	1	686	47	0.29	<5	2	123	6	<0.01	<10	<10	14	<10	132	2
9V1309RA/RJ	P09-038	133700	BLANK			<0.01		0.2	0.01	<5	<10	<0.5	<5	>15.00	<1	1	3	1	0.47	<1	0.02	<10	13.3	197	<2	0.01	1	162	<2	0.43	<5	<1	56	<5	<0.01	13	15	2	<10	18	<1
9V1309RA/RJ	P09-038	133701	STD	PM405		0.3		0.7	0.66	714	1246	0.5	15	0.73	4	8	61	36	3.59	2	0.15	17	0.37	480	5	0.01	34	946	157	0.22	658	5	219	7	<0.01	<10	<10	62	<10	251	13
9V1309RA/RJ	P09-038	133702	88.68	89.70	1.02	<0.01		1.4	0.69	<5	261	<0.5	8	2.28	1	7	34	192	1.94	1	0.31	18	0.68	861	4	0.04	7	817	22	0.14	5	2	141	<5	<0.01	<10	<10	14	<10	60	4
9V1309RA/RJ	P09-038	133703	89.70	90.70	1.00	<0.01		<0.1	0.78	<5	585	<0.5	8	2.61	1	7	46	3	1.96	1	0.26	19	0.66	449	3	0.04	7	791	13	0.07	<5	2	141	<5	<0.01	<10	<10	23	<10	38	6
9V1309RA/RJ	P09-038	133704	90.70	91.70	1.00	<0.01		<0.1	0.89	<5	487	<0.5	9	2.07	1	6	52	5	2.06	<1	0.25	20	0.69	462	5	0.04	6	795	28	0.06	<5	2	117	6	<0.01	<10	<10	24	<10	50	6
9V1309RA/RJ	P09-038	133705	91.70	92.70	1.00	<0.01		<0.1	1.03	<5	351	<0.5	9	2.26	1	7	58	16	2.22	<1	0.25	22	0.78	454	<2	0.05	6	845	108	0.07	5	2	122	8	0.01	<10	<10	27	<10	58	6
9V1309RA/RJ	P09-038	133706	92.70	93.70	1.00	0.01		<0.1	1.01	<5	158	<0.5	8	2.13	1	7	55	8	2.15	<1	0.27	23	0.74	398	<2	0.04	5	855	10	0.06	<5	2	111	9	<0.01	<10	<10	26	<10	42	6
9V1309RA/RJ	P09-038	133707	93.70	94.70	1.00	0.01		<0.1	1.01	<5	383	<0.5	8	2.04	2	7	48	7	2.05	1	0.27	22	0.7	466	<2	0.04	5	842	32	0.09	<5	2	104	9	<0.01	<10	<10	21	12	96	5
9V1309RA/RJ	P09-038	133708	94.70	95.70	1.00	0.01		0.2	0.78	<5	82	<0.5	7	1.83	1	6	56	40	1.78	1	0.28	20	0.58	532	<2	0.03	4	751	25	0.08	<5	1	115	8	<0.01	<10	<10	15	<10	43	5
9V1309RA/RJ	P09-038	133709	95.70	96.70	1.00	0.02		0.8	0.7	<5	542	<0.5	8	2.19	6	7	53	53	2.04	<1	0.3	16	0.64	632	<2	0.04	5	818	216	0.26	<5	1	159	8	<0.01	<10	<10	11	<10	371	5
9V1309RA/RJ	P09-038	133710	96.70	97.70	1.00	<0.01		0.2	0.95	<5	438	<0.5	8	2.14	1	7	51	3	2.16	<1	0.24	23	0.74	411	<2	0.04	5	829	13	0.06	<5	2	129	8	0.01	<10	<10	25	<10	53	6
9V1309RA/RJ	P09-038	133711	97.70	98.70	1.00	0.02		0.2	0.84	<5	285	<0.5	9	1.87	3	7	46	22	2.08	<1	0.25	19	0.7	425	<2	0.04	5	818	263	0.12	<5	2	119	8	<0.01	<10	<10	21	<10	197	5
9V1309RA/RJ	P09-038	133712	98.70	99.70	1.00	<0.01		<0.1	0.92	<5	368	<0.5	8	2.09	7	7	48	11	2.11	1	0.22	19	0.73	431	<2	0.04	5	827	65	0.09	<5	2	119	8	0.01	<10	<10	26	10	486	6
9V1309RA/RJ	P09-038	133713	99.70	100.70	1.00	<0.01		<0.1	1.01	<5	493	<0.5	8	2.1	1	7	50	1	2.11	1	0.22	18	0.76	387	<2	0.05	5	825	35	0.06	5	2	103	9	0.02	<10	<10	26	<10	79	6
9V1309RA/RJ	P09-038	133714	100.70	101.70	1.00	<0.01		<0.1	0.97	<5	549	<0.5	8	2.14	1	7	56	2	2.09	<1	0.23	22	0.74	378	<2	0.05	5	825	10	0.06	5	2	121	9	0.01	<10	<10	25	<10	71	6
9V1309RA/RJ	P09-038	133715	101.70	102.70	1.00	<0.01		<0.1	0.9	<5	419	<0.5	8	2.1	3	6	46	8	1.96	<1	0.25	21	0.71	372	<2	0.04	5	810	79	0.06	<5	2	121	9	<0.01	<10	<10	21	<10	191	5
9V1309RA/RJ	P09-038	133716	102.70	103.70	1.00	0.01		0.3	0.77	<5	433	<0.5	7	1.78	3	6	53	32	1.87	<1	0.3	19	0.63	440	<2	0.03	5	819	198	0.16	<5	2	132	8	<0.01	<10	<10	13	<10	193	5
9V1309RA/RJ	P09-038	133717	103.70	104.70	1.00	<0.01		0.6	0.69	<5	340	<0.5	8	2.2	16	7	48	27	2.05	<1	0.32	18	0.66	491	2	0.04	5	865	813	0.19	<5	2	177	7	<0.01	<10	<10	13	16	1054	5
9V1309RA/RJ	P09-038	133718	104.70	105.20	0.50	0.01		2	0.36	<5	82	<0.5	7	1.39	3	6	59	123	1.79	<1	0.33	15	0.51	535	2	0.02	3	825	538	0.22	<5	1	138	5	<0.01	<10	<10	3	<10	215	4
9V1309RA/RJ	P09-038	133719	105.20	106.10	0.90	0.03		6.3	0.34	<5	228	<0.5	6	0.99	3	5	63	125	1.56	<1	0.31	13	0.4	541	2	0.02	4	780	7961	0.39	5	1	114	<5	<0.01	<10	<10	3	<10	156	4

P09-039 - Silver Tip - PAD 23 - 437290E 6220800N, Elev: 1100m, Az: 330, Dip: -60, EOH: 88.11m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1320RA/RJ	P09-039	133720	3.04	5.40	2.36	<0.01		0.2	0.93	20	108	<0.5	20	11.61	3	11	32	24	4.88	2	0.18	<10	3.35	2547	<2	0.02	56	1025	20	1.08	10	5	864	<5	<0.01	<10	13	18	<10	92	2
9V1320RA/RJ	P09-039	133721	5.40	6.40	1.00	0.01		0.4	1.85	49	132	<0.5	22	1.44	3	26	89	58	5.1	1	0.24	<10	1.24	616	2	0.03	141	1215	38	1.55	14	5	110	<5	<0.01	<10	<10	32	<10	146	2
9V1320RA/RJ	P09-039	133722	6.40	7.40	1.00	0.03		0.4	1.48	21	115	<0.5	17	2.57	3	12	55	25	4.15	1	0.22	<10	1.19	987	5	0.02	64	902	26	0.95	9	4	206	<5	<0.01	<10	<10	23	<10	150	1

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1320RA/RJ	P09-039	133723	7.40	8.40	1.00	<0.01		0.3	0.81	17	125	<0.5	12	2.56	3	5	38	12	2.73	1	0.24	<10	0.56	1070	8	0.03	17	556	18	1.19	8	3	234	<5	<0.01	<10	<10	9	<10	154	2
9V1320RA/RJ	P09-039	133724	8.40	9.40	1.00	0.01		1.3	0.95	22	121	<0.5	13	1.98	4	8	29	24	3.29	<1	0.22	<10	0.56	739	7	0.02	27	807	11	1.52	9	3	166	<5	<0.01	<10	<10	17	<10	150	2
9V1320RA/RJ	P09-039	133725	9.40	10.40	1.00	<0.01		2.7	0.48	29	106	<0.5	14	2.07	6	7	56	29	3.17	1	0.2	<10	0.59	827	11	0.02	45	1058	9	2.2	11	4	184	<5	<0.01	<10	<10	18	<10	165	2
9V1320RA/RJ	P09-039	133726	10.40	11.40	1.00	<0.01		2	0.78	25	102	<0.5	13	1.45	5	7	41	32	3.11	<1	0.22	<10	0.36	585	9	0.02	39	735	23	1.64	9	3	136	<5	<0.01	<10	<10	18	<10	176	2
9V1320RA/RJ	P09-039	133727	11.40	12.40	1.00	<0.01		2	0.57	30	104	<0.5	14	3.89	5	7	37	29	3.06	1	0.23	<10	0.48	1216	13	0.02	32	723	17	1.88	12	3	265	<5	<0.01	<10	<10	13	<10	158	2
9V1320RA/RJ	P09-039	133728	12.40	13.48	1.08	0.01		1.7	0.43	33	85	<0.5	17	3.12	5	9	18	26	3.96	1	0.25	<10	0.45	1058	8	0.02	29	1389	32	3	15	6	210	<5	<0.01	<10	<10	8	<10	197	2
9V1320RA/RJ	P09-039	133729	13.48	14.10	0.62	0.01		2.3	1.76	11	93	<0.5	22	0.78	4	14	27	5	4.78	<1	0.27	16	0.96	703	<2	0.01	12	438	33	0.13	8	3	52	<5	<0.01	<10	<10	7	<10	179	2
9V1320RA/RJ	P09-039	133730	14.10	15.10	1.00	<0.01		0.7	1.87	11	103	<0.5	18	3.25	3	14	10	92	4.01	2	0.27	37	1.14	3155	<2	0.01	3	235	25	0.11	8	3	238	6	<0.01	<10	<10	9	<10	218	2
9V1320RA/RJ	P09-039	133731	15.10	16.10	1.00	<0.01		<0.1	1.86	6	157	<0.5	19	1.5	3	12	11	6	3.76	1	0.34	24	0.95	1033	<2	0.01	8	200	9	0.14	8	2	135	<5	<0.01	<10	<10	7	<10	168	2
9V1320RA/RJ	P09-039	133732	16.10	17.10	1.00	0.01		<0.1	2.25	5	124	<0.5	21	0.3	3	14	11	8	4.61	<1	0.28	17	1.26	508	<2	0.01	10	135	12	0.03	8	2	28	<5	<0.01	<10	<10	10	<10	105	2
9V1320RA/RJ	P09-039	133733	17.10	18.10	1.00	<0.01		<0.1	2.03	<5	137	<0.5	18	0.23	2	11	15	6	4.26	<1	0.29	16	1.22	350	<2	0.01	11	95	10	0.01	7	2	25	<5	<0.01	<10	<10	5	<10	66	2
9V1320RA/RJ	P09-039	133734	18.10	19.10	1.00	0.01		0.3	1.59	7	130	<0.5	13	0.78	4	11	18	21	3.36	<1	0.31	14	0.92	561	<2	0.01	7	91	10	0.07	6	2	53	<5	<0.01	<10	<10	7	<10	306	1
9V1320RA/RJ	P09-039	133735	19.10	20.10	1.00	0.01		0.2	1.48	<5	192	0.6	12	0.07	1	9	12	15	2.73	<1	0.37	<10	0.72	178	<2	0.01	3	43	8	0.01	5	1	11	<5	<0.01	<10	<10	10	<10	69	1
9V1320RA/RJ	P09-039	133736	20.10	21.20	1.10	<0.01		<0.1	0.84	7	71	<0.5	8	1.6	2	6	49	4	1.84	1	0.14	28	0.56	832	<2	0.05	1	97	12	0.16	<5	2	152	6	<0.01	<10	<10	24	<10	189	2
9V1320RA/RJ	P09-039	133737	21.20	22.20	1.00	0.01		0.4	1.01	17	192	0.5	9	1.53	2	8	17	5	2.02	1	0.39	31	0.53	1135	2	0.02	1	191	32	0.27	5	1	144	8	<0.01	<10	<10	11	<10	177	3
9V1320RA/RJ	P09-039	133738	22.20	23.20	1.00	<0.01		0.4	0.84	5	262	0.6	12	1.33	3	7	17	4	2.84	1	0.35	17	0.77	1110	<2	0.01	<1	649	24	0.05	<5	1	110	5	<0.01	<10	<10	6	<10	148	2
9V1320RA/RJ	P09-039	133739	23.20	24.20	1.00	<0.01		<0.1	1.23	5	244	0.7	13	0.6	2	8	9	9	3.11	1	0.41	21	0.69	792	<2	0.02	<1	848	16	0.06	5	2	53	5	<0.01	<10	<10	14	<10	69	2
9V1320RA/RJ	P09-039	133740	BLANK			<0.01		<0.1	0.03	<5	16	<0.5	<5	>15.00	<1	1	3	1	0.45	<1	0.03	<10	13.5	190	<2	0.01	1	262	<2	0.46	<5	<1	57	<5	<0.01	13	13	2	<10	19	<1
9V1320RA/RJ	P09-039	133741	STD	PM427		3.66		1.2	1.54	6299	77	<0.5	160	6.76	1	112	37	278	5.24	<1	0.2	10	0.53	854	28	0.07	64	819	20	0.94	21	3	63	<5	0.13	<10	<10	50	49	74	12
9V1320RA/RJ	P09-039	133742	24.20	25.20	1.00	<0.01		0.5	1.56	7	184	0.7	25	0.82	4	10	12	9	3.11	<1	0.35	23	0.88	914	<2	0.02	2	1258	52	0.03	<5	2	79	5	<0.01	<10	<10	20	<10	102	2
9V1320RA/RJ	P09-039	133743	25.20	26.20	1.00	<0.01		<0.1	1.57	8	216	0.7	10	0.59	3	9	10	2	2.73	<1	0.4	20	0.9	753	<2	0.02	1	784	16	0.02	<5	1	73	5	<0.01	<10	<10	18	<10	66	2
9V1320RA/RJ	P09-039	133744	26.20	27.20	1.00	<0.01		0.2	1.37	9	237	0.7	6	0.86	3	8	15	7	2.61	<1	0.35	21	0.9	966	<2	0.02	2	807	14	0.03	<5	2	84	5	<0.01	<10	<10	16	<10	65	2
9V1320RA/RJ	P09-039	133745	27.20	27.70	0.50	0.04		11.1	0.39	12	84	0.5	7	0.41	11	4	52	79	1.04	<1	0.37	13	0.14	392	11	0.01	1	501	475	0.58	7	1	36	<5	<0.01	<10	<10	4	<10	700	1
9V1320RA/RJ	P09-039	133746	27.70	28.20	0.50	1.47		>200.0	0.21	27	38	<0.5	11	0.09	126	15	97	181	1.9	7	0.21	<10	0.04	92	48	0.01	4	192	6185	2.12	96	<1	9	<5	<0.01	<10	<10	2	<10	4943	1
9V1320RA/RJ	P09-039	133747	28.20	28.70	0.50	0.01		9.2	0.35	<5	201	0.5	8	0.46	6	4	65	49	0.88	<1	0.33	10	0.14	571	8	0.01	1	387	386	0.27	<5	1	31	<5	<0.01	<10	<10	5	<10	392	1
9V1320RA/RJ	P09-039	133748	28.70	29.20	0.50	0.01		3.8	0.33	<5	72	<0.5	12	0.61	4	3	64	22	0.96	<1	0.32	11	0.18	672	11	0.01	2	426	298	0.21	<5	1	40	<5	<0.01	<10	<10	4	<10	280	1
9V1320RA/RJ	P09-039	133749	29.20	29.70	0.50	0.01		5.1	0.42	<5	98	0.6	24	1.05	7	5	23	12	1.63	<1	0.42	15	0.34	1216	3	0.01	<1	632	174	0.2	<5	1	64	<5	<0.01	<10	<10	6	<10	407	1
9V1320RA/RJ	P09-039	133750	29.70	30.20	0.50	0.01		6.2	0.37	9	512	0.6	17	0.95	17	7	28	26	1.77	<1	0.35	11	0.32	1322	19	0.02	1	633	655	0.49	<5	1	63	<5	<0.01	<10	<10	5	<10	1109	1
9V1320RA/RJ	P09-039	133751	30.20	31.20	1.00	<0.01		1.7	0.39	5	569	0.7	15	0.86	5	6	15	6	2.17	<1	0.37	14	0.47	1082	2	0.02	1	633	124	0.24	<5	1	65	5	<0.01	<10	<10	7	<10	222	2
9V1320RA/RJ	P09-039	133752	31.20	32.20	1.00	<0.01		0.4	0.43	<5	340	0.6	23	1.24	2	5	9	12	1.84	<1	0.44	17	0.42	857	<2	0.02	<1	682	17	0.14	<5	1	88	5	<0.01	<10	<10	7	<10	33	2
9V1320RA/RJ	P09-039	133753	32.20	33.20	1.00	<0.01		1.5	0.47	<5	310	0.5	22	0.91	2	6	15	19	1.63	<1	0.46	15	0.31	632	4	0.02	1	639	54	0.27	<5	1	68	5	<0.01	<10	<10	6	<10	71	2
9V1320RA/RJ	P09-039	133754	33.20	34.20	1.00	<0.01		0.3	0.47	<5	244	0.6	16	0.86	2	5	11	<1	1.58	<1	0.47	18	0.32	528	<2	0.02	1	625	14	0.11	<5	1	64	6	<0.01	<10	<10	6	<10	83	1
9V1320RA/RJ	P09-039	133755	34.20	35.20	1.00	<0.01		<0.1	1.08	<5	215	0.6	24	2.97	2	7	15	<1	2.35	<1	0.36	21	0.56	1391	<2	0.04	1	601	12	0.08	<5	2	167	5	<0.01	<10	<10	20	<10	41	2
9V1320RA/RJ	P09-039	133756	35.20	36.20	1.00	<0.01		0.2	1.11	5	151	0.7	20	2.37	2	9	15	<1	2.43	<1	0.35	20	0.51	1363	<2	0.04	2	648	16	0.17	<5	2	118	5	<0.01	<10	<10	22	<10	58	2
9V1320RA/RJ	P09-039	133757	36.20	36.50	0.30	<0.01		<0.1	1.21	5	153	0.6	29	3.14	3	11	19	4	2.95	<1	0.32	20	0.52	1969	<2	0.04	1	619	6	0.15	<5	2	144	5	0.01	<10	<10	32	<10	53	2
9V1320RA/RJ	P09-039	133758	BLANK			<0.01		<0.1	0.04	<5	11	<0.5	67	>15.00	<1	1	1	<1	0.45	<1	0.03	13	13	210	<2	0.01	1	145	<2	0.4	<5	<1	61	<5	<0.01	<10	<10	2	<10	19	<1
9V1320RA/RJ	P09-039	133759	36.50	37.50	1.00	<0.01		<0.1	1.11	<5	888	0.6	30	2.7	2	8	24	<1	2.24	<1	0.31	20	0.83	497	<2	0.04	7	987	6	0.11	<5	3	177	<5	<0.01	<10	<10	32	<10	41	5
9V1320RA/RJ	P09-039	133760	37.50	38.50	1.00	<0.01		0.7	0.91	<5	290	0.5	34	2.77	3	8	32	<1	2.13	<1	0.26	18	0.76	555	<2	0.04	7	932	19	0.1	<5	3	157	5	<0.01	<10	<10	27	<10	74	5
9V1320RA/RJ	P09-039	133761	38.50	39.50	1.00	<0.01		0.2	0.89	<5	256	0.5	23	2.25	2	7	38	<1	2.12	<1	0.27	16	0.74	567	<2	0.04	7	903	25	0.09	<5	3	129	<5	<0.01	<10	<10	27	<10	60	5
9V1320RA/RJ	P09-039	133762	39.50	40.50	1.00	<0.01		<0.1	0.92	<5	237	0.5	10	2.36	2	8	36	<1	2.11	<1	0.27	17	0.73	430	<2	0.03	7	897	8	0.08	<5	3	126	<5	<0.01	<10	<10	27	<10	40	5
9V1320RA/RJ	P09-039	133763	40.50	41.50	1.00	<0.01		<0.1	1.04	<5	314	0.5	13	2.42	2	7	31	<1	2.15	<1	0.29	18	0.73	464	<2	0.04	7	913	9	0.1	<5	3	137	<5	<0.01	<10	<10	27	<10	38	5
9V1320RA/RJ	P09-039	133764	41.50	42.38	0.88	<0.01		<0.1	1.02	<5	228	0.5	21	2.33	2	8	25	3	2.2	1	0.24	18	0.81	472	<2	0.04	7	939	13	0.1	<5	3	134	<5	<0.01	<10	<10	33	<10	49	5
9V1320RA/RJ	P09-039	133765	42.38	43.40	1.02	0.01		2.3	0.86	<5	360	0.8	20	2.29	3	7	15	21	2.07	<1	0.42	21	0.52	1492	<2	0.04	2	703	45	0.16	<5	2	142	6	<0.01	<10	<10	16	<10	137	2
9V1320RA/RJ	P09-039	133766	43.40	44.40	1.00	<0.01		1.2	0.82	12	256	0.8	12	1.68	2	7	13	13	1.85	<1	0.39	18	0.29	839	<2	0.03	1	599	58	0.35	<5	2	126	6	<0.01	<10	<10	11	<10	69	1
9V1320RA/RJ	P09-039	133767	44.40	45.40	1.00	10.01		<0.1	0.91	8	281	0.9	19	2.57	2	6	7	<1	2.07	<1	0.46	21	0.31	774	<2	0.03	1	652	6	0.2	<5	2	170	6	<0.01	<10	<10	12	<10	42	1
9V1320RA/RJ	P09-039	133768	45.40	46.40	1.00	<0.01		1.1	0.76	8	160	0.9	15	2.41	6	7	15	15	2.2	<1	0.39	18	0.37	1186	2	0.02	1	674	110	0.21	<5	2	138	5	<0.01	<10	<10	11	<10	280	2
9V1320RA/RJ	P09-039	133769	46.40	47.40	1.00	<0.01		1.7	0.59	5	123	0.9	13	2.07	5	7	14	24	2.2	<1	0.38	14	0.59	2199	<2	0.02	1	594	148	0.16	<5	1	123	6	<0.01	<10	<10	7	<10	254	1
9V1320RA/RJ	P09-039	133770	47.40	48.55	1.15	<0.01		0.7	0.52	<5	131	0.8	<5	1.84	3	6	8	11	1.97	<1	0.36	16	0.54	1180	<2	0.02	1	663	46	0.17	<5	2	153	6	<0.01	<10	<10	7	<10	109	2
9V1320RA/RJ	P09-039	133771	48.55	49.65	1.10	<0.01		0.5	1.28	<5	140	0.8	28	2.65	6	16	25	8	4.45	<1	0.27	24	1.35	1334	<2	0.04	12	2447	49	0.11	<5	4	179	<5	<0.01	<10	<10	27	<10	177	4
9V1320RA/RJ	P09-039	133772	49.65	50.60	0.95	0.02		2.1	0.47	6	155	0.9	18	1.3	3	6	4	34	1.64	<1	0.46	16	0.36	797	<2	0.01	1	714	210	0.22	<5	2	122	7	<0.01	<10	<10	5	<10	239	1
9V1320RA/RJ	P09-039	133773	50.60	51.60	1.00	0.01		1.9	0.53	<5	153	1	11	1.26	4	5	4	4	1.24	<1	0.43	17	0.36	964	<2	0.01	1	676	117	0.13	<5	2	133	6	<0.01	<10	<10	5	<10	270	1
9V1320RA/RJ	P09-039	133774	51.60	52.60	1.00	0.05		7.4	0.54	6	171	0.9	12	1.55	9	7	8	47	1.94	<1	0.41	12	0.39	1505	2	0.01	1	569	610	0.53	<5	1	124	5	<0.01	<10	<10	5	<10	526	1
9V1320RA/RJ	P09-039	133775	52.60	53.60	1.00	<0.01		1	0.9	<5	228	1.1	17	2.39	2	5	5	19	1.69	<1	0.48	16	0.46	1076	<2	0.02	1	667	49	0.15	<5	2	224	7	<0.01	<10	<10	9	<10	107	1
9V1320RA/RJ	P09-039	133776	53.60	54.60	1.00	0.01		3.3	0.73	5	240	0.9	8	1.5	8	6	6	2	1.87	<1	0.47	15	0.38	1078	<2	0.02	1	629	162	0.3	<5	2	103	7	<0.01	<10	<10	7	<10	464	1
9V1320RA/RJ	P09-039	133777	54.60	55.60	1.00	<0.01		0.7	1.17	<5	182	0.9	18	1.97	2	7	7	24	2.11	<1	0.44	16	0.64	1034	<2	0.03	1	634	15	0.11	<5	2	151	7	<0.01	<10	<10	14	<10	89	2
9V1320RA/RJ	P09-039	133778	55.60	56.75	1.15	<0.01		0.7	1.12	<5	150	1.2	23	1.73	4	6	7	<1	2.14	<1	0.43	21	0.61	1204	4	0.03	1	645	88	0.06	<5	2	138	8	<0.01	<10	<10	14	<10	193	2
9V1320RA/RJ	P09-039	133779	56.75	57.50	0.75	0.01		6	0.39	<5	52	0.6	5	0.55	5	2	23	<1	0.68	<1	0.36	10	0.13	551	3	0.03	1	168	335	0.19	<5	1	44	15	<0.01	<10	<10	2	<10	366	7
9V1320RA/RJ	P09-039	133780	57.50	59.00	1.50	<0.01		1.2	1.41	<5	149	0.9	37	3.73	6	17	40	8	4.44	<1	0.37	26	1.51	1708	<2	0.03	16	2720	45	0.17	<5	6	256	<5	<0.01	<10	<10	34	<10	197	3
9V1320RA/RJ	P09-039	133781	59.00	59.59	0.59	<0.01		<0.1	1.09	5	160	1	25	2.75	3	8	31	<1	2.52	<1	0.32	20	0.75	847	3	0.04	6	1106	12	0.11	<5	3	173	9	0.01	<10	<10	22	<10	68	6
9V1320RA/RJ	P09-039	133782	59.59	60.60	1.01	<0.01		0.4	0.3	<5	46	0.5	6	0.36	2	1	51	<1	0.47	<1	0.28	11	0.04	235	2	0.05	1	50	45	0.09	<5	<1	31	18	<0.01	<10	<10	1	<10	91	7
9V1320RA/RJ	P09-039	133783	60.60	61.60	1.00	<0.01		<0.1	0.25	<5	35	<0.5	5	0.37	1	1	47	<1	0.45	<1	0.25	10	0.03	248	<2	0.06	1	21	20	0.07	<5	<1	29	19	<0.01	<10	<10	<1	<10	26	7
9V1320RA/RJ	P09-039	133784	61.60	62.60	1.00	0.01		<0.1	0.26	<5	40	0.6	12	0.69	1	1	50	<1	0.73	<1	0.24	16	0.06	332	<2	0.05	1	120	16	0.06	<5	1	46	17	<0.01	<10	<10	1	<10	16	8
9V1320RA/RJ	P09-039	133785	62.60	63.60	1.00	<0.01		<0.1	0.36	<5	39	0.7	14	0.88	1	2	52	<1	1.01	<1	0.24	25	0.1	324	2	0.06	2	200	16	0.03	<5	1	54	19	<0.01	<10	<10	3	<10	21	10
9V1320RA/RJ	P09-039	133786	63.60	64.60	1.00	<0.01		<0.1	0.32	<5	35	0.7	16	0.8	1	2	57	<1	0.96	<1	0.21	24	0.1	301	<2	0.05	1	190	16	0.03	<5	1	52	18	<0.01	<10	<10	3	<10	20	9
9V1320RA/RJ	P09-039	133787	64.60	65.60	1.00	<0.01		<0.1	0.24	<5	41	0.6	11	0.76	1	2	49	<1	0.95	<1	0.22	22	0.09	305	<2	0.05	1	188	14	0.03	<5	1	50	17	<0.01	<10	<10	2	<10	17	7
9V1320RA/RJ	P09-039	133788	65.60	66.60	1.00	<0.01		<0.1	0.26	<5	40	0.7	40	0.83	1	2	63	<1	0.99	<1	0.24	23	0.1	302	<2	0.05	1	196	16	0.03	<5	1	55	18	<0.01	<10	<10	2	<10	19	8
9V1320RA/RJ	P09-039	133789	66.60	67.60	1.00	<0.01		<0.1	0.26	<5	43	0.7	21	1.08	1	2	54	<1	1.01	<1	0.24	23	0.08	335	<2	0.05	1	195	20	0.05	<5	1	70	18	<0.01	<10	<10	1	<10	17	9
9V1320RA/RJ	P09-039	133790	67.60	68.60	1.00	<0.01		<0.1	0.22	<5	28	<0.5	<5	0.47	1	1	75	<1	0.55	<1	0.21	13	0.02	221	3	0.07	1	17	20	0.08	<5	1	36	21	<0.01	<10	<10	<1	<10	14	10
9V1320RA/RJ	P09-039	133791	68.60	69.60	1.00	<0.01		0.6	0.28	<5	43	1.6	15	0.72	2	2	66	<1	0.95	<1	0.23	24	0.07	318	<2	0.06	3	165	21	0.09	<5	1	48	19	<0.01	<10	<10	2	<10	31	7
9V1320RA/RJ	P09-039	133792	69.60	70.60	1.00	<0.01		0.5	0.25	<5	29	0.6	12	0.4	1	1	72	<1	0.68	<1	0.26	12	0.03	419	<2	0.05	1	37	65	0.09	<5	<1	29	19	<0.01	<10	<10	<1	<10	57	8
9V1320RA/RJ	P09-039	133793	70.60	71.60	1.00	<0.01		2	0.24	<5	30	0.5	19	0.28	2	1	75	<1	0.47	<1	0.27	10	0.02	317	<2	0.05	2	14	127	0.08	<5	<1	22	18	<0.01	<10	<10	<1	<10	136	8
9V1320RA/RJ	P09-039	133794	71.60	72.97	1.37	<0.01		0.1	0.27	<5	33	0.6	18	0.59	1	1	70	<1	0.38	<1	0.3	12	0.02	311	<2	0.05	1	19	30	0.03	<5	<1	50	17	<0.01	<10	<10	<1	<10	26	7
9V1320RA/RJ	P09-039	133795	72.97	74.00	1.03	0.01		1.4	0.5	<5	166	1.3	24	0.91	3	3	10	19	1.19	<1	0.49	16	0.24	738	<2	0.01	<1	621	86	0.21	<5	1	114	6	<0.01	<10	<10	5	<10	122	1
9V1320RA/RJ	P09-039	133796	74.00	75.00	1.00	<0.01		1.1	0.45	<5	143	1	39	1.34	3	4	10	17	1.26	<1	0.42	14	0.28	860	<2	0.01	<1	575	72	0.16	<5	1	141	5	<0.01	<10	<10	5	<10	117	1
9V1320RA/RJ	P09-039	133797	75.00	76.15	1.15	<0.01		0.2	0.8	<5	336	1.2	32	2.69	2	5	5	<1	1.62	<1	0.51	17	0.37	942	<2	0.02	1	600	13	0.07	<5	2	273	7	<0.01	<10	<10	11	<10	50	1
9V1320RA/RJ	P09-039	133798	76.15	76.60	0.45	<0.01		0.2	0.28	<5	52	0.5	20	0.64	<1	2	62	6	0.36	<1	0.27	13	0.03	346	<2	0.05	1	48	15	0.08	<5	<1	58	12	<0.01	<10	<10	1	<10	20	8
9V1320RA/RJ	P09-039	133799	76.60	77.60	1.00	<0.01		<0.1	0.27	<5	59	0.5	13	0.59	<1	1	45	<1	0.42	<1	0.29	14	0.02	290	<2	0.05	1	24	22	0.03	<5	<1	55	11	<0.01	<10	<10	<1	<10	16	7
9V1320RA/RJ	P09-039	133800	STD	PM405		0.27		0.9	0.64	720	1400	0.6	23	0.75	3	9	64	32	3.7	2	0.15	17	0.37	516	5	0.01	35	987	175	0.24	597	5	224	7	<0.01	<10	<10	67	<10	267	13
9V1320RA/RJ	P09-039	133801	77.60	78.60	1.00	<0.01		<0.1	0.27	<5	43	0.5	14	0.57	<1	1	60	<1	0.42	<1	0.29	15	0.02	305	<2	0.06	1	21	25	0.02	<5	<1	39	13	<0.01	<10	<10	<1	<10	24	7
9V1320RA/RJ	P09-039	133802	78.60	79.60	1.00	<0.01		0.4	0.25	<5	38	0.5	24	0.56	1	1	59	<1	0.41	<1	0.27	13	0.01	276	<2	0.05	1	18	48	0.06	<5	<1	38	14	<0.01	<10	<10	<1	<10	64	6

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1320RA/RJ	P09-039	133803	79.60	80.60	1.00	<0.01		<0.1	0.25	<5	34	<0.5	<5	0.67	<1	1	58	<1	0.4	<1	0.28	16	0.01	250	<2	0.06	1	21	26	0.03	<5	<1	42	15	<0.01	<10	<10	<1	<10	8	5
9V1320RA/RJ	P09-039	133804	80.60	81.60	1.00	<0.01		<0.1	0.22	<5	33	<0.5	5	0.54	<1	1	55	<1	0.37	<1	0.26	16	0.01	228	<2	0.05	1	17	25	0.01	<5	<1	25	15	<0.01	<10	<10	<1	<10	11	6
9V1320RA/RJ	P09-039	133805	81.60	82.60	1.00	<0.01		0.4	0.22	<5	32	0.5	18	0.6	<1	1	53	<1	0.4	<1	0.26	17	0.01	253	<2	0.05	1	19	26	0.01	<5	<1	30	15	<0.01	<10	<10	<1	<10	7	6
9V1320RA/RJ	P09-039	133806	82.60	83.60	1.00	<0.01		0.2	0.2	<5	34	0.5	20	0.56	<1	1	52	<1	0.46	<1	0.23	16	0.01	273	<2	0.05	1	25	25	0.01	<5	<1	32	15	<0.01	<10	<10	<1	<10	9	6
9V1320RA/RJ	P09-039	133807	83.60	84.60	1.00	<0.01		<0.1	0.24	<5	37	0.5	12	0.49	1	1	71	<1	0.53	<1	0.25	16	0.02	263	<2	0.06	2	32	25	0.02	<5	<1	31	13	<0.01	<10	<10	<1	<10	13	8
9V1320RA/RJ	P09-039	133808	84.60	85.62	1.02	<0.01		0.2	0.59	<5	40	0.6	<5	1.16	2	5	68	<1	1.54	1	0.22	15	0.4	937	<2	0.05	14	271	49	0.04	<5	2	55	10	<0.01	<10	<10	14	<10	92	7
9V1320RA/RJ	P09-039	133809	85.62	86.84	1.22	<0.01		<0.1	0.23	<5	42	0.5	5	0.59	1	1	52	<1	0.48	<1	0.22	13	0.04	323	<2	0.05	2	36	21	0.03	<5	<1	42	11	<0.01	<10	<10	1	<10	19	8
9V1320RA/RJ	P09-039	133810	86.84	88.11	1.27	<0.01		0.2	1.01	<5	268	0.7	17	2.6	3	6	12	6	1.56	<1	0.37	16	0.54	933	<2	0.03	1	554	49	0.08	<5	2	271	6	0.01	<10	<10	13	<10	124	2

P09-040 - Unicorn - PAD 24 - 436513E 6219986N, Elev: 1117m, Az: 090, Dip: -50, EOH: 230.49m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1320RA/RJ	P09-040	133811	0.00	2.17	2.17	0.04		4.7	1.79	65	146	<0.5	13	0.29	7	19	22	1	5.3	1	0.28	<10	0.96	1160	5	0.01	2	939	46	1.31	<5	3	9	<5	<0.01	<10	<10	50	<10	248	2
9V1320RA/RJ	P09-040	133812	2.17	3.17	1.00	0.03		2.5	1.6	59	189	<0.5	10	0.61	6	17	20	1	4.55	1	0.32	<10	0.86	1174	2	0.01	2	1004	22	1.21	<5	3	29	<5	<0.01	<10	<10	40	<10	245	2
9V1320RA/RJ	P09-040	133813	3.17	4.70	1.53	<0.01		<0.1	3.27	20	187	1.5	36	3.92	9	45	106	21	7.39	1	0.14	13	3.47	1246	<2	0.24	47	1362	6	0.2	<5	16	187	<5	0.21	<10	<10	143	<10	115	6
9V1320RA/RJ	P09-040	133814	4.70	5.70	1.00	0.07		3.2	1.8	58	175	<0.5	14	0.93	7	19	17	15	5.79	1	0.28	11	1.05	1695	<2	0.02	3	1422	34	1.59	<5	5	36	<5	0.01	<10	<10	67	<10	165	2
9V1320RA/RJ	P09-040	133815	5.70	6.70	1.00	0.18		2.4	1.58	45	165	<0.5	21	1.18	8	17	12	29	4.52	<1	0.3	10	0.82	2036	<2	0.02	2	1385	216	1.08	<5	4	46	<5	<0.01	<10	<10	54	<10	615	2
9V1320RA/RJ	P09-040	133816	6.70	7.70	1.00	0.18		1	2.14	54	148	<0.5	8	2.29	7	16	15	6	5.35	<1	0.28	11	1.19	2611	<2	0.03	4	1490	29	0.67	<5	6	97	<5	0.01	<10	<10	71	<10	257	2
9V1320RA/RJ	P09-040	133817	7.70	8.70	1.00	0.05		1	1.64	63	216	<0.5	31	1.84	5	14	12	12	4.16	<1	0.34	11	0.77	1916	<2	0.02	1	1382	15	0.59	<5	4	73	<5	<0.01	<10	<10	52	<10	139	2
9V1320RA/RJ	P09-040	133818	8.70	9.70	1.00	0.05		2	1.94	50	167	<0.5	16	2.39	6	16	7	24	5.23	<1	0.29	10	0.95	3016	<2	0.01	1	1434	18	0.74	<5	5	93	<5	<0.01	<10	<10	68	<10	109	2
9V1320RA/RJ	P09-040	133819	9.70	10.70	1.00	0.11		2.1	1.8	39	219	<0.5	13	0.88	6	17	6	5	5	<1	0.32	12	0.83	2403	<2	0.02	1	1552	16	0.68	<5	5	29	<5	<0.01	<10	<10	58	<10	189	2
9V1320RA/RJ	P09-040	133820	10.70	11.70	1.00	0.29		3.2	1.54	46	187	<0.5	9	1	7	20	16	12	5.28	1	0.24	<10	0.84	2808	6	0.02	1	1191	92	1.59	<5	4	34	<5	<0.01	<10	<10	66	<10	279	2
9V1320RA/RJ	P09-040	133821	11.70	12.70	1.00	0.06		3.9	1.73	62	250	<0.5	24	0.49	7	15	7	11	5	1	0.32	13	0.81	2331	<2	0.02	1	1540	41	0.74	<5	5	14	<5	<0.01	<10	<10	69	<10	309	2
9V1320RA/RJ	P09-040	133822	12.70	13.70	1.00	0.04		1.1	2.01	36	250	<0.5	12	0.99	7	15	6	7	5.27	<1	0.31	14	0.88	3211	<2	0.02	1	1629	14	0.35	<5	6	33	<5	<0.01	<10	<10	67	<10	201	2
9V1320RA/RJ	P09-040	133823	13.70	14.30	0.60	0.28		2.7	1.41	30	175	<0.5	12	1.6	13	15	24	25	4.21	1	0.27	<10	0.7	2892	<2	0.01	2	1093	339	1.12	<5	3	65	<5	<0.01	<10	<10	41	<10	1039	2
9V1320RA/RJ	P09-040	133824	14.30	15.30	1.00	0.13		1	1.9	37	230	<0.5	26	1.7	9	13	7	10	5.34	<1	0.32	12	0.86	3102	<2	0.02	1	1573	76	0.91	<5	5	63	<5	<0.01	<10	<10	66	<10	370	2
9V1320RA/RJ	P09-040	133825	15.30	16.30	1.00	0.08		1.1	1.29	172	155	<0.5	26	2.38	6	14	7	10	4.94	1	0.33	10	0.48	1667	<2	0.02	1	1460	12	2.39	7	3	75	<5	<0.01	<10	<10	38	<10	105	2
9V1320RA/RJ	P09-040	133826	16.30	17.30	1.00	3.39		3.7	1.5	60	196	<0.5	22	2.8	5	12	7	23	4.67	<1	0.32	10	0.66	2592	<2	0.02	1	1454	12	1.25	<5	4	92	<5	<0.01	<10	<10	46	<10	121	2
9V1320RA/RJ	P09-040	133827	17.30	18.30	1.00	0.08		1.6	1.29	60	220	<0.5	14	0.71	5	14	13	5	4.31	<1	0.32	10	0.57	1680	<2	0.01	1	1320	41	0.89	<5	3	27	<5	<0.01	<10	<10	37	<10	248	2
9V1320RA/RJ	P09-040	133828	18.30	19.30	1.00	0.07		2.1	0.88	131	140	<0.5	13	1.14	6	13	8	31	4.11	<1	0.35	<10	0.39	1000	<2	0.01	1	1395	98	1.82	6	3	47	<5	<0.01	<10	<10	27	<10	228	2
9V1320RA/RJ	P09-040	133829	19.30	20.30	1.00	0.09		1.5	0.81	73	226	<0.5	<5	0.73	4	12	19	7	3.37	<1	0.32	<10	0.44	1030	<2	0.01	1	1030	15	1	<5	2	29	<5	<0.01	<10	<10	23	<10	216	2
9V1320RA/RJ	P09-040	133830	20.30	21.30	1.00	0.04		2.1	0.71	45	138	<0.5	36	1.6	5	15	18	3	4.44	1	0.3	<10	0.68	1554	<2	0.01	1	1153	16	1.01	<5	4	57	<5	<0.01	<10	<10	23	<10	100	2
9V1320RA/RJ	P09-040	133831	21.30	22.30	1.00	0.03		2	1.76	50	181	<0.5	31	2.01	7	13	20	1	5.42	1	0.29	<10	1.15	1750	4	0.01	1	1102	25	1.08	<5	4	47	<5	<0.01	<10	<10	51	<10	255	2
9V1320RA/RJ	P09-040	133832	22.30	23.30	1.00	0.06		2.6	1.01	60	145	<0.5	21	1.19	7	15	19	3	4.47	1	0.3	10	0.68	1431	<2	0.01	1	1285	35	0.93	<5	4	39	<5	<0.01	<10	<10	30	<10	435	2
9V1320RA/RJ	P09-040	133833	23.30	24.30	1.00	1.07		4.7	1.16	56	168	<0.5	29	1.24	14	16	21	11	4.93	1	0.33	<10	0.87	1840	2	0.01	1	1138	110	1.17	<5	4	42	<5	<0.01	<10	<10	37	<10	872	2
9V1320RA/RJ	P09-040	133834	24.30	25.30	1.00	0.96		2.1	0.93	45	167	<0.5	23	0.78	11	15	25	6	4.65	1	0.33	10	0.71	1732	<2	0.02	1	1251	88	0.96	<5	4	34	<5	<0.01	<10	<10	30	<10	444	2
9V1320RA/RJ	P09-040	133835	25.30	26.10	0.80	1.24		1.9	1.68	29	74	<0.5	45	0.73	9	10	40	<1	5.34	1	0.2	<10	1.62	1826	<2	0.01	1	780	64	0.5	<5	3	31	<5	<0.01	<10	<10	51	11	902	2
9V1320RA/RJ	P09-040	133836	26.10	26.90	0.80	0.05		4.2	1.21	112	281	<0.5	20	0.33	10	15	41	2	4.81	1	0.25	<10	0.85	1435	2	0.01	3	1083	135	0.95	8	3	15	<5	<0.01	<10	<10	40	<10	715	2
9V1320RA/RJ	P09-040	133837	26.90	27.70	0.80	0.13		3.6	1.09	81	203	<0.5	31	0.51	10	13	59	7	3.81	1	0.22	<10	0.77	1334	<2	0.01	2	781	232	1.24	6	2	20	<5	<0.01	<10	<10	29	<10	559	2
9V1320RA/RJ	P09-040	133838	27.70	28.87	1.17	0.27		2.2	1.16	55	197	<0.5	26	0.59	12	9	69	3	3.68	1	0.2	<10	0.85	1534	2	0.01	2	723	195	1.26	<5	1	21	<5	<0.01	<10	<10	33	<10	809	2
9V1320RA/RJ	P09-040	133839	28.87	29.90	1.03	<0.01		0.1	2.12	17	1235	0.6	50	2.94	5	17	58	10	4.21	1	0.18	22	1.88	964	<2	0.04	18	1984	21	0.22	<5	5	110	<5	0.04	<10	<10	61	<10	159	4
9V1320RA/RJ	P09-040	133840	BLANK			<0.01		<0.1	0.04	<5	20	<0.5	71	>15.00	<1	1	3	<1	0.57	<1	0.03	<10	13	277	<2	0.01	2	177	<2	0.44	<5	<1	63	<5	<0.01	<10	<10	3	<10	14	<1
9V1320RA/RJ	P09-040	133841	29.90	30.90	1.00	<0.01		<0.1	2.51	16	483	1.5	53	3.38	6	27	64	8	5.49	1	0.09	28	2.27	930	<2	0.04	32	3148	17	0.14	<5	5	102	<5	0.19	10	<10	82	<10	139	8
9V1320RA/RJ	P09-040	133842	30.90	31.60	0.70	<0.01		<0.1	2.66	14	821	1.9	42	2.99	7	30	62	9	6.19	1	0.11	26	2.5	959	<2	0.05	33	3264	10	0.13	<5	6	94	<5	0.26	10	<10	91	<10	150	9
9V1320RA/RJ	P09-040	133843	31.60	32.30	0.70	1.98		5.4	1.81	101	117	1.3	48	3.15	7	37	75	308	4.35	1	0.1	10	1.7	792	3	0.05	12	1275	41	0.59	<5	6	59	<5	0.22	<10	<10	76	<10	141	8
9V1320RA/RJ	P09-040	133844	32.30	33.30	1.00	<0.01		<0.1	1.99	10	70	1.4	16	1.91	4	20	63	13	3.71	1	0.07	11	1.89	646	<2	0.07	13	1436	26	0.05	<5	5	70	<5	0.25	<10	<10	77	<10	107	8
9V1320RA/RJ	P09-040	133845	33.30	34.30	1.00	<0.01		<0.1	1.92	7	72	1.3	24	1.88	4	20	73	9	3.63	1	0.08	10	1.74	668	<2	0.05	12	1477	14	0.04	<5	5	55	<5	0.21	<10	<10	73	<10	107	8
9V1320RA/RJ	P09-040	133846	34.30	35.30	1.00	<0.01		0.2	1.98	6	143	1.2	22	1.95	4	20	65	20	3.36	<1	0.1	<10	1.85	644	<2	0.06	13	1475	4	0.04	<5	4	70	<5	0.19	<10	<10	61	<10	97	9
9V1320RA/RJ	P09-040	133847	35.30	36.30	1.00	0.01		<0.1	1.95	6	177	1.1	12	1.88	4	20	75	6	3.44	1	0.08	<10	1.88	646	<2	0.05	13	1496	4	0.04	<5	4	63	<5	0.18	<10	<10	61	<10	102	9
9V1320RA/RJ	P09-040	133848	36.30	37.30	1.00	<0.01		<0.1	1.85	6	91	1.2	40	1.98	4	20	68	7	3.74	<1	0.07	10	1.83	699	<2	0.07	12	1507	21	0.04	<5	5	59	<5	0.2	<10	<10	77	<10	103	8
9V1320RA/RJ	P09-040	133849	37.30	38.30	1.00	0.01		<0.1	1.77	6	63	1.1	52	2.22	4	19	74	5	3.75	1	0.06	10	1.78	644	<2	0.07	13	1558	19	0.05	<5	5	62	<5	0.19	<10	<10	84	<10	77	7
9V1320RA/RJ	P09-040	133850	38.30	39.30	1.00	0.01		<0.1	1.75	6	69	1.2	22	2.11	4	18	64	9	3.67	1	0.06	11	1.65	574	<2	0.13	11	1460	17	0.05	<5	6	84	<5	0.21	<10	<10	89	<10	66	7
9V1320RA/RJ	P09-040	133851	39.30	40.30	1.00	0.01		<0.1	1.89	7	64	1.5	46	2.36	4	21	72	19	3.87	1	0.07	13	1.83	602	<2	0.12	12	1520	13	0.06	<5	8	88	<5	0.26	<10	<10	101	<10	74	8
9V1320RA/RJ	P09-040	133852	40.30	41.30	1.00	<0.01		<0.1	1.88	<5	722	0.8	61	3.02	4	16	63	18	3.81	2	0.18	17	1.74	689	<2	0.07	12	1487	9	0.11	<5	7	110	<5	0.11	<10	<10	88	<10	90	5
9V1320RA/RJ	P09-040	133853	41.30	42.30	1.00	<0.01		<0.1	1.84	<5	1102	0.5	22	3.05	4	14	69	20	3.81	1	0.15	17	1.71	710	<2	0.08	12	1477	8	0.11	<5	6	195	<5	0.04	<10	<10	85	<10	76	3
9V1320RA/RJ	P09-040	133854	42.30	43.30	1.00	<0.01		0.1	1.08	<5	537	<0.5	65	4.51	4	11	39	14	3.47	<1	0.34	20	1.21	1358	<2	0.04	9	1433	10	0.16	<5	5	243	<5	<0.01	<10	<10	41	<10	66	2
9V1320RA/RJ	P09-040	133855	43.30	44.30	1.00	<0.01		0.1	0.75	5	253	<0.5	64	3.57	4	13	32	11	3.23	<1	0.39	18	1.27	1324	2	0.02	9	1441	14	0.22	<5	3	217	<5	<0.01	<10	<10	23	<10	102	2
9V1320RA/RJ	P09-040	133856	44.30	45.30	1.00	<0.01		<0.1	1.87	7	1305	0.7	54	3.24	5	16	59	18	3.88	1	0.2	15	1.74	748	<2	0.08	13	1510	8	0.14	<5	6	375	<5	0.08	<10	<10	87	<10	98	5
9V1320RA/RJ	P09-040	133857	45.30	46.45	1.15	<0.01		<0.1	1.95	5	904	<0.5	43	4.04	4	15	50	14	3.6	<1	0.26	17	1.71	1442	<2	0.03	13	1452	3	0.21	<5	4	134	<5	<0.01	<10	<10	50	<10	128	2
9V1320RA/RJ	P09-040	133858	46.45	47.50	1.05	0.11		9	1.84	83	169	<0.5	56	1.13	12	16	25	47	5.33	1	0.35	11	1.05	2255	<2	0.01	2	1197	320	1.76	<5	3	41	<5	<0.01	<10	<10	53	<10	585	2
9V1320RA/RJ	P09-040	133859	47.50	48.50	1.00	0.68		7.2	1.84	49	140	<0.5	67	2.6	21	13	29	11	5.53	1	0.21	<10	1.17	3561	3	0.01	1	1146	612	1.89	5	3	95	<5	<0.01	<10	<10	74	<10	1432	2
9V1320RA/RJ	P09-040	133860	STD	PM405		0.28		0.9	0.62	717	1392	0.6	18	0.76	3	9	64	34	3.77	2	0.15	16	0.37	526	5	0.01	35	985	168	0.24	595	5	227	7	<0.01	<10	<10	63	<10	280	13
9V1320RA/RJ	P09-040	133861	48.50	49.50	1.00	0.49		6	1.69	53	128	<0.5	60	4.26	10	10	23	34	5.7	1	0.18	<10	1.11	4202	3	0.01	1	903	227	2.06	6	3	137	<5	<0.01	<10	<10	56	10	509	2
9V1320RA/RJ	P09-040	133862	49.50	50.50	1.00	0.49		12.5	1.41	38	131	<0.5	47	0.66	37	11	33	626	4.88	2	0.27	<10	0.81	3007	<2	0.01	1	1073	1362	2.02	7	3	35	<5	<0.01	<10	<10	49	<10	2520	2
9V1320RA/RJ	P09-040	133863	50.50	51.50	1.00	0.92		3.6	1.81	35	206	<0.5	54	1.56	9	13	15	28	4.86	1	0.36	12	0.86	3406	<2	0.02	1	1403	110	1.04	<5	4	53	<5	<0.01	<10	<10	65	<10	747	2
9V1320RA/RJ	P09-040	133864	51.50	52.50	1.00	2.85		2.2	1.88	34	176	<0.5	35	2.86	10	13	15	36	5.07	<1	0.34	11	0.92	3912	<2	0.02	1	1381	127	0.96	<5	5	107	<5	<0.01	<10	<10	58	<10	472	2
9V1320RA/RJ	P09-040	133865	52.50	53.66	1.16	<0.01		<0.1	2.22	5	790	1.3	49	3.7	6	24	45	24	5.8	1	0.17	22	2.01	1092	<2	0.09	13	2790	5	0.21	<5	6	125	<5	0.19	<10	<10	111	<10	129	9
9V1320RA/RJ	P09-040	133866	53.66	54.30	0.64	0.87		3.7	1.38	38	124	<0.5	36	2.18	14	8	48	60	3.78	1	0.25	<10	0.69	3365	<2	0.01	1	902	299	1.04	<5	2	81	<5	<0.01	<10	<10	36	<10	1281	2
9V1320RA/RJ	P09-040	133867	54.30	55.10	0.80	7.98		14.2	1.17	39	142	<0.5	44	1.47	99	8	40	170	3.75	5	0.27	<10	0.61	2959	<2	0.01	1	932	410	1.78	<5	2	55	<5	<0.01	<10	<10	34	<10	5293	2
9V1320RA/RJ	P09-040	133868	55.10	56.10	1.00	0.5		2.3	1.43	52	153	<0.5	52	1.7	11	10	32	35	4.11	1	0.31	<10	0.66	2616	<2	0.01	1	1214	207	1.06	<5	3	58	<5	<0.01	<10	<10	45	<10	704	2
9V1320RA/RJ	P09-040	133869	56.10	57.10	1.00	0.32		2.4	1.68	34	192	<0.5	24	1.1	9	11	22	45	4.43	<1	0.38	10	0.72	2670	<2	0.01	1	1374	94	0.8	<5	3	39	<5	<0.01	<10	<10	48	<10	715	2
9V1320RA/RJ	P09-040	133870	57.10	58.10	1.00	0.15		1	1.78	20	177	<0.5	51	1.92	8	11	33	23	4.68	<1	0.29	11	1.05	2918	<2	0.02	3	1511	73	0.77	<5	4	74	<5	0.01	<10	<10	58	<10	455	3
9V1320RA/RJ	P09-040	133871	58.10	59.10	1.00	0.29		2.7	1.42	35	149	<0.5	48	2.37	12	10	28	36	4.07	<1	0.3	<10	0.75	2459	<2	0.01	1	1106	110	1.12	<5	3	71	<5	<0.01	<10	<10	43	<10	878	2
9V1320RA/RJ	P09-040	133872	59.10	60.10	1.00	0.24		5	1.49	65	146	<0.5	65	5.38	14	14	28	6	5.16	<1	0.26	<10	0.82	3852	<2	0.01	1	1133	278	1.98	5	3	112	<5	<0.01	<10	<10	43	<10	777	2
9V1320RA/RJ	P09-040	133873	60.10	61.10	1.00	0.2		10.6	1.42	64	173	<0.5	41	3.49	11	13	30	12	4.54	1	0.28	<10	0.76	3353	<2	0.01	1	1061	235	1.49	5	3	83	<5	<0.01	<10	<10	54	<10	671	2
9V1320RA/RJ	P09-040	133874	61.10	62.00	0.90	3.39		8.6	1.73	59	173	<0.5	35	0.94	13	19	21	9	5.63	1	0.31	10	0.91	2660	2	0.02	2	1287	189	1.89	<5	4	31	<5	<0.01	<10	<10	70	<10	528	2
9V1320RA/RJ	P09-040	133875	62.00	62.90	0.90	0.51		11.9	1.37	59	104	<0.5	32	3.18	27	16	50	373	5.06	2	0.2	<10	0.91	3976	2	0.01	1	711	2303	2.15	7	2	77	<5	<0.01	<10	<10	44	<10	2011	2
9V1320RA/RJ	P09-040	133876	62.90	63.60	0.70	0.07		1.4	1.76	35	375	<0.5	40	1.82	9	17	30	12	4.71	1	0.3	14	1.23	1581	<2	0.04	6	1828	134	0.87	<5	5	70	<5	0.01	<10	<10	61	<10	421	4
9V1320RA/RJ	P09-040	133877	63.60	64.30	0.70	0.26		4.1	1.25	85	219	<0.5	22	1.49	11	11	44	29	3.91	1	0.41	<10	0.5	1733	<2	0.01	1	1060	218	1.61	<5	2	34	<5	0.01	<10	<10	38	<10	863	2
9V1320RA/RJ	P09-040	133878	64.30	66.13	1.83	0.01		<0.1	2.21	10	663	1.5	57	3.47	7	26	43	23	5.55	<1	0.13	21	1.95	1119	<2	0.05	13	2689	11	0.15	<5	6	96	<5	0.23	<10	<10	108	<10	150	7
9V1320RA/RJ	P09-040	133879	66.13	66.90	0.77	0.89		8.5	0.57	78	150	<0.5	38	2.06	7	5	111	115	2.21	<1	0.2	<10	0.25	1805	<2	0.01	2	471	222	1.02	<5	1	63	<5	0.01	<10	<10	18	<10	534	1
9V1320RA/RJ	P09-040	133880	STD	PM427		3.5		1.7	1.56	6260	83	0.7	206	6.89	2	109	39	294	5.35	<1	0.21	10	0.54	892	27	0.07	66	814	20	1.01	11	3	65	<5	0.12	<10	<10	57	<10	89	12

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1320RA/RJ	P09-040	133881	66.90	67.60	0.70	1.72		5.3	0.62	103	154	<0.5	18	1.44	8	6	69	30	2.57	1	0.19	<10	0.29	1892	<2	0.01	2	610	143	1.28	<5	1	84	<5	<0.01	<10	<10	21	<10	561	1
9V1320RA/RJ	P09-040	133882	67.60	68.60	1.00	0.61		5.5	0.95	123	137	<0.5	31	2.06	9	9	53	9	3.39	1	0.3	<10	0.39	1843	<2	0.01	1	1007	174	1.49	8	2	51	<5	<0.01	<10	<10	32	<10	465	1
9V1320RA/RJ	P09-040	133883	68.60	69.60	1.00	0.65		6.7	0.99	120	166	<0.5	42	3.01	17	10	43	43	3.54	1	0.3	<10	0.41	2483	<2	0.01	2	1060	388	1.57	8	2	70	<5	<0.01	<10	<10	38	<10	838	2
9V1320RA/RJ	P09-040	133884	69.60	70.60	1.00	0.26		12.8	1.32	150	202	<0.5	52	1.74	20	14	31	36	3.9	1	0.4	11	0.55	2515	<2	0.01	1	1400	371	1.18	9	4	47	<5	<0.01	<10	<10	48	<10	754	2
9V1320RA/RJ	P09-040	133885	70.60	71.60	1.00	0.48		29.3	0.98	142	171	<0.5	32	2.3	15	11	47	50	3.9	1	0.35	<10	0.41	2095	<2	0.01	2	1180	348	1.91	9	2	67	<5	<0.01	<10	<10	28	<10	687	2
9V1320RA/RJ	P09-040	133886	71.60	72.60	1.00	0.19		3	1.37	89	180	<0.5	45	2.71	11	12	26	17	4.07	<1	0.4	10	0.56	2785	<2	0.01	1	1322	151	1.2	5	3	57	<5	<0.01	<10	<10	39	<10	606	2
9V1320RA/RJ	P09-040	133887	72.60	73.60	1.00	0.44		3.6	1.45	55	159	<0.5	50	2.12	12	10	34	73	3.88	1	0.34	10	0.61	2951	<2	0.01	2	1093	170	0.89	<5	3	51	<5	<0.01	<10	<10	41	<10	588	2
9V1320RA/RJ	P09-040	133888	73.60	74.60	1.00	0.46		2.8	1.44	50	201	<0.5	54	1.59	9	12	32	56	3.9	<1	0.35	11	0.64	2982	<2	0.01	1	1193	199	0.93	5	3	58	<5	<0.01	<10	<10	49	<10	595	2
9V1320RA/RJ	P09-040	133889	74.60	75.60	1.00	0.17		2.1	1.66	56	186	<0.5	48	1.6	8	15	30	18	4.79	<1	0.37	10	0.72	2713	<2	0.01	2	1200	111	1.4	<5	3	65	<5	<0.01	<10	<10	51	<10	489	2
9V1320RA/RJ	P09-040	133890	75.60	76.60	1.00	0.49		2.9	1.22	56	152	<0.5	47	2.56	9	9	36	20	3.51	<1	0.31	<10	0.51	2976	<2	0.01	1	1147	145	1.14	<5	3	89	<5	<0.01	<10	<10	35	<10	615	2
9V1320RA/RJ	P09-040	133891	76.60	77.60	1.00	0.58		4.3	0.78	48	145	<0.5	40	4.84	11	13	31	42	3.99	<1	0.32	<10	0.38	3016	<2	0.01	1	1060	223	2.37	<5	2	179	<5	<0.01	<10	<10	23	<10	663	2
9V1320RA/RJ	P09-040	133892	77.60	78.60	1.00	0.73		6.6	1.11	103	135	<0.5	35	0.92	22	16	45	123	5.21	1	0.33	<10	0.53	2180	<2	0.01	2	1233	567	2.71	5	2	39	<5	<0.01	<10	<10	34	<10	1175	2
9V1320RA/RJ	P09-040	133893	78.60	79.60	1.00	0.35		3	1.48	58	180	<0.5	32	0.65	12	12	31	17	4.3	1	0.35	<10	0.64	2137	<2	0.01	7	1350	154	1.1	<5	3	37	<5	<0.01	<10	<10	46	<10	675	2
9V1320RA/RJ	P09-040	133894	79.60	80.60	1.00	0.45		2.5	1.4	34	144	<0.5	37	1.15	8	11	35	11	3.5	<1	0.33	10	0.57	2193	<2	0.01	1	1200	74	0.41	<5	3	30	<5	<0.01	<10	<10	40	<10	669	1
9V1320RA/RJ	P09-040	133895	80.60	81.60	1.00	0.66		53.6	1.33	44	160	<0.5	41	3.06	13	9	39	100	3.77	1	0.32	<10	0.59	3310	<2	0.01	1	1078	323	0.88	13	3	81	<5	<0.01	<10	<10	46	<10	719	2
9V1320RA/RJ	P09-040	133896	81.60	82.60	1.00	0.65		9	1.31	75	175	<0.5	24	2.2	21	10	31	90	4.06	1	0.4	<10	0.54	2451	<2	0.01	1	1299	1237	1.43	7	3	49	<5	<0.01	<10	<10	38	<10	1416	2
9V1320RA/RJ	P09-040	133897	82.60	83.60	1.00	0.18		3.8	1.28	86	200	<0.5	32	2.49	12	14	21	17	3.67	1	0.42	<10	0.49	2302	<2	0.01	1	1293	238	1.19	5	3	55	<5	<0.01	<10	<10	38	<10	571	2
9V1320RA/RJ	P09-040	133898	83.60	84.60	1.00	0.09		1.3	0.59	24	80	<0.5	28	1.78	3	6	9	4	1.84	<1	0.19	<10	0.22	1314	<2	<0.01	<1	618	33	0.6	<5	1	53	<5	<0.01	<10	<10	18	<10	175	1
9V1320RA/RJ	P09-040	133899	84.60	85.60	1.00	0.07		2.8	1.37	34	172	<0.5	33	2.04	9	11	17	25	3.7	<1	0.41	<10	0.53	2386	<2	0.01	1	1361	88	0.97	<5	3	45	<5	<0.01	<10	<10	38	<10	605	2
9V1320RA/RJ	P09-040	133900	85.60	86.60	1.00	0.04		2.2	0.97	48	168	<0.5	46	3.4	6	10	25	3	3.29	<1	0.38	<10	0.35	2382	<2	0.01	1	1191	81	1.58	<5	3	67	<5	<0.01	<10	<10	31	<10	351	2
9V1320RA/RJ	P09-040	133901	86.60	87.60	1.00	0.95		8.7	0.91	102	129	<0.5	60	3.15	34	12	23	68	3.99	2	0.38	<10	0.36	2032	<2	0.01	1	1180	956	2.34	6	2	69	<5	<0.01	<10	<10	25	<10	2696	2
9V1320RA/RJ	P09-040	133902	87.60	88.60	1.00	0.4		11.3	0.32	129	128	<0.5	65	4.68	38	9	61	117	3.13	1	0.26	<10	0.22	2719	<2	0.01	2	730	1663	2.3	9	2	137	<5	<0.01	<10	<10	8	<10	2885	2
9V1320RA/RJ	P09-040	133903	88.60	89.60	1.00	0.17		6.3	0.41	160	143	<0.5	49	4.88	7	7	30	16	3.24	1	0.36	<10	0.4	3051	<2	0.01	1	947	201	1.59	12	3	178	<5	<0.01	19	<10	10	<10	443	2
9V1320RA/RJ	P09-040	133904	89.60	90.60	1.00	0.05		4.3	0.49	39	295	<0.5	43	2.94	7	9	30	10	3.41	<1	0.35	<10	0.49	3166	<2	0.01	1	1089	80	1	<5	3	88	<5	<0.01	<10	<10	14	<10	341	2
9V1320RA/RJ	P09-040	133905	90.60	91.60	1.00	0.14		8.7	0.79	60	202	<0.5	45	1.84	9	10	31	14	3.18	<1	0.42	<10	0.32	1840	<2	0.01	2	1056	128	1.36	<5	3	54	<5	<0.01	<10	<10	24	<10	516	2
9V1320RA/RJ	P09-040	133906	91.60	92.60	1.00	0.45		13.8	0.19	89	63	<0.5	37	6.01	10	5	85	26	2.18	<1	0.14	<10	0.18	4184	<2	0.01	3	391	320	1.48	5	1	283	<5	<0.01	<10	<10	7	<10	682	1
9V1320RA/RJ	P09-040	133907	92.60	93.60	1.00	1.88		11.5	0.58	72	105	<0.5	38	4.16	19	6	70	47	2.86	<1	0.23	<10	0.36	3210	<2	0.01	2	579	663	1.48	<5	2	179	<5	<0.01	<10	<10	17	<10	1786	1
9V1320RA/RJ	P09-040	133908	93.60	94.30	0.70	3.05		14.5	1.38	113	116	<0.5	44	2.52	37	12	36	8	5.95	1	0.28	<10	0.85	2935	<2	0.01	<1	976	2285	3.25	7	3	76	<5	<0.01	<10	<10	42	12	2741	2
9V1320RA/RJ	P09-040	133909	94.30	95.23	0.93	1.5		1.9	0.47	47	68	<0.5	24	1.75	7	5	8	<1	1.89	<1	0.21	<10	0.17	889	<2	<0.01	<1	658	92	1.42	<5	1	43	<5	<0.01	<10	<10	11	<10	490	1
9V1320RA/RJ	P09-040	133910	95.23	96.00	0.77	0.01		<0.1	2.01	7	1438	0.5	42	3.98	7	21	60	11	5.21	<1	0.25	32	2.32	1036	<2	0.04	31	3224	19	0.31	<5	6	266	<5	0.01	<10	<10	63	<10	175	7
9V1320RA/RJ	P09-040	133911	96.00	97.00	1.00	2.95		7.4	1.07	170	86	<0.5	67	3.26	19	10	26	18	5.03	<1	0.32	<10	0.63	2698	2	0.01	3	1020	291	3.55	5	3	95	<5	<0.01	<10	<10	47	12	1054	2
9V1320RA/RJ	P09-040	133912	97.00	98.00	1.00	1.68		6.3	2.57	33	137	<0.5	55	2.21	100	12	19	20	7.11	2	0.25	<10	1.64	5085	14	0.01	<1	1207	401	2.63	<5	4	66	<5	<0.01	<10	<10	84	13	5736	3
9V1320RA/RJ	P09-040	133913	98.00	99.00	1.00	3.11		5.5	1.35	131	86	<0.5	73	5.72	29	10	33	4	6.45	<1	0.21	<10	1.01	4618	4	0.01	1	924	218	3.53	8	2	219	<5	<0.01	12	<10	37	13	1773	2
9V1320RA/RJ	P09-040	133914	99.00	100.00	1.00	9.48		14.3	1.44	70	67	<0.5	71	1.89	150	10	43	45	6.9	3	0.27	<10	0.86	3495	50	0.01	1	738	279	4.81	<5	2	60	<5	<0.01	<10	<10	51	17	7105	3
9V1320RA/RJ	P09-040	133915	100.00	101.00	1.00	2.47		4.3	1.1	63	113	<0.5	45	2.59	57	10	56	7	5.41	1	0.23	<10	0.71	3378	34	0.01	<1	757	169	3.28	<5	2	93	<5	<0.01	<10	<10	46	11	3806	2
9V1320RA/RJ	P09-040	133916	101.00	102.00	1.00	10.86		18.3	0.46	90	97	<0.5	75	6.45	187	8	52	69	4.1	4	0.2	<10	0.25	4024	18	0.01	1	336	2382	4.31	6	1	196	<5	<0.01	<10	<10	21	<10	6837	2
9V1320RA/RJ	P09-040	133917	102.00	103.00	1.00	6.53		10.5	0.34	58	83	<0.5	44	5.3	100	6	73	31	2.64	2	0.15	<10	0.22	3182	7	0.01	1	302	771	2.4	<5	1	183	<5	<0.01	<10	<10	17	<10	5247	1
9V1320RA/RJ	P09-040	133918	103.00	104.00	1.00	0.07		2.5	1.16	93	167	<0.5	56	2.42	12	12	25	3	3.95	1	0.31	<10	0.68	2514	<2	0.01	1	1353	303	2.21	5	2	89	<5	<0.01	<10	<10	24	<10	1082	2
9V1320RA/RJ	P09-040	133919	104.00	105.00	1.00	0.32		3.9	0.75	270	81	<0.5	41	2.23	22	14	20	4	4.99	2	0.37	<10	0.31	1567	2	0.01	1	1349	285	3.96	12	2	63	<5	<0.01	<10	<10	15	<10	1678	2
9V1320RA/RJ	P09-040	133920	105.00	106.00	1.00	0.1		2.9	1.19	105	178	<0.5	47	3.35	40	14	22	11	4.59	2	0.32	<10	0.73	2622	3	0.01	1	1317	521	2.4	6	2	112	<5	<0.01	<10	<10	25	<10	3084	2
9V1320RA/RJ	P09-040	133921	106.00	107.00	1.00	0.04		1.5	1.45	99	206	<0.5	42	2.87	7	14	15	<1	4.22	1	0.4	<10	0.73	2296	2	0.01	1	1524	121	1.92	6	3	83	<5	<0.01	<10	<10	26	<10	487	2
9V1320RA/RJ	P09-040	133922	107.00	108.00	1.00	0.08		1.9	1.54	66	204	<0.5	50	2.63	12	13	17	<1	4.11	1	0.38	<10	0.91	2616	<2	0.01	1	1556	241	1.7	6	3	96	<5	<0.01	<10	<10	25	<10	912	2
9V1320RA/RJ	P09-040	133923	108.00	109.00	1.00	0.04		1.6	1.65	61	140	0.5	38	1.86	8	15	8	<1	5.09	<1	0.42	<10	1.15	2639	2	0.01	1	1547	132	2.45	<5	3	89	<5	<0.01	<10	<10	26	<10	332	2
9V1320RA/RJ	P09-040	133924	109.00	110.00	1.00	0.18		3.2	0.91	220	53	<0.5	50	2.55	10	14	14	1	5.31	1	0.37	<10	0.72	2870	2	0.01	<1	1405	188	3.6	6	3	107	<5	<0.01	<10	<10	19	<10	486	2
9V1320RA/RJ	P09-040	133925	110.00	111.00	1.00	0.03		2.4	1.2	136	177	<0.5	40	5.02	6	14	10	5	4.57	<1	0.4	<10	0.71	2914	<2	0.01	1	1508	43	2.54	6	3	162	<5	<0.01	<10	<10	20	<10	143	2
9V1320RA/RJ	P09-040	133926	111.00	112.00	1.00	0.07		1.5	1.48	65	152	<0.5	37	3.32	6	15	11	8	4.85	1	0.35	<10	0.87	1800	2	0.01	1	1542	13	2.29	6	3	94	<5	<0.01	<10	<10	21	<10	113	2
9V1320RA/RJ	P09-040	133927	112.00	113.00	1.00	0.03		1.8	1.41	130	170	<0.5	72	4.86	5	13	9	4	4.86	1	0.37	<10	0.82	2169	<2	0.01	1	1459	14	2.42	<5	3	131	<5	<0.01	<10	<10	20	<10	77	2
9V1320RA/RJ	P09-040	133928	113.00	114.00	1.00	0.04		2.1	1.41	170	133	<0.5	29	2.67	6	14	5	2	5.15	1	0.27	<10	0.88	1380	<2	0.01	1	1553	165	2.56	5	2	67	<5	<0.01	<10	<10	21	<10	134	2
9V1320RA/RJ	P09-040	133929	114.00	115.00	1.00	0.12		2.9	1.13	180	109	<0.5	70	2.81	6	16	10	1	5.36	1	0.43	<10	0.57	1721	<2	0.01	1	1535	36	3.45	10	2	91	<5	<0.01	<10	<10	18	<10	102	2
9V1320RA/RJ	P09-040	133930	115.00	116.00	1.00	0.07		2.8	1.36	219	136	0.5	48	2.22	6	16	10	8	5.42	1	0.38	<10	0.71	1524	<2	0.01	1	1559	20	2.99	9	3	60	<5	<0.01	<10	<10	21	<10	108	2
9V1320RA/RJ	P09-040	133931	116.00	117.00	1.00	0.06		1.8	1.47	138	176	0.5	76	3.07	5	15	9	11	4.49	<1	0.41	<10	0.75	2111	<2	0.01	1	1600	14	2.02	5	3	89	<5	<0.01	<10	<10	23	<10	122	2
9V1320RA/RJ	P09-040	133932	117.00	118.00	1.00	0.03		1	1.16	72	126	0.5	35	3.2	6	14	9	2	4.51	<1	0.38	<10	0.63	1705	<2	0.01	1	1638	31	2.82	<5	3	100	<5	<0.01	<10	<10	17	<10	148	2
9V1320RA/RJ	P09-040	133933	118.00	119.00	1.00	0.01		0.8	1.73	38	177	0.5	54	3.58	6	15	8	8	5.23	<1	0.4	<10	0.94	1742	<2	0.01	1	1628	10	2.11	<5	3	105	<5	<0.01	<10	<10	24	<10	104	2
9V1320RA/RJ	P09-040	133934	119.00	120.00	1.00	0.13		2.9	1.42	55	188	<0.5	60	3.92	8	12	23	11	4.19	<1	0.29	<10	0.81	2443	<2	0.01	<1	1276	302	1.51	<5	2	134	<5	<0.01	<10	<10	24	<10	551	2
9V1320RA/RJ	P09-040	133935	120.00	121.00	1.00	0.04		1.2	1.79	61	182	0.5	48	2.36	9	14	10	9	4.74	1	0.37	<10	0.99	1550	<2	0.01	1	1587	84	1.59	<5	3	72	<5	<0.01	<10	<10	23	<10	625	2
9V1320RA/RJ	P09-040	133936	121.00	122.00	1.00	0.02		1.2	1.57	73	149	<0.5	24	2.84	5	14	11	3	4.47	<1	0.3	<10	0.9	1602	<2	0.01	<1	1568	30	1.66	<5	2	68	<5	<0.01	<10	<10	19	<10	152	2
9V1320RA/RJ	P09-040	133937	122.00	123.00	1.00	0.02		1.1	2.01	49	200	0.5	78	2.74	6	16	10	6	5.09	<1	0.38	<10	1.14	2053	<2	0.01	<1	1669	10	1.28	<5	3	82	<5	<0.01	<10	<10	25	<10	116	2
9V1320RA/RJ	P09-040	133938	123.00	124.00	1.00	0.03		1.4	1.94	41	176	<0.5	46	3.21	5	15	10	<1	4.6	<1	0.31	<10	1.01	1774	<2	0.01	<1	1507	50	0.68	<5	3	79	<5	<0.01	<10	<10	24	<10	134	2
9V1320RA/RJ	P09-040	133939	124.00	125.00	1.00	0.03		1.9	1.61	73	226	<0.5	58	3.26	5	15	7	4	4.61	<1	0.43	<10	0.65	1970	<2	0.01	<1	1529	9	1.24	<5	3	95	<5	<0.01	<10	<10	26	<10	169	2
9V1321RA/RJ	P09-040	133940	125.00	126.00	1.00	0.08		1.7	1.43	84	152	<0.5	39	3.42	4	15	14	3	4.65	<1	0.4	<10	0.57	1877	4	0.02	1	1392	18	2.08	<5	3	112	<5	<0.01	<10	<10	27	<10	216	2
9V1321RA/RJ	P09-040	133941	126.00	127.00	1.00	0.4		3.2	1.06	180	125	<0.5	30	3.86	5	16	20	1	4.41	<1	0.41	<10	0.42	2233	5	0.02	1	1201	109	2.67	<5	2	129	<5	<0.01	<10	<10	22	<10	234	2
9V1321RA/RJ	P09-040	133942	127.00	128.00	1.00	0.04		2.3	1.59	94	195	0.5	39	3.28	4	13	7	6	4.45	<1	0.43	<10	0.65	1499	4	0.02	1	1480	36	1.72	5	4	91	<5	<0.01	<10	<10	25	<10	114	2
9V1321RA/RJ	P09-040	133943	128.00	129.00	1.00	<0.01		0.8	1.95	33	199	0.5	28	3.12	5	13	8	2	4.29	<1	0.45	<10	0.9	1719	2	0.02	<1	1517	16	0.95	<5	4	170	<5	<0.01	<10	<10	29	<10	139	2
9V1321RA/RJ	P09-040	133944	129.00	130.00	1.00	4.51		4.4	1.61	37	173	<0.5	26	4.12	5	14	8	7	4.85	<1	0.38	<10	0.89	3039	4	0.02	<1	1460	59	1.99	<5	3	169	<5	<0.01	<10	<10	25	<10	190	2
9V1321RA/RJ	P09-040	133945	130.00	131.00	1.00	0.03		2.1	2.41	75	232	0.5	33	3.38	5	15	6	6	5.69	<1	0.43	<10	1.24	2337	<2	0.02	<1	1608	110	1.07	<5	4	117	<5	<0.01	<10	<10	32	<10	193	2
9V1321RA/RJ	P09-040	133946	131.00	132.00	1.00	0.01		1.6	1.8	56	227	<0.5	29	4.94	6	14	15	10	5.01	<1	0.34	<10	0.95	2653	<2	0.01	1	1611	20	1.38	<5	4	163	<5	<0.01	<10	<10	28	<10	333	2
9V1321RA/RJ	P09-040	133947	132.00	133.00	1.00	<0.01		1.7	1.67	83	169	<0.5	31	3.65	5	14	16	7	5.39	<1	0.38	<10	0.89	2098	8	0.01	1	1460	13	1.85	<5	4	118	<5	<0.01	<10	<10	26	<10	205	2
9V1321RA/RJ	P09-040	133948	133.00	134.00	1.00	0.05		2.6	1.21	190	125	<0.5	32	3.81	5	15	19	2	5.74	<1	0.34	<10	0.78	1927	3	0.01	<1	1461	35	2.55	5	3	113	<5	<0.01	<10	<10	19	<10	149	2
9V1321RA/RJ	P09-040	133949	134.00	135.00	1.00	0.03		1	0.63	56	159	<0.5	36	4.17	5	13	19	4	4.41	<1	0.33	<10	0.87	2175	3	0.01	1	1401	19	1.41	<5	4	197	<5	<0.01	<10	<10	14	<10	176	2
9V1321RA/RJ	P09-040	133950	135.00	136.00	1.00	<0.01		0.8	1.61	48	171	<0.5	27	4.37	5	14	12	5	5.24	<1	0.32	<10	1.05	1762	2	0.01	<1	1529	18	1.64	<5	5	195	<5	<0.01	<10	<10	23	<10	118	2
9V1321RA/RJ	P09-040	133951	136.00	137.00	1.00	0.02		0.6	1.28	45	104	0.5	35	3.89	5	15	15	4	5.4	<1	0.42	<10	0.71	1262	5	0.01	1	1540	21	3.07	<5	4	155	<5	<0.01	<10	<10	20	<10	75	2
9V1321RA/RJ	P09-040	133952	137.00	138.00	1.00	0.5		2.6	0.74	124	81	<0.5	32	5.34	10	13	23	35	5.67	<1	0.34	<10	0.53	1872	4	0.01	1	1157	317	3.86	<5	3	183	<5	<0.01	<10	<10	15	<10	509	2
9V1321RA/RJ	P09-040	133953	138.00	139.00	1.00	0.11		1.7	0.9	118	87	0.5	28	4.52	5	14	19	<1	5	<1	0.42	<10	0.64	2323	2	0.01	1	1365	45	2.68	5	4	159	<5	<0.01	<10	<10	16	<10	80	2
9V1321RA/RJ	P09-040	133954	139.00	140.00	1.00	0.19		2.6	0.54	183	114	0.5	37	4.63	4	12	37	<1	4.9	<1	0.36	<10	0.5	2376	2	0.01	1	1192	45	2.78	7	3	158	<5	<0.01	<10	<10	11	<10	49	2
9V1321RA/RJ	P09-040	133955	140.00	140.80	0.80	0.04		2.2	0.42	126	109	<0.5	25	1.03	3	10	55	<1	3.48	<1	0.33	<10	0.24	939	4	0.01	3	946	28	2.1	7	2	59	<5	<0.01	<10	<10	9	<10	74	1
9V1321RA/RJ	P09-040	133956	140.80	141.30	0.50	0.03		3.6	0.31	44	82	<0.5	33	2.84	4	12	100	2	4.29	<1	0.23	<10	0.57	2224	3	0.01	4	782	34	1.96	5	4	215	<5	<0.01	<10	<10	9	<10	60	2
9V1321RA/RJ	P09-040	133957	141.30	142.30	1.00	0.03		2.3	0.5	34	109	0.7	28	2.08	6	14	25	3	5.22	<1	0.41	<10	0.66	2535	4	0.01	1	1360	67	1.76	<5	4	120	<5	<0.01	<10	<10	16	<10	201	2
9V1321RA/RJ	P09-040	133958	142.30	143.30	1.00	0.09		4.9	0.59	87	109	<0.5	46	5.13	4	9	48	20	3.46	<1	0.34	<10	0.39	3055	2	0.01	1	1023	83	1.59	8	3	221	<5	<0.01	<10	<10	16	<10	254	2
9V1321RA/RJ	P09-040	133959	143.30	144.30	1.00	0.03		2.7	1.23	72	208	<0.5	37	6.3	4	9	25	2	3.58	<1	0.29	<10	0.63	3491	2	0.01	1	1041	94	1.2	5	3	217	<5	<0.01	<10	<10	35	<10	145	2
9V1321RA/RJ	P09-040	133960	BLANK			<0.01		<0.1	0.02	<5	<10	<0.5	50	>15.00	<1	<1	3	<1	0.37	<1	0.02	<10	11.6	186	<2	0.01	2	116	<2	0.42	<5	<1	62	<5	<0.01	<10	<10	2	<10	23	<1

Drilling Analytical Results 2009

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1321RA/RJ	P09-040	133961	144.30	145.30	1.00	0.02		0.6	1.76	21	346	0.6	28	2.71	5	13	16	17	5.15	<1	0.55	11	0.95	2815	<2	0.02	1	1448	13	0.7	<5	5	164	<5	<0.01	<10	<10	36	<10	137	2
9V1321RA/RJ	P09-040	133962	145.30	146.30	1.00	0.19		1.5	1.22	48	150	<0.5	38	6.34	5	10	35	4	3.9	1	0.21	<10	0.73	4337	5	<0.01	1	781	286	1.68	<5	4	189	<5	<0.01	<10	<10	57	<10	246	2
9V1321RA/RJ	P09-040	133963	146.30	147.30	1.00	0.04		1.4	1.74	37	182	<0.5	52	3.34	23	12	23	18	5.04	1	0.31	<10	1.06	4007	4	<0.01	1	1002	154	1.47	<5	5	118	<5	<0.01	<10	<10	69	<10	2013	2
9V1321RA/RJ	P09-040	133964	147.30	148.30	1.00	0.22		2.9	1.28	54	133	<0.5	38	4.21	21	12	23	16	4.66	<1	0.34	<10	0.64	3161	3	<0.01	1	1032	688	2.28	<5	4	147	<5	<0.01	<10	<10	48	<10	1739	2
9V1321RA/RJ	P09-040	133965	148.30	149.30	1.00	0.23		1.9	1.41	64	62	<0.5	59	2.52	11	15	20	<1	5.62	<1	0.41	<10	0.65	2597	7	<0.01	1	1042	394	3.35	5	3	97	<5	<0.01	<10	<10	48	<10	672	2
9V1321RA/RJ	P09-040	133966	149.30	150.30	1.00	0.5		2.2	0.99	106	71	<0.5	37	2.52	9	13	38	<1	4.99	1	0.37	<10	0.41	1938	8	<0.01	1	1012	265	3.51	7	3	108	<5	<0.01	<10	<10	28	<10	603	2
9V1321RA/RJ	P09-040	133967	150.30	151.30	1.00	0.21		1	0.56	63	55	<0.5	51	1.93	6	13	31	<1	5.06	<1	0.39	<10	0.1	988	6	<0.01	1	852	73	4.35	<5	2	78	<5	<0.01	<10	<10	15	<10	256	2
9V1321RA/RJ	P09-040	133968	151.30	152.30	1.00	3.15		3.4	1.09	35	84	<0.5	41	2.47	17	14	37	<1	4.81	1	0.35	<10	0.55	2361	3	<0.01	1	955	400	3.08	<5	2	110	<5	<0.01	<10	<10	23	<10	1266	2
9V1321RA/RJ	P09-040	133969	152.30	153.30	1.00	7.53		8	1.17	28	132	<0.5	42	2.63	14	11	42	29	4.68	<1	0.32	<10	0.65	3237	18	<0.01	1	723	958	2.64	<5	3	130	<5	<0.01	<10	<10	27	<10	1066	2
9V1321RA/RJ	P09-040	133970	153.30	154.30	1.00	0.22		3.1	1.39	38	175	<0.5	48	1.73	14	10	48	95	3.96	<1	0.29	<10	0.82	3226	<2	<0.01	1	692	440	1.02	5	3	84	<5	<0.01	<10	<10	28	<10	1252	1
9V1321RA/RJ	P09-040	133971	154.30	155.30	1.00	0.09		1.9	1.86	27	232	<0.5	42	1.38	13	14	28	68	4.33	<1	0.4	<10	1.05	3063	<2	<0.01	2	971	443	0.66	<5	4	65	<5	<0.01	<10	<10	30	<10	1148	2
9V1321RA/RJ	P09-040	133972	155.30	156.30	1.00	0.75		4	0.66	300	74	<0.5	20	0.75	6	13	43	<1	4.46	<1	0.36	<10	0.21	888	2	<0.01	2	790	122	3.25	14	2	39	<5	<0.01	<10	<10	13	<10	259	2
9V1321RA/RJ	P09-040	133973	156.30	157.30	1.00	3.18		6.1	0.37	315	84	<0.5	28	1	6	10	52	<1	3.59	<1	0.29	<10	0.05	499	7	<0.01	2	606	319	3.12	13	1	38	<5	<0.01	<10	<10	9	<10	306	2
9V1321RA/RJ	P09-040	133974	157.30	158.30	1.00	4.1		5.3	0.36	281	93	<0.5	23	0.77	4	10	82	<1	3.26	<1	0.28	<10	0.04	389	7	<0.01	2	567	317	2.77	11	1	31	<5	<0.01	<10	<10	8	<10	194	1
9V1321RA/RJ	P09-040	133975	158.30	159.30	1.00	0.64		1.5	0.99	105	207	<0.5	30	2.63	6	9	39	<1	3.3	<1	0.37	<10	0.53	2695	3	<0.01	1	786	109	1.25	6	2	80	<5	<0.01	<10	<10	19	<10	461	1
9V1321RA/RJ	P09-040	133976	159.30	160.30	1.00	0.56		1.8	1.17	83	152	<0.5	32	1.93	10	13	33	<1	4.9	<1	0.37	<10	0.8	2580	<2	<0.01	2	952	364	2	<5	3	107	<5	<0.01	<10	<10	23	<10	812	2
9V1321RA/RJ	P09-040	133977	160.30	161.30	1.00	1.37		2.4	1.09	84	109	<0.5	34	1.62	15	14	22	<1	4.83	<1	0.39	<10	0.74	2375	<2	<0.01	1	875	134	2.14	<5	3	92	<5	<0.01	<10	<10	20	<10	1210	2
9V1321RA/RJ	P09-040	133978	161.30	162.30	1.00	0.11		0.9	1.02	31	155	0.8	63	3.32	9	13	17	10	4.71	<1	0.42	<10	0.93	2235	3	<0.01	1	1153	148	1.57	<5	4	250	<5	<0.01	<10	<10	17	<10	598	2
9V1321RA/RJ	P09-040	133979	162.30	163.30	1.00	0.16		2.8	1.37	39	100	0.7	49	4.3	21	12	16	103	5.24	<1	0.47	<10	1.06	2223	2	<0.01	1	1014	838	2.33	<5	4	253	<5	<0.01	<10	<10	24	<10	1680	2
9V1321RA/RJ	P09-040	133980	STD	PM405		0.31		0.2	0.69	705	1334	0.6	27	0.72	3	8	57	25	3.74	2	0.16	17	0.35	486	5	<0.01	34	752	154	0.14	623	5	230	8	<0.01	<10	<10	63	<10	251	12
9V1321RA/RJ	P09-040	133981	163.30	164.30	1.00	<0.01		<0.1	1.73	60	168	0.7	52	3.53	5	13	21	13	4.75	<1	0.4	10	1.18	1436	<2	<0.01	4	1108	34	1.44	<5	5	222	<5	<0.01	<10	<10	40	<10	161	2
9V1321RA/RJ	P09-040	133982	164.30	165.30	1.00	<0.01		<0.1	1.82	<5	812	<0.5	45	3.87	3	13	41	<1	3.84	<1	0.35	24	1.68	726	<2	0.02	12	1287	2	0.02	<5	4	270	<5	<0.01	<10	<10	49	<10	95	2
9V1321RA/RJ	P09-040	133983	165.30	166.30	1.00	<0.01		<0.1	1.23	<5	1502	0.5	31	3.18	3	12	35	<1	3.46	<1	0.33	21	1.45	659	<2	0.01	10	1189	<2	0.05	<5	3	259	<5	<0.01	<10	<10	31	<10	76	2
9V1321RA/RJ	P09-040	133984	166.30	167.30	1.00	<0.01		<0.1	0.48	<5	2277	0.5	49	3.75	3	10	18	1	3.27	<1	0.38	19	1.2	989	<2	<0.01	6	1185	11	0.09	<5	3	349	<5	<0.01	<10	<10	12	<10	72	1
9V1321RA/RJ	P09-040	133985	167.30	168.30	1.00	0.09		1.6	0.65	121	92	0.7	35	2.78	4	11	37	<1	4.16	<1	0.4	<10	0.69	1602	<2	<0.01	2	886	32	2.71	5	3	203	<5	<0.01	<10	<10	12	<10	151	1
9V1321RA/RJ	P09-040	133986	168.30	169.30	1.00	0.09		1.5	0.92	41	144	0.7	52	3.3	15	13	27	<1	4.9	<1	0.41	11	1.12	2554	4	<0.01	4	1199	433	1.47	<5	4	262	<5	<0.01	<10	<10	20	<10	1225	2
9V1321RA/RJ	P09-040	133987	169.30	170.30	1.00	0.05		1.5	1.04	51	98	0.8	39	2.16	9	16	19	<1	5.01	<1	0.49	<10	0.7	1617	2	<0.01	1	1135	177	2.51	<5	4	160	<5	<0.01	<10	<10	19	<10	591	2
9V1321RA/RJ	P09-040	133988	170.30	171.30	1.00	0.02		0.4	1.3	20	219	0.6	55	2.73	9	13	16	<1	4.99	<1	0.44	10	1.39	2948	<2	<0.01	1	1143	149	1	<5	5	168	<5	<0.01	<10	<10	29	<10	630	2
9V1321RA/RJ	P09-040	133989	171.30	172.30	1.00	0.01		0.6	1.56	61	142	0.6	51	3.39	6	12	17	<1	5.13	<1	0.46	<10	1.76	2869	<2	<0.01	1	1046	65	2.28	<5	4	166	<5	<0.01	<10	<10	27	<10	469	2
9V1321RA/RJ	P09-040	133990	172.30	173.30	1.00	0.23		1.2	1.73	50	139	<0.5	30	2.18	17	11	22	<1	5.29	<1	0.36	<10	1.64	3045	<2	<0.01	1	970	567	1.86	<5	4	100	<5	<0.01	<10	<10	46	<10	1547	2
9V1321RA/RJ	P09-040	133991	173.30	174.30	1.00	0.08		1.9	1.63	50	198	<0.5	19	1.56	12	11	21	<1	4.81	<1	0.41	10	1.21	2747	<2	<0.01	1	1072	336	1.36	<5	4	91	<5	<0.01	<10	<10	50	<10	897	2
9V1321RA/RJ	P09-040	133992	174.30	175.30	1.00	0.24		2.1	1.75	91	144	<0.5	34	1.17	14	11	26	<1	5.6	<1	0.29	<10	1.24	2848	<2	<0.01	1	986	463	1.85	5	3	60	<5	<0.01	<10	<10	74	10	1129	2
9V1321RA/RJ	P09-040	133993	175.30	176.30	1.00	0.07		0.9	1.56	60	168	<0.5	39	2.63	8	11	18	<1	4.72	<1	0.36	<10	1.01	2688	<2	<0.01	1	1032	213	1.55	<5	3	100	<5	<0.01	<10	<10	40	<10	619	2
9V1321RA/RJ	P09-040	133994	176.30	177.30	1.00	0.12		1.5	1.54	40	168	<0.5	50	3.27	13	12	21	<1	4.59	<1	0.36	<10	0.87	2658	<2	<0.01	1	1016	304	1.36	<5	4	170	<5	<0.01	<10	<10	39	<10	935	2
9V1321RA/RJ	P09-040	133995	177.30	178.30	1.00	0.23		1.4	1.82	44	159	<0.5	59	3.07	9	12	15	<1	5.58	<1	0.43	10	0.99	2662	<2	<0.01	1	1098	169	1.87	<5	5	156	<5	<0.01	<10	<10	57	<10	839	2
9V1321RA/RJ	P09-040	133996	178.30	179.30	1.00	0.2		3.6	1.2	70	136	0.5	34	1.92	15	12	26	<1	4.56	<1	0.41	<10	0.71	1929	<2	<0.01	2	936	359	2.09	7	4	95	<5	<0.01	<10	<10	28	<10	1380	2
9V1321RA/RJ	P09-040	133997	179.30	180.10	0.80	0.05		0.3	1.36	53	176	0.5	43	1.53	4	13	19	<1	4.12	<1	0.47	<10	0.65	1205	2	<0.01	1	1037	20	1.68	<5	4	80	<5	<0.01	<10	<10	28	<10	191	2
9V1321RA/RJ	P09-040	133998	180.10	180.90	0.80	0.01		0.2	1.39	35	478	0.7	53	4.08	5	12	12	<1	4.61	<1	0.45	13	1.02	2799	<2	<0.01	1	1130	16	0.58	<5	6	249	<5	<0.01	<10	<10	32	<10	158	2
9V1321RA/RJ	P09-040	133999	180.90	181.97	1.07	0.09		10	0.38	73	223	<0.5	71	10.36	3	4	39	<1	2.21	<1	0.25	<10	0.34	4279	3	<0.01	1	433	107	1.3	7	2	576	<5	<0.01	<10	<10	7	<10	241	1
9V1321RA/RJ	P09-040	134000	BLANK			<0.01		<0.1	0.09	<5	22	<0.5	114	>15.00	<1	1	1	<1	0.54	<1	0.06	<10	12.8	231	<2	<0.01	2	117	<2	0.39	<5	<1	52	<5	<0.01	10	<10	3	<10	12	<1
9V1321RA/RJ	P09-040	134001	181.97	183.00	1.03	<0.01		0.2	1.61	25	187	0.6	51	3.27	5	13	13	<1	4.86	<1	0.43	10	0.88	2518	<2	<0.01	1	1093	7	0.84	<5	5	201	<5	<0.01	<10	<10	27	<10	145	2
9V1321RA/RJ	P09-040	134002	183.00	184.00	1.00	<0.01		<0.1	2.01	12	199	0.6	52	2.97	5	12	10	1	5.15	<1	0.45	10	1.05	2282	2	<0.01	1	1108	2	0.75	<5	5	171	<5	<0.01	<10	<10	35	<10	97	2
9V1321RA/RJ	P09-040	134003	184.00	185.00	1.00	0.01		0.5	2.04	38	157	0.6	40	1.89	4	14	12	<1	4.77	<1	0.36	10	1.11	1640	<2	<0.01	1	1123	2	0.5	<5	5	104	<5	<0.01	<10	<10	28	<10	95	2
9V1321RA/RJ	P09-040	134004	185.00	186.00	1.00	<0.01		1.3	2.05	83	145	0.6	52	2.5	4	13	7	<1	4.72	<1	0.35	<10	1.2	1792	<2	<0.01	1	1101	<2	0.33	<5	5	135	<5	<0.01	<10	<10	25	<10	88	2
9V1321RA/RJ	P09-040	134005	186.00	187.00	1.00	<0.01		0.1	1.87	28	128	0.7	25	2.39	4	12	8	<1	4.66	<1	0.33	<10	1.34	2304	<2	<0.01	1	1102	<2	0.45	<5	5	128	<5	<0.01	<10	<10	24	<10	82	2
9V1321RA/RJ	P09-040	134006	187.00	188.00	1.00	0.04		0.2	1.89	20	184	0.6	62	3.16	<1	15	13	9	5.09	<1	0.39	<10	1.46	3806	<2	0.01	<1	1443	45	1.04	<5	5	138	<5	<0.01	<10	<10	30	<10	125	2
9V1321RA/RJ	P09-040	134007	188.00	189.00	1.00	0.02		<0.1	2.36	14	197	0.5	65	2.88	<1	14	13	22	5.24	<1	0.33	11	1.75	4104	<2	0.01	1	1414	30	0.4	<5	5	120	<5	<0.01	<10	<10	38	10	157	2
9V1321RA/RJ	P09-040	134008	189.00	190.00	1.00	<0.01		<0.1	2.44	22	206	0.5	53	3.01	<1	15	14	53	5.29	<1	0.37	<10	1.71	2478	7	0.01	<1	1406	41	0.69	<5	5	105	<5	<0.01	<10	<10	39	10	117	2
9V1321RA/RJ	P09-040	134009	190.00	191.00	1.00	<0.01		<0.1	2.74	17	266	0.5	55	2.18	<1	15	10	15	5.76	<1	0.35	13	2.04	2337	<2	0.01	1	1601	5	0.18	<5	5	112	<5	<0.01	<10	<10	40	11	134	2
9V1321RA/RJ	P09-040	134010	191.00	192.00	1.00	<0.01		<0.1	2.31	30	349	<0.5	80	5.48	<1	13	13	13	4.93	<1	0.38	14	1.63	3999	<2	0.01	<1	1429	14	0.27	<5	5	230	<5	<0.01	<10	<10	37	<10	111	2
9V1321RA/RJ	P09-040	134011	192.00	193.00	1.00	<0.01		<0.1	1.65	20	876	0.5	76	4.16	<1	14	17	18	4.73	<1	0.39	12	1.42	3335	<2	0.01	1	1454	13	0.34	<5	5	251	<5	<0.01	<10	<10	28	<10	116	2
9V1321RA/RJ	P09-040	134012	193.00	194.00	1.00	<0.01		<0.1	2.11	52	221	0.5	40	2.87	<1	17	9	10	5.44	<1	0.43	10	1.26	3306	<2	0.01	1	1486	4	0.55	<5	5	149	<5	<0.01	<10	<10	39	10	139	2
9V1321RA/RJ	P09-040	134013	194.00	194.60	0.60	0.08		0.4	1.85	31	305	0.5	61	3.77	<1	15	18	46	5.49	<1	0.38	<10	1.1	3659	<2	0.01	1	1381	51	0.89	<5	4	202	<5	<0.01	<10	<10	37	<10	169	2
9V1321RA/RJ	P09-040	134014	194.60	195.30	0.70	0.03		0.9	1.17	62	248	0.5	35	7.24	13	13	19	67	4.11	<1	0.41	10	0.73	4051	<2	0.01	1	1313	55	0.89	<5	4	258	<5	<0.01	<10	<10	23	<10	1502	2
9V1321RA/RJ	P09-040	134015	195.30	196.30	1.00	0.02		0.4	1.46	55	208	0.7	35	3.34	<1	15	16	23	4.37	<1	0.43	11	0.81	3179	<2	0.01	1	1518	68	0.91	<5	4	160	<5	<0.01	<10	<10	25	<10	108	2
9V1321RA/RJ	P09-040	134016	196.30	197.30	1.00	0.01		<0.1	1.67	34	208	0.5	50	3.38	<1	14	19	16	4.48	<1	0.44	11	0.85	3052	<2	0.01	1	1385	12	0.85	<5	5	155	<5	<0.01	<10	<10	34	<10	117	2
9V1321RA/RJ	P09-040	134017	197.30	197.90	0.60	0.01		2.4	1.43	46	163	<0.5	53	7.67	<1	14	27	10	4.14	<1	0.32	<10	0.65	3676	2	0.01	1	1071	40	1.19	<5	3	175	<5	<0.01	<10	<10	31	<10	206	2
9V1321RA/RJ	P09-040	134018	197.90	198.50	0.60	0.03		2.8	1.03	45	193	<0.5	24	4.52	<1	12	52	45	2.93	<1	0.34	<10	0.41	2890	2	0.01	1	989	194	0.85	<5	2	125	<5	<0.01	<10	<10	25	<10	337	1
9V1321RA/RJ	P09-040	134019	198.50	199.10	0.60	0.85		3.1	0.49	59	116	<0.5	73	5.79	6	6	88	199	2.24	<1	0.23	<10	0.21	3411	<2	0.01	2	463	144	1.36	<5	2	226	<5	<0.01	<10	<10	14	<10	930	1
9V1321RA/RJ	P09-040	134020	STD	PM427		3.82		<0.1	1.56	6617	80	0.9	212	7.18	<1	114	38	302	5.3	<1	0.21	10	0.52	913	30	0.07	69	771	16	1	10	3	68	5	0.12	<10	<10	61	<10	88	12
9V1321RA/RJ	P09-040	134021	199.10	199.70	0.60	0.37		1.6	0.42	86	109	<0.5	39	5.4	<1	4	100	56	1.95	<1	0.26	<10	0.19	3216	<2	0.01	2	308	77	1.21	<5	2	187	<5	<0.01	<10	<10	13	<10	138	1
9V1321RA/RJ	P09-040	134022	199.70	200.30	0.60	0.18		<0.1	0.75	55	169	<0.5	39	2.54	<1	11	81	47	3.3	<1	0.23	<10	0.39	2299	<2	0.01	2	755	27	1.46	<5	2	98	<5	<0.01	<10	<10	22	<10	108	1
9V1321RA/RJ	P09-040	134023	200.30	200.90	0.60	0.05		<0.1	1.02	34	197	<0.5	45	3.29	<1	14	64	15	3.23	<1	0.33	<10	0.41	2271	<2	0.01	2	1116	22	1.23	<5	3	156	<5	<0.01	<10	<10	24	<10	150	1
9V1321RA/RJ	P09-040	134024	200.90	201.50	0.60	<0.01		<0.1	0.18	<5	102	<0.5	33	6.52	<1	2	100	8	0.77	<1	0.07	<10	0.15	3689	<2	0.01	2	627	<2	0.19	<5	2	374	<5	<0.01	<10	<10	3	<10	16	<1
9V1321RA/RJ	P09-040	134025	201.50	202.10	0.60	0.02		0.2	0.73	11	226	<0.5	68	13.15	<1	10	36	23	3.64	<1	0.28	<10	0.8	7143	<2	0.01	<1	878	<2	1.05	<5	4	947	<5	<0.01	<10	10	13	<10	70	1
9V1321RA/RJ	P09-040	134026	202.10	203.10	1.00	<0.01		<0.1	0.79	16	225	<0.5	56	2.34	<1	18	14	24	4.93	<1	0.46	10	0.78	2817	<2	0.01	1	1588	3	0.8	<5	4	132	<5	<0.01	<10	<10	22	<10	106	2
9V1321RA/RJ	P09-040	134027	203.10	204.10	1.00	0.01		<0.1	2.29	40	227	<0.5	39	1.44	<1	18	11	24	6.24	<1	0.47	13	1	1950	<2	0.01	1	1744	<2	0.66	<5	4	71	<5	<0.01	<10	<10	54	12	129	2
9V1321RA/RJ	P09-040	134028	204.10	205.10	1.00	<0.01		0.7	1.75	26	379	0.6	17	2.91	6	16	19	17	5.21	<1	0.48	11	0.89	3119	<2	0.01	1	1767	14	0.76	<5	5	155	<5	<0.01	<10	<10	38	10	127	2
9V1321RA/RJ	P09-040	134029	205.10	206.10	1.00	0.03		0.7	1.83	35	264	0.5	52	2.58	6	15	12	39	5.53	<1	0.47	11	1.02	3620	<2	0.02	<1	1613	12	1.02	<5	5	111	<5	<0.01	<10	<10	39	11	119	2
9V1321RA/RJ	P09-040	134030	206.10	207.10	1.00	<0.01		0.4	2.08	25	208	<0.5	69	2.27	6	16	13	13	5.67	<1	0.42	12	1.09	3756	<2	0.01	<1	1658	10	0.75	<5	4	111	<5	<0.01	<10	<10	44	11	142	2
9V1321RA/RJ	P09-040	134031	207.10	208.10	1.00	0.07		1	1.77	45	216	<0.5	55	2.87	6	16	36	14	4.68	<1	0.41	<10	0.78	3024	<2	0.01	1	1401	42	1.24	<5	4	147	<5	<0.01	<10	<10	44	<10	192	2
9V1321RA/RJ	P09-040	134032	208.10	209.10	1.00	0.01		0.6	1.58	32	177	<0.5	45	2.53	5	13	14	33	4.67	<1	0.42	13	0.96	3071	<2	0.01	1	1609	16	0.46	<5	5	147	<5	<0.01	<10	<10	41	10	134	2
9V1321RA/RJ	P09-040	134033	209.10	210.10	1.00	0.04		0.5	1.88	29	204	<0.5	73	2.51	6	16	18	15	5.4	<1	0.41	12	1.08	3050	4	0.01	<1	1540	24	0.84	<5	5	118	<5	<0.01	<10	<10	51	10	180	2
9V1321RA/RJ	P09-040	134034	210.10	211.10	1.00	<0.01		0.7	0.73	24	345	0.8	19	3.19	6	14	13	9	4.82	<1	0.46	13	0.86	2955	<2	0.01	<1	1548	18	0.49	<5	6	199	<5	<0.01	<10	<10	23	10	153	2
9V1321RA/RJ	P09-040	134035	211.10	212.10	1.00	<0.01		0.6	1.14	13	368	0.7	74	3.19	7	15	20	6	5.77	<1	0.49	12	1.07	3061	<2	0.01	<1	1556	19	0.67	<5	6	199	<5	<0.01	<10	<10	36	11	181	2
9V1321RA/RJ	P09-040	134036	212.10	213.10	1.00	<0.01		0.5	1.03	21	238	0.5	47	2.66	6	14	13	7	5.36	<1	0.38	10	0.87	2204	<2	0.01	<1	1540	22	0.96	<5	4	131	<5	<0.01	<10	<10	35	11	237	2
9V1321RA/RJ	P09-040	134037	213.10	213.80	0.70	0.29		2.5	0.59	25	227	0.5	57	4.81	11	10	58	6	4.57	<1	0.3	<10	0.88	3138	<2	0.01	2	818	221	0.96	<5	3	351	<5	<0.01	<10	<10	17	12	878	2
9V1321RA/RJ	P09-040	134038	213.80	214.50	0.70	0.49		2.1	0.26	16	226	<0.5	42	4.56	7	7	64	14	3.48	<1	0.17	<10	0.88	2981	<2	0.01	2	331	82	0.53	<5	2	312	<5	<0.01	<10	<10	10	<10	346	1
9V1321RA/RJ	P09-040	134039	214.50	215.50	1.00	<0.01		0.9	1.12	34	239	0.7	35	3.52	10	13	20	8	4.52	<1	0.53	12	0.7	2685	<2	0.01	<1	1549	47	0.65	<5	5	151	<5	<0.01	<10	<10	33	<10	997	2
9V1321RA/RJ	P09-040	134040	215.50	216.50	1.00	0.14		1.9	1.67	19	159	<0.5	83	7.62	5	15	24	8	4.78	<1	0.33	<10	1.03	4204	4	0.01	1	1203	28	1.16	<5	4	271	<5	<0.01	<10	<10	46	<10	138	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1321RA/RJ	P09-040	134041	216.50	217.50	1.00	<0.01		0.8	1.88	29	205	<0.5	39	4.23	5	15	12	15	4.83	<1	0.45	13	0.98	3456	<2	0.01	<1	1527	13	0.66	<5	5	178	<5	<0.01	<10	<10	54	<10	140	2
9V1321RA/RJ	P09-040	134042	217.50	218.50	1.00	<0.01		0.2	2.13	20	378	<0.5	45	2.76	6	16	12	10	5.11	<1	0.4	13	1.08	2671	<2	0.01	1	1540	8	0.48	<5	6	152	<5	<0.01	<10	<10	69	10	119	2
9V1321RA/RJ	P09-040	134043	218.50	219.50	1.00	<0.01		0.2	2.07	13	210	<0.5	62	2.9	6	16	9	14	5.29	<1	0.41	12	1.08	2501	<2	0.02	<1	1526	8	0.61	<5	5	145	<5	<0.01	<10	<10	65	10	123	2
9V1321RA/RJ	P09-040	134044	219.50	220.50	1.00	0.09		0.5	1.65	53	142	<0.5	65	3.89	5	12	24	8	4.78	<1	0.32	10	0.86	2975	<2	0.01	1	1318	13	0.92	<5	5	190	<5	<0.01	<10	<10	57	10	111	2
9V1321RA/RJ	P09-040	134045	220.50	221.50	1.00	<0.01		0.7	1.23	34	174	<0.5	64	4.08	6	14	11	12	4.77	<1	0.45	10	0.78	3143	<2	0.01	<1	1520	30	1.22	<5	4	171	<5	<0.01	<10	<10	29	<10	145	2
9V1321RA/RJ	P09-040	134046	221.50	222.50	1.00	0.28		1.8	0.58	53	121	<0.5	44	3.69	10	11	33	10	4.18	<1	0.38	<10	0.52	2958	3	0.01	1	1149	210	2.21	<5	2	208	<5	<0.01	<10	<10	15	<10	735	2
9V1321RA/RJ	P09-040	134047	222.50	223.50	1.00	0.07		1.3	0.54	34	56	<0.5	37	2.49	8	15	21	5	4.93	<1	0.42	<10	0.64	2854	2	0.01	<1	1463	175	2.23	<5	3	151	<5	<0.01	<10	<10	17	10	416	2
9V1321RA/RJ	P09-040	134048	223.50	224.50	1.00	0.47		5.4	1.36	87	136	0.6	58	6.44	78	26	78	15	11.29	1	0.75	15	1.14	6074	12	0.02	5	2698	1421	>5.00	6	6	348	<5	<0.01	11	<10	43	26	6323	5
9V1321RA/RJ	P09-040	134049	224.50	225.50	1.00	0.21		2.1	0.74	33	105	<0.5	45	3.64	10	12	32	<1	4.84	<1	0.33	<10	0.82	3582	2	0.01	<1	1126	1045	1.81	<5	4	218	<5	<0.01	<10	<10	23	11	684	2
9V1321RA/RJ	P09-040	134050	225.50	226.50	1.00	0.06		0.8	0.98	29	280	0.5	51	3.8	5	14	21	9	4.58	<1	0.37	<10	0.78	2981	<2	0.01	1	1215	41	1.18	<5	4	215	<5	<0.01	<10	<10	21	<10	163	2
9V1321RA/RJ	P09-040	134051	226.50	227.50	1.00	0.06		0.8	0.98	25	188	<0.5	55	4.54	6	15	32	2	5.09	<1	0.37	<10	1.08	4027	3	0.01	1	1376	25	1	<5	4	260	<5	<0.01	<10	<10	25	<10	116	2
9V1321RA/RJ	P09-040	134052	227.50	228.50	1.00	0.09		0.7	0.85	38	187	0.7	10	2.48	6	17	14	5	4.6	<1	0.41	<10	0.65	2377	<2	0.01	1	1509	30	1.58	<5	4	131	<5	<0.01	<10	<10	19	<10	170	2
9V1321RA/RJ	P09-040	134053	228.50	229.50	1.00	0.06		1	0.82	37	161	0.5	43	7.4	5	13	19	9	4.57	<1	0.42	<10	0.68	3984	2	0.01	1	1255	27	1.68	<5	4	301	<5	<0.01	<10	<10	18	<10	130	2
9V1321RA/RJ	P09-040	134054	229.50	230.49	0.99	0.11		3	0.53	49	119	<0.5	31	5.43	15	15	20	24	4.82	<1	0.38	<10	0.56	3734	2	0.01	<1	1324	543	2.41	<5	4	259	<5	<0.01	<10	<10	14	<10	1128	2
P09-041 - Unicorn - PAD 25 - 436506E 6220085N, Elev: 1130m, Az: 090, Dip: -50, EOH: 228.35m																																									
9V1321RA/RJ	P09-041	134055	1.52	3.00	1.48	0.13		4.9	2.08	36	261	<0.5	17	0.57	6	11	17	25	4.87	<1	0.36	<10	1.15	1559	<2	0.01	11	1422	54	1.01	<5	3	25	<5	<0.01	<10	<10	48	13	369	2
9V1321RA/RJ	P09-041	134056	3.00	4.00	1.00	0.06		3.9	0.61	49	71	<0.5	14	0.26	6	14	15	16	4.52	<1	0.33	<10	0.21	829	2	0.01	1	542	52	3.57	<5	2	14	<5	<0.01	<10	<10	14	10	173	2
9V1321RA/RJ	P09-041	134057	4.00	5.00	1.00	0.02		1.8	1.6	56	210	<0.5	33	1.11	5	17	15	8	4.32	<1	0.35	<10	0.87	2593	<2	0.01	2	1226	32	1.16	<5	3	73	<5	<0.01	<10	<10	36	<10	314	2
9V1321RA/RJ	P09-041	134058	5.00	6.00	1.00	0.02		1.8	1.86	71	166	0.5	27	0.68	6	15	18	11	4.94	<1	0.3	<10	0.98	1948	<2	0.01	2	1268	38	1.03	<5	3	35	<5	<0.01	<10	<10	47	10	603	2
9V1321RA/RJ	P09-041	134059	6.00	7.00	1.00	0.04		2.2	1.88	50	178	<0.5	25	0.62	7	16	13	27	4.95	<1	0.31	<10	0.96	1851	<2	0.02	2	1307	50	0.88	<5	3	32	<5	<0.01	<10	<10	52	10	484	2
9V1321RA/RJ	P09-041	134060	BLANK			<0.01		<0.1	0.1	<5	22	<0.5	81	>15.00	<1	1	2	1	0.52	<1	0.06	<10	12.6	245	<2	0.01	2	243	<2	0.42	<5	<1	56	<5	<0.01	<10	<10	4	<10	19	<1
9V1321RA/RJ	P09-041	134061	7.00	8.00	1.00	0.37		1.2	1.46	47	180	<0.5	36	0.98	6	13	17	16	4.66	<1	0.34	<10	0.62	1823	<2	0.02	2	1261	54	1.62	<5	3	43	<5	<0.01	<10	<10	48	10	365	2
9V1321RA/RJ	P09-041	134062	8.00	9.00	1.00	0.25		11.8	1.28	76	175	<0.5	29	1.08	10	14	17	18	4.7	<1	0.35	<10	0.68	1981	<2	0.02	1	1130	145	1.73	<5	3	43	<5	<0.01	<10	<10	35	<10	621	2
9V1321RA/RJ	P09-041	134063	9.00	10.00	1.00	0.03		2	0.93	64	272	0.5	36	2.05	8	13	18	21	4.53	<1	0.37	10	0.65	3398	<2	0.01	2	1364	97	1.09	<5	4	96	<5	<0.01	<10	<10	27	<10	477	2
9V1321RA/RJ	P09-041	134064	10.00	11.00	1.00	0.09		4.9	1.13	73	306	<0.5	25	1.84	5	13	15	41	3.43	<1	0.38	10	0.47	2509	<2	0.01	2	1304	56	1.06	<5	3	53	<5	<0.01	<10	<10	32	<10	481	2
9V1321RA/RJ	P09-041	134065	11.00	12.00	1.00	0.02		3.7	1.63	66	168	<0.5	22	3.1	6	17	11	16	5.22	<1	0.34	<10	0.74	2303	<2	0.01	1	1406	63	1.58	<5	3	93	<5	<0.01	<10	<10	38	<10	217	2
9V1321RA/RJ	P09-041	134066	12.00	13.00	1.00	0.08		5.6	0.94	466	119	<0.5	32	6.86	8	15	12	14	5.73	6	0.3	<10	0.43	3367	<2	0.01	1	1026	92	4.2	42	2	197	<5	<0.01	27	<10	26	12	274	2
9V1321RA/RJ	P09-041	134067	13.00	14.00	1.00	0.26		17.3	1.3	82	184	<0.5	12	1.66	5	12	25	46	4.16	1	0.32	15	0.67	1379	<2	0.01	1	1106	125	1.61	<5	3	52	<5	<0.01	<10	<10	30	<10	462	2
9V1321RA/RJ	P09-041	134068	14.00	15.00	1.00	0.05		3.2	1.49	125	165	<0.5	56	2.24	7	15	7	20	4.74	1	0.39	<10	0.71	1800	<2	0.01	1	1374	73	1.94	19	3	87	<5	<0.01	16	<10	36	10	486	2
9V1321RA/RJ	P09-041	134069	15.00	16.00	1.00	<0.01		1.4	1.79	32	648	0.5	29	1.43	7	15	7	18	4.95	<1	0.33	10	0.94	2257	<2	0.01	2	1447	60	0.42	<5	4	85	<5	<0.01	<10	<10	43	10	418	2
9V1321RA/RJ	P09-041	134070	16.00	17.00	1.00	0.02		0.5	1.9	29	304	<0.5	38	0.44	6	14	5	10	5.08	<1	0.34	11	0.83	1954	<2	0.01	1	1479	26	0.44	<5	4	14	<5	<0.01	<10	<10	50	11	324	2
9V1321RA/RJ	P09-041	134071	17.00	18.00	1.00	0.07		4.7	1.82	53	267	<0.5	8	0.3	6	14	11	6	4.91	<1	0.26	<10	0.86	1526	<2	0.01	1	1309	31	0.51	<5	3	11	<5	<0.01	<10	<10	53	11	426	2
9V1321RA/RJ	P09-041	134072	18.00	19.00	1.00	0.24		3.1	1.55	57	152	<0.5	46	2.58	5	14	8	12	4.48	1	0.33	<10	0.67	2153	<2	0.02	1	1174	45	1.41	<5	3	58	<5	<0.01	<10	<10	43	<10	587	2
9V1321RA/RJ	P09-041	134073	19.00	20.00	1.00	1.29		3	1.39	68	226	<0.5	39	1.49	6	13	10	25	4.4	<1	0.31	<10	0.62	1875	<2	0.01	1	1210	68	1.2	<5	3	45	<5	<0.01	<10	<10	37	<10	503	2
9V1321RA/RJ	P09-041	134074	20.00	21.00	1.00	0.2		3	1.3	83	171	<0.5	16	1.23	6	12	8	33	3.92	1	0.37	<10	0.54	1543	<2	0.01	1	1193	89	1.32	<5	2	40	<5	<0.01	<10	<10	33	<10	689	2
9V1321RA/RJ	P09-041	134075	21.00	22.00	1.00	0.14		2.4	1.48	72	171	<0.5	37	2.58	7	14	14	9	4.53	1	0.28	<10	0.71	2085	3	0.01	1	1087	96	1.69	<5	2	58	<5	<0.01	<10	<10	44	<10	704	2
9V1321RA/RJ	P09-041	134076	22.00	23.00	1.00	0.04		4	1.45	61	218	<0.5	40	4.37	7	13	9	10	4.17	1	0.31	<10	0.65	2038	<2	0.01	1	1100	113	1.27	<5	3	99	<5	<0.01	<10	<10	34	<10	703	2
9V1321RA/RJ	P09-041	134077	23.00	24.00	1.00	0.15		4.2	1.54	81	174	<0.5	18	1.62	7	13	11	14	4.53	1	0.32	<10	0.72	1572	<2	0.01	1	1217	105	1.22	<5	3	57	<5	<0.01	<10	<10	35	<10	652	2
9V1321RA/RJ	P09-041	134078	24.00	25.00	1.00	0.06		2	1.88	53	243	0.5	40	0.83	7	14	6	24	5.01	<1	0.32	<10	0.85	1847	<2	0.01	2	1327	52	0.6	<5	4	38	<5	<0.01	<10	<10	39	11	442	2
9V1321RA/RJ	P09-041	134079	25.00	26.00	1.00	0.02		1	0.93	38	172	0.6	31	0.96	6	21	14	<1	4.68	<1	0.31	23	0.41	2309	<2	0.01	22	3025	14	0.33	<5	5	43	<5	<0.01	<10	<10	17	<10	297	2
9V1321RA/RJ	P09-041	134080	26.00	27.00	1.00	0.01		0.8	1.38	45	242	<0.5	30	2.28	6	16	6	9	5.4	<1	0.38	14	0.71	3222	<2	0.01	5	1778	14	0.56	<5	5	66	<5	<0.01	<10	<10	34	11	193	2
9V1321RA/RJ	P09-041	134081	27.00	28.00	1.00	0.03		0.6	0.94	50	216	<0.5	32	1.99	5	12	5	15	4.57	<1	0.37	10	0.77	2322	<2	0.01	2	1304	17	0.54	<5	4	103	<5	<0.01	<10	<10	27	10	168	2
9V1321RA/RJ	P09-041	134082	28.00	29.00	1.00	0.04		23.6	1.26	66	156	<0.5	46	2.56	6	13	7	19	4.35	<1	0.36	10	0.72	2003	<2	0.01	1	1215	98	0.74	<5	3	98	<5	<0.01	<10	<10	35	<10	361	2
9V1321RA/RJ	P09-041	134083	29.00	30.00	1.00	0.02		3.1	1.6	107	317	<0.5	33	2.24	7	14	8	11	4.28	1	0.36	<10	0.72	1836	<2	0.02	1	1164	109	0.84	<5	3	97	<5	<0.01	<10	<10	41	<10	467	2
9V1321RA/RJ	P09-041	134084	30.00	31.00	1.00	0.03		1.8	1.69	55	160	<0.5	39	2.59	6	12	9	13	4.38	<1	0.33	10	0.77	2086	<2	0.02	1	1270	53	0.77	<5	3	102	<5	<0.01	<10	<10	43	<10	378	2
9V1321RA/RJ	P09-041	134085	31.00	32.00	1.00	0.12		9.6	1.9	46	168	<0.5	12	2.13	6	12	6	21	4.51	1	0.35	10	0.88	2096	<2	0.02	1	1381	95	0.78	<5	3	78	<5	<0.01	<10	<10	48	10	351	2
9V1321RA/RJ	P09-041	134086	32.00	33.00	1.00	0.02		2.4	1.86	60	175	<0.5	26	1.61	5	14	10	19	4.49	<1	0.33	<10	0.89	1836	<2	0.01	1	1173	31	0.53	<5	3	61	<5	<0.01	<10	<10	38	<10	378	2
9V1321RA/RJ	P09-041	134087	33.00	34.00	1.00	0.05		2.1	1.99	59	202	<0.5	32	2.02	5	15	7	24	4.53	<1	0.38	<10	0.92	2041	3	0.01	1	1357	32	0.63	<5	3	77	<5	<0.01	<10	<10	48	<10	424	2
9V1321RA/RJ	P09-041	134088	34.00	35.00	1.00	0.01		1.4	1.76	36	163	<0.5	32	3.65	5	14	10	17	4.17	1	0.35	<10	0.87	2621	<2	0.01	1	1232	21	0.61	<5	3	135	<5	<0.01	<10	<10	32	<10	306	2
9V1321RA/RJ	P09-041	134089	35.00	36.00	1.00	0.04		3.1	1.73	103	267	<0.5	43	2.09	5	14	7	26	4.68	<1	0.37	<10	0.78	2280	<2	0.01	2	1339	19	0.9	<5	3	69	<5	<0.01	<10	<10	40	<10	229	2
9V1321RA/RJ	P09-041	134090	36.00	37.00	1.00	0.02		3.3	1.74	70	284	<0.5	42	1.71	5	13	6	43	4.78	<1	0.34	11	0.78	2791	<2	0.01	1	1455	14	0.73	<5	3	55	<5	<0.01	<10	<10	45	<10	228	2
9V1321RA/RJ	P09-041	134091	37.00	38.00	1.00	0.26		4.7	1.58	50	166	<0.5	37	1.97	5	13	10	73	4.12	1	0.35	<10	0.73	2107	<2	0.02	1	1150	34	1	<5	3	62	<5	<0.01	<10	<10	38	<10	339	2
9V1321RA/RJ	P09-041	134092	38.00	39.00	1.00	0.06		1.9	1.69	84	158	<0.5	39	2.33	5	13	6	32	4.56	<1	0.35	10	0.78	2450	<2	0.02	1	1323	31	1.08	<5	4	109	<5	<0.01	<10	<10	47	<10	221	2
9V1321RA/RJ	P09-041	134093	39.00	40.00	1.00	0.29		32.2	1.77	75	233	<0.5	57	1.39	6	13	8	35	4.63	<1	0.39	10	0.83	1855	<2	0.01	1	1324	55	0.89	<5	3	49	<5	<0.01	<10	<10	49	<10	377	2
9V1321RA/RJ	P09-041	134094	40.00	41.00	1.00	0.04		10.3	1.75	112	190	<0.5	25	0.91	7	14	8	21	4.52	1	0.34	10	0.84	1550	<2	0.01	1	1271	143	0.74	<5	3	36	<5	<0.01	<10	<10	50	10	536	2
9V1321RA/RJ	P09-041	134095	41.00	42.00	1.00	0.03		7.1	1.59	81	179	<0.5	15	1.19	9	14	12	27	4.38	1	0.36	<10	0.76	1496	<2	0.01	2	1239	181	1.13	<5	3	49	<5	<0.01	<10	<10	52	<10	942	2
9V1321RA/RJ	P09-041	134096	42.00	43.00	1.00	0.2		3.8	1.62	80	195	<0.5	39	3.01	8	15	9	19	4.83	<1	0.38	<10	0.75	2067	<2	0.01	2	1388	155	1.54	<5	4	100	<5	<0.01	<10	<10	52	<10	784	2
9V1321RA/RJ	P09-041	134097	43.00	44.00	1.00	0.07		6.5	1.67	99	255	<0.5	32	2.5	7	13	10	24	4.9	1	0.39	<10	0.79	2162	<2	0.02	1	1232	91	1.26	<5	4	139	<5	<0.01	<10	<10	44	10	450	2
9V1321RA/RJ	P09-041	134098	44.00	45.00	1.00	0.04		3	1.88	67	178	<0.5	31	2.86	6	16	5	16	4.95	<1	0.35	<10	0.83	2268	4	0.02	1	1310	35	1.19	<5	4	122	<5	<0.01	<10	<10	52	<10	338	2
9V1321RA/RJ	P09-041	134099	45.00	46.00	1.00	0.07		9.2	1.59	70	210	<0.5	11	2.36	10	14	9	19	4.72	1	0.41	<10	0.6	1885	<2	0.02	2	1299	130	1.61	<5	4	65	<5	<0.01	<10	<10	45	<10	820	2
9V1321RA/RJ	P09-041	134100	STD	PM405		0.28		0.7	0.65	779	1498	0.6	21	0.76	3	9	63	37	3.68	2	0.16	17	0.34	522	6	0.01	37	959	169	0.26	645	5	232	7	<0.01	<10	<10	65	10	261	14
9V1321RA/RJ	P09-041	134101	46.00	47.00	1.00	0.27		30.8	1.31	106	126	<0.5	44	2.09	10	16	15	18	4.97	1	0.32	<10	0.6	2038	2	0.01	2	1067	167	2.64	<5	3	60	<5	<0.01	<10	<10	40	10	927	2
9V1321RA/RJ	P09-041	134102	47.00	48.00	1.00	0.64		22.3	1.57	50	195	<0.5	15	1.78	8	13	14	27	4.68	<1	0.32	<10	0.79	3066	<2	0.01	1	1182	392	1.14	<5	4	74	<5	<0.01	<10	<10	60	<10	535	2
9V1321RA/RJ	P09-041	134103	48.00	49.00	1.00	0.37		22.3	1.52	72	197	<0.5	30	1.22	12	13	18	18	4.59	1	0.32	<10	0.66	2503	<2	0.01	2	1200	442	1.25	<5	3	44	<5	<0.01	<10	<10	51	<10	982	2
9V1321RA/RJ	P09-041	134104	49.00	50.00	1.00	0.45		5.7	1.25	84	142	<0.5	31	2.85	10	12	20	8	4.11	1	0.25	<10	0.64	3244	<2	0.01	1	947	352	1.59	<5	3	100	<5	<0.01	<10	<10	49	<10	960	2
9V1321RA/RJ	P09-041	134105	50.00	51.00	1.00	0.08		2.9	1.65	80	156	<0.5	31	1.08	11	15	14	9	4.78	<1	0.32	<10	0.75	1998	<2	0.01	2	1232	213	1.32	<5	4	31	<5	<0.01	<10	<10	60	<10	1096	2
9V1321RA/RJ	P09-041	134106	51.00	52.00	1.00	0.55		3.1	1.47	61	166	<0.5	28	1.74	10	14	12	16	4.47	1	0.33	<10	0.62	2267	<2	0.01	1	1183	175	1.4	<5	3	68	<5	<0.01	<10	<10	54	<10	703	2
9V1321RA/RJ	P09-041	134107	52.00	53.00	1.00	0.11		5.9	1.59	83	146	<0.5	25	1.46	11	17	13	10	5.05	1	0.29	<10	0.75	2093	<2	0.01	2	1190	197	1.8	<5	4	47	<5	<0.01	<10	<10	63	<10	622	2
9V1321RA/RJ	P09-041	134108	53.00	53.50	0.50	0.13		14.1	1.5	98	148	<0.5	34	2.78	11	15	15	9	4.99	1	0.25	<10	0.77	2884	<2	0.01	1	1191	202	1.95	<5	4	76	<5	<0.01	<10	<10	64	10	598	2
9V1321RA/RJ	P09-041	134109	53.50	54.00	0.50	0.25		13.8	0.86	97	63	<0.5	22	1.85	15	6	63	10	3.49	1	0.1	<10	0.74	2645	2	0.01	2	383	761	1.93	<5	2	120	<5	<0.01	<10	<10	34	10	1425	2
9V1321RA/RJ	P09-041	134110	54.00	54.50	0.50	0.37		14.8	0.39	61	70	<0.5	20	1.75	12	4	88	19	2.06	1	0.11	<10	0.24	1504	2	0.01	2	277	385	1.49	9	1	67	<5	<0.01	<10	<10	13	<10	1220	1
9V1321RA/RJ	P09-041	134111	54.50	55.00	0.50	0.24		2	0.45	97	100	<0.5	15	2.53	3	6	68	6	2.12	1	0.2	<10	0.2	1424	<2	0.01	2	540	59	1.47	<5	1	83	<5	<0.01	<10	<10	12	<10	206	1
9V1321RA/RJ	P09-041	134112	55.00	55.50	0.50	0.16		2.5	0.88	56	146	<0.5	36	5.46	5	6	46	6	2.63	<1	0.2	<10	0.48	3128	<2	0.01	2	683	74	1.16	<5	2	148	<5	<0.01	<10	<10	29	<10	482	2
9V1321RA/RJ	P09-041	134113	55.50	55.79	0.29	0.12		3.2	1.53	98	172	<0.5	36	1.14	9	12	25	12	4.89	1	0.3	<10	0.79	1198	<2	0.01	2	1237	187	1.79	<5	3	28	<5	<0.01	<10	<10	49	11	1071	2
9V1321RA/RJ	P09-041	134114	55.79	56.70	0.91	<0.01		<0.1	1.68	7	773	<0.5	20	2.93	6	19	34	22	4.98	<1	0.27	20	1.45	1346	<2	0.03	13	2482	14	0.33	<5	6	130	<5	<0.01	<10	<10	59	<10	144	3
9V1321RA/RJ	P09-041	134115	56.70	57.70	1.00	<0.01		<0.1	2.02	<5	1399	<0.5	28	3.28	5	19	39	25	4.96	1	0.18	28	1.74	831	<2	0.03	13	2502	5	0.14	<5	5	157	<5	0.01	10	<10	77	<10	111	4
9V1321RA/RJ	P09-041	134116	57.70	58.70	1.00	<0.01		<0.1	2.15	<5	1417	0.5	19	3.4	6	20	38	24	5.16	1	0.24	30	1.79	828	<2	0.04	13	2712	6	0.15	<5	4	147	<5	0.02	10	<10	89	<10	112	4
9V1321RA/RJ	P09-041	134117	58.70	59.70	1.00	<0.01		<0.1	1.99	5	1691	0.5	39	4.54	5	19	34	22	4.87	<1	0.3	28	1.64	985	<2	0.03	13	2701	5	0.24	<5	5	188	<5	0.01	10	<10	72	<10	110	3
9V1321RA/RJ	P09-041	134118	59.70	60.70	1.00	0.22		6.2	0.65	102	163	<0.5	11	1.39	6	8	32	12	2.52	<1	0.28	<10	0.25	777	<2	0.01	2	943	199	1.53	<5	2	38	<5	<0.01	<10	<10	14	<10	383	1

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1321RA/RJ	P09-041	134119	60.70	61.70	1.00	0.07		3.9	0.71	92	242	<0.5	25	1.8	6	6	20	5	2.94	<1	0.33	<10	0.36	1547	<2	0.01	1	1167	134	1.21	<5	2	71	<5	<0.01	<10	<10	23	<10	834	1
9V1321RA/RJ	P09-041	134120	61.70	62.70	1.00	0.07		4.1	0.59	123	164	<0.5	19	2.99	13	9	28	12	3.18	1	0.32	<10	0.35	1924	<2	0.01	1	1149	350	1.67	<5	2	83	<5	<0.01	<10	<10	16	<10	1074	1
9V1321RA/RJ	P09-041	134121	62.70	63.70	1.00	0.08		4.4	0.93	118	265	<0.5	19	3.37	11	9	18	8	2.93	<1	0.34	<10	0.44	2672	<2	0.01	1	1312	321	1.09	<5	2	86	<5	<0.01	<10	<10	24	<10	808	1
9V1321RA/RJ	P09-041	134122	63.70	64.70	1.00	0.11		7.8	0.9	123	248	<0.5	<5	2.21	7	7	30	9	3.23	<1	0.3	<10	0.49	2019	<2	0.01	1	1122	176	1.32	<5	2	80	<5	<0.01	<10	<10	26	<10	967	1
9V1321RA/RJ	P09-041	134123	64.70	65.70	1.00	0.18		9.5	0.56	155	145	<0.5	23	7.43	7	6	32	17	3.15	<1	0.24	<10	0.26	3009	<2	0.01	1	788	193	2.46	5	1	212	<5	<0.01	<10	<10	18	<10	727	1
9V1321RA/RJ	P09-041	134124	65.70	66.70	1.00	0.05		3.7	0.87	141	162	<0.5	13	2.85	9	9	27	6	3.84	<1	0.28	<10	0.41	2511	2	0.01	1	1142	176	2.11	<5	2	77	<5	<0.01	<10	<10	25	<10	1038	2
9V1321RA/RJ	P09-041	134125	66.70	67.70	1.00	0.02		1.5	1.66	73	172	<0.5	13	2.24	6	17	17	8	5.3	<1	0.31	<10	1	1883	2	0.01	1	1196	32	2.14	<5	3	75	<5	<0.01	<10	<10	36	10	189	2
9V1321RA/RJ	P09-041	134126	67.70	68.70	1.00	0.01		1.7	1.62	60	143	<0.5	20	2.18	6	16	16	8	5.16	<1	0.3	<10	1.03	1975	6	0.01	1	1193	55	2.18	<5	3	96	<5	<0.01	<10	<10	31	<10	180	2
9V1321RA/RJ	P09-041	134127	68.70	69.70	1.00	<0.01		1.1	1.84	45	206	<0.5	8	2.89	5	16	12	8	4.76	<1	0.33	<10	1.1	1802	<2	0.01	1	1207	15	1.58	<5	3	101	<5	<0.01	<10	<10	30	<10	117	2
9V1321RA/RJ	P09-041	134128	69.70	70.70	1.00	<0.01		0.9	1.8	39	206	<0.5	28	2.7	5	17	14	7	4.54	<1	0.34	<10	1.05	1763	<2	0.01	1	1136	11	1.4	<5	3	96	<5	<0.01	<10	<10	29	<10	74	2
9V1321RA/RJ	P09-041	134129	70.70	71.70	1.00	0.01		2	1.54	173	201	<0.5	16	3.24	6	15	11	7	5.21	<1	0.37	<10	0.81	1728	2	0.01	1	1167	37	2.33	7	3	100	<5	<0.01	<10	<10	26	<10	123	2
9V1321RA/RJ	P09-041	134130	71.70	72.70	1.00	<0.01		1.1	1.72	64	341	<0.5	9	3.09	4	19	13	9	4.29	1	0.32	<10	1	1986	2	0.01	2	1222	13	0.95	<5	3	99	<5	<0.01	<10	<10	27	<10	52	2
9V1321RA/RJ	P09-041	134131	72.70	73.70	1.00	0.19		4.2	0.98	286	68	<0.5	25	2.87	7	16	12	6	5	<1	0.37	<10	0.44	1344	<2	0.01	1	1164	28	3.39	<5	2	91	<5	<0.01	<10	<10	18	10	378	2
9V1321RA/RJ	P09-041	134132	73.70	74.70	1.00	0.02		1.6	1.56	101	155	<0.5	24	2.81	7	15	10	11	4.98	<1	0.31	<10	0.85	1443	3	0.01	1	1240	14	2.2	<5	3	90	<5	<0.01	<10	<10	26	<10	305	2
9V1321RA/RJ	P09-041	134133	74.70	75.70	1.00	0.03		2	1.07	137	151	<0.5	23	4.39	5	15	11	8	4.36	<1	0.37	<10	0.51	1915	2	0.01	1	1248	15	2.88	<5	3	137	<5	<0.01	<10	<10	19	<10	90	2
9V1321RA/RJ	P09-041	134134	75.70	76.70	1.00	0.08		2.3	1.01	83	134	<0.5	8	4.42	5	16	8	10	4.66	<1	0.29	<10	0.61	1964	2	0.01	1	1128	13	2.99	<5	3	139	<5	<0.01	<10	<10	18	<10	43	2
9V1321RA/RJ	P09-041	134135	76.70	77.70	1.00	0.01		2.7	1.37	47	141	<0.5	19	3.71	5	18	8	10	4.96	<1	0.3	<10	0.9	2316	<2	0.01	1	1227	10	2.52	<5	4	109	<5	<0.01	<10	<10	27	<10	68	2
9V1321RA/RJ	P09-041	134136	77.70	78.70	1.00	0.01		3.2	1.72	84	148	<0.5	22	3.21	9	17	10	12	5.25	<1	0.26	<10	1.18	2757	2	0.01	1	1202	147	2.26	<5	4	110	<5	<0.01	<10	<10	36	<10	413	2
9V1321RA/RJ	P09-041	134137	78.70	79.70	1.00	0.01		2.1	1.59	59	138	<0.5	36	2.62	5	24	8	11	4.81	<1	0.28	<10	1.08	1832	<2	0.01	1	1241	25	2.08	<5	4	75	<5	<0.01	<10	<10	34	<10	119	2
9V1321RA/RJ	P09-041	134138	79.70	80.70	1.00	0.01		4.2	1.68	57	114	<0.5	48	2.91	8	20	19	16	5.45	<1	0.32	<10	1.15	2485	<2	0.01	1	1172	119	2.82	<5	4	97	<5	<0.01	<10	<10	35	<10	318	2
9V1321RA/RJ	P09-041	134139	80.70	81.70	1.00	0.03		5.6	1.61	110	75	<0.5	37	2.55	7	23	18	12	6.22	<1	0.38	<10	0.98	2115	<2	0.01	1	1283	40	3.86	6	4	77	<5	<0.01	<10	<10	34	11	105	3
9V1321RA/RJ	P09-041	134140	BLANK			<0.01		<0.1	0.03	<5	13	<0.5	79	>15.00	<1	1	2	1	0.46	1	0.02	<10	13	233	<2	0.01	2	172	<2	0.4	<5	<1	55	<5	<0.01	<10	<10	3	<10	17	<1
9V1321RA/RJ	P09-041	134141	81.70	82.70	1.00	0.03		4.7	1.06	76	57	0.5	44	1.25	8	20	18	10	5.82	<1	0.42	<10	0.5	1302	2	0.01	2	1359	56	4.47	<5	3	55	<5	<0.01	<10	<10	24	11	157	2
9V1321RA/RJ	P09-041	134142	82.70	83.70	1.00	0.1		5.3	1.22	154	64	<0.5	32	2.84	10	16	18	10	5.8	<1	0.41	<10	0.58	2197	10	0.01	1	1218	90	4.24	<5	2	155	<5	<0.01	<10	<10	25	13	554	3
9V1321RA/RJ	P09-041	134143	83.70	84.70	1.00	0.01		3.3	1.61	72	129	<0.5	42	5.47	7	15	16	10	5.5	<1	0.35	<10	0.95	3025	3	0.01	1	1406	35	3.02	<5	4	230	<5	<0.01	<10	<10	30	12	258	2
9V1321RA/RJ	P09-041	134144	84.70	85.28	0.58	<0.01		1.1	2.35	17	262	0.8	61	4.54	6	13	12	11	5.22	<1	0.36	10	1.38	2530	<2	0.01	1	1452	26	1.18	<5	4	244	<5	<0.01	<10	<10	42	12	179	2
9V1321RA/RJ	P09-041	134145	85.28	86.20	0.92	<0.01		<0.1	2.45	<5	1397	0.5	27	4.11	6	21	44	25	5.48	<1	0.21	26	1.97	1074	<2	0.04	14	2534	6	0.3	<5	5	169	<5	0.01	<10	<10	78	<10	139	5
9V1321RA/RJ	P09-041	134146	86.20	87.06	0.86	<0.01		<0.1	2.28	<5	1647	0.6	29	3.99	6	19	45	29	5.34	<1	0.25	28	2	1065	<2	0.05	14	2502	7	0.23	<5	6	147	<5	0.01	10	<10	81	<10	135	6
9V1321RA/RJ	P09-041	134147	87.06	88.00	0.94	0.09		6.6	0.9	77	92	0.5	18	3.36	15	13	22	8	4.75	<1	0.37	<10	0.42	1493	2	0.01	2	1220	727	3.47	<5	2	156	<5	<0.01	<10	<10	17	10	1131	2
9V1336RA/RJ	P09-041	134148	88.00	89.30	1.30	<0.01		1.2	2.04	24	175	<0.5	23	3.15	6	16	24	10	4.96	<1	0.33	<10	1.23	1503	<2	0.01	1	1364	17	1.66	<5	3	185	<5	<0.01	<10	<10	31	<10	97	2
9V1336RA/RJ	P09-041	134149	89.30	90.30	1.00	<0.01		0.2	2.41	23	209	0.5	37	3.78	6	19	21	11	5.59	<1	0.3	<10	1.45	1478	<2	0.01	2	1489	9	1.17	<5	4	134	<5	<0.01	<10	<10	36	<10	91	2
9V1336RA/RJ	P09-041	134150	90.30	91.30	1.00	<0.01		0.9	1.8	49	176	0.5	12	3.61	6	21	19	10	5.56	<1	0.36	<10	1.07	1341	<2	0.01	2	1485	18	2.6	<5	4	211	<5	<0.01	<10	<10	29	<10	62	2
9V1336RA/RJ	P09-041	134151	91.30	92.30	1.00	0.02		0.6	1.95	44	197	<0.5	12	4.2	6	19	23	10	5.63	<1	0.3	<10	1.31	1683	<2	0.01	2	1390	14	2.2	<5	5	132	<5	<0.01	<10	<10	30	<10	99	2
9V1336RA/RJ	P09-041	134152	92.30	93.30	1.00	0.01		1.3	1.45	129	107	<0.5	10	3.26	6	18	18	7	5.38	<1	0.34	<10	0.87	1361	<2	0.01	2	1403	14	3.35	<5	3	87	<5	<0.01	<10	<10	22	<10	50	2
9V1336RA/RJ	P09-041	134153	93.30	94.30	1.00	0.03		4.8	1.29	132	82	<0.5	47	3.76	7	23	15	6	5.9	<1	0.32	<10	0.83	1704	<2	0.01	2	1405	20	4.21	<5	3	160	<5	<0.01	<10	<10	20	<10	54	2
9V1336RA/RJ	P09-041	134154	94.30	95.30	1.00	0.04		9.2	1.53	116	95	<0.5	37	3.28	7	24	18	6	6.01	<1	0.35	<10	1.12	1847	<2	0.01	2	1315	30	3.9	<5	3	142	<5	<0.01	<10	<10	25	<10	115	2
9V1336RA/RJ	P09-041	134155	95.30	96.30	1.00	0.03		10.2	1.25	55	83	0.5	17	2.94	8	21	13	6	5.74	<1	0.38	<10	0.77	1518	<2	0.01	2	1411	22	4.18	<5	3	103	<5	<0.01	<10	<10	21	10	196	2
9V1336RA/RJ	P09-041	134156	96.30	97.30	1.00	0.03		4.2	0.96	83	96	<0.5	44	3.64	6	15	18	6	5.36	<1	0.31	<10	0.54	1570	<2	0.01	1	1472	16	4.02	<5	2	126	<5	<0.01	<10	<10	18	12	114	2
9V1336RA/RJ	P09-041	134157	97.30	98.30	1.00	0.05		4.9	0.8	259	76	<0.5	22	3.08	6	15	14	6	5.65	<1	0.36	<10	0.29	1253	<2	0.01	1	1389	16	4.52	<5	2	91	<5	<0.01	<10	<10	16	12	57	2
9V1336RA/RJ	P09-041	134158	98.30	99.30	1.00	0.01		1.7	1.87	99	203	<0.5	21	4.18	6	13	13	7	5.31	<1	0.3	<10	0.99	1669	<2	0.01	<1	1564	27	1.96	<5	3	147	<5	<0.01	<10	<10	34	12	109	2
9V1336RA/RJ	P09-041	134159	99.30	100.30	1.00	0.11		5.3	0.94	303	70	<0.5	33	3.36	8	16	17	8	5.98	<1	0.4	<10	0.33	1165	27	0.01	1	1365	202	4.93	<5	2	102	<5	<0.01	<10	<10	20	14	250	3
9V1336RA/RJ	P09-041	134160	BLANK			<0.01		<0.1	0.04	<5	12	<0.5	57	>15.00	<1	<1	2	<1	0.56	<1	0.02	<10	12.9	227	<2	0.01	2	139	<2	0.43	<5	<1	48	<5	<0.01	<10	<10	3	<10	6	<1
9V1336RA/RJ	P09-041	134161	100.30	101.30	1.00	0.07		2	1.26	140	145	<0.5	16	2.81	6	14	15	32	5	<1	0.42	<10	0.53	1084	5	0.01	1	1502	137	3.09	<5	3	83	<5	<0.01	<10	<10	25	11	146	2
9V1336RA/RJ	P09-041	134162	101.30	102.30	1.00	0.04		1.3	2.34	178	335	<0.5	32	6.84	4	11	20	6	4.37	1	1	10	0.58	1757	2	0.01	1	1207	100	2.42	6	5	162	<5	0.01	<10	<10	52	<10	106	3
9V1336RA/RJ	P09-041	134163	102.30	103.30	1.00	<0.01		0.5	2.2	34	261	<0.5	39	3.54	5	14	12	14	5.35	<1	0.36	10	1.18	2040	2	0.01	1	1508	8	0.93	<5	4	107	<5	<0.01	<10	<10	39	10	90	2
9V1336RA/RJ	P09-041	134164	103.30	104.30	1.00	<0.01		0.4	2.61	17	192	<0.5	14	3.26	6	14	11	21	5.67	<1	0.33	14	1.45	2605	<2	0.01	1	1674	8	0.46	<5	4	109	<5	<0.01	<10	<10	46	11	116	2
9V1336RA/RJ	P09-041	134165	104.30	105.30	1.00	0.02		2.6	2.09	94	202	<0.5	19	5.25	5	12	10	13	5.26	<1	0.34	<10	1.01	2862	<2	0.01	1	1497	13	1.11	6	4	150	<5	<0.01	<10	<10	36	11	83	2
9V1336RA/RJ	P09-041	134166	105.30	106.30	1.00	<0.01		0.7	2.31	24	172	<0.5	20	3.79	6	14	8	16	5.61	<1	0.28	<10	1.23	2390	2	0.01	1	1479	5	0.63	<5	4	102	<5	<0.01	<10	<10	38	11	72	2
9V1336RA/RJ	P09-041	134167	106.30	107.30	1.00	<0.01		0.3	2.36	17	213	<0.5	11	4.32	6	14	8	10	5.59	<1	0.33	10	1.2	2901	2	0.02	1	1602	5	0.46	<5	4	144	<5	<0.01	<10	<10	43	10	89	2
9V1336RA/RJ	P09-041	134168	107.30	108.30	1.00	0.01		1.1	1.84	46	186	<0.5	31	4.89	5	11	14	15	4.81	<1	0.3	<10	0.93	2610	3	0.01	1	1338	14	0.94	<5	3	133	<5	<0.01	<10	<10	31	<10	77	2
9V1336RA/RJ	P09-041	134169	108.30	109.30	1.00	0.01		0.9	1.69	25	226	<0.5	8	6.97	5	10	15	24	3.88	<1	0.32	11	0.97	3618	<2	0.01	2	1260	29	0.53	<5	4	293	<5	<0.01	<10	<10	32	<10	105	2
9V1336RA/RJ	P09-041	134170	109.30	110.30	1.00	0.02		0.2	1.44	20	102	<0.5	12	3.82	2	13	48	11	3.2	1	0.22	13	1.34	1201	<2	0.03	10	1473	22	0.3	7	3	218	<5	<0.01	<10	<10	35	10	83	2
9V1336RA/RJ	P09-041	134171	110.30	111.40	1.10	<0.01		<0.1	1.84	10	116	<0.5	13	3.77	2	15	53	5	3.45	<1	0.26	16	1.53	704	<2	0.04	12	1657	25	0.27	7	3	204	<5	<0.01	<10	<10	48	11	105	2
9V1336RA/RJ	P09-041	134172	111.40	112.78	1.38	<0.01		<0.1	1.79	<5	1458	<0.5	14	3.72	2	14	51	13	3.48	1	0.23	21	1.6	806	<2	0.04	12	1655	20	0.17	7	3	199	<5	0.01	<10	<10	56	<10	104	2
9V1336RA/RJ	P09-041	134173	112.78	113.80	1.02	0.03		2.3	1.74	121	261	<0.5	18	4.52	2	13	15	10	4.49	1	0.49	<10	0.92	1814	<2	0.01	<1	1354	18	1.43	11	4	134	<5	<0.01	<10	<10	35	<10	136	2
9V1336RA/RJ	P09-041	134174	113.80	114.80	1.00	0.02		2.2	1.67	94	214	<0.5	20	2.98	3	15	11	37	4.77	1	0.39	11	0.88	1752	<2	0.01	<1	1633	10	1.14	11	4	131	<5	<0.01	<10	<10	29	17	127	2
9V1336RA/RJ	P09-041	134175	114.80	115.80	1.00	0.04		8.6	1.58	380	222	<0.5	21	1.78	3	15	12	12	5.48	9	0.45	10	0.62	1168	<2	0.01	<1	1496	25	2.14	73	3	91	<5	<0.01	14	<10	30	<10	120	2
9V1336RA/RJ	P09-041	134176	115.80	116.80	1.00	0.01		1.8	0.91	171	205	<0.5	15	3.34	3	13	29	24	3.82	1	0.38	<10	0.31	1251	2	0.01	<1	1287	37	2.21	9	2	109	<5	<0.01	<10	<10	15	<10	149	1
9V1336RA/RJ	P09-041	134177	116.80	117.80	1.00	<0.01		0.6	1.35	56	224	<0.5	19	3.93	3	14	8	3	4.39	1	0.38	<10	0.59	2047	<2	0.01	<1	1623	48	1.62	7	3	131	<5	<0.01	<10	<10	21	14	132	2
9V1336RA/RJ	P09-041	134178	117.80	118.80	1.00	<0.01		0.5	1.7	38	190	<0.5	19	3.93	2	13	10	5	4.61	1	0.37	<10	0.92	1880	<2	0.01	<1	1652	8	1.29	8	3	141	<5	<0.01	<10	<10	23	12	88	2
9V1336RA/RJ	P09-041	134179	118.80	119.80	1.00	0.02		4.1	1.54	164	217	<0.5	20	4.11	3	14	11	8	4.75	2	0.43	12	0.71	1802	<2	0.01	<1	1377	24	1.93	15	3	155	<5	<0.01	<10	<10	22	19	99	2
9V1336RA/RJ	P09-041	134180	119.80	120.80	1.00	0.17		2.5	1.63	78	182	<0.5	17	4.19	2	14	10	21	4.14	1	0.37	<10	0.95	2271	<2	0.01	<1	1362	29	0.9	9	3	161	<5	<0.01	<10	<10	26	18	143	1
9V1336RA/RJ	P09-041	134181	120.80	121.80	1.00	<0.01		<0.1	2.29	21	229	<0.5	21	3.48	3	16	6	<1	4.86	1	0.42	12	1.7	2114	<2	0.02	<1	1574	7	0.37	10	5	168	<5	<0.01	<10	<10	54	13	109	2
9V1336RA/RJ	P09-041	134182	121.80	122.80	1.00	<0.01		<0.1	2.1	23	224	<0.5	21	3.66	3	15	8	7	4.84	1	0.36	13	1.31	1821	<2	0.02	<1	1564	7	0.22	8	5	226	<5	0.01	<10	<10	61	11	105	2
9V1336RA/RJ	P09-041	134183	122.80	123.80	1.00	<0.01		<0.1	2.02	56	243	<0.5	20	3.6	3	15	6	9	4.84	2	0.4	12	1.31	2249	<2	0.02	<1	1505	8	0.42	8	6	216	<5	0.01	<10	<10	63	11	100	2
9V1336RA/RJ	P09-041	134184	123.80	124.80	1.00	<0.01		0.3	1.93	70	163	<0.5	19	4.45	2	14	9	3	4.61	1	0.33	11	1.29	2176	<2	0.02	<1	1530	7	0.55	9	5	328	<5	<0.01	<10	<10	56	12	116	2
9V1336RA/RJ	P09-041	134185	124.80	125.80	1.00	0.01		2.4	1.29	120	186	<0.5	13	7.1	2	12	8	12	3.84	2	0.4	<10	0.8	2717	<2	0.01	<1	1288	12	1.58	11	3	265	<5	<0.01	<10	<10	30	16	160	2
9V1336RA/RJ	P09-041	134186	125.80	126.80	1.00	<0.01		<0.1	2.04	25	178	<0.5	21	2.35	3	15	7	9	4.84	1	0.36	12	1.36	2097	<2	0.02	<1	1583	6	0.48	9	5	162	<5	<0.01	<10	<10	60	13	122	2
9V1336RA/RJ	P09-041	134187	126.80	127.80	1.00	0.03		3.3	1.32	275	182	<0.5	18	3.01	2	13	13	6	4.16	3	0.37	<10	0.89	1919	<2	0.01	<1	1392	15	1.75	20	4	123	<5	<0.01	<10	<10	39	19	126	2
9V1336RA/RJ	P09-041	134188	127.80	128.80	1.00	0.01		0.7	1.76	79	158	<0.5	20	3.68	3	15	7	<1	4.85	1	0.39	11	1.34	2429	<2	0.01	<1	1564	11	1.36	9	5	150	<5	<0.01	<10	<10	50	10	140	2
9V1336RA/RJ	P09-041	134189	128.80	129.80	1.00	<0.01		0.7	2.19	61	153	<0.5	22	2.14	3	15	10	35	5.31	2	0.35	11	1.73	2425	3	0.01	<1	1521	12	0.66	9	5	108	<5	<0.01	<10	<10	60	24	189	2
9V1336RA/RJ	P09-041	134190	129.80	130.80	1.00	0.01		0.4	2.01	49	144	<0.5	22	2.49	4	16	12	14	5.07	2	0.35	11	1.62	2581	<2	0.01	<1	1668	10	0.5	9	5	163	<5	<0.01	<10	<10	55	15	287	2
9V1336RA/RJ	P09-041	134191	130.80	131.80	1.00	0.02		2.3	1.12	51	410	<0.5	17	3.48	3	14	9	88	4.31	2	0.4	10	1.17	3093	<2	0.01	<1	1547	19	0.76	7	5	191	<5	<0.01	<10	<10	28	14	119	1
9V1336RA/RJ	P09-041	134192	131.80	132.80	1.00	0.02		1	0.92	54	133	<0.5	16	4.71	2	13	14	10	4.03	2	0.34	<10	1.19	3017	<2	0.01	<1	1401	17	0.9	6	4	230	<5	<0.01	<10	<10	23	<10	140	1
9V1336RA/RJ	P09-041	134193	132.80	133.80	1.00	<0.01		1.4	1.25	59	391	<0.5	15	8.01	2	12	11	21	4.06	2	0.37	11	1.21	3618	<2	0.01	<1	1364	21	1.16	7	4	259	<5	<0.01	<10	<10	35	18	127	2
9V1336RA/RJ	P09-041	134194	133.80	134.30	0.50	0.05		11.3	13.28	1013	1325	0.8	141	>15.00	22	119	174	239	40.62	23	3	96	10.2	>10000	4	0.08	<1	>10000	160	>5.00	66	36	1631	23	0.02	43	68	382	113	1609	15
9V1336RA/RJ	P09-041	134195	134.30	134.80	0.50	0.23		9.8	0.56	346	117	<0.5	12	10.45	4	7	28	36	3.44	4	0.22	<10	0.44	4925	<2	0.01	<1	773	47	2.13	14	2	259	<5	<0.01	<10	15	14	20	547	1
9V1336RA/RJ	P09-041	134196	134.80	135.80	1.00	0.05		2.6	1.05	100	233	<0.5	15	4.52	2	13	14	29	3.74	2	0.32	10	0.91	2881	<2	0.01	<1	1310	20	0.91	9	4	164	<5	<0.01	<10	<10	29	13	106	2
9V1336RA/RJ	P09-041	134197	135.80	136.80	1.00	0.02		3.9	0.56	70	383	<0.5	17	3.8	3	13	9	29	4.12	1	0.45	11	1.01	2749	<2	0.01	<1	1395	21	0.82	10	5	217	<5	<0.01	<10	<10	11	29	111	2
9V1336RA/RJ	P09-041	134198	136.80	137.80	1.00	0.03		2.2	0.44	42	255	<0.5	17	4.41	4	14	10	46	4.51	2	0.41	10	1.23	3505	2	0.01	<1	1348	56	0.99	7	5	266	<5	<0.01	<10	<10	8	13	246	1

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1336RA/RJ	P09-041	134199	137.80	138.80	1.00	0.01		1.7	0.5	27	238	0.6	17	3.97	3	13	13	20	4.61	2	0.4	10	1.16	3264	<2	0.01	<1	1349	17	1.16	8	5	204	<5	<0.01	<10	<10	10	<10	115	2
9V1336RA/RJ	P09-041	134200	BLANK			<0.01		<0.1	0.03	<5	26	<0.5	<5	>15.00	<1	1	2	1	0.56	<1	0.04	<10	13.5	316	<2	0.01	2	177	<2	0.44	<5	<1	50	<5	<0.01	12	14	3	<10	24	<1
9V1336RA/RJ	P09-041	134201	138.80	139.80	1.00	0.01		1.7	0.34	24	98	<0.5	17	2.9	3	14	39	5	4.05	1	0.29	<10	1	1984	<2	0.01	2	1082	20	1.18	7	5	160	<5	<0.01	<10	<10	9	<10	84	1
9V1336RA/RJ	P09-041	134202	139.80	140.80	1.00	<0.01		2	0.36	40	133	<0.5	17	2.65	3	21	54	3	4.2	1	0.28	<10	0.91	1848	<2	0.01	7	1142	13	1.59	9	5	145	<5	<0.01	<10	<10	10	13	75	1
9V1336RA/RJ	P09-041	134203	140.80	141.80	1.00	<0.01		1.8	0.37	60	103	0.6	13	1.41	2	15	45	3	3.55	1	0.28	<10	0.6	1160	10	0.01	2	856	18	1.19	7	4	76	<5	<0.01	<10	<10	8	<10	46	1
9V1336RA/RJ	P09-041	134204	141.80	142.80	1.00	<0.01		2.5	0.65	49	130	<0.5	18	3.14	3	16	19	13	4.4	1	0.34	<10	0.81	2082	<2	0.01	1	1413	18	2.24	7	4	154	<5	<0.01	<10	<10	15	<10	124	2
9V1336RA/RJ	P09-041	134205	142.80	143.80	1.00	<0.01		1.1	0.47	33	110	0.6	23	1.94	4	19	19	16	5.81	1	0.38	<10	0.72	1473	<2	0.01	2	1468	20	2.94	9	4	91	<5	<0.01	<10	<10	9	19	148	2
9V1336RA/RJ	P09-041	134206	143.80	144.80	1.00	<0.01		1.1	0.43	51	99	0.6	23	1.12	4	19	14	20	5.71	<1	0.36	<10	0.33	946	<2	0.01	2	1635	17	3.62	8	4	53	<5	<0.01	<10	<10	8	<10	131	2
9V1336RA/RJ	P09-041	134207	144.80	145.80	1.00	<0.01		1.7	0.46	75	93	0.6	21	1.45	3	15	14	18	5.32	<1	0.37	<10	0.42	922	<2	0.01	2	1391	22	3.47	9	3	67	<5	<0.01	<10	<10	7	<10	100	2
9V1336RA/RJ	P09-041	134208	145.80	146.80	1.00	0.01		1.4	0.38	88	133	<0.5	19	2.53	3	14	15	12	4.56	1	0.33	<10	0.66	1241	2	0.01	1	1330	18	2.01	8	3	132	<5	<0.01	<10	<10	8	15	104	2
9V1336RA/RJ	P09-041	134209	146.80	147.80	1.00	0.02		3	0.88	50	209	<0.5	14	4.22	2	14	8	34	3.72	1	0.37	10	0.66	2071	<2	0.01	1	1279	19	0.53	7	3	149	<5	<0.01	<10	<10	16	11	90	1
9V1336RA/RJ	P09-041	134210	147.80	148.80	1.00	<0.01		0.5	1.06	35	307	<0.5	18	3.79	3	13	11	26	4.48	1	0.34	11	0.97	2213	<2	0.01	1	1508	32	0.48	6	4	206	<5	<0.01	<10	<10	23	23	145	1
9V1336RA/RJ	P09-041	134211	148.80	149.80	1.00	0.02		16.9	0.7	64	151	<0.5	13	5.91	2	12	15	14	3.38	2	0.28	<10	0.67	2548	<2	0.01	1	1078	21	0.68	9	3	226	<5	<0.01	<10	<10	14	10	76	1
9V1336RA/RJ	P09-041	134212	149.80	150.80	1.00	0.11		3.1	0.62	106	177	<0.5	17	5.13	3	20	88	25	4.48	1	0.31	<10	0.98	2422	<2	0.01	35	1266	27	1.37	10	5	233	<5	<0.01	<10	<10	18	<10	120	1
9V1336RA/RJ	P09-041	134213	150.80	151.80	1.00	0.04		3.3	1.41	185	230	<0.5	21	5.93	3	22	12	35	5.08	2	0.36	<10	1.25	2550	<2	0.01	<1	1331	13	1.44	13	7	193	<5	<0.01	<10	12	36	13	85	2
9V1336RA/RJ	P09-041	134214	151.80	152.80	1.00	0.01		1.8	1.83	93	222	<0.5	24	4.5	3	23	16	18	5.89	2	0.33	<10	1.55	2995	<2	0.01	<1	1470	15	1.52	11	7	161	<5	<0.01	<10	14	47	13	108	2
9V1336RA/RJ	P09-041	134215	152.80	153.80	1.00	<0.01		0.8	1.81	64	190	<0.5	20	2.97	3	21	11	11	5.1	1	0.31	<10	1.52	1663	<2	0.02	1	1410	9	1.2	10	6	101	<5	<0.01	<10	<10	38	20	104	2
9V1336RA/RJ	P09-041	134216	153.80	154.80	1.00	0.01		1.2	2.12	143	166	<0.5	22	2.31	3	22	11	9	5.51	1	0.27	<10	1.81	1520	<2	0.02	1	1437	8	1.03	14	6	98	<5	<0.01	<10	<10	37	12	168	2
9V1336RA/RJ	P09-041	134217	154.80	155.80	1.00	<0.01		<0.1	2.31	9	193	<0.5	22	4.68	3	20	14	<1	5.12	1	0.29	12	1.72	1791	<2	0.02	1	1400	3	0.13	9	7	171	<5	<0.01	<10	<10	45	15	108	2
9V1336RA/RJ	P09-041	134218	155.80	156.80	1.00	<0.01		<0.1	2.02	16	244	<0.5	21	4.81	3	24	15	2	4.85	1	0.24	<10	1.5	1771	<2	0.01	1	1309	5	0.26	7	7	175	<5	<0.01	<10	<10	45	<10	107	1
9V1336RA/RJ	P09-041	134219	156.80	157.80	1.00	<0.01		<0.1	2.38	17	193	<0.5	22	2.89	3	22	15	<1	5.44	1	0.34	10	1.75	1712	<2	0.02	1	1522	6	0.18	9	7	102	<5	<0.01	<10	<10	49	24	108	2
9V1367RA/RJ	P09-041	134220	157.80	158.80	1.00	<0.01		<0.1	2.1	44	234	<0.5	19	2.92	3	18	17	1	5	1	0.28	<10	1.55	1610	<2	0.02	1	1404	5	0.63	8	6	96	<5	<0.01	<10	<10	41	<10	92	2
9V1367RA/RJ	P09-041	134221	158.80	159.80	1.00	<0.01		0.5	1.65	96	214	<0.5	17	3.76	2	17	22	1	4.5	1	0.27	<10	1.28	1933	<2	0.01	2	1414	8	0.98	9	6	129	<5	<0.01	<10	<10	36	<10	84	1
9V1367RA/RJ	P09-041	134222	159.80	160.80	1.00	<0.01		0.4	1.92	29	236	<0.5	19	4.49	3	16	15	10	4.54	1	0.3	<10	1.31	2196	<2	0.01	2	1445	10	0.58	8	6	150	<5	<0.01	<10	<10	43	<10	105	2
9V1367RA/RJ	P09-041	134223	160.80	161.80	1.00	<0.01		0.6	2.33	26	186	<0.5	22	2.8	3	17	19	23	5.22	1	0.29	<10	1.61	1819	<2	0.01	2	1534	32	0.38	8	5	97	<5	<0.01	<10	<10	44	<10	99	2
9V1367RA/RJ	P09-041	134224	161.80	162.80	1.00	0.01		0.7	2.22	20	202	<0.5	22	3.69	3	17	21	34	5.03	1	0.32	<10	1.45	2087	2	0.01	1	1571	7	0.43	9	6	118	<5	<0.01	<10	<10	46	<10	113	2
9V1367RA/RJ	P09-041	134225	162.80	163.80	1.00	<0.01		0.4	2.4	23	257	<0.5	22	2.52	3	19	17	35	5.44	1	0.3	<10	1.67	1872	<2	0.01	<1	1703	9	0.36	9	6	108	<5	<0.01	<10	<10	45	14	144	2
9V1367RA/RJ	P09-041	134226	163.80	164.80	1.00	<0.01		0.9	1.99	35	209	0.5	18	2.8	3	16	9	19	4.78	1	0.31	<10	1.38	1813	<2	0.01	<1	1601	8	0.67	9	4	103	<5	<0.01	<10	<10	25	<10	117	2
9V1367RA/RJ	P09-041	134227	164.80	165.80	1.00	<0.01		0.6	2.1	28	243	<0.5	19	3.73	3	16	8	35	5.07	1	0.25	<10	1.56	2004	<2	0.01	<1	1606	6	0.71	8	3	92	<5	<0.01	<10	<10	23	<10	117	2
9V1367RA/RJ	P09-041	134228	165.80	166.80	1.00	0.08		2.2	1.97	39	203	<0.5	19	2.59	5	16	8	44	4.73	1	0.3	<10	1.38	2180	<2	0.01	<1	1610	121	0.71	9	3	76	<5	<0.01	<10	<10	21	14	436	2
9V1367RA/RJ	P09-041	134229	166.80	167.80	1.00	0.01		3.3	2.15	51	198	<0.5	21	3.63	4	16	10	34	5.37	1	0.25	<10	1.44	2623	2	0.01	<1	1559	1010	0.75	9	3	106	<5	<0.01	<10	10	28	12	237	1
9V1367RA/RJ	P09-041	134230	167.80	168.80	1.00	<0.01		<0.1	2.04	17	287	<0.5	23	3.67	3	17	8	15	5.46	1	0.29	<10	1.5	2287	<2	0.01	<1	1611	32	0.83	8	5	138	<5	<0.01	<10	10	31	<10	127	2
9V1367RA/RJ	P09-041	134231	168.80	169.80	1.00	<0.01		0.2	1.98	25	698	<0.5	22	5.52	3	13	10	26	5.1	1	0.26	<10	1.49	2386	<2	0.01	<1	1451	11	0.36	9	4	226	<5	<0.01	<10	10	30	<10	111	1
9V1367RA/RJ	P09-041	134232	169.80	170.80	1.00	<0.01		1.4	1.18	57	224	<0.5	20	4.8	3	13	9	11	4.83	1	0.4	<10	1.23	2649	<2	0.01	<1	1486	22	0.84	10	6	209	<5	<0.01	<10	<10	20	<10	123	1
9V1367RA/RJ	P09-041	134233	170.80	171.80	1.00	<0.01		1.7	1.15	43	166	<0.5	21	4.38	3	18	10	35	5.04	1	0.38	<10	1.34	2280	<2	0.01	<1	1575	18	0.8	9	6	193	<5	<0.01	<10	<10	20	<10	94	1
9V1367RA/RJ	P09-041	134234	171.80	172.80	1.00	<0.01		1.1	1.88	32	250	0.5	21	2.22	3	17	7	30	5.43	<1	0.33	<10	1.6	1653	<2	0.01	<1	1782	32	0.66	8	5	95	<5	<0.01	<10	<10	22	<10	141	2
9V1367RA/RJ	P09-041	134235	172.80	173.80	1.00	0.03		8.6	1.57	95	220	<0.5	19	2.61	3	14	12	129	4.59	1	0.33	<10	1.11	1410	<2	0.01	<1	1547	16	1.03	10	3	80	<5	<0.01	<10	<10	20	<10	152	2
9V1367RA/RJ	P09-041	134236	173.80	174.80	1.00	<0.01		2	1.36	51	245	<0.5	16	3.86	2	13	15	32	4.06	1	0.3	<10	0.92	1802	6	0.01	<1	1465	68	0.8	8	3	113	<5	<0.01	<10	<10	18	<10	113	1
9V1367RA/RJ	P09-041	134237	174.80	175.80	1.00	<0.01		1.4	1.38	63	136	<0.5	14	10.68	2	12	15	35	4.07	2	0.25	<10	0.93	3645	<2	0.01	<1	1138	7	0.98	8	3	243	<5	<0.01	<10	16	18	<10	74	1
9V1367RA/RJ	P09-041	134238	175.80	176.80	1.00	<0.01		1.3	1.25	119	147	<0.5	19	3.78	3	17	7	<1	4.88	1	0.32	<10	1.04	2023	<2	0.01	<1	1552	13	1.5	11	4	137	<5	<0.01	<10	<10	16	<10	97	1
9V1367RA/RJ	P09-041	134239	176.80	177.80	1.00	<0.01		0.4	1.55	91	159	<0.5	23	3.01	3	18	9	<1	5.55	1	0.28	<10	1.06	1699	<2	0.01	<1	1692	9	1.28	10	4	112	<5	<0.01	<10	<10	22	<10	107	2
9V1367RA/RJ	P09-041	134240	177.80	178.80	1.00	<0.01		0.1	1.14	43	192	0.6	20	1.85	3	14	6	<1	5.11	1	0.37	<10	0.86	1505	<2	0.01	<1	1640	7	0.93	8	4	90	<5	<0.01	<10	<10	18	<10	89	1
9V1367RA/RJ	P09-041	134241	178.80	179.80	1.00	<0.01		0.7	0.86	59	158	0.6	18	1.26	3	15	11	26	4.56	<1	0.34	<10	0.75	1396	<2	0.01	<1	1638	8	0.94	8	4	70	<5	<0.01	<10	<10	13	<10	93	1
9V1367RA/RJ	P09-041	134242	179.80	180.80	1.00	0.01		1	1.46	49	400	0.5	21	2.44	3	15	16	37	4.68	1	0.37	<10	1.09	1666	7	0.01	<1	1362	10	0.68	8	3	137	<5	<0.01	<10	<10	23	10	103	1
9V1367RA/RJ	P09-041	134243	180.80	181.80	1.00	<0.01		0.5	1.96	32	243	<0.5	20	3.93	2	14	16	11	4.43	1	0.33	<10	0.99	1858	<2	0.01	<1	1306	15	0.57	9	3	148	<5	<0.01	<10	<10	27	10	96	2
9V1367RA/RJ	P09-041	134244	181.80	182.80	1.00	0.02		1.3	1.58	98	243	<0.5	18	3.35	2	14	11	30	4.08	1	0.4	<10	0.73	1693	2	0.01	<1	1332	14	0.81	10	2	128	<5	<0.01	<10	<10	26	12	96	1
9V1367RA/RJ	P09-041	134245	182.80	183.80	1.00	0.02		2.1	1.29	138	187	<0.5	17	3.69	3	15	12	17	4.12	2	0.41	10	0.86	2073	<2	0.01	<1	1546	24	1.02	10	4	197	<5	<0.01	<10	<10	21	<10	137	1
9V1367RA/RJ	P09-041	134246	183.80	184.80	1.00	0.06		3.8	0.82	188	203	<0.5	13	4.25	2	10	12	21	2.8	2	0.41	<10	0.42	2532	2	0.01	<1	1302	52	1.27	14	3	259	<5	<0.01	<10	<10	16	<10	142	1
9V1367RA/RJ	P09-041	134247	184.80	185.80	1.00	<0.01		1	1.58	67	175	<0.5	18	3.3	2	13	8	5	4.21	2	0.37	11	1.15	2405	<2	0.01	<1	1372	17	0.53	8	4	158	<5	<0.01	<10	<10	31	<10	97	1
9V1367RA/RJ	P09-041	134248	185.80	186.80	1.00	0.02		2.5	0.88	75	197	<0.5	14	3.33	6	11	10	41	3.19	1	0.37	<10	0.57	2081	<2	0.01	<1	1199	146	0.92	9	3	185	<5	<0.01	<10	<10	20	11	596	2
9V1367RA/RJ	P09-041	134249	186.80	187.80	1.00	0.02		2	1.55	32	190	<0.5	20	1.74	6	14	7	23	4.86	1	0.38	11	1.06	1739	<2	0.01	<1	1621	149	0.84	9	3	89	<5	<0.01	<10	<10	31	13	530	2
9V1367RA/RJ	P09-041	134250	187.80	188.80	1.00	<0.01		0.6	1.44	16	281	<0.5	17	7.22	2	11	13	14	4.29	2	0.37	<10	1.07	3534	<2	0.02	<1	1212	12	0.57	7	4	434	<5	<0.01	<10	<10	34	<10	88	1
9V1367RA/RJ	P09-041	134251	188.80	189.80	1.00	<0.01		0.9	1.12	28	374	<0.5	20	4.34	3	13	8	32	4.56	2	0.37	10	1.15	3951	2	0.01	<1	1346	19	0.83	6	5	200	<5	<0.01	<10	<10	25	<10	99	2
9V1367RA/RJ	P09-041	134252	189.80	190.80	1.00	0.02		1.3	1.29	25	500	<0.5	17	3.59	3	10	13	44	3.9	2	0.36	<10	0.87	2795	2	0.01	<1	1166	139	0.6	6	3	161	<5	<0.01	<10	<10	29	11	239	1
9V1367RA/RJ	P09-041	134253	190.80	191.80	1.00	0.02		0.5	1.09	17	194	<0.5	19	5.4	3	10	5	13	4.24	2	0.37	10	0.9	2776	<2	0.01	<1	1384	13	0.79	8	5	232	<5	<0.01	<10	<10	25	<10	127	1
9V1367RA/RJ	P09-041	134254	191.80	192.80	1.00	<0.01		0.7	0.95	33	202	<0.5	18	3.7	3	13	4	8	4.58	1	0.41	10	1.01	2086	<2	0.01	<1	1428	10	0.85	7	5	150	<5	<0.01	<10	<10	19	<10	114	2
9V1367RA/RJ	P09-041	134255	192.80	193.80	1.00	0.01		1.6	0.43	60	135	<0.5	20	4.41	4	13	19	8	4.49	2	0.35	<10	1.02	2506	4	0.01	<1	1208	35	1.44	8	5	217	<5	<0.01	<10	<10	10	<10	134	1
9V1367RA/RJ	P09-041	134256	193.80	194.80	1.00	<0.01		0.4	0.91	23	169	<0.5	23	3.06	4	14	7	4	5.5	1	0.4	<10	0.94	2100	<2	0.01	<1	1346	29	1.69	8	5	124	<5	<0.01	<10	<10	20	<10	119	2
9V1367RA/RJ	P09-041	134257	194.80	195.80	1.00	<0.01		0.4	1.22	21	164	<0.5	17	2.62	3	13	9	10	3.93	1	0.36	10	0.84	1453	2	0.01	<1	1647	19	0.84	7	5	115	<5	<0.01	<10	<10	23	<10	145	1
9V1367RA/RJ	P09-041	134258	195.80	196.80	1.00	0.02		0.6	1.34	30	166	<0.5	20	3.15	3	14	7	8	4.43	1	0.37	<10	0.93	1929	<2	0.01	<1	1380	17	1.19	8	5	142	<5	<0.01	<10	<10	26	<10	138	2
9V1367RA/RJ	P09-041	134259	196.80	197.80	1.00	<0.01		0.3	1.19	53	205	<0.5	17	5.34	2	10	10	10	3.93	2	0.38	<10	0.9	2117	<2	0.01	<1	1236	17	0.57	7	5	222	<5	<0.01	<10	<10	24	<10	120	1
9V1367RA/RJ	P09-041	134260	BLANK			<0.01		<0.1	0.04	<5	19	<0.5	<5	>15.00	<1	1	2	<1	0.48	<1	0.03	<10	13.5	214	<2	0.01	1	235	<2	0.45	<5	<1	54	<5	<0.01	12	16	2	10	19	<1
9V1367RA/RJ	P09-041	134261	197.80	198.80	1.00	<0.01		0.6	1.22	30	235	<0.5	19	4.89	3	12	10	16	4.5	2	0.34	<10	0.97	2634	<2	0.01	<1	1248	67	0.58	8	5	195	<5	<0.01	<10	<10	27	11	163	1
9V1367RA/RJ	P09-041	134262	198.80	199.80	1.00	<0.01		0.2	1.37	20	206	<0.5	22	3.69	3	14	7	12	4.89	1	0.36	10	0.98	2284	<2	0.01	<1	1420	16	0.77	8	5	168	<5	<0.01	<10	<10	31	<10	161	2
9V1367RA/RJ	P09-041	134263	199.80	200.80	1.00	<0.01		1.2	1.26	24	241	<0.5	21	4.51	10	13	14	10	4.91	2	0.33	<10	1.05	2761	<2	0.01	<1	1336	402	0.96	8	5	180	<5	<0.01	<10	<10	27	16	908	2
9V1367RA/RJ	P09-041	134264	200.80	201.80	1.00	<0.01		0.6	0.76	20	212	<0.5	21	3.45	4	15	8	8	4.7	2	0.34	<10	0.99	2252	<2	0.01	<1	1327	57	0.91	8	5	149	<5	<0.01	<10	<10	16	<10	207	2
9V1367RA/RJ	P09-041	134265	201.80	202.80	1.00	0.06		2	0.9	20	197	0.5	19	3.38	12	13	3	15	4.51	2	0.38	<10	0.93	2791	3	0.01	<1	1504	899	1.24	8	5	168	<5	<0.01	<10	<10	17	17	979	2
9V1367RA/RJ	P09-041	134266	202.80	203.80	1.00	<0.01		0.6	0.88	17	257	0.6	19	4.12	3	14	10	13	4.39	1	0.35	<10	1.33	2379	<2	0.01	<1	1306	35	0.63	8	6	157	<5	<0.01	<10	<10	18	<10	154	1
9V1367RA/RJ	P09-041	134267	203.80	204.80	1.00	<0.01		0.3	1.09	19	187	<0.5	23	3.86	3	13	6	14	4.7	1	0.37	<10	1.39	1810	<2	0.01	<1	1255	14	0.49	8	5	156	<5	<0.01	<10	<10	18	12	122	1
9V1367RA/RJ	P09-041	134268	204.80	205.80	1.00	<0.01		0.7	1.58	25	212	0.5	21	2.77	3	13	8	16	5	1	0.36	<10	1.09	1424	<2	0.01	<1	1531	9	1.02	9	4	127	<5	<0.01	<10	<10	24	<10	104	1
9V1367RA/RJ	P09-041	134269	205.80	206.80	1.00	<0.01		1.5	1.61	40	189	<0.5	22	1.65	3	11	7	14	5.02	1	0.35	<10	0.92	897	<2	0.01	<1	1481	9	1.35	8	3	65	<5	<0.01	<10	<10	23	<10	95	2
9V1367RA/RJ	P09-041	134270	206.80	207.80	1.00	0.01		5.2	1.29	67	160	<0.5	21	1.23	3	12	7	13	4.94	<1	0.35	<10	0.74	736	<2	0.01	<1	1450	19	1.67	8	3	56	<5	<0.01	<10	<10	18	<10	97	1
9V1367RA/RJ	P09-041	134271	207.80	208.60	0.80	0.04		3.1	0.49	558	158	<0.5	20	11.65	3	9	8	20	4.92	7	0.27	<10	0.56	3863	<2	0.01	<1	978	19	2.89	47	3	353	<5	<0.01	25	17	7	14	87	1
9V1367RA/RJ	P09-041	134272	208.60	209.40	0.80	0.13		9.1	0.2	3435	77	<0.5	52	13.48	9	7	10	9	9.56	29	0.23	<10	0.24	3937	6	0.01	<1	620	99	>5.00	226	1	488	<5	<0.01	102	34	<1	11	333	3
9V1367RA/RJ	P09-041	134273	209.40	210.40	1.00	0.03		1.1	0.42	53	132	<0.5	17	2.51	4	11	10	8	4.13	1	0.35	<10	0.38	1515	<2	0.01	<1	1473	18	2.05	9	2	101	<5	<0.01	<10	<10	7	14	178	1
9V1367RA/RJ	P09-041	134274	210.40	211.40	1.00	0.37		2.8	0.51	84	97	0.6	18	1.81	3	13	10	12	4.42	1	0.36	<10	0.48	1472	5	0.01	<1	1504	16	2.24	8	3	126	<5	<0.01	<10	<10	9	<10	72	1
9V1367RA/RJ	P09-041	134275	211.40	212.40	1.00	0.02		1.2	0.49	60	180	<0.5	18	4.76	3	10	23	10	4.04	3	0.31	<10	0.63	3454	2	0.01	<1	1153	12	2.01	8	2	307	<5	<0.01	<10	10	8	<10	78	1
9V1367RA/RJ	P09-041	134276	212.40	213.40	1.00	0.01		1.1	1	45	204	<0.5	17	3.81	2	12	11	6	4.1	3	0.33	<10	0.78	3434	3	0.01	<1	1399	42	1.4	7	3	183	<5	<0.01	<10	<10	20	<10	98	1
9V1367RA/RJ	P09-041	134277	213.40	214.40	1.00	<0.01		1.1	0.9	38	173	<0.5	15	1.97	2	12	23	9	3.71	1	0.35	<10	0.56	1808	3	0.01	<1	1528	16	1.49	6	2	95	<5	<0.01	<10	<10	14	<10	82	1
9V1367RA/RJ	P09-041	134278	214.40	215.40	1.00	0.32		10	0.52	513	54	<0.5	32	0.86	6	18	21	18	7.51	4	0.4	<10	0.26	656	9	0.01	<1	1577	176	>5.00	52	2	66	<5	<0.01	<10	<10	7	<10	210	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1367RA/RJ	P09-041	134279	215.40	216.20	0.80	0.06		4.7	0.38	213	103	<0.5	20	3.13	4	14	75	3	4.61	3	0.25	<10	0.68	2239	17	0.01	3	774	71	2.56	18	2	231	<5	<0.01	<10	<10	8	<10	87	2
9V1367RA/RJ	P09-041	134280	216.20	217.20	1.00	0.06		3.5	0.21	230	106	<0.5	23	6.1	5	9	73	<1	5.49	5	0.15	<10	1.32	3932	2	0.01	2	313	55	2.02	28	2	404	<5	<0.01	12	18	4	12	142	2
9V1367RA/RJ	P09-041	134281	217.20	218.20	1.00	0.06		5.4	0.17	275	95	<0.5	24	6	11	8	78	24	5.8	8	0.16	<10	1.33	4080	<2	0.01	2	421	246	2.21	36	1	371	<5	<0.01	15	18	3	24	842	2
9V1367RA/RJ	P09-041	134282	218.20	219.21	1.01	0.38		3.5	0.2	153	118	<0.5	25	7.36	10	8	67	5	6.2	5	0.16	<10	1.53	4845	2	0.01	1	344	104	2.08	19	2	509	<5	<0.01	<10	22	4	18	642	2
9V1367RA/RJ	P09-041	134283	219.21	220.00	0.79	0.73		3.6	0.32	42	158	<0.5	13	2.14	59	12	34	42	3.61	2	0.28	<10	0.69	2659	<2	0.01	1	977	351	1.37	7	2	131	<5	<0.01	<10	<10	4	106	4116	1
9V1367RA/RJ	P09-041	134284	220.00	221.20	1.20	0.04		3.6	0.39	60	145	<0.5	17	1.84	26	14	25	25	4.26	2	0.33	<10	0.62	2169	<2	0.01	1	1161	546	1.63	9	2	120	<5	<0.01	<10	<10	7	43	2052	2
9V1367RA/RJ	P09-041	134285	221.20	222.20	1.00	0.09		3	0.4	28	149	<0.5	16	1.9	34	14	23	41	4.15	2	0.32	<10	0.69	2304	<2	0.01	<1	1188	703	1.48	8	3	132	<5	<0.01	<10	<10	6	58	2821	2
9V1367RA/RJ	P09-041	134286	222.20	223.20	1.00	0.01		1.3	0.31	40	176	<0.5	16	3.3	3	11	23	3	3.74	3	0.29	<10	0.83	2865	<2	0.01	<1	910	33	1.12	9	3	200	<5	<0.01	<10	<10	5	<10	110	2
9V1367RA/RJ	P09-041	134287	223.20	224.20	1.00	0.1		1.1	0.4	97	141	<0.5	16	2.66	9	14	16	8	3.99	2	0.34	<10	0.88	2399	<2	0.01	<1	1161	127	1.4	6	3	165	<5	<0.01	<10	<10	6	13	747	2
9V1367RA/RJ	P09-041	134288	224.20	225.20	1.00	0.03		1.1	0.4	96	83	<0.5	18	2.8	3	15	13	5	4.08	1	0.35	<10	0.47	1691	<2	0.01	1	1184	46	2.76	8	3	145	<5	<0.01	<10	<10	5	<10	130	2
9V1367RA/RJ	P09-041	134289	225.20	226.20	1.00	<0.01		1	0.42	44	145	<0.5	17	2.59	4	16	17	11	3.73	1	0.35	<10	0.6	1891	2	0.01	1	1269	51	1.63	7	3	147	<5	<0.01	<10	<10	7	<10	196	2
9V1367RA/RJ	P09-041	134290	226.20	227.20	1.00	0.5		2.7	0.29	117	129	<0.5	12	4.14	2	10	67	4	2.79	1	0.27	<10	0.17	1715	2	0.01	1	668	24	2.14	12	2	181	<5	<0.01	<10	<10	4	<10	66	1
9V1367RA/RJ	P09-041	134291	227.20	228.33	1.13	0.09		3.4	0.77	205	129	<0.5	21	4.07	8	19	22	12	5	2	0.32	<10	0.42	1690	5	0.01	1	1172	337	3.44	17	3	127	<5	<0.01	<10	10	14	12	660	2
P09-042 - Unicorn - PAD 26 - 436514E 6219853N, Elev: 1082m, Az: 090, Dip: -50, EOH: 246.34m																																									
9V1367RA/RJ	P09-042	134292	2.74	4.00	1.26	0.14		0.8	1.65	57	180	<0.5	18	0.37	4	14	23	8	4.52	1	0.32	10	0.88	1465	<2	0.01	<1	1373	54	0.92	8	3	10	<5	0.03	<10	<10	41	<10	354	2
9V1367RA/RJ	P09-042	134293	4.00	5.00	1.00	<0.01		0.4	1.96	77	207	0.5	23	2.33	4	21	18	18	5.14	1	0.33	12	1.27	1711	<2	0.02	5	1557	52	1.22	10	6	52	<5	0.12	<10	<10	65	<10	248	5
9V1367RA/RJ	P09-042	134294	5.00	6.00	1.00	0.01		1.2	1.31	97	115	0.6	22	1.29	3	20	24	15	4.92	1	0.34	12	0.83	904	<2	0.02	9	1645	20	2.02	11	4	30	<5	0.08	<10	<10	41	<10	173	4
9V1367RA/RJ	P09-042	134295	6.00	7.00	1.00	0.18		0.8	1.94	90	257	0.5	21	0.74	4	16	7	12	4.85	1	0.39	12	1.12	1648	<2	0.01	<1	1614	17	0.69	6	4	23	<5	<0.01	<10	<10	49	<10	379	2
9V1367RA/RJ	P09-042	134296	7.00	8.00	1.00	0.02		0.3	1.64	34	230	<0.5	17	4.74	2	13	15	16	4.3	2	0.28	<10	1.01	2507	<2	0.01	<1	1243	9	0.54	7	4	228	<5	<0.01	<10	<10	44	<10	93	2
9V1367RA/RJ	P09-042	134297	8.00	8.98	0.98	0.11		0.4	2.14	39	298	<0.5	23	2.2	5	18	9	16	5.22	2	0.33	10	1.3	2573	<2	0.02	<1	1555	43	0.74	8	5	92	<5	0.01	<10	<10	71	12	330	2
9V1367RA/RJ	P09-042	134298	8.98	10.00	1.02	<0.01		<0.1	1.34	5	1742	<0.5	11	3.2	1	11	13	3	3.03	1	0.22	26	1.15	804	<2	0.03	7	1804	9	0.19	<5	3	235	<5	<0.01	<10	<10	42	<10	62	5
9V1367RA/RJ	P09-042	134299	10.00	11.00	1.00	<0.01		<0.1	1.38	5	2259	<0.5	13	3.14	1	11	10	1	2.93	1	0.25	30	1.13	765	<2	0.03	8	1836	10	0.18	<5	3	213	<5	<0.01	<10	<10	41	<10	65	5
9V1367RA/RJ	P09-042	134300	11.00	12.02	1.02	<0.01		<0.1	1.36	8	625	<0.5	13	2.79	2	13	12	26	2.99	1	0.25	31	1.08	832	<2	0.03	8	1833	11	0.14	<5	3	135	5	<0.01	<10	<10	40	<10	75	4
9V1367RA/RJ	P09-042	134301	12.02	13.00	0.98	0.07		2.5	0.64	132	156	<0.5	12	2.38	3	10	40	15	2.94	2	0.22	<10	0.32	1841	<2	0.01	<1	762	85	0.98	11	2	45	<5	<0.01	<10	<10	21	<10	209	1
9V1367RA/RJ	P09-042	134302	13.00	13.85	0.85	0.08		11.3	0.63	199	114	<0.5	13	3.56	3	8	55	6	2.91	3	0.17	<10	0.35	2581	<2	0.01	<1	509	128	1.26	18	2	51	<5	<0.01	<10	<10	18	<10	242	1
9V1367RA/RJ	P09-042	134303	13.85	15.00	1.15	<0.01		0.4	2.21	27	256	<0.5	23	1.86	4	18	8	11	5.26	2	0.37	14	1.23	2891	<2	0.01	<1	1613	18	0.24	8	5	53	<5	<0.01	<10	<10	57	<10	230	2
9V1367RA/RJ	P09-042	134304	15.00	16.00	1.00	0.02		0.7	2.42	57	218	<0.5	26	0.59	4	21	11	20	6.11	2	0.34	14	1.4	2429	<2	0.01	<1	1718	20	0.16	10	5	17	<5	<0.01	<10	<10	71	<10	244	2
9V1367RA/RJ	P09-042	134305	16.00	17.00	1.00	0.17		0.9	1.96	73	154	<0.5	24	2.76	4	16	9	16	5.71	2	0.3	12	1.12	2832	2	0.02	<1	1505	25	0.87	8	7	95	<5	<0.01	<10	<10	87	12	212	2
9V1367RA/RJ	P09-042	134306	17.00	18.00	1.00	0.02		0.8	2.05	38	169	<0.5	23	3.69	3	19	7	17	4.89	2	0.31	12	1.15	3040	<2	0.02	<1	1473	16	0.56	8	5	126	<5	0.01	<10	<10	71	<10	111	2
9V1367RA/RJ	P09-042	134307	18.00	19.00	1.00	0.01		<0.1	2.43	49	196	<0.5	25	2.72	4	18	6	13	5.77	2	0.3	13	1.42	2389	<2	0.02	<1	1569	17	0.38	9	7	82	<5	0.03	<10	<10	85	<10	246	2
9V1367RA/RJ	P09-042	134308	19.00	20.00	1.00	<0.01		0.2	2.17	46	156	0.6	35	3.52	4	16	7	11	5.26	1	0.32	11	1.17	2642	<2	0.02	<1	1631	8	0.8	<5	7	114	<5	0.05	<10	<10	86	10	108	3
9V1367RA/RJ	P09-042	134309	20.00	21.00	1.00	0.02		0.6	2.27	71	145	0.6	50	2.86	4	18	12	22	5.41	1	0.28	11	1.34	3216	<2	0.03	<1	1668	18	0.7	<5	8	110	<5	0.05	<10	<10	107	<10	121	3
9V1367RA/RJ	P09-042	134310	21.00	22.00	1.00	0.2		1.9	2.23	64	142	<0.5	63	3.23	6	17	11	45	5.71	<1	0.26	11	1.35	3643	<2	0.04	<1	1573	410	1.36	<5	7	131	<5	0.01	<10	<10	117	10	238	3
9V1367RA/RJ	P09-042	134311	22.00	23.00	1.00	0.26		7.4	1.94	56	131	<0.5	49	3.28	14	14	21	45	5.31	1	0.25	<10	1.22	3279	<2	0.02	<1	1399	2880	1.56	5	6	125	<5	<0.01	<10	<10	92	11	1208	2
9V1367RA/RJ	P09-042	134312	23.00	24.00	1.00	0.09		1.2	2.45	55	146	<0.5	49	1.93	5	18	8	19	6.29	<1	0.33	11	1.48	3150	2	0.03	<1	1779	51	1.47	<5	8	83	<5	0.01	<10	<10	117	12	148	3
9V1367RA/RJ	P09-042	134313	24.00	25.00	1.00	0.06		1	2.04	41	146	<0.5	48	2.33	4	14	11	12	4.96	<1	0.32	10	1.21	2913	<2	0.02	<1	1567	34	0.94	<5	5	111	<5	<0.01	<10	<10	76	10	159	2
9V1367RA/RJ	P09-042	134314	25.00	26.00	1.00	0.02		0.6	2.01	36	209	<0.5	28	2.99	4	12	7	22	4.21	<1	0.42	12	0.99	2679	<2	0.02	<1	1608	21	0.41	<5	5	116	<5	0.01	<10	<10	71	<10	131	3
9V1367RA/RJ	P09-042	134315	26.00	27.00	1.00	0.56		1.5	2.18	44	143	<0.5	46	2.87	5	14	8	84	4.81	<1	0.34	11	1.22	3510	<2	0.02	<1	1565	50	0.77	<5	5	125	<5	0.01	<10	<10	74	<10	228	3
9V1367RA/RJ	P09-042	134316	27.00	28.00	1.00	0.02		1.1	2.37	36	176	<0.5	53	2.78	5	16	6	14	5.34	<1	0.36	10	1.47	3077	<2	0.02	<1	1637	26	1.06	<5	5	94	<5	<0.01	<10	<10	77	<10	162	3
9V1367RA/RJ	P09-042	134317	28.00	29.00	1.00	0.06		1	2.2	20	173	<0.5	38	2.54	10	13	6	26	4.64	1	0.33	<10	1.39	3383	<2	0.02	<1	1521	297	0.67	<5	5	95	<5	0.02	<10	<10	66	<10	710	2
9V1367RA/RJ	P09-042	134318	29.00	30.00	1.00	0.02		0.8	2.2	48	159	0.7	69	3.05	5	18	5	12	5.49	<1	0.35	<10	1.29	2628	5	0.02	<1	1515	23	1.46	<5	6	109	<5	0.1	<10	<10	74	11	160	3
9V1367RA/RJ	P09-042	134319	30.00	31.45	1.45	<0.01		0.5	2.39	31	246	1.1	48	2.36	4	20	14	13	5.23	<1	0.33	10	1.49	2204	3	0.02	5	1663	16	0.87	<5	6	68	<5	0.14	<10	<10	79	10	151	6
9V1367RA/RJ	P09-042	134320	BLANK			<0.01		<0.1	0.05	<5	14	<0.5	88	>15.00	<1	1	1	2	0.52	<1	0.03	<10	12.2	277	<2	0.01	1	180	<2	0.45	<5	<1	53	<5	<0.01	<10	<10	3	<10	14	<1
9V1367RA/RJ	P09-042	134321	31.45	32.45	1.00	<0.01		<0.1	2.4	9	389	2.2	44	2.76	4	26	69	12	4.72	<1	0.08	23	2.04	1094	<2	0.04	18	2499	7	0.16	<5	7	75	<5	0.36	<10	<10	91	<10	130	25
9V1367RA/RJ	P09-042	134322	32.45	33.20	0.75	<0.01		<0.1	2.61	9	254	2.6	35	2.91	4	29	74	14	5.13	<1	0.1	25	2.19	1177	<2	0.05	20	2694	6	0.16	<5	8	80	<5	0.41	<10	<10	102	<10	140	29
9V1367RA/RJ	P09-042	134323	33.20	34.00	0.80	0.9		0.6	2.28	21	248	1.1	51	1.63	4	18	12	20	5.09	<1	0.34	<10	1.43	2311	<2	0.02	<1	1665	9	0.84	<5	6	51	<5	0.11	<10	<10	76	10	197	3
9V1367RA/RJ	P09-042	134324	34.00	34.85	0.85	0.67		0.6	2.18	30	235	0.9	32	2.08	5	18	8	6	4.96	<1	0.36	10	1.26	2386	<2	0.02	<1	1613	14	0.86	<5	6	77	<5	0.09	<10	<10	74	10	182	3
9V1367RA/RJ	P09-042	134325	34.85	35.65	0.80	<0.01		<0.1	2.61	10	1002	1.9	61	3.13	4	26	69	15	5.13	1	0.12	23	2.1	1335	<2	0.04	18	2498	12	0.22	<5	7	94	<5	0.31	10	<10	98	<10	130	14
9V1367RA/RJ	P09-042	134326	35.65	36.60	0.95	0.07		0.6	2.03	19	211	<0.5	62	3.75	4	15	5	13	4.88	<1	0.42	10	1.09	2965	<2	0.02	<1	1547	35	0.94	<5	5	226	<5	0.03	<10	<10	68	<10	126	3
9V1367RA/RJ	P09-042	134327	36.60	37.60	1.00	<0.01		0.6	1.83	15	159	<0.5	54	3.77	3	15	14	5	4.3	<1	0.36	10	0.93	2757	<2	0.01	<1	1531	12	0.71	<5	4	259	<5	0.01	<10	<10	47	<10	127	2
9V1367RA/RJ	P09-042	134328	37.60	38.60	1.00	0.03		0.6	2.01	33	194	<0.5	36	4.41	4	14	6	7	5.35	<1	0.42	10	1.07	3286	<2	0.02	<1	1559	11	1.42	<5	5	267	<5	<0.01	<10	<10	56	10	131	2
9V1367RA/RJ	P09-042	134329	38.60	39.60	1.00	0.02		0.9	1.6	70	86	<0.5	58	3.05	4	15	11	9	5.16	<1	0.34	10	0.88	2279	<2	0.02	1	1599	12	2.54	<5	4	120	<5	0.01	<10	<10	50	10	159	3
9V1367RA/RJ	P09-042	134330	39.60	40.60	1.00	0.1		0.5	1.7	63	116	<0.5	21	1.87	4	20	37	6	5.22	1	0.29	13	1.33	1356	<2	0.02	6	1637	23	2.08	9	4	44	<5	0.08	<10	<10	46	<10	275	4
9V1367RA/RJ	P09-042	134331	40.60	41.60	1.00	0.31		1.2	1.4	75	135	<0.5	22	1.12	5	18	14	1	5.26	1	0.34	<10	1.07	1909	3	0.01	<1	1411	89	3	7	3	48	<5	<0.01	<10	<10	25	10	364	2
9V1367RA/RJ	P09-042	134332	41.60	42.60	1.00	0.83		1.6	1.19	93	115	<0.5	23	2.72	6	17	24	1	5.22	2	0.34	<10	1.01	2955	2	0.01	<1	1325	139	3.38	8	3	137	<5	<0.01	<10	12	20	<10	404	2
9V1367RA/RJ	P09-042	134333	42.60	43.60	1.00	0.3		1.6	1.69	48	110	<0.5	24	2.66	11	17	12	4	5.59	2	0.33	<10	1.29	2825	3	0.01	<1	1293	173	2.55	8	4	121	<5	<0.01	<10	12	30	19	863	2
9V1367RA/RJ	P09-042	134334	43.60	44.60	1.00	0.17		1.3	1.55	48	158	<0.5	23	4.16	8	15	13	6	4.99	2	0.34	<10	1.2	2633	<2	0.01	<1	1408	181	1.9	8	5	295	<5	<0.01	<10	<10	31	10	618	2
9V1367RA/RJ	P09-042	134335	44.60	45.60	1.00	0.03		1.9	1.31	37	156	<0.5	23	4.03	4	17	8	11	5.36	2	0.39	<10	1.34	2543	2	0.01	<1	1449	29	2.12	9	5	170	<5	<0.01	<10	11	27	<10	202	2
9V1367RA/RJ	P09-042	134336	45.60	46.60	1.00	0.16		1.5	0.97	61	173	<0.5	17	2.66	5	14	29	8	4.05	2	0.3	<10	1.08	2282	2	0.01	<1	1182	118	1.65	8	3	134	<5	<0.01	<10	<10	24	14	484	2
9V1367RA/RJ	P09-042	134337	46.60	47.60	1.00	0.03		0.9	1.01	50	171	<0.5	23	3.04	4	17	9	6	5.59	2	0.37	<10	1.31	3074	<2	0.01	<1	1439	27	1.92	8	5	187	<5	<0.01	<10	11	23	11	249	2
9V1367RA/RJ	P09-042	134338	47.60	48.60	1.00	0.03		1.3	0.74	49	117	<0.5	23	3.91	5	18	15	7	5.29	2	0.33	<10	1.13	2794	2	0.01	<1	1438	40	2.82	9	6	304	<5	<0.01	<10	10	16	<10	239	2
9V1367RA/RJ	P09-042	134339	48.60	49.60	1.00	0.06		1.4	0.64	53	101	<0.5	20	2.09	15	15	15	5	5.12	2	0.33	<10	0.73	2164	<2	0.01	<1	1262	156	3.03	8	3	141	<5	<0.01	<10	<10	15	25	1245	2
9V1367RA/RJ	P09-042	134340	BLANK			<0.01		<0.1	0.02	<5	11	<0.5	<5	>15.00	<1	1	2	<1	0.56	<1	0.02	<10	13.2	269	<2	0.01	1	137	<2	0.41	<5	<1	53	<5	<0.01	11	18	2	<10	16	<1
9V1367RA/RJ	P09-042	134341	49.60	50.60	1.00	0.13		3.8	0.58	60	137	<0.5	19	3.64	23	14	22	27	4.74	2	0.35	<10	0.98	2518	<2	0.01	<1	1372	1082	3.53	10	3	213	<5	<0.01	<10	<10	12	44	1836	2
9V1367RA/RJ	P09-042	134342	50.60	51.60	1.00	0.17		1.2	1.08	69	158	<0.5	21	2.27	6	16	11	4	5.35	1	0.36	<10	1.18	1855	<2	0.01	<1	1410	112	2.88	8	4	137	<5	<0.01	<10	<10	25	14	433	2
9V1367RA/RJ	P09-042	134343	51.60	52.60	1.00	0.94		1.8	0.59	210	84	<0.5	25	2.16	7	15	27	5	5.92	1	0.32	<10	0.66	1491	<2	0.01	<1	1165	116	4.15	9	3	110	<5	<0.01	<10	11	12	13	470	2
9V1367RA/RJ	P09-042	134344	52.60	53.60	1.00	0.04		1.1	0.58	137	91	<0.5	19	2.96	3	13	18	3	4.43	1	0.35	<10	0.4	1365	<2	0.01	<1	1213	57	3.63	6	2	94	<5	<0.01	<10	<10	15	<10	251	2
9V1367RA/RJ	P09-042	134345	53.60	54.10	0.50	0.03		1.5	0.43	129	96	<0.5	19	3.13	4	13	31	6	4.23	1	0.32	<10	0.23	1428	<2	0.01	<1	1080	139	3.66	7	2	113	<5	<0.01	<10	<10	12	14	315	2
9V1367RA/RJ	P09-042	134346	54.10	54.60	0.50	0.06		1.7	0.33	163	78	<0.5	19	2.22	5	13	43	5	4.36	<1	0.25	<10	0.11	840	<2	0.01	<1	993	137	3.67	8	1	75	<5	<0.01	<10	<10	8	13	334	2
9V1367RA/RJ	P09-042	134347	54.60	55.10	0.50	0.95		2.4	0.53	175	86	<0.5	23	3.69	14	13	39	2	5.1	1	0.27	<10	0.32	1741	2	0.01	<1	1005	246	4.17	9	2	114	<5	<0.01	<10	12	14	11	859	2
9V1367RA/RJ	P09-042	134348	55.10	55.90	0.80	0.2		1.6	0.69	101	85	<0.5	21	2.56	6	16	21	1	5.2	1	0.3	<10	0.64	2288	2	0.01	<1	1355	285	3.62	8	3	127	<5	<0.01	<10	11	18	11	364	2
9V1367RA/RJ	P09-042	134349	55.90	56.60	0.70	0.14		2.7	0.49	198	50	<0.5	30	1.57	8	21	24	1	6.73	1	0.32	<10	0.23	1190	2	0.01	<1	1305	256	>5.00	9	2	89	<5	<0.01	<10	13	12	10	308	2
9V1367RA/RJ	P09-042	134350	56.60	57.17	0.57	<0.01		<0.1	2.72	48	120	<0.5	30	4.2	4	43	101	22	6.77	1	0.13	13	3.27	1174	<2	0.15	40	1216	12	0.46	19	15	191	<5	0.24	<10	<10	127	<10	112	4
9V1367RA/RJ	P09-042	134351	57.17	58.20	1.03	0.07		1.8	0.65	109	81	<0.5	22	1.18	4	18	26	1	5.07	1	0.35	<10	0.32	935	2	0.01	<1	1343	72	3.87	7	2	67	<5	<0.01	<10	<10	15	<10	258	2
9V1367RA/RJ	P09-042	134352	58.20	59.20	1.00	0.29		4.4	0.3	434	53	<0.5	60	1.39	7	19	46	4	5.78	1	0.25	<10	0.04	775	<2	0.01	2	1066	177	>5.00	5	1	81	<5	<0.01	<10	<10	8	12	303	2
9V1367RA/RJ	P09-042	134353	59.20	60.20	1.00	0.43		8.3	0.24	674	45	<0.5	11	0.59	5	8	52	14	5.41	4	0.2	<10	0.03	216	<2	0.01	2	662	162	4.93	41	1	35	<5	<0.01	<10	<10	7	17	219	3
9V1367RA/RJ	P09-042	134354	60.20	61.20	1.00	0.12		3	0.38	361	61	<0.5	33	2.48	5	10	34	6	4.27	1	0.29	<10	0.11	1039	2	0.01	2	903	71	4.06	14	1	81	<5	<0.01	<10	<10	10	11	366	2
9V1367RA/RJ	P09-042	134355	61.20	62.16	0.96	0.06		2.6	0.58	221	80	<0.5	46	3.87	6	16	27	10	4.6	1	0.31	<10	0.51	1698	<2	0.01	4	1257	91	3.75	10	3	199	<5	<0.01	<10	<10	20	<10	210	2
9V1367RA/RJ	P09-042	134356	62.16	63.20	1.04	<0.01		<0.1	2.88	25	321	0.8	59	4.57	7	43	98	24	7.26	1	0.24	13	3.33	1323	<2	0.2	47	1415	9	0.28	<5	16	303	<5	0.1	<10	<10	116	<10	117	5

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1367RA/RJ	P09-042	134357	63.20	64.20	1.00	<0.01		<0.1	2.94	35	244	1.2	38	4.13	6	44	98	24	6.93	1	0.25	12	3.17	1224	<2	0.25	47	1339	10	0.26	<5	17	257	<5	0.18	<10	<10	129	<10	107	5
9V1367RA/RJ	P09-042	134358	64.20	65.23	1.03	<0.01		<0.1	2.82	57	342	1.2	53	4	7	43	96	22	7.04	1	0.23	12	3.17	1282	<2	0.19	44	1359	20	0.52	5	17	242	<5	0.18	<10	<10	130	<10	130	5
9V1367RA/RJ	P09-042	134359	65.23	66.20	0.97	0.29		4.3	0.37	186	55	<0.5	35	2.7	9	13	21	13	5.47	1	0.33	<10	0.16	869	<2	0.01	2	1104	291	4.96	5	2	128	<5	<0.01	<10	<10	9	15	413	3
9V1367RA/RJ	P09-042	134360	66.20	67.20	1.00	0.15		1.9	0.55	54	64	<0.5	29	2.9	17	14	13	27	4.76	<1	0.32	<10	0.4	1117	2	0.01	2	1361	248	4.12	<5	3	127	<5	<0.01	<10	<10	13	10	1216	2
9V1367RA/RJ	P09-042	134361	67.20	68.20	1.00	<0.01		0.8	0.75	44	68	<0.5	60	3.1	4	12	11	12	4.86	<1	0.36	<10	0.53	1144	2	0.01	1	1193	15	3.91	<5	2	106	<5	<0.01	<10	<10	14	11	66	2
9V1367RA/RJ	P09-042	134362	68.20	69.20	1.00	<0.01		0.9	0.93	51	111	<0.5	47	3.95	4	16	10	8	4.82	<1	0.3	<10	0.66	1586	<2	0.01	2	1394	13	3.27	<5	3	176	<5	<0.01	<10	<10	23	<10	63	2
9V1367RA/RJ	P09-042	134363	69.20	70.20	1.00	<0.01		0.8	0.78	80	95	<0.5	30	2.72	4	13	13	13	4.61	<1	0.3	<10	0.58	1254	<2	0.01	2	1248	11	3.49	<5	2	106	<5	<0.01	<10	<10	15	10	73	2
9V1367RA/RJ	P09-042	134364	70.20	71.20	1.00	0.01		1.1	0.77	91	95	<0.5	61	5.43	4	13	13	11	4.64	<1	0.29	<10	0.65	2054	<2	0.01	1	1153	10	3.55	<5	3	172	<5	<0.01	<10	<10	14	<10	43	2
9V1367RA/RJ	P09-042	134365	71.20	72.20	1.00	0.68		1.4	0.81	86	61	<0.5	48	3.96	4	13	11	8	4.84	<1	0.34	<10	0.66	2040	<2	0.01	1	1403	23	3.69	<5	2	173	<5	<0.01	<10	<10	16	10	120	2
9V1367RA/RJ	P09-042	134366	72.20	73.20	1.00	<0.01		0.7	0.86	31	65	<0.5	38	2.81	4	14	12	11	4.81	<1	0.33	<10	0.64	1119	<2	0.01	1	1442	17	3.67	<5	3	113	<5	<0.01	<10	<10	14	10	73	2
9V1367RA/RJ	P09-042	134367	73.20	74.20	1.00	<0.01		0.8	1.04	31	103	<0.5	35	3.12	4	13	9	18	4.47	<1	0.35	<10	0.8	1168	<2	0.01	1	1420	11	3.16	<5	3	131	<5	<0.01	<10	<10	18	<10	67	2
9V1367RA/RJ	P09-042	134368	74.20	75.20	1.00	<0.01		0.7	1.03	23	106	<0.5	26	2.18	4	15	13	12	4.53	<1	0.33	<10	0.85	1027	<2	0.01	2	1495	11	3.1	<5	3	94	<5	<0.01	<10	<10	19	<10	61	2
9V1367RA/RJ	P09-042	134369	75.20	76.20	1.00	<0.01		0.9	1.13	33	131	<0.5	14	3.65	4	13	9	14	4.36	<1	0.38	<10	0.81	1540	<2	0.01	1	1412	10	2.88	<5	3	146	<5	<0.01	<10	<10	23	<10	63	2
9V1367RA/RJ	P09-042	134370	76.20	77.20	1.00	0.07		1	0.71	167	99	<0.5	32	2.53	3	15	12	9	3.98	<1	0.33	<10	0.44	946	<2	0.01	2	1411	14	3.08	<5	2	103	<5	<0.01	<10	<10	15	<10	57	2
9V1367RA/RJ	P09-042	134371	77.20	78.20	1.00	<0.01		0.8	1.61	28	174	<0.5	41	2.04	4	19	7	19	4.61	<1	0.34	<10	1.11	1143	<2	0.01	2	1533	10	1.76	<5	3	88	<5	<0.01	<10	<10	37	<10	100	2
9V1367RA/RJ	P09-042	134372	78.20	79.20	1.00	<0.01		0.7	1.2	15	118	<0.5	46	2.83	4	16	11	16	4.77	<1	0.31	<10	0.89	1434	<2	0.01	2	1513	12	2.76	<5	3	104	<5	<0.01	<10	<10	25	<10	81	2
9V1367RA/RJ	P09-042	134373	79.20	80.20	1.00	<0.01		1	1.06	22	101	<0.5	35	3.36	4	16	7	19	4.64	<1	0.36	<10	0.78	1501	<2	0.01	2	1507	15	3.09	<5	3	129	<5	<0.01	<10	<10	21	<10	83	2
9V1367RA/RJ	P09-042	134374	80.20	81.20	1.00	<0.01		1.2	0.98	17	123	<0.5	32	2.91	3	12	11	15	3.48	<1	0.3	<10	0.8	1355	<2	0.01	2	1382	15	1.94	<5	3	110	<5	<0.01	<10	<10	18	<10	67	2
9V1367RA/RJ	P09-042	134375	81.20	82.20	1.00	0.05		2	0.94	15	122	<0.5	30	4.26	4	15	7	16	4.16	<1	0.35	<10	0.88	1710	<2	0.01	2	1531	9	2.22	<5	4	160	<5	<0.01	<10	<10	20	<10	91	2
9V1367RA/RJ	P09-042	134376	82.20	83.20	1.00	0.01		2	0.53	16	138	0.5	18	4.36	4	15	10	17	3.75	<1	0.34	<10	0.86	2679	<2	0.01	2	1449	56	1.65	<5	4	204	<5	<0.01	<10	<10	12	<10	156	2
9V1367RA/RJ	P09-042	134377	83.20	84.20	1.00	0.02		2.1	0.51	37	127	<0.5	47	3.25	8	16	9	7	3.89	<1	0.37	<10	0.57	1952	<2	0.01	2	1502	296	2.39	<5	3	135	<5	<0.01	<10	<10	13	<10	659	2
9V1367RA/RJ	P09-042	134378	84.20	85.20	1.00	0.01		1.7	0.61	44	182	0.5	21	2.53	4	16	9	13	4.1	<1	0.37	10	0.66	2143	<2	0.01	2	1498	14	1.26	<5	4	93	<5	<0.01	<10	<10	16	<10	109	2
9V1367RA/RJ	P09-042	134379	85.20	86.20	1.00	0.08		1.8	0.72	63	151	<0.5	34	2.84	4	16	15	6	4.57	<1	0.38	<10	0.5	1917	<2	0.01	2	1270	105	2.32	<5	3	83	<5	<0.01	<10	<10	22	<10	149	2
9V1367RA/RJ	P09-042	134380	86.20	87.20	1.00	0.01		1.1	1.69	37	269	<0.5	28	1.32	5	12	10	17	4.86	<1	0.36	11	0.8	1731	<2	0.01	2	1503	46	0.8	<5	3	39	<5	<0.01	<10	<10	49	10	311	2
9V1367RA/RJ	P09-042	134381	87.20	88.20	1.00	0.52		2.4	1.42	227	148	<0.5	54	2.35	5	14	28	25	4.99	<1	0.31	<10	0.66	2176	<2	0.01	2	1176	75	1.68	9	3	81	<5	<0.01	<10	<10	49	<10	331	2
9V1367RA/RJ	P09-042	134382	88.20	89.20	1.00	0.03		1.5	1.41	34	153	<0.5	53	4.8	4	12	17	15	4.15	<1	0.32	<10	0.63	3234	<2	0.01	1	1228	26	1	<5	3	121	<5	<0.01	<10	<10	43	<10	183	2
9V1367RA/RJ	P09-042	134383	89.20	90.20	1.00	0.02		0.9	1.58	44	135	<0.5	15	3.14	4	12	12	19	4.51	<1	0.31	10	0.75	2574	<2	0.02	2	1451	26	0.9	<5	4	101	<5	<0.01	<10	<10	50	<10	180	2
9V1367RA/RJ	P09-042	134384	90.20	91.20	1.00	0.04		1.2	1.28	75	139	<0.5	22	2.87	4	13	16	15	4.16	<1	0.33	<10	0.6	2004	2	0.02	2	1372	35	1.48	<5	3	79	<5	<0.01	<10	<10	38	<10	148	2
9V1367RA/RJ	P09-042	134385	91.20	92.20	1.00	<0.01		1.8	1.3	157	197	<0.5	28	3.42	4	12	18	14	4.17	<1	0.31	<10	0.6	2580	<2	0.01	2	1286	47	1.16	9	3	98	<5	<0.01	<10	<10	44	<10	206	2
9V1367RA/RJ	P09-042	134386	92.20	93.20	1.00	<0.01		1.3	1.67	76	153	<0.5	41	2.78	4	15	16	20	4.48	<1	0.36	<10	0.85	2348	<2	0.01	2	1435	30	0.94	<5	3	78	<5	<0.01	<10	<10	53	<10	293	2
9V1367RA/RJ	P09-042	134387	93.20	94.20	1.00	0.13		1.7	1.35	32	282	0.5	48	4.25	3	14	15	51	3.64	<1	0.35	10	0.62	2803	<2	0.01	2	1474	14	0.86	<5	3	103	<5	<0.01	<10	<10	33	<10	146	2
9V1367RA/RJ	P09-042	134388	94.20	95.20	1.00	0.09		1.9	1.85	36	251	<0.5	36	2.02	6	13	15	20	4.78	<1	0.33	11	0.92	3088	<2	0.02	1	1484	176	0.57	<5	4	54	<5	<0.01	<10	<10	53	<10	327	2
9V1367RA/RJ	P09-042	134389	95.20	96.20	1.00	0.01		1.1	1.56	79	155	<0.5	16	2.91	4	14	18	18	3.86	<1	0.36	11	0.77	2323	<2	0.01	2	1456	41	0.6	<5	4	108	<5	<0.01	<10	<10	48	<10	244	2
9V1367RA/RJ	P09-042	134390	96.20	97.20	1.00	0.15		2.8	1.42	151	137	<0.5	38	3.19	5	14	22	22	4.18	<1	0.31	10	0.69	2666	<2	0.01	2	1374	79	1.11	8	3	97	<5	<0.01	<10	<10	49	<10	333	2
9V1367RA/RJ	P09-042	134391	97.20	98.20	1.00	0.16		1.9	1.46	78	123	<0.5	39	4.53	5	14	15	22	4.81	1	0.33	11	0.72	3475	<2	0.01	1	1387	38	1.22	5	3	121	<5	<0.01	<10	<10	42	<10	202	2
9V1367RA/RJ	P09-042	134392	98.20	99.65	1.45	1.37		2.9	1.17	41	272	<0.5	48	4.68	4	10	37	99	3.58	<1	0.29	10	0.63	3128	<2	0.01	2	1157	78	0.82	<5	3	79	<5	<0.01	<10	<10	43	<10	253	2
9V1367RA/RJ	P09-042	134393	99.65	101.00	1.35	<0.01		<0.1	2.09	14	444	1.2	47	3.94	5	27	48	29	5.72	<1	0.12	25	2.14	1184	<2	0.05	15	3024	13	0.24	<5	5	124	<5	0.18	10	<10	94	<10	135	10
9V1367RA/RJ	P09-042	134394	101.00	102.00	1.00	<0.01		<0.1	2.17	11	65	1.6	48	2.85	5	28	51	27	5.56	1	0.06	20	2.13	928	<2	0.05	14	3118	13	0.16	<5	4	80	<5	0.22	<10	<10	85	<10	133	16
9V1367RA/RJ	P09-042	134395	102.00	103.00	1.00	<0.01		<0.1	1.97	7	103	1.5	18	2.46	5	27	51	29	5.35	<1	0.07	19	1.93	859	2	0.05	15	3038	9	0.16	<5	4	75	<5	0.22	<10	<10	88	<10	113	13
9V1367RA/RJ	P09-042	134396	103.00	103.94	0.94	<0.01		<0.1	1.79	11	284	1.4	28	2.82	4	24	49	27	4.89	1	0.1	21	1.7	905	<2	0.06	12	2624	4	0.23	<5	6	80	<5	0.24	<10	<10	100	<10	104	12
9V1367RA/RJ	P09-042	134397	103.94	104.40	0.46	0.06		0.7	1.92	29	297	0.5	27	3.14	5	14	24	20	4.25	<1	0.61	16	0.81	2409	<2	0.02	2	1514	46	0.52	<5	4	66	<5	0.02	<10	<10	51	<10	283	2
9V1367RA/RJ	P09-042	134398	104.40	105.40	1.00	0.2		1.6	1.55	41	142	<0.5	57	7.56	5	11	16	25	4.21	<1	0.34	11	0.68	4395	<2	0.01	2	1225	53	1.06	<5	3	168	<5	<0.01	<10	<10	34	<10	237	2
9V1367RA/RJ	P09-042	134399	105.40	106.40	1.00	0.15		2.4	0.85	40	120	<0.5	38	13.64	2	8	27	31	2.57	<1	0.24	11	0.39	6541	<2	0.01	1	784	35	0.96	<5	2	299	<5	<0.01	<10	<10	18	<10	138	1
9V1367RA/RJ	P09-042	134400	106.40	107.40	1.00	0.51		1.4	1.14	44	163	<0.5	44	4.68	4	14	16	9	3.99	<1	0.36	10	0.52	3343	<2	0.01	2	1291	65	1.13	<5	3	124	<5	<0.01	<10	<10	33	<10	214	2
9V1367RA/RJ	P09-042	134401	107.40	108.40	1.00	0.06		1.9	0.84	106	139	<0.5	36	3.92	4	10	27	13	3.47	<1	0.33	<10	0.41	2256	2	0.01	2	1214	102	1.41	5	2	104	<5	<0.01	<10	<10	22	<10	206	2
9V1367RA/RJ	P09-042	134402	108.40	109.40	1.00	0.35		4.4	0.54	234	64	<0.5	44	1.86	14	9	34	5	4	1	0.27	<10	0.29	1605	8	0.01	1	927	535	3.26	10	2	54	<5	<0.01	<10	<10	15	10	1205	2
9V1367RA/RJ	P09-042	134403	109.40	110.40	1.00	2.21		4.5	0.76	194	56	<0.5	27	1.59	9	12	50	2	5.28	<1	0.29	<10	0.51	1929	12	0.01	1	1166	244	3.95	5	2	66	<5	<0.01	<10	<10	24	12	528	3
9V1367RA/RJ	P09-042	134404	110.40	111.10	0.70	0.06		1.5	0.35	61	92	<0.5	27	2.44	3	4	108	2	2.08	<1	0.14	<10	0.28	1992	3	0.01	3	813	402	1.19	<5	1	157	<5	<0.01	<10	<10	9	<10	179	1
9V1367RA/RJ	P09-042	134405	111.10	112.00	0.90	0.75		4.2	0.61	219	46	<0.5	36	1.97	14	11	48	4	4.78	1	0.24	<10	0.44	1820	38	0.01	1	1146	455	3.47	10	1	90	<5	<0.01	<10	<10	22	12	1108	2
9V1367RA/RJ	P09-042	134406	112.00	113.00	1.00	0.44		4.4	0.95	201	71	<0.5	23	1.27	16	14	38	1	5.64	1	0.31	<10	0.56	1889	28	0.01	1	1323	560	3.65	6	2	44	<5	<0.01	<10	<10	28	12	1259	2
9V1367RA/RJ	P09-042	134407	113.00	114.00	1.00	0.33		3.1	0.72	266	68	<0.5	60	1.89	15	13	37	4	5.25	1	0.3	<10	0.37	1899	13	0.01	1	1305	400	3.96	14	2	81	<5	<0.01	<10	<10	16	12	1124	2
9V1367RA/RJ	P09-042	134408	114.00	115.00	1.00	1.86		8.1	0.72	212	92	<0.5	41	2.11	24	13	41	39	4.3	1	0.33	<10	0.32	1893	5	0.01	2	1301	1154	3.24	18	2	90	<5	<0.01	<10	<10	17	<10	2115	2
9V1367RA/RJ	P09-042	134409	115.00	116.00	1.00	0.37		2.7	0.95	164	92	<0.5	39	1.28	19	14	35	14	4.74	1	0.35	<10	0.44	1288	4	0.01	1	1357	561	3.06	12	2	57	<5	<0.01	<10	<10	19	10	1502	2
9V1367RA/RJ	P09-042	134410	116.00	117.00	1.00	0.02		1	1.59	151	141	0.5	26	2.9	6	18	32	8	5.14	1	0.31	18	1.24	1204	<2	0.03	7	2417	104	1.5	11	3	150	<5	0.01	<10	<10	52	<10	316	5
9V1367RA/RJ	P09-042	134411	117.00	118.00	1.00	0.1		1.6	1.28	232	91	0.6	48	2.14	5	16	30	8	5.12	2	0.37	<10	0.69	1445	4	0.01	2	1710	37	2.98	15	3	81	<5	<0.01	<10	<10	29	10	234	3
9V1367RA/RJ	P09-042	134412	118.00	119.00	1.00	0.49		2.8	1.12	177	89	<0.5	47	2.13	9	13	31	<1	5.07	1	0.38	<10	0.59	2171	4	0.01	1	1311	204	3.27	9	2	64	<5	<0.01	<10	<10	33	11	643	2
9V1367RA/RJ	P09-042	134413	119.00	119.50	0.50	11.97		10.3	0.97	52	68	<0.5	47	1.47	17	9	87	10	5.52	<1	0.16	<10	0.68	1974	2	0.01	1	832	339	3.39	<5	2	71	<5	<0.01	<10	<10	36	15	1268	2
9V1367RA/RJ	P09-042	134414	119.50	119.80	0.30	21.13	9.29	4.1	1.21	84	92	<0.5	64	3.8	16	13	54	7	5.59	<1	0.23	<10	0.82	4252	4	0.01	1	1082	444	2.88	<5	4	194	<5	<0.01	<10	<10	40	10	1141	2
9V1367RA/RJ	P09-042	134415	BLANK			<0.01		<0.1	0.09	<5	15	<0.5	87	>15.00	<1	1	3	2	0.56	<1	0.07	<10	12.6	270	<2	0.01	2	296	2	0.53	<5	<1	55	<5	<0.01	10	<10	3	<10	25	<1
9V1367RA/RJ	P09-042	134416	119.80	120.58	0.78	5.72		8.2	0.75	119	55	<0.5	45	3.19	24	8	73	28	5.14	<1	0.2	<10	0.59	2078	7	0.01	4	669	489	3.44	<5	2	113	<5	<0.01	<10	<10	24	14	1844	2
9V1367RA/RJ	P09-042	134417	120.58	121.80	1.22	<0.01		<0.1	1.72	22	1097	<0.5	41	4.07	5	24	53	7	5.65	<1	0.22	26	2.32	1255	<2	0.04	33	3426	14	0.33	<5	5	252	<5	<0.01	<10	<10	52	<10	158	3
9V1367RA/RJ	P09-042	134418	121.80	122.80	1.00	<0.01		<0.1	1.68	33	1145	<0.5	46	3.86	4	21	53	9	5.14	<1	0.22	31	2.14	1269	<2	0.04	29	3347	14	0.32	<5	5	270	<5	<0.01	10	<10	56	<10	125	3
9V1367RA/RJ	P09-042	134419	122.80	123.80	1.00	0.54		3	0.82	124	139	<0.5	38	3.91	10	11	50	26	3.5	<1	0.32	<10	0.55	2343	<2	0.01	2	1193	308	1.69	6	2	142	<5	<0.01	<10	<10	21	<10	897	2
9V1367RA/RJ	P09-042	134420	123.80	124.80	1.00	0.68		3.7	0.56	110	117	<0.5	40	2.74	12	10	43	7	3.25	<1	0.28	<10	0.47	2297	2	0.01	1	1068	384	1.96	7	2	120	<5	<0.01	<10	<10	20	<10	953	1
9V1367RA/RJ	P09-042	134421	124.80	125.80	1.00	0.53		4	0.19	85	84	<0.5	25	8.78	10	5	60	18	2.86	<1	0.14	<10	0.17	4004	<2	0.01	1	463	383	2.74	<5	1	189	<5	<0.01	<10	<10	10	<10	593	1
9V1367RA/RJ	P09-042	134422	125.80	126.49	0.69	0.67		2.6	0.4	119	128	<0.5	32	4.72	7	7	82	30	2.6	<1	0.15	<10	0.41	2352	<2	0.01	1	452	253	1.48	<5	2	148	<5	<0.01	<10	<10	14	<10	454	1
9V1367RA/RJ	P09-042	134423	126.49	127.50	1.01	<0.01		0.1	1.15	12	97	<0.5	38	3.74	3	13	52	12	3.39	<1	0.28	14	1.4	1143	<2	0.02	11	1671	28	0.38	<5	4	234	<5	<0.01	<10	<10	31	<10	104	2
9V1367RA/RJ	P09-042	134424	127.50	128.50	1.00	<0.01		<0.1	1.26	<5	1247	<0.5	39	4.65	3	13	58	2	3.26	<1	0.25	17	1.5	795	<2	0.03	11	1661	8	0.2	<5	4	265	<5	<0.01	<10	<10	47	<10	75	1
9V1367RA/RJ	P09-042	134425	128.50	129.50	1.00	<0.01		<0.1	1.44	<5	231	<0.5	26	3.42	2	13	61	<1	3.16	<1	0.24	16	1.42	612	<2	0.02	11	1645	11	0.19	<5	3	156	<5	<0.01	<10	<10	45	<10	80	1
9V1367RA/RJ	P09-042	134426	129.50	130.50	1.00	<0.01		<0.1	1.44	<5	461	<0.5	38	3.73	2	13	56	<1	3.24	<1	0.24	21	1.43	708	<2	0.03	11	1589	6	0.12	<5	3	152	<5	<0.01	<10	<10	54	<10	78	2
9V1367RA/RJ	P09-042	134427	130.50	131.50	1.00	<0.01		<0.1	1.55	<5	328	<0.5	10	3.25	3	14	70	<1	3.56	<1	0.19	19	1.62	683	<2	0.05	12	1669	5	0.1	<5	4	123	<5	0.02	<10	<10	72	<10	76	2
9V1367RA/RJ	P09-042	134428	131.50	132.65	1.15	<0.01		<0.1	1.46	<5	412	<0.5	39	3.57	2	12	66	<1	2.98	<1	0.18	19	1.56	747	<2	0.04	12	1609	5	0.12	<5	4	131	<5	0.02	<10	<10	65	<10	65	3
9V1367RA/RJ	P09-042	134429	132.65	133.50	0.85	<0.01		0.4	2.19	59	304	0.5	49	4	4	21	26	29	5.34	<1	0.51	12	1.27	2217	4	0.01	2	1631	13	1.04	<5	6	126	<5	0.01	<10	<10	69	<10	115	2
9V1367RA/RJ	P09-042	134430	133.50	134.50	1.00	<0.01		0.7	2.07	76	203	<0.5	38	4.33	5	19	26	20	5.13	<1	0.35	11	1.33	2695	<2	0.01	2	1555	10	0.8	<5	5	156	<5	<0.01	<10	<10	59	<10	191	2
9V1367RA/RJ	P09-042	134431	134.50	135.50	1.00	0.07		1.8	1.83	169	176	<0.5	64	5.09	4	18	25	14	5.03	<1	0.34	10	1.29	3510	<2	0.01	1	1502	18	1.55	8	5	133	<5	<0.01	<10	<10	57	<10	130	2
9V1367RA/RJ	P09-042	134432	135.50	136.50	1.00	0.01		0.7	2.01	93	165	<0.5	50	3.62	5	20	23	16	5.79	<1	0.31	10	1.42	2915	<2	0.01	1	1574	17	1.79	5	5	116	<5	<0.01	<10	<10	54	<10	144	2
9V1367RA/RJ	P09-042	134433	136.50	137.50	1.00	<0.01		0.7	1.84	55	200	<0.5	53	4	4	18	21	14	5.19	<1	0.33	10	1.12	3075	<2	0.01	1	1497	10	1.29	5	5	124	<5	<0.01	<10	<10	51	<10	155	2
9V1367RA/RJ	P09-042	134434	137.50	138.50	1.00	0.02		1.7	1.63	136	168	<0.5	44	3.75	6	18	23	13	5.42	<1	0.34	10	1.19	2687	<2	0.01	2	1556	24	1.43	9	5	157	<5	<0.01	<10	<10	42	<10	242	2
9V1367RA/RJ	P09-042	134435	138.50	139.50	1.00	<0.01		0.6	1.75	48	178	<0.5	43	3.35	4	17	19	22	4.84	<1	0.43	11	1.15	2340	<2	0.01	2	1423	10	0.76	<5	5	149	<5	<0.01	<10	<10	44	<10	185	2
9V1367RA/RJ	P09-042	134436	139.50	140.50	1.00	0.01		1.4	1.36	90	156	<0.5	49	5.3	3	15	24	21	4.12	<1	0.3	10	0.88	3359	<2	0.01	2	1281	13	0.93	<5	5	182	<5	<0.01	<10	<10	37	<10	136	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1367RA/RJ	P09-042	134437	140.50	141.50	1.00	0.18		0.6	1.74	71	165	<0.5	36	3.8	4	18	18	20	4.43	<1	0.33	12	1.02	2410	<2	0.01	2	1524	13	0.52	<5	5	193	<5	<0.01	<10	<10	43	<10	143	2
9V1367RA/RJ	P09-042	134438	141.50	142.50	1.00	0.08		2.2	1.38	197	125	<0.5	36	3.77	5	20	32	10	5.34	<1	0.33	<10	0.8	1946	2	0.01	4	1442	62	2.64	<5	4	152	<5	<0.01	<10	<10	32	<10	189	2
9V1367RA/RJ	P09-042	134439	142.50	143.50	1.00	0.2		2.7	1.33	203	110	<0.5	26	4.61	5	17	29	16	4.89	<1	0.34	<10	0.82	1651	4	0.01	3	1340	19	2.64	7	4	172	<5	<0.01	<10	<10	35	<10	132	2
9V1367RA/RJ	P09-042	134440	BLANK			<0.01		<0.1	0.04	<5	14	<0.5	75	>15.00	<1	1	1	1	0.49	1	0.03	<10	12.1	258	<2	0.01	1	160	<2	0.48	<5	<1	47	<5	<0.01	<10	<10	3	<10	15	<1
9V1367RA/RJ	P09-042	134441	STD	PM405		0.27		0.8	0.61	693	1088	0.5	25	0.7	3	8	57	36	3.4	2	0.14	16	0.35	479	5	0.01	33	921	157	0.22	571	5	216	7	<0.01	<10	<10	60	<10	241	12
9V1367RA/RJ	P09-042	134442	143.50	144.50	1.00	0.23		1.6	1.52	704	142	<0.5	42	7.11	3	15	18	16	4.29	<1	0.28	10	1.02	3195	<2	0.01	2	1160	10	1.71	5	4	219	<5	<0.01	<10	<10	30	<10	138	2
9V1367RA/RJ	P09-042	134443	144.50	145.50	1.00	0.17		1	1.5	90	158	<0.5	31	4.08	4	16	21	15	4.59	<1	0.34	10	1.03	1841	<2	0.01	3	1267	14	1.29	<5	5	176	<5	<0.01	<10	<10	37	<10	160	2
9V1367RA/RJ	P09-042	134444	145.50	146.50	1.00	0.03		1.4	1.94	42	161	<0.5	40	3.18	5	17	25	14	5.46	<1	0.28	10	1.36	1863	<2	0.01	3	1382	16	1.37	<5	5	133	<5	<0.01	<10	<10	55	<10	170	2
9V1367RA/RJ	P09-042	134445	146.50	147.50	1.00	0.13		1.9	1.4	212	134	<0.5	47	3.43	4	17	27	11	5.17	1	0.3	<10	0.83	1993	<2	0.01	3	1184	17	2.32	8	4	116	<5	<0.01	<10	<10	37	<10	182	2
9V1367RA/RJ	P09-042	134446	147.50	148.50	1.00	0.33		2.8	0.85	241	70	<0.5	36	2.85	5	18	43	7	4.94	1	0.28	<10	0.48	1263	4	0.01	4	1161	40	3.51	10	2	106	<5	<0.01	<10	<10	22	<10	132	2
9V1367RA/RJ	P09-042	134447	148.50	149.50	1.00	0.09		1.8	1.27	243	77	<0.5	53	2.49	5	17	29	7	5.09	<1	0.33	<10	0.75	2376	2	0.01	3	1282	34	2.92	8	3	83	<5	<0.01	<10	<10	35	<10	176	2
9V1367RA/RJ	P09-042	134448	149.50	150.50	1.00	0.15		1.5	1.62	118	174	<0.5	26	2.5	4	12	32	23	4.54	<1	0.23	10	1.09	3920	<2	0.01	3	1197	30	1.21	5	5	106	<5	<0.01	<10	<10	68	<10	183	2
9V1367RA/RJ	P09-042	134449	150.50	151.50	1.00	0.94		3.1	0.91	435	75	<0.5	29	2.69	10	18	42	15	4.68	<1	0.27	<10	0.5	2031	7	0.01	4	1037	226	3.3	6	2	94	<5	<0.01	<10	<10	25	<10	864	2
9V1367RA/RJ	P09-042	134450	151.50	152.53	1.03	0.66		1.7	1.47	182	156	<0.5	40	2.94	5	16	35	9	4.51	<1	0.29	<10	0.97	2542	2	0.01	3	1191	84	1.62	<5	4	126	<5	<0.01	<10	<10	41	<10	227	2
9V1367RA/RJ	P09-042	134451	152.53	153.50	0.97	0.01		1	1.55	72	191	<0.5	46	3.92	4	16	31	13	4.45	<1	0.31	11	1.16	2702	2	0.01	3	1244	21	0.83	5	5	160	<5	<0.01	<10	<10	43	<10	138	2
9V1367RA/RJ	P09-042	134452	153.50	154.50	1.00	<0.01		0.4	2.11	25	159	<0.5	46	3.79	4	17	22	16	5.1	<1	0.3	11	1.62	2563	<2	0.01	3	1312	11	0.45	<5	6	151	<5	<0.01	<10	<10	50	<10	123	2
9V1367RA/RJ	P09-042	134453	154.50	155.50	1.00	<0.01		0.2	2.36	21	159	<0.5	58	3.54	5	17	20	13	5.63	<1	0.3	11	1.82	2404	<2	0.01	3	1320	8	0.38	<5	6	175	<5	<0.01	<10	<10	61	<10	106	2
9V1367RA/RJ	P09-042	134454	155.50	156.50	1.00	<0.01		1	2.12	67	152	<0.5	44	2.63	4	16	26	12	5.31	<1	0.26	10	1.48	2136	<2	0.01	3	1238	18	0.84	6	4	94	<5	<0.01	<10	<10	62	<10	162	2
9V1367RA/RJ	P09-042	134455	156.50	157.50	1.00	<0.01		1.7	2.23	41	174	<0.5	31	2.84	4	17	25	13	5.21	<1	0.29	10	1.58	1739	<2	0.01	3	1288	9	0.75	<5	5	99	<5	<0.01	<10	<10	62	<10	111	2
9V1367RA/RJ	P09-042	134456	157.50	158.50	1.00	0.01		1.8	1.56	111	116	<0.5	40	2.01	4	19	34	33	4.86	<1	0.29	<10	1.06	1738	<2	0.01	4	1286	22	1.88	8	3	74	<5	<0.01	<10	<10	43	<10	113	2
9V1367RA/RJ	P09-042	134457	158.50	159.50	1.00	0.12		0.8	1.71	183	102	<0.5	44	2.94	5	19	26	15	5.49	<1	0.29	<10	1.19	1897	<2	0.01	3	1306	30	2.21	6	4	97	<5	<0.01	<10	<10	46	<10	121	2
9V1367RA/RJ	P09-042	134458	159.50	160.50	1.00	0.03		0.8	1.38	94	119	<0.5	38	2.49	4	17	31	13	4.63	<1	0.28	10	0.89	1523	<2	0.01	3	1355	11	1.84	5	3	95	<5	<0.01	<10	<10	41	<10	86	2
9V1367RA/RJ	P09-042	134459	160.50	161.50	1.00	0.06		1.3	1.67	118	158	<0.5	26	1.09	4	17	32	15	4.48	1	0.31	11	1.09	905	<2	0.01	4	1322	13	1.18	8	3	48	<5	<0.01	<10	<10	49	<10	111	2
9V1367RA/RJ	P09-042	134460	161.50	162.50	1.00	0.02		2.3	1.45	175	134	<0.5	22	2.67	4	16	36	16	4.39	1	0.27	<10	0.9	1412	<2	0.01	3	1182	37	1.77	14	3	71	<5	<0.01	<10	<10	44	<10	135	2
9V1367RA/RJ	P09-042	134461	162.50	163.34	0.84	<0.01		3.8	1.27	74	119	<0.5	29	4.3	5	15	33	59	4.29	<1	0.29	<10	0.78	1889	<2	0.01	3	1085	42	2.09	8	3	180	<5	<0.01	<10	<10	36	<10	212	2
9V1367RA/RJ	P09-042	134462	163.34	164.30	0.96	0.03		1.6	1.36	50	190	<0.5	29	3.22	7	13	28	20	4.34	1	0.38	11	0.78	2223	<2	0.01	3	1336	71	1.74	<5	4	123	<5	<0.01	<10	<10	49	<10	1003	2
9V1367RA/RJ	P09-042	134463	164.30	165.30	1.00	0.01		1.1	2.13	45	223	<0.5	43	2.83	6	20	23	25	5.55	<1	0.36	11	1.26	2921	<2	0.01	3	1431	38	1.05	<5	5	125	<5	<0.01	<10	<10	61	<10	364	2
9V1367RA/RJ	P09-042	134464	165.30	166.30	1.00	<0.01		1.1	1.62	72	222	<0.5	37	3.29	4	16	26	17	4.42	<1	0.32	11	0.91	3070	<2	0.01	3	1332	23	0.85	5	5	114	<5	<0.01	<10	<10	51	<10	96	2
9V1367RA/RJ	P09-042	134465	166.30	167.30	1.00	0.03		1.9	1.35	69	222	<0.5	47	4.31	3	14	29	41	3.64	<1	0.33	12	0.72	3635	<2	0.01	3	1303	38	0.85	6	5	134	<5	<0.01	<10	<10	50	<10	91	2
9V1367RA/RJ	P09-042	134466	167.30	168.30	1.00	0.05		1.5	1.77	24	166	<0.5	56	4.68	5	15	26	32	4.42	<1	0.26	11	1.04	3880	<2	0.01	3	1217	40	0.44	<5	5	145	<5	<0.01	<10	<10	66	<10	216	2
9V1367RA/RJ	P09-042	134467	168.30	169.30	1.00	0.01		1.1	1.97	34	206	<0.5	36	3.48	6	16	26	18	4.88	<1	0.3	12	1.21	3710	<2	0.01	3	1270	75	0.55	<5	6	138	<5	<0.01	<10	<10	73	<10	343	2
9V1367RA/RJ	P09-042	134468	169.30	170.30	1.00	0.03		0.6	1.98	38	206	<0.5	41	3.07	5	19	23	23	4.88	1	0.31	12	1.2	2815	<2	0.01	3	1379	52	0.56	<5	5	113	<5	<0.01	<10	<10	67	<10	275	2
9V1367RA/RJ	P09-042	134469	170.30	171.30	1.00	0.01		1	2.19	27	217	<0.5	65	4.45	4	18	22	24	5.26	<1	0.32	13	1.33	4598	<2	0.01	3	1284	27	0.39	<5	6	147	<5	<0.01	<10	<10	65	<10	130	2
9V1367RA/RJ	P09-042	134470	171.30	172.30	1.00	0.01		0.8	2.3	56	172	<0.5	39	3.89	5	17	18	14	5.2	<1	0.3	11	1.47	3200	<2	0.01	3	1430	44	0.46	<5	6	119	<5	<0.01	<10	<10	66	<10	137	2
9V1367RA/RJ	P09-042	134471	172.30	173.30	1.00	0.04		1.3	1.8	112	158	<0.5	51	3.77	5	15	22	16	4.74	<1	0.3	10	1.22	2944	<2	0.02	1	1277	178	0.8	6	5	158	<5	<0.01	<10	<10	55	<10	173	2
9V1367RA/RJ	P09-042	134472	173.30	174.30	1.00	<0.01		1.6	1.24	138	179	<0.5	37	3.11	3	15	25	23	3.51	<1	0.33	12	0.63	2425	<2	0.01	3	1347	56	1.13	7	4	111	<5	<0.01	<10	<10	54	<10	136	2
9V1367RA/RJ	P09-042	134473	174.30	175.30	1.00	0.14		1	2.04	186	198	<0.5	48	4.73	5	16	22	8	5.18	<1	0.31	10	1.33	3381	3	0.01	2	1338	30	1.14	<5	6	151	<5	<0.01	<10	<10	60	<10	107	2
9V1367RA/RJ	P09-042	134474	175.30	176.30	1.00	0.06		0.5	2.25	94	111	<0.5	45	4.43	5	15	20	8	5.3	<1	0.26	10	1.58	3015	3	0.02	1	1387	19	0.7	<5	6	117	<5	<0.01	<10	<10	67	<10	140	2
9V1367RA/RJ	P09-042	134475	176.30	177.30	1.00	0.13		0.9	2.02	145	155	<0.5	55	6.49	4	14	19	9	4.94	<1	0.28	<10	1.43	3670	<2	0.02	1	1258	39	0.84	<5	6	161	<5	<0.01	<10	<10	56	<10	147	2
9V1367RA/RJ	P09-042	134476	177.30	178.30	1.00	0.68		1.2	2.29	201	134	<0.5	66	4.85	5	17	21	13	6.08	<1	0.32	<10	1.61	3029	2	0.02	1	1557	53	1.06	<5	7	144	<5	<0.01	<10	<10	63	<10	128	2
9V1367RA/RJ	P09-042	134477	178.30	179.30	1.00	0.23		1.1	1.9	139	138	<0.5	47	4.7	5	16	27	15	4.98	<1	0.31	<10	1.29	2604	3	0.02	1	1278	27	0.98	<5	5	152	<5	<0.01	<10	<10	51	<10	137	2
9V1367RA/RJ	P09-042	134478	179.30	180.30	1.00	0.28		1.3	1.86	193	130	<0.5	39	4.69	5	15	20	3	5.55	<1	0.29	<10	1.31	2680	<2	0.02	1	1314	29	1.54	6	5	140	<5	<0.01	<10	<10	46	<10	100	2
9V1367RA/RJ	P09-042	134479	180.30	181.30	1.00	0.29		1.4	1.58	103	146	<0.5	34	3.64	8	16	24	21	4.9	<1	0.32	<10	1.48	2677	<2	0.02	1	1323	151	0.94	<5	6	135	<5	<0.01	<10	<10	42	<10	488	2
9V1367RA/RJ	P09-042	134480	181.30	182.30	1.00	0.06		4.5	2.31	98	142	<0.5	55	3.08	23	17	23	113	5.36	1	0.27	<10	1.76	2645	3	0.02	1	1312	344	0.97	14	5	102	<5	<0.01	<10	<10	57	<10	1967	2
9V1367RA/RJ	P09-042	134481	182.30	183.30	1.00	0.02		0.9	2.62	81	136	<0.5	45	2.11	5	17	21	18	5.87	1	0.27	10	1.94	2430	8	0.02	1	1353	26	0.6	<5	6	82	<5	<0.01	<10	<10	68	<10	177	2
9V1367RA/RJ	P09-042	134482	183.30	184.30	1.00	0.07		3.6	1.98	337	132	<0.5	41	0.85	5	19	31	21	5.95	1	0.27	<10	1.43	1071	3	0.02	2	1300	40	2.08	19	4	40	<5	<0.01	<10	<10	51	10	261	2
9V1367RA/RJ	P09-042	134483	184.30	185.30	1.00	0.15		5.2	1.58	350	141	<0.5	19	2.46	8	16	33	38	5.07	1	0.33	<10	1.19	1995	2	0.01	1	1245	419	2.02	19	3	83	<5	<0.01	<10	<10	38	<10	547	2
9V1367RA/RJ	P09-042	134484	185.30	186.30	1.00	0.55		4.3	1.61	334	118	<0.5	35	1.26	4	11	53	3	4.94	3	0.31	<10	1.07	1415	<2	0.01	1	994	40	2.02	20	4	53	<5	<0.01	<10	<10	42	11	131	2
9V1367RA/RJ	P09-042	134485	186.30	187.30	1.00	0.13		1.6	2.33	75	183	<0.5	55	4.12	6	16	28	10	5.59	1	0.38	<10	1.69	3016	<2	0.02	1	1324	70	0.94	<5	6	125	<5	<0.01	<10	<10	58	<10	283	2
9V1367RA/RJ	P09-042	134486	187.30	188.30	1.00	0.07		0.6	2.16	58	176	<0.5	61	5.09	5	16	17	13	5.3	1	0.34	<10	1.72	3129	<2	0.01	1	1312	30	0.73	<5	7	196	<5	<0.01	<10	<10	55	<10	183	2
9V1367RA/RJ	P09-042	134487	188.30	189.30	1.00	0.17		0.9	1.65	160	262	<0.5	43	5.65	4	15	20	10	4.45	<1	0.4	<10	1.3	2931	<2	0.01	1	1309	21	0.9	<5	6	189	<5	<0.01	<10	<10	42	<10	103	2
9V1367RA/RJ	P09-042	134488	189.30	190.30	1.00	1.65		2.4	1.86	127	182	<0.5	54	7.48	4	13	30	20	4.47	<1	0.31	<10	1.37	4600	<2	0.01	1	1189	39	0.98	<5	5	202	<5	<0.01	<10	<10	46	<10	141	2
9V1367RA/RJ	P09-042	134489	190.30	191.30	1.00	0.77		1.2	1.95	1319	168	<0.5	50	3.85	4	16	21	8	5.68	<1	0.37	<10	1.35	2643	<2	0.02	1	1364	28	1.78	9	6	129	<5	<0.01	<10	<10	52	<10	123	2
9V1367RA/RJ	P09-042	134490	191.30	192.30	1.00	0.36		1.6	1.63	518	157	<0.5	46	5.31	4	14	31	17	4.64	<1	0.29	<10	1.34	2996	<2	0.01	1	1222	60	1.26	<5	5	152	<5	<0.01	<10	<10	46	<10	160	2
9V1367RA/RJ	P09-042	134491	192.30	193.30	1.00	0.18		2.2	1.89	192	188	<0.5	54	5.09	4	17	26	14	5.48	1	0.35	<10	1.43	2630	26	0.02	1	1312	40	1.69	10	4	128	<5	<0.01	<10	<10	58	<10	120	2
9V1367RA/RJ	P09-042	134492	193.30	194.30	1.00	0.2		1.6	1.71	93	158	<0.5	41	4.05	9	17	33	38	5.32	<1	0.31	<10	1.56	2861	6	0.02	1	1269	43	1.13	<5	5	128	<5	<0.01	<10	<10	53	<10	664	2
9V1367RA/RJ	P09-042	134493	194.30	195.30	1.00	0.1		3.9	1.78	161	142	<0.5	42	3.03	8	21	24	30	5.84	1	0.34	<10	1.59	1850	15	0.02	2	1364	118	2.07	9	4	108	<5	<0.01	<10	<10	56	<10	474	3
9V1367RA/RJ	P09-042	134494	195.30	196.30	1.00	0.07		2.8	1.1	126	121	<0.5	53	3.6	6	17	37	18	4.75	<1	0.32	<10	1.1	2065	14	0.02	2	1117	210	1.81	7	4	110	<5	<0.01	<10	<10	47	<10	276	2
9V1367RA/RJ	P09-042	134495	196.30	197.30	1.00	0.01		1.4	2.17	90	195	<0.5	26	4.39	7	20	20	12	5.86	1	0.39	<10	1.43	2601	<2	0.02	1	1352	68	1.31	<5	6	134	<5	<0.01	<10	<10	77	<10	461	2
9V1367RA/RJ	P09-042	134496	197.30	198.30	1.00	<0.01		1	1.98	36	169	<0.5	30	2.47	6	17	28	13	5.67	<1	0.35	<10	1.37	1862	<2	0.02	1	1333	63	0.86	<5	4	76	<5	<0.01	<10	<10	62	<10	583	2
9V1367RA/RJ	P09-042	134497	198.30	199.30	1.00	<0.01		0.2	1.53	30	841	0.5	33	3.9	5	18	31	14	5.05	<1	0.38	41	1.44	1503	4	0.03	10	3120	49	0.42	<5	5	239	5	<0.01	12	<10	44	<10	285	3
9V1367RA/RJ	P09-042	134498	199.30	200.30	1.00	0.13		1.8	0.74	43	316	<0.5	42	4.47	10	16	22	34	4.86	<1	0.43	11	1.53	2755	<2	0.01	2	1605	196	0.71	<5	7	192	<5	<0.01	<10	<10	35	<10	795	2
9V1367RA/RJ	P09-042	134499	200.30	201.30	1.00	0.68		4.2	1.22	61	222	<0.5	27	5.63	16	16	20	132	4.7	<1	0.41	<10	1.26	3464	<2	0.01	1	1302	660	0.83	<5	6	195	<5	<0.01	<10	<10	39	<10	1342	2
9V1367RA/RJ	P09-042	134500	BLANK			<0.01		<0.1	0.03	<5	10	<0.5	73	>15.00	<1	1	5	1	0.48	<1	0.02	<10	12.9	212	<2	0.01	1	150	<2	0.51	<5	<1	49	<5	<0.01	<10	<10	2	<10	22	<1
9V1367RA/RJ	P09-042	134501	201.30	202.30	1.00	0.66		5	1.58	91	137	<0.5	46	4.79	12	17	18	56	5.71	<1	0.39	<10	1.61	3215	<2	0.01	1	1335	482	1.56	<5	6	185	<5	<0.01	<10	<10	44	10	803	2
9V1367RA/RJ	P09-042	134502	202.30	203.30	1.00	0.19		1.6	0.58	60	245	<0.5	33	4	7	18	20	30	5.43	<1	0.4	<10	1.42	3266	<2	0.01	1	1400	181	0.99	<5	7	179	<5	<0.01	<10	<10	29	<10	331	2
9V1367RA/RJ	P09-042	134503	203.30	204.30	1.00	<0.01		0.7	0.61	44	268	0.5	34	3.64	5	17	17	17	5.42	<1	0.44	11	1.39	2869	<2	0.01	1	1377	31	0.65	<5	6	168	<5	<0.01	<10	<10	29	<10	134	2
9V1367RA/RJ	P09-042	134504	204.30	205.30	1.00	0.07		1.5	0.91	90	227	0.5	50	3.32	15	16	21	19	5.42	<1	0.43	<10	1.37	3492	<2	0.01	1	1355	457	1.08	<5	6	191	<5	<0.01	<10	<10	33	10	1073	2
9V1367RA/RJ	P09-042	134505	205.30	206.30	1.00	0.18		2.5	0.63	159	99	<0.5	36	4.75	16	14	29	9	5.61	<1	0.38	<10	1.58	4520	<2	0.01	1	1090	656	2.08	<5	5	235	<5	<0.01	<10	<10	23	10	1234	2
9V1367RA/RJ	P09-042	134506	206.30	207.30	1.00	<0.01		0.8	0.52	45	198	<0.5	23	3.23	4	15	24	10	4.61	<1	0.4	<10	1.09	1911	<2	0.01	1	1462	35	0.93	<5	5	197	<5	<0.01	<10	<10	18	<10	108	2
9V1367RA/RJ	P09-042	134507	207.30	208.30	1.00	0.14		1.9	0.4	82	157	<0.5	25	3.42	4	12	49	9	3.61	<1	0.31	<10	1	1833	<2	0.01	1	1036	63	1.05	<5	4	195	<5	<0.01	<10	<10	15	<10	166	1
9V1367RA/RJ	P09-042	134508	208.30	209.30	1.00	0.06		4	0.49	86	119	<0.5	33	3.18	4	17	24	7	4.63	<1	0.34	<10	1.01	1444	<2	0.01	3	1332	51	1.49	<5	5	204	<5	<0.01	<10	<10	18	<10	77	2
9V1367RA/RJ	P09-042	134509	209.30	210.30	1.00	0.13		4	0.58	100	112	<0.5	41	3.17	4	15	29	13	4.1	<1	0.32	<10	0.98	1467	2	0.01	1	1162	83	1.62	<5	5	186	<5	<0.01	<10	<10	19	<10	82	2
9V1367RA/RJ	P09-042	134510	210.30	211.30	1.00	0.07		7.7	0.81	99	79	<0.5	20	3.21	5	21	15	13	5.48	<1	0.36	<10	1.18	1474	2	0.01	2	1464	39	2.7	<5	6	169	<5	<0.01	<10	<10	35	<10	64	2
9V1367RA/RJ	P09-042	134511	211.30	212.30	1.00	0.15		8.2	0.8	184	56	<0.5	34	2.42	5	26	28	15	5.57	1	0.37	<10	0.93	1211	3	0.01	3	1313	51	3.58	11	5	144	<5	<0.01	<10	<10	44	<10	46	2
9V1367RA/RJ	P09-042	134512	212.30	213.30	1.00	0.13		11.4	0.73	204	69	<0.5	25	2.15	6	24	25	12	6.03	1	0.34	<10	0.89	1095	14	0.01	3	1591	61	4.02	14	5	141	<5	<0.01	<10	<10	39	<10	53	3
9V1367RA/RJ	P09-042	134513	213.30	214.30	1.00	0.69		9.8	0.68	634	35	<0.5	41	2.66	7	20	42	11	6.85	2	0.35	<10	0.8	1130	4	0.01	2	1280	109	4.81	37	4	181	<5	<0.01	10	<10	23	12	148	3
9V1367RA/RJ	P09-042	134514	214.30	215.30	1.00	0.15		2	1.38	166	137	<0.5	52	6.43	5	17	25	18	4.87	<1	0.31	<10	1.25	2488	6	0.01	1	1342	38	1.8	<5	5	434	<5	<0.01	<10	<10	30	<10	146	2
9V1367RA/RJ	P09-042	134515	215.30	216.30	1.00	0.1		2.2	1.5	115	156	0.6	39	5.58	6	18	24	12	5.16	<1	0.35	<10	1.42	2456	10	0.01	1	1444	99	1.31	<5	7	376	<5	<0.01	<10	<10	35	<10	290	2
9V1367RA/RJ	P09-042	134516	216.30	217.30	1.00	0.13		1	1.31	91	164	0.6	22	4.03	5	19	25	19	5.42	<1	0.4	<10	1.43	1671	2	0.01	4	1612	18	1.41	<5	6	260	<5	<0.01	<10	<10	32	<10	109	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1367RA/RJ	P09-042	134517	217.30	218.30	1.00	0.11		0.4	1.17	29	505	0.5	34	3.77	3	14	41	17	3.53	<1	0.33	16	1.27	767	<2	0.02	11	1615	17	0.53	<5	3	292	<5	<0.01	<10	<10	26	<10	92	2
9V1367RA/RJ	P09-042	134518	218.30	219.30	1.00	0.11		0.1	1.13	26	303	0.5	30	4.19	3	13	42	8	3.45	<1	0.33	17	1.36	760	<2	0.02	11	1609	10	0.45	<5	3	319	<5	<0.01	<10	<10	28	<10	90	2
9V1367RA/RJ	P09-042	134519	219.30	220.30	1.00	0.31		0.5	1.1	47	188	<0.5	34	4.23	3	13	47	14	3.51	<1	0.35	17	1.44	870	<2	0.02	11	1637	26	0.57	<5	3	304	<5	<0.01	<10	<10	29	<10	100	2
9V1367RA/RJ	P09-042	134520	220.30	221.30	1.00	0.72		0.7	0.77	40	258	0.5	27	5.48	3	13	37	13	3.52	<1	0.33	14	1.3	1535	<2	0.02	9	1556	34	0.72	<5	4	402	<5	<0.01	<10	<10	17	<10	128	2
9V1367RA/RJ	P09-042	134521	221.30	222.30	1.00	0.05		3.4	0.71	109	159	1.3	54	5.34	5	15	26	19	4.84	<1	0.44	<10	1.4	2807	6	0.01	3	1287	55	1.64	<5	6	317	<5	<0.01	<10	<10	18	<10	156	2
9V1367RA/RJ	P09-042	134522	222.30	223.30	1.00	0.04		2.2	0.53	135	131	0.8	23	2.53	5	14	25	9	4.1	<1	0.43	<10	0.69	1609	<2	0.01	1	1592	83	1.91	<5	5	171	<5	<0.01	<10	<10	16	<10	274	2
9V1367RA/RJ	P09-042	134523	223.30	224.30	1.00	0.42		5.9	0.47	267	101	0.5	24	2.25	6	11	77	13	4.21	1	0.36	<10	0.63	1251	2	0.01	1	964	158	2.68	15	3	143	<5	<0.01	<10	<10	15	<10	239	2
9V1367RA/RJ	P09-042	134524	224.30	225.30	1.00	0.61		3.8	0.33	96	100	<0.5	21	2.91	10	7	88	38	3.42	<1	0.25	<10	0.75	2487	<2	0.01	2	677	145	1.71	6	3	184	<5	<0.01	<10	<10	13	<10	698	1
9V1367RA/RJ	P09-042	134525	225.30	226.30	1.00	2.92		12.8	0.21	57	56	<0.5	19	1.52	18	5	124	218	2.48	1	0.16	<10	0.36	1784	<2	0.01	2	345	1552	1.43	7	1	73	<5	<0.01	<10	<10	7	<10	1390	1
9V1367RA/RJ	P09-042	134526	226.30	227.30	1.00	0.3		1.9	0.26	48	240	<0.5	9	1.67	4	5	125	11	2.4	<1	0.18	<10	0.41	2065	<2	0.01	3	454	101	0.98	5	2	79	<5	<0.01	<10	<10	8	<10	293	1
9V1367RA/RJ	P09-042	134527	227.30	228.30	1.00	0.57		2.1	0.27	66	84	<0.5	44	2.37	5	5	134	12	3.03	<1	0.19	<10	0.56	2665	<2	0.01	2	448	160	1.23	6	2	119	<5	<0.01	<10	<10	9	<10	330	1
9V1367RA/RJ	P09-042	134528	228.30	229.30	1.00	1.02		3.5	0.26	202	85	<0.5	17	1.45	23	8	136	33	3.69	2	0.18	<10	0.41	1812	<2	0.01	2	390	459	2.32	17	2	86	<5	<0.01	<10	<10	12	10	1712	1
9V1367RA/RJ	P09-042	134529	229.30	230.30	1.00	5.7		7.3	0.37	50	142	<0.5	14	2.86	13	6	83	32	3.35	<1	0.24	<10	0.69	2652	3	0.01	1	602	416	1.51	6	3	177	<5	<0.01	<10	<10	11	<10	943	1
9V1367RA/RJ	P09-042	134530	230.30	231.30	1.00	1.87		7.4	0.32	223	81	<0.5	26	2.26	10	8	107	66	4.04	1	0.24	<10	0.58	2489	<2	0.01	2	549	229	2.49	19	2	161	<5	<0.01	<10	<10	10	11	589	2
9V1367RA/RJ	P09-042	134531	231.30	232.30	1.00	14.65		29.6	0.25	69	74	<0.5	32	1.45	20	8	164	533	3.05	<1	0.18	<10	0.38	1601	<2	0.01	2	331	698	2.06	21	2	95	<5	<0.01	<10	<10	10	<10	1361	1
9V1367RA/RJ	P09-042	134532	232.30	233.30	1.00	0.84		2.7	0.27	119	79	<0.5	8	1.24	5	10	149	22	3.51	<1	0.17	<10	0.42	1292	<2	0.01	3	480	109	2.01	8	2	80	<5	<0.01	<10	<10	8	<10	314	1
9V1367RA/RJ	P09-042	134533	233.30	234.30	1.00	0.77		3.2	0.64	118	84	<0.5	36	1.79	5	9	148	19	4.36	<1	0.2	<10	0.84	2888	<2	0.01	2	634	397	1.68	9	3	116	<5	<0.01	<10	<10	19	10	299	2
9V1367RA/RJ	P09-042	134534	234.30	235.30	1.00	0.37		2.9	0.51	74	171	<0.5	19	1.69	8	10	115	79	3.95	<1	0.24	<10	0.92	3013	<2	0.01	3	744	167	1.16	8	4	96	<5	<0.01	<10	<10	17	<10	651	1
9V1367RA/RJ	P09-042	134535	235.30	236.30	1.00	0.77		3.2	0.87	150	84	<0.5	31	1.89	12	15	95	11	5.68	<1	0.32	<10	1.2	3733	<2	0.01	2	992	161	1.85	7	5	125	<5	<0.01	<10	<10	29	11	818	2
9V1367RA/RJ	P09-042	134536	236.30	237.30	1.00	0.22		2.8	0.59	107	65	<0.5	37	2.32	12	16	77	12	5.66	<1	0.37	<10	0.94	2429	<2	0.01	2	1067	242	2.37	10	5	155	<5	<0.01	<10	<10	22	10	804	2
9V1367RA/RJ	P09-042	134537	237.30	238.30	1.00	0.59		2.4	0.4	82	161	<0.5	27	1.97	9	11	116	11	3.39	<1	0.3	<10	0.63	2101	<2	0.01	2	729	189	1.19	6	3	120	<5	<0.01	<10	<10	15	<10	677	1
9V1367RA/RJ	P09-042	134538	238.30	239.30	1.00	0.08		0.7	0.12	12	74	<0.5	17	1.82	2	2	215	2	1.68	<1	0.08	<10	0.48	1576	<2	0.01	4	194	31	0.26	<5	1	96	<5	<0.01	<10	<10	5	<10	94	1
9V1367RA/RJ	P09-042	134539	239.30	240.30	1.00	0.32		2	0.34	144	128	<0.5	15	2.58	6	7	165	4	2.95	<1	0.23	<10	0.76	2068	<2	0.01	2	589	126	1.17	8	3	161	<5	<0.01	<10	<10	11	<10	437	1
9V1367RA/RJ	P09-042	134540	240.30	241.30	1.00	0.6		3.6	0.62	227	89	<0.5	17	1.63	40	14	76	39	5.32	1	0.35	<10	1.07	2290	<2	0.01	2	1003	390	2.05	9	4	113	<5	<0.01	<10	<10	20	11	3152	2
9V1367RA/RJ	P09-042	134541	241.30	242.30	1.00	6.16		6.5	0.45	396	34	<0.5	63	1.75	14	12	67	14	5.64	3	0.38	<10	0.89	2434	<2	0.01	1	834	278	3.38	29	3	180	<5	<0.01	<10	<10	13	13	1173	2
9V1367RA/RJ	P09-042	134542	242.30	243.30	1.00	0.87		4.9	0.62	267	38	<0.5	47	2.24	49	15	57	42	5.64	1	0.35	<10	1.12	3280	<2	0.01	2	1114	836	2.67	5	4	172	<5	<0.01	<10	<10	19	12	3660	2
9V1367RA/RJ	P09-042	134543	243.30	244.30	1.00	1.44		2.6	0.58	426	62	<0.5	35	2.76	19	17	44	30	5.4	<1	0.35	<10	1.07	3021	<2	0.01	1	1327	664	2.89	<5	4	213	<5	<0.01	<10	<10	16	<10	1429	2
9V1367RA/RJ	P09-042	134544	244.30	245.30	1.00	0.47		10.3	1.26	251	76	<0.5	46	1.68	123	15	46	186	5.79	3	0.3	<10	1.39	3189	<2	0.01	1	1046	4644	2.82	6	4	116	<5	<0.01	<10	<10	30	<10	6808	2
9V1367RA/RJ	P09-042	134545	245.30	246.34	1.04	0.26		3.8	1.8	227	152	<0.5	33	1.93	38	16	41	54	5.52	1	0.34	<10	1.64	3362	<2	0.01	1	1341	1934	1.6	<5	5	137	<5	<0.01	<10	<10	49	<10	2859	2

P09-043 - Rambler - PAD 27 - 436156E 6219901N, Elev: 1099m, Az: 090, Dip: -50, EOH: 273.78m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1400RA/RJ	P09-043	134546	3.04	5.00	1.96	<0.01		0.7	2.17	14	290	<0.5	19	2.28	3	16	49	8	4.88	<1	0.25	13	1.61	1367	<2	0.03	8	1749	12	0.77	8	4	74	<5	0.02	<10	<10	47	<10	142	2
9V1400RA/RJ	P09-043	134547	5.00	6.00	1.00	0.04		<0.1	2.3	32	115	<0.5	18	2.87	4	17	75	8	5.08	<1	0.19	16	1.92	1258	<2	0.03	15	2151	16	0.53	10	4	81	<5	0.01	<10	<10	52	<10	166	3
9V1400RA/RJ	P09-043	134548	6.00	7.00	1.00	0.08		0.5	2.08	123	103	<0.5	25	2.98	4	17	51	23	6.28	<1	0.3	10	1.45	1214	<2	0.02	6	1797	21	2.42	12	4	85	<5	0.01	<10	<10	48	<10	110	3
9V1400RA/RJ	P09-043	134549	7.00	8.00	1.00	<0.01		<0.1	2.63	6	115	<0.5	19	3.21	3	20	84	11	5.4	<1	0.16	27	2.4	1087	<2	0.03	21	2583	5	0.15	10	4	91	<5	0.01	12	<10	66	<10	160	4
9V1400RA/RJ	P09-043	134550	8.00	9.00	1.00																																				
9V1400RA/RJ	P09-043	134551	9.00	10.00	1.00	0.02		0.3	2.37	133	194	<0.5	21	1.93	8	18	60	10	6.18	<1	0.29	17	1.82	1057	<2	0.02	12	2138	83	0.76	10	4	51	<5	0.01	<10	<10	53	<10	452	3
9V1400RA/RJ	P09-043	134552	10.00	11.00	1.00	0.03		0.6	2.51	92	192	<0.5	22	3.12	8	15	20	14	6.43	<1	0.28	10	1.69	2241	<2	0.01	<1	1642	103	0.6	11	5	136	<5	<0.01	<10	<10	38	<10	666	2
9V1400RA/RJ	P09-043	134553	11.00	12.00	1.00	0.59		<0.1	2.64	18	207	<0.5	22	4.22	4	18	19	4	6.28	<1	0.33	<10	1.81	2101	<2	0.02	<1	1561	13	1.15	9	6	103	<5	<0.01	<10	<10	44	<10	125	2
9V1400RA/RJ	P09-043	134554	12.00	13.00	1.00	<0.01		<0.1	2.43	12	286	<0.5	17	4.54	3	16	16	<1	5.5	<1	0.33	12	1.57	1858	<2	0.01	<1	1507	5	0.32	8	5	133	<5	<0.01	<10	<10	32	<10	98	2
9V1400RA/RJ	P09-043	134555	13.00	14.00	1.00	<0.01		<0.1	2.75	<5	504	<0.5	18	4.19	3	17	14	<1	5.86	<1	0.37	15	1.83	1818	<2	0.01	<1	1555	<2	0.11	9	5	132	<5	<0.01	<10	<10	35	<10	105	2
9V1400RA/RJ	P09-043	134556	14.00	15.00	1.00	<0.01		<0.1	2.5	<5	1639	<0.5	19	4.34	3	18	14	<1	5.78	<1	0.33	12	1.69	1794	<2	0.01	<1	1556	<2	0.28	9	5	193	<5	<0.01	<10	<10	37	<10	102	2
9V1400RA/RJ	P09-043	134557	15.00	16.00	1.00	<0.01		<0.1	2.46	<5	1886	<0.5	17	3.93	3	17	13	<1	5.58	<1	0.34	13	1.58	1877	<2	0.01	<1	1526	4	0.2	9	5	180	<5	<0.01	<10	<10	35	<10	106	2
9V1400RA/RJ	P09-043	134558	16.00	17.00	1.00	<0.01		0.2	2.15	10	553	<0.5	17	3.67	3	15	16	<1	5.31	<1	0.31	12	1.22	1779	<2	0.01	<1	1545	3	0.21	9	4	107	<5	0.01	<10	<10	37	<10	93	2
9V1400RA/RJ	P09-043	134559	17.00	18.00	1.00	0.29		0.6	1.98	24	200	<0.5	18	2.63	3	17	17	6	5.51	<1	0.37	<10	1.04	1647	<2	0.01	<1	1664	16	1.44	10	4	65	<5	<0.01	<10	<10	29	<10	88	2
9V1400RA/RJ	P09-043	134560	BLANK			<0.01		<0.1	0.13	<5	67	<0.5	<5	>15.00	<1	1	4	2	0.67	<1	0.05	<10	13.4	270	<2	0.01	1	216	<2	0.47	<5	<1	59	<5	<0.01	13	<10	3	<10	32	<1
9V1400RA/RJ	P09-043	134561	18.00	19.00	1.00	<0.01		0.2	2.63	10	811	<0.5	20	4.32	4	17	18	11	6.26	<1	0.39	12	1.39	2478	<2	0.01	<1	1533	6	0.35	10	5	127	<5	<0.01	<10	<10	33	<10	104	2
9V1400RA/RJ	P09-043	134562	19.00	20.00	1.00	0.02		0.4	2.29	27	514	<0.5	16	2.76	3	16	25	14	5.49	<1	0.29	10	1.32	2328	<2	0.01	<1	1388	32	0.47	8	3	72	<5	<0.01	<10	<10	25	<10	136	2
9V1400RA/RJ	P09-043	134563	20.00	21.00	1.00	0.01		0.6	2.17	29	269	<0.5	16	2.36	5	15	21	23	5.45	<1	0.35	<10	1.14	1885	<2	0.02	1	1310	54	0.71	9	3	55	<5	<0.01	<10	<10	27	<10	258	2
9V1400RA/RJ	P09-043	134564	21.00	22.00	1.00	<0.01		0.3	2.26	27	238	<0.5	19	1.93	4	19	24	16	6.04	<1	0.28	<10	1.27	1712	<2	0.01	1	1352	16	1.07	10	3	49	<5	<0.01	<10	<10	27	<10	122	2
9V1400RA/RJ	P09-043	134565	22.00	23.00	1.00	<0.01		0.7	0.85	46	134	<0.5	10	2.21	2	11	38	8	3.59	<1	0.3	<10	0.34	742	4	0.01	2	937	13	1.68	7	2	47	<5	<0.01	<10	<10	8	<10	69	1
9V1400RA/RJ	P09-043	134566	23.00	24.00	1.00	0.01		2.4	1.01	100	81	<0.5	22	8.56	4	21	34	13	6.66	<1	0.26	<10	0.53	2411	9	0.01	<1	1052	41	4.16	12	3	264	<5	<0.01	<10	<10	11	<10	73	2
9V1400RA/RJ	P09-043	134567	24.00	25.00	1.00	<0.01		<0.1	2.43	7	386	<0.5	13	3.82	3	16	57	7	5.09	<1	0.26	16	1.92	892	<2	0.03	21	1903	6	0.34	7	4	181	<5	<0.01	<10	<10	41	<10	150	2
9V1400RA/RJ	P09-043	134568	25.00	26.00	1.00	0.02		<0.1	2.44	14	1112	<0.5	14	3.84	3	17	57	8	4.74	<1	0.28	19	1.96	859	<2	0.03	20	2069	9	0.35	7	4	196	<5	<0.01	<10	<10	39	<10	102	3
9V1400RA/RJ	P09-043	134569	26.00	27.00	1.00	0.02		0.9	1.94	42	392	<0.5	15	3.63	5	14	32	14	4.24	<1	0.37	10	1.06	1721	3	0.02	6	1248	37	0.82	10	3	103	<5	<0.01	<10	<10	23	<10	364	2
9V1400RA/RJ	P09-043	134570	27.00	28.00	1.00	0.01		1.2	1.69	42	258	<0.5	12	2	13	11	43	17	4.01	<1	0.3	<10	0.85	1543	2	0.01	2	1125	72	0.79	9	2	57	<5	<0.01	<10	<10	19	17	1116	2
9V1400RA/RJ	P09-043	134571	28.00	29.00	1.00	0.07		1	1.68	45	102	<0.5	18	1.71	5	17	17	3	5.25	<1	0.36	<10	0.87	1391	<2	0.01	2	1286	70	2.15	9	2	52	<5	<0.01	<10	<10	14	<10	249	2
9V1400RA/RJ	P09-043	134572	29.00	30.00	1.00	0.03		4.7	0.82	83	107	<0.5	14	5.74	4	18	34	9	4.93	<1	0.29	<10	0.33	2052	80	0.01	1	957	88	3.11	9	2	141	<5	<0.01	<10	<10	5	<10	154	2
9V1400RA/RJ	P09-043	134573	30.00	31.00	1.00	0.09		2.7	2.51	35	220	<0.5	20	3.16	19	20	22	20	5.98	<1	0.31	<10	1.43	2943	2	0.02	<1	1302	296	1.3	10	4	83	<5	<0.01	<10	<10	45	27	1640	2
9V1400RA/RJ	P09-043	134574	31.00	32.00	1.00	0.12		2.8	2.21	36	201	<0.5	18	3.27	10	21	32	18	5.65	<1	0.28	<10	1.25	2447	<2	0.01	<1	1176	152	1.28	10	4	81	<5	<0.01	<10	<10	34	<10	755	2
9V1400RA/RJ	P09-043	134575	32.00	33.00	1.00	0.01		0.9	2.89	24	292	<0.5	22	3.51	5	20	21	23	6.76	<1	0.36	<10	1.56	2613	<2	0.01	<1	1435	15	0.8	11	5	91	<5	<0.01	<10	<10	47	<10	231	2
9V1400RA/RJ	P09-043	134576	33.00	34.00	1.00	0.05		1.3	2.2	28	201	<0.5	18	1.99	8	18	34	43	5.09	<1	0.28	<10	1.18	2051	12	0.01	<1	1134	90	0.6	11	4	76	<5	<0.01	<10	<10	38	<10	531	2
9V1400RA/RJ	P09-043	134577	34.00	35.00	1.00	0.07		1.1	2.51	71	282	<0.5	20	1.63	5	20	21	19	5.72	<1	0.38	<10	1.32	1833	<2	0.01	<1	1286	44	0.93	12	5	41	<5	<0.01	<10	<10	40	<10	233	2
9V1400RA/RJ	P09-043	134578	35.00	36.00	1.00	0.12		1	1.47	72	211	<0.5	13	1.52	5	14	46	13	3.91	<1	0.27	<10	0.71	1194	3	0.01	1	875	115	0.89	9	3	36	<5	<0.01	<10	<10	21	<10	356	1
9V1400RA/RJ	P09-043	134579	36.00	37.00	1.00	0.06		2.2	1.6	21	205	<0.5	10	4.6	10	12	25	78	3.8	<1	0.29	<10	0.7	2751	<2	0.01	<1	988	350	0.69	8	3	118	<5	<0.01	<10	<10	29	17	842	1
9V1400RA/RJ	P09-043	134580	37.00	38.00	1.00	<0.01		1.5	2.14	17	314	<0.5	19	3.37	4	20	19	19	5.76	<1	0.32	10	1.31	2744	2	0.01	<1	1368	41	0.87	9	5	114	<5	<0.01	<10	<10	33	<10	156	2
9V1400RA/RJ	P09-043	134581	38.00	39.00	1.00	<0.01		0.7	2.57	6	362	<0.5	18	5.6	5	18	12	15	5.71	<1	0.38	12	1.76	3028	<2	0.02	<1	1343	24	0.3	8	7	276	<5	0.01	<10	<10	59	<10	190	2
9V1400RA/RJ	P09-043	134582	39.00	40.00	1.00	<0.01		1.8	3.1	11	175	<0.5	23	3.18	20	21	21	69	6.78	<1	0.19	10	2.01	3066	9	0.03	<1	1361	868	0.6	9	8	105	<5	0.04	<10	<10	89	18	1437	2
9V1400RA/RJ	P09-043	134583	40.00	40.67	0.67	<0.01		0.9	2.77	27	245	<0.5	20	2.97	5	20	19	13	6.17	<1	0.22	10	1.7	2914	<2	0.04	<1	1325	113	0.65	9	8	84	<5	0.01	<10	<10	83	<10	272	2
9V1400RA/RJ	P09-043	134584	40.67	41.02	0.35	<0.01		<0.1	2.86	13	1150	<0.5	19	4.81	4	39	92	25	6.16	1	0.29	36	4.42	1403	<2	0.28	87	3179	19	0.29	10	14	373	<5	0.31	12	<10	175	<10	127	23
9V1400RA/RJ	P09-043	134585	41.02	42.00	0.98	<0.01		1.1	3.17	23	386	<0.5	22	2.84	17	21	21	42	6.68	<1	0.24	12	2	3174	<2	0.04	<1	1462	530	0.47	10	8	83	<5	0.01	<10	<10	89	14	1458	2
9V1400RA/RJ	P09-043	134586	42.00	43.00	1.00	<0.01		1.4	3.08	20	184	<0.5	23	2.46	13	21	27	29	7.06	<1	0.21	<10	1.95	3001	2	0.03	<1	1386	538	0.76	11	7	66	<5	0.01	<10	<10	80	<10	983	2
9V1400RA/RJ	P09-043	134587	43.00	44.00	1.00	<0.01		0.6	3.16	28	208	<0.5	24	3.02	5	21	27	12	6.81	<1	0.26	12	2	2761	<2	0.04	<1	1462	20	0.48	12	8	80	<5	0.01	<10	<10	87	<10	160	2
9V1400RA/RJ	P09-043	134588	44.00	45.00	1.00	<0.01		0.4	3.19	9	195	<0.5	23	2.69	5	21	23	18	6.72	<1	0.23	13	2	2655	<2	0.03	<1	1467	10	0.32	10	7	76	<5	0.01	<10	<10	77	<10	153	2
9V1400RA/RJ	P09-043	134589	45.00	46.00	1.00	<0.01		0.6	3.16	14	196	<0.5	22	3.53	4	21	18	19	6.51	<1	0.25	13	1.97	2887	<2	0.04	<1	1411	4	0.34	9	8	101	<5	0.01	<10	<10	75	<10	129	2
9V1400RA/RJ	P09-043	134590	46.00	47.00	1.00	0.02		1.3	2.68	52	236	<0.5	20	4.77	4	22	20	15	5.58	1	0.33	11	1.63	2737	<2	0.01	<1	1491	14	0.52	12	5	179	<5	0.03	<10	<10	48	<10	123	2
9V1400RA/RJ	P09-043	134591	47.00	48.00	1.00	<0.01		0.7	2.89	7	225	<0.5	20	5.18	4	20	22	12	5.53	<1	0.3	11	1.81	2814	<2	0.03	<1	1398	5	0.39	8	7	165	<5	0.04	<10	<10	60	<10	114	2
9V1400RA/RJ	P09-043	134592	48.00	49.00	1.00	<0.01		0.6	2.86	15	169	<0.5	21	3.18	4	19	21	12	5.64	<1	0.22	10	1.96	2497	<2	0.02	<1	1365	6	0.42	9	7	103	<5	0.01	<10	<10	64	<10	135	2
9V1400RA/RJ	P09-043	134593	49.00	50.00	1.00	<0.01		0.9	2.77	24	188	<0.5	21	3.26	5	19	23	13	5.8	<1	0.24	<10	1.8	2574	2	0.03	<1	1433	109	0.79	9	6	92	<5	0.01	<10	<10	71	<10	275	2
9V1400RA/RJ	P09-043	134594	50.00	51.00	1.00	0.02		0.8	2.83	8	163	<0.5	21	3.14	7	18	27	16	5.72	1	0.22	10	1.86	2451	<2	0.03	<1	1494	202	0.44	9	6	97	<5	0.01	<10	<10	70	<10	441	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1400RA/RJ	P09-043	134595	51.00	52.00	1.00	1.19		7.9	2.68	23	186	<0.5	23	2.5	117	17	35	59	5.77	6	0.23	<10	1.82	2073	2	0.03	<1	1294	3893	1.04	7	6	93	<5	0.01	<10	<10	76	194	6329	2
9V1400RA/RJ	P09-043	134596	52.00	53.00	1.00	0.42		3.5	2.62	39	153	<0.5	24	3.41	46	20	32	51	5.92	2	0.22	<10	1.64	2574	<2	0.03	<1	1377	1629	1.28	10	5	104	<5	<0.01	<10	<10	62	64	3537	2
9V1400RA/RJ	P09-043	134597	53.00	54.00	1.00	0.01		0.8	2.86	22	202	<0.5	21	3.58	5	22	23	18	5.7	<1	0.29	12	1.78	2228	<2	0.03	<1	1390	68	0.51	9	6	112	<5	<0.01	<10	<10	66	<10	289	2
9V1400RA/RJ	P09-043	134598	54.00	55.00	1.00	<0.01		0.8	2.68	57	217	<0.5	20	3.32	4	21	18	18	5.28	<1	0.33	10	1.71	1974	<2	0.01	<1	1500	19	0.39	11	5	100	<5	0.02	<10	<10	49	<10	147	2
9V1400RA/RJ	P09-043	134599	55.00	56.00	1.00	<0.01		0.6	3.08	24	209	<0.5	23	2.45	5	21	26	13	6.3	<1	0.28	<10	1.94	1732	<2	0.03	<1	1447	12	0.65	12	6	59	<5	0.01	<10	<10	68	<10	146	2
9V1400RA/RJ	P09-043	134600	56.00	57.00	1.00	<0.01		0.5	2.57	21	170	<0.5	21	2.91	4	20	24	12	5.38	<1	0.24	<10	1.59	1735	<2	0.02	<1	1420	7	0.61	10	6	69	<5	0.01	<10	<10	62	<10	123	2
9V1400RA/RJ	P09-043	134601	57.00	58.00	1.00	<0.01		0.2	2.92	7	231	<0.5	21	3.27	4	19	20	10	6.09	<1	0.29	10	1.77	1705	<2	0.03	<1	1464	4	0.33	9	6	80	<5	0.01	<10	<10	65	<10	121	2
9V1400RA/RJ	P09-043	134602	58.00	59.00	1.00	<0.01		0.4	2.56	11	195	<0.5	19	3.7	4	19	19	11	5.6	1	0.24	<10	1.63	1676	<2	0.02	<1	1395	4	0.65	8	5	79	<5	0.01	<10	<10	47	<10	111	2
9V1400RA/RJ	P09-043	134603	59.00	60.00	1.00	<0.01		0.3	2.68	9	183	<0.5	19	3.08	4	19	17	12	5.64	1	0.26	<10	1.62	1708	<2	0.03	<1	1374	4	0.56	8	6	65	<5	0.01	<10	<10	56	<10	117	2
9V1400RA/RJ	P09-043	134604	60.00	61.50	1.50	<0.01		0.5	2.76	27	235	<0.5	21	3.63	4	22	22	15	5.91	1	0.32	<10	1.63	1605	7	0.04	<1	1502	12	0.89	9	6	79	<5	0.05	<10	<10	61	<10	125	3
9V1400RA/RJ	P09-043	134605	61.50	62.50	1.00	0.01		<0.1	2.4	13	845	<0.5	21	3.39	4	35	85	20	5.89	1	0.09	27	2.7	824	<2	0.06	43	3163	4	0.23	11	9	145	<5	0.39	12	<10	89	<10	111	15
9V1400RA/RJ	P09-043	134606	62.50	64.05	1.55	<0.01		<0.1	2.45	9	405	0.5	21	3.12	4	38	94	21	6.03	1	0.08	27	2.84	727	<2	0.05	49	3364	3	0.2	12	8	113	<5	0.39	12	<10	89	<10	128	17
9V1400RA/RJ	P09-043	134607	64.05	65.00	0.95	<0.01		<0.1	3.28	12	355	<0.5	21	3.24	4	21	23	16	5.93	<1	0.44	<10	1.77	1483	<2	0.07	<1	1454	4	0.3	9	9	61	<5	0.04	<10	<10	86	<10	116	3
9V1400RA/RJ	P09-043	134608	65.00	66.00	1.00	0.01		0.3	2.82	51	261	<0.5	19	3.53	4	22	20	2	5.9	<1	0.28	11	1.67	1596	<2	0.02	<1	1395	3	0.43	8	6	82	<5	0.01	<10	<10	47	<10	109	2
9V1400RA/RJ	P09-043	134609	66.00	67.00	1.00	<0.01		0.4	2.45	50	259	<0.5	17	4.67	3	18	18	<1	5.03	<1	0.35	11	1.46	1771	<2	0.02	<1	1355	<2	0.4	7	6	121	<5	0.01	<10	<10	39	<10	97	2
9V1400RA/RJ	P09-043	134610	67.00	68.00	1.00	<0.01		1	2.21	48	345	<0.5	16	5.77	3	21	22	9	4.9	<1	0.31	12	1.54	2089	<2	0.01	3	1435	12	0.79	9	5	202	<5	<0.01	<10	<10	37	<10	146	2
9V1400RA/RJ	P09-043	134611	68.00	69.00	1.00	<0.01		0.6	2.02	9	937	<0.5	13	5.76	2	17	32	3	4.18	<1	0.3	14	1.7	1739	<2	0.02	8	1424	30	0.41	6	6	254	<5	<0.01	<10	<10	41	<10	116	2
9V1400RA/RJ	P09-043	134612	69.00	70.00	1.00	<0.01		0.7	2.16	9	670	<0.5	17	5.24	3	17	14	29	4.82	<1	0.27	10	1.34	2046	<2	0.01	<1	1286	5	0.39	7	5	194	<5	0.01	<10	<10	34	<10	109	2
9V1400RA/RJ	P09-043	134613	70.00	71.00	1.00	<0.01		0.6	2.21	21	338	<0.5	18	5.49	3	19	13	11	5.15	<1	0.33	<10	1.32	1750	<2	0.02	<1	1351	7	0.94	8	5	194	<5	<0.01	<10	<10	36	<10	95	2
9V1400RA/RJ	P09-043	134614	71.00	72.00	1.00	<0.01		0.3	2.62	7	200	<0.5	19	4.24	4	20	15	12	5.54	<1	0.28	<10	1.65	1596	<2	0.02	<1	1452	6	0.54	8	5	125	<5	0.01	<10	<10	43	<10	110	2
9V1400RA/RJ	P09-043	134615	72.00	73.00	1.00	<0.01		0.2	2.92	11	228	<0.5	23	3.36	4	20	19	12	6.38	1	0.26	<10	1.71	1665	<2	0.03	<1	1353	4	0.62	9	6	103	<5	0.01	<10	<10	55	<10	116	2
9V1400RA/RJ	P09-043	134616	73.00	74.00	1.00	0.01		0.4	2.4	27	207	<0.5	19	3.29	4	18	23	3	5.49	1	0.23	<10	1.5	1424	<2	0.02	<1	1379	4	0.7	7	5	98	<5	0.01	<10	<10	40	<10	101	2
9V1400RA/RJ	P09-043	134617	74.00	75.00	1.00	0.01		0.3	2.53	18	268	<0.5	19	3.34	4	18	18	12	5.38	<1	0.29	10	1.58	1542	<2	0.03	<1	1467	3	0.55	8	5	104	<5	0.01	<10	<10	48	<10	106	2
9V1400RA/RJ	P09-043	134618	75.00	76.00	1.00	0.02		0.5	2.44	39	180	<0.5	19	2.72	4	17	26	53	5.52	<1	0.21	<10	1.56	1722	<2	0.02	<1	1315	6	0.57	9	5	82	<5	0.01	<10	<10	47	<10	121	2
9V1400RA/RJ	P09-043	134619	76.00	77.00	1.00	<0.01		0.3	2.6	21	195	<0.5	21	3.31	4	18	18	12	5.8	<1	0.23	<10	1.62	2010	<2	0.03	<1	1291	6	0.56	9	6	93	<5	0.01	<10	<10	57	<10	112	2
9V1400RA/RJ	P09-043	134620	77.00	78.00	1.00	0.01		1.1	2.05	82	254	<0.5	14	5.28	3	18	12	19	4.43	<1	0.33	10	1.16	2624	<2	0.01	<1	1381	19	0.58	9	4	156	<5	0.01	<10	<10	31	<10	101	2
9V1400RA/RJ	P09-043	134621	78.00	79.00	1.00	0.01		0.6	2.52	24	272	<0.5	20	3.64	4	20	14	21	5.38	<1	0.35	10	1.5	2361	<2	0.02	<1	1447	105	0.56	11	5	142	<5	0.04	<10	<10	46	<10	147	2
9V1400RA/RJ	P09-043	134622	79.00	80.00	1.00	<0.01		0.3	2.33	8	200	<0.5	17	3.88	3	17	14	17	5.03	<1	0.24	11	1.47	1760	<2	0.02	<1	1471	3	0.19	7	6	143	<5	0.03	<10	<10	49	<10	111	2
9V1400RA/RJ	P09-043	134623	80.00	81.00	1.00	<0.01		0.3	2.55	53	248	<0.5	19	4.16	4	19	17	4	5.33	<1	0.32	11	1.62	1945	<2	0.03	<1	1500	2	0.4	9	6	151	<5	0.01	<10	<10	50	<10	113	2
9V1400RA/RJ	P09-043	134624	81.00	82.00	1.00	0.01		0.5	2.65	178	196	<0.5	22	3.23	4	21	26	<1	6.01	1	0.23	<10	1.78	1944	<2	0.03	<1	1412	6	0.87	11	6	97	<5	0.01	<10	<10	50	<10	110	2
9V1400RA/RJ	P09-043	134625	82.00	83.00	1.00	0.02		0.3	2.8	47	277	<0.5	20	3.25	4	19	19	12	5.8	<1	0.29	<10	1.69	2025	<2	0.02	<1	1379	<2	0.29	9	6	111	<5	0.01	<10	<10	42	<10	107	2
9V1400RA/RJ	P09-043	134626	83.00	84.00	1.00	0.02		0.4	2.59	122	327	<0.5	19	3.43	4	19	19	<1	5.97	1	0.26	<10	1.74	1888	<2	0.02	<1	1425	<2	0.45	10	5	116	<5	0.01	<10	<10	37	<10	106	2
9V1400RA/RJ	P09-043	134627	84.00	85.00	1.00	0.01		0.2	2.88	12	317	<0.5	21	3.77	4	19	14	<1	5.82	<1	0.33	13	1.89	2015	<2	0.02	<1	1547	<2	0.14	9	6	137	<5	0.01	<10	<10	40	<10	113	2
9V1400RA/RJ	P09-043	134628	85.00	86.00	1.00	0.01		0.4	2.54	31	406	<0.5	19	3.53	4	18	17	<1	5.44	1	0.25	10	1.62	2064	<2	0.02	<1	1451	<2	0.29	7	6	118	<5	0.01	<10	<10	38	<10	108	2
9V1400RA/RJ	P09-043	134629	86.00	87.00	1.00	0.01		0.9	2.73	75	201	<0.5	24	2.48	4	22	18	8	6.14	1	0.32	<10	1.74	2126	<2	0.03	<1	1580	11	0.99	10	6	78	<5	<0.01	<10	<10	44	<10	127	2
9V1400RA/RJ	P09-043	134630	87.00	88.00	1.00	0.01		1	2.66	35	236	<0.5	22	1.74	4	21	21	40	6.07	<1	0.23	<10	1.8	2163	<2	0.02	<1	1502	16	0.68	11	5	64	<5	<0.01	<10	<10	43	<10	142	2
9V1400RA/RJ	P09-043	134631	88.00	89.00	1.00	0.18		0.8	2.68	7	294	<0.5	21	3.91	4	20	17	26	5.91	<1	0.27	<10	1.71	3081	<2	0.03	<1	1433	10	0.8	9	5	138	<5	0.01	<10	<10	44	<10	130	2
9V1400RA/RJ	P09-043	134632	89.00	90.00	1.00	0.03		0.7	2.63	11	225	<0.5	23	4.23	4	21	17	13	6.01	<1	0.22	<10	1.74	2838	<2	0.02	<1	1416	6	0.8	9	5	138	<5	0.01	<10	<10	40	<10	116	2
9V1400RA/RJ	P09-043	134633	90.00	91.00	1.00	<0.01		0.4	3.08	11	277	<0.5	24	3.36	4	22	17	11	6.28	<1	0.29	13	1.94	2637	<2	0.03	<1	1584	<2	0.26	10	7	101	<5	0.01	<10	<10	59	<10	153	2
9V1400RA/RJ	P09-043	134634	91.00	92.00	1.00	0.01		0.5	2.88	5	186	<0.5	22	2.85	11	19	23	44	5.97	1	0.23	11	1.81	2699	<2	0.03	<1	1432	76	0.44	8	6	102	<5	0.01	<10	<10	59	10	594	2
9V1400RA/RJ	P09-043	134635	92.00	93.00	1.00	0.01		0.3	2.84	<5	231	<0.5	21	2.99	4	18	22	<1	5.64	<1	0.27	13	1.79	2352	<2	0.03	<1	1402	7	0.22	7	6	90	<5	<0.01	<10	<10	57	<10	141	2
9V1400RA/RJ	P09-043	134636	93.00	94.00	1.00	0.01		0.6	2.3	24	310	<0.5	19	2.65	4	17	23	15	5.21	<1	0.24	10	1.47	2124	<2	0.03	<1	1323	9	0.71	8	5	86	<5	<0.01	<10	<10	45	<10	111	2
9V1400RA/RJ	P09-043	134637	94.00	95.00	1.00	0.01		0.7	2.16	23	275	<0.5	18	2.2	5	17	18	19	5.1	1	0.33	10	1.28	2190	<2	0.03	<1	1422	61	1.02	8	5	78	<5	0.01	<10	<10	46	<10	214	2
9V1400RA/RJ	P09-043	134638	95.00	96.00	1.00	0.31		1.1	1.81	27	176	<0.5	20	3.15	11	15	36	22	5.74	<1	0.25	<10	0.95	2873	<2	0.03	<1	1351	113	2.08	9	4	110	<5	0.01	<10	<10	52	13	783	2
9V1400RA/RJ	P09-043	134639	96.00	97.00	1.00	0.18		0.8	2.49	9	229	<0.5	22	2.81	4	17	19	31	6	1	0.27	10	1.27	2942	<2	0.04	<1	1511	7	0.85	9	6	104	<5	0.01	<10	<10	64	<10	137	2
9V1400RA/RJ	P09-043	134640	BLANK			<0.01		0.9	0.08	<5	27	<0.5	<5	>15.00	<1	1	4	1	0.46	<1	0.05	<10	13.3	205	<2	0.01	1	297	<2	0.47	<5	<1	45	<5	<0.01	13	<10	2	<10	21	<1
9V1400RA/RJ	P09-043	134641	97.00	98.00	1.00	<0.01		0.7	2.63	41	237	<0.5	22	3.41	4	19	16	5	6	<1	0.29	11	1.42	2944	<2	0.03	<1	1557	5	0.61	10	6	103	<5	0.01	<10	<10	54	<10	124	2
9V1400RA/RJ	P09-043	134642	98.00	98.60	0.60	0.23		1.2	2.32	130	199	<0.5	24	3.07	4	18	20	46	6.11	<1	0.24	<10	1.39	2639	<2	0.03	<1	1559	32	1.25	9	6	96	<5	<0.01	<10	<10	49	<10	120	2
9V1400RA/RJ	P09-043	134643	98.60	99.20	0.60	0.12		1.1	2.52	45	216	<0.5	23	2.9	4	18	22	77	6.09	<1	0.25	10	1.51	2654	<2	0.03	<1	1528	7	0.72	8	6	100	<5	<0.01	<10	<10	61	<10	141	2
9V1400RA/RJ	P09-043	134644	99.20	100.20	1.00	0.01		0.8	1.43	8	219	<0.5	15	4.11	3	14	22	23	4.31	<1	0.29	10	0.94	2641	<2	0.02	<1	1388	4	0.72	5	6	150	<5	<0.01	<10	<10	28	<10	82	2
9V1400RA/RJ	P09-043	134645	100.20	101.20	1.00	0.01		1.1	2.19	22	246	<0.5	24	3.89	4	19	17	14	6.03	<1	0.3	10	1.3	3255	<2	0.02	<1	1444	15	1.06	8	7	275	<5	<0.01	<10	<10	44	<10	132	2
9V1400RA/RJ	P09-043	134646	101.20	102.20	1.00	<0.01		0.7	2.53	9	253	<0.5	23	3.68	4	17	19	18	6.17	<1	0.34	12	1.45	2828	<2	0.03	<1	1540	6	0.66	9	8	169	<5	<0.01	<10	<10	59	<10	134	2
9V1400RA/RJ	P09-043	134647	102.20	103.20	1.00	0.03		0.6	2.31	27	165	<0.5	21	2.88	4	18	23	8	6.12	<1	0.21	<10	1.34	3199	<2	0.03	<1	1377	11	1.35	8	6	113	<5	0.01	<10	<10	64	<10	132	2
9V1400RA/RJ	P09-043	134648	103.20	104.00	0.80	0.03		0.7	2.66	11	191	<0.5	25	2.68	5	22	20	<1	6.58	1	0.24	10	1.57	3799	<2	0.04	<1	1517	60	1.37	8	6	110	<5	0.01	<10	<10	68	<10	216	2
9V1400RA/RJ	P09-043	134649	104.00	104.80	0.80	0.01		0.7	2.35	16	181	<0.5	23	3.96	4	18	19	8	6.02	1	0.21	<10	1.36	3123	<2	0.03	<1	1384	10	1.35	9	6	105	<5	0.01	<10	<10	61	<10	123	2
9V1400RA/RJ	P09-043	134650	104.80	105.40	0.60	<0.01		<0.1	2.72	20	725	<0.5	24	4.77	5	45	79	46	6.29	1	0.13	25	4.03	1477	<2	0.23	74	2445	2	0.27	11	14	363	<5	0.42	13	<10	184	<10	123	16
9V1400RA/RJ	P09-043	134651	105.40	106.40	1.00	<0.01		0.6	2.72	14	202	<0.5	23	3.13	4	19	19	10	6.16	1	0.29	10	1.51	2635	<2	0.03	<1	1486	4	0.7	8	6	99	<5	0.01	<10	<10	59	<10	123	2
9V1400RA/RJ	P09-043	134652	106.40	107.40	1.00	<0.01		0.7	2.54	10	235	<0.5	24	3.54	5	23	21	26	6.32	<1	0.33	<10	1.34	2517	<2	0.04	<1	1447	12	1.25	9	7	97	<5	0.01	<10	<10	66	<10	129	2
9V1400RA/RJ	P09-043	134653	107.40	108.17	0.77	0.02		0.6	2.44	41	161	<0.5	24	2.91	6	23	23	25	6.23	<1	0.35	<10	1.48	2347	<2	0.04	1	1403	55	1.47	8	8	87	<5	0.01	<10	<10	82	<10	217	2
9V1400RA/RJ	P09-043	134654	108.17	109.20	1.03	<0.01		<0.1	2.28	8	709	<0.5	22	3.58	4	31	74	5	5.87	1	0.1	23	2.64	1245	<2	0.06	42	2489	3	0.2	10	7	123	<5	0.19	10	<10	84	<10	105	10
9V1400RA/RJ	P09-043	134655	109.20	110.20	1.00	<0.01		<0.1	2.21	9	375	<0.5	18	3.83	4	28	77	3	5.49	1	0.09	24	2.64	1053	<2	0.04	43	2417	<2	0.2	9	6	160	<5	0.11	<10	<10	79	<10	95	7
9V1400RA/RJ	P09-043	134656	110.20	111.20	1.00	<0.01		<0.1	2.38	10	716	<0.5	20	3.57	4	36	81	10	5.91	1	0.11	24	2.92	990	<2	0.06	46	2561	3	0.22	10	8	155	<5	0.29	10	<10	82	<10	96	14
9V1400RA/RJ	P09-043	134657	111.20	111.71	0.51	0.01		<0.1	2.26	9	562	<0.5	21	3.44	4	33	88	12	5.84	<1	0.09	26	2.82	927	<2	0.05	45	2519	6	0.23	9	7	116	<5	0.2	10	<10	81	<10	102	9
9V1400RA/RJ	P09-043	134658	111.71	112.45	0.74	<0.01		<0.1	2.59	22	755	<0.5	22	4.54	4	42	89	35	6.05	1	0.09	23	4.19	1188	<2	0.16	69	2297	2	0.23	11	13	218	<5	0.35	11	<10	163	<10	117	13
9V1400RA/RJ	P09-043	134659	112.45	113.40	0.95	0.02		0.6	2.42	18	180	<0.5	24	3.44	4	20	32	2	6.17	<1	0.25	<10	1.51	2539	<2	0.04	1	1445	6	1.4	8	6	96	<5	0.01	<10	<10	63	<10	114	2
9V1400RA/RJ	P09-043	134660	113.40	114.40	1.00	0.02		0.5	2.42	19	175	<0.5	23	2.83	5	19	24	7	6.25	<1	0.27	<10	1.32	2504	<2	0.04	<1	1389	11	1.49	9	6	70	<5	0.01	<10	<10	58	<10	114	2
9V1400RA/RJ	P09-043	134661	114.40	115.40	1.00	0.04		1.1	2.6	76	195	<0.5	24	4.18	5	20	30	72	6.65	<1	0.23	<10	1.37	2764	<2	0.03	<1	1381	6	1.13	9	6	113	<5	0.01	<10	<10	58	<10	116	2
9V1400RA/RJ	P09-043	134662	115.40	116.40	1.00	0.02		1	2.55	231	237	<0.5	23	3.67	4	19	19	3	6.24	1	0.29	<10	1.34	2258	<2	0.03	2	1478	4	1.03	13	7	91	<5	0.01	<10	<10	52	<10	108	2
9V1400RA/RJ	P09-043	134663	116.40	117.40	1.00	0.01		0.6	2.42	65	366	<0.5	21	3.57	4	20	17	<1	5.59	1	0.29	<10	1.26	1963	<2	0.02	<1	1434	2	0.48	8	6	100	<5	0.01	<10	<10	44	<10	100	2
9V1400RA/RJ	P09-043	134664	117.40	118.40	1.00	0.03		0.5	2.32	26	292	<0.5	16	4.12	3	17	16	<1	4.9	1	0.34	10	1.25	2029	<2	0.03	<1	1352	<2	0.43	7	6	106	<5	0.01	<10	<10	41	<10	99	2
9V1400RA/RJ	P09-043	134665	118.40	119.40	1.00	0.02		0.7	2.36	66	228	<0.5	20	3.27	4	17	20	2	5.31	<1	0.27	10	1.31	2092	<2	0.02	<1	1435	5	0.64	8	6	87	<5	<0.01	<10	<10	47	<10	106	2
9V1400RA/RJ	P09-043	134666	119.40	120.40	1.00	0.08		0.6	2.31	19	251	<0.5	19	3.52	4	15	21	2	5.32	<1	0.29	<10	1.25	2652	<2	0.03	<1	1379	17	0.76	7	6	106	<5	<0.01	<10	<10	51	<10	157	2
9V1400RA/RJ	P09-043	134667	120.40	121.40	1.00	0.25		1.1	2.49	8	201	<0.5	21	2.68	22	17	19	36	5.71	1	0.28	<10	1.48	2820	<2	0.02	<1	1458	196	0.96	7	6	79	<5	0.01	<10	<10	48	28	1916	2
9V1400RA/RJ	P09-043	134668	121.40	122.40	1.00	0.56		2.3	3.1	15	242	<0.5	24	3.29	39	21	18	32	6.36	1	0.28	<10	2.03	4002	<2	0.02	<1	1428	329	0.88	9	6	102	<5	0.01	<10	<10	62	50	3111	2
9V1400RA/RJ	P09-043	134669	122.40	123.40	1.00	0.17		1.7	2.54	23	141	<0.5	24	2.24	10	21	18	16	6.29	<1	0.28	<10	1.5	3449	<2	0.02	<1	1540	104	1.41	9	5	81	<5	<0.01	<10	<10	44	<10	689	2
9V1400RA/RJ	P09-043	134670	123.40	124.40	1.00	1		3	1.61	31	65	<0.5	20	2.73	44	15	27	123	5.43	1	0.28	<10	0.86	3244	<2	0.02	<1	1174	389	2.59	7	4	86	<5	<0.01	<10	<10	31	71	3469	2
9V1400RA/RJ	P09-043	134671	124.40	125.40	1.00	0.15		2.7	2.32	14	193	<0.5	23	1.97	39	20	22	124	5.97	1	0.3	<10	1.19	3252	<2	0.01	<1	1510	178	1.37	8	5	67	<5	<0.01	<10	<10	35	55	2958	2
9V1400RA/RJ	P09-043	134672	125.40	125.90	0.50	0.36		3	1.7	83	194	<0.5	18	2.84	37	14	27	131	4.64	<1	0.36	<10	0.8	2807	<2	0.01	<1	1363	1125	1.41	6	4	100	<5	<0.01	<10	<10	26	48	2842	2
9V1400RA/RJ	P09-043	134673	125.90	126.90	1.00	0.02		1.8	1.26	12	178	<0.5	12	6	3	11	80	15	3.87	<1	0.23	<10	0.63	3376	<2	0.01	<1	884	122	1.29	6	3	418	<5	<0.01	<10	<10	15	10	206	1
9V1400RA/RJ	P09-043	134674	126.90	127.90	1.00	0.11		2.4	1.85	17	205	<0.5	18	6.52	18	16	39	33	5.58	<1	0.35	<10	0.91	3993	<2	0.01	<1	1336	260	1.96	7	4	407	<5	<0.01	<10	<10	24	27	1591	2

Drilling Analytical Results 2009

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1400RA/RJ	P09-043	134675	127.90	128.90	1.00	0.01		2.2	1.43	<5	91	<0.5	6	13.35	5	6	62	6	3.15	<1	0.15	11	0.74	5399	<2	0.01	<1	475	110	0.46	6	3	760	<5	<0.01	<10	<10	20	24	478	1
9V1400RA/RJ	P09-043	134676	128.90	129.90	1.00	0.06		1.9	2.29	32	206	<0.5	19	4.33	4	17	39	31	5.36	<1	0.3	<10	1.18	3274	<2	0.01	<1	1349	69	0.8	8	4	200	<5	<0.01	<10	<10	35	<10	248	2
9V1400RA/RJ	P09-043	134677	129.90	130.90	1.00	1.7		4.6	1.3	84	72	<0.5	17	4.56	25	14	51	166	4.86	1	0.27	<10	0.91	3571	<2	0.01	<1	1081	544	2.09	7	3	142	<5	<0.01	<10	<10	17	34	2036	2
9V1400RA/RJ	P09-043	134678	130.90	131.90	1.00	0.78		6	1.94	36	118	<0.5	19	2.97	45	15	32	357	5.06	1	0.27	<10	1.1	3204	<2	0.02	<1	1239	1164	1.41	7	4	90	<5	<0.01	<10	<10	41	66	3479	2
9V1400RA/RJ	P09-043	134679	131.90	132.90	1.00	0.08		1.7	2.09	26	171	<0.5	22	1.95	7	19	39	16	5.68	<1	0.27	<10	1.11	3223	<2	0.02	<1	1342	149	1.34	10	4	82	<5	<0.01	<10	<10	43	<10	422	2
9V1400RA/RJ	P09-043	134680	132.90	133.90	1.00	0.16		2.3	1.35	28	245	<0.5	13	4.37	17	9	54	36	4.1	<1	0.2	<10	0.81	4185	<2	0.02	1	911	435	0.87	6	4	280	<5	<0.01	<10	<10	39	24	1440	1
9V1400RA/RJ	P09-043	134681	133.90	135.00	1.10	2.79		17.2	1.11	99	84	<0.5	17	6.97	62	10	61	1140	5.32	1	0.15	<10	0.68	4235	<2	0.02	<1	653	2392	3.24	10	3	197	<5	<0.01	<10	<10	30	96	4374	2
9V1400RA/RJ	P09-043	134682	BLANK			<0.01		0.9	0.07	<5	28	<0.5	<5	>15.00	<1	1	3	1	0.43	<1	0.07	<10	11.9	205	<2	0.01	1	220	<2	0.42	<5	<1	46	<5	<0.01	13	<10	2	<10	26	<1
9V1400RA/RJ	P09-043	134683	STD	PM427		3.56		2.2	1.34	5631	72	<0.5	157	5.71	<1	107	34	270	4.67	1	0.2	<10	0.45	736	27	0.06	61	754	18	0.83	16	3	56	<5	0.1	<10	<10	38	31	79	10
9V1400RA/RJ	P09-043	134684	135.00	136.00	1.00	0.17		1.3	2.01	33	110	<0.5	23	1.77	8	17	35	31	6.02	1	0.28	<10	1.01	3058	<2	0.02	<1	1303	251	1.96	8	5	46	<5	<0.01	<10	<10	55	<10	576	2
9V1400RA/RJ	P09-043	134685	136.00	137.00	1.00	0.65		1.9	2.38	47	131	<0.5	24	2.76	11	20	31	19	6.64	1	0.22	<10	1.3	4161	<2	0.02	<1	1341	317	1.65	10	6	100	<5	<0.01	<10	<10	73	<10	783	2
9V1400RA/RJ	P09-043	134686	137.00	138.00	1.00	0.11		1.4	2.18	32	163	<0.5	22	3.39	10	19	28	19	6.35	1	0.29	<10	1.08	4010	<2	0.03	<1	1395	108	1.98	10	6	92	<5	<0.01	<10	<10	48	<10	666	2
9V1400RA/RJ	P09-043	134687	138.00	139.00	1.00	0.1		1.6	2.14	21	108	<0.5	23	2.74	13	18	36	17	6.23	1	0.23	<10	1.11	3794	<2	0.02	<1	1268	149	1.84	9	5	75	<5	0.01	<10	<10	53	<10	971	2
9V1400RA/RJ	P09-043	134688	139.00	140.00	1.00	0.02		1.3	2.35	24	284	<0.5	17	4.66	4	20	19	18	5.34	<1	0.36	<10	1.15	3656	<2	0.02	<1	1287	13	0.7	8	7	155	<5	<0.01	<10	<10	51	<10	136	2
9V1400RA/RJ	P09-043	134689	140.00	141.00	1.00	0.06		1.2	2.12	42	223	<0.5	18	4.84	4	15	29	12	5.32	<1	0.3	<10	0.94	3371	<2	0.02	<1	1199	11	1.05	8	5	122	<5	<0.01	<10	<10	48	<10	121	2
9V1400RA/RJ	P09-043	134690	141.00	142.00	1.00	0.03		1	2.24	38	203	<0.5	21	4.19	4	17	30	21	5.86	<1	0.27	<10	1.09	3376	<2	0.02	<1	1370	11	1.26	9	6	123	<5	0.01	<10	<10	46	<10	118	2
9V1400RA/RJ	P09-043	134691	142.00	143.00	1.00	0.02		1.2	2.43	31	255	<0.5	18	4.01	4	19	28	17	5.41	1	0.3	<10	1.28	3224	<2	0.02	<1	1300	6	0.61	9	6	126	<5	<0.01	<10	<10	47	<10	123	2
9V1400RA/RJ	P09-043	134692	143.00	144.00	1.00	0.04		1.4	2.48	20	195	<0.5	23	3.92	6	20	25	18	6.22	<1	0.27	<10	1.3	3730	<2	0.02	<1	1389	67	1.32	10	6	111	<5	<0.01	<10	<10	53	<10	263	2
9V1400RA/RJ	P09-043	134693	144.00	145.00	1.00	0.04		1.3	2.83	18	186	<0.5	23	3.46	7	20	27	3	6.13	<1	0.28	<10	1.73	4185	<2	0.02	<1	1250	59	0.81	9	6	114	<5	<0.01	<10	<10	61	<10	402	2
9V1400RA/RJ	P09-043	134694	145.00	146.00	1.00	0.01		1	2.64	14	200	<0.5	21	3.73	4	19	21	19	6.03	1	0.28	<10	1.45	3251	<2	0.02	<1	1420	7	0.61	9	6	138	<5	<0.01	<10	<10	48	<10	151	2
9V1400RA/RJ	P09-043	134695	146.00	147.00	1.00	0.02		1	2.56	16	206	<0.5	18	4.01	4	18	23	13	5.46	<1	0.31	10	1.47	2892	<2	0.02	<1	1243	4	0.39	8	6	126	<5	<0.01	<10	<10	47	<10	105	2
9V1400RA/RJ	P09-043	134696	147.00	148.00	1.00	0.03		1.3	2.19	50	171	<0.5	19	4.33	4	19	24	6	5.35	<1	0.27	<10	1.2	3427	<2	0.01	<1	1265	23	0.98	9	5	124	<5	<0.01	<10	<10	36	<10	106	2
9V1400RA/RJ	P09-043	134697	148.00	149.00	1.00	0.02		1.4	2.48	46	183	<0.5	21	4.19	4	20	23	25	5.88	1	0.32	<10	1.22	3694	<2	0.01	<1	1389	6	0.61	10	6	130	<5	<0.01	<10	<10	42	<10	119	2
9V1400RA/RJ	P09-043	134698	149.00	150.00	1.00	0.2		2.6	2.28	46	150	0.5	21	1.8	18	18	27	108	5.87	<1	0.3	<10	1.12	2284	<2	0.01	<1	1226	432	1.08	10	5	79	<5	<0.01	<10	<10	47	16	1516	2
9V1400RA/RJ	P09-043	134699	150.00	151.00	1.00	0.06		1.5	1.98	73	214	<0.5	16	3.75	4	15	25	40	4.91	<1	0.34	<10	0.91	2616	<2	0.02	1	1217	21	0.92	8	6	143	<5	<0.01	<10	<10	40	<10	179	2
9V1401RA/RJ	P09-043	134700	BLANK			<0.01		<0.1	0.02	<5	10	<0.5	41	>15.00	<1	1	2	2	0.49	1	0.02	<10	11.5	218	<2	0.01	1	155	<2	0.45	<5	<1	47	<5	<0.01	11	<10	2	<10	16	<1
9V1401RA/RJ	P09-043	134701	151.00	152.00	1.00	0.02		1	1.98	57	177	<0.5	30	2.74	4	19	24	26	5.12	<1	0.3	<10	1.01	1941	<2	0.01	2	1349	18	1.03	<5	5	93	<5	<0.01	<10	<10	57	<10	93	2
9V1401RA/RJ	P09-043	134702	152.00	153.00	1.00	0.03		2	1.94	131	127	<0.5	31	1.21	5	19	25	21	5.6	1	0.31	<10	0.97	1590	5	0.01	2	1424	27	1.62	7	4	56	<5	<0.01	<10	<10	59	<10	105	2
9V1401RA/RJ	P09-043	134703	153.00	154.00	1.00	0.01		0.7	2.27	51	346	<0.5	35	3.33	4	20	21	19	5.26	<1	0.3	10	1.4	2990	<2	0.01	2	1455	15	0.53	<5	6	180	<5	<0.01	<10	<10	74	<10	98	2
9V1401RA/RJ	P09-043	134704	154.00	155.00	1.00	0.01		0.5	2.43	34	225	<0.5	35	4.95	5	21	21	20	5.5	<1	0.42	11	1.33	3313	<2	0.01	2	1567	14	0.5	<5	7	301	<5	<0.01	<10	<10	88	<10	109	2
9V1401RA/RJ	P09-043	134705	155.00	156.00	1.00	0.02		0.8	2.21	40	169	<0.5	38	4.92	5	20	18	32	5.35	<1	0.32	<10	1.4	3803	<2	0.01	2	1447	26	0.51	<5	6	279	<5	<0.01	<10	<10	67	<10	116	2
9V1401RA/RJ	P09-043	134706	156.00	157.00	1.00	0.04		1.2	2.11	52	166	<0.5	38	6.04	5	19	22	32	5.32	<1	0.33	<10	1.15	3518	<2	0.01	2	1526	54	1.33	<5	6	220	<5	<0.01	<10	<10	55	<10	124	2
9V1401RA/RJ	P09-043	134707	157.00	158.00	1.00	0.07		1.8	1.53	47	139	<0.5	61	7.27	5	16	21	48	5.15	<1	0.28	<10	0.99	3292	<2	0.01	2	1400	16	2.17	<5	6	167	<5	<0.01	<10	<10	41	<10	126	2
9V1401RA/RJ	P09-043	134708	158.00	159.00	1.00	0.06		2.1	1.78	92	143	0.5	40	3.74	4	18	23	53	5.12	<1	0.37	<10	0.99	2360	<2	0.01	3	1576	19	1.87	<5	7	107	<5	<0.01	<10	<10	50	<10	94	2
9V1401RA/RJ	P09-043	134709	159.00	160.00	1.00	0.06		2.1	1.89	200	165	<0.5	53	4.86	5	18	26	8	5.81	<1	0.37	<10	1.15	3935	<2	0.01	2	1336	39	2.26	8	6	373	<5	<0.01	<10	<10	61	<10	98	2
9V1401RA/RJ	P09-043	134710	160.00	161.00	1.00	0.07		2	1.84	161	103	<0.5	33	0.97	5	22	30	56	5.79	1	0.34	<10	0.98	1915	<2	0.01	2	1464	66	2.02	7	5	50	<5	0.01	<10	<10	61	<10	131	2
9V1401RA/RJ	P09-043	134711	161.00	162.00	1.00	0.02		0.9	2.26	175	224	<0.5	22	1.68	4	23	20	17	5.32	1	0.38	<10	1.31	2168	<2	0.01	2	1588	11	0.93	6	6	56	<5	<0.01	<10	<10	66	<10	135	2
9V1401RA/RJ	P09-043	134712	162.00	163.00	1.00	0.04		1.5	1.96	86	140	<0.5	23	1.13	5	19	35	38	5.74	<1	0.24	<10	1.18	2022	<2	0.02	3	1282	47	1.78	5	5	41	<5	0.01	<10	<10	68	<10	120	3
9V1401RA/RJ	P09-043	134713	163.00	164.00	1.00	0.03		0.9	2.03	91	200	<0.5	38	3.65	5	18	26	18	5.67	<1	0.3	<10	1.12	2825	<2	0.02	2	1451	11	1.59	<5	7	114	<5	0.01	<10	<10	67	<10	117	3
9V1401RA/RJ	P09-043	134714	164.00	165.00	1.00	0.02		1	2.35	88	227	<0.5	50	3.91	5	19	27	62	5.87	<1	0.3	<10	1.37	2878	<2	0.02	2	1511	10	1.28	<5	8	112	<5	0.01	<10	<10	74	<10	113	3
9V1401RA/RJ	P09-043	134715	165.00	166.00	1.00	0.04		1	2.2	98	217	<0.5	44	4.8	5	20	22	54	5.57	<1	0.33	<10	1.22	3365	<2	0.02	2	1433	11	1.08	<5	7	154	<5	0.01	<10	<10	78	<10	111	2
9V1401RA/RJ	P09-043	134716	166.00	167.00	1.00	<0.01		0.4	2.42	30	272	0.5	47	3.9	5	20	25	46	6.17	<1	0.36	<10	1.22	2718	<2	0.03	2	1546	6	0.77	<5	9	136	<5	0.05	<10	<10	84	<10	107	3
9V1401RA/RJ	P09-043	134717	167.00	168.00	1.00	0.05		0.8	2.26	48	200	<0.5	33	2.62	9	20	27	48	5.93	<1	0.28	<10	1.26	2977	<2	0.02	2	1461	181	1.2	<5	7	94	<5	0.02	<10	<10	92	<10	590	3
9V1401RA/RJ	P09-043	134718	168.00	169.00	1.00	0.22		1	2.9	49	209	<0.5	58	3.14	26	24	31	48	7.04	<1	0.31	<10	1.68	3869	<2	0.02	2	1672	204	1.11	<5	9	105	<5	0.02	<10	<10	115	<10	2016	3
9V1401RA/RJ	P09-043	134719	169.00	170.00	1.00	0.01		0.8	2.79	26	190	0.5	40	2.49	13	25	27	46	6.93	1	0.27	<10	1.64	3816	<2	0.02	2	1615	238	0.85	<5	9	95	<5	0.07	<10	<10	112	<10	840	3
9V1401RA/RJ	P09-043	134720	170.00	171.00	1.00	0.48		3.4	2.5	54	78	<0.5	55	1.41	56	25	36	148	7.61	1	0.14	<10	1.78	4095	<2	0.04	2	1517	785	2.95	<5	10	72	<5	0.02	<10	<10	160	<10	3610	4
9V1401RA/RJ	P09-043	134721	171.00	172.00	1.00	0.03		0.6	2.58	33	211	<0.5	43	3.57	6	23	26	29	6.44	<1	0.25	<10	1.66	4175	<2	0.01	1	1534	55	1.26	<5	8	120	<5	0.01	<10	<10	115	<10	222	3
9V1401RA/RJ	P09-043	134722	172.00	173.00	1.00	0.05		1.2	2.8	38	164	<0.5	46	2.88	11	22	31	38	6.75	1	0.25	<10	1.72	4135	<2	0.03	2	1571	366	1.32	<5	10	159	<5	0.01	<10	<10	150	<10	713	3
9V1401RA/RJ	P09-043	134723	173.00	174.00	1.00	0.3		2.2	1.93	48	81	<0.5	46	3.43	31	20	34	41	6.7	1	0.22	<10	1.16	4266	<2	0.02	2	1209	450	3.06	<5	7	213	<5	0.02	<10	<10	93	<10	2355	3
9V1401RA/RJ	P09-043	134724	174.00	175.00	1.00	0.19		2.3	2.28	157	128	<0.5	19	2.04	19	20	26	37	6.38	<1	0.33	<10	1.33	3715	<2	0.02	2	1516	289	1.94	<5	7	90	<5	0.01	<10	<10	81	<10	1462	3
9V1401RA/RJ	P09-043	134725	175.00	176.00	1.00	0.11		1.5	2.09	42	159	<0.5	46	3.85	10	18	36	35	6.03	1	0.25	<10	1.15	3870	<2	0.02	2	1355	237	1.57	<5	7	135	<5	0.01	<10	<10	92	<10	636	3
9V1401RA/RJ	P09-043	134726	176.00	177.00	1.00	0.97		3.2	2.84	54	193	<0.5	30	2.76	25	23	26	30	6.55	1	0.34	<10	1.74	3913	<2	0.02	2	1528	187	1.1	<5	9	100	<5	0.01	<10	<10	105	<10	1960	3
9V1401RA/RJ	P09-043	134727	177.00	178.00	1.00	0.12		1.8	2.45	148	148	<0.5	25	1.85	18	20	37	41	6.62	1	0.18	<10	1.53	4010	<2	0.03	2	1414	309	1.47	<5	8	80	<5	0.01	<10	<10	132	<10	1563	3
9V1401RA/RJ	P09-043	134728	178.00	179.00	1.00	0.06		1.3	2.38	66	149	<0.5	36	2.16	8	20	40	54	6.2	<1	0.2	<10	1.39	3912	<2	0.04	2	1382	202	1.03	<5	9	65	<5	0.01	<10	<10	128	<10	528	3
9V1401RA/RJ	P09-043	134729	179.00	179.60	0.60	0.08		1.9	1.74	95	185	<0.5	28	2.4	7	17	38	70	4.68	<1	0.34	<10	0.98	2898	<2	0.01	2	1344	115	1.01	<5	6	77	<5	<0.01	<10	<10	62	<10	661	2
9V1401RA/RJ	P09-043	134730	179.60	180.20	0.60	0.14		2.2	0.55	168	97	<0.5	16	4.37	17	7	58	47	2.46	<1	0.14	<10	0.3	2629	<2	0.01	2	479	166	1.39	<5	2	100	<5	<0.01	<10	<10	21	<10	1363	1
9V1401RA/RJ	P09-043	134731	180.20	180.86	0.66	0.08		2	0.73	142	104	<0.5	32	5.56	9	8	56	30	2.65	<1	0.18	<10	0.38	3358	<2	0.01	2	710	219	1.27	<5	2	175	<5	<0.01	<10	<10	25	<10	745	1
9V1401RA/RJ	P09-043	134732	180.86	181.80	0.94	0.06		2.1	1.32	87	150	<0.5	20	3.26	12	12	40	43	4.13	<1	0.24	<10	0.7	2879	<2	0.01	2	1142	308	1.45	<5	4	127	<5	<0.01	<10	<10	48	<10	1071	2
9V1401RA/RJ	P09-043	134733	181.80	182.80	1.00	0.07		1.8	1.49	102	198	<0.5	39	4.57	9	11	36	31	4	<1	0.31	<10	0.7	2952	<2	0.01	1	1136	204	1.22	<5	4	167	<5	<0.01	<10	<10	52	<10	759	2
9V1401RA/RJ	P09-043	134734	182.80	183.80	1.00	0.04		1.2	1.12	101	180	<0.5	22	4.86	3	12	32	24	3.21	<1	0.35	<10	0.41	2183	<2	0.01	2	1203	41	1.33	<5	3	145	<5	<0.01	<10	<10	29	<10	172	2
9V1401RA/RJ	P09-043	134735	183.80	184.80	1.00	0.03		1.3	1.56	140	196	<0.5	34	5.12	3	12	31	18	3.7	<1	0.38	<10	0.62	2815	<2	0.02	1	1337	21	0.87	<5	5	132	<5	<0.01	<10	<10	39	<10	225	2
9V1401RA/RJ	P09-043	134736	184.80	185.80	1.00	0.06		1.7	1.24	161	187	<0.5	38	4.2	4	11	41	16	3.15	<1	0.37	<10	0.42	1963	<2	0.01	2	1193	76	0.93	5	3	168	<5	<0.01	<10	<10	34	<10	232	2
9V1401RA/RJ	P09-043	134737	185.80	186.80	1.00	0.14		1.6	1.34	92	155	<0.5	28	2.46	12	11	42	14	3.86	<1	0.25	<10	0.74	2453	<2	0.01	2	992	310	1.41	<5	3	77	<5	<0.01	<10	<10	47	<10	1101	2
9V1401RA/RJ	P09-043	134738	186.80	187.80	1.00	0.07		2.2	1.84	88	160	<0.5	37	4	9	10	37	19	4.93	<1	0.29	<10	1.09	4224	<2	0.01	1	1120	289	1.68	<5	4	90	<5	<0.01	<10	<10	64	10	888	2
9V1401RA/RJ	P09-043	134739	187.80	188.80	1.00	0.12		1.1	1.5	118	79	<0.5	48	2.33	6	16	60	11	5.77	<1	0.22	<10	1.02	3260	<2	0.01	1	1024	80	2.82	6	4	82	<5	<0.01	<10	<10	53	<10	349	3
9V1401RA/RJ	P09-043	134740	188.80	189.80	1.00	0.13		1.8	1.64	193	64	<0.5	34	1.63	8	18	43	6	6.97	<1	0.24	<10	1.03	2606	<2	0.01	2	1064	197	3.61	8	4	53	<5	<0.01	<10	<10	57	12	391	3
9V1401RA/RJ	P09-043	134741	189.80	190.80	1.00	0.07		1.7	1.85	98	114	<0.5	27	1.93	7	14	49	9	5.64	1	0.18	<10	1.21	2725	<2	0.01	1	1070	83	1.89	6	4	62	<5	<0.01	<10	<10	65	10	583	2
9V1401RA/RJ	P09-043	134742	190.80	191.80	1.00	0.35		2.8	1.52	98	109	<0.5	20	2.23	8	12	52	18	5.07	<1	0.14	<10	1.08	3207	<2	0.01	1	777	715	1.84	<5	4	65	<5	<0.01	<10	<10	66	<10	572	2
9V1401RA/RJ	P09-043	134743	191.80	192.80	1.00	0.16		2.9	1.68	139	105	<0.5	40	2.83	7	14	45	51	5.25	<1	0.2	<10	1.04	3184	<2	0.01	1	982	439	1.99	5	4	61	<5	<0.01	<10	<10	58	<10	580	2
9V1401RA/RJ	P09-043	134744	192.80	193.80	1.00	0.14		1.6	1.54	209	103	<0.5	30	2.47	5	14	43	15	4.81	<1	0.24	<10	0.94	2742	<2	0.01	2	995	122	1.89	5	4	73	<5	<0.01	<10	<10	40	<10	265	2
9V1401RA/RJ	P09-043	134745	193.80	194.80	1.00	0.27		1.2	1.88	98	116	<0.5	30	1.6	9	12	34	5	5.02	<1	0.22	<10	1.33	2760	<2	0.01	3	1031	169	1.47	<5	4	48	<5	<0.01	<10	<10	48	<10	710	3
9V1401RA/RJ	P09-043	134746	194.80	195.80	1.00	0.52		1.8	1.41	67	129	<0.5	17	2.12	11	9	55	13	3.7	<1	0.19	<10	0.94	2526	<2	0.01	2	755	191	1.01	<5	3	62	<5	<0.01	<10	<10	41	<10	952	2
9V1401RA/RJ	P09-043	134747	195.80	196.80	1.00	0.58		2.4	0.95	60	164	<0.5	25	2.53	19	6	63	42	3.3	<1	0.15	<10	0.57	2551	<2	0.01	2	675	334	1.11	<5	3	114	<5	<0.01	<10	<10	29	<10	1644	2
9V1401RA/RJ	P09-043	134748	196.80	197.80	1.00	0.33		1.1	1.06	51	130	<0.5	19	0.9	4	7	69	16	3.52	<1	0.17	<10	0.68	1854	<2	0.01	1	675	56	1.11	<5	2	34	<5	<0.01	<10	<10	30	<10	207	2
9V1401RA/RJ	P09-043	134749	197.80	198.80	1.00	0.16		1.2	0.74	28	264	<0.5	27	3.32	2	5	81	3	2.63	<1	0.11	<10	0.53	2598	<2	0.01	2	497	33	0.71	<5	2	135	<5	<0.01	<10	<10	26	<10	113	1
9V1401RA/RJ	P09-043	134750	198.80	199.80	1.00	0.19		1	0.46	23	169	<0.5	20	3.39	3	4	104	20	1.75	<1	0.08	<10	0.3	2267	<2	0.01	2	294	82	0.62	<5	2	74	<5	<0.01	<10	<10	15	<10	278	1
9V1401RA/RJ	P09-043	134751	199.80	200.80	1.00	0.24		1.4	0.51	47	108	<0.5	15	4.19	4	3	75	27	1.77	<1	0.05	<10	0.34	2420	<2	0.01	2	250	86	0.63	<5	2	84	<5	<0.01	<10	<10	16	<10	356	1
9V1401RA/RJ	P09-043	134752	200.80	201.80	1.00	0.2		1	0.61	87	55	<0.5	19	1.68	5	5	96	11	2.35	<1	0.08	<10	0.44	1578	<2	0.01	2	316	103	0.86	<5	1	34	<5	<0.01	<10	<10	19	<10	438	1
9V1401RA/RJ	P09-043	134753	201.80	202.80	1.00	0.14		1.8	1.38	120	147	<0.5	34	4.61	7	9	39	1	4.15	<1	0.16	<10	0.99	3935	<2	0.01	2	721	74	1.32	<5	4	126	<5	<0.01	<10	<10	48	<10	541	2
9V1401RA/RJ	P09-043	134754	202.80	203.80	1.00	0.44		1.5	1.24	128	104	<0.5	31	1.79	4	9	80	<1	3.84	<1	0.12	<10	0.85	2622	<2	0.01	2	594	80	1.24	<5	3	48	<5	<0.01	<10	<10	46	<10	263	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1401RA/RJ	P09-043	134755	203.80	204.80	1.00	0.2		1.3	0.87	101	99	<0.5	30	0.84	3	8	80	<1	3.51	<1	0.15	<10	0.51	1806	<2	0.01	2	389	68	1.53	<5	2	29	<5	<0.01	<10	<10	35	<10	115	1
9V1401RA/RJ	P09-043	134756	204.80	205.80	1.00	0.61		2.6	0.83	170	82	<0.5	28	2.75	3	7	80	5	4	<1	0.29	<10	0.32	2488	<2	0.01	1	406	74	2.42	5	2	95	<5	<0.01	<10	<10	34	10	109	2
9V1401RA/RJ	P09-043	134757	205.80	206.80	1.00	0.77		4.2	0.98	246	58	<0.5	34	2.89	5	11	63	20	4.85	<1	0.17	<10	0.62	2580	<2	0.01	2	703	183	2.83	<5	3	74	<5	<0.01	<10	<10	39	<10	220	2
9V1401RA/RJ	P09-043	134758	206.80	207.80	1.00	0.13		2	1.95	136	137	<0.5	36	2.23	16	14	34	20	5.16	<1	0.22	<10	1.26	3344	<2	0.01	2	1149	288	1.41	<5	4	74	<5	<0.01	<10	<10	62	<10	1324	2
9V1401RA/RJ	P09-043	134759	207.80	208.80	1.00	0.15		1.6	1.98	135	147	<0.5	25	1.46	16	13	36	16	5.22	<1	0.19	<10	1.33	2998	<2	0.01	2	1074	293	1.34	<5	5	66	<5	0.01	<10	<10	75	<10	1348	2
9V1401RA/RJ	P09-043	134760	BLANK			<0.01		<0.1	0.06	<5	11	<0.5	60	>15.00	<1	1	3	2	0.56	<1	0.04	<10	12	236	<2	0.01	2	204	<2	0.46	<5	<1	52	<5	<0.01	10	<10	3	<10	25	<1
9V1401RA/RJ	P09-043	134761	208.80	209.80	1.00	0.27		1.7	1.47	179	85	<0.5	12	1.21	15	13	43	11	4.83	<1	0.16	<10	1.11	2308	<2	0.01	1	968	118	1.93	<5	4	44	<5	<0.01	<10	<10	83	<10	1085	2
9V1401RA/RJ	P09-043	134762	209.80	210.80	1.00	0.41		2.2	1.24	237	102	<0.5	21	0.87	11	11	41	11	4.56	<1	0.22	<10	0.82	1820	2	0.01	1	887	174	1.97	<5	3	40	<5	<0.01	<10	<10	52	<10	881	2
9V1401RA/RJ	P09-043	134763	210.80	211.80	1.00	0.53		1.2	1.78	154	139	<0.5	25	1.05	12	11	36	8	4.68	<1	0.18	<10	1.03	2478	18	0.01	1	1023	116	0.93	<5	3	33	<5	<0.01	<10	<10	62	<10	1053	2
9V1401RA/RJ	P09-043	134764	211.80	212.75	0.95	0.34		2.7	1.48	127	151	<0.5	24	2.26	14	9	23	29	4.3	<1	0.38	<10	0.51	2628	3	0.01	1	1159	729	1.24	<5	3	80	<5	<0.01	<10	<10	43	<10	1229	2
9V1401RA/RJ	P09-043	134765	212.75	213.70	0.95	0.16		1.7	1.69	136	208	<0.5	33	1.71	36	15	15	26	4.05	1	0.33	<10	0.56	2188	<2	0.02	1	1382	455	0.42	<5	3	63	<5	<0.01	<10	<10	53	<10	2815	2
9V1401RA/RJ	P09-043	134766	213.70	214.70	1.00	0.09		2.6	2.03	266	255	<0.5	17	5.61	46	16	10	39	4.79	2	0.44	10	0.73	3803	<2	0.02	<1	1466	391	0.65	12	4	134	<5	0.01	<10	<10	36	98	3515	2
9V1401RA/RJ	P09-043	134767	214.70	215.70	1.00	0.09		2.6	2.4	25	210	<0.5	22	2.01	89	19	9	39	6.02	3	0.35	<10	1.04	3022	<2	0.02	<1	1588	557	0.87	8	4	60	<5	0.01	<10	<10	46	229	5545	2
9V1401RA/RJ	P09-043	134768	215.70	216.70	1.00	0.13		2.6	2.11	64	259	<0.5	21	3.98	41	14	7	53	5.38	1	0.43	<10	0.83	4004	<2	0.02	<1	1382	370	1.18	8	3	142	<5	0.01	<10	<10	39	88	3230	2
9V1401RA/RJ	P09-043	134769	216.70	217.70	1.00	0.04		5.5	2.37	32	216	<0.5	22	3.61	62	18	6	55	5.72	1	0.33	<10	1.09	3954	<2	0.03	<1	1408	1052	0.73	9	4	112	<5	0.01	<10	<10	50	156	4613	2
9V1401RA/RJ	P09-043	134770	217.70	218.70	1.00	0.12		2.4	2.21	18	267	<0.5	19	4.3	27	18	3	34	5.22	1	0.38	<10	0.92	2894	<2	0.03	<1	1513	518	0.53	9	4	122	<5	0.01	<10	<10	49	41	2128	2
9V1401RA/RJ	P09-043	134771	218.70	219.70	1.00	0.02		4.4	2.22	21	238	<0.5	24	5.19	56	20	4	50	5.78	1	0.33	<10	0.95	3016	<2	0.03	<1	1433	977	0.97	10	4	139	<5	0.01	<10	<10	59	116	4064	2
9V1401RA/RJ	P09-043	134772	219.70	220.70	1.00	0.01		7.7	2.11	17	272	<0.5	24	4.88	100	20	5	80	5.32	2	0.38	<10	0.89	3268	<2	0.04	<1	1495	2506	1.24	8	4	150	<5	0.01	<10	<10	55	257	5690	2
9V1401RA/RJ	P09-043	134773	220.70	221.70	1.00	0.06		1.5	1.99	13	265	<0.5	16	4.7	12	17	4	30	4.82	<1	0.38	<10	0.82	2721	<2	0.04	<1	1612	272	0.59	8	4	135	<5	<0.01	<10	<10	43	12	887	2
9V1401RA/RJ	P09-043	134774	221.70	222.70	1.00	0.01		1.5	2.54	19	253	<0.5	21	3.4	16	16	6	16	5.94	1	0.36	<10	1.08	3263	<2	0.04	<1	1592	538	0.27	9	4	101	<5	<0.01	<10	<10	55	17	1223	2
9V1401RA/RJ	P09-043	134775	222.70	223.70	1.00	0.04		2.4	1.93	32	252	<0.5	16	5.68	21	17	3	42	4.7	1	0.36	<10	0.76	3376	<2	0.03	<1	1465	550	0.52	7	3	144	<5	0.01	<10	<10	37	31	1734	2
9V1401RA/RJ	P09-043	134776	223.70	224.70	1.00	0.02		3.2	2.03	21	266	<0.5	18	8.3	31	17	3	48	5.01	1	0.41	<10	0.8	3411	<2	0.04	<1	1426	927	0.57	8	4	201	<5	0.01	<10	<10	42	65	2487	2
9V1401RA/RJ	P09-043	134777	224.70	225.70	1.00	0.01		2.3	1.93	20	249	<0.5	19	6.65	6	17	3	6892	4.65	1	0.37	<10	0.63	2332	<2	0.03	<1	1344	102	0.58	8	4	178	<5	0.01	<10	<10	42	<10	413	2
9V1401RA/RJ	P09-043	134778	225.70	226.70	1.00	0.01		1.6	2	26	313	<0.5	17	4.21	14	18	4	28	4.84	<1	0.46	<10	0.67	2350	<2	0.04	<1	1619	418	0.6	8	4	110	<5	0.01	<10	<10	43	24	1118	2
9V1401RA/RJ	P09-043	134779	226.70	227.70	1.00	0.03		3.2	1.84	46	251	<0.5	17	5.25	32	17	4	31	5.01	1	0.36	<10	0.62	2716	<2	0.03	<1	1522	1191	0.97	7	3	140	<5	0.01	<10	<10	36	56	2440	2
9V1401RA/RJ	P09-043	134780	227.70	228.70	1.00	0.02		1.5	2.04	25	289	<0.5	21	4.38	6	19	3	26	5.44	1	0.43	<10	0.63	2271	<2	0.04	<1	1496	44	0.95	9	4	131	<5	0.01	<10	<10	55	<10	197	2
9V1401RA/RJ	P09-043	134781	228.70	229.70	1.00	0.13		2.4	1.41	168	115	<0.5	20	3.77	7	19	7	32	5.69	1	0.36	<10	0.41	2462	4	0.03	<1	1377	138	2.88	8	3	115	<5	<0.01	<10	<10	29	<10	298	2
9V1401RA/RJ	P09-043	134782	229.70	230.70	1.00	0.05		1.7	1.84	134	287	<0.5	18	4.09	7	19	4	26	5.2	<1	0.43	<10	0.54	2415	<2	0.03	<1	1464	194	1.12	8	4	124	<5	0.01	<10	<10	47	<10	367	2
9V1401RA/RJ	P09-043	134783	230.70	231.70	1.00	0.03		1.3	1.78	29	242	<0.5	18	4.87	4	18	4	31	4.65	<1	0.36	<10	0.57	2250	<2	0.03	<1	1399	11	0.55	7	4	140	<5	0.01	<10	<10	42	<10	123	2
9V1401RA/RJ	P09-043	134784	231.70	232.70	1.00	0.04		1.5	2.11	67	276	<0.5	19	5.48	5	19	3	25	5.57	1	0.43	<10	0.71	2650	<2	0.03	<1	1525	20	0.74	10	4	145	<5	0.01	<10	<10	47	<10	165	2
9V1401RA/RJ	P09-043	134785	232.70	233.70	1.00	0.01		1.4	2	22	230	<0.5	20	5.32	5	14	5	37	5.23	<1	0.38	<10	0.66	2759	<2	0.03	<1	1623	17	0.63	9	3	149	<5	<0.01	<10	<10	37	<10	144	2
9V1401RA/RJ	P09-043	134786	233.70	234.70	1.00	0.1		2.9	1.6	69	233	<0.5	18	5.26	6	18	5	51	4.69	<1	0.39	<10	0.5	2646	<2	0.03	<1	1511	161	1.38	9	3	175	<5	<0.01	<10	<10	38	<10	236	2
9V1401RA/RJ	P09-043	134787	234.70	235.70	1.00	6.65		7.9	1.86	1628	200	<0.5	23	5.8	10	17	4	102	6.03	<1	0.36	<10	0.59	2554	<2	0.02	<1	1472	438	1.82	11	3	176	<5	<0.01	<10	<10	34	14	973	2
9V1401RA/RJ	P09-043	134788	235.70	236.70	1.00	0.03		1.3	1.75	90	202	<0.5	15	4.28	3	20	5	44	4.12	1	0.38	<10	0.51	1487	2	0.03	1	1484	12	0.59	7	3	129	<5	<0.01	<10	<10	34	<10	85	2
9V1401RA/RJ	P09-043	134789	236.70	237.70	1.00	<0.01		1.5	2.37	28	161	<0.5	21	4.65	5	18	4	95	5.65	1	0.32	<10	0.76	1702	<2	0.03	2	1409	6	0.35	8	3	128	<5	0.01	<10	<10	40	<10	106	2
9V1401RA/RJ	P09-043	134790	237.70	238.70	1.00	<0.01		1.1	2.27	30	168	<0.5	20	5.78	4	16	4	57	5.29	1	0.36	<10	0.79	1710	<2	0.03	<1	1398	4	0.48	8	3	152	<5	0.01	<10	<10	32	<10	114	2
9V1401RA/RJ	P09-043	134791	238.70	239.70	1.00	0.02		1.1	1.97	27	138	<0.5	21	5.21	5	19	5	54	5.24	1	0.3	<10	0.73	1618	<2	0.02	<1	1437	8	1.08	8	3	134	<5	0.01	<10	<10	31	<10	106	2
9V1401RA/RJ	P09-043	134792	239.70	240.70	1.00	0.1		1.1	1.95	62	153	<0.5	19	5.02	5	17	6	41	5.18	1	0.35	<10	0.72	1661	<2	0.03	<1	1500	11	1.29	9	3	130	<5	0.01	<10	<10	32	<10	107	2
9V1401RA/RJ	P09-043	134793	240.70	241.70	1.00	0.13		1.2	1.71	80	122	<0.5	17	8.01	4	14	8	14	4.61	<1	0.32	<10	0.63	2619	<2	0.02	1	1398	26	1.27	8	3	193	<5	<0.01	<10	<10	25	<10	111	2
9V1401RA/RJ	P09-043	134794	241.70	242.70	1.00	0.1		1.9	1.72	155	142	<0.5	19	5.54	5	18	8	40	4.89	<1	0.36	<10	0.63	1987	<2	0.02	<1	1388	34	1.64	9	3	155	<5	<0.01	<10	<10	22	<10	136	2
9V1401RA/RJ	P09-043	134795	242.70	243.70	1.00	0.05		1.1	1.8	82	179	<0.5	19	5.44	5	18	9	267	4.75	1	0.3	<10	0.72	2055	<2	0.01	<1	1397	17	1.12	8	3	149	<5	<0.01	<10	<10	26	<10	132	2
9V1401RA/RJ	P09-043	134796	243.70	244.70	1.00	0.04		1.1	2	42	141	<0.5	20	5.45	5	17	7	44	5.03	<1	0.34	<10	0.82	2125	<2	0.02	1	1464	14	0.96	8	3	135	<5	<0.01	<10	<10	27	<10	122	2
9V1401RA/RJ	P09-043	134797	244.70	245.70	1.00	0.05		1.4	1.58	57	121	<0.5	15	5.76	4	14	7	38	4.12	<1	0.31	<10	0.6	2444	<2	0.01	<1	1351	12	0.82	7	2	158	<5	<0.01	<10	<10	20	<10	126	2
9V1401RA/RJ	P09-043	134798	245.70	246.70	1.00	0.03		0.9	1.8	37	126	<0.5	16	5.78	4	14	7	65	4.29	<1	0.32	<10	0.67	2334	<2	0.02	2	1256	11	0.62	7	3	163	<5	<0.01	<10	<10	26	<10	115	2
9V1401RA/RJ	P09-043	134799	246.70	247.70	1.00	<0.01		1	2.05	18	133	<0.5	20	5.76	4	17	6	72	4.87	<1	0.33	<10	0.75	2053	<2	0.02	1	1438	5	0.55	8	3	174	<5	0.01	<10	<10	31	<10	101	2
9V1401RA/RJ	P09-043	134800	247.70	248.70	1.00	0.01		1	2.02	19	146	<0.5	18	5.86	4	14	7	45	4.76	<1	0.34	<10	0.64	1927	<2	0.02	1	1336	7	0.45	8	3	162	<5	<0.01	<10	<10	31	<10	97	2
9V1401RA/RJ	P09-043	134801	248.70	249.70	1.00	0.04		1	2	49	121	<0.5	20	5.23	5	16	8	52	5.23	1	0.28	<10	0.6	1814	<2	0.02	<1	1401	7	0.73	8	3	163	<5	<0.01	<10	<10	43	<10	101	2
9V1401RA/RJ	P09-043	134802	249.70	250.70	1.00	0.05		1.4	1.82	89	133	<0.5	18	4.76	4	16	10	37	4.94	1	0.31	<10	0.5	1585	2	0.02	<1	1440	12	1.01	8	3	143	<5	<0.01	<10	<10	34	<10	102	2
9V1401RA/RJ	P09-043	134803	250.70	251.70	1.00	0.02		0.9	2.03	60	112	<0.5	18	5.55	4	18	7	31	5.03	<1	0.25	<10	0.66	1775	2	0.02	<1	1425	4	0.4	8	3	159	<5	<0.01	<10	<10	36	<10	93	2
9V1401RA/RJ	P09-043	134804	251.70	252.70	1.00	<0.01		1	2	26	119	<0.5	17	5.78	4	18	7	42	4.6	1	0.29	<10	0.65	1686	7	0.03	1	1387	4	0.29	7	3	162	<5	<0.01	<10	<10	41	<10	91	2
9V1401RA/RJ	P09-043	134805	252.70	253.70	1.00	0.02		1	2.14	48	105	<0.5	20	4.97	5	18	7	36	5.21	<1	0.27	<10	0.74	1575	<2	0.02	<1	1375	2	0.53	8	3	140	<5	<0.01	<10	<10	31	<10	99	2
9V1401RA/RJ	P09-043	134806	253.70	254.70	1.00	0.01		1	1.87	46	122	<0.5	17	6.37	4	16	6	22	4.53	<1	0.32	<10	0.69	1637	<2	0.02	<1	1328	3	0.64	9	3	165	<5	<0.01	<10	<10	22	<10	96	2
9V1401RA/RJ	P09-043	134807	254.70	255.70	1.00	<0.01		0.6	1.96	42	98	<0.5	20	5.16	5	17	6	3	5.09	<1	0.25	<10	0.78	1520	<2	0.02	<1	1333	4	0.83	9	3	141	<5	<0.01	<10	<10	27	<10	104	2
9V1401RA/RJ	P09-043	134808	255.70	256.70	1.00	<0.01		0.6	2.04	40	108	<0.5	18	5.27	4	15	5	20	4.95	<1	0.28	<10	0.85	1502	<2	0.02	<1	1256	4	0.56	8	3	133	<5	<0.01	<10	<10	25	<10	93	2
9V1401RA/RJ	P09-043	134809	256.70	257.70	1.00	0.02		1.1	2.06	344	93	<0.5	20	5.18	4	17	7	43	5.2	<1	0.26	<10	0.81	1618	<2	0.02	<1	1392	4	0.74	13	3	123	<5	<0.01	<10	<10	21	<10	86	2
9V1401RA/RJ	P09-043	134810	257.70	258.70	1.00	<0.01		1.6	2.15	569	125	<0.5	19	4.42	4	15	7	67	4.76	1	0.33	<10	0.77	1339	<2	0.02	<1	1301	4	0.47	17	3	105	<5	<0.01	<10	<10	22	<10	89	2
9V1401RA/RJ	P09-043	134811	258.70	259.70	1.00	<0.01		1.6	1.94	30	120	<0.5	17	5.46	4	21	6	47	4.61	<1	0.31	<10	0.78	1589	<2	0.01	<1	1463	7	0.56	9	3	115	<5	<0.01	<10	<10	22	<10	88	2
9V1401RA/RJ	P09-043	134812	259.70	260.58	0.88	<0.01		1.2	2.53	137	170	<0.5	22	2	5	18	1	62	5.84	<1	0.36	<10	1.18	1251	<2	0.01	<1	1526	2	0.19	11	2	39	<5	<0.01	<10	<10	14	<10	102	2
9V1401RA/RJ	P09-043	134813	260.58	261.70	1.12	0.02		1.5	2.37	324	130	<0.5	23	2.82	5	21	4	51	5.97	<1	0.32	<10	1.09	1432	<2	0.01	<1	1695	6	0.72	12	3	53	<5	<0.01	<10	<10	24	<10	113	2
9V1401RA/RJ	P09-043	134814	261.70	262.70	1.00	0.01		1.6	3.02	52	114	<0.5	28	3.88	6	20	2	75	7.27	1	0.31	<10	1.27	2052	4	0.01	<1	1703	6	0.51	11	4	89	<5	<0.01	<10	<10	39	<10	119	2
9V1401RA/RJ	P09-043	134815	262.70	263.70	1.00	0.02		0.8	2.56	26	115	<0.5	23	3.49	5	17	3	32	6.02	<1	0.28	<10	0.93	1681	3	0.02	<1	1580	5	0.32	9	4	76	<5	<0.01	<10	<10	36	<10	99	2
9V1401RA/RJ	P09-043	134816	263.70	264.70	1.00	0.01		0.9	2.86	123	130	<0.5	25	3.91	6	18	5	36	6.62	<1	0.35	<10	0.95	2045	<2	0.02	<1	1589	13	0.29	11	5	89	<5	<0.01	<10	<10	46	<10	141	2
9V1401RA/RJ	P09-043	134817	264.70	265.10	0.40	0.01		1.1	2.66	52	129	<0.5	24	2.98	5	21	2	52	6.16	<1	0.36	<10	0.88	1764	<2	0.02	<1	1374	14	0.15	9	4	63	<5	0.01	<10	<10	34	<10	113	2
9V1401RA/RJ	P09-043	134818	265.10	266.10	1.00	<0.01		<0.1	1.61	6	677	<0.5	11	2.56	2	14	14	21	3.28	<1	0.17	17	1.39	687	<2	0.06	7	1850	5	0.08	6	4	109	<5	0.15	<10	<10	60	<10	74	9
9V1401RA/RJ	P09-043	134819	266.10	267.10	1.00	<0.01		<0.1	1.64	8	76	<0.5	12	2.45	2	16	16	13	3.29	1	0.13	15	1.41	833	<2	0.05	7	1804	44	0.07	7	5	65	<5	0.26	<10	<10	63	<10	84	10
9V1401RA/RJ	P09-043	134820	267.10	268.00	0.90	<0.01		<0.1	1.6	7	80	<0.5	12	2.36	2	16	17	33	3.37	<1	0.13	17	1.47	714	<2	0.06	7	1959	30	0.05	6	5	72	<5	0.26	<10	<10	68	<10	78	10
9V1401RA/RJ	P09-043	134821	268.00	268.38	0.38	<0.01		<0.1	1.57	10	85	<0.5	12	2.68	2	16	19	6	3.39	<1	0.14	15	1.42	613	<2	0.05	7	1967	6	0.11	6	5	71	<5	0.23	<10	<10	62	<10	64	10
9V1401RA/RJ	P09-043	134822	268.38	269.30	0.92	<0.01		0.8	2.84	20	102	<0.5	28	3.73	6	21	2	33	6.98	<1	0.27	10	0.97	2082	2	0.02	<1	1664	5	0.45	10	4	95	<5	<0.01	<10	<10	44	<10	119	2
9V1401RA/RJ	P09-043	134823	269.30	270.30	1.00	<0.01		0.9	2.21	32	145	<0.5	18	3.51	4	17	3	37	4.93	<1	0.41	<10	0.69	1599	<2	0.02	<1	1532	11	0.33	8	4	82	<5	0.01	<10	<10	32	<10	89	2
9V1401RA/RJ	P09-043	134824	270.30	271.30	1.00	<0.01		0.9	2.16	20	139	<0.5	18	3.37	4	18	1	48	4.86	<1	0.36	11	0.67	1673	<2	0.02	<1	1802	5	0.41	8	3	90	<5	<0.01	<10	<10	25	<10	80	2
9V1401RA/RJ	P09-043	134825	271.30	272.30	1.00	0.01		1.3	2.58	964	107	<0.5	26	3.68	5	19	2	38	6.44	<1	0.29	<10	0.87	2165	<2	0.01	<1	1623	10	0.59	15	3	100	<5	<0.01	<10	<10	29	<10	106	2
9V1401RA/RJ	P09-043	134826	272.30	273.78	1.48	<0.01		1.4	2.27	218	135	<0.5	21	3.83	5	18	2	40	5.44	<1	0.35	<10	0.69	1831	<2	0.01	<1	1772	8	0.53	10	3	100	<5	<0.01	<10	<10	27	<10	99	2

P09-044 - Rambler - PAD 28 - 436083E 6219562N, Elev: 1040m, Az: 090, Dip: -50, EOH: 254.88m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1401RA/RJ	P09-044	134827	3.04	3.50	0.46	<0.01		<0.1	2.54	24	592	<0.5	21	2.72	5	34	72	39	5.78	1	0.12	21	3.14	1014	<2	0.21	70	2255	4	0.27	13	10	219	<5	0.34	<10	<10	135	<10	128	17
9V1401RA/RJ	P09-044	134828	3.50	4.50	1.00	<0.01		0.5	2.68	32	200	<0.5	23	1.04	5	20	12	14	6.14	<1	0.29	11	2.1	1337	<2	0.02	1	1631	8	1.35	12	4	28	<5	0.02	<10	<10	41	<10	139	3
9V1401RA/RJ	P09-044	134829	4.50	5.50	1.00	<0.01		0.5	2.54	17	181	<0.5	20	3.54	5	17	10	12	5.59	<1	0.25	10	1.87	1803	<2	0.01	<1	1674	4	1.32	11	4	94	<5	0.01	<10	<10	31	<10	147	2
9V1401RA/RJ	P09-044	134830	5.50	6.50	1.00	0.03		0.9	2.6	48	150	<0.5	25	4.16	6	20	11	5	6.7	<1	0.3	<10	1.98	1704	<2	0.02	<1	1756	25	2.73	15	5	112	<5	0.01	<10	<10	29	<10	157	3
9V1401RA/RJ	P09-044	134831	6.50	7.50	1.00	<0.01		0.6	2.39	17	121	<0.5	22	3.6	5	16	12	6	5.72	<1	0.18	<10	1.88	1595	<2	0.02	<1	1382	10	1.75	11	5	136	<5	0.01	<10	<10	39	<10	96	2
9V1401RA/RJ	P09-044	134832	7.50	8.50	1.00	0.01		0.6	2.5	22	138	<0.5	24	1.98	5	18	13	5	6.02	1	0.21	<10	1.93	1615	<2	0.02	<1	1478	14	1.67	12	5	70	<5	<0.01	<10	<10	35	<10	135	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1401RA/RJ	P09-044	134833	8.50	9.50	1.00	0.13		1	2.26	46	146	<0.5	24	3.03	7	20	13	12	6.37	<1	0.23	<10	1.86	1915	<2	0.02	<1	1566	18	2.48	14	5	84	<5	<0.01	<10	<10	27	<10	162	3
9V1401RA/RJ	P09-044	134834	9.50	10.50	1.00	0.01		1.5	3.03	64	141	<0.5	35	3.82	9	33	30	22	8.93	<1	0.27	<10	2.2	2561	<2	0.02	<1	1540	20	3.58	22	6	101	<5	0.01	<10	<10	40	<10	128	3
9V1401RA/RJ	P09-044	134835	10.50	11.50	1.00	<0.01		0.5	3.53	18	146	<0.5	29	4.52	7	25	15	28	7.47	<1	0.21	<10	2.51	2930	<2	0.02	<1	1523	4	0.94	13	6	119	<5	0.01	<10	<10	62	<10	133	3
9V1401RA/RJ	P09-044	134836	11.50	12.50	1.00	<0.01		0.4	3.03	16	185	<0.5	24	4.26	6	21	13	18	6.73	<1	0.27	11	2.27	2325	<2	0.02	<1	1607	6	0.98	10	7	107	<5	0.01	<10	<10	53	<10	120	3
9V1401RA/RJ	P09-044	134837	12.50	13.50	1.00	<0.01		0.6	2.39	25	155	<0.5	22	3.22	5	18	12	20	6.21	<1	0.25	<10	1.73	1650	<2	0.02	<1	1484	9	1.67	14	5	98	<5	<0.01	<10	<10	36	<10	100	2
9V1401RA/RJ	P09-044	134838	13.50	14.50	1.00	0.01		0.6	2.36	24	185	<0.5	21	4.8	5	17	13	10	5.68	<1	0.29	<10	1.67	1714	<2	0.02	<1	1462	10	1.94	12	5	167	<5	0.01	<10	<10	36	<10	111	2
9V1401RA/RJ	P09-044	134839	14.50	15.50	1.00	<0.01		0.4	2.63	13	159	<0.5	22	5.1	5	17	15	17	5.5	<1	0.23	<10	1.9	1899	<2	0.02	<1	1498	4	1.01	11	6	167	<5	0.01	<10	<10	50	<10	114	2
9V1401RA/RJ	P09-044	134840	15.50	16.50	1.00	<0.01		0.4	2.82	8	226	<0.5	22	5.72	5	16	12	14	5.7	<1	0.23	<10	2	2046	<2	0.02	<1	1393	13	0.68	9	6	188	<5	0.01	<10	<10	54	<10	122	2
9V1401RA/RJ	P09-044	134841	16.50	17.50	1.00	<0.01		0.2	2.87	24	166	<0.5	22	3.99	5	17	13	7	5.97	<1	0.2	<10	2.01	1749	<2	0.02	<1	1553	5	0.57	9	6	95	<5	0.01	<10	<10	51	<10	109	3
9V1401RA/RJ	P09-044	134842	17.50	18.50	1.00	<0.01		0.3	2.85	13	197	<0.5	23	3.84	5	18	11	6	5.85	<1	0.24	<10	1.9	1830	<2	0.02	<1	1526	6	0.57	9	6	96	<5	0.01	<10	<10	54	<10	110	2
9V1401RA/RJ	P09-044	134843	18.50	19.50	1.00	<0.01		0.4	2.49	24	147	<0.5	19	4.04	4	18	14	8	5.18	<1	0.2	<10	1.73	1779	<2	0.02	<1	1436	6	0.72	9	5	131	<5	0.01	<10	<10	39	<10	91	2
9V1401RA/RJ	P09-044	134844	19.50	20.50	1.00	<0.01		0.4	2.62	44	167	<0.5	23	1.34	5	20	12	25	5.96	<1	0.25	<10	1.81	1287	<2	0.03	<1	1474	8	1.38	11	5	37	<5	<0.01	<10	<10	48	<10	104	2
9V1401RA/RJ	P09-044	134845	20.50	21.50	1.00	0.01		1	2.1	84	114	<0.5	24	1.42	6	20	10	19	6.33	<1	0.33	10	1.22	1120	<2	0.01	<1	1590	15	2.76	16	4	46	<5	<0.01	<10	<10	22	<10	135	2
9V1401RA/RJ	P09-044	134846	21.50	22.50	1.00	<0.01		0.4	2.88	15	232	<0.5	23	3.4	5	19	10	22	5.82	1	0.36	13	1.71	2106	<2	0.01	<1	1702	9	0.44	9	5	98	<5	<0.01	<10	<10	45	<10	122	2
9V1401RA/RJ	P09-044	134847	22.50	23.50	1.00	<0.01		0.8	1.73	28	179	<0.5	18	5.21	4	16	8	23	4.83	<1	0.33	11	1.01	2065	<2	0.01	<1	1639	9	2.44	12	5	171	<5	0.01	<10	<10	21	13	101	2
9V1401RA/RJ	P09-044	134848	23.50	24.50	1.00	<0.01		0.6	2.38	21	186	<0.5	20	3.96	4	16	7	15	5.3	<1	0.3	10	1.65	2017	<2	0.01	<1	1583	4	1.39	9	4	124	<5	<0.01	<10	<10	30	11	115	2
9V1401RA/RJ	P09-044	134849	24.50	25.50	1.00	<0.01		0.6	2.47	23	199	<0.5	20	2.29	4	15	9	50	5.26	<1	0.32	11	1.73	1695	<2	0.01	<1	1654	4	1.17	9	4	77	<5	<0.01	<10	<10	33	<10	132	2
9V1401RA/RJ	P09-044	134850	25.50	26.50	1.00	<0.01		0.7	1.69	27	141	<0.5	18	3.38	4	15	9	17	5.15	<1	0.31	10	1.32	1928	<2	0.01	<1	1651	9	1.89	11	5	92	<5	<0.01	<10	<10	21	<10	111	2
9V1401RA/RJ	P09-044	134851	26.50	27.50	1.00	0.01		0.4	1.04	28	88	<0.5	20	3.11	5	19	19	10	5.45	<1	0.3	12	1.34	1181	<2	0.06	14	1804	9	2.67	11	7	148	<5	0.02	<10	<10	30	<10	70	3
9V1401RA/RJ	P09-044	134852	27.50	28.50	1.00	0.02		0.8	0.97	56	89	<0.5	20	2.67	5	19	8	16	5.26	<1	0.29	10	0.91	1499	<2	0.02	1	1620	10	2.46	11	6	88	<5	<0.01	<10	<10	13	<10	99	2
9V1401RA/RJ	P09-044	134853	28.50	29.50	1.00	0.02		1	0.82	102	43	<0.5	26	0.62	7	21	12	10	6.63	<1	0.3	10	0.31	403	<2	0.01	<1	1691	19	4.56	20	4	12	<5	<0.01	<10	<10	<1	<10	122	2
9V1401RA/RJ	P09-044	134854	29.50	30.50	1.00	0.03		1.5	0.6	119	52	<0.5	22	0.83	6	17	19	13	5.62	1	0.25	<10	0.22	427	<2	0.01	<1	1386	23	4.29	27	2	21	<5	<0.01	<10	<10	<1	<10	114	2
9V1401RA/RJ	P09-044	134855	30.50	31.00	0.50	0.23		3.1	0.35	277	54	<0.5	23	2.14	7	12	45	11	5.71	<1	0.2	<10	0.14	884	3	0.01	<1	705	38	4.94	21	1	43	<5	<0.01	<10	<10	<1	<10	223	2
9V1401RA/RJ	P09-044	134856	31.00	31.60	0.60	0.02		0.8	1.42	83	80	<0.5	24	0.46	6	19	16	13	5.91	<1	0.24	10	0.82	763	<2	0.01	<1	1554	15	3.47	15	3	12	<5	<0.01	<10	<10	12	<10	103	2
9V1401RA/RJ	P09-044	134857	31.60	32.60	1.00	0.01		0.8	1.84	33	113	<0.5	22	1.48	6	17	16	17	5.77	<1	0.26	10	1.19	1509	<2	0.01	<1	1473	22	2.71	15	4	34	<5	<0.01	<10	<10	21	<10	130	2
9V1401RA/RJ	P09-044	134858	32.60	33.60	1.00	0.01		0.8	1.92	19	130	<0.5	18	4.13	7	14	15	13	5.28	<1	0.22	10	1.34	2381	<2	0.01	<1	1410	158	2.02	10	4	108	<5	<0.01	<10	<10	24	<10	347	2
9V1401RA/RJ	P09-044	134859	33.60	34.30	0.70	0.04		5	0.99	35	81	<0.5	16	3.06	37	14	27	21	4.8	1	0.26	<10	0.53	1584	<2	0.01	<1	1334	2657	3.49	13	3	90	<5	<0.01	<10	<10	7	93	2871	2
9V1401RA/RJ	P09-044	134860	34.30	35.00	0.70	0.12		16.9	0.85	109	49	<0.5	19	3.3	227	18	27	207	5.92	2	0.24	<10	0.45	1817	2	0.01	<1	1099	>10000	>5.00	16	2	93	<5	<0.01	<10	<10	<1	566	8405	2
9V1401RA/RJ	P09-044	134861	35.00	36.00	1.00	0.04		1.2	1.07	68	99	<0.5	19	3.68	6	18	17	8	5.18	<1	0.27	<10	0.56	1698	<2	0.01	<1	1502	71	3.58	16	3	117	<5	<0.01	<10	<10	6	<10	211	2
9V1401RA/RJ	P09-044	134862	36.00	37.00	1.00	0.02		0.8	1.49	29	116	<0.5	19	3.82	5	16	15	7	5.28	<1	0.26	<10	0.95	1922	<2	0.01	<1	1475	51	2.84	11	3	112	<5	<0.01	<10	<10	13	<10	149	2
9V1401RA/RJ	P09-044	134863	37.00	38.00	1.00	0.06		0.9	1.44	50	113	<0.5	19	3.79	5	16	16	16	5.37	<1	0.25	10	0.89	1743	<2	0.01	<1	1483	14	3.04	13	4	125	<5	<0.01	<10	<10	11	<10	114	2
9V1401RA/RJ	P09-044	134864	38.00	39.00	1.00	0.02		0.8	1.49	38	92	<0.5	20	3.44	5	16	12	13	5.57	<1	0.26	<10	0.95	1641	<2	0.01	<1	1458	14	3.12	13	3	115	<5	<0.01	<10	<10	10	<10	97	2
9V1401RA/RJ	P09-044	134865	39.00	40.00	1.00	0.03		0.7	1.57	39	115	<0.5	19	3.04	5	15	16	5	5.05	<1	0.25	<10	1.17	1542	<2	0.01	<1	1425	11	2.42	11	4	129	<5	<0.01	<10	<10	21	<10	90	2
9V1401RA/RJ	P09-044	134866	40.00	41.00	1.00	0.04		1.2	1.49	86	87	<0.5	23	4.36	6	19	18	8	6.05	<1	0.22	<10	1.15	1896	<2	0.01	<1	1486	17	3.42	13	4	211	<5	<0.01	<10	<10	16	<10	94	2
9V1401RA/RJ	P09-044	134867	41.00	42.00	1.00	<0.01		0.5	2.31	23	188	<0.5	21	3.53	5	17	14	4	5.51	<1	0.29	10	1.48	1859	<2	0.01	<1	1533	6	1.45	10	4	107	<5	<0.01	<10	<10	31	<10	116	2
9V1401RA/RJ	P09-044	134868	42.00	43.00	1.00	0.01		0.8	1.33	49	64	<0.5	23	3.08	6	19	18	7	6.12	<1	0.24	<10	0.8	1126	<2	0.01	<1	1538	17	4.1	17	3	121	<5	<0.01	<10	<10	7	<10	110	2
9V1401RA/RJ	P09-044	134869	43.00	44.00	1.00	<0.01		0.6	2.31	27	129	<0.5	22	2.79	5	18	16	7	5.92	<1	0.24	<10	1.73	1450	<2	0.01	<1	1603	8	2.28	11	4	109	<5	<0.01	<10	<10	29	<10	111	2
9V1401RA/RJ	P09-044	134870	44.00	45.00	1.00	<0.01		0.4	3.05	26	125	<0.5	23	3.89	6	17	20	5	6.52	<1	0.2	<10	2.39	1968	<2	0.02	<1	1522	8	1.4	12	5	155	<5	<0.01	<10	<10	46	<10	121	2
9V1401RA/RJ	P09-044	134871	45.00	46.00	1.00	0.01		0.5	2.77	48	154	<0.5	24	4.33	6	21	20	6	6.71	<1	0.23	<10	2.02	1880	<2	0.02	<1	1475	12	1.95	13	5	151	<5	0.01	<10	<10	42	<10	109	2
9V1401RA/RJ	P09-044	134872	46.00	47.00	1.00	0.01		0.4	2.47	15	166	<0.5	22	3.88	5	17	21	29	5.66	<1	0.21	<10	1.72	1661	<2	0.01	<1	1453	8	1.48	10	4	155	<5	0.01	<10	<10	34	<10	99	2
9V1401RA/RJ	P09-044	134873	47.00	47.60	0.60	<0.01		0.8	2.35	22	121	<0.5	22	4.33	5	16	17	13	5.62	<1	0.22	<10	1.62	1912	<2	0.01	<1	1344	8	1.7	10	4	225	<5	<0.01	<10	<10	31	<10	111	2
9V1401RA/RJ	P09-044	134874	47.60	48.00	0.40	0.08		3.5	0.46	200	30	<0.5	24	1.62	9	20	48	11	5.9	3	0.25	<10	0.16	649	<2	0.01	2	1331	45	4.94	32	1	73	<5	<0.01	10	<10	<1	<10	209	2
9V1401RA/RJ	P09-044	134875	48.00	49.00	1.00	0.01		0.9	2.7	57	162	<0.5	25	4.06	6	20	17	20	6.37	1	0.26	11	1.57	2716	<2	0.02	<1	1632	6	0.79	12	6	151	<5	<0.01	<10	<10	52	<10	132	2
9V1401RA/RJ	P09-044	134876	49.00	50.00	1.00	<0.01		0.8	2.56	16	155	<0.5	23	4.63	6	20	17	17	5.79	1	0.22	10	1.3	2670	<2	0.02	<1	1415	10	0.67	9	6	128	<5	0.01	<10	<10	44	<10	119	2
9V1401RA/RJ	P09-044	134877	50.00	51.00	1.00	<0.01		0.8	2.36	21	204	<0.5	22	4.2	6	18	13	16	5.33	1	0.26	10	1.12	2655	<2	0.02	<1	1432	22	0.74	9	6	110	<5	0.01	<10	<10	42	<10	131	2
9V1401RA/RJ	P09-044	134878	51.00	52.00	1.00	0.01		1	2.4	16	149	<0.5	22	4.8	7	18	14	27	5.37	1	0.2	<10	1.14	2707	<2	0.01	<1	1337	34	0.48	8	5	102	<5	<0.01	<10	<10	41	11	181	2
9V1401RA/RJ	P09-044	134879	52.00	53.00	1.00	0.01		0.8	2.97	43	172	<0.5	26	3.18	7	23	12	15	6.59	2	0.22	11	1.44	2401	<2	0.02	<1	1465	15	0.39	10	6	101	<5	<0.01	<10	<10	52	<10	145	2
9V1401RA/RJ	P09-044	134880	BLANK			<0.01		0.6	0.03	<5	<10	<0.5	<5	>15.00	<1	1	2	1	0.46	<1	0.02	<10	12.4	227	<2	0.01	1	168	<2	0.39	<5	<1	42	<5	<0.01	11	<10	1	22	17	<1
9V1401RA/RJ	P09-044	134881	53.00	54.00	1.00	0.03		0.5	2.69	11	162	<0.5	22	3.57	11	15	12	18	5.59	1	0.23	14	1.31	2276	<2	0.02	<1	1432	13	0.12	8	5	109	<5	<0.01	<10	<10	48	11	342	2
9V1401RA/RJ	P09-044	134882	54.00	55.00	1.00	<0.01		0.5	2.5	53	304	<0.5	21	2.31	6	17	17	18	5.66	1	0.24	11	1.23	1680	<2	0.02	<1	1562	6	0.61	8	5	66	<5	<0.01	<10	<10	44	<10	107	2
9V1401RA/RJ	P09-044	134883	55.00	56.00	1.00	<0.01		0.5	2.9	23	195	<0.5	24	3.09	7	19	12	12	6.26	1	0.26	10	1.39	1988	<2	0.02	<1	1621	3	0.33	9	6	85	<5	<0.01	<10	<10	51	<10	125	2
9V1401RA/RJ	P09-044	134884	56.00	57.00	1.00	0.01		0.6	2.42	49	170	<0.5	23	3.65	6	23	16	16	5.86	1	0.22	<10	1.16	1807	<2	0.02	<1	1387	8	0.92	8	5	84	<5	<0.01	<10	<10	41	<10	106	2
9V1401RA/RJ	P09-044	134885	57.00	58.00	1.00	<0.01		0.6	2.39	17	169	<0.5	23	4.88	6	19	14	14	5.4	1	0.24	<10	1.15	2017	<2	0.02	<1	1326	3	0.54	9	5	131	<5	<0.01	<10	<10	43	11	107	2
9V1401RA/RJ	P09-044	134886	58.00	59.00	1.00	<0.01		0.7	2.23	36	215	<0.5	23	4.59	6	21	14	13	5.29	1	0.23	<10	1.08	1981	<2	0.01	<1	1433	7	0.8	9	4	100	<5	<0.01	<10	<10	33	<10	102	2
9V1401RA/RJ	P09-044	134887	59.00	60.00	1.00	<0.01		0.4	2.45	6	338	<0.5	22	4.35	6	18	12	13	5.44	1	0.26	<10	1.17	1676	<2	0.01	<1	1426	5	0.51	8	5	103	<5	<0.01	<10	<10	29	<10	144	2
9V1401RA/RJ	P09-044	134888	60.00	61.00	1.00	<0.01		0.4	2.62	<5	241	<0.5	23	4.25	6	18	15	16	5.82	2	0.24	<10	1.27	1701	<2	0.01	<1	1432	5	0.41	8	5	91	<5	<0.01	<10	<10	30	<10	140	2
9V1401RA/RJ	P09-044	134889	61.00	62.00	1.00	<0.01		0.4	2.61	5	218	<0.5	22	4.28	6	20	11	11	5.58	1	0.28	10	1.22	1668	<2	0.01	<1	1611	3	0.37	9	5	102	<5	0.01	<10	<10	31	<10	199	2
9V1401RA/RJ	P09-044	134890	62.00	63.00	1.00	<0.01		0.5	2.5	11	123	<0.5	23	5	7	16	16	28	5.83	1	0.17	<10	1.24	1770	10	0.01	<1	1206	3	0.43	8	5	138	<5	<0.01	<10	<10	68	<10	106	2
9V1401RA/RJ	P09-044	134891	63.00	64.00	1.00	<0.01		0.4	2.54	9	214	<0.5	22	3.71	6	15	12	13	5.79	1	0.25	<10	1.25	1577	3	0.01	<1	1468	3	0.62	7	4	77	<5	0.01	<10	<10	31	<10	100	2
9V1401RA/RJ	P09-044	134892	64.00	65.00	1.00	<0.01		0.4	2.51	6	206	<0.5	23	4.32	6	16	14	19	5.93	1	0.27	<10	1.26	1645	<2	0.02	<1	1612	3	0.69	8	5	105	<5	0.02	<10	<10	29	<10	96	2
9V1401RA/RJ	P09-044	134893	65.00	66.00	1.00	0.01		0.5	1.99	6	278	<0.5	18	4.53	5	17	12	17	4.67	1	0.31	<10	0.93	1704	<2	0.01	<1	1430	3	0.81	6	4	107	<5	0.01	<10	<10	19	16	74	2
9V1401RA/RJ	P09-044	134894	66.00	67.00	1.00	<0.01		0.6	2.41	<5	211	<0.5	21	4.75	6	15	11	1	5.16	1	0.27	11	1.24	2055	<2	0.01	<1	1490	3	0.13	7	5	129	<5	0.01	<10	<10	24	<10	95	2
9V1401RA/RJ	P09-044	134895	67.00	68.00	1.00	0.01		0.5	2.34	12	189	<0.5	20	4.05	6	16	11	5	5.29	1	0.26	<10	1.32	1895	<2	0.02	<1	1420	4	0.69	9	5	101	<5	0.03	<10	<10	24	<10	102	2
9V1401RA/RJ	P09-044	134896	68.00	69.00	1.00	0.04		3.3	2.35	13	155	<0.5	20	4.05	5	18	18	85	5.1	1	0.22	<10	1.39	1894	2	0.02	<1	1386	7	0.47	9	5	94	<5	0.06	<10	<10	30	<10	108	2
9V1401RA/RJ	P09-044	134897	69.00	70.00	1.00	0.01		0.9	2.33	18	166	<0.5	20	4.59	6	22	33	26	5.05	1	0.24	<10	1.44	2096	<2	0.02	<1	1291	6	0.73	11	7	107	<5	0.13	<10	<10	45	<10	111	2
9V1401RA/RJ	P09-044	134898	70.00	71.00	1.00	0.01		0.6	2.78	21	185	<0.5	32	4.59	4	25	40	32	6.17	1	0.22	10	2.05	2447	<2	0.01	<1	1384	12	0.69	18	7	91	<5	0.11	<10	21	77	<10	156	3
9V1401RA/RJ	P09-044	134899	71.00	72.00	1.00	<0.01		7	2.29	17	250	<0.5	26	6.64	3	23	35	30	4.88	1	0.35	<10	1.6	2347	<2	0.02	<1	1433	16	0.87	9	7	165	<5	0.07	<10	19	75	<10	102	3
9V1401RA/RJ	P09-044	134900	72.00	73.00	1.00	<0.01		6.9	2.59	10	364	<0.5	28	4.75	4	25	43	25	5.32	1	0.25	<10	2.11	2413	<2	0.02	1	1492	11	0.41	9	8	133	<5	0.01	<10	19	94	<10	118	2
9V1401RA/RJ	P09-044	134901	73.00	74.00	1.00	0.01		2.5	2.82	<5	638	<0.5	30	3.96	4	25	48	20	5.61	1	0.25	11	2.46	2060	<2	0.03	1	1540	6	0.18	9	9	126	<5	0.02	<10	17	115	<10	119	3
9V1401RA/RJ	P09-044	134902	74.00	75.00	1.00	<0.01		1.3	2.58	<5	960	<0.5	27	4.87	4	27	57	23	5.39	1	0.21	<10	2.28	2323	<2	0.02	3	1424	6	0.24	10	9	169	<5	0.1	<10	19	116	<10	110	3
9V1401RA/RJ	P09-044	134903	75.00	76.00	1.00	<0.01		1.9	2.81	<5	1185	<0.5	29	4.79	4	30	70	24	5.48	1	0.2	<10	2.68	2904	<2	0.03	3	1439	8	0.29	12	12	150	<5	0.2	<10	21	136	<10	121	4
9V1401RA/RJ	P09-044	134904	76.00	77.00	1.00	<0.01		1.1	2.7	<5	1455	<0.5	27	3.59	3	28	74	21	5.11	1	0.17	<10	2.77	1739	<2	0.02	4	1362	3	0.1	10	9	155	<5	0.18	<10	15	127	<10	107	4
9V1401RA/RJ	P09-044	134905	77.00	78.00	1.00	<0.01		0.5	2.64	5	581	<0.5	28	4.93	3	30	64	34	5.27	1	0.16	<10	2.6	2082	<2	0.03	3	1371	6	0.34	11	10	151	<5	0.18	<10	17	125	<10	112	4
9V1401RA/RJ	P09-044	134906	78.00	79.00	1.00	<0.01		1.7	2.64	<5	355	<0.5	29	3.78	4	29	72	44	5.53	1	0.19	<10	2.49	2025	<2	0.02	3	1442	6	0.28	10	9	113	<5	0.15	<10	16	119	<10	116	4
9V1401RA/RJ	P09-044	134907	79.00	80.00	1.00	<0.01		1	2.39	<5	381	<0.5	23	8.92	3	24	70	29	4.93	1	0.24	<10	2.13	2272	<2	0.02	3	1304	6	0.33	10	9	333	<5	0.07	<10	18	109	<10	113	3
9V1401RA/RJ	P09-044	134908	80.00	81.00	1.00	0.01		<0.1	2.59	12	436	<0.5	29	5.17	4	28	63	39	5.53	1	0.26	10	2.32	2389	<2	0.02	3	1478	10	0.36	11	11	114	<5	0.11	<10	17	124	<10	133	4
9V1401RA/RJ	P09-044	134909	81.00	82.00	1.00	<0.01		<0.1	2.74	6	2505	<0.5	26	5.82	3	29	71	40	5.28	1	0.18	<10	2.74	2110	<2	0.02	3	1403	4	0.17	12	11	210	<5	0.22	<10	16	143	<10	112	5
9V1401RA/RJ	P09-044	134910	82.00	83.00	1.00	<0.01		<0.1	3.06	7	655	<0.5	29	3.26	4	32	70	23	5.82	1	0.17	<10	3.32	2437	<2	0.02	3	1489	5	0.38	12	12	129	<5	0.23	<10	17	151	11	116	6
9V1401RA/RJ	P09-044	134911	83.00	84.00	1.00	0.02		<0.1	2.71	5	449	<0.5	24	3.96	3	30	66	31	4.92	1	0.12	<10	2.91	1736	<2	0.02	3	1326	9	0.3	12	9	152	<5	0.25	<10	14	119	<10	116	6
9V1401RA/RJ	P09-044	134912	84.00	85.00	1.00	0.01		0.5	3.13	5	641	<0.5	31	5.12	4	29	67	25	6.36	2	0.23	<10	3	2566	<2	0.03	3	1488	5	0.35	12	13	137	<5	0.16	<10	19	146	<10	131	4

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1401RA/RJ	P09-044	134913	85.00	86.00	1.00	0.01		0.8	2.9	6	235	<0.5	28	6.52	4	29	61	47	5.81	1	0.2	<10	2.78	2720	<2	0.02	3	1396	9	0.4	11	9	108	<5	0.21	<10	20	115	<10	134	4
9V1401RA/RJ	P09-044	134914	86.00	87.00	1.00	0.01		<0.1	2.6	27	164	<0.5	31	4.85	4	31	60	28	5.95	1	0.19	<10	2.45	2889	<2	0.03	3	1493	13	1.11	12	12	88	<5	0.21	<10	20	132	<10	147	5
9V1401RA/RJ	P09-044	134915	87.00	88.00	1.00	0.09		0.4	2.42	28	171	<0.5	27	4.73	8	27	59	23	5.79	1	0.19	<10	2.2	3635	<2	0.02	2	1346	191	1.2	11	9	79	<5	0.17	<10	21	110	<10	506	4
9V1401RA/RJ	P09-044	134916	88.00	89.00	1.00	0.47		1	2.63	19	179	<0.5	27	3.41	14	26	65	43	5.72	2	0.21	<10	2.43	4420	<2	0.02	2	1345	509	0.87	11	11	63	<5	0.16	<10	23	120	29	1092	4
9V1401RA/RJ	P09-044	134917	89.00	90.00	1.00	0.08		1.6	2.49	34	165	<0.5	29	3.46	26	28	64	46	5.58	3	0.2	<10	2.25	4377	<2	0.01	3	1344	773	1.29	11	10	72	<5	0.16	<10	24	123	52	1964	4
9V1401RA/RJ	P09-044	134918	90.00	91.00	1.00	0.11		2.4	2.29	30	191	<0.5	25	4.55	11	27	61	27	5.29	2	0.25	<10	1.98	4194	<2	0.02	2	1290	316	1.43	11	11	109	<5	0.23	<10	21	112	18	839	6
9V1401RA/RJ	P09-044	134919	91.00	92.00	1.00	0.09		0.9	2.88	21	147	<0.5	32	3	18	30	68	44	6.53	2	0.18	<10	2.82	4415	<2	0.02	2	1431	653	1.48	12	12	59	<5	0.22	<10	23	146	50	1388	5
9V1401RA/RJ	P09-044	134920	92.00	93.00	1.00	0.01		<0.1	3.49	11	282	<0.5	31	2.86	4	33	70	38	6.85	1	0.26	<10	3.01	3673	<2	0.03	2	1430	40	0.67	11	17	60	<5	0.36	12	27	170	<10	275	8
9V1401RA/RJ	P09-044	134921	93.00	94.00	1.00	0.07		<0.1	2.82	13	148	<0.5	25	4.45	8	27	61	31	5.81	<1	0.14	<10	2.55	3264	<2	0.03	2	1167	485	0.81	11	15	108	<5	0.25	10	25	157	<10	688	6
9V1401RA/RJ	P09-044	134922	94.00	95.00	1.00	0.02		<0.1	3.07	8	291	<0.5	28	3.65	2	28	61	25	6.13	<1	0.19	<10	2.91	2315	<2	0.03	2	1271	14	0.61	11	15	99	<5	0.22	<10	20	159	<10	115	6
9V1401RA/RJ	P09-044	134923	95.00	96.00	1.00	0.02		<0.1	3.07	6	166	<0.5	27	5.21	5	27	66	30	5.91	<1	0.11	<10	3.04	3424	<2	0.02	2	1098	113	0.66	10	15	138	<5	0.25	10	28	155	<10	431	7
9V1401RA/RJ	P09-044	134924	96.00	97.00	1.00	0.19		<0.1	3.09	8	220	<0.5	25	3.09	3	27	56	24	5.77	<1	0.22	<10	2.98	3367	<2	0.03	2	1271	135	0.74	10	15	88	<5	0.19	10	23	148	<10	260	5
9V1401RA/RJ	P09-044	134925	97.00	98.00	1.00	0.07		<0.1	2.57	22	148	<0.5	27	3.34	17	24	61	36	6.02	<1	0.17	<10	2.28	3592	<2	0.02	2	1226	510	1.51	10	10	81	<5	0.04	<10	26	126	30	1426	3
9V1401RA/RJ	P09-044	134926	98.00	99.00	1.00	0.09		<0.1	2.45	12	250	<0.5	24	4.26	10	26	63	25	5.19	<1	0.28	<10	2.05	3399	<2	0.02	3	1227	314	1.07	9	13	108	<5	0.14	<10	24	125	<10	870	6
9V1401RA/RJ	P09-044	134927	99.00	100.00	1.00	0.02		<0.1	2.89	11	214	<0.5	25	4.37	3	28	66	24	5.84	<1	0.2	<10	2.69	3111	<2	0.02	3	1211	71	0.84	11	13	101	<5	0.22	10	24	130	<10	243	7
9V1401RA/RJ	P09-044	134928	100.00	101.00	1.00	0.01		<0.1	2.87	6	184	<0.5	26	4.57	5	25	65	48	5.73	<1	0.14	<10	2.78	2815	<2	0.02	3	1196	35	0.79	10	12	124	<5	0.05	<10	21	146	<10	420	3
9V1401RA/RJ	P09-044	134929	101.00	102.00	1.00	0.01		<0.1	2.7	8	326	<0.5	25	4.73	2	24	67	32	5.17	<1	0.23	<10	2.33	2300	<2	0.03	3	1248	16	0.57	10	12	161	<5	0.04	<10	18	127	<10	127	3
9V1401RA/RJ	P09-044	134930	102.00	103.00	1.00	0.01		<0.1	3.13	8	148	<0.5	28	3.99	2	27	70	18	6.02	<1	0.17	<10	2.91	2398	<2	0.02	3	1233	10	0.67	11	11	103	<5	0.09	<10	22	131	<10	122	3
9V1401RA/RJ	P09-044	134931	103.00	104.00	1.00	0.01		<0.1	3.33	11	200	<0.5	30	3.39	2	28	69	26	6.09	<1	0.23	<10	3.04	2405	<2	0.02	3	1235	11	0.66	10	11	88	<5	0.13	<10	22	125	<10	117	5
9V1401RA/RJ	P09-044	134932	104.00	105.00	1.00	<0.01		<0.1	2.98	5	207	<0.5	26	3.67	2	31	66	33	5.34	<1	0.23	<10	2.63	2274	<2	0.02	3	1238	6	0.27	10	14	91	<5	0.24	<10	21	124	<10	104	8
9V1401RA/RJ	P09-044	134933	105.00	106.00	1.00	0.02		<0.1	3.19	43	195	<0.5	30	2.22	3	30	74	33	6.41	<1	0.23	<10	2.88	2267	<2	0.03	3	1293	20	1.19	14	13	51	<5	0.18	<10	20	136	<10	136	5
9V1401RA/RJ	P09-044	134934	106.00	107.00	1.00	0.05		<0.1	2.65	27	117	<0.5	29	3.2	3	24	68	20	6.02	<1	0.09	<10	2.67	2236	<2	0.04	3	1198	30	1.75	11	12	70	<5	0.05	<10	21	140	<10	158	3
9V1401RA/RJ	P09-044	134935	107.00	108.00	1.00	0.03		<0.1	3.21	11	190	<0.5	28	2.88	3	25	66	37	5.77	<1	0.21	<10	2.88	2379	<2	0.03	3	1236	94	0.62	11	10	86	<5	0.04	<10	21	123	<10	205	3
9V1401RA/RJ	P09-044	134936	108.00	109.00	1.00	0.02		<0.1	2.19	12	357	<0.5	22	4.78	2	25	53	27	4.32	<1	0.3	<10	1.6	2210	<2	0.01	3	1260	7	0.59	9	9	136	<5	0.08	<10	16	90	<10	100	3
9V1401RA/RJ	P09-044	134937	109.00	110.00	1.00	0.01		<0.1	1.99	9	1452	<0.5	16	5.23	1	22	64	19	3.51	<1	0.2	<10	1.53	1706	<2	0.03	3	968	9	0.26	8	9	191	<5	0.19	<10	14	88	<10	87	4
9V1401RA/RJ	P09-044	134938	110.00	111.00	1.00	0.01		<0.1	0.78	<5	2557	<0.5	<5	7.03	<1	7	69	7	1.32	<1	0.13	<10	0.45	1013	<2	0.01	2	344	5	0.25	5	3	365	<5	0.06	<10	11	36	<10	31	2
9V1401RA/RJ	P09-044	134939	111.00	112.00	1.00	0.01		<0.1	2.77	<5	496	<0.5	26	3.83	2	25	73	37	4.83	<1	0.29	<10	2.13	1924	<2	0.02	4	1281	5	0.08	10	9	153	<5	0.03	<10	15	101	<10	123	3
9V1401RA/RJ	P09-044	134940	112.00	113.00	1.00	0.01		<0.1	2.72	<5	2176	<0.5	24	3.57	2	29	77	25	4.62	1	0.21	<10	2.32	1443	<2	0.03	4	1239	13	0.11	10	14	225	<5	0.24	10	15	134	<10	94	6
9V1401RA/RJ	P09-044	134941	113.00	114.00	1.00	0.01		<0.1	2.9	5	758	<0.5	23	4.01	2	31	76	17	4.87	<1	0.22	<10	2.49	1509	<2	0.04	3	1192	3	0.08	10	15	174	<5	0.29	10	17	151	<10	94	7
9V1401RA/RJ	P09-044	134942	114.00	115.00	1.00	<0.01		<0.1	2.96	<5	755	<0.5	25	3.05	2	29	76	16	5.76	1	0.19	<10	2.68	1403	<2	0.03	4	1267	7	0.06	10	12	120	<5	0.27	<10	16	130	<10	94	6
9V1401RA/RJ	P09-044	134943	115.00	115.83	0.83	<0.01		<0.1	2.57	6	1585	<0.5	23	5.21	2	28	72	36	5.51	1	0.27	<10	2.26	1388	<2	0.03	4	1228	4	0.13	10	14	199	<5	0.26	10	15	133	<10	87	6
9V1401RA/RJ	P09-044	134944	115.83	116.80	0.97	0.01		<0.1	2.86	24	265	<0.5	28	4.27	2	28	64	32	6.37	<1	0.2	<10	2.62	2196	<2	0.03	4	1284	9	0.7	11	12	84	<5	0.18	<10	23	130	<10	104	5
9V1401RA/RJ	P09-044	134945	116.80	117.80	1.00	<0.01		<0.1	2.96	9	181	<0.5	28	3.58	2	29	71	30	6.27	<1	0.15	<10	2.9	1928	<2	0.03	4	1329	7	0.45	10	13	72	<5	0.2	<10	19	139	<10	102	4
9V1401RA/RJ	P09-044	134946	117.80	118.80	1.00	<0.01		<0.1	3.23	8	283	<0.5	27	3.48	2	29	63	22	6.16	<1	0.22	<10	3.07	1700	<2	0.03	3	1292	6	0.25	10	13	84	<5	0.25	10	18	129	<10	100	6
9V1401RA/RJ	P09-044	134947	118.80	119.80	1.00	<0.01		<0.1	2.84	7	578	<0.5	26	4.43	2	28	56	26	5.73	<1	0.25	<10	2.72	1554	<2	0.02	3	1278	8	0.36	10	12	117	<5	0.26	10	17	105	<10	95	6
9V1401RA/RJ	P09-044	134948	119.80	120.80	1.00	<0.01		<0.1	2.86	7	534	<0.5	26	4.03	2	29	58	33	5.73	<1	0.31	<10	2.42	1894	<2	0.03	4	1319	5	0.19	9	11	94	<5	0.27	10	18	99	<10	102	5
9V1401RA/RJ	P09-044	134949	120.80	121.80	1.00	<0.01		<0.1	2.71	7	203	<0.5	26	4.43	2	27	38	35	5.48	<1	0.24	<10	2.19	1791	<2	0.02	3	1274	4	0.18	9	10	97	<5	0.23	<10	17	85	17	95	4
9V1401RA/RJ	P09-044	134950	121.80	122.80	1.00	<0.01		<0.1	2.57	<5	914	<0.5	22	5.29	2	25	31	22	5.07	<1	0.32	<10	1.99	1503	<2	0.02	3	1215	3	0.11	9	9	135	<5	0.18	<10	14	74	14	93	4
9V1401RA/RJ	P09-044	134951	122.80	123.80	1.00	<0.01		<0.1	2.52	9	1177	<0.5	24	5.73	2	27	39	26	5.2	<1	0.26	<10	2.04	1711	<2	0.02	3	1219	5	0.23	9	11	169	<5	0.23	10	16	87	<10	97	4
9V1401RA/RJ	P09-044	134952	123.80	124.80	1.00	<0.01		<0.1	2.6	9	247	<0.5	25	5.07	2	27	46	30	5.43	<1	0.24	<10	2.09	2122	<2	0.03	3	1215	7	0.38	10	12	122	<5	0.2	<10	20	100	<10	110	4
9V1439RA/RJ	P09-044	134953	124.80	125.80	1.00	<0.01		<0.1	2.94	5	381	1.7	69	4.63	4	27	61	28	5.5	<1	0.3	<10	2.22	2053	<2	0.03	6	1223	5	0.44	<5	12	131	<5	0.19	11	<10	107	<10	105	4
9V1439RA/RJ	P09-044	134954	125.80	126.80	1.00	<0.01		<0.1	2.99	<5	1769	1.9	77	4.46	4	27	65	12	5.54	<1	0.24	<10	2.53	1799	<2	0.02	5	1244	<2	0.16	<5	11	172	<5	0.21	11	<10	100	<10	93	4
9V1439RA/RJ	P09-044	134955	126.80	127.80	1.00	<0.01		<0.1	3.09	<5	1277	2.3	51	4.17	4	29	63	32	5.69	<1	0.26	<10	2.65	1696	<2	0.03	5	1211	<2	0.13	<5	14	154	<5	0.27	12	<10	116	<10	102	6
9V1439RA/RJ	P09-044	134956	127.80	128.80	1.00	<0.01		<0.1	2.64	<5	1517	1.8	79	4.39	4	26	58	9	5.21	<1	0.22	<10	2.46	1438	<2	0.02	5	1181	<2	0.14	<5	10	184	<5	0.21	11	<10	103	<10	91	5
9V1439RA/RJ	P09-044	134957	128.80	129.80	1.00	<0.01		<0.1	2.7	<5	1071	0.8	61	4.71	4	24	55	12	5.39	<1	0.3	<10	2.32	1475	<2	0.04	5	1228	2	0.14	<5	11	206	<5	0.08	<10	<10	101	<10	94	3
9V1439RA/RJ	P09-044	134958	129.80	130.80	1.00	<0.01		<0.1	2.65	<5	968	1.2	62	4.43	4	25	56	30	5.45	<1	0.23	<10	2.15	1625	<2	0.03	5	1215	9	0.35	<5	11	184	<5	0.13	10	<10	106	<10	96	3
9V1439RA/RJ	P09-044	134959	130.80	131.80	1.00	<0.01		<0.1	2.89	<5	2007	1.2	54	3.97	4	24	55	29	5.48	<1	0.27	<10	2.46	1465	<2	0.04	5	1222	<2	0.15	<5	11	203	<5	0.12	<10	<10	108	<10	97	3
9V1439RA/RJ	P09-044	134960	131.80	132.80	1.00	0.01		<0.1	2.83	<5	1432	2	59	4.76	4	28	51	9	5.39	<1	0.21	<10	2.49	1388	<2	0.02	5	1236	<2	0.15	<5	11	212	<5	0.23	12	<10	100	<10	93	4
9V1439RA/RJ	P09-044	134961	132.80	133.80	1.00	<0.01		<0.1	3.12	<5	2239	1.8	58	3.93	4	27	56	6	5.57	<1	0.26	<10	2.6	1460	<2	0.04	5	1284	<2	0.15	<5	11	202	<5	0.21	11	<10	108	<10	96	4
9V1439RA/RJ	P09-044	134962	133.80	134.80	1.00	<0.01		<0.1	2.93	7	561	1	66	4.13	4	24	46	27	5.6	<1	0.22	<10	2.43	1642	<2	0.02	4	1310	15	0.32	<5	9	162	<5	0.11	<10	<10	95	<10	99	3
9V1439RA/RJ	P09-044	134963	134.80	135.80	1.00	0.01		<0.1	3.07	17	319	1.7	55	3.81	5	26	57	58	5.96	<1	0.27	<10	2.29	2158	<2	0.03	4	1215	5	0.52	<5	12	108	<5	0.2	11	<10	121	<10	103	4
9V1439RA/RJ	P09-044	134964	135.80	136.80	1.00	<0.01		<0.1	2.75	19	252	1.6	56	4.08	4	26	50	15	5.47	<1	0.29	<10	2.01	2515	<2	0.01	4	1247	8	0.57	<5	9	123	<5	0.18	11	<10	80	<10	96	3
9V1439RA/RJ	P09-044	134965	136.80	137.80	1.00	0.01		<0.1	2.44	13	331	<0.5	69	6.95	5	18	41	22	4.83	<1	0.32	<10	1.78	3103	<2	0.02	3	1113	41	0.63	<5	7	259	<5	0.02	<10	<10	74	<10	188	2
9V1439RA/RJ	P09-044	134966	137.80	138.80	1.00	<0.01		<0.1	2.73	<5	770	<0.5	48	3.86	8	23	52	21	5.51	<1	0.33	<10	2	2416	<2	0.02	4	1349	31	0.28	<5	9	199	<5	0.01	<10	<10	83	<10	259	2
9V1439RA/RJ	P09-044	134967	138.80	139.80	1.00	0.01		<0.1	2.65	<5	601	<0.5	61	5.19	4	21	56	41	5.46	<1	0.35	<10	1.82	2747	<2	0.02	4	1216	54	0.53	<5	9	298	<5	0.01	<10	<10	84	<10	159	2
9V1439RA/RJ	P09-044	134968	139.80	140.80	1.00	0.01		<0.1	2.59	<5	703	<0.5	75	4.81	4	21	60	28	5.32	<1	0.31	<10	1.86	2842	<2	0.02	4	1263	30	0.41	<5	8	266	<5	0.01	<10	<10	88	<10	154	2
9V1439RA/RJ	P09-044	134969	140.80	141.80	1.00	<0.01		<0.1	2.88	5	357	<0.5	75	4.31	7	25	61	28	5.78	<1	0.34	<10	2.08	2835	<2	0.02	4	1315	100	0.53	<5	10	259	<5	0.01	<10	<10	104	<10	299	3
9V1439RA/RJ	P09-044	134970	141.80	142.80	1.00	0.01		<0.1	2.41	<5	445	<0.5	60	4.87	5	22	41	54	5.32	<1	0.32	<10	1.57	2731	<2	0.01	3	1296	107	0.62	<5	9	247	<5	<0.01	<10	<10	74	<10	174	2
9V1439RA/RJ	P09-044	134971	142.80	143.80	1.00	0.01		<0.1	2.45	<5	511	<0.5	47	4.04	6	18	29	45	4.93	<1	0.42	<10	1.51	2190	<2	0.01	2	1346	65	0.46	<5	6	177	<5	<0.01	<10	<10	58	<10	286	2
9V1439RA/RJ	P09-044	134972	143.80	144.80	1.00	0.01		<0.1	2.55	<5	1308	<0.5	54	4.22	4	20	26	20	5.12	<1	0.29	10	1.65	1961	<2	0.01	3	1408	5	0.13	<5	5	183	<5	0.01	<10	<10	47	<10	125	2
9V1439RA/RJ	P09-044	134973	144.80	145.80	1.00	0.01		<0.1	2.65	<5	380	<0.5	58	3.82	4	18	28	29	5.32	<1	0.44	<10	1.43	2185	<2	0.01	2	1440	13	0.28	<5	6	144	<5	0.01	<10	<10	58	<10	155	2
9V1439RA/RJ	P09-044	134974	145.80	146.80	1.00	<0.01		<0.1	2.81	<5	292	<0.5	61	3.68	5	19	24	29	5.76	<1	0.34	<10	1.61	2522	<2	0.01	2	1479	52	0.38	<5	6	118	<5	0.01	<10	<10	58	<10	236	2
9V1439RA/RJ	P09-044	134975	146.80	147.80	1.00	<0.01		<0.1	2.83	9	281	<0.5	64	4.55	5	20	25	19	5.98	<1	0.41	10	1.47	2754	<2	0.01	2	1493	31	0.79	<5	6	124	<5	0.01	<10	<10	62	<10	186	2
9V1439RA/RJ	P09-044	134976	147.80	148.80	1.00	0.02		<0.1	2.58	14	226	<0.5	65	4.31	4	18	19	28	5.65	<1	0.34	12	1.32	2369	2	0.01	2	1532	10	0.33	<5	6	134	<5	<0.01	<10	<10	58	<10	134	2
9V1439RA/RJ	P09-044	134977	148.80	149.80	1.00	<0.01		<0.1	2.71	8	302	<0.5	69	5.82	4	16	15	17	5.41	<1	0.5	14	1.12	2951	<2	0.01	1	1576	4	0.17	<5	7	177	<5	<0.01	10	<10	62	<10	105	2
9V1439RA/RJ	P09-044	134978	149.80	150.80	1.00	<0.01		<0.1	2.43	21	243	<0.5	67	4.83	4	20	13	24	5.25	<1	0.42	13	1.01	2632	<2	0.01	2	1496	27	0.32	<5	6	143	<5	<0.01	<10	<10	57	<10	120	2
9V1439RA/RJ	P09-044	134979	150.80	151.80	1.00	<0.01		0.3	1.64	70	281	<0.5	57	4.46	3	14	11	9	3.95	<1	0.45	10	0.62	1789	2	0.01	1	1372	14	1.35	<5	3	135	<5	<0.01	<10	<10	32	<10	72	2
9V1439RA/RJ	P09-044	134980	BLANK			<0.01		<0.1	0.06	<5	20	<0.5	92	>15.00	<1	1	2	1	0.5	<1	0.04	<10	13	232	<2	0.01	2	213	<2	0.49	<5	<1	50	<5	<0.01	14	<10	4	<10	16	<1
9V1439RA/RJ	P09-044	134981	151.80	152.80	1.00	<0.01		<0.1	2.44	44	225	<0.5	44	3.78	4	13	10	17	5.17	<1	0.35	13	1.18	2012	<2	0.01	1	1605	10	0.52	<5	4	107	<5	<0.01	<10	<10	43	<10	91	2
9V1439RA/RJ	P09-044	134982	152.80	153.80	1.00	<0.01		<0.1	2.55	15	332	0.5	65	3.54	4	12	16	25	5.22	<1	0.37	11	1.28	2041	<2	0.01	<1	1559	11	0.51	<5	4	113	<5	<0.01	<10	<10	44	<10	141	2
9V1439RA/RJ	P09-044	134983	153.80	154.80	1.00	<0.01		<0.1	2.14	21	201	<0.5	59	4.44	5	14	12	12	5.08	<1	0.33	<10	1.05	2096	<2	0.01	<1	1570	41	1.22	<5	3	163	<5	<0.01	<10	<10	40	<10	204	2
9V1439RA/RJ	P09-044	134984	154.80	155.80	1.00	<0.01		<0.1	1.7	22	200	0.5	52	4.46	4	13	14	14	4.64	<1	0.41	<10	0.74	1780	<2	0.01	<1	1651	53	1.88	<5	3	162	<5	<0.01	<10	<10	29	<10	114	2
9V1439RA/RJ	P09-044	134985	155.80	156.80	1.00	0.14		1	2.07	82	201	0.5	65	3.29	9	14	12	42	4.95	<1	0.45	10	0.9	1684	5	0.01	1	1529	705	1.42	<5	3	88	<5	<0.01	<10	<10	37	<10	588	2
9V1439RA/RJ	P09-044	134986	156.80	157.80	1.00	<0.01		<0.1	2.17	19	209	<0.5	56	4.77	5	12	14	15	5.03	<1	0.35	12	1.08	2522	5	0.01	<1	1563	20	0.77	<5	4	149	<5	<0.01	<10	<10	41	<10	185	2
9V1439RA/RJ	P09-044	134987	157.80	158.80	1.00	<0.01		<0.1	2.45	16	296	0.5	52	3.59	4	15	8	19	4.96	<1	0.47	12	1.13	1867	3	0.01	<1	1562	8	0.68	<5	4	103	<5	<0.01	<10	<10	39	<10	97	2
9V1439RA/RJ	P09-044	134988	158.80	159.80	1.00	<0.01		<0.1	2.48	<5	234	<0.5	57	4.5	4	12	15	31	4.98	<1	0.36	12	1.22	2066	<2	0.01	<1	1516	4	0.28	<5	4	131	<5	<0.01	<10	<10	36	<10	92	2
9V1439RA/RJ	P09-044	134989	159.80	160.80	1.00	<0.01		<0.1	2.48	<5	380	<0.5	65	4.88	4	12	10	5	4.92	<1	0.48	13	1.1	2121	<2	0.01	<1	1506	6	0.28	<5	5	157	<5	<0.01	<10	<10	39	<10	86	2
9V1439RA/RJ	P09-044	134990	160.80	161.80	1.00	<0.01		<0.1	2.1	<5	319	<0.5	58	4.93	3	15	10	<1	4.53	<1	0.4	12	0.96	1994	<2	0.01	<1	1559	3	0.51	<5	4	171	<5	<0.01	<10	<10	34	<10	72	2
9V1439RA/RJ	P09-044	134991	161.80	162.80	1.00	0.01		<0.1	2.43	15	344	0.5	69	5.22	3	13	8	<1	4.72	<1	0.52	14	1.16	2083	<2	0.01	1	1731	4	0.22	<5	6	169	<5	<0.01	<10	<10	39	<10	89	2
9V1439RA/RJ	P09-044	134992	162.80	163.80	1.00	0.03		<0.1	2.23	<5	240	<0.5	61	4.8	3	10	12	<1	4.49	<1	0.38	14	1.15	2072	<2	0.01	<1	1567	3	0.14	<5	5	144	<5	<0.01	<10	<10	34	<10	87	2

Drilling Analytical Results 2009

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1439RA/RJ	P09-044	134993	163.80	164.80	1.00	0.04		<0.1	2.35	8	297	0.5	79	4.75	3	13	9	8	4.78	<1	0.47	13	1.17	2009	<2	0.01	<1	1617	6	0.47	<5	5	123	<5	<0.01	<10	<10	38	<10	90	2
9V1439RA/RJ	P09-044	134994	164.80	165.80	1.00	0.02		<0.1	2.15	19	224	0.5	57	4.39	4	13	15	25	4.54	<1	0.39	12	1.1	2033	<2	0.01	<1	1535	13	0.49	<5	4	121	<5	0.01	<10	<10	39	<10	115	2
9V1439RA/RJ	P09-044	134995	165.80	166.60	0.80	0.03		<0.1	2.58	20	518	0.9	53	4.67	4	16	9	17	4.98	<1	0.59	14	1.34	2166	<2	0.02	1	1681	19	0.5	<5	8	103	<5	0.02	10	<10	77	<10	134	2
9V1439RA/RJ	P09-044	134996	166.60	167.60	1.00	<0.01		<0.1	1.88	<5	1829	1.6	34	2.61	3	16	39	8	3.58	<1	0.19	27	1.4	771	<2	0.05	9	1674	6	0.12	<5	4	102	<5	0.16	13	<10	60	<10	98	6
9V1439RA/RJ	P09-044	134997	167.60	168.60	1.00	<0.01		<0.1	1.99	5	1898	1.9	44	2.9	3	17	52	7	3.61	1	0.23	31	1.35	722	<2	0.05	10	1649	<2	0.12	<5	4	108	<5	0.19	14	<10	61	<10	92	7
9V1439RA/RJ	P09-044	134998	168.60	169.33	0.73	<0.01		<0.1	1.98	<5	822	1.9	52	2.57	3	18	62	13	3.82	1	0.19	24	1.41	853	<2	0.05	11	1799	<2	0.09	<5	4	86	<5	0.19	14	<10	70	<10	106	8
9V1439RA/RJ	P09-044	134999	169.33	170.30	0.97	0.02		0.4	1.35	47	241	0.5	62	6.35	3	11	22	61	3.6	<1	0.45	<10	0.51	1927	<2	0.01	1	1126	17	1.89	<5	3	150	<5	0.01	<10	<10	31	<10	84	2
9V1439RA/RJ	P09-044	135000	170.30	171.30	1.00	0.03		0.6	1.07	120	130	<0.5	54	4.38	3	12	34	11	4.24	<1	0.35	<10	0.42	1497	4	0.01	1	1281	14	2.86	5	2	91	<5	<0.01	<10	<10	22	<10	101	2
9V1439RA/RJ	P09-044	135001	171.30	172.30	1.00	<0.01		<0.1	2.22	20	255	<0.5	45	4.2	4	13	14	13	4.62	<1	0.44	12	0.99	1794	3	0.01	<1	1498	7	0.94	<5	4	100	<5	<0.01	<10	<10	38	<10	103	2
9V1439RA/RJ	P09-044	135002	172.30	173.30	1.00	<0.01		<0.1	2.1	26	168	<0.5	60	7.15	3	11	18	36	4.22	<1	0.33	15	1	2377	<2	0.01	<1	1323	4	0.61	<5	4	147	<5	<0.01	10	<10	35	<10	88	2
9V1439RA/RJ	P09-044	135003	173.30	174.30	1.00	0.01		<0.1	1.93	51	241	0.5	71	4.36	4	14	17	7	4.41	<1	0.47	11	0.8	1663	<2	0.01	1	1549	8	1.59	<5	4	106	<5	<0.01	<10	<10	36	<10	92	2
9V1439RA/RJ	P09-044	135004	174.30	175.30	1.00	0.04		0.1	1.49	84	207	<0.5	44	3.51	3	13	36	7	3.77	<1	0.34	12	0.82	1099	<2	0.02	6	1592	8	1.53	<5	3	131	<5	0.01	<10	<10	35	<10	85	3
9V1439RA/RJ	P09-044	135005	175.30	176.30	1.00	<0.01		<0.1	1.62	<5	118	<0.5	64	6.49	3	11	47	12	3.56	<1	0.27	13	1.07	1595	<2	0.02	6	1280	5	0.72	<5	3	319	<5	<0.01	<10	<10	38	<10	106	2
9V1439RA/RJ	P09-044	135006	176.30	177.30	1.00	0.03		0.1	1.81	11	162	<0.5	86	7.7	4	16	31	43	4.79	<1	0.31	<10	1.18	1994	<2	0.01	2	1322	8	1.5	<5	6	348	<5	<0.01	<10	<10	43	<10	117	2
9V1439RA/RJ	P09-044	135007	177.30	178.30	1.00	<0.01		0.3	1.79	9	233	<0.5	66	5.47	7	18	17	31	5.36	<1	0.46	<10	1.58	2191	2	0.01	1	1529	36	0.88	<5	8	476	<5	<0.01	<10	<10	48	<10	260	2
9V1439RA/RJ	P09-044	135008	178.30	179.30	1.00	<0.01		<0.1	1.46	17	205	<0.5	65	3.94	5	18	17	21	5.02	<1	0.44	13	1.5	1790	<2	0.01	2	1687	8	0.28	<5	10	155	<5	<0.01	<10	<10	42	<10	147	2
9V1439RA/RJ	P09-044	135009	179.30	180.30	1.00	<0.01		<0.1	1.39	14	232	<0.5	56	3.79	5	18	18	17	5.48	<1	0.49	<10	1.54	1706	<2	0.01	1	1541	15	1.06	<5	9	146	<5	<0.01	<10	<10	44	<10	122	2
9V1439RA/RJ	P09-044	135010	180.30	181.30	1.00	<0.01		<0.1	1.15	10	192	<0.5	60	3.84	5	16	19	9	5.48	<1	0.42	<10	1.49	1827	<2	0.01	1	1510	10	1.07	<5	9	115	<5	<0.01	<10	<10	37	<10	113	2
9V1439RA/RJ	P09-044	135011	181.30	182.30	1.00	<0.01		<0.1	2.1	12	264	<0.5	48	3.52	5	21	17	38	5.68	<1	0.52	10	1.66	2038	<2	0.01	2	1691	10	0.88	<5	9	98	<5	<0.01	<10	<10	51	<10	137	2
9V1439RA/RJ	P09-044	135012	182.30	183.30	1.00	<0.01		<0.1	1.68	21	126	<0.5	54	2.53	6	23	21	27	6.64	<1	0.41	<10	1.2	1477	<2	0.01	3	1797	25	3.43	<5	7	76	<5	<0.01	<10	<10	40	<10	126	3
9V1439RA/RJ	P09-044	135013	183.30	184.30	1.00	<0.01		<0.1	1.95	16	188	<0.5	57	5.02	4	18	15	16	5.24	<1	0.42	<10	1.18	2133	<2	0.01	2	1582	11	2.3	<5	6	278	<5	<0.01	<10	<10	47	<10	108	2
9V1439RA/RJ	P09-044	135014	184.30	185.30	1.00	<0.01		0.1	1.75	22	120	0.5	64	4.31	5	19	20	18	6.11	<1	0.36	<10	1.17	1845	4	0.01	2	1708	28	3.43	<5	6	277	<5	<0.01	<10	<10	44	<10	95	2
9V1439RA/RJ	P09-044	135015	185.30	186.30	1.00	<0.01		<0.1	2.22	18	171	0.5	53	3.78	5	19	20	17	5.95	<1	0.43	<10	1.33	2081	<2	0.01	2	1562	14	2.19	<5	8	226	<5	<0.01	<10	<10	55	<10	99	2
9V1439RA/RJ	P09-044	135016	186.30	187.30	1.00	<0.01		<0.1	2.67	13	163	<0.5	66	3.92	5	20	21	21	5.69	<1	0.31	10	1.76	2238	<2	0.01	2	1606	8	0.97	<5	8	162	<5	<0.01	<10	<10	59	<10	117	2
9V1439RA/RJ	P09-044	135017	187.30	188.30	1.00	<0.01		<0.1	2.11	14	143	<0.5	39	2.93	5	18	21	4	5.89	<1	0.42	<10	1.3	1489	<2	0.01	2	1522	13	2.79	<5	6	84	<5	<0.01	<10	<10	47	<10	112	2
9V1439RA/RJ	P09-044	135018	188.30	189.30	1.00	<0.01		<0.1	1.56	19	82	<0.5	66	3.58	5	19	23	31	6.09	<1	0.35	<10	0.87	1438	<2	0.01	2	1531	21	3.87	<5	5	97	<5	<0.01	<10	<10	36	<10	112	3
9V1439RA/RJ	P09-044	135019	189.30	190.30	1.00	<0.01		<0.1	1.32	11	99	<0.5	74	8.05	6	17	20	16	6.03	<1	0.36	<10	0.81	2016	<2	0.01	2	1432	28	4.45	<5	4	303	<5	<0.01	<10	<10	37	<10	123	3
9V1439RA/RJ	P09-044	135020	190.30	191.30	1.00	0.01		<0.1	1.57	10	84	<0.5	65	3.35	6	19	20	18	6.03	<1	0.37	<10	0.85	1375	<2	0.01	2	1544	21	3.93	<5	4	116	<5	<0.01	<10	<10	40	<10	155	2
9V1439RA/RJ	P09-044	135021	191.30	192.30	1.00	0.03		0.2	1.71	20	97	<0.5	54	3.29	48	16	24	21	5.57	<1	0.41	<10	0.85	1532	<2	0.02	1	1430	98	3.43	<5	4	81	<5	<0.01	<10	<10	49	<10	3304	2
9V1439RA/RJ	P09-044	135022	192.30	193.30	1.00	<0.01		0.1	2.32	13	176	<0.5	55	4.06	13	18	18	22	5.25	<1	0.35	<10	1.29	2049	<2	0.01	2	1502	49	1.64	<5	5	124	<5	<0.01	<10	<10	54	<10	1034	2
9V1439RA/RJ	P09-044	135023	193.30	194.00	0.70	0.01		<0.1	2.77	11	218	0.6	41	3.25	5	18	27	23	5.51	<1	0.43	10	1.53	1663	<2	0.02	3	1565	12	1.19	<5	6	83	<5	<0.01	<10	<10	63	<10	131	2
9V1439RA/RJ	P09-044	135024	194.00	195.00	1.00	<0.01		<0.1	1.82	<5	224	<0.5	36	3.13	3	13	39	18	3.56	<1	0.25	23	1.23	1028	<2	0.04	9	1653	5	0.15	<5	3	131	<5	0.01	<10	<10	42	<10	107	4
9V1439RA/RJ	P09-044	135025	195.00	196.00	1.00	0.01		<0.1	1.85	<5	919	0.5	58	3.31	3	13	39	<1	3.44	<1	0.27	26	1.2	759	<2	0.05	10	1650	<2	0.12	<5	3	152	<5	0.03	10	<10	44	<10	86	4
9V1439RA/RJ	P09-044	135026	196.00	197.13	1.13	<0.01		<0.1	1.81	<5	993	0.6	49	3.09	3	13	38	7	3.55	<1	0.24	24	1.22	734	<2	0.04	10	1656	3	0.15	<5	3	120	<5	0.04	10	<10	45	<10	87	4
9V1439RA/RJ	P09-044	135027	197.13	198.10	0.97	0.02		<0.1	2.3	17	206	0.5	88	4.67	5	21	18	26	5.63	<1	0.45	<10	1.19	1663	<2	0.01	2	1523	19	2.07	<5	6	122	<5	<0.01	<10	<10	62	<10	110	2
9V1439RA/RJ	P09-044	135028	198.10	199.10	1.00	0.02		<0.1	1.9	21	188	<0.5	76	6.12	5	17	20	16	5.46	<1	0.38	<10	1.02	2228	<2	0.02	2	1438	12	2.68	<5	6	164	<5	<0.01	<10	<10	57	<10	98	2
9V1439RA/RJ	P09-044	135029	199.10	200.10	1.00	<0.01		<0.1	2	17	148	<0.5	81	5.6	5	17	22	19	6.06	<1	0.33	<10	1.18	2200	2	0.02	1	1448	12	2.79	<5	6	199	<5	0.01	<10	<10	73	<10	107	2
9V1439RA/RJ	P09-044	135030	200.10	200.67	0.57	0.01		<0.1	2.77	20	254	0.6	69	3.39	5	20	20	21	5.62	<1	0.55	10	1.46	1839	<2	0.01	1	1534	26	1.38	<5	7	79	<5	0.01	<10	<10	82	<10	118	3
9V1439RA/RJ	P09-044	135031	200.67	201.60	0.93	<0.01		<0.1	1.96	<5	469	1.4	41	2.52	3	15	45	21	4.02	<1	0.18	23	1.39	721	<2	0.05	9	1604	<2	0.14	<5	4	82	<5	0.14	11	<10	62	<10	86	6
9V1439RA/RJ	P09-044	135032	201.60	202.40	0.80	<0.01		<0.1	1.89	<5	838	1	49	3.23	3	15	43	6	3.68	<1	0.24	25	1.28	791	<2	0.05	10	1637	<2	0.14	<5	3	122	<5	0.09	11	<10	59	<10	86	6
9V1439RA/RJ	P09-044	135033	202.40	203.36	0.96	0.01		<0.1	2.17	11	360	0.7	48	3.8	4	18	25	27	4.53	<1	0.33	14	1.31	1815	<2	0.02	5	1543	19	0.82	<5	5	113	<5	0.04	<10	<10	68	<10	94	3
9V1439RA/RJ	P09-044	135034	203.36	204.30	0.94	0.02		<0.1	2.61	13	245	<0.5	68	3.84	4	19	20	20	4.98	<1	0.49	10	1.33	2520	<2	0.01	1	1525	10	0.99	<5	6	141	<5	0.01	<10	<10	73	<10	112	2
9V1439RA/RJ	P09-044	135035	204.30	205.30	1.00	0.01		<0.1	2.44	13	215	<0.5	65	4.28	5	20	17	24	5.72	<1	0.38	<10	1.31	2564	<2	0.01	1	1474	12	1.65	<5	6	194	<5	<0.01	<10	<10	70	<10	113	2
9V1439RA/RJ	P09-044	135036	205.30	206.30	1.00	<0.01		<0.1	1.85	10	110	<0.5	65	4.72	6	20	18	14	5.84	<1	0.5	<10	1.06	2080	<2	0.02	2	1610	20	3.54	<5	6	198	<5	0.01	<10	<10	49	<10	169	3
9V1439RA/RJ	P09-044	135037	206.30	207.30	1.00	0.01		<0.1	1.54	12	94	<0.5	63	5.1	7	22	15	8	5.82	<1	0.35	<10	1.02	1817	<2	0.01	2	1399	28	3.86	<5	5	201	<5	0.01	<10	<10	37	<10	228	2
9V1439RA/RJ	P09-044	135038	207.30	208.30	1.00	0.01		<0.1	2.04	12	131	<0.5	65	3.79	6	22	20	11	5.88	<1	0.39	<10	1.25	1911	<2	0.02	2	1470	62	2.99	<5	6	150	<5	0.01	<10	<10	50	<10	209	3
9V1439RA/RJ	P09-044	135039	208.30	209.30	1.00	0.02		<0.1	2.45	18	146	<0.5	64	4.06	6	23	21	30	6.31	<1	0.35	<10	1.53	2334	<2	0.02	3	1587	24	2.77	<5	6	150	<5	0.01	<10	<10	60	<10	185	3
9V1439RA/RJ	P09-044	135040	209.30	210.30	1.00	0.01		<0.1	3.06	17	283	<0.5	47	4.45	5	21	23	30	5.91	<1	0.41	10	1.88	2825	<2	0.03	3	1697	14	1.48	<5	8	189	<5	0.01	<10	<10	86	<10	160	3
9V1439RA/RJ	P09-044	135041	210.30	211.30	1.00	0.01		<0.1	2.66	15	167	<0.5	72	3.77	6	20	17	26	5.58	<1	0.24	<10	1.69	2689	<2	0.02	1	1416	30	0.9	<5	6	159	<5	0.01	<10	<10	72	<10	361	2
9V1439RA/RJ	P09-044	135042	211.30	212.30	1.00	0.02		<0.1	2.21	16	213	<0.5	70	2.77	20	16	23	16	5.35	<1	0.33	<10	1.31	2767	<2	0.02	1	1373	128	1.7	<5	5	114	<5	<0.01	<10	<10	69	<10	1674	2
9V1439RA/RJ	P09-044	135043	212.30	213.30	1.00	0.02		<0.1	2.33	14	194	<0.5	60	2.59	9	18	20	8	6.03	<1	0.28	<10	1.33	2825	<2	0.02	2	1470	75	1.82	<5	5	105	<5	<0.01	<10	<10	54	<10	630	2
9V1439RA/RJ	P09-044	135044	213.30	214.30	1.00	0.06		<0.1	2.48	14	201	<0.5	46	1.56	24	16	26	13	6.31	<1	0.27	<10	1.45	3616	<2	0.03	1	1393	352	1.82	<5	6	65	<5	0.01	<10	<10	81	<10	2000	3
9V1439RA/RJ	P09-044	135045	214.30	214.64	0.34	0.24		<0.1	1.77	14	65	<0.5	53	1.55	12	18	31	4	7.53	<1	0.19	<10	1.07	3298	<2	0.03	1	1344	115	3.72	<5	5	66	<5	0.01	<10	<10	75	<10	782	3
9V1439RA/RJ	P09-044	135046	214.64	215.60	0.96	1.12		0.8	1.46	15	122	<0.5	44	1.8	5	12	38	1	5.38	<1	0.24	<10	0.9	2833	<2	0.01	1	858	124	2.51	<5	5	70	<5	0.01	<10	<10	55	<10	232	2
9V1439RA/RJ	P09-044	135047	215.60	216.60	1.00	1.26		3.9	1.18	17	74	<0.5	64	2.04	20	15	36	167	5.85	<1	0.2	<10	0.76	2792	<2	0.01	1	755	304	3.36	<5	4	79	<5	<0.01	<10	<10	52	<10	1538	2
9V1439RA/RJ	P09-044	135048	216.60	217.60	1.00	0.45		5.9	1.19	31	46	<0.5	56	1.04	51	18	47	655	7.46	<1	0.24	<10	0.64	1999	<2	0.01	<1	696	2747	4.5	<5	3	43	<5	0.01	<10	14	56	46	3344	3
9V1439RA/RJ	P09-044	135049	217.60	218.60	1.00	1.31		1.7	0.77	24	102	<0.5	77	9.89	11	13	35	11	4.12	<1	0.12	<10	0.45	4995	<2	0.01	<1	470	66	2.8	<5	3	291	<5	<0.01	<10	12	33	<10	852	2
9V1439RA/RJ	P09-044	135050	218.60	219.60	1.00	0.51		1.9	1.46	63	54	<0.5	59	1.23	8	18	50	94	7.68	<1	0.18	<10	0.93	2816	<2	0.01	<1	866	268	4.23	7	4	65	<5	0.01	<10	12	60	10	318	3
9V1439RA/RJ	P09-044	135051	219.60	220.60	1.00	0.85		0.3	2	57	66	<0.5	53	1.15	11	21	41	9	7.91	<1	0.16	<10	1.28	3627	<2	0.01	<1	951	67	3.54	<5	5	54	<5	0.01	<10	12	70	<10	597	3
9V1439RA/RJ	P09-044	135052	220.60	221.60	1.00	2.13		0.9	1.73	81	90	<0.5	59	0.91	5	21	54	<1	6.69	<1	0.17	<10	1.09	3120	<2	0.01	<1	865	53	3	<5	5	38	<5	0.01	<10	10	67	<10	110	3
9V1439RA/RJ	P09-044	135053	221.60	222.60	1.00	2.88		2.1	1.37	64	81	<0.5	64	2.14	7	22	46	1	7.15	<1	0.12	<10	0.88	2757	<2	0.01	<1	729	120	3.92	<5	4	58	<5	0.01	<10	11	61	<10	192	3
9V1439RA/RJ	P09-044	135054	222.60	223.60	1.00	1.35		2.3	1.26	56	104	<0.5	52	1.52	9	18	55	4	6.03	<1	0.13	<10	0.83	2904	<2	0.01	<1	715	563	3.13	<5	4	69	<5	0.01	<10	<10	58	<10	544	3
9V1439RA/RJ	P09-044	135055	223.60	224.60	1.00	1.02		2.7	1.15	45	106	<0.5	38	0.9	29	15	61	19	5.26	<1	0.14	<10	0.73	2204	<2	0.01	1	605	520	2.72	<5	3	43	<5	<0.01	<10	<10	53	<10	2288	2
9V1439RA/RJ	P09-044	135056	224.60	225.20	0.60	0.93		2	1.08	34	125	<0.5	44	2.08	32	13	75	32	4.51	<1	0.17	<10	0.66	2629	<2	0.01	1	665	75	2.31	<5	3	82	<5	<0.01	<10	<10	43	<10	2469	2
9V1439RA/RJ	P09-044	135057	225.20	225.70	0.50	0.76		5.1	0.79	180	55	<0.5	49	1.13	6	27	69	4	6.73	<1	0.17	<10	0.44	1465	<2	0.01	1	578	415	4.25	9	2	41	<5	<0.01	<10	12	33	<10	152	2
9V1439RA/RJ	P09-044	135058	225.70	226.20	0.50	1.92		12	0.65	401	65	<0.5	37	1.63	27	14	53	183	5.86	1	0.22	<10	0.27	1232	<2	0.01	<1	684	996	4.03	27	2	47	<5	<0.01	<10	<10	27	<10	2000	2
9V1439RA/RJ	P09-044	135059	226.20	227.20	1.00	2.94		8	1.37	110	121	<0.5	60	3.45	19	12	21	277	4.91	<1	0.33	<10	0.52	2438	<2	0.01	<1	1309	957	2.08	<5	3	141	<5	<0.01	<10	<10	43	<10	1468	2
9V1439RA/RJ	P09-044	135060	BLANK			0.01		0.1	0.02	<5	<10	<0.5	116	>15.00	<1	1	3	1	0.48	<1	0.02	<10	11.2	199	<2	0.01	1	142	3	0.42	<5	<1	44	<5	<0.01	12	<10	2	<10	22	<1
9V1439RA/RJ	P09-044	135061	227.20	228.10	0.90	0.31		5.3	1.47	89	156	<0.5	55	4.04	36	19	12	246	4.99	<1	0.37	<10	0.53	2541	<2	0.01	1	1642	1456	2.05	<5	3	138	<5	<0.01	<10	<10	45	<10	2700	2
9V1439RA/RJ	P09-044	135062	228.10	228.60	0.50	0.64		10.3	1.64	19	152	<0.5	67	3.34	65	16	14	645	4.54	<1	0.34	<10	0.55	2140	<2	0.01	2	1668	3176	1.12	<5	3	78	<5	<0.01	<10	<10	46	<10	3918	2
9V1439RA/RJ	P09-044	135063	228.60	229.10	0.50	0.65		10.8	1.77	24	142	<0.5	46	4.44	72	19	11	694	4.81	<1	0.31	<10	0.66	2962	<2	0.01	1	1531	2938	1.26	<5	4	120	<5	<0.01	<10	<10	54	<10	4085	2
9V1439RA/RJ	P09-044	135064	229.10	230.10	1.00	0.96		2	1.9	21	189	<0.5	57	4.47	21	17	8	134	4.66	<1	0.39	<10	0.71	3273	<2	0.01	1	1483	396	0.65	<5	4	120	<5	0.01	<10	<10	60	<10	1701	2
9V1439RA/RJ	P09-044	135065	230.10	231.10	1.00	0.16		3.1	1.94	38	144	<0.5	47	2.44	61	15	16	226	5.1	<1	0.26	<10	0.86	3219	<2	0.01	1	1301	548	1.08	<5	4	73	<5	0.01	<10	<10	65	<10	3761	2
9V1439RA/RJ	P09-044	135066	231.10	232.10	1.00	0.27		3.1	2.03	27	216	<0.5	41	2.82	53	18	14	257	4.95	<1	0.41	<10	0.72	3465	<2	0.02	1	1577	934	0.87	<5	4	84	<5	0.02	<10	<10	65	<10	3469	2
9V1439RA/RJ	P09-044	135067	232.10	233.10	1.00	0.08		2	2.09	33	143	<0.5	48	1.95	36	18	14	160	5.61	<1	0.27	<10	0.87	3172	3	0.01	1	1458	568	0.93	<5	5	55	<5	0.01	<10	<10	77	<10	2750	2
9V1439RA/RJ	P09-044	135068	233.10	234.10	1.00	0.21		2.6	2.24	38	190	<0.5	55	2.16	37	15	10	156	6.2	<1	0.34	<10	0.9	3206	<2	0.02	1	1479	503	1.6	<5	4	58	<5	0.01	<10	<10	69	<10	2838	3
9V1439RA/RJ	P09-044	135069	234.10	235.10	1.00	0.12		3.1	1.81	34	155	<0.5	44	2.98	42	15	12	124	5.38	<1	0.31	<10	0.7	3294	<2	0.01	1	1426	731	1.61	<5	3	81	<5	0.01	<10	<10	53	<10	2996	2
9V1439RA/RJ	P09-044	135070	235.10	236.10	1.00	0.16		2.1	1.39	27	282	<0.5	44	2.99	26	15	11	88	4.53	<1	0.38	<10	0.62	2907	<2	0.01	1	1493	555	0.93	<5	4	110	<5	<0.01	<10	<10	44	<10	2097	2
9V1439RA/RJ	P09-044	135071	236.10	237.10	1.00	0.08		1.5	1.45	47	121	<0.5	56	4.49	14	11	26	25	5.18	<1	0.23	<10	0.68	3168	<2	0.01	1	1208	432	1.75	<5	3	110	<5	<0.01	<10	<10	59	<10	1080	2
9V1439RA/RJ	P09-044	135072	237.10	238.10	1.00	0.19		2.9	0.93	80	199	<0.5	72	10.05	9	8	16	76	3.04	<1	0.25	<10	0.4	3335	<2	0.01	<1	830	447	1.53	<5	2	191	<5	<0.01	<10	<10	23	<10	710	1

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1439RA/RJ	P09-044	135073	238.10	239.10	1.00	0.36		3.9	0.77	104	148	<0.5	63	7.95	16	5	24	145	3.38	<1	0.29	<10	0.32	3416	<2	0.01	<1	1001	907	2.16	<5	2	306	<5	<0.01	<10	<10	25	<10	1202	1
9V1439RA/RJ	P09-044	135074	239.10	240.10	1.00	0.31		16.4	1.86	48	172	<0.5	46	2.99	135	11	12	1011	5	<1	0.33	<10	0.87	2845	<2	0.01	<1	1212	6201	2	<5	3	116	<5	<0.01	<10	<10	48	<10	4991	2
9V1439RA/RJ	P09-044	135075	240.10	241.10	1.00	0.71		15.9	2.04	23	151	<0.5	42	1.79	166	15	17	745	5.43	<1	0.29	<10	0.96	2665	<2	0.01	1	1354	4689	1.74	<5	2	65	<5	<0.01	<10	<10	45	<10	5459	2
9V1439RA/RJ	P09-044	135076	241.10	242.10	1.00	0.91		5.7	1.37	75	164	<0.5	52	3.26	46	6	20	312	4.1	<1	0.36	<10	0.58	2478	<2	0.01	1	972	2165	1.66	<5	2	142	<5	<0.01	<10	<10	29	<10	2926	2
9V1439RA/RJ	P09-044	135077	242.10	242.80	0.70	1.93		7.3	1.21	65	149	<0.5	54	4.53	87	5	24	438	3.83	<1	0.26	<10	0.66	3075	<2	0.01	<1	1004	3773	1.6	<5	2	214	<5	<0.01	<10	<10	24	<10	4206	2
9V1439RA/RJ	P09-044	135078	242.80	243.50	0.70	3.61		2.6	0.58	82	138	<0.5	32	2.66	4	2	23	35	2.85	<1	0.43	<10	0.16	1821	<2	0.01	<1	986	158	1.8	<5	1	110	<5	<0.01	<10	<10	12	<10	222	1
9V1439RA/RJ	P09-044	135079	243.50	244.00	0.50	0.54		6.1	1.02	43	108	<0.5	64	11.86	15	7	23	181	3.67	<1	0.21	<10	0.5	5536	<2	0.01	<1	725	623	1.19	<5	2	633	<5	<0.01	<10	<10	22	<10	1219	1
9V1439RA/RJ	P09-044	135080	STD	PM427		3.6		1.1	1.38	5628	68	1	163	6.03	2	90	33	256	4.57	<1	0.18	<10	0.44	762	25	0.06	50	750	17	0.84	9	3	56	<5	0.11	10	<10	53	<10	72	11
9V1439RA/RJ	P09-044	135081	244.00	244.50	0.50	0.28		15.5	1.06	27	190	<0.5	35	3.1	118	8	18	451	3.13	<1	0.38	<10	0.4	2332	<2	0.01	1	1171	5449	1.48	<5	2	118	<5	<0.01	<10	<10	19	<10	4804	1
9V1439RA/RJ	P09-044	135082	244.50	245.50	1.00	0.51		2.4	1.92	29	313	<0.5	38	1.66	9	12	20	165	5.28	<1	0.27	<10	0.9	2730	<2	0.01	1	1251	371	0.75	<5	2	71	<5	<0.01	<10	<10	43	<10	598	2
9V1439RA/RJ	P09-044	135083	245.50	246.50	1.00	0.19		0.9	1.71	32	180	<0.5	34	2.39	10	8	18	26	4.37	<1	0.37	<10	0.79	2629	<2	0.01	2	1377	417	0.67	<5	3	121	<5	<0.01	<10	<10	45	<10	737	2
9V1439RA/RJ	P09-044	135084	246.50	247.20	0.70	0.81		0.8	1.01	57	121	<0.5	63	5.01	4	3	39	9	3.52	<1	0.37	<10	0.32	2856	<2	0.01	<1	818	41	1.45	<5	2	274	<5	<0.01	<10	<10	23	<10	177	1
9V1439RA/RJ	P09-044	135085	247.20	248.20	1.00	0.02		1.3	1.68	27	121	<0.5	59	6.16	3	15	25	59	3.81	<1	0.25	<10	1.18	2290	2	0.01	9	1496	27	1.13	<5	5	295	<5	<0.01	<10	<10	46	<10	90	1
9V1439RA/RJ	P09-044	135086	248.20	249.20	1.00	0.02		1	1.9	24	175	<0.5	57	6.64	4	14	26	48	4.07	<1	0.29	<10	1.35	2602	<2	0.01	8	1539	39	1.06	<5	6	337	<5	<0.01	<10	<10	61	<10	161	2
9V1439RA/RJ	P09-044	135087	249.20	250.20	1.00	0.05		1	1.83	39	155	<0.5	61	6.63	4	15	21	45	4.08	<1	0.26	<10	1.33	2668	<2	0.01	9	1647	50	1.25	<5	5	293	<5	<0.01	<10	<10	49	<10	147	2
9V1439RA/RJ	P09-044	135088	250.20	251.20	1.00	0.02		0.6	2.11	25	173	<0.5	64	6.76	3	14	26	34	4.14	<1	0.27	<10	1.52	2953	<2	0.01	8	1516	20	0.7	<5	5	326	<5	<0.01	<10	<10	61	<10	99	2
9V1439RA/RJ	P09-044	135089	251.20	252.20	1.00	0.05		0.4	2.64	16	127	<0.5	87	9.6	4	11	21	18	4.47	<1	0.2	<10	2.44	3953	<2	0.01	6	1427	20	0.57	<5	7	540	<5	<0.01	<10	10	77	<10	122	2
9V1439RA/RJ	P09-044	135090	252.20	253.20	1.00	0.02		0.5	2.34	20	170	<0.5	53	6.35	3	14	22	45	4.19	<1	0.25	<10	2.06	2596	<2	0.01	7	1534	34	0.52	<5	6	378	<5	<0.01	<10	<10	67	<10	136	2
9V1439RA/RJ	P09-044	135091	253.20	254.20	1.00	0.01		0.9	1.94	34	164	<0.5	43	4.43	3	15	25	50	4.15	<1	0.23	<10	1.66	2034	<2	0.01	8	1631	33	0.83	<5	6	227	<5	<0.01	<10	<10	54	<10	122	2
9V1439RA/RJ	P09-044	135092	254.20	254.88	0.68	<0.01		1.3	1.81	37	221	<0.5	55	5.1	3	14	24	60	3.74	<1	0.31	<10	1.43	1847	<2	0.01	7	1508	20	0.72	<5	5	248	<5	<0.01	<10	<10	48	<10	107	1

P09-045 - Golden Crown - PAD 29 - 436338E 6218202N, Elev: 1035m, Az: 100, Dip: -55, EOH: 88.11m

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1439RA/RJ	P09-045	135093	10.67	11.60	0.93	0.27		18.7	0.38	133	138	<0.5	34	1.96	7	13	26	47	3.14	<1	0.3	<10	0.39	1062	<2	0.01	3	961	771	2	14	3	43	<5	<0.01	<10	<10	12	<10	580	2
9V1439RA/RJ	P09-045	135094	11.60	12.60	1.00	0.01		0.2	1.08	32	218	<0.5	42	1.9	4	17	13	17	4.32	<1	0.39	<10	1.14	1737	2	0.01	3	1252	20	0.71	<5	5	56	<5	<0.01	<10	<10	25	<10	140	2
9V1439RA/RJ	P09-045	135095	12.60	13.60	1.00	0.01		0.1	1.19	36	179	<0.5	37	1.73	4	15	20	11	4.38	<1	0.3	10	1.1	1632	<2	0.01	3	1239	18	0.51	<5	4	37	<5	<0.01	<10	<10	26	<10	157	2
9V1439RA/RJ	P09-045	135096	13.60	14.60	1.00	<0.01		<0.1	1.02	25	245	<0.5	40	2.74	3	13	18	13	4.18	<1	0.38	<10	1.11	1924	<2	0.01	3	1162	9	0.68	<5	5	59	<5	<0.01	<10	<10	23	<10	81	2
9V1439RA/RJ	P09-045	135097	14.60	15.60	1.00	0.01		0.4	0.87	39	262	<0.5	34	1.94	4	13	22	19	3.99	<1	0.31	<10	0.86	1589	<2	0.01	3	1192	11	0.7	<5	4	44	<5	<0.01	<10	<10	20	<10	214	2
9V1439RA/RJ	P09-045	135098	15.60	16.60	1.00	0.01		1.2	0.47	78	250	<0.5	46	2.01	4	13	23	6	4.12	<1	0.29	<10	0.67	1881	<2	0.01	2	1072	29	0.61	5	4	72	<5	<0.01	<10	<10	17	<10	237	2
9V1439RA/RJ	P09-045	135099	16.60	17.60	1.00	0.04		2.5	0.41	176	88	<0.5	49	2.61	5	15	26	10	4.39	<1	0.29	<10	0.73	2207	<2	0.01	3	1084	124	1.74	9	4	140	<5	<0.01	<10	<10	16	<10	270	2
9V1439RA/RJ	P09-045	135100	BLANK			<0.01		<0.1	0.03	<5	11	<0.5	82	>15.00	<1	1	3	1	0.46	<1	0.02	<10	11	202	<2	0.01	1	140	2	0.42	<5	<1	43	<5	<0.01	11	<10	2	<10	19	<1
9V1439RA/RJ	P09-045	135101	17.60	18.60	1.00	6.02		6.6	0.44	147	124	<0.5	43	4.03	3	7	44	4	3.07	<1	0.21	<10	0.42	3694	2	0.01	1	570	91	1.43	6	3	107	<5	<0.01	<10	<10	13	<10	149	1
9V1439RA/RJ	P09-045	135102	18.60	19.60	1.00	0.16		1.5	0.82	121	221	<0.5	71	10.52	3	8	23	1	3.21	<1	0.19	<10	0.75	4483	<2	0.01	2	817	17	1.25	<5	3	215	<5	<0.01	<10	<10	22	<10	85	1
9V1439RA/RJ	P09-045	135103	19.60	20.60	1.00	0.05		1.1	1.38	127	198	<0.5	33	1.6	4	14	23	13	4.38	<1	0.32	<10	1.06	1732	2	0.02	3	1159	77	1.33	5	3	59	<5	<0.01	<10	<10	31	<10	162	2
9V1439RA/RJ	P09-045	135104	20.60	21.60	1.00	0.09		2.2	0.98	174	147	<0.5	50	5.21	3	13	27	15	4.04	<1	0.24	<10	0.88	3054	2	0.01	3	926	105	1.89	8	3	151	<5	<0.01	<10	<10	22	<10	93	2
9V1439RA/RJ	P09-045	135105	21.60	22.60	1.00	0.21		3	0.95	101	208	<0.5	35	5.82	13	10	29	21	3.34	<1	0.24	<10	0.82	3611	3	0.01	2	838	599	1.28	5	3	139	<5	<0.01	<10	<10	21	<10	1126	2
9V1439RA/RJ	P09-045	135106	22.60	23.60	1.00	0.14		2.3	1.44	151	151	<0.5	53	4.01	4	11	37	2	4.45	<1	0.16	<10	1.12	4067	<2	0.02	2	928	48	1.54	7	3	95	<5	<0.01	<10	<10	38	<10	161	2
9V1439RA/RJ	P09-045	135107	23.60	24.60	1.00	0.15		2.7	1.42	164	144	<0.5	34	1.89	6	11	34	5	4.39	1	0.23	<10	1.21	2831	<2	0.02	3	899	120	1.55	8	3	81	<5	<0.01	<10	<10	37	<10	433	2
9V1439RA/RJ	P09-045	135108	24.60	25.60	1.00	0.66		7	0.97	309	108	<0.5	49	1.91	15	9	42	20	4.44	1	0.2	<10	0.73	2209	<2	0.01	2	682	187	2.38	21	2	69	<5	<0.01	<10	<10	23	<10	1155	2
9V1439RA/RJ	P09-045	135109	25.60	27.60	2.00	0.08		1.2	0.89	53	178	0.5	47	2.24	4	14	23	32	3.77	<1	0.31	<10	0.63	2065	2	0.01	3	1115	29	0.87	<5	4	72	<5	<0.01	<10	<10	20	<10	141	2
9V1439RA/RJ	P09-045	135110	27.60	28.60	1.00	0.08		2.4	0.37	62	194	<0.5	43	4.57	8	13	27	48	3.8	<1	0.3	<10	1.01	3039	<2	0.01	2	1022	86	1.11	<5	4	281	<5	<0.01	<10	<10	13	<10	531	2
9V1439RA/RJ	P09-045	135111	28.60	29.60	1.00	0.04		1.9	0.65	128	161	<0.5	59	8.04	3	11	22	9	2.52	<1	0.3	<10	0.4	3733	<2	0.01	2	921	24	1.13	5	3	253	<5	<0.01	<10	<10	13	<10	100	2
9V1439RA/RJ	P09-045	135112	29.60	30.60	1.00	<0.01		0.5	1.96	21	148	<0.5	55	3.33	4	15	19	24	4.43	<1	0.26	<10	1.4	2309	<2	0.01	3	1163	14	0.53	<5	4	118	<5	<0.01	<10	<10	40	<10	123	2
9V1458RA/RJ	P09-045	135113	30.60	31.60	1.00	<0.01		0.2	1.98	26	163	<0.5	19	4.4	2	14	15	23	4.28	<1	0.28	<10	1.44	2521	<2	0.01	4	1253	8	0.33	9	5	184	<5	<0.01	<10	17	41	<10	99	2
9V1458RA/RJ	P09-045	135114	31.60	32.60	1.00	0.01		0.2	1.65	26	200	<0.5	16	3.33	2	12	22	22	3.94	<1	0.28	<10	1.25	2157	3	0.01	5	1222	7	0.27	7	4	101	<5	<0.01	<10	13	35	<10	122	2
9V1458RA/RJ	P09-045	135115	32.60	33.60	1.00	0.01		<0.1	1.63	39	138	<0.5	24	1.3	3	19	11	24	5.44	<1	0.35	<10	0.97	1015	3	0.01	3	1455	18	2.02	8	4	41	<5	<0.01	<10	12	36	<10	167	2
9V1458RA/RJ	P09-045	135116	33.60	34.60	1.00	0.01		<0.1	1.74	26	186	<0.5	20	2.53	2	17	12	20	4.74	<1	0.35	<10	1.13	1367	<2	0.01	2	1416	12	1.19	8	4	64	<5	<0.01	<10	13	35	<10	91	2
9V1458RA/RJ	P09-045	135117	34.60	35.60	1.00	0.01		0.3	2.16	28	202	<0.5	24	3.97	2	18	12	24	5.42	<1	0.37	<10	1.5	1873	<2	0.01	1	1334	23	1.07	14	5	111	<5	<0.01	<10	18	46	<10	100	2
9V1458RA/RJ	P09-045	135118	35.60	36.60	1.00	0.02		<0.1	2.21	32	183	<0.5	22	3.61	2	17	14	19	5.11	<1	0.33	<10	1.52	1843	<2	0.01	<1	1308	8	0.68	12	5	137	<5	<0.01	<10	16	52	<10	88	2
9V1458RA/RJ	P09-045	135119	36.60	37.60	1.00	0.03		1.3	1.4	70	177	<0.5	20	4.6	3	15	13	19	4.58	<1	0.36	<10	0.84	2403	<2	<0.01	<1	1205	166	1.78	15	4	131	<5	<0.01	<10	20	35	<10	172	2
9V1458RA/RJ	P09-045	135120	37.60	38.60	1.00	0.38		1.5	1.33	71	174	<0.5	19	3.07	2	15	12	19	4.43	<1	0.37	<10	0.65	1721	7	0.01	<1	1342	31	1.87	17	4	90	<5	<0.01	<10	14	33	<10	118	2
9V1458RA/RJ	P09-045	135121	38.60	39.60	1.00	0.08		1.7	1.1	125	70	<0.5	24	2.15	3	20	12	16	5.37	<1	0.35	<10	0.51	1221	<2	0.01	<1	1396	23	3.29	25	3	71	<5	<0.01	<10	14	31	<10	66	2
9V1458RA/RJ	P09-045	135122	39.60	40.60	1.00	0.03		0.5	2.02	79	153	<0.5	25	4.28	3	20	15	14	6.01	<1	0.29	<10	1.24	1965	<2	0.01	<1	1302	13	2.06	16	4	156	<5	<0.01	<10	21	47	<10	120	2
9V1458RA/RJ	P09-045	135123	40.60	41.60	1.00	0.01		0.7	1.9	33	195	<0.5	20	3.01	2	18	12	35	4.71	<1	0.32	<10	1.01	1418	<2	0.01	<1	1562	8	0.88	16	4	116	<5	<0.01	<10	13	46	<10	109	2
9V1458RA/RJ	P09-045	135124	41.60	42.60	1.00	0.09		4.4	0.49	140	70	<0.5	23	4.31	2	16	18	17	5.05	<1	0.32	<10	0.13	1662	4	<0.01	<1	1146	22	3.99	43	2	126	<5	<0.01	13	18	19	<10	33	2
9V1458RA/RJ	P09-045	135125	42.60	43.60	1.00	0.15		3.7	1.1	234	116	<0.5	21	0.65	5	11	14	14	4.63	1	0.33	<10	0.47	680	<2	<0.01	<1	1332	114	2.37	27	2	15	<5	<0.01	<10	<10	26	<10	263	2
9V1458RA/RJ	P09-045	135126	43.60	44.60	1.00	0.15		1	1.78	33	213	<0.5	21	0.32	12	9	26	16	4.71	<1	0.28	<10	1.04	1198	<2	<0.01	<1	1526	351	0.89	9	2	12	<5	<0.01	<10	11	37	<10	1007	2
9V1458RA/RJ	P09-045	135127	44.60	45.60	1.00	2.29		5.5	1.95	44	191	<0.5	25	0.79	17	11	29	161	5.24	<1	0.26	<10	1.31	2623	3	0.01	<1	1150	1526	1.37	10	3	23	<5	<0.01	<10	20	52	26	1686	2
9V1458RA/RJ	P09-045	135128	45.60	46.60	1.00	0.11		1.2	2.02	22	203	<0.5	19	1.73	12	12	27	21	4.6	<1	0.27	<10	1.3	3200	2	<0.01	<1	1306	550	0.77	9	3	112	<5	<0.01	<10	22	43	13	1152	2
9V1458RA/RJ	P09-045	135129	46.60	47.60	1.00	0.5		5.2	1.7	17	204	<0.5	18	4.11	40	10	26	141	4.2	<1	0.29	<10	1	4525	<2	0.01	<1	1144	1322	1.03	10	3	225	<5	<0.01	<10	29	34	84	3235	2
9V1458RA/RJ	P09-045	135130	47.60	48.60	1.00	1.44		3.9	1.14	43	177	<0.5	17	4.85	33	9	35	67	4.03	<1	0.26	<10	0.61	4770	3	0.01	<1	968	874	1.6	8	3	209	<5	<0.01	<10	32	28	58	2826	2
9V1458RA/RJ	P09-045	135131	48.60	49.60	1.00	0.44		1.6	1.36	44	180	<0.5	19	3.01	11	10	31	37	4.24	<1	0.29	<10	0.69	3738	3	0.01	<1	1059	516	1.51	9	2	106	<5	<0.01	<10	26	32	23	1076	2
9V1458RA/RJ	P09-045	135132	49.60	50.60	1.00	0.67		4.4	1.49	24	173	<0.5	17	2.42	31	10	28	84	4.1	<1	0.26	<10	0.78	2435	4	0.01	<1	1163	1592	1.12	8	2	85	<5	<0.01	<10	17	33	54	2641	2
9V1458RA/RJ	P09-045	135133	50.60	51.60	1.00	0.09		0.8	1.84	21	175	<0.5	21	3.49	7	13	18	20	4.84	<1	0.29	<10	0.93	2525	3	0.01	<1	1373	422	1.06	9	3	89	<5	<0.01	<10	19	45	<10	678	2
9V1458RA/RJ	P09-045	135134	51.60	52.60	1.00	0.08		0.7	1.41	16	222	<0.5	15	2	8	9	57	14	3.65	<1	0.24	<10	0.73	2295	<2	0.01	<1	1075	273	0.71	7	2	98	<5	<0.01	<10	15	32	18	822	2
9V1458RA/RJ	P09-045	135135	52.60	53.60	1.00	0.17		0.7	1.6	28	163	<0.5	21	1.73	6	14	17	19	4.54	<1	0.36	<10	0.76	2492	3	0.01	<1	1559	248	1.43	9	3	56	<5	<0.01	<10	17	41	<10	486	3
9V1458RA/RJ	P09-045	135136	53.60	54.60	1.00	1.14		3.1	1.82	29	165	<0.5	22	2.35	35	13	22	66	4.98	<1	0.31	<10	0.95	2896	<2	0.01	<1	1497	1203	1.43	8	3	99	<5	<0.01	<10	21	38	59	2730	2
9V1458RA/RJ	P09-045	135137	54.60	55.60	1.00	0.05		0.4	1.57	22	213	<0.5	17	3.14	5	12	19	14	4.03	<1	0.31	<10	0.76	3406	3	0.01	<1	1256	73	0.89	8	3	97	<5	<0.01	<10	22	37	<10	505	2
9V1458RA/RJ	P09-045	135138	55.60	56.60	1.00	0.13		1.5	1.06	51	179	<0.5	14	5.12	4	10	23	27	3.56	<1	0.29	<10	0.48	3452	2	0.01	<1	1195	108	1.42	10	2	149	<5	<0.01	<10	25	29	<10	325	2
9V1458RA/RJ	P09-045	135139	56.60	57.60	1.00	0.19		1.3	1.59	44	201	<0.5	21	2.72	3	11	22	15	4.44	<1	0.28	<10	0.79	3010	2	0.01	<1	1357	209	1.2	9	3	103	<5	<0.01	<10	22	49	<10	239	2
9V1458RA/RJ	P09-045	135140	BLANK			<0.01		0.6	0.04	<5	12	<0.5	<5	>15.00	<1	1	3	1	0.52	<1	0.04	<10	14	211	<2	0.01	1	235	<2	0.37	<5	<1	57	<5	<0.01	13	16	3	<10	27	<1
9V1458RA/RJ	P09-045	135141	57.60	58.60	1.00	0.19		0.8	1.57	41	206	<0.5	20	4.15	3	12	18	17	4.47	<1	0.28	<10	0.83	3188	<2	0.01	<1	1378	89	1.2	8	3	144	<5	<0.01	<10	21	46	<10	195	2
9V1458RA/RJ	P09-045	135142	58.60	59.60	1.00	0.09		1.2	1.55	53	233	<0.5	19	5.87	3	13	10	38	4.36	<1	0.37	<10	0.79	3740	<2	0.01	<1	1545	51	1.18	9	4	287	<5	<0.01	<10	25	35	<10	244	2
9V1458RA/RJ	P09-045	135143	59.60	60.60	1.00	0.07		0.6	1.81	24	183	<0.5	20	4.46	3	13	14	53	4.67	<1	0.3	<10	1.01	3483	<2	0.01	<1	1521	36	1.09	8	3	152	<5	<0.01	<10	23	39	<10	226	2
9V1458RA/RJ	P09-045	135144	60.60	61.60	1.00	0.14		0.5	1.75	28	181	<0.5	22	3.12	3	13	10	26	4.95	<1	0.33	<10	0.97	2752	<2	0.01	<1	1494	37	1.5	8	3	101	<5	<0.01	<10	20	38	<10	215	2
9V1458RA/RJ	P09-045	135145	61.60	62.60	1.00	0.04		0.9	1.65	44	195	<0.5	20	3.92	4	14	13	44	4.53	<1	0.32	<10	0.85	2762	3	0.01	<1	1463	73	1.23	10	3	115	<5	<0.01	<10	20	38	<10	242	2
9V1458RA/RJ	P09-045	135146	62.60	63.60	1.00	0.03		0.2	1.74	39	197	<0.5	21	4.65	2	15	11	13	4.79	<1	0.33	<10	0.87	2916	4	0.01	<1	1425	21	1.28	9	3	144	<5	<0.01	<10	22	42	<10	121	2
9V1458RA/RJ	P09-045	135147	63.60	64.40	0.80	0.04		0.4	1.36	24	182	<0.5	19	4.96	3	13	10	17	4.43	<1	0.32	<10	0.6	2791	<2	0.01	<1	1499	22	1.6	9	3	163	<5	<0.01	<10	19	36	<10	147	2
9V1458RA/RJ	P09-045	135148	64.40	64.90	0.50	0.21		16.7	0.92	108	67	<0.5	16	5	491	13	9	381	4.64	5	0.33	<10	0.37	2634	<2	0.01	<1	1233	8661	>5.00	5	2	161	<5	<0.01	<10	21	24	968	8738	2
9V1458RA/RJ	P09-045	135149	64.90	65.90	1.00	0.29		1.2	1.17	79	160	<0.5	21	7.22	4	16	9	17	4.52	<1	0.32	<10	0.65	2986	3	0.01	<1	1382	46	2.63	9	3	219	<5	<0.01	<10	23	27	<10	215	2
9V1458RA/RJ	P09-045	135150	65.90	66.90	1.00	0.82		1.4	0.96	82	150	<0.5	19	4.68	3	14	7	12	4.4	<1	0.36	<10	0.56	2290	10	0.01	<1	1469	102	2.52	9	3	152	<5	<0.01	<10	17	23	<10	205	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1458RA/RJ	P09-045	135151	66.90	67.90	1.00	0.09		0.8	1.3	51	116	<0.5	22	3.6	3	15	8	19	5.15	<1	0.3	<10	0.86	1518	18	0.01	<1	1677	41	2.56	10	3	100	<5	<0.01	<10	15	26	<10	95	2
9V1458RA/RJ	P09-045	135152	67.90	68.90	1.00	0.04		0.7	1.35	42	104	<0.5	24	3.5	3	17	6	17	5.48	<1	0.34	<10	0.98	1364	21	0.01	<1	1609	39	2.72	10	3	110	<5	<0.01	<10	15	28	<10	95	2
9V1458RA/RJ	P09-045	135153	68.90	69.90	1.00	0.04		0.8	0.86	48	120	<0.5	23	5.55	3	18	8	13	5.11	<1	0.32	<10	0.64	1934	7	0.01	<1	1431	23	3.16	10	3	187	<5	<0.01	<10	18	19	<10	76	2
9V1458RA/RJ	P09-045	135154	69.90	70.90	1.00	0.07		3.7	0.57	92	51	<0.5	30	2.51	4	18	4	16	6.31	<1	0.36	<10	0.35	977	6	0.01	<1	1463	62	4.76	11	3	84	<5	<0.01	<10	16	18	<10	135	2
9V1458RA/RJ	P09-045	135155	70.90	71.90	1.00	0.04		1.9	0.48	71	59	<0.5	20	4.88	4	12	9	17	4.6	<1	0.34	<10	0.81	2031	2	0.01	<1	1459	67	2.35	9	3	243	<5	<0.01	<10	16	19	<10	285	2
9V1458RA/RJ	P09-045	135156	71.90	72.90	1.00	0.06		0.9	1.43	55	195	<0.5	21	3.77	3	13	6	22	4.79	<1	0.36	<10	0.85	2114	2	0.01	<1	1552	83	1.23	9	3	134	<5	<0.01	<10	17	31	<10	153	2
9V1458RA/RJ	P09-045	135157	72.90	73.90	1.00	0.11		1.2	0.75	126	91	<0.5	20	2.32	3	13	12	41	4.53	<1	0.33	<10	0.49	1238	<2	0.01	<1	1397	63	2.63	12	2	70	<5	<0.01	<10	12	18	<10	126	2
9V1458RA/RJ	P09-045	135158	73.90	74.90	1.00	0.15		1.2	0.56	131	75	<0.5	18	1.64	14	14	13	18	4.5	<1	0.33	<10	0.36	907	2	0.01	<1	1223	565	3.05	11	2	48	<5	<0.01	<10	10	16	<10	1040	2
9V1458RA/RJ	P09-045	135159	74.90	75.90	1.00	0.1		0.4	1.05	66	141	<0.5	20	2.71	4	14	15	14	4.64	<1	0.31	<10	0.79	1392	<2	0.01	<1	1247	214	1.6	8	3	103	<5	<0.01	<10	14	20	<10	309	2
9V1458RA/RJ	P09-045	135160	75.90	76.90	1.00	0.01		<0.1	1.82	18	203	<0.5	20	4.47	2	15	11	9	4.67	<1	0.35	<10	1.15	1767	2	0.01	<1	1394	15	0.55	8	3	152	<5	<0.01	<10	15	28	<10	130	2
9V1458RA/RJ	P09-045	135161	76.90	77.90	1.00	0.02		<0.1	1.62	44	147	<0.5	20	1.84	2	15	12	13	4.71	<1	0.3	<10	0.99	951	2	0.01	<1	1459	14	1.04	10	3	68	<5	<0.01	<10	11	25	<10	112	2
9V1458RA/RJ	P09-045	135162	77.90	78.90	1.00	0.03		0.5	0.98	38	130	0.5	18	2.53	2	15	11	16	4.11	<1	0.34	<10	0.72	1147	<2	0.01	<1	1401	21	1.57	11	3	91	<5	<0.01	<10	11	18	<10	112	2
9V1458RA/RJ	P09-045	135163	78.90	79.90	1.00	0.03		<0.1	1.5	36	147	<0.5	21	3.82	2	15	11	6	5.02	<1	0.29	<10	1.09	1717	<2	0.01	<1	1349	18	1.31	10	4	95	<5	<0.01	<10	16	24	<10	100	2
9V1458RA/RJ	P09-045	135164	79.90	80.90	1.00	0.06		0.1	1.32	39	119	<0.5	23	4.14	3	17	10	6	5.35	<1	0.29	<10	0.98	1839	<2	0.01	<1	1218	28	2.23	12	4	102	<5	<0.01	<10	19	22	<10	90	2
9V1458RA/RJ	P09-045	135165	80.90	81.90	1.00	0.08		0.1	1.39	55	123	<0.5	21	3.74	3	14	15	6	4.83	<1	0.26	<10	0.95	1685	<2	0.01	<1	1199	42	1.76	9	3	128	<5	<0.01	<10	16	24	<10	198	2
9V1458RA/RJ	P09-045	135166	81.90	82.90	1.00	0.02		<0.1	1.71	21	158	<0.5	20	4.09	3	15	10	12	4.77	<1	0.31	<10	1.24	1609	<2	0.01	<1	1363	25	0.76	7	4	176	<5	<0.01	<10	14	29	<10	166	2
9V1458RA/RJ	P09-045	135167	82.90	83.90	1.00	0.01		<0.1	0.95	32	139	<0.5	21	2.21	3	15	10	10	4.9	<1	0.31	<10	1.01	1151	<2	0.01	<1	1423	18	0.63	8	4	66	<5	<0.01	<10	11	22	<10	169	2
9V1458RA/RJ	P09-045	135168	83.90	84.90	1.00	<0.01		0.1	0.39	49	229	<0.5	18	3.21	2	13	47	13	4.32	<1	0.28	<10	1.04	1828	<2	0.01	1	1091	13	0.91	8	4	174	<5	<0.01	<10	14	18	<10	84	2
9V1458RA/RJ	P09-045	135169	84.90	85.90	1.00	<0.01		<0.1	0.72	22	118	0.5	23	2.85	3	18	28	18	5.34	<1	0.28	<10	1.27	1871	<2	0.01	1	1372	11	0.61	8	6	133	<5	<0.01	<10	16	25	<10	108	2
9V1458RA/RJ	P09-045	135170	85.90	86.90	1.00	<0.01		<0.1	1.26	17	526	<0.5	21	4.66	2	16	21	24	5.03	<1	0.32	<10	1.48	2140	<2	0.01	1	1374	10	0.34	8	6	199	<5	<0.01	<10	16	33	<10	100	2
9V1458RA/RJ	P09-045	135171	86.90	88.11	1.21	0.01		<0.1	2.03	13	199	0.5	24	3.34	2	19	21	23	5.4	<1	0.28	<10	1.69	1468	<2	0.01	2	1399	11	0.48	9	6	100	<5	<0.01	<10	15	40	<10	101	2
P09-046 - Golden Crown - PAD 30 - 436253E 6218104N, Elev: 1067m, Az: 090, Dip: -55, EOH: 270.73m																																									
9V1458RA/RJ	P09-046	135172	4.57	6.00	1.43	0.02		<0.1	2.71	32	173	<0.5	25	3.76	2	19	17	39	5.73	<1	0.29	<10	1.71	2473	<2	0.02	<1	1530	45	0.44	10	5	71	<5	<0.01	<10	21	62	<10	121	2
9V1458RA/RJ	P09-046	135173	6.00	8.00	2.00	0.02		<0.1	2.8	42	178	<0.5	27	3.87	3	20	16	27	5.97	<1	0.26	<10	1.84	2336	<2	0.01	<1	1571	22	0.49	10	5	70	<5	<0.01	<10	21	61	<10	147	2
9V1458RA/RJ	P09-046	135174	8.00	10.00	2.00	0.01		<0.1	2.74	42	254	<0.5	26	2.36	3	19	22	14	5.67	<1	0.32	<10	1.84	1769	<2	0.02	2	1674	12	0.39	9	5	42	<5	0.01	<10	14	68	<10	196	3
9V1458RA/RJ	P09-046	135175	10.00	10.99	0.99	0.03		<0.1	2.46	36	236	0.5	23	0.84	4	19	27	41	5.25	<1	0.34	13	1.71	1228	<2	0.02	5	1886	18	0.27	8	4	17	<5	0.01	<10	<10	61	<10	341	3
9V1458RA/RJ	P09-046	135176	10.99	12.00	1.01	<0.01		<0.1	2.11	<5	750	<0.5	20	2.04	2	18	51	17	4.75	<1	0.15	17	1.96	856	<2	0.04	16	2206	6	0.08	8	4	74	<5	0.01	<10	<10	67	<10	223	4
9V1458RA/RJ	P09-046	135177	12.00	12.85	0.85	0.01		<0.1	2.04	<5	1768	<0.5	19	3.4	2	17	52	15	4.58	<1	0.17	17	1.95	891	<2	0.05	16	2161	5	0.13	8	4	144	<5	0.01	<10	<10	67	<10	135	4
9V1458RA/RJ	P09-046	135178	12.85	14.00	1.15	0.02		<0.1	2.75	35	205	<0.5	26	1.66	3	20	17	41	5.94	<1	0.3	<10	1.73	2180	<2	0.01	<1	1613	19	0.28	9	6	30	<5	<0.01	<10	16	63	<10	245	2
9V1458RA/RJ	P09-046	135179	14.00	16.00	2.00	0.06		0.2	2.6	68	207	<0.5	26	2.23	3	19	16	42	5.69	<1	0.31	<10	1.46	2423	<2	0.02	<1	1604	32	0.51	10	5	43	<5	<0.01	<10	19	64	<10	207	2
9V1458RA/RJ	P09-046	135180	BLANK			<0.01		0.6	0.04	<5	<10	<0.5	<5	>15.00	<1	1	3	1	0.47	1	0.03	<10	13.5	195	<2	0.01	1	224	<2	0.35	<5	<1	58	<5	<0.01	13	16	3	<10	27	<1
9V1458RA/RJ	P09-046	135181	16.00	18.00	2.00	0.02		0.5	2.4	49	176	<0.5	25	4.44	2	19	19	26	5.68	<1	0.31	<10	1.4	2349	<2	0.02	<1	1600	27	0.92	10	5	88	<5	<0.01	<10	20	53	<10	108	2
9V1458RA/RJ	P09-046	135182	18.00	18.79	0.79	0.06		0.5	2.23	47	279	<0.5	23	2.71	2	18	19	23	5.28	<1	0.38	<10	1.24	1676	<2	0.02	<1	1707	49	0.62	8	5	58	<5	<0.01	<10	14	53	<10	150	2
9V1458RA/RJ	P09-046	135183	18.79	20.00	1.21	<0.01		<0.1	1.58	<5	1380	<0.5	19	2.57	2	16	41	13	4.51	<1	0.28	19	1.47	974	<2	0.04	15	2332	12	0.16	7	4	123	<5	0.01	<10	<10	50	<10	147	6
9V1458RA/RJ	P09-046	135184	20.00	22.00	2.00	0.01		<0.1	0.79	44	337	0.6	22	2.31	3	17	25	19	4.97	<1	0.37	13	0.58	1887	<2	0.02	4	1908	18	0.28	7	6	71	<5	<0.01	<10	12	29	<10	141	3
9V1458RA/RJ	P09-046	135185	22.00	23.63	1.63	0.02		0.1	0.48	39	193	0.5	26	4.58	3	17	17	33	5.59	<1	0.33	<10	1.03	2781	<2	0.01	<1	1510	20	1.14	9	6	162	<5	<0.01	<10	22	27	<10	92	2
9V1458RA/RJ	P09-046	135186	23.63	25.00	1.37	0.42		2.5	0.81	68	132	0.5	23	3.32	61	19	28	48	5.29	<1	0.37	<10	0.7	2598	<2	0.01	<1	1483	376	1.99	10	4	81	<5	<0.01	<10	22	30	120	4175	2
9V1458RA/RJ	P09-046	135187	25.00	26.00	1.00	0.32		1.5	0.81	35	139	<0.5	29	2.07	27	20	33	55	6.33	<1	0.32	<10	1.07	3386	3	0.01	<1	1539	426	1.95	9	5	100	<5	<0.01	<10	28	35	36	2116	2
9V1458RA/RJ	P09-046	135188	26.00	26.73	0.73	0.08		2.3	1.99	26	170	<0.5	30	1.39	32	16	32	115	6.59	<1	0.32	<10	1.43	2759	<2	0.01	<1	1511	634	1.72	11	4	47	<5	<0.01	<10	23	52	40	2427	2
9V1458RA/RJ	P09-046	135189	26.73	27.74	1.01	0.09		1.8	0.66	29	208	<0.5	11	7.99	8	8	51	12	2.81	<1	0.24	<10	0.58	4317	<2	0.01	<1	769	112	1.22	6	3	259	<5	<0.01	<10	29	21	23	858	1
9V1458RA/RJ	P09-046	135190	27.74	29.00	1.26	0.23		0.9	2.31	61	187	<0.5	24	3.41	12	19	27	13	5.32	<1	0.29	<10	1.68	2723	<2	0.01	<1	1489	218	1.36	12	5	79	<5	<0.01	<10	23	54	16	1054	2
9V1458RA/RJ	P09-046	135191	29.00	30.00	1.00	0.09		0.5	2	90	193	<0.5	24	4.03	4	18	21	26	5.33	<1	0.32	<10	1.25	2275	<2	0.02	<1	1453	70	1.7	11	5	105	<5	<0.01	<10	21	50	<10	233	2
9V1458RA/RJ	P09-046	135192	30.00	32.00	2.00	0.14		0.9	1.63	106	185	<0.5	22	6.38	8	14	27	24	5.03	<1	0.31	<10	0.92	3104	<2	0.01	<1	1213	122	1.9	11	4	144	<5	<0.01	<10	27	51	14	655	2
9V1458RA/RJ	P09-046	135193	32.00	34.00	2.00	0.15		1.6	1.69	188	200	<0.5	23	4.71	3	15	26	15	4.91	<1	0.36	<10	1.03	2510	2	0.01	<1	1309	112	2.12	12	4	111	<5	<0.01	<10	21	45	<10	175	2
9V1458RA/RJ	P09-046	135194	34.00	34.55	0.55	0.24		1.5	0.51	280	113	<0.5	18	5.81	2	11	28	11	4.01	<1	0.28	<10	0.28	1850	<2	0.01	<1	948	27	3.22	13	3	133	<5	<0.01	<10	19	18	<10	68	2
9V1458RA/RJ	P09-046	135195	34.55	36.00	1.45	0.14		3.4	1.14	212	182	<0.5	18	5.28	18	13	31	36	4.21	<1	0.37	<10	0.65	2294	2	0.01	<1	1220	499	2.06	13	4	145	<5	<0.01	<10	19	32	46	1619	2
9V1458RA/RJ	P09-046	135196	36.00	38.00	2.00	0.23		0.9	1.71	169	200	<0.5	22	4.97	3	16	22	23	4.97	<1	0.35	<10	0.92	2004	<2	0.01	<1	1412	67	1.86	9	4	109	<5	<0.01	<10	18	37	<10	197	2
9V1458RA/RJ	P09-046	135197	38.00	40.00	2.00	0.09		1.2	1.5	111	234	<0.5	18	6.84	2	15	20	20	4.22	<1	0.39	<10	0.77	2340	3	0.01	<1	1311	40	1.53	10	4	195	<5	<0.01	<10	19	35	<10	85	2
9V1458RA/RJ	P09-046	135198	40.00	42.00	2.00	0.41		1.8	1.41	179	202	<0.5	20	7.08	4	14	24	34	4.38	<1	0.31	<10	0.72	2787	<2	0.01	<1	1234	90	1.76	11	3	159	<5	<0.01	<10	23	33	<10	313	2
9V1458RA/RJ	P09-046	135199	42.00	43.00	1.00	0.06		<0.1	2.33	73	213	<0.5	26	5.04	2	19	20	24	5.56	<1	0.33	<10	1.27	2218	<2	0.01	<1	1537	18	1.37	10	5	99	<5	<0.01	<10	21	53	<10	102	2
9V1458RA/RJ	P09-046	135200	43.00	44.00	1.00	0.13		3.6	2.08	119	184	<0.5	24	6.3	18	17	23	45	5.31	<1	0.31	<10	1.2	3214	<2	0.01	<1	1351	1233	1.63	14	4	158	<5	<0.01	<10	27	47	37	1643	2
9V1458RA/RJ	P09-046	135201	44.00	45.00	1.00	0.06		1.6	1.82	110	194	<0.5	21	8.59	4	15	20	24	4.99	<1	0.33	<10	1.04	4415	<2	0.01	<1	1272	115	1.75	9	4	196	<5	<0.01	<10	27	43	<10	257	2
9V1458RA/RJ	P09-046	135202	45.00	46.00	1.00	0.25		4.5	1.09	247	142	<0.5	18	7.9	62	13	43	43	4.47	2	0.27	<10	0.58	4014	<2	0.01	<1	856	802	2.76	11	3	222	<5	<0.01	<10	25	29	35	4154	2
9V1458RA/RJ	P09-046	135203	46.00	46.89	0.89	0.23		6.1	1.15	43	159	<0.5	13	8.81	33	9	59	117	3.54	2	0.24	<10	0.64	4194	<2	0.01	<1	841	1297	1.52	10	2	309	<5	<0.01	<10	26	25	<10	2841	1
9V1518RA/RJ	P09-046	135204	46.89	48.17	1.28	0.24		3.1	1.63	157	145	<0.5	22	5.4	9	16	19	27	4.83	1	0.34	<10	0.93	3011	<2	0.01	1	1245	347	2.07	11	3	192	<5	<0.01	<10	19	40	<10	788	2
9V1518RA/RJ	P09-046	135205	48.17	49.00	0.83	0.17		0.8	0.94	98	196	<0.5	21	3.73	3	19	11	43	4.89	1	0.38	<10	1.15	1982	<2	0.01	<1	1495	16	0.92	8	5	198	<5	<0.01	<10	12	29	<10	98	2
9V1518RA/RJ	P09-046	135206	49.00	50.00	1.00	<0.01		0.5	1.62	22	201	<0.5	15	3.72	2	15	24	22	3.89	1	0.35	<10	1.08	1989	<2	0.01	2	1193	9	0.42	9	4	93	<5	<0.01	<10	<10	30	<10	191	2
9V1518RA/RJ	P09-046	135207	50.00	50.47	0.47	0.01		0.5	1.82	20	218	<0.5	19	4.93	2	16	15	32	4.45	1	0.36	<10	1.17	2202	<2	0.01	1	1242	20	0.92	8	4	127	<5	<0.01	<10	11	35	<10	83	2
9V1518RA/RJ	P09-046	135208	50.47	51.00	0.53	0.02		0.2	1.85	16	198	<0.5	17	2.97	2	15	19	23	4.08	1	0.33	<10	1.24	1546	<2	0.01	1	1215	10	0.39	8	4	73	<5	<0.01	<10	<10	37	<10	97	2
9V1518RA/RJ	P09-046	135209	51.00	52.00	1.00	0.01		0.2	2.24	21	207	<0.5	21	3.48	2	18	13	25	4.65	1	0.37	11	1.5	1772	<2	0.01	1	1450	17	0.53	10	4	73	<5	<0.01	<10	<10	44	<10	113	2
9V1518RA/RJ	P09-046	135210	52.00	54.00	2.00	0.01		0.3	1.92	38	329	<0.5	19	4.8	2	17	16	16	4.27	1	0.37	<10	1.33	2195	<2	0.01	1	1279	14	0.81	9	5	106	<5	<0.01	<10	12	42	<10	116	2
9V1518RA/RJ	P09-046	135211	54.00	56.00	2.00	0.01		<0.1	1.97	25	209	<0.5	21	3.47	2	17	13	17	4.65	1	0.32	<10	1.4	2047	<2	0.01	2	1289	13	0.86	8	5	78	<5	<0.01	<10	10	43	<10	120	2
9V1518RA/RJ	P09-046	135212	56.00	58.00	2.00	0.02		0.7	1.91	51	204	<0.5	21	3.26	3	17	10	17	4.62	1	0.33	<10	1.45	2821	<2	0.02	1	1345	42	1.02	9	5	146	<5	<0.01	<10	15	45	<10	180	2
9V1518RA/RJ	P09-046	135213	58.00	60.00	2.00	0.04		1.2	1.61	78	170	<0.5	18	3.5	6	15	14	19	4.27	1	0.28	<10	1.18	2643	<2	0.01	1	1170	191	1.42	7	3	141	<5	<0.01	<10	15	34	<10	568	2
9V1518RA/RJ	P09-046	135214	60.00	62.00	2.00	0.02		0.9	1.91	55	229	<0.5	20	2.98	12	17	11	36	4.51	1	0.35	<10	1.32	2532	<2	0.02	2	1340	231	1.21	8	4	101	<5	<0.01	<10	15	42	<10	1412	2
9V1518RA/RJ	P09-046	135215	62.00	63.00	1.00	0.01		0.2	1.93	28	318	<0.5	19	3.86	2	17	10	15	4.36	1	0.33	<10	1.48	2950	<2	0.01	2	1310	18	0.72	8	4	136	<5	<0.01	<10	16	39	<10	118	2
9V1518RA/RJ	P09-046	135216	63.00	64.32	1.32	0.03		1.5	1.67	77	213	<0.5	23	4.24	11	18	10	51	4.94	1	0.41	<10	1.32	2926	<2	0.01	2	1487	508	1.77	12	4	150	<5	<0.01	<10	17	33	<10	886	2
9V1518RA/RJ	P09-046	135217	64.32	65.00	0.68	0.05		1.5	1.02	49	169	<0.5	11	11.2	6	8	20	12	2.95	1	0.22	<10	0.71	3788	<2	0.01	<1	757	79	1.11	7	2	344	<5	<0.01	<10	20	22	<10	651	1
9V1518RA/RJ	P09-046	135218	65.00	66.00	1.00	0.17		1	1.66	64	208	<0.5	18	4.31	36	13	17	39	4.32	2	0.37	<10	1.13	3089	<2	0.01	<1	1115	99	1.59	9	3	107	<5	<0.01	<10	16	37	35	2939	2
9V1518RA/RJ	P09-046	135219	66.00	67.00	1.00	0.08		1.9	0.92	123	174	<0.5	12	10.64	9	9	38	11	3.35	1	0.25	<10	0.67	4585	2	0.01	1	798	63	1.79	11	3	431	<5	<0.01	<10	22	22	20	817	2
9V1518RA/RJ	P09-046	135220	BLANK			<0.01		0.3	0.05	<5	16	<0.5	<5	>15.00	<1	1	4	1	0.47	<1	0.03	<10	13.4	239	<2	0.01	2	208	<2	0.39	<5	<1	51	<5	<0.01	12	17	3	<10	29	<1
9V1518RA/RJ	P09-046	135221	67.00	68.00	1.00	0.09		1.3	1.67	53	209	<0.5	19	4.6	4	14	16	42	4.45	1	0.31	<10	1.22	3674	<2	0.01	1	1256	110	1.19	9	4	116	<5	<0.01	<10	15	32	16	369	2
9V1518RA/RJ	P09-046	135222	68.00	69.00	1.00	0.12		8.9	1.3	128	149	<0.5	19	3.55	9	11	28	22	4.12	1	0.27	<10	0.97	2952	<2	0.01	1	955	3057	1.54	9	2	137	<5	<0.01	<10	15	24	<10	836	2
9V1518RA/RJ	P09-046	135223	69.00	70.00	1.00	0.03		0.8	1.41	56	165	<0.5	16	3.41	5	13	35	16	3.86	1	0.27	<10	0.93	1942	<2	0.01	1	1052	151	0.97	7	2	138	<5	<0.01	<10	11	26	<10	486	2
9V1518RA/RJ	P09-046	135224	70.00	71.00	1.00	0.05		<0.1	2.02	31	196	<0.5	21	3.07	2	17	12	18	4.93	1	0.31	<10	1.34	1760	<2	0.01	2	1426	42	0.69	10	4	98	<5	<0.01	<10	12	36	<10	90	2
9V1518RA/RJ	P09-046	135225	71.00	71.47	0.47	0.01		<0.1	1.78	13	168	<0.5	19	1.69	2	15	13	16	4.4	1	0.28	<10	1.18	1257	<2	0.01	2	1267	6	0.2	7	3	51	<5	<0.01	<10	<10	34	<10	89	2
9V1518RA/RJ	P09-046	135226	71.47	72.00	0.53	0.01		0.2	1.66	27	219	<0.5	19	3.65	2	16	8	20	4.77	<1	0.25	<10	1.25	1793	<2	0.01	1	1227	32	0.66	9	4	155	<5	<0.01	<10	12	30	<10	93	2
9V1518RA/RJ	P09-046	135227	72.00	74.00	2.00	0.01		0.3	1.84	69	174	<0.5	21	2.9	2	17	11	37	4.5	<1	0.28	<10	1.19	1643	<2	0.01	2	1334	9	0.57	8	4	93	<5	<0.01	<10	11	31	<10	89	2
9V1518RA/RJ	P09-046	135228	74.00	76.00	2.00	0.01		0.5	1.8	37	193	<0.5	20	4.27	2	18	8	24	4.44	<1	0.28	<10	1.2	1831	<2	0.01	2	1286	14	0.66	9	4	109	<5	<0.01	<10	12	29	<10	90	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1518RA/RJ	P09-046	135229	76.00	78.00	2.00	0.01		0.2	1.83	50	191	<0.5	21	4.01	2	18	9	12	4.84	1	0.26	<10	1.25	1668	<2	0.01	2	1313	13	0.93	9	4	138	<5	<0.01	<10	14	31	<10	102	2
9V1518RA/RJ	P09-046	135230	78.00	80.00	2.00	0.01		<0.1	2.05	22	166	<0.5	23	3.89	2	16	10	8	5.14	<1	0.26	<10	1.41	1782	<2	0.01	2	1327	10	0.77	9	4	142	<5	<0.01	<10	14	33	<10	88	2
9V1518RA/RJ	P09-046	135231	80.00	80.93	0.93	0.03		2.6	1.47	29	134	<0.5	19	2.01	3	16	11	99	4.14	1	0.23	<10	0.85	1103	3	0.01	2	1260	34	1.1	9	3	65	<5	<0.01	<10	<10	26	<10	229	2
9V1518RA/RJ	P09-046	135232	80.93	82.00	1.07	0.11		3.8	0.88	85	92	<0.5	17	2.39	3	18	9	56	4.06	<1	0.28	<10	0.56	1138	3	0.01	3	1300	29	2.01	12	3	89	<5	<0.01	<10	<10	19	<10	117	2
9V1518RA/RJ	P09-046	135233	82.00	83.00	1.00	1.26		170.1	0.43	157	42	<0.5	17	2.08	2	16	18	30	3.83	1	0.27	<10	0.22	781	<2	<0.01	2	1050	30	3.16	16	2	66	<5	<0.01	<10	<10	11	<10	92	1
9V1518RA/RJ	P09-046	135234	83.00	84.00	1.00	0.3		6.7	0.57	158	63	<0.5	17	1.26	2	18	16	23	3.78	1	0.24	<10	0.25	462	<2	<0.01	3	1182	19	2.91	12	2	29	<5	<0.01	<10	<10	13	<10	72	2
9V1518RA/RJ	P09-046	135235	84.00	85.00	1.00	0.23		4.2	0.96	87	108	<0.5	16	1.79	2	16	17	17	3.65	<1	0.23	<10	0.52	846	5	<0.01	2	1212	17	1.77	10	2	50	<5	<0.01	<10	<10	23	<10	58	1
9V1518RA/RJ	P09-046	135236	85.00	86.00	1.00	0.14		3.5	0.49	167	57	<0.5	21	1.6	3	17	20	17	4.84	1	0.25	<10	0.22	567	3	0.01	2	1128	19	4.03	16	1	38	<5	<0.01	<10	<10	15	<10	64	2
9V1518RA/RJ	P09-046	135237	86.00	87.00	1.00	0.99		135.6	0.32	135	58	<0.5	19	0.87	3	13	31	45	4.36	<1	0.22	<10	0.06	222	3	<0.01	2	843	16	3.85	33	1	20	<5	<0.01	<10	<10	11	<10	72	2
9V1518RA/RJ	P09-046	135238	87.00	88.00	1.00	0.35		1.5	0.86	64	116	<0.5	21	2.87	3	18	14	18	4.71	1	0.26	<10	0.81	1414	7	<0.01	2	1342	38	1.73	9	4	76	<5	<0.01	<10	12	22	<10	122	2
9V1518RA/RJ	P09-046	135239	88.00	88.98	0.98	0.01		0.8	0.65	12	237	<0.5	19	4.76	3	16	17	17	4.47	1	0.27	<10	0.93	2409	2	0.01	1	1274	25	0.84	7	4	176	<5	<0.01	<10	14	21	<10	91	2
9V1518RA/RJ	P09-046	135240	BLANK			0.01		0.3	0.03	<5	12	<0.5	<5	>15.00	<1	1	2	1	0.43	<1	0.03	<10	12.6	212	<2	0.01	2	197	<2	0.36	<5	<1	48	<5	<0.01	11	16	3	<10	19	<1
9V1518RA/RJ	P09-046	135241	88.98	90.00	1.02	0.01		1.4	1.58	15	154	<0.5	19	6.45	2	12	13	7	4.36	<1	0.27	10	1.18	3006	<2	0.01	<1	1297	10	0.42	8	4	135	<5	<0.01	<10	14	34	<10	93	2
9V1518RA/RJ	P09-046	135242	90.00	91.00	1.00	0.01		0.3	2.27	29	138	<0.5	23	3.53	3	16	14	37	5.13	<1	0.26	<10	1.64	1797	<2	0.01	<1	1456	9	0.34	9	5	86	<5	<0.01	<10	14	41	<10	104	2
9V1518RA/RJ	P09-046	135243	91.00	92.16	1.16	0.01		<0.1	2.19	26	229	<0.5	22	3.01	2	18	14	10	4.93	<1	0.27	<10	1.61	1733	<2	0.01	<1	1455	9	0.32	8	5	77	<5	<0.01	<10	13	41	<10	111	2
9V1518RA/RJ	P09-046	135244	92.16	93.00	0.84	0.03		0.8	1.63	94	169	<0.5	20	3.63	3	19	12	27	4.59	1	0.23	<10	1.43	1988	<2	0.01	<1	1375	20	0.91	9	4	103	<5	<0.01	<10	14	34	<10	153	2
9V1518RA/RJ	P09-046	135245	93.00	94.00	1.00	0.04		0.9	1.41	57	140	<0.5	17	4.53	2	15	14	16	4.28	1	0.26	<10	1.08	2069	<2	0.01	<1	1209	16	1.29	7	4	91	<5	<0.01	<10	12	32	<10	80	2
9V1518RA/RJ	P09-046	135246	94.00	95.00	1.00	0.17		14	0.44	210	75	<0.5	17	3.14	2	15	14	30	4.05	<1	0.27	<10	0.3	1122	4	<0.01	2	1156	32	3.26	14	2	81	<5	<0.01	<10	11	12	<10	45	2
9V1518RA/RJ	P09-046	135247	95.00	96.00	1.00	0.09		2.5	0.53	117	69	<0.5	17	1.59	2	13	19	13	3.88	1	0.24	<10	0.25	622	5	<0.01	1	982	19	3.07	11	2	33	<5	<0.01	<10	<10	14	16	41	2
9V1518RA/RJ	P09-046	135248	96.00	97.00	1.00	0.01		0.7	0.9	57	150	<0.5	17	4.34	2	15	16	23	3.86	<1	0.28	<10	0.8	1823	2	0.01	1	1200	26	1.18	8	4	105	<5	<0.01	<10	14	25	<10	82	2
9V1518RA/RJ	P09-046	135249	97.00	98.00	1.00	0.06		0.3	1.2	91	144	<0.5	24	4.15	3	19	11	14	5.19	<1	0.3	<10	1.35	2238	<2	0.01	<1	1386	82	1.48	8	5	118	<5	<0.01	<10	18	36	<10	129	2
9V1518RA/RJ	P09-046	135250	98.00	99.00	1.00	0.05		0.7	0.64	96	158	0.5	23	4.46	4	19	9	46	5.13	<1	0.32	<10	1.15	2485	<2	0.01	<1	1424	86	1.19	9	6	176	<5	<0.01	<10	18	27	<10	239	2
9V1518RA/RJ	P09-046	135251	99.00	100.00	1.00	0.04		1.5	0.4	78	141	0.5	19	3.35	10	17	10	114	4.18	<1	0.31	<10	1.09	2072	<2	0.01	<1	1322	216	1.04	7	5	231	<5	<0.01	<10	13	20	20	787	2
9V1518RA/RJ	P09-046	135252	100.00	100.30	0.30	0.9		37	0.31	109	105	<0.5	18	7.27	282	13	11	980	4.98	1	0.26	<10	0.98	3540	<2	0.01	<1	1043	>10000	3.17	16	4	244	<5	<0.01	<10	22	17	534	7755	2
9V1518RA/RJ	P09-046	135253	100.30	101.00	0.70	0.05		3	0.41	33	116	<0.5	22	4.51	27	16	11	55	4.88	<1	0.31	<10	1.32	2562	<2	0.01	<1	1287	1150	1.16	8	5	294	<5	<0.01	<10	17	22	43	2052	2
9V1518RA/RJ	P09-046	135254	101.00	102.00	1.00	0.04		1	0.4	83	181	<0.5	21	4.63	4	17	13	28	4.66	<1	0.32	<10	1.33	2490	<2	0.01	<1	1255	73	1.14	7	5	312	<5	<0.01	<10	18	21	<10	173	2
9V1518RA/RJ	P09-046	135255	102.00	103.00	1.00	0.17		1.6	0.42	53	151	0.5	25	4.03	16	18	8	59	5.48	<1	0.33	<10	1.41	2565	<2	0.01	<1	1418	402	1.29	9	5	240	<5	<0.01	<10	19	23	10	1127	2
9V1518RA/RJ	P09-046	135256	103.00	104.02	1.02	0.07		1.4	0.34	47	172	<0.5	20	3.51	3	16	16	63	4.43	<1	0.28	<10	1.18	2258	<2	0.01	<1	1265	306	1.06	8	4	214	<5	<0.01	<10	15	19	<10	121	2
9V1518RA/RJ	P09-046	135257	104.02	105.00	0.98	<0.01		0.8	0.37	14	192	<0.5	20	3.4	3	15	9	55	4.68	<1	0.31	<10	1.13	2139	<2	0.01	<1	1301	22	0.55	7	4	227	<5	<0.01	<10	15	22	<10	112	2
9V1518RA/RJ	P09-046	135258	105.00	106.30	1.30	0.01		0.9	0.52	32	148	0.5	23	3.6	3	17	13	24	4.99	<1	0.34	<10	0.96	2336	<2	0.01	<1	1277	50	1.37	8	4	156	<5	<0.01	<10	17	26	<10	124	2
9V1518RA/RJ	P09-046	135259	106.30	107.00	0.70	0.01		0.5	1.48	16	204	<0.5	20	5.03	2	14	13	37	4.54	<1	0.3	<10	1.18	2886	<2	0.01	<1	1226	29	0.59	7	5	148	<5	<0.01	<10	18	39	<10	97	2
9V1518RA/RJ	P09-046	135260	BLANK			<0.01		0.4	0.03	<5	15	<0.5	<5	>15.00	<1	1	2	1	0.49	<1	0.03	<10	13.5	222	<2	0.01	2	175	<2	0.37	<5	<1	49	<5	<0.01	12	13	4	29	21	<1
9V1518RA/RJ	P09-046	135261	107.00	108.00	1.00	<0.01		<0.1	2.07	12	204	<0.5	24	4.45	3	15	16	21	5.35	<1	0.3	<10	1.53	2649	<2	0.01	<1	1386	26	0.3	9	5	137	<5	<0.01	<10	18	48	<10	163	2
9V1518RA/RJ	P09-046	135262	108.00	108.83	0.83	0.09		3.9	0.85	163	153	<0.5	20	3.24	3	18	14	13	4.33	<1	0.29	<10	0.6	1927	3	0.01	<1	1019	64	2.41	15	3	123	<5	<0.01	<10	14	25	<10	120	2
9V1518RA/RJ	P09-046	135263	108.83	110.00	1.17	0.09		0.4	1.91	30	166	<0.5	23	5.02	4	18	17	11	5.18	<1	0.28	<10	1.34	3356	<2	0.01	<1	1303	96	0.96	9	4	140	<5	<0.01	<10	21	45	11	268	2
9V1518RA/RJ	P09-046	135264	110.00	111.00	1.00	0.12		2.9	1.18	42	189	<0.5	14	8.34	6	11	15	29	3.52	<1	0.27	<10	0.71	4576	<2	0.01	<1	905	119	0.95	7	4	208	<5	<0.01	<10	24	30	25	584	1
9V1518RA/RJ	P09-046	135265	111.00	112.00	1.00	1.25		3.4	1.27	47	122	<0.5	24	3.13	46	16	20	17	5.39	<1	0.27	<10	0.78	3310	<2	0.01	<1	1249	500	2.61	9	3	101	<5	<0.01	<10	23	35	77	3388	2
9V1518RA/RJ	P09-046	135266	112.00	113.00	1.00	0.2		3.8	1.52	39	151	<0.5	22	4.98	60	13	18	25	4.9	<1	0.23	<10	0.9	4573	2	0.01	<1	956	1177	1.79	7	3	109	<5	<0.01	<10	27	44	129	4333	2
9V1518RA/RJ	P09-046	135267	113.00	114.00	1.00	1.06		1.2	1.18	26	161	<0.5	18	4.09	10	11	19	11	4.23	<1	0.21	<10	0.7	3116	2	0.01	<1	1077	358	1.51	7	2	167	<5	<0.01	<10	19	30	<10	914	2
9V1518RA/RJ	P09-046	135268	114.00	115.00	1.00	0.07		0.7	1.43	9	203	<0.5	20	1.49	12	13	6	17	4.53	<1	0.32	<10	0.73	1710	<2	0.01	<1	1547	292	1.51	7	3	45	<5	<0.01	<10	10	31	18	944	2
9V1518RA/RJ	P09-046	135269	115.00	116.00	1.00	0.11		0.3	1.74	14	195	<0.5	25	2.83	7	15	9	8	5.37	<1	0.29	<10	1.01	2731	<2	0.01	<1	1519	314	1.59	9	3	92	<5	<0.01	<10	19	36	<10	563	2
9V1518RA/RJ	P09-046	135270	116.00	117.00	1.00	0.05		0.5	1.63	20	232	<0.5	19	2.65	6	17	5	19	4.28	<1	0.35	<10	0.86	2041	<2	0.01	<1	1298	216	0.96	7	3	111	<5	<0.01	<10	11	30	16	478	2
9V1518RA/RJ	P09-046	135271	117.00	118.00	1.00	0.01		0.4	1.24	17	230	<0.5	13	3.96	2	13	9	21	3.36	1	0.32	<10	0.57	2059	<2	0.01	<1	1106	12	0.74	5	3	109	<5	<0.01	<10	<10	22	<10	72	1
9V1518RA/RJ	P09-046	135272	118.00	119.00	1.00	0.02		0.5	1.26	18	209	<0.5	15	3.42	2	12	9	21	3.88	1	0.33	<10	0.62	2421	2	0.01	<1	1107	56	1.08	5	2	109	<5	<0.01	<10	10	28	<10	186	2
9V1518RA/RJ	P09-046	135273	119.00	120.00	1.00	0.02		0.8	1.4	27	222	<0.5	15	5.45	2	12	7	35	3.84	1	0.33	<10	0.72	3206	2	0.01	<1	1044	13	0.91	5	3	172	<5	<0.01	<10	13	32	<10	94	2
9V1518RA/RJ	P09-046	135274	120.00	121.00	1.00	0.03		0.7	1.41	21	206	<0.5	17	4.69	2	14	6	37	4.18	<1	0.32	<10	0.71	2698	<2	0.01	<1	1168	34	1.02	7	3	166	<5	<0.01	<10	11	36	<10	90	2
9V1518RA/RJ	P09-046	135275	121.00	122.00	1.00	0.01		0.6	1.26	13	249	<0.5	14	3.89	2	11	7	16	3.54	<1	0.34	<10	0.58	1765	3	0.01	<1	1107	45	0.97	6	2	125	<5	<0.01	<10	<10	28	<10	120	2
9V1518RA/RJ	P09-046	135276	122.00	123.00	1.00	0.22		1.1	1.32	36	189	<0.5	15	7.51	2	11	9	21	3.82	<1	0.29	<10	0.7	2754	2	0.01	<1	985	123	1.2	7	3	221	<5	<0.01	<10	13	33	29	144	2
9V1518RA/RJ	P09-046	135277	123.00	124.00	1.00	0.08		1.1	0.84	37	202	<0.5	15	5.57	2	10	8	11	2.89	1	0.32	<10	0.36	2001	7	0.01	<1	873	27	1.39	5	2	165	<5	<0.01	<10	<10	20	<10	98	2
9V1518RA/RJ	P09-046	135278	124.00	125.00	1.00	0.07		0.7	1.03	17	198	<0.5	13	2.33	2	12	26	20	3.2	<1	0.29	<10	0.44	1190	5	0.01	<1	1001	25	1.12	6	2	67	<5	<0.01	<10	<10	21	15	104	2
9V1518RA/RJ	P09-046	135279	125.00	126.00	1.00	0.03		0.6	1.01	9	198	<0.5	13	2.72	2	12	27	18	3.19	<1	0.26	<10	0.45	1484	3	0.01	<1	992	18	1.02	5	2	91	<5	<0.01	<10	<10	20	<10	112	1
9V1518RA/RJ	P09-046	135280	BLANK			<0.01		0.3	0.03	<5	11	<0.5	<5	>15.00	<1	1	3	<1	0.43	<1	0.02	<10	12.4	208	<2	0.01	2	137	<2	0.34	<5	<1	49	<5	<0.01	10	15	3	<10	20	<1
9V1518RA/RJ	P09-046	135281	126.00	126.70	0.70	0.06		1.1	0.61	18	180	<0.5	10	5.8	2	10	23	13	2.56	1	0.31	<10	0.28	2192	2	0.01	<1	989	53	1.49	5	2	177	<5	<0.01	<10	<10	15	45	92	1
9V1518RA/RJ	P09-046	135282	126.70	127.37	0.67	0.12		1.4	0.71	30	182	<0.5	11	4.07	3	13	29	13	3.06	1	0.3	<10	0.39	1894	8	0.01	1	972	93	1.35	6	3	212	<5	<0.01	<10	<10	20	41	215	2
9V1518RA/RJ	P09-046	135283	127.37	128.00	0.63	2.77		2.6	1.13	20	157	<0.5	16	7.56	53	9	35	38	4.05	2	0.22	<10	0.62	3968	3	0.01	<1	629	70	1.93	6	2	527	<5	<0.01	<10	22	30	115	3938	1
9V1518RA/RJ	P09-046	135284	128.00	129.00	1.00	3.97		4.1	1.66	50	159	<0.5	24	5.73	63	14	26	15	5.97	2	0.29	<10	0.93	4185	6	0.01	<1	692	703	2.64	8	2	275	<5	<0.01	<10	27	45	141	4160	2
9V1518RA/RJ	P09-046	135285	129.00	130.00	1.00	1.89		2.7	1.05	46	144	<0.5	15	8.69	12	5	30	7	4.08	1	0.23	<10	0.62	4294	<2	0.01	<1	566	262	1.4	6	2	360	<5	<0.01	<10	22	30	<10	1089	1
9V1518RA/RJ	P09-046	135286	130.00	131.00	1.00	2.88		4	0.75	40	144	<0.5	14	7.59	23	7	38	17	3.99	1	0.23	<10	0.61	4045	2	0.01	<1	632	1104	1.46	7	3	358	<5	<0.01	<10	21	23	30	2008	1
9V1518RA/RJ	P09-046	135287	131.00	132.00	1.00	4.23		4.4	0.75	36	160	<0.5	15	7.16	10	10	35	15	4.03	1	0.24	<10	0.63	4315	2	0.01	<1	697	223	1.44	7	2	254	<5	<0.01	<10	20	22	20	950	1
9V1518RA/RJ	P09-046	135288	132.00	133.00	1.00	2		2.3	1.28	35	156	<0.5	18	7.7	7	8	36	9	4.35	1	0.21	<10	0.75	4921	2	0.01	<1	721	237	1.4	7	3	396	<5	<0.01	<10	26	43	44	587	2
9V1518RA/RJ	P09-046	135289	133.00	134.00	1.00	1.61		4.2	0.42	33	128	<0.5	11	10.25	5	5	48	20	2.86	1	0.16	<10	0.39	5126	2	0.01	<1	445	454	1.44	5	2	491	<5	<0.01	<10	25	16	<10	453	1
9V1518RA/RJ	P09-046	135290	134.00	135.00	1.00	0.09		3.2	0.23	20	73	<0.5	<5	>15.00	<1	2	21	2	1.35	2	0.11	14	0.28	>10000	3	0.01	<1	186	84	0.95	<5	5	1275	<5	<0.01	11	40	4	27	83	1
9V1518RA/RJ	P09-046	135291	135.00	136.00	1.00	0.22		1.3	1.13	40	202	<0.5	18	4.5	8	8	41	7	4.17	1	0.46	<10	0.51	3591	7	0.01	<1	785	37	1.61	7	3	261	<5	<0.01	<10	17	31	13	646	2
9V1518RA/RJ	P09-046	135292	136.00	136.59	0.59	0.29		1.6	1.3	80	144	<0.5	25	6.12	30	5	10	14	4.95	<1	0.68	<10	0.44	4713	19	0.01	<1	378	86	2.31	8	1	347	<5	<0.01	<10	32	33	15	2452	2
9V1518RA/RJ	P09-046	135293	136.59	137.00	0.41	0.18		1.9	1.6	50	146	<0.5	22	11.17	38	10	15	8	4.74	<1	0.28	10	0.85	6930	10	0.01	<1	704	135	1.46	8	3	398	<5	<0.01	10	49	45	26	3254	2
9V1518RA/RJ	P09-046	135294	137.00	138.00	1.00	0.05		0.5	1.83	20	194	<0.5	20	5.45	10	14	14	18	4.54	<1	0.24	<10	1.09	3796	6	0.01	<1	1161	112	0.83	7	3	192	<5	<0.01	<10	25	40	<10	958	2
9V1518RA/RJ	P09-046	135295	138.00	139.16	1.16	0.08		1.6	2.38	38	182	<0.5	28	2.79	27	19	12	47	5.94	<1	0.29	<10	1.42	2796	2	0.01	<1	1473	569	1.14	10	4	107	<5	<0.01	<10	23	56	18	2323	2
9V1518RA/RJ	P09-046	135296	139.16	140.00	0.84	0.02		1.4	1.94	28	196	<0.5	27	3.44	27	20	13	72	5.74	<1	0.28	<10	1.26	3419	<2	0.01	<1	1482	719	1.18	9	4	127	<5	<0.01	<10	25	46	16	2257	2
9V1518RA/RJ	P09-046	135297	140.00	141.00	1.00	0.25		4.9	1.85	44	151	<0.5	26	2.82	55	19	11	33	5.64	<1	0.3	<10	1.09	3748	10	0.01	<1	1313	2410	1.86	10	3	119	<5	<0.01	<10	26	45	38	4100	2
9V1518RA/RJ	P09-046	135298	141.00	142.00	1.00	0.1		1.3	2.54	30	219	<0.5	32	1.78	26	21	15	31	6.65	<1	0.26	<10	1.32	3580	12	0.01	<1	1321	928	1.13	11	4	72	<5	<0.01	<10	27	60	12	2307	2
9V1518RA/RJ	P09-046	135299	142.00	143.00	1.00	0.46		6.2	2.33	30	245	<0.5	28	5.3	52	18	11	50	5.83	1	0.27	<10	1.18	4981	8	0.01	<1	1209	3290	1.28	12	4	206	<5	<0.01	<10	32	54	44	3907	2
9V1518RA/RJ	P09-046	135300	BLANK			<0.01		0.4	0.05	<5	18	<0.5	<5	>15.00	<1	1	2	1	0.49	<1	0.03	<10	12.8	230	<2	0.01	1	174	9	0.36	<5	<1	51	<5	<0.01	11	14	4	<10	37	<1
9V1518RA/RJ	P09-046	135301	143.00	144.00	1.00	0.42		2.6	2.28	24	193	<0.5	27	3.91	53	18	11	22	5.52	1	0.22	<10	1.25	4817	9	0.01	<1	1158	1277	0.95	10	3	163	<5	<0.01	<10	32	51	41	3893	2
9V1518RA/RJ	P09-046	135302	144.00	145.00	1.00	0.22		1.3	2.39	13	213	<0.5	28	3.82	45	16	9	47	5.68	1	0.27	<10	1.28	4745	<2	0.01	<1	1374	704	0.88	9	4	148	<5	<0.01	<10	32	55	28	3527	2
9V1518RA/RJ	P09-046	135303	145.00	146.00	1.00	0.49		2.6	2.39	29	153	<0.5	30	4.42	116	18	21	37	6.04	3	0.21	<10	1.39	4674	7	0.01	<1	1125	888	1.44	9	4	166	<5	<0.01	<10	34	57	102	6298	2
9V1518RA/RJ	P09-046	135304	146.00	147.00	1.00	0.05		1.8	2.07	26	195	<0.5	25	3.58	40	17	8	47	5.09	<1	0.3	<10	1.17	3237	<2	0.01	<1	1321	455	1.05	9	4	107	<5	<0.01	<10	22	47	29	3127	2
9V1518RA/RJ	P09-046	135305	147.00	148.00	1.00	0.03		0.9	1.67	35	161	<0.5	21	4.95	17	17	11	25	4.42	<1	0.26	<10	0.98	2651	<2	0.01	<1	1273	187	1.06	8	4	144	<5	<0.01	<10	19	34	<10	1467	2
9V1518RA/RJ	P09-046	135306	148.00	149.19	1.19	0.03		0.4	2.07	78	180	<0.5	24	3.4	3	18	6	23	5.17	<1	0.3	<10	1.33	1958	<2	0.01	<1	1445	48	0.75	10	5	103	<5	<0.01	<10	17	41	<10	162	2
9V1518RA/RJ	P09-046	135307	149.19	150.00	0.81	0.02		0.2	2.02	57	141	<0.5	25	3.93	3	19	10	21	5.45	<1	0.25	<10	1.38	2076	<2	0.01	<1	1406	26	0.81	8	5	122	<5	<0.01	<10	18	45	<10	124	2
9V1518RA/RJ	P09-046	135308	150.00	151.00	1.00	<0.01		<0.1	2.01	24	147	<0.5	28	3.68	3	18	9	18	5.75	<1	0.28	<10	1.5	2050	6	0.01	<1	1280	25	0.94	9	5	114	<5	<0.01	<10	18	50	<10	126	2

Drilling Analytical Results 2009

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1518RA/RJ	P09-046	135309	151.00	151.64	0.64	<0.01		<0.1	1.71	14	133	<0.5	25	5.38	3	16	8	25	5.4	<1	0.25	<10	1.35	2525	<2	0.01	<1	1346	23	0.57	9	5	174	<5	<0.01	<10	21	44	<10	115	2
9V1518RA/RJ	P09-046	135310	151.64	153.00	1.36	0.01		<0.1	0.48	26	304	<0.5	26	4.74	4	16	5	30	5.38	<1	0.3	<10	1.55	2198	<2	0.01	<1	1369	18	0.58	7	7	264	<5	<0.01	<10	18	31	<10	103	2
9V1518RA/RJ	P09-046	135311	153.00	154.44	1.44	0.01		0.1	0.4	27	370	<0.5	22	4.2	3	15	8	6	4.82	<1	0.28	<10	1.33	2333	<2	0.01	<1	1358	20	0.55	7	7	256	<5	<0.01	<10	16	24	<10	105	2
9V1518RA/RJ	P09-046	135312	154.44	156.00	1.56	0.04		0.1	2.07	86	183	<0.5	26	4.23	3	18	7	12	5.33	<1	0.27	<10	1.54	2125	<2	0.01	<1	1490	17	0.95	10	5	129	<5	<0.01	<10	19	49	<10	93	2
9V1518RA/RJ	P09-046	135313	156.00	158.00	2.00	0.03		0.2	2.28	96	115	<0.5	26	5.27	3	18	9	10	5.31	<1	0.21	<10	1.69	2151	<2	0.01	<1	1381	16	0.94	10	6	142	<5	<0.01	<10	19	54	<10	90	2
9V1518RA/RJ	P09-046	135314	158.00	160.00	2.00	0.06		<0.1	2.42	67	132	<0.5	26	4.36	3	18	7	26	5.48	<1	0.25	<10	1.57	2086	<2	0.01	<1	1348	18	1.01	9	5	103	<5	<0.01	<10	18	55	<10	99	2
9V1518RA/RJ	P09-046	135315	160.00	162.00	2.00	0.02		<0.1	2.24	25	118	<0.5	24	3.51	3	20	8	28	5.23	<1	0.23	<10	1.3	1733	<2	0.01	<1	1444	18	0.64	8	4	109	<5	<0.01	<10	15	50	<10	95	2
9V1518RA/RJ	P09-046	135316	162.00	164.00	2.00	0.03		<0.1	2.05	36	145	<0.5	22	4.76	2	15	7	22	4.63	<1	0.26	<10	1.06	1989	<2	0.01	<1	1257	12	0.63	8	4	154	<5	<0.01	<10	16	45	<10	76	2
9V1518RA/RJ	P09-046	135317	164.00	166.00	2.00	0.02		<0.1	2.32	29	138	<0.5	24	5.32	2	15	9	27	5.17	<1	0.22	<10	1.34	2454	<2	0.01	<1	1309	10	0.65	9	4	125	<5	<0.01	<10	21	52	<10	89	2
9V1518RA/RJ	P09-046	135318	166.00	167.56	1.56	0.02		<0.1	2.3	32	121	<0.5	27	4.68	3	17	8	18	5.74	<1	0.25	<10	1.41	2203	<2	0.01	<1	1341	12	1.02	9	5	143	<5	<0.01	<10	20	57	<10	89	2
9V1518RA/RJ	P09-046	135319	167.56	168.00	0.44	0.04		0.9	0.71	37	237	<0.5	27	6.49	4	14	10	35	5.62	<1	0.24	<10	1.93	3095	<2	0.01	<1	1173	22	0.96	10	6	316	<5	<0.01	<10	24	39	<10	138	2
9V1518RA/RJ	P09-046	135320	BLANK			<0.01		0.4	0.04	<5	14	<0.5	<5	>15.00	<1	1	14	1	0.49	<1	0.03	<10	12.7	215	<2	0.01	2	172	<2	0.35	<5	<1	51	<5	<0.01	11	14	4	11	21	<1
9V1518RA/RJ	P09-046	135321	168.00	170.00	2.00	0.05		1.4	1.42	70	223	<0.5	25	5.4	3	17	9	38	5.72	<1	0.25	<10	1.53	2788	<2	0.01	<1	1232	206	0.83	9	6	210	<5	<0.01	<10	22	56	<10	107	2
9V1518RA/RJ	P09-046	135322	170.00	172.00	2.00	0.09		0.4	1.45	47	158	<0.5	23	6.15	3	15	10	24	4.9	<1	0.21	<10	1.34	2596	<2	0.01	<1	1207	18	0.64	8	6	240	<5	<0.01	<10	20	43	<10	87	2
9V1518RA/RJ	P09-046	135323	172.00	174.00	2.00	0.03		0.9	2.25	74	109	<0.5	25	5.33	3	17	10	56	5.42	<1	0.24	<10	1.63	2460	<2	0.01	<1	1296	22	0.91	11	6	148	<5	<0.01	<10	21	53	<10	156	2
9V1518RA/RJ	P09-046	135324	174.00	176.00	2.00	0.08		1	2.11	133	114	<0.5	27	4.01	3	19	8	26	5.75	<1	0.22	<10	1.52	1925	<2	0.01	<1	1382	26	1.62	11	5	114	<5	<0.01	<10	19	47	<10	97	2
9V1518RA/RJ	P09-046	135325	176.00	178.00	2.00	0.05		0.8	2.12	69	141	<0.5	25	3.62	3	16	9	29	5.2	<1	0.25	<10	1.49	1720	<2	0.01	<1	1376	112	1.25	11	4	106	<5	<0.01	<10	16	43	<10	167	2
9V1518RA/RJ	P09-046	135326	178.00	180.00	2.00	0.02		<0.1	2.43	32	147	<0.5	25	4.49	2	16	7	19	5.2	<1	0.22	<10	1.59	2099	<2	0.01	<1	1383	9	0.59	9	4	125	<5	<0.01	<10	18	50	<10	95	2
9V1518RA/RJ	P09-046	135327	180.00	182.00	2.00	0.06		2.3	2.32	50	145	<0.5	22	3.74	2	15	8	121	4.97	<1	0.29	<10	1.37	2007	<2	0.01	<1	1388	22	0.66	11	4	105	<5	<0.01	<10	16	50	<10	85	2
9V1518RA/RJ	P09-046	135328	182.00	184.00	2.00	0.03		0.5	2.67	53	161	<0.5	28	4.73	3	20	8	26	5.96	<1	0.24	<10	1.69	2261	<2	0.01	<1	1446	14	0.72	12	5	136	<5	<0.01	<10	20	58	<10	105	2
9V1518RA/RJ	P09-046	135329	184.00	186.00	2.00	0.03		1.3	1.74	65	136	<0.5	22	4.27	3	16	14	40	4.74	<1	0.28	<10	0.96	1867	4	0.01	2	1136	51	1.71	11	3	107	<5	<0.01	<10	17	35	<10	148	2
9V1518RA/RJ	P09-046	135330	186.00	188.00	2.00	0.02		0.2	2.1	45	124	<0.5	23	4.12	3	17	17	23	4.89	<1	0.23	<10	1.2	1915	2	0.01	2	1196	15	0.92	9	3	121	<5	<0.01	<10	16	41	<10	212	2
9V1518RA/RJ	P09-046	135331	188.00	190.00	2.00	0.02		0.9	1.96	48	149	<0.5	22	5.07	2	15	13	29	4.66	<1	0.26	<10	1.2	2118	<2	0.01	1	1189	15	0.56	9	4	166	<5	<0.01	<10	17	37	<10	93	2
9V1518RA/RJ	P09-046	135332	190.00	192.14	2.14	0.09		0.6	1.85	57	119	<0.5	26	3.7	3	18	14	20	5.64	<1	0.21	<10	1.17	1582	<2	0.01	2	1265	26	2.21	9	4	105	<5	<0.01	<10	18	42	<10	128	2
9V1518RA/RJ	P09-046	135333	192.14	193.04	0.90	0.02		1.7	0.37	10	64	<0.5	6	>15.00	<1	3	28	4	1.34	<1	0.08	16	0.25	5843	<2	0.01	<1	280	15	0.75	<5	4	1280	<5	<0.01	12	34	6	10	59	1
9V1518RA/RJ	P09-046	135334	193.04	194.00	0.96	0.06		1	1.85	95	98	<0.5	28	1.96	4	21	9	16	5.95	<1	0.21	<10	1.01	1190	2	0.01	2	1315	47	2.28	10	2	78	<5	<0.01	<10	16	35	<10	141	2
9V1518RA/RJ	P09-046	135335	194.00	196.00	2.00	0.23		2.4	1.84	92	127	<0.5	27	1.77	16	22	11	28	5.71	<1	0.24	<10	0.97	1216	3	0.01	2	1324	560	2.17	9	2	50	<5	<0.01	<10	15	39	17	1347	2
9V1518RA/RJ	P09-046	135336	196.00	196.68	0.68	0.01		0.9	2.61	57	157	<0.5	27	6.04	3	28	6	66	5.94	1	0.26	<10	1.13	2562	<2	0.01	<1	1416	16	0.52	10	4	349	<5	<0.01	<10	22	56	<10	110	2
9V1518RA/RJ	P09-046	135337	196.68	197.29	0.61	<0.01		1.6	1.05	21	85	<0.5	11	15	1	9	49	24	2.7	1	0.15	<10	0.43	4227	<2	0.01	1	434	11	0.44	7	3	1369	<5	<0.01	<10	25	21	13	47	1
9V1518RA/RJ	P09-046	135338	197.29	198.00	0.71	0.01		1.5	2.41	36	166	<0.5	25	3.46	3	26	8	78	5.63	<1	0.26	<10	1.05	2324	<2	0.01	2	1541	10	0.37	10	4	104	<5	<0.01	<10	18	55	<10	94	2
9V1518RA/RJ	P09-046	135339	198.00	198.89	0.89	0.01		3.7	2.71	58	215	<0.5	29	3.14	6	30	5	125	6.35	1	0.3	<10	1.24	2205	<2	0.01	4	1629	24	0.71	11	4	67	<5	<0.01	<10	18	58	<10	410	2
9V1518RA/RJ	P09-046	135340	BLANK			<0.01		0.4	0.03	<5	14	<0.5	<5	>15.00	<1	1	2	1	0.48	<1	0.03	<10	13.3	223	<2	0.01	2	171	<2	0.35	<5	<1	51	<5	<0.01	11	16	3	<10	21	<1
9V1518RA/RJ	P09-046	135341	198.89	200.02	1.13	<0.01		1	0.92	79	162	<0.5	9	6.36	1	7	38	11	2.3	1	0.25	<10	0.4	2499	<2	0.01	1	712	8	0.41	5	1	378	<5	<0.01	<10	10	13	11	44	1
9V1518RA/RJ	P09-046	135342	200.02	202.00	1.98	0.16		11.8	0.63	3600	206	<0.5	11	3.81	1	6	30	16	2.36	<1	0.32	<10	0.18	1336	<2	0.01	1	742	96	1.31	18	1	171	<5	<0.01	<10	<10	9	11	205	1
9V1518RA/RJ	P09-046	135343	202.00	204.00	2.00	0.01		3	1.93	45	264	<0.5	21	2.91	4	15	28	23	4.85	<1	0.24	<10	1.09	1833	<2	0.01	2	1149	59	0.34	9	3	120	<5	<0.01	<10	12	37	10	303	2
9V1518RA/RJ	P09-046	135344	204.00	206.00	2.00	0.02		7.4	1.68	40	414	<0.5	21	7.18	3	16	20	15	4.79	<1	0.26	<10	1.12	3320	<2	0.01	<1	1080	40	0.64	10	4	357	<5	<0.01	<10	18	42	<10	212	2
9V1518RA/RJ	P09-046	135345	206.00	208.00	2.00	0.03		1.2	2.25	24	153	<0.5	23	4.45	3	17	24	19	4.97	1	0.22	<10	1.35	2448	<2	0.01	1	1195	12	0.37	10	4	155	<5	<0.01	<10	17	52	<10	145	2
9V1518RA/RJ	P09-046	135346	208.00	210.00	2.00	0.02		18.1	2.01	25	275	<0.5	25	4.4	4	19	20	42	5.72	<1	0.28	<10	1.42	2513	<2	0.01	1	1263	16	0.44	10	5	195	<5	<0.01	<10	17	51	<10	206	2
9V1518RA/RJ	P09-046	135347	210.00	212.00	2.00	0.03		0.9	2.6	26	188	<0.5	25	2.59	3	19	20	26	5.75	1	0.25	<10	1.53	1941	<2	0.01	1	1320	16	0.35	9	4	92	<5	<0.01	<10	14	56	<10	163	2
9V1518RA/RJ	P09-046	135348	212.00	214.00	2.00	0.02		2.3	2.1	30	218	<0.5	20	3.67	3	17	18	22	4.9	<1	0.29	<10	1.2	2333	<2	0.01	2	1156	18	0.58	9	3	140	<5	<0.01	<10	13	41	<10	242	2
9V1518RA/RJ	P09-046	135349	214.00	216.00	2.00	0.01		3.1	2.16	47	194	<0.5	20	2.86	2	18	18	23	4.76	<1	0.25	<10	1.37	1969	<2	0.01	4	1262	15	0.44	8	2	139	<5	<0.01	<10	<10	40	<10	127	2
9V1518RA/RJ	P09-046	135350	216.00	218.00	2.00	0.01		1.5	2.24	28	220	<0.5	22	3.6	2	15	21	16	4.95	1	0.27	<10	1.36	2386	<2	0.01	3	1118	8	0.56	8	3	172	<5	<0.01	<10	11	50	<10	90	2
9V1518RA/RJ	P09-046	135351	218.00	220.00	2.00	0.03		2.7	1.8	21	176	<0.5	19	4.26	6	13	25	30	4.22	1	0.25	<10	1.04	2357	<2	0.01	3	1037	123	0.64	8	3	241	<5	<0.01	<10	11	40	10	529	2
9V1518RA/RJ	P09-046	135352	220.00	222.00	2.00	0.02		1.4	1.27	27	340	<0.5	15	6.72	2	12	22	26	4.05	1	0.26	<10	0.91	2559	<2	0.01	2	1001	18	0.51	6	3	413	<5	<0.01	<10	11	30	<10	79	1
9V1518RA/RJ	P09-046	135353	222.00	224.00	2.00	0.02		1.5	1.91	19	479	<0.5	21	5.18	3	18	16	24	5.21	1	0.23	<10	1.25	2163	<2	0.01	1	1353	18	0.52	8	5	182	<5	<0.01	<10	11	43	<10	133	2
9V1518RA/RJ	P09-046	135354	224.00	226.00	2.00	0.11		17.5	2.37	37	255	<0.5	25	4.43	3	19	18	15	5.66	1	0.24	<10	1.36	2142	2	0.01	1	1214	36	0.84	10	4	110	<5	<0.01	<10	15	52	<10	165	2
9V1518RA/RJ	P09-046	135355	226.00	228.00	2.00	0.11		4.7	2.36	43	162	<0.5	24	4.02	3	22	16	29	5.58	1	0.2	<10	1.36	2207	2	0.01	1	1246	155	0.77	10	4	105	<5	<0.01	<10	15	48	<10	159	2
9V1518RA/RJ	P09-046	135356	228.00	230.00	2.00	0.01		2.5	2.3	24	160	<0.5	21	3.34	2	17	7	17	4.94	<1	0.24	<10	1.37	1880	2	0.01	1	1341	14	0.36	8	3	75	<5	<0.01	<10	11	36	<10	132	2
9V1518RA/RJ	P09-046	135357	230.00	232.00	2.00	0.01		1.2	2.37	24	138	<0.5	20	3.28	2	17	9	18	4.98	<1	0.2	<10	1.45	1617	2	0.01	1	1356	9	0.29	8	2	109	<5	<0.01	<10	<10	36	<10	110	2
9V1519RA/RJ	P09-046	135358	232.00	234.00	2.00	0.02		12.4	2.43	36	174	<0.5	42	2.2	6	19	12	20	5.06	<1	0.28	<10	1.24	1758	<2	0.01	3	1385	35	0.38	5	3	46	<5	<0.01	<10	<10	43	<10	217	2
9V1519RA/RJ	P09-046	135359	234.00	236.00	2.00	0.03		1.6	1.79	100	241	<0.5	42	1.07	4	19	17	8	4.83	1	0.29	<10	0.75	1014	2	0.01	3	1223	16	1.01	<5	4	25	<5	<0.01	<10	<10	36	<10	71	2
9V1519RA/RJ	P09-046	135360	BLANK			<0.01		<0.1	0.05	<5	15	<0.5	134	>15.00	<1	1	2	2	0.45	<1	0.03	<10	11.8	221	<2	0.01	2	170	<2	0.47	<5	<1	49	<5	<0.01	12	<10	3	<10	19	<1
9V1519RA/RJ	P09-046	135361	236.00	238.00	2.00	0.01		1.4	1.74	37	346	<0.5	62	4.16	5	17	17	9	4.81	<1	0.26	<10	1.1	1874	2	0.01	3	1186	16	0.64	<5	4	121	<5	<0.01	<10	<10	37	<10	76	2
9V1519RA/RJ	P09-046	135362	238.00	240.00	2.00	<0.01		1.7	2.49	21	152	<0.5	82	6.76	5	14	9	11	4.93	<1	0.24	12	1.54	2937	<2	0.01	2	1217	11	0.22	<5	5	143	<5	<0.01	<10	<10	51	<10	95	2
9V1519RA/RJ	P09-046	135363	240.00	242.00	2.00	0.01		2.8	2.58	23	166	<0.5	53	3.87	5	18	15	17	5.08	<1	0.25	10	1.74	2047	<2	0.01	3	1338	37	0.25	<5	5	88	<5	<0.01	<10	<10	53	<10	94	2
9V1519RA/RJ	P09-046	135364	242.00	244.00	2.00	0.01		1.8	2.68	51	179	<0.5	34	0.72	5	23	9	19	5.53	<1	0.28	<10	1.63	1071	3	0.01	5	1428	18	0.67	<5	4	24	<5	<0.01	<10	<10	51	<10	100	2
9V1519RA/RJ	P09-046	135365	244.00	246.00	2.00	0.01		0.9	2.33	47	448	<0.5	34	0.81	5	18	12	14	5.19	<1	0.26	<10	1.28	1192	2	0.01	3	1303	13	0.56	<5	4	31	<5	<0.01	<10	<10	46	<10	97	2
9V1519RA/RJ	P09-046	135366	246.00	248.00	2.00	0.02		1.6	2.33	66	151	<0.5	51	1.51	5	20	8	21	5.28	<1	0.25	<10	1.16	1423	<2	0.01	3	1342	26	0.82	<5	4	32	<5	<0.01	<10	<10	49	<10	158	2
9V1519RA/RJ	P09-046	135367	248.00	248.78	0.78	0.03		0.7	2.54	41	127	<0.5	43	2.98	5	17	11	13	5.43	<1	0.21	<10	1.48	2315	<2	0.01	3	1172	14	0.68	<5	4	63	<5	<0.01	<10	<10	52	<10	104	2
9V1519RA/RJ	P09-046	135368	248.78	250.00	1.22	0.18		4.7	0.6	177	33	<0.5	70	3.5	7	15	9	6	6.3	<1	0.26	<10	0.24	1696	<2	0.01	1	1287	59	>5.00	<5	3	126	<5	<0.01	<10	<10	18	12	97	3
9V1519RA/RJ	P09-046	135369	250.00	251.00	1.00	0.31		2.5	0.58	186	51	<0.5	56	3.24	6	16	11	3	5.84	<1	0.27	<10	0.19	1445	2	0.01	2	1471	65	>5.00	<5	3	91	<5	<0.01	<10	<10	16	10	97	2
9V1519RA/RJ	P09-046	135370	251.00	252.00	1.00	0.03		1.8	1.79	84	145	<0.5	52	3.93	5	16	12	11	5.3	<1	0.27	<10	0.87	2393	<2	0.01	2	1323	30	2.11	<5	4	125	<5	<0.01	<10	<10	39	<10	73	2
9V1519RA/RJ	P09-046	135371	252.00	253.00	1.00	0.23		24.5	1.7	490	102	<0.5	47	1.86	6	16	13	20	5.97	<1	0.24	<10	0.96	1535	<2	0.01	2	1164	130	3.15	16	3	42	<5	<0.01	<10	<10	35	10	155	2
9V1519RA/RJ	P09-046	135372	253.00	254.00	1.00	0.39		3.9	0.49	531	23	<0.5	54	2.41	10	16	14	6	9.54	<1	0.26	<10	0.12	1123	3	0.01	1	1449	64	>5.00	<5	2	54	<5	<0.01	<10	12	21	21	39	4
9V1519RA/RJ	P09-046	135373	254.00	255.00	1.00	0.13		1.3	0.65	145	46	<0.5	64	3.22	6	16	9	9	6.01	<1	0.29	<10	0.29	1529	<2	0.01	1	1388	31	>5.00	<5	2	62	<5	<0.01	<10	<10	16	10	142	2
9V1519RA/RJ	P09-046	135374	255.00	256.00	1.00	0.07		1.3	0.79	92	41	<0.5	70	3.72	8	16	8	6	6.87	<1	0.26	<10	0.54	1905	<2	0.01	1	1417	61	>5.00	<5	3	85	<5	<0.01	<10	<10	18	11	178	3
9V1519RA/RJ	P09-046	135375	256.00	257.00	1.00	0.06		1.1	0.62	129	49	<0.5	72	3.95	6	15	10	8	6.09	<1	0.27	<10	0.35	1952	<2	0.01	2	1382	21	>5.00	<5	3	87	<5	<0.01	<10	<10	15	10	114	2
9V1519RA/RJ	P09-046	135376	257.00	258.00	1.00	0.06		1	0.62	130	51	<0.5	64	3.75	7	15	9	9	6.27	<1	0.26	<10	0.38	1919	<2	0.01	1	1432	28	>5.00	<5	3	86	<5	<0.01	<10	<10	16	11	194	2
9V1519RA/RJ	P09-046	135377	258.00	259.00	1.00	0.03		1.3	0.55	72	62	<0.5	79	5.11	6	15	12	8	5.65	<1	0.25	<10	0.37	2467	<2	0.01	2	1354	36	4.97	<5	3	118	<5	<0.01	<10	<10	14	<10	160	2
9V1519RA/RJ	P09-046	135378	259.00	260.00	1.00	0.03		1.4	0.49	93	51	<0.5	68	3.75	7	15	17	5	5.91	<1	0.25	<10	0.29	1819	<2	0.01	2	1266	42	>5.00	<5	3	87	<5	<0.01	<10	<10	14	11	118	2
9V1519RA/RJ	P09-046	135379	260.00	261.00	1.00	0.02		2.1	0.56	79	51	<0.5	45	3.4	7	14	16	7	5.77	<1	0.27	<10	0.44	1733	<2	0.01	2	1300	34	5	<5	3	88	<5	<0.01	<10	<10	15	10	139	2
9V1519RA/RJ	P09-046	135380	BLANK			<0.01		<0.1	0.03	<5	11	<0.5	110	>15.00	<1	1	2	1	0.48	<1	0.02	<10	13	217	<2	0.01	2	178	<2	0.45	<5	<1	51	<5	<0.01	12	<10	3	<10	20	<1
9V1519RA/RJ	P09-046	135381	261.00	262.00	1.00	0.02		1.7	0.57	55	42	<0.5	75	3.25	7	18	9	12	6.02	<1	0.32	<10	0.42	1608	<2	0.01	1	1649	33	>5.00	<5	4	89	<5	<0.01	<10	<10	18	<10	226	3
9V1519RA/RJ	P09-046	135382	262.00	263.00	1.00	0.29		2.7	0.42	265	38	<0.5	66	3.74	7	12	16	<1	6.55	<1	0.26	<10	0.12	1375	3	0.01	1	1192	38	>5.00	<5	2	122	<5	<0.01	<10	<10	14	14	33	3
9V1519RA/RJ	P09-046	135383	263.00	264.00	1.00	0.05		4	0.46	87	52	<0.5	57	3.52	6	15	15	4	5.78	<1	0.25	<10	0.25	1624	<2	0.01	1	1241	45	>5.00	<5	3	87	<5	<0.01	<10	<10	15	10	92	2
9V1519RA/RJ	P09-046	135384	264.00	265.00	1.00	0.03		2.6	0.6	61	39	<0.5	52	3.67	6	14	11	6	5.88	<1	0.26	<10	0.43	1621	<2	0.01	1	1348	39	4.97	<5	3	93	<5	<0.01	<10	<10	18	11	159	2
9V1519RA/RJ	P09-046	135385	265.00	266.00	1.00	0.01		1.7	0.83	32	49	<0.5	71	3.99	6	15	9	10	6.1	<1	0.27	<10	0.69	1808	<2	0.01	1	1393	26	4.89	<5	3	107	<5	<0.01	<10	<10	20	11	143	2
9V1519RA/RJ	P09-046	135386	266.00	267.00	1.00	0.02		1.7	0.74	47	51	<0.5	62	4	6	16	10	10	5.88	<1	0.27	<10	0.48	1641	<2	0.01	1	1362	31	4.91	<5	3	111	<5	<0.01	<10	<10	19	<10	70	2
9V1519RA/RJ	P09-046	135387	267.00	267.30	0.30	0.01		1.7	0.63	38	54	<0.5	66	3.5	6	14	8	28	5.31	<1	0.24	<10	0.38	1320	2	0.01	1	1269	48	4.53	<5	3	91	<5	<0.01	<10	<10	14	<10	162	2
9V1519RA/RJ	P09-046	135388	267.30	268.00	0.70	0.01		0.5	1.51	62	119	<0.5	75	5.92	4	14	6	27	4.33	<1	0.23	<10	1.22	2459	<2	0.01	1	1152	11	2.59	<5	3	154	<5	<0.01	<10	<10	23	<10	154	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1519RA/RJ	P09-046	135389	268.00	269.16	1.16	<0.01		0.2	2.09	70	148	<0.5	54	3.31	4	15	4	32	4.63	<1	0.23	<10	1.75	1899	<2	0.01	1	1258	10	1.6	<5	3	107	<5	<0.01	<10	<10	30	<10	165	2
9V1519RA/RJ	P09-046	135390	269.16	270.00	0.84	<0.01		0.5	1.02	56	97	<0.5	53	5.89	4	13	6	26	4.46	<1	0.24	<10	0.95	1961	<2	0.01	<1	1109	17	3.09	<5	3	181	<5	<0.01	<10	<10	21	<10	108	2
9V1519RA/RJ	P09-046	135391	270.00	270.73	0.73	<0.01		1.2	0.91	34	84	<0.5	65	4.29	4	13	10	18	4.33	<1	0.25	<10	0.87	1559	<2	0.01	2	1213	53	3.16	<5	3	142	<5	<0.01	<10	<10	21	<10	110	2
P09-047 - Mudstones - PAD 31 - 434709E 6221207N, Elev: 873m, Az: 035, Dip: -45, EOH: 109.14m																																									
9V1519RA/RJ	P09-047	135392	3.04	4.00	0.96	0.02		1	0.97	109	112	<0.5	47	3.57	3	12	11	32	2.98	<1	0.29	13	0.8	1032	<2	0.01	31	929	30	2.16	7	1	99	<5	<0.01	<10	<10	12	<10	90	1
9V1519RA/RJ	P09-047	135393	4.00	6.00	2.00	0.01		1.2	1.24	70	132	<0.5	54	4.54	2	17	11	54	2.76	<1	0.33	12	1.03	1276	<2	0.01	28	1251	12	1.77	<5	1	139	<5	0.01	<10	<10	21	<10	90	1
9V1519RA/RJ	P09-047	135394	6.00	8.00	2.00	0.04		2.9	0.78	193	100	<0.5	45	4.18	4	13	16	39	2.6	<1	0.28	<10	0.6	1088	<2	0.01	29	889	135	1.99	9	1	113	<5	<0.01	<10	<10	14	<10	256	1
9V1519RA/RJ	P09-047	135395	8.00	10.00	2.00	0.01		1	1.15	70	110	<0.5	48	3.39	4	14	12	41	3.5	<1	0.31	11	1.02	1014	<2	0.01	27	1023	25	2.25	7	1	100	<5	<0.01	<10	<10	16	<10	201	1
9V1519RA/RJ	P09-047	135396	10.00	12.00	2.00	0.15		2.5	0.86	397	114	<0.5	42	2.53	3	11	14	40	2.92	<1	0.3	<10	0.62	810	<2	0.01	31	890	91	2.27	10	1	116	<5	0.01	<10	<10	12	<10	159	1
9V1519RA/RJ	P09-047	135397	12.00	14.00	2.00	0.01		1.3	1.16	64	116	0.5	65	3.64	3	12	11	45	2.68	<1	0.28	<10	1.07	1182	<2	0.01	22	1052	25	1.78	<5	1	123	<5	0.04	<10	<10	15	<10	127	1
9V1519RA/RJ	P09-047	135398	14.00	16.00	2.00	<0.01		1.4	1.15	67	106	0.6	52	3.04	3	12	12	35	3.21	<1	0.28	<10	1.03	1063	<2	0.01	17	974	56	1.88	<5	1	103	<5	0.05	<10	<10	15	<10	128	2
9V1519RA/RJ	P09-047	135399	16.00	18.00	2.00	0.01		22.2	0.88	131	108	0.5	48	2.65	6	16	16	77	3.14	<1	0.31	<10	0.66	919	<2	0.01	42	981	316	2.2	15	1	89	<5	0.05	<10	<10	15	<10	498	2
9V1519RA/RJ	P09-047	135400	BLANK			<0.01		<0.1	0.03	<5	<10	<0.5	126	>15.00	<1	<1	1	1	0.49	<1	0.04	<10	12.6	209	<2	0.01	1	129	<2	0.43	<5	<1	48	<5	<0.01	<10	<10	2	<10	18	<1
9V1519RA/RJ	P09-047	135401	18.00	20.00	2.00	0.03		3.7	0.94	434	107	<0.5	56	3.38	2	11	16	36	2.22	<1	0.28	<10	0.61	1098	<2	0.01	27	887	36	1.33	7	1	99	<5	0.03	<10	<10	14	<10	126	1
9V1519RA/RJ	P09-047	135402	20.00	22.00	2.00	0.01		2.3	1.32	81	94	<0.5	26	2.72	2	13	25	78	2.57	<1	0.23	<10	1.43	1115	<2	0.01	63	839	15	0.88	<5	1	158	<5	0.01	<10	<10	21	<10	126	1
9V1519RA/RJ	P09-047	135403	22.00	24.00	2.00	0.01		2	1.02	79	80	<0.5	42	3.27	2	10	20	63	2.13	<1	0.2	<10	0.89	987	<2	0.01	44	635	13	0.79	<5	1	95	<5	0.03	<10	<10	18	<10	146	1
9V1519RA/RJ	P09-047	135404	24.00	26.00	2.00	0.06		3.4	0.69	232	105	<0.5	50	2.49	3	8	20	26	1.8	<1	0.27	<10	0.37	664	<2	0.01	19	811	191	1.26	5	1	97	<5	0.01	<10	<10	11	<10	202	1
9V1519RA/RJ	P09-047	135405	26.00	28.00	2.00	<0.01		0.7	1.31	30	98	0.5	34	2.53	2	8	16	15	2.55	<1	0.25	<10	1.03	915	<2	0.02	16	725	17	1.02	<5	1	84	<5	0.04	<10	<10	13	<10	72	1
9V1519RA/RJ	P09-047	135406	28.00	30.00	2.00	0.01		1.6	1.37	24	91	0.5	47	2.7	2	9	16	53	2.32	<1	0.23	<10	1.1	969	<2	0.01	17	910	9	0.6	<5	1	101	<5	0.04	<10	<10	24	<10	61	1
9V1519RA/RJ	P09-047	135407	30.00	32.00	2.00	0.01		1.3	1.55	40	102	0.6	38	1.93	4	11	17	45	2.98	<1	0.24	<10	1.21	942	<2	0.02	17	901	68	1.05	<5	2	54	<5	0.06	<10	<10	24	<10	290	2
9V1519RA/RJ	P09-047	135408	32.00	34.00	2.00	0.09		1.6	0.79	1857	77	<0.5	58	5.28	2	9	24	40	2.18	<1	0.22	<10	0.48	1462	<2	0.01	27	571	75	1.08	11	1	122	<5	0.03	<10	<10	13	<10	132	1
9V1519RA/RJ	P09-047	135409	34.00	36.00	2.00	0.02		1.9	0.84	72	83	<0.5	49	2.62	2	13	21	35	1.76	<1	0.22	<10	0.56	862	<2	0.01	30	729	297	0.81	<5	1	84	<5	0.03	<10	<10	17	<10	99	1
9V1519RA/RJ	P09-047	135410	36.00	38.00	2.00	0.01		0.6	1.39	46	93	0.6	39	1.78	2	9	20	16	2.84	<1	0.25	<10	1.03	926	<2	0.02	20	698	101	0.93	<5	1	52	<5	0.06	<10	<10	20	<10	40	2
9V1519RA/RJ	P09-047	135411	38.00	40.00	2.00	0.01		1	1.36	51	83	0.6	45	3.01	4	11	18	37	2.93	<1	0.22	<10	1.09	1111	<2	0.02	16	841	110	1.26	<5	1	86	<5	0.06	<10	<10	27	<10	159	2
9V1519RA/RJ	P09-047	135412	40.00	42.00	2.00	<0.01		1	1.18	59	91	0.5	41	1.83	4	10	22	26	2.64	<1	0.23	<10	0.9	841	<2	0.02	26	688	109	1.17	<5	1	53	<5	0.04	<10	<10	18	<10	173	1
9V1519RA/RJ	P09-047	135413	42.00	44.00	2.00	0.01		0.3	1.29	82	97	0.6	56	2.16	4	10	18	27	3.03	<1	0.24	<10	1.01	993	<2	0.02	17	878	36	1.61	<5	1	57	<5	0.06	<10	<10	18	<10	201	2
9V1519RA/RJ	P09-047	135414	44.00	46.00	2.00	0.02		0.9	1.1	84	105	0.6	53	3.19	5	11	16	48	2.77	<1	0.25	<10	0.8	1166	<2	0.01	15	874	78	1.73	<5	1	87	<5	0.06	<10	<10	17	<10	282	2
9V1519RA/RJ	P09-047	135415	46.00	48.00	2.00	0.21		2.8	0.87	162	111	<0.5	42	2.96	5	10	15	46	2.61	<1	0.27	<10	0.56	970	<2	0.01	19	885	380	1.9	<5	1	73	<5	0.04	<10	<10	13	<10	369	2
9V1519RA/RJ	P09-047	135416	48.00	50.00	2.00	0.02		2.1	1.03	95	139	<0.5	59	3.34	4	15	15	97	2.14	<1	0.27	<10	0.69	1032	<2	0.01	23	854	127	1.22	<5	1	81	<5	0.03	<10	<10	17	<10	231	1
9V1519RA/RJ	P09-047	135417	50.00	52.00	2.00	0.01		1.5	1.17	66	121	<0.5	66	3.23	4	13	20	93	2.3	<1	0.26	<10	0.92	1213	<2	0.01	38	825	99	1.26	<5	1	82	<5	0.04	<10	<10	20	<10	229	1
9V1519RA/RJ	P09-047	135418	52.00	54.00	2.00	0.05		3.3	0.81	138	109	<0.5	38	3.04	17	10	17	74	2.8	<1	0.3	<10	0.46	972	<2	0.01	16	807	542	2.35	6	1	71	<5	0.02	<10	<10	12	<10	1308	1
9V1519RA/RJ	P09-047	135419	54.00	56.00	2.00	0.06		2	0.99	175	112	<0.5	54	3.17	8	8	23	56	2.95	<1	0.25	<10	0.78	1172	<2	0.01	21	782	270	2.12	<5	1	125	<5	<0.01	<10	<10	17	<10	577	1
9V1519RA/RJ	P09-047	135420	BLANK			<0.01		<0.1	0.03	<5	<10	<0.5	96	>15.00	<1	<1	2	2	0.39	<1	0.02	<10	11.3	194	<2	0.01	2	143	<2	0.42	<5	<1	46	<5	<0.01	10	<10	2	<10	18	<1
9V1519RA/RJ	P09-047	135421	56.00	58.00	2.00	0.02		2.6	0.92	92	119	<0.5	46	3.04	6	12	21	85	2.49	<1	0.26	<10	0.63	1142	<2	0.01	31	779	232	1.82	<5	1	115	<5	<0.01	<10	<10	18	<10	393	1
9V1519RA/RJ	P09-047	135422	58.00	59.00	1.00	0.31		5.5	0.33	527	88	<0.5	48	3.03	17	11	27	46	2.77	<1	0.22	<10	0.06	772	<2	0.01	20	687	885	2.71	11	1	87	<5	<0.01	<10	<10	7	<10	1327	1
9V1519RA/RJ	P09-047	135423	59.00	60.00	1.00	0.4		2.5	0.37	435	92	<0.5	48	2.6	6	10	37	52	2.47	<1	0.25	<10	0.06	628	<2	0.01	26	609	177	2.29	8	1	89	<5	<0.01	<10	<10	6	<10	398	1
9V1519RA/RJ	P09-047	135424	60.00	61.00	1.00	0.03		2.1	0.54	103	132	<0.5	57	3.32	6	10	27	36	3.14	<1	0.29	<10	0.24	1024	<2	0.01	26	839	457	2.86	<5	1	116	<5	<0.01	<10	<10	7	<10	293	1
9V1519RA/RJ	P09-047	135425	61.00	62.00	1.00	0.23		1.5	0.48	222	148	<0.5	37	2.06	5	11	23	49	1.94	<1	0.26	<10	0.21	667	<2	0.01	33	724	77	1.72	<5	1	94	<5	<0.01	<10	<10	8	<10	306	1
9V1519RA/RJ	P09-047	135426	62.00	62.89	0.89	0.02		0.9	0.77	83	136	<0.5	40	4.09	4	11	27	48	2.84	<1	0.23	<10	0.57	1126	<2	0.01	21	928	55	2.15	5	1	240	<5	<0.01	<10	<10	15	<10	178	1
9V1519RA/RJ	P09-047	135427	62.89	64.00	1.11	0.11		0.1	1.87	62	230	<0.5	58	4.25	5	17	17	69	4.74	<1	0.33	<10	1.46	1443	<2	0.01	4	838	12	1.68	<5	4	140	<5	0.01	<10	<10	58	<10	125	2
9V1519RA/RJ	P09-047	135428	64.00	65.00	1.00	0.07		<0.1	1.83	77	184	<0.5	73	7.59	5	16	14	66	4.53	<1	0.26	<10	1.34	1530	<2	0.01	4	818	14	1.42	<5	4	342	<5	<0.01	<10	<10	54	<10	130	2
9V1519RA/RJ	P09-047	135429	65.00	66.00	1.00	0.03		<0.1	2.11	20	220	<0.5	83	3.62	5	17	13	60	4.62	<1	0.3	<10	1.53	1293	<2	0.03	4	806	17	0.76	<5	7	101	<5	0.04	<10	<10	94	<10	65	4
9V1519RA/RJ	P09-047	135430	66.00	67.00	1.00	0.18		<0.1	2.33	25	172	0.5	90	3.46	5	18	16	58	4.93	<1	0.2	<10	1.67	1410	<2	0.04	4	862	10	0.76	<5	7	127	<5	0.06	<10	<10	119	<10	78	4
9V1519RA/RJ	P09-047	135431	67.00	68.00	1.00	0.05		<0.1	2.03	16	188	0.5	82	5.92	5	16	13	72	4.62	<1	0.2	<10	1.42	1498	<2	0.04	3	802	15	0.9	<5	7	277	<5	0.06	<10	<10	112	<10	67	4
9V1519RA/RJ	P09-047	135432	68.00	69.00	1.00	0.01		<0.1	2.32	26	173	<0.5	76	3.93	5	20	13	70	5.55	<1	0.2	<10	1.73	1478	<2	0.03	4	939	9	1.23	<5	7	135	<5	0.06	<10	<10	124	<10	88	4
9V1519RA/RJ	P09-047	135433	69.00	69.51	0.51	<0.01		<0.1	2.16	19	192	<0.5	62	2.69	5	17	11	66	4.99	<1	0.21	<10	1.6	1328	<2	0.03	3	884	12	1.05	<5	5	93	<5	0.05	<10	<10	95	<10	81	4
9V1519RA/RJ	P09-047	135434	69.51	70.00	0.49	0.01		<0.1	2.3	30	168	0.6	80	3.34	5	19	15	74	5.03	<1	0.21	<10	1.73	1413	<2	0.04	4	837	6	0.68	<5	8	98	<5	0.08	<10	<10	120	<10	74	5
9V1519RA/RJ	P09-047	135435	70.00	71.79	1.79	0.01		<0.1	2.31	30	253	<0.5	48	3.69	5	17	11	64	4.82	<1	0.29	<10	1.64	1275	<2	0.04	3	817	6	0.8	<5	8	136	<5	0.05	<10	<10	100	<10	70	4
9V1519RA/RJ	P09-047	135436	71.79	73.00	1.21	<0.01		<0.1	1.98	74	238	<0.5	47	2.48	6	16	13	73	4.68	<1	0.27	<10	1.44	1078	2	0.02	6	873	32	1.25	<5	4	93	<5	0.01	<10	<10	71	<10	148	2
9V1519RA/RJ	P09-047	135437	73.00	74.00	1.00	0.01		<0.1	2.32	14	289	<0.5	62	3.41	5	18	12	69	4.97	<1	0.31	<10	1.68	1295	<2	0.03	4	865	6	0.87	<5	8	87	<5	0.05	<10	<10	103	<10	67	4
9V1519RA/RJ	P09-047	135438	74.00	75.00	1.00	0.02		<0.1	2.03	22	226	<0.5	68	4.14	5	18	11	69	4.99	<1	0.24	<10	1.48	1325	<2	0.02	5	881	8	1.2	<5	7	140	<5	0.03	<10	<10	86	<10	66	4
9V1519RA/RJ	P09-047	135439	75.00	75.61	0.61	0.01		<0.1	2.15	37	242	<0.5	77	3.79	5	16	10	70	4.65	<1	0.27	<10	1.59	1217	<2	0.03	4	866	6	0.98	<5	6	115	<5	0.03	<10	<10	88	<10	71	3
9V1519RA/RJ	P09-047	135440	BLANK			<0.01		<0.1	0.04	<5	15	<0.5	103	>15.00	<1	<1	2	2	0.46	<1	0.02	<10	13	228	<2	0.01	2	161	<2	0.48	<5	<1	52	<5	<0.01	12	<10	3	<10	20	<1
9V1519RA/RJ	P09-047	135441	75.61	76.00	0.39	0.01		<0.1	2.03	26	202	<0.5	60	4.23	5	18	11	59	4.91	<1	0.21	<10	1.51	1374	<2	0.03	4	844	10	1.16	<5	6	124	<5	0.04	<10	<10	97	<10	67	4
9V1519RA/RJ	P09-047	135442	76.00	78.00	2.00	<0.01		<0.1	2.18	18	246	0.5	84	4.26	5	18	9	66	4.98	<1	0.25	<10	1.6	1383	<2	0.04	3	843	8	0.77	<5	7	137	<5	0.07	<10	<10	108	<10	71	4
9V1519RA/RJ	P09-047	135443	78.00	80.00	2.00	0.03		<0.1	2.06	20	186	<0.5	67	3.69	4	17	13	64	4.79	<1	0.21	<10	1.53	1482	<2	0.02	3	836	6	0.71	<5	6	96	<5	0.04	<10	<10	90	<10	75	3
9V1519RA/RJ	P09-047	135444	80.00	82.00	2.00	0.1		0.3	1.97	192	228	<0.5	79	4.86	4	16	13	65	4.43	<1	0.29	<10	1.42	1569	<2	0.02	4	828	8	1.1	<5	5	155	<5	0.04	<10	<10	73	<10	66	2
9V1519RA/RJ	P09-047	135445	82.00	84.00	2.00	0.02		0.2	1.87	55	187	0.5	57	5.72	5	17	15	61	4.79	<1	0.22	<10	1.37	1662	<2	0.02	3	817	15	1.51	<5	5	287	<5	0.06	<10	<10	76	<10	84	3
9V1519RA/RJ	P09-047	135446	84.00	86.00	2.00	0.05		0.3	1.97	567	214	0.5	60	5.34	5	17	11	67	4.62	<1	0.29	<10	1.48	1918	<2	0.02	4	807	27	1.38	6	5	154	<5	0.06	<10	<10	80	<10	116	2
9V1519RA/RJ	P09-047	135447	86.00	88.00	2.00	0.04		0.3	1.97	47	213	0.7	64	4.18	5	18	10	67	4.73	<1	0.25	<10	1.49	1705	<2	0.02	3	846	10	1.03	<5	6	123	<5	0.08	<10	<10	95	<10	92	3
9V1519RA/RJ	P09-047	135448	88.00	89.00	1.00	0.05		0.4	2.09	70	211	<0.5	62	4.19	5	17	14	67	4.76	<1	0.3	<10	1.55	1773	<2	0.02	4	862	10	1.04	<5	5	120	<5	0.04	<10	<10	93	<10	101	2
9V1519RA/RJ	P09-047	135449	89.00	90.00	1.00	0.08		<0.1	1.86	33	216	<0.5	77	4.86	5	18	8	71	4.8	<1	0.25	<10	1.44	1703	<2	0.02	3	878	8	1.23	<5	6	132	<5	0.05	<10	<10	94	<10	76	3
9V1519RA/RJ	P09-047	135450	90.00	90.74	0.74	0.06		0.1	1.92	55	239	0.6	82	4.18	5	18	9	60	5.03	<1	0.29	<10	1.45	1608	<2	0.03	4	853	19	1.7	<5	6	82	<5	0.07	<10	<10	91	<10	130	4
9V1519RA/RJ	P09-047	135451	90.74	92.00	1.26	0.02		0.3	2	69	225	0.6	58	3.68	5	19	11	70	5.12	<1	0.26	<10	1.55	1663	<2	0.03	4	909	12	1.65	<5	7	92	<5	0.08	<10	<10	98	<10	188	4
9V1519RA/RJ	P09-047	135452	92.00	93.00	1.00	0.03		<0.1	1.89	60	271	0.6	65	4.51	5	18	9	59	4.71	<1	0.3	<10	1.4	1653	<2	0.03	3	842	9	1.28	<5	7	107	<5	0.08	<10	<10	94	<10	125	4
9V1519RA/RJ	P09-047	135453	93.00	94.00	1.00	0.07		0.2	1.93	69	213	0.6	78	3.75	5	19	9	58	4.97	<1	0.27	<10	1.48	1700	<2	0.02	4	881	9	1.46	<5	5	81	<5	0.07	<10	<10	89	<10	122	3
9V1519RA/RJ	P09-047	135454	94.00	95.00	1.00	0.03		0.6	2.33	135	180	0.6	71	3.89	6	19	14	78	5.15	<1	0.26	<10	1.88	2023	<2	0.02	4	917	22	1.23	<5	5	95	<5	0.06	<10	<10	90	<10	169	2
9V1519RA/RJ	P09-047	135455	95.00	95.42	0.42	0.02		0.5	1.92	226	173	<0.5	63	2.63	6	17	10	68	4.63	<1	0.22	<10	1.57	1530	<2	0.02	3	903	49	1.24	<5	4	69	<5	0.04	<10	<10	70	<10	218	2
9V1519RA/RJ	P09-047	135456	95.42	96.00	0.58	0.01		0.8	1.62	81	193	0.6	91	9.46	4	15	16	83	3.56	<1	0.25	<10	1.21	2159	<2	0.02	3	666	5	1.02	<5	3	595	<5	0.08	<10	<10	47	<10	103	2
9V1519RA/RJ	P09-047	135457	96.00	97.00	1.00	0.01		0.7	1.6	86	190	0.6	69	4.26	7	17	14	60	5.03	<1	0.29	<10	1.21	1622	<2	0.01	7	782	93	2.5	<5	3	111	<5	0.07	<10	<10	56	<10	299	3
9V1519RA/RJ	P09-047	135458	97.00	98.05	1.05	0.01		0.4	1.81	61	236	0.6	95	6.38	4	16	14	60	4.13	<1	0.3	<10	1.24	1928	2	0.02	4	775	16	1.23	<5	4	217	<5	0.07	<10	<10	55	<10	100	2
9V1519RA/RJ	P09-047	135459	98.05	99.12	1.07	<0.01		<0.1	1.76	8	207	2.2	50	2.02	4	18	52	12	3.81	<1	0.1	22	1.38	648	<2	0.05	8	1785	9	0.2	<5	5	67	<5	0.25	13	<10	63	<10	112	15
9V1519RA/RJ	P09-047	135460	BLANK			<0.01		<0.1	0.04	<5	15	<0.5	147	>15.00	<1	1	2	2	0.47	<1	0.03	<10	12.5	232	<2	0.01	2	168	<2	0.5	<5	<1	53	<5	<0.01	13	<10	3	<10	20	<1
9V1519RA/RJ	P09-047	135461	99.12	100.00	0.88	0.03		0.2	1.99	53	176	<0.5	93	4.76	5	17	8	65	5.01	<1	0.22	<10	1.46	1767	<2	0.02	3	822	14	1.32	<5	4	108	<5	0.03	<10	<10	72	<10	103	2
9V1519RA/RJ	P09-047	135462	100.00	101.00	1.00	0.01		0.3	1.75	31	165	<0.5	69	5.8	3	14	19	57	3.61	<1	0.22	<10	1.29	1778	3	0.02	3	739	8	0.49	<5	4	260	<5	0.02	<10	<10	68	<10	74	2
9V1519RA/RJ	P09-047	135463	101.00	102.00	1.00	0.06		0.1	1.91	106	167	<0.5	71	3.97	4	16	16	65	4.53	<1	0.25	<10	1.41	1752	<2	0.01	4	819	8	0.99	<5	3	91	<5	0.01	<10	<10	60	<10	78	2
9V1519RA/RJ	P09-047	135464	102.00	103.00	1.00	0.03		0.1	2.19	93	181	<0.5	61	2.75	5	17	13	80	4.72	<1	0.26	<10	1.74	1541	<2	0.01	4	895	14	0.83	<5	4	63	<5	<0.01	<10	<10	70	<10	117	2
9V1519RA/RJ	P09-047	135465	103.00	103.35	0.35	0.01		0.5	1.7	39	196	<0.5	72	4.26	5	16	9	70	4.62	<1	0.26	<10	1.34	1599	<2	0.01	3	831	18	1.78	<5	3	100	<5	<0.01	<10	<10	52	<10	118	2
9V1519RA/RJ	P09-047	135466	103.35	104.00	0.65	0.02		0.2	1.72	30	210	<0.5	64	4.89	4	16	9	54	4.5	<1	0.27	<10	1.34	1660	<2	0.02	4	879	18	1.75	<5	3	121	<5	0.01	<10	<10	53	<10	93	2

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1519RA/RJ	P09-047	135467	104.00	106.00	2.00	0.02		<0.1	1.56	18	227	<0.5	69	4.09	5	15	9	70	4.41	<1	0.3	<10	1.23	1429	<2	0.01	4	820	12	1.66	<5	5	106	<5	0.01	<10	<10	54	<10	102	2
9V1519RA/RJ	P09-047	135468	106.00	107.84	1.84	<0.01		<0.1	1.9	20	211	<0.5	64	3.89	4	16	7	69	4.59	<1	0.28	<10	1.4	1502	<2	0.03	3	819	13	1.57	<5	6	84	<5	0.02	<10	<10	74	<10	82	2
9V1519RA/RJ	P09-047	135469	107.84	109.14	1.30	0.1		<0.1	2.31	9	162	2	64	2.78	5	24	31	20	5.5	<1	0.09	19	1.89	878	<2	0.04	10	2914	7	0.35	<5	5	80	<5	0.23	12	<10	102	<10	128	13
P09-048 - Mudstones - PAD 31 - 434709E 6221207N, Elev: 873m, Az: 055, Dip: -45, EOH: 115.24m																																									
9V1519RA/RJ	P09-048	135470	3.04	4.00	0.96	0.02		0.8	1.02	72	102	<0.5	52	2.51	3	14	12	53	3.08	<1	0.27	13	0.83	893	<2	0.01	26	957	17	2.13	5	1	89	<5	<0.01	<10	<10	15	<10	69	2
9V1519RA/RJ	P09-048	135471	4.00	5.00	1.00	<0.01		0.9	0.83	42	103	<0.5	39	4.06	2	9	14	42	1.8	<1	0.24	<10	0.65	1146	<2	0.01	26	805	9	1.11	6	1	162	<5	<0.01	<10	<10	13	<10	60	1
9V1519RA/RJ	P09-048	135472	5.00	6.00	1.00	<0.01		0.6	1.3	36	104	<0.5	54	3.05	2	11	18	39	2.21	<1	0.23	<10	1.14	1118	<2	0.01	22	748	7	0.87	<5	1	148	<5	<0.01	<10	<10	17	<10	68	1
9V1519RA/RJ	P09-048	135473	6.00	7.00	1.00	0.01		0.8	1.52	29	117	<0.5	48	3.54	3	9	15	51	2.87	<1	0.27	17	1.37	1317	<2	0.01	15	1017	8	1.35	<5	1	195	<5	0.01	<10	<10	19	<10	336	2
9V1519RA/RJ	P09-048	135474	7.00	8.00	1.00	<0.01		0.8	1.12	34	105	<0.5	57	4.06	2	6	15	36	1.92	<1	0.26	<10	0.92	1283	<2	0.01	13	774	8	0.9	<5	1	138	<5	0.01	<10	<10	14	<10	51	1
9V1519RA/RJ	P09-048	135475	8.00	9.00	1.00	0.01		1.2	1.09	65	101	<0.5	46	2.86	3	10	16	48	2.77	<1	0.24	<10	0.92	1023	<2	0.01	17	914	18	1.72	<5	1	119	<5	0.02	<10	<10	16	<10	72	1
9V1519RA/RJ	P09-048	135476	9.00	10.00	1.00	0.25		0.9	1.15	2017	104	<0.5	29	2.6	2	13	17	41	3.08	<1	0.25	<10	0.98	1030	<2	0.01	20	1227	36	1.78	16	1	109	<5	0.02	<10	<10	19	<10	82	2
9V1519RA/RJ	P09-048	135477	10.00	11.00	1.00	0.03		0.6	1.37	105	109	<0.5	66	2.8	3	9	15	29	3.13	<1	0.26	<10	1.17	1066	<2	0.01	18	917	17	1.76	<5	1	157	<5	<0.01	<10	<10	17	<10	77	2
9V1519RA/RJ	P09-048	135478	11.00	12.00	1.00	0.01		1.4	1.38	57	96	<0.5	47	2.88	2	11	23	67	2.74	<1	0.22	<10	1.26	1134	<2	0.01	28	876	14	1.25	<5	1	139	<5	0.03	<10	<10	20	<10	78	2
9V1519RA/RJ	P09-048	135479	12.00	13.00	1.00	0.01		3	1.17	89	101	0.6	48	2.9	3	19	20	109	2.67	<1	0.24	<10	0.99	1075	<2	0.01	44	913	32	1.57	5	1	158	<5	0.04	<10	<10	18	<10	92	2
9V1519RA/RJ	P09-048	135480	BLANK			<0.01		<0.1	0.03	<5	11	<0.5	131	>15.00	<1	<1	2	2	0.43	<1	0.02	<10	12.8	218	<2	0.01	2	176	<2	0.49	<5	<1	53	<5	<0.01	13	<10	3	<10	20	<1
9V1519RA/RJ	P09-048	135481	13.00	14.00	1.00	<0.01		2.6	0.97	74	101	0.6	45	3.13	2	14	30	61	1.99	<1	0.25	<10	0.79	1201	<2	0.01	41	778	37	1.18	<5	1	152	<5	0.05	<10	<10	21	<10	111	1
9V1519RA/RJ	P09-048	135482	14.00	15.00	1.00	0.04		11	0.51	163	96	<0.5	56	3.05	3	15	24	27	2.07	<1	0.25	<10	0.25	890	<2	0.01	35	827	72	1.85	8	1	116	<5	<0.01	<10	<10	12	<10	124	1
9V1519RA/RJ	P09-048	135483	15.00	16.00	1.00	0.06		6.7	0.4	253	95	<0.5	59	5.71	5	10	46	26	2.9	<1	0.25	<10	0.13	1364	<2	0.01	30	787	162	2.88	9	1	239	<5	<0.01	<10	<10	11	<10	239	1
9V1519RA/RJ	P09-048	135484	16.00	17.00	1.00	0.03		7.2	0.46	146	68	<0.5	41	4.49	6	10	51	106	1.9	<1	0.18	<10	0.3	1247	2	0.01	36	501	374	1.58	5	1	157	<5	<0.01	<10	<10	13	<10	522	1
9V1519RA/RJ	P09-048	135485	17.00	18.00	1.00	0.02		2.1	0.59	123	98	<0.5	47	3.3	4	13	46	53	2.29	<1	0.24	<10	0.39	1057	<2	0.01	39	746	66	1.88	6	1	109	<5	0.01	<10	<10	16	<10	261	1
9V1519RA/RJ	P09-048	135486	18.00	19.00	1.00	0.02		1.6	0.75	117	97	<0.5	56	3.13	4	9	19	46	2.98	<1	0.26	10	0.57	1079	<2	0.01	18	885	53	2.44	5	1	84	<5	0.01	<10	<10	10	<10	179	1
9V1519RA/RJ	P09-048	135487	19.00	20.00	1.00	0.02		3.4	0.61	137	107	<0.5	37	3.59	3	13	33	60	2.6	<1	0.25	<10	0.41	1115	<2	0.01	33	986	74	2.14	7	1	90	<5	<0.01	<10	<10	12	<10	132	1
9V1519RA/RJ	P09-048	135488	20.00	21.00	1.00	0.48		24.4	0.44	295	90	<0.5	51	2.62	5	12	35	79	2.94	<1	0.26	<10	0.15	714	<2	0.01	39	836	571	2.75	12	1	81	<5	<0.01	<10	<10	10	<10	300	2
9V1519RA/RJ	P09-048	135489	21.00	22.00	1.00	0.1		15.2	0.56	115	101	<0.5	64	4.61	4	12	55	67	2.37	<1	0.23	<10	0.33	1306	<2	0.01	31	849	147	2.09	8	1	169	<5	<0.01	<10	<10	14	<10	202	1
9V1519RA/RJ	P09-048	135490	22.00	23.00	1.00	0.02		2.6	0.72	151	99	<0.5	54	3.68	4	10	18	56	3.33	<1	0.28	<10	0.47	1114	<2	0.01	19	1090	165	2.66	<5	1	247	<5	<0.01	<10	<10	13	<10	228	2
9V1519RA/RJ	P09-048	135491	23.00	24.00	1.00	0.03		2.8	1.15	118	101	<0.5	49	3.86	5	11	21	71	3.43	<1	0.25	17	0.87	1384	<2	0.01	19	1341	120	2.39	6	1	157	<5	0.01	<10	<10	21	<10	276	2
9V1519RA/RJ	P09-048	135492	24.00	25.00	1.00	0.01		1.5	1.79	74	117	0.6	67	2.78	3	14	17	79	3.08	<1	0.32	17	1.39	1296	<2	0.01	21	1791	12	1.21	<5	1	89	<5	0.04	<10	<10	29	<10	104	2
9V1519RA/RJ	P09-048	135493	25.00	26.00	1.00	0.01		1.7	1.76	40	106	0.7	55	3.47	4	12	19	95	3.41	<1	0.28	14	1.43	1637	<2	0.01	16	2457	18	1.4	<5	1	138	<5	0.05	<10	<10	30	<10	153	2
9V1519RA/RJ	P09-048	135494	26.00	27.00	1.00	0.02		2.6	0.96	96	102	0.5	55	3.71	5	10	20	43	2.89	<1	0.28	<10	0.62	1127	<2	0.01	17	1231	140	2.01	5	1	113	<5	0.03	<10	<10	19	<10	335	2
9V1519RA/RJ	P09-048	135495	27.00	28.00	1.00	0.03		2.5	1.29	105	100	0.5	61	3.24	5	14	19	85	3.53	<1	0.24	10	1.06	1304	3	0.01	34	1389	79	2.13	5	1	137	<5	0.03	<10	<10	31	<10	226	2
9V1519RA/RJ	P09-048	135496	28.00	29.00	1.00	0.02		3.7	1.47	58	100	0.5	53	3.75	3	12	17	106	2.94	<1	0.25	<10	1.24	1366	<2	0.01	23	1163	45	1.25	<5	1	186	<5	0.03	<10	<10	28	<10	130	1
9V1519RA/RJ	P09-048	135497	29.00	30.00	1.00	0.01		0.9	1.55	42	85	0.5	52	3.73	3	9	18	37	3.06	<1	0.2	<10	1.3	1384	<2	0.01	18	881	32	1.29	<5	1	145	<5	0.03	<10	<10	19	<10	65	1
9V1519RA/RJ	P09-048	135498	30.00	31.00	1.00	0.01		2.1	1.57	57	108	0.6	37	2.77	4	19	22	99	3.99	<1	0.2	<10	1.34	1161	<2	0.02	28	1350	26	2.4	5	2	109	<5	0.04	<10	<10	30	<10	82	2
9V1519RA/RJ	P09-048	135499	31.00	32.00	1.00	<0.01		2.4	1.41	66	100	0.5	54	3.35	3	18	31	114	2.98	<1	0.22	<10	1.26	1222	<2	0.01	44	929	11	1.24	<5	2	150	<5	0.03	<10	<10	26	<10	63	2
9V1519RA/RJ	P09-048	135500	BLANK			<0.01		<0.1	0.05	<5	17	<0.5	100	>15.00	<1	1	2	3	0.47	<1	0.05	<10	13.3	222	<2	0.01	2	193	<2	0.47	<5	<1	55	<5	<0.01	13	<10	3	<10	20	<1
9V1519RA/RJ	P09-048	135601	32.00	33.00	1.00	0.01		1.9	0.95	48	89	<0.5	38	2.65	2	10	29	77	2.41	<1	0.18	<10	0.79	987	<2	0.01	26	649	16	1.35	<5	1	127	<5	0.02	<10	<10	17	<10	58	1
9V1519RA/RJ	P09-048	135602	33.00	34.00	1.00	0.03		1.7	1.09	107	107	<0.5	56	3.72	4	13	20	58	3.35	<1	0.25	<10	0.82	1153	<2	0.01	23	1322	41	2.32	7	1	239	<5	<0.01	<10	<10	21	<10	137	2
9V1519RA/RJ	P09-048	135603	34.00	35.00	1.00	<0.01		1.3	1.34	33	93	<0.5	65	3.77	3	11	23	52	3.23	<1	0.22	<10	1.19	1304	<2	0.01	21	848	13	1.82	<5	1	119	<5	0.02	<10	<10	22	<10	52	2
9V1519RA/RJ	P09-048	135604	35.00	36.00	1.00	0.24		2.4	1.13	99	88	<0.5	52	3.8	5	14	32	71	3.05	<1	0.21	<10	0.92	1269	2	0.01	52	834	129	1.89	6	1	138	<5	<0.01	<10	<10	30	<10	293	2
9V1519RA/RJ	P09-048	135605	36.00	37.00	1.00	0.01		1.9	1.31	102	83	<0.5	53	3.62	3	11	25	43	3.41	<1	0.21	10	1.04	1244	<2	0.02	26	976	142	1.95	5	1	108	<5	<0.01	<10	<10	28	<10	69	2
9V1519RA/RJ	P09-048	135606	37.00	38.00	1.00	0.01		4.2	1.05	44	82	<0.5	39	2.17	5	7	41	42	1.76	<1	0.21	<10	0.76	890	<2	0.02	18	707	368	0.46	5	1	74	<5	<0.01	<10	<10	19	<10	385	1
9V1519RA/RJ	P09-048	135607	38.00	39.00	1.00	0.01		1.3	1.62	83	78	<0.5	65	4.41	5	12	24	68	3.88	<1	0.2	10	1.28	1604	<2	0.02	16	922	70	1.48	<5	1	118	<5	0.02	<10	<10	31	<10	212	2
9V1519RA/RJ	P09-048	135608	39.00	40.00	1.00	<0.01		0.4	1.68	21	77	<0.5	69	2.91	2	10	31	38	2.45	<1	0.18	11	1.4	1182	<2	0.02	21	867	4	0.13	<5	2	98	<5	<0.01	<10	<10	35	<10	85	1
9V1519RA/RJ	P09-048	135609	40.00	41.00	1.00	0.01		0.3	1.83	37	71	<0.5	56	1.82	3	15	27	47	3.52	<1	0.17	11	1.52	1056	<2	0.03	22	1114	23	0.97	<5	2	82	<5	<0.01	<10	<10	43	<10	95	2
9V1519RA/RJ	P09-048	135610	41.00	42.00	1.00	0.02		0.5	1.77	34	72	<0.5	42	1.4	3	10	23	43	3.11	<1	0.17	<10	1.43	993	<2	0.03	20	867	11	0.58	<5	2	46	<5	<0.01	<10	<10	33	<10	75	1
9V1519RA/RJ	P09-048	135611	42.00	43.00	1.00	0.01		1.5	1.31	99	85	<0.5	55	2.56	5	13	29	99	3.39	<1	0.19	<10	1.21	1082	<2	0.02	39	1194	71	1.36	8	2	96	<5	<0.01	<10	<10	26	<10	272	2
9V1519RA/RJ	P09-048	135612	43.00	44.00	1.00	0.04		1.2	1.44	62	74	<0.5	44	3.59	3	12	49	69	2.49	<1	0.17	<10	1.26	1388	<2	0.02	49	846	53	0.39	<5	2	139	<5	<0.01	<10	<10	31	<10	172	1
9V1519RA/RJ	P09-048	135613	44.00	45.00	1.00	0.02		1.3	1.03	99	70	<0.5	105	10.06	4	9	50	46	2.81	<1	0.14	<10	0.93	2592	<2	0.01	25	828	75	1.62	<5	2	513	<5	<0.01	<10	<10	31	<10	169	1
9V1519RA/RJ	P09-048	135614	45.00	46.00	1.00	0.25		13.1	0.64	1223	98	<0.5	97	7.72	6	12	47	78	3.2	<1	0.23	<10	0.54	2166	6	0.01	34	985	426	2.6	18	1	338	<5	<0.01	<10	<10	24	<10	457	2
9V1519RA/RJ	P09-048	135615	46.00	47.00	1.00	0.08		2.8	0.86	313	123	<0.5	60	4.13	3	9	31	54	3.15	<1	0.21	<10	0.76	1278	<2	0.02	17	1067	329	1.86	6	1	175	<5	<0.01	<10	<10	15	<10	94	1
9V1519RA/RJ	P09-048	135616	47.00	48.00	1.00	0.03		0.5	1.26	81	134	<0.5	42	2.59	4	12	36	35	3.69	<1	0.26	<10	1.19	1171	<2	0.02	17	1512	35	1.67	<5	1	139	<5	<0.01	<10	<10	29	<10	121	2
9V1519RA/RJ	P09-048	135617	48.00	49.00	1.00	0.01		1.3	0.64	148	120	<0.5	81	4.41	5	11	22	48	3.28	<1	0.26	<10	1.31	1682	<2	0.01	14	1351	57	1.18	<5	1	364	<5	<0.01	<10	<10	16	<10	304	1
9V1519RA/RJ	P09-048	135618	49.00	50.00	1.00	0.01		2	0.88	74	132	<0.5	47	1.46	5	15	38	83	3.18	<1	0.23	<10	0.83	814	<2	0.01	43	916	309	1.92	6	1	83	<5	<0.01	<10	<10	15	<10	283	1
9V1519RA/RJ	P09-048	135619	50.00	51.00	1.00	0.02		2.5	0.81	60	137	<0.5	50	2.55	4	13	22	63	2.66	<1	0.23	<10	0.82	1023	<2	0.01	26	961	88	1.67	5	1	104	<5	<0.01	<10	<10	12	<10	189	1
9V1519RA/RJ	P09-048	135620	BLANK			<0.01		<0.1	0.03	<5	11	<0.5	202	>15.00	<1	<1	3	3	0.45	<1	0.04	<10	12.7	217	<2	0.01	2	182	<2	0.48	<5	<1	53	<5	<0.01	12	<10	3	<10	20	<1
9V1519RA/RJ	P09-048	135621	51.00	52.00	1.00	0.06		3.6	0.39	133	127	<0.5	74	6.1	11	9	32	28	2.62	<1	0.24	<10	0.4	1443	<2	0.01	20	717	278	2.35	7	1	419	<5	<0.01	<10	<10	7	<10	903	1
9V1519RA/RJ	P09-048	135622	52.00	53.00	1.00	0.02		30.4	0.71	86	134	<0.5	65	3.73	27	10	26	128	3.42	<1	0.24	<10	0.6	1329	<2	0.01	19	1086	4107	2.93	24	1	137	<5	<0.01	<10	<10	9	<10	2137	2
9V1519RA/RJ	P09-048	135623	53.00	53.59	0.59	0.05		37.5	0.39	273	124	<0.5	74	3.67	26	11	43	345	3.28	<1	0.23	<10	0.17	1018	<2	0.01	24	801	6237	3.24	28	1	112	<5	<0.01	<10	<10	8	<10	2148	1
9V1519RA/RJ	P09-048	135624	53.59	54.00	0.41	0.05		2.4	1.27	124	104	<0.5	69	3.43	6	19	22	68	6.04	<1	0.27	<10	0.98	1329	<2	0.01	5	828	128	4.19	7	3	92	<5	<0.01	<10	10	32	<10	94	2
9V1519RA/RJ	P09-048	135625	54.00	55.00	1.00	0.03		2.1	1.36	110	150	<0.5	90	5.66	8	16	20	57	5.1	<1	0.31	<10	1.02	1724	<2	0.01	4	886	221	3.28	6	3	314	<5	<0.01	<10	<10	39	<10	392	2
9V1519RA/RJ	P09-048	135626	55.00	56.00	1.00	0.05		1.3	1.86	47	173	<0.5	89	4.57	4	17	16	82	4.86	<1	0.27	<10	1.53	1886	<2	0.01	3	868	18	1.93	<5	4	153	<5	<0.01	<10	<10	57	<10	55	2
9V1519RA/RJ	P09-048	135627	56.00	57.13	1.13	0.06		0.6	1.62	100	197	<0.5	90	5.22	3	16	20	55	3.92	<1	0.28	<10	1.26	1676	<2	0.01	3	869	12	1.52	<5	3	174	<5	<0.01	<10	<10	52	<10	43	1
9V1519RA/RJ	P09-048	135628	57.13	58.00	0.87	0.02		1.2	1.44	167	189	<0.5	79	8.59	4	16	18	86	4.08	<1	0.27	<10	1.19	1975	<2	0.01	3	788	26	1.95	<5	3	555	<5	0.01	<10	<10	39	<10	80	2
9V1519RA/RJ	P09-048	135629	58.00	59.00	1.00	0.01		3	1.58	97	183	<0.5	78	3.87	6	17	16	92	4.59	<1	0.25	<10	1.19	1439	<2	0.01	3	833	484	2.14	<5	3	101	<5	0.02	<10	<10	47	<10	211	2
9V1519RA/RJ	P09-048	135630	59.00	59.51	0.51	0.02		1	1.5	45	166	<0.5	82	4.63	5	16	20	71	4.8	<1	0.25	<10	1.11	1490	<2	0.01	4	832	57	2.64	<5	3	107	<5	0.01	<10	<10	48	<10	113	2
9V1519RA/RJ	P09-048	135631	59.51	60.00	0.49	0.02		0.7	2.22	52	187	<0.5	40	1.65	5	20	17	69	5.28	<1	0.27	<10	1.83	1328	<2	0.01	4	985	26	1.76	<5	3	47	<5	0.02	<10	<10	64	<10	74	2
9V1519RA/RJ	P09-048	135632	60.00	60.57	0.57	0.03		0.8	1.68	46	176	0.5	62	2.85	5	18	17	66	4.97	<1	0.23	<10	1.34	1226	<2	0.01	3	823	19	2.46	<5	3	72	<5	0.04	<10	<10	55	<10	48	2
9V1519RA/RJ	P09-048	135633	60.57	61.00	0.43	0.03		1	2.01	52	168	0.6	67	2.51	5	21	14	83	5.9	<1	0.25	<10	1.63	1372	<2	0.01	3	866	37	2.71	<5	3	65	<5	0.06	<10	11	62	<10	56	3
9V1519RA/RJ	P09-048	135634	61.00	62.00	1.00	0.02		0.6	1.77	41	168	<0.5	80	3.73	4	17	20	69	4.36	<1	0.25	<10	1.33	1296	<2	0.01	4	786	19	1.57	<5	3	153	<5	0.04	<10	<10	56	<10	65	3
9V1519RA/RJ	P09-048	135635	62.00	63.00	1.00	0.01		0.7	1.53	25	199	<0.5	91	6.41	4	15	20	63	4.03	<1	0.25	<10	1.1	1547	<2	0.01	4	713	12	1.74	<5	3	522	<5	0.05	<10	<10	50	<10	46	2
9V1519RA/RJ	P09-048	135636	63.00	63.69	0.69	0.01		0.7	1.86	101	174	0.5	80	5.04	5	17	15	78	4.69	<1	0.25	<10	1.34	1685	<2	0.02	4	767	15	1.64	<5	3	124	<5	0.05	<10	<10	58	<10	73	2
9V1519RA/RJ	P09-048	135637	63.69	64.00	0.31	0.01		0.3	2.17	24	193	0.7	68	2.59	4	19	14	69	4.76	<1	0.26	<10	1.62	1382	<2	0.02	4	836	9	1.29	<5	4	67	<5	0.07	<10	<10	72	<10	59	3
9V1519RA/RJ	P09-048	135638	64.00	65.00	1.00	0.03		0.5	1.99	764	186	0.5	51	3.51	5	17	14	70	4.63	<1	0.25	<10	1.48	1469	<2	0.02	4	779	33	0.93	<5	5	103	<5	0.05	<10	<10	86	<10	199	4
9V1519RA/RJ	P09-048	135639	65.00	66.00	1.00	0.04		<0.1	2.04	67	241	0.7	79	3.94	5	19	15	77	5.03	<1	0.26	<10	1.58	1294	<2	0.04	3	853	8	1.09	<5	7	106	<5	0.08	<10	<10	103	<10	68	6
9V1519RA/RJ	P09-048	135640	BLANK			<0.01		<0.1	0.04	<5	14	<0.5	147	>15.00	<1	1	4	2	0.46	<1	0.03	<10	13.7	227	<2	0.01	3	166	<2	0.5	<5	<1	55	<5	<0.01	13	<10	3	<10	22	<1
9V1519RA/RJ	P09-048	135641	66.00	67.00	1.00	0.02		<0.1	2.08	19	208	0.6	74	3.87	5	19	17	77	5.06	<1	0.24	<10	1.71	1262	<2	0.04	4	845	9	1.09	<5	6	105	<5	0.08	<10	<10	104	<10	61	6
9V1519RA/RJ	P09-048	135642	67.00	68.00	1.00	0.01		<0.1	2	20	208	0.5	80	3.43	4	17	12	65	4.75	<1	0.24	<10	1.52	1287	<2	0.03	3	777	12	1.06	<5	6	87	<5	0.05	<10	<10	91	<10	53	5
9V1519RA/RJ	P09-048	135643	68.00	69.00	1.00	0.01		0.2	1.83	35	192	0.5	57	3.44	4	19	18	77	5	<1	0.22	<10	1.46	1355	<2	0.03	4	831	14	1.32	<5	5	75	<5	0.05	<10	<10	88	<10	59	5
9V1519RA/RJ	P09-048	135644	69.00	70.00	1.00	0.01		0.2	1.83	154	215	<0.5	65	4.03	5	20	11	83	5.05	<1	0.25	<10	1.47	1415	<2	0.03	4	842	7	1.37	<5	6	91	<5	0.05	<10	<10	94	<10	100	5

Drilling Analytical Results 2009

Certificate Number	DDH	Sample Name	From (m)	To (m)	Inter (m)	Au g/t	Au Met g/t	Ag g/t	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V1519RA/RJ	P09-048	135645	70.00	71.00	1.00	0.01		0.9	1.61	79	187	<0.5	74	7.89	5	15	21	67	4.11	<1	0.23	<10	1.3	1828	<2	0.03	3	706	7	1.34	<5	5	532	<5	0.04	<10	<10	74	<10	138	4
9V1519RA/RJ	P09-048	135646	71.00	72.00	1.00	0.01		<0.1	2.01	62	233	<0.5	56	2.94	5	19	12	70	5.01	<1	0.24	<10	1.62	1212	<2	0.03	3	837	7	1.16	<5	6	81	<5	0.04	<10	<10	94	<10	119	5
9V1519RA/RJ	P09-048	135647	72.00	73.00	1.00	0.03		<0.1	1.98	80	219	<0.5	72	4.07	5	18	14	75	5.02	<1	0.21	<10	1.58	1503	<2	0.03	4	855	7	0.9	<5	6	151	<5	0.05	<10	<10	103	<10	108	5
9V1519RA/RJ	P09-048	135648	73.00	74.00	1.00	0.05		0.2	2.11	65	215	<0.5	98	3.82	5	19	14	75	4.88	<1	0.23	<10	1.57	1601	2	0.03	3	869	8	0.69	<5	6	136	<5	0.05	<10	<10	96	<10	91	5
9V1519RA/RJ	P09-048	135649	74.00	75.00	1.00	0.08		0.4	2.16	120	167	0.5	73	3.89	8	18	15	72	4.91	<1	0.2	<10	1.63	1698	<2	0.03	5	835	7	0.72	<5	5	111	<5	0.05	<10	<10	94	<10	325	5
9V1519RA/RJ	P09-048	135650	75.00	76.00	1.00	0.05		<0.1	2.06	73	242	0.6	90	4.07	5	18	12	68	5.07	<1	0.23	<10	1.53	1529	<2	0.03	3	822	8	0.87	<5	6	120	<5	0.07	<10	<10	94	<10	83	6
9V1519RA/RJ	P09-048	135651	76.00	77.00	1.00	0.03		<0.1	2.01	24	223	0.6	82	3.45	5	18	13	68	5.01	<1	0.22	<10	1.52	1411	<2	0.03	4	858	10	0.75	<5	6	100	<5	0.06	<10	<10	89	<10	95	5
9V1519RA/RJ	P09-048	135652	77.00	78.00	1.00	0.01		<0.1	2	72	208	<0.5	91	5.18	4	18	18	58	4.61	<1	0.22	<10	1.46	1566	<2	0.03	3	821	7	0.77	<5	5	208	<5	0.05	<10	<10	75	<10	67	4
9V1519RA/RJ	P09-048	135653	78.00	79.00	1.00	0.03		0.2	2.04	67	200	0.5	63	4.76	5	19	11	74	4.99	<1	0.23	<10	1.53	1602	<2	0.02	3	857	7	0.96	<5	5	119	<5	0.06	<10	<10	85	<10	82	4
9V1519RA/RJ	P09-048	135654	79.00	79.42	0.42	0.49		0.4	1.9	487	190	<0.5	71	4.57	4	17	12	72	5.21	<1	0.22	<10	1.46	1594	<2	0.02	3	803	20	1.26	<5	4	109	<5	0.04	<10	<10	73	<10	65	3
9V1519RA/RJ	P09-048	135655	79.42	80.00	0.58	0.11		0.5	1.46	159	145	<0.5	110	13.52	4	14	13	58	4.09	<1	0.18	<10	1.13	2607	<2	0.01	3	638	11	1.97	<5	3	468	<5	0.03	10	<10	52	<10	66	2
9V1519RA/RJ	P09-048	135656	80.00	81.00	1.00	0.08		0.4	1.84	595	185	<0.5	58	4.65	6	18	14	68	4.96	<1	0.24	<10	1.43	1508	<2	0.02	4	874	22	1.5	6	4	116	<5	0.02	<10	<10	67	<10	195	2
9V1519RA/RJ	P09-048	135657	81.00	82.00	1.00	0.13		0.3	2.1	116	196	<0.5	72	4.11	4	19	15	70	5.28	<1	0.25	<10	1.62	1513	<2	0.02	4	914	11	1.43	<5	5	102	<5	0.03	<10	<10	81	<10	66	2
9V1519RA/RJ	P09-048	135658	82.00	83.00	1.00	0.05		0.2	2.03	47	216	0.5	85	4.16	5	19	13	67	5.08	<1	0.24	<10	1.48	1579	<2	0.02	4	895	10	1.27	<5	5	97	<5	0.06	<10	<10	80	<10	111	3
9V1519RA/RJ	P09-048	135659	83.00	84.00	1.00	0.03		0.1	1.98	70	210	<0.5	96	5.57	5	18	19	63	4.95	<1	0.25	<10	1.43	1655	<2	0.02	4	898	7	1.15	<5	4	230	<5	0.04	<10	<10	70	<10	110	2
9V1519RA/RJ	P09-048	135660	BLANK			<0.01		<0.1	0.04	<5	15	<0.5	124	>15.00	<1	1	2	2	0.45	<1	0.03	<10	12.6	225	<2	0.01	2	181	<2	0.46	<5	<1	54	<5	<0.01	13	<10	3	<10	22	<1
9V1519RA/RJ	P09-048	135661	84.00	85.00	1.00	0.03		0.2	2.09	46	224	0.5	81	5.55	5	18	17	66	4.77	<1	0.27	<10	1.46	1672	<2	0.02	4	857	7	0.95	<5	5	197	<5	0.06	<10	<10	83	<10	104	4
9V1519RA/RJ	P09-048	135662	85.00	86.00	1.00	<0.01		0.2	2.12	55	245	0.6	70	3.84	5	21	15	76	5.08	<1	0.26	<10	1.51	1565	<2	0.02	4	918	7	0.93	<5	5	107	<5	0.06	<10	<10	87	<10	87	4
9V1519RA/RJ	P09-048	135663	86.00	87.00	1.00	0.03		0.2	1.93	60	189	0.5	69	5.44	4	18	18	62	4.57	<1	0.23	<10	1.36	1593	<2	0.02	4	846	13	0.98	<5	4	259	<5	0.07	<10	<10	71	<10	76	3
9V1519RA/RJ	P09-048	135664	87.00	88.00	1.00	0.05		0.2	1.82	147	215	<0.5	94	7.07	4	16	13	52	4.3	<1	0.26	<10	1.3	2046	<2	0.02	3	774	8	1.14	<5	4	260	<5	0.05	<10	<10	59	<10	67	3
9V1519RA/RJ	P09-048	135665	88.00	89.00	1.00	0.01		0.3	1.85	44	142	<0.5	73	4.71	4	16	17	59	4.22	<1	0.21	<10	1.41	1804	<2	0.01	3	804	5	0.77	<5	4	163	<5	0.05	<10	<10	68	<10	65	2
9V1519RA/RJ	P09-048	135666	89.00	90.00	1.00	0.08		0.3	1.81	240	178	<0.5	59	4.92	4	17	14	48	4.9	<1	0.23	<10	1.33	1835	<2	0.02	3	808	9	1.63	<5	4	118	<5	0.04	<10	<10	60	<10	70	2
9V1519RA/RJ	P09-048	135667	90.00	91.00	1.00	<0.01		<0.1	2.12	28	216	0.7	69	3.44	5	20	15	66	5.05	<1	0.24	<10	1.54	1773	<2	0.02	4	968	9	0.86	<5	5	93	<5	0.08	<10	<10	74	<10	92	3
9V1519RA/RJ	P09-048	135668	91.00	92.00	1.00	0.06		0.6	2.2	40	244	0.6	58	5.97	5	20	15	76	5.14	<1	0.3	<10	1.58	1982	<2	0.02	4	919	42	1.23	<5	4	200	<5	0.08	<10	<10	69	<10	144	3
9V1519RA/RJ	P09-048	135669	92.00	93.00	1.00	0.05		0.5	1.69	56	143	<0.5	16	4.16	2	14	15	57	3.97	1	0.19	<10	1.21	1380	<2	0.02	1	706	13	0.96	6	3	171	<5	0.02	<10	14	52	<10	74	1
9V1551RA/RJ	P09-048	135670	93.00	93.90	0.90	0.03		0.5	1.65	29	159	<0.5	14	6.22	1	13	19	51	3.78	1	0.22	<10	1.09	1677	<2	0.02	3	676	6	0.87	7	3	248	<5	0.01	<10	12	54	<10	55	1
9V1551RA/RJ	P09-048	135671	93.90	94.50	0.60	0.01		<0.1	1.61	9	162	<0.5	14	1.73	1	16	57	11	3.39	1	0.07	17	1.24	523	<2	0.05	6	1588	9	0.18	8	4	49	<5	0.21	<10	<10	56	<10	93	13
9V1551RA/RJ	P09-048	135672	94.50	95.17	0.67	0.02		<0.1	1.5	7	246	<0.5	13	1.42	1	16	53	11	3.25	1	0.08	18	1.16	471	<2	0.07	6	1585	8	0.15	8	4	51	<5	0.24	<10	<10	57	<10	91	18
9V1551RA/RJ	P09-048	135673	95.17	96.00	0.83	0.06		0.4	1.91	54	192	<0.5	20	2.79	2	18	16	62	4.67	1	0.25	<10	1.35	1294	<2	0.02	1	777	10	1.61	9	4	73	<5	0.06	<10	15	64	<10	62	2
9V1551RA/RJ	P09-048	135674	96.00	97.00	1.00	0.09		0.6	1.86	106	204	<0.5	20	4.4	2	18	16	57	4.76	1	0.27	<10	1.43	1624	<2	0.01	2	806	10	1.69	10	3	110	<5	0.07	<10	17	56	<10	63	2
9V1551RA/RJ	P09-048	135675	97.00	98.00	1.00	0.04		0.6	1.82	115	183	<0.5	18	4.45	17	16	15	59	4.39	1	0.24	<10	1.43	1494	<2	0.02	1	778	9	1.39	9	4	123	<5	0.06	<10	16	66	23	1106	3
9V1551RA/RJ	P09-048	135676	98.00	99.00	1.00	0.55		0.7	1.44	798	161	<0.5	18	4.03	2	15	18	39	4.29	1	0.25	<10	1.04	1312	<2	0.01	1	617	13	2.01	14	3	127	<5	0.06	<10	15	46	<10	52	2
9V1551RA/RJ	P09-048	135677	99.00	100.00	1.00	0.32		0.6	1.57	609	155	<0.5	18	4.28	2	15	17	37	4.11	2	0.22	<10	1.11	1446	<2	0.01	1	660	11	1.71	13	3	112	<5	0.06	<10	16	50	<10	98	2
9V1551RA/RJ	P09-048	135678	100.00	100.95	0.95	0.11		0.5	1.8	251	192	<0.5	19	3.81	2	17	15	61	4.13	1	0.23	<10	1.31	1357	<2	0.02	3	774	6	1.26	9	4	99	<5	0.07	<10	16	59	<10	140	2
9V1551RA/RJ	P09-048	135679	100.95	102.00	1.05	0.05		1.5	1.42	20	130	<0.5	11	10.38	1	12	13	42	3.24	1	0.18	<10	0.97	2022	<2	0.02	1	567	5	0.86	7	4	721	<5	0.05	<10	18	52	<10	93	2
9V1551RA/RJ	P09-048	135680	BLANK			<0.01		0.4	0.03	<5	14	<0.5	<5	>15.00	<1	1	2	1	0.41	1	0.03	<10	11.7	194	<2	0.01	1	163	<2	0.34	<5	<1	46	<5	<0.01	10	15	3	<10	20	<1
9V1551RA/RJ	P09-048	135681	102.00	103.00	1.00	0.02		0.3	2.02	46	195	<0.5	20	3.86	2	16	10	61	4.39	1	0.25	<10	1.39	1436	<2	0.02	1	746	7	1.02	8	4	97	<5	0.06	<10	16	70	<10	153	3
9V1551RA/RJ	P09-048	135682	103.00	104.00	1.00	0.01		0.3	1.89	51	197	<0.5	18	3.59	2	17	9	60	4.26	1	0.22	<10	1.31	1431	<2	0.02	2	724	7	0.98	9	4	83	<5	0.06	<10	16	63	<10	107	3
9V1551RA/RJ	P09-048	135683	104.00	105.00	1.00	0.01		0.4	1.9	33	194	<0.5	17	4.18	2	17	16	62	4.18	1	0.24	<10	1.28	1470	<2	0.02	2	709	7	1.03	8	4	79	<5	0.08	<10	15	62	<10	86	3
9V1551RA/RJ	P09-048	135684	105.00	106.00	1.00	<0.01		0.4	1.72	48	170	<0.5	17	5.27	2	16	10	62	4.04	1	0.23	<10	1.17	1532	<2	0.02	1	718	9	1.01	8	4	105	<5	0.08	<10	16	65	<10	118	2
9V1551RA/RJ	P09-048	135685	106.00	107.00	1.00	0.02		0.7	1.97	137	231	<0.5	19	3.18	3	16	14	64	4.38	1	0.29	<10	1.3	1312	<2	0.02	1	743	10	1.21	8	4	81	<5	0.06	<10	15	65	<10	132	3
9V1551RA/RJ	P09-048	135686	107.00	108.00	1.00	0.02		0.4	1.86	55	177	<0.5	16	2.74	2	14	12	62	4.24	<1	0.22	<10	1.28	1240	<2	0.02	1	679	9	1.18	7	3	74	<5	0.03	<10	14	62	<10	112	2
9V1551RA/RJ	P09-048	135687	108.00	109.00	1.00	0.02		0.5	1.91	78	203	<0.5	18	3.14	2	15	12	57	4.15	1	0.27	<10	1.25	1313	<2	0.02	1	735	9	1.09	7	3	155	<5	0.01	<10	14	59	<10	122	2
9V1551RA/RJ	P09-048	135688	109.00	110.00	1.00	0.04		0.3	1.94	33	201	<0.5	19	3.25	2	15	10	65	4.19	1	0.22	<10	1.27	1393	<2	0.02	1	772	11	1.04	7	4	187	<5	0.01	<10	14	75	<10	76	2
9V1551RA/RJ	P09-048	135689	110.00	111.00	1.00	0.03		0.3	1.98	42	206	<0.5	20	2.95	2	16	11	61	4.55	1	0.24	<10	1.33	1374	<2	0.02	1	744	18	1.13	7	4	133	<5	0.01	<10	16	73	<10	75	2
9V1551RA/RJ	P09-048	135690	111.00	112.00	1.00	0.01		0.3	2.06	34	214	<0.5	20	2.77	2	17	9	65	4.53	1	0.25	<10	1.4	1395	<2	0.02	1	799	13	1	7	4	130	<5	0.03	<10	15	77	<10	87	3
9V1551RA/RJ	P09-048	135691	112.00	112.58	0.58	0.05		0.5	2.26	45	234	<0.5	23	2.42	3	20	11	66	4.83	<1	0.29	<10	1.49	1442	<2	0.02	2	881	21	1.21	9	5	120	<5	0.04	<10	17	82	<10	111	3
9V1551RA/RJ	P09-048	135692	112.58	113.12	0.54	0.56		1.1	0.26	<5	41	<0.5	<5	>15.00	<1	2	64	4	0.6	1	0.05	<10	0.18	2471	<2	0.01	1	85	<2	0.45	<5	1	1379	<5	<0.01	<10	20	7	<10	12	<1
9V1551RA/RJ	P09-048	135693	113.12	114.00	0.88	0.01		0.6	2.14	66	236	<0.5	20	2.17	2	17	13	63	4.63	1	0.3	<10	1.45	1487	<2	0.02	1	789	16	1.2	7	5	65	<5	0.04	<10	15	71	<10	95	3
9V1551RA/RJ	P09-048	135694	114.00	115.24	1.24	<0.01		0.5	1.96	28	177	<0.5	18	3.01	2	16	12	64	4.31	1	0.21	<10	1.32	1562	<2	0.02	1	746	10	1.03	7	4	112	<5	0.01	<10	15	68	<10	91	2

APPENDIX E

Analytical Data - Rock Samples

Certificate Number	Sample Number	Area	Easting NAD83	Northing NAD83	Elev. (m)	Sample Type	Width (m)	Sampler	Au g/t	Ag g/t	Cu %	Pb %	Zn %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0801RA/RJ	49501	Power Adit	435917	6212973	305	Grab	-	SD	18.08	167.0	0.46	0.93	1.99	168	0.2	413	72	<0.5	76	6.04	258	8	34	4552	>15.00	1	0.17	<10	0.06	2835	<2	0.01	<1	868	9287	>5.00	103	<1	316	<5	<0.01	<10	68	<1	341	10000	13
9V0864RA/RJ	49502	Hope	436048	6212791	283	Grab	-	SD	2.32	66.1	0.41	0.53		66.1	0.14	145	23	<0.5	41	8.13	675	4	42	4066	10.4	1	0.07	<10	0.1	3315	<2	<0.01	<1	76	5324	>5.00	8	<1	251	<5	<0.01	<10	33	1	780	10000	1
9V0864RA/RJ	49503	Big Missouri	436233	6219282	1083	Grab	-	SD	1.64	82.6	0.03		0.30	82.6	0.11	1519	74	<0.5	15	0.04	62	1	85	314	8.49	18	0.16	<10	0.04	38	<2	0.01	<1	484	10000	1.54	96	<1	3	<5	<0.01	<10	16	4	45	2991	<1
9V0864RA/RJ	49504	Big Missouri	436254	6219275	1085	Grab	-	SD	4.52	22.4	0.00	0.03	0.02	22.4	0.11	622	59	<0.5	7	0.01	14	4	105	18	3.98	3	0.1	<10	0.02	20	<2	0.01	2	67	342	3.63	34	<1	1	<5	<0.01	<10	<10	1	<10	173	<1
9V0899RA/RJ	49505	Myrtle	435492	6215872	704	Grab	-	SD	30.48	3178.0	3.95	3.51	0.81	3178	0.2	14	32	<0.5	505	<0.01	459	21	137	10000	4.86	<1	0.08	<10	0.09	94	3	0.01	52	123	10000	>5.00	<5	1	33	<5	<0.01	<10	<10	3	235	8122	2
9V0954RA/RJ	49506	Unicorn	436504	6219790	1068	Grab	-	SD	1.31	130.6				131	0.08	554	19	<0.5	43	0.12	281	6	164	3590	9.9	10	0.09	<10	0.03	411	7	0.01	<1	73	10000	>5.00	210	<1	6	<5	<0.01	<10	21	3	<10	9631	2
9V0954RA/RJ	49507	Unicorn	436596	6219897	1073	Grab	-	SD	0.96	32.1				32.1	0.15	591	70	<0.5	17	0.02	9	4	103	33	4.06	9	0.14	<10	0.02	18	<2	0.01	1	166	1062	3.56	72	<1	3	<5	<0.01	<10	<10	8	<10	778	1
9V0954RA/RJ	49508	Unicorn	436596	6219897	1073	Grab	-	SD	19.41	22.5				22.5	0.24	56	61	<0.5	11	0.09	21	4	199	365	2.71	2	0.07	<10	0.18	733	4	0.01	2	153	1455	1.91	15	<1	6	<5	<0.01	<10	<10	11	<10	1810	1
9V1086RA/RJ	49509	Bruce's	434575	6221198	825	Grab	-	SD	0.04	7.8				7.8	4.35	576	418	0.6	21	3.72	10	21	96	184	5.04	1	1.17	<10	1.99	1887	<2	0.05	18	1413	509	1.39	18	10	145	<5	0.09	<10	15	151	<10	866	2
9V1092RA/RJ	49510	Bruce's	434780	6221186	947	Grab	-	SD	<0.01	1.5				1.5	2.31	130	84	<0.5	18	3.97	2	25	107	93	4.33	2	0.16	<10	1.9	2517	<2	0.01	20	1429	14	0.37	10	6	120	<5	0.01	<10	17	117	<10	103	1
9V1092RA/RJ	49511	Bruce's	434704	6221182	883	Grab	-	SD	0.02	0.4				0.4	1.03	51	84	<0.5	9	1.89	9	7	59	20	2.06	1	0.17	<10	0.77	1046	<2	0.01	16	744	56	0.6	6	1	44	<5	0.01	<10	<10	22	<10	615	1
9V0667RA/RJ	130702	Hope	436043	6212791	303	chip	1	RK	0.23	10.2	0.02	0.06	0.23	10.1	0.47	69	39	<0.5	7	1.81	25	16	32	157	6.98	1	0.39	<10	0.07	1229	<2	0.01	2	1399	572	>5.00	5	1	75	<5	0.02	<10	13	10	33	2202	4
9V0667RA/RJ	130703	Hope	436043	6212791	303	chip	1	RK	1.73	21.3	0.04	0.16	1.05	22.6	0.49	136	44	<0.5	17	2.48	137	14	68	448	9.23	2	0.3	<10	0.08	1397	<2	0.01	1	1298	1873	>5.00	9	1	96	<5	0.02	<10	22	10	179	10000	6
9V0667RA/RJ	130704	Hope	436043	6212791	303	chip	1	RK	1.18	13.3	0.06	0.04	1.25	13.4	0.47	88	54	<0.5	9	3.83	153	6	64	581	7.79	2	0.3	<10	0.15	2326	2	0.01	1	712	454	>5.00	<5	1	188	<5	0.01	<10	20	7	180	10000	4
9V0667RA/RJ	130705	Hope	436043	6212791	303	chip	1	RK	11.12	46.1	0.11	0.10	2.36	32.3	0.44	209	52	<0.5	22	3.3	295	8	79	1283	13.7	2	0.21	<10	0.16	2373	3	0.01	<1	545	1012	>5.00	<5	<1	154	<5	0.01	<10	41	7	346	10000	7
9V0667RA/RJ	130706	Hope	436043	6212791	303	chip	1	RK	3.20	86.2	0.20	0.38	1.88	89.8	0.49	128	31	<0.5	22	1.21	235	6	90	2076	10.9	1	0.19	<10	0.19	1165	<2	0.01	2	625	3860	>5.00	17	<1	58	<5	0.01	<10	28	7	296	10000	6
9V0667RA/RJ	130707	Hope	436043	6212791	303	chip	1	RK	1.54	134.1	0.74	1.38	5.60	147	0.21	107	34	<0.5	51	2.31	652	5	110	7554	10.3	1	0.11	<10	0.06	1622	7	0.01	1	680	10000	>5.00	32	<1	102	<5	<0.01	<10	27	3	777	10000	5
9V0667RA/RJ	130708	Hope	436043	6212791	303	chip	1	RK	4.69	139.1	2.64	0.86	25.30	150	0.21	94	35	<0.5	115	1.63	>2000	5	45	10000	12.8	3	0.09	<10	0.06	1901	4	<0.01	<1	1634	8852	>5.00	<5	<1	49	<5	<0.01	<10	37	3	3806	10000	7
9V0667RA/RJ	130709	Hope	436043	6212791	303	chip	1	RK	3.85	260.0	1.00	1.10	10.50	>200.0	0.44	102	31	<0.5	92	1.64	1293	5	85	10000	9.67	5	0.18	<10	0.13	1504	4	<0.01	1	944	10000	>5.00	48	<1	59	<5	0.01	<10	26	5	1443	10000	5
9V0667RA/RJ	130710	Hope	436043	6212791	303	chip	1	RK	2.70	97.0	0.27	0.27	1.96	97.2	0.35	130	43	<0.5	22	4.46	222	8	60	2652	7.6	2	0.27	<10	0.07	2492	<2	0.01	1	733	2669	>5.00	11	<1	188	<5	0.01	<10	23	5	278	10000	4
9V0667RA/RJ	130711	Crusher	436741	6213698	438	chip	1	RK	1.27	69.5	0.01	1.96	0.20	68.5	0.9	1423	83	<0.5	<5	0.87	26	7	75	131	4.67	<1	0.29	<10	0.24	2257	3	0.01	1	641	10000	3.74	20	1	32	<5	<0.01	<10	14	7	27	1974	3
9V0667RA/RJ	130712	Crusher	436741	6213698	438	chip	1	RK	2.63	74.0	0.13	0.61	1.92	75.6	0.57	2444	30	<0.5	12	1.37	256	9	112	1270	10.4	<1	0.24	<10	0.15	2232	4	0.01	2	596	6372	>5.00	10	<1	49	<5	<0.01	<10	30	5	274	10000	5
9V0667RA/RJ	130713	Crusher	436741	6213698	438	chip	1	RK	3.78	124.6	0.13	3.47	3.39	130	0.6	3320	20	<0.5	11	0.2	504	14	101	1309	8.81	1	0.22	<10	0.16	818	<2	0.01	4	615	10000	>5.00	32	<1	7	<5	<0.01	<10	22	5	511	10000	5
9V0667RA/RJ	130715	Woodbine	435644	6213031	364	chip	1	RK	0.33	9.6	0.03	0.02	0.59	10.1	0.82	96	82	<0.5	<5	4.24	59	7	126	269	5.31	1	0.19	<10	0.38	2727	6	0.01	2	325	262	4.84	6	<1	135	<5	<0.01	<10	16	7	81	5220	3
9V0667RA/RJ	130716	Woodbine	435644	6213031	364	chip	1	RK	0.29	20.1	0.07	0.03	1.48	21.8	0.62	50	56	<0.5	<5	2.64	166	3	113	747	3.36	<1	0.09	<10	0.28	2158	<2	<0.01	3	221	345	2.96	8	<1	75	<5	<0.01	<10	13	6	206	10000	2
9V0667RA/RJ	130717	Woodbine	435644	6213031	364	chip	1	RK	1.62	41.0	0.27	0.04	4.03	42.7	0.94	127	56	<0.5	12	8.24	445	7	67	2759	7.8	1	0.1	<10	0.44	4664	2	0.01	<1	396	424	>5.00	<5	<1	246	<5	<0.01	<10	29	9	534	10000	4
9V0667RA/RJ	130718	Woodbine	435644	6213031	364	chip	1	RK	0.69	42.2	0.25	0.06	2.32	40.5	0.75	89	60	<0.5	10	3.17	278	7	93	2358	5.74	<1	0.16	<10	0.35	2433	<2	0.01	2	393	600	>5.00	8	<1	82	<5	<0.01	<10	15	8	312	10000	3
9V0801RA/RJ	130720	Woodbine	435602	6212968	330	chip	1	PB/RK	0.20	4.9				4.9	0.48	82	329	<0.5	5	0.05	3	3	18	20	4.01	<1	0.45	<10	0.08	139	3	0.01	<1	987	152	1.33	<5	1	9	<5	0.01	<10	<10	10	<10	281	2
9V0801RA/RJ	130721	Woodbine	435602	6212968	330	chip	1	PB/RK	0.06	3.3				3.3	0.39	81	367	<0.5	5	0.05	1	3	20	25	4.77	<1	0.38	<10	0.08	108	3	0.01	<1	1182	93	1.16	<5	1	11	<5	0.02	<10	<10	9	<10	133	3
9V0801RA/RJ	130722	Woodbine	435602	6212968	330	chip	1	PB/RK	0.06	3.5				3.5	0.55	76	311	<0.5	<5	0.43	3	4	26	25	4.92	<1	0.45	<10	0.12	439	4	0.01	<1	1235	142	1.51	<5	1	21	<5	0.02	<10	<10	11	<10	220	3
9V0801RA/RJ	130723	Woodbine	435602	6212968	330	chip	1	PB/RK	0.07	4.4				4.4	0.44	84	291	<0.5	<5	0.32	5	5	23	16	4.01	<1	0.41	<10	0.07	326	2	0.01	<1	1132	227	1.62	<5	1	18	<5	0.02	<10	<10	7	<10	194	3
9V0801RA/RJ	130724	Woodbine	435602	6212968	330	chip	1	PB/RK	0.06	2.5			0.26	2.5	0.76	49	143	<0.5	<5	1.56	36	12	19	36	4.31	<1	0.46	<10	0.26	1608	5	0.01	1	1278	101	3.62	<5	2	52	<5	0.03	<10	<10	13	38	2632	3
9V0801RA/RJ	130725	Hope	436096	6212771	311	chip	1	PB/RK	0.23	25.7	0.00	0.84	1.21	25.7	0.24	84	56	<0.5	7	0.52	136	3	114	70	6.95	2	0.12	<10	0.12	524	<2	0.01	3	620	8416	>5.00	20	1	28	<5	<0.01	<10	12	12	203	10000	3
9V0801RA/RJ	130726	Hope	436096	6212771	311	chip	1	PB/RK	33.09	151.0	0.01	2.19	2.05	152	0.09	74	24	<0.5	8	0.22	249	2	160	108	6.03	3	0.03	<10	0.07	564	<2	0.01	4	180	10000	>5.00	34	<1	22	<5	<0.01	<10	10	4	324	10000	2
9V0801RA/RJ	130727	Hope	436096	6212771	311	chip	1	PB/RK	5.20	110.0	0.04	2.81	2.11	110	0.07	114	18	<0.5	13	0.02	215	3	154	381	9.51	4	0.05	<10	0.03	61	2	0.01	2	321	10000	>5.00	116	<1	20	<5	<0.01	<10	19	2	331	10000	4
9V0801RA/RJ	130728	Hope	436096	6212771	311	chip	1	PB/RK	3.22	63.3	0.03	1.18	1.77	63.3	0.12	98	25	<0.5	11	0.49	172	5	92	329	9.56	2	0.07	<10	0.04	452	<2	0.01	2	460	10000	>5.00	57	<1	22	<5	<0.01	<10	18	3	296	10000	4
9V0801RA/RJ	130729	Hope	436096	6212771	311	chip	1	PB/RK	0.52	92.6	0.15	2.88	4.13	92.6	0.09	219	19	<0.5	19	0.63	447	3	146	1480	13.6	3	0.05	<10	0.04	588	4	0.01	1	426	10000	>5.00	74	<1	27	<5	<0.01	<10	27	2	675	10000	5
9V0801RA/RJ	130730	Hope	436096	6212771	311	chip	1	PB/RK	0.43	99.9	0.07	0.88	1.30	99.9	0.09	129	36	<0.5	9	1.3	123	6	87	668	7.09	2	0.08	<10	0.02	722	3	0.01	3	398	8788	>5.00	117	<1	49	<5	<0.01	<10	14	2	209	10000	3
9V0801RA/RJ	130731	Hope	436096	6212771	311	chip	1	PB/RK	0.19	118.0				119	0.42	43	149	<0.5	<5	0.6	9	10	107	73	2.74	<1	0.26	<10	0.15	823	4	0.01	2	752	1897	1.97	39	1	46	<5	0.01	<10	<10	9	14	993	1
9V0801RA/RJ	130732	Hope	436096	6212771	311	chip	1	PB/RK	0.45	87.3				87.3	1.12	26	164	<0.5	<5	3.14	10	17	33	74	3.89	1	0.49	<10	0.46	3013	<2	0.01	1	1365	611	2.93	8	2	145	<5	0.03	<10	<10	22	14	942	2
9V0801RA/RJ	130733	Hope	436096	6212771	311	chip	1	PB/RK	0.09	8.8				8.8	1.26	55	209	<0.5	<5	2.63	3	20	37	37	4.54	<1	0.46	<10	0.57	4047	<2	0.01	<1	1544	157	2.51	<5	2	114	<5	0.03	<10	<10	23	<10	281	3
9V0801RA/RJ	130734	Hope	436096	6212771	311	chip	1	PB/RK	0.21	34.7				34.7	0.92	46	166	<0.5	<5	1.74	16	16	33	57	4.62	1	0.43	<10	0.34	2160	<2	0.01	1	1323	1761	2.43	6	2	42	<5	0.02	<10	<10	19	22	1528	3
9V0801RA/RJ	130735	Hope	436096	6212771	311	chip	1	PB/RK	0.44	61.6	0.01	1.85	0.97	61.6	0.29	104	50	<0.5	9	2.22	113	8	174	96	9.24	3	0.2	<10	0.06	1854	6	0.01	2	571	10000	>5.00	32	1	73	<5	<0.01	<10	19	7	173	10000	4
9V0801RA/RJ	130736	Hope	436096	6212771	311	chip	1	PB/RK	0.67	6.6				6.6	0.22	85	51	<0.5	9	2.56	16	7	111	27	8.42	<1	0.17	<10	0.07	1381	<2	0.02	3	499	1022	>5.00	6	1	110	<5	<0.01	<10	17	4	22	1457	4
9V0801RA/RJ	130737	Hope	436096	6212771	311	chip	1	PB/RK	0.97	6.2				6.2	0.27	98	48	<0.5	10	0.43	21	7	212	25	9.45	<1	0.13	<10	0.13	1261	4	0.01	3	500	1277	>5.00	7	1	15	<5	<0.01	<10	19	8	31	2022	4
9V0801RA/RJ	130738	Hope	436096	6212771	311	chip	1	PB/RK	0.53	7.0				7	0.25	106	47	<0.5	10	0.04	11	6	138	20	9.26	1	0.15	<10	0.07	443	<2	0.01	3	535	749	>5.00	8	1	4	<5	<0.01	<10	17	5	19	1227	4
9V0801RA/RJ	130739	Hope	436096	6212771	311	chip	1	PB/RK	0.11	5.2				5.2	0.36	111	233	<0.5	12	0.01	6	4	106	21	11	<1	0.2	<10	0.03	89	6	0.01	1	1052	618	1.29	6	1	15	<5	0.01	<10	18	11	11	640	9
9V0801RA/RJ	130740	Hope	436096	6212771	311	chip	1	PB/RK	0.11	2.8				2.8	0.18	69	171	<0.5	6	<0.01	3	3	152	2	5.09	<1	0.23	<10	0.02	101	<2	0.01	4	273	336	2.13	<5	<1	7	<5	0.01	<10	<10	5	<10	261	2
9V0801RA/RJ	130741	Hope	436096	6212771	311	chip	1	PB/RK	0.17	3.5				3.5	0.12	53	99	<0.5	6	0.01	4	4	219	6	6.24	1	0.12	<10	0.02	137	6	0.01	4	383	554	3.1	6	<1	8	<5	<0.01	<10	<10	3	<10	486	2
9V0801RA/RJ	130742	Hope	436096	6212771	311	chip	1	PB/RK	0.19	1.6				1.6	0.15	33	228	<0.5	<5	<0.01	3	3	177	5	4.11	1	0.13	<10	0.03	197	<2	0.01	5	244	305	1.57	5	<1	3	<5	<0.01	<10	<10	4	<10	277	2
9V0801RA/RJ	130743	Hope	436096	6212771	311	chip	1	PB/RK	1.69	3.5				3.5	0.2	97	113	<0.5	7	0.06	1	5	183	6	7.3	<1	0.2	<10	0.04	230	4	0.01	3	420	296	2.85	6	<1	9	<5	<0.01	<10	11	7	<10	155	3
9V0801RA/RJ	130744	Hope	436096	6212771	311	chip	1	PB/RK	2.71	6.7				6.7	0.24	165	84	<0.5	7	0.01	6	4	185	15	8.07	1	0.27	<10	0.04	88	3	0.01	3	410	539	4.07	9	<1	8	<5	<0.01	<10	14	6	10	587	4
9V0801RA/RJ	130745	Hope	436096	6212771	311	chip	1	PB/RK	1.68	8.1				8.1	0.14	147	308	<0.5	5	<0.01	3	1	181	15	5.49	1	0.25	<10	0.02	62	<2	0.01	4	309	1679	1.13	11	<1	8	<5	<0.01	<10	<10	5	<10	277	2
9V0865RA/RJ	130746	Indian	435754	6214705	468	Grab	-	RK	1.92	31.0				31	0.28	645	19	<0.5	7	<0.01	206	18	96	139	10	6	0.22	<10	0.02	14	<2	0.01	1	196	10000	>5.00	6	<1	10	<5	<0.01	<10	19	2	129	6788	4
9V0865RA/RJ	130747	Indian	435653	6215053	685	Grab	-	RK	79.80					>200.0	0.28	952	13	<0.5	15	0.01	1039	26	127	2184	13.9	2	0.13	<10	0.11	115	<2	0.01	3	216	10000	>5.00	13	<1	2	<5	<0.01	<10	30	4	455	10000	5
9V0865RA/RJ	130748	Dago Pit	436996	6219100	910	Grab	-	RK	0.02	1.8				1.8	0.03	120	13	<0.5	<5	0.02	3	2	246	3	1.92	<1	0.02	<10	<0.01	33	6	0.01	6	63	187	1.4	7	<1	2	<5	<0.01	<10	<10	<1	<10	177	1
9V0865RA/RJ	130749	Dago Pit	437049	6219112	921	Chip	1	TK	4.37					>200.0	0.07	1844	19	<0.5	9	1.06	278	4	143	364	11.2	37	0.06	<10	0.02	263	<2	0.01	2	220	10000	>5.00	29	<1	20	<5	<0.01	<10	24	4	275	8462	4
9V0865RA/RJ	130750	Dago Pit	437049	6219112	921	Chip	1	CB	0.25	74.7				74.7	0.13	401	33	<0.5	<5	0.54	8	4	205	9	5.75	2	0.1	<10	0.02	185	2	<0.01	4	142	665	4.62	25	<1	25	<5	<0.01	<10	10	5	<10	314	2
9V0865RA/RJ	130751	Dago Pit	436971	6219053	911	Chip	1	RK	1.85	19.5				19.5	0.43	233	79	<0.5	<5	0.44	12	10	58	33	3.79	3	0.33	<10	0.05	199	<2	0.01	3	963	467	2.96	24	1	34	<5	<0.01	14	<10	8	<10	1037	2
9V0865RA/RJ	130752	Dago Pit	436971	6219053	911	Chip	1	RK	0.09	5.4				5.4	0.54	96	150	<0.5	<5	1.83	5	9	88	30	2.87	<1	0.41	<10	0.14	861	<2	0.01	2	991	182	2.17	5	2	62	<5	<0.01	<10	<10	12	<10	346	2
9V0865RA/RJ	130753	Dago Pit	436971	6219053	911	Chip	1	RK	0.11	7.4				7.4	0.4	136	101	<0.5	<5	0.58	5	9	76	24	3	1	0.32	<10	0.11	460	<2	0.01	3	878	223	2.27	10	2	40	<5	<0.01	<10	<10	8	<10	351	1
9V0865RA/RJ	130754	Dago Pit	437022	6219132	934	Chip	1	RK	0.05	6.1				6.1	0.11	472	54	<0.5	<5	6.99	6	4	147	<1	4.97	<1	0.1	<10	0.04	2548	5	0.01	4	210	43	3.67	13	1	112	<5	<0.01	<10	20	1	<10	54	2
9V0865RA/RJ	130755	Dago Pit	437022	6219132	934	Chip	1	RK	0.07	6.9				6.9	0.09	341	44	<0.5	<5	0.75	5	5	150	1	5.19	<1	0.07	<10	0.13	773	5	0.01	5	187	96	2.83	10	1	58	<5	<0.01	<10	11	2	<10	125	2
9V0865RA/RJ	130756	Dago Pit	437022	6219132	934	Chip	1	RK	0.08	9.8				9.8	0.41	221	92	<0.5	<5	0.83	6	7	117	11	4.11	1	0.27	<10	0.17	909	4	0.01	4	686	168	1.79	7	2	56	<5	<0.01	<10	<10	8	<10	398	2
9V0865RA/RJ	130757	Dago Pit	437042	6219176	-	Grab	-	RK	2.45					>200.0	0.13	395	118	<0.5	<5	0.01	11	2	205	38	2.83	5	0.13	<10	0.01	32	<2	0.01	5	122	811	1.86	22	<1	3	<5	<0.01	<10	<10	14	<10	837	1
9V0865RA/RJ	130758	S1 Pit	436523	6219457	985	Chip	1	RK	1.31	8.8				8.8	1.33	105	40	<0.5	6	2.53	7	11	53	24	8.13	<1	0.32	<10	0.73	2923	6	0.01	<1	1105	257	>5.00	5	2	88	<5	<0.01	<10	26	34	<10	679	4
9V0865RA/RJ	130759	S1 Pit	436523	6219457	985	Chip	1	RK	0.72	6.7				6.7	1.39	71	54	<0.5	6	1.8	8	13	45	63	7.64	<1	0.27	<10	0.81	2538	<2	0.01	<1	1084	397	4.49	<5	3	71	<5	<0.01	<10	24	38	<10	852	3
9V0865RA/RJ	130760	S1 Pit	436523	6219457	985	Chip	1	RK	0.51	4.4				4.4	1.5	65	77	<0.5	<5	2.7	10	12	48	37	5.95	<1	0.29	<10	0.94	3196	<2	0.01	1	1135	388	3.02	<5	3	90	<5	<0.01	<10	23	38	<10	961	3
9V0865RA/RJ	130761	S1 Pit	436523	6219457	985	Chip	1	RK	3.65	22.5				22.5	0.64	373	26	<0.5	23	1.99	46	11	73	438	12.5	3	0.28	<10	0.24	1422	<2	0.01	<1	651	791	>5.00	27	1	34	<5	<0.01	<10	29	25	18	2272	5
9V0865RA/RJ	130762	S1 Pit	436523	6219457	985	Chip	1	RK	0.22	64.6				64.6	0.31	1163	26	<0.5	6	0.16	40	7	102	33	9.67	26	0.19	<10	0.08	115	3	0.01	1	333	2021	>5.00	134	<1	5	<5	<0.01	16	19	17	17	2314	4
9V0865RA/RJ	130763	S1 Pit	436523	6219457	985	Chip	1	RK	2.19	14.8				14.8	0.51	145	29	<0.5	26	2.46	31	12	74	524	11.6	1	0.17	<10	0.29	2392	<2	0.01	<1	544	1477	>5.00	7	1	94	<5	<0.01	<10	34	14	21	2622	4
9V0865RA/RJ	130764	S1 Pit	436523	6219457	985	Chip	1	RK	2.85	8.1				8.1	0.9	101	34	<0.5	20	1.19	4	13	65	156	11.1	<1	0.27	<10	0.42	2093	4	0.01	<1	868	1501	>5.00	5	2	46	<5	<0.01	<10	29	21	<10	280	4
9V0865RA/RJ	130765	S1 Pit	436523	6219457	985	Chip	1	RK	2.68	7.1				7.1	0.65	67	53	<0.5	6	1.81	9	13	89	106	6.32	<1	0.17	<10	0.36	2186	<2	0.01	2	620	447	4.44	<5	1	72	<5	<0.01	<10	20	23	<10	801	3
9V0865RA/RJ	130766	S1 Pit	436523	6219457	985	Chip	1	RK	3.93	28.7				28.7	0.44	39	59	<0.5	11	2.48	20	9	115	1156	6.05	1	0.15	<10	0.24	2607	3	0.01	1	382	2455	4.55	13	1	110	<5	<0.01	<10	23	14	14	1840	2
9V0865RA/RJ	130767	S1 Pit	436523	6219457	985	Chip	1	RK	6.98	15.1				15.1	0.59	70	34	<0.5	17	2.06	16	13	88	403	9.28	1	0.13	<10	0.35	2147	<2	0.01	1	446	1503	>5.00	5	1	79	<5	<0.01	<10	28	14	11	1404	3
9V0865RA/RJ	130768	S1 Pit	436523	6219457	985	Chip	1	RK	0.67	5.2				5.2	0.97	36	109	<0.5	<5	5.39	27	7	48	221	4.13	1	0.25	<10	0.49	3475	<2	0.01	1	819	836	2.55	<5	2	188	<5	<0.01	<10	24	23	16	2002	2
9V0865RA/RJ																																															
9V0865RA/RJ	130769	S1 Pit	436506	6219451	979	Chip	1	RK	1.96	4.8				4.8	0.65	124	88	<0.5	<5	1.64	16	11	37	43	4.85	<1	0.36	<10	0.52	2367	3	0.01	1	1136	1093	2.98	5	2	95	<5	<0.01	<10	19	16	11	1416	2
9V0865RA/RJ	130770	S1 Pit	436506	6219451	979	Chip	1	RK	2.01	2.6				2.6	0.85	85	88	<0.5	<5	2.02	3	10	53	17	5.64	<1	0.26	<10	0.76	2865	<2	0.01	1	970	275	3.31	<5	2	88	<5	<0.01	<10	24	21	<10	352	3
9V0865RA/RJ	130771	S1 Pit	436506	6219451	979	Chip	1	RK	0.81	3.0				3	1.08	95	100	<0.5	<5	1.42	6	10	35	42	4.84	<1	0.33	<10	0.57	1992	<2	0.01	1	1141	328	2.91	5	2	57	<5	<0.01	<10	16	21	<10	565	2
9V0865RA/RJ	130772	S1 Pit	436557	6219470	982	Chip	1	RK	3.03	65.2				65.2	0.59	92	23	<0.5	89	1.52	693	5	64	4483	10.3	6	0.18	<10	0.27	1649	<2	0.01	<1	474	10000	>5.00	<5	1	38	<5	<0.01	<10	30	13	473	10000	4

Certificate Number	Sample Number	Area	Easting NAD83	Northing NAD83	Elev. (m)	Sample Type	Width (m)	Sampler	Au g/t	Ag g/t	Cu %	Pb %	Zn %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0865RA/RJ	130773	S1 Pit	436456	6219361	1016	Chip	1	RK	0.02	1.4				1.4	0.53	142	51	<0.5	<5	0.42	3	11	22	18	5.41	<1	0.44	<10	0.09	109	<2	0.01	1	925	92	4.33	8	1	13	<5	<0.01	<10	<10	12	<10	155	2
9V0865RA/RJ	130774	S1 Pit	436540	6219448	964	Chip	1	RK	0.53	5.7				5.7	0.26	175	81	<0.5	<5	1.39	88	8	121	128	2.65	1	0.16	<10	0.13	1555	2	0.01	3	290	1003	2.24	<5	1	71	<5	<0.01	<10	10	7	62	4874	1
9V0865RA/RJ	130775	S1 Pit	436540	6219448	964	Chip	1	RK	0.81	6.2				6.2	0.28	209	87	<0.5	<5	1.25	29	9	88	86	2.92	1	0.16	<10	0.12	950	5	0.01	2	498	1058	2.33	<5	1	44	<5	<0.01	<10	<10	8	20	2534	1
9V0865RA/RJ	130776	S1 Pit	436540	6219448	964	Chip	1	RK	0.24	5.1				5.1	0.76	182	72	<0.5	<5	5.63	83	11	72	65	4.26	3	0.21	<10	0.42	3246	<2	0.01	1	729	1062	3.35	<5	2	212	<5	<0.01	<10	22	17	54	4590	2
9V0865RA/RJ	130777	S1 Pit	436540	6219448	964	Chip	1	RK	0.56	8.3				8.3	0.6	136	107	<0.5	<5	2.31	77	9	76	274	2.93	2	0.17	<10	0.35	1997	3	0.01	1	516	2401	2.33	<5	1	70	<5	<0.01	<10	14	18	53	4451	1
9V0865RA/RJ	130778	S1 Pit	436540	6219448	964	Chip	1	RK	0.34	5.1				5.1	0.79	168	92	<0.5	<5	2.74	79	10	66	86	3.52	1	0.24	<10	0.44	2361	<2	0.01	2	727	618	2.57	<5	2	101	<5	<0.01	<10	17	18	52	4484	2
9V0865RA/RJ	130779	S1 Pit	436540	6219448	964	Chip	1	RK	2.34	7.7				7.7	0.85	172	64	<0.5	<5	3.73	22	11	66	301	5.28	<1	0.24	<10	0.48	2991	<2	0.01	1	742	491	3.69	7	2	125	<5	<0.01	<10	25	18	14	1922	2
9V0865RA/RJ	130780	S1 Pit	436540	6219448	964	Chip	1	RK	1.41	8.0				8	0.24	76	99	<0.5	<5	1.77	49	7	105	117	2.46	1	0.14	<10	0.1	1079	3	0.01	3	373	1160	2.15	<5	1	59	<5	<0.01	<10	<10	7	36	3540	1
9V0865RA/RJ	130781	S1 Pit	436540	6219448	964	Chip	1	RK	1.90	7.6				7.6	0.32	180	51	<0.5	5	0.65	8	14	73	211	5.14	<1	0.25	<10	0.09	656	5	0.01	2	800	1348	3.97	<5	1	26	<5	<0.01	<10	<10	9	<10	661	2
9V0865RA/RJ	130782	S1 Pit	436540	6219448	964	Chip	1	RK	0.96	4.0				4	0.39	67	84	<0.5	<5	2.25	35	10	97	80	3.21	<1	0.23	<10	0.2	1545	<2	0.01	3	648	768	2.51	<5	2	89	<5	<0.01	<10	12	10	24	2832	1
9V0865RA/RJ	130783	S1 Pit	436540	6219448	964	Chip	1	RK	2.18	7.7				7.7	0.41	53	95	<0.5	<5	1.09	32	8	112	67	3.02	<1	0.15	<10	0.33	1401	2	0.01	2	422	3251	2.1	<5	1	46	<5	<0.01	<10	10	12	21	2562	1
9V0865RA/RJ	130784	S1 Pit	436540	6219448	964	Chip	1	RK	1.65	2.9				2.9	0.6	41	102	<0.5	<5	2.33	15	9	68	51	3.25	<1	0.33	<10	0.46	2496	<2	0.01	2	858	348	1.74	<5	2	106	<5	<0.01	<10	17	15	10	1431	2
9V0865RA/RJ	130785	S1 Pit	436540	6219448	964	Chip	1	RK	0.87	3.9				3.9	0.74	101	90	<0.5	<5	1.72	25	15	52	59	4.47	<1	0.33	<10	0.33	1706	<2	0.01	2	1055	836	3.13	<5	2	50	<5	<0.01	<10	14	17	17	2159	2
9V0865RA/RJ	130786	S1 Pit	436540	6219448	964	Chip	1	RK	2.23	20.4				20.4	0.47	182	33	<0.5	10	1.48	307	13	83	1372	6.71	14	0.15	<10	0.31	1619	<2	0.01	1	520	195	>5.00	7	1	48	<5	<0.01	<10	21	13	192	6781	3
9V0865RA/RJ	130787	S1 Pit	436540	6219448	964	Chip	1	RK	0.91	4.1				4.1	0.24	108	119	<0.5	<5	5.14	20	6	68	81	2.25	<1	0.17	<10	0.1	2328	2	0.01	1	331	380	1.83	<5	1	111	<5	<0.01	<10	13	6	11	1759	1
9V0865RA/RJ	130788	S1 Pit	436540	6219448	964	Chip	1	RK	0.36	4.5				4.5	0.47	208	55	<0.5	<5	1.4	14	11	64	107	4.01	<1	0.25	<10	0.21	1283	<2	0.01	2	678	198	3.04	<5	2	50	<5	<0.01	<10	<10	13	<10	1105	2
9V0865RA/RJ	130789	S1 Pit	436540	6219448	964	Chip	1	RK	0.47	6.8				6.8	0.39	114	58	<0.5	<5	0.78	87	8	72	364	3.31	2	0.18	<10	0.2	1036	<2	0.01	2	512	219	2.73	<5	1	31	<5	<0.01	<10	<10	10	48	5158	2
9V0865RA/RJ	130790	S1 Pit	436540	6219448	964	Chip	1	RK	7.03	29.7				29.7	0.42	194	27	<0.5	13	0.59	100	13	79	2042	7.31	3	0.14	<10	0.23	900	<2	0.01	1	515	277	>5.00	12	1	18	<5	<0.01	<10	19	13	60	4830	3
9V0865RA/RJ	130791	S1 Pit	436540	6219448	964	Chip	1	RK	12.84	125.0				126	0.4	263	22	<0.5	36	1.26	334	17	68	8253	11.3	5	0.14	<10	0.24	1673	<2	0.01	1	897	534	>5.00	18	1	41	<5	<0.01	<10	33	10	197	7294	4
9V0865RA/RJ	130792	S1 Pit	436540	6219448	964	Chip	1	RK	7.67	54.6				54.6	0.59	190	27	<0.5	16	0.84	117	15	77	2955	8.11	2	0.17	<10	0.36	1432	<2	0.01	1	699	328	>5.00	12	1	30	<5	<0.01	<10	23	16	71	5181	3
9V0865RA/RJ	130793	S1 Pit	436540	6219448	964	Chip	1	RK	7.92	110.0				111	0.68	289	29	<0.5	21	0.9	109	17	69	4257	10.6	2	0.19	<10	0.41	1508	<2	0.01	2	920	617	>5.00	20	2	30	<5	<0.01	<10	28	20	71	5376	5
9V0865RA/RJ	130794	S1 Pit	436540	6219448	964	Chip	1	RK	10.01	94.5				94.5	0.44	157	22	<0.5	41	0.38	606	20	81	9217	11.9	14	0.16	<10	0.25	833	<2	0.01	<1	668	2281	>5.00	11	1	11	<5	<0.01	<10	30	11	386	9974	5
9V0865RA/RJ	130795	S1 Pit	436540	6219448	964	Chip	1	RK	8.90	60.5				60.5	0.54	189	32	<0.5	24	0.61	531	17	66	4822	10.2	24	0.14	<10	0.37	1588	<2	0.01	1	452	486	>5.00	6	1	22	<5	<0.01	<10	29	13	310	9185	4
9V0865RA/RJ	130796	S1 Pit	436540	6219448	964	Chip	1	RK	4.24	15.1				15.1	0.48	125	42	<0.5	6	1.6	77	13	69	686	5.44	4	0.17	<10	0.36	1914	<2	0.01	1	643	2216	4.12	6	1	50	<5	<0.01	<10	19	14	51	4538	2
9V0865RA/RJ	130797	S1 Pit	436540	6219448	964	Chip	1	RK	0.72	5.7				5.7	0.27	143	56	<0.5	<5	2.24	15	12	66	190	4.59	<1	0.2	<10	0.29	2605	<2	0.01	2	838	168	3.45	6	2	137	<5	<0.01	<10	19	5	<10	1336	2
9V0865RA/RJ	130798	S1 Pit	436540	6219448	964	Chip	1	RK	6.82	21.6				21.6	0.6	239	30	<0.5	11	1.27	56	18	64	920	8.09	2	0.17	<10	0.5	2164	<2	0.01	1	734	1485	>5.00	6	2	50	<5	<0.01	<10	26	15	37	3898	3
9V0865RA/RJ	130799	S1 Pit	436572	6219446	961	Chip	1	RK	0.39	6.9				6.9	0.32	359	63	<0.5	<5	5.06	35	13	64	55	4.05	<1	0.21	<10	0.1	2650	2	0.01	2	883	1959	3.66	8	1	117	<5	<0.01	<10	20	8	19	2515	2
9V0865RA/RJ	130800	S1 Pit	436572	6219446	961	Chip	1	RK	0.51	4.4				4.4	0.58	383	60	<0.5	<5	2.33	18	14	60	87	5.12	<1	0.27	<10	0.22	1573	<2	0.01	2	1064	563	3.55	9	2	58	<5	<0.01	<10	15	13	10	1321	2
9V0865RA/RJ	130801	S1 Pit	436572	6219446	961	Chip	1	RK	0.39	3.8				3.8	0.33	159	102	<0.5	<5	6.45	14	11	59	42	4.11	<1	0.22	<10	0.25	3177	3	0.01	2	810	678	3.39	5	2	186	<5	<0.01	<10	21	7	<10	1142	2
9V0865RA/RJ	130802	S1 Pit	436572	6219446	961	Chip	1	RK	0.36	5.0				5	0.52	347	61	<0.5	<5	3.18	14	15	48	44	4.9	<1	0.3	<10	0.16	2040	3	0.01	2	1074	561	3.82	8	2	90	<5	<0.01	<10	17	12	<10	1003	2
9V0865RA/RJ	130803	S1 Pit	436572	6219446	961	Chip	1	RK	0.34	5.2				5.2	0.79	249	71	<0.5	<5	5.27	18	13	49	64	4.09	<1	0.24	<10	0.33	3083	4	0.01	1	874	715	2.71	6	2	121	<5	<0.01	<10	20	16	10	1445	2
9V0865RA/RJ	130804	S1 Pit	436572	6219446	961	Chip	1	RK	0.42	6.1				6.1	0.94	221	112	<0.5	<5	3.61	43	14	48	109	4.16	1	0.32	<10	0.36	2522	3	0.01	2	1018	853	2.6	9	2	84	<5	<0.01	<10	17	18	27	3264	2
9V0865RA/RJ	130805	S1 Pit	436572	6219446	961	Chip	1	RK	0.23	6.6				6.6	0.48	187	96	<0.5	<5	2.21	29	11	59	58	3.28	1	0.23	<10	0.2	1476	4	0.01	2	791	1914	2.43	7	1	55	<5	<0.01	<10	11	11	17	2288	1
9V0865RA/RJ	130806	S1 Pit	436572	6219446	961	Chip	1	RK	0.73	4.3				4.3	0.61	163	84	<0.5	<5	1.93	25	12	53	43	3.82	1	0.26	<10	0.28	1587	<2	0.01	2	886	540	2.24	7	2	57	<5	<0.01	<10	12	12	16	2225	2
9V0865RA/RJ	130807	S1 Pit	436572	6219446	961	Chip	1	RK	0.73	7.8				7.8	0.34	212	51	<0.5	<5	3.46	45	11	62	72	4.51	2	0.2	<10	0.27	2328	2	0.01	2	674	833	3.47	12	1	89	<5	<0.01	<10	19	7	28	3277	2
9V0865RA/RJ	130808	S1 Pit	436572	6219446	961	Chip	1	RK	0.72	3.5				3.5	0.48	158	49	<0.5	<5	1.27	7	13	57	17	5.05	1	0.25	<10	0.39	1654	<2	0.01	2	846	126	3.35	13	2	61	<5	<0.01	<10	14	12	<10	544	2
9V0865RA/RJ	130809	Indian	437439	6218476	1000	Grab	-	RK	1.13	130.0				130	0.03	27	12	<0.5	16	0.01	493	29	103	2066	14.6	4	0.02	<10	0.01	16	<2	0.01	7	234	10000	>5.00	35	<1	1	<5	<0.01	<10	36	1	205	7299	5
9V0865RA/RJ	130810	Indian	437439	6218476	1000	Grab	-	RK	0.60	67.5				67.5	0.03	16	18	<0.5	7	<0.01	244	17	126	211	9.63	3	0.03	<10	0.01	20	<2	0.01	7	177	10000	>5.00	7	<1	2	<5	<0.01	<10	21	<1	104	6039	3
9V0865RA/RJ	130811	Indian	435654	6215091	676	Grab	-	PB	96.04					>200.0	0.26	1312	15	<0.5	16	0.01	1025	29	93	2310	>15.00	2	0.08	<10	0.12	126	<2	0.01	1	266	10000	>5.00	16	<1	2	<5	<0.01	<10	43	4	445	10000	6
9V0865RA/RJ	130812	S1 Pit	436508	6219183	985	Chip	2	PB	1.15	20.3				20.3	0.62	78	43	<0.5	11	1.22	396	16	114	375	4.84	3	0.16	<10	0.42	1013	<2	0.01	4	473	5723	4.65	<5	1	63	<5	<0.01	<10	12	20	221	8642	2
9V0865RA/RJ	130813	S1 Pit	436508	6219183	985	Chip	2	PB	35.86	67.1				67.1	0.4	70	27	<0.5	23	0.72	462	22	114	611	6.27	5	0.14	<10	0.36	1100	2	0.01	2	395	8724	>5.00	<5	1	36	<5	<0.01	<10	16	14	260	9123	2
9V0865RA/RJ	130814	S1 Pit	436508	6219183	985	Chip	2	PB	2.88	18.7				18.7	0.63	88	29	<0.5	12	1.12	281	23	86	445	6.54	2	0.18	<10	0.53	1644	<2	0.01	2	521	8195	>5.00	<5	2	59	<5	<0.01	<10	18	32	150	7625	2
9V0865RA/RJ	130815	S1 Pit	436508	6219183	985	Chip	2	PB	1.47	22.2				22.2	0.89	119	34	<0.5	16	1.85	501	23	84	1036	8.59	3	0.16	<10	0.62	2364	<2	0.01	1	606	10000	>5.00	<5	2	44	<5	<0.01	<10	26	42	244	8981	3
9V0865RA/RJ	130816	S1	436593	6219401	985	Chip	2	PB	1.63	5.5				5.5	0.28	115	48	<0.5	<5	1.49	20	9	75	34	4.95	<1	0.21	<10	0.38	1509	2	0.01	3	697	501	3.56	6	1	85	<5	<0.01	<10	10	10	11	1279	2
9V0865RA/RJ	130817	S1	436593	6219401	985	Chip	2	PB	2.69	7.1				7.1	0.2	200	24	<0.5	8	0.91	37	9	97	110	8.13	<1	0.15	<10	0.27	1139	<2	0.01	1	582	652	>5.00	6	1	52	<5	<0.01	<10	20	7	22	2480	4
9V0918RA/RJ	130818	Indian	435850	6215832	867	Chip	1	RK	0.14	1.2				1.2	0.35	247	217	<0.5	8	0.02	1	2	36	<1	2.15	5	0.23	<10	0.09	38	2	0.01	1	802	71	0.4	40	1	3	<5	<0.01	<10	<10	9	<10	24	1
9V0918RA/RJ	130819	Indian	435850	6215832	867	Chip	1	RK	0.11	0.8				0.8	0.2	241	254	<0.5	7	0.01	1	1	69	<1	1.8	4	0.22	<10	0.02	17	<2	0.01	2	467	20	0.31	30	1	5	<5	<0.01	<10	<10	5	<10	8	1
9V0918RA/RJ	130820	Indian	435850	6215832	867	Chip	1	RK	0.10	1.2				1.2	0.24	167	180	<0.5	8	0.01	1	3	49	<1	2.08	4	0.21	<10	0.02	10	3	0.01	1	367	22	1.4	37	1	2	<5	<0.01	<10	<10	5	<10	7	1
9V0918RA/RJ	130821	Indian	435850	6215832	867	Chip	1	RK	0.26	1.6				1.6	0.19	132	147	<0.5	5	0.01	1	1	74	<1	1.4	2	0.21	<10	0.02	46	2	0.01	2	408	24	0.19	19	1	5	<5	<0.01	<10	<10	5	<10	9	1
9V0918RA/RJ	130822	Indian	435850	6215832	867	Chip	1	RK	0.31	3.0				3	0.24	369	142	<0.5	13	0.02	2	2	74	1	3.3	<1	0.2	<10	0.03	86	3	0.01	1	712	75	0.35	10	1	3	<5	<0.01	<10	<10	8	<10	27	1
9V0898RA/RJ	130823	Indian	435388	6216139	622	Grab	-	RK	0.17	63.3	0.16			63.3	0.95	638	25	<0.5	38	2.05	640	134	57	1559	13	1	0.19	<10	0.78	2209	<2	0.01	35	458	7307	>5.00	6	2	109	<5	<0.01	<10	37	38	348	9025	5
9V0898RA/RJ	130824	Northstar	436347	6219905	1136	Chip	1	RK	43.64	109.0	0.67	2.94	11.20	110	0.83	84	15	<0.5	20	0.07	1291	13	103	6688	11	29	0.1	<10	0.48	1233	<2	0.01	1	338	10000	>5.00	36	1	6	<5	<0.01	<10	28	17	957	10000	5
9V0898RA/RJ	130825	Northstar	436347	6219905	1136	Chip	1	RK	14.23	45.7	0.44	1.65	9.50	45.7	1.31	75	20	<0.5	12	0.16	1028	13	52	4441	9.97	20	0.14	<10	0.82	1957	<2	0.01	<1	599	10000	>5.00	16	1	9	<5	0.01	<10	29	26	695	10000	4
9V0898RA/RJ	130826	Northstar	436347	6219905	1136	Chip	1	RK	23.98	51.9	0.31	1.11	7.70	51.9	1.53	76	24	<0.5	9	0.3	874	17	68	3053	11.5	18	0.13	<10	1.04	2294	<2	0.01	<1	629	10000	>5.00	13	1	9	<5	0.01	<10	35	30	595	10000	5
9V0898RA/RJ	130827	Northstar	436347	6219905	1136	Chip	1	RK	23.87	95.9	0.97	3.35	12.40	95.9	0.92	182	22	<0.5	27	0.13	1345	17	64	9656	13.8	30	0.1	<10	0.57	1655	<2	0.01	<1	308	10000	>5.00	40	1	6	<5	0.01	<10	37	19	1004	10000	7
9V0898RA/RJ	130828	Northstar	436347	6219905	1136	Chip	1	RK	7.86	8.1	0.06	0.19	0.65	8.1	2.1	67	44	<0.5	<5	0.97	166	13	52	619	10.7	3	0.16	<10	1.54	4335	<2	0.01	<1	884	1903	>5.00	7	2	26	<5	0.01	<10	42	44	131	6502	5
9V0898RA/RJ	130829	Northstar	436347	6219905	1136	Chip	1	RK	49.71	15.0	0.06	0.06	0.47	15	1.99	60	39	<0.5	<5	0.44	80	14	48	561	12.2	1	0.2	<10	1.35	2834	<2	0.01	<1	1007	608	>5.00	6	2	13	<5	0.01	<10	37	43	64	4749	6
9V0898RA/RJ	130830	Northstar	436347	6219905	1136	Chip	1	RK	15.39	6.2	0.01	0.15	0.49	6.2	1.73	92	35	<0.5	<5	0.28	81	12	50	119	11	2	0.21	<10	1.1	2317	<2	0.01	<1	999	1465	>5.00	6	2	8	<5	0.01	<10	32	38	64	4945	5
9V0898RA/RJ	130831	Northstar	436347	6219905	1136	Chip	1	RK	2.02	2.1	0.00	0.09	0.11	2.1	2.13	43	152	<0.5	<5	0.74	10	9	33	61	5.84	<1	0.21	<10	1.4	2708	<2	0.01	1	1338	909	1.25	<5	2	27	<5	<0.01	<10	20	46	10	1067	3
9V0898RA/RJ	130832	Northstar	436347	6219905	1136	Chip	1	RK	6.10	7.7	0.02	0.40	0.09	7.7	1.6	110	209	<0.5	<5	0.18	8	5	42	218	7.32	3	0.23	<10	1.02	1680	<2	0.01	<1	1337	4007	1.03	10	2	7	<5	<0.01	<10	19	41	<10	886	4
9V0898RA/RJ	130833	Northstar	436347	6219905	1136	Chip	1	RK	2.10	3.2	0.01	0.12	0.40	3.2	1.79	54	116	<0.5	<5	0.19	54	10	32	93	6.18	2	0.2	<10	1.18	2252	<2	0.01	1	1272	1157	2.23	5	2	6	<5	<0.01	<10	18	39	43	3952	3
9V0898RA/RJ	130834	Northstar	436347	6219905	1136	Chip	1	RK	0.28	0.5	0.01	0.02	0.24	0.5	2.64	26	251	<0.5	<5	1.52	30	12	24	71	6	<1	0.25	<10	1.69	3712	<2	0.02	1	1674	184	0.38	<5	4	43	<5	0.01	<10	22	50	20	2358	3
9V0898RA/RJ	130835	Northstar	436347	6219905	1136	Chip	1	RK	0.10	0.3	0.01	0.02	0.09	0.3	2.29	30	167	<0.5	<5	1.12	10	12	23	88	5.49	<1	0.23	<10	1.52	2985	<2	0.01	1	1562	192	0.41	<5	3	29	<5	<0.01	<10	20	44	<10	857	3
9V0898RA/RJ	130836	Northstar	436347	6219905	1136	Chip	1	RK	2.75	1.8	0.01	0.06	0.16	1.8	2.25	32	192	<0.5	<5	1.01	16	13	24	58	5.19	<1	0.24	<10	1.48	3023	<2	0.01	1	1434	585	0.79	<5	3	27	<5	<0.01	<10	20	42	14	1621	3
9V0898RA/RJ	130837	Northstar	436347	6219905	1136	Chip	1	RK	11.81	7.4	0.01	0.09	0.49	7.4	2.58	39	157	<0.5	<5	1.36	76	13	23	58	5.54	1	0.22	<10	1.7	3463	<2	0.01	1	1401	884	1.12	<5	3	30	<5	<0.01	<10	23	44	58	4862	3
9V0898RA/RJ	130838	Northstar	436347	6219905	1136	Chip	1	RK	18.20	8.5	0.01	0.17	0.47	8.5	1.69	79	32	<0.5	<5	0.29	65	11	43	118	11.4	1	0.2	<10	1.03	2505	<2	0.01	<1	830	1655	>5.00	5	2	10	<5	<0.01	<10	33	37	58	4673	5
9V0898RA/RJ	130839	Northstar	436347	6219905	1136	Chip	1	RK	10.59	12.9	0.09	0.21	0.69	12.9	2.33	118	29	<0.5	<5	0.19	214	16	38	864	13.6	4	0.18	<10	1.42	3185	<2	0.01	<1	898	2068	>5.00	7	2	7	<5	0.01	<10	45	56	158	6937	6
9V0898RA/RJ	130840	Northstar	436347	6219905	1136	Chip	1	RK	10.85	49.7	0.32	2.08	0.79	49.7	1.37	88	20	<0.5	9	0.24	341	11	49	3220	11.1	7	0.17	<10	0.82	1914	<2	0.01	<1	737	10000	>5.00	30	1	7	<5	<0.01	<10	30	35	225	7900	5
9V0898RA/RJ	130841	Northstar	436347	6219905	1136	Chip	1	RK	8.42	35.9	0.13	1.14	0.84	35.9	1.67	92	27	<0.5	5	0.64	393	12	48	1274	11.1	7	0.18	<10	1.01	2868	<2	0.01	<1	843	10000	>5.00	18	2	36	<5	0.01	<10	35	40	254	8436	5
9V0898RA/RJ	130842	Northstar	436347	6219905	1136	Chip	1	RK	6.21	29.8	0.16	1.12	0.71	29.8	1.85	66	41	<0.5	<5	0.25	261	13	36	1614	8.94	5	0.2	<10	1.18	2686	<2	0.01	<1	1167	10000	>5.00	18	2	7	<5	<0.01	<10	27	44	170	7116	4
9V0898RA/RJ	130843	Northstar	436347	6219905	1136	Chip	1	RK	4.10	86.9	0.45	5.80	11.10	86.9	0.77	74	21	<0.5	14	0.11	1204	10	110	4519	9.67	22	0.14	<10	0.41	1509	<2	0.01	2	321	10000	>5.00	69	1	8	<5	<0.01	<10	22	17	833	10000	4
9V0898RA/RJ	130844	Province	436334	6219870	1127	Chip	1	RK	1.26	4.2	0.00	0.20	0.07	4.2	1.05	113	285	<0.5	<5	0.09	7	4	42	35	5.57	<1	0.26	<10	0.57	746	<2	0.01	<1	1200	1959	0.85	6	2	6	<5	<0.01	<10	10	36	<10	738	3
9V0898RA/RJ	130845	Province	436334	6219870	1127	Chip	1	RK	8.07	28.1	0.01	0.99	0.18	28.1	0.22	134	102	<0.5	<5	0.01	19	4	106	104	8.01	6	0.25	<10	0.08	131	3	0.01	2	430	9850	2.16	13	1	2	<5	<0.01	<10	15	25	105	1844	3
9V0898RA/RJ	130846	Province	436334	6219870	1127	Chip	1	RK	0.17	1.1	0.00	0.04	0.02	1.1	0.4	103	346	<0.5	<5	0.06	2	2	34	7	4.03	<1	0.27	<10	0.12	169	11	0.01	<1	1259	407	0.43	5	2	4	<5	<0.01	<10	<10	13	<10	154	2
9V0898RA/RJ	130847	Province	436330	6219893	1134	Chip	1	RK	3.29	6.5	0.00	0.14	0.04	6.5	0.3	263	227	<0.5	<5	0.02	6	3	48	8	5.47	1	0.29	<10	0.06	146	7	0.01	1	1259	1352	1.15	32	1	17	<5	<0.01	<10	<10	19	<10	395	3
9V0898RA/RJ	130848	Province	436330	6219893	1134	Chip	1	RK	15.07	15.7	0.02	0.21	0.63	15.7	0.88	229	39	<0.5	<5	0.04	209	15	73	240	9.98	8	0.2	<10	0.51	1127	<2	0.01	1	679	2094	>5.00	14	1	3	<5	<0.01	<10	24	33	170	6272	4
9V0898RA/RJ	130849	Province	436330	6219893	1134	Chip	1	RK	5.40	7.2	0.01	0.12	0.23	7.2	1.09	143	83	<0.5	<5	0.04	30	10	52	117	7.88	1	0.21	<10	0.58	1079	<2	0.01	<1	1093	1240	3.24	12	2	4	<5	<0.01	<10	18	36	23	2280	3
9V0918RA/RJ	130850	S1 pit	436620	6219434	962	Chip	1	RK	1.08	2.6	0.00			2.6	0.5	116	102	<0.5	20	0.92	14	7	109	13	4.25	<1	0.12	<10	0.43	1525	<2	0.01	2	493	917	2.55	8	1	38	<5	<0.01	<10	<10	21	<10	1037	1
9V0918RA/RJ	130851	S1 pit	436620	6219434	962	Chip	1	RK	1.35	2.1	0.00			2.1	0.8	167	59	<0.5	43	0.77	12	12	89	13	8.91	<1	0.16	<10	0.65	1858	4	0.01	<1	605	309	>5.00	13	1	39	<5	<0.01	<10	20	29	<10	599	2
9V0918RA/RJ	130852	S1 pit	436620	6219434	962	Chip	1	RK	2.98	2.1	0.00			2.1	0.71	147	55	<0.5	44	1.75	9	14	82	4	9.27	<1	0.16	<10	0.71	2365	<2	0.01	<1	671	173	>5.00	13	2	83	<5	<0.01	<10	23	24	<10	358	3
9V0918RA/RJ	130853	S1 pit	436620	6219434	962	Chip	1	RK	0.75	0.4	0.00			0.4	0.62	150	58	<0.5	31	0.98	11	11	90	10	6.74	<1	0.15	<10	0.59	1702	2	0.01	<1	727	105	4.72	10	2	52	<5	<0.01	<10	16	27	<10	626	2
9V0918RA/RJ	130854	S1 pit	436620	6219434	962	Chip	1	RK	0.96	1.5	0.00			1.5	0.56	97	97	<0.5	19	1.99	9	8	81	9	4.48	1	0.16	<10	0.47	1913	<2	0.01	1	700	209	2.81	7	1	77	<5	<0.01	<10	10	14	<10	584	2

Certificate Number	Sample Number	Area	Easting NAD83	Northing NAD83	Elev. (m)	Sample Type	Width (m)	Sampler	Au g/t	Ag g/t	Cu %	Pb %	Zn %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0918RA/RJ	130855	S1 pit	436620	6219434	962	Chip	1	RK	0.83	0.8	0.00			0.8	0.57	73	129	<0.5	18	3.37	8	7	104	5	4.22	1	0.18	<10	0.51	2738	4	0.01	1	704	105	2.64	7	3	127	<5	<0.01	<10	11	15	<10	529	2
9V0918RA/RJ	130856	S1 pit	436620	6219434	962	Chip	1	RK	2.32	3.4	0.00			3.4	0.66	107	74	<0.5	30	2.82	8	7	109	59	6.27	<1	0.12	<10	0.67	3178	<2	0.02	1	580	326	4.08	10	3	145	<5	<0.01	<10	19	21	<10	334	2
9V0918RA/RJ	130857	S1 pit	436620	6219434	962	Chip	1	RK	4.98	6.1	0.00			6.1	0.44	130	50	<0.5	33	1.03	7	9	94	8	7.25	<1	0.2	<10	0.39	1365	3	0.01	<1	682	192	4.83	9	2	44	<5	<0.01	<10	14	10	<10	257	2
9V0918RA/RJ	130858	S1 pit	436620	6219434	962	Chip	1	RK	1.85	1.3	0.00			1.3	0.45	88	62	<0.5	33	1.78	9	10	87	11	7.2	<1	0.2	<10	0.59	1992	<2	0.01	1	760	239	4.63	9	2	86	<5	<0.01	<10	17	11	<10	385	2
9V0918RA/RJ	130859	S1 pit	436620	6219434	962	Chip	1	RK	1.64	1.1	0.00			1.1	0.73	74	84	<0.5	28	1.93	8	10	90	9	6.09	<1	0.19	<10	0.71	1536	3	0.01	6	962	150	3.67	9	2	104	<5	<0.01	<10	12	22	<10	333	2
9V0918RA/RJ	130860	S1 pit	436620	6219434	962	Chip	1	RK	1.94	2.6	0.00			2.6	0.98	145	82	<0.5	33	4.96	24	13	62	63	6.84	1	0.23	<10	1.08	2786	<2	0.01	4	903	311	4.1	9	3	240	<5	<0.01	<10	18	29	<10	1581	2
9V0918RA/RJ	130861	Dago Pit	437047	6219181	959	Chip	1	RK	0.10	11.7	0.00			11.7	0.24	533	69	<0.5	19	0.06	4	5	128	<1	5.02	1	0.21	<10	0.03	416	26	0.01	2	352	77	2.79	22	1	8	<5	<0.01	<10	<10	10	<10	230	
9V0918RA/RJ	130862	Dago Pit	437047	6219181	959	Chip	1	RK	0.54	20.3	0.00			20.3	0.22	217	158	<0.5	9	0.07	4	7	124	14	2.07	1	0.15	18	0.03	471	3	<0.01	3	324	292	0.87	8	1	4	<5	<0.01	<10	<10	16	<10	431	
9V0918RA/RJ	130863	Dago Pit	437047	6219181	959	Chip	1	RK	0.39	57.1	0.00			57.1	0.19	134	460	<0.5	6	0.03	3	4	157	17	1.61	1	0.16	26	0.01	866	6	<0.01	3	232	169	0.57	11	1	3	<5	<0.01	<10	<10	18	<10	310	
9V0918RA/RJ	130864	Dago Pit	437047	6219181	959	Chip	1	RK	0.84	127.7	0.00			128	0.18	233	263	<0.5	9	0.04	5	2	139	12	2.31	2	0.19	<10	0.02	61	<2	0.01	3	279	402	0.98	16	1	5	<5	<0.01	<10	<10	10	<10	498	
9V0918RA/RJ	130865	Dago Pit	437047	6219181	959	Chip	1	RK	0.23	48.2	0.00			48.2	0.2	247	336	<0.5	9	0.03	5	3	127	9	2.58	1	0.21	<10	0.02	123	4	0.01	2	391	231	0.87	12	1	4	<5	<0.01	<10	<10	12	<10	406	
9V0918RA/RJ	130866	Dago Pit	437040	6219193	960	Chip	1	RK	0.36	50.5	0.00			50.5	0.3	347	443	<0.5	13	0.07	3	4	47	11	3.44	1	0.28	<10	0.03	156	<2	0.01	1	1052	383	0.56	10	1	7	<5	<0.01	<10	<10	20	<10	305	2
9V0918RA/RJ	130867	Dago Pit	437040	6219193	960	Chip	1	RK	5.71	67.8	0.00			67.8	0.26	465	114	<0.5	17	0.05	31	5	91	79	4.57	7	0.23	16	0.03	118	<2	0.01	1	699	2446	2.06	13	1	4	<5	<0.01	<10	<10	30	<10	2510	2
9V0918RA/RJ	130868	Dago Pit	437040	6219193	960	Chip	1	RK	21.45	78.9	0.00			78.9	0.14	499	180	<0.5	14	0.01	11	1	148	84	3.53	9	0.17	55	0.02	45	3	0.01	2	331	5982	1.27	15	<1	4	<5	<0.01	<10	<10	39	<10	851	1
9V0918RA/RJ	130869	Dago Pit	437047	6219169	949	Chip	1	RK	0.08	7.3	0.00			7.3	0.39	404	189	<0.5	12	0.33	3	9	56	4	3.11	1	0.31	10	0.09	338	<2	0.01	1	1126	97	1.43	8	2	21	<5	<0.01	<10	<10	10	<10	157	1
9V0918RA/RJ	130870	Dago Pit	437047	6219169	949	Chip	1	RK	0.18	27.5	0.00			27.5	0.31	538	107	<0.5	15	0.26	4	7	93	13	4.07	1	0.27	<10	0.06	303	4	0.01	1	940	187	2.19	13	1	19	<5	<0.01	<10	<10	13	<10	170	1
9V0918RA/RJ	130871	Dago Pit	437047	6219169	949	Chip	1	RK	0.13	29.5	0.00			29.5	0.32	467	95	<0.5	13	0.23	4	6	83	7	3.28	2	0.27	<10	0.06	198	<2	0.01	2	997	251	2.01	13	1	20	<5	<0.01	<10	<10	13	<10	161	1
9V0918RA/RJ	130872	Dago Pit	437047	6219169	949	Chip	1	RK	0.09	29.8	0.00			29.8	0.42	435	159	<0.5	13	0.48	5	10	81	22	3.42	1	0.28	10	0.1	400	3	0.01	2	1192	260	1.85	10	1	33	<5	<0.01	<10	<10	14	<10	203	2
9V0918RA/RJ	130873	Dago Pit	437047	6219169	949	Chip	1	RK	0.05	14.1	0.00			14.1	0.46	318	110	<0.5	14	0.31	4	10	46	5	3.59	2	0.33	11	0.06	384	<2	0.01	2	1271	126	2.04	10	1	20	<5	<0.01	<10	<10	10	<10	160	2
9V0918RA/RJ	130874	Dago Pit	437047	6219169	949	Chip	1	RK	0.12	25.1	0.00			25.1	0.46	558	164	<0.5	16	0.18	4	8	54	8	4.06	2	0.35	<10	0.04	164	2	0.01	1	1261	177	1.72	24	1	19	<5	<0.01	<10	<10	17	<10	149	2
9V0918RA/RJ	130875	S1 Pit	436230	6219270	1088	Chip	1	RK	0.38	5.5	0.00			5.5	0.32	254	99	<0.5	16	0.16	9	10	87	7	4.13	2	0.26	<10	0.04	31	3	0.01	2	911	644	3.11	31	1	9	<5	<0.01	<10	<10	6	<10	750	2
9V0918RA/RJ	130876	S1 Pit	436230	6219270	1088	Chip	1	RK	24.04	45.3	0.00			45.3	0.31	443	41	<0.5	22	0.19	365	11	81	94	5.91	31	0.26	<10	0.06	288	3	0.01	<1	830	10000	>5.00	50	1	11	<5	<0.01	<10	<10	7	<10	8270	2
9V0918RA/RJ	130877	S1 Pit	436230	6219270	1088	Chip	1	RK	1.13	12.3	0.00			12.3	0.31	321	72	<0.5	18	0.14	55	9	65	180	5.12	8	0.28	<10	0.05	74	2	0.01	1	975	3161	3.83	40	1	14	<5	<0.01	<10	<10	7	<10	3653	2
9V0918RA/RJ	130878	S1 Pit	436230	6219270	1088	Chip	1	RK	0.54	5.9	0.00			5.9	0.31	204	91	<0.5	17	0.07	11	8	92	49	4.44	2	0.28	<10	0.04	27	4	0.01	1	850	1099	3.02	27	1	9	<5	<0.01	<10	<10	7	<10	791	1
9V0918RA/RJ	130879	S1 Pit	436230	6219270	1088	Chip	1	RK	0.22	3.8	0.00			3.8	0.31	338	69	<0.5	21	0.14	5	10	80	<1	5.55	1	0.25	<10	0.06	125	2	0.01	1	891	283	4.01	23	1	9	<5	<0.01	<10	<10	8	<10	237	2
9V0918RA/RJ	130880	S1 Pit	436230	6219270	1088	Chip	1	RK	0.52	11.1	0.01			11.1	0.26	457	45	<0.5	32	0.05	15	10	121	46	8.03	4	0.21	<10	0.04	20	6	0.01	1	507	787	>5.00	52	<1	4	<5	<0.01	<10	12	5	<10	862	2
9V0918RA/RJ	130881	S1 Pit	436230	6219270	1088	Chip	1	RK	0.91	20.3	0.01			20.3	0.18	723	87	<0.5	19	0.01	16	3	144	17	5.18	4	0.19	<10	0.02	17	3	0.01	2	468	1749	3.24	43	<1	4	<5	<0.01	<10	<10	4	<10	1239	1
9V0918RA/RJ	130882	S1 Pit	436230	6219270	1088	Chip	1	RK	2.38	29.8	0.02			29.8	0.15	1000	53	<0.5	27	0.01	19	5	167	19	7.24	7	0.12	<10	0.03	16	8	0.01	1	95	689	>5.00	83	<1	1	<5	<0.01	<10	11	2	<10	1264	2
9V0918RA/RJ	130883	S1 Pit	436230	6219270	1088	Chip	1	RK	0.64	13.5	0.02			13.5	0.23	396	114	<0.5	15	0.04	7	7	159	48	4.19	3	0.18	<10	0.02	17	2	0.01	4	490	824	3.04	57	1	9	<5	<0.01	<10	<10	4	<10	396	1
9V0918RA/RJ	130884	S1 Pit	436230	6219270	1088	Chip	1	RK	1.34	47.8	0.02			47.8	0.13	640	66	<0.5	14	0.03	136	4	190	240	4.26	14	0.1	<10	0.02	23	7	0.01	3	177	4738	3.63	104	<1	2	<5	<0.01	<10	<10	1	<10	6397	1
9V0918RA/RJ	130885	S1 Pit	436238	6219270	1088	Chip	1	RK	2.75	70.1				70.1	0.15	1254	48	<0.5	29	0.02	8	5	123	19	7.32	12	0.12	<10	0.03	14	6	0.01	1	238	522	>5.00	134	<1	2	<5	<0.01	10	11	3	<10	429	2
9V0918RA/RJ	130886	S1 Pit	436238	6219270	1088	Chip	1	RK	1.72	19.3				19.3	0.17	485	86	<0.5	13	0.5	7	4	180	35	3.39	4	0.13	<10	0.02	180	6	0.01	3	269	768	2.35	48	<1	18	<5	<0.01	<10	<10	3	<10	393	1
9V0918RA/RJ	130887	S1 Pit	436238	6219270	1088	Chip	1	RK	0.46	24.3				24.3	0.19	268	91	<0.5	14	0.04	6	5	153	66	3.81	2	0.15	<10	0.02	19	2	0.01	3	338	428	2.85	67	<1	5	<5	<0.01	<10	<10	3	<10	268	1
9V0918RA/RJ	130888	S1 Pit	436255	6219270	1088	Chip	1	RK	0.24	5.1				5.1	0.25	422	42	<0.5	29	0.13	7	9	109	28	7.55	1	0.19	<10	0.04	52	3	0.01	<1	539	140	>5.00	37	<1	6	<5	<0.01	<10	11	6	<10	346	2
9V0918RA/RJ	130889	S1 Pit	436255	6219270	1088	Chip	1	RK	1.52	7.8				7.8	0.25	211	95	<0.5	16	0.16	14	7	103	233	3.87	1	0.18	<10	0.02	65	3	0.01	2	454	500	3.05	42	1	9	<5	<0.01	<10	<10	6	<10	981	2
9V0918RA/RJ	130890	S1 Pit	436255	6219270	1088	Chip	1	RK	0.36	4.9				4.9	0.19	212	86	<0.5	11	0.03	12	5	126	23	2.65	2	0.13	<10	0.02	14	3	0.01	3	140	321	2.1	21	<1	3	<5	<0.01	<10	<10	4	<10	591	1
9V0918RA/RJ	130891	S1 Pit	436255	6219270	1088	Chip	1	RK	1.96	12.3				12.3	0.11	325	57	<0.5	10	0.01	3	3	161	9	2.43	1	0.08	<10	0.01	13	6	0.01	2	30	438	1.78	28	<1	2	<5	<0.01	<10	<10	2	<10	104	1
9V0918RA/RJ	130892	S1 Pit	436255	6219270	1088	Chip	1	RK	4.85	29.2				29.2	0.12	321	60	<0.5	10	0.04	6	3	142	21	2.49	1	0.09	<10	0.01	23	5	0.01	3	12	276	1.86	35	<1	2	<5	<0.01	<10	<10	2	<10	282	1
9V0918RA/RJ	130893	S1 Pit	436255	6219270	1088	Chip	1	RK	0.76	6.8				6.8	0.15	228	73	<0.5	11	0.02	4	4	166	20	2.78	1	0.13	<10	0.01	25	2	0.01	4	120	296	2.1	27	<1	4	<5	<0.01	<10	<10	3	<10	126	1
9V0918RA/RJ	130894	S1 Pit	436255	6219270	1088	Chip	1	RK	0.99	9.1				9.1	0.16	282	81	<0.5	11	0.01	4	4	133	14	2.79	3	0.13	<10	0.02	21	5	0.01	2	194	319	1.81	27	<1	3	<5	<0.01	<10	<10	3	<10	223	1
9V0918RA/RJ	130895	S1 Pit	436255	6219270	1088	Chip	1	RK	0.41	2.4				2.4	0.2	168	99	<0.5	12	0.07	4	7	112	11	2.97	1	0.17	<10	0.02	29	3	0.01	2	472	176	2.18	13	<1	4	<5	<0.01	<10	<10	4	<10	214	1
9V0918RA/RJ	130896	S1 Pit	436255	6219270	1088	Chip	1	RK	0.33	7.2				7.2	0.2	389	79	<0.5	19	0.04	7	8	101	9	4.43	3	0.17	<10	0.02	15	<2	0.01	2	390	318	3.44	37	<1	4	<5	<0.01	<10	<10	5	<10	222	2
9V0918RA/RJ	130897	S1 Pit	436255	6219270	1088	Chip	1	RK	0.27	5.0				5	0.3	371	96	<0.5	18	0.08	5	10	91	5	4.53	2	0.22	<10	0.05	15	3	0.01	3	528	194	3.54	29	1	4	<5	<0.01	<10	<10	7	<10	107	2
9V0918RA/RJ	130898	S1 Pit	436255	6219270	1088	Chip	1	RK	0.47	15.5				15.5	0.18	168	85	<0.5	14	0.04	68	6	151	126	3.68	3	0.15	<10	0.02	30	<2	0.01	3	295	2302	3.14	18	<1	4	<5	<0.01	<10	<10	3	<10	4221	1
9V0918RA/RJ	130899	S1 Pit	436255	6219270	1088	Chip	1	RK	1.34	12.2				12.2	0.21	206	57	<0.5	23	0.05	101	7	149	99	5.79	6	0.18	<10	0.04	64	3	0.01	2	275	3192	4.55	16	<1	6	<5	<0.01	<10	10	4	<10	5508	2
9V0918RA/RJ	130900	S1 Pit	436264	6219270	1088	Chip	1	RK	1.91	13.0				13	0.2	532	69	<0.5	24	0.11	16	6	121	42	5.55	2	0.16	<10	0.03	49	2	0.01	2	84	2030	4.23	27	<1	8	<5	<0.01	<10	10	4	<10	1026	2
9V0918RA/RJ	130901	S1 Pit	436264	6219270	1088	Chip	1	RK	0.96	13.8				13.8	0.13	145	80	<0.5	11	0.43	65	4	164	156	2.92	2	0.1	<10	0.03	279	4	0.01	3	292	1784	2.3	24	<1	25	<5	<0.01	<10	<10	3	<10	3905	1
9V0918RA/RJ	130902	S1 Pit	436264	6219270	1088	Chip	1	RK	0.51	23.8				23.8	0.16	168	72	<0.5	20	0.08	86	6	132	425	5.15	3	0.14	<10	0.03	95	<2	0.01	2	297	4220	4.23	41	<1	8	<5	<0.01	<10	<10	3	<10	4898	2
9V0918RA/RJ	130903	S1 Pit	436264	6219270	1088	Chip	1	RK	0.93	17.0				17	0.21	351	74	<0.5	17	0.04	11	6	112	21	4.14	3	0.17	<10	0.02	17	<2	0.01	2	359	618	3.28	32	<1	5	<5	<0.01	<10	<10	5	<10	701	2
9V0918RA/RJ	130904	S1 Pit	436264	6219270	1088	Chip	1	RK	0.61	22.2				22.2	0.14	717	77	<0.5	18	0.18	11	5	135	21	4.37	10	0.12	<10	0.02	64	4	0.01	2	162	1265	3.35	75	<1	10	<5	<0.01	<10	<10	3	<10	769	1
9V0918RA/RJ	130905	S1 Pit	436272	6219270	1088	Chip	1	RK	0.21	3.9				3.9	0.22	243	102	<0.5	14	1.66	6	7	120	6	3.35	1	0.18	<10	0.04	637	3	0.01	2	624	221	2.51	19	1	88	<5	<0.01	<10	<10	6	<10	339	2
9V0918RA/RJ	130906	S1 Pit	436272	6219270	1088	Chip	1	RK	1.39	4.1				4.1	0.36	225	84	<0.5	28	0.11	13	4	122	28	6.62	1	0.17	<10	0.19	285	2	0.01	1	659	502	3	19	1	10	<5	<0.01	<10	14	10	<10	837	2
9V0918RA/RJ	130907	S1 Pit	436272	6219270	1088	Chip	1	RK	1.10	25.4				25.4	0.29	251	81	<0.5	22	0.17	26	8	141	34	5.3	1	0.19	<10	0.11	183	4	0.01	2	605	1147	3.76	27	1	10	<5	<0.01	<10	<10	7	<10	1576	2
9V0953RA/RJ	130908	S1 Pit	436256	6219261	1081	Chip	1	RK	0.18	4.1				4.1	0.21	190	178	<0.5	12	0.01	5	4	75	8	2.66	2	0.18	<10	0.02	18	3	0.01	<1	439	675	1.37	18	1	26	<5	<0.01	<10	<10	5	<10	204	1
9V0953RA/RJ	130909	S1 Pit	436256	6219261	1081	Chip	1	RK	0.43	3.9				3.9	0.22	217	132	<0.5	15	0.01	8	5	79	10	3.54	2	0.19	<10	0.02	25	<2	0.01	<1	451	452	2.16	22	<1	24	<5	<0.01	<10	<10	6	<10	400	1
9V0953RA/RJ	130910	S1 Pit	436256	6219261	1081	Chip	1	RK	0.52	4.7				4.7	0.3	387	92	<0.5	22	0.15	15	10	58	15	4.93	2	0.25	<10	0.03	42	3	0.01	<1	993	1111	3.79	19	1	24	<5	<0.01	<10	<10	7	<10	1419	2
9V0953RA/RJ	130911	S1 Pit	436256	6219261	1081	Chip	1	RK	0.85	35.5				35.5	0.23	167	56	<0.5	20	0.12	196	7	101	1029	4.95	10	0.19	<10	0.04	156	<2	0.01	1	564	9350	4.79	22	<1	9	<5	<0.01	<10	10	5	<10	8664	2
9V0953RA/RJ	130912	S1 Pit	436256	6219261	1081	Chip	1	RK	2.55	38.3		1.53	3.08	38.3	0.26	178	36	<0.5	24	0.38	420	7	106	1761	6.28	14	0.18	<10	0.17	1093	2	0.01	<1	468	10000	>5.00	18	<1	30	<5	<0.01	<10	14	5	<10	10000	2
9V0953RA/RJ	130913	S1 Pit	436256	6219261	1081	Chip	1	RK	0.30	7.3				7.3	0.18	162	115	<0.5	12	0.04	20	5	125	109	2.84	2	0.15	<10	0.02	24	<2	0.01	2	420	1092	2.2	17	<1	4	<5	<0.01	<10	<10	4	<10	1742	1
9V0953RA/RJ	130914	S1 Pit	436257	6219235	1079	Chip	1	RK	0.41	19.6				19.6	0.2	155	210	<0.5	9	0.03	41	2	123	160	2.13	3	0.18	<10	0.02	26	5	0.01	2	916	1317	1.15	30	1	22	<5	<0.01	<10	<10	5	<10	3409	1
9V0953RA/RJ	130915	S1 Pit	436257	6219235	1079	Chip	1	RK	0.57	4.5				4.5	0.18	175	456	<0.5	8	0.01	3	1	104	5	1.86	1	0.21	<10	0.01	16	<2	0.01	1	796	482	0.53	16	1	34	<5	<0.01	<10	<10	4	<10	161	1
9V0953RA/RJ	130916	S1 Pit	436257	6219235	1079	Chip	1	RK	0.60	2.4				2.4	0.16	165	245	<0.5	9	0.01	5	2	118	11	1.98	1	0.17	<10	0.01	16	4	0.01	1	719	402	0.69	12	<1	19	<5	<0.01	<10	<10	4	<10	390	1
9V0953RA/RJ	130917	S1 Pit	436257	6219235	1079	Chip	1	RK	0.50	2.3				2.3	0.2	164	106	<0.5	15	0.05	7	7	82	12	3.27	1	0.18	<10	0.02	19	<2	0.01	1	585	604	2.29	13	1	11	<5	<0.01	<10	<10	6	<10	419	2
9V0953RA/RJ	130918	S1 Pit	436257	6219235	1079	Chip	1	RK	1.45	5.0				5	0.19	153	100	<0.5	16	0.07	47	7	130	42	3.56	6	0.17	<10	0.03	78	5	0.01	1	338	1029	3.08	17	<1	10	<5	<0.01	<10	<10	4	<10	3725	2
9V0953RA/RJ	130919	S1 Pit	436257	6219235	1079	Chip	1	RK	0.84	3.8				3.8	0.13	109	108	<0.5	11	0.12	36	5	155	43	2.59	5	0.12	<10	0.03	172	<2	0.01	3	239	920	2.11	15	<1	11	<5	<0.01	<10	<10	2	<10	3092	1
9V0953RA/RJ	130920	S1 Pit	436257	6219235	1079	Chip	1	RK	2.68	21.3				21.3	0.23	242	95	<0.5	14	0.06	52	8	135	43	3.56	7	0.19	<10	0.02	21	5	0.01	2	478	2431	3.14	19	1	6	<5	<0.01	<10	<10	5	<10	4478	2
9V0953RA/RJ	130921	S1 Pit	436257	6219235	1079	Chip	1	RK	0.93	30.8				30.8	0.15	143	106	<0.5	14	0.03	31	6	169	62	3.27	5	0.14	<10	0.02	72	2	0.01	3	258	1784	2.68	45	<1	5	<5	<0.01	<10	<10	3	<10	2697	1
9V0953RA/RJ	130922	S1 Pit	436257	6219235	1079	Chip	1	RK	1.55	27.2				27.2	0.14	149	103	<0.5	13	0.09	51	5	190	155	3.26	6	0.13	<10	0.03	170	6	0.01	3	220	3753	2.79	53	<1	11	<5	<0.01	<10	<10	2	<10	4194	1
9V0953RA/RJ	130923	S1 Pit	436257	6219235	1079	Chip	1	RK	0.90	3.1				3.1	0.17	170	90	<0.5	16	0.07	18	6	146	23	3.76	2	0.15	<10	0.03	130	4	0.01	1	385	561	2.99	16	<1	10	<5	<0.01	<10	<10	4	<10	1487	2
9V0953RA/RJ	130924	S1 Pit	436257	6219235	1079	Chip	1	RK	2.62	12.9				12.9	0.27	121	82	<0.5	19	0.19	66	6	140	396	4.53	4	0.18	<10	0.08	187	5	0.01	1	359	2854	3.81	18	<1	11	<5	<0.01	<10	<10	6	<10	4592	2
9V0953RA/RJ	130925	S1 Pit	436257	6219235	1079	Chip	1	RK	3.37	6.6				6.6	0.16	116	167	<0.5	14	0.18	35	4	163	57	3.16	4	0.17	<10	0.07	655	2	0.01	3	331	1700	1.66	20	<1	15	<5	<0.01	<10	<10	3	<10	2995	1
9V0953RA/RJ	130926	S1 Pit	436257	6219235	1079	Chip	1	RK	0.77	5.7				5.7	0.2	90	436	<0.5	10	0.01	4	2	125	16	2.28	1	0.17	<10	0.03	80	2	0.01	2	539	2888	0.47	14	1	8	<5	<0.01	<10	<10	5	<10	299	1
9V0953RA/RJ	130927	S1 Pit	436257	6219235	1079	Chip	1	RK	17.17	15.9				15.9	0.16	210	148	<0.5	15	<0.01	15	3	119	60	3.42	6	0.23	<10	0.02	32	3	0.01	1	288	2253	1.76	40	<1	5	<5	<0.01	<10	<10	4	<10	1269	1
9V0953RA/RJ	130928	S1 Pit	436257	6219235	1079	Chip	1	RK	8.12	16.4				16.4	0.13	111	79	<0.5	25	<0.01	30	2	123	131	5.77	15	0.21	<10	0.03	22	5	0.01	<1	279	4391	2.63	33	<1	5	<5	<0.01	<10	11	7	<10	2413	2
9V0953RA/RJ	130929	S1 Pit	436257	6219235	1079	Chip	1	RK	3.23	28.6				28.6	0.15	631	52	<0.5	25	<0.01	48	5	113	162	5.84	11	0.19	<10	0.03	19	11	<0.01	<1	213	4295	4.11	88	<1	2	<5	<0.01	<10	10	5	<10	3378	2
9V0953RA/RJ	130930	S1 Pit	436261	6219215	1076	Chip	1	RK	5.31	12.0				12	0.3	143	70	<0.5	25	0.05	16	6	99	80	5.54	7	0.27	<10	0.08	93	3	0.01	<1	499	3202	3.44	34	1	11	<5	<0.01	<10	10	9	<10	1233	2
9V0953RA/RJ	130931	S1 Pit	436261	6219215	1076	Chip	1	RK	2.60	15.7				15.7	0.47	150	34	<0.5	38	0.14	135	12	88	546	8.39	8	0.26	<10	0.18	269	3	0.01	<1	619	5550	>5.00	31	1	12	<5	<0.01	<10	19	11	<10	7284	3
9V0953RA/RJ	130932	S1 Pit	436261	6219215	1076	Chip	1	RK	1.14	6.1				6.1	0.14	57	104	<0.5	12	0.01	50	4	150	327	2.94	5	0.15	<10	0.02	39	<2	0.01	2	359	2968	2.41	18	<1	5	<5	<0.01	<10	<10	2	<10	3728	1
9V0953RA/RJ	130933	S1 Pit	436261	6219215	1076	Chip	1	RK	1.03	4.7				4.7	0.16	37	77	<0.5	17	0.03	44	6	153	95	3.88	7	0.17	<10	0.03	60	4	0.01	1	209	3631	3.45	12	<1	7	<5	<0.01	<10	<10	3	<10	3454	1
9V0953RA/RJ	130934	S1 Pit	436261	6219215	1076	Chip	1	RK	1.16	14.1				14.1	0.26	55	68	<0.5	21	0.08	93	7	129	110	4.79	10	0.17	<10	0.09	234	<2	0.01	1	420	9400	3.76	17	1	22	<5	<0.01	<10	<10	6	<10	5819	2
9V0953RA/RJ	130935	S1 Pit	436261	6219215	1076	Chip	1	RK	0.63	13.0				13	0.13	66	122	<0.5	9	<0.01	72	4	211	158	2.5	9	0.15	<10	0.01	32	7	0.01	2	97	5441	2.2	23	<1	3	<5	<0.01	<10	<10	1	<10	4570	1
9V0953RA/RJ	130936	S1 Pit	436261	6219215	1076	Chip	1	RK	1.15	5.0				5	0.19	142	63	<0.5	26	0.04	18	8	125	51	5.91	8	0.22	<10	0.03	70	<2	0.01	1	306	1864	4.31	20	<1	8	<5	<0.01	<10	11	4	<10	1279	2
9V0953RA/RJ	130937	S1 Pit	436261	6219215	1076	Chip	1	RK	3.39	9.5				9.5	0.24	75	117	<0.5	16	0.09	34	6	135	37	3.89	9	0.24	<10	0.04	388	6	0.01	1	546	4770	2.79	14	1	18	<5	<0.01	<10	<10	3	<10	2773	2
9V0953RA/RJ	130938	S1 Pit	436261	6219215	1076	Chip	1	RK	4.00	7.4				7.4	0.2	142	75	<0.5	17	0.02	53	6	110	63	4.31	10	0.22	<10	0.02	37	4	0.01	1	459	2913	3.39	18	<1	12	<5	<0.01	<10	<10	3	<10	3776	2

Certificate Number	Sample Number	Area	Easting NAD83	Northing NAD83	Elev. (m)	Sample Type	Width (m)	Sampler	Au g/t	Ag g/t	Cu %	Pb %	Zn %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
9V0953RA/RJ	130939	S1 Pit	436261	6219215	1076	Chip	1	RK	3.54	7.4				7.4	0.31	196	89	<0.5	19	0.31	76	11	65	49	4.58	5	0.24	<10	0.07	636	2	0.01	<1	814	3551	3.86	13	1	18	<5	<0.01	<10	<10	5	<10	5236	2
9V0953RA/RJ	130940	S1 Pit	436261	6219215	1076	Chip	1	RK	3.24	5.5				5.5	0.25	106	108	<0.5	15	0.08	47	8	90	51	3.63	4	0.23	<10	0.03	103	5	0.01	<1	611	2153	2.84	14	1	10	<5	<0.01	<10	<10	4	<10	3486	2
9V0953RA/RJ	130941	S1 Pit	436552	6219447	959	Chip	1	RK	0.70	5.0				5	0.63	364	74	<0.5	27	0.8	41	18	34	48	5.86	2	0.34	<10	0.4	1508	<2	0.01	<1	1368	248	4.15	22	2	35	<5	<0.01	<10	10	15	<10	3387	2
9V0953RA/RJ	130942	S1 Pit	436552	6219447	959	Chip	1	RK	0.77	14.7				14.7	0.64	203	67	<0.5	26	1.44	81	14	64	758	5.53	2	0.27	<10	0.52	2279	<2	0.01	<1	938	460	3.78	14	2	52	<5	<0.01	<10	13	18	<10	5680	2
9V0953RA/RJ	130943	S1 Pit	436552	6219447	959	Chip	1	RK	12.39	24.3				24.3	0.24	199	40	<0.5	32	2.05	57	13	122	534	6.21	1	0.19	<10	0.46	2344	4	0.01	<1	538	639	>5.00	15	1	124	<5	<0.01	<10	19	6	<10	4510	2
9V0953RA/RJ	130944	S1 Pit	436552	6219447	959	Chip	1	RK	0.57	2.3				2.3	0.22	188	52	<0.5	31	2.58	12	12	126	41	5.78	1	0.19	<10	0.4	2432	3	0.01	<1	588	225	>5.00	11	1	122	<5	<0.01	<10	18	6	<10	878	2
9V0953RA/RJ	130945	S1 Pit	436552	6219447	959	Chip	1	RK	0.44	2.3				2.3	0.23	103	114	<0.5	18	4.9	9	7	125	60	3.62	1	0.14	<10	0.37	3866	3	0.01	<1	493	187	2.89	7	2	208	<5	<0.01	<10	18	6	<10	812	1
9V0953RA/RJ	130946	S1 Pit	436552	6219447	959	Chip	1	RK	0.80	4.9				4.9	0.63	232	60	<0.5	41	1.45	44	17	100	145	8.12	1	0.21	<10	0.44	1673	<2	0.01	<1	767	543	>5.00	18	2	62	<5	<0.01	<10	21	22	<10	3130	3
9V0953RA/RJ	130947	S1 Pit	436552	6219447	959	Chip	1	RK	0.55	2.6				2.6	0.56	168	86	<0.5	28	2.32	16	13	112	28	5.39	1	0.22	<10	0.39	2558	3	0.01	<1	865	420	4.29	12	2	125	<5	<0.01	<10	17	14	<10	1207	2
9V0953RA/RJ	130948	S1 Pit	436552	6219447	959	Chip	1	RK	1.47	7.8				7.8	0.92	180	92	<0.5	26	4.93	61	12	66	78	4.56	2	0.2	<10	0.65	3693	<2	0.01	<1	821	2626	3.34	11	2	180	<5	<0.01	<10	18	23	<10	4505	2
9V0953RA/RJ	130949	S1 Pit	436552	6219447	959	Chip	1	RK	0.56	2.8				2.8	0.71	262	56	<0.5	46	0.96	31	13	101	41	9.14	1	0.17	<10	0.49	1442	2	0.01	<1	645	306	>5.00	18	1	38	<5	<0.01	<10	21	27	<10	2252	3
9V0953RA/RJ	130950	S1 Pit	436552	6219447	959	Chip	1	RK	1.17	14.1				14.1	0.43	164	97	<0.5	20	1.92	38	11	98	222	4.36	1	0.15	<10	0.25	1323	<2	0.01	1	576	382	3.59	11	1	48	<5	<0.01	<10	10	13	<10	3134	2
9V0953RA/RJ	130951	S1 Pit	436552	6219447	959	Chip	1	RK	1.90	7.1				7.1	0.58	285	53	<0.5	31	1.77	80	19	86	124	6.74	2	0.24	<10	0.3	1568	5	0.01	<1	809	972	>5.00	13	2	69	<5	<0.01	<10	17	19	<10	5661	2
9V0953RA/RJ	130952	S1 Pit	436552	6219447	959	Chip	1	RK	0.18	1.7				1.7	1.63	79	210	<0.5	22	2.42	17	14	34	35	4.69	1	0.36	<10	0.98	2849	<2	0.01	<1	1229	353	1.67	7	3	74	<5	<0.01	<10	12	37	<10	1503	2
9V0953RA/RJ	130962	Granduc Rd	435445	6219924	826	Grab	-	RK	0.30	1.3				1.3	0.69	700	63	<0.5	38	1.2	5	22	23	94	6.91	<1	0.29	<10	0.58	384	2	0.01	40	636	58	>5.00	25	2	28	<5	<0.01	<10	15	33	<10	54	2
9V0953RA/RJ	130963	Granduc Rd	435030	6220714	827	Grab	-	RK	0.04	0.7				0.7	0.67	182	68	<0.5	36	2.67	6	36	14	118	7.26	<1	0.38	<10	0.34	766	<2	0.01	29	1351	29	>5.00	19	3	78	<5	0.02	<10	17	19	<10	126	2
9V0953RA/RJ	130964	Granduc Rd	434678	6221338	891	Grab	-	RK	0.02	1.9				1.9	0.81	552	117	<0.5	13	3.53	6	15	31	117	2.87	<1	0.21	<10	0.58	1072	7	0.01	32	793	89	1.68	7	1	148	<5	<0.01	<10	<10	23	<10	529	1
9V0953RA/RJ	130965	Granduc Rd	434710	6221229	898	Grab	-	RK	136.70	867.0		4.87	3.61	>200.0	0.42	10000	15	<0.5	77	0.08	396	14	115	741	14.2	1	0.17	<10	0.16	82	72	0.01	80	283	10000	>5.00	255	<1	3	<5	<0.01	<10	34	33	<10	10000	5
9V0953RA/RJ	130966	Granduc Rd	435411	6220212	830	Grab	-	RK	0.06	3.2				3.2	0.58	283	37	<0.5	62	0.13	10	32	20	80	12.9	<1	0.27	<10	0.25	151	<2	0.01	39	746	201	>5.00	25	1	3	<5	<0.01	<10	28	14	<10	163	3
9V0951RA/RJ	130967	Myrtle	435499	6215873	701	Chip	1	RK	0.67	33.7	0.06	0.38	0.39	33.7	1.2	30	240	<0.5	13	0.03	112	9	119	614	2.54	1	0.16	<10	0.81	552	10	0.01	27	726	3782	0.92	6	2	14	<5	<0.01	<10	<10	38	<10	3885	1
9V0951RA/RJ	130968	Myrtle	435499	6215873	701	Chip	1	RK	1.91	233.2	0.16	0.72	0.47	>200.0	0.73	25	173	<0.5	20	0.1	100	12	154	1634	2.44	<1	0.15	<10	0.47	739	10	0.01	22	504	7171	1.11	7	1	110	<5	<0.01	<10	<10	21	<10	4657	1
9V0951RA/RJ	130969	Myrtle	435499	6215873	701	Chip	1	RK	3.43	434.2	0.56	0.91	3.97	>200.0	1.11	23	54	<0.5	150	0.07	583	25	106	5574	3.45	1	0.19	<10	0.79	899	8	0.01	36	511	9121	3.04	<5	1	58	<5	<0.01	<10	<10	32	<10	10000	1
9V0951RA/RJ	130970	Myrtle	435499	6215873	701	Chip	1	RK	4.43	534.5	0.89	1.62	0.91	>200.0	0.44	11	78	<0.5	187	0.33	379	10	181	8884	2.41	1	0.09	<10	0.31	681	5	0.01	17	201	10000	2.54	5	1	77	<5	<0.01	<10	<10	13	<10	9053	1
9V0951RA/RJ	130971	Myrtle	435499	6215873	701	Chip	1	RK	0.98	88.6	0.00	0.23	0.27	88.6	0.62	8	249	<0.5	12	0.74	52	6	104	97	2.1	1	0.16	<10	0.38	1363	4	0.01	6	801	2297	0.78	5	1	90	<5	<0.01	<10	<10	13	<10	2688	1
9V0951RA/RJ	130972	Myrtle	435499	6215873	701	Grab	-	RK	4.87	559.1	1.17	10.80	17.90	>200.0	0.06	208	14	<0.5	379	<0.01	>2000	75	165	10000	5.5	5	0.01	<10	0.04	60	<2	<0.01	38	<10	10000	>5.00	<5	<1	10	<5	<0.01	<10	10	2	<10	10000	1
9V0951RA/RJ	130973	Loui's	436683	6214077	477	Chip	1	RK	2.26	66.8	0.07	0.79	0.89	66.8	1.18	10000	54	<0.5	41	0.97	324	13	49	654	7.09	<1	0.28	<10	0.54	1435	<2	0.01	7	1643	7947	>5.00	42	1	23	<5	<0.01	<10	<10	15	<10	8906	3
9V0951RA/RJ	130974	Loui's	436683	6214077	477	Chip	1	RK	4.34	116.2	0.05	2.46	0.81	116	0.56	10000	34	<0.5	52	0.25	224	10	60	535	7.77	<1	0.29	<10	0.16	199	<2	0.01	3	1321	10000	>5.00	136	1	5	<5	<0.01	<10	10	8	<10	8112	2
9V0951RA/RJ	130975	Loui's	436683	6214077	477	Chip	1	RK	8.80	354.7	0.10	10.00	0.82	>200.0	0.51	10000	27	<0.5	75	0.34	279	8	58	950	14	<1	0.22	<10	0.2	844	<2	0.01	<1	773	10000	>5.00	334	<1	7	<5	<0.01	<10	28	8	<10	8154	4
9V0951RA/RJ	130976	Loui's	436683	6214077	477	Chip	1	RK	7.66	104.0	0.03	1.73	0.50	104	0.45	10000	27	<0.5	102	0.5	95	9	75	327	14.9	<1	0.25	<10	0.17	1278	<2	0.01	<1	641	10000	>5.00	192	<1	10	<5	<0.01	<10	32	7	<10	5014	4
9V0951RA/RJ	130977	Loui's	436683	6214077	477	Chip	1	RK	11.90	390.6	0.13	7.40	3.93	>200.0	0.28	10000	21	<0.5	101	0.51	634	7	111	1298	>15.00	<1	0.15	<10	0.14	2113	<2	0.01	<1	353	10000	>5.00	233	<1	9	<5	<0.01	<10	36	5	<10	10000	4
9V0951RA/RJ	130978	Loui's	436683	6214077	477	Chip	1	RK	11.68	459.2	0.06	13.70	0.97	>200.0	0.34	10000	21	<0.5	81	0.22	804	6	84	560	13.6	<1	0.2	<10	0.11	579	<2	0.01	<1	605	10000	>5.00	257	<1	6	<5	<0.01	<10	27	6	<10	9657	3
9V0951RA/RJ	130979	Loui's	436683	6214077	477	Chip	1	RK	7.22	103.6	0.10	0.59	12.10	104	0.4	10000	23	<0.5	42	0.4	1631	6	109	972	8.78	1	0.18	<10	0.17	953	2	0.01	<1	587	5949	>5.00	57	<1	8	<5	<0.01	<10	17	6	<10	10000	2
9V0951RA/RJ	130980	Loui's	436683	6214077	477	Chip	1	RK	0.45	5.6	0.00	0.05	0.07	5.6	1.02	324	154	<0.5	17	5.41	13	14	131	17	3.81	1	0.19	<10	0.55	3706	2	0.01	2	1303	502	2.16	13	2	229	<5	<0.01	<10	<10	12	<10	695	1
9V0951RA/RJ	130981	Loui's	436683	6214077	477	Chip	1	RK	0.39	46.2	0.05	0.51	0.75	46.2	0.57	4350	100	<0.5	16	4.3	232	9	169	468	3.65	1	0.11	<10	0.39	5511	6	0.01	1	889	5070	2.67	25	2	113	<5	<0.01	<10	10	6	<10	7532	1
9V0951RA/RJ	130982	Loui's	436683	6214077	477	Chip	1	RK	16.44	647.9	0.18	24.00	0.98	>200.0	0.11	10000	23	<0.5	134	0.13	498	3	104	1802	>15.00	<1	0.07	<10	0.1	341	<2	0.01	<1	36	10000	>5.00	832	<1	5	<5	<0.01	<10	57	3	<10	9849	6
9V1003RA/RJ	130983	Northstar	436233	6219677	1096	Chip	1	RK	3.92	6.3				6.3	1.21	41	100	<0.5	21	0.52	48	12	52	188	4.54	1	0.28	<10	0.57	1902	2	0.02	2	1455	1478	2.59	14	3	16	<5	0.01	<10	<10	45	<10	2958	2
9V1003RA/RJ	130984	Northstar	436233	6219677	1096	Chip	1	RK	3.30	2.0				2	0.85	52	71	<0.5	26	0.26	13	11	54	25	6.3	2	0.23	<10	0.48	1103	<2	0.02	<1	1116	318	4.21	12	2	9	<5	<0.01	<10	11	29	<10	923	2
9V1003RA/RJ	130985	Northstar	436233	6219677	1096	Chip	1	RK	3.57	22.6				22.6	0.66	67	37	<0.5	36	0.22	326	13	119	347	8.72	8	0.16	<10	0.42	1324	<2	0.01	<1	676	9100	>5.00	21	1	12	<5	<0.01	<10	20	20	<10	10000	3
9V1003RA/RJ	130986	Northstar	436233	6219677	1096	Chip	1	RK	3.97	19.3				19.3	0.74	63	64	<0.5	23	0.21	175	10	85	291	5.96	5	0.2	<10	0.4	1062	<2	0.01	<1	853	6375	4.54	25	1	9	<5	<0.01	<10	11	26	<10	8613	2
9V1003RA/RJ	130987	Northstar	436233	6219677	1096	Chip	1	RK	14.89	13.9				27.5	0.47	76	32.5	<0.5	30.5	0.06	314	10.5	119	371	8.05	8.5	0.14	<10	0.33	773	2	0.01	2	464	#####	5.83	28.5	0	7	<5	1.01	<10	<10	13.5	<10	-1112	2.5
9V1003RA/RJ	130988	Northstar	436233	6219677	1096	Chip	1	RK	6.87	13.1				33.4	0.31	84.1	18.3	<0.5	32.1	-0.04	383	10.1	135	434	8.72	10.3	0.11	<10	0.27	543	<2	0	<1	239	#####	7.45	32.7	-0.7	5.2	<5	<0.01	<10	14	6.9	<10	-3147	2.6
9V1003RA/RJ	130989	Northstar	436187	6219781	1102	Chip	1	RK	1.71	28.3				28.3	0.28	131	99	<0.5	30	0.23	34	11	100	237	5.04	22	0.21	<10	0.11	304	<2	0.01	1	592	5957	2.95	233	1	19	<5	<0.01	<10	<10	8	<10	2763	2
9V1003RA/RJ	130990	Northstar	436187	6219781	1102	Chip	1	RK	2.12	13.3				13.3	0.57	87	67	<0.5	32	0.52	83	24	86	252	6.64	6	0.19	<10	0.54	1618	2	0.01	<1	653	2988	4.63	34	2	29	<5	<0.01	<10	17	15	<10	5889	2
9V1003RA/RJ	130991	Northstar	436187	6219781	1102	Chip	1	RK	1.03	13.9				13.9	0.46	102	124	<0.5	29	0.25	89	16	75	184	6.05	6	0.25	<10	0.34	740	70	0.01	<1	982	3790	2.61	39	2	19	<5	<0.01	<10	12	16	<10	5668	2
9V1003RA/RJ	130992	Northstar	436187	6219781	1102	Chip	1	RK	1.49	32.6				32.6	0.48	76	97	<0.5	32	0.39	290	16	60	1062	6.92	20	0.27	<10	0.42	1559	<2	0.01	<1	1121	6246	3.42	54	3	28	<5	<0.01	<10	14	17	<10	10000	2
9V1003RA/RJ	130993	Northstar	436187	6219781	1102	Chip	1	RK	14.90	171.5				172	0.11	325	85	<0.5	43	<0.01	13	2	138	303	5.56	36	0.12	<10	0.02	21	<2	0.01	1	205	10000	2.12	375	<1	13	<5	<0.01	<10	<10	4	11	880	1
9V1003RA/RJ	130994	Northstar	436187	6219781	1102	Chip	1	RK	3.37	346.0				>200.0	0.11	252	59	<0.5	37	<0.01	101	6	147	921	5.94	14	0.1	<10	0.02	47	<2	0.01	1	182	10000	3.85	480	<1	15	<5	<0.01	<10	<10	3	<10	5917	2
9V1003RA/RJ	130995	Northstar	436187	6219782	1105	Chip	1	RK	5.71	117.0				117	0.17	145	170	<0.5	22	0.01	12	2	158	196	2.78	17	0.14	<10	0.04	66	<2	0.02	2	317	10000	1.24	403	1	14	<5	<0.01	<10	<10	6	<10	1006	1
9V1003RA/RJ	130996	Northstar	436187	6219782	1105	Chip	1	RK	3.57	33.4				33.4	0.2	106	176	<0.5	19	0.01	18	3	139	268	3.92	13	0.13	<10	0.06	394	<2	0.02	2	428	4640	1.1	104	1	11	<5	<0.01	<10	<10	8	<10	1697	1
9V1003RA/RJ	130997	Northstar	436187	6219782	1105	Chip	1	RK	4.07	91.8				91.8	0.54	265	13	<0.5	39	0.13	1102	24	106	5109	9.29	57	0.15	<10	0.34	946	<2	0.01	<1	550	10000	>5.00	129	1	15	<5	<0.01	<10	20	19	<10	10000	2
9V1003RA/RJ	130998	Northstar	436187	6219782	1105	Chip	1	RK	2.11	22.7				22.7	0.34	139	126	<0.5	29	0.08	37	12	125	193	5.65	12	0.25	<10	0.16	309	14	0.03	2	730	4661	2.58	39	1	15	<5	<0.01	<10	<10	14	<10	2663	2
9V1003RA/RJ	130999	Northstar	436212	6219742	1107	Chip	1	RK	1.57	125.4				125	0.14	157	17	<0.5	65	<0.01	487	13	144	1199	10.4	5	0.12	<10	0.04	104	<2	0.01	<1	167	10000	>5.00	64	<1	3	<5	<0.01	<10	24	5	11	10000	2
9V1003RA/RJ	131000	Northstar	436212	6219742	1107	Chip	1	RK	2.53	63.1				63.1	0.25	228	36	<0.5	38	0.11	47	6	134	249	7.98	3	0.13	<10	0.1	325	<2	0.01	1	265	9898	>5.00	63	<1	7	<5	<0.01	<10	18	7	13	3498	2
9V1003RA/RJ	139701	Northstar	436212	6219742	1107	Chip	1	RK	2.68	13.4				13.4	0.11	84	48	<0.5	24	0.01	22	4	110	81	5.68	2	0.08	<10	0.02	92	<2	0.01	1	103	1562	3.14	8	<1	1	<5	<0.01	<10	10	9	<10	1726	2
9V1003RA/RJ	139702	Northstar	436260	6219664	1116	Chip	1	RK	4.52	18.7				18.7	0.83	176	158	<0.5	16	0.2	8	8	48	252	3.78	1	0.25	<10	0.39	860	26	0.01	2	1156	125	1.61	53	2	6	<5	<0.01	<10	<10	23	<10	590	2
9V1003RA/RJ	139703	Northstar	436260	6219664	1116	Chip	1	RK	3.02	51.9				51.9	0.45	590	31	<0.5	31	0.08	220	6	125	343	7.22	13	0.21	<10	0.17	420	34	0.01	2	464	10000	>5.00	193	1	9	<5	<0.01	<10	11	19	<10	5044	3
9V1003RA/RJ	139704	Northstar	436260	6219664	1116	Chip	1	RK	2.73	35.3				35.3	0.59	300	41	<0.5	28	0.09	59	5	128	196	6.45	6	0.18	<10	0.31	699	23	0.01	2	452	9899	4.68	162	1	7	<5	<0.01	<10	<10	26	<10	3263	3
9V1003RA/RJ	139705	Northstar	436260	6219664	1116	Chip	1	RK	3.01	17.6				17.6	1.16	246	109	<0.5	15	0.72	133	7	65	377	3.56	4	0.26	<10	0.68	2032	13	0.02	2	1079	4457	1.91	131	2	13	<5	0.01	<10	<10	34	<10	4317	2
9V1003RA/RJ	139706	Northstar	436260	6219664	1116	Chip	1	RK	2.09	19.8				19.8	1.13	172	55	<0.5	23	0.3	142	10	77	599	5.62	5	0.2	<10	0.73	2244	16	0.01	2	948	3827	3.65	75	2	13	<5	<0.01	<10	<10	36	<10	4628	3
9V1003RA/RJ	139707	Northstar	436260	6219664	1116	Chip	1	RK	6.76	71.4				71.4	0.58	1064	28	<0.5	32	0.09	129	8	104	1210	7.57	13	0.22	<10	0.27	517	18	0.01	1	630	10000	>5.00	322	1	6	<5	<0.01	14	11	27	<10	4488	3
9V1003RA/RJ	139708	Northstar	436260	6219664	1116	Chip	1	RK	5.42	34.4				34.4	0.21	580	21	<0.5	37	0.01	169	9	153	1034	8.27	9	0.08	<10	0.13	297	19	0.01	3	114	5064	>5.00	163	<1	1	<5	<0.01	<10	15	14	<10	4833	3
9V1003RA/RJ	139709	Northstar	436260	6219664	1116	Chip	1	RK	3.39	11.6				11.6	0.59	410	79	<0.5	21	0.1	10	6	110	115	5.21	4	0.23	<10	0.3	642	13	0.01	2	747	2455	2.23	47	1	4	<5	<0.01	<10	<10	23	<10	769	2
9V1003RA/RJ	139710	Northstar	436260	6219664	1116	Chip	1	RK	5.50	15.1				15.1	0.33	254	80	<0.5	15	0.57	66	7	124	387	3.54	4	0.11	<10	0.19	718	16	0.01	3	400	4807	2.64	54	1	19	<5	<0.01	<10	<10	12	<10	3535	2
9V1003RA/RJ	139711	Northstar	436260	6219664	1116	Chip	1	RK	6.82	25.8				25.8	0.35	260	32	<0.5	34	0.06	165	7	152	688	7.64	4	0.08	<10	0.23	575	12	0.01	2	246	4758	>5.00	74	1	3	<5	<0.01	<10	13	22	<10	4582	3
									43.26																																						
9V1003RA/RJ	139715	Unicorn	436599	6219899	1073	Chip	1	RK	1.26	2.2				2.2	0.52	4529	63	<0.5	28	2.23	6	20	50	88	5.92	<1	0.32	<10	0.16	537	15	0.01	17	1095	47	4.69	48	2	77	<5	0.02	<10	<10	22	<10	79	2
9V1003RA/RJ	139716	Unicorn	436599	6219899	1073	Chip	1	RK	1.66	9.3				9.3	0.32	155	179	<0.5	9	0.05	4	3	94	20	2.36	1	0.23	<10	0.05	50	9	0.01	2	492	798	1.26	6	1	7	<5	<0.01	<10	<10	18	<10	352	1
9V1003RA/RJ	139717	Unicorn	436599	6219899	1073	Chip	1	RK	0.76	5.8				5.8	0.32	203	110	<0.5	12	0.16	5	5	94	10	3.06	2	0.23	<10	0.05	76	12	0.01	2	458	333	2.14	15	1	13	<5	<0.01	<10	<10	13	<10	298	2
9V1003RA/RJ	139718	Unicorn	436599	6219899	1073	Chip	1	RK	0.38	4.1				4.1	0.5	119	86	<0.5	14	0.26	5	8	53	7	3.67	1	0.3	<10	0.14	173	13	0.01	1	1005	271	2.51	<5	1	14	<5	<0.01	<10	<10	18	<10	271	2
9V1003RA/RJ	139719	Unicorn	436599	6219899	1073	Chip	1	RK	1.37	4.0				4	0.43	118	106	<0.5	14	0.22	9	7	83	20	3.61	1	0.25	<10	0.13	253	12	0.01	2	972	446	2.38	5	1	15	<5	<0.01	<10	<10	23	<10	588	2

APPENDIX F

ASSAY DATA

- STATEMENT OF ANALYTICAL PROCEDURES
- ASSAY CERTIFICATES

8282 Sherbrooke Street,
Vancouver, B.C.
Canada V5X 4R6
Tel: 604 327-3436
Fax: 604 327-3423

Procedure Summary:

Gold (Au) Fire Assay

Elements Analyzed:

Gold (Au) – g/tonne

Procedure:

Lead flux and a silver inquart are added to the sample and mixed. Samples are fused in batches of 22 assays along with a natural standard and a reagent blank. This batch of 24 assays is carried through the whole procedure as a set.

After cupellation (which removes lead), the precious metal bead is parted in nitric acid to remove the silver. The remaining gold bead is either weighed (gravimetric finish) or dissolved in aqua regia and analyzed on an atomic absorption spectrometer, using a suitable standard set. The natural standard fused along with the sample set must be within 2 standard deviations of its known value or the whole set is re-assayed.

10% of the samples in a set are re-assayed and reported in duplicate, along with the standard and reagent blank.

Detection Limit:

Au – 0.01 g/tonne

8282 Sherbrooke Street,
Vancouver, B.C.
Canada V5X 4R6
Tel: 604 327-3436
Fax: 604 327-3423

Procedure Summary:

30 Element Aqua Regia Leach ICP-AES

Elements Analyzed:

Ag, Al, As, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, Hg, K, La, Mg, Mn, Mo, Na, Ni, P, Pb, S, Sb, Sc, Sr, Th, Ti, Tl, U, V, W, Zn, Zr

Procedure:

0.500 grams of the sample pulp is digested for 2 hours at 95°C with a 3:1 HCl:HNO_3 mixture. After cooling, the sample is diluted to 25mL with deionized water.

The solutions are analyzed by Inductively Coupled Plasma-Atomic Emission Spectra using standard operating conditions.

Each batch has 22 samples, 3 duplicates, one blank and two standards. Each batch will be rerun if the duplicates or the standards do not match the expected values.

Detection limit and analytical range are element specific.

8282 Sherbrooke Street,
Vancouver, B.C.
Canada V5X 4R6
Tel: 604 327-3436
Fax: 604 327-3423

Procedure Summary:

Metallic Gold Assay

Element(s) Analyzed:

Gold (Au) - g/tonne

Procedure:

The samples are pulverized to roughly 95% -150 mesh. Each sample is screened giving a +150 mesh fraction and a -150 mesh fraction.

The total weight of both fractions are recorded and both fractions are analyzed separately by Fire Assay for Au with total fusion on the +150 mesh fraction and duplicate fusions on the -150 mesh fraction.

The Net Au results are the combination of calculated values for both fractions.

Detection Limit : 0.01 g/tonne Au

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0667-RA1

Company: **Ascot Resources Ltd**
Project:
Attn: Rick Kasum

Jun-04-09

We *hereby certify* the following assay of 18 rock samples submitted May-29-09

Sample Name	Au g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
130702	0.23	10.2	0.017	0.06	0.23
130703	1.73	21.3	0.041	0.16	1.05
130704	1.18	13.3	0.055	0.04	1.25
130705	11.12	46.1	0.113	0.10	2.36
130706	3.20	86.2	0.195	0.38	1.88
130707	1.54	134.1	0.740	1.38	5.60
130708	4.69	139.1	2.64	0.86	25.3
130709	3.85	260.0	0.998	1.10	10.5
130710	2.70	97.0	0.268	0.27	1.96
130711	1.27	69.5	0.013	1.96	0.20
130712	2.63	74.0	0.129	0.61	1.92
130713	3.78	124.6	0.131	3.47	3.39
130715	0.33	9.6	0.027	0.02	0.59
130716	0.29	20.1	0.070	0.03	1.48
130717	1.62	41.0	0.269	0.04	4.03
130718	0.69	42.2	0.246	0.06	2.32
Crusher Upper Grab	4.06	197.0	0.336	4.84	10.7
Woodbine Grab	0.31	36.6	0.019	0.04	0.19
*DUP 130702	0.24	10.4	0.016	0.06	0.23
*DUP 130711	1.28	68.4	0.013	1.91	0.19
*0211	2.18				
*SE-1		672.8	0.093	1.84	2.51
*BLANK	<0.01	<0.1	<0.001	<0.001	<0.01

Au F.A. AA finish.Ag,Cu,Pb&Zn 4 Acid Digest AA finish

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd
Attention: Rick Kasum
Project:
Sample type: Rock

Report No : **9V0667RJ**
Date : Jun-04-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
130702	10.1	0.47	69	39	<0.5	7	1.81	25	16	32	157	6.98	1	0.39	<10	0.07	1229	<2	0.01	2	1399	572	>5.00	5	1	75	<5	0.02	<10	13	10	33	2202	4
130703	22.6	0.49	136	44	<0.5	17	2.48	137	14	68	448	9.23	2	0.30	<10	0.08	1397	<2	0.01	1	1298	1873	>5.00	9	1	96	<5	0.02	<10	22	10	179	>10000	6
130704	13.4	0.47	88	54	<0.5	9	3.83	153	6	64	581	7.79	2	0.30	<10	0.15	2326	2	0.01	1	712	454	>5.00	<5	1	188	<5	0.01	<10	20	7	180	>10000	4
130705	32.3	0.44	209	52	<0.5	22	3.30	295	8	79	1283	13.74	2	0.21	<10	0.16	2373	3	0.01	<1	545	1012	>5.00	<5	<1	154	<5	0.01	<10	41	7	346	>10000	7
130706	89.8	0.49	128	31	<0.5	22	1.21	235	6	90	2076	10.90	1	0.19	<10	0.19	1165	<2	0.01	2	625	3860	>5.00	17	<1	58	<5	0.01	<10	28	7	296	>10000	6
130707	146.6	0.21	107	34	<0.5	51	2.31	652	5	110	7554	10.26	1	0.11	<10	0.06	1622	7	0.01	1	680	>10000	>5.00	32	<1	102	<5	<0.01	<10	27	3	777	>10000	5
130708	149.5	0.21	94	35	<0.5	115	1.63	>2000	5	45	>10000	12.78	3	0.09	<10	0.06	1901	4	<0.01	<1	1634	8852	>5.00	<5	<1	49	<5	<0.01	<10	37	3	3806	>10000	7
130709	>200.0	0.44	102	31	<0.5	92	1.64	1293	5	85	>10000	9.67	5	0.18	<10	0.13	1504	4	<0.01	1	944	>10000	>5.00	48	<1	59	<5	0.01	<10	26	5	1443	>10000	5
130710	97.2	0.35	130	43	<0.5	22	4.46	222	8	60	2652	7.60	2	0.27	<10	0.07	2492	<2	0.01	1	733	2669	>5.00	11	<1	188	<5	0.01	<10	23	5	278	>10000	4
130711	68.5	0.90	1423	83	<0.5	<5	0.87	26	7	75	131	4.67	<1	0.29	<10	0.24	2257	3	0.01	1	641	>10000	3.74	20	1	32	<5	<0.01	<10	14	7	27	1974	3
130712	75.6	0.57	2444	30	<0.5	12	1.37	256	9	112	1270	10.42	<1	0.24	<10	0.15	2232	4	0.01	2	596	6372	>5.00	10	<1	49	<5	<0.01	<10	30	5	274	>10000	5
130713	129.7	0.60	3320	20	<0.5	11	0.20	504	14	101	1309	8.81	1	0.22	<10	0.16	818	<2	0.01	4	615	>10000	>5.00	32	<1	7	<5	<0.01	<10	22	5	511	>10000	5
130715	10.1	0.82	96	82	<0.5	<5	4.24	59	7	126	269	5.31	1	0.19	<10	0.38	2727	6	0.01	2	325	262	4.84	6	<1	135	<5	<0.01	<10	16	7	81	5220	3
130716	21.8	0.62	50	56	<0.5	<5	2.64	166	3	113	747	3.36	<1	0.09	<10	0.28	2158	<2	<0.01	3	221	345	2.96	8	<1	75	<5	<0.01	<10	13	6	206	>10000	2
130717	42.7	0.94	127	56	<0.5	12	8.24	445	7	67	2759	7.80	1	0.10	<10	0.44	4664	2	0.01	<1	396	424	>5.00	<5	<1	246	<5	<0.01	<10	29	9	534	>10000	4
130718	40.5	0.75	89	60	<0.5	10	3.17	278	7	93	2358	5.74	<1	0.16	<10	0.35	2433	<2	0.01	2	393	600	>5.00	8	<1	82	<5	<0.01	<10	15	8	312	>10000	3
Crusher Upper Grab	>200.0	0.42	1807	16	<0.5	23	0.05	1385	10	111	3391	13.96	2	0.14	<10	0.11	443	<2	0.01	3	710	>10000	>5.00	26	<1	4	<5	<0.01	<10	33	5	1555	>10000	7
Woodbine Grab	36.8	1.60	174	39	<0.5	11	0.48	22	11	83	191	10.22	<1	0.19	<10	0.87	2267	<2	<0.01	1	483	450	>5.00	40	<1	20	<5	<0.01	<10	28	15	29	1991	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95ºC for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0801-RA1

Company: **Ascot Resources Ltd**
Project: Premier /PO#shipment 1
Attn: Sue Deane

Jul-06-09

We *hereby certify* the following assay of 22 rocks samples submitted Jun-25-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Pb %	Zn %	Sample-wt Kg
49501	18.08	16.28	167		1.99	1.74
130720	0.20		4.9			1.97
130721	0.06		3.3			2.09
130722	0.06		3.5			1.97
130723	0.07		4.4			1.75
130724	0.06		2.5			1.68
130725	0.23		25.7		1.21	1.88
130726	33.09		151	2.19	2.05	1.99
130727	5.20		110	2.81	2.11	1.92
130728	3.22	3.58	63.3	1.18	1.77	3.06
130729	0.52		92.6	2.88	4.13	3.13
130730	0.43		99.9		1.30	2.90
130731	0.19		118			1.56
130732	0.45		87.3			1.99
130733	0.09		8.8			3.45
130734	0.21		34.7			2.93
130735	0.44		61.6	1.85	0.97	2.37
130736	0.67		6.6			3.44
130737	0.97		6.2			2.11
130738	0.53	0.46	7.0			1.72
130739	0.11		5.2			1.33
130740	0.11		2.8			1.43
*0211	2.12					
*SE-1				1.85	2.50	
*BLANK	<0.01			<0.01	<0.01	

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0801-RA2

Jul-06-09

Company: **Ascot Resources Ltd**
Project: Premier /PO#shipment 1
Attn: Sue Deane

We *hereby certify* the following assay of 22 rocks samples submitted Jun-25-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-wt Kg
130741	0.17	0.18	3.5	2.23
130742	0.19		1.6	2.89
130743	1.69		3.5	2.80
130744	2.71		6.7	2.28
130745	1.68		8.1	1.72
*0211	2.03			
*BLANK	<0.01			

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Premier /PO#shipment 1

Sample type: Rocks

Report No : **9V0801RJ**

Date : Jul-06-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
49501	167.6	0.20	413	72	<0.5	76	6.04	258	8	34	4552	>15.00	1	0.17	<10	0.06	2835	<2	0.01	<1	868	9287	>5.00	103	<1	316	<5	<0.01	<10	68	<1	341	>10000	13
130720	4.9	0.48	82	329	<0.5	5	0.05	3	3	18	20	4.01	<1	0.45	<10	0.08	139	3	0.01	<1	987	152	1.33	<5	1	9	<5	0.01	<10	<10	10	<10	281	2
130721	3.3	0.39	81	367	<0.5	5	0.05	1	3	20	25	4.77	<1	0.38	<10	0.08	108	3	0.01	<1	1182	93	1.16	<5	1	11	<5	0.02	<10	<10	9	<10	133	3
130722	3.5	0.55	76	311	<0.5	<5	0.43	3	4	26	25	4.92	<1	0.45	<10	0.12	439	4	0.01	<1	1235	142	1.51	<5	1	21	<5	0.02	<10	<10	11	<10	220	3
130723	4.4	0.44	84	291	<0.5	<5	0.32	5	5	23	16	4.01	<1	0.41	<10	0.07	326	2	0.01	<1	1132	227	1.62	<5	1	18	<5	0.02	<10	<10	7	<10	194	3
130724	2.5	0.76	49	143	<0.5	<5	1.56	36	12	19	36	4.31	<1	0.46	<10	0.26	1608	5	0.01	1	1278	101	3.62	<5	2	52	<5	0.03	<10	<10	13	38	2632	3
130725	25.7	0.24	84	56	<0.5	7	0.52	136	3	114	70	6.95	2	0.12	<10	0.12	524	<2	0.01	3	620	8416	>5.00	20	1	28	<5	<0.01	<10	12	12	203	>10000	3
130726	151.9	0.09	74	24	<0.5	8	0.22	249	2	160	108	6.03	3	0.03	<10	0.07	564	<2	0.01	4	180	>10000	>5.00	34	<1	22	<5	<0.01	<10	10	4	324	>10000	2
130727	110.0	0.07	114	18	<0.5	13	0.02	215	3	154	381	9.51	4	0.05	<10	0.03	61	2	0.01	2	321	>10000	>5.00	116	<1	20	<5	<0.01	<10	19	2	331	>10000	4
130728	63.3	0.12	98	25	<0.5	11	0.49	172	5	92	329	9.56	2	0.07	<10	0.04	452	<2	0.01	2	460	>10000	>5.00	57	<1	22	<5	<0.01	<10	18	3	296	>10000	4
130729	92.6	0.09	219	19	<0.5	19	0.63	447	3	146	1480	13.59	3	0.05	<10	0.04	588	4	0.01	1	426	>10000	>5.00	74	<1	27	<5	<0.01	<10	27	2	675	>10000	5
130730	99.9	0.09	129	36	<0.5	9	1.30	123	6	87	668	7.09	2	0.08	<10	0.02	722	3	0.01	3	398	8788	>5.00	117	<1	49	<5	<0.01	<10	14	2	209	>10000	3
130731	118.7	0.42	43	149	<0.5	<5	0.60	9	10	107	73	2.74	<1	0.26	<10	0.15	823	4	0.01	2	752	1897	1.97	39	1	46	<5	0.01	<10	<10	9	14	993	1
130732	87.3	1.12	26	164	<0.5	<5	3.14	10	17	33	74	3.89	1	0.49	<10	0.46	3013	<2	0.01	1	1365	611	2.93	8	2	145	<5	0.03	<10	<10	22	14	942	2
130733	8.8	1.26	55	209	<0.5	<5	2.63	3	20	37	37	4.54	<1	0.46	<10	0.57	4047	<2	0.01	<1	1544	157	2.51	<5	2	114	<5	0.03	<10	<10	23	<10	281	3
130734	34.7	0.92	46	166	<0.5	<5	1.74	16	16	33	57	4.62	1	0.43	<10	0.34	2160	<2	0.01	1	1323	1761	2.43	6	2	42	<5	0.02	<10	<10	19	22	1528	3
130735	61.6	0.29	104	50	<0.5	9	2.22	113	8	174	96	9.24	3	0.20	<10	0.06	1854	6	0.01	2	571	>10000	>5.00	32	1	73	<5	<0.01	<10	19	7	173	>10000	4
130736	6.6	0.22	85	51	<0.5	9	2.56	16	7	111	27	8.42	<1	0.17	<10	0.07	1381	<2	0.02	3	499	1022	>5.00	6	1	110	<5	<0.01	<10	17	4	22	1457	4
130737	6.2	0.27	98	48	<0.5	10	0.43	21	7	212	25	9.45	<1	0.13	<10	0.13	1261	4	0.01	3	500	1277	>5.00	7	1	15	<5	<0.01	<10	19	8	31	2022	4
130738	7.0	0.25	106	47	<0.5	10	0.04	11	6	138	20	9.26	1	0.15	<10	0.07	443	<2	0.01	3	535	749	>5.00	8	1	4	<5	<0.01	<10	17	5	19	1227	4
130739	5.2	0.36	111	233	<0.5	12	0.01	6	4	106	21	10.98	<1	0.20	<10	0.03	89	6	0.01	1	1052	618	1.29	6	1	15	<5	0.01	<10	18	11	11	640	9
130740	2.8	0.18	69	171	<0.5	6	<0.01	3	3	152	2	5.09	<1	0.23	<10	0.02	101	<2	0.01	4	273	336	2.13	<5	<1	7	<5	0.01	<10	<10	5	<10	261	2
130741	3.5	0.12	53	99	<0.5	6	0.01	4	4	219	6	6.24	1	0.12	<10	0.02	137	6	0.01	4	383	554	3.10	6	<1	8	<5	<0.01	<10	<10	3	<10	486	2
130742	1.6	0.15	33	228	<0.5	<5	<0.01	3	3	177	5	4.11	1	0.13	<10	0.03	197	<2	0.01	5	244	305	1.57	5	<1	3	<5	<0.01	<10	<10	4	<10	277	2
130743	3.5	0.20	97	113	<0.5	7	0.06	1	5	183	6	7.30	<1	0.20	<10	0.04	230	4	0.01	3	420	296	2.85	6	<1	9	<5	<0.01	<10	11	7	<10	155	3
130744	6.7	0.24	165	84	<0.5	7	0.01	6	4	185	15	8.07	1	0.27	<10	0.04	88	3	0.01	3	410	539	4.07	9	<1	8	<5	<0.01	<10	14	6	10	587	4
130745	8.1	0.14	147	308	<0.5	5	<0.01	3	1	181	15	5.49	1	0.25	<10	0.02	62	<2	0.01	4	309	1679	1.13	11	<1	8	<5	<0.01	<10	<10	5	<10	277	2

Au F.A. AA finish. Ag read from ICP solution.

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0863-RA1

Jul-22-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/PO#shipment 2
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Jul-09-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-Wt. Kg
131001	0.31	0.35	32.1	2.9
131002	0.63		9.2	3.2
131003	0.22		2.5	3.2
131004	0.20		2.2	3.4
131005	0.20		3.4	3.8
131006	0.30		3.0	2.9
131007	0.66		9.2	1.5
131008	0.19		2.6	1.5
131009	0.10		1.0	1.3
131010	0.19	0.15	5.3	2.6
131011	0.66		20.1	2.9
131012	0.30		2.9	2.0
131013	0.26		17.4	1.9
131014	0.30		56.5	1.9
131015	0.78		14.2	1.8
131016	0.58		6.2	1.5
131017	0.37		10.8	1.5
131018	0.13		9.3	1.8
131019	0.41		23.7	1.7
131020	5.62	6.67	8.5	1.7
131021	0.54		5.5	1.5
131022	0.86		10.7	1.5
*0211	2.24			
*BLANK	<0.01			

Au F.A. AA finish. Ag read from ICP solution.

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0863-RA2

Jul-22-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/PO#shipment 2
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Jul-09-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-Wt. Kg
131023	1.25	1.35	10.1	1.5
131024	8.71		42.4	1.9
131025	23.90		31.3	1.8
131026	3.71		46.7	2.1
131027	0.21		3.2	1.9
131028	0.32		20.5	2.4
131029	0.01		<0.1	0.3
131030	0.31		0.7	
131031	0.24		3.6	3.8
131032	0.01	0.02	0.7	3.0
131033	0.02		0.9	3.4
131034	0.03		0.7	3.4
131035	0.05		0.9	3.5
131036	0.10		5.1	1.5
131037	0.45		12.1	1.5
131038	0.61		61.0	1.9
131039	0.10		3.4	1.6
131040	0.22		2.1	1.5
131041	0.45		5.6	1.5
131042	0.15	0.16	2.6	3.4
131043	0.14		2.8	3.6
131044	0.21		2.3	3.5
*0211	2.17			
*BLANK	<0.01			

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0863-RA3

Jul-22-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/PO#shipment 2
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Jul-09-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-Wt. Kg
131045	0.08	0.09	0.8	3.4
131046	0.24		1.4	2.8
131047	0.05		2.5	3.2
131048	0.18		2.8	2.6
131049	1.63		31.3	1.8
131050	0.50		2.6	1.8
131051	0.63		27.5	1.8
131052	0.56		2.8	1.6
131053	0.63		5.8	1.8
131054	0.47	0.47	22.4	1.6
131055	1.21		29.1	1.8
131056	3.31		13.3	1.8
131057	0.08		3.2	1.9
131058	0.12		4.1	1.9
131059	0.31		14.4	1.7
131060	0.35		2.9	1.8
131061	0.75		26.6	1.5
131062	0.34		13.1	1.8
131063	0.25		3.8	1.9
131064	0.12	0.14	4.2	2.0
131065	3.52		10.9	1.7
131066	0.14		2.0	1.9
*0211	2.18			
*BLANK	<0.01			

Au F.A. AA finish. Ag read from ICP solution. 131065 may have metallic gold.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0863-RA4

Jul-22-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/PO#shipment 2
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Jul-09-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Zn %	Sample-Wt. Kg
131067	0.09	0.08	4.8		1.6
131068	0.26		4.9		1.7
131069	2.13		6.1		1.9
131070	5.26		9.9		0.9
131071	5.10		14.5		1.8
131072	91.36		112.9		3.0
131073	0.67		3.8		2.1
131074	0.02		0.1		0.3
131075	3.39		1.5		
131076	0.24	0.21	1.2		1.4
131077	0.15		2.0		1.7
131078	0.26		2.6		1.3
131079	0.34		3.0		1.5
131080	0.07		1.9		1.8
131081	0.17		0.8		1.7
131082	0.12		1.9		1.4
131083	0.22		1.5		1.7
131084	0.29		2.1		1.6
131085	0.53		2.6		1.5
131086	0.09	0.12	3.5		2.3
131087	0.91		33.2	17.7	1.9
131088	2.45		6.4		1.9
*0211	2.15				
*SE-1				2.63	
*BLANK	<0.01			<0.01	

Au F.A. AA finish. Ag read from ICP solution. Zn 4-acid digest

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0863-RA5

Jul-22-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/PO#shipment 2
Attn: Sue Deane

We *hereby certify* the following assay of 6 core samples submitted Jul-09-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-Wt. Kg
131089	2.63	2.74	8.3	1.5
131090	0.48		4.4	1.6
131091	0.34		3.4	1.7
131092	1.34		5.2	1.9
131093	0.75		10.1	1.6
131094	1.40		6.9	2.3
*0211	2.20			
*BLANK	<0.01			

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/PO#shipment 2

Sample type: Core

Report No : **9V0863RJ**

Date : Jul-22-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131001	32.1	0.34	41	289	<0.5	<5	1.75	6	4	22	53	0.90	<1	0.31	<10	0.03	794	<2	0.01	1	647	275	0.63	8	1	65	<5	<0.01	<10	<10	3	<10	629	4
131002	9.2	0.41	52	268	<0.5	<5	1.59	4	5	14	33	1.27	<1	0.36	10	0.03	769	<2	0.01	1	732	276	0.96	<5	1	57	<5	<0.01	<10	<10	4	<10	405	4
131003	2.5	0.37	68	266	<0.5	<5	2.03	6	5	17	11	1.37	<1	0.32	10	0.03	904	6	0.01	1	750	394	1.01	<5	1	52	<5	<0.01	<10	<10	3	<10	570	3
131004	2.2	0.39	62	295	<0.5	<5	1.57	2	4	13	4	1.33	<1	0.35	<10	0.03	923	3	0.01	1	718	90	0.82	<5	1	43	<5	<0.01	<10	<10	4	<10	201	4
131005	3.4	0.35	70	241	<0.5	<5	2.35	2	5	16	14	1.39	<1	0.33	<10	0.03	1052	2	0.01	1	670	54	1.04	<5	1	75	<5	<0.01	<10	<10	3	<10	149	4
131006	3.0	0.40	68	272	<0.5	<5	1.99	10	5	14	27	1.47	<1	0.35	<10	0.04	988	3	0.01	1	721	479	1.11	<5	1	60	<5	<0.01	<10	<10	4	15	1009	4
131007	9.2	0.34	48	232	<0.5	<5	1.94	11	4	25	30	1.43	<1	0.28	<10	0.03	1010	2	0.01	1	583	479	1.14	<5	1	91	<5	<0.01	<10	<10	3	<10	1087	3
131008	2.6	0.47	37	512	<0.5	<5	1.42	12	4	18	19	1.35	<1	0.31	11	0.05	1120	<2	0.01	1	698	139	0.51	<5	1	46	<5	<0.01	<10	<10	4	<10	732	3
131009	1.0	0.60	15	479	<0.5	<5	0.79	7	4	18	9	1.55	<1	0.29	14	0.11	1356	<2	0.01	1	709	47	0.18	<5	1	21	5	<0.01	<10	<10	3	<10	1038	3
131010	5.3	0.42	22	310	<0.5	<5	1.90	3	4	23	7	1.40	<1	0.33	<10	0.08	1093	2	0.01	1	690	156	0.72	<5	1	78	<5	<0.01	<10	<10	4	<10	341	3
131011	20.1	0.31	34	254	<0.5	<5	1.19	27	5	31	35	1.88	<1	0.27	<10	0.09	818	2	0.01	1	601	527	1.19	<5	1	57	<5	<0.01	<10	<10	3	19	2460	2
131012	2.9	0.39	14	312	<0.5	<5	1.45	5	3	19	10	1.16	<1	0.33	12	0.08	1070	<2	0.01	1	720	179	0.58	<5	1	60	<5	<0.01	<10	<10	4	<10	563	2
131013	17.4	0.21	35	207	<0.5	<5	0.50	10	4	44	44	1.27	<1	0.19	<10	0.01	195	2	0.01	1	400	498	1.05	<5	<1	22	<5	<0.01	<10	<10	2	<10	924	2
131014	56.5	0.13	29	134	<0.5	<5	0.68	78	4	54	133	1.02	1	0.12	<10	0.01	305	7	0.01	2	297	1474	1.24	11	<1	135	<5	<0.01	<10	<10	1	58	5117	1
131015	14.2	0.23	85	90	<0.5	<5	2.90	15	11	39	28	2.70	<1	0.20	<10	0.07	1191	2	0.01	2	910	960	2.55	6	1	114	<5	<0.01	<10	10	7	11	1422	1
131016	6.2	0.51	54	83	<0.5	<5	0.76	9	12	46	26	3.75	<1	0.23	<10	0.15	757	<2	0.01	3	1000	328	2.42	<5	2	32	<5	<0.01	<10	<10	12	<10	870	2
131017	10.8	0.11	40	72	<0.5	<5	1.41	26	4	78	33	3.13	<1	0.07	<10	0.07	1098	<2	0.01	2	271	294	2.54	5	1	79	<5	<0.01	<10	11	1	18	2161	1
131018	9.3	0.11	15	162	<0.5	<5	0.46	9	2	108	8	2.21	<1	0.08	<10	0.10	680	<2	0.01	2	238	198	1.51	<5	1	34	<5	<0.01	<10	<10	2	<10	879	1
131019	23.7	0.12	17	178	<0.5	<5	0.83	12	3	96	14	1.97	<1	0.08	<10	0.11	858	<2	0.01	2	264	1388	1.36	6	1	41	<5	<0.01	<10	<10	3	<10	1169	1
131020	8.5	0.12	16	128	<0.5	<5	0.96	30	3	105	30	2.03	<1	0.08	<10	0.12	1057	<2	0.01	2	265	612	1.44	<5	1	71	<5	<0.01	<10	<10	3	20	2456	1
131021	5.5	0.10	20	136	<0.5	<5	0.83	33	3	94	30	2.24	<1	0.08	<10	0.14	1111	2	0.01	3	307	910	1.65	5	1	59	<5	<0.01	<10	<10	2	24	2790	1
131022	10.7	0.11	35	82	<0.5	6	0.87	70	5	106	228	3.14	1	0.08	<10	0.14	983	<2	0.01	3	357	2819	2.58	10	1	57	<5	<0.01	<10	10	1	51	4607	1
131023	10.1	0.13	69	30	<0.5	<5	0.42	25	6	92	18	5.26	<1	0.11	<10	0.08	555	4	0.01	2	463	537	4.24	<5	1	38	<5	<0.01	<10	10	4	18	2155	2
131024	42.4	0.07	216	14	<0.5	15	0.86	244	5	87	119	10.44	3	0.06	<10	0.06	755	<2	0.01	1	163	794	>5.00	7	<1	31	<5	<0.01	<10	25	4	148	6327	4
131025	31.3	0.07	220	15	<0.5	14	0.90	228	5	98	280	11.78	3	0.05	<10	0.09	894	<2	0.01	1	173	528	>5.00	5	1	31	<5	<0.01	<10	30	4	126	6302	4
131026	46.7	0.20	133	19	<0.5	9	1.95	227	8	62	285	7.21	3	0.18	<10	0.04	1038	11	0.01	1	553	9781	>5.00	25	1	103	<5	<0.01	<10	19	4	141	5781	3
131027	3.2	0.29	19	247	<0.5	<5	1.42	5	5	64	93	1.17	<1	0.24	<10	0.01	619	5	0.01	2	772	243	1.04	<5	1	97	<5	<0.01	<10	<10	3	<10	463	1
131028	20.5	0.27	35	136	<0.5	<5	2.75	67	5	46	198	1.37	1	0.22	<10	0.02	1127	7	0.01	2	616	2828	1.68	15	1	115	<5	<0.01	<10	<10	3	44	3884	1
131029	<0.2	0.05	<5	29	<0.5	<5	>15.00	<1	1	3	3	0.05	2	0.01	<10	1.26	30	<2	0.01	1	43	<2	0.84	<5	<1	5660	<5	<0.01	<10	<10	1	<10	18	<1
131030	0.7	0.57	810	1210	0.5	9	0.79	10	9	54	36	3.70	2	0.13	14	0.37	496	6	0.01	34	1044	159	0.22	639	5	215	6	<0.01	<10	<10	55	<10	240	14

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Dilworth/PO#shipment 2
Sample type: Core

Report No : **9V0863RJ**
Date : Jul-22-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131031	3.6	0.57	79	49	<0.5	<5	4.33	17	20	16	34	5.18	<1	0.35	<10	0.11	1616	2	0.01	1	1695	833	4.58	<5	2	121	<5	0.01	<10	15	11	12	1423	2
131032	0.7	1.63	17	165	<0.5	<5	5.55	1	19	12	22	5.05	<1	0.32	<10	0.69	2654	<2	0.01	1	1640	16	1.95	<5	2	143	<5	0.03	<10	19	22	<10	84	2
131033	0.9	1.79	14	179	<0.5	<5	5.11	<1	18	9	20	4.56	<1	0.32	<10	0.73	2481	<2	0.01	1	1565	10	1.19	<5	3	125	<5	0.02	<10	17	24	<10	63	2
131034	0.7	2.10	12	154	<0.5	<5	5.47	<1	19	4	30	4.80	<1	0.29	<10	0.92	2951	<2	0.01	<1	1639	6	0.63	<5	3	124	<5	0.02	<10	20	26	<10	77	2
131035	0.9	1.87	12	161	<0.5	<5	4.85	<1	16	5	25	4.82	<1	0.31	<10	0.82	2789	<2	0.01	<1	1522	14	1.45	<5	2	113	<5	0.01	<10	19	25	<10	67	2
131036	5.1	0.38	34	320	<0.5	<5	2.71	3	5	18	11	1.25	<1	0.32	12	0.04	1584	3	0.01	1	678	84	0.58	<5	1	87	<5	<0.01	<10	<10	3	<10	218	3
131037	12.1	0.37	43	161	<0.5	<5	1.55	2	4	20	21	1.07	<1	0.31	11	0.03	779	<2	0.01	1	611	153	0.83	<5	1	77	<5	<0.01	<10	<10	3	<10	193	3
131038	61.0	0.33	60	203	<0.5	<5	1.37	30	5	23	45	1.33	<1	0.28	<10	0.02	478	<2	0.01	1	633	1168	1.22	6	1	50	<5	<0.01	<10	<10	3	21	2419	3
131039	3.4	0.36	48	234	<0.5	<5	1.46	7	4	19	9	1.41	<1	0.31	<10	0.02	703	2	0.01	1	646	358	0.96	<5	1	32	<5	<0.01	<10	<10	3	<10	456	3
131040	2.1	0.34	45	436	<0.5	<5	3.26	7	4	11	3	1.27	<1	0.30	15	0.02	1927	2	0.01	1	743	106	0.41	<5	1	37	<5	<0.01	<10	<10	2	<10	583	3
131041	5.6	0.42	59	821	<0.5	<5	0.17	4	6	24	11	1.84	<1	0.30	13	0.04	840	<2	0.01	1	656	309	0.27	<5	1	13	<5	<0.01	<10	<10	3	<10	742	3
131042	2.6	0.40	64	256	<0.5	<5	2.79	1	5	14	3	1.48	<1	0.36	10	0.04	1218	<2	0.01	1	689	49	0.98	<5	1	113	<5	<0.01	<10	<10	3	<10	62	4
131043	2.8	0.41	79	269	<0.5	<5	2.53	1	5	15	4	1.42	<1	0.39	10	0.04	1390	<2	0.01	1	678	40	1.10	<5	1	92	<5	<0.01	<10	<10	3	<10	29	4
131044	2.3	0.40	30	335	<0.5	<5	2.84	5	4	14	8	1.34	<1	0.35	11	0.04	1424	<2	0.01	1	686	169	0.67	<5	1	91	<5	<0.01	<10	<10	3	<10	573	4
131045	0.8	0.41	16	365	<0.5	<5	2.39	2	5	14	2	1.34	<1	0.35	<10	0.08	1430	<2	0.01	<1	646	55	0.59	<5	1	91	<5	<0.01	<10	<10	3	<10	179	3
131046	1.4	0.42	17	329	<0.5	<5	2.31	4	5	18	4	1.33	<1	0.33	11	0.05	1864	2	0.01	1	666	76	0.37	<5	1	83	<5	<0.01	<10	<10	3	<10	342	3
131047	2.5	0.41	16	310	<0.5	<5	2.02	1	4	21	3	1.05	<1	0.37	10	0.05	1455	3	0.01	1	702	105	0.58	<5	1	83	<5	<0.01	<10	<10	3	<10	120	3
131048	2.8	0.37	28	297	<0.5	<5	1.41	6	5	25	16	1.16	<1	0.35	<10	0.04	872	2	0.01	1	693	113	0.76	<5	1	63	<5	<0.01	<10	<10	3	<10	446	2
131049	31.3	0.25	86	144	<0.5	<5	1.04	31	4	42	56	2.51	<1	0.23	<10	0.03	476	<2	0.01	1	443	986	2.32	15	<1	57	<5	<0.01	<10	<10	3	21	2558	2
131050	2.6	0.31	33	240	<0.5	<5	0.71	9	5	35	11	1.56	<1	0.28	<10	0.03	383	<2	0.01	1	631	344	1.30	5	<1	34	<5	<0.01	<10	<10	3	<10	836	2
131051	27.5	0.25	89	99	<0.5	5	0.82	13	5	46	108	4.05	<1	0.27	<10	0.03	600	<2	0.01	1	496	403	3.53	32	<1	49	<5	<0.01	<10	10	2	<10	1039	3
131052	2.8	0.26	22	241	<0.5	<5	2.01	2	4	37	4	1.26	<1	0.24	<10	0.03	1249	2	0.01	1	550	210	1.02	<5	1	77	<5	<0.01	<10	<10	3	<10	169	2
131053	5.8	0.27	29	230	<0.5	<5	1.57	11	5	34	29	1.34	<1	0.26	<10	0.03	780	3	0.01	1	619	448	1.25	6	1	72	<5	<0.01	<10	<10	3	<10	992	2
131054	22.4	0.27	21	229	<0.5	<5	0.54	19	4	48	69	1.42	<1	0.20	<10	0.05	519	3	0.01	2	508	630	1.03	5	1	34	<5	<0.01	<10	<10	4	13	1810	2
131055	29.1	0.19	62	118	<0.5	5	0.29	105	3	62	151	2.58	1	0.13	<10	0.04	328	2	0.01	2	363	273	2.31	<5	<1	18	<5	<0.01	<10	<10	3	66	4567	2
131056	13.3	0.29	199	47	<0.5	13	0.30	13	10	44	16	6.80	<1	0.22	<10	0.10	882	3	0.01	1	930	324	>5.00	6	1	14	<5	<0.01	<10	19	9	<10	1030	3
131057	3.2	0.11	38	69	<0.5	<5	0.72	5	6	71	3	3.18	<1	0.10	<10	0.16	994	<2	0.01	2	424	173	2.28	5	1	56	<5	<0.01	<10	11	3	<10	456	1
131058	4.1	0.14	35	108	<0.5	<5	1.04	2	7	73	2	3.48	<1	0.12	<10	0.25	1489	2	0.01	3	542	72	2.23	<5	2	92	<5	<0.01	<10	15	3	<10	157	1
131059	14.4	0.32	32	109	<0.5	<5	0.91	2	7	71	<1	3.87	<1	0.11	<10	0.39	1493	<2	0.01	2	591	525	2.31	5	2	70	<5	<0.01	<10	14	12	<10	155	2
131060	2.9	0.16	27	154	<0.5	<5	1.36	5	5	84	<1	2.93	<1	0.14	<10	0.25	1539	2	0.01	2	496	75	1.74	5	1	102	<5	<0.01	<10	11	3	<10	430	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95ºC for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/PO#shipment 2

Sample type: Core

Report No : **9V0863RJ**

Date : Jul-22-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131061	26.6	0.08	17	137	<0.5	<5	2.04	28	3	83	13	1.47	1	0.08	<10	0.07	1502	2	0.01	2	204	443	1.30	11	1	114	<5	<0.01	<10	11	1	19	2474	1
131062	13.1	0.15	35	125	<0.5	<5	1.70	10	5	73	8	2.52	<1	0.12	<10	0.10	1646	5	0.01	2	557	355	1.96	6	1	86	<5	<0.01	<10	13	4	<10	870	1
131063	3.8	0.18	21	193	<0.5	<5	0.96	4	4	71	1	2.54	<1	0.14	<10	0.26	1518	<2	0.01	2	496	133	1.40	<5	1	87	<5	<0.01	<10	12	5	<10	398	1
131064	4.2	0.19	21	208	<0.5	<5	0.68	10	5	79	10	2.78	<1	0.13	<10	0.24	1358	<2	0.01	3	455	360	1.51	5	1	65	<5	<0.01	<10	<10	5	<10	955	1
131065	10.9	0.14	32	138	<0.5	<5	0.69	21	3	93	38	2.36	<1	0.11	<10	0.16	1203	<2	0.01	3	309	766	1.72	9	1	52	<5	<0.01	<10	10	2	15	1905	1
131066	2.0	0.16	7	129	<0.5	<5	0.68	12	3	98	9	2.04	<1	0.10	<10	0.25	1436	<2	0.01	3	338	243	0.95	<5	1	51	<5	<0.01	<10	10	3	<10	1108	1
131067	4.8	0.19	8	215	<0.5	<5	1.17	18	4	70	28	2.93	<1	0.16	<10	0.39	2164	<2	0.01	2	501	103	1.07	5	1	99	<5	<0.01	<10	15	4	10	1416	1
131068	4.9	0.17	11	217	<0.5	<5	1.17	34	4	80	38	2.46	<1	0.14	<10	0.36	1991	<2	0.01	2	459	548	1.01	<5	1	88	<5	<0.01	<10	13	4	19	2377	1
131069	6.1	0.24	19	184	<0.5	<5	1.01	53	3	70	55	2.16	1	0.13	<10	0.28	1885	<2	0.01	2	441	2136	1.00	<5	1	59	<5	<0.01	<10	13	6	32	3214	1
131070	9.9	0.19	20	140	<0.5	<5	1.86	117	2	87	128	2.03	1	0.13	<10	0.19	1899	<2	0.01	3	332	2267	1.41	<5	1	126	<5	<0.01	<10	13	3	67	4310	1
131071	14.5	0.16	44	92	<0.5	9	0.70	160	3	74	622	3.73	2	0.12	<10	0.09	1027	<2	0.01	2	349	1001	3.10	<5	1	49	<5	<0.01	<10	12	3	90	4799	1
131072	112.9	0.27	360	27	<0.5	49	0.09	120	5	58	1587	>15.00	1	0.13	<10	0.11	397	<2	0.01	<1	548	1546	>5.00	10	<1	4	<5	<0.01	<10	53	5	62	4318	8
131073	3.8	0.53	23	141	<0.5	<5	0.56	31	5	57	84	3.11	<1	0.18	<10	0.22	843	<2	0.01	2	653	548	1.67	<5	1	31	<5	<0.01	<10	<10	7	17	2169	2
131074	<0.2	0.03	<5	12	<0.5	<5	>15.00	1	1	5	13	0.18	<1	0.01	<10	1.09	31	<2	0.01	<1	64	8	0.94	<5	<1	4583	<5	<0.01	<10	<10	1	<10	18	<1
131075	1.5	1.33	6248	72	0.6	133	5.82	75	97	31	280	4.51	<1	0.21	<10	0.47	711	28	0.06	56	895	15	0.87	9	3	58	<5	0.12	<10	10	48	35	76	11
131076	1.2	0.31	22	167	<0.5	<5	0.68	8	4	60	22	2.11	<1	0.18	<10	0.13	907	<2	0.01	2	562	78	1.13	<5	1	36	<5	<0.01	<10	<10	4	<10	729	1
131077	2.0	0.17	13	139	<0.5	<5	0.71	20	3	92	14	1.34	<1	0.10	<10	0.08	1240	<2	0.01	3	232	505	0.76	<5	<1	26	<5	<0.01	<10	<10	2	10	1424	1
131078	2.6	0.27	17	61	<0.5	<5	1.75	32	3	88	23	1.63	<1	0.13	<10	0.14	1901	<2	0.01	3	250	979	0.97	<5	<1	72	<5	<0.01	<10	12	1	17	2069	1
131079	3.0	0.18	10	64	<0.5	<5	2.01	16	2	101	16	1.12	<1	0.08	<10	0.11	1849	<2	0.01	3	157	822	0.56	<5	<1	80	<5	<0.01	<10	11	1	<10	1135	1
131080	1.9	1.21	19	120	<0.5	<5	1.41	20	7	45	29	3.89	<1	0.24	<10	0.58	2125	<2	0.01	1	909	259	1.08	<5	1	64	<5	<0.01	<10	17	14	<10	1272	2
131081	0.8	0.87	8	283	<0.5	<5	1.24	4	4	65	9	2.87	<1	0.18	<10	0.48	1948	<2	0.01	2	587	163	0.74	<5	1	61	<5	<0.01	<10	14	12	<10	351	2
131082	1.9	1.25	11	319	<0.5	<5	0.82	4	7	30	42	3.54	<1	0.19	<10	0.90	3177	<2	0.01	1	974	299	0.72	<5	2	47	<5	<0.01	<10	21	28	<10	443	2
131083	1.5	1.09	11	249	<0.5	<5	0.95	9	6	32	9	3.28	<1	0.22	<10	0.87	3215	<2	0.01	1	914	192	0.70	<5	2	58	<5	<0.01	<10	20	19	<10	816	2
131084	2.1	0.95	9	325	<0.5	<5	0.98	18	7	24	27	3.10	<1	0.24	<10	0.77	2674	<2	0.01	1	1002	253	0.74	<5	2	59	<5	<0.01	<10	16	14	11	1467	2
131085	2.6	0.52	55	131	<0.5	<5	0.88	8	9	28	10	4.59	<1	0.28	<10	0.45	2175	2	0.01	1	966	226	2.53	<5	2	77	<5	<0.01	<10	18	9	<10	717	2
131086	3.5	0.31	18	190	<0.5	<5	2.86	5	5	46	52	2.56	<1	0.14	<10	0.24	1603	<2	0.01	1	749	323	1.28	<5	3	209	<5	<0.01	<10	12	11	<10	427	1
131087	33.2	0.13	127	21	<0.5	18	0.26	1553	5	56	1728	7.53	5	0.05	<10	0.05	602	<2	<0.01	1	234	1162	>5.00	<5	<1	24	<5	<0.01	<10	19	3	1097	>10000	3
131088	6.4	0.41	32	155	<0.5	<5	1.01	28	7	64	39	3.32	<1	0.16	<10	0.22	1279	2	0.01	2	577	865	2.10	<5	1	83	<5	<0.01	<10	10	7	18	2143	1
131089	8.3	0.91	35	79	<0.5	7	0.99	123	11	55	170	4.97	1	0.20	<10	0.51	2326	<2	0.01	1	839	1349	3.41	6	1	50	<5	0.01	<10	10	12	142	6603	<1
131090	4.4	1.13	35	102	<0.5	<5	2.59	20	20	23	60	4.54	1	0.26	<10	0.54	2855	<2	0.01	2	1445	915	2.43	6	2	130	<5	0.01	<10	<10	16	25	1644	<1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Dilworth/PO#shipment 2
Sample type: Core

Report No : **9V0863RJ**
Date : Jul-22-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131091	3.4	1.05	23	127	<0.5	<5	2.57	27	21	14	81	4.36	1	0.31	<10	0.48	2793	3	0.01	1	1589	733	2.57	6	2	85	<5	0.02	<10	<10	16	34	2257	<1
131092	5.2	1.25	50	59	<0.5	6	2.01	31	18	21	89	6.56	1	0.28	<10	0.60	3038	<2	0.01	<1	1430	956	4.03	9	2	71	<5	0.02	<10	13	18	39	2507	<1
131093	10.1	1.09	43	78	<0.5	<5	1.78	44	20	25	159	5.61	1	0.29	<10	0.56	3117	<2	0.01	1	1368	1260	3.51	9	2	72	<5	0.01	<10	11	16	55	3414	<1
131094	6.9	0.97	40	114	<0.5	<5	2.14	27	19	19	109	4.91	1	0.32	<10	0.45	3140	2	0.01	1	1492	1533	2.77	7	2	78	<5	<0.01	<10	<10	14	35	2327	<1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Metallic Assay Certificate

9V-0863-RM1

Jul-22-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/PO#shipment 2
Attn: Sue Deane

We *hereby certify* the following analysis of 1 core sample submitted Jul-09-09

Sample Name	WtTotal g	Wt+150 g	+150Au mg	-150Au g/tonne	Metallic Au g/tonne	Net Au g/tonne
131070	449.8	36.8	1.393	6.05	3.10	8.65

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Metallic Assay Certificate

9V-0863-RM2

Jul-22-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/PO#shipment 2
Attn: Sue Deane

We *hereby certify* the following analysis of 22 core samples submitted Jul-09-09

Sample Name	WtTotal g	Wt+150 g	+150Au mg	-150Au g/tonne	Metallic Au g/tonne	Net Au g/tonne
131001	474.9	50.4	0.016	0.27	0.03	0.28
131002	497.1	57.2	0.068	0.53	0.14	0.61
131003	488.2	40.8	0.009	0.24	0.02	0.24
131004	483.7	44.6	0.009	0.15	0.02	0.15
131005	495.5	53.0	0.010	0.19	0.02	0.19
131006	486.2	47.2	0.020	0.24	0.04	0.26
131007	492.8	41.1	0.032	0.76	0.07	0.76
131008	560.5	45.6	0.003	0.20	<0.01	0.19
131009	494.3	44.7	0.008	0.06	0.02	0.07
131010	472.5	45.1	0.010	0.11	0.02	0.12
131011	439.0	41.1	0.025	0.47	0.06	0.48
131012	477.6	43.6	0.010	0.37	0.02	0.36
131013	463.8	39.8	0.014	0.31	0.03	0.31
131014	488.2	53.4	0.016	0.33	0.03	0.33
131015	461.9	42.1	0.116	0.79	0.25	0.97
131016	466.9	52.2	0.059	0.50	0.13	0.57
131017	488.0	56.3	0.060	0.28	0.12	0.37
131018	491.1	53.4	0.004	0.13	<0.01	0.12
131019	461.2	53.0	0.010	0.26	0.02	0.25
131020	472.5	42.2	1.286	2.84	2.72	5.31
131021	323.0	40.7	0.038	0.65	0.12	0.69
131022	472.1	44.0	0.068	0.91	0.14	0.97

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Metallic Assay Certificate

9V-0863-RM3

Jul-22-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/PO#shipment 2
Attn: Sue Deane

We *hereby certify* the following analysis of 22 core samples submitted Jul-09-09

Sample Name		WtTotal g	Wt+150 g	+150Au mg	-150Au g/tonne	Metallic Au g/tonne	Net Au g/tonne
131023		494.4	44.0	0.182	1.20	0.37	1.46
131024		469.0	35.5	0.526	7.77	1.12	8.30
131025		428.9	41.9	2.815	27.28	6.56	31.18
131026		465.7	42.6	0.155	3.54	0.33	3.55
131027		467.4	41.9	0.013	0.34	0.03	0.34
131028		454.3	48.0	0.017	0.36	0.04	0.36
131029	N.S			<0.001	<0.01		
131030	N.S			<0.001	<0.01		
131031		437.1	44.1	0.029	0.18	0.07	0.23
131032		453.2	63.3	0.003	0.01	<0.01	0.01
131033		473.1	34.3	<0.001	0.02	<0.01	0.02
131034		460.8	44.5	<0.001	0.01	<0.01	<0.01
131035		472.6	49.1	0.004	0.04	<0.01	0.05
131036		442.6	37.4	0.003	0.10	<0.01	0.10
131037		462.8	42.0	0.029	0.38	0.06	0.41
131038		450.4	18.8	0.018	0.72	0.04	0.73
131039		392.6	26.2	0.008	0.10	0.02	0.11
131040		442.9	35.7	0.004	0.10	<0.01	0.10
131041		397.2	27.8	0.015	0.23	0.04	0.25
131042		444.1	47.7	0.002	0.14	<0.01	0.13
131043		432.4	48.8	0.005	0.14	0.01	0.14
131044		430.3	25.6	0.009	0.15	0.02	0.16

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Metallic Assay Certificate

9V-0863-RM4

Jul-22-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/PO#shipment 2
Attn: Sue Deane

We *hereby certify* the following analysis of 22 core samples submitted Jul-09-09

Sample Name	WtTotal g	Wt+150 g	+150Au mg	-150Au g/tonne	Metallic Au g/tonne	Net Au g/tonne
131045	407.2	45.1	0.012	0.07	0.03	0.09
131046	399.8	40.5	0.011	0.12	0.03	0.13
131047	451.1	36.6	0.001	0.05	<0.01	0.05
131048	457.9	54.4	0.011	0.16	0.02	0.17
131049	446.0	28.6	0.082	1.24	0.18	1.34
131050	472.2	39.7	0.020	0.51	0.04	0.51
131051	454.9	37.4	0.073	0.77	0.16	0.87
131052	477.9	45.7	0.026	0.54	0.05	0.54
131053	456.1	41.8	0.030	0.66	0.07	0.66
131054	465.8	38.5	0.043	0.42	0.09	0.48
131055	471.0	45.7	0.149	1.17	0.32	1.37
131056	477.0	49.8	1.419	5.17	2.98	7.61
131057	471.5	54.1	0.004	0.09	<0.01	0.09
131058	472.1	33.3	0.004	0.12	<0.01	0.12
131059	463.1	39.4	0.026	0.33	0.06	0.36
131060	472.6	33.4	0.014	0.38	0.03	0.38
131061	492.3	46.5	0.027	0.31	0.05	0.34
131062	489.1	48.1	0.025	0.34	0.05	0.36
131063	473.0	35.6	0.007	0.20	0.02	0.20
131064	496.6	27.1	0.007	0.12	0.01	0.13
131065	469.8	51.5	0.806	1.65	1.72	3.19
131066	507.2	54.51	0.004	0.07	<0.01	0.07

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Metallic Assay Certificate

9V-0863-RM5

Jul-22-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/PO#shipment 2
Attn: Sue Deane

We *hereby certify* the following analysis of 21 core samples submitted Jul-09-09

Sample Name		WtTotal g	Wt+150 g	+150Au mg	-150Au g/tonne	Metallic Au g/tonne	Net Au g/tonne
131067		500.8	57.6	0.006	0.08	0.01	0.08
131068		499.8	41.9	0.045	0.19	0.09	0.26
131069		494.2	46.4	0.754	1.04	1.53	2.47
131071		495.6	42.5	0.427	4.62	0.86	5.09
131072		502.0	52.6	10.515	87.29	20.95	99.09
131073		510.2	42.3	0.137	0.61	0.27	0.83
131074	N.S			<0.001	<0.01		
131075	N.S			<0.001	<0.01		
131076		503.7	43.3	0.015	0.26	0.03	0.27
131077		503.5	53.0	0.012	0.13	0.02	0.14
131078		484.7	43.9	0.018	0.20	0.04	0.22
131079		511.6	47.1	0.041	0.24	0.08	0.30
131080		524.2	46.1	0.009	0.09	0.02	0.10
131081		572.5	39.5	0.012	0.14	0.02	0.15
131082		511.0	42.1	0.005	0.11	<0.01	0.11
131083		521.5	40.6	0.003	0.04	<0.01	0.04
131084		501.8	42.1	0.092	0.13	0.18	0.30
131085		525.1	41.9	0.029	0.45	0.06	0.47
131086		513.0	40.8	0.004	0.09	<0.01	0.09
131087		519.7	52.6	0.093	1.28	0.18	1.33
131088		514.6	59.5	0.205	2.75	0.40	2.83

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Metallic Assay Certificate

9V-0863-RM6

Jul-22-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/PO#shipment 2
Attn: Sue Deane

We *hereby certify* the following analysis of 6 samples submitted Jul-09-09

Sample Name	WtTotal g	Wt+150 g	+150Au mg	-150Au g/toune	Metallic Au g/tonne	Net Au g/tonne
131089	543.6	56.0	0.160	2.77	0.29	2.78
131090	501.8	54.3	0.021	0.31	0.04	0.32
131091	497.0	53.3	0.098	0.36	0.20	0.52
131092	507.2	58.8	0.441	1.95	0.87	2.59
131093	493.6	59.4	0.136	0.92	0.28	1.08
131094	479.3	54.2	0.345	1.38	0.72	1.94

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0864-RA1

Jul-21-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Shipment 2
Attn: Sue Deane

We *hereby certify* the following assay of 3 rocks samples submitted Jul-09-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Pb %	Zn %	Sample-Wt. Kg
49502	2.32	2.45	66.1		5.80	0.5
49503	1.64		82.6	1.20		0.5
49504	4.52		22.4			0.8
*0211	2.17					
*SE-1				1.93	2.67	
*BLANK	<0.01			<0.01	<0.01	

Au F.A. AA finish. Ag read from ICP solution.Pb,Zn 4 acid digest.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/Shipment 2

Sample type: Rocks

Report No : 9V0864RJ

Date : Jul-21-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
49502	66.1	0.14	145	23	<0.5	41	8.13	675	4	42	4066	10.44	1	0.07	<10	0.10	3315	<2	<0.01	<1	76	5324	>5.00	8	<1	251	<5	<0.01	<10	33	1	780	>10000	1
49503	82.6	0.11	1519	74	<0.5	15	0.04	62	1	85	314	8.49	18	0.16	<10	0.04	38	<2	0.01	<1	484	>10000	1.54	96	<1	3	<5	<0.01	<10	16	4	45	2991	<1
49504	22.4	0.11	622	59	<0.5	7	0.01	14	4	105	18	3.98	3	0.10	<10	0.02	20	<2	0.01	2	67	342	3.63	34	<1	1	<5	<0.01	<10	<10	1	<10	173	<1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0865-RA1

Jul-20-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/PO#shipment 2
Attn: Sue Deane

We *hereby certify* the following assay of 22 rocks samples submitted Jul-09-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-Wt. Kg
130746	1.92		31.0	1.7
130747	74.84	79.80	>200.0	2.2
130748	0.02		1.8	1.3
130749	4.37		>200.0	0.9
130750	0.25		74.7	0.6
130751	1.85		19.5	1.5
130752	0.09		5.4	1.3
130753	0.11		7.4	1.5
130754	0.05		6.1	1.5
130755	0.07	0.08	6.9	1.6
130756	0.08		9.8	1.7
130757	2.45		>200.0	1.2
130758	1.31		8.8	2.8
130759	0.72		6.7	2.1
130760	0.51		4.4	3.1
130761	3.65		22.5	1.7
130762	0.22		64.6	2.8
130763	2.19		14.8	1.6
130764	2.85		8.1	1.6
130765	2.54	2.68	7.1	2.0
130766	3.93		28.7	1.8
130767	6.98		15.1	1.5
*0211	2.09			
*BLANK	<0.01			

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0865-RA2

Jul-20-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/PO#shipment 2
Attn: Sue Deane

We *hereby certify* the following assay of 22 rocks samples submitted Jul-09-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-Wt. Kg
130768	0.60	0.67	5.2	1.5
130769	1.96		4.8	2.3
130770	2.01		2.6	2.6
130771	0.81		3.0	1.7
130772	3.03		65.2	2.9
130773	0.02		1.4	2.3
130774	0.53		5.7	4.4
130775	0.81		6.2	2.5
130776	0.24		5.1	2.4
130777	0.56	0.50	8.3	1.6
130778	0.34		5.1	1.8
130779	2.34		7.7	2.6
130780	1.41		8.0	3.2
130781	1.90		7.6	2.9
130782	0.96		4.0	3.4
130783	2.18		7.7	1.5
130784	1.65		2.9	2.7
130785	0.87		3.9	2.2
130786	2.23		20.4	2.4
130787	0.91	0.92	4.1	3.6
130788	0.36		4.5	3.2
130789	0.47		6.8	3.3
*0211	2.22			
*BLANK	<0.01			

Au F.A. AA finish.Ag read from ICP solution

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0865-RA3

Jul-20-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/PO#shipment 2
Attn: Sue Deane

We *hereby certify* the following assay of 22 rocks samples submitted Jul-09-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-Wt. Kg
130790	7.03	6.91	29.7	2.8
130791	12.84		125	3.8
130792	7.67		54.6	3.1
130793	7.92		110.0	1.9
130794	10.01		94.5	1.9
130795	8.90		60.5	1.8
130796	4.24		15.1	1.6
130797	0.72		5.7	1.5
130798	6.82		21.6	1.6
130799	0.39	0.35	6.9	3.0
130800	0.51		4.4	2.2
130801	0.39		3.8	3.1
130802	0.36		5.0	3.2
130803	0.34		5.2	3.5
130804	0.42		6.1	2.8
130805	0.23		6.6	2.2
130806	0.73		4.3	2.0
130807	0.73		7.8	2.2
130808	0.72		3.5	2.2
130809	1.13	1.25	130.0	2.3
130810	0.60		67.5	1.1
130811	96.04		>200.0	2.8
*0211	2.21			
*BLANK	<0.01			

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0865-RA4

Jul-20-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/PO#shipment 2
Attn: Sue Deane

We *hereby certify* the following assay of 6 rocks samples submitted Jul-09-09

Sample Name	Au g/tonne	Au-Check g/toune	Ag g/tonne	Sample-Wt. Kg
130812	1.15	1.28	20.3	1.8
130813	35.86		67.1	3.6
130814	2.88		18.7	2.4
130815	1.47		22.2	2.4
130816	1.63		5.5	3.1
130817	2.69		7.1	3.5
*0211	2.07			
*BLANK	<0.01			

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0865-RA1

Jul-20-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/PO#shipment 2
Attn: Sue Deane

We *hereby certify* the following assay of 22 rocks samples submitted Jul-09-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Ag g/tonne	Pb %	Zn %	Sample-Wt. Kg
130746	1.92		31.0		1.24		1.7
130747	74.84	79.80	>200.0	234.1	7.10	7.60	2.2
130748	0.02		1.8				1.3
130749	4.37		>200.0	4939	2.06		0.9
130750	0.25		74.7				0.6
130751	1.85		19.5				1.5
130752	0.09		5.4				1.3
130753	0.11		7.4				1.5
130754	0.05		6.1				1.5
130755	0.07	0.08	6.9				1.6
130756	0.08		9.8				1.7
130757	2.45		>200.0	597.9			1.2
130758	1.31		8.8				2.8
130759	0.72		6.7				2.1
130760	0.51		4.4				3.1
130761	3.65		22.5				1.7
130762	0.22		64.6				2.8
130763	2.19		14.8				1.6
130764	2.85		8.1				1.6
130765	2.54	2.68	7.1				2.0
130766	3.93		28.7				1.8
130767	6.98		15.1				1.5
*0211	2.09						
*SE-1				715.3	1.93	2.67	
*BLANK	<0.01			<0.1	<0.01	<0.01	

Au F.A. AA finish.Ag read from ICP solution. Ag,Pb,Zn 4-acid digest.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0865-RA2

Company: **Ascot Resources Ltd.**
Project: Dilworth/PO#shipment 2
Attn: Sue Deane

Jul-20-09

We *hereby certify* the following assay of 22 rocks samples submitted Jul-09-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Pb %	Zn %	Sample-Wt. Kg
130768	0.60	0.67	5.2			1.5
130769	1.96		4.8			2.3
130770	2.01		2.6			2.6
130771	0.81		3.0			1.7
130772	3.03		65.2	2.33	8.60	2.9
130773	0.02		1.4			2.3
130774	0.53		5.7			4.4
130775	0.81		6.2			2.5
130776	0.24		5.1			2.4
130777	0.56	0.50	8.3			1.6
130778	0.34		5.1			1.8
130779	2.34		7.7			2.6
130780	1.41		8.0			3.2
130781	1.90		7.6			2.9
130782	0.96		4.0			3.4
130783	2.18		7.7			1.5
130784	1.65		2.9			2.7
130785	0.87		3.9			2.2
130786	2.23		20.4			2.4
130787	0.91	0.92	4.1			3.6
130788	0.36		4.5			3.2
130789	0.47		6.8			3.3
*0211	2.22					
*SE-1				1.93	2.67	
*BLANK	<0.01			<0.01	<0.01	

Au F.A. AA finish.Ag read from ICP solution Pb,Zn 4-acid digest.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0865-RA3

Jul-20-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/PO#shipment 2
Attn: Sue Deane

We *hereby certify* the following assay of 22 rocks samples submitted Jul-09-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Ag g/tonne	Pb %	Zn %	Sample-Wt. Kg
130790	7.03	6.91	29.7				2.8
130791	12.84		125				3.8
130792	7.67		54.6				3.1
130793	7.92		110.0				1.9
130794	10.01		94.5				1.9
130795	8.90		60.5				1.8
130796	4.24		15.1				1.6
130797	0.72		5.7				1.5
130798	6.82		21.6				1.6
130799	0.39	0.35	6.9				3.0
130800	0.51		4.4				2.2
130801	0.39		3.8				3.1
130802	0.36		5.0				3.2
130803	0.34		5.2				3.5
130804	0.42		6.1				2.8
130805	0.23		6.6				2.2
130806	0.73		4.3				2.0
130807	0.73		7.8				2.2
130808	0.72		3.5				2.2
130809	1.13	1.25	130.0		11.6		2.3
130810	0.60		67.5		4.07		1.1
130811	96.04		>200.0	762.0	10.1	7.50	2.8
*0211	2.21						
*SE-1				715.3	1.93	2.67	
*BLANK	<0.01			<0.1	<0.01	<0.01	

Au F.A. AA finish.Ag read from ICP solution. Ag,Pb,Zn 4-acid digest.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/PO#shipment 2

Sample type: Rocks

Report No : **9V0865RJ**

Date : Jul-20-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
130746	31.0	0.28	645	19	<0.5	7	<0.01	206	18	96	139	10.04	6	0.22	<10	0.02	14	<2	0.01	1	196	>10000	>5.00	6	<1	10	<5	<0.01	<10	19	2	129	6788	4
130747	>200.0	0.28	952	13	<0.5	15	0.01	1039	26	127	2184	13.93	2	0.13	<10	0.11	115	<2	0.01	3	216	>10000	>5.00	13	<1	2	<5	<0.01	<10	30	4	455	>10000	5
130748	1.8	0.03	120	13	<0.5	<5	0.02	3	2	246	3	1.92	<1	0.02	<10	<0.01	33	6	0.01	6	63	187	1.40	7	<1	2	<5	<0.01	<10	<10	<1	<10	177	1
130749	>200.0	0.07	1844	19	<0.5	9	1.06	278	4	143	364	11.20	37	0.06	<10	0.02	263	<2	0.01	2	220	>10000	>5.00	29	<1	20	<5	<0.01	<10	24	4	275	8462	4
130750	74.7	0.13	401	33	<0.5	<5	0.54	8	4	205	9	5.75	2	0.10	<10	0.02	185	2	<0.01	4	142	665	4.62	25	<1	25	<5	<0.01	<10	10	5	<10	314	2
130751	19.5	0.43	233	79	<0.5	<5	0.44	12	10	58	33	3.79	3	0.33	<10	0.05	199	<2	0.01	3	963	467	2.96	24	1	34	<5	<0.01	14	<10	8	<10	1037	2
130752	5.4	0.54	96	150	<0.5	<5	1.83	5	9	88	30	2.87	<1	0.41	<10	0.14	861	<2	0.01	2	991	182	2.17	5	2	62	<5	<0.01	<10	<10	12	<10	346	2
130753	7.4	0.40	136	101	<0.5	<5	0.58	5	9	76	24	3.00	1	0.32	<10	0.11	460	<2	0.01	3	878	223	2.27	10	2	40	<5	<0.01	<10	<10	8	<10	351	1
130754	6.1	0.11	472	54	<0.5	<5	6.99	6	4	147	<1	4.97	<1	0.10	<10	0.04	2548	5	0.01	4	210	43	3.67	13	1	112	<5	<0.01	<10	20	1	<10	54	2
130755	6.9	0.09	341	44	<0.5	<5	0.75	5	5	150	1	5.19	<1	0.07	<10	0.13	773	5	0.01	5	187	96	2.83	10	1	58	<5	<0.01	<10	11	2	<10	125	2
130756	9.8	0.41	221	92	<0.5	<5	0.83	6	7	117	11	4.11	1	0.27	<10	0.17	909	4	0.01	4	686	168	1.79	7	2	56	<5	<0.01	<10	<10	8	<10	398	2
130757	>200.0	0.13	395	118	<0.5	<5	0.01	11	2	205	38	2.83	5	0.13	<10	0.01	32	<2	0.01	5	122	811	1.86	22	<1	3	<5	<0.01	<10	<10	14	<10	837	1
130758	8.8	1.33	105	40	<0.5	6	2.53	7	11	53	24	8.13	<1	0.32	<10	0.73	2923	6	0.01	<1	1105	257	>5.00	5	2	88	<5	<0.01	<10	26	34	<10	679	4
130759	6.7	1.39	71	54	<0.5	6	1.80	8	13	45	63	7.64	<1	0.27	<10	0.81	2538	<2	0.01	<1	1084	397	4.49	<5	3	71	<5	<0.01	<10	24	38	<10	852	3
130760	4.4	1.50	65	77	<0.5	<5	2.70	10	12	48	37	5.95	<1	0.29	<10	0.94	3196	<2	0.01	1	1135	388	3.02	<5	3	90	<5	<0.01	<10	23	38	<10	961	3
130761	22.5	0.64	373	26	<0.5	23	1.99	46	11	73	438	12.50	3	0.28	<10	0.24	1422	<2	0.01	<1	651	791	>5.00	27	1	34	<5	<0.01	<10	29	25	18	2272	5
130762	64.6	0.31	1163	26	<0.5	6	0.16	40	7	102	33	9.67	26	0.19	<10	0.08	115	3	0.01	1	333	2021	>5.00	134	<1	5	<5	<0.01	16	19	17	17	2314	4
130763	14.8	0.51	145	29	<0.5	26	2.46	31	12	74	524	11.62	1	0.17	<10	0.29	2392	<2	0.01	<1	544	1477	>5.00	7	1	94	<5	<0.01	<10	34	14	21	2622	4
130764	8.1	0.90	101	34	<0.5	20	1.19	4	13	65	156	11.12	<1	0.27	<10	0.42	2093	4	0.01	<1	868	1501	>5.00	5	2	46	<5	<0.01	<10	29	21	<10	280	4
130765	7.1	0.65	67	53	<0.5	6	1.81	9	13	89	106	6.32	<1	0.17	<10	0.36	2186	<2	0.01	2	620	447	4.44	<5	1	72	<5	<0.01	<10	20	23	<10	801	3
130766	28.7	0.44	39	59	<0.5	11	2.48	20	9	115	1156	6.05	1	0.15	<10	0.24	2607	3	0.01	1	382	2455	4.55	13	1	110	<5	<0.01	<10	23	14	14	1840	2
130767	15.1	0.59	70	34	<0.5	17	2.06	16	13	88	403	9.28	1	0.13	<10	0.35	2147	<2	0.01	1	446	1503	>5.00	5	1	79	<5	<0.01	<10	28	14	11	1404	3
130768	5.2	0.97	36	109	<0.5	<5	5.39	27	7	48	221	4.13	1	0.25	<10	0.49	3475	<2	0.01	1	819	836	2.55	<5	2	188	<5	<0.01	<10	24	23	16	2002	2
130769	4.8	0.65	124	88	<0.5	<5	1.64	16	11	37	43	4.85	<1	0.36	<10	0.52	2367	3	0.01	1	1136	1093	2.98	5	2	95	<5	<0.01	<10	19	16	11	1416	2
130770	2.6	0.85	85	88	<0.5	<5	2.02	3	10	53	17	5.64	<1	0.26	<10	0.76	2865	<2	0.01	1	970	275	3.31	<5	2	88	<5	<0.01	<10	24	21	<10	352	3
130771	3.0	1.08	95	100	<0.5	<5	1.42	6	10	35	42	4.84	<1	0.33	<10	0.57	1992	<2	0.01	1	1141	328	2.91	5	2	57	<5	<0.01	<10	16	21	<10	565	2
130772	65.2	0.59	92	23	<0.5	89	1.52	693	5	64	4483	10.25	6	0.18	<10	0.27	1649	<2	0.01	<1	474	>10000	>5.00	<5	1	38	<5	<0.01	<10	30	13	473	>10000	4
130773	1.4	0.53	142	51	<0.5	<5	0.42	3	11	22	18	5.41	<1	0.44	<10	0.09	109	<2	0.01	1	925	92	4.33	8	1	13	<5	<0.01	<10	<10	12	<10	155	2
130774	5.7	0.26	175	81	<0.5	<5	1.39	88	8	121	128	2.65	1	0.16	<10	0.13	1555	2	0.01	3	290	1003	2.24	<5	1	71	<5	<0.01	<10	10	7	62	4874	1
130775	6.2	0.28	209	87	<0.5	<5	1.25	29	9	88	86	2.92	1	0.16	<10	0.12	950	5	0.01	2	498	1058	2.33	<5	1	44	<5	<0.01	<10	<10	8	20	2534	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/PO#shipment 2

Sample type: Rocks

Report No : **9V0865RJ**

Date : Jul-20-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
130776	5.1	0.76	182	72	<0.5	<5	5.63	83	11	72	65	4.26	3	0.21	<10	0.42	3246	<2	0.01	1	729	1062	3.35	<5	2	212	<5	<0.01	<10	22	17	54	4590	2
130777	8.3	0.60	136	107	<0.5	<5	2.31	77	9	76	274	2.93	2	0.17	<10	0.35	1997	3	0.01	1	516	2401	2.33	<5	1	70	<5	<0.01	<10	14	18	53	4451	1
130778	5.1	0.79	168	92	<0.5	<5	2.74	79	10	66	86	3.52	1	0.24	<10	0.44	2361	<2	0.01	2	727	618	2.57	<5	2	101	<5	<0.01	<10	17	18	52	4484	2
130779	7.7	0.85	172	64	<0.5	<5	3.73	22	11	66	301	5.28	<1	0.24	<10	0.48	2991	<2	0.01	1	742	491	3.69	7	2	125	<5	<0.01	<10	25	18	14	1922	2
130780	8.0	0.24	76	99	<0.5	<5	1.77	49	7	105	117	2.46	1	0.14	<10	0.10	1079	3	0.01	3	373	1160	2.15	<5	1	59	<5	<0.01	<10	<10	7	36	3540	1
130781	7.6	0.32	180	51	<0.5	5	0.65	8	14	73	211	5.14	<1	0.25	<10	0.09	656	5	0.01	2	800	1348	3.97	<5	1	26	<5	<0.01	<10	<10	9	<10	661	2
130782	4.0	0.39	67	84	<0.5	<5	2.25	35	10	97	80	3.21	<1	0.23	<10	0.20	1545	<2	0.01	3	648	768	2.51	<5	2	89	<5	<0.01	<10	12	10	24	2832	1
130783	7.7	0.41	53	95	<0.5	<5	1.09	32	8	112	67	3.02	<1	0.15	<10	0.33	1401	2	0.01	2	422	3251	2.10	<5	1	46	<5	<0.01	<10	10	12	21	2562	1
130784	2.9	0.60	41	102	<0.5	<5	2.33	15	9	68	51	3.25	<1	0.33	<10	0.46	2496	<2	0.01	2	858	348	1.74	<5	2	106	<5	<0.01	<10	17	15	10	1431	2
130785	3.9	0.74	101	90	<0.5	<5	1.72	25	15	52	59	4.47	<1	0.33	<10	0.33	1706	<2	0.01	2	1055	836	3.13	<5	2	50	<5	<0.01	<10	14	17	17	2159	2
130786	20.4	0.47	182	33	<0.5	10	1.48	307	13	83	1372	6.71	14	0.15	<10	0.31	1619	<2	0.01	1	520	195	>5.00	7	1	48	<5	<0.01	<10	21	13	192	6781	3
130787	4.1	0.24	108	119	<0.5	<5	5.14	20	6	68	81	2.25	<1	0.17	<10	0.10	2328	2	0.01	1	331	380	1.83	<5	1	111	<5	<0.01	<10	13	6	11	1759	1
130788	4.5	0.47	208	55	<0.5	<5	1.40	14	11	64	107	4.01	<1	0.25	<10	0.21	1283	<2	0.01	2	678	198	3.04	<5	2	50	<5	<0.01	<10	<10	13	<10	1105	2
130789	6.8	0.39	114	58	<0.5	<5	0.78	87	8	72	364	3.31	2	0.18	<10	0.20	1036	<2	0.01	2	512	219	2.73	<5	1	31	<5	<0.01	<10	<10	10	48	5158	2
130790	29.7	0.42	194	27	<0.5	13	0.59	100	13	79	2042	7.31	3	0.14	<10	0.23	900	<2	0.01	1	515	277	>5.00	12	1	18	<5	<0.01	<10	19	13	60	4830	3
130791	125.6	0.40	263	22	<0.5	36	1.26	334	17	68	8253	11.33	5	0.14	<10	0.24	1673	<2	0.01	1	897	534	>5.00	18	1	41	<5	<0.01	<10	33	10	197	7294	4
130792	54.6	0.59	190	27	<0.5	16	0.84	117	15	77	2955	8.11	2	0.17	<10	0.36	1432	<2	0.01	1	699	328	>5.00	12	1	30	<5	<0.01	<10	23	16	71	5181	3
130793	110.8	0.68	289	29	<0.5	21	0.90	109	17	69	4257	10.56	2	0.19	<10	0.41	1508	<2	0.01	2	920	617	>5.00	20	2	30	<5	<0.01	<10	28	20	71	5376	5
130794	94.5	0.44	157	22	<0.5	41	0.38	606	20	81	9217	11.86	14	0.16	<10	0.25	833	<2	0.01	<1	668	2281	>5.00	11	1	11	<5	<0.01	<10	30	11	386	9974	5
130795	60.5	0.54	189	32	<0.5	24	0.61	531	17	66	4822	10.15	24	0.14	<10	0.37	1588	<2	0.01	1	452	486	>5.00	6	1	22	<5	<0.01	<10	29	13	310	9185	4
130796	15.1	0.48	125	42	<0.5	6	1.60	77	13	69	686	5.44	4	0.17	<10	0.36	1914	<2	0.01	1	643	2216	4.12	6	1	50	<5	<0.01	<10	19	14	51	4538	2
130797	5.7	0.27	143	56	<0.5	<5	2.24	15	12	66	190	4.59	<1	0.20	<10	0.29	2605	<2	0.01	2	838	168	3.45	6	2	137	<5	<0.01	<10	19	5	<10	1336	2
130798	21.6	0.60	239	30	<0.5	11	1.27	56	18	64	920	8.09	2	0.17	<10	0.50	2164	<2	0.01	1	734	1485	>5.00	6	2	50	<5	<0.01	<10	26	15	37	3898	3
130799	6.9	0.32	359	63	<0.5	<5	5.06	35	13	64	55	4.05	<1	0.21	<10	0.10	2650	2	0.01	2	883	1959	3.66	8	1	117	<5	<0.01	<10	20	8	19	2515	2
130800	4.4	0.58	383	60	<0.5	<5	2.33	18	14	60	87	5.12	<1	0.27	<10	0.22	1573	<2	0.01	2	1064	563	3.55	9	2	58	<5	<0.01	<10	15	13	10	1321	2
130801	3.8	0.33	159	102	<0.5	<5	6.45	14	11	59	42	4.11	<1	0.22	<10	0.25	3177	3	0.01	2	810	678	3.39	5	2	186	<5	<0.01	<10	21	7	<10	1142	2
130802	5.0	0.52	347	61	<0.5	<5	3.18	14	15	48	44	4.90	<1	0.30	<10	0.16	2040	3	0.01	2	1074	561	3.82	8	2	90	<5	<0.01	<10	17	12	<10	1003	2
130803	5.2	0.79	249	71	<0.5	<5	5.27	18	13	49	64	4.09	<1	0.24	<10	0.33	3083	4	0.01	1	874	715	2.71	6	2	121	<5	<0.01	<10	20	16	10	1445	2
130804	6.1	0.94	221	112	<0.5	<5	3.61	43	14	48	109	4.16	1	0.32	<10	0.36	2522	3	0.01	2	1018	853	2.60	9	2	84	<5	<0.01	<10	17	18	27	3264	2
130805	6.6	0.48	187	96	<0.5	<5	2.21	29	11	59	58	3.28	1	0.23	<10	0.20	1476	4	0.01	2	791	1914	2.43	7	1	55	<5	<0.01	<10	11	11	17	2288	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/PO#shipment 2

Sample type: Rocks

Report No : **9V0865RJ**

Date : Jul-20-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
130806	4.3	0.61	163	84	<0.5	<5	1.93	25	12	53	43	3.82	1	0.26	<10	0.28	1587	<2	0.01	2	886	540	2.24	7	2	57	<5	<0.01	<10	12	12	16	2225	2
130807	7.8	0.34	212	51	<0.5	<5	3.46	45	11	62	72	4.51	2	0.20	<10	0.27	2328	2	0.01	2	674	833	3.47	12	1	89	<5	<0.01	<10	19	7	28	3277	2
130808	3.5	0.48	158	49	<0.5	<5	1.27	7	13	57	17	5.05	1	0.25	<10	0.39	1654	<2	0.01	2	846	126	3.35	13	2	61	<5	<0.01	<10	14	12	<10	544	2
130809	130.2	0.03	27	12	<0.5	16	0.01	493	29	103	2066	14.56	4	0.02	<10	0.01	16	<2	0.01	7	234	>10000	>5.00	35	<1	1	<5	<0.01	<10	36	1	205	7299	5
130810	67.5	0.03	16	18	<0.5	7	<0.01	244	17	126	211	9.63	3	0.03	<10	0.01	20	<2	0.01	7	177	>10000	>5.00	7	<1	2	<5	<0.01	<10	21	<1	104	6039	3
130811	>200.0	0.26	1312	15	<0.5	16	0.01	1025	29	93	2310	>15.00	2	0.08	<10	0.12	126	<2	0.01	1	266	>10000	>5.00	16	<1	2	<5	<0.01	<10	43	4	445	>10000	6
130812	20.3	0.62	78	43	<0.5	11	1.22	396	16	114	375	4.84	3	0.16	<10	0.42	1013	<2	0.01	4	473	5723	4.65	<5	1	63	<5	<0.01	<10	12	20	221	8642	2
130813	67.1	0.40	70	27	<0.5	23	0.72	462	22	114	611	6.27	5	0.14	<10	0.36	1100	2	0.01	2	395	8724	>5.00	<5	1	36	<5	<0.01	<10	16	14	260	9123	2
130814	18.7	0.63	88	29	<0.5	12	1.12	281	23	86	445	6.54	2	0.18	<10	0.53	1644	<2	0.01	2	521	8195	>5.00	<5	2	59	<5	<0.01	<10	18	32	150	7625	2
130815	22.2	0.89	119	34	<0.5	16	1.85	501	23	84	1036	8.59	3	0.16	<10	0.62	2364	<2	0.01	1	606	>10000	>5.00	<5	2	44	<5	<0.01	<10	26	42	244	8981	3
130816	5.5	0.28	115	48	<0.5	<5	1.49	20	9	75	34	4.95	<1	0.21	<10	0.38	1509	2	0.01	3	697	501	3.56	6	1	85	<5	<0.01	<10	10	10	11	1279	2
130817	7.1	0.20	200	24	<0.5	8	0.91	37	9	97	110	8.13	<1	0.15	<10	0.27	1139	<2	0.01	1	582	652	>5.00	6	1	52	<5	<0.01	<10	20	7	22	2480	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0883-RA1

Jul-23-09

Company: **Ascot Resources Ltd**
Project: Dilworth/PO#shipment 3
Attn: Sue Deane

We *hereby certify* the following assay of 22 dore samples submitted Jul-13-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-Wt. Kg
131095	0.04	0.05	0.7	1.3
131096	0.04		1.8	1.7
131097	0.23		2.4	3.2
131098	0.28		4.1	3.9
131099	0.32		1.9	3.1
131100	0.36		1.8	3.5
131101	0.20		4.6	1.6
131102	0.25		18.0	1.6
131103	0.23		46.6	1.5
131104	0.63	0.75	44.9	1.5
131105	0.23		6.7	1.9
131106	0.17		3.5	1.4
131107	0.35		4.2	1.9
131108	0.20		3.2	2.5
131109	0.36		10.1	1.7
131110	0.18		7.4	1.6
131111	0.29		7.5	2.1
131112	0.07		2.6	1.3
131113	0.25		4.7	1.8
131114	0.06	0.08	6.5	1.6
131115	1.36		7.0	1.6
131116	1.84		23.3	1.4
*0211	2.13			
*BLANK	<0.01			

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0883-RA2

Jul-23-09

Company: **Ascot Resources Ltd**
Project: Dilworth/PO#shipment 3
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Jul-13-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-Wt. Kg
131117	20.63	19.50	71.2	1.4
131118	0.12		4.3	4.8
131119	0.04		1.9	1.6
131120	0.03		2.3	3.4
131121	0.03		0.9	3.0
131122	<0.01		1.1	2.9
131123	0.18		1.9	3.0
131124	0.15		9.9	3.4
131125	0.04		3.6	3.4
131126	0.35	0.34	1.5	3.1
131127	0.01		0.7	3.1
131128	<0.01		0.9	3.1
131129	0.03		0.5	1.5
131130	0.04		1.4	1.8
131131	0.10		3.3	2.5
131132	0.59		1.3	3.2
131133	0.26		1.9	3.2
131134	0.23		2.1	3.1
131135	0.20		1.3	3.4
131136	0.03	0.04	1.0	2.4
131137	0.11		2.6	3.9
131138	0.23		7.2	3.4
*0211	2.10			
*BLANK	<0.01			

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0883-RA3

Jul-23-09

Company: **Ascot Resources Ltd**
Project: Dilworth/PO#shipment 3
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Jul-13-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-Wt. Kg
131139	0.36	0.40	19.0	3.7
131140	7.60		18.3	1.7
131141	0.05		2.6	1.5
131142	0.10		5.7	1.5
131143	0.18		8.4	1.5
131144	0.16		7.9	1.6
131145	0.14		4.5	1.5
131146	0.10		4.9	1.6
131147	0.81		11.6	1.5
131148	0.21	0.18	11.4	1.5
131149	0.22		6.6	1.6
131150	0.29		33.4	1.4
131151	0.14		4.1	1.5
131152	0.14		4.4	1.5
131153	0.29		33.9	1.7
131154	1.20		24.2	1.2
131155	0.81		11.3	1.4
131156	<0.01		<0.1	0.2
131157	0.27		0.7	
131158	0.08	0.08	6.5	0.7
131159	0.06		10.1	1.5
131160	0.05		3.0	1.9
*0211	2.08			
*BLANK	<0.01			

Au F.A. AA finish. Ag read from ICP solution.

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0883-RA4

Jul-23-09

Company: **Ascot Resources Ltd**
Project: Dilworth/PO#shipment 3
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Jul-13-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-Wt. Kg
131161	0.07	0.05	3.0	1.5
131162	0.04		2.5	1.3
131163	0.03		1.6	1.5
131164	0.05		3.9	0.9
131165	1.11		17.2	1.7
131166	0.31		5.5	1.1
131167	0.57		3.1	1.6
131168	0.10		15.3	1.7
131169	0.23		36.6	1.5
131170	1.42	1.35	10.8	1.5
131171	0.11		3.1	1.5
131172	0.05		1.7	3.4
131173	0.16		0.8	3.4
131174	0.05		2.2	3.2
131175	0.10		0.7	2.4
131176	0.04		9.3	1.5
131177	0.04		8.3	1.4
131178	0.06		8.5	1.3
131179	0.10		2.2	0.9
131180	0.11	0.14	104.5	3.2
131181	0.14		4.2	3.0
131182	0.08		4.1	1.8
*0211	2.27			
*BLANK	<0.01			

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0883-RA5

Jul-23-09

Company: **Ascot Resources Ltd**
Project: Dilworth/PO#shipment 3
Attn: Sue Deane

We *hereby certify* the following assay of 16 core samples submitted Jul-13-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-Wt. Kg
131183	0.09	0.09	0.8	0.8
131184	0.18		3.9	1.3
131185	0.03		0.8	0.5
131186	0.12		1.3	0.5
131187	0.07		0.5	0.5
131188	0.01		<0.1	0.8
131189	0.56		1.6	2.0
131190	0.02		0.6	3.2
131191	0.25		1.9	3.1
131192	1.46	1.58	2.7	3.0
131193	0.01		1.0	3.5
131194	0.03		1.3	3.4
131195	0.31		9.0	1.4
131196	1.00		4.8	1.4
131197	0.28		2.7	1.5
131198	0.16		1.7	1.8
*0211	2.17			
*BLANK	<0.01			

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/PO#shipment 3

Sample type: Core

Report No : **9V0883RJ**

Date : Jul-23-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131095	0.7	1.28	14	261	<0.5	<5	2.28	2	8	24	8	3.17	<1	0.30	<10	0.69	2455	<2	0.01	1	1153	82	0.61	8	2	121	<5	<0.01	<10	14	21	<10	331	2
131096	1.8	1.12	27	269	<0.5	<5	1.80	4	8	35	7	3.44	<1	0.28	<10	0.56	2278	3	0.01	1	1033	124	0.96	<5	2	81	<5	<0.01	<10	13	22	<10	507	3
131097	2.4	0.84	26	270	<0.5	<5	1.91	11	7	27	26	2.26	<1	0.35	<10	0.25	1382	3	0.01	1	1007	424	0.95	<5	2	61	<5	0.01	<10	<10	13	<10	1018	3
131098	4.1	0.68	42	236	<0.5	<5	1.74	29	10	26	54	1.91	<1	0.45	<10	0.10	1009	6	0.01	1	1204	825	1.41	<5	1	49	<5	0.02	<10	<10	10	21	2495	3
131099	1.9	0.79	52	149	<0.5	<5	1.30	7	9	34	10	3.12	<1	0.37	<10	0.26	1211	5	0.01	1	1094	432	1.91	<5	1	44	<5	0.02	<10	<10	14	<10	640	3
131100	1.8	0.96	50	213	<0.5	<5	2.58	1	9	28	11	3.35	<1	0.38	<10	0.38	1990	<2	0.01	1	1132	24	1.66	<5	2	148	<5	0.01	<10	10	18	<10	60	3
131101	4.6	0.56	39	248	<0.5	<5	3.09	3	7	57	4	2.25	<1	0.31	<10	0.16	1940	2	0.01	2	908	164	1.49	<5	1	233	<5	<0.01	<10	<10	9	<10	255	2
131102	18.0	0.30	29	181	<0.5	<5	0.93	17	5	89	9	2.05	<1	0.18	<10	0.09	908	10	0.01	2	325	1186	1.49	5	1	56	<5	<0.01	<10	<10	5	13	1653	1
131103	46.6	0.22	24	157	<0.5	<5	0.60	15	4	114	18	1.51	1	0.14	<10	0.05	590	5	0.01	3	274	994	1.11	5	<1	118	<5	<0.01	<10	<10	3	11	1447	1
131104	44.9	0.30	21	121	<0.5	<5	0.59	20	5	86	13	1.54	1	0.20	<10	0.05	548	6	0.01	2	472	940	1.09	<5	1	87	<5	<0.01	<10	<10	5	15	1956	1
131105	6.7	0.38	23	131	<0.5	<5	1.87	8	6	68	8	2.15	<1	0.29	<10	0.07	1421	3	0.01	2	699	660	1.46	<5	1	148	<5	<0.01	<10	<10	5	<10	771	1
131106	3.5	0.20	17	173	<0.5	<5	1.15	16	4	130	20	2.21	<1	0.16	<10	0.07	999	4	0.01	3	274	303	1.52	<5	1	67	<5	<0.01	<10	<10	3	11	1372	1
131107	4.2	0.30	38	168	<0.5	<5	0.37	1	5	79	1	2.45	<1	0.24	<10	0.05	327	5	0.01	2	526	98	1.75	<5	1	20	<5	<0.01	<10	<10	5	<10	18	1
131108	3.2	0.28	23	236	<0.5	<5	0.60	3	5	109	5	2.22	<1	0.21	<10	0.08	547	5	0.01	2	410	123	1.40	<5	1	36	<5	<0.01	<10	<10	5	<10	282	1
131109	10.1	0.25	21	210	<0.5	<5	1.05	7	5	97	14	2.32	<1	0.21	<10	0.15	1206	3	0.01	3	460	419	1.53	9	1	68	<5	<0.01	<10	<10	3	<10	732	1
131110	7.4	0.17	12	140	<0.5	<5	0.60	4	4	176	5	1.42	<1	0.10	<10	0.06	593	10	0.04	3	345	267	0.94	7	1	48	<5	<0.01	<10	<10	1	<10	399	1
131111	7.5	0.16	9	180	<0.5	<5	0.40	17	3	161	12	1.13	<1	0.11	<10	0.04	398	3	0.02	4	273	465	0.82	7	1	30	<5	<0.01	<10	<10	1	12	1619	1
131112	2.6	0.30	18	107	<0.5	<5	0.60	4	5	126	14	2.45	<1	0.19	<10	0.09	869	<2	0.01	3	371	388	1.72	<5	1	35	<5	<0.01	<10	<10	3	<10	457	1
131113	4.7	0.17	6	394	<0.5	<5	0.28	5	2	171	3	0.93	<1	0.13	<10	0.02	195	5	0.01	3	163	232	0.64	5	<1	14	<5	<0.01	<10	<10	2	<10	549	1
131114	6.5	0.18	12	199	<0.5	<5	1.07	14	3	150	18	1.51	<1	0.13	<10	0.08	1099	4	0.01	3	176	923	1.14	5	<1	57	<5	<0.01	<10	<10	2	11	1559	1
131115	7.0	0.14	20	131	<0.5	<5	0.76	6	4	147	23	2.22	<1	0.09	<10	0.11	931	3	0.01	4	283	470	1.50	5	1	54	<5	<0.01	<10	<10	3	<10	659	1
131116	23.3	0.19	45	93	<0.5	<5	1.86	36	6	100	145	3.56	<1	0.14	<10	0.10	1079	9	0.01	2	377	3508	2.96	9	1	126	<5	<0.01	<10	<10	3	25	2921	1
131117	71.2	0.45	55	93	<0.5	<5	3.76	55	13	36	214	3.42	<1	0.34	<10	0.05	1605	3	0.01	2	1065	1827	3.30	8	1	142	<5	<0.01	<10	<10	7	34	3771	2
131118	4.3	1.86	17	306	<0.5	<5	5.91	3	18	13	99	4.92	<1	0.40	<10	0.63	3055	<2	0.01	2	1707	116	1.38	<5	3	164	<5	0.01	<10	19	23	<10	362	2
131119	1.9	1.73	12	272	<0.5	<5	5.92	<1	15	7	39	4.38	<1	0.41	<10	0.57	3004	<2	0.01	2	1799	20	1.20	<5	2	149	<5	0.01	<10	16	21	<10	61	2
131120	2.3	1.98	23	243	<0.5	<5	5.76	4	16	8	45	4.81	<1	0.43	<10	0.68	3076	<2	0.01	2	1693	202	1.15	<5	2	150	<5	0.01	<10	19	23	<10	380	2
131121	0.9	2.35	11	240	<0.5	<5	5.04	<1	18	3	30	5.38	<1	0.39	<10	0.88	3049	<2	0.01	<1	1791	18	0.74	<5	3	122	<5	0.02	<10	21	27	<10	90	2
131122	1.1	2.08	12	239	<0.5	<5	5.21	1	18	3	14	4.78	<1	0.41	<10	0.78	2906	<2	0.01	<1	1798	63	1.03	<5	3	129	<5	0.01	<10	18	25	<10	133	2
131123	1.9	1.76	40	182	<0.5	<5	4.14	1	19	6	41	5.05	<1	0.38	<10	0.66	2310	<2	0.01	<1	1768	153	2.09	<5	2	110	<5	0.01	<10	17	21	<10	136	2
131124	9.9	1.55	27	220	<0.5	<5	4.29	23	15	9	300	4.54	<1	0.39	<10	0.49	2609	<2	0.01	1	1605	1284	1.95	<5	2	117	<5	<0.01	<10	18	24	14	1845	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/PO#shipment 3

Sample type: Core

Report No : **9V0883RJ**

Date : Jul-23-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131125	3.6	1.50	30	193	<0.5	<5	4.51	6	16	8	75	4.36	<1	0.39	<10	0.50	2576	<2	0.01	1	1618	332	2.09	<5	2	126	<5	<0.01	<10	16	20	<10	555	2
131126	1.5	1.85	20	246	<0.5	<5	4.63	1	16	8	31	4.58	<1	0.33	<10	0.99	2543	<2	0.01	1	1597	55	1.08	<5	3	119	<5	<0.01	<10	17	25	<10	151	2
131127	0.7	2.65	15	212	<0.5	<5	4.37	<1	17	5	24	5.34	<1	0.28	<10	1.68	2759	<2	0.01	1	1680	12	0.66	<5	4	109	<5	<0.01	<10	20	34	<10	49	2
131128	0.9	2.84	11	156	<0.5	<5	5.17	<1	16	7	22	5.52	<1	0.31	<10	1.78	3169	<2	0.01	<1	1746	16	0.79	<5	4	124	<5	0.01	<10	21	34	<10	50	3
131129	0.5	1.55	10	338	<0.5	<5	1.65	12	9	17	16	3.60	<1	0.34	12	0.78	2456	<2	0.01	1	1233	38	0.39	<5	3	31	<5	0.01	<10	12	28	<10	1162	3
131130	1.4	1.44	22	258	<0.5	<5	2.54	2	8	21	9	3.58	<1	0.33	<10	0.75	2837	<2	0.01	1	1101	146	0.85	<5	3	114	<5	0.01	<10	16	27	<10	205	2
131131	3.3	1.27	40	222	<0.5	<5	2.07	15	10	25	16	3.97	<1	0.37	<10	0.52	2041	2	0.01	1	1229	461	1.69	<5	2	64	<5	0.01	<10	12	21	10	1315	3
131132	1.3	0.96	25	252	<0.5	<5	2.15	10	8	28	22	2.84	<1	0.38	<10	0.28	1369	<2	0.01	1	972	165	1.31	<5	2	84	<5	0.03	<10	<10	14	<10	865	2
131133	1.9	0.95	41	208	<0.5	<5	1.26	9	9	26	8	3.02	<1	0.41	<10	0.28	1226	4	0.01	1	1097	508	1.55	<5	2	49	<5	0.03	<10	<10	14	<10	888	3
131134	2.1	0.99	31	246	<0.5	<5	0.91	8	9	30	19	2.66	<1	0.44	<10	0.30	1242	4	0.01	1	1090	319	1.31	<5	1	44	<5	0.02	<10	<10	13	<10	755	3
131135	1.3	1.07	10	366	<0.5	<5	1.99	<1	8	17	36	2.56	<1	0.44	10	0.45	1994	3	0.01	1	1203	68	0.62	<5	2	85	<5	0.01	<10	<10	12	<10	65	2
131136	1.0	1.34	15	361	<0.5	<5	2.26	1	8	14	5	2.88	<1	0.44	<10	0.59	2245	<2	0.01	1	1097	119	0.78	<5	2	89	<5	0.02	<10	11	14	<10	88	2
131137	2.6	1.04	14	277	<0.5	<5	1.80	7	8	15	17	2.71	<1	0.40	<10	0.39	1972	<2	0.01	1	1019	372	0.93	<5	2	72	<5	0.01	<10	<10	12	<10	649	2
131138	7.2	0.54	11	244	<0.5	<5	1.10	2	6	20	9	1.29	<1	0.42	11	0.05	959	<2	0.01	1	1006	154	0.81	<5	1	77	<5	<0.01	<10	<10	8	<10	210	1
131139	19.0	0.50	28	105	<0.5	<5	1.48	3	9	21	15	2.78	<1	0.35	<10	0.16	1535	2	0.01	1	955	473	1.65	5	1	79	<5	<0.01	<10	<10	10	<10	291	2
131140	18.3	0.13	17	104	<0.5	<5	0.88	49	3	140	48	3.35	1	0.08	<10	0.15	1235	2	0.01	3	79	1077	2.50	12	<1	56	<5	<0.01	<10	<10	3	34	3459	1
131141	2.6	0.18	7	207	<0.5	<5	1.11	5	3	136	2	1.94	<1	0.09	<10	0.12	1360	<2	0.01	4	183	258	1.13	<5	1	79	<5	<0.01	<10	<10	4	<10	498	1
131142	5.7	0.18	22	100	<0.5	<5	1.25	2	5	137	5	4.25	<1	0.13	<10	0.24	1634	2	0.01	3	295	248	2.94	6	1	111	<5	<0.01	<10	12	4	<10	210	2
131143	8.4	0.21	27	123	<0.5	<5	1.16	3	7	101	8	4.03	<1	0.15	<10	0.24	1598	2	0.01	3	485	273	2.64	5	2	89	<5	<0.01	<10	11	3	<10	297	2
131144	7.9	0.32	43	74	<0.5	<5	0.37	1	5	97	7	4.67	<1	0.19	<10	0.19	676	5	0.01	2	507	62	3.25	<5	1	26	<5	<0.01	<10	<10	8	<10	94	2
131145	4.5	0.17	16	278	<0.5	<5	0.81	<1	4	131	1	1.89	<1	0.14	<10	0.16	1004	4	0.02	4	408	73	1.10	<5	1	68	<5	<0.01	<10	<10	2	<10	<1	1
131146	4.9	0.19	16	271	<0.5	<5	0.48	2	4	136	3	1.59	<1	0.11	<10	0.08	573	8	0.07	3	328	131	0.98	5	1	43	<5	<0.01	<10	<10	2	<10	167	1
131147	11.6	0.19	30	177	<0.5	<5	0.45	17	7	100	15	2.92	<1	0.13	<10	0.08	553	12	0.04	3	521	653	2.23	5	1	36	<5	<0.01	<10	<10	1	13	1575	1
131148	11.4	0.28	20	211	<0.5	<5	0.30	6	4	87	21	1.59	<1	0.20	<10	0.07	317	6	0.01	2	416	856	1.14	12	1	19	<5	<0.01	<10	<10	4	<10	577	1
131149	6.6	0.31	33	163	<0.5	<5	0.71	8	6	88	12	2.46	<1	0.20	<10	0.12	871	4	0.01	3	534	683	1.77	<5	1	49	<5	<0.01	<10	<10	6	<10	788	1
131150	33.4	0.23	20	127	<0.5	<5	1.57	87	5	112	28	2.57	<1	0.11	<10	0.21	2023	5	0.01	3	340	1209	1.99	6	1	97	<5	<0.01	<10	11	3	59	4870	1
131151	4.1	0.29	16	124	<0.5	<5	1.14	9	4	127	5	2.76	<1	0.05	<10	0.15	1319	<2	0.01	3	232	409	1.82	<5	1	72	<5	<0.01	<10	<10	6	<10	766	1
131152	4.4	0.26	17	82	<0.5	<5	0.57	28	2	141	18	2.37	<1	0.07	<10	0.10	800	3	0.01	3	129	958	1.64	<5	<1	30	<5	<0.01	<10	<10	4	18	2189	1
131153	33.9	0.31	163	27	<0.5	9	0.36	15	5	110	804	12.30	<1	0.15	<10	0.09	458	<2	0.01	1	303	4817	>5.00	11	<1	16	<5	<0.01	<10	28	5	10	1012	5
131154	24.2	0.19	199	26	<0.5	9	0.30	47	3	144	262	12.13	<1	0.17	<10	0.02	180	<2	0.01	<1	257	4104	>5.00	10	<1	13	<5	<0.01	<10	25	3	33	3394	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd
Attention: Sue Deane
Project: Dilworth/PO#shipment 3
Sample type: Core

Report No : **9V0883RJ**
Date : Jul-23-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131155	11.3	0.30	216	25	<0.5	7	0.45	34	5	117	133	12.93	<1	0.18	<10	0.07	504	<2	0.01	1	255	2389	>5.00	8	<1	16	<5	<0.01	<10	28	4	21	2394	5
131156	<0.2	0.03	<5	24	<0.5	<5	>15.00	<1	1	5	<1	0.09	<1	0.02	<10	1.54	37	<2	0.01	<1	65	19	0.89	<5	<1	5453	<5	<0.01	<10	<10	1	<10	<1	<1
131157	0.7	0.65	797	1384	0.6	<5	0.82	11	9	53	37	3.90	2	0.14	16	0.38	509	4	0.01	33	1124	159	0.24	634	5	223	7	<0.01	<10	<10	59	<10	212	14
131158	6.5	0.48	14	181	<0.5	<5	0.89	49	3	87	10	2.43	<1	0.12	<10	0.22	1103	<2	0.01	2	318	2801	1.43	<5	1	55	<5	<0.01	<10	<10	5	28	3316	1
131159	10.1	0.40	28	182	<0.5	<5	1.85	28	6	78	39	3.35	<1	0.21	<10	0.41	2975	<2	0.01	2	686	2027	2.12	<5	1	162	<5	<0.01	<10	17	4	22	2658	2
131160	3.0	0.43	9	193	<0.5	<5	1.57	14	3	102	6	2.06	<1	0.17	<10	0.26	2253	<2	0.01	3	420	633	1.05	<5	1	95	<5	<0.01	<10	10	4	<10	1191	1
131161	3.0	1.08	14	209	<0.5	<5	1.41	8	6	52	39	3.35	<1	0.22	<10	0.61	2595	<2	0.01	1	753	285	1.29	<5	2	71	<5	<0.01	<10	14	14	<10	718	2
131162	2.5	1.30	11	287	<0.5	<5	1.01	2	7	38	54	3.35	<1	0.31	<10	0.65	2859	2	0.01	1	1000	165	0.94	<5	2	60	<5	<0.01	<10	14	17	<10	197	2
131163	1.6	1.19	27	209	<0.5	<5	1.09	2	7	44	9	3.73	<1	0.30	<10	0.69	3131	<2	0.01	1	926	99	1.27	<5	2	56	<5	<0.01	<10	15	13	<10	250	2
131164	3.9	1.18	40	224	<0.5	<5	1.32	6	7	43	27	3.59	<1	0.31	<10	0.70	3079	3	0.01	1	915	278	1.22	5	2	58	<5	<0.01	<10	15	11	<10	634	2
131165	17.2	1.01	52	89	<0.5	<5	2.65	32	11	43	248	4.34	<1	0.33	<10	0.37	2302	4	0.01	2	923	1814	2.64	5	3	113	<5	<0.01	<10	14	15	23	2895	2
131166	5.5	1.56	56	56	<0.5	<5	2.08	3	9	30	10	6.65	<1	0.29	<10	0.80	2845	3	0.01	<1	1035	219	3.80	<5	2	117	<5	0.02	<10	23	24	<10	232	5
131167	3.1	1.66	89	38	<0.5	<5	0.79	3	9	40	11	10.56	<1	0.25	<10	0.82	2283	<2	0.01	<1	834	333	>5.00	<5	2	42	<5	0.03	<10	31	31	<10	195	5
131168	15.3	1.20	14	250	<0.5	<5	1.53	43	7	26	54	3.07	<1	0.31	<10	0.47	2015	2	0.01	1	1006	1086	1.00	<5	2	95	<5	0.01	<10	<10	25	29	3381	2
131169	36.6	1.33	18	277	<0.5	<5	1.93	42	8	22	61	3.32	<1	0.34	<10	0.46	1885	3	0.01	1	1014	2007	0.82	6	2	75	<5	0.03	<10	10	26	28	3271	3
131170	10.8	1.47	23	210	<0.5	<5	1.64	146	9	23	101	3.48	1	0.31	<10	0.67	2188	<2	0.01	1	1058	2219	1.47	<5	2	93	<5	0.04	<10	12	27	89	6165	3
131171	3.1	1.41	25	236	<0.5	<5	1.41	13	9	26	15	3.74	<1	0.27	<10	0.68	2174	<2	0.01	1	1104	807	1.14	<5	2	72	<5	0.03	<10	12	26	11	1262	3
131172	1.7	1.51	19	262	<0.5	<5	1.63	5	9	22	14	3.82	<1	0.34	<10	0.73	2347	2	0.01	1	1151	369	1.10	<5	2	78	<5	0.04	<10	14	27	<10	549	3
131173	0.8	1.29	26	252	<0.5	<5	2.76	3	9	15	11	3.49	<1	0.37	<10	0.72	2859	<2	0.01	1	1187	89	0.98	<5	3	164	<5	0.01	<10	15	21	<10	282	3
131174	2.2	1.57	24	247	<0.5	<5	2.39	11	9	20	15	3.81	<1	0.31	<10	0.84	2925	<2	0.01	<1	1119	577	1.08	<5	3	133	<5	0.03	<10	17	34	<10	1059	3
131175	0.7	1.49	28	200	<0.5	<5	2.30	1	9	18	4	3.59	<1	0.33	<10	0.78	2383	<2	0.01	1	1184	49	0.97	<5	2	109	<5	0.03	<10	13	26	<10	84	3
131176	9.3	1.56	18	212	<0.5	<5	1.98	2	10	17	15	3.55	<1	0.36	<10	0.76	2239	<2	0.01	1	1217	143	0.71	<5	2	100	<5	0.03	<10	12	29	<10	205	3
131177	8.3	1.47	30	315	<0.5	<5	0.60	3	10	20	17	3.89	<1	0.34	10	0.70	1948	<2	0.01	1	1283	291	0.64	<5	2	25	<5	0.02	<10	10	28	<10	357	4
131178	8.5	1.22	36	236	<0.5	<5	1.80	4	8	19	15	3.77	<1	0.33	<10	0.57	1755	2	0.01	1	1174	385	1.35	<5	2	68	<5	0.01	<10	10	24	<10	435	3
131179	2.2	1.29	44	323	<0.5	<5	1.47	3	9	32	10	3.92	<1	0.33	10	0.58	2161	<2	0.01	1	1173	66	0.78	<5	2	68	<5	<0.01	<10	11	22	<10	452	3
131180	104.5	0.96	28	231	<0.5	<5	1.80	7	7	37	16	2.90	<1	0.33	<10	0.46	2210	2	0.01	1	905	451	1.29	10	2	128	<5	<0.01	<10	12	16	<10	725	2
131181	4.2	1.03	25	236	<0.5	<5	1.67	4	8	46	19	3.43	<1	0.29	<10	0.64	3041	3	0.01	1	953	141	1.07	<5	2	109	<5	<0.01	<10	15	16	<10	398	2
131182	4.1	0.95	15	245	<0.5	<5	2.16	1	7	64	6	2.46	<1	0.35	<10	0.42	2241	<2	0.01	2	968	155	0.72	<5	1	187	<5	0.01	<10	<10	12	<10	97	2
131183	0.8	1.70	10	304	<0.5	<5	1.87	<1	10	15	20	3.01	<1	0.54	13	0.71	1431	<2	0.01	1	1277	11	0.53	<5	3	69	<5	0.02	<10	<10	25	<10	92	2
131184	3.9	1.24	30	230	<0.5	<5	2.43	9	9	35	28	2.93	<1	0.44	<10	0.47	1894	5	0.01	1	926	302	1.13	<5	2	80	<5	0.03	<10	10	19	<10	673	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd
Attention: Sue Deane
Project: Dilworth/PO#shipment 3
Sample type: Core

Report No : **9V0883RJ**
Date : Jul-23-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131185	0.8	1.55	8	294	<0.5	<5	2.27	1	9	13	10	2.94	<1	0.48	11	0.61	2008	<2	0.01	1	1167	99	0.43	<5	2	64	<5	0.04	<10	<10	20	<10	116	3
131186	1.3	1.57	15	315	<0.5	<5	2.27	<1	9	16	60	2.62	<1	0.55	11	0.50	1504	<2	0.01	1	1054	20	0.52	<5	3	57	<5	0.02	<10	<10	25	<10	39	3
131187	0.5	1.58	6	259	<0.5	<5	1.63	<1	11	21	22	2.57	<1	0.48	12	0.59	1256	2	0.01	1	1053	<2	0.34	<5	3	59	<5	<0.01	<10	<10	27	<10	119	3
131188	<0.2	1.37	<5	1186	<0.5	<5	3.44	<1	11	14	7	3.04	<1	0.36	22	0.87	1229	<2	0.03	4	1677	<2	0.24	<5	3	157	<5	<0.01	<10	<10	38	<10	40	2
131189	1.6	0.97	17	324	<0.5	<5	2.15	12	6	23	17	1.99	<1	0.44	11	0.26	1603	<2	0.01	1	737	420	0.64	<5	1	109	<5	0.01	<10	<10	8	<10	1134	4
131190	0.6	1.08	12	366	<0.5	<5	2.89	3	5	15	6	1.82	<1	0.49	13	0.26	1775	<2	0.01	1	740	183	0.42	<5	1	157	<5	0.02	<10	<10	10	<10	344	3
131191	1.9	1.49	13	565	<0.5	<5	3.15	17	5	27	41	1.96	<1	0.77	13	0.26	1793	<2	0.01	1	601	554	0.45	<5	2	183	<5	0.03	<10	<10	14	12	1546	5
131192	2.7	1.01	19	364	<0.5	<5	2.96	27	6	14	41	2.05	<1	0.48	12	0.22	1692	<2	0.01	1	629	659	0.61	<5	1	133	<5	0.02	<10	<10	10	17	2182	5
131193	1.0	0.86	12	406	<0.5	<5	3.80	2	5	13	5	1.49	<1	0.53	16	0.15	1943	<2	0.01	1	765	109	0.43	<5	1	154	<5	0.01	<10	<10	7	<10	224	4
131194	1.3	1.13	20	442	<0.5	<5	3.68	2	12	11	14	3.06	<1	0.55	13	0.48	2968	<2	0.01	1	1110	122	0.73	<5	2	139	<5	<0.01	<10	13	18	<10	267	3
131195	9.0	1.38	97	93	<0.5	<5	1.11	43	25	17	39	6.71	<1	0.51	<10	0.48	2589	2	0.01	3	1511	2390	2.60	6	3	36	<5	<0.01	<10	19	30	28	3016	3
131196	4.8	1.05	109	99	<0.5	<5	1.47	23	20	24	21	6.07	<1	0.55	<10	0.19	2052	<2	0.01	3	1524	600	3.05	<5	3	46	<5	0.01	<10	15	26	19	2174	3
131197	2.7	0.91	124	67	<0.5	<5	0.60	21	14	44	7	5.65	<1	0.43	<10	0.19	1213	6	0.01	1	1002	318	3.17	<5	2	22	<5	<0.01	<10	12	12	12	1374	3
131198	1.7	1.10	32	265	<0.5	<5	2.35	17	9	25	11	3.26	<1	0.38	<10	0.41	2084	<2	0.01	1	1061	446	1.13	<5	2	83	<5	<0.01	<10	11	16	12	1573	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0897-RA1

Jul-28-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/shipment 4
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Jul-17-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-Wt. Kg
131199	0.03	0.01	1.9	1.5
131200	0.23		2.2	1.7
131201	0.08		2.5	3.7
131202	0.04		2.7	2.8
131203	0.14		3.5	3.3
131204	0.01		2.0	1.9
131205	0.06		3.4	1.8
131206	0.58		9.7	3.2
131207	0.15		11.5	3.0
131208	0.19	0.22	7.3	1.6
131209	0.72		2.8	1.4
131210	0.37		2.0	1.7
131211	0.54		18.9	1.8
131212	0.12		1.3	1.3
131213	0.08		5.4	1.5
131214	0.01		2.7	3.1
131215	0.02		<0.1	0.2
131216	3.48		1.5	
131217	0.31		31.2	3.4
131218	<0.01	<0.01	1.4	1.6
131219	0.01		2.1	1.6
131220	0.11		1.8	1.6
*0211	2.18			
*BLANK	<0.01			

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0897-RA2

Jul-28-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/shipment 4
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Jul-17-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-Wt. Kg
131221	0.02	<0.01	0.5	3.5
131222	0.07		1.1	2.9
131223	0.06		1.5	2.1
131224	0.06		3.1	1.7
131225	0.01		1.2	1.7
131226	0.38		15.3	0.5
131227	1.01		15.1	1.0
131228	0.23		11.5	1.5
131229	0.08		4.3	1.5
131230	0.12	0.11	3.4	1.1
131231	0.10		3.9	1.4
131232	0.51		7.3	1.6
131233	0.32		6.5	1.6
131234	0.31		12.0	1.8
131235	0.11		12.2	1.5
131236	0.07		13.8	1.7
131237	0.36		11.1	1.6
131238	0.19		15.6	1.4
131239	0.11		6.0	1.2
131240	0.11	0.13	2.2	1.3
131241	0.15		3.8	1.0
131242	1.68		24.9	1.3
*0211	2.17			
*BLANK	<0.01			

Au F.A. AA finish. Ag read from ICP solution.

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0897-RA3

Jul-28-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/shipment 4
Attn: Sue Deane

We *hereby certify* the following assay of 15 core samples submitted Jul-17-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-Wt. Kg
131243	0.06	0.07	2.0	1.5
131244	0.20		7.5	3.1
131245	0.19		3.5	1.8
131246	1.29		10.0	1.7
131247	1.40		5.6	1.9
131248	0.97		5.3	1.8
131249	0.81		7.2	1.7
131250	45.49		60.2	1.7
131251	4.84		17.5	1.6
131252	2.02	2.16	25.9	1.4
131253	0.74		9.9	1.1
131254	6.10		66.5	1.3
131255	0.74		17.9	1.6
131256	0.20		3.0	2.2
131257	0.15		3.3	1.6
*0211	2.13			
*BLANK	<0.01			

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/shipment 4

Sample type: Core

Report No : **9V0897RJ**

Date : Jul-28-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131199	1.9	1.37	18	174	<0.5	8	2.90	2	10	18	43	3.47	<1	0.35	11	0.78	3029	<2	0.01	1	1265	84	0.44	<5	3	111	<5	<0.01	<10	16	22	<10	193	3
131200	2.2	1.04	19	334	<0.5	7	2.89	7	8	23	64	3.27	<1	0.33	<10	0.51	2990	<2	0.01	1	1130	57	0.63	<5	3	91	<5	<0.01	<10	16	17	<10	640	2
131201	2.5	1.11	13	370	<0.5	6	1.96	8	7	19	39	2.97	<1	0.32	<10	0.50	2495	<2	0.01	1	1056	167	0.46	<5	2	66	<5	<0.01	<10	13	18	<10	649	2
131202	2.7	0.98	13	411	<0.5	6	2.71	6	8	22	25	2.92	<1	0.34	10	0.42	2544	<2	0.01	1	1111	113	0.43	<5	2	97	<5	<0.01	<10	13	16	<10	590	3
131203	3.5	0.61	33	297	<0.5	5	3.01	9	8	22	48	2.53	<1	0.34	<10	0.17	2002	2	0.01	1	1089	195	1.12	<5	2	108	<5	<0.01	<10	<10	11	<10	801	2
131204	2.0	0.64	11	253	<0.5	<5	2.20	1	7	11	27	1.60	<1	0.43	10	0.14	1346	<2	0.01	1	1234	100	0.43	<5	2	75	<5	0.01	<10	<10	10	<10	125	2
131205	3.4	0.46	39	165	<0.5	6	3.54	4	6	17	25	2.93	<1	0.36	<10	0.10	1833	2	0.01	<1	1100	167	2.23	5	1	111	<5	<0.01	<10	10	8	<10	390	3
131206	9.7	0.76	19	306	<0.5	5	2.66	7	7	16	34	2.57	<1	0.35	<10	0.28	2267	2	0.01	1	1085	661	0.75	<5	2	72	<5	0.01	<10	10	13	<10	699	2
131207	11.5	0.60	23	396	<0.5	5	2.17	7	7	23	42	2.28	<1	0.30	<10	0.10	1563	<2	0.01	1	1026	283	0.68	<5	2	47	<5	<0.01	<10	<10	10	<10	551	2
131208	7.3	0.47	103	224	<0.5	7	0.86	17	16	16	26	3.13	<1	0.39	<10	0.07	1314	6	0.01	2	1200	1513	1.88	5	1	21	<5	<0.01	<10	<10	9	11	1280	2
131209	2.8	0.61	154	63	<0.5	19	1.78	8	12	45	7	7.79	<1	0.23	<10	0.17	1639	3	0.01	1	559	353	>5.00	<5	1	77	<5	<0.01	<10	21	12	<10	651	3
131210	2.0	0.44	115	83	<0.5	13	1.81	3	10	59	<1	5.16	<1	0.17	<10	0.16	1709	12	0.01	1	504	143	3.84	<5	1	79	<5	<0.01	<10	16	9	<10	236	2
131211	18.9	0.44	87	95	<0.5	10	2.56	13	9	39	16	5.00	<1	0.40	<10	0.10	2101	3	0.01	1	714	343	3.26	6	1	59	<5	<0.01	<10	16	9	10	1234	2
131212	1.3	0.42	24	389	<0.5	<5	2.59	5	6	17	6	1.51	<1	0.45	<10	0.05	1411	3	0.01	1	1211	130	0.69	<5	1	84	<5	<0.01	<10	<10	5	<10	457	2
131213	5.4	0.43	22	378	<0.5	<5	3.09	5	8	25	8	1.47	<1	0.33	<10	0.05	1810	2	0.01	1	1154	77	0.66	<5	2	120	<5	<0.01	<10	<10	6	<10	326	2
131214	2.7	0.59	25	371	<0.5	<5	7.25	1	7	16	22	1.99	<1	0.34	<10	0.12	3387	3	0.01	<1	983	35	0.58	<5	2	261	<5	<0.01	<10	16	8	<10	75	2
131215	<0.2	0.04	<5	21	<0.5	<5	>15.00	<1	1	2	1	0.06	<1	0.02	<10	1.44	54	<2	0.01	<1	57	<2	0.89	<5	<1	5980	<5	<0.01	<10	<10	1	<10	<1	<1
131216	1.5	1.48	7371	80	0.9	161	6.91	74	114	36	296	4.99	<1	0.20	<10	0.52	837	34	0.07	68	948	17	0.99	11	3	66	<5	0.14	<10	10	54	40	64	13
131217	31.2	0.84	36	272	<0.5	8	4.77	14	7	22	52	3.03	<1	0.30	<10	0.26	3096	2	0.01	1	900	615	0.65	<5	2	168	<5	<0.01	<10	17	13	10	1264	2
131218	1.4	1.06	18	277	<0.5	6	3.60	1	9	12	11	2.59	<1	0.34	<10	0.36	1852	<2	0.01	1	1210	135	0.28	<5	2	66	<5	0.01	<10	10	15	<10	274	2
131219	2.1	0.69	34	381	<0.5	6	8.69	4	9	25	10	2.59	<1	0.29	<10	0.20	3682	3	0.01	1	1122	55	1.00	<5	2	138	<5	0.01	<10	20	10	<10	304	2
131220	1.8	0.45	79	238	<0.5	6	5.56	7	10	20	6	2.76	<1	0.36	<10	0.08	2489	3	0.01	1	1140	216	2.14	<5	1	146	<5	<0.01	<10	15	7	<10	585	3
131221	0.5	1.02	12	197	<0.5	<5	4.58	<1	8	7	10	2.64	<1	0.38	<10	0.35	2321	<2	0.01	<1	1109	6	0.40	<5	2	161	<5	<0.01	<10	12	12	<10	41	2
131222	1.1	0.78	27	316	<0.5	<5	4.85	1	9	11	7	2.48	<1	0.36	<10	0.23	2311	<2	0.01	1	1109	33	0.81	<5	1	163	<5	<0.01	<10	12	9	<10	100	2
131223	1.5	0.54	50	284	<0.5	<5	5.22	2	12	10	6	2.09	<1	0.41	<10	0.08	2421	<2	0.01	1	1191	48	1.19	<5	1	109	<5	<0.01	<10	13	7	<10	277	2
131224	3.1	1.38	53	334	<0.5	<5	4.51	20	22	25	42	4.56	<1	0.36	<10	0.55	2891	<2	0.01	3	1593	629	1.34	<5	2	95	<5	<0.01	<10	17	23	15	1629	2
131225	1.2	2.76	21	313	<0.5	<5	4.90	3	23	4	63	5.99	<1	0.35	<10	1.43	3373	<2	0.01	2	1797	173	0.43	<5	4	125	<5	0.01	<10	23	49	<10	359	3
131226	15.3	0.22	31	154	<0.5	<5	1.36	6	4	56	11	1.38	<1	0.18	<10	0.02	578	5	0.01	2	422	250	1.09	<5	<1	39	<5	<0.01	<10	<10	2	<10	578	2
131227	15.1	0.21	20	336	<0.5	<5	0.12	3	4	76	6	1.37	<1	0.19	<10	0.02	148	5	0.01	2	356	328	0.77	<5	<1	7	<5	<0.01	<10	<10	2	<10	445	2
131228	11.5	0.23	27	225	<0.5	<5	0.22	15	5	65	18	1.59	<1	0.22	<10	0.02	104	6	0.01	2	460	631	1.19	<5	<1	8	<5	<0.01	<10	<10	3	11	1158	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/shipment 4

Sample type: Core

Report No : **9V0897RJ**

Date : Jul-28-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131229	4.3	0.31	29	565	<0.5	<5	0.12	5	4	68	9	1.38	<1	0.27	<10	0.02	87	5	0.01	2	545	129	0.46	<5	<1	10	<5	<0.01	<10	<10	3	<10	449	2
131230	3.4	0.31	23	743	<0.5	<5	0.86	8	5	73	17	1.11	<1	0.27	<10	0.02	990	4	0.01	3	675	92	0.44	<5	1	54	<5	<0.01	<10	<10	2	<10	541	3
131231	3.9	0.35	27	255	<0.5	<5	2.61	7	5	44	37	1.30	<1	0.34	<10	0.02	1323	7	0.01	1	828	555	1.03	<5	1	202	5	<0.01	<10	<10	3	<10	621	4
131232	7.3	0.30	27	258	<0.5	<5	4.01	11	5	39	57	1.12	<1	0.31	<10	0.02	1804	5	0.01	2	584	709	0.90	<5	1	243	<5	<0.01	<10	<10	2	<10	1009	3
131233	6.5	0.37	27	273	<0.5	<5	4.00	21	5	25	67	1.35	<1	0.36	<10	0.04	2020	3	0.01	1	719	1494	1.13	<5	1	167	<5	<0.01	<10	<10	3	15	1741	3
131234	12.0	0.38	25	267	<0.5	<5	1.83	10	6	28	62	1.31	<1	0.37	<10	0.03	939	2	0.01	1	768	1165	1.06	<5	1	98	<5	<0.01	<10	<10	4	<10	931	3
131235	12.2	0.36	37	259	<0.5	<5	2.49	13	5	28	55	1.50	<1	0.33	<10	0.03	1170	4	0.01	1	661	588	1.25	<5	1	83	<5	<0.01	<10	<10	3	10	1126	3
131236	13.8	0.41	36	333	<0.5	<5	0.37	4	6	27	10	1.66	<1	0.36	<10	0.03	465	<2	0.01	1	747	144	0.78	5	1	9	<5	<0.01	<10	<10	4	<10	482	4
131237	11.1	0.34	28	240	<0.5	<5	0.73	8	5	24	11	1.75	<1	0.30	<10	0.02	460	3	0.01	1	724	65	1.27	<5	1	20	<5	<0.01	<10	<10	3	<10	248	3
131238	15.6	0.32	26	267	<0.5	<5	1.73	2	5	66	11	1.33	<1	0.28	<10	0.02	805	3	0.01	2	586	148	1.10	<5	1	81	<5	<0.01	<10	<10	3	<10	157	2
131239	6.0	0.32	20	845	<0.5	<5	0.13	3	3	56	15	1.04	<1	0.27	11	0.03	564	4	0.01	2	593	71	0.17	<5	1	7	<5	<0.01	<10	<10	3	<10	397	2
131240	2.2	0.32	24	400	<0.5	<5	0.27	3	4	37	21	0.99	<1	0.28	<10	0.02	421	2	0.01	1	674	105	0.23	<5	1	6	<5	<0.01	<10	<10	3	<10	333	2
131241	3.8	0.34	32	305	<0.5	<5	0.25	14	4	33	21	1.37	<1	0.27	<10	0.04	314	2	0.01	1	623	470	0.61	<5	1	10	<5	<0.01	<10	<10	4	12	1302	2
131242	24.9	0.18	294	44	<0.5	11	0.43	299	7	64	356	7.35	2	0.17	<10	0.02	249	<2	0.01	1	201	1283	>5.00	<5	<1	19	<5	<0.01	<10	14	3	222	6812	3
131243	2.0	0.32	17	360	<0.5	<5	0.47	2	4	35	6	1.03	<1	0.32	<10	0.02	242	2	0.01	1	811	151	0.81	<5	1	20	<5	<0.01	<10	<10	3	<10	211	1
131244	7.5	0.25	36	194	<0.5	<5	0.78	14	4	55	13	1.46	<1	0.25	<10	0.02	366	5	0.01	2	506	585	1.26	<5	<1	80	<5	<0.01	<10	<10	3	11	1295	1
131245	3.5	0.14	44	194	<0.5	<5	1.42	3	4	45	8	1.52	<1	0.15	<10	0.01	805	10	0.01	1	367	203	1.34	<5	<1	71	<5	<0.01	<10	<10	1	<10	300	2
131246	10.0	0.22	101	48	<0.5	12	0.44	50	6	41	40	5.18	<1	0.18	<10	0.03	157	11	0.01	1	526	794	4.41	6	1	29	<5	<0.01	<10	<10	4	37	3375	3
131247	5.6	0.23	111	66	<0.5	11	0.97	31	4	40	36	4.86	<1	0.20	<10	0.02	504	3	0.01	1	510	839	4.14	<5	<1	27	<5	<0.01	<10	<10	3	24	2441	3
131248	5.3	0.31	154	41	<0.5	17	0.63	29	4	39	20	7.01	<1	0.31	<10	0.03	385	3	0.01	<1	516	408	>5.00	<5	<1	19	<5	<0.01	<10	13	5	19	2090	4
131249	7.2	0.20	37	173	<0.5	<5	0.58	15	5	42	22	1.73	<1	0.19	<10	0.02	351	7	0.01	2	468	486	1.48	<5	<1	22	<5	<0.01	<10	<10	3	12	1441	2
131250	60.2	0.23	46	125	<0.5	<5	0.89	69	6	42	70	1.76	<1	0.21	<10	0.02	276	6	0.01	2	588	454	1.78	<5	1	39	<5	<0.01	<10	<10	4	48	4022	2
131251	17.5	0.16	121	60	<0.5	15	0.74	132	5	48	152	4.99	<1	0.15	<10	0.04	472	5	0.01	1	407	438	4.50	<5	<1	48	<5	<0.01	<10	<10	3	95	5315	3
131252	25.9	0.12	489	21	<0.5	111	0.81	232	5	78	238	>15.00	2	0.10	<10	0.10	521	3	0.01	<1	199	758	>5.00	25	<1	36	<5	<0.01	<10	51	8	<10	8006	5
131253	9.9	0.18	85	68	<0.5	12	0.62	22	7	66	82	4.99	<1	0.13	<10	0.08	566	4	0.01	2	570	392	3.98	<5	1	43	<5	<0.01	<10	<10	6	16	1817	2
131254	66.5	0.17	183	26	<0.5	32	0.41	423	5	89	1175	10.11	3	0.13	<10	0.05	528	5	0.01	<1	332	4324	>5.00	35	<1	28	<5	<0.01	<10	21	4	275	7786	4
131255	17.9	0.26	58	112	<0.5	7	0.72	140	9	47	215	3.10	<1	0.20	<10	0.03	412	5	0.01	2	629	6168	3.04	13	1	31	<5	<0.01	<10	<10	4	103	5374	2
131256	3.0	0.94	25	245	<0.5	5	3.31	11	10	19	78	2.88	<1	0.34	<10	0.35	2514	7	0.01	1	1169	248	1.38	<5	1	143	<5	<0.01	<10	12	10	<10	1137	2
131257	3.3	1.87	20	205	<0.5	10	2.83	3	20	7	173	5.00	<1	0.32	10	0.92	2926	<2	0.01	1	2053	35	1.19	5	3	83	<5	0.01	<10	17	25	<10	301	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0898-RA1

Jul-29-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/shipment 4
Attn: Sue Deane

We *hereby certify* the following assay of 22 rocks samples submitted Jul-17-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Pb %	Zn %	Sample-Wt. Kg
130823	0.17	0.17	63.3			1.7
130824	43.64		109	2.94	11.2	3.2
130825	14.23		45.7	1.65	9.50	2.4
130826	23.98		51.9	1.11	7.70	2.6
130827	23.87		95.9	3.35	12.4	4.6
130828	7.86		8.1			2.5
130829	49.71		15.0			2.6
130830	15.39		6.2			2.3
130831	2.02		2.1			1.6
130832	6.10	6.34	7.7			1.3
130833	2.10		3.2			1.4
130834	0.28		0.5			1.6
130835	0.10		0.3			1.8
130836	2.75		1.8			2.1
130837	11.81		7.4			1.9
130838	18.20		8.5			1.7
130839	10.59		12.9			2.0
130840	10.85		49.7	2.08		1.8
130841	8.42		35.9	1.14		3.0
130842	6.21	6.55	29.8	1.12		1.6
130843	4.10		86.9	5.80	11.1	2.5
130844	1.26		4.2			1.8
*0211	2.25					
*SE-1				1.85	2.50	
*BLANK	<0.1			<0.1	<0.01	

Au F.A. AA finish. Ag read from ICP solution. Pb,Zn 4 Acid Digest AA finish

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0898-RA2

Jul-29-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/shipment 4
Attn: Sue Deane

We *hereby certify* the following assay of 5 rocks samples submitted Jul-17-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-Wt. Kg
130845	8.07	8.47	28.1	2.3
130846	0.17		1.1	2.0
130847	3.29		6.5	1.7
130848	15.07		15.7	2.5
130849	5.40		7.2	2.4
*0211	2.31			
*BLANK	<0.01			

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/shipment 4

Sample type: Rocks

Report No : **9V0898RJ**

Date : Jul-29-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
130823	63.3	0.95	638	25	<0.5	38	2.05	640	134	57	1559	12.96	1	0.19	<10	0.78	2209	<2	0.01	35	458	7307	>5.00	6	2	109	<5	<0.01	<10	37	38	348	9025	5
130824	109.7	0.83	84	15	<0.5	20	0.07	1291	13	103	6688	11.02	29	0.10	<10	0.48	1233	<2	0.01	1	338	>10000	>5.00	36	1	6	<5	<0.01	<10	28	17	957	>10000	5
130825	45.7	1.31	75	20	<0.5	12	0.16	1028	13	52	4441	9.97	20	0.14	<10	0.82	1957	<2	0.01	<1	599	>10000	>5.00	16	1	9	<5	0.01	<10	29	26	695	>10000	4
130826	51.9	1.53	76	24	<0.5	9	0.30	874	17	68	3053	11.50	18	0.13	<10	1.04	2294	<2	0.01	<1	629	>10000	>5.00	13	1	9	<5	0.01	<10	35	30	595	>10000	5
130827	95.9	0.92	182	22	<0.5	27	0.13	1345	17	64	9656	13.82	30	0.10	<10	0.57	1655	<2	0.01	<1	308	>10000	>5.00	40	1	6	<5	0.01	<10	37	19	1004	>10000	7
130828	8.1	2.10	67	44	<0.5	<5	0.97	166	13	52	619	10.73	3	0.16	<10	1.54	4335	<2	0.01	<1	884	1903	>5.00	7	2	26	<5	0.01	<10	42	44	131	6502	5
130829	15.0	1.99	60	39	<0.5	<5	0.44	80	14	48	561	12.16	1	0.20	<10	1.35	2834	<2	0.01	<1	1007	608	>5.00	6	2	13	<5	0.01	<10	37	43	64	4749	6
130830	6.2	1.73	92	35	<0.5	<5	0.28	81	12	50	119	11.04	2	0.21	<10	1.10	2317	<2	0.01	<1	999	1465	>5.00	6	2	8	<5	0.01	<10	32	38	64	4945	5
130831	2.1	2.13	43	152	<0.5	<5	0.74	10	9	33	61	5.84	<1	0.21	<10	1.40	2708	<2	0.01	1	1338	909	1.25	<5	2	27	<5	<0.01	<10	20	46	10	1067	3
130832	7.7	1.60	110	209	<0.5	<5	0.18	8	5	42	218	7.32	3	0.23	<10	1.02	1680	<2	0.01	<1	1337	4007	1.03	10	2	7	<5	<0.01	<10	19	41	<10	886	4
130833	3.2	1.79	54	116	<0.5	<5	0.19	54	10	32	93	6.18	2	0.20	<10	1.18	2252	<2	0.01	1	1272	1157	2.23	5	2	6	<5	<0.01	<10	18	39	43	3952	3
130834	0.5	2.64	26	251	<0.5	<5	1.52	30	12	24	71	6.00	<1	0.25	<10	1.69	3712	<2	0.02	1	1674	184	0.38	<5	4	43	<5	0.01	<10	22	50	20	2358	3
130835	0.3	2.29	30	167	<0.5	<5	1.12	10	12	23	88	5.49	<1	0.23	<10	1.52	2985	<2	0.01	1	1562	192	0.41	<5	3	29	<5	<0.01	<10	20	44	<10	857	3
130836	1.8	2.25	32	192	<0.5	<5	1.01	16	13	24	58	5.19	<1	0.24	<10	1.48	3023	<2	0.01	1	1434	585	0.79	<5	3	27	<5	<0.01	<10	20	42	14	1621	3
130837	7.4	2.58	39	157	<0.5	<5	1.36	76	13	23	58	5.54	1	0.22	<10	1.70	3463	<2	0.01	1	1401	884	1.12	<5	3	30	<5	<0.01	<10	23	44	58	4862	3
130838	8.5	1.69	79	32	<0.5	<5	0.29	65	11	43	118	11.38	1	0.20	<10	1.03	2505	<2	0.01	<1	830	1655	>5.00	5	2	10	<5	<0.01	<10	33	37	58	4673	5
130839	12.9	2.33	118	29	<0.5	<5	0.19	214	16	38	864	13.59	4	0.18	<10	1.42	3185	<2	0.01	<1	898	2068	>5.00	7	2	7	<5	0.01	<10	45	56	158	6937	6
130840	49.7	1.37	88	20	<0.5	9	0.24	341	11	49	3220	11.11	7	0.17	<10	0.82	1914	<2	0.01	<1	737	>10000	>5.00	30	1	7	<5	<0.01	<10	30	35	225	7900	5
130841	35.9	1.67	92	27	<0.5	5	0.64	393	12	48	1274	11.05	7	0.18	<10	1.01	2868	<2	0.01	<1	843	>10000	>5.00	18	2	36	<5	0.01	<10	35	40	254	8436	5
130842	29.8	1.85	66	41	<0.5	<5	0.25	261	13	36	1614	8.94	5	0.20	<10	1.18	2686	<2	0.01	<1	1167	>10000	>5.00	18	2	7	<5	<0.01	<10	27	44	170	7116	4
130843	86.9	0.77	74	21	<0.5	14	0.11	1204	10	110	4519	9.67	22	0.14	<10	0.41	1509	<2	0.01	2	321	>10000	>5.00	69	1	8	<5	<0.01	<10	22	17	833	>10000	4
130844	4.2	1.05	113	285	<0.5	<5	0.09	7	4	42	35	5.57	<1	0.26	<10	0.57	746	<2	0.01	<1	1200	1959	0.85	6	2	6	<5	<0.01	<10	10	36	<10	738	3
130845	28.1	0.22	134	102	<0.5	<5	0.01	19	4	106	104	8.01	6	0.25	<10	0.08	131	3	0.01	2	430	9850	2.16	13	1	2	<5	<0.01	<10	15	25	105	1844	3
130846	1.1	0.40	103	346	<0.5	<5	0.06	2	2	34	7	4.03	<1	0.27	<10	0.12	169	11	0.01	<1	1259	407	0.43	5	2	4	<5	<0.01	<10	<10	13	<10	154	2
130847	6.5	0.30	263	227	<0.5	<5	0.02	6	3	48	8	5.47	1	0.29	<10	0.06	146	7	0.01	1	1259	1352	1.15	32	1	17	<5	<0.01	<10	<10	19	<10	395	3
130848	15.7	0.88	229	39	<0.5	<5	0.04	209	15	73	240	9.98	8	0.20	<10	0.51	1127	<2	0.01	1	679	2094	>5.00	14	1	3	<5	<0.01	<10	24	33	170	6272	4
130849	7.2	1.09	143	83	<0.5	<5	0.04	30	10	52	117	7.88	1	0.21	<10	0.58	1079	<2	0.01	<1	1093	1240	3.24	12	2	4	<5	<0.01	<10	18	36	23	2280	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0899-RA1

Jul-24-09

Company: **Ascot Resources Ltd**
Project: Dilworth/shipment 4
Attn: Sue Deane

We *hereby certify* the following assay of 1 rock sample submitted Jul-17-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-Wt. Kg	Ag g/tonne	Cu %	Pb %
49505	30.48	28.71	>200.0	1.4	3178	3.95	3.51
*0211	2.04						
*SE-1					717.7	1.00	1.85
*BLANK	<0.01				<0.1	<0.1	<0.01

Au F.A. AA finish. Ag read from ICP solution. Ag,Cu,Pb 4 Acid Digest AA finish

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd
Attention: Sue Deane
Project: Dilworth/shipment 4
Sample type: Rock

Report No : **9V0899RJ**
Date : Jul-24-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
49505	>200.0	0.20	14	32	<0.5	505	<0.01	459	21	137	>10000	4.86	<1	0.08	<10	0.09	94	3	0.01	52	123	>10000	>5.00	<5	1	33	<5	<0.01	<10	<10	3	235	8122	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95ºC for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0917-RA1

Jul-30-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Premier/PO#shipment 5
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Jul-23-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-Wt. Kg
131258	0.10	0.12	20.0	1.4
131259	0.08		5.9	1.7
131260	0.38		24.0	1.8
131261	0.38		25.3	1.8
131262	0.26		15.4	1.5
131263	0.18		16.5	1.8
131264	0.34		3.2	3.6
131265	0.25		1.3	3.0
131266	0.14		1.2	3.1
131267	0.20	0.18	1.4	2.4
131268	0.15		2.6	3.0
131269	0.24		2.6	2.7
131270	0.37		8.8	2.8
131271	0.35		8.6	1.9
131272	0.26		2.9	1.5
131273	0.34		8.6	1.5
131274	0.09		5.1	1.6
131275	1.56		8.8	1.8
131276	13.23		115.3	1.4
131277	0.41	0.43	13.4	1.7
131278	0.90		9.6	1.5
131279	0.24		6.7	1.6
*0211	2.07			
*BLANK	<0.01			

Au F.A. AA finish. Ag read from ICP solution.

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0917-RA2

Jul-30-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Premier/PO#shipment 5
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Jul-23-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-Wt. Kg
131280	0.35	0.33	7.3	1.7
131281	0.08		7.6	1.7
131282	0.19		79.9	1.6
131283	1.42		14.7	1.5
131284	1.44		12.3	1.8
131285	9.91		70.3	1.9
131286	9.67		168.8	1.3
131287	0.02		0.3	0.1
131288	3.52		1.7	
131289	0.35	0.34	5.8	1.7
131290	0.33		55.6	1.3
131291	0.20		40.3	1.3
131292	0.07		28.0	1.6
131293	0.10		6.8	1.4
131294	0.10		6.0	1.6
131295	1.09		14.1	1.5
131296	0.22		3.2	2.9
131297	0.23		1.5	2.6
131298	0.14		1.9	3.5
131299	0.18	0.20	5.5	1.3
131300	0.19		3.9	1.7
131301	0.23		3.9	3.2
*0211	2.36			
*BLANK	<0.01			

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0917-RA3

Jul-30-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Premier/PO#shipment 5
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Jul-23-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-Wt. Kg
131302	0.25	0.23	40.9	3.2
131303	0.35		2.9	3.3
131304	0.18		2.5	3.3
131305	0.60		1.4	3.4
131306	0.14		2.2	3.6
131307	0.21		8.6	3.4
131308	0.55		25.2	2.9
131309	1.03		60.2	1.1
131310	0.31		7.1	1.6
131311	0.25	0.27	7.4	2.0
131312	0.23		9.7	2.0
131313	0.36		6.3	1.5
131314	0.35		7.7	1.7
131315	0.40		8.3	1.8
131316	0.26		7.8	1.7
131317	0.30		7.9	1.5
131318	1.77		96.0	1.5
131319	0.47		3.3	1.6
131320	0.24		6.0	1.6
131321	5.26	5.85	54.2	1.3
131322	3.43		18.7	1.5
131323	16.39		58.6	2.4
*0211	1.97			
*BLANK	<0.01			

Au F.A. AA finish. Ag read from ICP solution.

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0917-RA4

Jul-30-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Premier/PO#shipment 5
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Jul-23-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Ag g/tonne	Zn %	Sample-Wt. Kg
131324	<0.01	0.01	<0.1			0.2
131325	0.29		0.9			
131326	1.71		10.9			1.7
131327	2.46		43.3			1.5
131328	0.92		9.4			1.6
131329	0.78		15.3			1.7
131330	0.85		73.7			1.7
131331	1.89		24.6			1.5
131332	0.43		10.1			2.8
131333	1.08	1.08	6.6			1.9
131334	1.64		31.0			1.8
131335	0.57		10.8			1.6
131336	1.05		5.7			1.8
131337	0.21		2.1			1.7
131338	0.78		17.9			1.0
131339	2.22		21.4			0.9
131340	1.50		58.4		13.5	1.2
131341	1.33		>200.0	246.7		1.1
131342	2.65		4.1			1.5
131343	6.44	5.75	6.4			1.6
131344	8.40		4.8			1.6
131345	33.35		14.0			1.5
*0211	2.12					
*SE-1				702.9	2.59	
*BLANK	<0.01			<0.1	<0.01	

Au F.A. AA finish. Ag read from ICP solution.Ag,Zn 4 acid digest.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0917-RA5

Jul-30-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Premier/PO#shipment 5
Attn: Sue Deane

We *hereby certify* the following assay of 9 core samples submitted Jul-23-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-Wt. Kg
131346	0.76	0.79	4.6	1.5
131347	0.91		5.0	1.8
131348	0.93		4.9	1.8
131349	1.98		10.4	1.9
131350	0.15		4.7	1.8
131351	0.26		1.8	3.6
131352	1.41		5.0	1.8
131353	0.43		4.4	1.5
131354	0.39		4.2	2.6
*0211	2.16			
*BLANK	<0.01			

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/Premier/PO#shipment 5

Sample type: Core

Report No : **9V0917RJ**

Date : Jul-30-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131258	20.0	0.24	26	197	<0.5	5	1.23	25	4	67	57	1.26	<1	0.24	<10	0.02	563	4	0.01	3	388	736	1.23	<5	<1	83	<5	<0.01	<10	<10	3	<10	2069	2
131259	5.9	0.34	34	194	<0.5	8	0.57	8	5	55	11	1.97	<1	0.32	<10	0.03	367	7	0.01	2	581	251	1.42	<5	1	26	<5	<0.01	<10	<10	5	<10	693	3
131260	24.0	0.35	30	206	<0.5	6	1.03	28	5	56	28	1.49	<1	0.31	<10	0.03	563	4	0.01	2	537	842	1.21	<5	1	35	<5	<0.01	<10	<10	5	<10	2055	2
131261	25.3	0.31	23	203	<0.5	5	0.47	17	4	75	24	1.39	<1	0.26	<10	0.03	182	5	0.01	2	418	739	1.25	<5	<1	22	<5	<0.01	<10	<10	4	<10	1557	2
131262	15.4	0.34	39	266	<0.5	5	0.17	12	4	61	29	1.36	<1	0.31	<10	0.03	92	5	0.01	2	525	520	1.00	<5	<1	7	<5	<0.01	<10	<10	4	<10	896	2
131263	16.5	0.29	20	245	<0.5	<5	0.77	11	4	101	24	0.85	<1	0.28	<10	0.02	315	8	0.01	3	450	727	0.65	<5	<1	26	<5	<0.01	<10	<10	3	<10	968	2
131264	3.2	0.49	28	313	<0.5	5	1.36	7	6	31	23	1.17	<1	0.43	10	0.04	779	5	0.01	2	655	281	0.84	<5	1	46	<5	<0.01	<10	<10	5	<10	500	3
131265	1.3	0.53	56	301	<0.5	5	2.03	2	5	30	5	1.12	<1	0.43	11	0.05	1116	2	0.01	1	619	30	0.69	<5	1	53	<5	<0.01	<10	<10	6	<10	174	3
131266	1.2	0.46	34	317	<0.5	5	1.22	5	5	29	5	1.19	<1	0.38	<10	0.04	742	2	0.01	1	605	40	0.69	<5	1	32	<5	<0.01	<10	<10	5	<10	345	3
131267	1.4	0.47	34	350	<0.5	5	1.30	3	4	28	6	1.22	<1	0.39	<10	0.05	793	2	0.01	1	615	82	0.71	<5	1	39	<5	<0.01	<10	<10	5	<10	290	3
131268	2.6	0.56	36	366	<0.5	5	1.47	5	5	25	14	1.32	<1	0.43	10	0.06	900	<2	0.01	1	704	109	0.73	<5	1	38	<5	<0.01	<10	<10	6	<10	348	3
131269	2.6	0.63	16	479	<0.5	5	0.84	4	4	32	22	1.26	<1	0.41	13	0.09	716	2	0.01	1	713	246	0.41	<5	1	28	5	<0.01	<10	<10	7	<10	468	2
131270	8.8	0.49	28	309	<0.5	5	0.75	7	5	37	54	1.28	<1	0.38	10	0.07	515	2	0.01	1	572	274	0.79	<5	1	46	<5	<0.01	<10	<10	7	<10	664	2
131271	8.6	0.38	50	160	<0.5	23	0.43	25	4	53	24	2.68	<1	0.27	<10	0.11	616	3	0.01	1	438	968	1.72	<5	1	35	<5	<0.01	<10	<10	7	<10	1794	2
131272	2.9	0.35	26	229	<0.5	7	0.58	54	4	46	31	1.79	<1	0.30	<10	0.10	603	<2	0.01	2	391	455	1.08	<5	1	41	<5	<0.01	<10	<10	6	<10	3483	2
131273	8.6	0.36	27	239	<0.5	7	0.99	33	4	44	61	1.38	<1	0.33	<10	0.07	774	3	0.01	2	561	1127	1.01	5	1	63	<5	<0.01	<10	<10	6	<10	2663	2
131274	5.1	0.38	18	287	<0.5	<5	0.79	14	4	31	23	1.02	<1	0.29	<10	0.05	442	4	0.01	1	576	585	0.74	<5	1	37	<5	<0.01	<10	<10	5	<10	1192	2
131275	8.8	0.33	24	244	<0.5	<5	1.38	10	3	44	63	0.98	<1	0.32	<10	0.02	632	3	0.01	1	516	537	0.94	<5	1	64	<5	<0.01	<10	<10	5	<10	967	1
131276	115.3	0.27	55	52	<0.5	10	0.83	12	3	45	29	2.55	1	0.25	<10	0.03	538	<2	0.01	1	324	374	2.13	7	<1	34	<5	<0.01	<10	<10	5	<10	1082	2
131277	13.4	0.15	30	153	<0.5	<5	0.61	5	3	61	33	0.91	<1	0.15	<10	0.01	405	10	0.01	2	272	200	0.88	11	<1	89	<5	<0.01	<10	<10	2	<10	446	1
131278	9.6	0.27	40	122	<0.5	5	0.14	9	4	47	57	1.35	<1	0.23	<10	0.02	51	8	0.01	2	472	171	1.31	15	1	18	<5	<0.01	<10	<10	5	<10	725	2
131279	6.7	0.29	42	69	<0.5	9	0.17	11	5	65	27	2.09	<1	0.23	<10	0.02	266	10	0.01	2	483	369	1.78	7	1	120	<5	<0.01	<10	<10	5	<10	687	2
131280	7.3	0.22	45	110	<0.5	10	1.03	11	4	81	18	2.56	<1	0.20	<10	0.07	600	4	0.01	3	353	319	2.09	5	<1	65	<5	<0.01	<10	<10	4	<10	838	2
131281	7.6	0.11	14	171	<0.5	8	1.39	7	2	130	4	1.65	1	0.09	<10	0.13	1436	4	0.01	3	169	101	1.25	7	1	100	<5	<0.01	<10	<10	3	<10	498	1
131282	79.9	0.11	23	121	<0.5	10	1.18	45	2	155	952	2.13	1	0.09	<10	0.15	1180	<2	0.01	4	138	3924	1.61	143	1	83	<5	<0.01	<10	<10	2	<10	2660	1
131283	14.7	0.17	32	101	<0.5	12	1.23	39	5	142	57	3.13	<1	0.14	<10	0.19	1344	4	0.01	3	374	586	2.25	18	1	84	<5	<0.01	<10	<10	4	<10	2405	1
131284	12.3	0.23	134	28	<0.5	31	0.91	122	5	119	88	7.08	2	0.17	<10	0.16	983	<2	0.01	3	433	367	>5.00	5	1	57	<5	<0.01	<10	<10	10	<10	5338	2
131285	70.3	0.17	297	21	<0.5	75	1.17	360	6	100	173	14.30	3	0.09	<10	0.09	840	4	0.02	<1	274	728	>5.00	41	<1	117	<5	<0.01	<10	32	15	<10	5833	4
131286	168.8	0.06	299	23	<0.5	68	2.53	319	5	82	293	13.21	4	0.05	<10	0.03	1172	4	0.02	<1	112	992	>5.00	164	<1	184	<5	<0.01	<10	28	12	<10	6000	4
131287	0.3	0.02	<5	23	<0.5	<5	>15.00	1	1	4	5	0.06	<1	0.01	<10	1.09	29	<2	0.01	<1	43	<2	0.84	<5	<1	4794	<5	<0.01	<10	<10	1	<10	45	<1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/Premier/PO#shipment 5

Sample type: Core

Report No : **9V0917RJ**

Date : Jul-30-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131288	1.7	1.33	6515	79	0.8	162	6.46	4	105	37	275	4.87	<1	0.19	<10	0.47	846	29	0.06	65	860	20	0.99	12	3	65	<5	0.11	<10	<10	56	16	87	11
131289	5.8	0.45	59	211	<0.5	12	1.88	11	17	22	171	2.34	<1	0.42	<10	0.11	1300	5	0.01	3	1528	370	1.77	<5	2	118	<5	<0.01	<10	<10	9	<10	794	1
131290	55.6	0.22	49	115	<0.5	7	0.90	110	6	78	89	1.94	1	0.21	<10	0.02	351	5	0.01	3	338	1456	1.94	5	<1	29	<5	<0.01	<10	<10	3	<10	4466	2
131291	40.3	0.30	68	121	<0.5	11	1.14	22	6	67	14	2.86	<1	0.28	<10	0.02	443	5	0.01	2	533	610	2.45	5	<1	70	<5	<0.01	<10	<10	5	<10	1820	2
131292	28.0	0.33	26	275	<0.5	5	1.44	8	5	73	8	1.36	<1	0.29	<10	0.02	746	6	0.01	2	553	683	0.88	<5	1	46	<5	<0.01	<10	<10	4	<10	603	2
131293	6.8	0.35	25	325	<0.5	5	0.81	13	5	103	30	1.35	<1	0.30	<10	0.03	467	4	0.01	3	524	458	0.77	<5	<1	33	<5	<0.01	<10	<10	4	<10	915	3
131294	6.0	0.32	23	199	<0.5	<5	1.02	14	4	62	25	1.27	<1	0.29	<10	0.02	434	11	0.01	1	576	389	1.07	<5	<1	39	<5	<0.01	<10	<10	4	<10	1011	2
131295	14.1	0.33	23	462	<0.5	<5	0.63	13	4	83	19	1.04	<1	0.30	<10	0.02	380	5	0.01	2	542	304	0.58	<5	1	21	<5	<0.01	<10	<10	4	<10	407	2
131296	3.2	0.44	40	307	<0.5	5	1.55	5	5	46	29	1.22	<1	0.40	10	0.03	687	4	0.01	1	699	233	0.86	<5	1	53	<5	<0.01	<10	<10	6	<10	371	2
131297	1.5	0.45	39	333	<0.5	5	1.36	6	5	40	10	1.19	<1	0.40	11	0.03	833	<2	0.01	2	719	31	0.62	<5	1	39	<5	<0.01	<10	<10	5	<10	367	2
131298	1.9	0.51	37	298	<0.5	5	2.91	2	5	27	7	1.34	<1	0.41	<10	0.05	1185	3	0.01	1	710	30	0.73	<5	1	84	<5	<0.01	<10	<10	5	<10	185	3
131299	5.5	0.47	43	1279	<0.5	5	0.38	7	4	34	18	1.26	<1	0.37	11	0.05	621	<2	0.01	1	664	133	0.17	<5	1	14	<5	<0.01	<10	<10	5	<10	526	3
131300	3.9	0.37	37	288	<0.5	5	1.85	4	4	50	39	1.19	<1	0.32	<10	0.03	1024	4	0.01	1	586	353	0.84	<5	1	54	<5	<0.01	<10	<10	5	<10	172	2
131301	3.9	0.45	51	286	<0.5	5	1.65	3	5	26	17	1.33	<1	0.38	<10	0.05	1068	<2	0.01	1	690	157	0.71	<5	1	49	<5	<0.01	<10	<10	5	<10	320	2
131302	40.9	0.51	45	318	<0.5	6	1.57	6	4	22	27	1.41	<1	0.35	<10	0.09	1148	<2	0.01	1	642	205	0.63	<5	1	46	<5	<0.01	<10	<10	6	<10	682	3
131303	2.9	0.43	27	308	<0.5	5	1.73	10	5	36	24	1.32	<1	0.30	<10	0.07	1150	2	0.01	1	611	226	0.64	<5	1	39	<5	<0.01	<10	<10	5	<10	484	2
131304	2.5	0.55	25	265	<0.5	7	1.24	10	5	26	16	1.79	<1	0.34	<10	0.12	893	<2	0.01	1	520	456	0.78	<5	1	58	<5	<0.01	<10	<10	7	<10	870	2
131305	1.4	0.40	30	258	<0.5	6	1.21	3	4	41	11	1.29	<1	0.33	<10	0.08	831	2	0.01	1	531	153	0.68	<5	1	65	<5	<0.01	<10	<10	6	<10	210	1
131306	2.2	0.45	21	317	<0.5	5	1.04	5	4	34	26	1.25	<1	0.39	<10	0.08	793	<2	0.01	1	625	217	0.75	<5	1	60	<5	<0.01	<10	<10	6	<10	444	2
131307	8.6	0.37	14	278	<0.5	7	3.10	11	4	45	19	1.58	<1	0.27	<10	0.16	1808	<2	0.01	1	514	345	0.67	5	1	217	<5	<0.01	<10	<10	6	<10	898	2
131308	25.2	0.32	41	197	<0.5	7	0.84	13	5	37	28	1.70	<1	0.28	<10	0.04	616	2	0.01	1	540	445	1.35	6	1	34	<5	<0.01	<10	<10	4	<10	1087	2
131309	60.2	0.27	112	43	<0.5	22	0.18	28	6	77	36	5.51	1	0.21	<10	0.03	501	4	0.01	2	344	867	3.48	9	<1	11	<5	<0.01	<10	<10	7	<10	2119	2
131310	7.1	0.29	36	77	<0.5	14	0.78	29	7	84	28	3.54	<1	0.15	<10	0.12	876	3	0.01	3	484	311	2.66	<5	1	52	<5	<0.01	<10	<10	9	<10	2273	1
131311	7.4	0.36	33	151	<0.5	18	4.21	15	10	51	17	4.65	<1	0.16	<10	0.47	4385	6	0.01	2	647	431	2.47	<5	4	460	<5	<0.01	<10	<10	14	<10	1111	1
131312	9.7	1.14	45	79	<0.5	27	0.77	15	15	54	38	6.49	<1	0.17	<10	0.86	2169	5	0.01	3	1050	374	3.29	5	5	53	<5	<0.01	<10	<10	50	<10	997	2
131313	6.3	0.76	33	70	<0.5	19	0.82	4	9	87	11	4.43	<1	0.09	<10	0.51	1845	4	0.01	3	515	264	2.52	<5	3	71	<5	<0.01	<10	<10	34	<10	229	2
131314	7.7	0.36	48	58	<0.5	17	1.04	6	7	74	10	4.36	<1	0.13	<10	0.43	1749	<2	0.01	3	571	377	2.46	<5	3	81	<5	<0.01	<10	<10	18	<10	346	1
131315	8.3	0.30	27	140	<0.5	13	1.18	26	5	112	18	3.09	<1	0.12	<10	0.25	1553	4	0.01	3	363	597	2.04	5	2	90	<5	<0.01	<10	<10	13	<10	2049	1
131316	7.8	0.15	43	53	<0.5	17	1.48	17	8	97	8	4.31	<1	0.14	<10	0.20	1713	2	0.01	3	587	433	3.20	<5	2	107	<5	<0.01	<10	<10	6	<10	1204	1
131317	7.9	0.19	55	72	<0.5	16	1.04	8	13	88	<1	3.77	<1	0.18	<10	0.15	1231	4	0.01	3	802	211	2.94	<5	2	75	<5	<0.01	<10	<10	9	<10	444	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/Premier/PO#shipment 5

Sample type: Core

Report No : **9V0917RJ**

Date : Jul-30-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131318	96.0	0.14	18	123	<0.5	7	2.27	37	4	108	20	1.90	<1	0.12	<10	0.15	2045	<2	0.01	3	357	1656	1.36	17	1	93	<5	<0.01	<10	<10	3	<10	2909	1
131319	3.3	0.08	18	103	<0.5	9	0.88	9	2	141	6	2.25	<1	0.06	<10	0.14	1064	3	0.01	3	66	528	1.54	<5	<1	52	<5	<0.01	<10	<10	3	<10	719	1
131320	6.0	0.11	18	86	<0.5	11	0.29	12	2	138	6	2.81	<1	0.04	<10	0.12	839	<2	<0.01	3	46	735	2.09	<5	<1	24	<5	<0.01	<10	<10	5	<10	1025	1
131321	54.2	0.07	21	45	<0.5	8	0.31	382	1	132	425	2.04	5	0.06	<10	0.06	472	6	0.01	3	168	521	2.71	18	1	25	<5	<0.01	<10	<10	2	<10	7744	1
131322	18.7	0.10	59	21	<0.5	17	0.32	728	3	114	1048	4.07	8	0.06	<10	0.07	694	6	0.02	3	393	513	4.99	<5	1	23	<5	<0.01	<10	<10	5	<10	9851	1
131323	58.6	0.07	410	26	<0.5	129	0.09	109	4	92	844	>15.00	1	0.05	<10	0.04	144	<2	0.02	<1	87	6374	>5.00	16	<1	5	<5	<0.01	<10	51	25	<10	4944	6
131324	<0.2	0.02	<5	29	<0.5	<5	>15.00	<1	<1	4	7	0.05	1	<0.01	<10	1.15	23	<2	0.01	<1	41	<2	0.75	<5	<1	5467	<5	<0.01	<10	<10	1	<10	62	<1
131325	0.9	0.52	675	994	0.5	13	0.66	2	8	52	34	3.11	2	0.13	14	0.31	464	5	0.01	31	885	143	0.22	521	4	205	6	<0.01	<10	<10	53	<10	235	12
131326	10.9	0.24	60	46	<0.5	19	0.70	41	9	78	79	4.18	1	0.18	<10	0.06	636	7	0.02	2	569	1726	3.68	7	1	53	<5	<0.01	<10	<10	7	<10	3113	2
131327	43.3	0.17	43	78	<0.5	13	2.19	58	4	89	102	2.81	1	0.14	<10	0.02	1049	4	0.02	2	320	1289	2.66	31	<1	131	<5	<0.01	<10	<10	4	<10	3855	1
131328	9.4	0.40	62	98	<0.5	14	2.38	29	13	31	107	3.20	<1	0.33	<10	0.04	1215	2	0.01	1	1216	1287	2.88	5	1	90	<5	<0.01	<10	<10	9	<10	2289	1
131329	15.3	0.37	91	108	<0.5	12	2.23	30	13	26	181	2.85	<1	0.28	<10	0.04	1260	6	0.01	2	1053	1841	2.55	6	1	89	<5	<0.01	<10	<10	8	<10	2158	1
131330	73.7	0.58	34	162	<0.5	10	2.46	19	10	24	185	2.28	<1	0.30	<10	0.17	1882	6	0.01	1	962	937	1.56	5	1	97	<5	<0.01	<10	<10	11	<10	1644	1
131331	24.6	0.59	65	87	<0.5	20	2.79	69	12	22	164	4.26	<1	0.31	<10	0.16	2534	<2	0.01	1	1102	576	3.66	<5	1	104	<5	<0.01	<10	<10	13	<10	4345	1
131332	10.1	1.13	29	166	<0.5	18	2.01	17	11	14	122	4.24	<1	0.32	<10	0.42	2253	2	0.01	<1	1262	602	2.24	<5	1	94	<5	<0.01	<10	<10	17	<10	1435	1
131333	6.6	0.32	20	140	<0.5	7	1.30	8	5	64	42	1.71	<1	0.19	<10	0.07	1022	2	0.01	2	477	411	1.35	<5	1	95	<5	<0.01	<10	<10	5	<10	580	1
131334	31.0	0.71	24	204	<0.5	11	1.00	22	7	31	188	2.57	<1	0.25	<10	0.35	1762	<2	0.01	2	755	878	1.25	<5	1	66	<5	0.01	<10	<10	13	<10	1839	1
131335	10.8	0.67	31	148	<0.5	10	0.41	9	7	45	36	2.59	<1	0.17	<10	0.40	1602	15	0.01	2	670	471	1.13	<5	1	34	<5	<0.01	<10	<10	14	<10	739	1
131336	5.7	1.07	13	223	<0.5	13	0.61	38	6	30	49	3.21	<1	0.19	<10	0.71	2564	<2	0.01	1	735	332	1.13	<5	2	37	<5	0.01	<10	<10	22	<10	2828	1
131337	2.1	1.26	16	214	<0.5	15	0.47	21	6	39	18	3.51	<1	0.20	<10	0.83	2467	<2	0.01	1	849	157	1.19	<5	2	28	<5	<0.01	<10	<10	26	<10	1725	2
131338	17.9	0.61	52	68	<0.5	21	0.83	465	6	46	166	4.86	3	0.12	<10	0.47	2657	<2	0.01	2	533	332	4.41	<5	2	56	<5	<0.01	<10	<10	22	<10	8369	2
131339	21.4	0.57	31	128	<0.5	14	0.33	233	4	68	84	3.23	1	0.12	<10	0.34	1383	<2	0.01	2	400	326	2.51	<5	1	21	<5	<0.01	<10	<10	17	<10	6757	1
131340	58.4	0.29	135	30	<0.5	43	0.17	1766	5	61	885	9.34	4	0.07	<10	0.14	889	<2	0.01	1	155	4904	>5.00	<5	<1	11	<5	<0.01	<10	15	15	<10	>10000	3
131341	>200.0	0.21	67	37	<0.5	21	1.43	112	5	78	114	4.69	<1	0.11	<10	0.11	1194	<2	0.01	2	279	5631	4.17	39	1	98	<5	<0.01	<10	<10	8	<10	5500	1
131342	4.1	0.83	12	226	<0.5	11	0.77	22	7	40	50	2.78	<1	0.28	<10	0.36	1920	2	0.01	2	763	561	1.11	<5	1	52	<5	<0.01	<10	<10	10	<10	1834	1
131343	6.4	0.58	8	227	<0.5	11	0.96	18	5	37	26	2.65	<1	0.29	<10	0.37	1949	2	0.01	2	697	455	0.92	5	1	76	<5	<0.01	<10	<10	8	<10	1368	1
131344	4.8	0.81	6	285	<0.5	11	0.88	15	6	32	39	2.68	<1	0.28	<10	0.45	2273	<2	0.01	2	738	540	0.67	<5	1	61	<5	<0.01	<10	<10	12	<10	1244	1
131345	14.0	1.17	11	262	<0.5	14	0.61	29	7	29	33	3.25	<1	0.34	<10	0.50	1724	2	0.01	1	858	576	1.07	<5	1	33	<5	0.01	<10	<10	14	<10	2295	1
131346	4.6	1.44	72	46	<0.5	38	1.31	14	14	20	22	7.72	<1	0.27	<10	0.67	3168	<2	0.01	2	1041	303	4.78	<5	2	65	<5	0.01	<10	10	26	<10	804	3
131347	5.0	1.15	35	95	<0.5	21	1.70	14	18	12	54	4.88	<1	0.34	<10	0.48	2632	<2	0.01	2	1342	547	2.81	<5	2	62	<5	0.01	<10	<10	19	<10	1074	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/Premier/PO#shipment 5

Sample type: Core

Report No : **9V0917RJ**

Date : Jul-30-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131348	4.9	0.87	23	92	<0.5	18	2.32	9	20	5	39	3.86	<1	0.40	<10	0.29	2736	<2	0.01	2	1454	336	2.74	<5	2	77	<5	0.01	<10	<10	16	<10	632	2
131349	10.4	1.13	37	69	<0.5	23	1.66	108	19	9	167	5.56	<1	0.38	<10	0.38	2247	3	0.01	2	1341	2027	3.79	6	2	62	<5	0.02	<10	<10	20	<10	5189	2
131350	4.7	0.89	24	121	<0.5	17	2.19	19	21	5	70	3.96	<1	0.43	<10	0.21	2264	<2	0.01	2	1428	681	2.50	<5	2	76	<5	0.01	<10	<10	16	<10	1511	2
131351	1.8	0.55	6	344	<0.5	6	1.79	28	6	20	48	1.34	<1	0.42	<10	0.07	1464	3	0.01	1	815	217	0.74	<5	1	74	<5	<0.01	<10	<10	6	<10	2029	1
131352	5.0	0.50	92	44	<0.5	23	2.79	20	5	22	47	5.18	<1	0.35	<10	0.07	1545	3	0.01	<1	592	371	4.17	<5	1	101	<5	<0.01	<10	<10	8	<10	1414	2
131353	4.4	0.45	29	81	<0.5	11	2.29	42	6	29	103	2.56	<1	0.32	<10	0.06	1020	5	0.01	1	605	805	2.07	<5	1	76	<5	<0.01	<10	<10	5	<10	2998	1
131354	4.2	0.61	53	88	<0.5	14	2.56	22	5	26	38	2.97	<1	0.36	<10	0.15	2203	5	0.01	1	634	459	2.14	<5	1	95	<5	<0.01	<10	<10	7	<10	1777	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0918-RA1

Jul-30-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Premier/PO#Shipment 5
Attn: Sue Deane

We *hereby certify* the following assay of 22 rocks samples submitted Jul-20-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-Wt. Kg
130818	0.14	0.13	1.2	1.5
130819	0.11		0.8	0.9
130820	0.10		1.2	1.0
130821	0.26		1.6	0.7
130822	0.31		3.0	1.5
130850	1.08		2.6	1.5
130851	1.35		2.1	2.2
130852	2.98		2.1	2.0
130853	0.75		0.4	1.9
130854	0.96	0.94	1.5	2.1
130855	0.83		0.8	2.3
130856	2.32		3.4	1.7
130857	4.98		6.1	2.6
130858	1.85		1.3	1.4
130859	1.64		1.1	1.9
130860	1.94		2.6	1.5
130861	0.10		11.7	1.4
130862	0.54		20.3	1.5
130863	0.39		57.1	2.6
130864	0.84	0.84	127.7	2.4
130865	0.23		48.2	2.6
130866	0.36		50.5	1.3
*0211	2.11			
*BLANK	<0.01			

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0918-RA2

Jul-30-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Premier/PO#Shipment 5
Attn: Sue Deane

We *hereby certify* the following assay of 22 rocks samples submitted Jul-20-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonue	Pb %	Sample-Wt. Kg
130867	5.71	5.71	67.8		2.8
130868	21.45		78.9		3.2
130869	0.08		7.3		1.7
130870	0.18		27.5		2.1
130871	0.13		29.5		2.3
130872	0.09		29.8		1.2
130873	0.05		14.1		1.4
130874	0.12		25.1		2.0
130875	0.38		5.5		1.8
130876	24.04	23.03	45.3	1.22	2.6
130877	1.13		12.3		1.9
130878	0.54		5.9		2.4
130879	0.22		3.8		3.0
130880	0.52		11.1		2.5
130881	0.91		20.3		2.0
130882	2.38		29.8		2.6
130883	0.64		13.5		2.5
130884	1.34		47.8		1.7
130885	2.75		70.1		2.9
130886	1.72	1.62	19.3		2.4
130887	0.46		24.3		2.0
130888	0.24		5.1		2.7
*0211	2.14				
*SE-1				1.83	
*BLANK	<0.01			<0.01	

Au F.A. AA finish. Ag read from ICP solution.Pb 4-acid digest

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0918-RA3

Jul-30-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Premier/PO#Shipment 5
Attn: Sue Deane

We *hereby certify* the following assay of 19 rocks samples submitted Jul-20-09

Sample Name	Au g/tonne	Au-Check g/tonne	Ag g/tonne	Sample-Wt. Kg
130889	1.52	1.54	7.8	2.5
130890	0.36		4.9	2.9
130891	1.96		12.3	3.4
130892	4.85		29.2	2.6
130893	0.76		6.8	2.5
130894	0.99		9.1	1.9
130895	0.41		2.4	2.0
130896	0.33		7.2	2.2
130897	0.27		5.0	2.4
130898	0.47	0.48	15.5	3.2
130899	1.34		12.2	2.5
130900	1.91		13.0	2.6
130901	0.96		13.8	2.4
130902	0.51		23.8	2.2
130903	0.93		17.0	3.1
130904	0.61		22.2	1.9
130905	0.21		3.9	2.3
130906	1.39		4.1	2.0
130907	1.10		25.4	3.0
*0211	2.14			
*BLANK	<0.01			

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/Premier/PO#Shipment 5

Sample type: Rocks

Report No : 9V0918RJ

Date : Jul-30-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
130818	1.2	0.35	247	217	<0.5	8	0.02	1	2	36	<1	2.15	5	0.23	<10	0.09	38	2	0.01	1	802	71	0.40	40	1	3	<5	<0.01	<10	<10	9	<10	24	1
130819	0.8	0.20	241	254	<0.5	7	0.01	1	1	69	<1	1.80	4	0.22	<10	0.02	17	<2	0.01	2	467	20	0.31	30	1	5	<5	<0.01	<10	<10	5	<10	8	1
130820	1.2	0.24	167	180	<0.5	8	0.01	1	3	49	<1	2.08	4	0.21	<10	0.02	10	3	0.01	1	367	22	1.40	37	1	2	<5	<0.01	<10	<10	5	<10	7	1
130821	1.6	0.19	132	147	<0.5	5	0.01	1	1	74	<1	1.40	2	0.21	<10	0.02	46	2	0.01	2	408	24	0.19	19	1	5	<5	<0.01	<10	<10	5	<10	9	1
130822	3.0	0.24	369	142	<0.5	13	0.02	2	2	74	1	3.30	<1	0.20	<10	0.03	86	3	0.01	1	712	75	0.35	10	1	3	<5	<0.01	<10	<10	8	<10	27	1
130850	2.6	0.50	116	102	<0.5	20	0.92	14	7	109	13	4.25	<1	0.12	<10	0.43	1525	<2	0.01	2	493	917	2.55	8	1	38	<5	<0.01	<10	<10	21	<10	1037	1
130851	2.1	0.80	167	59	<0.5	43	0.77	12	12	89	13	8.91	<1	0.16	<10	0.65	1858	4	0.01	<1	605	309	>5.00	13	1	39	<5	<0.01	<10	20	29	<10	599	2
130852	2.1	0.71	147	55	<0.5	44	1.75	9	14	82	4	9.27	<1	0.16	<10	0.71	2365	<2	0.01	<1	671	173	>5.00	13	2	83	<5	<0.01	<10	23	24	<10	358	3
130853	0.4	0.62	150	58	<0.5	31	0.98	11	11	90	10	6.74	<1	0.15	<10	0.59	1702	2	0.01	<1	727	105	4.72	10	2	52	<5	<0.01	<10	16	27	<10	626	2
130854	1.5	0.56	97	97	<0.5	19	1.99	9	8	81	9	4.48	1	0.16	<10	0.47	1913	<2	0.01	1	700	209	2.81	7	1	77	<5	<0.01	<10	10	14	<10	584	2
130855	0.8	0.57	73	129	<0.5	18	3.37	8	7	104	5	4.22	1	0.18	<10	0.51	2738	4	0.01	1	704	105	2.64	7	3	127	<5	<0.01	<10	11	15	<10	529	2
130856	3.4	0.66	107	74	<0.5	30	2.82	8	7	109	59	6.27	<1	0.12	<10	0.67	3178	<2	0.02	1	580	326	4.08	10	3	145	<5	<0.01	<10	19	21	<10	334	2
130857	6.1	0.44	130	50	<0.5	33	1.03	7	9	94	8	7.25	<1	0.20	<10	0.39	1365	3	0.01	<1	682	192	4.83	9	2	44	<5	<0.01	<10	14	10	<10	257	2
130858	1.3	0.45	88	62	<0.5	33	1.78	9	10	87	11	7.20	<1	0.20	<10	0.59	1992	<2	0.01	1	760	239	4.63	9	2	86	<5	<0.01	<10	17	11	<10	385	2
130859	1.1	0.73	74	84	<0.5	28	1.93	8	10	90	9	6.09	<1	0.19	<10	0.71	1536	3	0.01	6	962	150	3.67	9	2	104	<5	<0.01	<10	12	22	<10	333	2
130860	2.6	0.98	145	82	<0.5	33	4.96	24	13	62	63	6.84	1	0.23	<10	1.08	2786	<2	0.01	4	903	311	4.10	9	3	240	<5	<0.01	<10	18	29	<10	1581	2
130861	11.7	0.24	533	69	<0.5	19	0.06	4	5	128	<1	5.02	1	0.21	<10	0.03	416	26	0.01	2	352	77	2.79	22	1	8	<5	<0.01	<10	<10	10	<10	230	2
130862	20.3	0.22	217	158	<0.5	9	0.07	4	7	124	14	2.07	1	0.15	18	0.03	471	3	<0.01	3	324	292	0.87	8	1	4	<5	<0.01	<10	<10	16	<10	431	1
130863	57.1	0.19	134	460	<0.5	6	0.03	3	4	157	17	1.61	1	0.16	26	0.01	866	6	<0.01	3	232	169	0.57	11	1	3	<5	<0.01	<10	<10	18	<10	310	1
130864	127.7	0.18	233	263	<0.5	9	0.04	5	2	139	12	2.31	2	0.19	<10	0.02	61	<2	0.01	3	279	402	0.98	16	1	5	<5	<0.01	<10	<10	10	<10	498	1
130865	48.2	0.20	247	336	<0.5	9	0.03	5	3	127	9	2.58	1	0.21	<10	0.02	123	4	0.01	2	391	231	0.87	12	1	4	<5	<0.01	<10	<10	12	<10	406	1
130866	50.5	0.30	347	443	<0.5	13	0.07	3	4	47	11	3.44	1	0.28	<10	0.03	156	<2	0.01	1	1052	383	0.56	10	1	7	<5	<0.01	<10	<10	20	<10	305	2
130867	67.8	0.26	465	114	<0.5	17	0.05	31	5	91	79	4.57	7	0.23	16	0.03	118	<2	0.01	1	699	2446	2.06	13	1	4	<5	<0.01	<10	<10	30	<10	2510	2
130868	78.9	0.14	499	180	<0.5	14	0.01	11	1	148	84	3.53	9	0.17	55	0.02	45	3	0.01	2	331	5982	1.27	15	<1	4	<5	<0.01	<10	<10	39	<10	851	1
130869	7.3	0.39	404	189	<0.5	12	0.33	3	9	56	4	3.11	1	0.31	10	0.09	338	<2	0.01	1	1126	97	1.43	8	2	21	<5	<0.01	<10	<10	10	<10	157	1
130870	27.5	0.31	538	107	<0.5	15	0.26	4	7	93	13	4.07	1	0.27	<10	0.06	303	4	0.01	1	940	187	2.19	13	1	19	<5	<0.01	<10	<10	13	<10	170	1
130871	29.5	0.32	467	95	<0.5	13	0.23	4	6	83	7	3.28	2	0.27	<10	0.06	198	<2	0.01	2	997	251	2.01	13	1	20	<5	<0.01	<10	<10	13	<10	161	1
130872	29.8	0.42	435	159	<0.5	13	0.48	5	10	81	22	3.42	1	0.28	10	0.10	400	3	0.01	2	1192	260	1.85	10	1	33	<5	<0.01	<10	<10	14	<10	203	2
130873	14.1	0.46	318	110	<0.5	14	0.31	4	10	46	5	3.59	2	0.33	11	0.06	384	<2	0.01	2	1271	126	2.04	10	1	20	<5	<0.01	<10	<10	10	<10	160	2
130874	25.1	0.46	558	164	<0.5	16	0.18	4	8	54	8	4.06	2	0.35	<10	0.04	164	2	0.01	1	1261	177	1.72	24	1	19	<5	<0.01	<10	<10	17	<10	149	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/Premier/PO#Shipment 5

Sample type: Rocks

Report No : 9V0918RJ

Date : Jul-30-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
130875	5.5	0.32	254	99	<0.5	16	0.16	9	10	87	7	4.13	2	0.26	<10	0.04	31	3	0.01	2	911	644	3.11	31	1	9	<5	<0.01	<10	<10	6	<10	750	2
130876	45.3	0.31	443	41	<0.5	22	0.19	365	11	81	94	5.91	31	0.26	<10	0.06	288	3	0.01	<1	830	>10000	>5.00	50	1	11	<5	<0.01	<10	<10	7	<10	8270	2
130877	12.3	0.31	321	72	<0.5	18	0.14	55	9	65	180	5.12	8	0.28	<10	0.05	74	2	0.01	1	975	3161	3.83	40	1	14	<5	<0.01	<10	<10	7	<10	3653	2
130878	5.9	0.31	204	91	<0.5	17	0.07	11	8	92	49	4.44	2	0.28	<10	0.04	27	4	0.01	1	850	1099	3.02	27	1	9	<5	<0.01	<10	<10	7	<10	791	1
130879	3.8	0.31	338	69	<0.5	21	0.14	5	10	80	<1	5.55	1	0.25	<10	0.06	125	2	0.01	1	891	283	4.01	23	1	9	<5	<0.01	<10	<10	8	<10	237	2
130880	11.1	0.26	457	45	<0.5	32	0.05	15	10	121	46	8.03	4	0.21	<10	0.04	20	6	0.01	1	507	787	>5.00	52	<1	4	<5	<0.01	<10	12	5	<10	862	2
130881	20.3	0.18	723	87	<0.5	19	0.01	16	3	144	17	5.18	4	0.19	<10	0.02	17	3	0.01	2	468	1749	3.24	43	<1	4	<5	<0.01	<10	<10	4	<10	1239	1
130882	29.8	0.15	1000	53	<0.5	27	0.01	19	5	167	19	7.24	7	0.12	<10	0.03	16	8	0.01	1	95	689	>5.00	83	<1	1	<5	<0.01	<10	11	2	<10	1264	2
130883	13.5	0.23	396	114	<0.5	15	0.04	7	7	159	48	4.19	3	0.18	<10	0.02	17	2	0.01	4	490	824	3.04	57	1	9	<5	<0.01	<10	<10	4	<10	396	1
130884	47.8	0.13	640	66	<0.5	14	0.03	136	4	190	240	4.26	14	0.10	<10	0.02	23	7	0.01	3	177	4738	3.63	104	<1	2	<5	<0.01	<10	<10	1	<10	6397	1
130885	70.1	0.15	1254	48	<0.5	29	0.02	8	5	123	19	7.32	12	0.12	<10	0.03	14	6	0.01	1	238	522	>5.00	134	<1	2	<5	<0.01	10	11	3	<10	429	2
130886	19.3	0.17	485	86	<0.5	13	0.50	7	4	180	35	3.39	4	0.13	<10	0.02	180	6	0.01	3	269	768	2.35	48	<1	18	<5	<0.01	<10	<10	3	<10	393	1
130887	24.3	0.19	268	91	<0.5	14	0.04	6	5	153	66	3.81	2	0.15	<10	0.02	19	2	0.01	3	338	428	2.85	67	<1	5	<5	<0.01	<10	<10	3	<10	268	1
130888	5.1	0.25	422	42	<0.5	29	0.13	7	9	109	28	7.55	1	0.19	<10	0.04	52	3	0.01	<1	539	140	>5.00	37	<1	6	<5	<0.01	<10	11	6	<10	346	2
130889	7.8	0.25	211	95	<0.5	16	0.16	14	7	103	233	3.87	1	0.18	<10	0.02	65	3	0.01	2	454	500	3.05	42	1	9	<5	<0.01	<10	<10	6	<10	981	2
130890	4.9	0.19	212	86	<0.5	11	0.03	12	5	126	23	2.65	2	0.13	<10	0.02	14	3	0.01	3	140	321	2.10	21	<1	3	<5	<0.01	<10	<10	4	<10	591	1
130891	12.3	0.11	325	57	<0.5	10	0.01	3	3	161	9	2.43	1	0.08	<10	0.01	13	6	0.01	2	30	438	1.78	28	<1	2	<5	<0.01	<10	<10	2	<10	104	1
130892	29.2	0.12	321	60	<0.5	10	0.04	6	3	142	21	2.49	1	0.09	<10	0.01	23	5	0.01	3	12	276	1.86	35	<1	2	<5	<0.01	<10	<10	2	<10	282	1
130893	6.8	0.15	228	73	<0.5	11	0.02	4	4	166	20	2.78	1	0.13	<10	0.01	25	2	0.01	4	120	296	2.10	27	<1	4	<5	<0.01	<10	<10	3	<10	126	1
130894	9.1	0.16	282	81	<0.5	11	0.01	4	4	133	14	2.79	3	0.13	<10	0.02	21	5	0.01	2	194	319	1.81	27	<1	3	<5	<0.01	<10	<10	3	<10	223	1
130895	2.4	0.20	168	99	<0.5	12	0.07	4	7	112	11	2.97	1	0.17	<10	0.02	29	3	0.01	2	472	176	2.18	13	<1	4	<5	<0.01	<10	<10	4	<10	214	1
130896	7.2	0.20	389	79	<0.5	19	0.04	7	8	101	9	4.43	3	0.17	<10	0.02	15	<2	0.01	2	390	318	3.44	37	<1	4	<5	<0.01	<10	<10	5	<10	222	2
130897	5.0	0.30	371	96	<0.5	18	0.08	5	10	91	5	4.53	2	0.22	<10	0.05	15	3	0.01	3	528	194	3.54	29	1	4	<5	<0.01	<10	<10	7	<10	107	2
130898	15.5	0.18	168	85	<0.5	14	0.04	68	6	151	126	3.68	3	0.15	<10	0.02	30	<2	0.01	3	295	2302	3.14	18	<1	4	<5	<0.01	<10	<10	3	<10	4221	1
130899	12.2	0.21	206	57	<0.5	23	0.05	101	7	149	99	5.79	6	0.18	<10	0.04	64	3	0.01	2	275	3192	4.55	16	<1	6	<5	<0.01	<10	10	4	<10	5508	2
130900	13.0	0.20	532	69	<0.5	24	0.11	16	6	121	42	5.55	2	0.16	<10	0.03	49	2	0.01	2	84	2030	4.23	27	<1	8	<5	<0.01	<10	10	4	<10	1026	2
130901	13.8	0.13	145	80	<0.5	11	0.43	65	4	164	156	2.92	2	0.10	<10	0.03	279	4	0.01	3	292	1784	2.30	24	<1	25	<5	<0.01	<10	<10	3	<10	3905	1
130902	23.8	0.16	168	72	<0.5	20	0.08	86	6	132	425	5.15	3	0.14	<10	0.03	95	<2	0.01	2	297	4220	4.23	41	<1	8	<5	<0.01	<10	<10	3	<10	4898	2
130903	17.0	0.21	351	74	<0.5	17	0.04	11	6	112	21	4.14	3	0.17	<10	0.02	17	<2	0.01	2	359	618	3.28	32	<1	5	<5	<0.01	<10	<10	5	<10	701	2
130904	22.2	0.14	717	77	<0.5	18	0.18	11	5	135	21	4.37	10	0.12	<10	0.02	64	4	0.01	2	162	1265	3.35	75	<1	10	<5	<0.01	<10	<10	3	<10	769	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Dilworth/Premier/PO#Shipment 5
Sample type: Rocks

Report No : **9V0918RJ**
Date : Jul-30-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
130905	3.9	0.22	243	102	<0.5	14	1.66	6	7	120	6	3.35	1	0.18	<10	0.04	637	3	0.01	2	624	221	2.51	19	1	88	<5	<0.01	<10	<10	6	<10	339	2
130906	4.1	0.36	225	84	<0.5	28	0.11	13	4	122	28	6.62	1	0.17	<10	0.19	285	2	0.01	1	659	502	3.00	19	1	10	<5	<0.01	<10	14	10	<10	837	2
130907	25.4	0.29	251	81	<0.5	22	0.17	26	8	141	34	5.30	1	0.19	<10	0.11	183	4	0.01	2	605	1147	3.76	27	1	10	<5	<0.01	<10	<10	7	<10	1576	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0938-RA1

Aug-05-09

Company: **Ascot Resources Ltd**
Project: Dilworth/PO#shipment 6
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Jul-24-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt. Kg
131355	0.11	2.0	1.4
131356	0.27	3.8	1.4
131357	0.14	6.3	1.6
131358	0.55	5.1	2.0
131359	0.82	2.8	1.8
131360	0.20	3.7	2.0
131361	0.59	3.4	1.8
131362	0.56	6.6	2.1
131363	0.20	13.9	1.6
131364	0.32	7.7	1.7
131365	1.19	24.7	1.8
131366	0.07	3.7	2.0
131367	0.10	3.8	1.7
131368	0.39	2.3	2.0
131369	0.13	4.6	2.0
131370	0.65	6.3	1.8
131371	1.29	3.6	1.9
131372	3.05	5.8	1.7
131373	0.98	5.5	1.7
131374	1.22	4.7	1.2
131375	0.20	2.5	1.4
131376	0.64	27.6	1.8
*DUP 131355	0.11	2.1	
*DUP 131364	0.33	7.7	
*DUP 131374	1.30	4.8	
*0211	2.09		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0938-RA2

Aug-05-09

Company: **Ascot Resources Ltd**
Project: Dilworth/PO#shipment 6
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Jul-24-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt. Kg
131377	0.18	3.3	1.3
131378	0.19	4.5	1.4
131379	2.55	11.9	1.7
131380	2.04	27.1	1.9
131381	0.80	10.4	1.5
131382	0.22	2.6	1.6
131383	0.69	4.9	1.6
131384	3.76	9.4	1.0
131385	0.37	5.0	1.4
131386	0.11	2.1	1.4
131387	0.25	4.7	1.6
131388	0.16	1.9	1.5
131389	0.28	4.4	1.6
131390	0.11	4.8	1.8
131391	0.75	8.8	1.8
131392	0.24	4.3	1.3
131393	0.33	7.4	1.5
131394	0.11	1.2	1.5
131395	0.16	1.9	1.6
131396	0.37	1.9	1.5
131397	0.22	3.7	1.8
131398	0.28	7.7	1.7
*DUP 131377	0.13	3.4	
*DUP 131386	0.11	2.3	
*DUP 131396	0.34	1.8	
*0211	2.29		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0938-RA3

Aug-05-09

Company: **Ascot Resources Ltd**
Project: Dilworth/PO#shipment 6
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Jul-24-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt. Kg
131399	1.19	3.7	1.6
131400	0.15	1.6	1.5
131401	0.19	3.5	1.8
131402	0.17	5.0	1.7
131403	0.25	2.4	1.6
131404	0.06	3.0	1.5
131405	0.20	5.9	0.9
131406	0.18	3.1	1.3
131407	0.19	2.6	0.6
131408	0.10	5.2	1.2
131409	0.11	2.9	3.8
131410	0.16	26.9	3.3
131411	0.46	8.4	1.6
131412	0.08	5.3	1.7
131413	0.06	12.1	1.5
131414	0.19	35.8	1.6
131415	0.23	11.7	1.5
131416	0.72	37.8	1.3
131417	0.77	60.4	1.5
131418	0.66	21.2	1.7
131419	1.38	30.2	1.7
131420	4.33	54.9	2.0
*DUP 131399	1.21	3.7	
*DUP 131408	0.13	5.5	
*DUP 131418	0.67	21.8	
*0211	2.21		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0938-RA4

Aug-05-09

Company: **Ascot Resources Ltd**
Project: Dilworth/PO#shipment 6
Attn: Sue Deane

We *hereby certify* the following assay of 14 core samples submitted Jul-24-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt. Kg
131421	1.40	12.8	1.9
131422	1.14	35.4	1.8
131423	1.23	21.2	1.8
131424	1.20	12.1	1.7
131425	2.35	162.4	1.9
131426	0.28	8.4	1.8
131427	0.46	5.4	1.5
131428	0.01	<0.1	0.2
131429	3.52	1.8	
131430	0.98	12.8	0.6
131431	2.34	12.1	1.7
131432	2.31	19.3	1.7
131433	12.38	129.6	2.5
131434	0.28	8.8	1.5
*DUP 131421	1.56	12.8	
*DUP 131430	1.10	12.6	
*0211	2.08		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/PO#shipment 6

Sample type: Core

Report No : **9V0938RJ**

Date : Aug-05-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131355	2.0	0.39	31	244	<0.5	7	4.54	5	5	28	11	1.65	<1	0.36	<10	0.04	1697	2	0.03	4	694	347	1.29	<5	1	133	<5	<0.01	<10	<10	5	<10	395	3
131356	3.8	0.36	88	197	<0.5	12	2.10	17	6	32	35	2.81	<1	0.33	<10	0.03	894	6	0.03	2	675	729	2.34	<5	1	49	<5	<0.01	<10	<10	6	<10	1267	3
131357	6.3	0.46	62	262	<0.5	8	1.35	28	7	30	25	2.08	<1	0.34	<10	0.05	647	4	0.02	3	681	992	1.43	5	1	35	<5	0.01	<10	<10	8	<10	2074	3
131358	5.1	0.45	62	201	<0.5	10	1.95	50	6	48	39	2.50	<1	0.27	<10	0.06	862	8	0.02	2	626	461	1.62	<5	1	49	<5	0.01	<10	<10	9	<10	3082	2
131359	2.8	0.66	43	329	<0.5	10	0.78	10	6	35	14	2.41	<1	0.32	<10	0.10	450	3	0.02	2	834	449	0.95	<5	1	26	<5	0.01	<10	<10	18	<10	783	3
131360	3.7	0.79	51	250	<0.5	16	3.02	12	8	39	16	3.78	<1	0.22	<10	0.14	1335	6	0.02	1	900	230	1.44	<5	1	50	<5	0.01	<10	<10	18	<10	833	2
131361	3.4	0.38	121	102	<0.5	20	6.09	7	5	43	3	4.63	<1	0.13	<10	0.08	2776	3	0.02	1	533	95	3.30	<5	2	102	<5	<0.01	<10	<10	15	<10	283	2
131362	6.6	0.24	126	215	<0.5	14	6.66	21	5	54	18	3.31	<1	0.20	<10	0.04	3499	9	0.02	2	359	299	2.10	<5	1	94	<5	<0.01	<10	<10	6	<10	1517	2
131363	13.9	0.16	49	206	<0.5	7	3.13	35	4	61	29	1.75	<1	0.16	<10	0.02	1319	9	0.02	2	263	695	1.64	<5	<1	63	<5	<0.01	<10	<10	3	<10	2573	2
131364	7.7	0.17	32	199	<0.5	5	2.93	17	3	82	32	1.18	<1	0.16	<10	0.01	1804	12	0.02	2	274	750	0.72	<5	<1	61	<5	<0.01	<10	<10	2	<10	1342	2
131365	24.7	0.23	53	187	<0.5	11	2.84	77	5	64	110	2.57	<1	0.18	<10	0.07	1851	10	0.02	2	465	1906	1.98	<5	1	97	<5	<0.01	<10	<10	6	<10	4052	2
131366	3.7	0.14	28	334	<0.5	5	4.03	10	3	77	6	1.31	<1	0.12	<10	0.04	2354	11	0.02	2	264	342	0.94	<5	1	174	<5	<0.01	<10	<10	3	<10	623	1
131367	3.8	0.28	38	185	<0.5	13	0.91	10	6	85	6	2.96	<1	0.20	<10	0.08	994	6	0.02	3	494	145	1.88	<5	1	49	<5	<0.01	<10	<10	6	<10	728	2
131368	2.3	0.31	36	141	<0.5	14	0.80	6	6	85	2	3.53	<1	0.21	<10	0.09	759	4	0.02	2	514	58	2.28	<5	1	27	<5	<0.01	<10	<10	8	<10	386	2
131369	4.6	0.26	39	202	<0.5	11	6.77	7	5	57	4	2.66	<1	0.24	<10	0.05	3374	20	0.02	2	533	580	2.15	<5	1	283	<5	<0.01	<10	<10	6	<10	495	2
131370	6.3	0.38	42	196	<0.5	15	2.81	38	6	82	8	3.44	<1	0.25	<10	0.09	1828	30	0.01	2	539	913	2.46	<5	1	106	<5	<0.01	<10	<10	7	<10	2642	2
131371	3.6	0.32	35	297	<0.5	12	1.38	14	6	98	22	2.86	<1	0.26	<10	0.04	1377	2	0.01	3	583	166	1.50	<5	1	28	<5	<0.01	<10	<10	6	<10	903	2
131372	5.8	0.29	45	168	<0.5	13	1.13	16	6	87	15	2.84	<1	0.27	<10	0.04	671	12	0.01	2	648	527	2.08	<5	1	57	<5	<0.01	<10	<10	6	<10	1036	2
131373	5.5	0.35	40	250	<0.5	13	0.30	9	5	114	30	2.75	<1	0.23	<10	0.06	727	6	0.01	3	489	623	1.48	<5	1	13	<5	<0.01	<10	<10	4	<10	654	2
131374	4.7	0.53	45	466	<0.5	13	0.14	8	5	102	29	3.44	<1	0.22	<10	0.12	297	12	0.01	2	553	289	0.74	<5	<1	10	<5	<0.01	<10	<10	5	<10	1124	2
131375	2.5	0.44	26	597	<0.5	8	0.09	6	4	117	11	2.25	<1	0.15	<10	0.13	582	4	0.01	3	356	153	0.36	<5	1	7	<5	<0.01	<10	<10	5	<10	674	1
131376	27.6	0.32	22	452	<0.5	8	0.07	5	4	132	22	2.32	<1	0.16	<10	0.07	740	7	0.01	3	313	200	0.69	<5	<1	6	<5	<0.01	<10	<10	4	<10	399	1
131377	3.3	0.22	22	396	<0.5	9	0.33	12	3	146	33	2.37	<1	0.11	<10	0.04	912	5	0.01	3	224	127	0.58	<5	<1	18	<5	<0.01	<10	<10	4	<10	739	1
131378	4.5	0.22	21	305	<0.5	6	0.28	129	3	134	65	1.54	1	0.11	<10	0.04	848	2	0.01	3	213	310	0.93	<5	<1	8	<5	<0.01	<10	<10	3	<10	4506	1
131379	11.9	0.33	30	77	<0.5	14	1.31	514	3	130	430	2.53	2	0.14	<10	0.07	1267	5	0.01	3	227	832	3.15	<5	<1	45	<5	<0.01	<10	<10	4	<10	7454	1
131380	27.1	0.23	90	51	<0.5	24	1.31	199	3	124	376	5.58	1	0.13	<10	0.05	1144	5	0.01	3	222	1581	4.74	<5	<1	48	<5	<0.01	<10	<10	7	<10	5361	2
131381	10.4	0.20	41	82	<0.5	14	1.30	182	3	163	191	3.37	1	0.09	<10	0.04	1024	7	0.01	4	103	740	3.03	<5	<1	53	<5	<0.01	<10	<10	4	<10	5217	1
131382	2.6	0.16	15	298	<0.5	6	1.28	26	3	176	75	1.52	<1	0.09	<10	0.03	1096	5	0.01	3	163	300	1.05	<5	1	42	<5	<0.01	<10	<10	2	<10	1578	1
131383	4.9	0.12	16	219	<0.5	7	0.55	90	2	179	95	1.57	<1	0.07	<10	0.02	489	5	0.01	4	115	309	1.37	<5	<1	20	<5	<0.01	<10	<10	2	<10	3999	1
131384	9.4	0.56	28	255	<0.5	6	3.08	37	5	46	23	1.55	<1	0.39	<10	0.07	1164	<2	0.01	2	734	591	0.97	<5	1	81	<5	<0.01	<10	<10	6	<10	2450	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95ºC for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/PO#shipment 6

Sample type: Core

Report No : **9V0938RJ**

Date : Aug-05-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131385	5.0	0.79	102	118	<0.5	26	1.53	23	9	45	32	5.52	<1	0.32	<10	0.22	1047	2	0.01	1	796	941	3.69	6	1	59	<5	0.01	<10	<10	20	<10	1620	3
131386	2.1	0.43	64	176	<0.5	10	2.78	9	6	28	6	2.47	<1	0.33	<10	0.05	1151	3	0.01	1	684	376	2.02	<5	1	92	<5	<0.01	<10	<10	8	<10	717	3
131387	4.7	0.53	96	222	<0.5	12	3.15	11	13	30	17	2.69	<1	0.38	<10	0.07	1320	5	0.01	4	1029	550	2.02	<5	1	115	<5	0.01	<10	<10	11	<10	827	2
131388	1.9	0.56	47	308	<0.5	8	2.10	5	9	37	11	2.03	<1	0.35	<10	0.08	828	9	0.01	2	942	293	1.15	<5	1	66	<5	0.01	<10	<10	11	<10	355	2
131389	4.4	0.62	97	250	<0.5	13	1.16	22	17	33	26	3.02	<1	0.45	<10	0.07	504	10	0.01	4	1334	521	2.22	<5	1	45	<5	0.02	<10	<10	18	<10	1773	2
131390	4.8	0.38	39	298	<0.5	7	0.61	10	6	63	19	1.87	<1	0.26	<10	0.05	295	4	0.01	2	615	392	1.14	<5	1	29	<5	<0.01	<10	<10	8	<10	835	2
131391	8.8	0.33	155	78	<0.5	27	2.04	92	5	88	34	5.88	1	0.22	<10	0.05	1103	4	0.01	1	357	243	4.80	<5	1	54	<5	<0.01	<10	<10	10	<10	4082	2
131392	4.3	0.63	49	238	<0.5	14	1.74	8	7	55	12	3.53	<1	0.29	<10	0.10	1040	3	0.01	2	705	264	1.77	<5	1	77	<5	<0.01	<10	<10	13	<10	580	2
131393	7.4	0.35	32	201	<0.5	7	1.96	10	5	64	7	1.83	<1	0.24	<10	0.05	845	5	0.01	2	534	140	1.09	<5	1	65	<5	<0.01	<10	<10	7	<10	822	2
131394	1.2	0.39	29	412	<0.5	6	3.19	3	5	39	5	1.35	<1	0.31	<10	0.04	1515	6	0.01	2	658	46	0.62	<5	1	86	<5	<0.01	<10	<10	5	<10	255	3
131395	1.9	0.31	31	436	<0.5	8	1.46	13	4	92	18	1.96	<1	0.20	<10	0.04	1446	5	0.01	2	473	202	0.58	<5	1	62	<5	<0.01	<10	<10	5	<10	931	2
131396	1.9	0.32	57	270	<0.5	10	1.02	5	3	87	6	2.49	<1	0.19	<10	0.05	823	2	0.01	2	337	69	1.30	<5	<1	32	<5	<0.01	<10	<10	6	<10	323	2
131397	3.7	0.50	37	265	<0.5	9	3.09	7	5	63	10	2.11	<1	0.27	<10	0.08	1587	9	0.01	2	514	142	1.09	<5	1	135	<5	<0.01	<10	<10	7	<10	522	2
131398	7.7	0.23	104	100	<0.5	16	2.84	46	6	91	57	3.61	<1	0.19	<10	0.03	1490	5	0.01	2	286	497	3.22	<5	<1	101	<5	<0.01	<10	<10	5	<10	2967	2
131399	3.7	0.40	16	499	<0.5	5	1.82	25	4	75	50	1.07	<1	0.33	<10	0.04	1054	6	0.01	2	596	343	0.80	<5	1	59	<5	<0.01	<10	<10	5	<10	2021	3
131400	1.6	0.26	32	313	<0.5	5	4.93	2	4	72	9	1.15	<1	0.25	<10	0.02	2562	5	0.01	2	418	54	1.05	<5	1	143	<5	<0.01	<10	<10	3	<10	112	2
131401	3.5	0.24	36	320	<0.5	7	5.04	4	4	71	6	1.61	<1	0.18	<10	0.03	2397	5	0.01	2	295	143	1.23	<5	<1	225	<5	<0.01	<10	<10	3	<10	232	1
131402	5.0	0.33	55	160	<0.5	11	7.64	7	5	56	8	2.52	<1	0.22	<10	0.06	4036	6	0.01	2	331	263	2.04	<5	1	370	<5	<0.01	<10	<10	4	<10	483	1
131403	2.4	0.40	55	183	<0.5	12	3.52	5	5	49	5	2.64	<1	0.33	<10	0.05	2150	8	0.01	1	530	77	2.06	<5	1	128	<5	<0.01	<10	<10	6	<10	215	2
131404	3.0	0.27	25	775	<0.5	<5	0.21	8	3	103	10	1.11	<1	0.24	<10	0.01	357	5	0.01	3	431	136	0.44	<5	<1	17	<5	<0.01	<10	<10	3	<10	397	2
131405	5.9	0.27	46	338	<0.5	8	0.12	7	5	88	20	2.20	<1	0.22	<10	0.02	544	12	0.01	2	442	490	0.88	<5	<1	12	<5	<0.01	<10	<10	4	<10	661	2
131406	3.1	0.39	29	1092	<0.5	5	0.15	5	4	69	15	1.31	<1	0.30	13	0.05	234	4	0.01	2	637	138	0.18	<5	1	10	<5	<0.01	<10	<10	4	<10	575	2
131407	2.6	0.42	30	491	<0.5	5	0.15	6	4	55	18	1.34	<1	0.33	11	0.05	1056	3	0.01	2	644	243	0.18	<5	1	7	<5	<0.01	<10	<10	4	<10	756	2
131408	5.2	0.32	44	303	<0.5	8	5.48	10	5	41	11	1.89	<1	0.30	<10	0.05	4040	6	0.01	2	471	426	1.09	<5	2	166	<5	<0.01	<10	<10	5	<10	884	2
131409	2.9	0.43	22	387	<0.5	5	1.19	8	5	41	8	1.15	<1	0.38	10	0.04	712	5	0.01	1	707	318	0.78	<5	1	60	<5	<0.01	<10	<10	4	<10	619	3
131410	26.9	0.37	25	252	<0.5	5	2.35	9	4	52	9	1.19	<1	0.34	<10	0.03	1498	4	0.01	2	556	360	0.99	<5	1	95	<5	<0.01	<10	<10	4	<10	917	1
131411	8.4	0.38	25	398	<0.5	5	1.36	7	5	71	19	1.15	<1	0.32	<10	0.02	1095	4	0.01	2	622	216	0.81	<5	1	90	<5	<0.01	<10	<10	4	<10	584	2
131412	5.3	0.40	25	306	<0.5	5	0.85	3	4	55	12	1.17	<1	0.36	10	0.03	419	2	0.01	3	719	62	0.96	<5	1	54	<5	<0.01	<10	<10	5	<10	205	2
131413	12.1	0.35	18	726	<0.5	<5	0.62	5	4	67	13	0.78	<1	0.30	11	0.02	717	4	0.01	2	607	279	0.47	<5	1	34	<5	<0.01	<10	<10	4	<10	241	2
131414	35.8	0.20	30	310	<0.5	6	0.94	14	4	97	15	1.30	<1	0.19	<10	0.01	455	4	0.01	3	356	456	1.11	7	<1	73	<5	<0.01	<10	<10	3	<10	1240	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/PO#shipment 6

Sample type: Core

Report No : **9V0938RJ**

Date : Aug-05-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131415	11.7	0.22	17	282	<0.5	5	0.72	62	4	96	36	1.17	1	0.18	<10	0.02	384	8	0.01	2	368	1459	1.12	<5	1	69	<5	<0.01	<10	<10	3	<10	3639	1
131416	37.8	0.26	51	261	<0.5	8	0.11	13	4	91	75	2.05	<1	0.18	<10	0.03	429	8	0.01	2	341	277	1.27	5	<1	7	<5	<0.01	<10	<10	4	<10	1082	2
131417	60.4	0.15	21	324	<0.5	5	1.02	16	3	135	47	1.18	<1	0.12	<10	0.02	953	8	0.01	3	203	502	0.88	5	<1	40	<5	<0.01	<10	<10	2	<10	1348	1
131418	21.2	0.17	60	179	<0.5	12	0.68	57	3	119	39	2.67	<1	0.16	<10	0.04	537	5	0.01	3	310	450	2.24	<5	<1	46	<5	<0.01	<10	<10	4	<10	3663	2
131419	30.2	0.18	294	40	<0.5	48	0.08	41	4	124	46	9.66	<1	0.16	<10	0.04	131	9	0.01	2	206	305	>5.00	6	<1	5	<5	<0.01	<10	15	12	<10	2628	3
131420	54.9	0.20	371	41	<0.5	60	3.99	50	5	86	60	11.40	<1	0.13	<10	0.06	2163	9	0.01	1	241	551	>5.00	7	1	150	<5	<0.01	<10	15	14	<10	3337	4
131421	12.8	0.34	190	52	<0.5	41	0.57	37	5	121	35	8.63	<1	0.12	<10	0.18	906	3	0.01	2	296	335	>5.00	5	1	28	<5	<0.01	<10	12	15	<10	2489	3
131422	35.4	0.15	315	34	<0.5	64	0.69	74	4	118	86	12.34	1	0.09	<10	0.10	730	<2	0.01	1	140	701	>5.00	10	<1	43	<5	<0.01	<10	21	16	<10	4075	4
131423	21.2	0.27	279	39	<0.5	67	1.56	58	7	110	85	12.38	<1	0.15	<10	0.13	1272	2	0.01	1	400	511	>5.00	8	1	73	<5	<0.01	<10	19	19	<10	3438	4
131424	12.1	0.27	119	48	<0.5	31	0.42	37	4	112	87	6.97	<1	0.14	<10	0.08	655	<2	0.01	2	317	746	>5.00	6	1	24	<5	<0.01	<10	<10	9	<10	2467	2
131425	162.4	0.16	433	24	<0.5	95	0.16	96	6	149	129	>15.00	<1	0.06	<10	0.06	284	8	0.01	1	73	5395	>5.00	15	<1	10	<5	<0.01	<10	35	23	<10	4217	5
131426	8.4	0.66	41	132	<0.5	18	1.05	14	8	114	35	4.44	<1	0.16	<10	0.26	1268	2	0.01	3	677	247	2.65	<5	2	104	<5	<0.01	<10	<10	21	<10	1009	2
131427	5.4	0.19	16	229	<0.5	7	1.35	39	3	184	36	1.80	<1	0.09	<10	0.06	1069	5	0.01	3	244	229	1.37	<5	1	106	<5	<0.01	<10	<10	3	<10	2776	1
131428	<0.2	0.01	<5	10	<0.5	<5	>15.00	<1	1	3	1	0.04	<1	<0.01	<10	1.60	26	<2	0.01	<1	43	8	0.79	<5	<1	5478	<5	<0.01	<10	<10	1	<10	18	<1
131429	1.8	1.49	6380	75	0.9	166	6.27	4	97	35	292	4.64	<1	0.20	<10	0.47	804	29	0.07	59	881	20	0.93	11	3	64	<5	0.11	<10	<10	56	17	81	12
131430	12.8	0.21	140	54	<0.5	29	1.53	19	5	150	37	5.91	<1	0.09	<10	0.06	1169	5	0.01	3	269	330	>5.00	<5	1	120	<5	<0.01	<10	<10	7	<10	1110	2
131431	12.1	0.26	105	50	<0.5	28	1.72	27	6	135	80	5.92	<1	0.09	<10	0.08	1359	4	0.01	3	338	632	>5.00	5	1	89	<5	<0.01	<10	<10	7	<10	1593	2
131432	19.3	0.28	116	39	<0.5	36	1.76	73	7	143	150	7.42	<1	0.08	<10	0.08	1375	5	0.01	3	159	1942	>5.00	6	1	76	<5	<0.01	<10	<10	10	<10	4092	2
131433	129.6	0.22	316	24	<0.5	71	1.16	184	5	104	321	13.32	1	0.14	<10	0.04	610	4	0.01	<1	265	1587	>5.00	20	<1	41	<5	<0.01	<10	23	16	<10	6632	4
131434	8.8	1.24	48	131	<0.5	22	0.85	43	19	23	95	5.10	<1	0.39	<10	0.40	1634	3	0.01	2	1819	742	1.93	<5	3	29	<5	<0.01	<10	<10	24	<10	2926	2
Duplicates:																																		
131355	2.1	0.43	32	259	<0.5	7	4.60	5	5	28	11	1.72	<1	0.38	<10	0.05	1733	3	0.02	3	712	357	1.32	<5	1	135	<5	<0.01	<10	<10	6	<10	402	3
131364	7.7	0.20	30	205	<0.5	5	3.19	17	3	91	33	1.20	<1	0.17	<10	0.02	1819	12	0.01	2	272	754	0.73	<5	<1	61	<5	<0.01	<10	<10	2	<10	1321	2
131374	4.8	0.57	45	428	<0.5	13	0.15	8	5	114	31	3.51	<1	0.23	<10	0.13	295	12	0.01	2	577	294	0.76	<5	1	10	<5	<0.01	<10	<10	6	<10	1115	2
131377	3.4	0.25	23	462	<0.5	9	0.35	13	4	159	33	2.43	<1	0.13	<10	0.05	967	6	0.01	3	235	140	0.59	<5	<1	20	<5	<0.01	<10	<10	4	<10	775	1
131386	2.3	0.51	72	193	<0.5	12	2.97	10	6	31	7	2.68	<1	0.38	<10	0.06	1263	3	0.01	2	781	419	2.18	<5	1	105	<5	0.01	<10	<10	9	<10	793	3
131396	1.8	0.33	60	247	<0.5	10	1.02	5	3	95	6	2.45	<1	0.20	<10	0.05	814	2	0.01	2	340	66	1.32	<5	<1	33	<5	<0.01	<10	<10	6	<10	325	1
131399	3.7	0.42	16	453	<0.5	5	1.83	25	4	80	51	1.07	<1	0.33	<10	0.04	1094	7	0.01	2	596	343	0.80	<5	1	62	<5	<0.01	<10	<10	5	<10	2099	3
131408	5.5	0.37	49	332	<0.5	8	5.49	10	5	44	11	1.91	<1	0.32	<10	0.05	4201	6	0.01	2	498	447	1.16	<5	2	177	<5	<0.01	<10	<10	5	<10	901	2
131418	21.8	0.18	58	171	<0.5	12	0.68	55	3	121	40	2.65	<1	0.16	<10	0.04	536	5	0.01	3	300	435	2.23	<5	<1	45	<5	<0.01	<10	<10	4	<10	3639	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/PO#shipment 6

Sample type: Core

Report No : **9V0938RJ**

Date : Aug-05-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131421	12.8	0.33	168	49	<0.5	37	0.55	35	5	112	34	8.49	<1	0.11	<10	0.17	824	3	0.01	2	270	304	>5.00	5	1	28	<5	<0.01	<10	11	14	<10	2381	2
131430	12.6	0.20	137	49	<0.5	28	1.48	18	4	139	35	5.92	<1	0.08	<10	0.06	1151	5	0.01	3	234	302	>5.00	<5	1	116	<5	<0.01	<10	<10	7	<10	1009	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.9	1.71	12	304	1.3	21	0.61	4	30	111	1984	4.69	<1	1.41	13	1.21	348	2	0.05	50	759	18	0.63	<5	8	8	<5	0.20	<10	<10	84	<10	221	13

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0951-RA1

Company: **Ascot Resources Ltd**
Project: Premier/shipment 7
Attn: Sue Deane

Aug-04-09

We *hereby certify* the following assay of 16 rocks samples submitted Jul-30-09

Sample Name	Au g/tonne	Ag g/tonne	Ag g/tonne	Cu %	Pb %	Zn %	Sample-Wt
130967	0.67	33.7					2.1
130968	1.91	>200.0	233.2				3.3
130969	3.43	>200.0	434.2			3.97	3.7
130970	4.43	>200.0	534.5		1.62		2.3
130971	0.98	88.6					2.3
130972	4.87	>200.0	559.1	1.17	10.8	17.9	1.4
130973	2.26	66.8					2.4
130974	4.34	116.2			2.46		3.1
130975	8.80	>200.0	354.7		10.0		2.6
130976	7.66	104.0			1.73		2.7
130977	11.90	>200.0	390.6		7.40	3.93	3.1
130978	11.68	>200.0	459.2		13.7		3.4
130979	7.22	103.6				12.1	2.9
130980	0.45	5.6					2.3
130981	0.39	46.2					1.9
130982	16.44	>200.0	647.9		24.0		1.3
*DUP 130967	0.64	34.2					
*DUP 130976	7.74	103.6					
*0211	2.05						
*SE-1			727.1	0.097	1.85	2.58	
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01	

Au F.A. AA finish. Ag read from ICP solution. Over limit Ag,Cu,Pb,Zn by 4 acid digest/AA.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Premier/shipment 7

Sample type: Rocks

Report No : **9V0951RJ**

Date : Aug-04-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
130967	33.7	1.20	30	240	<0.5	13	0.03	112	9	119	614	2.54	1	0.16	<10	0.81	552	10	0.01	27	726	3782	0.92	6	2
130968	>200.0	0.73	25	173	<0.5	20	0.10	100	12	154	1634	2.44	<1	0.15	<10	0.47	739	10	0.01	22	504	7171	1.11	7	1
130969	>200.0	1.11	23	54	<0.5	150	0.07	583	25	106	5574	3.45	1	0.19	<10	0.79	899	8	0.01	36	511	9121	3.04	<5	1
130970	>200.0	0.44	11	78	<0.5	187	0.33	379	10	181	8884	2.41	1	0.09	<10	0.31	681	5	0.01	17	201	>10000	2.54	5	1
130971	88.6	0.62	8	249	<0.5	12	0.74	52	6	104	97	2.10	1	0.16	<10	0.38	1363	4	0.01	6	801	2297	0.78	5	1
130972	>200.0	0.06	208	14	<0.5	379	<0.01	>2000	75	165	>10000	5.50	5	0.01	<10	0.04	60	<2	<0.01	38	<10	>10000	>5.00	<5	<1
130973	66.8	1.18	>10000	54	<0.5	41	0.97	324	13	49	654	7.09	<1	0.28	<10	0.54	1435	<2	0.01	7	1643	7947	>5.00	42	1
130974	116.2	0.56	>10000	34	<0.5	52	0.25	224	10	60	535	7.77	<1	0.29	<10	0.16	199	<2	0.01	3	1321	>10000	>5.00	136	1
130975	>200.0	0.51	>10000	27	<0.5	75	0.34	279	8	58	950	13.98	<1	0.22	<10	0.20	844	<2	0.01	<1	773	>10000	>5.00	334	<1
130976	104.0	0.45	>10000	27	<0.5	102	0.50	95	9	75	327	14.94	<1	0.25	<10	0.17	1278	<2	0.01	<1	641	>10000	>5.00	192	<1
130977	>200.0	0.28	>10000	21	<0.5	101	0.51	634	7	111	1298	>15.00	<1	0.15	<10	0.14	2113	<2	0.01	<1	353	>10000	>5.00	233	<1
130978	>200.0	0.34	>10000	21	<0.5	81	0.22	804	6	84	560	13.55	<1	0.20	<10	0.11	579	<2	0.01	<1	605	>10000	>5.00	257	<1
130979	103.6	0.40	>10000	23	<0.5	42	0.40	1631	6	109	972	8.78	1	0.18	<10	0.17	953	2	0.01	<1	587	5949	>5.00	57	<1
130980	5.6	1.02	324	154	<0.5	17	5.41	13	14	131	17	3.81	1	0.19	<10	0.55	3706	2	0.01	2	1303	502	2.16	13	2
130981	46.2	0.57	4350	100	<0.5	16	4.30	232	9	169	468	3.65	1	0.11	<10	0.39	5511	6	0.01	1	889	5070	2.67	25	2
130982	>200.0	0.11	>10000	23	<0.5	134	0.13	498	3	104	1802	>15.00	<1	0.07	<10	0.10	341	<2	0.01	<1	36	>10000	>5.00	832	<1
Duplicates:																									
130967	34.2	1.20	34	238	<0.5	13	0.04	117	9	121	615	2.69	1	0.16	<10	0.83	566	10	0.01	28	747	3918	0.98	7	2
130976	103.6	0.46	>10000	28	<0.5	102	0.51	96	9	77	327	>15.00	<1	0.25	<10	0.18	1319	<2	0.01	<1	645	>10000	>5.00	190	<1
Standards:																									
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	1	<0.01	<10	<0.01	<5	<2	<0.01	<1	<10	<2	<0.01	<5	<1
CH-4	1.5	1.70	27	295	1.0	21	0.59	3	29	109	2046	4.79	<1	1.34	13	1.17	321	2	0.05	54	689	15	0.61	12	7

Au F.A. AA finish. Ag read from ICP solution.

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd
Attention: Sue Deane
Project: Premier/shipment 7
Sample type: Rocks

Report No : **9V0951RJ**
Date : Aug-04-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
130967	14	<5	<0.01	<10	<10	38	<10	3885	1
130968	110	<5	<0.01	<10	<10	21	<10	4657	1
130969	58	<5	<0.01	<10	<10	32	<10	>10000	1
130970	77	<5	<0.01	<10	<10	13	<10	9053	1
130971	90	<5	<0.01	<10	<10	13	<10	2688	1
130972	10	<5	<0.01	<10	10	2	<10	>10000	1
130973	23	<5	<0.01	<10	<10	15	<10	8906	3
130974	5	<5	<0.01	<10	10	8	<10	8112	2
130975	7	<5	<0.01	<10	28	8	<10	8154	4
130976	10	<5	<0.01	<10	32	7	<10	5014	4
130977	9	<5	<0.01	<10	36	5	<10	>10000	4
130978	6	<5	<0.01	<10	27	6	<10	9657	3
130979	8	<5	<0.01	<10	17	6	<10	>10000	2
130980	229	<5	<0.01	<10	<10	12	<10	695	1
130981	113	<5	<0.01	<10	10	6	<10	7532	1
130982	5	<5	<0.01	<10	57	3	<10	9849	6
Duplicates:									
130967	14	<5	<0.01	<10	<10	39	<10	4001	1
130976	10	<5	<0.01	<10	31	7	<10	5110	4
Standards:									
Blank	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	7	<5	0.20	<10	<10	80	<10	206	10

Au F.A. AA finish. Ag read from ICP solution.

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Metallic Assay Certificate

9V-0951-RM1

Company: **Ascot Resources Ltd**
Project: Premier/shipment 7
Attn: Sue Deane

Aug-04-09

We *hereby certify* the following analysis of 16 rocks samples submitted Jul-30-09

Sample Name	WtTotal g	Wt+150 g	+150Au mg	-150Au g/tonne	Metallic Au g/tonne	Net Au g/tonne
130967	494.2	42.37	0.014	0.73	0.03	0.70
130968	471.9	20.19	0.131	1.45	0.28	1.66
130969	493.0	34.43	0.532	2.49	1.08	3.40
130970	459.5	16.47	0.592	2.43	1.29	3.63
130971	491.3	25.24	0.059	0.99	0.12	1.06
130972	456.3	24.17	0.975	3.34	2.14	5.30
130973	486.7	32.72	0.059	2.32	0.12	2.28
130974	470.2	35.19	0.107	4.37	0.23	4.27
130975	502.5	16.35	0.103	9.86	0.20	9.74
130976	469.5	6.69	0.048	7.59	0.10	7.58
130977	471.2	11.71	0.204	10.03	0.43	10.21
130978	497.0	11.89	0.120	10.21	0.24	10.21
130979	492.4	14.55	0.077	6.40	0.16	6.37
130980	468.3	10.73	<0.001	0.06	<0.01	0.06
130981	487.4	14.20	0.003	0.33	<0.01	0.33
130982	505.1	11.57	0.215	17.73	0.42	17.75

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0952-RA1

Aug-10-09

Company: **Ascot Resources**
Project: Premier/shipment 7
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Jul-30-09

Sample Name	Au g/tonne	AG g/tonne	Ag g/tonne	Pb %	Zn %	Sample-Wt Kg
131435	0.22	6.5				1.8
131436	0.10	3.7				1.5
131437	3.86	>200.1	664.3	10.3	4.96	1.2
131438	2.83	27.6			3.33	1.2
131439	0.23	5.6				1.1
131440	0.16	4.7				1.0
131441	0.06	3.6				0.8
131442	3.36	54.4				1.1
131443	0.18	3.6				3.0
131444	0.21	3.2				3.6
131445	0.37	2.9				3.6
131446	0.08	3.4				3.8
131447	0.09	1.2				2.2
131448	0.02	2.9				2.5
131449	0.09	10.8				0.9
131450	0.45	9.2				1.1
131451	12.62	72.7		2.25	6.80	1.2
131452	23.20	71.5			6.50	1.3
131453	1.43	14.5				1.1
131454	0.93	16.8				1.0
131455	0.21	5.6				0.6
131456	7.68	73.6		1.57	4.50	0.8
*DUP 131435	0.20	6.1				
*DUP 131444	0.18	3.3				
*DUP 131453	0.94	17.5				
*0211	2.02					
*SE-1			700.9	1.88	2.53	
*BLANK	<0.01		<0.1	<0.1	<0.01	

Au F.A. AA finish. Ag read from ICP solution.Over limit Ag Pb,Zn By 4 Acid Digest AA finish

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0952-RA2

Aug-10-09

Company: **Ascot Resources**
Project: Premier/shipment 7
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Jul-30-09

Sample Name	Au g/tonne	Ag g/tonne	Pb %	Zn %	Sample-Wt. Kg
131457	0.11	4.5			1.3
131458	<0.01	<0.1			0.3
131459	0.28	0.3			
131460	0.12	1.4			3.8
131461	0.12	1.5			3.6
131462	0.07	1.6			2.3
131463	0.03	1.2			1.0
131464	0.05	0.4			3.3
131465	0.11	0.5			2.2
131466	0.34	6.6			0.7
131467	0.04	0.1			1.9
131468	0.01	0.1			1.6
131469	0.22	51.5	1.25	2.78	0.5
131470	0.05	1.4			1.5
131471	0.21	4.2			1.5
131472	0.20	2.1			1.5
131473	0.06	1.4			1.5
131474	0.04	1.9			1.7
131475	0.57	2.2			2.1
131476	0.42	3.0			1.9
131477	0.51	2.4			1.7
131478	0.08	2.1			1.2
*DUP 131457	0.12	4.1			
*DUP 131466	0.34	7.1			
*DUP 131476	0.42	3.2			
*0211	2.19				
*SE-1			1.88	2.55	
*BLANK	<0.01		<0.01	<0.01	

Au F.A. AA finish. Ag read from ICP solution.Over limit Pb,Zn By 4 Acid Digest AA finish

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0952-RA3

Aug-10-09

Company: **Ascot Resources**
Project: Premier/shipment 7
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Jul-30-09

Sample Name	Au g/tonne	Ag g/tonne	Ag Gg/tonne	Pb %	Zn %	Sample-Wt. Kg
131479	0.24	4.1				1.7
131480	0.06	3.1				1.6
131481	0.14	6.8				2.6
131482	0.54	21.5				1.8
131483	0.54	39.9				1.8
131484	0.20	16.3				1.6
131485	0.13	17.7				1.9
131486	<0.01	0.1				0.6
131487	3.56	0.9				
131488	0.40	47.5				1.7
131489	0.29	20.1				3.5
131490	0.18	64.5				1.7
131491	1.81	>200.0	369.8	1.27	7.30	0.9
131492	1.45	131.8				1.7
131493	0.22	33.0				0.5
131494	0.01	0.7				1.7
131495	0.01	1.9				1.7
131496	0.03	3.4				1.6
131497	0.01	1.6				0.7
131498	0.82	22.8				1.7
131499	0.16	7.4				1.8
131500	0.11	3.2				1.9
*DUP 131479	0.25	3.9				
*DUP 131488	0.40	45.0				
*DUP 131498	0.82	20.9				
*0211	1.95					
*SE-1			700.9	1.88	2.53	
*BLANK	<0.01		<0.1	<0.01	<0.01	

Au F.A. AA finish. Ag read from ICP solution.Over limit Ag Pb,Zn By 4 Acid Digest AA finish

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0952-RA4

Aug-10-09

Company: **Ascot Resources**
Project: Premier/shipment 7
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Jul-30-09

Sample Name	Au g/tonne	Ag g/tonne	Pb %	Zn %	Sample-Wt Kg
131501	0.52	55.6			1.5
131502	0.71	42.8			1.9
131503	12.34	40.8		2.15	1.7
131504	2.84	17.5			1.4
131505	0.05	<0.1			1.6
131506	0.02	<0.1			1.8
131507	<0.01	<0.1			2.2
131508	<0.01	<0.1			1.6
131509	1.77	63.4	2.33		1.7
131510	1.09	7.5			2.3
131511	2.35	7.5			1.9
131512	0.70	12.8			1.2
131513	0.01	0.3			0.6
131514	0.27	0.2			
131515	0.04	1.2			1.8
131516	0.03	2.2			1.8
131517	0.02	0.5			1.6
131518	0.02	2.3			0.6
131519	1.65	121.2			1.4
131520	0.05	4.9			1.3
131521	0.02	1.7			1.7
131522	0.17	21.9			2.5
*DUP 131501	0.51	48.7			
*DUP 131510	1.09	7.0			
*DUP 131520	0.05	4.8			
*0211	2.07				
*SE-1			1.88	2.53	
*BLANK	<0.01		<0.01	<0.01	

Au F.A. AA finish. Ag read from ICP solution.Over limit Pb,Zn By 4 Acid Digest AA finish

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0952-RA5

Aug-10-09

Company: **Ascot Resources**
Project: Premier/shipment 7
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Jul-30-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt. Kg
131523	0.14	46.7	1.0
131524	0.10	16.3	1.1
131525	0.15	14.9	0.9
131526	<0.01	0.2	0.5
131527	3.54	0.9	
131528	0.01	1.8	1.8
131529	0.01	0.5	1.6
131530	0.03	0.9	1.8
131531	0.01	1.0	2.4
131532	<0.01	2.1	2.1
131533	<0.01	1.9	1.9
131534	0.11	5.6	1.8
131535	0.28	16.3	1.7
131536	0.13	11.0	1.4
131537	0.08	6.0	1.5
131538	0.03	6.0	1.7
131539	0.03	4.3	1.8
131540	0.01	4.9	1.8
131541	0.03	2.1	1.7
131542	<0.01	0.1	1.7
131543	0.01	1.3	1.8
131544	<0.01	0.4	1.7
*DUP 131523	0.16	46.9	
*DUP 131532	0.01	2.3	
*DUP 131542	<0.01	0.2	
*0211	2.07		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0952-RA6

Aug-10-09

Company: **Ascot Resources**
Project: Premier/shipment 7
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Jul-30-09

Sample Name	Au g/tonne	Ag g/tonne	Zn %	Sample-Wt. Kg
131545	0.01	0.7		1.9
131546	0.05	2.1		1.7
131547	0.01	0.8		1.7
131548	0.02	3.3		2.4
131549	0.12	8.8		1.5
131550	0.02	11.6		1.1
131551	0.17	20.7	3.25	1.6
131552	0.27	<0.1		1.5
131553	<0.01	0.6		1.6
131554	<0.01	1.6		1.5
131555	0.03	5.1		1.3
131556	0.02	8.9		1.7
131557	0.01	2.9		1.6
131558	0.02	13.3		1.8
131559	0.01	5.1		1.5
131560	0.07	6.5		1.5
131561	0.05	1.6		1.2
131562	0.04	12.8		1.4
131563	0.01	4.0		1.4
131564	0.03	9.2		1.5
131565	0.16	32.5		1.6
131566	0.70	72.9		1.6
*DUP 131545	0.01	0.4		
*DUP 131554	<0.01	1.6		
*DUP 131564	0.03	9.4		
*0211	2.19			
*SE-1			2.54	
*BLANK	<0.01		<0.01	

Au F.A. AA finish. Ag read from ICP solution.Over limit Zn By 4 Acid Digest AA finish

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0952-RA7

Aug-10-09

Company: **Ascot Resources**
Project: Premier/shipment 7
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Jul-30-09

Sample Name	Au g/tonne	Ag g/tonne	Zn %	Sample-Wt. Kg
131567	0.01	1.3		1.1
131568	<0.01	<0.1		0.5
131569	0.28	0.3		
131570	0.03	1.9		1.6
131571	0.01	1.9		1.6
131572	0.04	4.4		1.6
131573	0.01	1.1		1.6
131574	0.20	6.1		1.7
131575	0.16	21.2	9.40	1.7
131576	0.04	4.7		1.3
131577	0.01	1.8		1.5
131578	0.01	<0.1		1.5
131579	0.02	<0.1		1.2
131580	0.01	<0.1		1.9
*DUP 131567	<0.01	1.4		
*DUP 131576	0.03	4.5		
*0211	2.08			
*SE-1			2.60	
*BLANK	<0.01		<0.01	

Au F.A. AA finish. Ag read from ICP solution.Over limit Zn By 4 Acid Digest AA finish

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Premier/shipment 7

Sample type: Core

Report No : **9V0952RJ**

Date : Aug-10-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131435	6.5	0.74	73	231	<0.5	13	3.10	4	8	32	37	2.11	2	0.35	<10	0.29	1619	2	0.01	1	921	907	1.49	7	1	177	<5	0.02	<10	<10	8	<10	269	2
131436	3.7	0.18	35	233	<0.5	<5	9.11	1	2	105	27	0.70	1	0.12	<10	0.08	4345	<2	0.01	2	274	165	0.55	<5	1	1228	<5	0.01	<10	13	1	<10	69	1
131437	>200.0	0.10	98	42	<0.5	119	7.94	640	4	68	4882	9.69	9	0.07	<10	0.08	5242	3	0.01	<1	79	>10000	>5.00	421	<1	675	<5	<0.01	<10	42	5	<10	>10000	3
131438	27.6	0.05	39	66	<0.5	17	>15.00	327	5	35	744	3.74	6	0.06	<10	0.06	8649	2	0.01	<1	300	2170	4.76	8	<1	1478	<5	<0.01	<10	39	<1	<10	>10000	1
131439	5.6	0.43	61	66	<0.5	26	1.13	17	17	31	56	5.63	<1	0.35	<10	0.07	370	4	0.02	1	1575	265	>5.00	7	1	58	<5	0.01	<10	11	7	<10	1150	2
131440	4.7	0.36	51	72	<0.5	22	1.78	8	14	40	23	4.63	<1	0.33	<10	0.05	666	6	0.02	1	1322	180	4.30	6	1	99	<5	0.01	<10	<10	5	<10	463	2
131441	3.6	0.32	33	140	<0.5	14	3.07	8	8	66	20	2.86	1	0.29	<10	0.05	1250	7	0.01	1	799	368	2.88	6	1	176	<5	<0.01	<10	<10	4	<10	545	1
131442	54.4	0.21	32	144	<0.5	11	6.55	114	6	103	858	2.36	2	0.19	<10	0.04	2698	4	0.01	1	539	4866	3.06	32	1	434	<5	<0.01	<10	14	3	<10	7175	1
131443	3.6	1.12	28	166	<0.5	20	4.91	7	17	15	50	4.46	<1	0.42	<10	0.63	2784	2	0.01	<1	1463	272	2.81	6	1	328	<5	0.01	<10	13	18	<10	598	1
131444	3.2	0.98	40	177	<0.5	17	4.62	3	16	13	39	3.70	<1	0.36	<10	0.52	2536	5	0.01	<1	1311	112	2.22	5	1	224	<5	0.01	<10	15	16	<10	196	1
131445	2.9	1.33	29	253	<0.5	17	5.02	5	16	15	34	3.99	<1	0.35	<10	0.76	3178	4	0.01	<1	1423	143	1.98	7	2	441	<5	0.03	<10	15	24	<10	379	2
131446	3.4	1.32	37	218	<0.5	18	3.41	2	20	9	34	3.94	<1	0.37	<10	0.71	2132	9	0.01	<1	1614	30	1.94	7	2	156	<5	0.03	<10	13	21	<10	93	1
131447	1.2	1.35	37	233	<0.5	18	6.09	2	15	9	38	4.24	<1	0.33	<10	0.73	3475	<2	0.01	<1	1502	15	1.94	6	2	331	<5	0.03	<10	15	22	<10	73	1
131448	2.9	0.60	11	120	<0.5	15	3.96	2	10	26	14	2.88	1	0.28	<10	0.21	1639	<2	0.01	1	1017	45	2.44	6	1	134	<5	<0.01	<10	10	8	<10	55	2
131449	10.8	0.53	24	165	<0.5	15	5.93	7	9	29	227	3.02	<1	0.30	<10	0.19	2350	7	0.03	<1	885	189	2.55	5	1	379	<5	<0.01	<10	13	8	<10	456	1
131450	9.2	0.26	26	200	<0.5	10	12.51	73	7	41	64	2.65	1	0.21	<10	0.06	4832	6	0.01	<1	640	1590	2.94	<5	1	815	<5	<0.01	<10	25	2	<10	5179	1
131451	72.7	0.18	185	48	<0.5	75	8.28	802	4	54	1239	13.97	6	0.08	<10	0.10	4106	<2	0.01	<1	51	>10000	>5.00	37	<1	510	<5	<0.01	<10	49	8	<10	>10000	4
131452	71.5	0.18	88	38	<0.5	48	3.77	732	4	89	676	10.55	10	0.11	<10	0.09	2125	<2	0.01	<1	117	8854	>5.00	20	<1	284	<5	<0.01	<10	32	5	<10	>10000	3
131453	14.5	0.24	60	64	<0.5	31	6.48	166	4	57	345	7.35	3	0.17	<10	0.08	3015	5	0.01	<1	419	2775	>5.00	11	<1	344	<5	<0.01	<10	24	5	<10	9856	2
131454	16.8	0.23	21	170	<0.5	9	8.38	55	4	60	374	2.19	1	0.17	<10	0.07	3475	6	0.01	<1	434	1750	2.41	8	1	383	<5	<0.01	<10	15	3	<10	4109	1
131455	5.6	0.32	19	195	<0.5	8	5.14	9	4	60	26	2.07	<1	0.22	<10	0.12	3247	6	0.01	<1	485	508	1.89	5	1	266	<5	<0.01	<10	14	5	<10	766	1
131456	73.6	0.59	44	51	<0.5	22	2.57	506	2	94	582	6.06	7	0.10	<10	0.51	2709	3	0.01	<1	149	>10000	>5.00	22	<1	128	<5	<0.01	<10	18	16	<10	>10000	1
131457	4.5	0.49	24	217	<0.5	12	8.25	18	10	29	28	2.81	<1	0.28	<10	0.22	3905	6	0.01	<1	913	733	2.73	5	1	602	<5	<0.01	<10	15	9	<10	1531	1
131458	<0.2	0.02	<5	<10	<0.5	<5	>15.00	<1	1	3	20	0.02	1	0.02	<10	0.68	16	<2	0.05	<1	78	<2	0.62	<5	<1	5944	<5	<0.01	<10	19	1	<10	1	1
131459	0.3	0.56	662	1481	0.5	16	0.79	4	9	55	38	3.44	2	0.15	15	0.34	484	5	0.01	33	948	149	0.22	565	5	219	7	<0.01	<10	<10	56	<10	253	13
131460	1.4	0.77	27	252	<0.5	13	3.94	2	8	20	22	2.45	<1	0.32	<10	0.32	2108	4	0.02	<1	992	46	1.59	6	1	200	<5	0.01	<10	<10	12	<10	77	2
131461	1.5	0.79	24	237	<0.5	10	4.38	6	8	15	21	2.45	<1	0.32	<10	0.36	2251	<2	0.01	<1	876	195	1.40	5	1	213	<5	0.01	<10	10	11	<10	420	1
131462	1.6	0.68	24	241	<0.5	10	5.06	1	7	20	16	2.07	<1	0.33	<10	0.26	2283	<2	0.01	<1	928	25	1.23	<5	1	259	<5	0.01	<10	11	10	<10	61	1
131463	1.2	0.46	29	198	<0.5	11	5.11	6	8	26	12	2.77	<1	0.31	<10	0.14	2393	3	0.01	<1	879	223	2.45	5	1	221	<5	0.01	<10	13	8	<10	448	2
131464	0.4	0.59	26	223	<0.5	9	4.05	1	7	16	6	2.21	<1	0.36	<10	0.20	1988	2	0.01	<1	875	22	1.69	<5	1	167	<5	0.01	<10	<10	8	<10	54	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Premier/shipment 7

Sample type: Core

Report No : **9V0952RJ**

Date : Aug-10-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131465	0.5	0.57	22	230	<0.5	8	4.96	1	7	18	5	2.10	<1	0.33	<10	0.21	2268	2	0.01	<1	860	16	1.54	<5	1	189	<5	0.01	<10	10	8	<10	34	1
131466	6.6	0.52	40	169	<0.5	11	8.86	74	9	22	138	3.10	1	0.28	<10	0.24	4065	3	0.01	<1	826	1007	2.96	6	1	398	<5	0.01	<10	16	9	<10	5640	1
131467	<0.2	0.68	20	224	<0.5	10	3.09	1	8	17	8	2.22	<1	0.34	<10	0.29	1675	<2	0.01	<1	933	16	1.32	<5	1	125	<5	0.01	<10	<10	8	<10	54	1
131468	<0.2	0.72	24	182	<0.5	11	3.83	2	8	24	8	2.64	<1	0.29	<10	0.40	2065	<2	0.01	<1	853	35	1.73	<5	2	258	<5	0.01	<10	<10	18	<10	87	1
131469	51.5	0.93	52	64	<0.5	23	4.41	347	12	42	411	6.57	3	0.29	<10	0.55	2521	14	0.01	<1	813	>10000	>5.00	39	1	313	<5	0.01	<10	19	21	<10	>10000	2
131470	1.4	1.47	35	171	<0.5	23	5.42	7	18	9	32	5.30	<1	0.41	<10	0.85	3227	2	0.01	<1	1664	277	2.69	9	2	261	<5	0.03	<10	15	29	<10	529	2
131471	4.2	0.67	15	181	<0.5	10	4.24	21	8	21	49	2.27	<1	0.38	<10	0.27	2067	<2	0.01	<1	873	1061	1.63	6	1	175	<5	0.01	<10	10	9	<10	1764	1
131472	2.1	0.99	21	175	<0.5	11	7.69	5	10	12	22	2.56	1	0.37	<10	0.49	4375	6	0.01	<1	1110	262	1.15	6	2	360	<5	0.02	<10	14	14	<10	388	1
131473	1.4	0.88	15	240	<0.5	13	2.79	1	9	16	29	2.57	<1	0.37	<10	0.37	1341	2	0.01	<1	1033	18	1.24	5	1	100	<5	0.01	<10	<10	12	<10	72	2
131474	1.9	0.68	11	203	<0.5	7	1.85	1	6	11	53	1.61	<1	0.38	<10	0.26	1193	2	0.01	<1	908	13	0.51	<5	1	61	<5	0.01	<10	<10	9	<10	46	1
131475	2.2	0.57	12	215	<0.5	7	1.02	1	7	16	39	1.45	<1	0.39	<10	0.18	813	<2	0.01	<1	915	20	0.72	<5	1	36	<5	0.01	<10	<10	8	<10	47	1
131476	3.0	0.60	24	162	<0.5	13	2.79	3	8	23	34	2.61	<1	0.27	<10	0.33	1653	2	0.01	<1	847	159	1.59	6	2	146	<5	<0.01	<10	10	16	<10	150	1
131477	2.4	0.53	34	178	<0.5	10	4.08	1	8	15	31	2.14	<1	0.37	<10	0.15	1596	3	0.01	<1	992	42	1.74	<5	1	130	<5	0.01	<10	<10	7	<10	59	1
131478	2.1	0.65	29	199	<0.5	8	3.40	1	8	13	33	1.97	<1	0.39	<10	0.24	1663	<2	0.01	<1	1059	21	1.16	<5	1	118	<5	0.01	<10	<10	9	<10	50	1
131479	4.1	0.35	26	195	<0.5	7	5.05	1	7	26	42	1.51	1	0.26	<10	0.09	2078	4	0.01	<1	730	48	1.38	<5	1	210	<5	<0.01	<10	<10	6	<10	47	1
131480	3.1	0.41	24	181	<0.5	7	6.53	5	8	27	22	1.69	<1	0.32	<10	0.11	2537	4	0.01	<1	795	28	1.47	<5	1	328	<5	0.01	<10	11	7	<10	377	2
131481	6.8	0.45	34	212	<0.5	8	5.56	2	7	41	37	1.73	1	0.38	<10	0.11	2924	3	0.01	<1	922	48	1.45	<5	2	566	<5	0.01	<10	11	8	<10	182	2
131482	21.5	0.27	32	176	<0.5	8	3.64	4	6	49	31	1.89	<1	0.21	<10	0.09	1714	3	0.01	<1	570	127	1.66	<5	1	147	<5	<0.01	<10	<10	5	<10	286	1
131483	39.9	0.26	24	181	<0.5	6	2.87	3	6	43	42	1.42	<1	0.23	<10	0.04	1291	5	0.01	<1	665	196	1.34	7	1	114	<5	<0.01	<10	<10	5	<10	189	1
131484	16.3	0.07	18	111	<0.5	<5	13.55	11	3	23	45	0.82	1	0.08	<10	0.05	4937	8	0.01	<1	224	486	0.99	<5	1	514	<5	<0.01	<10	21	<1	<10	1052	<1
131485	17.7	0.25	22	117	<0.5	<5	13.42	19	5	30	46	1.40	<1	0.18	<10	0.11	5559	12	0.01	<1	448	405	1.37	5	1	697	<5	<0.01	<10	25	3	<10	1795	1
131486	<0.2	<0.01	<5	<10	<0.5	<5	>15.00	<1	<1	2	1	0.04	<1	0.01	<10	1.38	51	<2	0.01	<1	53	<2	0.71	<5	<1	5030	<5	<0.01	<10	21	1	<10	5	<1
131487	0.9	1.28	5319	72	0.6	148	5.60	2	98	31	264	4.26	<1	0.19	<10	0.47	691	27	0.06	56	718	15	0.81	16	2	54	<5	0.10	<10	13	46	<10	69	9
131488	47.5	1.49	30	151	<0.5	19	4.71	6	16	16	66	4.07	<1	0.34	<10	0.93	2907	2	0.01	<1	1289	217	1.76	9	2	184	<5	0.02	<10	18	28	<10	452	2
131489	20.1	2.01	53	136	<0.5	26	3.66	9	21	16	108	5.30	<1	0.25	<10	1.48	3556	<2	0.01	1	1332	298	1.72	10	5	167	<5	0.05	<10	18	83	<10	646	2
131490	64.5	2.08	60	132	<0.5	29	3.79	33	23	18	223	6.20	1	0.24	<10	1.46	3780	3	0.01	1	1241	1522	2.39	13	6	154	<5	0.06	<10	20	87	<10	2797	2
131491	>200.0	0.64	117	86	<0.5	48	5.63	733	23	21	1084	7.67	4	0.17	<10	0.34	4601	4	0.01	<1	609	>10000	>5.00	39	2	303	<5	0.01	<10	28	24	<10	>10000	2
131492	131.8	1.31	63	97	<0.5	30	4.90	131	20	19	335	5.99	1	0.30	<10	0.67	3233	9	0.01	<1	968	4771	4.28	13	3	389	<5	0.01	<10	20	30	<10	8801	2
131493	33.0	1.61	66	158	<0.5	29	3.39	7	25	15	56	5.63	1	0.39	<10	0.86	2303	5	0.01	2	1578	204	2.90	12	2	129	<5	0.02	<10	18	34	<10	435	2
131494	0.7	0.55	12	146	<0.5	12	4.60	2	8	23	9	2.75	<1	0.27	<10	0.19	1767	3	0.01	<1	901	23	2.17	5	1	124	<5	<0.01	<10	<10	6	<10	70	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Premier/shipment 7

Sample type: Core

Report No : **9V0952RJ**

Date : Aug-10-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131495	1.9	0.99	26	142	<0.5	20	7.43	3	15	18	36	4.38	<1	0.24	<10	0.44	2313	4	0.01	1	1199	20	3.12	7	2	212	<5	0.01	<10	18	16	<10	73	2
131496	3.4	1.01	42	114	<0.5	27	3.91	4	23	15	22	4.65	<1	0.25	<10	0.41	1725	7	0.01	2	1449	49	3.33	10	1	113	<5	<0.01	<10	13	15	<10	77	2
131497	1.6	1.07	16	124	<0.5	20	2.36	4	14	15	20	3.57	<1	0.24	<10	0.49	1492	3	0.01	1	1146	38	1.80	8	1	74	<5	0.01	<10	11	15	<10	169	1
131498	22.8	0.96	45	144	<0.5	13	5.22	8	8	11	27	2.66	<1	0.24	<10	0.44	2852	2	0.01	<1	914	195	1.21	9	1	205	<5	<0.01	<10	14	11	<10	685	1
131499	7.4	1.11	36	177	<0.5	16	3.01	7	9	12	53	2.77	<1	0.30	<10	0.49	1710	4	0.01	1	1028	372	1.23	12	1	113	<5	0.01	<10	10	12	<10	551	1
131500	3.2	1.17	13	175	<0.5	14	4.28	6	8	8	21	2.86	<1	0.32	<10	0.58	2623	<2	0.01	<1	998	70	0.75	6	1	192	<5	0.01	<10	13	14	<10	557	1
131501	55.6	0.33	23	185	<0.5	12	3.86	14	8	17	65	2.43	<1	0.26	<10	0.07	1507	5	0.01	<1	864	343	2.53	10	1	201	<5	<0.01	<10	10	5	<10	1101	2
131502	42.8	0.23	57	157	<0.5	26	11.48	57	6	24	295	4.28	1	0.32	<10	0.08	6601	8	0.01	<1	473	1534	5.00	14	1	543	<5	<0.01	<10	33	4	<10	4259	2
131503	40.8	0.44	91	54	<0.5	29	6.77	252	10	35	825	6.89	3	0.36	<10	0.15	3233	<2	0.01	<1	780	7371	>5.00	13	1	471	<5	0.01	<10	26	8	<10	>10000	2
131504	17.5	0.64	50	122	<0.5	24	12.75	35	16	26	175	4.66	<1	0.49	<10	0.30	6131	3	0.01	<1	1153	992	4.83	12	3	1004	<5	0.01	<10	30	12	<10	2498	2
131505	<0.2	1.39	<5	1094	<0.5	18	2.81	3	11	30	2	3.60	<1	0.22	29	1.04	879	2	0.04	6	2296	37	0.22	7	2	167	<5	0.01	<10	<10	36	<10	164	3
131506	<0.2	1.40	<5	667	<0.5	19	3.09	2	11	32	<1	3.56	<1	0.24	33	1.04	933	2	0.04	7	2379	16	0.16	7	3	156	5	<0.01	10	<10	36	<10	127	3
131507	<0.2	1.39	<5	1233	<0.5	18	2.89	2	12	29	2	3.64	<1	0.23	31	1.06	817	2	0.04	6	2349	14	0.18	6	3	227	5	0.01	<10	<10	41	<10	122	2
131508	<0.2	1.44	<5	1145	<0.5	20	2.91	2	12	32	2	3.57	<1	0.21	31	1.07	803	4	0.04	6	2380	9	0.18	8	2	180	5	0.01	10	<10	41	<10	114	3
131509	63.4	0.26	87	57	<0.5	30	7.70	65	7	35	102	6.28	<1	0.19	<10	0.11	3148	3	0.01	<1	389	>10000	>5.00	22	1	595	<5	<0.01	<10	23	5	<10	4887	2
131510	7.5	0.31	99	64	<0.5	28	5.21	34	8	48	49	6.12	<1	0.14	<10	0.17	2533	9	0.02	<1	524	636	>5.00	10	1	359	<5	<0.01	<10	20	6	<10	2552	2
131511	7.5	0.18	28	37	<0.5	11	2.31	26	9	21	40	2.69	<1	0.12	<10	0.06	1191	4	<0.01	<1	548	1158	2.17	<5	<1	153	<5	<0.01	<10	11	4	<10	1889	1
131512	12.8	0.35	42	91	<0.5	19	7.42	10	12	17	40	3.69	<1	0.30	<10	0.12	3370	7	0.01	<1	894	1407	3.71	8	1	361	<5	<0.01	<10	20	6	<10	769	1
131513	0.3	0.02	<5	10	<0.5	<5	>15.00	<1	1	2	1	0.04	<1	0.01	<10	2.16	60	<2	0.01	<1	74	5	0.75	<5	<1	4532	<5	<0.01	<10	19	1	<10	7	<1
131514	0.2	0.59	693	1405	0.5	16	0.76	4	9	58	38	3.40	2	0.14	16	0.35	477	5	0.01	34	930	158	0.22	564	5	216	7	<0.01	<10	<10	60	<10	247	13
131515	1.2	0.43	17	283	<0.5	7	4.13	1	5	13	10	1.42	<1	0.31	<10	0.11	1708	3	0.01	<1	722	40	1.18	<5	1	165	<5	<0.01	<10	<10	4	<10	56	1
131516	2.2	0.43	24	273	<0.5	8	2.73	6	6	22	11	1.67	<1	0.33	<10	0.09	1197	3	0.01	<1	657	196	1.34	<5	1	127	<5	<0.01	<10	<10	4	<10	490	1
131517	0.5	0.79	8	257	<0.5	10	3.46	1	7	17	14	2.14	<1	0.30	<10	0.34	1678	<2	0.01	<1	742	25	0.78	<5	1	127	<5	0.01	<10	<10	8	<10	44	2
131518	2.3	0.59	19	139	<0.5	13	6.15	1	22	32	6	2.90	<1	0.30	<10	0.20	2365	<2	0.01	<1	665	58	2.10	<5	1	224	<5	<0.01	<10	12	6	<10	31	2
131519	121.2	0.57	43	69	<0.5	121	3.01	29	62	81	3425	4.84	<1	0.20	<10	0.24	1576	<2	0.01	3	417	1355	3.55	15	1	123	<5	<0.01	<10	17	6	<10	1246	2
131520	4.9	0.69	16	178	<0.5	10	5.15	4	10	21	36	2.22	<1	0.29	<10	0.28	2227	3	0.01	<1	748	58	1.11	<5	1	186	<5	<0.01	<10	13	7	<10	232	2
131521	1.7	0.59	12	171	<0.5	9	6.62	3	7	18	20	1.82	<1	0.25	<10	0.25	2703	2	0.01	<1	718	192	1.06	<5	1	239	<5	<0.01	<10	13	6	<10	192	1
131522	21.9	0.64	37	194	<0.5	10	3.09	14	8	14	29	2.28	<1	0.30	<10	0.26	1805	<2	0.01	<1	845	497	1.29	8	1	123	<5	0.01	<10	<10	7	<10	1228	2
131523	46.7	0.77	54	169	<0.5	14	6.06	102	6	21	245	2.93	1	0.31	<10	0.32	3463	3	0.01	<1	743	3861	2.31	27	1	275	<5	0.01	<10	15	9	<10	7743	2
131524	16.3	0.83	24	206	<0.5	11	4.15	13	6	11	41	1.93	1	0.38	<10	0.29	2534	3	0.01	1	884	349	0.85	11	1	181	<5	0.01	<10	11	9	<10	1304	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Premier/shipment 7

Sample type: Core

Report No : **9V0952RJ**

Date : Aug-10-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131525	14.9	0.11	12	66	<0.5	7	>15.00	6	1	6	30	1.22	1	0.10	<10	0.13	>10000	3	0.01	<1	149	387	0.88	13	<1	895	<5	<0.01	16	56	<1	<10	700	1
131526	0.2	0.03	<5	19	<0.5	<5	>15.00	<1	<1	2	<1	0.03	<1	0.02	<10	1.34	46	<2	0.01	1	83	<2	0.78	<5	<1	5228	<5	<0.01	<10	22	1	<10	6	<1
131527	0.9	1.40	5356	72	0.6	153	5.53	2	91	31	276	4.22	<1	0.19	<10	0.44	720	27	0.06	54	606	14	0.73	21	3	59	<5	0.12	<10	13	49	<10	66	11
131528	1.8	0.93	30	245	<0.5	12	6.64	2	9	6	29	2.44	<1	0.41	<10	0.51	3953	7	0.01	1	813	30	0.62	7	2	255	<5	<0.01	<10	15	11	<10	87	1
131529	0.5	1.02	21	242	<0.5	16	5.33	4	11	9	23	3.11	<1	0.47	<10	0.68	3129	<2	0.01	1	884	6	0.63	7	2	201	<5	0.01	<10	13	14	<10	183	1
131530	0.9	0.89	19	236	<0.5	12	7.04	1	10	8	23	2.60	<1	0.42	<10	0.54	3615	<2	0.01	1	845	10	0.70	6	2	324	<5	<0.01	<10	15	12	<10	42	1
131531	1.0	0.87	27	269	<0.5	15	4.82	2	10	8	24	2.73	<1	0.51	<10	0.53	2858	2	0.01	2	977	7	0.78	6	2	200	<5	0.01	<10	11	13	<10	49	1
131532	2.1	0.97	32	202	<0.5	14	11.04	2	12	6	28	2.55	<1	0.39	<10	0.48	6242	2	0.01	<1	934	26	0.84	8	2	353	<5	0.01	<10	23	15	<10	162	1
131533	1.9	0.43	26	132	<0.5	6	>15.00	<1	8	9	14	1.61	1	0.27	<10	0.20	7006	3	0.01	<1	581	12	1.05	6	1	587	<5	<0.01	11	28	8	<10	17	1
131534	5.6	1.53	65	145	<0.5	23	5.06	59	13	19	114	4.87	<1	0.22	<10	0.78	4205	<2	0.01	<1	843	107	2.08	8	2	188	<5	0.01	<10	22	34	<10	4153	2
131535	16.3	2.56	90	164	<0.5	30	3.22	131	17	13	248	6.52	2	0.24	<10	1.44	4447	<2	0.01	<1	1381	747	2.13	14	3	126	<5	0.02	<10	24	65	<10	7641	2
131536	11.0	1.89	85	171	<0.5	27	2.86	83	14	17	134	5.49	1	0.24	<10	1.07	4039	<2	0.01	1	1263	287	2.12	11	3	122	<5	0.03	<10	21	58	<10	5818	2
131537	6.0	2.18	83	159	<0.5	29	5.38	113	16	10	166	5.95	2	0.25	<10	1.20	5188	<2	0.01	<1	1211	96	2.05	10	3	197	<5	0.02	<10	25	55	<10	7096	2
131538	6.0	2.44	51	180	<0.5	28	5.72	42	17	11	100	5.39	1	0.31	<10	1.38	5162	2	0.01	2	1352	357	1.11	11	4	213	<5	0.03	<10	21	59	<10	3224	2
131539	4.3	2.84	55	166	<0.5	32	4.05	66	19	14	138	6.44	1	0.30	<10	1.75	4712	2	0.01	2	1415	91	1.44	12	4	177	<5	0.03	<10	24	70	<10	4707	2
131540	4.9	3.37	43	304	<0.5	36	7.04	12	31	16	133	7.12	2	0.25	<10	2.29	6011	2	0.01	10	1202	255	1.02	14	10	299	<5	0.05	<10	32	140	<10	853	2
131541	2.1	1.86	71	231	<0.5	24	5.83	8	11	16	84	4.88	<1	0.37	<10	0.96	3993	8	0.01	<1	1310	30	1.41	9	2	374	<5	0.01	<10	18	34	<10	555	2
131542	<0.2	2.32	44	322	<0.5	23	4.88	2	18	7	45	4.85	1	0.32	<10	1.46	2713	<2	0.01	3	1257	15	0.68	9	2	210	<5	0.01	<10	13	52	<10	115	1
131543	1.3	1.68	167	190	<0.5	21	4.39	3	19	14	51	4.26	<1	0.30	<10	1.01	2137	<2	0.02	6	1300	37	1.29	10	2	209	<5	0.01	<10	15	45	<10	135	1
131544	0.4	0.85	33	147	<0.5	10	4.99	2	5	17	19	1.88	<1	0.39	<10	0.26	1915	<2	0.01	<1	648	13	0.41	5	1	250	5	0.01	<10	10	10	<10	159	1
131545	0.7	1.08	26	225	<0.5	10	3.91	2	4	20	14	1.78	1	0.54	<10	0.26	1731	2	0.01	1	638	16	0.38	5	1	181	<5	0.01	<10	<10	11	<10	94	2
131546	2.1	0.99	31	170	<0.5	11	5.22	11	7	18	36	2.21	1	0.40	<10	0.35	2259	3	0.01	<1	788	38	0.66	6	1	241	<5	<0.01	<10	10	12	<10	910	1
131547	0.8	1.62	27	158	<0.5	18	4.33	2	12	8	33	3.61	1	0.41	11	0.75	2300	18	0.01	1	1566	13	0.90	7	2	163	<5	0.04	<10	<10	25	<10	132	2
131548	3.3	1.46	31	185	<0.5	17	5.95	51	14	8	144	3.77	1	0.43	<10	0.60	2667	21	0.01	1	1481	15	1.54	7	2	228	<5	0.05	<10	12	23	<10	3878	1
131549	8.8	1.57	30	206	<0.5	21	7.70	140	15	12	430	4.29	2	0.37	<10	0.49	3369	10	0.01	1	1259	234	1.68	8	2	331	<5	0.03	<10	16	26	<10	8068	1
131550	11.6	1.86	24	215	<0.5	23	7.60	162	13	6	486	5.00	2	0.47	<10	0.63	3697	4	0.01	<1	1375	68	1.60	6	2	336	<5	0.03	<10	16	28	<10	9033	2
131551	20.7	1.85	30	163	<0.5	22	7.75	385	14	13	810	5.73	3	0.31	<10	0.70	3686	2	0.01	<1	854	85	2.94	6	2	404	<5	0.02	<10	21	30	<10	>10000	2
131552	<0.2	1.29	124	187	<0.5	23	3.72	4	25	8	42	4.58	<1	0.50	<10	0.48	1252	<2	0.01	1	1760	27	2.47	8	2	171	<5	0.05	<10	11	26	<10	196	2
131553	0.6	1.12	101	211	<0.5	16	6.52	4	17	6	42	3.58	1	0.46	<10	0.45	1974	<2	0.01	1	1522	65	1.80	8	2	283	<5	0.04	<10	<10	27	<10	220	1
131554	1.6	1.18	10	229	<0.5	11	2.96	1	8	11	14	2.35	<1	0.35	11	0.51	1690	<2	0.02	<1	938	7	0.24	5	1	149	<5	0.01	<10	<10	12	<10	73	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Premier/shipment 7

Sample type: Core

Report No : **9V0952RJ**

Date : Aug-10-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131555	5.1	1.03	31	201	<0.5	15	8.04	2	14	9	42	3.25	1	0.42	<10	0.38	3781	<2	0.01	<1	1477	38	1.88	7	2	254	<5	0.01	<10	16	13	<10	64	1
131556	8.9	1.30	31	205	<0.5	21	5.98	4	14	19	58	3.47	1	0.46	<10	0.49	3325	3	0.01	1	1541	71	1.58	11	2	343	<5	0.01	<10	12	18	<10	146	2
131557	2.9	1.30	44	199	<0.5	17	4.89	7	10	17	15	3.50	1	0.36	<10	0.55	3114	11	0.01	1	1086	359	1.43	8	2	239	<5	0.01	<10	17	15	<10	545	2
131558	13.3	0.92	43	144	<0.5	16	9.13	29	7	18	147	3.37	1	0.33	<10	0.42	5579	10	0.01	1	663	1413	1.91	17	1	445	<5	<0.01	<10	19	11	<10	2958	1
131559	5.1	1.10	30	214	<0.5	16	3.74	11	8	12	35	2.84	<1	0.40	<10	0.52	2680	5	0.01	1	953	312	1.19	11	1	172	<5	0.01	<10	13	12	<10	930	2
131560	6.5	1.13	72	151	<0.5	24	3.40	14	14	17	39	4.09	<1	0.37	<10	0.59	2790	3	0.01	1	1084	247	2.33	12	2	147	<5	<0.01	<10	14	18	<10	1247	2
131561	1.6	0.83	66	96	<0.5	22	3.98	6	7	21	10	4.19	<1	0.44	<10	0.41	2949	6	0.01	1	743	237	2.86	8	1	147	<5	0.01	<10	14	11	<10	387	2
131562	12.8	1.11	74	94	<0.5	20	2.85	54	8	17	79	4.46	1	0.33	<10	0.54	2449	3	0.01	<1	884	2757	2.94	12	1	109	<5	0.01	<10	12	13	<10	3963	2
131563	4.0	0.66	55	126	<0.5	16	5.28	19	7	24	24	2.96	1	0.29	<10	0.31	3622	3	0.01	<1	815	690	2.14	7	1	214	<5	<0.01	<10	13	8	<10	1538	2
131564	9.2	0.96	50	131	<0.5	19	2.32	50	7	32	86	3.70	<1	0.26	<10	0.50	2232	3	0.01	<1	792	1576	2.23	10	1	90	<5	0.01	<10	13	13	<10	4002	2
131565	32.5	0.34	100	53	<0.5	22	8.46	133	5	25	279	5.38	1	0.13	<10	0.20	4544	2	0.01	<1	286	2767	4.14	16	1	263	<5	<0.01	<10	21	5	<10	8332	1
131566	72.9	0.47	212	32	<0.5	54	1.41	71	7	46	116	9.36	<1	0.23	<10	0.17	1142	3	0.01	<1	423	1977	>5.00	33	<1	65	<5	0.01	<10	24	6	<10	6179	3
131567	1.3	0.97	25	258	<0.5	10	8.84	1	7	8	14	2.22	1	0.38	<10	0.41	4693	4	0.01	<1	871	24	0.65	6	1	366	<5	0.01	<10	15	9	<10	87	2
131568	<0.2	0.02	<5	<10	<0.5	<5	>15.00	<1	<1	2	1	0.06	<1	0.01	<10	1.56	30	<2	0.01	1	48	<2	0.80	<5	<1	4416	<5	<0.01	<10	22	1	<10	11	<1
131569	0.3	0.52	693	1302	0.5	15	0.68	4	8	51	37	3.28	2	0.14	14	0.33	460	6	0.01	32	888	143	0.22	615	4	205	6	<0.01	<10	<10	51	<10	238	12
131570	1.9	1.86	26	235	<0.5	21	6.06	5	19	5	59	4.39	<1	0.44	<10	0.88	3431	<2	0.01	1	1440	127	0.89	10	2	236	<5	0.02	<10	13	30	<10	321	2
131571	1.9	1.35	26	215	<0.5	16	9.92	2	15	6	39	3.37	1	0.46	<10	0.61	4848	2	0.01	1	1192	46	1.12	8	2	359	<5	0.03	<10	19	22	<10	122	1
131572	4.4	1.65	35	160	<0.5	21	7.10	28	17	11	128	4.30	1	0.39	<10	0.87	3206	7	0.01	2	1578	1628	1.86	10	2	354	<5	0.03	<10	14	37	<10	2124	2
131573	1.1	2.30	26	165	<0.5	25	3.54	37	17	5	84	5.48	<1	0.41	<10	1.30	2663	6	0.01	1	1805	30	1.32	9	2	167	<5	0.01	<10	12	42	<10	2746	2
131574	6.1	2.17	38	158	<0.5	26	3.25	208	22	10	358	6.01	2	0.35	<10	1.09	2874	2	0.01	4	1436	64	2.40	8	3	157	<5	0.01	<10	17	59	<10	9371	2
131575	21.2	2.20	42	85	<0.5	25	4.16	1090	23	9	1101	6.23	5	0.29	<10	0.96	3378	2	0.01	1	882	123	>5.00	6	3	184	<5	0.01	<10	21	46	<10	>10000	2
131576	4.7	2.02	41	149	<0.5	28	4.26	72	15	13	134	5.59	1	0.27	<10	1.06	3318	2	0.01	<1	1414	373	1.94	11	3	206	<5	<0.01	<10	18	52	<10	5243	2
131577	1.8	1.78	27	143	<0.5	20	4.92	20	14	8	70	4.31	1	0.35	<10	0.97	2975	2	0.01	1	1464	43	0.92	8	2	201	<5	<0.01	<10	12	38	<10	1578	2
131578	<0.2	1.43	17	128	<0.5	23	3.31	8	17	11	42	4.50	1	0.36	<10	0.78	2055	<2	0.02	4	1833	77	2.29	9	2	142	<5	0.05	<10	12	26	<10	608	2
131579	<0.2	2.43	16	124	<0.5	32	2.34	81	17	13	119	6.50	1	0.27	<10	1.46	2968	<2	0.02	4	1693	49	2.12	11	4	112	<5	0.06	<10	19	53	<10	5832	2
131580	<0.2	1.51	9	123	0.5	22	2.49	4	13	13	16	4.27	<1	0.30	<10	0.85	1963	6	0.04	4	1428	32	1.60	9	3	136	<5	0.09	<10	13	38	<10	256	2
Duplicates:																																		
131435	6.1	0.73	76	260	<0.5	10	3.48	5	9	33	35	2.39	<1	0.34	<10	0.32	1682	2	0.01	<1	1047	972	1.64	8	1	177	<5	0.02	<10	<10	8	<10	325	2
131444	3.3	1.03	43	206	<0.5	16	5.02	3	17	14	39	3.93	<1	0.38	<10	0.55	2518	5	0.01	<1	1392	125	2.42	6	1	238	<5	0.02	<10	13	17	<10	219	1
131454	17.5	0.25	21	179	<0.5	9	8.17	53	4	64	389	2.19	1	0.20	<10	0.08	3530	6	0.01	<1	427	1706	2.45	8	1	384	<5	<0.01	<10	15	3	<10	4005	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Premier/shipment 7

Sample type: Core

Report No : **9V0952RJ**

Date : Aug-10-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131457	4.1	0.50	24	225	<0.5	12	8.29	18	10	30	26	2.84	<1	0.28	<10	0.23	3921	6	0.01	<1	876	702	2.64	5	1	597	<5	<0.01	<10	15	9	<10	1525	1
131466	7.1	0.54	46	184	<0.5	16	8.24	72	10	23	151	2.91	1	0.31	<10	0.20	3928	5	0.01	<1	951	998	2.97	9	1	376	<5	0.01	<10	17	10	<10	5672	1
131476	3.2	0.63	24	170	<0.5	12	2.95	3	8	22	35	2.70	<1	0.27	<10	0.33	1700	2	0.01	<1	867	165	1.60	6	2	149	<5	<0.01	<10	10	16	<10	157	2
131479	3.9	0.39	25	194	<0.5	8	4.89	1	6	25	42	1.48	<1	0.22	<10	0.10	2164	5	0.01	1	696	43	1.32	5	1	217	<5	<0.01	<10	10	6	<10	47	1
131488	45.0	1.45	26	150	<0.5	18	4.39	6	16	15	63	3.83	<1	0.32	<10	0.88	2746	2	0.01	<1	1242	213	1.65	10	2	172	<5	0.03	<10	18	27	<10	427	1
131498	20.9	1.02	47	156	<0.5	13	5.73	7	8	13	25	2.79	<1	0.22	<10	0.46	2795	<2	0.01	<1	914	200	1.24	6	1	209	<5	<0.01	<10	16	13	<10	659	1
131501	48.7	0.33	23	177	<0.5	12	4.04	14	8	19	59	2.55	<1	0.28	<10	0.06	1569	5	0.01	<1	866	376	2.41	9	1	197	<5	<0.01	<10	12	5	<10	1109	2
131510	7.0	0.31	100	67	<0.5	28	4.99	34	8	49	47	5.83	<1	0.17	<10	0.16	2401	10	0.01	<1	524	622	>5.00	11	1	340	<5	<0.01	<10	22	7	<10	2395	2
131520	4.8	0.75	16	193	<0.5	11	5.16	4	10	17	35	2.20	1	0.33	<10	0.29	2221	3	0.01	<1	755	57	1.10	5	1	188	<5	<0.01	<10	13	8	<10	227	2
131523	46.9	0.81	66	184	<0.5	16	6.51	114	8	20	247	3.11	1	0.26	<10	0.35	3392	2	0.01	<1	856	4185	2.47	30	1	273	<5	0.01	<10	15	10	<10	7084	2
131532	2.3	1.03	34	232	<0.5	13	12.43	3	12	7	28	2.95	<1	0.47	<10	0.52	6327	<2	0.01	<1	1030	32	0.96	7	2	365	<5	0.01	<10	24	17	<10	185	1
131542	0.2	2.31	46	331	<0.5	23	5.07	3	20	8	46	5.07	1	0.32	<10	1.53	2823	<2	0.01	3	1354	17	0.73	9	2	218	<5	0.01	<10	14	54	<10	122	2
131545	0.4	1.18	25	238	<0.5	13	3.65	2	4	21	16	1.72	<1	0.66	10	0.25	1757	5	0.02	3	652	23	0.38	10	1	182	6	0.01	<10	<10	12	<10	105	2
131554	1.6	1.29	6	236	<0.5	14	2.56	2	6	11	16	2.15	<1	0.41	14	0.47	1680	5	0.02	3	882	11	0.21	11	1	149	5	0.01	<10	<10	13	<10	75	2
131564	9.4	0.98	45	130	<0.5	21	1.90	44	6	33	92	3.16	<1	0.30	<10	0.45	2187	7	0.01	2	746	1455	2.15	16	1	88	<5	0.01	<10	12	14	<10	4017	2
131567	1.4	1.14	19	296	<0.5	11	9.62	2	7	8	15	2.38	1	0.44	<10	0.44	4967	5	0.01	<1	902	25	0.69	7	1	390	<5	0.01	<10	16	10	<10	96	2
131576	4.5	2.06	42	150	<0.5	27	4.41	72	16	13	135	5.80	1	0.30	<10	1.10	3480	2	0.01	<1	1489	389	1.98	11	3	210	<5	<0.01	<10	18	53	<10	5228	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
ICP-5	26.3	1.13	1430	160	0.6	56	2.17	18	19	154	2275	3.93	1	0.19	<10	1.20	632	6	0.07	122	543	2459	1.07	236	3	57	<5	0.08	<10	12	60	28	1528	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0953-RA1

Aug-12-09

Company: **Ascot Resources**
Project: Premier/shipment 7
Attn: Sue Deane

We *hereby certify* the following assay of 22 rocks samples submitted Jul-30-09

Sample Name	Au g/tonne	Ag g/tonne	Pb %	Zn %	Sample-Wt. Kg
130908	0.18	4.1			1.3
130909	0.43	3.9			1.3
130910	0.52	4.7			0.8
130911	0.85	35.5			1.9
130912	2.55	38.3	1.53	3.08	2.1
130913	0.30	7.3			1.9
130914	0.41	19.6			0.5
130915	0.57	4.5			1.1
130916	0.60	2.4			0.8
130917	0.50	2.3			0.8
130918	1.45	5.0			1.4
130919	0.84	3.8			1.5
130920	2.68	21.3			1.7
130921	0.93	30.8			1.8
130922	1.55	27.2			1.3
130923	0.90	3.1			1.7
130924	2.62	12.9			3.5
130925	3.37	6.6			1.3
130926	0.77	5.7			1.5
130927	17.17	15.9			1.9
130928	8.12	16.4			1.9
130929	3.23	28.6			1.8
*DUP 130908	0.17	4.3			
*DUP 130917	0.44	2.6			
*DUP 130927	16.40	14.8			
*0211	2.09				
*SE-1			1.82	2.54	
*BLANK	<0.01		<0.01	<0.01	

Au F.A. AA finish. Ag read from ICP solution.Over limit Pb,Zn by 4 Acid Digest AA finish

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0953-RA2

Aug-12-09

Company: **Ascot Resources**
Project: Premier/shipment 7
Attn: Sue Deane

We *hereby certify* the following assay of 22 rocks samples submitted Jul-30-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt. Kg
130930	5.31	12.0	1.3
130931	2.60	15.7	1.5
130932	1.14	6.1	0.9
130933	1.03	4.7	1.4
130934	1.16	14.1	1.7
130935	0.63	13.0	1.5
130936	1.15	5.0	1.6
130937	3.39	9.5	1.6
130938	4.00	7.4	2.4
130939	3.54	7.4	1.6
130940	3.24	5.5	1.6
130941	0.70	5.0	1.1
130942	0.77	14.7	1.5
130943 *	12.39	24.3	2.2
130944	0.57	2.3	2.0
130945	0.44	2.3	1.5
130946	0.80	4.9	1.5
130947	0.55	2.6	1.9
130948	1.47	7.8	2.1
130949	0.56	2.8	2.1
130950	1.17	14.1	2.0
130951	1.90	7.1	2.0
*DUP 130930	5.43	11.4	
*DUP 130939	3.28	8.5	
*DUP 130949	0.54	2.9	
*0211	2.08		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution. *130943 may have metallic gold.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0953-RA3

Aug-12-09

Company: **Ascot Resources**
Project: Premier/shipment 7
Attn: Sue Deane

We *hereby certify* the following assay of 6 rocks samples submitted Jul-30-09

Sample Name	Au g/tonne	Ag g/tonne	Ag g/tonne	Pb %	Zn %	Sample-Wt. Kg
130952	0.18	1.7				1.5
130962	0.30	1.3				0.6
130963	0.04	0.7				1.3
130964	0.02	1.9				1.4
130965	136.7	>200.1	867.0	4.87	3.61	3.2
130966	0.06	3.2				1.5
*DUP 130952	0.16	1.8				
*0211	2.15					
*SE-1			693.6	1.82	2.54	
*BLANK	<0.01		<0.1	<0.01	<0.01	

Au F.A. AA finish. Ag read from ICP solution.Over limit Ag,Pb,Zn by 4 Acid Digest AA finish

Certified by _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Premier/shipment 7

Sample type: Rocks

Report No : **9V0953RJ**

Date : Aug-12-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
130908	4.1	0.21	190	178	<0.5	12	0.01	5	4	75	8	2.66	2	0.18	<10	0.02	18	3	0.01	<1	439	675	1.37	18	1	26	<5	<0.01	<10	<10	5	<10	204	1
130909	3.9	0.22	217	132	<0.5	15	0.01	8	5	79	10	3.54	2	0.19	<10	0.02	25	<2	0.01	<1	451	452	2.16	22	<1	24	<5	<0.01	<10	<10	6	<10	400	1
130910	4.7	0.30	387	92	<0.5	22	0.15	15	10	58	15	4.93	2	0.25	<10	0.03	42	3	0.01	<1	993	1111	3.79	19	1	24	<5	<0.01	<10	<10	7	<10	1419	2
130911	35.5	0.23	167	56	<0.5	20	0.12	196	7	101	1029	4.95	10	0.19	<10	0.04	156	<2	0.01	1	564	9350	4.79	22	<1	9	<5	<0.01	<10	10	5	<10	8664	2
130912	38.3	0.26	178	36	<0.5	24	0.38	420	7	106	1761	6.28	14	0.18	<10	0.17	1093	2	0.01	<1	468	>10000	>5.00	18	<1	30	<5	<0.01	<10	14	5	<10	>10000	2
130913	7.3	0.18	162	115	<0.5	12	0.04	20	5	125	109	2.84	2	0.15	<10	0.02	24	<2	0.01	2	420	1092	2.20	17	<1	4	<5	<0.01	<10	<10	4	<10	1742	1
130914	19.6	0.20	155	210	<0.5	9	0.03	41	2	123	160	2.13	3	0.18	<10	0.02	26	5	0.01	2	916	1317	1.15	30	1	22	<5	<0.01	<10	<10	5	<10	3409	1
130915	4.5	0.18	175	456	<0.5	8	0.01	3	1	104	5	1.86	1	0.21	<10	0.01	16	<2	0.01	1	796	482	0.53	16	1	34	<5	<0.01	<10	<10	4	<10	161	1
130916	2.4	0.16	165	245	<0.5	9	0.01	5	2	118	11	1.98	1	0.17	<10	0.01	16	4	0.01	1	719	402	0.69	12	<1	19	<5	<0.01	<10	<10	4	<10	390	1
130917	2.3	0.20	164	106	<0.5	15	0.05	7	7	82	12	3.27	1	0.18	<10	0.02	19	<2	0.01	1	585	604	2.29	13	1	11	<5	<0.01	<10	<10	6	<10	419	2
130918	5.0	0.19	153	100	<0.5	16	0.07	47	7	130	42	3.56	6	0.17	<10	0.03	78	5	0.01	1	338	1029	3.08	17	<1	10	<5	<0.01	<10	<10	4	<10	3725	2
130919	3.8	0.13	109	108	<0.5	11	0.12	36	5	155	43	2.59	5	0.12	<10	0.03	172	<2	0.01	3	239	920	2.11	15	<1	11	<5	<0.01	<10	<10	2	<10	3092	1
130920	21.3	0.23	242	95	<0.5	14	0.06	52	8	135	43	3.56	7	0.19	<10	0.02	21	5	0.01	2	478	2431	3.14	19	1	6	<5	<0.01	<10	<10	5	<10	4478	2
130921	30.8	0.15	143	106	<0.5	14	0.03	31	6	169	62	3.27	5	0.14	<10	0.02	72	2	0.01	3	258	1784	2.68	45	<1	5	<5	<0.01	<10	<10	3	<10	2697	1
130922	27.2	0.14	149	103	<0.5	13	0.09	51	5	190	155	3.26	6	0.13	<10	0.03	170	6	0.01	3	220	3753	2.79	53	<1	11	<5	<0.01	<10	<10	2	<10	4194	1
130923	3.1	0.17	170	90	<0.5	16	0.07	18	6	146	23	3.76	2	0.15	<10	0.03	130	4	0.01	1	385	561	2.99	16	<1	10	<5	<0.01	<10	<10	4	<10	1487	2
130924	12.9	0.27	121	82	<0.5	19	0.19	66	6	140	396	4.53	4	0.18	<10	0.08	187	5	0.01	1	359	2854	3.81	18	<1	11	<5	<0.01	<10	<10	6	<10	4592	2
130925	6.6	0.16	116	167	<0.5	14	0.18	35	4	163	57	3.16	4	0.17	<10	0.07	655	2	0.01	3	331	1700	1.66	20	<1	15	<5	<0.01	<10	<10	3	<10	2995	1
130926	5.7	0.20	90	436	<0.5	10	0.01	4	2	125	16	2.28	1	0.17	<10	0.03	80	2	0.01	2	539	2888	0.47	14	1	8	<5	<0.01	<10	<10	5	<10	299	1
130927	15.9	0.16	210	148	<0.5	15	<0.01	15	3	119	60	3.42	6	0.23	<10	0.02	32	3	0.01	1	288	2253	1.76	40	<1	5	<5	<0.01	<10	<10	4	<10	1269	1
130928	16.4	0.13	111	79	<0.5	25	<0.01	30	2	123	131	5.77	15	0.21	<10	0.03	22	5	0.01	<1	279	4391	2.63	33	<1	5	<5	<0.01	<10	11	7	<10	2413	2
130929	28.6	0.15	631	52	<0.5	25	<0.01	48	5	113	162	5.84	11	0.19	<10	0.03	19	11	<0.01	<1	213	4295	4.11	88	<1	2	<5	<0.01	<10	10	5	<10	3378	2
130930	12.0	0.30	143	70	<0.5	25	0.05	16	6	99	80	5.54	7	0.27	<10	0.08	93	3	0.01	<1	499	3202	3.44	34	1	11	<5	<0.01	<10	10	9	<10	1233	2
130931	15.7	0.47	150	34	<0.5	38	0.14	135	12	88	546	8.39	8	0.26	<10	0.18	269	3	0.01	<1	619	5550	>5.00	31	1	12	<5	<0.01	<10	19	11	<10	7284	3
130932	6.1	0.14	57	104	<0.5	12	0.01	50	4	150	327	2.94	5	0.15	<10	0.02	39	<2	0.01	2	359	2968	2.41	18	<1	5	<5	<0.01	<10	<10	2	<10	3728	1
130933	4.7	0.16	37	77	<0.5	17	0.03	44	6	153	95	3.88	7	0.17	<10	0.03	60	4	0.01	1	209	3631	3.45	12	<1	7	<5	<0.01	<10	<10	3	<10	3454	1
130934	14.1	0.26	55	68	<0.5	21	0.08	93	7	129	110	4.79	10	0.17	<10	0.09	234	<2	0.01	1	420	9400	3.76	17	1	22	<5	<0.01	<10	<10	6	<10	5819	2
130935	13.0	0.13	66	122	<0.5	9	<0.01	72	4	211	158	2.50	9	0.15	<10	0.01	32	7	0.01	2	97	5441	2.20	23	<1	3	<5	<0.01	<10	<10	1	<10	4570	1
130936	5.0	0.19	142	63	<0.5	26	0.04	18	8	125	51	5.91	8	0.22	<10	0.03	70	<2	0.01	1	306	1864	4.31	20	<1	8	<5	<0.01	<10	11	4	<10	1279	2
130937	9.5	0.24	75	117	<0.5	16	0.09	34	6	135	37	3.89	9	0.24	<10	0.04	388	6	0.01	1	546	4770	2.79	14	1	18	<5	<0.01	<10	<10	3	<10	2773	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Premier/shipment 7

Sample type: Rocks

Report No : **9V0953RJ**

Date : Aug-12-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
130938	7.4	0.20	142	75	<0.5	17	0.02	53	6	110	63	4.31	10	0.22	<10	0.02	37	4	0.01	1	459	2913	3.39	18	<1	12	<5	<0.01	<10	<10	3	<10	3776	2
130939	7.4	0.31	196	89	<0.5	19	0.31	76	11	65	49	4.58	5	0.24	<10	0.07	636	2	0.01	<1	814	3551	3.86	13	1	18	<5	<0.01	<10	<10	5	<10	5236	2
130940	5.5	0.25	106	108	<0.5	15	0.08	47	8	90	51	3.63	4	0.23	<10	0.03	103	5	0.01	<1	611	2153	2.84	14	1	10	<5	<0.01	<10	<10	4	<10	3486	2
130941	5.0	0.63	364	74	<0.5	27	0.80	41	18	34	48	5.86	2	0.34	<10	0.40	1508	<2	0.01	<1	1368	248	4.15	22	2	35	<5	<0.01	<10	10	15	<10	3387	2
130942	14.7	0.64	203	67	<0.5	26	1.44	81	14	64	758	5.53	2	0.27	<10	0.52	2279	<2	0.01	<1	938	460	3.78	14	2	52	<5	<0.01	<10	13	18	<10	5680	2
130943	24.3	0.24	199	40	<0.5	32	2.05	57	13	122	534	6.21	1	0.19	<10	0.46	2344	4	0.01	<1	538	639	>5.00	15	1	124	<5	<0.01	<10	19	6	<10	4510	2
130944	2.3	0.22	188	52	<0.5	31	2.58	12	12	126	41	5.78	1	0.19	<10	0.40	2432	3	0.01	<1	588	225	>5.00	11	1	122	<5	<0.01	<10	18	6	<10	878	2
130945	2.3	0.23	103	114	<0.5	18	4.90	9	7	125	60	3.62	1	0.14	<10	0.37	3866	3	0.01	<1	493	187	2.89	7	2	208	<5	<0.01	<10	18	6	<10	812	1
130946	4.9	0.63	232	60	<0.5	41	1.45	44	17	100	145	8.12	1	0.21	<10	0.44	1673	<2	0.01	<1	767	543	>5.00	18	2	62	<5	<0.01	<10	21	22	<10	3130	3
130947	2.6	0.56	168	86	<0.5	28	2.32	16	13	112	28	5.39	1	0.22	<10	0.39	2558	3	0.01	<1	865	420	4.29	12	2	125	<5	<0.01	<10	17	14	<10	1207	2
130948	7.8	0.92	180	92	<0.5	26	4.93	61	12	66	78	4.56	2	0.20	<10	0.65	3693	<2	0.01	<1	821	2626	3.34	11	2	180	<5	<0.01	<10	18	23	<10	4505	2
130949	2.8	0.71	262	56	<0.5	46	0.96	31	13	101	41	9.14	1	0.17	<10	0.49	1442	2	0.01	<1	645	306	>5.00	18	1	38	<5	<0.01	<10	21	27	<10	2252	3
130950	14.1	0.43	164	97	<0.5	20	1.92	38	11	98	222	4.36	1	0.15	<10	0.25	1323	<2	0.01	1	576	382	3.59	11	1	48	<5	<0.01	<10	10	13	<10	3134	2
130951	7.1	0.58	285	53	<0.5	31	1.77	80	19	86	124	6.74	2	0.24	<10	0.30	1568	5	0.01	<1	809	972	>5.00	13	2	69	<5	<0.01	<10	17	19	<10	5661	2
130952	1.7	1.63	79	210	<0.5	22	2.42	17	14	34	35	4.69	1	0.36	<10	0.98	2849	<2	0.01	<1	1229	353	1.67	7	3	74	<5	<0.01	<10	12	37	<10	1503	2
130962	1.3	0.69	700	63	<0.5	38	1.20	5	22	23	94	6.91	<1	0.29	<10	0.58	384	2	0.01	40	636	58	>5.00	25	2	28	<5	<0.01	<10	15	33	<10	54	2
130963	0.7	0.67	182	68	<0.5	36	2.67	6	36	14	118	7.26	<1	0.38	<10	0.34	766	<2	0.01	29	1351	29	>5.00	19	3	78	<5	0.02	<10	17	19	<10	126	2
130964	1.9	0.81	552	117	<0.5	13	3.53	6	15	31	117	2.87	<1	0.21	<10	0.58	1072	7	0.01	32	793	89	1.68	7	1	148	<5	<0.01	<10	<10	23	<10	529	1
130965	>200.0	0.42	>10000	15	<0.5	77	0.08	396	14	115	741	14.21	1	0.17	<10	0.16	82	72	0.01	80	283	>10000	>5.00	255	<1	3	<5	<0.01	<10	34	33	<10	>10000	5
130966	3.2	0.58	283	37	<0.5	62	0.13	10	32	20	80	12.91	<1	0.27	<10	0.25	151	<2	0.01	39	746	201	>5.00	25	1	3	<5	<0.01	<10	28	14	<10	163	3
Duplicates:																																		
130908	4.3	0.23	197	187	<0.5	12	0.01	6	4	83	8	2.88	1	0.20	<10	0.02	19	3	0.01	<1	471	713	1.45	18	1	26	<5	<0.01	<10	<10	6	<10	216	1
130917	2.6	0.24	179	125	<0.5	16	0.05	7	7	97	13	3.54	1	0.21	<10	0.02	21	<2	0.01	1	650	653	2.51	15	1	12	<5	<0.01	<10	<10	7	<10	450	2
130927	14.8	0.18	216	146	<0.5	16	<0.01	15	3	130	60	3.50	6	0.24	<10	0.02	33	3	0.01	1	302	2287	1.77	40	<1	5	<5	<0.01	<10	<10	4	<10	1274	1
130930	11.4	0.31	150	70	<0.5	25	0.05	17	6	103	78	5.90	7	0.28	<10	0.08	101	3	0.01	<1	530	3310	3.55	32	1	11	<5	<0.01	<10	11	8	<10	1269	2
130939	8.5	0.34	201	84	<0.5	20	0.33	82	11	70	52	4.82	5	0.26	<10	0.07	668	2	0.01	<1	853	3742	4.10	13	1	19	<5	<0.01	<10	<10	6	<10	5341	2
130949	2.9	0.73	261	56	<0.5	44	0.95	30	13	101	42	9.07	1	0.18	<10	0.50	1419	2	0.01	<1	651	298	>5.00	19	1	39	<5	<0.01	<10	21	27	<10	2234	3
130952	1.8	1.66	83	241	<0.5	21	2.38	17	13	36	34	4.67	1	0.38	<10	0.97	2788	<2	0.01	<1	1186	355	1.64	8	4	74	<5	<0.01	<10	10	38	<10	1487	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources
Attention: Sue Deane
Project: Premier/shipment 7
Sample type: Rocks

Report No : **9V0953RJ**
Date : Aug-12-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
CH-4	1.3	1.66	12	307	1.1	22	0.61	4	29	111	2024	4.92	<1	1.32	13	1.19	330	2	0.04	56	714	16	0.62	12	7	7	<5	0.25	<10	<10	81	<10	223	9

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0954-RA1

Aug-12-09

Company: **Ascot Resources**
Project: Premier/shipment 7
Attn: Sue Deane

We *hereby certify* the following assay of 3 rock samples submitted Jul-30-09

Sample Name	Au g/tonne	Ag g/tonne	Pb %	Sample-Wt. Kg
49506	1.31	130.6	1.65	1.4
49507	0.96	32.1		1.5
49508	19.41	22.5		0.3
*DUP 49506	1.38	124.3		
*0211	2.15			
*SE-1			1.82	
*BLANK	<0.01		<0.01	

Au F.A. AA finish. Ag read from ICP solution.Over limit Pb by 4 Acid Digest AA finish

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Premier/shipment 7

Sample type: Rock

Report No : **9V0954RJ**

Date : Aug-12-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
49506	130.6	0.08	554	19	<0.5	43	0.12	281	6	164	3590	9.90	10	0.09	<10	0.03	411	7	0.01	<1	73	>10000	>5.00	210	<1	6	<5	<0.01	<10	21	3	<10	9631	2
49507	32.1	0.15	591	70	<0.5	17	0.02	9	4	103	33	4.06	9	0.14	<10	0.02	18	<2	0.01	1	166	1062	3.56	72	<1	3	<5	<0.01	<10	<10	8	<10	778	1
49508	22.5	0.24	56	61	<0.5	11	0.09	21	4	199	365	2.71	2	0.07	<10	0.18	733	4	0.01	2	153	1455	1.91	15	<1	6	<5	<0.01	<10	<10	11	<10	1810	1
Duplicates:																																		
49506	124.3	0.08	554	19	<0.5	44	0.12	288	6	168	3615	9.85	10	0.09	<10	0.03	423	7	0.01	<1	67	>10000	>5.00	219	<1	6	<5	<0.01	<10	20	3	<10	9844	3
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.4	1.64	14	285	1.0	22	0.57	4	29	105	2072	4.72	1	1.34	13	1.16	315	2	0.04	53	695	19	0.60	11	7	7	<5	0.20	<10	<10	78	<10	227	7

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0998-RA1

Aug-20-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment 8
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Aug-10-09

Sample Name	Au g/tonne	Ag g/tonne	Zn %	Sample-Wt Kg
131581	0.13	0.3		1.7
131582	0.19	0.5		1.8
131583	0.09	0.5		1.7
131584	0.09	1.0		1.9
131585	0.05	1.3		2.2
131586	0.53	7.1	11.7	0.5
131587	<0.01	<0.1		0.4
131588	3.46	1.6		
131589	0.03	1.4		2.0
131590	0.02	0.8		1.9
131591	0.01	0.6		1.9
131592	0.03	0.5		2.1
131593	0.01	0.6		1.3
131594	0.01	1.0		1.6
131595	0.03	0.3		1.2
131596	0.01	2.7		0.5
131597	0.01	0.3		1.5
131598	0.01	0.9		1.5
131599	0.01	0.4		1.3
131600	0.02	0.6		1.6
131601	0.01	0.6		2.0
131602	0.01	0.4		0.6
*DUP 131581	0.01	0.3		
*DUP 131590	<0.01	0.8		
*DUP 131600	0.01	0.6		
*0211	2.13			
*SE-1			2.63	
*BLANK	<0.01		<0.01	

Au F.A. AA finish. Ag read from ICP solution. Over limit Zn 4 Acid Digest AA finish

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0998-RA2

Company: **Ascot Resources Ltd.**
Project: Premier/shipment 8
Attn: Sue Deane

Aug-20-09

We *hereby certify* the following assay of 22 core samples submitted Aug-10-09

Sample Name	Au g/tonne	Ag g/tonne	Ag g/tonne	Sample-Wt Kg
131603	0.02	0.7		0.8
131604	<0.01	<0.1		0.5
131605	0.27	0.8		
131606	<0.01	1.8		1.4
131607	0.01	2.2		1.6
131608	0.01	2.9		2.0
131609	0.02	2.5		1.8
131610	0.04	2.2		1.5
131611	0.01	2.3		1.8
131612	0.01	0.9		1.7
131613	0.02	3.5		1.8
131614	0.27	69.4		0.5
131615	1.97	>200.0	704.6	0.9
131616	0.10	8.5		1.8
131617	0.04	4.8		1.5
131618	0.06	7.3		0.9
131619	0.05	4.1		1.5
131620	0.02	2.2		1.5
131621	0.03	2.9		1.6
131622	0.11	8.0		1.8
131623	0.12	4.1		1.5
131624	<0.01	<0.1		0.5
*DUP 131603	0.03	0.6		
*DUP 131612	0.01	1.0		
*DUP 131622	0.12	8.2		
*0211	2.26			
*SE-1			712.1	
*BLANK	<0.01		<0.1	

Au F.A. AA finish. Ag read from ICP solution. Over limit Ag 4 Acid Digest AA finish

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0998-RA3

Aug-20-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment 8
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Aug-10-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
131625	3.62	1.6	
131626	0.04	3.8	1.7
131627	<0.01	0.7	1.5
131628	<0.01	4.2	1.9
131629	<0.01	1.7	2.0
131630	0.08	56.7	0.5
131631	<0.01	0.8	1.6
131632	0.01	0.6	1.7
131633	<0.01	0.7	1.8
131634	<0.01	0.6	1.6
131635	0.01	1.0	1.5
131636	0.01	1.7	1.5
131637	0.01	1.3	1.6
131638	0.02	3.0	1.6
131639	0.02	5.7	1.9
131640	<0.01	<0.1	0.5
131641	0.29	0.8	
131642	0.02	2.1	1.7
131643	0.01	2.0	1.5
131644	0.01	2.0	1.9
131645	0.02	2.4	1.5
131646	0.02	2.3	1.7
*DUP 131625	3.75	1.7	
*DUP 131634	<0.01	0.6	
*DUP 131644	0.01	2.1	
*0211	2.09		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0998-RA4

Aug-20-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment 8
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Aug-10-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
131647	0.01	0.6	1.3
131648	<0.01	0.4	1.8
131649	<0.01	0.5	2.4
131650	<0.01	1.0	2.5
131651	<0.01	1.1	2.5
131652	<0.01	1.1	2.3
131653	<0.01	1.0	2.4
131654	0.01	0.8	2.4
131655	<0.01	1.4	1.5
131656	<0.01	1.0	1.5
131657	<0.01	0.9	1.7
131658	<0.01	1.5	1.5
131659	0.01	1.5	1.2
131660	<0.01	0.4	1.9
131661	<0.01	0.4	1.4
131662	<0.01	1.5	2.2
131663	<0.01	0.7	1.7
131664	<0.01	0.3	1.7
131665	<0.01	0.4	1.6
131666	<0.01	0.4	0.8
131667	0.01	0.8	2.7
131668	<0.01	<0.1	0.6
*DUP 131647	<0.01	0.6	
*DUP 131656	0.01	1.0	
*DUP 131666	<0.01	0.3	
*0211	2.20		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0998-RA5

Aug-20-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment 8
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Aug-10-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
131669	3.41	1.4	
131670	<0.01	0.4	2.0
131671	<0.01	0.2	1.6
131672	<0.01	0.2	1.8
131673	<0.01	0.2	1.1
131674	0.03	0.2	1.3
131675	<0.01	0.9	0.5
131676	<0.01	0.4	1.4
131677	<0.01	3.0	1.5
131678	<0.01	0.6	1.5
131679	<0.01	0.6	1.7
131680	<0.01	0.4	1.6
131681	0.03	5.2	2.1
131682	<0.01	2.0	2.9
131683	0.07	2.7	2.7
131684	0.09	3.9	1.9
131685	0.03	4.7	2.7
131686	0.01	2.0	2.5
131687	0.01	0.7	2.6
131688	0.01	0.7	2.3
131689	0.02	1.1	2.4
131690	0.23	4.9	2.8
*DUP 131669	3.38	1.8	
*DUP 131678	0.01	0.6	
*DUP 131688	0.02	0.7	
*0211	2.18		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0998-RA6

Aug-20-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment 8
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Aug-10-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
131691	<0.01	<0.1	0.5
131692	0.28	0.8	
131693	0.03	1.3	2.5
131694	0.04	1.5	2.6
131695	0.01	1.0	2.4
131696	0.02	2.3	2.5
131697	0.04	1.7	2.5
131698	0.02	1.9	2.5
131699	0.03	3.8	2.7
131700	0.01	0.8	2.6
131701	0.02	0.9	2.3
131702	0.01	0.6	2.4
131703	<0.01	<0.1	0.5
131704	3.77	1.5	
131705	0.16	3.2	1.6
131706	1.43	18.6	1.9
131707	0.07	3.3	1.6
131708	0.01	0.6	1.7
131709	0.15	9.0	2.0
131710	<0.01	0.5	1.5
131711	<0.01	0.9	1.9
131712	0.01	0.6	1.7
*DUP 131691	<0.01	<0.1	
*DUP 131700	0.02	0.8	
*DUP 131710	0.01	0.5	
*0211	2.21		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0998-RA7

Aug-20-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment 8
Attn: Sue Deane

We *hereby certify* the following assay of 15 core samples submitted Aug-10-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
131713	0.01	<0.1	1.5
131714	0.01	0.2	1.5
131715	0.06	1.3	1.6
131716	0.01	3.2	1.5
131717	<0.01	0.5	1.4
131718	<0.01	0.4	1.9
131719	0.02	0.9	1.6
131720	0.08	1.5	0.9
131721	0.01	<0.1	0.6
131722	0.01	5.5	2.3
131723	0.29	178.6	0.4
131724	0.07	12.0	1.5
131725	0.01	2.3	1.8
131726	<0.01	<0.1	0.5
131727	0.28	0.5	
131728	<0.01	<0.1	3.4
131729	0.01	<0.1	2.3
131730	0.01	<0.1	2.4
131731	0.01	0.4	2.4
131732	0.01	0.4	1.5
131733	0.02	0.6	2.2
131734	0.01	<0.1	1.5
*DUP 131713	0.02	<0.1	
*DUP 131722	0.01	5.6	
*DUP 131732	0.03	0.4	
*0211	2.15		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0998-RA8

Aug-20-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment 8
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Aug-10-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
131735	0.36	11.3	2.4
131736	0.12	22.1	2.1
131737	0.09	26.6	2.3
131738	0.43	4.0	2.1
131739	0.07	2.1	2.7
131740	0.21	5.8	2.0
131741	0.31	2.2	2.1
131742	0.11	1.2	2.3
131743	0.14	5.0	2.0
131744	0.16	2.1	2.0
131745	0.32	1.9	2.2
131746	1.54	2.7	2.4
131747	0.01	<0.1	0.5
131748	3.43	1.7	
131749	0.02	<0.1	1.4
131750	0.01	<0.1	2.4
131751	0.06	<0.1	2.3
131752	0.01	<0.1	2.2
131753	0.02	<0.1	2.4
131754	<0.01	<0.1	2.5
131755	0.01	<0.1	2.0
131756	<0.01	<0.1	0.7
*DUP 131735	0.40	10.6	
*DUP 131744	0.14	2.2	
*DUP 131754	0.01	<0.1	
*0211	2.13		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-0998-RA9

Aug-20-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment 8
Attn: Sue Deane

We *hereby certify* the following assay of 8 core samples submitted Aug-10-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
131757	0.01	<0.1	2.8
131758	0.30	2.6	0.5
131759	0.34	<0.1	1.1
131760	0.37	2.0	1.6
131761	0.11	1.8	1.7
131762	0.19	2.0	1.8
131763	0.18	3.0	1.9
131764	0.01	<0.1	2.7
*DUP 131757	0.01	<0.1	
*0211	2.10		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment 8

Sample type: Core

Report No : 9V0998RJ

Date : Aug-20-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131581	0.3	1.80	8	187	0.6	18	3.94	2	19	7	74	4.40	<1	0.33	<10	1.17	1453	<2	0.02	7	2000	15	0.90	<5	3	252	<5	0.07	<10	<10	37	<10	84	3
131582	0.5	1.30	15	187	0.6	18	4.96	3	20	20	98	4.25	<1	0.33	<10	0.72	1470	<2	0.03	12	1959	31	2.04	<5	2	246	<5	0.09	<10	<10	29	<10	65	3
131583	0.5	1.00	15	180	0.7	16	4.92	2	18	12	62	3.61	<1	0.35	<10	0.46	1690	<2	0.02	6	1972	9	2.07	<5	2	223	<5	0.11	<10	<10	22	<10	53	2
131584	1.0	1.10	29	110	0.7	23	3.92	15	20	17	86	5.17	<1	0.33	<10	0.53	1943	<2	0.02	7	1991	33	3.18	<5	3	211	<5	0.11	<10	<10	35	<10	1046	2
131585	1.3	1.35	23	130	0.5	23	2.85	62	17	15	131	5.10	<1	0.29	<10	0.68	2271	<2	0.02	7	1916	21	2.59	<5	3	159	<5	0.09	<10	<10	44	<10	3270	2
131586	7.1	1.37	55	38	<0.5	29	3.78	1536	24	17	718	6.14	11	0.21	<10	0.64	2992	<2	0.01	3	1090	48	>5.00	<5	2	231	<5	0.03	<10	<10	34	<10	>10000	2
131587	<0.2	0.02	<5	10	<0.5	<5	>15.00	<1	<1	2	22	0.03	<1	0.01	<10	1.50	32	<2	0.01	<1	55	<2	0.78	<5	<1	4891	<5	<0.01	<10	<10	1	<10	56	<1
131588	1.6	1.36	6137	71	0.7	158	5.81	4	95	34	265	4.63	<1	0.18	<10	0.45	758	28	0.06	54	820	17	0.88	10	3	58	<5	0.11	<10	<10	53	13	89	11
131589	1.4	1.81	27	171	<0.5	25	2.91	79	18	15	185	5.55	<1	0.37	<10	0.80	2384	<2	0.01	7	1934	13	2.05	<5	2	156	<5	0.06	<10	<10	37	<10	3942	2
131590	0.8	1.54	21	182	0.5	20	4.16	19	18	17	61	4.71	<1	0.39	<10	0.60	2318	<2	0.01	6	1903	12	1.58	<5	2	195	<5	0.06	<10	<10	26	<10	1405	2
131591	0.6	1.56	14	185	0.6	16	5.65	2	16	7	79	4.00	<1	0.38	11	0.57	2439	<2	0.02	6	1916	5	0.61	<5	2	241	<5	0.08	<10	<10	26	<10	111	2
131592	0.5	1.46	21	182	0.6	16	5.37	3	16	10	66	3.86	<1	0.38	10	0.50	2142	<2	0.02	5	2041	9	0.86	<5	2	235	<5	0.07	<10	<10	24	<10	136	2
131593	0.6	1.42	15	202	0.6	12	7.56	2	14	5	68	3.11	<1	0.40	<10	0.47	2412	<2	0.02	5	1720	6	0.63	<5	2	304	<5	0.09	<10	<10	20	<10	68	2
131594	1.0	1.79	34	154	0.6	18	4.44	5	17	8	55	3.94	<1	0.33	<10	0.91	2250	<2	0.02	2	1377	25	0.63	<5	2	194	<5	0.08	<10	<10	25	<10	281	2
131595	0.3	1.04	27	143	<0.5	16	1.13	3	13	11	21	3.73	<1	0.31	<10	0.43	759	2	0.01	1	1618	20	2.07	<5	1	47	<5	<0.01	<10	<10	14	<10	56	2
131596	2.7	0.50	23	157	<0.5	11	3.17	36	10	38	116	2.40	<1	0.28	<10	0.11	1299	10	0.01	2	976	483	2.16	<5	1	183	<5	<0.01	<10	<10	7	<10	2886	1
131597	0.3	1.61	8	268	<0.5	15	3.03	2	9	10	43	3.38	<1	0.27	<10	0.79	1428	<2	0.02	1	1217	16	0.48	<5	2	168	<5	<0.01	<10	<10	18	<10	98	2
131598	0.9	1.66	7	215	<0.5	15	2.72	11	9	13	40	3.24	<1	0.24	10	0.89	1468	<2	0.02	1	1196	236	0.28	<5	2	181	<5	<0.01	<10	<10	25	<10	1018	2
131599	0.4	1.41	8	218	<0.5	13	3.01	2	8	9	38	3.16	<1	0.28	<10	0.82	1441	<2	0.02	1	1080	32	0.36	<5	2	164	<5	<0.01	<10	<10	19	<10	124	1
131600	0.6	0.87	18	204	<0.5	14	3.33	2	9	14	29	3.32	<1	0.33	<10	0.75	1548	<2	0.01	1	1176	9	0.84	<5	2	234	<5	<0.01	<10	<10	14	<10	81	1
131601	0.6	1.13	12	172	<0.5	17	3.35	3	10	15	26	4.11	<1	0.30	<10	0.65	1472	<2	0.01	1	1330	10	2.08	<5	2	148	<5	<0.01	<10	<10	14	<10	76	2
131602	0.4	0.91	11	110	<0.5	20	2.34	3	13	21	23	4.16	<1	0.28	<10	0.46	1019	<2	0.01	1	1723	15	3.03	<5	1	104	<5	<0.01	<10	<10	12	<10	57	2
131603	0.7	1.02	12	164	<0.5	16	3.99	3	12	17	20	3.60	<1	0.30	<10	0.55	1930	<2	0.01	2	1313	11	2.13	<5	1	180	<5	<0.01	<10	<10	11	<10	55	2
131604	<0.2	0.03	<5	11	<0.5	<5	>15.00	<1	<1	2	12	0.03	<1	0.01	<10	1.37	17	<2	0.01	<1	37	<2	0.73	<5	<1	5462	<5	<0.01	<10	<10	1	<10	3	<1
131605	0.8	0.60	698	1305	0.5	14	0.64	2	8	56	35	3.34	2	0.14	16	0.33	464	5	0.01	31	924	145	0.21	526	5	234	7	<0.01	<10	<10	58	<10	235	12
131606	1.8	1.87	29	178	<0.5	19	2.99	3	23	10	95	4.58	<1	0.29	<10	1.11	1939	<2	0.01	4	1482	6	1.33	<5	2	117	<5	<0.01	<10	<10	28	<10	86	2
131607	2.2	1.57	26	92	<0.5	21	3.60	4	21	13	71	5.42	<1	0.31	<10	0.91	2177	<2	0.01	4	1257	23	2.59	<5	2	153	<5	<0.01	<10	<10	24	<10	83	2
131608	2.9	1.53	26	134	<0.5	23	3.30	4	23	12	110	5.53	<1	0.32	<10	0.83	1924	<2	0.01	5	1240	20	2.77	<5	2	108	<5	<0.01	<10	<10	24	<10	79	2
131609	2.5	1.79	36	100	<0.5	23	3.96	4	22	17	84	5.55	<1	0.29	<10	0.96	2509	<2	0.01	4	1264	18	2.16	<5	3	137	<5	<0.01	<10	<10	32	<10	89	2
131610	2.2	1.02	24	160	<0.5	10	7.20	1	7	15	45	2.69	<1	0.31	<10	0.42	2770	<2	0.01	1	804	26	1.03	<5	1	272	<5	<0.01	<10	<10	13	<10	48	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment 8

Sample type: Core

Report No : **9V0998RJ**

Date : Aug-20-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131611	2.3	1.34	25	185	<0.5	16	2.90	2	13	9	24	3.77	<1	0.37	<10	0.56	1782	<2	0.01	1	1171	23	1.12	<5	1	104	<5	<0.01	<10	<10	17	<10	67	1
131612	0.9	0.82	19	146	<0.5	11	2.99	2	7	14	2	2.85	<1	0.35	<10	0.28	1286	2	0.01	1	925	19	1.56	<5	1	119	<5	<0.01	<10	<10	9	<10	40	1
131613	3.5	0.89	30	146	<0.5	13	4.45	3	11	18	13	3.22	<1	0.32	<10	0.34	2031	3	0.01	2	1054	42	1.85	<5	1	187	<5	<0.01	<10	<10	12	<10	95	2
131614	69.4	0.78	11	129	<0.5	10	8.48	28	6	15	80	2.55	<1	0.30	<10	0.37	3251	<2	0.01	1	876	220	1.48	18	2	352	<5	<0.01	<10	<10	12	<10	2550	1
131615	>200.0	0.54	87	123	<0.5	15	12.11	80	11	24	194	3.26	<1	0.25	<10	0.23	4423	<2	0.01	2	837	3490	3.12	96	2	522	<5	<0.01	<10	<10	10	<10	5002	1
131616	8.5	0.87	68	124	<0.5	15	6.21	3	12	15	10	4.16	<1	0.31	<10	0.41	2696	2	0.01	2	997	34	2.66	<5	2	263	<5	<0.01	<10	<10	16	<10	63	1
131617	4.8	0.57	28	151	<0.5	10	4.25	2	7	18	10	2.58	<1	0.30	<10	0.16	1665	2	0.01	1	815	29	1.85	<5	1	137	<5	<0.01	<10	<10	8	<10	42	2
131618	7.3	0.44	56	127	<0.5	14	4.73	8	9	14	38	3.26	<1	0.34	<10	0.09	1845	2	0.01	1	793	233	2.66	<5	1	139	<5	<0.01	<10	<10	7	<10	626	2
131619	4.1	0.96	42	127	<0.5	18	7.75	3	12	22	10	4.29	<1	0.29	<10	0.38	3181	3	0.01	1	1002	33	2.53	<5	1	298	<5	0.01	<10	<10	15	<10	60	1
131620	2.2	1.75	20	151	<0.5	19	3.58	3	18	21	17	5.07	<1	0.29	<10	0.76	2060	<2	0.01	1	1390	26	1.50	<5	2	113	<5	0.01	<10	<10	27	<10	91	2
131621	2.9	1.10	27	146	<0.5	15	4.35	2	18	19	25	3.67	<1	0.29	<10	0.41	2039	<2	0.01	1	1485	27	1.59	<5	2	153	<5	0.01	<10	<10	16	<10	54	1
131622	8.0	1.86	24	145	<0.5	20	4.43	26	16	15	89	4.88	<1	0.28	<10	0.77	2445	<2	0.01	1	1416	177	1.18	<5	2	149	<5	0.01	<10	<10	26	<10	1871	2
131623	4.1	1.34	17	158	<0.5	17	4.65	10	14	18	59	4.20	<1	0.32	<10	0.50	2283	<2	0.01	1	1364	163	1.54	<5	2	168	<5	0.01	<10	<10	20	<10	778	1
131624	<0.2	0.02	<5	<10	<0.5	<5	>15.00	<1	<1	3	4	0.03	<1	<0.01	<10	1.94	15	<2	0.01	1	64	<2	0.70	<5	<1	5004	<5	<0.01	<10	<10	1	<10	4	<1
131625	1.6	1.35	6650	77	0.7	160	6.31	3	102	37	269	5.05	<1	0.19	<10	0.50	820	29	0.06	59	780	18	0.92	11	3	62	<5	0.12	<10	<10	56	14	83	12
131626	3.8	1.46	19	262	<0.5	17	6.68	5	16	12	36	4.38	<1	0.35	<10	0.64	2884	<2	0.01	2	1326	117	1.15	<5	2	279	<5	0.01	<10	<10	24	<10	288	1
131627	0.7	0.98	15	221	<0.5	15	3.40	2	9	13	10	3.75	<1	0.28	<10	0.72	1330	<2	0.01	1	1151	10	1.26	<5	2	159	<5	<0.01	<10	<10	15	<10	82	2
131628	4.2	0.47	10	316	<0.5	14	5.00	3	8	17	7	3.63	<1	0.30	<10	1.13	1626	<2	0.01	1	999	14	0.81	<5	2	260	<5	<0.01	<10	<10	10	<10	73	1
131629	1.7	0.85	10	211	<0.5	13	3.42	2	9	10	8	3.59	<1	0.28	<10	0.65	1215	2	0.02	1	1052	17	1.18	<5	1	140	<5	<0.01	<10	<10	12	<10	60	1
131630	56.7	0.57	>10000	61	<0.5	26	4.97	348	13	12	207	4.94	5	0.26	<10	0.29	1495	6	0.01	1	948	3358	3.92	24	1	217	<5	<0.01	<10	<10	10	<10	6672	2
131631	0.8	1.35	21	211	<0.5	15	3.78	2	9	6	9	3.87	<1	0.26	<10	0.90	1406	<2	0.01	1	1089	23	0.84	<5	1	153	<5	<0.01	<10	<10	17	<10	123	2
131632	0.6	1.39	29	202	<0.5	14	3.43	2	9	8	10	3.44	<1	0.26	<10	0.89	1393	<2	0.02	1	1097	22	0.42	<5	2	157	<5	<0.01	<10	<10	18	<10	159	1
131633	0.7	1.49	151	183	<0.5	14	3.73	2	9	7	9	3.79	<1	0.23	<10	0.83	1455	<2	0.02	1	1059	11	0.54	<5	1	150	<5	<0.01	<10	<10	19	<10	80	2
131634	0.6	1.41	12	187	<0.5	13	3.61	2	9	6	7	3.62	<1	0.25	<10	0.80	1475	<2	0.01	1	991	8	0.66	<5	1	146	<5	<0.01	<10	<10	17	<10	78	2
131635	1.0	0.40	76	74	<0.5	7	2.97	3	5	9	<1	1.93	<1	0.13	<10	0.22	917	<2	0.01	<1	511	48	1.18	<5	1	129	<5	<0.01	<10	<10	6	<10	238	1
131636	1.7	0.84	27	156	<0.5	13	5.00	24	9	11	7	3.51	1	0.26	<10	0.51	1754	<2	0.01	1	925	23	1.86	<5	1	169	<5	<0.01	<10	<10	10	<10	2239	2
131637	1.3	0.96	21	157	<0.5	12	4.69	4	8	16	5	3.49	<1	0.26	<10	0.60	1530	<2	0.01	1	1044	50	1.62	<5	1	161	<5	<0.01	<10	<10	12	<10	241	1
131638	3.0	0.46	28	84	<0.5	17	3.74	8	11	16	5	4.49	<1	0.26	<10	0.20	1097	<2	0.02	2	1215	150	3.31	<5	1	149	<5	<0.01	<10	<10	8	<10	574	2
131639	5.7	0.78	18	143	<0.5	13	2.80	37	9	23	8	3.28	1	0.24	<10	0.46	1119	<2	0.01	1	1045	478	2.01	<5	1	116	<5	<0.01	<10	<10	10	<10	2924	2
131640	<0.2	0.04	<5	13	<0.5	<5	>15.00	<1	<1	2	<1	0.05	<1	0.01	<10	1.50	21	<2	0.01	<1	52	<2	0.81	<5	<1	4791	<5	<0.01	<10	<10	1	<10	8	<1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment 8

Sample type: Core

Report No : **9V0998RJ**

Date : Aug-20-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131641	0.8	0.57	767	1334	0.5	14	0.73	2	9	58	31	3.61	2	0.14	16	0.36	478	5	0.01	34	878	161	0.21	532	5	230	7	<0.01	<10	<10	59	<10	246	13
131642	2.1	0.79	23	162	<0.5	14	7.85	6	10	22	8	3.73	<1	0.24	<10	0.51	2926	7	0.01	1	970	35	2.20	<5	1	258	<5	<0.01	<10	<10	12	<10	396	1
131643	2.0	1.46	30	173	<0.5	21	3.64	4	17	16	2	5.40	<1	0.27	<10	0.98	1678	3	0.01	1	1457	23	2.38	<5	2	125	<5	<0.01	<10	<10	25	<10	119	2
131644	2.0	1.24	25	194	<0.5	19	3.74	4	17	15	7	4.89	<1	0.33	<10	0.84	1803	<2	0.01	2	1381	20	2.01	<5	2	136	<5	<0.01	<10	<10	22	<10	148	2
131645	2.4	1.03	40	227	<0.5	20	4.90	4	16	14	9	4.92	<1	0.34	<10	1.00	2058	2	0.01	1	1466	35	1.97	<5	3	261	<5	<0.01	<10	<10	25	<10	159	2
131646	2.3	1.14	29	231	<0.5	18	2.53	3	16	14	15	4.30	<1	0.35	<10	0.89	1508	<2	0.01	2	1273	37	1.32	<5	3	121	<5	<0.01	<10	<10	21	<10	121	2
131647	0.6	1.47	16	165	<0.5	16	2.96	2	10	13	16	3.75	<1	0.24	10	0.79	1440	<2	0.02	1	1100	9	1.28	<5	1	145	<5	<0.01	<10	<10	21	<10	72	2
131648	0.4	1.70	57	170	<0.5	15	3.14	2	9	10	15	3.59	<1	0.24	11	0.88	1639	<2	0.01	1	1107	5	0.57	<5	2	161	<5	<0.01	<10	<10	22	<10	73	1
131649	0.5	1.91	21	161	<0.5	17	2.83	2	11	12	16	4.13	<1	0.22	11	1.03	1641	<2	0.01	1	1138	8	0.74	<5	2	140	<5	<0.01	<10	<10	27	<10	92	2
131650	1.0	1.18	29	139	<0.5	18	2.59	3	10	15	19	3.66	<1	0.24	<10	0.65	1475	2	0.02	1	1059	17	1.84	<5	1	131	<5	<0.01	<10	<10	17	<10	69	2
131651	1.1	1.35	37	117	<0.5	18	2.91	3	11	16	22	4.13	<1	0.23	<10	0.73	1347	2	0.02	1	1108	16	2.13	<5	1	140	<5	<0.01	<10	<10	20	<10	70	2
131652	1.1	1.25	31	142	<0.5	17	3.07	3	10	17	19	4.14	<1	0.21	10	0.67	1358	<2	0.02	1	1133	17	2.29	<5	1	151	<5	<0.01	<10	<10	18	<10	69	2
131653	1.0	1.14	32	140	<0.5	16	2.76	2	10	15	17	3.86	<1	0.23	<10	0.62	1226	<2	0.01	1	1105	14	2.12	<5	1	126	<5	<0.01	<10	<10	16	<10	57	2
131654	0.8	1.22	20	147	<0.5	15	3.35	2	8	16	16	3.80	<1	0.21	<10	0.68	1604	<2	0.01	1	996	13	1.90	<5	1	158	<5	<0.01	<10	<10	17	<10	62	2
131655	1.4	1.35	48	107	<0.5	21	3.32	3	13	18	27	5.04	<1	0.22	<10	0.78	1571	<2	0.01	2	1005	17	2.93	<5	1	137	<5	<0.01	<10	<10	19	<10	76	2
131656	1.0	1.46	32	164	<0.5	17	3.35	3	12	15	11	4.26	<1	0.23	<10	0.82	1629	6	0.01	2	1119	9	1.90	<5	2	127	<5	<0.01	<10	<10	20	<10	78	2
131657	0.9	1.25	32	150	<0.5	16	3.32	2	11	15	16	3.91	<1	0.23	<10	0.65	1563	2	0.01	1	1097	10	1.94	<5	1	143	<5	<0.01	<10	<10	18	<10	64	2
131658	1.5	1.30	20	140	<0.5	16	3.29	3	9	15	15	4.19	<1	0.24	<10	0.69	1561	<2	0.01	1	1029	14	1.99	<5	1	144	<5	<0.01	<10	<10	16	<10	75	2
131659	1.5	1.09	24	126	<0.5	16	2.76	3	11	15	11	4.11	<1	0.24	<10	0.54	1345	5	0.01	1	1079	15	2.33	<5	1	126	<5	<0.01	<10	<10	15	<10	55	2
131660	0.4	1.55	9	173	<0.5	16	3.12	2	8	14	10	3.76	<1	0.23	11	0.83	1612	<2	0.02	1	1066	6	1.32	<5	2	137	<5	<0.01	<10	<10	19	<10	79	2
131661	0.4	1.52	7	159	<0.5	15	3.37	2	8	15	9	3.49	<1	0.21	10	0.83	1674	<2	0.02	1	1025	3	1.03	<5	2	150	<5	<0.01	<10	<10	18	<10	67	2
131662	1.5	1.98	26	164	<0.5	22	3.19	3	15	7	14	4.93	<1	0.22	<10	1.19	1921	6	0.01	1	1398	12	1.70	<5	2	163	<5	<0.01	<10	<10	30	<10	82	2
131663	0.7	1.18	16	159	<0.5	14	2.92	2	9	25	9	3.65	<1	0.22	<10	0.61	1208	2	0.02	1	1029	7	1.73	<5	1	147	<5	<0.01	<10	<10	17	<10	49	2
131664	0.3	1.64	9	159	<0.5	15	3.20	2	8	17	11	3.54	<1	0.20	10	0.86	1513	<2	0.02	1	1058	4	0.79	<5	2	179	<5	0.01	<10	<10	20	<10	66	2
131665	0.4	1.34	12	166	<0.5	14	3.31	2	8	20	8	3.46	<1	0.22	<10	0.66	1441	<2	0.02	1	1015	5	1.28	<5	1	158	<5	0.01	<10	<10	16	<10	54	2
131666	0.4	1.50	60	186	<0.5	14	3.11	2	9	20	15	3.37	<1	0.24	<10	0.70	1468	<2	0.02	1	1123	5	0.94	<5	2	124	<5	0.01	<10	<10	19	<10	57	2
131667	0.8	2.51	25	174	<0.5	23	1.82	3	17	5	13	5.19	<1	0.21	<10	1.27	1765	13	0.01	1	1370	8	0.58	<5	3	73	<5	0.01	<10	<10	38	<10	96	2
131668	<0.2	0.02	<5	<10	<0.5	<5	>15.00	<1	<1	1	3	0.02	<1	<0.01	<10	1.66	17	<2	0.01	<1	43	<2	0.69	<5	<1	4749	<5	<0.01	<10	<10	1	<10	3	<1
131669	1.4	1.14	5882	80	0.8	138	7.45	5	104	37	253	5.22	<1	0.20	<10	0.46	812	27	0.05	64	784	19	0.91	11	3	65	<5	0.11	<10	<10	54	15	75	11
131670	0.4	1.43	11	141	<0.5	14	3.40	2	9	21	6	3.39	<1	0.19	<10	0.70	1474	2	0.02	1	951	6	0.71	<5	1	164	<5	0.01	<10	<10	18	<10	61	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment 8

Sample type: Core

Report No : 9V0998RJ

Date : Aug-20-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131671	0.2	1.63	7	171	<0.5	13	2.96	1	7	7	9	3.18	<1	0.22	<10	0.78	1293	<2	0.01	1	928	3	0.18	<5	1	143	<5	0.03	<10	<10	17	<10	67	2
131672	0.2	1.74	8	183	<0.5	13	3.52	1	8	9	8	3.28	<1	0.24	<10	0.85	1322	<2	0.02	1	985	2	0.13	<5	2	174	<5	0.05	<10	<10	18	<10	70	2
131673	0.2	1.74	10	165	<0.5	13	3.84	1	8	6	7	3.28	<1	0.20	<10	0.86	1310	<2	0.02	1	897	5	0.17	<5	2	182	<5	0.04	<10	<10	18	<10	75	2
131674	0.2	1.63	11	165	<0.5	13	3.34	1	8	8	9	3.29	<1	0.20	<10	0.82	1274	<2	0.02	1	903	5	0.43	<5	1	158	<5	0.02	<10	<10	17	<10	72	1
131675	0.9	1.22	31	164	<0.5	15	3.01	2	9	10	11	3.74	<1	0.22	<10	0.65	1190	2	0.02	1	999	20	1.54	<5	1	171	<5	0.01	<10	<10	17	<10	61	2
131676	0.4	1.28	22	145	<0.5	14	3.47	2	8	11	6	3.58	<1	0.17	<10	0.70	1282	<2	0.02	1	979	13	1.27	<5	1	170	<5	0.01	<10	<10	16	<10	66	2
131677	3.0	1.02	24	138	<0.5	14	5.84	2	8	12	64	3.34	<1	0.17	<10	0.56	1622	3	0.02	1	965	343	1.74	7	1	284	<5	0.01	<10	<10	14	<10	70	2
131678	0.6	1.21	17	146	<0.5	13	3.44	2	7	15	9	3.30	<1	0.17	<10	0.68	1252	2	0.02	1	941	7	1.25	<5	1	177	<5	0.01	<10	<10	14	<10	76	1
131679	0.6	1.30	19	156	<0.5	15	3.70	2	8	16	11	3.46	<1	0.20	<10	0.71	1376	2	0.02	1	1016	8	1.37	<5	1	188	<5	0.01	<10	<10	16	<10	83	2
131680	0.4	1.64	17	150	<0.5	17	2.87	2	9	12	8	3.75	<1	0.20	<10	0.90	1229	<2	0.02	1	1035	9	0.85	<5	1	167	<5	<0.01	<10	<10	19	<10	80	2
131681	5.2	0.84	27	57	<0.5	22	2.33	4	11	18	16	4.94	<1	0.21	<10	0.48	947	2	0.02	1	1104	58	3.27	<5	2	67	<5	<0.01	<10	<10	15	<10	89	2
131682	2.0	0.70	21	60	<0.5	22	3.08	4	10	14	10	5.03	<1	0.22	<10	0.52	999	<2	0.02	1	1143	37	3.72	<5	2	94	<5	<0.01	<10	<10	16	<10	78	2
131683	2.7	0.59	140	48	<0.5	22	1.82	9	12	24	9	5.51	<1	0.26	<10	0.26	1107	<2	0.02	1	1192	214	4.23	<5	1	47	<5	<0.01	<10	<10	14	<10	369	2
131684	3.9	0.46	1594	49	<0.5	25	2.27	7	13	25	6	5.56	<1	0.21	<10	0.14	1769	<2	0.01	2	1247	187	4.40	<5	1	63	<5	<0.01	<10	<10	11	<10	177	2
131685	4.7	0.49	164	45	<0.5	26	2.19	5	13	24	11	5.43	<1	0.24	<10	0.18	1284	<2	0.01	1	1264	110	4.37	<5	1	60	<5	<0.01	<10	<10	12	<10	49	2
131686	2.0	0.40	73	32	<0.5	23	3.09	5	16	28	7	5.30	<1	0.21	<10	0.22	1412	<2	0.01	2	1405	20	4.17	<5	2	86	<5	<0.01	<10	<10	11	<10	80	2
131687	0.7	0.55	44	74	<0.5	20	2.87	4	13	27	5	4.89	<1	0.22	<10	0.36	1293	<2	0.01	1	1374	12	3.74	<5	1	75	<5	<0.01	<10	<10	13	<10	114	2
131688	0.7	0.49	64	45	<0.5	24	1.72	5	14	29	7	6.03	<1	0.23	<10	0.21	702	<2	0.01	1	1294	16	4.24	<5	1	43	<5	<0.01	<10	<10	15	<10	46	2
131689	1.1	0.52	79	54	<0.5	22	1.42	4	15	31	4	5.76	<1	0.22	<10	0.23	580	<2	0.01	1	1535	18	3.92	<5	1	31	<5	<0.01	<10	<10	15	<10	38	2
131690	4.9	0.40	4009	80	<0.5	19	1.25	9	13	29	14	4.58	<1	0.23	<10	0.11	500	3	0.01	2	1375	722	3.35	7	1	26	<5	<0.01	<10	<10	10	<10	379	2
131691	<0.2	0.03	<5	12	<0.5	<5	>15.00	<1	<1	2	1	0.03	1	0.01	<10	1.70	13	<2	0.01	<1	59	<2	0.82	<5	<1	4546	<5	<0.01	<10	<10	1	<10	<1	<1
131692	0.8	0.67	798	1462	0.6	15	0.73	2	9	61	36	3.48	2	0.15	17	0.35	483	6	0.01	34	1069	155	0.21	562	5	223	7	<0.01	<10	<10	68	<10	249	14
131693	1.3	0.81	97	62	<0.5	21	2.11	4	14	31	16	4.80	<1	0.25	<10	0.45	844	3	0.01	2	1602	41	3.97	<5	2	48	<5	<0.01	<10	<10	16	<10	54	2
131694	1.5	1.55	95	123	<0.5	19	2.56	4	12	18	13	4.39	<1	0.24	<10	1.19	1435	<2	0.01	1	1559	187	2.56	<5	1	64	<5	<0.01	<10	<10	22	<10	227	2
131695	1.0	1.28	40	133	<0.5	17	2.83	3	11	21	7	3.86	<1	0.25	<10	0.86	1233	<2	0.01	1	1385	42	2.38	<5	1	71	<5	<0.01	<10	<10	17	<10	98	2
131696	2.3	1.36	179	165	<0.5	16	3.83	4	10	30	13	3.64	<1	0.23	<10	0.97	1642	<2	0.01	1	1342	329	2.05	<5	1	124	<5	0.01	<10	<10	18	<10	212	2
131697	1.7	1.02	305	68	<0.5	23	2.99	9	14	45	14	5.23	<1	0.24	<10	0.58	1451	<2	0.02	2	1573	117	3.84	<5	2	84	<5	<0.01	<10	<10	21	<10	433	2
131698	1.9	1.50	33	104	<0.5	22	3.01	4	14	38	21	5.20	<1	0.22	<10	0.85	1389	<2	0.02	2	1583	46	2.82	<5	2	104	<5	<0.01	<10	<10	30	<10	159	2
131699	3.8	1.34	206	111	<0.5	19	4.63	6	11	41	18	4.61	<1	0.22	<10	0.66	2376	<2	0.01	2	1444	93	2.46	<5	2	156	<5	<0.01	<10	<10	22	<10	318	2
131700	0.8	1.90	60	159	<0.5	22	3.05	3	12	24	11	5.30	<1	0.21	<10	0.95	1844	<2	0.02	1	1733	38	1.88	<5	2	79	<5	<0.01	<10	<10	33	<10	148	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment 8

Sample type: Core

Report No : **9V0998RJ**

Date : Aug-20-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131701	0.9	1.96	60	185	<0.5	21	3.36	4	11	29	12	5.20	<1	0.22	<10	0.95	1885	<2	0.02	1	1707	54	1.55	<5	3	138	<5	<0.01	<10	<10	36	<10	160	2
131702	0.6	2.35	64	181	<0.5	22	2.73	3	13	24	7	5.18	<1	0.20	<10	1.10	1803	<2	0.02	1	1438	103	0.91	<5	3	63	<5	<0.01	<10	<10	38	<10	174	2
131703	<0.2	0.01	<5	<10	<0.5	<5	>15.00	<1	<1	3	1	0.03	<1	0.01	<10	1.70	21	<2	0.01	<1	34	<2	0.85	<5	<1	3377	<5	<0.01	<10	<10	1	<10	3	<1
131704	1.5	1.47	6548	73	0.8	156	6.23	3	97	36	268	4.71	<1	0.19	<10	0.47	834	30	0.06	58	867	17	0.90	13	3	63	<5	0.13	<10	<10	56	15	77	13
131705	3.2	1.42	2136	123	<0.5	21	2.13	16	14	31	38	4.50	<1	0.22	<10	0.58	1461	2	0.02	2	1466	477	1.97	5	2	49	<5	<0.01	<10	<10	24	<10	949	2
131706	18.6	1.81	>10000	93	0.5	38	1.26	41	16	18	115	6.96	<1	0.21	<10	0.74	1423	<2	0.01	2	1212	1732	2.51	28	2	27	<5	<0.01	<10	<10	27	<10	2088	3
131707	3.3	2.35	755	183	0.6	23	0.93	11	17	14	25	5.52	<1	0.18	<10	0.90	1391	<2	0.01	2	958	476	0.51	<5	2	22	<5	<0.01	<10	<10	29	<10	673	2
131708	0.6	2.58	76	182	<0.5	25	2.19	4	16	27	16	6.21	<1	0.18	11	0.91	1673	<2	0.02	3	1377	20	0.69	<5	3	52	<5	<0.01	<10	<10	42	<10	147	2
131709	9.0	2.37	1499	184	<0.5	24	1.12	25	14	14	35	5.76	<1	0.20	<10	0.81	1331	<2	0.01	2	1006	2404	0.78	7	2	25	<5	<0.01	<10	<10	34	<10	1420	2
131710	0.5	2.41	33	183	<0.5	25	2.35	4	15	15	12	6.03	<1	0.18	<10	0.77	1532	<2	0.02	2	1487	35	0.90	<5	3	55	<5	<0.01	<10	<10	39	<10	152	2
131711	0.9	2.53	66	180	<0.5	23	2.42	3	13	16	19	5.65	<1	0.19	10	0.83	1599	<2	0.02	2	1520	51	0.22	<5	3	58	<5	<0.01	<10	<10	39	<10	122	2
131712	0.6	2.50	52	211	<0.5	23	2.93	3	14	15	16	5.52	<1	0.20	15	0.82	1726	<2	0.02	2	1535	15	0.26	<5	3	69	<5	<0.01	<10	<10	38	<10	122	2
131713	<0.2	2.14	12	177	<0.5	23	1.54	3	13	19	15	5.00	<1	0.18	11	0.74	1531	<2	0.01	<1	1331	10	0.25	9	2	34	<5	<0.01	<10	<10	31	<10	102	2
131714	0.2	2.62	109	161	<0.5	28	2.37	5	16	24	8	6.14	1	0.20	11	0.96	2381	<2	0.01	<1	1365	52	0.47	12	3	54	<5	<0.01	<10	<10	41	<10	182	3
131715	1.3	2.17	905	187	<0.5	28	2.32	7	20	34	17	5.96	<1	0.20	11	1.14	1785	4	0.02	12	1708	197	1.78	14	3	64	<5	0.01	<10	<10	48	<10	322	3
131716	3.2	1.46	2305	177	<0.5	22	4.69	3	15	18	24	4.71	1	0.19	<10	0.51	1975	3	0.01	<1	1004	22	2.16	14	2	146	<5	<0.01	<10	<10	17	<10	111	2
131717	0.5	2.62	266	188	<0.5	29	1.06	4	17	8	31	6.13	<1	0.20	<10	1.01	1538	<2	0.01	<1	752	15	0.76	11	2	26	<5	<0.01	<10	<10	29	<10	166	2
131718	0.4	2.21	107	182	<0.5	25	1.12	4	17	10	32	5.37	<1	0.19	<10	0.81	1378	<2	0.01	<1	894	19	0.94	11	2	30	<5	<0.01	<10	<10	23	<10	149	2
131719	0.9	1.56	277	201	0.5	24	0.87	6	17	17	30	5.09	<1	0.22	<10	0.64	1068	<2	0.01	4	768	70	2.23	11	2	25	<5	<0.01	<10	<10	22	<10	258	2
131720	1.5	1.74	1048	188	0.6	22	0.84	12	18	17	29	4.62	<1	0.23	<10	0.69	1573	<2	0.01	6	749	386	1.19	11	2	17	<5	<0.01	<10	<10	18	<10	687	2
131721	<0.2	2.77	28	229	0.7	25	4.41	3	25	68	24	5.84	1	0.09	26	2.26	1993	<2	0.05	40	3191	54	0.24	15	7	127	<5	0.12	<10	<10	106	<10	182	5
131722	5.5	1.44	91	200	<0.5	16	2.02	6	10	37	16	3.31	1	0.24	10	0.61	1874	<2	0.01	1	1179	359	0.72	11	1	66	<5	<0.01	<10	<10	15	<10	355	2
131723	178.6	1.36	4097	169	<0.5	19	1.04	13	13	51	107	3.87	<1	0.21	<10	0.57	948	3	0.02	2	1066	862	1.23	84	1	37	<5	<0.01	<10	<10	15	<10	1443	1
131724	12.0	1.19	1071	219	<0.5	14	0.92	7	13	48	23	3.25	<1	0.21	<10	0.48	1028	4	0.01	2	909	295	1.03	15	1	33	<5	<0.01	<10	<10	11	<10	409	1
131725	2.3	1.48	54	173	<0.5	15	2.48	3	9	25	8	3.32	<1	0.22	<10	0.61	1536	<2	0.01	<1	1003	64	0.51	8	1	93	<5	<0.01	<10	<10	14	<10	108	1
131726	<0.2	0.02	<5	10	<0.5	<5	>15.00	<1	<1	2	<1	0.03	<1	0.01	<10	1.34	23	<2	0.01	<1	93	<2	0.82	<5	<1	4934	<5	<0.01	<10	19	1	<10	1	<1
131727	0.5	0.62	801	1499	0.5	16	0.65	4	9	61	35	3.41	2	0.15	17	0.34	489	6	0.01	36	995	165	0.23	632	5	217	7	<0.01	<10	<10	60	<10	249	13
131728	<0.2	2.34	30	179	<0.5	22	2.90	3	14	14	<1	4.91	<1	0.26	10	1.46	1395	<2	0.01	<1	1497	3	0.29	10	4	79	<5	<0.01	<10	<10	39	<10	102	2
131729	<0.2	1.77	145	230	<0.5	20	2.79	3	14	17	<1	4.52	<1	0.28	<10	0.97	1220	<2	0.01	<1	1463	6	1.26	13	3	63	<5	<0.01	<10	<10	31	<10	83	2
131730	<0.2	1.49	52	215	<0.5	18	4.09	3	12	19	<1	4.03	<1	0.30	<10	0.72	1518	<2	0.01	<1	1402	5	1.40	9	3	111	<5	<0.01	<10	<10	26	<10	80	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95ºC for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment 8

Sample type: Core

Report No : 9V0998RJ

Date : Aug-20-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131731	0.4	1.64	83	181	<0.5	22	2.95	3	14	27	7	4.73	1	0.34	<10	0.74	1367	<2	0.01	<1	1550	10	1.71	12	3	84	<5	<0.01	<10	<10	29	<10	83	2
131732	0.4	1.61	73	181	<0.5	19	3.86	3	13	18	<1	4.04	1	0.30	<10	0.78	1673	<2	0.01	<1	1566	9	1.20	8	3	112	<5	<0.01	<10	<10	30	<10	114	2
131733	0.6	1.80	78	210	<0.5	20	3.45	3	14	17	<1	4.31	<1	0.31	<10	0.86	1672	<2	0.01	<1	1492	9	0.85	9	3	110	<5	<0.01	<10	<10	34	<10	79	2
131734	<0.2	1.89	26	193	<0.5	19	3.98	3	13	16	4	4.28	1	0.29	<10	0.96	2072	<2	0.01	<1	1430	6	0.59	9	3	123	<5	<0.01	<10	<10	34	<10	119	2
131735	11.3	0.80	241	160	<0.5	10	6.13	18	7	46	30	2.18	1	0.24	<10	0.33	2792	3	0.01	2	972	252	0.94	7	2	157	<5	<0.01	<10	<10	18	<10	1317	1
131736	22.1	0.97	188	174	<0.5	12	7.21	5	9	31	22	2.76	<1	0.25	<10	0.41	2898	<2	0.01	2	1001	120	1.04	6	2	203	<5	<0.01	<10	<10	19	<10	581	1
131737	26.6	1.00	110	163	<0.5	12	7.84	4	7	41	20	2.75	<1	0.25	<10	0.44	3219	<2	0.01	2	922	190	1.04	5	2	205	<5	<0.01	<10	<10	20	<10	465	1
131738	4.0	1.50	45	180	<0.5	16	3.63	17	9	34	23	3.81	1	0.28	<10	0.77	2342	<2	0.01	1	1239	368	1.08	<5	3	103	<5	<0.01	<10	<10	38	<10	1379	2
131739	2.1	1.76	38	432	<0.5	17	2.61	6	12	29	15	4.18	<1	0.32	<10	0.85	2076	<2	0.01	2	1463	201	0.58	<5	3	79	<5	<0.01	<10	<10	37	<10	549	2
131740	5.8	1.81	28	242	<0.5	19	2.08	31	12	30	54	4.33	1	0.30	<10	0.94	2352	<2	0.01	2	1434	1310	0.95	<5	3	70	<5	<0.01	<10	<10	43	<10	2490	2
131741	2.2	1.43	48	108	<0.5	20	3.29	9	12	41	15	4.76	<1	0.27	<10	0.86	3054	<2	0.01	2	1233	214	2.25	<5	3	134	<5	<0.01	<10	<10	42	<10	824	2
131742	1.2	1.51	31	215	<0.5	19	5.11	3	11	22	29	4.14	<1	0.34	<10	0.72	2704	<2	0.01	2	1398	23	1.42	<5	3	122	<5	<0.01	<10	<10	29	<10	134	2
131743	5.0	0.94	70	140	<0.5	17	6.49	26	8	43	75	3.44	1	0.23	<10	0.48	2484	<2	0.01	1	899	680	1.90	<5	2	119	<5	<0.01	<10	<10	23	<10	2178	1
131744	2.1	1.43	48	179	<0.5	16	2.43	13	11	35	87	3.91	<1	0.26	<10	0.90	2667	<2	0.01	2	1166	458	1.45	<5	3	60	<5	<0.01	<10	<10	37	<10	1272	2
131745	1.9	1.92	35	273	0.6	20	2.60	18	13	35	41	4.64	1	0.69	<10	1.07	2757	<2	0.02	4	1513	607	1.32	<5	4	53	<5	0.06	<10	<10	50	<10	1673	5
131746	2.7	1.54	56	125	0.5	18	4.36	45	12	28	110	4.22	3	0.67	<10	0.74	2360	<2	0.01	2	1157	447	2.03	<5	4	67	<5	0.05	<10	<10	43	<10	3232	3
131747	<0.2	0.02	<5	13	<0.5	<5	>15.00	<1	<1	5	2	0.04	<1	0.01	<10	2.12	35	<2	0.01	<1	88	<2	0.79	<5	<1	5056	<5	<0.01	<10	<10	1	<10	7	<1
131748	1.7	1.38	6716	73	0.8	158	5.80	3	96	35	272	4.54	1	0.19	<10	0.45	794	31	0.06	55	875	18	0.91	13	3	68	<5	0.12	<10	<10	56	<10	80	13
131749	<0.2	2.26	19	483	2.3	23	3.08	3	30	100	23	5.49	1	0.06	40	2.61	1113	<2	0.05	47	4867	15	0.23	<5	7	183	<5	0.33	17	<10	115	<10	220	19
131750	<0.2	2.28	9	567	1.8	24	3.04	3	29	106	18	5.25	<1	0.09	43	2.66	1006	<2	0.04	49	4912	10	0.18	<5	6	210	<5	0.23	16	<10	108	<10	145	14
131751	<0.2	2.30	8	1033	1.7	23	3.69	3	29	116	20	5.63	<1	0.09	41	2.67	1004	<2	0.04	48	4847	7	0.21	<5	6	248	<5	0.23	17	<10	115	<10	115	14
131752	<0.2	2.36	9	528	<0.5	25	4.24	3	23	100	20	5.64	<1	0.13	55	2.60	1182	<2	0.03	43	4778	12	0.20	<5	5	262	5	0.01	19	<10	111	<10	129	5
131753	<0.2	2.34	<5	1653	0.6	24	3.62	3	24	100	19	5.76	<1	0.11	55	2.72	1019	<2	0.03	46	4758	9	0.21	<5	6	320	5	0.04	18	<10	109	<10	113	6
131754	<0.2	2.27	7	668	1.6	22	3.56	3	27	91	20	5.57	1	0.09	44	2.62	1012	<2	0.04	45	4793	5	0.18	<5	6	281	<5	0.22	16	<10	106	<10	109	13
131755	<0.2	2.42	8	1710	1.6	23	3.28	3	27	104	22	5.56	1	0.11	43	2.69	1025	<2	0.04	47	4694	5	0.18	<5	6	240	<5	0.22	16	<10	100	<10	138	14
131756	<0.2	2.66	8	2258	0.8	23	3.31	3	26	113	23	5.68	<1	0.13	58	2.81	1107	<2	0.03	48	4944	7	0.19	<5	6	245	5	0.07	19	<10	102	<10	170	8
131757	<0.2	2.20	9	1264	1.0	22	3.47	2	25	93	21	5.38	<1	0.08	46	2.58	930	<2	0.03	45	4578	4	0.25	<5	5	1164	<5	0.12	14	<10	92	<10	106	9
131758	2.6	1.06	127	179	0.8	17	1.16	9	16	106	21	4.01	1	0.13	10	0.90	733	4	0.03	11	1651	118	1.57	<5	4	215	<5	0.11	<10	<10	68	<10	602	7
131759	<0.2	2.12	15	616	2.9	23	3.39	3	31	97	27	5.68	<1	0.17	41	2.45	877	<2	0.14	47	4977	7	0.34	<5	8	1062	5	0.41	16	<10	127	<10	114	26
131760	2.0	0.66	107	127	<0.5	19	1.58	15	13	88	58	4.25	<1	0.34	<10	0.67	1320	<2	0.01	5	1340	134	1.99	<5	4	121	<5	0.01	<10	<10	31	<10	1129	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95ºC for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment 8

Sample type: Core

Report No : **9V0998RJ**

Date : Aug-20-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131761	1.8	2.12	112	134	<0.5	26	1.49	33	15	23	39	6.24	1	0.34	<10	1.50	2083	<2	0.01	2	1474	694	2.15	<5	5	50	<5	0.01	<10	<10	59	<10	2283	2
131762	2.0	1.58	137	95	<0.5	25	1.46	15	15	55	8	5.70	<1	0.34	<10	0.99	2067	2	0.01	2	1321	246	2.74	<5	4	36	<5	<0.01	<10	<10	39	<10	1178	2
131763	3.0	2.11	137	134	<0.5	26	3.78	32	15	21	18	6.13	<1	0.62	<10	1.22	3766	<2	0.01	2	1438	319	2.66	<5	5	83	<5	0.01	<10	<10	56	<10	2472	2
131764	<0.2	2.14	11	1171	1.9	22	3.35	2	27	106	22	5.40	<1	0.08	35	2.63	972	<2	0.05	46	4624	8	0.32	<5	6	1298	<5	0.27	12	<10	106	<10	97	15
Duplicates:																																		
131581	0.3	1.99	7	183	0.7	19	3.76	2	18	8	78	4.46	<1	0.33	<10	1.15	1440	<2	0.02	7	1927	15	0.87	<5	3	268	<5	0.09	<10	<10	38	<10	86	3
131590	0.8	1.63	21	169	0.5	20	4.10	17	17	16	72	4.77	<1	0.39	10	0.61	2380	<2	0.02	5	1718	11	1.50	<5	2	195	<5	0.07	<10	<10	25	<10	1358	2
131600	0.6	0.92	19	213	<0.5	14	3.66	2	9	15	28	3.44	<1	0.36	<10	0.77	1597	<2	0.01	1	1218	9	0.89	<5	2	248	<5	<0.01	<10	<10	15	<10	84	1
131603	0.6	1.08	13	163	<0.5	16	4.10	3	12	19	10	3.82	<1	0.31	<10	0.57	1978	<2	0.01	2	1281	10	2.16	<5	1	181	<5	<0.01	<10	<10	12	<10	54	2
131612	1.0	0.88	19	155	<0.5	13	3.09	2	8	14	6	2.95	<1	0.36	<10	0.30	1327	2	0.01	1	1023	21	1.75	<5	1	129	<5	<0.01	<10	<10	9	<10	44	1
131622	8.2	1.86	23	142	<0.5	20	4.39	25	16	15	83	4.97	<1	0.29	<10	0.78	2463	<2	0.01	1	1383	173	1.13	<5	2	150	<5	0.01	<10	<10	26	<10	1783	1
131625	1.7	1.33	6878	79	0.7	166	6.18	4	105	37	281	4.97	<1	0.19	<10	0.51	811	30	0.05	61	796	20	0.94	12	3	64	<5	0.11	<10	<10	56	14	85	11
131634	0.6	1.56	18	190	<0.5	16	4.04	2	10	7	8	3.90	<1	0.25	<10	0.92	1668	<2	0.01	1	1184	10	0.75	<5	1	170	<5	<0.01	<10	<10	18	<10	87	2
131644	2.1	1.16	27	180	<0.5	20	3.94	4	18	15	7	4.84	<1	0.30	<10	0.87	1864	<2	0.01	2	1440	21	2.09	<5	2	145	<5	<0.01	<10	<10	22	<10	152	2
131647	0.6	1.46	16	160	<0.5	16	3.01	2	10	13	16	3.67	<1	0.22	<10	0.78	1414	<2	0.01	1	1066	9	1.24	<5	1	140	<5	<0.01	<10	<10	20	<10	69	2
131656	1.0	1.42	29	161	<0.5	17	3.25	2	11	15	9	3.82	<1	0.23	<10	0.78	1527	5	0.01	2	1048	9	1.73	<5	1	126	<5	<0.01	<10	<10	17	<10	72	2
131666	0.3	1.39	57	163	<0.5	14	2.95	2	8	19	13	3.21	<1	0.22	<10	0.66	1337	<2	0.02	1	997	4	0.83	<5	1	113	<5	0.01	<10	<10	16	<10	51	1
131669	1.8	1.30	6583	76	0.7	160	6.11	3	101	35	267	5.03	<1	0.19	<10	0.48	768	30	0.05	58	778	21	0.92	13	3	60	<5	0.11	<10	<10	54	15	82	11
131678	0.6	1.11	24	169	<0.5	14	3.96	2	9	17	9	3.53	<1	0.19	<10	0.74	1408	2	0.02	1	1130	9	1.43	<5	1	186	<5	0.01	<10	<10	15	<10	85	2
131688	0.7	0.56	72	41	<0.5	26	1.93	5	16	32	5	6.61	<1	0.26	<10	0.23	758	<2	0.01	2	1461	17	4.60	<5	2	46	<5	<0.01	<10	<10	17	<10	48	2
131691	<0.2	0.03	<5	13	<0.5	<5	>15.00	<1	<1	2	1	0.04	<1	0.01	<10	1.86	15	<2	0.01	<1	68	<2	0.87	<5	<1	4661	<5	<0.01	<10	<10	1	<10	<1	<1
131700	0.8	1.81	62	162	<0.5	21	2.91	3	12	24	11	5.04	<1	0.21	<10	0.90	1783	<2	0.01	1	1706	36	1.84	<5	2	79	<5	<0.01	<10	<10	32	<10	148	2
131710	0.5	2.41	30	193	<0.5	23	2.35	4	14	15	12	5.95	<1	0.19	10	0.77	1527	<2	0.02	2	1496	33	0.89	<5	3	54	<5	<0.01	<10	<10	39	<10	151	2
131713	<0.2	2.29	12	203	<0.5	24	1.64	4	13	20	15	5.31	<1	0.20	14	0.78	1616	<2	0.02	<1	1428	11	0.26	9	2	35	<5	<0.01	<10	<10	33	<10	109	2
131722	5.6	1.56	89	201	<0.5	15	2.18	6	11	36	16	3.55	1	0.25	10	0.65	1873	<2	0.02	<1	1164	354	0.71	10	1	66	<5	<0.01	<10	<10	15	<10	348	2
131732	0.4	1.59	72	193	<0.5	18	3.82	3	14	18	<1	4.03	1	0.31	<10	0.79	1712	<2	0.01	<1	1593	9	1.24	8	3	112	<5	<0.01	<10	<10	31	<10	117	2
131735	10.6	0.84	248	178	<0.5	9	6.22	18	7	45	29	2.22	<1	0.27	<10	0.34	2860	4	0.01	2	1002	258	0.94	7	2	164	<5	<0.01	<10	<10	19	<10	1357	1
131744	2.2	1.49	48	223	<0.5	17	2.45	13	11	36	89	3.97	<1	0.30	<10	0.92	2689	<2	0.01	2	1189	463	1.48	<5	3	64	<5	<0.01	<10	<10	39	<10	1280	2
131754	<0.2	2.20	8	652	1.8	23	3.46	3	28	89	20	5.36	<1	0.09	44	2.51	1004	<2	0.04	45	4740	5	0.19	<5	6	276	<5	0.25	16	<10	107	<10	107	14
131757	<0.2	2.31	9	1340	1.2	22	3.60	2	26	98	22	5.57	<1	0.09	48	2.67	967	<2	0.04	46	4723	4	0.26	<5	6	1247	5	0.14	14	<10	98	<10	110	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Premier/shipment 8
Sample type: Core

Report No : **9V0998RJ**
Date : Aug-20-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	1	<0.01	<1	<0.01	<10	<0.01	<5	<2	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
ICP-5	26.5	1.27	1477	171	0.7	54	2.07	17	18	169	2204	4.19	1	0.18	<10	1.29	662	7	0.08	112	588	2468	1.38	222	3	67	<5	0.09	<10	<10	66	29	1512	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1002-RA1

Aug-24-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment 9
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Aug-10-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
131765	<0.01	<0.1	1.5
131766	0.05	<0.1	2.1
131767	0.17	1.4	1.5
131768	0.51	0.9	2.5
131769	0.01	<0.1	0.5
131770	0.30	0.8	
131771	0.13	1.0	1.6
131772	0.34	1.0	1.6
131773	0.13	1.7	2.2
131774	0.02	5.8	0.5
131775	0.07	25.6	1.8
131776	0.09	0.5	1.5
131777	0.26	1.1	2.4
131778	0.22	0.7	2.2
131779	0.84	1.2	2.5
131780	0.30	1.8	2.5
131781	0.09	0.9	2.4
131782	0.04	0.6	2.4
131783	0.09	0.4	2.6
131784	0.02	0.4	2.3
131785	0.01	0.1	1.9
131786	<0.01	<0.1	0.5
*DUP 131765	<0.01	<0.1	
*DUP 131774	0.01	5.9	
*DUP 131784	<0.01	0.4	
*0211	2.29		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1002-RA2

Aug-24-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment 9
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Aug-10-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
131787	3.70	1.4	
131788	<0.01	0.3	1.7
131789	0.09	1.2	2.1
131790	0.27	2.1	2.0
131791	0.02	1.4	2.6
131792	0.06	1.0	1.7
131793	<0.01	0.3	0.4
131794	<0.01	0.1	2.1
131795	<0.01	<0.1	2.5
131796	<0.01	<0.1	2.5
131797	<0.01	0.6	2.4
131798	0.03	0.5	2.3
131799	<0.01	0.5	2.4
131800	<0.01	0.2	1.8
131801	<0.01	1.0	2.4
131802	0.19	6.8	2.4
131803	0.12	5.4	2.6
131804	0.36	3.5	2.1
131805	0.26	3.2	2.4
131806	0.16	1.1	1.5
131807	<0.01	<0.1	2.2
131808	<0.01	0.9	1.5
*DUP 131787	3.60	1.5	
*DUP 131796	<0.01	<0.1	
*DUP 131806	0.19	1.3	
*0211	2.33		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1002-RA3

Aug-24-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment 9
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Aug-10-09

Sample Name	Au g/tonne	Ag g/tonne	Ag g/tonne	Sample-Wt Kg
131809	0.34	3.0		2.4
131810	1.15	4.0		2.4
131811	0.13	2.8		2.1
131812	0.04	0.7		0.8
131813	0.01	<0.1		0.5
131814	0.30	0.7		
131815	0.01	<0.1		2.2
131816	0.01	<0.1		2.0
131817	0.01	<0.1		2.1
131818	0.02	<0.1		1.4
131819	0.41	2.2		1.6
131820	0.46	1.4		1.8
131821	0.01	<0.1		2.2
131822	<0.01	<0.1		2.1
131823	0.01	<0.1		2.2
131824	0.01	<0.1		1.7
131825	0.56	<0.1		1.8
131826	0.01	<0.1		2.4
131827	0.07	0.4		0.5
131828	0.21	2.9		2.1
131829	146.0	>200.0	306.3	0.4
131830	0.59	6.1		1.1
*DUP 131809	0.37	2.9		
*DUP 131818	<0.01	<0.1		
*DUP 131828	0.21	2.8		
*0211	2.17			
*AC 0501			226.9	
*BLANK	<0.01		<0.01	

Au F.A. AA finish. Ag read from ICP solution. Over limit Ag 4 Acid Digest AA finish

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1002-RA4

Aug-24-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment 9
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Aug-10-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
131831	6.48	4.0	1.8
131832	2.33	4.3	1.6
131833	0.30	5.1	1.6
131834	0.02	<0.1	0.5
131835	3.68	1.5	
131836	0.36	5.6	1.7
131837	0.39	2.3	1.6
131838	0.46	4.2	0.9
131839	0.19	2.1	0.5
131840	0.28	6.4	1.7
131841	0.50	4.7	1.4
131842	0.11	3.8	1.7
131843	0.12	6.7	2.4
131844	<0.01	<0.1	0.5
131845	0.08	1.2	2.1
131846	0.77	4.0	1.6
131847	0.17	1.6	1.3
131848	0.11	3.1	2.5
131849	0.08	1.7	2.4
131850	0.39	4.7	2.6
131851	0.15	2.2	2.4
131852	0.17	1.8	2.4
*DUP 131831	6.73	4.0	
*DUP 131840	0.27	5.8	
*DUP 131850	0.35	4.6	
*0211	2.21		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1002-RA5

Aug-24-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment 9
Attn: Sue Deane

We *hereby certify* the following assay of 16 core samples submitted Aug-10-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
131853	0.16	1.1	2.7
131854	0.09	1.6	2.6
131855	0.10	1.2	2.4
131856	0.25	2.4	2.4
131857	0.22	1.3	2.5
131858	0.13	0.9	2.1
131859	0.48	0.9	2.9
131860	0.09	2.1	2.4
131861	0.06	1.3	3.0
131862	0.02	<0.1	0.7
131863	0.36	3.9	1.5
131864	0.79	2.6	2.6
131865	0.40	2.0	2.4
131866	0.87	1.6	2.3
131867	0.01	<0.1	2.6
131868	0.01	<0.1	2.6
*DUP 131853	0.14	1.1	
*DUP 131862	<0.01	<0.1	
*0211	2.24		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment 9

Sample type: Core

Report No : **9V1002RJ**

Date : Aug-24-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131765	<0.2	2.06	11	1533	2.1	24	3.11	2	29	112	27	5.41	1	0.06	36	2.50	947	<2	0.06	47	4672	3	0.31	<5	6	967	<5	0.27	15	<10	104	<10	105	18
131766	<0.2	1.68	13	1001	1.5	20	2.91	4	24	85	46	4.56	1	0.04	31	2.07	941	<2	0.04	37	3884	11	0.27	<5	5	943	<5	0.19	13	<10	88	<10	275	13
131767	1.4	2.96	54	224	1.1	26	3.48	29	18	20	20	5.71	1	0.83	<10	1.66	3009	3	0.05	2	1487	324	1.11	<5	9	96	<5	0.12	10	<10	101	<10	2388	3
131768	0.9	2.51	36	322	1.3	23	3.27	25	20	38	25	5.39	1	0.72	13	1.70	2086	<2	0.04	14	2314	145	0.84	<5	7	90	<5	0.15	11	<10	88	<10	2085	7
131769	<0.2	0.04	<5	11	<0.5	<5	>15.00	<1	<1	3	2	0.07	1	0.02	<10	4.30	89	<2	0.01	1	126	<2	0.66	<5	<1	2218	<5	<0.01	12	<10	2	<10	7	<1
131770	0.8	0.53	739	1206	0.5	15	0.70	2	9	54	32	3.38	2	0.12	14	0.33	451	5	0.01	32	978	152	0.21	513	4	183	6	<0.01	<10	<10	56	<10	231	12
131771	1.0	2.01	96	149	0.5	22	4.01	6	16	15	12	5.04	<1	0.70	<10	1.17	2692	<2	0.01	2	1448	120	1.59	<5	5	73	<5	0.02	<10	<10	61	<10	509	2
131772	1.0	2.47	38	350	<0.5	22	4.18	24	14	15	14	5.22	<1	0.50	<10	1.39	2964	<2	0.04	1	1485	163	0.85	<5	6	86	<5	0.01	<10	<10	67	<10	2071	2
131773	1.7	2.06	60	196	<0.5	23	5.58	14	13	21	13	5.17	<1	0.25	<10	1.28	3825	<2	0.03	2	1256	176	1.14	<5	4	103	<5	<0.01	<10	<10	59	<10	1329	2
131774	5.8	0.49	16	184	<0.5	6	4.65	7	3	96	9	1.43	<1	0.08	<10	0.30	1948	<2	0.01	2	316	171	0.38	<5	1	65	<5	<0.01	<10	<10	14	<10	730	1
131775	25.6	1.91	48	139	<0.5	22	6.53	10	13	21	19	4.72	<1	0.22	<10	1.26	3491	<2	0.02	2	1326	247	1.05	5	4	121	<5	<0.01	10	<10	59	<10	1057	2
131776	0.5	1.93	84	230	<0.5	22	3.61	2	15	17	3	5.15	<1	0.24	<10	1.35	2806	<2	0.02	2	1441	23	1.17	<5	4	71	<5	<0.01	<10	<10	56	<10	161	2
131777	1.1	1.64	191	148	<0.5	23	3.98	6	15	19	7	5.17	<1	0.24	<10	1.12	2835	<2	0.02	2	1386	128	2.03	<5	4	83	<5	<0.01	<10	<10	49	<10	534	2
131778	0.7	1.91	83	142	<0.5	23	3.37	2	15	17	12	5.46	<1	0.24	<10	1.24	2394	<2	0.02	1	1528	28	1.36	<5	4	77	<5	<0.01	<10	<10	52	<10	114	2
131779	1.2	1.50	117	130	<0.5	22	5.56	5	14	20	11	5.00	<1	0.23	<10	1.00	3199	<2	0.01	1	1310	116	1.92	<5	3	134	<5	<0.01	<10	<10	40	<10	404	2
131780	1.8	1.66	89	131	<0.5	21	5.09	2	13	18	40	4.54	<1	0.23	<10	1.10	3055	<2	0.01	2	1292	236	1.31	<5	3	135	<5	<0.01	<10	<10	40	<10	142	2
131781	0.9	1.75	100	126	<0.5	21	4.10	2	15	16	16	4.87	<1	0.22	<10	1.28	2199	<2	0.01	1	1410	19	1.22	<5	3	119	<5	<0.01	<10	<10	37	<10	91	2
131782	0.6	1.98	52	172	<0.5	23	3.45	2	16	13	12	5.07	<1	0.24	<10	1.42	1849	<2	0.01	1	1467	9	0.91	<5	4	107	<5	<0.01	<10	<10	44	<10	96	2
131783	0.4	1.98	56	178	<0.5	23	4.10	2	16	12	<1	5.33	<1	0.23	<10	1.42	1887	<2	0.01	1	1490	7	0.94	<5	4	118	<5	<0.01	<10	<10	43	<10	100	2
131784	0.4	1.86	46	178	<0.5	22	4.74	2	15	13	5	5.06	<1	0.26	<10	1.44	2179	<2	0.01	1	1510	8	0.69	<5	4	122	<5	<0.01	<10	<10	40	<10	102	2
131785	<0.2	1.68	5	96	<0.5	20	3.91	2	16	46	21	4.55	<1	0.20	17	1.68	1361	<2	0.02	12	2110	15	0.38	<5	5	141	<5	<0.01	10	<10	52	<10	110	2
131786	<0.2	0.03	<5	<10	<0.5	<5	>15.00	<1	<1	2	1	0.04	<1	0.01	<10	4.14	84	<2	0.01	1	112	<2	0.73	<5	<1	3864	<5	<0.01	<10	<10	1	<10	<1	<1
131787	1.4	1.23	5931	67	0.7	142	5.25	3	92	31	245	4.03	1	0.17	<10	0.41	701	27	0.05	53	770	15	0.79	10	3	53	<5	0.10	<10	<10	50	<10	70	11
131788	0.3	1.45	8	123	0.5	19	3.45	3	17	53	19	4.21	1	0.24	24	1.77	1222	<2	0.03	17	2496	27	0.20	<5	5	186	<5	<0.01	10	<10	50	<10	103	3
131789	1.2	0.51	47	97	0.5	18	3.76	3	14	24	23	3.99	<1	0.33	11	1.12	2182	3	0.01	4	1571	18	0.75	<5	5	258	<5	<0.01	<10	<10	19	<10	83	2
131790	2.1	0.47	202	113	0.5	25	3.45	5	16	23	2	5.33	<1	0.34	<10	1.15	2645	<2	0.01	1	1369	48	1.86	<5	5	215	<5	<0.01	<10	<10	21	<10	172	2
131791	1.4	0.62	60	455	0.5	20	3.15	4	15	20	33	4.55	<1	0.35	<10	1.14	2803	10	0.01	1	1417	33	0.61	<5	5	180	<5	<0.01	<10	<10	23	<10	165	2
131792	1.0	1.14	67	157	<0.5	21	3.99	4	16	20	6	4.70	<1	0.34	<10	1.22	3084	<2	0.01	2	1360	60	0.88	<5	5	207	<5	<0.01	<10	<10	31	<10	159	2
131793	0.3	1.50	44	262	<0.5	17	4.45	2	11	22	5	4.07	<1	0.28	12	1.02	1437	<2	0.01	5	1825	6	1.08	<5	4	142	<5	<0.01	<10	<10	33	<10	77	2
131794	<0.2	1.71	114	177	<0.5	18	4.22	2	12	19	4	4.13	<1	0.27	<10	0.88	1270	<2	0.01	1	1271	4	1.03	6	3	91	<5	<0.01	<10	<10	31	<10	77	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment 9

Sample type: Core

Report No : **9V1002RJ**

Date : Aug-24-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131795	<0.2	2.08	24	212	<0.5	19	3.75	2	14	17	<1	4.48	<1	0.30	11	0.96	1226	<2	0.01	1	1616	<2	0.36	<5	4	100	<5	<0.01	<10	<10	37	<10	94	2
131796	<0.2	2.35	41	189	<0.5	23	3.34	2	16	15	1	5.10	<1	0.30	10	1.15	1499	<2	0.01	1	1670	3	0.35	<5	4	93	<5	<0.01	<10	<10	42	<10	101	2
131797	0.6	1.98	80	193	<0.5	19	4.99	2	12	23	2	4.35	<1	0.30	<10	1.01	2061	<2	0.01	2	1721	9	0.73	<5	4	146	<5	<0.01	<10	<10	37	<10	93	2
131798	0.5	1.67	59	185	<0.5	18	3.63	2	11	21	6	4.07	<1	0.28	<10	0.81	1742	<2	0.01	1	1531	6	0.73	<5	3	106	<5	<0.01	<10	<10	35	<10	112	2
131799	0.5	1.99	82	220	<0.5	20	4.49	2	14	22	5	4.58	<1	0.32	<10	0.98	2024	<2	0.01	1	1740	9	0.72	<5	4	139	<5	<0.01	<10	<10	40	<10	89	2
131800	0.2	1.85	33	201	<0.5	19	4.59	2	12	18	<1	4.12	<1	0.30	<10	0.88	1548	<2	0.01	1	1673	5	0.51	<5	4	178	<5	<0.01	<10	<10	36	<10	84	2
131801	1.0	1.89	43	195	<0.5	19	3.63	2	14	22	41	4.40	<1	0.30	10	0.94	1737	<2	0.01	1	1719	7	0.72	<5	4	106	<5	<0.01	<10	<10	39	<10	113	2
131802	6.8	1.41	109	190	<0.5	15	4.36	3	12	26	18	3.71	<1	0.28	<10	0.65	2180	<2	0.01	1	1324	198	1.07	<5	3	125	<5	<0.01	<10	<10	26	<10	208	2
131803	5.4	1.01	91	193	<0.5	16	2.33	10	10	51	35	3.48	<1	0.28	<10	0.42	2083	<2	0.01	2	1165	235	1.69	6	2	77	<5	<0.01	<10	<10	25	<10	1006	2
131804	3.5	1.40	82	199	<0.5	18	3.17	7	11	31	37	3.91	<1	0.33	<10	0.58	3202	<2	0.01	2	1310	211	1.22	<5	2	92	<5	<0.01	<10	<10	33	<10	678	2
131805	3.2	1.63	55	217	<0.5	16	2.35	8	12	38	88	3.68	<1	0.35	<10	0.73	2645	<2	0.01	2	1400	244	0.64	<5	3	79	<5	<0.01	<10	<10	36	<10	775	2
131806	1.1	1.59	18	181	<0.5	15	2.32	4	11	32	20	3.44	<1	0.31	<10	0.75	2454	4	0.01	2	1323	129	0.42	<5	3	53	<5	<0.01	<10	<10	32	<10	458	2
131807	<0.2	2.70	8	698	0.6	25	4.14	3	25	93	16	5.88	<1	0.14	33	2.33	1881	<2	0.05	24	3387	8	0.31	<5	6	121	<5	0.06	13	<10	87	<10	209	7
131808	0.9	1.97	12	427	<0.5	18	2.48	2	13	31	30	3.97	<1	0.31	10	1.02	2596	<2	0.01	2	1395	38	0.26	<5	3	59	<5	<0.01	<10	<10	37	<10	264	2
131809	3.0	1.54	36	158	<0.5	14	1.97	8	10	31	93	3.38	<1	0.28	<10	0.80	2668	<2	0.01	2	1062	326	0.58	<5	2	51	<5	<0.01	<10	<10	31	<10	816	2
131810	4.0	1.63	57	193	<0.5	16	0.68	4	11	35	183	3.87	<1	0.31	<10	0.88	2675	<2	0.01	2	1278	157	0.98	5	3	24	<5	<0.01	<10	<10	32	<10	456	2
131811	2.8	1.74	56	300	<0.5	16	1.31	4	11	21	89	3.81	<1	0.52	10	0.86	2999	<2	0.01	2	1382	139	0.92	<5	3	36	<5	0.01	<10	<10	38	<10	323	2
131812	0.7	2.06	38	268	0.5	18	2.01	2	15	66	21	4.42	<1	0.24	19	1.61	1886	<2	0.04	17	2250	39	0.64	<5	5	94	<5	0.03	<10	<10	73	<10	162	5
131813	<0.2	0.03	<5	<10	<0.5	<5	>15.00	<1	<1	3	1	0.04	<1	0.01	<10	2.45	67	<2	0.01	1	72	<2	0.68	<5	<1	4208	<5	<0.01	<10	<10	1	<10	3	<1
131814	0.7	0.55	701	1272	0.5	13	0.60	2	8	52	31	3.00	1	0.14	15	0.30	417	5	0.01	29	950	137	0.20	555	4	202	6	<0.01	<10	<10	55	<10	212	12
131815	<0.2	2.07	11	1371	1.3	22	3.37	3	25	88	19	4.98	<1	0.06	39	2.29	1166	<2	0.04	39	4310	5	0.25	<5	6	233	<5	0.18	15	<10	108	<10	121	11
131816	<0.2	2.13	9	915	1.7	21	3.31	2	26	90	20	5.14	<1	0.07	36	2.46	910	<2	0.04	42	4274	4	0.21	<5	6	202	<5	0.25	14	<10	101	<10	100	15
131817	<0.2	1.92	10	389	1.6	20	2.89	3	25	90	17	4.74	<1	0.07	34	2.23	900	<2	0.05	40	4230	3	0.19	<5	5	175	<5	0.22	13	<10	95	<10	92	15
131818	<0.2	2.10	6	1489	0.9	21	3.13	3	23	88	21	4.99	<1	0.08	41	2.30	914	<2	0.03	40	4254	4	0.22	<5	5	256	<5	0.10	14	<10	100	<10	104	9
131819	2.2	0.68	24	199	<0.5	11	1.89	21	7	69	26	2.62	<1	0.20	<10	0.60	1734	<2	0.01	3	770	89	1.05	<5	2	82	<5	<0.01	<10	<10	17	<10	1832	2
131820	1.4	0.28	24	136	<0.5	6	1.78	6	5	115	23	1.54	<1	0.15	<10	0.27	978	<2	0.01	3	419	46	0.77	<5	1	51	<5	<0.01	<10	<10	7	<10	545	1
131821	<0.2	2.11	6	1702	0.7	22	3.32	3	23	91	20	5.07	<1	0.09	50	2.26	891	<2	0.04	42	4390	6	0.23	<5	6	276	<5	0.08	17	<10	105	<10	107	8
131822	<0.2	2.07	8	369	1.8	22	3.11	3	26	95	23	5.04	<1	0.08	37	2.40	825	<2	0.04	42	4230	3	0.17	<5	6	195	<5	0.26	14	<10	99	<10	93	15
131823	<0.2	2.10	10	399	2.0	22	3.10	3	27	100	23	5.11	<1	0.08	35	2.46	874	<2	0.05	45	4425	3	0.19	<5	6	228	<5	0.28	14	<10	101	<10	94	16
131824	<0.2	2.09	8	349	2.0	21	2.98	2	27	105	20	5.17	<1	0.08	33	2.45	872	<2	0.04	42	4344	5	0.16	<5	6	217	<5	0.27	14	<10	102	<10	96	17

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Premier/shipment 9
Sample type: Core

Report No : **9V1002RJ**
Date : Aug-24-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131825	<0.2	2.03	9	300	1.9	20	2.87	3	26	100	22	4.98	<1	0.08	34	2.37	858	<2	0.05	42	3726	4	0.15	<5	5	382	<5	0.28	13	<10	92	<10	95	16
131826	<0.2	2.13	8	942	1.9	21	3.15	2	25	87	24	5.13	<1	0.07	40	2.45	987	<2	0.04	41	3610	8	0.17	<5	6	357	<5	0.27	15	<10	104	<10	111	16
131827	0.4	2.23	20	689	2.1	20	3.13	23	24	80	41	4.91	1	0.06	32	2.44	1240	<2	0.04	35	3337	23	0.44	<5	7	298	<5	0.30	13	<10	105	<10	1787	19
131828	2.9	2.14	96	216	<0.5	19	1.40	10	12	27	18	4.43	<1	0.68	<10	1.46	1923	<2	0.02	3	1274	443	1.19	<5	7	72	<5	0.04	<10	<10	81	<10	876	3
131829	>200.0	1.59	217	162	<0.5	17	1.13	39	14	32	32	3.72	1	0.72	<10	0.99	1881	<2	0.02	2	1373	1305	1.76	<5	5	44	<5	0.01	<10	<10	58	<10	2836	2
131830	6.1	2.11	266	89	<0.5	25	1.05	13	20	23	26	5.73	<1	0.83	<10	1.35	2164	<2	0.02	2	1344	1576	2.60	<5	6	43	<5	0.02	<10	<10	63	<10	1142	2
131831	4.0	2.46	143	336	<0.5	22	1.20	34	14	21	61	4.86	<1	0.44	<10	1.79	2822	<2	0.02	2	1428	1499	1.18	<5	6	52	<5	0.01	<10	<10	99	<10	2591	2
131832	4.3	2.20	229	117	<0.5	26	2.29	43	15	21	43	5.65	<1	0.28	<10	1.53	3407	<2	0.01	2	1365	1302	2.22	<5	5	74	<5	0.01	<10	<10	86	<10	3006	2
131833	5.1	2.28	184	137	<0.5	27	2.05	84	16	23	70	5.59	1	0.22	<10	1.66	3387	<2	0.02	2	1327	1044	1.88	<5	5	66	<5	0.01	<10	<10	85	<10	4212	2
131834	<0.2	0.03	<5	<10	<0.5	<5	>15.00	<1	<1	2	1	0.04	<1	0.01	<10	4.84	80	<2	0.01	1	182	<2	0.61	<5	<1	2897	<5	<0.01	<10	<10	1	<10	22	<1
131835	1.5	1.41	6375	71	0.8	152	5.94	3	97	34	255	4.43	<1	0.19	<10	0.44	810	27	0.06	55	846	18	0.86	11	3	61	<5	0.12	<10	<10	55	<10	77	12
131836	5.6	1.93	238	147	<0.5	23	2.22	45	14	31	65	4.77	<1	0.21	<10	1.49	3097	<2	0.01	2	1241	426	1.78	<5	5	71	<5	0.01	<10	<10	83	<10	3128	2
131837	2.3	1.81	249	132	<0.5	23	1.34	20	14	31	14	5.29	<1	0.19	<10	1.35	2579	<2	0.01	2	1200	460	2.15	<5	4	52	<5	0.01	<10	<10	75	<10	1694	2
131838	4.2	1.61	222	131	<0.5	21	1.49	26	10	47	54	4.56	<1	0.22	<10	1.10	2725	<2	0.01	2	1100	643	1.95	<5	4	57	<5	<0.01	<10	<10	67	<10	2196	2
131839	2.1	1.71	116	100	<0.5	19	1.20	38	10	43	71	4.05	<1	0.16	<10	1.21	2856	<2	0.01	2	930	249	1.15	<5	4	39	<5	<0.01	<10	<10	66	<10	3063	2
131840	6.4	1.88	203	136	<0.5	23	1.78	77	15	41	168	4.76	1	0.22	<10	1.29	3112	3	0.01	2	1173	1022	1.71	<5	5	77	<5	<0.01	<10	<10	73	<10	4319	2
131841	4.7	1.64	200	117	<0.5	22	2.39	35	17	39	83	4.58	<1	0.25	<10	1.16	3362	<2	0.01	2	1028	1498	1.73	<5	5	83	<5	<0.01	<10	<10	67	<10	2752	2
131842	3.8	1.73	201	91	<0.5	22	1.62	17	15	27	25	4.81	<1	0.26	<10	1.40	3348	<2	0.01	2	1158	695	1.38	<5	5	73	<5	<0.01	<10	<10	71	<10	1585	2
131843	6.7	1.91	113	200	<0.5	20	2.96	12	14	31	37	4.50	<1	0.28	<10	1.32	3200	<2	0.01	2	1212	407	0.89	<5	6	93	<5	<0.01	<10	<10	65	<10	1271	2
131844	<0.2	2.10	<5	1225	0.5	23	3.46	3	23	89	8	4.90	<1	0.06	51	2.19	1569	<2	0.05	44	4108	22	0.28	<5	7	342	<5	0.04	17	<10	93	<10	190	6
131845	1.2	2.05	83	207	<0.5	23	1.91	9	14	28	17	4.77	<1	0.22	11	1.40	2852	<2	0.01	4	1430	249	1.07	<5	6	81	<5	0.01	<10	<10	82	<10	735	3
131846	4.0	2.03	128	144	<0.5	23	1.28	38	14	31	97	4.95	<1	0.20	<10	1.43	3027	<2	0.01	2	1265	1367	1.63	<5	5	58	<5	0.01	<10	<10	82	<10	2907	2
131847	1.6	2.23	48	98	<0.5	22	1.54	14	14	42	27	4.58	<1	0.22	<10	1.48	3243	<2	0.01	2	1257	376	0.69	<5	5	80	<5	<0.01	<10	<10	72	<10	1290	2
131848	3.1	2.05	88	143	<0.5	22	2.27	12	14	27	109	4.98	<1	0.26	<10	1.44	3291	<2	0.01	2	1367	583	1.26	<5	5	93	<5	<0.01	<10	<10	73	<10	1040	2
131849	1.7	2.09	77	136	<0.5	23	2.52	14	16	25	11	5.20	<1	0.26	<10	1.47	3139	<2	0.02	2	1424	705	1.36	<5	5	86	<5	<0.01	<10	<10	73	<10	1303	2
131850	4.7	1.39	299	101	<0.5	22	2.95	39	14	53	57	4.62	<1	0.26	<10	0.90	2989	3	0.01	3	1133	881	2.38	<5	4	94	<5	<0.01	<10	<10	47	<10	2859	2
131851	2.2	1.94	202	119	<0.5	23	1.64	13	16	22	13	5.16	<1	0.26	<10	1.34	2743	<2	0.01	3	1501	568	1.72	<5	4	57	<5	<0.01	<10	<10	67	<10	1020	2
131852	1.8	1.64	240	104	<0.5	22	1.71	25	14	28	30	4.69	<1	0.28	<10	1.13	2626	<2	0.01	2	1441	518	1.98	<5	4	67	<5	<0.01	<10	<10	61	<10	2029	2
131853	1.1	1.70	185	122	<0.5	21	2.81	8	11	34	6	4.47	1	0.23	<10	1.19	3089	<2	0.01	2	1249	67	1.56	<5	4	76	<5	<0.01	<10	<10	69	<10	713	2
131854	1.6	1.68	104	160	<0.5	21	2.48	14	14	27	20	4.43	<1	0.24	<10	1.26	2547	<2	0.01	2	1356	254	1.33	<5	4	76	<5	<0.01	<10	<10	57	<10	1244	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment 9

Sample type: Core

Report No : **9V1002RJ**

Date : Aug-24-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131855	1.2	1.48	128	119	<0.5	21	3.70	5	14	22	9	4.70	<1	0.27	<10	1.24	3044	<2	0.01	3	1333	90	1.54	<5	5	148	<5	<0.01	<10	<10	48	<10	313	2
131856	2.4	1.38	93	156	<0.5	21	4.24	13	17	19	24	4.63	<1	0.31	<10	1.46	3453	<2	0.01	5	1454	560	1.04	<5	6	228	<5	<0.01	<10	<10	46	<10	1182	2
131857	1.3	1.62	94	123	<0.5	22	3.71	9	13	26	8	4.83	<1	0.29	<10	1.33	3452	2	0.01	2	1286	282	1.04	<5	6	261	<5	<0.01	<10	<10	47	<10	677	2
131858	0.9	2.19	66	223	<0.5	24	2.93	6	13	25	<1	5.27	<1	0.24	<10	1.48	4073	<2	0.01	3	1376	57	0.92	<5	6	152	<5	<0.01	<10	<10	68	<10	449	2
131859	0.9	2.23	70	129	<0.5	25	2.78	5	14	31	<1	5.22	<1	0.26	<10	1.46	3881	<2	0.01	4	1437	86	1.03	<5	5	129	<5	0.01	<10	<10	73	<10	357	2
131860	2.1	2.18	106	167	<0.5	24	2.39	21	17	20	7	4.98	<1	0.21	<10	1.49	3276	<2	0.01	3	1388	901	1.16	<5	5	119	<5	<0.01	<10	<10	83	<10	1924	2
131861	1.3	2.07	78	182	<0.5	23	3.54	10	16	25	11	4.93	<1	0.23	<10	1.54	3379	<2	0.01	4	1301	135	1.14	<5	5	200	<5	0.01	<10	<10	73	<10	837	2
131862	<0.2	2.08	13	130	2.0	21	2.65	3	29	71	9	4.51	<1	0.13	15	2.02	1225	<2	0.08	38	1892	6	0.33	<5	7	84	<5	0.27	<10	<10	91	<10	111	15
131863	3.9	1.33	130	136	0.5	17	3.88	46	13	45	41	3.49	<1	0.27	<10	0.91	2251	<2	0.02	5	1090	887	1.67	<5	4	143	<5	0.05	<10	<10	48	<10	3482	5
131864	2.6	1.13	130	114	<0.5	15	3.67	11	9	47	22	3.39	<1	0.16	<10	0.76	2151	<2	0.01	2	810	142	1.45	<5	3	70	<5	0.02	<10	<10	51	<10	952	2
131865	2.0	1.32	151	75	0.5	19	4.22	14	13	52	25	4.13	<1	0.17	<10	0.87	1855	<2	0.02	4	865	52	1.98	<5	4	82	<5	0.07	<10	<10	50	<10	1219	3
131866	1.6	1.48	75	66	2.0	19	3.25	19	24	66	46	3.83	1	0.14	10	1.40	1304	<2	0.06	24	1691	151	1.09	<5	5	75	<5	0.28	<10	<10	73	<10	1535	10
131867	<0.2	1.79	25	49	2.1	20	2.06	2	26	69	19	4.14	<1	0.06	15	1.86	906	<2	0.07	32	2083	16	0.20	<5	5	66	<5	0.30	10	<10	93	<10	112	14
131868	<0.2	1.87	23	616	2.5	22	3.36	3	33	85	19	5.09	<1	0.05	19	2.30	694	<2	0.06	45	2621	54	0.25	<5	6	99	<5	0.39	12	<10	100	<10	122	17
Duplicates:																																		
131765	<0.2	1.90	10	1334	1.9	23	2.97	2	28	111	34	5.24	<1	0.05	34	2.41	910	<2	0.06	44	4554	2	0.27	<5	5	863	<5	0.23	15	<10	101	<10	98	17
131774	5.9	0.49	14	179	<0.5	6	4.53	6	3	100	9	1.39	<1	0.08	<10	0.29	1887	<2	0.01	2	305	167	0.37	<5	1	64	<5	<0.01	<10	<10	13	<10	702	1
131784	0.4	1.85	47	180	<0.5	21	4.64	2	15	13	4	4.95	<1	0.26	<10	1.40	2142	<2	0.01	1	1496	8	0.68	<5	4	118	<5	<0.01	<10	<10	40	<10	100	2
131787	1.5	1.43	6775	75	0.9	156	6.12	3	102	36	264	4.60	<1	0.19	<10	0.45	837	29	0.06	58	902	18	0.92	12	3	61	<5	0.12	<10	<10	58	<10	79	13
131796	<0.2	2.40	48	186	<0.5	23	3.49	2	16	15	2	5.08	<1	0.30	10	1.19	1476	<2	0.01	2	1655	3	0.35	<5	4	94	<5	<0.01	<10	<10	41	<10	101	2
131806	1.3	1.61	20	181	<0.5	15	2.29	4	11	33	20	3.41	<1	0.31	<10	0.74	2484	4	0.01	2	1321	131	0.42	<5	3	55	<5	<0.01	<10	<10	32	<10	471	2
131809	2.9	1.53	38	161	<0.5	15	1.96	8	10	31	91	3.43	<1	0.27	<10	0.80	2667	<2	0.01	2	1068	322	0.57	<5	2	46	<5	<0.01	<10	<10	31	<10	817	2
131818	<0.2	2.14	8	1635	1.1	21	3.20	2	24	86	21	4.95	<1	0.10	45	2.36	909	<2	0.04	42	4198	4	0.22	<5	6	259	<5	0.14	15	<10	100	<10	104	11
131828	2.8	2.25	104	213	0.5	19	1.42	10	13	27	19	4.57	<1	0.73	<10	1.50	1961	<2	0.03	3	1338	455	1.25	<5	8	74	<5	0.05	<10	<10	85	<10	891	3
131831	4.0	2.42	137	296	<0.5	22	1.18	33	13	21	64	5.07	<1	0.44	<10	1.79	2843	<2	0.02	2	1415	1492	1.19	<5	7	52	<5	0.01	<10	<10	99	<10	2628	2
131840	5.8	1.84	206	133	<0.5	22	1.82	78	15	40	168	4.71	1	0.22	<10	1.29	3066	3	0.01	2	1221	1027	1.72	<5	5	78	<5	<0.01	<10	<10	72	<10	4058	2
131850	4.6	1.33	289	96	<0.5	22	2.87	39	14	50	56	4.45	<1	0.25	<10	0.90	2985	3	0.01	2	1099	863	2.33	<5	3	95	<5	<0.01	<10	<10	45	<10	2875	2
131853	1.1	1.62	173	107	<0.5	20	2.60	8	10	29	6	4.19	<1	0.22	<10	1.12	2915	<2	0.01	2	1174	63	1.47	<5	4	74	<5	<0.01	<10	<10	64	<10	678	2
131862	<0.2	2.22	14	141	2.2	21	2.85	3	30	74	9	4.72	<1	0.15	15	2.18	1257	<2	0.09	39	2016	6	0.35	<5	7	89	<5	0.31	10	<10	95	<10	119	17

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Premier/shipment 9
Sample type: Core

Report No : **9V1002RJ**
Date : Aug-24-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	2.0	1.74	13	293	1.3	20	0.57	4	31	105	1988	4.55	<1	1.44	13	1.18	342	2	0.05	51	752	15	0.58	<5	7	8	<5	0.21	<10	<10	80	<10	218	14

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Metallic Assay Certificate

9V-1002-RM1

Aug-24-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment 9
Attn: Sue Deane

We *hereby certify* the following analysis of 1 core sample submitted Aug-10-09

Sample Name	WtTotal g	Wt+150 g	+150Au mg	-150Au g/tonne	Metallic Au g/tonne	Net Au g/tonne
131829	214.4	22.1	119.565	349.20	557.67	870.88

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1003-RA1

Aug-25-09

Company: **Ascot Resources Ltd**
Project: Premier/shipment 9
Attn: Sue Deanue

We *hereby certify* the following assay of 22 rocks samples submitted Aug-10-09

Sample Name	Au g/tonne	Ag g/tonne	Pb %	Sample-Wt Kg
139701	2.68	13.4		1.5
139702	4.52	18.7		0.9
139703	3.02	51.9	1.90	1.5
139704	2.73	35.3		1.5
139705	3.01	17.6		1.3
139706	2.09	19.8		1.5
139707	6.76	71.4	1.08	1.6
139708	5.42	34.4		1.8
139709	3.39	11.6		1.4
139710	5.50	15.1		1.4
139711	6.82	25.8		1.3
139715	1.26	2.2		1.9
139716	1.66	9.3		1.5
139717	0.76	5.8		2.0
139718	0.38	4.1		1.9
139719	1.37	4.0		1.9
139720	0.23	2.0		1.9
139721	0.09	2.3		2.0
139722	0.13	1.4		1.6
139723	2.95	4.6		2.2
139724	0.64	2.6		1.7
139725	4.76	5.1		2.8
*DUP 139701	2.50	13.1		
*DUP 139710	5.75	17.4		
*DUP 139723	2.87	6.5		
*0211	2.14			
*SE-1			1.86	
*BLANK	<0.01		<0.01	

Au F.A. AA finish. Ag read from ICP solution.Over limt Pb 4 Acid Digest AA finish

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1003-RA2

Aug-25-09

Company: **Ascot Resources Ltd**
Project: Premier/shipment 9
Attn: Sue Deanue

We *hereby certify* the following assay of 22 rocks samples submitted Aug-10-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
139726	0.49	3.0	1.8
139727	5.69	14.4	2.4
139728	0.29	2.3	2.0
139729	0.99	11.8	1.6
139730	0.42	5.8	2.5
139731	0.33	7.7	2.1
139732	8.58	32.1	1.9
139733	14.06	17.9	2.3
139734	0.23	2.3	2.1
139735	0.50	3.8	1.4
139736	4.34	16.0	2.1
139737	1.08	15.0	2.4
139738	1.32	4.4	1.7
139739	0.87	3.7	1.9
139740	0.91	2.8	1.7
139741	0.21	1.9	2.3
139742	0.45	2.8	2.3
139743	0.50	6.3	1.5
139744	1.10	2.7	2.0
139745	0.80	10.8	2.4
139746	1.09	4.4	2.6
139747	0.21	2.9	2.4
*DUP 139726	0.43	2.6	
*DUP 139735	0.49	3.9	
*DUP 139745	0.79	11.2	
*0211	2.15		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1003-RA3

Aug-25-09

Company: **Ascot Resources Ltd**
Project: Premier/shipment 9
Attn: Sue Deanue

We *hereby certify* the following assay of 22 rocks samples submitted Aug-10-09

Sample Name	Au g/tonne	Ag g/tonne	Ag g/tonne	Pb %	Sample-Wt Kg
139748	0.10	3.1			2.7
139749	1.59	>200.0	374.6	4.74	2.2
139750	3.35	38.2			2.4
139751	2.86	30.6			2.3
139752	0.81	148.2			2.3
139753	0.31	9.1			1.9
139754	0.52	22.8			1.8
139755	0.71	10.7			1.9
139756	0.44	25.0			1.8
139757	1.27	16.2			1.6
139758	0.33	8.1			1.3
139759	2.38	43.1			1.4
139760	1.76	63.5			1.9
139761	0.80	46.8			2.1
139762	2.93	37.3			1.6
139763	1.24	85.4			1.8
139764	0.78	70.2			1.8
139765	0.96	50.9			1.5
139766	1.15	77.5			1.5
139767	0.62	79.3			2.0
139768	0.53	16.4			1.7
130983	3.92	6.3			1.1
*DUP 139748	0.09	3.1			
*DUP 139757	1.20	18.3			
*DUP 139767	0.61	81.8			
*0211	2.27				
*SE-1			691.0	1.86	
*BLANK	<0.01		<0.1	<0.01	

Au F.A. AA finish. Ag read from ICP solution.Over limt Ag,Pb 4 Acid Digest AA finish

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1003-RA4

Aug-25-09

Company: **Ascot Resources Ltd**
Project: Premier/shipment 9
Attn: Sue Deanue

We *hereby certify* the following assay of 17 rocks samples submitted Aug-10-09

Sample Name	Au g/tonne	Ag g/tonne	Ag g/tonne	Pb %	Zn %	Sample-Wt Kg
130984	3.30	2.0				1.7
130985	3.57	22.6			2.28	1.5
130986	3.97	19.3				1.5
130987	14.89	13.9				2.3
130988	6.87	13.1			2.35	2.4
130989	1.71	28.3				1.4
130990	2.12	13.3				1.8
130991	1.03	13.9				2.3
130992	1.49	32.6			2.29	2.1
130993	14.90	171.5		3.44		2.4
130994	3.37	>200.0	346.0	2.69		2.7
130995	5.71	117.0		2.34		1.4
130996	3.57	33.4				1.5
130997	4.07	91.8		3.35	8.80	2.2
130998	2.11	22.7				1.9
130999	1.57	125.4		2.04	3.78	1.8
131000	2.53	63.1				2.3
*DUP 130984	3.18	1.8				
*DUP 130993	14.78	176.9				
*0211	2.10					
*SE-1			717.5	1.88	2.61	
*BLANK	<0.01		<0.1	<0.01	<0.01	

Au F.A. AA finish. Ag read from ICP solution.Over limt Ag,Pb,Zn 4 Acid Digest AA finish

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deanue

Project: Premier/shipment 9

Sample type: Rocks

Report No : **9V1003RJ**

Date : Aug-25-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
139701	13.4	0.11	84	48	<0.5	24	0.01	22	4	110	81	5.68	2	0.08	<10	0.02	92	<2	0.01	1	103	1562	3.14	8	<1	1	<5	<0.01	<10	10	9	<10	1726	2
139702	18.7	0.83	176	158	<0.5	16	0.20	8	8	48	252	3.78	1	0.25	<10	0.39	860	26	0.01	2	1156	125	1.61	53	2	6	<5	<0.01	<10	<10	23	<10	590	2
139703	51.9	0.45	590	31	<0.5	31	0.08	220	6	125	343	7.22	13	0.21	<10	0.17	420	34	0.01	2	464	>10000	>5.00	193	1	9	<5	<0.01	<10	11	19	<10	5044	3
139704	35.3	0.59	300	41	<0.5	28	0.09	59	5	128	196	6.45	6	0.18	<10	0.31	699	23	0.01	2	452	9899	4.68	162	1	7	<5	<0.01	<10	<10	26	<10	3263	3
139705	17.6	1.16	246	109	<0.5	15	0.72	133	7	65	377	3.56	4	0.26	<10	0.68	2032	13	0.02	2	1079	4457	1.91	131	2	13	<5	0.01	<10	<10	34	<10	4317	2
139706	19.8	1.13	172	55	<0.5	23	0.30	142	10	77	599	5.62	5	0.20	<10	0.73	2244	16	0.01	2	948	3827	3.65	75	2	13	<5	<0.01	<10	<10	36	<10	4628	3
139707	71.4	0.58	1064	28	<0.5	32	0.09	129	8	104	1210	7.57	13	0.22	<10	0.27	517	18	0.01	1	630	>10000	>5.00	322	1	6	<5	<0.01	14	11	27	<10	4488	3
139708	34.4	0.21	580	21	<0.5	37	0.01	169	9	153	1034	8.27	9	0.08	<10	0.13	297	19	0.01	3	114	5064	>5.00	163	<1	1	<5	<0.01	<10	15	14	<10	4833	3
139709	11.6	0.59	410	79	<0.5	21	0.10	10	6	110	115	5.21	4	0.23	<10	0.30	642	13	0.01	2	747	2455	2.23	47	1	4	<5	<0.01	<10	<10	23	<10	769	2
139710	15.1	0.33	254	80	<0.5	15	0.57	66	7	124	387	3.54	4	0.11	<10	0.19	718	16	0.01	3	400	4807	2.64	54	1	19	<5	<0.01	<10	<10	12	<10	3535	2
139711	25.8	0.35	260	32	<0.5	34	0.06	165	7	152	688	7.64	4	0.08	<10	0.23	575	12	0.01	2	246	4758	>5.00	74	1	3	<5	<0.01	<10	13	22	<10	4582	3
139715	2.2	0.52	4529	63	<0.5	28	2.23	6	20	50	88	5.92	<1	0.32	<10	0.16	537	15	0.01	17	1095	47	4.69	48	2	77	<5	0.02	<10	<10	22	<10	79	2
139716	9.3	0.32	155	179	<0.5	9	0.05	4	3	94	20	2.36	1	0.23	<10	0.05	50	9	0.01	2	492	798	1.26	6	1	7	<5	<0.01	<10	<10	18	<10	352	1
139717	5.8	0.32	203	110	<0.5	12	0.16	5	5	94	10	3.06	2	0.23	<10	0.05	76	12	0.01	2	458	333	2.14	15	1	13	<5	<0.01	<10	<10	13	<10	298	2
139718	4.1	0.50	119	86	<0.5	14	0.26	5	8	53	7	3.67	1	0.30	<10	0.14	173	13	0.01	1	1005	271	2.51	<5	1	14	<5	<0.01	<10	<10	18	<10	271	2
139719	4.0	0.43	118	106	<0.5	14	0.22	9	7	83	20	3.61	1	0.25	<10	0.13	253	12	0.01	2	972	446	2.38	5	1	15	<5	<0.01	<10	<10	23	<10	588	2
139720	2.0	0.51	137	86	<0.5	15	0.25	5	9	76	7	3.77	1	0.27	<10	0.23	419	13	0.01	5	1166	165	2.55	5	1	14	<5	<0.01	<10	<10	19	<10	343	2
139721	2.3	0.72	74	86	<0.5	18	0.22	9	11	52	4	4.14	1	0.27	<10	0.41	652	10	0.01	2	1181	175	2.88	<5	2	11	<5	<0.01	<10	<10	27	<10	667	2
139722	1.4	0.83	89	103	<0.5	16	0.26	7	11	58	4	3.88	<1	0.23	<10	0.58	1193	7	0.01	2	1158	181	2.27	<5	2	14	<5	<0.01	<10	<10	33	<10	435	2
139723	4.6	0.74	55	111	<0.5	14	0.21	13	8	78	32	3.62	1	0.15	<10	0.58	1809	7	0.01	3	746	469	1.95	<5	1	14	<5	<0.01	<10	<10	32	<10	987	2
139724	2.6	0.99	97	103	<0.5	19	0.29	16	11	58	19	4.32	1	0.20	<10	0.85	1618	7	0.01	2	1021	413	2.62	<5	2	20	<5	<0.01	<10	<10	41	<10	1137	2
139725	5.1	0.52	146	89	<0.5	16	0.22	30	9	84	63	3.65	3	0.23	<10	0.29	881	8	0.01	3	848	614	2.81	7	1	15	<5	<0.01	<10	<10	21	<10	1968	2
139726	3.0	0.46	137	70	<0.5	17	0.26	9	11	46	19	4.23	1	0.25	<10	0.19	556	7	0.01	2	1175	409	2.98	<5	1	14	<5	<0.01	<10	<10	18	<10	566	2
139727	14.4	0.35	90	92	<0.5	12	0.17	27	5	100	217	3.11	2	0.17	<10	0.16	573	5	0.01	3	649	2116	2.12	11	1	11	<5	<0.01	<10	<10	13	<10	2091	2
139728	2.3	0.47	206	68	<0.5	16	0.23	13	9	48	19	3.93	1	0.23	<10	0.20	399	6	0.01	2	1023	307	2.57	<5	1	13	<5	<0.01	<10	<10	19	<10	723	2
139729	11.8	0.27	195	101	<0.5	13	0.13	8	5	81	29	3.32	1	0.19	<10	0.04	112	6	0.01	2	695	714	1.84	7	1	9	<5	<0.01	<10	<10	10	<10	611	1
139730	5.8	0.32	238	109	<0.5	11	0.15	4	5	62	9	2.87	<1	0.21	<10	0.09	155	5	0.01	2	814	324	1.60	5	1	7	<5	<0.01	<10	<10	11	<10	274	1
139731	7.7	0.23	180	37	<0.5	20	0.01	12	6	62	7	4.93	2	0.23	<10	0.02	27	5	0.01	2	314	903	3.77	17	1	2	<5	<0.01	13	<10	10	<10	684	2
139732	32.1	0.20	520	14	<0.5	57	<0.01	40	5	101	79	11.63	3	0.21	<10	0.03	28	7	0.01	<1	133	3253	>5.00	32	<1	4	<5	<0.01	24	24	18	<10	2291	4
139733	17.9	0.31	151	16	<0.5	44	0.09	31	6	88	11	9.52	2	0.22	<10	0.08	117	5	0.01	1	139	3773	>5.00	9	<1	9	<5	<0.01	<10	18	17	<10	1807	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd
Attention: Sue Deanue
Project: Premier/shipment 9
Sample type: Rocks

Report No : **9V1003RJ**
Date : Aug-25-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
139734	2.3	0.26	50	105	<0.5	9	0.27	3	4	56	<1	2.27	1	0.23	<10	0.05	73	5	0.01	1	327	297	1.96	<5	1	14	<5	<0.01	<10	<10	10	<10	108	1
139735	3.8	0.26	132	81	<0.5	12	0.09	6	4	65	1	3.20	2	0.22	<10	0.07	112	5	0.01	2	547	711	1.98	10	1	11	<5	<0.01	<10	<10	11	<10	391	2
139736	16.0	0.24	137	42	<0.5	19	0.03	32	6	74	38	4.62	3	0.24	<10	0.02	39	5	0.01	2	194	4605	3.95	17	<1	9	<5	<0.01	12	<10	12	<10	2254	2
139737	15.0	0.20	419	38	<0.5	21	0.02	17	5	95	11	5.25	15	0.21	<10	0.03	59	6	0.01	2	112	1410	4.06	120	<1	5	<5	<0.01	60	<10	16	<10	1132	2
139738	4.4	0.27	95	63	<0.5	15	0.09	15	4	84	6	3.95	1	0.20	<10	0.08	127	4	0.01	2	704	938	2.68	6	1	8	<5	<0.01	<10	<10	12	<10	1046	2
139739	3.7	0.43	78	77	<0.5	15	0.10	8	4	61	4	3.85	1	0.26	<10	0.16	263	6	0.01	2	560	750	2.52	<5	1	10	<5	<0.01	<10	<10	17	<10	605	2
139740	2.8	0.22	72	125	<0.5	12	0.01	6	3	88	17	3.31	1	0.22	<10	0.03	157	4	0.01	2	449	538	1.49	5	1	3	<5	<0.01	<10	<10	12	<10	389	2
139741	1.9	0.32	101	45	<0.5	20	1.23	20	15	52	7	4.53	<1	0.24	<10	0.29	1236	4	0.01	3	1200	474	3.41	<5	2	64	<5	<0.01	<10	<10	11	<10	1587	2
139742	2.8	0.32	147	60	<0.5	19	1.36	26	14	57	12	4.25	<1	0.24	<10	0.37	1579	3	0.01	3	1165	782	2.82	<5	2	75	<5	<0.01	<10	<10	12	<10	1842	2
139743	6.3	0.27	120	47	<0.5	20	1.21	29	11	76	180	4.58	<1	0.20	<10	0.12	943	4	0.01	3	890	2963	3.59	7	1	49	<5	<0.01	<10	<10	11	<10	1863	2
139744	2.7	0.32	162	42	<0.5	24	0.73	41	17	49	20	5.37	<1	0.25	<10	0.13	570	4	0.01	3	1316	479	4.36	<5	2	33	<5	<0.01	<10	<10	12	<10	2693	2
139745	10.8	0.52	184	39	<0.5	27	1.32	62	17	42	859	5.81	<1	0.26	<10	0.37	1503	4	0.01	3	1171	1400	4.44	6	2	63	<5	<0.01	<10	<10	20	<10	3223	2
139746	4.4	0.42	142	67	<0.5	20	1.69	24	17	39	16	4.53	<1	0.28	<10	0.27	1416	3	0.01	3	1290	743	3.61	8	2	76	<5	<0.01	<10	<10	12	<10	1878	2
139747	2.9	0.48	185	56	<0.5	21	1.33	14	16	37	11	4.81	<1	0.28	<10	0.25	1291	3	0.01	3	1210	334	3.77	7	2	52	<5	<0.01	<10	<10	20	<10	861	2
139748	3.1	0.64	137	48	<0.5	27	1.38	51	19	26	39	5.50	1	0.33	<10	0.28	1055	2	0.01	3	1209	926	4.66	7	2	48	<5	<0.01	<10	<10	19	<10	2986	2
139749	>200.0	0.22	277	36	<0.5	38	0.09	349	5	112	2140	4.91	27	0.19	<10	0.07	313	3	0.01	3	372	>10000	4.58	124	1	13	<5	<0.01	<10	<10	17	<10	5077	2
139750	38.2	0.23	413	66	<0.5	22	0.05	37	6	82	281	3.98	3	0.18	<10	0.04	65	2	0.01	2	507	4901	3.07	25	1	8	<5	<0.01	<10	<10	12	<10	1815	2
139751	30.6	0.17	338	96	<0.5	14	<0.01	36	3	115	127	3.02	3	0.15	<10	0.02	30	3	0.01	3	270	1648	1.93	13	<1	2	<5	<0.01	<10	<10	6	<10	2356	1
139752	148.2	0.18	183	232	<0.5	6	0.01	6	2	132	10	1.70	3	0.16	<10	0.02	28	2	0.01	3	370	477	0.57	24	<1	3	<5	<0.01	<10	<10	7	<10	458	1
139753	9.1	0.29	146	183	<0.5	9	0.08	5	4	156	8	2.24	2	0.19	<10	0.02	422	2	0.01	5	1033	620	0.36	16	1	16	<5	<0.01	<10	<10	9	<10	305	2
139754	22.8	0.19	235	132	<0.5	5	<0.01	12	2	131	8	1.40	7	0.20	<10	0.01	43	5	0.01	4	153	570	0.69	65	1	2	<5	<0.01	20	<10	9	<10	693	1
139755	10.7	0.33	141	143	<0.5	11	0.07	5	6	108	7	2.77	1	0.23	<10	0.05	142	3	0.01	3	765	352	1.16	11	1	7	<5	<0.01	<10	<10	12	<10	316	2
139756	25.0	0.13	141	206	<0.5	5	0.01	4	1	139	4	1.36	1	0.13	<10	0.01	31	2	0.01	4	274	318	0.51	10	<1	3	<5	<0.01	<10	<10	4	<10	252	1
139757	16.2	0.25	186	97	<0.5	11	0.12	22	6	134	32	2.64	2	0.16	<10	0.09	427	2	0.01	3	530	1407	1.65	11	1	14	<5	<0.01	<10	<10	9	<10	1799	2
139758	8.1	0.25	207	115	<0.5	11	0.06	15	7	80	6	2.69	2	0.20	<10	0.04	188	3	0.01	3	584	640	1.83	16	1	5	<5	<0.01	<10	<10	11	<10	738	2
139759	43.1	0.04	55	15	<0.5	<5	<0.01	2	1	196	4	0.73	1	0.04	<10	<0.01	35	2	0.01	5	59	227	0.11	11	<1	1	<5	<0.01	<10	<10	3	<10	63	<1
139760	63.5	0.07	56	57	<0.5	<5	<0.01	5	1	188	8	1.18	1	0.04	<10	0.01	68	2	<0.01	5	128	966	0.28	16	<1	1	<5	<0.01	<10	<10	9	<10	198	1
139761	46.8	0.12	86	83	<0.5	5	<0.01	4	1	176	25	1.22	1	0.10	<10	0.01	75	2	<0.01	3	135	561	0.29	17	<1	1	<5	<0.01	<10	<10	7	<10	142	1
139762	37.3	0.07	29	32	<0.5	<5	<0.01	2	1	194	3	0.76	1	0.07	<10	<0.01	40	2	0.01	5	99	479	0.18	11	<1	1	<5	<0.01	<10	<10	5	<10	69	1
139763	85.4	0.09	58	53	<0.5	<5	<0.01	4	1	190	10	1.08	1	0.09	<10	0.01	37	<2	0.01	5	90	718	0.37	24	<1	1	<5	<0.01	<10	<10	8	<10	186	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deanue

Project: Premier/shipment 9

Sample type: Rocks

Report No : 9V1003RJ

Date : Aug-25-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
139764	70.2	0.12	137	104	<0.5	5	<0.01	17	2	187	20	1.38	2	0.11	<10	0.01	35	2	0.01	5	150	517	0.59	24	<1	2	<5	<0.01	<10	<10	5	<10	793	1
139765	50.9	0.09	65	56	<0.5	<5	<0.01	2	1	188	4	0.92	1	0.09	<10	0.01	37	<2	<0.01	3	200	393	0.14	13	<1	2	<5	<0.01	<10	<10	4	<10	71	1
139766	77.5	0.08	111	260	<0.5	<5	<0.01	4	1	178	20	1.11	1	0.08	<10	0.01	41	2	<0.01	5	169	400	0.49	16	<1	3	<5	<0.01	<10	<10	4	<10	174	1
139767	79.3	0.13	265	201	<0.5	7	<0.01	5	1	170	14	1.79	1	0.14	<10	0.01	36	<2	<0.01	4	216	778	0.88	17	<1	5	<5	<0.01	<10	<10	8	<10	211	1
139768	16.4	0.22	156	456	<0.5	7	0.01	4	1	139	7	1.75	1	0.22	<10	0.01	54	<2	0.01	4	417	373	0.46	7	1	6	<5	<0.01	<10	<10	8	<10	124	1
130983	6.3	1.21	41	100	<0.5	21	0.52	48	12	52	188	4.54	1	0.28	<10	0.57	1902	2	0.02	2	1455	1478	2.59	14	3	16	<5	0.01	<10	<10	45	<10	2958	2
130984	2.0	0.85	52	71	<0.5	26	0.26	13	11	54	25	6.30	2	0.23	<10	0.48	1103	<2	0.02	<1	1116	318	4.21	12	2	9	<5	<0.01	<10	11	29	<10	923	2
130985	22.6	0.66	67	37	<0.5	36	0.22	326	13	119	347	8.72	8	0.16	<10	0.42	1324	<2	0.01	<1	676	9100	>5.00	21	1	12	<5	<0.01	<10	20	20	<10	>10000	3
130986	19.3	0.74	63	64	<0.5	23	0.21	175	10	85	291	5.96	5	0.20	<10	0.40	1062	<2	0.01	<1	853	6375	4.54	25	1	9	<5	<0.01	<10	11	26	<10	8613	2
130987	13.9	0.99	81	77	<0.5	25	0.37	162	11	66	240	6.09	5	0.21	<10	0.52	1821	<2	0.02	<1	1012	5373	4.06	16	2	14	<5	<0.01	<10	13	40	<10	8321	2
130988	13.1	0.91	102	35	<0.5	35	0.42	313	18	73	231	8.48	9	0.22	<10	0.46	1664	<2	0.01	<1	848	4949	>5.00	14	2	16	<5	<0.01	<10	21	31	<10	>10000	3
130989	28.3	0.28	131	99	<0.5	30	0.23	34	11	100	237	5.04	22	0.21	<10	0.11	304	<2	0.01	1	592	5957	2.95	233	1	19	<5	<0.01	<10	<10	8	<10	2763	2
130990	13.3	0.57	87	67	<0.5	32	0.52	83	24	86	252	6.64	6	0.19	<10	0.54	1618	2	0.01	<1	653	2988	4.63	34	2	29	<5	<0.01	<10	17	15	<10	5889	2
130991	13.9	0.46	102	124	<0.5	29	0.25	89	16	75	184	6.05	6	0.25	<10	0.34	740	70	0.01	<1	982	3790	2.61	39	2	19	<5	<0.01	<10	12	16	<10	5668	2
130992	32.6	0.48	76	97	<0.5	32	0.39	290	16	60	1062	6.92	20	0.27	<10	0.42	1559	<2	0.01	<1	1121	6246	3.42	54	3	28	<5	<0.01	<10	14	17	<10	>10000	2
130993	171.5	0.11	325	85	<0.5	43	<0.01	13	2	138	303	5.56	36	0.12	<10	0.02	21	<2	0.01	1	205	>10000	2.12	375	<1	13	<5	<0.01	<10	<10	4	11	880	1
130994	>200.0	0.11	252	59	<0.5	37	<0.01	101	6	147	921	5.94	14	0.10	<10	0.02	47	<2	0.01	1	182	>10000	3.85	480	<1	15	<5	<0.01	<10	<10	3	<10	5917	2
130995	117.0	0.17	145	170	<0.5	22	0.01	12	2	158	196	2.78	17	0.14	<10	0.04	66	<2	0.02	2	317	>10000	1.24	403	1	14	<5	<0.01	<10	<10	6	<10	1006	1
130996	33.4	0.20	106	176	<0.5	19	0.01	18	3	139	268	3.92	13	0.13	<10	0.06	394	<2	0.02	2	428	4640	1.10	104	1	11	<5	<0.01	<10	<10	8	<10	1697	1
130997	91.8	0.54	265	13	<0.5	39	0.13	1102	24	106	5109	9.29	57	0.15	<10	0.34	946	<2	0.01	<1	550	>10000	>5.00	129	1	15	<5	<0.01	<10	20	19	<10	>10000	2
130998	22.7	0.34	139	126	<0.5	29	0.08	37	12	125	193	5.65	12	0.25	<10	0.16	309	14	0.03	2	730	4661	2.58	39	1	15	<5	<0.01	<10	<10	14	<10	2663	2
130999	125.4	0.14	157	17	<0.5	65	<0.01	487	13	144	1199	10.37	5	0.12	<10	0.04	104	<2	0.01	<1	167	>10000	>5.00	64	<1	3	<5	<0.01	<10	24	5	11	>10000	2
131000	63.1	0.25	228	36	<0.5	38	0.11	47	6	134	249	7.98	3	0.13	<10	0.10	325	<2	0.01	1	265	9898	>5.00	63	<1	7	<5	<0.01	<10	18	7	13	3498	2
Duplicates:																																		
139701	13.1	0.11	87	52	<0.5	24	0.01	23	4	106	82	5.81	1	0.08	<10	0.02	94	6	0.01	1	111	1633	3.28	8	<1	1	<5	<0.01	<10	11	9	<10	1784	2
139710	17.4	0.34	251	89	<0.5	15	0.55	66	7	131	382	3.43	4	0.12	<10	0.18	722	6	0.01	3	402	4825	2.62	56	1	19	<5	<0.01	<10	<10	13	<10	3554	2
139723	6.5	0.75	54	123	<0.5	14	0.22	13	8	85	32	3.48	1	0.18	<10	0.57	1818	6	0.01	3	740	477	1.94	5	2	14	<5	<0.01	<10	<10	34	<10	1000	2
139726	2.6	0.44	129	59	<0.5	16	0.25	9	10	43	17	3.96	1	0.23	<10	0.18	521	3	0.01	2	1136	377	2.81	<5	1	13	<5	<0.01	<10	<10	17	<10	584	2
139735	3.9	0.30	135	87	<0.5	13	0.09	7	4	68	1	3.21	2	0.24	<10	0.07	117	4	0.01	2	563	711	2.01	11	1	11	<5	<0.01	<10	<10	12	<10	404	2
139745	11.2	0.54	185	39	<0.5	28	1.32	62	16	43	880	5.80	<1	0.27	<10	0.37	1506	4	0.01	3	1167	1407	4.46	6	2	65	<5	<0.01	<10	<10	21	<10	3279	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd
Attention: Sue Deanue
Project: Premier/shipment 9
Sample type: Rocks

Report No : **9V1003RJ**
Date : Aug-25-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
139748	3.1	0.63	137	49	<0.5	27	1.43	52	19	26	39	5.75	<1	0.32	<10	0.28	1079	<2	0.01	3	1216	954	4.58	8	2	48	<5	<0.01	<10	<10	19	<10	3093	2
139757	18.3	0.30	189	109	<0.5	12	0.12	22	6	143	33	2.72	2	0.18	<10	0.10	443	2	0.01	3	543	1426	1.69	12	1	14	<5	<0.01	<10	<10	10	<10	1904	2
139767	81.8	0.16	267	194	<0.5	7	<0.01	5	1	180	14	1.82	1	0.16	<10	0.01	37	<2	0.01	4	222	779	0.89	18	<1	5	<5	<0.01	<10	<10	9	<10	217	1
130984	1.8	0.87	57	68	<0.5	27	0.27	14	11	49	21	6.39	1	0.24	<10	0.49	1142	<2	0.02	<1	1170	351	4.49	13	2	9	<5	<0.01	<10	12	31	<10	944	2
130993	176.9	0.11	322	83	<0.5	42	<0.01	13	2	137	298	5.50	36	0.11	<10	0.02	21	<2	0.01	1	203	>10000	2.08	378	<1	13	<5	<0.01	<10	<10	4	12	864	1
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.3	1.61	13	300	1.1	20	0.62	4	29	110	1980	4.79	<1	1.28	13	1.18	325	2	0.05	56	702	18	0.59	12	7	7	<5	0.19	<10	<10	79	<10	223	10

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1030-RA1

Aug-28-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/shipment 10
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Aug-13-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
131869	<0.01	<0.1	1.1
131870	<0.01	<0.1	1.9
131871	<0.01	<0.1	2.2
131872	<0.01	<0.1	2.4
131873	0.01	<0.1	2.2
131874	0.01	<0.1	2.4
131875	<0.01	<0.1	2.4
131876	<0.01	<0.1	2.4
131877	0.04	9.2	2.4
131878	0.13	6.3	2.4
131879	0.09	3.5	0.8
131880	<0.01	<0.1	1.6
131881	<0.01	<0.1	2.2
131882	<0.01	<0.1	2.9
131883	0.03	<0.1	2.2
131884	0.01	<0.1	1.0
131885	0.43	0.8	1.6
131886	0.28	2.3	2.1
131887	0.05	2.2	0.8
131888	0.14	1.3	2.0
131889	0.92	1.1	2.3
131890	0.94	6.2	2.3
*DUP 131869	0.01	<0.1	
*DUP 131878	0.13	7.1	
*DUP 131888	0.16	1.2	
*0211	2.07		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1030-RA2

Aug-28-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/shipment 10
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Aug-13-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
131891	1.89	18.5	2.5
131892	0.38	7.6	2.0
131893	0.42	5.3	3.1
131894	0.22	1.6	3.2
131895	0.30	7.8	2.4
131896	1.86	10.7	2.4
131897	0.55	2.9	1.7
131898	0.01	<0.1	0.5
131899	0.29	0.4	
131900	0.33	2.3	0.9
131901	0.36	2.3	2.7
131902	0.33	1.6	2.4
131903	3.35	3.7	2.4
131904	0.21	0.4	2.4
131905	0.18	0.5	2.4
131906	1.55	2.5	2.0
131907	0.22	3.1	2.4
131908	0.37	5.9	2.5
131909	0.46	1.6	2.5
131910	0.26	0.1	2.5
131911	0.03	<0.1	2.4
131912	0.05	<0.1	1.6
*DUP 131891	1.80	19.8	
*DUP 131900	0.34	2.4	
*DUP 131910	0.25	<0.1	
*0211	2.19		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1030-RA3

Aug-28-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/shipment 10
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Aug-13-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
131913	0.03	<0.1	2.6
131914	0.11	<0.1	2.0
131915	0.06	<0.1	2.4
131916	0.44	1.2	2.5
131917	0.21	1.1	2.3
131918	0.20	1.5	2.4
131919	0.47	12.8	2.3
131920	0.35	1.0	2.2
131921	0.20	1.3	2.2
131922	0.15	1.1	2.4
131923	0.07	0.1	2.5
131924	0.47	3.7	2.1
131925	1.25	13.6	2.2
131926	0.92	27.8	0.6
131927	0.73	4.4	2.1
131928	0.46	1.8	1.7
131929	0.54	5.1	1.7
131930	0.23	1.5	1.5
131931	0.25	1.0	1.4
131932	<0.01	<0.1	0.5
131933	3.35	1.0	
131934	0.22	1.4	1.2
*DUP 131913	0.03	<0.1	
*DUP 131922	0.19	1.1	
*DUP 131932	<0.01	<0.1	
*OXJ 47	2.40		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1030-RA4

Aug-28-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/shipment 10
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Aug-13-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
131935	0.13	2.4	2.3
131936	0.04	0.4	1.7
131937	0.08	0.7	1.8
131938	0.38	1.9	2.1
131939	0.12	1.2	1.5
131940	0.05	0.8	1.0
131941	0.04	0.3	2.2
131942	0.01	<0.1	2.4
131943	0.01	<0.1	1.8
131944	<0.01	<0.1	0.7
131945	0.02	<0.1	0.6
131946	0.30	1.7	2.1
131947	0.01	<0.1	0.6
131948	2.62	4.5	1.5
131949	0.10	2.0	1.5
131950	0.06	1.2	2.0
131951	0.09	1.5	1.5
131952	0.41	1.0	1.9
131953	0.05	0.2	1.5
131954	0.03	0.9	1.5
131955	0.19	2.0	1.5
131956	0.08	2.4	2.3
*DUP 131935	0.12	2.3	
*DUP 131944	<0.01	<0.1	
*DUP 131954	0.03	0.8	
*0211	2.21		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1030-RA5

Aug-28-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/shipment 10
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Aug-13-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
131957	0.21	5.2	1.5
131958	0.57	1.7	1.7
131959	0.11	2.9	1.8
131960	0.08	1.4	2.1
131961	0.78	2.8	1.4
131962	0.92	2.4	3.1
131963	0.05	<0.1	1.9
131964	0.02	<0.1	2.2
131965	0.10	0.4	2.5
131966	0.19	1.2	1.5
131967	0.07	1.0	2.1
131968	0.09	1.0	0.4
131969	0.17	2.5	1.7
131970	0.18	1.0	2.6
131971	0.07	0.9	0.5
131972	0.03	1.1	1.4
131973	1.03	1.1	2.1
131974	66.99	34.0	1.5
131975	17.17	8.2	1.5
131976	0.30	0.9	1.0
131977	0.06	<0.1	2.3
131978	0.04	<0.1	2.0
*DUP 131957	0.25	4.4	
*DUP 131966	0.16	1.2	
*DUP 131976	0.35	0.9	
*0211	2.15		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1030-RA6

Aug-28-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/shipment 10
Attn: Sue Deane

We *hereby certify* the following assay of 15 core samples submitted Aug-13-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
131979	0.26	1.1	1.5
131980	0.11	0.1	2.4
131981	0.09	<0.1	1.8
131982	0.22	1.2	1.7
131983	0.03	<0.1	1.1
131984	0.07	0.6	1.6
131985	0.13	0.2	1.4
131986	0.57	1.0	1.5
131987	0.17	0.9	0.9
131988	0.02	<0.1	2.3
131989	1.01	3.7	1.3
131990	0.02	<0.1	1.6
131991	0.03	<0.1	1.5
131992	0.11	1.7	1.1
131993	0.03	<0.1	1.2
*DUP 131979	0.24	1.2	
*DUP 131988	0.01	<0.1	
*SN 38	8.66		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

*Certified by*_____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/shipment 10

Sample type: Core

Report No : **9V1030RJ**

Date : Aug-28-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131869	<0.2	1.81	207	171	<0.5	22	3.95	3	12	16	3	4.99	1	0.27	<10	0.95	1331	<2	0.01	<1	1312	11	1.62	16	3	87	<5	<0.01	<10	11	30	<10	87	2
131870	<0.2	2.19	13	211	<0.5	20	3.63	3	13	13	1	4.94	<1	0.33	12	1.07	1292	<2	0.01	<1	1611	6	0.23	10	4	99	<5	<0.01	<10	<10	40	<10	95	2
131871	<0.2	2.13	17	221	<0.5	21	4.21	3	12	9	5	5.03	<1	0.34	11	0.99	1782	<2	0.01	<1	1471	6	0.29	9	4	125	<5	<0.01	<10	10	38	<10	85	2
131872	<0.2	1.87	97	287	<0.5	20	3.47	2	12	13	2	4.47	<1	0.31	<10	1.05	1497	<2	0.01	<1	1540	9	0.91	8	3	79	<5	<0.01	<10	<10	34	<10	76	2
131873	<0.2	2.27	71	191	<0.5	21	4.11	3	13	10	6	5.05	<1	0.29	10	1.42	2063	<2	0.01	<1	1662	13	0.78	11	3	86	<5	<0.01	<10	10	39	<10	220	2
131874	<0.2	1.89	38	220	<0.5	18	5.04	2	10	11	5	4.32	1	0.35	10	0.94	1953	<2	0.01	<1	1559	7	0.44	8	3	138	<5	<0.01	<10	<10	34	<10	85	1
131875	<0.2	1.94	28	246	<0.5	19	5.62	2	12	8	1	4.57	1	0.38	10	0.92	1836	<2	0.01	<1	1724	9	0.61	10	4	155	<5	<0.01	<10	<10	37	<10	88	2
131876	<0.2	1.73	56	252	<0.5	17	4.53	2	11	7	11	4.21	1	0.32	10	0.82	1870	<2	0.01	<1	1483	10	0.69	8	4	124	<5	<0.01	<10	<10	31	<10	75	1
131877	9.2	1.62	68	227	<0.5	16	5.19	4	11	12	10	4.10	1	0.33	<10	0.76	2312	<2	0.01	<1	1366	87	1.14	8	3	118	<5	<0.01	<10	12	30	<10	305	1
131878	6.3	0.78	104	133	<0.5	14	3.21	7	9	26	19	3.36	<1	0.36	<10	0.23	1324	<2	0.01	<1	1097	145	2.49	7	2	66	<5	<0.01	<10	<10	20	<10	514	1
131879	3.5	0.51	137	124	<0.5	11	9.80	6	9	29	19	2.74	1	0.28	<10	0.14	3246	<2	0.01	<1	899	113	2.49	7	2	143	<5	0.01	<10	17	15	<10	390	2
131880	<0.2	2.12	15	553	2.2	23	2.89	3	30	100	24	5.46	<1	0.05	33	2.43	946	<2	0.08	51	4553	13	0.21	15	5	167	6	0.34	12	<10	104	<10	125	18
131881	<0.2	2.18	14	194	2.2	26	3.07	3	32	112	29	5.67	<1	0.06	31	2.55	942	<2	0.09	54	4818	16	0.17	16	5	185	5	0.35	12	<10	106	<10	112	18
131882	<0.2	2.18	13	195	2.2	24	2.97	3	31	111	28	5.69	<1	0.05	35	2.58	889	<2	0.07	52	4764	14	0.12	15	6	160	5	0.36	10	<10	109	<10	108	18
131883	<0.2	2.23	34	301	1.6	21	2.79	4	21	59	13	4.97	1	0.40	15	1.70	1335	<2	0.03	11	2140	100	0.71	13	6	81	<5	0.24	<10	<10	77	<10	262	9
131884	<0.2	2.37	36	388	<0.5	22	1.46	4	13	22	5	5.17	1	0.45	10	1.42	2552	<2	0.02	<1	1428	59	0.65	8	4	44	<5	0.01	<10	11	51	<10	402	2
131885	0.8	1.40	28	161	<0.5	21	3.52	3	12	20	74	4.79	1	0.34	<10	0.74	3377	<2	0.01	<1	1419	63	2.40	9	3	81	<5	<0.01	<10	15	33	<10	294	2
131886	2.3	1.38	27	122	<0.5	21	3.13	9	14	13	72	5.01	1	0.35	<10	0.69	2531	<2	0.01	<1	1461	238	2.71	12	3	78	<5	<0.01	<10	13	25	<10	653	2
131887	2.2	0.30	209	89	<0.5	17	12.76	2	7	25	10	4.16	1	0.23	<10	0.10	3240	<2	0.01	<1	745	18	3.95	13	1	208	<5	<0.01	13	21	7	<10	89	1
131888	1.3	1.83	33	181	<0.5	21	2.04	7	14	15	54	4.82	1	0.29	10	1.02	2952	<2	0.01	<1	1413	255	1.41	11	3	81	<5	<0.01	<10	13	34	<10	586	2
131889	1.1	1.93	22	184	<0.5	23	2.80	5	13	15	55	4.84	<1	0.29	<10	0.97	3840	<2	0.01	<1	1389	116	0.99	9	3	61	<5	<0.01	<10	18	36	<10	354	2
131890	6.2	1.82	30	172	<0.5	20	1.16	62	14	19	280	4.67	2	0.28	<10	0.94	3170	<2	0.01	<1	1256	1322	1.35	9	3	31	<5	<0.01	<10	15	35	<10	4930	2
131891	18.5	0.99	185	57	<0.5	32	1.91	211	9	29	870	6.42	7	0.16	<10	0.55	2865	2	0.01	<1	632	6694	>5.00	16	1	32	<5	<0.01	<10	22	24	<10	9575	2
131892	7.6	1.35	290	97	<0.5	25	0.88	22	10	27	85	5.82	5	0.22	<10	0.75	2504	<2	0.01	<1	1019	396	3.01	32	2	29	<5	<0.01	<10	16	33	<10	1943	2
131893	5.3	0.76	267	128	<0.5	17	1.49	7	6	70	46	3.75	5	0.15	<10	0.50	2295	3	0.01	<1	543	469	2.22	28	1	34	<5	<0.01	<10	13	23	<10	612	1
131894	1.6	0.78	56	168	<0.5	14	1.51	4	7	56	7	3.04	1	0.16	<10	0.51	2472	<2	0.01	<1	689	186	1.71	7	2	44	<5	<0.01	<10	12	29	<10	275	1
131895	7.8	0.57	146	118	<0.5	14	1.48	19	7	69	46	3.15	2	0.21	<10	0.30	1567	<2	0.01	<1	667	158	2.33	20	1	31	<5	<0.01	<10	<10	17	<10	1792	1
131896	10.7	0.71	185	138	<0.5	16	5.12	11	9	71	18	3.49	2	0.15	<10	0.46	3958	3	0.01	<1	539	359	2.40	17	2	93	<5	<0.01	<10	20	23	<10	1132	1
131897	2.9	1.32	365	104	<0.5	26	1.28	6	15	44	4	5.75	1	0.23	<10	0.86	2792	<2	0.01	<1	1083	99	3.37	11	3	43	<5	<0.01	<10	18	41	<10	326	2
131898	<0.2	0.12	<5	<10	<0.5	<5	>15.00	<1	1	7	4	0.10	<1	0.01	<10	3.37	68	<2	0.01	3	70	<2	0.75	<5	<1	4772	<5	<0.01	<10	19	3	<10	7	<1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/shipment 10

Sample type: Core

Report No : **9V1030RJ**

Date : Aug-28-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131899	0.4	0.59	703	1525	0.5	15	0.68	4	8	58	36	3.17	2	0.14	16	0.33	466	5	0.01	31	944	151	0.22	605	4	216	8	<0.01	<10	<10	59	<10	243	13
131900	2.3	2.11	228	107	<0.5	25	1.24	69	13	22	36	5.79	4	0.29	<10	1.45	3387	<2	0.01	<1	1369	151	2.36	11	3	36	<5	<0.01	<10	18	49	<10	5829	2
131901	2.3	1.51	419	109	<0.5	23	1.61	16	14	21	15	5.34	1	0.32	<10	0.91	2766	<2	0.01	<1	1382	232	2.71	10	3	42	<5	<0.01	<10	15	34	<10	1416	2
131902	1.6	0.98	380	98	<0.5	25	2.41	12	14	38	12	5.46	1	0.31	<10	0.54	2207	2	0.01	<1	1218	94	3.79	11	2	69	<5	<0.01	<10	15	24	<10	1064	2
131903	3.7	0.69	368	58	<0.5	24	1.74	8	16	27	14	5.18	<1	0.36	<10	0.37	1345	2	0.01	<1	1319	136	4.11	11	2	98	<5	<0.01	<10	11	16	<10	547	2
131904	0.4	1.62	194	145	<0.5	20	3.86	6	14	29	14	4.68	<1	0.28	<10	1.00	2725	4	0.01	<1	1231	70	2.00	9	3	126	<5	<0.01	<10	14	36	<10	482	1
131905	0.5	1.69	159	132	<0.5	20	2.88	30	14	17	17	4.92	2	0.27	<10	1.07	2846	3	0.01	<1	1116	271	1.93	7	3	75	<5	<0.01	<10	14	43	<10	2542	1
131906	2.5	1.35	273	166	<0.5	22	3.93	28	16	20	40	5.37	1	0.38	<10	0.77	2521	3	0.01	<1	1436	680	3.03	9	3	102	<5	<0.01	<10	13	32	<10	2358	2
131907	3.1	0.53	291	99	<0.5	23	2.94	5	16	25	12	5.21	<1	0.37	<10	0.21	1284	48	0.01	<1	1238	137	4.70	15	2	90	<5	<0.01	<10	11	12	<10	286	2
131908	5.9	0.37	397	72	<0.5	29	3.46	8	17	39	15	6.36	1	0.31	<10	0.21	1356	58	0.01	<1	870	193	>5.00	21	2	130	<5	<0.01	<10	15	10	<10	458	2
131909	1.6	0.48	274	85	<0.5	20	1.24	9	17	25	21	4.79	<1	0.37	<10	0.37	950	5	0.01	<1	1359	330	3.14	8	3	52	<5	<0.01	<10	<10	15	<10	642	1
131910	<0.2	1.20	204	127	<0.5	24	2.99	4	18	36	17	5.62	1	0.43	13	1.09	1218	9	0.02	9	1897	26	2.66	10	6	113	<5	<0.01	<10	<10	56	<10	147	2
131911	<0.2	1.60	8	968	<0.5	23	4.57	3	22	68	27	5.35	<1	0.28	27	2.13	1186	<2	0.03	34	3233	23	0.45	9	7	270	<5	<0.01	<10	<10	56	<10	141	3
131912	<0.2	1.10	10	799	0.5	21	4.25	3	22	38	21	5.25	<1	0.32	27	1.71	2051	<2	0.02	29	3023	19	0.51	7	9	236	5	<0.01	<10	<10	33	<10	118	2
131913	<0.2	1.01	28	193	0.7	20	2.86	4	16	14	20	4.99	1	0.55	11	1.13	2100	<2	0.02	2	1517	27	0.64	6	9	168	<5	<0.01	<10	<10	38	<10	163	2
131914	<0.2	1.72	55	323	<0.5	21	3.69	4	19	25	21	5.42	1	0.55	13	1.50	2120	<2	0.02	9	1650	66	1.06	8	8	160	<5	<0.01	<10	<10	55	<10	218	2
131915	<0.2	2.09	28	655	<0.5	23	3.46	4	22	60	22	5.46	<1	0.25	24	2.13	1217	<2	0.03	27	2145	46	0.57	9	7	147	<5	<0.01	<10	<10	74	<10	166	3
131916	1.2	1.35	203	142	<0.5	21	3.11	12	14	21	11	4.94	1	0.36	<10	1.17	2908	<2	0.01	<1	1272	161	1.83	7	4	150	<5	<0.01	<10	12	36	<10	1031	2
131917	1.1	2.03	154	165	<0.5	25	3.66	12	17	16	16	5.76	1	0.35	<10	1.57	3383	<2	0.01	<1	1469	286	1.70	8	5	144	<5	<0.01	<10	14	54	<10	1031	2
131918	1.5	2.32	149	152	<0.5	28	2.03	12	16	16	11	5.42	<1	0.37	<10	1.49	2983	<2	0.01	<1	1303	414	1.58	8	5	79	<5	<0.01	<10	13	56	<10	1196	2
131919	12.8	1.67	180	224	<0.5	19	3.95	32	12	20	37	4.41	1	0.28	<10	0.96	3387	<2	0.01	<1	1115	1006	1.45	9	4	130	<5	<0.01	<10	15	48	<10	3016	1
131920	1.0	2.16	99	204	<0.5	24	3.32	9	14	13	10	5.20	1	0.27	<10	1.34	3350	<2	0.01	<1	1304	415	1.00	7	5	117	<5	<0.01	<10	15	61	<10	899	2
131921	1.3	2.12	237	134	<0.5	29	2.55	7	16	14	12	5.70	<1	0.30	<10	1.39	3318	<2	0.02	<1	1333	199	2.03	9	5	98	<5	<0.01	<10	17	71	<10	643	2
131922	1.1	2.08	108	233	<0.5	22	2.59	17	13	18	6	5.02	1	0.22	<10	1.46	3630	<2	0.02	<1	1254	283	1.03	9	5	108	<5	<0.01	<10	16	72	<10	1513	2
131923	<0.2	1.87	64	276	<0.5	23	3.02	4	17	23	11	5.02	<1	0.28	10	1.46	2762	<2	0.02	8	1626	168	0.79	9	5	153	<5	<0.01	<10	11	53	<10	216	2
131924	3.7	2.04	111	237	<0.5	23	2.43	15	14	21	10	5.25	1	0.23	<10	1.42	3746	<2	0.02	<1	1250	180	1.21	8	4	100	<5	<0.01	<10	17	62	<10	1270	2
131925	13.6	0.78	195	106	<0.5	28	2.18	12	12	31	41	6.00	1	0.30	<10	1.02	4103	<2	0.01	<1	1125	842	2.11	10	4	149	<5	<0.01	<10	21	39	<10	1024	2
131926	27.8	0.28	108	67	<0.5	10	0.42	15	6	93	28	2.37	1	0.18	<10	0.21	951	<2	0.01	1	472	2326	1.32	6	1	32	<5	<0.01	<10	<10	12	<10	1669	1
131927	4.4	0.38	397	91	<0.5	15	6.17	7	9	53	6	3.76	1	0.24	<10	0.43	3424	<2	0.01	<1	675	137	2.73	8	2	169	<5	<0.01	<10	19	11	<10	582	1
131928	1.8	0.86	294	128	<0.5	20	3.77	7	14	47	8	4.93	1	0.25	<10	1.07	3176	2	0.01	<1	1144	123	2.40	8	4	149	<5	<0.01	<10	14	37	<10	585	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/shipment 10

Sample type: Core

Report No : 9V1030RJ

Date : Aug-28-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131929	5.1	0.63	225	104	<0.5	14	3.62	4	10	47	4	3.67	1	0.20	<10	0.72	2881	<2	0.01	<1	867	57	1.87	5	3	128	<5	<0.01	<10	11	26	<10	322	1
131930	1.5	1.12	187	139	<0.5	20	6.41	3	11	50	3	4.65	1	0.29	<10	0.94	4895	2	0.01	<1	1025	89	1.93	8	4	140	<5	<0.01	<10	19	39	<10	204	2
131931	1.0	0.50	115	257	<0.5	19	4.69	5	15	27	9	4.70	1	0.28	10	1.26	4406	<2	0.01	<1	1321	123	1.30	6	5	289	<5	<0.01	<10	16	30	<10	307	2
131932	<0.2	0.01	<5	<10	<0.5	<5	>15.00	<1	<1	2	1	0.04	<1	0.01	<10	2.34	59	<2	0.01	<1	56	<2	0.85	<5	<1	3222	<5	<0.01	<10	20	1	<10	1	<1
131933	1.0	1.28	6358	74	<0.5	153	5.90	1	102	34	279	4.60	1	0.19	<10	0.46	775	29	0.06	57	828	19	0.92	15	3	58	5	0.10	<10	10	50	<10	76	10
131934	1.4	1.58	197	109	<0.5	19	3.21	4	15	42	13	4.58	1	0.23	<10	1.36	3184	<2	0.01	<1	1236	90	1.57	9	4	102	<5	<0.01	<10	12	56	<10	272	2
131935	2.4	2.09	70	123	<0.5	22	4.37	13	16	26	16	4.80	3	0.24	11	1.57	3813	<2	0.01	<1	1195	341	0.84	9	6	177	<5	<0.01	<10	16	87	<10	1215	2
131936	0.4	2.26	60	143	<0.5	24	5.12	4	16	26	15	5.27	2	0.24	12	1.91	4733	<2	0.01	<1	1291	95	0.75	11	8	195	<5	<0.01	<10	23	87	<10	291	2
131937	0.7	1.89	111	136	<0.5	23	4.68	4	16	28	24	5.13	1	0.23	10	1.55	3624	<2	0.01	<1	1185	86	1.32	8	6	162	<5	<0.01	<10	17	70	<10	264	2
131938	1.9	1.14	392	105	<0.5	19	8.52	3	13	27	25	4.31	1	0.23	<10	0.92	3243	<2	0.01	<1	989	104	2.27	10	4	228	<5	<0.01	<10	18	37	<10	189	2
131939	1.2	0.66	119	422	<0.5	9	>15.00	1	6	16	17	2.16	2	0.11	11	0.59	3422	<2	0.01	<1	546	31	1.43	12	2	305	<5	<0.01	15	20	27	<10	87	1
131940	0.8	1.33	172	247	<0.5	18	11.72	2	12	26	13	3.98	3	0.21	11	1.06	2783	<2	0.01	<1	941	41	1.65	30	4	218	<5	<0.01	22	17	50	<10	103	2
131941	0.3	1.21	66	121	<0.5	19	7.77	3	15	23	14	4.52	1	0.30	10	1.47	3101	<2	0.01	<1	1201	28	1.10	9	6	325	<5	<0.01	<10	16	49	<10	125	2
131942	<0.2	2.04	29	655	<0.5	24	4.93	3	22	53	15	5.38	1	0.18	18	2.13	1791	<2	0.02	26	2168	19	0.56	9	6	209	<5	<0.01	<10	<10	77	<10	131	3
131943	<0.2	2.21	11	1043	<0.5	25	4.02	3	26	89	18	5.66	1	0.13	26	2.46	997	<2	0.03	44	2717	8	0.25	9	7	169	<5	0.01	<10	<10	86	<10	112	4
131944	<0.2	2.15	13	761	<0.5	26	3.67	3	28	85	19	5.74	1	0.20	24	2.47	990	<2	0.03	46	2813	11	0.31	10	7	172	<5	0.01	<10	<10	97	<10	111	4
131945	<0.2	0.51	31	101	<0.5	17	4.98	3	15	25	9	4.10	1	0.31	14	1.37	2652	3	0.01	12	2166	25	0.72	7	5	330	<5	<0.01	<10	<10	16	<10	122	2
131946	1.7	1.16	220	107	<0.5	26	2.79	13	16	22	15	5.93	1	0.29	<10	1.15	2606	<2	0.01	1	1318	73	2.73	10	4	128	<5	<0.01	<10	17	47	<10	1094	2
131947	<0.2	1.83	15	153	<0.5	18	3.36	2	16	60	18	4.11	1	0.19	18	1.87	1127	<2	0.03	17	1635	12	0.25	7	7	180	5	0.01	<10	<10	75	<10	121	3
131948	4.5	1.93	102	119	<0.5	22	4.05	5	14	26	25	4.97	2	0.20	<10	1.64	3393	<2	0.01	<1	1352	277	0.99	9	5	172	<5	<0.01	<10	16	83	<10	385	2
131949	2.0	1.61	136	204	<0.5	22	5.70	5	15	15	25	4.95	1	0.21	10	1.46	3188	<2	0.01	<1	1273	107	1.56	13	5	224	<5	<0.01	<10	17	67	<10	309	2
131950	1.2	1.40	108	215	<0.5	21	4.93	6	16	24	18	4.93	1	0.21	<10	1.63	3686	<2	0.01	<1	1265	149	1.64	12	6	247	<5	<0.01	<10	19	65	<10	495	2
131951	1.5	0.50	80	124	<0.5	20	3.20	13	16	26	28	4.70	1	0.27	<10	1.35	2826	<2	0.01	1	1346	187	1.28	9	6	219	<5	<0.01	<10	14	37	<10	1265	2
131952	1.0	0.73	130	127	<0.5	22	3.86	4	16	17	28	5.07	1	0.24	<10	1.34	2580	<2	0.01	<1	1266	103	2.26	9	5	200	<5	<0.01	<10	16	32	<10	221	2
131953	0.2	0.77	102	182	<0.5	23	4.11	6	16	18	23	5.14	1	0.24	<10	1.66	2455	<2	0.01	1	1324	60	1.72	8	6	263	<5	<0.01	<10	15	31	<10	458	2
131954	0.9	0.34	116	143	<0.5	20	2.86	4	17	22	39	4.72	1	0.24	<10	1.10	2087	<2	0.01	2	1328	52	1.92	10	4	231	<5	<0.01	<10	11	19	<10	217	1
131955	2.0	0.34	124	95	<0.5	22	3.17	6	16	23	39	4.70	1	0.28	<10	1.37	2156	<2	0.01	1	1117	141	1.77	6	4	352	<5	<0.01	<10	12	17	<10	412	1
131956	2.4	0.42	89	272	<0.5	21	2.13	9	16	19	53	5.09	1	0.24	<10	1.63	2270	<2	0.01	<1	1361	126	1.01	8	5	266	<5	<0.01	<10	11	37	<10	793	1
131957	5.2	1.41	129	227	<0.5	23	2.12	5	16	24	42	5.03	1	0.32	<10	1.55	2195	26	0.01	1	1353	92	1.37	12	5	145	<5	<0.01	<10	10	47	<10	374	2
131958	1.7	1.21	203	142	<0.5	20	1.50	6	45	391	89	4.70	<1	0.25	<10	7.73	974	5	0.05	627	732	193	1.11	25	5	71	<5	0.03	<10	11	49	<10	417	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/shipment 10

Sample type: Core

Report No : 9V1030RJ

Date : Aug-28-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131959	2.9	1.00	219	111	<0.5	20	3.65	7	18	27	68	4.55	1	0.31	<10	0.82	2015	56	0.01	2	1156	172	2.64	15	3	125	<5	<0.01	<10	12	28	<10	594	1
131960	1.4	1.98	89	178	<0.5	24	2.34	10	16	31	39	5.29	1	0.26	10	1.52	2658	24	0.01	2	1370	150	1.47	13	6	95	<5	<0.01	<10	14	83	<10	817	2
131961	2.8	2.12	87	194	<0.5	23	1.20	9	16	27	25	5.32	1	0.29	11	1.54	2150	129	0.01	<1	1415	121	1.06	12	6	62	<5	<0.01	<10	<10	88	<10	773	2
131962	2.4	1.95	100	313	<0.5	25	1.50	11	17	25	14	5.70	2	0.33	12	1.82	2525	118	0.01	<1	1406	113	0.96	14	7	138	<5	<0.01	<10	11	73	<10	960	2
131963	<0.2	1.88	70	356	<0.5	21	1.84	3	19	26	19	5.03	1	0.34	12	1.71	1723	14	0.02	6	1603	34	0.86	9	6	156	<5	<0.01	<10	<10	56	<10	143	2
131964	<0.2	1.87	11	186	<0.5	18	4.47	2	16	42	9	4.41	1	0.25	21	1.77	1928	<2	0.03	16	2207	15	0.35	9	4	321	5	0.01	<10	<10	53	<10	112	3
131965	0.4	1.99	52	128	<0.5	22	4.05	12	17	37	12	5.13	1	0.27	13	1.65	2617	<2	0.02	8	1544	154	1.10	10	6	173	<5	0.01	<10	11	78	<10	1062	3
131966	1.2	2.30	54	273	<0.5	25	1.76	24	18	27	24	5.41	2	0.26	11	1.95	2984	<2	0.01	<1	1387	521	1.04	12	7	107	<5	<0.01	<10	13	95	<10	2123	2
131967	1.0	2.24	79	246	<0.5	25	2.43	11	18	33	17	5.50	1	0.27	11	1.97	3129	<2	0.01	<1	1384	164	1.18	15	7	110	<5	<0.01	<10	15	91	<10	1042	2
131968	1.0	1.56	102	227	<0.5	22	2.56	11	17	26	10	5.06	1	0.29	10	1.48	3273	<2	0.01	<1	1253	173	1.27	12	6	191	<5	<0.01	<10	14	53	<10	968	2
131969	2.5	1.60	183	151	<0.5	29	4.03	8	18	21	23	5.87	3	0.28	<10	1.67	3363	2	0.01	<1	1427	140	2.46	37	6	239	<5	<0.01	20	20	67	<10	566	2
131970	1.0	1.88	48	285	<0.5	25	2.81	19	19	26	9	5.52	2	0.30	10	1.97	3492	<2	0.01	1	1476	155	1.23	12	7	243	<5	<0.01	<10	18	79	<10	1632	2
131971	0.9	1.35	36	428	<0.5	24	4.64	8	17	20	7	5.40	1	0.31	<10	1.88	3706	<2	0.01	<1	1303	134	0.83	9	6	393	<5	<0.01	<10	19	51	<10	593	2
131972	1.1	0.55	26	270	<0.5	7	11.17	1	5	58	3	1.99	2	0.10	<10	0.63	5272	<2	0.01	<1	331	30	0.61	10	5	792	<5	<0.01	<10	21	20	<10	114	1
131973	1.1	2.25	53	233	<0.5	25	3.61	38	18	25	21	5.81	1	0.24	<10	1.99	3507	<2	0.01	<1	1413	189	1.20	9	7	253	<5	<0.01	<10	19	93	<10	3011	2
131974	34.0	2.43	48	129	<0.5	28	3.02	123	19	27	49	6.27	2	0.23	10	1.98	3405	<2	0.01	<1	1520	127	1.44	10	9	184	<5	<0.01	<10	17	114	<10	7141	2
131975	8.2	0.62	46	252	0.5	26	3.09	53	17	20	25	5.99	1	0.37	10	1.40	3413	<2	0.01	<1	1511	51	1.33	8	6	251	<5	<0.01	<10	14	34	<10	3959	2
131976	0.9	0.57	50	292	<0.5	21	4.67	23	14	19	5	5.28	1	0.30	<10	1.46	3801	<2	0.01	<1	1229	104	1.18	6	6	323	<5	<0.01	<10	16	24	<10	1953	2
131977	<0.2	1.99	23	118	<0.5	25	3.56	8	17	23	<1	5.74	1	0.32	12	1.82	3218	<2	0.01	<1	1444	88	0.55	8	7	217	<5	<0.01	<10	13	73	<10	623	2
131978	<0.2	1.50	75	413	<0.5	23	4.57	3	20	22	7	5.36	1	0.28	25	1.64	2737	<2	0.02	12	3580	13	0.86	8	4	290	<5	<0.01	<10	<10	45	<10	174	3
131979	1.1	1.83	133	230	<0.5	25	3.74	5	14	28	7	5.33	2	0.32	<10	1.52	3154	<2	0.01	2	1527	36	1.47	10	7	262	<5	<0.01	<10	15	65	<10	325	2
131980	<0.2	2.30	97	153	<0.5	30	2.43	5	13	38	2	6.10	2	0.25	<10	1.84	3549	<2	0.01	<1	1367	28	1.46	11	7	155	<5	<0.01	<10	19	90	<10	288	2
131981	<0.2	2.49	78	146	<0.5	29	1.49	13	15	29	7	6.18	2	0.26	11	1.93	3059	<2	0.01	<1	1465	67	1.32	11	7	92	<5	<0.01	<10	16	100	<10	1048	2
131982	1.2	1.62	76	267	<0.5	25	3.70	6	13	25	3	5.80	1	0.32	<10	1.51	3644	<2	0.01	1	1269	65	1.93	11	6	253	<5	<0.01	<10	15	59	<10	350	2
131983	<0.2	1.80	25	312	<0.5	19	4.29	7	15	49	13	4.65	1	0.24	12	1.70	3431	<2	0.02	15	1595	33	0.60	8	5	251	<5	<0.01	<10	10	61	<10	688	2
131984	0.6	2.32	38	259	<0.5	25	2.85	27	17	26	6	5.70	2	0.28	<10	2.00	4136	<2	0.01	<1	1526	312	1.08	9	8	167	<5	<0.01	<10	16	90	<10	2342	2
131985	0.2	2.46	48	249	<0.5	27	2.68	35	17	48	11	6.04	2	0.25	10	1.89	3815	<2	0.01	1	1378	54	0.90	10	7	147	<5	<0.01	<10	15	99	<10	3073	2
131986	1.0	1.64	56	300	<0.5	23	3.33	47	12	27	28	5.34	2	0.37	<10	1.38	3486	<2	0.01	<1	1163	83	1.13	8	6	196	<5	<0.01	<10	14	58	<10	3890	2
131987	0.9	0.51	55	269	<0.5	21	4.58	18	9	23	6	4.84	1	0.35	<10	1.20	4227	<2	0.01	<1	1172	50	1.18	7	5	322	<5	<0.01	<10	17	19	<10	1533	2
131988	<0.2	1.76	34	212	<0.5	22	3.47	3	19	11	26	4.95	1	0.37	<10	0.87	1978	<2	0.01	<1	1528	11	1.77	11	4	129	<5	<0.01	<10	<10	43	<10	120	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/shipment 10

Sample type: Core

Report No : **9V1030RJ**

Date : Aug-28-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131989	3.7	0.63	140	96	<0.5	17	2.76	46	12	42	18	4.22	3	0.30	<10	0.24	1769	2	0.01	<1	850	1900	3.55	17	2	87	<5	<0.01	<10	11	18	<10	3995	2
131990	<0.2	2.08	30	193	<0.5	26	2.08	6	17	16	28	5.53	<1	0.33	<10	1.05	1562	<2	0.01	<1	1329	144	1.74	13	4	70	<5	<0.01	<10	11	45	<10	457	2
131991	<0.2	2.14	58	256	<0.5	22	0.56	4	15	22	10	4.90	1	0.31	<10	1.22	1955	<2	0.02	<1	1411	48	0.92	13	3	15	<5	<0.01	<10	<10	34	<10	278	2
131992	1.7	1.35	97	240	<0.5	21	4.79	12	11	20	24	4.63	1	0.28	<10	0.86	4611	<2	0.01	<1	1098	299	1.31	12	3	294	<5	<0.01	<10	20	25	<10	1274	2
131993	<0.2	2.29	29	259	<0.5	24	1.49	5	16	13	18	5.42	<1	0.32	11	1.25	2450	<2	0.02	<1	1486	22	0.62	11	4	43	<5	<0.01	<10	<10	41	<10	344	2
Duplicates:																																		
131869	<0.2	1.97	229	195	<0.5	24	4.38	3	13	18	3	5.48	<1	0.30	<10	1.06	1475	<2	0.01	<1	1364	12	1.76	18	4	93	<5	<0.01	<10	12	33	<10	96	2
131878	7.1	0.74	123	135	<0.5	15	3.06	8	9	28	19	3.20	<1	0.38	<10	0.22	1352	<2	0.01	<1	1090	150	2.52	8	2	66	<5	<0.01	<10	<10	20	<10	533	1
131888	1.2	1.79	34	184	<0.5	20	2.00	7	13	14	53	4.78	1	0.29	10	1.02	2882	<2	0.01	<1	1385	254	1.37	10	3	78	<5	<0.01	<10	11	33	<10	561	2
131891	18.8	1.03	179	55	<0.5	31	1.92	208	9	29	871	6.41	5	0.18	<10	0.55	2835	2	0.01	<1	668	6597	>5.00	16	1	32	<5	<0.01	<10	19	24	<10	9587	2
131900	2.4	2.21	229	125	<0.5	26	1.26	70	13	23	36	5.95	3	0.33	<10	1.46	3441	<2	0.01	<1	1405	156	2.41	10	3	37	<5	<0.01	<10	16	50	<10	5874	2
131910	<0.2	1.24	197	131	<0.5	24	2.95	4	18	36	18	5.49	1	0.45	13	1.07	1208	9	0.02	9	1876	27	2.63	8	7	114	<5	0.01	<10	<10	57	<10	157	2
131913	<0.2	1.06	33	213	0.8	21	2.92	4	17	15	20	5.19	1	0.60	12	1.11	2176	<2	0.01	2	1654	27	0.68	7	9	177	<5	<0.01	<10	<10	42	<10	172	2
131922	1.1	2.02	115	277	<0.5	23	2.73	18	14	19	6	5.38	2	0.25	<10	1.47	3774	<2	0.02	<1	1365	301	1.11	8	5	112	<5	<0.01	<10	16	76	<10	1610	2
131932	<0.2	0.01	<5	<10	<0.5	<5	>15.00	<1	<1	2	1	0.04	<1	0.01	<10	2.27	54	<2	0.01	<1	62	<2	0.82	<5	<1	3323	<5	<0.01	<10	20	1	<10	1	<1
131935	2.3	2.07	73	125	<0.5	24	4.65	14	16	26	16	4.88	2	0.25	11	1.69	3989	<2	0.01	<1	1275	366	0.87	9	6	179	<5	<0.01	<10	17	85	<10	1267	2
131944	<0.2	2.14	13	793	<0.5	25	3.74	3	27	82	19	5.82	<1	0.20	23	2.48	958	<2	0.04	44	2714	11	0.30	10	7	166	<5	0.01	<10	<10	93	<10	109	4
131954	0.8	0.36	112	133	<0.5	20	2.77	4	16	22	39	4.60	1	0.26	<10	1.07	2026	<2	0.01	1	1315	47	1.87	9	4	228	<5	<0.01	<10	10	20	<10	211	1
131957	4.4	1.39	129	227	<0.5	21	2.11	5	16	21	41	5.09	1	0.31	<10	1.56	2180	26	0.01	1	1327	91	1.37	12	5	140	<5	<0.01	<10	10	47	<10	372	2
131966	1.2	2.30	53	252	<0.5	25	1.74	24	17	26	23	5.69	1	0.26	11	1.92	2960	<2	0.01	<1	1347	505	1.00	12	7	105	<5	<0.01	<10	11	93	<10	2113	2
131976	0.9	0.59	53	260	<0.5	23	4.52	22	14	19	5	5.15	1	0.31	<10	1.41	3799	<2	0.01	<1	1220	106	1.16	8	6	324	<5	<0.01	<10	17	25	<10	1908	2
131979	1.2	1.88	141	232	<0.5	25	3.89	5	14	29	5	5.92	1	0.32	10	1.57	3261	<2	0.01	2	1574	35	1.50	11	7	263	<5	<0.01	<10	14	65	<10	325	2
131988	<0.2	1.80	35	226	<0.5	22	3.45	3	19	11	26	5.19	1	0.38	10	0.88	1986	<2	0.01	<1	1496	11	1.72	12	5	127	<5	<0.01	<10	<10	44	<10	116	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
ICP-5	24.1	1.27	1463	180	0.7	55	2.35	19	19	172	2279	4.13	1	0.19	<10	1.25	661	7	0.08	107	604	2427	1.24	236	3	65	<5	0.09	<10	<10	66	<10	1519	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Metallic Assay Certificate

9V-1030-RM1

Aug-28-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/shipment 10
Attn: Sue Deane

We *hereby certify* the following analysis of 2 core samples submitted Aug-13-09

Sample Name	WtTotal g	Wt+150 g	+150Au mg	-150Au g/tonne	Metallic Au g/tonne	Net Au g/tonue
131974	478.1	54.0	6.323	62.65	13.23	68.80
131975	486.0	17.4	0.889	11.00	1.83	12.44

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1031-RA1

Aug-28-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/shipment 10
Attn: Sue Deane

We *hereby certify* the following assay of 22 rocks samples submitted Aug-13-09

Sample Name	Au g/tonne	Ag g/tonne	Cu %	Pb %	Zn %	Sample-Wt Kg
139769	0.26	2.9				1.2
139770	0.42	4.8				2.0
139771	0.65	2.4				1.4
139772	0.46	3.0				1.2
139773	1.50	4.7				1.6
139774	1.59	10.1				2.1
139775	0.98	7.7				1.9
139776	0.45	5.7				2.1
139777	0.23	3.2				1.8
139778	0.54	3.1				1.9
139779	1.62	6.3				2.1
139780	0.62	6.4				1.2
139781	0.54	11.0				2.6
139782	2.35	32.6			3.46	3.6
139783	2.66	105.6			3.50	2.6
139784	0.95	93.0	1.07	2.88	4.69	2.3
139785	1.29	77.7		5.00	6.20	3.1
139786	0.89	39.6				2.4
139787	0.28	3.2				2.8
139788	0.58	9.1				2.7
139789	0.69	190.7				2.0
139790	0.79	169.7				2.4
*DUP 139769	0.28	3.1				
*DUP 139778	0.60	3.4				
*DUP 139788	0.61	8.6				
*0211	2.15					
*SE-1			0.095	1.86	2.59	
*BLANK	<0.01		<0.001	<0.01	<0.01	

Au F.A. AA finish. Ag read from ICP solution.Over limit Cu,Pb,Zn 4 Acid Digest AA finish

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1031-RA2

Aug-28-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/shipment 10
Attn: Sue Deane

We *hereby certify* the following assay of 22 rocks samples submitted Aug-13-09

Sample Name	Au g/tonne	Ag g/tonne	Ag g/tonne	Cu %	Pb %	Zn %	Sample-Wt Kg
139791	0.49	3.0					1.8
139792	4.03	189.9		2.29	7.00	12.3	3.4
139793	1.22	>200.0	500.2		5.01		2.3
139794	2.66	120.6		1.20	6.60	4.47	2.4
139795	0.14	5.7					2.2
139796	0.10	2.7					2.3
139797	2.26	17.7					2.1
139798	1.17	14.5					2.1
139799	0.11	8.3					2.0
139800	0.19	7.1					1.9
139801	0.27	6.3					1.5
139802	0.12	2.8					1.5
139803	0.29	4.8					3.4
139804	0.19	2.9					3.1
139805	0.79	25.8					1.9
139806	0.17	7.0					1.7
139807	0.88	26.6					1.8
139808	0.90	15.3					2.0
139809	5.21	54.8				3.66	2.3
139810	5.97	23.6					2.6
139811	0.81	23.6				6.20	2.8
139812	1.16	17.0				2.38	1.9
*DUP 139791	0.53	2.8					
*DUP 139800	0.15	7.1					
*DUP 139810	6.12	23.9					
*0211	2.20						
*SE-1			691.0	0.096	1.87	2.59	
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01	

Au F.A. AA finish. Ag read from ICP solution.Over limit Ag,Cu,Pb,Zn 4 Acid Digest AA finish

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1031-RA3

Aug-28-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/shipment 10
Attn: Sue Deane

We *hereby certify* the following assay of 3 rocks samples submitted Aug-13-09

Sample Name	Au g/tonne	Ag g/tonne	Zn %	Sample-Wt Kg
139813	4.34	27.6	3.91	2.3
139814	0.28	9.2		1.5
139815	0.61	20.6	2.25	2.3
*DUP 139813	4.66	28.9		
*0211	2.18			
*SE-1			2.59	
*BLANK	<0.01		<0.01	

Au F.A. AA finish. Ag read from ICP solution.Over limit Zn 4 Acid Digest AA finish

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Dilworth/shipment 10
Sample type: Rocks

Report No : **9V1031RJ**
Date : Aug-28-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
139769	2.9	0.29	240	82	<0.5	19	0.61	5	9	65	7	4.25	<1	0.20	<10	0.04	787	3	0.01	2	596	168	3.29	22	1	21	<5	<0.01	<10	<10	5	<10	335	2
139770	4.8	0.29	359	96	<0.5	19	0.43	27	9	55	27	3.98	<1	0.23	<10	0.04	694	<2	0.01	2	737	1607	2.76	16	1	18	<5	<0.01	<10	<10	5	<10	1873	2
139771	2.4	0.34	369	93	<0.5	21	0.08	15	9	62	27	4.61	<1	0.24	<10	0.03	177	<2	0.01	2	674	416	2.56	15	1	11	<5	<0.01	<10	<10	7	<10	1151	2
139772	3.0	0.34	168	106	<0.5	18	0.10	10	9	69	16	4.28	<1	0.20	<10	0.05	145	164	0.01	4	785	227	2.29	15	1	4	<5	<0.01	<10	<10	7	<10	731	2
139773	4.7	0.84	87	141	<0.5	25	0.30	41	8	60	112	5.64	1	0.29	<10	0.37	1206	2	0.01	<1	1122	948	2.08	17	2	9	<5	<0.01	<10	10	30	<10	3306	2
139774	10.1	0.87	67	125	<0.5	26	0.09	11	6	66	105	5.72	1	0.26	<10	0.49	753	2	0.01	<1	1032	8270	2.18	14	2	11	<5	<0.01	<10	<10	34	<10	894	2
139775	7.7	0.84	91	183	<0.5	24	0.08	20	5	78	128	5.63	<1	0.20	<10	0.52	815	2	0.01	<1	963	907	1.53	12	2	3	<5	<0.01	<10	<10	27	<10	1795	2
139776	5.7	0.96	121	91	<0.5	27	0.16	11	11	43	125	5.96	<1	0.30	<10	0.46	569	4	0.01	<1	1241	734	2.92	17	2	5	<5	<0.01	<10	<10	24	<10	963	2
139777	3.2	0.33	453	146	<0.5	19	0.04	3	8	52	7	4.92	<1	0.32	<10	0.04	172	4	0.01	<1	1231	112	1.91	21	1	6	<5	<0.01	<10	<10	11	<10	50	2
139778	3.1	0.31	309	270	<0.5	13	0.01	2	3	28	3	3.18	<1	0.38	<10	0.04	71	6	0.01	<1	761	89	0.96	15	1	10	<5	<0.01	<10	<10	10	<10	43	1
139779	6.3	0.28	337	315	<0.5	10	<0.01	1	2	56	8	2.14	<1	0.36	<10	0.02	28	3	0.01	1	347	28	0.91	17	1	5	<5	<0.01	<10	<10	8	<10	10	1
139780	6.4	0.29	382	371	<0.5	7	<0.01	1	<1	48	2	1.56	<1	0.35	<10	0.02	20	14	0.01	<1	615	39	0.23	17	1	11	<5	<0.01	<10	<10	8	<10	8	1
139781	11.0	0.33	40	173	<0.5	18	2.64	75	13	136	653	4.18	1	0.25	<10	0.55	3053	<2	0.01	8	1040	799	1.54	8	7	148	<5	<0.01	<10	13	11	<10	4775	2
139782	32.6	0.32	73	46	<0.5	33	1.19	432	24	112	2780	6.77	7	0.22	<10	0.44	2580	<2	0.01	2	728	4220	>5.00	8	3	78	<5	<0.01	<10	18	13	<10	>10000	2
139783	105.6	0.26	58	32	<0.5	39	0.54	435	23	146	6235	7.32	5	0.18	<10	0.20	1003	5	0.01	4	390	9724	>5.00	12	2	35	<5	<0.01	<10	17	12	<10	>10000	2
139784	93.0	0.20	66	41	<0.5	37	0.38	618	18	160	>10000	5.51	10	0.15	<10	0.17	1256	2	0.01	3	258	>10000	>5.00	12	1	25	<5	<0.01	<10	14	8	<10	>10000	2
139785	77.7	0.29	54	33	<0.5	45	0.93	725	23	145	6274	6.02	14	0.20	<10	0.35	2348	<2	0.01	4	457	>10000	>5.00	14	3	48	<5	<0.01	<10	17	13	<10	>10000	2
139786	39.6	0.38	111	57	<0.5	34	1.88	266	20	121	4390	6.38	6	0.28	<10	0.69	4186	<2	0.01	3	783	3875	4.66	12	5	103	<5	<0.01	<10	22	19	<10	8773	2
139787	3.2	0.42	132	56	<0.5	31	2.27	23	24	110	162	7.13	2	0.32	<10	0.82	4041	<2	0.01	3	922	507	3.86	10	6	131	<5	<0.01	<10	24	22	<10	1869	2
139788	9.1	0.38	200	70	<0.5	35	1.47	67	25	119	1803	7.30	3	0.28	<10	0.61	2362	<2	0.01	3	793	1955	>5.00	16	4	98	<5	<0.01	<10	20	22	<10	4371	2
139789	190.7	0.33	141	67	<0.5	31	1.69	95	22	118	873	6.73	6	0.25	<10	0.75	3068	<2	0.01	2	682	1317	4.61	18	4	143	<5	<0.01	<10	20	16	<10	5537	2
139790	169.7	0.37	123	41	<0.5	34	1.43	106	24	96	5182	7.44	5	0.29	<10	0.65	2594	<2	0.01	1	622	1973	>5.00	17	4	84	<5	<0.01	<10	21	19	<10	6202	2
139791	3.0	0.39	110	61	<0.5	24	1.64	18	18	72	128	5.47	2	0.25	<10	0.65	3047	<2	0.01	1	589	347	3.42	8	4	110	<5	<0.01	<10	19	17	<10	1523	2
139792	189.9	0.11	36	73	<0.5	127	0.26	1221	24	136	>10000	6.49	100	0.09	<10	0.11	950	2	0.01	2	79	>10000	>5.00	42	1	13	<5	<0.01	<10	19	4	<10	>10000	2
139793	>200.0	0.30	100	37	<0.5	43	0.81	148	18	100	7943	6.56	9	0.20	<10	0.47	2089	<2	0.01	1	357	>10000	>5.00	30	2	69	<5	<0.01	<10	21	31	<10	7070	2
139794	120.6	0.26	95	34	<0.5	63	0.49	477	26	113	>10000	8.53	20	0.18	<10	0.31	1553	<2	0.01	1	282	>10000	>5.00	33	2	36	<5	<0.01	<10	28	13	<10	>10000	2
139795	5.7	0.31	63	169	<0.5	12	0.17	6	10	110	75	2.59	1	0.24	<10	0.04	679	4	0.01	4	705	502	1.06	8	2	7	<5	<0.01	<10	<10	7	<10	540	1
139796	2.7	0.27	48	118	<0.5	7	0.03	4	4	182	64	1.59	1	0.20	<10	0.02	351	3	0.01	5	462	388	0.29	8	1	2	<5	<0.01	<10	<10	6	<10	343	1
139797	17.7	0.25	85	250	<0.5	11	0.30	6	5	125	22	2.33	1	0.18	<10	0.09	647	6	0.01	3	528	547	0.67	9	1	18	<5	<0.01	<10	<10	5	<10	645	1
139798	14.5	0.15	43	55	<0.5	5	<0.01	11	1	212	40	1.14	1	0.13	<10	0.01	39	3	0.01	6	128	2022	0.60	8	<1	2	<5	<0.01	<10	<10	3	<10	1065	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95ºC for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/shipment 10

Sample type: Rocks

Report No : **9V1031RJ**

Date : Aug-28-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
139799	8.3	0.10	101	52	<0.5	8	<0.01	3	1	207	30	1.93	4	0.08	<10	0.01	73	2	0.01	5	225	174	0.15	11	<1	2	<5	<0.01	<10	<10	4	<10	252	1
139800	7.1	0.21	161	106	<0.5	7	<0.01	3	1	169	10	1.63	1	0.18	<10	0.02	32	3	0.01	4	273	181	0.55	12	1	2	<5	<0.01	<10	<10	5	<10	230	1
139801	6.3	0.30	146	139	<0.5	11	<0.01	8	3	96	18	2.39	2	0.25	<10	0.03	33	3	0.01	2	313	379	1.27	13	1	3	<5	<0.01	<10	<10	7	<10	682	1
139802	2.8	0.25	241	143	<0.5	11	<0.01	17	3	147	22	2.61	1	0.22	<10	0.02	42	4	0.01	3	560	350	0.99	9	1	3	<5	<0.01	<10	<10	7	<10	1564	1
139803	4.8	0.24	188	124	<0.5	12	0.01	10	5	154	23	2.71	1	0.18	<10	0.02	62	5	0.01	3	322	243	1.53	11	1	2	<5	<0.01	<10	<10	6	<10	865	1
139804	2.9	0.21	104	282	<0.5	13	<0.01	6	7	176	27	3.00	1	0.16	<10	0.02	313	5	0.01	4	290	255	1.02	11	1	5	<5	<0.01	<10	<10	5	<10	646	1
139805	25.8	0.21	81	37	<0.5	28	0.52	386	24	141	2351	5.90	7	0.16	<10	0.19	1529	<2	0.01	2	266	2631	>5.00	8	1	28	<5	<0.01	<10	17	7	<10	9648	2
139806	7.0	0.24	35	89	<0.5	15	0.51	185	16	173	605	3.90	7	0.15	<10	0.28	2163	<2	0.01	4	366	277	2.59	6	2	33	<5	<0.01	<10	14	7	<10	8165	1
139807	26.6	0.20	142	46	<0.5	23	0.28	369	21	167	1727	5.40	12	0.13	<10	0.23	1579	<2	0.01	3	248	641	4.53	9	1	20	<5	<0.01	<10	17	8	<10	9641	1
139808	15.3	0.26	62	54	<0.5	20	0.53	305	21	155	1051	4.80	12	0.17	<10	0.35	1669	<2	0.01	3	353	342	3.80	6	1	39	<5	<0.01	<10	16	9	<10	9371	1
139809	54.8	0.26	79	36	<0.5	28	0.72	423	21	113	3765	5.68	18	0.18	<10	0.35	2171	<2	0.01	1	367	2780	>5.00	11	1	50	<5	<0.01	<10	18	7	<10	>10000	2
139810	23.6	0.29	44	72	<0.5	18	0.78	136	11	119	1543	3.67	3	0.19	<10	0.31	1894	8	0.01	3	387	1050	2.53	8	2	52	<5	<0.01	<10	12	10	<10	7916	1
139811	23.6	0.23	68	43	<0.5	26	0.28	587	45	131	1933	6.84	28	0.16	<10	0.38	1660	<2	0.01	2	287	505	>5.00	5	1	27	<5	<0.01	<10	19	6	<10	>10000	2
139812	17.0	0.24	46	47	<0.5	20	0.36	262	24	162	1832	5.02	11	0.13	<10	0.26	1637	<2	0.01	3	308	423	4.01	8	1	26	<5	<0.01	<10	15	10	<10	>10000	1
139813	27.6	0.18	75	43	<0.5	22	0.19	481	23	189	2408	4.85	14	0.13	<10	0.11	923	<2	0.01	4	197	1095	4.79	7	1	14	<5	<0.01	<10	14	6	<10	>10000	1
139814	9.2	0.21	38	171	<0.5	13	1.03	100	7	188	614	2.81	4	0.15	<10	0.33	2537	2	0.01	5	366	443	1.49	7	2	69	<5	<0.01	<10	11	8	<10	6912	1
139815	20.6	0.32	88	65	<0.5	23	0.37	252	15	136	1993	4.42	5	0.22	<10	0.21	2066	2	0.01	3	516	1514	3.23	8	2	27	<5	<0.01	<10	13	12	<10	>10000	2
Duplicates:																																		
139769	3.1	0.34	269	95	<0.5	21	0.69	6	10	76	10	4.68	1	0.22	<10	0.05	823	3	0.01	2	665	190	3.68	24	1	22	<5	<0.01	<10	<10	7	<10	375	2
139778	3.4	0.38	362	336	<0.5	15	0.02	2	3	35	3	3.49	<1	0.42	<10	0.04	81	7	0.01	<1	880	102	1.13	17	2	11	<5	<0.01	<10	<10	14	<10	49	2
139788	8.6	0.38	180	61	<0.5	31	1.38	61	22	107	1710	6.82	3	0.28	<10	0.57	2237	<2	0.01	3	699	1782	4.89	15	4	93	<5	<0.01	<10	19	22	<10	4189	2
139791	2.8	0.42	100	61	<0.5	24	1.52	17	17	72	131	5.23	2	0.26	<10	0.62	3089	2	0.01	2	563	349	3.19	9	4	111	<5	<0.01	<10	19	18	<10	1521	2
139800	7.1	0.23	153	106	<0.5	8	<0.01	3	1	170	10	1.57	1	0.19	<10	0.02	33	4	0.01	4	261	173	0.53	12	1	2	<5	<0.01	<10	<10	6	<10	233	1
139810	23.9	0.31	43	68	<0.5	17	0.75	132	11	122	1548	3.55	3	0.19	<10	0.30	1853	8	0.01	3	383	1026	2.48	8	2	53	<5	<0.01	<10	12	10	<10	7609	1
139813	28.9	0.17	76	41	<0.5	23	0.19	457	24	189	2430	4.90	14	0.13	<10	0.11	963	2	0.01	4	210	1094	4.67	7	1	14	<5	<0.01	<10	14	6	<10	>10000	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
ICP-5	26.1	1.30	1493	186	0.6	56	2.19	19	20	185	2345	4.14	1	0.20	<10	1.25	678	8	0.08	120	576	2432	1.11	241	4	68	<5	0.09	<10	12	70	24	1565	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1071-RA1

Sep-01-09

Company: **Ascot Resources Ltd**
Project: Premier/Shipment 11
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Aug-17-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
131994	0.03	0.3	1.3
131995	2.51	2.0	1.6
131996	18.93	28.9	1.2
131997	4.16	8.1	1.5
131998	0.01	0.2	0.4
131999	0.05	0.5	1.6
132000	0.05	0.8	1.8
132001	0.05	1.9	2.4
132002	0.19	6.4	1.6
132003	0.23	7.5	1.7
132004	0.05	2.1	3.4
132005	1.38	2.4	3.0
132006	0.05	1.6	3.2
132007	0.01	0.3	3.4
132008	0.01	0.4	3.4
132009	0.03	1.9	1.8
132010	3.61	13.7	1.5
132011	0.06	2.1	1.7
132012	0.15	2.7	2.1
132013	0.12	1.0	1.7
132014	0.03	0.5	1.5
132015	0.01	0.3	1.9
*DUP 131994	0.04	0.4	
*DUP 132003	0.25	7.8	
*DUP 132013	0.12	1.1	
*0211	2.16		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1071-RA2

Sep-01-09

Company: **Ascot Resources Ltd**
Project: Premier/Shipment 11
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Aug-17-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132016	0.07	15.4	3.4
132017	0.01	0.4	2.8
132018	0.01	<0.1	1.7
132019	0.19	27.3	1.3
132020	3.56	1.2	
132021	0.04	2.0	2.7
132022	0.02	2.9	3.5
132023	0.03	2.6	2.9
132024	0.06	2.6	3.2
132025	0.09	3.6	1.5
132026	0.26	7.2	1.8
132027	0.17	2.7	1.8
132028	0.25	3.7	1.2
132029	0.30	4.4	1.4
132030	0.35	4.8	0.7
132031	0.36	4.7	0.8
132032	0.26	9.5	1.2
132033	0.13	4.9	1.5
132034	0.10	3.9	2.3
132035	0.20	7.4	1.9
132036	0.04	0.8	1.6
132037	0.11	1.2	1.5
*DUP 132016	0.07	17.3	
*DUP 132025	0.09	3.8	
*DUP 132035	0.17	7.3	
*0211	2.20		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1071-RA3

Sep-01-09

Company: **Ascot Resources Ltd**
Project: Premier/Shipment 11
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Aug-17-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132038	0.08	2.4	1.7
132039	0.12	0.8	2.9
132040	0.03	1.5	3.6
132041	<0.01	<0.1	0.2
132042	0.17	0.9	3.4
132043	0.01	<0.1	3.4
132044	0.22	1.1	3.5
132045	0.06	2.0	3.3
132046	0.11	<0.1	3.3
132047	0.05	0.5	1.0
132048	0.15	3.4	2.6
132049	0.09	0.9	3.4
132050	0.23	2.1	3.4
132051	0.03	0.3	3.2
132052	0.03	<0.1	2.6
132053	0.02	<0.1	3.6
132054	0.02	<0.1	3.2
132055	0.06	0.3	3.4
132056	0.22	5.5	1.5
132057	0.69	1.0	3.4
132058	0.03	0.4	3.0
132059	0.26	2.5	1.8
*DUP 132038	0.09	2.3	
*DUP 132047	0.07	0.5	
*DUP 132057	0.77	1.0	
*0211	2.15		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1071-RA4

Sep-01-09

Company: **Ascot Resources Ltd**
Project: Premier/Shipment 11
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Aug-17-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132060	0.28	0.5	
132061	0.67	4.3	1.8
132062	0.52	0.9	1.3
132063	0.22	1.7	1.7
132064	0.84	6.5	1.8
132065	0.13	1.8	1.5
132066	0.01	<0.1	1.8
132067	0.05	<0.1	0.8
132068	<0.01	<0.1	1.2
132069	0.01	0.2	2.4
132070	0.21	2.1	1.6
132071	0.35	3.2	1.3
132072	0.32	4.7	1.7
132073	4.22	5.6	1.1
132074	0.03	0.6	1.6
132075	2.95	3.6	1.7
132076	0.24	1.1	3.0
132077	0.09	0.6	3.0
132078	0.03	0.4	3.0
132079	0.05	0.6	3.1
132080	<0.01	<0.1	0.2
132081	0.02	0.3	2.9
*DUP 132060	0.30	0.5	
*DUP 132069	0.02	0.2	
*DUP 132079	0.05	0.6	
*0211	2.17		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1071-RA5

Sep-01-09

Company: **Ascot Resources Ltd**
Project: Premier/Shipment 11
Attn: Sue Deane

We *hereby certify* the following assay of 15 core samples submitted Aug-17-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132082	0.03	0.2	2.9
132083	0.01	0.2	1.5
132084	0.15	6.7	1.1
132085	0.03	2.1	1.5
132086	0.03	0.9	3.2
132087	0.01	0.1	3.0
132088	0.04	2.0	2.0
132089	0.01	0.5	3.2
132090	0.12	2.7	3.2
132091	0.02	0.6	3.1
132092	0.03	1.6	2.9
132093	0.04	2.8	3.3
132094	0.02	0.7	2.9
132095	0.15	1.1	2.9
132096	0.01	0.4	3.0
*DUP 132082	0.02	0.2	
*DUP 132091	0.02	0.6	
*0211	2.13		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Premier/Shipment 11

Sample type: Core

Report No : **9V1071RJ**

Date : Sep-01-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
131994	0.3	1.69	71	207	<0.5	20	1.48	7	16	23	13	4.42	1	0.32	<10	0.98	1277	<2	0.01	1	1142	38	1.56	9	3	45	<5	<0.01	<10	<10	28	<10	598	2
131995	2.0	1.55	75	162	<0.5	19	1.44	7	16	27	68	4.32	1	0.35	10	0.89	1631	<2	0.01	1	1178	185	1.60	11	3	43	<5	<0.01	<10	<10	30	<10	583	2
131996	28.9	0.49	39	118	<0.5	11	1.38	166	9	75	859	2.59	9	0.23	<10	0.25	1752	<2	0.01	3	441	5062	2.49	12	1	50	<5	<0.01	<10	<10	10	<10	8228	1
131997	8.1	0.38	32	147	<0.5	7	3.27	26	5	94	417	1.58	2	0.18	<10	0.14	1802	2	0.01	2	294	802	1.14	8	1	89	<5	<0.01	<10	<10	6	<10	2258	1
131998	0.2	0.03	<5	<10	<0.5	<5	>15.00	<1	<1	3	4	0.05	<1	0.01	<10	4.25	69	<2	0.01	1	82	13	0.64	<5	<1	3443	<5	<0.01	<10	19	2	<10	43	<1
131999	0.5	1.93	60	249	<0.5	19	0.93	4	13	22	27	4.43	<1	0.37	10	0.97	1993	<2	0.01	1	1297	58	0.65	9	3	33	<5	<0.01	<10	<10	35	<10	359	2
132000	0.8	1.73	93	247	<0.5	21	0.51	4	16	24	13	4.51	1	0.40	<10	0.86	1335	3	0.01	1	1270	55	1.44	13	3	27	<5	<0.01	<10	<10	29	<10	259	2
132001	1.9	1.58	182	249	<0.5	18	1.19	2	14	12	31	4.29	1	0.40	10	0.74	1467	<2	0.01	<1	1378	16	1.17	13	3	46	<5	<0.01	<10	<10	49	<10	145	2
132002	6.4	0.96	524	76	<0.5	22	1.98	4	14	15	9	4.82	1	0.39	<10	0.35	1513	<2	0.01	<1	1329	42	3.30	24	2	57	<5	<0.01	<10	<10	24	<10	204	2
132003	7.5	0.57	513	132	<0.5	24	0.62	4	14	22	12	5.32	1	0.35	<10	0.16	490	4	0.01	<1	922	76	4.02	35	1	33	<5	<0.01	<10	<10	13	<10	181	2
132004	2.1	1.06	219	172	<0.5	19	1.35	3	12	19	11	4.24	1	0.34	<10	0.46	1233	<2	0.01	<1	1185	30	2.26	18	2	41	<5	<0.01	<10	<10	21	<10	119	2
132005	2.4	1.63	123	154	<0.5	22	0.81	5	13	16	29	4.79	<1	0.30	<10	0.95	1672	<2	0.01	<1	1280	99	1.61	13	2	41	<5	<0.01	<10	<10	29	<10	350	2
132006	1.6	1.82	138	208	<0.5	22	3.64	10	13	11	23	4.90	1	0.34	<10	0.96	2707	<2	0.01	<1	1427	375	1.35	10	3	111	<5	<0.01	<10	10	31	<10	810	2
132007	0.3	1.65	54	180	<0.5	23	3.56	4	15	10	14	5.23	<1	0.34	<10	0.84	2183	<2	0.01	<1	1461	73	2.06	9	3	114	<5	<0.01	<10	10	28	<10	153	2
132008	0.4	1.88	72	199	<0.5	23	3.00	6	15	8	17	5.10	1	0.35	<10	0.98	2180	<2	0.01	<1	1369	106	1.65	9	3	91	<5	<0.01	<10	<10	34	<10	399	2
132009	1.9	1.06	86	130	<0.5	19	2.22	3	13	13	10	4.21	<1	0.36	<10	0.45	1383	<2	0.01	<1	1286	44	2.52	8	2	82	<5	<0.01	<10	<10	21	<10	102	2
132010	13.7	0.68	177	105	<0.5	18	1.45	5	13	19	18	4.02	1	0.35	<10	0.25	928	<2	0.01	<1	1084	120	2.93	11	2	71	<5	<0.01	<10	<10	14	<10	266	2
132011	2.1	1.61	123	148	<0.5	23	2.00	4	14	18	12	5.07	1	0.37	10	0.91	1421	<2	0.01	4	1521	86	1.98	13	4	129	<5	<0.01	<10	<10	31	<10	134	2
132012	2.7	0.88	88	85	<0.5	23	3.38	8	14	18	30	5.02	1	0.34	<10	0.39	2329	<2	0.01	<1	1133	663	3.49	8	2	130	<5	<0.01	<10	11	18	<10	533	2
132013	1.0	1.25	55	131	<0.5	20	2.98	9	14	15	21	4.59	1	0.35	<10	0.82	2598	<2	0.01	1	1405	247	1.90	6	3	139	<5	<0.01	<10	<10	27	<10	740	2
132014	0.5	1.60	81	204	<0.5	24	5.45	4	11	9	18	5.52	1	0.37	<10	0.71	3011	3	0.01	<1	1446	66	2.28	10	3	173	<5	<0.01	<10	12	29	<10	167	2
132015	0.3	1.57	37	202	<0.5	20	2.99	5	12	9	15	4.48	1	0.34	<10	0.70	2093	<2	0.01	<1	1473	148	1.20	7	3	97	<5	<0.01	<10	<10	30	<10	383	2
132016	15.4	1.15	150	127	<0.5	17	2.33	4	11	15	18	3.80	2	0.37	<10	0.46	1426	<2	0.01	<1	1325	141	1.93	13	2	76	<5	<0.01	<10	<10	19	<10	271	2
132017	0.4	1.56	49	164	<0.5	21	3.14	3	13	15	11	4.62	1	0.33	<10	0.81	1955	<2	0.01	<1	1444	20	1.87	9	3	110	<5	<0.01	<10	<10	25	<10	81	2
132018	<0.2	1.73	20	229	<0.5	19	3.07	2	10	7	4	4.02	1	0.33	<10	0.93	2020	<2	0.01	<1	1502	22	1.03	7	3	119	<5	<0.01	<10	<10	30	<10	89	2
132019	27.3	1.79	57	86	<0.5	29	3.53	110	11	16	423	6.11	3	0.27	<10	1.02	2804	<2	0.01	<1	1077	6266	3.45	53	2	157	<5	<0.01	<10	15	30	<10	6810	2
132020	1.2	1.38	5993	74	<0.5	160	5.91	2	102	35	271	4.58	<1	0.19	<10	0.46	816	26	0.06	61	766	22	0.89	17	3	59	5	0.11	<10	10	52	<10	85	11
132021	2.0	1.33	82	189	<0.5	15	2.02	5	10	10	27	3.13	1	0.33	<10	0.67	1592	<2	0.01	<1	1385	112	0.88	10	2	63	<5	<0.01	<10	<10	21	<10	400	1
132022	2.9	1.66	72	187	<0.5	18	2.31	3	13	9	14	4.29	<1	0.34	<10	0.83	1671	<2	0.01	<1	1451	49	1.23	9	2	75	<5	<0.01	<10	<10	26	<10	118	2
132023	2.6	1.43	81	172	<0.5	20	2.56	3	14	8	13	4.28	<1	0.36	<10	0.71	1519	<2	0.01	<1	1386	34	1.85	8	3	98	<5	<0.01	<10	<10	21	<10	185	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Premier/Shipment 11

Sample type: Core

Report No : **9V1071RJ**

Date : Sep-01-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132024	2.6	0.96	155	100	<0.5	21	2.70	3	12	17	9	4.46	<1	0.30	<10	0.58	1462	<2	0.01	<1	1225	32	3.14	11	2	102	<5	<0.01	<10	<10	16	<10	100	2
132025	3.6	1.16	498	97	<0.5	24	0.91	3	14	11	11	5.11	1	0.32	<10	0.64	860	2	0.01	<1	1404	77	3.02	26	2	35	<5	<0.01	<10	<10	19	<10	92	2
132026	7.2	1.96	96	78	<0.5	32	1.12	72	12	20	26	6.34	1	0.26	<10	1.69	1877	<2	0.01	<1	1117	1799	3.56	11	3	50	<5	<0.01	<10	14	40	<10	5480	2
132027	2.7	0.97	142	113	<0.5	21	1.61	16	12	16	15	4.47	<1	0.37	<10	0.65	1318	<2	0.01	<1	1394	359	3.00	9	3	96	<5	<0.01	<10	<10	17	<10	1346	2
132028	3.7	0.63	320	70	<0.5	22	1.39	4	12	25	8	4.65	<1	0.35	<10	0.20	611	2	0.01	<1	1332	64	3.88	11	2	38	<5	<0.01	<10	<10	12	<10	186	2
132029	4.4	0.50	325	65	<0.5	24	1.00	5	12	30	5	5.49	1	0.31	<10	0.12	609	2	0.01	<1	1104	41	4.65	14	1	50	<5	<0.01	<10	<10	11	<10	238	2
132030	4.8	1.09	142	119	<0.5	20	2.82	49	12	61	30	4.82	2	0.17	<10	0.59	2758	<2	0.01	<1	818	105	2.69	12	2	129	<5	<0.01	<10	14	44	<10	4020	2
132031	4.7	1.13	131	121	<0.5	20	2.78	53	11	57	36	4.79	2	0.16	<10	0.62	2667	<2	0.01	<1	784	120	2.54	11	2	130	<5	<0.01	<10	14	44	<10	4252	2
132032	9.5	0.81	206	83	<0.5	17	2.69	217	13	65	116	4.50	4	0.15	<10	0.42	2244	<2	0.01	<1	564	321	3.57	13	2	93	<5	<0.01	<10	13	28	<10	8959	1
132033	4.9	1.16	202	147	<0.5	17	2.89	30	14	63	21	4.04	2	0.26	<10	0.70	3182	<2	0.01	1	919	367	1.83	14	3	210	<5	<0.01	<10	12	29	<10	2552	1
132034	3.9	1.45	152	122	<0.5	22	1.37	17	18	57	30	4.82	1	0.32	<10	0.85	1732	<2	0.01	3	1465	524	1.96	15	4	85	<5	<0.01	<10	<10	43	<10	1312	2
132035	7.4	1.98	161	172	<0.5	25	1.01	44	20	26	65	5.60	1	0.30	<10	1.13	2424	3	0.01	2	1431	1908	1.65	15	5	58	<5	<0.01	<10	11	52	<10	3633	2
132036	0.8	2.56	37	195	<0.5	29	1.55	10	17	31	27	6.32	1	0.28	<10	1.43	3238	<2	0.01	<1	1451	389	1.10	10	6	76	<5	<0.01	<10	15	65	<10	795	2
132037	1.2	2.38	76	225	<0.5	27	1.66	6	19	22	13	5.77	1	0.31	<10	1.23	2957	<2	0.01	1	1441	219	1.05	13	5	62	<5	<0.01	<10	13	60	<10	397	2
132038	2.4	1.95	53	262	<0.5	20	3.46	43	15	31	30	4.61	2	0.28	<10	0.97	4798	<2	0.01	<1	1089	443	0.82	8	4	357	<5	<0.01	<10	16	48	<10	3670	1
132039	0.8	2.18	44	159	<0.5	26	1.64	15	16	28	20	5.61	1	0.32	<10	1.12	3382	<2	0.01	<1	1302	415	1.37	9	5	77	<5	<0.01	<10	14	65	<10	1169	2
132040	1.5	2.11	14	239	<0.5	24	4.38	31	14	24	73	5.17	1	0.32	<10	1.09	3806	<2	0.01	<1	1185	1176	1.43	9	5	180	<5	<0.01	<10	16	57	<10	2579	2
132041	<0.2	0.07	<5	24	<0.5	<5	>15.00	<1	<1	3	1	0.09	<1	0.03	<10	2.36	63	<2	0.01	1	52	2	0.78	<5	<1	3838	<5	<0.01	<10	21	3	<10	17	<1
132042	0.9	2.41	21	251	<0.5	26	3.75	12	19	20	31	5.67	1	0.35	<10	1.35	4488	<2	0.01	<1	1460	583	1.26	10	7	205	<5	<0.01	<10	18	70	<10	1007	2
132043	<0.2	2.83	15	179	<0.5	29	4.42	4	21	20	35	6.31	1	0.30	<10	1.57	5430	<2	0.01	<1	1392	35	0.69	11	8	227	<5	<0.01	<10	21	95	<10	174	2
132044	1.1	2.52	28	196	<0.5	27	2.66	24	19	25	35	5.90	1	0.32	<10	1.35	4853	<2	0.01	<1	1310	1137	1.04	10	6	138	<5	<0.01	<10	17	92	<10	1971	2
132045	2.0	2.48	44	219	<0.5	24	2.82	35	19	17	51	5.74	1	0.35	<10	1.27	4032	<2	0.01	<1	1313	1302	0.73	9	7	132	<5	0.01	<10	14	83	<10	2958	2
132046	<0.2	2.11	63	215	<0.5	25	1.56	5	15	23	25	5.31	<1	0.35	<10	1.08	2166	<2	0.01	<1	1356	77	1.33	10	6	57	<5	<0.01	<10	11	57	<10	280	2
132047	0.5	2.00	39	169	<0.5	23	1.29	6	18	23	33	4.79	1	0.29	<10	0.97	2482	<2	0.01	2	1273	70	0.79	9	5	33	<5	<0.01	<10	10	70	<10	325	2
132048	3.4	1.91	93	173	<0.5	23	1.07	9	17	32	81	4.75	2	0.30	<10	1.02	2974	<2	0.02	1	1254	349	1.22	14	6	37	<5	0.01	<10	11	69	<10	806	2
132049	0.9	2.25	103	209	<0.5	26	1.37	4	17	23	51	5.35	1	0.37	<10	1.11	2604	<2	0.02	2	1442	24	1.11	12	7	33	<5	0.01	<10	10	73	<10	147	2
132050	2.1	2.32	36	196	<0.5	24	3.06	19	16	26	53	5.18	1	0.34	<10	1.13	3079	<2	0.01	<1	1328	509	0.61	8	7	96	<5	0.01	<10	12	65	<10	1621	2
132051	0.3	2.20	71	263	0.5	25	3.01	5	19	22	30	5.29	1	0.40	10	1.02	2733	<2	0.01	1	1427	41	0.89	9	8	94	<5	0.01	<10	11	67	<10	380	2
132052	<0.2	2.52	86	390	1.5	23	0.80	12	24	41	72	5.25	<1	0.55	<10	1.24	1507	<2	0.04	1	1256	46	0.60	13	10	21	<5	0.20	<10	<10	91	<10	1050	3
132053	<0.2	2.73	100	177	1.0	27	1.29	6	28	39	37	5.89	1	0.35	<10	1.59	2377	<2	0.02	1	1343	28	0.51	15	8	34	<5	0.14	<10	11	90	<10	327	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Premier/Shipment 11

Sample type: Core

Report No : **9V1071RJ**

Date : Sep-01-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132054	<0.2	2.68	115	156	0.8	28	0.93	5	27	47	30	6.09	1	0.28	<10	1.77	2515	<2	0.01	1	1314	15	0.61	16	8	21	<5	0.11	<10	11	103	<10	244	3
132055	0.3	2.67	169	186	<0.5	28	0.73	5	24	43	28	6.23	2	0.32	<10	1.74	2680	<2	0.01	2	1247	64	1.00	21	8	29	<5	0.04	<10	11	109	<10	239	2
132056	5.5	2.42	113	137	0.5	31	1.51	45	24	44	41	6.44	2	0.26	<10	1.43	3480	<2	0.01	2	1074	2941	1.70	16	7	64	<5	0.06	<10	16	88	<10	3671	2
132057	1.0	3.25	68	131	<0.5	40	0.90	18	23	46	28	8.25	2	0.24	<10	2.11	5164	2	0.01	<1	1276	534	1.67	17	8	32	<5	0.03	<10	25	120	<10	1528	3
132058	0.4	2.42	89	188	1.0	26	2.22	7	26	47	55	5.72	1	0.31	<10	1.52	3035	<2	0.02	4	1201	84	0.88	15	9	46	<5	0.14	<10	13	106	<10	635	4
132059	2.5	2.25	59	249	0.5	24	1.39	32	22	38	93	5.51	2	0.34	<10	1.19	3927	<2	0.01	1	1144	1295	1.14	10	6	33	<5	0.07	<10	14	74	<10	2686	2
132060	0.5	0.55	696	1094	0.5	16	0.68	4	8	54	37	3.36	3	0.14	15	0.33	473	5	0.01	33	887	152	0.22	538	5	212	7	<0.01	<10	<10	55	<10	243	12
132061	4.3	1.86	84	136	<0.5	26	1.76	73	21	76	163	5.94	3	0.26	<10	1.08	4259	3	0.01	2	1018	1127	2.40	13	5	37	<5	0.03	<10	15	74	<10	5528	2
132062	0.9	2.55	55	160	<0.5	32	1.06	7	22	55	45	7.04	2	0.26	<10	1.60	4753	2	0.01	1	1225	159	1.90	12	7	30	<5	0.01	<10	19	101	<10	467	2
132063	1.7	1.09	57	197	<0.5	19	2.43	13	13	59	66	4.31	2	0.28	<10	1.01	4261	<2	0.01	1	962	345	1.17	9	5	126	<5	<0.01	<10	12	42	<10	1057	1
132064	6.5	0.96	102	100	<0.5	28	1.54	49	21	47	200	5.63	2	0.32	<10	0.91	3606	<2	0.01	1	1060	2649	2.78	16	5	100	<5	<0.01	<10	14	38	<10	3741	2
132065	1.8	2.37	41	320	<0.5	26	1.22	30	21	46	88	5.48	2	0.34	10	1.53	2877	<2	0.01	1	1373	680	0.58	11	9	69	<5	<0.01	<10	<10	87	<10	2374	2
132066	<0.2	2.44	43	205	<0.5	25	3.26	4	17	23	3	5.39	1	0.33	<10	1.39	2049	<2	0.01	<1	1367	14	0.49	9	7	112	<5	<0.01	<10	10	56	<10	195	2
132067	<0.2	2.71	24	187	<0.5	31	2.68	5	20	31	7	6.08	1	0.32	<10	1.58	2271	<2	0.01	<1	1562	18	0.78	11	7	90	<5	<0.01	<10	13	78	<10	203	2
132068	<0.2	3.01	44	227	<0.5	31	1.25	12	23	38	6	6.32	1	0.31	12	1.76	2508	<2	0.01	1	1543	10	0.31	11	7	36	<5	<0.01	<10	11	82	<10	1080	2
132069	0.2	1.87	62	201	<0.5	21	1.63	3	15	21	18	4.41	<1	0.33	11	0.96	1455	<2	0.01	<1	1433	13	0.69	8	3	46	<5	<0.01	<10	<10	34	<10	124	2
132070	2.1	1.23	109	149	<0.5	21	1.91	8	13	41	11	4.51	1	0.26	<10	0.67	1999	5	0.01	<1	906	128	1.54	11	2	67	<5	<0.01	<10	<10	23	<10	626	2
132071	3.2	1.36	117	171	<0.5	20	1.04	22	13	41	19	4.03	1	0.28	<10	0.61	1953	11	0.01	<1	1081	326	1.44	13	2	34	<5	<0.01	<10	<10	26	<10	1815	2
132072	4.7	0.83	230	101	<0.5	18	1.34	13	13	39	16	4.09	2	0.31	<10	0.32	1554	12	0.01	<1	844	360	2.73	20	2	48	<5	<0.01	<10	<10	16	<10	1089	2
132073	5.6	0.91	121	157	<0.5	15	2.02	8	9	46	95	3.45	1	0.28	<10	0.35	2244	4	0.01	<1	720	685	1.90	14	1	47	<5	<0.01	<10	<10	18	<10	579	2
132074	0.6	1.80	51	217	<0.5	21	3.38	3	14	19	36	4.25	1	0.35	10	0.75	3168	<2	0.01	<1	1266	19	0.86	9	3	93	<5	<0.01	<10	10	33	<10	176	2
132075	3.6	1.05	50	58	<0.5	22	0.76	147	13	32	141	5.15	5	0.33	<10	0.44	1147	6	0.01	<1	1077	744	3.71	6	2	27	<5	<0.01	<10	<10	18	<10	7238	2
132076	1.1	1.83	24	253	<0.5	19	3.01	16	12	20	76	4.07	1	0.36	10	0.89	2867	<2	0.01	<1	1480	506	0.64	8	3	89	<5	<0.01	<10	<10	30	<10	1289	2
132077	0.6	2.02	19	221	<0.5	20	2.46	7	12	25	39	4.31	1	0.36	13	1.06	2477	<2	0.01	<1	1514	400	0.54	8	3	72	<5	<0.01	<10	<10	29	<10	535	2
132078	0.4	1.85	21	241	<0.5	20	2.29	8	13	20	18	4.42	1	0.36	11	1.02	2342	<2	0.01	<1	1531	224	0.68	7	3	81	<5	<0.01	<10	<10	26	<10	742	2
132079	0.6	1.53	24	222	<0.5	17	2.24	8	12	22	18	3.88	1	0.33	<10	0.84	2261	<2	0.01	<1	1442	169	1.02	7	3	96	<5	<0.01	<10	<10	25	<10	739	2
132080	<0.2	0.14	<5	14	<0.5	<5	>15.00	<1	1	18	2	0.11	<1	0.02	<10	2.68	61	<2	0.01	2	70	<2	0.74	<5	1	4555	<5	<0.01	<10	19	3	<10	12	<1
132081	0.3	1.77	23	194	0.5	17	2.16	4	12	19	18	3.97	1	0.33	11	0.98	2145	<2	0.01	<1	1505	14	0.58	6	3	61	<5	<0.01	<10	<10	26	<10	323	2
132082	0.2	1.78	24	199	<0.5	17	1.46	4	10	49	13	3.79	<1	0.32	10	0.98	1820	<2	0.01	1	1372	21	0.35	7	2	62	<5	<0.01	<10	<10	25	<10	348	2
132083	0.2	1.30	30	233	<0.5	13	1.21	2	13	31	8	2.98	<1	0.39	<10	0.48	1115	4	0.01	1	1483	26	0.69	7	2	70	<5	<0.01	<10	<10	24	<10	191	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Premier/Shipment 11

Sample type: Core

Report No : **9V1071RJ**

Date : Sep-01-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132084	6.7	1.42	166	164	<0.5	17	2.75	23	12	42	35	3.99	3	0.33	<10	0.62	2076	<2	0.01	<1	1247	430	1.62	24	3	93	<5	0.01	<10	<10	27	<10	2398	1
132085	2.1	1.73	93	259	<0.5	18	1.52	9	14	28	29	4.23	1	0.33	<10	0.84	1857	<2	0.01	<1	1427	394	1.02	13	3	74	<5	0.01	<10	<10	26	<10	714	2
132086	0.9	1.52	89	188	<0.5	18	1.43	5	13	27	9	3.99	<1	0.32	<10	0.74	1712	<2	0.01	<1	1385	68	1.21	11	3	72	<5	<0.01	<10	<10	23	<10	491	2
132087	<0.2	1.81	44	197	<0.5	18	2.42	3	13	22	11	4.32	1	0.34	<10	0.92	1995	2	0.01	<1	1459	18	0.95	11	3	113	<5	<0.01	<10	<10	31	<10	140	2
132088	2.0	1.59	134	214	<0.5	16	3.30	6	12	36	15	3.83	1	0.32	<10	0.85	2234	2	0.01	<1	1265	71	1.04	16	3	127	<5	<0.01	<10	10	25	<10	444	2
132089	0.5	1.56	58	248	<0.5	16	2.23	2	11	23	17	3.53	<1	0.35	<10	0.70	1818	<2	0.01	<1	1412	29	0.78	10	3	84	<5	<0.01	<10	<10	22	<10	135	2
132090	2.7	1.68	109	219	<0.5	18	1.62	6	13	20	16	3.97	1	0.37	10	0.76	1511	<2	0.01	<1	1436	163	1.04	13	3	57	<5	<0.01	<10	<10	25	<10	641	2
132091	0.6	1.82	97	180	<0.5	20	2.32	3	14	15	10	4.52	1	0.31	<10	0.91	1727	<2	0.01	<1	1427	11	1.48	12	3	81	<5	<0.01	<10	<10	27	<10	104	2
132092	1.6	1.62	133	187	<0.5	21	1.90	3	13	14	10	4.57	<1	0.33	11	1.01	1643	2	0.01	<1	1488	19	1.38	13	3	71	<5	<0.01	<10	<10	27	<10	138	2
132093	2.8	1.37	308	181	<0.5	22	1.02	3	14	21	11	4.59	1	0.38	11	0.74	1070	3	0.01	<1	1427	23	2.19	17	3	40	<5	<0.01	<10	<10	24	<10	113	2
132094	0.7	1.04	98	88	<0.5	20	3.32	3	14	14	9	4.77	<1	0.34	<10	0.83	1659	11	0.01	<1	1528	20	2.96	10	3	147	<5	<0.01	<10	<10	18	<10	77	2
132095	1.1	1.34	123	107	<0.5	22	2.01	7	14	19	13	4.89	<1	0.30	<10	0.91	1470	11	0.01	<1	1531	70	2.66	10	3	88	<5	<0.01	<10	<10	23	<10	476	2
132096	0.4	1.48	55	133	<0.5	20	3.02	3	14	13	10	4.70	1	0.30	<10	0.84	1476	3	0.01	<1	1555	13	2.34	9	3	112	<5	<0.01	<10	<10	24	<10	101	2
Duplicates:																																		
131994	0.4	1.82	78	237	<0.5	21	1.61	7	17	26	13	4.88	1	0.37	<10	1.05	1354	<2	0.01	2	1121	41	1.65	11	3	47	<5	<0.01	<10	<10	30	<10	595	2
132003	7.8	0.62	594	60	<0.5	24	0.64	4	15	22	12	5.56	1	0.37	<10	0.17	510	4	0.01	<1	1015	79	4.32	37	2	33	<5	<0.01	<10	<10	14	<10	179	2
132013	1.1	1.28	55	157	<0.5	20	2.97	9	14	15	21	4.60	1	0.37	<10	0.81	2606	<2	0.01	1	1386	249	1.90	7	3	140	<5	<0.01	<10	<10	27	<10	741	2
132016	17.3	1.32	162	123	<0.5	19	2.56	4	12	17	19	4.13	1	0.43	<10	0.51	1561	<2	0.01	<1	1395	154	2.13	13	2	83	<5	<0.01	<10	<10	23	<10	283	2
132025	3.8	1.27	503	113	<0.5	25	0.93	3	15	17	12	5.24	1	0.36	<10	0.67	916	2	0.01	<1	1396	80	3.03	25	2	36	<5	<0.01	<10	<10	22	<10	95	2
132035	7.3	2.04	165	184	<0.5	25	1.01	46	20	28	68	5.61	1	0.34	<10	1.10	2509	4	0.01	1	1471	1989	1.69	15	5	60	<5	<0.01	<10	11	55	<10	3770	2
132038	2.3	2.01	53	276	<0.5	20	3.52	43	15	32	29	4.66	2	0.30	<10	0.98	4824	<2	0.01	<1	1069	446	0.83	8	4	356	<5	<0.01	<10	16	50	<10	3694	1
132047	0.5	2.14	42	187	<0.5	24	1.34	6	18	23	34	5.00	1	0.32	<10	1.01	2569	<2	0.01	2	1275	72	0.80	10	6	34	<5	<0.01	<10	10	74	<10	340	2
132057	1.0	3.30	66	141	<0.5	38	0.91	18	23	46	28	8.25	2	0.25	<10	2.11	5117	2	0.01	<1	1262	541	1.69	16	8	33	<5	0.04	<10	25	122	<10	1521	3
132060	0.5	0.65	721	1216	0.5	15	0.71	4	8	63	38	3.50	2	0.16	17	0.35	496	5	0.01	35	949	154	0.22	556	5	226	7	<0.01	<10	<10	65	<10	254	12
132069	0.2	1.98	67	232	<0.5	22	1.80	3	16	24	17	4.85	1	0.37	12	1.05	1570	2	0.01	<1	1536	13	0.74	10	4	49	<5	<0.01	<10	<10	37	<10	130	2
132079	0.6	1.67	28	251	0.5	18	2.46	9	13	24	18	4.41	1	0.36	10	0.92	2454	<2	0.01	<1	1556	182	1.11	7	3	103	<5	<0.01	<10	<10	27	<10	737	2
132082	0.2	1.71	23	182	<0.5	17	1.53	5	10	46	15	3.88	<1	0.30	<10	0.99	1860	<2	0.01	1	1401	21	0.35	8	2	64	<5	<0.01	<10	<10	24	<10	357	2
132091	0.6	1.82	100	175	<0.5	21	2.39	3	14	15	10	4.62	<1	0.33	<10	0.94	1776	<2	0.01	<1	1459	10	1.53	12	3	82	<5	<0.01	<10	<10	27	<10	105	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Premier/Shipment 11

Sample type: Core

Report No : **9V1071RJ**

Date : Sep-01-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
CH-4	1.7	1.71	11	302	1.0	21	0.59	4	30	111	2066	4.67	<1	1.29	13	1.16	328	2	0.05	54	678	14	0.60	12	7	8	<5	0.20	<10	<10	81	<10	221	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Metallic Assay Certificate

9V-1071-RM1

Company: **Ascot Resources Ltd**
Project: Premier/Shipment 11
Attn: Sue Deane

Sep-01-09

We *hereby certify* the following analysis of 1 sample submitted Aug-17-09

Sample Name	WtTotal g	Wt+150 g	+150Au mg	-150Au g/tonne	Metallic Au g/tonne	Net Au g/tonne
131996	471.2	28.0	0.271	20.43	0.58	19.79

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1072-RA1

Sep-01-09

Company: **Ascot Resources Ltd**
Project: Premier/shipment 11
Attn: Sue Deane

We *hereby certify* the following assay of 16 rocks samples submitted Aug-17-09

Sample Name	Au g/tonne	Ag g/tonne	Ag g/tonne	Sample-Wt Kg
139816	0.06	12.5		1.6
139817	0.10	13.3		1.9
139818	0.27	59.1		2.4
139819	0.49	116.8		2.6
139820	1.62	76.9		2.3
139821	0.87	>200.0	277.0	1.9
139822	0.25	8.4		1.6
139823	0.59	179.7		1.9
139824	0.68	89.7		1.5
139825	1.03	44.9		1.5
139826	0.10	12.5		1.5
139827	0.21	51.0		1.5
139828	0.65	25.8		1.5
139829	0.35	35.3		2.5
139830	0.05	16.7		1.8
139831	0.17	17.0		1.4
*DUP 139816	0.06	12.8		
*DUP 139825	1.02	45.1		
*0211	2.22			
*SE-1			724.0	
*BLANK	<0.01		<0.1	

Au F.A. AA finish. Ag read from ICP solution. Over limit Ag 4 acid digest A.A finish

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Premier/shipment 11

Sample type: Rocks

Report No : **9V1072RJ**

Date : Sep-01-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
139816	12.5	0.42	78	357	<0.5	10	0.12	5	3	30	8	2.30	1	0.29	<10	0.03	557	<2	0.01	<1	1125	260	0.43	8	2	6	<5	<0.01	<10	<10	7	<10	399	2
139817	13.3	0.32	125	337	<0.5	9	0.08	20	3	69	7	2.03	2	0.23	<10	0.03	324	<2	0.01	1	788	270	0.57	12	1	6	<5	<0.01	<10	<10	7	<10	1454	1
139818	59.1	0.42	72	577	<0.5	10	0.09	7	3	36	17	2.44	1	0.30	<10	0.03	399	<2	0.01	<1	1118	452	0.38	8	2	7	<5	<0.01	<10	<10	7	<10	596	2
139819	116.8	0.31	49	590	<0.5	8	0.06	12	4	86	16	1.80	1	0.24	<10	0.02	498	<2	0.01	1	824	425	0.29	6	1	6	<5	<0.01	<10	<10	7	<10	1036	1
139820	76.9	0.33	331	120	<0.5	13	0.07	10	3	40	63	3.18	1	0.26	<10	0.03	269	<2	0.01	<1	920	1222	1.28	8	1	8	<5	<0.01	<10	<10	6	<10	979	2
139821	>200.0	0.31	49	970	<0.5	8	0.06	7	2	73	41	1.92	2	0.23	<10	0.02	314	<2	0.01	1	842	1751	0.24	8	1	21	<5	<0.01	<10	<10	6	<10	748	1
139822	8.4	0.41	109	174	<0.5	15	0.72	5	7	48	20	3.20	1	0.32	<10	0.21	872	<2	0.01	1	1015	144	1.53	11	2	44	<5	<0.01	<10	<10	27	<10	707	2
139823	179.7	0.41	328	63	<0.5	14	0.42	5	8	61	34	3.14	2	0.29	<10	0.11	429	<2	0.01	2	959	188	2.29	10	2	27	<5	<0.01	<10	<10	26	<10	338	1
139824	89.7	0.30	613	36	<0.5	24	0.21	11	6	75	34	5.31	8	0.23	<10	0.04	84	<2	0.01	<1	1005	370	4.16	24	1	15	<5	<0.01	<10	<10	19	<10	788	2
139825	44.9	0.21	1536	31	<0.5	29	0.07	20	3	108	64	6.45	3	0.17	<10	0.03	33	<2	0.01	<1	418	585	>5.00	21	<1	6	<5	<0.01	<10	12	12	12	1753	2
139826	12.5	0.44	39	646	<0.5	15	0.07	2	2	43	2	3.30	1	0.39	<10	0.03	378	<2	0.01	<1	658	41	0.34	6	2	10	<5	<0.01	<10	<10	7	<10	53	2
139827	51.0	0.26	63	312	<0.5	12	0.03	2	2	130	2	2.79	1	0.27	<10	0.02	73	<2	0.01	1	653	40	0.69	10	1	10	<5	<0.01	<10	<10	6	<10	35	1
139828	25.8	0.31	89	314	<0.5	10	0.01	1	1	69	1	2.24	1	0.36	<10	0.02	26	<2	0.01	1	496	35	0.63	11	1	7	<5	<0.01	<10	<10	5	<10	23	1
139829	35.3	0.32	61	238	<0.5	6	0.01	1	1	95	2	1.31	1	0.33	<10	0.02	25	<2	0.01	2	180	25	0.89	13	2	4	<5	<0.01	<10	<10	5	<10	24	1
139830	16.7	0.31	32	306	<0.5	7	0.03	1	2	76	5	1.49	1	0.38	<10	0.02	35	<2	0.01	2	839	25	0.55	12	1	13	<5	<0.01	<10	<10	4	<10	44	1
139831	17.0	0.23	354	144	<0.5	15	0.02	2	1	76	1	3.51	1	0.31	<10	0.02	48	3	0.01	<1	625	48	1.34	26	1	15	<5	<0.01	<10	<10	5	<10	46	2
Duplicates:																																		
139816	12.8	0.41	83	347	<0.5	11	0.12	5	4	30	8	2.37	<1	0.28	<10	0.03	580	<2	0.01	<1	1150	273	0.44	8	2	6	<5	<0.01	<10	<10	6	<10	412	2
139825	45.1	0.20	1555	38	<0.5	29	0.07	20	3	106	64	6.49	3	0.17	<10	0.03	33	<2	0.01	<1	403	597	>5.00	22	<1	6	<5	<0.01	<10	12	11	11	1766	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.4	1.75	11	308	1.0	22	0.61	4	31	114	2134	4.87	<1	1.35	14	1.20	336	2	0.05	57	694	13	0.61	12	7	8	<5	0.20	<10	<10	83	<10	219	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1085-RA1

Sep-03-09

Company: **Ascot resources Ltd.**
Project: Dilworth/Premier/Shipment 12
Attn: Sue Deane

We *hereby certify* the following assay of 22 cores samples submitted Aug-20-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132097	0.04	1.7	1.9
132098	0.23	0.4	1.7
132099	0.45	1.7	1.6
132100	3.45	1.1	
132101	0.27	1.6	1.3
132102	0.18	1.1	1.8
132103	0.90	3.5	1.4
132104	0.29	1.7	1.4
132105	0.05	1.8	1.5
132106	0.08	2.7	3.6
132107	0.03	2.9	3.7
132108	0.25	15.3	1.8
132109	0.31	3.1	1.5
132110	0.27	4.6	1.8
132111	0.37	3.0	1.0
132112	<0.01	<0.1	2.3
132113	0.36	2.2	1.7
132114	0.75	59.3	1.7
132115	<0.01	<0.1	1.0
132116	1.06	4.0	2.7
132117	<0.01	<0.1	1.1
132118	0.73	2.6	1.6
*DUP 132097	0.04	1.7	
*DUP 132106	0.05	2.7	
*DUP 132116	0.94	5.0	
*0211	2.31		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1085-RA2

Sep-03-09

Company: **Ascot resources Ltd.**
Project: Dilworth/Premier/Shipment 12
Attn: Sue Deane

We *hereby certify* the following assay of 22 cores samples submitted Aug-20-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132119	0.30	1.6	1.6
132120	0.32	2.6	1.6
132121	0.60	2.4	1.7
132122	0.76	1.8	1.7
132123	0.51	9.4	1.6
132124	0.69	7.4	1.8
132125	0.59	10.1	2.1
132126	0.34	4.9	1.7
132127	0.17	0.6	1.4
132128	0.15	<0.1	3.3
132129	0.09	1.0	3.1
132130	0.10	0.8	3.0
132131	0.27	2.5	2.5
132132	0.46	3.9	3.4
132133	0.15	1.8	3.2
132134	0.15	1.1	3.1
132135	0.18	1.7	3.2
132136	0.25	2.4	3.3
132137	0.21	0.5	2.6
132138	0.02	<0.1	3.3
132139	0.42	3.1	3.6
132140	<0.01	<0.1	0.2
*DUP 132119	0.31	1.1	
*DUP 132128	0.18	0.1	
*DUP 132138	0.01	<0.1	
*0211	2.15		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1085-RA3

Sep-03-09

Company: **Ascot resources Ltd.**
Project: Dilworth/Premier/Shipment 12
Attn: Sue Deane

We *hereby certify* the following assay of 22 cores samples submitted Aug-20-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132141	0.27	1.7	3.4
132142	0.10	1.8	3.3
132143	0.18	1.8	2.0
132144	0.02	0.6	3.2
132145	0.05	8.8	1.7
132146	0.02	1.1	2.9
132147	0.03	0.6	1.8
132148	0.02	0.5	2.6
132149	<0.01	<0.1	1.5
132150	<0.01	<0.1	2.3
132151	0.04	1.7	2.4
132152	0.01	0.4	2.7
132153	<0.01	<0.1	0.6
132154	0.03	3.2	1.5
132155	<0.01	<0.1	2.8
132156	0.06	4.4	1.6
132157	0.03	<0.1	3.8
132158	0.24	0.8	3.2
132159	0.01	0.4	3.0
132160	0.29	0.8	
132161	0.04	0.3	1.8
132162	<0.01	<0.1	3.1
*DUP 132141	0.26	1.7	
*DUP 132150	<0.01	<0.1	
*DUP 132160	0.28	0.5	
*0211	3.15		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1085-RA4

Sep-03-09

Company: **Ascot resources Ltd.**
Project: Dilworth/Premier/Shipment 12
Attn: Sue Deane

We *hereby certify* the following assay of 22 cores samples submitted Aug-20-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132163	0.05	0.3	2.4
132164	0.02	0.3	3.0
132165	0.05	3.0	3.1
132166	0.04	0.5	3.2
132167	0.04	0.8	3.0
132168	0.17	0.9	3.1
132169	0.59	1.4	3.1
132170	0.04	0.4	3.0
132171	0.41	3.3	3.3
132172	0.16	1.6	3.3
132173	0.48	4.3	3.4
132174	0.57	5.9	1.7
132175	0.64	8.2	1.6
132176	0.43	19.6	1.5
132177	0.66	10.0	1.8
132178	0.57	9.9	1.6
132179	0.06	1.6	3.4
132180	<0.01	<0.1	0.1
132181	0.04	1.1	3.3
132182	<0.01	<0.1	3.2
132183	0.03	0.3	3.5
132184	0.01	<0.1	2.3
*DUP 132163	0.04	0.3	
*DUP 132172	0.18	1.6	
*DUP 132182	<0.01	<0.1	
*0211	2.02		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1085-RA5

Sep-03-09

Company: **Ascot resources Ltd.**
Project: Dilworth/Premier/Shipment 12
Attn: Sue Deane

We *hereby certify* the following assay of 22 cores samples submitted Aug-20-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132185	0.11	<0.1	3.5
132186	0.12	0.8	3.2
132187	0.16	0.1	3.7
132188	0.01	<0.1	2.8
132189	0.01	0.1	2.8
132190	<0.01	<0.1	1.2
132191	0.02	0.9	2.0
132192	0.02	0.4	1.5
132193	<0.01	<0.1	0.7
132194	0.01	<0.1	3.4
132195	0.01	0.4	3.1
132196	0.01	0.5	2.4
132197	0.09	1.8	1.6
132198	0.02	0.8	1.4
132199	0.05	1.7	1.6
132200	3.48	1.2	
132201	0.10	1.3	1.5
132202	0.35	2.6	1.6
132203	0.33	1.0	3.0
132204	0.10	0.7	3.2
132205	2.41	8.1	1.7
132206	0.42	5.6	1.5
*DUP 132185	0.08	0.1	
*DUP 132194	0.02	<0.1	
*DUP 132204	0.08	0.8	
*0211	2.19		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1085-RA6

Sep-03-09

Company: **Ascot resources Ltd.**
Project: Dilworth/Premier/Shipment 12
Attn: Sue Deane

We *hereby certify* the following assay of 22 cores samples submitted Aug-20-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132207	0.24	0.4	3.2
132208	0.26	1.0	3.2
132209	0.19	1.8	3.1
132210	<0.01	<0.1	3.3
132211	<0.01	<0.1	3.3
132212	0.27	0.3	2.3
132213	0.09	0.9	3.0
132214	0.13	0.6	3.0
132215	0.13	0.8	3.2
132216	0.03	0.4	3.0
132217	0.37	1.3	2.6
132218	2.13	20.7	2.9
132219	1.57	1.2	2.9
132220	<0.01	<0.1	0.1
132221	0.54	1.8	2.9
132222	0.25	2.2	2.9
132223	0.33	1.2	3.0
132224	1.75	3.2	1.7
132225	1.09	5.9	1.5
132226	1.67	7.9	2.0
132227	0.74	6.7	3.0
132228	0.06	1.1	3.5
*DUP 132207	0.21	0.4	
*DUP 132216	0.02	0.3	
*DUP 132226	1.50	9.0	
*0211	2.27		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1085-RA7

Sep-03-09

Company: **Ascot resources Ltd.**
Project: Dilworth/Premier/Shipment 12
Attn: Sue Deane

We *hereby certify* the following assay of 14 cores samples submitted Aug-20-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132229	0.13	1.5	3.1
132230	0.02	1.5	2.9
132231	0.02	1.5	1.9
132232	0.12	3.4	4.6
132233 No sample			
132234	0.11	4.3	3.4
132235	0.19	30.5	3.1
132236	0.17	4.5	3.4
132237	0.08	2.9	3.2
132238	0.05	6.6	3.6
132239	0.03	17.3	3.2
132240	<0.01	0.3	2.7
132241	0.01	0.6	2.9
132242	0.03	1.5	2.1
*DUP 132229	0.15	1.6	
*DUP 132238	0.05	4.7	
*0211	2.16		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot resources Ltd.

Attention: Sue Deane

Project: Dilworth/Premier/Shipment 12

Sample type: cores

Report No : 9V1085RJ

Date : Sep-03-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132097	1.7	1.79	23	129	<0.5	19	2.43	12	14	19	13	4.84	1	0.29	<10	1.04	2538	<2	0.01	<1	1377	1172	1.97	8	3	92	<5	<0.01	<10	10	25	<10	1050	2
132098	0.4	2.08	51	173	<0.5	21	2.72	4	12	20	18	4.83	1	0.29	<10	1.21	3197	<2	0.01	<1	1368	47	1.26	11	3	96	<5	<0.01	<10	11	32	<10	302	2
132099	1.7	2.16	26	154	<0.5	22	1.26	27	14	20	11	4.97	1	0.28	<10	1.42	3213	<2	0.01	<1	1356	1486	1.51	10	3	63	<5	<0.01	<10	10	35	<10	2392	2
132100	1.1	1.44	6067	73	0.5	156	6.18	2	100	35	293	4.72	1	0.19	<10	0.46	792	27	0.06	60	778	19	0.87	16	3	60	5	0.11	<10	10	52	<10	75	11
132101	1.6	1.41	138	77	<0.5	20	1.42	11	13	24	7	4.67	1	0.26	<10	0.93	2383	<2	0.01	<1	1299	753	2.36	8	2	86	<5	<0.01	<10	<10	25	<10	1119	2
132102	1.1	1.33	163	107	<0.5	21	2.69	8	14	18	15	4.72	<1	0.30	<10	0.82	1837	<2	0.01	<1	1326	310	2.66	8	3	101	<5	<0.01	<10	<10	21	<10	671	2
132103	3.5	0.45	126	94	<0.5	13	3.18	18	6	69	34	2.86	1	0.15	<10	0.28	2244	6	0.01	<1	564	238	2.33	6	1	177	<5	<0.01	<10	13	17	<10	1847	1
132104	1.7	0.68	82	103	<0.5	15	2.25	8	9	70	9	3.24	1	0.19	<10	0.49	2312	2	0.01	1	914	476	2.16	7	2	132	<5	<0.01	<10	<10	26	<10	762	2
132105	1.8	1.16	71	134	<0.5	15	1.52	3	11	47	22	3.49	1	0.22	<10	0.66	2145	2	0.01	<1	1223	37	1.26	9	2	69	<5	<0.01	<10	<10	41	<10	276	2
132106	2.7	1.17	152	136	<0.5	15	1.64	3	11	41	24	3.68	1	0.23	<10	0.63	2359	<2	0.01	<1	1281	45	1.29	13	2	56	<5	<0.01	<10	<10	48	<10	225	2
132107	2.9	1.40	94	150	<0.5	15	0.94	3	12	35	21	3.86	1	0.26	<10	0.78	1995	2	0.01	<1	1324	82	0.93	11	3	43	<5	<0.01	<10	<10	51	<10	288	2
132108	15.3	1.12	107	145	<0.5	14	1.91	10	10	59	20	3.55	1	0.19	<10	0.65	2436	4	0.01	<1	1001	351	1.31	8	2	113	<5	<0.01	<10	<10	41	<10	946	1
132109	3.1	0.46	58	65	<0.5	8	4.72	19	5	111	29	1.84	1	0.09	<10	0.28	4185	<2	0.01	1	309	127	0.96	<5	3	390	<5	<0.01	<10	<10	20	<10	1807	1
132110	4.6	0.55	59	63	<0.5	14	2.49	88	8	100	122	2.57	3	0.12	<10	0.32	2107	2	0.01	1	254	154	2.01	5	1	86	<5	<0.01	<10	<10	24	129	5889	1
132111	3.0	0.31	34	33	<0.5	5	1.95	80	5	157	105	1.39	4	0.07	<10	0.18	1188	<2	0.01	2	122	74	1.14	<5	1	62	<5	<0.01	<10	<10	13	<10	5305	1
132112	<0.2	2.50	10	772	0.6	24	3.41	3	27	86	18	5.73	1	0.06	22	2.49	1088	<2	0.04	42	2544	5	0.21	12	7	565	<5	0.09	<10	<10	94	<10	187	7
132113	2.2	0.69	67	90	<0.5	16	2.53	15	8	120	40	3.32	1	0.21	<10	0.32	2091	<2	0.01	1	454	104	2.21	7	2	85	<5	<0.01	<10	10	30	<10	1166	1
132114	59.3	1.23	60	94	<0.5	19	2.45	14	11	83	38	4.47	1	0.12	<10	0.78	3005	<2	0.01	<1	667	131	1.93	8	4	83	<5	<0.01	<10	13	75	<10	1194	2
132115	<0.2	2.30	11	973	1.0	25	3.50	3	30	89	23	5.84	<1	0.08	17	2.49	1218	<2	0.06	49	2428	6	0.24	13	9	228	<5	0.16	<10	<10	112	<10	149	8
132116	4.0	0.93	77	74	<0.5	16	3.32	24	8	95	66	3.89	2	0.09	<10	0.62	3271	<2	0.01	1	571	404	1.96	8	3	130	<5	<0.01	<10	13	48	<10	1968	1
132117	<0.2	2.30	5	797	<0.5	20	3.90	3	19	82	16	5.13	1	0.13	22	2.13	1070	<2	0.03	20	2545	11	0.18	10	6	164	<5	0.01	<10	<10	85	<10	143	4
132118	2.6	1.01	89	94	<0.5	20	3.77	17	12	78	24	4.76	1	0.14	<10	0.67	2911	<2	0.01	1	684	165	2.80	9	2	138	<5	<0.01	<10	13	43	<10	1320	2
132119	1.6	0.34	43	58	<0.5	8	2.25	2	6	101	5	1.82	1	0.07	<10	0.22	1992	<2	0.01	1	220	44	1.23	5	1	107	<5	<0.01	<10	<10	13	<10	136	1
132120	2.6	0.75	176	71	<0.5	14	3.08	3	8	77	4	3.20	1	0.09	<10	0.53	2800	<2	0.01	1	455	74	1.68	10	3	219	<5	<0.01	<10	12	31	<10	203	1
132121	2.4	0.55	65	61	<0.5	9	4.56	2	6	88	4	2.05	1	0.07	<10	0.39	3577	<2	0.01	1	322	59	1.06	7	3	278	<5	<0.01	<10	11	24	<10	149	1
132122	1.8	0.62	93	85	<0.5	12	1.29	6	7	96	5	2.42	1	0.09	<10	0.42	1648	<2	0.01	2	400	129	1.23	7	1	49	<5	<0.01	<10	<10	25	<10	510	1
132123	9.4	0.74	281	57	<0.5	19	0.61	308	20	65	143	4.42	10	0.21	<10	0.38	1533	2	0.01	1	837	1368	3.94	10	2	28	<5	<0.01	<10	<10	22	<10	8566	2
132124	7.4	0.48	174	66	<0.5	16	0.51	182	13	79	44	2.72	6	0.17	<10	0.25	1295	<2	0.01	2	534	2047	2.54	6	1	22	<5	<0.01	<10	<10	13	<10	7065	1
132125	10.1	0.73	241	63	<0.5	23	1.85	193	15	69	85	4.18	6	0.19	<10	0.42	2226	<2	0.01	1	613	1593	3.50	10	1	43	<5	<0.01	<10	10	20	<10	7962	1
132126	4.9	0.64	518	53	<0.5	24	1.15	11	15	54	9	5.59	2	0.27	<10	0.27	1216	3	0.01	2	884	292	4.28	42	2	34	<5	<0.01	12	<10	15	<10	859	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot resources Ltd.
Attention: Sue Deane
Project: Dilworth/Premier/Shipment 12
Sample type: cores

Report No : **9V1085RJ**
Date : Sep-03-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132127	0.6	1.78	117	115	<0.5	22	3.43	4	15	33	17	4.77	1	0.26	<10	0.91	2122	<2	0.01	1	1188	65	1.26	12	4	100	<5	<0.01	<10	<10	46	<10	319	2
132128	<0.2	1.97	114	121	<0.5	21	3.61	4	15	30	13	4.76	1	0.28	10	1.07	2149	<2	0.01	2	1285	50	0.90	10	4	123	<5	<0.01	<10	<10	51	<10	195	2
132129	1.0	1.89	115	139	<0.5	19	2.40	6	16	27	28	4.35	1	0.28	10	1.04	1978	2	0.01	2	1294	121	0.68	12	3	78	<5	<0.01	<10	<10	50	<10	583	2
132130	0.8	1.90	78	141	<0.5	21	2.32	13	16	25	22	4.60	1	0.30	11	1.01	2087	<2	0.01	3	1288	214	0.97	10	3	74	<5	<0.01	<10	<10	48	<10	1248	2
132131	2.5	1.22	143	100	<0.5	20	1.73	42	15	34	43	4.36	1	0.27	<10	0.74	2139	<2	0.01	2	1194	499	1.76	7	3	89	<5	<0.01	<10	<10	28	<10	3837	2
132132	3.9	1.30	162	77	<0.5	20	1.10	121	17	44	70	4.55	3	0.26	<10	0.68	2128	<2	0.01	2	987	773	2.51	8	2	41	<5	<0.01	<10	<10	33	<10	7351	2
132133	1.8	1.42	154	94	<0.5	22	2.08	28	17	38	17	4.85	1	0.28	<10	0.73	2504	<2	0.01	2	1116	409	2.46	12	3	71	<5	<0.01	<10	10	35	<10	2595	2
132134	1.1	1.60	113	143	<0.5	18	3.32	12	14	30	15	4.16	1	0.26	10	0.87	2792	<2	0.01	2	1194	328	1.29	9	3	91	<5	<0.01	<10	<10	41	<10	1205	2
132135	1.7	1.42	187	125	<0.5	17	2.89	18	15	33	17	3.79	1	0.28	10	0.75	2502	2	0.01	2	1224	514	1.38	12	3	83	<5	<0.01	<10	<10	46	<10	1757	2
132136	2.4	1.57	99	140	<0.5	19	3.60	16	17	26	59	4.49	1	0.29	11	1.00	2837	2	0.01	4	1293	680	1.02	11	4	142	<5	<0.01	<10	<10	47	<10	1623	2
132137	0.5	1.33	104	137	<0.5	18	3.60	10	15	32	10	4.35	1	0.32	10	0.86	2015	2	0.01	4	1265	234	1.67	9	4	172	<5	<0.01	<10	<10	34	<10	908	2
132138	<0.2	2.04	45	236	0.7	21	2.91	5	24	55	17	5.02	1	0.20	16	1.71	1990	2	0.04	26	1774	84	0.49	13	7	95	<5	0.12	<10	<10	88	<10	401	5
132139	3.1	1.10	264	98	<0.5	16	3.15	26	13	39	29	3.77	1	0.24	<10	0.57	2017	6	0.01	3	888	985	2.08	10	2	96	<5	<0.01	<10	<10	27	<10	2459	1
132140	<0.2	0.02	<5	10	<0.5	<5	>15.00	<1	<1	3	1	0.04	<1	0.01	<10	1.66	29	<2	0.01	1	55	<2	0.77	<5	<1	5130	<5	<0.01	<10	20	1	<10	11	<1
132141	1.7	1.30	406	114	<0.5	20	3.27	11	18	33	25	4.79	1	0.33	<10	0.69	2291	2	0.01	3	1209	389	2.71	11	3	110	<5	<0.01	<10	<10	35	<10	951	2
132142	1.8	1.49	106	136	<0.5	19	2.38	21	14	36	17	4.65	1	0.31	<10	0.86	3081	<2	0.01	2	1103	275	1.82	10	3	67	<5	<0.01	<10	<10	43	<10	1984	2
132143	1.8	0.96	37	131	<0.5	11	2.03	4	7	55	2	2.75	1	0.18	<10	0.39	2361	<2	0.01	1	686	48	0.59	6	2	66	<5	<0.01	<10	<10	26	<10	316	1
132144	0.6	1.83	74	140	<0.5	19	3.03	3	13	27	7	4.28	1	0.31	<10	1.04	1624	4	0.01	1	1297	10	1.17	11	3	66	<5	<0.01	<10	<10	28	<10	103	1
132145	8.8	0.29	139	124	<0.5	7	9.90	1	7	35	6	2.06	2	0.23	<10	0.07	2088	2	0.01	1	610	18	1.90	19	1	148	<5	<0.01	12	11	6	<10	78	1
132146	1.1	0.71	117	125	<0.5	15	4.79	2	14	18	23	3.53	1	0.38	<10	0.22	1543	3	0.01	1	1241	16	2.77	15	3	141	<5	<0.01	<10	<10	17	<10	113	2
132147	0.6	1.21	168	135	<0.5	15	7.42	3	11	16	13	3.61	1	0.34	<10	0.53	2559	<2	0.01	<1	1130	23	1.51	12	3	128	<5	<0.01	<10	<10	29	<10	182	2
132148	0.5	1.49	68	276	<0.5	16	5.57	2	11	15	19	3.93	1	0.35	10	0.73	2277	<2	0.01	<1	1308	21	0.87	10	3	162	<5	<0.01	<10	<10	36	<10	129	2
132149	<0.2	2.63	<5	1524	0.5	25	3.39	4	25	91	24	5.99	<1	0.11	50	2.56	961	<2	0.04	48	4367	8	0.16	11	5	213	<5	0.05	11	<10	93	<10	151	7
132150	<0.2	2.52	5	945	0.9	24	3.11	3	27	104	22	5.74	<1	0.08	42	2.59	930	<2	0.04	52	4297	8	0.14	14	5	176	<5	0.12	11	<10	102	<10	129	12
132151	1.7	0.99	185	181	<0.5	15	7.34	3	12	23	10	3.87	1	0.34	<10	0.48	2479	5	0.01	1	1189	24	2.27	14	2	137	<5	<0.01	10	<10	25	<10	113	3
132152	0.4	1.86	101	199	<0.5	20	1.02	3	15	18	32	4.44	<1	0.32	12	1.06	1673	<2	0.02	<1	1443	23	0.76	10	4	33	<5	<0.01	<10	<10	54	<10	141	2
132153	<0.2	2.72	31	371	<0.5	25	0.83	4	23	72	26	5.42	<1	0.20	46	2.33	948	<2	0.02	41	3946	14	0.08	11	4	41	5	<0.01	10	<10	75	<10	263	3
132154	3.2	0.39	120	154	<0.5	5	>15.00	1	4	23	4	1.69	4	0.17	<10	0.21	7020	5	0.01	<1	407	29	1.50	17	1	222	<5	<0.01	19	25	6	<10	65	1
132155	<0.2	2.49	13	681	1.5	26	3.76	3	31	109	27	5.99	<1	0.06	46	2.74	1017	<2	0.05	54	4211	3	0.25	17	7	144	<5	0.26	12	<10	123	<10	116	17
132156	4.4	0.29	260	159	<0.5	10	13.46	2	5	30	6	2.80	3	0.16	<10	0.12	2935	3	0.01	1	468	18	2.58	28	2	157	<5	0.01	14	13	9	<10	77	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot resources Ltd.

Attention: Sue Deane

Project: Dilworth/Premier/Shipment 12

Sample type: cores

Report No : **9V1085RJ**

Date : Sep-03-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132157	<0.2	1.54	85	184	<0.5	18	1.60	3	15	24	9	4.25	1	0.35	14	0.84	1414	<2	0.02	3	1513	17	1.19	10	3	44	<5	0.01	<10	<10	43	<10	139	3
132158	0.8	1.79	96	213	<0.5	20	1.48	3	13	22	44	4.52	1	0.29	<10	1.01	2236	<2	0.01	<1	1301	40	1.01	12	3	75	<5	<0.01	<10	<10	51	<10	145	2
132159	0.4	1.53	74	185	<0.5	17	2.60	3	13	21	15	4.17	1	0.33	<10	0.79	2221	<2	0.01	<1	1352	22	1.13	11	3	104	<5	<0.01	<10	<10	40	<10	112	2
132160	0.8	0.52	685	1038	0.5	16	0.64	4	8	53	40	3.19	2	0.13	14	0.32	467	6	0.01	33	855	151	0.21	494	4	205	6	<0.01	<10	<10	51	<10	241	12
132161	0.3	1.91	106	315	0.6	20	1.16	4	19	34	13	4.67	<1	0.42	18	1.22	1217	<2	0.02	10	1744	45	0.77	12	4	36	<5	0.05	<10	<10	55	<10	269	4
132162	<0.2	2.29	16	516	1.0	24	4.19	3	28	76	24	5.77	<1	0.21	31	2.13	1326	<2	0.03	36	2760	16	0.57	15	7	167	<5	0.17	<10	<10	89	<10	129	9
132163	0.3	2.10	37	179	<0.5	22	2.58	3	16	22	14	5.32	1	0.24	<10	1.14	1981	<2	0.01	1	1352	14	0.96	10	3	80	<5	<0.01	<10	<10	44	<10	104	2
132164	0.3	1.66	33	140	<0.5	20	3.54	3	18	20	16	4.94	1	0.26	<10	0.84	1719	<2	0.01	1	1423	14	1.70	9	3	93	<5	<0.01	<10	<10	35	<10	102	2
132165	3.0	1.32	103	178	<0.5	16	1.40	18	13	22	80	4.16	1	0.29	<10	0.60	1364	4	0.01	1	904	489	1.46	11	2	36	<5	<0.01	<10	<10	23	<10	1460	2
132166	0.5	1.60	50	152	<0.5	21	2.64	4	14	16	18	4.81	1	0.30	<10	0.82	1817	2	0.01	1	1178	76	1.84	11	3	74	<5	<0.01	<10	<10	34	<10	185	2
132167	0.8	1.60	37	138	<0.5	23	1.80	8	15	16	22	5.21	1	0.29	<10	0.88	1487	<2	0.01	1	1194	304	2.31	11	3	60	<5	<0.01	<10	<10	36	<10	583	2
132168	0.9	0.84	71	107	<0.5	18	3.39	4	12	23	7	4.20	<1	0.30	<10	0.39	1470	<2	0.01	<1	1128	35	3.07	8	2	121	<5	<0.01	<10	<10	17	<10	161	2
132169	1.4	0.71	69	157	<0.5	13	2.19	5	10	37	21	2.75	1	0.27	<10	0.31	1335	<2	0.01	1	969	356	1.85	8	1	75	<5	<0.01	<10	<10	13	<10	438	1
132170	0.4	1.06	56	172	<0.5	14	1.22	2	12	29	7	3.35	1	0.28	<10	0.54	1157	<2	0.01	1	1079	15	1.49	7	2	63	<5	<0.01	<10	<10	21	<10	85	1
132171	3.3	1.66	65	144	<0.5	21	1.19	32	15	29	29	4.97	1	0.26	<10	0.95	2152	<2	0.01	1	1019	1218	1.82	8	3	55	<5	<0.01	<10	<10	39	<10	2642	2
132172	1.6	1.92	128	129	<0.5	25	1.71	7	17	15	15	5.58	1	0.25	<10	1.18	2339	<2	0.01	<1	1412	245	2.04	10	3	56	<5	<0.01	<10	10	40	<10	535	2
132173	4.3	1.11	324	82	<0.5	25	2.00	6	15	29	11	5.38	1	0.25	<10	0.67	1785	3	0.01	1	1132	169	3.39	16	2	74	<5	<0.01	<10	11	23	<10	373	2
132174	5.9	0.68	388	51	<0.5	32	1.22	7	18	31	10	6.86	1	0.25	<10	0.34	1164	4	0.01	<1	938	288	>5.00	19	1	39	<5	<0.01	<10	13	16	<10	274	2
132175	8.2	0.61	254	50	<0.5	33	1.36	13	16	49	59	6.88	1	0.21	<10	0.32	1431	5	0.01	1	690	704	>5.00	16	1	56	<5	<0.01	<10	15	17	<10	861	2
132176	19.6	0.34	275	59	<0.5	36	2.96	5	15	27	12	5.90	1	0.28	<10	0.07	1394	2	0.01	1	731	170	>5.00	11	1	72	<5	<0.01	<10	14	10	<10	146	2
132177	10.0	0.25	439	52	<0.5	32	1.27	7	15	57	18	6.37	1	0.23	<10	0.04	722	4	0.01	1	617	293	>5.00	26	1	47	<5	<0.01	<10	12	6	<10	312	2
132178	9.9	0.64	372	55	<0.5	31	1.49	21	14	49	47	6.56	2	0.24	<10	0.30	1316	5	0.01	<1	887	673	>5.00	30	1	45	<5	<0.01	<10	13	12	<10	1655	2
132179	1.6	1.37	85	177	<0.5	17	1.84	4	13	34	40	4.06	1	0.28	<10	0.80	1790	2	0.01	6	1333	105	1.45	11	3	58	<5	<0.01	<10	<10	32	<10	211	2
132180	<0.2	0.09	<5	13	<0.5	<5	>15.00	<1	1	2	1	0.12	<1	0.01	<10	1.39	29	<2	0.01	1	51	<2	0.80	<5	<1	5152	<5	<0.01	<10	20	2	<10	2	<1
132181	1.1	1.59	122	188	<0.5	19	2.55	3	13	16	16	4.43	1	0.33	<10	0.79	1995	<2	0.01	<1	1344	20	1.29	11	3	98	<5	<0.01	<10	<10	32	<10	101	2
132182	<0.2	2.10	15	224	<0.5	21	2.09	3	17	10	11	5.08	<1	0.33	11	1.14	1951	<2	0.02	<1	1654	9	0.73	10	3	104	<5	0.04	<10	<10	46	<10	122	3
132183	0.3	1.51	15	208	<0.5	18	5.35	3	12	36	13	4.18	1	0.29	<10	0.72	2363	<2	0.01	<1	1394	52	0.84	8	2	383	<5	0.01	<10	<10	28	<10	211	2
132184	<0.2	2.17	16	892	1.3	23	3.41	3	31	80	17	5.81	1	0.09	17	2.44	1084	<2	0.04	44	2479	5	0.22	15	7	107	<5	0.26	<10	<10	99	<10	98	9
132185	<0.2	1.64	21	188	<0.5	17	2.52	3	15	21	17	4.02	1	0.36	<10	0.71	1840	2	0.02	<1	1553	34	0.60	8	3	131	<5	0.05	<10	<10	33	<10	153	2
132186	0.8	1.81	21	160	<0.5	18	2.22	6	13	17	29	4.47	<1	0.28	<10	0.88	2050	2	0.01	<1	1484	257	0.52	8	3	110	<5	0.01	<10	<10	38	<10	475	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95ºC for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot resources Ltd.

Attention: Sue Deane

Project: Dilworth/Premier/Shipment 12

Sample type: cores

Report No : **9V1085RJ**

Date : Sep-03-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132187	<0.2	1.95	46	176	<0.5	21	2.49	4	14	14	12	4.78	1	0.29	10	1.05	2510	<2	0.02	<1	1497	70	0.64	10	4	115	<5	0.01	<10	<10	56	<10	216	2
132188	<0.2	1.69	<5	437	<0.5	16	3.31	2	14	45	12	4.00	<1	0.21	17	1.49	815	<2	0.03	13	1753	9	0.19	8	3	144	<5	<0.01	<10	<10	50	<10	100	4
132189	<0.2	1.89	23	167	<0.5	20	2.13	3	13	14	18	4.73	1	0.27	<10	1.28	2268	<2	0.02	1	1428	27	0.60	9	3	109	<5	<0.01	<10	<10	45	<10	166	2
132190	<0.2	1.78	<5	171	<0.5	16	2.98	2	15	53	14	4.08	1	0.16	18	1.62	926	<2	0.04	16	1651	5	0.17	8	5	107	<5	0.01	<10	<10	67	<10	82	4
132191	0.9	1.81	88	164	<0.5	17	1.24	3	12	11	25	4.25	<1	0.28	10	1.06	1706	<2	0.01	<1	1362	16	0.51	10	3	82	<5	<0.01	<10	<10	37	<10	116	2
132192	0.4	1.66	80	170	<0.5	18	2.35	2	13	13	11	4.19	1	0.30	10	1.00	1766	<2	0.01	1	1421	10	0.77	10	3	144	<5	<0.01	<10	<10	38	<10	97	2
132193	<0.2	1.65	<5	96	<0.5	16	3.57	2	14	43	16	3.90	<1	0.21	17	1.41	1407	<2	0.03	13	1664	5	0.21	8	4	221	<5	<0.01	<10	<10	45	<10	131	3
132194	<0.2	1.86	22	152	<0.5	20	3.58	3	15	13	14	4.74	1	0.29	<10	1.14	2359	<2	0.01	<1	1431	8	1.09	9	3	147	<5	<0.01	<10	<10	30	<10	104	2
132195	0.4	1.58	32	146	<0.5	17	1.70	2	11	17	13	4.01	<1	0.27	<10	0.95	1551	<2	0.01	<1	1422	10	0.82	9	2	63	<5	<0.01	<10	<10	25	<10	115	1
132196	0.5	1.21	66	148	<0.5	17	3.39	2	12	16	11	3.78	1	0.28	<10	0.79	2397	<2	0.01	<1	1404	12	0.98	9	3	154	<5	<0.01	<10	<10	22	<10	94	1
132197	1.8	0.42	225	73	<0.5	22	1.06	3	13	25	7	4.97	<1	0.26	<10	0.14	413	<2	0.01	<1	1238	24	4.07	18	1	34	<5	<0.01	<10	<10	7	<10	65	2
132198	0.8	0.38	73	83	<0.5	18	0.82	3	16	21	10	4.30	<1	0.28	<10	0.09	270	<2	0.01	1	1462	17	3.64	8	1	25	<5	<0.01	<10	<10	8	<10	89	2
132199	1.7	0.75	197	138	<0.5	12	2.73	2	10	33	12	2.59	1	0.25	<10	0.38	1457	2	0.01	1	1062	24	1.39	16	2	77	<5	<0.01	<10	<10	10	<10	201	1
132200	1.2	1.20	6808	79	<0.5	160	5.53	1	103	35	278	4.61	<1	0.20	<10	0.49	733	30	0.05	66	809	19	0.90	19	2	55	<5	0.09	<10	<10	50	<10	78	9
132201	1.3	1.15	132	137	<0.5	16	3.49	3	11	31	21	3.79	1	0.25	<10	0.68	2070	<2	0.01	<1	1202	213	1.68	12	2	95	<5	<0.01	<10	<10	19	<10	257	2
132202	2.6	0.86	158	111	<0.5	14	3.38	9	9	33	53	3.12	1	0.21	<10	0.48	2121	<2	0.01	<1	979	326	1.62	14	1	97	<5	<0.01	<10	10	14	<10	866	1
132203	1.0	1.42	23	128	<0.5	17	2.47	11	10	36	49	3.67	1	0.24	<10	0.77	2082	<2	0.01	<1	1234	327	0.90	8	3	138	<5	<0.01	<10	<10	42	<10	1052	2
132204	0.7	1.48	29	135	<0.5	21	1.49	9	14	23	10	4.84	1	0.25	<10	0.90	2643	6	0.01	<1	1349	238	1.97	9	3	54	<5	<0.01	<10	<10	47	<10	819	2
132205	8.1	0.84	36	97	<0.5	15	4.21	21	9	52	409	3.28	1	0.17	<10	0.52	3348	5	0.01	<1	838	3454	1.96	9	2	117	<5	<0.01	<10	11	25	<10	1842	1
132206	5.6	1.33	45	135	<0.5	16	2.12	39	11	42	83	3.80	1	0.24	<10	0.77	2299	19	0.01	<1	1243	3211	1.42	8	2	64	<5	<0.01	<10	<10	34	<10	3562	2
132207	0.4	1.58	27	148	<0.5	19	1.72	4	13	20	13	4.55	1	0.26	<10	0.92	2424	<2	0.01	<1	1416	84	1.34	8	3	76	<5	<0.01	<10	<10	46	<10	213	2
132208	1.0	1.04	27	119	<0.5	19	1.94	4	14	29	13	4.62	1	0.27	<10	0.62	1690	<2	0.01	<1	1528	66	2.80	9	2	69	<5	<0.01	<10	<10	17	<10	246	2
132209	1.8	0.38	27	79	<0.5	21	4.40	4	13	36	14	4.90	1	0.26	<10	0.25	1748	<2	0.01	<1	1363	43	4.23	8	2	302	<5	<0.01	<10	10	7	<10	63	2
132210	<0.2	2.19	8	730	<0.5	22	3.75	3	23	69	10	5.39	<1	0.17	17	2.18	1434	<2	0.03	35	2631	5	0.38	10	4	193	<5	0.01	<10	<10	56	<10	107	3
132211	<0.2	2.34	10	509	<0.5	24	3.64	3	26	74	14	5.68	1	0.11	20	2.37	1212	<2	0.03	40	2752	6	0.42	10	5	169	<5	0.02	<10	<10	74	<10	116	4
132212	0.3	1.55	50	176	<0.5	19	2.47	6	12	24	15	4.16	1	0.26	<10	0.94	2071	<2	0.01	<1	1428	84	1.01	8	3	96	<5	<0.01	<10	<10	24	<10	491	1
132213	0.9	1.70	47	147	<0.5	19	1.73	7	13	23	17	4.64	1	0.24	<10	1.06	2040	<2	0.01	<1	1348	114	1.19	10	2	68	<5	<0.01	<10	<10	21	<10	565	2
132214	0.6	1.85	17	132	<0.5	19	2.87	5	13	21	30	4.48	1	0.23	<10	1.06	2883	<2	0.01	<1	1400	90	0.67	9	3	107	<5	<0.01	<10	<10	25	<10	367	2
132215	0.8	1.39	18	131	<0.5	18	3.75	5	13	22	13	4.23	1	0.23	<10	0.81	2603	<2	0.01	<1	1365	133	1.68	7	2	148	<5	<0.01	<10	<10	18	<10	306	2
132216	0.4	1.47	16	128	<0.5	20	3.19	3	12	12	19	4.38	1	0.24	<10	0.84	2353	<2	0.01	<1	1505	24	1.61	8	3	144	<5	<0.01	<10	<10	19	<10	110	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot resources Ltd.

Attention: Sue Deane

Project: Dilworth/Premier/Shipment 12

Sample type: cores

Report No : **9V1085RJ**

Date : Sep-03-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132217	1.3	1.52	14	138	<0.5	19	2.61	10	12	19	14	4.37	<1	0.25	<10	0.98	2359	<2	0.01	<1	1405	263	1.64	8	3	121	<5	<0.01	<10	<10	21	<10	896	2
132218	20.7	0.95	48	80	<0.5	21	1.61	16	11	23	17	5.02	1	0.26	<10	0.56	1677	<2	0.01	<1	1242	431	3.40	10	2	66	<5	<0.01	<10	<10	16	<10	1269	2
132219	1.2	1.90	19	176	<0.5	20	2.38	16	12	16	23	4.87	1	0.28	<10	0.96	2988	<2	0.02	<1	1471	359	0.81	9	3	120	<5	<0.01	<10	<10	41	<10	1410	2
132220	<0.2	0.03	<5	<10	<0.5	<5	>15.00	<1	<1	3	<1	0.05	<1	0.02	<10	1.74	51	<2	0.01	1	48	<2	0.82	<5	<1	3459	<5	<0.01	<10	20	1	<10	3	<1
132221	1.8	1.59	24	156	<0.5	18	1.90	12	12	26	49	4.23	1	0.24	<10	0.85	2407	<2	0.01	<1	1287	198	1.04	8	3	86	<5	<0.01	<10	<10	29	<10	1258	2
132222	2.2	1.48	42	153	<0.5	17	2.37	12	10	24	23	3.76	1	0.25	<10	0.74	2373	<2	0.01	<1	1223	298	0.98	9	3	84	<5	<0.01	<10	<10	23	<10	1105	2
132223	1.2	1.65	58	140	<0.5	18	0.88	5	12	33	26	4.06	1	0.23	<10	0.90	1978	<2	0.01	<1	1338	155	0.75	9	3	46	<5	<0.01	<10	<10	30	<10	348	2
132224	3.2	0.99	93	116	<0.5	16	1.77	8	10	50	11	3.53	1	0.18	<10	0.63	2258	2	0.01	<1	946	374	1.67	9	2	74	<5	<0.01	<10	<10	25	<10	758	1
132225	5.9	0.74	98	97	<0.5	14	1.15	6	7	75	17	3.24	1	0.11	<10	0.53	2052	4	0.01	1	655	71	1.63	11	2	52	<5	<0.01	<10	<10	36	<10	562	1
132226	7.9	0.28	65	57	<0.5	6	2.88	6	3	98	22	1.54	1	0.05	<10	0.19	1984	3	0.01	2	270	304	0.86	10	1	126	<5	<0.01	<10	<10	11	<10	778	1
132227	6.7	1.19	413	113	<0.5	21	2.81	7	17	35	15	4.75	1	0.20	<10	0.76	2271	2	0.01	1	1242	182	2.69	16	2	100	<5	<0.01	<10	<10	39	<10	609	2
132228	1.1	2.21	149	117	<0.5	23	2.83	3	18	31	8	5.20	2	0.17	<10	1.53	3409	<2	0.01	<1	1313	26	1.01	13	4	98	<5	<0.01	<10	12	73	<10	184	2
132229	1.5	1.99	110	173	<0.5	22	2.80	3	23	18	52	5.24	1	0.30	<10	0.84	3203	<2	0.01	2	1459	76	0.74	9	4	106	<5	<0.01	<10	12	59	<10	154	2
132230	1.5	2.08	324	175	<0.5	23	2.60	4	21	13	68	5.63	1	0.29	<10	0.62	2780	2	0.02	1	1438	27	0.44	12	4	92	<5	<0.01	<10	11	62	<10	138	2
132231	1.5	1.76	86	146	<0.5	21	2.57	3	23	15	45	5.20	1	0.24	<10	0.55	2587	<2	0.01	2	1261	23	0.63	9	4	80	<5	<0.01	<10	11	49	<10	111	2
132232	3.4	1.22	205	174	<0.5	19	2.41	3	32	18	60	4.56	1	0.33	<10	0.40	1814	5	0.01	6	1457	30	1.83	11	3	86	<5	<0.01	<10	<10	30	<10	117	2
132234	4.3	1.24	79	165	<0.5	20	2.39	4	40	21	69	4.71	1	0.28	<10	0.40	2176	6	0.01	8	1277	65	1.99	10	3	74	<5	<0.01	<10	<10	30	<10	206	2
132235	30.5	1.46	1764	193	<0.5	21	2.33	21	17	17	19	4.78	1	0.31	<10	0.55	2642	<2	0.01	<1	1233	928	1.60	17	2	71	<5	<0.01	<10	11	37	<10	1870	1
132236	4.5	1.47	133	162	<0.5	23	2.68	21	21	14	49	5.24	1	0.28	<10	0.68	2817	<2	0.01	<1	1367	785	2.34	10	2	100	<5	<0.01	<10	11	44	<10	1828	2
132237	2.9	1.31	1064	171	<0.5	20	2.85	27	17	13	38	4.76	1	0.32	<10	0.50	2420	<2	0.02	<1	1236	419	2.21	15	2	106	<5	<0.01	<10	<10	39	<10	2373	1
132238	6.6	1.78	1742	168	<0.5	20	2.85	35	17	23	30	4.87	2	0.30	<10	0.73	2262	<2	0.02	<1	1273	1394	1.23	18	3	91	<5	<0.01	<10	<10	42	<10	3087	1
132239	17.3	1.64	1207	137	<0.5	18	4.15	6	15	13	28	4.19	1	0.26	<10	0.68	2574	<2	0.01	<1	1189	275	0.72	15	3	128	<5	<0.01	<10	10	44	<10	514	1
132240	0.3	1.92	48	147	<0.5	20	4.02	3	16	12	34	4.74	<1	0.28	<10	0.87	2175	<2	0.02	<1	1338	9	0.56	9	3	121	<5	<0.01	<10	<10	47	<10	94	1
132241	0.6	1.92	238	146	<0.5	19	4.35	3	18	16	26	4.48	1	0.26	<10	0.91	2469	<2	0.02	<1	1401	70	0.53	9	3	140	<5	<0.01	<10	<10	51	<10	104	1
132242	1.5	1.58	355	156	<0.5	18	5.77	4	20	11	37	4.59	1	0.25	<10	0.69	3271	2	0.03	<1	1243	38	1.00	10	3	176	<5	<0.01	<10	11	51	<10	276	1
Duplicates:																																		
132097	1.7	1.82	24	143	<0.5	21	2.57	12	14	20	13	5.11	1	0.30	<10	1.09	2620	<2	0.01	<1	1430	1242	2.05	9	3	92	<5	<0.01	<10	<10	26	<10	1068	2
132106	2.7	1.19	151	150	<0.5	15	1.58	3	11	45	24	3.75	1	0.25	<10	0.61	2364	<2	0.01	<1	1326	45	1.32	14	3	58	<5	<0.01	<10	<10	50	<10	229	2
132116	5.0	0.95	75	78	<0.5	15	3.24	23	8	100	66	3.80	1	0.09	<10	0.61	3189	<2	0.01	1	583	394	1.93	7	3	130	<5	<0.01	<10	12	48	<10	1927	1
132119	1.1	0.34	41	59	<0.5	8	2.24	2	6	96	5	1.83	1	0.06	<10	0.22	1900	<2	0.01	1	205	43	1.19	6	1	106	<5	<0.01	<10	<10	13	<10	136	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot resources Ltd.

Attention: Sue Deane

Project: Dilworth/Premier/Shipment 12

Sample type: cores

Report No : **9V1085RJ**

Date : Sep-03-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132128	<0.2	1.99	116	124	<0.5	21	3.82	4	16	32	14	4.74	1	0.28	10	1.11	2247	<2	0.01	1	1352	54	0.93	10	4	125	<5	<0.01	<10	<10	52	<10	197	2
132138	<0.2	2.06	43	239	0.6	21	3.05	5	24	52	17	5.15	1	0.20	16	1.75	2012	2	0.04	26	1823	89	0.50	12	7	96	<5	0.12	<10	<10	88	<10	404	5
132141	1.7	1.30	389	110	<0.5	20	3.29	11	18	45	24	4.64	1	0.34	<10	0.69	2312	2	0.01	3	1182	390	2.69	11	3	110	<5	<0.01	<10	<10	34	<10	958	2
132150	<0.2	2.66	7	990	1.0	25	3.27	4	28	105	22	5.97	<1	0.09	46	2.67	951	<2	0.05	52	4267	7	0.14	14	6	190	<5	0.15	11	<10	106	<10	130	13
132160	0.5	0.60	693	1157	0.5	14	0.65	4	8	60	37	3.20	2	0.15	16	0.33	471	6	0.01	34	916	149	0.21	539	5	213	7	<0.01	<10	<10	58	<10	241	13
132163	0.3	2.12	34	181	<0.5	23	2.56	3	16	23	14	5.34	1	0.25	<10	1.13	1970	<2	0.01	1	1351	13	0.95	10	3	80	<5	<0.01	<10	<10	44	<10	104	2
132172	1.6	1.89	128	130	<0.5	25	1.75	7	17	16	15	5.60	1	0.24	<10	1.17	2313	<2	0.01	1	1384	250	2.04	9	3	56	<5	<0.01	<10	10	40	<10	553	2
132182	<0.2	2.06	15	217	<0.5	21	2.03	3	16	10	10	4.95	<1	0.32	10	1.10	1885	<2	0.01	<1	1621	9	0.71	9	3	102	<5	0.03	<10	<10	44	<10	116	2
132185	<0.2	1.57	22	189	<0.5	17	2.61	3	15	21	15	4.10	1	0.35	<10	0.71	1844	2	0.02	<1	1586	35	0.61	8	3	126	<5	0.04	<10	<10	33	<10	157	2
132194	<0.2	1.81	21	144	<0.5	18	3.42	3	14	12	15	4.53	<1	0.28	<10	1.10	2277	<2	0.01	<1	1425	8	1.05	9	3	146	<5	<0.01	<10	<10	30	<10	101	2
132204	0.8	1.43	29	126	<0.5	21	1.46	9	14	22	9	4.80	1	0.23	<10	0.89	2605	5	0.01	<1	1354	239	1.97	7	3	53	<5	<0.01	<10	<10	46	<10	773	2
132207	0.4	1.60	29	166	<0.5	20	1.68	4	13	21	14	4.48	1	0.27	<10	0.92	2455	<2	0.01	<1	1477	87	1.42	8	3	79	<5	<0.01	<10	<10	49	<10	223	2
132216	0.3	1.47	16	154	<0.5	18	3.25	3	13	14	19	4.37	1	0.28	<10	0.85	2489	<2	0.01	<1	1504	24	1.68	8	3	146	<5	<0.01	<10	<10	21	<10	116	2
132226	9.0	0.29	68	60	<0.5	6	3.04	6	3	108	22	1.50	1	0.06	<10	0.19	2044	3	0.01	1	267	311	0.89	11	1	128	<5	<0.01	<10	<10	12	<10	803	1
132229	1.6	1.94	100	160	<0.5	22	2.63	4	23	17	54	5.05	1	0.27	<10	0.80	3120	2	0.01	2	1392	74	0.69	10	4	102	<5	<0.01	<10	<10	57	<10	156	2
132238	4.7	1.72	1677	153	<0.5	21	2.77	34	16	22	30	4.78	1	0.27	<10	0.71	2209	<2	0.02	<1	1247	1363	1.21	17	2	90	<5	<0.01	<10	<10	41	<10	3008	1
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.5	1.74	11	292	0.9	20	0.58	4	30	109	2072	4.81	<1	1.38	13	1.18	328	2	0.05	54	615	14	0.57	13	7	7	<5	0.20	<10	<10	79	<10	217	10

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1086-RA1

Mar-09-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Premier/Shipment 12
Attn: Sue Deane

We *hereby certify* the following assay of 22 rock samples submitted Aug-20-09

Sample Name	Au g/tonne	Ag g/tonne	Ag g/tonne	Pb %	Zn %	Sample-Wt Kg
139832	0.04	<0.1				2.4
139833	0.05	0.3				3.8
139834	0.73	2.3				1.5
139835	22.57	>200.0	273.7			1.8
139836	42.31	>200.0	715.8			1.8
139837	9.12	>200.0	877.0	1.15		3.5
139838	0.05	4.5				4.6
139839	0.05	5.5				3.0
139840	0.18	3.6				2.0
139841	0.01	2.1				2.6
139842	<0.01	3.8				2.3
139843	0.02	2.7				2.1
139844	<0.01	2.5				2.1
139845	0.07	4.3				2.7
139846	0.13	5.5				2.1
139847	0.02	1.5				3.3
139848	0.13	1.4				1.2
139849	0.02	6.7				1.3
139850	0.01	4.8				1.9
139851	4.29	>200.0	2390	6.00	10.9	2.0
139852	0.02	7.1				1.3
139853	0.03	9.1				1.5
*DUP 139832	0.04	1.0				
*DUP 139841	0.02	2.5				
*DUP 139851	4.15	512.6				
*0211	2.11					
*SE-1			731.5	1.89	2.55	
*BLANK	<0.01		<0.1	<0.01	<0.01	

Au F.A. AA finish. Ag read from ICP solution. Ag,Pb,Zn over limit 4 Acid Digest AA finish

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1086-RA2

Mar-09-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Premier/Shipment 12
Attn: Sue Deane

We *hereby certify* the following assay of 9 cores samples submitted Aug-20-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
139854	0.01	3.4	1.5
139855	0.02	4.3	2.1
139856	0.02	3.5	2.4
139857	0.07	2.7	1.5
139858	<0.01	1.4	1.5
139859	0.01	4.2	1.9
139860	0.01	4.7	1.8
139861	<0.01	2.3	1.5
49509	0.04	7.8	1.1
*DUP 139854	0.01	3.4	
*0211	2.33		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : **9V1086RJ**

Date : Mar-09-09

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/Premier/Shipment 12

Sample type: cores

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
139832	<0.2	1.10	18	251	<0.5	12	1.69	2	7	44	16	2.85	1	0.30	<10	0.58	1053	2	0.01	1	900	6	0.65	6	1	59	<5	0.01	<10	<10	23	<10	47	2
139833	0.3	1.05	25	198	<0.5	12	1.84	2	8	27	25	3.07	1	0.30	<10	0.61	1009	2	0.01	4	1002	9	0.89	6	1	70	<5	0.01	<10	<10	22	<10	57	2
139834	2.3	0.69	1906	211	<0.5	14	0.72	5	11	53	61	3.03	1	0.33	<10	0.31	513	19	0.01	30	1086	93	1.32	12	1	34	<5	<0.01	<10	<10	27	<10	339	3
139835	>200.0	0.71	1718	187	<0.5	15	1.85	50	7	68	266	3.25	1	0.27	<10	0.33	751	58	0.01	20	942	4854	1.38	55	2	64	<5	<0.01	<10	<10	58	<10	4490	4
139836	>200.0	0.63	2253	182	<0.5	17	0.57	83	7	56	340	4.30	1	0.25	<10	0.28	527	82	0.01	23	833	8633	2.23	187	1	23	<5	<0.01	<10	<10	32	<10	5892	5
139837	>200.0	0.36	>10000	70	<0.5	23	1.49	110	6	57	233	4.78	1	0.23	<10	0.11	540	12	0.01	14	515	>10000	3.74	249	1	33	<5	<0.01	<10	<10	11	<10	6557	2
139838	4.5	0.95	244	128	<0.5	15	1.27	3	13	121	56	3.07	1	0.25	<10	0.68	724	74	0.01	45	1095	125	1.52	11	2	92	<5	<0.01	<10	<10	47	<10	117	3
139839	5.5	1.24	260	104	<0.5	22	0.72	4	17	54	73	5.08	1	0.24	<10	0.96	884	86	0.01	61	1155	214	2.64	14	2	23	<5	<0.01	<10	10	35	<10	145	3
139840	3.6	0.68	2991	147	<0.5	13	0.21	7	12	51	68	2.95	<1	0.23	<10	0.35	1103	8	0.01	23	874	181	0.58	22	1	7	<5	0.01	<10	<10	17	<10	605	2
139841	2.1	1.39	227	118	<0.5	12	0.26	3	13	69	56	3.09	1	0.19	<10	1.14	1494	4	0.01	30	1101	37	0.10	8	2	10	<5	0.01	<10	<10	43	<10	110	2
139842	3.8	1.04	178	142	<0.5	15	0.10	3	12	60	68	3.80	<1	0.23	11	0.74	588	55	0.01	33	1066	110	1.06	12	2	6	<5	0.01	<10	<10	31	<10	88	3
139843	2.7	0.69	260	141	<0.5	15	0.02	4	16	62	74	3.61	1	0.19	10	0.42	2131	55	0.01	35	1105	86	0.03	13	1	2	<5	0.01	<10	<10	18	<10	116	2
139844	2.5	0.89	236	87	<0.5	16	0.07	3	14	84	67	3.78	<1	0.18	<10	0.68	738	<2	0.01	28	534	84	1.72	13	1	5	<5	0.01	<10	<10	17	<10	96	1
139845	4.3	0.49	878	92	<0.5	7	0.15	4	16	71	72	1.59	<1	0.20	<10	0.15	900	<2	0.01	30	964	136	0.66	11	1	7	<5	0.01	<10	<10	11	<10	217	1
139846	5.5	0.65	1318	90	<0.5	10	0.03	3	7	81	56	2.40	1	0.20	<10	0.36	448	<2	0.01	12	511	322	0.31	11	1	3	<5	<0.01	<10	<10	10	<10	174	1
139847	1.5	1.35	113	130	<0.5	14	0.47	3	10	28	23	3.51	<1	0.24	<10	1.12	943	<2	0.01	15	824	216	1.29	8	1	12	<5	<0.01	<10	<10	12	<10	180	2
139848	1.4	1.46	173	216	<0.5	12	0.30	2	15	75	86	2.70	1	0.20	<10	1.18	617	3	0.03	54	1163	18	0.56	8	3	10	<5	0.06	<10	<10	71	<10	87	2
139849	6.7	0.22	55	362	<0.5	7	<0.01	1	<1	84	4	1.75	1	0.20	<10	0.02	43	17	0.01	2	517	52	0.17	8	1	4	<5	<0.01	<10	<10	8	<10	19	1
139850	4.8	0.20	62	242	<0.5	8	<0.01	2	2	154	24	1.94	1	0.17	<10	0.02	45	13	0.01	3	1149	63	0.43	9	1	3	<5	<0.01	<10	<10	6	<10	146	1
139851	>200.0	0.16	82	19	<0.5	32	<0.01	1482	40	74	361	8.33	22	0.16	<10	0.03	15	3	0.01	6	91	>10000	>5.00	143	<1	3	<5	<0.01	<10	16	1	<10	>10000	2
139852	7.1	0.16	110	281	<0.5	7	<0.01	3	2	157	6	1.91	1	0.13	<10	0.02	50	14	0.01	3	358	151	0.75	17	1	3	<5	<0.01	11	<10	5	<10	155	1
139853	9.1	0.21	109	520	<0.5	15	<0.01	4	1	98	6	3.63	1	0.19	<10	0.02	144	18	0.01	2	817	145	0.27	13	1	11	<5	<0.01	<10	<10	7	<10	117	2
139854	3.4	0.24	40	492	<0.5	8	<0.01	1	1	108	4	2.04	1	0.22	<10	0.02	43	11	0.01	2	617	40	0.17	8	1	10	<5	<0.01	<10	<10	5	<10	36	2
139855	4.3	0.22	44	346	<0.5	6	<0.01	1	1	101	4	1.61	1	0.18	<10	0.02	59	15	0.01	3	468	42	0.11	7	1	7	<5	<0.01	<10	<10	6	<10	53	1
139856	3.5	0.24	42	162	<0.5	9	0.09	1	4	125	8	2.14	<1	0.19	<10	0.02	326	37	0.01	4	590	41	0.18	7	2	8	<5	<0.01	<10	<10	7	<10	37	1
139857	2.7	0.17	43	118	<0.5	6	0.18	1	3	129	7	1.47	<1	0.13	<10	0.04	284	12	0.01	6	479	38	0.15	9	1	12	<5	<0.01	<10	<10	6	<10	44	1
139858	1.4	0.26	20	213	<0.5	12	1.81	2	10	117	6	2.67	1	0.20	12	0.29	1707	8	0.01	9	1326	14	0.25	7	3	84	<5	<0.01	<10	<10	6	<10	82	1
139859	4.2	0.21	34	162	<0.5	6	<0.01	1	1	108	8	1.69	1	0.18	<10	0.02	59	8	0.01	3	419	29	0.12	8	1	3	<5	<0.01	<10	<10	6	<10	19	1
139860	4.7	0.25	46	210	<0.5	9	0.02	3	2	136	4	2.29	1	0.22	<10	0.02	136	24	0.01	3	852	68	0.23	9	1	5	<5	<0.01	<10	<10	7	<10	145	1
139861	2.3	0.14	34	89	<0.5	<5	0.01	1	2	131	5	1.17	<1	0.12	<10	0.01	117	16	0.01	5	364	30	0.11	8	1	4	<5	<0.01	<10	<10	3	<10	51	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95ºC for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/Premier/Shipment 12

Sample type: cores

Report No : **9V1086RJ**

Date : Mar-09-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
49509	7.8	4.35	576	418	0.6	21	3.72	10	21	96	184	5.04	1	1.17	<10	1.99	1887	<2	0.05	18	1413	509	1.39	18	10	145	<5	0.09	<10	15	151	<10	866	2
Duplicates:																																		
139832	1.0	1.07	18	256	<0.5	12	1.69	2	7	44	16	2.90	1	0.30	<10	0.58	1060	2	0.01	1	914	8	0.66	6	1	58	<5	0.01	<10	<10	23	<10	53	2
139841	2.5	1.46	211	120	<0.5	12	0.24	3	13	69	54	2.97	1	0.20	<10	1.10	1439	4	0.01	29	1036	40	0.09	8	2	10	<5	0.01	<10	<10	43	<10	110	2
139851	>200.0	0.17	83	18	<0.5	30	<0.01	1375	38	71	343	8.16	21	0.14	<10	0.03	15	2	<0.01	6	93	>10000	>5.00	130	<1	2	<5	<0.01	<10	15	1	<10	>10000	2
139854	3.4	0.25	40	477	<0.5	8	<0.01	1	1	111	5	1.98	1	0.22	<10	0.02	42	10	0.01	2	621	38	0.15	7	1	10	<5	<0.01	<10	<10	5	<10	34	1
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	2.2	1.59	12	289	0.9	19	0.54	4	28	105	1923	4.52	<1	1.24	12	1.11	311	2	0.05	52	648	17	0.56	12	7	7	<5	0.19	<10	<10	76	<10	219	10

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1091-RA1

Sep-09-09

Company: **Ascot Resources**
Project: Premier/Shipment 13
Attn: Sue Deane

We *hereby certify* the following assay of 22 rock samples submitted Aug-24-09

Sample Name	Au g/tonne	Ag g/tonne	Ag g/tonne	Pb %	Zn %	Sample-Wt Kg
139862	0.07	0.9				2.4
139863	3.19	9.8				2.9
139864	10.59	59.3		1.68		2.4
139865	3.49	13.6				2.1
139866	5.28	18.5				1.3
139867	4.64	7.6				1.9
139868	2.84	4.5				1.5
139869	7.29	52.5		1.71	4.82	1.9
139870	5.87	12.4				2.1
139871	15.42	64.2				1.7
139872	0.22	2.5				2.2
139873	0.27	1.4				1.6
139874	1.63	3.5				1.5
139875	0.65	2.3				2.4
139876	0.33	1.0				1.9
139877	2.04	>200.0	7030			1.3
139878	1.52	>200.0	1073			1.3
139879	0.55	120.8				1.4
139880	1.78	>200.0	341.0	1.48		1.5
139881	7.36	>200.0	4854	6.70	9.90	1.0
139882	9.81	>200.0	6320	3.38	4.76	1.5
139883	3.05	>200.0	1617	2.71		1.8
*DUP 139862	0.05	1.2				
*DUP 139871	14.28	58.8				
*DUP 139881	7.50	568.0				
*0211	2.18					
*MP-1b			51.5	2.04	16.6	
*BLANK	<0.01		<0.1	<0.01	<0.01	

Au F.A. AA finish. Ag read from ICP solution. Over limit Ag,Pb,Zn 4 Acid Digest AA finish

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1091-RA2

Sep-09-09

Company: **Ascot Resources**
Project: Premier/Shipment 13
Attn: Sue Deane

We *hereby certify* the following assay of 22 rock samples submitted Aug-24-09

Sample Name	Au g/tonne	Ag g/tonne	Ag g/tonne	Pb %	Zn %	Sample-Wt Kg
139884	0.82	186.8		3.30		1.7
139885	1.41	>200.0	679.0	1.08		1.0
139886	0.05	45.7				2.3
139887	4.04	>200.0	506.0	5.30	5.70	2.3
139888	16.23	>200.0	3700	7.30	7.20	2.1
139889	9.32	>200.0	1300	5.50	11.6	1.7
139890	1.56	180.1				1.7
139891	1.85	>200.0	327.6	3.77	7.70	2.2
139892	0.13	45.5		1.94		1.7
139893	0.20	42.9				1.7
139894	0.40	120.2		8.30	11.3	1.7
139895	0.60	191.7		2.97	4.02	1.5
139896	0.67	>200.0	275.9	5.00	6.00	1.8
139897	0.02	20.9				1.3
139898	0.81	146.6		2.52	4.34	1.0
139899	4.53	163.4		7.50	3.66	1.3
139900	0.80	>200.0	221.6			1.8
139901	1.73	123.2				1.4
139902	8.70	>200.0	524.0	3.14	7.70	1.2
139903	0.02	6.8				3.5
139904	0.06	23.0		1.78		3.9
139905	0.18	45.9		2.80	9.20	4.3
*DUP 139884	0.76	179.3				
*DUP 139893	0.26	41.8				
*DUP 139903	0.02	5.0				
*0211	2.20					
*MP-1b			51.5	2.05	16.6	
*BLANK	<0.01		<0.1	<0.01	<0.01	

Au F.A. AA finish. Ag read from ICP solution. Over limit Ag,Pb,Zn 4 Acid Digest AA finish

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1091-RA3

Sep-09-09

Company: **Ascot Resources**
Project: Premier/Shipment 13
Attn: Sue Deane

We *hereby certify* the following assay of 12 rock samples submitted Aug-24-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
139906	0.04	8.8	2.1
139907	0.06	15.3	2.5
139908	0.07	30.6	2.0
139909	0.01	9.1	2.8
139910	<0.01	2.2	2.2
139911	0.09	3.1	2.0
139912	0.02	2.1	2.2
139913	0.09	3.6	2.9
139914	0.07	2.0	2.1
139915	0.07	2.0	2.4
139916	0.21	5.2	2.5
139917	0.17	4.0	2.4
*DUP 139906	0.06	8.9	
*DUP 139915	0.09	1.7	
*0211	2.12		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Premier/Shipment 13

Sample type: rock

Report No : 9V1091RJ

Date : Sep-09-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
139862	0.9	2.07	22	186	<0.5	21	0.18	5	9	21	5	4.96	<1	0.22	<10	1.16	1338	3	0.01	<1	1449	268	0.47	10	3	7	<5	<0.01	<10	<10	35	<10	311	2
139863	9.8	1.55	76	178	<0.5	24	0.16	12	7	70	78	5.29	1	0.21	<10	0.92	1695	7	0.01	<1	1199	1374	0.69	14	2	6	<5	<0.01	<10	12	33	<10	880	2
139864	59.3	0.28	76	58	<0.5	50	0.15	102	4	131	819	5.92	21	0.09	<10	0.15	834	<2	0.01	1	278	>10000	3.26	30	1	11	<5	<0.01	<10	15	11	<10	5930	2
139865	13.6	0.86	61	111	<0.5	27	1.14	78	9	113	346	5.33	6	0.17	<10	0.45	2153	3	0.01	<1	730	2403	2.34	13	2	28	<5	<0.01	<10	17	24	<10	4810	2
139866	18.5	0.42	44	66	<0.5	18	3.75	61	5	134	797	3.50	4	0.08	<10	0.28	3223	<2	0.01	2	256	3299	2.84	13	1	88	<5	<0.01	<10	20	9	<10	4222	1
139867	7.6	0.44	32	89	<0.5	22	0.81	28	5	198	146	3.52	2	0.10	<10	0.28	1689	2	0.01	2	374	2309	2.11	12	1	31	<5	<0.01	<10	13	13	<10	2173	1
139868	4.5	1.15	35	94	<0.5	23	1.40	41	6	122	305	5.02	2	0.11	<10	0.72	2785	<2	0.01	2	673	1302	1.89	11	2	57	<5	<0.01	<10	19	37	<10	3073	2
139869	52.5	0.53	45	20	<0.5	40	0.13	619	8	158	4595	8.18	23	0.17	<10	0.24	614	6	0.01	<1	497	>10000	>5.00	27	1	12	<5	<0.01	<10	23	15	<10	>10000	3
139870	12.4	0.83	53	248	<0.5	31	0.08	7	4	80	111	5.10	3	0.25	<10	0.38	621	4	0.01	<1	1189	2963	0.85	13	1	9	<5	<0.01	<10	12	26	<10	582	2
139871	64.2	0.75	41	208	<0.5	51	0.08	16	6	163	341	5.88	12	0.19	<10	0.33	993	7	0.01	1	911	9715	0.66	36	1	8	<5	<0.01	<10	15	18	<10	1291	3
139872	2.5	1.82	58	215	<0.5	21	0.38	15	9	32	217	4.44	1	0.24	<10	0.90	2150	2	0.01	<1	1550	1727	0.49	12	3	13	<5	<0.01	<10	<10	47	<10	1041	2
139873	1.4	1.52	36	200	<0.5	19	0.67	12	7	75	65	4.31	<1	0.26	<10	0.72	2086	3	0.02	<1	1507	636	0.42	12	3	31	<5	<0.01	<10	11	43	<10	919	2
139874	3.5	0.94	23	95	<0.5	14	0.32	13	4	129	118	2.90	2	0.12	<10	0.43	1420	2	0.03	3	781	1634	0.25	9	2	16	<5	<0.01	<10	<10	28	<10	973	1
139875	2.3	0.96	177	159	<0.5	19	0.23	12	7	130	203	3.94	<1	0.17	<10	0.43	1485	4	0.02	1	990	520	0.72	14	2	9	<5	<0.01	<10	11	27	<10	941	1
139876	1.0	1.07	259	175	<0.5	14	0.74	11	6	105	76	3.07	1	0.19	<10	0.49	2017	2	0.01	2	984	395	0.38	12	2	31	<5	<0.01	<10	<10	25	<10	596	1
139877	>200.0	0.24	39	72	<0.5	8	0.02	356	9	153	315	2.74	3	0.19	<10	0.02	164	7	0.01	3	264	9495	3.01	221	<1	3	<5	<0.01	<10	<10	2	<10	8722	1
139878	>200.0	0.19	26	54	<0.5	7	0.01	85	6	120	124	1.88	1	0.16	<10	0.02	56	19	0.01	4	184	3142	1.62	47	<1	3	<5	<0.01	<10	<10	2	<10	4603	1
139879	120.8	0.25	13	57	<0.5	<5	0.05	14	3	146	54	0.84	<1	0.21	<10	0.02	162	13	0.01	3	346	1247	0.47	13	<1	5	<5	<0.01	<10	<10	2	<10	1136	1
139880	>200.0	0.13	106	37	<0.5	12	0.02	370	11	77	581	3.50	3	0.14	<10	0.02	19	30	0.01	4	193	>10000	4.44	25	<1	3	<5	<0.01	<10	<10	2	<10	8761	2
139881	>200.0	0.17	44	18	<0.5	11	0.02	1383	25	144	1777	3.92	12	0.14	<10	0.02	50	13	0.01	4	171	>10000	>5.00	154	<1	4	<5	<0.01	<10	<10	1	<10	>10000	2
139882	>200.0	0.22	62	19	<0.5	18	0.05	685	22	82	1162	4.57	9	0.21	<10	0.02	23	17	0.01	4	610	>10000	>5.00	167	<1	6	<5	<0.01	<10	11	3	<10	>10000	2
139883	>200.0	0.25	38	29	<0.5	13	0.27	518	19	116	711	3.78	5	0.22	<10	0.08	333	11	0.01	3	418	>10000	>5.00	99	<1	24	<5	<0.01	<10	10	2	<10	9380	2
139884	186.8	0.28	16	74	<0.5	5	0.43	165	6	107	321	0.94	2	0.24	<10	0.10	651	8	0.01	4	329	>10000	1.82	14	<1	36	<5	<0.01	<10	<10	2	<10	6477	1
139885	>200.0	0.30	38	57	<0.5	8	0.07	306	20	54	540	2.35	4	0.31	<10	0.03	28	20	0.01	6	439	>10000	3.63	18	<1	5	<5	<0.01	<10	<10	2	<10	8332	2
139886	45.7	0.39	10	167	0.5	<5	0.10	2	4	47	43	0.52	<1	0.35	13	0.02	113	13	0.01	1	632	789	0.35	<5	<1	7	<5	<0.01	<10	<10	3	<10	183	1
139887	>200.0	0.26	227	13	<0.5	35	0.10	786	33	92	3105	6.86	6	0.18	<10	0.08	189	3	0.01	13	194	>10000	>5.00	38	<1	12	<5	<0.01	<10	21	3	<10	>10000	3
139888	>200.0	0.26	64	13	<0.5	16	0.16	1072	30	78	4048	3.97	8	0.24	<10	0.05	225	<2	0.01	5	420	>10000	>5.00	108	<1	14	<5	<0.01	<10	10	3	<10	>10000	2
139889	>200.0	0.25	39	13	<0.5	16	0.10	1593	32	77	2111	4.10	15	0.21	<10	0.04	405	2	0.01	4	260	>10000	>5.00	27	1	13	<5	<0.01	<10	11	3	<10	>10000	2
139890	180.1	0.31	17	82	<0.5	6	0.04	125	10	89	311	1.41	1	0.27	16	0.02	416	14	0.01	3	185	5337	1.42	13	1	7	<5	<0.01	<10	<10	4	<10	5966	2
139891	>200.0	0.17	168	11	<0.5	49	0.02	1085	53	117	2029	8.69	8	0.15	<10	0.03	50	2	0.01	19	98	>10000	>5.00	71	<1	3	<5	<0.01	<10	29	2	<10	>10000	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Premier/Shipment 13

Sample type: rock

Report No : **9V1091RJ**

Date : Sep-09-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
139892	45.5	0.27	12	63	<0.5	5	0.09	112	10	116	544	1.12	1	0.26	<10	0.02	374	3	0.01	5	329	>10000	1.68	11	<1	5	<5	<0.01	<10	<10	1	<10	5740	1
139893	42.9	0.24	55	50	<0.5	14	0.09	78	13	103	625	2.43	1	0.25	<10	0.02	323	20	0.02	4	351	5575	2.97	11	<1	5	<5	<0.01	<10	<10	2	<10	4577	2
139894	120.2	0.16	34	21	<0.5	<5	0.02	1538	25	113	1895	1.98	13	0.16	<10	0.01	28	6	0.01	8	135	>10000	>5.00	26	<1	3	<5	<0.01	<10	<10	1	<10	>10000	1
139895	191.7	0.23	75	38	<0.5	11	0.02	610	18	113	2256	2.97	6	0.23	<10	0.02	162	20	0.01	5	261	>10000	>5.00	23	<1	3	<5	<0.01	<10	<10	2	<10	>10000	2
139896	>200.0	0.25	46	30	<0.5	15	0.01	803	24	130	1297	3.36	10	0.21	<10	0.02	137	10	0.01	5	284	>10000	>5.00	47	<1	3	<5	<0.01	<10	<10	2	<10	>10000	2
139897	20.9	0.57	11	139	0.6	6	0.09	12	12	79	108	1.02	1	0.39	15	0.02	1564	2	0.01	3	625	3807	0.40	7	1	5	5	<0.01	<10	<10	4	<10	1003	1
139898	146.6	0.36	28	48	<0.5	10	0.06	630	18	92	1139	2.51	6	0.30	<10	0.03	554	<2	0.01	7	465	>10000	4.15	20	1	6	<5	<0.01	<10	<10	3	<10	>10000	2
139899	163.4	0.30	18	47	<0.5	8	0.04	570	15	84	932	2.13	6	0.27	<10	0.02	480	3	0.01	3	371	>10000	4.61	30	<1	11	<5	<0.01	<10	<10	2	<10	>10000	2
139900	>200.0	0.26	31	57	<0.5	13	0.27	130	17	109	151	2.13	2	0.24	<10	0.05	822	17	0.02	4	316	7728	2.61	13	<1	11	<5	<0.01	<10	<10	2	<10	5887	2
139901	123.2	0.24	25	52	<0.5	11	0.07	108	10	131	212	1.78	1	0.23	<10	0.02	286	8	0.01	4	207	8427	2.42	11	<1	5	<5	<0.01	<10	<10	1	<10	5477	1
139902	>200.0	0.25	44	27	<0.5	12	0.26	1056	22	89	1750	2.99	10	0.24	<10	0.06	535	9	0.01	4	353	>10000	>5.00	13	<1	20	<5	<0.01	<10	<10	2	<10	>10000	2
139903	6.8	0.34	7	356	<0.5	10	1.50	29	7	54	53	1.60	1	0.28	11	0.35	2280	<2	0.03	3	675	1028	0.37	6	2	119	6	<0.01	<10	<10	4	<10	2021	2
139904	23.0	0.30	9	107	<0.5	9	0.93	296	9	71	260	2.08	3	0.24	<10	0.27	4343	<2	0.03	2	530	>10000	1.76	7	1	68	<5	<0.01	<10	17	3	<10	8373	2
139905	45.9	0.29	16	32	<0.5	<5	0.46	1145	19	89	452	1.40	9	0.25	<10	0.10	1122	<2	0.02	6	395	>10000	4.85	<5	1	34	<5	<0.01	<10	<10	3	<10	>10000	1
139906	8.8	0.30	95	99	<0.5	18	0.06	3	7	34	4	2.52	1	0.29	<10	0.03	253	<2	0.01	<1	1033	157	2.16	11	1	9	<5	<0.01	<10	<10	5	<10	157	2
139907	15.3	0.20	89	93	<0.5	21	0.03	5	6	27	6	2.86	1	0.25	<10	0.02	176	<2	0.01	<1	1205	216	1.98	11	1	8	<5	<0.01	<10	<10	4	<10	279	2
139908	30.6	0.26	169	214	<0.5	23	0.04	3	3	25	3	3.02	1	0.32	<10	0.02	159	2	0.01	<1	1257	119	1.02	14	1	19	<5	<0.01	<10	<10	5	<10	61	2
139909	9.1	0.22	89	294	<0.5	15	<0.01	2	2	27	2	2.09	1	0.27	<10	0.02	51	<2	0.01	<1	903	55	0.61	11	1	7	<5	<0.01	<10	<10	4	<10	56	2
139910	2.2	0.90	56	449	<0.5	18	0.75	3	12	25	17	2.30	<1	0.31	15	0.28	1628	<2	0.01	1	1428	18	0.29	8	3	30	<5	<0.01	<10	<10	14	<10	127	2
139911	3.1	0.76	165	93	<0.5	19	0.11	4	9	32	8	2.45	1	0.28	<10	0.18	387	2	0.01	<1	1075	52	1.82	17	1	6	<5	<0.01	<10	<10	21	<10	177	3
139912	2.1	1.37	143	132	<0.5	20	0.15	3	13	36	7	2.50	1	0.22	<10	0.47	821	3	0.01	<1	1165	32	1.07	17	2	6	<5	<0.01	<10	<10	42	<10	106	2
139913	3.6	0.87	276	154	<0.5	19	0.12	3	9	40	18	2.49	1	0.23	<10	0.27	620	3	0.01	<1	1253	63	1.10	17	2	6	<5	<0.01	<10	<10	29	<10	145	3
139914	2.0	0.50	164	193	<0.5	22	0.05	3	6	45	9	2.71	1	0.38	<10	0.09	290	3	0.01	<1	1455	30	1.12	18	2	8	<5	<0.01	<10	<10	16	<10	85	3
139915	2.0	1.33	186	139	<0.5	18	0.17	3	12	37	19	2.27	1	0.27	11	0.40	1154	5	0.01	<1	1401	52	0.56	11	3	10	<5	<0.01	<10	<10	35	<10	194	3
139916	5.2	0.80	392	92	<0.5	19	0.13	3	9	55	19	2.46	2	0.25	<10	0.22	462	7	0.01	1	1151	166	2.19	23	2	8	<5	<0.01	<10	<10	24	<10	191	2
139917	4.0	0.38	260	91	<0.5	17	0.07	3	9	68	8	2.02	2	0.22	<10	0.07	283	10	0.01	1	958	73	1.84	16	1	7	<5	<0.01	<10	<10	10	<10	156	2
Duplicates:																																		
139862	1.2	1.92	24	177	<0.5	21	0.20	5	9	24	5	4.08	<1	0.22	<10	1.04	1359	3	0.01	<1	1543	283	0.48	9	3	6	<5	<0.01	<10	<10	34	<10	328	2
139871	58.8	0.77	42	217	<0.5	52	0.07	14	6	171	342	5.47	13	0.19	<10	0.32	1031	7	0.01	1	940	>10000	0.67	35	1	8	<5	<0.01	<10	15	18	<10	1120	3
139881	>200.0	0.18	45	20	<0.5	10	0.02	1387	25	148	1759	3.73	12	0.15	<10	0.02	50	13	0.01	4	172	>10000	>5.00	154	<1	4	<5	<0.01	<10	<10	1	<10	>10000	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources
Attention: Sue Deane
Project: Premier/Shipment 13
Sample type: rock

Report No : **9V1091RJ**
Date : Sep-09-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
139884	179.3	0.32	16	77	<0.5	5	0.38	165	7	111	319	1.01	2	0.25	<10	0.09	629	8	0.01	4	323	>10000	1.81	16	<1	36	<5	<0.01	<10	<10	2	<10	6570	1
139893	41.8	0.28	55	53	<0.5	14	0.09	78	12	110	620	2.04	1	0.26	<10	0.02	323	20	0.02	4	336	5300	2.90	11	<1	5	<5	<0.01	<10	<10	2	<10	4525	2
139903	5.0	0.38	7	371	<0.5	11	1.57	29	7	55	51	1.61	1	0.30	13	0.36	2364	<2	0.03	3	696	1043	0.37	6	2	122	6	<0.01	<10	<10	4	<10	2075	1
139906	8.9	0.30	93	97	<0.5	19	0.06	3	7	34	4	2.33	1	0.29	<10	0.02	252	<2	0.01	<1	1042	153	2.16	11	1	9	<5	<0.01	<10	<10	5	<10	156	2
139915	1.7	1.35	182	142	<0.5	17	0.17	3	12	40	18	2.15	<1	0.27	12	0.38	1113	4	0.01	<1	1341	51	0.53	12	3	9	<5	<0.01	<10	<10	35	<10	189	3
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	1	<1
CH-4	1.3	1.63	12	278	0.9	20	0.49	3	29	105	2008	3.45	<1	1.28	12	0.94	309	2	0.05	49	666	19	0.58	11	7	7	<5	0.16	<10	<10	77	<10	224	7

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1092-RA1

Sep-08-09

Company: **Ascot Resources Ltd**
Project: Premier/Shipment 13
Attn: Sue Deane

We *hereby certify* the following assay of 2 rock samples submitted Aug-24-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
49510	<0.01	1.5	1.8
49511	0.02	0.4	0.8
*DUP 49510	<0.01	1.4	
*0211	2.19		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Premier/Shipment 13

Sample type: rock

Report No : 9V1092RJ

Date : Sep-08-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
49510	1.5	2.31	130	84	<0.5	18	3.97	2	25	107	93	4.33	2	0.16	<10	1.90	2517	<2	0.01	20	1429	14	0.37	10	6	120	<5	0.01	<10	17	117	<10	103	1
49511	0.4	1.03	51	84	<0.5	9	1.89	9	7	59	20	2.06	1	0.17	<10	0.77	1046	<2	0.01	16	744	56	0.60	6	1	44	<5	0.01	<10	<10	22	<10	615	1
Duplicates:																																		
49510	1.4	2.35	140	90	<0.5	20	3.96	2	26	111	91	4.41	1	0.17	<10	1.96	2571	<2	0.01	20	1405	16	0.39	10	7	119	<5	0.01	<10	17	120	<10	104	1
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.3	1.54	12	264	0.8	19	0.52	3	28	100	1987	3.91	<1	1.24	12	1.01	296	2	0.04	48	656	15	0.56	11	6	7	<5	0.16	<10	<10	72	<10	207	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1093-RA1

Sep-10-09

Company: **Ascot Resources**
Project: Premier/Shipment 13
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Aug-24-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132243	0.80	1.6	0.9
132244	0.05	2.5	1.0
132245	0.02	2.1	1.2
132246	0.06	1.7	1.9
132247	0.08	1.0	1.6
132248	0.14	2.9	2.9
132249	0.40	1.3	2.4
132250	0.13	1.7	2.0
132251	0.26	1.6	0.9
132252	5.68	14.0	2.1
132253	<0.01	<0.1	0.2
132254	0.47	4.1	1.3
132255	2.75	7.0	1.0
132256	0.70	2.2	2.6
132257	0.50	1.6	2.1
132258	0.15	1.2	3.1
132259	<0.01	<0.1	3.3
132260	<0.01	<0.1	1.8
132261	0.91	1.5	1.4
132262	0.03	1.3	1.2
132263	0.05	2.1	1.0
132264	0.01	0.8	1.8
*DUP 132243	0.70	1.5	
*DUP 132252	5.73	15.4	
*DUP 132262	0.02	1.4	
*0211	2.16		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1093-RA2

Sep-10-09

Company: **Ascot Resources**
Project: Premier/Shipment 13
Attn: Sue Deane

We *hereby certify* the following assay of 1 core sample submitted Aug-24-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132265	0.14	0.2	3.2
*DUP 132265	0.12	0.5	
*0211	2.09		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

*Certified by*_____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Premier/Shipment 13

Sample type: core

Report No : **9V1093RJ**

Date : Sep-10-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132243	1.6	1.59	67	308	<0.5	19	0.29	5	14	22	20	4.56	<1	0.29	14	0.64	1115	<2	0.01	2	1486	13	0.53	<5	3	8	<5	<0.01	<10	<10	39	<10	180	3
132244	2.5	2.15	126	104	<0.5	20	0.10	5	7	59	3	4.59	<1	0.09	<10	2.04	1630	5	0.01	1	481	70	0.80	5	3	3	<5	<0.01	<10	<10	51	13	230	2
132245	2.1	2.97	49	216	<0.5	22	0.41	7	11	46	<1	5.02	<1	0.14	<10	2.72	2661	3	0.01	2	740	95	0.39	<5	4	12	<5	<0.01	<10	<10	61	11	322	3
132246	1.7	2.20	44	417	<0.5	21	0.24	7	15	28	7	4.80	<1	0.25	10	1.18	3053	3	0.01	2	1393	54	0.16	<5	4	8	<5	<0.01	<10	<10	43	<10	297	3
132247	1.0	2.07	50	281	<0.5	21	0.41	6	13	14	13	4.78	<1	0.27	13	0.86	1799	<2	0.01	1	1573	39	0.26	<5	5	13	<5	<0.01	<10	<10	47	<10	212	2
132248	2.9	1.88	82	148	<0.5	20	0.67	9	16	18	11	4.67	<1	0.30	<10	0.84	1430	<2	0.01	2	1407	391	1.11	<5	4	25	<5	<0.01	<10	<10	48	<10	534	2
132249	1.3	1.91	40	156	<0.5	22	0.42	6	13	21	9	4.79	<1	0.28	<10	0.92	1823	<2	0.01	1	1428	73	1.04	<5	4	14	<5	<0.01	<10	<10	59	10	294	3
132250	1.7	1.78	120	125	<0.5	21	0.96	6	14	19	15	4.58	<1	0.27	<10	0.90	2231	<2	0.01	1	1347	255	1.15	6	4	21	<5	<0.01	<10	<10	60	<10	410	3
132251	1.6	1.72	52	171	<0.5	17	0.27	9	13	27	44	4.17	<1	0.22	<10	0.90	2790	<2	0.01	2	1395	143	0.55	<5	3	7	<5	<0.01	<10	<10	50	<10	580	2
132252	14.0	0.53	210	29	<0.5	23	0.78	73	6	74	134	4.95	2	0.12	<10	0.33	1240	2	0.01	2	421	6106	3.93	<5	1	35	<5	<0.01	<10	<10	13	15	4615	2
132253	<0.2	0.03	<5	10	<0.5	<5	>15.00	<1	<1	3	1	0.05	<1	0.01	<10	2.61	33	<2	0.01	1	76	4	0.64	<5	<1	3841	<5	<0.01	<10	<10	1	<10	14	<1
132254	4.1	1.25	69	95	<0.5	19	1.73	24	9	43	98	3.84	<1	0.24	<10	0.66	2089	3	0.01	1	1085	511	1.97	<5	2	48	<5	<0.01	<10	<10	22	<10	1815	2
132255	7.0	1.35	65	79	<0.5	21	1.04	144	9	42	396	4.80	1	0.19	<10	0.90	2429	<2	0.01	2	836	294	2.60	<5	2	22	<5	<0.01	<10	<10	40	11	5876	2
132256	2.2	2.02	37	110	<0.5	21	0.86	22	12	28	39	4.71	<1	0.22	<10	1.41	2884	<2	0.01	2	1184	179	1.17	<5	4	24	<5	<0.01	<10	<10	63	<10	1705	3
132257	1.6	1.83	42	168	<0.5	17	1.50	8	10	35	36	3.88	<1	0.18	12	1.18	2394	<2	0.01	4	1353	192	0.32	<5	3	30	<5	<0.01	<10	<10	54	<10	592	2
132258	1.2	2.34	21	429	0.6	21	1.66	9	16	52	49	4.85	<1	0.16	21	1.90	1932	<2	0.02	20	2620	353	0.48	<5	4	84	<5	0.05	<10	<10	78	<10	620	6
132259	<0.2	2.67	8	1000	<0.5	25	2.89	6	23	96	22	5.52	<1	0.09	36	2.71	1128	<2	0.04	48	4404	14	0.26	<5	6	184	<5	0.04	11	<10	106	<10	181	6
132260	<0.2	2.72	7	782	<0.5	25	2.95	6	22	91	25	5.47	<1	0.08	35	2.70	1367	<2	0.04	45	4052	14	0.29	<5	5	160	<5	0.03	11	<10	94	<10	221	6
132261	1.5	1.47	45	168	<0.5	17	4.44	11	9	32	29	3.46	<1	0.25	<10	0.91	2308	<2	0.01	2	1130	221	1.03	<5	2	146	<5	<0.01	<10	<10	28	<10	869	2
132262	1.3	1.18	22	101	<0.5	12	11.55	3	6	26	5	2.55	<1	0.16	<10	0.77	4911	<2	0.01	2	899	21	0.60	<5	2	815	<5	<0.01	<10	<10	20	<10	144	1
132263	2.1	1.16	43	69	<0.5	15	10.24	8	8	24	15	3.06	<1	0.27	<10	0.67	3147	<2	0.01	2	983	110	1.35	<5	2	748	<5	<0.01	<10	<10	17	<10	634	1
132264	0.8	1.79	49	196	0.5	16	1.10	5	12	21	13	3.75	<1	0.32	10	0.78	1257	<2	0.01	2	1470	18	0.52	5	3	35	<5	<0.01	<10	<10	26	<10	330	2
132265	0.2	1.70	51	165	<0.5	19	2.22	3	13	18	48	3.98	<1	0.30	<10	0.75	1610	<2	0.01	<1	1439	48	0.98	9	3	98	<5	<0.01	<10	<10	31	<10	212	2
Duplicates:																																		
132243	1.5	1.68	65	315	<0.5	19	0.28	5	13	23	19	4.44	<1	0.30	14	0.69	1098	<2	0.01	2	1519	13	0.52	<5	3	8	<5	<0.01	<10	<10	38	<10	173	3
132252	15.4	0.57	211	30	<0.5	24	0.78	72	6	81	136	4.97	2	0.14	<10	0.33	1251	2	0.01	2	406	6050	3.90	<5	1	36	<5	<0.01	<10	<10	14	15	4691	2
132262	1.4	1.27	21	107	<0.5	12	11.39	3	6	28	5	2.71	<1	0.19	<10	0.80	5101	<2	0.01	2	920	25	0.61	<5	2	849	<5	<0.01	<10	<10	21	<10	152	1
132265	0.5	1.65	51	161	<0.5	18	2.20	3	13	18	46	3.91	<1	0.29	<10	0.74	1590	<2	0.01	<1	1401	47	0.98	9	3	96	<5	<0.01	<10	<10	31	<10	203	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : **9V1093RJ**
Date : Sep-10-09

Ascot Resources
Attention: Sue Deane
Project: Premier/Shipment 13
Sample type: core

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
CH-4	1.3	1.54	12	264	0.8	19	0.52	3	28	100	1987	3.91	<1	1.24	12	1.01	296	2	0.04	48	656	15	0.56	11	6	7	<5	0.16	<10	<10	72	<10	207	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1119-RA1

Sep-15-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment 14
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Aug-28-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132266	<0.01	<0.1	1.6
132267	0.17	<0.1	1.5
132268	0.08	0.8	1.6
132269	0.19	0.3	1.6
132270	6.45	15.8	0.9
132271	0.44	1.9	1.8
132272	0.27	1.7	1.5
132273	0.17	5.8	0.9
132274	0.11	<0.1	1.5
132275	0.06	1.5	2.3
132276	<0.01	1.6	0.7
132277	<0.01	0.6	3.2
132278	0.01	1.2	3.0
132279	0.02	2.0	2.1
132280	<0.01	<0.1	0.1
132281	<0.01	1.6	3.1
132282	0.02	0.6	3.2
132283	0.03	0.6	3.3
132284	0.13	1.6	3.1
132285	0.05	0.6	2.9
132286	0.35	4.4	3.0
132287	0.47	2.8	1.6
*DUP 132266	<0.01	<0.1	
*DUP 132275	0.04	1.8	
*DUP 132285	0.05	0.6	
*0211	2.29		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1119-RA2

Sep-15-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment 14
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Aug-28-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132288	1.73	3.3	1.5
132289	5.59	5.0	1.4
132290	8.06	6.4	1.6
132291	9.05	10.5	1.6
132292	2.25	3.9	1.7
132293	3.34	7.9	1.5
132294	0.05	3.0	2.5
132295	0.19	4.9	3.0
132296	0.04	6.8	2.8
132297	0.11	5.3	2.9
132298	0.03	3.1	3.3
132299	0.02	3.2	3.8
132300	0.29	0.7	
132301	0.03	3.5	3.2
132302	0.05	5.7	3.3
132303	0.05	5.8	2.8
132304	0.01	2.8	2.6
132305	<0.01	2.1	3.4
132306	0.01	2.2	3.1
132307	<0.01	0.8	1.3
132308	0.18	1.5	1.6
132309	0.04	0.7	3.0
*DUP 132288	1.65	3.2	
*DUP 132297	0.12	5.3	
*DUP 132307	<0.01	0.8	
*0211	2.30		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1119-RA3

Sep-15-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment 14
Attn: Sue Deane

We *hereby certify* the following assay of 17 core samples submitted Aug-28-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132310	<0.01	<0.1	1.3
132311	0.07	0.3	1.1
132312	0.04	<0.1	3.1
132313	0.02	0.5	2.8
132314	0.98	2.3	1.3
132315	0.65	1.5	1.6
132316	0.05	0.5	1.4
132317	0.05	<0.1	2.8
132318	<0.01	<0.1	0.5
132319	<0.01	<0.1	1.5
132320	3.46	1.2	
132321	0.17	0.5	2.9
132322	0.03	0.4	2.7
132323	0.61	1.7	1.4
132324	0.54	3.0	1.4
132325	0.13	0.9	2.3
132326	0.04	1.3	2.2
*DUP 132310	<0.01	<0.1	
*DUP 132319	<0.01	<0.1	
*0211	2.12		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/Shipment 14

Sample type: Core

Report No : **9V1119RJ**

Date : Sep-15-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132266	<0.2	1.85	28	186	<0.5	20	1.97	3	13	13	12	4.13	<1	0.26	<10	1.05	1983	2	0.01	<1	1478	18	0.52	8	3	70	<5	<0.01	<10	<10	26	<10	143	2
132267	<0.2	1.88	30	193	<0.5	20	2.07	3	13	13	12	4.32	<1	0.27	<10	1.09	2055	2	0.01	<1	1526	19	0.52	9	3	72	<5	<0.01	<10	<10	27	<10	150	2
132268	0.8	1.83	166	161	<0.5	23	1.56	4	17	11	13	5.16	<1	0.28	<10	1.21	1832	<2	0.01	<1	1615	38	1.72	14	3	73	<5	<0.01	<10	10	29	<10	184	2
132269	0.3	2.13	25	201	<0.5	24	1.75	5	15	19	28	5.02	1	0.31	11	1.34	3186	<2	0.01	<1	1632	164	0.78	10	4	72	<5	<0.01	<10	11	37	<10	393	2
132270	15.8	1.32	114	63	<0.5	35	0.88	55	11	31	371	6.72	<1	0.19	<10	0.92	2667	2	0.01	<1	941	8503	4.45	15	2	44	<5	<0.01	<10	20	33	<10	4155	2
132271	1.9	1.74	70	189	<0.5	21	2.49	32	11	22	52	4.58	1	0.28	<10	1.04	3408	<2	0.01	<1	1307	687	1.29	13	3	77	<5	<0.01	<10	13	31	<10	2537	2
132272	1.7	1.92	19	135	<0.5	20	2.15	12	13	26	63	4.49	1	0.25	<10	1.29	3137	2	0.01	4	1356	755	0.52	9	4	91	<5	0.01	<10	12	58	<10	972	2
132273	5.8	1.75	32	107	<0.5	21	1.74	92	14	38	48	4.92	1	0.23	<10	1.29	3788	10	0.01	<1	1089	3418	2.11	9	3	91	<5	<0.01	<10	17	47	<10	5620	2
132274	<0.2	2.04	25	172	<0.5	23	2.28	4	15	12	19	4.94	<1	0.30	11	1.19	3402	<2	0.02	<1	1591	44	0.59	9	5	105	<5	<0.01	<10	12	68	<10	246	2
132275	1.5	1.55	87	115	<0.5	18	5.07	3	12	21	48	3.94	1	0.29	10	0.94	3520	<2	0.01	<1	1358	103	0.89	10	3	282	<5	<0.01	<10	13	38	<10	178	2
132276	1.6	1.12	61	78	<0.5	17	4.78	7	7	39	9	3.71	1	0.21	<10	0.87	3614	3	0.01	<1	886	182	1.13	9	2	232	<5	<0.01	<10	14	25	<10	565	2
132277	0.6	1.60	25	121	<0.5	20	2.50	5	13	14	15	4.51	<1	0.28	<10	1.07	1998	<2	0.01	<1	1571	89	1.26	8	3	98	<5	<0.01	<10	<10	26	<10	273	2
132278	1.2	1.45	18	105	<0.5	22	4.19	4	14	15	10	5.07	1	0.27	<10	1.04	2449	<2	0.01	<1	1377	46	2.71	10	3	159	<5	<0.01	<10	13	23	<10	143	2
132279	2.0	1.34	37	92	<0.5	27	2.66	16	11	28	6	5.66	<1	0.25	<10	0.94	2332	21	0.01	<1	1021	514	3.42	10	2	111	<5	<0.01	<10	15	25	<10	1207	2
132280	<0.2	0.04	<5	10	<0.5	<5	>15.00	<1	1	2	<1	0.06	<1	0.02	<10	2.31	42	<2	0.01	1	80	<2	0.75	<5	<1	3939	<5	<0.01	<10	26	2	<10	3	<1
132281	1.6	1.63	42	125	<0.5	22	5.17	10	9	32	6	4.77	<1	0.20	<10	1.62	2885	7	0.01	<1	954	232	2.47	11	3	186	<5	<0.01	<10	20	31	<10	700	2
132282	0.6	1.67	61	135	<0.5	21	2.58	5	14	22	6	4.67	1	0.26	10	1.13	2449	<2	0.01	<1	1462	47	1.38	10	4	108	<5	<0.01	<10	10	46	<10	293	2
132283	0.6	1.80	50	161	<0.5	20	3.20	17	13	21	31	4.66	1	0.29	11	1.00	3177	<2	0.02	<1	1577	261	0.87	9	4	113	<5	<0.01	<10	10	61	<10	1265	2
132284	1.6	1.79	34	153	<0.5	24	3.07	14	13	18	34	4.83	1	0.28	10	1.02	3499	<2	0.01	<1	1559	531	1.33	9	4	84	<5	<0.01	<10	14	56	<10	1053	2
132285	0.6	1.63	46	176	<0.5	19	3.04	10	11	16	15	4.34	1	0.29	<10	0.90	3346	<2	0.01	<1	1476	188	1.27	8	3	93	<5	<0.01	<10	12	46	<10	793	2
132286	4.4	1.92	30	128	<0.5	30	2.49	40	16	15	6	5.89	1	0.27	<10	1.32	4689	3	0.01	<1	1612	1086	2.89	11	3	159	<5	<0.01	<10	23	36	<10	3104	3
132287	2.8	1.93	29	141	<0.5	28	0.54	19	19	13	15	5.73	1	0.31	<10	1.31	2458	3	0.01	<1	1851	579	2.53	11	3	25	<5	<0.01	<10	14	33	<10	1552	2
132288	3.3	1.57	30	65	<0.5	34	1.74	9	15	56	15	7.14	<1	0.18	<10	1.10	3269	4	0.01	1	1116	228	3.57	<5	2	130	<5	<0.01	<10	11	32	12	296	3
132289	5.0	1.62	57	33	<0.5	39	0.65	19	18	18	6	8.43	<1	0.24	<10	1.16	2098	3	0.01	<1	1581	468	4.57	<5	2	32	<5	<0.01	<10	12	34	14	1179	3
132290	6.4	2.23	62	58	<0.5	43	1.37	11	17	27	16	8.72	<1	0.22	<10	1.60	3578	4	0.01	<1	1299	139	4.10	<5	3	70	<5	<0.01	<10	14	42	14	486	3
132291	10.5	1.83	105	43	<0.5	49	4.74	12	18	41	2	9.72	<1	0.13	<10	1.42	5855	5	0.01	<1	805	286	>5.00	<5	2	284	<5	<0.01	<10	18	42	14	407	3
132292	3.9	1.41	109	36	<0.5	38	1.48	11	13	55	<1	8.13	<1	0.13	<10	1.06	2873	2	0.01	<1	731	135	4.28	<5	2	86	<5	<0.01	<10	13	29	16	452	3
132293	7.9	1.32	124	41	<0.5	43	1.20	45	16	44	109	9.02	<1	0.20	<10	0.72	2024	6	0.01	<1	786	263	>5.00	<5	2	59	<5	<0.01	<10	14	30	17	3184	3
132294	3.0	1.76	54	159	<0.5	23	2.28	5	31	17	45	4.94	<1	0.29	<10	0.45	2404	<2	0.01	3	1657	28	0.80	<5	3	101	<5	<0.01	<10	<10	43	<10	102	2
132295	4.9	1.58	139	105	<0.5	29	3.78	9	36	12	81	6.93	<1	0.31	<10	0.44	2630	<2	0.01	4	1448	59	2.85	<5	4	143	<5	<0.01	<10	<10	49	<10	290	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/Shipment 14

Sample type: Core

Report No : **9V1119RJ**

Date : Sep-15-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132296	6.8	1.14	88	72	<0.5	30	3.34	7	46	9	57	7.15	<1	0.33	<10	0.29	2062	3	0.01	10	1430	36	4.06	<5	3	107	<5	<0.01	<10	<10	30	<10	101	3
132297	5.3	0.99	98	112	<0.5	21	3.32	7	26	19	64	5.11	<1	0.29	<10	0.26	1968	3	0.01	4	1353	102	2.57	<5	2	115	<5	<0.01	<10	<10	29	<10	284	2
132298	3.1	1.67	56	111	<0.5	27	3.27	9	24	12	43	6.44	<1	0.25	<10	0.44	2365	3	0.01	2	1392	205	2.06	<5	4	107	<5	<0.01	<10	<10	56	<10	388	2
132299	3.2	1.76	53	139	<0.5	27	4.06	7	24	6	41	6.36	<1	0.28	<10	0.44	2452	<2	0.01	2	1590	26	1.82	<5	4	120	<5	<0.01	<10	<10	55	<10	113	2
132300	0.7	0.52	742	1124	0.5	15	0.74	3	9	51	31	3.67	2	0.12	13	0.34	481	5	0.01	33	1014	149	0.22	529	4	210	6	<0.01	<10	<10	51	<10	240	12
132301	3.5	1.76	181	158	<0.5	24	3.30	7	36	9	72	5.68	<1	0.29	<10	0.47	2445	<2	0.01	5	1645	79	1.33	<5	4	110	<5	<0.01	<10	<10	54	<10	246	2
132302	5.7	1.57	99	97	<0.5	30	3.63	9	46	13	58	7.07	<1	0.31	<10	0.51	2623	5	0.01	10	1414	137	3.36	<5	3	139	<5	<0.01	<10	<10	45	<10	320	3
132303	5.8	1.24	111	58	<0.5	31	2.25	13	49	9	75	7.42	<1	0.31	<10	0.32	2242	3	0.01	11	1225	318	4.06	<5	3	93	<5	<0.01	<10	10	35	<10	676	3
132304	2.8	2.17	48	171	<0.5	29	2.76	13	38	10	71	6.56	<1	0.28	<10	0.65	3174	5	0.01	7	1589	263	1.27	<5	4	103	<5	<0.01	<10	<10	61	<10	691	2
132305	2.1	2.09	42	202	<0.5	27	3.02	15	32	11	81	5.85	<1	0.26	<10	0.63	2994	7	0.01	5	1651	342	0.50	<5	5	119	<5	<0.01	<10	<10	70	<10	1067	2
132306	2.2	2.04	32	203	<0.5	23	2.90	14	27	11	62	5.57	<1	0.28	<10	0.78	3394	<2	0.01	7	1812	328	0.53	<5	4	97	<5	<0.01	<10	<10	60	<10	1011	2
132307	0.8	2.12	38	135	<0.5	24	1.85	6	17	20	<1	5.50	<1	0.19	<10	1.00	3918	<2	0.01	7	1673	61	0.40	<5	5	79	<5	<0.01	<10	<10	83	<10	215	2
132308	1.5	1.40	52	231	<0.5	19	4.81	7	16	12	9	4.39	<1	0.28	<10	0.64	3729	<2	0.01	4	1560	111	0.66	<5	3	201	<5	<0.01	<10	<10	38	<10	394	2
132309	0.7	1.41	294	143	<0.5	19	4.85	4	19	7	26	4.68	<1	0.29	<10	0.48	2105	<2	0.01	1	1630	13	0.87	<5	3	151	<5	<0.01	<10	<10	32	<10	87	2
132310	<0.2	1.80	38	151	<0.5	24	4.58	4	20	8	22	5.01	1	0.36	<10	0.64	2294	<2	0.02	<1	1790	10	0.54	9	4	160	<5	<0.01	<10	14	44	<10	106	2
132311	0.3	0.81	40	138	<0.5	19	4.88	8	16	15	16	4.42	1	0.35	<10	0.61	3152	<2	0.01	<1	1664	127	1.00	7	3	228	<5	<0.01	<10	13	20	<10	566	2
132312	<0.2	1.58	94	148	<0.5	22	4.05	3	18	8	28	4.58	<1	0.31	<10	0.52	1926	<2	0.02	<1	1735	17	0.78	8	3	135	<5	<0.01	<10	11	40	<10	110	2
132313	0.5	1.60	98	194	<0.5	22	4.87	3	18	9	38	4.72	1	0.30	<10	0.50	1847	<2	0.01	<1	1686	10	0.90	9	3	155	<5	<0.01	<10	12	38	<10	88	2
132314	2.3	1.00	314	187	<0.5	16	8.84	3	18	20	54	3.89	1	0.29	<10	0.29	2709	<2	0.01	1	1268	21	1.73	9	3	278	<5	<0.01	<10	14	24	<10	65	1
132315	1.5	0.57	195	138	<0.5	15	9.92	3	12	23	30	3.75	1	0.31	<10	0.28	3855	<2	0.01	<1	1291	31	1.67	8	2	297	<5	<0.01	<10	18	13	<10	81	1
132316	0.5	0.56	58	422	<0.5	18	5.61	3	17	18	27	4.08	1	0.37	<10	0.41	2693	<2	0.01	<1	1622	22	0.66	6	3	178	<5	<0.01	<10	12	15	<10	76	1
132317	<0.2	1.30	41	154	<0.5	23	5.05	4	21	11	33	4.90	1	0.34	<10	0.53	2291	<2	0.01	<1	1730	21	0.45	8	4	179	<5	<0.01	<10	14	38	<10	146	2
132318	<0.2	0.75	32	153	<0.5	20	3.43	4	20	14	43	4.57	<1	0.36	10	0.53	1969	<2	0.01	<1	1767	17	0.35	6	4	115	<5	<0.01	<10	<10	20	<10	91	2
132319	<0.2	1.37	35	177	<0.5	24	4.76	4	20	11	37	5.06	<1	0.33	<10	0.52	1984	<2	0.02	<1	1786	12	0.72	8	4	152	<5	<0.01	<10	14	39	<10	88	2
132320	1.2	1.41	6744	81	0.6	167	6.46	2	111	39	290	4.80	1	0.20	10	0.50	850	32	0.06	63	876	21	0.95	20	3	63	5	0.11	<10	15	56	<10	83	13
132321	0.5	1.35	515	149	<0.5	19	5.84	3	18	13	40	4.37	<1	0.34	<10	0.46	1813	<2	0.01	<1	1566	23	0.99	8	3	174	<5	<0.01	<10	11	36	<10	133	2
132322	0.4	1.43	386	127	<0.5	20	5.35	3	17	12	36	4.50	<1	0.30	<10	0.48	1783	<2	0.01	<1	1606	19	0.71	9	3	152	<5	<0.01	<10	10	39	<10	135	2
132323	1.7	0.46	3200	110	<0.5	18	4.40	2	16	39	24	3.86	<1	0.29	<10	0.09	946	<2	0.01	1	1335	36	3.26	30	1	128	<5	<0.01	<10	10	8	<10	120	1
132324	3.0	1.43	137	152	<0.5	14	0.37	9	8	42	54	3.54	1	0.23	<10	0.90	1784	<2	0.01	<1	1220	214	0.79	12	2	8	<5	<0.01	<10	<10	29	<10	1422	2
132325	0.9	1.72	48	165	<0.5	18	1.33	41	13	36	18	4.28	4	0.24	<10	1.12	2566	3	0.01	<1	1307	257	0.97	8	3	38	<5	<0.01	<10	<10	35	<10	3011	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Premier/Shipment 14
Sample type: Core

Report No : **9V1119RJ**
Date : Sep-15-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132326	1.3	1.65	87	200	<0.5	21	0.54	12	17	26	14	4.52	1	0.28	12	0.96	1944	4	0.01	1	1501	175	0.89	9	3	15	<5	<0.01	<10	<10	36	<10	626	2
Duplicates:																																		
132266	<0.2	1.86	31	212	<0.5	20	2.11	3	14	14	12	4.32	<1	0.30	10	1.07	2098	<2	0.01	<1	1566	20	0.55	9	3	72	<5	<0.01	<10	<10	28	<10	156	2
132275	1.8	1.48	89	115	<0.5	18	4.97	3	12	21	49	4.00	1	0.30	10	0.89	3546	<2	0.01	<1	1384	105	0.92	10	3	279	<5	<0.01	<10	11	37	<10	181	2
132285	0.6	1.62	44	176	<0.5	20	3.08	10	12	16	15	4.33	1	0.29	<10	0.90	3396	<2	0.01	<1	1514	193	1.27	8	3	93	<5	<0.01	<10	11	46	<10	792	2
132288	3.2	1.57	31	68	<0.5	33	1.76	9	15	61	14	7.08	<1	0.19	<10	1.09	3312	4	0.01	1	1072	235	3.62	<5	2	129	<5	<0.01	<10	11	33	12	312	3
132297	5.3	1.02	98	117	<0.5	21	3.29	7	26	21	66	4.97	<1	0.31	<10	0.25	1942	3	0.01	4	1393	103	2.62	<5	3	117	<5	<0.01	<10	<10	30	<10	280	2
132307	0.8	2.15	40	142	<0.5	25	1.85	6	18	21	<1	5.77	<1	0.20	<10	1.01	3983	<2	0.01	7	1648	60	0.41	<5	5	79	<5	<0.01	<10	<10	84	<10	215	2
132310	<0.2	1.77	40	153	<0.5	24	4.73	4	21	8	21	5.09	1	0.35	<10	0.65	2307	<2	0.01	<1	1840	10	0.54	9	4	158	<5	<0.01	<10	14	45	<10	107	2
132319	<0.2	1.36	35	179	<0.5	25	5.02	4	20	11	36	5.26	1	0.32	<10	0.53	2020	<2	0.02	<1	1843	12	0.74	8	4	150	<5	<0.01	<10	14	39	<10	89	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.7	1.66	11	282	1.0	19	0.59	5	30	104	1921	4.85	<1	1.29	12	1.14	324	2	0.05	52	712	15	0.58	<5	7	7	<5	0.20	<10	<10	76	<10	208	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1152-RA1

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment 15
Attn: Sue Deane

Sep-18-09

We *hereby certify* the following assay of 22 core samples submitted Sep-02-09

Sample Name	Au g/tonne	Ag g/tonne	Pb %	Sample-Wt Kg
132327	0.27	1.7		3.2
132328	1.51	5.2		1.5
132329	0.17	0.5		2.9
132330	0.05	1.4		3.1
132331	0.04	<0.1		3.2
132332	0.03	0.2		3.0
132333	0.03	0.4		2.7
132334	0.04	0.2		2.1
132335	1.49	1.5		2.8
132336	11.78	9.9		3.3
132337	0.62	1.2		2.5
132338	0.58	0.6		1.8
132339	0.95	0.2		3.3
132340	<0.01	<0.1		
132341	0.19	<0.1		2.5
132342	0.03	<0.1		2.2
132343	18.01	79.8	2.64	1.1
132344	0.06	<0.1		2.4
132345	0.05	<0.1		1.8
132346	0.14	<0.1		1.8
132347	0.16	<0.1		2.8
132348	0.02	<0.1		3.3
*DUP 132327	0.31	1.4		
*DUP 132336	11.19	12.1		
*DUP 132346	0.15	<0.1		
*0211	2.29			
*SE-1			1.85	
*BLANK	<0.01		<0.01	

Au F.A. AA finish.Ag read dfrom ICP solution. Over limit Pb 4 Acid Digest AA finish

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1152-RA2

Sep-18-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment 15
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-02-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132349	0.11	0.7	3.0
132350	0.57	2.0	3.3
132351	0.02	0.3	2.8
132352	0.28	0.4	3.4
132353	0.60	5.3	0.8
132354	1.13	5.3	3.0
132355	0.03	0.1	3.1
132356	0.04	1.9	1.5
132357	0.03	1.9	1.8
132358	0.03	1.9	1.6
132359	0.03	2.7	1.5
132360	0.03	1.7	1.5
132361	0.02	2.2	1.6
132362	0.07	2.8	1.5
132363	0.13	2.4	1.5
132364	0.13	2.2	1.7
132365	0.06	1.5	1.2
132366	0.02	<0.1	3.1
132367	0.01	<0.1	1.3
132368	0.01	<0.1	2.1
132369	0.01	<0.1	2.9
132370	0.06	1.3	3.3
*DUP 132349	0.11	0.5	
*DUP 132358	0.02	1.8	
*DUP 132368	<0.01	<0.1	
*0211	2.32		
*BLANK	<0.01		

Au F.A. AA finish.Ag read dfrom ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1152-RA3

Sep-18-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment 15
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-02-09

Sample Name	Au g/tonne	Ag g/tonne	Pb %	Zn %	Sample-Wt Kg
132371	0.34	5.8			1.0
132372	0.08	1.1			3.3
132373	0.01	0.2			1.7
132374	0.09	1.8			2.2
132375	0.04	1.7			1.9
132376	0.03	0.3			3.4
132377	0.03	0.2			3.1
132378	0.03	0.4			1.7
132379	0.02	<0.1			1.7
132380	<0.01	<0.1			
132381	0.09	4.8			1.5
132382	0.01	0.3			3.2
132383	0.12	0.7			3.4
132384	0.18	1.2			3.3
132385	0.14	0.8			2.3
132386	0.38	2.1			1.5
132387	0.09	1.4			1.9
132388	0.32	7.0			1.6
132389	0.18	1.7			1.4
132390	0.12	0.2			1.6
132391	0.26	26.2	3.56	8.20	0.8
132392	0.24	3.5			2.1
*DUP 132371	0.36	5.4			
*DUP 132380	<0.01	<0.1			
*DUP 132390	0.13	0.3			
*0211	2.25				
*SE-1			1.85	2.60	
*BLANK	<0.01		<0.01	<0.01	

Au F.A. AA finish.Ag read dfrom ICP solution. Over limit Pb,Zn 4 Acid Digest AA finish

*Certified by*_____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1152-RA4

Sep-18-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment 15
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-02-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132393	0.10	0.4	3.1
132394	<0.01	<0.1	3.4
132395	0.03	1.6	3.2
132396	0.33	7.9	1.6
132397	0.15	3.2	1.6
132398	0.20	3.1	2.0
132399	0.07	1.4	1.4
132400	0.28	0.5	
132401	0.25	2.8	1.8
132402	0.31	3.6	3.3
132403	0.37	5.3	2.2
132404	0.11	2.1	1.5
132405	0.28	5.1	3.4
132406	0.16	0.8	3.4
132407	<0.01	0.1	1.5
132408	0.02	2.3	0.8
132409	0.04	0.9	3.4
132410	0.03	0.4	3.1
132411	0.03	0.9	3.2
132412	0.02	0.3	3.4
132413	<0.01	<0.1	2.9
132414	0.01	<0.1	3.1
*DUP 132393	0.07	0.5	
*DUP 132402	0.32	3.7	
*DUP 132412	0.04	0.3	
*0211	2.14		
*BLANK	<0.01		

Au F.A. AA finish.Ag read dfrom ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1152-RA5

Sep-18-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment 15
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-02-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132415	0.01	<0.1	3.2
132416	0.03	<0.1	1.9
132417	<0.01	<0.1	1.5
132418	0.01	<0.1	2.9
132419	0.06	0.6	1.4
132420	<0.01	<0.1	
132421	<0.01	<0.1	1.5
132422	0.01	<0.1	3.4
132423	0.09	2.8	1.0
132424	0.02	0.3	2.4
132425	<0.01	<0.1	3.1
132426	0.25	<0.1	2.8
132427	0.18	1.3	4.1
132428	<0.01	<0.1	2.5
132429	<0.01	<0.1	3.1
132430	<0.01	<0.1	3.3
132431	<0.01	<0.1	3.0
132432	0.01	<0.1	3.3
132433	0.01	<0.1	3.7
132434	<0.01	<0.1	2.8
132435	0.01	<0.1	3.0
132436	0.01	<0.1	2.9
*DUP 132415	0.01	<0.1	
*DUP 132424	0.02	0.3	
*DUP 132434	<0.01	<0.1	
*0211	2.20		
*BLANK	<0.01		

Au F.A. AA finish.Ag read dfrom ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1152-RA6

Sep-18-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment 15
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-02-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132437	0.01	0.2	3.0
132438	<0.01	0.2	2.2
132439	0.02	0.6	1.6
132440	0.01	0.3	1.9
132441	0.02	0.4	1.8
132442	0.05	1.0	1.5
132443	0.07	1.2	1.6
132444	0.04	1.9	1.5
132445	0.02	0.9	1.7
132446	<0.01	<0.1	3.3
132447	<0.01	<0.1	3.3
132448	<0.01	<0.1	3.3
132449	0.04	<0.1	3.2
132450	0.34	0.9	2.5
132451	<0.01	<0.1	3.3
132452	<0.01	<0.1	3.5
132453	0.22	7.1	3.0
132454	0.01	0.6	3.4
132455	<0.01	<0.1	3.4
132456	<0.01	0.2	3.4
132457	<0.01	1.1	3.7
132458	<0.01	0.3	3.3
*DUP 132437	0.02	<0.1	
*DUP 132446	<0.01	<0.1	
*DUP 132456	0.01	0.2	
*0211	2.08		
*BLANK	<0.01		

Au F.A. AA finish.Ag read dfrom ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1152-RA7

Sep-18-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment 15
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-02-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132459	0.01	0.1	3.5
132460	0.06	<0.1	3.4
132461	0.07	<0.1	3.3
132462	<0.01	<0.1	3.3
132463	<0.01	<0.1	3.4
132464	<0.01	<0.1	3.3
132465	0.01	<0.1	3.2
132466	0.01	0.2	3.4
132467	0.01	<0.1	3.4
132468	0.02	0.2	3.5
132469	<0.01	<0.1	3.2
132470	<0.01	<0.1	3.4
132471	0.02	0.3	3.6
132472	0.03	0.4	3.2
132473	0.07	0.4	1.7
132474	0.10	1.2	1.9
132475	0.10	2.8	3.3
132476	0.55	3.2	2.5
132477	0.30	2.2	0.9
132478	7.08	11.0	1.3
132479	4.40	8.6	1.4
132480	0.58	2.0	1.8
*DUP 132459	0.01	0.1	
*DUP 132468	0.03	<0.1	
*DUP 132478	7.97	13.8	
*0211	2.23		
*BLANK	<0.01		

Au F.A. AA finish.Ag read dfrom ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1152-RA8

Sep-18-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment 15
Attn: Sue Deane

We *hereby certify* the following assay of 20 core samples submitted Sep-02-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132481	0.59	3.7	1.5
132482	0.79	3.2	1.5
132483	0.58	3.7	1.4
132484	499.3	119.6	1.6
132485	32.02	5.4	1.7
132486	8.60	6.0	1.8
132487	0.99	3.8	1.5
132488	0.68	2.8	1.8
132489	0.29	2.6	1.5
132490	1.49	3.7	1.5
132491	0.35	1.4	2.9
132492	0.34	2.5	2.6
132493	0.72	6.3	1.9
132494	0.24	3.1	3.2
132495	0.17	1.7	3.1
132496	0.05	2.2	3.1
132497	0.67	2.7	3.3
132498	0.08	2.2	1.8
132499	0.42	3.8	1.8
132500	0.02	<0.1	
*DUP 132481	0.61	3.6	
*DUP 132490	1.35	2.8	
*DUP 132500	0.01	<0.1	
*0211	2.21		
*BLANK	<0.01		

Au F.A. AA finish.Ag read dfrom ICP solution.

*Certified by*_____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1152-RA9

Sep-18-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment 15
Attn: Sue Deane

We *hereby certify* the following assay of 20 core samples submitted Sep-02-09

Sample Name	Au g/tonne
132485(new split)	32.78
132486(new split)	4.79
*DUP 132485(new split)	24.71
*AC 0501	8.27
*BLANK	<0.01

Au F.A. AA finish.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/Shipment 15

Sample type: core

Report No : **9V1152RJ**

Date : Sep-18-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132327	1.7	1.60	100	135	<0.5	20	0.39	23	14	39	28	4.53	1	0.34	<10	1.12	2092	2	0.01	<1	1291	685	1.73	11	3	10	<5	<0.01	<10	11	33	<10	1128	2
132328	5.2	1.30	146	53	<0.5	34	0.54	33	15	33	56	7.74	2	0.39	<10	0.90	1884	2	0.01	<1	1274	3318	4.44	17	2	14	<5	<0.01	<10	20	26	<10	1983	4
132329	0.5	1.49	109	99	<0.5	21	1.97	6	12	34	5	4.60	<1	0.36	<10	1.13	2179	3	0.01	<1	1334	269	2.43	11	3	65	<5	<0.01	<10	14	29	<10	413	2
132330	1.4	1.97	61	195	<0.5	19	3.18	7	11	19	18	4.19	<1	0.34	10	1.35	2631	<2	0.01	<1	1459	628	0.90	10	3	106	<5	<0.01	<10	15	35	<10	618	2
132331	<0.2	2.23	121	164	<0.5	23	1.14	4	12	30	11	4.90	<1	0.32	10	1.63	1675	<2	0.01	<1	1249	91	0.85	15	4	38	<5	<0.01	<10	14	46	<10	802	2
132332	0.2	1.69	92	645	<0.5	16	0.33	4	9	31	10	3.67	<1	0.30	11	1.03	1266	2	0.01	<1	1323	160	0.20	10	3	13	<5	<0.01	<10	<10	32	<10	441	2
132333	0.4	1.92	95	418	0.5	20	0.58	4	15	17	19	4.32	<1	0.36	11	1.13	1868	<2	0.01	<1	1685	93	0.45	11	3	21	<5	<0.01	<10	10	38	<10	467	3
132334	0.2	1.92	79	315	0.6	21	0.33	5	14	13	31	4.71	<1	0.34	12	1.03	1608	<2	0.01	<1	1726	175	0.26	11	3	8	<5	<0.01	<10	<10	39	<10	694	3
132335	1.5	1.27	55	170	<0.5	16	1.54	4	11	45	27	3.74	<1	0.32	<10	0.81	2691	2	0.01	<1	1092	143	1.17	9	3	77	<5	<0.01	<10	15	29	<10	320	2
132336	9.9	1.23	59	145	<0.5	15	1.51	5	12	39	32	3.44	<1	0.33	<10	0.66	2603	2	0.01	<1	1239	171	1.45	8	3	60	<5	<0.01	<10	14	29	<10	361	2
132337	1.2	1.17	49	126	<0.5	17	2.40	3	12	54	61	3.74	<1	0.33	<10	0.62	2874	3	0.01	<1	1156	126	1.91	9	3	54	<5	<0.01	<10	17	27	<10	256	2
132338	0.6	1.39	69	144	<0.5	18	1.94	6	12	51	29	4.25	<1	0.34	<10	0.78	2730	4	0.01	<1	1232	114	1.83	10	3	53	<5	<0.01	<10	18	32	<10	487	2
132339	0.2	1.47	33	175	<0.5	19	1.96	7	13	37	9	4.02	<1	0.30	<10	0.82	2526	4	0.01	<1	1297	200	1.39	9	3	62	<5	<0.01	<10	16	35	<10	517	2
132340	<0.2	0.01	<5	<10	<0.5	<5	>15.00	<1	1	6	<1	0.04	<1	0.01	<10	2.94	48	<2	0.01	1	63	<2	0.69	<5	<1	3300	<5	<0.01	<10	28	1	<10	<1	<1
132341	<0.2	1.67	40	221	<0.5	18	2.88	3	13	18	13	4.14	<1	0.35	<10	0.83	2950	<2	0.01	<1	1445	31	0.95	8	3	96	<5	<0.01	<10	16	35	<10	219	2
132342	<0.2	2.17	17	202	<0.5	21	3.76	2	14	11	17	4.61	<1	0.39	12	1.16	2639	<2	0.02	<1	1725	12	0.56	10	5	155	<5	<0.01	<10	19	46	<10	115	2
132343	79.8	0.87	446	20	<0.5	40	5.07	603	12	34	3060	9.26	27	0.26	<10	0.40	2980	<2	0.01	<1	730	>10000	>5.00	23	1	113	<5	<0.01	<10	38	18	<10	9267	3
132344	<0.2	2.24	18	291	<0.5	21	4.36	3	14	14	47	4.67	<1	0.39	10	1.21	3999	2	0.01	<1	1690	66	0.60	11	4	138	<5	<0.01	<10	22	43	<10	227	2
132345	<0.2	1.73	18	193	<0.5	16	3.71	3	12	30	15	4.23	<1	0.34	<10	0.81	2204	<2	0.01	<1	1430	80	0.78	9	3	96	<5	<0.01	<10	14	30	<10	213	2
132346	<0.2	1.60	48	231	<0.5	19	11.08	3	10	14	64	4.16	<1	0.33	11	0.78	3441	<2	0.01	<1	1283	75	1.52	12	3	188	<5	<0.01	<10	25	31	<10	295	2
132347	<0.2	1.91	31	205	<0.5	20	3.92	2	15	26	14	4.61	<1	0.31	<10	0.91	2515	3	0.01	<1	1394	26	0.89	11	3	125	<5	<0.01	<10	16	35	<10	114	2
132348	<0.2	2.03	51	222	<0.5	22	4.81	2	14	16	25	4.65	<1	0.37	11	0.96	2866	<2	0.01	<1	1553	26	0.76	12	4	183	<5	<0.01	<10	18	38	<10	121	2
132349	0.7	1.99	37	175	<0.5	22	3.00	6	16	22	33	4.73	1	0.36	10	0.92	2053	2	0.01	<1	1538	241	1.12	11	3	109	<5	<0.01	<10	17	36	<10	504	2
132350	2.0	1.63	36	172	<0.5	19	3.32	9	11	23	107	3.97	1	0.36	10	0.73	2226	<2	0.01	<1	1423	163	1.27	9	3	102	<5	<0.01	<10	18	33	<10	815	2
132351	0.3	1.73	34	190	<0.5	21	3.25	2	13	22	10	4.17	<1	0.37	10	0.81	1705	3	0.01	<1	1537	12	1.19	10	3	112	<5	<0.01	<10	15	34	<10	83	2
132352	0.4	1.27	26	65	<0.5	21	2.48	9	14	35	7	4.46	<1	0.34	<10	0.66	1922	2	0.02	<1	1247	273	2.61	9	2	96	<5	<0.01	<10	18	30	<10	701	2
132353	5.3	1.02	32	58	<0.5	20	3.33	41	12	51	14	4.71	1	0.29	<10	0.54	2343	2	0.02	<1	1014	1465	3.25	11	2	125	<5	<0.01	<10	20	25	<10	3198	2
132354	5.3	1.68	524	114	<0.5	25	2.92	12	26	251	433	5.22	<1	0.36	<10	2.43	1897	10	0.03	142	1168	438	1.51	20	4	129	<5	0.02	<10	20	46	<10	844	3
132355	<0.2	2.12	33	214	<0.5	23	2.51	3	13	18	15	4.72	<1	0.37	<10	1.07	1756	2	0.01	<1	1387	90	0.76	13	3	86	<5	<0.01	<10	17	37	<10	240	2
132356	1.9	0.45	165	102	<0.5	6	>15.00	1	4	46	6	1.78	2	0.16	<10	0.22	5417	3	0.01	<1	472	26	1.33	29	1	312	<5	<0.01	27	40	7	<10	88	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/Shipment 15

Sample type: core

Report No : **9V1152RJ**

Date : Sep-18-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132357	1.9	1.03	127	190	<0.5	14	8.57	1	10	23	11	3.10	1	0.37	<10	0.37	3081	2	0.01	<1	1080	9	1.66	21	2	147	<5	<0.01	13	21	18	<10	67	1
132358	1.9	0.69	190	182	<0.5	11	9.48	1	8	30	7	2.51	2	0.32	<10	0.23	3227	<2	0.01	1	884	8	1.45	25	1	170	<5	<0.01	17	24	12	<10	45	1
132359	2.7	0.31	360	110	<0.5	9	>15.00	1	6	40	5	2.29	2	0.19	<10	0.18	5909	2	0.01	<1	441	7	1.96	37	1	387	<5	<0.01	29	46	5	<10	28	1
132360	1.7	0.48	124	132	<0.5	6	>15.00	<1	4	37	5	1.64	2	0.22	<10	0.19	5527	3	0.01	<1	589	6	1.26	22	1	343	<5	<0.01	22	38	8	<10	41	1
132361	2.2	0.25	282	87	<0.5	5	>15.00	<1	3	23	3	1.35	2	0.15	<10	0.15	6680	3	0.01	<1	363	5	1.37	27	1	388	<5	<0.01	27	52	3	<10	24	1
132362	2.8	0.30	218	136	<0.5	8	>15.00	4	6	24	12	2.06	2	0.22	<10	0.21	6160	5	0.01	<1	532	285	1.51	19	2	445	<5	<0.01	17	47	5	<10	416	1
132363	2.4	0.31	262	139	<0.5	12	13.66	3	6	37	5	2.89	3	0.21	<10	0.24	3847	5	0.01	<1	553	169	2.39	49	2	325	<5	<0.01	32	32	7	<10	238	1
132364	2.2	0.44	485	122	<0.5	16	14.57	3	7	82	5	3.44	6	0.21	<10	0.26	4428	7	0.01	<1	639	99	2.67	69	2	417	<5	<0.01	54	37	9	<10	204	1
132365	1.5	0.40	172	152	<0.5	14	9.87	2	8	24	7	3.25	<1	0.27	<10	0.21	2832	6	0.01	1	1033	15	1.99	14	3	202	<5	<0.01	10	23	9	<10	37	1
132366	<0.2	1.23	44	201	<0.5	18	3.35	2	12	20	12	4.04	<1	0.34	<10	0.75	1324	2	0.01	<1	1246	15	1.10	10	4	93	<5	<0.01	<10	12	23	<10	80	2
132367	<0.2	1.66	41	209	<0.5	19	1.65	3	12	19	11	4.09	<1	0.33	12	0.89	921	<2	0.01	<1	1290	22	0.50	11	3	47	<5	<0.01	<10	<10	30	<10	191	2
132368	<0.2	1.07	44	217	<0.5	18	3.46	3	12	20	11	3.98	<1	0.35	11	0.83	1596	<2	0.01	<1	1281	37	0.42	9	5	124	<5	<0.01	<10	12	26	<10	161	2
132369	<0.2	2.18	9	215	<0.5	21	4.04	3	13	12	<1	4.56	<1	0.32	13	1.14	1375	<2	0.01	<1	1384	11	0.15	11	5	214	<5	<0.01	<10	12	33	<10	116	2
132370	1.3	1.85	28	187	<0.5	19	1.50	10	12	22	49	4.11	<1	0.31	10	0.96	2133	<2	0.02	<1	1235	308	0.73	13	3	63	<5	<0.01	<10	14	41	<10	859	2
132371	5.8	0.63	1071	95	<0.5	26	12.25	19	6	22	26	5.27	21	0.15	<10	0.35	6214	14	0.01	<1	610	395	4.11	240	1	398	<5	<0.01	155	38	13	<10	1576	2
132372	1.1	1.79	46	208	<0.5	22	1.22	4	13	33	30	4.59	1	0.26	<10	1.08	2188	<2	0.02	<1	1323	131	1.15	13	3	57	<5	<0.01	<10	<10	40	<10	291	2
132373	0.2	1.91	44	242	<0.5	20	3.34	3	14	18	24	4.44	1	0.30	10	1.19	2267	<2	0.02	<1	1437	17	1.01	10	4	182	<5	<0.01	<10	<10	39	<10	137	2
132374	1.8	0.80	64	90	<0.5	19	6.20	4	11	30	16	4.06	1	0.28	<10	0.40	2460	2	0.01	<1	1027	68	2.97	11	2	252	<5	<0.01	<10	14	17	<10	243	2
132375	1.7	0.47	22	47	<0.5	26	2.88	4	20	16	11	5.52	<1	0.33	<10	0.12	956	3	0.01	1	1190	43	4.81	10	2	117	<5	<0.01	<10	13	10	<10	89	2
132376	0.3	1.42	41	141	<0.5	22	5.29	3	14	28	5	4.60	<1	0.30	<10	0.73	1694	<2	0.01	1	1228	21	2.33	10	4	158	<5	<0.01	<10	13	25	<10	93	2
132377	0.2	1.74	15	174	<0.5	21	2.20	3	11	28	15	4.42	<1	0.30	<10	0.91	1456	<2	0.01	1	1091	15	1.32	9	3	68	<5	<0.01	<10	10	35	<10	114	2
132378	0.4	1.38	19	163	<0.5	17	3.36	3	11	34	16	3.76	1	0.26	<10	0.69	1417	<2	0.01	1	950	22	1.40	9	3	77	<5	<0.01	<10	11	27	<10	127	1
132379	<0.2	0.65	16	41	<0.5	27	1.51	9	17	32	23	5.67	<1	0.31	<10	0.23	658	<2	0.01	1	1155	81	4.61	9	2	50	<5	<0.01	<10	11	14	<10	559	2
132380	<0.2	0.66	<5	10	<0.5	<5	>15.00	<1	4	12	3	0.12	<1	0.03	<10	2.83	42	<2	0.01	7	192	<2	0.70	<5	1	3532	<5	0.03	<10	20	13	<10	50	1
132381	4.8	0.91	24	60	<0.5	22	3.26	275	14	35	180	4.91	4	0.28	<10	0.45	1491	<2	0.01	1	846	132	4.55	6	2	103	<5	<0.01	<10	13	20	<10	8486	2
132382	0.3	1.36	18	192	<0.5	18	4.85	4	12	29	11	3.84	1	0.28	<10	0.78	1798	2	0.01	1	990	72	1.36	8	4	204	<5	<0.01	<10	10	30	<10	264	1
132383	0.7	1.09	112	138	<0.5	18	4.41	3	13	19	3	3.84	<1	0.39	<10	0.53	1629	<2	0.01	1	1436	24	2.44	10	4	221	<5	<0.01	<10	<10	20	<10	104	2
132384	1.2	1.09	156	124	<0.5	18	4.48	3	13	31	3	3.80	<1	0.31	<10	0.65	1983	4	0.01	1	1259	36	2.27	12	4	191	<5	<0.01	<10	11	20	<10	75	2
132385	0.8	1.56	123	104	<0.5	23	0.41	16	18	23	28	5.26	1	0.30	10	0.97	2442	2	0.01	<1	1345	614	2.31	18	3	20	<5	<0.01	<10	<10	40	<10	1358	2
132386	2.1	1.12	376	71	<0.5	24	0.49	25	18	30	15	5.45	2	0.28	<10	0.65	2162	<2	0.01	<1	1211	666	3.26	27	2	22	<5	<0.01	<10	<10	26	<10	2013	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/Shipment 15

Sample type: core

Report No : **9V1152RJ**

Date : Sep-18-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132387	1.4	1.84	178	164	<0.5	23	0.70	24	17	27	19	5.25	2	0.27	<10	1.33	2966	<2	0.01	<1	1335	1200	1.83	19	3	34	<5	<0.01	<10	10	41	<10	2076	2
132388	7.0	1.35	383	102	<0.5	22	1.46	72	16	35	39	5.01	2	0.26	<10	1.02	3587	<2	0.01	<1	1164	5281	2.55	25	3	71	<5	<0.01	<10	13	30	<10	4858	2
132389	1.7	2.03	47	246	<0.5	22	1.61	25	17	19	165	5.12	2	0.29	10	1.46	4119	<2	0.01	<1	1424	1108	1.00	11	5	84	<5	<0.01	<10	12	42	<10	2177	2
132390	0.2	1.37	118	121	<0.5	23	1.58	8	19	18	19	4.79	1	0.33	<10	1.03	3010	<2	0.01	1	1430	312	2.17	9	4	71	<5	<0.01	<10	10	31	<10	644	2
132391	26.2	0.98	276	19	<0.5	30	1.30	780	20	51	217	7.50	16	0.21	<10	0.83	2436	<2	0.01	<1	394	>10000	>5.00	24	2	71	<5	<0.01	<10	24	31	<10	>10000	2
132392	3.5	0.95	293	56	<0.5	27	1.34	21	19	42	52	6.19	<1	0.31	<10	0.62	1876	2	0.01	1	1088	545	4.21	15	3	72	<5	<0.01	<10	13	22	<10	1745	2
132393	0.4	1.07	261	112	<0.5	28	3.79	6	22	22	19	5.84	1	0.28	<10	1.05	1815	<2	0.01	1	1485	70	3.10	14	5	115	<5	<0.01	<10	16	26	<10	224	2
132394	<0.2	1.84	88	117	<0.5	21	2.01	3	17	29	18	4.81	1	0.27	<10	1.29	1283	<2	0.01	1	1654	39	1.77	11	4	62	<5	<0.01	<10	<10	38	<10	133	2
132395	1.6	0.93	241	86	<0.5	23	0.64	3	22	17	19	4.88	1	0.28	<10	0.51	458	<2	0.01	2	1623	18	3.34	15	2	23	<5	<0.01	<10	<10	18	<10	103	2
132396	7.9	0.23	548	53	<0.5	27	0.96	5	13	76	4	5.89	1	0.18	<10	0.05	365	2	0.01	1	713	39	>5.00	36	1	41	<5	<0.01	<10	12	4	<10	87	2
132397	3.2	0.34	274	65	<0.5	21	0.43	3	20	30	7	4.81	1	0.25	<10	0.04	93	<2	0.01	2	1214	20	4.21	20	1	14	<5	<0.01	<10	<10	7	<10	48	2
132398	3.1	0.41	626	44	<0.5	39	0.90	6	26	48	13	8.24	1	0.23	<10	0.14	369	<2	0.01	1	1216	38	>5.00	26	1	34	<5	<0.01	<10	18	7	<10	83	3
132399	1.4	0.51	261	63	<0.5	27	1.96	5	24	39	13	6.15	1	0.30	<10	0.17	794	<2	0.01	2	1590	22	>5.00	21	2	95	<5	<0.01	<10	12	10	<10	102	2
132400	0.5	0.54	786	1216	0.5	15	0.76	4	9	59	36	3.52	2	0.13	14	0.35	501	6	0.01	36	982	164	0.23	552	5	210	6	<0.01	<10	<10	54	<10	256	13
132401	2.8	0.30	331	71	<0.5	20	0.72	3	16	59	5	4.79	<1	0.23	<10	0.05	237	<2	0.01	2	1085	24	4.13	19	1	26	<5	<0.01	<10	<10	6	<10	50	2
132402	3.6	0.36	475	64	<0.5	22	0.36	4	20	25	7	4.97	1	0.27	<10	0.05	74	<2	0.01	2	1198	24	4.22	23	1	11	<5	<0.01	<10	<10	7	<10	93	2
132403	5.3	0.27	523	45	<0.5	23	0.79	3	14	53	3	5.29	1	0.20	<10	0.04	260	<2	0.01	1	980	24	4.58	27	1	27	<5	<0.01	<10	<10	4	<10	15	2
132404	2.1	0.09	63	22	<0.5	5	1.78	<1	3	188	2	0.99	1	0.06	<10	0.07	765	<2	0.01	4	275	7	0.72	9	1	106	<5	<0.01	<10	<10	1	<10	10	<1
132405	5.1	0.40	472	52	<0.5	25	2.13	4	19	59	7	5.38	2	0.22	<10	0.16	832	2	0.01	1	1236	45	4.52	29	1	117	<5	<0.01	<10	13	6	<10	97	2
132406	0.8	1.23	203	62	<0.5	24	0.80	5	18	28	18	5.31	<1	0.29	<10	0.74	718	9	0.01	<1	1410	33	3.32	16	2	23	<5	<0.01	<10	10	25	<10	121	2
132407	<0.2	1.44	63	105	<0.5	23	0.61	4	17	28	10	4.99	1	0.26	<10	0.92	816	<2	0.01	<1	1633	38	2.59	12	2	20	<5	<0.01	<10	<10	23	<10	135	2
132408	2.3	0.61	78	98	<0.5	11	1.30	65	15	74	12	2.92	2	0.23	<10	0.34	1083	<2	0.01	1	621	2303	2.17	8	1	48	<5	<0.01	<10	<10	11	<10	4287	1
132409	0.9	0.65	187	67	<0.5	21	0.70	4	17	26	8	4.92	<1	0.26	<10	0.30	357	2	0.01	<1	1407	41	3.81	16	2	19	<5	<0.01	<10	<10	11	<10	151	2
132410	0.4	1.00	174	91	<0.5	22	2.48	6	24	27	6	4.83	1	0.29	<10	0.59	1856	2	0.01	1	1248	120	3.45	15	2	96	<5	<0.01	<10	14	18	<10	328	2
132411	0.9	0.96	237	96	<0.5	21	0.91	4	17	26	12	4.78	1	0.26	<10	0.54	725	2	0.01	<1	1419	55	3.18	18	2	32	<5	<0.01	<10	<10	16	<10	138	2
132412	0.3	1.26	156	108	<0.5	20	1.74	3	18	22	10	4.74	1	0.27	<10	0.78	1416	3	0.01	<1	1338	25	2.63	15	2	63	<5	<0.01	<10	11	19	<10	87	2
132413	<0.2	1.76	27	129	<0.5	25	2.40	3	20	22	16	5.24	1	0.28	<10	1.13	1675	<2	0.01	<1	1562	14	2.17	10	3	82	<5	<0.01	<10	13	29	<10	116	2
132414	<0.2	1.00	53	102	<0.5	23	3.65	4	19	20	8	4.92	1	0.28	<10	0.61	1783	<2	0.01	<1	1318	36	3.52	12	2	135	<5	<0.01	<10	14	16	<10	154	2
132415	<0.2	1.78	20	155	<0.5	27	3.32	4	22	17	24	5.64	<1	0.29	<10	1.23	1988	<2	0.01	<1	1689	19	2.54	12	3	113	<5	<0.01	<10	15	30	<10	143	2
132416	<0.2	1.46	76	119	<0.5	24	2.12	4	21	19	12	5.58	1	0.26	<10	0.97	1281	<2	0.01	<1	1432	23	2.96	15	3	63	<5	<0.01	<10	13	26	<10	117	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/Shipment 15

Sample type: core

Report No : **9V1152RJ**

Date : Sep-18-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132417	<0.2	2.01	26	166	<0.5	24	2.34	3	22	11	22	5.45	1	0.27	<10	1.24	1569	<2	0.01	<1	1410	13	1.44	11	3	73	<5	<0.01	<10	13	37	<10	114	2
132418	<0.2	1.78	54	138	<0.5	26	1.65	4	22	16	18	5.58	1	0.25	<10	1.10	1312	2	0.01	<1	1648	17	2.28	15	3	58	<5	<0.01	<10	11	35	<10	139	2
132419	0.6	0.87	98	144	<0.5	16	1.71	4	15	16	13	4.07	1	0.28	<10	0.58	962	4	0.01	1	1053	109	2.38	15	2	74	<5	<0.01	<10	<10	14	<10	194	2
132420	<0.2	0.03	<5	12	<0.5	<5	>15.00	<1	1	2	1	0.05	1	0.02	<10	1.68	38	<2	0.01	<1	64	<2	0.83	<5	<1	3450	<5	<0.01	<10	22	2	<10	6	<1
132421	<0.2	1.76	45	163	<0.5	20	2.01	3	17	14	18	4.27	1	0.24	<10	1.01	1444	<2	0.01	1	1173	13	0.79	13	3	67	<5	<0.01	<10	<10	33	<10	100	2
132422	<0.2	1.94	39	151	<0.5	21	1.27	3	19	13	17	4.63	1	0.21	<10	1.21	1363	<2	0.01	<1	1353	11	0.72	10	4	41	<5	<0.01	<10	<10	50	<10	123	2
132423	2.8	0.89	218	152	<0.5	13	1.30	49	12	26	51	3.13	5	0.23	<10	0.42	958	<2	0.01	<1	712	857	1.65	27	2	42	<5	<0.01	<10	<10	19	<10	2999	2
132424	0.3	1.67	83	218	<0.5	18	2.11	3	15	13	13	4.12	1	0.27	<10	0.90	1361	<2	0.02	<1	1607	15	0.72	13	3	51	<5	<0.01	<10	<10	42	<10	116	2
132425	<0.2	2.06	19	206	<0.5	20	3.88	3	14	14	20	4.65	1	0.24	<10	1.21	1981	<2	0.02	<1	1610	7	0.49	8	4	139	<5	<0.01	<10	<10	45	<10	105	2
132426	<0.2	1.64	48	146	<0.5	23	2.04	4	16	15	19	5.23	1	0.26	<10	1.02	1575	2	0.02	<1	1648	65	2.35	12	3	82	<5	<0.01	<10	10	35	<10	207	2
132427	1.3	1.71	80	166	<0.5	22	0.99	7	15	18	40	4.94	1	0.25	<10	1.08	1198	<2	0.02	<1	1452	239	1.73	18	3	46	<5	<0.01	<10	<10	37	<10	496	2
132428	<0.2	1.87	58	192	<0.5	20	1.01	2	14	18	16	4.25	1	0.24	<10	1.26	916	<2	0.02	<1	1560	9	0.62	13	3	38	<5	<0.01	<10	<10	36	<10	107	2
132429	<0.2	2.08	18	212	<0.5	21	3.54	3	14	11	19	4.73	1	0.25	<10	1.35	1475	<2	0.03	<1	1515	5	0.54	10	4	142	<5	<0.01	<10	<10	47	<10	98	2
132430	<0.2	2.04	36	195	<0.5	21	3.42	3	15	11	23	4.83	1	0.24	<10	1.38	1338	<2	0.02	<1	1588	5	0.82	11	4	145	<5	<0.01	<10	<10	43	<10	112	2
132431	<0.2	1.98	83	201	<0.5	18	3.60	2	14	10	<1	4.57	1	0.26	<10	1.29	1295	<2	0.03	<1	1596	5	0.76	10	4	152	<5	<0.01	<10	<10	41	<10	91	2
132432	<0.2	2.09	19	230	<0.5	21	4.38	3	14	10	<1	4.73	1	0.25	<10	1.23	1482	<2	0.02	<1	1603	6	0.45	9	4	187	<5	<0.01	<10	<10	42	<10	98	2
132433	<0.2	1.64	75	226	<0.5	19	3.98	3	14	9	1	4.40	1	0.29	<10	1.00	1206	<2	0.02	<1	1537	9	1.50	11	4	151	<5	<0.01	<10	<10	33	<10	93	2
132434	<0.2	1.53	49	229	<0.5	18	4.29	2	14	11	<1	3.88	1	0.25	<10	0.95	1319	<2	0.02	<1	1504	7	1.04	10	4	171	<5	<0.01	<10	<10	32	<10	86	2
132435	<0.2	1.84	142	240	<0.5	21	3.45	3	15	10	2	4.40	1	0.28	<10	1.24	1252	<2	0.02	<1	1593	8	1.12	12	4	126	<5	<0.01	<10	<10	36	<10	101	2
132436	<0.2	1.93	127	214	<0.5	20	2.74	3	16	14	9	4.67	1	0.24	<10	1.28	1240	<2	0.02	<1	1590	7	0.99	13	3	101	<5	<0.01	<10	<10	37	<10	103	2
132437	0.2	1.13	250	149	<0.5	21	2.09	3	14	11	8	4.42	1	0.32	<10	0.57	939	<2	0.02	<1	1335	13	2.58	30	2	78	<5	<0.01	<10	<10	22	<10	78	2
132438	0.2	1.09	76	166	<0.5	18	2.50	2	13	12	12	3.88	1	0.29	<10	0.60	982	<2	0.02	<1	1347	10	2.16	13	2	102	<5	<0.01	<10	<10	21	<10	95	2
132439	0.6	0.93	76	114	<0.5	17	2.02	3	13	12	20	3.83	1	0.31	<10	0.45	704	<2	0.01	<1	1267	44	2.43	12	2	71	<5	<0.01	<10	<10	17	<10	158	2
132440	0.3	0.48	47	165	<0.5	9	8.56	1	9	19	11	2.21	1	0.20	<10	0.23	1368	<2	0.01	1	778	13	1.65	7	2	236	<5	<0.01	<10	<10	11	<10	76	1
132441	0.4	0.32	40	156	<0.5	10	11.37	1	10	15	7	2.56	1	0.22	<10	0.12	2159	<2	0.01	1	836	12	2.43	8	2	276	<5	<0.01	<10	14	6	<10	64	1
132442	1.0	0.45	40	199	<0.5	11	13.73	1	9	20	11	2.40	2	0.21	<10	0.24	3323	<2	0.01	1	795	10	2.15	8	2	410	<5	<0.01	10	18	8	<10	71	1
132443	1.2	0.30	76	181	<0.5	10	12.51	1	11	13	9	2.36	1	0.25	<10	0.10	2661	<2	0.01	1	838	13	2.29	10	2	383	<5	<0.01	10	14	6	<10	90	1
132444	1.9	0.14	39	128	<0.5	8	>15.00	1	5	12	13	1.82	2	0.13	<10	0.14	4146	<2	0.01	3	509	34	2.19	11	1	1034	<5	<0.01	15	24	3	<10	179	1
132445	0.9	0.85	43	159	<0.5	16	5.62	4	14	35	16	3.65	1	0.25	<10	0.45	1963	<2	0.01	1	1044	81	2.48	10	2	288	<5	<0.01	<10	10	14	<10	213	1
132446	<0.2	1.86	12	174	<0.5	19	2.75	4	14	34	26	4.16	1	0.24	<10	1.09	1818	<2	0.01	1	1227	115	0.67	9	3	98	<5	<0.01	<10	<10	33	<10	234	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/Shipment 15

Sample type: core

Report No : **9V1152RJ**

Date : Sep-18-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132447	<0.2	1.89	12	192	<0.5	20	3.39	3	15	24	13	4.27	1	0.25	<10	1.11	1552	<2	0.02	1	1256	11	0.70	10	3	97	<5	<0.01	<10	<10	32	<10	121	2
132448	<0.2	1.94	19	180	<0.5	21	3.24	3	17	30	15	4.64	<1	0.24	<10	1.15	1705	<2	0.02	<1	1248	38	0.90	11	3	104	<5	<0.01	<10	10	35	<10	143	2
132449	<0.2	2.61	15	216	<0.5	24	3.23	3	18	21	30	5.23	1	0.25	<10	1.70	1866	<2	0.02	<1	1465	113	0.30	11	4	100	<5	<0.01	<10	11	45	<10	169	2
132450	0.9	2.25	13	183	<0.5	24	3.82	7	17	24	34	5.18	1	0.23	<10	1.44	2247	<2	0.02	<1	1427	169	1.00	10	4	126	<5	<0.01	<10	12	44	<10	520	2
132451	<0.2	2.22	10	258	<0.5	23	3.68	4	16	20	22	4.90	1	0.24	<10	1.46	2318	<2	0.02	<1	1377	64	0.93	10	4	134	<5	<0.01	<10	11	42	<10	286	2
132452	<0.2	2.14	13	210	<0.5	24	2.78	6	17	25	9	4.87	1	0.23	<10	1.51	2646	<2	0.02	<1	1333	151	1.07	10	4	111	<5	<0.01	<10	12	41	<10	429	2
132453	7.1	1.65	24	195	<0.5	20	2.86	15	14	24	29	4.24	1	0.23	<10	1.04	2703	<2	0.02	<1	1152	512	1.26	10	3	109	<5	<0.01	<10	12	34	<10	1280	2
132454	0.6	1.89	21	189	<0.5	21	3.06	9	16	22	17	4.56	1	0.24	<10	1.27	2611	<2	0.02	<1	1234	374	1.17	10	3	134	<5	<0.01	<10	12	36	<10	745	2
132455	<0.2	2.08	16	198	<0.5	23	3.01	3	17	25	14	4.85	1	0.23	<10	1.37	2258	<2	0.02	<1	1358	14	0.84	10	4	114	<5	<0.01	<10	11	40	<10	130	2
132456	0.2	1.70	24	202	<0.5	20	4.18	3	16	22	15	4.08	1	0.26	<10	1.05	2962	2	0.02	<1	1389	37	0.99	9	3	127	<5	<0.01	<10	10	34	<10	190	2
132457	1.1	1.65	57	197	<0.5	20	4.55	8	17	23	54	4.47	1	0.28	<10	0.88	2669	<2	0.01	<1	1302	256	1.35	11	4	136	<5	<0.01	<10	12	38	<10	679	2
132458	0.3	1.68	38	175	<0.5	23	3.16	6	18	31	23	4.77	1	0.24	<10	0.89	1997	<2	0.01	<1	1290	51	1.52	11	4	106	<5	<0.01	<10	11	42	<10	395	2
132459	<0.2	1.88	41	211	<0.5	25	2.52	4	20	20	19	4.86	1	0.29	<10	1.04	1723	<2	0.01	<1	1397	15	1.20	12	4	75	<5	<0.01	<10	11	46	<10	160	2
132460	<0.2	1.74	33	195	<0.5	23	3.41	4	21	19	21	4.86	1	0.27	<10	0.99	1698	<2	0.01	<1	1495	30	1.52	10	4	94	<5	<0.01	<10	12	37	<10	193	2
132461	<0.2	1.78	30	196	<0.5	22	4.26	4	18	16	21	4.86	1	0.28	<10	1.04	1848	<2	0.01	<1	1436	84	1.61	10	4	121	<5	<0.01	<10	10	38	<10	245	2
132462	<0.2	2.17	29	280	<0.5	26	4.74	3	20	21	16	5.26	1	0.32	<10	1.34	2035	<2	0.01	1	1665	16	1.31	11	5	188	<5	<0.01	<10	12	45	<10	126	2
132463	<0.2	2.07	14	199	<0.5	21	3.75	3	17	17	20	4.38	1	0.26	<10	1.32	1535	<2	0.01	<1	1372	11	0.53	9	4	124	<5	<0.01	<10	11	44	<10	109	2
132464	<0.2	2.12	13	191	<0.5	24	3.94	3	18	15	18	4.64	1	0.27	<10	1.39	1554	<2	0.01	<1	1375	11	0.76	10	5	138	<5	<0.01	<10	12	43	<10	114	2
132465	<0.2	2.16	13	182	<0.5	23	4.36	3	18	17	26	4.80	1	0.24	<10	1.52	1703	<2	0.01	<1	1326	10	0.96	9	4	144	<5	<0.01	<10	12	40	<10	125	2
132466	0.2	1.74	21	237	<0.5	20	3.90	2	18	10	19	4.32	1	0.31	<10	1.13	2056	<2	0.01	<1	1356	10	1.05	8	4	170	<5	<0.01	<10	<10	34	<10	107	1
132467	<0.2	1.24	47	132	<0.5	22	4.84	3	16	16	12	4.73	1	0.24	<10	0.98	2028	<2	0.01	<1	1241	16	2.51	10	4	203	<5	<0.01	<10	13	23	<10	127	1
132468	0.2	0.80	42	98	<0.5	22	3.05	5	17	11	9	4.75	<1	0.25	<10	0.60	1369	<2	0.01	<1	1202	35	3.24	11	3	141	<5	<0.01	<10	10	13	<10	194	1
132469	<0.2	1.00	25	94	<0.5	22	3.09	4	17	15	12	5.08	<1	0.27	<10	0.92	1475	<2	0.01	1	1144	15	2.80	10	4	129	<5	<0.01	<10	10	17	<10	106	2
132470	<0.2	1.19	41	109	<0.5	24	2.92	5	17	14	17	4.74	1	0.28	<10	1.05	1762	<2	0.01	<1	1188	103	2.75	10	4	129	<5	<0.01	<10	11	27	<10	301	2
132471	0.3	1.38	30	113	<0.5	24	3.35	7	17	19	20	4.97	1	0.25	<10	1.10	2174	<2	0.01	<1	1161	192	2.27	10	4	156	<5	<0.01	<10	12	29	<10	448	2
132472	0.4	0.76	15	128	<0.5	21	2.90	4	17	10	25	4.92	1	0.30	<10	0.84	1949	<2	0.01	<1	1289	46	1.98	9	4	145	<5	<0.01	<10	<10	15	<10	190	2
132473	0.4	0.35	9	390	<0.5	17	3.06	3	12	20	51	4.01	<1	0.24	<10	1.17	2090	<2	0.01	<1	1061	88	0.59	6	4	251	<5	<0.01	<10	<10	13	<10	129	1
132474	1.2	0.60	16	215	<0.5	19	3.02	16	14	17	63	4.41	1	0.25	<10	0.92	2426	<2	0.01	<1	1185	373	0.85	7	4	151	<5	<0.01	<10	10	19	<10	1308	1
132475	2.8	1.43	36	146	<0.5	24	1.91	6	16	15	41	4.94	1	0.26	<10	1.05	2533	<2	0.01	<1	1213	277	1.26	9	4	82	<5	<0.01	<10	12	30	<10	435	2
132476	3.2	1.02	202	68	<0.5	28	1.32	16	16	26	21	5.49	1	0.25	<10	0.80	1852	<2	0.01	<1	1050	407	3.29	13	3	70	<5	<0.01	<10	13	22	<10	1248	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/Shipment 15

Sample type: core

Report No : **9V1152RJ**

Date : Sep-18-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132477	2.2	0.36	65	133	<0.5	12	1.80	15	9	49	20	2.85	1	0.17	<10	0.39	1706	<2	0.01	1	528	413	1.46	6	1	70	<5	<0.01	<10	10	7	<10	1402	1
132478	11.0	0.37	159	74	<0.5	17	2.02	80	11	42	446	4.22	1	0.22	<10	0.24	1593	3	0.01	1	671	1180	3.48	8	1	64	<5	<0.01	<10	10	8	<10	5613	1
132479	8.6	0.20	150	65	<0.5	16	2.35	35	8	74	274	3.36	1	0.13	<10	0.10	1378	2	0.01	2	287	555	2.89	9	1	53	<5	<0.01	<10	10	3	<10	3234	1
132480	2.0	0.16	98	148	<0.5	10	12.97	3	5	39	23	2.29	2	0.10	<10	0.16	4987	2	0.01	<1	280	147	1.79	7	1	513	<5	<0.01	<10	20	3	<10	195	1
132481	3.7	0.77	126	165	<0.5	17	10.25	19	8	31	43	3.62	<1	0.23	<10	0.75	4918	2	0.01	1	680	1380	1.67	6	3	384	<5	<0.01	<10	<10	28	<10	1559	2
132482	3.2	1.18	88	122	<0.5	21	3.94	75	12	50	141	4.73	<1	0.21	<10	1.13	3549	2	0.01	2	928	680	1.74	<5	4	152	<5	<0.01	<10	<10	44	<10	3987	2
132483	3.7	1.17	106	135	<0.5	19	4.18	65	15	31	52	4.25	<1	0.30	<10	0.53	3328	<2	0.01	2	1026	326	1.89	<5	2	160	<5	<0.01	<10	<10	23	<10	3766	2
132484	119.6	0.77	259	96	<0.5	19	2.85	32	16	29	38	4.39	<1	0.34	<10	0.22	2354	<2	0.01	2	1204	471	2.97	<5	1	103	<5	<0.01	<10	<10	15	<10	2539	2
132485	5.4	1.26	134	153	<0.5	17	2.19	64	19	13	42	4.38	1	0.39	<10	0.38	2343	<2	0.01	2	1274	167	1.95	<5	2	71	<5	<0.01	<10	<10	23	<10	3768	2
132486	6.0	1.40	294	69	<0.5	23	2.42	93	24	19	70	6.24	1	0.43	<10	0.44	3073	3	0.01	3	960	714	2.86	<5	2	83	<5	<0.01	<10	<10	36	<10	5237	2
132487	3.8	1.27	405	119	<0.5	24	2.58	23	23	22	39	5.69	<1	0.31	<10	0.41	3120	<2	0.01	3	1085	738	2.99	<5	2	110	<5	<0.01	<10	<10	31	<10	1888	2
132488	2.8	1.09	259	110	<0.5	21	3.85	13	22	27	55	5.47	<1	0.31	<10	0.30	2964	2	0.01	3	806	370	3.01	<5	2	128	<5	<0.01	<10	<10	27	<10	1045	2
132489	2.6	0.41	150	60	<0.5	19	2.80	6	21	18	59	4.65	<1	0.34	<10	0.04	1097	<2	0.01	5	1061	83	4.04	<5	2	83	<5	<0.01	<10	<10	12	<10	287	2
132490	3.7	0.21	82	73	<0.5	12	5.92	61	10	37	69	2.72	<1	0.19	<10	0.03	1971	2	0.01	4	407	283	3.04	<5	1	237	<5	<0.01	<10	<10	6	<10	4742	1
132491	1.4	0.98	47	76	<0.5	19	2.74	8	15	14	47	4.24	<1	0.34	<10	0.25	2085	2	0.01	4	986	97	2.35	<5	2	131	<5	<0.01	<10	<10	16	<10	550	2
132492	2.5	1.68	22	156	<0.5	20	2.58	17	15	17	45	4.37	<1	0.33	<10	0.53	3030	<2	0.01	4	1123	284	0.80	<5	3	117	<5	<0.01	<10	<10	31	<10	1539	2
132493	6.3	0.94	139	45	<0.5	28	3.97	100	21	27	248	5.97	<1	0.32	<10	0.42	3179	3	0.01	4	955	522	3.86	<5	3	232	<5	<0.01	<10	<10	22	<10	5637	3
132494	3.1	1.13	97	101	<0.5	21	2.78	34	18	24	50	4.79	<1	0.31	<10	0.40	2390	<2	0.01	4	1056	432	2.57	<5	3	108	<5	<0.01	<10	<10	26	<10	2948	2
132495	1.7	2.06	32	175	<0.5	23	2.98	19	15	20	44	5.25	<1	0.34	<10	0.76	3475	<2	0.01	4	1216	212	1.02	<5	4	120	<5	<0.01	<10	<10	52	<10	1638	2
132496	2.2	2.24	42	221	<0.5	27	3.50	24	20	18	70	6.07	<1	0.32	<10	0.90	4122	<2	0.01	4	1380	226	1.05	<5	5	196	<5	<0.01	<10	<10	70	<10	1739	3
132497	2.7	2.17	77	155	<0.5	26	2.16	45	20	22	68	5.80	<1	0.28	<10	0.97	3943	<2	0.01	4	1319	575	1.32	<5	4	91	<5	<0.01	<10	<10	66	<10	3089	3
132498	2.2	2.35	48	183	<0.5	26	2.18	36	20	21	41	6.01	<1	0.31	<10	1.07	3596	3	0.01	4	1346	199	1.20	<5	5	88	<5	<0.01	<10	<10	70	<10	2696	3
132499	3.8	2.12	105	157	<0.5	27	2.17	34	23	21	79	6.30	<1	0.29	<10	1.01	3657	2	0.01	5	1266	631	1.86	<5	4	91	<5	<0.01	<10	<10	61	<10	2483	3
132500	<0.2	0.03	<5	<10	<0.5	<5	>15.00	<1	1	4	2	0.07	<1	0.01	<10	3.42	64	<2	0.01	1	109	<2	0.65	<5	<1	3672	<5	<0.01	<10	16	1	<10	50	<1
Duplicates:																																		
132327	1.4	1.54	101	144	<0.5	19	0.39	23	14	39	28	4.42	1	0.33	<10	1.11	2038	2	0.01	<1	1308	679	1.69	12	3	9	<5	<0.01	<10	11	32	<10	1094	2
132336	12.1	1.23	60	150	<0.5	15	1.53	5	12	39	31	3.48	<1	0.32	<10	0.67	2638	2	0.01	<1	1243	172	1.46	8	3	59	<5	<0.01	<10	13	29	<10	360	2
132346	<0.2	1.60	54	232	<0.5	19	11.07	4	11	15	67	4.21	<1	0.34	11	0.79	3520	<2	0.01	<1	1395	82	1.60	11	3	198	<5	<0.01	<10	26	32	<10	302	2
132349	0.5	1.89	33	174	<0.5	22	2.81	6	15	21	32	4.46	<1	0.33	10	0.82	1967	2	0.01	<1	1388	224	1.03	10	3	104	<5	<0.01	<10	15	35	<10	481	2
132358	1.8	0.68	189	184	<0.5	10	9.14	1	8	29	7	2.41	2	0.31	<10	0.22	3050	2	0.01	1	864	8	1.39	27	1	171	<5	<0.01	17	26	12	<10	44	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Premier/Shipment 15
Sample type: core

Report No : **9V1152RJ**
Date : Sep-18-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132368	<0.2	1.09	47	223	<0.5	19	3.60	3	13	21	12	4.11	<1	0.35	11	0.86	1611	<2	0.01	<1	1310	39	0.43	10	5	128	<5	<0.01	<10	13	27	<10	165	2
132371	5.4	0.66	1070	98	<0.5	24	13.05	18	6	22	25	5.43	21	0.10	<10	0.35	6166	14	0.01	<1	607	355	4.77	241	1	399	<5	<0.01	157	34	13	<10	1557	2
132380	<0.2	0.64	<5	10	<0.5	<5	>15.00	<1	4	12	2	0.12	<1	0.03	<10	2.79	44	<2	0.01	6	191	<2	0.70	<5	1	3497	<5	0.02	<10	20	13	<10	53	1
132390	0.3	1.37	116	122	<0.5	21	1.57	8	20	18	19	4.78	1	0.33	<10	1.03	2992	<2	0.01	<1	1432	304	2.18	11	4	71	<5	<0.01	<10	<10	31	<10	632	2
132393	0.5	1.09	249	106	<0.5	28	3.88	5	21	23	19	5.89	1	0.29	<10	1.06	1843	<2	0.01	<1	1555	65	3.23	14	5	117	<5	<0.01	<10	15	26	<10	222	2
132402	3.7	0.36	477	58	<0.5	22	0.36	4	19	26	7	4.93	1	0.27	<10	0.05	75	<2	0.01	2	1185	25	4.24	21	1	11	<5	<0.01	<10	<10	7	<10	94	2
132412	0.3	1.26	162	106	<0.5	21	1.70	3	19	22	11	4.71	1	0.26	<10	0.77	1417	4	0.01	<1	1372	29	2.76	15	2	64	<5	<0.01	<10	10	20	<10	87	2
132415	<0.2	1.73	18	139	<0.5	24	3.19	4	18	15	23	5.32	1	0.26	<10	1.12	1774	<2	0.01	<1	1484	15	2.40	10	3	111	<5	<0.01	<10	11	27	<10	127	2
132424	0.3	1.72	81	219	<0.5	18	2.09	3	15	13	13	4.11	1	0.27	<10	0.88	1355	<2	0.02	<1	1639	15	0.71	13	3	52	<5	<0.01	<10	<10	43	<10	113	2
132434	<0.2	1.55	47	230	<0.5	17	4.25	2	14	12	<1	3.83	1	0.25	<10	0.92	1307	<2	0.02	<1	1484	6	1.03	10	4	170	<5	<0.01	<10	<10	32	<10	86	2
132437	<0.2	1.10	239	146	<0.5	21	2.06	3	13	11	7	4.30	1	0.31	<10	0.56	909	<2	0.02	<1	1319	12	2.41	29	2	74	<5	<0.01	<10	<10	21	<10	72	2
132446	<0.2	1.89	12	183	<0.5	20	2.84	4	15	35	26	4.27	1	0.25	<10	1.15	1891	<2	0.01	<1	1294	121	0.71	9	3	100	<5	<0.01	<10	<10	34	<10	241	2
132456	0.2	1.77	26	204	<0.5	21	4.44	3	17	22	16	4.27	1	0.28	<10	1.09	3040	2	0.02	<1	1440	40	1.00	9	3	131	<5	<0.01	<10	10	35	<10	200	2
132459	<0.2	1.82	35	188	<0.5	22	2.36	3	18	18	18	4.62	<1	0.26	<10	0.93	1575	<2	0.01	<1	1244	13	1.08	10	4	70	<5	<0.01	<10	<10	43	<10	143	2
132468	<0.2	0.81	42	101	<0.5	23	3.11	5	16	11	9	4.61	1	0.30	<10	0.58	1429	<2	0.01	<1	1170	36	3.16	10	3	152	<5	<0.01	<10	12	13	<10	190	1
132478	13.8	0.36	161	77	<0.5	18	1.96	83	11	43	445	3.99	1	0.21	<10	0.23	1570	3	0.01	<1	715	1203	3.52	7	1	65	<5	<0.01	<10	10	8	<10	5054	1
132481	3.6	0.74	113	156	<0.5	15	9.84	17	8	28	40	3.58	<1	0.21	<10	0.73	4772	2	0.01	1	662	1279	1.59	5	3	365	<5	<0.01	<10	<10	26	<10	1492	1
132490	2.8	0.20	97	84	<0.5	14	6.21	76	13	44	73	3.13	<1	0.21	<10	0.03	2273	2	0.01	4	475	331	2.93	<5	1	268	<5	<0.01	<10	<10	6	<10	4347	1
132500	<0.2	0.03	<5	<10	<0.5	<5	>15.00	<1	<1	5	2	0.07	<1	0.01	<10	3.44	63	<2	0.01	1	106	<2	0.63	<5	<1	3938	<5	<0.01	<10	15	1	<10	53	<1
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	1	<1
ICP-5	24.1	1.14	1473	152	0.5	60	1.98	15	17	152	2135	3.99	1	0.18	<10	1.20	603	7	0.07	106	571	2498	1.12	254	3	60	<5	0.07	<10	<10	58	22	1462	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Metallic Assay Certificate

9V-1152-RM1

Sep-18-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment 15
Attn: Sue Deane

We *hereby certify* the following analysis of 2 core samples submitted Sep-02-09

Sample Name	WtTotal g	Wt+150 g	+150Au mg	-150Au g/tonne	Metallic Au g/tonne	Net Au g/tonne
132484	511.9	4.1	140.048	216.10	273.58	487.95
132485	516.2	3.2	5.763	18.48	11.16	29.53

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1172-RA1

Sep-22-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment 15
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-03-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132501	0.01	0.3	1.7
132502	0.01	<0.1	3.4
132503	<0.01	0.4	3.1
132504	0.02	0.6	3.1
132505	0.08	0.6	2.5
132506	<0.01	<0.1	3.0
132507	0.12	0.6	3.4
132508	0.06	1.0	3.1
132509	0.06	0.3	3.3
132510	0.01	<0.1	3.2
132511	<0.01	<0.1	2.4
132512	<0.01	<0.1	3.4
132513	0.02	1.4	3.2
132514	<0.01	<0.1	2.7
132515	0.01	<0.1	3.1
132516	0.02	0.1	3.2
132517	0.88	3.0	1.9
132518	0.67	3.2	1.5
132519	0.11	2.7	2.2
132520	0.46	3.8	1.6
132521	0.17	6.1	1.5
132522	0.02	0.2	3.5
*DUP 132501	0.02	0.4	
*DUP 132510	0.02	<0.1	
*DUP 132520	0.45	3.8	
*0211	2.24		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1172-RA2

Sep-22-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment 15
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-03-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132523	<0.01	<0.1	3.6
132524	0.39	7.5	1.7
132525	1.01	13.0	3.4
132526	0.02	0.5	1.8
132527	0.07	1.6	3.4
132528	0.06	1.1	3.4
132529	<0.01	0.2	3.4
132530	<0.01	0.3	2.7
132531	0.34	4.4	1.3
132532	<0.01	<0.1	2.7
132533	<0.01	<0.1	2.3
132534	0.01	0.7	2.4
132535	0.01	0.8	3.2
132536	0.01	1.3	1.6
132537	0.01	0.3	1.7
132538	0.09	1.3	3.6
132539	0.09	1.2	1.9
132540	0.09	3.2	3.5
132541	0.75	4.4	1.5
132542	0.33	6.6	2.0
132543	0.37	10.0	1.8
132544	0.41	6.4	1.7
*DUP 132523	<0.01	<0.1	
*DUP 132532	0.02	0.1	
*DUP 132542	0.37	6.6	
*0211	2.18		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1172-RA3

Sep-22-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment 15
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-03-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132545	0.63	10.2	1.7
132546	0.52	8.0	1.8
132547	0.30	1.7	1.8
132548	0.14	1.1	1.8
132549	0.39	2.2	1.8
132550	0.81	1.9	1.8
132551	0.13	2.7	1.5
132552	0.05	2.0	1.7
132553	0.02	<0.1	3.6
132554	0.04	1.3	3.1
132555	0.10	1.9	3.4
132556	0.05	3.2	3.2
132557	0.10	2.8	3.7
132558	0.05	1.6	3.7
132559	0.01	0.6	3.3
132560	<0.01	<0.1	0.3
132561	0.07	0.8	3.1
132562	0.04	1.1	3.5
132563	0.02	1.1	3.1
132564	0.02	0.6	3.5
132565	0.28	2.8	3.7
132566	0.01	<0.1	3.5
*DUP 132545	0.58	10.0	
*DUP 132554	0.04	1.4	
*DUP 132564	0.04	0.6	
*0211	2.32		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1172-RA4

Sep-22-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment 15
Attn: Sue Deane

We *hereby certify* the following assay of 15 core samples submitted Sep-03-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132567	<0.01	<0.1	3.2
132568	0.05	0.8	3.4
132569	0.02	0.6	3.4
132570	<0.01	0.5	2.9
132571	<0.01	0.6	3.4
132572	0.02	0.7	3.6
132573	0.07	2.8	3.5
132574	0.03	1.0	3.2
132575	0.02	1.7	3.4
132576	0.02	1.7	3.3
132577	0.06	0.9	3.5
132578	0.04	1.3	3.2
132579	0.04	1.2	2.7
132580	0.01	0.3	3.7
132581	0.05	0.7	3.7
*DUP 132567	<0.01	<0.1	
*DUP 132576	0.03	1.5	
*0211	2.19		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : **9V1172RJ**

Date : Sep-22-09

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment 15

Sample type: core

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132501	0.3	1.25	234	160	<0.5	20	2.14	3	18	81	5	4.18	1	0.29	<10	0.90	1859	2	0.01	6	1126	13	1.78	21	4	170	<5	<0.01	<10	<10	27	<10	103	2
132502	<0.2	2.59	133	202	<0.5	30	1.43	4	25	34	25	6.32	1	0.38	<10	1.65	1953	2	0.01	3	1546	17	1.38	22	6	58	<5	<0.01	<10	<10	60	<10	140	2
132503	0.4	1.81	681	143	<0.5	25	1.15	7	24	41	29	5.52	2	0.39	<10	1.03	1611	2	0.01	4	1360	23	2.20	48	4	63	<5	<0.01	<10	<10	44	<10	427	2
132504	0.6	2.06	419	155	<0.5	28	0.53	4	24	45	22	5.94	1	0.38	<10	1.09	950	3	0.02	2	1362	20	2.20	37	6	27	<5	<0.01	<10	<10	59	<10	138	2
132505	0.6	1.92	183	176	<0.5	29	2.19	4	23	58	37	5.47	1	0.31	<10	1.29	1576	3	0.01	6	1339	29	1.48	27	7	94	<5	<0.01	<10	<10	58	<10	133	2
132506	<0.2	2.47	88	225	<0.5	29	2.49	4	25	71	24	5.93	1	0.31	<10	1.53	1943	<2	0.02	2	1272	10	1.06	18	9	109	<5	<0.01	<10	<10	81	<10	107	2
132507	0.6	1.82	119	200	<0.5	26	2.90	4	22	42	23	5.64	1	0.29	<10	1.06	1826	2	0.02	2	1339	13	2.10	18	6	125	<5	<0.01	<10	<10	50	<10	94	2
132508	1.0	2.09	238	223	<0.5	25	2.77	3	21	34	48	5.41	1	0.33	<10	1.30	2000	<2	0.02	1	1394	22	1.36	22	7	118	<5	<0.01	<10	<10	58	<10	112	2
132509	0.3	2.22	132	199	<0.5	27	2.42	3	22	31	39	5.56	1	0.32	<10	1.37	1852	<2	0.02	1	1494	18	1.11	17	6	101	<5	<0.01	<10	<10	60	<10	110	2
132510	<0.2	2.30	94	166	<0.5	26	3.30	3	22	36	15	5.43	1	0.27	<10	1.50	1621	<2	0.01	2	1424	9	0.85	15	7	127	<5	<0.01	<10	<10	57	<10	108	2
132511	<0.2	2.80	103	232	<0.5	30	2.12	4	24	30	30	6.33	<1	0.33	<10	1.64	1522	<2	0.02	1	1572	10	0.78	17	7	101	<5	<0.01	<10	<10	72	<10	126	2
132512	<0.2	2.76	23	180	<0.5	28	3.99	4	21	31	21	5.85	1	0.29	<10	1.59	2074	<2	0.01	1	1496	8	0.52	13	8	177	<5	<0.01	<10	<10	71	<10	113	2
132513	1.4	2.05	208	143	<0.5	29	1.16	4	23	27	21	5.99	1	0.34	<10	1.13	1129	<2	0.02	2	1347	16	2.45	26	5	63	<5	<0.01	<10	<10	51	<10	103	2
132514	<0.2	2.79	40	193	<0.5	31	3.07	4	22	43	26	6.18	1	0.33	<10	1.67	2142	<2	0.02	2	1385	8	0.69	15	8	115	<5	<0.01	<10	<10	82	<10	124	2
132515	<0.2	2.70	25	187	<0.5	30	3.52	4	23	35	27	6.14	2	0.31	<10	1.74	2254	<2	0.02	2	1415	9	0.69	14	8	147	<5	<0.01	<10	<10	73	<10	123	2
132516	<0.2	2.03	138	156	<0.5	26	3.17	3	19	22	17	5.41	1	0.28	<10	1.28	1487	<2	0.01	<1	1444	15	1.71	16	4	131	<5	<0.01	<10	<10	43	<10	102	2
132517	3.0	0.36	571	45	<0.5	30	1.73	5	10	56	7	6.50	3	0.26	<10	0.08	479	<2	0.01	<1	629	29	>5.00	52	1	76	<5	<0.01	<10	11	3	11	100	2
132518	3.2	0.38	448	52	<0.5	28	1.17	5	12	55	5	6.16	4	0.28	<10	0.08	315	<2	0.01	<1	791	23	>5.00	55	1	55	<5	<0.01	10	<10	3	<10	111	2
132519	2.7	0.44	448	61	<0.5	27	2.01	4	18	56	8	5.63	3	0.29	<10	0.13	677	<2	0.01	1	1158	23	>5.00	39	1	118	<5	<0.01	<10	<10	5	<10	137	2
132520	3.8	0.45	572	78	<0.5	27	3.77	4	15	51	11	5.52	2	0.25	<10	0.22	1468	2	0.01	<1	789	24	4.83	30	1	235	<5	<0.01	<10	11	3	<10	77	2
132521	6.1	0.56	366	86	<0.5	21	1.50	4	19	58	6	4.77	1	0.31	<10	0.20	597	<2	0.01	2	1298	26	4.12	25	2	81	<5	<0.01	<10	<10	6	<10	98	2
132522	0.2	2.04	92	176	<0.5	23	2.08	4	19	27	10	5.17	1	0.34	<10	1.37	1357	<2	0.01	<1	1537	13	1.66	14	3	78	<5	<0.01	<10	<10	31	<10	140	2
132523	<0.2	2.46	28	393	<0.5	23	2.97	3	18	25	16	4.88	2	0.31	<10	1.37	1869	<2	0.01	<1	1338	6	0.53	10	5	138	<5	<0.01	<10	<10	48	<10	108	2
132524	7.5	0.56	427	74	<0.5	25	2.28	4	19	26	17	5.46	3	0.37	<10	0.11	1001	<2	0.01	<1	1145	36	4.78	35	2	124	<5	<0.01	<10	<10	9	<10	105	2
132525	13.0	0.83	445	66	<0.5	27	1.49	5	18	22	24	5.70	2	0.38	<10	0.30	666	<2	0.01	<1	945	64	4.45	24	2	76	<5	<0.01	<10	<10	13	<10	202	2
132526	0.5	2.07	43	190	<0.5	20	2.21	3	15	23	19	4.58	1	0.33	<10	1.17	1758	<2	0.01	1	1379	30	0.93	9	3	104	<5	<0.01	<10	<10	35	<10	132	2
132527	1.6	1.24	216	150	<0.5	21	2.69	3	17	14	15	4.62	1	0.35	<10	0.62	1128	<2	0.01	1	1241	14	2.96	13	3	126	<5	<0.01	<10	<10	18	<10	121	2
132528	1.1	1.45	138	167	<0.5	23	1.32	4	19	21	10	4.80	1	0.41	<10	0.71	979	<2	0.01	1	1335	16	2.77	16	3	61	<5	<0.01	<10	<10	24	<10	105	2
132529	0.2	2.28	31	198	<0.5	23	3.65	3	18	12	16	4.90	1	0.34	<10	1.42	2310	<2	0.01	<1	1244	9	1.22	10	5	130	<5	<0.01	<10	<10	38	<10	120	2
132530	0.3	2.32	33	152	<0.5	25	3.46	3	20	13	15	5.23	2	0.28	<10	1.48	2369	<2	0.02	<1	1323	11	0.42	10	7	155	<5	<0.01	<10	<10	54	<10	114	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : **9V1172RJ**
Date : Sep-22-09

Ascot Resources Ltd.
Attention: Sue Deane
Project: Premier/shipment 15
Sample type: core

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132531	4.4	0.67	313	133	<0.5	14	5.70	2	10	35	21	3.54	2	0.26	<10	0.35	2227	4	0.01	<1	828	82	2.48	25	2	191	<5	<0.01	<10	<10	12	<10	58	2
132532	<0.2	2.35	16	195	<0.5	22	3.24	3	15	9	17	5.06	1	0.30	10	1.36	1877	<2	0.02	<1	1490	9	0.53	10	4	138	<5	<0.01	<10	<10	47	<10	111	2
132533	<0.2	1.22	81	201	<0.5	20	3.50	3	13	9	11	4.72	1	0.38	<10	0.94	1073	<2	0.02	<1	1378	8	0.81	10	5	184	<5	<0.01	<10	<10	23	<10	85	2
132534	0.7	0.86	62	271	<0.5	21	9.27	3	13	12	8	4.60	2	0.33	<10	0.94	2148	2	0.01	<1	1022	11	1.59	12	4	468	<5	<0.01	<10	<10	20	<10	84	2
132535	0.8	1.20	80	172	<0.5	21	2.83	3	13	10	13	4.58	1	0.34	<10	0.82	1079	<2	0.02	<1	1343	15	2.22	13	4	143	<5	<0.01	<10	<10	23	<10	78	2
132536	1.3	1.35	165	228	<0.5	19	4.05	3	13	7	10	4.18	2	0.39	<10	0.79	1730	<2	0.01	<1	1303	21	1.51	21	4	182	<5	<0.01	<10	<10	21	<10	85	1
132537	0.3	1.53	136	186	<0.5	20	3.95	3	13	12	8	4.68	1	0.36	<10	0.97	1590	<2	0.01	<1	1361	7	1.40	11	4	188	<5	<0.01	<10	<10	26	<10	81	2
132538	1.3	0.97	111	131	<0.5	22	1.54	4	16	11	6	4.92	1	0.45	<10	0.40	1144	<2	0.01	<1	1383	21	3.48	18	3	77	<5	<0.01	<10	<10	19	<10	103	2
132539	1.2	0.87	82	109	<0.5	22	3.58	4	14	17	7	5.00	1	0.39	<10	0.43	1961	<2	0.01	<1	1091	22	3.82	12	2	198	<5	<0.01	<10	<10	12	<10	84	2
132540	3.2	1.14	187	132	<0.5	21	0.68	4	17	11	11	4.64	1	0.49	<10	0.43	549	2	0.01	1	1586	28	3.01	25	2	36	<5	<0.01	<10	<10	21	<10	126	2
132541	4.4	0.65	300	80	<0.5	20	0.91	4	14	28	9	4.47	1	0.37	<10	0.17	580	4	0.01	<1	1261	48	3.56	31	2	46	<5	<0.01	<10	<10	11	<10	133	2
132542	6.6	0.76	304	79	<0.5	23	1.54	10	15	22	8	4.94	2	0.45	<10	0.18	788	3	0.01	<1	1179	172	3.94	26	2	71	<5	<0.01	<10	<10	16	<10	755	2
132543	10.0	0.71	403	72	<0.5	26	1.07	12	16	44	82	5.97	2	0.38	<10	0.20	730	8	0.01	<1	1168	665	4.65	37	2	40	<5	<0.01	<10	<10	11	<10	820	2
132544	6.4	0.67	153	99	<0.5	19	1.77	13	16	43	129	4.34	1	0.39	<10	0.22	1189	4	0.01	1	1138	627	3.39	15	2	61	<5	<0.01	<10	<10	10	<10	1119	2
132545	10.2	0.94	110	124	<0.5	18	1.56	28	15	38	175	4.06	3	0.35	<10	0.41	1501	<2	0.01	<1	1152	286	2.68	14	2	58	<5	<0.01	<10	<10	21	<10	2521	2
132546	8.0	1.01	84	163	<0.5	14	2.98	18	11	54	84	3.36	3	0.25	<10	0.55	2896	<2	0.01	1	1015	863	1.47	15	2	120	<5	<0.01	<10	<10	26	<10	1725	1
132547	1.7	1.23	60	143	<0.5	18	4.82	3	12	23	13	3.93	2	0.28	<10	0.82	3353	2	0.01	<1	1170	30	1.41	11	3	175	<5	<0.01	<10	<10	28	<10	109	2
132548	1.1	2.09	58	169	<0.5	21	3.17	3	13	16	8	4.80	2	0.33	<10	1.33	3553	<2	0.02	<1	1307	39	0.84	12	4	122	<5	<0.01	<10	<10	47	<10	129	2
132549	2.2	1.64	51	171	<0.5	22	1.47	3	14	16	7	4.75	1	0.35	<10	0.91	2521	2	0.01	<1	1308	47	1.96	10	3	75	<5	<0.01	<10	<10	38	<10	129	2
132550	1.9	1.59	50	227	<0.5	19	1.62	3	13	27	27	4.08	2	0.29	<10	0.95	2716	2	0.01	<1	1208	41	1.24	11	3	72	<5	<0.01	<10	<10	37	<10	149	2
132551	2.7	1.40	95	184	<0.5	18	1.26	8	12	33	92	3.88	2	0.30	<10	0.77	1988	<2	0.01	<1	1155	236	1.18	15	3	63	<5	<0.01	<10	<10	32	<10	706	2
132552	2.0	1.31	182	169	<0.5	20	1.54	3	14	17	20	4.08	2	0.39	<10	0.64	1519	2	0.01	<1	1275	19	1.92	17	3	69	<5	<0.01	<10	<10	31	<10	94	2
132553	<0.2	1.80	62	212	<0.5	22	2.93	3	14	13	4	4.69	1	0.36	<10	1.09	1660	<2	0.02	<1	1382	9	1.30	12	4	158	<5	<0.01	<10	<10	45	<10	100	2
132554	1.3	1.46	55	158	<0.5	21	3.91	3	13	12	7	4.59	1	0.36	<10	0.77	2161	<2	0.01	<1	1332	18	2.15	8	3	248	<5	<0.01	<10	<10	31	<10	139	2
132555	1.9	1.20	73	142	<0.5	20	3.72	3	14	19	5	4.16	1	0.34	<10	0.59	1741	2	0.01	<1	1399	44	2.33	9	3	128	<5	<0.01	<10	<10	29	<10	145	2
132556	3.2	1.23	52	120	<0.5	22	3.40	3	14	14	27	4.59	1	0.33	<10	0.66	2062	3	0.01	<1	1414	105	2.57	11	3	158	<5	<0.01	<10	<10	26	<10	117	2
132557	2.8	1.08	77	138	<0.5	19	3.11	4	13	29	5	3.99	1	0.32	<10	0.56	1726	<2	0.01	<1	1273	116	2.40	10	2	116	<5	<0.01	<10	<10	26	<10	290	2
132558	1.6	1.30	68	139	<0.5	23	3.48	3	14	15	8	4.84	1	0.39	<10	0.67	1848	2	0.01	<1	1374	19	2.65	11	3	155	<5	<0.01	<10	<10	32	<10	86	2
132559	0.6	1.93	20	157	<0.5	23	3.20	3	14	18	11	4.99	1	0.32	<10	1.17	2270	2	0.01	<1	1399	47	1.35	10	4	144	<5	<0.01	<10	<10	50	<10	145	2
132560	<0.2	0.05	<5	19	<0.5	<5	>15.00	<1	1	4	1	0.08	<1	0.02	<10	2.25	57	<2	0.01	1	110	<2	0.86	<5	<1	4712	<5	<0.01	<10	20	2	<10	2	<1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 9V1172RJ

Date : Sep-22-09

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment 15

Sample type: core

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132561	0.8	1.87	47	173	<0.5	22	3.37	3	13	12	10	4.62	1	0.34	<10	1.08	2201	2	0.02	<1	1392	25	1.24	9	4	158	<5	<0.01	<10	<10	49	<10	145	2
132562	1.1	1.95	42	191	<0.5	21	3.64	3	14	14	27	4.58	1	0.32	10	1.07	2360	<2	0.02	<1	1414	25	0.65	9	5	164	<5	0.02	<10	<10	55	<10	156	2
132563	1.1	2.06	46	220	<0.5	20	4.82	3	13	15	29	4.65	2	0.34	10	1.08	2467	2	0.02	<1	1283	29	0.59	9	5	201	<5	0.02	<10	<10	54	<10	140	2
132564	0.6	1.93	59	205	<0.5	22	4.61	3	14	12	26	4.83	1	0.31	10	1.07	2581	<2	0.02	<1	1331	23	1.00	12	4	154	<5	0.02	<10	<10	51	<10	92	2
132565	2.8	1.76	44	233	<0.5	20	4.28	3	14	10	9	4.52	2	0.36	<10	0.93	2811	<2	0.02	<1	1316	46	1.16	10	4	168	<5	0.01	<10	<10	45	<10	210	2
132566	<0.2	2.06	24	226	<0.5	21	3.17	3	14	10	18	4.75	1	0.35	11	1.10	2011	<2	0.02	<1	1450	4	0.31	8	5	162	<5	0.03	<10	<10	56	<10	90	2
132567	<0.2	2.23	32	202	<0.5	22	2.63	3	13	9	7	4.71	4	0.36	11	1.21	1678	<2	0.02	<1	1551	7	0.41	9	4	123	<5	<0.01	<10	<10	53	<10	90	2
132568	0.8	1.40	33	118	<0.5	22	4.24	3	15	11	10	4.65	2	0.37	<10	0.79	1935	<2	0.01	<1	1440	14	2.67	12	3	178	<5	<0.01	<10	<10	23	<10	79	2
132569	0.6	1.46	16	162	<0.5	22	2.92	3	16	8	13	4.49	1	0.39	<10	0.81	1180	<2	0.01	<1	1557	11	2.37	13	3	132	<5	<0.01	<10	<10	23	<10	85	2
132570	0.5	2.06	27	206	<0.5	24	3.44	3	14	9	15	5.06	1	0.38	<10	1.23	1716	<2	0.01	<1	1459	12	1.41	11	3	151	<5	<0.01	<10	<10	39	<10	111	2
132571	0.6	2.07	64	227	<0.5	23	3.56	3	17	8	14	4.91	2	0.39	11	1.13	1842	<2	0.01	<1	1518	10	0.89	11	4	152	<5	<0.01	<10	<10	52	<10	111	2
132572	0.7	1.28	59	167	<0.5	19	4.40	3	13	17	8	4.33	1	0.37	<10	0.72	1837	<2	0.01	<1	1539	13	1.97	10	3	225	<5	<0.01	<10	<10	23	<10	71	2
132573	2.8	0.44	210	160	<0.5	12	14.13	4	7	19	7	3.14	4	0.28	<10	0.43	4084	<2	0.01	<1	819	21	2.08	18	2	629	<5	<0.01	<10	11	7	<10	508	1
132574	1.0	1.56	129	208	<0.5	20	3.23	3	13	16	25	4.50	2	0.37	<10	0.75	1863	<2	0.01	<1	1520	24	1.37	15	3	98	<5	<0.01	<10	<10	31	<10	109	2
132575	1.7	1.56	213	206	<0.5	19	7.24	2	12	11	11	4.14	2	0.37	<10	0.80	2719	<2	0.01	<1	1327	7	1.45	19	3	288	<5	<0.01	<10	<10	32	<10	90	2
132576	1.7	1.44	205	174	<0.5	20	3.78	3	14	10	11	4.29	2	0.35	<10	0.73	1559	2	0.01	<1	1453	12	1.75	21	3	94	<5	<0.01	<10	<10	30	<10	104	2
132577	0.9	1.49	106	229	<0.5	20	6.79	3	13	9	9	4.23	2	0.38	<10	0.75	2550	<2	0.01	<1	1335	15	1.71	17	4	262	<5	<0.01	<10	<10	34	<10	93	2
132578	1.3	1.26	159	192	<0.5	17	3.43	2	12	18	8	4.00	2	0.37	<10	0.60	1632	<2	0.01	<1	1267	226	1.68	18	3	109	<5	<0.01	<10	<10	27	<10	94	2
132579	1.2	0.91	112	121	<0.5	16	5.02	3	11	20	9	3.67	1	0.34	<10	0.37	1423	<2	0.01	<1	1290	14	2.35	12	2	161	<5	<0.01	<10	<10	18	<10	102	2
132580	0.3	1.98	29	194	<0.5	23	3.32	7	13	15	13	4.85	1	0.29	<10	1.17	2527	<2	0.02	<1	1538	189	1.28	12	3	128	<5	<0.01	<10	<10	40	<10	528	2
132581	0.7	1.28	63	135	<0.5	19	4.68	11	12	17	17	4.33	1	0.31	<10	0.82	1966	<2	0.02	<1	1362	216	2.77	10	3	166	<5	<0.01	<10	<10	27	<10	877	2
Duplicates:																																		
132501	0.4	1.20	235	162	<0.5	21	2.15	3	18	81	4	4.27	1	0.29	<10	0.92	1912	2	0.01	6	1241	13	1.90	22	4	168	<5	<0.01	<10	<10	25	<10	99	1
132510	<0.2	2.33	93	178	<0.5	27	3.29	3	22	36	14	5.43	1	0.29	<10	1.51	1650	<2	0.01	2	1472	8	0.84	15	7	129	<5	<0.01	<10	<10	58	<10	108	2
132520	3.8	0.45	527	80	<0.5	26	3.69	4	14	50	10	5.40	2	0.26	<10	0.21	1447	2	0.01	<1	790	24	4.82	30	1	232	<5	<0.01	<10	11	3	<10	78	2
132523	<0.2	2.52	27	419	<0.5	24	3.14	3	18	25	15	5.18	1	0.33	<10	1.47	1969	<2	0.01	<1	1463	7	0.56	10	5	140	<5	<0.01	<10	<10	50	<10	114	2
132532	<0.2	2.37	16	192	<0.5	22	3.20	3	15	9	17	5.04	1	0.30	10	1.35	1867	<2	0.02	<1	1506	9	0.54	9	4	140	<5	<0.01	<10	<10	46	<10	112	2
132542	6.6	0.68	315	101	<0.5	21	1.47	9	15	22	8	4.77	2	0.42	<10	0.16	762	3	0.01	<1	1190	171	3.81	28	2	69	<5	<0.01	<10	<10	14	<10	722	2
132545	10.0	0.97	114	134	<0.5	20	1.62	28	15	38	174	4.22	3	0.36	<10	0.41	1517	<2	0.01	<1	1193	287	2.78	15	2	57	<5	<0.01	<10	<10	21	<10	2570	2
132554	1.4	1.51	58	159	<0.5	21	3.91	3	14	13	8	4.61	1	0.37	<10	0.79	2196	<2	0.01	<1	1397	19	2.18	8	3	256	<5	<0.01	<10	<10	33	<10	145	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : **9V1172RJ**
Date : Sep-22-09

Ascot Resources Ltd.
Attention: Sue Deane
Project: Premier/shipment 15
Sample type: core

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132564	0.6	1.95	58	209	<0.5	21	4.51	3	14	12	26	4.78	2	0.32	10	1.06	2571	<2	0.02	<1	1382	21	1.00	10	4	155	<5	0.02	<10	<10	51	<10	93	2
132567	<0.2	2.15	33	199	<0.5	21	2.73	3	15	9	9	4.76	1	0.34	11	1.24	1658	<2	0.02	<1	1498	6	0.41	9	4	120	<5	<0.01	<10	<10	52	<10	88	2
132576	1.5	1.42	196	200	<0.5	20	3.78	3	14	11	10	4.24	2	0.36	<10	0.73	1551	<2	0.01	<1	1474	11	1.69	22	3	89	<5	<0.01	<10	<10	30	<10	104	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.6	1.70	12	300	0.6	22	0.61	4	31	109	2055	4.81	<1	1.35	13	1.18	331	3	0.05	55	700	14	0.59	14	7	8	<5	0.20	<10	<10	77	<10	220	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1173-RA1

Sep-22-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment 15
Attn: Sue Deane

We *hereby certify* the following assay of 10 rock samples submitted Sep-03-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
139951	0.01	11.8	1.6
139952	0.01	9.2	2.1
139953	<0.01	4.3	2.2
139954	0.03	32.3	2.9
139955	0.01	12.2	2.5
139956	0.14	3.4	2.2
139957	0.11	6.2	2.0
139958	0.22	3.4	2.2
139959	0.37	3.4	1.8
139960	0.56	3.6	1.7
*DUP 139951	0.01	11.4	
*DUP 139960	0.55	3.7	
*0211	2.23		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment 15

Sample type: rock

Report No : **9V1173RJ**

Date : Sep-22-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
139951	11.8	0.50	32	265	<0.5	9	0.19	2	7	33	6	2.62	<1	0.32	<10	0.06	776	<2	0.01	3	1370	34	0.85	<5	2	17	<5	<0.01	<10	<10	12	<10	87	2
139952	9.2	0.38	60	165	<0.5	10	0.14	2	5	38	4	3.01	1	0.31	<10	0.03	229	<2	0.01	1	1171	39	1.57	6	1	7	<5	<0.01	<10	<10	10	<10	66	2
139953	4.3	0.45	33	203	<0.5	9	0.18	2	6	25	8	2.61	<1	0.32	<10	0.04	158	<2	0.01	1	1282	23	1.24	<5	1	10	<5	<0.01	<10	<10	9	<10	64	2
139954	32.3	0.46	58	216	<0.5	11	0.13	3	7	31	9	3.02	1	0.32	<10	0.04	141	<2	0.01	1	1197	58	1.10	7	1	9	<5	<0.01	<10	<10	8	<10	89	2
139955	12.2	0.31	28	145	<0.5	9	0.07	3	5	43	12	2.44	1	0.25	<10	0.03	113	<2	0.01	2	717	79	1.34	6	1	6	<5	<0.01	<10	<10	7	<10	67	2
139956	3.4	0.52	164	225	<0.5	12	0.16	6	10	64	9	3.16	<1	0.24	<10	0.15	839	<2	0.01	3	1101	205	1.00	10	2	14	<5	<0.01	<10	<10	16	<10	612	2
139957	6.2	1.12	294	166	<0.5	18	0.28	5	13	36	12	4.77	1	0.32	<10	0.40	935	<2	0.01	1	1819	188	1.41	17	3	18	<5	<0.01	<10	<10	27	<10	614	3
139958	3.4	1.48	136	222	<0.5	21	0.39	15	16	21	10	5.20	<1	0.33	12	0.74	1988	<2	0.01	1	1789	478	1.24	9	4	25	<5	<0.01	<10	<10	44	<10	1299	3
139959	3.4	1.54	170	165	<0.5	25	0.39	28	15	18	10	6.52	<1	0.33	10	0.85	1998	<2	0.02	<1	1782	722	1.66	11	3	22	<5	<0.01	<10	<10	47	<10	1216	3
139960	3.6	0.73	307	273	<0.5	22	0.43	13	15	23	30	5.69	1	0.33	<10	0.36	2976	<2	0.01	3	1607	554	1.04	19	3	29	<5	<0.01	<10	<10	23	<10	1861	3
Duplicates:																																		
139951	11.4	0.49	33	266	<0.5	9	0.18	2	7	32	6	2.58	<1	0.33	<10	0.06	767	<2	0.01	3	1316	34	0.81	<5	2	17	<5	<0.01	<10	<10	12	<10	88	2
139960	3.7	0.74	305	277	<0.5	22	0.42	12	15	23	30	5.54	1	0.33	<10	0.36	2944	<2	0.01	3	1686	549	1.05	19	3	29	<5	<0.01	<10	<10	24	<10	1819	3
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	1	2	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
ICP-5	24.9	1.24	1511	183	0.6	69	2.35	14	20	180	2166	4.31	1	0.19	<10	1.35	672	6	0.08	124	662	2567	1.16	269	4	65	<5	0.08	<10	<10	67	53	1495	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1186-RA1

Sep-25-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment#16
Attn: Rick Kasum

We *hereby certify* the following assay of 22 core samples submitted Sep-09-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132582	0.16	1.0	3.5
132583	0.21	0.5	3.3
132584	0.10	0.8	3.1
132585	0.07	0.7	3.3
132586	0.07	0.7	3.0
132587	0.06	0.3	3.3
132588	0.02	0.2	3.5
132589	0.08	0.2	3.4
132590	0.03	0.2	3.4
132591	0.05	0.2	3.5
132592	0.09	0.8	3.4
132593	0.09	0.3	3.4
132594	0.49	8.9	3.4
132595	0.27	3.0	3.7
132596	0.15	0.9	3.4
132597	3.30	1.8	3.6
132598	0.45	1.7	3.6
132599	0.35	0.5	3.3
132600	0.29	0.6	
132601	0.15	1.2	3.1
132602	0.34	1.8	3.1
132603	0.29	1.4	3.4
*DUP 132582	0.16	1.2	
*DUP 132591	0.04	0.2	
*DUP 132601	0.15	1.0	
*0211	2.30		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1186-RA2

Sep-25-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment#16
Attn: Rick Kasum

We *hereby certify* the following assay of 22 core samples submitted Sep-09-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132604	0.23	1.0	3.3
132605	1.15	3.7	3.4
132606	0.19	2.3	3.6
132607	0.51	2.6	3.2
132608	0.23	1.4	3.7
132609	0.34	1.3	3.4
132610	0.09	1.7	3.7
132611	0.09	0.8	3.7
132612	0.19	1.7	3.3
132613	0.04	0.7	3.6
132614	0.02	0.5	3.2
132615	0.05	1.3	3.3
132616	0.01	0.6	3.4
132617	0.02	0.9	3.1
132618	0.04	0.6	3.4
132619	0.02	1.1	1.5
132620	<0.01	<0.1	0.7
132621	0.01	0.7	2.8
132622	0.03	1.0	2.9
132623	<0.01	1.2	3.3
132624	0.02	0.9	3.4
132625	0.01	1.0	2.9
*DUP 132604	0.21	1.1	
*DUP 132613	0.07	0.8	
*DUP 132623	<0.01	1.3	
*0211	2.15		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1186-RA3

Sep-25-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment#16
Attn: Rick Kasum

We *hereby certify* the following assay of 22 core samples submitted Sep-09-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132626	0.02	1.3	2.6
132627	0.01	0.7	3.8
132628	0.01	0.6	3.6
132629	<0.01	0.3	3.3
132630	<0.01	0.6	3.8
132631	0.01	1.1	3.9
132632	0.02	1.8	3.5
132633	<0.01	0.4	3.6
132634	<0.01	0.2	3.8
132635	<0.01	<0.1	3.0
132636	<0.01	<0.1	3.7
132637	<0.01	<0.1	3.7
132638	<0.01	0.5	3.4
132639	0.01	0.4	1.6
132640	3.54	1.5	
132641	<0.01	0.4	2.4
132642	0.01	<0.1	3.4
132643	<0.01	<0.1	3.4
132644	<0.01	<0.1	3.3
132645	0.01	0.4	3.9
132646	0.01	0.1	1.4
132647	0.01	<0.1	2.0
*DUP 132626	0.01	1.4	
*DUP 132635	<0.01	<0.1	
*DUP 132645	0.01	0.4	
*0211	2.15		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1186-RA4

Sep-25-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment#16
Attn: Rick Kasum

We *hereby certify* the following assay of 22 core samples submitted Sep-09-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132648	<0.01	0.1	3.2
132649	<0.01	<0.1	3.2
132650	<0.01	<0.1	3.4
132651	<0.01	<0.1	3.3
132652	<0.01	<0.1	3.4
132653	<0.01	<0.1	3.4
132654	<0.01	<0.1	3.4
132655	<0.01	<0.1	3.4
132656	<0.01	0.7	3.4
132657	<0.01	0.5	2.3
132658	<0.01	0.3	1.3
132659	<0.01	0.4	3.3
132660	0.28	0.6	
132661	<0.01	0.4	3.2
132662	<0.01	0.6	2.0
132663	<0.01	1.0	1.9
132664	0.05	3.8	2.7
132665	1.12	100.6	3.0
132666	<0.01	1.6	3.3
132667	0.11	1.3	3.4
132668	0.12	1.6	3.6
132669	0.08	1.8	1.7
*DUP 132648	<0.01	0.1	
*DUP 132657	<0.01	0.5	
*DUP 132667	0.12	1.3	
*0211	2.33		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1186-RA5

Sep-25-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment#16
Attn: Rick Kasum

We *hereby certify* the following assay of 22 core samples submitted Sep-09-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132670	1.51	7.2	1.5
132671	0.90	7.2	1.9
132672	0.31	4.8	1.8
132673	0.25	4.1	1.8
132674	0.27	9.9	1.8
132675	0.21	6.0	1.8
132676	0.27	7.9	1.7
132677	0.17	5.5	1.8
132678	0.18	4.3	1.8
132679	0.26	6.3	1.8
132680	<0.01	<0.1	0.8
132681	0.31	4.7	1.7
132682	0.67	4.4	1.7
132683	0.42	3.6	2.4
132684	0.13	1.7	1.3
132685	0.05	2.6	1.6
132686	0.01	1.8	1.5
132687	0.08	6.3	2.6
132688	0.03	0.9	1.6
132689	0.46	3.8	3.3
132690	0.17	1.9	3.3
132691	0.30	3.9	3.7
*DUP 132670	1.47	8.0	
*DUP 132679	0.26	6.9	
*DUP 132689	0.50	3.0	
*0211	2.29		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1186-RA6

Sep-25-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment#16
Attn: Rick Kasum

We *hereby certify* the following assay of 5 core samples submitted Sep-09-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132692	0.03	1.4	3.4
132693	0.18	3.6	3.4
132694	0.06	1.5	3.4
132695	0.08	3.4	3.5
132696	0.12	3.1	3.6
*DUP 132692	0.05	1.4	
*0211	2.29		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

*Certified by*_____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Rick Kasum

Project: Premier/Shipment#16

Sample type: core

Report No : **9V1186RJ**

Date : Sep-25-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132582	1.0	1.17	32	115	<0.5	21	3.84	18	11	26	13	4.38	2	0.23	<10	0.79	2104	<2	0.02	<1	1087	315	2.49	7	2	139	<5	<0.01	<10	<10	24	36	1546	2
132583	0.5	1.28	34	141	<0.5	20	5.75	4	11	18	9	4.47	2	0.25	<10	0.89	2101	<2	0.02	<1	1252	55	2.36	8	3	174	<5	<0.01	<10	<10	22	<10	251	2
132584	0.8	1.01	51	158	<0.5	19	7.28	12	10	21	6	4.34	2	0.27	<10	0.66	3152	<2	0.02	<1	1131	210	2.62	8	2	218	<5	<0.01	<10	11	22	12	983	2
132585	0.7	0.87	74	130	<0.5	21	4.99	3	14	23	13	4.28	1	0.35	<10	0.44	1578	7	0.02	<1	1317	27	3.22	10	2	170	<5	<0.01	<10	<10	14	<10	133	2
132586	0.7	0.96	203	153	<0.5	20	7.22	3	16	20	7	4.36	2	0.32	<10	0.54	1971	3	0.02	<1	1184	41	2.95	12	2	199	<5	<0.01	<10	<10	15	<10	133	2
132587	0.3	1.30	31	204	<0.5	19	7.69	4	10	20	5	4.39	2	0.31	<10	0.84	2676	<2	0.02	<1	1226	73	2.34	8	2	221	<5	<0.01	<10	<10	21	18	226	2
132588	0.2	1.24	34	150	<0.5	22	3.55	3	13	19	13	4.48	1	0.31	<10	0.79	2007	<2	0.02	<1	1347	18	2.51	9	3	137	<5	<0.01	<10	<10	23	<10	112	2
132589	0.2	1.21	51	92	<0.5	28	2.76	8	15	20	<1	5.30	1	0.34	<10	0.81	1963	<2	0.02	<1	1528	118	3.44	10	3	107	<5	<0.01	<10	10	25	<10	507	2
132590	0.2	1.60	28	208	<0.5	24	4.51	4	14	18	10	4.92	2	0.30	<10	1.06	2523	<2	0.03	<1	1430	59	2.32	9	4	162	<5	<0.01	<10	<10	38	13	208	2
132591	0.2	1.10	27	157	<0.5	18	5.08	3	10	35	9	3.90	1	0.24	<10	0.76	1826	<2	0.02	4	1162	54	2.16	11	2	149	<5	<0.01	<10	<10	24	<10	154	1
132592	0.8	1.64	23	168	<0.5	24	2.56	15	15	20	13	5.25	2	0.25	<10	1.35	2457	<2	0.02	<1	1360	425	2.20	9	3	113	<5	<0.01	<10	10	49	29	1204	2
132593	0.3	1.53	<5	376	<0.5	15	3.09	4	3	42	6	3.06	2	0.22	12	1.11	2842	<2	0.02	<1	1289	90	0.08	6	4	156	<5	<0.01	<10	<10	45	<10	294	2
132594	8.9	0.89	<5	188	<0.5	11	3.68	12	1	80	496	1.87	2	0.21	<10	0.64	2443	<2	0.01	<1	920	268	0.10	6	2	125	<5	<0.01	<10	<10	24	20	1144	1
132595	3.0	0.65	<5	147	<0.5	8	8.16	4	1	70	42	1.50	2	0.11	<10	0.50	3466	<2	0.01	<1	547	217	0.20	5	2	240	<5	<0.01	<10	<10	15	<10	399	1
132596	0.9	1.08	<5	166	<0.5	10	8.61	4	1	46	9	2.18	2	0.17	<10	0.70	3541	<2	0.01	<1	889	242	0.20	5	3	161	<5	<0.01	<10	<10	23	14	381	1
132597	1.8	0.77	<5	116	<0.5	6	5.30	11	1	94	31	1.55	2	0.15	<10	0.44	2793	<2	0.01	1	550	191	0.13	7	2	155	<5	<0.01	<10	<10	16	26	1125	1
132598	1.7	1.66	<5	198	<0.5	15	3.60	27	2	49	39	3.12	2	0.28	12	0.91	3461	<2	0.01	<1	1038	396	0.09	7	3	107	<5	0.01	<10	<10	34	46	2236	1
132599	0.5	1.39	<5	202	<0.5	11	2.60	3	1	49	7	2.50	2	0.31	13	0.67	3019	<2	0.01	<1	1109	50	0.06	6	3	84	<5	<0.01	<10	<10	25	13	288	1
132600	0.6	0.59	397	1510	0.5	15	0.71	4	7	49	32	3.33	2	0.12	17	0.36	468	5	0.01	31	1024	159	0.10	758	4	221	7	0.01	<10	<10	46	13	249	14
132601	1.2	1.24	98	229	<0.5	21	2.04	7	16	27	19	4.46	2	0.42	<10	0.53	2344	4	0.01	2	1389	98	2.55	12	3	57	<5	0.01	<10	<10	19	<10	441	3
132602	1.8	0.51	68	107	<0.5	15	5.75	5	10	86	7	3.37	2	0.16	<10	0.33	2982	<2	0.01	1	578	123	2.47	9	2	158	<5	<0.01	<10	<10	8	<10	390	1
132603	1.4	0.75	101	55	<0.5	30	3.21	11	14	98	11	5.55	2	0.12	<10	0.56	2423	<2	0.01	1	415	145	3.91	10	2	114	<5	<0.01	<10	17	13	22	824	2
132604	1.0	0.35	84	114	<0.5	14	7.72	5	8	92	<1	3.20	2	0.14	<10	0.21	2793	<2	0.01	1	309	37	2.38	7	1	182	<5	<0.01	<10	11	7	<10	348	1
132605	3.7	1.45	56	122	<0.5	26	2.58	30	14	50	78	4.98	2	0.28	<10	0.93	2715	3	0.01	2	964	767	2.29	9	2	85	<5	<0.01	<10	11	25	<10	2348	2
132606	2.3	0.44	177	52	<0.5	30	3.33	8	14	97	6	5.63	1	0.23	<10	0.21	1971	4	0.01	2	662	208	4.43	10	1	94	<5	<0.01	<10	13	9	<10	462	2
132607	2.6	1.98	83	104	<0.5	26	2.25	97	16	54	66	6.06	5	0.27	<10	1.24	3582	2	0.01	1	1073	803	2.31	10	3	80	<5	<0.01	<10	12	45	40	5211	2
132608	1.4	2.15	55	214	<0.5	25	4.39	20	20	28	37	5.52	3	0.30	<10	1.32	3523	<2	0.01	1	1303	641	1.38	9	4	142	<5	<0.01	<10	11	44	<10	1581	2
132609	1.3	1.84	40	200	<0.5	22	3.02	30	16	39	54	4.75	2	0.29	<10	1.11	2841	<2	0.01	2	1145	548	1.18	10	3	101	<5	<0.01	<10	<10	35	13	2517	2
132610	1.7	1.87	28	244	<0.5	22	5.34	7	16	24	54	5.03	2	0.31	<10	1.12	3002	<2	0.01	2	1229	334	1.28	9	3	145	<5	<0.01	<10	<10	28	<10	518	2
132611	0.8	1.70	19	195	<0.5	20	3.97	8	15	30	11	4.39	2	0.32	<10	1.01	2928	<2	0.01	2	1087	127	1.02	8	3	103	<5	<0.01	<10	<10	25	<10	629	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Rick Kasum

Project: Premier/Shipment#16

Sample type: core

Report No : **9V1186RJ**

Date : Sep-25-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132612	1.7	1.74	104	173	<0.5	21	5.90	8	16	33	61	4.70	3	0.28	<10	1.07	4032	<2	0.01	1	1106	131	1.04	9	4	148	<5	<0.01	<10	<10	31	<10	717	1
132613	0.7	1.86	20	184	<0.5	21	2.93	8	16	26	28	4.58	2	0.31	<10	1.42	2978	<2	0.01	2	1230	238	0.72	8	4	104	<5	<0.01	<10	<10	26	<10	688	2
132614	0.5	1.99	31	176	<0.5	24	3.60	14	17	22	21	5.15	2	0.32	<10	1.56	2900	<2	0.01	2	1219	285	0.96	7	4	119	<5	<0.01	<10	<10	30	<10	1124	2
132615	1.3	1.23	58	216	<0.5	21	3.20	8	16	32	17	4.59	2	0.36	<10	1.18	2787	6	0.01	2	1187	388	1.31	9	3	120	<5	<0.01	<10	<10	19	<10	629	2
132616	0.6	1.05	29	190	<0.5	22	3.35	4	17	20	20	4.79	2	0.37	<10	1.31	2871	4	0.01	2	1221	30	0.97	7	4	140	<5	<0.01	<10	<10	17	<10	145	1
132617	0.9	0.42	30	237	<0.5	13	3.40	4	12	31	21	3.25	1	0.39	<10	0.65	2205	<2	0.01	1	1263	71	0.72	5	3	160	<5	<0.01	<10	<10	7	<10	242	1
132618	0.6	0.47	21	134	<0.5	23	5.82	4	19	20	42	5.46	2	0.41	<10	1.17	3279	<2	0.01	<1	1818	167	0.86	7	4	290	<5	<0.01	<10	<10	9	<10	147	1
132619	1.1	0.32	23	213	<0.5	14	13.83	3	10	24	14	3.60	3	0.32	<10	0.51	4873	<2	0.01	<1	1149	34	0.99	6	2	1054	<5	<0.01	<10	11	4	<10	151	1
132620	<0.2	0.07	<5	14	<0.5	<5	>15.00	<1	1	4	<1	0.09	<1	0.02	<10	1.11	39	<2	0.01	1	60	<2	0.80	<5	<1		<5	<0.01	<10	17	2	<10	4	<1
132621	0.7	1.62	50	134	<0.5	16	1.48	2	11	44	5	3.67	1	0.29	10	1.30	1358	<2	0.02	1	1100	7	0.40	9	3	59	<5	<0.01	<10	<10	37	<10	83	2
132622	1.0	1.55	44	134	<0.5	17	2.08	2	11	46	7	4.07	1	0.30	<10	1.19	1653	<2	0.01	<1	1036	6	1.17	8	3	75	<5	<0.01	<10	<10	33	<10	76	2
132623	1.2	1.35	50	120	<0.5	15	2.01	2	11	36	8	3.74	1	0.30	<10	1.16	1555	<2	0.02	<1	1111	6	1.42	8	3	70	<5	<0.01	<10	<10	29	<10	76	2
132624	0.9	1.20	48	111	<0.5	13	4.01	2	9	40	6	3.17	1	0.30	<10	0.89	2281	<2	0.02	<1	996	4	1.22	7	2	144	<5	<0.01	<10	<10	21	<10	61	1
132625	1.0	1.47	50	146	<0.5	18	2.76	2	11	40	7	3.66	1	0.30	<10	1.27	2014	<2	0.02	<1	1157	5	1.22	7	3	99	<5	<0.01	<10	<10	32	<10	66	2
132626	1.3	1.38	58	118	<0.5	19	2.64	2	10	28	5	3.74	2	0.28	<10	1.04	1879	<2	0.02	<1	1017	8	1.42	9	3	83	<5	<0.01	<10	<10	32	<10	61	2
132627	0.7	1.51	39	114	<0.5	16	2.92	2	10	33	8	3.63	2	0.29	<10	1.08	1981	<2	0.02	<1	1039	6	1.05	7	3	103	<5	<0.01	<10	<10	33	<10	73	1
132628	0.6	1.45	32	158	<0.5	17	3.55	2	10	27	9	3.32	2	0.34	11	0.96	2125	<2	0.02	<1	1037	3	1.03	6	3	147	<5	<0.01	<10	<10	30	<10	67	1
132629	0.3	1.65	46	119	<0.5	16	3.14	2	11	25	10	3.53	1	0.37	<10	1.12	1927	<2	0.02	<1	1124	2	0.83	7	3	141	<5	<0.01	<10	<10	33	<10	73	2
132630	0.6	1.28	37	366	<0.5	13	4.91	1	9	27	10	2.79	2	0.35	<10	0.81	2335	<2	0.02	<1	925	2	0.81	7	3	184	<5	<0.01	<10	<10	25	<10	58	1
132631	1.1	1.39	53	113	<0.5	12	3.23	2	9	37	8	3.02	1	0.32	<10	0.94	1991	<2	0.02	<1	936	3	0.71	8	3	156	<5	<0.01	<10	<10	27	<10	60	2
132632	1.8	1.57	70	115	<0.5	15	2.40	2	11	36	16	3.55	1	0.32	<10	1.12	1891	<2	0.02	<1	1069	4	0.79	8	3	150	<5	<0.01	<10	<10	32	<10	68	2
132633	0.4	1.72	22	191	<0.5	18	3.20	2	11	24	8	3.89	1	0.34	10	1.23	2214	<2	0.02	<1	1149	2	0.95	7	4	113	<5	<0.01	<10	<10	43	<10	71	2
132634	0.2	1.65	19	272	<0.5	16	3.72	2	10	23	7	3.59	2	0.35	10	1.17	2274	<2	0.02	<1	1091	2	0.77	7	4	132	<5	<0.01	<10	<10	45	<10	75	2
132635	<0.2	1.96	18	155	<0.5	18	3.21	2	11	24	2	4.03	1	0.33	12	1.42	1819	<2	0.02	<1	1212	3	0.39	7	4	130	<5	<0.01	<10	<10	55	<10	82	2
132636	<0.2	1.91	20	115	<0.5	19	3.04	2	11	23	3	4.00	1	0.32	12	1.32	1821	<2	0.02	<1	1197	4	0.23	8	4	144	<5	<0.01	<10	<10	54	<10	87	2
132637	<0.2	1.99	33	117	<0.5	19	2.68	2	12	26	<1	4.16	1	0.31	13	1.46	1694	<2	0.02	<1	1173	3	0.23	7	4	114	<5	<0.01	<10	<10	54	<10	86	2
132638	0.5	1.83	294	141	<0.5	18	3.17	2	11	22	4	3.83	1	0.38	12	1.32	2010	<2	0.02	<1	1258	6	0.65	7	3	109	<5	<0.01	<10	<10	48	<10	82	2
132639	0.4	1.79	42	134	<0.5	17	3.38	2	11	25	17	3.80	1	0.30	10	1.38	2267	<2	0.01	<1	1137	7	0.56	6	4	109	<5	<0.01	<10	<10	52	<10	83	2
132640	1.5	1.39	5984	75	<0.5	170	6.06	1	110	36	282	4.64	1	0.20	10	0.46	818	28	0.06	62	803	17	0.90	20	3	61	<5	0.11	<10	<10	50	14	76	11
132641	0.4	1.61	40	255	<0.5	16	3.00	2	10	28	10	3.66	1	0.31	10	1.17	1830	<2	0.01	<1	1118	5	0.76	6	3	206	<5	<0.01	<10	<10	34	<10	73	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Rick Kasum

Project: Premier/Shipment#16

Sample type: core

Report No : 9V1186RJ

Date : Sep-25-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132642	<0.2	1.90	37	132	<0.5	17	3.17	2	12	26	5	3.88	1	0.31	11	1.36	1694	<2	0.03	<1	1203	7	0.34	7	4	177	<5	<0.01	<10	<10	50	<10	89	2
132643	<0.2	2.00	18	149	<0.5	18	2.72	2	12	24	6	4.20	1	0.32	13	1.43	1520	<2	0.03	<1	1199	7	0.19	6	4	149	<5	<0.01	<10	<10	52	<10	94	2
132644	<0.2	2.07	33	146	<0.5	19	2.37	3	13	31	<1	4.40	1	0.29	12	1.56	1605	<2	0.03	<1	1268	6	0.25	7	4	134	<5	<0.01	<10	<10	55	<10	93	2
132645	0.4	1.82	18	141	<0.5	17	3.25	2	11	24	16	3.90	1	0.30	10	1.32	1988	<2	0.03	<1	1204	4	0.46	8	3	276	<5	<0.01	<10	<10	40	<10	79	2
132646	<0.2	1.76	13	98	<0.5	18	3.14	2	11	26	6	3.83	2	0.24	<10	1.31	2201	<2	0.02	<1	1047	3	0.35	7	3	259	<5	<0.01	<10	<10	42	<10	73	1
132647	<0.2	1.93	21	181	<0.5	19	2.13	3	12	21	2	4.23	1	0.34	<10	1.38	1780	<2	0.02	<1	1266	3	0.59	6	3	123	<5	<0.01	<10	<10	43	<10	88	2
132648	<0.2	1.64	31	185	<0.5	17	3.19	2	10	41	5	3.74	1	0.28	<10	1.17	1892	<2	0.03	1	1017	4	0.76	8	3	148	<5	<0.01	<10	<10	39	<10	71	2
132649	<0.2	1.86	36	201	<0.5	18	2.66	2	11	34	11	3.94	1	0.30	10	1.33	1981	<2	0.03	<1	1051	2	0.46	6	4	77	<5	<0.01	<10	<10	49	<10	77	2
132650	<0.2	1.91	18	169	<0.5	17	3.34	2	11	33	<1	3.83	1	0.31	11	1.23	2174	<2	0.03	<1	1096	3	0.30	7	3	190	<5	<0.01	<10	<10	45	<10	80	2
132651	<0.2	1.79	20	235	<0.5	17	3.32	2	10	28	<1	3.63	1	0.34	<10	1.12	2039	<2	0.03	<1	1044	3	0.47	6	3	215	<5	<0.01	<10	<10	35	<10	70	2
132652	<0.2	1.60	31	128	<0.5	16	2.95	2	10	39	1	3.46	1	0.29	<10	1.04	1836	<2	0.02	1	1066	5	0.57	6	2	205	<5	<0.01	<10	<10	33	<10	72	1
132653	<0.2	1.91	31	128	<0.5	18	2.88	2	11	27	<1	3.90	1	0.28	10	1.24	1531	<2	0.03	<1	1038	4	0.30	7	4	121	<5	0.01	<10	<10	44	<10	76	2
132654	<0.2	1.72	58	133	<0.5	17	2.87	2	11	27	12	3.51	1	0.29	10	1.09	1410	<2	0.03	<1	1057	6	0.27	7	3	139	<5	<0.01	<10	<10	40	<10	76	1
132655	<0.2	1.77	18	154	<0.5	17	3.27	2	11	22	10	3.65	1	0.34	11	1.08	2002	<2	0.02	<1	1049	3	0.35	7	3	140	<5	<0.01	<10	<10	31	<10	77	2
132656	0.7	1.30	30	133	<0.5	15	4.53	2	9	40	18	3.12	1	0.29	10	0.82	2398	<2	0.02	1	907	12	0.52	7	2	331	<5	<0.01	<10	<10	20	<10	73	1
132657	0.5	1.31	29	141	<0.5	16	4.60	2	11	29	9	3.39	1	0.34	11	0.97	2421	<2	0.02	<1	1043	7	0.39	6	3	306	<5	<0.01	<10	<10	20	<10	77	2
132658	0.3	1.55	23	133	<0.5	16	2.41	2	10	41	8	3.40	1	0.30	10	1.03	1640	<2	0.02	1	1024	4	0.28	7	2	123	<5	<0.01	<10	<10	22	<10	66	1
132659	0.4	1.54	27	135	<0.5	15	4.07	2	10	30	9	3.23	1	0.30	<10	0.88	2261	<2	0.02	<1	965	4	0.46	6	2	310	<5	<0.01	<10	<10	21	<10	67	1
132660	0.6	0.57	676	1417	<0.5	16	0.70	4	8	53	33	3.63	2	0.14	14	0.35	488	6	0.01	34	842	151	0.22	615	4	203	6	<0.01	<10	<10	51	<10	244	12
132661	0.4	1.74	35	194	<0.5	17	2.41	2	12	21	12	3.98	1	0.33	10	1.13	1756	<2	0.02	<1	1121	6	0.39	8	2	136	<5	<0.01	<10	<10	21	<10	83	1
132662	0.6	1.68	21	171	<0.5	19	2.39	2	14	24	7	3.97	1	0.36	10	1.07	1754	<2	0.02	1	1266	6	0.34	7	3	143	<5	<0.01	<10	<10	19	11	93	2
132663	1.0	0.28	7	102	<0.5	<5	14.92	<1	1	96	<1	1.11	4	0.06	14	0.26	5737	2	0.01	2	166	<2	0.41	5	2	1754	<5	<0.01	<10	<10	1	<10	18	<1
132664	3.8	0.60	221	153	<0.5	14	3.45	2	9	35	9	2.90	1	0.34	<10	0.34	1729	<2	0.01	1	1311	19	1.69	7	1	263	<5	<0.01	<10	<10	4	<10	81	1
132665	100.6	1.02	162	181	<0.5	16	1.74	6	12	31	9	3.76	2	0.37	<10	0.56	1324	<2	0.01	1	1375	103	1.52	17	1	94	<5	<0.01	<10	<10	9	11	690	2
132666	1.6	0.80	40	210	<0.5	15	2.63	2	11	27	7	3.57	1	0.34	<10	0.62	1836	<2	0.01	<1	1329	13	1.05	7	2	157	<5	<0.01	<10	<10	10	<10	84	2
132667	1.3	0.58	36	174	<0.5	14	3.13	2	9	65	3	2.88	1	0.30	<10	0.33	1606	2	0.01	1	1091	15	1.61	7	1	236	<5	<0.01	<10	<10	6	<10	79	2
132668	1.6	0.70	83	201	<0.5	13	2.72	3	11	38	24	3.12	1	0.33	<10	0.49	1927	<2	0.01	2	1043	52	0.98	6	2	204	<5	<0.01	<10	<10	11	<10	132	1
132669	1.8	1.41	87	187	<0.5	16	4.23	2	12	26	44	3.79	2	0.27	<10	0.59	3483	<2	0.01	1	924	27	0.77	6	2	163	<5	<0.01	<10	<10	19	<10	126	1
132670	7.2	1.16	147	180	<0.5	16	6.16	44	9	21	97	3.78	6	0.28	<10	0.46	3854	2	0.01	<1	884	1619	1.76	9	2	223	<5	<0.01	<10	<10	17	96	3814	1
132671	7.2	1.26	244	150	<0.5	25	3.77	32	12	23	113	4.95	3	0.28	<10	0.52	3008	<2	0.01	<1	963	825	2.65	9	2	119	<5	<0.01	<10	<10	20	76	3030	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Rick Kasum

Project: Premier/Shipment#16

Sample type: core

Report No : **9V1186RJ**

Date : Sep-25-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132672	4.8	1.17	282	166	<0.5	20	3.36	7	10	36	58	4.02	2	0.25	<10	0.49	2825	<2	0.01	1	842	312	1.70	9	2	124	<5	<0.01	<10	<10	20	13	626	2
132673	4.1	0.87	112	178	<0.5	13	5.53	9	9	29	38	3.09	3	0.26	<10	0.40	3444	<2	0.01	1	941	316	1.55	5	2	219	<5	<0.01	<10	<10	15	<10	862	1
132674	9.9	1.05	214	162	<0.5	15	8.98	5	12	33	37	3.47	3	0.26	10	0.84	4152	<2	0.02	9	1368	337	1.39	6	3	410	<5	<0.01	<10	<10	20	11	632	2
132675	6.0	0.50	157	122	<0.5	9	8.66	6	7	43	23	2.33	3	0.17	<10	0.28	3455	2	0.01	1	590	280	1.53	7	1	469	<5	<0.01	<10	<10	8	16	716	1
132676	7.9	0.64	103	138	<0.5	16	4.81	5	10	42	12	3.68	2	0.22	<10	0.38	2529	2	0.01	1	931	244	2.40	11	1	282	<5	<0.01	<10	<10	9	11	374	1
132677	5.5	0.57	77	131	<0.5	10	8.67	3	9	32	10	2.54	3	0.21	<10	0.31	4202	7	0.01	1	713	184	1.70	8	1	423	<5	<0.01	<10	<10	8	<10	235	1
132678	4.3	0.48	138	105	<0.5	9	7.67	5	6	77	15	2.34	3	0.12	<10	0.31	3760	3	0.01	1	441	465	1.45	6	1	463	<5	<0.01	<10	<10	7	14	565	1
132679	6.3	0.48	167	151	<0.5	11	5.36	6	8	57	16	2.76	2	0.19	<10	0.32	2909	4	0.01	1	663	696	1.84	8	1	268	<5	<0.01	<10	<10	8	<10	534	1
132680	<0.2	0.01	<5	<10	<0.5	<5	>15.00	<1	1	4	<1	0.04	<1	0.01	<10	2.79	48	<2	0.01	1	112	<2	0.75	<5	<1	4156	<5	<0.01	<10	18	1	<10	4	<1
132681	4.7	0.98	97	169	<0.5	15	6.23	13	11	26	7	3.51	3	0.25	<10	0.62	3342	3	0.01	1	951	310	1.91	7	2	347	<5	<0.01	<10	<10	13	18	1222	1
132682	4.4	0.83	156	143	<0.5	14	7.05	4	10	41	7	3.22	2	0.21	<10	0.55	3668	4	0.01	1	849	153	1.80	7	2	308	<5	<0.01	<10	<10	12	<10	344	1
132683	3.6	0.53	87	141	<0.5	9	4.20	4	7	59	16	2.18	2	0.19	<10	0.31	2942	3	0.01	1	576	168	1.21	7	1	227	<5	<0.01	<10	<10	9	<10	456	1
132684	1.7	2.05	183	174	<0.5	21	1.50	4	15	50	47	4.84	2	0.23	<10	1.40	3095	<2	0.01	1	1193	57	0.61	9	3	66	<5	<0.01	<10	<10	50	<10	214	1
132685	2.6	2.25	156	209	<0.5	26	2.74	5	19	25	43	5.32	3	0.32	<10	1.58	4372	<2	0.01	<1	1307	150	0.76	12	5	134	<5	<0.01	<10	<10	48	<10	348	2
132686	1.8	2.02	59	186	<0.5	23	2.29	4	19	23	39	4.88	2	0.34	<10	1.27	3577	<2	0.01	<1	1343	34	0.90	11	5	94	<5	<0.01	<10	<10	43	<10	179	2
132687	6.3	2.33	328	210	<0.5	22	2.62	45	15	23	105	5.00	5	0.31	<10	1.48	4241	<2	0.01	<1	1272	1046	0.86	10	5	113	<5	<0.01	<10	<10	49	85	3404	1
132688	0.9	2.52	174	280	<0.5	26	1.24	4	17	23	23	5.03	3	0.30	<10	1.72	3404	<2	0.01	<1	1462	38	0.39	9	5	55	<5	<0.01	<10	<10	50	<10	229	1
132689	3.8	1.83	114	193	<0.5	21	3.81	5	15	20	112	4.37	3	0.31	<10	1.14	3971	<2	0.01	<1	1115	183	1.27	9	4	115	<5	0.01	<10	<10	39	11	411	1
132690	1.9	1.91	40	190	<0.5	22	2.10	3	18	22	59	4.70	3	0.30	<10	1.27	3847	<2	0.01	<1	1290	16	1.29	9	4	71	<5	0.01	<10	<10	41	<10	131	2
132691	3.9	1.61	39	191	<0.5	17	5.16	6	13	28	158	3.58	3	0.26	10	1.01	4322	<2	0.01	<1	1001	58	0.86	7	4	126	<5	0.01	<10	<10	41	11	643	1
132692	1.4	2.57	62	202	<0.5	27	1.57	4	20	23	56	5.45	3	0.31	10	1.55	4110	<2	0.01	1	1358	13	0.71	11	6	61	<5	0.02	<10	<10	62	<10	150	2
132693	3.6	2.30	134	194	<0.5	27	2.53	9	18	26	123	5.39	3	0.31	<10	1.42	3967	<2	0.01	<1	1213	216	1.19	11	5	88	<5	0.01	<10	<10	54	16	742	2
132694	1.5	2.43	135	187	<0.5	26	3.01	3	18	22	40	5.71	3	0.31	<10	1.56	3858	<2	0.01	<1	1249	11	1.16	10	5	102	<5	0.01	<10	<10	54	12	114	2
132695	3.4	2.04	41	201	<0.5	20	3.52	3	16	16	103	4.28	3	0.30	<10	1.28	4017	<2	0.01	<1	1252	19	0.64	9	5	119	<5	0.01	<10	<10	48	<10	119	1
132696	3.1	1.79	45	196	<0.5	19	3.16	2	14	24	119	4.12	2	0.29	<10	1.06	3847	<2	0.01	1	1190	13	0.89	9	4	116	<5	0.01	<10	<10	45	<10	105	1
Duplicates:																																		
132582	1.2	1.32	36	130	<0.5	23	4.25	20	12	30	14	4.78	2	0.28	<10	0.86	2278	<2	0.02	<1	1162	339	2.67	8	3	152	<5	<0.01	<10	<10	28	26	1676	2
132591	0.2	1.27	27	182	<0.5	19	5.63	3	11	37	11	4.34	1	0.28	<10	0.83	1967	<2	0.02	4	1190	56	2.15	13	3	174	<5	<0.01	<10	<10	26	<10	175	2
132601	1.0	1.13	89	239	<0.5	20	1.96	6	16	26	19	4.33	1	0.35	<10	0.50	2123	4	0.01	1	1273	90	2.31	9	2	58	<5	<0.01	<10	<10	16	<10	393	1
132604	1.1	0.38	85	83	<0.5	14	8.26	5	8	100	<1	3.42	2	0.15	<10	0.23	2887	2	0.01	1	326	38	2.62	7	1	188	<5	<0.01	<10	11	8	<10	352	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Rick Kasum
Project: Premier/Shipment#16
Sample type: core

Report No : **9V1186RJ**
Date : Sep-25-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132613	0.8	2.02	21	209	<0.5	23	3.19	9	18	29	29	4.89	2	0.36	<10	1.54	3273	<2	0.01	3	1349	269	0.76	9	4	117	<5	<0.01	<10	<10	29	<10	732	2
132623	1.3	1.44	50	128	<0.5	16	2.03	2	10	36	9	3.79	1	0.33	<10	1.17	1584	<2	0.02	<1	1074	6	1.39	8	3	76	<5	<0.01	<10	<10	31	<10	77	2
132626	1.4	1.36	58	117	<0.5	16	2.63	2	10	28	5	3.74	1	0.28	<10	1.05	1888	<2	0.02	<1	989	7	1.42	8	3	82	<5	<0.01	<10	<10	31	<10	59	2
132635	<0.2	1.73	17	136	<0.5	17	2.95	2	10	22	2	3.70	1	0.29	10	1.29	1663	<2	0.02	<1	1077	2	0.35	6	4	117	<5	<0.01	<10	<10	49	<10	75	2
132645	0.4	1.80	18	139	<0.5	15	3.26	2	11	24	16	3.87	2	0.29	<10	1.34	1980	<2	0.03	<1	1166	4	0.46	8	3	275	<5	<0.01	<10	<10	40	<10	80	2
132648	<0.2	1.62	33	198	<0.5	17	3.20	2	11	42	4	3.74	1	0.30	<10	1.17	2002	<2	0.02	<1	1122	4	0.82	7	3	156	<5	<0.01	<10	<10	41	<10	74	2
132657	0.5	1.23	30	134	<0.5	15	4.50	2	10	27	7	3.27	1	0.30	10	0.95	2296	<2	0.02	<1	1012	6	0.36	6	3	300	<5	<0.01	<10	<10	19	<10	74	1
132667	1.3	0.59	36	169	<0.5	13	3.12	2	9	62	3	2.86	1	0.31	<10	0.33	1620	2	0.01	1	1073	14	1.61	7	1	238	<5	<0.01	<10	<10	6	<10	80	2
132670	8.0	1.11	143	179	<0.5	14	5.97	43	9	20	91	3.66	5	0.28	<10	0.44	3698	2	0.01	<1	844	1569	1.70	10	1	213	<5	<0.01	<10	<10	16	101	3711	1
132679	6.9	0.47	170	145	<0.5	11	5.50	6	8	56	16	2.80	2	0.17	<10	0.32	2893	4	0.01	1	696	705	1.87	8	1	270	<5	<0.01	<10	<10	7	10	546	1
132689	3.0	1.97	116	202	<0.5	22	3.94	5	15	21	121	4.58	3	0.33	<10	1.17	4304	<2	0.01	<1	1131	179	1.30	8	4	120	<5	0.01	<10	<10	41	10	429	1
132692	1.4	2.58	58	169	<0.5	26	1.68	3	20	21	58	5.79	2	0.24	<10	1.67	3972	<2	0.01	1	1315	14	0.70	10	5	57	<5	0.01	<10	<10	58	<10	150	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.6	1.79	11	289	0.6	23	0.55	4	30	105	2079	4.86	<1	1.35	13	1.24	333	2	0.05	54	632	13	0.57	12	7	7	<5	0.20	<10	<10	74	<10	222	9

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1187-RA1

Sep-22-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment#16
Attn: Leif Bjornson

We *hereby certify* the following assay of 11 rock samples submitted Sep-09-09

Sample Name	Au g/tonne	Ag g/tonne	Ag g/tonne	Pb %	Sample-Wt Kg
139961	<0.01	3.8			1.0
139962	0.02	6.4			1.3
139963	0.04	5.2			1.5
139964	1.51	37.9			1.9
139965	0.25	8.9			2.0
139966	0.70	161.9			1.8
139967	1.50	>200.0	5601	2.04	1.9
139968	1.41	>200.0	6321		2.7
139969	0.75	>200.0	246.3		2.3
139970	0.54	>200.0	504.9		1.3
139971	0.15	6.5			2.5
*DUP 139961	<0.01	4.1			
*DUP 139970	0.56	>200.0			
*AC 0501	8.37				
*SE-1			671.3	1.85	
*BLANK	<0.01		<0.1	<0.01	

Au F.A. AA finish. Ag read from ICP solution. Over limit Ag,Pb 4acid digest/A.A

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Leif Bjornson

Project: Premier/Shipment#16

Sample type: rock

Report No : **9V1187RJ**

Date : Sep-22-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
139961	3.8	0.33	49	114	<0.5	16	0.38	3	9	22	9	3.68	3	0.28	<10	0.03	157	5	0.01	<1	1202	52	2.59	8	1	12	<5	<0.01	<10	<10	8	<10	120	2
139962	6.4	0.30	276	73	<0.5	27	2.18	6	10	54	49	6.04	2	0.24	<10	0.04	952	3	0.01	<1	1251	114	4.26	13	1	69	<5	<0.01	<10	11	7	<10	339	2
139963	5.2	0.29	235	84	<0.5	21	3.41	5	10	51	31	4.69	2	0.22	<10	0.03	1002	3	0.01	<1	969	89	3.90	16	1	94	<5	<0.01	<10	<10	6	<10	386	2
139964	37.9	0.18	341	72	<0.5	19	1.28	53	5	150	207	4.75	17	0.14	<10	0.03	560	2	0.01	1	452	1847	4.15	60	<1	68	<5	<0.01	<10	<10	3	<10	4459	2
139965	8.9	0.19	190	134	<0.5	13	7.20	6	6	69	16	3.50	4	0.18	<10	0.03	2680	5	0.01	1	729	212	3.01	13	1	383	<5	<0.01	<10	12	3	<10	580	1
139966	161.9	0.18	338	156	<0.5	14	0.16	3	2	131	87	3.49	2	0.16	<10	0.02	558	<2	0.01	1	457	475	0.30	38	<1	5	<5	<0.01	<10	<10	3	<10	218	1
139967	>200.0	0.16	573	125	<0.5	21	0.04	136	2	121	1018	5.74	29	0.16	<10	0.03	90	<2	0.01	<1	443	>10000	1.91	1808	<1	8	<5	<0.01	<10	<10	2	<10	6812	1
139968	>200.0	0.11	1091	47	<0.5	52	0.02	104	2	131	930	11.83	33	0.13	<10	0.04	493	<2	0.01	<1	254	9887	4.40	1014	<1	8	<5	<0.01	<10	27	<1	15	6399	3
139969	>200.0	0.16	414	95	<0.5	12	0.02	10	2	171	46	2.99	1	0.10	<10	0.05	76	<2	0.01	3	156	1174	1.82	33	<1	1	<5	<0.01	<10	<10	3	<10	1203	1
139970	>200.0	0.27	368	184	<0.5	13	0.04	9	2	189	55	3.17	2	0.14	<10	0.10	163	<2	0.01	2	312	1605	1.13	58	<1	5	<5	<0.01	<10	<10	6	<10	1089	1
139971	6.5	0.98	341	174	<0.5	20	0.17	3	7	70	12	4.55	1	0.28	<10	0.39	660	7	0.01	<1	1290	65	1.11	15	2	6	<5	<0.01	<10	<10	29	<10	113	2
Duplicates:																																		
139961	4.1	0.33	52	115	<0.5	16	0.40	3	9	23	9	3.86	3	0.29	<10	0.03	162	5	0.01	<1	1221	57	2.74	7	1	12	<5	<0.01	<10	<10	8	<10	131	1
139970	>200.0	0.28	382	193	<0.5	13	0.04	10	2	194	56	3.23	2	0.14	<10	0.10	166	<2	0.01	2	309	1659	1.15	57	<1	5	<5	<0.01	<10	<10	6	<10	1108	1
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	1	<1
CH-4	1.6	1.73	13	311	0.8	22	0.63	4	30	114	2048	4.98	<1	1.37	13	1.23	342	2	0.05	57	696	16	0.59	13	7	8	<5	0.21	<10	<10	81	<10	228	12

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95ºC for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1207-RA1

Sep-24-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment#17
Attn: Leif Bjornson

We *hereby certify* the following assay of 22 core samples submitted Sep-11-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132696 N.S			
132697	0.08	1.9	3.3
132698	0.01	1.0	3.4
132699	0.03	1.6	3.3
132700	3.61	1.4	
132701	0.09	2.1	3.7
132702	0.09	1.3	3.4
132703	0.11	0.5	3.4
132704	0.32	1.4	3.5
132705	0.03	1.0	3.4
132706	0.07	1.9	3.4
132707	0.04	0.8	1.9
132708	0.03	0.8	1.3
132709	0.09	0.7	1.6
132710	0.29	0.8	1.5
132711	0.06	0.9	0.8
132712	0.03	0.6	1.5
132713	0.05	1.1	1.7
132714	0.04	2.3	2.4
132715	0.02	0.8	3.1
132716	0.02	0.8	3.4
132717	0.05	2.1	3.4
*DUP 132697	0.10	1.7	
*DUP 132705	0.04	1.2	
*DUP 132715	<0.01	0.8	
*0211	2.24		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1207-RA2

Sep-24-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment#17
Attn: Leif Bjornson

We *hereby certify* the following assay of 22 core samples submitted Sep-11-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132718	0.02	1.4	3.4
132719	0.04	0.6	3.1
132720	0.37	0.7	
132721	0.35	3.5	3.4
132722	<0.01	1.6	3.4
132723	<0.01	0.2	3.3
132724	<0.01	0.3	3.4
132725	<0.01	0.9	2.8
132726	0.04	<0.1	3.3
132727	<0.01	0.1	3.0
132728	0.17	0.5	3.4
132729	0.28	0.6	3.5
132730	1.13	1.2	3.5
132731	0.05	1.1	3.7
132732	0.12	0.5	3.8
132733	0.08	1.0	3.3
132734	0.13	2.1	3.2
132735	0.56	2.0	3.2
132736	0.05	1.9	3.3
132737	0.03	0.5	3.4
132738	<0.01	0.7	2.6
132739	<0.01	0.2	3.2
*DUP 132718	<0.01	1.4	
*DUP 132727	<0.01	0.2	
*DUP 132737	<0.01	0.5	
*0211	2.00		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1207-RA3

Sep-24-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment#17
Attn: Leif Bjornson

We *hereby certify* the following assay of 22 core samples submitted Sep-11-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132740	<0.01	0.3	3.1
132741	0.03	0.9	3.0
132742	1.91	0.2	3.4
132743	0.08	0.7	3.3
132744	0.05	0.6	3.1
132745	0.02	0.3	2.8
132746	0.05	0.5	2.9
132747	0.04	<0.1	3.1
132748	0.25	3.1	3.9
132749	0.46	2.6	3.1
132750	0.03	0.2	3.5
132751	0.08	2.7	3.3
132752	<0.01	0.4	3.2
132753	<0.01	<0.1	3.5
132754	<0.01	<0.1	3.4
132755	<0.01	0.3	3.5
132756	0.01	0.7	2.5
132757	0.03	11.4	2.4
132758	0.01	5.5	1.7
132759	0.01	3.8	1.5
132760	<0.01	<0.1	
132761	0.02	7.0	1.6
*DUP 132740	<0.01	0.3	
*DUP 132749	0.48	2.7	
*DUP 132759	0.01	3.8	
*0211	2.25		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1207-RA4

Sep-24-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment#17
Attn: Leif Bjornson

We *hereby certify* the following assay of 22 core samples submitted Sep-11-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132762	0.30	24.9	1.5
132763	0.02	28.6	1.3
132764	0.03	14.3	2.0
132765	0.04	15.6	1.7
132766	0.07	11.6	1.6
132767	0.05	14.4	2.5
132768	0.04	22.9	1.6
132769	0.01	5.0	2.9
132770	0.18	5.4	1.5
132771	0.01	1.7	1.4
132772	<0.01	0.6	2.3
132773	<0.01	0.6	3.4
132774	<0.01	0.6	3.0
132775	<0.01	0.3	3.4
132776	<0.01	0.5	3.1
132777	<0.01	0.4	3.3
132778	0.01	0.5	3.6
132779	<0.01	0.4	3.1
132780	3.59	1.5	
132781	<0.01	0.5	3.4
132782	<0.01	0.5	3.4
132783	0.02	0.5	2.6
*DUP 132762	0.26	23.8	
*DUP 132771	<0.01	1.7	
*DUP 132781	<0.01	0.5	
*0211	2.25		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1207-RA5

Sep-24-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment#17
Attn: Leif Bjornson

We *hereby certify* the following assay of 22 core samples submitted Sep-11-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132784	0.03	0.3	2.6
132785	0.01	0.6	3.3
132786	<0.01	0.6	1.5
132787	<0.01	0.5	1.9
132788	0.03	0.6	2.0
132789	0.01	0.5	3.1
132790	0.01	0.2	3.3
132791	0.02	0.6	2.4
132792	0.02	0.5	1.5
132793	0.01	0.5	1.6
132794	0.45	1.6	0.5
132795	0.01	0.4	1.4
132796	<0.01	0.3	1.7
132797	0.01	0.4	3.2
132798	<0.01	0.6	3.0
132799	<0.01	0.5	3.2
132800	0.29	0.7	
132801	<0.01	0.4	3.2
132802	0.02	1.7	2.4
132803	<0.01	2.4	1.4
132804	0.01	2.9	1.5
132805	0.26	3.0	1.9
*DUP 132784	<0.01	0.3	
*DUP 132793	<0.01	0.5	
*DUP 132803	<0.01	2.3	
*0211	2.16		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1207-RA6

Sep-24-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment#17
Attn: Leif Bjornson

We *hereby certify* the following assay of 3 core samples submitted Sep-11-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132806	0.08	4.3	2.7
132807	0.01	3.0	2.6
132808	0.01	4.0	2.9
*DUP 132806	0.07	4.0	
*0211	2.19		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Leif Bjornson

Project: Premier/Shipment#17

Sample type: core

Report No : **9V1207RJ**

Date : Sep-24-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132697	1.9	2.45	56	226	<0.5	23	3.84	3	19	20	64	5.34	3	0.33	<10	1.63	4605	<2	0.02	<1	1462	15	0.88	10	6	138	<5	0.02	<10	<10	54	<10	137	2
132698	1.0	2.42	27	211	<0.5	23	3.56	3	19	25	27	5.44	3	0.30	<10	1.69	4532	<2	0.02	<1	1469	9	0.89	10	5	112	<5	0.02	<10	<10	52	<10	125	2
132699	1.6	2.62	43	241	<0.5	27	2.04	4	19	24	70	5.94	2	0.35	10	1.70	3671	<2	0.01	<1	1534	10	0.83	11	5	66	<5	0.02	<10	<10	53	<10	131	2
132700	1.4	1.43	6624	81	<0.5	166	6.47	1	111	38	303	4.96	<1	0.21	10	0.51	849	31	0.06	67	843	19	0.95	20	3	61	5	0.12	<10	<10	51	<10	85	12
132701	2.1	2.51	100	260	<0.5	23	1.80	3	17	23	53	5.66	2	0.35	11	1.58	3323	<2	0.01	<1	1644	14	0.63	13	5	64	<5	0.01	<10	<10	59	<10	145	2
132702	1.3	2.37	94	220	<0.5	24	3.12	4	16	21	47	5.81	3	0.33	<10	1.59	4359	<2	0.01	<1	1525	24	1.34	11	5	113	<5	0.01	<10	<10	62	<10	146	2
132703	0.5	1.68	20	122	<0.5	24	2.44	4	18	22	13	5.77	2	0.34	<10	1.01	3094	<2	0.02	<1	1480	33	2.83	10	4	87	<5	0.01	<10	<10	43	<10	157	2
132704	1.4	2.24	101	260	<0.5	22	4.18	4	16	21	44	5.44	2	0.33	<10	1.35	4362	<2	0.01	<1	1340	22	1.15	12	5	128	<5	0.01	<10	10	55	<10	163	2
132705	1.0	2.00	44	264	<0.5	22	2.52	3	17	23	24	4.90	2	0.39	<10	1.19	3076	<2	0.01	<1	1315	15	1.15	11	5	70	<5	0.02	<10	<10	56	<10	128	2
132706	1.9	2.38	19	348	<0.5	20	7.29	3	16	16	113	4.47	3	0.55	12	1.32	5789	<2	0.04	<1	1407	10	0.47	11	7	220	<5	0.09	<10	<10	80	<10	118	2
132707	0.8	2.70	23	225	<0.5	26	4.48	4	19	16	46	5.97	4	0.37	10	1.71	4996	<2	0.01	<1	1574	7	0.62	12	5	218	<5	0.04	<10	<10	64	<10	143	2
132708	0.8	1.17	14	151	<0.5	15	4.30	2	11	95	4	3.48	2	0.22	<10	0.83	4283	<2	0.01	1	788	19	1.13	10	3	395	<5	0.04	<10	<10	28	<10	115	2
132709	0.7	1.87	43	242	<0.5	25	2.66	6	19	33	23	5.99	2	0.44	<10	1.45	3561	<2	0.02	<1	1540	116	1.74	12	6	140	<5	0.06	<10	<10	65	<10	321	2
132710	0.8	1.08	30	80	<0.5	25	2.60	9	17	58	6	5.91	2	0.31	<10	0.82	2519	<2	0.01	1	1419	197	3.85	9	3	116	<5	0.01	<10	12	28	<10	627	2
132711	0.9	1.54	33	127	<0.5	27	3.51	7	18	66	4	5.95	1	0.29	<10	1.17	3429	<2	0.01	2	1297	240	2.94	12	4	208	<5	0.01	<10	16	39	<10	459	2
132712	0.6	2.56	22	265	<0.5	24	2.06	4	17	30	19	5.75	2	0.35	<10	1.81	4172	<2	0.01	<1	1607	26	1.02	13	5	75	<5	0.05	<10	<10	67	<10	199	3
132713	1.1	2.17	21	252	<0.5	23	3.02	4	15	42	70	5.44	2	0.38	<10	1.44	4396	<2	0.01	<1	1270	13	1.45	11	5	101	<5	0.05	<10	<10	71	<10	125	2
132714	2.3	3.01	20	320	<0.5	25	2.24	3	18	22	135	5.71	2	0.50	10	2.01	4791	<2	0.03	<1	1545	9	0.54	13	7	68	<5	0.07	<10	<10	84	<10	153	2
132715	0.8	3.29	17	349	0.5	25	2.47	4	18	22	36	5.89	3	0.57	<10	2.17	4931	<2	0.05	<1	1555	19	0.61	13	7	78	<5	0.07	<10	<10	97	<10	187	2
132716	0.8	3.33	31	439	0.7	28	0.92	4	19	21	28	6.18	2	0.70	<10	2.12	4223	<2	0.04	<1	1566	11	0.78	13	7	37	<5	0.10	<10	<10	91	<10	175	3
132717	2.1	2.90	61	372	<0.5	25	2.36	4	18	24	72	5.70	3	0.66	<10	1.91	4269	<2	0.05	<1	1466	23	0.97	13	6	70	<5	0.07	<10	<10	79	<10	172	3
132718	1.4	3.74	41	651	0.8	25	1.73	3	20	34	62	5.58	3	1.12	<10	1.93	3836	<2	0.10	1	1429	13	0.62	15	8	71	<5	0.13	<10	<10	98	<10	138	3
132719	0.6	3.87	35	597	1.1	26	2.04	3	19	36	17	5.47	2	1.41	<10	1.68	3494	<2	0.07	1	1409	6	0.77	17	9	68	<5	0.18	<10	<10	107	<10	125	3
132720	0.7	0.64	717	1327	0.5	16	0.74	4	8	56	36	3.53	2	0.15	16	0.35	498	6	0.01	34	942	152	0.21	554	4	207	7	<0.01	<10	<10	55	<10	244	13
132721	3.5	3.18	49	524	0.8	21	3.08	3	16	30	153	4.62	2	1.38	<10	1.29	3632	<2	0.09	1	1304	19	0.92	16	7	100	<5	0.11	<10	11	79	<10	146	3
132722	1.6	3.39	29	800	0.8	24	1.14	3	19	26	76	5.35	2	1.53	<10	1.70	3096	<2	0.06	1	1418	16	0.64	16	7	46	<5	0.12	<10	<10	82	<10	141	3
132723	0.2	5.14	33	1071	1.4	29	2.85	3	21	33	14	5.85	3	1.88	<10	1.95	3825	<2	0.24	<1	1472	2	0.62	20	14	106	<5	0.23	<10	10	151	<10	126	3
132724	0.3	5.20	31	918	1.3	26	3.81	3	22	28	14	5.62	2	1.74	<10	1.82	3786	<2	0.35	1	1376	<2	0.71	21	15	122	<5	0.23	<10	<10	156	<10	129	3
132725	0.9	4.09	36	271	1.1	25	3.39	3	23	26	28	5.48	2	1.63	<10	1.63	3163	<2	0.21	<1	1450	5	1.21	20	12	114	<5	0.21	<10	10	126	<10	121	3
132726	<0.2	4.74	23	758	1.4	28	3.28	3	24	26	26	5.41	3	1.50	10	1.70	3565	<2	0.30	<1	1544	<2	0.32	21	16	141	<5	0.27	<10	10	186	<10	123	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Leif Bjornson

Project: Premier/Shipment#17

Sample type: core

Report No : **9V1207RJ**

Date : Sep-24-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132727	<0.2	4.98	13	792	1.5	25	2.54	3	21	31	49	5.06	2	1.64	<10	1.79	3410	<2	0.30	<1	1525	<2	0.25	21	16	111	<5	0.26	<10	<10	184	<10	134	3
132728	0.5	3.61	16	359	1.0	23	1.68	8	20	22	12	5.17	2	1.63	<10	1.48	2628	2	0.11	<1	1391	181	0.99	14	9	80	<5	0.17	<10	<10	105	<10	636	3
132729	0.6	3.46	13	563	0.6	22	6.77	5	17	27	20	4.94	3	1.21	<10	1.40	4556	2	0.12	<1	1104	42	0.87	16	10	190	<5	0.17	<10	15	123	<10	342	3
132730	1.2	4.25	18	592	1.1	25	3.02	3	19	32	60	5.33	2	1.46	<10	1.72	2722	3	0.17	<1	1253	11	0.46	18	14	107	<5	0.18	<10	10	167	<10	169	3
132731	1.1	4.15	25	435	1.3	25	3.70	3	20	27	78	5.02	2	1.05	<10	1.65	3259	<2	0.14	<1	1395	4	0.50	17	14	129	<5	0.19	<10	12	170	<10	174	3
132732	0.5	4.14	27	405	1.3	26	3.19	3	25	31	15	5.76	2	1.10	<10	1.70	3376	<2	0.13	1	1284	6	1.05	20	15	113	<5	0.20	<10	<10	165	<10	141	3
132733	1.0	3.31	67	278	0.9	25	2.81	4	21	26	38	5.83	2	0.72	<10	1.86	3639	<2	0.05	<1	1305	44	0.83	17	10	69	<5	0.16	<10	<10	129	<10	173	2
132734	2.1	2.20	98	331	0.5	17	3.65	3	18	32	98	4.05	1	0.63	<10	1.26	3262	<2	0.02	2	1293	32	0.73	13	5	205	<5	0.11	<10	<10	53	<10	177	2
132735	2.0	2.97	159	488	0.9	22	2.43	4	23	26	71	4.72	1	1.37	<10	1.50	2256	<2	0.03	2	1560	105	1.03	15	9	50	<5	0.13	<10	<10	86	<10	312	2
132736	1.9	3.65	247	388	1.0	23	3.73	3	25	31	10	4.91	2	1.38	<10	1.58	2530	<2	0.10	2	1375	14	1.38	19	10	83	<5	0.16	<10	<10	101	<10	120	2
132737	0.5	4.24	70	881	1.4	24	2.33	3	23	34	30	4.84	1	1.75	<10	1.78	2405	<2	0.11	2	1385	6	0.59	21	11	88	<5	0.23	<10	10	115	<10	147	3
132738	0.7	4.63	48	841	1.2	26	3.58	3	25	31	63	5.00	1	1.77	<10	1.62	2768	<2	0.08	2	1448	5	0.65	20	12	115	<5	0.22	<10	11	124	<10	140	3
132739	0.2	5.00	31	1076	1.2	27	3.79	3	26	29	36	5.27	2	2.07	<10	1.60	2693	<2	0.14	2	1399	4	0.50	20	12	138	<5	0.21	<10	12	124	<10	152	3
132740	0.3	5.20	41	621	0.9	26	7.36	2	22	27	15	5.29	3	1.51	<10	1.31	3858	<2	0.21	1	1165	2	0.73	19	13	319	<5	0.18	<10	15	131	<10	115	3
132741	0.9	3.97	54	563	0.9	26	4.62	3	24	27	42	4.74	1	1.55	<10	1.16	2433	<2	0.09	2	1286	7	0.92	16	9	143	<5	0.13	<10	12	98	<10	190	3
132742	0.2	5.33	39	665	1.2	31	2.99	3	26	30	14	5.76	1	2.00	<10	1.68	2144	<2	0.18	1	1552	9	0.89	21	13	101	<5	0.15	<10	11	155	<10	154	3
132743	0.7	4.66	35	629	1.2	25	3.62	3	22	32	40	5.29	1	1.68	<10	1.51	2337	<2	0.12	1	1451	9	0.95	19	12	121	<5	0.16	<10	11	136	<10	141	3
132744	0.6	4.52	46	531	1.1	29	3.74	3	26	26	28	5.57	1	1.58	<10	1.28	2006	<2	0.13	2	1387	7	1.22	21	12	98	<5	0.18	<10	12	123	<10	125	4
132745	0.3	5.13	37	516	1.3	27	3.40	3	26	29	14	5.31	1	1.51	<10	1.32	2022	<2	0.25	2	1394	7	0.90	20	14	101	<5	0.19	<10	12	138	<10	120	3
132746	0.5	4.18	37	373	1.0	23	4.20	3	21	26	29	4.93	2	1.04	<10	1.25	2663	<2	0.18	1	1285	14	0.77	18	11	115	<5	0.16	<10	12	123	<10	150	3
132747	<0.2	5.41	36	448	1.2	27	4.24	3	22	33	19	5.13	2	1.27	<10	1.33	2640	<2	0.34	1	1379	8	0.78	20	15	138	<5	0.18	<10	13	166	<10	145	3
132748	3.1	3.89	77	258	0.9	31	3.57	4	24	28	216	5.85	1	0.70	<10	1.15	2496	<2	0.20	1	1350	33	2.07	18	11	91	<5	0.15	<10	16	124	<10	151	3
132749	2.6	1.80	68	317	<0.5	15	8.12	2	15	26	54	3.89	2	0.87	<10	0.58	4517	3	0.03	1	903	20	1.49	13	4	232	<5	0.06	<10	16	48	<10	81	2
132750	0.2	4.55	29	403	1.3	26	5.00	2	25	28	24	4.87	3	1.12	<10	1.18	3442	3	0.25	2	1328	7	0.35	19	14	163	<5	0.22	<10	11	147	<10	123	3
132751	2.7	4.21	40	413	1.2	22	5.18	3	23	30	223	5.01	2	1.13	<10	1.27	3020	<2	0.09	2	1285	10	0.76	19	11	116	<5	0.24	<10	12	119	<10	118	3
132752	0.4	5.79	43	519	1.7	28	4.22	2	28	32	78	5.38	1	1.70	<10	1.49	2602	<2	0.10	2	1487	3	0.58	23	17	115	<5	0.29	<10	12	185	<10	128	3
132753	<0.2	5.71	41	409	1.9	25	3.51	2	27	35	42	5.00	1	1.47	<10	1.56	2160	<2	0.09	2	1502	<2	0.36	24	17	109	<5	0.30	<10	10	183	<10	115	4
132754	<0.2	6.18	36	501	1.8	26	3.98	2	27	32	23	5.31	1	1.81	<10	1.65	2349	<2	0.10	2	1464	<2	0.39	23	18	128	<5	0.29	<10	11	186	<10	127	3
132755	0.3	4.57	37	539	1.3	27	2.21	3	24	27	15	5.30	1	1.63	<10	1.57	1755	2	0.08	2	1354	6	0.59	20	12	84	<5	0.19	<10	<10	138	<10	129	3
132756	0.7	3.31	19	458	0.7	19	2.18	2	17	28	25	4.41	1	1.09	<10	1.37	2084	9	0.07	1	1029	5	0.38	15	8	66	<5	0.10	<10	<10	103	<10	120	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Leif Bjornson

Project: Premier/Shipment#17

Sample type: core

Report No : **9V1207RJ**

Date : Sep-24-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132757	11.4	1.07	38	177	<0.5	15	4.45	4	11	32	10	3.34	2	0.28	<10	0.80	3548	<2	0.01	<1	936	122	1.41	9	2	278	<5	<0.01	<10	12	11	<10	327	2
132758	5.5	0.71	24	165	<0.5	13	4.02	3	8	23	7	3.29	1	0.34	<10	0.85	3335	<2	0.01	1	957	23	1.42	9	2	185	<5	<0.01	<10	<10	9	<10	151	2
132759	3.8	0.52	56	134	<0.5	9	1.57	2	8	76	8	2.28	<1	0.23	<10	0.43	1476	<2	0.01	2	728	21	1.19	8	1	69	<5	<0.01	<10	<10	6	<10	81	1
132760	<0.2	0.02	<5	10	<0.5	<5	>15.00	<1	1	5	1	0.03	<1	0.02	<10	1.49	23	2	0.01	2	83	<2	0.79	5	<1	5652	<5	<0.01	<10	25	1	<10	2	<1
132761	7.0	0.89	31	212	<0.5	10	0.51	2	9	52	8	2.43	<1	0.27	<10	0.52	763	<2	0.01	2	808	15	0.97	7	1	28	<5	<0.01	<10	<10	10	<10	115	1
132762	24.9	0.66	30	314	<0.5	9	2.21	2	7	73	8	2.01	3	0.18	<10	0.46	1516	<2	0.01	2	679	70	0.72	8	1	75	<5	<0.01	<10	<10	7	<10	177	1
132763	28.6	0.89	38	183	<0.5	12	2.45	2	8	53	49	2.49	3	0.22	<10	0.61	2173	<2	0.01	1	901	55	0.78	8	2	99	<5	<0.01	<10	<10	11	<10	175	1
132764	14.3	1.28	46	140	<0.5	17	1.45	2	10	50	19	3.60	2	0.24	<10	0.89	2197	<2	0.01	<1	1128	10	1.12	9	2	72	<5	<0.01	<10	<10	16	<10	99	2
132765	15.6	1.82	39	156	<0.5	20	1.16	3	13	37	12	4.49	2	0.26	<10	1.15	1954	<2	0.01	<1	1462	42	0.85	9	2	51	<5	<0.01	<10	<10	21	<10	153	2
132766	11.6	1.09	68	147	<0.5	16	2.57	3	12	61	24	3.49	3	0.24	<10	0.81	2913	<2	0.01	1	1064	89	1.58	10	2	150	<5	<0.01	<10	10	13	<10	151	2
132767	14.4	1.41	79	158	<0.5	18	1.57	3	14	33	17	4.64	2	0.27	<10	1.10	1981	<2	0.01	<1	1528	36	1.92	10	2	64	<5	<0.01	<10	<10	18	<10	173	2
132768	22.9	1.54	78	154	<0.5	16	3.67	3	11	35	29	4.39	2	0.28	<10	1.38	3557	<2	0.01	<1	1218	55	1.28	11	2	156	<5	<0.01	<10	10	19	<10	213	2
132769	5.0	1.94	53	173	<0.5	19	3.32	3	14	39	16	4.82	2	0.29	<10	1.59	3276	<2	0.01	<1	1262	12	1.05	10	3	146	<5	<0.01	<10	11	25	<10	115	2
132770	5.4	0.39	93	170	<0.5	11	2.42	2	6	73	27	2.31	1	0.27	<10	0.15	1378	<2	0.01	2	314	168	2.00	7	1	129	<5	<0.01	<10	<10	5	<10	167	1
132771	1.7	0.54	35	177	<0.5	12	3.58	2	8	51	3	2.48	2	0.28	<10	0.16	1960	<2	0.01	1	411	12	2.00	6	1	151	<5	<0.01	<10	<10	5	<10	48	1
132772	0.6	1.24	13	192	<0.5	16	3.89	2	7	26	7	3.34	2	0.27	<10	0.64	2336	<2	0.01	<1	1435	15	0.95	7	1	163	<5	<0.01	<10	<10	15	<10	87	2
132773	0.6	1.74	11	210	<0.5	16	3.06	2	9	22	8	3.89	1	0.33	<10	0.88	2129	<2	0.01	<1	1449	15	0.43	8	2	105	<5	<0.01	<10	<10	17	<10	91	2
132774	0.6	1.75	24	204	<0.5	17	2.50	2	13	35	13	4.08	1	0.30	11	0.91	2035	<2	0.01	<1	1613	20	0.42	9	2	77	<5	<0.01	<10	<10	14	<10	91	1
132775	0.3	1.64	14	206	<0.5	13	3.62	2	9	30	9	3.59	2	0.31	13	0.78	2365	<2	0.01	<1	1309	6	0.20	6	1	102	<5	<0.01	<10	<10	13	<10	85	1
132776	0.5	1.32	24	246	<0.5	15	1.48	2	10	32	11	3.35	1	0.31	<10	0.61	1407	<2	0.01	<1	1474	8	0.57	7	1	55	<5	<0.01	<10	<10	13	<10	82	2
132777	0.4	1.09	28	215	<0.5	14	4.20	2	8	39	6	3.30	2	0.34	<10	0.47	2379	<2	0.01	<1	1335	5	1.26	7	1	152	<5	<0.01	<10	<10	10	<10	72	2
132778	0.5	1.34	21	255	<0.5	15	4.73	2	10	26	14	3.78	2	0.38	<10	0.59	2595	<2	0.01	<1	1428	5	1.21	8	2	171	<5	<0.01	<10	<10	13	<10	89	2
132779	0.4	1.29	13	223	<0.5	15	3.61	2	8	39	19	3.23	2	0.33	<10	0.54	2310	<2	0.01	<1	1261	4	0.74	7	1	122	<5	<0.01	<10	<10	16	<10	80	2
132780	1.5	1.45	7163	84	<0.5	172	6.73	1	114	39	306	5.08	<1	0.20	10	0.53	877	31	0.06	69	886	19	1.00	24	3	64	5	0.12	<10	<10	53	<10	86	12
132781	0.5	1.35	20	264	<0.5	13	3.41	3	8	20	8	3.34	<1	0.45	10	0.46	1931	<2	0.01	1	1360	6	1.30	<5	2	118	<5	<0.01	<10	<10	18	<10	77	2
132782	0.5	1.11	25	195	<0.5	16	4.63	2	8	39	14	3.58	2	0.33	<10	0.52	2511	<2	0.01	<1	1335	5	1.57	7	1	144	<5	<0.01	<10	<10	13	<10	70	2
132783	0.5	0.95	46	239	<0.5	10	4.94	1	7	30	18	2.59	2	0.34	10	0.36	2526	<2	0.01	<1	1271	4	0.90	6	2	155	<5	<0.01	<10	<10	11	<10	70	1
132784	0.3	1.28	19	191	<0.5	16	1.92	2	9	16	18	3.39	1	0.28	<10	0.54	1452	<2	0.01	<1	1219	5	0.56	6	2	63	<5	<0.01	<10	<10	16	<10	79	2
132785	0.6	1.18	18	165	<0.5	14	3.60	2	9	19	10	3.40	1	0.33	<10	0.44	1839	<2	0.01	1	1249	15	1.15	6	2	168	<5	<0.01	<10	<10	15	<10	90	2
132786	0.6	1.11	23	271	<0.5	14	1.76	2	8	30	12	2.87	<1	0.31	<10	0.41	1130	<2	0.01	1	1198	11	0.67	7	1	81	<5	<0.01	<10	<10	13	<10	78	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Leif Bjornson
Project: Premier/Shipment#17
Sample type: core

Report No : **9V1207RJ**
Date : Sep-24-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132787	0.5	1.16	23	167	<0.5	15	3.38	2	7	25	17	3.22	1	0.32	<10	0.42	1668	<2	0.01	1	1098	5	0.93	6	1	90	<5	<0.01	<10	<10	15	<10	62	2
132788	0.6	1.05	25	163	<0.5	13	3.52	2	8	30	8	3.27	1	0.33	<10	0.38	1775	2	0.01	1	1106	7	1.36	7	1	106	<5	<0.01	<10	<10	14	<10	61	2
132789	0.5	1.32	13	217	<0.5	15	4.54	2	8	22	13	3.10	1	0.41	<10	0.48	2319	<2	0.03	<1	1115	5	0.88	7	2	148	<5	<0.01	<10	<10	19	<10	75	1
132790	0.2	2.10	10	357	<0.5	17	2.79	2	8	26	9	3.51	<1	0.63	10	0.65	1955	<2	0.10	<1	1286	4	0.63	9	3	110	<5	0.02	<10	<10	31	<10	81	2
132791	0.6	1.83	18	226	<0.5	17	3.46	2	10	23	9	3.56	1	0.56	<10	0.49	2163	<2	0.10	<1	1185	5	1.26	9	3	123	<5	0.01	<10	<10	27	<10	72	2
132792	0.5	1.16	11	204	<0.5	16	2.82	2	7	38	14	3.29	1	0.42	<10	0.39	1766	<2	0.02	1	1138	5	1.23	7	2	83	<5	0.01	<10	<10	16	<10	63	1
132793	0.5	1.27	19	158	<0.5	15	3.11	2	8	35	18	3.48	1	0.37	<10	0.45	1765	<2	0.01	1	1201	4	1.08	8	2	128	<5	<0.01	<10	<10	13	<10	76	2
132794	1.6	0.48	13	97	<0.5	5	>15.00	<1	4	53	30	1.45	3	0.19	<10	0.19	5076	2	0.01	1	458	5	0.85	6	1	539	<5	<0.01	<10	12	6	<10	37	1
132795	0.4	2.34	15	359	<0.5	18	3.63	2	9	15	14	3.88	2	0.65	10	0.86	2576	<2	0.11	<1	1268	3	0.51	9	3	149	<5	0.02	<10	<10	34	<10	86	2
132796	0.3	1.76	16	286	<0.5	16	3.19	2	9	39	10	3.36	1	0.47	<10	0.69	2151	<2	0.07	1	1218	<2	0.43	9	3	112	<5	0.01	<10	<10	31	<10	76	2
132797	0.4	1.84	23	272	<0.5	16	4.67	2	9	22	9	3.50	1	0.54	10	0.66	2567	<2	0.08	<1	1246	2	0.62	9	3	144	<5	0.01	<10	<10	33	<10	81	2
132798	0.6	1.42	14	181	<0.5	16	3.15	2	10	32	11	3.68	1	0.35	<10	0.63	1873	3	0.03	1	1309	6	1.10	8	2	112	<5	<0.01	<10	<10	22	<10	67	2
132799	0.5	1.18	18	203	<0.5	14	3.77	2	8	18	9	3.05	1	0.48	<10	0.50	2250	<2	0.01	<1	1259	4	1.01	7	2	121	<5	0.01	<10	<10	17	<10	69	1
132800	0.7	0.56	693	1070	<0.5	16	0.73	4	8	52	36	3.61	2	0.13	14	0.35	502	6	0.01	35	935	158	0.22	563	5	202	6	<0.01	<10	<10	50	<10	252	13
132801	0.4	1.65	16	233	<0.5	16	3.75	2	8	35	14	3.40	1	0.43	10	0.56	2381	<2	0.07	1	1205	3	0.82	9	3	129	<5	0.01	<10	<10	24	<10	79	2
132802	1.7	0.57	14	95	<0.5	17	3.27	3	11	29	10	3.95	1	0.32	<10	0.18	1407	8	0.02	1	1422	16	3.22	8	1	119	<5	<0.01	<10	<10	5	<10	41	2
132803	2.4	0.35	9	77	<0.5	19	2.17	3	11	28	8	4.33	<1	0.29	<10	0.19	741	6	0.01	1	1312	18	3.71	8	1	69	<5	<0.01	<10	<10	2	<10	50	2
132804	2.9	0.32	13	75	0.5	20	1.07	3	12	21	8	4.74	<1	0.28	<10	0.20	531	2	0.01	1	1547	21	3.96	9	1	47	<5	<0.01	<10	<10	1	<10	49	2
132805	3.0	0.32	25	59	<0.5	19	0.75	3	11	47	5	4.21	<1	0.28	<10	0.14	431	4	0.01	2	1245	33	3.52	8	1	36	<5	<0.01	<10	<10	1	<10	135	2
132806	4.3	0.43	16	102	<0.5	20	0.90	3	12	42	8	4.62	<1	0.36	<10	0.18	644	2	0.01	2	1325	21	3.85	8	1	41	<5	<0.01	<10	<10	2	<10	28	2
132807	3.0	0.44	14	60	<0.5	22	2.12	3	11	34	6	5.06	1	0.35	<10	0.14	763	<2	0.01	<1	1319	20	4.49	9	1	69	<5	<0.01	<10	<10	3	<10	34	2
132808	4.0	0.43	21	42	<0.5	18	3.38	3	10	35	6	4.26	1	0.37	<10	0.09	1211	<2	0.01	<1	1311	22	4.03	9	1	108	<5	<0.01	<10	<10	3	<10	113	2
Duplicates:																																		
132697	1.7	2.42	59	234	<0.5	23	3.84	3	19	20	63	5.32	3	0.34	<10	1.65	4630	<2	0.02	<1	1502	15	0.89	10	6	137	<5	0.02	<10	<10	56	<10	134	2
132705	1.2	2.04	43	272	<0.5	22	2.50	3	17	22	25	4.84	2	0.40	<10	1.17	3151	<2	0.01	<1	1349	16	1.16	10	5	73	<5	0.02	<10	<10	57	<10	132	2
132715	0.8	3.27	16	349	0.5	26	2.54	4	18	22	36	5.96	3	0.56	<10	2.22	4940	<2	0.05	<1	1628	20	0.64	12	7	80	<5	0.07	<10	<10	97	<10	190	2
132718	1.4	3.65	43	647	0.9	24	1.69	3	20	34	58	5.45	2	1.07	<10	1.86	3823	<2	0.10	1	1402	12	0.65	15	8	69	<5	0.14	<10	<10	97	<10	137	3
132727	0.2	4.87	15	820	1.5	26	2.60	3	21	30	49	5.13	2	1.59	<10	1.85	3296	<2	0.29	<1	1531	<2	0.25	20	17	110	<5	0.24	<10	<10	190	<10	139	3
132737	0.5	4.27	73	919	1.4	25	2.46	3	25	34	29	5.04	1	1.78	<10	1.86	2502	<2	0.11	1	1409	6	0.63	20	12	89	<5	0.24	<10	<10	118	<10	151	3
132740	0.3	5.41	40	610	1.0	29	7.41	3	22	27	14	5.71	2	1.62	<10	1.31	4052	<2	0.23	2	1174	2	0.79	22	13	312	<5	0.21	<10	18	127	<10	115	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Leif Bjornson
Project: Premier/Shipment#17
Sample type: core

Report No : **9V1207RJ**
Date : Sep-24-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132749	2.7	1.91	61	330	<0.5	18	8.11	3	15	26	58	3.96	3	0.98	<10	0.59	4599	4	0.03	2	890	20	1.50	14	5	236	<5	0.08	<10	17	49	<10	88	2
132759	3.8	0.53	52	133	<0.5	10	1.48	2	8	74	8	2.18	<1	0.23	<10	0.42	1420	<2	0.01	2	662	21	1.12	8	1	67	<5	<0.01	<10	<10	6	<10	75	1
132762	23.8	0.69	31	363	<0.5	9	2.19	2	7	77	7	1.99	2	0.19	<10	0.46	1442	<2	0.01	1	665	68	0.71	7	1	74	<5	<0.01	<10	<10	8	<10	176	1
132771	1.7	0.53	37	178	<0.5	12	3.66	2	8	52	3	2.50	2	0.29	<10	0.17	2001	<2	0.01	<1	400	11	2.01	6	1	152	<5	<0.01	<10	<10	5	<10	51	1
132781	0.5	1.31	20	259	<0.5	13	3.31	3	8	20	7	3.21	<1	0.44	<10	0.45	1883	<2	0.01	1	1339	5	1.27	<5	2	112	<5	<0.01	<10	<10	18	<10	74	2
132784	0.3	1.30	22	209	<0.5	17	2.03	2	10	15	17	3.55	1	0.30	<10	0.56	1542	<2	0.01	<1	1366	5	0.62	7	2	67	<5	<0.01	<10	<10	17	<10	83	2
132793	0.5	1.23	19	169	<0.5	16	3.14	2	8	34	19	3.46	1	0.36	<10	0.46	1819	<2	0.01	<1	1244	4	1.12	8	2	133	<5	<0.01	<10	<10	13	<10	76	2
132803	2.3	0.35	10	91	<0.5	19	2.22	3	11	29	8	4.37	<1	0.28	<10	0.19	757	6	0.01	1	1335	19	3.80	8	1	71	<5	<0.01	<10	<10	2	<10	52	2
132806	4.0	0.44	16	105	<0.5	20	0.91	3	11	42	7	4.63	<1	0.37	<10	0.18	646	<2	0.01	2	1382	20	3.89	8	1	43	<5	<0.01	<10	<10	2	<10	29	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.7	1.76	11	308	0.5	23	0.59	4	31	111	2110	4.95	<1	1.41	13	1.32	347	2	0.05	58	710	16	0.61	14	7	8	<5	0.20	<10	<10	76	<10	224	8

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1208-RA1

Sep-28-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment#18
Attn: Randy Kasum

We *hereby certify* the following assay of 22 core samples submitted Sep-11-09

Sample Name	Au g/tonne	Ag g/tonne	Pb %	Zn %	Sample-Wt Kg
132809	0.02	11.5			2.8
132810	0.37	6.0			3.2
132811	0.01	3.4			2.1
132812	0.02	6.0			3.3
132813	0.01	2.4			2.3
132814	<0.01	1.9			3.0
132815	0.01	1.9			3.6
132816	0.01	3.6			3.4
132817	0.04	4.3			3.3
132818	0.31	7.4			2.1
132819	0.10	7.7			1.9
132820	<0.01	<0.1			0.7
132821	19.95	145.7	3.90	9.70	0.8
132822	0.22	4.1			1.7
132823	0.37	6.1			1.9
132824	0.06	4.4			1.8
132825	0.07	5.5			3.7
132826	<0.01	4.7			3.8
132827	0.03	3.6			3.4
132828	0.03	4.5			3.5
132829	0.06	2.5			3.7
132830	0.04	4.1			1.8
*DUP 132809	<0.01	11.2			
*DUP 132818	0.25	6.8			
*DUP 132828	<0.01	4.6			
*0211	2.19				
*SE-1			1.92	2.62	
*BLANK	<0.01		<0.01	<0.01	

Au F.A. AA finish. Ag read from ICP solution. Pb,Zn 4 acid/A.A.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1208-RA2

Sep-28-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment#18
Attn: Randy Kasum

We *hereby certify* the following assay of 22 core samples submitted Sep-11-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132831	0.01	4.2	1.5
132832	0.01	2.5	0.8
132833	0.01	5.2	1.7
132834	<0.01	5.0	1.1
132835	<0.01	3.1	1.4
132836	<0.01	2.1	1.9
132837	<0.01	2.6	3.5
132838	<0.01	3.2	3.3
132839	<0.01	2.7	2.4
132840	3.78	1.2	
132841	<0.01	1.7	1.0
132842	<0.01	7.4	1.3
132843	<0.01	1.9	1.4
132844	<0.01	3.1	1.3
132845	<0.01	1.6	0.9
132846	<0.01	<0.1	2.1
132847	<0.01	<0.1	3.2
132848	<0.01	7.3	1.6
132849	0.04	73.0	1.6
132850	<0.01	14.0	1.9
132851	<0.01	2.8	1.5
132852	<0.01	5.9	1.7
*DUP 132831	<0.01	4.3	
*DUP 132840	3.63	1.3	
*DUP 132850	<0.01	13.9	
*0211	2.32		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1208-RA3

Sep-28-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment#18
Attn: Randy Kasum

We *hereby certify* the following assay of 22 core samples submitted Sep-11-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132853	<0.01	4.5	1.5
132854	0.06	6.3	1.8
132855	0.18	16.5	1.5
132856	0.29	4.2	0.8
132857	0.03	3.2	2.0
132858	<0.01	2.8	1.8
132859	<0.01	5.1	2.7
132860	0.27	0.7	
132861	<0.01	1.8	1.3
132862	<0.01	0.9	1.5
132863	<0.01	0.7	1.8
132864	<0.01	0.7	1.4
132865	<0.01	3.3	0.9
132866	0.02	3.5	2.3
132867	0.07	2.1	3.4
132868	<0.01	1.9	3.4
132869	<0.01	1.2	3.3
132870	<0.01	0.7	3.3
132871	<0.01	0.6	3.4
132872	<0.01	1.0	3.0
132873	<0.01	1.4	3.4
132874	0.59	22.3	3.4
*DUP 132853	<0.01	4.5	
*DUP 132862	<0.01	1.0	
*DUP 132872	<0.01	1.0	
*0211	2.15		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1208-RA4

Sep-28-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment#18
Attn: Randy Kasum

We *hereby certify* the following assay of 22 core samples submitted Sep-11-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132875	0.01	5.1	3.4
132876	0.01	3.0	3.4
132877	<0.01	1.5	3.4
132878	<0.01	3.7	3.3
132879	<0.01	1.6	3.4
132880	<0.01	<0.1	0.6
132881	0.13	23.1	3.4
132882	<0.01	2.3	3.3
132883	0.07	35.4	2.8
132884	<0.01	1.6	0.7
132885	0.01	24.8	3.7
132886	0.02	13.6	2.1
132887	0.04	13.0	1.5
132888	<0.01	1.6	3.1
132889	<0.01	0.8	3.2
132890	<0.01	0.7	3.5
132891	<0.01	1.6	3.7
132892	0.04	1.3	3.6
132893	0.04	0.8	3.8
132894	0.04	0.7	3.4
132895	<0.01	1.3	2.2
132896	0.01	0.8	1.5
*DUP 132875	<0.01	5.6	
*DUP 132884	<0.01	1.5	
*DUP 132894	0.04	0.7	
*0211	2.15		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1208-RA5

Sep-28-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment#18
Attn: Randy Kasum

We *hereby certify* the following assay of 22 core samples submitted Sep-11-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132897	0.16	1.1	2.7
132898	<0.01	0.9	3.2
132899	<0.01	1.0	3.3
132900	3.76	1.3	
132901	<0.01	1.2	3.6
132902	<0.01	0.8	3.5
132903	<0.01	0.7	3.1
132904	<0.01	<0.1	3.8
132905	<0.01	1.2	3.4
132906	<0.01	1.1	3.3
132907	<0.01	0.8	3.4
132908	<0.01	1.8	3.3
132909	<0.01	1.3	3.5
132910	<0.01	0.2	3.5
132911	<0.01	0.7	3.4
132912	<0.01	6.6	1.6
132913	0.15	4.1	2.1
132914	0.27	21.2	1.7
132915	0.56	8.3	2.0
132916	0.56	18.8	2.0
132917	0.87	7.9	1.8
132918	0.88	11.1	1.5
*DUP 132897	0.14	0.8	
*DUP 132906	<0.01	1.1	
*DUP 132916	0.64	20.7	
*0211	2.09		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1208-RA6

Sep-28-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment#18
Attn: Randy Kasum

We *hereby certify* the following assay of 22 core samples submitted Sep-11-09

Sample Name	Au g/tonne	Ag g/tonne	Zn %	Sample-Wt Kg
132919	1.20	27.3	2.49	1.7
132920	0.29	0.6		
132921	0.78	8.9		1.9
132922	1.40	19.6		1.7
132923	0.33	11.9		1.7
132924	0.17	7.2		1.5
132925	0.05	2.5		2.1
132926	0.12	10.6		1.9
132927	0.36	3.7		1.8
132928	0.02	8.6		2.3
132929	<0.01	4.6		1.4
132930	0.02	3.1		1.9
132931	0.01	1.6		1.7
132932	<0.01	1.6		2.0
132933	<0.01	1.9		1.9
132934	<0.01	1.4		1.6
132935	0.22	1.8		1.9
132936	0.20	2.9		1.9
132937	<0.01	1.4		2.0
132938	<0.01	0.7		1.2
132939	<0.01	3.8		2.2
132940	<0.01	<0.1		0.6
*DUP 132919	1.17	24.4		
*DUP 132928	0.02	7.9		
*DUP 132938	<0.01	0.7		
*0211	2.14			
*SE-1			2.62	
*BLANK	<0.01		<0.01	

Au F.A. AA finish. Ag read from ICP solution.Zn 4acid/A.A.

*Certified by*_____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1208-RA7

Sep-28-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment#18
Attn: Randy Kasum

We *hereby certify* the following assay of 13 core samples submitted Sep-11-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132941	<0.01	3.4	1.5
132942	0.02	4.6	3.7
132943	<0.01	1.1	3.2
132944	<0.01	0.3	3.3
132945	<0.01	0.8	3.4
132946	0.01	0.5	3.6
132947	0.15	0.2	3.8
132948	<0.01	1.2	3.4
132949	0.04	1.3	3.6
132950	0.03	0.9	3.4
132951	0.08	2.1	3.4
132952	0.08	2.7	3.7
132953	0.21	15.7	3.6
*DUP 132941	<0.01	3.4	
*DUP 132950	<0.01	1.0	
*0211	2.25		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Randy Kasum

Project: Premier/Shipment#18

Sample type: core

Report No : **9V1208RJ**

Date : Sep-28-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132809	11.5	0.33	25	58	<0.5	21	1.95	3	10	34	3	3.97	1	0.29	<10	0.08	763	<2	0.01	1	1213	19	3.58	8	1	59	<5	<0.01	<10	<10	2	<10	71	2
132810	6.0	0.29	33	95	<0.5	19	4.20	4	10	24	3	3.22	2	0.31	<10	0.14	2060	2	0.01	1	1302	39	3.22	8	1	137	<5	<0.01	<10	<10	2	<10	134	1
132811	3.4	0.40	30	110	0.5	25	2.21	4	13	24	4	4.03	1	0.32	<10	0.28	1263	3	0.01	1	1704	19	3.64	9	1	75	<5	<0.01	<10	<10	4	<10	51	1
132812	6.0	0.31	36	98	<0.5	17	3.41	3	8	45	2	2.96	1	0.32	<10	0.19	1532	4	0.01	2	1136	17	2.90	10	1	120	<5	<0.01	<10	<10	3	<10	39	1
132813	2.4	0.56	69	93	<0.5	21	1.78	3	11	23	5	3.73	1	0.31	<10	0.31	984	4	0.01	1	1347	33	3.05	9	1	56	<5	<0.01	<10	<10	6	<10	75	1
132814	1.9	0.65	32	82	<0.5	19	2.81	3	9	31	3	3.53	1	0.31	<10	0.43	1511	3	0.02	1	1202	12	2.50	8	2	87	<5	<0.01	<10	<10	8	<10	51	1
132815	1.9	1.26	33	113	<0.5	26	2.60	3	11	19	9	3.77	1	0.38	10	0.68	2181	4	0.06	1	1400	29	2.21	11	2	83	<5	0.01	<10	<10	20	11	106	1
132816	3.6	1.00	47	76	<0.5	23	2.14	4	11	26	5	3.66	1	0.41	<10	0.59	1999	3	0.03	1	1423	18	2.62	11	2	67	<5	<0.01	<10	<10	20	<10	157	1
132817	4.3	0.75	59	88	<0.5	21	2.78	3	10	22	3	3.24	1	0.32	<10	0.44	2121	3	0.02	1	1293	34	2.46	9	2	83	<5	<0.01	<10	<10	12	<10	114	1
132818	7.4	0.47	51	107	<0.5	20	6.15	5	7	40	17	3.31	2	0.26	<10	0.23	2800	4	0.01	1	1005	469	3.26	11	1	186	<5	<0.01	<10	<10	5	13	435	1
132819	7.7	0.68	50	87	<0.5	20	2.97	3	10	25	6	3.35	1	0.34	<10	0.37	2110	3	0.02	1	1253	40	3.13	10	2	87	<5	<0.01	<10	<10	14	<10	87	1
132820	<0.2	0.04	<5	11	<0.5	<5	>15.00	<1	1	3	<1	0.07	<1	0.02	<10	1.20	59	<2	0.01	1	83	<2	0.74	5	<1	5581	<5	<0.01	<10	16	2	15	3	<1
132821	145.7	0.28	55	16	<0.5	33	8.46	656	2	46	95	9.30	95	0.10	<10	0.34	5233	<2	0.01	<1	124	>10000	>5.00	27	<1	351	<5	<0.01	<10	28	<1	541	>10000	2
132822	4.1	0.82	51	72	<0.5	23	2.40	5	11	39	2	3.93	2	0.35	<10	0.43	2691	3	0.02	2	1409	253	2.49	11	1	60	<5	<0.01	<10	<10	12	<10	311	1
132823	6.1	0.74	38	102	<0.5	19	2.31	3	8	44	1	3.34	1	0.33	<10	0.41	1946	2	0.02	1	1076	46	2.99	8	2	68	<5	<0.01	<10	<10	15	<10	139	1
132824	4.4	0.78	27	109	<0.5	13	5.90	2	6	41	<1	3.03	2	0.24	<10	0.41	3479	<2	0.03	1	778	20	1.98	6	2	184	<5	<0.01	<10	<10	14	11	71	1
132825	5.5	1.17	36	109	<0.5	19	4.16	3	9	34	1	3.65	2	0.34	<10	0.57	3059	2	0.05	<1	1243	61	2.20	8	2	145	<5	<0.01	<10	<10	21	10	249	1
132826	4.7	1.49	45	103	<0.5	22	2.89	3	11	35	3	4.31	1	0.39	<10	0.70	2729	<2	0.09	<1	1408	18	2.55	10	3	213	<5	<0.01	<10	<10	27	<10	70	1
132827	3.6	1.05	39	103	<0.5	20	2.30	3	11	35	<1	4.05	1	0.39	<10	0.61	2177	2	0.05	<1	1432	14	2.39	9	2	72	<5	<0.01	<10	<10	18	<10	81	1
132828	4.5	0.74	57	85	<0.5	20	3.34	3	10	33	<1	4.33	2	0.32	<10	0.54	2337	<2	0.03	<1	1348	18	2.87	8	2	89	<5	<0.01	<10	<10	13	<10	67	1
132829	2.5	0.68	45	81	<0.5	19	3.11	3	9	34	<1	3.89	1	0.31	<10	0.59	2093	2	0.03	<1	1262	13	2.25	7	2	83	<5	<0.01	<10	<10	11	<10	105	1
132830	4.1	0.42	74	94	<0.5	19	1.73	3	10	36	<1	3.97	1	0.29	<10	0.46	1263	7	0.02	<1	1412	20	2.52	8	2	57	<5	<0.01	<10	<10	5	<10	72	1
132831	4.2	0.58	38	120	<0.5	16	3.11	2	8	21	2	3.09	1	0.31	<10	0.51	1778	3	0.01	<1	1091	19	1.82	9	2	96	<5	<0.01	<10	<10	8	<10	90	1
132832	2.5	1.23	25	181	<0.5	15	3.12	2	8	20	<1	3.23	1	0.44	<10	0.89	1795	<2	0.01	1	1048	11	1.14	8	3	73	<5	<0.01	<10	<10	17	<10	82	1
132833	5.2	1.50	26	74	0.5	25	3.26	3	14	16	17	5.11	1	0.66	<10	1.11	2079	<2	0.01	1	997	15	3.05	12	4	76	<5	0.01	<10	<10	29	<10	86	2
132834	5.0	1.75	21	80	0.6	27	1.95	4	15	16	22	5.61	1	0.82	<10	1.36	1636	<2	0.01	1	1070	17	3.11	12	4	54	<5	0.01	<10	<10	34	<10	96	3
132835	3.1	0.97	21	69	0.5	28	3.09	4	15	13	15	5.62	1	0.50	<10	0.80	1664	<2	0.01	<1	1239	20	3.69	11	4	91	<5	<0.01	<10	<10	20	<10	94	2
132836	2.1	0.49	13	69	<0.5	25	3.66	4	14	17	5	4.87	1	0.36	<10	0.37	1530	<2	0.01	<1	1202	18	3.75	7	3	100	<5	<0.01	<10	<10	9	<10	67	2
132837	2.6	0.78	20	65	0.5	23	3.08	3	13	16	12	4.76	<1	0.37	<10	0.65	1473	<2	0.01	1	953	18	3.12	8	4	99	<5	<0.01	<10	<10	13	<10	80	2
132838	3.2	1.39	31	123	0.6	21	2.68	3	13	18	10	4.42	1	0.50	<10	1.13	1572	<2	0.01	1	1260	11	2.20	9	4	75	<5	<0.01	<10	<10	25	<10	88	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95ºC for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Randy Kasum

Project: Premier/Shipment#18

Sample type: core

Report No : **9V1208RJ**

Date : Sep-28-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132839	2.7	0.62	21	66	<0.5	22	5.18	3	14	19	7	4.53	1	0.37	<10	0.37	1879	<2	0.01	<1	1202	19	3.57	8	5	161	<5	<0.01	<10	<10	12	<10	59	1
132840	1.2	1.34	5659	71	<0.5	162	5.47	1	105	33	278	4.38	<1	0.19	<10	0.45	723	30	0.06	60	727	16	0.81	23	2	59	<5	0.11	<10	<10	46	<10	74	10
132841	1.7	0.56	14	35	<0.5	23	3.20	3	13	25	6	4.54	<1	0.36	<10	0.26	1208	2	0.01	1	1200	14	3.53	8	5	96	<5	<0.01	<10	<10	10	<10	32	1
132842	7.4	0.76	17	43	<0.5	22	3.06	4	13	31	10	5.02	<1	0.44	<10	0.32	1003	6	0.01	1	1163	44	3.44	9	4	77	<5	<0.01	<10	<10	13	<10	177	1
132843	1.9	1.37	14	40	0.5	29	2.66	4	17	20	20	5.76	1	0.43	<10	0.62	1094	2	0.01	1	1275	18	3.70	9	5	65	<5	<0.01	<10	<10	36	<10	99	2
132844	3.1	1.44	11	38	0.5	22	3.13	3	15	45	14	4.69	1	0.29	<10	0.67	1304	2	0.03	1	1173	17	3.11	9	5	121	<5	0.04	<10	<10	51	<10	72	4
132845	1.6	1.22	16	60	<0.5	24	2.56	4	15	21	9	5.03	1	0.36	13	0.69	1090	<2	0.02	1	1197	16	3.29	7	3	68	<5	<0.01	<10	<10	31	<10	122	1
132846	<0.2	2.61	31	171	1.1	22	3.16	3	32	112	29	4.81	1	0.12	21	2.28	687	<2	0.19	50	1979	6	0.68	16	8	109	<5	0.33	<10	<10	106	<10	81	16
132847	<0.2	2.43	12	99	0.9	24	3.93	3	29	71	12	4.86	<1	0.11	24	2.31	823	<2	0.12	31	2186	8	0.14	14	7	162	7	0.23	<10	<10	114	<10	93	12
132848	7.3	1.43	53	193	0.5	21	0.55	3	14	27	<1	4.17	1	0.26	11	0.69	1143	<2	0.01	1	869	25	1.29	7	2	20	<5	<0.01	<10	<10	24	<10	113	2
132849	73.0	0.50	76	127	<0.5	11	1.52	2	6	72	3	2.52	1	0.17	<10	0.29	1356	<2	0.01	2	375	70	1.49	12	1	83	<5	<0.01	<10	<10	6	<10	152	1
132850	14.0	1.27	62	193	<0.5	14	1.10	2	10	41	13	3.33	1	0.28	<10	0.84	1551	<2	0.01	1	909	26	0.99	8	2	67	<5	<0.01	<10	<10	15	<10	107	1
132851	2.8	1.40	37	193	<0.5	14	2.28	2	9	30	18	3.23	1	0.31	<10	1.03	2370	<2	0.01	<1	970	8	0.66	7	2	116	<5	<0.01	<10	<10	16	<10	83	1
132852	5.9	1.35	36	198	<0.5	15	1.19	2	11	38	11	3.44	1	0.30	<10	0.83	1726	<2	0.01	<1	1008	26	0.85	7	2	56	<5	<0.01	<10	<10	14	<10	123	1
132853	4.5	0.73	33	196	<0.5	11	0.38	1	7	30	2	2.28	<1	0.26	<10	0.27	617	<2	0.01	1	831	12	0.95	<5	1	18	<5	<0.01	<10	<10	7	<10	63	2
132854	6.3	0.32	22	153	<0.5	9	1.29	2	7	62	<1	1.98	1	0.21	<10	0.13	961	<2	0.01	2	234	18	1.38	5	1	53	<5	<0.01	<10	<10	3	<10	71	1
132855	16.5	0.28	36	191	<0.5	9	1.38	2	6	74	7	2.11	1	0.20	<10	0.28	1079	<2	0.01	2	480	48	1.26	6	1	77	<5	<0.01	<10	<10	4	<10	124	1
132856	4.2	0.73	35	154	<0.5	15	4.18	2	10	41	15	3.39	2	0.24	<10	0.89	3289	<2	0.01	<1	1017	12	1.25	7	3	254	<5	<0.01	<10	<10	9	<10	90	1
132857	3.2	1.55	59	139	<0.5	20	3.04	3	11	26	27	4.11	2	0.28	<10	1.35	3337	<2	0.01	<1	1146	8	1.24	7	4	208	<5	<0.01	<10	<10	20	<10	102	2
132858	2.8	1.63	94	138	<0.5	19	2.20	2	13	26	8	4.30	1	0.27	<10	1.43	2510	<2	0.01	<1	1168	10	1.29	8	3	135	<5	<0.01	<10	<10	19	<10	94	2
132859	5.1	1.45	137	141	<0.5	20	2.78	3	12	23	13	4.30	2	0.29	<10	1.25	3129	<2	0.01	<1	1132	14	1.62	8	3	222	<5	<0.01	<10	10	18	<10	100	2
132860	0.7	0.66	743	1217	0.5	17	0.77	5	9	60	37	3.83	2	0.15	16	0.39	511	6	0.01	36	978	163	0.23	573	5	230	7	<0.01	<10	<10	60	<10	261	13
132861	1.8	0.77	46	149	0.6	15	1.54	2	12	17	5	3.17	1	0.30	<10	0.36	1247	<2	0.01	1	556	13	1.76	7	1	109	<5	<0.01	<10	<10	5	<10	38	1
132862	0.9	1.19	32	169	<0.5	14	3.09	2	10	12	6	3.01	1	0.30	<10	0.67	2485	<2	0.01	<1	717	8	0.69	6	1	212	<5	<0.01	<10	<10	7	<10	74	1
132863	0.7	1.37	13	158	0.5	15	0.93	2	11	9	2	3.53	1	0.28	10	0.78	1369	<2	0.01	<1	647	8	0.59	6	1	61	<5	<0.01	<10	<10	6	<10	69	1
132864	0.7	1.45	16	166	0.5	17	0.57	2	11	11	15	3.54	<1	0.30	13	0.81	1124	<2	0.01	<1	772	5	0.53	6	1	38	<5	<0.01	<10	<10	7	<10	85	1
132865	3.3	0.68	34	168	0.5	14	2.39	2	16	17	9	3.12	1	0.30	<10	0.57	1769	<2	0.01	1	687	14	1.41	6	3	211	<5	<0.01	<10	<10	5	<10	62	1
132866	3.5	1.69	128	148	<0.5	23	3.84	3	17	23	15	5.36	2	0.30	<10	1.19	3287	<2	0.01	<1	1456	11	1.88	9	3	173	<5	<0.01	<10	13	21	<10	110	2
132867	2.1	2.20	100	151	<0.5	33	2.57	4	16	25	18	6.72	1	0.29	<10	1.36	2772	<2	0.01	<1	1320	11	1.78	10	3	114	<5	<0.01	<10	15	25	<10	101	2
132868	1.9	1.58	48	156	<0.5	24	2.13	3	14	22	18	5.20	1	0.30	<10	0.94	2353	<2	0.01	<1	1075	9	1.67	9	3	93	<5	<0.01	<10	<10	16	<10	90	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Randy Kasum

Project: Premier/Shipment#18

Sample type: core

Report No : 9V1208RJ

Date : Sep-28-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132869	1.2	1.43	65	147	<0.5	21	4.12	3	13	24	13	4.44	2	0.29	<10	1.13	3237	<2	0.01	<1	1245	6	1.46	8	3	259	<5	<0.01	<10	<10	17	<10	84	1
132870	0.7	1.11	53	134	<0.5	19	4.02	3	12	19	5	4.17	2	0.28	<10	1.25	3095	<2	0.01	<1	1213	5	0.93	7	4	205	<5	<0.01	<10	<10	15	<10	85	1
132871	0.6	1.84	81	363	<0.5	22	4.39	3	16	27	11	4.57	2	0.27	<10	1.56	2915	<2	0.02	4	1271	5	0.71	8	5	232	<5	<0.01	<10	<10	29	<10	97	2
132872	1.0	1.56	56	227	<0.5	19	3.88	2	12	21	11	4.15	2	0.28	<10	1.23	2583	<2	0.01	<1	1171	6	1.13	8	4	244	<5	<0.01	<10	<10	20	<10	93	1
132873	1.4	1.46	32	132	<0.5	17	4.06	2	12	25	24	3.86	2	0.25	<10	1.20	2847	<2	0.01	<1	1048	7	0.99	8	3	177	<5	<0.01	<10	<10	19	<10	105	1
132874	22.3	0.68	77	122	<0.5	10	3.46	2	7	60	46	2.31	1	0.21	<10	0.45	1684	<2	0.01	1	665	111	1.18	8	1	194	<5	<0.01	<10	<10	9	<10	263	1
132875	5.1	0.83	50	140	<0.5	12	5.70	1	7	62	24	2.43	2	0.28	<10	0.60	2801	<2	0.01	1	748	21	1.07	7	2	241	<5	<0.01	<10	<10	13	<10	98	1
132876	3.0	1.32	54	161	<0.5	16	3.09	2	10	45	24	3.50	2	0.31	<10	0.97	2537	<2	0.01	<1	939	9	1.20	8	3	141	<5	<0.01	<10	<10	24	<10	96	1
132877	1.5	1.58	32	148	<0.5	17	2.80	2	11	49	22	4.01	2	0.28	<10	1.24	2583	<2	0.02	<1	1036	4	1.03	8	3	118	<5	<0.01	<10	<10	26	<10	88	2
132878	3.7	1.20	61	154	<0.5	15	3.31	2	9	42	16	3.48	2	0.30	<10	0.97	2530	<2	0.01	<1	919	7	1.20	7	3	139	<5	<0.01	<10	<10	18	<10	76	1
132879	1.6	1.35	58	162	<0.5	18	3.08	2	10	46	17	3.84	2	0.29	<10	1.15	2626	<2	0.01	<1	980	5	1.14	8	3	142	<5	<0.01	<10	<10	21	<10	77	1
132880	<0.2	0.04	<5	13	<0.5	<5	>15.00	<1	1	3	1	0.03	<1	0.01	<10	1.69	25	<2	0.01	<1	90	<2	0.83	<5	<1		<5	<0.01	<10	21	1	<10	<1	<1
132881	23.1	1.18	27	177	<0.5	14	3.09	2	9	34	19	3.13	2	0.29	<10	0.86	2603	<2	0.01	<1	899	9	0.88	8	2	144	<5	<0.01	<10	<10	17	<10	76	1
132882	2.3	1.43	28	168	<0.5	17	4.30	2	10	42	22	3.58	2	0.32	<10	1.05	3557	<2	0.01	<1	1012	5	0.89	8	3	208	<5	<0.01	<10	<10	21	<10	93	1
132883	35.4	1.07	18	154	<0.5	13	4.57	2	9	32	42	2.96	2	0.27	<10	0.74	3385	<2	0.01	<1	906	36	0.89	22	2	303	<5	<0.01	<10	<10	16	<10	122	1
132884	1.6	1.21	23	151	<0.5	17	3.35	2	11	24	15	3.87	2	0.29	<10	1.10	2820	<2	0.01	<1	1067	4	1.12	7	3	142	<5	<0.01	<10	<10	16	<10	81	1
132885	24.8	0.97	49	157	<0.5	16	3.12	2	10	28	17	3.75	2	0.32	<10	1.03	2568	<2	0.01	<1	1000	41	1.17	9	3	133	<5	<0.01	<10	<10	14	<10	125	1
132886	13.6	0.44	21	161	<0.5	12	3.29	2	8	43	23	2.80	1	0.26	<10	0.69	2350	<2	0.01	<1	786	25	1.11	6	2	146	<5	<0.01	<10	<10	6	<10	107	1
132887	13.0	0.23	29	110	<0.5	5	7.79	1	4	49	17	1.39	2	0.20	<10	0.17	3145	<2	0.01	1	460	70	1.03	6	1	229	<5	<0.01	<10	<10	2	<10	178	<1
132888	1.6	0.36	23	191	<0.5	11	2.24	2	7	39	21	2.72	1	0.28	<10	0.41	1786	<2	0.01	<1	920	18	0.94	5	1	81	<5	<0.01	<10	<10	4	<10	64	1
132889	0.8	0.37	69	238	<0.5	12	1.45	2	8	30	5	2.82	1	0.32	<10	0.40	1334	<2	0.01	1	1132	8	0.87	5	2	74	<5	<0.01	<10	<10	4	<10	62	1
132890	0.7	0.37	69	150	<0.5	13	2.03	2	8	43	1	2.91	1	0.30	<10	0.33	1495	<2	0.01	<1	907	8	0.80	5	1	79	<5	<0.01	<10	<10	2	<10	71	1
132891	1.6	0.42	89	178	<0.5	12	2.67	2	9	31	9	2.81	1	0.32	<10	0.30	1671	<2	0.01	<1	995	10	1.35	5	1	114	<5	<0.01	<10	<10	4	<10	64	1
132892	1.3	0.67	92	181	<0.5	12	3.09	2	7	25	20	2.65	1	0.32	<10	0.36	1899	<2	0.01	<1	1044	10	1.08	6	1	118	<5	<0.01	<10	<10	6	<10	56	1
132893	0.8	0.97	60	189	<0.5	16	2.46	2	8	33	14	3.63	1	0.31	<10	0.70	1963	<2	0.01	<1	1208	18	1.14	7	1	101	<5	<0.01	<10	<10	10	<10	66	1
132894	0.7	0.79	44	238	<0.5	11	2.74	1	9	23	8	2.46	1	0.29	<10	0.62	2024	<2	0.01	<1	1104	8	0.56	5	2	155	<5	<0.01	<10	<10	8	<10	39	1
132895	1.3	0.43	23	324	<0.5	10	7.67	1	5	44	3	2.47	2	0.22	<10	0.61	4073	<2	0.01	<1	580	20	0.90	6	1	438	<5	<0.01	<10	11	7	<10	40	1
132896	0.8	1.33	23	141	<0.5	18	4.23	2	10	44	16	3.87	2	0.21	<10	1.03	3025	<2	0.01	<1	938	23	1.22	7	2	196	<5	<0.01	<10	<10	26	<10	103	1
132897	1.1	1.08	23	135	<0.5	15	3.60	2	8	39	9	3.18	2	0.25	<10	0.77	2379	<2	0.01	<1	955	20	1.23	7	2	155	<5	<0.01	<10	<10	14	<10	69	1
132898	0.9	1.36	47	207	<0.5	18	3.00	2	10	22	23	3.75	1	0.32	<10	1.00	2275	<2	0.01	<1	1190	11	1.38	8	2	142	<5	<0.01	<10	<10	18	<10	83	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Randy Kasum

Project: Premier/Shipment#18

Sample type: core

Report No : **9V1208RJ**

Date : Sep-28-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132899	1.0	1.55	58	143	<0.5	19	3.58	2	12	28	38	4.04	2	0.31	<10	1.23	2583	<2	0.02	<1	1209	7	1.21	9	3	156	<5	<0.01	<10	<10	27	<10	91	2
132900	1.3	1.49	6151	78	<0.5	167	6.66	1	108	39	279	5.00	1	0.20	10	0.48	892	29	0.07	65	813	18	0.94	19	3	63	<5	0.11	<10	<10	53	<10	81	12
132901	1.2	1.68	54	152	<0.5	19	2.92	2	12	26	36	4.12	1	0.32	<10	1.25	2339	<2	0.02	<1	1203	14	1.01	9	3	109	<5	<0.01	<10	<10	27	<10	92	2
132902	0.8	2.06	33	230	<0.5	21	2.55	3	14	25	19	4.98	1	0.29	<10	1.46	2413	<2	0.02	<1	1266	15	0.94	10	3	106	<5	<0.01	<10	<10	30	<10	107	2
132903	0.7	1.64	36	178	<0.5	20	1.25	2	11	22	21	4.12	1	0.33	<10	0.95	1572	<2	0.01	<1	1162	12	0.96	9	2	62	<5	<0.01	<10	<10	15	<10	83	1
132904	<0.2	1.99	34	193	<0.5	21	1.28	3	12	16	1	4.79	1	0.37	12	0.98	1713	<2	0.01	<1	1394	11	0.69	8	2	66	<5	<0.01	<10	<10	21	<10	110	2
132905	1.2	1.44	70	206	<0.5	21	1.06	3	12	24	16	4.65	1	0.36	10	0.62	1599	<2	0.01	<1	1324	10	1.67	9	2	67	<5	<0.01	<10	<10	21	<10	83	2
132906	1.1	1.38	47	238	<0.5	16	2.55	2	10	30	6	3.80	1	0.29	<10	0.62	2030	<2	0.01	<1	1134	11	0.82	7	1	84	<5	<0.01	<10	<10	13	<10	83	1
132907	0.8	1.77	18	184	<0.5	17	2.14	2	10	22	7	4.07	2	0.30	10	0.87	1778	<2	0.01	<1	1221	9	0.30	8	2	80	<5	<0.01	<10	<10	18	<10	93	1
132908	1.8	1.09	43	175	<0.5	17	3.80	2	11	23	9	3.69	1	0.35	<10	0.50	2123	2	0.01	<1	1248	11	1.88	7	1	140	<5	<0.01	<10	<10	11	<10	65	2
132909	1.3	1.00	53	156	<0.5	17	2.53	3	12	14	11	3.99	1	0.36	<10	0.46	1384	2	0.01	<1	1381	14	2.33	8	1	121	<5	<0.01	<10	<10	14	<10	67	2
132910	0.2	1.82	18	398	<0.5	21	2.09	3	11	22	10	4.34	1	0.31	11	0.92	1402	<2	0.02	<1	1391	9	0.52	8	2	90	<5	<0.01	<10	<10	32	<10	102	2
132911	0.7	0.88	58	83	<0.5	19	3.21	3	12	11	8	4.37	<1	0.35	<10	0.41	1380	3	0.01	<1	1416	15	2.83	8	2	125	<5	<0.01	<10	<10	10	<10	65	2
132912	6.6	7.49	173	1056	1.6	151	>15.00	20	93	96	43	32.92	7	3.19	61	3.63	9594	58	0.11	2	>10000	123	>5.00	58	14	1102	15	0.01	29	50	86	23	567	16
132913	4.1	0.99	59	137	<0.5	20	1.39	5	12	34	25	4.35	3	0.37	<10	0.39	912	7	0.01	2	976	153	2.47	13	1	50	<5	<0.01	<10	<10	13	<10	501	2
132914	21.2	0.94	113	147	<0.5	17	0.29	8	10	51	63	3.92	2	0.27	<10	0.46	1561	2	0.01	1	758	348	1.92	17	1	19	<5	<0.01	<10	<10	15	<10	678	1
132915	8.3	0.85	120	141	<0.5	19	0.49	7	9	71	86	4.26	4	0.27	<10	0.43	1388	<2	0.01	1	732	642	2.54	16	1	36	<5	<0.01	<10	<10	15	<10	490	1
132916	18.8	1.30	74	169	<0.5	19	0.25	12	12	41	115	4.31	2	0.26	<10	0.78	2220	<2	0.01	1	815	502	1.63	14	2	20	<5	<0.01	<10	<10	22	<10	1009	1
132917	7.9	1.02	51	127	<0.5	18	0.66	91	11	62	239	4.83	7	0.22	<10	1.13	3741	<2	0.01	<1	774	2095	1.96	13	1	57	<5	<0.01	<10	<10	16	17	5393	1
132918	11.1	0.72	119	120	<0.5	16	0.57	77	10	50	190	3.92	4	0.29	<10	0.57	2051	4	0.01	1	809	1272	1.96	14	1	60	<5	<0.01	<10	<10	9	14	4876	1
132919	27.3	0.89	104	63	<0.5	15	1.29	321	10	106	443	4.55	15	0.29	<10	0.53	2623	2	0.01	1	684	>10000	3.84	19	1	61	<5	<0.01	<10	<10	14	57	9480	1
132920	0.6	0.66	707	1593	0.5	17	0.75	4	8	65	36	3.59	3	0.16	17	0.37	505	5	0.01	36	958	168	0.24	611	5	216	7	<0.01	<10	<10	64	<10	282	13
132921	8.9	1.40	97	172	<0.5	22	0.67	48	15	60	281	5.04	5	0.38	<10	0.87	2743	<2	0.01	1	1236	1429	2.19	14	2	54	<5	<0.01	<10	<10	22	11	3642	2
132922	19.6	0.97	79	96	<0.5	15	0.56	82	8	121	372	3.96	9	0.24	<10	0.56	2208	<2	0.01	1	644	>10000	2.45	22	1	35	<5	<0.01	<10	<10	20	17	5423	1
132923	11.9	0.94	67	67	<0.5	23	0.59	98	13	85	348	5.76	10	0.34	<10	0.46	1689	20	0.01	1	825	6044	4.06	19	1	48	<5	<0.01	<10	<10	13	21	6173	2
132924	7.2	1.08	71	64	<0.5	29	0.42	31	12	93	20	6.49	3	0.26	<10	0.62	1856	97	0.01	<1	668	1843	4.16	17	1	34	<5	<0.01	<10	11	21	<10	2198	2
132925	2.5	1.10	37	79	<0.5	25	0.60	5	12	59	5	5.77	2	0.29	<10	0.69	2336	42	0.01	<1	1043	128	3.61	11	1	34	<5	<0.01	<10	<10	22	<10	211	2
132926	10.6	1.30	50	70	<0.5	27	0.64	9	13	53	3	6.05	3	0.29	<10	0.91	2710	44	0.01	<1	1187	7776	3.75	17	2	39	<5	<0.01	<10	<10	29	<10	648	2
132927	3.7	0.89	54	109	<0.5	20	0.66	11	10	82	5	4.66	3	0.27	<10	0.61	2012	16	0.01	1	897	543	3.20	11	1	39	<5	<0.01	<10	<10	16	<10	957	2
132928	8.6	0.83	37	91	<0.5	20	1.96	6	12	43	8	4.65	2	0.33	<10	0.50	2122	9	0.02	<1	1159	142	3.39	9	2	95	<5	<0.01	<10	<10	14	<10	433	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Randy Kasum

Project: Premier/Shipment#18

Sample type: core

Report No : **9V1208RJ**

Date : Sep-28-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132929	4.6	0.94	25	98	<0.5	20	2.27	5	11	37	7	4.48	2	0.32	<10	0.65	2167	8	0.02	<1	1072	88	2.99	8	2	116	<5	<0.01	<10	<10	13	<10	296	1
132930	3.1	0.92	18	112	<0.5	18	2.81	4	13	33	8	4.16	2	0.35	<10	0.52	2534	8	0.02	<1	1148	100	2.61	9	2	128	<5	<0.01	<10	<10	13	<10	279	1
132931	1.6	1.49	15	246	<0.5	21	0.80	3	18	14	7	4.10	3	0.36	<10	0.70	2083	2	0.02	3	1036	16	0.74	8	3	63	<5	<0.01	<10	<10	20	<10	105	2
132932	1.6	0.62	16	245	<0.5	21	0.27	4	22	21	4	4.62	2	0.41	10	0.63	1757	5	0.02	3	923	14	0.64	8	4	33	<5	<0.01	<10	<10	13	<10	96	2
132933	1.9	0.57	23	286	0.6	16	0.23	2	51	10	28	3.18	2	0.37	10	0.41	1255	2	0.01	6	827	12	0.37	8	3	30	<5	<0.01	<10	<10	10	<10	106	2
132934	1.4	1.31	21	283	0.5	26	0.32	4	22	15	36	5.36	1	0.41	15	0.70	1945	3	0.02	4	696	22	0.67	8	4	38	<5	<0.01	<10	<10	20	<10	102	2
132935	1.8	0.82	15	154	0.5	29	0.52	5	15	16	18	6.36	1	0.41	<10	0.70	2357	<2	0.03	3	274	18	1.71	9	3	40	<5	<0.01	<10	<10	18	<10	118	2
132936	2.9	0.69	15	164	<0.5	26	0.42	4	14	18	50	5.64	1	0.38	<10	0.59	1835	<2	0.03	2	296	12	1.45	8	3	35	<5	<0.01	<10	<10	15	<10	96	2
132937	1.4	0.71	12	196	0.5	24	0.58	4	11	10	25	5.07	1	0.37	10	0.64	1595	<2	0.03	3	316	13	1.00	8	4	45	<5	<0.01	<10	<10	15	<10	67	2
132938	0.7	1.32	15	433	<0.5	20	3.15	3	16	31	18	4.17	1	0.40	18	1.70	1361	3	0.06	10	1128	12	0.65	9	10	178	<5	<0.01	<10	<10	31	<10	87	2
132939	3.8	0.61	20	96	<0.5	22	2.77	4	13	40	9	4.22	2	0.31	<10	0.86	2503	3	0.02	1	1034	21	2.41	9	3	135	<5	<0.01	<10	<10	10	<10	241	1
132940	<0.2	0.18	<5	11	<0.5	<5	>15.00	<1	1	4	<1	0.11	<1	0.01	<10	1.45	46	<2	0.01	1	131	<2	0.95	5	<1	5510	<5	<0.01	<10	22	2	<10	4	1
132941	3.4	0.50	16	70	<0.5	21	3.32	4	13	14	12	4.64	1	0.26	<10	0.91	2293	2	0.02	1	1262	27	2.93	9	3	163	<5	<0.01	<10	<10	7	<10	114	2
132942	4.6	0.58	18	76	<0.5	19	4.54	3	12	18	8	4.52	3	0.30	<10	0.62	2818	<2	0.02	<1	1251	26	2.75	9	3	164	<5	<0.01	<10	<10	7	<10	99	1
132943	1.1	1.70	17	237	<0.5	23	2.58	3	17	19	16	4.99	1	0.29	<10	1.35	1728	<2	0.04	5	1032	14	1.13	9	4	155	<5	<0.01	<10	<10	23	<10	92	1
132944	0.3	1.55	44	507	0.5	21	1.76	3	13	30	20	4.18	<1	0.35	11	1.23	959	<2	0.04	7	946	4	0.68	9	6	120	<5	<0.01	<10	<10	31	<10	75	2
132945	0.8	0.68	30	191	0.5	20	1.32	3	11	14	26	3.96	<1	0.35	13	0.54	1490	<2	0.03	3	617	6	0.67	6	4	98	<5	<0.01	<10	<10	12	<10	75	2
132946	0.5	2.22	13	189	0.6	24	0.40	3	11	7	40	5.23	<1	0.32	17	0.90	1056	<2	0.03	3	469	5	0.35	10	3	30	<5	<0.01	<10	<10	29	<10	129	2
132947	0.2	1.85	8	546	<0.5	20	4.30	3	12	22	12	4.25	1	0.29	10	1.15	1823	<2	0.04	3	1313	7	0.62	8	5	178	<5	<0.01	<10	<10	33	<10	94	2
132948	1.2	1.78	11	160	<0.5	23	4.37	3	11	13	14	4.98	1	0.25	<10	0.87	2182	<2	0.03	<1	1160	13	1.40	9	3	129	<5	<0.01	<10	<10	18	<10	94	1
132949	1.3	1.33	15	165	<0.5	15	4.17	2	11	20	9	3.34	1	0.25	<10	0.60	2394	<2	0.03	1	1077	9	0.78	7	2	130	<5	<0.01	<10	<10	17	<10	82	1
132950	0.9	1.79	15	190	<0.5	19	4.67	3	11	19	14	4.40	1	0.26	<10	0.79	2371	<2	0.04	<1	1212	10	0.79	9	3	129	<5	<0.01	<10	<10	25	<10	98	1
132951	2.1	1.76	90	219	<0.5	23	1.56	3	14	13	32	5.08	1	0.29	<10	0.80	1562	2	0.04	2	637	11	1.39	11	2	54	<5	<0.01	<10	<10	25	<10	90	2
132952	2.7	1.36	114	194	<0.5	18	2.07	3	12	25	39	4.15	1	0.27	<10	0.64	1714	<2	0.03	2	782	12	1.37	9	2	66	<5	<0.01	<10	<10	16	<10	69	1
132953	15.7	0.68	92	137	<0.5	15	2.50	8	10	32	9	3.09	2	0.25	<10	0.27	1646	<2	0.02	1	918	244	2.14	8	1	81	<5	<0.01	<10	<10	9	<10	633	1
Duplicates:																																		
132809	11.2	0.34	28	64	<0.5	20	2.04	3	10	36	1	4.09	1	0.28	<10	0.09	790	<2	0.01	1	1263	20	3.68	8	1	60	<5	<0.01	<10	<10	2	<10	75	2
132818	6.8	0.49	59	95	<0.5	19	7.04	5	8	42	12	3.70	2	0.28	<10	0.26	3078	3	0.01	<1	1043	500	3.42	9	1	197	<5	<0.01	<10	<10	5	<10	436	1
132828	4.6	0.78	56	75	<0.5	21	3.30	3	10	35	<1	4.22	2	0.32	<10	0.54	2273	<2	0.03	<1	1311	18	2.80	9	2	89	<5	<0.01	<10	<10	13	<10	63	1
132831	4.3	0.64	41	144	<0.5	15	3.15	2	8	24	<1	3.13	1	0.35	<10	0.53	1768	3	0.01	<1	1157	19	1.97	9	2	97	<5	<0.01	<10	<10	9	<10	97	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Randy Kasum
Project: Premier/Shipment#18
Sample type: core

Report No : **9V1208RJ**
Date : Sep-28-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132840	1.3	1.53	6003	75	<0.5	169	6.26	1	105	36	279	5.02	1	0.20	<10	0.51	809	30	0.07	63	761	17	0.88	23	3	62	<5	0.13	<10	<10	50	<10	77	11
132850	13.9	1.32	65	202	<0.5	15	1.10	2	10	41	13	3.36	1	0.30	<10	0.84	1558	<2	0.01	1	963	25	1.01	8	2	68	<5	<0.01	<10	<10	15	<10	108	1
132853	4.5	0.81	36	224	<0.5	11	0.41	1	8	34	1	2.42	<1	0.29	<10	0.29	651	<2	0.01	1	883	13	0.99	5	1	19	<5	<0.01	<10	<10	8	<10	67	2
132862	1.0	1.21	33	170	<0.5	14	3.08	2	11	12	5	3.04	1	0.31	<10	0.67	2569	<2	0.01	<1	747	8	0.72	5	1	209	<5	<0.01	<10	<10	7	<10	77	1
132872	1.0	1.59	55	236	<0.5	19	3.86	3	12	21	11	4.15	1	0.29	<10	1.21	2629	<2	0.01	<1	1197	6	1.14	7	4	237	<5	<0.01	<10	<10	20	<10	93	1
132875	5.6	0.83	48	133	<0.5	11	5.93	1	8	61	32	2.66	2	0.26	<10	0.61	2863	<2	0.01	1	778	20	1.07	8	2	238	<5	<0.01	<10	10	12	<10	95	1
132884	1.5	1.14	23	146	<0.5	17	3.23	2	11	25	15	3.75	2	0.28	<10	1.06	2764	<2	0.01	<1	1075	4	1.13	7	3	136	<5	<0.01	<10	<10	16	<10	76	1
132894	0.7	0.86	41	268	<0.5	11	2.80	1	9	25	9	2.53	1	0.31	<10	0.64	2036	<2	0.01	<1	1128	9	0.57	5	2	159	<5	<0.01	<10	<10	8	<10	39	1
132897	0.8	1.10	24	146	<0.5	15	3.71	2	8	42	8	3.23	2	0.28	<10	0.79	2434	<2	0.01	<1	932	17	1.25	7	2	158	<5	<0.01	<10	<10	14	<10	75	1
132906	1.1	1.42	50	258	<0.5	18	2.61	2	10	32	6	3.85	1	0.30	<10	0.64	2079	<2	0.01	<1	1123	12	0.84	8	1	87	<5	<0.01	<10	<10	13	<10	89	1
132916	20.7	1.38	84	180	<0.5	21	0.26	13	13	44	121	4.55	2	0.28	<10	0.81	2338	<2	0.01	1	839	522	1.69	15	2	21	<5	<0.01	<10	<10	23	<10	1062	1
132919	24.4	0.83	87	58	<0.5	15	1.10	267	9	94	426	4.08	13	0.27	<10	0.45	2543	2	0.01	2	612	9880	3.37	19	1	56	<5	<0.01	<10	10	12	51	>10000	1
132928	7.9	0.73	28	78	<0.5	19	1.67	6	11	37	8	4.03	2	0.30	<10	0.46	1972	9	0.02	1	1010	129	3.03	8	2	86	<5	<0.01	<10	<10	12	<10	415	1
132938	0.7	1.32	16	438	<0.5	21	3.26	3	16	31	18	4.29	<1	0.41	17	1.74	1393	3	0.06	10	1161	15	0.67	9	10	180	<5	<0.01	<10	<10	31	<10	97	2
132941	3.4	0.54	18	78	<0.5	20	3.60	4	13	16	11	4.90	1	0.30	<10	0.98	2425	<2	0.02	<1	1382	29	3.10	8	3	175	<5	<0.01	<10	<10	8	<10	111	2
132950	1.0	1.61	15	173	<0.5	17	4.42	2	10	16	13	4.15	1	0.25	<10	0.76	2227	<2	0.03	<1	1149	10	0.76	7	3	118	<5	<0.01	<10	<10	22	<10	90	1
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.6	1.80	13	295	0.6	23	0.57	4	31	107	2071	4.89	<1	1.37	13	1.30	334	<2	0.05	55	660	16	0.58	12	7	8	<5	0.21	<10	<10	75	<10	216	9

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Metallic Assay Certificate

9V-1208-RM1

Sep-28-09

Company: **Ascot Resources Ltd.**
Project: Premier/Shipment#18
Attn: Randy Kasum

We *hereby certify* the following analysis of 1 rock sample submitted Sep-11-09

Sample Name	WtTotal g	Wt+150 g	+150Au mg	-150Au g/tonne	Metallic Au g/tonne	Net Au g/tonne
132821	409.3	4.3	0.098	20.54	0.24	20.56

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1224-RA1

Sep-29-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#19
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-14-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132954	0.09	4.3	3.5
132955	0.10	5.8	2.0
132956	0.08	3.3	1.5
132957	0.08	5.1	3.6
132958	0.81	1.5	3.6
132959	<0.01	0.8	3.3
132960	3.65	1.2	
132961	0.07	1.2	3.5
132962	0.01	2.3	3.4
132963	0.03	2.4	3.4
132964	0.04	6.4	3.5
132965	<0.01	2.7	3.4
132966	<0.01	3.7	3.6
132967	<0.01	1.8	3.4
132968	0.35	5.0	3.4
132969	0.02	1.1	3.4
132970	<0.01	4.7	2.8
132971	0.06	14.6	3.3
132972	<0.01	4.1	1.5
132973	0.07	97.2	1.9
132974	<0.01	<0.1	0.9
132975	<0.01	1.6	2.9
*DUP 132954	0.13	3.9	
*DUP 132963	0.05	2.4	
*DUP 132973	0.09	95.1	
*0211	2.23		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1224-RA2

Sep-29-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#19
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-14-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132976	<0.01	2.1	1.9
132977	<0.01	1.3	3.2
132978	<0.01	0.5	3.0
132979	<0.01	3.9	1.9
132980	0.26	0.6	
132981	0.08	4.4	1.9
132982	<0.01	<0.1	2.1
132983	<0.01	1.2	1.7
132984	<0.01	1.4	1.7
132985	<0.01	1.0	3.3
132986	<0.01	0.6	3.6
132987	<0.01	0.5	3.4
132988	<0.01	0.9	3.6
132989	<0.01	0.9	3.2
132990	<0.01	1.3	3.5
132991	<0.01	1.6	3.5
132992	0.02	2.2	3.5
132993	<0.01	0.7	3.5
132994	<0.01	0.3	3.6
132995	<0.01	0.4	3.4
132996	<0.01	0.6	3.6
132997	0.02	1.5	3.4
*DUP 132976	<0.01	2.3	
*DUP 132985	<0.01	1.1	
*DUP 132995	<0.01	0.4	
*0211	2.20		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

*Certified by*_____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1224-RA3

Sep-29-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#19
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-14-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
132998	<0.01	1.3	3.5
132999	0.04	13.4	3.5
133000	<0.01	<0.1	0.6
133001	<0.01	3.6	3.8
133002	<0.01	4.4	3.4
133003	<0.01	1.6	3.6
133004	0.50	178.3	3.5
133005	0.19	47.2	3.4
133006	<0.01	6.3	3.4
133007	<0.01	3.1	3.4
133008	0.15	59.3	3.5
133009	<0.01	6.0	3.3
133010	0.30	114.5	1.8
133011	<0.01	2.5	1.9
133012	<0.01	5.5	1.7
133013	<0.01	7.8	1.9
133014	0.16	33.7	1.6
133015	<0.01	2.4	1.8
133016	<0.01	1.8	3.6
133017	<0.01	1.3	3.3
133018	<0.01	1.3	2.0
133019	<0.01	5.1	1.4
*DUP 132998	<0.01	1.2	
*DUP 133007	0.01	3.2	
*DUP 133017	<0.01	1.3	
*0211	2.21		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1224-RA4

Sep-29-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#19
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-14-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
133020	3.71	1.3	
133021	<0.01	16.4	1.9
133022	<0.01	3.3	1.7
133023	<0.01	5.7	1.9
133024	<0.01	2.0	1.9
133025	<0.01	1.3	1.7
133026	<0.01	3.0	1.6
133027	<0.01	2.1	1.9
133028	<0.01	2.4	1.8
133029	<0.01	4.3	1.5
133030	0.02	88.0	1.7
133031	0.03	164.0	1.7
133032	0.02	109.0	1.5
133033	<0.01	20.2	2.4
133034	<0.01	5.2	1.9
133035	<0.01	4.6	3.5
133036	<0.01	1.9	3.9
133037	0.02	12.4	3.4
133038	<0.01	9.2	3.9
133039	0.01	9.9	3.3
133040	0.27	0.7	
133041	<0.01	0.8	3.7
*DUP 133020	3.69	1.8	
*DUP 133029	<0.01	4.7	
*DUP 133039	<0.01	10.1	
*0211	2.24		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1224-RA5

Sep-29-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#19
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-14-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
133042	0.01	10.4	0.7
133043	<0.01	0.5	2.5
133044	<0.01	1.0	3.5
133045	<0.01	0.6	3.7
133046	<0.01	0.7	3.5
133047	<0.01	3.1	3.5
133048	<0.01	0.5	3.4
133049	<0.01	0.6	3.5
133050	<0.01	1.1	3.6
133051	<0.01	1.1	3.7
133052	<0.01	1.3	3.6
133053	<0.01	0.6	3.3
133054	<0.01	0.2	3.4
133055	<0.01	<0.1	3.4
133056	<0.01	<0.1	0.9
133057	<0.01	0.9	2.1
133058	<0.01	0.2	3.5
133059	<0.01	0.3	3.3
133060	<0.01	<0.1	0.5
133061	<0.01	0.3	3.6
133062	<0.01	0.2	3.4
133063	<0.01	0.5	3.6
*DUP 133042	<0.01	9.8	
*DUP 133051	<0.01	1.3	
*DUP 133061	<0.01	0.2	
*0211	2.27		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

*Certified by*_____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1224-RA6

Sep-29-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#19
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-14-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
133064	<0.01	<0.1	3.4
133065	<0.01	<0.1	3.4
133066	<0.01	<0.1	3.4
133067	<0.01	<0.1	3.5
133068	<0.01	<0.1	3.5
133069	<0.01	0.2	3.0
133070	<0.01	0.3	3.4
133071	<0.01	0.3	3.3
133072	<0.01	0.2	3.4
133073	<0.01	0.3	3.0
133074	<0.01	1.1	2.3
133075	<0.01	0.3	1.8
133076	<0.01	0.8	0.9
133077	<0.01	0.7	1.7
133078	0.02	0.8	2.8
133079	<0.01	0.7	1.9
133080	3.65	1.2	
133081	<0.01	0.6	1.7
133082	0.06	2.4	1.4
133083	0.01	1.2	1.7
133084	<0.01	<0.1	1.5
133085	<0.01	0.3	3.4
*DUP 133064	<0.01	<0.1	
*DUP 133073	<0.01	0.2	
*DUP 133083	0.01	1.2	
*0211	2.35		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1224-RA7

Sep-29-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#19
Attn: Sue Deane

We *hereby certify* the following assay of 7 core samples submitted Sep-14-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
133086	<0.01	0.1	3.4
133087	<0.01	0.2	3.4
133088	<0.01	0.1	1.6
133089	<0.01	<0.1	3.0
133090	<0.01	0.6	2.6
133091	<0.01	1.2	3.3
133092	<0.01	0.4	3.6
*DUP 133086	<0.01	<0.1	
*0211	2.17		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

*Certified by*_____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment#19

Sample type: CORE

Report No : 9V1224RJ

Date : Sep-29-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132954	4.3	1.17	87	187	<0.5	18	2.03	3	12	44	15	3.79	1	0.27	<10	0.52	1570	<2	0.03	2	1140	63	1.55	9	2	69	<5	<0.01	<10	10	18	14	164	2
132955	5.8	0.36	100	112	<0.5	7	0.71	1	6	105	10	1.80	<1	0.17	<10	0.13	531	3	0.01	3	506	50	1.10	8	1	40	<5	<0.01	<10	<10	5	<10	92	1
132956	3.3	1.44	66	201	<0.5	19	1.61	3	16	32	15	4.29	1	0.30	<10	0.68	1366	2	0.03	1	1313	68	1.36	11	2	75	<5	<0.01	<10	<10	22	<10	121	2
132957	5.1	1.35	61	212	<0.5	17	3.97	2	12	29	15	3.78	1	0.33	<10	0.59	2337	<2	0.03	<1	1213	14	1.20	9	2	128	<5	<0.01	<10	12	23	<10	81	2
132958	1.5	1.42	54	205	<0.5	17	2.04	2	12	34	34	4.02	1	0.30	<10	0.63	2001	<2	0.02	1	1186	67	1.07	9	2	69	<5	<0.01	<10	<10	23	<10	127	2
132959	0.8	1.74	39	233	<0.5	20	2.71	2	13	18	12	4.44	1	0.36	<10	0.72	1905	<2	0.03	<1	1412	6	0.89	10	2	97	<5	<0.01	<10	<10	27	<10	84	2
132960	1.2	1.39	6261	75	<0.5	161	5.85	1	111	35	284	4.73	<1	0.20	<10	0.49	792	28	0.06	63	801	16	0.90	19	3	58	5	0.10	<10	12	50	45	77	10
132961	1.2	1.73	62	223	<0.5	20	2.47	2	13	14	15	4.42	1	0.35	<10	0.72	1844	<2	0.03	<1	1343	6	0.86	10	2	94	<5	<0.01	<10	10	25	<10	123	2
132962	2.3	1.41	104	214	<0.5	15	2.19	2	14	17	24	4.08	1	0.37	<10	0.58	1795	<2	0.02	<1	1226	11	1.23	11	2	84	<5	<0.01	<10	<10	22	<10	91	2
132963	2.4	1.60	81	215	<0.5	18	3.17	2	14	19	19	4.35	1	0.33	<10	0.75	2247	2	0.03	<1	1372	23	1.16	12	2	90	<5	<0.01	<10	11	27	<10	120	2
132964	6.4	0.97	59	170	<0.5	14	2.73	2	11	31	7	3.64	1	0.29	<10	0.45	1521	4	0.02	1	1077	39	1.78	8	2	109	<5	<0.01	<10	10	12	<10	113	1
132965	2.7	1.44	23	191	<0.5	19	3.75	2	14	14	10	4.29	1	0.32	<10	0.74	2168	4	0.03	<1	1369	14	1.70	9	3	138	<5	<0.01	<10	10	24	<10	81	2
132966	3.7	0.88	22	162	<0.5	16	3.55	2	13	16	7	3.82	2	0.32	<10	0.43	1746	2	0.03	1	1250	22	2.50	9	3	146	<5	<0.01	<10	<10	15	<10	76	2
132967	1.8	1.31	17	162	<0.5	17	4.14	2	12	11	11	3.87	2	0.29	<10	0.68	2050	3	0.03	<1	1231	12	1.55	9	3	175	<5	<0.01	<10	13	25	<10	74	1
132968	5.0	1.22	45	170	<0.5	17	4.10	3	12	15	12	3.84	1	0.31	<10	0.64	2112	2	0.03	<1	1201	91	1.72	9	3	191	<5	<0.01	<10	14	20	<10	210	2
132969	1.1	1.70	21	186	<0.5	20	3.26	2	14	9	22	4.60	1	0.31	<10	0.91	1900	<2	0.03	<1	1299	12	0.88	9	3	145	<5	<0.01	<10	10	30	<10	86	2
132970	4.7	1.91	46	340	<0.5	20	3.63	3	15	8	22	4.80	1	0.36	11	0.99	2040	<2	0.02	<1	1379	21	0.71	11	3	182	<5	<0.01	<10	13	32	14	95	2
132971	14.6	1.18	66	152	<0.5	20	3.10	3	15	9	26	4.58	2	0.36	<10	0.55	1747	2	0.03	<1	1347	73	2.33	11	3	133	<5	<0.01	<10	12	25	<10	121	2
132972	4.1	1.13	32	165	<0.5	20	3.72	3	13	13	9	4.58	1	0.32	<10	0.54	2050	2	0.03	1	1336	21	2.45	11	2	143	<5	<0.01	<10	13	18	14	106	2
132973	97.2	0.89	76	140	<0.5	17	3.99	6	11	13	22	4.01	2	0.28	<10	0.37	2136	<2	0.02	<1	1076	158	2.36	12	2	148	<5	<0.01	<10	11	14	19	675	1
132974	<0.2	2.51	14	319	1.1	26	2.38	4	33	88	16	5.95	<1	0.12	31	2.42	1312	<2	0.04	44	2425	8	0.26	18	9	65	<5	0.22	<10	<10	99	<10	166	9
132975	1.6	1.60	22	300	0.5	17	2.26	2	17	45	10	4.19	<1	0.21	14	1.39	1088	<2	0.02	13	1456	11	0.83	11	4	77	<5	0.08	<10	<10	52	18	87	4
132976	2.1	1.05	80	143	<0.5	14	1.74	2	9	49	10	3.64	1	0.22	<10	0.75	1514	<2	0.01	1	1173	11	1.35	8	2	40	<5	<0.01	<10	<10	32	<10	71	2
132977	1.3	1.72	73	209	<0.5	20	1.24	3	11	35	7	4.53	1	0.25	12	1.27	1694	<2	0.02	<1	1261	35	0.91	11	4	59	<5	<0.01	<10	<10	53	<10	116	2
132978	0.5	1.64	14	219	<0.5	16	2.48	3	10	36	3	4.14	1	0.22	11	1.20	2111	<2	0.02	<1	1253	41	0.68	7	4	125	<5	<0.01	<10	<10	44	19	108	2
132979	3.9	0.19	69	127	<0.5	6	12.15	1	5	34	5	1.87	2	0.13	<10	0.11	4553	<2	0.01	<1	451	22	1.78	8	2	811	<5	<0.01	<10	21	6	11	49	1
132980	0.6	0.57	706	1547	0.5	16	0.75	4	8	59	37	3.69	2	0.14	15	0.37	509	6	0.01	36	928	162	0.23	615	5	217	7	<0.01	<10	<10	56	<10	258	13
132981	4.4	0.82	113	201	<0.5	9	11.64	1	6	24	11	2.84	2	0.16	<10	0.68	4486	<2	0.01	<1	773	27	1.21	8	3	758	<5	<0.01	<10	19	28	<10	76	2
132982	<0.2	2.57	<5	925	<0.5	18	4.04	2	26	182	23	4.70	1	0.10	17	3.39	1184	<2	0.04	75	1330	2	0.18	14	9	140	<5	0.04	<10	<10	112	<10	86	5
132983	1.2	1.41	66	165	<0.5	14	4.39	2	10	25	9	3.62	2	0.20	<10	1.13	2582	<2	0.01	1	1089	21	0.98	8	5	181	<5	<0.01	<10	<10	59	<10	97	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment#19

Sample type: CORE

Report No : **9V1224RJ**

Date : Sep-29-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
132984	1.4	1.40	73	95	<0.5	16	4.37	3	10	25	24	4.01	1	0.17	10	1.18	2692	<2	0.01	<1	1128	14	1.07	8	4	183	<5	<0.01	<10	10	55	11	121	2
132985	1.0	1.50	39	89	<0.5	14	2.93	3	10	22	21	3.97	1	0.16	10	1.25	2157	<2	0.02	<1	1057	16	0.83	7	5	124	<5	<0.01	<10	<10	57	<10	160	2
132986	0.6	1.46	34	89	<0.5	16	3.49	2	10	26	10	3.77	1	0.17	10	1.22	2517	<2	0.02	<1	1049	12	0.75	9	5	161	<5	<0.01	<10	<10	61	13	82	2
132987	0.5	1.59	33	106	<0.5	17	3.02	2	11	23	10	4.31	1	0.21	11	1.39	2007	<2	0.02	<1	1075	13	0.83	8	5	100	<5	<0.01	<10	<10	53	<10	88	2
132988	0.9	1.74	31	111	<0.5	18	2.64	2	11	30	12	4.63	2	0.21	12	1.60	2323	<2	0.02	<1	1186	12	0.60	8	5	89	<5	<0.01	<10	<10	59	<10	95	2
132989	0.9	1.25	50	116	<0.5	17	2.84	3	10	25	12	4.18	1	0.25	11	1.31	2075	<2	0.02	<1	1118	24	1.06	8	4	117	<5	<0.01	<10	<10	39	16	173	2
132990	1.3	1.51	68	121	<0.5	17	3.45	2	10	32	11	4.23	1	0.20	11	1.34	2308	<2	0.02	<1	1113	7	1.11	9	4	122	<5	<0.01	<10	<10	50	<10	78	2
132991	1.6	1.22	35	102	<0.5	15	2.84	2	9	24	9	3.96	1	0.22	10	1.08	1863	<2	0.01	<1	1081	10	1.41	8	3	87	<5	<0.01	<10	<10	34	<10	83	2
132992	2.2	1.28	29	100	<0.5	15	2.17	3	10	32	12	3.91	1	0.23	10	1.14	1705	<2	0.01	<1	1112	50	1.03	8	3	81	<5	<0.01	<10	<10	34	<10	169	2
132993	0.7	1.66	26	120	<0.5	16	2.55	2	11	25	10	4.19	1	0.20	11	1.41	2015	<2	0.02	<1	1085	8	0.63	8	4	73	<5	<0.01	<10	<10	56	<10	82	2
132994	0.3	1.62	19	93	<0.5	16	2.63	2	11	29	10	4.19	1	0.21	11	1.44	2189	<2	0.02	<1	1120	6	0.64	7	4	96	<5	<0.01	<10	<10	53	<10	76	2
132995	0.4	1.53	31	100	<0.5	15	2.59	2	11	21	8	4.19	1	0.22	11	1.39	2091	<2	0.02	<1	1133	8	0.64	7	5	106	<5	<0.01	<10	<10	48	<10	81	2
132996	0.6	1.56	34	91	<0.5	15	3.27	2	10	28	10	4.11	1	0.20	10	1.27	2078	<2	0.02	<1	1088	9	0.73	8	4	103	<5	<0.01	<10	<10	47	<10	74	2
132997	1.5	1.44	60	107	<0.5	15	3.50	2	10	21	10	3.87	2	0.20	10	1.11	3099	<2	0.02	<1	1079	22	0.79	7	4	96	<5	<0.01	<10	<10	50	<10	99	2
132998	1.3	1.72	48	113	<0.5	18	1.84	3	10	28	17	4.32	1	0.25	11	1.19	1925	<2	0.02	<1	1195	22	0.71	8	4	62	<5	<0.01	<10	<10	53	<10	110	2
132999	13.4	1.67	41	135	<0.5	17	2.16	3	10	26	10	4.27	1	0.23	11	1.19	1836	<2	0.02	<1	1106	38	0.82	9	4	49	<5	<0.01	<10	<10	49	<10	165	2
133000	<0.2	0.11	<5	<10	<0.5	<5	>15.00	<1	1	2	1	0.15	<1	0.02	<10	1.74	54	<2	0.01	1	78	<2	1.02	<5	<1	5547	<5	<0.01	<10	26	2	10	3	<1
133001	3.6	1.70	30	109	<0.5	15	3.31	2	10	27	9	4.22	1	0.26	12	1.26	2031	<2	0.02	<1	1077	31	0.88	9	3	91	<5	<0.01	<10	<10	44	<10	94	2
133002	4.4	1.77	21	137	<0.5	17	2.67	2	11	36	9	4.30	1	0.25	13	1.27	1838	<2	0.03	<1	1162	22	0.79	10	4	94	<5	<0.01	<10	<10	45	<10	111	2
133003	1.6	1.91	25	140	<0.5	18	1.93	2	11	24	14	4.43	1	0.28	14	1.39	1731	<2	0.03	<1	1225	10	0.71	10	4	63	<5	<0.01	<10	<10	51	10	98	3
133004	178.3	1.38	32	131	<0.5	16	2.93	5	10	31	45	3.94	4	0.31	11	0.67	1883	<2	0.02	<1	1178	215	1.16	18	2	86	<5	<0.01	<10	<10	34	10	438	2
133005	47.2	1.38	37	146	<0.5	16	2.91	4	10	33	23	3.79	2	0.30	10	0.84	1849	<2	0.02	<1	1119	111	1.00	12	3	108	<5	<0.01	<10	<10	36	10	331	2
133006	6.3	1.33	27	290	<0.5	15	3.60	2	9	30	23	3.71	1	0.24	11	0.94	2038	<2	0.02	<1	1027	39	1.01	9	3	133	<5	<0.01	<10	<10	34	<10	130	2
133007	3.1	1.52	18	137	<0.5	15	3.02	2	9	19	11	3.69	1	0.23	11	1.06	1790	<2	0.02	<1	1064	29	0.57	7	2	105	<5	<0.01	<10	<10	32	<10	151	2
133008	59.3	0.99	35	279	<0.5	13	3.66	5	9	34	19	3.15	2	0.25	<10	0.71	1967	<2	0.02	<1	901	207	0.83	12	3	125	<5	<0.01	<10	<10	24	24	507	2
133009	6.0	1.32	22	114	<0.5	15	3.27	3	9	27	6	3.65	1	0.27	10	0.90	1787	<2	0.02	<1	1015	41	0.87	8	3	102	<5	<0.01	<10	<10	32	<10	275	2
133010	114.5	0.87	33	240	<0.5	13	5.82	6	8	39	58	3.16	3	0.26	<10	0.61	2576	<2	0.01	<1	879	228	1.37	17	2	207	<5	<0.01	<10	11	18	25	712	2
133011	2.5	1.12	24	118	<0.5	12	5.32	2	8	26	6	3.21	1	0.23	<10	0.65	2337	<2	0.01	<1	899	10	1.05	8	2	166	<5	<0.01	<10	10	32	<10	92	2
133012	5.5	1.06	20	166	<0.5	12	4.88	2	8	38	8	3.09	1	0.20	<10	0.72	2194	<2	0.01	<1	909	24	1.01	7	2	212	<5	<0.01	<10	<10	31	10	118	2
133013	7.8	1.07	23	123	<0.5	11	5.71	2	8	32	9	3.05	2	0.22	<10	0.68	2628	<2	0.01	<1	877	18	0.90	8	2	176	<5	<0.01	<10	11	34	<10	97	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment#19

Sample type: CORE

Report No : **9V1224RJ**

Date : Sep-29-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133014	33.7	0.74	34	119	<0.5	10	7.33	2	7	44	17	2.94	3	0.20	<10	0.57	2844	<2	0.01	<1	813	63	1.04	15	2	194	<5	<0.01	<10	11	23	13	168	2
133015	2.4	1.25	20	120	<0.5	13	4.55	2	9	27	8	3.53	2	0.26	10	0.82	2468	<2	0.01	<1	1096	19	0.90	7	3	144	<5	<0.01	<10	<10	37	10	115	2
133016	1.8	1.34	16	110	<0.5	13	4.37	2	10	32	9	3.70	2	0.26	11	0.84	2563	<2	0.02	<1	1110	11	0.86	8	3	162	<5	<0.01	<10	<10	38	<10	92	2
133017	1.3	1.11	16	132	<0.5	13	4.25	2	9	24	9	3.34	1	0.24	<10	0.62	2231	2	0.02	<1	1033	12	0.99	7	3	171	<5	<0.01	<10	<10	34	13	83	2
133018	1.3	1.45	22	179	<0.5	16	3.28	2	10	31	10	3.86	1	0.22	11	1.06	1933	<2	0.02	<1	1051	13	0.80	8	3	108	<5	<0.01	<10	<10	46	<10	91	2
133019	5.1	0.64	35	142	<0.5	9	1.87	1	6	67	5	2.52	1	0.18	<10	0.55	1045	<2	0.01	1	622	14	1.03	8	2	74	<5	<0.01	<10	<10	17	<10	69	1
133020	1.3	1.41	6259	75	<0.5	164	6.04	1	104	36	278	4.54	1	0.20	10	0.46	830	29	0.06	62	780	17	0.89	20	3	61	5	0.11	<10	11	52	32	77	12
133021	16.4	0.79	38	181	<0.5	11	3.99	2	7	50	10	2.58	1	0.22	<10	0.63	1685	<2	0.01	<1	732	30	1.27	10	2	184	<5	<0.01	<10	<10	23	10	133	2
133022	3.3	0.77	18	151	<0.5	8	2.60	1	5	115	7	2.07	1	0.21	<10	0.58	1139	<2	0.01	3	580	13	0.58	8	2	82	<5	<0.01	<10	<10	15	17	64	1
133023	5.7	1.30	24	136	<0.5	14	4.08	2	9	40	7	3.18	2	0.31	<10	1.00	2115	<2	0.02	<1	999	10	0.87	9	3	111	<5	<0.01	<10	<10	27	11	81	1
133024	2.0	1.31	22	138	<0.5	16	2.76	2	9	57	7	3.64	1	0.30	10	1.07	1812	<2	0.02	<1	1027	8	0.96	10	3	84	<5	<0.01	<10	<10	30	<10	83	2
133025	1.3	0.63	29	103	<0.5	14	2.68	2	9	43	8	3.53	1	0.32	10	1.09	1697	<2	0.02	<1	1023	28	0.95	8	3	169	<5	<0.01	<10	<10	13	15	112	2
133026	3.0	0.36	50	215	<0.5	12	2.17	2	8	85	8	2.92	1	0.27	<10	0.74	1186	<2	0.01	1	818	11	1.22	10	2	161	<5	<0.01	<10	<10	6	<10	56	1
133027	2.1	0.50	55	185	<0.5	15	1.40	2	10	47	9	3.75	1	0.30	10	0.79	993	<2	0.02	<1	1001	11	1.60	10	3	94	<5	<0.01	<10	<10	13	11	70	2
133028	2.4	0.52	41	233	<0.5	11	2.84	2	7	83	7	2.98	1	0.25	<10	0.79	1595	<2	0.01	1	809	11	0.98	9	3	133	<5	<0.01	<10	<10	11	<10	53	1
133029	4.3	0.51	45	104	<0.5	10	1.42	2	6	59	6	2.56	1	0.21	<10	0.55	900	<2	0.01	1	621	23	1.00	9	2	74	<5	<0.01	<10	<10	9	10	72	1
133030	88.0	0.28	25	68	<0.5	9	2.54	3	5	120	15	2.48	1	0.18	<10	0.59	1201	<2	0.01	2	551	158	1.41	20	2	151	<5	<0.01	<10	<10	4	13	363	1
133031	164.0	0.36	56	88	<0.5	12	4.49	5	6	62	27	3.03	1	0.23	<10	0.43	1468	<2	0.01	2	749	303	2.47	35	2	180	<5	<0.01	<10	10	7	24	869	2
133032	109.0	0.28	59	68	<0.5	15	2.24	5	8	79	25	3.67	1	0.24	<10	0.50	1121	<2	0.01	1	777	223	2.89	32	2	130	<5	<0.01	<10	<10	4	23	777	2
133033	20.2	1.16	30	129	<0.5	18	1.37	2	11	35	12	4.00	1	0.29	11	1.31	1423	<2	0.01	<1	1081	24	2.05	11	4	75	<5	<0.01	<10	<10	26	11	139	2
133034	5.2	0.99	21	114	<0.5	17	1.66	3	11	50	20	4.16	1	0.27	10	1.29	1507	<2	0.01	1	1095	24	1.99	10	4	100	<5	<0.01	<10	<10	19	<10	122	2
133035	4.6	0.88	26	121	<0.5	16	1.59	2	10	37	6	3.73	1	0.30	<10	1.06	1448	<2	0.01	<1	1037	18	1.77	8	3	105	<5	<0.01	<10	<10	20	<10	100	2
133036	1.9	1.26	15	381	<0.5	18	3.00	2	11	30	15	4.03	1	0.33	14	1.46	1750	<2	0.02	2	1472	13	0.80	8	5	186	<5	<0.01	<10	<10	32	<10	92	2
133037	12.4	1.23	33	116	<0.5	15	3.04	2	10	34	8	3.66	1	0.25	11	1.08	1856	<2	0.02	<1	1103	21	1.27	10	4	117	<5	<0.01	<10	<10	42	<10	125	2
133038	9.2	1.39	25	100	<0.5	15	2.78	2	10	35	10	3.73	1	0.22	10	1.19	1742	<2	0.02	<1	1043	15	0.98	9	4	93	<5	<0.01	<10	<10	46	<10	119	2
133039	9.9	1.38	30	99	<0.5	17	2.65	2	10	26	9	3.91	1	0.23	<10	1.23	1752	<2	0.02	<1	1027	25	1.33	9	4	102	<5	<0.01	<10	<10	41	22	123	2
133040	0.7	0.58	738	1586	0.5	15	0.72	4	7	58	36	3.48	2	0.14	15	0.35	486	6	0.01	35	910	161	0.23	635	5	211	7	<0.01	<10	<10	56	<10	249	12
133041	0.8	1.41	17	86	<0.5	17	1.87	2	10	29	9	3.95	1	0.23	10	1.30	1379	<2	0.02	<1	1037	11	0.86	9	4	80	<5	<0.01	<10	<10	48	<10	81	2
133042	10.4	0.63	39	61	<0.5	10	5.45	1	6	48	7	2.64	2	0.20	<10	0.60	2641	<2	0.01	<1	655	13	1.30	7	3	308	<5	<0.01	<10	<10	24	<10	72	1
133043	0.5	1.51	13	94	<0.5	17	1.89	2	10	31	9	3.97	1	0.20	10	1.24	1518	<2	0.02	<1	1085	8	0.86	8	5	85	<5	<0.01	<10	<10	63	<10	86	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment#19

Sample type: CORE

Report No : **9V1224RJ**

Date : Sep-29-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133044	1.0	1.59	13	93	<0.5	18	2.05	2	10	31	9	3.87	1	0.22	11	1.20	1578	<2	0.02	<1	1040	11	0.88	8	4	63	<5	<0.01	<10	<10	56	<10	80	2
133045	0.6	1.65	13	95	<0.5	18	2.07	2	11	30	9	4.08	1	0.21	11	1.31	1547	<2	0.02	<1	1091	9	0.89	8	5	61	<5	<0.01	<10	<10	68	<10	79	2
133046	0.7	1.39	19	92	<0.5	18	2.18	2	10	27	3	4.09	1	0.25	11	1.33	1866	<2	0.02	<1	1071	13	0.96	8	5	99	<5	<0.01	<10	<10	51	<10	64	2
133047	3.1	0.80	23	270	<0.5	15	2.93	5	10	34	16	3.65	1	0.33	10	1.09	2061	<2	0.02	<1	1012	19	1.08	8	4	180	<5	<0.01	<10	<10	23	24	332	2
133048	0.5	1.45	16	164	<0.5	17	2.34	2	10	27	4	3.90	1	0.28	11	1.23	1826	<2	0.02	<1	1096	11	0.91	8	4	137	<5	<0.01	<10	<10	42	<10	59	2
133049	0.6	1.31	22	110	<0.5	16	3.57	2	9	29	5	3.36	1	0.27	10	0.99	1999	<2	0.02	<1	1041	10	1.31	7	3	165	<5	<0.01	<10	<10	37	15	66	2
133050	1.1	1.37	16	105	<0.5	16	3.45	2	10	30	14	3.62	1	0.25	<10	1.09	2146	<2	0.03	<1	1056	9	1.45	7	4	154	<5	<0.01	<10	<10	42	<10	74	2
133051	1.1	1.35	28	99	<0.5	16	2.62	2	10	30	17	3.68	1	0.27	10	1.18	1748	<2	0.03	<1	1037	9	1.19	8	4	113	<5	<0.01	<10	<10	40	<10	73	2
133052	1.3	1.38	32	98	<0.5	16	2.88	2	10	30	16	3.91	1	0.26	10	1.23	1850	<2	0.02	<1	1061	10	1.43	8	4	108	<5	<0.01	<10	<10	37	<10	68	2
133053	0.6	1.58	19	185	<0.5	17	2.52	2	10	33	14	4.08	1	0.27	10	1.32	1815	<2	0.03	<1	1108	10	1.13	9	4	88	<5	<0.01	<10	<10	45	<10	73	2
133054	0.2	1.57	23	123	<0.5	18	2.23	2	10	30	11	3.94	1	0.22	11	1.24	1545	<2	0.02	<1	1096	8	0.82	8	4	85	<5	<0.01	<10	<10	52	<10	71	2
133055	<0.2	1.67	26	97	<0.5	17	2.81	2	10	30	11	3.74	1	0.22	12	1.28	1607	<2	0.03	<1	1087	6	0.54	7	5	122	<5	<0.01	<10	<10	59	<10	80	2
133056	<0.2	1.64	21	379	<0.5	17	2.05	2	10	29	11	3.71	<1	0.26	12	1.19	1249	<2	0.03	<1	1047	6	0.40	8	4	90	<5	<0.01	<10	<10	37	<10	70	2
133057	0.9	0.98	36	273	<0.5	14	3.42	2	9	31	10	3.30	1	0.29	11	1.00	1828	<2	0.02	<1	1026	14	0.89	7	4	244	<5	<0.01	<10	<10	27	<10	83	2
133058	0.2	1.44	25	158	<0.5	17	2.60	2	10	28	10	3.63	1	0.27	13	1.34	1478	<2	0.03	<1	1019	12	0.26	7	5	159	<5	<0.01	<10	<10	41	<10	74	2
133059	0.3	1.01	47	112	<0.5	14	2.92	2	10	32	10	3.26	1	0.33	10	1.28	1675	<2	0.02	<1	1044	9	0.44	7	5	229	<5	<0.01	<10	<10	33	<10	60	1
133060	<0.2	0.02	<5	10	<0.5	<5	>15.00	<1	<1	2	1	0.05	<1	0.01	<10	1.17	52	<2	0.01	1	63	<2	0.81	<5	<1	5880	<5	<0.01	<10	24	2	<10	2	<1
133061	0.3	0.98	65	116	<0.5	12	2.53	2	9	26	5	3.00	1	0.34	12	1.17	1748	<2	0.02	<1	1080	12	0.53	7	4	148	<5	<0.01	<10	<10	22	<10	89	1
133062	0.2	0.90	42	432	<0.5	13	2.86	2	9	28	9	3.01	1	0.33	11	1.13	1719	<2	0.02	<1	1316	9	0.43	6	4	189	<5	<0.01	<10	<10	19	22	78	2
133063	0.5	1.07	32	110	<0.5	15	2.98	2	10	26	9	3.49	1	0.34	11	1.24	1808	<2	0.01	<1	1044	10	0.58	7	4	192	<5	<0.01	<10	<10	23	18	81	2
133064	<0.2	1.39	26	120	<0.5	15	3.09	2	10	22	7	3.27	1	0.34	11	1.04	1407	<2	0.02	<1	1131	8	0.35	7	4	164	<5	<0.01	<10	<10	27	<10	76	1
133065	<0.2	1.68	23	124	<0.5	16	3.58	2	11	27	8	3.76	1	0.37	13	1.27	1504	<2	0.02	<1	1143	10	0.44	8	4	164	<5	<0.01	<10	<10	30	<10	76	2
133066	<0.2	1.85	21	230	<0.5	18	3.31	2	12	24	7	4.04	<1	0.37	14	1.28	1315	<2	0.02	<1	1789	15	0.29	9	4	167	<5	<0.01	<10	<10	32	<10	113	2
133067	<0.2	1.83	13	118	<0.5	16	3.39	2	11	24	10	4.13	<1	0.36	14	1.41	1256	<2	0.02	<1	1163	11	0.17	9	5	165	<5	<0.01	<10	<10	34	<10	79	2
133068	<0.2	2.12	20	130	<0.5	16	3.39	2	12	24	9	4.33	<1	0.37	14	1.49	1337	<2	0.02	<1	1198	11	0.17	9	5	178	<5	<0.01	<10	<10	40	<10	95	2
133069	0.2	1.72	35	225	<0.5	16	3.22	2	11	23	8	3.84	1	0.39	13	1.27	1370	<2	0.02	<1	1202	10	0.41	7	4	177	<5	<0.01	<10	<10	31	<10	80	2
133070	0.3	1.94	69	124	<0.5	17	2.90	2	12	22	8	4.06	1	0.34	12	1.37	1370	<2	0.02	<1	1247	10	0.48	8	4	159	<5	<0.01	<10	<10	40	<10	82	2
133071	0.3	1.96	42	285	<0.5	17	2.93	2	11	22	8	4.23	<1	0.29	11	1.55	1558	2	0.02	<1	1164	10	0.39	9	5	165	<5	<0.01	<10	<10	46	<10	76	1
133072	0.2	1.63	61	122	<0.5	16	2.17	2	11	27	3	3.53	<1	0.30	11	1.20	1285	<2	0.03	<1	1215	9	0.44	9	5	126	<5	<0.01	<10	<10	44	<10	70	2
133073	0.3	1.47	49	119	<0.5	17	2.13	2	11	22	9	3.80	1	0.27	11	1.39	1176	<2	0.02	<1	1104	9	0.32	8	5	138	<5	<0.01	<10	<10	37	10	76	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment#19

Sample type: CORE

Report No : **9V1224RJ**

Date : Sep-29-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133074	1.1	1.80	70	193	<0.5	18	2.07	2	11	22	10	4.06	<1	0.31	11	1.62	1225	<2	0.02	<1	1170	12	0.40	8	5	142	<5	<0.01	<10	<10	43	<10	96	1
133075	0.3	1.02	65	96	<0.5	16	4.08	2	10	20	5	3.78	<1	0.36	<10	1.35	1692	<2	0.02	<1	1083	11	0.50	8	5	343	<5	<0.01	<10	<10	21	<10	68	1
133076	0.8	0.52	140	174	<0.5	15	2.86	2	12	24	8	3.61	<1	0.39	10	1.03	1317	<2	0.02	<1	1224	13	0.95	8	5	209	<5	<0.01	<10	<10	11	<10	68	2
133077	0.7	0.43	90	111	<0.5	11	3.56	2	11	29	7	2.59	1	0.34	11	1.08	1599	<2	0.01	<1	1233	13	0.54	6	4	363	<5	<0.01	<10	<10	7	13	59	1
133078	0.8	0.40	135	241	<0.5	16	4.67	2	10	34	5	3.74	1	0.34	<10	1.28	2406	2	0.01	<1	1079	16	0.90	8	4	370	<5	<0.01	<10	<10	8	<10	51	2
133079	0.7	0.46	99	133	<0.5	14	3.10	2	11	26	7	3.50	1	0.36	11	1.06	1549	2	0.01	<1	1114	13	0.96	7	4	223	<5	<0.01	<10	<10	9	<10	57	1
133080	1.2	1.51	6135	73	<0.5	157	6.44	1	104	36	286	4.79	<1	0.20	10	0.47	859	30	0.07	59	767	18	0.85	21	3	61	5	0.12	<10	<10	51	26	76	12
133081	0.6	0.77	92	124	<0.5	16	1.70	2	11	33	9	3.46	<1	0.35	10	0.92	1216	2	0.02	1	1270	24	0.49	9	5	149	<5	<0.01	<10	<10	20	<10	79	2
133082	2.4	0.32	164	273	<0.5	13	3.32	2	8	44	9	2.80	<1	0.30	<10	0.98	1697	2	0.01	2	980	37	0.94	9	3	294	<5	<0.01	<10	10	6	<10	78	1
133083	1.2	0.31	132	225	<0.5	13	4.16	2	8	40	9	2.86	1	0.28	<10	1.08	2122	<2	0.01	1	887	19	0.84	8	3	341	<5	<0.01	<10	11	6	<10	68	1
133084	<0.2	0.57	49	376	<0.5	14	2.44	2	9	27	11	2.97	1	0.35	<10	0.78	1417	<2	0.01	1	1057	8	0.50	7	3	183	<5	<0.01	<10	<10	12	14	71	2
133085	0.3	1.13	33	135	<0.5	14	1.55	2	10	32	11	2.94	1	0.34	11	0.86	1165	<2	0.01	1	1143	7	0.61	8	3	126	<5	<0.01	<10	<10	20	<10	67	2
133086	<0.2	1.25	21	126	0.5	14	0.59	2	9	29	10	3.02	<1	0.40	11	0.77	845	2	0.01	2	1071	16	0.72	8	2	66	<5	<0.01	<10	<10	18	10	88	2
133087	0.2	1.19	24	107	<0.5	12	0.58	2	11	30	12	2.86	<1	0.37	10	0.67	765	2	0.01	2	1072	11	0.87	9	2	65	<5	<0.01	<10	<10	16	<10	65	2
133088	<0.2	1.37	32	198	0.5	12	1.39	2	10	32	10	2.71	<1	0.43	12	0.69	988	3	0.01	2	1164	8	0.72	9	3	109	<5	<0.01	<10	<10	20	<10	74	2
133089	<0.2	2.10	<5	956	<0.5	23	3.00	3	19	64	19	4.47	1	0.16	23	1.76	1035	2	0.04	19	2397	4	0.17	12	6	172	<5	0.01	<10	<10	69	<10	127	4
133090	0.6	0.72	35	108	0.7	12	0.96	2	11	27	13	3.01	<1	0.35	<10	0.40	505	2	0.01	2	1046	13	1.69	7	2	77	<5	<0.01	<10	<10	10	<10	50	2
133091	1.2	0.94	45	127	<0.5	19	1.60	3	10	30	13	3.34	<1	0.39	10	0.54	1189	3	0.01	2	1110	18	2.00	10	2	97	<5	<0.01	<10	<10	16	<10	58	2
133092	0.4	1.59	26	187	<0.5	16	1.19	3	10	27	10	3.26	<1	0.37	11	1.10	1176	2	0.01	2	1069	9	0.56	10	3	86	<5	<0.01	<10	<10	27	<10	76	2
Duplicates:																																		
132954	3.9	1.18	83	186	<0.5	16	1.96	3	11	43	13	3.80	1	0.28	<10	0.51	1543	<2	0.03	3	1007	58	1.42	9	2	63	<5	<0.01	<10	10	17	12	156	2
132963	2.4	1.59	74	203	<0.5	18	3.01	2	13	18	18	4.23	1	0.32	<10	0.72	2198	2	0.03	<1	1232	22	1.03	11	2	85	<5	<0.01	<10	<10	25	<10	109	2
132973	95.1	0.90	78	152	<0.5	17	4.07	6	11	14	21	4.05	2	0.29	<10	0.38	2104	<2	0.02	<1	1089	161	2.42	13	2	147	<5	<0.01	<10	10	15	20	680	1
132976	2.3	1.06	83	145	<0.5	16	1.78	2	9	48	10	3.77	1	0.22	<10	0.77	1572	<2	0.01	1	1192	12	1.40	9	2	41	<5	<0.01	<10	<10	32	<10	72	2
132985	1.1	1.55	41	92	<0.5	16	3.03	3	10	23	22	4.13	1	0.17	10	1.31	2259	<2	0.02	<1	1091	17	0.87	8	5	128	<5	<0.01	<10	<10	59	<10	165	2
132995	0.4	1.57	29	103	<0.5	17	2.53	2	11	22	10	4.15	1	0.23	12	1.36	2088	<2	0.02	<1	1120	9	0.64	7	5	108	<5	<0.01	<10	<10	50	<10	83	2
132998	1.2	1.72	46	122	<0.5	18	1.96	2	11	30	12	4.44	1	0.27	12	1.30	1893	<2	0.02	<1	1174	16	0.75	8	4	60	<5	<0.01	<10	<10	55	12	106	2
133007	3.2	1.55	20	151	<0.5	15	3.11	2	10	20	11	3.73	1	0.26	11	1.11	1800	<2	0.02	<1	1138	30	0.61	6	3	107	<5	<0.01	<10	<10	35	<10	159	2
133017	1.3	1.13	18	131	<0.5	14	4.30	2	9	26	9	3.38	1	0.26	<10	0.63	2205	<2	0.02	<1	1021	11	0.96	7	3	166	<5	<0.01	<10	<10	33	12	78	2
133020	1.8	1.54	6591	78	<0.5	169	6.65	1	109	38	291	5.07	1	0.20	10	0.51	872	29	0.07	65	819	19	0.94	22	3	63	5	0.12	<10	10	53	53	81	12

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Premier/shipment#19
Sample type: CORE

Report No : **9V1224RJ**
Date : Sep-29-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133029	4.7	0.55	48	112	<0.5	11	1.49	2	7	69	7	2.72	1	0.23	<10	0.58	951	<2	0.01	1	655	23	1.05	11	2	79	<5	<0.01	<10	<10	10	<10	74	1
133039	10.1	1.40	30	101	<0.5	18	2.66	2	10	28	8	3.88	1	0.24	10	1.24	1834	<2	0.02	<1	1058	25	1.33	9	4	104	<5	<0.01	<10	<10	42	<10	122	2
133042	9.8	0.64	38	64	<0.5	11	5.49	1	7	48	7	2.51	2	0.20	<10	0.60	2637	<2	0.01	<1	643	16	1.32	8	3	308	<5	<0.01	<10	10	25	17	74	1
133051	1.3	1.41	26	100	<0.5	16	2.71	2	10	30	18	3.88	1	0.28	10	1.22	1849	<2	0.03	<1	1043	9	1.18	8	4	115	<5	<0.01	<10	<10	40	<10	75	2
133061	0.2	0.99	64	118	<0.5	14	2.52	2	9	26	5	3.03	1	0.34	12	1.18	1752	<2	0.02	<1	1080	10	0.53	7	4	144	<5	<0.01	<10	<10	22	10	89	2
133064	<0.2	1.36	26	124	<0.5	15	3.07	2	10	22	7	3.25	<1	0.34	12	1.05	1415	<2	0.02	<1	1103	8	0.35	8	4	156	<5	<0.01	<10	<10	28	<10	77	1
133073	0.2	1.51	46	125	<0.5	17	2.09	3	11	25	9	3.80	<1	0.32	12	1.31	1218	2	0.02	1	1078	10	0.31	9	5	140	<5	<0.01	<10	<10	39	16	82	2
133083	1.2	0.29	128	253	<0.5	12	4.11	2	8	39	9	2.86	<1	0.27	<10	1.08	2207	2	0.01	2	840	22	0.82	9	3	332	<5	<0.01	<10	11	6	<10	73	1
133086	<0.2	1.32	21	128	0.5	15	0.60	2	9	28	10	3.11	<1	0.38	11	0.77	845	2	0.01	2	1044	14	0.71	10	2	67	<5	<0.01	<10	<10	18	<10	87	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.6	1.71	11	287	0.7	20	0.55	3	28	105	2001	4.41	<1	1.33	13	1.17	317	<2	0.06	51	624	13	0.55	14	7	8	<5	0.19	<10	<10	75	13	204	12

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1225-RA1

Oct-02-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#19
Attn: Sue Deane

We *hereby certify* the following assay of 16 rock samples submitted Sep-14-09

Sample Name	Au g/tonne	Ag g/tonne	Ag g/tonne	Sample-Wt Kg
139972	0.04	16.5		1.1
139973	0.05	17.3		2.0
139974	0.43	61.5		1.9
139975	0.23	89.9		3.0
139976	0.45	84.3		1.9
139977	0.31	76.0		1.7
139978	0.25	129.3		1.7
139979	0.01	3.1		2.0
139980	0.76	>200.0	605.6	3.0
139981	0.17	36.4		2.7
139982	0.19	40.9		2.3
139983	0.15	43.4		1.5
139984	<0.01	2.4		2.5
139985	0.02	30.1		2.7
139986	0.01	7.5		2.4
139987	<0.01	1.7		2.4
*DUP 139972	0.04	17.0		
*DUP 139981	0.16	37.2		
*0211	2.18			
*SE-1			701.1	
*BLANK	<0.01		<0.1	

Au F.A. AA finish. Ag read from ICP solution. Over limit Ag 4 acid/A.A.

Certified by _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment#19

Sample type: rock

Report No : **9V1225RJ**

Date : Oct-02-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
139972	16.5	0.40	110	300	<0.5	9	0.08	2	3	94	8	2.52	1	0.26	<10	0.07	141	3	0.01	1	1109	52	0.25	14	2	7	<5	<0.01	<10	<10	9	<10	168	2
139973	17.3	0.34	116	169	<0.5	9	0.08	2	5	120	8	2.24	1	0.21	<10	0.10	282	<2	0.01	2	784	45	0.88	9	1	6	<5	<0.01	<10	<10	8	<10	186	2
139974	61.5	0.30	158	149	<0.5	7	0.15	2	2	158	7	1.82	2	0.18	<10	0.05	74	<2	0.01	2	1206	66	0.83	13	1	11	<5	<0.01	<10	<10	8	<10	143	1
139975	89.9	0.35	190	178	<0.5	10	0.05	2	4	111	8	2.62	2	0.20	<10	0.09	213	<2	0.01	1	740	68	0.97	13	1	4	<5	<0.01	<10	<10	9	<10	143	2
139976	84.3	0.30	660	105	<0.5	16	0.04	4	2	116	5	3.99	2	0.22	<10	0.04	111	<2	0.01	<1	1087	113	1.66	25	1	6	<5	<0.01	<10	<10	8	<10	219	2
139977	76.0	0.49	183	124	<0.5	18	0.14	4	4	87	6	4.45	2	0.28	<10	0.10	189	2	0.01	<1	1625	92	1.55	13	1	8	<5	<0.01	<10	<10	9	<10	154	3
139978	129.3	0.42	314	187	<0.5	11	0.12	2	3	156	11	2.64	3	0.16	<10	0.15	209	<2	0.01	2	1137	68	1.02	23	1	7	<5	<0.01	<10	<10	16	<10	174	2
139979	3.1	1.75	64	181	<0.5	14	0.20	3	8	44	9	3.98	1	0.21	12	1.32	1396	<2	0.01	<1	1054	19	0.20	8	3	6	<5	<0.01	<10	<10	51	<10	99	3
139980	>200.0	0.43	216	158	<0.5	9	0.12	2	3	159	24	2.36	1	0.15	<10	0.25	446	<2	0.01	2	393	90	0.55	30	1	6	<5	<0.01	<10	<10	11	<10	146	2
139981	36.4	0.76	212	211	<0.5	12	0.05	2	4	79	18	3.14	1	0.19	<10	0.43	515	<2	0.01	<1	789	50	0.45	21	2	4	<5	<0.01	<10	<10	28	<10	95	2
139982	40.9	0.24	106	149	<0.5	5	<0.01	1	2	147	13	1.38	<1	0.14	<10	0.05	215	<2	0.01	2	325	37	0.14	19	1	1	<5	<0.01	<10	<10	5	<10	45	1
139983	43.4	0.74	159	239	<0.5	10	0.03	2	4	86	20	2.78	1	0.17	<10	0.39	534	<2	0.01	1	729	44	0.18	15	2	3	<5	<0.01	<10	<10	25	<10	88	2
139984	2.4	0.56	97	370	<0.5	9	<0.01	2	2	115	4	2.47	1	0.26	<10	0.16	98	<2	0.01	1	595	12	0.30	10	1	2	<5	<0.01	<10	<10	13	<10	50	2
139985	30.1	0.40	78	435	<0.5	7	<0.01	4	2	108	26	1.95	1	0.23	<10	0.09	76	<2	0.01	1	552	236	0.40	7	1	2	<5	<0.01	<10	<10	9	<10	559	1
139986	7.5	0.89	311	545	<0.5	8	0.45	1	2	146	4	2.09	1	0.43	<10	0.21	119	<2	0.01	2	413	11	0.39	24	2	4	<5	0.01	<10	<10	22	<10	33	3
139987	1.7	1.37	145	234	<0.5	17	0.89	3	7	76	8	3.75	1	0.52	11	0.43	270	<2	0.01	1	953	12	0.91	14	3	10	<5	0.01	<10	<10	38	<10	54	4
Duplicates:																																		
139972	17.0	0.43	112	308	<0.5	10	0.09	2	3	99	8	2.61	1	0.28	<10	0.08	145	3	0.01	1	1151	52	0.25	14	2	7	<5	<0.01	<10	<10	10	<10	170	2
139981	37.2	0.79	220	216	<0.5	12	0.06	2	4	78	18	3.17	1	0.19	<10	0.45	519	<2	0.01	1	821	53	0.46	22	2	4	<5	<0.01	<10	<10	28	<10	96	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.7	1.77	13	311	0.8	20	0.60	5	30	116	2011	4.93	<1	1.29	13	1.27	341	<2	0.05	52	693	15	0.61	13	7	8	<5	0.22	<10	<10	83	<10	225	14

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

ASSAYERS CANADA

Quality Assaying for over 25 Years

9V-1235-RA1

Assay Certificate

Oct-02-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#20
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-17-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
133093	<0.01	0.4	3.3
133094	<0.01	<0.1	3.8
133095	<0.01	<0.1	3.4
133096	<0.01	0.5	3.7
133097	<0.01	0.9	4.0
133098	<0.01	0.6	4.0
133099	<0.01	<0.1	0.6
133100	0.27	0.4	
133101	<0.01	2.0	2.8
133102	<0.01	1.2	3.3
133103	<0.01	2.0	3.5
133104	<0.01	0.5	0.9
133105	<0.01	<0.1	0.9
133106	<0.01	1.8	2.4
133107	<0.01	<0.1	1.4
133108	<0.01	0.8	1.4
133109	<0.01	0.7	3.2
133110	<0.01	0.4	3.3
133111	<0.01	1.0	3.4
133112	<0.01	0.7	3.2
133113	<0.01	1.7	2.4
133114	<0.01	21.2	1.5
*DUP 133093	<0.01	0.3	
*DUP 133102	<0.01	0.9	
*DUP 133112	<0.01	0.7	
*0211	2.20		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1235-RA2

Oct-02-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#20
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-17-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
133115	<0.01	0.8	1.7
133116	<0.01	<0.1	2.0
133117	<0.01	<0.1	1.5
133118	<0.01	<0.1	1.8
133119	<0.01	<0.1	3.6
133120	<0.01	<0.1	0.5
133121	<0.01	<0.1	3.8
133122	0.04	<0.1	3.4
133123	<0.01	<0.1	3.5
133124	<0.01	0.1	1.3
133125	<0.01	1.2	2.1
133126	<0.01	1.1	3.8
133127	0.01	0.7	1.1
133128	0.02	7.2	2.6
133129	0.03	25.1	3.7
133130	0.02	1.5	3.4
133131	0.01	2.5	1.7
133132	<0.01	<0.1	2.1
133133	0.01	2.0	3.2
133134	0.01	2.2	0.9
133135	0.04	6.8	0.7
133136	<0.01	1.6	2.2
*DUP 133115	<0.01	0.8	
*DUP 133124	<0.01	<0.1	
*DUP 133134	<0.01	2.2	
*0211	2.27		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1235-RA3

Oct-02-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#20
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-17-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
133137	<0.01	2.7	3.4
133138	<0.01	1.8	0.7
133139	<0.01	<0.1	3.0
133140	3.61	0.8	
133141	<0.01	<0.1	4.0
133142	<0.01	<0.1	1.4
133143	<0.01	1.5	2.7
133144	<0.01	1.6	2.2
133145	<0.01	<0.1	2.6
133146	<0.01	0.5	2.6
133147	<0.01	2.3	2.4
133148	<0.01	<0.1	3.2
133149	0.03	12.7	2.1
133150	<0.01	3.6	3.5
133151	<0.01	2.5	3.4
133152	0.02	1.0	3.8
133153	<0.01	1.7	3.4
133154	<0.01	1.1	3.6
133155	0.02	5.3	3.2
133156	0.01	6.6	3.4
133157	0.01	5.9	3.5
133158	<0.01	1.2	3.9
*DUP 133137	<0.01	2.8	
*DUP 133146	<0.01	0.4	
*DUP 133156	<0.01	6.9	
*0211	2.30		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1235-RA4

Oct-02-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#20
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-17-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
133159	<0.01	2.6	3.5
133160	0.28	0.6	
133161	<0.01	2.0	3.1
133162	<0.01	4.7	3.7
133163	<0.01	0.7	1.5
133164	<0.01	<0.1	2.1
133165	<0.01	<0.1	3.8
133166	<0.01	<0.1	3.4
133167	<0.01	<0.1	2.3
133168	<0.01	1.0	2.2
133169	<0.01	<0.1	2.7
133170	<0.01	<0.1	1.0
133171	<0.01	0.8	2.6
133172	<0.01	0.6	3.4
133173	<0.01	0.6	1.5
133174	<0.01	<0.1	2.7
133175	<0.01	1.5	2.4
133176	<0.01	2.0	1.9
133177	<0.01	3.5	3.0
133178	<0.01	1.1	2.3
133179	<0.01	<0.1	2.0
133180	<0.01	<0.1	0.5
*DUP 133159	<0.01	2.4	
*DUP 133168	<0.01	1.0	
*DUP 133178	<0.01	1.1	
*0211	2.17		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1235-RA5

Oct-02-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#20
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-17-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
133181	<0.01	0.5	2.3
133182	<0.01	0.2	4.0
133183	<0.01	0.4	3.2
133184	<0.01	0.5	3.4
133185	<0.01	0.5	3.5
133186	<0.01	0.3	3.5
133187	<0.01	0.5	3.9
133188	<0.01	0.6	3.2
133189	<0.01	0.3	3.4
133190	<0.01	0.3	3.7
133191	<0.01	5.3	3.4
133192	<0.01	15.5	1.7
133193	<0.01	<0.1	1.9
133194	<0.01	<0.1	3.4
133195	<0.01	2.1	3.6
133196	<0.01	0.6	3.6
133197	<0.01	1.9	3.5
133198	<0.01	0.2	3.6
133199	<0.01	0.3	3.7
133200	3.39	1.4	
133201	<0.01	0.4	3.6
133202	<0.01	0.5	3.5
*DUP 133181	<0.01	0.6	
*DUP 133190	<0.01	0.3	
*DUP 133200	3.58	1.5	
*0211	2.16		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1235-RA6

Oct-02-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#20
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-17-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
133203	0.01	0.7	3.4
133204	0.01	0.4	3.4
133205	<0.01	0.5	3.4
133206	<0.01	1.0	3.3
133207	<0.01	0.8	1.6
133208	0.04	7.1	1.4
133209	0.08	0.6	3.3
133210	<0.01	0.4	2.9
133211	<0.01	0.4	1.9
133212	<0.01	0.8	0.7
133213	<0.01	0.7	0.9
133214	<0.01	0.5	4.5
133215	<0.01	0.5	1.0
133216	<0.01	0.7	0.6
133217	<0.01	<0.1	3.6
133218	<0.01	0.1	1.0
133219	<0.01	0.4	2.3
133220	0.28	0.6	
133221	<0.01	<0.1	2.4
133222	<0.01	<0.1	4.0
133223	<0.01	<0.1	3.4
133224	<0.01	0.2	3.5
*DUP 133203	<0.01	0.7	
*DUP 133212	<0.01	0.9	
*DUP 133222	<0.01	<0.1	
*0211	<0.01		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1235-RA7

Oct-02-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#20
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-17-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
133225	<0.01	0.3	3.6
133226	<0.01	<0.1	3.7
133227	<0.01	<0.1	2.4
133228	<0.01	0.5	1.2
133229	<0.01	0.6	3.2
133230	<0.01	0.4	3.5
133231	<0.01	0.7	3.9
133232	<0.01	1.3	3.5
133233	<0.01	1.4	3.4
133234	0.01	8.6	3.5
133235	<0.01	<0.1	1.7
133236	<0.01	2.2	2.4
133237	0.05	35.1	1.0
133238	<0.01	6.0	2.9
133239	<0.01	10.1	3.4
133240	<0.01	<0.1	0.5
133241	<0.01	1.0	3.6
133242	<0.01	0.4	3.8
133243	<0.01	0.8	3.3
133244	<0.01	0.3	3.8
133245	<0.01	0.6	3.9
133246	<0.01	0.3	3.7
*DUP 133225	<0.01	0.3	
*DUP 133234	<0.01	8.3	
*DUP 133244	<0.01	0.3	
*0211	2.19		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1235-RA8

Oct-02-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#20
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-17-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
133247	<0.01	0.2	4.0
133248	<0.01	<0.1	2.4
133249	<0.01	0.6	1.6
133250	<0.01	1.0	3.8
133251	<0.01	1.4	3.4
133252	<0.01	1.2	3.5
133253	<0.01	1.2	2.9
133254	<0.01	1.3	3.1
133255	<0.01	1.5	1.8
133256	<0.01	0.9	1.7
133257	0.01	0.7	3.5
133258	<0.01	0.7	3.5
133259	<0.01	0.1	3.6
133260	3.68	1.4	
133261	<0.01	0.8	4.0
133262	<0.01	0.4	3.5
133263	<0.01	0.6	1.7
133264	<0.01	0.8	2.3
133265	<0.01	0.9	3.8
133266	<0.01	0.6	3.8
133267	<0.01	0.5	3.8
133268	<0.01	0.7	3.7
*DUP 133247	<0.01	0.2	
*DUP 133256	<0.01	0.9	
*DUP 133266	<0.01	0.6	
*0211	2.33		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1235-RA9

Oct-02-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#20
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-17-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
133269	<0.01	1.4	2.2
133270	<0.01	0.3	1.4
133271	<0.01	0.2	4.0
133272	<0.01	0.3	3.8
133273	<0.01	0.3	3.4
133274	<0.01	0.2	3.6
133275	<0.01	0.7	3.4
133276	<0.01	0.5	3.3
133277	<0.01	1.6	3.1
133278	<0.01	6.2	3.1
133279	<0.01	6.3	3.1
133280	0.28	0.7	
133281	<0.01	<0.1	3.5
133282	<0.01	<0.1	3.6
133283	<0.01	<0.1	3.9
133284	<0.01	<0.1	3.3
133285	<0.01	0.8	1.9
133286	<0.01	2.6	2.2
133287	0.02	2.5	3.9
133288	<0.01	<0.1	3.1
133289	<0.01	<0.1	3.9
133290	<0.01	<0.1	3.1
*DUP 133269	<0.01	1.3	
*DUP 133278	<0.01	6.0	
*DUP 133288	<0.01	<0.1	
*0211	2.19		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1235-RA10

Oct-02-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#20
Attn: Sue Deane

We *hereby certify* the following assay of 8 core samples submitted Sep-17-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
133291	<0.01	0.4	3.1
133292	<0.01	0.5	2.4
133293	<0.01	0.2	1.2
133294	<0.01	<0.1	2.8
133295	<0.01	0.3	3.4
133296	<0.01	0.3	3.4
133297	<0.01	2.5	0.9
133298	<0.01	0.2	2.7
*DUP 133291	<0.01	0.3	
*0211	2.21		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment#20

Sample type: core

Report No : 9V1235RJ

Date : Oct-02-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133093	0.4	1.80	69	147	<0.5	20	1.37	2	11	22	15	4.31	1	0.36	11	1.51	1390	<2	0.01	<1	1152	15	1.18	11	3	88	<5	<0.01	<10	10	34	<10	111	2
133094	<0.2	2.03	48	128	<0.5	18	1.88	2	11	22	14	3.96	<1	0.40	13	1.54	1351	<2	0.02	<1	1271	10	0.56	8	4	103	<5	<0.01	<10	<10	38	10	95	2
133095	<0.2	2.17	27	138	<0.5	18	2.17	2	11	16	6	4.28	1	0.32	12	1.64	1546	<2	0.02	<1	1182	8	0.25	8	4	134	<5	<0.01	<10	10	52	<10	98	2
133096	0.5	1.52	46	122	<0.5	18	2.83	3	13	17	7	4.14	1	0.36	12	1.59	1978	<2	0.02	<1	1178	16	0.56	9	4	209	<5	<0.01	<10	10	36	19	200	2
133097	0.9	1.49	92	138	<0.5	17	1.71	2	11	12	8	3.76	1	0.38	11	1.23	1500	<2	0.01	<1	1129	22	1.19	9	3	110	<5	<0.01	<10	<10	29	10	61	2
133098	0.6	1.65	74	134	<0.5	15	1.99	2	11	13	12	3.52	<1	0.36	12	1.43	1388	<2	0.02	<1	1138	18	0.76	10	3	96	<5	<0.01	<10	<10	32	10	86	2
133099	<0.2	1.96	31	189	0.7	23	3.26	3	21	42	16	5.34	<1	0.50	21	2.27	1655	<2	0.02	17	2260	11	0.67	11	8	233	6	0.01	<10	<10	67	18	127	6
133100	0.4	0.63	719	1531	0.5	15	0.75	4	9	61	40	3.64	2	0.15	16	0.37	505	6	0.01	36	952	152	0.24	604	5	219	8	<0.01	<10	<10	60	<10	255	12
133101	2.0	0.71	128	124	<0.5	16	0.95	2	11	15	36	3.48	<1	0.37	<10	0.63	821	<2	0.01	<1	885	23	2.02	8	2	83	<5	<0.01	<10	<10	13	<10	55	2
133102	1.2	0.68	105	190	<0.5	12	1.35	2	11	11	13	3.08	<1	0.38	<10	0.82	1162	<2	0.01	<1	1001	20	1.34	7	3	114	<5	<0.01	<10	<10	14	13	62	2
133103	2.0	0.45	106	99	<0.5	20	2.47	3	12	11	20	4.80	<1	0.36	<10	0.85	1535	<2	0.01	1	1143	31	2.72	11	3	171	<5	<0.01	<10	14	14	<10	85	2
133104	0.5	0.45	28	445	0.5	13	3.09	2	11	11	16	3.38	<1	0.34	<10	0.97	1884	<2	0.01	1	1160	18	0.72	9	4	165	<5	<0.01	<10	12	11	<10	92	1
133105	<0.2	0.49	7	86	<0.5	20	5.19	3	20	15	18	4.89	<1	0.35	18	1.73	1918	<2	0.02	12	2482	8	0.27	8	7	284	5	<0.01	<10	<10	27	19	107	2
133106	1.8	0.46	27	394	<0.5	15	3.31	2	11	11	13	3.75	1	0.36	<10	1.14	2220	<2	0.01	<1	1177	9	0.39	6	4	182	<5	<0.01	<10	13	12	13	48	1
133107	<0.2	0.51	7	319	<0.5	20	4.79	3	16	12	15	4.43	<1	0.39	15	1.69	1805	<2	0.02	8	2197	7	0.31	8	7	289	<5	<0.01	<10	<10	21	23	89	2
133108	0.8	0.42	63	281	<0.5	14	4.16	2	10	9	9	3.43	<1	0.36	<10	1.16	2509	<2	0.01	<1	1070	16	1.13	8	3	258	<5	<0.01	<10	14	9	<10	45	2
133109	0.7	0.36	49	250	<0.5	12	4.04	2	9	10	11	3.22	<1	0.32	<10	1.07	2472	<2	0.01	<1	972	9	1.03	8	3	221	<5	<0.01	<10	13	7	<10	49	2
133110	0.4	0.36	43	277	<0.5	13	4.42	2	9	12	6	3.37	<1	0.31	<10	1.06	2680	<2	0.01	<1	969	11	1.04	6	3	262	<5	<0.01	<10	14	8	17	47	2
133111	1.0	0.51	89	163	<0.5	14	5.36	2	10	10	6	3.52	1	0.31	<10	0.97	2801	<2	0.01	<1	947	12	1.37	8	3	228	<5	<0.01	<10	14	14	15	48	2
133112	0.7	0.70	66	260	<0.5	14	5.38	2	9	11	9	3.33	<1	0.32	<10	0.90	2557	<2	0.02	<1	936	8	1.30	7	3	226	<5	<0.01	<10	13	18	11	51	2
133113	1.7	0.53	99	146	<0.5	12	10.59	1	7	12	11	3.04	1	0.28	<10	0.73	3940	<2	0.01	<1	750	10	1.52	10	3	457	<5	<0.01	<10	22	11	<10	34	1
133114	21.2	0.70	114	203	<0.5	11	6.94	81	12	25	149	3.30	1	0.30	<10	0.63	3725	<2	0.01	<1	847	4327	2.16	8	3	472	<5	<0.01	<10	19	15	148	6091	1
133115	0.8	1.39	29	270	<0.5	15	4.26	2	12	9	35	3.42	<1	0.39	<10	0.74	2078	<2	0.01	<1	1241	20	0.65	8	3	352	<5	<0.01	<10	12	21	18	125	1
133116	<0.2	1.31	6	286	<0.5	18	3.85	2	11	6	14	4.17	<1	0.41	13	0.80	2157	<2	0.02	<1	1214	14	0.12	7	3	158	<5	<0.01	<10	11	17	14	90	1
133117	<0.2	0.56	5	2906	<0.5	16	2.94	2	10	7	14	4.17	<1	0.40	13	0.93	1827	<2	0.02	<1	1208	11	0.15	6	3	167	<5	<0.01	<10	<10	11	<10	77	1
133118	<0.2	1.32	6	263	<0.5	17	2.73	2	13	6	21	3.84	<1	0.42	15	0.75	1602	<2	0.02	<1	1405	7	0.09	8	2	106	<5	<0.01	<10	<10	14	<10	79	1
133119	<0.2	2.15	5	814	<0.5	22	3.99	2	15	26	19	4.83	1	0.36	17	1.33	1766	<2	0.02	6	1722	5	0.23	9	4	164	<5	<0.01	<10	<10	36	23	100	3
133120	<0.2	0.05	<5	21	<0.5	<5	>15.00	<1	1	1	1	0.05	<1	0.03	<10	1.63	46	<2	0.01	<1	68	<2	0.83	<5	<1	4422	<5	<0.01	<10	23	2	13	2	<1
133121	<0.2	2.51	12	841	<0.5	23	3.31	3	18	35	21	5.08	<1	0.43	21	1.66	1235	<2	0.04	10	1937	4	0.33	9	5	127	5	0.02	<10	<10	59	<10	117	4
133122	<0.2	1.91	7	432	<0.5	19	2.92	2	12	5	17	4.14	<1	0.39	14	0.75	1485	<2	0.02	<1	1257	6	0.15	9	2	123	<5	<0.01	<10	<10	19	<10	85	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment#20

Sample type: core

Report No : **9V1235RJ**

Date : Oct-02-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133123	<0.2	1.80	13	284	<0.5	19	6.20	2	13	9	18	4.13	<1	0.36	11	0.67	2650	<2	0.02	<1	1102	21	0.38	9	2	258	<5	<0.01	<10	14	18	14	82	2
133124	<0.2	1.22	16	200	<0.5	18	3.02	2	11	15	13	4.06	<1	0.29	11	0.95	1774	<2	0.02	<1	1034	8	1.21	9	4	93	<5	<0.01	<10	11	33	16	82	2
133125	1.2	1.31	18	238	<0.5	16	3.62	2	10	15	13	3.72	<1	0.26	10	1.04	1695	<2	0.02	<1	950	12	1.01	8	4	140	<5	<0.01	<10	11	35	14	85	2
133126	1.1	0.98	16	173	<0.5	15	5.33	2	9	13	12	3.38	<1	0.28	<10	0.79	2144	<2	0.02	<1	923	15	1.30	7	4	228	<5	<0.01	<10	13	26	14	82	2
133127	0.7	1.00	21	157	<0.5	16	2.72	2	10	16	11	3.65	<1	0.30	10	0.86	1348	<2	0.02	<1	994	14	1.30	8	4	120	<5	<0.01	<10	<10	25	11	85	2
133128	7.2	0.54	210	96	<0.5	19	0.94	3	11	25	22	4.28	2	0.32	<10	0.34	518	4	0.01	<1	822	87	3.08	37	2	52	<5	<0.01	<10	<10	15	<10	136	2
133129	25.1	0.89	57	159	<0.5	15	3.66	3	10	24	27	3.45	1	0.32	<10	0.61	1124	2	0.01	1	853	130	1.87	16	3	124	<5	<0.01	<10	11	24	<10	218	3
133130	1.5	0.70	28	140	<0.5	16	3.21	3	11	20	16	3.49	<1	0.33	<10	0.66	1262	<2	0.01	<1	922	169	1.95	8	3	151	<5	<0.01	<10	10	15	10	174	2
133131	2.5	0.56	74	124	<0.5	17	1.32	3	12	22	35	3.76	<1	0.35	<10	0.54	763	4	0.01	<1	879	136	2.18	12	2	84	<5	<0.01	<10	<10	15	11	191	2
133132	<0.2	1.75	23	626	<0.5	29	5.69	4	27	52	23	6.49	1	0.20	18	2.93	1561	<2	0.03	23	1975	12	0.65	11	9	530	<5	<0.01	<10	<10	132	<10	144	3
133133	2.0	1.06	103	147	<0.5	15	0.96	2	11	22	16	3.67	<1	0.30	11	0.86	772	6	0.03	<1	977	22	1.13	9	3	54	<5	<0.01	<10	<10	36	10	95	2
133134	2.2	0.84	68	127	<0.5	15	1.21	2	11	15	12	3.40	<1	0.31	10	0.71	782	8	0.01	<1	993	32	1.23	9	2	75	<5	<0.01	<10	<10	22	<10	83	2
133135	6.8	0.13	39	360	<0.5	6	1.33	7	4	116	4	1.35	<1	0.10	<10	0.37	846	9	0.01	2	173	590	0.72	8	2	82	<5	<0.01	<10	<10	3	26	844	1
133136	1.6	0.90	74	127	<0.5	15	1.89	2	11	15	15	3.43	<1	0.28	10	0.88	1145	6	0.02	<1	1004	54	1.06	10	3	113	<5	<0.01	<10	<10	23	<10	89	2
133137	2.7	0.63	122	108	<0.5	13	1.42	2	10	41	16	3.03	1	0.27	<10	0.61	763	13	0.02	1	933	43	1.39	13	2	87	<5	<0.01	<10	<10	17	<10	56	2
133138	1.8	0.85	52	91	<0.5	12	0.99	2	10	31	32	2.71	1	0.27	10	0.53	622	3	0.01	1	1090	57	0.94	7	2	54	<5	<0.01	<10	<10	20	<10	99	2
133139	<0.2	1.70	8	168	<0.5	23	3.90	3	20	52	23	4.94	<1	0.29	23	1.90	1255	<2	0.03	19	2668	9	0.29	10	7	237	<5	<0.01	<10	<10	47	<10	120	3
133140	0.8	1.48	6100	76	0.5	165	6.41	2	107	37	296	4.75	<1	0.20	10	0.47	870	28	0.06	64	801	17	0.92	19	3	63	5	0.11	<10	12	55	38	79	12
133141	<0.2	2.28	6	332	<0.5	23	3.92	3	21	61	22	5.44	1	0.22	25	2.17	999	<2	0.04	20	2641	6	0.21	11	6	158	5	0.01	<10	<10	66	<10	139	4
133142	<0.2	2.02	5	235	<0.5	22	3.72	3	21	59	21	5.34	<1	0.19	22	2.15	961	<2	0.04	19	2570	6	0.26	9	7	140	<5	0.01	<10	<10	59	<10	139	3
133143	1.5	1.00	39	143	<0.5	15	2.37	2	9	36	12	3.31	<1	0.27	<10	0.73	1062	<2	0.01	<1	952	11	1.40	7	3	75	<5	<0.01	<10	<10	24	<10	68	3
133144	1.6	1.36	48	143	<0.5	16	4.34	2	10	28	17	3.46	1	0.28	11	0.97	1916	<2	0.02	<1	1034	19	0.85	8	4	170	<5	<0.01	<10	11	40	<10	96	2
133145	<0.2	1.91	5	324	<0.5	23	4.07	3	21	58	20	5.49	<1	0.19	20	2.31	1172	<2	0.03	20	2679	9	0.26	9	6	213	<5	<0.01	<10	<10	57	<10	128	3
133146	0.5	0.97	43	782	<0.5	11	5.92	1	7	20	9	2.60	<1	0.22	13	0.68	1502	2	0.02	<1	815	6	0.72	6	3	139	<5	<0.01	<10	<10	29	<10	59	1
133147	2.3	0.66	69	111	<0.5	10	3.51	1	7	37	10	2.32	<1	0.22	<10	0.43	1047	8	0.01	<1	697	15	1.07	9	2	82	<5	<0.01	<10	<10	16	12	72	1
133148	<0.2	2.25	11	1219	<0.5	23	4.02	3	24	92	22	5.28	1	0.12	17	2.74	1112	<2	0.04	58	1963	7	0.31	9	10	199	<5	0.01	<10	<10	92	<10	103	4
133149	12.7	0.72	54	130	<0.5	11	0.94	2	8	60	12	2.54	<1	0.23	<10	0.47	525	4	0.01	2	753	45	1.16	9	2	37	<5	<0.01	<10	<10	18	<10	146	2
133150	3.6	1.13	45	129	<0.5	16	1.55	2	11	28	14	3.64	1	0.26	10	0.90	1130	3	0.01	<1	987	20	1.19	11	3	57	<5	<0.01	<10	<10	28	<10	90	2
133151	2.5	0.87	57	253	<0.5	15	2.93	2	8	43	10	3.09	<1	0.24	12	0.76	1284	5	0.01	<1	863	23	0.90	9	3	102	<5	<0.01	<10	<10	24	<10	112	2
133152	1.0	1.01	53	157	<0.5	17	2.79	2	10	30	11	3.94	1	0.25	10	1.06	1518	2	0.02	<1	1009	12	1.26	9	4	141	<5	<0.01	<10	10	35	<10	77	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95ºC for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment#20

Sample type: core

Report No : **9V1235RJ**

Date : Oct-02-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133153	1.7	0.72	51	617	<0.5	11	6.75	2	8	26	11	3.05	<1	0.26	12	0.74	2204	2	0.01	<1	857	11	1.14	8	4	203	<5	<0.01	<10	10	22	<10	69	2
133154	1.1	0.38	26	349	<0.5	12	6.47	2	8	22	10	2.97	<1	0.28	12	0.74	2467	<2	0.01	<1	871	13	0.90	6	3	263	<5	<0.01	<10	<10	11	<10	71	1
133155	5.3	0.47	166	158	<0.5	12	2.45	2	7	54	14	3.16	1	0.25	<10	0.64	1446	11	0.01	<1	736	79	1.52	23	2	108	<5	<0.01	<10	<10	14	<10	158	2
133156	6.6	0.53	112	111	<0.5	14	2.38	3	9	35	15	3.24	1	0.27	10	0.68	1346	7	0.01	<1	969	83	1.27	19	3	115	<5	<0.01	<10	<10	15	11	283	2
133157	5.9	0.85	78	345	<0.5	13	5.89	2	9	32	15	3.11	1	0.27	12	0.68	2055	8	0.01	1	927	27	1.35	15	4	179	<5	0.01	<10	10	29	<10	97	3
133158	1.2	1.41	49	390	<0.5	17	5.55	2	12	37	16	3.56	1	0.21	16	1.15	1889	2	0.02	5	1280	18	0.74	10	5	178	<5	<0.01	<10	<10	53	<10	105	2
133159	2.6	1.39	67	147	<0.5	16	3.97	3	10	27	14	3.71	2	0.30	11	1.04	1806	3	0.02	<1	1046	21	1.02	8	3	150	<5	<0.01	<10	<10	33	<10	87	2
133160	0.6	0.70	772	1507	0.5	17	0.78	5	9	61	39	3.78	3	0.16	17	0.37	524	6	0.01	36	1051	161	0.23	692	5	223	7	<0.01	<10	<10	63	<10	252	14
133161	2.0	1.61	80	147	<0.5	17	2.74	4	11	24	14	3.93	2	0.29	10	1.03	1698	<2	0.02	<1	1080	29	1.05	7	3	141	<5	<0.01	<10	<10	44	<10	190	3
133162	4.7	1.15	166	185	<0.5	15	2.73	2	9	29	12	3.31	1	0.29	<10	0.58	1205	2	0.02	<1	993	18	1.38	11	2	97	<5	<0.01	<10	<10	29	<10	84	3
133163	0.7	1.12	50	240	<0.5	14	1.67	2	9	44	16	2.90	1	0.28	<10	0.64	614	<2	0.02	3	909	20	1.00	5	2	49	<5	<0.01	<10	<10	24	<10	75	2
133164	<0.2	1.60	9	1025	<0.5	18	2.97	2	12	38	25	3.59	1	0.21	49	1.29	538	5	0.05	9	2079	23	0.23	6	3	94	5	0.01	<10	<10	48	<10	99	4
133165	<0.2	1.60	7	1130	<0.5	15	3.27	2	11	40	4	3.49	<1	0.26	51	1.27	530	<2	0.05	7	2151	30	0.11	5	3	111	5	<0.01	<10	<10	46	<10	106	6
133166	<0.2	1.50	<5	1039	<0.5	15	3.07	2	11	34	1	3.34	<1	0.24	50	1.20	488	<2	0.05	7	2111	28	0.10	7	3	104	5	<0.01	<10	<10	43	<10	102	6
133167	<0.2	1.57	<5	1034	<0.5	14	3.15	2	11	32	5	3.44	<1	0.24	52	1.20	530	3	0.05	7	2175	29	0.15	6	3	101	5	0.01	<10	<10	46	<10	98	5
133168	1.0	1.81	40	157	<0.5	16	3.65	3	10	21	15	3.75	1	0.30	11	1.09	1776	<2	0.06	<1	1088	21	0.76	6	5	130	<5	0.03	<10	<10	56	<10	109	3
133169	<0.2	2.82	24	309	1.3	27	4.64	4	35	114	28	5.90	<1	0.09	21	3.48	1525	<2	0.07	70	2446	6	0.60	18	10	171	<5	0.28	<10	<10	137	<10	110	19
133170	<0.2	2.76	27	180	1.0	29	4.43	4	34	115	26	6.08	1	0.09	21	3.36	1513	<2	0.08	65	2524	17	0.67	18	9	148	<5	0.22	<10	<10	136	<10	107	17
133171	0.8	1.55	31	140	<0.5	19	5.14	3	11	23	11	4.14	1	0.33	11	1.18	1963	<2	0.02	<1	1186	14	1.24	7	4	190	<5	<0.01	<10	<10	32	<10	75	2
133172	0.6	1.52	33	134	<0.5	18	3.34	3	12	12	11	4.28	1	0.32	12	1.20	1437	<2	0.03	<1	1239	12	1.21	7	4	154	<5	<0.01	<10	<10	31	<10	75	3
133173	0.6	1.63	40	130	<0.5	20	3.10	3	13	22	14	4.65	<1	0.31	11	1.27	1374	<2	0.03	<1	1272	17	1.70	8	4	113	<5	<0.01	<10	<10	37	<10	80	2
133174	<0.2	3.22	17	762	0.5	32	5.64	5	35	84	32	7.16	1	0.08	17	3.71	1562	<2	0.04	47	2096	29	0.38	15	12	232	<5	0.11	<10	<10	179	<10	143	9
133175	1.5	1.47	25	160	<0.5	15	5.32	2	11	15	9	3.65	1	0.37	12	1.09	2056	<2	0.02	<1	1200	13	0.64	7	4	344	<5	<0.01	<10	<10	21	<10	50	2
133176	2.0	0.53	14	179	<0.5	13	3.91	2	6	53	3	2.73	1	0.36	<10	0.88	1971	2	0.01	1	460	12	0.46	6	3	330	<5	<0.01	<10	<10	13	<10	45	2
133177	3.5	0.60	43	138	<0.5	16	4.41	3	10	19	11	3.83	1	0.39	<10	0.98	2056	<2	0.01	<1	1214	27	1.33	7	3	346	<5	<0.01	<10	11	9	<10	52	3
133178	1.1	1.63	34	116	<0.5	19	4.55	3	12	14	12	4.24	1	0.31	11	1.27	1880	<2	0.02	<1	1232	14	0.98	8	5	219	<5	<0.01	<10	<10	23	<10	72	2
133179	<0.2	2.57	15	696	0.5	25	4.33	4	28	92	27	5.95	<1	0.14	19	3.20	1224	<2	0.05	51	2305	5	0.53	13	10	166	<5	0.10	<10	<10	131	<10	100	10
133180	<0.2	0.04	<5	18	<0.5	<5	>15.00	<1	1	3	1	0.09	<1	0.03	<10	2.25	88	<2	0.01	<1	116	<2	0.74	<5	<1	6212	<5	<0.01	<10	33	2	<10	<1	<1
133181	0.5	1.64	30	154	<0.5	17	2.58	3	12	16	13	4.21	1	0.33	11	1.28	1391	<2	0.02	<1	1213	10	1.07	6	4	107	<5	<0.01	<10	<10	38	<10	77	2
133182	0.2	1.83	23	135	<0.5	19	2.66	3	13	16	13	4.60	<1	0.33	13	1.49	1520	<2	0.03	1	1307	15	0.88	7	5	102	<5	<0.01	<10	<10	47	<10	91	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment#20

Sample type: core

Report No : **9V1235RJ**

Date : Oct-02-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133183	0.4	1.62	28	160	<0.5	19	2.22	3	12	20	13	4.44	1	0.37	13	1.24	1375	<2	0.02	<1	1304	17	1.04	6	4	119	<5	<0.01	<10	<10	36	<10	91	3
133184	0.5	1.57	40	121	<0.5	19	2.25	3	11	15	11	4.39	1	0.36	12	1.24	1369	<2	0.02	<1	1225	17	1.07	7	3	97	<5	<0.01	<10	<10	36	<10	89	2
133185	0.5	1.77	34	126	<0.5	18	1.70	3	12	17	11	4.16	1	0.33	13	1.19	1429	<2	0.02	<1	1200	15	0.80	7	4	54	<5	<0.01	<10	<10	40	<10	85	2
133186	0.3	1.64	30	132	<0.5	18	3.20	3	12	13	12	4.24	1	0.32	12	1.28	1762	<2	0.02	<1	1209	14	0.80	6	4	116	<5	<0.01	<10	<10	37	<10	97	2
133187	0.5	1.46	32	158	<0.5	18	1.23	3	12	20	11	4.19	<1	0.36	11	0.97	1124	<2	0.02	<1	1284	18	1.47	9	3	47	<5	<0.01	<10	<10	32	<10	94	3
133188	0.6	1.60	31	107	<0.5	19	2.74	3	12	12	12	4.35	1	0.30	11	1.23	1609	<2	0.02	<1	1218	13	1.13	7	4	84	<5	<0.01	<10	<10	37	<10	86	2
133189	0.3	1.72	26	124	<0.5	19	1.99	3	12	14	13	4.30	1	0.35	12	1.30	1435	<2	0.03	<1	1232	10	0.83	6	4	75	<5	<0.01	<10	<10	40	<10	79	2
133190	0.3	1.63	31	169	<0.5	17	1.16	3	12	12	13	4.33	<1	0.42	12	1.24	1243	<2	0.02	<1	1214	10	0.91	7	4	55	<5	<0.01	<10	<10	37	<10	86	2
133191	5.3	1.14	<5	827	<0.5	24	5.70	4	25	50	29	5.60	1	0.27	18	2.76	1807	<2	0.03	37	2228	16	0.44	14	11	444	<5	<0.01	<10	<10	59	<10	105	4
133192	15.5	0.61	24	409	<0.5	21	4.36	4	18	19	53	4.72	1	0.40	14	1.59	1613	<2	0.02	12	1538	44	0.72	20	7	299	<5	<0.01	<10	<10	26	<10	76	2
133193	<0.2	2.59	15	649	2.1	27	4.11	5	41	88	30	6.49	1	0.15	20	3.18	1252	<2	0.15	49	2254	2	0.28	19	11	176	<5	0.45	<10	<10	156	<10	110	34
133194	<0.2	2.78	21	482	2.3	29	4.34	5	45	96	30	6.64	1	0.11	18	3.55	1307	<2	0.15	58	2165	4	0.36	20	11	153	<5	0.53	<10	<10	166	<10	130	32
133195	2.1	1.79	23	208	<0.5	18	1.94	3	12	17	11	4.38	1	0.48	13	1.11	1496	<2	0.03	<1	1435	11	1.40	7	4	70	<5	0.01	<10	<10	45	<10	82	3
133196	0.6	1.61	19	117	<0.5	19	0.65	3	12	14	12	4.42	1	0.36	12	1.05	1208	<2	0.01	<1	1362	11	1.39	6	3	32	<5	<0.01	<10	<10	36	<10	85	2
133197	1.9	1.59	29	167	<0.5	17	0.62	3	12	17	13	4.36	1	0.29	12	1.21	1315	<2	0.02	<1	1255	13	1.28	6	4	35	<5	0.01	<10	<10	42	<10	91	3
133198	0.2	1.78	29	109	<0.5	21	0.45	3	13	18	11	4.81	<1	0.29	12	1.29	1371	<2	0.02	<1	1362	11	1.48	7	4	28	<5	<0.01	<10	<10	50	<10	82	3
133199	0.3	1.56	29	161	<0.5	19	0.73	3	12	16	9	4.50	1	0.30	12	1.25	1322	<2	0.02	<1	1247	10	1.24	7	3	53	<5	<0.01	<10	<10	41	<10	74	2
133200	1.4	1.44	6777	81	<0.5	162	6.71	1	118	38	303	4.97	<1	0.20	<10	0.51	811	33	0.07	67	865	18	0.91	23	3	63	5	0.11	<10	10	52	<10	78	11
133201	0.4	1.68	34	155	<0.5	19	0.46	3	13	16	11	4.64	<1	0.32	13	1.28	1222	<2	0.01	<1	1352	11	1.41	6	3	35	<5	<0.01	<10	<10	44	<10	84	3
133202	0.5	1.66	17	140	<0.5	21	0.53	4	14	16	12	4.88	1	0.34	13	1.22	1235	<2	0.01	<1	1426	13	1.95	6	4	36	<5	<0.01	<10	<10	46	<10	76	3
133203	0.7	1.12	25	154	<0.5	15	1.69	3	11	36	11	3.75	1	0.30	10	0.85	1302	<2	0.01	<1	1110	11	1.56	7	3	82	<5	<0.01	<10	<10	28	<10	64	2
133204	0.4	1.87	14	146	<0.5	19	3.21	3	12	23	12	4.29	2	0.23	12	1.39	1898	<2	0.03	<1	1181	9	0.68	6	4	118	<5	<0.01	<10	<10	52	<10	83	2
133205	0.5	1.46	25	139	<0.5	16	3.50	3	10	29	12	3.80	1	0.27	11	1.01	1725	<2	0.02	<1	1047	9	1.06	6	3	111	<5	<0.01	<10	<10	36	<10	66	2
133206	1.0	1.58	24	153	<0.5	19	2.81	3	13	26	15	4.30	1	0.31	12	1.24	1397	<2	0.02	2	1321	13	1.11	8	4	118	<5	<0.01	<10	<10	42	<10	111	2
133207	0.8	1.46	29	149	<0.5	18	2.90	3	11	21	13	4.14	1	0.30	12	1.23	1564	<2	0.02	<1	1191	12	0.91	7	4	136	<5	<0.01	<10	<10	34	<10	82	2
133208	7.1	1.20	32	255	<0.5	17	4.95	3	10	21	13	3.77	1	0.30	10	1.04	2041	<2	0.01	<1	1108	23	1.06	7	3	188	<5	<0.01	<10	<10	25	<10	97	2
133209	0.6	1.52	24	139	<0.5	17	3.10	3	11	19	11	4.38	1	0.30	12	1.25	1525	<2	0.02	<1	1166	14	1.06	7	4	123	<5	<0.01	<10	<10	36	<10	85	2
133210	0.4	1.05	22	263	<0.5	16	3.35	3	10	20	10	3.86	1	0.31	11	1.10	1537	<2	0.02	<1	1175	10	0.91	6	4	152	<5	<0.01	<10	<10	22	<10	57	2
133211	0.4	1.39	31	111	<0.5	17	3.21	3	11	22	11	4.10	1	0.25	10	1.10	1476	<2	0.02	<1	1116	10	1.04	6	4	122	<5	<0.01	<10	<10	33	<10	70	2
133212	0.8	0.61	26	112	<0.5	17	8.09	3	10	22	7	4.39	2	0.26	10	1.49	3137	<2	0.02	<1	942	12	1.06	7	3	344	<5	<0.01	<10	15	14	<10	107	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment#20

Sample type: core

Report No : 9V1235RJ

Date : Oct-02-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133213	0.7	1.56	41	109	<0.5	19	4.56	3	12	24	13	4.34	1	0.28	12	1.15	1837	<2	0.02	<1	1220	20	1.31	8	4	114	<5	<0.01	<10	<10	37	<10	83	2
133214	0.5	1.38	37	177	<0.5	18	3.31	3	11	23	11	4.13	1	0.30	11	1.11	1520	<2	0.02	<1	1194	10	1.33	8	4	108	<5	<0.01	<10	<10	34	<10	77	2
133215	0.5	1.12	29	179	<0.5	17	2.58	3	12	32	12	4.34	1	0.30	11	1.19	1332	<2	0.02	<1	1223	13	1.28	8	4	132	<5	<0.01	<10	<10	29	<10	71	2
133216	0.7	0.39	13	140	<0.5	17	4.23	3	11	39	7	3.96	<1	0.27	<10	1.20	1387	<2	0.02	<1	954	10	1.60	5	3	268	<5	<0.01	<10	<10	10	<10	26	2
133217	<0.2	2.23	5	447	<0.5	29	4.76	5	33	65	35	6.81	1	0.24	17	3.38	1212	<2	0.03	45	2054	8	0.51	10	14	337	<5	0.01	<10	<10	111	<10	123	3
133218	<0.2	0.69	16	106	<0.5	17	4.32	3	13	20	8	4.15	<1	0.33	<10	1.41	1153	<2	0.02	1	1204	10	1.26	6	5	271	<5	<0.01	<10	<10	18	<10	76	2
133219	0.4	1.08	31	112	<0.5	17	2.88	3	12	20	11	4.03	1	0.33	11	1.07	1122	<2	0.02	<1	1169	13	1.53	7	4	140	<5	<0.01	<10	<10	20	<10	75	2
133220	0.6	0.68	764	1268	0.5	16	0.78	5	9	60	37	3.79	2	0.15	16	0.37	523	5	0.01	35	1007	158	0.21	607	5	219	7	<0.01	<10	<10	60	<10	241	13
133221	<0.2	1.62	46	133	<0.5	19	2.46	3	13	19	12	4.37	<1	0.34	11	1.32	1119	<2	0.02	<1	1238	11	1.03	8	5	99	<5	<0.01	<10	<10	30	<10	79	2
133222	<0.2	1.85	11	128	<0.5	17	3.28	3	12	17	14	4.19	1	0.32	12	1.43	1404	<2	0.02	<1	1295	8	0.51	6	5	124	<5	<0.01	<10	<10	38	<10	76	2
133223	<0.2	1.85	11	119	<0.5	18	3.51	3	12	20	12	4.25	1	0.32	12	1.37	1479	<2	0.02	<1	1267	7	0.56	8	4	113	<5	<0.01	<10	<10	42	<10	84	2
133224	0.2	1.35	23	112	<0.5	17	2.74	3	12	20	12	4.24	1	0.35	10	1.07	1188	<2	0.02	<1	1239	10	1.86	7	4	105	<5	<0.01	<10	<10	24	<10	73	2
133225	0.3	1.22	22	135	<0.5	17	2.62	3	11	16	11	4.10	<1	0.35	10	1.12	1216	<2	0.02	<1	1219	9	1.78	7	4	107	<5	<0.01	<10	<10	24	<10	77	2
133226	<0.2	1.27	16	110	<0.5	18	2.70	3	11	15	11	4.10	1	0.34	10	1.04	1135	<2	0.02	<1	1223	9	1.96	7	4	91	<5	<0.01	<10	<10	25	<10	75	2
133227	<0.2	1.43	14	116	<0.5	16	2.38	2	11	15	13	3.60	<1	0.33	11	1.12	1134	<2	0.03	<1	1203	9	1.08	6	5	89	<5	<0.01	<10	<10	29	<10	79	2
133228	0.5	1.31	53	92	<0.5	20	0.58	3	12	20	11	4.61	1	0.32	<10	0.90	617	<2	0.02	<1	1165	18	2.22	8	3	43	<5	<0.01	<10	<10	23	<10	84	2
133229	0.6	1.37	69	127	<0.5	18	0.97	3	11	19	11	4.05	1	0.33	11	1.00	843	<2	0.02	<1	1350	15	1.60	7	3	54	<5	<0.01	<10	<10	26	<10	83	2
133230	0.4	1.03	54	153	<0.5	16	1.56	3	12	17	9	3.89	1	0.39	11	0.99	980	<2	0.02	<1	1355	13	1.51	9	4	98	<5	<0.01	<10	<10	21	<10	78	2
133231	0.7	0.73	100	138	<0.5	14	2.79	2	11	15	8	3.38	1	0.38	12	1.07	1418	<2	0.02	<1	1215	12	0.73	7	4	241	<5	<0.01	<10	<10	16	<10	64	2
133232	1.3	0.61	34	140	<0.5	18	2.29	3	12	11	12	3.77	1	0.37	11	0.97	1299	3	0.02	<1	1273	12	1.25	6	4	191	<5	<0.01	<10	<10	15	<10	77	1
133233	1.4	0.66	48	129	<0.5	16	1.23	3	11	20	11	3.74	1	0.39	<10	0.68	1062	3	0.01	<1	1143	14	1.79	7	3	115	<5	<0.01	<10	<10	14	<10	71	2
133234	8.6	0.99	60	133	<0.5	18	0.55	3	12	16	14	4.09	<1	0.44	10	0.72	788	<2	0.01	<1	1179	24	1.99	9	3	56	<5	<0.01	<10	<10	16	<10	130	2
133235	<0.2	2.47	9	373	<0.5	27	4.40	5	25	61	18	6.42	1	0.13	17	2.74	1282	<2	0.07	19	2601	5	0.31	11	10	198	<5	0.05	<10	<10	173	<10	112	7
133236	2.2	1.30	24	218	<0.5	14	3.54	3	11	21	13	3.96	1	0.43	10	1.04	1611	<2	0.02	1	1144	12	1.02	6	4	174	<5	0.01	<10	<10	31	<10	88	3
133237	35.1	0.06	15	53	<0.5	<5	>15.00	<1	1	26	36	0.69	6	0.06	<10	0.08	8256	<2	0.01	<1	145	59	1.00	23	1	1071	<5	<0.01	11	31	<1	<10	161	<1
133238	6.0	0.66	27	161	<0.5	15	4.19	3	10	16	12	3.47	1	0.40	11	0.80	1854	<2	0.01	<1	1151	17	1.34	8	3	202	<5	<0.01	<10	<10	13	<10	90	2
133239	10.1	0.76	20	135	<0.5	15	1.93	3	10	15	10	3.60	1	0.42	10	0.71	1240	<2	0.01	<1	1171	19	1.82	8	3	128	<5	<0.01	<10	<10	13	<10	106	2
133240	<0.2	0.09	<5	<10	<0.5	<5	>15.00	<1	1	2	1	0.13	<1	0.02	<10	1.97	33	<2	0.01	<1	58	<2	0.85	<5	<1	6132	<5	<0.01	<10	32	2	<10	<1	1
133241	1.0	0.88	25	144	<0.5	16	2.28	3	10	20	10	3.67	<1	0.35	10	0.82	1337	<2	0.01	<1	1032	13	1.81	8	3	131	<5	<0.01	<10	<10	18	<10	78	2
133242	0.4	1.23	20	148	<0.5	17	1.62	3	10	19	10	3.87	<1	0.35	11	0.94	1168	<2	0.01	<1	1107	10	1.77	8	3	67	<5	<0.01	<10	<10	24	<10	77	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment#20

Sample type: core

Report No : **9V1235RJ**

Date : Oct-02-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133243	0.8	1.24	16	152	<0.5	16	3.64	3	11	25	12	3.90	1	0.32	11	1.09	1843	<2	0.02	<1	1125	11	1.63	8	4	113	<5	<0.01	<10	<10	25	<10	78	2
133244	0.3	1.59	14	171	<0.5	18	3.42	3	11	20	11	4.05	1	0.31	11	1.22	1841	<2	0.02	<1	1209	8	1.16	6	4	106	<5	<0.01	<10	<10	35	<10	78	2
133245	0.6	1.51	15	131	<0.5	16	3.21	3	10	23	12	3.90	1	0.31	10	1.10	1629	<2	0.03	<1	1123	12	1.30	7	3	114	<5	<0.01	<10	<10	28	<10	84	2
133246	0.3	1.41	28	149	<0.5	15	3.50	3	10	17	11	3.69	1	0.30	10	1.05	1707	<2	0.02	<1	1082	10	1.21	7	3	113	<5	<0.01	<10	<10	29	<10	115	2
133247	0.2	1.51	20	123	<0.5	18	2.66	3	11	17	12	4.01	1	0.30	10	1.07	1410	<2	0.03	<1	1182	11	1.50	7	4	123	<5	<0.01	<10	<10	32	<10	78	2
133248	<0.2	1.46	35	114	<0.5	18	2.62	3	11	13	11	4.05	<1	0.29	10	1.09	1279	<2	0.03	<1	1228	9	1.60	9	3	100	<5	<0.01	<10	<10	29	<10	83	2
133249	0.6	1.17	73	93	<0.5	24	2.68	4	11	15	12	5.25	1	0.29	<10	0.84	1236	<2	0.02	<1	1073	14	3.11	13	3	116	<5	<0.01	<10	<10	20	<10	72	2
133250	1.0	0.95	49	99	<0.5	17	3.66	3	10	17	12	4.13	1	0.32	<10	0.89	1682	<2	0.02	<1	1099	13	2.03	9	3	123	<5	<0.01	<10	<10	18	<10	75	2
133251	1.4	0.44	80	91	<0.5	17	2.78	3	10	17	11	3.86	1	0.32	<10	0.79	1537	<2	0.02	<1	1102	16	1.86	9	3	168	<5	<0.01	<10	<10	8	<10	70	2
133252	1.2	0.77	22	122	<0.5	15	2.85	3	9	17	12	3.45	1	0.31	<10	0.89	1885	<2	0.02	<1	1052	20	1.29	6	3	153	<5	<0.01	<10	<10	16	<10	78	2
133253	1.2	1.01	37	114	<0.5	15	3.19	3	8	24	11	3.30	1	0.26	<10	0.74	1649	<2	0.02	<1	918	21	1.24	6	3	141	<5	<0.01	<10	<10	23	<10	81	2
133254	1.3	1.34	41	117	<0.5	17	3.90	3	10	14	12	3.66	2	0.25	10	1.16	2847	<2	0.02	<1	1148	24	0.89	8	4	324	<5	<0.01	<10	<10	37	<10	60	2
133255	1.5	1.37	74	120	<0.5	16	3.76	3	8	21	6	3.32	2	0.21	<10	1.13	3191	<2	0.02	<1	1020	42	0.78	7	5	312	<5	<0.01	<10	11	40	<10	112	1
133256	0.9	1.20	65	135	<0.5	16	3.08	3	9	27	6	3.63	2	0.20	<10	1.10	2658	<2	0.02	<1	1022	20	1.02	7	5	210	<5	<0.01	<10	10	38	<10	81	2
133257	0.7	1.16	432	154	<0.5	17	2.61	3	10	18	8	3.83	1	0.25	<10	1.11	1920	<2	0.02	<1	1125	22	1.21	8	4	132	<5	<0.01	<10	<10	33	<10	84	2
133258	0.7	1.09	193	128	<0.5	16	2.83	3	10	16	9	3.91	1	0.27	10	1.05	2194	<2	0.02	<1	1142	19	1.44	7	4	146	<5	<0.01	<10	<10	26	<10	70	2
133259	<0.2	1.42	24	111	<0.5	17	2.75	3	10	14	10	3.82	1	0.26	10	1.14	1872	<2	0.03	<1	1132	11	1.32	6	4	128	<5	<0.01	<10	<10	33	<10	80	2
133260	1.4	1.34	5804	77	<0.5	155	5.98	1	104	36	271	4.51	<1	0.18	<10	0.48	724	30	0.06	60	771	17	0.79	18	2	52	<5	0.09	<10	13	44	10	79	9
133261	0.8	1.09	49	81	<0.5	19	2.19	3	11	17	10	3.83	<1	0.28	<10	0.80	1381	<2	0.01	1	1077	14	2.17	9	3	107	<5	<0.01	<10	<10	24	<10	72	2
133262	0.4	1.34	33	118	<0.5	18	3.82	3	10	13	11	3.70	<1	0.27	<10	0.99	1886	<2	0.02	1	1064	12	1.48	8	4	145	<5	<0.01	<10	<10	32	<10	72	2
133263	0.6	1.20	42	101	<0.5	19	2.92	3	10	16	12	3.78	<1	0.25	<10	0.98	1692	<2	0.02	1	1084	14	1.80	9	3	116	<5	<0.01	<10	<10	29	<10	82	2
133264	0.8	1.44	45	204	<0.5	18	4.97	6	10	15	12	3.86	1	0.21	<10	1.02	2809	2	0.02	1	1040	38	1.15	10	4	217	<5	<0.01	<10	<10	41	<10	452	2
133265	0.9	1.36	48	158	<0.5	17	4.05	4	10	16	9	3.78	1	0.24	10	0.94	2245	<2	0.02	1	1096	90	1.30	8	4	147	<5	<0.01	<10	<10	34	<10	176	2
133266	0.6	1.21	40	133	<0.5	17	3.80	3	10	14	12	3.66	1	0.25	10	1.01	2104	<2	0.02	1	1055	9	0.98	9	4	155	<5	<0.01	<10	<10	33	<10	71	2
133267	0.5	1.33	40	145	<0.5	18	2.92	3	10	16	13	3.65	1	0.24	<10	1.00	2057	<2	0.02	1	1081	10	1.26	8	4	112	<5	<0.01	<10	<10	39	<10	79	3
133268	0.7	1.19	50	140	<0.5	18	2.77	3	10	20	11	3.72	<1	0.26	<10	0.89	1691	2	0.02	1	1064	11	1.54	11	3	93	<5	<0.01	<10	<10	32	<10	72	3
133269	1.4	0.96	43	115	<0.5	17	2.44	3	10	20	14	3.51	<1	0.28	<10	0.75	1941	<2	0.02	1	1082	13	1.96	8	3	118	<5	<0.01	<10	<10	25	<10	79	3
133270	0.3	1.32	18	123	<0.5	17	3.57	3	10	16	12	3.61	1	0.23	10	1.00	2172	<2	0.02	<1	1082	9	1.30	8	4	169	<5	<0.01	<10	<10	36	<10	73	2
133271	0.2	1.45	28	135	<0.5	18	3.00	3	11	15	14	3.71	1	0.27	11	1.17	1813	<2	0.02	<1	1162	9	1.14	8	4	137	<5	<0.01	<10	<10	37	<10	81	2
133272	0.3	1.33	25	119	<0.5	18	2.76	3	11	16	11	3.91	<1	0.26	10	0.99	1556	<2	0.02	<1	1122	9	1.78	8	3	117	<5	<0.01	<10	<10	35	<10	77	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment#20

Sample type: core

Report No : 9V1235RJ

Date : Oct-02-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133273	0.3	1.38	26	151	<0.5	20	3.96	3	10	19	11	3.78	1	0.28	11	1.00	1941	<2	0.02	<1	1172	8	1.58	9	4	145	<5	<0.01	<10	<10	39	<10	77	2
133274	0.2	1.44	24	149	<0.5	17	2.54	3	10	18	11	3.70	<1	0.25	10	1.02	1585	<2	0.02	<1	1113	7	1.18	7	4	93	<5	<0.01	<10	<10	44	<10	74	2
133275	0.7	1.40	16	128	<0.5	17	3.27	3	10	15	17	3.74	1	0.27	10	0.99	2058	<2	0.02	<1	1141	73	1.42	9	4	148	<5	<0.01	<10	<10	38	<10	97	2
133276	0.5	1.41	15	126	<0.5	18	4.04	3	10	16	13	3.51	1	0.23	10	0.97	1881	<2	0.03	<1	1076	32	0.95	8	4	204	<5	<0.01	<10	<10	43	<10	83	2
133277	1.6	1.37	22	152	<0.5	20	3.38	4	10	15	16	3.81	1	0.25	10	0.99	1753	<2	0.02	<1	1124	38	1.04	7	3	150	<5	<0.01	<10	<10	39	<10	105	2
133278	6.2	0.77	13	202	<0.5	19	3.50	5	10	13	33	3.79	1	0.31	10	1.04	2250	<2	0.02	<1	1150	154	0.92	9	4	216	<5	<0.01	<10	<10	17	<10	292	2
133279	6.3	1.34	11	154	<0.5	18	3.48	5	11	13	19	4.01	1	0.25	12	1.17	1979	<2	0.03	<1	1161	157	0.46	8	5	191	<5	<0.01	<10	<10	38	<10	257	2
133280	0.7	0.59	702	1165	0.5	16	0.69	5	8	56	36	3.51	2	0.13	14	0.34	481	6	0.01	33	958	149	0.21	608	4	195	6	<0.01	<10	<10	54	<10	242	13
133281	<0.2	1.48	12	326	<0.5	17	3.15	3	10	13	11	3.82	<1	0.27	12	1.14	1387	<2	0.02	<1	1134	8	0.51	8	4	213	<5	<0.01	<10	<10	37	<10	73	2
133282	<0.2	1.54	14	166	<0.5	20	2.71	3	11	16	15	3.89	1	0.29	12	1.07	1680	<2	0.02	<1	1189	18	1.10	8	4	160	<5	<0.01	<10	<10	43	<10	86	2
133283	<0.2	1.53	15	211	<0.5	17	3.08	3	10	14	12	3.68	<1	0.29	12	1.07	1605	<2	0.02	<1	1150	15	0.85	8	4	165	<5	<0.01	<10	<10	42	<10	84	2
133284	<0.2	1.60	11	208	<0.5	21	2.15	3	11	18	12	3.94	<1	0.27	12	1.20	1455	<2	0.03	<1	1199	10	1.08	9	4	116	<5	<0.01	<10	<10	45	<10	81	2
133285	0.8	0.52	16	220	<0.5	12	>15.00	2	5	15	3	3.06	1	0.22	<10	0.94	4106	2	0.01	<1	681	24	1.08	8	1	1545	<5	<0.01	<10	23	10	<10	37	1
133286	2.6	1.27	83	132	<0.5	14	3.53	3	10	14	14	3.37	1	0.32	<10	0.81	1576	<2	0.02	1	1139	114	1.48	8	2	182	<5	<0.01	<10	<10	22	<10	109	2
133287	2.5	1.45	63	140	<0.5	20	1.61	4	11	13	20	3.88	1	0.33	10	1.02	1209	<2	0.02	<1	1277	99	1.68	9	3	101	<5	<0.01	<10	<10	27	<10	153	2
133288	<0.2	1.51	58	249	<0.5	16	2.24	2	10	14	8	3.28	<1	0.32	10	1.05	1226	<2	0.02	1	1176	9	0.81	7	3	118	<5	<0.01	<10	<10	29	<10	75	2
133289	<0.2	1.49	22	168	<0.5	13	2.69	2	10	14	15	2.95	<1	0.32	11	1.00	1469	<2	0.02	1	1161	18	0.31	7	4	153	<5	<0.01	<10	<10	26	<10	86	2
133290	<0.2	1.43	69	126	<0.5	13	2.32	2	11	15	12	2.99	1	0.32	12	0.95	1215	<2	0.02	1	1160	10	0.55	8	3	123	<5	<0.01	<10	<10	26	<10	72	2
133291	0.4	1.40	76	159	<0.5	15	3.18	2	10	15	11	3.38	1	0.32	10	1.04	1335	<2	0.02	<1	1108	11	0.98	5	3	145	<5	<0.01	<10	<10	23	<10	74	2
133292	0.5	0.90	41	149	<0.5	13	2.79	2	10	17	15	3.07	1	0.34	11	1.00	1448	<2	0.01	<1	1132	13	0.71	6	3	198	<5	<0.01	<10	<10	15	<10	73	2
133293	0.2	0.38	19	187	<0.5	12	5.14	2	9	12	1	2.82	1	0.31	10	1.17	1993	<2	0.01	<1	1170	13	0.43	<5	3	405	<5	<0.01	<10	<10	6	<10	51	1
133294	<0.2	1.63	29	158	<0.5	16	2.14	2	10	16	12	3.78	1	0.32	12	1.25	1277	<2	0.02	<1	1205	8	0.57	6	3	121	<5	<0.01	<10	<10	32	<10	78	2
133295	0.3	1.51	63	196	<0.5	14	1.87	2	11	17	10	3.44	1	0.34	11	1.05	1225	<2	0.01	<1	1170	9	0.91	6	3	107	<5	<0.01	<10	<10	24	<10	75	2
133296	0.3	1.38	81	156	<0.5	15	1.59	2	10	17	13	3.47	1	0.32	10	0.98	1147	<2	0.02	<1	1144	8	1.17	8	3	93	<5	<0.01	<10	<10	23	<10	72	2
133297	2.5	1.15	43	207	<0.5	13	2.54	2	10	24	12	3.21	<1	0.28	10	0.97	1390	<2	0.01	<1	1043	22	0.88	6	3	179	<5	<0.01	<10	<10	19	<10	77	2
133298	0.2	1.79	20	154	<0.5	16	2.78	3	10	15	12	3.85	1	0.27	11	1.33	1488	<2	0.02	<1	1145	24	0.33	6	3	159	<5	<0.01	<10	<10	35	<10	93	2
Duplicates:																																		
133093	0.3	1.75	64	140	<0.5	17	1.35	2	11	22	14	4.20	<1	0.35	10	1.47	1367	<2	0.01	<1	1075	17	1.14	10	3	85	<5	<0.01	<10	10	32	16	115	2
133102	0.9	0.64	102	171	<0.5	13	1.35	2	11	10	11	3.13	<1	0.36	<10	0.84	1131	<2	0.01	<1	925	20	1.30	7	2	107	<5	<0.01	<10	<10	13	<10	61	2
133112	0.7	0.70	69	268	<0.5	15	5.48	2	9	12	9	3.37	<1	0.31	<10	0.92	2575	<2	0.02	<1	927	9	1.30	8	3	227	<5	<0.01	<10	13	18	<10	55	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Premier/shipment#20
Sample type: core

Report No : **9V1235RJ**
Date : Oct-02-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133115	0.8	1.31	28	255	<0.5	16	4.13	2	12	9	32	3.23	<1	0.38	<10	0.71	2018	<2	0.01	<1	1171	18	0.63	7	3	333	<5	<0.01	<10	10	20	17	121	1
133124	<0.2	1.18	15	196	<0.5	18	2.89	2	11	15	13	3.89	<1	0.28	11	0.90	1716	<2	0.02	<1	979	8	1.14	7	4	90	<5	<0.01	<10	10	32	21	79	2
133134	2.2	0.85	69	133	<0.5	15	1.27	2	11	16	13	3.55	<1	0.31	10	0.76	812	8	0.01	<1	1018	33	1.28	9	2	75	<5	<0.01	<10	<10	22	<10	87	2
133137	2.8	0.63	119	112	<0.5	14	1.51	2	10	44	17	3.16	<1	0.27	<10	0.64	804	14	0.02	<1	952	45	1.46	13	2	91	<5	<0.01	<10	<10	17	<10	61	2
133146	0.4	0.97	42	840	<0.5	10	6.12	1	7	21	9	2.67	<1	0.22	13	0.71	1526	2	0.02	<1	801	6	0.75	7	3	138	<5	<0.01	<10	<10	29	<10	61	2
133156	6.9	0.50	103	104	<0.5	13	2.35	3	9	34	14	3.21	1	0.26	<10	0.68	1264	6	0.01	<1	900	79	1.22	17	3	105	<5	<0.01	<10	<10	14	<10	269	2
133159	2.4	1.41	68	146	<0.5	16	4.10	3	10	25	14	3.74	1	0.31	11	1.05	1834	2	0.02	<1	1071	22	1.03	8	3	158	<5	<0.01	<10	<10	33	<10	87	2
133168	1.0	1.92	45	177	<0.5	17	3.87	3	11	23	15	3.89	1	0.34	12	1.17	1853	<2	0.06	<1	1130	22	0.79	7	5	135	<5	0.04	<10	<10	60	<10	115	3
133178	1.1	1.77	39	136	<0.5	19	4.71	3	12	18	13	4.36	1	0.36	13	1.31	2008	<2	0.02	<1	1316	15	1.04	8	5	236	<5	<0.01	<10	<10	27	<10	76	2
133181	0.6	1.68	28	168	<0.5	18	2.50	3	12	16	12	4.20	<1	0.35	12	1.29	1451	<2	0.02	<1	1227	10	1.08	7	4	109	<5	<0.01	<10	<10	40	<10	77	2
133190	0.3	1.66	30	173	<0.5	18	1.16	3	12	13	13	4.32	<1	0.43	12	1.26	1247	<2	0.02	<1	1176	11	0.89	6	4	56	<5	<0.01	<10	<10	37	<10	84	2
133200	1.5	1.67	6798	82	<0.5	166	7.67	1	119	39	294	5.20	1	0.21	10	0.55	875	33	0.08	68	881	20	0.92	24	3	67	5	0.13	<10	11	56	10	79	13
133203	0.7	1.16	26	128	<0.5	16	1.66	3	10	38	11	3.74	1	0.32	11	0.84	1281	<2	0.01	<1	1089	10	1.56	6	3	81	<5	<0.01	<10	<10	30	<10	63	2
133212	0.9	0.61	26	123	<0.5	19	7.46	3	10	24	7	4.35	1	0.29	11	1.37	3261	<2	0.01	<1	945	12	1.13	7	3	342	<5	<0.01	<10	12	16	<10	110	2
133222	<0.2	1.88	13	134	<0.5	18	3.22	2	12	18	14	4.11	<1	0.34	12	1.43	1379	<2	0.02	<1	1243	8	0.53	6	5	122	<5	<0.01	<10	<10	39	<10	74	2
133225	0.3	1.24	22	140	<0.5	16	2.56	3	11	18	11	4.04	1	0.34	11	1.08	1200	<2	0.02	<1	1181	9	1.74	6	4	106	<5	<0.01	<10	<10	24	<10	76	2
133234	8.3	0.99	60	130	<0.5	17	0.54	3	12	16	13	4.01	1	0.44	10	0.71	767	<2	0.01	<1	1190	23	2.00	8	3	53	<5	<0.01	<10	<10	17	<10	124	2
133244	0.3	1.57	14	170	<0.5	17	3.37	3	11	22	11	4.02	<1	0.30	11	1.21	1814	<2	0.02	<1	1170	8	1.15	6	4	105	<5	<0.01	<10	<10	35	<10	79	2
133247	0.2	1.39	21	125	<0.5	18	2.49	3	11	17	12	3.86	1	0.30	10	1.01	1414	<2	0.02	1	1167	12	1.51	10	4	116	<5	<0.01	<10	<10	31	<10	79	2
133256	0.9	1.15	58	129	<0.5	17	2.85	3	9	22	6	3.66	1	0.20	<10	1.04	2563	<2	0.02	1	1038	19	1.00	8	4	200	<5	<0.01	<10	<10	38	<10	73	2
133266	0.6	1.21	42	135	<0.5	17	3.82	3	10	13	13	3.76	1	0.25	10	1.03	2196	<2	0.02	1	1106	9	1.03	10	4	160	<5	<0.01	<10	<10	33	<10	74	3
133269	1.3	0.95	48	124	<0.5	17	2.44	3	10	20	14	3.52	1	0.28	<10	0.76	1950	<2	0.02	1	1108	13	2.02	9	3	116	<5	<0.01	<10	<10	27	<10	80	3
133278	6.0	0.77	14	223	<0.5	17	3.32	5	10	14	32	3.64	1	0.30	10	1.00	2187	<2	0.02	<1	1106	150	0.89	8	4	208	<5	<0.01	<10	<10	17	<10	279	2
133288	<0.2	1.54	59	270	<0.5	15	2.32	3	10	15	8	3.39	<1	0.34	11	1.08	1263	<2	0.02	1	1228	9	0.85	7	3	116	<5	<0.01	<10	<10	31	<10	76	2
133291	0.3	1.37	75	150	<0.5	14	3.34	2	10	15	11	3.55	1	0.29	10	1.09	1384	<2	0.02	<1	1129	11	1.01	7	3	147	<5	<0.01	<10	<10	22	<10	77	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.7	1.81	14	306	0.7	21	0.57	4	31	112	2038	4.82	<1	1.31	13	1.24	328	2	0.05	50	689	14	0.57	11	7	8	<5	0.20	<10	<10	80	<10	217	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1236-RA1

Oct-08-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#20
Attn: Sue Deane

We *hereby certify* the following assay of 22 rock samples submitted Sep-17-09

Sample Name	Au g/tonne	Ag g/tonne	Pb %	Sample-Wt Kg
139988	0.21	3.8		1.4
139989	0.66	15.1		1.1
139990	0.26	4.3		2.1
139991	1.11	8.6		1.8
139992	1.48	28.6		2.2
139993	12.69	29.7		2.4
139994	1.64	56.7	2.54	1.9
139995	12.26	38.6	1.15	2.4
139996	1.64	22.9		2.2
139997	1.95	22.5		1.9
139998	6.99	33.0		2.3
139999	1.84	28.8		1.9
140000	1.24	6.7		1.5
139601	0.53	6.3		1.5
139602	0.79	25.7		2.0
139603	0.62	3.8		1.5
139604	1.89	7.9		1.8
139605	0.75	2.2		2.2
139606	1.86	5.9		1.8
139607	1.55	13.1		2.8
139608	1.56	63.6		2.5
139609	1.25	16.0		2.4
*DUP 139988	0.26	3.9		
*DUP 139997	1.85	23.4		
*DUP 139607	1.65	13.3		
*0211	2.23			
*CCu-1c			0.34	
*BLANK	<0.01		<0.01	

Au F.A. AA finish. Ag read from ICP solution. Pb, 4 Acid Digest AA finish

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1236-RA2

Oct-08-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#20
Attn: Sue Deane

We *hereby certify* the following assay of 22 rock samples submitted Sep-17-09

Sample Name	Au g/tonne	Ag g/tonne	Pb %	Zn %	Sample-Wt Kg
139610	1.80	13.6			1.9
139611	0.13	2.2			2.0
139612	0.81	6.4			2.1
139613	1.66	18.2			2.2
139614	0.56	6.7			1.1
139615	8.34	98.4	9.70	4.93	2.9
139616	3.62	83.4	6.00	9.10	3.5
139617	6.72	135.9	11.1	4.65	2.1
139618	14.65	49.4	2.38	3.67	3.2
139619	6.75	19.5		2.09	2.4
139620	2.10	10.5			2.1
139621	1.24	4.9			2.6
139622	0.84	4.6			2.9
139623	1.56	19.3			2.6
139624	0.65	4.9			2.6
139625	0.72	4.6			2.6
139626	0.35	2.8			2.7
139627	0.88	2.6			1.7
139628	35.62	19.5			3.9
139629	35.49	28.2			2.3
139630	2.82	7.2			2.0
139631	1.43	3.7			2.7
*DUP 139610	1.94	11.6			
*DUP 139619	7.09	19.1			
*DUP 139629	34.62	21.6			
*0211	2.29				
*CCu-1c			0.34	3.97	
*BLANK	<0.01		<0.01	<0.01	

Au F.A. AA finish. Ag read from ICP solution. Pb,Zn 4 Acid Digest AA finish

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1236-RA3

Oct-08-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#20
Attn: Sue Deane

We *hereby certify* the following assay of 22 rock samples submitted Sep-17-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
139632	2.38	4.7	1.9
139633	1.65	4.6	2.4
139634	1.52	2.8	1.7
139635	0.95	3.6	2.8
139636	0.49	4.8	2.3
139637	0.25	3.4	2.1
139638	0.16	2.9	2.4
139639	2.08	3.2	2.2
139640	0.30	2.2	2.6
139641	0.12	1.9	1.5
139642	0.92	1.4	2.6
139643	0.60	2.3	3.3
139644	0.21	2.0	1.7
139645	0.19	2.5	1.2
139646	0.12	1.3	1.7
139647	0.02	1.2	2.7
139648	0.03	0.8	2.3
139649	0.89	10.0	3.1
139650	0.73	3.5	2.4
139651	0.85	4.0	1.5
139652	0.33	2.1	2.4
139653	1.19	4.6	2.2
*DUP 139632	2.50	4.4	
*DUP 139641	0.08	1.9	
*DUP 139651	0.91	3.6	
*0211	2.30		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1236-RA4

Oct-08-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#20
Attn: Sue Deane

We *hereby certify* the following assay of 22 rock samples submitted Sep-17-09

Sample Name	Au g/tonne	Ag g/tonne	Pb %	Zn %	Sample-Wt Kg
139654	0.51	4.0			2.8
139655	1.89	50.7	2.38	2.25	2.4
139656	0.73	8.6			2.4
139657	0.45	6.4			1.5
139658	0.08	1.8			1.9
139659	0.69	3.6			1.9
139660	0.94	4.7			2.5
139661	2.68	10.3			2.1
139662	2.91	11.6			2.7
139663	1.62	9.5			2.5
139664	2.42	5.9			1.9
139665	3.07	30.8			3.0
139666	3.51	27.1			1.8
139667	2.50	13.8			2.0
139668	2.78	16.4			2.2
139669	4.05	27.3			3.3
139670	6.23	32.0	1.24		2.5
139671	4.75	21.7			2.7
139672	10.52	39.7	1.62		2.8
139673	5.71	26.8			2.4
139674	1.36	9.1			2.5
139675	1.48	2.3			2.4
*DUP 139654	0.51	3.4			
*DUP 139663	1.75	8.0			
*DUP 139673	5.94	26.9			
*0211	2.20				
*CCu-1c			0.35	3.96	
*BLANK	<0.01		<0.01	<0.01	

Au F.A. AA finish. Ag read from ICP solution. Pb,Zn 4 Acid Digest AA finish

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1236-RA5

Oct-08-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#20
Attn: Sue Deane

We *hereby certify* the following assay of 22 rock samples submitted Sep-17-09

Sample Name	Au g/tonne	Ag g/tonne	Pb %	Zn %	Sample-Wt Kg
139676	0.59	1.9			2.3
139677	1.03	5.1			1.9
139678	0.03	0.8			1.7
139679	0.03	1.0			1.9
139680	0.24	2.1			1.7
139681	0.76	6.1			1.7
139682	1.65	5.8			2.3
139683	2.24	9.8			1.5
139684	1.52	6.2			1.9
139685	1.85	4.3			2.0
139686	2.09	7.1			2.3
139687	2.66	3.7			2.1
139688	8.23	26.7	1.11		1.6
139689	0.79	13.8			1.7
139690	3.19	19.2			1.9
139691	2.48	20.8			1.9
139692	2.89	14.0			2.3
139693	6.00	26.0			2.1
139694	7.18	87.0	10.0	7.50	2.3
139695	5.36	32.7	2.43	2.27	2.3
139696	2.22	27.5	1.68		2.1
139697	3.06	30.8	2.05		1.8
*DUP 139676	0.63	1.8			
*DUP 139685	1.78	4.8			
*DUP 139695	5.45	30.8			
*0211	2.09				
*CCu-1c			0.34	3.95	
*BLANK	<0.01		<0.01	<0.01	

Au F.A. AA finish. Ag read from ICP solution. Pb,Zn 4 Acid Digest AA finish

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1236-RA6

Oct-08-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#20
Attn: Sue Deane

We *hereby certify* the following assay of 2 rock samples submitted Sep-17-09

Sample Name	Au g/tonne	Ag g/tonne	Pb %	Zn %	Sample-Wt Kg
139698	4.83	62.5	1.53	3.85	2.2
139699	7.46	113.4	8.40		3.0
*DUP 139698	5.17	63.6			
*0211	2.23				
*CCu-1c			0.34	3.97	
*BLANK	<0.01		<0.01	<0.01	

Au F.A. AA finish. Ag read from ICP solution. Pb,Zn 4 Acid Digest AA finish

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment#20

Sample type: rock

Report No : **9V1236RJ**

Date : Oct-08-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
139988	3.8	0.76	34	438	<0.5	18	0.04	4	3	27	39	4.48	3	0.27	10	0.25	890	<2	0.01	<1	1231	1780	0.26	8	1	10	<5	<0.01	<10	<10	15	<10	234	2
139989	15.1	0.69	31	313	<0.5	26	0.06	6	2	37	216	5.71	7	0.26	10	0.22	428	<2	0.01	<1	1285	2552	0.46	12	1	6	<5	<0.01	<10	<10	15	<10	295	2
139990	4.3	0.93	45	179	<0.5	16	0.53	24	8	39	97	3.93	3	0.26	<10	0.37	1461	3	0.01	<1	1147	1488	1.37	7	1	16	<5	<0.01	<10	<10	13	12	2110	1
139991	8.6	1.37	53	75	<0.5	25	0.86	43	15	23	839	5.73	3	0.32	<10	0.60	2130	<2	0.01	<1	1258	2812	3.07	13	2	25	<5	0.01	<10	11	19	16	3391	2
139992	28.6	0.98	139	150	<0.5	22	3.66	58	11	27	1224	5.21	11	0.24	<10	0.40	2751	8	0.01	<1	1170	7052	2.19	15	1	51	<5	<0.01	<10	12	12	19	3742	2
139993	29.7	1.22	33	79	<0.5	23	0.69	86	15	30	1749	5.67	6	0.23	<10	0.61	2861	<2	<0.01	<1	860	6890	2.90	15	2	13	<5	<0.01	<10	11	17	32	5524	2
139994	56.7	1.96	23	153	<0.5	33	0.13	58	7	67	1278	7.67	10	0.16	<10	1.24	3425	<2	0.01	<1	1148	>10000	1.42	30	3	9	<5	0.01	<10	17	42	21	3970	2
139995	38.6	0.49	44	117	<0.5	23	0.01	23	5	116	300	5.73	9	0.16	<10	0.25	986	<2	0.01	<1	529	>10000	1.45	30	1	6	<5	<0.01	<10	11	15	<10	1811	1
139996	22.9	0.48	114	125	<0.5	17	0.08	15	7	86	159	4.44	3	0.20	<10	0.23	1726	<2	0.01	<1	755	5754	1.43	15	1	6	<5	<0.01	<10	<10	11	<10	1505	1
139997	22.5	0.32	254	80	<0.5	20	0.03	23	7	109	425	4.75	4	0.17	<10	0.10	501	2	0.01	1	683	2772	1.95	39	1	6	<5	<0.01	<10	<10	7	10	1889	2
139998	33.0	1.28	199	44	<0.5	35	0.09	78	18	55	1058	8.19	9	0.24	<10	0.67	1897	<2	0.01	<1	1052	1469	4.22	21	2	5	<5	<0.01	<10	17	23	25	5311	3
139999	28.8	1.38	116	37	<0.5	40	0.69	49	25	74	1390	8.54	3	0.20	<10	0.84	4018	<2	0.01	<1	853	3336	>5.00	22	2	26	<5	<0.01	<10	22	27	15	3869	2
140000	6.7	0.82	74	96	<0.5	20	0.56	17	13	106	144	4.69	2	0.15	<10	0.47	2506	<2	0.01	1	516	518	2.02	13	1	11	<5	<0.01	<10	11	23	<10	1328	2
139601	6.3	0.21	154	123	<0.5	12	<0.01	5	3	118	30	3.13	4	0.17	<10	0.03	163	2	<0.01	1	482	858	1.35	20	<1	4	<5	<0.01	<10	<10	5	<10	355	1
139602	25.7	0.39	105	113	<0.5	17	0.23	22	6	112	51	4.04	2	0.16	<10	0.18	986	3	0.01	<1	506	>10000	1.54	18	1	8	<5	<0.01	<10	<10	15	<10	1764	1
139603	3.8	0.55	49	150	<0.5	15	0.67	9	8	134	33	3.51	2	0.13	<10	0.29	1927	<2	0.01	2	448	528	1.38	9	1	40	<5	<0.01	<10	<10	14	<10	657	1
139604	7.9	0.56	116	61	<0.5	22	0.04	16	10	103	67	5.35	2	0.19	<10	0.24	669	2	0.01	<1	756	1340	2.40	14	1	6	<5	<0.01	<10	<10	19	<10	1200	2
139605	2.2	0.37	56	214	<0.5	12	0.02	3	4	140	39	3.01	1	0.18	<10	0.10	1279	<2	0.01	2	436	283	0.53	8	1	4	<5	<0.01	<10	<10	17	<10	263	1
139606	5.9	0.23	79	165	<0.5	12	<0.01	7	4	166	68	3.08	2	0.13	<10	0.05	1026	<2	0.01	2	357	566	0.82	9	1	2	<5	<0.01	<10	<10	7	<10	693	1
139607	13.1	0.38	384	52	<0.5	24	0.32	12	6	130	47	5.49	5	0.16	<10	0.18	1178	7	0.01	1	406	915	3.33	35	1	27	<5	<0.01	<10	12	9	<10	678	1
139608	63.6	0.52	2868	30	<0.5	101	0.82	40	12	178	89	20.12	33	0.26	<10	0.26	2154	12	0.01	<1	491	2631	>5.00	238	1	32	<5	<0.01	53	55	8	11	2139	5
139609	16.0	0.43	368	51	<0.5	27	0.39	11	10	146	53	6.33	5	0.16	<10	0.23	1190	4	0.01	2	629	400	4.41	39	1	21	<5	<0.01	10	12	11	<10	733	2
139610	13.6	1.80	75	211	<0.5	26	0.25	24	19	49	114	6.05	4	0.25	<10	1.11	4052	<2	0.01	<1	1361	2341	1.09	16	4	9	<5	<0.01	<10	<10	42	37	1952	2
139611	2.2	2.16	33	284	<0.5	21	0.19	11	16	78	33	5.44	3	0.25	<10	1.30	4537	<2	0.01	2	1215	559	0.23	11	4	9	<5	<0.01	<10	<10	51	18	919	2
139612	6.4	1.17	80	260	<0.5	19	0.12	15	6	87	37	4.74	4	0.20	<10	0.65	1677	<2	0.01	<1	865	1750	0.72	11	2	9	<5	<0.01	<10	10	35	11	1278	2
139613	18.2	1.45	251	345	<0.5	29	0.06	13	8	89	33	6.83	7	0.22	<10	0.86	2231	<2	0.01	<1	987	1645	0.56	41	2	9	<5	<0.01	<10	13	48	10	1029	2
139614	6.7	1.31	106	343	<0.5	19	0.05	9	4	85	50	4.93	1	0.23	<10	0.72	1892	2	0.01	<1	1149	944	0.24	14	3	25	<5	<0.01	<10	<10	47	<10	671	2
139615	98.4	0.76	38	54	<0.5	18	1.34	642	10	74	5385	5.28	14	0.19	<10	0.37	2638	<2	0.01	<1	693	>10000	>5.00	60	1	38	<5	<0.01	<10	15	11	1009	>10000	1
139616	83.4	0.96	22	46	<0.5	10	0.76	1242	11	56	4597	4.38	35	0.24	<10	0.47	2380	<2	0.01	<1	889	>10000	>5.00	35	1	21	<5	<0.01	<10	10	13	1971	>10000	1
139617	135.9	0.63	37	39	<0.5	20	1.03	627	9	84	5822	6.14	19	0.19	<10	0.28	1631	<2	0.01	<1	769	>10000	>5.00	90	1	38	<5	<0.01	<10	12	7	939	>10000	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Premier/shipment#20
Sample type: rock

Report No : **9V1236RJ**
Date : Oct-08-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
139618	49.4	0.75	34	55	<0.5	19	0.97	436	12	86	2333	5.37	16	0.22	<10	0.34	1798	<2	0.01	<1	688	>10000	>5.00	29	1	26	<5	<0.01	<10	13	13	744	>10000	2
139619	19.5	0.96	39	74	<0.5	19	2.80	227	12	77	1264	5.12	9	0.21	<10	0.47	3185	<2	0.01	1	516	5738	3.90	12	2	103	<5	<0.01	<10	16	23	410	>10000	1
139620	10.5	1.34	41	67	<0.5	28	1.65	101	17	61	331	6.25	5	0.22	<10	0.75	2832	<2	0.01	<1	708	4561	3.76	14	2	43	<5	0.01	<10	16	32	184	7531	2
139621	4.9	1.03	70	211	<0.5	21	0.12	13	10	78	23	5.22	1	0.24	<10	0.50	1810	2	0.01	2	1109	1631	1.08	13	3	6	<5	<0.01	<10	<10	22	<10	1100	2
139622	4.6	0.85	82	102	<0.5	26	0.15	24	14	73	19	6.26	1	0.27	<10	0.36	1712	2	0.01	1	1170	952	3.00	16	3	6	<5	<0.01	<10	<10	23	21	1606	2
139623	19.3	1.11	63	77	<0.5	32	0.20	84	17	78	54	7.31	3	0.27	<10	0.54	2688	<2	0.01	2	1109	3806	3.99	17	3	8	<5	<0.01	<10	13	30	146	6600	2
139624	4.9	1.39	61	112	<0.5	26	0.18	17	12	43	20	6.05	1	0.24	<10	0.84	2013	2	0.01	1	1351	1258	2.45	12	3	8	<5	<0.01	<10	<10	43	<10	1394	2
139625	4.6	1.48	46	127	<0.5	28	0.19	7	12	70	26	6.21	1	0.23	<10	0.92	2338	<2	0.01	1	1155	1239	2.34	14	3	9	<5	<0.01	<10	11	40	<10	374	2
139626	2.8	1.78	38	163	<0.5	24	0.16	12	13	54	32	5.82	1	0.24	<10	1.08	2455	<2	0.01	1	1230	899	1.63	14	3	7	<5	<0.01	<10	<10	44	<10	861	2
139627	2.6	0.59	47	333	<0.5	12	0.01	7	6	111	29	3.03	1	0.20	<10	0.22	1010	<2	0.01	2	636	381	0.27	10	1	13	<5	<0.01	<10	<10	17	<10	528	1
139628	19.5	0.76	74	193	<0.5	16	0.25	33	6	90	108	3.62	4	0.28	<10	0.32	2224	<2	0.01	1	357	856	1.01	11	1	10	<5	<0.01	<10	<10	37	42	2972	1
139629	28.2	0.91	112	166	<0.5	18	0.08	21	9	91	50	4.61	2	0.27	<10	0.43	2067	2	0.01	2	551	631	1.76	16	1	6	<5	<0.01	<10	<10	40	12	1500	1
139630	7.2	0.83	127	132	<0.5	21	0.11	10	12	85	25	4.79	2	0.20	<10	0.47	1644	4	0.01	2	816	371	2.25	18	1	6	<5	<0.01	<10	<10	32	<10	793	2
139631	3.7	1.28	95	178	<0.5	25	0.10	7	13	52	18	5.55	2	0.22	<10	0.75	2465	3	0.01	1	1085	361	1.34	14	3	5	<5	<0.01	<10	<10	61	<10	315	2
139632	4.7	0.73	113	119	<0.5	21	0.03	6	8	69	25	4.93	1	0.19	<10	0.37	1078	<2	0.01	<1	851	523	1.33	11	2	5	<5	<0.01	<10	<10	42	17	440	2
139633	4.6	1.03	107	95	<0.5	22	0.11	13	11	49	27	5.33	2	0.24	<10	0.53	1304	<2	0.01	<1	1195	1161	1.86	11	2	4	<5	<0.01	<10	<10	40	25	1136	2
139634	2.8	1.18	79	133	<0.5	22	0.11	5	13	71	18	5.34	1	0.20	<10	0.77	2062	<2	0.01	<1	1038	372	1.46	11	3	4	<5	<0.01	<10	<10	50	20	236	2
139635	3.6	1.20	100	137	<0.5	23	0.11	8	14	68	25	5.37	2	0.21	<10	0.76	2627	<2	0.01	<1	979	587	1.59	10	3	4	<5	<0.01	<10	<10	50	16	439	2
139636	4.8	1.36	129	75	<0.5	25	0.25	9	18	34	27	5.87	1	0.31	<10	0.79	1915	<2	0.01	<1	1437	662	2.83	12	3	6	<5	<0.01	<10	<10	39	27	592	2
139637	3.4	1.13	129	193	<0.5	20	0.30	8	16	50	31	4.67	2	0.24	<10	0.63	3399	<2	0.01	<1	1061	355	1.44	9	3	9	<5	<0.01	<10	<10	42	19	396	2
139638	2.9	1.98	75	244	<0.5	22	1.38	8	20	27	45	5.17	2	0.33	<10	1.21	3752	<2	0.01	<1	1313	229	1.20	9	4	29	<5	0.01	<10	<10	57	34	523	2
139639	3.2	1.88	61	105	<0.5	26	0.48	11	20	35	27	6.47	2	0.22	<10	1.31	3944	<2	0.01	<1	1258	571	2.32	10	5	14	<5	0.01	<10	10	95	23	731	2
139640	2.2	1.89	37	258	<0.5	20	0.26	13	26	34	50	5.10	3	0.24	<10	1.21	4723	<2	0.01	<1	1211	1070	1.01	7	4	10	<5	<0.01	<10	<10	66	29	881	2
139641	1.9	2.10	35	249	<0.5	25	0.26	11	16	38	31	5.45	3	0.25	<10	1.38	4950	<2	0.01	<1	1196	586	0.86	9	4	9	<5	0.01	<10	10	52	22	708	2
139642	1.4	1.79	40	167	<0.5	24	0.23	14	16	50	25	5.55	3	0.23	<10	1.26	4123	<2	0.01	<1	1209	580	1.46	9	3	8	<5	<0.01	<10	10	56	17	739	2
139643	2.3	1.58	52	112	<0.5	24	0.86	20	18	39	21	5.57	2	0.24	<10	1.06	3495	<2	0.01	<1	1231	842	2.26	9	3	22	<5	<0.01	<10	10	53	41	1433	2
139644	2.0	2.04	36	172	<0.5	26	0.44	14	19	27	76	5.82	2	0.30	10	1.42	3770	<2	0.01	<1	1493	1225	1.55	9	4	11	<5	<0.01	<10	<10	48	24	925	2
139645	2.5	2.25	36	198	<0.5	26	0.27	12	18	33	49	6.09	2	0.30	10	1.59	3591	<2	0.01	3	1459	732	1.33	10	4	7	<5	<0.01	<10	<10	52	22	833	3
139646	1.3	2.29	35	152	<0.5	26	0.28	11	19	23	35	6.22	2	0.33	10	1.53	3403	<2	0.01	1	1494	399	1.49	11	4	7	<5	<0.01	<10	<10	48	20	567	2
139647	1.2	2.52	32	243	<0.5	25	0.33	14	20	26	40	5.82	2	0.30	13	1.81	4359	<2	0.01	1	1490	186	0.83	10	5	9	<5	<0.01	<10	<10	59	24	685	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment#20

Sample type: rock

Report No : **9V1236RJ**

Date : Oct-08-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
139648	0.8	2.16	29	118	<0.5	27	0.30	9	20	18	10	6.42	1	0.35	11	1.54	2999	<2	0.01	<1	1556	265	2.27	10	5	8	<5	<0.01	<10	<10	47	35	515	2
139649	10.0	1.30	42	102	<0.5	24	0.21	12	17	42	7	5.62	2	0.31	<10	0.79	2699	<2	0.01	<1	1135	6478	2.65	10	3	7	<5	<0.01	<10	<10	34	19	827	2
139650	3.5	1.13	92	121	<0.5	20	0.11	6	13	56	6	4.83	1	0.23	<10	0.68	1946	<2	0.01	<1	884	805	1.79	9	3	5	<5	0.01	<10	<10	50	<10	339	2
139651	4.0	1.62	80	121	<0.5	27	0.32	13	18	42	7	6.15	3	0.24	<10	1.12	3497	<2	0.01	<1	1161	796	2.28	9	4	10	<5	0.01	<10	10	77	21	979	2
139652	2.1	1.70	57	142	<0.5	22	0.13	18	16	83	14	5.70	3	0.37	<10	1.04	4271	<2	0.01	10	992	1044	1.74	9	3	6	<5	0.01	<10	<10	47	36	1204	2
139653	4.6	1.94	92	72	<0.5	30	0.40	12	20	44	12	6.98	3	0.48	<10	1.15	2867	<2	0.01	<1	1368	1542	3.01	13	4	14	<5	0.02	<10	10	62	23	863	2
139654	4.0	1.71	58	145	<0.5	24	0.27	24	19	42	51	5.84	2	0.26	<10	1.05	3130	<2	<0.01	1	1124	1209	1.80	12	3	7	<5	0.01	<10	10	48	<10	1791	1
139655	50.7	1.21	30	51	<0.5	30	0.11	293	17	56	809	7.14	11	0.19	<10	0.77	1766	<2	0.01	<1	761	>10000	4.17	19	2	4	<5	<0.01	<10	16	38	144	>10000	2
139656	8.6	2.20	20	96	<0.5	35	0.34	34	19	34	38	7.37	3	0.24	<10	1.77	4458	<2	0.01	<1	1135	3351	2.43	13	4	10	<5	0.01	<10	17	79	10	2392	2
139657	6.4	0.52	32	198	<0.5	24	0.04	8	4	49	221	6.13	1	0.22	<10	0.16	1074	<2	<0.01	<1	1204	2116	0.16	13	4	2	<5	<0.01	<10	<10	17	<10	1097	1
139658	1.8	0.42	31	194	<0.5	24	0.03	12	11	18	280	6.22	1	0.26	10	0.05	1885	<2	<0.01	<1	1485	2146	0.07	8	5	2	<5	<0.01	<10	<10	17	11	2001	1
139659	3.6	0.33	24	183	<0.5	21	0.03	8	4	44	310	5.61	2	0.24	<10	0.04	887	<2	<0.01	<1	1351	2533	0.08	11	3	2	<5	<0.01	<10	<10	12	<10	1539	1
139660	4.7	0.28	54	333	<0.5	18	0.01	5	1	61	174	4.75	4	0.24	<10	0.03	334	<2	<0.01	<1	798	3235	0.14	12	2	2	<5	<0.01	<10	<10	8	<10	656	1
139661	10.3	0.25	84	177	<0.5	29	0.41	10	1	82	295	7.41	5	0.22	<10	0.05	436	<2	<0.01	<1	535	3061	0.44	19	1	10	<5	<0.01	<10	12	9	<10	627	1
139662	11.6	0.26	102	59	<0.5	27	0.64	43	10	69	293	6.67	7	0.24	<10	0.18	1299	<2	<0.01	<1	810	2273	4.01	23	1	24	<5	<0.01	<10	13	5	18	3388	2
139663	9.5	0.37	60	41	<0.5	27	0.94	60	21	48	300	6.83	5	0.30	<10	0.44	2256	<2	<0.01	1	1179	1846	4.27	19	3	27	<5	<0.01	<10	15	9	25	4253	1
139664	5.9	0.38	45	85	<0.5	22	0.82	68	15	52	428	5.53	4	0.28	<10	0.42	1948	<2	<0.01	1	1254	983	3.06	14	2	25	<5	<0.01	<10	10	9	28	4603	1
139665	30.8	0.19	154	55	<0.5	25	0.06	13	9	84	684	6.36	17	0.23	<10	0.03	53	<2	<0.01	<1	263	3878	3.90	38	<1	5	<5	<0.01	<10	10	3	<10	806	1
139666	27.1	0.19	167	231	<0.5	21	0.01	6	2	99	425	5.46	19	0.17	<10	0.02	393	4	<0.01	<1	440	6406	0.57	32	1	4	<5	<0.01	<10	<10	2	<10	689	1
139667	13.8	0.31	58	420	<0.5	20	0.03	15	2	85	391	5.19	10	0.25	<10	0.05	508	<2	0.01	<1	729	5276	0.41	14	1	10	<5	<0.01	<10	<10	7	10	1361	1
139668	16.4	0.44	22	221	<0.5	22	0.12	19	3	101	335	5.70	8	0.18	<10	0.19	591	16	<0.01	1	602	3049	0.80	14	1	7	<5	<0.01	<10	<10	17	<10	1880	1
139669	27.3	0.28	24	112	<0.5	22	0.48	67	7	115	588	5.59	9	0.14	<10	0.12	1143	<2	0.01	1	367	7949	2.04	18	1	22	<5	<0.01	<10	12	9	30	5141	1
139670	32.0	0.42	37	179	<0.5	21	0.15	30	4	108	461	5.07	6	0.16	<10	0.21	699	8	<0.01	1	555	>10000	1.20	19	1	13	<5	<0.01	<10	<10	13	12	2489	1
139671	21.7	0.50	93	151	<0.5	26	0.15	52	5	104	399	6.96	10	0.18	<10	0.28	674	10	<0.01	<1	675	4367	1.64	16	1	8	<5	<0.01	<10	12	19	18	3859	1
139672	39.7	0.37	150	41	<0.5	25	0.54	144	15	126	1164	6.79	9	0.16	<10	0.19	1236	<2	0.01	1	383	>10000	>5.00	28	1	13	<5	<0.01	<10	14	8	64	7885	1
139673	26.8	0.13	662	52	<0.5	26	0.02	28	4	130	163	6.67	5	0.18	<10	0.03	58	2	0.01	1	209	8459	4.50	46	<1	8	<5	<0.01	<10	12	<1	<10	2123	1
139674	9.1	0.26	163	224	<0.5	14	2.02	23	7	96	74	3.48	3	0.20	<10	0.04	1793	2	<0.01	1	713	1727	1.00	12	1	33	<5	<0.01	<10	<10	3	11	2124	1
139675	2.3	0.38	90	206	<0.5	22	0.23	11	5	37	12	5.44	3	0.34	<10	0.06	744	2	0.01	<1	1450	522	1.09	11	1	12	<5	<0.01	<10	<10	5	<10	741	1
139676	1.9	0.41	48	196	<0.5	15	0.17	6	4	38	8	3.56	3	0.28	<10	0.08	478	<2	0.01	<1	1265	506	0.93	6	1	9	<5	<0.01	<10	<10	6	<10	420	1
139677	5.1	0.49	45	136	<0.5	17	0.85	5	7	47	8	4.00	3	0.29	<10	0.13	1195	<2	0.01	<1	1189	530	1.47	7	1	28	<5	<0.01	<10	<10	7	<10	333	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment#20

Sample type: rock

Report No : **9V1236RJ**

Date : Oct-08-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
139678	0.8	1.29	33	201	<0.5	17	2.37	3	13	23	19	3.88	2	0.29	12	0.51	2135	<2	0.01	<1	1475	43	0.55	6	2	65	<5	<0.01	<10	<10	16	<10	128	1
139679	1.0	1.63	52	224	<0.5	19	4.67	4	15	26	14	4.64	3	0.32	10	0.89	3351	5	0.01	9	1425	51	1.01	7	3	215	<5	0.01	<10	<10	26	<10	189	2
139680	2.1	1.91	60	418	<0.5	25	0.68	7	21	46	31	5.15	2	0.28	15	1.26	2352	<2	0.02	23	1769	163	0.56	11	5	31	<5	0.01	<10	<10	50	<10	668	2
139681	6.1	1.44	97	76	<0.5	25	1.87	32	17	42	110	5.77	3	0.26	<10	0.84	2354	<2	0.01	7	1330	1410	2.72	11	3	57	<5	<0.01	<10	<10	38	52	2716	2
139682	5.8	0.96	131	68	<0.5	25	1.12	20	22	41	107	5.59	2	0.31	<10	0.45	2082	<2	0.01	1	1439	1031	3.11	14	2	37	<5	<0.01	<10	10	18	26	1673	2
139683	9.8	1.22	81	57	<0.5	25	2.26	44	16	54	54	5.86	2	0.24	<10	0.73	2669	2	0.01	3	1051	1399	3.40	9	2	81	<5	<0.01	<10	14	24	69	3375	2
139684	6.2	0.76	104	62	<0.5	25	4.21	11	13	61	143	5.57	2	0.20	<10	0.42	3342	<2	0.01	1	799	799	3.80	10	1	110	<5	<0.01	<10	15	13	15	832	2
139685	4.3	0.82	109	86	<0.5	29	0.21	12	10	43	54	6.55	3	0.23	<10	0.42	1285	<2	0.01	<1	1072	954	2.29	18	2	6	<5	<0.01	<10	<10	22	13	923	2
139686	7.1	0.65	151	137	<0.5	23	0.30	35	9	58	83	5.93	4	0.28	<10	0.24	1093	<2	0.01	<1	1096	2068	1.70	14	2	16	<5	<0.01	<10	<10	14	51	2989	2
139687	3.7	0.41	44	235	<0.5	15	0.34	18	4	121	55	3.96	3	0.22	<10	0.13	1013	<2	0.01	2	845	1441	0.64	10	1	20	<5	<0.01	<10	<10	9	18	1680	1
139688	26.7	0.28	222	252	<0.5	29	<0.01	9	1	68	72	6.90	8	0.28	<10	0.04	87	10	0.01	<1	904	>10000	0.85	25	1	7	<5	<0.01	<10	11	7	<10	740	2
139689	13.8	0.25	140	167	<0.5	18	<0.01	45	2	110	50	4.89	7	0.24	<10	0.04	66	9	0.01	<1	478	4734	1.20	15	1	5	<5	<0.01	<10	<10	6	62	3409	1
139690	19.2	0.19	193	296	<0.5	28	<0.01	8	1	100	66	6.47	5	0.22	<10	0.03	63	9	0.01	<1	372	5457	0.64	32	<1	6	<5	<0.01	<10	12	6	<10	371	1
139691	20.8	0.13	286	145	<0.5	22	<0.01	5	<1	118	85	5.81	3	0.15	<10	0.02	39	8	0.01	<1	285	3252	0.36	31	<1	2	<5	<0.01	<10	10	<1	<10	172	1
139692	14.0	0.21	132	145	<0.5	26	<0.01	7	2	113	148	6.76	2	0.18	<10	0.05	109	4	0.01	<1	421	3377	0.72	18	<1	4	<5	<0.01	<10	12	5	<10	408	1
139693	26.0	0.34	168	140	<0.5	21	0.05	20	4	106	185	5.12	3	0.19	<10	0.13	422	<2	0.01	1	703	5532	1.45	20	1	6	<5	<0.01	<10	<10	11	21	1676	1
139694	87.0	0.30	46	32	<0.5	24	2.44	853	16	91	999	6.46	16	0.12	<10	0.17	2320	<2	0.01	<1	244	>10000	>5.00	49	1	64	<5	<0.01	<10	19	7	1479	>10000	1
139695	32.7	0.32	111	52	<0.5	19	2.77	252	12	88	1351	5.19	8	0.14	<10	0.20	2449	<2	0.01	2	462	>10000	>5.00	24	1	129	<5	<0.01	<10	16	5	451	>10000	1
139696	27.5	0.28	82	72	<0.5	14	3.44	176	9	108	266	4.08	7	0.13	<10	0.14	2365	<2	0.01	1	365	>10000	4.05	27	1	113	<5	<0.01	<10	12	6	292	7866	1
139697	30.8	0.29	67	75	<0.5	12	1.56	193	11	106	398	4.05	6	0.16	<10	0.14	1355	2	0.01	2	423	>10000	3.87	15	1	75	<5	<0.01	<10	11	4	326	8240	1
139698	62.5	0.36	272	22	<0.5	59	0.40	431	26	88	4388	13.88	15	0.22	<10	0.15	606	5	0.01	<1	431	>10000	>5.00	45	<1	16	<5	<0.01	<10	34	3	756	>10000	3
139699	113.4	0.49	96	39	<0.5	27	0.67	226	14	70	1809	6.63	6	0.25	<10	0.20	1036	6	0.01	<1	922	>10000	>5.00	83	1	35	<5	<0.01	<10	<10	4	373	9761	2
Duplicates:																																		
139988	3.9	0.78	39	487	<0.5	19	0.05	5	3	29	39	4.83	3	0.29	11	0.27	950	<2	0.01	<1	1315	1930	0.28	8	1	11	<5	<0.01	<10	<10	16	<10	250	2
139997	23.4	0.36	253	88	<0.5	20	0.03	23	7	122	426	4.83	4	0.18	<10	0.11	505	3	0.01	1	648	2772	1.91	40	1	6	<5	<0.01	<10	<10	8	10	1886	2
139607	13.3	0.41	377	50	<0.5	24	0.32	11	6	141	48	5.48	4	0.17	<10	0.18	1185	7	0.01	1	422	909	3.32	36	1	28	<5	<0.01	<10	11	11	<10	677	1
139610	11.6	1.82	71	224	<0.5	27	0.25	23	18	47	116	5.82	3	0.25	<10	1.02	3896	<2	0.01	1	1297	2236	1.05	19	4	9	<5	<0.01	<10	<10	41	34	1902	2
139619	19.1	0.92	37	89	<0.5	19	2.77	228	12	73	1250	5.10	8	0.20	<10	0.48	3199	<2	0.01	2	518	5734	3.95	15	1	98	<5	<0.01	<10	15	22	424	>10000	1
139629	21.6	0.84	107	154	<0.5	19	0.08	20	8	82	48	4.42	2	0.24	<10	0.40	1957	2	0.01	2	532	607	1.70	16	1	6	<5	<0.01	<10	<10	36	<10	1461	1
139632	4.4	0.76	120	121	<0.5	23	0.04	6	8	74	25	5.26	2	0.19	<10	0.40	1128	<2	0.01	<1	910	557	1.39	11	2	5	<5	<0.01	<10	<10	45	11	459	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Premier/shipment#20
Sample type: rock

Report No : **9V1236RJ**
Date : Oct-08-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
139641	1.9	2.11	37	251	<0.5	25	0.27	11	16	43	31	5.59	3	0.24	<10	1.41	5059	<2	0.01	1	1219	598	0.86	10	4	9	<5	0.01	<10	10	53	16	716	2
139651	3.6	1.63	78	126	<0.5	26	0.32	13	18	41	7	6.18	3	0.23	<10	1.12	3499	<2	0.01	<1	1163	787	2.24	10	4	10	<5	0.01	<10	10	77	28	979	2
139654	3.4	1.70	58	155	<0.5	23	0.27	24	18	41	48	6.01	2	0.26	<10	1.03	3156	<2	0.01	1	1108	1180	1.72	13	3	6	<5	0.01	<10	13	46	<10	1809	1
139663	8.0	0.35	57	48	<0.5	27	0.89	58	21	45	292	6.57	5	0.28	<10	0.41	2139	<2	<0.01	1	1189	1781	4.16	20	2	27	<5	<0.01	<10	16	9	23	4122	1
139673	26.9	0.13	688	48	<0.5	26	0.02	27	4	131	164	6.79	5	0.18	<10	0.03	58	2	0.01	1	224	8727	4.68	47	<1	8	<5	<0.01	<10	13	1	<10	2166	1
139676	1.8	0.43	50	219	<0.5	14	0.18	6	4	40	7	3.67	3	0.29	<10	0.08	484	<2	0.01	<1	1276	522	0.95	6	1	9	<5	<0.01	<10	<10	7	<10	436	1
139685	4.8	0.88	111	94	<0.5	29	0.22	12	10	47	54	6.71	2	0.26	<10	0.43	1311	<2	0.01	<1	1117	969	2.28	18	2	6	<5	<0.01	<10	10	24	10	925	2
139695	30.8	0.34	112	54	<0.5	19	2.87	264	12	94	1316	5.34	7	0.16	<10	0.21	2498	<2	0.01	1	468	>10000	>5.00	22	1	127	<5	<0.01	<10	14	6	444	>10000	1
139698	63.6	0.35	274	21	<0.5	58	0.39	404	26	85	4403	13.31	15	0.22	<10	0.14	581	5	0.01	<1	430	>10000	>5.00	46	<1	16	<5	<0.01	<10	34	3	747	>10000	3
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	<0.01	1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.7	1.65	12	294	0.8	23	0.54	5	31	107	1975	4.60	<1	1.31	13	1.13	326	3	0.05	57	676	18	0.55	15	7	7	<5	0.19	<10	<10	77	<10	215	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1255-RA1

Oct-06-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#21
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-21-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
133299	0.04	0.7	1.3
133300	0.01	<0.1	0.6
133301	0.03	1.1	3.0
133302	0.04	1.3	3.3
133303	0.03	1.2	3.3
133304	0.17	3.3	3.1
133305	0.01	0.2	3.0
133306	<0.01	<0.1	33.4
133307	<0.01	<0.1	3.2
133308	0.02	0.2	3.2
133309	0.02	1.4	3.4
133310	0.13	3.3	3.1
133311	0.03	1.1	3.4
133312	<0.01	0.5	3.4
133313	0.01	0.3	3.4
133314	0.04	0.3	3.6
133315	0.02	0.5	2.1
133316	0.25	32.8	0.5
133317	0.10	2.6	1.1
133318	0.01	0.6	3.1
133319	<0.01	<0.1	3.3
133320	3.41	1.9	
*DUP 133299	0.03	1.0	
*DUP 133308	<0.01	0.2	
*DUP 133318	<0.01	0.5	
*0211	2.27		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1255-RA2

Oct-06-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#21
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-21-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
133321	0.01	0.9	3.6
133322	<0.01	<0.1	3.3
133323	<0.01	<0.1	2.3
133324	<0.01	<0.1	1.2
133325	<0.01	<0.1	2.7
133326	0.01	<0.1	2.7
133327	0.02	<0.1	2.2
133328	<0.01	<0.1	3.4
133329	<0.01	<0.1	2.9
133330	<0.01	<0.1	3.5
133331	<0.01	<0.1	3.1
133332	0.01	<0.1	2.4
133333	0.09	0.7	2.7
133334	0.03	0.7	2.4
133335	0.02	0.1	3.1
133336	<0.01	<0.1	3.4
133337	<0.01	<0.1	3.5
133338	<0.01	<0.1	3.2
133339	<0.01	<0.1	2.9
133340	0.29	0.7	
133341	<0.01	<0.1	3.5
133342	<0.01	<0.1	3.0
*DUP 133321	<0.01	1.0	
*DUP 133330	<0.01	<0.1	
*DUP 133340	0.29	0.8	
*0211	2.26		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1255-RA3

Oct-06-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#21
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-21-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
133343	<0.01	<0.1	1.7
133344	<0.01	<0.1	2.0
133345	<0.01	<0.1	1.0
133346	<0.01	<0.1	1.9
133347	<0.01	<0.1	3.3
133348	<0.01	0.3	2.1
133349	0.01	0.4	1.1
133350	<0.01	0.3	3.2
133351	<0.01	1.1	0.8
133352	0.01	1.0	1.7
133353	<0.01	0.9	3.2
133354	0.01	0.6	3.1
133355	<0.01	0.2	3.4
133356	<0.01	0.2	3.2
133357	<0.01	0.7	3.0
133358	0.01	2.3	3.4
133359	0.03	3.8	3.4
133360	<0.01	<0.1	0.5
133361	0.02	2.1	3.5
133362	0.04	2.3	3.4
133363	0.01	1.4	3.2
133364	0.01	1.8	3.5
*DUP 133343	<0.01	<0.1	
*DUP 133352	<0.01	0.9	
*DUP 133362	0.03	2.4	
*0211	2.25		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1255-RA4

Oct-06-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#21
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-21-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
133365	0.19	5.5	3.6
133366	0.07	4.9	3.2
133367	0.03	4.1	3.5
133368	0.02	3.7	1.2
133369	0.09	3.0	1.1
133370	0.07	1.1	1.7
133371	0.05	0.9	3.0
133372	0.03	1.9	1.5
133373	0.03	6.0	2.0
133374	0.06	6.7	3.4
133375	0.17	3.2	3.3
133376	0.01	0.6	1.5
133377	<0.01	0.7	2.2
133378	<0.01	0.4	3.0
133379	0.02	0.5	3.1
133380	3.36	1.4	
133381	0.01	0.2	2.9
133382	<0.01	0.2	3.2
133383	0.02	0.5	3.2
133384	0.01	0.5	1.4
133385	0.03	1.0	2.2
133386	0.01	0.5	1.5
*DUP 133365	0.17	5.5	
*DUP 133374	0.05	6.8	
*DUP 133384	0.01	0.5	
*0211	2.17		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1255-RA5

Oct-06-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#21
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-21-09

Sample Name	Au g/tonne	Ag g/tonne	Pb %	Zn %	Sample-Wt Kg
133387	0.03	0.8			1.5
133388	0.24	0.7			1.7
133389	0.15	0.5			1.2
133390	14.43	45.6	1.47	7.30	1.2
133391	0.02	0.5			2.8
133392	0.03	0.3			2.1
133393	0.01	0.3			1.9
133394	0.80	3.5			1.1
133395	0.23	2.7			2.2
133396	<0.01	0.5			2.1
133397	<0.01	0.6			1.8
133398	<0.01	0.3			3.6
133399	<0.01	<0.1			3.4
133400	0.30	0.6			
133401	0.01	<0.1			2.3
133402	0.02	1.0			2.6
133403	0.43	1.3			1.2
133404	0.30	16.9	1.46	5.80	1.4
133405	0.10	1.1			1.7
133406	0.05	0.2			1.5
133407	0.03	0.2			2.3
133408	0.02	0.2			2.1
*DUP 133387	0.03	0.8			
*DUP 133396	<0.01	0.5			
*DUP 133406	0.05	0.2			
*0211	2.29				
*SE-1			1.88	2.63	
*BLANK	<0.01		<0.01	<0.01	

Au F.A. AA finish. Ag read from ICP solution. Pb,Zn 4 acid digest/A.A.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1255-RA6

Oct-06-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#21
Attn: Sue Deane

We *hereby certify* the following assay of 10 core samples submitted Sep-21-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
133409	0.03	<0.1	3.5
133410	0.15	<0.1	3.6
133411	0.03	0.5	3.4
133412	0.02	<0.1	3.0
133413	0.01	<0.1	3.4
133414	0.05	<0.1	3.4
133415	0.03	<0.1	1.9
133416	1.61	4.1	1.6
133417	0.15	0.9	1.7
133418	0.02	0.3	1.0
*DUP 133409	<0.01	<0.1	
*DUP 133418	<0.01	0.2	
*0211	2.24		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment#21

Sample type: core

Report No : 9V1255RJ

Date : Oct-06-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133299	0.7	1.47	93	92	<0.5	17	3.26	2	10	23	8	3.87	1	0.24	10	1.12	1722	<2	0.02	<1	1006	27	0.81	10	4	127	<5	<0.01	<10	<10	45	<10	89	2
133300	<0.2	0.04	<5	<10	<0.5	<5	>15.00	<1	1	4	2	0.05	1	<0.01	<10	1.69	31	<2	0.01	<1	91	41	0.61	<5	<1	5358	<5	0.01	<10	25	3	<10	18	<1
133301	1.1	1.28	53	91	<0.5	14	4.29	3	9	12	18	3.59	2	0.28	10	1.21	2609	<2	0.02	<1	1065	40	0.51	<5	5	265	<5	<0.01	<10	10	34	<10	98	2
133302	1.3	1.11	45	104	<0.5	12	4.22	3	10	9	20	3.53	2	0.34	10	0.98	2124	<2	0.01	<1	1093	65	0.38	5	5	254	<5	<0.01	<10	<10	24	<10	108	2
133303	1.2	1.61	65	101	<0.5	16	4.00	2	9	19	13	3.83	1	0.23	10	1.14	2307	<2	0.01	<1	1037	23	0.55	6	4	186	<5	<0.01	<10	<10	47	<10	72	2
133304	3.3	1.31	158	100	<0.5	17	3.73	4	8	17	36	3.74	2	0.20	<10	0.80	2050	<2	0.01	<1	1006	38	1.48	<5	3	148	<5	<0.01	<10	<10	41	<10	213	2
133305	0.2	1.73	24	125	<0.5	15	2.36	4	9	20	7	3.68	1	0.25	12	1.10	1738	<2	0.02	<1	1075	18	0.27	<5	4	114	<5	<0.01	<10	<10	48	<10	209	2
133306	<0.2	1.75	15	82	<0.5	16	2.30	3	10	26	14	3.81	1	0.27	13	1.10	1447	<2	0.02	<1	1148	16	0.18	5	4	106	<5	<0.01	<10	<10	48	<10	113	2
133307	<0.2	1.75	8	194	<0.5	15	2.67	3	10	21	13	3.71	1	0.25	12	1.14	1568	<2	0.02	<1	1114	9	0.13	6	4	107	<5	<0.01	<10	<10	53	<10	110	2
133308	0.2	1.58	18	162	<0.5	15	2.79	3	9	22	14	3.46	1	0.26	10	0.98	1515	<2	0.02	<1	1081	14	0.29	6	3	112	<5	<0.01	<10	<10	45	<10	160	2
133309	1.4	1.41	136	99	<0.5	14	2.41	4	9	24	15	3.51	1	0.28	<10	0.96	1511	<2	0.01	<1	1052	12	0.86	9	3	86	<5	<0.01	<10	<10	40	<10	144	2
133310	3.3	1.50	215	95	<0.5	15	2.13	3	9	22	13	3.98	2	0.23	<10	1.00	1523	<2	0.01	<1	1089	19	1.07	18	3	70	<5	<0.01	<10	<10	50	<10	93	2
133311	1.1	1.70	45	85	<0.5	17	2.83	19	9	20	37	3.76	2	0.23	11	1.09	1916	<2	0.02	<1	1107	47	0.53	8	4	92	<5	<0.01	<10	<10	57	<10	1050	2
133312	0.5	1.60	55	91	<0.5	14	2.80	3	9	19	11	3.57	1	0.24	11	1.01	1777	<2	0.02	<1	1086	9	0.49	6	4	101	<5	<0.01	<10	<10	51	<10	88	2
133313	0.3	1.58	53	85	<0.5	15	2.97	3	9	21	13	3.47	1	0.23	10	1.04	1611	<2	0.02	<1	1058	7	0.42	8	4	107	<5	<0.01	<10	<10	47	<10	88	2
133314	0.3	1.78	43	111	<0.5	15	2.78	4	10	21	23	3.92	1	0.24	12	1.16	1817	<2	0.02	<1	1139	10	0.39	8	4	107	<5	<0.01	<10	<10	55	<10	163	2
133315	0.5	1.57	52	116	<0.5	15	1.83	2	9	24	13	3.49	1	0.25	<10	1.04	1554	<2	0.01	<1	1090	8	0.37	6	3	63	<5	<0.01	<10	<10	44	<10	93	2
133316	32.8	0.45	205	87	<0.5	5	2.46	3	4	68	226	1.73	1	0.21	<10	0.24	1067	2	0.01	1	595	88	0.98	10	1	105	<5	<0.01	<10	<10	9	<10	127	1
133317	2.6	0.77	292	128	<0.5	11	1.86	2	8	21	9	2.63	1	0.33	<10	0.31	1158	<2	0.01	<1	1060	15	1.48	7	2	60	<5	<0.01	<10	<10	14	<10	47	2
133318	0.6	1.13	52	146	<0.5	12	2.57	2	10	16	14	2.71	1	0.39	<10	0.44	1457	<2	0.01	<1	1239	8	0.52	<5	2	100	<5	0.02	<10	<10	20	<10	79	2
133319	<0.2	1.15	8	405	<0.5	12	1.93	2	8	15	13	2.85	1	0.43	11	0.45	1226	<2	0.01	1	1178	3	0.17	5	2	88	<5	0.04	<10	<10	27	<10	59	2
133320	1.9	1.44	5793	68	<0.5	147	5.91	2	93	34	272	4.40	1	0.18	<10	0.46	793	26	0.06	51	740	15	0.80	19	3	54	<5	0.12	<10	12	48	<10	70	12
133321	0.9	0.98	31	234	<0.5	10	2.74	1	8	8	11	2.42	2	0.35	<10	0.50	1503	<2	0.01	<1	1061	8	0.55	<5	2	97	<5	0.01	<10	<10	17	<10	56	1
133322	<0.2	0.93	6	285	0.5	12	2.15	2	10	7	13	2.52	2	0.42	11	0.42	1258	<2	0.01	<1	1275	4	0.15	<5	2	80	<5	0.04	<10	<10	22	<10	49	2
133323	<0.2	0.83	<5	1049	0.8	13	1.96	2	8	8	16	2.67	1	0.38	13	0.38	906	<2	0.02	<1	1223	6	0.05	<5	2	93	<5	0.06	<10	<10	33	<10	41	2
133324	<0.2	2.08	<5	2854	<0.5	23	4.88	4	20	54	2	4.94	1	0.10	29	2.02	1504	<2	0.04	29	3250	21	0.15	9	5	447	<5	0.01	<10	<10	73	<10	150	3
133325	<0.2	2.14	<5	1784	<0.5	22	4.03	3	20	50	13	4.61	2	0.15	26	1.90	1129	<2	0.03	27	3052	22	0.14	9	5	347	<5	<0.01	<10	<10	67	10	138	2
133326	<0.2	2.31	7	806	<0.5	24	4.05	4	22	57	4	5.36	1	0.18	26	2.09	1218	<2	0.03	30	3337	20	0.25	8	5	239	<5	0.01	<10	<10	67	<10	151	3
133327	<0.2	1.99	8	469	<0.5	23	4.11	4	22	53	<1	4.76	1	0.17	22	1.84	1376	<2	0.03	28	3326	7	0.43	11	5	244	<5	<0.01	<10	<10	53	<10	152	2
133328	<0.2	1.63	7	360	<0.5	22	4.59	4	20	41	<1	4.67	1	0.18	19	1.64	1773	<2	0.03	25	3175	5	0.34	9	4	263	<5	<0.01	<10	<10	43	<10	117	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment#21

Sample type: core

Report No : **9V1255RJ**

Date : Oct-06-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133329	<0.2	1.99	<5	887	<0.5	24	3.98	4	21	51	<1	4.97	1	0.15	22	1.75	1351	<2	0.03	28	3242	5	0.25	9	4	224	<5	<0.01	<10	<10	55	<10	146	3
133330	<0.2	1.08	7	613	<0.5	14	2.11	2	8	7	1	3.06	2	0.35	10	0.59	961	<2	0.02	<1	1281	3	0.29	<5	2	107	<5	0.01	<10	<10	24	<10	62	1
133331	<0.2	0.87	<5	879	0.5	12	2.02	2	7	8	3	2.78	2	0.31	13	0.42	991	<2	0.02	<1	1293	2	0.05	5	2	104	<5	0.03	<10	<10	32	<10	48	2
133332	<0.2	0.92	<5	377	<0.5	12	1.75	2	6	9	16	2.85	2	0.35	12	0.37	926	<2	0.02	<1	1321	3	0.21	<5	3	93	<5	0.02	<10	<10	25	<10	49	2
133333	0.7	0.99	40	197	<0.5	14	2.45	2	10	10	11	3.39	1	0.33	<10	0.47	1489	<2	0.02	<1	1280	8	1.10	5	3	144	<5	<0.01	<10	<10	26	<10	64	1
133334	0.7	1.04	26	226	<0.5	12	2.23	2	10	6	2	2.63	1	0.37	11	0.48	1287	<2	0.01	<1	1381	7	0.67	5	3	134	<5	<0.01	<10	<10	19	<10	48	1
133335	<0.2	1.02	16	199	<0.5	12	2.47	2	11	7	3	2.85	1	0.35	12	0.55	1324	<2	0.02	<1	1394	5	0.31	5	3	124	<5	0.02	<10	<10	24	<10	61	2
133336	<0.2	1.29	5	223	<0.5	15	2.12	2	11	5	20	3.10	1	0.32	12	0.70	1341	<2	0.02	<1	1384	5	0.10	6	3	106	<5	0.01	<10	<10	28	<10	75	2
133337	<0.2	1.54	<5	135	<0.5	17	2.32	3	11	6	20	3.79	1	0.28	14	0.75	1408	<2	0.02	<1	1378	7	0.07	6	3	102	<5	0.02	<10	<10	34	<10	79	1
133338	<0.2	1.66	9	155	<0.5	19	2.30	3	10	6	16	3.83	1	0.27	14	0.85	1383	<2	0.02	<1	1390	8	0.11	7	4	90	<5	0.01	<10	<10	39	<10	84	2
133339	<0.2	1.65	30	135	<0.5	19	1.96	3	11	6	19	4.00	1	0.26	12	0.77	1311	<2	0.02	<1	1426	9	0.18	7	3	89	<5	0.01	<10	<10	36	<10	90	1
133340	0.7	0.52	730	917	<0.5	15	0.67	5	8	52	34	3.32	3	0.12	14	0.35	464	4	0.01	31	920	144	0.19	499	4	192	6	<0.01	<10	<10	51	<10	239	11
133341	<0.2	1.53	12	150	<0.5	15	1.72	2	10	4	15	3.62	<1	0.31	13	0.69	1190	<2	0.02	<1	1416	6	0.13	7	2	61	<5	0.02	<10	<10	28	<10	82	1
133342	<0.2	1.72	15	261	<0.5	21	2.04	3	12	4	12	4.19	1	0.31	14	0.73	1557	<2	0.02	<1	1383	11	0.12	8	3	80	<5	0.04	<10	<10	33	<10	86	2
133343	<0.2	1.66	31	168	<0.5	17	1.42	3	13	4	15	3.87	1	0.34	13	0.68	1410	<2	0.01	<1	1346	13	0.18	8	3	52	<5	0.04	<10	<10	30	<10	78	2
133344	<0.2	1.55	12	190	<0.5	15	5.57	3	9	3	16	3.50	2	0.37	13	0.66	2944	<2	0.01	<1	1287	9	0.13	9	3	358	<5	<0.01	<10	<10	25	<10	71	1
133345	<0.2	1.75	17	187	<0.5	17	2.14	3	10	3	16	3.93	1	0.38	17	0.70	1912	<2	0.01	<1	1384	7	0.06	9	3	101	<5	0.01	<10	<10	24	<10	78	1
133346	<0.2	1.65	13	215	0.6	17	1.72	3	11	3	17	3.73	1	0.45	15	0.60	2041	<2	0.01	<1	1431	12	0.22	9	2	62	<5	0.04	<10	<10	18	<10	67	2
133347	<0.2	1.93	24	182	<0.5	19	1.57	4	9	2	16	4.56	1	0.39	12	0.65	1846	<2	0.01	<1	1249	8	0.16	11	2	47	<5	0.04	<10	<10	27	<10	72	2
133348	0.3	2.11	36	169	<0.5	27	1.00	5	18	4	16	5.41	1	0.38	11	0.55	1452	<2	0.01	<1	1367	19	0.43	11	3	33	<5	0.02	<10	<10	40	<10	106	2
133349	0.4	1.76	29	319	0.8	21	0.19	4	17	3	26	4.84	1	0.48	13	0.36	1270	<2	0.01	5	583	11	0.42	10	3	21	<5	0.06	<10	<10	25	<10	75	2
133350	0.3	2.25	26	283	1.4	31	0.16	6	14	5	31	6.78	<1	0.52	<10	0.43	1599	<2	0.01	3	257	12	0.63	15	3	26	<5	0.18	<10	<10	39	<10	79	3
133351	1.1	1.63	44	85	0.6	25	0.19	5	24	3	20	6.00	3	0.48	<10	0.46	892	<2	0.01	2	266	36	2.33	12	2	23	<5	0.02	<10	<10	26	<10	61	3
133352	1.0	2.19	29	175	<0.5	30	0.52	6	26	8	22	6.66	3	0.45	12	0.94	1292	<2	0.01	2	978	29	2.24	11	3	27	<5	0.01	<10	<10	40	<10	91	3
133353	0.9	1.31	67	45	<0.5	25	0.66	5	16	6	19	5.80	2	0.38	<10	0.64	768	5	0.01	<1	1656	19	3.58	9	2	36	<5	0.01	<10	<10	26	<10	101	3
133354	0.6	1.30	48	72	<0.5	26	2.47	5	14	8	17	5.27	2	0.31	<10	0.76	1306	2	0.01	<1	1275	15	3.45	7	2	85	<5	0.01	<10	<10	28	<10	122	2
133355	0.2	1.25	21	71	<0.5	21	2.45	4	14	7	24	4.97	2	0.30	<10	0.70	1070	<2	0.02	<1	1200	16	3.27	8	2	80	<5	0.01	<10	<10	25	<10	102	2
133356	0.2	1.18	13	87	<0.5	20	2.48	3	14	8	20	4.34	2	0.32	<10	0.66	985	<2	0.02	<1	1227	12	2.71	6	2	78	<5	0.01	<10	<10	24	<10	81	2
133357	0.7	1.09	19	48	<0.5	26	2.29	5	14	9	19	5.83	2	0.33	<10	0.57	1003	<2	0.01	<1	1195	17	4.35	10	2	75	<5	0.01	<10	11	18	<10	81	3
133358	2.3	0.97	21	57	<0.5	23	2.60	5	13	8	26	5.20	2	0.34	<10	0.53	1251	<2	0.01	<1	1140	21	3.96	9	2	97	<5	<0.01	<10	<10	17	<10	75	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment#21

Sample type: core

Report No : 9V1255RJ

Date : Oct-06-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133359	3.8	0.96	31	55	<0.5	22	1.62	6	15	10	29	4.92	2	0.37	<10	0.47	952	2	0.01	<1	1208	165	3.87	9	2	62	<5	<0.01	<10	<10	20	<10	196	3
133360	<0.2	0.02	<5	10	<0.5	<5	>15.00	<1	1	1	1	0.03	1	0.01	<10	1.70	25	<2	0.01	<1	67	<2	0.61	<5	<1	5000	<5	<0.01	<10	23	1	<10	<1	<1
133361	2.1	1.05	20	65	<0.5	20	1.36	4	13	10	23	4.55	2	0.36	<10	0.52	803	<2	0.01	<1	1168	16	3.09	8	2	55	<5	<0.01	<10	<10	20	<10	81	2
133362	2.3	1.02	33	59	<0.5	19	0.98	4	14	12	25	4.37	1	0.36	<10	0.54	721	5	0.01	1	1174	19	2.99	10	2	46	<5	<0.01	<10	<10	20	<10	66	2
133363	1.4	0.89	24	79	<0.5	19	1.97	3	14	21	24	4.40	3	0.32	<10	0.47	925	<2	0.02	<1	1256	16	3.39	6	2	89	<5	<0.01	<10	<10	19	<10	64	2
133364	1.8	1.19	19	83	<0.5	18	1.86	3	15	12	20	4.63	2	0.36	<10	0.71	1047	<2	0.01	<1	1404	19	2.98	5	2	77	<5	0.01	<10	<10	28	<10	95	2
133365	5.5	0.83	94	64	<0.5	20	0.99	4	13	23	17	4.76	2	0.34	<10	0.35	729	5	0.01	<1	1029	357	3.48	8	1	51	<5	<0.01	<10	<10	18	<10	140	3
133366	4.9	0.88	48	65	<0.5	21	0.90	4	14	15	18	4.69	1	0.35	<10	0.38	755	4	0.01	<1	1107	65	3.45	7	2	56	<5	<0.01	<10	<10	21	<10	133	3
133367	4.1	0.94	29	96	<0.5	20	1.13	4	14	14	18	4.45	1	0.34	<10	0.45	934	<2	0.01	<1	1171	95	3.16	8	2	60	<5	<0.01	<10	<10	23	<10	70	3
133368	3.7	0.87	27	85	<0.5	20	3.11	4	15	10	19	4.45	1	0.36	<10	0.34	1774	<2	0.01	<1	1261	28	3.47	8	2	141	<5	<0.01	<10	<10	20	<10	70	3
133369	3.0	0.89	43	95	<0.5	15	4.06	3	15	25	14	3.53	2	0.31	<10	0.37	2200	<2	0.01	<1	931	49	2.11	7	1	296	<5	<0.01	<10	11	14	<10	118	2
133370	1.1	1.33	72	206	<0.5	15	2.64	2	12	17	16	3.69	1	0.36	<10	0.56	1898	<2	0.01	<1	1182	14	1.26	6	2	125	<5	<0.01	<10	<10	20	<10	61	1
133371	0.9	1.37	57	223	<0.5	13	2.78	2	11	13	19	3.38	1	0.39	10	0.51	1610	<2	0.02	<1	1218	16	0.77	5	2	97	<5	<0.01	<10	<10	22	<10	104	2
133372	1.9	1.32	21	151	<0.5	17	1.05	3	12	14	14	4.13	1	0.39	<10	0.51	1013	<2	0.01	<1	1198	16	1.71	6	2	43	<5	<0.01	<10	<10	22	<10	74	2
133373	6.0	0.56	34	104	<0.5	14	1.08	3	14	9	15	3.39	1	0.38	<10	0.13	502	<2	0.01	<1	1180	32	2.82	5	2	51	<5	<0.01	<10	<10	8	<10	118	2
133374	6.7	1.00	28	201	<0.5	13	1.83	2	15	11	26	2.78	3	0.38	<10	0.42	1168	<2	0.01	<1	1272	29	1.47	6	2	79	<5	<0.01	<10	<10	12	<10	103	2
133375	3.2	1.42	114	164	<0.5	17	5.25	9	14	21	54	4.32	1	0.29	<10	0.84	2734	<2	0.01	<1	1150	334	1.91	9	3	174	<5	<0.01	<10	12	33	<10	746	1
133376	0.6	1.85	96	133	<0.5	22	7.35	3	17	20	14	5.00	1	0.29	<10	1.22	2727	<2	0.01	<1	1172	16	1.94	9	4	219	<5	<0.01	<10	13	45	<10	85	1
133377	0.7	2.12	65	184	<0.5	19	6.90	3	15	13	12	4.49	2	0.33	<10	1.29	3487	<2	0.01	<1	1220	13	0.64	9	3	315	<5	<0.01	<10	10	38	<10	104	1
133378	0.4	2.12	27	209	<0.5	20	3.30	3	15	12	13	4.71	1	0.36	11	1.10	2336	<2	0.01	<1	1291	8	0.53	8	3	124	<5	<0.01	<10	<10	35	<10	93	1
133379	0.5	2.20	46	185	<0.5	23	4.10	4	15	12	7	5.17	1	0.32	10	1.21	2711	<2	0.02	1	1220	25	0.99	8	3	131	<5	<0.01	<10	<10	44	<10	102	1
133380	1.4	1.61	5938	75	<0.5	157	7.30	2	108	37	273	5.07	1	0.20	10	0.50	866	27	0.07	61	775	18	0.85	16	3	61	5	0.12	<10	10	52	<10	77	13
133381	0.2	2.37	17	204	<0.5	22	5.41	3	15	10	12	4.90	1	0.34	12	1.36	3069	<2	0.02	<1	1303	13	0.57	9	4	168	<5	<0.01	<10	<10	40	<10	99	1
133382	0.2	2.36	14	194	<0.5	21	5.04	3	15	8	17	4.87	1	0.32	11	1.46	3124	<2	0.01	<1	1272	5	0.49	9	4	171	<5	<0.01	<10	<10	37	<10	90	1
133383	0.5	1.74	33	185	<0.5	22	4.21	4	16	13	12	5.00	1	0.33	<10	1.12	2280	2	0.01	1	1319	15	1.97	7	3	136	<5	<0.01	<10	13	31	<10	93	2
133384	0.5	1.45	40	144	<0.5	22	3.80	4	16	15	14	5.09	1	0.33	<10	0.98	2070	<2	0.01	1	1321	24	2.60	7	3	129	<5	<0.01	<10	12	28	<10	125	2
133385	1.0	0.99	39	145	<0.5	18	11.70	3	13	17	9	4.18	3	0.29	<10	0.66	5657	<2	0.01	1	1123	16	2.53	8	2	268	<5	<0.01	<10	19	18	<10	83	1
133386	0.5	1.17	25	160	<0.5	20	5.41	4	15	18	15	4.82	1	0.33	<10	0.84	2953	<2	0.01	3	1256	16	2.48	6	3	131	<5	<0.01	<10	10	19	<10	92	2
133387	0.8	1.05	52	108	<0.5	23	3.78	4	18	18	15	5.13	1	0.30	<10	0.75	2303	3	0.01	3	1226	26	2.95	6	3	138	<5	<0.01	<10	14	19	<10	86	2
133388	0.7	0.90	28	122	<0.5	21	5.10	4	14	17	5	4.86	1	0.31	<10	0.75	3027	<2	0.01	3	1095	42	2.84	6	3	180	<5	<0.01	<10	14	17	<10	91	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment#21

Sample type: core

Report No : **9V1255RJ**

Date : Oct-06-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133389	0.5	0.87	40	101	<0.5	22	4.44	5	15	18	7	5.11	1	0.30	<10	0.68	2389	<2	0.01	3	1296	60	3.13	6	3	151	<5	<0.01	<10	12	18	<10	157	2
133390	45.6	0.28	66	96	<0.5	6	9.05	704	11	25	223	3.10	21	0.22	<10	0.49	4098	<2	0.01	1	514	>10000	>5.00	26	2	350	<5	<0.01	<10	14	5	251	>10000	1
133391	0.5	0.48	21	139	<0.5	21	3.30	6	16	15	13	5.19	1	0.31	<10	1.06	2964	<2	0.01	2	1245	78	1.94	5	4	123	<5	<0.01	<10	<10	12	<10	234	2
133392	0.3	0.49	20	166	<0.5	20	2.64	5	18	16	16	5.02	1	0.38	12	1.28	3067	<2	0.01	2	1388	43	0.51	5	6	125	<5	<0.01	<10	<10	16	<10	224	1
133393	0.3	0.49	13	157	<0.5	18	2.95	4	15	18	17	4.60	1	0.34	12	1.24	3016	<2	0.01	2	1238	11	0.46	6	4	136	<5	<0.01	<10	<10	16	<10	109	1
133394	3.5	0.48	24	207	<0.5	19	4.31	9	14	26	16	4.82	2	0.33	10	1.08	3371	<2	0.01	2	1107	284	0.85	7	5	168	<5	<0.01	<10	<10	16	<10	624	1
133395	2.7	0.31	40	230	<0.5	14	5.57	18	9	54	26	3.61	3	0.23	<10	1.21	5508	4	0.01	1	597	1368	0.97	6	4	267	<5	<0.01	<10	17	10	<10	1637	1
133396	0.5	0.52	20	171	0.7	20	4.15	4	18	12	17	4.97	1	0.38	12	1.43	3253	<2	0.01	1	1228	24	0.46	6	6	186	<5	<0.01	<10	<10	19	<10	113	1
133397	0.6	0.35	26	148	<0.5	18	9.88	4	16	14	17	4.39	2	0.31	10	1.14	4806	<2	0.01	1	1075	14	0.51	7	5	388	<5	<0.01	<10	14	14	<10	78	1
133398	0.3	1.30	12	196	<0.5	19	7.84	4	17	12	18	4.87	2	0.33	12	1.39	4273	<2	0.01	1	1196	9	0.37	7	5	200	<5	<0.01	<10	10	35	<10	92	1
133399	<0.2	2.32	22	300	<0.5	21	5.33	4	18	15	19	5.29	1	0.30	13	1.70	3139	<2	0.01	2	1270	10	0.46	9	5	200	<5	<0.01	<10	<10	50	<10	96	2
133400	0.6	0.60	662	1130	<0.5	15	0.70	5	7	58	35	3.48	2	0.13	15	0.33	482	5	0.01	32	930	143	0.20	480	4	204	6	<0.01	<10	<10	54	<10	233	12
133401	<0.2	2.31	21	296	<0.5	23	5.07	4	19	15	15	5.46	1	0.27	11	1.76	3139	<2	0.02	2	1222	10	0.62	8	6	202	<5	<0.01	<10	10	58	<10	104	2
133402	1.0	1.09	54	139	<0.5	16	13.53	6	12	12	11	3.91	3	0.26	<10	1.08	5983	<2	0.01	1	937	141	0.85	5	4	422	<5	<0.01	<10	20	30	<10	412	1
133403	1.3	1.83	132	124	<0.5	27	3.32	26	17	27	18	5.89	2	0.21	<10	1.38	3074	<2	0.03	1	1147	761	2.51	9	5	116	<5	<0.01	<10	12	62	<10	2174	2
133404	16.9	1.47	74	88	<0.5	16	3.71	687	21	30	70	4.86	15	0.20	<10	1.17	3209	<2	0.02	1	858	>10000	4.16	6	3	132	<5	<0.01	<10	11	48	208	>10000	1
133405	1.1	2.09	88	112	<0.5	22	3.69	63	17	25	28	5.69	3	0.21	<10	1.75	2984	<2	0.03	2	1153	657	1.71	8	5	117	<5	<0.01	<10	10	67	23	4786	2
133406	0.2	0.94	147	72	<0.5	26	3.44	6	21	19	16	5.71	1	0.29	<10	1.19	1996	2	0.01	2	1306	60	2.88	7	5	138	<5	<0.01	<10	12	30	<10	183	2
133407	0.2	1.18	116	136	<0.5	23	3.51	6	20	16	17	5.43	<1	0.27	<10	1.20	2159	<2	0.01	2	1308	129	2.29	6	5	122	<5	<0.01	<10	12	34	<10	290	2
133408	0.2	1.84	41	116	<0.5	22	6.24	4	17	18	28	5.05	1	0.23	<10	1.58	2897	<2	0.02	2	1097	13	1.05	8	5	159	<5	<0.01	<10	12	48	<10	101	1
133409	<0.2	1.62	34	157	<0.5	22	3.40	3	19	14	13	5.34	1	0.29	<10	1.49	2097	<2	0.02	2	1162	13	1.38	7	6	98	<5	<0.01	<10	<10	46	<10	118	1
133410	<0.2	1.35	72	110	<0.5	23	5.32	3	18	19	11	5.14	1	0.24	<10	1.16	2016	2	0.01	2	1078	21	2.70	7	4	143	<5	<0.01	<10	11	33	<10	81	2
133411	0.5	1.55	122	84	<0.5	25	3.30	3	20	17	10	5.86	1	0.30	<10	1.26	1807	<2	0.01	2	1135	14	2.71	8	5	107	<5	<0.01	<10	13	37	<10	69	2
133412	<0.2	2.40	20	170	<0.5	24	3.50	3	17	19	15	5.28	1	0.26	12	1.62	2239	<2	0.01	2	1191	9	0.49	8	5	97	<5	<0.01	<10	<10	62	<10	110	1
133413	<0.2	2.40	22	171	<0.5	23	3.50	3	18	19	15	5.24	1	0.25	11	1.63	2175	<2	0.01	1	1217	9	0.49	8	5	99	<5	<0.01	<10	<10	62	<10	112	1
133414	<0.2	1.84	35	149	<0.5	19	4.58	3	16	19	11	4.50	1	0.24	<10	1.31	2498	<2	0.01	3	1078	23	0.83	7	4	118	<5	<0.01	<10	11	44	<10	124	1
133415	<0.2	1.86	32	144	<0.5	18	4.97	3	15	17	15	4.40	1	0.23	<10	1.32	2740	<2	0.01	2	1093	66	0.62	7	4	134	<5	<0.01	<10	10	46	<10	239	1
133416	4.1	1.51	56	148	<0.5	18	5.06	14	17	19	81	4.48	1	0.23	<10	1.02	2731	<2	0.01	3	1114	795	1.77	8	3	136	<5	<0.01	<10	10	39	<10	1223	1
133417	0.9	1.54	48	157	<0.5	19	6.19	13	16	20	10	4.67	2	0.26	<10	1.07	3032	<2	0.01	2	1063	266	1.99	6	4	151	<5	<0.01	<10	12	39	<10	1057	1
133418	0.3	1.81	34	145	<0.5	22	4.65	3	21	22	12	4.90	1	0.24	<10	1.30	2419	<2	0.02	4	1150	14	1.68	8	4	131	<5	<0.01	<10	12	47	<10	82	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Premier/shipment#21
Sample type: core

Report No : **9V1255RJ**
Date : Oct-06-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
Duplicates:																																		
133299	1.0	1.42	101	95	<0.5	18	3.26	3	11	28	12	3.73	2	0.24	10	1.16	1778	<2	0.02	<1	1136	25	0.81	10	4	129	<5	<0.01	<10	<10	47	<10	91	2
133308	0.2	1.66	25	166	<0.5	14	2.79	4	10	23	14	3.70	1	0.28	11	0.98	1528	<2	0.02	<1	1096	13	0.28	6	3	111	<5	<0.01	<10	<10	47	<10	162	2
133318	0.5	1.16	55	164	<0.5	11	2.49	2	11	17	15	2.84	1	0.44	10	0.45	1495	<2	0.01	<1	1256	7	0.54	5	3	99	<5	0.02	<10	<10	24	<10	82	2
133321	1.0	1.16	38	294	<0.5	11	2.96	2	10	8	14	2.69	2	0.42	<10	0.55	1757	<2	0.01	<1	1248	11	0.65	7	2	118	<5	0.01	<10	<10	20	<10	65	1
133330	<0.2	1.16	5	778	<0.5	16	2.20	2	8	7	1	3.25	<1	0.38	11	0.61	1006	<2	0.02	<1	1330	4	0.30	<5	3	114	<5	0.02	<10	<10	27	<10	65	2
133340	0.8	0.60	775	992	0.5	16	0.71	5	8	59	37	3.53	3	0.14	15	0.37	494	5	0.01	34	1020	155	0.21	538	5	211	7	<0.01	<10	<10	58	<10	251	12
133343	<0.2	1.73	34	175	<0.5	18	1.68	2	13	5	14	4.08	2	0.33	13	0.78	1433	<2	0.01	<1	1418	11	0.18	5	3	54	<5	0.04	<10	<10	30	<10	79	2
133352	0.9	1.80	28	147	<0.5	23	0.43	4	22	8	17	5.62	3	0.43	10	0.84	1070	<2	0.01	<1	954	21	1.86	7	2	23	<5	0.01	<10	<10	33	<10	85	3
133362	2.4	1.01	37	71	<0.5	19	1.13	3	15	14	24	4.65	2	0.37	<10	0.56	777	2	0.01	<1	1290	19	3.19	5	2	50	<5	<0.01	<10	<10	21	<10	72	2
133365	5.5	0.83	97	58	<0.5	21	1.01	4	13	22	17	4.86	1	0.33	<10	0.36	741	5	0.01	<1	1024	369	3.52	8	1	51	<5	<0.01	<10	<10	18	<10	139	3
133374	6.8	1.00	30	188	<0.5	12	1.82	2	16	12	26	2.77	3	0.40	<10	0.42	1166	<2	0.01	<1	1258	29	1.46	5	2	78	<5	<0.01	<10	<10	12	<10	106	2
133384	0.5	1.50	41	139	<0.5	22	3.83	4	17	15	14	5.14	1	0.34	<10	0.99	2078	<2	0.01	1	1352	25	2.63	8	3	133	<5	<0.01	<10	12	29	<10	125	2
133387	0.8	1.09	53	117	<0.5	22	3.83	4	18	21	15	5.22	1	0.32	<10	0.75	2319	3	0.01	3	1290	27	3.03	9	3	135	<5	<0.01	<10	13	20	<10	89	2
133396	0.5	0.50	18	162	0.7	20	3.97	4	17	11	17	4.82	1	0.36	11	1.36	3132	<2	0.01	1	1241	22	0.45	7	6	179	<5	<0.01	<10	<10	18	<10	108	1
133406	0.2	0.95	149	72	<0.5	26	3.48	6	21	19	16	5.75	1	0.29	<10	1.21	2005	2	0.01	3	1288	60	2.90	8	5	135	<5	<0.01	<10	12	30	<10	182	2
133409	<0.2	1.60	35	157	<0.5	24	3.31	3	19	14	13	5.32	1	0.27	<10	1.49	2028	<2	0.01	2	1214	13	1.43	7	6	105	<5	<0.01	<10	<10	45	<10	123	1
133418	0.2	1.84	34	146	<0.5	20	4.73	3	21	22	12	4.91	1	0.22	<10	1.31	2341	<2	0.02	4	1174	13	1.73	8	4	129	<5	<0.01	<10	11	48	<10	82	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
ICP-5	26.3	1.28	1445	169	<0.5	52	2.17	18	18	173	2262	3.96	1	0.19	<10	1.23	655	6	0.08	107	606	2324	1.11	223	3	59	<5	0.09	<10	10	62	10	1564	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1256-RA1

Oct-06-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#21
Attn: Sue Deane

We *hereby certify* the following assay of 22 rock samples submitted Sep-21-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
122801	0.64	16.7	2.2
122802	0.43	17.2	2.2
122803	0.25	20.1	1.8
122804	0.19	12.3	1.8
122805	0.76	85.6	2.3
122806	0.29	193.1	1.4
122807	0.02	30.6	1.5
122808	<0.01	15.7	1.6
122809	<0.01	10.7	1.2
122810	<0.01	20.1	2.3
122811	0.01	28.2	1.8
122812	0.02	19.2	1.2
122813	<0.01	16.4	1.3
122814	0.04	39.3	1.0
122815	<0.01	6.1	1.0
122816	<0.01	4.1	0.6
122817	<0.01	0.9	1.6
122818	0.13	65.0	1.8
122819	0.05	23.4	1.8
122820	<0.01	6.8	2.8
122821	0.01	8.0	2.4
122822	0.08	20.3	1.8
*DUP 122801	0.62	17.1	
*DUP 122810	0.01	20.0	
*DUP 122820	<0.01	6.5	
*0211	2.30		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

9V-1256-RA2

Oct-06-09

Company: **Ascot Resources Ltd.**
Project: Premier/shipment#21
Attn: Sue Deane

We *hereby certify* the following assay of 3 rock samples submitted Sep-21-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
122823	0.01	5.5	2.7
122824	0.05	3.1	2.0
139700	0.33	53.9	2.4
*DUP 122823	0.01	5.4	
*0211	2.18		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/shipment#21

Sample type: rock

Report No : **9V1256RJ**

Date : Oct-06-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
122801	16.7	0.20	92	41	<0.5	6	<0.01	3	1	115	13	1.56	<1	0.14	<10	0.01	123	6	<0.01	4	334	78	0.23	10	1	1	<5	<0.01	<10	<10	3	<10	182	1
122802	17.2	0.12	98	43	<0.5	<5	<0.01	2	<1	152	8	1.11	<1	0.10	<10	0.01	76	3	<0.01	5	191	39	0.18	10	<1	1	<5	<0.01	<10	<10	1	<10	44	<1
122803	20.1	0.21	44	41	<0.5	<5	<0.01	2	<1	121	11	0.84	<1	0.16	<10	0.01	119	4	<0.01	4	157	72	0.05	12	<1	1	<5	<0.01	<10	<10	3	<10	40	<1
122804	12.3	0.15	62	94	<0.5	5	<0.01	2	1	147	7	1.12	<1	0.11	10	0.01	84	5	<0.01	5	193	93	0.36	11	<1	1	<5	<0.01	<10	<10	2	<10	104	1
122805	85.6	0.16	231	231	<0.5	7	<0.01	3	<1	140	19	1.75	1	0.12	<10	0.01	42	4	<0.01	4	212	205	0.70	32	<1	1	<5	<0.01	<10	<10	2	<10	265	1
122806	193.1	0.32	95	137	<0.5	11	<0.01	4	4	95	14	2.61	4	0.20	<10	0.03	116	5	<0.01	4	730	177	1.16	21	1	7	<5	<0.01	<10	<10	5	<10	184	2
122807	30.6	0.28	34	136	<0.5	6	<0.01	2	3	120	7	1.35	1	0.16	<10	0.03	297	4	<0.01	5	418	53	0.56	9	1	4	<5	<0.01	<10	<10	5	<10	28	1
122808	15.7	0.36	21	217	<0.5	8	<0.01	2	3	118	7	1.74	2	0.18	<10	0.05	974	4	<0.01	6	503	61	0.42	9	1	6	<5	<0.01	<10	<10	4	<10	51	1
122809	10.7	0.39	29	137	<0.5	10	<0.01	3	5	77	12	2.67	3	0.21	<10	0.05	163	3	<0.01	4	727	50	1.30	10	1	6	<5	<0.01	<10	<10	5	<10	53	2
122810	20.1	0.43	18	81	<0.5	11	<0.01	3	5	37	4	2.82	3	0.30	<10	0.03	34	3	<0.01	2	786	86	2.10	9	1	7	<5	<0.01	<10	<10	4	<10	59	1
122811	28.2	0.40	19	140	<0.5	12	0.04	3	4	62	6	2.78	4	0.26	<10	0.04	133	3	<0.01	3	911	38	1.32	10	1	9	<5	<0.01	<10	<10	5	<10	43	2
122812	19.2	0.40	22	94	<0.5	13	0.03	3	5	44	4	2.86	2	0.28	<10	0.04	117	3	<0.01	3	855	33	1.87	7	1	12	<5	<0.01	<10	<10	4	<10	59	2
122813	16.4	0.53	17	182	<0.5	16	<0.01	5	11	34	9	3.66	2	0.25	11	0.11	1005	4	0.01	7	543	142	0.65	8	2	7	<5	<0.01	<10	<10	10	<10	200	2
122814	39.3	0.37	21	60	<0.5	17	0.01	4	5	60	7	4.11	4	0.22	<10	0.04	218	4	<0.01	4	623	55	2.50	10	1	8	<5	<0.01	<10	<10	3	<10	55	3
122815	6.1	0.63	18	139	<0.5	13	0.08	3	5	36	10	3.03	<1	0.27	<10	0.11	190	3	0.01	6	980	32	1.31	7	1	15	<5	<0.01	<10	<10	7	<10	51	1
122816	4.1	1.18	14	184	<0.5	17	0.03	4	8	55	19	3.74	<1	0.22	<10	0.41	538	3	0.01	26	708	28	0.98	8	2	12	<5	<0.01	<10	<10	16	<10	80	2
122817	0.9	1.29	<5	112	<0.5	11	0.07	3	8	68	7	2.66	<1	0.20	12	0.50	570	2	0.02	12	475	17	0.06	6	2	10	<5	0.02	<10	<10	20	<10	70	3
122818	65.0	0.55	40	43	<0.5	23	0.07	6	8	113	18	5.14	6	0.30	<10	0.09	72	15	0.01	6	1015	115	3.14	12	1	11	<5	<0.01	<10	<10	7	<10	197	3
122819	23.4	0.46	38	108	<0.5	10	0.09	4	5	38	12	2.68	1	0.29	<10	0.06	83	4	<0.01	3	838	55	1.56	7	1	12	<5	<0.01	<10	<10	8	<10	105	2
122820	6.8	0.52	15	122	<0.5	11	0.08	4	5	34	13	2.50	<1	0.33	<10	0.06	97	2	<0.01	3	896	29	1.60	6	1	8	<5	<0.01	<10	<10	6	<10	139	3
122821	8.0	0.32	26	234	<0.5	5	<0.01	2	<1	47	2	1.41	1	0.23	<10	0.03	23	6	<0.01	2	523	86	0.20	5	1	9	<5	<0.01	<10	<10	5	<10	24	1
122822	20.3	0.32	51	442	<0.5	8	<0.01	2	1	47	4	1.75	<1	0.25	<10	0.02	70	3	<0.01	2	736	104	0.29	8	1	9	<5	<0.01	<10	<10	7	<10	56	1
122823	5.5	0.43	18	158	<0.5	10	0.04	3	4	27	6	2.40	<1	0.31	<10	0.03	101	2	<0.01	2	1001	46	1.25	7	1	7	<5	<0.01	<10	<10	7	<10	89	2
122824	3.1	0.48	18	200	<0.5	12	0.06	3	5	19	6	2.89	<1	0.31	<10	0.05	199	3	<0.01	2	1164	38	0.92	7	1	8	<5	<0.01	<10	<10	7	<10	80	2
139700	53.9	0.17	138	297	<0.5	8	<0.01	2	1	130	12	1.63	<1	0.12	<10	0.01	121	3	<0.01	3	284	87	0.52	13	1	2	<5	<0.01	<10	<10	2	<10	130	1
Duplicates:																																		
122801	17.1	0.20	86	40	<0.5	6	<0.01	3	1	113	12	1.52	<1	0.14	<10	0.01	118	5	<0.01	3	346	78	0.22	8	1	1	<5	<0.01	<10	<10	3	<10	180	1
122810	20.0	0.40	15	83	<0.5	12	<0.01	3	5	36	4	2.78	3	0.29	<10	0.03	34	3	<0.01	2	802	86	2.09	10	1	7	<5	<0.01	<10	<10	4	<10	57	1
122820	6.5	0.52	14	125	<0.5	11	0.08	4	5	33	13	2.47	<1	0.32	<10	0.05	95	2	<0.01	3	884	28	1.58	5	1	8	<5	<0.01	<10	<10	6	<10	137	3
122823	5.4	0.43	16	149	<0.5	10	0.03	3	4	26	6	2.35	<1	0.31	<10	0.03	100	2	<0.01	2	989	45	1.21	5	1	7	<5	<0.01	<10	<10	7	<10	81	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Premier/shipment#21
Sample type: rock

Report No : 9V1256RJ
Date : Oct-06-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.6	1.71	10	284	0.8	21	0.47	5	28	103	1982	4.34	<1	1.33	13	1.08	313	3	0.04	51	634	15	0.53	13	7	7	<5	0.19	<10	<10	75	<10	206	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1279-RA1

Oct-13-09

Company: **Ascot Resources Ltd.**
Project: Premier/Dilworth/Shipment#22
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-24-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133419	<0.01	<0.1	2.7
133420	<0.01	<0.1	0.6
133421	<0.01	<0.1	1.1
133422	<0.01	<0.1	1.6
133423	<0.01	0.5	1.6
133424	<0.01	1.1	1.7
133425	<0.01	0.9	1.5
133426	0.03	3.1	2.0
133427	0.01	1.6	1.4
133428	<0.01	0.6	1.4
133429	<0.01	<0.1	2.0
133430	<0.01	<0.1	1.9
133431	0.05	1.2	2.6
133432	0.38	0.9	2.4
133433	0.14	1.3	3.4
133434	0.03	0.5	3.4
133435	0.38	1.4	2.1
133436	<0.01	0.9	1.5
133437	0.01	1.9	2.8
133438	0.01	1.6	3.6
133439	<0.01	0.7	2.0
133440	3.73	1.1	
*DUP 133419	<0.01	<0.1	
*DUP 133428	<0.01	0.6	
*DUP 133438	<0.01	1.8	
*0211	2.24		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

*Certified by*_____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1279-RA2

Oct-13-09

Company: **Ascot Resources Ltd.**
Project: Premier/Dilworth/Shipment#22
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-24-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133441	0.05	2.0	2.0
133442	0.08	4.3	1.5
133443	0.02	4.2	0.8
133444	<0.01	0.6	2.9
133445	<0.01	0.6	1.9
133446	0.07	1.3	1.8
133447	0.02	0.5	2.1
133448	0.06	6.0	1.8
133449	0.46	3.9	2.6
133450	<0.01	0.3	2.5
133451	0.03	0.7	3.4
133452	0.01	0.3	3.2
133453	<0.01	0.7	2.1
133454	<0.01	0.6	2.0
133455	0.03	1.3	3.8
133456	<0.01	<0.1	3.4
133457	0.01	1.2	2.6
133458	0.01	4.2	2.2
133459	<0.01	0.2	1.0
133460	0.29	0.6	
133461	<0.01	<0.1	1.2
133462	<0.01	1.0	2.7
*DUP 133441	0.06	2.1	
*DUP 133450	<0.01	0.2	
*DUP 133460	0.27	0.6	
*0211	2.33		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1279-RA3

Oct-13-09

Company: **Ascot Resources Ltd.**
Project: Premier/Dilworth/Shipment#22
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-24-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133463	0.02	0.6	3.5
133464	<0.01	0.7	3.4
133465	<0.01	0.5	3.8
133466	<0.01	0.2	3.0
133467	<0.01	<0.1	3.5
133468	<0.01	<0.1	3.7
133469	<0.01	<0.1	3.4
133470	<0.01	<0.1	3.2
133471	0.01	<0.1	2.3
133472	0.02	<0.1	1.0
133473	<0.01	<0.1	3.3
133474	<0.01	<0.1	3.4
133475	0.02	<0.1	3.4
133476	<0.01	<0.1	3.0
133477	<0.01	<0.1	1.5
133478	<0.01	<0.1	2.2
133479	0.28	1.4	2.5
133480	<0.01	<0.1	0.7
133481	0.01	<0.1	0.8
133482	0.24	1.7	1.6
133483	0.04	1.1	2.0
133484	0.04	0.9	1.9
*DUP 133463	0.02	0.8	
*DUP 133472	0.03	<0.1	
*DUP 133482	0.25	2.0	
*0211	2.19		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1279-RA4

Oct-13-09

Company: **Ascot Resources Ltd.**
Project: Premier/Dilworth/Shipment#22
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-24-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133485	0.13	4.2	1.8
133486	<0.01	0.4	1.9
133487	0.53	0.7	2.1
133488	0.09	2.7	1.9
133489	<0.01	2.2	0.6
133490	0.05	2.1	2.9
133491	0.06	2.4	3.4
133492	0.12	1.5	3.7
133493	0.09	2.5	3.6
133494	<0.01	1.6	3.5
133495	0.02	1.6	3.4
133496	<0.01	0.7	1.5
133497	<0.01	<0.1	1.9
133498	<0.01	<0.1	3.4
133499	<0.01	<0.1	2.9
133500	3.50	1.3	
133501	<0.01	<0.1	3.5
133502	<0.01	<0.1	3.3
133503	0.11	0.2	3.5
133504	<0.01	0.4	3.6
133505	<0.01	<0.1	3.2
133506	<0.01	0.3	3.4
*DUP 133485	0.16	3.5	
*DUP 133494	0.05	1.6	
*DUP 133504	0.01	0.5	
*0211	2.34		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1279-RA5

Oct-13-09

Company: **Ascot Resources Ltd.**
Project: Premier/Dilworth/Shipment#22
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-24-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133507	<0.01	0.5	1.5
133508	0.02	0.4	2.2
133509	<0.01	1.0	2.4
133510	0.01	0.5	3.9
133511	<0.01	0.7	1.9
133512	0.05	2.4	1.5
133513	0.14	2.7	1.6
133514	0.13	1.4	1.5
133515	0.63	4.0	1.6
133516	0.27	2.3	1.6
133517	0.04	1.5	1.6
133518	0.03	3.8	1.8
133519	0.10	2.8	1.9
133520	0.28	0.6	
133521	0.02	2.8	1.8
133522	<0.01	4.0	1.6
133523	0.01	2.2	2.0
133524	<0.01	2.2	1.8
133525	<0.01	1.3	1.1
133526	0.05	2.9	1.9
133527	0.05	2.5	1.5
133528	0.02	0.8	3.6
*DUP 133507	0.01	0.5	
*DUP 133516	0.28	2.2	
*DUP 133526	0.08	2.5	
*0211	2.20		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1279-RA6

Oct-13-09

Company: **Ascot Resources Ltd.**
Project: Premier/Dilworth/Shipment#22
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-24-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133529	0.01	7.3	3.4
133530	<0.01	0.2	1.5
133531	<0.01	1.2	1.8
133532	<0.01	0.5	1.5
133533	0.02	2.1	1.7
133534	0.04	3.1	1.0
133535	2.93	3.8	2.0
133536	0.09	2.7	1.7
133537	<0.01	1.1	1.3
133538	<0.01	0.3	1.9
133539	<0.01	0.8	1.7
133540	<0.01	<0.1	0.6
133541	<0.01	0.9	1.8
133542	<0.01	1.3	1.8
133543	<0.01	0.7	1.5
133544	0.13	44.7	1.7
133545	<0.01	0.7	2.3
133546	<0.01	0.6	1.0
133547	0.03	0.4	1.9
133548	0.05	0.9	1.5
133549	0.01	0.7	1.8
133550	<0.01	1.7	2.7
*DUP 133529	0.02	7.4	
*DUP 133538	<0.01	0.2	
*DUP 133548	0.06	0.8	
*0211	2.22		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1279-RA7

Oct-13-09

Company: **Ascot Resources Ltd.**
Project: Premier/Dilworth/Shipment#22
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-24-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133551	0.04	6.8	0.9
133552	<0.01	2.3	0.8
133553	0.07	11.4	1.6
133554	0.04	12.0	2.9
133555	<0.01	0.8	3.1
133556	<0.01	<0.1	3.3
133557	<0.01	<0.1	2.6
133558	<0.01	<0.1	1.6
133559	<0.01	<0.1	1.5
133560	3.55	1.3	
133561	<0.01	0.6	3.2
133562	<0.01	0.8	3.2
133563	<0.01	1.8	2.5
133564	0.04	9.5	1.5
133565	0.05	5.7	1.0
133566	0.02	4.5	1.5
133567	<0.01	3.3	1.5
133568	<0.01	10.7	1.5
133569	<0.01	1.6	3.4
133570	<0.01	2.3	0.7
133571	0.03	5.2	2.4
133572	<0.01	1.3	1.5
*DUP 133551	0.04	7.2	
*DUP 133560	3.47	1.2	
*DUP 133570	<0.01	2.1	
*0211	2.17		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1279-RA8

Oct-13-09

Company: **Ascot Resources Ltd.**
Project: Premier/Dilworth/Shipment#22
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-24-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133573	<0.01	1.1	1.7
133574	0.02	2.0	1.5
133575	0.03	2.1	1.5
133576	0.02	4.0	1.5
133577	0.03	8.1	1.7
133578	<0.01	2.6	1.6
133579	0.02	3.4	1.8
133580	0.27	0.9	
133581	0.01	2.8	1.6
133582	0.01	1.4	0.6
133583	<0.01	0.7	0.7
133584	0.02	5.0	1.9
133585	<0.01	2.3	1.5
133586	<0.01	3.4	1.8
133587	0.01	2.3	1.5
133588	<0.01	1.7	1.3
133589	0.01	0.7	2.3
133590	<0.01	0.8	2.8
133591	<0.01	0.2	3.0
133592	<0.01	0.1	3.2
133593	<0.01	0.6	3.1
133594	<0.01	0.2	3.0
*DUP 133573	0.01	1.3	
*DUP 133582	0.02	1.5	
*DUP 133592	<0.01	0.1	
*0211	2.33		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1279-RA9

Oct-13-09

Company: **Ascot Resources Ltd.**
Project: Premier/Dilworth/Shipment#22
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-24-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133595	0.63	2.5	1.5
133596	0.29	1.6	1.7
133597	0.56	1.1	1.5
133598	0.17	1.1	1.7
133599	0.06	0.7	1.3
133600	<0.01	<0.1	0.7
133601	<0.01	<0.1	2.3
133602	0.06	<0.1	1.8
133603	0.01	0.6	1.5
133604	0.19	1.4	1.8
133605	1.84	5.5	1.1
133606	0.44	2.2	2.0
133607	0.05	0.8	1.6
133608	<0.01	0.1	3.3
133609	<0.01	0.3	2.6
133610	0.03	<0.1	2.1
133611	<0.01	<0.1	3.0
133612	<0.01	<0.1	3.4
133613	<0.01	<0.1	3.2
133614	0.06	1.8	0.9
133615	0.12	1.3	1.9
133616	<0.01	0.4	3.4
*DUP 133595	0.63	2.5	
*DUP 133604	0.18	1.3	
*DUP 133614	0.06	1.9	
*0211	2.24		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1279-RA10

Oct-13-09

Company: **Ascot Resources Ltd.**
Project: Premier/Dilworth/Shipment#22
Attn: Sue Deane

We *hereby certify* the following assay of 11 core samples submitted Sep-24-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133617	<0.01	<0.1	3.4
133618	<0.01	<0.1	3.4
133619	<0.01	<0.1	3.1
133620	3.31	1.5	
133621	<0.01	<0.1	3.1
133622	<0.01	<0.1	3.4
133623	<0.01	<0.1	3.4
133624	<0.01	<0.1	.1.5
133625	0.01	0.5	2.4
133626	<0.01	<0.1	2.4
133627	<0.01	<0.1	2.3
*DUP 133617	<0.01	<0.1	
*DUP 133626	<0.01	<0.1	
*0211	2.19		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/Dilworth/Shipment#22

Sample type: Core

Report No : **9V1279RJ**

Date : Oct-13-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133419	<0.2	1.67	42	133	<0.5	25	3.47	4	20	17	16	5.40	<1	0.22	<10	1.32	1796	<2	0.01	4	1284	11	2.25	10	4	107	<5	<0.01	<10	12	40	14	121	2
133420	<0.2	0.02	<5	<10	<0.5	<5	>15.00	<1	<1	2	<1	0.04	<1	<0.01	<10	1.35	21	<2	0.01	<1	60	<2	0.94	<5	<1	4748	<5	<0.01	<10	21	1	19	<1	<1
133421	<0.2	0.53	44	152	<0.5	18	4.86	3	19	17	9	4.46	1	0.23	<10	1.00	1489	3	0.01	4	1314	10	2.29	8	5	154	<5	<0.01	<10	<10	19	<10	58	2
133422	<0.2	0.91	40	137	<0.5	21	3.85	3	20	17	15	5.15	1	0.23	<10	1.23	1631	2	0.01	4	1317	12	2.29	9	5	122	<5	<0.01	<10	<10	25	<10	116	2
133423	0.5	0.39	58	106	<0.5	20	4.77	3	19	20	18	5.16	1	0.26	<10	1.22	2082	2	0.01	5	1324	16	2.50	12	5	198	<5	<0.01	<10	11	15	<10	59	2
133424	1.1	0.49	61	101	<0.5	21	3.98	3	20	14	21	5.21	1	0.26	<10	1.10	1844	4	0.01	5	1260	36	2.71	11	5	169	<5	<0.01	<10	13	16	10	113	2
133425	0.9	0.32	58	132	<0.5	18	6.68	3	20	17	4	4.68	1	0.25	<10	1.01	1907	3	0.01	5	1097	14	2.64	8	5	236	<5	<0.01	<10	12	14	11	49	1
133426	3.1	0.42	60	125	<0.5	20	5.77	3	28	15	3	5.02	1	0.22	<10	1.04	2149	10	0.01	6	1069	17	2.78	9	5	138	<5	<0.01	<10	13	15	<10	55	2
133427	1.6	1.35	38	128	<0.5	25	3.46	3	25	16	9	5.18	1	0.23	<10	1.50	2137	6	0.01	6	1192	15	1.53	10	5	98	<5	<0.01	<10	13	34	<10	116	2
133428	0.6	2.38	22	112	<0.5	24	3.20	3	18	17	17	5.48	1	0.20	<10	1.77	2376	2	0.01	4	1183	8	0.61	11	5	83	<5	<0.01	<10	<10	52	21	130	1
133429	<0.2	1.82	22	121	<0.5	22	3.69	3	18	16	18	4.88	<1	0.21	<10	1.44	2221	2	0.02	4	1151	13	1.28	11	5	89	<5	<0.01	<10	11	40	56	103	1
133430	<0.2	1.82	20	107	<0.5	23	4.10	3	18	16	17	4.92	<1	0.20	<10	1.41	2458	2	0.02	4	1031	15	1.47	9	5	108	<5	<0.01	<10	11	45	18	124	1
133431	1.2	1.82	29	109	<0.5	20	3.43	7	14	16	24	4.62	1	0.19	<10	1.40	2135	2	0.02	3	1024	177	1.22	9	4	91	<5	<0.01	<10	12	39	19	538	1
133432	0.9	1.05	111	106	<0.5	20	5.04	3	16	19	5	4.78	1	0.19	<10	0.75	2257	4	0.01	4	891	42	2.87	8	3	133	<5	<0.01	<10	12	27	17	85	1
133433	1.3	1.19	88	125	<0.5	20	4.38	4	16	17	11	4.32	1	0.22	<10	0.84	1954	4	0.01	5	1046	62	2.28	8	3	122	<5	<0.01	<10	12	24	38	156	1
133434	0.5	1.85	84	116	<0.5	25	3.18	4	18	17	16	5.56	1	0.21	<10	1.36	1883	3	0.01	5	1059	15	2.12	9	3	95	<5	<0.01	<10	12	38	<10	106	2
133435	1.4	0.98	88	105	<0.5	15	5.61	5	13	19	14	3.70	1	0.19	<10	0.65	2261	4	0.01	4	819	174	2.20	8	2	157	<5	<0.01	<10	12	19	<10	355	1
133436	0.9	1.39	64	90	<0.5	24	2.18	3	22	17	15	5.15	<1	0.21	<10	1.04	1229	2	0.01	6	1076	12	2.98	8	3	70	<5	<0.01	<10	<10	33	<10	61	2
133437	1.9	1.49	77	95	<0.5	25	4.48	4	19	18	15	5.32	<1	0.20	<10	1.11	1946	10	0.01	5	930	18	3.06	9	3	130	<5	<0.01	<10	16	35	21	64	2
133438	1.6	1.35	72	91	<0.5	22	3.95	3	17	15	20	4.83	1	0.18	<10	1.04	1769	7	0.01	5	995	16	2.49	9	3	121	<5	<0.01	<10	14	35	<10	59	2
133439	0.7	1.67	45	93	<0.5	20	4.43	3	16	18	25	4.56	<1	0.18	<10	1.22	2036	5	0.02	5	1005	18	1.76	8	4	114	<5	<0.01	<10	13	36	<10	90	1
133440	1.1	1.26	5591	72	<0.5	164	5.30	1	101	32	282	4.19	<1	0.19	<10	0.49	682	28	0.06	63	722	17	0.81	20	2	54	<5	0.09	<10	10	43	16	73	7
133441	2.0	1.33	160	104	<0.5	21	6.01	4	17	18	25	4.84	2	0.22	<10	1.03	2443	2	0.01	4	1069	62	2.88	9	3	167	<5	<0.01	<10	15	27	<10	175	1
133442	4.3	1.42	261	94	<0.5	24	5.36	4	20	21	10	5.23	2	0.21	<10	1.12	2453	<2	0.01	4	1079	44	2.90	9	3	138	<5	<0.01	<10	13	35	<10	173	1
133443	4.2	1.74	158	96	<0.5	22	5.46	3	16	23	11	4.94	2	0.22	<10	1.25	2556	3	0.01	4	1131	25	2.20	10	3	134	<5	<0.01	<10	13	40	28	83	1
133444	0.6	2.42	26	96	<0.5	23	3.84	4	17	22	17	5.21	2	0.20	<10	1.70	2496	2	0.02	3	1213	14	1.01	11	4	99	<5	<0.01	<10	11	57	11	170	1
133445	0.6	2.00	51	106	<0.5	25	5.85	3	17	20	15	5.20	1	0.22	<10	1.36	2921	2	0.01	3	1268	23	1.96	10	3	141	<5	<0.01	<10	15	44	12	111	1
133446	1.3	1.77	147	100	<0.5	27	3.88	4	21	20	11	5.68	1	0.22	<10	1.21	2168	2	0.01	4	1269	46	2.41	11	3	107	<5	<0.01	<10	14	43	<10	148	2
133447	0.5	2.17	52	121	<0.5	23	4.53	4	17	22	13	5.36	1	0.20	<10	1.51	2527	2	0.01	3	1196	31	1.36	10	3	128	<5	<0.01	<10	14	59	<10	184	2
133448	6.0	1.98	88	116	<0.5	23	5.21	3	20	13	1084	5.42	2	0.24	<10	1.24	2963	<2	0.01	2	1263	30	1.86	11	3	165	<5	<0.01	<10	16	43	<10	155	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/Dilworth/Shipment#22

Sample type: Core

Report No : **9V1279RJ**

Date : Oct-13-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133449	3.9	1.94	117	93	<0.5	24	6.18	24	23	10	254	5.66	3	0.27	<10	1.21	3805	<2	0.01	1	1228	1336	2.37	10	3	254	<5	<0.01	<10	18	42	18	1972	1
133450	0.3	2.57	11	104	<0.5	31	3.14	4	28	6	148	6.43	1	0.23	<10	1.73	2394	<2	0.01	4	1255	29	1.52	11	4	95	<5	<0.01	<10	18	57	11	318	2
133451	0.7	4.12	89	282	<0.5	43	7.88	5	38	16	78	9.01	2	0.39	<10	2.87	4923	<2	0.02	12	1779	38	2.30	18	8	321	<5	<0.01	<10	32	88	29	305	2
133452	0.3	2.80	40	124	<0.5	27	5.25	3	26	9	72	6.08	2	0.24	<10	2.01	2760	<2	0.01	10	1200	14	1.35	11	5	167	<5	<0.01	<10	18	60	<10	196	2
133453	0.7	2.44	26	112	<0.5	28	2.75	4	29	5	132	6.36	1	0.26	<10	1.83	2338	<2	0.01	4	1329	33	1.67	12	5	83	<5	<0.01	<10	18	50	<10	402	2
133454	0.6	2.24	68	117	<0.5	29	3.84	4	24	5	97	6.52	1	0.30	<10	1.58	2715	<2	0.01	3	1294	86	2.17	12	5	151	<5	<0.01	<10	20	47	12	474	2
133455	1.3	2.35	87	114	<0.5	36	4.35	17	40	9	205	7.98	1	0.28	<10	1.57	2652	<2	0.01	6	1745	187	2.27	14	4	173	<5	<0.01	<10	24	40	<10	775	2
133456	<0.2	1.92	9	142	<0.5	22	4.26	3	24	10	59	5.10	1	0.28	<10	1.12	2575	<2	0.01	1	1447	11	0.69	8	6	119	<5	<0.01	<10	13	28	<10	145	1
133457	1.2	2.30	45	113	<0.5	29	5.24	36	25	8	100	6.17	3	0.24	<10	1.24	3239	<2	0.01	1	1378	752	1.38	11	5	152	<5	<0.01	<10	22	36	26	2926	2
133458	4.2	1.62	39	105	<0.5	27	5.06	81	24	7	69	5.43	5	0.24	<10	1.16	2999	<2	0.01	<1	1291	2334	1.62	8	4	139	<5	<0.01	<10	17	26	28	5494	1
133459	0.2	0.54	7	101	<0.5	17	4.86	3	25	7	78	4.30	1	0.26	<10	1.07	2609	<2	0.01	<1	1818	17	0.95	8	5	139	<5	<0.01	<10	12	14	<10	155	1
133460	0.6	0.55	780	1045	0.5	16	0.77	5	9	58	39	3.88	2	0.13	14	0.38	533	6	0.01	38	962	176	0.24	603	5	223	7	<0.01	<10	<10	56	<10	278	13
133461	<0.2	2.14	12	102	<0.5	27	4.58	4	24	4	55	6.29	2	0.26	<10	1.61	3264	<2	0.02	<1	1608	14	0.51	10	6	131	<5	<0.01	<10	15	36	21	184	2
133462	1.0	2.53	28	103	<0.5	27	5.33	4	25	6	37	6.05	1	0.25	<10	1.48	3276	<2	0.01	<1	1689	17	0.94	10	4	124	<5	<0.01	<10	16	39	13	160	2
133463	0.6	2.18	39	105	<0.5	25	6.91	3	21	9	10	5.67	2	0.24	<10	1.17	3514	<2	0.01	1	1437	18	1.32	10	3	151	<5	<0.01	<10	17	34	<10	120	2
133464	0.7	2.32	18	127	<0.5	26	5.99	3	27	6	60	5.82	2	0.26	<10	1.19	3015	<2	0.02	<1	1632	10	1.10	10	4	134	<5	<0.01	<10	14	37	24	110	2
133465	0.5	2.97	5	134	<0.5	27	4.76	3	27	3	66	6.46	1	0.26	<10	1.50	2711	<2	0.02	<1	1562	4	0.38	10	4	125	<5	<0.01	<10	15	47	15	109	2
133466	0.2	2.64	<5	141	<0.5	25	5.92	3	20	3	61	5.55	1	0.27	<10	1.30	2620	<2	0.02	<1	1500	4	0.43	10	4	146	<5	<0.01	<10	14	42	<10	96	2
133467	<0.2	2.39	8	134	<0.5	24	6.21	3	24	3	41	5.44	2	0.29	<10	1.23	2826	<2	0.02	<1	1529	7	0.73	9	4	161	<5	<0.01	<10	14	36	<10	96	2
133468	<0.2	2.66	14	131	<0.5	29	5.10	3	26	3	68	6.09	1	0.28	<10	1.39	2553	<2	0.02	<1	1681	7	0.87	10	4	162	<5	<0.01	<10	15	40	<10	134	2
133469	<0.2	2.63	<5	155	<0.5	25	4.01	3	24	1	64	5.89	1	0.30	<10	1.30	2090	<2	0.02	<1	1784	<2	0.11	10	3	113	<5	<0.01	<10	12	36	<10	102	2
133470	<0.2	2.39	<5	149	<0.5	23	5.40	3	24	1	87	5.37	1	0.27	<10	1.27	2048	<2	0.02	1	1607	<2	0.12	9	3	146	<5	<0.01	<10	<10	33	20	89	1
133471	<0.2	2.54	5	126	<0.5	25	4.08	3	23	1	56	5.92	1	0.26	<10	1.38	1791	<2	0.02	<1	1703	2	0.41	9	4	102	<5	<0.01	<10	14	36	<10	93	2
133472	<0.2	2.96	<5	99	<0.5	25	6.69	3	25	3	60	5.70	1	0.20	<10	1.99	2232	<2	0.01	2	1059	<2	0.24	10	4	180	<5	<0.01	<10	14	41	<10	89	1
133473	<0.2	2.93	7	144	<0.5	27	5.04	3	24	5	53	5.92	1	0.25	<10	1.89	2253	<2	0.01	1	1072	2	0.18	10	5	146	<5	<0.01	<10	14	42	<10	99	1
133474	<0.2	2.08	8	167	<0.5	21	5.82	3	22	3	40	5.16	2	0.30	<10	1.19	2188	<2	0.01	1	1427	5	0.39	9	4	164	<5	<0.01	<10	12	31	10	92	1
133475	<0.2	2.76	9	144	<0.5	29	5.45	4	27	7	55	6.53	1	0.28	<10	1.25	2057	<2	0.02	3	1607	8	0.38	11	6	143	<5	<0.01	<10	12	64	<10	115	2
133476	<0.2	2.56	<5	226	<0.5	29	6.98	4	28	6	53	6.54	1	0.28	<10	1.29	2446	<2	0.02	2	1675	8	0.51	12	9	192	<5	<0.01	<10	13	64	21	112	2
133477	<0.2	2.95	11	131	<0.5	32	6.17	4	30	8	62	7.14	1	0.26	<10	1.37	2646	<2	0.02	3	1618	8	0.44	13	9	180	<5	<0.01	<10	18	80	<10	121	2
133478	<0.2	1.73	30	128	<0.5	30	6.14	4	27	6	69	6.79	1	0.26	<10	0.87	2140	2	0.02	2	1655	19	3.15	12	5	175	<5	<0.01	<10	16	39	10	90	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/Dilworth/Shipment#22

Sample type: Core

Report No : **9V1279RJ**

Date : Oct-13-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133479	1.4	1.38	95	107	<0.5	28	5.26	35	25	10	55	6.35	1	0.25	<10	0.67	2124	2	0.02	2	1368	894	3.83	8	4	144	<5	<0.01	<10	16	31	24	2735	2
133480	<0.2	0.28	<5	14	<0.5	<5	>15.00	<1	1	1	<1	0.18	<1	0.02	<10	1.78	42	<2	0.01	<1	95	<2	1.05	<5	<1	4847	<5	<0.01	<10	22	3	<10	1	1
133481	<0.2	2.45	19	138	<0.5	29	2.60	4	27	4	45	6.35	1	0.26	<10	1.12	2041	<2	0.02	2	1788	90	0.59	10	3	69	<5	<0.01	<10	13	53	<10	262	1
133482	1.7	2.20	103	124	<0.5	25	5.39	27	18	6	82	6.05	2	0.25	<10	1.06	3121	<2	0.01	1	1297	739	1.30	12	3	140	<5	<0.01	<10	18	42	29	2137	1
133483	1.1	2.66	53	154	<0.5	31	2.00	18	27	7	17	7.22	1	0.27	<10	1.19	2288	<2	0.01	2	1373	532	1.29	14	4	52	<5	<0.01	<10	15	54	<10	1345	2
133484	0.9	2.53	35	173	<0.5	29	1.32	6	28	3	56	6.60	1	0.29	<10	1.11	1978	<2	0.01	2	1510	162	0.90	11	4	39	<5	<0.01	<10	11	49	<10	382	1
133485	4.2	1.88	181	109	<0.5	24	4.85	35	20	11	33	5.36	2	0.22	<10	0.88	3014	<2	0.01	<1	835	1528	1.68	8	2	136	<5	<0.01	<10	20	31	18	3091	1
133486	0.4	2.35	26	169	<0.5	25	5.94	3	27	3	44	5.67	2	0.30	<10	0.99	3436	<2	0.01	1	1227	40	0.72	10	4	152	<5	<0.01	<10	18	41	<10	156	1
133487	0.7	2.28	26	140	<0.5	24	6.38	6	24	3	39	5.68	3	0.28	<10	0.96	3592	<2	0.01	1	1192	151	0.71	9	4	148	<5	<0.01	<10	18	39	<10	466	1
133488	2.7	2.05	221	131	<0.5	30	5.87	13	27	8	35	6.36	2	0.27	<10	0.89	3722	<2	0.01	2	1119	925	2.04	11	2	197	<5	<0.01	<10	24	38	<10	1150	1
133489	2.2	2.33	29	233	<0.5	27	2.43	3	18	10	18	5.95	2	0.23	<10	1.22	2213	<2	0.01	3	1510	15	0.32	10	4	70	<5	<0.01	<10	10	44	<10	161	2
133490	2.1	2.12	123	160	<0.5	24	2.57	4	17	10	15	5.58	1	0.29	<10	1.09	2132	<2	0.01	<1	1616	45	1.12	10	3	86	<5	<0.01	<10	12	34	<10	266	2
133491	2.4	2.23	42	183	<0.5	23	2.92	3	19	10	15	5.10	1	0.27	<10	1.14	2618	<2	0.01	<1	1487	10	0.51	10	3	157	<5	<0.01	<10	<10	36	<10	120	2
133492	1.5	2.20	58	190	<0.5	25	2.95	3	28	7	12	5.40	2	0.29	<10	1.01	2816	<2	0.01	<1	1580	14	0.81	9	3	164	<5	<0.01	<10	11	38	<10	119	2
133493	2.5	2.35	42	175	<0.5	27	3.12	3	23	9	65	5.65	2	0.27	<10	1.10	3216	<2	0.01	<1	1566	17	0.74	10	3	166	<5	<0.01	<10	16	39	<10	127	2
133494	1.6	2.31	42	195	<0.5	25	3.15	3	33	8	44	5.57	2	0.30	10	1.11	3162	<2	0.01	1	1753	7	0.59	10	3	165	<5	<0.01	<10	11	38	<10	121	2
133495	1.6	1.87	94	142	<0.5	23	2.47	3	22	7	9	5.54	2	0.31	<10	0.90	2620	<2	0.01	<1	1551	37	1.48	9	3	120	<5	<0.01	<10	13	29	<10	156	2
133496	0.7	1.97	75	179	<0.5	24	2.18	3	19	12	4	5.40	1	0.32	<10	1.06	2187	2	0.01	<1	1473	10	1.27	8	3	87	<5	<0.01	<10	<10	31	<10	195	2
133497	<0.2	2.95	29	289	0.8	32	4.33	4	43	94	25	6.84	1	0.17	13	2.90	1743	<2	0.15	41	1346	2	0.21	17	16	243	<5	0.18	<10	<10	135	<10	107	5
133498	<0.2	3.13	19	253	0.6	31	4.34	4	42	96	25	6.77	1	0.13	12	3.01	1496	<2	0.16	41	1270	4	0.35	17	15	217	<5	0.14	<10	<10	124	<10	103	4
133499	<0.2	3.10	7	228	<0.5	30	3.85	4	40	95	23	6.84	1	0.13	12	3.01	1533	<2	0.11	41	1304	3	0.18	15	13	162	<5	0.09	<10	11	113	<10	114	3
133500	1.3	1.24	6309	79	<0.5	172	5.40	1	110	34	295	4.35	1	0.20	<10	0.53	689	31	0.06	62	835	17	0.92	21	2	58	<5	0.09	<10	<10	48	<10	78	8
133501	<0.2	3.03	9	180	<0.5	31	3.99	4	40	94	23	6.82	1	0.13	13	3.04	1451	<2	0.12	41	1329	2	0.13	15	13	161	<5	0.09	<10	10	115	<10	110	3
133502	<0.2	2.20	46	118	<0.5	28	2.05	3	23	14	19	6.27	1	0.25	<10	1.34	1339	3	0.02	2	1421	9	1.83	10	5	56	<5	<0.01	<10	12	48	<10	121	2
133503	0.2	1.83	77	136	<0.5	25	2.24	3	23	18	20	5.68	1	0.27	<10	1.05	1289	6	0.01	2	1436	11	2.11	11	4	59	<5	<0.01	<10	10	41	<10	151	2
133504	0.4	1.59	141	113	<0.5	25	5.05	3	19	13	17	5.79	1	0.25	<10	0.93	1835	<2	0.01	1	1279	9	2.88	13	4	144	<5	<0.01	<10	11	34	<10	91	2
133505	<0.2	2.64	22	203	<0.5	28	4.86	3	24	14	27	6.04	1	0.27	<10	1.43	2170	<2	0.01	<1	1540	3	0.82	12	6	146	<5	<0.01	<10	12	54	<10	114	2
133506	0.3	2.27	110	146	<0.5	27	2.79	3	23	11	21	6.04	1	0.30	<10	1.21	1538	<2	0.01	<1	1475	8	1.36	12	5	97	<5	<0.01	<10	<10	47	<10	105	2
133507	0.5	2.89	80	181	<0.5	29	3.40	3	26	18	39	6.35	1	0.28	<10	1.56	1949	<2	0.01	<1	1543	9	0.54	12	6	148	<5	<0.01	<10	11	60	<10	114	2
133508	0.4	2.93	73	233	<0.5	29	2.74	4	26	26	15	6.64	1	0.21	<10	1.68	1828	<2	0.01	<1	1289	64	0.56	12	6	143	<5	<0.01	<10	14	71	<10	170	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Premier/Dilworth/Shipment#22
Sample type: Core

Report No : **9V1279RJ**
Date : Oct-13-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133509	1.0	2.11	172	162	<0.5	23	3.89	3	23	10	17	5.26	1	0.31	<10	1.23	1902	<2	0.01	<1	1444	13	1.08	13	5	169	<5	<0.01	<10	10	39	<10	99	2
133510	0.5	2.70	117	210	<0.5	28	2.44	4	27	13	16	6.30	1	0.32	<10	1.55	1728	<2	0.01	<1	1595	24	0.73	11	6	108	<5	<0.01	<10	11	56	<10	145	2
133511	0.7	2.55	68	157	<0.5	29	1.78	4	28	11	7	6.48	1	0.30	<10	1.39	1583	<2	0.01	<1	1667	12	1.32	12	4	93	<5	<0.01	<10	11	55	<10	135	2
133512	2.4	0.50	33	357	<0.5	6	>15.00	1	5	47	3	1.75	5	0.19	10	0.35	7771	3	0.01	<1	415	63	0.98	6	3	1455	<5	<0.01	<10	20	6	<10	181	<1
133513	2.7	0.86	99	121	<0.5	15	10.92	2	11	30	4	3.73	3	0.21	<10	0.46	5785	<2	0.01	<1	678	46	2.18	6	3	827	<5	<0.01	<10	16	9	<10	115	1
133514	1.4	1.40	37	158	<0.5	17	3.79	3	14	28	2	4.09	1	0.27	<10	0.72	2467	3	0.01	<1	1359	61	1.34	8	2	224	<5	<0.01	<10	<10	20	<10	208	1
133515	4.0	0.56	67	119	<0.5	11	4.17	8	10	30	6	3.15	1	0.29	<10	0.21	1998	6	0.01	1	729	121	2.17	8	1	252	<5	<0.01	<10	<10	7	<10	704	1
133516	2.3	0.34	106	83	<0.5	14	4.60	3	10	36	8	3.15	1	0.23	<10	0.10	1711	7	0.01	1	789	91	2.58	10	1	279	<5	<0.01	<10	<10	5	<10	201	1
133517	1.5	0.28	116	76	<0.5	21	6.08	3	17	16	3	5.21	1	0.28	<10	0.06	2006	<2	0.01	1	1043	20	4.57	15	2	169	<5	<0.01	<10	12	4	<10	33	1
133518	3.8	0.12	235	77	<0.5	18	>15.00	2	7	18	3	4.02	4	0.16	<10	0.08	6132	2	0.01	<1	424	23	3.97	28	2	596	<5	<0.01	14	28	<1	26	19	1
133519	2.8	0.17	100	108	<0.5	13	>15.00	1	9	10	3	3.49	3	0.19	<10	0.11	5966	<2	0.01	<1	528	11	3.54	9	3	661	<5	<0.01	12	28	1	13	17	1
133520	0.6	0.56	690	921	0.5	16	0.71	4	9	56	38	3.64	2	0.13	15	0.36	510	6	0.01	35	912	161	0.21	527	5	222	7	<0.01	<10	<10	54	<10	256	12
133521	2.8	0.42	60	39	<0.5	27	5.93	4	27	13	16	6.20	1	0.34	<10	0.11	2043	<2	0.01	3	1468	25	>5.00	12	3	173	<5	<0.01	<10	13	7	<10	96	2
133522	4.0	0.38	67	51	<0.5	24	5.98	4	19	6	17	5.20	1	0.31	<10	0.08	2224	2	0.01	1	1332	38	4.84	15	2	189	<5	<0.01	<10	15	6	<10	57	2
133523	2.2	0.46	36	42	<0.5	28	3.58	5	29	13	21	6.06	1	0.32	<10	0.14	1537	2	0.01	2	1420	39	>5.00	11	2	122	<5	<0.01	<10	14	7	11	90	2
133524	2.2	1.10	44	185	<0.5	12	10.71	2	9	12	24	2.87	2	0.25	<10	0.54	5877	<2	0.01	1	1033	8	1.01	7	2	753	<5	<0.01	<10	13	13	17	79	1
133525	1.3	1.32	23	131	<0.5	12	10.22	2	7	20	11	2.91	3	0.24	<10	0.69	4915	<2	0.01	1	995	16	0.56	7	2	283	<5	<0.01	<10	16	17	24	96	1
133526	2.9	1.57	46	159	<0.5	17	5.38	2	11	10	46	3.78	1	0.30	<10	0.75	2934	3	0.01	1	1385	26	0.92	10	2	144	<5	<0.01	<10	11	21	13	107	1
133527	2.5	2.02	73	162	<0.5	23	2.85	3	16	11	16	5.32	1	0.31	<10	0.96	2842	6	0.01	<1	1529	33	1.23	11	3	94	<5	<0.01	<10	12	29	<10	174	2
133528	0.8	2.16	26	181	<0.5	22	2.26	3	15	9	13	4.61	1	0.30	<10	1.10	2485	2	0.01	<1	1558	34	0.41	9	3	90	<5	<0.01	<10	<10	34	<10	171	1
133529	7.3	2.41	42	260	<0.5	23	1.62	4	16	13	13	4.91	2	0.42	14	1.15	1914	2	0.01	<1	1759	36	0.47	11	3	72	<5	<0.01	<10	<10	39	<10	308	2
133530	0.2	2.46	21	675	<0.5	23	3.00	3	13	7	9	5.32	2	0.36	12	1.20	2642	3	0.01	<1	1622	9	0.30	9	4	125	<5	<0.01	<10	<10	44	<10	139	2
133531	1.2	1.17	45	181	<0.5	20	6.97	3	13	14	12	4.61	3	0.34	<10	0.56	3978	<2	0.01	<1	1164	14	2.51	9	3	505	<5	<0.01	<10	11	22	<10	91	1
133532	0.5	0.99	38	48	<0.5	31	2.88	5	23	6	23	6.68	1	0.44	<10	0.39	1111	<2	0.01	1	1460	17	>5.00	10	4	110	<5	<0.01	<10	11	19	<10	95	2
133533	2.1	0.92	41	59	<0.5	30	4.16	4	19	13	26	6.65	1	0.42	<10	0.35	1750	4	0.01	<1	1358	43	>5.00	12	3	201	<5	<0.01	<10	14	17	<10	102	2
133534	3.1	1.06	50	42	<0.5	39	3.46	6	26	9	30	8.01	1	0.45	<10	0.41	1277	<2	0.01	1	1621	41	>5.00	15	4	129	<5	<0.01	<10	16	22	<10	100	2
133535	3.8	1.00	96	60	<0.5	27	1.67	5	21	16	17	6.20	1	0.39	<10	0.39	1120	7	0.01	<1	1372	118	4.69	13	3	90	<5	<0.01	<10	<10	24	23	206	2
133536	2.7	1.87	93	174	<0.5	24	2.80	5	20	16	39	5.47	2	0.38	<10	1.00	2520	<2	0.01	<1	1492	126	2.27	20	4	178	<5	<0.01	<10	<10	43	<10	270	2
133537	1.1	2.51	39	207	<0.5	27	2.48	3	21	16	29	6.23	2	0.35	<10	1.30	2557	<2	0.01	<1	1587	14	1.02	15	5	160	<5	<0.01	<10	<10	58	<10	121	2
133538	0.3	2.55	18	257	<0.5	26	4.74	3	20	12	29	5.83	2	0.40	11	1.34	3140	<2	0.01	<1	1481	5	0.56	12	7	264	<5	<0.01	<10	<10	71	<10	108	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95ºC for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/Dilworth/Shipment#22

Sample type: Core

Report No : 9V1279RJ

Date : Oct-13-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133539	0.8	1.85	23	111	<0.5	23	2.50	3	22	10	15	5.69	1	0.45	<10	0.98	1884	<2	0.01	<1	1592	18	2.34	13	4	115	<5	<0.01	<10	<10	43	<10	112	2
133540	<0.2	0.02	<5	<10	<0.5	<5	>15.00	<1	<1	2	<1	0.04	<1	0.01	<10	2.20	36	<2	0.01	<1	68	<2	0.84	<5	<1	3828	<5	<0.01	<10	21	2	<10	<1	<1
133541	0.9	1.87	29	151	<0.5	24	3.04	3	20	10	22	5.56	1	0.43	<10	0.94	1836	<2	0.01	<1	1586	18	2.21	15	5	125	<5	<0.01	<10	<10	43	<10	104	2
133542	1.3	2.05	77	202	<0.5	28	3.91	3	18	19	13	5.97	2	0.40	<10	1.14	2300	<2	0.01	<1	1515	15	2.26	15	5	176	<5	<0.01	<10	13	51	<10	112	2
133543	0.7	2.39	15	224	<0.5	28	3.96	4	21	15	20	6.55	2	0.40	<10	1.31	3031	<2	0.01	<1	1606	10	1.88	12	7	180	<5	<0.01	<10	11	62	<10	115	2
133544	44.7	1.92	55	131	<0.5	29	3.36	9	22	22	37	6.52	2	0.35	<10	1.02	2704	3	0.01	<1	1540	150	2.84	22	4	155	<5	<0.01	<10	14	50	<10	843	2
133545	0.7	2.21	26	212	<0.5	27	6.77	3	15	17	24	6.15	2	0.33	<10	1.15	2833	<2	0.01	<1	1259	6	1.65	13	6	250	<5	<0.01	<10	13	58	<10	106	2
133546	0.6	2.07	25	165	<0.5	27	2.45	4	19	15	6	6.29	1	0.36	<10	1.18	1468	<2	0.01	<1	1642	13	2.26	12	5	97	<5	<0.01	<10	10	44	<10	124	2
133547	0.4	2.14	19	169	<0.5	28	2.52	4	18	18	12	6.44	1	0.37	<10	1.23	1425	<2	0.01	<1	1526	10	2.27	13	6	87	<5	<0.01	<10	<10	50	16	110	2
133548	0.9	1.71	37	125	<0.5	31	3.99	4	15	23	14	6.67	1	0.36	<10	1.13	1971	<2	0.01	<1	1379	11	3.34	14	5	173	<5	<0.01	<10	14	41	<10	97	2
133549	0.7	1.87	33	148	<0.5	27	2.30	3	17	22	18	5.96	1	0.31	<10	1.16	1393	<2	0.01	<1	1386	11	2.19	12	4	87	<5	<0.01	<10	10	47	<10	98	2
133550	1.7	1.81	60	143	<0.5	27	1.40	3	18	32	16	6.02	1	0.33	<10	0.98	1078	<2	0.01	1	1345	13	2.27	14	4	61	<5	<0.01	<10	<10	45	<10	91	2
133551	6.8	1.30	103	81	<0.5	27	1.72	4	16	21	22	6.00	1	0.34	<10	0.66	989	<2	0.01	1	1199	33	3.45	20	3	77	<5	<0.01	<10	<10	32	<10	102	2
133552	2.3	2.06	39	114	<0.5	31	0.82	4	20	23	23	7.01	1	0.37	<10	1.06	842	<2	0.01	1	1559	15	2.72	16	5	40	<5	<0.01	<10	<10	53	<10	130	2
133553	11.4	2.00	95	163	<0.5	29	1.67	5	18	25	9	6.51	1	0.34	<10	1.04	1126	<2	0.01	1	1473	207	2.25	16	5	65	<5	<0.01	<10	<10	52	<10	316	2
133554	12.0	2.29	84	171	<0.5	34	2.36	6	20	28	26	7.59	1	0.39	<10	1.22	1677	<2	0.01	<1	1570	85	2.35	16	7	86	<5	<0.01	<10	12	63	<10	386	2
133555	0.8	2.58	71	209	<0.5	36	2.47	5	21	20	16	8.02	2	0.37	<10	1.40	1756	<2	0.01	<1	1774	18	1.86	18	7	86	<5	<0.01	<10	12	66	<10	128	2
133556	<0.2	2.43	17	427	<0.5	27	2.74	3	17	18	19	6.24	1	0.39	11	1.43	1694	<2	0.01	<1	1674	8	0.62	11	6	95	<5	<0.01	<10	<10	48	14	123	2
133557	<0.2	2.02	18	342	<0.5	25	3.49	3	18	11	15	5.67	1	0.37	<10	1.47	1717	<2	0.01	<1	1607	7	0.66	9	6	129	<5	<0.01	<10	<10	34	34	114	2
133558	<0.2	1.28	20	221	<0.5	22	3.36	3	19	13	14	5.66	1	0.42	<10	1.49	1638	<2	0.01	<1	1601	7	0.57	9	7	98	<5	<0.01	<10	<10	25	23	115	2
133559	<0.2	0.65	20	194	<0.5	24	2.69	4	18	7	10	5.88	<1	0.43	10	1.35	1491	<2	0.01	<1	1634	8	0.90	9	6	65	<5	<0.01	<10	<10	15	<10	111	2
133560	1.3	1.56	6550	81	<0.5	180	6.88	1	115	40	293	5.44	<1	0.20	10	0.53	918	29	0.07	69	854	19	0.98	19	3	68	5	0.12	<10	<10	55	28	82	12
133561	0.6	0.61	19	187	<0.5	23	3.46	4	17	17	8	5.67	1	0.43	<10	1.44	1867	<2	0.01	<1	1545	8	1.23	9	6	93	<5	<0.01	<10	<10	14	<10	105	2
133562	0.8	0.57	14	501	<0.5	21	2.88	3	16	11	11	5.28	1	0.40	11	1.47	1682	<2	0.01	<1	1572	3	0.27	9	6	97	<5	<0.01	<10	<10	15	<10	98	2
133563	1.8	0.56	28	180	<0.5	24	3.58	4	15	20	12	5.78	1	0.43	<10	1.41	1941	<2	0.01	<1	1438	10	1.59	13	6	210	<5	<0.01	<10	<10	16	<10	94	2
133564	9.5	0.57	53	197	<0.5	23	1.43	4	17	16	17	5.63	1	0.41	<10	1.20	1296	<2	0.01	<1	1512	34	1.47	17	6	81	<5	<0.01	<10	<10	17	<10	138	2
133565	5.7	0.49	292	68	<0.5	33	1.73	6	18	26	10	7.32	2	0.35	<10	0.77	1173	3	0.01	<1	1258	90	4.69	38	4	94	<5	<0.01	<10	12	11	<10	211	2
133566	4.5	0.57	134	161	<0.5	25	0.99	4	21	15	14	5.83	1	0.43	<10	1.09	997	<2	0.01	2	1434	22	2.11	21	5	61	<5	<0.01	<10	<10	16	<10	78	2
133567	3.3	0.59	25	188	<0.5	24	1.76	4	17	21	19	5.59	1	0.41	<10	1.47	1688	<2	0.01	1	1430	7	0.51	15	6	77	<5	<0.01	<10	<10	17	13	99	2
133568	10.7	0.55	30	193	<0.5	21	1.59	4	15	19	30	4.98	1	0.41	<10	1.19	1257	<2	0.01	1	1437	311	1.05	19	5	79	<5	<0.01	<10	<10	14	<10	155	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/Dilworth/Shipment#22

Sample type: Core

Report No : **9V1279RJ**

Date : Oct-13-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133569	1.6	0.62	26	261	<0.5	23	3.87	4	15	18	11	5.47	1	0.44	<10	1.61	2164	<2	0.01	1	1335	7	0.75	12	7	230	<5	<0.01	<10	<10	18	<10	82	2
133570	2.3	0.50	20	164	<0.5	23	3.11	4	16	12	14	5.20	1	0.37	<10	1.49	1955	<2	0.01	<1	1417	8	0.71	12	7	148	<5	<0.01	<10	<10	15	18	81	1
133571	5.2	0.52	117	110	<0.5	23	2.32	6	17	19	21	5.32	1	0.37	<10	0.96	1465	3	0.01	1	1267	94	2.52	15	6	126	<5	<0.01	<10	10	15	22	317	2
133572	1.3	0.52	63	171	<0.5	22	2.61	3	16	16	<1	5.13	1	0.35	<10	1.25	1977	<2	0.01	<1	1253	10	1.29	10	7	139	<5	<0.01	<10	10	19	<10	80	2
133573	1.1	0.67	88	167	<0.5	58	3.68	6	21	9	<1	6.13	<1	0.36	<10	1.52	2534	<2	0.01	1	1441	14	1.54	<5	10	168	<5	<0.01	<10	<10	28	<10	82	2
133574	2.0	0.49	183	127	<0.5	55	4.26	6	18	8	2	5.96	<1	0.38	<10	1.46	2759	<2	0.02	2	1396	22	2.18	5	10	223	<5	<0.01	<10	<10	21	<10	71	2
133575	2.1	0.56	150	154	<0.5	48	4.38	6	20	10	4	5.56	<1	0.38	<10	1.44	2777	<2	0.02	2	1339	18	1.61	<5	9	268	<5	<0.01	<10	<10	23	<10	95	2
133576	4.0	0.48	269	113	<0.5	40	1.88	6	24	10	7	5.27	2	0.38	<10	0.92	1266	<2	0.02	2	1363	16	2.20	26	6	117	<5	<0.01	<10	<10	19	<10	71	2
133577	8.1	0.51	153	152	<0.5	36	1.24	7	20	17	79	6.09	1	0.38	<10	1.27	1357	3	0.02	2	1336	14	1.33	26	7	97	<5	<0.01	<10	<10	26	<10	89	2
133578	2.6	0.48	78	189	<0.5	31	1.13	6	17	16	38	5.47	<1	0.34	<10	1.22	1634	<2	0.02	2	1230	10	0.79	7	7	64	<5	<0.01	<10	<10	27	<10	92	2
133579	3.4	0.55	115	152	<0.5	46	1.53	6	15	20	37	5.00	<1	0.36	<10	1.16	1540	<2	0.01	2	1243	13	1.01	11	6	74	<5	<0.01	<10	<10	26	<10	92	2
133580	0.9	0.58	643	1173	0.5	22	0.68	3	8	54	37	3.45	2	0.14	15	0.34	481	5	0.01	32	875	153	0.21	575	5	212	7	<0.01	<10	<10	60	<10	249	12
133581	2.8	0.47	133	121	<0.5	48	0.91	6	16	21	21	5.71	1	0.32	<10	0.86	1132	<2	0.02	2	1173	16	2.11	14	6	40	<5	<0.01	<10	<10	24	10	96	2
133582	1.4	0.57	74	145	<0.5	33	0.71	6	18	15	12	5.34	<1	0.31	<10	1.01	997	<2	0.01	2	1321	11	1.12	7	6	32	<5	<0.01	<10	<10	26	<10	114	2
133583	0.7	0.82	31	178	<0.5	39	0.69	5	15	20	1	4.61	<1	0.34	<10	0.98	1138	<2	0.01	3	1294	6	0.67	<5	6	32	<5	<0.01	<10	<10	28	<10	98	2
133584	5.0	1.08	292	115	<0.5	24	0.58	6	19	20	32	6.11	3	0.35	<10	0.92	947	<2	0.01	2	1328	24	2.28	39	5	25	<5	<0.01	11	<10	36	10	115	3
133585	2.3	1.41	91	175	<0.5	38	0.54	6	17	19	30	5.65	1	0.35	<10	1.03	953	<2	0.01	2	1346	12	1.38	7	6	23	<5	<0.01	<10	<10	47	<10	90	2
133586	3.4	1.09	116	143	<0.5	31	1.81	5	15	32	19	4.58	1	0.33	<10	0.65	941	<2	0.01	3	1176	16	2.05	14	4	109	<5	<0.01	<10	<10	31	<10	86	2
133587	2.3	0.74	91	152	<0.5	41	2.98	4	12	21	20	3.69	1	0.31	<10	1.06	1354	<2	<0.01	2	936	13	1.34	9	4	129	<5	<0.01	<10	<10	20	<10	65	1
133588	1.7	0.88	79	178	<0.5	43	3.52	4	11	20	15	3.76	<1	0.32	<10	1.16	1781	<2	<0.01	1	929	15	1.36	6	6	161	<5	<0.01	<10	<10	21	<10	128	1
133589	0.7	2.12	155	167	<0.5	54	2.78	5	20	9	11	4.94	<1	0.32	<10	1.57	1673	<2	0.01	1	1364	11	0.45	<5	7	107	<5	<0.01	<10	<10	55	<10	150	2
133590	0.8	1.88	84	174	<0.5	39	3.85	5	18	12	20	4.78	<1	0.32	<10	1.25	2013	<2	<0.01	1	1307	11	0.71	<5	6	189	<5	<0.01	<10	<10	45	<10	108	2
133591	0.2	2.43	109	138	<0.5	54	3.76	5	19	9	10	5.75	<1	0.28	<10	1.69	1774	<2	<0.01	1	1354	6	0.43	<5	7	134	<5	<0.01	<10	<10	57	<10	108	2
133592	<0.2	2.44	67	307	<0.5	64	3.67	6	19	11	17	5.83	<1	0.27	<10	1.86	1767	<2	<0.01	1	1275	8	0.43	<5	8	131	<5	<0.01	<10	<10	63	<10	104	2
133593	0.6	1.96	87	173	<0.5	61	4.00	6	20	10	17	6.17	<1	0.34	<10	1.67	2167	<2	<0.01	1	1275	11	0.73	<5	8	174	<5	<0.01	<10	<10	51	<10	98	2
133594	0.2	2.57	30	280	<0.5	60	3.78	6	19	10	21	6.09	<1	0.29	<10	1.76	1932	<2	<0.01	2	1338	7	0.76	<5	6	131	<5	<0.01	<10	<10	60	<10	105	2
133595	2.5	1.60	859	87	<0.5	54	3.55	9	19	14	15	6.08	<1	0.32	<10	0.96	2537	<2	<0.01	2	1335	258	2.83	5	4	153	<5	<0.01	<10	<10	37	<10	393	2
133596	1.6	1.99	175	118	<0.5	61	3.63	7	20	17	67	6.25	<1	0.31	<10	1.41	2852	<2	<0.01	3	1357	205	2.13	<5	5	156	<5	<0.01	<10	<10	49	<10	186	2
133597	1.1	2.44	50	270	0.7	73	4.83	8	28	63	24	6.58	<1	0.32	28	2.84	2443	<2	0.02	32	2656	474	0.77	<5	12	249	<5	0.03	10	<10	129	<10	176	6
133598	1.1	1.67	232	95	<0.5	40	3.35	7	21	10	15	6.30	<1	0.37	<10	1.20	1742	<2	<0.01	1	1418	34	3.31	5	7	213	<5	<0.01	<10	<10	44	<10	94	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95ºC for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/Dilworth/Shipment#22

Sample type: Core

Report No : **9V1279RJ**

Date : Oct-13-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133599	0.7	1.46	148	89	0.5	71	3.67	7	21	13	11	6.05	<1	0.37	<10	1.32	1617	<2	<0.01	3	1359	39	2.99	<5	8	174	<5	<0.01	<10	<10	47	<10	124	2
133600	<0.2	0.04	<5	11	<0.5	75	>15.00	<1	1	2	<1	0.46	<1	0.03	<10	12.49	211	<2	<0.01	1	172	<2	0.44	<5	<1	46	<5	<0.01	<10	<10	2	<10	14	<1
133601	<0.2	2.73	18	741	0.7	88	4.68	8	38	77	20	7.36	<1	0.27	12	3.24	1375	<2	0.12	43	1200	12	0.35	<5	15	289	<5	0.02	<10	<10	94	<10	110	4
133602	<0.2	2.84	19	668	1.2	76	4.83	7	35	101	27	6.76	<1	0.17	31	3.95	1128	<2	0.17	58	2816	7	0.36	<5	17	351	5	0.10	12	<10	194	<10	111	7
133603	0.6	1.00	83	166	0.5	69	5.79	6	18	13	8	5.51	<1	0.40	<10	1.86	2576	<2	0.01	4	1309	16	1.43	<5	10	279	<5	<0.01	<10	<10	37	<10	96	2
133604	1.4	1.07	380	90	<0.5	53	2.89	7	22	17	11	5.95	<1	0.38	<10	1.15	2033	<2	<0.01	1	1258	38	2.90	5	7	147	<5	<0.01	<10	<10	30	<10	102	2
133605	5.5	0.49	1469	81	<0.5	74	4.35	5	13	26	10	4.02	<1	0.26	<10	0.45	1775	12	<0.01	2	678	77	2.95	10	3	156	<5	<0.01	<10	<10	16	<10	197	1
133606	2.2	1.37	503	103	<0.5	70	2.76	6	21	14	12	5.76	<1	0.31	<10	1.08	1756	<2	<0.01	2	1158	21	2.51	5	6	93	<5	<0.01	<10	<10	38	<10	99	2
133607	0.8	1.99	182	140	<0.5	56	3.56	7	21	12	13	6.12	<1	0.30	<10	1.53	1895	<2	<0.01	2	1247	16	1.89	<5	7	95	<5	<0.01	<10	<10	49	<10	101	2
133608	<0.2	2.59	129	169	<0.5	69	5.05	7	21	10	8	6.66	<1	0.30	<10	1.59	1737	<2	<0.01	1	1296	10	1.45	<5	8	133	<5	<0.01	<10	<10	62	<10	113	2
133609	0.3	2.32	154	195	<0.5	59	4.59	6	22	9	43	6.14	<1	0.34	<10	1.36	1375	<2	0.01	2	1281	16	1.22	<5	7	99	<5	<0.01	<10	<10	66	<10	103	2
133610	<0.2	2.32	6	1076	<0.5	71	4.23	6	24	58	11	6.13	<1	0.14	43	2.42	1075	<2	0.04	32	3147	7	0.34	<5	6	158	<5	0.01	13	<10	90	<10	122	4
133611	<0.2	2.56	10	726	1.1	59	4.67	6	31	149	20	6.05	1	0.14	37	3.49	1038	<2	0.17	65	3167	6	0.24	<5	9	332	<5	0.13	13	<10	141	<10	118	9
133612	<0.2	2.62	13	252	<0.5	59	4.28	5	16	9	15	5.59	<1	0.32	10	1.53	1547	<2	0.04	1	1278	7	0.32	<5	5	122	<5	0.02	<10	<10	45	<10	108	2
133613	<0.2	2.07	11	559	2.0	42	3.26	6	27	41	25	5.45	1	0.09	19	1.91	919	<2	0.05	13	2583	7	0.28	<5	6	93	<5	0.31	10	<10	107	<10	113	16
133614	1.8	0.80	112	44	<0.5	49	5.15	8	19	8	5	6.95	<1	0.27	<10	0.36	1416	<2	<0.01	1	881	46	>5.00	6	2	140	<5	<0.01	<10	<10	13	10	46	2
133615	1.3	0.98	176	99	<0.5	43	3.17	5	15	14	17	4.37	<1	0.26	<10	0.56	827	<2	<0.01	2	1076	27	2.75	<5	2	81	<5	<0.01	<10	<10	17	<10	73	2
133616	0.4	2.11	33	189	<0.5	44	3.89	6	16	10	31	5.28	<1	0.26	<10	1.41	1355	<2	0.01	1	1214	12	1.25	<5	4	91	<5	<0.01	<10	<10	34	<10	121	2
133617	<0.2	2.45	22	287	<0.5	26	4.62	4	17	14	12	5.91	<1	0.32	<10	1.72	1620	2	0.01	1	1461	11	0.97	13	4	114	<5	<0.01	<10	14	36	<10	114	2
133618	<0.2	2.41	26	242	<0.5	26	4.91	4	18	28	3	6.09	1	0.28	<10	1.71	1701	<2	0.02	1	1372	16	1.06	11	5	101	<5	<0.01	<10	15	43	<10	143	1
133619	<0.2	2.49	12	284	<0.5	27	4.27	5	19	22	8	6.37	1	0.29	<10	1.83	1774	<2	0.02	<1	1554	11	0.83	13	5	93	<5	<0.01	<10	13	42	<10	128	2
133620	1.5	1.53	7186	84	<0.5	168	8.16	2	124	40	296	5.59	<1	0.20	<10	0.58	937	31	0.06	71	861	19	0.98	19	3	60	5	0.12	<10	12	56	10	68	12
133621	<0.2	2.37	51	238	<0.5	25	4.08	4	17	17	9	5.91	<1	0.31	<10	1.62	1573	<2	0.02	<1	1478	9	0.72	11	4	98	<5	<0.01	<10	12	34	<10	99	2
133622	<0.2	2.38	59	230	<0.5	23	3.29	4	16	15	6	5.63	<1	0.30	<10	1.58	1385	<2	0.02	<1	1381	9	0.64	13	4	66	<5	<0.01	<10	<10	36	<10	93	1
133623	<0.2	2.51	24	277	<0.5	23	3.61	4	18	22	11	5.79	<1	0.33	10	1.72	1730	<2	0.02	2	1419	11	0.54	12	5	81	<5	<0.01	<10	12	39	<10	113	2
133624	<0.2	2.32	42	211	<0.5	26	0.92	5	19	17	2	6.30	1	0.32	<10	1.61	1129	<2	0.01	2	1403	105	1.54	13	4	29	<5	<0.01	<10	10	35	<10	179	2
133625	0.5	1.37	75	208	<0.5	25	2.54	12	21	20	10	5.69	1	0.34	<10	1.45	1824	6	0.01	3	1321	494	1.58	14	5	84	<5	<0.01	<10	13	26	<10	766	2
133626	<0.2	0.68	41	322	<0.5	25	3.60	5	19	18	4	5.94	1	0.37	<10	1.86	1962	<2	0.02	3	1421	15	1.03	12	6	107	<5	<0.01	<10	15	21	<10	79	1
133627	<0.2	1.54	32	239	<0.5	23	1.94	4	20	17	15	5.76	<1	0.34	<10	1.57	1217	<2	0.02	3	1438	13	0.75	11	6	55	<5	<0.01	<10	<10	32	<10	89	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95ºC for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Premier/Dilworth/Shipment#22

Sample type: Core

Report No : 9V1279RJ

Date : Oct-13-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
Duplicates:																																		
133419	<0.2	1.79	37	129	<0.5	26	3.30	4	19	18	16	5.44	<1	0.23	<10	1.45	1847	2	0.02	5	1158	10	2.11	10	4	102	<5	<0.01	<10	11	40	15	119	2
133428	0.6	2.68	24	128	<0.5	27	3.16	4	19	18	19	5.67	1	0.24	12	1.90	2556	3	0.02	4	1195	9	0.62	10	6	89	<5	<0.01	<10	10	56	18	138	2
133438	1.8	1.51	74	103	<0.5	22	4.46	3	18	16	22	5.06	1	0.22	<10	1.09	1712	7	0.02	5	1079	16	2.83	9	4	134	<5	<0.01	<10	13	39	<10	60	2
133441	2.1	1.45	169	112	<0.5	23	6.46	4	18	19	25	5.09	1	0.26	<10	1.07	2587	2	0.01	4	1138	66	3.08	10	3	176	<5	<0.01	<10	14	29	<10	192	1
133450	0.2	2.62	13	114	<0.5	30	3.18	4	28	6	144	6.34	1	0.24	<10	1.73	2395	<2	0.01	4	1258	28	1.52	12	4	93	<5	<0.01	<10	18	58	11	319	2
133460	0.6	0.55	773	1218	0.5	17	0.75	4	9	59	37	3.76	2	0.13	15	0.37	514	5	0.01	37	958	169	0.24	651	5	215	7	<0.01	<10	<10	57	<10	266	13
133463	0.8	2.33	40	119	<0.5	27	7.25	3	23	9	11	6.05	2	0.27	<10	1.24	3683	<2	0.01	1	1541	19	1.41	10	3	158	<5	<0.01	<10	17	37	<10	127	2
133472	<0.2	3.02	6	123	<0.5	27	6.89	3	29	4	61	6.20	1	0.25	<10	2.09	2422	<2	0.01	2	1217	2	0.28	11	5	192	<5	<0.01	<10	16	46	<10	99	1
133482	2.0	2.43	116	153	<0.5	29	5.75	30	20	6	92	6.29	2	0.29	<10	1.15	3366	<2	0.01	1	1410	814	1.45	12	4	154	<5	<0.01	<10	20	49	19	2376	1
133485	3.5	1.89	179	109	<0.5	24	4.91	33	20	10	33	5.44	2	0.23	<10	0.87	3081	<2	0.01	1	865	1557	1.75	9	2	134	<5	<0.01	<10	16	32	17	3139	1
133494	1.6	2.37	42	200	<0.5	25	3.14	3	34	8	46	5.64	2	0.31	11	1.13	3260	<2	0.01	1	1747	8	0.59	11	3	166	<5	<0.01	<10	10	38	<10	126	2
133504	0.5	1.57	145	115	<0.5	25	5.00	3	19	14	17	5.85	1	0.24	<10	0.97	1765	<2	0.01	<1	1298	10	2.90	14	4	147	<5	<0.01	<10	12	34	<10	93	2
133507	0.5	2.69	66	167	<0.5	27	2.87	3	23	16	39	5.79	1	0.26	<10	1.57	1781	<2	0.01	1	1341	7	0.48	11	5	128	<5	<0.01	<10	11	55	<10	101	2
133516	2.2	0.38	106	104	<0.5	13	4.62	4	9	37	8	3.14	1	0.25	<10	0.11	1744	8	0.01	2	813	94	2.58	13	1	274	<5	<0.01	<10	<10	6	<10	203	1
133526	2.5	1.64	50	188	<0.5	17	5.66	2	13	11	46	4.02	1	0.33	<10	0.77	3082	3	0.01	1	1479	27	1.00	11	2	147	<5	<0.01	<10	11	23	<10	111	1
133529	7.4	2.33	45	255	<0.5	21	1.65	4	17	13	14	5.08	1	0.39	13	1.19	1841	2	0.01	<1	1800	42	0.52	11	3	74	<5	<0.01	<10	<10	39	<10	321	2
133538	0.2	2.56	16	251	<0.5	26	4.79	3	19	12	29	5.94	2	0.39	10	1.37	3089	<2	0.02	<1	1490	5	0.54	12	7	262	<5	<0.01	<10	<10	71	<10	108	2
133548	0.8	1.65	37	110	<0.5	30	3.89	4	15	21	13	6.30	1	0.35	<10	1.07	1869	<2	0.01	<1	1344	11	3.25	12	5	163	<5	<0.01	<10	15	40	<10	94	2
133551	7.2	1.31	102	80	<0.5	26	1.74	4	16	20	22	6.32	1	0.32	<10	0.72	1042	<2	0.01	1	1190	31	3.55	21	3	76	<5	<0.01	<10	10	32	12	103	2
133560	1.2	1.64	6628	82	<0.5	185	7.41	1	116	40	314	5.55	<1	0.22	11	0.54	960	29	0.07	69	875	19	1.00	20	3	71	5	0.13	<10	10	56	20	84	13
133570	2.1	0.53	24	181	<0.5	23	3.35	4	18	13	13	5.58	1	0.40	10	1.44	2020	<2	0.01	<1	1563	9	0.79	12	7	152	<5	<0.01	<10	<10	17	10	85	1
133573	1.3	0.64	79	151	<0.5	69	3.46	6	20	9	<1	5.79	<1	0.37	<10	1.58	2637	<2	<0.01	1	1352	14	1.52	<5	10	166	<5	<0.01	<10	<10	27	<10	84	2
133582	1.5	0.64	78	173	<0.5	25	0.77	6	20	17	13	5.73	<1	0.35	<10	1.07	1066	<2	<0.01	3	1405	12	1.20	8	7	34	<5	<0.01	<10	<10	30	<10	125	2
133592	<0.2	2.57	73	359	<0.5	68	3.69	6	20	12	19	6.31	<1	0.31	<10	1.88	1821	<2	<0.01	1	1324	8	0.46	<5	8	136	<5	<0.01	<10	<10	67	<10	110	2
133595	2.5	1.64	845	88	<0.5	51	3.60	9	19	15	14	5.89	<1	0.33	<10	1.00	2581	2	<0.01	2	1379	270	2.84	6	4	150	<5	<0.01	<10	<10	38	<10	420	2
133604	1.3	1.03	369	92	<0.5	58	2.92	7	21	17	10	6.03	<1	0.37	<10	1.13	2032	<2	<0.01	1	1255	38	2.94	<5	7	142	<5	<0.01	<10	<10	29	<10	101	2
133614	1.9	0.83	121	46	<0.5	45	5.50	9	20	9	6	7.22	<1	0.28	<10	0.37	1465	<2	<0.01	1	959	49	>5.00	7	2	149	<5	<0.01	<10	<10	14	11	50	2
133617	<0.2	2.19	21	258	<0.5	24	4.25	4	15	12	10	5.47	1	0.29	<10	1.56	1505	<2	0.01	1	1317	8	0.87	11	4	99	<5	<0.01	<10	10	32	<10	101	1
133626	<0.2	0.69	42	324	<0.5	25	3.85	6	20	19	4	6.37	1	0.37	<10	1.89	2076	<2	0.02	3	1458	15	1.08	11	6	114	<5	<0.01	<10	16	21	<10	86	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Premier/Dilworth/Shipment#22
Sample type: Core

Report No : **9V1279RJ**
Date : Oct-13-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.6	1.67	10	266	0.6	21	0.48	3	27	96	2148	4.38	<1	1.38	12	1.17	297	2	0.04	49	590	13	0.52	12	6	7	<5	0.17	<10	<10	70	<10	205	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1309-RA1

Oct-15-09

Company: **Ascot Resources Ltd**
Project: Dilworth/shipment 23
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-30-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133628	0.01	0.2	1.5
133629	0.01	0.4	2.7
133630	0.01	<0.1	3.1
133631	0.01	0.4	3.3
133632	0.01	0.3	3.0
133633	0.01	1.7	3.0
133634	0.01	2.1	3.0
133635	0.01	1.8	1.0
133636	<0.01	0.2	3.2
133637	<0.01	0.2	3.5
133638	0.01	<0.1	1.5
133639	0.01	0.6	0.8
133640	0.01	1.1	1.9
133641	<0.01	0.6	1.5
133642	0.10	27.8	1.2
133643	0.03	2.9	3.4
133644	0.01	2.4	3.1
133645	0.02	3.7	3.3
133646	0.01	1.2	2.9
133647	0.01	0.9	3.4
133648	<0.01	0.6	2.8
133649	<0.01	0.2	3.4
*DUP 133628	<0.01	0.2	
*DUP 133637	<0.01	0.1	
*DUP 133647	<0.01	0.8	
*0211	2.24		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1309-RA2

Oct-15-09

Company: **Ascot Resources Ltd**
Project: Dilworth/shipment 23
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-30-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133650	0.01	1.0	3.3
133651	0.01	1.3	2.4
133652	<0.01	<0.1	1.8
133653	<0.01	1.3	2.7
133654	0.01	2.7	3.4
133655	<0.01	0.3	3.4
133656	<0.01	1.2	2.9
133657	<0.01	1.2	1.8
133658	<0.01	<0.1	2.0
133659	<0.01	<0.1	1.6
133660	<0.01	<0.1	0.3
133661	<0.01	<0.1	1.8
133662	0.02	4.4	0.9
133663	<0.01	<0.1	1.5
133664	<0.01	<0.1	1.5
133665	0.01	0.1	1.5
133666	<0.01	<0.1	1.5
133667	<0.01	<0.1	0.9
133668	0.01	1.0	1.9
133669	0.01	0.3	1.5
133670	<0.01	0.2	1.5
133671	<0.01	0.1	1.5
*DUP 133650	<0.01	0.6	
*DUP 133659	<0.01	<0.1	
*DUP 133669	<0.01	0.4	
*0211	2.23		
*CCu-1c	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1309-RA3

Oct-15-09

Company: **Ascot Resources Ltd**
Project: Dilworth/shipment 23
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-30-09

Sample Name	Au g/tonne	Ag g/tonne	Ag g/tonne	Sample-wt Kg
133672	<0.01	<0.1		1.3
133673	<0.01	0.2		1.6
133674	0.01	0.5		1.5
133675	<0.01	0.5		1.0
133676	<0.01	<0.1		0.9
133677	<0.01	<0.1		1.4
133678	<0.01	<0.1		1.5
133679	0.01	1.0		1.8
133680	0.02	2.9		1.7
133681	0.01	1.8		1.6
133682	<0.01	0.4		1.2
133683	0.01	0.1		0.7
133684	3.01	>200.0	801.0	0.7
133685	0.04	7.6		1.7
133686	0.04	3.5		1.5
133687	0.01	2.4		1.6
133688	0.01	2.3		1.6
133689	<0.01	1.0		1.7
133690	0.01	1.1		1.5
133691	<0.01	1.4		1.7
133692	<0.01	0.4		1.8
133693	0.03	0.7		0.5
*0211	<0.01	0.1		
*AC 0501	2.24	2.0	224.6	
*BLANK	<0.01	<0.1	<0.1	

Au F.A. AA finish.Ag read from ICP solution. Over limit Ag 4 Acid Digest AA finish

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1309-RA4

Oct-15-09

Company: **Ascot Resources Ltd**
Project: Dilworth/shipment 23
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Sep-30-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133694	<0.01	0.3	0.9
133695	0.05	4.1	0.5
133696	0.05	0.7	0.7
133697	0.01	<0.1	2.0
133698	<0.01	0.9	1.3
133699	0.01	1.0	1.3
133700	<0.01	0.2	0.3
133701	0.30	0.7	
133702	<0.01	1.4	1.6
133703	<0.01	<0.1	1.5
133704	<0.01	<0.1	1.8
133705	<0.01	<0.1	1.9
133706	0.01	<0.1	1.6
133707	0.01	<0.1	1.7
133708	0.01	0.2	1.8
133709	0.02	0.8	1.4
133710	<0.01	0.2	1.9
133711	0.02	0.2	1.7
133712	<0.01	<0.1	1.7
133713	<0.01	<0.1	1.5
133714	<0.01	<0.1	1.7
133715	<0.01	<0.1	1.7
*DUP 133694	<0.01	0.2	
*DUP 133703	<0.01	<0.1	
*DUP 133713	<0.01	<0.1	
*0211	2.33		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1309-RA5

Oct-15-09

Company: **Ascot Resources Ltd**
Project: Dilworth/shipment 23
Attn: Sue Deane

We *hereby certify* the following assay of 4 core samples submitted Sep-30-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133716	0.01	0.3	1.5
133717	<0.01	0.6	1.9
133718	0.01	2.0	0.8
133719	0.03	6.3	0.8
*DUP 133716	<0.01	0.5	
*0211	2.19		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/shipment 23

Sample type: Core

Report No : **9V1309RJ**

Date : Oct-15-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133628	0.2	2.24	28	130	<0.5	22	1.03	3	22	99	55	4.99	1	0.19	<10	1.60	421	<2	0.03	136	1291	31	1.03	14	6	92	<5	<0.01	<10	<10	41	<10	153	2
133629	0.4	1.97	33	112	<0.5	23	2.36	3	20	88	51	4.83	1	0.21	<10	1.54	776	<2	0.02	114	1064	31	0.99	13	5	219	<5	<0.01	<10	<10	37	14	176	2
133630	<0.2	2.45	24	126	<0.5	25	1.29	3	26	109	57	5.27	1	0.19	10	1.41	502	<2	0.02	142	1052	21	0.82	14	4	123	<5	<0.01	<10	<10	47	<10	165	2
133631	0.4	0.96	14	115	<0.5	12	2.59	2	6	35	15	2.82	1	0.22	<10	0.62	941	4	0.02	22	654	19	0.92	7	3	208	<5	<0.01	<10	<10	9	<10	132	2
133632	0.3	0.88	16	120	<0.5	11	1.94	2	5	26	11	2.69	1	0.20	<10	0.46	753	15	0.03	17	586	17	1.15	7	3	174	<5	<0.01	<10	<10	7	10	138	1
133633	1.7	0.74	19	115	<0.5	12	3.05	5	6	35	21	2.98	1	0.23	<10	0.54	1076	7	0.02	28	931	16	1.28	9	4	250	<5	<0.01	<10	<10	17	<10	208	1
133634	2.1	1.13	30	101	0.5	18	1.54	8	12	25	28	4.18	1	0.27	<10	0.58	784	5	0.02	33	582	51	1.76	13	5	107	<5	<0.01	<10	<10	20	15	317	2
133635	1.8	1.40	10	125	<0.5	14	5.70	14	8	48	71	3.44	2	0.21	25	0.70	2543	<2	0.01	5	131	45	0.32	7	3	783	5	<0.01	<10	<10	8	43	1919	2
133636	0.2	2.68	7	107	<0.5	25	0.28	5	16	9	14	5.68	<1	0.26	29	1.35	558	<2	0.01	3	277	14	0.04	10	3	28	6	<0.01	<10	<10	12	11	315	2
133637	0.2	2.09	8	123	0.5	19	0.34	3	16	10	10	4.39	<1	0.29	31	1.11	447	<2	0.01	6	132	15	0.08	8	2	33	6	<0.01	<10	<10	9	<10	132	2
133638	<0.2	2.20	6	113	<0.5	21	0.15	3	15	10	7	4.85	<1	0.26	22	1.27	348	<2	0.01	9	366	13	0.02	8	2	18	<5	<0.01	<10	<10	9	<10	113	2
133639	0.6	1.57	9	152	0.7	14	0.13	2	10	11	30	3.50	<1	0.33	15	0.92	258	<2	0.01	5	24	9	0.11	6	2	23	<5	<0.01	<10	<10	8	<10	86	2
133640	1.1	0.79	7	127	<0.5	10	1.74	4	7	25	9	2.30	1	0.31	15	0.60	1162	<2	0.02	1	385	58	0.14	5	1	120	<5	<0.01	<10	<10	11	<10	287	2
133641	0.6	1.25	11	180	0.8	12	0.72	2	11	10	9	2.77	<1	0.39	22	0.66	768	<2	0.02	1	751	26	0.06	5	1	69	6	<0.01	<10	<10	10	<10	102	2
133642	27.8	0.30	11	90	<0.5	<5	0.55	194	9	84	916	1.22	2	0.23	<10	0.12	561	7	0.01	3	265	4938	1.33	5	1	32	<5	<0.01	<10	<10	3	259	6961	1
133643	2.9	0.58	12	106	0.7	6	1.50	4	5	24	87	1.52	1	0.37	16	0.34	1149	2	0.02	<1	645	489	0.28	<5	1	86	<5	<0.01	<10	<10	6	<10	277	1
133644	2.4	0.61	5	103	0.6	7	2.19	6	4	37	48	1.76	1	0.36	17	0.51	1592	2	0.02	<1	609	458	0.13	<5	2	111	<5	<0.01	<10	<10	6	<10	455	1
133645	3.7	0.75	10	96	0.7	8	2.04	35	7	20	80	2.19	1	0.40	15	0.56	1460	2	0.02	<1	682	1075	0.28	5	2	99	<5	<0.01	<10	<10	8	54	2346	2
133646	1.2	0.70	7	159	0.9	9	2.37	6	6	16	26	2.30	1	0.41	20	0.58	1458	<2	0.02	<1	713	173	0.12	<5	2	118	6	<0.01	<10	<10	7	10	417	2
133647	0.9	1.04	6	134	0.7	11	2.03	3	7	13	22	2.54	1	0.37	18	0.65	1201	<2	0.02	<1	685	111	0.10	5	2	104	5	<0.01	<10	<10	13	<10	227	2
133648	0.6	1.06	<5	139	0.8	9	2.29	2	7	17	9	2.29	1	0.42	19	0.59	1242	2	0.03	1	753	54	0.14	5	2	91	5	<0.01	<10	<10	17	<10	125	2
133649	0.2	0.98	<5	117	<0.5	9	2.60	2	8	34	3	2.31	<1	0.29	20	0.81	632	<2	0.04	6	961	244	0.11	<5	3	127	5	<0.01	<10	<10	26	<10	115	6
133650	1.0	0.95	<5	101	<0.5	9	2.29	4	8	43	22	2.11	1	0.22	15	0.74	566	<2	0.03	6	856	45	0.13	<5	3	118	<5	<0.01	<10	<10	25	<10	419	5
133651	1.3	0.93	<5	137	<0.5	9	2.40	2	8	38	3	2.22	1	0.25	16	0.77	635	<2	0.04	6	946	99	0.13	<5	3	125	<5	<0.01	<10	<10	24	<10	117	5
133652	<0.2	1.54	<5	357	<0.5	19	2.82	3	16	42	13	4.34	1	0.17	22	1.42	1007	<2	0.04	12	2432	16	0.10	7	4	131	<5	<0.01	<10	<10	29	<10	154	4
133653	1.3	1.10	<5	113	0.6	10	2.95	4	7	19	59	2.47	2	0.29	14	0.58	1271	<2	0.03	1	658	119	0.20	5	2	117	<5	<0.01	<10	<10	22	11	460	2
133654	2.7	1.01	8	98	0.6	11	2.03	4	8	15	91	2.55	1	0.31	13	0.59	1267	<2	0.03	<1	616	119	0.19	<5	1	103	<5	<0.01	<10	<10	11	10	311	2
133655	0.3	1.20	<5	166	0.5	9	2.02	1	7	15	17	2.35	1	0.33	15	0.58	1046	<2	0.03	<1	653	28	0.09	<5	2	116	<5	0.01	<10	<10	17	<10	70	2
133656	1.2	0.97	<5	109	0.5	11	1.61	3	8	17	22	2.53	2	0.29	19	0.68	1614	<2	0.04	<1	649	76	0.09	<5	2	85	5	<0.01	<10	<10	16	<10	189	2
133657	1.2	0.40	<5	58	0.5	<5	1.29	1	3	37	75	0.92	1	0.25	16	0.14	563	<2	0.04	1	230	44	0.08	<5	<1	81	12	<0.01	<10	<10	2	<10	97	7

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/shipment 23

Sample type: Core

Report No : **9V1309RJ**

Date : Oct-15-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133658	<0.2	1.24	<5	109	0.6	18	3.53	3	16	46	22	4.03	1	0.30	22	1.44	1354	<2	0.03	15	2739	17	0.16	6	5	230	<5	<0.01	<10	<10	28	<10	128	2
133659	<0.2	0.34	<5	39	<0.5	<5	1.00	<1	2	56	1	0.98	<1	0.21	16	0.16	346	<2	0.04	2	238	16	0.07	<5	<1	64	14	<0.01	<10	<10	1	<10	27	8
133660	<0.2	1.39	<5	81	1.5	17	2.85	2	15	35	11	3.98	1	0.26	26	1.27	865	<2	0.04	11	2351	9	0.11	7	6	203	<5	0.01	<10	<10	37	<10	117	4
133661	<0.2	0.29	<5	36	0.5	<5	0.99	<1	2	61	<1	0.99	1	0.20	19	0.11	321	<2	0.05	1	206	18	0.03	<5	1	65	16	<0.01	<10	<10	2	<10	22	8
133662	4.4	0.23	<5	40	<0.5	<5	0.40	105	3	59	38	0.95	1	0.22	10	0.09	263	2	0.03	1	175	272	0.57	<5	<1	30	12	<0.01	<10	<10	<1	122	4858	6
133663	<0.2	0.32	<5	43	0.5	<5	0.78	1	2	69	<1	0.99	<1	0.20	22	0.10	298	<2	0.04	2	200	17	0.04	<5	<1	42	16	<0.01	<10	<10	2	<10	93	9
133664	<0.2	0.31	<5	54	0.6	<5	0.92	1	2	75	<1	0.98	1	0.21	23	0.10	324	<2	0.05	1	210	17	0.03	<5	1	56	17	<0.01	<10	<10	2	<10	55	9
133665	<0.2	0.24	<5	39	<0.5	<5	0.34	1	1	78	4	0.64	<1	0.23	15	0.07	324	<2	0.03	2	177	29	0.07	<5	<1	25	14	<0.01	<10	<10	<1	<10	40	8
133666	<0.2	0.27	<5	41	<0.5	<5	0.59	1	2	75	2	0.82	<1	0.27	15	0.08	429	<2	0.03	1	199	29	0.07	<5	<1	45	15	<0.01	<10	<10	<1	<10	40	10
133667	<0.2	0.28	<5	63	0.6	<5	1.26	1	2	61	<1	0.98	1	0.24	15	0.12	576	5	0.04	2	249	29	0.05	<5	<1	85	12	<0.01	<10	<10	1	<10	38	6
133668	1.0	0.49	<5	98	0.9	8	2.08	5	6	24	16	1.94	1	0.31	12	0.44	1403	<2	0.03	1	863	173	0.16	<5	2	127	<5	<0.01	<10	<10	7	12	383	2
133669	0.3	0.22	<5	35	<0.5	<5	0.54	3	1	70	15	0.48	<1	0.23	10	0.02	312	<2	0.05	1	30	54	0.08	<5	<1	44	15	<0.01	<10	<10	<1	<10	213	7
133670	0.2	0.21	<5	32	<0.5	<5	0.44	2	<1	71	9	0.41	<1	0.25	12	0.01	293	<2	0.04	1	20	54	0.03	<5	<1	42	17	<0.01	<10	<10	<1	<10	172	8
133671	<0.2	0.19	<5	36	<0.5	<5	1.22	1	<1	69	2	0.45	1	0.23	12	0.01	941	<2	0.04	1	21	65	0.04	<5	1	121	18	<0.01	<10	<10	<1	<10	96	7
133672	<0.2	0.25	<5	30	<0.5	<5	0.54	1	<1	93	<1	0.46	<1	0.27	11	0.01	339	<2	0.05	1	18	43	0.03	<5	<1	43	19	<0.01	<10	<10	<1	<10	40	8
133673	0.2	0.23	<5	31	<0.5	<5	0.25	2	<1	79	3	0.40	<1	0.26	11	0.01	236	<2	0.04	1	15	80	0.06	<5	<1	21	18	<0.01	<10	<10	<1	<10	139	8
133674	0.5	0.27	<5	36	<0.5	<5	0.17	1	<1	94	6	0.41	<1	0.29	11	0.01	216	<2	0.04	1	14	106	0.05	<5	<1	17	18	<0.01	<10	<10	<1	<10	98	8
133675	0.5	0.26	<5	38	0.5	<5	0.13	3	1	84	3	0.36	<1	0.27	11	0.02	217	<2	0.03	2	10	126	0.07	<5	<1	16	17	<0.01	<10	<10	<1	<10	191	6
133676	<0.2	0.22	<5	30	<0.5	<5	0.49	1	<1	97	<1	0.50	1	0.22	11	0.02	348	<2	0.05	1	19	34	0.03	<5	<1	37	18	<0.01	<10	<10	<1	<10	34	8
133677	<0.2	0.23	<5	28	0.5	<5	0.55	<1	<1	94	<1	0.54	1	0.25	13	0.01	302	<2	0.06	2	26	26	0.02	<5	1	41	19	<0.01	<10	<10	<1	<10	19	9
133678	<0.2	0.27	<5	35	<0.5	<5	0.52	1	<1	91	<1	0.49	<1	0.27	12	0.02	314	<2	0.05	1	21	45	0.03	<5	<1	44	17	<0.01	<10	<10	<1	<10	56	7
133679	1.0	0.81	5	131	0.7	11	1.80	3	7	31	40	2.41	1	0.33	14	0.42	1331	<2	0.04	<1	603	108	0.26	<5	2	119	7	<0.01	<10	<10	14	<10	234	1
133680	2.9	0.56	7	102	0.6	11	1.28	8	9	40	88	2.61	1	0.32	11	0.46	1454	<2	0.04	<1	598	262	0.39	<5	2	81	6	<0.01	<10	<10	7	<10	547	1
133681	1.8	0.57	8	85	0.7	11	2.06	6	8	30	56	2.76	2	0.31	12	0.61	2209	10	0.03	<1	555	136	0.27	<5	2	157	6	<0.01	<10	<10	8	<10	388	1
133682	0.4	1.20	<5	87	0.9	11	2.34	2	6	27	5	2.72	2	0.30	14	0.76	1931	<2	0.04	<1	604	29	0.13	<5	2	106	6	<0.01	<10	<10	20	<10	156	1
133683	<0.2	0.27	<5	60	<0.5	<5	0.52	<1	1	58	1	0.46	<1	0.24	11	0.06	379	<2	0.04	1	58	18	0.05	<5	<1	42	10	<0.01	<10	<10	<1	<10	32	8
133684	>200.0	0.25	9	51	<0.5	<5	0.14	88	2	91	180	0.86	2	0.25	<10	0.03	201	6	0.04	1	26	2362	0.75	19	<1	17	7	<0.01	<10	<10	<1	107	4365	8
133685	7.6	0.26	<5	47	<0.5	<5	0.11	2	<1	83	4	0.33	<1	0.29	11	0.02	166	<2	0.04	2	15	95	0.04	<5	<1	15	10	<0.01	<10	<10	<1	<10	179	6
133686	3.5	0.25	<5	42	<0.5	<5	0.46	1	<1	87	15	0.34	<1	0.28	13	0.01	260	<2	0.04	1	21	60	0.03	<5	<1	28	11	<0.01	<10	<10	<1	<10	96	7
133687	2.4	0.23	<5	41	<0.5	<5	0.70	1	<1	68	43	0.35	<1	0.26	14	0.01	287	<2	0.05	1	21	47	0.03	<5	<1	41	12	<0.01	<10	<10	<1	<10	76	7

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/shipment 23

Sample type: Core

Report No : 9V1309RJ

Date : Oct-15-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133688	2.3	0.27	<5	42	<0.5	<5	0.39	10	<1	89	50	0.36	<1	0.30	11	0.01	229	<2	0.05	1	18	416	0.10	<5	<1	26	13	<0.01	<10	<10	<1	11	725	6
133689	1.0	0.26	<5	43	<0.5	<5	0.66	2	1	73	2	0.47	<1	0.29	14	0.02	413	<2	0.05	2	42	70	0.05	<5	<1	33	14	<0.01	<10	<10	<1	<10	109	5
133690	1.1	0.24	<5	41	<0.5	<5	0.40	3	1	81	3	0.39	<1	0.27	11	0.01	335	<2	0.04	1	16	78	0.07	<5	<1	25	13	<0.01	<10	<10	<1	<10	254	5
133691	1.4	0.22	<5	36	<0.5	<5	0.66	1	<1	68	2	0.45	<1	0.25	15	0.01	298	<2	0.05	1	24	37	0.02	<5	<1	33	13	<0.01	<10	<10	<1	<10	39	6
133692	0.4	0.25	<5	74	<0.5	<5	0.61	1	1	82	6	0.48	<1	0.26	14	0.02	353	<2	0.05	2	44	54	0.03	<5	<1	31	12	<0.01	<10	<10	<1	<10	77	7
133693	0.7	0.24	<5	43	<0.5	<5	0.38	33	1	89	9	0.38	1	0.26	10	0.01	285	<2	0.04	2	16	652	0.16	<5	<1	27	11	<0.01	<10	<10	<1	39	2255	7
133694	0.3	0.25	<5	39	<0.5	<5	0.47	3	1	81	5	0.45	1	0.29	11	0.02	341	<2	0.04	2	18	114	0.05	<5	<1	35	10	<0.01	<10	<10	<1	<10	255	6
133695	4.1	0.26	<5	79	<0.5	<5	0.13	20	1	108	31	0.52	1	0.28	10	0.02	196	5	0.04	2	53	803	0.22	<5	<1	14	8	<0.01	<10	<10	<1	18	1320	6
133696	0.7	0.25	<5	40	<0.5	<5	0.60	1	<1	90	7	0.38	1	0.28	12	0.02	359	<2	0.04	2	20	2143	0.06	<5	<1	42	9	<0.01	<10	<10	<1	<10	91	7
133697	<0.2	0.25	<5	38	<0.5	<5	0.54	1	<1	83	1	0.49	1	0.24	13	0.03	377	<2	0.05	1	24	53	0.02	<5	<1	37	10	<0.01	<10	<10	<1	<10	51	8
133698	0.9	1.09	<5	164	1.0	11	1.72	7	9	30	68	2.52	1	0.42	13	0.67	1086	2	0.04	1	644	352	0.38	<5	2	129	7	<0.01	<10	<10	17	11	500	2
133699	1.0	1.03	<5	299	0.8	9	1.59	2	9	28	86	2.21	1	0.42	13	0.71	823	<2	0.03	1	686	47	0.29	<5	2	123	6	<0.01	<10	<10	14	<10	132	2
133700	0.2	0.01	<5	<10	<0.5	<5	>15.00	<1	1	3	1	0.47	<1	0.02	<10	13.28	197	<2	0.01	1	162	<2	0.43	<5	<1	56	<5	<0.01	13	15	2	<10	18	<1
133701	0.7	0.66	714	1246	0.5	15	0.73	4	8	61	36	3.59	2	0.15	17	0.37	480	5	0.01	34	946	157	0.22	658	5	219	7	<0.01	<10	<10	62	<10	251	13
133702	1.4	0.69	<5	261	<0.5	8	2.28	1	7	34	192	1.94	1	0.31	18	0.68	861	4	0.04	7	817	22	0.14	5	2	141	<5	<0.01	<10	<10	14	<10	60	4
133703	<0.2	0.78	<5	585	<0.5	8	2.61	1	7	46	3	1.96	1	0.26	19	0.66	449	3	0.04	7	791	13	0.07	<5	2	141	<5	<0.01	<10	<10	23	<10	38	6
133704	<0.2	0.89	<5	487	<0.5	9	2.07	1	6	52	5	2.06	<1	0.25	20	0.69	462	5	0.04	6	795	28	0.06	<5	2	117	6	<0.01	<10	<10	24	<10	50	6
133705	<0.2	1.03	<5	351	<0.5	9	2.26	1	7	58	16	2.22	<1	0.25	22	0.78	454	<2	0.05	6	845	108	0.07	5	2	122	8	0.01	<10	<10	27	<10	58	6
133706	<0.2	1.01	<5	158	<0.5	8	2.13	1	7	55	8	2.15	<1	0.27	23	0.74	398	<2	0.04	5	855	10	0.06	<5	2	111	9	<0.01	<10	<10	26	<10	42	6
133707	<0.2	1.01	<5	383	<0.5	8	2.04	2	7	48	7	2.05	1	0.27	22	0.70	466	<2	0.04	5	842	32	0.09	<5	2	104	9	<0.01	<10	<10	21	12	96	5
133708	0.2	0.78	<5	82	<0.5	7	1.83	1	6	56	40	1.78	1	0.28	20	0.58	532	<2	0.03	4	751	25	0.08	<5	1	115	8	<0.01	<10	<10	15	<10	43	5
133709	0.8	0.70	<5	542	<0.5	8	2.19	6	7	53	53	2.04	<1	0.30	16	0.64	632	<2	0.04	5	818	216	0.26	<5	1	159	8	<0.01	<10	<10	11	<10	371	5
133710	0.2	0.95	<5	438	<0.5	8	2.14	1	7	51	3	2.16	<1	0.24	23	0.74	411	<2	0.04	5	829	13	0.06	<5	2	129	8	0.01	<10	<10	25	<10	53	6
133711	0.2	0.84	<5	285	<0.5	9	1.87	3	7	46	22	2.08	<1	0.25	19	0.70	425	<2	0.04	5	818	263	0.12	<5	2	119	8	<0.01	<10	<10	21	<10	197	5
133712	<0.2	0.92	<5	368	<0.5	8	2.09	7	7	48	11	2.11	1	0.22	19	0.73	431	<2	0.04	5	827	65	0.09	<5	2	119	8	0.01	<10	<10	26	10	486	6
133713	<0.2	1.01	<5	493	<0.5	8	2.10	1	7	50	1	2.11	1	0.22	18	0.76	387	<2	0.05	5	825	35	0.06	5	2	103	9	0.02	<10	<10	26	<10	79	6
133714	<0.2	0.97	<5	549	<0.5	8	2.14	1	7	56	2	2.09	<1	0.23	22	0.74	378	<2	0.05	5	825	10	0.06	5	2	121	9	0.01	<10	<10	25	<10	71	6
133715	<0.2	0.90	<5	419	<0.5	8	2.10	3	6	46	8	1.96	<1	0.25	21	0.71	372	<2	0.04	5	810	79	0.06	<5	2	121	9	<0.01	<10	<10	21	<10	191	5
133716	0.3	0.77	<5	433	<0.5	7	1.78	3	6	53	32	1.87	<1	0.30	19	0.63	440	<2	0.03	5	819	198	0.16	<5	2	132	8	<0.01	<10	<10	13	<10	193	5
133717	0.6	0.69	<5	340	<0.5	8	2.20	16	7	48	27	2.05	<1	0.32	18	0.66	491	2	0.04	5	865	813	0.19	<5	2	177	7	<0.01	<10	<10	13	16	1054	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/shipment 23

Sample type: Core

Report No : **9V1309RJ**

Date : Oct-15-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133718	2.0	0.36	<5	82	<0.5	7	1.39	3	6	59	123	1.79	<1	0.33	15	0.51	535	2	0.02	3	825	538	0.22	<5	1	138	5	<0.01	<10	<10	3	<10	215	4
133719	6.3	0.34	<5	228	<0.5	6	0.99	3	5	63	125	1.56	<1	0.31	13	0.40	541	2	0.02	4	780	7961	0.39	5	1	114	<5	<0.01	<10	<10	3	<10	156	4
Duplicates:																																		
133628	0.2	2.40	32	141	<0.5	24	1.12	3	25	108	58	5.42	1	0.20	<10	1.72	455	2	0.04	149	1384	35	1.13	16	6	99	<5	<0.01	<10	<10	45	<10	166	2
133637	<0.2	2.12	8	125	0.5	19	0.34	3	16	10	9	4.38	<1	0.29	31	1.10	445	<2	0.01	6	133	15	0.08	8	2	33	6	<0.01	<10	<10	9	10	134	2
133647	0.8	1.11	5	140	0.7	11	2.01	3	7	14	22	2.52	1	0.41	20	0.65	1202	<2	0.02	<1	694	111	0.10	5	2	106	5	<0.01	<10	<10	14	<10	226	2
133650	0.6	0.96	<5	104	<0.5	9	2.35	4	8	45	19	2.15	1	0.23	15	0.75	568	<2	0.04	6	888	43	0.13	<5	3	117	<5	<0.01	<10	<10	26	<10	409	6
133659	<0.2	0.35	<5	40	<0.5	<5	1.04	1	2	60	1	1.02	<1	0.22	17	0.16	357	<2	0.04	2	248	17	0.07	<5	<1	65	15	<0.01	<10	<10	1	<10	27	9
133669	0.4	0.23	<5	36	<0.5	<5	0.56	3	1	75	15	0.50	<1	0.24	10	0.02	322	<2	0.05	1	29	56	0.08	<5	<1	45	16	<0.01	<10	<10	<1	<10	219	8
133672	<0.2	0.26	<5	31	<0.5	<5	0.57	1	<1	90	<1	0.45	<1	0.28	12	0.01	350	<2	0.05	1	20	45	0.03	<5	<1	43	20	<0.01	<10	<10	<1	<10	42	8
133681	2.0	0.60	7	90	0.7	11	2.10	6	8	30	57	2.79	2	0.32	13	0.62	2230	10	0.03	<1	561	139	0.27	<5	2	161	6	<0.01	<10	<10	9	<10	396	1
133691	<0.2	0.22	<5	36	<0.5	<5	0.65	1	<1	73	1	0.44	<1	0.25	15	0.01	295	<2	0.05	1	24	40	0.02	<5	<1	33	13	<0.01	<10	<10	<1	<10	37	6
133694	0.2	0.25	<5	38	<0.5	<5	0.47	3	1	80	5	0.47	<1	0.28	11	0.02	337	<2	0.04	2	19	114	0.05	<5	<1	33	10	<0.01	<10	<10	<1	<10	253	6
133703	<0.2	0.82	<5	577	<0.5	8	2.73	1	7	49	3	2.06	<1	0.28	20	0.70	469	4	0.04	7	818	13	0.07	<5	2	145	<5	<0.01	<10	<10	24	<10	39	6
133713	<0.2	1.02	<5	502	<0.5	8	2.14	1	7	53	1	2.15	<1	0.22	18	0.77	394	<2	0.05	5	831	39	0.06	5	2	102	9	0.02	<10	<10	27	<10	81	7
133716	0.5	0.72	<5	413	<0.5	8	1.70	3	6	49	31	1.81	<1	0.28	16	0.59	423	<2	0.03	5	799	200	0.16	<5	2	128	8	<0.01	<10	<10	12	<10	190	5
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.8	1.72	10	275	0.5	20	0.58	4	31	104	2028	4.83	<1	1.31	12	1.30	323	2	0.05	50	648	13	0.58	13	7	8	<5	0.18	<10	<10	72	<10	212	9

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1310-RA1

Oct-15-09

Company: **Ascot Resources Ltd**
Project: Dilworth/Shipment 23
Attn: Sue Deane

We *hereby certify* the following assay of 22 rocks samples submitted Sep-30-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
122825	1.16	7.6	1.4
122826	0.80	12.2	1.8
122827	0.58	8.4	2.1
122828	0.15	2.8	1.0
122829	2.91	19.5	2.7
122830	0.40	4.8	1.8
122831	0.40	5.3	2.0
122832	0.08	9.9	2.0
122833	0.03	4.9	1.9
122834	0.03	5.1	1.7
122835	0.04	9.1	2.4
122836	0.03	1.7	2.0
122837	3.22	24.5	2.7
122838	0.03	1.5	1.2
122839	0.10	1.7	1.5
122840	0.01	1.6	1.5
122841	0.04	1.4	1.5
122842	2.29	14.8	1.9
122843	0.70	8.7	2.5
122844	0.01	2.5	1.6
122845	<0.01	1.0	1.3
122846	0.01	0.9	1.9
*DUP 122825	1.05	7.3	
*DUP 122834	0.02	4.9	
*DUP 122844	0.02	2.5	
*0211	2.26		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1310-RA2

Oct-15-09

Company: **Ascot Resources Ltd**
Project: Dilworth/Shipment 23
Attn: Sue Deane

We *hereby certify* the following assay of 3 rocks samples submitted Sep-30-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
122847	0.07	1.1	2.0
122848	0.05	1.4	2.8
122849	0.04	1.6	1.5
*DUP 122847	0.05	1.0	
*0211	2.35		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/Shipment 23

Sample type: Rocks

Report No : **9V1310RJ**

Date : Oct-15-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
122825	7.6	1.20	148	329	<0.5	20	0.08	5	3	23	<1	4.39	2	0.27	11	0.57	697	<2	0.02	<1	1081	286	0.32	14	3	13	<5	<0.01	<10	<10	41	12	129	2
122826	12.2	0.98	75	285	<0.5	16	0.07	5	4	80	19	4.00	1	0.17	<10	0.58	1218	<2	0.01	2	629	389	0.32	6	2	15	<5	<0.01	<10	<10	42	11	355	2
122827	8.4	1.07	63	268	<0.5	34	0.07	7	3	39	17	4.60	1	0.20	<10	0.50	928	3	0.01	1	683	321	0.45	<5	2	8	<5	<0.01	<10	<10	46	13	336	2
122828	2.8	1.55	43	193	<0.5	27	0.10	5	3	44	7	4.31	1	0.16	10	0.98	1442	<2	0.01	<1	789	152	0.21	<5	3	12	<5	<0.01	<10	<10	62	11	353	2
122829	19.5	0.65	76	136	<0.5	38	0.72	37	6	67	107	3.82	1	0.20	<10	0.46	1832	<2	0.01	2	508	3373	2.13	<5	1	39	<5	<0.01	<10	<10	15	10	2720	1
122830	4.8	1.22	33	150	<0.5	33	0.63	8	8	54	37	4.00	<1	0.19	<10	0.87	1881	<2	0.01	1	696	280	1.20	<5	2	27	<5	<0.01	<10	<10	32	<10	600	1
122831	5.3	1.36	52	308	<0.5	<5	0.18	6	7	30	14	4.36	1	0.24	<10	0.91	1554	<2	0.01	1	992	212	0.49	<5	3	9	<5	<0.01	<10	<10	48	10	347	2
122832	9.9	0.37	80	333	<0.5	21	<0.01	4	2	12	<1	3.62	1	0.36	<10	0.05	97	4	0.01	<1	674	223	0.66	13	2	5	<5	<0.01	<10	<10	11	12	34	2
122833	4.9	0.45	160	230	<0.5	27	0.02	5	4	14	<1	4.81	7	0.33	<10	0.07	98	<2	0.01	<1	803	49	1.32	107	1	3	<5	<0.01	10	<10	13	14	51	2
122834	5.1	0.84	74	114	<0.5	27	0.11	5	10	10	<1	4.85	1	0.30	<10	0.38	273	<2	0.01	1	1043	32	2.53	7	2	4	<5	<0.01	<10	<10	22	10	106	3
122835	9.1	0.52	89	109	<0.5	20	0.05	5	8	13	<1	4.27	1	0.33	<10	0.11	105	4	0.01	<1	636	37	2.68	12	1	4	<5	<0.01	<10	<10	14	10	83	2
122836	1.7	1.87	89	140	<0.5	17	0.11	6	8	30	<1	5.10	<1	0.23	<10	0.91	1436	<2	0.01	<1	755	175	0.42	<5	3	4	<5	<0.01	<10	<10	49	12	275	2
122837	24.5	1.05	389	94	<0.5	15	0.10	8	8	44	148	5.83	1	0.20	<10	0.45	1155	<2	0.01	1	583	2366	3.09	13	1	9	<5	<0.01	<10	<10	29	14	352	2
122838	1.5	0.96	81	220	<0.5	12	0.35	4	5	27	1	2.57	<1	0.33	<10	0.30	1267	<2	0.01	1	1023	120	0.75	<5	2	14	<5	<0.01	<10	<10	23	<10	326	1
122839	1.7	1.23	56	247	<0.5	8	0.21	4	5	24	3	3.04	<1	0.38	10	0.38	1021	<2	0.01	1	1225	104	0.62	<5	2	8	<5	<0.01	<10	<10	29	<10	280	1
122840	1.6	1.33	55	237	<0.5	31	0.18	4	6	21	2	3.38	<1	0.35	10	0.44	881	<2	0.01	1	1113	98	0.60	<5	2	8	<5	<0.01	<10	<10	32	<10	261	1
122841	1.4	0.96	48	215	<0.5	10	0.11	3	2	32	10	2.78	<1	0.30	10	0.31	623	<2	0.01	1	896	102	0.09	<5	2	10	<5	<0.01	<10	<10	31	<10	128	1
122842	14.8	1.22	48	213	<0.5	13	0.13	6	7	23	164	3.39	<1	0.32	<10	0.45	956	<2	0.01	1	1011	1015	0.80	6	2	5	<5	<0.01	<10	<10	27	<10	266	2
122843	8.7	1.23	115	192	<0.5	16	0.18	5	9	25	286	4.20	1	0.35	<10	0.44	1221	<2	0.01	1	938	536	1.63	6	2	7	<5	<0.01	<10	<10	29	<10	265	2
122844	2.5	1.23	35	202	<0.5	16	0.30	5	5	24	24	3.02	<1	0.31	<10	0.48	1154	<2	0.01	1	1016	642	0.32	<5	2	14	<5	<0.01	<10	<10	27	<10	355	1
122845	1.0	1.58	40	226	<0.5	26	0.31	5	7	15	5	3.73	<1	0.38	11	0.58	1405	<2	0.01	1	1282	81	0.60	<5	3	12	<5	<0.01	<10	<10	42	<10	287	2
122846	0.9	1.24	34	214	<0.5	30	0.14	4	3	23	3	3.32	<1	0.29	11	0.45	1089	<2	0.01	<1	1112	94	0.11	<5	2	9	<5	<0.01	<10	<10	40	<10	120	2
122847	1.1	1.32	66	323	<0.5	7	0.20	3	10	23	1	4.04	<1	0.45	10	0.41	1487	<2	0.01	1	1390	20	0.33	5	3	10	<5	<0.01	<10	<10	29	<10	74	2
122848	1.4	1.28	101	251	<0.5	19	0.22	3	5	22	6	3.76	<1	0.38	11	0.46	737	<2	0.01	<1	1423	43	0.72	7	2	7	<5	<0.01	<10	<10	27	10	87	2
122849	1.6	1.24	76	226	<0.5	7	0.18	3	9	26	3	3.76	<1	0.37	10	0.44	716	<2	0.01	1	1196	33	0.76	5	2	7	<5	<0.01	<10	<10	29	<10	113	2
Duplicates:																																		
122825	7.3	1.21	153	343	<0.5	25	0.08	5	3	23	<1	4.59	1	0.28	11	0.58	720	<2	0.02	<1	1110	296	0.33	15	3	13	<5	<0.01	<10	<10	42	13	133	2
122834	4.9	0.84	76	124	<0.5	19	0.11	5	10	11	<1	4.94	1	0.32	<10	0.39	276	<2	0.01	1	1019	32	2.46	7	2	4	<5	<0.01	<10	<10	22	11	104	3
122844	2.5	1.26	36	213	<0.5	25	0.30	5	5	25	25	3.05	<1	0.33	<10	0.49	1167	<2	0.01	1	1010	652	0.32	<5	2	14	<5	<0.01	<10	<10	29	<10	353	1
122847	1.0	1.32	66	312	<0.5	10	0.19	4	10	21	<1	4.00	<1	0.44	10	0.42	1481	<2	0.01	1	1405	19	0.33	5	3	9	<5	<0.01	<10	<10	28	<10	73	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/Shipment 23

Sample type: Rocks

Report No : **9V1310RJ**

Date : Oct-15-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	2.1	1.79	10	308	1.1	<5	0.63	6	32	115	2134	5.19	<1	1.47	14	1.30	376	<2	0.05	59	707	15	0.67	<5	8	8	<5	0.20	<10	<10	88	<10	225	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1320-RA1

Oct-16-09

Company: **Ascot Resources**
Project: Dilworth/shipment(40 bags)
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-01-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133720	<0.01	0.2	2.0
133721	0.01	0.4	1.8
133722	0.03	0.4	2.3
133723	<0.01	0.3	2.5
133724	0.01	1.3	1.5
133725	<0.01	2.7	1.4
133726	<0.01	2.0	1.5
133727	<0.01	2.0	1.5
133728	0.01	1.7	1.7
133729	0.01	2.3	1.3
133730	<0.01	0.7	1.8
133731	<0.01	<0.1	1.6
133732	0.01	<0.1	1.8
133733	<0.01	<0.1	1.5
133734	0.01	0.3	1.6
133735	0.01	0.2	1.5
133736	<0.01	<0.1	1.6
133737	0.01	0.4	1.5
133738	<0.01	0.4	1.5
133739	<0.01	<0.1	1.5
133740	<0.01	<0.1	0.3
133741	3.66	1.2	
*DUP 133720	<0.01	0.2	
*DUP 133729	0.01	2.0	
*DUP 133739	<0.01	<0.1	
*0211	2.21		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1320-RA2

Oct-16-09

Company: **Ascot Resources**
Project: Dilworth/shipment(40 bags)
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-01-09

Sample Name	Au g/tonne	Ag g/tonne	Ag g/tonne	Sample-wt Kg
133742	<0.01	0.5		1.3
133743	<0.01	<0.1		1.7
133744	<0.01	0.2		1.7
133745	0.04	11.1		1.0
133746	1.47	>200.0	407.1	0.9
133747	0.01	9.2		0.6
133748	0.01	3.8		0.6
133749	0.01	5.1		0.6
133750	0.01	6.2		0.7
133751	<0.01	1.7		1.6
133752	<0.01	0.4		1.5
133753	<0.01	1.5		1.6
133754	<0.01	0.3		1.6
133755	<0.01	<0.1		1.6
133756	<0.01	0.2		1.5
133757	<0.01	<0.1		0.6
133758	<0.01	<0.1		0.3
133759	<0.01	<0.1		1.8
133760	<0.01	0.7		1.7
133761	<0.01	0.2		1.8
133762	<0.01	<0.1		1.6
133763	<0.01	<0.1		1.8
*DUP 133742	<0.01	0.4		
*DUP 133751	0.02	1.7		
*DUP 133761	<0.01	0.1		
*0211	2.15			
*AC 0501			224.3	
*BLANK	<0.01		<0.1	

Au F.A. AA finish.Ag read from ICP solution. Over limit Ag 4 Acid Digest AA finish

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1320-RA3

Oct-16-09

Company: **Ascot Resources**
Project: Dilworth/shipment(40 bags)
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-01-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133764	<0.01	<0.1	1.5
133765	0.01	2.3	1.7
133766	<0.01	1.2	1.7
133767	10.01	<0.1	1.5
133768	<0.01	1.1	1.5
133769	<0.01	1.7	1.7
133770	<0.01	0.7	1.5
133771	<0.01	0.5	1.4
133772	0.02	2.1	1.5
133773	0.01	1.9	1.4
133774	0.05	7.4	1.9
133775	<0.01	1.0	1.6
133776	0.01	3.3	1.6
133777	<0.01	0.7	1.7
133778	<0.01	0.7	1.8
133779	0.01	6.0	1.4
133780	<0.01	1.2	2.3
133781	<0.01	<0.1	1.1
133782	<0.01	0.4	1.8
133783	<0.01	<0.1	1.8
133784	0.01	<0.1	2.0
133785	<0.01	<0.1	1.6
*DUP 133764	<0.01	<0.1	
*DUP 133773	0.02	2.2	
*DUP 133783	<0.01	<0.1	
*0211	2.25		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1320-RA4

Oct-16-09

Company: **Ascot Resources**
Project: Dilworth/shipment(40 bags)
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-01-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133786	<0.01	<0.1	1.8
133787	<0.01	<0.1	1.9
133788	<0.01	<0.1	1.8
133789	<0.01	<0.1	1.5
133790	<0.01	<0.1	1.9
133791	<0.01	0.6	1.5
133792	<0.01	0.5	1.6
133793	<0.01	2.0	1.7
133794	<0.01	0.1	2.2
133795	0.01	1.4	1.7
133796	<0.01	1.1	1.8
133797	<0.01	0.2	1.7
133798	<0.01	0.2	0.8
133799	<0.01	<0.1	1.4
133800	0.27	0.9	
133801	<0.01	<0.1	1.5
133802	<0.01	0.4	1.7
133803	<0.01	<0.1	1.5
133804	<0.01	<0.1	1.6
133805	<0.01	0.4	1.4
133806	<0.01	0.2	1.6
133807	<0.01	<0.1	1.5
*DUP 133786	<0.01	<0.1	
*DUP 133795	0.01	1.4	
*DUP 133805	<0.01	0.5	
*0211	2.21		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1320-RA5

Oct-16-09

Company: **Ascot Resources**
Project: Dilworth/shipment(40 bags)
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-01-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133808	<0.01	0.2	1.8
133809	<0.01	<0.1	1.9
133810	<0.01	0.2	2.2
133811	0.04	4.7	1.7
133812	0.03	2.5	1.5
133813	<0.01	<0.1	2.6
133814	0.07	3.2	1.6
133815	0.18	2.4	1.5
133816	0.18	1.0	1.8
133817	0.05	1.0	1.8
133818	0.05	2.0	1.5
133819	0.11	2.1	1.5
133820	0.29	3.2	1.7
133821	0.06	3.9	1.8
133822	0.04	1.1	1.5
133823	0.28	2.7	0.9
133824	0.13	1.0	1.1
133825	0.08	1.1	1.9
133826	3.39	3.7	1.8
133827	0.08	1.6	1.5
133828	0.07	2.1	1.9
133829	0.09	1.5	1.5
*DUP 133808	<0.01	0.2	
*DUP 133817	0.06	0.9	
*DUP 133827	0.07	1.6	
*0211	2.03		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1320-RA6

Oct-16-09

Company: **Ascot Resources**
Project: Dilworth/shipment(40 bags)
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-01-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133830	0.04	2.1	1.4
133831	0.03	2.0	1.9
133832	0.06	2.6	1.5
133833	1.07	4.7	1.5
133834	0.96	2.1	1.5
133835	1.24	1.9	0.9
133836	0.05	4.2	1.0
133837	0.13	3.6	1.5
133838	0.27	2.2	1.7
133839	<0.01	0.1	1.6
133840	<0.01	<0.1	0.2
133841	<0.01	<0.1	1.5
133842	<0.01	<0.1	1.0
133843	1.98	5.4	1.3
133844	<0.01	<0.1	1.5
133845	<0.01	<0.1	1.6
133846	<0.01	0.2	1.6
133847	0.01	<0.1	1.8
133848	<0.01	<0.1	1.7
133849	0.01	<0.1	1.5
133850	0.01	<0.1	1.5
133851	0.01	<0.1	1.7
*DUP 133830	0.05	2.2	
*DUP 133839	0.01	<0.1	
*DUP 133849	<0.01	<0.1	
*0211	2.21		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

*Certified by*_____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1320-RA7

Oct-16-09

Company: **Ascot Resources**
Project: Dilworth/shipment(40 bags)
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-01-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133852	<0.01	<0.1	1.4
133853	<0.01	<0.1	1.5
133854	<0.01	0.1	1.6
133855	<0.01	0.1	1.4
133856	<0.01	<0.1	1.7
133857	<0.01	<0.1	1.8
133858	0.11	9.0	1.8
133859	0.68	7.2	1.7
133860	0.28	0.9	
133861	0.49	6.0	1.6
133862	0.49	12.5	1.6
133863	0.92	3.6	1.8
133864	2.85	2.2	1.5
133865	<0.01	<0.1	1.7
133866	0.87	3.7	1.1
133867	7.98	14.2	1.4
133868	0.50	2.3	1.9
133869	0.32	2.4	1.9
133870	0.15	1.0	1.8
133871	0.29	2.7	1.6
133872	0.24	5.0	1.5
133873	0.20	10.6	1.5
*DUP 133852	0.01	<0.1	
*DUP 133861	0.48	5.9	
*DUP 133871	0.30	2.8	
*0211	2.14		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1320-RA8

Oct-16-09

Company: **Ascot Resources**
Project: Dilworth/shipment(40 bags)
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-01-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133874	3.39	8.6	1.5
133875	0.51	11.9	1.5
133876	0.07	1.4	1.1
133877	0.26	4.1	0.8
133878	0.01	<0.1	3.0
133879	0.89	8.5	1.3
133880	3.50	1.7	
133881	1.72	5.3	1.3
133882	0.61	5.5	1.9
133883	0.65	6.7	1.6
133884	0.26	12.8	1.8
133885	0.48	29.3	1.7
133886	0.19	3.0	1.6
133887	0.44	3.6	1.7
133888	0.46	2.8	1.5
133889	0.17	2.1	1.7
133890	0.49	2.9	1.6
133891	0.58	4.3	1.8
133892	0.73	6.6	2.0
133893	0.35	3.0	1.7
133894	0.45	2.5	1.7
133895	0.66	53.6	1.7
*DUP 133874	3.26	9.9	
*DUP 133883	0.58	6.7	
*DUP 133893	0.37	3.5	
*0211	2.29		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1320-RA9

Oct-16-09

Company: **Ascot Resources**
Project: Dilworth/shipment(40 bags)
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-01-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133896	0.65	9.0	1.8
133897	0.18	3.8	1.5
133898	0.09	1.3	1.6
133899	0.07	2.8	1.6
133900	0.04	2.2	1.6
133901	0.95	8.7	1.4
133902	0.40	11.3	1.8
133903	0.17	6.3	1.2
133904	0.05	4.3	1.5
133905	0.14	8.7	1.8
133906	0.45	13.8	1.8
133907	1.88	11.5	1.8
133908	3.05	14.5	1.4
133909	1.50	1.9	1.2
133910	0.01	<0.1	1.4
133911	2.95	7.4	1.8
133912	1.68	6.3	1.8
133913	3.11	5.5	1.7
133914	9.48	14.3	1.6
133915	2.47	4.3	1.8
133916	10.86	18.3	1.8
133917	6.53	10.5	1.5
*DUP 133896	0.68	8.6	
*DUP 133905	0.16	7.9	
*DUP 133915	2.33	4.8	
*0211	2.25		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1320-RA10

Oct-16-09

Company: **Ascot Resources**
Project: Dilworth/shipment(40 bags)
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-01-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133918	0.07	2.5	1.6
133919	0.32	3.9	1.9
133920	0.10	2.9	1.7
133921	0.04	1.5	1.7
133922	0.08	1.9	1.6
133923	0.04	1.6	1.5
133924	0.18	3.2	1.5
133925	0.03	2.4	1.4
133926	0.07	1.5	1.5
133927	0.03	1.8	1.9
133928	0.04	2.1	1.5
133929	0.12	2.9	1.5
133930	0.07	2.8	1.4
133931	0.06	1.8	1.5
133932	0.03	1.0	1.9
133933	0.01	0.8	1.5
133934	0.13	2.9	1.6
133935	0.04	1.2	2.0
133936	0.02	1.2	1.8
133937	0.02	1.1	1.6
133938	0.03	1.4	1.7
133939	0.03	1.9	1.9
*DUP 133918	0.11	2.5	
*DUP 133927	0.01	1.7	
*DUP 133937	<0.01	1.1	
*0211	2.04		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Dilworth/shipment(40 bags)

Sample type: Core

Report No : 9V1320RJ

Date : Oct-16-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133720	0.2	0.93	20	108	<0.5	20	11.61	3	11	32	24	4.88	2	0.18	<10	3.35	2547	<2	0.02	56	1025	20	1.08	10	5	864	<5	<0.01	<10	13	18	<10	92	2
133721	0.4	1.85	49	132	<0.5	22	1.44	3	26	89	58	5.10	1	0.24	<10	1.24	616	2	0.03	141	1215	38	1.55	14	5	110	<5	<0.01	<10	<10	32	<10	146	2
133722	0.4	1.48	21	115	<0.5	17	2.57	3	12	55	25	4.15	1	0.22	<10	1.19	987	5	0.02	64	902	26	0.95	9	4	206	<5	<0.01	<10	<10	23	<10	150	1
133723	0.3	0.81	17	125	<0.5	12	2.56	3	5	38	12	2.73	1	0.24	<10	0.56	1070	8	0.03	17	556	18	1.19	8	3	234	<5	<0.01	<10	<10	9	<10	154	2
133724	1.3	0.95	22	121	<0.5	13	1.98	4	8	29	24	3.29	<1	0.22	<10	0.56	739	7	0.02	27	807	11	1.52	9	3	166	<5	<0.01	<10	<10	17	<10	150	2
133725	2.7	0.48	29	106	<0.5	14	2.07	6	7	56	29	3.17	1	0.20	<10	0.59	827	11	0.02	45	1058	9	2.20	11	4	184	<5	<0.01	<10	<10	18	<10	165	2
133726	2.0	0.78	25	102	<0.5	13	1.45	5	7	41	32	3.11	<1	0.22	<10	0.36	585	9	0.02	39	735	23	1.64	9	3	136	<5	<0.01	<10	<10	18	<10	176	2
133727	2.0	0.57	30	104	<0.5	14	3.89	5	7	37	29	3.06	1	0.23	<10	0.48	1216	13	0.02	32	723	17	1.88	12	3	265	<5	<0.01	<10	<10	13	<10	158	2
133728	1.7	0.43	33	85	<0.5	17	3.12	5	9	18	26	3.96	1	0.25	<10	0.45	1058	8	0.02	29	1389	32	3.00	15	6	210	<5	<0.01	<10	<10	8	<10	197	2
133729	2.3	1.76	11	93	<0.5	22	0.78	4	14	27	5	4.78	<1	0.27	16	0.96	703	<2	0.01	12	438	33	0.13	8	3	52	<5	<0.01	<10	<10	7	<10	179	2
133730	0.7	1.87	11	103	<0.5	18	3.25	3	14	10	92	4.01	2	0.27	37	1.14	3155	<2	0.01	3	235	25	0.11	8	3	238	6	<0.01	<10	<10	9	<10	218	2
133731	<0.2	1.86	6	157	<0.5	19	1.50	3	12	11	6	3.76	1	0.34	24	0.95	1033	<2	0.01	8	200	9	0.14	8	2	135	<5	<0.01	<10	<10	7	<10	168	2
133732	<0.2	2.25	5	124	<0.5	21	0.30	3	14	11	8	4.61	<1	0.28	17	1.26	508	<2	0.01	10	135	12	0.03	8	2	28	<5	<0.01	<10	<10	10	<10	105	2
133733	<0.2	2.03	<5	137	<0.5	18	0.23	2	11	15	6	4.26	<1	0.29	16	1.22	350	<2	0.01	11	95	10	0.01	7	2	25	<5	<0.01	<10	<10	5	<10	66	2
133734	0.3	1.59	7	130	<0.5	13	0.78	4	11	18	21	3.36	<1	0.31	14	0.92	561	<2	0.01	7	91	10	0.07	6	2	53	<5	<0.01	<10	<10	7	<10	306	1
133735	0.2	1.48	<5	192	0.6	12	0.07	1	9	12	15	2.73	<1	0.37	<10	0.72	178	<2	0.01	3	43	8	0.01	5	1	11	<5	<0.01	<10	<10	10	<10	69	1
133736	<0.2	0.84	7	71	<0.5	8	1.60	2	6	49	4	1.84	1	0.14	28	0.56	832	<2	0.05	1	97	12	0.16	<5	2	152	6	<0.01	<10	<10	24	<10	189	2
133737	0.4	1.01	17	192	0.5	9	1.53	2	8	17	5	2.02	1	0.39	31	0.53	1135	2	0.02	1	191	32	0.27	5	1	144	8	<0.01	<10	<10	11	<10	177	3
133738	0.4	0.84	5	262	0.6	12	1.33	3	7	17	4	2.84	1	0.35	17	0.77	1110	<2	0.01	<1	649	24	0.05	<5	1	110	5	<0.01	<10	<10	6	<10	148	2
133739	<0.2	1.23	5	244	0.7	13	0.60	2	8	9	9	3.11	1	0.41	21	0.69	792	<2	0.02	<1	848	16	0.06	5	2	53	5	<0.01	<10	<10	14	<10	69	2
133740	<0.2	0.03	<5	16	<0.5	<5	>15.00	<1	1	3	1	0.45	<1	0.03	<10	13.46	190	<2	0.01	1	262	<2	0.46	<5	<1	57	<5	<0.01	13	13	2	<10	19	<1
133741	1.2	1.54	6299	77	<0.5	160	6.76	1	112	37	278	5.24	<1	0.20	10	0.53	854	28	0.07	64	819	20	0.94	21	3	63	<5	0.13	<10	<10	50	49	74	12
133742	0.5	1.56	7	184	0.7	25	0.82	4	10	12	9	3.11	<1	0.35	23	0.88	914	<2	0.02	2	1258	52	0.03	<5	2	79	5	<0.01	<10	<10	20	<10	102	2
133743	<0.2	1.57	8	216	0.7	10	0.59	3	9	10	2	2.73	<1	0.40	20	0.90	753	<2	0.02	1	784	16	0.02	<5	1	73	5	<0.01	<10	<10	18	<10	66	2
133744	0.2	1.37	9	237	0.7	6	0.86	3	8	15	7	2.61	<1	0.35	21	0.90	966	<2	0.02	2	807	14	0.03	<5	2	84	5	<0.01	<10	<10	16	<10	65	2
133745	11.1	0.39	12	84	0.5	7	0.41	11	4	52	79	1.04	<1	0.37	13	0.14	392	11	0.01	1	501	475	0.58	7	1	36	<5	<0.01	<10	<10	4	<10	700	1
133746	>200.0	0.21	27	38	<0.5	11	0.09	126	15	97	181	1.90	7	0.21	<10	0.04	92	48	0.01	4	192	6185	2.12	96	<1	9	<5	<0.01	<10	<10	2	<10	4943	1
133747	9.2	0.35	<5	201	0.5	8	0.46	6	4	65	49	0.88	<1	0.33	10	0.14	571	8	0.01	1	387	386	0.27	<5	1	31	<5	<0.01	<10	<10	5	<10	392	1
133748	3.8	0.33	<5	72	<0.5	12	0.61	4	3	64	22	0.96	<1	0.32	11	0.18	672	11	0.01	2	426	298	0.21	<5	1	40	<5	<0.01	<10	<10	4	<10	280	1
133749	5.1	0.42	<5	98	0.6	24	1.05	7	5	23	12	1.63	<1	0.42	15	0.34	1216	3	0.01	<1	632	174	0.20	<5	1	64	<5	<0.01	<10	<10	6	<10	407	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Dilworth/shipment(40 bags)

Sample type: Core

Report No : **9V1320RJ**

Date : Oct-16-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133750	6.2	0.37	9	512	0.6	17	0.95	17	7	28	26	1.77	<1	0.35	11	0.32	1322	19	0.02	1	633	655	0.49	<5	1	63	<5	<0.01	<10	<10	5	<10	1109	1
133751	1.7	0.39	5	569	0.7	15	0.86	5	6	15	6	2.17	<1	0.37	14	0.47	1082	2	0.02	1	633	124	0.24	<5	1	65	5	<0.01	<10	<10	7	<10	222	2
133752	0.4	0.43	<5	340	0.6	23	1.24	2	5	9	12	1.84	<1	0.44	17	0.42	857	<2	0.02	<1	682	17	0.14	<5	1	88	5	<0.01	<10	<10	7	<10	33	2
133753	1.5	0.47	<5	310	0.5	22	0.91	2	6	15	19	1.63	<1	0.46	15	0.31	632	4	0.02	1	639	54	0.27	<5	1	68	5	<0.01	<10	<10	6	<10	71	2
133754	0.3	0.47	<5	244	0.6	16	0.86	2	5	11	<1	1.58	<1	0.47	18	0.32	528	<2	0.02	1	625	14	0.11	<5	1	64	6	<0.01	<10	<10	6	<10	83	1
133755	<0.2	1.08	<5	215	0.6	24	2.97	2	7	15	<1	2.35	<1	0.36	21	0.56	1391	<2	0.04	1	601	12	0.08	<5	2	167	5	<0.01	<10	<10	20	<10	41	2
133756	0.2	1.11	5	151	0.7	20	2.37	2	9	15	<1	2.43	<1	0.35	20	0.51	1363	<2	0.04	2	648	16	0.17	<5	2	118	5	<0.01	<10	<10	22	<10	58	2
133757	<0.2	1.21	5	153	0.6	29	3.14	3	11	19	4	2.95	<1	0.32	20	0.52	1969	<2	0.04	1	619	6	0.15	<5	2	144	5	0.01	<10	<10	32	<10	53	2
133758	<0.2	0.04	<5	11	<0.5	67	>15.00	<1	1	1	<1	0.45	<1	0.03	<10	13.01	210	<2	0.01	1	145	<2	0.40	<5	<1	61	<5	<0.01	<10	<10	2	<10	19	<1
133759	<0.2	1.11	<5	888	0.6	30	2.70	2	8	24	<1	2.24	<1	0.31	20	0.83	497	<2	0.04	7	987	6	0.11	<5	3	177	<5	<0.01	<10	<10	32	<10	41	5
133760	0.7	0.91	<5	290	0.5	34	2.77	3	8	32	<1	2.13	<1	0.26	18	0.76	555	<2	0.04	7	932	19	0.10	<5	3	157	5	<0.01	<10	<10	27	<10	74	5
133761	0.2	0.89	<5	256	0.5	23	2.25	2	7	38	<1	2.12	<1	0.27	16	0.74	567	<2	0.04	7	903	25	0.09	<5	3	129	<5	<0.01	<10	<10	27	<10	60	5
133762	<0.2	0.92	<5	237	0.5	10	2.36	2	8	36	<1	2.11	<1	0.27	17	0.73	430	<2	0.03	7	897	8	0.08	<5	3	126	<5	<0.01	<10	<10	27	<10	40	5
133763	<0.2	1.04	<5	314	0.5	13	2.42	2	7	31	<1	2.15	<1	0.29	18	0.73	464	<2	0.04	7	913	9	0.10	<5	3	137	<5	<0.01	<10	<10	27	<10	38	5
133764	<0.2	1.02	<5	228	0.5	21	2.33	2	8	25	3	2.20	1	0.24	18	0.81	472	<2	0.04	7	939	13	0.10	<5	3	134	<5	<0.01	<10	<10	33	<10	49	5
133765	2.3	0.86	<5	360	0.8	20	2.29	3	7	15	21	2.07	<1	0.42	21	0.52	1492	<2	0.04	2	703	45	0.16	<5	2	142	6	<0.01	<10	<10	16	<10	137	2
133766	1.2	0.82	12	256	0.8	12	1.68	2	7	13	13	1.85	<1	0.39	18	0.29	839	<2	0.03	1	599	58	0.35	<5	2	126	6	<0.01	<10	<10	11	<10	69	1
133767	<0.2	0.91	8	281	0.9	19	2.57	2	6	7	<1	2.07	<1	0.46	21	0.31	774	<2	0.03	1	652	6	0.20	<5	2	170	6	<0.01	<10	<10	12	<10	42	1
133768	1.1	0.76	8	160	0.9	15	2.41	6	7	15	15	2.20	<1	0.39	18	0.37	1186	2	0.02	1	674	110	0.21	<5	2	138	5	<0.01	<10	<10	11	<10	280	2
133769	1.7	0.59	5	123	0.9	13	2.07	5	7	14	24	2.20	<1	0.38	14	0.59	2199	<2	0.02	1	594	148	0.16	<5	1	123	6	<0.01	<10	<10	7	<10	254	1
133770	0.7	0.52	<5	131	0.8	<5	1.84	3	6	8	11	1.97	<1	0.36	16	0.54	1180	<2	0.02	1	663	46	0.17	<5	2	153	6	<0.01	<10	<10	7	<10	109	2
133771	0.5	1.28	<5	140	0.8	28	2.65	6	16	25	8	4.45	<1	0.27	24	1.35	1334	<2	0.04	12	2447	49	0.11	<5	4	179	<5	<0.01	<10	<10	27	<10	177	4
133772	2.1	0.47	6	155	0.9	18	1.30	3	6	4	34	1.64	<1	0.46	16	0.36	797	<2	0.01	1	714	210	0.22	<5	2	122	7	<0.01	<10	<10	5	<10	239	1
133773	1.9	0.53	<5	153	1.0	11	1.26	4	5	4	4	1.24	<1	0.43	17	0.36	964	<2	0.01	1	676	117	0.13	<5	2	133	6	<0.01	<10	<10	5	<10	270	1
133774	7.4	0.54	6	171	0.9	12	1.55	9	7	8	47	1.94	<1	0.41	12	0.39	1505	2	0.01	1	569	610	0.53	<5	1	124	5	<0.01	<10	<10	5	<10	526	1
133775	1.0	0.90	<5	228	1.1	17	2.39	2	5	5	19	1.69	<1	0.48	16	0.46	1076	<2	0.02	1	667	49	0.15	<5	2	224	7	<0.01	<10	<10	9	<10	107	1
133776	3.3	0.73	5	240	0.9	8	1.50	8	6	6	2	1.87	<1	0.47	15	0.38	1078	<2	0.02	1	629	162	0.30	<5	2	103	7	<0.01	<10	<10	7	<10	464	1
133777	0.7	1.17	<5	182	0.9	18	1.97	2	7	7	24	2.11	<1	0.44	16	0.64	1034	<2	0.03	1	634	15	0.11	<5	2	151	7	<0.01	<10	<10	14	<10	89	2
133778	0.7	1.12	<5	150	1.2	23	1.73	4	6	7	<1	2.14	<1	0.43	21	0.61	1204	4	0.03	1	645	88	0.06	<5	2	138	8	<0.01	<10	<10	14	<10	193	2
133779	6.0	0.39	<5	52	0.6	5	0.55	5	2	23	<1	0.68	<1	0.36	10	0.13	551	3	0.03	1	168	335	0.19	<5	1	44	15	<0.01	<10	<10	2	<10	366	7

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Dilworth/shipment(40 bags)

Sample type: Core

Report No : **9V1320RJ**

Date : Oct-16-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133780	1.2	1.41	<5	149	0.9	37	3.73	6	17	40	8	4.44	<1	0.37	26	1.51	1708	<2	0.03	16	2720	45	0.17	<5	6	256	<5	<0.01	<10	<10	34	<10	197	3
133781	<0.2	1.09	5	160	1.0	25	2.75	3	8	31	<1	2.52	<1	0.32	20	0.75	847	3	0.04	6	1106	12	0.11	<5	3	173	9	0.01	<10	<10	22	<10	68	6
133782	0.4	0.30	<5	46	0.5	6	0.36	2	1	51	<1	0.47	<1	0.28	11	0.04	235	2	0.05	1	50	45	0.09	<5	<1	31	18	<0.01	<10	<10	1	<10	91	7
133783	<0.2	0.25	<5	35	<0.5	5	0.37	1	1	47	<1	0.45	<1	0.25	10	0.03	248	<2	0.06	1	21	20	0.07	<5	<1	29	19	<0.01	<10	<10	<1	<10	26	7
133784	<0.2	0.26	<5	40	0.6	12	0.69	1	1	50	<1	0.73	<1	0.24	16	0.06	332	<2	0.05	1	120	16	0.06	<5	1	46	17	<0.01	<10	<10	1	<10	16	8
133785	<0.2	0.36	<5	39	0.7	14	0.88	1	2	52	<1	1.01	<1	0.24	25	0.10	324	2	0.06	2	200	16	0.03	<5	1	54	19	<0.01	<10	<10	3	<10	21	10
133786	<0.2	0.32	<5	35	0.7	16	0.80	1	2	57	<1	0.96	<1	0.21	24	0.10	301	<2	0.05	1	190	16	0.03	<5	1	52	18	<0.01	<10	<10	3	<10	20	9
133787	<0.2	0.24	<5	41	0.6	11	0.76	1	2	49	<1	0.95	<1	0.22	22	0.09	305	<2	0.05	1	188	14	0.03	<5	1	50	17	<0.01	<10	<10	2	<10	17	7
133788	<0.2	0.26	<5	40	0.7	40	0.83	1	2	63	<1	0.99	<1	0.24	23	0.10	302	<2	0.05	1	196	16	0.03	<5	1	55	18	<0.01	<10	<10	2	<10	19	8
133789	<0.2	0.26	<5	43	0.7	21	1.08	1	2	54	<1	1.01	<1	0.24	23	0.08	335	<2	0.05	1	195	20	0.05	<5	1	70	18	<0.01	<10	<10	1	<10	17	9
133790	<0.2	0.22	<5	28	<0.5	<5	0.47	1	1	75	<1	0.55	<1	0.21	13	0.02	221	3	0.07	1	17	20	0.08	<5	1	36	21	<0.01	<10	<10	<1	<10	14	10
133791	0.6	0.28	<5	43	1.6	15	0.72	2	2	66	<1	0.95	<1	0.23	24	0.07	318	<2	0.06	3	165	21	0.09	<5	1	48	19	<0.01	<10	<10	2	<10	31	7
133792	0.5	0.25	<5	29	0.6	12	0.40	1	1	72	<1	0.68	<1	0.26	12	0.03	419	<2	0.05	1	37	65	0.09	<5	<1	29	19	<0.01	<10	<10	<1	<10	57	8
133793	2.0	0.24	<5	30	0.5	19	0.28	2	1	75	<1	0.47	<1	0.27	10	0.02	317	<2	0.05	2	14	127	0.08	<5	<1	22	18	<0.01	<10	<10	<1	<10	136	8
133794	<0.2	0.27	<5	33	0.6	18	0.59	1	1	70	<1	0.38	<1	0.30	12	0.02	311	<2	0.05	1	19	30	0.03	<5	<1	50	17	<0.01	<10	<10	<1	<10	26	7
133795	1.4	0.50	<5	166	1.3	24	0.91	3	3	10	19	1.19	<1	0.49	16	0.24	738	<2	0.01	<1	621	86	0.21	<5	1	114	6	<0.01	<10	<10	5	<10	122	1
133796	1.1	0.45	<5	143	1.0	39	1.34	3	4	10	17	1.26	<1	0.42	14	0.28	860	<2	0.01	<1	575	72	0.16	<5	1	141	5	<0.01	<10	<10	5	<10	117	1
133797	0.2	0.80	<5	336	1.2	32	2.69	2	5	5	<1	1.62	<1	0.51	17	0.37	942	<2	0.02	1	600	13	0.07	<5	2	273	7	<0.01	<10	<10	11	<10	50	1
133798	0.2	0.28	<5	52	0.5	20	0.64	<1	2	62	6	0.36	<1	0.27	13	0.03	346	<2	0.05	1	48	15	0.08	<5	<1	58	12	<0.01	<10	<10	1	<10	20	8
133799	<0.2	0.27	<5	59	0.5	13	0.59	<1	1	45	<1	0.42	<1	0.29	14	0.02	290	<2	0.05	1	24	22	0.03	<5	<1	55	11	<0.01	<10	<10	<1	<10	16	7
133800	0.9	0.64	720	1400	0.6	23	0.75	3	9	64	32	3.70	2	0.15	17	0.37	516	5	0.01	35	987	175	0.24	597	5	224	7	<0.01	<10	<10	67	<10	267	13
133801	<0.2	0.27	<5	43	0.5	14	0.57	<1	1	60	<1	0.42	<1	0.29	15	0.02	305	<2	0.06	1	21	25	0.02	<5	<1	39	13	<0.01	<10	<10	<1	<10	24	7
133802	0.4	0.25	<5	38	0.5	24	0.56	1	1	59	<1	0.41	<1	0.27	13	0.01	276	<2	0.05	1	18	48	0.06	<5	<1	38	14	<0.01	<10	<10	<1	<10	64	6
133803	<0.2	0.25	<5	34	<0.5	<5	0.67	<1	1	58	<1	0.40	<1	0.28	16	0.01	250	<2	0.06	1	21	26	0.03	<5	<1	42	15	<0.01	<10	<10	<1	<10	8	5
133804	<0.2	0.22	<5	33	<0.5	5	0.54	<1	1	55	<1	0.37	<1	0.26	16	0.01	228	<2	0.05	1	17	25	0.01	<5	<1	25	15	<0.01	<10	<10	<1	<10	11	6
133805	0.4	0.22	<5	32	0.5	18	0.60	<1	1	53	<1	0.40	<1	0.26	17	0.01	253	<2	0.05	1	19	26	0.01	<5	<1	30	15	<0.01	<10	<10	<1	<10	7	6
133806	0.2	0.20	<5	34	0.5	20	0.56	<1	1	52	<1	0.46	<1	0.23	16	0.01	273	<2	0.05	1	25	25	0.01	<5	<1	32	15	<0.01	<10	<10	<1	<10	9	6
133807	<0.2	0.24	<5	37	0.5	12	0.49	1	1	71	<1	0.53	<1	0.25	16	0.02	263	<2	0.06	2	32	25	0.02	<5	<1	31	13	<0.01	<10	<10	<1	<10	13	8
133808	0.2	0.59	<5	40	0.6	<5	1.16	2	5	68	<1	1.54	1	0.22	15	0.40	937	<2	0.05	14	271	49	0.04	<5	2	55	10	<0.01	<10	<10	14	<10	92	7
133809	<0.2	0.23	<5	42	0.5	5	0.59	1	1	52	<1	0.48	<1	0.22	13	0.04	323	<2	0.05	2	36	21	0.03	<5	<1	42	11	<0.01	<10	<10	1	<10	19	8

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Dilworth/shipment(40 bags)

Sample type: Core

Report No : **9V1320RJ**

Date : Oct-16-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133810	0.2	1.01	<5	268	0.7	17	2.60	3	6	12	6	1.56	<1	0.37	16	0.54	933	<2	0.03	1	554	49	0.08	<5	2	271	6	0.01	<10	<10	13	<10	124	2
133811	4.7	1.79	65	146	<0.5	13	0.29	7	19	22	1	5.30	1	0.28	<10	0.96	1160	5	0.01	2	939	46	1.31	<5	3	9	<5	<0.01	<10	<10	50	<10	248	2
133812	2.5	1.60	59	189	<0.5	10	0.61	6	17	20	1	4.55	1	0.32	<10	0.86	1174	2	0.01	2	1004	22	1.21	<5	3	29	<5	<0.01	<10	<10	40	<10	245	2
133813	<0.2	3.27	20	187	1.5	36	3.92	9	45	106	21	7.39	1	0.14	13	3.47	1246	<2	0.24	47	1362	6	0.20	<5	16	187	<5	0.21	<10	<10	143	<10	115	6
133814	3.2	1.80	58	175	<0.5	14	0.93	7	19	17	15	5.79	1	0.28	11	1.05	1695	<2	0.02	3	1422	34	1.59	<5	5	36	<5	0.01	<10	<10	67	<10	165	2
133815	2.4	1.58	45	165	<0.5	21	1.18	8	17	12	29	4.52	<1	0.30	10	0.82	2036	<2	0.02	2	1385	216	1.08	<5	4	46	<5	<0.01	<10	<10	54	<10	615	2
133816	1.0	2.14	54	148	<0.5	8	2.29	7	16	15	6	5.35	<1	0.28	11	1.19	2611	<2	0.03	4	1490	29	0.67	<5	6	97	<5	0.01	<10	<10	71	<10	257	2
133817	1.0	1.64	63	216	<0.5	31	1.84	5	14	12	12	4.16	<1	0.34	11	0.77	1916	<2	0.02	1	1382	15	0.59	<5	4	73	<5	<0.01	<10	<10	52	<10	139	2
133818	2.0	1.94	50	167	<0.5	16	2.39	6	16	7	24	5.23	<1	0.29	10	0.95	3016	<2	0.01	1	1434	18	0.74	<5	5	93	<5	<0.01	<10	<10	68	<10	109	2
133819	2.1	1.80	39	219	<0.5	13	0.88	6	17	6	5	5.00	<1	0.32	12	0.83	2403	<2	0.02	1	1552	16	0.68	<5	5	29	<5	<0.01	<10	<10	58	<10	189	2
133820	3.2	1.54	46	187	<0.5	9	1.00	7	20	16	12	5.28	1	0.24	<10	0.84	2808	6	0.02	1	1191	92	1.59	<5	4	34	<5	<0.01	<10	<10	66	<10	279	2
133821	3.9	1.73	62	250	<0.5	24	0.49	7	15	7	11	5.00	1	0.32	13	0.81	2331	<2	0.02	1	1540	41	0.74	<5	5	14	<5	<0.01	<10	<10	69	<10	309	2
133822	1.1	2.01	36	250	<0.5	12	0.99	7	15	6	7	5.27	<1	0.31	14	0.88	3211	<2	0.02	1	1629	14	0.35	<5	6	33	<5	<0.01	<10	<10	67	<10	201	2
133823	2.7	1.41	30	175	<0.5	12	1.60	13	15	24	25	4.21	1	0.27	<10	0.70	2892	<2	0.01	2	1093	339	1.12	<5	3	65	<5	<0.01	<10	<10	41	<10	1039	2
133824	1.0	1.90	37	230	<0.5	26	1.70	9	13	7	10	5.34	<1	0.32	12	0.86	3102	<2	0.02	1	1573	76	0.91	<5	5	63	<5	<0.01	<10	<10	66	<10	370	2
133825	1.1	1.29	172	155	<0.5	26	2.38	6	14	7	10	4.94	1	0.33	10	0.48	1667	<2	0.02	1	1460	12	2.39	7	3	75	<5	<0.01	<10	<10	38	<10	105	2
133826	3.7	1.50	60	196	<0.5	22	2.80	5	12	7	23	4.67	<1	0.32	10	0.66	2592	<2	0.02	1	1454	12	1.25	<5	4	92	<5	<0.01	<10	<10	46	<10	121	2
133827	1.6	1.29	60	220	<0.5	14	0.71	5	14	13	5	4.31	<1	0.32	10	0.57	1680	<2	0.01	1	1320	41	0.89	<5	3	27	<5	<0.01	<10	<10	37	<10	248	2
133828	2.1	0.88	131	140	<0.5	13	1.14	6	13	8	31	4.11	<1	0.35	<10	0.39	1000	<2	0.01	1	1395	98	1.82	6	3	47	<5	<0.01	<10	<10	27	<10	228	2
133829	1.5	0.81	73	226	<0.5	<5	0.73	4	12	19	7	3.37	<1	0.32	<10	0.44	1030	<2	0.01	1	1030	15	1.00	<5	2	29	<5	<0.01	<10	<10	23	<10	216	2
133830	2.1	0.71	45	138	<0.5	36	1.60	5	15	18	3	4.44	1	0.30	<10	0.68	1554	<2	0.01	1	1153	16	1.01	<5	4	57	<5	<0.01	<10	<10	23	<10	100	2
133831	2.0	1.76	50	181	<0.5	31	2.01	7	13	20	1	5.42	1	0.29	<10	1.15	1750	4	0.01	1	1102	25	1.08	<5	4	47	<5	<0.01	<10	<10	51	<10	255	2
133832	2.6	1.01	60	145	<0.5	21	1.19	7	15	19	3	4.47	1	0.30	10	0.68	1431	<2	0.01	1	1285	35	0.93	<5	4	39	<5	<0.01	<10	<10	30	<10	435	2
133833	4.7	1.16	56	168	<0.5	29	1.24	14	16	21	11	4.93	1	0.33	<10	0.87	1840	2	0.01	1	1138	110	1.17	<5	4	42	<5	<0.01	<10	<10	37	<10	872	2
133834	2.1	0.93	45	167	<0.5	23	0.78	11	15	25	6	4.65	1	0.33	10	0.71	1732	<2	0.02	1	1251	88	0.96	<5	4	34	<5	<0.01	<10	<10	30	<10	444	2
133835	1.9	1.68	29	74	<0.5	45	0.73	9	10	40	<1	5.34	1	0.20	<10	1.62	1826	<2	0.01	1	780	64	0.50	<5	3	31	<5	<0.01	<10	<10	51	11	902	2
133836	4.2	1.21	112	281	<0.5	20	0.33	10	15	41	2	4.81	1	0.25	<10	0.85	1435	2	0.01	3	1083	135	0.95	8	3	15	<5	<0.01	<10	<10	40	<10	715	2
133837	3.6	1.09	81	203	<0.5	31	0.51	10	13	59	7	3.81	1	0.22	<10	0.77	1334	<2	0.01	2	781	232	1.24	6	2	20	<5	<0.01	<10	<10	29	<10	559	2
133838	2.2	1.16	55	197	<0.5	26	0.59	12	9	69	3	3.68	1	0.20	<10	0.85	1534	2	0.01	2	723	195	1.26	<5	1	21	<5	<0.01	<10	<10	33	<10	809	2
133839	<0.2	2.12	17	1235	0.6	50	2.94	5	17	58	10	4.21	1	0.18	22	1.88	964	<2	0.04	18	1984	21	0.22	<5	5	110	<5	0.04	<10	<10	61	<10	159	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95ºC for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources
Attention: Sue Deane
Project: Dilworth/shipment(40 bags)
Sample type: Core

Report No : **9V1320RJ**
Date : Oct-16-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133840	<0.2	0.04	<5	20	<0.5	71	>15.00	<1	1	3	<1	0.57	<1	0.03	<10	13.02	277	<2	0.01	2	177	<2	0.44	<5	<1	63	<5	<0.01	<10	<10	3	<10	14	<1
133841	<0.2	2.51	16	483	1.5	53	3.38	6	27	64	8	5.49	1	0.09	28	2.27	930	<2	0.04	32	3148	17	0.14	<5	5	102	<5	0.19	10	<10	82	<10	139	8
133842	<0.2	2.66	14	821	1.9	42	2.99	7	30	62	9	6.19	1	0.11	26	2.50	959	<2	0.05	33	3264	10	0.13	<5	6	94	<5	0.26	10	<10	91	<10	150	9
133843	5.4	1.81	101	117	1.3	48	3.15	7	37	75	308	4.35	1	0.10	10	1.70	792	3	0.05	12	1275	41	0.59	<5	6	59	<5	0.22	<10	<10	76	<10	141	8
133844	<0.2	1.99	10	70	1.4	16	1.91	4	20	63	13	3.71	1	0.07	11	1.89	646	<2	0.07	13	1436	26	0.05	<5	5	70	<5	0.25	<10	<10	77	<10	107	8
133845	<0.2	1.92	7	72	1.3	24	1.88	4	20	73	9	3.63	1	0.08	10	1.74	668	<2	0.05	12	1477	14	0.04	<5	5	55	<5	0.21	<10	<10	73	<10	107	8
133846	0.2	1.98	6	143	1.2	22	1.95	4	20	65	20	3.36	<1	0.10	<10	1.85	644	<2	0.06	13	1475	4	0.04	<5	4	70	<5	0.19	<10	<10	61	<10	97	9
133847	<0.2	1.95	6	177	1.1	12	1.88	4	20	75	6	3.44	1	0.08	<10	1.88	646	<2	0.05	13	1496	4	0.04	<5	4	63	<5	0.18	<10	<10	61	<10	102	9
133848	<0.2	1.85	6	91	1.2	40	1.98	4	20	68	7	3.74	<1	0.07	10	1.83	699	<2	0.07	12	1507	21	0.04	<5	5	59	<5	0.20	<10	<10	77	<10	103	8
133849	<0.2	1.77	6	63	1.1	52	2.22	4	19	74	5	3.75	1	0.06	10	1.78	644	<2	0.07	13	1558	19	0.05	<5	5	62	<5	0.19	<10	<10	84	<10	77	7
133850	<0.2	1.75	6	69	1.2	22	2.11	4	18	64	9	3.67	1	0.06	11	1.65	574	<2	0.13	11	1460	17	0.05	<5	6	84	<5	0.21	<10	<10	89	<10	66	7
133851	<0.2	1.89	7	64	1.5	46	2.36	4	21	72	19	3.87	1	0.07	13	1.83	602	<2	0.12	12	1520	13	0.06	<5	8	88	<5	0.26	<10	<10	101	<10	74	8
133852	<0.2	1.88	<5	722	0.8	61	3.02	4	16	63	18	3.81	2	0.18	17	1.74	689	<2	0.07	12	1487	9	0.11	<5	7	110	<5	0.11	<10	<10	88	<10	90	5
133853	<0.2	1.84	<5	1102	0.5	22	3.05	4	14	69	20	3.81	1	0.15	17	1.71	710	<2	0.08	12	1477	8	0.11	<5	6	195	<5	0.04	<10	<10	85	<10	76	3
133854	<0.2	1.08	<5	537	<0.5	65	4.51	4	11	39	14	3.47	<1	0.34	20	1.21	1358	<2	0.04	9	1433	10	0.16	<5	5	243	<5	<0.01	<10	<10	41	<10	66	2
133855	<0.2	0.75	5	253	<0.5	64	3.57	4	13	32	11	3.23	<1	0.39	18	1.27	1324	2	0.02	9	1441	14	0.22	<5	3	217	<5	<0.01	<10	<10	23	<10	102	2
133856	<0.2	1.87	7	1305	0.7	54	3.24	5	16	59	18	3.88	1	0.20	15	1.74	748	<2	0.08	13	1510	8	0.14	<5	6	375	<5	0.08	<10	<10	87	<10	98	5
133857	<0.2	1.95	5	904	<0.5	43	4.04	4	15	50	14	3.60	<1	0.26	17	1.71	1442	<2	0.03	13	1452	3	0.21	<5	4	134	<5	<0.01	<10	<10	50	<10	128	2
133858	9.0	1.84	83	169	<0.5	56	1.13	12	16	25	47	5.33	1	0.35	11	1.05	2255	<2	0.01	2	1197	320	1.76	<5	3	41	<5	<0.01	<10	<10	53	<10	585	2
133859	7.2	1.84	49	140	<0.5	67	2.60	21	13	29	11	5.53	1	0.21	<10	1.17	3561	3	0.01	1	1146	612	1.89	5	3	95	<5	<0.01	<10	<10	74	<10	1432	2
133860	0.9	0.62	717	1392	0.6	18	0.76	3	9	64	34	3.77	2	0.15	16	0.37	526	5	0.01	35	985	168	0.24	595	5	227	7	<0.01	<10	<10	63	<10	280	13
133861	6.0	1.69	53	128	<0.5	60	4.26	10	10	23	34	5.70	1	0.18	<10	1.11	4202	3	0.01	1	903	227	2.06	6	3	137	<5	<0.01	<10	<10	56	10	509	2
133862	12.5	1.41	38	131	<0.5	47	0.66	37	11	33	626	4.88	2	0.27	<10	0.81	3007	<2	0.01	1	1073	1362	2.02	7	3	35	<5	<0.01	<10	<10	49	<10	2520	2
133863	3.6	1.81	35	206	<0.5	54	1.56	9	13	15	28	4.86	1	0.36	12	0.86	3406	<2	0.02	1	1403	110	1.04	<5	4	53	<5	<0.01	<10	<10	65	<10	747	2
133864	2.2	1.88	34	176	<0.5	35	2.86	10	13	15	36	5.07	<1	0.34	11	0.92	3912	<2	0.02	1	1381	127	0.96	<5	5	107	<5	<0.01	<10	<10	58	<10	472	2
133865	<0.2	2.22	5	790	1.3	49	3.70	6	24	45	24	5.80	1	0.17	22	2.01	1092	<2	0.09	13	2790	5	0.21	<5	6	125	<5	0.19	<10	<10	111	<10	129	9
133866	3.7	1.38	38	124	<0.5	36	2.18	14	8	48	60	3.78	1	0.25	<10	0.69	3365	<2	0.01	1	902	299	1.04	<5	2	81	<5	<0.01	<10	<10	36	<10	1281	2
133867	14.2	1.17	39	142	<0.5	44	1.47	99	8	40	170	3.75	5	0.27	<10	0.61	2959	<2	0.01	1	932	410	1.78	<5	2	55	<5	<0.01	<10	<10	34	<10	5293	2
133868	2.3	1.43	52	153	<0.5	52	1.70	11	10	32	35	4.11	1	0.31	<10	0.66	2616	<2	0.01	1	1214	207	1.06	<5	3	58	<5	<0.01	<10	<10	45	<10	704	2
133869	2.4	1.68	34	192	<0.5	24	1.10	9	11	22	45	4.43	<1	0.38	10	0.72	2670	<2	0.01	1	1374	94	0.80	<5	3	39	<5	<0.01	<10	<10	48	<10	715	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources
Attention: Sue Deane
Project: Dilworth/shipment(40 bags)
Sample type: Core

Report No : **9V1320RJ**
Date : Oct-16-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133870	1.0	1.78	20	177	<0.5	51	1.92	8	11	33	23	4.68	<1	0.29	11	1.05	2918	<2	0.02	3	1511	73	0.77	<5	4	74	<5	0.01	<10	<10	58	<10	455	3
133871	2.7	1.42	35	149	<0.5	48	2.37	12	10	28	36	4.07	<1	0.30	<10	0.75	2459	<2	0.01	1	1106	110	1.12	<5	3	71	<5	<0.01	<10	<10	43	<10	878	2
133872	5.0	1.49	65	146	<0.5	65	5.38	14	14	28	6	5.16	<1	0.26	<10	0.82	3852	<2	0.01	1	1133	278	1.98	5	3	112	<5	<0.01	<10	<10	43	<10	777	2
133873	10.6	1.42	64	173	<0.5	41	3.49	11	13	30	12	4.54	1	0.28	<10	0.76	3353	<2	0.01	1	1061	235	1.49	5	3	83	<5	<0.01	<10	<10	54	<10	671	2
133874	8.6	1.73	59	173	<0.5	35	0.94	13	19	21	9	5.63	1	0.31	10	0.91	2660	2	0.02	2	1287	189	1.89	<5	4	31	<5	<0.01	<10	<10	70	<10	528	2
133875	11.9	1.37	59	104	<0.5	32	3.18	27	16	50	373	5.06	2	0.20	<10	0.91	3976	2	0.01	1	711	2303	2.15	7	2	77	<5	<0.01	<10	<10	44	<10	2011	2
133876	1.4	1.76	35	375	<0.5	40	1.82	9	17	30	12	4.71	1	0.30	14	1.23	1581	<2	0.04	6	1828	134	0.87	<5	5	70	<5	0.01	<10	<10	61	<10	421	4
133877	4.1	1.25	85	219	<0.5	22	1.49	11	11	44	29	3.91	1	0.41	<10	0.50	1733	<2	0.01	1	1060	218	1.61	<5	2	34	<5	0.01	<10	<10	38	<10	863	2
133878	<0.2	2.21	10	663	1.5	57	3.47	7	26	43	23	5.55	<1	0.13	21	1.95	1119	<2	0.05	13	2689	11	0.15	<5	6	96	<5	0.23	<10	<10	108	<10	150	7
133879	8.5	0.57	78	150	<0.5	38	2.06	7	5	111	115	2.21	<1	0.20	<10	0.25	1805	<2	0.01	2	471	222	1.02	<5	1	63	<5	0.01	<10	<10	18	<10	534	1
133880	1.7	1.56	6260	83	0.7	206	6.89	2	109	39	294	5.35	<1	0.21	10	0.54	892	27	0.07	66	814	20	1.01	11	3	65	<5	0.12	<10	<10	57	<10	89	12
133881	5.3	0.62	103	154	<0.5	18	1.44	8	6	69	30	2.57	1	0.19	<10	0.29	1892	<2	0.01	2	610	143	1.28	<5	1	84	<5	<0.01	<10	<10	21	<10	561	1
133882	5.5	0.95	123	137	<0.5	31	2.06	9	9	53	9	3.39	1	0.30	<10	0.39	1843	<2	0.01	1	1007	174	1.49	8	2	51	<5	<0.01	<10	<10	32	<10	465	1
133883	6.7	0.99	120	166	<0.5	42	3.01	17	10	43	43	3.54	1	0.30	<10	0.41	2483	<2	0.01	2	1060	388	1.57	8	2	70	<5	<0.01	<10	<10	38	<10	838	2
133884	12.8	1.32	150	202	<0.5	52	1.74	20	14	31	36	3.90	1	0.40	11	0.55	2515	<2	0.01	1	1400	371	1.18	9	4	47	<5	<0.01	<10	<10	48	<10	754	2
133885	29.3	0.98	142	171	<0.5	32	2.30	15	11	47	50	3.90	1	0.35	<10	0.41	2095	<2	0.01	2	1180	348	1.91	9	2	67	<5	<0.01	<10	<10	28	<10	687	2
133886	3.0	1.37	89	180	<0.5	45	2.71	11	12	26	17	4.07	<1	0.40	10	0.56	2785	<2	0.01	1	1322	151	1.20	5	3	57	<5	<0.01	<10	<10	39	<10	606	2
133887	3.6	1.45	55	159	<0.5	50	2.12	12	10	34	73	3.88	1	0.34	10	0.61	2951	<2	0.01	2	1093	170	0.89	<5	3	51	<5	<0.01	<10	<10	41	<10	588	2
133888	2.8	1.44	50	201	<0.5	54	1.59	9	12	32	56	3.90	<1	0.35	11	0.64	2982	<2	0.01	1	1193	199	0.93	5	3	58	<5	<0.01	<10	<10	49	<10	595	2
133889	2.1	1.66	56	186	<0.5	48	1.60	8	15	30	18	4.79	<1	0.37	10	0.72	2713	<2	0.01	2	1200	111	1.40	<5	3	65	<5	<0.01	<10	<10	51	<10	489	2
133890	2.9	1.22	56	152	<0.5	47	2.56	9	9	36	20	3.51	<1	0.31	<10	0.51	2976	<2	0.01	1	1147	145	1.14	<5	3	89	<5	<0.01	<10	<10	35	<10	615	2
133891	4.3	0.78	48	145	<0.5	40	4.84	11	13	31	42	3.99	<1	0.32	<10	0.38	3016	<2	0.01	1	1060	223	2.37	<5	2	179	<5	<0.01	<10	<10	23	<10	663	2
133892	6.6	1.11	103	135	<0.5	35	0.92	22	16	45	123	5.21	1	0.33	<10	0.53	2180	<2	0.01	2	1233	567	2.71	5	2	39	<5	<0.01	<10	<10	34	<10	1175	2
133893	3.0	1.48	58	180	<0.5	32	0.65	12	12	31	17	4.30	1	0.35	<10	0.64	2137	<2	0.01	7	1350	154	1.10	<5	3	37	<5	<0.01	<10	<10	46	<10	675	2
133894	2.5	1.40	34	144	<0.5	37	1.15	8	11	35	11	3.50	<1	0.33	10	0.57	2193	<2	0.01	1	1200	74	0.41	<5	3	30	<5	<0.01	<10	<10	40	<10	669	1
133895	53.6	1.33	44	160	<0.5	41	3.06	13	9	39	100	3.77	1	0.32	<10	0.59	3310	<2	0.01	1	1078	323	0.88	13	3	81	<5	<0.01	<10	<10	46	<10	719	2
133896	9.0	1.31	75	175	<0.5	24	2.20	21	10	31	90	4.06	1	0.40	<10	0.54	2451	<2	0.01	1	1299	1237	1.43	7	3	49	<5	<0.01	<10	<10	38	<10	1416	2
133897	3.8	1.28	86	200	<0.5	32	2.49	12	14	21	17	3.67	1	0.42	<10	0.49	2302	<2	0.01	1	1293	238	1.19	5	3	55	<5	<0.01	<10	<10	38	<10	571	2
133898	1.3	0.59	24	80	<0.5	28	1.78	3	6	9	4	1.84	<1	0.19	<10	0.22	1314	<2	<0.01	<1	618	33	0.60	<5	1	53	<5	<0.01	<10	<10	18	<10	175	1
133899	2.8	1.37	34	172	<0.5	33	2.04	9	11	17	25	3.70	<1	0.41	<10	0.53	2386	<2	0.01	1	1361	88	0.97	<5	3	45	<5	<0.01	<10	<10	38	<10	605	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Dilworth/shipment(40 bags)

Sample type: Core

Report No : **9V1320RJ**

Date : Oct-16-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133900	2.2	0.97	48	168	<0.5	46	3.40	6	10	25	3	3.29	<1	0.38	<10	0.35	2382	<2	0.01	1	1191	81	1.58	<5	3	67	<5	<0.01	<10	<10	31	<10	351	2
133901	8.7	0.91	102	129	<0.5	60	3.15	34	12	23	68	3.99	2	0.38	<10	0.36	2032	<2	0.01	1	1180	956	2.34	6	2	69	<5	<0.01	<10	<10	25	<10	2696	2
133902	11.3	0.32	129	128	<0.5	65	4.68	38	9	61	117	3.13	1	0.26	<10	0.22	2719	<2	0.01	2	730	1663	2.30	9	2	137	<5	<0.01	<10	<10	8	<10	2885	2
133903	6.3	0.41	160	143	<0.5	49	4.88	7	7	30	16	3.24	1	0.36	<10	0.40	3051	<2	0.01	1	947	201	1.59	12	3	178	<5	<0.01	19	<10	10	<10	443	2
133904	4.3	0.49	39	295	<0.5	43	2.94	7	9	30	10	3.41	<1	0.35	<10	0.49	3166	<2	0.01	1	1089	80	1.00	<5	3	88	<5	<0.01	<10	<10	14	<10	341	2
133905	8.7	0.79	60	202	<0.5	45	1.84	9	10	31	14	3.18	<1	0.42	<10	0.32	1840	<2	0.01	2	1056	128	1.36	<5	3	54	<5	<0.01	<10	<10	24	<10	516	2
133906	13.8	0.19	89	63	<0.5	37	6.01	10	5	85	26	2.18	<1	0.14	<10	0.18	4184	<2	0.01	3	391	320	1.48	5	1	283	<5	<0.01	<10	<10	7	<10	682	1
133907	11.5	0.58	72	105	<0.5	38	4.16	19	6	70	47	2.86	<1	0.23	<10	0.36	3210	<2	0.01	2	579	663	1.48	<5	2	179	<5	<0.01	<10	<10	17	<10	1786	1
133908	14.5	1.38	113	116	<0.5	44	2.52	37	12	36	8	5.95	1	0.28	<10	0.85	2935	<2	0.01	<1	976	2285	3.25	7	3	76	<5	<0.01	<10	<10	42	12	2741	2
133909	1.9	0.47	47	68	<0.5	24	1.75	7	5	8	<1	1.89	<1	0.21	<10	0.17	889	<2	<0.01	<1	658	92	1.42	<5	1	43	<5	<0.01	<10	<10	11	<10	490	1
133910	<0.2	2.01	7	1438	0.5	42	3.98	7	21	60	11	5.21	<1	0.25	32	2.32	1036	<2	0.04	31	3224	19	0.31	<5	6	266	<5	0.01	<10	<10	63	<10	175	7
133911	7.4	1.07	170	86	<0.5	67	3.26	19	10	26	18	5.03	<1	0.32	<10	0.63	2698	2	0.01	3	1020	291	3.55	5	3	95	<5	<0.01	<10	<10	47	12	1054	2
133912	6.3	2.57	33	137	<0.5	55	2.21	100	12	19	20	7.11	2	0.25	<10	1.64	5085	14	0.01	<1	1207	401	2.63	<5	4	66	<5	<0.01	<10	<10	84	13	5736	3
133913	5.5	1.35	131	86	<0.5	73	5.72	29	10	33	4	6.45	<1	0.21	<10	1.01	4618	4	0.01	1	924	218	3.53	8	2	219	<5	<0.01	12	<10	37	13	1773	2
133914	14.3	1.44	70	67	<0.5	71	1.89	150	10	43	45	6.90	3	0.27	<10	0.86	3495	50	0.01	1	738	279	4.81	<5	2	60	<5	<0.01	<10	<10	51	17	7105	3
133915	4.3	1.10	63	113	<0.5	45	2.59	57	10	56	7	5.41	1	0.23	<10	0.71	3378	34	0.01	<1	757	169	3.28	<5	2	93	<5	<0.01	<10	<10	46	11	3806	2
133916	18.3	0.46	90	97	<0.5	75	6.45	187	8	52	69	4.10	4	0.20	<10	0.25	4024	18	0.01	1	336	2382	4.31	6	1	196	<5	<0.01	<10	<10	21	<10	6837	2
133917	10.5	0.34	58	83	<0.5	44	5.30	100	6	73	31	2.64	2	0.15	<10	0.22	3182	7	0.01	1	302	771	2.40	<5	1	183	<5	<0.01	<10	<10	17	<10	5247	1
133918	2.5	1.16	93	167	<0.5	56	2.42	12	12	25	3	3.95	1	0.31	<10	0.68	2514	<2	0.01	1	1353	303	2.21	5	2	89	<5	<0.01	<10	<10	24	<10	1082	2
133919	3.9	0.75	270	81	<0.5	41	2.23	22	14	20	4	4.99	2	0.37	<10	0.31	1567	2	0.01	1	1349	285	3.96	12	2	63	<5	<0.01	<10	<10	15	<10	1678	2
133920	2.9	1.19	105	178	<0.5	47	3.35	40	14	22	11	4.59	2	0.32	<10	0.73	2622	3	0.01	1	1317	521	2.40	6	2	112	<5	<0.01	<10	<10	25	<10	3084	2
133921	1.5	1.45	99	206	<0.5	42	2.87	7	14	15	<1	4.22	1	0.40	<10	0.73	2296	2	0.01	1	1524	121	1.92	6	3	83	<5	<0.01	<10	<10	26	<10	487	2
133922	1.9	1.54	66	204	<0.5	50	2.63	12	13	17	<1	4.11	1	0.38	<10	0.91	2616	<2	0.01	1	1556	241	1.70	6	3	96	<5	<0.01	<10	<10	25	<10	912	2
133923	1.6	1.65	61	140	0.5	38	1.86	8	15	8	<1	5.09	<1	0.42	<10	1.15	2639	2	0.01	1	1547	132	2.45	<5	3	89	<5	<0.01	<10	<10	26	<10	332	2
133924	3.2	0.91	220	53	<0.5	50	2.55	10	14	14	1	5.31	1	0.37	<10	0.72	2870	2	0.01	<1	1405	188	3.60	6	3	107	<5	<0.01	<10	<10	19	<10	486	2
133925	2.4	1.20	136	177	<0.5	40	5.02	6	14	10	5	4.57	<1	0.40	<10	0.71	2914	<2	0.01	1	1508	43	2.54	6	3	162	<5	<0.01	<10	<10	20	<10	143	2
133926	1.5	1.48	65	152	<0.5	37	3.32	6	15	11	8	4.85	1	0.35	<10	0.87	1800	2	0.01	1	1542	13	2.29	6	3	94	<5	<0.01	<10	<10	21	<10	113	2
133927	1.8	1.41	130	170	<0.5	72	4.86	5	13	9	4	4.86	1	0.37	<10	0.82	2169	<2	0.01	1	1459	14	2.42	<5	3	131	<5	<0.01	<10	<10	20	<10	77	2
133928	2.1	1.41	170	133	<0.5	29	2.67	6	14	5	2	5.15	1	0.27	<10	0.88	1380	<2	0.01	1	1553	165	2.56	5	2	67	<5	<0.01	<10	<10	21	<10	134	2
133929	2.9	1.13	180	109	<0.5	70	2.81	6	16	10	1	5.36	1	0.43	<10	0.57	1721	<2	0.01	1	1535	36	3.45	10	2	91	<5	<0.01	<10	<10	18	<10	102	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Dilworth/shipment(40 bags)

Sample type: Core

Report No : **9V1320RJ**

Date : Oct-16-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133930	2.8	1.36	219	136	0.5	48	2.22	6	16	10	8	5.42	1	0.38	<10	0.71	1524	<2	0.01	1	1559	20	2.99	9	3	60	<5	<0.01	<10	<10	21	<10	108	2
133931	1.8	1.47	138	176	0.5	76	3.07	5	15	9	11	4.49	<1	0.41	<10	0.75	2111	<2	0.01	1	1600	14	2.02	5	3	89	<5	<0.01	<10	<10	23	<10	122	2
133932	1.0	1.16	72	126	0.5	35	3.20	6	14	9	2	4.51	<1	0.38	<10	0.63	1705	<2	0.01	1	1638	31	2.82	<5	3	100	<5	<0.01	<10	<10	17	<10	148	2
133933	0.8	1.73	38	177	0.5	54	3.58	6	15	8	8	5.23	<1	0.40	<10	0.94	1742	<2	0.01	1	1628	10	2.11	<5	3	105	<5	<0.01	<10	<10	24	<10	104	2
133934	2.9	1.42	55	188	<0.5	60	3.92	8	12	23	11	4.19	<1	0.29	<10	0.81	2443	<2	0.01	<1	1276	302	1.51	<5	2	134	<5	<0.01	<10	<10	24	<10	551	2
133935	1.2	1.79	61	182	0.5	48	2.36	9	14	10	9	4.74	1	0.37	<10	0.99	1550	<2	0.01	1	1587	84	1.59	<5	3	72	<5	<0.01	<10	<10	23	<10	625	2
133936	1.2	1.57	73	149	<0.5	24	2.84	5	14	11	3	4.47	<1	0.30	<10	0.90	1602	<2	0.01	<1	1568	30	1.66	<5	2	68	<5	<0.01	<10	<10	19	<10	152	2
133937	1.1	2.01	49	200	0.5	78	2.74	6	16	10	6	5.09	<1	0.38	<10	1.14	2053	<2	0.01	<1	1669	10	1.28	<5	3	82	<5	<0.01	<10	<10	25	<10	116	2
133938	1.4	1.94	41	176	<0.5	46	3.21	5	15	10	<1	4.60	<1	0.31	<10	1.01	1774	<2	0.01	<1	1507	50	0.68	<5	3	79	<5	<0.01	<10	<10	24	<10	134	2
133939	1.9	1.61	73	226	<0.5	58	3.26	5	15	7	4	4.61	<1	0.43	<10	0.65	1970	<2	0.01	<1	1529	9	1.24	<5	3	95	<5	<0.01	<10	<10	26	<10	169	2
Duplicates:																																		
133720	0.2	0.95	23	114	<0.5	18	12.26	3	11	34	22	5.09	2	0.17	<10	3.54	2643	<2	0.02	63	1097	19	1.16	11	5	862	<5	<0.01	<10	12	19	13	99	2
133729	2.0	1.83	12	102	0.5	22	0.82	4	15	27	5	4.96	<1	0.30	17	1.02	717	<2	0.01	13	452	34	0.13	8	3	51	<5	<0.01	<10	<10	7	<10	177	2
133739	<0.2	1.28	5	262	0.7	12	0.61	2	8	9	9	3.19	<1	0.45	22	0.71	809	<2	0.02	<1	873	16	0.06	5	2	54	5	<0.01	<10	<10	14	<10	69	2
133742	0.4	1.60	6	196	0.7	24	0.85	4	10	13	8	3.21	<1	0.37	23	0.90	942	<2	0.02	1	1294	58	0.03	<5	2	80	6	<0.01	<10	<10	20	<10	101	2
133751	1.7	0.48	5	664	0.7	6	0.88	5	6	16	5	2.23	<1	0.41	18	0.49	1107	3	0.02	1	659	127	0.25	<5	1	69	5	<0.01	<10	<10	9	<10	221	2
133761	<0.2	0.94	<5	268	0.5	32	2.26	2	7	39	<1	2.15	<1	0.29	19	0.75	573	<2	0.04	7	921	25	0.09	<5	3	131	5	<0.01	<10	<10	28	<10	60	6
133764	<0.2	1.10	<5	241	0.5	13	2.47	2	8	27	3	2.49	<1	0.26	20	0.84	501	<2	0.04	7	959	14	0.10	<5	3	139	5	<0.01	<10	<10	36	<10	53	5
133773	2.2	0.59	<5	170	1.0	17	1.26	4	5	4	5	1.28	<1	0.49	19	0.37	953	<2	0.01	1	691	120	0.13	<5	2	135	7	<0.01	<10	<10	6	<10	273	1
133783	<0.2	0.27	<5	36	<0.5	<5	0.37	1	1	50	<1	0.44	<1	0.26	12	0.03	243	<2	0.06	1	22	20	0.07	<5	<1	29	20	<0.01	<10	<10	<1	<10	26	8
133786	<0.2	0.36	<5	37	0.7	14	0.85	1	2	62	<1	1.03	<1	0.23	26	0.10	318	<2	0.05	1	203	17	0.03	<5	1	54	20	<0.01	<10	<10	4	<10	20	10
133795	1.4	0.57	<5	172	1.3	12	0.88	3	3	11	19	1.17	<1	0.51	18	0.24	727	<2	0.01	<1	621	84	0.21	<5	1	115	6	<0.01	<10	<10	6	<10	117	1
133805	0.5	0.24	<5	32	0.5	9	0.61	<1	1	54	<1	0.40	<1	0.27	17	0.01	256	<2	0.06	1	18	26	0.01	<5	<1	31	15	<0.01	<10	<10	<1	<10	7	6
133808	0.2	0.59	<5	40	0.6	9	1.18	2	5	66	<1	1.57	<1	0.22	15	0.41	951	<2	0.05	14	275	50	0.04	<5	2	56	10	<0.01	<10	<10	14	<10	94	6
133817	0.9	1.57	70	232	<0.5	18	1.97	5	16	13	10	4.34	1	0.32	11	0.77	2020	<2	0.02	2	1542	17	0.63	<5	4	68	<5	<0.01	<10	<10	54	<10	144	2
133827	1.6	1.20	67	250	<0.5	23	0.73	6	15	15	10	4.98	3	0.31	10	0.62	1867	<2	0.01	1	1418	49	0.98	<5	3	25	<5	<0.01	<10	<10	40	<10	277	2
133830	2.2	0.79	48	155	0.5	32	1.66	5	16	18	2	4.59	<1	0.33	10	0.71	1603	<2	0.01	1	1223	16	1.04	<5	4	60	<5	<0.01	<10	<10	25	<10	106	2
133839	<0.2	2.21	19	1454	0.6	48	3.05	5	18	59	10	4.36	<1	0.21	24	1.92	989	<2	0.04	19	1971	22	0.23	<5	5	117	<5	0.05	<10	<10	64	<10	157	4
133849	<0.2	1.90	7	63	1.4	37	2.37	4	19	72	5	3.80	1	0.07	11	1.80	650	<2	0.08	12	1372	18	0.04	<5	6	73	<5	0.24	<10	<10	86	<10	73	8
133852	<0.2	1.89	5	739	0.9	48	3.05	4	16	64	17	3.87	<1	0.18	18	1.75	697	<2	0.07	13	1514	9	0.11	<5	7	110	<5	0.12	<10	<10	90	<10	96	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Dilworth/shipment(40 bags)

Sample type: Core

Report No : **9V1320RJ**

Date : Oct-16-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133861	5.9	1.72	55	147	<0.5	51	4.40	10	11	25	33	5.86	1	0.20	<10	1.13	4167	3	0.01	<1	912	234	2.12	6	3	139	<5	<0.01	<10	<10	58	<10	517	2
133871	2.8	1.41	35	154	<0.5	59	2.28	12	10	28	34	3.94	<1	0.31	<10	0.73	2361	<2	0.01	1	1092	106	1.10	<5	3	68	<5	<0.01	<10	<10	43	<10	846	2
133874	9.9	1.78	58	162	<0.5	25	0.95	13	19	20	9	5.76	1	0.33	11	0.93	2707	2	0.02	2	1327	184	1.92	<5	4	30	<5	<0.01	<10	<10	71	<10	531	3
133883	6.7	1.07	126	185	<0.5	41	3.11	18	11	45	45	3.66	2	0.31	<10	0.42	2553	<2	0.01	2	1169	409	1.64	9	3	73	<5	<0.01	<10	<10	41	<10	871	2
133893	3.5	1.60	62	206	<0.5	41	0.70	12	13	35	18	4.55	<1	0.39	11	0.67	2240	<2	0.01	1	1448	163	1.13	<5	3	39	<5	<0.01	<10	<10	50	<10	697	2
133896	8.6	1.36	66	175	<0.5	22	1.95	19	9	30	87	3.75	1	0.41	<10	0.51	2302	<2	0.01	1	1251	1146	1.39	6	3	46	<5	<0.01	<10	<10	39	<10	1344	2
133905	7.9	0.77	68	246	<0.5	43	2.00	9	10	36	17	3.30	<1	0.36	<10	0.30	1987	<2	0.01	1	1086	139	1.39	<5	3	55	<5	<0.01	<10	<10	27	<10	512	2
133915	4.8	1.20	63	110	<0.5	49	2.44	53	10	58	8	5.33	1	0.29	<10	0.71	3403	35	0.01	1	769	168	3.54	<5	2	92	<5	<0.01	<10	<10	49	12	4231	2
133918	2.5	1.24	98	175	<0.5	46	2.57	13	13	27	3	4.27	1	0.33	<10	0.72	2650	<2	0.01	1	1461	321	2.39	5	2	92	<5	<0.01	<10	<10	26	<10	1149	2
133927	1.7	1.37	127	181	<0.5	66	4.38	5	13	9	4	4.43	<1	0.39	<10	0.76	2086	<2	0.01	1	1449	14	2.39	<5	3	129	<5	<0.01	<10	<10	20	<10	77	2
133937	1.1	2.03	47	210	0.5	74	2.68	6	16	8	6	4.98	<1	0.40	<10	1.12	2010	<2	0.01	<1	1614	9	1.24	<5	3	81	<5	<0.01	<10	<10	25	<10	110	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.7	1.81	13	315	0.5	23	0.63	4	33	114	2079	5.09	<1	1.39	13	1.40	339	2	0.06	54	721	14	0.61	14	7	9	<5	0.21	<10	<10	79	<10	215	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1321-RA1

Oct-20-09

Company: **Ascot Resources**
Project: Dilworth/Shipment(40bags)
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-01-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133940	0.08	1.7	1.9
133941	0.40	3.2	1.7
133942	0.04	2.3	1.8
133943	<0.01	0.8	1.4
133944	4.51	4.4	1.5
133945	0.03	2.1	1.6
133946	0.01	1.6	1.4
133947	<0.01	1.7	1.3
133948	0.05	2.6	1.8
133949	0.03	1.0	1.5
133950	<0.01	0.8	1.7
133951	0.02	0.6	1.8
133952	0.50	2.6	1.7
133953	0.11	1.7	1.7
133954	0.19	2.6	1.5
133955	0.04	2.2	1.6
133956	0.03	3.6	1.0
133957	0.03	2.3	1.8
133958	0.09	4.9	1.7
133959	0.03	2.7	1.8
133960	<0.01	<0.1	0.4
133961	0.02	0.6	2.0
*DUP 133940	0.09	1.8	
*DUP 133949	0.02	0.9	
*DUP 133959	0.03	2.9	
*0211	2.19		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

*Certified by*_____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1321-RA2

Oct-20-09

Company: **Ascot Resources**
Project: Dilworth/Shipment(40bags)
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-01-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133962	0.19	1.5	1.8
133963	0.04	1.4	1.8
133964	0.22	2.9	1.4
133965	0.23	1.9	1.9
133966	0.50	2.2	1.6
133967	0.21	1.0	1.9
133968	3.15	3.4	1.8
133969	7.53	8.0	1.9
133970	0.22	3.1	1.5
133971	0.09	1.9	2.0
133972	0.75	4.0	2.1
133973	3.18	6.1	2.1
133974	4.10	5.3	1.9
133975	0.64	1.5	1.9
133976	0.56	1.8	1.4
133977	1.37	2.4	2.1
133978	0.11	0.9	1.8
133979	0.16	2.8	1.6
133980	0.31	0.2	
133981	<0.01	<0.1	1.9
133982	<0.01	<0.1	1.7
133983	<0.01	<0.1	1.5
*DUP 133962	0.14	1.3	
*DUP 133971	0.07	1.8	
*DUP 133981	<0.01	<0.1	
*0211	2.21		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1321-RA3

Oct-20-09

Company: **Ascot Resources**
Project: Dilworth/Shipment(40bags)
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-01-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
133984	<0.01	<0.1	1.7
133985	0.09	1.6	1.5
133986	0.09	1.5	1.1
133987	0.05	1.5	1.7
133988	0.02	0.4	1.7
133989	0.01	0.6	1.5
133990	0.23	1.2	1.8
133991	0.08	1.9	1.7
133992	0.24	2.1	1.9
133993	0.07	0.9	1.5
133994	0.12	1.5	1.6
133995	0.23	1.4	1.5
133996	0.20	3.6	1.6
133997	0.05	0.3	1.4
133998	0.01	0.2	1.2
133999	0.09	10.0	2.2
134000	<0.01	<0.1	0.4
134001	<0.01	0.2	2.0
134002	<0.01	<0.1	1.6
134003	0.01	0.5	1.7
134004	<0.01	1.3	1.8
134005	<0.01	0.1	2.0
*DUP 133984	<0.01	<0.1	
*DUP 133993	0.08	1.0	
*DUP 134003	0.01	0.4	
*0211	2.35		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1321-RA4

Oct-20-09

Company: **Ascot Resources**
Project: Dilworth/Shipment(40bags)
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-01-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134006	0.04	0.2	1.6
134007	0.02	<0.1	1.4
134008	<0.01	<0.1	1.5
134009	<0.01	<0.1	1.7
134010	<0.01	<0.1	1.6
134011	<0.01	<0.1	2.0
134012	<0.01	<0.1	1.6
134013	0.08	0.4	1.1
134014	0.03	0.9	0.9
134015	0.02	0.4	1.5
134016	0.01	<0.1	1.5
134017	0.01	2.4	1.1
134018	0.03	2.8	1.0
134019	0.85	3.1	1.1
134020	3.82	<0.1	
134021	0.37	1.6	0.8
134022	0.18	<0.1	1.1
134023	0.05	<0.1	1.1
134024	<0.01	<0.1	1.1
134025	0.02	0.2	0.9
134026	<0.01	<0.1	1.4
134027	0.01	<0.1	1.8
*DUP 134006	0.03	<0.1	
*DUP 134015	0.02	0.3	
*DUP 134025	0.01	0.2	
*0211	2.25		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1321-RA5

Oct-20-09

Company: **Ascot Resources**
Project: Dilworth/Shipment(40bags)
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-01-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134028	<0.01	0.7	1.8
134029	0.03	0.7	1.4
134030	<0.01	0.4	1.8
134031	0.07	1.0	1.6
134032	0.01	0.6	1.4
134033	0.04	0.5	1.7
134034	<0.01	0.7	1.8
134035	<0.01	0.6	1.5
134036	<0.01	0.5	1.5
134037	0.29	2.5	1.3
134038	0.49	2.1	1.1
134039	<0.01	0.9	1.8
134040	0.14	1.9	1.5
134041	<0.01	0.8	1.9
134042	<0.01	0.2	1.6
134043	<0.01	0.2	1.6
134044	0.09	0.5	1.8
134045	<0.01	0.7	1.3
134046	0.28	1.8	1.8
134047	0.07	1.3	1.5
134048	0.47	5.4	1.8
134049	0.21	2.1	2.0
*DUP 134028	<0.01	0.5	
*DUP 134037	0.29	1.9	
*DUP 134047	0.08	1.2	
*0211	2.16		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

*Certified by*_____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1321-RA6

Oct-20-09

Company: **Ascot Resources**
Project: Dilworth/Shipment(40bags)
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-01-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134050	0.06	0.8	1.5
134051	0.06	0.8	1.1
134052	0.09	0.7	1.6
134053	0.06	1.0	1.5
134054	0.11	3.0	0.9
134055	0.13	4.9	1.6
134056	0.06	3.9	1.7
134057	0.02	1.8	1.6
134058	0.02	1.8	1.5
134059	0.04	2.2	1.7
134060	<0.01	<0.1	0.2
134061	0.37	1.2	1.5
134062	0.25	11.8	1.7
134063	0.03	2.0	1.5
134064	0.09	4.9	1.4
134065	0.02	3.7	1.5
134066	0.08	5.6	1.5
134067	0.26	17.3	1.5
134068	0.05	3.2	1.7
134069	<0.01	1.4	0.9
134070	0.02	0.5	0.9
134071	0.07	4.7	1.0
*DUP 134050	0.05	0.7	
*DUP 134059	0.05	2.1	
*DUP 134069	0.01	1.1	
*0211	2.31		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1321-RA7

Oct-20-09

Company: **Ascot Resources**
Project: Dilworth/Shipment(40bags)
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-01-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134072	0.24	3.1	1.5
134073	1.29	3.0	1.5
134074	0.20	3.0	2.0
134075	0.14	2.4	1.6
134076	0.04	4.0	1.6
134077	0.15	4.2	1.6
134078	0.06	2.0	1.0
134079	0.02	1.0	0.7
134080	0.01	0.8	1.3
134081	0.03	0.6	1.6
134082	0.04	23.6	1.7
134083	0.02	3.1	1.3
134084	0.03	1.8	1.6
134085	0.12	9.6	1.7
134086	0.02	2.4	1.7
134087	0.05	2.1	1.6
134088	0.01	1.4	1.5
134089	0.04	3.1	1.5
134090	0.02	3.3	1.4
134091	0.26	4.7	1.6
134092	0.06	1.9	1.6
134093	0.29	32.2	1.9
*DUP 134072	0.28	3.2	
*DUP 134081	0.02	0.6	
*DUP 134091	0.29	5.2	
*0211	2.26		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1321-RA8

Oct-20-09

Company: **Ascot Resources**
Project: Dilworth/Shipment(40bags)
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-01-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134094	0.04	10.3	1.5
134095	0.03	7.1	1.6
134096	0.20	3.8	1.7
134097	0.07	6.5	1.6
134098	0.04	3.0	2.0
134099	0.07	9.2	1.5
134100	0.28	0.7	
134101	0.27	30.8	1.9
134102	0.64	22.3	1.7
134103	0.37	22.3	1.6
134104	0.45	5.7	1.8
134105	0.08	2.9	1.7
134106	0.55	3.1	1.7
134107	0.11	5.9	1.8
134108	0.13	14.1	1.0
134109	0.25	13.8	1.0
134110	0.37	14.8	0.7
134111	0.24	2.0	0.8
134112	0.16	2.5	0.9
134113	0.12	3.2	0.5
134114	<0.01	<0.1	1.6
134115	<0.01	<0.1	1.6
*DUP 134094	0.05	9.9	
*DUP 134103	0.39	21.2	
*DUP 134113	0.08	3.2	
*0211	2.34		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1321-RA9

Oct-20-09

Company: **Ascot Resources**
Project: Dilworth/Shipment(40bags)
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-01-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134116	<0.01	<0.1	1.6
134117	<0.01	<0.1	1.7
134118	0.22	6.2	1.5
134119	0.07	3.9	1.5
134120	0.07	4.1	1.7
134121	0.08	4.4	1.6
134122	0.11	7.8	1.7
134123	0.18	9.5	1.6
134124	0.05	3.7	1.7
134125	0.02	1.5	1.7
134126	0.01	1.7	1.9
134127	<0.01	1.1	1.8
134128	<0.01	0.9	1.9
134129	0.01	2.0	1.5
134130	<0.01	1.1	1.9
134131	0.19	4.2	1.7
134132	0.02	1.6	1.7
134133	0.03	2.0	1.6
134134	0.08	2.3	1.4
134135	0.01	2.7	1.7
134136	0.01	3.2	1.8
134137	0.01	2.1	1.3
*DUP 134116	<0.01	<0.1	
*DUP 134125	0.03	1.3	
*DUP 134135	0.01	2.7	
*0211	2.16		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1321-RA10

Oct-20-09

Company: **Ascot Resources**
Project: Dilworth/Shipment(40bags)
Attn: Sue Deane

We *hereby certify* the following assay of 10 core samples submitted Oct-01-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134138	0.01	4.2	1.5
134139	0.03	5.6	1.9
134140	<0.01	<0.1	0.2
134141	0.03	4.7	1.8
134142	0.10	5.3	1.9
134143	0.01	3.3	1.6
134144	<0.01	1.1	1.0
134145	<0.01	<0.1	1.6
134146	<0.01	<0.1	0.9
134147	0.09	6.6	1.9
*DUP 134138	0.01	4.3	
*DUP 134147	0.09	6.6	
*AC 0501	8.36		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

*Certified by*_____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Dilworth/Shipment(40bags)

Sample type: Core

Report No : **9V1321RJ**

Date : Oct-20-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133940	1.7	1.43	84	152	<0.5	39	3.42	4	15	14	3	4.65	<1	0.40	<10	0.57	1877	4	0.02	1	1392	18	2.08	<5	3	112	<5	<0.01	<10	<10	27	<10	216	2
133941	3.2	1.06	180	125	<0.5	30	3.86	5	16	20	1	4.41	<1	0.41	<10	0.42	2233	5	0.02	1	1201	109	2.67	<5	2	129	<5	<0.01	<10	<10	22	<10	234	2
133942	2.3	1.59	94	195	0.5	39	3.28	4	13	7	6	4.45	<1	0.43	<10	0.65	1499	4	0.02	1	1480	36	1.72	5	4	91	<5	<0.01	<10	<10	25	<10	114	2
133943	0.8	1.95	33	199	0.5	28	3.12	5	13	8	2	4.29	<1	0.45	<10	0.90	1719	2	0.02	<1	1517	16	0.95	<5	4	170	<5	<0.01	<10	<10	29	<10	139	2
133944	4.4	1.61	37	173	<0.5	26	4.12	5	14	8	7	4.85	<1	0.38	<10	0.89	3039	4	0.02	<1	1460	59	1.99	<5	3	169	<5	<0.01	<10	<10	25	<10	190	2
133945	2.1	2.41	75	232	0.5	33	3.38	5	15	6	6	5.69	<1	0.43	<10	1.24	2337	<2	0.02	<1	1608	110	1.07	<5	4	117	<5	<0.01	<10	<10	32	<10	193	2
133946	1.6	1.80	56	227	<0.5	29	4.94	6	14	15	10	5.01	<1	0.34	<10	0.95	2653	<2	0.01	1	1611	20	1.38	<5	4	163	<5	<0.01	<10	<10	28	<10	333	2
133947	1.7	1.67	83	169	<0.5	31	3.65	5	14	16	7	5.39	<1	0.38	<10	0.89	2098	8	0.01	1	1460	13	1.85	<5	4	118	<5	<0.01	<10	<10	26	<10	205	2
133948	2.6	1.21	190	125	<0.5	32	3.81	5	15	19	2	5.74	<1	0.34	<10	0.78	1927	3	0.01	<1	1461	35	2.55	5	3	113	<5	<0.01	<10	<10	19	<10	149	2
133949	1.0	0.63	56	159	<0.5	36	4.17	5	13	19	4	4.41	<1	0.33	<10	0.87	2175	3	0.01	1	1401	19	1.41	<5	4	197	<5	<0.01	<10	<10	14	<10	176	2
133950	0.8	1.61	48	171	<0.5	27	4.37	5	14	12	5	5.24	<1	0.32	<10	1.05	1762	2	0.01	<1	1529	18	1.64	<5	5	195	<5	<0.01	<10	<10	23	<10	118	2
133951	0.6	1.28	45	104	0.5	35	3.89	5	15	15	4	5.40	<1	0.42	<10	0.71	1262	5	0.01	1	1540	21	3.07	<5	4	155	<5	<0.01	<10	<10	20	<10	75	2
133952	2.6	0.74	124	81	<0.5	32	5.34	10	13	23	35	5.67	<1	0.34	<10	0.53	1872	4	0.01	1	1157	317	3.86	<5	3	183	<5	<0.01	<10	<10	15	<10	509	2
133953	1.7	0.90	118	87	0.5	28	4.52	5	14	19	<1	5.00	<1	0.42	<10	0.64	2323	2	0.01	1	1365	45	2.68	5	4	159	<5	<0.01	<10	<10	16	<10	80	2
133954	2.6	0.54	183	114	0.5	37	4.63	4	12	37	<1	4.90	<1	0.36	<10	0.50	2376	2	0.01	1	1192	45	2.78	7	3	158	<5	<0.01	<10	<10	11	<10	49	2
133955	2.2	0.42	126	109	<0.5	25	1.03	3	10	55	<1	3.48	<1	0.33	<10	0.24	939	4	0.01	3	946	28	2.10	7	2	59	<5	<0.01	<10	<10	9	<10	74	1
133956	3.6	0.31	44	82	<0.5	33	2.84	4	12	100	2	4.29	<1	0.23	<10	0.57	2224	3	0.01	4	782	34	1.96	5	4	215	<5	<0.01	<10	<10	9	<10	60	2
133957	2.3	0.50	34	109	0.7	28	2.08	6	14	25	3	5.22	<1	0.41	<10	0.66	2535	4	0.01	1	1360	67	1.76	<5	4	120	<5	<0.01	<10	<10	16	<10	201	2
133958	4.9	0.59	87	109	<0.5	46	5.13	4	9	48	20	3.46	<1	0.34	<10	0.39	3055	2	0.01	1	1023	83	1.59	8	3	221	<5	<0.01	<10	<10	16	<10	254	2
133959	2.7	1.23	72	208	<0.5	37	6.30	4	9	25	2	3.58	<1	0.29	<10	0.63	3491	2	0.01	1	1041	94	1.20	5	3	217	<5	<0.01	<10	<10	35	<10	145	2
133960	<0.2	0.02	<5	<10	<0.5	50	>15.00	<1	<1	3	<1	0.37	<1	0.02	<10	11.55	186	<2	0.01	2	116	<2	0.42	<5	<1	62	<5	<0.01	<10	<10	2	<10	23	<1
133961	0.6	1.76	21	346	0.6	28	2.71	5	13	16	17	5.15	<1	0.55	11	0.95	2815	<2	0.02	1	1448	13	0.70	<5	5	164	<5	<0.01	<10	<10	36	<10	137	2
133962	1.5	1.22	48	150	<0.5	38	6.34	5	10	35	4	3.90	1	0.21	<10	0.73	4337	5	<0.01	1	781	286	1.68	<5	4	189	<5	<0.01	<10	<10	57	<10	246	2
133963	1.4	1.74	37	182	<0.5	52	3.34	23	12	23	18	5.04	1	0.31	<10	1.06	4007	4	<0.01	1	1002	154	1.47	<5	5	118	<5	<0.01	<10	<10	69	<10	2013	2
133964	2.9	1.28	54	133	<0.5	38	4.21	21	12	23	16	4.66	<1	0.34	<10	0.64	3161	3	<0.01	1	1032	688	2.28	<5	4	147	<5	<0.01	<10	<10	48	<10	1739	2
133965	1.9	1.41	64	62	<0.5	59	2.52	11	15	20	<1	5.62	<1	0.41	<10	0.65	2597	7	<0.01	1	1042	394	3.35	5	3	97	<5	<0.01	<10	<10	48	<10	672	2
133966	2.2	0.99	106	71	<0.5	37	2.52	9	13	38	<1	4.99	1	0.37	<10	0.41	1938	8	<0.01	1	1012	265	3.51	7	3	108	<5	<0.01	<10	<10	28	<10	603	2
133967	1.0	0.56	63	55	<0.5	51	1.93	6	13	31	<1	5.06	<1	0.39	<10	0.10	988	6	<0.01	1	852	73	4.35	<5	2	78	<5	<0.01	<10	<10	15	<10	256	2
133968	3.4	1.09	35	84	<0.5	41	2.47	17	14	37	<1	4.81	1	0.35	<10	0.55	2361	3	<0.01	1	955	400	3.08	<5	2	110	<5	<0.01	<10	<10	23	<10	1266	2
133969	8.0	1.17	28	132	<0.5	42	2.63	14	11	42	29	4.68	<1	0.32	<10	0.65	3237	18	<0.01	1	723	958	2.64	<5	3	130	<5	<0.01	<10	<10	27	<10	1066	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Dilworth/Shipment(40bags)

Sample type: Core

Report No : **9V1321RJ**

Date : Oct-20-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133970	3.1	1.39	38	175	<0.5	48	1.73	14	10	48	95	3.96	<1	0.29	<10	0.82	3226	<2	<0.01	1	692	440	1.02	5	3	84	<5	<0.01	<10	<10	28	<10	1252	1
133971	1.9	1.86	27	232	<0.5	42	1.38	13	14	28	68	4.33	<1	0.40	<10	1.05	3063	<2	<0.01	2	971	443	0.66	<5	4	65	<5	<0.01	<10	<10	30	<10	1148	2
133972	4.0	0.66	300	74	<0.5	20	0.75	6	13	43	<1	4.46	<1	0.36	<10	0.21	888	2	<0.01	2	790	122	3.25	14	2	39	<5	<0.01	<10	<10	13	<10	259	2
133973	6.1	0.37	315	84	<0.5	28	1.00	6	10	52	<1	3.59	<1	0.29	<10	0.05	499	7	<0.01	2	606	319	3.12	13	1	38	<5	<0.01	<10	<10	9	<10	306	2
133974	5.3	0.36	281	93	<0.5	23	0.77	4	10	82	<1	3.26	<1	0.28	<10	0.04	389	7	<0.01	2	567	317	2.77	11	1	31	<5	<0.01	<10	<10	8	<10	194	1
133975	1.5	0.99	105	207	<0.5	30	2.63	6	9	39	<1	3.30	<1	0.37	<10	0.53	2695	3	<0.01	1	786	109	1.25	6	2	80	<5	<0.01	<10	<10	19	<10	461	1
133976	1.8	1.17	83	152	<0.5	32	1.93	10	13	33	<1	4.90	<1	0.37	<10	0.80	2580	<2	<0.01	2	952	364	2.00	<5	3	107	<5	<0.01	<10	<10	23	<10	812	2
133977	2.4	1.09	84	109	<0.5	34	1.62	15	14	22	<1	4.83	<1	0.39	<10	0.74	2375	<2	<0.01	1	875	134	2.14	<5	3	92	<5	<0.01	<10	<10	20	<10	1210	2
133978	0.9	1.02	31	155	0.8	63	3.32	9	13	17	10	4.71	<1	0.42	<10	0.93	2235	3	<0.01	1	1153	148	1.57	<5	4	250	<5	<0.01	<10	<10	17	<10	598	2
133979	2.8	1.37	39	100	0.7	49	4.30	21	12	16	103	5.24	<1	0.47	<10	1.06	2223	2	<0.01	1	1014	838	2.33	<5	4	253	<5	<0.01	<10	<10	24	<10	1680	2
133980	0.2	0.69	705	1334	0.6	27	0.72	3	8	57	25	3.74	2	0.16	17	0.35	486	5	<0.01	34	752	154	0.14	623	5	230	8	<0.01	<10	<10	63	<10	251	12
133981	<0.2	1.73	60	168	0.7	52	3.53	5	13	21	13	4.75	<1	0.40	10	1.18	1436	<2	<0.01	4	1108	34	1.44	<5	5	222	<5	<0.01	<10	<10	40	<10	161	2
133982	<0.2	1.82	<5	812	<0.5	45	3.87	3	13	41	<1	3.84	<1	0.35	24	1.68	726	<2	0.02	12	1287	2	0.02	<5	4	270	<5	<0.01	<10	<10	49	<10	95	2
133983	<0.2	1.23	<5	1502	0.5	31	3.18	3	12	35	<1	3.46	<1	0.33	21	1.45	659	<2	0.01	10	1189	<2	0.05	<5	3	259	<5	<0.01	<10	<10	31	<10	76	2
133984	<0.2	0.48	<5	2277	0.5	49	3.75	3	10	18	1	3.27	<1	0.38	19	1.20	989	<2	<0.01	6	1185	11	0.09	<5	3	349	<5	<0.01	<10	<10	12	<10	72	1
133985	1.6	0.65	121	92	0.7	35	2.78	4	11	37	<1	4.16	<1	0.40	<10	0.69	1602	<2	<0.01	2	886	32	2.71	5	3	203	<5	<0.01	<10	<10	12	<10	151	1
133986	1.5	0.92	41	144	0.7	52	3.30	15	13	27	<1	4.90	<1	0.41	11	1.12	2554	4	<0.01	4	1199	433	1.47	<5	4	262	<5	<0.01	<10	<10	20	<10	1225	2
133987	1.5	1.04	51	98	0.8	39	2.16	9	16	19	<1	5.01	<1	0.49	<10	0.70	1617	2	<0.01	1	1135	177	2.51	<5	4	160	<5	<0.01	<10	<10	19	<10	591	2
133988	0.4	1.30	20	219	0.6	55	2.73	9	13	16	<1	4.99	<1	0.44	10	1.39	2948	<2	<0.01	1	1143	149	1.00	<5	5	168	<5	<0.01	<10	<10	29	<10	630	2
133989	0.6	1.56	61	142	0.6	51	3.39	6	12	17	<1	5.13	<1	0.46	<10	1.76	2869	<2	<0.01	1	1046	65	2.28	<5	4	166	<5	<0.01	<10	<10	27	<10	469	2
133990	1.2	1.73	50	139	<0.5	30	2.18	17	11	22	<1	5.29	<1	0.36	<10	1.64	3045	<2	<0.01	1	970	567	1.86	<5	4	100	<5	<0.01	<10	<10	46	<10	1547	2
133991	1.9	1.63	50	198	<0.5	19	1.56	12	11	21	<1	4.81	<1	0.41	10	1.21	2747	<2	<0.01	1	1072	336	1.36	<5	4	91	<5	<0.01	<10	<10	50	<10	897	2
133992	2.1	1.75	91	144	<0.5	34	1.17	14	11	26	<1	5.60	<1	0.29	<10	1.24	2848	<2	<0.01	1	986	463	1.85	5	3	60	<5	<0.01	<10	<10	74	10	1129	2
133993	0.9	1.56	60	168	<0.5	39	2.63	8	11	18	<1	4.72	<1	0.36	<10	1.01	2688	<2	<0.01	1	1032	213	1.55	<5	3	100	<5	<0.01	<10	<10	40	<10	619	2
133994	1.5	1.54	40	168	<0.5	50	3.27	13	12	21	<1	4.59	<1	0.36	<10	0.87	2658	<2	<0.01	1	1016	304	1.36	<5	4	170	<5	<0.01	<10	<10	39	<10	935	2
133995	1.4	1.82	44	159	<0.5	59	3.07	9	12	15	<1	5.58	<1	0.43	10	0.99	2662	<2	<0.01	1	1098	169	1.87	<5	5	156	<5	<0.01	<10	<10	57	<10	839	2
133996	3.6	1.20	70	136	0.5	34	1.92	15	12	26	<1	4.56	<1	0.41	<10	0.71	1929	<2	<0.01	2	936	359	2.09	7	4	95	<5	<0.01	<10	<10	28	<10	1380	2
133997	0.3	1.36	53	176	0.5	43	1.53	4	13	19	<1	4.12	<1	0.47	<10	0.65	1205	2	<0.01	1	1037	20	1.68	<5	4	80	<5	<0.01	<10	<10	28	<10	191	2
133998	0.2	1.39	35	478	0.7	53	4.08	5	12	12	<1	4.61	<1	0.45	13	1.02	2799	<2	<0.01	1	1130	16	0.58	<5	6	249	<5	<0.01	<10	<10	32	<10	158	2
133999	10.0	0.38	73	223	<0.5	71	10.36	3	4	39	<1	2.21	<1	0.25	<10	0.34	4279	3	<0.01	1	433	107	1.30	7	2	576	<5	<0.01	<10	<10	7	<10	241	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Dilworth/Shipment(40bags)

Sample type: Core

Report No : 9V1321RJ

Date : Oct-20-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134000	<0.2	0.09	<5	22	<0.5	114	>15.00	<1	1	1	<1	0.54	<1	0.06	<10	12.79	231	<2	<0.01	2	117	<2	0.39	<5	<1	52	<5	<0.01	10	<10	3	<10	12	<1
134001	0.2	1.61	25	187	0.6	51	3.27	5	13	13	<1	4.86	<1	0.43	10	0.88	2518	<2	<0.01	1	1093	7	0.84	<5	5	201	<5	<0.01	<10	<10	27	<10	145	2
134002	<0.2	2.01	12	199	0.6	52	2.97	5	12	10	1	5.15	<1	0.45	10	1.05	2282	2	<0.01	1	1108	2	0.75	<5	5	171	<5	<0.01	<10	<10	35	<10	97	2
134003	0.5	2.04	38	157	0.6	40	1.89	4	14	12	<1	4.77	<1	0.36	10	1.11	1640	<2	<0.01	1	1123	2	0.50	<5	5	104	<5	<0.01	<10	<10	28	<10	95	2
134004	1.3	2.05	83	145	0.6	52	2.50	4	13	7	<1	4.72	<1	0.35	<10	1.20	1792	<2	<0.01	1	1101	<2	0.33	<5	5	135	<5	<0.01	<10	<10	25	<10	88	2
134005	<0.2	1.87	28	128	0.7	25	2.39	4	12	8	<1	4.66	<1	0.33	<10	1.34	2304	<2	<0.01	1	1102	<2	0.45	<5	5	128	<5	<0.01	<10	<10	24	<10	82	2
134006	0.2	1.89	20	184	0.6	62	3.16	<1	15	13	9	5.09	<1	0.39	<10	1.46	3806	<2	0.01	<1	1443	45	1.04	<5	5	138	<5	<0.01	<10	<10	30	<10	125	2
134007	<0.2	2.36	14	197	0.5	65	2.88	<1	14	13	22	5.24	<1	0.33	11	1.75	4104	<2	0.01	1	1414	30	0.40	<5	5	120	<5	<0.01	<10	<10	38	10	157	2
134008	<0.2	2.44	22	206	0.5	53	3.01	<1	15	14	53	5.29	<1	0.37	<10	1.71	2478	7	0.01	<1	1406	41	0.69	<5	5	105	<5	<0.01	<10	<10	39	10	117	2
134009	<0.2	2.74	17	266	0.5	55	2.18	<1	15	10	15	5.76	<1	0.35	13	2.04	2337	<2	0.01	1	1601	5	0.18	<5	5	112	<5	<0.01	<10	<10	40	11	134	2
134010	<0.2	2.31	30	349	<0.5	80	5.48	<1	13	13	13	4.93	<1	0.38	14	1.63	3999	<2	0.01	<1	1429	14	0.27	<5	5	230	<5	<0.01	<10	<10	37	<10	111	2
134011	<0.2	1.65	20	876	0.5	76	4.16	<1	14	17	18	4.73	<1	0.39	12	1.42	3335	<2	0.01	1	1454	13	0.34	<5	5	251	<5	<0.01	<10	<10	28	<10	116	2
134012	<0.2	2.11	52	221	0.5	40	2.87	<1	17	9	10	5.44	<1	0.43	10	1.26	3306	<2	0.01	1	1486	4	0.55	<5	5	149	<5	<0.01	<10	<10	39	10	139	2
134013	0.4	1.85	31	305	0.5	61	3.77	<1	15	18	46	5.49	<1	0.38	<10	1.10	3659	<2	0.01	1	1381	51	0.89	<5	4	202	<5	<0.01	<10	<10	37	<10	169	2
134014	0.9	1.17	62	248	0.5	35	7.24	13	13	19	67	4.11	<1	0.41	10	0.73	4051	<2	0.01	1	1313	55	0.89	<5	4	258	<5	<0.01	<10	<10	23	<10	1502	2
134015	0.4	1.46	55	208	0.7	35	3.34	<1	15	16	23	4.37	<1	0.43	11	0.81	3179	<2	0.01	1	1518	68	0.91	<5	4	160	<5	<0.01	<10	<10	25	<10	108	2
134016	<0.2	1.67	34	208	0.5	50	3.38	<1	14	19	16	4.48	<1	0.44	11	0.85	3052	<2	0.01	1	1385	12	0.85	<5	5	155	<5	<0.01	<10	<10	34	<10	117	2
134017	2.4	1.43	46	163	<0.5	53	7.67	<1	14	27	10	4.14	<1	0.32	<10	0.65	3676	2	0.01	1	1071	40	1.19	<5	3	175	<5	<0.01	<10	<10	31	<10	206	2
134018	2.8	1.03	45	193	<0.5	24	4.52	<1	12	52	45	2.93	<1	0.34	<10	0.41	2890	2	0.01	1	989	194	0.85	<5	2	125	<5	<0.01	<10	<10	25	<10	337	1
134019	3.1	0.49	59	116	<0.5	73	5.79	6	6	88	199	2.24	<1	0.23	<10	0.21	3411	<2	0.01	2	463	144	1.36	<5	2	226	<5	<0.01	<10	<10	14	<10	930	1
134020	<0.2	1.56	6617	80	0.9	212	7.18	<1	114	38	302	5.30	<1	0.21	10	0.52	913	30	0.07	69	771	16	1.00	10	3	68	5	0.12	<10	<10	61	<10	88	12
134021	1.6	0.42	86	109	<0.5	39	5.40	<1	4	100	56	1.95	<1	0.26	<10	0.19	3216	<2	0.01	2	308	77	1.21	<5	2	187	<5	<0.01	<10	<10	13	<10	138	1
134022	<0.2	0.75	55	169	<0.5	39	2.54	<1	11	81	47	3.30	<1	0.23	<10	0.39	2299	<2	0.01	2	755	27	1.46	<5	2	98	<5	<0.01	<10	<10	22	<10	108	1
134023	<0.2	1.02	34	197	<0.5	45	3.29	<1	14	64	15	3.23	<1	0.33	<10	0.41	2271	<2	0.01	2	1116	22	1.23	<5	3	156	<5	<0.01	<10	<10	24	<10	150	1
134024	<0.2	0.18	<5	102	<0.5	33	6.52	<1	2	100	8	0.77	<1	0.07	<10	0.15	3689	<2	0.01	2	627	<2	0.19	<5	2	374	<5	<0.01	<10	<10	3	<10	16	<1
134025	0.2	0.73	11	226	<0.5	68	13.15	<1	10	36	23	3.64	<1	0.28	<10	0.80	7143	<2	0.01	<1	878	<2	1.05	<5	4	947	<5	<0.01	<10	10	13	<10	70	1
134026	<0.2	0.79	16	225	<0.5	56	2.34	<1	18	14	24	4.93	<1	0.46	10	0.78	2817	<2	0.01	1	1588	3	0.80	<5	4	132	<5	<0.01	<10	<10	22	<10	106	2
134027	<0.2	2.29	40	227	<0.5	39	1.44	<1	18	11	24	6.24	<1	0.47	13	1.00	1950	<2	0.01	1	1744	<2	0.66	<5	4	71	<5	<0.01	<10	<10	54	12	129	2
134028	0.7	1.75	26	379	0.6	17	2.91	6	16	19	17	5.21	<1	0.48	11	0.89	3119	<2	0.01	1	1767	14	0.76	<5	5	155	<5	<0.01	<10	<10	38	10	127	2
134029	0.7	1.83	35	264	0.5	52	2.58	6	15	12	39	5.53	<1	0.47	11	1.02	3620	<2	0.02	<1	1613	12	1.02	<5	5	111	<5	<0.01	<10	<10	39	11	119	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Dilworth/Shipment(40bags)

Sample type: Core

Report No : **9V1321RJ**

Date : Oct-20-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134030	0.4	2.08	25	208	<0.5	69	2.27	6	16	13	13	5.67	<1	0.42	12	1.09	3756	<2	0.01	<1	1658	10	0.75	<5	4	111	<5	<0.01	<10	<10	44	11	142	2
134031	1.0	1.77	45	216	<0.5	55	2.87	6	16	36	14	4.68	<1	0.41	<10	0.78	3024	<2	0.01	1	1401	42	1.24	<5	4	147	<5	<0.01	<10	<10	44	<10	192	2
134032	0.6	1.58	32	177	<0.5	45	2.53	5	13	14	33	4.67	<1	0.42	13	0.96	3071	<2	0.01	1	1609	16	0.46	<5	5	147	<5	<0.01	<10	<10	41	10	134	2
134033	0.5	1.88	29	204	<0.5	73	2.51	6	16	18	15	5.40	<1	0.41	12	1.08	3050	4	0.01	<1	1540	24	0.84	<5	5	118	<5	<0.01	<10	<10	51	10	180	2
134034	0.7	0.73	24	345	0.8	19	3.19	6	14	13	9	4.82	<1	0.46	13	0.86	2955	<2	0.01	<1	1548	18	0.49	<5	6	199	<5	<0.01	<10	<10	23	10	153	2
134035	0.6	1.14	13	368	0.7	74	3.19	7	15	20	6	5.77	<1	0.49	12	1.07	3061	<2	0.01	<1	1556	19	0.67	<5	6	199	<5	<0.01	<10	<10	36	11	181	2
134036	0.5	1.03	21	238	0.5	47	2.66	6	14	13	7	5.36	<1	0.38	10	0.87	2204	<2	0.01	<1	1540	22	0.96	<5	4	131	<5	<0.01	<10	<10	35	11	237	2
134037	2.5	0.59	25	227	0.5	57	4.81	11	10	58	6	4.57	<1	0.30	<10	0.88	3138	<2	0.01	2	818	221	0.96	<5	3	351	<5	<0.01	<10	<10	17	12	878	2
134038	2.1	0.26	16	226	<0.5	42	4.56	7	7	64	14	3.48	<1	0.17	<10	0.88	2981	<2	0.01	2	331	82	0.53	<5	2	312	<5	<0.01	<10	<10	10	<10	346	1
134039	0.9	1.12	34	239	0.7	35	3.52	10	13	20	8	4.52	<1	0.53	12	0.70	2685	<2	0.01	<1	1549	47	0.65	<5	5	151	<5	<0.01	<10	<10	33	<10	997	2
134040	1.9	1.67	19	159	<0.5	83	7.62	5	15	24	8	4.78	<1	0.33	<10	1.03	4204	4	0.01	1	1203	28	1.16	<5	4	271	<5	<0.01	<10	<10	46	<10	138	2
134041	0.8	1.88	29	205	<0.5	39	4.23	5	15	12	15	4.83	<1	0.45	13	0.98	3456	<2	0.01	<1	1527	13	0.66	<5	5	178	<5	<0.01	<10	<10	54	<10	140	2
134042	0.2	2.13	20	378	<0.5	45	2.76	6	16	12	10	5.11	<1	0.40	13	1.08	2671	<2	0.01	1	1540	8	0.48	<5	6	152	<5	<0.01	<10	<10	69	10	119	2
134043	0.2	2.07	13	210	<0.5	62	2.90	6	16	9	14	5.29	<1	0.41	12	1.08	2501	<2	0.02	<1	1526	8	0.61	<5	5	145	<5	<0.01	<10	<10	65	10	123	2
134044	0.5	1.65	53	142	<0.5	65	3.89	5	12	24	8	4.78	<1	0.32	10	0.86	2975	<2	0.01	1	1318	13	0.92	<5	5	190	<5	<0.01	<10	<10	57	10	111	2
134045	0.7	1.23	34	174	<0.5	64	4.08	6	14	11	12	4.77	<1	0.45	10	0.78	3143	<2	0.01	<1	1520	30	1.22	<5	4	171	<5	<0.01	<10	<10	29	<10	145	2
134046	1.8	0.58	53	121	<0.5	44	3.69	10	11	33	10	4.18	<1	0.38	<10	0.52	2958	3	0.01	1	1149	210	2.21	<5	2	208	<5	<0.01	<10	<10	15	<10	735	2
134047	1.3	0.54	34	56	<0.5	37	2.49	8	15	21	5	4.93	<1	0.42	<10	0.64	2854	2	0.01	<1	1463	175	2.23	<5	3	151	<5	<0.01	<10	<10	17	10	416	2
134048	5.4	1.36	87	136	0.6	58	6.44	78	26	78	15	11.29	1	0.75	15	1.14	6074	12	0.02	5	2698	1421	>5.00	6	6	348	<5	<0.01	11	<10	43	26	6323	5
134049	2.1	0.74	33	105	<0.5	45	3.64	10	12	32	<1	4.84	<1	0.33	<10	0.82	3582	2	0.01	<1	1126	1045	1.81	<5	4	218	<5	<0.01	<10	<10	23	11	684	2
134050	0.8	0.98	29	280	0.5	51	3.80	5	14	21	9	4.58	<1	0.37	<10	0.78	2981	<2	0.01	1	1215	41	1.18	<5	4	215	<5	<0.01	<10	<10	21	<10	163	2
134051	0.8	0.98	25	188	<0.5	55	4.54	6	15	32	2	5.09	<1	0.37	<10	1.08	4027	3	0.01	1	1376	25	1.00	<5	4	260	<5	<0.01	<10	<10	25	<10	116	2
134052	0.7	0.85	38	187	0.7	10	2.48	6	17	14	5	4.60	<1	0.41	<10	0.65	2377	<2	0.01	1	1509	30	1.58	<5	4	131	<5	<0.01	<10	<10	19	<10	170	2
134053	1.0	0.82	37	161	0.5	43	7.40	5	13	19	9	4.57	<1	0.42	<10	0.68	3984	2	0.01	1	1255	27	1.68	<5	4	301	<5	<0.01	<10	<10	18	<10	130	2
134054	3.0	0.53	49	119	<0.5	31	5.43	15	15	20	24	4.82	<1	0.38	<10	0.56	3734	2	0.01	<1	1324	543	2.41	<5	4	259	<5	<0.01	<10	<10	14	<10	1128	2
134055	4.9	2.08	36	261	<0.5	17	0.57	6	11	17	25	4.87	<1	0.36	<10	1.15	1559	<2	0.01	11	1422	54	1.01	<5	3	25	<5	<0.01	<10	<10	48	13	369	2
134056	3.9	0.61	49	71	<0.5	14	0.26	6	14	15	16	4.52	<1	0.33	<10	0.21	829	2	0.01	1	542	52	3.57	<5	2	14	<5	<0.01	<10	<10	14	10	173	2
134057	1.8	1.60	56	210	<0.5	33	1.11	5	17	15	8	4.32	<1	0.35	<10	0.87	2593	<2	0.01	2	1226	32	1.16	<5	3	73	<5	<0.01	<10	<10	36	<10	314	2
134058	1.8	1.86	71	166	0.5	27	0.68	6	15	18	11	4.94	<1	0.30	<10	0.98	1948	<2	0.01	2	1268	38	1.03	<5	3	35	<5	<0.01	<10	<10	47	10	603	2
134059	2.2	1.88	50	178	<0.5	25	0.62	7	16	13	27	4.95	<1	0.31	<10	0.96	1851	<2	0.02	2	1307	50	0.88	<5	3	32	<5	<0.01	<10	<10	52	10	484	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Dilworth/Shipment(40bags)

Sample type: Core

Report No : **9V1321RJ**

Date : Oct-20-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134060	<0.2	0.10	<5	22	<0.5	81	>15.00	<1	1	2	1	0.52	<1	0.06	<10	12.56	245	<2	0.01	2	243	<2	0.42	<5	<1	56	<5	<0.01	<10	<10	4	<10	19	<1
134061	1.2	1.46	47	180	<0.5	36	0.98	6	13	17	16	4.66	<1	0.34	<10	0.62	1823	<2	0.02	2	1261	54	1.62	<5	3	43	<5	<0.01	<10	<10	48	10	365	2
134062	11.8	1.28	76	175	<0.5	29	1.08	10	14	17	18	4.70	<1	0.35	<10	0.68	1981	<2	0.02	1	1130	145	1.73	<5	3	43	<5	<0.01	<10	<10	35	<10	621	2
134063	2.0	0.93	64	272	0.5	36	2.05	8	13	18	21	4.53	<1	0.37	10	0.65	3398	<2	0.01	2	1364	97	1.09	<5	4	96	<5	<0.01	<10	<10	27	<10	477	2
134064	4.9	1.13	73	306	<0.5	25	1.84	5	13	15	41	3.43	<1	0.38	10	0.47	2509	<2	0.01	2	1304	56	1.06	<5	3	53	<5	<0.01	<10	<10	32	<10	481	2
134065	3.7	1.63	66	168	<0.5	22	3.10	6	17	11	16	5.22	<1	0.34	<10	0.74	2303	<2	0.01	1	1406	63	1.58	<5	3	93	<5	<0.01	<10	<10	38	<10	217	2
134066	5.6	0.94	466	119	<0.5	32	6.86	8	15	12	14	5.73	6	0.30	<10	0.43	3367	<2	0.01	1	1026	92	4.20	42	2	197	<5	<0.01	27	<10	26	12	274	2
134067	17.3	1.30	82	184	<0.5	12	1.66	5	12	25	46	4.16	1	0.32	15	0.67	1379	<2	0.01	1	1106	125	1.61	<5	3	52	<5	<0.01	<10	<10	30	<10	462	2
134068	3.2	1.49	125	165	<0.5	56	2.24	7	15	7	20	4.74	1	0.39	<10	0.71	1800	<2	0.01	1	1374	73	1.94	19	3	87	<5	<0.01	16	<10	36	10	486	2
134069	1.4	1.79	32	648	0.5	29	1.43	7	15	7	18	4.95	<1	0.33	10	0.94	2257	<2	0.01	2	1447	60	0.42	<5	4	85	<5	<0.01	<10	<10	43	10	418	2
134070	0.5	1.90	29	304	<0.5	38	0.44	6	14	5	10	5.08	<1	0.34	11	0.83	1954	<2	0.01	1	1479	26	0.44	<5	4	14	<5	<0.01	<10	<10	50	11	324	2
134071	4.7	1.82	53	267	<0.5	8	0.30	6	14	11	6	4.91	<1	0.26	<10	0.86	1526	<2	0.01	1	1309	31	0.51	<5	3	11	<5	<0.01	<10	<10	53	11	426	2
134072	3.1	1.55	57	152	<0.5	46	2.58	5	14	8	12	4.48	1	0.33	<10	0.67	2153	<2	0.02	1	1174	45	1.41	<5	3	58	<5	<0.01	<10	<10	43	<10	587	2
134073	3.0	1.39	68	226	<0.5	39	1.49	6	13	10	25	4.40	<1	0.31	<10	0.62	1875	<2	0.01	1	1210	68	1.20	<5	3	45	<5	<0.01	<10	<10	37	<10	503	2
134074	3.0	1.30	83	171	<0.5	16	1.23	6	12	8	33	3.92	1	0.37	<10	0.54	1543	<2	0.01	1	1193	89	1.32	<5	2	40	<5	<0.01	<10	<10	33	<10	689	2
134075	2.4	1.48	72	171	<0.5	37	2.58	7	14	14	9	4.53	1	0.28	<10	0.71	2085	3	0.01	1	1087	96	1.69	<5	2	58	<5	<0.01	<10	<10	44	<10	704	2
134076	4.0	1.45	61	218	<0.5	40	4.37	7	13	9	10	4.17	1	0.31	<10	0.65	2038	<2	0.01	1	1100	113	1.27	<5	3	99	<5	<0.01	<10	<10	34	<10	703	2
134077	4.2	1.54	81	174	<0.5	18	1.62	7	13	11	14	4.53	1	0.32	<10	0.72	1572	<2	0.01	1	1217	105	1.22	<5	3	57	<5	<0.01	<10	<10	35	<10	652	2
134078	2.0	1.88	53	243	0.5	40	0.83	7	14	6	24	5.01	<1	0.32	<10	0.85	1847	<2	0.01	2	1327	52	0.60	<5	4	38	<5	<0.01	<10	<10	39	11	442	2
134079	1.0	0.93	38	172	0.6	31	0.96	6	21	14	<1	4.68	<1	0.31	23	0.41	2309	<2	0.01	22	3025	14	0.33	<5	5	43	<5	<0.01	<10	<10	17	<10	297	2
134080	0.8	1.38	45	242	<0.5	30	2.28	6	16	6	9	5.40	<1	0.38	14	0.71	3222	<2	0.01	5	1778	14	0.56	<5	5	66	<5	<0.01	<10	<10	34	11	193	2
134081	0.6	0.94	50	216	<0.5	32	1.99	5	12	5	15	4.57	<1	0.37	10	0.77	2322	<2	0.01	2	1304	17	0.54	<5	4	103	<5	<0.01	<10	<10	27	10	168	2
134082	23.6	1.26	66	156	<0.5	46	2.56	6	13	7	19	4.35	<1	0.36	10	0.72	2003	<2	0.01	1	1215	98	0.74	<5	3	98	<5	<0.01	<10	<10	35	<10	361	2
134083	3.1	1.60	107	317	<0.5	33	2.24	7	14	8	11	4.28	1	0.36	<10	0.72	1836	<2	0.02	1	1164	109	0.84	<5	3	97	<5	<0.01	<10	<10	41	<10	467	2
134084	1.8	1.69	55	160	<0.5	39	2.59	6	12	9	13	4.38	<1	0.33	10	0.77	2086	<2	0.02	1	1270	53	0.77	<5	3	102	<5	<0.01	<10	<10	43	<10	378	2
134085	9.6	1.90	46	168	<0.5	12	2.13	6	12	6	21	4.51	1	0.35	10	0.88	2096	<2	0.02	1	1381	95	0.78	<5	3	78	<5	<0.01	<10	<10	48	10	351	2
134086	2.4	1.86	60	175	<0.5	26	1.61	5	14	10	19	4.49	<1	0.33	<10	0.89	1836	<2	0.01	1	1173	31	0.53	<5	3	61	<5	<0.01	<10	<10	38	<10	378	2
134087	2.1	1.99	59	202	<0.5	32	2.02	5	15	7	24	4.53	<1	0.38	<10	0.92	2041	3	0.01	1	1357	32	0.63	<5	3	77	<5	<0.01	<10	<10	48	<10	424	2
134088	1.4	1.76	36	163	<0.5	32	3.65	5	14	10	17	4.17	1	0.35	<10	0.87	2621	<2	0.01	1	1232	21	0.61	<5	3	135	<5	<0.01	<10	<10	32	<10	306	2
134089	3.1	1.73	103	267	<0.5	43	2.09	5	14	7	26	4.68	<1	0.37	<10	0.78	2280	<2	0.01	2	1339	19	0.90	<5	3	69	<5	<0.01	<10	<10	40	<10	229	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Dilworth/Shipment(40bags)

Sample type: Core

Report No : 9V1321RJ

Date : Oct-20-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134090	3.3	1.74	70	284	<0.5	42	1.71	5	13	6	43	4.78	<1	0.34	11	0.78	2791	<2	0.01	1	1455	14	0.73	<5	3	55	<5	<0.01	<10	<10	45	<10	228	2
134091	4.7	1.58	50	166	<0.5	37	1.97	5	13	10	73	4.12	1	0.35	<10	0.73	2107	<2	0.02	1	1150	34	1.00	<5	3	62	<5	<0.01	<10	<10	38	<10	339	2
134092	1.9	1.69	84	158	<0.5	39	2.33	5	13	6	32	4.56	<1	0.35	10	0.78	2450	<2	0.02	1	1323	31	1.08	<5	4	109	<5	<0.01	<10	<10	47	<10	221	2
134093	32.2	1.77	75	233	<0.5	57	1.39	6	13	8	35	4.63	<1	0.39	10	0.83	1855	<2	0.01	1	1324	55	0.89	<5	3	49	<5	<0.01	<10	<10	49	<10	377	2
134094	10.3	1.75	112	190	<0.5	25	0.91	7	14	8	21	4.52	1	0.34	10	0.84	1550	<2	0.01	1	1271	143	0.74	<5	3	36	<5	<0.01	<10	<10	50	10	536	2
134095	7.1	1.59	81	179	<0.5	15	1.19	9	14	12	27	4.38	1	0.36	<10	0.76	1496	<2	0.01	2	1239	181	1.13	<5	3	49	<5	<0.01	<10	<10	52	<10	942	2
134096	3.8	1.62	80	195	<0.5	39	3.01	8	15	9	19	4.83	<1	0.38	<10	0.75	2067	<2	0.01	2	1388	155	1.54	<5	4	100	<5	<0.01	<10	<10	52	<10	784	2
134097	6.5	1.67	99	255	<0.5	32	2.50	7	13	10	24	4.90	1	0.39	<10	0.79	2162	<2	0.02	1	1232	91	1.26	<5	4	139	<5	<0.01	<10	<10	44	10	450	2
134098	3.0	1.88	67	178	<0.5	31	2.86	6	16	5	16	4.95	<1	0.35	<10	0.83	2268	4	0.02	1	1310	35	1.19	<5	4	122	<5	<0.01	<10	<10	52	<10	338	2
134099	9.2	1.59	70	210	<0.5	11	2.36	10	14	9	19	4.72	1	0.41	<10	0.60	1885	<2	0.02	2	1299	130	1.61	<5	4	65	<5	<0.01	<10	<10	45	<10	820	2
134100	0.7	0.65	779	1498	0.6	21	0.76	3	9	63	37	3.68	2	0.16	17	0.34	522	6	0.01	37	959	169	0.26	645	5	232	7	<0.01	<10	<10	65	10	261	14
134101	30.8	1.31	106	126	<0.5	44	2.09	10	16	15	18	4.97	1	0.32	<10	0.60	2038	2	0.01	2	1067	167	2.64	6	3	60	<5	<0.01	<10	<10	40	10	927	2
134102	22.3	1.57	50	195	<0.5	15	1.78	8	13	14	27	4.68	<1	0.32	<10	0.79	3066	<2	0.01	1	1182	392	1.14	<5	4	74	<5	<0.01	<10	<10	60	<10	535	2
134103	22.3	1.52	72	197	<0.5	30	1.22	12	13	18	18	4.59	1	0.32	<10	0.66	2503	<2	0.01	2	1200	442	1.25	<5	3	44	<5	<0.01	<10	<10	51	<10	982	2
134104	5.7	1.25	84	142	<0.5	31	2.85	10	12	20	8	4.11	1	0.25	<10	0.64	3244	<2	0.01	1	947	352	1.59	<5	3	100	<5	<0.01	<10	<10	49	<10	960	2
134105	2.9	1.65	80	156	<0.5	31	1.08	11	15	14	9	4.78	<1	0.32	<10	0.75	1998	<2	0.01	2	1232	213	1.32	<5	4	31	<5	<0.01	<10	<10	60	<10	1096	2
134106	3.1	1.47	61	166	<0.5	28	1.74	10	14	12	16	4.47	1	0.33	<10	0.62	2267	<2	0.01	1	1183	175	1.40	<5	3	68	<5	<0.01	<10	<10	54	<10	703	2
134107	5.9	1.59	83	146	<0.5	25	1.46	11	17	13	10	5.05	1	0.29	<10	0.75	2093	<2	0.01	2	1190	197	1.80	<5	4	47	<5	<0.01	<10	<10	63	<10	622	2
134108	14.1	1.50	98	148	<0.5	34	2.78	11	15	15	9	4.99	1	0.25	<10	0.77	2884	<2	0.01	1	1191	202	1.95	<5	4	76	<5	<0.01	<10	<10	64	10	598	2
134109	13.8	0.86	97	63	<0.5	22	1.85	15	6	63	10	3.49	1	0.10	<10	0.74	2645	2	0.01	2	383	761	1.93	<5	2	120	<5	<0.01	<10	<10	34	10	1425	2
134110	14.8	0.39	61	70	<0.5	20	1.75	12	4	88	19	2.06	1	0.11	<10	0.24	1504	2	0.01	2	277	385	1.49	9	1	67	<5	<0.01	<10	<10	13	<10	1220	1
134111	2.0	0.45	97	100	<0.5	15	2.53	3	6	68	6	2.12	1	0.20	<10	0.20	1424	<2	0.01	2	540	59	1.47	<5	1	83	<5	<0.01	<10	<10	12	<10	206	1
134112	2.5	0.88	56	146	<0.5	36	5.46	5	6	46	6	2.63	<1	0.20	<10	0.48	3128	<2	0.01	2	683	74	1.16	<5	2	148	<5	<0.01	<10	<10	29	<10	482	2
134113	3.2	1.53	98	172	<0.5	36	1.14	9	12	25	12	4.89	1	0.30	<10	0.79	1198	<2	0.01	2	1237	187	1.79	<5	3	28	<5	<0.01	<10	<10	49	11	1071	2
134114	<0.2	1.68	7	773	<0.5	20	2.93	6	19	34	22	4.98	<1	0.27	20	1.45	1346	<2	0.03	13	2482	14	0.33	<5	6	130	<5	<0.01	<10	<10	59	<10	144	3
134115	<0.2	2.02	<5	1399	<0.5	28	3.28	5	19	39	25	4.96	1	0.18	28	1.74	831	<2	0.03	13	2502	5	0.14	<5	5	157	<5	0.01	10	<10	77	<10	111	4
134116	<0.2	2.15	<5	1417	0.5	19	3.40	6	20	38	24	5.16	1	0.24	30	1.79	828	<2	0.04	13	2712	6	0.15	<5	4	147	<5	0.02	10	<10	89	<10	112	4
134117	<0.2	1.99	5	1691	0.5	39	4.54	5	19	34	22	4.87	<1	0.30	28	1.64	985	<2	0.03	13	2701	5	0.24	<5	5	188	<5	0.01	<10	<10	72	<10	110	3
134118	6.2	0.65	102	163	<0.5	11	1.39	6	8	32	12	2.52	<1	0.28	<10	0.25	777	<2	0.01	2	943	199	1.53	<5	2	38	<5	<0.01	<10	<10	14	<10	383	1
134119	3.9	0.71	92	242	<0.5	25	1.80	6	6	20	5	2.94	<1	0.33	<10	0.36	1547	<2	0.01	1	1167	134	1.21	<5	2	71	<5	<0.01	<10	<10	23	<10	834	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Dilworth/Shipment(40bags)

Sample type: Core

Report No : **9V1321RJ**

Date : Oct-20-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134120	4.1	0.59	123	164	<0.5	19	2.99	13	9	28	12	3.18	1	0.32	<10	0.35	1924	<2	0.01	1	1149	350	1.67	<5	2	83	<5	<0.01	<10	<10	16	<10	1074	1
134121	4.4	0.93	118	265	<0.5	19	3.37	11	9	18	8	2.93	<1	0.34	<10	0.44	2672	<2	0.01	1	1312	321	1.09	<5	2	86	<5	<0.01	<10	<10	24	<10	808	1
134122	7.8	0.90	123	248	<0.5	<5	2.21	7	7	30	9	3.23	<1	0.30	<10	0.49	2019	<2	0.01	1	1122	176	1.32	<5	2	80	<5	<0.01	<10	<10	26	<10	967	1
134123	9.5	0.56	155	145	<0.5	23	7.43	7	6	32	17	3.15	<1	0.24	<10	0.26	3009	<2	0.01	1	788	193	2.46	5	1	212	<5	<0.01	<10	<10	18	<10	727	1
134124	3.7	0.87	141	162	<0.5	13	2.85	9	9	27	6	3.84	<1	0.28	<10	0.41	2511	2	0.01	1	1142	176	2.11	<5	2	77	<5	<0.01	<10	<10	25	<10	1038	2
134125	1.5	1.66	73	172	<0.5	13	2.24	6	17	17	8	5.30	<1	0.31	<10	1.00	1883	2	0.01	1	1196	32	2.14	<5	3	75	<5	<0.01	<10	<10	36	10	189	2
134126	1.7	1.62	60	143	<0.5	20	2.18	6	16	16	8	5.16	<1	0.30	<10	1.03	1975	6	0.01	1	1193	55	2.18	<5	3	96	<5	<0.01	<10	<10	31	<10	180	2
134127	1.1	1.84	45	206	<0.5	8	2.89	5	16	12	8	4.76	<1	0.33	<10	1.10	1802	<2	0.01	1	1207	15	1.58	<5	3	101	<5	<0.01	<10	<10	30	<10	117	2
134128	0.9	1.80	39	206	<0.5	28	2.70	5	17	14	7	4.54	<1	0.34	<10	1.05	1763	<2	0.01	1	1136	11	1.40	<5	3	96	<5	<0.01	<10	<10	29	<10	74	2
134129	2.0	1.54	173	201	<0.5	16	3.24	6	15	11	7	5.21	<1	0.37	<10	0.81	1728	2	0.01	1	1167	37	2.33	7	3	100	<5	<0.01	<10	<10	26	<10	123	2
134130	1.1	1.72	64	341	<0.5	9	3.09	4	19	13	9	4.29	1	0.32	<10	1.00	1986	2	0.01	2	1222	13	0.95	<5	3	99	<5	<0.01	<10	<10	27	<10	52	2
134131	4.2	0.98	286	68	<0.5	25	2.87	7	16	12	6	5.00	<1	0.37	<10	0.44	1344	<2	0.01	1	1164	28	3.39	<5	2	91	<5	<0.01	<10	<10	18	10	378	2
134132	1.6	1.56	101	155	<0.5	24	2.81	7	15	10	11	4.98	<1	0.31	<10	0.85	1443	3	0.01	1	1240	14	2.20	<5	3	90	<5	<0.01	<10	<10	26	<10	305	2
134133	2.0	1.07	137	151	<0.5	23	4.39	5	15	11	8	4.36	<1	0.37	<10	0.51	1915	2	0.01	1	1248	15	2.88	<5	3	137	<5	<0.01	<10	<10	19	<10	90	2
134134	2.3	1.01	83	134	<0.5	8	4.42	5	16	8	10	4.66	<1	0.29	<10	0.61	1964	2	0.01	1	1128	13	2.99	<5	3	139	<5	<0.01	<10	<10	18	<10	43	2
134135	2.7	1.37	47	141	<0.5	19	3.71	5	18	8	10	4.96	<1	0.30	<10	0.90	2316	<2	0.01	1	1227	10	2.52	<5	4	109	<5	<0.01	<10	<10	27	<10	68	2
134136	3.2	1.72	84	148	<0.5	22	3.21	9	17	10	12	5.25	<1	0.26	<10	1.18	2757	2	0.01	1	1202	147	2.26	<5	4	110	<5	<0.01	<10	<10	36	<10	413	2
134137	2.1	1.59	59	138	<0.5	36	2.62	5	24	8	11	4.81	<1	0.28	<10	1.08	1832	<2	0.01	1	1241	25	2.08	<5	4	75	<5	<0.01	<10	<10	34	<10	119	2
134138	4.2	1.68	57	114	<0.5	48	2.91	8	20	19	16	5.45	<1	0.32	<10	1.15	2485	<2	0.01	1	1172	119	2.82	<5	4	97	<5	<0.01	<10	<10	35	<10	318	2
134139	5.6	1.61	110	75	<0.5	37	2.55	7	23	18	12	6.22	<1	0.38	<10	0.98	2115	<2	0.01	1	1283	40	3.86	6	4	77	<5	<0.01	<10	<10	34	11	105	3
134140	<0.2	0.03	<5	13	<0.5	79	>15.00	<1	1	2	1	0.46	1	0.02	<10	13.03	233	<2	0.01	2	172	<2	0.40	<5	<1	55	<5	<0.01	<10	<10	3	<10	17	<1
134141	4.7	1.06	76	57	0.5	44	1.25	8	20	18	10	5.82	<1	0.42	<10	0.50	1302	2	0.01	2	1359	56	4.47	<5	3	55	<5	<0.01	<10	<10	24	11	157	2
134142	5.3	1.22	154	64	<0.5	32	2.84	10	16	18	10	5.80	<1	0.41	<10	0.58	2197	10	0.01	1	1218	90	4.24	<5	2	155	<5	<0.01	<10	<10	25	13	554	3
134143	3.3	1.61	72	129	<0.5	42	5.47	7	15	16	10	5.50	<1	0.35	<10	0.95	3025	3	0.01	1	1406	35	3.02	<5	4	230	<5	<0.01	<10	<10	30	12	258	2
134144	1.1	2.35	17	262	0.8	61	4.54	6	13	12	11	5.22	<1	0.36	10	1.38	2530	<2	0.01	1	1452	26	1.18	<5	4	244	<5	<0.01	<10	<10	42	12	179	2
134145	<0.2	2.45	<5	1397	0.5	27	4.11	6	21	44	25	5.48	<1	0.21	26	1.97	1074	<2	0.04	14	2534	6	0.30	<5	5	169	<5	0.01	<10	<10	78	<10	139	5
134146	<0.2	2.28	<5	1647	0.6	29	3.99	6	19	45	29	5.34	<1	0.25	28	2.00	1065	<2	0.05	14	2502	7	0.23	<5	6	147	<5	0.01	10	<10	81	<10	135	6
134147	6.6	0.90	77	92	0.5	18	3.36	15	13	22	8	4.75	<1	0.37	<10	0.42	1493	2	0.01	2	1220	727	3.47	<5	2	156	<5	<0.01	<10	<10	17	10	1131	2
Duplicates:																																		
133940	1.8	1.43	75	139	<0.5	22	3.05	4	13	14	1	4.38	<1	0.39	<10	0.55	1787	4	0.01	1	1253	13	1.97	<5	3	110	<5	<0.01	<10	<10	26	<10	209	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Dilworth/Shipment(40bags)

Sample type: Core

Report No : **9V1321RJ**

Date : Oct-20-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
133949	0.9	0.77	50	160	<0.5	35	4.24	5	12	18	4	4.51	<1	0.42	10	0.83	2146	3	0.01	1	1250	17	1.30	<5	4	189	<5	<0.01	<10	<10	14	<10	159	2
133959	2.9	1.47	80	237	<0.5	36	7.38	4	11	30	3	4.10	<1	0.35	10	0.71	3916	2	0.01	1	1165	112	1.40	5	4	245	<5	<0.01	<10	<10	43	<10	166	2
133962	1.3	1.24	45	145	<0.5	41	6.43	4	9	33	2	3.85	<1	0.21	<10	0.72	4265	5	<0.01	1	747	280	1.61	<5	4	184	<5	<0.01	<10	<10	56	<10	243	2
133971	1.8	1.86	26	224	<0.5	47	1.34	12	13	28	64	4.26	<1	0.44	<10	1.04	3046	<2	<0.01	2	906	435	0.62	<5	4	61	<5	<0.01	<10	<10	29	<10	1087	2
133981	<0.2	1.74	58	152	0.7	51	3.53	5	13	22	13	4.81	<1	0.41	10	1.21	1464	<2	<0.01	4	1124	35	1.47	<5	5	229	<5	<0.01	<10	<10	40	<10	165	2
133984	<0.2	0.48	<5	2134	0.5	48	3.89	3	10	20	<1	3.20	<1	0.38	18	1.28	968	<2	<0.01	6	1167	7	0.09	<5	3	328	<5	<0.01	<10	<10	12	<10	72	2
133993	1.0	1.66	59	180	<0.5	35	2.69	8	11	20	<1	4.87	<1	0.39	10	1.03	2763	<2	<0.01	1	1053	220	1.61	<5	3	106	<5	<0.01	<10	<10	43	<10	651	2
134003	0.4	2.13	39	170	0.6	43	1.90	4	15	13	<1	4.84	<1	0.39	11	1.11	1650	<2	<0.01	1	1145	4	0.51	<5	5	108	<5	<0.01	<10	<10	30	<10	99	2
134006	<0.2	1.96	17	195	0.7	75	3.30	<1	15	13	8	5.21	<1	0.40	<10	1.51	3925	<2	0.01	<1	1409	45	1.04	<5	5	143	<5	<0.01	<10	<10	32	<10	129	2
134015	0.3	1.46	59	212	0.7	82	3.41	<1	15	17	23	4.41	<1	0.43	11	0.81	3217	<2	0.01	1	1420	69	0.87	<5	4	158	<5	<0.01	<10	<10	25	<10	101	2
134025	0.2	0.75	9	236	<0.5	69	13.40	<1	10	38	23	3.72	<1	0.30	<10	0.81	7263	<2	0.01	<1	871	<2	1.04	<5	4	954	<5	<0.01	<10	10	13	<10	71	1
134028	0.5	1.71	24	287	0.6	26	2.76	5	15	19	16	5.11	<1	0.47	11	0.86	2977	<2	0.01	1	1608	12	0.72	<5	5	152	<5	<0.01	<10	<10	38	10	120	2
134037	1.9	0.64	24	157	0.6	51	4.99	11	9	61	6	4.71	<1	0.31	<10	0.90	3189	<2	0.01	2	814	218	0.94	<5	3	348	<5	<0.01	<10	<10	18	12	892	2
134047	1.2	0.56	30	58	<0.5	29	2.43	8	14	21	5	4.82	<1	0.44	<10	0.63	2800	2	0.01	<1	1425	166	2.12	<5	3	148	<5	<0.01	<10	<10	17	10	407	2
134050	0.7	0.97	30	307	0.6	45	4.10	6	15	23	8	4.57	<1	0.37	<10	0.80	3136	<2	0.01	1	1253	43	1.21	<5	4	213	<5	<0.01	<10	<10	22	<10	177	2
134059	2.1	1.93	48	196	<0.5	29	0.62	6	15	14	26	4.90	<1	0.34	<10	0.96	1842	<2	0.02	2	1289	48	0.86	<5	3	31	<5	<0.01	<10	<10	54	10	480	2
134069	1.1	1.84	34	764	0.5	23	1.43	7	15	8	18	4.97	<1	0.35	11	0.95	2255	<2	0.01	2	1491	60	0.42	<5	4	84	<5	<0.01	<10	<10	44	10	410	2
134072	3.2	1.69	62	175	<0.5	48	2.84	5	15	9	12	4.60	1	0.37	10	0.72	2333	<2	0.02	1	1250	47	1.50	<5	3	62	<5	<0.01	<10	<10	48	<10	626	2
134081	0.6	1.07	53	241	0.5	31	2.18	6	14	5	17	4.77	<1	0.41	12	0.85	2538	<2	0.02	2	1404	18	0.58	<5	5	114	<5	<0.01	<10	<10	30	10	185	2
134091	5.2	1.60	55	181	<0.5	40	2.11	5	14	9	76	4.40	<1	0.36	<10	0.76	2260	<2	0.02	1	1204	37	1.05	<5	3	64	<5	<0.01	<10	<10	41	<10	362	2
134094	9.9	1.74	111	194	<0.5	26	0.93	7	14	9	20	4.60	<1	0.34	10	0.84	1561	<2	0.01	1	1289	145	0.74	<5	3	36	<5	<0.01	<10	<10	51	10	547	2
134103	21.2	1.50	71	190	<0.5	29	1.17	12	13	18	17	4.51	1	0.31	<10	0.66	2422	<2	0.01	2	1167	452	1.21	<5	3	43	<5	<0.01	<10	<10	49	<10	943	2
134113	3.2	1.55	97	175	<0.5	25	1.10	9	12	24	12	4.85	1	0.31	<10	0.79	1177	<2	0.01	2	1231	185	1.79	<5	3	28	<5	<0.01	<10	<10	49	10	1047	2
134116	<0.2	2.05	<5	1353	0.5	32	3.36	5	19	37	22	5.07	<1	0.22	29	1.73	806	<2	0.04	12	2634	4	0.14	<5	4	141	<5	0.02	<10	<10	86	<10	108	4
134125	1.3	1.63	64	165	<0.5	9	2.01	6	15	16	7	4.81	<1	0.31	<10	0.94	1729	2	0.01	1	1089	28	1.96	<5	3	70	<5	<0.01	<10	<10	34	10	165	2
134135	2.7	1.42	45	149	<0.5	29	3.82	5	17	8	10	4.71	<1	0.30	<10	0.91	2163	<2	0.01	1	1187	9	2.55	<5	4	108	<5	<0.01	<10	<10	28	<10	66	2
134138	4.3	1.77	59	122	<0.5	54	3.04	9	21	19	16	5.70	<1	0.33	<10	1.21	2524	<2	0.01	1	1228	122	2.92	<5	4	99	<5	<0.01	<10	<10	37	10	329	2
134147	6.6	0.89	80	100	0.5	14	3.47	15	13	23	8	4.81	<1	0.37	<10	0.42	1520	2	0.01	2	1239	732	3.49	<5	2	155	<5	<0.01	<10	<10	17	10	1145	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources
Attention: Sue Deane
Project: Dilworth/Shipment(40bags)
Sample type: Core

Report No : **9V1321RJ**
Date : Oct-20-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
CH-4	1.8	1.65	12	297	0.9	9	0.63	6	32	107	2049	4.98	<1	1.29	13	1.15	339	2	0.05	57	648	20	0.63	<5	7	7	<5	0.19	<10	<10	82	<10	218	9

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1322-RA1

Oct-22-09

Company: **Ascot Resources**
Project: Dilwortt/shipment(40Bags)
Attn: Sue Deane

We *hereby certify* the following assay of 22 rocks samples submitted Oct-01-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
122850	0.01	1.4	1.6
122854	<0.01	0.6	1.7
122855	0.02	0.5	1.6
122856	0.18	0.6	2.1
122857	<0.01	<0.1	1.9
122858	0.20	0.8	1.5
122859	0.58	1.1	2.0
122860	0.02	0.6	1.6
122861	0.08	1.5	2.4
122862	0.60	0.8	1.5
122863	0.16	1.2	2.0
122864	0.27	2.2	1.9
122865	5.15	8.1	2.5
122866	0.73	2.0	2.0
122867	2.12	14.8	2.5
122868	0.18	2.4	6.4
122869	0.21	2.0	2.8
122870	1.51	5.7	4.6
122871	0.10	0.8	5.6
122872	0.57	1.1	2.6
122873	3.00	2.9	4.6
122874	0.62	6.7	4.2
*DUP 122850	0.01	0.4	
*DUP 122862	0.54	0.9	
*DUP 122872	0.52	0.9	
*0211	2.23		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1322-RA2

Oct-22-09

Company: **Ascot Resources**
Project: Dilwortt/shipment(40Bags)
Attn: Sue Deane

We *hereby certify* the following assay of 3 rocks samples submitted Oct-01-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
122875	0.27	1.4	6.4
122876	0.15	0.6	3.2
122877	0.31	0.6	3.2
*DUP 122875	0.28	1.4	
*0211	2.25		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Dilwortt/shipment(40Bags)

Sample type: Rocks

Report No : 9V1322RJ

Date : Oct-22-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
122850	1.4	1.79	45	138	<0.5	20	1.33	3	18	19	7	5.02	1	0.28	10	0.93	1324	<2	0.01	<1	1428	15	1.08	8	3	33	<5	<0.01	<10	<10	28	<10	203	2
122854	0.6	1.96	59	175	<0.5	21	0.55	3	19	20	9	5.22	1	0.34	12	1.05	1376	2	0.01	<1	1414	16	1.07	8	3	14	<5	<0.01	<10	<10	31	13	222	2
122855	0.5	2.26	47	161	<0.5	21	0.28	3	17	16	11	5.16	1	0.30	14	1.35	1292	<2	0.01	<1	1642	15	0.29	9	3	7	<5	<0.01	<10	<10	32	<10	174	2
122856	0.6	1.49	101	322	<0.5	21	0.13	3	12	22	4	5.44	<1	0.28	<10	0.83	668	3	0.01	<1	1367	18	0.55	8	2	6	<5	<0.01	<10	<10	28	<10	102	2
122857	<0.2	1.73	25	143	<0.5	23	0.16	3	14	18	9	6.05	1	0.29	11	1.00	745	<2	0.01	<1	1759	17	0.36	9	4	5	<5	<0.01	<10	<10	26	<10	94	2
122858	0.8	0.77	67	150	<0.5	21	0.08	3	11	20	5	5.33	<1	0.28	11	0.29	492	<2	0.01	<1	1348	20	0.20	8	3	3	<5	<0.01	<10	<10	16	<10	48	2
122859	1.1	1.14	50	165	<0.5	19	0.12	3	10	19	4	5.04	<1	0.32	12	0.52	542	<2	0.01	<1	1351	23	0.25	7	3	4	<5	<0.01	<10	<10	22	<10	51	2
122860	0.6	0.84	34	129	<0.5	22	0.07	3	10	13	7	5.55	<1	0.28	<10	0.34	343	<2	0.01	<1	1355	27	0.28	8	3	3	<5	<0.01	<10	<10	17	<10	47	2
122861	1.5	0.82	113	155	<0.5	23	0.09	3	9	18	8	5.67	1	0.33	10	0.27	373	<2	0.01	<1	1265	27	0.39	13	3	3	<5	<0.01	<10	<10	17	<10	52	2
122862	0.8	1.49	102	140	<0.5	20	0.24	4	11	57	23	4.96	1	0.20	10	0.82	1563	2	0.04	<1	1290	132	0.57	9	4	10	<5	<0.01	<10	<10	68	11	357	2
122863	1.2	1.96	46	230	<0.5	23	0.66	4	10	42	18	5.56	1	0.33	12	1.02	1925	<2	0.01	<1	1490	111	0.45	11	4	17	<5	<0.01	<10	<10	58	12	295	2
122864	2.2	1.94	58	191	<0.5	20	1.87	8	16	23	101	5.08	2	0.33	11	1.17	2777	<2	0.01	<1	1484	294	1.04	9	4	75	<5	<0.01	<10	<10	56	10	674	2
122865	8.1	1.97	52	133	<0.5	26	0.50	20	17	33	116	6.48	2	0.33	<10	1.14	2717	4	0.01	<1	1189	1635	2.23	12	3	26	<5	<0.01	<10	11	58	52	1619	2
122866	2.0	1.52	58	175	<0.5	16	1.02	8	14	41	33	4.01	2	0.28	<10	0.84	2298	3	0.01	<1	983	223	0.87	7	3	38	<5	<0.01	<10	<10	48	<10	760	2
122867	14.8	0.74	179	115	<0.5	16	1.01	34	9	95	174	4.40	3	0.22	<10	0.36	1695	<2	0.01	<1	635	2234	2.23	10	2	38	<5	<0.01	<10	<10	23	76	2597	2
122868	2.4	1.52	54	189	<0.5	15	0.64	5	10	53	50	3.88	2	0.26	19	0.86	2034	<2	0.01	<1	1005	370	0.50	8	3	21	<5	<0.01	<10	<10	49	<10	425	2
122869	2.0	2.09	61	174	<0.5	20	0.32	5	13	44	30	5.38	1	0.30	11	1.24	2008	<2	0.01	<1	1477	250	0.77	9	4	9	<5	<0.01	<10	<10	63	16	450	2
122870	5.7	1.57	139	73	<0.5	30	0.66	21	11	33	115	7.63	2	0.36	<10	0.76	1792	<2	0.01	<1	1197	2237	3.74	14	3	24	<5	<0.01	<10	12	44	44	1626	3
122871	0.8	1.88	57	181	<0.5	21	0.30	4	20	40	18	5.22	1	0.30	10	1.00	1762	2	0.01	<1	1443	100	0.95	10	3	12	<5	<0.01	<10	<10	58	<10	300	2
122872	1.1	2.02	33	169	<0.5	20	0.22	5	8	56	6	5.07	2	0.17	<10	1.27	2886	2	0.01	<1	897	243	0.20	8	3	9	<5	<0.01	<10	<10	68	12	446	2
122873	2.9	1.41	85	90	<0.5	26	0.26	14	15	47	10	6.71	2	0.24	<10	0.79	2017	<2	0.01	<1	1001	499	2.82	13	2	13	<5	<0.01	<10	11	39	32	1108	2
122874	6.7	1.03	188	121	<0.5	15	0.22	77	7	65	123	4.47	5	0.23	<10	0.51	1253	<2	0.01	<1	789	986	2.13	18	2	8	<5	<0.01	<10	<10	25	152	4579	2
122875	1.4	1.06	79	260	<0.5	13	0.16	3	7	64	8	3.68	1	0.24	<10	0.47	1421	<2	0.01	<1	877	121	0.62	10	2	7	<5	<0.01	<10	<10	26	<10	196	2
122876	0.6	1.82	58	308	<0.5	19	0.23	4	10	28	12	5.16	1	0.34	13	0.83	1996	3	0.01	<1	1365	146	0.51	9	4	13	<5	<0.01	<10	<10	56	<10	243	2
122877	0.6	2.12	37	272	<0.5	24	0.29	4	11	21	20	5.71	2	0.28	12	1.21	2543	<2	0.01	<1	1575	94	0.62	10	5	10	<5	<0.01	<10	<10	72	15	283	2
Duplicates:																																		
122850	0.4	1.92	51	154	<0.5	22	1.44	3	20	21	7	5.48	1	0.31	11	1.01	1478	<2	0.01	<1	1526	16	1.21	9	3	36	<5	<0.01	<10	<10	31	12	195	2
122862	0.9	1.50	98	137	<0.5	19	0.24	4	11	57	23	4.87	1	0.20	10	0.81	1547	2	0.03	<1	1394	126	0.58	8	4	11	<5	<0.01	<10	<10	67	<10	348	2
122872	0.9	2.11	33	175	<0.5	21	0.22	6	8	55	6	5.28	2	0.17	<10	1.33	3011	2	0.01	<1	938	250	0.21	9	3	9	<5	<0.01	<10	<10	70	<10	461	2
122875	1.4	1.07	77	265	<0.5	14	0.15	2	7	65	7	3.64	1	0.25	<10	0.46	1434	2	0.01	<1	885	119	0.61	11	2	7	<5	<0.01	<10	<10	26	<10	196	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources
Attention: Sue Deane
Project: Dilwortt/shipment(40Bags)
Sample type: Rocks

Report No : **9V1322RJ**
Date : Oct-22-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.7	1.80	12	299	<0.5	20	0.62	4	31	109	2045	5.02	<1	1.35	13	1.35	347	2	0.05	51	627	14	0.59	13	7	8	<5	0.19	<10	<10	77	13	219	10

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1335-RA1

Oct-23-09

Company: **Ascot Resources**
Project: Dilworth
Attn: Sue Deane

We *hereby certify* the following assay of 22 rocks samples submitted Oct-05-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
122289	0.51	14.3	1.5
122290	0.22	8.5	1.6
122291	0.78	10.7	1.3
122292	0.30	6.4	1.7
122293	0.85	51.8	1.5
122294	0.55	34.7	1.4
122295	0.77	31.3	1.6
122296	0.12	5.9	1.4
122297	0.12	11.4	2.0
122298	0.49	35.7	2.0
122878	0.27	5.8	1.0
122879	0.52	5.5	1.0
122880	0.20	3.8	1.6
122881	0.32	3.3	1.1
122882	0.53	8.1	1.3
122883	0.26	12.5	1.5
122884	0.43	14.0	1.8
122885	0.83	17.5	2.1
122886	0.60	11.9	2.5
122887	0.58	19.5	2.0
122888	0.64	15.5	1.7
122889	0.64	10.1	2.1
*DUP 122289	0.47	14.7	
*DUP 122298	0.54	37.3	
*DUP 122887	0.61	19.5	
*0211	2.55		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1335-RA2

Oct-23-09

Company: **Ascot Resources**
Project: Dilworth
Attn: Sue Deane

We *hereby certify* the following assay of 17 rocks samples submitted Oct-05-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
122890	1.42	16.3	2.4
122891	3.67	8.5	1.4
122892	0.83	53.3	1.5
122893	1.24	38.3	1.9
122894	0.99	15.2	1.9
122895	0.72	11.4	1.9
122896	0.96	48.8	1.7
122897	1.16	56.2	1.7
122898	0.52	57.8	1.9
122899	1.23	20.3	1.2
122900	0.49	9.0	1.4
122451	0.15	42.6	2.0
122452	0.10	16.2	2.5
122453	0.19	42.4	1.9
122454	0.20	33.4	2.2
122455	0.07	6.8	2.0
122456	0.04	19.1	1.5
*DUP 122890	1.41	14.5	
*DUP 122899	1.22	20.6	
*0211	2.29		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources
Attention: Sue Deane
Project: Dilworth
Sample type: Rocks

Report No : **9V1335RJ**
Date : Oct-23-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
122289	14.3	0.18	131	199	<0.5	5	<0.01	6	1	121	6	1.27	1	0.23	<10	0.01	32	<2	0.01	3	125	775	0.70	13	<1	2	<5	<0.01	<10	<10	5	<10	137	1
122290	8.5	0.20	91	198	<0.5	5	0.01	2	1	116	4	1.30	1	0.26	<10	0.01	47	4	0.01	2	303	308	0.17	12	<1	3	<5	<0.01	<10	<10	5	<10	70	1
122291	10.7	0.28	52	2108	<0.5	10	0.06	2	<1	108	18	2.53	1	0.26	<10	0.01	106	<2	0.01	2	786	396	0.10	13	1	24	<5	<0.01	<10	<10	9	<10	51	1
122292	6.4	0.45	30	2120	0.6	14	0.09	2	8	74	6	3.57	1	0.36	<10	0.03	599	<2	0.01	1	907	259	0.06	11	2	14	<5	<0.01	<10	<10	12	11	330	1
122293	51.8	0.42	75	674	<0.5	16	0.48	5	7	99	27	4.13	1	0.28	<10	0.03	527	<2	0.01	1	2107	537	0.10	18	2	28	<5	<0.01	<10	<10	14	20	266	1
122294	34.7	0.26	135	857	<0.5	7	0.02	2	1	115	20	1.82	1	0.21	<10	0.01	84	<2	0.01	2	336	441	0.31	22	1	5	<5	<0.01	<10	<10	14	<10	106	1
122295	31.3	0.18	88	337	<0.5	5	0.01	4	1	146	10	1.42	1	0.16	<10	0.01	82	3	0.01	3	201	493	0.27	20	1	3	<5	<0.01	<10	<10	10	<10	144	1
122296	5.9	0.36	94	542	<0.5	<5	0.05	<1	1	97	3	0.81	1	0.31	<10	0.02	56	2	0.01	2	519	103	0.05	17	1	5	<5	<0.01	<10	<10	8	<10	63	1
122297	11.4	0.23	33	465	<0.5	8	<0.01	2	1	144	9	2.22	1	0.18	<10	0.02	191	<2	0.01	3	181	240	0.30	11	1	4	<5	<0.01	<10	<10	7	<10	130	1
122298	35.7	0.20	68	108	<0.5	7	<0.01	4	1	163	24	2.05	1	0.14	<10	0.02	132	<2	0.01	2	119	327	0.25	21	1	1	<5	<0.01	<10	<10	17	<10	287	1
122878	5.8	0.17	190	79	<0.5	10	0.01	2	2	117	18	2.60	1	0.14	<10	0.02	177	2	0.01	3	360	567	0.85	10	1	5	<5	<0.01	<10	<10	6	<10	83	1
122879	5.5	0.19	214	68	<0.5	9	<0.01	2	2	133	8	2.21	<1	0.19	<10	0.01	133	<2	0.01	2	187	440	0.85	8	<1	3	<5	<0.01	<10	<10	6	<10	115	1
122880	3.8	0.13	78	910	<0.5	6	<0.01	2	<1	159	9	1.58	<1	0.12	<10	0.01	136	2	0.01	4	153	408	0.28	7	<1	18	<5	<0.01	<10	<10	4	<10	125	1
122881	3.3	0.22	70	97	<0.5	6	0.03	1	1	164	5	1.56	<1	0.18	<10	0.01	125	<2	0.01	2	413	192	0.30	6	1	4	<5	<0.01	<10	<10	6	<10	46	1
122882	8.1	0.23	347	97	<0.5	13	<0.01	8	2	151	9	3.38	2	0.21	<10	0.02	50	2	0.01	3	383	306	1.85	26	<1	3	<5	<0.01	<10	<10	7	12	577	1
122883	12.5	0.18	239	145	<0.5	10	<0.01	6	1	141	13	2.57	2	0.17	<10	0.01	27	4	0.01	2	178	446	0.93	25	<1	2	<5	<0.01	<10	<10	11	16	457	1
122884	14.0	0.20	187	134	<0.5	9	<0.01	6	1	139	12	2.30	1	0.20	<10	0.01	33	<2	0.01	3	231	460	0.74	20	<1	2	<5	<0.01	<10	<10	13	10	365	1
122885	17.5	0.25	456	123	<0.5	12	<0.01	13	3	101	21	3.26	2	0.28	<10	0.02	24	<2	0.01	1	251	435	1.81	27	<1	3	<5	<0.01	<10	<10	14	<10	353	1
122886	11.9	0.20	162	266	<0.5	7	<0.01	8	1	122	16	1.83	2	0.22	<10	0.01	25	<2	0.01	2	120	288	0.87	19	<1	2	<5	<0.01	<10	<10	10	11	407	1
122887	19.5	0.15	207	157	<0.5	7	<0.01	2	1	165	9	1.97	2	0.18	<10	0.01	37	2	0.01	2	204	244	0.56	19	<1	3	<5	<0.01	<10	<10	8	<10	59	1
122888	15.5	0.18	66	108	<0.5	9	<0.01	7	1	167	21	2.20	1	0.12	<10	0.02	215	2	0.01	3	188	250	0.12	12	1	2	<5	<0.01	<10	<10	8	<10	269	1
122889	10.1	0.28	109	290	<0.5	10	0.02	19	2	126	27	2.59	1	0.17	<10	0.03	154	<2	0.01	1	274	527	0.64	10	1	4	<5	<0.01	<10	<10	9	11	430	1
122890	16.3	0.18	142	209	<0.5	10	0.02	13	2	113	17	2.90	1	0.15	<10	0.01	59	<2	0.01	2	248	610	0.96	10	1	4	<5	<0.01	<10	<10	5	14	481	1
122891	8.5	0.47	87	157	<0.5	12	0.02	10	2	154	17	3.11	1	0.15	<10	0.08	208	<2	0.01	1	266	555	0.36	10	1	5	<5	<0.01	<10	<10	13	<10	234	1
122892	53.3	0.18	229	230	<0.5	10	<0.01	15	1	152	28	2.56	4	0.19	<10	0.01	29	<2	0.01	3	87	777	1.06	46	<1	1	<5	<0.01	<10	<10	11	18	487	1
122893	38.3	0.25	341	64	<0.5	14	<0.01	12	2	111	20	3.84	7	0.28	<10	0.02	30	<2	0.01	1	145	733	2.77	60	<1	2	<5	<0.01	<10	<10	8	18	400	2
122894	15.2	0.27	168	146	<0.5	14	0.01	3	1	130	42	3.74	1	0.26	<10	0.02	28	<2	0.01	2	568	354	1.33	25	<1	5	<5	<0.01	<10	<10	7	11	123	2
122895	11.4	0.27	501	268	<0.5	19	0.01	7	1	131	17	4.81	2	0.43	<10	0.04	48	<2	0.01	2	1452	1415	0.84	46	1	12	<5	<0.01	<10	<10	18	14	157	2
122896	48.8	0.15	148	159	<0.5	8	<0.01	3	1	165	9	2.09	3	0.18	<10	0.01	43	2	0.01	3	69	244	1.30	31	<1	2	<5	<0.01	<10	<10	17	10	103	1
122897	56.2	0.28	117	292	<0.5	13	0.04	13	2	187	24	3.42	1	0.24	<10	0.03	325	<2	0.01	2	565	991	0.53	17	1	8	<5	<0.01	<10	<10	16	22	453	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources
Attention: Sue Deane
Project: Dilworth
Sample type: Rocks

Report No : **9V1335RJ**
Date : Oct-23-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
122898	57.8	0.25	112	80	<0.5	13	0.06	6	2	155	55	3.60	1	0.14	<10	0.03	421	<2	0.01	3	482	601	0.67	18	1	9	<5	<0.01	<10	<10	17	14	271	1
122899	20.3	0.17	179	97	<0.5	11	<0.01	5	2	136	8	3.04	1	0.20	<10	0.02	43	3	0.01	2	131	428	1.73	24	<1	2	<5	<0.01	<10	<10	9	<10	107	1
122900	9.0	0.17	83	361	<0.5	5	<0.01	4	1	159	5	1.36	1	0.20	<10	0.01	24	2	0.01	4	66	361	0.56	12	<1	2	<5	<0.01	<10	<10	4	10	119	1
122451	42.6	0.08	1907	17	<0.5	37	<0.01	9	1	162	16	8.89	65	0.06	<10	0.02	62	3	0.01	<1	34	216	>5.00	549	<1	2	<5	<0.01	194	22	<1	12	411	2
122452	16.2	0.15	427	124	<0.5	9	<0.01	8	1	161	6	2.27	17	0.11	<10	0.01	29	6	0.01	3	<10	138	1.70	172	<1	1	<5	<0.01	63	<10	5	23	742	1
122453	42.4	0.10	434	101	<0.5	10	<0.01	7	2	196	12	2.74	16	0.08	<10	0.01	32	5	0.01	3	<10	160	2.09	101	<1	1	<5	<0.01	21	<10	5	14	312	1
122454	33.4	0.09	987	55	<0.5	19	<0.01	5	3	179	3	4.83	16	0.07	<10	0.01	30	7	0.01	3	36	152	3.29	123	<1	1	<5	<0.01	20	11	1	<10	215	1
122455	6.8	0.26	153	122	<0.5	12	0.02	4	3	170	5	3.31	1	0.09	<10	0.08	312	3	0.01	3	138	71	0.92	17	<1	4	<5	<0.01	<10	<10	8	<10	316	1
122456	19.1	0.10	53	155	<0.5	<5	<0.01	2	2	196	18	1.08	1	0.07	<10	0.01	510	<2	0.01	5	125	84	0.35	13	<1	3	<5	<0.01	<10	<10	8	<10	201	1
Duplicates:																																		
122289	14.7	0.21	137	230	<0.5	5	<0.01	6	1	136	6	1.33	1	0.25	<10	0.01	34	<2	0.01	3	125	804	0.72	14	<1	2	<5	<0.01	<10	<10	6	<10	142	1
122298	37.3	0.21	71	111	<0.5	8	<0.01	4	1	167	24	2.09	1	0.15	<10	0.02	135	<2	0.01	2	123	336	0.26	21	1	1	<5	<0.01	<10	<10	17	<10	294	1
122887	19.5	0.15	211	159	<0.5	8	<0.01	2	1	166	9	2.01	2	0.18	<10	0.01	35	2	0.01	2	212	250	0.58	18	<1	3	<5	<0.01	<10	<10	8	<10	59	1
122890	14.5	0.18	141	211	<0.5	10	0.02	13	2	119	16	2.93	1	0.15	<10	0.01	60	<2	0.01	2	263	614	0.96	10	1	4	<5	<0.01	<10	<10	5	19	461	1
122899	20.6	0.17	177	104	<0.5	11	<0.01	5	2	139	9	2.99	2	0.20	<10	0.02	42	3	0.01	2	127	420	1.70	25	<1	2	<5	<0.01	<10	<10	9	<10	104	1
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
ICP-5	25.1	1.30	1494	172	<0.5	56	2.36	20	21	184	2301	4.28	1	0.20	<10	1.47	696	7	0.08	128	571	2598	1.15	256	3	70	<5	0.08	<10	10	64	55	1627	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1336-RA1

Oct-21-09

Company: **Ascot Resources**
Project: Dilworth
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-05-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134148	<0.01	1.2	1.8
134149	<0.01	0.2	1.5
134150	<0.01	0.9	1.5
134151	0.02	0.6	2.0
134152	0.01	1.3	1.5
134153	0.03	4.8	1.7
134154	0.04	9.2	2.0
134155	0.03	10.2	1.5
134156	0.03	4.2	1.8
134157	0.05	4.9	1.8
134158	0.01	1.7	1.8
134159	0.11	5.3	1.5
134160	<0.01	<0.1	0.3
134161	0.07	2.0	1.9
134162	0.04	1.3	1.5
134163	<0.01	0.5	1.7
134164	<0.01	0.4	1.9
134165	0.02	2.6	1.6
134166	<0.01	0.7	1.8
134167	<0.01	0.3	1.6
134168	0.01	1.1	1.7
134169	0.01	0.9	1.5
*DUP 134148	<0.01	1.3	
*DUP 134157	0.05	5.0	
*DUP 134167	<0.01	0.4	
*0211	2.16		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1336-RA2

Oct-21-09

Company: **Ascot Resources**
Project: Dilworth
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-05-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134170	0.02	0.2	1.6
134171	<0.01	<0.1	1.7
134172	<0.01	<0.1	2.4
134173	0.03	2.3	1.5
134174	0.02	2.2	1.3
134175	0.04	8.6	1.8
134176	0.01	1.8	1.5
134177	<0.01	0.6	1.5
134178	<0.01	0.5	1.5
134179	0.02	4.1	1.6
134180	0.17	2.5	1.6
134181	<0.01	<0.1	1.8
134182	<0.01	<0.1	1.7
134183	<0.01	<0.1	1.5
134184	<0.01	0.3	1.6
134185	0.01	2.4	1.5
134186	<0.01	<0.1	1.7
134187	0.03	3.3	1.7
134188	0.01	0.7	1.8
134189	<0.01	0.7	1.8
134190	0.01	0.4	1.5
134191	0.02	2.3	1.7
*DUP 134170	0.03	1.2	
*DUP 134179	0.01	3.9	
*DUP 134189	<0.01	0.7	
*0211	2.17		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1336-RA3

Oct-21-09

Company: **Ascot Resources**
Project: Dilworth
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-05-09

Sample Name	Au g/tonne	Ag g/touue	Sample-wt Kg
134192	0.02	1.0	1.3
134193	<0.01	1.4	1.9
134194	0.05	11.3	0.9
134195	0.23	9.8	0.8
134196	0.05	2.6	1.6
134197	0.02	3.9	1.6
134198	0.03	2.2	1.3
134199	0.01	1.7	1.3
134200	<0.01	<0.1	0.3
134201	0.01	1.7	1.3
134202	<0.01	2.0	1.6
134203	<0.01	1.8	1.2
134204	<0.01	2.5	1.4
134205	<0.01	1.1	1.5
134206	<0.01	1.1	1.7
134207	<0.01	1.7	1.8
134208	0.01	1.4	1.7
134209	0.02	3.0	1.6
134210	<0.01	0.5	1.5
134211	0.02	16.9	1.4
134212	0.11	3.1	1.6
134213	0.04	3.3	1.5
*DUP 134192	0.02	1.0	
*DUP 134201	<0.01	1.7	
*DUP 134211	0.02	17.3	
*0211	2.24		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1336-RA4

Oct-21-09

Company: **Ascot Resources**
Project: Dilworth
Attn: Sue Deane

We *hereby certify* the following assay of 6 core samples submitted Oct-05-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134214	0.01	1.8	1.7
134215	<0.01	0.8	1.7
134216	0.01	1.2	1.7
134217	<0.01	<0.1	1.3
134218	<0.01	<0.1	1.6
134219	<0.01	<0.1	1.5
*DUP 134214	0.01	1.9	
*0211	2.19		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Dilworth

Sample type: Core

Report No : **9V1336RJ**

Date : Oct-21-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134148	1.2	2.04	24	175	<0.5	23	3.15	6	16	24	10	4.96	<1	0.33	<10	1.23	1503	<2	0.01	1	1364	17	1.66	<5	3	185	<5	<0.01	<10	<10	31	<10	97	2
134149	0.2	2.41	23	209	0.5	37	3.78	6	19	21	11	5.59	<1	0.30	<10	1.45	1478	<2	0.01	2	1489	9	1.17	<5	4	134	<5	<0.01	<10	<10	36	<10	91	2
134150	0.9	1.80	49	176	0.5	12	3.61	6	21	19	10	5.56	<1	0.36	<10	1.07	1341	<2	0.01	2	1485	18	2.60	<5	4	211	<5	<0.01	<10	<10	29	<10	62	2
134151	0.6	1.95	44	197	<0.5	12	4.20	6	19	23	10	5.63	<1	0.30	<10	1.31	1683	<2	0.01	2	1390	14	2.20	<5	5	132	<5	<0.01	<10	<10	30	<10	99	2
134152	1.3	1.45	129	107	<0.5	10	3.26	6	18	18	7	5.38	<1	0.34	<10	0.87	1361	<2	0.01	2	1403	14	3.35	<5	3	87	<5	<0.01	<10	<10	22	<10	50	2
134153	4.8	1.29	132	82	<0.5	47	3.76	7	23	15	6	5.90	<1	0.32	<10	0.83	1704	<2	0.01	2	1405	20	4.21	<5	3	160	<5	<0.01	<10	<10	20	<10	54	2
134154	9.2	1.53	116	95	<0.5	37	3.28	7	24	18	6	6.01	<1	0.35	<10	1.12	1847	<2	0.01	2	1315	30	3.90	<5	3	142	<5	<0.01	<10	<10	25	<10	115	2
134155	10.2	1.25	55	83	0.5	17	2.94	8	21	13	6	5.74	<1	0.38	<10	0.77	1518	<2	0.01	2	1411	22	4.18	<5	3	103	<5	<0.01	<10	<10	21	10	196	2
134156	4.2	0.96	83	96	<0.5	44	3.64	6	15	18	6	5.36	<1	0.31	<10	0.54	1570	<2	0.01	1	1472	16	4.02	<5	2	126	<5	<0.01	<10	<10	18	12	114	2
134157	4.9	0.80	259	76	<0.5	22	3.08	6	15	14	6	5.65	<1	0.36	<10	0.29	1253	<2	0.01	1	1389	16	4.52	<5	2	91	<5	<0.01	<10	<10	16	12	57	2
134158	1.7	1.87	99	203	<0.5	21	4.18	6	13	13	7	5.31	<1	0.30	<10	0.99	1669	<2	0.01	<1	1564	27	1.96	<5	3	147	<5	<0.01	<10	<10	34	12	109	2
134159	5.3	0.94	303	70	<0.5	33	3.36	8	16	17	8	5.98	<1	0.40	<10	0.33	1165	27	0.01	1	1365	202	4.93	<5	2	102	<5	<0.01	<10	<10	20	14	250	3
134160	<0.2	0.04	<5	12	<0.5	57	>15.00	<1	<1	2	<1	0.56	<1	0.02	<10	12.93	227	<2	0.01	2	139	<2	0.43	<5	<1	48	<5	<0.01	<10	<10	3	<10	6	<1
134161	2.0	1.26	140	145	<0.5	16	2.81	6	14	15	32	5.00	<1	0.42	<10	0.53	1084	5	0.01	1	1502	137	3.09	<5	3	83	<5	<0.01	<10	<10	25	11	146	2
134162	1.3	2.34	178	335	<0.5	32	6.84	4	11	20	6	4.37	1	1.00	10	0.58	1757	2	0.01	1	1207	100	2.42	6	5	162	<5	0.01	<10	<10	52	<10	106	3
134163	0.5	2.20	34	261	<0.5	39	3.54	5	14	12	14	5.35	<1	0.36	10	1.18	2040	2	0.01	1	1508	8	0.93	<5	4	107	<5	<0.01	<10	<10	39	10	90	2
134164	0.4	2.61	17	192	<0.5	14	3.26	6	14	11	21	5.67	<1	0.33	14	1.45	2605	<2	0.01	1	1674	8	0.46	<5	4	109	<5	<0.01	<10	<10	46	11	116	2
134165	2.6	2.09	94	202	<0.5	19	5.25	5	12	10	13	5.26	<1	0.34	<10	1.01	2862	<2	0.01	1	1497	13	1.11	6	4	150	<5	<0.01	<10	<10	36	11	83	2
134166	0.7	2.31	24	172	<0.5	20	3.79	6	14	8	16	5.61	<1	0.28	<10	1.23	2390	2	0.01	1	1479	5	0.63	<5	4	102	<5	<0.01	<10	<10	38	11	72	2
134167	0.3	2.36	17	213	<0.5	11	4.32	6	14	8	10	5.59	<1	0.33	10	1.20	2901	2	0.02	1	1602	5	0.46	<5	4	144	<5	<0.01	<10	<10	43	10	89	2
134168	1.1	1.84	46	186	<0.5	31	4.89	5	11	14	15	4.81	<1	0.30	<10	0.93	2610	3	0.01	1	1338	14	0.94	<5	3	133	<5	<0.01	<10	<10	31	<10	77	2
134169	0.9	1.69	25	226	<0.5	8	6.97	5	10	15	24	3.88	<1	0.32	11	0.97	3618	<2	0.01	2	1260	29	0.53	<5	4	293	<5	<0.01	<10	<10	32	<10	105	2
134170	0.2	1.44	20	102	<0.5	12	3.82	2	13	48	11	3.20	1	0.22	13	1.34	1201	<2	0.03	10	1473	22	0.30	7	3	218	<5	<0.01	<10	<10	35	10	83	2
134171	<0.2	1.84	10	116	<0.5	13	3.77	2	15	53	5	3.45	<1	0.26	16	1.53	704	<2	0.04	12	1657	25	0.27	7	3	204	<5	<0.01	<10	<10	48	11	105	2
134172	<0.2	1.79	<5	1458	<0.5	14	3.72	2	14	51	13	3.48	1	0.23	21	1.60	806	<2	0.04	12	1655	20	0.17	7	3	199	<5	0.01	<10	<10	56	<10	104	2
134173	2.3	1.74	121	261	<0.5	18	4.52	2	13	15	10	4.49	1	0.49	<10	0.92	1814	<2	0.01	<1	1354	18	1.43	11	4	134	<5	<0.01	<10	<10	35	<10	136	2
134174	2.2	1.67	94	214	<0.5	20	2.98	3	15	11	37	4.77	1	0.39	11	0.88	1752	<2	0.01	<1	1633	10	1.14	11	4	131	<5	<0.01	<10	<10	29	17	127	2
134175	8.6	1.58	380	222	<0.5	21	1.78	3	15	12	12	5.48	9	0.45	10	0.62	1168	<2	0.01	<1	1496	25	2.14	73	3	91	<5	<0.01	14	<10	30	<10	120	2
134176	1.8	0.91	171	205	<0.5	15	3.34	3	13	29	24	3.82	1	0.38	<10	0.31	1251	2	0.01	<1	1287	37	2.21	9	2	109	<5	<0.01	<10	<10	15	<10	149	1
134177	0.6	1.35	56	224	<0.5	19	3.93	3	14	8	3	4.39	1	0.38	<10	0.59	2047	<2	0.01	<1	1623	48	1.62	7	3	131	<5	<0.01	<10	<10	21	14	132	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95ºC for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Dilworth

Sample type: Core

Report No : **9V1336RJ**

Date : Oct-21-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134178	0.5	1.70	38	190	<0.5	19	3.93	2	13	10	5	4.61	1	0.37	<10	0.92	1880	<2	0.01	<1	1652	8	1.29	8	3	141	<5	<0.01	<10	<10	23	12	88	2
134179	4.1	1.54	164	217	<0.5	20	4.11	3	14	11	8	4.75	2	0.43	12	0.71	1802	<2	0.01	<1	1377	24	1.93	15	3	155	<5	<0.01	<10	<10	22	19	99	2
134180	2.5	1.63	78	182	<0.5	17	4.19	2	14	10	21	4.14	1	0.37	<10	0.95	2271	<2	0.01	<1	1362	29	0.90	9	3	161	<5	<0.01	<10	<10	26	18	143	1
134181	<0.2	2.29	21	229	<0.5	21	3.48	3	16	6	<1	4.86	1	0.42	12	1.70	2114	<2	0.02	<1	1574	7	0.37	10	5	168	<5	<0.01	<10	<10	54	13	109	2
134182	<0.2	2.10	23	224	<0.5	21	3.66	3	15	8	7	4.84	1	0.36	13	1.31	1821	<2	0.02	<1	1564	7	0.22	8	5	226	<5	0.01	<10	<10	61	11	105	2
134183	<0.2	2.02	56	243	<0.5	20	3.60	3	15	6	9	4.84	2	0.40	12	1.31	2249	<2	0.02	<1	1505	8	0.42	8	6	216	<5	0.01	<10	<10	63	11	100	2
134184	0.3	1.93	70	163	<0.5	19	4.45	2	14	9	3	4.61	1	0.33	11	1.29	2176	<2	0.02	<1	1530	7	0.55	9	5	328	<5	<0.01	<10	<10	56	12	116	2
134185	2.4	1.29	120	186	<0.5	13	7.10	2	12	8	12	3.84	2	0.40	<10	0.80	2717	<2	0.01	<1	1288	12	1.58	11	3	265	<5	<0.01	<10	<10	30	16	160	2
134186	<0.2	2.04	25	178	<0.5	21	2.35	3	15	7	9	4.84	1	0.36	12	1.36	2097	<2	0.02	<1	1583	6	0.48	9	5	162	<5	<0.01	<10	<10	60	13	122	2
134187	3.3	1.32	275	182	<0.5	18	3.01	2	13	13	6	4.16	3	0.37	<10	0.89	1919	<2	0.01	<1	1392	15	1.75	20	4	123	<5	<0.01	<10	<10	39	19	126	2
134188	0.7	1.76	79	158	<0.5	20	3.68	3	15	7	<1	4.85	1	0.39	11	1.34	2429	<2	0.01	<1	1564	11	1.36	9	5	150	<5	<0.01	<10	<10	50	10	140	2
134189	0.7	2.19	61	153	<0.5	22	2.14	3	15	10	35	5.31	2	0.35	11	1.73	2425	3	0.01	<1	1521	12	0.66	9	5	108	<5	<0.01	<10	<10	60	24	189	2
134190	0.4	2.01	49	144	<0.5	22	2.49	4	16	12	14	5.07	2	0.35	11	1.62	2581	<2	0.01	<1	1668	10	0.50	9	5	163	<5	<0.01	<10	<10	55	15	287	2
134191	2.3	1.12	51	410	<0.5	17	3.48	3	14	9	88	4.31	2	0.40	10	1.17	3093	<2	0.01	<1	1547	19	0.76	7	5	191	<5	<0.01	<10	<10	28	14	119	1
134192	1.0	0.92	54	133	<0.5	16	4.71	2	13	14	10	4.03	2	0.34	<10	1.19	3017	<2	0.01	<1	1401	17	0.90	6	4	230	<5	<0.01	<10	<10	23	<10	140	1
134193	1.4	1.25	59	391	<0.5	15	8.01	2	12	11	21	4.06	2	0.37	11	1.21	3618	<2	0.01	<1	1364	21	1.16	7	4	259	<5	<0.01	<10	<10	35	18	127	2
134194	11.3	13.28	1013	1325	0.8	141	>15.00	22	119	174	239	40.62	23	3.00	96	10.17	>10000	4	0.08	<1	>10000	160	>5.00	66	36	1631	23	0.02	43	68	382	113	1609	15
134195	9.8	0.56	346	117	<0.5	12	10.45	4	7	28	36	3.44	4	0.22	<10	0.44	4925	<2	0.01	<1	773	47	2.13	14	2	259	<5	<0.01	<10	15	14	20	547	1
134196	2.6	1.05	100	233	<0.5	15	4.52	2	13	14	29	3.74	2	0.32	10	0.91	2881	<2	0.01	<1	1310	20	0.91	9	4	164	<5	<0.01	<10	<10	29	13	106	2
134197	3.9	0.56	70	383	<0.5	17	3.80	3	13	9	29	4.12	1	0.45	11	1.01	2749	<2	0.01	<1	1395	21	0.82	10	5	217	<5	<0.01	<10	<10	11	29	111	2
134198	2.2	0.44	42	255	<0.5	17	4.41	4	14	10	46	4.51	2	0.41	10	1.23	3505	2	0.01	<1	1348	56	0.99	7	5	266	<5	<0.01	<10	<10	8	13	246	1
134199	1.7	0.50	27	238	0.6	17	3.97	3	13	13	20	4.61	2	0.40	10	1.16	3264	<2	0.01	<1	1349	17	1.16	8	5	204	<5	<0.01	<10	<10	10	<10	115	2
134200	<0.2	0.03	<5	26	<0.5	<5	>15.00	<1	1	2	1	0.56	<1	0.04	<10	13.51	316	<2	0.01	2	177	<2	0.44	<5	<1	50	<5	<0.01	12	14	3	<10	24	<1
134201	1.7	0.34	24	98	<0.5	17	2.90	3	14	39	5	4.05	1	0.29	<10	1.00	1984	<2	0.01	2	1082	20	1.18	7	5	160	<5	<0.01	<10	<10	9	<10	84	1
134202	2.0	0.36	40	133	<0.5	17	2.65	3	21	54	3	4.20	1	0.28	<10	0.91	1848	<2	0.01	7	1142	13	1.59	9	5	145	<5	<0.01	<10	<10	10	13	75	1
134203	1.8	0.37	60	103	0.6	13	1.41	2	15	45	3	3.55	1	0.28	<10	0.60	1160	10	0.01	2	856	18	1.19	7	4	76	<5	<0.01	<10	<10	8	<10	46	1
134204	2.5	0.65	49	130	<0.5	18	3.14	3	16	19	13	4.40	1	0.34	<10	0.81	2082	<2	0.01	1	1413	18	2.24	7	4	154	<5	<0.01	<10	<10	15	<10	124	2
134205	1.1	0.47	33	110	0.6	23	1.94	4	19	19	16	5.81	1	0.38	<10	0.72	1473	<2	0.01	2	1468	20	2.94	9	4	91	<5	<0.01	<10	<10	9	19	148	2
134206	1.1	0.43	51	99	0.6	23	1.12	4	19	14	20	5.71	<1	0.36	<10	0.33	946	<2	0.01	2	1635	17	3.62	8	4	53	<5	<0.01	<10	<10	8	<10	131	2
134207	1.7	0.46	75	93	0.6	21	1.45	3	15	14	18	5.32	<1	0.37	<10	0.42	922	<2	0.01	2	1391	22	3.47	9	3	67	<5	<0.01	<10	<10	7	<10	100	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources

Attention: Sue Deane

Project: Dilworth

Sample type: Core

Report No : **9V1336RJ**

Date : Oct-21-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134208	1.4	0.38	88	133	<0.5	19	2.53	3	14	15	12	4.56	1	0.33	<10	0.66	1241	2	0.01	1	1330	18	2.01	8	3	132	<5	<0.01	<10	<10	8	15	104	2
134209	3.0	0.88	50	209	<0.5	14	4.22	2	14	8	34	3.72	1	0.37	10	0.66	2071	<2	0.01	1	1279	19	0.53	7	3	149	<5	<0.01	<10	<10	16	11	90	1
134210	0.5	1.06	35	307	<0.5	18	3.79	3	13	11	26	4.48	1	0.34	11	0.97	2213	<2	0.01	1	1508	32	0.48	6	4	206	<5	<0.01	<10	<10	23	23	145	1
134211	16.9	0.70	64	151	<0.5	13	5.91	2	12	15	14	3.38	2	0.28	<10	0.67	2548	<2	0.01	1	1078	21	0.68	9	3	226	<5	<0.01	<10	<10	14	10	76	1
134212	3.1	0.62	106	177	<0.5	17	5.13	3	20	88	25	4.48	1	0.31	<10	0.98	2422	<2	0.01	35	1266	27	1.37	10	5	233	<5	<0.01	<10	<10	18	<10	120	1
134213	3.3	1.41	185	230	<0.5	21	5.93	3	22	12	35	5.08	2	0.36	<10	1.25	2550	<2	0.01	<1	1331	13	1.44	13	7	193	<5	<0.01	<10	12	36	13	85	2
134214	1.8	1.83	93	222	<0.5	24	4.50	3	23	16	18	5.89	2	0.33	<10	1.55	2995	<2	0.01	<1	1470	15	1.52	11	7	161	<5	<0.01	<10	14	47	13	108	2
134215	0.8	1.81	64	190	<0.5	20	2.97	3	21	11	11	5.10	1	0.31	<10	1.52	1663	<2	0.02	1	1410	9	1.20	10	6	101	<5	<0.01	<10	<10	38	20	104	2
134216	1.2	2.12	143	166	<0.5	22	2.31	3	22	11	9	5.51	1	0.27	<10	1.81	1520	<2	0.02	1	1437	8	1.03	14	6	98	<5	<0.01	<10	<10	37	12	168	2
134217	<0.2	2.31	9	193	<0.5	22	4.68	3	20	14	<1	5.12	1	0.29	12	1.72	1791	<2	0.02	1	1400	3	0.13	9	7	171	<5	<0.01	<10	<10	45	15	108	2
134218	<0.2	2.02	16	244	<0.5	21	4.81	3	24	15	2	4.85	1	0.24	<10	1.50	1771	<2	0.01	1	1309	5	0.26	7	7	175	<5	<0.01	<10	<10	45	<10	107	1
134219	<0.2	2.38	17	193	<0.5	22	2.89	3	22	15	<1	5.44	1	0.34	10	1.75	1712	<2	0.02	1	1522	6	0.18	9	7	102	<5	<0.01	<10	<10	49	24	108	2
Duplicates:																																		
134148	1.3	2.13	24	179	0.5	24	3.30	6	17	24	11	5.42	<1	0.35	<10	1.28	1556	2	0.01	2	1441	17	1.73	<5	3	192	<5	<0.01	<10	<10	32	10	100	2
134157	5.0	0.86	254	77	<0.5	21	2.96	6	14	17	7	5.41	<1	0.39	<10	0.29	1217	<2	0.01	1	1369	15	4.55	<5	2	95	<5	<0.01	<10	<10	17	13	58	2
134167	0.4	2.46	18	229	<0.5	<5	4.44	6	14	8	9	5.30	<1	0.36	11	1.22	2950	3	0.02	1	1627	4	0.46	<5	5	147	<5	<0.01	<10	<10	44	12	91	2
134170	1.2	1.46	20	105	<0.5	12	3.87	2	13	49	12	3.25	1	0.23	14	1.38	1155	<2	0.03	10	1537	22	0.32	6	3	221	<5	<0.01	<10	<10	36	11	83	2
134179	3.9	1.44	158	207	<0.5	19	3.85	3	14	11	8	4.43	2	0.41	11	0.67	1712	<2	0.01	<1	1275	24	1.84	15	3	145	<5	<0.01	<10	<10	21	16	95	2
134189	0.7	2.23	61	158	<0.5	22	2.16	3	16	10	37	5.35	1	0.36	11	1.75	2434	2	0.02	<1	1514	11	0.66	9	5	110	<5	<0.01	<10	<10	60	21	194	2
134192	1.0	0.91	48	128	<0.5	15	4.44	2	12	14	9	3.74	2	0.34	10	1.06	2954	<2	0.01	<1	1264	19	0.82	6	4	229	<5	<0.01	<10	<10	23	<10	130	1
134201	1.7	0.37	25	106	<0.5	16	2.99	3	14	42	6	4.15	1	0.30	<10	1.03	1970	<2	0.01	2	1035	21	1.20	8	5	158	<5	<0.01	<10	<10	10	<10	87	1
134211	17.3	0.77	67	161	<0.5	14	6.16	2	12	16	14	3.74	2	0.30	<10	0.74	2614	<2	0.01	<1	1079	23	0.70	9	3	232	<5	<0.01	<10	<10	15	16	77	1
134214	1.9	1.74	86	221	<0.5	22	4.23	3	21	15	17	5.50	1	0.31	<10	1.45	2860	<2	0.01	<1	1378	11	1.43	11	7	154	<5	<0.01	<10	13	44	12	103	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.9	1.87	14	322	1.0	<5	0.67	7	34	116	2128	5.66	<1	1.44	14	1.28	368	2	0.05	60	697	19	0.67	<5	8	8	<5	0.21	<10	<10	89	<10	211	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1367-RA1

Oct-27-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/ shipment# N/A
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-09-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
134220	<0.01	<0.1	1.3
134221	<0.01	0.5	1.8
134222	<0.01	0.4	1.7
134223	<0.01	0.6	1.6
134224	0.01	0.7	1.6
134225	<0.01	0.4	1.7
134226	<0.01	0.9	1.5
134227	<0.01	0.6	1.3
134228	0.08	2.2	1.5
134229	0.01	3.3	1.5
134230	<0.01	<0.1	1.5
134231	<0.01	0.2	1.5
134232	<0.01	1.4	1.5
134233	<0.01	1.7	1.8
134234	<0.01	1.1	1.7
134235	0.03	8.6	1.5
134236	<0.01	2.0	1.7
134237	<0.01	1.4	1.5
134238	<0.01	1.3	1.8
134239	<0.01	0.4	1.9
134240	<0.01	0.1	1.7
134241	<0.01	0.7	1.7
*DUP 134220	<0.01	<0.1	
*DUP 134229	0.02	3.3	
*DUP 134239	0.01	0.4	
*0211	2.22		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1367-RA2

Oct-27-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/ shipment# N/A
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-09-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
134242	0.01	1.0	1.5
134243	<0.01	0.5	1.5
134244	0.02	1.3	1.6
134245	0.02	2.1	1.8
134246	0.06	3.8	1.6
134247	<0.01	1.0	1.7
134248	0.02	2.5	1.6
134249	0.02	2.0	1.5
134250	<0.01	0.6	1.6
134251	<0.01	0.9	1.7
134252	0.02	1.3	1.7
134253	0.02	0.5	1.6
134254	<0.01	0.7	1.3
134255	0.01	1.6	1.2
134256	<0.01	0.4	1.5
134257	<0.01	0.4	1.6
134258	0.02	0.6	1.6
134259	<0.01	0.3	1.7
134260	<0.01	<0.1	0.3
134261	<0.01	0.6	1.6
134262	<0.01	0.2	1.7
134263	<0.01	1.2	1.7
*DUP 134242	0.01	1.1	
*DUP 134251	0.01	0.9	
*DUP 134261	<0.01	0.6	
*0211	2.31		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1367-RA3

Oct-27-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/ shipment# N/A
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-09-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
134264	<0.01	0.6	1.5
134265	0.06	2.0	1.6
134266	<0.01	0.6	1.4
134267	<0.01	0.3	1.5
134268	<0.01	0.7	1.6
134269	<0.01	1.5	1.7
134270	0.01	5.2	1.7
134271	0.04	3.1	1.4
134272	0.13	9.1	1.4
134273	0.03	1.1	1.6
134274	0.37	2.8	1.8
134275	0.02	1.2	1.5
134276	0.01	1.1	1.5
134277	<0.01	1.1	1.2
134278	0.32	10.0	0.9
134279	0.06	4.7	1.1
134280	0.06	3.5	1.1
134281	0.06	5.4	1.1
134282	0.38	3.5	1.5
134283	0.73	3.6	1.3
134284	0.04	3.6	1.5
134285	0.09	3.0	1.0
*DUP 134264	0.01	0.6	
*DUP 134273	0.03	1.0	
*DUP 134283	0.80	4.1	
*0211	2.23		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1367-RA4

Oct-27-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/ shipment# N/A
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-09-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
134286	0.01	1.3	1.2
134287	0.10	1.1	1.5
134288	0.03	1.1	1.4
134289	<0.01	1.0	1.9
134290	0.50	2.7	1.6
134291	0.09	3.4	1.5
134292	0.14	0.8	0.7
134293	<0.01	0.4	1.0
134294	0.01	1.2	1.4
134295	0.18	0.8	1.5
134296	0.02	0.3	1.5
134297	0.11	0.4	1.5
134298	<0.01	<0.1	1.6
134299	<0.01	<0.1	1.6
134300	<0.01	<0.1	1.6
134301	0.07	2.5	1.1
134302	0.08	11.3	1.0
134303	<0.01	0.4	1.6
134304	0.02	0.7	1.1
134305	0.17	0.9	1.2
134306	0.02	0.8	1.5
134307	0.01	<0.1	1.6
*DUP 134286	0.03	1.4	
*DUP 134295	0.17	0.5	
*DUP 134305	0.14	1.1	
*0211	2.27		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1367-RA5

Oct-27-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/ shipment# N/A
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-09-09

Sample Name	Au g/tonue	Ag g/tonne	Sample-Wt Kg
134308	<0.01	0.2	1.8
134309	0.02	0.6	1.5
134310	0.20	1.9	1.5
134311	0.26	7.4	1.5
134312	0.09	1.2	1.5
134313	0.06	1.0	1.5
134314	0.02	0.6	1.5
134315	0.56	1.5	1.6
134316	0.02	1.1	1.6
134317	0.06	1.0	1.5
134318	0.02	0.8	1.3
134319	<0.01	0.5	2.2
134320	<0.01	<0.1	0.3
134321	<0.01	<0.1	1.6
134322	<0.01	<0.1	1.4
134323	0.90	0.6	1.0
134324	0.67	0.6	1.3
134325	<0.01	<0.1	1.3
134326	0.07	0.6	1.5
134327	<0.01	0.6	1.4
134328	0.03	0.6	1.7
134329	0.02	0.9	1.4
*DUP 134308	0.01	0.2	
*DUP 134317	0.07	1.1	
*DUP 134327	0.01	0.6	
*0211	2.15		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1367-RA6

Oct-27-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/ shipment# N/A
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-09-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
134330	0.10	0.5	1.5
134331	0.31	1.2	1.6
134332	0.83	1.6	1.5
134333	0.30	1.6	1.6
134334	0.17	1.3	1.6
134335	0.03	1.9	2.0
134336	0.16	1.5	1.8
134337	0.03	0.9	1.9
134338	0.03	1.3	1.5
134339	0.06	1.4	1.6
134340	<0.01	<0.1	0.4
134341	0.13	3.8	1.8
134342	0.17	1.2	2.1
134343	0.94	1.8	1.9
134344	0.04	1.1	1.7
134345	0.03	1.5	1.0
134346	0.06	1.7	1.1
134347	0.95	2.4	1.0
134348	0.20	1.6	1.5
134349	0.14	2.7	1.4
134350	<0.01	<0.1	1.0
134351	0.07	1.8	1.5
*DUP 134330	0.11	0.5	
*DUP 134339	0.07	1.4	
*DUP 134349	0.17	2.6	
*0211	2.24		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1367-RA7

Oct-27-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/ shipment# N/A
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-09-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
134352	0.29	4.4	1.8
134353	0.43	8.3	1.5
134354	0.12	3.0	1.9
134355	0.06	2.6	1.6
134356	<0.01	<0.1	1.5
134357	<0.01	<0.1	1.5
134358	<0.01	<0.1	1.8
134359	0.29	4.3	1.0
134360	0.15	1.9	1.4
134361	<0.01	0.8	1.5
134362	<0.01	0.9	1.6
134363	<0.01	0.8	1.5
134364	0.01	1.1	1.5
134365	0.68	1.4	1.5
134366	<0.01	0.7	1.5
134367	<0.01	0.8	1.6
134368	<0.01	0.7	1.3
134369	<0.01	0.9	1.6
134370	0.07	1.0	1.5
134371	<0.01	0.8	1.5
134372	<0.01	0.7	1.7
134373	<0.01	1.0	2.0
*DUP 134352	0.33	4.5	
*DUP 134361	0.02	0.8	
*DUP 134371	0.01	0.8	
*0211	2.33		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1367-RA8

Oct-27-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/ shipment# N/A
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-09-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
134374	<0.01	1.2	1.3
134375	0.05	2.0	1.6
134376	0.01	2.0	1.7
134377	0.02	2.1	1.4
134378	0.01	1.7	1.5
134379	0.08	1.8	1.6
134380	0.01	1.1	1.5
134381	0.52	2.4	1.6
134382	0.03	1.5	1.7
134383	0.02	0.9	1.6
134384	0.04	1.2	1.6
134385	<0.01	1.8	1.7
134386	<0.01	1.3	1.7
134387	0.13	1.7	1.4
134388	0.09	1.9	1.4
134389	0.01	1.1	1.7
134390	0.15	2.8	1.8
134391	0.16	1.9	1.9
134392	1.37	2.9	2.4
134393	<0.01	<0.1	2.3
134394	<0.01	<0.1	1.7
134395	<0.01	<0.1	1.6
*DUP 134374	<0.01	1.2	
*DUP 134383	0.01	0.9	
*DUP 134393	<0.01	<0.1	
*0211	2.21		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1367-RA9

Oct-27-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/ shipment# N/A
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-09-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
134396	<0.01	<0.1	1.4
134397	0.06	0.7	0.9
134398	0.20	1.6	1.5
134399	0.15	2.4	1.6
134400	0.51	1.4	1.6
134401	0.06	1.9	1.5
134402	0.35	4.4	1.6
134403	2.21	4.5	1.9
134404	0.06	1.5	1.0
134405	0.75	4.2	1.5
134406	0.44	4.4	1.6
134407	0.33	3.1	1.6
134408	1.86	8.1	1.6
134409	0.37	2.7	1.8
134410	0.02	1.0	1.9
134411	0.10	1.6	1.6
134412	0.49	2.8	1.6
134413	11.97	10.3	0.9
134414	21.13	4.1	0.6
134415	<0.01	<0.1	0.3
134416	5.72	8.2	1.5
134417	<0.01	<0.1	2.0
*DUP 134396	<0.01	<0.1	
*DUP 134405	0.80	4.1	
*DUP 134415	<0.01	<0.1	
*0211	2.25		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1367-RA10

Oct-27-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/ shipment# N/A
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-09-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
134418	<0.01	<0.1	1.6
134419	0.54	3.0	1.8
134420	0.68	3.7	1.5
134421	0.53	4.0	1.6
134422	0.67	2.6	1.0
134423	<0.01	0.1	1.8
134424	<0.01	<0.1	1.8
134425	<0.01	<0.1	1.6
134426	<0.01	<0.1	1.7
134427	<0.01	<0.1	1.4
134428	<0.01	<0.1	2.1
134429	<0.01	0.4	1.7
134430	<0.01	0.7	1.4
134431	0.07	1.8	1.9
134432	0.01	0.7	1.6
134433	<0.01	0.7	1.7
134434	0.02	1.7	1.7
134435	<0.01	0.6	1.5
134436	0.01	1.4	1.6
134437	0.18	0.6	1.6
134438	0.08	2.2	1.7
134439	0.20	2.7	1.6
*DUP 134418	<0.01	<0.1	
*DUP 134427	<0.01	<0.1	
*DUP 134437	0.14	0.7	
*0211	2.18		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1367-RA11

Oct-27-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/ shipment# N/A
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-09-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
134440	<0.01	<0.1	0.3
134441	0.27	0.8	
134442	0.23	1.6	1.6
134443	0.17	1.0	1.6
134444	0.03	1.4	1.5
134445	0.13	1.9	1.5
134446	0.33	2.8	1.5
134447	0.09	1.8	1.5
134448	0.15	1.5	1.5
134449	0.94	3.1	1.5
134450	0.66	1.7	1.5
134451	0.01	1.0	1.6
134452	<0.01	0.4	1.7
134453	<0.01	0.2	1.5
134454	<0.01	1.0	1.5
134455	<0.01	1.7	1.4
134456	0.01	1.8	1.5
134457	0.12	0.8	1.4
134458	0.03	0.8	1.8
134459	0.06	1.3	1.4
134460	0.02	2.3	1.0
134461	<0.01	3.8	1.0
*DUP 134440	<0.01	<0.1	
*DUP 134449	0.92	2.9	
*DUP 134459	0.04	1.1	
*0211	2.19		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1367-RA12

Oct-27-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/ shipment# N/A
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-09-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
134462	0.03	1.6	1.5
134463	0.01	1.1	1.6
134464	<0.01	1.1	1.7
134465	0.03	1.9	1.7
134466	0.05	1.5	1.7
134467	0.01	1.1	1.6
134468	0.03	0.6	1.6
134469	0.01	1.0	1.6
134470	0.01	0.8	1.5
134471	0.04	1.3	1.5
134472	<0.01	1.6	1.7
134473	0.14	1.0	1.5
134474	0.06	0.5	1.1
134475	0.13	0.9	1.7
134476	0.68	1.2	1.6
134477	0.23	1.1	1.5
134478	0.28	1.3	1.5
134479	0.29	1.4	1.6
134480	0.06	4.5	1.8
134481	0.02	0.9	1.5
134482	0.07	3.6	1.5
134483	0.15	5.2	1.8
*DUP 134462	0.03	1.7	
*DUP 134471	0.07	1.4	
*DUP 134481	0.03	1.0	
*0211	2.21		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1367-RA13

Oct-27-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/ shipment# N/A
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-09-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
134484	0.55	4.3	1.6
134485	0.13	1.6	1.8
134486	0.07	0.6	1.8
134487	0.17	0.9	1.8
134488	1.65	2.4	1.7
134489	0.77	1.2	1.5
134490	0.36	1.6	1.9
134491	0.18	2.2	1.6
134492	0.20	1.6	1.8
134493	0.10	3.9	1.5
134494	0.07	2.8	1.7
134495	0.01	1.4	1.8
134496	<0.01	1.0	1.5
134497	<0.01	0.2	1.5
134498	0.13	1.8	1.5
134499	0.68	4.2	1.8
134500	<0.01	<0.1	0.2
134501	0.66	5.0	1.8
134502	0.19	1.6	1.6
134503	<0.01	0.7	1.8
134504	0.07	1.5	1.5
134505	0.18	2.5	1.6
*DUP 134484	0.44	4.3	
*DUP 134493	0.10	4.0	
*DUP 134503	<0.01	0.6	
*0211	2.32		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1367-RA14

Oct-27-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/ shipment# N/A
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-09-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
134506	<0.01	0.8	1.2
134507	0.14	1.9	1.8
134508	0.06	4.0	1.5
134509	0.13	4.0	1.4
134510	0.07	7.7	1.4
134511	0.15	8.2	1.7
134512	0.13	11.4	1.6
134513	0.69	9.8	1.5
134514	0.15	2.0	1.5
134515	0.10	2.2	1.5
134516	0.13	1.0	1.3
134517	0.11	0.4	1.7
134518	0.11	0.1	1.6
134519	0.31	0.5	1.5
134520	0.72	0.7	1.5
134521	0.05	3.4	1.5
134522	0.04	2.2	1.9
134523	0.42	5.9	1.8
134524	0.61	3.8	1.6
134525	2.92	12.8	1.5
134526	0.30	1.9	1.5
134527	0.57	2.1	1.6
*DUP 134506	0.01	0.8	
*DUP 134515	0.10	1.8	
*DUP 134525	2.75	15.3	
*0211	2.24		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1367-RA15

Oct-27-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/ shipment# N/A
Attn: Sue Deane

We *hereby certify* the following assay of 23 core samples submitted Oct-09-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-Wt Kg
134528	1.02	3.5	1.7
134529	5.70	7.3	1.7
134530	1.87	7.4	1.7
134531	14.65	29.6	1.6
134532	0.84	2.7	1.8
134533	0.77	3.2	1.6
134534	0.37	2.9	1.9
134535	0.77	3.2	1.9
134536	0.22	2.8	1.5
134537	0.59	2.4	1.6
134538	0.08	0.7	1.3
134539	0.32	2.0	1.6
134540	0.60	3.6	1.6
134541	6.16	6.5	1.6
134542	0.87	4.9	1.5
134543	1.44	2.6	2.0
134544	0.47	10.3	1.5
134545	0.26	3.8	1.2
134546 Not received			
134547 Not received			
134548 Not received			
134549 Not received			
134550	<0.01	<0.1	1.5
*DUP 134528	0.97	3.7	
*DUP 134537	0.66	2.4	
*0211	2.25		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/ shipment# N/A

Sample type: CORE

Report No : **9V1367RJ**

Date : Oct-27-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134220	<0.2	2.10	44	234	<0.5	19	2.92	3	18	17	1	5.00	1	0.28	<10	1.55	1610	<2	0.02	1	1404	5	0.63	8	6	96	<5	<0.01	<10	<10	41	<10	92	2
134221	0.5	1.65	96	214	<0.5	17	3.76	2	17	22	1	4.50	1	0.27	<10	1.28	1933	<2	0.01	2	1414	8	0.98	9	6	129	<5	<0.01	<10	<10	36	<10	84	1
134222	0.4	1.92	29	236	<0.5	19	4.49	3	16	15	10	4.54	1	0.30	<10	1.31	2196	<2	0.01	2	1445	10	0.58	8	6	150	<5	<0.01	<10	<10	43	<10	105	2
134223	0.6	2.33	26	186	<0.5	22	2.80	3	17	19	23	5.22	1	0.29	<10	1.61	1819	<2	0.01	2	1534	32	0.38	8	5	97	<5	<0.01	<10	<10	44	<10	99	2
134224	0.7	2.22	20	202	<0.5	22	3.69	3	17	21	34	5.03	1	0.32	<10	1.45	2087	2	0.01	1	1571	7	0.43	9	6	118	<5	<0.01	<10	<10	46	<10	113	2
134225	0.4	2.40	23	257	<0.5	22	2.52	3	19	17	35	5.44	1	0.30	<10	1.67	1872	<2	0.01	<1	1703	9	0.36	9	6	108	<5	<0.01	<10	<10	45	14	144	2
134226	0.9	1.99	35	209	0.5	18	2.80	3	16	9	19	4.78	1	0.31	<10	1.38	1813	<2	0.01	<1	1601	8	0.67	9	4	103	<5	<0.01	<10	<10	25	<10	117	2
134227	0.6	2.10	28	243	<0.5	19	3.73	3	16	8	35	5.07	1	0.25	<10	1.56	2004	<2	0.01	<1	1606	6	0.71	8	3	92	<5	<0.01	<10	<10	23	<10	117	2
134228	2.2	1.97	39	203	<0.5	19	2.59	5	16	8	44	4.73	1	0.30	<10	1.38	2180	<2	0.01	<1	1610	121	0.71	9	3	76	<5	<0.01	<10	<10	21	14	436	2
134229	3.3	2.15	51	198	<0.5	21	3.63	4	16	10	34	5.37	1	0.25	<10	1.44	2623	2	0.01	<1	1559	1010	0.75	9	3	106	<5	<0.01	<10	10	28	12	237	1
134230	<0.2	2.04	17	287	<0.5	23	3.67	3	17	8	15	5.46	1	0.29	<10	1.50	2287	<2	0.01	<1	1611	32	0.83	8	5	138	<5	<0.01	<10	10	31	<10	127	2
134231	0.2	1.98	25	698	<0.5	22	5.52	3	13	10	26	5.10	1	0.26	<10	1.49	2386	<2	0.01	<1	1451	11	0.36	9	4	226	<5	<0.01	<10	10	30	<10	111	1
134232	1.4	1.18	57	224	<0.5	20	4.80	3	13	9	11	4.83	1	0.40	<10	1.23	2649	<2	0.01	<1	1486	22	0.84	10	6	209	<5	<0.01	<10	<10	20	<10	123	1
134233	1.7	1.15	43	166	<0.5	21	4.38	3	18	10	35	5.04	1	0.38	<10	1.34	2280	<2	0.01	<1	1575	18	0.80	9	6	193	<5	<0.01	<10	<10	20	<10	94	1
134234	1.1	1.88	32	250	0.5	21	2.22	3	17	7	30	5.43	<1	0.33	<10	1.60	1653	<2	0.01	<1	1782	32	0.66	8	5	95	<5	<0.01	<10	<10	22	<10	141	2
134235	8.6	1.57	95	220	<0.5	19	2.61	3	14	12	129	4.59	1	0.33	<10	1.11	1410	<2	0.01	<1	1547	16	1.03	10	3	80	<5	<0.01	<10	<10	20	<10	152	2
134236	2.0	1.36	51	245	<0.5	16	3.86	2	13	15	32	4.06	1	0.30	<10	0.92	1802	6	0.01	<1	1465	68	0.80	8	3	113	<5	<0.01	<10	<10	18	<10	113	1
134237	1.4	1.38	63	136	<0.5	14	10.68	2	12	15	35	4.07	2	0.25	<10	0.93	3645	<2	0.01	<1	1138	7	0.98	8	3	243	<5	<0.01	<10	16	18	<10	74	1
134238	1.3	1.25	119	147	<0.5	19	3.78	3	17	7	<1	4.88	1	0.32	<10	1.04	2023	<2	0.01	<1	1552	13	1.50	11	4	137	<5	<0.01	<10	<10	16	<10	97	1
134239	0.4	1.55	91	159	<0.5	23	3.01	3	18	9	<1	5.55	1	0.28	<10	1.06	1699	<2	0.01	<1	1692	9	1.28	10	4	112	<5	<0.01	<10	<10	22	<10	107	2
134240	<0.2	1.14	43	192	0.6	20	1.85	3	14	6	<1	5.11	1	0.37	<10	0.86	1505	<2	0.01	<1	1640	7	0.93	8	4	90	<5	<0.01	<10	<10	18	<10	89	1
134241	0.7	0.86	59	158	0.6	18	1.26	3	15	11	26	4.56	<1	0.34	<10	0.75	1396	<2	0.01	<1	1638	8	0.94	8	4	70	<5	<0.01	<10	<10	13	<10	93	1
134242	1.0	1.46	49	400	0.5	21	2.44	3	15	16	37	4.68	1	0.37	<10	1.09	1666	7	0.01	<1	1362	10	0.68	8	3	137	<5	<0.01	<10	<10	23	10	103	1
134243	0.5	1.96	32	243	<0.5	20	3.93	2	14	16	11	4.43	1	0.33	<10	0.99	1858	<2	0.01	<1	1306	15	0.57	9	3	148	<5	<0.01	<10	<10	27	10	96	2
134244	1.3	1.58	98	243	<0.5	18	3.35	2	14	11	30	4.08	1	0.40	<10	0.73	1693	2	0.01	<1	1332	14	0.81	10	2	128	<5	<0.01	<10	<10	26	12	96	1
134245	2.1	1.29	138	187	<0.5	17	3.69	3	15	12	17	4.12	2	0.41	10	0.86	2073	<2	0.01	<1	1546	24	1.02	10	4	197	<5	<0.01	<10	<10	21	<10	137	1
134246	3.8	0.82	188	203	<0.5	13	4.25	2	10	12	21	2.80	2	0.41	<10	0.42	2532	2	0.01	<1	1302	52	1.27	14	3	259	<5	<0.01	<10	<10	16	<10	142	1
134247	1.0	1.58	67	175	<0.5	18	3.30	2	13	8	5	4.21	2	0.37	11	1.15	2405	<2	0.01	<1	1372	17	0.53	8	4	158	<5	<0.01	<10	<10	31	<10	97	1
134248	2.5	0.88	75	197	<0.5	14	3.33	6	11	10	41	3.19	1	0.37	<10	0.57	2081	<2	0.01	<1	1199	146	0.92	9	3	185	<5	<0.01	<10	<10	20	11	596	2
134249	2.0	1.55	32	190	<0.5	20	1.74	6	14	7	23	4.86	1	0.38	11	1.06	1739	<2	0.01	<1	1621	149	0.84	9	3	89	<5	<0.01	<10	<10	31	13	530	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/ shipment# N/A

Sample type: CORE

Report No : **9V1367RJ**

Date : Oct-27-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134250	0.6	1.44	16	281	<0.5	17	7.22	2	11	13	14	4.29	2	0.37	<10	1.07	3534	<2	0.02	<1	1212	12	0.57	7	4	434	<5	<0.01	<10	<10	34	<10	88	1
134251	0.9	1.12	28	374	<0.5	20	4.34	3	13	8	32	4.56	2	0.37	10	1.15	3951	2	0.01	<1	1346	19	0.83	6	5	200	<5	<0.01	<10	<10	25	<10	99	2
134252	1.3	1.29	25	500	<0.5	17	3.59	3	10	13	44	3.90	2	0.36	<10	0.87	2795	2	0.01	<1	1166	139	0.60	6	3	161	<5	<0.01	<10	<10	29	11	239	1
134253	0.5	1.09	17	194	<0.5	19	5.40	3	10	5	13	4.24	2	0.37	10	0.90	2776	<2	0.01	<1	1384	13	0.79	8	5	232	<5	<0.01	<10	<10	25	<10	127	1
134254	0.7	0.95	33	202	<0.5	18	3.70	3	13	4	8	4.58	1	0.41	10	1.01	2086	<2	0.01	<1	1428	10	0.85	7	5	150	<5	<0.01	<10	<10	19	<10	114	2
134255	1.6	0.43	60	135	<0.5	20	4.41	4	13	19	8	4.49	2	0.35	<10	1.02	2506	4	0.01	<1	1208	35	1.44	8	5	217	<5	<0.01	<10	<10	10	<10	134	1
134256	0.4	0.91	23	169	<0.5	23	3.06	4	14	7	4	5.50	1	0.40	<10	0.94	2100	<2	0.01	<1	1346	29	1.69	8	5	124	<5	<0.01	<10	<10	20	<10	119	2
134257	0.4	1.22	21	164	<0.5	17	2.62	3	13	9	10	3.93	1	0.36	10	0.84	1453	2	0.01	<1	1647	19	0.84	7	5	115	<5	<0.01	<10	<10	23	<10	145	1
134258	0.6	1.34	30	166	<0.5	20	3.15	3	14	7	8	4.43	1	0.37	<10	0.93	1929	<2	0.01	<1	1380	17	1.19	8	5	142	<5	<0.01	<10	<10	26	<10	138	2
134259	0.3	1.19	53	205	<0.5	17	5.34	2	10	10	10	3.93	2	0.38	<10	0.90	2117	<2	0.01	<1	1236	17	0.57	7	5	222	<5	<0.01	<10	<10	24	<10	120	1
134260	<0.2	0.04	<5	19	<0.5	<5	>15.00	<1	1	2	<1	0.48	<1	0.03	<10	13.46	214	<2	0.01	1	235	<2	0.45	<5	<1	54	<5	<0.01	12	16	2	10	19	<1
134261	0.6	1.22	30	235	<0.5	19	4.89	3	12	10	16	4.50	2	0.34	<10	0.97	2634	<2	0.01	<1	1248	67	0.58	8	5	195	<5	<0.01	<10	<10	27	11	163	1
134262	0.2	1.37	20	206	<0.5	22	3.69	3	14	7	12	4.89	1	0.36	10	0.98	2284	<2	0.01	<1	1420	16	0.77	8	5	168	<5	<0.01	<10	<10	31	<10	161	2
134263	1.2	1.26	24	241	<0.5	21	4.51	10	13	14	10	4.91	2	0.33	<10	1.05	2761	<2	0.01	<1	1336	402	0.96	8	5	180	<5	<0.01	<10	<10	27	16	908	2
134264	0.6	0.76	20	212	<0.5	21	3.45	4	15	8	8	4.70	2	0.34	<10	0.99	2252	<2	0.01	<1	1327	57	0.91	8	5	149	<5	<0.01	<10	<10	16	<10	207	2
134265	2.0	0.90	20	197	0.5	19	3.38	12	13	3	15	4.51	2	0.38	<10	0.93	2791	3	0.01	<1	1504	899	1.24	8	5	168	<5	<0.01	<10	<10	17	17	979	2
134266	0.6	0.88	17	257	0.6	19	4.12	3	14	10	13	4.39	1	0.35	<10	1.33	2379	<2	0.01	<1	1306	35	0.63	8	6	157	<5	<0.01	<10	<10	18	<10	154	1
134267	0.3	1.09	19	187	<0.5	23	3.86	3	13	6	14	4.70	1	0.37	<10	1.39	1810	<2	0.01	<1	1255	14	0.49	8	5	156	<5	<0.01	<10	<10	18	12	122	1
134268	0.7	1.58	25	212	0.5	21	2.77	3	13	8	16	5.00	1	0.36	<10	1.09	1424	<2	0.01	<1	1531	9	1.02	9	4	127	<5	<0.01	<10	<10	24	<10	104	1
134269	1.5	1.61	40	189	<0.5	22	1.65	3	11	7	14	5.02	1	0.35	<10	0.92	897	<2	0.01	<1	1481	9	1.35	8	3	65	<5	<0.01	<10	<10	23	<10	95	2
134270	5.2	1.29	67	160	<0.5	21	1.23	3	12	7	13	4.94	<1	0.35	<10	0.74	736	<2	0.01	<1	1450	19	1.67	8	3	56	<5	<0.01	<10	<10	18	<10	97	1
134271	3.1	0.49	558	158	<0.5	20	11.65	3	9	8	20	4.92	7	0.27	<10	0.56	3863	<2	0.01	<1	978	19	2.89	47	3	353	<5	<0.01	25	17	7	14	87	1
134272	9.1	0.20	3435	77	<0.5	52	13.48	9	7	10	9	9.56	29	0.23	<10	0.24	3937	6	0.01	<1	620	99	>5.00	226	1	488	<5	<0.01	102	34	<1	11	333	3
134273	1.1	0.42	53	132	<0.5	17	2.51	4	11	10	8	4.13	1	0.35	<10	0.38	1515	<2	0.01	<1	1473	18	2.05	9	2	101	<5	<0.01	<10	<10	7	14	178	1
134274	2.8	0.51	84	97	0.6	18	1.81	3	13	10	12	4.42	1	0.36	<10	0.48	1472	5	0.01	<1	1504	16	2.24	8	3	126	<5	<0.01	<10	<10	9	<10	72	1
134275	1.2	0.49	60	180	<0.5	18	4.76	3	10	23	10	4.04	3	0.31	<10	0.63	3454	2	0.01	<1	1153	12	2.01	8	2	307	<5	<0.01	<10	10	8	<10	78	1
134276	1.1	1.00	45	204	<0.5	17	3.81	2	12	11	6	4.10	3	0.33	<10	0.78	3434	3	0.01	<1	1399	42	1.40	7	3	183	<5	<0.01	<10	<10	20	<10	98	1
134277	1.1	0.90	38	173	<0.5	15	1.97	2	12	23	9	3.71	1	0.35	<10	0.56	1808	3	0.01	<1	1528	16	1.49	6	2	95	<5	<0.01	<10	<10	14	<10	82	1
134278	10.0	0.52	513	54	<0.5	32	0.86	6	18	21	18	7.51	4	0.40	<10	0.26	656	9	0.01	<1	1577	176	>5.00	52	2	66	<5	<0.01	<10	<10	7	<10	210	2
134279	4.7	0.38	213	103	<0.5	20	3.13	4	14	75	3	4.61	3	0.25	<10	0.68	2239	17	0.01	3	774	71	2.56	18	2	231	<5	<0.01	<10	<10	8	<10	87	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/ shipment# N/A

Sample type: CORE

Report No : 9V1367RJ

Date : Oct-27-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134280	3.5	0.21	230	106	<0.5	23	6.10	5	9	73	<1	5.49	5	0.15	<10	1.32	3932	2	0.01	2	313	55	2.02	28	2	404	<5	<0.01	12	18	4	12	142	2
134281	5.4	0.17	275	95	<0.5	24	6.00	11	8	78	24	5.80	8	0.16	<10	1.33	4080	<2	0.01	2	421	246	2.21	36	1	371	<5	<0.01	15	18	3	24	842	2
134282	3.5	0.20	153	118	<0.5	25	7.36	10	8	67	5	6.20	5	0.16	<10	1.53	4845	2	0.01	1	344	104	2.08	19	2	509	<5	<0.01	<10	22	4	18	642	2
134283	3.6	0.32	42	158	<0.5	13	2.14	59	12	34	42	3.61	2	0.28	<10	0.69	2659	<2	0.01	1	977	351	1.37	7	2	131	<5	<0.01	<10	<10	4	106	4116	1
134284	3.6	0.39	60	145	<0.5	17	1.84	26	14	25	25	4.26	2	0.33	<10	0.62	2169	<2	0.01	1	1161	546	1.63	9	2	120	<5	<0.01	<10	<10	7	43	2052	2
134285	3.0	0.40	28	149	<0.5	16	1.90	34	14	23	41	4.15	2	0.32	<10	0.69	2304	<2	0.01	<1	1188	703	1.48	8	3	132	<5	<0.01	<10	<10	6	58	2821	2
134286	1.3	0.31	40	176	<0.5	16	3.30	3	11	23	3	3.74	3	0.29	<10	0.83	2865	<2	0.01	<1	910	33	1.12	9	3	200	<5	<0.01	<10	<10	5	<10	110	2
134287	1.1	0.40	97	141	<0.5	16	2.66	9	14	16	8	3.99	2	0.34	<10	0.88	2399	<2	0.01	<1	1161	127	1.40	6	3	165	<5	<0.01	<10	<10	6	13	747	2
134288	1.1	0.40	96	83	<0.5	18	2.80	3	15	13	5	4.08	1	0.35	<10	0.47	1691	<2	0.01	1	1184	46	2.76	8	3	145	<5	<0.01	<10	<10	5	<10	130	2
134289	1.0	0.42	44	145	<0.5	17	2.59	4	16	17	11	3.73	1	0.35	<10	0.60	1891	2	0.01	1	1269	51	1.63	7	3	147	<5	<0.01	<10	<10	7	<10	196	2
134290	2.7	0.29	117	129	<0.5	12	4.14	2	10	67	4	2.79	1	0.27	<10	0.17	1715	2	0.01	1	668	24	2.14	12	2	181	<5	<0.01	<10	<10	4	<10	66	1
134291	3.4	0.77	205	129	<0.5	21	4.07	8	19	22	12	5.00	2	0.32	<10	0.42	1690	5	0.01	1	1172	337	3.44	17	3	127	<5	<0.01	<10	10	14	12	660	2
134292	0.8	1.65	57	180	<0.5	18	0.37	4	14	23	8	4.52	1	0.32	10	0.88	1465	<2	0.01	<1	1373	54	0.92	8	3	10	<5	0.03	<10	<10	41	<10	354	2
134293	0.4	1.96	77	207	0.5	23	2.33	4	21	18	18	5.14	1	0.33	12	1.27	1711	<2	0.02	5	1557	52	1.22	10	6	52	<5	0.12	<10	<10	65	<10	248	5
134294	1.2	1.31	97	115	0.6	22	1.29	3	20	24	15	4.92	1	0.34	12	0.83	904	<2	0.02	9	1645	20	2.02	11	4	30	<5	0.08	<10	<10	41	<10	173	4
134295	0.8	1.94	90	257	0.5	21	0.74	4	16	7	12	4.85	1	0.39	12	1.12	1648	<2	0.01	<1	1614	17	0.69	6	4	23	<5	<0.01	<10	<10	49	<10	379	2
134296	0.3	1.64	34	230	<0.5	17	4.74	2	13	15	16	4.30	2	0.28	<10	1.01	2507	<2	0.01	<1	1243	9	0.54	7	4	228	<5	<0.01	<10	<10	44	<10	93	2
134297	0.4	2.14	39	298	<0.5	23	2.20	5	18	9	16	5.22	2	0.33	10	1.30	2573	<2	0.02	<1	1555	43	0.74	8	5	92	<5	0.01	<10	<10	71	12	330	2
134298	<0.2	1.34	5	1742	<0.5	11	3.20	1	11	13	3	3.03	1	0.22	26	1.15	804	<2	0.03	7	1804	9	0.19	<5	3	235	<5	<0.01	<10	<10	42	<10	62	5
134299	<0.2	1.38	5	2259	<0.5	13	3.14	1	11	10	1	2.93	1	0.25	30	1.13	765	<2	0.03	8	1836	10	0.18	<5	3	213	<5	<0.01	<10	<10	41	<10	65	5
134300	<0.2	1.36	8	625	<0.5	13	2.79	2	13	12	26	2.99	1	0.25	31	1.08	832	<2	0.03	8	1833	11	0.14	<5	3	135	5	<0.01	<10	<10	40	<10	75	4
134301	2.5	0.64	132	156	<0.5	12	2.38	3	10	40	15	2.94	2	0.22	<10	0.32	1841	<2	0.01	<1	762	85	0.98	11	2	45	<5	<0.01	<10	<10	21	<10	209	1
134302	11.3	0.63	199	114	<0.5	13	3.56	3	8	55	6	2.91	3	0.17	<10	0.35	2581	<2	0.01	<1	509	128	1.26	18	2	51	<5	<0.01	<10	<10	18	<10	242	1
134303	0.4	2.21	27	256	<0.5	23	1.86	4	18	8	11	5.26	2	0.37	14	1.23	2891	<2	0.01	<1	1613	18	0.24	8	5	53	<5	<0.01	<10	<10	57	<10	230	2
134304	0.7	2.42	57	218	<0.5	26	0.59	4	21	11	20	6.11	2	0.34	14	1.40	2429	<2	0.01	<1	1718	20	0.16	10	5	17	<5	<0.01	<10	<10	71	<10	244	2
134305	0.9	1.96	73	154	<0.5	24	2.76	4	16	9	16	5.71	2	0.30	12	1.12	2832	2	0.02	<1	1505	25	0.87	8	7	95	<5	<0.01	<10	<10	87	12	212	2
134306	0.8	2.05	38	169	<0.5	23	3.69	3	19	7	17	4.89	2	0.31	12	1.15	3040	<2	0.02	<1	1473	16	0.56	8	5	126	<5	0.01	<10	<10	71	<10	111	2
134307	<0.2	2.43	49	196	<0.5	25	2.72	4	18	6	13	5.77	2	0.30	13	1.42	2389	<2	0.02	<1	1569	17	0.38	9	7	82	<5	0.03	<10	<10	85	<10	246	2
134308	0.2	2.17	46	156	0.6	35	3.52	4	16	7	11	5.26	1	0.32	11	1.17	2642	<2	0.02	<1	1631	8	0.80	<5	7	114	<5	0.05	<10	<10	86	10	108	3
134309	0.6	2.27	71	145	0.6	50	2.86	4	18	12	22	5.41	1	0.28	11	1.34	3216	<2	0.03	<1	1668	18	0.70	<5	8	110	<5	0.05	<10	<10	107	<10	121	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Dilworth/ shipment# N/A
Sample type: CORE

Report No : **9V1367RJ**
Date : Oct-27-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134310	1.9	2.23	64	142	<0.5	63	3.23	6	17	11	45	5.71	<1	0.26	11	1.35	3643	<2	0.04	<1	1573	410	1.36	<5	7	131	<5	0.01	<10	<10	117	10	238	3
134311	7.4	1.94	56	131	<0.5	49	3.28	14	14	21	45	5.31	1	0.25	<10	1.22	3279	<2	0.02	<1	1399	2880	1.56	5	6	125	<5	<0.01	<10	<10	92	11	1208	2
134312	1.2	2.45	55	146	<0.5	49	1.93	5	18	8	19	6.29	<1	0.33	11	1.48	3150	2	0.03	<1	1779	51	1.47	<5	8	83	<5	0.01	<10	<10	117	12	148	3
134313	1.0	2.04	41	146	<0.5	48	2.33	4	14	11	12	4.96	<1	0.32	10	1.21	2913	<2	0.02	<1	1567	34	0.94	<5	5	111	<5	<0.01	<10	<10	76	10	159	2
134314	0.6	2.01	36	209	<0.5	28	2.99	4	12	7	22	4.21	<1	0.42	12	0.99	2679	<2	0.02	<1	1608	21	0.41	<5	5	116	<5	0.01	<10	<10	71	<10	131	3
134315	1.5	2.18	44	143	<0.5	46	2.87	5	14	8	84	4.81	<1	0.34	11	1.22	3510	<2	0.02	<1	1565	50	0.77	<5	5	125	<5	0.01	<10	<10	74	<10	228	3
134316	1.1	2.37	36	176	<0.5	53	2.78	5	16	6	14	5.34	<1	0.36	10	1.47	3077	<2	0.02	<1	1637	26	1.06	<5	5	94	<5	<0.01	<10	<10	77	<10	162	3
134317	1.0	2.20	20	173	<0.5	38	2.54	10	13	6	26	4.64	1	0.33	<10	1.39	3383	<2	0.02	<1	1521	297	0.67	<5	5	95	<5	0.02	<10	<10	66	<10	710	2
134318	0.8	2.20	48	159	0.7	69	3.05	5	18	5	12	5.49	<1	0.35	<10	1.29	2628	5	0.02	<1	1515	23	1.46	<5	6	109	<5	0.10	<10	<10	74	11	160	3
134319	0.5	2.39	31	246	1.1	48	2.36	4	20	14	13	5.23	<1	0.33	10	1.49	2204	3	0.02	5	1663	16	0.87	<5	6	68	<5	0.14	<10	<10	79	10	151	6
134320	<0.2	0.05	<5	14	<0.5	88	>15.00	<1	1	1	2	0.52	<1	0.03	<10	12.17	277	<2	0.01	1	180	<2	0.45	<5	<1	53	<5	<0.01	<10	<10	3	<10	14	<1
134321	<0.2	2.40	9	389	2.2	44	2.76	4	26	69	12	4.72	<1	0.08	23	2.04	1094	<2	0.04	18	2499	7	0.16	<5	7	75	<5	0.36	<10	<10	91	<10	130	25
134322	<0.2	2.61	9	254	2.6	35	2.91	4	29	74	14	5.13	<1	0.10	25	2.19	1177	<2	0.05	20	2694	6	0.16	<5	8	80	<5	0.41	<10	<10	102	<10	140	29
134323	0.6	2.28	21	248	1.1	51	1.63	4	18	12	20	5.09	<1	0.34	<10	1.43	2311	<2	0.02	<1	1665	9	0.84	<5	6	51	<5	0.11	<10	<10	76	10	197	3
134324	0.6	2.18	30	235	0.9	32	2.08	5	18	8	6	4.96	<1	0.36	10	1.26	2386	<2	0.02	<1	1613	14	0.86	<5	6	77	<5	0.09	<10	<10	74	10	182	3
134325	<0.2	2.61	10	1002	1.9	61	3.13	4	26	69	15	5.13	1	0.12	23	2.10	1335	<2	0.04	18	2498	12	0.22	<5	7	94	<5	0.31	10	<10	98	<10	130	14
134326	0.6	2.03	19	211	<0.5	62	3.75	4	15	5	13	4.88	<1	0.42	10	1.09	2965	<2	0.02	<1	1547	35	0.94	<5	5	226	<5	0.03	<10	<10	68	<10	126	3
134327	0.6	1.83	15	159	<0.5	54	3.77	3	15	14	5	4.30	<1	0.36	10	0.93	2757	<2	0.01	<1	1531	12	0.71	<5	4	259	<5	0.01	<10	<10	47	<10	127	2
134328	0.6	2.01	33	194	<0.5	36	4.41	4	14	6	7	5.35	<1	0.42	10	1.07	3286	<2	0.02	<1	1559	11	1.42	<5	5	267	<5	<0.01	<10	<10	56	10	131	2
134329	0.9	1.60	70	86	<0.5	58	3.05	4	15	11	9	5.16	<1	0.34	10	0.88	2279	<2	0.02	1	1599	12	2.54	<5	4	120	<5	0.01	<10	<10	50	10	159	3
134330	0.5	1.70	63	116	<0.5	21	1.87	4	20	37	6	5.22	1	0.29	13	1.33	1356	<2	0.02	6	1637	23	2.08	9	4	44	<5	0.08	<10	<10	46	<10	275	4
134331	1.2	1.40	75	135	<0.5	22	1.12	5	18	14	1	5.26	1	0.34	<10	1.07	1909	3	0.01	<1	1411	89	3.00	7	3	48	<5	<0.01	<10	<10	25	10	364	2
134332	1.6	1.19	93	115	<0.5	23	2.72	6	17	24	1	5.22	2	0.34	<10	1.01	2955	2	0.01	<1	1325	139	3.38	8	3	137	<5	<0.01	<10	12	20	<10	404	2
134333	1.6	1.69	48	110	<0.5	24	2.66	11	17	12	4	5.59	2	0.33	<10	1.29	2825	3	0.01	<1	1293	173	2.55	8	4	121	<5	<0.01	<10	12	30	19	863	2
134334	1.3	1.55	48	158	<0.5	23	4.16	8	15	13	6	4.99	2	0.34	<10	1.20	2633	<2	0.01	<1	1408	181	1.90	8	5	295	<5	<0.01	<10	<10	31	10	618	2
134335	1.9	1.31	37	156	<0.5	23	4.03	4	17	8	11	5.36	2	0.39	<10	1.34	2543	2	0.01	<1	1449	29	2.12	9	5	170	<5	<0.01	<10	11	27	<10	202	2
134336	1.5	0.97	61	173	<0.5	17	2.66	5	14	29	8	4.05	2	0.30	<10	1.08	2282	2	0.01	<1	1182	118	1.65	8	3	134	<5	<0.01	<10	<10	24	14	484	2
134337	0.9	1.01	50	171	<0.5	23	3.04	4	17	9	6	5.59	2	0.37	<10	1.31	3074	<2	0.01	<1	1439	27	1.92	8	5	187	<5	<0.01	<10	11	23	11	249	2
134338	1.3	0.74	49	117	<0.5	23	3.91	5	18	15	7	5.29	2	0.33	<10	1.13	2794	2	0.01	<1	1438	40	2.82	9	6	304	<5	<0.01	<10	10	16	<10	239	2
134339	1.4	0.64	53	101	<0.5	20	2.09	15	15	15	5	5.12	2	0.33	<10	0.73	2164	<2	0.01	<1	1262	156	3.03	8	3	141	<5	<0.01	<10	<10	15	25	1245	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/ shipment# N/A

Sample type: CORE

Report No : **9V1367RJ**

Date : Oct-27-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134340	<0.2	0.02	<5	11	<0.5	<5	>15.00	<1	1	2	<1	0.56	<1	0.02	<10	13.22	269	<2	0.01	1	137	<2	0.41	<5	<1	53	<5	<0.01	11	18	2	<10	16	<1
134341	3.8	0.58	60	137	<0.5	19	3.64	23	14	22	27	4.74	2	0.35	<10	0.98	2518	<2	0.01	<1	1372	1082	3.53	10	3	213	<5	<0.01	<10	<10	12	44	1836	2
134342	1.2	1.08	69	158	<0.5	21	2.27	6	16	11	4	5.35	1	0.36	<10	1.18	1855	<2	0.01	<1	1410	112	2.88	8	4	137	<5	<0.01	<10	<10	25	14	433	2
134343	1.8	0.59	210	84	<0.5	25	2.16	7	15	27	5	5.92	1	0.32	<10	0.66	1491	<2	0.01	<1	1165	116	4.15	9	3	110	<5	<0.01	<10	11	12	13	470	2
134344	1.1	0.58	137	91	<0.5	19	2.96	3	13	18	3	4.43	1	0.35	<10	0.40	1365	<2	0.01	<1	1213	57	3.63	6	2	94	<5	<0.01	<10	<10	15	<10	251	2
134345	1.5	0.43	129	96	<0.5	19	3.13	4	13	31	6	4.23	1	0.32	<10	0.23	1428	<2	0.01	<1	1080	139	3.66	7	2	113	<5	<0.01	<10	<10	12	14	315	2
134346	1.7	0.33	163	78	<0.5	19	2.22	5	13	43	5	4.36	<1	0.25	<10	0.11	840	<2	0.01	<1	993	137	3.67	8	1	75	<5	<0.01	<10	<10	8	13	334	2
134347	2.4	0.53	175	86	<0.5	23	3.69	14	13	39	2	5.10	1	0.27	<10	0.32	1741	2	0.01	<1	1005	246	4.17	9	2	114	<5	<0.01	<10	12	14	11	859	2
134348	1.6	0.69	101	85	<0.5	21	2.56	6	16	21	1	5.20	1	0.30	<10	0.64	2288	2	0.01	<1	1355	285	3.62	8	3	127	<5	<0.01	<10	11	18	11	364	2
134349	2.7	0.49	198	50	<0.5	30	1.57	8	21	24	1	6.73	1	0.32	<10	0.23	1190	2	0.01	<1	1305	256	>5.00	9	2	89	<5	<0.01	<10	13	12	10	308	2
134350	<0.2	2.72	48	120	<0.5	30	4.20	4	43	101	22	6.77	1	0.13	13	3.27	1174	<2	0.15	40	1216	12	0.46	19	15	191	<5	0.24	<10	<10	127	<10	112	4
134351	1.8	0.65	109	81	<0.5	22	1.18	4	18	26	1	5.07	1	0.35	<10	0.32	935	2	0.01	<1	1343	72	3.87	7	2	67	<5	<0.01	<10	<10	15	<10	258	2
134352	4.4	0.30	434	53	<0.5	60	1.39	7	19	46	4	5.78	1	0.25	<10	0.04	775	<2	0.01	2	1066	177	>5.00	5	1	81	<5	<0.01	<10	<10	8	12	303	2
134353	8.3	0.24	674	45	<0.5	11	0.59	5	8	52	14	5.41	4	0.20	<10	0.03	216	<2	0.01	2	662	162	4.93	41	1	35	<5	<0.01	<10	<10	7	17	219	3
134354	3.0	0.38	361	61	<0.5	33	2.48	5	10	34	6	4.27	1	0.29	<10	0.11	1039	2	0.01	2	903	71	4.06	14	1	81	<5	<0.01	<10	<10	10	11	366	2
134355	2.6	0.58	221	80	<0.5	46	3.87	6	16	27	10	4.60	1	0.31	<10	0.51	1698	<2	0.01	4	1257	91	3.75	10	3	199	<5	<0.01	<10	<10	20	<10	210	2
134356	<0.2	2.88	25	321	0.8	59	4.57	7	43	98	24	7.26	1	0.24	13	3.33	1323	<2	0.20	47	1415	9	0.28	<5	16	303	<5	0.10	<10	<10	116	<10	117	5
134357	<0.2	2.94	35	244	1.2	38	4.13	6	44	98	24	6.93	1	0.25	12	3.17	1224	<2	0.25	47	1339	10	0.26	<5	17	257	<5	0.18	<10	<10	129	<10	107	5
134358	<0.2	2.82	57	342	1.2	53	4.00	7	43	96	22	7.04	1	0.23	12	3.17	1282	<2	0.19	44	1359	20	0.52	5	17	242	<5	0.18	<10	<10	130	<10	130	5
134359	4.3	0.37	186	55	<0.5	35	2.70	9	13	21	13	5.47	1	0.33	<10	0.16	869	<2	0.01	2	1104	291	4.96	5	2	128	<5	<0.01	<10	<10	9	15	413	3
134360	1.9	0.55	54	64	<0.5	29	2.90	17	14	13	27	4.76	<1	0.32	<10	0.40	1117	2	0.01	2	1361	248	4.12	<5	3	127	<5	<0.01	<10	<10	13	10	1216	2
134361	0.8	0.75	44	68	<0.5	60	3.10	4	12	11	12	4.86	<1	0.36	<10	0.53	1144	2	0.01	1	1193	15	3.91	<5	2	106	<5	<0.01	<10	<10	14	11	66	2
134362	0.9	0.93	51	111	<0.5	47	3.95	4	16	10	8	4.82	<1	0.30	<10	0.66	1586	<2	0.01	2	1394	13	3.27	<5	3	176	<5	<0.01	<10	<10	23	<10	63	2
134363	0.8	0.78	80	95	<0.5	30	2.72	4	13	13	13	4.61	<1	0.30	<10	0.58	1254	<2	0.01	2	1248	11	3.49	<5	2	106	<5	<0.01	<10	<10	15	10	73	2
134364	1.1	0.77	91	95	<0.5	61	5.43	4	13	13	11	4.64	<1	0.29	<10	0.65	2054	<2	0.01	1	1153	10	3.55	<5	3	172	<5	<0.01	<10	<10	14	<10	43	2
134365	1.4	0.81	86	61	<0.5	48	3.96	4	13	11	8	4.84	<1	0.34	<10	0.66	2040	<2	0.01	1	1403	23	3.69	<5	2	173	<5	<0.01	<10	<10	16	10	120	2
134366	0.7	0.86	31	65	<0.5	38	2.81	4	14	12	11	4.81	<1	0.33	<10	0.64	1119	<2	0.01	1	1442	17	3.67	<5	3	113	<5	<0.01	<10	<10	14	10	73	2
134367	0.8	1.04	31	103	<0.5	35	3.12	4	13	9	18	4.47	<1	0.35	<10	0.80	1168	<2	0.01	1	1420	11	3.16	<5	3	131	<5	<0.01	<10	<10	18	<10	67	2
134368	0.7	1.03	23	106	<0.5	26	2.18	4	15	13	12	4.53	<1	0.33	<10	0.85	1027	<2	0.01	2	1495	11	3.10	<5	3	94	<5	<0.01	<10	<10	19	<10	61	2
134369	0.9	1.13	33	131	<0.5	14	3.65	4	13	9	14	4.36	<1	0.38	<10	0.81	1540	<2	0.01	1	1412	10	2.88	<5	3	146	<5	<0.01	<10	<10	23	<10	63	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/ shipment# N/A

Sample type: CORE

Report No : **9V1367RJ**

Date : Oct-27-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134370	1.0	0.71	167	99	<0.5	32	2.53	3	15	12	9	3.98	<1	0.33	<10	0.44	946	<2	0.01	2	1411	14	3.08	<5	2	103	<5	<0.01	<10	<10	15	<10	57	2
134371	0.8	1.61	28	174	<0.5	41	2.04	4	19	7	19	4.61	<1	0.34	<10	1.11	1143	<2	0.01	2	1533	10	1.76	<5	3	88	<5	<0.01	<10	<10	37	<10	100	2
134372	0.7	1.20	15	118	<0.5	46	2.83	4	16	11	16	4.77	<1	0.31	<10	0.89	1434	<2	0.01	2	1513	12	2.76	<5	3	104	<5	<0.01	<10	<10	25	<10	81	2
134373	1.0	1.06	22	101	<0.5	35	3.36	4	16	7	19	4.64	<1	0.36	<10	0.78	1501	<2	0.01	2	1507	15	3.09	<5	3	129	<5	<0.01	<10	<10	21	<10	83	2
134374	1.2	0.98	17	123	<0.5	32	2.91	3	12	11	15	3.48	<1	0.30	<10	0.80	1355	<2	0.01	2	1382	15	1.94	<5	3	110	<5	<0.01	<10	<10	18	<10	67	2
134375	2.0	0.94	15	122	<0.5	30	4.26	4	15	7	16	4.16	<1	0.35	<10	0.88	1710	<2	0.01	2	1531	9	2.22	<5	4	160	<5	<0.01	<10	<10	20	<10	91	2
134376	2.0	0.53	16	138	0.5	18	4.36	4	15	10	17	3.75	<1	0.34	<10	0.86	2679	<2	0.01	2	1449	56	1.65	<5	4	204	<5	<0.01	<10	<10	12	<10	156	2
134377	2.1	0.51	37	127	<0.5	47	3.25	8	16	9	7	3.89	<1	0.37	<10	0.57	1952	<2	0.01	2	1502	296	2.39	<5	3	135	<5	<0.01	<10	<10	13	<10	659	2
134378	1.7	0.61	44	182	0.5	21	2.53	4	16	9	13	4.10	<1	0.37	10	0.66	2143	<2	0.01	2	1498	14	1.26	<5	4	93	<5	<0.01	<10	<10	16	<10	109	2
134379	1.8	0.72	63	151	<0.5	34	2.84	4	16	15	6	4.57	<1	0.38	<10	0.50	1917	<2	0.01	2	1270	105	2.32	<5	3	83	<5	<0.01	<10	<10	22	<10	149	2
134380	1.1	1.69	37	269	<0.5	28	1.32	5	12	10	17	4.86	<1	0.36	11	0.80	1731	<2	0.01	2	1503	46	0.80	<5	3	39	<5	<0.01	<10	<10	49	10	311	2
134381	2.4	1.42	227	148	<0.5	54	2.35	5	14	28	25	4.99	<1	0.31	<10	0.66	2176	<2	0.01	2	1176	75	1.68	9	3	81	<5	<0.01	<10	<10	49	<10	331	2
134382	1.5	1.41	34	153	<0.5	53	4.80	4	12	17	15	4.15	<1	0.32	<10	0.63	3234	<2	0.01	1	1228	26	1.00	<5	3	121	<5	<0.01	<10	<10	43	<10	183	2
134383	0.9	1.58	44	135	<0.5	15	3.14	4	12	12	19	4.51	<1	0.31	10	0.75	2574	<2	0.02	2	1451	26	0.90	<5	4	101	<5	<0.01	<10	<10	50	<10	180	2
134384	1.2	1.28	75	139	<0.5	22	2.87	4	13	16	15	4.16	<1	0.33	<10	0.60	2004	2	0.02	2	1372	35	1.48	<5	3	79	<5	<0.01	<10	<10	38	<10	148	2
134385	1.8	1.30	157	197	<0.5	28	3.42	4	12	18	14	4.17	<1	0.31	<10	0.60	2580	<2	0.01	2	1286	47	1.16	9	3	98	<5	<0.01	<10	<10	44	<10	206	2
134386	1.3	1.67	76	153	<0.5	41	2.78	4	15	16	20	4.48	<1	0.36	<10	0.85	2348	<2	0.01	2	1435	30	0.94	<5	3	78	<5	<0.01	<10	<10	53	<10	293	2
134387	1.7	1.35	32	282	0.5	48	4.25	3	14	15	51	3.64	<1	0.35	10	0.62	2803	<2	0.01	2	1474	14	0.86	<5	3	103	<5	<0.01	<10	<10	33	<10	146	2
134388	1.9	1.85	36	251	<0.5	36	2.02	6	13	15	20	4.78	<1	0.33	11	0.92	3088	<2	0.02	1	1484	176	0.57	<5	4	54	<5	<0.01	<10	<10	53	<10	327	2
134389	1.1	1.56	79	155	<0.5	16	2.91	4	14	18	18	3.86	<1	0.36	11	0.77	2323	<2	0.01	2	1456	41	0.60	<5	4	108	<5	<0.01	<10	<10	48	<10	244	2
134390	2.8	1.42	151	137	<0.5	38	3.19	5	14	22	22	4.18	<1	0.31	10	0.69	2666	<2	0.01	2	1374	79	1.11	8	3	97	<5	<0.01	<10	<10	49	<10	333	2
134391	1.9	1.46	78	123	<0.5	39	4.53	5	14	15	22	4.81	1	0.33	11	0.72	3475	<2	0.01	1	1387	38	1.22	5	3	121	<5	<0.01	<10	<10	42	<10	202	2
134392	2.9	1.17	41	272	<0.5	48	4.68	4	10	37	99	3.58	<1	0.29	10	0.63	3128	<2	0.01	2	1157	78	0.82	<5	3	79	<5	<0.01	<10	<10	43	<10	253	2
134393	<0.2	2.09	14	444	1.2	47	3.94	5	27	48	29	5.72	<1	0.12	25	2.14	1184	<2	0.05	15	3024	13	0.24	<5	5	124	<5	0.18	10	<10	94	<10	135	10
134394	<0.2	2.17	11	65	1.6	48	2.85	5	28	51	27	5.56	1	0.06	20	2.13	928	<2	0.05	14	3118	13	0.16	<5	4	80	<5	0.22	<10	<10	85	<10	133	16
134395	<0.2	1.97	7	103	1.5	18	2.46	5	27	51	29	5.35	<1	0.07	19	1.93	859	2	0.05	15	3038	9	0.16	<5	4	75	<5	0.22	<10	<10	88	<10	113	13
134396	<0.2	1.79	11	284	1.4	28	2.82	4	24	49	27	4.89	1	0.10	21	1.70	905	<2	0.06	12	2624	4	0.23	<5	6	80	<5	0.24	<10	<10	100	<10	104	12
134397	0.7	1.92	29	297	0.5	27	3.14	5	14	24	20	4.25	<1	0.61	16	0.81	2409	<2	0.02	2	1514	46	0.52	<5	4	66	<5	0.02	<10	<10	51	<10	283	2
134398	1.6	1.55	41	142	<0.5	57	7.56	5	11	16	25	4.21	<1	0.34	11	0.68	4395	<2	0.01	2	1225	53	1.06	<5	3	168	<5	<0.01	<10	<10	34	<10	237	2
134399	2.4	0.85	40	120	<0.5	38	13.64	2	8	27	31	2.57	<1	0.24	11	0.39	6541	<2	0.01	1	784	35	0.96	<5	2	299	<5	<0.01	<10	<10	18	<10	138	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/ shipment# N/A

Sample type: CORE

Report No : **9V1367RJ**

Date : Oct-27-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134400	1.4	1.14	44	163	<0.5	44	4.68	4	14	16	9	3.99	<1	0.36	10	0.52	3343	<2	0.01	2	1291	65	1.13	<5	3	124	<5	<0.01	<10	<10	33	<10	214	2
134401	1.9	0.84	106	139	<0.5	36	3.92	4	10	27	13	3.47	<1	0.33	<10	0.41	2256	2	0.01	2	1214	102	1.41	5	2	104	<5	<0.01	<10	<10	22	<10	206	2
134402	4.4	0.54	234	64	<0.5	44	1.86	14	9	34	5	4.00	1	0.27	<10	0.29	1605	8	0.01	1	927	535	3.26	10	2	54	<5	<0.01	<10	<10	15	10	1205	2
134403	4.5	0.76	194	56	<0.5	27	1.59	9	12	50	2	5.28	<1	0.29	<10	0.51	1929	12	0.01	1	1166	244	3.95	5	2	66	<5	<0.01	<10	<10	24	12	528	3
134404	1.5	0.35	61	92	<0.5	27	2.44	3	4	108	2	2.08	<1	0.14	<10	0.28	1992	3	0.01	3	813	402	1.19	<5	1	157	<5	<0.01	<10	<10	9	<10	179	1
134405	4.2	0.61	219	46	<0.5	36	1.97	14	11	48	4	4.78	1	0.24	<10	0.44	1820	38	0.01	1	1146	455	3.47	10	1	90	<5	<0.01	<10	<10	22	12	1108	2
134406	4.4	0.95	201	71	<0.5	23	1.27	16	14	38	1	5.64	1	0.31	<10	0.56	1889	28	0.01	1	1323	560	3.65	6	2	44	<5	<0.01	<10	<10	28	12	1259	2
134407	3.1	0.72	266	68	<0.5	60	1.89	15	13	37	4	5.25	1	0.30	<10	0.37	1899	13	0.01	1	1305	400	3.96	14	2	81	<5	<0.01	<10	<10	16	12	1124	2
134408	8.1	0.72	212	92	<0.5	41	2.11	24	13	41	39	4.30	1	0.33	<10	0.32	1893	5	0.01	2	1301	1154	3.24	18	2	90	<5	<0.01	<10	<10	17	<10	2115	2
134409	2.7	0.95	164	92	<0.5	39	1.28	19	14	35	14	4.74	1	0.35	<10	0.44	1288	4	0.01	1	1357	561	3.06	12	2	57	<5	<0.01	<10	<10	19	10	1502	2
134410	1.0	1.59	151	141	0.5	26	2.90	6	18	32	8	5.14	1	0.31	18	1.24	1204	<2	0.03	7	2417	104	1.50	11	3	150	<5	0.01	<10	<10	52	<10	316	5
134411	1.6	1.28	232	91	0.6	48	2.14	5	16	30	8	5.12	2	0.37	<10	0.69	1445	4	0.01	2	1710	37	2.98	15	3	81	<5	<0.01	<10	<10	29	10	234	3
134412	2.8	1.12	177	89	<0.5	47	2.13	9	13	31	<1	5.07	1	0.38	<10	0.59	2171	4	0.01	1	1311	204	3.27	9	2	64	<5	<0.01	<10	<10	33	11	643	2
134413	10.3	0.97	52	68	<0.5	47	1.47	17	9	87	10	5.52	<1	0.16	<10	0.68	1974	2	0.01	1	832	339	3.39	<5	2	71	<5	<0.01	<10	<10	36	15	1268	2
134414	4.1	1.21	84	92	<0.5	64	3.80	16	13	54	7	5.59	<1	0.23	<10	0.82	4252	4	0.01	1	1082	444	2.88	<5	4	194	<5	<0.01	<10	<10	40	10	1141	2
134415	<0.2	0.09	<5	15	<0.5	87	>15.00	<1	1	3	2	0.56	<1	0.07	<10	12.64	270	<2	0.01	2	296	2	0.53	<5	<1	55	<5	<0.01	10	<10	3	<10	25	<1
134416	8.2	0.75	119	55	<0.5	45	3.19	24	8	73	28	5.14	<1	0.20	<10	0.59	2078	7	0.01	4	669	489	3.44	<5	2	113	<5	<0.01	<10	<10	24	14	1844	2
134417	<0.2	1.72	22	1097	<0.5	41	4.07	5	24	53	7	5.65	<1	0.22	26	2.32	1255	<2	0.04	33	3426	14	0.33	<5	5	252	<5	<0.01	<10	<10	52	<10	158	3
134418	<0.2	1.68	33	1145	<0.5	46	3.86	4	21	53	9	5.14	<1	0.22	31	2.14	1269	<2	0.04	29	3347	14	0.32	<5	5	270	<5	<0.01	10	<10	56	<10	125	3
134419	3.0	0.82	124	139	<0.5	38	3.91	10	11	50	26	3.50	<1	0.32	<10	0.55	2343	<2	0.01	2	1193	308	1.69	6	2	142	<5	<0.01	<10	<10	21	<10	897	2
134420	3.7	0.56	110	117	<0.5	40	2.74	12	10	43	7	3.25	<1	0.28	<10	0.47	2297	2	0.01	1	1068	384	1.96	7	2	120	<5	<0.01	<10	<10	20	<10	953	1
134421	4.0	0.19	85	84	<0.5	25	8.78	10	5	60	18	2.86	<1	0.14	<10	0.17	4004	<2	0.01	1	463	383	2.74	<5	1	189	<5	<0.01	<10	<10	10	<10	593	1
134422	2.6	0.40	119	128	<0.5	32	4.72	7	7	82	30	2.60	<1	0.15	<10	0.41	2352	<2	0.01	1	452	253	1.48	<5	2	148	<5	<0.01	<10	<10	14	<10	454	1
134423	<0.2	1.15	12	97	<0.5	38	3.74	3	13	52	12	3.39	<1	0.28	14	1.40	1143	<2	0.02	11	1671	28	0.38	<5	4	234	<5	<0.01	<10	<10	31	<10	104	2
134424	<0.2	1.26	<5	1247	<0.5	39	4.65	3	13	58	2	3.26	<1	0.25	17	1.50	795	<2	0.03	11	1661	8	0.20	<5	4	265	<5	<0.01	<10	<10	47	<10	75	1
134425	<0.2	1.44	<5	231	<0.5	26	3.42	2	13	61	<1	3.16	<1	0.24	16	1.42	612	<2	0.02	11	1645	11	0.19	<5	3	156	<5	<0.01	<10	<10	45	<10	80	1
134426	<0.2	1.44	<5	461	<0.5	38	3.73	2	13	56	<1	3.24	<1	0.24	21	1.43	708	<2	0.03	11	1589	6	0.12	<5	3	152	<5	<0.01	<10	<10	54	<10	78	2
134427	<0.2	1.55	<5	328	<0.5	10	3.25	3	14	70	<1	3.56	<1	0.19	19	1.62	683	<2	0.05	12	1669	5	0.10	<5	4	123	<5	0.02	<10	<10	72	<10	76	2
134428	<0.2	1.46	<5	412	<0.5	39	3.57	2	12	66	<1	2.98	<1	0.18	19	1.56	747	<2	0.04	12	1609	5	0.12	<5	4	131	<5	0.02	<10	<10	65	<10	65	3
134429	0.4	2.19	59	304	0.5	49	4.00	4	21	26	29	5.34	<1	0.51	12	1.27	2217	4	0.01	2	1631	13	1.04	<5	6	126	<5	0.01	<10	<10	69	<10	115	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/ shipment# N/A

Sample type: CORE

Report No : **9V1367RJ**

Date : Oct-27-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134430	0.7	2.07	76	203	<0.5	38	4.33	5	19	26	20	5.13	<1	0.35	11	1.33	2695	<2	0.01	2	1555	10	0.80	<5	5	156	<5	<0.01	<10	<10	59	<10	191	2
134431	1.8	1.83	169	176	<0.5	64	5.09	4	18	25	14	5.03	<1	0.34	10	1.29	3510	<2	0.01	1	1502	18	1.55	8	5	133	<5	<0.01	<10	<10	57	<10	130	2
134432	0.7	2.01	93	165	<0.5	50	3.62	5	20	23	16	5.79	<1	0.31	10	1.42	2915	<2	0.01	1	1574	17	1.79	5	5	116	<5	<0.01	<10	<10	54	<10	144	2
134433	0.7	1.84	55	200	<0.5	53	4.00	4	18	21	14	5.19	<1	0.33	10	1.12	3075	<2	0.01	1	1497	10	1.29	5	5	124	<5	<0.01	<10	<10	51	<10	155	2
134434	1.7	1.63	136	168	<0.5	44	3.75	6	18	23	13	5.42	<1	0.34	10	1.19	2687	<2	0.01	2	1556	24	1.43	9	5	157	<5	<0.01	<10	<10	42	<10	242	2
134435	0.6	1.75	48	178	<0.5	43	3.35	4	17	19	22	4.84	<1	0.43	11	1.15	2340	<2	0.01	2	1423	10	0.76	<5	5	149	<5	<0.01	<10	<10	44	<10	185	2
134436	1.4	1.36	90	156	<0.5	49	5.30	3	15	24	21	4.12	<1	0.30	10	0.88	3359	<2	0.01	2	1281	13	0.93	<5	5	182	<5	<0.01	<10	<10	37	<10	136	2
134437	0.6	1.74	71	165	<0.5	36	3.80	4	18	18	20	4.43	<1	0.33	12	1.02	2410	<2	0.01	2	1524	13	0.52	<5	5	193	<5	<0.01	<10	<10	43	<10	143	2
134438	2.2	1.38	197	125	<0.5	36	3.77	5	20	32	10	5.34	<1	0.33	<10	0.80	1946	2	0.01	4	1442	62	2.64	<5	4	152	<5	<0.01	<10	<10	32	<10	189	2
134439	2.7	1.33	203	110	<0.5	26	4.61	5	17	29	16	4.89	<1	0.34	<10	0.82	1651	4	0.01	3	1340	19	2.64	7	4	172	<5	<0.01	<10	<10	35	<10	132	2
134440	<0.2	0.04	<5	14	<0.5	75	>15.00	<1	1	1	1	0.49	1	0.03	<10	12.12	258	<2	0.01	1	160	<2	0.48	<5	<1	47	<5	<0.01	<10	<10	3	<10	15	<1
134441	0.8	0.61	693	1088	0.5	25	0.70	3	8	57	36	3.40	2	0.14	16	0.35	479	5	0.01	33	921	157	0.22	571	5	216	7	<0.01	<10	<10	60	<10	241	12
134442	1.6	1.52	704	142	<0.5	42	7.11	3	15	18	16	4.29	<1	0.28	10	1.02	3195	<2	0.01	2	1160	10	1.71	5	4	219	<5	<0.01	<10	<10	30	<10	138	2
134443	1.0	1.50	90	158	<0.5	31	4.08	4	16	21	15	4.59	<1	0.34	10	1.03	1841	<2	0.01	3	1267	14	1.29	<5	5	176	<5	<0.01	<10	<10	37	<10	160	2
134444	1.4	1.94	42	161	<0.5	40	3.18	5	17	25	14	5.46	<1	0.28	10	1.36	1863	<2	0.01	3	1382	16	1.37	<5	5	133	<5	<0.01	<10	<10	55	<10	170	2
134445	1.9	1.40	212	134	<0.5	47	3.43	4	17	27	11	5.17	1	0.30	<10	0.83	1993	<2	0.01	3	1184	17	2.32	8	4	116	<5	<0.01	<10	<10	37	<10	182	2
134446	2.8	0.85	241	70	<0.5	36	2.85	5	18	43	7	4.94	1	0.28	<10	0.48	1263	4	0.01	4	1161	40	3.51	10	2	106	<5	<0.01	<10	<10	22	<10	132	2
134447	1.8	1.27	243	77	<0.5	53	2.49	5	17	29	7	5.09	<1	0.33	<10	0.75	2376	2	0.01	3	1282	34	2.92	8	3	83	<5	<0.01	<10	<10	35	<10	176	2
134448	1.5	1.62	118	174	<0.5	26	2.50	4	12	32	23	4.54	<1	0.23	10	1.09	3920	<2	0.01	3	1197	30	1.21	5	5	106	<5	<0.01	<10	<10	68	<10	183	2
134449	3.1	0.91	435	75	<0.5	29	2.69	10	18	42	15	4.68	<1	0.27	<10	0.50	2031	7	0.01	4	1037	226	3.30	6	2	94	<5	<0.01	<10	<10	25	<10	864	2
134450	1.7	1.47	182	156	<0.5	40	2.94	5	16	35	9	4.51	<1	0.29	<10	0.97	2542	2	0.01	3	1191	84	1.62	<5	4	126	<5	<0.01	<10	<10	41	<10	227	2
134451	1.0	1.55	72	191	<0.5	46	3.92	4	16	31	13	4.45	<1	0.31	11	1.16	2702	2	0.01	3	1244	21	0.83	5	5	160	<5	<0.01	<10	<10	43	<10	138	2
134452	0.4	2.11	25	159	<0.5	46	3.79	4	17	22	16	5.10	<1	0.30	11	1.62	2563	<2	0.01	3	1312	11	0.45	<5	6	151	<5	<0.01	<10	<10	50	<10	123	2
134453	0.2	2.36	21	159	<0.5	58	3.54	5	17	20	13	5.63	<1	0.30	11	1.82	2404	<2	0.01	3	1320	8	0.38	<5	6	175	<5	<0.01	<10	<10	61	<10	106	2
134454	1.0	2.12	67	152	<0.5	44	2.63	4	16	26	12	5.31	<1	0.26	10	1.48	2136	<2	0.01	3	1238	18	0.84	6	4	94	<5	<0.01	<10	<10	62	<10	162	2
134455	1.7	2.23	41	174	<0.5	31	2.84	4	17	25	13	5.21	<1	0.29	10	1.58	1739	<2	0.01	3	1288	9	0.75	<5	5	99	<5	<0.01	<10	<10	62	<10	111	2
134456	1.8	1.56	111	116	<0.5	40	2.01	4	19	34	33	4.86	<1	0.29	<10	1.06	1738	<2	0.01	4	1286	22	1.88	8	3	74	<5	<0.01	<10	<10	43	<10	113	2
134457	0.8	1.71	183	102	<0.5	44	2.94	5	19	26	15	5.49	<1	0.29	<10	1.19	1897	<2	0.01	3	1306	30	2.21	6	4	97	<5	<0.01	<10	<10	46	<10	121	2
134458	0.8	1.38	94	119	<0.5	38	2.49	4	17	31	13	4.63	<1	0.28	10	0.89	1523	<2	0.01	3	1355	11	1.84	5	3	95	<5	<0.01	<10	<10	41	<10	86	2
134459	1.3	1.67	118	158	<0.5	26	1.09	4	17	32	15	4.48	1	0.31	11	1.09	905	<2	0.01	4	1322	13	1.18	8	3	48	<5	<0.01	<10	<10	49	<10	111	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/ shipment# N/A

Sample type: CORE

Report No : **9V1367RJ**

Date : Oct-27-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134460	2.3	1.45	175	134	<0.5	22	2.67	4	16	36	16	4.39	1	0.27	<10	0.90	1412	<2	0.01	3	1182	37	1.77	14	3	71	<5	<0.01	<10	<10	44	<10	135	2
134461	3.8	1.27	74	119	<0.5	29	4.30	5	15	33	59	4.29	<1	0.29	<10	0.78	1889	<2	0.01	3	1085	42	2.09	8	3	180	<5	<0.01	<10	<10	36	<10	212	2
134462	1.6	1.36	50	190	<0.5	29	3.22	7	13	28	20	4.34	1	0.38	11	0.78	2223	<2	0.01	3	1336	71	1.74	<5	4	123	<5	<0.01	<10	<10	49	<10	1003	2
134463	1.1	2.13	45	223	<0.5	43	2.83	6	20	23	25	5.55	<1	0.36	11	1.26	2921	<2	0.01	3	1431	38	1.05	<5	5	125	<5	<0.01	<10	<10	61	<10	364	2
134464	1.1	1.62	72	222	<0.5	37	3.29	4	16	26	17	4.42	<1	0.32	11	0.91	3070	<2	0.01	3	1332	23	0.85	5	5	114	<5	<0.01	<10	<10	51	<10	96	2
134465	1.9	1.35	69	222	<0.5	47	4.31	3	14	29	41	3.64	<1	0.33	12	0.72	3635	<2	0.01	3	1303	38	0.85	6	5	134	<5	<0.01	<10	<10	50	<10	91	2
134466	1.5	1.77	24	166	<0.5	56	4.68	5	15	26	32	4.42	<1	0.26	11	1.04	3880	<2	0.01	3	1217	40	0.44	<5	5	145	<5	<0.01	<10	<10	66	<10	216	2
134467	1.1	1.97	34	206	<0.5	36	3.48	6	16	26	18	4.88	<1	0.30	12	1.21	3710	<2	0.01	3	1270	75	0.55	<5	6	138	<5	<0.01	<10	<10	73	<10	343	2
134468	0.6	1.98	38	206	<0.5	41	3.07	5	19	23	23	4.88	1	0.31	12	1.20	2815	<2	0.01	3	1379	52	0.56	<5	5	113	<5	<0.01	<10	<10	67	<10	275	2
134469	1.0	2.19	27	217	<0.5	65	4.45	4	18	22	24	5.26	<1	0.32	13	1.33	4598	<2	0.01	3	1284	27	0.39	<5	6	147	<5	<0.01	<10	<10	65	<10	130	2
134470	0.8	2.30	56	172	<0.5	39	3.89	5	17	18	14	5.20	<1	0.30	11	1.47	3200	<2	0.01	3	1430	44	0.46	<5	6	119	<5	<0.01	<10	<10	66	<10	137	2
134471	1.3	1.80	112	158	<0.5	51	3.77	5	15	22	16	4.74	<1	0.30	10	1.22	2944	<2	0.02	1	1277	178	0.80	6	5	158	<5	<0.01	<10	<10	55	<10	173	2
134472	1.6	1.24	138	179	<0.5	37	3.11	3	15	25	23	3.51	<1	0.33	12	0.63	2425	<2	0.01	3	1347	56	1.13	7	4	111	<5	<0.01	<10	<10	54	<10	136	2
134473	1.0	2.04	186	198	<0.5	48	4.73	5	16	22	8	5.18	<1	0.31	10	1.33	3381	3	0.01	2	1338	30	1.14	<5	6	151	<5	<0.01	<10	<10	60	<10	107	2
134474	0.5	2.25	94	111	<0.5	45	4.43	5	15	20	8	5.30	<1	0.26	10	1.58	3015	3	0.02	1	1387	19	0.70	<5	6	117	<5	<0.01	<10	<10	67	<10	140	2
134475	0.9	2.02	145	155	<0.5	55	6.49	4	14	19	9	4.94	<1	0.28	<10	1.43	3670	<2	0.02	1	1258	39	0.84	<5	6	161	<5	<0.01	<10	<10	56	<10	147	2
134476	1.2	2.29	201	134	<0.5	66	4.85	5	17	21	13	6.08	<1	0.32	<10	1.61	3029	2	0.02	1	1557	53	1.06	<5	7	144	<5	<0.01	<10	<10	63	<10	128	2
134477	1.1	1.90	139	138	<0.5	47	4.70	5	16	27	15	4.98	<1	0.31	<10	1.29	2604	3	0.02	1	1278	27	0.98	<5	5	152	<5	<0.01	<10	<10	51	<10	137	2
134478	1.3	1.86	193	130	<0.5	39	4.69	5	15	20	3	5.55	<1	0.29	<10	1.31	2680	<2	0.02	1	1314	29	1.54	6	5	140	<5	<0.01	<10	<10	46	<10	100	2
134479	1.4	1.58	103	146	<0.5	34	3.64	8	16	24	21	4.90	<1	0.32	<10	1.48	2677	<2	0.02	1	1323	151	0.94	<5	6	135	<5	<0.01	<10	<10	42	<10	488	2
134480	4.5	2.31	98	142	<0.5	55	3.08	23	17	23	113	5.36	1	0.27	<10	1.76	2645	3	0.02	1	1312	344	0.97	14	5	102	<5	<0.01	<10	<10	57	<10	1967	2
134481	0.9	2.62	81	136	<0.5	45	2.11	5	17	21	18	5.87	1	0.27	10	1.94	2430	8	0.02	1	1353	26	0.60	<5	6	82	<5	<0.01	<10	<10	68	<10	177	2
134482	3.6	1.98	337	132	<0.5	41	0.85	5	19	31	21	5.95	1	0.27	<10	1.43	1071	3	0.02	2	1300	40	2.08	19	4	40	<5	<0.01	<10	<10	51	10	261	2
134483	5.2	1.58	350	141	<0.5	19	2.46	8	16	33	38	5.07	1	0.33	<10	1.19	1995	2	0.01	1	1245	419	2.02	19	3	83	<5	<0.01	<10	<10	38	<10	547	2
134484	4.3	1.61	334	118	<0.5	35	1.26	4	11	53	3	4.94	3	0.31	<10	1.07	1415	<2	0.01	1	994	40	2.02	20	4	53	<5	<0.01	<10	<10	42	11	131	2
134485	1.6	2.33	75	183	<0.5	55	4.12	6	16	28	10	5.59	1	0.38	<10	1.69	3016	<2	0.02	1	1324	70	0.94	<5	6	125	<5	<0.01	<10	<10	58	<10	283	2
134486	0.6	2.16	58	176	<0.5	61	5.09	5	16	17	13	5.30	1	0.34	<10	1.72	3129	<2	0.01	1	1312	30	0.73	<5	7	196	<5	<0.01	<10	<10	55	<10	183	2
134487	0.9	1.65	160	262	<0.5	43	5.65	4	15	20	10	4.45	<1	0.40	<10	1.30	2931	<2	0.01	1	1309	21	0.90	<5	6	189	<5	<0.01	<10	<10	42	<10	103	2
134488	2.4	1.86	127	182	<0.5	54	7.48	4	13	30	20	4.47	<1	0.31	<10	1.37	4600	<2	0.01	1	1189	39	0.98	<5	5	202	<5	<0.01	<10	<10	46	<10	141	2
134489	1.2	1.95	1319	168	<0.5	50	3.85	4	16	21	8	5.68	<1	0.37	<10	1.35	2643	<2	0.02	1	1364	28	1.78	9	6	129	<5	<0.01	<10	<10	52	<10	123	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/ shipment# N/A

Sample type: CORE

Report No : **9V1367RJ**

Date : Oct-27-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134490	1.6	1.63	518	157	<0.5	46	5.31	4	14	31	17	4.64	<1	0.29	<10	1.34	2996	<2	0.01	1	1222	60	1.26	<5	5	152	<5	<0.01	<10	<10	46	<10	160	2
134491	2.2	1.89	192	188	<0.5	54	5.09	4	17	26	14	5.48	1	0.35	<10	1.43	2630	26	0.02	1	1312	40	1.69	10	4	128	<5	<0.01	<10	<10	58	<10	120	2
134492	1.6	1.71	93	158	<0.5	41	4.05	9	17	33	38	5.32	<1	0.31	<10	1.56	2861	6	0.02	1	1269	43	1.13	<5	5	128	<5	<0.01	<10	<10	53	<10	664	2
134493	3.9	1.78	161	142	<0.5	42	3.03	8	21	24	30	5.84	1	0.34	<10	1.59	1850	15	0.02	2	1364	118	2.07	9	4	108	<5	<0.01	<10	<10	56	<10	474	3
134494	2.8	1.10	126	121	<0.5	53	3.60	6	17	37	18	4.75	<1	0.32	<10	1.10	2065	14	0.02	2	1117	210	1.81	7	4	110	<5	<0.01	<10	<10	47	<10	276	2
134495	1.4	2.17	90	195	<0.5	26	4.39	7	20	20	12	5.86	1	0.39	<10	1.43	2601	<2	0.02	1	1352	68	1.31	<5	6	134	<5	<0.01	<10	<10	77	<10	461	2
134496	1.0	1.98	36	169	<0.5	30	2.47	6	17	28	13	5.67	<1	0.35	<10	1.37	1862	<2	0.02	1	1333	63	0.86	<5	4	76	<5	<0.01	<10	<10	62	<10	583	2
134497	0.2	1.53	30	841	0.5	33	3.90	5	18	31	14	5.05	<1	0.38	41	1.44	1503	4	0.03	10	3120	49	0.42	<5	5	239	5	<0.01	12	<10	44	<10	285	3
134498	1.8	0.74	43	316	<0.5	42	4.47	10	16	22	34	4.86	<1	0.43	11	1.53	2755	<2	0.01	2	1605	196	0.71	<5	7	192	<5	<0.01	<10	<10	35	<10	795	2
134499	4.2	1.22	61	222	<0.5	27	5.63	16	16	20	132	4.70	<1	0.41	<10	1.26	3464	<2	0.01	1	1302	660	0.83	<5	6	195	<5	<0.01	<10	<10	39	<10	1342	2
134500	<0.2	0.03	<5	10	<0.5	73	>15.00	<1	1	5	1	0.48	<1	0.02	<10	12.88	212	<2	0.01	1	150	<2	0.51	<5	<1	49	<5	<0.01	<10	<10	2	<10	22	<1
134501	5.0	1.58	91	137	<0.5	46	4.79	12	17	18	56	5.71	<1	0.39	<10	1.61	3215	<2	0.01	1	1335	482	1.56	<5	6	185	<5	<0.01	<10	<10	44	10	803	2
134502	1.6	0.58	60	245	<0.5	33	4.00	7	18	20	30	5.43	<1	0.40	<10	1.42	3266	<2	0.01	1	1400	181	0.99	<5	7	179	<5	<0.01	<10	<10	29	<10	331	2
134503	0.7	0.61	44	268	0.5	34	3.64	5	17	17	17	5.42	<1	0.44	11	1.39	2869	<2	0.01	1	1377	31	0.65	<5	6	168	<5	<0.01	<10	<10	29	<10	134	2
134504	1.5	0.91	90	227	0.5	50	3.32	15	16	21	19	5.42	<1	0.43	<10	1.37	3492	<2	0.01	1	1355	457	1.08	<5	6	191	<5	<0.01	<10	<10	33	10	1073	2
134505	2.5	0.63	159	99	<0.5	36	4.75	16	14	29	9	5.61	<1	0.38	<10	1.58	4520	<2	0.01	1	1090	656	2.08	<5	5	235	<5	<0.01	<10	<10	23	10	1234	2
134506	0.8	0.52	45	198	<0.5	23	3.23	4	15	24	10	4.61	<1	0.40	<10	1.09	1911	<2	0.01	1	1462	35	0.93	<5	5	197	<5	<0.01	<10	<10	18	<10	108	2
134507	1.9	0.40	82	157	<0.5	25	3.42	4	12	49	9	3.61	<1	0.31	<10	1.00	1833	<2	0.01	1	1036	63	1.05	<5	4	195	<5	<0.01	<10	<10	15	<10	166	1
134508	4.0	0.49	86	119	<0.5	33	3.18	4	17	24	7	4.63	<1	0.34	<10	1.01	1444	<2	0.01	3	1332	51	1.49	<5	5	204	<5	<0.01	<10	<10	18	<10	77	2
134509	4.0	0.58	100	112	<0.5	41	3.17	4	15	29	13	4.10	<1	0.32	<10	0.98	1467	2	0.01	1	1162	83	1.62	<5	5	186	<5	<0.01	<10	<10	19	<10	82	2
134510	7.7	0.81	99	79	<0.5	20	3.21	5	21	15	13	5.48	<1	0.36	<10	1.18	1474	2	0.01	2	1464	39	2.70	<5	6	169	<5	<0.01	<10	<10	35	<10	64	2
134511	8.2	0.80	184	56	<0.5	34	2.42	5	26	28	15	5.57	1	0.37	<10	0.93	1211	3	0.01	3	1313	51	3.58	11	5	144	<5	<0.01	<10	<10	44	<10	46	2
134512	11.4	0.73	204	69	<0.5	25	2.15	6	24	25	12	6.03	1	0.34	<10	0.89	1095	14	0.01	3	1591	61	4.02	14	5	141	<5	<0.01	<10	<10	39	<10	53	3
134513	9.8	0.68	634	35	<0.5	41	2.66	7	20	42	11	6.85	2	0.35	<10	0.80	1130	4	0.01	2	1280	109	4.81	37	4	181	<5	<0.01	10	<10	23	12	148	3
134514	2.0	1.38	166	137	<0.5	52	6.43	5	17	25	18	4.87	<1	0.31	<10	1.25	2488	6	0.01	1	1342	38	1.80	<5	5	434	<5	<0.01	<10	<10	30	<10	146	2
134515	2.2	1.50	115	156	0.6	39	5.58	6	18	24	12	5.16	<1	0.35	<10	1.42	2456	10	0.01	1	1444	99	1.31	<5	7	376	<5	<0.01	<10	<10	35	<10	290	2
134516	1.0	1.31	91	164	0.6	22	4.03	5	19	25	19	5.42	<1	0.40	<10	1.43	1671	2	0.01	4	1612	18	1.41	<5	6	260	<5	<0.01	<10	<10	32	<10	109	2
134517	0.4	1.17	29	505	0.5	34	3.77	3	14	41	17	3.53	<1	0.33	16	1.27	767	<2	0.02	11	1615	17	0.53	<5	3	292	<5	<0.01	<10	<10	26	<10	92	2
134518	<0.2	1.13	26	303	0.5	30	4.19	3	13	42	8	3.45	<1	0.33	17	1.36	760	<2	0.02	11	1609	10	0.45	<5	3	319	<5	<0.01	<10	<10	28	<10	90	2
134519	0.5	1.10	47	188	<0.5	34	4.23	3	13	47	14	3.51	<1	0.35	17	1.44	870	<2	0.02	11	1637	26	0.57	<5	3	304	<5	<0.01	<10	<10	29	<10	100	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/ shipment# N/A

Sample type: CORE

Report No : **9V1367RJ**

Date : Oct-27-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134520	0.7	0.77	40	258	0.5	27	5.48	3	13	37	13	3.52	<1	0.33	14	1.30	1535	<2	0.02	9	1556	34	0.72	<5	4	402	<5	<0.01	<10	<10	17	<10	128	2
134521	3.4	0.71	109	159	1.3	54	5.34	5	15	26	19	4.84	<1	0.44	<10	1.40	2807	6	0.01	3	1287	55	1.64	<5	6	317	<5	<0.01	<10	<10	18	<10	156	2
134522	2.2	0.53	135	131	0.8	23	2.53	5	14	25	9	4.10	<1	0.43	<10	0.69	1609	<2	0.01	1	1592	83	1.91	<5	5	171	<5	<0.01	<10	<10	16	<10	274	2
134523	5.9	0.47	267	101	0.5	24	2.25	6	11	77	13	4.21	1	0.36	<10	0.63	1251	2	0.01	1	964	158	2.68	15	3	143	<5	<0.01	<10	<10	15	<10	239	2
134524	3.8	0.33	96	100	<0.5	21	2.91	10	7	88	38	3.42	<1	0.25	<10	0.75	2487	<2	0.01	2	677	145	1.71	6	3	184	<5	<0.01	<10	<10	13	<10	698	1
134525	12.8	0.21	57	56	<0.5	19	1.52	18	5	124	218	2.48	1	0.16	<10	0.36	1784	<2	0.01	2	345	1552	1.43	7	1	73	<5	<0.01	<10	<10	7	<10	1390	1
134526	1.9	0.26	48	240	<0.5	9	1.67	4	5	125	11	2.40	<1	0.18	<10	0.41	2065	<2	0.01	3	454	101	0.98	5	2	79	<5	<0.01	<10	<10	8	<10	293	1
134527	2.1	0.27	66	84	<0.5	44	2.37	5	5	134	12	3.03	<1	0.19	<10	0.56	2665	<2	0.01	2	448	160	1.23	6	2	119	<5	<0.01	<10	<10	9	<10	330	1
134528	3.5	0.26	202	85	<0.5	17	1.45	23	8	136	33	3.69	2	0.18	<10	0.41	1812	<2	0.01	2	390	459	2.32	17	2	86	<5	<0.01	<10	<10	12	10	1712	1
134529	7.3	0.37	50	142	<0.5	14	2.86	13	6	83	32	3.35	<1	0.24	<10	0.69	2652	3	0.01	1	602	416	1.51	6	3	177	<5	<0.01	<10	<10	11	<10	943	1
134530	7.4	0.32	223	81	<0.5	26	2.26	10	8	107	66	4.04	1	0.24	<10	0.58	2489	<2	0.01	2	549	229	2.49	19	2	161	<5	<0.01	<10	<10	10	11	589	2
134531	29.6	0.25	69	74	<0.5	32	1.45	20	8	164	533	3.05	<1	0.18	<10	0.38	1601	<2	0.01	2	331	698	2.06	21	2	95	<5	<0.01	<10	<10	10	<10	1361	1
134532	2.7	0.27	119	79	<0.5	8	1.24	5	10	149	22	3.51	<1	0.17	<10	0.42	1292	<2	0.01	3	480	109	2.01	8	2	80	<5	<0.01	<10	<10	8	<10	314	1
134533	3.2	0.64	118	84	<0.5	36	1.79	5	9	148	19	4.36	<1	0.20	<10	0.84	2888	<2	0.01	2	634	397	1.68	9	3	116	<5	<0.01	<10	<10	19	10	299	2
134534	2.9	0.51	74	171	<0.5	19	1.69	8	10	115	79	3.95	<1	0.24	<10	0.92	3013	<2	0.01	3	744	167	1.16	8	4	96	<5	<0.01	<10	<10	17	<10	651	1
134535	3.2	0.87	150	84	<0.5	31	1.89	12	15	95	11	5.68	<1	0.32	<10	1.20	3733	<2	0.01	2	992	161	1.85	7	5	125	<5	<0.01	<10	<10	29	11	818	2
134536	2.8	0.59	107	65	<0.5	37	2.32	12	16	77	12	5.66	<1	0.37	<10	0.94	2429	<2	0.01	2	1067	242	2.37	10	5	155	<5	<0.01	<10	<10	22	10	804	2
134537	2.4	0.40	82	161	<0.5	27	1.97	9	11	116	11	3.39	<1	0.30	<10	0.63	2101	<2	0.01	2	729	189	1.19	6	3	120	<5	<0.01	<10	<10	15	<10	677	1
134538	0.7	0.12	12	74	<0.5	17	1.82	2	2	215	2	1.68	<1	0.08	<10	0.48	1576	<2	0.01	4	194	31	0.26	<5	1	96	<5	<0.01	<10	<10	5	<10	94	1
134539	2.0	0.34	144	128	<0.5	15	2.58	6	7	165	4	2.95	<1	0.23	<10	0.76	2068	<2	0.01	2	589	126	1.17	8	3	161	<5	<0.01	<10	<10	11	<10	437	1
134540	3.6	0.62	227	89	<0.5	17	1.63	40	14	76	39	5.32	1	0.35	<10	1.07	2290	<2	0.01	2	1003	390	2.05	9	4	113	<5	<0.01	<10	<10	20	11	3152	2
134541	6.5	0.45	396	34	<0.5	63	1.75	14	12	67	14	5.64	3	0.38	<10	0.89	2434	<2	0.01	1	834	278	3.38	29	3	180	<5	<0.01	<10	<10	13	13	1173	2
134542	4.9	0.62	267	38	<0.5	47	2.24	49	15	57	42	5.64	1	0.35	<10	1.12	3280	<2	0.01	2	1114	836	2.67	5	4	172	<5	<0.01	<10	<10	19	12	3660	2
134543	2.6	0.58	426	62	<0.5	35	2.76	19	17	44	30	5.40	<1	0.35	<10	1.07	3021	<2	0.01	1	1327	664	2.89	<5	4	213	<5	<0.01	<10	<10	16	<10	1429	2
134544	10.3	1.26	251	76	<0.5	46	1.68	123	15	46	186	5.79	3	0.30	<10	1.39	3189	<2	0.01	1	1046	4644	2.82	6	4	116	<5	<0.01	<10	<10	30	<10	6808	2
134545	3.8	1.80	227	152	<0.5	33	1.93	38	16	41	54	5.52	1	0.34	<10	1.64	3362	<2	0.01	1	1341	1934	1.60	<5	5	137	<5	<0.01	<10	<10	49	<10	2859	2
134550	<0.2	2.43	<5	544	<0.5	60	3.51	5	20	91	10	5.08	<1	0.18	27	2.08	1040	<2	0.03	20	2568	35	0.17	<5	4	110	<5	0.03	<10	<10	69	<10	190	5
Duplicates:																																		
134220	<0.2	2.21	53	289	<0.5	23	2.93	3	20	19	1	5.12	1	0.34	<10	1.58	1750	<2	0.02	1	1582	5	0.69	10	7	101	<5	<0.01	<10	<10	48	<10	100	2
134229	3.3	2.12	55	256	<0.5	22	3.47	4	17	11	33	5.15	1	0.31	<10	1.39	2651	2	0.01	<1	1594	1045	0.77	9	3	104	<5	<0.01	<10	<10	31	<10	244	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Dilworth/ shipment# N/A
Sample type: CORE

Report No : **9V1367RJ**
Date : Oct-27-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134239	0.4	1.69	97	216	<0.5	23	3.25	3	19	10	<1	5.92	1	0.32	<10	1.16	1784	<2	0.01	<1	1718	12	1.28	11	4	113	<5	<0.01	<10	10	23	<10	108	2
134242	1.1	1.35	50	354	0.5	21	2.42	3	15	15	36	4.68	1	0.33	<10	1.06	1677	7	0.01	<1	1351	11	0.69	8	3	136	<5	<0.01	<10	<10	21	<10	102	1
134251	0.9	1.18	29	352	<0.5	20	4.44	3	14	9	33	4.68	2	0.38	10	1.16	4012	2	0.01	<1	1334	20	0.83	7	5	213	<5	<0.01	<10	10	25	<10	96	2
134261	0.6	1.26	31	240	<0.5	20	4.95	3	12	11	16	4.57	2	0.35	<10	0.98	2691	<2	0.01	<1	1270	69	0.58	8	6	201	<5	<0.01	<10	<10	28	14	165	1
134264	0.6	0.81	21	246	<0.5	22	3.45	4	16	9	7	4.62	2	0.39	<10	1.03	2376	<2	0.01	<1	1458	61	0.98	7	5	158	<5	<0.01	<10	<10	18	<10	230	2
134273	1.0	0.50	54	151	<0.5	17	2.39	3	11	12	9	3.94	1	0.39	<10	0.37	1470	<2	0.01	<1	1430	18	2.09	8	2	101	<5	<0.01	<10	<10	9	<10	180	1
134283	4.1	0.42	45	203	<0.5	15	2.26	62	13	39	46	3.81	2	0.33	<10	0.72	2788	<2	0.01	1	1044	370	1.44	8	2	141	<5	<0.01	<10	<10	6	107	4226	2
134286	1.4	0.35	46	196	<0.5	15	3.58	3	12	24	2	4.00	2	0.31	<10	0.90	3031	<2	0.01	<1	944	35	1.21	8	4	209	<5	<0.01	<10	10	5	<10	123	2
134295	0.5	1.83	91	243	<0.5	21	0.71	4	17	7	11	4.70	1	0.36	11	1.05	1642	<2	0.01	<1	1589	17	0.69	7	4	23	<5	<0.01	<10	<10	48	<10	379	2
134305	1.1	2.00	80	162	<0.5	26	2.89	4	17	10	16	5.96	3	0.31	12	1.21	2924	2	0.03	<1	1589	27	0.93	9	7	98	<5	<0.01	<10	<10	92	<10	225	2
134308	0.2	2.13	43	147	0.6	42	3.43	4	15	7	11	5.03	<1	0.32	11	1.15	2547	<2	0.02	<1	1558	6	0.76	<5	6	113	<5	0.05	<10	<10	82	10	102	3
134317	1.1	2.40	20	178	<0.5	55	2.67	11	14	6	25	4.86	<1	0.35	10	1.48	3586	<2	0.02	<1	1629	315	0.72	<5	5	103	<5	0.02	<10	<10	70	<10	732	2
134327	0.6	1.80	14	157	<0.5	46	3.72	3	14	13	5	4.20	<1	0.35	<10	0.91	2693	<2	0.01	<1	1512	11	0.70	<5	4	256	<5	0.01	<10	<10	46	<10	124	2
134330	0.5	1.66	61	116	<0.5	22	1.79	4	20	36	6	5.01	1	0.28	14	1.27	1318	<2	0.02	6	1629	22	2.04	10	4	43	<5	0.08	<10	<10	46	11	274	4
134339	1.4	0.66	55	106	<0.5	22	2.13	16	15	15	5	5.19	2	0.33	<10	0.75	2190	<2	0.01	<1	1307	161	3.06	7	4	139	<5	<0.01	<10	<10	16	23	1263	2
134349	2.6	0.52	188	49	<0.5	28	1.53	7	20	22	1	6.54	1	0.33	<10	0.23	1168	2	0.01	<1	1244	261	>5.00	9	2	87	<5	<0.01	<10	13	13	11	300	2
134352	4.5	0.29	421	51	<0.5	41	1.41	7	18	44	4	5.75	<1	0.26	<10	0.04	777	<2	0.01	1	1030	172	>5.00	<5	1	81	<5	<0.01	<10	<10	8	12	303	2
134361	0.8	0.74	46	66	<0.5	34	3.07	4	12	11	11	4.87	<1	0.33	<10	0.54	1147	2	0.01	1	1203	14	3.84	<5	2	106	<5	<0.01	<10	<10	14	12	65	2
134371	0.8	1.58	27	173	<0.5	28	2.05	4	19	7	19	4.59	<1	0.34	<10	1.11	1139	<2	0.01	2	1533	10	1.75	<5	3	88	<5	<0.01	<10	<10	36	<10	98	2
134374	1.2	0.96	18	126	<0.5	27	2.87	3	13	10	14	3.63	<1	0.31	<10	0.78	1415	<2	0.01	2	1490	15	2.03	<5	3	112	<5	<0.01	<10	<10	19	<10	70	2
134383	0.9	1.57	46	146	<0.5	62	3.10	4	12	13	20	4.78	<1	0.33	11	0.73	2728	<2	0.02	2	1520	27	0.94	<5	4	103	<5	<0.01	<10	<10	53	10	193	2
134393	<0.2	2.07	15	447	1.5	38	3.67	5	27	48	31	5.29	<1	0.12	27	2.00	1157	<2	0.05	14	2946	13	0.23	<5	6	133	<5	0.21	11	<10	97	<10	133	12
134396	<0.2	1.89	12	307	1.7	25	3.02	5	27	52	27	5.24	1	0.11	22	1.80	966	<2	0.07	14	2866	3	0.25	<5	7	86	<5	0.27	11	<10	109	<10	114	14
134405	4.1	0.66	225	48	<0.5	48	1.96	14	11	51	5	4.82	1	0.26	<10	0.45	1837	39	0.01	1	1194	452	3.49	10	2	92	<5	<0.01	<10	<10	23	11	1122	2
134415	<0.2	0.10	<5	16	<0.5	81	>15.00	<1	1	3	2	0.53	<1	0.07	<10	12.23	249	<2	0.01	2	293	<2	0.49	<5	<1	53	<5	<0.01	10	<10	3	<10	22	<1
134418	<0.2	1.70	33	1168	<0.5	47	4.07	5	21	55	9	5.39	<1	0.23	31	2.22	1319	<2	0.04	29	3441	14	0.33	<5	5	271	<5	0.01	10	<10	57	<10	128	4
134427	<0.2	1.63	<5	326	<0.5	35	3.16	3	14	70	<1	3.49	<1	0.20	20	1.60	676	<2	0.05	12	1598	4	0.10	<5	4	125	<5	0.02	<10	<10	72	<10	75	2
134437	0.7	1.80	71	175	<0.5	50	3.82	4	19	19	21	4.51	<1	0.36	12	1.04	2469	<2	0.01	2	1561	12	0.53	<5	5	197	<5	<0.01	<10	<10	45	<10	141	2
134440	<0.2	0.04	<5	15	<0.5	103	>15.00	<1	1	1	1	0.51	<1	0.03	<10	12.30	264	<2	0.01	1	155	<2	0.50	<5	<1	47	<5	<0.01	<10	<10	3	<10	15	<1
134449	2.9	0.95	431	66	<0.5	43	2.75	10	17	44	15	4.74	<1	0.31	<10	0.51	2036	7	0.01	4	1009	222	3.22	6	3	91	<5	<0.01	<10	<10	26	<10	847	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Dilworth/ shipment# N/A
Sample type: CORE

Report No : **9V1367RJ**
Date : Oct-27-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134459	1.1	1.73	125	175	<0.5	31	1.08	4	17	33	16	4.45	<1	0.33	12	1.10	907	<2	0.01	3	1305	12	1.19	8	4	49	<5	<0.01	<10	<10	51	<10	111	2
134462	1.7	1.40	52	194	<0.5	54	3.45	8	14	28	21	4.67	1	0.38	11	0.84	2375	<2	0.01	3	1412	74	1.84	<5	5	130	<5	<0.01	<10	<10	49	<10	1050	2
134471	1.4	1.88	108	160	<0.5	76	3.79	5	15	22	17	4.78	<1	0.31	10	1.24	3021	<2	0.02	1	1277	186	0.79	6	6	160	<5	<0.01	<10	<10	56	<10	170	2
134481	1.0	2.98	92	157	<0.5	49	2.38	6	20	24	21	6.60	<1	0.32	12	2.20	2753	9	0.03	1	1560	29	0.69	6	7	96	<5	<0.01	<10	<10	79	10	201	2
134484	4.3	1.62	316	100	<0.5	33	1.26	4	11	51	3	4.96	2	0.30	<10	1.07	1413	2	0.01	1	978	39	1.96	19	3	52	<5	<0.01	<10	<10	41	12	131	2
134493	4.0	1.85	159	135	<0.5	54	2.97	8	21	23	30	5.83	1	0.36	<10	1.57	1851	15	0.02	2	1325	115	2.05	9	4	108	<5	<0.01	<10	<10	57	<10	472	3
134503	0.6	0.66	44	275	0.5	50	3.60	5	17	16	17	5.02	<1	0.45	11	1.39	2817	<2	0.01	1	1348	32	0.63	<5	6	165	<5	<0.01	<10	<10	29	<10	124	2
134506	0.8	0.52	51	211	<0.5	29	3.54	5	17	26	9	4.69	<1	0.41	<10	1.16	2034	<2	0.01	1	1610	40	1.03	<5	6	201	<5	<0.01	<10	<10	19	<10	117	2
134515	1.8	1.61	116	177	0.6	40	5.60	6	17	25	11	5.15	<1	0.42	<10	1.52	2430	10	0.01	1	1424	95	1.27	<5	7	370	<5	<0.01	<10	<10	37	<10	284	2
134525	15.3	0.24	58	62	<0.5	20	1.56	18	5	143	221	2.54	1	0.17	<10	0.38	1808	<2	0.01	2	355	1598	1.47	8	1	73	<5	<0.01	<10	<10	7	<10	1420	1
134528	3.7	0.25	218	82	<0.5	13	1.53	25	8	136	33	3.81	2	0.18	<10	0.43	1881	<2	0.01	2	426	477	2.42	17	2	89	<5	<0.01	<10	<10	12	10	1754	1
134537	2.4	0.37	81	156	<0.5	21	1.97	9	12	115	11	3.35	<1	0.28	<10	0.63	2102	<2	0.01	2	760	193	1.18	5	3	122	<5	<0.01	<10	<10	14	<10	663	1
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.8	1.69	9	300	1.0	6	0.59	5	30	111	2042	4.70	1	1.35	13	1.25	345	<2	0.05	54	716	13	0.61	<5	7	8	<5	0.20	<10	<10	81	<10	220	12

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Metallic Assay Certificate

9V-1367-RM1

Oct-27-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/ shipment# N/A
Attn: Sue Deane

We *hereby certify* the following analysis of 1 core sample submitted Oct-09-09

Sample Name	Wt Total g	Wt +150 g	+150 Au mg	-150 Au g/tonne	Metallic Au g/tonne	Net Au g/tonne
134414	310.6	9.52	2.026	2.86	6.52	9.29

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1368-RA1

Oct-28-09

Company: **Ascot Resources Ltd**
Project: Dilworth/Shipment (32bags)
Attn: Sue Deane

We *hereby certify* the following assay of 22 rock samples submitted Oct-09-09

Sample Name	Au g/tonne	Ag g/tonne	Ag g/tonne	Sample-wt Kg
122299	0.33	9.8		1.3
122300	0.44	11.1		1.6
122457	0.13	1.1		2.4
122458	0.31	7.8		1.5
122459	0.27	8.3		1.6
122460	0.51	8.4		2.3
122461	0.35	7.9		0.9
122462	0.22	8.3		1.5
122463	0.66	9.8		1.1
122464	0.04	>200.0	274.5	1.4
122465	<0.01	9.5		1.2
122466	<0.01	3.5		1.4
122467	<0.01	1.5		1.3
122468	<0.01	15.1		1.3
122469	<0.01	37.0		1.5
122470	<0.01	7.9		1.5
122471	<0.01	1.1		1.4
122472	<0.01	1.0		1.8
122473	<0.01	0.3		2.4
122474	<0.01	0.1		1.7
122475	<0.01	0.2		1.7
122476	<0.01	0.6		1.8
*DUP 122299	0.31	9.9		
*DUP 122464	0.06	>200.0		
*DUP 122474	<0.01	0.2		
*0211	2.26			
*AC 0501			240.6	
*BLANK	<0.01		<0.1	

Au F.A. AA finish. Over limit Ag 4 Acid Digest AA finish

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1368-RA2

Oct-28-09

Company: **Ascot Resources Ltd**
Project: Dilworth/Shipment (32bags)
Attn: Sue Deane

We *hereby certify* the following assay of 3 rock samples submitted Oct-09-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
122477	<0.01	3.9	1.6
122478	<0.01	7.0	2.4
122479	0.06	156.7	2.0
122480	0.06	135.0	1.9
*DUP 122477	<0.01	3.9	
*0211	2.24		
*BLANK	<0.01		

Au F.A. AA finish

Certified by _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/Shipment (32bags)

Sample type: Core

Report No : **9V1368RJ**

Date : Oct-28-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
122299	9.8	0.23	831	281	<0.5	13	0.05	3	3	114	6	2.56	1	0.19	<10	0.04	244	3	0.01	4	309	121	0.47	32	1	7	<5	<0.01	<10	<10	13	10	140	1
122300	11.1	0.36	538	89	<0.5	17	0.07	10	5	67	28	3.49	2	0.23	<10	0.10	107	<2	0.01	1	590	371	1.56	26	2	10	<5	<0.01	<10	<10	53	12	199	2
122457	1.1	1.05	60	228	<0.5	17	0.14	5	8	39	11	4.25	1	0.22	10	0.61	643	<2	0.01	2	1105	48	0.50	<5	3	7	<5	<0.01	<10	<10	50	11	178	3
122458	7.8	0.26	395	205	<0.5	6	<0.01	2	1	100	<1	2.78	18	0.41	<10	0.02	29	<2	0.01	1	736	446	0.86	65	1	20	<5	<0.01	20	<10	20	12	94	2
122459	8.3	0.22	226	303	<0.5	10	0.01	1	1	119	2	1.31	12	0.25	<10	0.02	31	<2	0.01	3	209	147	0.50	45	1	5	<5	0.01	<10	<10	19	<10	96	1
122460	8.4	0.15	101	71	<0.5	13	<0.01	3	1	166	4	2.10	5	0.16	<10	0.01	31	<2	0.01	3	33	301	1.60	18	<1	2	<5	<0.01	<10	<10	29	<10	278	1
122461	7.9	0.18	38	68	<0.5	8	<0.01	2	1	144	5	1.86	2	0.19	<10	0.01	43	<2	0.01	4	40	315	1.34	12	<1	2	<5	<0.01	<10	<10	37	<10	206	1
122462	8.3	0.22	93	79	<0.5	11	<0.01	3	2	140	5	2.37	4	0.23	<10	0.02	38	<2	0.01	3	45	388	1.96	19	<1	2	<5	<0.01	<10	<10	28	10	194	1
122463	9.8	0.22	87	107	<0.5	13	<0.01	4	2	120	6	2.44	2	0.25	<10	0.02	42	2	0.01	3	89	428	1.25	10	1	3	<5	<0.01	<10	<10	21	10	388	1
122464	>200.0	0.90	12	122	<0.5	38	0.31	23	8	73	221	6.44	1	0.23	12	0.16	924	<2	0.02	5	2156	1801	0.32	14	6	27	<5	<0.01	<10	<10	15	18	1788	2
122465	9.5	2.59	9	100	<0.5	27	0.37	10	12	42	8	8.54	1	0.13	14	0.66	1094	<2	0.03	8	1836	111	0.11	<5	10	25	5	<0.01	<10	<10	57	20	422	3
122466	3.5	2.95	8	99	<0.5	25	0.51	10	12	48	8	8.72	<1	0.16	15	0.76	903	<2	0.03	9	1903	62	0.05	<5	9	29	5	<0.01	<10	<10	59	21	337	3
122467	1.5	2.80	7	100	<0.5	18	0.46	8	12	49	7	8.00	<1	0.16	15	0.69	779	<2	0.03	8	1812	48	0.05	<5	7	27	5	<0.01	<10	<10	53	19	263	3
122468	15.1	2.12	9	102	0.6	25	0.27	12	14	41	19	7.86	<1	0.19	15	0.42	2434	2	0.02	12	1634	346	0.05	<5	9	22	5	<0.01	<10	<10	34	18	616	3
122469	37.0	1.46	11	93	<0.5	26	0.21	17	13	86	72	6.57	<1	0.20	12	0.32	1964	3	0.01	12	1364	964	0.07	<5	6	20	<5	<0.01	<10	<10	25	15	1515	2
122470	7.9	2.52	8	87	<0.5	26	0.58	11	11	50	2	8.17	<1	0.18	21	0.64	1694	<2	0.02	9	1725	432	0.04	<5	9	30	5	<0.01	<10	<10	46	20	605	3
122471	1.1	1.96	8	91	0.5	21	0.35	7	11	48	10	6.80	<1	0.16	21	0.44	1132	<2	0.04	11	1846	58	0.03	<5	8	28	5	<0.01	<10	<10	35	17	261	3
122472	1.0	2.62	8	102	0.5	27	0.46	8	10	30	<1	8.18	1	0.18	17	0.61	887	<2	0.03	7	2096	82	0.06	<5	8	32	5	<0.01	<10	<10	43	21	235	3
122473	0.3	2.57	6	102	<0.5	40	0.60	8	8	32	1	7.93	<1	0.17	15	0.60	1088	<2	0.03	5	1810	46	0.05	<5	8	28	5	<0.01	<10	<10	39	20	239	3
122474	<0.2	2.21	5	100	<0.5	32	2.15	7	6	39	2	7.37	<1	0.16	13	0.58	1106	<2	0.03	4	1890	24	0.14	<5	7	85	5	<0.01	<10	<10	37	21	195	3
122475	0.2	2.04	5	118	<0.5	36	0.59	8	9	36	4	6.42	<1	0.16	17	0.42	1213	<2	0.04	7	1860	18	0.05	<5	6	34	5	<0.01	<10	<10	38	17	305	3
122476	0.6	1.01	10	92	<0.5	26	1.42	5	6	49	9	4.38	<1	0.15	16	0.18	1034	<2	0.04	6	1957	42	0.09	<5	6	38	5	<0.01	<10	<10	18	12	224	2
122477	3.9	0.58	13	103	<0.5	22	0.32	5	2	50	5	2.99	<1	0.19	15	0.08	155	2	0.05	3	1769	392	0.50	<5	4	19	<5	<0.01	<10	<10	12	10	286	2
122478	7.0	1.19	8	89	<0.5	27	0.67	9	5	65	4	4.67	<1	0.23	14	0.28	845	<2	0.03	6	2002	122	0.28	<5	4	31	<5	<0.01	<10	<10	20	14	385	2
122479	156.7	0.28	38	75	<0.5	28	0.29	43	4	101	17	3.37	<1	0.14	<10	0.04	280	31	0.03	6	831	674	1.39	13	4	13	<5	<0.01	<10	<10	6	11	2754	4
122480	135.0	0.38	59	44	<0.5	48	0.09	41	8	81	43	8.37	<1	0.18	<10	0.04	365	83	0.02	5	850	1202	4.62	15	4	6	<5	<0.01	<10	11	9	25	2557	6
Duplicates:																																		
122299	9.9	0.24	858	321	<0.5	5	0.05	3	3	120	6	2.63	1	0.19	<10	0.04	244	4	0.01	4	315	125	0.48	35	1	7	<5	<0.01	<10	<10	14	10	141	2
122464	>200.0	0.88	12	119	<0.5	33	0.29	22	8	69	209	6.21	<1	0.23	12	0.15	882	<2	0.02	5	2046	1707	0.30	14	6	25	<5	<0.01	<10	<10	15	17	1702	2
122474	0.2	2.22	7	104	<0.5	41	2.14	7	6	37	2	7.34	<1	0.17	14	0.58	1099	<2	0.03	4	1884	22	0.14	<5	7	84	5	<0.01	<10	<10	37	21	192	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/Shipment (32bags)

Sample type: Core

Report No : **9V1368RJ**

Date : Oct-28-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
122477	3.9	0.55	13	96	<0.5	22	0.31	5	2	49	2	2.88	<1	0.18	14	0.08	149	2	0.05	3	1710	381	0.49	<5	4	19	<5	<0.01	<10	<10	11	10	284	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.8	1.74	12	284	0.8	24	0.59	5	31	107	2046	4.78	1	1.31	13	1.29	347	2	0.05	55	682	15	0.61	<5	7	8	<5	0.19	<10	<10	81	<10	214	12

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

9V-1400-RA1

Assay Certificate

Nov-02-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Shipment 38 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-15-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134546	<0.01	0.7	1.5
134547	0.04	<0.1	1.3
134548	0.08	0.5	1.4
134549	<0.01	<0.1	1.3
134550 N.R			
134551	0.02	0.3	1.3
134552	0.03	0.6	0.8
134553	0.59	<0.1	1.7
134554	<0.01	<0.1	1.8
134555	<0.01	<0.1	1.8
134556	<0.01	<0.1	1.9
134557	<0.01	<0.1	1.6
134558	<0.01	0.2	1.5
134559	0.29	0.6	1.5
134560	<0.01	<0.1	0.3
134561	<0.01	0.2	1.8
134562	0.02	0.4	1.5
134563	0.01	0.6	1.7
134564	<0.01	0.3	2.0
134565	<0.01	0.7	1.3
134566	0.01	2.4	1.5
134567	<0.01	<0.1	1.6
*DUP 134546	0.01	1.4	
*DUP 134555	<0.01	<0.1	
*DUP 134565	0.01	0.8	
*0211	2.22		
*BLANK	<0.01		

Au F.A. AA. Ag read from ICP solution.

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

9V-1400-RA2

Assay Certificate

Nov-02-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Shipment 38 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-15-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134568	0.02	<0.1	1.0
134569	0.02	0.9	1.5
134570	0.01	1.2	1.6
134571	0.07	1.0	1.8
134572	0.03	4.7	1.5
134573	0.09	2.7	1.6
134574	0.12	2.8	1.5
134575	0.01	0.9	1.5
134576	0.05	1.3	1.8
134577	0.07	1.1	1.8
134578	0.12	1.0	1.6
134579	0.06	2.2	1.5
134580	<0.01	1.5	1.8
134581	<0.01	0.7	1.7
134582	<0.01	1.8	1.5
134583	<0.01	0.9	1.0
134584	<0.01	<0.1	0.5
134585	<0.01	1.1	1.6
134586	<0.01	1.4	1.5
134587	<0.01	0.6	1.7
134588	<0.01	0.4	1.8
134589	<0.01	0.6	1.7
*DUP 134568	0.01	0.1	
*DUP 134577	0.09	1.1	
*DUP 134587	<0.01	0.6	
*0211	2.29		
*BLANK	<0.01		

Au F.A. AA. Ag read from ICP solution.

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

9V-1400-RA3

Assay Certificate

Nov-02-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Shipment 38 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-15-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134590	0.02	1.3	1.5
134591	<0.01	0.7	1.5
134592	<0.01	0.6	1.7
134593	<0.01	0.9	1.5
134594	0.02	0.8	1.6
134595	1.19	7.9	1.6
134596	0.42	3.5	1.7
134597	0.01	0.8	1.7
134598	<0.01	0.8	1.8
134599	<0.01	0.6	1.8
134600	<0.01	0.5	2.0
134601	<0.01	0.2	1.7
134602	<0.01	0.4	1.5
134603	<0.01	0.3	1.5
134604	<0.01	0.5	2.6
134605	0.01	<0.1	1.6
134606	<0.01	<0.1	2.4
134607	<0.01	<0.1	1.7
134608	0.01	0.3	1.7
134609	<0.01	0.4	1.6
134610	<0.01	1.0	1.6
134611	<0.01	0.6	1.8
*DUP 134590	0.04	1.3	
*DUP 134599	<0.01	0.6	
*DUP 134609	<0.01	0.4	
*0211	2.29		
*BLANK	<0.01		

Au F.A. AA. Ag read from ICP solution.

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

9V-1400-RA4

Assay Certificate

Nov-02-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Shipment 38 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-15-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134612	<0.01	0.7	1.7
134613	<0.01	0.6	1.6
134614	<0.01	0.3	1.5
134615	<0.01	0.2	1.7
134616	0.01	0.4	1.8
134617	0.01	0.3	1.7
134618	0.02	0.5	1.7
134619	<0.01	0.3	1.6
134620	0.01	1.1	1.7
134621	0.01	0.6	1.6
134622	<0.01	0.3	1.7
134623	<0.01	0.3	1.5
134624	0.01	0.5	1.5
134625	0.02	0.3	1.7
134626	0.02	0.4	1.5
134627	0.01	0.2	1.6
134628	0.01	0.4	1.5
134629	0.01	0.9	2.0
134630	0.01	1.0	1.6
134631	0.18	0.8	1.7
134632	0.03	0.7	1.6
134633	<0.01	0.4	2.0
*DUP 134612	0.01	0.7	
*DUP 134621	0.02	0.6	
*DUP 134631	0.11	0.7	
*0211	2.25		
*BLANK	<0.01		

Au F.A. AA. Ag read from ICP solution.

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

9V-1400-RA5

Assay Certificate

Nov-02-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Shipment 38 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-15-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134634	0.01	0.5	1.5
134635	0.01	0.3	1.6
134636	0.01	0.6	1.8
134637	0.01	0.7	1.7
134638	0.31	1.1	1.8
134639	0.18	0.8	1.6
134640	<0.01	0.9	0.3
134641	<0.01	0.7	1.9
134642	0.23	1.2	1.1
134643	0.12	1.1	1.0
134644	0.01	0.8	1.8
134645	0.01	1.1	1.6
134646	<0.01	0.7	1.8
134647	0.03	0.6	1.7
134648	0.03	0.7	1.3
134649	0.01	0.7	1.3
134650	<0.01	<0.1	1.1
134651	<0.01	0.6	1.8
134652	<0.01	0.7	1.5
134653	0.02	0.6	1.5
134654	<0.01	<0.1	1.5
134655	<0.01	<0.1	1.7
*DUP 134634	0.01	0.5	
*DUP 134643	0.16	1.2	
*DUP 134653	0.04	0.7	
*0211	2.23		
*BLANK	<0.01		

Au F.A. AA. Ag read from ICP solution.

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1400-RA6

Nov-02-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Shipment 38 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-15-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134656	<0.01	<0.1	1.7
134657	0.01	<0.1	1.8
134658	<0.01	<0.1	1.2
134659	0.02	0.6	1.5
134660	0.02	0.5	1.9
134661	0.04	1.1	1.4
134662	0.02	1.0	1.8
134663	0.01	0.6	1.8
134664	0.03	0.5	2.2
134665	0.02	0.7	1.7
134666	0.08	0.6	1.6
134667	0.25	1.1	1.8
134668	0.56	2.3	1.4
134669	0.17	1.7	1.9
134670	1.00	3.0	1.3
134671	0.15	2.7	1.5
134672	0.36	3.0	0.8
134673	0.02	1.8	1.7
134674	0.11	2.4	1.8
134675	0.01	2.2	1.4
134676	0.06	1.9	1.7
134677	1.70	4.6	1.6
*DUP 134656	<0.01	<0.1	
*DUP 134665	0.03	0.7	
*DUP 134675	0.02	2.1	
*0211	2.29		
*BLANK	<0.01		

Au F.A. AA. Ag read from ICP solution.

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

9V-1400-RA7

Assay Certificate

Nov-02-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Shipment 38 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-15-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134678	0.78	6.0	1.8
134679	0.08	1.7	1.8
134680	0.16	2.3	1.7
134681	2.79	17.2	1.8
134682	<0.01	0.9	0.3
134683	3.56	2.2	
134684	0.17	1.3	1.7
134685	0.65	1.9	1.7
134686	0.11	1.4	1.7
134687	0.10	1.6	1.7
134688	0.02	1.3	1.4
134689	0.06	1.2	1.5
134690	0.03	1.0	2.0
134691	0.02	1.2	1.6
134692	0.04	1.4	2.0
134693	0.04	1.3	1.5
134694	0.01	1.0	1.7
134695	0.02	1.0	1.7
134696	0.03	1.3	1.7
134697	0.02	1.4	1.6
134698	0.20	2.6	1.7
134699	0.06	1.5	1.7
*DUP 134678	0.82	6.0	
*DUP 134687	0.09	1.2	
*DUP 134697	0.03	1.4	
*0211	2.28		
*BLANK	<0.01		

Au F.A. AA. Ag read from ICP solution.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/Shipment 38 bags

Sample type: Core

Report No : **9V1400RJ**

Date : Nov-02-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134546	0.7	2.17	14	290	<0.5	19	2.28	3	16	49	8	4.88	<1	0.25	13	1.61	1367	<2	0.03	8	1749	12	0.77	8	4	74	<5	0.02	<10	<10	47	<10	142	2
134547	<0.2	2.30	32	115	<0.5	18	2.87	4	17	75	8	5.08	<1	0.19	16	1.92	1258	<2	0.03	15	2151	16	0.53	10	4	81	<5	0.01	<10	<10	52	<10	166	3
134548	0.5	2.08	123	103	<0.5	25	2.98	4	17	51	23	6.28	<1	0.30	10	1.45	1214	<2	0.02	6	1797	21	2.42	12	4	85	<5	0.01	<10	<10	48	<10	110	3
134549	<0.2	2.63	6	115	<0.5	19	3.21	3	20	84	11	5.40	<1	0.16	27	2.40	1087	<2	0.03	21	2583	5	0.15	10	4	91	<5	0.01	12	<10	66	<10	160	4
134551	0.3	2.37	133	194	<0.5	21	1.93	8	18	60	10	6.18	<1	0.29	17	1.82	1057	<2	0.02	12	2138	83	0.76	10	4	51	<5	0.01	<10	<10	53	<10	452	3
134552	0.6	2.51	92	192	<0.5	22	3.12	8	15	20	14	6.43	<1	0.28	10	1.69	2241	<2	0.01	<1	1642	103	0.60	11	5	136	<5	<0.01	<10	<10	38	<10	666	2
134553	<0.2	2.64	18	207	<0.5	22	4.22	4	18	19	4	6.28	<1	0.33	<10	1.81	2101	<2	0.02	<1	1561	13	1.15	9	6	103	<5	<0.01	<10	<10	44	<10	125	2
134554	<0.2	2.43	12	286	<0.5	17	4.54	3	16	16	<1	5.50	<1	0.33	12	1.57	1858	<2	0.01	<1	1507	5	0.32	8	5	133	<5	<0.01	<10	<10	32	<10	98	2
134555	<0.2	2.75	<5	504	<0.5	18	4.19	3	17	14	<1	5.86	<1	0.37	15	1.83	1818	<2	0.01	<1	1555	<2	0.11	9	5	132	<5	<0.01	<10	<10	35	<10	105	2
134556	<0.2	2.50	<5	1639	<0.5	19	4.34	3	18	14	<1	5.78	<1	0.33	12	1.69	1794	<2	0.01	<1	1556	<2	0.28	9	5	193	<5	<0.01	<10	<10	37	<10	102	2
134557	<0.2	2.46	<5	1886	<0.5	17	3.93	3	17	13	<1	5.58	<1	0.34	13	1.58	1877	<2	0.01	<1	1526	4	0.20	9	5	180	<5	<0.01	<10	<10	35	<10	106	2
134558	0.2	2.15	10	553	<0.5	17	3.67	3	15	16	<1	5.31	<1	0.31	12	1.22	1779	<2	0.01	<1	1545	3	0.21	9	4	107	<5	0.01	<10	<10	37	<10	93	2
134559	0.6	1.98	24	200	<0.5	18	2.63	3	17	17	6	5.51	<1	0.37	<10	1.04	1647	<2	0.01	<1	1664	16	1.44	10	4	65	<5	<0.01	<10	<10	29	<10	88	2
134560	<0.2	0.13	<5	67	<0.5	<5	>15.00	<1	1	4	2	0.67	<1	0.05	<10	13.42	270	<2	0.01	1	216	<2	0.47	<5	<1	59	<5	<0.01	13	<10	3	<10	32	<1
134561	0.2	2.63	10	811	<0.5	20	4.32	4	17	18	11	6.26	<1	0.39	12	1.39	2478	<2	0.01	<1	1533	6	0.35	10	5	127	<5	<0.01	<10	<10	33	<10	104	2
134562	0.4	2.29	27	514	<0.5	16	2.76	3	16	25	14	5.49	<1	0.29	10	1.32	2328	<2	0.01	<1	1388	32	0.47	8	3	72	<5	<0.01	<10	<10	25	<10	136	2
134563	0.6	2.17	29	269	<0.5	16	2.36	5	15	21	23	5.45	<1	0.35	<10	1.14	1885	<2	0.02	1	1310	54	0.71	9	3	55	<5	<0.01	<10	<10	27	<10	258	2
134564	0.3	2.26	27	238	<0.5	19	1.93	4	19	24	16	6.04	<1	0.28	<10	1.27	1712	<2	0.01	1	1352	16	1.07	10	3	49	<5	<0.01	<10	<10	27	<10	122	2
134565	0.7	0.85	46	134	<0.5	10	2.21	2	11	38	8	3.59	<1	0.30	<10	0.34	742	4	0.01	2	937	13	1.68	7	2	47	<5	<0.01	<10	<10	8	<10	69	1
134566	2.4	1.01	100	81	<0.5	22	8.56	4	21	34	13	6.66	<1	0.26	<10	0.53	2411	9	0.01	<1	1052	41	4.16	12	3	264	<5	<0.01	<10	<10	11	<10	73	2
134567	<0.2	2.43	7	386	<0.5	13	3.82	3	16	57	7	5.09	<1	0.26	16	1.92	892	<2	0.03	21	1903	6	0.34	7	4	181	<5	<0.01	<10	<10	41	<10	150	2
134568	<0.2	2.44	14	1112	<0.5	14	3.84	3	17	57	8	4.74	<1	0.28	19	1.96	859	<2	0.03	20	2069	9	0.35	7	4	196	<5	<0.01	<10	<10	39	<10	102	3
134569	0.9	1.94	42	392	<0.5	15	3.63	5	14	32	14	4.24	<1	0.37	10	1.06	1721	3	0.02	6	1248	37	0.82	10	3	103	<5	<0.01	<10	<10	23	<10	364	2
134570	1.2	1.69	42	258	<0.5	12	2.00	13	11	43	17	4.01	<1	0.30	<10	0.85	1543	2	0.01	2	1125	72	0.79	9	2	57	<5	<0.01	<10	<10	19	17	1116	2
134571	1.0	1.68	45	102	<0.5	18	1.71	5	17	17	3	5.25	<1	0.36	<10	0.87	1391	<2	0.01	2	1286	70	2.15	9	2	52	<5	<0.01	<10	<10	14	<10	249	2
134572	4.7	0.82	83	107	<0.5	14	5.74	4	18	34	9	4.93	<1	0.29	<10	0.33	2052	80	0.01	1	957	88	3.11	9	2	141	<5	<0.01	<10	<10	5	<10	154	2
134573	2.7	2.51	35	220	<0.5	20	3.16	19	20	22	20	5.98	<1	0.31	<10	1.43	2943	2	0.02	<1	1302	296	1.30	10	4	83	<5	<0.01	<10	<10	45	27	1640	2
134574	2.8	2.21	36	201	<0.5	18	3.27	10	21	32	18	5.65	<1	0.28	<10	1.25	2447	<2	0.01	<1	1176	152	1.28	10	4	81	<5	<0.01	<10	<10	34	<10	755	2
134575	0.9	2.89	24	292	<0.5	22	3.51	5	20	21	23	6.76	<1	0.36	<10	1.56	2613	<2	0.01	<1	1435	15	0.80	11	5	91	<5	<0.01	<10	<10	47	<10	231	2
134576	1.3	2.20	28	201	<0.5	18	1.99	8	18	34	43	5.09	<1	0.28	<10	1.18	2051	12	0.01	<1	1134	90	0.60	11	4	76	<5	<0.01	<10	<10	38	<10	531	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/Shipment 38 bags

Sample type: Core

Report No : **9V1400RJ**

Date : Nov-02-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134577	1.1	2.51	71	282	<0.5	20	1.63	5	20	21	19	5.72	<1	0.38	<10	1.32	1833	<2	0.01	<1	1286	44	0.93	12	5	41	<5	<0.01	<10	<10	40	<10	233	2
134578	1.0	1.47	72	211	<0.5	13	1.52	5	14	46	13	3.91	<1	0.27	<10	0.71	1194	3	0.01	1	875	115	0.89	9	3	36	<5	<0.01	<10	<10	21	<10	356	1
134579	2.2	1.60	21	205	<0.5	10	4.60	10	12	25	78	3.80	<1	0.29	<10	0.70	2751	<2	0.01	<1	988	350	0.69	8	3	118	<5	<0.01	<10	<10	29	17	842	1
134580	1.5	2.14	17	314	<0.5	19	3.37	4	20	19	19	5.76	<1	0.32	10	1.31	2744	2	0.01	<1	1368	41	0.87	9	5	114	<5	<0.01	<10	<10	33	<10	156	2
134581	0.7	2.57	6	362	<0.5	18	5.60	5	18	12	15	5.71	<1	0.38	12	1.76	3028	<2	0.02	<1	1343	24	0.30	8	7	276	<5	0.01	<10	<10	59	<10	190	2
134582	1.8	3.10	11	175	<0.5	23	3.18	20	21	21	69	6.78	<1	0.19	10	2.01	3066	9	0.03	<1	1361	868	0.60	9	8	105	<5	0.04	<10	<10	89	18	1437	2
134583	0.9	2.77	27	245	<0.5	20	2.97	5	20	19	13	6.17	<1	0.22	10	1.70	2914	<2	0.04	<1	1325	113	0.65	9	8	84	<5	0.01	<10	<10	83	<10	272	2
134584	<0.2	2.86	13	1150	<0.5	19	4.81	4	39	92	25	6.16	1	0.29	36	4.42	1403	<2	0.28	87	3179	19	0.29	10	14	373	<5	0.31	12	<10	175	<10	127	23
134585	1.1	3.17	23	386	<0.5	22	2.84	17	21	21	42	6.68	<1	0.24	12	2.00	3174	<2	0.04	<1	1462	530	0.47	10	8	83	<5	0.01	<10	<10	89	14	1458	2
134586	1.4	3.08	20	184	<0.5	23	2.46	13	21	27	29	7.06	<1	0.21	<10	1.95	3001	2	0.03	<1	1386	538	0.76	11	7	66	<5	0.01	<10	<10	80	<10	983	2
134587	0.6	3.16	28	208	<0.5	24	3.02	5	21	27	12	6.81	<1	0.26	12	2.00	2761	<2	0.04	<1	1462	20	0.48	12	8	80	<5	0.01	<10	<10	87	<10	160	2
134588	0.4	3.19	9	195	<0.5	23	2.69	5	21	23	18	6.72	<1	0.23	13	2.00	2655	<2	0.03	<1	1467	10	0.32	10	7	76	<5	0.01	<10	<10	77	<10	153	2
134589	0.6	3.16	14	196	<0.5	22	3.53	4	21	18	19	6.51	<1	0.25	13	1.97	2887	<2	0.04	<1	1411	4	0.34	9	8	101	<5	0.01	<10	<10	75	<10	129	2
134590	1.3	2.68	52	236	<0.5	20	4.77	4	22	20	15	5.58	1	0.33	11	1.63	2737	<2	0.01	<1	1491	14	0.52	12	5	179	<5	0.03	<10	<10	48	<10	123	2
134591	0.7	2.89	7	225	<0.5	20	5.18	4	20	22	12	5.53	<1	0.30	11	1.81	2814	<2	0.03	<1	1398	5	0.39	8	7	165	<5	0.04	<10	<10	60	<10	114	2
134592	0.6	2.86	15	169	<0.5	21	3.18	4	19	21	12	5.64	<1	0.22	10	1.96	2497	<2	0.02	<1	1365	6	0.42	9	7	103	<5	0.01	<10	<10	64	<10	135	2
134593	0.9	2.77	24	188	<0.5	21	3.26	5	19	23	13	5.80	<1	0.24	<10	1.80	2574	2	0.03	<1	1433	109	0.79	9	6	92	<5	0.01	<10	<10	71	<10	275	2
134594	0.8	2.83	8	163	<0.5	21	3.14	7	18	27	16	5.72	1	0.22	10	1.86	2451	<2	0.03	<1	1494	202	0.44	9	6	97	<5	0.01	<10	<10	70	<10	441	2
134595	7.9	2.68	23	186	<0.5	23	2.50	117	17	35	59	5.77	6	0.23	<10	1.82	2073	2	0.03	<1	1294	3893	1.04	7	6	93	<5	0.01	<10	<10	76	194	6329	2
134596	3.5	2.62	39	153	<0.5	24	3.41	46	20	32	51	5.92	2	0.22	<10	1.64	2574	<2	0.03	<1	1377	1629	1.28	10	5	104	<5	<0.01	<10	<10	62	64	3537	2
134597	0.8	2.86	22	202	<0.5	21	3.58	5	22	23	18	5.70	<1	0.29	12	1.78	2228	<2	0.03	<1	1390	68	0.51	9	6	112	<5	<0.01	<10	<10	66	<10	289	2
134598	0.8	2.68	57	217	<0.5	20	3.32	4	21	18	18	5.28	<1	0.33	10	1.71	1974	<2	0.01	<1	1500	19	0.39	11	5	100	<5	0.02	<10	<10	49	<10	147	2
134599	0.6	3.08	24	209	<0.5	23	2.45	5	21	26	13	6.30	<1	0.28	<10	1.94	1732	<2	0.03	<1	1447	12	0.65	12	6	59	<5	0.01	<10	<10	68	<10	146	2
134600	0.5	2.57	21	170	<0.5	21	2.91	4	20	24	12	5.38	<1	0.24	<10	1.59	1735	<2	0.02	<1	1420	7	0.61	10	6	69	<5	0.01	<10	<10	62	<10	123	2
134601	0.2	2.92	7	231	<0.5	21	3.27	4	19	20	10	6.09	<1	0.29	10	1.77	1705	<2	0.03	<1	1464	4	0.33	9	6	80	<5	0.01	<10	<10	65	<10	121	2
134602	0.4	2.56	11	195	<0.5	19	3.70	4	19	19	11	5.60	1	0.24	<10	1.63	1676	<2	0.02	<1	1395	4	0.65	8	5	79	<5	0.01	<10	<10	47	<10	111	2
134603	0.3	2.68	9	183	<0.5	19	3.08	4	19	17	12	5.64	1	0.26	<10	1.62	1708	<2	0.03	<1	1374	4	0.56	8	6	65	<5	0.01	<10	<10	56	<10	117	2
134604	0.5	2.76	27	235	<0.5	21	3.63	4	22	22	15	5.91	1	0.32	<10	1.63	1605	7	0.04	<1	1502	12	0.89	9	6	79	<5	0.05	<10	<10	61	<10	125	3
134605	<0.2	2.40	13	845	<0.5	21	3.39	4	35	85	20	5.89	1	0.09	27	2.70	824	<2	0.06	43	3163	4	0.23	11	9	145	<5	0.39	12	<10	89	<10	111	15
134606	<0.2	2.45	9	405	0.5	21	3.12	4	38	94	21	6.03	1	0.08	27	2.84	727	<2	0.05	49	3364	3	0.20	12	8	113	<5	0.39	12	<10	89	<10	128	17

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/Shipment 38 bags

Sample type: Core

Report No : **9V1400RJ**

Date : Nov-02-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134607	<0.2	3.28	12	355	<0.5	21	3.24	4	21	23	16	5.93	<1	0.44	<10	1.77	1483	<2	0.07	<1	1454	4	0.30	9	9	61	<5	0.04	<10	<10	86	<10	116	3
134608	0.3	2.82	51	261	<0.5	19	3.53	4	22	20	2	5.90	<1	0.28	11	1.67	1596	<2	0.02	<1	1395	3	0.43	8	6	82	<5	0.01	<10	<10	47	<10	109	2
134609	0.4	2.45	50	259	<0.5	17	4.67	3	18	18	<1	5.03	<1	0.35	11	1.46	1771	<2	0.02	<1	1355	<2	0.40	7	6	121	<5	0.01	<10	<10	39	<10	97	2
134610	1.0	2.21	48	345	<0.5	16	5.77	3	21	22	9	4.90	<1	0.31	12	1.54	2089	<2	0.01	3	1435	12	0.79	9	5	202	<5	<0.01	<10	<10	37	<10	146	2
134611	0.6	2.02	9	937	<0.5	13	5.76	2	17	32	3	4.18	<1	0.30	14	1.70	1739	<2	0.02	8	1424	30	0.41	6	6	254	<5	<0.01	<10	<10	41	<10	116	2
134612	0.7	2.16	9	670	<0.5	17	5.24	3	17	14	29	4.82	<1	0.27	10	1.34	2046	<2	0.01	<1	1286	5	0.39	7	5	194	<5	0.01	<10	<10	34	<10	109	2
134613	0.6	2.21	21	338	<0.5	18	5.49	3	19	13	11	5.15	<1	0.33	<10	1.32	1750	<2	0.02	<1	1351	7	0.94	8	5	194	<5	<0.01	<10	<10	36	<10	95	2
134614	0.3	2.62	7	200	<0.5	19	4.24	4	20	15	12	5.54	<1	0.28	<10	1.65	1596	<2	0.02	<1	1452	6	0.54	8	5	125	<5	0.01	<10	<10	43	<10	110	2
134615	0.2	2.92	11	228	<0.5	23	3.36	4	20	19	12	6.38	1	0.26	<10	1.71	1665	<2	0.03	<1	1353	4	0.62	9	6	103	<5	0.01	<10	<10	55	<10	116	2
134616	0.4	2.40	27	207	<0.5	19	3.29	4	18	23	3	5.49	1	0.23	<10	1.50	1424	<2	0.02	<1	1379	4	0.70	7	5	98	<5	0.01	<10	<10	40	<10	101	2
134617	0.3	2.53	18	268	<0.5	19	3.34	4	18	18	12	5.38	<1	0.29	10	1.58	1542	<2	0.03	<1	1467	3	0.55	8	5	104	<5	0.01	<10	<10	48	<10	106	2
134618	0.5	2.44	39	180	<0.5	19	2.72	4	17	26	53	5.52	<1	0.21	<10	1.56	1722	<2	0.02	<1	1315	6	0.57	9	5	82	<5	0.01	<10	<10	47	<10	121	2
134619	0.3	2.60	21	195	<0.5	21	3.31	4	18	18	12	5.80	<1	0.23	<10	1.62	2010	<2	0.03	<1	1291	6	0.56	9	6	93	<5	0.01	<10	<10	57	<10	112	2
134620	1.1	2.05	82	254	<0.5	14	5.28	3	18	12	19	4.43	<1	0.33	10	1.16	2624	<2	0.01	<1	1381	19	0.58	9	4	156	<5	0.01	<10	<10	31	<10	101	2
134621	0.6	2.52	24	272	<0.5	20	3.64	4	20	14	21	5.38	<1	0.35	10	1.50	2361	<2	0.02	<1	1447	105	0.56	11	5	142	<5	0.04	<10	<10	46	<10	147	2
134622	0.3	2.33	8	200	<0.5	17	3.88	3	17	14	17	5.03	<1	0.24	11	1.47	1760	<2	0.02	<1	1471	3	0.19	7	6	143	<5	0.03	<10	<10	49	<10	111	2
134623	0.3	2.55	53	248	<0.5	19	4.16	4	19	17	4	5.33	<1	0.32	11	1.62	1945	<2	0.03	<1	1500	2	0.40	9	6	151	<5	0.01	<10	<10	50	<10	113	2
134624	0.5	2.65	178	196	<0.5	22	3.23	4	21	26	<1	6.01	1	0.23	<10	1.78	1944	<2	0.03	<1	1412	6	0.87	11	6	97	<5	0.01	<10	<10	50	<10	110	2
134625	0.3	2.80	47	277	<0.5	20	3.25	4	19	19	12	5.80	<1	0.29	<10	1.69	2025	<2	0.02	<1	1379	<2	0.29	9	6	111	<5	0.01	<10	<10	42	<10	107	2
134626	0.4	2.59	122	327	<0.5	19	3.43	4	19	19	<1	5.97	1	0.26	<10	1.74	1888	<2	0.02	<1	1425	<2	0.45	10	5	116	<5	0.01	<10	<10	37	<10	106	2
134627	0.2	2.88	12	317	<0.5	21	3.77	4	19	14	<1	5.82	<1	0.33	13	1.89	2015	<2	0.02	<1	1547	<2	0.14	9	6	137	<5	0.01	<10	<10	40	<10	113	2
134628	0.4	2.54	31	406	<0.5	19	3.53	4	18	17	<1	5.44	1	0.25	10	1.62	2064	<2	0.02	<1	1451	<2	0.29	7	6	118	<5	0.01	<10	<10	38	<10	108	2
134629	0.9	2.73	75	201	<0.5	24	2.48	4	22	18	8	6.14	1	0.32	<10	1.74	2126	<2	0.03	<1	1580	11	0.99	10	6	78	<5	<0.01	<10	<10	44	<10	127	2
134630	1.0	2.66	35	236	<0.5	22	1.74	4	21	21	40	6.07	<1	0.23	<10	1.80	2163	<2	0.02	<1	1502	16	0.68	11	5	64	<5	<0.01	<10	<10	43	<10	142	2
134631	0.8	2.68	7	294	<0.5	21	3.91	4	20	17	26	5.91	<1	0.27	<10	1.71	3081	<2	0.03	<1	1433	10	0.80	9	5	138	<5	0.01	<10	<10	44	<10	130	2
134632	0.7	2.63	11	225	<0.5	23	4.23	4	21	17	13	6.01	<1	0.22	<10	1.74	2838	<2	0.02	<1	1416	6	0.80	9	5	138	<5	0.01	<10	<10	40	<10	116	2
134633	0.4	3.08	11	277	<0.5	24	3.36	4	22	17	11	6.28	<1	0.29	13	1.94	2637	<2	0.03	<1	1584	<2	0.26	10	7	101	<5	0.01	<10	<10	59	<10	153	2
134634	0.5	2.88	5	186	<0.5	22	2.85	11	19	23	44	5.97	1	0.23	11	1.81	2699	<2	0.03	<1	1432	76	0.44	8	6	102	<5	0.01	<10	<10	59	10	594	2
134635	0.3	2.84	<5	231	<0.5	21	2.99	4	18	22	<1	5.64	<1	0.27	13	1.79	2352	<2	0.03	<1	1402	7	0.22	7	6	90	<5	<0.01	<10	<10	57	<10	141	2
134636	0.6	2.30	24	310	<0.5	19	2.65	4	17	23	15	5.21	<1	0.24	10	1.47	2124	<2	0.03	<1	1323	9	0.71	8	5	86	<5	<0.01	<10	<10	45	<10	111	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/Shipment 38 bags

Sample type: Core

Report No : **9V1400RJ**

Date : Nov-02-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134637	0.7	2.16	23	275	<0.5	18	2.20	5	17	18	19	5.10	1	0.33	10	1.28	2190	<2	0.03	<1	1422	61	1.02	8	5	78	<5	0.01	<10	<10	46	<10	214	2
134638	1.1	1.81	27	176	<0.5	20	3.15	11	15	36	22	5.74	<1	0.25	<10	0.95	2873	<2	0.03	<1	1351	113	2.08	9	4	110	<5	0.01	<10	<10	52	13	783	2
134639	0.8	2.49	9	229	<0.5	22	2.81	4	17	19	31	6.00	1	0.27	10	1.27	2942	<2	0.04	<1	1511	7	0.85	9	6	104	<5	0.01	<10	<10	64	<10	137	2
134640	0.9	0.08	<5	27	<0.5	<5	>15.00	<1	1	4	1	0.46	<1	0.05	<10	13.25	205	<2	0.01	1	297	<2	0.47	<5	<1	45	<5	<0.01	13	<10	2	<10	21	<1
134641	0.7	2.63	41	237	<0.5	22	3.41	4	19	16	5	6.00	<1	0.29	11	1.42	2944	<2	0.03	<1	1557	5	0.61	10	6	103	<5	0.01	<10	<10	54	<10	124	2
134642	1.2	2.32	130	199	<0.5	24	3.07	4	18	20	46	6.11	<1	0.24	<10	1.39	2639	<2	0.03	<1	1559	32	1.25	9	6	96	<5	<0.01	<10	<10	49	<10	120	2
134643	1.1	2.52	45	216	<0.5	23	2.90	4	18	22	77	6.09	<1	0.25	10	1.51	2654	<2	0.03	<1	1528	7	0.72	8	6	100	<5	<0.01	<10	<10	61	<10	141	2
134644	0.8	1.43	8	219	<0.5	15	4.11	3	14	22	23	4.31	<1	0.29	10	0.94	2641	<2	0.02	<1	1388	4	0.72	5	6	150	<5	<0.01	<10	<10	28	<10	82	2
134645	1.1	2.19	22	246	<0.5	24	3.89	4	19	17	14	6.03	<1	0.30	10	1.30	3255	<2	0.02	<1	1444	15	1.06	8	7	275	<5	<0.01	<10	<10	44	<10	132	2
134646	0.7	2.53	9	253	<0.5	23	3.68	4	17	19	18	6.17	<1	0.34	12	1.45	2828	<2	0.03	<1	1540	6	0.66	9	8	169	<5	<0.01	<10	<10	59	<10	134	2
134647	0.6	2.31	27	165	<0.5	21	2.88	4	18	23	8	6.12	<1	0.21	<10	1.34	3199	<2	0.03	<1	1377	11	1.35	8	6	113	<5	0.01	<10	<10	64	<10	132	2
134648	0.7	2.66	11	191	<0.5	25	2.68	5	22	20	<1	6.58	1	0.24	10	1.57	3799	<2	0.04	<1	1517	60	1.37	8	6	110	<5	0.01	<10	<10	68	<10	216	2
134649	0.7	2.35	16	181	<0.5	23	3.96	4	18	19	8	6.02	1	0.21	<10	1.36	3123	<2	0.03	<1	1384	10	1.35	9	6	105	<5	0.01	<10	<10	61	<10	123	2
134650	<0.2	2.72	20	725	<0.5	24	4.77	5	45	79	46	6.29	1	0.13	25	4.03	1477	<2	0.23	74	2445	2	0.27	11	14	363	<5	0.42	13	<10	184	<10	123	16
134651	0.6	2.72	14	202	<0.5	23	3.13	4	19	19	10	6.16	1	0.29	10	1.51	2635	<2	0.03	<1	1486	4	0.70	8	6	99	<5	0.01	<10	<10	59	<10	123	2
134652	0.7	2.54	10	235	<0.5	24	3.54	5	23	21	26	6.32	<1	0.33	<10	1.34	2517	<2	0.04	<1	1447	12	1.25	9	7	97	<5	0.01	<10	<10	66	<10	129	2
134653	0.6	2.44	41	161	<0.5	24	2.91	6	23	23	25	6.23	<1	0.35	<10	1.48	2347	<2	0.04	1	1403	55	1.47	8	8	87	<5	0.01	<10	<10	82	<10	217	2
134654	<0.2	2.28	8	709	<0.5	22	3.58	4	31	74	5	5.87	1	0.10	23	2.64	1245	<2	0.06	42	2489	3	0.20	10	7	123	<5	0.19	10	<10	84	<10	105	10
134655	<0.2	2.21	9	375	<0.5	18	3.83	4	28	77	3	5.49	1	0.09	24	2.64	1053	<2	0.04	43	2417	<2	0.20	9	6	160	<5	0.11	<10	<10	79	<10	95	7
134656	<0.2	2.38	10	716	<0.5	20	3.57	4	36	81	10	5.91	1	0.11	24	2.92	990	<2	0.06	46	2561	3	0.22	10	8	155	<5	0.29	10	<10	82	<10	96	14
134657	<0.2	2.26	9	562	<0.5	21	3.44	4	33	88	12	5.84	<1	0.09	26	2.82	927	<2	0.05	45	2519	6	0.23	9	7	116	<5	0.20	10	<10	81	<10	102	9
134658	<0.2	2.59	22	755	<0.5	22	4.54	4	42	89	35	6.05	1	0.09	23	4.19	1188	<2	0.16	69	2297	2	0.23	11	13	218	<5	0.35	11	<10	163	<10	117	13
134659	0.6	2.42	18	180	<0.5	24	3.44	4	20	32	2	6.17	<1	0.25	<10	1.51	2539	<2	0.04	1	1445	6	1.40	8	6	96	<5	0.01	<10	<10	63	<10	114	2
134660	0.5	2.42	19	175	<0.5	23	2.83	5	19	24	7	6.25	<1	0.27	<10	1.32	2504	<2	0.04	<1	1389	11	1.49	9	6	70	<5	0.01	<10	<10	58	<10	114	2
134661	1.1	2.60	76	195	<0.5	24	4.18	5	20	30	72	6.65	<1	0.23	<10	1.37	2764	<2	0.03	<1	1381	6	1.13	9	6	113	<5	0.01	<10	<10	58	<10	116	2
134662	1.0	2.55	231	237	<0.5	23	3.67	4	19	19	3	6.24	1	0.29	<10	1.34	2258	<2	0.03	2	1478	4	1.03	13	7	91	<5	0.01	<10	<10	52	<10	108	2
134663	0.6	2.42	65	366	<0.5	21	3.57	4	20	17	<1	5.59	1	0.29	<10	1.26	1963	<2	0.02	<1	1434	2	0.48	8	6	100	<5	0.01	<10	<10	44	<10	100	2
134664	0.5	2.32	26	292	<0.5	16	4.12	3	17	16	<1	4.90	1	0.34	10	1.25	2029	<2	0.03	<1	1352	<2	0.43	7	6	106	<5	0.01	<10	<10	41	<10	99	2
134665	0.7	2.36	66	228	<0.5	20	3.27	4	17	20	2	5.31	<1	0.27	10	1.31	2092	<2	0.02	<1	1435	5	0.64	8	6	87	<5	<0.01	<10	<10	47	<10	106	2
134666	0.6	2.31	19	251	<0.5	19	3.52	4	15	21	2	5.32	<1	0.29	<10	1.25	2652	<2	0.03	<1	1379	17	0.76	7	6	106	<5	<0.01	<10	<10	51	<10	157	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/Shipment 38 bags

Sample type: Core

Report No : **9V1400RJ**

Date : Nov-02-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134667	1.1	2.49	8	201	<0.5	21	2.68	22	17	19	36	5.71	1	0.28	<10	1.48	2820	<2	0.02	<1	1458	196	0.96	7	6	79	<5	0.01	<10	<10	48	28	1916	2
134668	2.3	3.10	15	242	<0.5	24	3.29	39	21	18	32	6.36	1	0.28	<10	2.03	4002	<2	0.02	<1	1428	329	0.88	9	6	102	<5	0.01	<10	<10	62	50	3111	2
134669	1.7	2.54	23	141	<0.5	24	2.24	10	21	18	16	6.29	<1	0.28	<10	1.50	3449	<2	0.02	<1	1540	104	1.41	9	5	81	<5	<0.01	<10	<10	44	<10	689	2
134670	3.0	1.61	31	65	<0.5	20	2.73	44	15	27	123	5.43	1	0.28	<10	0.86	3244	<2	0.02	<1	1174	389	2.59	7	4	86	<5	<0.01	<10	<10	31	71	3469	2
134671	2.7	2.32	14	193	<0.5	23	1.97	39	20	22	124	5.97	1	0.30	<10	1.19	3252	<2	0.01	<1	1510	178	1.37	8	5	67	<5	<0.01	<10	<10	35	55	2958	2
134672	3.0	1.70	83	194	<0.5	18	2.84	37	14	27	131	4.64	<1	0.36	<10	0.80	2807	<2	0.01	<1	1363	1125	1.41	6	4	100	<5	<0.01	<10	<10	26	48	2842	2
134673	1.8	1.26	12	178	<0.5	12	6.00	3	11	80	15	3.87	<1	0.23	<10	0.63	3376	<2	0.01	<1	884	122	1.29	6	3	418	<5	<0.01	<10	<10	15	10	206	1
134674	2.4	1.85	17	205	<0.5	18	6.52	18	16	39	33	5.58	<1	0.35	<10	0.91	3993	<2	0.01	<1	1336	260	1.96	7	4	407	<5	<0.01	<10	<10	24	27	1591	2
134675	2.2	1.43	<5	91	<0.5	6	13.35	5	6	62	6	3.15	<1	0.15	11	0.74	5399	<2	0.01	<1	475	110	0.46	6	3	760	<5	<0.01	<10	<10	20	24	478	1
134676	1.9	2.29	32	206	<0.5	19	4.33	4	17	39	31	5.36	<1	0.30	<10	1.18	3274	<2	0.01	<1	1349	69	0.80	8	4	200	<5	<0.01	<10	<10	35	<10	248	2
134677	4.6	1.30	84	72	<0.5	17	4.56	25	14	51	166	4.86	1	0.27	<10	0.91	3571	<2	0.01	<1	1081	544	2.09	7	3	142	<5	<0.01	<10	<10	17	34	2036	2
134678	6.0	1.94	36	118	<0.5	19	2.97	45	15	32	357	5.06	1	0.27	<10	1.10	3204	<2	0.02	<1	1239	1164	1.41	7	4	90	<5	<0.01	<10	<10	41	66	3479	2
134679	1.7	2.09	26	171	<0.5	22	1.95	7	19	39	16	5.68	<1	0.27	<10	1.11	3223	<2	0.02	<1	1342	149	1.34	10	4	82	<5	<0.01	<10	<10	43	<10	422	2
134680	2.3	1.35	28	245	<0.5	13	4.37	17	9	54	36	4.10	<1	0.20	<10	0.81	4185	<2	0.02	1	911	435	0.87	6	4	280	<5	<0.01	<10	<10	39	24	1440	1
134681	17.2	1.11	99	84	<0.5	17	6.97	62	10	61	1140	5.32	1	0.15	<10	0.68	4235	<2	0.02	<1	653	2392	3.24	10	3	197	<5	<0.01	<10	<10	30	96	4374	2
134682	0.9	0.07	<5	28	<0.5	<5	>15.00	<1	1	3	1	0.43	<1	0.07	<10	11.93	205	<2	0.01	1	220	<2	0.42	<5	<1	46	<5	<0.01	13	<10	2	<10	26	<1
134683	2.2	1.34	5631	72	<0.5	157	5.71	<1	107	34	270	4.67	1	0.20	<10	0.45	736	27	0.06	61	754	18	0.83	16	3	56	<5	0.10	<10	<10	38	31	79	10
134684	1.3	2.01	33	110	<0.5	23	1.77	8	17	35	31	6.02	1	0.28	<10	1.01	3058	<2	0.02	<1	1303	251	1.96	8	5	46	<5	<0.01	<10	<10	55	<10	576	2
134685	1.9	2.38	47	131	<0.5	24	2.76	11	20	31	19	6.64	1	0.22	<10	1.30	4161	<2	0.02	<1	1341	317	1.65	10	6	100	<5	<0.01	<10	<10	73	<10	783	2
134686	1.4	2.18	32	163	<0.5	22	3.39	10	19	28	19	6.35	1	0.29	<10	1.08	4010	<2	0.03	<1	1395	108	1.98	10	6	92	<5	<0.01	<10	<10	48	<10	666	2
134687	1.6	2.14	21	108	<0.5	23	2.74	13	18	36	17	6.23	1	0.23	<10	1.11	3794	<2	0.02	<1	1268	149	1.84	9	5	75	<5	0.01	<10	<10	53	<10	971	2
134688	1.3	2.35	24	284	<0.5	17	4.66	4	20	19	18	5.34	<1	0.36	<10	1.15	3656	<2	0.02	<1	1287	13	0.70	8	7	155	<5	<0.01	<10	<10	51	<10	136	2
134689	1.2	2.12	42	223	<0.5	18	4.84	4	15	29	12	5.32	<1	0.30	<10	0.94	3371	<2	0.02	<1	1199	11	1.05	8	5	122	<5	<0.01	<10	<10	48	<10	121	2
134690	1.0	2.24	38	203	<0.5	21	4.19	4	17	30	21	5.86	<1	0.27	<10	1.09	3376	<2	0.02	<1	1370	11	1.26	9	6	123	<5	0.01	<10	<10	46	<10	118	2
134691	1.2	2.43	31	255	<0.5	18	4.01	4	19	28	17	5.41	1	0.30	<10	1.28	3224	<2	0.02	<1	1300	6	0.61	9	6	126	<5	<0.01	<10	<10	47	<10	123	2
134692	1.4	2.48	20	195	<0.5	23	3.92	6	20	25	18	6.22	<1	0.27	<10	1.30	3730	<2	0.02	<1	1389	67	1.32	10	6	111	<5	<0.01	<10	<10	53	<10	263	2
134693	1.3	2.83	18	186	<0.5	23	3.46	7	20	27	3	6.13	<1	0.28	<10	1.73	4185	<2	0.02	<1	1250	59	0.81	9	6	114	<5	<0.01	<10	<10	61	<10	402	2
134694	1.0	2.64	14	200	<0.5	21	3.73	4	19	21	19	6.03	1	0.28	<10	1.45	3251	<2	0.02	<1	1420	7	0.61	9	6	138	<5	<0.01	<10	<10	48	<10	151	2
134695	1.0	2.56	16	206	<0.5	18	4.01	4	18	23	13	5.46	<1	0.31	10	1.47	2892	<2	0.02	<1	1243	4	0.39	8	6	126	<5	<0.01	<10	<10	47	<10	105	2
134696	1.3	2.19	50	171	<0.5	19	4.33	4	19	24	6	5.35	<1	0.27	<10	1.20	3427	<2	0.01	<1	1265	23	0.98	9	5	124	<5	<0.01	<10	<10	36	<10	106	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/Shipment 38 bags

Sample type: Core

Report No : **9V1400RJ**

Date : Nov-02-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134697	1.4	2.48	46	183	<0.5	21	4.19	4	20	23	25	5.88	1	0.32	<10	1.22	3694	<2	0.01	<1	1389	6	0.61	10	6	130	<5	<0.01	<10	<10	42	<10	119	2
134698	2.6	2.28	46	150	0.5	21	1.80	18	18	27	108	5.87	<1	0.30	<10	1.12	2284	<2	0.01	<1	1226	432	1.08	10	5	79	<5	<0.01	<10	<10	47	16	1516	2
134699	1.5	1.98	73	214	<0.5	16	3.75	4	15	25	40	4.91	<1	0.34	<10	0.91	2616	<2	0.02	1	1217	21	0.92	8	6	143	<5	<0.01	<10	<10	40	<10	179	2
Duplicates:																																		
134546	1.4	2.32	16	288	<0.5	17	2.46	3	17	51	8	5.67	<1	0.24	13	1.70	1472	<2	0.03	8	1750	12	0.79	8	4	76	<5	0.02	<10	<10	44	<10	143	3
134555	<0.2	2.71	<5	485	<0.5	18	4.18	3	17	14	<1	6.22	<1	0.33	15	1.79	1802	<2	0.01	<1	1480	<2	0.11	8	5	129	<5	<0.01	<10	<10	31	<10	101	2
134565	0.8	0.85	50	136	<0.5	10	2.21	2	11	39	8	3.68	<1	0.28	<10	0.34	764	4	0.01	3	961	13	1.65	7	2	50	<5	<0.01	<10	<10	8	<10	70	1
134568	<0.2	2.30	12	1039	<0.5	14	3.49	2	17	55	7	4.56	<1	0.27	18	1.78	852	<2	0.03	20	1935	5	0.34	7	4	192	<5	<0.01	<10	<10	36	<10	98	3
134577	1.1	2.37	68	255	<0.5	19	1.56	5	19	19	19	5.50	<1	0.34	<10	1.27	1748	<2	0.01	<1	1227	44	0.87	11	4	40	<5	<0.01	<10	<10	36	<10	216	2
134587	0.6	2.96	24	187	<0.5	22	2.83	4	20	25	11	6.40	<1	0.22	11	1.84	2587	<2	0.04	<1	1368	18	0.46	11	8	76	<5	0.01	<10	<10	80	<10	149	2
134590	1.3	2.76	57	246	<0.5	19	4.71	4	23	22	15	5.68	<1	0.34	11	1.60	2759	<2	0.01	<1	1501	13	0.52	12	5	182	<5	0.04	<10	<10	48	<10	121	2
134599	0.6	2.95	23	198	<0.5	22	2.36	4	21	25	13	6.18	<1	0.26	<10	1.87	1662	<2	0.03	<1	1389	11	0.62	12	6	57	<5	0.01	<10	<10	65	<10	138	2
134609	0.4	2.23	46	234	<0.5	15	4.34	3	17	16	<1	4.71	1	0.32	10	1.38	1608	<2	0.02	<1	1273	<2	0.37	8	5	113	<5	<0.01	<10	<10	36	<10	91	2
134612	0.7	2.21	9	677	<0.5	17	5.48	3	18	14	30	5.07	<1	0.27	10	1.40	2131	<2	0.01	<1	1350	4	0.41	7	5	198	<5	0.01	<10	<10	35	<10	115	2
134621	0.6	2.54	25	274	<0.5	20	3.77	4	21	14	21	5.59	<1	0.35	10	1.58	2438	<2	0.02	<1	1496	113	0.57	11	5	145	<5	0.03	<10	<10	46	<10	152	2
134631	0.7	2.48	9	311	<0.5	20	3.67	4	19	16	22	5.67	<1	0.24	<10	1.63	2903	<2	0.03	<1	1362	7	0.74	7	5	129	<5	<0.01	<10	<10	40	<10	120	2
134634	0.5	2.80	<5	181	<0.5	21	2.84	11	19	23	42	5.97	1	0.22	10	1.81	2683	<2	0.03	<1	1420	74	0.44	8	5	99	<5	0.01	<10	<10	58	<10	613	2
134643	1.2	2.48	44	211	<0.5	21	2.82	4	17	22	75	5.98	1	0.25	10	1.41	2602	<2	0.03	<1	1482	7	0.71	8	6	96	<5	<0.01	<10	<10	59	<10	138	2
134653	0.7	2.53	44	173	<0.5	24	2.98	6	24	25	26	6.40	<1	0.38	<10	1.54	2421	<2	0.04	1	1455	57	1.55	9	8	89	<5	0.01	<10	<10	86	<10	225	2
134656	<0.2	2.33	10	725	<0.5	22	3.48	4	34	83	11	5.77	1	0.11	24	2.76	966	<2	0.06	45	2504	3	0.21	9	8	150	<5	0.27	10	<10	84	<10	98	14
134665	0.7	2.33	65	235	<0.5	20	3.21	4	17	20	2	5.24	1	0.28	10	1.30	2160	<2	0.02	<1	1487	5	0.67	9	6	91	<5	<0.01	<10	<10	49	<10	113	2
134675	2.1	1.40	<5	86	<0.5	7	13.19	5	6	60	6	3.08	<1	0.14	11	0.72	5344	<2	0.01	<1	460	112	0.45	5	3	756	<5	<0.01	<10	<10	19	<10	464	1
134678	6.0	1.99	32	126	<0.5	16	2.78	42	15	32	342	5.07	1	0.26	<10	1.00	3104	<2	0.02	<1	1163	1108	1.33	8	4	86	<5	<0.01	<10	<10	40	60	3474	2
134687	1.2	2.13	22	109	<0.5	24	2.60	13	18	36	17	6.02	<1	0.24	<10	1.05	3713	<2	0.02	<1	1293	150	1.77	9	6	74	<5	0.01	<10	<10	55	11	974	2
134697	1.4	2.59	47	196	<0.5	20	4.47	4	20	24	26	5.92	<1	0.32	<10	1.34	3700	<2	0.01	<1	1408	7	0.63	10	7	132	<5	<0.01	<10	<10	44	<10	125	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.8	1.80	12	273	<0.5	18	0.63	4	31	107	2092	5.05	1	1.30	13	1.28	335	3	0.05	57	676	16	0.59	9	7	7	<5	0.18	<10	<10	65	<10	220	9

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1401-RA1

Nov-05-09

Company: **Ascot Resources Ltd**
Project: Dilworth/shipment 38 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-15-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134700	<0.01	<0.1	0.3
134701	0.02	1.0	1.5
134702	0.03	2.0	1.6
134703	0.01	0.7	1.7
134704	0.01	0.5	1.7
134705	0.02	0.8	1.5
134706	0.04	1.2	1.5
134707	0.07	1.8	1.5
134708	0.06	2.1	1.7
134709	0.06	2.1	1.7
134710	0.07	2.0	1.7
134711	0.02	0.9	1.5
134712	0.04	1.5	1.9
134713	0.03	0.9	1.5
134714	0.02	1.0	1.7
134715	0.04	1.0	1.5
134716	<0.01	0.4	1.7
134717	0.05	0.8	1.5
134718	0.22	1.0	1.8
134719	0.01	0.8	1.7
134720	0.48	3.4	1.5
134721	0.03	0.6	1.5
*DUP 134700	<0.01	<0.1	
*DUP 134709	0.07	2.1	
*DUP 134719	0.02	0.8	
*0211	2.29		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1401-RA2

Nov-05-09

Company: **Ascot Resources Ltd**
Project: Dilworth/shipment 38 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-15-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134722	0.05	1.2	1.8
134723	0.30	2.2	1.8
134724	0.19	2.3	1.8
134725	0.11	1.5	1.6
134726	0.97	3.2	1.7
134727	0.12	1.8	1.6
134728	0.06	1.3	1.5
134729	0.08	1.9	0.9
134730	0.14	2.2	1.0
134731	0.08	2.0	1.0
134732	0.06	2.1	1.6
134733	0.07	1.8	1.5
134734	0.04	1.2	1.5
134735	0.03	1.3	1.6
134736	0.06	1.7	1.8
134737	0.14	1.6	1.7
134738	0.07	2.2	1.6
134739	0.12	1.1	1.5
134740	0.13	1.8	1.8
134741	0.07	1.7	1.7
134742	0.35	2.8	1.5
134743	0.16	2.9	2.0
*DUP 134722	0.04	1.2	
*DUP 134731	0.08	2.0	
*DUP 134741	0.08	1.5	
*0211	2.23		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1401-RA3

Nov-05-09

Company: **Ascot Resources Ltd**
Project: Dilworth/shipment 38 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-15-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134744	0.14	1.6	1.6
134745	0.27	1.2	1.5
134746	0.52	1.8	1.5
134747	0.58	2.4	1.6
134748	0.33	1.1	1.7
134749	0.16	1.2	1.5
134750	0.19	1.0	1.3
134751	0.24	1.4	1.8
134752	0.20	1.0	1.5
134753	0.14	1.8	1.7
134754	0.44	1.5	1.7
134755	0.20	1.3	1.7
134756	0.61	2.6	1.5
134757	0.77	4.2	1.7
134758	0.13	2.0	1.5
134759	0.15	1.6	1.7
134760	<0.01	<0.1	0.2
134761	0.27	1.7	1.7
134762	0.41	2.2	1.5
134763	0.53	1.2	1.5
134764	0.34	2.7	1.5
134765	0.16	1.7	1.7
*DUP 134744	0.16	1.6	
*DUP 134753	0.13	1.7	
*DUP 134763	0.56	1.3	
*0211	2.23		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1401-RA4

Nov-05-09

Company: **Ascot Resources Ltd**
Project: Dilworth/shipment 38 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-15-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134766	0.09	2.6	1.4
134767	0.09	2.6	1.7
134768	0.13	2.6	1.9
134769	0.04	5.5	2.0
134770	0.12	2.4	1.8
134771	0.02	4.4	1.8
134772	0.01	7.7	1.7
134773	0.06	1.5	1.7
134774	0.01	1.5	1.8
134775	0.04	2.4	1.9
134776	0.02	3.2	1.6
134777	0.01	2.3	1.9
134778	0.01	1.6	1.8
134779	0.03	3.2	1.9
134780	0.02	1.5	1.5
134781	0.13	2.4	2.1
134782	0.05	1.7	1.6
134783	0.03	1.3	1.6
134784	0.04	1.5	1.9
134785	0.01	1.4	1.7
134786	0.10	2.9	1.5
134787	6.65	7.9	1.9
*DUP 134766	0.08	2.9	
*DUP 134775	0.03	2.4	
*DUP 134785	0.01	1.4	
*0211	2.21		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1401-RA5

Nov-05-09

Company: **Ascot Resources Ltd**
Project: Dilworth/shipment 38 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-15-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134788	0.03	1.3	1.7
134789	<0.01	1.5	1.7
134790	<0.01	1.1	1.9
134791	0.02	1.1	1.8
134792	0.10	1.1	1.7
134793	0.13	1.2	1.5
134794	0.10	1.9	1.6
134795	0.05	1.1	1.6
134796	0.04	1.1	1.6
134797	0.05	1.4	2.0
134798	0.03	0.9	1.5
134799	<0.01	1.0	1.8
134800	0.01	1.0	2.0
134801	0.04	1.0	1.9
134802	0.05	1.4	1.8
134803	0.02	0.9	1.5
134804	<0.01	1.0	1.7
134805	0.02	1.0	1.7
134806	0.01	1.0	1.7
134807	<0.01	0.6	1.8
134808	<0.01	0.6	1.7
134809	0.02	1.1	1.9
*DUP 134788	0.03	1.2	
*DUP 134797	0.06	1.3	
*DUP 134807	0.01	0.6	
*0211	2.05		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1401-RA6

Nov-05-09

Company: **Ascot Resources Ltd**
Project: Dilworth/shipment 38 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-15-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134810	<0.01	1.6	1.7
134811	<0.01	1.6	2.2
134812	<0.01	1.2	1.8
134813	0.02	1.5	2.0
134814	0.01	1.6	1.5
134815	0.02	0.8	1.5
134816	0.01	0.9	1.7
134817	0.01	1.1	0.5
134818	<0.01	<0.1	1.7
134819	<0.01	<0.1	1.6
134820	<0.01	<0.1	1.5
134821	<0.01	<0.1	0.5
134822	<0.01	0.8	1.2
134823	<0.01	0.9	1.7
134824	<0.01	0.9	1.7
134825	0.01	1.3	1.5
134826	<0.01	1.4	1.7
134827	<0.01	<0.1	1.1
134828	<0.01	0.5	1.7
134829	<0.01	0.5	1.5
134830	0.03	0.9	1.5
134831	<0.01	0.6	1.6
*DUP 134810	0.01	1.7	
*DUP 134819	<0.01	<0.1	
*DUP 134829	0.01	0.5	
*0211	2.24		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1401-RA7

Nov-05-09

Company: **Ascot Resources Ltd**
Project: Dilworth/shipment 38 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-15-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134832	0.01	0.6	1.5
134833	0.13	1.0	1.6
134834	0.01	1.5	1.5
134835	<0.01	0.5	1.8
134836	<0.01	0.4	1.7
134837	<0.01	0.6	1.7
134838	0.01	0.6	1.4
134839	<0.01	0.4	1.7
134840	<0.01	0.4	1.7
134841	<0.01	0.2	1.6
134842	<0.01	0.3	1.8
134843	<0.01	0.4	1.1
134844	<0.01	0.4	1.8
134845	0.01	1.0	1.9
134846	<0.01	0.4	1.7
134847	<0.01	0.8	1.5
134848	<0.01	0.6	1.7
134849	<0.01	0.6	1.5
134850	<0.01	0.7	1.7
134851	0.01	0.4	1.8
134852	0.02	0.8	1.4
134853	0.02	1.0	1.5
*DUP 134832	0.01	0.6	
*DUP 134841	0.01	0.2	
*DUP 134851	0.02	0.4	
*0211	2.21		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1401-RA8

Nov-05-09

Company: **Ascot Resources Ltd**
Project: Dilworth/shipment 38 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-15-09

Sample Name	Au g/tonne	Ag g/tonne	Pb %	Sample-wt Kg
134854	0.03	1.5		1.6
134855	0.23	3.1		0.9
134856	0.02	0.8		1.0
134857	0.01	0.8		1.8
134858	0.01	0.8		1.6
134859	0.04	5.0		1.3
134860	0.12	16.9	1.23	1.3
134861	0.04	1.2		1.8
134862	0.02	0.8		2.0
134863	0.06	0.9		1.7
134864	0.02	0.8		1.8
134865	0.03	0.7		1.6
134866	0.04	1.2		1.3
134867	<0.01	0.5		1.5
134868	0.01	0.8		1.6
134869	<0.01	0.6		1.5
134870	<0.01	0.4		1.5
134871	0.01	0.5		1.7
134872	0.01	0.4		1.9
134873	<0.01	0.8		1.0
134874	0.08	3.5		0.6
134875	0.01	0.9		2.7
*DUP 134854	0.01	1.6		
*DUP 134863	0.05	0.9		
*DUP 134873	<0.01	0.8		
*0211	2.37			
*ME-3			2.84	
*BLANK	<0.01		<0.01	

Au F.A. AA finish. Ag read from ICP solution. Pb 4 Acid Digest AA finish

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1401-RA9

Nov-05-09

Company: **Ascot Resources Ltd**
Project: Dilworth/shipment 38 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-15-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134876	<0.01	0.8	1.8
134877	<0.01	0.8	1.5
134878	0.01	1.0	1.4
134879	0.01	0.8	1.4
134880	<0.01	0.6	0.3
134881	0.03	0.5	1.6
134882	<0.01	0.5	1.7
134883	<0.01	0.5	1.6
134884	0.01	0.6	1.7
134885	<0.01	0.6	1.7
134886	<0.01	0.7	1.7
134887	<0.01	0.4	1.7
134888	<0.01	0.4	1.6
134889	<0.01	0.4	1.7
134890	<0.01	0.5	1.8
134891	<0.01	0.4	1.5
134892	<0.01	0.4	1.7
134893	0.01	0.5	1.6
134894	<0.01	0.6	1.8
134895	0.01	0.5	1.9
134896	0.04	3.3	1.3
134897	0.01	0.9	1.5
*DUP 134876	<0.01	0.9	
*DUP 134885	<0.01	0.6	
*DUP 134895	<0.01	0.5	
*0211	2.24		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1401-RA10

Nov-05-09

Company: **Ascot Resources Ltd**
Project: Dilworth/shipment 38 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-15-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134898	0.01	0.6	1.6
134899	<0.01	7.0	1.6
134900	<0.01	6.9	1.7
134901	0.01	2.5	1.8
134902	<0.01	1.3	1.5
134903	<0.01	1.9	1.7
134904	<0.01	1.1	1.7
134905	<0.01	0.5	1.5
134906	<0.01	1.7	1.9
134907	<0.01	1.0	1.4
134908	0.01	<0.1	0.9
134909	<0.01	<0.1	1.5
134910	<0.01	<0.1	1.7
134911	0.02	<0.1	1.7
134912	0.01	0.5	1.6
134913	0.01	0.8	1.9
134914	0.01	<0.1	1.7
134915	0.09	0.4	1.9
134916	0.47	1.0	1.7
134917	0.08	1.6	1.8
134918	0.11	2.4	1.8
134919	0.09	0.9	1.7
*DUP 134898	0.01	<0.1	
*DUP 134907	<0.01	0.2	
*DUP 134917	0.05	1.1	
*0211	2.24		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1401-RA11

Nov-05-09

Company: **Ascot Resources Ltd**
Project: Dilworth/shipment 38 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-15-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134920	0.01	<0.1	1.5
134921	0.07	<0.1	1.5
134922	0.02	<0.1	1.8
134923	0.02	<0.1	1.7
134924	0.19	<0.1	1.5
134925	0.07	<0.1	1.7
134926	0.09	<0.1	1.8
134927	0.02	<0.1	1.5
134928	0.01	<0.1	1.7
134929	0.01	<0.1	1.8
134930	0.01	<0.1	1.7
134931	0.01	<0.1	1.6
134932	<0.01	<0.1	1.8
134933	0.02	<0.1	1.9
134934	0.05	<0.1	1.7
134935	0.03	<0.1	1.5
134936	0.02	<0.1	1.8
134937	0.01	<0.1	1.7
134938	0.01	<0.1	1.6
134939	0.01	<0.1	1.7
134940	0.01	<0.1	1.8
134941	0.01	<0.1	2.2
*DUP 134920	<0.01	<0.1	
*DUP 134929	0.01	<0.1	
*DUP 134939	<0.01	<0.1	
*0211	2.29		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1401-RA12

Nov-05-09

Company: **Ascot Resources Ltd**
Project: Dilworth/shipment 38 bags
Attn: Sue Deane

We *hereby certify* the following assay of 11 core samples submitted Oct-15-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
134942	<0.01	<0.1	2.2
134943	<0.01	<0.1	1.6
134944	0.01	<0.1	1.8
134945	<0.01	<0.1	1.5
134946	<0.01	<0.1	1.8
134947	<0.01	<0.1	1.6
134948	<0.01	<0.1	1.9
134949	<0.01	<0.1	2.1
134950	<0.01	<0.1	1.9
134951	<0.01	<0.1	1.5
134952	<0.01	<0.1	1.9
*DUP 134942	<0.01	<0.1	
*DUP 134951	<0.01	<0.1	
*0211	2.31		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/shipment 38 bags

Sample type: Core

Report No : **9V1401RJ**

Date : Nov-05-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134700	<0.2	0.02	<5	10	<0.5	41	>15.00	<1	1	2	2	0.49	1	0.02	<10	11.48	218	<2	0.01	1	155	<2	0.45	<5	<1	47	<5	<0.01	11	<10	2	<10	16	<1
134701	1.0	1.98	57	177	<0.5	30	2.74	4	19	24	26	5.12	<1	0.30	<10	1.01	1941	<2	0.01	2	1349	18	1.03	<5	5	93	<5	<0.01	<10	<10	57	<10	93	2
134702	2.0	1.94	131	127	<0.5	31	1.21	5	19	25	21	5.60	1	0.31	<10	0.97	1590	5	0.01	2	1424	27	1.62	7	4	56	<5	<0.01	<10	<10	59	<10	105	2
134703	0.7	2.27	51	346	<0.5	35	3.33	4	20	21	19	5.26	<1	0.30	10	1.40	2990	<2	0.01	2	1455	15	0.53	<5	6	180	<5	<0.01	<10	<10	74	<10	98	2
134704	0.5	2.43	34	225	<0.5	35	4.95	5	21	21	20	5.50	<1	0.42	11	1.33	3313	<2	0.01	2	1567	14	0.50	<5	7	301	<5	<0.01	<10	<10	88	<10	109	2
134705	0.8	2.21	40	169	<0.5	38	4.92	5	20	18	32	5.35	<1	0.32	<10	1.40	3803	<2	0.01	2	1447	26	0.51	<5	6	279	<5	<0.01	<10	<10	67	<10	116	2
134706	1.2	2.11	52	166	<0.5	38	6.04	5	19	22	32	5.32	<1	0.33	<10	1.15	3518	<2	0.01	2	1526	54	1.33	<5	6	220	<5	<0.01	<10	<10	55	<10	124	2
134707	1.8	1.53	47	139	<0.5	61	7.27	5	16	21	48	5.15	<1	0.28	<10	0.99	3292	<2	0.01	2	1400	16	2.17	<5	6	167	<5	<0.01	<10	<10	41	<10	126	2
134708	2.1	1.78	92	143	0.5	40	3.74	4	18	23	53	5.12	<1	0.37	<10	0.99	2360	<2	0.01	3	1576	19	1.87	<5	7	107	<5	<0.01	<10	<10	50	<10	94	2
134709	2.1	1.89	200	165	<0.5	53	4.86	5	18	26	8	5.81	<1	0.37	<10	1.15	3935	<2	0.01	2	1336	39	2.26	8	6	373	<5	<0.01	<10	<10	61	<10	98	2
134710	2.0	1.84	161	103	<0.5	33	0.97	5	22	30	56	5.79	1	0.34	<10	0.98	1915	<2	0.01	2	1464	66	2.02	7	5	50	<5	0.01	<10	<10	61	<10	131	2
134711	0.9	2.26	175	224	<0.5	22	1.68	4	23	20	17	5.32	1	0.38	<10	1.31	2168	<2	0.01	2	1588	11	0.93	6	6	56	<5	<0.01	<10	<10	66	<10	135	2
134712	1.5	1.96	86	140	<0.5	23	1.13	5	19	35	38	5.74	<1	0.24	<10	1.18	2022	<2	0.02	3	1282	47	1.78	5	5	41	<5	0.01	<10	<10	68	<10	120	3
134713	0.9	2.03	91	200	<0.5	38	3.65	5	18	26	18	5.67	<1	0.30	<10	1.12	2825	<2	0.02	2	1451	11	1.59	<5	7	114	<5	0.01	<10	<10	67	<10	117	3
134714	1.0	2.35	88	227	<0.5	50	3.91	5	19	27	62	5.87	<1	0.30	<10	1.37	2878	<2	0.02	2	1511	10	1.28	<5	8	112	<5	0.01	<10	<10	74	<10	113	3
134715	1.0	2.20	98	217	<0.5	44	4.80	5	20	22	54	5.57	<1	0.33	<10	1.22	3365	<2	0.02	2	1433	11	1.08	<5	7	154	<5	0.01	<10	<10	78	<10	111	2
134716	0.4	2.42	30	272	0.5	47	3.90	5	20	25	46	6.17	<1	0.36	<10	1.22	2718	<2	0.03	2	1546	6	0.77	<5	9	136	<5	0.05	<10	<10	84	<10	107	3
134717	0.8	2.26	48	200	<0.5	33	2.62	9	20	27	48	5.93	<1	0.28	<10	1.26	2977	<2	0.02	2	1461	181	1.20	<5	7	94	<5	0.02	<10	<10	92	<10	590	3
134718	1.0	2.90	49	209	<0.5	58	3.14	26	24	31	48	7.04	<1	0.31	<10	1.68	3869	<2	0.02	2	1672	204	1.11	<5	9	105	<5	0.02	<10	<10	115	<10	2016	3
134719	0.8	2.79	26	190	0.5	40	2.49	13	25	27	46	6.93	1	0.27	<10	1.64	3816	<2	0.02	2	1615	238	0.85	<5	9	95	<5	0.07	<10	<10	112	<10	840	3
134720	3.4	2.50	54	78	<0.5	55	1.41	56	25	36	148	7.61	1	0.14	<10	1.78	4095	<2	0.04	2	1517	785	2.95	<5	10	72	<5	0.02	<10	<10	160	<10	3610	4
134721	0.6	2.58	33	211	<0.5	43	3.57	6	23	26	29	6.44	<1	0.25	<10	1.66	4175	<2	0.01	1	1534	55	1.26	<5	8	120	<5	0.01	<10	<10	115	<10	222	3
134722	1.2	2.80	38	164	<0.5	46	2.88	11	22	31	38	6.75	1	0.25	<10	1.72	4135	<2	0.03	2	1571	366	1.32	<5	10	159	<5	0.01	<10	<10	150	<10	713	3
134723	2.2	1.93	48	81	<0.5	46	3.43	31	20	34	41	6.70	1	0.22	<10	1.16	4266	<2	0.02	2	1209	450	3.06	<5	7	213	<5	0.02	<10	<10	93	<10	2355	3
134724	2.3	2.28	157	128	<0.5	19	2.04	19	20	26	37	6.38	<1	0.33	<10	1.33	3715	<2	0.02	2	1516	289	1.94	<5	7	90	<5	0.01	<10	<10	81	<10	1462	3
134725	1.5	2.09	42	159	<0.5	46	3.85	10	18	36	35	6.03	1	0.25	<10	1.15	3870	<2	0.02	2	1355	237	1.57	<5	7	135	<5	0.01	<10	<10	92	<10	636	3
134726	3.2	2.84	54	193	<0.5	30	2.76	25	23	26	30	6.55	1	0.34	<10	1.74	3913	<2	0.02	2	1528	187	1.10	<5	9	100	<5	0.01	<10	<10	105	<10	1960	3
134727	1.8	2.45	148	148	<0.5	25	1.85	18	20	37	41	6.62	1	0.18	<10	1.53	4010	<2	0.03	2	1414	309	1.47	<5	8	80	<5	0.01	<10	<10	132	<10	1563	3
134728	1.3	2.38	66	149	<0.5	36	2.16	8	20	40	54	6.20	<1	0.20	<10	1.39	3912	<2	0.04	2	1382	202	1.03	<5	9	65	<5	0.01	<10	<10	128	<10	528	3
134729	1.9	1.74	95	185	<0.5	28	2.40	7	17	38	70	4.68	<1	0.34	<10	0.98	2898	<2	0.01	2	1344	115	1.01	<5	6	77	<5	<0.01	<10	<10	62	<10	661	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/shipment 38 bags

Sample type: Core

Report No : 9V1401RJ

Date : Nov-05-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134730	2.2	0.55	168	97	<0.5	16	4.37	17	7	58	47	2.46	<1	0.14	<10	0.30	2629	<2	0.01	2	479	166	1.39	<5	2	100	<5	<0.01	<10	<10	21	<10	1363	1
134731	2.0	0.73	142	104	<0.5	32	5.56	9	8	56	30	2.65	<1	0.18	<10	0.38	3358	<2	0.01	2	710	219	1.27	<5	2	175	<5	<0.01	<10	<10	25	<10	745	1
134732	2.1	1.32	87	150	<0.5	20	3.26	12	12	40	43	4.13	<1	0.24	<10	0.70	2879	<2	0.01	2	1142	308	1.45	<5	4	127	<5	<0.01	<10	<10	48	<10	1071	2
134733	1.8	1.49	102	198	<0.5	39	4.57	9	11	36	31	4.00	<1	0.31	<10	0.70	2952	<2	0.01	1	1136	204	1.22	<5	4	167	<5	<0.01	<10	<10	52	<10	759	2
134734	1.2	1.12	101	180	<0.5	22	4.86	3	12	32	24	3.21	<1	0.35	<10	0.41	2183	<2	0.01	2	1203	41	1.33	<5	3	145	<5	<0.01	<10	<10	29	<10	172	2
134735	1.3	1.56	140	196	<0.5	34	5.12	3	12	31	18	3.70	<1	0.38	<10	0.62	2815	<2	0.02	1	1337	21	0.87	<5	5	132	<5	<0.01	<10	<10	39	<10	225	2
134736	1.7	1.24	161	187	<0.5	38	4.20	4	11	41	16	3.15	<1	0.37	<10	0.42	1963	<2	0.01	2	1193	76	0.93	5	3	168	<5	<0.01	<10	<10	34	<10	232	2
134737	1.6	1.34	92	155	<0.5	28	2.46	12	11	42	14	3.86	<1	0.25	<10	0.74	2453	<2	0.01	2	992	310	1.41	<5	3	77	<5	<0.01	<10	<10	47	<10	1101	2
134738	2.2	1.84	88	160	<0.5	37	4.00	9	10	37	19	4.93	<1	0.29	<10	1.09	4224	<2	0.01	1	1120	289	1.68	<5	4	90	<5	<0.01	<10	<10	64	10	888	2
134739	1.1	1.50	118	79	<0.5	48	2.33	6	16	60	11	5.77	<1	0.22	<10	1.02	3260	<2	0.01	1	1024	80	2.82	6	4	82	<5	<0.01	<10	<10	53	<10	349	3
134740	1.8	1.64	193	64	<0.5	34	1.63	8	18	43	6	6.97	<1	0.24	<10	1.03	2606	<2	0.01	2	1064	197	3.61	8	4	53	<5	<0.01	<10	<10	57	12	391	3
134741	1.7	1.85	98	114	<0.5	27	1.93	7	14	49	9	5.64	1	0.18	<10	1.21	2725	<2	0.01	1	1070	83	1.89	6	4	62	<5	<0.01	<10	<10	65	10	583	2
134742	2.8	1.52	98	109	<0.5	20	2.23	8	12	52	18	5.07	<1	0.14	<10	1.08	3207	<2	0.01	1	777	715	1.84	<5	4	65	<5	<0.01	<10	<10	66	<10	572	2
134743	2.9	1.68	139	105	<0.5	40	2.83	7	14	45	51	5.25	<1	0.20	<10	1.04	3184	<2	0.01	1	982	439	1.99	5	4	61	<5	<0.01	<10	<10	58	<10	580	2
134744	1.6	1.54	209	103	<0.5	30	2.47	5	14	43	15	4.81	<1	0.24	<10	0.94	2742	<2	0.01	2	995	122	1.89	5	4	73	<5	<0.01	<10	<10	40	<10	265	2
134745	1.2	1.88	98	116	<0.5	30	1.60	9	12	34	5	5.02	<1	0.22	<10	1.33	2760	<2	0.01	3	1031	169	1.47	<5	4	48	<5	<0.01	<10	<10	48	<10	710	3
134746	1.8	1.41	67	129	<0.5	17	2.12	11	9	55	13	3.70	<1	0.19	<10	0.94	2526	<2	0.01	2	755	191	1.01	<5	3	62	<5	<0.01	<10	<10	41	<10	952	2
134747	2.4	0.95	60	164	<0.5	25	2.53	19	6	63	42	3.30	<1	0.15	<10	0.57	2551	<2	0.01	2	675	334	1.11	<5	3	114	<5	<0.01	<10	<10	29	<10	1644	2
134748	1.1	1.06	51	130	<0.5	19	0.90	4	7	69	16	3.52	<1	0.17	<10	0.68	1854	<2	0.01	1	675	56	1.11	<5	2	34	<5	<0.01	<10	<10	30	<10	207	2
134749	1.2	0.74	28	264	<0.5	27	3.32	2	5	81	3	2.63	<1	0.11	<10	0.53	2598	<2	0.01	2	497	33	0.71	<5	2	135	<5	<0.01	<10	<10	26	<10	113	1
134750	1.0	0.46	23	169	<0.5	20	3.39	3	4	104	20	1.75	<1	0.08	<10	0.30	2267	<2	0.01	2	294	82	0.62	<5	2	74	<5	<0.01	<10	<10	15	<10	278	1
134751	1.4	0.51	47	108	<0.5	15	4.19	4	3	75	27	1.77	<1	0.05	<10	0.34	2420	<2	0.01	2	250	86	0.63	<5	2	84	<5	<0.01	<10	<10	16	<10	356	1
134752	1.0	0.61	87	55	<0.5	19	1.68	5	5	96	11	2.35	<1	0.08	<10	0.44	1578	<2	0.01	2	316	103	0.86	<5	1	34	<5	<0.01	<10	<10	19	<10	438	1
134753	1.8	1.38	120	147	<0.5	34	4.61	7	9	39	1	4.15	<1	0.16	<10	0.99	3935	<2	0.01	2	721	74	1.32	<5	4	126	<5	<0.01	<10	<10	48	<10	541	2
134754	1.5	1.24	128	104	<0.5	31	1.79	4	9	80	<1	3.84	<1	0.12	<10	0.85	2622	<2	0.01	2	594	80	1.24	<5	3	48	<5	<0.01	<10	<10	46	<10	263	2
134755	1.3	0.87	101	99	<0.5	30	0.84	3	8	80	<1	3.51	<1	0.15	<10	0.51	1806	<2	0.01	2	389	68	1.53	<5	2	29	<5	<0.01	<10	<10	35	<10	115	1
134756	2.6	0.83	170	82	<0.5	28	2.75	3	7	80	5	4.00	<1	0.29	<10	0.32	2488	<2	0.01	1	406	74	2.42	5	2	95	<5	<0.01	<10	<10	34	10	109	2
134757	4.2	0.98	246	58	<0.5	34	2.89	5	11	63	20	4.85	<1	0.17	<10	0.62	2580	<2	0.01	2	703	183	2.83	<5	3	74	<5	<0.01	<10	<10	39	<10	220	2
134758	2.0	1.95	136	137	<0.5	36	2.23	16	14	34	20	5.16	<1	0.22	<10	1.26	3344	<2	0.01	2	1149	288	1.41	<5	4	74	<5	<0.01	<10	<10	62	<10	1324	2
134759	1.6	1.98	135	147	<0.5	25	1.46	16	13	36	16	5.22	<1	0.19	<10	1.33	2998	<2	0.01	2	1074	293	1.34	<5	5	66	<5	0.01	<10	<10	75	<10	1348	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/shipment 38 bags

Sample type: Core

Report No : **9V1401RJ**

Date : Nov-05-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134760	<0.2	0.06	<5	11	<0.5	60	>15.00	<1	1	3	2	0.56	<1	0.04	<10	12.01	236	<2	0.01	2	204	<2	0.46	<5	<1	52	<5	<0.01	10	<10	3	<10	25	<1
134761	1.7	1.47	179	85	<0.5	12	1.21	15	13	43	11	4.83	<1	0.16	<10	1.11	2308	<2	0.01	1	968	118	1.93	<5	4	44	<5	<0.01	<10	<10	83	<10	1085	2
134762	2.2	1.24	237	102	<0.5	21	0.87	11	11	41	11	4.56	<1	0.22	<10	0.82	1820	2	0.01	1	887	174	1.97	<5	3	40	<5	<0.01	<10	<10	52	<10	881	2
134763	1.2	1.78	154	139	<0.5	25	1.05	12	11	36	8	4.68	<1	0.18	<10	1.03	2478	18	0.01	1	1023	116	0.93	<5	3	33	<5	<0.01	<10	<10	62	<10	1053	2
134764	2.7	1.48	127	151	<0.5	24	2.26	14	9	23	29	4.30	<1	0.38	<10	0.51	2628	3	0.01	1	1159	729	1.24	<5	3	80	<5	<0.01	<10	<10	43	<10	1229	2
134765	1.7	1.69	136	208	<0.5	33	1.71	36	15	15	26	4.05	1	0.33	<10	0.56	2188	<2	0.02	1	1382	455	0.42	<5	3	63	<5	<0.01	<10	<10	53	<10	2815	2
134766	2.6	2.03	266	255	<0.5	17	5.61	46	16	10	39	4.79	2	0.44	10	0.73	3803	<2	0.02	<1	1466	391	0.65	12	4	134	<5	0.01	<10	<10	36	98	3515	2
134767	2.6	2.40	25	210	<0.5	22	2.01	89	19	9	39	6.02	3	0.35	<10	1.04	3022	<2	0.02	<1	1588	557	0.87	8	4	60	<5	0.01	<10	<10	46	229	5545	2
134768	2.6	2.11	64	259	<0.5	21	3.98	41	14	7	53	5.38	1	0.43	<10	0.83	4004	<2	0.02	<1	1382	370	1.18	8	3	142	<5	0.01	<10	<10	39	88	3230	2
134769	5.5	2.37	32	216	<0.5	22	3.61	62	18	6	55	5.72	1	0.33	<10	1.09	3954	<2	0.03	<1	1408	1052	0.73	9	4	112	<5	0.01	<10	<10	50	156	4613	2
134770	2.4	2.21	18	267	<0.5	19	4.30	27	18	3	34	5.22	1	0.38	<10	0.92	2894	<2	0.03	<1	1513	518	0.53	9	4	122	<5	0.01	<10	<10	49	41	2128	2
134771	4.4	2.22	21	238	<0.5	24	5.19	56	20	4	50	5.78	1	0.33	<10	0.95	3016	<2	0.03	<1	1433	977	0.97	10	4	139	<5	0.01	<10	<10	59	116	4064	2
134772	7.7	2.11	17	272	<0.5	24	4.88	100	20	5	80	5.32	2	0.38	<10	0.89	3268	<2	0.04	<1	1495	2506	1.24	8	4	150	<5	0.01	<10	<10	55	257	5690	2
134773	1.5	1.99	13	265	<0.5	16	4.70	12	17	4	30	4.82	<1	0.38	<10	0.82	2721	<2	0.04	<1	1612	272	0.59	8	4	135	<5	<0.01	<10	<10	43	12	887	2
134774	1.5	2.54	19	253	<0.5	21	3.40	16	16	6	16	5.94	1	0.36	<10	1.08	3263	<2	0.04	<1	1592	538	0.27	9	4	101	<5	<0.01	<10	<10	55	17	1223	2
134775	2.4	1.93	32	252	<0.5	16	5.68	21	17	3	42	4.70	1	0.36	<10	0.76	3376	<2	0.03	<1	1465	550	0.52	7	3	144	<5	0.01	<10	<10	37	31	1734	2
134776	3.2	2.03	21	266	<0.5	18	8.30	31	17	3	48	5.01	1	0.41	<10	0.80	3411	<2	0.04	<1	1426	927	0.57	8	4	201	<5	0.01	<10	<10	42	65	2487	2
134777	2.3	1.93	20	249	<0.5	19	6.65	6	17	3	6892	4.65	1	0.37	<10	0.63	2332	<2	0.03	<1	1344	102	0.58	8	4	178	<5	0.01	<10	<10	42	<10	413	2
134778	1.6	2.00	26	313	<0.5	17	4.21	14	18	4	28	4.84	<1	0.46	<10	0.67	2350	<2	0.04	<1	1619	418	0.60	8	4	110	<5	0.01	<10	<10	43	24	1118	2
134779	3.2	1.84	46	251	<0.5	17	5.25	32	17	4	31	5.01	1	0.36	<10	0.62	2716	<2	0.03	<1	1522	1191	0.97	7	3	140	<5	0.01	<10	<10	36	56	2440	2
134780	1.5	2.04	25	289	<0.5	21	4.38	6	19	3	26	5.44	1	0.43	<10	0.63	2271	<2	0.04	<1	1496	44	0.95	9	4	131	<5	0.01	<10	<10	55	<10	197	2
134781	2.4	1.41	168	115	<0.5	20	3.77	7	19	7	32	5.69	1	0.36	<10	0.41	2462	4	0.03	<1	1377	138	2.88	8	3	115	<5	<0.01	<10	<10	29	<10	298	2
134782	1.7	1.84	134	287	<0.5	18	4.09	7	19	4	26	5.20	<1	0.43	<10	0.54	2415	<2	0.03	<1	1464	194	1.12	8	4	124	<5	0.01	<10	<10	47	<10	367	2
134783	1.3	1.78	29	242	<0.5	18	4.87	4	18	4	31	4.65	<1	0.36	<10	0.57	2250	<2	0.03	<1	1399	11	0.55	7	4	140	<5	0.01	<10	<10	42	<10	123	2
134784	1.5	2.11	67	276	<0.5	19	5.48	5	19	3	25	5.57	1	0.43	<10	0.71	2650	<2	0.03	<1	1525	20	0.74	10	4	145	<5	0.01	<10	<10	47	<10	165	2
134785	1.4	2.00	22	230	<0.5	20	5.32	5	14	5	37	5.23	<1	0.38	<10	0.66	2759	<2	0.03	<1	1623	17	0.63	9	3	149	<5	<0.01	<10	<10	37	<10	144	2
134786	2.9	1.60	69	233	<0.5	18	5.26	6	18	5	51	4.69	<1	0.39	<10	0.50	2646	<2	0.03	<1	1511	161	1.38	9	3	175	<5	<0.01	<10	<10	38	<10	236	2
134787	7.9	1.86	1628	200	<0.5	23	5.80	10	17	4	102	6.03	<1	0.36	<10	0.59	2554	<2	0.02	<1	1472	438	1.82	11	3	176	<5	<0.01	<10	<10	34	14	973	2
134788	1.3	1.75	90	202	<0.5	15	4.28	3	20	5	44	4.12	1	0.38	<10	0.51	1487	2	0.03	1	1484	12	0.59	7	3	129	<5	<0.01	<10	<10	34	<10	85	2
134789	1.5	2.37	28	161	<0.5	21	4.65	5	18	4	95	5.65	1	0.32	<10	0.76	1702	<2	0.03	2	1409	6	0.35	8	3	128	<5	0.01	<10	<10	40	<10	106	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95ºC for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/shipment 38 bags

Sample type: Core

Report No : **9V1401RJ**

Date : Nov-05-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134790	1.1	2.27	30	168	<0.5	20	5.78	4	16	4	57	5.29	1	0.36	<10	0.79	1710	<2	0.03	<1	1398	4	0.48	8	3	152	<5	0.01	<10	<10	32	<10	114	2
134791	1.1	1.97	27	138	<0.5	21	5.21	5	19	5	54	5.24	1	0.30	<10	0.73	1618	<2	0.02	<1	1437	8	1.08	8	3	134	<5	0.01	<10	<10	31	<10	106	2
134792	1.1	1.95	62	153	<0.5	19	5.02	5	17	6	41	5.18	1	0.35	<10	0.72	1661	<2	0.03	<1	1500	11	1.29	9	3	130	<5	0.01	<10	<10	32	<10	107	2
134793	1.2	1.71	80	122	<0.5	17	8.01	4	14	8	14	4.61	<1	0.32	<10	0.63	2619	<2	0.02	1	1398	26	1.27	8	3	193	<5	<0.01	<10	<10	25	<10	111	2
134794	1.9	1.72	155	142	<0.5	19	5.54	5	18	8	40	4.89	<1	0.36	<10	0.63	1987	<2	0.02	<1	1388	34	1.64	9	3	155	<5	<0.01	<10	<10	22	<10	136	2
134795	1.1	1.80	82	179	<0.5	19	5.44	5	18	9	267	4.75	1	0.30	<10	0.72	2055	<2	0.01	<1	1397	17	1.12	8	3	149	<5	<0.01	<10	<10	26	<10	132	2
134796	1.1	2.00	42	141	<0.5	20	5.45	5	17	7	44	5.03	<1	0.34	<10	0.82	2125	<2	0.02	1	1464	14	0.96	8	3	135	<5	<0.01	<10	<10	27	<10	122	2
134797	1.4	1.58	57	121	<0.5	15	5.76	4	14	7	38	4.12	<1	0.31	<10	0.60	2444	<2	0.01	<1	1351	12	0.82	7	2	158	<5	<0.01	<10	<10	20	<10	126	2
134798	0.9	1.80	37	126	<0.5	16	5.78	4	14	7	65	4.29	<1	0.32	<10	0.67	2334	<2	0.02	2	1256	11	0.62	7	3	163	<5	<0.01	<10	<10	26	<10	115	2
134799	1.0	2.05	18	133	<0.5	20	5.76	4	17	6	72	4.87	<1	0.33	<10	0.75	2053	<2	0.02	1	1438	5	0.55	8	3	174	<5	0.01	<10	<10	31	<10	101	2
134800	1.0	2.02	19	146	<0.5	18	5.86	4	14	7	45	4.76	<1	0.34	<10	0.64	1927	<2	0.02	1	1336	7	0.45	8	3	162	<5	<0.01	<10	<10	31	<10	97	2
134801	1.0	2.00	49	121	<0.5	20	5.23	5	16	8	52	5.23	1	0.28	<10	0.60	1814	<2	0.02	<1	1401	7	0.73	8	3	163	<5	<0.01	<10	<10	43	<10	101	2
134802	1.4	1.82	89	133	<0.5	18	4.76	4	16	10	37	4.94	1	0.31	<10	0.50	1585	2	0.02	<1	1440	12	1.01	8	3	143	<5	<0.01	<10	<10	34	<10	102	2
134803	0.9	2.03	60	112	<0.5	18	5.55	4	18	7	31	5.03	<1	0.25	<10	0.66	1775	2	0.02	<1	1425	4	0.40	8	3	159	<5	<0.01	<10	<10	36	<10	93	2
134804	1.0	2.00	26	119	<0.5	17	5.78	4	18	7	42	4.60	1	0.29	<10	0.65	1686	7	0.03	1	1387	4	0.29	7	3	162	<5	<0.01	<10	<10	41	<10	91	2
134805	1.0	2.14	48	105	<0.5	20	4.97	5	18	7	36	5.21	<1	0.27	<10	0.74	1575	<2	0.02	<1	1375	2	0.53	8	3	140	<5	<0.01	<10	<10	31	<10	99	2
134806	1.0	1.87	46	122	<0.5	17	6.37	4	16	6	22	4.53	<1	0.32	<10	0.69	1637	<2	0.02	<1	1328	3	0.64	9	3	165	<5	<0.01	<10	<10	22	<10	96	2
134807	0.6	1.96	42	98	<0.5	20	5.16	5	17	6	3	5.09	<1	0.25	<10	0.78	1520	<2	0.02	<1	1333	4	0.83	9	3	141	<5	<0.01	<10	<10	27	<10	104	2
134808	0.6	2.04	40	108	<0.5	18	5.27	4	15	5	20	4.95	<1	0.28	<10	0.85	1502	<2	0.02	<1	1256	4	0.56	8	3	133	<5	<0.01	<10	<10	25	<10	93	2
134809	1.1	2.06	344	93	<0.5	20	5.18	4	17	7	43	5.20	<1	0.26	<10	0.81	1618	<2	0.02	<1	1392	4	0.74	13	3	123	<5	<0.01	<10	<10	21	<10	86	2
134810	1.6	2.15	569	125	<0.5	19	4.42	4	15	7	67	4.76	1	0.33	<10	0.77	1339	<2	0.02	<1	1301	4	0.47	17	3	105	<5	<0.01	<10	<10	22	<10	89	2
134811	1.6	1.94	30	120	<0.5	17	5.46	4	21	6	47	4.61	<1	0.31	<10	0.78	1589	<2	0.01	<1	1463	7	0.56	9	3	115	<5	<0.01	<10	<10	22	<10	88	2
134812	1.2	2.53	137	170	<0.5	22	2.00	5	18	1	62	5.84	<1	0.36	<10	1.18	1251	<2	0.01	<1	1526	2	0.19	11	2	39	<5	<0.01	<10	<10	14	<10	102	2
134813	1.5	2.37	324	130	<0.5	23	2.82	5	21	4	51	5.97	<1	0.32	<10	1.09	1432	<2	0.01	<1	1695	6	0.72	12	3	53	<5	<0.01	<10	<10	24	<10	113	2
134814	1.6	3.02	52	114	<0.5	28	3.88	6	20	2	75	7.27	1	0.31	<10	1.27	2052	4	0.01	<1	1703	6	0.51	11	4	89	<5	<0.01	<10	<10	39	<10	119	2
134815	0.8	2.56	26	115	<0.5	23	3.49	5	17	3	32	6.02	<1	0.28	<10	0.93	1681	3	0.02	<1	1580	5	0.32	9	4	76	<5	<0.01	<10	<10	36	<10	99	2
134816	0.9	2.86	123	130	<0.5	25	3.91	6	18	5	36	6.62	<1	0.35	<10	0.95	2045	<2	0.02	<1	1589	13	0.29	11	5	89	<5	<0.01	<10	<10	46	<10	141	2
134817	1.1	2.66	52	129	<0.5	24	2.98	5	21	2	52	6.16	<1	0.36	<10	0.88	1764	<2	0.02	<1	1374	14	0.15	9	4	63	<5	0.01	<10	<10	34	<10	113	2
134818	<0.2	1.61	6	677	<0.5	11	2.56	2	14	14	21	3.28	<1	0.17	17	1.39	687	<2	0.06	7	1850	5	0.08	6	4	109	<5	0.15	<10	<10	60	<10	74	9
134819	<0.2	1.64	8	76	<0.5	12	2.45	2	16	16	13	3.29	1	0.13	15	1.41	833	<2	0.05	7	1804	44	0.07	7	5	65	<5	0.26	<10	<10	63	<10	84	10

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95ºC for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/shipment 38 bags

Sample type: Core

Report No : **9V1401RJ**

Date : Nov-05-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134820	<0.2	1.60	7	80	<0.5	12	2.36	2	16	17	33	3.37	<1	0.13	17	1.47	714	<2	0.06	7	1959	30	0.05	6	5	72	<5	0.26	<10	<10	68	<10	78	10
134821	<0.2	1.57	10	85	<0.5	12	2.68	2	16	19	6	3.39	<1	0.14	15	1.42	613	<2	0.05	7	1967	6	0.11	6	5	71	<5	0.23	<10	<10	62	<10	64	10
134822	0.8	2.84	20	102	<0.5	28	3.73	6	21	2	33	6.98	<1	0.27	10	0.97	2082	2	0.02	<1	1664	5	0.45	10	4	95	<5	<0.01	<10	<10	44	<10	119	2
134823	0.9	2.21	32	145	<0.5	18	3.51	4	17	3	37	4.93	<1	0.41	<10	0.69	1599	<2	0.02	<1	1532	11	0.33	8	4	82	<5	0.01	<10	<10	32	<10	89	2
134824	0.9	2.16	20	139	<0.5	18	3.37	4	18	1	48	4.86	<1	0.36	11	0.67	1673	<2	0.02	<1	1802	5	0.41	8	3	90	<5	<0.01	<10	<10	25	<10	80	2
134825	1.3	2.58	964	107	<0.5	26	3.68	5	19	2	38	6.44	<1	0.29	<10	0.87	2165	<2	0.01	<1	1623	10	0.59	15	3	100	<5	<0.01	<10	<10	29	<10	106	2
134826	1.4	2.27	218	135	<0.5	21	3.83	5	18	2	40	5.44	<1	0.35	<10	0.69	1831	<2	0.01	<1	1772	8	0.53	10	3	100	<5	<0.01	<10	<10	27	<10	99	2
134827	<0.2	2.54	24	592	<0.5	21	2.72	5	34	72	39	5.78	1	0.12	21	3.14	1014	<2	0.21	70	2255	4	0.27	13	10	219	<5	0.34	<10	<10	135	<10	128	17
134828	0.5	2.68	32	200	<0.5	23	1.04	5	20	12	14	6.14	<1	0.29	11	2.10	1337	<2	0.02	1	1631	8	1.35	12	4	28	<5	0.02	<10	<10	41	<10	139	3
134829	0.5	2.54	17	181	<0.5	20	3.54	5	17	10	12	5.59	<1	0.25	10	1.87	1803	<2	0.01	<1	1674	4	1.32	11	4	94	<5	0.01	<10	<10	31	<10	147	2
134830	0.9	2.60	48	150	<0.5	25	4.16	6	20	11	5	6.70	<1	0.30	<10	1.98	1704	<2	0.02	<1	1756	25	2.73	15	5	112	<5	0.01	<10	<10	29	<10	157	3
134831	0.6	2.39	17	121	<0.5	22	3.60	5	16	12	6	5.72	<1	0.18	<10	1.88	1595	<2	0.02	<1	1382	10	1.75	11	5	136	<5	0.01	<10	<10	39	<10	96	2
134832	0.6	2.50	22	138	<0.5	24	1.98	5	18	13	5	6.02	1	0.21	<10	1.93	1615	<2	0.02	<1	1478	14	1.67	12	5	70	<5	<0.01	<10	<10	35	<10	135	2
134833	1.0	2.26	46	146	<0.5	24	3.03	7	20	13	12	6.37	<1	0.23	<10	1.86	1915	<2	0.02	<1	1566	18	2.48	14	5	84	<5	<0.01	<10	<10	27	<10	162	3
134834	1.5	3.03	64	141	<0.5	35	3.82	9	33	30	22	8.93	<1	0.27	<10	2.20	2561	<2	0.02	<1	1540	20	3.58	22	6	101	<5	0.01	<10	<10	40	<10	128	3
134835	0.5	3.53	18	146	<0.5	29	4.52	7	25	15	28	7.47	<1	0.21	<10	2.51	2930	<2	0.02	<1	1523	4	0.94	13	6	119	<5	0.01	<10	<10	62	<10	133	3
134836	0.4	3.03	16	185	<0.5	24	4.26	6	21	13	18	6.73	<1	0.27	11	2.27	2325	<2	0.02	<1	1607	6	0.98	10	7	107	<5	0.01	<10	<10	53	<10	120	3
134837	0.6	2.39	25	155	<0.5	22	3.22	5	18	12	20	6.21	<1	0.25	<10	1.73	1650	<2	0.02	<1	1484	9	1.67	14	5	98	<5	<0.01	<10	<10	36	<10	100	2
134838	0.6	2.36	24	185	<0.5	21	4.80	5	17	13	10	5.68	<1	0.29	<10	1.67	1714	<2	0.02	<1	1462	10	1.94	12	5	167	<5	0.01	<10	<10	36	<10	111	2
134839	0.4	2.63	13	159	<0.5	22	5.10	5	17	15	17	5.50	<1	0.23	<10	1.90	1899	<2	0.02	<1	1498	4	1.01	11	6	167	<5	0.01	<10	<10	50	<10	114	2
134840	0.4	2.82	8	226	<0.5	22	5.72	5	16	12	14	5.70	<1	0.23	<10	2.00	2046	<2	0.02	<1	1393	13	0.68	9	6	188	<5	0.01	<10	<10	54	<10	122	2
134841	0.2	2.87	24	166	<0.5	22	3.99	5	17	13	7	5.97	<1	0.20	<10	2.01	1749	<2	0.02	<1	1553	5	0.57	9	6	95	<5	0.01	<10	<10	51	<10	109	3
134842	0.3	2.85	13	197	<0.5	23	3.84	5	18	11	6	5.85	<1	0.24	<10	1.90	1830	<2	0.02	<1	1526	6	0.57	9	6	96	<5	0.01	<10	<10	54	<10	110	2
134843	0.4	2.49	24	147	<0.5	19	4.04	4	18	14	8	5.18	<1	0.20	<10	1.73	1779	<2	0.02	<1	1436	6	0.72	9	5	131	<5	0.01	<10	<10	39	<10	91	2
134844	0.4	2.62	44	167	<0.5	23	1.34	5	20	12	25	5.96	<1	0.25	<10	1.81	1287	<2	0.03	<1	1474	8	1.38	11	5	37	<5	<0.01	<10	<10	48	<10	104	2
134845	1.0	2.10	84	114	<0.5	24	1.42	6	20	10	19	6.33	<1	0.33	10	1.22	1120	<2	0.01	<1	1590	15	2.76	16	4	46	<5	<0.01	<10	<10	22	<10	135	2
134846	0.4	2.88	15	232	<0.5	23	3.40	5	19	10	22	5.82	1	0.36	13	1.71	2106	<2	0.01	<1	1702	9	0.44	9	5	98	<5	<0.01	<10	<10	45	<10	122	2
134847	0.8	1.73	28	179	<0.5	18	5.21	4	16	8	23	4.83	<1	0.33	11	1.01	2065	<2	0.01	<1	1639	9	2.44	12	5	171	<5	0.01	<10	<10	21	13	101	2
134848	0.6	2.38	21	186	<0.5	20	3.96	4	16	7	15	5.30	<1	0.30	10	1.65	2017	<2	0.01	<1	1583	4	1.39	9	4	124	<5	<0.01	<10	<10	30	11	115	2
134849	0.6	2.47	23	199	<0.5	20	2.29	4	15	9	50	5.26	<1	0.32	11	1.73	1695	<2	0.01	<1	1654	4	1.17	9	4	77	<5	<0.01	<10	<10	33	<10	132	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/shipment 38 bags

Sample type: Core

Report No : **9V1401RJ**

Date : Nov-05-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134850	0.7	1.69	27	141	<0.5	18	3.38	4	15	9	17	5.15	<1	0.31	10	1.32	1928	<2	0.01	<1	1651	9	1.89	11	5	92	<5	<0.01	<10	<10	21	<10	111	2
134851	0.4	1.04	28	88	<0.5	20	3.11	5	19	19	10	5.45	<1	0.30	12	1.34	1181	<2	0.06	14	1804	9	2.67	11	7	148	<5	0.02	<10	<10	30	<10	70	3
134852	0.8	0.97	56	89	<0.5	20	2.67	5	19	8	16	5.26	<1	0.29	10	0.91	1499	<2	0.02	1	1620	10	2.46	11	6	88	<5	<0.01	<10	<10	13	<10	99	2
134853	1.0	0.82	102	43	<0.5	26	0.62	7	21	12	10	6.63	<1	0.30	10	0.31	403	<2	0.01	<1	1691	19	4.56	20	4	12	<5	<0.01	<10	<10	<1	<10	122	2
134854	1.5	0.60	119	52	<0.5	22	0.83	6	17	19	13	5.62	1	0.25	<10	0.22	427	<2	0.01	<1	1386	23	4.29	27	2	21	<5	<0.01	<10	<10	<1	<10	114	2
134855	3.1	0.35	277	54	<0.5	23	2.14	7	12	45	11	5.71	<1	0.20	<10	0.14	884	3	0.01	<1	705	38	4.94	21	1	43	<5	<0.01	<10	<10	<1	<10	223	2
134856	0.8	1.42	83	80	<0.5	24	0.46	6	19	16	13	5.91	<1	0.24	10	0.82	763	<2	0.01	<1	1554	15	3.47	15	3	12	<5	<0.01	<10	<10	12	<10	103	2
134857	0.8	1.84	33	113	<0.5	22	1.48	6	17	16	17	5.77	<1	0.26	10	1.19	1509	<2	0.01	<1	1473	22	2.71	15	4	34	<5	<0.01	<10	<10	21	<10	130	2
134858	0.8	1.92	19	130	<0.5	18	4.13	7	14	15	13	5.28	<1	0.22	10	1.34	2381	<2	0.01	<1	1410	158	2.02	10	4	108	<5	<0.01	<10	<10	24	<10	347	2
134859	5.0	0.99	35	81	<0.5	16	3.06	37	14	27	21	4.80	1	0.26	<10	0.53	1584	<2	0.01	<1	1334	2657	3.49	13	3	90	<5	<0.01	<10	<10	7	93	2871	2
134860	16.9	0.85	109	49	<0.5	19	3.30	227	18	27	207	5.92	2	0.24	<10	0.45	1817	2	0.01	<1	1099	>10000	>5.00	16	2	93	<5	<0.01	<10	<10	<1	566	8405	2
134861	1.2	1.07	68	99	<0.5	19	3.68	6	18	17	8	5.18	<1	0.27	<10	0.56	1698	<2	0.01	<1	1502	71	3.58	16	3	117	<5	<0.01	<10	<10	6	<10	211	2
134862	0.8	1.49	29	116	<0.5	19	3.82	5	16	15	7	5.28	<1	0.26	<10	0.95	1922	<2	0.01	<1	1475	51	2.84	11	3	112	<5	<0.01	<10	<10	13	<10	149	2
134863	0.9	1.44	50	113	<0.5	19	3.79	5	16	16	16	5.37	<1	0.25	10	0.89	1743	<2	0.01	<1	1483	14	3.04	13	4	125	<5	<0.01	<10	<10	11	<10	114	2
134864	0.8	1.49	38	92	<0.5	20	3.44	5	16	12	13	5.57	<1	0.26	<10	0.95	1641	<2	0.01	<1	1458	14	3.12	13	3	115	<5	<0.01	<10	<10	10	<10	97	2
134865	0.7	1.57	39	115	<0.5	19	3.04	5	15	16	5	5.05	<1	0.25	<10	1.17	1542	<2	0.01	<1	1425	11	2.42	11	4	129	<5	<0.01	<10	<10	21	<10	90	2
134866	1.2	1.49	86	87	<0.5	23	4.36	6	19	18	8	6.05	<1	0.22	<10	1.15	1896	<2	0.01	<1	1486	17	3.42	13	4	211	<5	<0.01	<10	<10	16	<10	94	2
134867	0.5	2.31	23	188	<0.5	21	3.53	5	17	14	4	5.51	<1	0.29	10	1.48	1859	<2	0.01	<1	1533	6	1.45	10	4	107	<5	<0.01	<10	<10	31	<10	116	2
134868	0.8	1.33	49	64	<0.5	23	3.08	6	19	18	7	6.12	<1	0.24	<10	0.80	1126	<2	0.01	<1	1538	17	4.10	17	3	121	<5	<0.01	<10	<10	7	<10	110	2
134869	0.6	2.31	27	129	<0.5	22	2.79	5	18	16	7	5.92	<1	0.24	<10	1.73	1450	<2	0.01	<1	1603	8	2.28	11	4	109	<5	<0.01	<10	<10	29	<10	111	2
134870	0.4	3.05	26	125	<0.5	23	3.89	6	17	20	5	6.52	<1	0.20	<10	2.39	1968	<2	0.02	<1	1522	8	1.40	12	5	155	<5	<0.01	<10	<10	46	<10	121	2
134871	0.5	2.77	48	154	<0.5	24	4.33	6	21	20	6	6.71	<1	0.23	<10	2.02	1880	<2	0.02	<1	1475	12	1.95	13	5	151	<5	0.01	<10	<10	42	<10	109	2
134872	0.4	2.47	15	166	<0.5	22	3.88	5	17	21	29	5.66	<1	0.21	<10	1.72	1661	<2	0.01	<1	1453	8	1.48	10	4	155	<5	0.01	<10	<10	34	<10	99	2
134873	0.8	2.35	22	121	<0.5	22	4.33	5	16	17	13	5.62	<1	0.22	<10	1.62	1912	<2	0.01	<1	1344	8	1.70	10	4	225	<5	<0.01	<10	<10	31	<10	111	2
134874	3.5	0.46	200	30	<0.5	24	1.62	9	20	48	11	5.90	3	0.25	<10	0.16	649	<2	0.01	2	1331	45	4.94	32	1	73	<5	<0.01	10	<10	<1	<10	209	2
134875	0.9	2.70	57	162	<0.5	25	4.06	6	20	17	20	6.37	1	0.26	11	1.57	2716	<2	0.02	<1	1632	6	0.79	12	6	151	<5	<0.01	<10	<10	52	<10	132	2
134876	0.8	2.56	16	155	<0.5	23	4.63	6	20	17	17	5.79	1	0.22	10	1.30	2670	<2	0.02	<1	1415	10	0.67	9	6	128	<5	0.01	<10	<10	44	<10	119	2
134877	0.8	2.36	21	204	<0.5	22	4.20	6	18	13	16	5.33	1	0.26	10	1.12	2655	<2	0.02	<1	1432	22	0.74	9	6	110	<5	0.01	<10	<10	42	<10	131	2
134878	1.0	2.40	16	149	<0.5	22	4.80	7	18	14	27	5.37	1	0.20	<10	1.14	2707	<2	0.01	<1	1337	34	0.48	8	5	102	<5	<0.01	<10	<10	41	11	181	2
134879	0.8	2.97	43	172	<0.5	26	3.18	7	23	12	15	6.59	2	0.22	11	1.44	2401	<2	0.02	<1	1465	15	0.39	10	6	101	<5	<0.01	<10	<10	52	<10	145	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/shipment 38 bags

Sample type: Core

Report No : **9V1401RJ**

Date : Nov-05-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134880	0.6	0.03	<5	<10	<0.5	<5	>15.00	<1	1	2	1	0.46	<1	0.02	<10	12.43	227	<2	0.01	1	168	<2	0.39	<5	<1	42	<5	<0.01	11	<10	1	22	17	<1
134881	0.5	2.69	11	162	<0.5	22	3.57	11	15	12	18	5.59	1	0.23	14	1.31	2276	<2	0.02	<1	1432	13	0.12	8	5	109	<5	<0.01	<10	<10	48	11	342	2
134882	0.5	2.50	53	304	<0.5	21	2.31	6	17	17	18	5.66	1	0.24	11	1.23	1680	<2	0.02	<1	1562	6	0.61	8	5	66	<5	<0.01	<10	<10	44	<10	107	2
134883	0.5	2.90	23	195	<0.5	24	3.09	7	19	12	12	6.26	1	0.26	10	1.39	1988	<2	0.02	<1	1621	3	0.33	9	6	85	<5	<0.01	<10	<10	51	<10	125	2
134884	0.6	2.42	49	170	<0.5	23	3.65	6	23	16	16	5.86	1	0.22	<10	1.16	1807	<2	0.02	<1	1387	8	0.92	8	5	84	<5	<0.01	<10	<10	41	<10	106	2
134885	0.6	2.39	17	169	<0.5	23	4.88	6	19	14	14	5.40	1	0.24	<10	1.15	2017	<2	0.02	<1	1326	3	0.54	9	5	131	<5	<0.01	<10	<10	43	11	107	2
134886	0.7	2.23	36	215	<0.5	23	4.59	6	21	14	13	5.29	1	0.23	<10	1.08	1981	<2	0.01	<1	1433	7	0.80	9	4	100	<5	<0.01	<10	<10	33	<10	102	2
134887	0.4	2.45	6	338	<0.5	22	4.35	6	18	12	13	5.44	1	0.26	<10	1.17	1676	<2	0.01	<1	1426	5	0.51	8	5	103	<5	<0.01	<10	<10	29	<10	144	2
134888	0.4	2.62	<5	241	<0.5	23	4.25	6	18	15	16	5.82	2	0.24	<10	1.27	1701	<2	0.01	<1	1432	5	0.41	8	5	91	<5	<0.01	<10	<10	30	<10	140	2
134889	0.4	2.61	5	218	<0.5	22	4.28	6	20	11	11	5.58	1	0.28	10	1.22	1668	<2	0.01	<1	1611	3	0.37	9	5	102	<5	0.01	<10	<10	31	<10	199	2
134890	0.5	2.50	11	123	<0.5	23	5.00	7	16	16	28	5.83	1	0.17	<10	1.24	1770	10	0.01	<1	1206	3	0.43	8	5	138	<5	<0.01	<10	<10	68	<10	106	2
134891	0.4	2.54	9	214	<0.5	22	3.71	6	15	12	13	5.79	1	0.25	<10	1.25	1577	3	0.01	<1	1468	3	0.62	7	4	77	<5	0.01	<10	<10	31	<10	100	2
134892	0.4	2.51	6	206	<0.5	23	4.32	6	16	14	19	5.93	1	0.27	<10	1.26	1645	<2	0.02	<1	1612	3	0.69	8	5	105	<5	0.02	<10	<10	29	<10	96	2
134893	0.5	1.99	6	278	<0.5	18	4.53	5	17	12	17	4.67	1	0.31	<10	0.93	1704	<2	0.01	<1	1430	3	0.81	6	4	107	<5	0.01	<10	<10	19	16	74	2
134894	0.6	2.41	<5	211	<0.5	21	4.75	6	15	11	1	5.16	1	0.27	11	1.24	2055	<2	0.01	<1	1490	3	0.13	7	5	129	<5	0.01	<10	<10	24	<10	95	2
134895	0.5	2.34	12	189	<0.5	20	4.05	6	16	11	5	5.29	1	0.26	<10	1.32	1895	<2	0.02	<1	1420	4	0.69	9	5	101	<5	0.03	<10	<10	24	<10	102	2
134896	3.3	2.35	13	155	<0.5	20	4.05	5	18	18	85	5.10	1	0.22	<10	1.39	1894	2	0.02	<1	1386	7	0.47	9	5	94	<5	0.06	<10	<10	30	<10	108	2
134897	0.9	2.33	18	166	<0.5	20	4.59	6	22	33	26	5.05	1	0.24	<10	1.44	2096	<2	0.02	<1	1291	6	0.73	11	7	107	<5	0.13	<10	<10	45	<10	111	2
134898	0.6	2.78	21	185	<0.5	32	4.59	4	25	40	32	6.17	1	0.22	10	2.05	2447	<2	0.01	<1	1384	12	0.69	18	7	91	<5	0.11	<10	21	77	<10	156	3
134899	7.0	2.29	17	250	<0.5	26	6.64	3	23	35	30	4.88	1	0.35	<10	1.60	2347	<2	0.02	<1	1433	16	0.87	9	7	165	<5	0.07	<10	19	75	<10	102	3
134900	6.9	2.59	10	364	<0.5	28	4.75	4	25	43	25	5.32	1	0.25	<10	2.11	2413	<2	0.02	1	1492	11	0.41	9	8	133	<5	0.01	<10	19	94	<10	118	2
134901	2.5	2.82	<5	638	<0.5	30	3.96	4	25	48	20	5.61	1	0.25	11	2.46	2060	<2	0.03	1	1540	6	0.18	9	9	126	<5	0.02	<10	17	115	<10	119	3
134902	1.3	2.58	<5	960	<0.5	27	4.87	4	27	57	23	5.39	1	0.21	<10	2.28	2323	<2	0.02	3	1424	6	0.24	10	9	169	<5	0.10	<10	19	116	<10	110	3
134903	1.9	2.81	<5	1185	<0.5	29	4.79	4	30	70	24	5.48	1	0.20	<10	2.68	2904	<2	0.03	3	1439	8	0.29	12	12	150	<5	0.20	<10	21	136	<10	121	4
134904	1.1	2.70	<5	1455	<0.5	27	3.59	3	28	74	21	5.11	1	0.17	<10	2.77	1739	<2	0.02	4	1362	3	0.10	10	9	155	<5	0.18	<10	15	127	<10	107	4
134905	0.5	2.64	5	581	<0.5	28	4.93	3	30	64	34	5.27	1	0.16	<10	2.60	2082	<2	0.03	3	1371	6	0.34	11	10	151	<5	0.18	<10	17	125	<10	112	4
134906	1.7	2.64	<5	355	<0.5	29	3.78	4	29	72	44	5.53	1	0.19	<10	2.49	2025	<2	0.02	3	1442	6	0.28	10	9	113	<5	0.15	<10	16	119	<10	116	4
134907	1.0	2.39	<5	381	<0.5	23	8.92	3	24	70	29	4.93	1	0.24	<10	2.13	2272	<2	0.02	3	1304	6	0.33	10	9	333	<5	0.07	<10	18	109	<10	113	3
134908	<0.2	2.59	12	436	<0.5	29	5.17	4	28	63	39	5.53	1	0.26	10	2.32	2389	<2	0.02	3	1478	10	0.36	11	11	114	<5	0.11	<10	17	124	<10	133	4
134909	<0.2	2.74	6	2505	<0.5	26	5.82	3	29	71	40	5.28	1	0.18	<10	2.74	2110	<2	0.02	3	1403	4	0.17	12	11	210	<5	0.22	<10	16	143	<10	112	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/shipment 38 bags

Sample type: Core

Report No : **9V1401RJ**

Date : Nov-05-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134910	<0.2	3.06	7	655	<0.5	29	3.26	4	32	70	23	5.82	1	0.17	<10	3.32	2437	<2	0.02	3	1489	5	0.38	12	12	129	<5	0.23	<10	17	151	11	116	6
134911	<0.2	2.71	5	449	<0.5	24	3.96	3	30	66	31	4.92	1	0.12	<10	2.91	1736	<2	0.02	3	1326	9	0.30	12	9	152	<5	0.25	<10	14	119	<10	116	6
134912	0.5	3.13	5	641	<0.5	31	5.12	4	29	67	25	6.36	2	0.23	<10	3.00	2566	<2	0.03	3	1488	5	0.35	12	13	137	<5	0.16	<10	19	146	<10	131	4
134913	0.8	2.90	6	235	<0.5	28	6.52	4	29	61	47	5.81	1	0.20	<10	2.78	2720	<2	0.02	3	1396	9	0.40	11	9	108	<5	0.21	<10	20	115	<10	134	4
134914	<0.2	2.60	27	164	<0.5	31	4.85	4	31	60	28	5.95	1	0.19	<10	2.45	2889	<2	0.03	3	1493	13	1.11	12	12	88	<5	0.21	<10	20	132	<10	147	5
134915	0.4	2.42	28	171	<0.5	27	4.73	8	27	59	23	5.79	1	0.19	<10	2.20	3635	<2	0.02	2	1346	191	1.20	11	9	79	<5	0.17	<10	21	110	<10	506	4
134916	1.0	2.63	19	179	<0.5	27	3.41	14	26	65	43	5.72	2	0.21	<10	2.43	4420	<2	0.02	2	1345	509	0.87	11	11	63	<5	0.16	<10	23	120	29	1092	4
134917	1.6	2.49	34	165	<0.5	29	3.46	26	28	64	46	5.58	3	0.20	<10	2.25	4377	<2	0.01	3	1344	773	1.29	11	10	72	<5	0.16	<10	24	123	52	1964	4
134918	2.4	2.29	30	191	<0.5	25	4.55	11	27	61	27	5.29	2	0.25	<10	1.98	4194	<2	0.02	2	1290	316	1.43	11	11	109	<5	0.23	<10	21	112	18	839	6
134919	0.9	2.88	21	147	<0.5	32	3.00	18	30	68	44	6.53	2	0.18	<10	2.82	4415	<2	0.02	2	1431	653	1.48	12	12	59	<5	0.22	<10	23	146	50	1388	5
134920	<0.2	3.49	11	282	<0.5	31	2.86	4	33	70	38	6.85	1	0.26	<10	3.01	3673	<2	0.03	2	1430	40	0.67	11	17	60	<5	0.36	12	27	170	<10	275	8
134921	<0.2	2.82	13	148	<0.5	25	4.45	8	27	61	31	5.81	<1	0.14	<10	2.55	3264	<2	0.03	2	1167	485	0.81	11	15	108	<5	0.25	10	25	157	<10	688	6
134922	<0.2	3.07	8	291	<0.5	28	3.65	2	28	61	25	6.13	<1	0.19	<10	2.91	2315	<2	0.03	2	1271	14	0.61	11	15	99	<5	0.22	<10	20	159	<10	115	6
134923	<0.2	3.07	6	166	<0.5	27	5.21	5	27	66	30	5.91	<1	0.11	<10	3.04	3424	<2	0.02	2	1098	113	0.66	10	15	138	<5	0.25	10	28	155	<10	431	7
134924	<0.2	3.09	8	220	<0.5	25	3.09	3	27	56	24	5.77	<1	0.22	<10	2.98	3367	<2	0.03	2	1271	135	0.74	10	15	88	<5	0.19	10	23	148	<10	260	5
134925	<0.2	2.57	22	148	<0.5	27	3.34	17	24	61	36	6.02	<1	0.17	<10	2.28	3592	<2	0.02	2	1226	510	1.51	10	10	81	<5	0.04	<10	26	126	30	1426	3
134926	<0.2	2.45	12	250	<0.5	24	4.26	10	26	63	25	5.19	<1	0.28	<10	2.05	3399	<2	0.02	3	1227	314	1.07	9	13	108	<5	0.14	<10	24	125	<10	870	6
134927	<0.2	2.89	11	214	<0.5	25	4.37	3	28	66	24	5.84	<1	0.20	<10	2.69	3111	<2	0.02	3	1211	71	0.84	11	13	101	<5	0.22	10	24	130	<10	243	7
134928	<0.2	2.87	6	184	<0.5	26	4.57	5	25	65	48	5.73	<1	0.14	<10	2.78	2815	<2	0.02	3	1196	35	0.79	10	12	124	<5	0.05	<10	21	146	<10	420	3
134929	<0.2	2.70	8	326	<0.5	25	4.73	2	24	67	32	5.17	<1	0.23	<10	2.33	2300	<2	0.03	3	1248	16	0.57	10	12	161	<5	0.04	<10	18	127	<10	127	3
134930	<0.2	3.13	8	148	<0.5	28	3.99	2	27	70	18	6.02	<1	0.17	<10	2.91	2398	<2	0.02	3	1233	10	0.67	11	11	103	<5	0.09	<10	22	131	<10	122	3
134931	<0.2	3.33	11	200	<0.5	30	3.39	2	28	69	26	6.09	<1	0.23	<10	3.04	2405	<2	0.02	3	1235	11	0.66	10	11	88	<5	0.13	<10	22	125	<10	117	5
134932	<0.2	2.98	5	207	<0.5	26	3.67	2	31	66	33	5.34	<1	0.23	<10	2.63	2274	<2	0.02	3	1238	6	0.27	10	14	91	<5	0.24	<10	21	124	<10	104	8
134933	<0.2	3.19	43	195	<0.5	30	2.22	3	30	74	33	6.41	<1	0.23	<10	2.88	2267	<2	0.03	3	1293	20	1.19	14	13	51	<5	0.18	<10	20	136	<10	136	5
134934	<0.2	2.65	27	117	<0.5	29	3.20	3	24	68	20	6.02	<1	0.09	<10	2.67	2236	<2	0.04	3	1198	30	1.75	11	12	70	<5	0.05	<10	21	140	<10	158	3
134935	<0.2	3.21	11	190	<0.5	28	2.88	3	25	66	37	5.77	<1	0.21	<10	2.88	2379	<2	0.03	3	1236	94	0.62	11	10	86	<5	0.04	<10	21	123	<10	205	3
134936	<0.2	2.19	12	357	<0.5	22	4.78	2	25	53	27	4.32	<1	0.30	<10	1.60	2210	<2	0.01	3	1260	7	0.59	9	9	136	<5	0.08	<10	16	90	<10	100	3
134937	<0.2	1.99	9	1452	<0.5	16	5.23	1	22	64	19	3.51	<1	0.20	<10	1.53	1706	<2	0.03	3	968	9	0.26	8	9	191	<5	0.19	<10	14	88	<10	87	4
134938	<0.2	0.78	<5	2557	<0.5	<5	7.03	<1	7	69	7	1.32	<1	0.13	<10	0.45	1013	<2	0.01	2	344	5	0.25	5	3	365	<5	0.06	<10	11	36	<10	31	2
134939	<0.2	2.77	<5	496	<0.5	26	3.83	2	25	73	37	4.83	<1	0.29	<10	2.13	1924	<2	0.02	4	1281	5	0.08	10	9	153	<5	0.03	<10	15	101	<10	123	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/shipment 38 bags

Sample type: Core

Report No : **9V1401RJ**

Date : Nov-05-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134940	<0.2	2.72	<5	2176	<0.5	24	3.57	2	29	77	25	4.62	1	0.21	<10	2.32	1443	<2	0.03	4	1239	13	0.11	10	14	225	<5	0.24	10	15	134	<10	94	6
134941	<0.2	2.90	5	758	<0.5	23	4.01	2	31	76	17	4.87	<1	0.22	<10	2.49	1509	<2	0.04	3	1192	3	0.08	10	15	174	<5	0.29	10	17	151	<10	94	7
134942	<0.2	2.96	<5	755	<0.5	25	3.05	2	29	76	16	5.76	1	0.19	<10	2.68	1403	<2	0.03	4	1267	7	0.06	10	12	120	<5	0.27	<10	16	130	<10	94	6
134943	<0.2	2.57	6	1585	<0.5	23	5.21	2	28	72	36	5.51	1	0.27	<10	2.26	1388	<2	0.03	4	1228	4	0.13	10	14	199	<5	0.26	10	15	133	<10	87	6
134944	<0.2	2.86	24	265	<0.5	28	4.27	2	28	64	32	6.37	<1	0.20	<10	2.62	2196	<2	0.03	4	1284	9	0.70	11	12	84	<5	0.18	<10	23	130	<10	104	5
134945	<0.2	2.96	9	181	<0.5	28	3.58	2	29	71	30	6.27	<1	0.15	<10	2.90	1928	<2	0.03	4	1329	7	0.45	10	13	72	<5	0.20	<10	19	139	<10	102	4
134946	<0.2	3.23	8	283	<0.5	27	3.48	2	29	63	22	6.16	<1	0.22	<10	3.07	1700	<2	0.03	3	1292	6	0.25	10	13	84	<5	0.25	10	18	129	<10	100	6
134947	<0.2	2.84	7	578	<0.5	26	4.43	2	28	56	26	5.73	<1	0.25	<10	2.72	1554	<2	0.02	3	1278	8	0.36	10	12	117	<5	0.26	10	17	105	<10	95	6
134948	<0.2	2.86	7	534	<0.5	26	4.03	2	29	58	33	5.73	<1	0.31	<10	2.42	1894	<2	0.03	4	1319	5	0.19	9	11	94	<5	0.27	10	18	99	<10	102	5
134949	<0.2	2.71	7	203	<0.5	26	4.43	2	27	38	35	5.48	<1	0.24	<10	2.19	1791	<2	0.02	3	1274	4	0.18	9	10	97	<5	0.23	<10	17	85	17	95	4
134950	<0.2	2.57	<5	914	<0.5	22	5.29	2	25	31	22	5.07	<1	0.32	<10	1.99	1503	<2	0.02	3	1215	3	0.11	9	9	135	<5	0.18	<10	14	74	14	93	4
134951	<0.2	2.52	9	1177	<0.5	24	5.73	2	27	39	26	5.20	<1	0.26	<10	2.04	1711	<2	0.02	3	1219	5	0.23	9	11	169	<5	0.23	10	16	87	<10	97	4
134952	<0.2	2.60	9	247	<0.5	25	5.07	2	27	46	30	5.43	<1	0.24	<10	2.09	2122	<2	0.03	3	1215	7	0.38	10	12	122	<5	0.20	<10	20	100	<10	110	4
Duplicates:																																		
134700	<0.2	0.03	<5	11	<0.5	86	>15.00	<1	1	2	2	0.53	<1	0.02	<10	12.26	226	<2	0.01	1	173	<2	0.49	<5	<1	50	<5	<0.01	11	<10	2	<10	19	<1
134709	2.1	1.83	199	167	<0.5	50	4.68	5	18	26	8	5.70	1	0.35	<10	1.13	3820	<2	0.01	2	1306	38	2.22	8	6	365	<5	<0.01	<10	<10	59	<10	96	2
134719	0.8	2.87	28	198	0.5	41	2.58	13	26	27	47	7.15	<1	0.28	10	1.71	3892	<2	0.02	2	1650	241	0.88	<5	10	99	<5	0.07	<10	<10	115	<10	855	3
134722	1.2	2.84	39	173	<0.5	40	2.97	11	22	31	38	6.89	<1	0.26	<10	1.73	4215	<2	0.03	2	1570	374	1.35	<5	10	158	<5	0.01	<10	<10	151	<10	729	3
134731	2.0	0.74	136	105	<0.5	23	5.53	9	7	61	29	2.57	<1	0.19	<10	0.38	3282	<2	0.01	2	691	209	1.23	<5	2	170	<5	<0.01	<10	<10	25	<10	733	1
134741	1.5	1.89	97	117	<0.5	39	1.94	7	14	52	9	5.64	1	0.19	<10	1.16	2729	<2	0.01	1	1063	84	1.87	6	4	62	<5	<0.01	<10	<10	66	10	580	2
134744	1.6	1.53	194	117	<0.5	33	2.43	5	14	45	14	4.70	<1	0.25	<10	0.92	2703	<2	0.01	2	965	116	1.86	6	4	71	<5	<0.01	<10	<10	40	<10	252	2
134753	1.7	1.43	130	150	<0.5	47	4.83	7	10	44	1	4.27	<1	0.18	<10	0.97	3988	<2	0.01	2	749	77	1.37	<5	4	132	<5	<0.01	<10	<10	50	<10	547	2
134763	1.3	1.79	158	148	<0.5	31	1.06	13	11	39	9	4.69	<1	0.19	<10	1.04	2527	18	0.01	1	1046	119	0.96	<5	3	35	<5	<0.01	<10	<10	64	<10	1081	2
134766	2.9	2.03	272	264	<0.5	19	5.53	47	17	8	38	4.89	1	0.45	10	0.73	3958	<2	0.02	<1	1544	407	0.66	13	4	139	<5	0.01	<10	<10	38	101	3594	2
134775	2.4	1.89	33	253	<0.5	17	5.61	22	17	3	39	4.66	<1	0.37	<10	0.75	3438	<2	0.03	<1	1505	562	0.53	8	3	146	<5	0.01	<10	<10	36	40	1826	2
134785	1.4	1.99	23	235	<0.5	20	5.36	5	14	5	27	5.19	<1	0.38	<10	0.66	2757	<2	0.03	<1	1598	16	0.62	9	3	148	<5	<0.01	<10	<10	38	<10	146	2
134788	1.2	1.66	100	189	<0.5	14	4.21	3	19	5	41	4.05	1	0.36	<10	0.49	1449	2	0.03	1	1513	11	0.57	6	3	123	<5	<0.01	<10	<10	32	<10	82	1
134797	1.3	1.67	53	123	<0.5	16	5.80	4	14	6	35	4.45	<1	0.31	<10	0.60	2373	<2	0.01	<1	1304	12	0.77	7	2	157	<5	<0.01	<10	<10	20	<10	125	2
134807	0.6	1.91	42	95	<0.5	18	4.92	4	16	6	1	4.89	<1	0.25	<10	0.73	1439	<2	0.02	<1	1265	4	0.79	8	3	133	<5	<0.01	<10	<10	26	<10	96	2
134810	1.7	2.22	604	127	<0.5	19	4.74	4	16	8	71	5.07	<1	0.33	<10	0.82	1428	<2	0.02	<1	1400	3	0.51	21	3	110	<5	<0.01	<10	<10	22	<10	97	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/shipment 38 bags

Sample type: Core

Report No : **9V1401RJ**

Date : Nov-05-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134819	<0.2	1.61	7	74	<0.5	12	2.38	2	15	15	13	3.21	1	0.13	15	1.40	812	<2	0.04	6	1838	44	0.07	6	5	65	<5	0.25	<10	<10	61	<10	82	9
134829	0.5	2.47	16	173	<0.5	20	3.45	5	16	10	11	5.51	<1	0.25	10	1.87	1761	<2	0.01	<1	1588	5	1.30	10	4	92	<5	0.01	<10	<10	30	<10	144	2
134832	0.6	2.77	25	168	<0.5	24	2.08	6	19	14	6	6.48	<1	0.26	<10	2.04	1712	<2	0.02	<1	1647	15	1.81	14	5	75	<5	0.01	<10	<10	41	<10	144	3
134841	0.2	2.97	26	183	<0.5	22	3.98	5	17	13	7	6.05	<1	0.23	10	2.01	1763	<2	0.02	<1	1559	6	0.56	9	6	96	<5	0.02	<10	<10	52	<10	108	3
134851	0.4	1.17	29	82	<0.5	20	3.14	5	19	22	10	5.46	<1	0.33	13	1.35	1183	<2	0.06	14	1805	8	2.66	11	8	163	<5	0.02	<10	<10	33	<10	72	3
134854	1.6	0.58	122	54	<0.5	22	0.80	6	17	19	8	5.50	<1	0.24	<10	0.22	425	<2	0.01	<1	1436	23	4.35	28	2	21	<5	<0.01	<10	<10	<1	<10	115	2
134863	0.9	1.45	59	112	<0.5	20	3.81	5	17	17	15	5.36	<1	0.25	<10	0.95	1738	<2	0.01	<1	1618	16	3.20	12	4	130	<5	<0.01	<10	<10	12	<10	119	2
134873	0.8	2.42	25	101	<0.5	22	4.60	5	17	19	14	5.93	<1	0.23	<10	1.79	1980	<2	0.01	<1	1456	9	1.92	11	4	237	<5	<0.01	<10	<10	34	<10	118	2
134876	0.9	2.55	16	160	<0.5	23	4.71	6	20	18	16	5.83	1	0.23	10	1.30	2738	<2	0.02	<1	1479	10	0.67	9	6	128	<5	0.01	<10	<10	45	<10	121	2
134885	0.6	2.35	18	175	<0.5	21	4.87	6	20	14	15	5.33	1	0.25	<10	1.13	2014	<2	0.02	<1	1377	3	0.55	8	5	128	<5	<0.01	<10	<10	43	<10	106	2
134895	0.5	2.39	9	202	<0.5	20	4.15	6	17	12	5	5.36	1	0.27	<10	1.33	1921	<2	0.02	<1	1432	4	0.71	8	5	101	<5	0.04	<10	<10	25	<10	104	2
134898	<0.2	2.75	17	188	<0.5	31	4.38	5	26	41	30	6.15	1	0.23	10	1.98	2496	<2	0.01	<1	1434	12	0.74	13	7	96	<5	0.10	<10	16	79	<10	163	3
134907	0.2	2.19	<5	353	<0.5	22	7.98	3	22	66	27	4.53	1	0.24	<10	1.91	2085	<2	0.02	4	1196	5	0.30	8	9	308	<5	0.08	<10	14	102	<10	103	3
134917	1.1	2.55	35	185	<0.5	29	3.58	27	29	66	46	5.69	3	0.23	<10	2.30	4470	<2	0.02	3	1372	792	1.28	12	12	77	<5	0.22	<10	22	132	50	2008	5
134920	<0.2	3.02	12	263	<0.5	28	2.42	3	30	64	34	6.67	<1	0.21	<10	2.48	3340	<2	0.03	2	1288	35	0.68	11	16	55	<5	0.31	11	24	156	<10	280	7
134929	<0.2	2.67	8	362	<0.5	24	4.60	2	24	67	32	4.76	<1	0.23	<10	2.22	2258	<2	0.03	3	1226	17	0.57	10	12	159	<5	0.05	<10	18	130	<10	127	3
134939	<0.2	2.73	<5	493	<0.5	23	3.67	2	25	71	35	4.59	<1	0.30	<10	2.06	1887	<2	0.02	4	1251	4	0.08	10	10	147	<5	0.04	<10	15	102	<10	121	3
134942	<0.2	2.89	5	773	<0.5	25	2.96	2	30	77	16	5.55	<1	0.19	<10	2.79	1399	<2	0.03	4	1258	4	0.06	10	13	123	<5	0.28	10	15	135	<10	94	6
134951	<0.2	2.50	6	1232	<0.5	23	5.68	2	26	37	26	5.19	<1	0.25	<10	2.00	1724	<2	0.02	3	1198	6	0.24	8	10	166	<5	0.22	<10	16	82	<10	94	4
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	1	<0.01	<1	<0.01	<10	<0.01	<5	<2	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	1	<1
CH-4	1.9	1.77	13	294	<0.5	19	0.58	5	29	107	1988	4.86	1	1.29	13	1.29	335	2	0.05	55	712	13	0.61	10	7	7	<5	0.21	<10	<10	64	<10	213	10

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1402-RA1

Nov-05-09

Company: **Ascot Resources Ltd**
Project: Dilworth/Shipment 38 bags
Attn: Sue Deane

We *hereby certify* the following assay of 11 rocks samples submitted Oct-15-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
122481	0.03	1.8	1.7
122482	0.01	<0.1	1.7
122483	0.02	<0.1	1.9
122484	0.03	0.5	1.5
122485	0.03	2.3	1.5
122486	0.03	4.6	2.7
122490	0.03	85.6	1.2
122498	0.03	47.6	2.4
122499	0.04	108	2.3
122500	0.03	35.3	1.7
122552	0.03	22.6	1.8
122553	0.03	53.7	1.6
*DUP 122481	0.03	1.8	
*DUP 122500	0.03	31.8	
*0211	2.28		
*BLANK	<0.01		

Au F.A. AA finish.Ag read from ICP solution.

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/Shipment 38 bags

Sample type: Rocks

Report No : **9V1402RJ**

Date : Nov-05-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
122481	1.8	0.56	36	136	<0.5	23	0.24	3	7	19	34	5.45	<1	0.14	13	0.07	208	9	0.03	2	2299	260	0.10	12	4	18	<5	<0.01	<10	<10	16	<10	304	5
122482	<0.2	0.46	26	111	<0.5	32	0.12	4	3	20	16	7.27	<1	0.13	<10	0.07	144	<2	0.04	<1	1662	38	0.36	12	5	7	<5	<0.01	<10	10	20	<10	126	3
122483	<0.2	0.39	19	120	<0.5	21	0.16	3	11	29	12	4.70	<1	0.16	<10	0.04	775	3	0.04	5	1614	22	1.15	10	4	12	<5	<0.01	<10	<10	17	<10	135	4
122484	0.5	0.42	40	126	<0.5	15	0.41	2	14	31	9	3.64	<1	0.19	<10	0.05	110	13	0.04	7	1791	40	1.71	12	3	22	<5	<0.01	<10	<10	16	<10	108	7
122485	2.3	0.31	111	94	<0.5	16	0.05	2	18	45	5	3.59	1	0.14	<10	0.02	53	63	0.04	16	609	31	1.65	25	3	5	<5	<0.01	<10	<10	14	<10	119	6
122486	4.6	0.51	134	72	<0.5	35	0.49	6	68	39	39	7.44	<1	0.19	11	0.05	276	55	0.03	49	3489	85	3.50	30	7	47	<5	<0.01	<10	21	28	<10	369	13
122490	85.6	0.29	52	90	<0.5	15	0.03	19	3	71	18	3.42	<1	0.26	<10	0.03	46	6	0.01	1	212	492	2.19	8	1	2	<5	<0.01	<10	<10	10	<10	1331	2
122498	47.6	0.30	18	63	<0.5	8	0.14	1	3	87	21	1.83	<1	0.20	11	0.03	515	<2	0.01	1	1288	495	0.03	14	2	7	<5	<0.01	<10	<10	8	<10	137	2
122499	108.6	0.33	29	103	<0.5	9	0.06	2	2	71	30	1.93	<1	0.26	12	0.02	149	3	0.01	<1	1275	2075	0.13	24	2	7	<5	<0.01	<10	<10	9	<10	212	2
122500	35.3	0.36	39	150	<0.5	13	0.07	2	4	38	18	3.24	<1	0.29	11	0.02	313	3	0.01	1	1325	774	0.15	10	3	9	<5	<0.01	<10	<10	11	<10	272	3
122552	22.6	0.28	45	162	<0.5	9	0.03	1	1	69	6	2.14	<1	0.24	<10	0.02	47	2	0.01	1	1141	456	0.08	9	2	4	<5	<0.01	<10	<10	8	<10	57	2
122553	53.7	0.36	28	149	<0.5	7	0.04	4	1	51	8	1.75	1	0.29	12	0.02	62	3	0.01	<1	909	824	0.14	7	2	6	<5	<0.01	<10	<10	8	<10	295	1
Duplicates:																																		
122481	1.8	0.58	38	139	<0.5	23	0.23	3	7	19	33	5.37	<1	0.15	13	0.07	208	9	0.03	2	2340	265	0.10	11	4	18	<5	<0.01	<10	<10	16	<10	306	5
122500	31.8	0.42	40	163	<0.5	14	0.08	2	4	42	19	3.37	<1	0.32	13	0.02	325	3	0.01	1	1396	807	0.16	11	3	9	<5	<0.01	<10	<10	11	<10	284	4
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.2	1.70	13	293	<0.5	21	0.56	3	29	106	1922	4.42	<1	1.21	13	1.16	339	2	0.07	54	710	20	0.60	8	7	8	<5	0.20	<10	<10	83	<10	209	14

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1439-RA1

Nov-06-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/shipment 14 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-16-09

Sample Name	Au g/tonne	Ag g/tonne
134953	<0.01	<0.1
134954	<0.01	<0.1
134955	<0.01	<0.1
134956	<0.01	<0.1
134957	<0.01	<0.1
134958	<0.01	<0.1
134959	<0.01	<0.1
134960	0.01	<0.1
134961	<0.01	<0.1
134962	<0.01	<0.1
134963	0.01	<0.1
134964	<0.01	<0.1
134965	0.01	<0.1
134966	<0.01	<0.1
134967	0.01	<0.1
134968	0.01	<0.1
134969	<0.01	<0.1
134970	0.01	<0.1
134971	0.01	<0.1
134972	0.01	<0.1
134973	0.01	<0.1
134974	<0.01	<0.1
*DUP 134953	0.01	
*DUP 134962	<0.01	
*DUP 134972	<0.01	
*0211	2.19	
*BLANK	<0.01	

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1439-RA2

Nov-06-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/shipment 14 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-16-09

Sample Name	Au g/tonne	Ag g/tonne
134975	<0.01	<0.1
134976	0.02	<0.1
134977	<0.01	<0.1
134978	<0.01	<0.1
134979	<0.01	0.3
134980	<0.01	<0.1
134981	<0.01	<0.1
134982	<0.01	<0.1
134983	<0.01	<0.1
134984	<0.01	<0.1
134985	0.14	1.0
134986	<0.01	<0.1
134987	<0.01	<0.1
134988	<0.01	<0.1
134989	<0.01	<0.1
134990	<0.01	<0.1
134991	0.01	<0.1
134992	0.03	<0.1
134993	0.04	<0.1
134994	0.02	<0.1
134995	0.03	<0.1
134996	<0.01	<0.1
*DUP 134975	<0.01	
*DUP 134984	0.01	
*DUP 134994	0.01	
*0211	2.19	
*BLANK	<0.01	

Au F.A. AA finish. Ag read from ICP solution

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1439-RA3

Nov-06-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/shipment 14 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-16-09

Sample Name	Au g/tonne	Ag g/tonne
134997	<0.01	<0.1
134998	<0.01	<0.1
134999	0.02	0.4
135000	0.03	0.6
135001	<0.01	<0.1
135002	<0.01	<0.1
135003	0.01	<0.1
135004	0.04	0.1
135005	<0.01	<0.1
135006	0.03	0.1
135007	<0.01	0.3
135008	<0.01	<0.1
135009	<0.01	<0.1
135010	<0.01	<0.1
135011	<0.01	<0.1
135012	<0.01	<0.1
135013	<0.01	<0.1
135014	<0.01	0.1
135015	<0.01	<0.1
135016	<0.01	<0.1
135017	<0.01	<0.1
135018	<0.01	<0.1
*DUP 134997	<0.01	
*DUP 135006	0.05	
*DUP 135016	<0.01	
*0211	2.08	
*BLANK	<0.01	

Au F.A. AA finish. Ag read from ICP solution

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1439-RA4

Nov-06-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/shipment 14 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-16-09

Sample Name	Au g/tonne	Ag g/tonne
135019	<0.01	<0.1
135020	0.01	<0.1
135021	0.03	0.2
135022	<0.01	0.1
135023	0.01	<0.1
135024	<0.01	<0.1
135025	0.01	<0.1
135026	<0.01	<0.1
135027	0.02	<0.1
135028	0.02	<0.1
135029	<0.01	<0.1
135030	0.01	<0.1
135031	<0.01	<0.1
135032	<0.01	<0.1
135033	0.01	<0.1
135034	0.02	<0.1
135035	0.01	<0.1
135036	<0.01	<0.1
135037	0.01	<0.1
135038	0.01	<0.1
135039	0.02	<0.1
135040	0.01	<0.1
*DUP 135019	0.01	
*DUP 135028	0.01	
*DUP 135038	<0.01	
*0211	2.15	
*BLANK	<0.01	

Au F.A. AA finish. Ag read from ICP solution

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1439-RA5

Nov-06-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/shipment 14 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-16-09

Sample Name	Au g/tonne	Ag g/tonne
135041	0.01	<0.1
135042	0.02	<0.1
135043	0.02	<0.1
135044	0.06	<0.1
135045	0.24	<0.1
135046	1.12	0.8
135047	1.26	3.9
135048	0.45	5.9
135049	1.31	1.7
135050	0.51	1.9
135051	0.85	0.3
135052	2.13	0.9
135053	2.88	2.1
135054	1.35	2.3
135055	1.02	2.7
135056	0.93	2.0
135057	0.76	5.1
135058	1.92	12.0
135059	2.94	8.0
135060	0.01	0.1
135061	0.31	5.3
135062	0.64	10.3
*DUP 135041	0.01	
*DUP 135050	0.50	
*DUP 135060	<0.01	
*0211	2.37	
*BLANK	<0.01	

Au F.A. AA finish. Ag read from ICP solution

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1439-RA6

Nov-06-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/shipment 14 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-16-09

Sample Name	Au g/tonne	Ag g/tonne
135063	0.65	10.8
135064	0.96	2.0
135065	0.16	3.1
135066	0.27	3.1
135067	0.08	2.0
135068	0.21	2.6
135069	0.12	3.1
135070	0.16	2.1
135071	0.08	1.5
135072	0.19	2.9
135073	0.36	3.9
135074	0.31	16.4
135075	0.71	15.9
135076	0.91	5.7
135077	1.93	7.3
135078	3.61	2.6
135079	0.54	6.1
135080	3.60	1.1
135081	0.28	15.5
135082	0.51	2.4
135083	0.19	0.9
135084	0.81	0.8
*DUP 135063	0.71	
*DUP 135072	0.20	
*DUP 135082	0.44	
*0211	2.29	
*BLANK	<0.01	

Au F.A. AA finish. Ag read from ICP solution

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1439-RA7

Nov-06-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/shipment 14 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-16-09

Sample Name	Au g/tonne	Ag g/tonne
135085	0.02	1.3
135086	0.02	1.0
135087	0.05	1.0
135088	0.02	0.6
135089	0.05	0.4
135090	0.02	0.5
135091	0.01	0.9
135092	<0.01	1.3
135093	0.27	18.7
135094	0.01	0.2
135095	0.01	0.1
135096	<0.01	<0.1
135097	0.01	0.4
135098	0.01	1.2
135099	0.04	2.5
135100	<0.01	<0.1
135101	6.02	6.6
135102	0.16	1.5
135103	0.05	1.1
135104	0.09	2.2
135105	0.21	3.0
135106	0.14	2.3
*DUP 135085	0.02	
*DUP 135094	0.01	
*DUP 135104	0.08	
*0211	2.35	
*BLANK	<0.01	

Au F.A. AA finish. Ag read from ICP solution

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1439-RA8

Nov-06-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/shipment 14 bags
Attn: Sue Deane

We *hereby certify* the following assay of 5 core samples submitted Oct-16-09

Sample Name	Au g/tonne	Ag g/tonne
135107	0.15	2.7
135108	0.66	7.0
135109	0.08	1.2
135110	0.08	2.4
135111	0.04	1.9
135112	<0.01	0.5
*0211	2.26	
*BLANK	<0.01	

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/shipment 14 bags

Sample type: Core

Report No : **9V1439RJ**

Date : Nov-06-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134953	<0.2	2.94	5	381	1.7	69	4.63	4	27	61	28	5.50	<1	0.30	<10	2.22	2053	<2	0.03	6	1223	5	0.44	<5	12	131	<5	0.19	11	<10	107	<10	105	4
134954	<0.2	2.99	<5	1769	1.9	77	4.46	4	27	65	12	5.54	<1	0.24	<10	2.53	1799	<2	0.02	5	1244	<2	0.16	<5	11	172	<5	0.21	11	<10	100	<10	93	4
134955	<0.2	3.09	<5	1277	2.3	51	4.17	4	29	63	32	5.69	<1	0.26	<10	2.65	1696	<2	0.03	5	1211	<2	0.13	<5	14	154	<5	0.27	12	<10	116	<10	102	6
134956	<0.2	2.64	<5	1517	1.8	79	4.39	4	26	58	9	5.21	<1	0.22	<10	2.46	1438	<2	0.02	5	1181	<2	0.14	<5	10	184	<5	0.21	11	<10	103	<10	91	5
134957	<0.2	2.70	<5	1071	0.8	61	4.71	4	24	55	12	5.39	<1	0.30	<10	2.32	1475	<2	0.04	5	1228	2	0.14	<5	11	206	<5	0.08	<10	<10	101	<10	94	3
134958	<0.2	2.65	<5	968	1.2	62	4.43	4	25	56	30	5.45	<1	0.23	<10	2.15	1625	<2	0.03	5	1215	9	0.35	<5	11	184	<5	0.13	10	<10	106	<10	96	3
134959	<0.2	2.89	<5	2007	1.2	54	3.97	4	24	55	29	5.48	<1	0.27	<10	2.46	1465	<2	0.04	5	1222	<2	0.15	<5	11	203	<5	0.12	<10	<10	108	<10	97	3
134960	<0.2	2.83	<5	1432	2.0	59	4.76	4	28	51	9	5.39	<1	0.21	<10	2.49	1388	<2	0.02	5	1236	<2	0.15	<5	11	212	<5	0.23	12	<10	100	<10	93	4
134961	<0.2	3.12	<5	2239	1.8	58	3.93	4	27	56	6	5.57	<1	0.26	<10	2.60	1460	<2	0.04	5	1284	<2	0.15	<5	11	202	<5	0.21	11	<10	108	<10	96	4
134962	<0.2	2.93	7	561	1.0	66	4.13	4	24	46	27	5.60	<1	0.22	<10	2.43	1642	<2	0.02	4	1310	15	0.32	<5	9	162	<5	0.11	<10	<10	95	<10	99	3
134963	<0.2	3.07	17	319	1.7	55	3.81	5	26	57	58	5.96	<1	0.27	<10	2.29	2158	<2	0.03	4	1215	5	0.52	<5	12	108	<5	0.20	11	<10	121	<10	103	4
134964	<0.2	2.75	19	252	1.6	56	4.08	4	26	50	15	5.47	<1	0.29	<10	2.01	2515	<2	0.01	4	1247	8	0.57	<5	9	123	<5	0.18	11	<10	80	<10	96	3
134965	<0.2	2.44	13	331	<0.5	69	6.95	5	18	41	22	4.83	<1	0.32	<10	1.78	3103	<2	0.02	3	1113	41	0.63	<5	7	259	<5	0.02	<10	<10	74	<10	188	2
134966	<0.2	2.73	<5	770	<0.5	48	3.86	8	23	52	21	5.51	<1	0.33	<10	2.00	2416	<2	0.02	4	1349	31	0.28	<5	9	199	<5	0.01	<10	<10	83	<10	259	2
134967	<0.2	2.65	<5	601	<0.5	61	5.19	4	21	56	41	5.46	<1	0.35	<10	1.82	2747	<2	0.02	4	1216	54	0.53	<5	9	298	<5	0.01	<10	<10	84	<10	159	2
134968	<0.2	2.59	<5	703	<0.5	75	4.81	4	21	60	28	5.32	<1	0.31	<10	1.86	2842	<2	0.02	4	1263	30	0.41	<5	8	266	<5	0.01	<10	<10	88	<10	154	2
134969	<0.2	2.88	5	357	<0.5	75	4.31	7	25	61	28	5.78	<1	0.34	<10	2.08	2835	<2	0.02	4	1315	100	0.53	<5	10	259	<5	0.01	<10	<10	104	<10	299	3
134970	<0.2	2.41	<5	445	<0.5	60	4.87	5	22	41	54	5.32	<1	0.32	<10	1.57	2731	<2	0.01	3	1296	107	0.62	<5	9	247	<5	<0.01	<10	<10	74	<10	174	2
134971	<0.2	2.45	<5	511	<0.5	47	4.04	6	18	29	45	4.93	<1	0.42	<10	1.51	2190	<2	0.01	2	1346	65	0.46	<5	6	177	<5	<0.01	<10	<10	58	<10	286	2
134972	<0.2	2.55	<5	1308	<0.5	54	4.22	4	20	26	20	5.12	<1	0.29	10	1.65	1961	<2	0.01	3	1408	5	0.13	<5	5	183	<5	0.01	<10	<10	47	<10	125	2
134973	<0.2	2.65	<5	380	<0.5	58	3.82	4	18	28	29	5.32	<1	0.44	<10	1.43	2185	<2	0.01	2	1440	13	0.28	<5	6	144	<5	0.01	<10	<10	58	<10	155	2
134974	<0.2	2.81	<5	292	<0.5	61	3.68	5	19	24	29	5.76	<1	0.34	<10	1.61	2522	<2	0.01	2	1479	52	0.38	<5	6	118	<5	0.01	<10	<10	58	<10	236	2
134975	<0.2	2.83	9	281	<0.5	64	4.55	5	20	25	19	5.98	<1	0.41	10	1.47	2754	<2	0.01	2	1493	31	0.79	<5	6	124	<5	0.01	<10	<10	62	<10	186	2
134976	<0.2	2.58	14	226	<0.5	65	4.31	4	18	19	28	5.65	<1	0.34	12	1.32	2369	2	0.01	2	1532	10	0.33	<5	6	134	<5	<0.01	<10	<10	58	<10	134	2
134977	<0.2	2.71	8	302	<0.5	69	5.82	4	16	15	17	5.41	<1	0.50	14	1.12	2951	<2	0.01	1	1576	4	0.17	<5	7	177	<5	<0.01	10	<10	62	<10	105	2
134978	<0.2	2.43	21	243	<0.5	67	4.83	4	20	13	24	5.25	<1	0.42	13	1.01	2632	<2	0.01	2	1496	27	0.32	<5	6	143	<5	<0.01	<10	<10	57	<10	120	2
134979	0.3	1.64	70	281	<0.5	57	4.46	3	14	11	9	3.95	<1	0.45	10	0.62	1789	2	0.01	1	1372	14	1.35	<5	3	135	<5	<0.01	<10	<10	32	<10	72	2
134980	<0.2	0.06	<5	20	<0.5	92	>15.00	<1	1	2	1	0.50	<1	0.04	<10	13.02	232	<2	0.01	2	213	<2	0.49	<5	<1	50	<5	<0.01	14	<10	4	<10	16	<1
134981	<0.2	2.44	44	225	<0.5	44	3.78	4	13	10	17	5.17	<1	0.35	13	1.18	2012	<2	0.01	1	1605	10	0.52	<5	4	107	<5	<0.01	<10	<10	43	<10	91	2
134982	<0.2	2.55	15	332	0.5	65	3.54	4	12	16	25	5.22	<1	0.37	11	1.28	2041	<2	0.01	<1	1559	11	0.51	<5	4	113	<5	<0.01	<10	<10	44	<10	141	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95ºC for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/shipment 14 bags

Sample type: Core

Report No : **9V1439RJ**

Date : Nov-06-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
134983	<0.2	2.14	21	201	<0.5	59	4.44	5	14	12	12	5.08	<1	0.33	<10	1.05	2096	<2	0.01	<1	1570	41	1.22	<5	3	163	<5	<0.01	<10	<10	40	<10	204	2
134984	<0.2	1.70	22	200	0.5	52	4.46	4	13	14	14	4.64	<1	0.41	<10	0.74	1780	<2	0.01	<1	1651	53	1.88	<5	3	162	<5	<0.01	<10	<10	29	<10	114	2
134985	1.0	2.07	82	201	0.5	65	3.29	9	14	12	42	4.95	<1	0.45	10	0.90	1684	5	0.01	1	1529	705	1.42	<5	3	88	<5	<0.01	<10	<10	37	<10	588	2
134986	<0.2	2.17	19	209	<0.5	56	4.77	5	12	14	15	5.03	<1	0.35	12	1.08	2522	5	0.01	<1	1563	20	0.77	<5	4	149	<5	<0.01	<10	<10	41	<10	185	2
134987	<0.2	2.45	16	296	0.5	52	3.59	4	15	8	19	4.96	<1	0.47	12	1.13	1867	3	0.01	<1	1562	8	0.68	<5	4	103	<5	<0.01	<10	<10	39	<10	97	2
134988	<0.2	2.48	<5	234	<0.5	57	4.50	4	12	15	31	4.98	<1	0.36	12	1.22	2066	<2	0.01	<1	1516	4	0.28	<5	4	131	<5	<0.01	<10	<10	36	<10	92	2
134989	<0.2	2.48	<5	380	<0.5	65	4.88	4	12	10	5	4.92	<1	0.48	13	1.10	2121	<2	0.01	<1	1506	6	0.28	<5	5	157	<5	<0.01	<10	<10	39	<10	86	2
134990	<0.2	2.10	<5	319	<0.5	58	4.93	3	15	10	<1	4.53	<1	0.40	12	0.96	1994	<2	0.01	<1	1559	3	0.51	<5	4	171	<5	<0.01	<10	<10	34	<10	72	2
134991	<0.2	2.43	15	344	0.5	69	5.22	3	13	8	<1	4.72	<1	0.52	14	1.16	2083	<2	0.01	1	1731	4	0.22	<5	6	169	<5	<0.01	<10	<10	39	<10	89	2
134992	<0.2	2.23	<5	240	<0.5	61	4.80	3	10	12	<1	4.49	<1	0.38	14	1.15	2072	<2	0.01	<1	1567	3	0.14	<5	5	144	<5	<0.01	<10	<10	34	<10	87	2
134993	<0.2	2.35	8	297	0.5	79	4.75	3	13	9	8	4.78	<1	0.47	13	1.17	2009	<2	0.01	<1	1617	6	0.47	<5	5	123	<5	<0.01	<10	<10	38	<10	90	2
134994	<0.2	2.15	19	224	0.5	57	4.39	4	13	15	25	4.54	<1	0.39	12	1.10	2033	<2	0.01	<1	1535	13	0.49	<5	4	121	<5	0.01	<10	<10	39	<10	115	2
134995	<0.2	2.58	20	518	0.9	53	4.67	4	16	9	17	4.98	<1	0.59	14	1.34	2166	<2	0.02	1	1681	19	0.50	<5	8	103	<5	0.02	10	<10	77	<10	134	2
134996	<0.2	1.88	<5	1829	1.6	34	2.61	3	16	39	8	3.58	<1	0.19	27	1.40	771	<2	0.05	9	1674	6	0.12	<5	4	102	<5	0.16	13	<10	60	<10	98	6
134997	<0.2	1.99	5	1898	1.9	44	2.90	3	17	52	7	3.61	1	0.23	31	1.35	722	<2	0.05	10	1649	<2	0.12	<5	4	108	<5	0.19	14	<10	61	<10	92	7
134998	<0.2	1.98	<5	822	1.9	52	2.57	3	18	62	13	3.82	1	0.19	24	1.41	853	<2	0.05	11	1799	<2	0.09	<5	4	86	<5	0.19	14	<10	70	<10	106	8
134999	0.4	1.35	47	241	0.5	62	6.35	3	11	22	61	3.60	<1	0.45	<10	0.51	1927	<2	0.01	1	1126	17	1.89	<5	3	150	<5	0.01	<10	<10	31	<10	84	2
135000	0.6	1.07	120	130	<0.5	54	4.38	3	12	34	11	4.24	<1	0.35	<10	0.42	1497	4	0.01	1	1281	14	2.86	5	2	91	<5	<0.01	<10	<10	22	<10	101	2
135001	<0.2	2.22	20	255	<0.5	45	4.20	4	13	14	13	4.62	<1	0.44	12	0.99	1794	3	0.01	<1	1498	7	0.94	<5	4	100	<5	<0.01	<10	<10	38	<10	103	2
135002	<0.2	2.10	26	168	<0.5	60	7.15	3	11	18	36	4.22	<1	0.33	15	1.00	2377	<2	0.01	<1	1323	4	0.61	<5	4	147	<5	<0.01	10	<10	35	<10	88	2
135003	<0.2	1.93	51	241	0.5	71	4.36	4	14	17	7	4.41	<1	0.47	11	0.80	1663	<2	0.01	1	1549	8	1.59	<5	4	106	<5	<0.01	<10	<10	36	<10	92	2
135004	<0.2	1.49	84	207	<0.5	44	3.51	3	13	36	7	3.77	<1	0.34	12	0.82	1099	<2	0.02	6	1592	8	1.53	<5	3	131	<5	0.01	<10	<10	35	<10	85	3
135005	<0.2	1.62	<5	118	<0.5	64	6.49	3	11	47	12	3.56	<1	0.27	13	1.07	1595	<2	0.02	6	1280	5	0.72	<5	3	319	<5	<0.01	<10	<10	38	<10	106	2
135006	<0.2	1.81	11	162	<0.5	86	7.70	4	16	31	43	4.79	<1	0.31	<10	1.18	1994	<2	0.01	2	1322	8	1.50	<5	6	348	<5	<0.01	<10	<10	43	<10	117	2
135007	0.3	1.79	9	233	<0.5	66	5.47	7	18	17	31	5.36	<1	0.46	<10	1.58	2191	2	0.01	1	1529	36	0.88	<5	8	476	<5	<0.01	<10	<10	48	<10	260	2
135008	<0.2	1.46	17	205	<0.5	65	3.94	5	18	17	21	5.02	<1	0.44	13	1.50	1790	<2	0.01	2	1687	8	0.28	<5	10	155	<5	<0.01	<10	<10	42	<10	147	2
135009	<0.2	1.39	14	232	<0.5	56	3.79	5	18	18	17	5.48	<1	0.49	<10	1.54	1706	<2	0.01	1	1541	15	1.06	<5	9	146	<5	<0.01	<10	<10	44	<10	122	2
135010	<0.2	1.15	10	192	<0.5	60	3.84	5	16	19	9	5.48	<1	0.42	<10	1.49	1827	<2	0.01	1	1510	10	1.07	<5	9	115	<5	<0.01	<10	<10	37	<10	113	2
135011	<0.2	2.10	12	264	<0.5	48	3.52	5	21	17	38	5.68	<1	0.52	10	1.66	2038	<2	0.01	2	1691	10	0.88	<5	9	98	<5	<0.01	<10	<10	51	<10	137	2
135012	<0.2	1.68	21	126	<0.5	54	2.53	6	23	21	27	6.64	<1	0.41	<10	1.20	1477	<2	0.01	3	1797	25	3.43	<5	7	76	<5	<0.01	<10	<10	40	<10	126	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Dilworth/shipment 14 bags
Sample type: Core

Report No : **9V1439RJ**
Date : Nov-06-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135013	<0.2	1.95	16	188	<0.5	57	5.02	4	18	15	16	5.24	<1	0.42	<10	1.18	2133	<2	0.01	2	1582	11	2.30	<5	6	278	<5	<0.01	<10	<10	47	<10	108	2
135014	<0.2	1.75	22	120	0.5	64	4.31	5	19	20	18	6.11	<1	0.36	<10	1.17	1845	4	0.01	2	1708	28	3.43	<5	6	277	<5	<0.01	<10	<10	44	<10	95	2
135015	<0.2	2.22	18	171	0.5	53	3.78	5	19	20	17	5.95	<1	0.43	<10	1.33	2081	<2	0.01	2	1562	14	2.19	<5	8	226	<5	<0.01	<10	<10	55	<10	99	2
135016	<0.2	2.67	13	163	<0.5	66	3.92	5	20	21	21	5.69	<1	0.31	10	1.76	2238	<2	0.01	2	1606	8	0.97	<5	8	162	<5	<0.01	<10	<10	59	<10	117	2
135017	<0.2	2.11	14	143	<0.5	39	2.93	5	18	21	4	5.89	<1	0.42	<10	1.30	1489	<2	0.01	2	1522	13	2.79	<5	6	84	<5	<0.01	<10	<10	47	<10	112	2
135018	<0.2	1.56	19	82	<0.5	66	3.58	5	19	23	31	6.09	<1	0.35	<10	0.87	1438	<2	0.01	2	1531	21	3.87	<5	5	97	<5	<0.01	<10	<10	36	<10	112	3
135019	<0.2	1.32	11	99	<0.5	74	8.05	6	17	20	16	6.03	<1	0.36	<10	0.81	2016	<2	0.01	2	1432	28	4.45	<5	4	303	<5	<0.01	<10	<10	37	<10	123	3
135020	<0.2	1.57	10	84	<0.5	65	3.35	6	19	20	18	6.03	<1	0.37	<10	0.85	1375	<2	0.01	2	1544	21	3.93	<5	4	116	<5	<0.01	<10	<10	40	<10	155	2
135021	0.2	1.71	20	97	<0.5	54	3.29	48	16	24	21	5.57	<1	0.41	<10	0.85	1532	<2	0.02	1	1430	98	3.43	<5	4	81	<5	<0.01	<10	<10	49	<10	3304	2
135022	<0.2	2.32	13	176	<0.5	55	4.06	13	18	18	22	5.25	<1	0.35	<10	1.29	2049	<2	0.01	2	1502	49	1.64	<5	5	124	<5	<0.01	<10	<10	54	<10	1034	2
135023	<0.2	2.77	11	218	0.6	41	3.25	5	18	27	23	5.51	<1	0.43	10	1.53	1663	<2	0.02	3	1565	12	1.19	<5	6	83	<5	<0.01	<10	<10	63	<10	131	2
135024	<0.2	1.82	<5	224	<0.5	36	3.13	3	13	39	18	3.56	<1	0.25	23	1.23	1028	<2	0.04	9	1653	5	0.15	<5	3	131	<5	0.01	<10	<10	42	<10	107	4
135025	<0.2	1.85	<5	919	0.5	58	3.31	3	13	39	<1	3.44	<1	0.27	26	1.20	759	<2	0.05	10	1650	<2	0.12	<5	3	152	<5	0.03	10	<10	44	<10	86	4
135026	<0.2	1.81	<5	993	0.6	49	3.09	3	13	38	7	3.55	<1	0.24	24	1.22	734	<2	0.04	10	1656	3	0.15	<5	3	120	<5	0.04	10	<10	45	<10	87	4
135027	<0.2	2.30	17	206	0.5	88	4.67	5	21	18	26	5.63	<1	0.45	<10	1.19	1663	<2	0.01	2	1523	19	2.07	<5	6	122	<5	<0.01	<10	<10	62	<10	110	2
135028	<0.2	1.90	21	188	<0.5	76	6.12	5	17	20	16	5.46	<1	0.38	<10	1.02	2228	<2	0.02	2	1438	12	2.68	<5	6	164	<5	<0.01	<10	<10	57	<10	98	2
135029	<0.2	2.00	17	148	<0.5	81	5.60	5	17	22	19	6.06	<1	0.33	<10	1.18	2200	2	0.02	1	1448	12	2.79	<5	6	199	<5	0.01	<10	<10	73	<10	107	2
135030	<0.2	2.77	20	254	0.6	69	3.39	5	20	20	21	5.62	<1	0.55	10	1.46	1839	<2	0.01	1	1534	26	1.38	<5	7	79	<5	0.01	<10	<10	82	<10	118	3
135031	<0.2	1.96	<5	469	1.4	41	2.52	3	15	45	21	4.02	<1	0.18	23	1.39	721	<2	0.05	9	1604	<2	0.14	<5	4	82	<5	0.14	11	<10	62	<10	86	6
135032	<0.2	1.89	<5	838	1.0	49	3.23	3	15	43	6	3.68	<1	0.24	25	1.28	791	<2	0.05	10	1637	<2	0.14	<5	3	122	<5	0.09	11	<10	59	<10	86	6
135033	<0.2	2.17	11	360	0.7	48	3.80	4	18	25	27	4.53	<1	0.33	14	1.31	1815	<2	0.02	5	1543	19	0.82	<5	5	113	<5	0.04	<10	<10	68	<10	94	3
135034	<0.2	2.61	13	245	<0.5	68	3.84	4	19	20	20	4.98	<1	0.49	10	1.33	2520	<2	0.01	1	1525	10	0.99	<5	6	141	<5	0.01	<10	<10	73	<10	112	2
135035	<0.2	2.44	13	215	<0.5	65	4.28	5	20	17	24	5.72	<1	0.38	<10	1.31	2564	<2	0.01	1	1474	12	1.65	<5	6	194	<5	<0.01	<10	<10	70	<10	113	2
135036	<0.2	1.85	10	110	<0.5	65	4.72	6	20	18	14	5.84	<1	0.50	<10	1.06	2080	<2	0.02	2	1610	20	3.54	<5	6	198	<5	0.01	<10	<10	49	<10	169	3
135037	<0.2	1.54	12	94	<0.5	63	5.10	7	22	15	8	5.82	<1	0.35	<10	1.02	1817	<2	0.01	2	1399	28	3.86	<5	5	201	<5	0.01	<10	<10	37	<10	228	2
135038	<0.2	2.04	12	131	<0.5	65	3.79	6	22	20	11	5.88	<1	0.39	<10	1.25	1911	<2	0.02	2	1470	62	2.99	<5	6	150	<5	0.01	<10	<10	50	<10	209	3
135039	<0.2	2.45	18	146	<0.5	64	4.06	6	23	21	30	6.31	<1	0.35	<10	1.53	2334	<2	0.02	3	1587	24	2.77	<5	6	150	<5	0.01	<10	<10	60	<10	185	3
135040	<0.2	3.06	17	283	<0.5	47	4.45	5	21	23	30	5.91	<1	0.41	10	1.88	2825	<2	0.03	3	1697	14	1.48	<5	8	189	<5	0.01	<10	<10	86	<10	160	3
135041	<0.2	2.66	15	167	<0.5	72	3.77	6	20	17	26	5.58	<1	0.24	<10	1.69	2689	<2	0.02	1	1416	30	0.90	<5	6	159	<5	0.01	<10	<10	72	<10	361	2
135042	<0.2	2.21	16	213	<0.5	70	2.77	20	16	23	16	5.35	<1	0.33	<10	1.31	2767	<2	0.02	1	1373	128	1.70	<5	5	114	<5	<0.01	<10	<10	69	<10	1674	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/shipment 14 bags

Sample type: Core

Report No : **9V1439RJ**

Date : Nov-06-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135043	<0.2	2.33	14	194	<0.5	60	2.59	9	18	20	8	6.03	<1	0.28	<10	1.33	2825	<2	0.02	2	1470	75	1.82	<5	5	105	<5	<0.01	<10	<10	54	<10	630	2
135044	<0.2	2.48	14	201	<0.5	46	1.56	24	16	26	13	6.31	<1	0.27	<10	1.45	3616	<2	0.03	1	1393	352	1.82	<5	6	65	<5	0.01	<10	<10	81	<10	2000	3
135045	<0.2	1.77	14	65	<0.5	53	1.55	12	18	31	4	7.53	<1	0.19	<10	1.07	3298	<2	0.03	1	1344	115	3.72	<5	5	66	<5	0.01	<10	<10	75	<10	782	3
135046	0.8	1.46	15	122	<0.5	44	1.80	5	12	38	1	5.38	<1	0.24	<10	0.90	2833	<2	0.01	1	858	124	2.51	<5	5	70	<5	0.01	<10	<10	55	<10	232	2
135047	3.9	1.18	17	74	<0.5	64	2.04	20	15	36	167	5.85	<1	0.20	<10	0.76	2792	<2	0.01	1	755	304	3.36	<5	4	79	<5	<0.01	<10	<10	52	<10	1538	2
135048	5.9	1.19	31	46	<0.5	56	1.04	51	18	47	655	7.46	<1	0.24	<10	0.64	1999	<2	0.01	<1	696	2747	4.50	<5	3	43	<5	0.01	<10	14	56	46	3344	3
135049	1.7	0.77	24	102	<0.5	77	9.89	11	13	35	11	4.12	<1	0.12	<10	0.45	4995	<2	0.01	<1	470	66	2.80	<5	3	291	<5	<0.01	<10	12	33	<10	852	2
135050	1.9	1.46	63	54	<0.5	59	1.23	8	18	50	94	7.68	<1	0.18	<10	0.93	2816	<2	0.01	<1	866	268	4.23	7	4	65	<5	0.01	<10	12	60	10	318	3
135051	0.3	2.00	57	66	<0.5	53	1.15	11	21	41	9	7.91	<1	0.16	<10	1.28	3627	<2	0.01	<1	951	67	3.54	<5	5	54	<5	0.01	<10	12	70	<10	597	3
135052	0.9	1.73	81	90	<0.5	59	0.91	5	21	54	<1	6.69	<1	0.17	<10	1.09	3120	<2	0.01	<1	865	53	3.00	<5	5	38	<5	0.01	<10	10	67	<10	110	3
135053	2.1	1.37	64	81	<0.5	64	2.14	7	22	46	1	7.15	<1	0.12	<10	0.88	2757	<2	0.01	<1	729	120	3.92	<5	4	58	<5	0.01	<10	11	61	<10	192	3
135054	2.3	1.26	56	104	<0.5	52	1.52	9	18	55	4	6.03	<1	0.13	<10	0.83	2904	<2	0.01	<1	715	563	3.13	<5	4	69	<5	0.01	<10	<10	58	<10	544	3
135055	2.7	1.15	45	106	<0.5	38	0.90	29	15	61	19	5.26	<1	0.14	<10	0.73	2204	<2	0.01	1	605	520	2.72	<5	3	43	<5	<0.01	<10	<10	53	<10	2288	2
135056	2.0	1.08	34	125	<0.5	44	2.08	32	13	75	32	4.51	<1	0.17	<10	0.66	2629	<2	0.01	1	665	75	2.31	<5	3	82	<5	<0.01	<10	<10	43	<10	2469	2
135057	5.1	0.79	180	55	<0.5	49	1.13	6	27	69	4	6.73	<1	0.17	<10	0.44	1465	<2	0.01	1	578	415	4.25	9	2	41	<5	<0.01	<10	12	33	<10	152	2
135058	12.0	0.65	401	65	<0.5	37	1.63	27	14	53	183	5.86	1	0.22	<10	0.27	1232	<2	0.01	<1	684	996	4.03	27	2	47	<5	<0.01	<10	<10	27	<10	2000	2
135059	8.0	1.37	110	121	<0.5	60	3.45	19	12	21	277	4.91	<1	0.33	<10	0.52	2438	<2	0.01	<1	1309	957	2.08	<5	3	141	<5	<0.01	<10	<10	43	<10	1468	2
135060	<0.2	0.02	<5	<10	<0.5	116	>15.00	<1	1	3	1	0.48	<1	0.02	<10	11.16	199	<2	0.01	1	142	3	0.42	<5	<1	44	<5	<0.01	12	<10	2	<10	22	<1
135061	5.3	1.47	89	156	<0.5	55	4.04	36	19	12	246	4.99	<1	0.37	<10	0.53	2541	<2	0.01	1	1642	1456	2.05	<5	3	138	<5	<0.01	<10	<10	45	<10	2700	2
135062	10.3	1.64	19	152	<0.5	67	3.34	65	16	14	645	4.54	<1	0.34	<10	0.55	2140	<2	0.01	2	1668	3176	1.12	<5	3	78	<5	<0.01	<10	<10	46	<10	3918	2
135063	10.8	1.77	24	142	<0.5	46	4.44	72	19	11	694	4.81	<1	0.31	<10	0.66	2962	<2	0.01	1	1531	2938	1.26	<5	4	120	<5	<0.01	<10	<10	54	<10	4085	2
135064	2.0	1.90	21	189	<0.5	57	4.47	21	17	8	134	4.66	<1	0.39	<10	0.71	3273	<2	0.01	1	1483	396	0.65	<5	4	120	<5	0.01	<10	<10	60	<10	1701	2
135065	3.1	1.94	38	144	<0.5	47	2.44	61	15	16	226	5.10	<1	0.26	<10	0.86	3219	<2	0.01	1	1301	548	1.08	<5	4	73	<5	0.01	<10	<10	65	<10	3761	2
135066	3.1	2.03	27	216	<0.5	41	2.82	53	18	14	257	4.95	<1	0.41	<10	0.72	3465	<2	0.02	1	1577	934	0.87	<5	4	84	<5	0.02	<10	<10	65	<10	3469	2
135067	2.0	2.09	33	143	<0.5	48	1.95	36	18	14	160	5.61	<1	0.27	<10	0.87	3172	3	0.01	1	1458	568	0.93	<5	5	55	<5	0.01	<10	<10	77	<10	2750	2
135068	2.6	2.24	38	190	<0.5	55	2.16	37	15	10	156	6.20	<1	0.34	<10	0.90	3206	<2	0.02	1	1479	503	1.60	<5	4	58	<5	0.01	<10	<10	69	<10	2838	3
135069	3.1	1.81	34	155	<0.5	44	2.98	42	15	12	124	5.38	<1	0.31	<10	0.70	3294	<2	0.01	1	1426	731	1.61	<5	3	81	<5	0.01	<10	<10	53	<10	2996	2
135070	2.1	1.39	27	282	<0.5	44	2.99	26	15	11	88	4.53	<1	0.38	<10	0.62	2907	<2	0.01	1	1493	555	0.93	<5	4	110	<5	<0.01	<10	<10	44	<10	2097	2
135071	1.5	1.45	47	121	<0.5	56	4.49	14	11	26	25	5.18	<1	0.23	<10	0.68	3168	<2	0.01	1	1208	432	1.75	<5	3	110	<5	<0.01	<10	<10	59	<10	1080	2
135072	2.9	0.93	80	199	<0.5	72	10.05	9	8	16	76	3.04	<1	0.25	<10	0.40	3335	<2	0.01	<1	830	447	1.53	<5	2	191	<5	<0.01	<10	<10	23	<10	710	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/shipment 14 bags

Sample type: Core

Report No : **9V1439RJ**

Date : Nov-06-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135073	3.9	0.77	104	148	<0.5	63	7.95	16	5	24	145	3.38	<1	0.29	<10	0.32	3416	<2	0.01	<1	1001	907	2.16	<5	2	306	<5	<0.01	<10	<10	25	<10	1202	1
135074	16.4	1.86	48	172	<0.5	46	2.99	135	11	12	1011	5.00	<1	0.33	<10	0.87	2845	<2	0.01	<1	1212	6201	2.00	<5	3	116	<5	<0.01	<10	<10	48	<10	4991	2
135075	15.9	2.04	23	151	<0.5	42	1.79	166	15	17	745	5.43	<1	0.29	<10	0.96	2665	<2	0.01	1	1354	4689	1.74	<5	2	65	<5	<0.01	<10	<10	45	<10	5459	2
135076	5.7	1.37	75	164	<0.5	52	3.26	46	6	20	312	4.10	<1	0.36	<10	0.58	2478	<2	0.01	1	972	2165	1.66	<5	2	142	<5	<0.01	<10	<10	29	<10	2926	2
135077	7.3	1.21	65	149	<0.5	54	4.53	87	5	24	438	3.83	<1	0.26	<10	0.66	3075	<2	0.01	<1	1004	3773	1.60	<5	2	214	<5	<0.01	<10	<10	24	<10	4206	2
135078	2.6	0.58	82	138	<0.5	32	2.66	4	2	23	35	2.85	<1	0.43	<10	0.16	1821	<2	0.01	<1	986	158	1.80	<5	1	110	<5	<0.01	<10	<10	12	<10	222	1
135079	6.1	1.02	43	108	<0.5	64	11.86	15	7	23	181	3.67	<1	0.21	<10	0.50	5536	<2	0.01	<1	725	623	1.19	<5	2	633	<5	<0.01	<10	<10	22	<10	1219	1
135080	1.1	1.38	5628	68	1.0	163	6.03	2	90	33	256	4.57	<1	0.18	<10	0.44	762	25	0.06	50	750	17	0.84	9	3	56	<5	0.11	10	<10	53	<10	72	11
135081	15.4	1.06	27	190	<0.5	35	3.10	118	8	18	451	3.13	<1	0.38	<10	0.40	2332	<2	0.01	1	1171	5449	1.48	<5	2	118	<5	<0.01	<10	<10	19	<10	4804	1
135082	2.4	1.92	29	313	<0.5	38	1.66	9	12	20	165	5.28	<1	0.27	<10	0.90	2730	<2	0.01	1	1251	371	0.75	<5	2	71	<5	<0.01	<10	<10	43	<10	598	2
135083	0.9	1.71	32	180	<0.5	34	2.39	10	8	18	26	4.37	<1	0.37	<10	0.79	2629	<2	0.01	2	1377	417	0.67	<5	3	121	<5	<0.01	<10	<10	45	<10	737	2
135084	0.8	1.01	57	121	<0.5	63	5.01	4	3	39	9	3.52	<1	0.37	<10	0.32	2856	<2	0.01	<1	818	41	1.45	<5	2	274	<5	<0.01	<10	<10	23	<10	177	1
135085	1.3	1.68	27	121	<0.5	59	6.16	3	15	25	59	3.81	<1	0.25	<10	1.18	2290	2	0.01	9	1496	27	1.13	<5	5	295	<5	<0.01	<10	<10	46	<10	90	1
135086	1.0	1.90	24	175	<0.5	57	6.64	4	14	26	48	4.07	<1	0.29	<10	1.35	2602	<2	0.01	8	1539	39	1.06	<5	6	337	<5	<0.01	<10	<10	61	<10	161	2
135087	1.0	1.83	39	155	<0.5	61	6.63	4	15	21	45	4.08	<1	0.26	<10	1.33	2668	<2	0.01	9	1647	50	1.25	<5	5	293	<5	<0.01	<10	<10	49	<10	147	2
135088	0.6	2.11	25	173	<0.5	64	6.76	3	14	26	34	4.14	<1	0.27	<10	1.52	2953	<2	0.01	8	1516	20	0.70	<5	5	326	<5	<0.01	<10	<10	61	<10	99	2
135089	0.4	2.64	16	127	<0.5	87	9.60	4	11	21	18	4.47	<1	0.20	<10	2.44	3953	<2	0.01	6	1427	20	0.57	<5	7	540	<5	<0.01	<10	10	77	<10	122	2
135090	0.5	2.34	20	170	<0.5	53	6.35	3	14	22	45	4.19	<1	0.25	<10	2.06	2596	<2	0.01	7	1534	34	0.52	<5	6	378	<5	<0.01	<10	<10	67	<10	136	2
135091	0.9	1.94	34	164	<0.5	43	4.43	3	15	25	50	4.15	<1	0.23	<10	1.66	2034	<2	0.01	8	1631	33	0.83	<5	6	227	<5	<0.01	<10	<10	54	<10	122	2
135092	1.3	1.81	37	221	<0.5	55	5.10	3	14	24	60	3.74	<1	0.31	<10	1.43	1847	<2	0.01	7	1508	20	0.72	<5	5	248	<5	<0.01	<10	<10	48	<10	107	1
135093	18.7	0.38	133	138	<0.5	34	1.96	7	13	26	47	3.14	<1	0.30	<10	0.39	1062	<2	0.01	3	961	771	2.00	14	3	43	<5	<0.01	<10	<10	12	<10	580	2
135094	0.2	1.08	32	218	<0.5	42	1.90	4	17	13	17	4.32	<1	0.39	<10	1.14	1737	2	0.01	3	1252	20	0.71	<5	5	56	<5	<0.01	<10	<10	25	<10	140	2
135095	<0.2	1.19	36	179	<0.5	37	1.73	4	15	20	11	4.38	<1	0.30	10	1.10	1632	<2	0.01	3	1239	18	0.51	<5	4	37	<5	<0.01	<10	<10	26	<10	157	2
135096	<0.2	1.02	25	245	<0.5	40	2.74	3	13	18	13	4.18	<1	0.38	<10	1.11	1924	<2	0.01	3	1162	9	0.68	<5	5	59	<5	<0.01	<10	<10	23	<10	81	2
135097	0.4	0.87	39	262	<0.5	34	1.94	4	13	22	19	3.99	<1	0.31	<10	0.86	1589	<2	0.01	3	1192	11	0.70	<5	4	44	<5	<0.01	<10	<10	20	<10	214	2
135098	1.2	0.47	78	250	<0.5	46	2.01	4	13	23	6	4.12	<1	0.29	<10	0.67	1881	<2	0.01	2	1072	29	0.61	5	4	72	<5	<0.01	<10	<10	17	<10	237	2
135099	2.5	0.41	176	88	<0.5	49	2.61	5	15	26	10	4.39	<1	0.29	<10	0.73	2207	<2	0.01	3	1084	124	1.74	9	4	140	<5	<0.01	<10	<10	16	<10	270	2
135100	<0.2	0.03	<5	11	<0.5	82	>15.00	<1	1	3	1	0.46	<1	0.02	<10	11.03	202	<2	0.01	1	140	2	0.42	<5	<1	43	<5	<0.01	11	<10	2	<10	19	<1
135101	6.6	0.44	147	124	<0.5	43	4.03	3	7	44	4	3.07	<1	0.21	<10	0.42	3694	2	0.01	1	570	91	1.43	6	3	107	<5	<0.01	<10	<10	13	<10	149	1
135102	1.5	0.82	121	221	<0.5	71	10.52	3	8	23	1	3.21	<1	0.19	<10	0.75	4483	<2	0.01	2	817	17	1.25	<5	3	215	<5	<0.01	<10	<10	22	<10	85	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/shipment 14 bags

Sample type: Core

Report No : **9V1439RJ**

Date : Nov-06-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135103	1.1	1.38	127	198	<0.5	33	1.60	4	14	23	13	4.38	<1	0.32	<10	1.06	1732	2	0.02	3	1159	77	1.33	5	3	59	<5	<0.01	<10	<10	31	<10	162	2
135104	2.2	0.98	174	147	<0.5	50	5.21	3	13	27	15	4.04	<1	0.24	<10	0.88	3054	2	0.01	3	926	105	1.89	8	3	151	<5	<0.01	<10	<10	22	<10	93	2
135105	3.0	0.95	101	208	<0.5	35	5.82	13	10	29	21	3.34	<1	0.24	<10	0.82	3611	3	0.01	2	838	599	1.28	5	3	139	<5	<0.01	<10	<10	21	<10	1126	2
135106	2.3	1.44	151	151	<0.5	53	4.01	4	11	37	2	4.45	<1	0.16	<10	1.12	4067	<2	0.02	2	928	48	1.54	7	3	95	<5	<0.01	<10	<10	38	<10	161	2
135107	2.7	1.42	164	144	<0.5	34	1.89	6	11	34	5	4.39	1	0.23	<10	1.21	2831	<2	0.02	3	899	120	1.55	8	3	81	<5	<0.01	<10	<10	37	<10	433	2
135108	7.0	0.97	309	108	<0.5	49	1.91	15	9	42	20	4.44	1	0.20	<10	0.73	2209	<2	0.01	2	682	187	2.38	21	2	69	<5	<0.01	<10	<10	23	<10	1155	2
135109	1.2	0.89	53	178	0.5	47	2.24	4	14	23	32	3.77	<1	0.31	<10	0.63	2065	2	0.01	3	1115	29	0.87	<5	4	72	<5	<0.01	<10	<10	20	<10	141	2
135110	2.4	0.37	62	194	<0.5	43	4.57	8	13	27	48	3.80	<1	0.30	<10	1.01	3039	<2	0.01	2	1022	86	1.11	<5	4	281	<5	<0.01	<10	<10	13	<10	531	2
135111	1.9	0.65	128	161	<0.5	59	8.04	3	11	22	9	2.52	<1	0.30	<10	0.40	3733	<2	0.01	2	921	24	1.13	5	3	253	<5	<0.01	<10	<10	13	<10	100	2
135112	0.5	1.96	21	148	<0.5	55	3.33	4	15	19	24	4.43	<1	0.26	<10	1.40	2309	<2	0.01	3	1163	14	0.53	<5	4	118	<5	<0.01	<10	<10	40	<10	123	2
Duplicates:																																		
134953	<0.2	3.02	<5	395	1.7	65	4.82	4	26	60	27	5.77	<1	0.30	<10	2.29	2110	<2	0.03	5	1236	6	0.47	<5	12	131	<5	0.20	12	<10	105	<10	102	4
134962	<0.2	2.89	6	598	1.1	66	4.01	4	24	47	27	5.76	<1	0.24	<10	2.29	1642	<2	0.02	4	1289	13	0.32	<5	9	162	<5	0.13	<10	<10	98	<10	98	3
134972	<0.2	2.58	<5	1352	<0.5	47	4.16	4	19	25	19	5.05	<1	0.33	11	1.65	1926	<2	0.01	2	1372	4	0.13	<5	6	181	<5	0.01	<10	<10	49	<10	122	2
134975	<0.2	2.93	9	293	<0.5	67	4.88	5	21	25	18	6.31	<1	0.45	11	1.58	2894	<2	0.01	2	1614	32	0.83	<5	6	128	<5	0.01	<10	<10	64	<10	186	3
134984	<0.2	1.79	22	217	0.5	58	4.64	4	13	15	13	4.72	<1	0.47	10	0.77	1810	<2	0.01	<1	1716	54	1.92	<5	3	166	<5	<0.01	<10	<10	31	<10	113	2
134994	<0.2	2.22	19	250	0.5	68	4.44	4	13	16	26	4.53	<1	0.43	12	1.11	2040	<2	0.01	<1	1596	13	0.51	<5	5	126	<5	0.01	<10	<10	42	<10	120	2
134997	<0.2	1.84	<5	1876	1.8	34	2.64	3	17	51	7	3.58	<1	0.23	30	1.23	710	<2	0.05	10	1630	2	0.12	<5	4	104	<5	0.18	14	<10	60	<10	90	7
135006	<0.2	1.84	10	161	<0.5	66	7.31	4	15	31	41	4.67	<1	0.33	<10	1.16	1972	<2	0.01	2	1297	9	1.44	<5	5	340	<5	<0.01	<10	<10	42	<10	113	2
135016	<0.2	2.75	12	170	<0.5	77	3.95	5	20	21	21	5.74	<1	0.33	10	1.83	2259	<2	0.01	2	1617	9	0.99	<5	8	163	<5	<0.01	<10	<10	60	<10	119	2
135019	<0.2	1.29	9	122	<0.5	55	7.28	6	16	19	16	5.51	<1	0.38	<10	0.70	1929	<2	0.01	2	1320	25	4.07	<5	4	293	<5	<0.01	<10	<10	36	<10	125	2
135028	<0.2	2.08	22	194	<0.5	65	6.82	5	18	20	17	5.81	<1	0.42	<10	1.10	2390	<2	0.02	2	1514	13	2.80	<5	6	175	<5	<0.01	<10	<10	59	<10	102	2
135038	<0.2	2.15	13	119	<0.5	55	4.13	6	23	20	11	6.07	<1	0.42	<10	1.28	1962	<2	0.02	2	1501	63	3.25	<5	6	161	<5	0.01	<10	<10	53	<10	219	3
135041	<0.2	2.65	16	168	<0.5	69	3.93	7	21	18	25	5.81	<1	0.24	<10	1.73	2748	<2	0.02	1	1435	31	0.92	<5	6	156	<5	0.01	<10	<10	72	<10	368	2
135050	2.6	1.47	63	51	<0.5	53	1.24	8	18	51	94	7.73	<1	0.18	<10	0.94	2853	<2	0.01	<1	892	265	4.18	7	4	64	<5	0.01	<10	11	59	10	312	3
135060	<0.2	0.02	<5	<10	<0.5	84	>15.00	<1	1	3	1	0.46	<1	0.02	<10	10.85	193	<2	0.01	1	144	3	0.41	<5	<1	43	<5	<0.01	12	<10	2	<10	20	<1
135063	11.0	1.77	22	137	<0.5	56	4.55	68	18	11	670	4.89	<1	0.30	<10	0.67	2892	<2	0.01	1	1484	2817	1.20	<5	4	115	<5	<0.01	<10	<10	52	<10	4065	2
135072	3.0	0.96	81	206	<0.5	63	10.44	9	8	17	79	3.12	<1	0.25	<10	0.41	3446	<2	0.01	<1	867	465	1.60	<5	2	196	<5	<0.01	<10	<10	24	<10	732	1
135082	2.5	2.00	30	323	<0.5	40	1.72	9	12	22	175	5.48	<1	0.29	<10	0.94	2830	<2	0.01	1	1304	381	0.77	<5	3	74	<5	<0.01	<10	<10	45	<10	613	2
135085	1.3	1.66	29	120	<0.5	52	6.25	3	15	25	59	3.78	<1	0.24	<10	1.18	2310	2	0.01	9	1533	28	1.14	<5	5	292	<5	<0.01	<10	<10	46	<10	88	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Dilworth/shipment 14 bags
Sample type: Core

Report No : **9V1439RJ**
Date : Nov-06-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135094	0.2	1.08	32	217	<0.5	36	1.85	4	16	13	17	4.21	<1	0.38	<10	1.13	1700	2	0.01	3	1244	20	0.69	<5	5	55	<5	<0.01	<10	<10	25	<10	137	2
135104	2.2	0.99	176	150	<0.5	58	5.23	3	13	27	15	4.03	<1	0.24	<10	0.86	3063	2	0.01	3	943	106	1.91	9	3	151	<5	<0.01	<10	<10	22	<10	95	2
135107	2.6	1.41	165	138	<0.5	35	1.94	6	12	34	6	4.46	<1	0.23	<10	1.22	2897	<2	0.02	2	916	122	1.57	9	3	81	<5	<0.01	<10	<10	37	<10	436	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	1	<0.01	<10	<0.01	<5	<2	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.5	1.91	13	311	1.8	29	0.65	5	32	115	2102	5.19	<1	1.40	14	1.40	368	2	0.06	52	749	13	0.64	<5	8	8	<5	0.23	10	<10	88	<10	201	18

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1440-RA1

Nov-10-09

Company: **Ascot Resourcrs Ltd**
Project: Dilworth/Shipment 14 bags
Attn: Sue Deane

We *hereby certify* the following assay of 9 rocks samples submitted Oct-16-09

Sample Name	Au g/tonne	Ag g/tonne	Ag g/tonne	Pb %	Sample-wt Kg
122554	0.13	>200.0	633.0	1.01	1.5
122555	0.04	>200.0	248.9		1.6
122556	<0.01	95.0			1.5
122557	0.01	108.5			1.6
122558	<0.01	61.9			1.9
122559	0.17	>200.0	1380		1.8
122560	0.01	122.7			2.7
122561	<0.01	80.4			1.8
122562	0.02	138.4			1.5
*DUP 122554	0.13	499.9			
*0211	2.26				
*ME-3			281.6	2.82	
*BLANK	<0.01		<0.1	<0.1	

Au F.A. AA finish. Ag read from ICP solution. Over limit Ag,Pb 4 Acid Digest AA finish

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resourcrs Ltd

Attention: Sue Deane

Project: Dilworth/Shipment 14 bags

Sample type: Rocks

Report No : **9V1440RJ**

Date : Nov-10-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
122554	>200.0	0.33	30	71	<0.5	21	0.33	219	7	64	102	5.02	3	0.35	<10	0.09	907	2	0.01	3	1811	>10000	3.03	9	3	18	<5	<0.01	<10	<10	12	13	6496	2
122555	>200.0	0.38	41	88	<0.5	15	0.29	79	10	48	93	4.64	1	0.41	<10	0.05	225	2	0.01	6	1752	1952	2.81	<5	2	20	<5	<0.01	<10	<10	13	<10	4101	2
122556	95.0	0.30	6	95	<0.5	22	0.57	8	5	73	68	2.79	<1	0.31	<10	0.10	950	<2	0.01	2	1650	1864	0.20	6	4	38	<5	<0.01	<10	<10	10	<10	551	2
122557	108.5	0.38	22	114	<0.5	13	0.38	14	3	44	28	2.53	<1	0.44	<10	0.02	37	2	0.01	3	575	1200	2.04	<5	1	17	<5	<0.01	<10	<10	9	<10	1075	1
122558	61.9	0.40	18	124	0.5	29	0.30	14	5	43	40	4.25	<1	0.43	10	0.07	642	<2	0.01	2	1542	706	1.59	<5	4	19	<5	<0.01	<10	<10	13	10	926	2
122559	>200.0	0.30	69	17	<0.5	50	0.06	105	8	102	133	12.13	1	0.33	<10	0.04	290	3	0.01	8	596	6105	>5.00	11	1	7	<5	<0.01	<10	21	18	29	4748	5
122560	122.7	0.37	22	43	<0.5	29	0.24	24	5	69	23	7.15	<1	0.41	<10	0.08	1074	<2	0.01	3	1395	806	4.45	<5	3	13	<5	<0.01	<10	<10	15	19	1302	3
122561	80.4	0.50	37	106	0.6	25	0.30	22	9	49	40	5.78	<1	0.50	10	0.11	1309	<2	0.01	5	1765	1071	2.69	<5	4	17	<5	<0.01	<10	<10	17	13	1276	3
122562	138.4	0.27	11	80	<0.5	5	0.08	13	1	105	35	2.24	<1	0.27	10	0.01	47	<2	0.01	1	1328	1625	0.21	7	3	6	<5	<0.01	<10	<10	7	<10	984	3
Duplicates:																																		
122554	>200.0	0.33	31	71	<0.5	8	0.33	226	7	65	106	5.14	3	0.36	<10	0.09	927	2	0.01	3	1836	>10000	3.11	10	3	18	<5	<0.01	<10	<10	13	13	6513	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.6	1.67	12	288	1.4	19	0.57	5	30	101	1985	4.71	<1	1.31	13	1.25	332	2	0.05	53	683	16	0.60	<5	7	7	<5	0.19	<10	<10	80	<10	206	10

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1458-RA1

Nov-10-09

Company: **Ascot Resources Ltd**
Project: Dilworth/Shipment 8 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-21-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
135113	<0.01	0.2	1.6
135114	0.01	0.2	1.4
135115	0.01	<0.1	1.2
135116	0.01	<0.1	1.6
135117	0.01	0.3	1.8
135118	0.02	<0.1	1.5
135119	0.03	1.3	1.5
135120	0.38	1.5	1.8
135121	0.08	1.7	1.6
135122	0.03	0.5	1.8
135123	0.01	0.7	1.5
135124	0.09	4.4	1.5
135125	0.15	3.7	1.3
135126	0.15	1.0	0.6
135127	2.29	5.5	1.0
135128	0.11	1.2	1.6
135129	0.50	5.2	1.4
135130	1.44	3.9	2.0
135131	0.44	1.6	1.6
135132	0.67	4.4	1.5
135133	0.09	0.8	1.7
135134	0.08	0.7	1.6
*DUP 135113	<0.01	0.2	
*DUP 135122	0.02	0.5	
*DUP 135132	0.67	4.5	
*0211	2.20		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1458-RA2

Nov-10-09

Company: **Ascot Resources Ltd**
Project: Dilworth/Shipment 8 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-21-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
135135	0.17	0.7	1.6
135136	1.14	3.1	1.6
135137	0.05	0.4	1.7
135138	0.13	1.5	1.5
135139	0.19	1.3	1.9
135140	<0.01	0.6	0.3
135141	0.19	0.8	1.6
135142	0.09	1.2	1.7
135143	0.07	0.6	1.6
135144	0.14	0.5	1.5
135145	0.04	0.9	2.0
135146	0.03	0.2	1.3
135147	0.04	0.4	1.2
135148	0.21	16.7	0.9
135149	0.29	1.2	1.5
135150	0.82	1.4	1.5
135151	0.09	0.8	1.4
135152	0.04	0.7	1.2
135153	0.04	0.8	1.5
135154	0.07	3.7	1.8
135155	0.04	1.9	1.9
135156	0.06	0.9	1.6
*DUP 135135	0.17	0.8	
*DUP 135144	0.17	0.4	
*DUP 135154	0.05	3.7	
*0211	2.13		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1458-RA3

Nov-10-09

Company: **Ascot Resources Ltd**
Project: Dilworth/Shipment 8 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-21-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
135157	0.11	1.2	1.9
135158	0.15	1.2	1.7
135159	0.10	0.4	1.8
135160	0.01	<0.1	1.5
135161	0.02	<0.1	1.5
135162	0.03	0.5	1.9
135163	0.03	<0.1	1.6
135164	0.06	0.1	1.5
135165	0.08	0.1	1.4
135166	0.02	<0.1	1.6
135167	0.01	<0.1	1.5
135168	<0.01	0.1	0.9
135169	<0.01	<0.1	1.4
135170	<0.01	<0.1	1.6
135171	0.01	<0.1	2.0
135172	0.02	<0.1	1.4
135173	0.02	<0.1	3.3
135174	0.01	<0.1	2.1
135175	0.03	<0.1	0.8
135176	<0.01	<0.1	1.4
135177	0.01	<0.1	1.5
135178	0.02	<0.1	1.2
*DUP 135157	0.10	1.3	
*DUP 135166	<0.01	<0.1	
*DUP 135176	<0.01	<0.1	
*0211	2.25		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1458-RA4

Nov-10-09

Company: **Ascot Resources Ltd**
Project: Dilworth/Shipment 8 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-21-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
135179	0.06	0.2	3.0
135180	<0.01	0.6	0.7
135181	0.02	0.5	3.1
135182	0.06	0.5	1.0
135183	<0.01	<0.1	1.4
135184	0.01	<0.1	1.8
135185	0.02	0.1	2.4
135186	0.42	2.5	1.4
135187	0.32	1.5	1.6
135188	0.08	2.3	1.2
135189	0.09	1.8	1.6
135190	0.23	0.9	1.9
135191	0.09	0.5	2.6
135192	0.14	0.9	3.4
135193	0.15	1.6	3.1
135194	0.24	1.5	0.9
135195	0.14	3.4	2.3
135196	0.23	0.9	3.0
135197	0.09	1.2	3.1
135198	0.41	1.8	3.1
135199	0.06	<0.1	1.4
135200	0.13	3.6	1.7
*DUP 135179	0.04	0.3	
*DUP 135188	0.10	2.5	
*DUP 135198	0.33	1.6	
*0211	2.20		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1458-RA5

Nov-10-09

Company: **Ascot Resources Ltd**
Project: Dilworth/Shipment 8 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-21-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
135201	0.06	1.6	1.4
135202	0.25	4.5	1.6
135203	0.23	6.1	1.3
*DUP 135201	0.05	1.6	
*0211	2.17		
*BLANK	<0.01		

Au F.A. AA finish. Ag read from ICP solution

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/Shipment 8 bags

Sample type: Core

Report No : **9V1458RJ**

Date : Nov-10-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135113	0.2	1.98	26	163	<0.5	19	4.40	2	14	15	23	4.28	<1	0.28	<10	1.44	2521	<2	0.01	4	1253	8	0.33	9	5	184	<5	<0.01	<10	17	41	<10	99	2
135114	0.2	1.65	26	200	<0.5	16	3.33	2	12	22	22	3.94	<1	0.28	<10	1.25	2157	3	0.01	5	1222	7	0.27	7	4	101	<5	<0.01	<10	13	35	<10	122	2
135115	<0.2	1.63	39	138	<0.5	24	1.30	3	19	11	24	5.44	<1	0.35	<10	0.97	1015	3	0.01	3	1455	18	2.02	8	4	41	<5	<0.01	<10	12	36	<10	167	2
135116	<0.2	1.74	26	186	<0.5	20	2.53	2	17	12	20	4.74	<1	0.35	<10	1.13	1367	<2	0.01	2	1416	12	1.19	8	4	64	<5	<0.01	<10	13	35	<10	91	2
135117	0.3	2.16	28	202	<0.5	24	3.97	2	18	12	24	5.42	<1	0.37	<10	1.50	1873	<2	0.01	1	1334	23	1.07	14	5	111	<5	<0.01	<10	18	46	<10	100	2
135118	<0.2	2.21	32	183	<0.5	22	3.61	2	17	14	19	5.11	<1	0.33	<10	1.52	1843	<2	0.01	<1	1308	8	0.68	12	5	137	<5	<0.01	<10	16	52	<10	88	2
135119	1.3	1.40	70	177	<0.5	20	4.60	3	15	13	19	4.58	<1	0.36	<10	0.84	2403	<2	<0.01	<1	1205	166	1.78	15	4	131	<5	<0.01	<10	20	35	<10	172	2
135120	1.5	1.33	71	174	<0.5	19	3.07	2	15	12	19	4.43	<1	0.37	<10	0.65	1721	7	0.01	<1	1342	31	1.87	17	4	90	<5	<0.01	<10	14	33	<10	118	2
135121	1.7	1.10	125	70	<0.5	24	2.15	3	20	12	16	5.37	<1	0.35	<10	0.51	1221	<2	0.01	<1	1396	23	3.29	25	3	71	<5	<0.01	<10	14	31	<10	66	2
135122	0.5	2.02	79	153	<0.5	25	4.28	3	20	15	14	6.01	<1	0.29	<10	1.24	1965	<2	0.01	<1	1302	13	2.06	16	4	156	<5	<0.01	<10	21	47	<10	120	2
135123	0.7	1.90	33	195	<0.5	20	3.01	2	18	12	35	4.71	<1	0.32	<10	1.01	1418	<2	0.01	<1	1562	8	0.88	16	4	116	<5	<0.01	<10	13	46	<10	109	2
135124	4.4	0.49	140	70	<0.5	23	4.31	2	16	18	17	5.05	<1	0.32	<10	0.13	1662	4	<0.01	<1	1146	22	3.99	43	2	126	<5	<0.01	13	18	19	<10	33	2
135125	3.7	1.10	234	116	<0.5	21	0.65	5	11	14	14	4.63	1	0.33	<10	0.47	680	<2	<0.01	<1	1332	114	2.37	27	2	15	<5	<0.01	<10	<10	26	<10	263	2
135126	1.0	1.78	33	213	<0.5	21	0.32	12	9	26	16	4.71	<1	0.28	<10	1.04	1198	<2	<0.01	<1	1526	351	0.89	9	2	12	<5	<0.01	<10	11	37	<10	1007	2
135127	5.5	1.95	44	191	<0.5	25	0.79	17	11	29	161	5.24	<1	0.26	<10	1.31	2623	3	0.01	<1	1150	1526	1.37	10	3	23	<5	<0.01	<10	20	52	26	1686	2
135128	1.2	2.02	22	203	<0.5	19	1.73	12	12	27	21	4.60	<1	0.27	<10	1.30	3200	2	<0.01	<1	1306	550	0.77	9	3	112	<5	<0.01	<10	22	43	13	1152	2
135129	5.2	1.70	17	204	<0.5	18	4.11	40	10	26	141	4.20	<1	0.29	<10	1.00	4525	<2	0.01	<1	1144	1322	1.03	10	3	225	<5	<0.01	<10	29	34	84	3235	2
135130	3.9	1.14	43	177	<0.5	17	4.85	33	9	35	67	4.03	<1	0.26	<10	0.61	4770	3	0.01	<1	968	874	1.60	8	3	209	<5	<0.01	<10	32	28	58	2826	2
135131	1.6	1.36	44	180	<0.5	19	3.01	11	10	31	37	4.24	<1	0.29	<10	0.69	3738	3	0.01	<1	1059	516	1.51	9	2	106	<5	<0.01	<10	26	32	23	1076	2
135132	4.4	1.49	24	173	<0.5	17	2.42	31	10	28	84	4.10	<1	0.26	<10	0.78	2435	4	0.01	<1	1163	1592	1.12	8	2	85	<5	<0.01	<10	17	33	54	2641	2
135133	0.8	1.84	21	175	<0.5	21	3.49	7	13	18	20	4.84	<1	0.29	<10	0.93	2525	3	0.01	<1	1373	422	1.06	9	3	89	<5	<0.01	<10	19	45	<10	678	2
135134	0.7	1.41	16	222	<0.5	15	2.00	8	9	57	14	3.65	<1	0.24	<10	0.73	2295	<2	0.01	<1	1075	273	0.71	7	2	98	<5	<0.01	<10	15	32	18	822	2
135135	0.7	1.60	28	163	<0.5	21	1.73	6	14	17	19	4.54	<1	0.36	<10	0.76	2492	3	0.01	<1	1559	248	1.43	9	3	56	<5	<0.01	<10	17	41	<10	486	3
135136	3.1	1.82	29	165	<0.5	22	2.35	35	13	22	66	4.98	<1	0.31	<10	0.95	2896	<2	0.01	<1	1497	1203	1.43	8	3	99	<5	<0.01	<10	21	38	59	2730	2
135137	0.4	1.57	22	213	<0.5	17	3.14	5	12	19	14	4.03	<1	0.31	<10	0.76	3406	3	0.01	<1	1256	73	0.89	8	3	97	<5	<0.01	<10	22	37	<10	505	2
135138	1.5	1.06	51	179	<0.5	14	5.12	4	10	23	27	3.56	<1	0.29	<10	0.48	3452	2	0.01	<1	1195	108	1.42	10	2	149	<5	<0.01	<10	25	29	<10	325	2
135139	1.3	1.59	44	201	<0.5	21	2.72	3	11	22	15	4.44	<1	0.28	<10	0.79	3010	2	0.01	<1	1357	209	1.20	9	3	103	<5	<0.01	<10	22	49	<10	239	2
135140	0.6	0.04	<5	12	<0.5	<5	>15.00	<1	1	3	1	0.52	<1	0.04	<10	14.01	211	<2	0.01	1	235	<2	0.37	<5	<1	57	<5	<0.01	13	16	3	<10	27	<1
135141	0.8	1.57	41	206	<0.5	20	4.15	3	12	18	17	4.47	<1	0.28	<10	0.83	3188	<2	0.01	<1	1378	89	1.20	8	3	144	<5	<0.01	<10	21	46	<10	195	2
135142	1.2	1.55	53	233	<0.5	19	5.87	3	13	10	38	4.36	<1	0.37	<10	0.79	3740	<2	0.01	<1	1545	51	1.18	9	4	287	<5	<0.01	<10	25	35	<10	244	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/Shipment 8 bags

Sample type: Core

Report No : **9V1458RJ**

Date : Nov-10-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135143	0.6	1.81	24	183	<0.5	20	4.46	3	13	14	53	4.67	<1	0.30	<10	1.01	3483	<2	0.01	<1	1521	36	1.09	8	3	152	<5	<0.01	<10	23	39	<10	226	2
135144	0.5	1.75	28	181	<0.5	22	3.12	3	13	10	26	4.95	<1	0.33	<10	0.97	2752	<2	0.01	<1	1494	37	1.50	8	3	101	<5	<0.01	<10	20	38	<10	215	2
135145	0.9	1.65	44	195	<0.5	20	3.92	4	14	13	44	4.53	<1	0.32	<10	0.85	2762	3	0.01	<1	1463	73	1.23	10	3	115	<5	<0.01	<10	20	38	<10	242	2
135146	0.2	1.74	39	197	<0.5	21	4.65	2	15	11	13	4.79	<1	0.33	<10	0.87	2916	4	0.01	<1	1425	21	1.28	9	3	144	<5	<0.01	<10	22	42	<10	121	2
135147	0.4	1.36	24	182	<0.5	19	4.96	3	13	10	17	4.43	<1	0.32	<10	0.60	2791	<2	0.01	<1	1499	22	1.60	9	3	163	<5	<0.01	<10	19	36	<10	147	2
135148	16.7	0.92	108	67	<0.5	16	5.00	491	13	9	381	4.64	5	0.33	<10	0.37	2634	<2	0.01	<1	1233	8661	>5.00	5	2	161	<5	<0.01	<10	21	24	968	8738	2
135149	1.2	1.17	79	160	<0.5	21	7.22	4	16	9	17	4.52	<1	0.32	<10	0.65	2986	3	0.01	<1	1382	46	2.63	9	3	219	<5	<0.01	<10	23	27	<10	215	2
135150	1.4	0.96	82	150	<0.5	19	4.68	3	14	7	12	4.40	<1	0.36	<10	0.56	2290	10	0.01	<1	1469	102	2.52	9	3	152	<5	<0.01	<10	17	23	<10	205	2
135151	0.8	1.30	51	116	<0.5	22	3.60	3	15	8	19	5.15	<1	0.30	<10	0.86	1518	18	0.01	<1	1677	41	2.56	10	3	100	<5	<0.01	<10	15	26	<10	95	2
135152	0.7	1.35	42	104	<0.5	24	3.50	3	17	6	17	5.48	<1	0.34	<10	0.98	1364	21	0.01	<1	1609	39	2.72	10	3	110	<5	<0.01	<10	15	28	<10	95	2
135153	0.8	0.86	48	120	<0.5	23	5.55	3	18	8	13	5.11	<1	0.32	<10	0.64	1934	7	0.01	<1	1431	23	3.16	10	3	187	<5	<0.01	<10	18	19	<10	76	2
135154	3.7	0.57	92	51	<0.5	30	2.51	4	18	4	16	6.31	<1	0.36	<10	0.35	977	6	0.01	<1	1463	62	4.76	11	3	84	<5	<0.01	<10	16	18	<10	135	2
135155	1.9	0.48	71	59	<0.5	20	4.88	4	12	9	17	4.60	<1	0.34	<10	0.81	2031	2	0.01	<1	1459	67	2.35	9	3	243	<5	<0.01	<10	16	19	<10	285	2
135156	0.9	1.43	55	195	<0.5	21	3.77	3	13	6	22	4.79	<1	0.36	<10	0.85	2114	2	0.01	<1	1552	83	1.23	9	3	134	<5	<0.01	<10	17	31	<10	153	2
135157	1.2	0.75	126	91	<0.5	20	2.32	3	13	12	41	4.53	<1	0.33	<10	0.49	1238	<2	0.01	<1	1397	63	2.63	12	2	70	<5	<0.01	<10	12	18	<10	126	2
135158	1.2	0.56	131	75	<0.5	18	1.64	14	14	13	18	4.50	<1	0.33	<10	0.36	907	2	0.01	<1	1223	565	3.05	11	2	48	<5	<0.01	<10	10	16	<10	1040	2
135159	0.4	1.05	66	141	<0.5	20	2.71	4	14	15	14	4.64	<1	0.31	<10	0.79	1392	<2	0.01	<1	1247	214	1.60	8	3	103	<5	<0.01	<10	14	20	<10	309	2
135160	<0.2	1.82	18	203	<0.5	20	4.47	2	15	11	9	4.67	<1	0.35	<10	1.15	1767	2	0.01	<1	1394	15	0.55	8	3	152	<5	<0.01	<10	15	28	<10	130	2
135161	<0.2	1.62	44	147	<0.5	20	1.84	2	15	12	13	4.71	<1	0.30	<10	0.99	951	2	0.01	<1	1459	14	1.04	10	3	68	<5	<0.01	<10	11	25	<10	112	2
135162	0.5	0.98	38	130	0.5	18	2.53	2	15	11	16	4.11	<1	0.34	<10	0.72	1147	<2	0.01	<1	1401	21	1.57	11	3	91	<5	<0.01	<10	11	18	<10	112	2
135163	<0.2	1.50	36	147	<0.5	21	3.82	2	15	11	6	5.02	<1	0.29	<10	1.09	1717	<2	0.01	<1	1349	18	1.31	10	4	95	<5	<0.01	<10	16	24	<10	100	2
135164	<0.2	1.32	39	119	<0.5	23	4.14	3	17	10	6	5.35	<1	0.29	<10	0.98	1839	<2	0.01	<1	1218	28	2.23	12	4	102	<5	<0.01	<10	19	22	<10	90	2
135165	<0.2	1.39	55	123	<0.5	21	3.74	3	14	15	6	4.83	<1	0.26	<10	0.95	1685	<2	0.01	<1	1199	42	1.76	9	3	128	<5	<0.01	<10	16	24	<10	198	2
135166	<0.2	1.71	21	158	<0.5	20	4.09	3	15	10	12	4.77	<1	0.31	<10	1.24	1609	<2	0.01	<1	1363	25	0.76	7	4	176	<5	<0.01	<10	14	29	<10	166	2
135167	<0.2	0.95	32	139	<0.5	21	2.21	3	15	10	10	4.90	<1	0.31	<10	1.01	1151	<2	0.01	<1	1423	18	0.63	8	4	66	<5	<0.01	<10	11	22	<10	169	2
135168	<0.2	0.39	49	229	<0.5	18	3.21	2	13	47	13	4.32	<1	0.28	<10	1.04	1828	<2	0.01	1	1091	13	0.91	8	4	174	<5	<0.01	<10	14	18	<10	84	2
135169	<0.2	0.72	22	118	0.5	23	2.85	3	18	28	18	5.34	<1	0.28	<10	1.27	1871	<2	0.01	1	1372	11	0.61	8	6	133	<5	<0.01	<10	16	25	<10	108	2
135170	<0.2	1.26	17	526	<0.5	21	4.66	2	16	21	24	5.03	<1	0.32	<10	1.48	2140	<2	0.01	1	1374	10	0.34	8	6	199	<5	<0.01	<10	16	33	<10	100	2
135171	<0.2	2.03	13	199	0.5	24	3.34	2	19	21	23	5.40	<1	0.28	<10	1.69	1468	<2	0.01	2	1399	11	0.48	9	6	100	<5	<0.01	<10	15	40	<10	101	2
135172	<0.2	2.71	32	173	<0.5	25	3.76	2	19	17	39	5.73	<1	0.29	<10	1.71	2473	<2	0.02	<1	1530	45	0.44	10	5	71	<5	<0.01	<10	21	62	<10	121	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/Shipment 8 bags

Sample type: Core

Report No : **9V1458RJ**

Date : Nov-10-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135173	<0.2	2.80	42	178	<0.5	27	3.87	3	20	16	27	5.97	<1	0.26	<10	1.84	2336	<2	0.01	<1	1571	22	0.49	10	5	70	<5	<0.01	<10	21	61	<10	147	2
135174	<0.2	2.74	42	254	<0.5	26	2.36	3	19	22	14	5.67	<1	0.32	<10	1.84	1769	<2	0.02	2	1674	12	0.39	9	5	42	<5	0.01	<10	14	68	<10	196	3
135175	<0.2	2.46	36	236	0.5	23	0.84	4	19	27	41	5.25	<1	0.34	13	1.71	1228	<2	0.02	5	1886	18	0.27	8	4	17	<5	0.01	<10	<10	61	<10	341	3
135176	<0.2	2.11	<5	750	<0.5	20	2.04	2	18	51	17	4.75	<1	0.15	17	1.96	856	<2	0.04	16	2206	6	0.08	8	4	74	<5	0.01	<10	<10	67	<10	223	4
135177	<0.2	2.04	<5	1768	<0.5	19	3.40	2	17	52	15	4.58	<1	0.17	17	1.95	891	<2	0.05	16	2161	5	0.13	8	4	144	<5	0.01	<10	<10	67	<10	135	4
135178	<0.2	2.75	35	205	<0.5	26	1.66	3	20	17	41	5.94	<1	0.30	<10	1.73	2180	<2	0.01	<1	1613	19	0.28	9	6	30	<5	<0.01	<10	16	63	<10	245	2
135179	0.2	2.60	68	207	<0.5	26	2.23	3	19	16	42	5.69	<1	0.31	<10	1.46	2423	<2	0.02	<1	1604	32	0.51	10	5	43	<5	<0.01	<10	19	64	<10	207	2
135180	0.6	0.04	<5	<10	<0.5	<5	>15.00	<1	1	3	1	0.47	1	0.03	<10	13.48	195	<2	0.01	1	224	<2	0.35	<5	<1	58	<5	<0.01	13	16	3	<10	27	<1
135181	0.5	2.40	49	176	<0.5	25	4.44	2	19	19	26	5.68	<1	0.31	<10	1.40	2349	<2	0.02	<1	1600	27	0.92	10	5	88	<5	<0.01	<10	20	53	<10	108	2
135182	0.5	2.23	47	279	<0.5	23	2.71	2	18	19	23	5.28	<1	0.38	<10	1.24	1676	<2	0.02	<1	1707	49	0.62	8	5	58	<5	<0.01	<10	14	53	<10	150	2
135183	<0.2	1.58	<5	1380	<0.5	19	2.57	2	16	41	13	4.51	<1	0.28	19	1.47	974	<2	0.04	15	2332	12	0.16	7	4	123	<5	0.01	<10	<10	50	<10	147	6
135184	<0.2	0.79	44	337	0.6	22	2.31	3	17	25	19	4.97	<1	0.37	13	0.58	1887	<2	0.02	4	1908	18	0.28	7	6	71	<5	<0.01	<10	12	29	<10	141	3
135185	<0.2	0.48	39	193	0.5	26	4.58	3	17	17	33	5.59	<1	0.33	<10	1.03	2781	<2	0.01	<1	1510	20	1.14	9	6	162	<5	<0.01	<10	22	27	<10	92	2
135186	2.5	0.81	68	132	0.5	23	3.32	61	19	28	48	5.29	<1	0.37	<10	0.70	2598	<2	0.01	<1	1483	376	1.99	10	4	81	<5	<0.01	<10	22	30	120	4175	2
135187	1.5	0.81	35	139	<0.5	29	2.07	27	20	33	55	6.33	<1	0.32	<10	1.07	3386	3	0.01	<1	1539	426	1.95	9	5	100	<5	<0.01	<10	28	35	36	2116	2
135188	2.3	1.99	26	170	<0.5	30	1.39	32	16	32	115	6.59	<1	0.32	<10	1.43	2759	<2	0.01	<1	1511	634	1.72	11	4	47	<5	<0.01	<10	23	52	40	2427	2
135189	1.8	0.66	29	208	<0.5	11	7.99	8	8	51	12	2.81	<1	0.24	<10	0.58	4317	<2	0.01	<1	769	112	1.22	6	3	259	<5	<0.01	<10	29	21	23	858	1
135190	0.9	2.31	61	187	<0.5	24	3.41	12	19	27	13	5.32	<1	0.29	<10	1.68	2723	<2	0.01	<1	1489	218	1.36	12	5	79	<5	<0.01	<10	23	54	16	1054	2
135191	0.5	2.00	90	193	<0.5	24	4.03	4	18	21	26	5.33	<1	0.32	<10	1.25	2275	<2	0.02	<1	1453	70	1.70	11	5	105	<5	<0.01	<10	21	50	<10	233	2
135192	0.9	1.63	106	185	<0.5	22	6.38	8	14	27	24	5.03	<1	0.31	<10	0.92	3104	<2	0.01	<1	1213	122	1.90	11	4	144	<5	<0.01	<10	27	51	14	655	2
135193	1.6	1.69	188	200	<0.5	23	4.71	3	15	26	15	4.91	<1	0.36	<10	1.03	2510	2	0.01	<1	1309	112	2.12	12	4	111	<5	<0.01	<10	21	45	<10	175	2
135194	1.5	0.51	280	113	<0.5	18	5.81	2	11	28	11	4.01	<1	0.28	<10	0.28	1850	<2	0.01	<1	948	27	3.22	13	3	133	<5	<0.01	<10	19	18	<10	68	2
135195	3.4	1.14	212	182	<0.5	18	5.28	18	13	31	36	4.21	<1	0.37	<10	0.65	2294	2	0.01	<1	1220	499	2.06	13	4	145	<5	<0.01	<10	19	32	46	1619	2
135196	0.9	1.71	169	200	<0.5	22	4.97	3	16	22	23	4.97	<1	0.35	<10	0.92	2004	<2	0.01	<1	1412	67	1.86	9	4	109	<5	<0.01	<10	18	37	<10	197	2
135197	1.2	1.50	111	234	<0.5	18	6.84	2	15	20	20	4.22	<1	0.39	<10	0.77	2340	3	0.01	<1	1311	40	1.53	10	4	195	<5	<0.01	<10	19	35	<10	85	2
135198	1.8	1.41	179	202	<0.5	20	7.08	4	14	24	34	4.38	<1	0.31	<10	0.72	2787	<2	0.01	<1	1234	90	1.76	11	3	159	<5	<0.01	<10	23	33	<10	313	2
135199	<0.2	2.33	73	213	<0.5	26	5.04	2	19	20	24	5.56	<1	0.33	<10	1.27	2218	<2	0.01	<1	1537	18	1.37	10	5	99	<5	<0.01	<10	21	53	<10	102	2
135200	3.6	2.08	119	184	<0.5	24	6.30	18	17	23	45	5.31	<1	0.31	<10	1.20	3214	<2	0.01	<1	1351	1233	1.63	14	4	158	<5	<0.01	<10	27	47	37	1643	2
135201	1.6	1.82	110	194	<0.5	21	8.59	4	15	20	24	4.99	<1	0.33	<10	1.04	4415	<2	0.01	<1	1272	115	1.75	9	4	196	<5	<0.01	<10	27	43	<10	257	2
135202	4.5	1.09	247	142	<0.5	18	7.90	62	13	43	43	4.47	2	0.27	<10	0.58	4014	<2	0.01	<1	856	802	2.76	11	3	222	<5	<0.01	<10	25	29	35	4154	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/Shipment 8 bags

Sample type: Core

Report No : **9V1458RJ**

Date : Nov-10-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135203	6.1	1.15	43	159	<0.5	13	8.81	33	9	59	117	3.54	2	0.24	<10	0.64	4194	<2	0.01	<1	841	1297	1.52	10	2	309	<5	<0.01	<10	26	25	<10	2841	1
Duplicates:																																		
135113	0.2	2.05	24	178	<0.5	18	4.35	2	14	16	24	4.24	<1	0.33	<10	1.46	2509	<2	0.01	4	1187	8	0.31	9	5	186	<5	<0.01	<10	17	42	<10	98	2
135122	0.5	2.01	77	161	<0.5	25	4.19	3	19	15	16	5.84	<1	0.31	<10	1.21	1931	<2	0.01	<1	1239	13	2.00	16	4	154	<5	<0.01	<10	21	47	<10	117	2
135132	4.5	1.59	26	199	<0.5	19	2.49	33	11	29	88	4.18	<1	0.30	<10	0.82	2591	5	0.01	<1	1234	1647	1.16	9	3	92	<5	<0.01	<10	19	36	64	2866	2
135135	0.8	1.60	26	177	<0.5	21	1.77	6	14	18	19	4.64	<1	0.37	<10	0.77	2520	3	0.01	<1	1573	255	1.46	9	3	56	<5	<0.01	<10	16	41	<10	481	3
135144	0.4	1.79	28	196	<0.5	21	3.10	3	12	11	26	4.91	<1	0.35	<10	0.96	2766	<2	0.01	<1	1466	36	1.44	9	3	100	<5	<0.01	<10	20	39	<10	215	2
135154	3.7	0.61	90	55	<0.5	30	2.54	4	18	4	16	6.44	<1	0.37	<10	0.36	994	6	0.01	<1	1462	59	4.80	11	3	84	<5	<0.01	<10	16	19	<10	139	2
135157	1.3	0.76	114	97	<0.5	18	2.17	3	12	12	41	4.25	<1	0.33	<10	0.45	1185	<2	0.01	<1	1270	59	2.38	11	2	72	<5	<0.01	<10	11	17	<10	118	2
135166	<0.2	1.74	19	160	<0.5	20	4.09	3	15	10	12	4.81	<1	0.32	<10	1.24	1618	<2	0.01	<1	1335	25	0.74	7	4	178	<5	<0.01	<10	14	29	<10	167	2
135176	<0.2	2.20	<5	787	<0.5	21	2.11	2	18	53	18	4.93	<1	0.16	18	2.04	888	<2	0.04	16	2244	6	0.09	8	4	77	<5	0.01	<10	<10	70	<10	231	4
135179	0.3	2.72	69	228	<0.5	26	2.28	3	19	18	43	5.85	<1	0.35	10	1.50	2496	<2	0.02	<1	1598	32	0.52	9	5	44	<5	<0.01	<10	19	68	<10	215	2
135188	2.5	2.05	28	190	<0.5	31	1.36	31	16	32	115	6.56	<1	0.36	<10	1.40	2724	<2	0.01	<1	1464	626	1.71	12	4	46	<5	<0.01	<10	23	54	39	2395	2
135198	1.6	1.43	178	205	<0.5	19	6.97	4	14	25	33	4.30	<1	0.34	<10	0.71	2749	<2	0.01	<1	1215	90	1.76	11	3	158	<5	<0.01	<10	22	33	<10	314	2
135201	1.6	1.81	110	192	<0.5	20	8.63	4	16	20	23	5.14	<1	0.32	<10	1.06	4436	<2	0.01	<1	1283	115	1.76	10	4	195	<5	<0.01	<10	26	42	11	255	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	1	<0.01	<10	<0.01	<5	<2	0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.4	1.78	14	279	<0.5	22	0.63	3	30	108	1994	4.91	1	1.36	13	1.31	335	2	0.05	57	703	21	0.62	9	7	7	<5	0.21	<10	<10	83	<10	211	10

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1518-RA1

Nov-13-09

Company: **Ascot Resources Ltd**
Project: Dilworth/Shipment 35 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-22-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
135204	0.24	3.1	2.0
135205	0.17	0.8	1.5
135206	<0.01	0.5	1.2
135207	0.01	0.5	0.7
135208	0.02	0.2	1.0
135209	0.01	0.2	1.7
135210	0.01	0.3	2.9
135211	0.01	<0.1	3.1
135212	0.02	0.7	3.1
135213	0.04	1.2	3.0
135214	0.02	0.9	3.2
135215	0.01	0.2	1.6
135216	0.03	1.5	2.2
135217	0.05	1.5	1.2
135218	0.17	1.0	1.9
135219	0.08	1.9	1.6
135220	<0.01	0.3	0.9
135221	0.09	1.3	1.7
135222	0.12	8.9	1.9
135223	0.03	0.8	1.6
135224	0.05	<0.1	1.4
135225	0.01	<0.1	0.9
*DUP 135204	0.22	2.9	
*DUP 135213	0.03	1.3	
*DUP 135223	0.02	0.9	
*0211	2.13		
*BLANK	<0.01		

Au F.A. AA finish,Ag read from ICP solution

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1518-RA2

Nov-13-09

Company: **Ascot Resources Ltd**
Project: Dilworth/Shipment 35 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-22-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
135226	0.01	0.2	1.1
135227	0.01	0.3	3.4
135228	0.01	0.5	3.5
135229	0.01	0.2	3.3
135230	0.01	<0.1	3.8
135231	0.03	2.6	1.9
135232	0.11	3.8	2.2
135233	1.26	170.1	1.9
135234	0.30	6.7	2.0
135235	0.23	4.2	1.8
135236	0.14	3.5	1.8
135237	0.99	135.6	2.1
135238	0.35	1.5	1.7
135239	0.01	0.8	1.7
135240	0.01	0.3	1.1
135241	0.01	1.4	1.6
135242	0.01	0.3	1.9
135243	0.01	<0.1	2.1
135244	0.03	0.8	1.5
135245	0.04	0.9	1.7
135246	0.17	14.0	1.7
135247	0.09	2.5	1.9
*DUP 135226	<0.01	0.3	
*DUP 135235	0.24	4.0	
*DUP 135245	0.02	0.9	
*0211	2.20		
*BLANK	<0.01		

Au F.A. AA finish,Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1518-RA3

Nov-13-09

Company: **Ascot Resources Ltd**
Project: Dilworth/Shipment 35 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-22-09

Sample Name	Au g/tonne	Ag g/tonne	Pb %	Sample-wt Kg
135248	0.01	0.7		1.8
135249	0.06	0.3		2.1
135250	0.05	0.7		1.9
135251	0.04	1.5		1.7
135252	0.90	37.0	1.03	0.6
135253	0.05	3.0		1.2
135254	0.04	1.0		1.5
135255	0.17	1.6		1.7
135256	0.07	1.4		1.7
135257	<0.01	0.8		1.5
135258	0.01	0.9		2.0
135259	0.01	0.5		1.2
135260	<0.01	0.4		0.7
135261	<0.01	<0.1		1.8
135262	0.09	3.9		1.3
135263	0.09	0.4		1.8
135264	0.12	2.9		1.5
135265	1.25	3.4		1.7
135266	0.20	3.8		1.8
135267	1.06	1.2		1.6
135268	0.07	0.7		1.5
135269	0.11	0.3		1.5
*DUP 135248	0.02	0.7		
*DUP 135257	<0.01	0.8		
*DUP 135267	0.97	1.3		
*0211	2.17			
*ME-3			2.75	
*BLANK	<0.01		<0.01	

Au F.A. AA finish,Ag read from ICP solution. Pb 4 Acid Digest AA finish

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1518-RA4

Nov-13-09

Company: **Ascot Resources Ltd**
Project: Dilworth/Shipment 35 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-22-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
135270	0.05	0.5	1.8
135271	0.01	0.4	1.5
135272	0.02	0.5	1.7
135273	0.02	0.8	1.5
135274	0.03	0.7	1.5
135275	0.01	0.6	1.8
135276	0.22	1.1	1.9
135277	0.08	1.1	1.3
135278	0.07	0.7	1.5
135279	0.03	0.6	1.7
135280	<0.01	0.3	1.0
135281	0.06	1.1	0.8
135282	0.12	1.4	1.1
135283	2.77	2.6	1.1
135284	3.97	4.1	1.7
135285	1.89	2.7	1.6
135286	2.88	4.0	1.7
135287	4.23	4.4	1.6
135288	2.00	2.3	1.6
135289	1.61	4.2	1.6
135290	0.09	3.2	1.5
135291	0.22	1.3	1.7
*DUP 135270	0.04	0.5	
*DUP 135279	0.02	0.6	
*DUP 135289	1.62	4.2	
*0211	2.32		
*BLANK	<0.01		

Au F.A. AA finish,Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1518-RA5

Nov-13-09

Company: **Ascot Resources Ltd**
Project: Dilworth/Shipment 35 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-22-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
135292	0.29	1.6	1.1
135293	0.18	1.9	0.7
135294	0.05	0.5	1.6
135295	0.08	1.6	2.2
135296	0.02	1.4	1.6
135297	0.25	4.9	1.7
135298	0.10	1.3	1.5
135299	0.46	6.2	1.5
135300	<0.01	0.4	1.0
135301	0.42	2.6	1.6
135302	0.22	1.3	1.7
135303	0.49	2.6	1.8
135304	0.05	1.8	1.8
135305	0.03	0.9	1.7
135306	0.03	0.4	2.1
135307	0.02	0.2	1.5
135308	<0.01	<0.1	1.2
135309	<0.01	<0.1	1.0
135310	0.01	<0.1	1.8
135311	0.01	0.1	2.7
135312	0.04	0.1	2.7
135313	0.03	0.2	3.4
*DUP 135292	0.25	1.5	
*DUP 135301	0.46	2.9	
*DUP 135311	0.01	0.1	
*0211	2.22		
*BLANK	<0.01		

Au F.A. AA finish,Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1518-RA6

Nov-13-09

Company: **Ascot Resources Ltd**
Project: Dilworth/Shipment 35 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-22-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
135314	0.06	<0.1	3.4
135315	0.02	<0.1	3.2
135316	0.03	<0.1	2.8
135317	0.02	<0.1	3.3
135318	0.02	<0.1	2.4
135319	0.04	0.9	0.8
135320	<0.01	0.4	0.9
135321	0.05	1.4	3.2
135322	0.09	0.4	3.0
135323	0.03	0.9	3.6
135324	0.08	1.0	3.3
135325	0.05	0.8	3.2
135326	0.02	<0.1	3.2
135327	0.06	2.3	3.3
135328	0.03	0.5	3.5
135329	0.03	1.3	3.2
135330	0.02	0.2	3.5
135331	0.02	0.9	3.4
135332	0.09	0.6	3.5
135333	0.02	1.7	1.6
135334	0.06	1.0	1.3
135335	0.23	2.4	3.1
*DUP 135314	0.05	<0.1	
*DUP 135323	0.03	1.0	
*DUP 135333	0.02	2.1	
*0211	2.25		
*BLANK	<0.01		

Au F.A. AA finish,Ag read from ICP solution

Certified by _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1518-RA7

Nov-13-09

Company: **Ascot Resources Ltd**
Project: Dilworth/Shipment 35 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-22-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
135336	0.01	0.9	1.3
135337	<0.01	1.6	1.0
135338	0.01	1.5	1.4
135339	0.01	3.7	1.4
135340	<0.01	0.4	0.8
135341	<0.01	1.0	2.4
135342	0.16	11.8	3.0
135343	0.01	3.0	3.4
135344	0.02	7.4	3.3
135345	0.03	1.2	3.4
135346	0.02	18.1	3.3
135347	0.03	0.9	3.1
135348	0.02	2.3	3.3
135349	0.01	3.1	3.2
135350	0.01	1.5	3.3
135351	0.03	2.7	3.0
135352	0.02	1.4	3.2
135353	0.02	1.5	3.3
135354	0.11	17.5	3.3
135355	0.11	4.7	3.5
135356	0.01	2.5	3.7
135357	0.01	1.2	3.4
*DUP 135336	<0.01	1.0	
*DUP 135345	<0.01	1.4	
*DUP 135355	0.07	5.0	
*0211	2.31		
*BLANK	<0.01		

Au F.A. AA finish,Ag read from ICP solution

Certified by _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/Shipment 35 bags

Sample type: Core

Report No : **9V1518RJ**

Date : Nov-13-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135204	3.1	1.63	157	145	<0.5	22	5.40	9	16	19	27	4.83	1	0.34	<10	0.93	3011	<2	0.01	1	1245	347	2.07	11	3	192	<5	<0.01	<10	19	40	<10	788	2
135205	0.8	0.94	98	196	<0.5	21	3.73	3	19	11	43	4.89	1	0.38	<10	1.15	1982	<2	0.01	<1	1495	16	0.92	8	5	198	<5	<0.01	<10	12	29	<10	98	2
135206	0.5	1.62	22	201	<0.5	15	3.72	2	15	24	22	3.89	1	0.35	<10	1.08	1989	<2	0.01	2	1193	9	0.42	9	4	93	<5	<0.01	<10	<10	30	<10	191	2
135207	0.5	1.82	20	218	<0.5	19	4.93	2	16	15	32	4.45	1	0.36	<10	1.17	2202	<2	0.01	1	1242	20	0.92	8	4	127	<5	<0.01	<10	11	35	<10	83	2
135208	0.2	1.85	16	198	<0.5	17	2.97	2	15	19	23	4.08	1	0.33	<10	1.24	1546	<2	0.01	1	1215	10	0.39	8	4	73	<5	<0.01	<10	<10	37	<10	97	2
135209	0.2	2.24	21	207	<0.5	21	3.48	2	18	13	25	4.65	1	0.37	11	1.50	1772	<2	0.01	1	1450	17	0.53	10	4	73	<5	<0.01	<10	<10	44	<10	113	2
135210	0.3	1.92	38	329	<0.5	19	4.80	2	17	16	16	4.27	1	0.37	<10	1.33	2195	<2	0.01	1	1279	14	0.81	9	5	106	<5	<0.01	<10	12	42	<10	116	2
135211	<0.2	1.97	25	209	<0.5	21	3.47	2	17	13	17	4.65	1	0.32	<10	1.40	2047	<2	0.01	2	1289	13	0.86	8	5	78	<5	<0.01	<10	10	43	<10	120	2
135212	0.7	1.91	51	204	<0.5	21	3.26	3	17	10	17	4.62	1	0.33	<10	1.45	2821	<2	0.02	1	1345	42	1.02	9	5	146	<5	<0.01	<10	15	45	<10	180	2
135213	1.2	1.61	78	170	<0.5	18	3.50	6	15	14	19	4.27	1	0.28	<10	1.18	2643	<2	0.01	1	1170	191	1.42	7	3	141	<5	<0.01	<10	15	34	<10	568	2
135214	0.9	1.91	55	229	<0.5	20	2.98	12	17	11	36	4.51	1	0.35	<10	1.32	2532	<2	0.02	2	1340	231	1.21	8	4	101	<5	<0.01	<10	15	42	<10	1412	2
135215	0.2	1.93	28	318	<0.5	19	3.86	2	17	10	15	4.36	1	0.33	<10	1.48	2950	<2	0.01	2	1310	18	0.72	8	4	136	<5	<0.01	<10	16	39	<10	118	2
135216	1.5	1.67	77	213	<0.5	23	4.24	11	18	10	51	4.94	1	0.41	<10	1.32	2926	<2	0.01	2	1487	508	1.77	12	4	150	<5	<0.01	<10	17	33	<10	886	2
135217	1.5	1.02	49	169	<0.5	11	11.20	6	8	20	12	2.95	1	0.22	<10	0.71	3788	<2	0.01	<1	757	79	1.11	7	2	344	<5	<0.01	<10	20	22	<10	651	1
135218	1.0	1.66	64	208	<0.5	18	4.31	36	13	17	39	4.32	2	0.37	<10	1.13	3089	<2	0.01	<1	1115	99	1.59	9	3	107	<5	<0.01	<10	16	37	35	2939	2
135219	1.9	0.92	123	174	<0.5	12	10.64	9	9	38	11	3.35	1	0.25	<10	0.67	4585	2	0.01	1	798	63	1.79	11	3	431	<5	<0.01	<10	22	22	20	817	2
135220	0.3	0.05	<5	16	<0.5	<5	>15.00	<1	1	4	1	0.47	<1	0.03	<10	13.35	239	<2	0.01	2	208	<2	0.39	<5	<1	51	<5	<0.01	12	17	3	<10	29	<1
135221	1.3	1.67	53	209	<0.5	19	4.60	4	14	16	42	4.45	1	0.31	<10	1.22	3674	<2	0.01	1	1256	110	1.19	9	4	116	<5	<0.01	<10	15	32	16	369	2
135222	8.9	1.30	128	149	<0.5	19	3.55	9	11	28	22	4.12	1	0.27	<10	0.97	2952	<2	0.01	1	955	3057	1.54	9	2	137	<5	<0.01	<10	15	24	<10	836	2
135223	0.8	1.41	56	165	<0.5	16	3.41	5	13	35	16	3.86	1	0.27	<10	0.93	1942	<2	0.01	1	1052	151	0.97	7	2	138	<5	<0.01	<10	11	26	<10	486	2
135224	<0.2	2.02	31	196	<0.5	21	3.07	2	17	12	18	4.93	1	0.31	<10	1.34	1760	<2	0.01	2	1426	42	0.69	10	4	98	<5	<0.01	<10	12	36	<10	90	2
135225	<0.2	1.78	13	168	<0.5	19	1.69	2	15	13	16	4.40	1	0.28	<10	1.18	1257	<2	0.01	2	1267	6	0.20	7	3	51	<5	<0.01	<10	<10	34	<10	89	2
135226	0.2	1.66	27	219	<0.5	19	3.65	2	16	8	20	4.77	<1	0.25	<10	1.25	1793	<2	0.01	1	1227	32	0.66	9	4	155	<5	<0.01	<10	12	30	<10	93	2
135227	0.3	1.84	69	174	<0.5	21	2.90	2	17	11	37	4.50	<1	0.28	<10	1.19	1643	<2	0.01	2	1334	9	0.57	8	4	93	<5	<0.01	<10	11	31	<10	89	2
135228	0.5	1.80	37	193	<0.5	20	4.27	2	18	8	24	4.44	<1	0.28	<10	1.20	1831	<2	0.01	2	1286	14	0.66	9	4	109	<5	<0.01	<10	12	29	<10	90	2
135229	0.2	1.83	50	191	<0.5	21	4.01	2	18	9	12	4.84	1	0.26	<10	1.25	1668	<2	0.01	2	1313	13	0.93	9	4	138	<5	<0.01	<10	14	31	<10	102	2
135230	<0.2	2.05	22	166	<0.5	23	3.89	2	16	10	8	5.14	<1	0.26	<10	1.41	1782	<2	0.01	2	1327	10	0.77	9	4	142	<5	<0.01	<10	14	33	<10	88	2
135231	2.6	1.47	29	134	<0.5	19	2.01	3	16	11	99	4.14	1	0.23	<10	0.85	1103	3	0.01	2	1260	34	1.10	9	3	65	<5	<0.01	<10	<10	26	<10	229	2
135232	3.8	0.88	85	92	<0.5	17	2.39	3	18	9	56	4.06	<1	0.28	<10	0.56	1138	3	0.01	3	1300	29	2.01	12	3	89	<5	<0.01	<10	<10	19	<10	117	2
135233	170.1	0.43	157	42	<0.5	17	2.08	2	16	18	30	3.83	1	0.27	<10	0.22	781	<2	<0.01	2	1050	30	3.16	16	2	66	<5	<0.01	<10	<10	11	<10	92	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/Shipment 35 bags

Sample type: Core

Report No : **9V1518RJ**

Date : Nov-13-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135234	6.7	0.57	158	63	<0.5	17	1.26	2	18	16	23	3.78	1	0.24	<10	0.25	462	<2	<0.01	3	1182	19	2.91	12	2	29	<5	<0.01	<10	<10	13	<10	72	2
135235	4.2	0.96	87	108	<0.5	16	1.79	2	16	17	17	3.65	<1	0.23	<10	0.52	846	5	<0.01	2	1212	17	1.77	10	2	50	<5	<0.01	<10	<10	23	<10	58	1
135236	3.5	0.49	167	57	<0.5	21	1.60	3	17	20	17	4.84	1	0.25	<10	0.22	567	3	0.01	2	1128	19	4.03	16	1	38	<5	<0.01	<10	<10	15	<10	64	2
135237	135.6	0.32	135	58	<0.5	19	0.87	3	13	31	45	4.36	<1	0.22	<10	0.06	222	3	<0.01	2	843	16	3.85	33	1	20	<5	<0.01	<10	<10	11	<10	72	2
135238	1.5	0.86	64	116	<0.5	21	2.87	3	18	14	18	4.71	1	0.26	<10	0.81	1414	7	<0.01	2	1342	38	1.73	9	4	76	<5	<0.01	<10	12	22	<10	122	2
135239	0.8	0.65	12	237	<0.5	19	4.76	3	16	17	17	4.47	1	0.27	<10	0.93	2409	2	0.01	1	1274	25	0.84	7	4	176	<5	<0.01	<10	14	21	<10	91	2
135240	0.3	0.03	<5	12	<0.5	<5	>15.00	<1	1	2	1	0.43	<1	0.03	<10	12.57	212	<2	0.01	2	197	<2	0.36	<5	<1	48	<5	<0.01	11	16	3	<10	19	<1
135241	1.4	1.58	15	154	<0.5	19	6.45	2	12	13	7	4.36	<1	0.27	10	1.18	3006	<2	0.01	<1	1297	10	0.42	8	4	135	<5	<0.01	<10	14	34	<10	93	2
135242	0.3	2.27	29	138	<0.5	23	3.53	3	16	14	37	5.13	<1	0.26	<10	1.64	1797	<2	0.01	<1	1456	9	0.34	9	5	86	<5	<0.01	<10	14	41	<10	104	2
135243	<0.2	2.19	26	229	<0.5	22	3.01	2	18	14	10	4.93	<1	0.27	<10	1.61	1733	<2	0.01	<1	1455	9	0.32	8	5	77	<5	<0.01	<10	13	41	<10	111	2
135244	0.8	1.63	94	169	<0.5	20	3.63	3	19	12	27	4.59	1	0.23	<10	1.43	1988	<2	0.01	<1	1375	20	0.91	9	4	103	<5	<0.01	<10	14	34	<10	153	2
135245	0.9	1.41	57	140	<0.5	17	4.53	2	15	14	16	4.28	1	0.26	<10	1.08	2069	<2	0.01	<1	1209	16	1.29	7	4	91	<5	<0.01	<10	12	32	<10	80	2
135246	14.0	0.44	210	75	<0.5	17	3.14	2	15	14	30	4.05	<1	0.27	<10	0.30	1122	4	<0.01	2	1156	32	3.26	14	2	81	<5	<0.01	<10	11	12	<10	45	2
135247	2.5	0.53	117	69	<0.5	17	1.59	2	13	19	13	3.88	1	0.24	<10	0.25	622	5	<0.01	1	982	19	3.07	11	2	33	<5	<0.01	<10	<10	14	16	41	2
135248	0.7	0.90	57	150	<0.5	17	4.34	2	15	16	23	3.86	<1	0.28	<10	0.80	1823	2	0.01	1	1200	26	1.18	8	4	105	<5	<0.01	<10	14	25	<10	82	2
135249	0.3	1.20	91	144	<0.5	24	4.15	3	19	11	14	5.19	<1	0.30	<10	1.35	2238	<2	0.01	<1	1386	82	1.48	8	5	118	<5	<0.01	<10	18	36	<10	129	2
135250	0.7	0.64	96	158	0.5	23	4.46	4	19	9	46	5.13	<1	0.32	<10	1.15	2485	<2	0.01	<1	1424	86	1.19	9	6	176	<5	<0.01	<10	18	27	<10	239	2
135251	1.5	0.40	78	141	0.5	19	3.35	10	17	10	114	4.18	<1	0.31	<10	1.09	2072	<2	0.01	<1	1322	216	1.04	7	5	231	<5	<0.01	<10	13	20	20	787	2
135252	37.0	0.31	109	105	<0.5	18	7.27	282	13	11	980	4.98	1	0.26	<10	0.98	3540	<2	0.01	<1	1043	>10000	3.17	16	4	244	<5	<0.01	<10	22	17	534	7755	2
135253	3.0	0.41	33	116	<0.5	22	4.51	27	16	11	55	4.88	<1	0.31	<10	1.32	2562	<2	0.01	<1	1287	1150	1.16	8	5	294	<5	<0.01	<10	17	22	43	2052	2
135254	1.0	0.40	83	181	<0.5	21	4.63	4	17	13	28	4.66	<1	0.32	<10	1.33	2490	<2	0.01	<1	1255	73	1.14	7	5	312	<5	<0.01	<10	18	21	<10	173	2
135255	1.6	0.42	53	151	0.5	25	4.03	16	18	8	59	5.48	<1	0.33	<10	1.41	2565	<2	0.01	<1	1418	402	1.29	9	5	240	<5	<0.01	<10	19	23	10	1127	2
135256	1.4	0.34	47	172	<0.5	20	3.51	3	16	16	63	4.43	<1	0.28	<10	1.18	2258	<2	0.01	<1	1265	306	1.06	8	4	214	<5	<0.01	<10	15	19	<10	121	2
135257	0.8	0.37	14	192	<0.5	20	3.40	3	15	9	55	4.68	<1	0.31	<10	1.13	2139	<2	0.01	<1	1301	22	0.55	7	4	227	<5	<0.01	<10	15	22	<10	112	2
135258	0.9	0.52	32	148	0.5	23	3.60	3	17	13	24	4.99	<1	0.34	<10	0.96	2336	<2	0.01	<1	1277	50	1.37	8	4	156	<5	<0.01	<10	17	26	<10	124	2
135259	0.5	1.48	16	204	<0.5	20	5.03	2	14	13	37	4.54	<1	0.30	<10	1.18	2886	<2	0.01	<1	1226	29	0.59	7	5	148	<5	<0.01	<10	18	39	<10	97	2
135260	0.4	0.03	<5	15	<0.5	<5	>15.00	<1	1	2	1	0.49	<1	0.03	<10	13.52	222	<2	0.01	2	175	<2	0.37	<5	<1	49	<5	<0.01	12	13	4	29	21	<1
135261	<0.2	2.07	12	204	<0.5	24	4.45	3	15	16	21	5.35	<1	0.30	<10	1.53	2649	<2	0.01	<1	1386	26	0.30	9	5	137	<5	<0.01	<10	18	48	<10	163	2
135262	3.9	0.85	163	153	<0.5	20	3.24	3	18	14	13	4.33	<1	0.29	<10	0.60	1927	3	0.01	<1	1019	64	2.41	15	3	123	<5	<0.01	<10	14	25	<10	120	2
135263	0.4	1.91	30	166	<0.5	23	5.02	4	18	17	11	5.18	<1	0.28	<10	1.34	3356	<2	0.01	<1	1303	96	0.96	9	4	140	<5	<0.01	<10	21	45	11	268	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/Shipment 35 bags

Sample type: Core

Report No : **9V1518RJ**

Date : Nov-13-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135264	2.9	1.18	42	189	<0.5	14	8.34	6	11	15	29	3.52	<1	0.27	<10	0.71	4576	<2	0.01	<1	905	119	0.95	7	4	208	<5	<0.01	<10	24	30	25	584	1
135265	3.4	1.27	47	122	<0.5	24	3.13	46	16	20	17	5.39	<1	0.27	<10	0.78	3310	<2	0.01	<1	1249	500	2.61	9	3	101	<5	<0.01	<10	23	35	77	3388	2
135266	3.8	1.52	39	151	<0.5	22	4.98	60	13	18	25	4.90	<1	0.23	<10	0.90	4573	2	0.01	<1	956	1177	1.79	7	3	109	<5	<0.01	<10	27	44	129	4333	2
135267	1.2	1.18	26	161	<0.5	18	4.09	10	11	19	11	4.23	<1	0.21	<10	0.70	3116	2	0.01	<1	1077	358	1.51	7	2	167	<5	<0.01	<10	19	30	<10	914	2
135268	0.7	1.43	9	203	<0.5	20	1.49	12	13	6	17	4.53	<1	0.32	<10	0.73	1710	<2	0.01	<1	1547	292	1.51	7	3	45	<5	<0.01	<10	10	31	18	944	2
135269	0.3	1.74	14	195	<0.5	25	2.83	7	15	9	8	5.37	<1	0.29	<10	1.01	2731	<2	0.01	<1	1519	314	1.59	9	3	92	<5	<0.01	<10	19	36	<10	563	2
135270	0.5	1.63	20	232	<0.5	19	2.65	6	17	5	19	4.28	<1	0.35	<10	0.86	2041	<2	0.01	<1	1298	216	0.96	7	3	111	<5	<0.01	<10	11	30	16	478	2
135271	0.4	1.24	17	230	<0.5	13	3.96	2	13	9	21	3.36	1	0.32	<10	0.57	2059	<2	0.01	<1	1106	12	0.74	5	3	109	<5	<0.01	<10	<10	22	<10	72	1
135272	0.5	1.26	18	209	<0.5	15	3.42	2	12	9	21	3.88	1	0.33	<10	0.62	2421	2	0.01	<1	1107	56	1.08	5	2	109	<5	<0.01	<10	10	28	<10	186	2
135273	0.8	1.40	27	222	<0.5	15	5.45	2	12	7	35	3.84	1	0.33	<10	0.72	3206	2	0.01	<1	1044	13	0.91	5	3	172	<5	<0.01	<10	13	32	<10	94	2
135274	0.7	1.41	21	206	<0.5	17	4.69	2	14	6	37	4.18	<1	0.32	<10	0.71	2698	<2	0.01	<1	1168	34	1.02	7	3	166	<5	<0.01	<10	11	36	<10	90	2
135275	0.6	1.26	13	249	<0.5	14	3.89	2	11	7	16	3.54	<1	0.34	<10	0.58	1765	3	0.01	<1	1107	45	0.97	6	2	125	<5	<0.01	<10	<10	28	<10	120	2
135276	1.1	1.32	36	189	<0.5	15	7.51	2	11	9	21	3.82	<1	0.29	<10	0.70	2754	2	0.01	<1	985	123	1.20	7	3	221	<5	<0.01	<10	13	33	29	144	2
135277	1.1	0.84	37	202	<0.5	12	5.57	2	10	8	11	2.89	1	0.32	<10	0.36	2001	7	0.01	<1	873	27	1.39	5	2	165	<5	<0.01	<10	<10	20	<10	98	2
135278	0.7	1.03	17	198	<0.5	13	2.33	2	12	26	20	3.20	<1	0.29	<10	0.44	1190	5	0.01	<1	1001	25	1.12	6	2	67	<5	<0.01	<10	<10	21	15	104	2
135279	0.6	1.01	9	198	<0.5	13	2.72	2	12	27	18	3.19	<1	0.26	<10	0.45	1484	3	0.01	<1	992	18	1.02	5	2	91	<5	<0.01	<10	<10	20	<10	112	1
135280	0.3	0.03	<5	11	<0.5	<5	>15.00	<1	1	3	<1	0.43	<1	0.02	<10	12.40	208	<2	0.01	2	137	<2	0.34	<5	<1	49	<5	<0.01	10	15	3	<10	20	<1
135281	1.1	0.61	18	180	<0.5	10	5.80	2	10	23	13	2.56	1	0.31	<10	0.28	2192	2	0.01	<1	989	53	1.49	5	2	177	<5	<0.01	<10	<10	15	45	92	1
135282	1.4	0.71	30	182	<0.5	11	4.07	3	13	29	13	3.06	1	0.30	<10	0.39	1894	8	0.01	1	972	93	1.35	6	3	212	<5	<0.01	<10	<10	20	41	215	2
135283	2.6	1.13	20	157	<0.5	16	7.56	53	9	35	38	4.05	2	0.22	<10	0.62	3968	3	0.01	<1	629	70	1.93	6	2	527	<5	<0.01	<10	22	30	115	3938	1
135284	4.1	1.66	50	159	<0.5	24	5.73	63	14	26	15	5.97	2	0.29	<10	0.93	4185	6	0.01	<1	692	703	2.64	8	2	275	<5	<0.01	<10	27	45	141	4160	2
135285	2.7	1.05	46	144	<0.5	15	8.69	12	5	30	7	4.08	1	0.23	<10	0.62	4294	<2	0.01	<1	566	262	1.40	6	2	360	<5	<0.01	<10	22	30	<10	1089	1
135286	4.0	0.75	40	144	<0.5	14	7.59	23	7	38	17	3.99	1	0.23	<10	0.61	4045	2	0.01	<1	632	1104	1.46	7	3	358	<5	<0.01	<10	21	23	30	2008	1
135287	4.4	0.75	36	160	<0.5	15	7.16	10	10	35	15	4.03	1	0.24	<10	0.63	4315	2	0.01	<1	697	223	1.44	7	2	254	<5	<0.01	<10	20	22	20	950	1
135288	2.3	1.28	35	156	<0.5	18	7.70	7	8	36	9	4.35	1	0.21	<10	0.75	4921	2	0.01	<1	721	237	1.40	7	3	396	<5	<0.01	<10	26	43	44	587	2
135289	4.2	0.42	33	128	<0.5	11	10.25	5	5	48	20	2.86	1	0.16	<10	0.39	5126	2	0.01	<1	445	454	1.44	5	2	491	<5	<0.01	<10	25	16	<10	453	1
135290	3.2	0.23	20	73	<0.5	<5	>15.00	<1	2	21	2	1.35	2	0.11	14	0.28	>10000	3	0.01	<1	186	84	0.95	<5	5	1275	<5	<0.01	11	40	4	27	83	1
135291	1.3	1.13	40	202	<0.5	18	4.50	8	8	41	7	4.17	1	0.46	<10	0.51	3591	7	0.01	<1	785	37	1.61	7	3	261	<5	<0.01	<10	17	31	13	646	2
135292	1.6	1.30	80	144	<0.5	25	6.12	30	5	10	14	4.95	<1	0.68	<10	0.44	4713	19	0.01	<1	378	86	2.31	8	1	347	<5	<0.01	<10	32	33	15	2452	2
135293	1.9	1.60	50	146	<0.5	22	11.17	38	10	15	8	4.74	<1	0.28	10	0.85	6930	10	0.01	<1	704	135	1.46	8	3	398	<5	<0.01	10	49	45	26	3254	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/Shipment 35 bags

Sample type: Core

Report No : **9V1518RJ**

Date : Nov-13-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135294	0.5	1.83	20	194	<0.5	20	5.45	10	14	14	18	4.54	<1	0.24	<10	1.09	3796	6	0.01	<1	1161	112	0.83	7	3	192	<5	<0.01	<10	25	40	<10	958	2
135295	1.6	2.38	38	182	<0.5	28	2.79	27	19	12	47	5.94	<1	0.29	<10	1.42	2796	2	0.01	<1	1473	569	1.14	10	4	107	<5	<0.01	<10	23	56	18	2323	2
135296	1.4	1.94	28	196	<0.5	27	3.44	27	20	13	72	5.74	<1	0.28	<10	1.26	3419	<2	0.01	<1	1482	719	1.18	9	4	127	<5	<0.01	<10	25	46	16	2257	2
135297	4.9	1.85	44	151	<0.5	26	2.82	55	19	11	33	5.64	<1	0.30	<10	1.09	3748	10	0.01	<1	1313	2410	1.86	10	3	119	<5	<0.01	<10	26	45	38	4100	2
135298	1.3	2.54	30	219	<0.5	32	1.78	26	21	15	31	6.65	<1	0.26	<10	1.32	3580	12	0.01	<1	1321	928	1.13	11	4	72	<5	<0.01	<10	27	60	12	2307	2
135299	6.2	2.33	30	245	<0.5	28	5.30	52	18	11	50	5.83	1	0.27	<10	1.18	4981	8	0.01	<1	1209	3290	1.28	12	4	206	<5	<0.01	<10	32	54	44	3907	2
135300	0.4	0.05	<5	18	<0.5	<5	>15.00	<1	1	2	1	0.49	<1	0.03	<10	12.83	230	<2	0.01	1	174	9	0.36	<5	<1	51	<5	<0.01	11	14	4	<10	37	<1
135301	2.6	2.28	24	193	<0.5	27	3.91	53	18	11	22	5.52	1	0.22	<10	1.25	4817	9	0.01	<1	1158	1277	0.95	10	3	163	<5	<0.01	<10	32	51	41	3893	2
135302	1.3	2.39	13	213	<0.5	28	3.82	45	16	9	47	5.68	1	0.27	<10	1.28	4745	<2	0.01	<1	1374	704	0.88	9	4	148	<5	<0.01	<10	32	55	28	3527	2
135303	2.6	2.39	29	153	<0.5	30	4.42	116	18	21	37	6.04	3	0.21	<10	1.39	4674	7	0.01	<1	1125	888	1.44	9	4	166	<5	<0.01	<10	34	57	102	6298	2
135304	1.8	2.07	26	195	<0.5	25	3.58	40	17	8	47	5.09	<1	0.30	<10	1.17	3237	<2	0.01	<1	1321	455	1.05	9	4	107	<5	<0.01	<10	22	47	29	3127	2
135305	0.9	1.67	35	161	<0.5	21	4.95	17	17	11	25	4.42	<1	0.26	<10	0.98	2651	<2	0.01	<1	1273	187	1.06	8	4	144	<5	<0.01	<10	19	34	<10	1467	2
135306	0.4	2.07	78	180	<0.5	24	3.40	3	18	6	23	5.17	<1	0.30	<10	1.33	1958	<2	0.01	<1	1445	48	0.75	10	5	103	<5	<0.01	<10	17	41	<10	162	2
135307	0.2	2.02	57	141	<0.5	25	3.93	3	19	10	21	5.45	<1	0.25	<10	1.38	2076	<2	0.01	<1	1406	26	0.81	8	5	122	<5	<0.01	<10	18	45	<10	124	2
135308	<0.2	2.01	24	147	<0.5	28	3.68	3	18	9	18	5.75	<1	0.28	<10	1.50	2050	6	0.01	<1	1280	25	0.94	9	5	114	<5	<0.01	<10	18	50	<10	126	2
135309	<0.2	1.71	14	133	<0.5	25	5.38	3	16	8	25	5.40	<1	0.25	<10	1.35	2525	<2	0.01	<1	1346	23	0.57	9	5	174	<5	<0.01	<10	21	44	<10	115	2
135310	<0.2	0.48	26	304	<0.5	26	4.74	4	16	5	30	5.38	<1	0.30	<10	1.55	2198	<2	0.01	<1	1369	18	0.58	7	7	264	<5	<0.01	<10	18	31	<10	103	2
135311	<0.2	0.40	27	370	<0.5	22	4.20	3	15	8	6	4.82	<1	0.28	<10	1.33	2333	<2	0.01	<1	1358	20	0.55	7	7	256	<5	<0.01	<10	16	24	<10	105	2
135312	<0.2	2.07	86	183	<0.5	26	4.23	3	18	7	12	5.33	<1	0.27	<10	1.54	2125	<2	0.01	<1	1490	17	0.95	10	5	129	<5	<0.01	<10	19	49	<10	93	2
135313	0.2	2.28	96	115	<0.5	26	5.27	3	18	9	10	5.31	<1	0.21	<10	1.69	2151	<2	0.01	<1	1381	16	0.94	10	6	142	<5	<0.01	<10	19	54	<10	90	2
135314	<0.2	2.42	67	132	<0.5	26	4.36	3	18	7	26	5.48	<1	0.25	<10	1.57	2086	<2	0.01	<1	1348	18	1.01	9	5	103	<5	<0.01	<10	18	55	<10	99	2
135315	<0.2	2.24	25	118	<0.5	24	3.51	3	20	8	28	5.23	<1	0.23	<10	1.30	1733	<2	0.01	<1	1444	18	0.64	8	4	109	<5	<0.01	<10	15	50	<10	95	2
135316	<0.2	2.05	36	145	<0.5	22	4.76	2	15	7	22	4.63	<1	0.26	<10	1.06	1989	<2	0.01	<1	1257	12	0.63	8	4	154	<5	<0.01	<10	16	45	<10	76	2
135317	<0.2	2.32	29	138	<0.5	24	5.32	2	15	9	27	5.17	<1	0.22	<10	1.34	2454	<2	0.01	<1	1309	10	0.65	9	4	125	<5	<0.01	<10	21	52	<10	89	2
135318	<0.2	2.30	32	121	<0.5	27	4.68	3	17	8	18	5.74	<1	0.25	<10	1.41	2203	<2	0.01	<1	1341	12	1.02	9	5	143	<5	<0.01	<10	20	57	<10	89	2
135319	0.9	0.71	37	237	<0.5	27	6.49	4	14	10	35	5.62	<1	0.24	<10	1.93	3095	<2	0.01	<1	1173	22	0.96	10	6	316	<5	<0.01	<10	24	39	<10	138	2
135320	0.4	0.04	<5	14	<0.5	<5	>15.00	<1	1	14	1	0.49	<1	0.03	<10	12.73	215	<2	0.01	2	172	<2	0.35	<5	<1	51	<5	<0.01	11	14	4	11	21	<1
135321	1.4	1.42	70	223	<0.5	25	5.40	3	17	9	38	5.72	<1	0.25	<10	1.53	2788	<2	0.01	<1	1232	206	0.83	9	6	210	<5	<0.01	<10	22	56	<10	107	2
135322	0.4	1.45	47	158	<0.5	23	6.15	3	15	10	24	4.90	<1	0.21	<10	1.34	2596	<2	0.01	<1	1207	18	0.64	8	6	240	<5	<0.01	<10	20	43	<10	87	2
135323	0.9	2.25	74	109	<0.5	25	5.33	3	17	10	56	5.42	<1	0.24	<10	1.63	2460	<2	0.01	<1	1296	22	0.91	11	6	148	<5	<0.01	<10	21	53	<10	156	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/Shipment 35 bags

Sample type: Core

Report No : **9V1518RJ**

Date : Nov-13-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135324	1.0	2.11	133	114	<0.5	27	4.01	3	19	8	26	5.75	<1	0.22	<10	1.52	1925	<2	0.01	<1	1382	26	1.62	11	5	114	<5	<0.01	<10	19	47	<10	97	2
135325	0.8	2.12	69	141	<0.5	25	3.62	3	16	9	29	5.20	<1	0.25	<10	1.49	1720	<2	0.01	<1	1376	112	1.25	11	4	106	<5	<0.01	<10	16	43	<10	167	2
135326	<0.2	2.43	32	147	<0.5	25	4.49	2	16	7	19	5.20	<1	0.22	<10	1.59	2099	<2	0.01	<1	1383	9	0.59	9	4	125	<5	<0.01	<10	18	50	<10	95	2
135327	2.3	2.32	50	145	<0.5	22	3.74	2	15	8	121	4.97	<1	0.29	<10	1.37	2007	<2	0.01	<1	1388	22	0.66	11	4	105	<5	<0.01	<10	16	50	<10	85	2
135328	0.5	2.67	53	161	<0.5	28	4.73	3	20	8	26	5.96	<1	0.24	<10	1.69	2261	<2	0.01	<1	1446	14	0.72	12	5	136	<5	<0.01	<10	20	58	<10	105	2
135329	1.3	1.74	65	136	<0.5	22	4.27	3	16	14	40	4.74	<1	0.28	<10	0.96	1867	4	0.01	2	1136	51	1.71	11	3	107	<5	<0.01	<10	17	35	<10	148	2
135330	0.2	2.10	45	124	<0.5	23	4.12	3	17	17	23	4.89	<1	0.23	<10	1.20	1915	2	0.01	2	1196	15	0.92	9	3	121	<5	<0.01	<10	16	41	<10	212	2
135331	0.9	1.96	48	149	<0.5	22	5.07	2	15	13	29	4.66	<1	0.26	<10	1.20	2118	<2	0.01	1	1189	15	0.56	9	4	166	<5	<0.01	<10	17	37	<10	93	2
135332	0.6	1.85	57	119	<0.5	26	3.70	3	18	14	20	5.64	<1	0.21	<10	1.17	1582	<2	0.01	2	1265	26	2.21	9	4	105	<5	<0.01	<10	18	42	<10	128	2
135333	1.7	0.37	10	64	<0.5	6	>15.00	<1	3	28	4	1.34	<1	0.08	16	0.25	5843	<2	0.01	<1	280	15	0.75	<5	4	1280	<5	<0.01	12	34	6	10	59	1
135334	1.0	1.85	95	98	<0.5	28	1.96	4	21	9	16	5.95	<1	0.21	<10	1.01	1190	2	0.01	2	1315	47	2.28	10	2	78	<5	<0.01	<10	16	35	<10	141	2
135335	2.4	1.84	92	127	<0.5	27	1.77	16	22	11	28	5.71	<1	0.24	<10	0.97	1216	3	0.01	2	1324	560	2.17	9	2	50	<5	<0.01	<10	15	39	17	1347	2
135336	0.9	2.61	57	157	<0.5	27	6.04	3	28	6	66	5.94	1	0.26	<10	1.13	2562	<2	0.01	<1	1416	16	0.52	10	4	349	<5	<0.01	<10	22	56	<10	110	2
135337	1.6	1.05	21	85	<0.5	11	15.00	1	9	49	24	2.70	1	0.15	<10	0.43	4227	<2	0.01	1	434	11	0.44	7	3	1369	<5	<0.01	<10	25	21	13	47	1
135338	1.5	2.41	36	166	<0.5	25	3.46	3	26	8	78	5.63	<1	0.26	<10	1.05	2324	<2	0.01	2	1541	10	0.37	10	4	104	<5	<0.01	<10	18	55	<10	94	2
135339	3.7	2.71	58	215	<0.5	29	3.14	6	30	5	125	6.35	1	0.30	<10	1.24	2205	<2	0.01	4	1629	24	0.71	11	4	67	<5	<0.01	<10	18	58	<10	410	2
135340	0.4	0.03	<5	14	<0.5	<5	>15.00	<1	1	2	1	0.48	<1	0.03	<10	13.28	223	<2	0.01	2	171	<2	0.35	<5	<1	51	<5	<0.01	11	16	3	<10	21	<1
135341	1.0	0.92	79	162	<0.5	9	6.36	1	7	38	11	2.30	1	0.25	<10	0.40	2499	<2	0.01	1	712	8	0.41	5	1	378	<5	<0.01	<10	10	13	11	44	1
135342	11.8	0.63	3600	206	<0.5	11	3.81	1	6	30	16	2.36	<1	0.32	<10	0.18	1336	<2	0.01	1	742	96	1.31	18	1	171	<5	<0.01	<10	<10	9	11	205	1
135343	3.0	1.93	45	264	<0.5	21	2.91	4	15	28	23	4.85	<1	0.24	<10	1.09	1833	<2	0.01	2	1149	59	0.34	9	3	120	<5	<0.01	<10	12	37	10	303	2
135344	7.4	1.68	40	414	<0.5	21	7.18	3	16	20	15	4.79	<1	0.26	<10	1.12	3320	<2	0.01	<1	1080	40	0.64	10	4	357	<5	<0.01	<10	18	42	<10	212	2
135345	1.2	2.25	24	153	<0.5	23	4.45	3	17	24	19	4.97	1	0.22	<10	1.35	2448	<2	0.01	1	1195	12	0.37	10	4	155	<5	<0.01	<10	17	52	<10	145	2
135346	18.1	2.01	25	275	<0.5	25	4.40	4	19	20	42	5.72	<1	0.28	<10	1.42	2513	<2	0.01	1	1263	16	0.44	10	5	195	<5	<0.01	<10	17	51	<10	206	2
135347	0.9	2.60	26	188	<0.5	25	2.59	3	19	20	26	5.75	1	0.25	<10	1.53	1941	<2	0.01	1	1320	16	0.35	9	4	92	<5	<0.01	<10	14	56	<10	163	2
135348	2.3	2.10	30	218	<0.5	20	3.67	3	17	18	22	4.90	<1	0.29	<10	1.20	2333	<2	0.01	2	1156	18	0.58	9	3	140	<5	<0.01	<10	13	41	<10	242	2
135349	3.1	2.16	47	194	<0.5	20	2.86	2	18	18	23	4.76	<1	0.25	<10	1.37	1969	<2	0.01	4	1262	15	0.44	8	2	139	<5	<0.01	<10	<10	40	<10	127	2
135350	1.5	2.24	28	220	<0.5	22	3.60	2	15	21	16	4.95	1	0.27	<10	1.36	2386	<2	0.01	3	1118	8	0.56	8	3	172	<5	<0.01	<10	11	50	<10	90	2
135351	2.7	1.80	21	176	<0.5	19	4.26	6	13	25	30	4.22	1	0.25	<10	1.04	2357	<2	0.01	3	1037	123	0.64	8	3	241	<5	<0.01	<10	11	40	10	529	2
135352	1.4	1.27	27	340	<0.5	15	6.72	2	12	22	26	4.05	1	0.26	<10	0.91	2559	<2	0.01	2	1001	18	0.51	6	3	413	<5	<0.01	<10	11	30	<10	79	1
135353	1.5	1.91	19	479	<0.5	21	5.18	3	18	16	24	5.21	1	0.23	<10	1.25	2163	<2	0.01	1	1353	18	0.52	8	5	182	<5	<0.01	<10	11	43	<10	133	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd

Attention: Sue Deane

Project: Dilworth/Shipment 35 bags

Sample type: Core

Report No : **9V1518RJ**

Date : Nov-13-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135354	17.5	2.37	37	255	<0.5	25	4.43	3	19	18	15	5.66	1	0.24	<10	1.36	2142	2	0.01	1	1214	36	0.84	10	4	110	<5	<0.01	<10	15	52	<10	165	2
135355	4.7	2.36	43	162	<0.5	24	4.02	3	22	16	29	5.58	1	0.20	<10	1.36	2207	2	0.01	1	1246	155	0.77	10	4	105	<5	<0.01	<10	15	48	<10	159	2
135356	2.5	2.30	24	160	<0.5	21	3.34	2	17	7	17	4.94	<1	0.24	<10	1.37	1880	2	0.01	1	1341	14	0.36	8	3	75	<5	<0.01	<10	11	36	<10	132	2
135357	1.2	2.37	24	138	<0.5	20	3.28	2	17	9	18	4.98	<1	0.20	<10	1.45	1617	2	0.01	1	1356	9	0.29	8	2	109	<5	<0.01	<10	<10	36	<10	110	2
Duplicates:																																		
135204	2.9	1.50	151	174	<0.5	21	5.25	9	16	18	26	4.97	1	0.31	<10	0.89	2973	<2	0.01	1	1216	363	2.02	11	3	179	<5	<0.01	<10	19	38	<10	771	2
135213	1.3	1.60	80	192	<0.5	19	3.59	7	15	13	20	4.51	1	0.27	<10	1.17	2697	<2	0.01	2	1247	200	1.48	8	4	140	<5	<0.01	<10	14	36	<10	604	2
135223	0.9	1.46	63	195	<0.5	16	3.48	6	14	37	16	3.92	1	0.30	<10	0.96	2000	<2	0.01	1	1126	160	1.02	8	3	138	<5	<0.01	<10	11	28	<10	518	2
135226	0.3	1.67	23	298	<0.5	20	3.74	2	16	9	22	4.65	1	0.27	<10	1.30	1797	<2	0.01	1	1241	31	0.69	8	4	152	<5	<0.01	<10	12	31	<10	96	2
135235	4.0	1.02	88	116	<0.5	16	1.84	2	16	19	18	3.76	1	0.25	<10	0.53	868	4	<0.01	2	1189	17	1.78	10	2	50	<5	<0.01	<10	<10	24	<10	58	1
135245	0.9	1.36	55	145	<0.5	17	4.29	2	15	14	16	4.27	1	0.24	<10	1.04	2008	<2	0.01	1	1133	15	1.28	7	4	92	<5	<0.01	<10	11	32	<10	80	2
135248	0.7	0.92	57	160	<0.5	17	4.52	2	15	17	23	4.06	<1	0.29	<10	0.82	1852	2	0.01	<1	1174	27	1.21	8	4	105	<5	<0.01	<10	13	25	<10	84	2
135257	0.8	0.44	14	229	<0.5	20	3.41	3	15	10	53	4.73	<1	0.35	<10	1.13	2126	<2	0.01	<1	1256	21	0.55	8	4	225	<5	<0.01	<10	13	23	<10	111	2
135267	1.3	1.25	25	182	<0.5	19	4.26	10	11	20	11	4.28	<1	0.24	<10	0.71	3116	2	0.01	<1	1086	353	1.63	7	2	172	<5	<0.01	<10	18	31	20	906	2
135270	0.5	1.59	19	230	<0.5	18	2.53	5	16	5	17	4.19	1	0.34	<10	0.85	1966	<2	0.01	<1	1272	207	0.95	6	3	110	<5	<0.01	<10	10	30	12	451	2
135279	0.6	1.04	10	205	<0.5	13	2.71	2	12	29	18	3.29	<1	0.27	<10	0.47	1477	3	0.01	<1	998	18	1.01	5	2	94	<5	<0.01	<10	<10	21	<10	113	1
135289	4.2	0.43	33	129	<0.5	10	10.61	5	5	49	20	2.90	1	0.15	<10	0.39	4966	2	0.01	<1	438	445	1.41	5	2	486	<5	<0.01	<10	23	16	<10	439	1
135292	1.5	1.31	81	132	<0.5	25	6.20	30	5	10	12	5.01	<1	0.65	<10	0.45	4545	18	0.01	<1	362	80	2.22	7	1	333	<5	<0.01	<10	32	33	21	2381	2
135301	2.9	2.52	25	232	<0.5	30	4.30	58	20	13	25	6.12	1	0.25	<10	1.38	5307	9	0.01	<1	1259	1418	1.05	10	4	176	<5	<0.01	<10	35	58	46	4255	2
135311	<0.2	0.43	26	378	<0.5	22	4.27	3	15	8	7	4.90	<1	0.28	<10	1.34	2351	<2	0.01	<1	1365	20	0.54	6	7	261	<5	<0.01	<10	16	25	<10	105	2
135314	<0.2	2.44	66	130	<0.5	26	4.37	3	18	7	25	5.88	<1	0.25	<10	1.56	2117	<2	0.01	<1	1361	18	1.02	10	5	105	<5	<0.01	<10	19	55	<10	101	2
135323	1.0	2.24	77	112	<0.5	26	5.26	3	18	10	54	5.33	<1	0.25	<10	1.60	2411	<2	0.01	<1	1288	22	0.91	9	6	150	<5	<0.01	<10	21	54	<10	151	2
135333	2.1	0.39	12	67	<0.5	6	>15.00	<1	3	31	4	1.35	<1	0.09	16	0.26	5989	<2	0.01	<1	289	16	0.76	5	4	1314	<5	<0.01	12	35	7	26	60	1
135336	1.0	2.62	61	154	<0.5	28	6.29	3	28	7	62	6.37	1	0.25	<10	1.16	2626	<2	0.01	1	1456	16	0.54	11	4	347	<5	<0.01	<10	20	54	<10	110	2
135345	1.4	2.42	28	166	<0.5	24	4.80	3	18	25	20	5.42	1	0.24	<10	1.47	2496	<2	0.01	1	1231	12	0.36	10	5	159	<5	<0.01	<10	16	55	<10	152	2
135355	5.0	2.43	45	171	<0.5	25	4.10	3	23	17	31	5.73	<1	0.21	<10	1.42	2248	2	0.01	1	1288	158	0.79	10	4	106	<5	<0.01	<10	15	49	<10	158	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.7	1.61	10	275	<0.5	20	0.57	3	26	100	1941	4.78	<1	1.14	12	1.23	310	2	0.04	50	625	17	0.53	8	6	6	<5	0.17	<10	<10	76	<10	208	8

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1519-RA1

Nov-16-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Shipment 35 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-22-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
135358	0.02	12.4	3.4
135359	0.03	1.6	3.4
135360	<0.01	<0.1	0.5
135361	0.01	1.4	3.2
135362	<0.01	1.7	3.7
135363	0.01	2.8	3.4
135364	0.01	1.8	3.7
135365	0.01	0.9	3.2
135366	0.02	1.6	3.7
135367	0.03	0.7	1.4
135368	0.18	4.7	2.2
135369	0.31	2.5	1.8
135370	0.03	1.8	1.8
135371	0.23	24.5	1.6
135372	0.39	3.9	1.5
135373	0.13	1.3	2.1
135374	0.07	1.3	1.8
135375	0.06	1.1	1.6
135376	0.06	1.0	1.6
135377	0.03	1.3	1.7
135378	0.03	1.4	1.8
135379	0.02	2.1	1.9
*DUP 135358	0.02	12.9	
*DUP 135367	0.01	0.8	
*DUP 135377	0.04	1.3	
*0211	2.10		
*BLANK	<0.01		

Au F.A. AA finish,Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1519-RA2

Nov-16-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Shipment 35 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-22-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
135380	<0.01	<0.1	0.9
135381	0.02	1.7	1.9
135382	0.29	2.7	1.7
135383	0.05	4.0	1.6
135384	0.03	2.6	1.7
135385	0.01	1.7	1.5
135386	0.02	1.7	1.8
135387	0.01	1.7	0.6
135388	0.01	0.5	1.2
135389	<0.01	0.2	1.8
135390	<0.01	0.5	1.4
135391	<0.01	1.2	1.1
135392	0.02	1.0	1.8
135393	0.01	1.2	3.7
135394	0.04	2.9	3.4
135395	0.01	1.0	3.2
135396	0.15	2.5	3.4
135397	0.01	1.3	3.5
135398	<0.01	1.4	3.4
135399	0.01	22.2	3.3
135400	<0.01	<0.1	0.9
135401	0.03	3.7	3.5
*DUP 135380	0.01	<0.1	
*DUP 135389	<0.01	0.1	
*DUP 135399	0.02	24.0	
*0211	ERR		
*BLANK			

Au F.A. AA finish,Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1519-RA3

Nov-16-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Shipment 35 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-22-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
135402	0.01	2.3	
135403	0.01	2.0	
135404	0.06	3.4	
135405	<0.01	0.7	
135406	0.01	1.6	
135407	0.01	1.3	
135408	0.09	1.6	
135409	0.02	1.9	
135410	0.01	0.6	
135411	0.01	1.0	
135412	<0.01	1.0	
135413	0.01	0.3	
135414	0.02	0.9	
135415	0.21	2.8	
135416	0.02	2.1	
135417	0.01	1.5	
135418	0.05	3.3	
135419	0.06	2.0	
135420	<0.01	<0.1	
135421	0.02	2.6	
135422	0.31	5.5	
135423	0.40	2.5	
*DUP 135402	0.01	2.1	
*DUP 135411	<0.01	0.9	
*DUP 135421	0.02	2.8	
*0211	2.21		
*BLANK	<0.01		

Au F.A. AA finish,Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1519-RA4

Nov-16-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Shipment 35 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-22-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
135424	0.03	2.1	1.8
135425	0.23	1.5	1.5
135426	0.02	0.9	1.4
135427	0.11	0.1	2.1
135428	0.07	<0.1	1.6
135429	0.03	<0.1	1.7
135430	0.18	<0.1	1.7
135431	0.05	<0.1	1.8
135432	0.01	<0.1	2.0
135433	<0.01	<0.1	0.8
135434	0.01	<0.1	1.0
135435	0.01	<0.1	3.3
135436	<0.01	<0.1	1.9
135437	0.01	<0.1	1.7
135438	0.02	<0.1	1.7
135439	0.01	<0.1	1.0
135440	<0.01	<0.1	1.1
135441	0.01	<0.1	0.6
135442	<0.01	<0.1	3.6
135443	0.03	<0.1	3.4
135444	0.10	0.3	3.4
135445	0.02	0.2	3.3
*DUP 135424	0.03	2.1	
*DUP 135433	0.01	<0.1	
*DUP 135443	0.03	<0.1	
*0211	2.20		
*BLANK	<0.01		

Au F.A. AA finish,Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1519-RA5

Nov-16-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Shipment 35 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-22-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
135446	0.05	0.3	3.3
135447	0.04	0.3	3.6
135448	0.05	0.4	1.8
135449	0.08	<0.1	1.8
135450	0.06	0.1	1.5
135451	0.02	0.3	2.4
135452	0.03	<0.1	2.1
135453	0.07	0.2	2.0
135454	0.03	0.6	1.6
135455	0.02	0.5	0.7
135456	0.01	0.8	1.0
135457	0.01	0.7	1.7
135458	0.01	0.4	1.4
135459	<0.01	<0.1	2.0
135460	<0.01	<0.1	1.1
135461	0.03	0.2	1.5
135462	0.01	0.3	1.5
135463	0.06	0.1	1.8
135464	0.03	0.1	1.4
135465	0.01	0.5	0.5
135466	0.02	0.2	1.1
135467	0.02	<0.1	3.6
*DUP 135446	0.04	0.3	
*DUP 135455	0.04	0.4	
*DUP 135465	<0.01	0.5	
*0211	2.19		
*BLANK	<0.01		

Au F.A. AA finish,Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1519-RA6

Nov-16-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Shipment 35 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-22-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
135468	<0.01	<0.1	3.0
135469	0.10	<0.1	2.4
135470	0.02	0.8	1.9
135471	<0.01	0.9	1.4
135472	<0.01	0.6	1.9
135473	0.01	0.8	1.5
135474	<0.01	0.8	1.5
135475	0.01	1.2	1.5
135476	0.25	0.9	1.5
135477	0.03	0.6	1.8
135478	0.01	1.4	1.5
135479	0.01	3.0	1.8
135480	<0.01	<0.1	0.8
135481	<0.01	2.6	1.3
135482	0.04	11.0	1.5
135483	0.06	6.7	1.6
135484	0.03	7.2	1.7
135485	0.02	2.1	2.1
135486	0.02	1.6	1.5
135487	0.02	3.4	1.6
135488	0.48	24.4	1.5
135489	0.10	15.2	1.7
*DUP 135468	<0.01	<0.1	
*DUP 135477	0.02	0.7	
*DUP 135487	0.02	3.6	
*0211	2.20		
*BLANK	<0.01		

Au F.A. AA finish,Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1519-RA7

Nov-16-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Shipment 35 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-22-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
135490	0.02	2.6	1.7
135491	0.03	2.8	1.8
135492	0.01	1.5	1.4
135493	0.01	1.7	1.7
135494	0.02	2.6	1.6
135495	0.03	2.5	1.7
135496	0.02	3.7	1.4
135497	0.01	0.9	1.4
135498	0.01	2.1	1.8
135499	<0.01	2.4	1.4
135500	<0.01	<0.1	0.8
135601	0.01	1.9	1.7
135602	0.03	1.7	1.7
135603	<0.01	1.3	1.6
135604	0.02	2.4	1.8
135605	0.01	1.9	1.7
135606	0.01	4.2	1.7
135607	0.01	1.3	1.4
135608	<0.01	0.4	1.5
135609	0.01	0.3	1.8
135610	0.02	0.5	1.5
135611	0.01	1.5	1.5
*DUP 135490	0.01	3.1	
*DUP 135499	0.01	2.2	
*DUP 135609	<0.01	0.3	
*0211	2.21		
*BLANK	<0.01		

Au F.A. AA finish,Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1519-RA8

Nov-16-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Shipment 35 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-22-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
135612	0.04	1.2	1.2
135613	0.02	1.3	1.7
135614	0.25	13.1	1.8
135615	0.08	2.8	1.5
135616	0.03	0.5	1.7
135617	0.01	1.3	1.6
135618	0.01	2.0	1.7
135619	0.02	2.5	1.7
135620	<0.01	<0.1	0.8
135621	0.06	3.6	1.7
135622	0.02	30.4	1.6
135623	0.05	37.5	1.0
135624	0.05	2.4	0.7
135625	0.03	2.1	1.6
135626	0.05	1.3	1.7
135627	0.06	0.6	2.0
135628	0.02	1.2	1.5
135629	0.01	3.0	1.4
135630	0.02	1.0	0.8
135631	0.02	0.7	0.9
135632	0.03	0.8	1.0
135633	0.03	1.0	0.8
*DUP 135612	0.02	1.1	
*DUP 135621	0.05	3.4	
*DUP 135631	0.01	0.7	
*0211	2.11		
*BLANK	<0.01		

Au F.A. AA finish,Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1519-RA9

Nov-16-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Shipment 35 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 core samples submitted Oct-22-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
135634	0.02	0.6	1.5
135635	0.01	0.7	1.6
135636	0.01	0.7	1.2
135637	0.01	0.3	0.5
135638	0.03	0.5	1.5
135639	0.04	<0.1	1.7
135640	<0.01	<0.1	0.7
135641	0.02	<0.1	1.9
135642	0.01	<0.1	1.6
135643	0.01	0.2	1.8
135644	0.01	0.2	1.7
135645	0.01	0.9	1.8
135646	0.01	<0.1	1.9
135647	0.03	<0.1	1.8
135648	0.05	0.2	1.7
135649	0.08	0.4	1.5
135650	0.05	<0.1	1.6
135651	0.03	<0.1	1.9
135652	0.01	<0.1	1.6
135653	0.03	0.2	1.9
135654	0.49	0.4	0.5
135655	0.11	0.5	1.0
*DUP 135634	0.01	0.6	
*DUP 135643	0.01	0.1	
*DUP 135653	0.03	0.1	
*0211	2.04		
*BLANK	<0.01		

Au F.A. AA finish,Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1519-RA10

Nov-16-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Shipment 35 bags
Attn: Sue Deane

We *hereby certify* the following assay of 14 core samples submitted Oct-22-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
135656	0.08	0.4	1.6
135657	0.13	0.3	1.7
135658	0.05	0.2	2.1
135659	0.03	0.1	1.9
135660	<0.01	<0.1	0.8
135661	0.03	0.2	1.8
135662	<0.01	0.2	1.7
135663	0.03	0.2	1.7
135664	0.05	0.2	1.7
135665	0.01	0.3	2.0
135666	0.08	0.3	1.8
135667	<0.01	<0.1	1.9
135668	0.06	0.6	1.8
125976	1.17	0.5	1.7
*DUP 135656	0.06	0.4	
*DUP 135665	0.01	0.3	
*0211	2.14		
*BLANK	<0.01		

Au F.A. AA finish,Ag read from ICP solution

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/Shipment 35 bags

Sample type: Core

Report No : 9V1519RJ

Date : Nov-16-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135358	12.4	2.43	36	174	<0.5	42	2.20	6	19	12	20	5.06	<1	0.28	<10	1.24	1758	<2	0.01	3	1385	35	0.38	5	3	46	<5	<0.01	<10	<10	43	<10	217	2
135359	1.6	1.79	100	241	<0.5	42	1.07	4	19	17	8	4.83	1	0.29	<10	0.75	1014	2	0.01	3	1223	16	1.01	<5	4	25	<5	<0.01	<10	<10	36	<10	71	2
135360	<0.2	0.05	<5	15	<0.5	134	>15.00	<1	1	2	2	0.45	<1	0.03	<10	11.84	221	<2	0.01	2	170	<2	0.47	<5	<1	49	<5	<0.01	12	<10	3	<10	19	<1
135361	1.4	1.74	37	346	<0.5	62	4.16	5	17	17	9	4.81	<1	0.26	<10	1.10	1874	2	0.01	3	1186	16	0.64	<5	4	121	<5	<0.01	<10	<10	37	<10	76	2
135362	1.7	2.49	21	152	<0.5	82	6.76	5	14	9	11	4.93	<1	0.24	12	1.54	2937	<2	0.01	2	1217	11	0.22	<5	5	143	<5	<0.01	<10	<10	51	<10	95	2
135363	2.8	2.58	23	166	<0.5	53	3.87	5	18	15	17	5.08	<1	0.25	10	1.74	2047	<2	0.01	3	1338	37	0.25	<5	5	88	<5	<0.01	<10	<10	53	<10	94	2
135364	1.8	2.68	51	179	<0.5	34	0.72	5	23	9	19	5.53	<1	0.28	<10	1.63	1071	3	0.01	5	1428	18	0.67	<5	4	24	<5	<0.01	<10	<10	51	<10	100	2
135365	0.9	2.33	47	448	<0.5	34	0.81	5	18	12	14	5.19	<1	0.26	<10	1.28	1192	2	0.01	3	1303	13	0.56	<5	4	31	<5	<0.01	<10	<10	46	<10	97	2
135366	1.6	2.33	66	151	<0.5	51	1.51	5	20	8	21	5.28	<1	0.25	<10	1.16	1423	<2	0.01	3	1342	26	0.82	<5	4	32	<5	<0.01	<10	<10	49	<10	158	2
135367	0.7	2.54	41	127	<0.5	43	2.98	5	17	11	13	5.43	<1	0.21	<10	1.48	2315	<2	0.01	3	1172	14	0.68	<5	4	63	<5	<0.01	<10	<10	52	<10	104	2
135368	4.7	0.60	177	33	<0.5	70	3.50	7	15	9	6	6.30	<1	0.26	<10	0.24	1696	<2	0.01	1	1287	59	>5.00	<5	3	126	<5	<0.01	<10	<10	18	12	97	3
135369	2.5	0.58	186	51	<0.5	56	3.24	6	16	11	3	5.84	<1	0.27	<10	0.19	1445	2	0.01	2	1471	65	>5.00	<5	3	91	<5	<0.01	<10	<10	16	10	97	2
135370	1.8	1.79	84	145	<0.5	52	3.93	5	16	12	11	5.30	<1	0.27	<10	0.87	2393	<2	0.01	2	1323	30	2.11	<5	4	125	<5	<0.01	<10	<10	39	<10	73	2
135371	24.5	1.70	490	102	<0.5	47	1.86	6	16	13	20	5.97	<1	0.24	<10	0.96	1535	<2	0.01	2	1164	130	3.15	16	3	42	<5	<0.01	<10	<10	35	10	155	2
135372	3.9	0.49	531	23	<0.5	54	2.41	10	16	14	6	9.54	<1	0.26	<10	0.12	1123	3	0.01	1	1449	64	>5.00	<5	2	54	<5	<0.01	<10	12	21	21	39	4
135373	1.3	0.65	145	46	<0.5	64	3.22	6	16	9	9	6.01	<1	0.29	<10	0.29	1529	<2	0.01	1	1388	31	>5.00	<5	2	62	<5	<0.01	<10	<10	16	10	142	2
135374	1.3	0.79	92	41	<0.5	70	3.72	8	16	8	6	6.87	<1	0.26	<10	0.54	1905	<2	0.01	1	1417	61	>5.00	<5	3	85	<5	<0.01	<10	<10	18	11	178	3
135375	1.1	0.62	129	49	<0.5	72	3.95	6	15	10	8	6.09	<1	0.27	<10	0.35	1952	<2	0.01	2	1382	21	>5.00	<5	3	87	<5	<0.01	<10	<10	15	10	114	2
135376	1.0	0.62	130	51	<0.5	64	3.75	7	15	9	9	6.27	<1	0.26	<10	0.38	1919	<2	0.01	1	1432	28	>5.00	<5	3	86	<5	<0.01	<10	<10	16	11	194	2
135377	1.3	0.55	72	62	<0.5	79	5.11	6	15	12	8	5.65	<1	0.25	<10	0.37	2467	<2	0.01	2	1354	36	4.97	<5	3	118	<5	<0.01	<10	<10	14	<10	160	2
135378	1.4	0.49	93	51	<0.5	68	3.75	7	15	17	5	5.91	<1	0.25	<10	0.29	1819	<2	0.01	2	1266	42	>5.00	<5	3	87	<5	<0.01	<10	<10	14	11	118	2
135379	2.1	0.56	79	51	<0.5	45	3.40	7	14	16	7	5.77	<1	0.27	<10	0.44	1733	<2	0.01	2	1300	34	5.00	<5	3	88	<5	<0.01	<10	<10	15	10	139	2
135380	<0.2	0.03	<5	11	<0.5	110	>15.00	<1	1	2	1	0.48	<1	0.02	<10	13.02	217	<2	0.01	2	178	<2	0.45	<5	<1	51	<5	<0.01	12	<10	3	<10	20	<1
135381	1.7	0.57	55	42	<0.5	75	3.25	7	18	9	12	6.02	<1	0.32	<10	0.42	1608	<2	0.01	1	1649	33	>5.00	<5	4	89	<5	<0.01	<10	<10	18	<10	226	3
135382	2.7	0.42	265	38	<0.5	66	3.74	7	12	16	<1	6.55	<1	0.26	<10	0.12	1375	3	0.01	1	1192	38	>5.00	<5	2	122	<5	<0.01	<10	<10	14	14	33	3
135383	4.0	0.46	87	52	<0.5	57	3.52	6	15	15	4	5.78	<1	0.25	<10	0.25	1624	<2	0.01	1	1241	45	>5.00	<5	3	87	<5	<0.01	<10	<10	15	10	92	2
135384	2.6	0.60	61	39	<0.5	52	3.67	6	14	11	6	5.88	<1	0.26	<10	0.43	1621	<2	0.01	1	1348	39	4.97	<5	3	93	<5	<0.01	<10	<10	18	11	159	2
135385	1.7	0.83	32	49	<0.5	71	3.99	6	15	9	10	6.10	<1	0.27	<10	0.69	1808	<2	0.01	1	1393	26	4.89	<5	3	107	<5	<0.01	<10	<10	20	11	143	2
135386	1.7	0.74	47	51	<0.5	62	4.00	6	16	10	10	5.88	<1	0.27	<10	0.48	1641	<2	0.01	1	1362	31	4.91	<5	3	111	<5	<0.01	<10	<10	19	<10	70	2
135387	1.7	0.63	38	54	<0.5	66	3.50	6	14	8	28	5.31	<1	0.24	<10	0.38	1320	2	0.01	1	1269	48	4.53	<5	3	91	<5	<0.01	<10	<10	14	<10	162	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/Shipment 35 bags

Sample type: Core

Report No : **9V1519RJ**

Date : Nov-16-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135388	0.5	1.51	62	119	<0.5	75	5.92	4	14	6	27	4.33	<1	0.23	<10	1.22	2459	<2	0.01	1	1152	11	2.59	<5	3	154	<5	<0.01	<10	<10	23	<10	154	2
135389	0.2	2.09	70	148	<0.5	54	3.31	4	15	4	32	4.63	<1	0.23	<10	1.75	1899	<2	0.01	1	1258	10	1.60	<5	3	107	<5	<0.01	<10	<10	30	<10	165	2
135390	0.5	1.02	56	97	<0.5	53	5.89	4	13	6	26	4.46	<1	0.24	<10	0.95	1961	<2	0.01	<1	1109	17	3.09	<5	3	181	<5	<0.01	<10	<10	21	<10	108	2
135391	1.2	0.91	34	84	<0.5	65	4.29	4	13	10	18	4.33	<1	0.25	<10	0.87	1559	<2	0.01	2	1213	53	3.16	<5	3	142	<5	<0.01	<10	<10	21	<10	110	2
135392	1.0	0.97	109	112	<0.5	47	3.57	3	12	11	32	2.98	<1	0.29	13	0.80	1032	<2	0.01	31	929	30	2.16	7	1	99	<5	<0.01	<10	<10	12	<10	90	1
135393	1.2	1.24	70	132	<0.5	54	4.54	2	17	11	54	2.76	<1	0.33	12	1.03	1276	<2	0.01	28	1251	12	1.77	<5	1	139	<5	0.01	<10	<10	21	<10	90	1
135394	2.9	0.78	193	100	<0.5	45	4.18	4	13	16	39	2.60	<1	0.28	<10	0.60	1088	<2	0.01	29	889	135	1.99	9	1	113	<5	<0.01	<10	<10	14	<10	256	1
135395	1.0	1.15	70	110	<0.5	48	3.39	4	14	12	41	3.50	<1	0.31	11	1.02	1014	<2	0.01	27	1023	25	2.25	7	1	100	<5	<0.01	<10	<10	16	<10	201	1
135396	2.5	0.86	397	114	<0.5	42	2.53	3	11	14	40	2.92	<1	0.30	<10	0.62	810	<2	0.01	31	890	91	2.27	10	1	116	<5	0.01	<10	<10	12	<10	159	1
135397	1.3	1.16	64	116	0.5	65	3.64	3	12	11	45	2.68	<1	0.28	<10	1.07	1182	<2	0.01	22	1052	25	1.78	<5	1	123	<5	0.04	<10	<10	15	<10	127	1
135398	1.4	1.15	67	106	0.6	52	3.04	3	12	12	35	3.21	<1	0.28	<10	1.03	1063	<2	0.01	17	974	56	1.88	<5	1	103	<5	0.05	<10	<10	15	<10	128	2
135399	22.2	0.88	131	108	0.5	48	2.65	6	16	16	77	3.14	<1	0.31	<10	0.66	919	<2	0.01	42	981	316	2.20	15	1	89	<5	0.05	<10	<10	15	<10	498	2
135400	<0.2	0.03	<5	<10	<0.5	126	>15.00	<1	<1	1	1	0.49	<1	0.04	<10	12.59	209	<2	0.01	1	129	<2	0.43	<5	<1	48	<5	<0.01	<10	<10	2	<10	18	<1
135401	3.7	0.94	434	107	<0.5	56	3.38	2	11	16	36	2.22	<1	0.28	<10	0.61	1098	<2	0.01	27	887	36	1.33	7	1	99	<5	0.03	<10	<10	14	<10	126	1
135402	2.3	1.32	81	94	<0.5	26	2.72	2	13	25	78	2.57	<1	0.23	<10	1.43	1115	<2	0.01	63	839	15	0.88	<5	1	158	<5	0.01	<10	<10	21	<10	126	1
135403	2.0	1.02	79	80	<0.5	42	3.27	2	10	20	63	2.13	<1	0.20	<10	0.89	987	<2	0.01	44	635	13	0.79	<5	1	95	<5	0.03	<10	<10	18	<10	146	1
135404	3.4	0.69	232	105	<0.5	50	2.49	3	8	20	26	1.80	<1	0.27	<10	0.37	664	<2	0.01	19	811	191	1.26	5	1	97	<5	0.01	<10	<10	11	<10	202	1
135405	0.7	1.31	30	98	0.5	34	2.53	2	8	16	15	2.55	<1	0.25	<10	1.03	915	<2	0.02	16	725	17	1.02	<5	1	84	<5	0.04	<10	<10	13	<10	72	1
135406	1.6	1.37	24	91	0.5	47	2.70	2	9	16	53	2.32	<1	0.23	<10	1.10	969	<2	0.01	17	910	9	0.60	<5	1	101	<5	0.04	<10	<10	24	<10	61	1
135407	1.3	1.55	40	102	0.6	38	1.93	4	11	17	45	2.98	<1	0.24	<10	1.21	942	<2	0.02	17	901	68	1.05	<5	2	54	<5	0.06	<10	<10	24	<10	290	2
135408	1.6	0.79	1857	77	<0.5	58	5.28	2	9	24	40	2.18	<1	0.22	<10	0.48	1462	<2	0.01	27	571	75	1.08	11	1	122	<5	0.03	<10	<10	13	<10	132	1
135409	1.9	0.84	72	83	<0.5	49	2.62	2	13	21	35	1.76	<1	0.22	<10	0.56	862	<2	0.01	30	729	297	0.81	<5	1	84	<5	0.03	<10	<10	17	<10	99	1
135410	0.6	1.39	46	93	0.6	39	1.78	2	9	20	16	2.84	<1	0.25	<10	1.03	926	<2	0.02	20	698	101	0.93	<5	1	52	<5	0.06	<10	<10	20	<10	40	2
135411	1.0	1.36	51	83	0.6	45	3.01	4	11	18	37	2.93	<1	0.22	<10	1.09	1111	<2	0.02	16	841	110	1.26	<5	1	86	<5	0.06	<10	<10	27	<10	159	2
135412	1.0	1.18	59	91	0.5	41	1.83	4	10	22	26	2.64	<1	0.23	<10	0.90	841	<2	0.02	26	688	109	1.17	<5	1	53	<5	0.04	<10	<10	18	<10	173	1
135413	0.3	1.29	82	97	0.6	56	2.16	4	10	18	27	3.03	<1	0.24	<10	1.01	993	<2	0.02	17	878	36	1.61	<5	1	57	<5	0.06	<10	<10	18	<10	201	2
135414	0.9	1.10	84	105	0.6	53	3.19	5	11	16	48	2.77	<1	0.25	<10	0.80	1166	<2	0.01	15	874	78	1.73	<5	1	87	<5	0.06	<10	<10	17	<10	282	2
135415	2.8	0.87	162	111	<0.5	42	2.96	5	10	15	46	2.61	<1	0.27	<10	0.56	970	<2	0.01	19	885	380	1.90	<5	1	73	<5	0.04	<10	<10	13	<10	369	2
135416	2.1	1.03	95	139	<0.5	59	3.34	4	15	15	97	2.14	<1	0.27	<10	0.69	1032	<2	0.01	23	854	127	1.22	<5	1	81	<5	0.03	<10	<10	17	<10	231	1
135417	1.5	1.17	66	121	<0.5	66	3.23	4	13	20	93	2.30	<1	0.26	<10	0.92	1213	<2	0.01	38	825	99	1.26	<5	1	82	<5	0.04	<10	<10	20	<10	229	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Dilworth/Shipment 35 bags
Sample type: Core

Report No : **9V1519RJ**
Date : Nov-16-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135418	3.3	0.81	138	109	<0.5	38	3.04	17	10	17	74	2.80	<1	0.30	<10	0.46	972	<2	0.01	16	807	542	2.35	6	1	71	<5	0.02	<10	<10	12	<10	1308	1
135419	2.0	0.99	175	112	<0.5	54	3.17	8	8	23	56	2.95	<1	0.25	<10	0.78	1172	<2	0.01	21	782	270	2.12	<5	1	125	<5	<0.01	<10	<10	17	<10	577	1
135420	<0.2	0.03	<5	<10	<0.5	96	>15.00	<1	<1	2	2	0.39	<1	0.02	<10	11.33	194	<2	0.01	2	143	<2	0.42	<5	<1	46	<5	<0.01	10	<10	2	<10	18	<1
135421	2.6	0.92	92	119	<0.5	46	3.04	6	12	21	85	2.49	<1	0.26	<10	0.63	1142	<2	0.01	31	779	232	1.82	<5	1	115	<5	<0.01	<10	<10	18	<10	393	1
135422	5.5	0.33	527	88	<0.5	48	3.03	17	11	27	46	2.77	<1	0.22	<10	0.06	772	<2	0.01	20	687	885	2.71	11	1	87	<5	<0.01	<10	<10	7	<10	1327	1
135423	2.5	0.37	435	92	<0.5	48	2.60	6	10	37	52	2.47	<1	0.25	<10	0.06	628	<2	0.01	26	609	177	2.29	8	1	89	<5	<0.01	<10	<10	6	<10	398	1
135424	2.1	0.54	103	132	<0.5	57	3.32	6	10	27	36	3.14	<1	0.29	<10	0.24	1024	<2	0.01	26	839	457	2.86	<5	1	116	<5	<0.01	<10	<10	7	<10	293	1
135425	1.5	0.48	222	148	<0.5	37	2.06	5	11	23	49	1.94	<1	0.26	<10	0.21	667	<2	0.01	33	724	77	1.72	<5	1	94	<5	<0.01	<10	<10	8	<10	306	1
135426	0.9	0.77	83	136	<0.5	40	4.09	4	11	27	48	2.84	<1	0.23	<10	0.57	1126	<2	0.01	21	928	55	2.15	5	1	240	<5	<0.01	<10	<10	15	<10	178	1
135427	<0.2	1.87	62	230	<0.5	58	4.25	5	17	17	69	4.74	<1	0.33	<10	1.46	1443	<2	0.01	4	838	12	1.68	<5	4	140	<5	0.01	<10	<10	58	<10	125	2
135428	<0.2	1.83	77	184	<0.5	73	7.59	5	16	14	66	4.53	<1	0.26	<10	1.34	1530	<2	0.01	4	818	14	1.42	<5	4	342	<5	<0.01	<10	<10	54	<10	130	2
135429	<0.2	2.11	20	220	<0.5	83	3.62	5	17	13	60	4.62	<1	0.30	<10	1.53	1293	<2	0.03	4	806	17	0.76	<5	7	101	<5	0.04	<10	<10	94	<10	65	4
135430	<0.2	2.33	25	172	0.5	90	3.46	5	18	16	58	4.93	<1	0.20	<10	1.67	1410	<2	0.04	4	862	10	0.76	<5	7	127	<5	0.06	<10	<10	119	<10	78	4
135431	<0.2	2.03	16	188	0.5	82	5.92	5	16	13	72	4.62	<1	0.20	<10	1.42	1498	<2	0.04	3	802	15	0.90	<5	7	277	<5	0.06	<10	<10	112	<10	67	4
135432	<0.2	2.32	26	173	<0.5	76	3.93	5	20	13	70	5.55	<1	0.20	<10	1.73	1478	<2	0.03	4	939	9	1.23	<5	7	135	<5	0.06	<10	<10	124	<10	88	4
135433	<0.2	2.16	19	192	<0.5	62	2.69	5	17	11	66	4.99	<1	0.21	<10	1.60	1328	<2	0.03	3	884	12	1.05	<5	5	93	<5	0.05	<10	<10	95	<10	81	4
135434	<0.2	2.30	30	168	0.6	80	3.34	5	19	15	74	5.03	<1	0.21	<10	1.73	1413	<2	0.04	4	837	6	0.68	<5	8	98	<5	0.08	<10	<10	120	<10	74	5
135435	<0.2	2.31	30	253	<0.5	48	3.69	5	17	11	64	4.82	<1	0.29	<10	1.64	1275	<2	0.04	3	817	6	0.80	<5	8	136	<5	0.05	<10	<10	100	<10	70	4
135436	<0.2	1.98	74	238	<0.5	47	2.48	6	16	13	73	4.68	<1	0.27	<10	1.44	1078	2	0.02	6	873	32	1.25	<5	4	93	<5	0.01	<10	<10	71	<10	148	2
135437	<0.2	2.32	14	289	<0.5	62	3.41	5	18	12	69	4.97	<1	0.31	<10	1.68	1295	<2	0.03	4	865	6	0.87	<5	8	87	<5	0.05	<10	<10	103	<10	67	4
135438	<0.2	2.03	22	226	<0.5	68	4.14	5	18	11	69	4.99	<1	0.24	<10	1.48	1325	<2	0.02	5	881	8	1.20	<5	7	140	<5	0.03	<10	<10	86	<10	66	4
135439	<0.2	2.15	37	242	<0.5	77	3.79	5	16	10	70	4.65	<1	0.27	<10	1.59	1217	<2	0.03	4	866	6	0.98	<5	6	115	<5	0.03	<10	<10	88	<10	71	3
135440	<0.2	0.04	<5	15	<0.5	103	>15.00	<1	<1	2	2	0.46	<1	0.02	<10	13.03	228	<2	0.01	2	161	<2	0.48	<5	<1	52	<5	<0.01	12	<10	3	<10	20	<1
135441	<0.2	2.03	26	202	<0.5	60	4.23	5	18	11	59	4.91	<1	0.21	<10	1.51	1374	<2	0.03	4	844	10	1.16	<5	6	124	<5	0.04	<10	<10	97	<10	67	4
135442	<0.2	2.18	18	246	0.5	84	4.26	5	18	9	66	4.98	<1	0.25	<10	1.60	1383	<2	0.04	3	843	8	0.77	<5	7	137	<5	0.07	<10	<10	108	<10	71	4
135443	<0.2	2.06	20	186	<0.5	67	3.69	4	17	13	64	4.79	<1	0.21	<10	1.53	1482	<2	0.02	3	836	6	0.71	<5	6	96	<5	0.04	<10	<10	90	<10	75	3
135444	0.3	1.97	192	228	<0.5	79	4.86	4	16	13	65	4.43	<1	0.29	<10	1.42	1569	<2	0.02	4	828	8	1.10	<5	5	155	<5	0.04	<10	<10	73	<10	66	2
135445	0.2	1.87	55	187	0.5	57	5.72	5	17	15	61	4.79	<1	0.22	<10	1.37	1662	<2	0.02	3	817	15	1.51	<5	5	287	<5	0.06	<10	<10	76	<10	84	3
135446	0.3	1.97	567	214	0.5	60	5.34	5	17	11	67	4.62	<1	0.29	<10	1.48	1918	<2	0.02	4	807	27	1.38	6	5	154	<5	0.06	<10	<10	80	<10	116	2
135447	0.3	1.97	47	213	0.7	64	4.18	5	18	10	67	4.73	<1	0.25	<10	1.49	1705	<2	0.02	3	846	10	1.03	<5	6	123	<5	0.08	<10	<10	95	<10	92	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/Shipment 35 bags

Sample type: Core

Report No : 9V1519RJ

Date : Nov-16-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135448	0.4	2.09	70	211	<0.5	62	4.19	5	17	14	67	4.76	<1	0.30	<10	1.55	1773	<2	0.02	4	862	10	1.04	<5	5	120	<5	0.04	<10	<10	93	<10	101	2
135449	<0.2	1.86	33	216	<0.5	77	4.86	5	18	8	71	4.80	<1	0.25	<10	1.44	1703	<2	0.02	3	878	8	1.23	<5	6	132	<5	0.05	<10	<10	94	<10	76	3
135450	<0.2	1.92	55	239	0.6	82	4.18	5	18	9	60	5.03	<1	0.29	<10	1.45	1608	<2	0.03	4	853	19	1.70	<5	6	82	<5	0.07	<10	<10	91	<10	130	4
135451	0.3	2.00	69	225	0.6	58	3.68	5	19	11	70	5.12	<1	0.26	<10	1.55	1663	<2	0.03	4	909	12	1.65	<5	7	92	<5	0.08	<10	<10	98	<10	188	4
135452	<0.2	1.89	60	271	0.6	65	4.51	5	18	9	59	4.71	<1	0.30	<10	1.40	1653	<2	0.03	3	842	9	1.28	<5	7	107	<5	0.08	<10	<10	94	<10	125	4
135453	0.2	1.93	69	213	0.6	78	3.75	5	19	9	58	4.97	<1	0.27	<10	1.48	1700	<2	0.02	4	881	9	1.46	<5	5	81	<5	0.07	<10	<10	89	<10	122	3
135454	0.6	2.33	135	180	0.6	71	3.89	6	19	14	78	5.15	<1	0.26	<10	1.88	2023	<2	0.02	4	917	22	1.23	<5	5	95	<5	0.06	<10	<10	90	<10	169	2
135455	0.5	1.92	226	173	<0.5	63	2.63	6	17	10	68	4.63	<1	0.22	<10	1.57	1530	<2	0.02	3	903	49	1.24	<5	4	69	<5	0.04	<10	<10	70	<10	218	2
135456	0.8	1.62	81	193	0.6	91	9.46	4	15	16	83	3.56	<1	0.25	<10	1.21	2159	<2	0.02	3	666	5	1.02	<5	3	595	<5	0.08	<10	<10	47	<10	103	2
135457	0.7	1.60	86	190	0.6	69	4.26	7	17	14	60	5.03	<1	0.29	<10	1.21	1622	<2	0.01	7	782	93	2.50	<5	3	111	<5	0.07	<10	<10	56	<10	299	3
135458	0.4	1.81	61	236	0.6	95	6.38	4	16	14	60	4.13	<1	0.30	<10	1.24	1928	2	0.02	4	775	16	1.23	<5	4	217	<5	0.07	<10	<10	55	<10	100	2
135459	<0.2	1.76	8	207	2.2	50	2.02	4	18	52	12	3.81	<1	0.10	22	1.38	648	<2	0.05	8	1785	9	0.20	<5	5	67	<5	0.25	13	<10	63	<10	112	15
135460	<0.2	0.04	<5	15	<0.5	147	>15.00	<1	1	2	2	0.47	<1	0.03	<10	12.46	232	<2	0.01	2	168	<2	0.50	<5	<1	53	<5	<0.01	13	<10	3	<10	20	<1
135461	0.2	1.99	53	176	<0.5	93	4.76	5	17	8	65	5.01	<1	0.22	<10	1.46	1767	<2	0.02	3	822	14	1.32	<5	4	108	<5	0.03	<10	<10	72	<10	103	2
135462	0.3	1.75	31	165	<0.5	69	5.80	3	14	19	57	3.61	<1	0.22	<10	1.29	1778	3	0.02	3	739	8	0.49	<5	4	260	<5	0.02	<10	<10	68	<10	74	2
135463	<0.2	1.91	106	167	<0.5	71	3.97	4	16	16	65	4.53	<1	0.25	<10	1.41	1752	<2	0.01	4	819	8	0.99	<5	3	91	<5	0.01	<10	<10	60	<10	78	2
135464	<0.2	2.19	93	181	<0.5	61	2.75	5	17	13	80	4.72	<1	0.26	<10	1.74	1541	<2	0.01	4	895	14	0.83	<5	4	63	<5	<0.01	<10	<10	70	<10	117	2
135465	0.5	1.70	39	196	<0.5	72	4.26	5	16	9	70	4.62	<1	0.26	<10	1.34	1599	<2	0.01	3	831	18	1.78	<5	3	100	<5	<0.01	<10	<10	52	<10	118	2
135466	0.2	1.72	30	210	<0.5	64	4.89	4	16	9	54	4.50	<1	0.27	<10	1.34	1660	<2	0.02	4	879	18	1.75	<5	3	121	<5	0.01	<10	<10	53	<10	93	2
135467	<0.2	1.56	18	227	<0.5	69	4.09	5	15	9	70	4.41	<1	0.30	<10	1.23	1429	<2	0.01	4	820	12	1.66	<5	5	106	<5	0.01	<10	<10	54	<10	102	2
135468	<0.2	1.90	20	211	<0.5	64	3.89	4	16	7	69	4.59	<1	0.28	<10	1.40	1502	<2	0.03	3	819	13	1.57	<5	6	84	<5	0.02	<10	<10	74	<10	82	2
135469	<0.2	2.31	9	162	2.0	64	2.78	5	24	31	20	5.50	<1	0.09	19	1.89	878	<2	0.04	10	2914	7	0.35	<5	5	80	<5	0.23	12	<10	102	<10	128	13
135470	0.8	1.02	72	102	<0.5	52	2.51	3	14	12	53	3.08	<1	0.27	13	0.83	893	<2	0.01	26	957	17	2.13	5	1	89	<5	<0.01	<10	<10	15	<10	69	2
135471	0.9	0.83	42	103	<0.5	39	4.06	2	9	14	42	1.80	<1	0.24	<10	0.65	1146	<2	0.01	26	805	9	1.11	6	1	162	<5	<0.01	<10	<10	13	<10	60	1
135472	0.6	1.30	36	104	<0.5	54	3.05	2	11	18	39	2.21	<1	0.23	<10	1.14	1118	<2	0.01	22	748	7	0.87	<5	1	148	<5	<0.01	<10	<10	17	<10	68	1
135473	0.8	1.52	29	117	<0.5	48	3.54	3	9	15	51	2.87	<1	0.27	17	1.37	1317	<2	0.01	15	1017	8	1.35	<5	1	195	<5	0.01	<10	<10	19	<10	336	2
135474	0.8	1.12	34	105	<0.5	57	4.06	2	6	15	36	1.92	<1	0.26	<10	0.92	1283	<2	0.01	13	774	8	0.90	<5	1	138	<5	0.01	<10	<10	14	<10	51	1
135475	1.2	1.09	65	101	<0.5	46	2.86	3	10	16	48	2.77	<1	0.24	<10	0.92	1023	<2	0.01	17	914	18	1.72	<5	1	119	<5	0.02	<10	<10	16	<10	72	1
135476	0.9	1.15	2017	104	<0.5	29	2.60	2	13	17	41	3.08	<1	0.25	<10	0.98	1030	<2	0.01	20	1227	36	1.78	16	1	109	<5	0.02	<10	<10	19	<10	82	2
135477	0.6	1.37	105	109	<0.5	66	2.80	3	9	15	29	3.13	<1	0.26	<10	1.17	1066	<2	0.01	18	917	17	1.76	<5	1	157	<5	<0.01	<10	<10	17	<10	77	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/Shipment 35 bags

Sample type: Core

Report No : **9V1519RJ**

Date : Nov-16-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135478	1.4	1.38	57	96	<0.5	47	2.88	2	11	23	67	2.74	<1	0.22	<10	1.26	1134	<2	0.01	28	876	14	1.25	<5	1	139	<5	0.03	<10	<10	20	<10	78	2
135479	3.0	1.17	89	101	0.6	48	2.90	3	19	20	109	2.67	<1	0.24	<10	0.99	1075	<2	0.01	44	913	32	1.57	5	1	158	<5	0.04	<10	<10	18	<10	92	2
135480	<0.2	0.03	<5	11	<0.5	131	>15.00	<1	<1	2	2	0.43	<1	0.02	<10	12.83	218	<2	0.01	2	176	<2	0.49	<5	<1	53	<5	<0.01	13	<10	3	<10	20	<1
135481	2.6	0.97	74	101	0.6	45	3.13	2	14	30	61	1.99	<1	0.25	<10	0.79	1201	<2	0.01	41	778	37	1.18	<5	1	152	<5	0.05	<10	<10	21	<10	111	1
135482	11.0	0.51	163	96	<0.5	56	3.05	3	15	24	27	2.07	<1	0.25	<10	0.25	890	<2	0.01	35	827	72	1.85	8	1	116	<5	<0.01	<10	<10	12	<10	124	1
135483	6.7	0.40	253	95	<0.5	59	5.71	5	10	46	26	2.90	<1	0.25	<10	0.13	1364	<2	0.01	30	787	162	2.88	9	1	239	<5	<0.01	<10	<10	11	<10	239	1
135484	7.2	0.46	146	68	<0.5	41	4.49	6	10	51	106	1.90	<1	0.18	<10	0.30	1247	2	0.01	36	501	374	1.58	5	1	157	<5	<0.01	<10	<10	13	<10	522	1
135485	2.1	0.59	123	98	<0.5	47	3.30	4	13	46	53	2.29	<1	0.24	<10	0.39	1057	<2	0.01	39	746	66	1.88	6	1	109	<5	0.01	<10	<10	16	<10	261	1
135486	1.6	0.75	117	97	<0.5	56	3.13	4	9	19	46	2.98	<1	0.26	10	0.57	1079	<2	0.01	18	885	53	2.44	5	1	84	<5	0.01	<10	<10	10	<10	179	1
135487	3.4	0.61	137	107	<0.5	37	3.59	3	13	33	60	2.60	<1	0.25	<10	0.41	1115	<2	0.01	33	986	74	2.14	7	1	90	<5	<0.01	<10	<10	12	<10	132	1
135488	24.4	0.44	295	90	<0.5	51	2.62	5	12	35	79	2.94	<1	0.26	<10	0.15	714	<2	0.01	39	836	571	2.75	12	1	81	<5	<0.01	<10	<10	10	<10	300	2
135489	15.2	0.56	115	101	<0.5	64	4.61	4	12	55	67	2.37	<1	0.23	<10	0.33	1306	<2	0.01	31	849	147	2.09	8	1	169	<5	<0.01	<10	<10	14	<10	202	1
135490	2.6	0.72	151	99	<0.5	54	3.68	4	10	18	56	3.33	<1	0.28	<10	0.47	1114	<2	0.01	19	1090	165	2.66	<5	1	247	<5	<0.01	<10	<10	13	<10	228	2
135491	2.8	1.15	118	101	<0.5	49	3.86	5	11	21	71	3.43	<1	0.25	17	0.87	1384	<2	0.01	19	1341	120	2.39	6	1	157	<5	0.01	<10	<10	21	<10	276	2
135492	1.5	1.79	74	117	0.6	67	2.78	3	14	17	79	3.08	<1	0.32	17	1.39	1296	<2	0.01	21	1791	12	1.21	<5	1	89	<5	0.04	<10	<10	29	<10	104	2
135493	1.7	1.76	40	106	0.7	55	3.47	4	12	19	95	3.41	<1	0.28	14	1.43	1637	<2	0.01	16	2457	18	1.40	<5	1	138	<5	0.05	<10	<10	30	<10	153	2
135494	2.6	0.96	96	102	0.5	55	3.71	5	10	20	43	2.89	<1	0.28	<10	0.62	1127	<2	0.01	17	1231	140	2.01	5	1	113	<5	0.03	<10	<10	19	<10	335	2
135495	2.5	1.29	105	100	0.5	61	3.24	5	14	19	85	3.53	<1	0.24	10	1.06	1304	3	0.01	34	1389	79	2.13	5	1	137	<5	0.03	<10	<10	31	<10	226	2
135496	3.7	1.47	58	100	0.5	53	3.75	3	12	17	106	2.94	<1	0.25	<10	1.24	1366	<2	0.01	23	1163	45	1.25	<5	1	186	<5	0.03	<10	<10	28	<10	130	1
135497	0.9	1.55	42	85	0.5	52	3.73	3	9	18	37	3.06	<1	0.20	<10	1.30	1384	<2	0.01	18	881	32	1.29	<5	1	145	<5	0.03	<10	<10	19	<10	65	1
135498	2.1	1.57	57	108	0.6	37	2.77	4	19	22	99	3.99	<1	0.20	<10	1.34	1161	<2	0.02	28	1350	26	2.40	5	2	109	<5	0.04	<10	<10	30	<10	82	2
135499	2.4	1.41	66	100	0.5	54	3.35	3	18	31	114	2.98	<1	0.22	<10	1.26	1222	<2	0.01	44	929	11	1.24	<5	2	150	<5	0.03	<10	<10	26	<10	63	2
135500	<0.2	0.05	<5	17	<0.5	100	>15.00	<1	1	2	3	0.47	<1	0.05	<10	13.28	222	<2	0.01	2	193	<2	0.47	<5	<1	55	<5	<0.01	13	<10	3	<10	20	<1
135601	1.9	0.95	48	89	<0.5	38	2.65	2	10	29	77	2.41	<1	0.18	<10	0.79	987	<2	0.01	26	649	16	1.35	<5	1	127	<5	0.02	<10	<10	17	<10	58	1
135602	1.7	1.09	107	107	<0.5	56	3.72	4	13	20	58	3.35	<1	0.25	<10	0.82	1153	<2	0.01	23	1322	41	2.32	7	1	239	<5	<0.01	<10	<10	21	<10	137	2
135603	1.3	1.34	33	93	<0.5	65	3.77	3	11	23	52	3.23	<1	0.22	<10	1.19	1304	<2	0.01	21	848	13	1.82	<5	1	119	<5	0.02	<10	<10	22	<10	52	2
135604	2.4	1.13	99	88	<0.5	52	3.80	5	14	32	71	3.05	<1	0.21	<10	0.92	1269	2	0.01	52	834	129	1.89	6	1	138	<5	<0.01	<10	<10	30	<10	293	2
135605	1.9	1.31	102	83	<0.5	53	3.62	3	11	25	43	3.41	<1	0.21	10	1.04	1244	<2	0.02	26	976	142	1.95	5	1	108	<5	<0.01	<10	<10	28	<10	69	2
135606	4.2	1.05	44	82	<0.5	39	2.17	5	7	41	42	1.76	<1	0.21	<10	0.76	890	<2	0.02	18	707	368	0.46	5	1	74	<5	<0.01	<10	<10	19	<10	385	1
135607	1.3	1.62	83	78	<0.5	65	4.41	5	12	24	68	3.88	<1	0.20	10	1.28	1604	<2	0.02	16	922	70	1.48	<5	1	118	<5	0.02	<10	<10	31	<10	212	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/Shipment 35 bags

Sample type: Core

Report No : **9V1519RJ**

Date : Nov-16-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135608	0.4	1.68	21	77	<0.5	69	2.91	2	10	31	38	2.45	<1	0.18	11	1.40	1182	<2	0.02	21	867	4	0.13	<5	2	98	<5	<0.01	<10	<10	35	<10	85	1
135609	0.3	1.83	37	71	<0.5	56	1.82	3	15	27	47	3.52	<1	0.17	11	1.52	1056	<2	0.03	22	1114	23	0.97	<5	2	82	<5	<0.01	<10	<10	43	<10	95	2
135610	0.5	1.77	34	72	<0.5	42	1.40	3	10	23	43	3.11	<1	0.17	<10	1.43	993	<2	0.03	20	867	11	0.58	<5	2	46	<5	<0.01	<10	<10	33	<10	75	1
135611	1.5	1.31	99	85	<0.5	55	2.56	5	13	29	99	3.39	<1	0.19	<10	1.21	1082	<2	0.02	39	1194	71	1.36	8	2	96	<5	<0.01	<10	<10	26	<10	272	2
135612	1.2	1.44	62	74	<0.5	44	3.59	3	12	49	69	2.49	<1	0.17	<10	1.26	1388	<2	0.02	49	846	53	0.39	<5	2	139	<5	<0.01	<10	<10	31	<10	172	1
135613	1.3	1.03	99	70	<0.5	105	10.06	4	9	50	46	2.81	<1	0.14	<10	0.93	2592	<2	0.01	25	828	75	1.62	<5	2	513	<5	<0.01	<10	<10	31	<10	169	1
135614	13.1	0.64	1223	98	<0.5	97	7.72	6	12	47	78	3.20	<1	0.23	<10	0.54	2166	6	0.01	34	985	426	2.60	18	1	338	<5	<0.01	<10	<10	24	<10	457	2
135615	2.8	0.86	313	123	<0.5	60	4.13	3	9	31	54	3.15	<1	0.21	<10	0.76	1278	<2	0.02	17	1067	329	1.86	6	1	175	<5	<0.01	<10	<10	15	<10	94	1
135616	0.5	1.26	81	134	<0.5	42	2.59	4	12	36	35	3.69	<1	0.26	<10	1.19	1171	<2	0.02	17	1512	35	1.67	<5	1	139	<5	<0.01	<10	<10	29	<10	121	2
135617	1.3	0.64	148	120	<0.5	81	4.41	5	11	22	48	3.28	<1	0.26	<10	1.31	1682	<2	0.01	14	1351	57	1.18	<5	1	364	<5	<0.01	<10	<10	16	<10	304	1
135618	2.0	0.88	74	132	<0.5	47	1.46	5	15	38	83	3.18	<1	0.23	<10	0.83	814	<2	0.01	43	916	309	1.92	6	1	83	<5	<0.01	<10	<10	15	<10	283	1
135619	2.5	0.81	60	137	<0.5	50	2.55	4	13	22	63	2.66	<1	0.23	<10	0.82	1023	<2	0.01	26	961	88	1.67	5	1	104	<5	<0.01	<10	<10	12	<10	189	1
135620	<0.2	0.03	<5	11	<0.5	202	>15.00	<1	<1	3	3	0.45	<1	0.04	<10	12.74	217	<2	0.01	2	182	<2	0.48	<5	<1	53	<5	<0.01	12	<10	3	<10	20	<1
135621	3.6	0.39	133	127	<0.5	74	6.10	11	9	32	28	2.62	<1	0.24	<10	0.40	1443	<2	0.01	20	717	278	2.35	7	1	419	<5	<0.01	<10	<10	7	<10	903	1
135622	30.4	0.71	86	134	<0.5	65	3.73	27	10	26	128	3.42	<1	0.24	<10	0.60	1329	<2	0.01	19	1086	4107	2.93	24	1	137	<5	<0.01	<10	<10	9	<10	2137	2
135623	37.5	0.39	273	124	<0.5	74	3.67	26	11	43	345	3.28	<1	0.23	<10	0.17	1018	<2	0.01	24	801	6237	3.24	28	1	112	<5	<0.01	<10	<10	8	<10	2148	1
135624	2.4	1.27	124	104	<0.5	69	3.43	6	19	22	68	6.04	<1	0.27	<10	0.98	1329	<2	0.01	5	828	128	4.19	7	3	92	<5	<0.01	<10	10	32	<10	94	2
135625	2.1	1.36	110	150	<0.5	90	5.66	8	16	20	57	5.10	<1	0.31	<10	1.02	1724	<2	0.01	4	886	221	3.28	6	3	314	<5	<0.01	<10	<10	39	<10	392	2
135626	1.3	1.86	47	173	<0.5	89	4.57	4	17	16	82	4.86	<1	0.27	<10	1.53	1886	<2	0.01	3	868	18	1.93	<5	4	153	<5	<0.01	<10	<10	57	<10	55	2
135627	0.6	1.62	100	197	<0.5	90	5.22	3	16	20	55	3.92	<1	0.28	<10	1.26	1676	<2	0.01	3	869	12	1.52	<5	3	174	<5	<0.01	<10	<10	52	<10	43	1
135628	1.2	1.44	167	189	<0.5	79	8.59	4	16	18	86	4.08	<1	0.27	<10	1.19	1975	<2	0.01	3	788	26	1.95	<5	3	555	<5	0.01	<10	<10	39	<10	80	2
135629	3.0	1.58	97	183	<0.5	78	3.87	6	17	16	92	4.59	<1	0.25	<10	1.19	1439	<2	0.01	3	833	484	2.14	<5	3	101	<5	0.02	<10	<10	47	<10	211	2
135630	1.0	1.50	45	166	<0.5	82	4.63	5	16	20	71	4.80	<1	0.25	<10	1.11	1490	<2	0.01	4	832	57	2.64	<5	3	107	<5	0.01	<10	<10	48	<10	113	2
135631	0.7	2.22	52	187	<0.5	40	1.65	5	20	17	69	5.28	<1	0.27	<10	1.83	1328	<2	0.01	4	985	26	1.76	<5	3	47	<5	0.02	<10	<10	64	<10	74	2
135632	0.8	1.68	46	176	0.5	62	2.85	5	18	17	66	4.97	<1	0.23	<10	1.34	1226	<2	0.01	3	823	19	2.46	<5	3	72	<5	0.04	<10	<10	55	<10	48	2
135633	1.0	2.01	52	168	0.6	67	2.51	5	21	14	83	5.90	<1	0.25	<10	1.63	1372	<2	0.01	3	866	37	2.71	<5	3	65	<5	0.06	<10	11	62	<10	56	3
135634	0.6	1.77	41	168	<0.5	80	3.73	4	17	20	69	4.36	<1	0.25	<10	1.33	1296	<2	0.01	4	786	19	1.57	<5	3	153	<5	0.04	<10	<10	56	<10	65	3
135635	0.7	1.53	25	199	<0.5	91	6.41	4	15	20	63	4.03	<1	0.25	<10	1.10	1547	<2	0.01	4	713	12	1.74	<5	3	522	<5	0.05	<10	<10	50	<10	46	2
135636	0.7	1.86	101	174	0.5	80	5.04	5	17	15	78	4.69	<1	0.25	<10	1.34	1685	<2	0.02	4	767	15	1.64	<5	3	124	<5	0.05	<10	<10	58	<10	73	2
135637	0.3	2.17	24	193	0.7	68	2.59	4	19	14	69	4.76	<1	0.26	<10	1.62	1382	<2	0.02	4	836	9	1.29	<5	4	67	<5	0.07	<10	<10	72	<10	59	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Dilworth/Shipment 35 bags
Sample type: Core

Report No : **9V1519RJ**
Date : Nov-16-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135638	0.5	1.99	764	186	0.5	51	3.51	5	17	14	70	4.63	<1	0.25	<10	1.48	1469	<2	0.02	4	779	33	0.93	<5	5	103	<5	0.05	<10	<10	86	<10	199	4
135639	<0.2	2.04	67	241	0.7	79	3.94	5	19	15	77	5.03	<1	0.26	<10	1.58	1294	<2	0.04	3	853	8	1.09	<5	7	106	<5	0.08	<10	<10	103	<10	68	6
135640	<0.2	0.04	<5	14	<0.5	147	>15.00	<1	1	4	2	0.46	<1	0.03	<10	13.70	227	<2	0.01	3	166	<2	0.50	<5	<1	55	<5	<0.01	13	<10	3	<10	22	<1
135641	<0.2	2.08	19	208	0.6	74	3.87	5	19	17	77	5.06	<1	0.24	<10	1.71	1262	<2	0.04	4	845	9	1.09	<5	6	105	<5	0.08	<10	<10	104	<10	61	6
135642	<0.2	2.00	20	208	0.5	80	3.43	4	17	12	65	4.75	<1	0.24	<10	1.52	1287	<2	0.03	3	777	12	1.06	<5	6	87	<5	0.05	<10	<10	91	<10	53	5
135643	0.2	1.83	35	192	0.5	57	3.44	4	19	18	77	5.00	<1	0.22	<10	1.46	1355	<2	0.03	4	831	14	1.32	<5	5	75	<5	0.05	<10	<10	88	<10	59	5
135644	0.2	1.83	154	215	<0.5	65	4.03	5	20	11	83	5.05	<1	0.25	<10	1.47	1415	<2	0.03	4	842	7	1.37	<5	6	91	<5	0.05	<10	<10	94	<10	100	5
135645	0.9	1.61	79	187	<0.5	74	7.89	5	15	21	67	4.11	<1	0.23	<10	1.30	1828	<2	0.03	3	706	7	1.34	<5	5	532	<5	0.04	<10	<10	74	<10	138	4
135646	<0.2	2.01	62	233	<0.5	56	2.94	5	19	12	70	5.01	<1	0.24	<10	1.62	1212	<2	0.03	3	837	7	1.16	<5	6	81	<5	0.04	<10	<10	94	<10	119	5
135647	<0.2	1.98	80	219	<0.5	72	4.07	5	18	14	75	5.02	<1	0.21	<10	1.58	1503	<2	0.03	4	855	7	0.90	<5	6	151	<5	0.05	<10	<10	103	<10	108	5
135648	0.2	2.11	65	215	<0.5	98	3.82	5	19	14	75	4.88	<1	0.23	<10	1.57	1601	2	0.03	3	869	8	0.69	<5	6	136	<5	0.05	<10	<10	96	<10	91	5
135649	0.4	2.16	120	167	0.5	73	3.89	8	18	15	72	4.91	<1	0.20	<10	1.63	1698	<2	0.03	5	835	7	0.72	<5	5	111	<5	0.05	<10	<10	94	<10	325	5
135650	<0.2	2.06	73	242	0.6	90	4.07	5	18	12	68	5.07	<1	0.23	<10	1.53	1529	<2	0.03	3	822	8	0.87	<5	6	120	<5	0.07	<10	<10	94	<10	83	6
135651	<0.2	2.01	24	223	0.6	82	3.45	5	18	13	68	5.01	<1	0.22	<10	1.52	1411	<2	0.03	4	858	10	0.75	<5	6	100	<5	0.06	<10	<10	89	<10	95	5
135652	<0.2	2.00	72	208	<0.5	91	5.18	4	18	18	58	4.61	<1	0.22	<10	1.46	1566	<2	0.03	3	821	7	0.77	<5	5	208	<5	0.05	<10	<10	75	<10	67	4
135653	0.2	2.04	67	200	0.5	63	4.76	5	19	11	74	4.99	<1	0.23	<10	1.53	1602	<2	0.02	3	857	7	0.96	<5	5	119	<5	0.06	<10	<10	85	<10	82	4
135654	0.4	1.90	487	190	<0.5	71	4.57	4	17	12	72	5.21	<1	0.22	<10	1.46	1594	<2	0.02	3	803	20	1.26	<5	4	109	<5	0.04	<10	<10	73	<10	65	3
135655	0.5	1.46	159	145	<0.5	110	13.52	4	14	13	58	4.09	<1	0.18	<10	1.13	2607	<2	0.01	3	638	11	1.97	<5	3	468	<5	0.03	10	<10	52	<10	66	2
135656	0.4	1.84	595	185	<0.5	58	4.65	6	18	14	68	4.96	<1	0.24	<10	1.43	1508	<2	0.02	4	874	22	1.50	6	4	116	<5	0.02	<10	<10	67	<10	195	2
135657	0.3	2.10	116	196	<0.5	72	4.11	4	19	15	70	5.28	<1	0.25	<10	1.62	1513	<2	0.02	4	914	11	1.43	<5	5	102	<5	0.03	<10	<10	81	<10	66	2
135658	0.2	2.03	47	216	0.5	85	4.16	5	19	13	67	5.08	<1	0.24	<10	1.48	1579	<2	0.02	4	895	10	1.27	<5	5	97	<5	0.06	<10	<10	80	<10	111	3
135659	<0.2	1.98	70	210	<0.5	96	5.57	5	18	19	63	4.95	<1	0.25	<10	1.43	1655	<2	0.02	4	898	7	1.15	<5	4	230	<5	0.04	<10	<10	70	<10	110	2
135660	<0.2	0.04	<5	15	<0.5	124	>15.00	<1	1	2	2	0.45	<1	0.03	<10	12.63	225	<2	0.01	2	181	<2	0.46	<5	<1	54	<5	<0.01	13	<10	3	<10	22	<1
135661	0.2	2.09	46	224	0.5	81	5.55	5	18	17	66	4.77	<1	0.27	<10	1.46	1672	<2	0.02	4	857	7	0.95	<5	5	197	<5	0.06	<10	<10	83	<10	104	4
135662	0.2	2.12	55	245	0.6	70	3.84	5	21	15	76	5.08	<1	0.26	<10	1.51	1565	<2	0.02	4	918	7	0.93	<5	5	107	<5	0.06	<10	<10	87	<10	87	4
135663	0.2	1.93	60	189	0.5	69	5.44	4	18	18	62	4.57	<1	0.23	<10	1.36	1593	<2	0.02	4	846	13	0.98	<5	4	259	<5	0.07	<10	<10	71	<10	76	3
135664	0.2	1.82	147	215	<0.5	94	7.07	4	16	13	52	4.30	<1	0.26	<10	1.30	2046	<2	0.02	3	774	8	1.14	<5	4	260	<5	0.05	<10	<10	59	<10	67	3
135665	0.3	1.85	44	142	<0.5	73	4.71	4	16	17	59	4.22	<1	0.21	<10	1.41	1804	<2	0.01	3	804	5	0.77	<5	4	163	<5	0.05	<10	<10	68	<10	65	2
135666	0.3	1.81	240	178	<0.5	59	4.92	4	17	14	48	4.90	<1	0.23	<10	1.33	1835	<2	0.02	3	808	9	1.63	<5	4	118	<5	0.04	<10	<10	60	<10	70	2
135667	<0.2	2.12	28	216	0.7	69	3.44	5	20	15	66	5.05	<1	0.24	<10	1.54	1773	<2	0.02	4	968	9	0.86	<5	5	93	<5	0.08	<10	<10	74	<10	92	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95ºC for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/Shipment 35 bags

Sample type: Core

Report No : **9V1519RJ**

Date : Nov-16-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135668	0.6	2.20	40	244	0.6	58	5.97	5	20	15	76	5.14	<1	0.30	<10	1.58	1982	<2	0.02	4	919	42	1.23	<5	4	200	<5	0.08	<10	<10	69	<10	144	3
125976	0.5	1.14	>10000	104	<0.5	52	1.04	16	26	29	108	6.37	<1	0.27	<10	0.84	843	<2	0.01	4	719	231	2.80	25	2	35	<5	<0.01	<10	10	46	<10	1323	3
Duplicates:																																		
135358	12.9	2.42	39	184	<0.5	46	2.28	6	20	13	20	5.19	<1	0.26	<10	1.27	1798	<2	0.01	3	1478	39	0.40	<5	4	47	<5	<0.01	<10	<10	44	<10	229	2
135367	0.8	2.58	47	139	<0.5	70	3.23	5	18	11	13	5.72	<1	0.23	<10	1.55	2422	<2	0.01	3	1252	14	0.71	<5	5	65	<5	<0.01	<10	<10	55	<10	111	2
135377	1.3	0.55	68	60	<0.5	67	5.06	6	15	11	8	5.61	<1	0.25	<10	0.37	2471	<2	0.01	1	1319	34	4.81	<5	3	113	<5	<0.01	<10	<10	14	<10	154	2
135380	<0.2	0.03	<5	11	<0.5	131	>15.00	<1	<1	2	2	0.45	<1	0.02	<10	13.38	218	<2	0.01	2	173	<2	0.49	<5	<1	50	<5	<0.01	11	<10	3	<10	20	<1
135389	<0.2	2.25	64	159	<0.5	48	3.17	4	14	5	30	4.61	<1	0.24	<10	1.75	1957	<2	0.01	1	1145	9	1.50	<5	3	104	<5	<0.01	<10	<10	30	<10	157	2
135399	24.0	1.03	114	118	0.6	45	2.53	6	14	17	76	2.92	<1	0.30	<10	0.67	879	<2	0.01	41	842	305	2.04	15	1	86	<5	0.06	<10	<10	16	<10	481	2
135402	2.1	1.29	87	96	<0.5	32	2.66	2	13	25	75	2.49	<1	0.24	<10	1.36	1098	<2	0.01	63	846	13	0.89	<5	1	159	<5	0.01	<10	<10	21	<10	124	1
135411	0.9	1.34	46	83	0.6	43	2.93	4	11	20	38	2.98	<1	0.22	<10	1.04	1136	<2	0.02	17	842	114	1.24	<5	1	88	<5	0.06	<10	<10	27	<10	158	2
135421	2.8	0.94	96	119	<0.5	51	3.30	6	12	22	89	2.62	<1	0.27	<10	0.66	1170	<2	0.01	32	804	236	1.90	5	1	120	<5	<0.01	<10	<10	18	<10	408	1
135424	2.1	0.50	90	133	<0.5	60	3.31	5	9	25	34	2.93	<1	0.27	<10	0.23	998	<2	0.01	23	761	448	2.78	<5	1	111	<5	<0.01	<10	<10	7	<10	284	1
135433	<0.2	2.21	21	214	0.5	54	2.77	5	18	11	67	5.11	<1	0.24	<10	1.64	1342	<2	0.04	3	886	12	0.98	<5	6	93	<5	0.06	<10	<10	99	<10	81	4
135443	<0.2	2.09	19	200	0.5	57	3.72	4	17	19	61	4.78	<1	0.23	<10	1.52	1471	<2	0.02	4	816	6	0.69	<5	6	96	<5	0.06	<10	<10	91	<10	75	4
135446	0.3	1.93	569	208	0.5	58	5.40	5	16	11	67	4.71	<1	0.28	<10	1.49	1920	<2	0.02	4	822	28	1.39	7	5	153	<5	0.05	<10	<10	79	<10	116	2
135455	0.4	1.96	239	197	0.6	54	2.72	6	18	10	67	4.70	<1	0.26	<10	1.58	1525	<2	0.02	3	934	51	1.27	<5	4	71	<5	0.06	<10	<10	72	<10	214	2
135465	0.5	1.71	44	218	<0.5	78	4.30	5	17	10	71	4.61	<1	0.29	<10	1.34	1591	<2	0.01	3	845	18	1.85	<5	3	100	<5	<0.01	<10	<10	53	<10	116	2
135468	<0.2	2.16	23	239	<0.5	71	4.47	5	18	7	76	5.25	<1	0.32	<10	1.60	1630	<2	0.04	4	893	15	1.76	<5	6	92	<5	0.03	<10	<10	81	<10	89	3
135477	0.7	1.45	120	120	<0.5	64	3.01	3	10	16	32	3.48	<1	0.30	10	1.22	1176	<2	0.01	21	1027	19	1.99	<5	1	174	<5	<0.01	<10	<10	19	<10	85	2
135487	3.6	0.68	143	109	<0.5	39	3.60	3	14	36	63	2.64	<1	0.26	10	0.43	1142	<2	0.01	35	1016	79	2.27	7	1	95	<5	0.01	<10	<10	13	<10	139	1
135490	3.1	0.75	149	98	<0.5	64	3.60	4	9	19	54	3.06	<1	0.26	<10	0.46	1048	<2	0.01	19	1059	160	2.49	5	1	240	<5	<0.01	<10	<10	13	<10	216	2
135499	2.2	1.34	56	87	0.5	61	2.88	2	15	26	97	2.61	<1	0.20	<10	1.13	1028	<2	0.01	37	774	9	1.03	<5	1	131	<5	0.03	<10	<10	23	<10	53	1
135609	0.3	1.83	36	70	<0.5	63	1.80	3	15	26	47	3.46	<1	0.17	11	1.51	1046	<2	0.03	20	1079	23	0.95	<5	2	81	<5	<0.01	<10	<10	43	<10	94	2
135612	1.1	1.39	59	79	<0.5	44	3.40	3	12	52	69	2.44	<1	0.17	<10	1.21	1394	<2	0.02	48	824	50	0.42	<5	2	135	<5	<0.01	<10	<10	32	<10	174	1
135621	3.4	0.47	137	142	<0.5	72	6.94	11	9	26	27	2.89	<1	0.27	<10	0.44	1477	<2	0.01	16	735	303	2.48	6	1	434	<5	<0.01	<10	<10	9	<10	965	1
135631	0.7	2.13	49	171	<0.5	53	1.54	5	18	17	67	4.99	<1	0.26	<10	1.74	1250	<2	0.01	4	922	24	1.64	<5	3	43	<5	0.03	<10	<10	60	<10	69	2
135634	0.6	1.80	47	177	0.5	67	3.98	4	19	18	74	4.86	<1	0.27	<10	1.39	1423	<2	0.01	4	890	19	1.74	<5	4	163	<5	0.05	<10	<10	61	<10	68	3
135643	<0.2	1.87	35	207	0.6	80	3.61	5	21	19	79	5.18	<1	0.24	<10	1.52	1399	<2	0.03	4	907	13	1.38	<5	6	79	<5	0.07	<10	<10	93	<10	60	6
135653	<0.2	1.90	75	192	0.5	72	4.54	4	18	11	71	4.72	<1	0.22	<10	1.45	1527	<2	0.02	4	849	7	0.93	<5	5	113	<5	0.06	<10	<10	81	<10	79	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.
Attention: Sue Deane
Project: Dilworth/Shipment 35 bags
Sample type: Core

Report No : **9V1519RJ**
Date : Nov-16-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135656	0.4	1.76	567	187	<0.5	64	4.31	6	17	14	64	4.64	<1	0.24	<10	1.33	1469	<2	0.02	3	845	20	1.44	6	4	111	<5	0.02	<10	<10	66	<10	182	2
135665	0.3	2.05	38	161	0.6	69	5.12	4	18	20	65	4.62	<1	0.23	<10	1.55	1969	<2	0.01	4	907	6	0.84	<5	5	177	<5	0.07	<10	<10	76	<10	73	2
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.7	1.71	12	287	1.4	23	0.54	5	28	99	2025	4.55	<1	1.30	12	1.20	313	2	0.05	50	644	16	0.59	<5	7	7	<5	0.18	<10	<10	80	<10	209	9

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1551-RA1

Nov-17-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Shipment 3 bags
Attn: Sue Deane

We *hereby certify* the following assay of 22 pulp samples submitted Oct-26-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
135669	0.05	0.5	1.6
135670	0.03	0.5	1.7
135671	0.01	<0.1	1.2
135672	0.02	<0.1	1.3
135673	0.06	0.4	1.5
135674	0.09	0.6	1.7
135675	0.04	0.6	1.7
135676	0.55	0.7	1.9
135677	0.32	0.6	1.6
135678	0.11	0.5	1.6
135679	0.05	1.5	2.1
135680	<0.01	0.4	1.1
135681	0.02	0.3	1.9
135682	0.01	0.3	1.7
135683	0.01	0.4	1.9
135684	<0.01	0.4	1.8
135685	0.02	0.7	2.0
135686	0.02	0.4	2.0
135687	0.02	0.5	2.1
135688	0.04	0.3	1.9
135689	0.03	0.3	1.9
135690	0.01	0.3	2.0
*DUP 135669	0.05	0.5	
*DUP 135678	0.09	0.5	
*DUP 135688	0.04	0.2	
*0211	2.11		
*BLANK	<0.01		

Au F.A. AA finish,Ag read from ICP solution

Certified by

Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

9V-1551-RA2

Nov-17-09

Company: **Ascot Resources Ltd.**
Project: Dilworth/Shipment 3 bags
Attn: Sue Deane

We *hereby certify* the following assay of 4 pulp samples submitted Oct-26-09

Sample Name	Au g/tonne	Ag g/tonne	Sample-wt Kg
135691	0.05	0.5	1.2
135692	0.56	1.1	1.2
135693	0.01	0.6	1.6
135694	<0.01	0.5	2.4
*DUP 135691	0.03	0.5	
*0211	2.24		
*BLANK	<0.01		

Au F.A. AA finish,Ag read from ICP solution

Certified by

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/Shipment 3 bags

Sample type: Pulp

Report No : **9V1551RJ**

Date : Nov-17-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135669	0.5	1.69	56	143	<0.5	16	4.16	2	14	15	57	3.97	1	0.19	<10	1.21	1380	<2	0.02	1	706	13	0.96	6	3	171	<5	0.02	<10	14	52	<10	74	1
135670	0.5	1.65	29	159	<0.5	14	6.22	1	13	19	51	3.78	1	0.22	<10	1.09	1677	<2	0.02	3	676	6	0.87	7	3	248	<5	0.01	<10	12	54	<10	55	1
135671	<0.2	1.61	9	162	<0.5	14	1.73	1	16	57	11	3.39	1	0.07	17	1.24	523	<2	0.05	6	1588	9	0.18	8	4	49	<5	0.21	<10	<10	56	<10	93	13
135672	<0.2	1.50	7	246	<0.5	13	1.42	1	16	53	11	3.25	1	0.08	18	1.16	471	<2	0.07	6	1585	8	0.15	8	4	51	<5	0.24	<10	<10	57	<10	91	18
135673	0.4	1.91	54	192	<0.5	20	2.79	2	18	16	62	4.67	1	0.25	<10	1.35	1294	<2	0.02	1	777	10	1.61	9	4	73	<5	0.06	<10	15	64	<10	62	2
135674	0.6	1.86	106	204	<0.5	20	4.40	2	18	16	57	4.76	1	0.27	<10	1.43	1624	<2	0.01	2	806	10	1.69	10	3	110	<5	0.07	<10	17	56	<10	63	2
135675	0.6	1.82	115	183	<0.5	18	4.45	17	16	15	59	4.39	1	0.24	<10	1.43	1494	<2	0.02	1	778	9	1.39	9	4	123	<5	0.06	<10	16	66	23	1106	3
135676	0.7	1.44	798	161	<0.5	18	4.03	2	15	18	39	4.29	1	0.25	<10	1.04	1312	<2	0.01	1	617	13	2.01	14	3	127	<5	0.06	<10	15	46	<10	52	2
135677	0.6	1.57	609	155	<0.5	18	4.28	2	15	17	37	4.11	2	0.22	<10	1.11	1446	<2	0.01	1	660	11	1.71	13	3	112	<5	0.06	<10	16	50	<10	98	2
135678	0.5	1.80	251	192	<0.5	19	3.81	2	17	15	61	4.13	1	0.23	<10	1.31	1357	<2	0.02	3	774	6	1.26	9	4	99	<5	0.07	<10	16	59	<10	140	2
135679	1.5	1.42	20	130	<0.5	11	10.38	1	12	13	42	3.24	1	0.18	<10	0.97	2022	<2	0.02	1	567	5	0.86	7	4	721	<5	0.05	<10	18	52	<10	93	2
135680	0.4	0.03	<5	14	<0.5	<5	>15.00	<1	1	2	1	0.41	1	0.03	<10	11.71	194	<2	0.01	1	163	<2	0.34	<5	<1	46	<5	<0.01	10	15	3	<10	20	<1
135681	0.3	2.02	46	195	<0.5	20	3.86	2	16	10	61	4.39	1	0.25	<10	1.39	1436	<2	0.02	1	746	7	1.02	8	4	97	<5	0.06	<10	16	70	<10	153	3
135682	0.3	1.89	51	197	<0.5	18	3.59	2	17	9	60	4.26	1	0.22	<10	1.31	1431	<2	0.02	2	724	7	0.98	9	4	83	<5	0.06	<10	16	63	<10	107	3
135683	0.4	1.90	33	194	<0.5	17	4.18	2	17	16	62	4.18	1	0.24	<10	1.28	1470	<2	0.02	2	709	7	1.03	8	4	79	<5	0.08	<10	15	62	<10	86	3
135684	0.4	1.72	48	170	<0.5	17	5.27	2	16	10	62	4.04	1	0.23	<10	1.17	1532	<2	0.02	1	718	9	1.01	8	4	105	<5	0.08	<10	16	65	<10	118	2
135685	0.7	1.97	137	231	<0.5	19	3.18	3	16	14	64	4.38	1	0.29	<10	1.30	1312	<2	0.02	1	743	10	1.21	8	4	81	<5	0.06	<10	15	65	<10	132	3
135686	0.4	1.86	55	177	<0.5	16	2.74	2	14	12	62	4.24	<1	0.22	<10	1.28	1240	<2	0.02	1	679	9	1.18	7	3	74	<5	0.03	<10	14	62	<10	112	2
135687	0.5	1.91	78	203	<0.5	18	3.14	2	15	12	57	4.15	1	0.27	<10	1.25	1313	<2	0.02	1	735	9	1.09	7	3	155	<5	0.01	<10	14	59	<10	122	2
135688	0.3	1.94	33	201	<0.5	19	3.25	2	15	10	65	4.19	1	0.22	<10	1.27	1393	<2	0.02	1	772	11	1.04	7	4	187	<5	0.01	<10	14	75	<10	76	2
135689	0.3	1.98	42	206	<0.5	20	2.95	2	16	11	61	4.55	1	0.24	<10	1.33	1374	<2	0.02	1	744	18	1.13	7	4	133	<5	0.01	<10	16	73	<10	75	2
135690	0.3	2.06	34	214	<0.5	20	2.77	2	17	9	65	4.53	1	0.25	<10	1.40	1395	<2	0.02	1	799	13	1.00	7	4	130	<5	0.03	<10	15	77	<10	87	3
135691	0.5	2.26	45	234	<0.5	23	2.42	3	20	11	66	4.83	<1	0.29	<10	1.49	1442	<2	0.02	2	881	21	1.21	9	5	120	<5	0.04	<10	17	82	<10	111	3
135692	1.1	0.26	<5	41	<0.5	<5	>15.00	<1	2	64	4	0.60	1	0.05	<10	0.18	2471	<2	0.01	1	85	<2	0.45	<5	1	1379	<5	<0.01	<10	20	7	<10	12	<1
135693	0.6	2.14	66	236	<0.5	20	2.17	2	17	13	63	4.63	1	0.30	<10	1.45	1487	<2	0.02	1	789	16	1.20	7	5	65	<5	0.04	<10	15	71	<10	95	3
135694	0.5	1.96	28	177	<0.5	18	3.01	2	16	12	64	4.31	1	0.21	<10	1.32	1562	<2	0.02	1	746	10	1.03	7	4	112	<5	0.01	<10	15	68	<10	91	2
Duplicates:																																		
135669	0.5	1.88	64	170	<0.5	19	4.36	2	15	17	60	4.22	1	0.22	<10	1.29	1436	<2	0.02	1	713	14	1.00	8	3	178	<5	0.03	<10	14	59	<10	78	2
135678	0.5	1.98	268	207	<0.5	19	4.12	2	18	16	64	4.33	1	0.27	<10	1.37	1441	<2	0.02	3	790	6	1.30	10	4	104	<5	0.07	<10	15	62	<10	140	2
135688	0.2	1.99	33	195	<0.5	18	3.35	2	16	10	62	4.29	1	0.25	<10	1.29	1424	<2	0.02	1	750	11	1.00	7	4	187	<5	0.01	<10	15	72	<10	74	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6
Tel: (604) 327-3436 Fax: (604) 327-3423

Ascot Resources Ltd.

Attention: Sue Deane

Project: Dilworth/Shipment 3 bags

Sample type: Pulp

Report No : **9V1551RJ**

Date : Nov-17-09

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
135691	0.5	2.20	42	205	<0.5	21	2.41	3	19	10	63	4.87	1	0.27	<10	1.52	1453	<2	0.02	1	846	20	1.16	9	4	113	<5	0.03	<10	16	76	<10	105	3
Standards:																																		
Blank	<0.2	<0.01	<5	<10	<0.5	<5	<0.01	<1	<1	<1	<1	<0.01	<1	<0.01	<10	<0.01	<5	<2	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<5	<0.01	<10	<10	<1	<10	<1	<1
CH-4	1.9	1.70	12	280	<0.5	20	0.58	3	29	104	1963	4.62	1	1.23	13	1.21	313	2	0.05	47	651	19	0.55	11	7	8	<5	0.19	<10	<10	80	<10	203	10

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _____

APPENDIX G

Maps

(Figure 4a and 4b)



Trench and chip samples 2009

Sample Number	Au (g/t)	Ag (g/t)
Prem-09-06 (Dago Pit)		
130749	4.37	
130750	0.25	74.7
Prem-09-07 (Dago Pit)		
130751	1.85	19.5
130752	0.09	5.4
130753	0.11	7.4
Prem-09-08 (Dago Pit)		
130754	0.05	6.1
130755	0.07	6.9
130756	0.08	9.8
Prem-09-09 (S1 Pit)		
130758	1.31	8.8
130759	0.72	6.7
130760	0.51	4.4
130761	3.65	22.5
130762	0.22	64.6
130763	2.19	14.8
130764	2.85	8.1
130765	2.68	7.1
130766	3.93	28.7
130767	6.98	15.1
130768	0.67	5.2
Prem-09-10 (S1 Pit)		
130769	1.96	4.8
130770	2.01	2.6
130771	0.81	3.0
Prem-09-11 (S1 Pit)		
130772	3.03	65.2
Prem-09-12 (S1 Pit)		
130773	0.02	1.4
Prem-09-13 (S1 Pit)		
130774	0.53	5.7
130775	0.81	6.2
130776	0.24	5.1
130777	0.56	8.3
130778	0.34	5.1
130779	2.34	7.7
130780	1.41	8.0
130781	1.90	7.6
130782	0.96	4.0
130783	2.18	7.7
130784	1.65	2.9
130785	0.87	3.9
130786	2.23	20.4
130787	0.91	4.1
130788	0.36	4.5
130789	0.47	6.8
130790	7.03	29.7
130791	12.84	125.0
130792	7.67	54.6
130793	7.92	110.0
130794	10.01	94.5
130795	8.90	60.5
130796	4.24	15.1
130797	0.72	5.7
130798	6.82	21.6
Prem-09-14 (S1 Pit)		
130799	0.39	6.9
130800	0.51	4.4
130801	0.39	3.8
130802	0.36	5.0
130803	0.34	5.2
130804	0.42	6.1
130805	0.23	6.6
130806	0.73	4.3
130807	0.73	7.8
130808	0.72	3.5
Prem-09-15 (S1 Pit)		
130812	1.15	20.3
130813	35.86	67.1
130814	2.88	18.7
130815	1.47	22.2
Prem-09-16* (S1 Pit)		
130816	1.63	5.5
130817	2.69	7.1
Prem-09-18 (Northstar)		
130824	43.64	109.0
130825	14.23	45.7
130826	23.98	51.9
130827	23.87	95.9
130828	7.86	8.1
130829	49.71	15.0
130830	15.39	6.2
130831	2.02	2.1
130832	6.10	7.7
Prem-09-19 (Northstar)		
130833	2.10	3.2
130834	0.28	0.5
130835	0.10	0.3
130836	2.75	1.8
130837	11.81	7.4
130838	18.20	8.5
130839	10.59	12.9
130840	10.85	49.7
130841	8.42	35.9
130842	6.21	29.8
130843	4.10	86.9
Prem-09-20 (Northstar)		
130844	1.26	4.2
130845	8.07	28.1
130846	0.17	1.1
Prem-09-21 (Northstar)		
130847	3.29	6.5
130848	15.07	15.7
130849	5.40	7.2
Prem-09-22* (S1 Pit)		
130850	1.08	2.6
130851	1.35	2.1
130852	2.98	2.1
130853	0.75	0.4
130854	0.96	1.5
130855	0.83	0.8
130856	2.32	3.4
130857	4.98	6.1
130858	1.85	1.3
130859	1.64	1.1
130860	1.94	2.6
Prem-09-23* (Dago Pit)		
130861	0.10	11.7
130862	0.54	20.3
130863	0.39	57.1
130864	0.84	127.7
130865	0.23	48.2
Prem-09-24* (Dago Pit)		
130866	0.36	50.5
130867	5.71	67.8
130868	21.45	78.9
Prem-09-25* (Dago Pit)		
130869	0.08	7.3
130870	0.18	27.5
130871	0.13	29.5
130872	0.09	29.8
130873	0.05	14.1
130874	0.12	25.1
Prem-09-26 (Province)		
130875	0.38	5.5
130876	24.04	45.3
130877	1.13	12.3
130878	0.54	5.9
130879	0.22	3.8
130880	0.52	11.1
130881	0.91	20.3
130882	2.38	29.8
130883	0.64	13.5
130884	1.34	47.8
Prem-09-27 (Province)		
130885	2.75	70.1
130886	1.72	19.3
130887	0.46	24.3
Prem-09-28 (Province)		
130888	0.24	5.1
130889	1.52	7.8
130890	0.36	4.9
130891	1.96	12.3
130892	4.85	29.2
130893	0.76	6.8
130894	0.99	9.1
130895	0.41	2.4
130896	0.33	7.2
130897	0.27	5.0
130898	0.47	15.5
130899	1.34	12.2
Prem-09-29 (Province)		
130900	1.91	13.0
130901	0.96	13.8
130902	0.51	23.8
130903	0.93	17.0
130904	0.61	22.2
Prem-09-30 (Province)		
130905	0.21	3.9
130906	1.39	4.1
130907	1.10	25.4
Prem-09-31 (Province)		
130908	0.18	4.1
130909	0.43	3.9
130910	0.52	4.7
130911	0.85	35.5
130912	2.55	38.3
130913	0.30	7.3
Prem-09-32 (Province)		
130914	0.41	19.6
130915	0.57	4.5
130916	0.60	2.4
130917	0.50	2.3
130918	1.45	5.0
130919	0.84	3.8
130920	2.68	21.3
130921	0.93	30.8
130922	1.55	27.2
130923	0.90	3.1
130924	2.62	12.9
130925	3.37	6.6
130926	0.77	5.7
130927	17.17	15.9
130928	8.12	16.4
130929	3.23	28.6
Prem-09-33 (Province)		
130930	5.31	12.0
130931	2.60	15.7
130932	1.14	6.1
130933	1.03	4.7
130934	1.16	14.1
130935	0.63	13.0
130936	1.15	5.0
130937	3.39	9.5
130938	4.00	7.4
130939	3.54	7.4
130940	3.24	5.5
Prem-09-34 (S1 Pit)		
130941	0.70	5.0
130942	0.77	14.7
130943	12.39	24.3
130944	0.57	2.3
130945	0.44	2.3
130946	0.80	4.9
130947	0.55	2.6
130948	1.47	7.8
130949	0.56	2.8
130950	1.17	14.1
130951	1.90	7.1
130952	0.18	1.7
Prem-09-37 (Northstar)		
130983	3.92	6.3
130984	3.30	2.0
130985	3.57	22.6
130986	3.97	19.3
130987	14.89	13.9
130988	6.87	13.1
Prem-09-38 (Northstar)		
130989	1.71	28.3
130990	2.12	13.3
130991	1.03	13.9
130992	1.49	32.6
130993	14.90	171.5
130994	3.37	346.0
Prem-09-39 (Northstar)		
130995	5.71	117.0
130996	3.57	33.4
130997	4.07	91.8
130998	2.11	22.7
Prem-09-40* (Northstar)		
130999	1.57	125.4
131000	2.53	63.1
139701	2.68	13.4
Prem-09-41 (Northstar)		
139702	4.52	18.7
139703	3.02	51.9
139704	2.73	35.3
139705	3.01	17.6
139706	2.09	19.8
139707	6.76	71.4
139708	5.42	34.4
139709	3.39	11.6
139710	5.50	15.1
139711	6.82	25.8
Prem-09-42 (Unicorn)		
139715	1.26	2.2
139716	1.66	9.3
139717	0.76	5.8
139718	0.38	4.1
139719	1.37	4.0
139720	0.23	2.0
139721	0.09	2.3
139722	0.13	1.4
Prem-09-43 (Unicorn)		
139723	2.95	4.6
139724	0.64	2.6
139725	4.76	5.1
139726	0.49	3.0
139727	5.69	14.4
139728	0.29	2.3
139729	0.99	11.8
139730	0.42	5.8

Sample Number	Au (g/t)	Ag (g/t)
Prem-09-44 (Unicorn)		
139731	0.33	7.7
139732	8.58	32.1
139733	14.06	17.9
139734	0.23	2.3
Prem-09-45 (Unicorn)		
139735	0.50	3.8
139736	4.34	16.0
139737	1.08	15.0
139738	1.32	4.4
139739	0.87	3.7
139740	0.91	2.8
Prem-09-46 (S1)		
139741	0.21	1.9
139742	0.45	2.8
139743	0.50	6.3
139744	1.10	2.7
139745	0.80	10.8
139746	1.09	4.4
139747	0.21	2.9
139748	0.10	3.1
Prem-09-47* (Unicorn)		
139749	1.59	374.6
139750	3.35	38.2
139751	2.86	30.6
139752	0.81	148.2
139753	0.31	9.1
Prem-09-48* (Unicorn)		
139754	0.52	22.8
139755	0.71	10.7
139756	0.44	25.0
139757	1.27	16.2
139758	0.33	8.1
Prem-09-49 (Unicorn)		
139759	2.38	43.1
139760	1.76	63.5
139761	0.80	46.8
139762	2.93	37.3
139763	1.24	85.4
139764	0.78	70.2
139765	0.96	50.9
139766	1.15	77.5
139767	0.62	79.3
139768	0.53	16.4
Prem-09-50 (Golden Crown)		
139769	0.26	2.9
139770	0.42	4.8
139771	0.65	2.4
139772	0.46	3.0
Prem-09-51 (Golden Crown)		
139773	1.50	4.7
139774	1.59	10.1
139775	0.98	7.7
139776	0.45	5.7
Prem-09-52 (Golden Crown)		
139777	0.23	3.2
139778	0.54	3.1
139779	1.62	6.3
139780	0.62	6.4
Prem-09-53 (Creek)		
139781	0.54	11.0
139782	2.35	32.6
139783	2.66	105.6
139784	0.95	93.0
139785	1.29	77.7
139786	0.89	39.6
139787	0.28	3.2
139788	0.58	9.1
139789	0.69	190.7
139790	0.79	169.7
139791	0.49	3.0
139792	4.03	189.9
139793	1.22	500.2
139794	2.66	120.6
Prem-09-54* (Creek)		
139795	0.14	5.7
139796	0.10	2.7
139797	2.26	17.7
139798	1.17	14.5
139799	0.11	8.3
139800	0.19	7.1
139801	0.27	6.3
139802	0.12	2.8
139803	0.29	4.8
139804	0.19	2.9
139805	0.79	25.8
Prem-09-55* (Creek)		
139806	0.17	7.0
139807	0.88	26.6
139808	0.90	15.3
139809	5.21	54.8
139810	5.97	23.6
139811	0.81	23.6
139812	1.16	17.0
139813	4.34	27.6
139814	0.28	9.2
139815	0.61	20.6
Prem-09-56* (Creek)		
139816	0.06	12.5
139817	0.10	13.3
139818	0.27	59.1
139819	0.49	116.8
139820	1.62	76.9
139821	0.87	277.0
Prem-09-57 (Creek)		
139822	0.25	8.4
139823	0.59	179.7
139824	0.68	89.7
139825	1.03	44.9
Prem-09-58* (Dago)		
139826	0.10	12.5
139827	0.21	51.0
139828	0.65	25.8
139829	0.35	35.3
139830	0.05	16.7
139831	0.17	17.0
Prem-09-59 (Mudstones)		
139832	0.04	<0.1
139833	0.05	0.3
139834	0.73	2.3
139835	22.57	273.7
139836	42.31	715.8
139837	9.12	877.0
139838	0.05	4.5
139839	0.05	5.5
139840	0.18	3.6
139841	0.01	2.1
139842	<0.01	3.8
139843	0.02	2.7
Prem-09-60 (Mudstones)		
139844	<0.01	2.5
139845	0.07	4.3
139846	0.13	5.5
139847	0.02	1.5
Prem-09-61 (Creek Zone)		
139849	0.02	6.7
139850	0.01	4.8
139852	0.02	7.1
139853	0.03	9.1
139854	0.01	3.4
139855	0.02	4.3
139856	0.02	3.5
139857	0.07	2.7
139858	<0.01	1.4
139859	0.01	4.2
139860	0.01	4.7
139861	<0.01	2.3
Prem-09-62 (S1/Unicorn)		
139862	0.07	0.9
139863	3.19	9.8
139864	10.59	59.3
139865	3.49	13.6
139866	5.28	18.5
139867	4.64	7.6
139868	2.84	4.5
139869	7.29	52.5
139870	5.87	12.4
139871	15.42	64.2
Prem-09-63 (Golden Crown)		
139872	0.22	2.5
139873	0.27	1.4
139874	1.63	3.5
139875	0.65	2.3
139876	0.33	1.0
Prem-09-64 (Silver Tip)		
139877	2.04	7030.0
139878	1.52	1073.0
139879	0.55	120.8
139880	1.78	341.0
139881	7.36	4854.0
139882	9.81	6320.0
139883	3.05	1617.0
139884	0.82	186.8
139885	1.41	679.0
139886	0.05	45.7
139887	4.04	506.0
139888	16.23	3700.0
139889	9.32	1300.0
139890	1.56	180.1
Prem-09-65* (Silver Tip)		
139891	1.85	327.6
139892	0.13	45.5
139893	0.20	42.9
139894	0.40	120.2
139895	0.60	191.7
139896	0.67	275.9
139897	0.02	20.9
139898	0.81	146.6
139899	4.53	163.4
Prem-09-66* (Silver Tip)		
139900	0.80	221.6
139901	1.73	123.2
139902	8.70	524.0
Prem-09-67 (Silver Tip)		
139903	0.02	6.8
139904	0.06	23.0
139905	0.18	45.9
Prem-09-68 (Rambler)		
139906	0.04	8.8
139907	0.06	15.3
139908	0.07	30.6
139909	0.01	9.1
139910	<0.01	2.2
Prem-09-69* (Rambler)		
139911	0.09	3.1
139912	0.02	2.1
139913	0.09	3.6
139914	0.07	2.0
139915	0.07	2.0
139916	0.21	5.2
139917	0.17	4.0
Prem-09-70* (Unicorn)		
139951	0.01	11.8
139952	0.01	9.2
139953	<0.01	4.3
139954	0.03	32.3
139955	0.01	12.2
Prem-09-71 (Unicorn)		
139956	0.14	3.4
139957	0.11	6.2
139958	0.22	3.4
139959	0.37	3.4
139960	0.56	3.6
Prem-09-72 (Rambler)		
139961	<0.01	3.8
139962	0.02	6.4
139963	0.04	5.2
139964	1.51	37.9
139965	0.25	8.9
Prem-09-73* (Rambler)		
139966	0.70	161.9
139967	1.50	5601.0
139968	1.41	6321.0
Prem-09-74* (Rambler)		
139969	0.75	246.3
139970	0.54	504.9
139971	0.15	6.5
Prem-09-75 (Montana)		
139972	0.04	16.5
139973	0.05	17.3
139974	0.43	61.5
139975	0.23	89.9
139976	0.45	84.3
139977	0.31	76.0
139978	0.25	129.3
Prem-09-76* (Martha Ellen)		
139979	0.01	3.1
139980	0.76	605.6
139981	0.17	36.4
139982	0.19	40.9
139983	0.15	43.4
Prem-09-77 (Montana)		
139984	<0.01	2.4
139985	0.02	30.1
139986	0.01	7.5
139987	<0.01	1.7
Prem-09-78 (Martha Ellen)		
139988	0.21	3.8
139989	0.66	15.1
139990	0.26	4.3
139991	1.11	8.6
139992	1.48	28.6
139993	12.69	29.7
139994	1.64	56.7
139995	12.26	38.6
139996	1.64	22.9
139997	1.95	22.5
139998	6.99	33.0
139999	1.84	28.8
	Colour ranges:	
	Au	Ag
	=0.0-0.1	=0.0-5.0
	=0.1-0.5	=5.0-10.0
	=0.5-1.0	=10.0-50.0
	=1.0-5.0	=50.0-100
	=5.0+	=100.0+

Sample Number	Au (g/t)	Ag (g/t)
Prem-09-79 (Martha Ellen)		
140000	1.24	6.7
139601	0.53	6.3
139602	0.79	25.7
139603	0.62	3.8
139604	1.89	7.9
139605	0.75	2.2
139606	1.86	5.9
139607	1.55	13.1
139608	1.56	63.6
139609	1.25	16.0
139610	1.80	13.6
139611	0.13	2.2
139612	0.81	6.4
139613	1.66	18.2
139614	0.56	6.7
Prem-09-80 (Martha Ellen)		
139615	8.34	98.4
139616	3.62	83.4
139617	6.72	135.9
139618	14.65	49.4
139619	6.75	19.5
139620	2.10	10.5
Prem-09-81 (Martha Ellen)		
139621	1.24	4.9
139622	0.84	4.6
139623	1.56	19.3
139624	0.65	4.9
139625	0.72	4.6
139626	0.35	2.8
139627	0.88	2.6
139628	35.62	19.5
139629	35.49	28.2
139630	2.82	7.2
139631	1.43	3.7
139632	2.38	4.7
139633	1.65	4.6
139634	1.52	2.8
139635	0.95	3.6
139636	0.49	4.8
139637	0.25	3.4
139638	0.16	2.9
139639	2.08	3.2
139640	0.30	2.2
139641	0.12	1.9
139642	0.92	1.4
139643	0.60	2.3
139644	0.21	2.0
139645	0.19	2.5
139646	0.12	1.3
139647	0.02	1.2
139648	0.03	0.8
139649	0.89	10.0
139650	0.73	3.5
139651	0.85	4.0
139652	0.33	2.1
139653	1.19	4.6
139654	0.51	4.0
139655	1.89	50.7
139656	0.73	8.6
Prem-09-82* (Martha Ellen)		
139657	0.45	6.4
139658	0.08	1.8
139659	0.69	3.6
139660	0.94	4.7
139661	2.68	10.3
139662	2.91	11.6
139663	1.62	9.5
139664	2.42	5.9
139665	3.07	30.8
139666	3.51	27.1
139667	2.50	13.8
139668	2.78	16.4
139669	4.05	27.3
139670	6.23	32.0
139671	4.75	21.7
139672	10.52	39.7
139673	5.71	26.8
139674	1.36	9.1
139675	1.48	2.3
139676	0.59	1.9
139677	1.03	5.1
139678	0.03	0.8
139679	0.03	1.0
139680	0.24	2.1
139681	0.76	6.1
139682	1.65	5.8
139683	2.24	9.8
139684	1.52	6.2
139685	1.85	4.3
139686	2.09	7.1
139687	2.66	3.7
139688	8.23	26.7
139689	0.79	13.8
139690	3.19	19.2
139691	2.48	20.8
139692	2.89	14.0
139693	6.00	26.0
139694	7.18	87.0
139695	5.36	32.7
139696	2.22	27.5
139697	3.06	30.8
139698	4.83	62.5
139699	7.46	113.4
Prem-09-83 (Martha Ellen)		
139700	0.33	53.9
122801	0.64	16.7
122802	0.43	17.2
Prem-09-84 (Martha Ellen)		
122803	0.25	20.1
122804	0.19	12.3
122805	0.76	85.6
Prem-09-85 (Unicorn)		
122806	0.29	193.1
122807	0.02	30.6
122808	<0.01	15.7
122809	<0.01	10.7
122810	<0.01	20.1
122811	0.01	28.2
122812	0.02	19.2
122813	<0.01	16.4
122814	0.04	39.3
122815	<0.01	6.1
122816	<0.01	4.1
122817	<0.01	0.9
122818	0.13	65.0
122819	0.05	23.4
Prem-09-86 (Unicorn)		
122820	<0.01	6.8
122821	0.01	8.0
122822	0.08	20.3
122823	0.01	5.5
122824	0.05	3.1
Prem-09-87 (Unicorn)		
122825	1.16	7.6
122826	0.8	12.2
122827	0.58	8.4
122828	0.15	2.8
122829	2.91	19.5
122830	0.4	4.8
122831	0.4	5.3
Prem-09-88 (Unicorn)		
122832	0.08	9.9
122833	0.03	4.9
122834	0.03	5.1
122835	0.04	9.1
Prem-09-89 (Unicorn)		
122836	0.03	1.7
122837	3.22	24.5
122838	0.03	1.5
122839	0.1	1.7
122840	0.01	1.6
122841	0.04	1.4
122842	2.29	14.8
122843	0.7	8.7
122844	0.01	2.5
122845	<0.01	1
122846	0.01	0.9
Prem-09-90 (Unicorn)		
122847	0.07	1.1
122848	0.05	1.4
122849	0.04	1.6
Prem-09-91 (Unicorn)		
122850	0.01	1.4
122854	<0.01	0.6
122855	0.02	0.5
122856	0.18	0.6
122857	<0.01	<0.1
Prem-09-92 (Unicorn)		
122858	0.2	0.8
122859	0.58	1.1
122860	0.02	0.6
122861	0.08	1.5
Prem-09-93 (Unicorn)		
122862	0.6	0.8
Prem-09-94 (Unicorn)		
122863	0.16	1.2
122864	0.27	2.2
122865	5.15	8.1
122866	0.73	2
122867	2.12	14.8
122868	0.18	2.4
122869	0.21	2
122870	1.51	5.7
122871	0.1	0.8
Prem-09-95 (Unicorn)		
122872	0.57	1.1
122873	3	2.9
122874	0.62	6.7
122875	0.27	1.4
122876	0.15	0.6
122877	0.31	0.6
Prem-09-96 (Unicorn)		
122878	0.27	5.8
122879	0.52	5.5
122880	0.2	3.8
122881	0.32	3.3
122882	0.53	8.1
122883	0.26	12.5
122884	0.43	14
122885	0.83	17.5
122886	0.6	11.9
122887	0.58	19.5
122888	0.64	15.5
122889	0.64	10.1
122890	1.42	16.3
122891	3.67	8.5
122892	0.83	53.3
122893	1.24	38.3
122894	0.99	15.2
122895	0.72	11.4
122896	0.96	48.8
122897	1.16	56.2
122898	0.52	57.8
122899	1.23	20.3
122900	0.49	9
122289	0.51	14.3
122290	0.22	8.5
122291	0.78	10.7
Prem-09-97 (Unicorn)		
122292	0.3	6.4
122293	0.85	51.8
122294	0.55	34.7
122295	0.77	31.3
122296	0.12	5.9
122297	0.12	11.4
Prem-09-98 (Unicorn)		
122451	0.15	42.6
122452	0.1	16.2
122453	0.19	42.4
122454	0.2	33.4
122455	0.07	6.8
122456	0.04	19.1
Prem-09-99 (Unicorn)		
122299	0.33	9.8
122300	0.44	11.1
122457	0.13	1.1
Prem-09-100 (Creek)		
122458	0.31	7.8
122459	0.27	8.3
122460	0.51	8.4
122461	0.35	7.9
122462	0.22	8.3
122463	0.66	9.8
Prem-09-101 (Silver Tip)		
122464	0.04	274.5
122465	<0.01	9.5
122466	<0.01	3.5
122467	<0.01	1.5
122468	<0.01	15.1
122469	<0.01	37
122470	<0.01	7.9
122471	<0.01	1.1
122472	<0.01	1
122473	<0.01	0.3
122474	<0.01	0.1
122475	<0.01	0.2
122476	<0.01	0.6
122477	<0.01	3.9
122478	<0.01	7
122479	0.06	156.7
122480	0.06	135
Prem-09-102 (Silver Tip)		
122481	0.03	1.8
122482	0.01	<0.1
122483	0.02	<0.1
122484	0.03	0.5
122485	0.03	2.3
Prem-09-103 (Silver Tip)		
122486	0.03	4.6
Prem-09-104* (Silver Tip)		
122490	0.03	85.6
122498	0.03	47.6
122499	0.04	108
122500	0.03	35.3
122552	0.03	22.6
122553	0.03	53.7

All chip samples are 1 metre in length

Trenches/chip samples marked with * did not have orientation information but were plotted west to east for display purposes.

Legend

- Claim Boundary
- Contour lines (20m)
- Lake
- River
- Icefield
- Road, gravel
- Road, rough
- Drill hole with number
- Trench
- Grab sample:
  - 0.00-1.00 g/t
  - 1.01-5.00 g/t
  - 5.01+ g/t

Topography from TRIM mapsheets 104B.010 and 020, and 104A.001 and 011 North American Datum - NAD83, Zone 9

PLAN SPECS:

REF. PT. E, N	436000 m	6220000 m
EXTENTS	3586 m	5295 m

SCALE 1 : 5000

(m)

-50 0 50 100 150 200

NAD-83, Zone 9

Ascot Resources Ltd.

Premier Gold Project

Figure 4a, Premier North Half



Trench and chip samples 2009		
Sample Number	Au (g/t)	Ag (g/t)
Prem-09-01 (Hope)		
130702	0.23	10.2
130703	1.73	21.3
130704	1.18	13.3
130705	11.12	46.1
130706	3.20	86.2
130707	1.54	134.1
130708	4.69	139.1
130709	3.85	260.0
130710	2.70	97.0
Prem-09-02* (Crusher)		
130711	1.27	69.5
130712	2.63	74.0
130713	3.78	124.6
Prem-09-03 (Woodbine)		
130715	0.33	9.6
130716	0.29	20.1
130717	1.62	41.0
130718	0.69	42.2
Prem-09-04 (Woodbine)		
130720	0.20	4.9
130721	0.06	3.3
130722	0.06	3.5
130723	0.07	4.4
130724	0.08	2.5
Prem-09-05 (Hope)		
130725	0.23	25.7
130726	33.09	151.0
130727	5.20	110.0
130728	3.22	63.3
130729	0.52	92.6
130730	0.43	99.9
130731	0.19	118.0
130732	0.45	87.3
130733	0.09	8.8
130734	0.21	34.7
130735	0.44	61.6
130736	0.67	6.6
130737	0.97	6.2
130738	0.53	7.0
130739	0.11	5.2
130740	0.11	2.8
130741	0.17	3.5
130742	0.19	1.6
130743	1.69	3.5
130744	2.71	6.7
130745	1.68	8.1
Prem-09-17* (Indian)		
130818	0.14	1.2
130819	0.11	0.8
130820	0.10	1.2
130821	0.26	1.6
130822	0.31	3.0
Prem-09-35* (Myrtle)		
130967	0.67	33.7
130968	1.91	233.2
130969	3.43	434.2
130970	4.43	534.5
130971	0.98	88.6
Prem-09-36 (Loui's)		
130973	2.26	66.8
130974	4.34	116.2
130975	8.80	354.7
130976	7.66	104.0
130977	11.90	390.6
130978	11.68	459.2
130979	7.22	103.6
130980	0.45	5.6
130981	0.39	46.2
130982	16.44	647.9

Colour ranges:	
Au	Ag
=0.0-0.1	=0.0-5.0
=0.1-0.5	=5.0-10.0
=0.5-1.0	=10.0-50.0
=1.0-5.0	=50.0-100.0
=5.0+	=100.0+

All chip samples are 1 metre in length. Trenches/chip samples marked with a * did not have orientation information but were plotted west to east for display purposes.

Legend

- Claim Boundary
- Contour lines (20m)
- Lake
- River
- Icefield
- Road, gravel
- Road, rough
- Drill hole with number
- Trench
- Grab sample:
  - 0.00-1.00 g/t
  - 1.01-5.00 g/t
  - 5.01+ g/t

Topography from TRIM mapsheets 104B.010 and 020, and 104A.001 and 011 North American Datum - NAD83, Zone 9

PLAN SPECS:

REF. PT. E, N 435900 m 6215000 m

EXTENTS 3586 m 5295 m

SCALE 1 : 5000

(m)

-50 0 50 100 150 200

NAD 83, Zone 9

Ascot Resources Ltd.

Premier Gold Project

Figure 4b, Premier South Half

APPENDIX H

Drilling Cross-sections

(Figures 5-36)



NUMBER BANDS Au	L/R	COL	RANGE (g/t)
	R		5
			1
			0.5
			0.1

ROCK CODES Code	PAT	LABEL	DESCRIPTION
		CAS	Casing
		AXXY	Andesite
		PIKX	Premier Porphyry
		PIXX	Porphyry
		VMXX	Quartz Vein, Mineralized

ASSAYS	L/R	TEXT
Au	R	-------

SECTION SPECS:

REF. PT. E, N	436672 m	6212365 m
EXTENTS	146.6 m	101.3 m
SECTION TOP, BOT	520.1 m	418.8 m
TOLERANCE +/-	3 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 45°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 5, Hole P09-001 to 002

Premier Pit



NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES Code	PAT	LABEL	DESCRIPTION
		CAS	Casing
		AXXY	Andesite
		AXXX	Andesite
		AFVX	Andesite
		D/AX	Felsite Dyke
		PIKX	Premier Porphyry
		PIPX	Premier Porphyry
		VMXX	Quartz Vein, Mineralized

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	-------	All

SECTION SPECS:

REF. PT. E, N	436676 m	6212343 m
EXTENTS	146.6 m	101.3 m
SECTION TOP, BOT	510.1 m	408.8 m
TOLERANCE +/-	2.5 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 45°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 6, Hole P09-003 to P09-005

Premier Pit



NUMBER BANDS Au	L/R	COL	RANGE (g/t)
	R		5
			1
			0.5
			0.1

ROCK CODES Code	PAT	LABEL	DESCRIPTION
		CAS	Casing
		AXXX	Andesite
		PIKX	Premier Porphyry

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	-------	All

SECTION SPECS:

REF. PT. E, N	436659 m	6212318 m
EXTENTS	146.6 m	101.3 m
SECTION TOP, BOT	550.1 m	448.8 m
TOLERANCE +/-	3 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 140°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 7, Hole P09-006

Premier Pit



NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES Code	PAT	LABEL	DESCRIPTION
		CAS	Casing
		AXXY	Andesite
		AXXX	Andesite
		PIKX	Premier Porphyry
		PIXX	Porphyry
		VMXX	Quartz Vein, Mineralized

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	-------	All

SECTION SPECS:

REF. PT. E, N	436662 m	6212369 m
EXTENTS	146.6 m	101.3 m
SECTION TOP, BOT	530.1 m	428.8 m
TOLERANCE +/-	3 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 45°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 8, Hole P09-007 to P09-009

Premier Pit



NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES	PAT	LABEL	DESCRIPTION
Code		AXXY	Andesite
		PIKX	Premier Porphyry
		VMXX	Quartz Vein, Mineralized

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	-------	All

SECTION SPECS:

REF. PT. E, N	436655 m	6212369 m
EXTENTS	146.6 m	101.3 m
SECTION TOP, BOT	535.1 m	433.8 m
TOLERANCE +/-	3 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 45°

N E S W

Ascot Resources Ltd.

Premier Gold Property

Figure 9, Hole P09-010 and P09-011

Premier Pit



NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES Code	PAT	LABEL	DESCRIPTION
		CAS	Casing
		AXXX	Andesite
		AXXZ	Andesite, brecciated
		D/AX	Felsite Dyke
		PIPX	Premier Porphyry
		VMXX	Quartz Vein, Mineralized
		VNXX	Porphyry

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	-------	All

SECTION SPECS:

REF. PT. E, N	436015 m	6213006 m
EXTENTS	210.1 m	170.6 m
SECTION TOP, BOT	277.1 m	106.5 m
TOLERANCE +/-	6 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 160°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 10, Hole P09-012 to P09-014

Power Zone



NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES Code	PAT	LABEL	DESCRIPTION
		CAS	Casing
		AXXX	Andesite
		D/AX	Felsite Dyke
		PIKX	Premier Porphyry
		PIPX	Premier Porphyry

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	-------	All

SECTION SPECS:

REF. PT. E, N	436019 m	6212805 m
EXTENTS	152.7 m	222.8 m
SECTION TOP, BOT	252.3 m	29.46 m
TOLERANCE +/-	3 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 163°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 11, Hole P09-015 and P09-016

Hope Zone



NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES	PAT	LABEL	DESCRIPTION
Code		CAS	Casing
		AXXX	Andesite
		D/AX	Felsite Dyke
		PIPX	Premier Porphyry

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	-------	All

SECTION SPECS:

REF. PT. E, N	436124 m	6212809 m
EXTENTS	210.1 m	170.6 m
SECTION TOP, BOT	337.1 m	166.5 m
TOLERANCE +/-	4 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone9

AZIMUTH = 178°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 12, Hole P09-017 to P09-019

Hope/Power Zones



NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES	PAT	LABEL	DESCRIPTION
Code		CAS	Casing
		AXXX	Andesite
		PIPX	Premier Porphyry

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	-------	All

SECTION SPECS:

REF. PT. E, N	436686 m	6214030 m
EXTENTS	210.1 m	170.6 m
SECTION TOP, BOT	487.1 m	316.5 m
TOLERANCE +/-	4 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 170°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 13, Hole P09-020

Loui Showing





NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES	PAT	LABEL	DESCRIPTION
Code		CAS	Casing
		AXXX	Andesite
		D/AX	Felsite Dyke
		D/AP	Andesite Dyke
		PIXX	Porphyry

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	-------	All

SECTION SPECS:

REF. PT. E, N	436535 m	6219473 m
EXTENTS	76.45 m	165.1 m
SECTION TOP, BOT	1017 m	851.4 m
TOLERANCE +/-	3 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 130°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 14, Hole P09-021 to P09-022

North Wall, S1 Pit



NUMBER BANDS Au	L/R	COL	RANGE (g/t)
	R		5
			1
			0.5
			0.1

ROCK CODES Code	PAT	LABEL	DESCRIPTION
		AXXX	Andesite
		D/AX	Felsite Dyke
		D/AP	Andesite Dyke
		PIXX	Porphyry

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	-------	All

SECTION SPECS:

REF. PT. E, N	436558 m	6219483 m
EXTENTS	210.1 m	170.6 m
SECTION TOP, BOT	1017 m	846.5 m
TOLERANCE +/-	3 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 95°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 15, Hole P09-022 to P09-023

North Wall, S1 Pit



NUMBER BANDS: Au	L/R	COL	RANGE (g/t)
	R		5
			1
			0.5
			0.1

ROCK CODES Code	PAT.	LABEL	DESCRIPTION
		AXXX	Andesite
		AFYX	Porphyritic Andesite
		ATXX	Andesite, tuffaceous
		ALXX	Andesite Lapilli
		DIAX	Felsite Dyke
		DANP	Andesite Dyke
		PRPX	Premier Porphyry
		VMXX	Quartz Vein, Mineralized

POSTED TEXT	L/R	TEXT	ITEMS
Au_tot	R	------	All

SECTION SPECS:

REF. PT. E, N	436480 m	6219970 m
EXTENTS	409.5 m	300.3 m
SECTION TOP, BOT	1156 m	819.3 m
TOLERANCE +/-	20 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 90°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 16, Hole P09-024 and P09-040

Northstar/Unicorn Zones



NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES	PAT	LABEL	DESCRIPTION
Code		CAS	Casing
		AXXX	Andesite
		AFPX	Porphyritic Andesite
		ALXX	Andesite Lapilli
		DAX	Felsite Dyke
		DAP	Andesite Dyke
		DAN	Andesite Dyke
		DIDI	Diorite Dyke

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	----	All

SECTION SPECS:

REF PT, E N	436310 m	6219891 m
EXTENTS	409.5 m	300.9 m
SECTION TOP, BOT	1137 m	769.8 m
TOLERANCE +/-	15 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 90°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 17, Hole P09-025 to P09-043

Northstar/Rambler Zones



NUMBER BANDS L/R COL RANGE (g/t)
Au R
5
1
0.5
0.1

ROCK CODES PAT LABEL DESCRIPTION
Code
CAS Casing
AXXX Andesite
ALXX Andesite Lapilli
ABXX Andesite Breccia/Lapilli
D/AX Felsite Dyke
D/AP Andesite Dyke
D/AN Andesite Dyke
D/AH Andesite Dyke

POSTED TEXT L/R TEXT ITEMS
Au_txt R ------- All

SECTION SPECS:

REF. PT. E, N	436373 m	6219815 m
EXTENTS	216.1 m	361.4 m
SECTION TOP, BOT	1136 m	774.8 m
TOLERANCE +/-	5 m	

SCALE 1 : 500
(m)
-4 0 4 8 12 16
NAD 83, Zone 9

AZIMUTH = 80°
N W E S

Ascot Resources Ltd.
Premier Gold Property
Figure 18, Hole P09-026
Northstar



NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES Code	PAT	LABEL	DESCRIPTION
		CAS	Casing
		AXXX	Andesite
		ATXX	Andesite, tuffaceous
		ALXX	Andesite Lapilli
		D/AP	Andesite Dyke
		D/AN	Andesite Dyke

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	-------	All

SECTION SPECS:

REF. PT. E, N	436434 m	6219714 m
EXTENTS	216.2 m	361.4 m
SECTION TOP, BOT	1126 m	764.8 m
TOLERANCE +/-	10 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 90°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 19, Hole P09-027

Northstar



NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES Code	PAT	LABEL	DESCRIPTION
		CAS	Casing
		AXXX	Andesite
		ALXX	Andesite Lapilli
		DIAX	Felsite Dyke
		DIAP	Andesite Dyke
		DIAH	Andesite Dyke
		DIRQ	Rhyolitic Porphyry Dyke
		GTX	Porphyry Dyke - Texas Creek

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	--------	All

SECTION SPECS:

REF. PT. E, N	436265 m	6219660 m
EXTENTS	362.5 m	228.3 m
SECTION TOP, BOT	1133 m	904.5 m
TOLERANCE +/-	5 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 50°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 20, Hole P09-028

Northstar



NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES	PAT	LABEL	DESCRIPTION
Code		ATXX	Andesite, tuffaceous
		ALXX	Andesite Lapilli

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	--------	All

SECTION SPECS:

REF. PT. E, N	436220 m	6219291 m
EXTENTS	362.5 m	228.3 m
SECTION TOP, BOT	1063 m	834.5 m
TOLERANCE +/-	3.5 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 90°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 21, Hole P09-029

Province Zone



NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES	PAT	LABEL	DESCRIPTION
Code		CAS	Casing
		AXXX	Andesite
		ATXXX	Andesite, tuffaceous
		ALXX	Andesite Lapilli

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	------	All

SECTION SPECS:

REF. PT. E, N	436307 m	6219163 m
EXTENTS	362.5 m	228.3 m
SECTION TOP, BOT	1069 m	840.5 m
TOLERANCE +/-	3.5 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 85°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 22, Hole P09-030

Province Zone



NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES	PAT	LABEL	DESCRIPTION
Code		CAS	Casing
		AXXX	Andesite
		AXXZ	Andesite, brecciated
		PIKX	Premier Porphyry
		PIPX	Premier Porphyry
		QBXX	Quartz Vein Breccia

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	-------	All

SECTION SPECS:

REF. PT. E, N	435834 m	6220850 m
EXTENTS	152.7 m	222.8 m
SECTION TOP, BOT	1182 m	959.5 m
TOLERANCE +/-	7.5 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 60°

N E S W

Ascot Resources Ltd.

Premier Gold Property

Figure 23, Hole P09-031

Martha Ellen Zone



NUMBER BANDS L/R COL RANGE (g/t)
Au R
5
1
0.5
0.1

ROCK CODES PAT LABEL DESCRIPTION
Code
CAS Casing
AXXX Andesite
ABXX Andesite Breccia/Lapilli
D/DI Diorite Dyke
D/LA Dyke
PIPX Premier Porphyry
QBXX Quartz Vein Breccia

POSTED TEXT L/R TEXT ITEMS
Au_txt R ------- All

SECTION SPECS:

REF. PT. E, N	435930 m	6220765 m
EXTENTS	152.7 m	222.8 m
SECTION TOP, BOT	1122 m	899.5 m
TOLERANCE +/-	7.5 m	

SCALE 1 : 500
(m)
-4 0 4 8 12 16
NAD 83, Zone 9

AZIMUTH = 60°
N W E S

Ascot Resources Ltd.
Premier Gold Property
Figure 24, Hole P09-032 and P09-033
Martha Ellen Zone



NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES Code	PAT	LABEL	DESCRIPTION
		CAS	Casing
		AXXX	Andesite
		ABXX	Andesite Breccia/Lapilli
		PIPX	Premier Porphyry
		QBXX	Quartz Vein Breccia

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	------	All

SECTION SPECS:

REF. PT. E, N	436056 m	6221070 m
EXTENTS	362.5 m	228.3 m
SECTION TOP, BOT	1223 m	994.5 m
TOLERANCE +/-	10 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 95°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 25, Hole P09-034

Montana Zone



NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES Code	PAT	LABEL	DESCRIPTION
		CAS	Casing
		DIAX	Felsite Dyke
		DIAP	Andesite Dyke
		PIPX	Premier Porphyry
		QBXX	Quartz Vein Breccia

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	------	All

SECTION SPECS:

REF. PT. E, N	436121 m	6221274 m
EXTENTS	362.5 m	228.3 m
SECTION TOP, BOT	1253 m	1025 m
TOLERANCE +/-	7.5 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 100°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 26, Hole P09-035

Montana Zone



NUMBER BANDS L/R COL RANGE (g/t)
Au R 5 1 0.5 0.1

ROCK CODES PAT LABEL DESCRIPTION
Code CAS Casing
AXXX Andesite
AXXZ Andesite, brecciated
ALXX Andesite Lapilli
DIAX Felsite Dyke
DIAN Andesite Dyke
PIPX Premier Porphyry
QBXX Quartz Vein Breccia

POSTED TEXT L/R TEXT ITEMS
Au_txt R -------- All

SECTION SPECS:

REF. PT. E, N	435661 m	6221310 m
EXTENTS	362.5 m	228.3 m
SECTION TOP, BOT	1213 m	984.5 m
TOLERANCE +/-	12.5 m	

SCALE 1 : 500
(m)
-4 0 4 8 12 16
NAD 83, Zone 9

AZIMUTH = 100°
N W E S

Ascot Resources Ltd.
Premier Gold Property
Figure 27, Hole P09-036
Martha Ellen Zone



NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES Code	PAT	LABEL	DESCRIPTION
		CAS	Casing
		AXXX	Andesite
		ALXX	Andesite Lapilli
		DIAX	Felsite Dyke
		DIAP	Andesite Dyke
		DIAN	Andesite Dyke
		PIPX	Premier Porphyry
		QBXX	Quartz Vein Breccia

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	--------	All

SECTION SPECS:

REF. PT. E, N	436212 m	6220269 m
EXTENTS	362.5 m	228.3 m
SECTION TOP, BOT	1123 m	894.5 m
TOLERANCE +/-	2.5 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 90°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 28, Hole P09-037

Rambler Zone



NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES Code	PAT	LABEL	DESCRIPTION
		CAS	Casing
		BAXX	Mudstone and siltstone
		D/AX	Felsite Dyke
		D/AP	Andesite Dyke
		D/DI	Diorite Dyke
		D/RQ	Rhyolitic Porphyry Dyke
		PIPX	Premier Porphyry

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	-------	All

SECTION SPECS:

REF. PT. E, N	437304 m	6220823 m
EXTENTS	146.6 m	101.3 m
SECTION TOP, BOT	1105 m	1004 m
TOLERANCE +/-	2.5 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 30°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 29, Hole P09-038

Silver Tip Zone



NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES Code	PAT	LABEL	DESCRIPTION
		CAS	Casing
		ALXX	Andesite Lapilli
		BAXX	Mudstone and siltstone
		D/AX	Felsite Dyke
		D/AP	Andesite Dyke
		D/DI	Diorite Dyke
		D/RQ	Rhyolitic Porphyry Dyke
		PIPX	Premier Porphyry

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	-------	All

SECTION SPECS:

REF. PT. E, N	437278 m	6220820 m
EXTENTS	146.6 m	101.3 m
SECTION TOP, BOT	1110 m	1009 m
TOLERANCE +/-	2.5 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 150°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 30, Hole P09-039

Silver Tip Zone



NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES	PAT	LABEL	DESCRIPTION
Code		CAS	Casing
		AXXX	Andesite
		ALXX	Andesite Lapilli
		D/AX	Felsite Dyke
		PIPX	Premier Porphyry

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	-------	All

SECTION SPECS:

REF. PT. E, N	436575 m	6220080 m
EXTENTS	152.7 m	222.8 m
SECTION TOP, BOT	1152 m	929.5 m
TOLERANCE +/-	10 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 90°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 31, Hole P09-041

Unicorn Zone



NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES Code	PAT	LABEL	DESCRIPTION
		CAS	Casing
		AXXX	Andesite
		DIAP	Andesite Dyke
		PIPX	Premier Porphyry

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	——	All

SECTION SPECS:

REF. PT. E, N	436603 m	6219850 m
EXTENTS	362.5 m	228.3 m
SECTION TOP, BOT	1093 m	864.5 m
TOLERANCE +/-	6 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 90°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 32, Hole P09-042

Unicorn Zone



NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES Code	PAT	LABEL	DESCRIPTION
		CAS	Casing
		AXXX	Andesite
		ALXX	Andesite Lapilli
		DIAP	Andesite Dyke

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	-------	All

SECTION SPECS:

REF. PT. E, N	436177 m	6219559 m
EXTENTS	362.5 m	228.3 m
SECTION TOP, BOT	1053 m	824.5 m
TOLERANCE +/-	6 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 90°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 33, Hole P09-044

Rambler Zone



NUMBER BANDS L/R COL RANGE (g/t)
Au R
5
1
0.5
0.1

ROCK CODES PAT LABEL DESCRIPTION
Code
CAS Casing
AXXX Andesite
AXXZ Andesite, brecciated
ATXX Andesite, tuffaceous
ALXX Andesite Lapilli
ABXX Andesite Breccia/Lapilli

POSTED TEXT L/R TEXT ITEMS
Au_txt R ------- All

SECTION SPECS:

REF. PT. E, N	436511 m	6218625 m
EXTENTS	362.5 m	209.3 m
SECTION TOP, BOT	1031 m	821.6 m
TOLERANCE +/-	20 m	

SCALE 1 : 500
(m)
-4 0 4 8 12 16
NAD 83, Zone 9

AZIMUTH = 90°
N
W E
S

Ascot Resources Ltd.
Premier Gold Property
Figure 34, Hole P09-045 and P09-046
Golden Crown Zone



NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES	PAT	LABEL	DESCRIPTION
Code		CAS	Casing
		BAXX	Mudstone and siltstone
		D/AP	Andesite Dyke
		PIXX	Porphyry

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	-------	All

SECTION SPECS:

REF. PT. E, N	434732 m	6221242 m
EXTENTS	146.6 m	92.88 m
SECTION TOP, BOT	884.3 m	791.4 m
TOLERANCE +/-	2.5 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 35°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 35, Hole P09-047

Mudstone Showing



NUMBER BANDS	L/R	COL	RANGE (g/t)
Au	R		5
			1
			0.5
			0.1

ROCK CODES	PAT	LABEL	DESCRIPTION
Code		CAS	Casing
		BAXX	Mudstone and siltstone
		D/AP	Andesite Dyke
		PIXX	Porphyry

POSTED TEXT	L/R	TEXT	ITEMS
Au_txt	R	-------	All

SECTION SPECS:

REF. PT. E, N	434747 m	6221231 m
EXTENTS	146.6 m	92.88 m
SECTION TOP, BOT	884.3 m	791.4 m
TOLERANCE +/-	2.5 m	

SCALE 1 : 500

(m)

-4 0 4 8 12 16

NAD 83, Zone 9

AZIMUTH = 60°

N W E S

Ascot Resources Ltd.

Premier Gold Property

Figure 36, Hole P09-048

Mudstone Showing