

Appendix 5

Statement of Costs

BC Geological Survey
Assessment Report
31730d

Exploration Work type	Comment	Days			Totals
Personnel (Name)* / Position	Field Days (list actual days)	Days	Rate	Subtotal*	
Curt Kauss – Geologist	Sept 1 st 2009- Oct 1 st 2009	58	\$340.00	\$19,720.00	
	Dec 15 th Dec 20 th 2009				
	April 20 th – May 13 th 2010				
Sean Daly– Geologist	Sept 1 st 2009- Sept 10 th 2009	22	\$624.00	\$13,728.00	
	Dec 15 th Dec 20 th 2009				
	April 30 th – May 2 nd 2010				
	Aug 20 th – Aug 24 th 2010				
Daniel Takagawa – Geologist	Sept 1 st 2009- Sept 10 th 2009	29	\$344.00	\$9,976.00	
	Dec 15 th Dec 20 th 2009				
	April 30 th – May 13 th 2010				
Al Hilton - Director	Dec 15 th Dec 20 th 2009	14	\$600.00	\$8,400.00	
	April 20 th -24 th 2010				
	Aug 20 th – Aug 24 th 2010				
Jpaul Stevenson – CEO	Dec 15 th Dec 20 th 2009	15	\$500.00	\$7,500.00	
	April 20 th -25 th 2010				
	Aug 20 th – Aug 24 th 2010				
Chris Sampson – President	Dec 15 th Dec 20 th 2009	24	\$500.00	\$12,000.00	
	April 20 th -May 5 th 2010				
	Aug 20 th – Aug 24 th 2010				
Dr. Vic Preto Consultant	Aug 20 th – Aug 24 th 2010	4	\$500.00	\$2,000.00	
				\$73,324.00	\$73,324.00
Office Studies	List Personnel (note - Office only, do not include field days)				
Kathryn Dunne	Thin Section Report (27 in Total)		\$4,217.69	\$4,217.69	
Carta Exploration	Geomorphological Report		\$2,000.00	\$2,000.00	
				\$6,217.69	\$6,217.69
Ground Exploration Surveys	Area in Hectares/List Personnel				
Geological mapping	792 Ha S. Daly, D. Takagawa, C. Kauss				
Trenches	0.45 Ha S. Daly, D. Takagawa, C. Kauss			\$0.00	\$0.00
Geochemical Surveying	Number of Samples	No.	Rate	Subtotal	
Drill (cuttings, core, etc.)	499 Samples Submitted To Acme Labs	499	\$30.55	\$15,244.45	
Rock (From Trenching)	824 Samples Submitted To Acme Labs	824	\$30.55	\$25,173.20	
				\$40,417.65	\$40,417.65
Drilling	No. of Holes, Size of Core and Metres	No.	Rate	Subtotal	
Diamond	10,HQ, 1497.55 Metres	1497.55	\$152.82	\$228,855.59	
				\$228,855.59	\$228,855.59
Other Operations	Clarify	No.	Rate	Subtotal	
Trenching	1526.87 Metres Of Trenching	1526.87	\$41.14	\$62,815.43	
				\$62,815.43	\$62,815.43
Transportation		No.	Rate	Subtotal	
truck rental	170 Days Total over Time Period*	170.00	\$75.00	\$12,750.00	
Fuel (litres/hour)	4.27 L/pH over 1360 Hours	5807.2	\$0.85	\$4,936.12	
				\$17,686.12	\$17,686.12
Accommodation & Food	Rates per day	Days			
Hotel	\$100 a day including Tax for 167 Days**	167.00	\$100.00	\$16,700.00	
Meals	\$81.64 per day for 167 Days**	167.00	81.64	\$13,633.88	
				\$30,333.88	\$30,333.88
Equipment Rentals					
Sabre -X Contracting	DELTA XRF Analyzer and Operator		\$14,822.13	\$14,822.13	
	April 20 th – May 13 th 2010				

				\$14,822.13	\$14,822.13
Freight, rock samples					
Clark Freightways			\$2,063.94	\$2,063.94	
				\$2,063.94	\$2,063.94
<i>TOTAL Expenditures</i>					\$476,536.43

Appendix 6

Assays



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: July 02, 2009
Report Date: July 20, 2009
Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN09002610.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 2

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R200	2	Crush, split and pulverize rock to 200 mesh		
1DX15	2	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: None Given
Report Date: July 20, 2009

Page: 2 of 2 **Part** 1

CERTIFICATE OF ANALYSIS

VAN09002610.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09CR01	Rock	1.19	0.3	99.4	3.3	161	<0.1	11.4	19.0	2263	5.38	1.5	0.2	<0.5	0.6	37	<0.1	<0.1	<0.1	110	2.72
MM09CR02	Rock	1.60	0.6	88.5	2.1	48	0.1	19.4	21.1	661	3.38	6.5	0.2	<0.5	0.4	71	<0.1	0.1	<0.1	101	1.70



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: None Given
Report Date: July 20, 2009

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

VAN09002610.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
MM09CR01	Rock	0.079	8	14	2.36	175	0.006	1	3.19	0.039	0.19	<0.1	<0.01	7.8	<0.1	0.59	9	<0.5
MM09CR02	Rock	0.113	3	52	1.74	45	0.199	2	1.91	0.051	0.11	<0.1	<0.01	6.0	<0.1	0.19	6	<0.5



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: None Given
Report Date: July 20, 2009

Page: 1 of 1 **Part** 1

QUALITY CONTROL REPORT

VAN09002610.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Reference Materials																					
STD DS7	Standard	18.8	104.8	67.5	374	0.8	52.4	8.8	632	2.45	51.0	4.9	93.2	4.4	73	6.4	5.9	4.6	81	0.92	
STD DS7	Standard	18.8	107.8	68.5	381	0.8	52.7	9.2	638	2.49	49.9	4.9	60.8	4.6	70	6.4	5.9	4.8	82	0.92	
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
Prep Wash																					
G1	Prep Blank	<0.01	0.6	10.6	3.0	47	<0.1	5.4	4.5	580	2.11	<0.5	2.4	<0.5	3.8	68	<0.1	<0.1	<0.1	38	0.56



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

211 - 744 W. Hastings St.

Vancouver BC V6C 1A5 Canada

Project: None Given

Report Date: July 20, 2009

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN09002610.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Reference Materials																		
STD DS7	Standard	0.075	12	202	1.03	404	0.125	39	1.02	0.090	0.48	3.7	0.19	2.4	4.0	0.19	5	3.4
STD DS7	Standard	0.074	12	198	1.06	409	0.121	36	1.03	0.092	0.47	3.8	0.19	2.3	4.1	0.19	5	3.8
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																		
G1	Prep Blank	0.079	9	13	0.58	255	0.150	2	1.18	0.128	0.59	<0.1	<0.01	2.6	0.4	<0.05	5	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: July 28, 2009
Report Date: August 06, 2009
Page: 1 of 7

CERTIFICATE OF ANALYSIS

VAN09003193.1

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 157

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200	157	Crush, split and pulverize rock to 200 mesh			VAN
1DX15	157	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 06, 2009

Page: 2 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN09003193.1

Method Analyte	Unit	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
MM09TR80 C01	Rock	1.35	19.6	9476	2.5	36	1.5	23.1	71.4	622	6.40	17.7	1.0	2986	1.0	57	<0.1	0.3	0.1	197	2.96
MM09TR80 C02	Rock	1.57	4.7	1524	2.0	35	0.2	12.4	14.0	621	5.62	10.3	0.6	370.2	1.3	65	<0.1	0.2	<0.1	199	3.12
MM09TR80 C03	Rock	1.58	6.7	414.3	1.8	33	0.2	11.2	11.0	619	5.13	7.4	0.5	539.7	1.1	86	<0.1	0.1	<0.1	174	3.23
MM09TR80 C04	Rock	1.34	4.4	577.6	2.7	35	0.2	10.3	14.1	659	5.48	9.1	0.5	217.7	1.3	111	<0.1	0.3	<0.1	200	3.38
MM09TR80 C05	Rock	1.35	30.7	287.9	2.8	45	0.2	14.1	15.4	844	7.90	7.6	0.4	70.2	1.0	77	0.1	0.2	<0.1	244	3.22
MM09TR80 C06	Rock	1.40	5.0	1061	2.5	44	0.8	13.1	16.3	828	6.47	9.3	0.4	73.0	1.0	44	<0.1	0.5	<0.1	192	1.55
MM09TR80 C07	Rock	1.48	10.8	1005	2.8	37	0.7	13.1	29.7	696	6.11	12.6	0.5	1271	1.2	56	<0.1	0.2	<0.1	197	1.70
MM09TR80 C08	Rock	1.25	44.7	1223	3.0	34	0.9	10.4	14.7	595	5.04	8.1	0.4	297.9	1.1	53	<0.1	0.2	0.1	178	2.31
MM09TR80 C09	Rock	1.77	119.2	5491	5.4	38	3.6	11.3	18.5	637	5.67	9.1	0.5	401.1	1.0	50	0.3	0.3	0.1	182	1.70
MM09TR80 C10	Rock	1.25	18.8	2476	3.3	40	0.9	12.9	48.4	685	5.80	10.0	0.4	593.9	1.2	64	<0.1	0.1	0.1	182	2.48
MM09TR80 C11	Rock	1.33	53.5	6615	3.5	38	3.3	14.6	31.9	723	5.99	9.9	0.5	687.8	1.2	54	0.2	0.2	0.1	182	1.98
MM09TR80 C12	Rock	1.27	3.2	202.0	2.7	35	0.1	12.3	17.3	760	5.22	13.1	0.4	8.4	1.0	75	2.8	0.2	<0.1	194	2.29
MM09TR80 C13	Rock	1.32	14.9	658.9	2.6	37	0.5	12.1	21.0	860	4.96	16.7	0.3	32.7	1.0	64	<0.1	0.2	<0.1	182	2.21
MM09TR80 C14	Rock	1.24	1.1	102.5	3.2	48	<0.1	12.3	20.1	851	4.86	14.0	0.3	5.8	1.0	70	0.1	0.1	<0.1	192	2.38
MM09TR80 C15	Rock	1.37	0.4	101.1	3.0	42	<0.1	11.0	20.8	1008	4.59	13.8	0.3	8.8	0.9	83	<0.1	0.1	<0.1	189	3.24
MM09TR80 C16	Rock	1.12	47.3	541.0	3.8	37	0.3	11.4	16.8	773	4.87	10.8	0.4	18.9	1.1	79	0.2	0.2	<0.1	191	2.57
MM09TR80 C17	Rock	1.23	0.7	238.8	3.3	34	0.2	12.4	17.7	723	5.88	9.2	0.3	29.5	1.0	52	<0.1	0.2	<0.1	228	1.85
MM09TR80 C18	Rock	1.31	5.2	1600	3.3	32	1.3	13.9	21.5	655	5.53	14.9	0.3	311.7	1.2	61	<0.1	0.3	<0.1	180	2.33
MM09TR80 C19	Rock	1.32	11.6	1173	3.8	32	1.0	14.0	48.7	655	6.01	20.0	0.3	254.2	1.4	39	0.1	0.3	<0.1	188	1.36
MM09TR80 C20	Rock	1.28	7.1	391.5	3.7	32	0.3	10.1	33.0	753	5.70	22.1	0.3	53.0	1.3	134	<0.1	0.3	<0.1	169	3.71
MM09TR80 C21	Rock	1.40	5.9	504.4	3.8	33	0.4	9.9	14.0	673	5.69	51.3	0.3	67.7	1.2	50	<0.1	0.6	<0.1	153	2.68
MM09TR80 C22	Rock	1.58	3.1	73.5	2.1	29	<0.1	9.6	12.6	740	4.50	35.0	0.3	17.3	1.1	75	0.1	0.4	<0.1	121	4.67
MM09TR80 C23	Rock	1.29	1.7	303.8	2.9	31	0.3	11.7	52.2	683	5.08	20.7	0.3	57.1	1.0	94	<0.1	0.3	0.2	155	3.60
MM09TR80 C24	Rock	1.40	4.6	229.6	2.2	27	0.1	10.7	25.3	649	4.79	18.4	0.5	85.2	1.1	88	<0.1	0.4	0.1	171	4.04
MM09TR80 C25	Rock	1.36	2.5	57.0	5.3	31	0.1	8.8	15.3	1049	3.70	1960	0.4	11.6	0.7	159	0.2	0.3	<0.1	155	7.61
MM09TR80 C26	Rock	1.15	0.9	69.3	3.4	61	<0.1	14.9	30.3	1199	6.64	129.3	0.2	7.5	0.7	93	<0.1	0.2	0.1	264	3.28
MM09TR80 C27	Rock	1.42	1.4	294.8	4.2	50	0.2	13.4	23.5	1128	5.79	154.4	0.3	27.8	0.9	82	0.1	0.3	0.1	215	3.55
MM09TR80 C28	Rock	1.46	2.5	60.1	3.2	48	<0.1	11.0	16.3	1172	6.16	42.1	0.3	3.0	0.6	109	0.1	0.1	0.1	214	3.71
MM09TR80 C29	Rock	1.38	1.6	41.7	3.8	56	<0.1	6.5	16.0	919	4.55	28.2	0.3	3.2	0.4	134	<0.1	0.2	<0.1	161	4.77
MM09TR80 C30	Rock	1.71	2.5	74.2	4.0	60	0.1	4.3	25.9	909	4.31	31.0	0.4	40.9	0.4	118	0.1	0.3	<0.1	132	4.46

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 06, 2009

Page: 2 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN09003193.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5
MM09TR80 C01	Rock	0.162	7	14	2.35	37	0.009	3	2.35	0.033	0.04	<0.1	<0.01	11.3	<0.1	0.26	10	0.7
MM09TR80 C02	Rock	0.164	23	17	2.22	37	0.013	3	2.23	0.027	0.06	<0.1	<0.01	10.8	<0.1	<0.05	11	<0.5
MM09TR80 C03	Rock	0.167	15	15	2.20	33	0.011	3	2.28	0.023	0.07	<0.1	<0.01	9.8	<0.1	<0.05	10	<0.5
MM09TR80 C04	Rock	0.160	16	14	2.06	34	0.012	5	2.41	0.022	0.07	<0.1	<0.01	9.3	<0.1	<0.05	11	<0.5
MM09TR80 C05	Rock	0.168	10	18	2.58	33	0.012	4	2.87	0.024	0.04	<0.1	<0.01	10.1	<0.1	0.06	12	0.5
MM09TR80 C06	Rock	0.170	15	16	2.65	33	0.011	5	2.82	0.032	0.05	<0.1	<0.01	9.1	<0.1	0.11	12	0.8
MM09TR80 C07	Rock	0.169	21	16	2.31	31	0.011	4	2.58	0.019	0.07	<0.1	<0.01	10.0	<0.1	<0.05	12	<0.5
MM09TR80 C08	Rock	0.157	13	15	1.97	29	0.009	3	2.35	0.024	0.07	<0.1	<0.01	8.3	<0.1	<0.05	10	<0.5
MM09TR80 C09	Rock	0.154	12	14	2.22	24	0.008	4	2.58	0.022	0.09	<0.1	<0.01	8.6	<0.1	0.11	11	0.9
MM09TR80 C10	Rock	0.160	20	15	2.17	32	0.010	4	2.41	0.017	0.10	<0.1	<0.01	8.8	<0.1	0.10	10	<0.5
MM09TR80 C11	Rock	0.164	15	13	2.18	35	0.010	4	2.58	0.023	0.09	<0.1	<0.01	8.6	<0.1	0.24	11	1.0
MM09TR80 C12	Rock	0.164	11	17	2.07	54	0.020	3	2.18	0.024	0.08	<0.1	<0.01	8.4	<0.1	<0.05	10	0.5
MM09TR80 C13	Rock	0.168	9	15	2.15	61	0.020	4	2.22	0.027	0.09	<0.1	<0.01	8.9	<0.1	<0.05	10	<0.5
MM09TR80 C14	Rock	0.160	9	16	2.17	42	0.023	4	2.17	0.031	0.09	<0.1	<0.01	8.8	<0.1	<0.05	10	<0.5
MM09TR80 C15	Rock	0.154	9	16	2.04	37	0.016	3	2.11	0.028	0.07	<0.1	<0.01	8.4	<0.1	<0.05	9	<0.5
MM09TR80 C16	Rock	0.169	10	16	1.89	37	0.021	4	2.00	0.034	0.09	<0.1	<0.01	8.6	<0.1	<0.05	9	<0.5
MM09TR80 C17	Rock	0.166	11	15	2.22	30	0.011	4	2.40	0.027	0.06	<0.1	<0.01	10.1	<0.1	0.08	12	0.6
MM09TR80 C18	Rock	0.168	21	16	2.18	42	0.007	5	2.49	0.020	0.07	<0.1	<0.01	9.0	<0.1	0.16	12	0.7
MM09TR80 C19	Rock	0.187	26	23	1.88	47	0.008	5	2.23	0.038	0.08	<0.1	<0.01	9.0	<0.1	0.16	11	1.1
MM09TR80 C20	Rock	0.168	16	13	1.79	34	0.006	6	2.39	0.022	0.10	<0.1	<0.01	7.2	<0.1	0.05	11	<0.5
MM09TR80 C21	Rock	0.170	22	12	1.73	45	0.004	7	2.44	0.017	0.12	<0.1	<0.01	6.0	<0.1	0.12	10	0.6
MM09TR80 C22	Rock	0.145	23	8	1.44	44	0.004	7	2.00	0.012	0.14	<0.1	<0.01	5.6	<0.1	<0.05	8	<0.5
MM09TR80 C23	Rock	0.153	16	10	1.61	51	0.007	6	2.15	0.015	0.12	<0.1	<0.01	6.0	<0.1	0.24	9	<0.5
MM09TR80 C24	Rock	0.156	19	10	1.41	39	0.008	8	1.89	0.021	0.12	<0.1	<0.01	6.4	<0.1	0.06	8	<0.5
MM09TR80 C25	Rock	0.136	9	11	1.15	41	0.008	7	1.80	0.020	0.11	<0.1	<0.01	6.3	<0.1	<0.05	7	<0.5
MM09TR80 C26	Rock	0.151	8	12	2.53	33	0.031	8	3.07	0.021	0.08	<0.1	<0.01	10.7	<0.1	0.05	12	<0.5
MM09TR80 C27	Rock	0.162	9	14	2.33	49	0.025	8	2.73	0.016	0.07	<0.1	<0.01	10.0	<0.1	0.06	11	<0.5
MM09TR80 C28	Rock	0.134	6	26	2.23	29	0.016	8	2.70	0.014	0.05	<0.1	<0.01	13.1	<0.1	0.06	10	<0.5
MM09TR80 C29	Rock	0.112	7	12	1.48	54	0.011	6	2.13	0.017	0.17	<0.1	<0.01	8.1	<0.1	0.06	8	<0.5
MM09TR80 C30	Rock	0.102	8	7	1.30	49	0.005	6	2.04	0.016	0.22	<0.1	<0.01	7.6	<0.1	0.08	7	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 06, 2009

Page: 3 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN09003193.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09TR80 C31	Rock	1.52	2.0	131.0	4.7	53	0.2	5.8	15.3	820	4.35	71.6	0.4	40.2	0.6	102	<0.1	0.7	0.2	118	4.39
MM09TR80 C32	Rock	1.55	1.1	97.0	2.6	47	0.1	6.0	14.5	799	4.58	73.9	0.3	22.5	0.7	107	<0.1	0.5	0.2	131	3.93
MM09TR80 C33	Rock	1.29	1.3	96.4	1.6	25	<0.1	6.8	19.5	712	4.11	14.3	0.3	10.7	0.9	89	<0.1	0.3	0.2	150	3.69
MM09TR80 C34	Rock	1.45	0.8	229.6	1.8	38	<0.1	8.6	14.7	710	5.07	12.1	0.4	42.2	1.0	76	<0.1	0.3	0.2	191	2.75
MM09TR80 C35	Rock	1.33	1.2	373.9	1.7	37	0.1	8.2	18.8	756	5.33	11.6	0.4	50.3	1.0	88	<0.1	0.3	0.2	181	2.77
MM09TR80 C36	Rock	1.25	3.7	85.9	2.0	25	<0.1	5.1	8.4	469	4.79	8.9	0.4	6.8	0.8	57	0.1	0.2	<0.1	173	2.25
MM09TR80 C37	Rock	1.62	1.6	175.7	1.7	28	<0.1	9.5	23.0	696	4.56	12.2	0.3	18.3	0.6	57	0.2	0.1	0.1	155	2.85
MM09TR80 C38	Rock	1.54	1.9	167.8	2.0	29	<0.1	8.5	18.2	726	4.11	14.4	0.2	18.6	0.7	58	0.2	0.2	0.1	147	3.10
MM09TR80 C39	Rock	1.28	2.4	509.3	2.2	29	0.2	9.9	20.3	693	3.98	20.6	0.3	37.5	0.8	84	<0.1	0.3	0.2	144	3.02
MM09TR80 C40	Rock	1.49	1.3	198.2	2.1	42	0.1	10.1	26.5	876	4.15	14.4	0.3	17.3	0.8	100	0.1	0.2	0.1	134	3.99
MM09TR80 C41	Rock	1.46	1.0	190.9	2.3	47	<0.1	12.6	19.3	901	5.54	19.9	0.3	16.9	0.8	73	0.2	0.2	<0.1	204	3.27
MM09TR80 C42	Rock	1.47	0.4	41.3	2.1	52	<0.1	10.7	20.9	1231	6.01	21.2	0.2	8.2	0.7	111	0.1	0.2	0.1	218	4.08
MM09TR80 C43	Rock	1.24	0.4	52.3	2.6	51	<0.1	9.9	22.3	1247	6.10	18.0	0.2	8.7	0.7	91	<0.1	0.1	0.1	229	3.67
MM09TR80 C44	Rock	1.30	0.3	40.5	2.9	73	<0.1	11.6	20.2	1713	7.43	14.9	0.2	3.0	0.7	83	<0.1	0.1	<0.1	286	3.20
MM09TR80 C45	Rock	1.43	0.6	150.0	3.6	54	0.1	11.8	22.6	1356	6.60	19.5	0.3	11.0	0.7	117	0.2	0.2	0.2	250	4.19
MM09TR80 C46	Rock	1.38	0.4	41.4	2.9	48	<0.1	11.7	25.0	1475	5.53	12.5	0.2	4.1	0.6	145	0.2	0.1	<0.1	218	6.45
MM09TR80 C47	Rock	1.28	0.5	46.1	2.7	46	<0.1	7.0	14.3	1072	5.13	12.9	0.3	14.7	0.7	103	0.2	0.2	<0.1	198	4.43
MM09TR80 C48	Rock	1.65	2.6	59.9	3.6	37	<0.1	8.9	33.6	889	6.26	18.8	0.4	17.5	0.7	141	0.2	0.2	0.2	191	3.85
MM09TR80 C49	Rock	1.58	1.2	222.3	3.6	42	0.2	11.9	17.4	1101	5.57	10.0	0.3	64.8	0.8	85	<0.1	0.1	<0.1	213	3.57
MM09TR80 C50	Rock	1.41	0.5	104.3	4.5	46	<0.1	13.4	17.5	1287	5.73	6.5	0.2	14.0	0.6	91	0.2	<0.1	<0.1	239	3.99
MM09TR80 C51	Rock	1.28	0.3	141.6	3.4	45	0.1	11.1	26.1	1274	5.75	10.1	0.2	8.8	0.6	83	<0.1	<0.1	0.1	223	3.60
MM09TR80 C52	Rock	1.40	0.4	40.9	2.7	42	<0.1	7.4	21.7	1461	4.62	11.6	0.1	7.8	0.5	125	0.1	<0.1	0.1	196	6.39
MM09TR80 C53	Rock	1.66	0.2	22.5	1.8	55	<0.1	6.1	19.9	1129	5.19	8.1	0.1	2.2	0.5	90	<0.1	0.1	<0.1	180	4.54
MM09TR80 C54	Rock	1.37	0.3	83.1	3.1	39	<0.1	7.8	26.8	1140	5.02	8.9	0.1	10.1	0.5	108	<0.1	0.1	0.1	188	5.72
MM09TR80 C55	Rock	1.56	0.6	58.1	3.0	43	<0.1	4.7	16.3	1093	4.37	6.3	0.2	2.7	0.5	120	<0.1	<0.1	<0.1	161	4.75
MM09TR80 C56	Rock	1.33	1.0	44.1	2.7	35	<0.1	3.7	32.7	989	4.19	13.7	0.2	12.1	0.6	118	<0.1	0.2	0.1	149	4.87
MM09TR80 C57	Rock	1.48	1.2	45.4	2.9	26	<0.1	3.2	15.0	735	4.04	8.5	0.2	11.4	0.6	88	<0.1	0.2	0.1	124	3.96
MM09TR80 C58	Rock	1.51	0.6	149.8	2.3	39	<0.1	3.6	15.3	1018	4.53	5.4	0.2	19.8	0.6	95	<0.1	0.1	<0.1	171	4.97
MM09TR80 C59	Rock	1.74	0.4	79.4	2.9	40	<0.1	3.1	17.6	1117	4.37	4.9	0.2	20.9	0.6	101	<0.1	0.1	<0.1	158	5.60
MM09TR80 C60	Rock	1.80	0.2	128.4	2.5	61	<0.1	5.4	26.3	1264	6.43	7.1	0.2	14.2	0.6	72	<0.1	<0.1	<0.1	201	3.17

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: August 06, 2009

Page: 3 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN09003193.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
MM09TR80 C31	Rock	0.116	8	8	1.39	48	0.004	7	2.10	0.019	0.19	<0.1	<0.01	5.6	<0.1	0.15	7	0.8
MM09TR80 C32	Rock	0.126	9	9	1.67	43	0.004	7	2.33	0.022	0.17	<0.1	<0.01	5.8	<0.1	0.08	9	<0.5
MM09TR80 C33	Rock	0.136	11	11	1.57	35	0.005	5	2.04	0.022	0.11	<0.1	<0.01	5.7	<0.1	0.06	9	<0.5
MM09TR80 C34	Rock	0.143	13	15	1.94	41	0.006	6	2.34	0.020	0.10	<0.1	<0.01	6.7	<0.1	0.07	11	<0.5
MM09TR80 C35	Rock	0.148	11	17	2.09	68	0.009	5	2.39	0.022	0.10	<0.1	<0.01	8.2	<0.1	0.12	11	<0.5
MM09TR80 C36	Rock	0.140	8	16	1.10	86	0.003	6	1.37	0.027	0.07	0.1	<0.01	7.6	<0.1	0.06	8	0.7
MM09TR80 C37	Rock	0.146	7	18	1.41	71	0.004	5	1.67	0.021	0.07	<0.1	<0.01	7.9	<0.1	0.13	9	0.9
MM09TR80 C38	Rock	0.146	8	21	1.46	38	0.005	4	1.74	0.019	0.05	<0.1	<0.01	6.6	<0.1	0.12	8	<0.5
MM09TR80 C39	Rock	0.144	8	18	1.64	130	0.006	5	1.80	0.020	0.07	<0.1	<0.01	8.0	<0.1	0.24	9	0.8
MM09TR80 C40	Rock	0.136	10	20	1.78	89	0.006	3	2.12	0.018	0.13	<0.1	<0.01	7.3	<0.1	0.17	9	0.7
MM09TR80 C41	Rock	0.147	7	31	2.29	71	0.017	5	2.51	0.022	0.10	<0.1	<0.01	9.5	<0.1	0.11	11	<0.5
MM09TR80 C42	Rock	0.136	6	19	2.79	45	0.029	3	3.11	0.018	0.08	<0.1	<0.01	9.5	<0.1	0.13	12	<0.5
MM09TR80 C43	Rock	0.141	6	13	2.71	40	0.029	5	2.96	0.019	0.10	<0.1	<0.01	11.0	<0.1	0.20	11	<0.5
MM09TR80 C44	Rock	0.150	6	16	4.17	61	0.049	4	3.84	0.020	0.07	<0.1	<0.01	13.4	<0.1	0.06	16	<0.5
MM09TR80 C45	Rock	0.139	6	15	2.82	53	0.034	4	2.91	0.019	0.08	<0.1	<0.01	13.7	<0.1	0.30	12	0.8
MM09TR80 C46	Rock	0.126	5	17	2.61	52	0.028	3	2.65	0.017	0.06	<0.1	<0.01	11.8	<0.1	0.13	11	<0.5
MM09TR80 C47	Rock	0.132	7	13	2.05	51	0.016	3	2.18	0.021	0.10	<0.1	<0.01	9.3	<0.1	0.05	8	<0.5
MM09TR80 C48	Rock	0.147	6	19	2.03	51	0.012	4	2.27	0.022	0.09	<0.1	<0.01	9.8	<0.1	0.08	10	<0.5
MM09TR80 C49	Rock	0.150	7	24	2.52	61	0.023	3	2.62	0.021	0.06	<0.1	<0.01	10.9	<0.1	0.11	11	0.7
MM09TR80 C50	Rock	0.132	5	32	3.02	36	0.024	3	3.05	0.017	0.07	<0.1	<0.01	12.5	<0.1	<0.05	12	<0.5
MM09TR80 C51	Rock	0.134	6	24	2.88	42	0.027	4	2.90	0.020	0.09	<0.1	<0.01	11.2	<0.1	0.07	12	<0.5
MM09TR80 C52	Rock	0.110	7	14	2.38	39	0.021	4	2.48	0.016	0.07	<0.1	<0.01	8.7	<0.1	0.08	10	<0.5
MM09TR80 C53	Rock	0.144	6	5	2.25	32	0.014	5	2.57	0.028	0.14	<0.1	<0.01	7.5	<0.1	<0.05	10	<0.5
MM09TR80 C54	Rock	0.131	6	11	2.06	48	0.014	4	2.27	0.021	0.12	<0.1	<0.01	7.5	<0.1	0.07	8	<0.5
MM09TR80 C55	Rock	0.130	5	5	1.97	26	0.014	2	2.25	0.027	0.10	<0.1	<0.01	7.3	<0.1	<0.05	9	<0.5
MM09TR80 C56	Rock	0.126	4	4	1.93	25	0.010	3	2.18	0.017	0.10	<0.1	<0.01	7.2	<0.1	0.06	8	<0.5
MM09TR80 C57	Rock	0.134	5	3	1.39	27	0.008	4	1.75	0.032	0.08	<0.1	<0.01	6.2	<0.1	<0.05	7	<0.5
MM09TR80 C58	Rock	0.134	5	4	1.89	20	0.016	4	2.13	0.026	0.12	<0.1	<0.01	6.7	<0.1	<0.05	8	<0.5
MM09TR80 C59	Rock	0.127	6	3	2.04	19	0.019	4	2.25	0.027	0.11	<0.1	<0.01	6.5	<0.1	<0.05	8	<0.5
MM09TR80 C60	Rock	0.127	5	5	3.31	23	0.024	4	3.28	0.024	0.08	<0.1	<0.01	8.6	<0.1	<0.05	13	<0.5



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 06, 2009

Page: 4 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN09003193.1

Method Analyte	Unit	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09TR80 C61	Rock	1.37	0.5	90.7	2.5	51	<0.1	5.2	19.2	1090	5.16	8.3	0.1	7.0	0.7	69	<0.1	0.1	<0.1	175	3.04
MM09TR80 C62	Rock	1.45	0.2	12.0	2.0	55	<0.1	4.9	18.8	1108	5.55	6.3	0.1	1.9	0.7	62	<0.1	<0.1	<0.1	175	2.19
MM09TR80 C63	Rock	1.17	0.3	11.8	2.5	41	<0.1	4.3	13.6	1057	4.39	4.4	0.2	2.4	0.6	119	<0.1	0.2	<0.1	149	4.17
MM09TR80 C64	Rock	1.27	0.2	45.7	2.0	54	<0.1	5.3	19.8	1195	5.40	5.4	0.2	3.0	0.7	78	<0.1	0.1	<0.1	185	3.13
MM09TR80 C65	Rock	1.15	0.7	8.6	2.2	30	<0.1	2.9	9.1	1006	3.77	4.5	0.2	0.5	0.5	174	<0.1	0.2	<0.1	155	4.69
MM09TR80 C66	Rock	1.21	0.7	40.8	2.5	50	<0.1	4.5	15.7	1091	4.87	7.2	0.1	5.8	0.7	83	<0.1	0.1	<0.1	205	2.89
MM09TR80 C67	Rock	1.59	0.2	29.1	2.6	38	<0.1	3.1	12.6	955	4.42	6.0	0.2	1.8	0.6	107	<0.1	0.2	<0.1	175	5.52
MM09TR80 C68	Rock	1.26	0.7	68.7	3.5	40	<0.1	3.9	11.5	906	4.63	7.5	0.2	19.0	0.5	104	<0.1	0.2	<0.1	173	5.16
MM09TR80 C69	Rock	1.51	0.3	29.9	2.2	39	<0.1	4.3	14.5	1021	4.30	10.4	0.1	5.2	0.5	97	<0.1	0.1	<0.1	170	5.79
MM09TR80 C70	Rock	1.38	0.5	47.1	2.1	38	<0.1	7.3	12.8	943	4.72	8.2	0.2	4.4	0.5	90	<0.1	0.1	<0.1	174	5.73
MM09TR80 C71	Rock	1.29	1.0	60.2	2.4	41	<0.1	10.5	15.1	1091	4.75	9.2	0.2	10.1	0.6	98	<0.1	0.2	0.1	174	4.80
MM09TR80 C72	Rock	1.20	3.6	28.0	4.9	45	<0.1	9.8	18.3	1547	4.16	9.9	0.2	6.6	0.4	368	0.2	0.2	0.1	145	8.09
MM09TR80 C73	Rock	0.96	2.5	127.5	7.9	48	0.2	9.6	23.5	1094	4.50	29.3	1.6	14.6	0.6	305	0.2	0.2	0.1	58	6.94
MM09TR80 C74	Rock	0.85	4.8	279.9	10.9	53	0.4	12.2	35.3	1288	4.89	31.3	2.7	23.8	0.6	318	0.3	0.3	0.2	58	8.34
MM09TR80 C75	Rock	1.29	7.4	144.9	4.7	55	0.1	12.5	26.2	895	4.93	18.2	0.4	12.3	0.5	183	0.2	0.2	<0.1	116	5.55
MM09TR80 C76	Rock	1.44	1.8	95.3	3.7	61	<0.1	12.7	17.4	945	4.61	18.3	0.9	8.0	0.5	170	0.3	0.1	<0.1	96	6.06
MM09TR80 C77	Rock	1.02	1.2	120.4	3.9	60	<0.1	9.4	19.0	1111	5.15	13.3	0.1	11.7	0.6	158	0.3	0.2	<0.1	103	6.48
MM09TR80 C78	Rock	0.88	2.0	88.1	4.7	74	0.1	5.5	11.2	1030	7.15	12.3	0.2	31.6	0.6	179	1.3	0.4	0.2	89	5.84
MM09TR80 C79	Rock	1.19	2.3	82.0	3.8	57	0.2	2.3	10.9	843	3.26	7.3	0.3	51.5	0.7	84	0.2	0.2	0.3	85	4.43
MM09TR80 C80	Rock	1.43	0.8	405.5	3.0	79	0.3	1.7	12.9	702	4.51	5.3	0.3	331.5	0.8	44	0.6	0.4	0.2	107	2.22
MM09TR80 C81	Rock	1.11	0.3	164.5	2.3	98	0.3	1.8	15.4	815	4.95	13.0	0.3	325.0	1.0	48	0.2	0.8	1.4	100	1.26
MM09TR80 C82	Rock	1.23	1.2	435.0	4.5	63	0.5	1.9	11.9	1046	5.09	8.1	0.4	358.3	0.9	48	0.3	0.5	0.4	112	2.44
MM09TR80 C83	Rock	1.08	0.5	80.4	1.9	90	<0.1	1.5	15.2	914	4.94	8.8	0.3	58.6	0.8	38	0.3	0.4	<0.1	131	1.23
MM09TR80 C84	Rock	1.20	0.6	257.5	2.3	116	1.6	1.4	11.7	814	4.36	7.8	0.3	596.7	0.8	32	1.0	0.3	1.1	114	1.42
MM09TR80 C85	Rock	1.08	2.2	1738	82.2	133	40.2	1.1	15.6	786	5.08	46.5	0.4	320.7	0.8	41	1.1	1.5	145.4	109	1.64
MM09TR80 C86	Rock	0.92	0.6	91.3	1.6	80	0.1	2.0	12.0	745	4.32	8.2	0.3	79.7	0.8	28	0.6	0.3	0.2	131	1.88
MM09TR80 C87	Rock	1.10	0.6	248.4	4.0	84	0.8	1.4	11.4	704	4.02	7.5	0.3	49.4	0.8	35	1.1	0.3	3.1	110	2.44
MM09TR80 C88	Rock	1.13	1.0	61.6	1.9	77	<0.1	1.2	13.3	910	4.66	16.5	0.3	47.0	1.1	35	0.2	0.6	<0.1	133	2.00
MM09TR80 C89	Rock	1.26	0.6	63.7	2.7	61	0.3	1.3	10.4	798	3.89	6.2	0.2	71.8	1.2	27	0.2	0.3	2.2	75	2.54
MM09TR80 C90	Rock	1.39	0.5	80.7	1.9	55	0.1	1.6	10.4	743	3.68	6.4	0.3	54.7	0.8	34	0.2	0.4	0.2	92	2.29

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 06, 2009

Page: 4 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN09003193.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
MM09TR80 C61	Rock	0.134	5	4	2.58	28	0.025	4	2.68	0.029	0.07	<0.1	<0.01	8.0	<0.1	<0.05	11	<0.5
MM09TR80 C62	Rock	0.131	5	5	2.80	28	0.026	2	2.80	0.029	0.07	<0.1	<0.01	9.4	<0.1	<0.05	12	<0.5
MM09TR80 C63	Rock	0.125	4	5	2.19	19	0.020	4	2.31	0.028	0.07	<0.1	<0.01	8.7	<0.1	<0.05	9	<0.5
MM09TR80 C64	Rock	0.136	6	5	2.95	19	0.023	4	2.79	0.028	0.06	<0.1	<0.01	10.1	<0.1	<0.05	11	<0.5
MM09TR80 C65	Rock	0.125	4	3	1.86	19	0.012	3	2.02	0.021	0.08	<0.1	<0.01	7.4	<0.1	<0.05	8	<0.5
MM09TR80 C66	Rock	0.143	5	4	2.72	25	0.025	3	2.62	0.027	0.08	<0.1	<0.01	7.6	<0.1	<0.05	11	<0.5
MM09TR80 C67	Rock	0.141	5	5	1.71	21	0.015	2	1.94	0.026	0.08	<0.1	<0.01	8.4	<0.1	<0.05	8	<0.5
MM09TR80 C68	Rock	0.130	5	5	1.91	29	0.015	4	2.18	0.024	0.10	<0.1	<0.01	8.2	<0.1	0.07	9	<0.5
MM09TR80 C69	Rock	0.135	6	7	1.75	24	0.016	3	2.03	0.028	0.09	<0.1	<0.01	7.0	<0.1	<0.05	8	<0.5
MM09TR80 C70	Rock	0.128	6	17	1.65	26	0.014	4	1.97	0.024	0.08	<0.1	<0.01	8.2	<0.1	<0.05	8	<0.5
MM09TR80 C71	Rock	0.140	6	22	1.84	32	0.009	5	2.21	0.018	0.11	<0.1	<0.01	7.7	<0.1	0.06	9	0.6
MM09TR80 C72	Rock	0.103	6	28	1.40	118	0.008	5	1.97	0.011	0.13	<0.1	<0.01	6.3	<0.1	0.10	6	<0.5
MM09TR80 C73	Rock	0.118	6	6	1.46	175	0.002	9	2.19	0.006	0.22	<0.1	<0.01	4.3	0.1	0.97	4	1.0
MM09TR80 C74	Rock	0.132	6	6	1.56	126	0.001	8	2.32	0.006	0.22	<0.1	<0.01	5.2	<0.1	1.28	4	1.0
MM09TR80 C75	Rock	0.133	5	18	1.71	82	0.004	6	2.33	0.011	0.21	<0.1	0.01	5.9	<0.1	0.56	6	0.5
MM09TR80 C76	Rock	0.103	6	15	1.70	118	0.005	8	2.41	0.010	0.20	<0.1	<0.01	5.8	<0.1	0.38	6	1.2
MM09TR80 C77	Rock	0.130	8	16	1.86	112	0.006	10	2.52	0.012	0.22	<0.1	<0.01	5.1	<0.1	0.28	6	0.7
MM09TR80 C78	Rock	0.096	10	6	1.32	163	0.004	16	1.94	0.017	0.26	<0.1	<0.01	6.4	<0.1	0.12	5	0.9
MM09TR80 C79	Rock	0.056	3	3	1.30	42	0.004	7	1.83	0.024	0.13	<0.1	<0.01	5.9	<0.1	0.07	7	0.5
MM09TR80 C80	Rock	0.049	4	2	1.32	55	0.006	5	2.03	0.033	0.07	<0.1	<0.01	8.2	<0.1	<0.05	9	<0.5
MM09TR80 C81	Rock	0.057	4	4	1.67	38	0.009	7	2.46	0.030	0.06	<0.1	<0.01	8.3	<0.1	<0.05	9	<0.5
MM09TR80 C82	Rock	0.038	4	5	1.62	93	0.077	3	1.94	0.030	0.04	<0.1	<0.01	17.7	<0.1	0.15	9	0.7
MM09TR80 C83	Rock	0.054	3	2	1.83	34	0.079	6	2.24	0.041	0.03	<0.1	<0.01	9.7	<0.1	<0.05	10	<0.5
MM09TR80 C84	Rock	0.053	3	2	1.48	79	0.076	5	1.95	0.037	0.05	<0.1	<0.01	9.7	<0.1	<0.05	9	<0.5
MM09TR80 C85	Rock	0.048	3	2	1.32	92	0.067	7	1.84	0.031	0.10	0.1	0.01	8.9	<0.1	0.36	8	3.3
MM09TR80 C86	Rock	0.055	3	3	1.42	34	0.065	4	1.72	0.036	0.05	<0.1	<0.01	11.3	<0.1	<0.05	9	0.6
MM09TR80 C87	Rock	0.049	3	2	1.19	36	0.064	5	1.63	0.038	0.05	<0.1	<0.01	9.2	<0.1	<0.05	8	<0.5
MM09TR80 C88	Rock	0.049	4	2	1.79	33	0.073	4	2.07	0.039	0.03	<0.1	<0.01	11.9	<0.1	<0.05	10	<0.5
MM09TR80 C89	Rock	0.041	4	3	0.90	54	0.007	6	1.54	0.031	0.13	<0.1	<0.01	7.1	<0.1	<0.05	7	<0.5
MM09TR80 C90	Rock	0.049	4	4	1.14	42	0.032	4	1.51	0.041	0.05	<0.1	<0.01	9.2	<0.1	<0.05	7	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 06, 2009

Page: 5 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN09003193.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09TR80 C91	Rock	1.07	0.4	68.1	1.3	64	<0.1	1.6	9.9	780	3.64	4.6	0.2	34.4	1.0	25	0.1	0.2	<0.1	63	2.29
MM09TR80 C92	Rock	1.63	0.5	83.8	2.6	59	<0.1	2.0	10.6	877	3.80	6.1	0.3	60.7	0.9	32	0.2	0.4	0.1	92	2.12
MM09TR80 C93	Rock	1.38	0.6	212.6	2.0	54	0.2	2.0	10.1	860	3.68	5.4	0.2	155.1	0.8	37	0.3	0.4	0.1	90	3.78
MM09TR80 C94	Rock	1.31	0.4	72.1	1.8	54	<0.1	2.1	11.3	730	4.01	4.7	0.2	66.7	0.9	26	0.2	0.3	<0.1	96	1.71
MM09TR80 C95	Rock	1.52	0.3	62.2	2.3	57	<0.1	31.1	16.1	720	4.26	5.9	0.3	102.5	1.0	43	0.2	0.3	<0.1	90	2.00
MM09TR80 C96	Rock	1.29	0.7	324.3	2.4	63	0.3	4.2	12.3	761	4.00	7.2	0.3	330.1	1.0	25	0.3	0.4	1.1	97	1.32
MM09TR81 C01	Rock	1.12	1.1	181.1	1.7	27	0.2	8.2	25.7	1286	4.45	33.0	0.3	11.2	0.8	122	0.1	0.3	0.2	150	5.96
MM09TR81 C02	Rock	1.19	0.3	272.9	2.3	31	0.1	8.5	17.1	816	4.48	10.8	0.4	23.4	1.1	94	0.1	0.5	0.2	143	3.37
MM09TR81 C03	Rock	1.34	0.5	596.7	1.4	39	0.3	7.9	15.6	871	4.37	10.3	0.4	70.0	1.3	90	0.2	0.7	0.2	147	3.48
MM09TR81 C04	Rock	1.31	0.8	673.9	7.6	1014	0.5	13.2	26.1	1230	5.74	27.0	0.5	193.0	1.3	99	13.2	0.8	0.2	164	2.82
MM09TR81 C05	Rock	1.27	0.8	748.2	3.8	246	0.5	11.1	19.8	926	5.30	20.4	0.4	157.3	1.1	97	1.9	0.4	0.2	161	2.98
MM09TR81 C06	Rock	1.23	0.5	773.3	1.9	74	0.6	10.7	18.8	1201	6.07	13.0	0.3	234.7	1.1	93	0.3	0.4	0.3	174	2.58
MM09TR81 C07	Rock	1.65	0.6	702.3	1.7	65	0.5	10.2	31.7	1151	6.53	16.6	0.3	417.8	1.2	76	0.3	0.3	0.2	196	2.83
MM09TR81 C08	Rock	1.21	0.5	743.7	1.4	43	0.4	7.7	18.0	959	5.61	11.8	0.3	126.5	1.1	81	0.1	0.4	0.2	158	2.61
MM09TR81 C09	Rock	1.14	0.6	1094	2.1	54	0.8	7.7	12.2	1272	6.06	19.7	0.4	397.9	1.1	79	0.2	0.4	0.1	166	1.90
MM09TR81 C10	Rock	1.65	0.5	686.4	1.4	52	0.4	7.4	13.1	1181	6.00	10.5	0.3	227.0	1.0	90	0.1	0.4	0.1	171	2.47
MM09TR81 C11A	Rock	1.45	1.7	847.0	2.6	49	0.5	10.3	17.6	1187	5.13	14.6	0.3	213.3	1.1	82	0.2	0.2	0.2	163	3.69
MM09TR81 C11B	Rock	1.13	1.9	765.9	3.6	72	0.7	10.1	23.3	1139	5.98	17.0	0.3	310.5	1.1	67	0.3	0.2	0.2	177	3.11
MM09TR81 C12	Rock	1.61	1.7	757.9	4.1	56	0.8	7.4	12.4	805	5.10	17.0	0.3	291.6	1.1	49	0.7	0.2	0.2	161	2.48
MM09TR81 C13	Rock	1.60	2.3	935.9	19.3	100	1.1	10.9	20.5	965	6.07	26.3	0.4	177.2	1.2	43	1.7	0.3	0.3	180	1.97
MM09TR81 C14	Rock	1.26	3.6	803.0	22.4	108	1.0	11.0	27.2	938	6.52	36.5	0.4	438.0	1.1	50	1.6	0.5	0.3	178	2.75
MM09TR81 C15	Rock	1.34	1.0	996.6	24.3	184	1.1	12.2	21.6	1011	6.68	25.1	0.4	242.7	1.2	38	2.7	0.6	0.3	196	1.69
MM09TR81 C16	Rock	1.28	0.7	777.0	34.0	162	0.9	9.8	20.3	1002	5.61	21.8	0.4	105.1	1.1	54	2.6	0.4	0.3	167	2.31
MM09TR81 C17	Rock	1.49	0.9	420.6	18.5	86	0.4	8.4	17.7	1016	4.63	7.8	0.6	54.0	1.0	114	0.9	0.1	0.3	119	5.39
MM09TR81 C18	Rock	1.44	0.5	111.6	2.3	34	0.1	9.5	18.6	1036	4.05	4.5	0.3	43.2	0.7	85	0.1	0.1	0.2	122	4.33
MM09TR81 C19	Rock	1.86	0.2	175.4	1.3	28	<0.1	9.3	11.0	715	3.84	5.6	0.2	36.6	1.0	63	<0.1	0.2	0.1	154	2.66
MM09TR81 C20	Rock	1.23	0.3	469.7	1.0	30	0.2	10.6	32.2	750	4.62	8.3	0.4	18.2	0.9	56	<0.1	0.1	0.2	190	2.83
MM09TR81 C21	Rock	1.50	0.3	230.8	0.7	29	<0.1	8.9	13.3	728	4.52	5.7	0.3	14.2	0.9	52	<0.1	0.1	<0.1	196	2.67
MM09TR81 C22	Rock	1.50	0.2	645.4	0.9	29	0.1	10.9	25.8	805	4.51	8.9	0.4	102.9	0.8	60	<0.1	0.1	0.1	177	2.79
MM09TR81 C23	Rock	1.48	0.2	168.2	1.0	30	<0.1	9.0	10.7	752	4.06	4.9	0.2	39.1	1.1	54	<0.1	0.1	<0.1	172	2.54

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 06, 2009

Page: 5 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN09003193.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5
MM09TR80 C91	Rock	0.044	4	3	1.41	38	0.008	4	1.90	0.024	0.13	<0.1	<0.01	6.2	<0.1	<0.05	6	<0.5
MM09TR80 C92	Rock	0.047	4	4	1.30	47	0.035	6	1.64	0.040	0.07	<0.1	<0.01	8.4	<0.1	<0.05	8	<0.5
MM09TR80 C93	Rock	0.051	4	3	0.96	39	0.009	4	1.34	0.037	0.06	<0.1	<0.01	8.1	<0.1	<0.05	7	<0.5
MM09TR80 C94	Rock	0.051	4	3	1.07	32	0.019	4	1.60	0.041	0.08	<0.1	<0.01	8.5	<0.1	<0.05	7	<0.5
MM09TR80 C95	Rock	0.086	9	47	1.77	39	0.037	4	1.97	0.038	0.04	<0.1	<0.01	8.2	<0.1	<0.05	10	<0.5
MM09TR80 C96	Rock	0.054	4	5	1.30	38	0.021	2	1.47	0.054	0.04	<0.1	<0.01	8.5	<0.1	<0.05	8	0.5
MM09TR81 C01	Rock	0.143	9	18	1.57	40	0.011	6	2.17	0.021	0.05	<0.1	<0.01	7.1	<0.1	<0.05	10	<0.5
MM09TR81 C02	Rock	0.157	10	17	1.50	50	0.005	8	2.21	0.016	0.07	<0.1	<0.01	7.8	<0.1	<0.05	10	<0.5
MM09TR81 C03	Rock	0.154	11	19	1.51	33	0.008	6	2.31	0.031	0.03	<0.1	<0.01	8.0	<0.1	<0.05	10	<0.5
MM09TR81 C04	Rock	0.164	8	19	1.99	38	0.014	6	2.68	0.028	0.04	<0.1	0.01	9.3	<0.1	<0.05	12	<0.5
MM09TR81 C05	Rock	0.159	9	19	1.77	47	0.009	4	2.40	0.025	0.05	<0.1	<0.01	8.2	<0.1	0.16	11	0.6
MM09TR81 C06	Rock	0.154	7	18	2.02	34	0.009	4	2.79	0.021	0.04	<0.1	<0.01	8.2	<0.1	<0.05	12	0.6
MM09TR81 C07	Rock	0.155	12	20	1.97	62	0.008	4	2.81	0.021	0.05	<0.1	<0.01	8.5	<0.1	0.15	13	0.6
MM09TR81 C08	Rock	0.159	11	22	1.86	31	0.007	4	2.60	0.022	0.05	<0.1	<0.01	8.5	<0.1	<0.05	12	0.7
MM09TR81 C09	Rock	0.158	10	20	2.14	47	0.009	4	2.83	0.016	0.07	<0.1	<0.01	8.6	<0.1	0.06	12	<0.5
MM09TR81 C10	Rock	0.160	10	19	1.96	48	0.009	3	2.74	0.016	0.06	<0.1	<0.01	8.3	<0.1	<0.05	12	<0.5
MM09TR81 C11A	Rock	0.164	11	20	1.82	45	0.007	2	2.46	0.018	0.06	<0.1	<0.01	7.1	<0.1	0.09	11	0.6
MM09TR81 C11B	Rock	0.155	11	20	2.02	48	0.006	3	2.74	0.016	0.06	<0.1	<0.01	6.9	<0.1	0.20	12	0.8
MM09TR81 C12	Rock	0.151	12	18	1.71	40	0.005	3	2.34	0.018	0.06	<0.1	<0.01	6.4	<0.1	0.07	11	0.5
MM09TR81 C13	Rock	0.154	15	19	1.96	83	0.005	3	2.64	0.013	0.07	<0.1	<0.01	6.8	<0.1	0.21	11	0.7
MM09TR81 C14	Rock	0.156	16	19	1.93	55	0.005	3	2.59	0.012	0.07	<0.1	<0.01	6.2	<0.1	0.71	11	1.2
MM09TR81 C15	Rock	0.159	18	21	2.19	40	0.006	3	2.77	0.013	0.06	<0.1	<0.01	7.3	<0.1	0.26	13	0.7
MM09TR81 C16	Rock	0.155	14	17	1.85	50	0.004	4	2.55	0.017	0.06	<0.1	<0.01	6.6	<0.1	0.14	11	0.8
MM09TR81 C17	Rock	0.140	13	17	1.54	50	0.003	4	2.26	0.011	0.12	<0.1	<0.01	4.5	<0.1	<0.05	9	0.5
MM09TR81 C18	Rock	0.132	7	19	1.47	45	0.004	3	2.04	0.010	0.10	<0.1	<0.01	5.5	<0.1	<0.05	9	<0.5
MM09TR81 C19	Rock	0.154	6	23	1.53	47	0.006	2	1.97	0.016	0.08	<0.1	<0.01	6.8	<0.1	<0.05	10	<0.5
MM09TR81 C20	Rock	0.155	7	25	1.76	45	0.006	3	2.21	0.011	0.08	<0.1	<0.01	6.4	<0.1	0.17	11	<0.5
MM09TR81 C21	Rock	0.148	5	24	1.78	37	0.008	3	2.25	0.017	0.08	<0.1	<0.01	7.5	<0.1	<0.05	11	<0.5
MM09TR81 C22	Rock	0.147	5	22	1.66	60	0.007	2	2.08	0.012	0.08	<0.1	<0.01	7.5	<0.1	0.12	10	1.0
MM09TR81 C23	Rock	0.148	9	21	1.61	37	0.008	2	2.00	0.013	0.08	<0.1	<0.01	7.2	<0.1	<0.05	10	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 06, 2009

Page: 6 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN09003193.1

Method Analyte	Unit	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
MM09TR81 C24	Rock	1.72	0.2	376.4	0.6	30	0.2	8.7	18.4	838	4.30	4.9	0.3	80.9	1.0	60	<0.1	0.1	0.1	178	2.94	
MM09TR81 C25	Rock	1.60	0.4	387.2	1.0	31	0.2	10.0	16.3	1246	4.74	5.7	0.7	63.6	0.9	109	<0.1	<0.1	0.1	178	5.39	
MM09TR81 C26	Rock	1.21	0.3	167.4	0.8	33	<0.1	11.3	15.2	799	4.51	4.0	0.3	52.0	0.9	57	<0.1	0.1	0.1	168	2.27	
MM09TR81 C27	Rock	1.81	0.4	565.3	1.2	32	0.4	11.2	19.5	890	4.95	7.7	0.6	31.5	0.8	52	<0.1	0.1	0.2	160	2.68	
MM09TR81 C28	Rock	1.60	1.2	961.2	1.0	31	0.3	10.4	21.9	750	4.38	11.7	0.3	51.9	0.7	47	<0.1	0.1	0.1	147	2.09	
MM09TR81 C29	Rock	1.43	0.4	553.5	1.0	29	0.2	11.2	15.7	848	4.30	8.4	0.3	53.5	0.9	62	<0.1	0.2	0.1	153	2.47	
MM09TR81 C30	Rock	1.40	1.0	1449	17.3	83	1.1	13.3	16.0	937	6.35	37.9	0.6	218.2	1.0	49	2.3	0.4	0.2	202	2.18	
MM09TR81 C31	Rock	1.34	2.4	696.5	1.6	39	0.4	12.4	24.2	936	5.16	14.4	0.3	215.0	1.0	59	0.2	0.2	0.3	181	2.88	
MM09TR81 C32	Rock	1.55	1.7	739.5	8.9	77	0.5	9.3	9.3	922	4.97	22.8	0.4	189.9	0.9	66	1.1	0.2	0.1	177	2.95	
MM09TR81 C33	Rock	1.65	1.3	545.7	10.4	232	0.4	9.4	15.1	932	5.47	19.2	0.4	123.1	0.9	57	2.7	0.2	0.2	191	2.63	
MM09TR81 C34	Rock	1.58	0.9	543.3	5.6	74	0.3	9.9	17.3	1017	5.24	21.5	0.3	61.2	0.9	64	0.8	0.1	0.2	178	2.61	
MM09TR81 C35	Rock	1.36	6.1	600.6	5.2	67	0.4	7.6	13.9	1065	4.69	13.0	0.3	114.0	0.9	108	0.6	0.1	0.2	173	3.88	
MM09TR81 C36	Rock	1.65	38.7	968.0	4.4	45	0.6	8.7	21.9	935	5.89	15.7	1.4	51.8	0.9	62	0.5	0.3	0.2	185	2.67	
MM09TR81 C37	Rock	1.50	2.6	2073	2.7	56	0.7	6.8	32.8	923	5.10	7.8	0.6	40.3	0.8	51	0.6	0.2	0.1	192	2.35	
MM09TR81 C38	Rock	1.38	11.0	1272	3.9	44	1.2	6.2	20.4	796	4.91	20.9	0.6	74.9	0.9	50	0.2	0.3	0.1	166	2.70	
MM09TR81 C39	Rock	1.73	1.1	283.8	6.5	73	0.3	11.0	18.8	898	4.82	11.7	0.3	47.0	0.9	60	1.3	0.1	0.2	163	2.78	
MM09TR81 C40	Rock	1.26	0.6	438.6	2.5	47	0.4	9.4	14.4	925	4.97	10.1	0.3	58.5	0.9	60	0.1	0.1	0.2	172	2.41	
MM09TR81 C41	Rock	1.37	0.7	211.4	2.2	34	0.2	8.9	15.1	863	4.12	11.8	0.3	15.6	0.8	63	0.1	0.1	0.1	142	2.96	
MM09TR81 C42	Rock	1.49	0.4	158.8	3.0	38	0.2	9.6	14.8	890	4.42	12.9	0.2	13.6	0.8	70	0.1	<0.1	0.1	168	3.56	
MM09TR81 C43	Rock	1.14	0.4	142.0	2.0	29	0.1	9.3	10.5	762	4.13	6.7	0.2	8.7	0.8	80	<0.1	<0.1	<0.1	166	4.12	
MM09TR81 C44	Rock	1.23	0.4	109.7	2.2	29	0.1	10.0	13.1	747	4.22	7.7	0.3	7.0	0.9	79	<0.1	<0.1	<0.1	153	3.94	
MM09TR81 C45	Rock	1.38	0.3	168.8	2.0	33	0.2	9.9	15.4	879	3.94	6.2	0.3	11.8	0.8	94	0.1	<0.1	<0.1	153	4.39	
MM09TR81 C46	Rock	1.40	0.3	105.9	2.0	35	<0.1	9.8	13.3	911	4.28	6.5	0.3	0.8	0.9	97	0.1	0.2	<0.1	173	4.13	
MM09TR81 C47	Rock	1.34	0.2	208.0	2.3	30	0.1	7.5	16.3	1993	3.93	6.5	0.3	0.6	0.9	135	0.1	0.2	<0.1	158	9.19	
MM09TR81 C48	Rock	1.66	0.3	186.4	1.1	37	<0.1	10.2	20.3	1030	4.75	5.2	0.3	34.4	1.1	64	<0.1	0.2	0.1	179	3.23	
MM09TR81 C49	Rock	1.70	0.5	144.4	1.6	41	0.1	6.8	16.5	1061	4.62	5.9	0.3	14.8	0.7	99	<0.1	0.1	0.1	163	4.21	
MM09TR81 C50	Rock	1.47	0.9	315.5	3.1	43	0.2	9.3	20.4	1017	4.36	7.0	0.3	32.3	0.9	93	0.1	0.2	0.1	151	3.10	
MM09TR81 C51	Rock	1.49	0.3	162.5	1.5	41	<0.1	8.7	14.8	1059	4.58	5.1	0.3	23.4	1.2	94	<0.1	0.2	0.1	177	4.64	
MM09TR81 C52	Rock	1.44	1.0	189.9	1.9	38	<0.1	8.2	14.8	1229	4.21	8.0	0.2	14.0	0.8	114	0.1	0.1	<0.1	163	6.43	
MM09TR81 C53	Rock	1.40	1.3	94.8	2.3	36	<0.1	12.8	25.0	1148	4.64	6.2	0.2	5.6	0.7	108	0.2	0.1	0.1	163	5.51	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 06, 2009

Page: 6 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN09003193.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5
MM09TR81 C24	Rock	0.147	8	25	1.72	43	0.008	3	2.20	0.017	0.08	<0.1	<0.01	6.8	<0.1	<0.05	10	<0.5
MM09TR81 C25	Rock	0.137	13	23	1.76	46	0.005	2	2.29	0.012	0.07	<0.1	<0.01	7.1	<0.1	<0.05	11	<0.5
MM09TR81 C26	Rock	0.156	7	23	1.69	46	0.007	2	2.26	0.019	0.08	<0.1	<0.01	7.3	<0.1	<0.05	11	<0.5
MM09TR81 C27	Rock	0.144	7	23	1.65	84	0.005	3	2.26	0.011	0.08	<0.1	<0.01	7.4	<0.1	<0.05	11	0.6
MM09TR81 C28	Rock	0.142	5	21	1.60	53	0.006	2	2.03	0.016	0.07	<0.1	<0.01	6.8	<0.1	0.24	10	0.7
MM09TR81 C29	Rock	0.153	5	23	1.59	63	0.006	2	2.14	0.019	0.07	<0.1	<0.01	7.6	<0.1	<0.05	11	0.7
MM09TR81 C30	Rock	0.149	7	22	2.15	53	0.011	2	2.77	0.013	0.09	<0.1	<0.01	6.3	<0.1	0.46	12	1.9
MM09TR81 C31	Rock	0.152	10	22	1.77	47	0.006	3	2.43	0.015	0.08	<0.1	<0.01	6.7	<0.1	0.12	10	0.9
MM09TR81 C32	Rock	0.158	8	22	1.85	50	0.010	2	2.43	0.015	0.08	<0.1	<0.01	6.4	<0.1	0.29	10	0.9
MM09TR81 C33	Rock	0.159	7	21	2.03	42	0.013	3	2.70	0.016	0.09	<0.1	<0.01	6.1	<0.1	0.18	11	0.8
MM09TR81 C34	Rock	0.148	9	18	2.00	39	0.011	2	2.60	0.010	0.07	<0.1	<0.01	6.2	<0.1	0.17	11	0.7
MM09TR81 C35	Rock	0.153	6	21	1.79	40	0.011	2	2.44	0.014	0.08	<0.1	<0.01	6.3	<0.1	0.09	10	0.6
MM09TR81 C36	Rock	0.161	5	25	2.00	46	0.010	2	2.88	0.009	0.12	<0.1	<0.01	5.5	<0.1	0.26	11	0.7
MM09TR81 C37	Rock	0.154	8	21	1.98	54	0.017	2	2.59	0.015	0.08	<0.1	<0.01	6.4	<0.1	0.07	11	<0.5
MM09TR81 C38	Rock	0.145	5	21	1.81	45	0.007	2	2.41	0.018	0.10	<0.1	<0.01	5.8	<0.1	0.15	10	0.8
MM09TR81 C39	Rock	0.144	8	20	1.97	42	0.024	3	2.57	0.019	0.10	<0.1	<0.01	5.5	<0.1	0.10	10	<0.5
MM09TR81 C40	Rock	0.153	6	23	1.97	46	0.010	2	2.54	0.018	0.09	<0.1	<0.01	6.4	<0.1	0.06	11	<0.5
MM09TR81 C41	Rock	0.143	7	21	1.56	42	0.007	2	2.05	0.024	0.10	<0.1	<0.01	5.2	<0.1	0.08	9	0.6
MM09TR81 C42	Rock	0.156	8	24	1.72	38	0.008	3	2.12	0.024	0.09	<0.1	<0.01	6.3	<0.1	0.09	10	0.6
MM09TR81 C43	Rock	0.156	10	22	1.35	34	0.008	2	1.76	0.027	0.10	<0.1	<0.01	6.3	<0.1	<0.05	8	<0.5
MM09TR81 C44	Rock	0.161	8	24	1.59	48	0.010	3	1.82	0.036	0.10	<0.1	<0.01	6.5	<0.1	<0.05	9	<0.5
MM09TR81 C45	Rock	0.145	7	20	1.64	37	0.008	3	1.89	0.024	0.07	<0.1	<0.01	5.9	<0.1	<0.05	9	<0.5
MM09TR81 C46	Rock	0.170	9	26	1.57	37	0.012	2	1.75	0.030	0.09	<0.1	<0.01	7.8	<0.1	<0.05	8	<0.5
MM09TR81 C47	Rock	0.147	12	22	1.25	42	0.008	5	1.49	0.022	0.07	<0.1	<0.01	8.1	<0.1	<0.05	7	<0.5
MM09TR81 C48	Rock	0.163	9	25	1.88	32	0.007	4	2.46	0.022	0.06	<0.1	<0.01	8.5	<0.1	<0.05	12	0.6
MM09TR81 C49	Rock	0.148	5	16	1.90	34	0.012	3	2.43	0.022	0.06	<0.1	<0.01	9.1	<0.1	0.07	11	<0.5
MM09TR81 C50	Rock	0.140	7	16	1.95	33	0.014	4	2.30	0.019	0.07	<0.1	<0.01	9.3	<0.1	0.08	10	<0.5
MM09TR81 C51	Rock	0.163	10	25	1.53	36	0.007	6	2.13	0.022	0.08	<0.1	<0.01	8.2	<0.1	<0.05	10	0.7
MM09TR81 C52	Rock	0.135	8	20	1.42	39	0.010	6	2.02	0.018	0.10	<0.1	0.05	8.4	<0.1	<0.05	8	<0.5
MM09TR81 C53	Rock	0.132	8	27	1.82	33	0.010	7	2.36	0.020	0.08	<0.1	<0.01	8.4	<0.1	<0.05	10	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 06, 2009

Page: 7 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN09003193.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09TR81 C54	Rock	1.20	1.8	100.6	1.6	37	<0.1	7.8	13.8	1182	4.60	4.7	0.2	4.4	0.6	119	<0.1	0.1	<0.1	193	6.06
MM09TR81 C55	Rock	1.18	0.5	156.8	1.8	40	0.1	6.1	16.7	1235	4.65	5.8	0.2	1.6	0.6	112	<0.1	0.1	<0.1	194	5.53
MM09TR81 C56	Rock	1.26	0.6	56.8	1.9	43	<0.1	5.2	12.0	1347	5.23	4.7	0.2	9.3	0.5	108	<0.1	<0.1	<0.1	206	5.62
MM09TR81 C57	Rock	1.34	0.8	16.5	1.0	38	<0.1	4.3	10.2	1154	4.68	3.8	0.3	0.5	0.5	118	<0.1	0.1	<0.1	204	5.16
MM09TR81 C58	Rock	1.31	0.5	25.6	2.3	60	<0.1	48.3	19.7	1175	4.71	2.5	0.3	<0.5	1.6	102	<0.1	0.2	<0.1	108	3.70
MM09TR81 C59	Rock	1.45	0.8	18.6	2.3	50	<0.1	46.4	18.9	1026	4.49	3.0	0.4	<0.5	1.5	153	<0.1	0.3	<0.1	128	3.52
MM09TR81 C60	Rock	1.45	0.8	16.9	2.1	54	<0.1	28.9	17.5	1218	5.02	6.6	0.3	<0.5	1.1	180	<0.1	0.5	<0.1	191	5.02



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: August 06, 2009

Page: 7 of 7 **Part** 2

CERTIFICATE OF ANALYSIS

VAN09003193.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
MM09TR81 C54	Rock	0.127	6	15	1.79	33	0.011	6	2.35	0.022	0.10	<0.1	<0.01	8.4	<0.1	<0.05	10	<0.5
MM09TR81 C55	Rock	0.120	7	7	1.83	33	0.010	6	2.36	0.016	0.07	<0.1	<0.01	8.0	<0.1	<0.05	9	<0.5
MM09TR81 C56	Rock	0.118	6	5	2.06	23	0.012	6	2.65	0.019	0.07	<0.1	<0.01	8.8	<0.1	<0.05	10	<0.5
MM09TR81 C57	Rock	0.123	6	10	1.87	24	0.013	7	2.39	0.017	0.06	<0.1	<0.01	10.2	<0.1	<0.05	9	<0.5
MM09TR81 C58	Rock	0.122	14	69	2.30	33	0.010	6	2.34	0.023	0.04	<0.1	<0.01	10.1	<0.1	<0.05	11	<0.5
MM09TR81 C59	Rock	0.126	11	75	2.38	33	0.005	11	2.31	0.023	0.03	<0.1	<0.01	9.1	<0.1	<0.05	10	<0.5
MM09TR81 C60	Rock	0.141	9	42	2.20	39	0.006	10	2.54	0.019	0.02	<0.1	<0.01	13.3	<0.1	<0.05	10	<0.5



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 06, 2009

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN09003193.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
MM09TR80 C32	Rock	1.55	1.1	97.0	2.6	47	0.1	6.0	14.5	799	4.58	73.9	0.3	22.5	0.7	107	<0.1	0.5	0.2	131	3.93
REP MM09TR80 C32	QC		0.9	96.0	2.5	45	0.1	5.7	14.6	767	4.53	71.3	0.3	17.2	0.7	101	<0.1	0.4	0.2	130	3.94
MM09TR80 C36	Rock	1.25	3.7	85.9	2.0	25	<0.1	5.1	8.4	469	4.79	8.9	0.4	6.8	0.8	57	0.1	0.2	<0.1	173	2.25
REP MM09TR80 C36	QC		3.8	88.6	2.0	27	<0.1	5.6	8.6	489	4.89	9.7	0.4	13.1	0.9	58	0.1	0.2	<0.1	179	2.29
MM09TR80 C89	Rock	1.26	0.6	63.7	2.7	61	0.3	1.3	10.4	798	3.89	6.2	0.2	71.8	1.2	27	0.2	0.3	2.2	75	2.54
REP MM09TR80 C89	QC		0.6	64.8	2.7	64	0.3	1.2	10.4	814	3.92	6.3	0.2	81.2	1.2	28	0.3	0.3	2.3	76	2.53
MM09TR81 C45	Rock	1.38	0.3	168.8	2.0	33	0.2	9.9	15.4	879	3.94	6.2	0.3	11.8	0.8	94	0.1	<0.1	<0.1	153	4.39
REP MM09TR81 C45	QC		0.3	174.3	2.0	34	0.2	9.9	16.2	899	4.05	6.4	0.4	16.8	0.9	97	0.1	<0.1	<0.1	158	4.54
Reference Materials																					
STD DS7	Standard		19.7	99.2	68.1	396	0.8	57.8	9.5	619	2.39	48.1	4.8	81.6	4.1	72	6.6	4.6	4.5	80	0.94
STD DS7	Standard		19.9	106.3	66.6	411	0.8	56.8	9.8	660	2.49	49.8	5.0	64.9	4.3	75	6.8	4.7	4.5	83	0.99
STD DS7	Standard		19.8	106.2	66.6	385	0.8	56.3	9.1	605	2.40	50.7	4.5	59.9	3.9	65	6.3	5.7	3.9	78	0.95
STD DS7	Standard		19.6	106.5	64.6	387	0.8	56.3	9.2	617	2.43	50.5	4.4	69.9	4.2	69	5.8	5.5	4.4	79	0.98
STD DS7	Standard		20.8	106.9	64.3	391	0.6	55.7	9.5	628	2.41	50.8	4.6	61.0	4.0	72	5.9	5.7	4.4	84	0.98
STD DS7	Standard		22.0	113.6	71.1	418	0.7	60.3	9.8	646	2.49	51.4	5.0	60.8	4.4	76	6.3	6.2	4.9	86	1.01
STD DS7	Standard		19.7	108.4	67.4	400	0.8	57.6	9.7	629	2.43	49.9	4.6	64.3	4.1	70	6.2	4.7	4.5	80	0.98
STD DS7	Standard		19.5	106.3	67.2	387	0.8	54.7	9.5	618	2.37	46.9	5.0	56.9	4.3	64	6.0	4.7	4.5	80	0.97
STD DS7	Standard		18.9	103.3	68.5	385	0.8	55.5	8.5	616	2.35	49.8	4.9	59.5	4.7	64	6.0	5.3	4.3	79	0.93
STD DS7	Standard		19.9	107.0	66.1	381	0.8	57.6	9.4	606	2.38	51.9	4.7	60.4	4.4	66	6.3	5.2	4.2	82	0.94
STD DS7	Standard		20.0	110.8	68.0	363	0.8	56.1	9.5	578	2.37	47.3	4.8	54.4	4.5	74	6.1	6.0	4.6	78	0.97
STD DS7	Standard		21.3	114.3	73.5	397	0.9	57.6	9.6	618	2.40	50.9	5.1	72.1	4.8	81	6.1	6.5	5.0	80	1.00
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	1.0	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 06, 2009

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN09003193.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																		
MM09TR80 C32	Rock	0.126	9	9	1.67	43	0.004	7	2.33	0.022	0.17	<0.1	<0.01	5.8	<0.1	0.08	9	<0.5
REP MM09TR80 C32	QC	0.126	9	8	1.67	42	0.004	6	2.34	0.021	0.16	<0.1	<0.01	5.3	<0.1	0.08	8	<0.5
MM09TR80 C36	Rock	0.140	8	16	1.10	86	0.003	6	1.37	0.027	0.07	0.1	<0.01	7.6	<0.1	0.06	8	0.7
REP MM09TR80 C36	QC	0.160	9	16	1.13	88	0.004	7	1.39	0.027	0.07	<0.1	<0.01	7.6	<0.1	0.07	8	<0.5
MM09TR80 C89	Rock	0.041	4	3	0.90	54	0.007	6	1.54	0.031	0.13	<0.1	<0.01	7.1	<0.1	<0.05	7	<0.5
REP MM09TR80 C89	QC	0.041	5	3	0.92	56	0.008	5	1.56	0.032	0.13	<0.1	<0.01	7.2	<0.1	<0.05	6	<0.5
MM09TR81 C45	Rock	0.145	7	20	1.64	37	0.008	3	1.89	0.024	0.07	<0.1	<0.01	5.9	<0.1	<0.05	9	<0.5
REP MM09TR81 C45	QC	0.153	8	22	1.70	36	0.008	3	1.95	0.025	0.07	<0.1	<0.01	6.1	<0.1	<0.05	9	<0.5
Reference Materials																		
STD DS7	Standard	0.078	12	216	1.04	394	0.103	38	1.04	0.096	0.48	3.6	0.19	2.1	4.1	0.19	5	3.8
STD DS7	Standard	0.077	12	228	1.08	420	0.115	38	1.09	0.096	0.46	3.8	0.19	2.2	4.2	0.20	5	3.6
STD DS7	Standard	0.076	12	202	1.04	391	0.111	35	1.04	0.090	0.44	3.9	0.18	2.2	4.0	0.19	5	3.9
STD DS7	Standard	0.076	12	200	1.04	415	0.112	36	1.04	0.092	0.45	3.7	0.18	2.4	4.1	0.19	5	3.5
STD DS7	Standard	0.072	12	208	1.07	386	0.118	33	1.07	0.087	0.44	3.8	0.19	2.3	4.0	0.20	4	3.3
STD DS7	Standard	0.076	14	220	1.09	420	0.128	37	1.09	0.097	0.48	4.4	0.20	2.5	4.6	0.20	5	4.1
STD DS7	Standard	0.074	11	204	1.06	396	0.111	38	1.05	0.091	0.44	3.6	0.19	2.2	4.4	0.19	4	3.6
STD DS7	Standard	0.071	12	199	1.01	385	0.107	33	1.03	0.089	0.43	3.7	0.20	2.1	4.4	0.19	4	3.6
STD DS7	Standard	0.077	12	183	1.01	397	0.104	35	1.00	0.092	0.43	3.7	0.17	2.2	4.0	0.19	4	2.8
STD DS7	Standard	0.080	12	186	1.03	397	0.106	40	1.02	0.095	0.45	4.0	0.17	2.4	3.9	0.20	4	3.6
STD DS7	Standard	0.069	12	178	1.04	367	0.122	34	1.04	0.083	0.42	3.5	0.18	2.3	3.7	0.18	5	3.2
STD DS7	Standard	0.077	14	195	1.04	391	0.130	38	1.06	0.094	0.43	3.6	0.20	2.5	4.0	0.19	5	4.0
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: August 06, 2009

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

VAN09003193.1

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
Prep Wash																						
G1	Prep Blank	<0.01	0.2	4.7	2.8	47	<0.1	5.3	4.5	548	1.86	<0.5	1.6	<0.5	3.6	55	<0.1	<0.1	<0.1	38	0.67	
G1	Prep Blank	<0.01	0.1	5.8	2.8	47	<0.1	5.5	4.8	552	1.92	<0.5	2.0	<0.5	4.2	63	<0.1	<0.1	0.1	38	0.62	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

211 - 744 W. Hastings St.

Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: August 06, 2009

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

VAN09003193.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Prep Wash																			
G1	Prep Blank	0.081	8	12	0.61	245	0.124	<1	1.07	0.078	0.55	<0.1	<0.01	2.0	0.4	<0.05	5	<0.5	
G1	Prep Blank	0.083	8	11	0.63	270	0.148	<1	1.03	0.080	0.55	0.2	<0.01	2.2	0.4	<0.05	5	<0.5	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: July 28, 2009
Report Date: August 28, 2009
Page: 1 of 7

CERTIFICATE OF ANALYSIS

VAN09003193.2

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 157

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200	157	Crush, split and pulverize rock to 200 mesh			VAN
1DX15	157	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
G601	29	Fire Assay fusion Au by ICP-ES	30	Completed	VAN

ADDITIONAL COMMENTS

Version 2: Group 6 Au included



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 28, 2009

Page: 2 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN09003193.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09TR80 C01	Rock	1.35	19.6	9476	2.5	36	1.5	23.1	71.4	622	6.40	17.7	1.0	2986	1.0	57	<0.1	0.3	0.1	197	2.96
MM09TR80 C02	Rock	1.57	4.7	1524	2.0	35	0.2	12.4	14.0	621	5.62	10.3	0.6	370.2	1.3	65	<0.1	0.2	<0.1	199	3.12
MM09TR80 C03	Rock	1.58	6.7	414.3	1.8	33	0.2	11.2	11.0	619	5.13	7.4	0.5	539.7	1.1	86	<0.1	0.1	<0.1	174	3.23
MM09TR80 C04	Rock	1.34	4.4	577.6	2.7	35	0.2	10.3	14.1	659	5.48	9.1	0.5	217.7	1.3	111	<0.1	0.3	<0.1	200	3.38
MM09TR80 C05	Rock	1.35	30.7	287.9	2.8	45	0.2	14.1	15.4	844	7.90	7.6	0.4	70.2	1.0	77	0.1	0.2	<0.1	244	3.22
MM09TR80 C06	Rock	1.40	5.0	1061	2.5	44	0.8	13.1	16.3	828	6.47	9.3	0.4	73.0	1.0	44	<0.1	0.5	<0.1	192	1.55
MM09TR80 C07	Rock	1.48	10.8	1005	2.8	37	0.7	13.1	29.7	696	6.11	12.6	0.5	1271	1.2	56	<0.1	0.2	<0.1	197	1.70
MM09TR80 C08	Rock	1.25	44.7	1223	3.0	34	0.9	10.4	14.7	595	5.04	8.1	0.4	297.9	1.1	53	<0.1	0.2	0.1	178	2.31
MM09TR80 C09	Rock	1.77	119.2	5491	5.4	38	3.6	11.3	18.5	637	5.67	9.1	0.5	401.1	1.0	50	0.3	0.3	0.1	182	1.70
MM09TR80 C10	Rock	1.25	18.8	2476	3.3	40	0.9	12.9	48.4	685	5.80	10.0	0.4	593.9	1.2	64	<0.1	0.1	0.1	182	2.48
MM09TR80 C11	Rock	1.33	53.5	6615	3.5	38	3.3	14.6	31.9	723	5.99	9.9	0.5	687.8	1.2	54	0.2	0.2	0.1	182	1.98
MM09TR80 C12	Rock	1.27	3.2	202.0	2.7	35	0.1	12.3	17.3	760	5.22	13.1	0.4	8.4	1.0	75	2.8	0.2	<0.1	194	2.29
MM09TR80 C13	Rock	1.32	14.9	658.9	2.6	37	0.5	12.1	21.0	860	4.96	16.7	0.3	32.7	1.0	64	<0.1	0.2	<0.1	182	2.21
MM09TR80 C14	Rock	1.24	1.1	102.5	3.2	48	<0.1	12.3	20.1	851	4.86	14.0	0.3	5.8	1.0	70	0.1	0.1	<0.1	192	2.38
MM09TR80 C15	Rock	1.37	0.4	101.1	3.0	42	<0.1	11.0	20.8	1008	4.59	13.8	0.3	8.8	0.9	83	<0.1	0.1	<0.1	189	3.24
MM09TR80 C16	Rock	1.12	47.3	541.0	3.8	37	0.3	11.4	16.8	773	4.87	10.8	0.4	18.9	1.1	79	0.2	0.2	<0.1	191	2.57
MM09TR80 C17	Rock	1.23	0.7	238.8	3.3	34	0.2	12.4	17.7	723	5.88	9.2	0.3	29.5	1.0	52	<0.1	0.2	<0.1	228	1.85
MM09TR80 C18	Rock	1.31	5.2	1600	3.3	32	1.3	13.9	21.5	655	5.53	14.9	0.3	311.7	1.2	61	<0.1	0.3	<0.1	180	2.33
MM09TR80 C19	Rock	1.32	11.6	1173	3.8	32	1.0	14.0	48.7	655	6.01	20.0	0.3	254.2	1.4	39	0.1	0.3	<0.1	188	1.36
MM09TR80 C20	Rock	1.28	7.1	391.5	3.7	32	0.3	10.1	33.0	753	5.70	22.1	0.3	53.0	1.3	134	<0.1	0.3	<0.1	169	3.71
MM09TR80 C21	Rock	1.40	5.9	504.4	3.8	33	0.4	9.9	14.0	673	5.69	51.3	0.3	67.7	1.2	50	<0.1	0.6	<0.1	153	2.68
MM09TR80 C22	Rock	1.58	3.1	73.5	2.1	29	<0.1	9.6	12.6	740	4.50	35.0	0.3	17.3	1.1	75	0.1	0.4	<0.1	121	4.67
MM09TR80 C23	Rock	1.29	1.7	303.8	2.9	31	0.3	11.7	52.2	683	5.08	20.7	0.3	57.1	1.0	94	<0.1	0.3	0.2	155	3.60
MM09TR80 C24	Rock	1.40	4.6	229.6	2.2	27	0.1	10.7	25.3	649	4.79	18.4	0.5	85.2	1.1	88	<0.1	0.4	0.1	171	4.04
MM09TR80 C25	Rock	1.36	2.5	57.0	5.3	31	0.1	8.8	15.3	1049	3.70	1960	0.4	11.6	0.7	159	0.2	0.3	<0.1	155	7.61
MM09TR80 C26	Rock	1.15	0.9	69.3	3.4	61	<0.1	14.9	30.3	1199	6.64	129.3	0.2	7.5	0.7	93	<0.1	0.2	0.1	264	3.28
MM09TR80 C27	Rock	1.42	1.4	294.8	4.2	50	0.2	13.4	23.5	1128	5.79	154.4	0.3	27.8	0.9	82	0.1	0.3	0.1	215	3.55
MM09TR80 C28	Rock	1.46	2.5	60.1	3.2	48	<0.1	11.0	16.3	1172	6.16	42.1	0.3	3.0	0.6	109	0.1	0.1	0.1	214	3.71
MM09TR80 C29	Rock	1.38	1.6	41.7	3.8	56	<0.1	6.5	16.0	919	4.55	28.2	0.3	3.2	0.4	134	<0.1	0.2	<0.1	161	4.77
MM09TR80 C30	Rock	1.71	2.5	74.2	4.0	60	0.1	4.3	25.9	909	4.31	31.0	0.4	40.9	0.4	118	0.1	0.3	<0.1	132	4.46

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 28, 2009

Page: 2 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN09003193.2

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5	0.01
MM09TR80 C01	Rock	0.162	7	14	2.35	37	0.009	3	2.35	0.033	0.04	<0.1	<0.01	11.3	<0.1	0.26	10	0.7	4.44
MM09TR80 C02	Rock	0.164	23	17	2.22	37	0.013	3	2.23	0.027	0.06	<0.1	<0.01	10.8	<0.1	<0.05	11	<0.5	0.31
MM09TR80 C03	Rock	0.167	15	15	2.20	33	0.011	3	2.28	0.023	0.07	<0.1	<0.01	9.8	<0.1	<0.05	10	<0.5	0.16
MM09TR80 C04	Rock	0.160	16	14	2.06	34	0.012	5	2.41	0.022	0.07	<0.1	<0.01	9.3	<0.1	<0.05	11	<0.5	0.41
MM09TR80 C05	Rock	0.168	10	18	2.58	33	0.012	4	2.87	0.024	0.04	<0.1	<0.01	10.1	<0.1	0.06	12	0.5	0.07
MM09TR80 C06	Rock	0.170	15	16	2.65	33	0.011	5	2.82	0.032	0.05	<0.1	<0.01	9.1	<0.1	0.11	12	0.8	0.08
MM09TR80 C07	Rock	0.169	21	16	2.31	31	0.011	4	2.58	0.019	0.07	<0.1	<0.01	10.0	<0.1	<0.05	12	<0.5	1.33
MM09TR80 C08	Rock	0.157	13	15	1.97	29	0.009	3	2.35	0.024	0.07	<0.1	<0.01	8.3	<0.1	<0.05	10	<0.5	0.31
MM09TR80 C09	Rock	0.154	12	14	2.22	24	0.008	4	2.58	0.022	0.09	<0.1	<0.01	8.6	<0.1	0.11	11	0.9	0.72
MM09TR80 C10	Rock	0.160	20	15	2.17	32	0.010	4	2.41	0.017	0.10	<0.1	<0.01	8.8	<0.1	0.10	10	<0.5	0.78
MM09TR80 C11	Rock	0.164	15	13	2.18	35	0.010	4	2.58	0.023	0.09	<0.1	<0.01	8.6	<0.1	0.24	11	1.0	1.28
MM09TR80 C12	Rock	0.164	11	17	2.07	54	0.020	3	2.18	0.024	0.08	<0.1	<0.01	8.4	<0.1	<0.05	10	0.5	N.A.
MM09TR80 C13	Rock	0.168	9	15	2.15	61	0.020	4	2.22	0.027	0.09	<0.1	<0.01	8.9	<0.1	<0.05	10	<0.5	N.A.
MM09TR80 C14	Rock	0.160	9	16	2.17	42	0.023	4	2.17	0.031	0.09	<0.1	<0.01	8.8	<0.1	<0.05	10	<0.5	N.A.
MM09TR80 C15	Rock	0.154	9	16	2.04	37	0.016	3	2.11	0.028	0.07	<0.1	<0.01	8.4	<0.1	<0.05	9	<0.5	N.A.
MM09TR80 C16	Rock	0.169	10	16	1.89	37	0.021	4	2.00	0.034	0.09	<0.1	<0.01	8.6	<0.1	<0.05	9	<0.5	N.A.
MM09TR80 C17	Rock	0.166	11	15	2.22	30	0.011	4	2.40	0.027	0.06	<0.1	<0.01	10.1	<0.1	0.08	12	0.6	N.A.
MM09TR80 C18	Rock	0.168	21	16	2.18	42	0.007	5	2.49	0.020	0.07	<0.1	<0.01	9.0	<0.1	0.16	12	0.7	0.34
MM09TR80 C19	Rock	0.187	26	23	1.88	47	0.008	5	2.23	0.038	0.08	<0.1	<0.01	9.0	<0.1	0.16	11	1.1	0.42
MM09TR80 C20	Rock	0.168	16	13	1.79	34	0.006	6	2.39	0.022	0.10	<0.1	<0.01	7.2	<0.1	0.05	11	<0.5	N.A.
MM09TR80 C21	Rock	0.170	22	12	1.73	45	0.004	7	2.44	0.017	0.12	<0.1	<0.01	6.0	<0.1	0.12	10	0.6	N.A.
MM09TR80 C22	Rock	0.145	23	8	1.44	44	0.004	7	2.00	0.012	0.14	<0.1	<0.01	5.6	<0.1	<0.05	8	<0.5	N.A.
MM09TR80 C23	Rock	0.153	16	10	1.61	51	0.007	6	2.15	0.015	0.12	<0.1	<0.01	6.0	<0.1	0.24	9	<0.5	N.A.
MM09TR80 C24	Rock	0.156	19	10	1.41	39	0.008	8	1.89	0.021	0.12	<0.1	<0.01	6.4	<0.1	0.06	8	<0.5	N.A.
MM09TR80 C25	Rock	0.136	9	11	1.15	41	0.008	7	1.80	0.020	0.11	<0.1	<0.01	6.3	<0.1	<0.05	7	<0.5	N.A.
MM09TR80 C26	Rock	0.151	8	12	2.53	33	0.031	8	3.07	0.021	0.08	<0.1	<0.01	10.7	<0.1	0.05	12	<0.5	N.A.
MM09TR80 C27	Rock	0.162	9	14	2.33	49	0.025	8	2.73	0.016	0.07	<0.1	<0.01	10.0	<0.1	0.06	11	<0.5	N.A.
MM09TR80 C28	Rock	0.134	6	26	2.23	29	0.016	8	2.70	0.014	0.05	<0.1	<0.01	13.1	<0.1	0.06	10	<0.5	N.A.
MM09TR80 C29	Rock	0.112	7	12	1.48	54	0.011	6	2.13	0.017	0.17	<0.1	<0.01	8.1	<0.1	0.06	8	<0.5	N.A.
MM09TR80 C30	Rock	0.102	8	7	1.30	49	0.005	6	2.04	0.016	0.22	<0.1	<0.01	7.6	<0.1	0.08	7	<0.5	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 28, 2009

Page: 3 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN09003193.2

Method Analyte	Unit	WGHT	1DX15																			
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
MM09TR80 C31	Rock	1.52	2.0	131.0	4.7	53	0.2	5.8	15.3	820	4.35	71.6	0.4	40.2	0.6	102	<0.1	0.7	0.2	118	4.39	
MM09TR80 C32	Rock	1.55	1.1	97.0	2.6	47	0.1	6.0	14.5	799	4.58	73.9	0.3	22.5	0.7	107	<0.1	0.5	0.2	131	3.93	
MM09TR80 C33	Rock	1.29	1.3	96.4	1.6	25	<0.1	6.8	19.5	712	4.11	14.3	0.3	10.7	0.9	89	<0.1	0.3	0.2	150	3.69	
MM09TR80 C34	Rock	1.45	0.8	229.6	1.8	38	<0.1	8.6	14.7	710	5.07	12.1	0.4	42.2	1.0	76	<0.1	0.3	0.2	191	2.75	
MM09TR80 C35	Rock	1.33	1.2	373.9	1.7	37	0.1	8.2	18.8	756	5.33	11.6	0.4	50.3	1.0	88	<0.1	0.3	0.2	181	2.77	
MM09TR80 C36	Rock	1.25	3.7	85.9	2.0	25	<0.1	5.1	8.4	469	4.79	8.9	0.4	6.8	0.8	57	0.1	0.2	<0.1	173	2.25	
MM09TR80 C37	Rock	1.62	1.6	175.7	1.7	28	<0.1	9.5	23.0	696	4.56	12.2	0.3	18.3	0.6	57	0.2	0.1	0.1	155	2.85	
MM09TR80 C38	Rock	1.54	1.9	167.8	2.0	29	<0.1	8.5	18.2	726	4.11	14.4	0.2	18.6	0.7	58	0.2	0.2	0.1	147	3.10	
MM09TR80 C39	Rock	1.28	2.4	509.3	2.2	29	0.2	9.9	20.3	693	3.98	20.6	0.3	37.5	0.8	84	<0.1	0.3	0.2	144	3.02	
MM09TR80 C40	Rock	1.49	1.3	198.2	2.1	42	0.1	10.1	26.5	876	4.15	14.4	0.3	17.3	0.8	100	0.1	0.2	0.1	134	3.99	
MM09TR80 C41	Rock	1.46	1.0	190.9	2.3	47	<0.1	12.6	19.3	901	5.54	19.9	0.3	16.9	0.8	73	0.2	0.2	<0.1	204	3.27	
MM09TR80 C42	Rock	1.47	0.4	41.3	2.1	52	<0.1	10.7	20.9	1231	6.01	21.2	0.2	8.2	0.7	111	0.1	0.2	0.1	218	4.08	
MM09TR80 C43	Rock	1.24	0.4	52.3	2.6	51	<0.1	9.9	22.3	1247	6.10	18.0	0.2	8.7	0.7	91	<0.1	0.1	0.1	229	3.67	
MM09TR80 C44	Rock	1.30	0.3	40.5	2.9	73	<0.1	11.6	20.2	1713	7.43	14.9	0.2	3.0	0.7	83	<0.1	0.1	<0.1	286	3.20	
MM09TR80 C45	Rock	1.43	0.6	150.0	3.6	54	0.1	11.8	22.6	1356	6.60	19.5	0.3	11.0	0.7	117	0.2	0.2	0.2	250	4.19	
MM09TR80 C46	Rock	1.38	0.4	41.4	2.9	48	<0.1	11.7	25.0	1475	5.53	12.5	0.2	4.1	0.6	145	0.2	0.1	<0.1	218	6.45	
MM09TR80 C47	Rock	1.28	0.5	46.1	2.7	46	<0.1	7.0	14.3	1072	5.13	12.9	0.3	14.7	0.7	103	0.2	0.2	<0.1	198	4.43	
MM09TR80 C48	Rock	1.65	2.6	59.9	3.6	37	<0.1	8.9	33.6	889	6.26	18.8	0.4	17.5	0.7	141	0.2	0.2	0.2	191	3.85	
MM09TR80 C49	Rock	1.58	1.2	222.3	3.6	42	0.2	11.9	17.4	1101	5.57	10.0	0.3	64.8	0.8	85	<0.1	0.1	<0.1	213	3.57	
MM09TR80 C50	Rock	1.41	0.5	104.3	4.5	46	<0.1	13.4	17.5	1287	5.73	6.5	0.2	14.0	0.6	91	0.2	<0.1	<0.1	239	3.99	
MM09TR80 C51	Rock	1.28	0.3	141.6	3.4	45	0.1	11.1	26.1	1274	5.75	10.1	0.2	8.8	0.6	83	<0.1	<0.1	0.1	223	3.60	
MM09TR80 C52	Rock	1.40	0.4	40.9	2.7	42	<0.1	7.4	21.7	1461	4.62	11.6	0.1	7.8	0.5	125	0.1	<0.1	0.1	196	6.39	
MM09TR80 C53	Rock	1.66	0.2	22.5	1.8	55	<0.1	6.1	19.9	1129	5.19	8.1	0.1	2.2	0.5	90	<0.1	0.1	<0.1	180	4.54	
MM09TR80 C54	Rock	1.37	0.3	83.1	3.1	39	<0.1	7.8	26.8	1140	5.02	8.9	0.1	10.1	0.5	108	<0.1	0.1	0.1	188	5.72	
MM09TR80 C55	Rock	1.56	0.6	58.1	3.0	43	<0.1	4.7	16.3	1093	4.37	6.3	0.2	2.7	0.5	120	<0.1	<0.1	<0.1	161	4.75	
MM09TR80 C56	Rock	1.33	1.0	44.1	2.7	35	<0.1	3.7	32.7	989	4.19	13.7	0.2	12.1	0.6	118	<0.1	0.2	0.1	149	4.87	
MM09TR80 C57	Rock	1.48	1.2	45.4	2.9	26	<0.1	3.2	15.0	735	4.04	8.5	0.2	11.4	0.6	88	<0.1	0.2	0.1	124	3.96	
MM09TR80 C58	Rock	1.51	0.6	149.8	2.3	39	<0.1	3.6	15.3	1018	4.53	5.4	0.2	19.8	0.6	95	<0.1	0.1	<0.1	171	4.97	
MM09TR80 C59	Rock	1.74	0.4	79.4	2.9	40	<0.1	3.1	17.6	1117	4.37	4.9	0.2	20.9	0.6	101	<0.1	0.1	<0.1	158	5.60	
MM09TR80 C60	Rock	1.80	0.2	128.4	2.5	61	<0.1	5.4	26.3	1264	6.43	7.1	0.2	14.2	0.6	72	<0.1	<0.1	<0.1	201	3.17	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 28, 2009

Page: 3 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN09003193.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	
MM09TR80 C31	Rock	0.116	8	8	1.39	48	0.004	7	2.10	0.019	0.19	<0.1	<0.01	5.6	<0.1	0.15	7	0.8	N.A.
MM09TR80 C32	Rock	0.126	9	9	1.67	43	0.004	7	2.33	0.022	0.17	<0.1	<0.01	5.8	<0.1	0.08	9	<0.5	N.A.
MM09TR80 C33	Rock	0.136	11	11	1.57	35	0.005	5	2.04	0.022	0.11	<0.1	<0.01	5.7	<0.1	0.06	9	<0.5	N.A.
MM09TR80 C34	Rock	0.143	13	15	1.94	41	0.006	6	2.34	0.020	0.10	<0.1	<0.01	6.7	<0.1	0.07	11	<0.5	N.A.
MM09TR80 C35	Rock	0.148	11	17	2.09	68	0.009	5	2.39	0.022	0.10	<0.1	<0.01	8.2	<0.1	0.12	11	<0.5	N.A.
MM09TR80 C36	Rock	0.140	8	16	1.10	86	0.003	6	1.37	0.027	0.07	0.1	<0.01	7.6	<0.1	0.06	8	0.7	N.A.
MM09TR80 C37	Rock	0.146	7	18	1.41	71	0.004	5	1.67	0.021	0.07	<0.1	<0.01	7.9	<0.1	0.13	9	0.9	N.A.
MM09TR80 C38	Rock	0.146	8	21	1.46	38	0.005	4	1.74	0.019	0.05	<0.1	<0.01	6.6	<0.1	0.12	8	<0.5	N.A.
MM09TR80 C39	Rock	0.144	8	18	1.64	130	0.006	5	1.80	0.020	0.07	<0.1	<0.01	8.0	<0.1	0.24	9	0.8	N.A.
MM09TR80 C40	Rock	0.136	10	20	1.78	89	0.006	3	2.12	0.018	0.13	<0.1	<0.01	7.3	<0.1	0.17	9	0.7	N.A.
MM09TR80 C41	Rock	0.147	7	31	2.29	71	0.017	5	2.51	0.022	0.10	<0.1	<0.01	9.5	<0.1	0.11	11	<0.5	N.A.
MM09TR80 C42	Rock	0.136	6	19	2.79	45	0.029	3	3.11	0.018	0.08	<0.1	<0.01	9.5	<0.1	0.13	12	<0.5	N.A.
MM09TR80 C43	Rock	0.141	6	13	2.71	40	0.029	5	2.96	0.019	0.10	<0.1	<0.01	11.0	<0.1	0.20	11	<0.5	N.A.
MM09TR80 C44	Rock	0.150	6	16	4.17	61	0.049	4	3.84	0.020	0.07	<0.1	<0.01	13.4	<0.1	0.06	16	<0.5	N.A.
MM09TR80 C45	Rock	0.139	6	15	2.82	53	0.034	4	2.91	0.019	0.08	<0.1	<0.01	13.7	<0.1	0.30	12	0.8	N.A.
MM09TR80 C46	Rock	0.126	5	17	2.61	52	0.028	3	2.65	0.017	0.06	<0.1	<0.01	11.8	<0.1	0.13	11	<0.5	N.A.
MM09TR80 C47	Rock	0.132	7	13	2.05	51	0.016	3	2.18	0.021	0.10	<0.1	<0.01	9.3	<0.1	0.05	8	<0.5	N.A.
MM09TR80 C48	Rock	0.147	6	19	2.03	51	0.012	4	2.27	0.022	0.09	<0.1	<0.01	9.8	<0.1	0.08	10	<0.5	N.A.
MM09TR80 C49	Rock	0.150	7	24	2.52	61	0.023	3	2.62	0.021	0.06	<0.1	<0.01	10.9	<0.1	0.11	11	0.7	N.A.
MM09TR80 C50	Rock	0.132	5	32	3.02	36	0.024	3	3.05	0.017	0.07	<0.1	<0.01	12.5	<0.1	<0.05	12	<0.5	N.A.
MM09TR80 C51	Rock	0.134	6	24	2.88	42	0.027	4	2.90	0.020	0.09	<0.1	<0.01	11.2	<0.1	0.07	12	<0.5	N.A.
MM09TR80 C52	Rock	0.110	7	14	2.38	39	0.021	4	2.48	0.016	0.07	<0.1	<0.01	8.7	<0.1	0.08	10	<0.5	N.A.
MM09TR80 C53	Rock	0.144	6	5	2.25	32	0.014	5	2.57	0.028	0.14	<0.1	<0.01	7.5	<0.1	<0.05	10	<0.5	N.A.
MM09TR80 C54	Rock	0.131	6	11	2.06	48	0.014	4	2.27	0.021	0.12	<0.1	<0.01	7.5	<0.1	0.07	8	<0.5	N.A.
MM09TR80 C55	Rock	0.130	5	5	1.97	26	0.014	2	2.25	0.027	0.10	<0.1	<0.01	7.3	<0.1	<0.05	9	<0.5	N.A.
MM09TR80 C56	Rock	0.126	4	4	1.93	25	0.010	3	2.18	0.017	0.10	<0.1	<0.01	7.2	<0.1	0.06	8	<0.5	N.A.
MM09TR80 C57	Rock	0.134	5	3	1.39	27	0.008	4	1.75	0.032	0.08	<0.1	<0.01	6.2	<0.1	<0.05	7	<0.5	N.A.
MM09TR80 C58	Rock	0.134	5	4	1.89	20	0.016	4	2.13	0.026	0.12	<0.1	<0.01	6.7	<0.1	<0.05	8	<0.5	N.A.
MM09TR80 C59	Rock	0.127	6	3	2.04	19	0.019	4	2.25	0.027	0.11	<0.1	<0.01	6.5	<0.1	<0.05	8	<0.5	N.A.
MM09TR80 C60	Rock	0.127	5	5	3.31	23	0.024	4	3.28	0.024	0.08	<0.1	<0.01	8.6	<0.1	<0.05	13	<0.5	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 28, 2009

Page: 4 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN09003193.2

Method Analyte	Unit	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
MM09TR80 C61	Rock	1.37	0.5	90.7	2.5	51	<0.1	5.2	19.2	1090	5.16	8.3	0.1	7.0	0.7	69	<0.1	0.1	<0.1	175	3.04
MM09TR80 C62	Rock	1.45	0.2	12.0	2.0	55	<0.1	4.9	18.8	1108	5.55	6.3	0.1	1.9	0.7	62	<0.1	<0.1	<0.1	175	2.19
MM09TR80 C63	Rock	1.17	0.3	11.8	2.5	41	<0.1	4.3	13.6	1057	4.39	4.4	0.2	2.4	0.6	119	<0.1	0.2	<0.1	149	4.17
MM09TR80 C64	Rock	1.27	0.2	45.7	2.0	54	<0.1	5.3	19.8	1195	5.40	5.4	0.2	3.0	0.7	78	<0.1	0.1	<0.1	185	3.13
MM09TR80 C65	Rock	1.15	0.7	8.6	2.2	30	<0.1	2.9	9.1	1006	3.77	4.5	0.2	0.5	0.5	174	<0.1	0.2	<0.1	155	4.69
MM09TR80 C66	Rock	1.21	0.7	40.8	2.5	50	<0.1	4.5	15.7	1091	4.87	7.2	0.1	5.8	0.7	83	<0.1	0.1	<0.1	205	2.89
MM09TR80 C67	Rock	1.59	0.2	29.1	2.6	38	<0.1	3.1	12.6	955	4.42	6.0	0.2	1.8	0.6	107	<0.1	0.2	<0.1	175	5.52
MM09TR80 C68	Rock	1.26	0.7	68.7	3.5	40	<0.1	3.9	11.5	906	4.63	7.5	0.2	19.0	0.5	104	<0.1	0.2	<0.1	173	5.16
MM09TR80 C69	Rock	1.51	0.3	29.9	2.2	39	<0.1	4.3	14.5	1021	4.30	10.4	0.1	5.2	0.5	97	<0.1	0.1	<0.1	170	5.79
MM09TR80 C70	Rock	1.38	0.5	47.1	2.1	38	<0.1	7.3	12.8	943	4.72	8.2	0.2	4.4	0.5	90	<0.1	0.1	<0.1	174	5.73
MM09TR80 C71	Rock	1.29	1.0	60.2	2.4	41	<0.1	10.5	15.1	1091	4.75	9.2	0.2	10.1	0.6	98	<0.1	0.2	0.1	174	4.80
MM09TR80 C72	Rock	1.20	3.6	28.0	4.9	45	<0.1	9.8	18.3	1547	4.16	9.9	0.2	6.6	0.4	368	0.2	0.2	0.1	145	8.09
MM09TR80 C73	Rock	0.96	2.5	127.5	7.9	48	0.2	9.6	23.5	1094	4.50	29.3	1.6	14.6	0.6	305	0.2	0.2	0.1	58	6.94
MM09TR80 C74	Rock	0.85	4.8	279.9	10.9	53	0.4	12.2	35.3	1288	4.89	31.3	2.7	23.8	0.6	318	0.3	0.3	0.2	58	8.34
MM09TR80 C75	Rock	1.29	7.4	144.9	4.7	55	0.1	12.5	26.2	895	4.93	18.2	0.4	12.3	0.5	183	0.2	0.2	<0.1	116	5.55
MM09TR80 C76	Rock	1.44	1.8	95.3	3.7	61	<0.1	12.7	17.4	945	4.61	18.3	0.9	8.0	0.5	170	0.3	0.1	<0.1	96	6.06
MM09TR80 C77	Rock	1.02	1.2	120.4	3.9	60	<0.1	9.4	19.0	1111	5.15	13.3	0.1	11.7	0.6	158	0.3	0.2	<0.1	103	6.48
MM09TR80 C78	Rock	0.88	2.0	88.1	4.7	74	0.1	5.5	11.2	1030	7.15	12.3	0.2	31.6	0.6	179	1.3	0.4	0.2	89	5.84
MM09TR80 C79	Rock	1.19	2.3	82.0	3.8	57	0.2	2.3	10.9	843	3.26	7.3	0.3	51.5	0.7	84	0.2	0.2	0.3	85	4.43
MM09TR80 C80	Rock	1.43	0.8	405.5	3.0	79	0.3	1.7	12.9	702	4.51	5.3	0.3	331.5	0.8	44	0.6	0.4	0.2	107	2.22
MM09TR80 C81	Rock	1.11	0.3	164.5	2.3	98	0.3	1.8	15.4	815	4.95	13.0	0.3	325.0	1.0	48	0.2	0.8	1.4	100	1.26
MM09TR80 C82	Rock	1.23	1.2	435.0	4.5	63	0.5	1.9	11.9	1046	5.09	8.1	0.4	358.3	0.9	48	0.3	0.5	0.4	112	2.44
MM09TR80 C83	Rock	1.08	0.5	80.4	1.9	90	<0.1	1.5	15.2	914	4.94	8.8	0.3	58.6	0.8	38	0.3	0.4	<0.1	131	1.23
MM09TR80 C84	Rock	1.20	0.6	257.5	2.3	116	1.6	1.4	11.7	814	4.36	7.8	0.3	596.7	0.8	32	1.0	0.3	1.1	114	1.42
MM09TR80 C85	Rock	1.08	2.2	1738	82.2	133	40.2	1.1	15.6	786	5.08	46.5	0.4	320.7	0.8	41	1.1	1.5	145.4	109	1.64
MM09TR80 C86	Rock	0.92	0.6	91.3	1.6	80	0.1	2.0	12.0	745	4.32	8.2	0.3	79.7	0.8	28	0.6	0.3	0.2	131	1.88
MM09TR80 C87	Rock	1.10	0.6	248.4	4.0	84	0.8	1.4	11.4	704	4.02	7.5	0.3	49.4	0.8	35	1.1	0.3	3.1	110	2.44
MM09TR80 C88	Rock	1.13	1.0	61.6	1.9	77	<0.1	1.2	13.3	910	4.66	16.5	0.3	47.0	1.1	35	0.2	0.6	<0.1	133	2.00
MM09TR80 C89	Rock	1.26	0.6	63.7	2.7	61	0.3	1.3	10.4	798	3.89	6.2	0.2	71.8	1.2	27	0.2	0.3	2.2	75	2.54
MM09TR80 C90	Rock	1.39	0.5	80.7	1.9	55	0.1	1.6	10.4	743	3.68	6.4	0.3	54.7	0.8	34	0.2	0.4	0.2	92	2.29

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 28, 2009

Page: 4 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN09003193.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	
MM09TR80 C61	Rock	0.134	5	4	2.58	28	0.025	4	2.68	0.029	0.07	<0.1	<0.01	8.0	<0.1	<0.05	11	<0.5	N.A.
MM09TR80 C62	Rock	0.131	5	5	2.80	28	0.026	2	2.80	0.029	0.07	<0.1	<0.01	9.4	<0.1	<0.05	12	<0.5	N.A.
MM09TR80 C63	Rock	0.125	4	5	2.19	19	0.020	4	2.31	0.028	0.07	<0.1	<0.01	8.7	<0.1	<0.05	9	<0.5	N.A.
MM09TR80 C64	Rock	0.136	6	5	2.95	19	0.023	4	2.79	0.028	0.06	<0.1	<0.01	10.1	<0.1	<0.05	11	<0.5	N.A.
MM09TR80 C65	Rock	0.125	4	3	1.86	19	0.012	3	2.02	0.021	0.08	<0.1	<0.01	7.4	<0.1	<0.05	8	<0.5	N.A.
MM09TR80 C66	Rock	0.143	5	4	2.72	25	0.025	3	2.62	0.027	0.08	<0.1	<0.01	7.6	<0.1	<0.05	11	<0.5	N.A.
MM09TR80 C67	Rock	0.141	5	5	1.71	21	0.015	2	1.94	0.026	0.08	<0.1	<0.01	8.4	<0.1	<0.05	8	<0.5	N.A.
MM09TR80 C68	Rock	0.130	5	5	1.91	29	0.015	4	2.18	0.024	0.10	<0.1	<0.01	8.2	<0.1	0.07	9	<0.5	N.A.
MM09TR80 C69	Rock	0.135	6	7	1.75	24	0.016	3	2.03	0.028	0.09	<0.1	<0.01	7.0	<0.1	<0.05	8	<0.5	N.A.
MM09TR80 C70	Rock	0.128	6	17	1.65	26	0.014	4	1.97	0.024	0.08	<0.1	<0.01	8.2	<0.1	<0.05	8	<0.5	N.A.
MM09TR80 C71	Rock	0.140	6	22	1.84	32	0.009	5	2.21	0.018	0.11	<0.1	<0.01	7.7	<0.1	0.06	9	0.6	N.A.
MM09TR80 C72	Rock	0.103	6	28	1.40	118	0.008	5	1.97	0.011	0.13	<0.1	<0.01	6.3	<0.1	0.10	6	<0.5	N.A.
MM09TR80 C73	Rock	0.118	6	6	1.46	175	0.002	9	2.19	0.006	0.22	<0.1	<0.01	4.3	0.1	0.97	4	1.0	N.A.
MM09TR80 C74	Rock	0.132	6	6	1.56	126	0.001	8	2.32	0.006	0.22	<0.1	<0.01	5.2	<0.1	1.28	4	1.0	N.A.
MM09TR80 C75	Rock	0.133	5	18	1.71	82	0.004	6	2.33	0.011	0.21	<0.1	0.01	5.9	<0.1	0.56	6	0.5	N.A.
MM09TR80 C76	Rock	0.103	6	15	1.70	118	0.005	8	2.41	0.010	0.20	<0.1	<0.01	5.8	<0.1	0.38	6	1.2	N.A.
MM09TR80 C77	Rock	0.130	8	16	1.86	112	0.006	10	2.52	0.012	0.22	<0.1	<0.01	5.1	<0.1	0.28	6	0.7	N.A.
MM09TR80 C78	Rock	0.096	10	6	1.32	163	0.004	16	1.94	0.017	0.26	<0.1	<0.01	6.4	<0.1	0.12	5	0.9	N.A.
MM09TR80 C79	Rock	0.056	3	3	1.30	42	0.004	7	1.83	0.024	0.13	<0.1	<0.01	5.9	<0.1	0.07	7	0.5	N.A.
MM09TR80 C80	Rock	0.049	4	2	1.32	55	0.006	5	2.03	0.033	0.07	<0.1	<0.01	8.2	<0.1	<0.05	9	<0.5	0.42
MM09TR80 C81	Rock	0.057	4	4	1.67	38	0.009	7	2.46	0.030	0.06	<0.1	<0.01	8.3	<0.1	<0.05	9	<0.5	0.34
MM09TR80 C82	Rock	0.038	4	5	1.62	93	0.077	3	1.94	0.030	0.04	<0.1	<0.01	17.7	<0.1	0.15	9	0.7	0.43
MM09TR80 C83	Rock	0.054	3	2	1.83	34	0.079	6	2.24	0.041	0.03	<0.1	<0.01	9.7	<0.1	<0.05	10	<0.5	0.06
MM09TR80 C84	Rock	0.053	3	2	1.48	79	0.076	5	1.95	0.037	0.05	<0.1	<0.01	9.7	<0.1	<0.05	9	<0.5	0.61
MM09TR80 C85	Rock	0.048	3	2	1.32	92	0.067	7	1.84	0.031	0.10	0.1	0.01	8.9	<0.1	0.36	8	3.3	N.A.
MM09TR80 C86	Rock	0.055	3	3	1.42	34	0.065	4	1.72	0.036	0.05	<0.1	<0.01	11.3	<0.1	<0.05	9	0.6	N.A.
MM09TR80 C87	Rock	0.049	3	2	1.19	36	0.064	5	1.63	0.038	0.05	<0.1	<0.01	9.2	<0.1	<0.05	8	<0.5	N.A.
MM09TR80 C88	Rock	0.049	4	2	1.79	33	0.073	4	2.07	0.039	0.03	<0.1	<0.01	11.9	<0.1	<0.05	10	<0.5	N.A.
MM09TR80 C89	Rock	0.041	4	3	0.90	54	0.007	6	1.54	0.031	0.13	<0.1	<0.01	7.1	<0.1	<0.05	7	<0.5	N.A.
MM09TR80 C90	Rock	0.049	4	4	1.14	42	0.032	4	1.51	0.041	0.05	<0.1	<0.01	9.2	<0.1	<0.05	7	<0.5	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 28, 2009

Page: 5 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN09003193.2

Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09TR80 C91	Rock	1.07	0.4	68.1	1.3	64	<0.1	1.6	9.9	780	3.64	4.6	0.2	34.4	1.0	25	0.1	0.2	<0.1	63	2.29
MM09TR80 C92	Rock	1.63	0.5	83.8	2.6	59	<0.1	2.0	10.6	877	3.80	6.1	0.3	60.7	0.9	32	0.2	0.4	0.1	92	2.12
MM09TR80 C93	Rock	1.38	0.6	212.6	2.0	54	0.2	2.0	10.1	860	3.68	5.4	0.2	155.1	0.8	37	0.3	0.4	0.1	90	3.78
MM09TR80 C94	Rock	1.31	0.4	72.1	1.8	54	<0.1	2.1	11.3	730	4.01	4.7	0.2	66.7	0.9	26	0.2	0.3	<0.1	96	1.71
MM09TR80 C95	Rock	1.52	0.3	62.2	2.3	57	<0.1	31.1	16.1	720	4.26	5.9	0.3	102.5	1.0	43	0.2	0.3	<0.1	90	2.00
MM09TR80 C96	Rock	1.29	0.7	324.3	2.4	63	0.3	4.2	12.3	761	4.00	7.2	0.3	330.1	1.0	25	0.3	0.4	1.1	97	1.32
MM09TR81 C01	Rock	1.12	1.1	181.1	1.7	27	0.2	8.2	25.7	1286	4.45	33.0	0.3	11.2	0.8	122	0.1	0.3	0.2	150	5.96
MM09TR81 C02	Rock	1.19	0.3	272.9	2.3	31	0.1	8.5	17.1	816	4.48	10.8	0.4	23.4	1.1	94	0.1	0.5	0.2	143	3.37
MM09TR81 C03	Rock	1.34	0.5	596.7	1.4	39	0.3	7.9	15.6	871	4.37	10.3	0.4	70.0	1.3	90	0.2	0.7	0.2	147	3.48
MM09TR81 C04	Rock	1.31	0.8	673.9	7.6	1014	0.5	13.2	26.1	1230	5.74	27.0	0.5	193.0	1.3	99	13.2	0.8	0.2	164	2.82
MM09TR81 C05	Rock	1.27	0.8	748.2	3.8	246	0.5	11.1	19.8	926	5.30	20.4	0.4	157.3	1.1	97	1.9	0.4	0.2	161	2.98
MM09TR81 C06	Rock	1.23	0.5	773.3	1.9	74	0.6	10.7	18.8	1201	6.07	13.0	0.3	234.7	1.1	93	0.3	0.4	0.3	174	2.58
MM09TR81 C07	Rock	1.65	0.6	702.3	1.7	65	0.5	10.2	31.7	1151	6.53	16.6	0.3	417.8	1.2	76	0.3	0.3	0.2	196	2.83
MM09TR81 C08	Rock	1.21	0.5	743.7	1.4	43	0.4	7.7	18.0	959	5.61	11.8	0.3	126.5	1.1	81	0.1	0.4	0.2	158	2.61
MM09TR81 C09	Rock	1.14	0.6	1094	2.1	54	0.8	7.7	12.2	1272	6.06	19.7	0.4	397.9	1.1	79	0.2	0.4	0.1	166	1.90
MM09TR81 C10	Rock	1.65	0.5	686.4	1.4	52	0.4	7.4	13.1	1181	6.00	10.5	0.3	227.0	1.0	90	0.1	0.4	0.1	171	2.47
MM09TR81 C11A	Rock	1.45	1.7	847.0	2.6	49	0.5	10.3	17.6	1187	5.13	14.6	0.3	213.3	1.1	82	0.2	0.2	0.2	163	3.69
MM09TR81 C11B	Rock	1.13	1.9	765.9	3.6	72	0.7	10.1	23.3	1139	5.98	17.0	0.3	310.5	1.1	67	0.3	0.2	0.2	177	3.11
MM09TR81 C12	Rock	1.61	1.7	757.9	4.1	56	0.8	7.4	12.4	805	5.10	17.0	0.3	291.6	1.1	49	0.7	0.2	0.2	161	2.48
MM09TR81 C13	Rock	1.60	2.3	935.9	19.3	100	1.1	10.9	20.5	965	6.07	26.3	0.4	177.2	1.2	43	1.7	0.3	0.3	180	1.97
MM09TR81 C14	Rock	1.26	3.6	803.0	22.4	108	1.0	11.0	27.2	938	6.52	36.5	0.4	438.0	1.1	50	1.6	0.5	0.3	178	2.75
MM09TR81 C15	Rock	1.34	1.0	996.6	24.3	184	1.1	12.2	21.6	1011	6.68	25.1	0.4	242.7	1.2	38	2.7	0.6	0.3	196	1.69
MM09TR81 C16	Rock	1.28	0.7	777.0	34.0	162	0.9	9.8	20.3	1002	5.61	21.8	0.4	105.1	1.1	54	2.6	0.4	0.3	167	2.31
MM09TR81 C17	Rock	1.49	0.9	420.6	18.5	86	0.4	8.4	17.7	1016	4.63	7.8	0.6	54.0	1.0	114	0.9	0.1	0.3	119	5.39
MM09TR81 C18	Rock	1.44	0.5	111.6	2.3	34	0.1	9.5	18.6	1036	4.05	4.5	0.3	43.2	0.7	85	0.1	0.1	0.2	122	4.33
MM09TR81 C19	Rock	1.86	0.2	175.4	1.3	28	<0.1	9.3	11.0	715	3.84	5.6	0.2	36.6	1.0	63	<0.1	0.2	0.1	154	2.66
MM09TR81 C20	Rock	1.23	0.3	469.7	1.0	30	0.2	10.6	32.2	750	4.62	8.3	0.4	18.2	0.9	56	<0.1	0.1	0.2	190	2.83
MM09TR81 C21	Rock	1.50	0.3	230.8	0.7	29	<0.1	8.9	13.3	728	4.52	5.7	0.3	14.2	0.9	52	<0.1	0.1	<0.1	196	2.67
MM09TR81 C22	Rock	1.50	0.2	645.4	0.9	29	0.1	10.9	25.8	805	4.51	8.9	0.4	102.9	0.8	60	<0.1	0.1	0.1	177	2.79
MM09TR81 C23	Rock	1.48	0.2	168.2	1.0	30	<0.1	9.0	10.7	752	4.06	4.9	0.2	39.1	1.1	54	<0.1	0.1	<0.1	172	2.54

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 28, 2009

Page: 5 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN09003193.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	
MM09TR80 C91	Rock	0.044	4	3	1.41	38	0.008	4	1.90	0.024	0.13	<0.1	<0.01	6.2	<0.1	<0.05	6	<0.5	N.A.
MM09TR80 C92	Rock	0.047	4	4	1.30	47	0.035	6	1.64	0.040	0.07	<0.1	<0.01	8.4	<0.1	<0.05	8	<0.5	N.A.
MM09TR80 C93	Rock	0.051	4	3	0.96	39	0.009	4	1.34	0.037	0.06	<0.1	<0.01	8.1	<0.1	<0.05	7	<0.5	N.A.
MM09TR80 C94	Rock	0.051	4	3	1.07	32	0.019	4	1.60	0.041	0.08	<0.1	<0.01	8.5	<0.1	<0.05	7	<0.5	N.A.
MM09TR80 C95	Rock	0.086	9	47	1.77	39	0.037	4	1.97	0.038	0.04	<0.1	<0.01	8.2	<0.1	<0.05	10	<0.5	N.A.
MM09TR80 C96	Rock	0.054	4	5	1.30	38	0.021	2	1.47	0.054	0.04	<0.1	<0.01	8.5	<0.1	<0.05	8	0.5	N.A.
MM09TR81 C01	Rock	0.143	9	18	1.57	40	0.011	6	2.17	0.021	0.05	<0.1	<0.01	7.1	<0.1	<0.05	10	<0.5	N.A.
MM09TR81 C02	Rock	0.157	10	17	1.50	50	0.005	8	2.21	0.016	0.07	<0.1	<0.01	7.8	<0.1	<0.05	10	<0.5	N.A.
MM09TR81 C03	Rock	0.154	11	19	1.51	33	0.008	6	2.31	0.031	0.03	<0.1	<0.01	8.0	<0.1	<0.05	10	<0.5	N.A.
MM09TR81 C04	Rock	0.164	8	19	1.99	38	0.014	6	2.68	0.028	0.04	<0.1	0.01	9.3	<0.1	<0.05	12	<0.5	N.A.
MM09TR81 C05	Rock	0.159	9	19	1.77	47	0.009	4	2.40	0.025	0.05	<0.1	<0.01	8.2	<0.1	0.16	11	0.6	N.A.
MM09TR81 C06	Rock	0.154	7	18	2.02	34	0.009	4	2.79	0.021	0.04	<0.1	<0.01	8.2	<0.1	<0.05	12	0.6	0.33
MM09TR81 C07	Rock	0.155	12	20	1.97	62	0.008	4	2.81	0.021	0.05	<0.1	<0.01	8.5	<0.1	0.15	13	0.6	0.60
MM09TR81 C08	Rock	0.159	11	22	1.86	31	0.007	4	2.60	0.022	0.05	<0.1	<0.01	8.5	<0.1	<0.05	12	0.7	0.16
MM09TR81 C09	Rock	0.158	10	20	2.14	47	0.009	4	2.83	0.016	0.07	<0.1	<0.01	8.6	<0.1	0.06	12	<0.5	0.42
MM09TR81 C10	Rock	0.160	10	19	1.96	48	0.009	3	2.74	0.016	0.06	<0.1	<0.01	8.3	<0.1	<0.05	12	<0.5	0.19
MM09TR81 C11A	Rock	0.164	11	20	1.82	45	0.007	2	2.46	0.018	0.06	<0.1	<0.01	7.1	<0.1	0.09	11	0.6	0.18
MM09TR81 C11B	Rock	0.155	11	20	2.02	48	0.006	3	2.74	0.016	0.06	<0.1	<0.01	6.9	<0.1	0.20	12	0.8	0.28
MM09TR81 C12	Rock	0.151	12	18	1.71	40	0.005	3	2.34	0.018	0.06	<0.1	<0.01	6.4	<0.1	0.07	11	0.5	0.40
MM09TR81 C13	Rock	0.154	15	19	1.96	83	0.005	3	2.64	0.013	0.07	<0.1	<0.01	6.8	<0.1	0.21	11	0.7	0.20
MM09TR81 C14	Rock	0.156	16	19	1.93	55	0.005	3	2.59	0.012	0.07	<0.1	<0.01	6.2	<0.1	0.71	11	1.2	0.56
MM09TR81 C15	Rock	0.159	18	21	2.19	40	0.006	3	2.77	0.013	0.06	<0.1	<0.01	7.3	<0.1	0.26	13	0.7	0.29
MM09TR81 C16	Rock	0.155	14	17	1.85	50	0.004	4	2.55	0.017	0.06	<0.1	<0.01	6.6	<0.1	0.14	11	0.8	N.A.
MM09TR81 C17	Rock	0.140	13	17	1.54	50	0.003	4	2.26	0.011	0.12	<0.1	<0.01	4.5	<0.1	<0.05	9	0.5	N.A.
MM09TR81 C18	Rock	0.132	7	19	1.47	45	0.004	3	2.04	0.010	0.10	<0.1	<0.01	5.5	<0.1	<0.05	9	<0.5	N.A.
MM09TR81 C19	Rock	0.154	6	23	1.53	47	0.006	2	1.97	0.016	0.08	<0.1	<0.01	6.8	<0.1	<0.05	10	<0.5	N.A.
MM09TR81 C20	Rock	0.155	7	25	1.76	45	0.006	3	2.21	0.011	0.08	<0.1	<0.01	6.4	<0.1	0.17	11	<0.5	N.A.
MM09TR81 C21	Rock	0.148	5	24	1.78	37	0.008	3	2.25	0.017	0.08	<0.1	<0.01	7.5	<0.1	<0.05	11	<0.5	N.A.
MM09TR81 C22	Rock	0.147	5	22	1.66	60	0.007	2	2.08	0.012	0.08	<0.1	<0.01	7.5	<0.1	0.12	10	1.0	N.A.
MM09TR81 C23	Rock	0.148	9	21	1.61	37	0.008	2	2.00	0.013	0.08	<0.1	<0.01	7.2	<0.1	<0.05	10	<0.5	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 28, 2009

Page: 6 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN09003193.2

Method Analyte	Unit	WGHT	1DX15																		
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
MM09TR81 C24	Rock	1.72	0.2	376.4	0.6	30	0.2	8.7	18.4	838	4.30	4.9	0.3	80.9	1.0	60	<0.1	0.1	0.1	178	2.94
MM09TR81 C25	Rock	1.60	0.4	387.2	1.0	31	0.2	10.0	16.3	1246	4.74	5.7	0.7	63.6	0.9	109	<0.1	<0.1	0.1	178	5.39
MM09TR81 C26	Rock	1.21	0.3	167.4	0.8	33	<0.1	11.3	15.2	799	4.51	4.0	0.3	52.0	0.9	57	<0.1	0.1	0.1	168	2.27
MM09TR81 C27	Rock	1.81	0.4	565.3	1.2	32	0.4	11.2	19.5	890	4.95	7.7	0.6	31.5	0.8	52	<0.1	0.1	0.2	160	2.68
MM09TR81 C28	Rock	1.60	1.2	961.2	1.0	31	0.3	10.4	21.9	750	4.38	11.7	0.3	51.9	0.7	47	<0.1	0.1	0.1	147	2.09
MM09TR81 C29	Rock	1.43	0.4	553.5	1.0	29	0.2	11.2	15.7	848	4.30	8.4	0.3	53.5	0.9	62	<0.1	0.2	0.1	153	2.47
MM09TR81 C30	Rock	1.40	1.0	1449	17.3	83	1.1	13.3	16.0	937	6.35	37.9	0.6	218.2	1.0	49	2.3	0.4	0.2	202	2.18
MM09TR81 C31	Rock	1.34	2.4	696.5	1.6	39	0.4	12.4	24.2	936	5.16	14.4	0.3	215.0	1.0	59	0.2	0.2	0.3	181	2.88
MM09TR81 C32	Rock	1.55	1.7	739.5	8.9	77	0.5	9.3	9.3	922	4.97	22.8	0.4	189.9	0.9	66	1.1	0.2	0.1	177	2.95
MM09TR81 C33	Rock	1.65	1.3	545.7	10.4	232	0.4	9.4	15.1	932	5.47	19.2	0.4	123.1	0.9	57	2.7	0.2	0.2	191	2.63
MM09TR81 C34	Rock	1.58	0.9	543.3	5.6	74	0.3	9.9	17.3	1017	5.24	21.5	0.3	61.2	0.9	64	0.8	0.1	0.2	178	2.61
MM09TR81 C35	Rock	1.36	6.1	600.6	5.2	67	0.4	7.6	13.9	1065	4.69	13.0	0.3	114.0	0.9	108	0.6	0.1	0.2	173	3.88
MM09TR81 C36	Rock	1.65	38.7	968.0	4.4	45	0.6	8.7	21.9	935	5.89	15.7	1.4	51.8	0.9	62	0.5	0.3	0.2	185	2.67
MM09TR81 C37	Rock	1.50	2.6	2073	2.7	56	0.7	6.8	32.8	923	5.10	7.8	0.6	40.3	0.8	51	0.6	0.2	0.1	192	2.35
MM09TR81 C38	Rock	1.38	11.0	1272	3.9	44	1.2	6.2	20.4	796	4.91	20.9	0.6	74.9	0.9	50	0.2	0.3	0.1	166	2.70
MM09TR81 C39	Rock	1.73	1.1	283.8	6.5	73	0.3	11.0	18.8	898	4.82	11.7	0.3	47.0	0.9	60	1.3	0.1	0.2	163	2.78
MM09TR81 C40	Rock	1.26	0.6	438.6	2.5	47	0.4	9.4	14.4	925	4.97	10.1	0.3	58.5	0.9	60	0.1	0.1	0.2	172	2.41
MM09TR81 C41	Rock	1.37	0.7	211.4	2.2	34	0.2	8.9	15.1	863	4.12	11.8	0.3	15.6	0.8	63	0.1	0.1	0.1	142	2.96
MM09TR81 C42	Rock	1.49	0.4	158.8	3.0	38	0.2	9.6	14.8	890	4.42	12.9	0.2	13.6	0.8	70	0.1	<0.1	0.1	168	3.56
MM09TR81 C43	Rock	1.14	0.4	142.0	2.0	29	0.1	9.3	10.5	762	4.13	6.7	0.2	8.7	0.8	80	<0.1	<0.1	<0.1	166	4.12
MM09TR81 C44	Rock	1.23	0.4	109.7	2.2	29	0.1	10.0	13.1	747	4.22	7.7	0.3	7.0	0.9	79	<0.1	<0.1	<0.1	153	3.94
MM09TR81 C45	Rock	1.38	0.3	168.8	2.0	33	0.2	9.9	15.4	879	3.94	6.2	0.3	11.8	0.8	94	0.1	<0.1	<0.1	153	4.39
MM09TR81 C46	Rock	1.40	0.3	105.9	2.0	35	<0.1	9.8	13.3	911	4.28	6.5	0.3	0.8	0.9	97	0.1	0.2	<0.1	173	4.13
MM09TR81 C47	Rock	1.34	0.2	208.0	2.3	30	0.1	7.5	16.3	1993	3.93	6.5	0.3	0.6	0.9	135	0.1	0.2	<0.1	158	9.19
MM09TR81 C48	Rock	1.66	0.3	186.4	1.1	37	<0.1	10.2	20.3	1030	4.75	5.2	0.3	34.4	1.1	64	<0.1	0.2	0.1	179	3.23
MM09TR81 C49	Rock	1.70	0.5	144.4	1.6	41	0.1	6.8	16.5	1061	4.62	5.9	0.3	14.8	0.7	99	<0.1	0.1	0.1	163	4.21
MM09TR81 C50	Rock	1.47	0.9	315.5	3.1	43	0.2	9.3	20.4	1017	4.36	7.0	0.3	32.3	0.9	93	0.1	0.2	0.1	151	3.10
MM09TR81 C51	Rock	1.49	0.3	162.5	1.5	41	<0.1	8.7	14.8	1059	4.58	5.1	0.3	23.4	1.2	94	<0.1	0.2	0.1	177	4.64
MM09TR81 C52	Rock	1.44	1.0	189.9	1.9	38	<0.1	8.2	14.8	1229	4.21	8.0	0.2	14.0	0.8	114	0.1	0.1	<0.1	163	6.43
MM09TR81 C53	Rock	1.40	1.3	94.8	2.3	36	<0.1	12.8	25.0	1148	4.64	6.2	0.2	5.6	0.7	108	0.2	0.1	0.1	163	5.51

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 28, 2009

Page: 6 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN09003193.2

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	
		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt		
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01
MM09TR81 C24	Rock	0.147	8	25	1.72	43	0.008	3	2.20	0.017	0.08	<0.1	<0.01	6.8	<0.1	<0.05	10	<0.5	N.A.	
MM09TR81 C25	Rock	0.137	13	23	1.76	46	0.005	2	2.29	0.012	0.07	<0.1	<0.01	7.1	<0.1	<0.05	11	<0.5	N.A.	
MM09TR81 C26	Rock	0.156	7	23	1.69	46	0.007	2	2.26	0.019	0.08	<0.1	<0.01	7.3	<0.1	<0.05	11	<0.5	N.A.	
MM09TR81 C27	Rock	0.144	7	23	1.65	84	0.005	3	2.26	0.011	0.08	<0.1	<0.01	7.4	<0.1	<0.05	11	0.6	N.A.	
MM09TR81 C28	Rock	0.142	5	21	1.60	53	0.006	2	2.03	0.016	0.07	<0.1	<0.01	6.8	<0.1	0.24	10	0.7	N.A.	
MM09TR81 C29	Rock	0.153	5	23	1.59	63	0.006	2	2.14	0.019	0.07	<0.1	<0.01	7.6	<0.1	<0.05	11	0.7	N.A.	
MM09TR81 C30	Rock	0.149	7	22	2.15	53	0.011	2	2.77	0.013	0.09	<0.1	<0.01	6.3	<0.1	0.46	12	1.9	N.A.	
MM09TR81 C31	Rock	0.152	10	22	1.77	47	0.006	3	2.43	0.015	0.08	<0.1	<0.01	6.7	<0.1	0.12	10	0.9	N.A.	
MM09TR81 C32	Rock	0.158	8	22	1.85	50	0.010	2	2.43	0.015	0.08	<0.1	<0.01	6.4	<0.1	0.29	10	0.9	N.A.	
MM09TR81 C33	Rock	0.159	7	21	2.03	42	0.013	3	2.70	0.016	0.09	<0.1	<0.01	6.1	<0.1	0.18	11	0.8	N.A.	
MM09TR81 C34	Rock	0.148	9	18	2.00	39	0.011	2	2.60	0.010	0.07	<0.1	<0.01	6.2	<0.1	0.17	11	0.7	N.A.	
MM09TR81 C35	Rock	0.153	6	21	1.79	40	0.011	2	2.44	0.014	0.08	<0.1	<0.01	6.3	<0.1	0.09	10	0.6	N.A.	
MM09TR81 C36	Rock	0.161	5	25	2.00	46	0.010	2	2.88	0.009	0.12	<0.1	<0.01	5.5	<0.1	0.26	11	0.7	N.A.	
MM09TR81 C37	Rock	0.154	8	21	1.98	54	0.017	2	2.59	0.015	0.08	<0.1	<0.01	6.4	<0.1	0.07	11	<0.5	N.A.	
MM09TR81 C38	Rock	0.145	5	21	1.81	45	0.007	2	2.41	0.018	0.10	<0.1	<0.01	5.8	<0.1	0.15	10	0.8	N.A.	
MM09TR81 C39	Rock	0.144	8	20	1.97	42	0.024	3	2.57	0.019	0.10	<0.1	<0.01	5.5	<0.1	0.10	10	<0.5	N.A.	
MM09TR81 C40	Rock	0.153	6	23	1.97	46	0.010	2	2.54	0.018	0.09	<0.1	<0.01	6.4	<0.1	0.06	11	<0.5	N.A.	
MM09TR81 C41	Rock	0.143	7	21	1.56	42	0.007	2	2.05	0.024	0.10	<0.1	<0.01	5.2	<0.1	0.08	9	0.6	N.A.	
MM09TR81 C42	Rock	0.156	8	24	1.72	38	0.008	3	2.12	0.024	0.09	<0.1	<0.01	6.3	<0.1	0.09	10	0.6	N.A.	
MM09TR81 C43	Rock	0.156	10	22	1.35	34	0.008	2	1.76	0.027	0.10	<0.1	<0.01	6.3	<0.1	<0.05	8	<0.5	N.A.	
MM09TR81 C44	Rock	0.161	8	24	1.59	48	0.010	3	1.82	0.036	0.10	<0.1	<0.01	6.5	<0.1	<0.05	9	<0.5	N.A.	
MM09TR81 C45	Rock	0.145	7	20	1.64	37	0.008	3	1.89	0.024	0.07	<0.1	<0.01	5.9	<0.1	<0.05	9	<0.5	N.A.	
MM09TR81 C46	Rock	0.170	9	26	1.57	37	0.012	2	1.75	0.030	0.09	<0.1	<0.01	7.8	<0.1	<0.05	8	<0.5	N.A.	
MM09TR81 C47	Rock	0.147	12	22	1.25	42	0.008	5	1.49	0.022	0.07	<0.1	<0.01	8.1	<0.1	<0.05	7	<0.5	N.A.	
MM09TR81 C48	Rock	0.163	9	25	1.88	32	0.007	4	2.46	0.022	0.06	<0.1	<0.01	8.5	<0.1	<0.05	12	0.6	N.A.	
MM09TR81 C49	Rock	0.148	5	16	1.90	34	0.012	3	2.43	0.022	0.06	<0.1	<0.01	9.1	<0.1	0.07	11	<0.5	N.A.	
MM09TR81 C50	Rock	0.140	7	16	1.95	33	0.014	4	2.30	0.019	0.07	<0.1	<0.01	9.3	<0.1	0.08	10	<0.5	N.A.	
MM09TR81 C51	Rock	0.163	10	25	1.53	36	0.007	6	2.13	0.022	0.08	<0.1	<0.01	8.2	<0.1	<0.05	10	0.7	N.A.	
MM09TR81 C52	Rock	0.135	8	20	1.42	39	0.010	6	2.02	0.018	0.10	<0.1	0.05	8.4	<0.1	<0.05	8	<0.5	N.A.	
MM09TR81 C53	Rock	0.132	8	27	1.82	33	0.010	7	2.36	0.020	0.08	<0.1	<0.01	8.4	<0.1	<0.05	10	<0.5	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 28, 2009

Page: 7 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN09003193.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09TR81 C54	Rock	1.20	1.8	100.6	1.6	37	<0.1	7.8	13.8	1182	4.60	4.7	0.2	4.4	0.6	119	<0.1	0.1	<0.1	193	6.06
MM09TR81 C55	Rock	1.18	0.5	156.8	1.8	40	0.1	6.1	16.7	1235	4.65	5.8	0.2	1.6	0.6	112	<0.1	0.1	<0.1	194	5.53
MM09TR81 C56	Rock	1.26	0.6	56.8	1.9	43	<0.1	5.2	12.0	1347	5.23	4.7	0.2	9.3	0.5	108	<0.1	<0.1	<0.1	206	5.62
MM09TR81 C57	Rock	1.34	0.8	16.5	1.0	38	<0.1	4.3	10.2	1154	4.68	3.8	0.3	0.5	0.5	118	<0.1	0.1	<0.1	204	5.16
MM09TR81 C58	Rock	1.31	0.5	25.6	2.3	60	<0.1	48.3	19.7	1175	4.71	2.5	0.3	<0.5	1.6	102	<0.1	0.2	<0.1	108	3.70
MM09TR81 C59	Rock	1.45	0.8	18.6	2.3	50	<0.1	46.4	18.9	1026	4.49	3.0	0.4	<0.5	1.5	153	<0.1	0.3	<0.1	128	3.52
MM09TR81 C60	Rock	1.45	0.8	16.9	2.1	54	<0.1	28.9	17.5	1218	5.02	6.6	0.3	<0.5	1.1	180	<0.1	0.5	<0.1	191	5.02



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 28, 2009

Page: 7 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN09003193.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01
MM09TR81 C54	Rock	0.127	6	15	1.79	33	0.011	6	2.35	0.022	0.10	<0.1	<0.01	8.4	<0.1	<0.05	10	<0.5	N.A.
MM09TR81 C55	Rock	0.120	7	7	1.83	33	0.010	6	2.36	0.016	0.07	<0.1	<0.01	8.0	<0.1	<0.05	9	<0.5	N.A.
MM09TR81 C56	Rock	0.118	6	5	2.06	23	0.012	6	2.65	0.019	0.07	<0.1	<0.01	8.8	<0.1	<0.05	10	<0.5	N.A.
MM09TR81 C57	Rock	0.123	6	10	1.87	24	0.013	7	2.39	0.017	0.06	<0.1	<0.01	10.2	<0.1	<0.05	9	<0.5	N.A.
MM09TR81 C58	Rock	0.122	14	69	2.30	33	0.010	6	2.34	0.023	0.04	<0.1	<0.01	10.1	<0.1	<0.05	11	<0.5	N.A.
MM09TR81 C59	Rock	0.126	11	75	2.38	33	0.005	11	2.31	0.023	0.03	<0.1	<0.01	9.1	<0.1	<0.05	10	<0.5	N.A.
MM09TR81 C60	Rock	0.141	9	42	2.20	39	0.006	10	2.54	0.019	0.02	<0.1	<0.01	13.3	<0.1	<0.05	10	<0.5	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 28, 2009

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN09003193.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
MM09TR80 C32	Rock	1.55	1.1	97.0	2.6	47	0.1	6.0	14.5	799	4.58	73.9	0.3	22.5	0.7	107	<0.1	0.5	0.2	131	3.93
REP MM09TR80 C32	QC		0.9	96.0	2.5	45	0.1	5.7	14.6	767	4.53	71.3	0.3	17.2	0.7	101	<0.1	0.4	0.2	130	3.94
MM09TR80 C36	Rock	1.25	3.7	85.9	2.0	25	<0.1	5.1	8.4	469	4.79	8.9	0.4	6.8	0.8	57	0.1	0.2	<0.1	173	2.25
REP MM09TR80 C36	QC		3.8	88.6	2.0	27	<0.1	5.6	8.6	489	4.89	9.7	0.4	13.1	0.9	58	0.1	0.2	<0.1	179	2.29
MM09TR80 C89	Rock	1.26	0.6	63.7	2.7	61	0.3	1.3	10.4	798	3.89	6.2	0.2	71.8	1.2	27	0.2	0.3	2.2	75	2.54
REP MM09TR80 C89	QC		0.6	64.8	2.7	64	0.3	1.2	10.4	814	3.92	6.3	0.2	81.2	1.2	28	0.3	0.3	2.3	76	2.53
MM09TR81 C11A	Rock	1.45	1.7	847.0	2.6	49	0.5	10.3	17.6	1187	5.13	14.6	0.3	213.3	1.1	82	0.2	0.2	0.2	163	3.69
REP MM09TR81 C11A	QC																				
MM09TR81 C45	Rock	1.38	0.3	168.8	2.0	33	0.2	9.9	15.4	879	3.94	6.2	0.3	11.8	0.8	94	0.1	<0.1	<0.1	153	4.39
REP MM09TR81 C45	QC		0.3	174.3	2.0	34	0.2	9.9	16.2	899	4.05	6.4	0.4	16.8	0.9	97	0.1	<0.1	<0.1	158	4.54
Reference Materials																					
STD DS7	Standard		19.7	99.2	68.1	396	0.8	57.8	9.5	619	2.39	48.1	4.8	81.6	4.1	72	6.6	4.6	4.5	80	0.94
STD DS7	Standard		19.9	106.3	66.6	411	0.8	56.8	9.8	660	2.49	49.8	5.0	64.9	4.3	75	6.8	4.7	4.5	83	0.99
STD DS7	Standard		19.8	106.2	66.6	385	0.8	56.3	9.1	605	2.40	50.7	4.5	59.9	3.9	65	6.3	5.7	3.9	78	0.95
STD DS7	Standard		19.6	106.5	64.6	387	0.8	56.3	9.2	617	2.43	50.5	4.4	69.9	4.2	69	5.8	5.5	4.4	79	0.98
STD DS7	Standard		20.8	106.9	64.3	391	0.6	55.7	9.5	628	2.41	50.8	4.6	61.0	4.0	72	5.9	5.7	4.4	84	0.98
STD DS7	Standard		22.0	113.6	71.1	418	0.7	60.3	9.8	646	2.49	51.4	5.0	60.8	4.4	76	6.3	6.2	4.9	86	1.01
STD DS7	Standard		19.7	108.4	67.4	400	0.8	57.6	9.7	629	2.43	49.9	4.6	64.3	4.1	70	6.2	4.7	4.5	80	0.98
STD DS7	Standard		19.5	106.3	67.2	387	0.8	54.7	9.5	618	2.37	46.9	5.0	56.9	4.3	64	6.0	4.7	4.5	80	0.97
STD DS7	Standard		18.9	103.3	68.5	385	0.8	55.5	8.5	616	2.35	49.8	4.9	59.5	4.7	64	6.0	5.3	4.3	79	0.93
STD DS7	Standard		19.9	107.0	66.1	381	0.8	57.6	9.4	606	2.38	51.9	4.7	60.4	4.4	66	6.3	5.2	4.2	82	0.94
STD DS7	Standard		20.0	110.8	68.0	363	0.8	56.1	9.5	578	2.37	47.3	4.8	54.4	4.5	74	6.1	6.0	4.6	78	0.97
STD DS7	Standard		21.3	114.3	73.5	397	0.9	57.6	9.6	618	2.40	50.9	5.1	72.1	4.8	81	6.1	6.5	5.0	80	1.00
STD OXH55	Standard																				
STD OXH55	Standard																				
STD OXH55	Standard																				
STD OXK69	Standard																				
STD OXK69	Standard																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 28, 2009

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN09003193.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01
Pulp Duplicates																			
MM09TR80 C32	Rock	0.126	9	9	1.67	43	0.004	7	2.33	0.022	0.17	<0.1	<0.01	5.8	<0.1	0.08	9	<0.5	N.A.
REP MM09TR80 C32	QC	0.126	9	8	1.67	42	0.004	6	2.34	0.021	0.16	<0.1	<0.01	5.3	<0.1	0.08	8	<0.5	
MM09TR80 C36	Rock	0.140	8	16	1.10	86	0.003	6	1.37	0.027	0.07	0.1	<0.01	7.6	<0.1	0.06	8	0.7	N.A.
REP MM09TR80 C36	QC	0.160	9	16	1.13	88	0.004	7	1.39	0.027	0.07	<0.1	<0.01	7.6	<0.1	0.07	8	<0.5	
MM09TR80 C89	Rock	0.041	4	3	0.90	54	0.007	6	1.54	0.031	0.13	<0.1	<0.01	7.1	<0.1	<0.05	7	<0.5	N.A.
REP MM09TR80 C89	QC	0.041	5	3	0.92	56	0.008	5	1.56	0.032	0.13	<0.1	<0.01	7.2	<0.1	<0.05	6	<0.5	
MM09TR81 C11A	Rock	0.164	11	20	1.82	45	0.007	2	2.46	0.018	0.06	<0.1	<0.01	7.1	<0.1	0.09	11	0.6	0.18
REP MM09TR81 C11A	QC																		0.18
MM09TR81 C45	Rock	0.145	7	20	1.64	37	0.008	3	1.89	0.024	0.07	<0.1	<0.01	5.9	<0.1	<0.05	9	<0.5	N.A.
REP MM09TR81 C45	QC	0.153	8	22	1.70	36	0.008	3	1.95	0.025	0.07	<0.1	<0.01	6.1	<0.1	<0.05	9	<0.5	
Reference Materials																			
STD DS7	Standard	0.078	12	216	1.04	394	0.103	38	1.04	0.096	0.48	3.6	0.19	2.1	4.1	0.19	5	3.8	
STD DS7	Standard	0.077	12	228	1.08	420	0.115	38	1.09	0.096	0.46	3.8	0.19	2.2	4.2	0.20	5	3.6	
STD DS7	Standard	0.076	12	202	1.04	391	0.111	35	1.04	0.090	0.44	3.9	0.18	2.2	4.0	0.19	5	3.9	
STD DS7	Standard	0.076	12	200	1.04	415	0.112	36	1.04	0.092	0.45	3.7	0.18	2.4	4.1	0.19	5	3.5	
STD DS7	Standard	0.072	12	208	1.07	386	0.118	33	1.07	0.087	0.44	3.8	0.19	2.3	4.0	0.20	4	3.3	
STD DS7	Standard	0.076	14	220	1.09	420	0.128	37	1.09	0.097	0.48	4.4	0.20	2.5	4.6	0.20	5	4.1	
STD DS7	Standard	0.074	11	204	1.06	396	0.111	38	1.05	0.091	0.44	3.6	0.19	2.2	4.4	0.19	4	3.6	
STD DS7	Standard	0.071	12	199	1.01	385	0.107	33	1.03	0.089	0.43	3.7	0.20	2.1	4.4	0.19	4	3.6	
STD DS7	Standard	0.077	12	183	1.01	397	0.104	35	1.00	0.092	0.43	3.7	0.17	2.2	4.0	0.19	4	2.8	
STD DS7	Standard	0.080	12	186	1.03	397	0.106	40	1.02	0.095	0.45	4.0	0.17	2.4	3.9	0.20	4	3.6	
STD DS7	Standard	0.069	12	178	1.04	367	0.122	34	1.04	0.083	0.42	3.5	0.18	2.3	3.7	0.18	5	3.2	
STD DS7	Standard	0.077	14	195	1.04	391	0.130	38	1.06	0.094	0.43	3.6	0.20	2.5	4.0	0.19	5	4.0	
STD OXH55	Standard																		1.29
STD OXH55	Standard																		1.33
STD OXH55	Standard																		1.33
STD OXK69	Standard																		3.82
STD OXK69	Standard																		3.66

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 28, 2009

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

VAN09003193.2

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
STD OXK69 Expected																					
STD OXH55 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	1.0	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	<0.01	0.2	4.7	2.8	47	<0.1	5.3	4.5	548	1.86	<0.5	1.6	<0.5	3.6	55	<0.1	<0.1	<0.1	38	0.67
G1	Prep Blank	<0.01	0.1	5.8	2.8	47	<0.1	5.5	4.8	552	1.92	<0.5	2.0	<0.5	4.2	63	<0.1	<0.1	0.1	38	0.62



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

211 - 744 W. Hastings St.

Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: August 28, 2009

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

VAN09003193.2

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	0.01
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	
STD OXK69 Expected																			3.583
STD OXH55 Expected																			1.282
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
BLK	Blank																		<0.01
BLK	Blank																		<0.01
BLK	Blank																		<0.01
BLK	Blank																		<0.01
BLK	Blank																		<0.01
Prep Wash																			
G1	Prep Blank	0.081	8	12	0.61	245	0.124	<1	1.07	0.078	0.55	<0.1	<0.01	2.0	0.4	<0.05	5	<0.5	N.A.
G1	Prep Blank	0.083	8	11	0.63	270	0.148	<1	1.03	0.080	0.55	0.2	<0.01	2.2	0.4	<0.05	5	<0.5	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: July 28, 2009
Report Date: September 02, 2009
Page: 1 of 7

CERTIFICATE OF ANALYSIS

VAN09003193.3

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 157

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200	157	Crush, split and pulverize rock to 200 mesh			VAN
1DX15	157	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
G601	29	Fire Assay fusion Au by ICP-ES	30	Completed	VAN
7AR1	29	1:1:1 Aqua Regia digestion ICP-ES analysis	0.4	Completed	VAN

ADDITIONAL COMMENTS

Version 3: Group 7AR Cu included



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 02, 2009

Page: 2 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN09003193.3

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09TR80 C01	Rock	1.35	19.6	9476	2.5	36	1.5	23.1	71.4	622	6.40	17.7	1.0	2986	1.0	57	<0.1	0.3	0.1	197	2.96
MM09TR80 C02	Rock	1.57	4.7	1524	2.0	35	0.2	12.4	14.0	621	5.62	10.3	0.6	370.2	1.3	65	<0.1	0.2	<0.1	199	3.12
MM09TR80 C03	Rock	1.58	6.7	414.3	1.8	33	0.2	11.2	11.0	619	5.13	7.4	0.5	539.7	1.1	86	<0.1	0.1	<0.1	174	3.23
MM09TR80 C04	Rock	1.34	4.4	577.6	2.7	35	0.2	10.3	14.1	659	5.48	9.1	0.5	217.7	1.3	111	<0.1	0.3	<0.1	200	3.38
MM09TR80 C05	Rock	1.35	30.7	287.9	2.8	45	0.2	14.1	15.4	844	7.90	7.6	0.4	70.2	1.0	77	0.1	0.2	<0.1	244	3.22
MM09TR80 C06	Rock	1.40	5.0	1061	2.5	44	0.8	13.1	16.3	828	6.47	9.3	0.4	73.0	1.0	44	<0.1	0.5	<0.1	192	1.55
MM09TR80 C07	Rock	1.48	10.8	1005	2.8	37	0.7	13.1	29.7	696	6.11	12.6	0.5	1271	1.2	56	<0.1	0.2	<0.1	197	1.70
MM09TR80 C08	Rock	1.25	44.7	1223	3.0	34	0.9	10.4	14.7	595	5.04	8.1	0.4	297.9	1.1	53	<0.1	0.2	0.1	178	2.31
MM09TR80 C09	Rock	1.77	119.2	5491	5.4	38	3.6	11.3	18.5	637	5.67	9.1	0.5	401.1	1.0	50	0.3	0.3	0.1	182	1.70
MM09TR80 C10	Rock	1.25	18.8	2476	3.3	40	0.9	12.9	48.4	685	5.80	10.0	0.4	593.9	1.2	64	<0.1	0.1	0.1	182	2.48
MM09TR80 C11	Rock	1.33	53.5	6615	3.5	38	3.3	14.6	31.9	723	5.99	9.9	0.5	687.8	1.2	54	0.2	0.2	0.1	182	1.98
MM09TR80 C12	Rock	1.27	3.2	202.0	2.7	35	0.1	12.3	17.3	760	5.22	13.1	0.4	8.4	1.0	75	2.8	0.2	<0.1	194	2.29
MM09TR80 C13	Rock	1.32	14.9	658.9	2.6	37	0.5	12.1	21.0	860	4.96	16.7	0.3	32.7	1.0	64	<0.1	0.2	<0.1	182	2.21
MM09TR80 C14	Rock	1.24	1.1	102.5	3.2	48	<0.1	12.3	20.1	851	4.86	14.0	0.3	5.8	1.0	70	0.1	0.1	<0.1	192	2.38
MM09TR80 C15	Rock	1.37	0.4	101.1	3.0	42	<0.1	11.0	20.8	1008	4.59	13.8	0.3	8.8	0.9	83	<0.1	0.1	<0.1	189	3.24
MM09TR80 C16	Rock	1.12	47.3	541.0	3.8	37	0.3	11.4	16.8	773	4.87	10.8	0.4	18.9	1.1	79	0.2	0.2	<0.1	191	2.57
MM09TR80 C17	Rock	1.23	0.7	238.8	3.3	34	0.2	12.4	17.7	723	5.88	9.2	0.3	29.5	1.0	52	<0.1	0.2	<0.1	228	1.85
MM09TR80 C18	Rock	1.31	5.2	1600	3.3	32	1.3	13.9	21.5	655	5.53	14.9	0.3	311.7	1.2	61	<0.1	0.3	<0.1	180	2.33
MM09TR80 C19	Rock	1.32	11.6	1173	3.8	32	1.0	14.0	48.7	655	6.01	20.0	0.3	254.2	1.4	39	0.1	0.3	<0.1	188	1.36
MM09TR80 C20	Rock	1.28	7.1	391.5	3.7	32	0.3	10.1	33.0	753	5.70	22.1	0.3	53.0	1.3	134	<0.1	0.3	<0.1	169	3.71
MM09TR80 C21	Rock	1.40	5.9	504.4	3.8	33	0.4	9.9	14.0	673	5.69	51.3	0.3	67.7	1.2	50	<0.1	0.6	<0.1	153	2.68
MM09TR80 C22	Rock	1.58	3.1	73.5	2.1	29	<0.1	9.6	12.6	740	4.50	35.0	0.3	17.3	1.1	75	0.1	0.4	<0.1	121	4.67
MM09TR80 C23	Rock	1.29	1.7	303.8	2.9	31	0.3	11.7	52.2	683	5.08	20.7	0.3	57.1	1.0	94	<0.1	0.3	0.2	155	3.60
MM09TR80 C24	Rock	1.40	4.6	229.6	2.2	27	0.1	10.7	25.3	649	4.79	18.4	0.5	85.2	1.1	88	<0.1	0.4	0.1	171	4.04
MM09TR80 C25	Rock	1.36	2.5	57.0	5.3	31	0.1	8.8	15.3	1049	3.70	1960	0.4	11.6	0.7	159	0.2	0.3	<0.1	155	7.61
MM09TR80 C26	Rock	1.15	0.9	69.3	3.4	61	<0.1	14.9	30.3	1199	6.64	129.3	0.2	7.5	0.7	93	<0.1	0.2	0.1	264	3.28
MM09TR80 C27	Rock	1.42	1.4	294.8	4.2	50	0.2	13.4	23.5	1128	5.79	154.4	0.3	27.8	0.9	82	0.1	0.3	0.1	215	3.55
MM09TR80 C28	Rock	1.46	2.5	60.1	3.2	48	<0.1	11.0	16.3	1172	6.16	42.1	0.3	3.0	0.6	109	0.1	0.1	0.1	214	3.71
MM09TR80 C29	Rock	1.38	1.6	41.7	3.8	56	<0.1	6.5	16.0	919	4.55	28.2	0.3	3.2	0.4	134	<0.1	0.2	<0.1	161	4.77
MM09TR80 C30	Rock	1.71	2.5	74.2	4.0	60	0.1	4.3	25.9	909	4.31	31.0	0.4	40.9	0.4	118	0.1	0.3	<0.1	132	4.46

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 02, 2009

Page: 2 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN09003193.3

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	Cu
		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%	%
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5	0.01	0.001
MM09TR80 C01	Rock	0.162	7	14	2.35	37	0.009	3	2.35	0.033	0.04	<0.1	<0.01	11.3	<0.1	0.26	10	0.7	4.44	0.960
MM09TR80 C02	Rock	0.164	23	17	2.22	37	0.013	3	2.23	0.027	0.06	<0.1	<0.01	10.8	<0.1	<0.05	11	<0.5	0.31	0.157
MM09TR80 C03	Rock	0.167	15	15	2.20	33	0.011	3	2.28	0.023	0.07	<0.1	<0.01	9.8	<0.1	<0.05	10	<0.5	0.16	N.A.
MM09TR80 C04	Rock	0.160	16	14	2.06	34	0.012	5	2.41	0.022	0.07	<0.1	<0.01	9.3	<0.1	<0.05	11	<0.5	0.41	N.A.
MM09TR80 C05	Rock	0.168	10	18	2.58	33	0.012	4	2.87	0.024	0.04	<0.1	<0.01	10.1	<0.1	0.06	12	0.5	0.07	N.A.
MM09TR80 C06	Rock	0.170	15	16	2.65	33	0.011	5	2.82	0.032	0.05	<0.1	<0.01	9.1	<0.1	0.11	12	0.8	0.08	0.104
MM09TR80 C07	Rock	0.169	21	16	2.31	31	0.011	4	2.58	0.019	0.07	<0.1	<0.01	10.0	<0.1	<0.05	12	<0.5	1.33	0.101
MM09TR80 C08	Rock	0.157	13	15	1.97	29	0.009	3	2.35	0.024	0.07	<0.1	<0.01	8.3	<0.1	<0.05	10	<0.5	0.31	0.123
MM09TR80 C09	Rock	0.154	12	14	2.22	24	0.008	4	2.58	0.022	0.09	<0.1	<0.01	8.6	<0.1	0.11	11	0.9	0.72	0.579
MM09TR80 C10	Rock	0.160	20	15	2.17	32	0.010	4	2.41	0.017	0.10	<0.1	<0.01	8.8	<0.1	0.10	10	<0.5	0.78	0.246
MM09TR80 C11	Rock	0.164	15	13	2.18	35	0.010	4	2.58	0.023	0.09	<0.1	<0.01	8.6	<0.1	0.24	11	1.0	1.28	0.658
MM09TR80 C12	Rock	0.164	11	17	2.07	54	0.020	3	2.18	0.024	0.08	<0.1	<0.01	8.4	<0.1	<0.05	10	0.5	N.A.	N.A.
MM09TR80 C13	Rock	0.168	9	15	2.15	61	0.020	4	2.22	0.027	0.09	<0.1	<0.01	8.9	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09TR80 C14	Rock	0.160	9	16	2.17	42	0.023	4	2.17	0.031	0.09	<0.1	<0.01	8.8	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09TR80 C15	Rock	0.154	9	16	2.04	37	0.016	3	2.11	0.028	0.07	<0.1	<0.01	8.4	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09TR80 C16	Rock	0.169	10	16	1.89	37	0.021	4	2.00	0.034	0.09	<0.1	<0.01	8.6	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09TR80 C17	Rock	0.166	11	15	2.22	30	0.011	4	2.40	0.027	0.06	<0.1	<0.01	10.1	<0.1	0.08	12	0.6	N.A.	N.A.
MM09TR80 C18	Rock	0.168	21	16	2.18	42	0.007	5	2.49	0.020	0.07	<0.1	<0.01	9.0	<0.1	0.16	12	0.7	0.34	0.158
MM09TR80 C19	Rock	0.187	26	23	1.88	47	0.008	5	2.23	0.038	0.08	<0.1	<0.01	9.0	<0.1	0.16	11	1.1	0.42	0.118
MM09TR80 C20	Rock	0.168	16	13	1.79	34	0.006	6	2.39	0.022	0.10	<0.1	<0.01	7.2	<0.1	0.05	11	<0.5	N.A.	N.A.
MM09TR80 C21	Rock	0.170	22	12	1.73	45	0.004	7	2.44	0.017	0.12	<0.1	<0.01	6.0	<0.1	0.12	10	0.6	N.A.	N.A.
MM09TR80 C22	Rock	0.145	23	8	1.44	44	0.004	7	2.00	0.012	0.14	<0.1	<0.01	5.6	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09TR80 C23	Rock	0.153	16	10	1.61	51	0.007	6	2.15	0.015	0.12	<0.1	<0.01	6.0	<0.1	0.24	9	<0.5	N.A.	N.A.
MM09TR80 C24	Rock	0.156	19	10	1.41	39	0.008	8	1.89	0.021	0.12	<0.1	<0.01	6.4	<0.1	0.06	8	<0.5	N.A.	N.A.
MM09TR80 C25	Rock	0.136	9	11	1.15	41	0.008	7	1.80	0.020	0.11	<0.1	<0.01	6.3	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09TR80 C26	Rock	0.151	8	12	2.53	33	0.031	8	3.07	0.021	0.08	<0.1	<0.01	10.7	<0.1	0.05	12	<0.5	N.A.	N.A.
MM09TR80 C27	Rock	0.162	9	14	2.33	49	0.025	8	2.73	0.016	0.07	<0.1	<0.01	10.0	<0.1	0.06	11	<0.5	N.A.	N.A.
MM09TR80 C28	Rock	0.134	6	26	2.23	29	0.016	8	2.70	0.014	0.05	<0.1	<0.01	13.1	<0.1	0.06	10	<0.5	N.A.	N.A.
MM09TR80 C29	Rock	0.112	7	12	1.48	54	0.011	6	2.13	0.017	0.17	<0.1	<0.01	8.1	<0.1	0.06	8	<0.5	N.A.	N.A.
MM09TR80 C30	Rock	0.102	8	7	1.30	49	0.005	6	2.04	0.016	0.22	<0.1	<0.01	7.6	<0.1	0.08	7	<0.5	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 02, 2009

Page: 3 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN09003193.3

Method Analyte Unit MDL	WGHT Wgt kg	1DX15 Mo ppm	1DX15 Cu ppm	1DX15 Pb ppm	1DX15 Zn ppm	1DX15 Ag ppm	1DX15 Ni ppm	1DX15 Co ppm	1DX15 Mn ppm	1DX15 Fe %	1DX15 As ppm	1DX15 U ppm	1DX15 Au ppb	1DX15 Th ppm	1DX15 Sr ppm	1DX15 Cd ppm	1DX15 Sb ppm	1DX15 Bi ppm	1DX15 V ppm	1DX15 Ca %	
MM09TR80 C31	Rock	1.52	2.0	131.0	4.7	53	0.2	5.8	15.3	820	4.35	71.6	0.4	40.2	0.6	102	<0.1	0.7	0.2	118	4.39
MM09TR80 C32	Rock	1.55	1.1	97.0	2.6	47	0.1	6.0	14.5	799	4.58	73.9	0.3	22.5	0.7	107	<0.1	0.5	0.2	131	3.93
MM09TR80 C33	Rock	1.29	1.3	96.4	1.6	25	<0.1	6.8	19.5	712	4.11	14.3	0.3	10.7	0.9	89	<0.1	0.3	0.2	150	3.69
MM09TR80 C34	Rock	1.45	0.8	229.6	1.8	38	<0.1	8.6	14.7	710	5.07	12.1	0.4	42.2	1.0	76	<0.1	0.3	0.2	191	2.75
MM09TR80 C35	Rock	1.33	1.2	373.9	1.7	37	0.1	8.2	18.8	756	5.33	11.6	0.4	50.3	1.0	88	<0.1	0.3	0.2	181	2.77
MM09TR80 C36	Rock	1.25	3.7	85.9	2.0	25	<0.1	5.1	8.4	469	4.79	8.9	0.4	6.8	0.8	57	0.1	0.2	<0.1	173	2.25
MM09TR80 C37	Rock	1.62	1.6	175.7	1.7	28	<0.1	9.5	23.0	696	4.56	12.2	0.3	18.3	0.6	57	0.2	0.1	0.1	155	2.85
MM09TR80 C38	Rock	1.54	1.9	167.8	2.0	29	<0.1	8.5	18.2	726	4.11	14.4	0.2	18.6	0.7	58	0.2	0.2	0.1	147	3.10
MM09TR80 C39	Rock	1.28	2.4	509.3	2.2	29	0.2	9.9	20.3	693	3.98	20.6	0.3	37.5	0.8	84	<0.1	0.3	0.2	144	3.02
MM09TR80 C40	Rock	1.49	1.3	198.2	2.1	42	0.1	10.1	26.5	876	4.15	14.4	0.3	17.3	0.8	100	0.1	0.2	0.1	134	3.99
MM09TR80 C41	Rock	1.46	1.0	190.9	2.3	47	<0.1	12.6	19.3	901	5.54	19.9	0.3	16.9	0.8	73	0.2	0.2	<0.1	204	3.27
MM09TR80 C42	Rock	1.47	0.4	41.3	2.1	52	<0.1	10.7	20.9	1231	6.01	21.2	0.2	8.2	0.7	111	0.1	0.2	0.1	218	4.08
MM09TR80 C43	Rock	1.24	0.4	52.3	2.6	51	<0.1	9.9	22.3	1247	6.10	18.0	0.2	8.7	0.7	91	<0.1	0.1	0.1	229	3.67
MM09TR80 C44	Rock	1.30	0.3	40.5	2.9	73	<0.1	11.6	20.2	1713	7.43	14.9	0.2	3.0	0.7	83	<0.1	0.1	<0.1	286	3.20
MM09TR80 C45	Rock	1.43	0.6	150.0	3.6	54	0.1	11.8	22.6	1356	6.60	19.5	0.3	11.0	0.7	117	0.2	0.2	0.2	250	4.19
MM09TR80 C46	Rock	1.38	0.4	41.4	2.9	48	<0.1	11.7	25.0	1475	5.53	12.5	0.2	4.1	0.6	145	0.2	0.1	<0.1	218	6.45
MM09TR80 C47	Rock	1.28	0.5	46.1	2.7	46	<0.1	7.0	14.3	1072	5.13	12.9	0.3	14.7	0.7	103	0.2	0.2	<0.1	198	4.43
MM09TR80 C48	Rock	1.65	2.6	59.9	3.6	37	<0.1	8.9	33.6	889	6.26	18.8	0.4	17.5	0.7	141	0.2	0.2	0.2	191	3.85
MM09TR80 C49	Rock	1.58	1.2	222.3	3.6	42	0.2	11.9	17.4	1101	5.57	10.0	0.3	64.8	0.8	85	<0.1	0.1	<0.1	213	3.57
MM09TR80 C50	Rock	1.41	0.5	104.3	4.5	46	<0.1	13.4	17.5	1287	5.73	6.5	0.2	14.0	0.6	91	0.2	<0.1	<0.1	239	3.99
MM09TR80 C51	Rock	1.28	0.3	141.6	3.4	45	0.1	11.1	26.1	1274	5.75	10.1	0.2	8.8	0.6	83	<0.1	<0.1	0.1	223	3.60
MM09TR80 C52	Rock	1.40	0.4	40.9	2.7	42	<0.1	7.4	21.7	1461	4.62	11.6	0.1	7.8	0.5	125	0.1	<0.1	0.1	196	6.39
MM09TR80 C53	Rock	1.66	0.2	22.5	1.8	55	<0.1	6.1	19.9	1129	5.19	8.1	0.1	2.2	0.5	90	<0.1	0.1	<0.1	180	4.54
MM09TR80 C54	Rock	1.37	0.3	83.1	3.1	39	<0.1	7.8	26.8	1140	5.02	8.9	0.1	10.1	0.5	108	<0.1	0.1	0.1	188	5.72
MM09TR80 C55	Rock	1.56	0.6	58.1	3.0	43	<0.1	4.7	16.3	1093	4.37	6.3	0.2	2.7	0.5	120	<0.1	<0.1	<0.1	161	4.75
MM09TR80 C56	Rock	1.33	1.0	44.1	2.7	35	<0.1	3.7	32.7	989	4.19	13.7	0.2	12.1	0.6	118	<0.1	0.2	0.1	149	4.87
MM09TR80 C57	Rock	1.48	1.2	45.4	2.9	26	<0.1	3.2	15.0	735	4.04	8.5	0.2	11.4	0.6	88	<0.1	0.2	0.1	124	3.96
MM09TR80 C58	Rock	1.51	0.6	149.8	2.3	39	<0.1	3.6	15.3	1018	4.53	5.4	0.2	19.8	0.6	95	<0.1	0.1	<0.1	171	4.97
MM09TR80 C59	Rock	1.74	0.4	79.4	2.9	40	<0.1	3.1	17.6	1117	4.37	4.9	0.2	20.9	0.6	101	<0.1	0.1	<0.1	158	5.60
MM09TR80 C60	Rock	1.80	0.2	128.4	2.5	61	<0.1	5.4	26.3	1264	6.43	7.1	0.2	14.2	0.6	72	<0.1	<0.1	<0.1	201	3.17

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 02, 2009

Page: 3 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN09003193.3

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	G6 Au	7AR Cu
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001
MM09TR80 C31	Rock			0.116	8	8	1.39	48	0.004	7	2.10	0.019	0.19	<0.1	<0.01	5.6	<0.1	0.15	7	0.8	N.A.	N.A.
MM09TR80 C32	Rock			0.126	9	9	1.67	43	0.004	7	2.33	0.022	0.17	<0.1	<0.01	5.8	<0.1	0.08	9	<0.5	N.A.	N.A.
MM09TR80 C33	Rock			0.136	11	11	1.57	35	0.005	5	2.04	0.022	0.11	<0.1	<0.01	5.7	<0.1	0.06	9	<0.5	N.A.	N.A.
MM09TR80 C34	Rock			0.143	13	15	1.94	41	0.006	6	2.34	0.020	0.10	<0.1	<0.01	6.7	<0.1	0.07	11	<0.5	N.A.	N.A.
MM09TR80 C35	Rock			0.148	11	17	2.09	68	0.009	5	2.39	0.022	0.10	<0.1	<0.01	8.2	<0.1	0.12	11	<0.5	N.A.	N.A.
MM09TR80 C36	Rock			0.140	8	16	1.10	86	0.003	6	1.37	0.027	0.07	0.1	<0.01	7.6	<0.1	0.06	8	0.7	N.A.	N.A.
MM09TR80 C37	Rock			0.146	7	18	1.41	71	0.004	5	1.67	0.021	0.07	<0.1	<0.01	7.9	<0.1	0.13	9	0.9	N.A.	N.A.
MM09TR80 C38	Rock			0.146	8	21	1.46	38	0.005	4	1.74	0.019	0.05	<0.1	<0.01	6.6	<0.1	0.12	8	<0.5	N.A.	N.A.
MM09TR80 C39	Rock			0.144	8	18	1.64	130	0.006	5	1.80	0.020	0.07	<0.1	<0.01	8.0	<0.1	0.24	9	0.8	N.A.	N.A.
MM09TR80 C40	Rock			0.136	10	20	1.78	89	0.006	3	2.12	0.018	0.13	<0.1	<0.01	7.3	<0.1	0.17	9	0.7	N.A.	N.A.
MM09TR80 C41	Rock			0.147	7	31	2.29	71	0.017	5	2.51	0.022	0.10	<0.1	<0.01	9.5	<0.1	0.11	11	<0.5	N.A.	N.A.
MM09TR80 C42	Rock			0.136	6	19	2.79	45	0.029	3	3.11	0.018	0.08	<0.1	<0.01	9.5	<0.1	0.13	12	<0.5	N.A.	N.A.
MM09TR80 C43	Rock			0.141	6	13	2.71	40	0.029	5	2.96	0.019	0.10	<0.1	<0.01	11.0	<0.1	0.20	11	<0.5	N.A.	N.A.
MM09TR80 C44	Rock			0.150	6	16	4.17	61	0.049	4	3.84	0.020	0.07	<0.1	<0.01	13.4	<0.1	0.06	16	<0.5	N.A.	N.A.
MM09TR80 C45	Rock			0.139	6	15	2.82	53	0.034	4	2.91	0.019	0.08	<0.1	<0.01	13.7	<0.1	0.30	12	0.8	N.A.	N.A.
MM09TR80 C46	Rock			0.126	5	17	2.61	52	0.028	3	2.65	0.017	0.06	<0.1	<0.01	11.8	<0.1	0.13	11	<0.5	N.A.	N.A.
MM09TR80 C47	Rock			0.132	7	13	2.05	51	0.016	3	2.18	0.021	0.10	<0.1	<0.01	9.3	<0.1	0.05	8	<0.5	N.A.	N.A.
MM09TR80 C48	Rock			0.147	6	19	2.03	51	0.012	4	2.27	0.022	0.09	<0.1	<0.01	9.8	<0.1	0.08	10	<0.5	N.A.	N.A.
MM09TR80 C49	Rock			0.150	7	24	2.52	61	0.023	3	2.62	0.021	0.06	<0.1	<0.01	10.9	<0.1	0.11	11	0.7	N.A.	N.A.
MM09TR80 C50	Rock			0.132	5	32	3.02	36	0.024	3	3.05	0.017	0.07	<0.1	<0.01	12.5	<0.1	<0.05	12	<0.5	N.A.	N.A.
MM09TR80 C51	Rock			0.134	6	24	2.88	42	0.027	4	2.90	0.020	0.09	<0.1	<0.01	11.2	<0.1	0.07	12	<0.5	N.A.	N.A.
MM09TR80 C52	Rock			0.110	7	14	2.38	39	0.021	4	2.48	0.016	0.07	<0.1	<0.01	8.7	<0.1	0.08	10	<0.5	N.A.	N.A.
MM09TR80 C53	Rock			0.144	6	5	2.25	32	0.014	5	2.57	0.028	0.14	<0.1	<0.01	7.5	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09TR80 C54	Rock			0.131	6	11	2.06	48	0.014	4	2.27	0.021	0.12	<0.1	<0.01	7.5	<0.1	0.07	8	<0.5	N.A.	N.A.
MM09TR80 C55	Rock			0.130	5	5	1.97	26	0.014	2	2.25	0.027	0.10	<0.1	<0.01	7.3	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09TR80 C56	Rock			0.126	4	4	1.93	25	0.010	3	2.18	0.017	0.10	<0.1	<0.01	7.2	<0.1	0.06	8	<0.5	N.A.	N.A.
MM09TR80 C57	Rock			0.134	5	3	1.39	27	0.008	4	1.75	0.032	0.08	<0.1	<0.01	6.2	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09TR80 C58	Rock			0.134	5	4	1.89	20	0.016	4	2.13	0.026	0.12	<0.1	<0.01	6.7	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09TR80 C59	Rock			0.127	6	3	2.04	19	0.019	4	2.25	0.027	0.11	<0.1	<0.01	6.5	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09TR80 C60	Rock			0.127	5	5	3.31	23	0.024	4	3.28	0.024	0.08	<0.1	<0.01	8.6	<0.1	<0.05	13	<0.5	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 02, 2009

Page: 4 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN09003193.3

Method Analyte	Unit	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
MM09TR80 C61	Rock	1.37	0.5	90.7	2.5	51	<0.1	5.2	19.2	1090	5.16	8.3	0.1	7.0	0.7	69	<0.1	0.1	<0.1	175	3.04	
MM09TR80 C62	Rock	1.45	0.2	12.0	2.0	55	<0.1	4.9	18.8	1108	5.55	6.3	0.1	1.9	0.7	62	<0.1	<0.1	<0.1	175	2.19	
MM09TR80 C63	Rock	1.17	0.3	11.8	2.5	41	<0.1	4.3	13.6	1057	4.39	4.4	0.2	2.4	0.6	119	<0.1	0.2	<0.1	149	4.17	
MM09TR80 C64	Rock	1.27	0.2	45.7	2.0	54	<0.1	5.3	19.8	1195	5.40	5.4	0.2	3.0	0.7	78	<0.1	0.1	<0.1	185	3.13	
MM09TR80 C65	Rock	1.15	0.7	8.6	2.2	30	<0.1	2.9	9.1	1006	3.77	4.5	0.2	0.5	0.5	174	<0.1	0.2	<0.1	155	4.69	
MM09TR80 C66	Rock	1.21	0.7	40.8	2.5	50	<0.1	4.5	15.7	1091	4.87	7.2	0.1	5.8	0.7	83	<0.1	0.1	<0.1	205	2.89	
MM09TR80 C67	Rock	1.59	0.2	29.1	2.6	38	<0.1	3.1	12.6	955	4.42	6.0	0.2	1.8	0.6	107	<0.1	0.2	<0.1	175	5.52	
MM09TR80 C68	Rock	1.26	0.7	68.7	3.5	40	<0.1	3.9	11.5	906	4.63	7.5	0.2	19.0	0.5	104	<0.1	0.2	<0.1	173	5.16	
MM09TR80 C69	Rock	1.51	0.3	29.9	2.2	39	<0.1	4.3	14.5	1021	4.30	10.4	0.1	5.2	0.5	97	<0.1	0.1	<0.1	170	5.79	
MM09TR80 C70	Rock	1.38	0.5	47.1	2.1	38	<0.1	7.3	12.8	943	4.72	8.2	0.2	4.4	0.5	90	<0.1	0.1	<0.1	174	5.73	
MM09TR80 C71	Rock	1.29	1.0	60.2	2.4	41	<0.1	10.5	15.1	1091	4.75	9.2	0.2	10.1	0.6	98	<0.1	0.2	0.1	174	4.80	
MM09TR80 C72	Rock	1.20	3.6	28.0	4.9	45	<0.1	9.8	18.3	1547	4.16	9.9	0.2	6.6	0.4	368	0.2	0.2	0.1	145	8.09	
MM09TR80 C73	Rock	0.96	2.5	127.5	7.9	48	0.2	9.6	23.5	1094	4.50	29.3	1.6	14.6	0.6	305	0.2	0.2	0.1	58	6.94	
MM09TR80 C74	Rock	0.85	4.8	279.9	10.9	53	0.4	12.2	35.3	1288	4.89	31.3	2.7	23.8	0.6	318	0.3	0.3	0.2	58	8.34	
MM09TR80 C75	Rock	1.29	7.4	144.9	4.7	55	0.1	12.5	26.2	895	4.93	18.2	0.4	12.3	0.5	183	0.2	0.2	<0.1	116	5.55	
MM09TR80 C76	Rock	1.44	1.8	95.3	3.7	61	<0.1	12.7	17.4	945	4.61	18.3	0.9	8.0	0.5	170	0.3	0.1	<0.1	96	6.06	
MM09TR80 C77	Rock	1.02	1.2	120.4	3.9	60	<0.1	9.4	19.0	1111	5.15	13.3	0.1	11.7	0.6	158	0.3	0.2	<0.1	103	6.48	
MM09TR80 C78	Rock	0.88	2.0	88.1	4.7	74	0.1	5.5	11.2	1030	7.15	12.3	0.2	31.6	0.6	179	1.3	0.4	0.2	89	5.84	
MM09TR80 C79	Rock	1.19	2.3	82.0	3.8	57	0.2	2.3	10.9	843	3.26	7.3	0.3	51.5	0.7	84	0.2	0.2	0.3	85	4.43	
MM09TR80 C80	Rock	1.43	0.8	405.5	3.0	79	0.3	1.7	12.9	702	4.51	5.3	0.3	331.5	0.8	44	0.6	0.4	0.2	107	2.22	
MM09TR80 C81	Rock	1.11	0.3	164.5	2.3	98	0.3	1.8	15.4	815	4.95	13.0	0.3	325.0	1.0	48	0.2	0.8	1.4	100	1.26	
MM09TR80 C82	Rock	1.23	1.2	435.0	4.5	63	0.5	1.9	11.9	1046	5.09	8.1	0.4	358.3	0.9	48	0.3	0.5	0.4	112	2.44	
MM09TR80 C83	Rock	1.08	0.5	80.4	1.9	90	<0.1	1.5	15.2	914	4.94	8.8	0.3	58.6	0.8	38	0.3	0.4	<0.1	131	1.23	
MM09TR80 C84	Rock	1.20	0.6	257.5	2.3	116	1.6	1.4	11.7	814	4.36	7.8	0.3	596.7	0.8	32	1.0	0.3	1.1	114	1.42	
MM09TR80 C85	Rock	1.08	2.2	1738	82.2	133	40.2	1.1	15.6	786	5.08	46.5	0.4	320.7	0.8	41	1.1	1.5	145.4	109	1.64	
MM09TR80 C86	Rock	0.92	0.6	91.3	1.6	80	0.1	2.0	12.0	745	4.32	8.2	0.3	79.7	0.8	28	0.6	0.3	0.2	131	1.88	
MM09TR80 C87	Rock	1.10	0.6	248.4	4.0	84	0.8	1.4	11.4	704	4.02	7.5	0.3	49.4	0.8	35	1.1	0.3	3.1	110	2.44	
MM09TR80 C88	Rock	1.13	1.0	61.6	1.9	77	<0.1	1.2	13.3	910	4.66	16.5	0.3	47.0	1.1	35	0.2	0.6	<0.1	133	2.00	
MM09TR80 C89	Rock	1.26	0.6	63.7	2.7	61	0.3	1.3	10.4	798	3.89	6.2	0.2	71.8	1.2	27	0.2	0.3	2.2	75	2.54	
MM09TR80 C90	Rock	1.39	0.5	80.7	1.9	55	0.1	1.6	10.4	743	3.68	6.4	0.3	54.7	0.8	34	0.2	0.4	0.2	92	2.29	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 02, 2009

Page: 4 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN09003193.3

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	Cu	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001	
MM09TR80 C61	Rock	0.134	5	4	2.58	28	0.025	4	2.68	0.029	0.07	<0.1	<0.01	8.0	<0.1	<0.05	11	<0.5	N.A.	N.A.
MM09TR80 C62	Rock	0.131	5	5	2.80	28	0.026	2	2.80	0.029	0.07	<0.1	<0.01	9.4	<0.1	<0.05	12	<0.5	N.A.	N.A.
MM09TR80 C63	Rock	0.125	4	5	2.19	19	0.020	4	2.31	0.028	0.07	<0.1	<0.01	8.7	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09TR80 C64	Rock	0.136	6	5	2.95	19	0.023	4	2.79	0.028	0.06	<0.1	<0.01	10.1	<0.1	<0.05	11	<0.5	N.A.	N.A.
MM09TR80 C65	Rock	0.125	4	3	1.86	19	0.012	3	2.02	0.021	0.08	<0.1	<0.01	7.4	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09TR80 C66	Rock	0.143	5	4	2.72	25	0.025	3	2.62	0.027	0.08	<0.1	<0.01	7.6	<0.1	<0.05	11	<0.5	N.A.	N.A.
MM09TR80 C67	Rock	0.141	5	5	1.71	21	0.015	2	1.94	0.026	0.08	<0.1	<0.01	8.4	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09TR80 C68	Rock	0.130	5	5	1.91	29	0.015	4	2.18	0.024	0.10	<0.1	<0.01	8.2	<0.1	0.07	9	<0.5	N.A.	N.A.
MM09TR80 C69	Rock	0.135	6	7	1.75	24	0.016	3	2.03	0.028	0.09	<0.1	<0.01	7.0	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09TR80 C70	Rock	0.128	6	17	1.65	26	0.014	4	1.97	0.024	0.08	<0.1	<0.01	8.2	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09TR80 C71	Rock	0.140	6	22	1.84	32	0.009	5	2.21	0.018	0.11	<0.1	<0.01	7.7	<0.1	0.06	9	0.6	N.A.	N.A.
MM09TR80 C72	Rock	0.103	6	28	1.40	118	0.008	5	1.97	0.011	0.13	<0.1	<0.01	6.3	<0.1	0.10	6	<0.5	N.A.	N.A.
MM09TR80 C73	Rock	0.118	6	6	1.46	175	0.002	9	2.19	0.006	0.22	<0.1	<0.01	4.3	0.1	0.97	4	1.0	N.A.	N.A.
MM09TR80 C74	Rock	0.132	6	6	1.56	126	0.001	8	2.32	0.006	0.22	<0.1	<0.01	5.2	<0.1	1.28	4	1.0	N.A.	N.A.
MM09TR80 C75	Rock	0.133	5	18	1.71	82	0.004	6	2.33	0.011	0.21	<0.1	0.01	5.9	<0.1	0.56	6	0.5	N.A.	N.A.
MM09TR80 C76	Rock	0.103	6	15	1.70	118	0.005	8	2.41	0.010	0.20	<0.1	<0.01	5.8	<0.1	0.38	6	1.2	N.A.	N.A.
MM09TR80 C77	Rock	0.130	8	16	1.86	112	0.006	10	2.52	0.012	0.22	<0.1	<0.01	5.1	<0.1	0.28	6	0.7	N.A.	N.A.
MM09TR80 C78	Rock	0.096	10	6	1.32	163	0.004	16	1.94	0.017	0.26	<0.1	<0.01	6.4	<0.1	0.12	5	0.9	N.A.	N.A.
MM09TR80 C79	Rock	0.056	3	3	1.30	42	0.004	7	1.83	0.024	0.13	<0.1	<0.01	5.9	<0.1	0.07	7	0.5	N.A.	N.A.
MM09TR80 C80	Rock	0.049	4	2	1.32	55	0.006	5	2.03	0.033	0.07	<0.1	<0.01	8.2	<0.1	<0.05	9	<0.5	0.42	N.A.
MM09TR80 C81	Rock	0.057	4	4	1.67	38	0.009	7	2.46	0.030	0.06	<0.1	<0.01	8.3	<0.1	<0.05	9	<0.5	0.34	N.A.
MM09TR80 C82	Rock	0.038	4	5	1.62	93	0.077	3	1.94	0.030	0.04	<0.1	<0.01	17.7	<0.1	0.15	9	0.7	0.43	N.A.
MM09TR80 C83	Rock	0.054	3	2	1.83	34	0.079	6	2.24	0.041	0.03	<0.1	<0.01	9.7	<0.1	<0.05	10	<0.5	0.06	N.A.
MM09TR80 C84	Rock	0.053	3	2	1.48	79	0.076	5	1.95	0.037	0.05	<0.1	<0.01	9.7	<0.1	<0.05	9	<0.5	0.61	N.A.
MM09TR80 C85	Rock	0.048	3	2	1.32	92	0.067	7	1.84	0.031	0.10	0.1	0.01	8.9	<0.1	0.36	8	3.3	N.A.	0.173
MM09TR80 C86	Rock	0.055	3	3	1.42	34	0.065	4	1.72	0.036	0.05	<0.1	<0.01	11.3	<0.1	<0.05	9	0.6	N.A.	N.A.
MM09TR80 C87	Rock	0.049	3	2	1.19	36	0.064	5	1.63	0.038	0.05	<0.1	<0.01	9.2	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09TR80 C88	Rock	0.049	4	2	1.79	33	0.073	4	2.07	0.039	0.03	<0.1	<0.01	11.9	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09TR80 C89	Rock	0.041	4	3	0.90	54	0.007	6	1.54	0.031	0.13	<0.1	<0.01	7.1	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09TR80 C90	Rock	0.049	4	4	1.14	42	0.032	4	1.51	0.041	0.05	<0.1	<0.01	9.2	<0.1	<0.05	7	<0.5	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 02, 2009

Page: 5 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN09003193.3

Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09TR80 C91	Rock	1.07	0.4	68.1	1.3	64	<0.1	1.6	9.9	780	3.64	4.6	0.2	34.4	1.0	25	0.1	0.2	<0.1	63	2.29
MM09TR80 C92	Rock	1.63	0.5	83.8	2.6	59	<0.1	2.0	10.6	877	3.80	6.1	0.3	60.7	0.9	32	0.2	0.4	0.1	92	2.12
MM09TR80 C93	Rock	1.38	0.6	212.6	2.0	54	0.2	2.0	10.1	860	3.68	5.4	0.2	155.1	0.8	37	0.3	0.4	0.1	90	3.78
MM09TR80 C94	Rock	1.31	0.4	72.1	1.8	54	<0.1	2.1	11.3	730	4.01	4.7	0.2	66.7	0.9	26	0.2	0.3	<0.1	96	1.71
MM09TR80 C95	Rock	1.52	0.3	62.2	2.3	57	<0.1	31.1	16.1	720	4.26	5.9	0.3	102.5	1.0	43	0.2	0.3	<0.1	90	2.00
MM09TR80 C96	Rock	1.29	0.7	324.3	2.4	63	0.3	4.2	12.3	761	4.00	7.2	0.3	330.1	1.0	25	0.3	0.4	1.1	97	1.32
MM09TR81 C01	Rock	1.12	1.1	181.1	1.7	27	0.2	8.2	25.7	1286	4.45	33.0	0.3	11.2	0.8	122	0.1	0.3	0.2	150	5.96
MM09TR81 C02	Rock	1.19	0.3	272.9	2.3	31	0.1	8.5	17.1	816	4.48	10.8	0.4	23.4	1.1	94	0.1	0.5	0.2	143	3.37
MM09TR81 C03	Rock	1.34	0.5	596.7	1.4	39	0.3	7.9	15.6	871	4.37	10.3	0.4	70.0	1.3	90	0.2	0.7	0.2	147	3.48
MM09TR81 C04	Rock	1.31	0.8	673.9	7.6	1014	0.5	13.2	26.1	1230	5.74	27.0	0.5	193.0	1.3	99	13.2	0.8	0.2	164	2.82
MM09TR81 C05	Rock	1.27	0.8	748.2	3.8	246	0.5	11.1	19.8	926	5.30	20.4	0.4	157.3	1.1	97	1.9	0.4	0.2	161	2.98
MM09TR81 C06	Rock	1.23	0.5	773.3	1.9	74	0.6	10.7	18.8	1201	6.07	13.0	0.3	234.7	1.1	93	0.3	0.4	0.3	174	2.58
MM09TR81 C07	Rock	1.65	0.6	702.3	1.7	65	0.5	10.2	31.7	1151	6.53	16.6	0.3	417.8	1.2	76	0.3	0.3	0.2	196	2.83
MM09TR81 C08	Rock	1.21	0.5	743.7	1.4	43	0.4	7.7	18.0	959	5.61	11.8	0.3	126.5	1.1	81	0.1	0.4	0.2	158	2.61
MM09TR81 C09	Rock	1.14	0.6	1094	2.1	54	0.8	7.7	12.2	1272	6.06	19.7	0.4	397.9	1.1	79	0.2	0.4	0.1	166	1.90
MM09TR81 C10	Rock	1.65	0.5	686.4	1.4	52	0.4	7.4	13.1	1181	6.00	10.5	0.3	227.0	1.0	90	0.1	0.4	0.1	171	2.47
MM09TR81 C11A	Rock	1.45	1.7	847.0	2.6	49	0.5	10.3	17.6	1187	5.13	14.6	0.3	213.3	1.1	82	0.2	0.2	0.2	163	3.69
MM09TR81 C11B	Rock	1.13	1.9	765.9	3.6	72	0.7	10.1	23.3	1139	5.98	17.0	0.3	310.5	1.1	67	0.3	0.2	0.2	177	3.11
MM09TR81 C12	Rock	1.61	1.7	757.9	4.1	56	0.8	7.4	12.4	805	5.10	17.0	0.3	291.6	1.1	49	0.7	0.2	0.2	161	2.48
MM09TR81 C13	Rock	1.60	2.3	935.9	19.3	100	1.1	10.9	20.5	965	6.07	26.3	0.4	177.2	1.2	43	1.7	0.3	0.3	180	1.97
MM09TR81 C14	Rock	1.26	3.6	803.0	22.4	108	1.0	11.0	27.2	938	6.52	36.5	0.4	438.0	1.1	50	1.6	0.5	0.3	178	2.75
MM09TR81 C15	Rock	1.34	1.0	996.6	24.3	184	1.1	12.2	21.6	1011	6.68	25.1	0.4	242.7	1.2	38	2.7	0.6	0.3	196	1.69
MM09TR81 C16	Rock	1.28	0.7	777.0	34.0	162	0.9	9.8	20.3	1002	5.61	21.8	0.4	105.1	1.1	54	2.6	0.4	0.3	167	2.31
MM09TR81 C17	Rock	1.49	0.9	420.6	18.5	86	0.4	8.4	17.7	1016	4.63	7.8	0.6	54.0	1.0	114	0.9	0.1	0.3	119	5.39
MM09TR81 C18	Rock	1.44	0.5	111.6	2.3	34	0.1	9.5	18.6	1036	4.05	4.5	0.3	43.2	0.7	85	0.1	0.1	0.2	122	4.33
MM09TR81 C19	Rock	1.86	0.2	175.4	1.3	28	<0.1	9.3	11.0	715	3.84	5.6	0.2	36.6	1.0	63	<0.1	0.2	0.1	154	2.66
MM09TR81 C20	Rock	1.23	0.3	469.7	1.0	30	0.2	10.6	32.2	750	4.62	8.3	0.4	18.2	0.9	56	<0.1	0.1	0.2	190	2.83
MM09TR81 C21	Rock	1.50	0.3	230.8	0.7	29	<0.1	8.9	13.3	728	4.52	5.7	0.3	14.2	0.9	52	<0.1	0.1	<0.1	196	2.67
MM09TR81 C22	Rock	1.50	0.2	645.4	0.9	29	0.1	10.9	25.8	805	4.51	8.9	0.4	102.9	0.8	60	<0.1	0.1	0.1	177	2.79
MM09TR81 C23	Rock	1.48	0.2	168.2	1.0	30	<0.1	9.0	10.7	752	4.06	4.9	0.2	39.1	1.1	54	<0.1	0.1	<0.1	172	2.54

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 02, 2009

Page: 5 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN09003193.3

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	G6 Au	7AR Cu
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001
MM09TR80 C91	Rock			0.044	4	3	1.41	38	0.008	4	1.90	0.024	0.13	<0.1	<0.01	6.2	<0.1	<0.05	6	<0.5	N.A.	N.A.
MM09TR80 C92	Rock			0.047	4	4	1.30	47	0.035	6	1.64	0.040	0.07	<0.1	<0.01	8.4	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09TR80 C93	Rock			0.051	4	3	0.96	39	0.009	4	1.34	0.037	0.06	<0.1	<0.01	8.1	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09TR80 C94	Rock			0.051	4	3	1.07	32	0.019	4	1.60	0.041	0.08	<0.1	<0.01	8.5	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09TR80 C95	Rock			0.086	9	47	1.77	39	0.037	4	1.97	0.038	0.04	<0.1	<0.01	8.2	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09TR80 C96	Rock			0.054	4	5	1.30	38	0.021	2	1.47	0.054	0.04	<0.1	<0.01	8.5	<0.1	<0.05	8	0.5	N.A.	N.A.
MM09TR81 C01	Rock			0.143	9	18	1.57	40	0.011	6	2.17	0.021	0.05	<0.1	<0.01	7.1	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09TR81 C02	Rock			0.157	10	17	1.50	50	0.005	8	2.21	0.016	0.07	<0.1	<0.01	7.8	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09TR81 C03	Rock			0.154	11	19	1.51	33	0.008	6	2.31	0.031	0.03	<0.1	<0.01	8.0	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09TR81 C04	Rock			0.164	8	19	1.99	38	0.014	6	2.68	0.028	0.04	<0.1	0.01	9.3	<0.1	<0.05	12	<0.5	N.A.	N.A.
MM09TR81 C05	Rock			0.159	9	19	1.77	47	0.009	4	2.40	0.025	0.05	<0.1	<0.01	8.2	<0.1	0.16	11	0.6	N.A.	0.069
MM09TR81 C06	Rock			0.154	7	18	2.02	34	0.009	4	2.79	0.021	0.04	<0.1	<0.01	8.2	<0.1	<0.05	12	0.6	0.33	0.079
MM09TR81 C07	Rock			0.155	12	20	1.97	62	0.008	4	2.81	0.021	0.05	<0.1	<0.01	8.5	<0.1	0.15	13	0.6	0.60	0.065
MM09TR81 C08	Rock			0.159	11	22	1.86	31	0.007	4	2.60	0.022	0.05	<0.1	<0.01	8.5	<0.1	<0.05	12	0.7	0.16	0.069
MM09TR81 C09	Rock			0.158	10	20	2.14	47	0.009	4	2.83	0.016	0.07	<0.1	<0.01	8.6	<0.1	0.06	12	<0.5	0.42	0.108
MM09TR81 C10	Rock			0.160	10	19	1.96	48	0.009	3	2.74	0.016	0.06	<0.1	<0.01	8.3	<0.1	<0.05	12	<0.5	0.19	N.A.
MM09TR81 C11A	Rock			0.164	11	20	1.82	45	0.007	2	2.46	0.018	0.06	<0.1	<0.01	7.1	<0.1	0.09	11	0.6	0.18	0.081
MM09TR81 C11B	Rock			0.155	11	20	2.02	48	0.006	3	2.74	0.016	0.06	<0.1	<0.01	6.9	<0.1	0.20	12	0.8	0.28	0.070
MM09TR81 C12	Rock			0.151	12	18	1.71	40	0.005	3	2.34	0.018	0.06	<0.1	<0.01	6.4	<0.1	0.07	11	0.5	0.40	0.070
MM09TR81 C13	Rock			0.154	15	19	1.96	83	0.005	3	2.64	0.013	0.07	<0.1	<0.01	6.8	<0.1	0.21	11	0.7	0.20	0.091
MM09TR81 C14	Rock			0.156	16	19	1.93	55	0.005	3	2.59	0.012	0.07	<0.1	<0.01	6.2	<0.1	0.71	11	1.2	0.56	0.073
MM09TR81 C15	Rock			0.159	18	21	2.19	40	0.006	3	2.77	0.013	0.06	<0.1	<0.01	7.3	<0.1	0.26	13	0.7	0.29	0.096
MM09TR81 C16	Rock			0.155	14	17	1.85	50	0.004	4	2.55	0.017	0.06	<0.1	<0.01	6.6	<0.1	0.14	11	0.8	N.A.	0.071
MM09TR81 C17	Rock			0.140	13	17	1.54	50	0.003	4	2.26	0.011	0.12	<0.1	<0.01	4.5	<0.1	<0.05	9	0.5	N.A.	N.A.
MM09TR81 C18	Rock			0.132	7	19	1.47	45	0.004	3	2.04	0.010	0.10	<0.1	<0.01	5.5	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09TR81 C19	Rock			0.154	6	23	1.53	47	0.006	2	1.97	0.016	0.08	<0.1	<0.01	6.8	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09TR81 C20	Rock			0.155	7	25	1.76	45	0.006	3	2.21	0.011	0.08	<0.1	<0.01	6.4	<0.1	0.17	11	<0.5	N.A.	N.A.
MM09TR81 C21	Rock			0.148	5	24	1.78	37	0.008	3	2.25	0.017	0.08	<0.1	<0.01	7.5	<0.1	<0.05	11	<0.5	N.A.	N.A.
MM09TR81 C22	Rock			0.147	5	22	1.66	60	0.007	2	2.08	0.012	0.08	<0.1	<0.01	7.5	<0.1	0.12	10	1.0	N.A.	N.A.
MM09TR81 C23	Rock			0.148	9	21	1.61	37	0.008	2	2.00	0.013	0.08	<0.1	<0.01	7.2	<0.1	<0.05	10	<0.5	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 02, 2009

Page: 6 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN09003193.3

Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09TR81 C24	Rock	1.72	0.2	376.4	0.6	30	0.2	8.7	18.4	838	4.30	4.9	0.3	80.9	1.0	60	<0.1	0.1	0.1	178	2.94
MM09TR81 C25	Rock	1.60	0.4	387.2	1.0	31	0.2	10.0	16.3	1246	4.74	5.7	0.7	63.6	0.9	109	<0.1	<0.1	0.1	178	5.39
MM09TR81 C26	Rock	1.21	0.3	167.4	0.8	33	<0.1	11.3	15.2	799	4.51	4.0	0.3	52.0	0.9	57	<0.1	0.1	0.1	168	2.27
MM09TR81 C27	Rock	1.81	0.4	565.3	1.2	32	0.4	11.2	19.5	890	4.95	7.7	0.6	31.5	0.8	52	<0.1	0.1	0.2	160	2.68
MM09TR81 C28	Rock	1.60	1.2	961.2	1.0	31	0.3	10.4	21.9	750	4.38	11.7	0.3	51.9	0.7	47	<0.1	0.1	0.1	147	2.09
MM09TR81 C29	Rock	1.43	0.4	553.5	1.0	29	0.2	11.2	15.7	848	4.30	8.4	0.3	53.5	0.9	62	<0.1	0.2	0.1	153	2.47
MM09TR81 C30	Rock	1.40	1.0	1449	17.3	83	1.1	13.3	16.0	937	6.35	37.9	0.6	218.2	1.0	49	2.3	0.4	0.2	202	2.18
MM09TR81 C31	Rock	1.34	2.4	696.5	1.6	39	0.4	12.4	24.2	936	5.16	14.4	0.3	215.0	1.0	59	0.2	0.2	0.3	181	2.88
MM09TR81 C32	Rock	1.55	1.7	739.5	8.9	77	0.5	9.3	9.3	922	4.97	22.8	0.4	189.9	0.9	66	1.1	0.2	0.1	177	2.95
MM09TR81 C33	Rock	1.65	1.3	545.7	10.4	232	0.4	9.4	15.1	932	5.47	19.2	0.4	123.1	0.9	57	2.7	0.2	0.2	191	2.63
MM09TR81 C34	Rock	1.58	0.9	543.3	5.6	74	0.3	9.9	17.3	1017	5.24	21.5	0.3	61.2	0.9	64	0.8	0.1	0.2	178	2.61
MM09TR81 C35	Rock	1.36	6.1	600.6	5.2	67	0.4	7.6	13.9	1065	4.69	13.0	0.3	114.0	0.9	108	0.6	0.1	0.2	173	3.88
MM09TR81 C36	Rock	1.65	38.7	968.0	4.4	45	0.6	8.7	21.9	935	5.89	15.7	1.4	51.8	0.9	62	0.5	0.3	0.2	185	2.67
MM09TR81 C37	Rock	1.50	2.6	2073	2.7	56	0.7	6.8	32.8	923	5.10	7.8	0.6	40.3	0.8	51	0.6	0.2	0.1	192	2.35
MM09TR81 C38	Rock	1.38	11.0	1272	3.9	44	1.2	6.2	20.4	796	4.91	20.9	0.6	74.9	0.9	50	0.2	0.3	0.1	166	2.70
MM09TR81 C39	Rock	1.73	1.1	283.8	6.5	73	0.3	11.0	18.8	898	4.82	11.7	0.3	47.0	0.9	60	1.3	0.1	0.2	163	2.78
MM09TR81 C40	Rock	1.26	0.6	438.6	2.5	47	0.4	9.4	14.4	925	4.97	10.1	0.3	58.5	0.9	60	0.1	0.1	0.2	172	2.41
MM09TR81 C41	Rock	1.37	0.7	211.4	2.2	34	0.2	8.9	15.1	863	4.12	11.8	0.3	15.6	0.8	63	0.1	0.1	0.1	142	2.96
MM09TR81 C42	Rock	1.49	0.4	158.8	3.0	38	0.2	9.6	14.8	890	4.42	12.9	0.2	13.6	0.8	70	0.1	<0.1	0.1	168	3.56
MM09TR81 C43	Rock	1.14	0.4	142.0	2.0	29	0.1	9.3	10.5	762	4.13	6.7	0.2	8.7	0.8	80	<0.1	<0.1	<0.1	166	4.12
MM09TR81 C44	Rock	1.23	0.4	109.7	2.2	29	0.1	10.0	13.1	747	4.22	7.7	0.3	7.0	0.9	79	<0.1	<0.1	<0.1	153	3.94
MM09TR81 C45	Rock	1.38	0.3	168.8	2.0	33	0.2	9.9	15.4	879	3.94	6.2	0.3	11.8	0.8	94	0.1	<0.1	<0.1	153	4.39
MM09TR81 C46	Rock	1.40	0.3	105.9	2.0	35	<0.1	9.8	13.3	911	4.28	6.5	0.3	0.8	0.9	97	0.1	0.2	<0.1	173	4.13
MM09TR81 C47	Rock	1.34	0.2	208.0	2.3	30	0.1	7.5	16.3	1993	3.93	6.5	0.3	0.6	0.9	135	0.1	0.2	<0.1	158	9.19
MM09TR81 C48	Rock	1.66	0.3	186.4	1.1	37	<0.1	10.2	20.3	1030	4.75	5.2	0.3	34.4	1.1	64	<0.1	0.2	0.1	179	3.23
MM09TR81 C49	Rock	1.70	0.5	144.4	1.6	41	0.1	6.8	16.5	1061	4.62	5.9	0.3	14.8	0.7	99	<0.1	0.1	0.1	163	4.21
MM09TR81 C50	Rock	1.47	0.9	315.5	3.1	43	0.2	9.3	20.4	1017	4.36	7.0	0.3	32.3	0.9	93	0.1	0.2	0.1	151	3.10
MM09TR81 C51	Rock	1.49	0.3	162.5	1.5	41	<0.1	8.7	14.8	1059	4.58	5.1	0.3	23.4	1.2	94	<0.1	0.2	0.1	177	4.64
MM09TR81 C52	Rock	1.44	1.0	189.9	1.9	38	<0.1	8.2	14.8	1229	4.21	8.0	0.2	14.0	0.8	114	0.1	0.1	<0.1	163	6.43
MM09TR81 C53	Rock	1.40	1.3	94.8	2.3	36	<0.1	12.8	25.0	1148	4.64	6.2	0.2	5.6	0.7	108	0.2	0.1	0.1	163	5.51

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 02, 2009

Page: 6 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN09003193.3

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	Cu	
	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%	
	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001	
MM09TR81 C24	Rock	0.147	8	25	1.72	43	0.008	3	2.20	0.017	0.08	<0.1	<0.01	6.8	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09TR81 C25	Rock	0.137	13	23	1.76	46	0.005	2	2.29	0.012	0.07	<0.1	<0.01	7.1	<0.1	<0.05	11	<0.5	N.A.	N.A.
MM09TR81 C26	Rock	0.156	7	23	1.69	46	0.007	2	2.26	0.019	0.08	<0.1	<0.01	7.3	<0.1	<0.05	11	<0.5	N.A.	N.A.
MM09TR81 C27	Rock	0.144	7	23	1.65	84	0.005	3	2.26	0.011	0.08	<0.1	<0.01	7.4	<0.1	<0.05	11	0.6	N.A.	N.A.
MM09TR81 C28	Rock	0.142	5	21	1.60	53	0.006	2	2.03	0.016	0.07	<0.1	<0.01	6.8	<0.1	0.24	10	0.7	N.A.	0.097
MM09TR81 C29	Rock	0.153	5	23	1.59	63	0.006	2	2.14	0.019	0.07	<0.1	<0.01	7.6	<0.1	<0.05	11	0.7	N.A.	N.A.
MM09TR81 C30	Rock	0.149	7	22	2.15	53	0.011	2	2.77	0.013	0.09	<0.1	<0.01	6.3	<0.1	0.46	12	1.9	N.A.	0.143
MM09TR81 C31	Rock	0.152	10	22	1.77	47	0.006	3	2.43	0.015	0.08	<0.1	<0.01	6.7	<0.1	0.12	10	0.9	N.A.	N.A.
MM09TR81 C32	Rock	0.158	8	22	1.85	50	0.010	2	2.43	0.015	0.08	<0.1	<0.01	6.4	<0.1	0.29	10	0.9	N.A.	0.066
MM09TR81 C33	Rock	0.159	7	21	2.03	42	0.013	3	2.70	0.016	0.09	<0.1	<0.01	6.1	<0.1	0.18	11	0.8	N.A.	N.A.
MM09TR81 C34	Rock	0.148	9	18	2.00	39	0.011	2	2.60	0.010	0.07	<0.1	<0.01	6.2	<0.1	0.17	11	0.7	N.A.	N.A.
MM09TR81 C35	Rock	0.153	6	21	1.79	40	0.011	2	2.44	0.014	0.08	<0.1	<0.01	6.3	<0.1	0.09	10	0.6	N.A.	N.A.
MM09TR81 C36	Rock	0.161	5	25	2.00	46	0.010	2	2.88	0.009	0.12	<0.1	<0.01	5.5	<0.1	0.26	11	0.7	N.A.	0.094
MM09TR81 C37	Rock	0.154	8	21	1.98	54	0.017	2	2.59	0.015	0.08	<0.1	<0.01	6.4	<0.1	0.07	11	<0.5	N.A.	0.208
MM09TR81 C38	Rock	0.145	5	21	1.81	45	0.007	2	2.41	0.018	0.10	<0.1	<0.01	5.8	<0.1	0.15	10	0.8	N.A.	0.124
MM09TR81 C39	Rock	0.144	8	20	1.97	42	0.024	3	2.57	0.019	0.10	<0.1	<0.01	5.5	<0.1	0.10	10	<0.5	N.A.	N.A.
MM09TR81 C40	Rock	0.153	6	23	1.97	46	0.010	2	2.54	0.018	0.09	<0.1	<0.01	6.4	<0.1	0.06	11	<0.5	N.A.	N.A.
MM09TR81 C41	Rock	0.143	7	21	1.56	42	0.007	2	2.05	0.024	0.10	<0.1	<0.01	5.2	<0.1	0.08	9	0.6	N.A.	N.A.
MM09TR81 C42	Rock	0.156	8	24	1.72	38	0.008	3	2.12	0.024	0.09	<0.1	<0.01	6.3	<0.1	0.09	10	0.6	N.A.	N.A.
MM09TR81 C43	Rock	0.156	10	22	1.35	34	0.008	2	1.76	0.027	0.10	<0.1	<0.01	6.3	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09TR81 C44	Rock	0.161	8	24	1.59	48	0.010	3	1.82	0.036	0.10	<0.1	<0.01	6.5	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09TR81 C45	Rock	0.145	7	20	1.64	37	0.008	3	1.89	0.024	0.07	<0.1	<0.01	5.9	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09TR81 C46	Rock	0.170	9	26	1.57	37	0.012	2	1.75	0.030	0.09	<0.1	<0.01	7.8	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09TR81 C47	Rock	0.147	12	22	1.25	42	0.008	5	1.49	0.022	0.07	<0.1	<0.01	8.1	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09TR81 C48	Rock	0.163	9	25	1.88	32	0.007	4	2.46	0.022	0.06	<0.1	<0.01	8.5	<0.1	<0.05	12	0.6	N.A.	N.A.
MM09TR81 C49	Rock	0.148	5	16	1.90	34	0.012	3	2.43	0.022	0.06	<0.1	<0.01	9.1	<0.1	0.07	11	<0.5	N.A.	N.A.
MM09TR81 C50	Rock	0.140	7	16	1.95	33	0.014	4	2.30	0.019	0.07	<0.1	<0.01	9.3	<0.1	0.08	10	<0.5	N.A.	N.A.
MM09TR81 C51	Rock	0.163	10	25	1.53	36	0.007	6	2.13	0.022	0.08	<0.1	<0.01	8.2	<0.1	<0.05	10	0.7	N.A.	N.A.
MM09TR81 C52	Rock	0.135	8	20	1.42	39	0.010	6	2.02	0.018	0.10	<0.1	0.05	8.4	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09TR81 C53	Rock	0.132	8	27	1.82	33	0.010	7	2.36	0.020	0.08	<0.1	<0.01	8.4	<0.1	<0.05	10	<0.5	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 02, 2009

Page: 7 of 7 Part 1

CERTIFICATE OF ANALYSIS

VAN09003193.3

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09TR81 C54	Rock	1.20	1.8	100.6	1.6	37	<0.1	7.8	13.8	1182	4.60	4.7	0.2	4.4	0.6	119	<0.1	0.1	<0.1	193	6.06
MM09TR81 C55	Rock	1.18	0.5	156.8	1.8	40	0.1	6.1	16.7	1235	4.65	5.8	0.2	1.6	0.6	112	<0.1	0.1	<0.1	194	5.53
MM09TR81 C56	Rock	1.26	0.6	56.8	1.9	43	<0.1	5.2	12.0	1347	5.23	4.7	0.2	9.3	0.5	108	<0.1	<0.1	<0.1	206	5.62
MM09TR81 C57	Rock	1.34	0.8	16.5	1.0	38	<0.1	4.3	10.2	1154	4.68	3.8	0.3	0.5	0.5	118	<0.1	0.1	<0.1	204	5.16
MM09TR81 C58	Rock	1.31	0.5	25.6	2.3	60	<0.1	48.3	19.7	1175	4.71	2.5	0.3	<0.5	1.6	102	<0.1	0.2	<0.1	108	3.70
MM09TR81 C59	Rock	1.45	0.8	18.6	2.3	50	<0.1	46.4	18.9	1026	4.49	3.0	0.4	<0.5	1.5	153	<0.1	0.3	<0.1	128	3.52
MM09TR81 C60	Rock	1.45	0.8	16.9	2.1	54	<0.1	28.9	17.5	1218	5.02	6.6	0.3	<0.5	1.1	180	<0.1	0.5	<0.1	191	5.02



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 02, 2009

Page: 7 of 7 Part 2

CERTIFICATE OF ANALYSIS

VAN09003193.3

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	Cu	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001	
MM09TR81 C54	Rock	0.127	6	15	1.79	33	0.011	6	2.35	0.022	0.10	<0.1	<0.01	8.4	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09TR81 C55	Rock	0.120	7	7	1.83	33	0.010	6	2.36	0.016	0.07	<0.1	<0.01	8.0	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09TR81 C56	Rock	0.118	6	5	2.06	23	0.012	6	2.65	0.019	0.07	<0.1	<0.01	8.8	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09TR81 C57	Rock	0.123	6	10	1.87	24	0.013	7	2.39	0.017	0.06	<0.1	<0.01	10.2	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09TR81 C58	Rock	0.122	14	69	2.30	33	0.010	6	2.34	0.023	0.04	<0.1	<0.01	10.1	<0.1	<0.05	11	<0.5	N.A.	N.A.
MM09TR81 C59	Rock	0.126	11	75	2.38	33	0.005	11	2.31	0.023	0.03	<0.1	<0.01	9.1	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09TR81 C60	Rock	0.141	9	42	2.20	39	0.006	10	2.54	0.019	0.02	<0.1	<0.01	13.3	<0.1	<0.05	10	<0.5	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 02, 2009

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN09003193.3

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
MM09TR80 C06	Rock	1.40	5.0	1061	2.5	44	0.8	13.1	16.3	828	6.47	9.3	0.4	73.0	1.0	44	<0.1	0.5	<0.1	192	1.55
REP MM09TR80 C06	QC																				
MM09TR80 C32	Rock	1.55	1.1	97.0	2.6	47	0.1	6.0	14.5	799	4.58	73.9	0.3	22.5	0.7	107	<0.1	0.5	0.2	131	3.93
REP MM09TR80 C32	QC		0.9	96.0	2.5	45	0.1	5.7	14.6	767	4.53	71.3	0.3	17.2	0.7	101	<0.1	0.4	0.2	130	3.94
MM09TR80 C36	Rock	1.25	3.7	85.9	2.0	25	<0.1	5.1	8.4	469	4.79	8.9	0.4	6.8	0.8	57	0.1	0.2	<0.1	173	2.25
REP MM09TR80 C36	QC		3.8	88.6	2.0	27	<0.1	5.6	8.6	489	4.89	9.7	0.4	13.1	0.9	58	0.1	0.2	<0.1	179	2.29
MM09TR80 C89	Rock	1.26	0.6	63.7	2.7	61	0.3	1.3	10.4	798	3.89	6.2	0.2	71.8	1.2	27	0.2	0.3	2.2	75	2.54
REP MM09TR80 C89	QC		0.6	64.8	2.7	64	0.3	1.2	10.4	814	3.92	6.3	0.2	81.2	1.2	28	0.3	0.3	2.3	76	2.53
MM09TR81 C11A	Rock	1.45	1.7	847.0	2.6	49	0.5	10.3	17.6	1187	5.13	14.6	0.3	213.3	1.1	82	0.2	0.2	0.2	163	3.69
REP MM09TR81 C11A	QC																				
MM09TR81 C45	Rock	1.38	0.3	168.8	2.0	33	0.2	9.9	15.4	879	3.94	6.2	0.3	11.8	0.8	94	0.1	<0.1	<0.1	153	4.39
REP MM09TR81 C45	QC		0.3	174.3	2.0	34	0.2	9.9	16.2	899	4.05	6.4	0.4	16.8	0.9	97	0.1	<0.1	<0.1	158	4.54
Reference Materials																					
STD DS7	Standard		19.7	99.2	68.1	396	0.8	57.8	9.5	619	2.39	48.1	4.8	81.6	4.1	72	6.6	4.6	4.5	80	0.94
STD DS7	Standard		19.9	106.3	66.6	411	0.8	56.8	9.8	660	2.49	49.8	5.0	64.9	4.3	75	6.8	4.7	4.5	83	0.99
STD DS7	Standard		19.8	106.2	66.6	385	0.8	56.3	9.1	605	2.40	50.7	4.5	59.9	3.9	65	6.3	5.7	3.9	78	0.95
STD DS7	Standard		19.6	106.5	64.6	387	0.8	56.3	9.2	617	2.43	50.5	4.4	69.9	4.2	69	5.8	5.5	4.4	79	0.98
STD DS7	Standard		20.8	106.9	64.3	391	0.6	55.7	9.5	628	2.41	50.8	4.6	61.0	4.0	72	5.9	5.7	4.4	84	0.98
STD DS7	Standard		22.0	113.6	71.1	418	0.7	60.3	9.8	646	2.49	51.4	5.0	60.8	4.4	76	6.3	6.2	4.9	86	1.01
STD DS7	Standard		19.7	108.4	67.4	400	0.8	57.6	9.7	629	2.43	49.9	4.6	64.3	4.1	70	6.2	4.7	4.5	80	0.98
STD DS7	Standard		19.5	106.3	67.2	387	0.8	54.7	9.5	618	2.37	46.9	5.0	56.9	4.3	64	6.0	4.7	4.5	80	0.97
STD DS7	Standard		18.9	103.3	68.5	385	0.8	55.5	8.5	616	2.35	49.8	4.9	59.5	4.7	64	6.0	5.3	4.3	79	0.93
STD DS7	Standard		19.9	107.0	66.1	381	0.8	57.6	9.4	606	2.38	51.9	4.7	60.4	4.4	66	6.3	5.2	4.2	82	0.94
STD DS7	Standard		20.0	110.8	68.0	363	0.8	56.1	9.5	578	2.37	47.3	4.8	54.4	4.5	74	6.1	6.0	4.6	78	0.97
STD DS7	Standard		21.3	114.3	73.5	397	0.9	57.6	9.6	618	2.40	50.9	5.1	72.1	4.8	81	6.1	6.5	5.0	80	1.00
STD GC-7	Standard																				
STD OXH55	Standard																				
STD OXH55	Standard																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: September 02, 2009

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN09003193.3

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR	
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	Cu	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%	
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001	
Pulp Duplicates																					
MM09TR80 C06	Rock	0.170	15	16	2.65	33	0.011	5	2.82	0.032	0.05	<0.1	<0.01	9.1	<0.1	0.11	12	0.8	0.08	0.104	
REP MM09TR80 C06	QC																				0.105
MM09TR80 C32	Rock	0.126	9	9	1.67	43	0.004	7	2.33	0.022	0.17	<0.1	<0.01	5.8	<0.1	0.08	9	<0.5	N.A.	N.A.	
REP MM09TR80 C32	QC	0.126	9	8	1.67	42	0.004	6	2.34	0.021	0.16	<0.1	<0.01	5.3	<0.1	0.08	8	<0.5			
MM09TR80 C36	Rock	0.140	8	16	1.10	86	0.003	6	1.37	0.027	0.07	0.1	<0.01	7.6	<0.1	0.06	8	0.7	N.A.	N.A.	
REP MM09TR80 C36	QC	0.160	9	16	1.13	88	0.004	7	1.39	0.027	0.07	<0.1	<0.01	7.6	<0.1	0.07	8	<0.5			
MM09TR80 C89	Rock	0.041	4	3	0.90	54	0.007	6	1.54	0.031	0.13	<0.1	<0.01	7.1	<0.1	<0.05	7	<0.5	N.A.	N.A.	
REP MM09TR80 C89	QC	0.041	5	3	0.92	56	0.008	5	1.56	0.032	0.13	<0.1	<0.01	7.2	<0.1	<0.05	6	<0.5			
MM09TR81 C11A	Rock	0.164	11	20	1.82	45	0.007	2	2.46	0.018	0.06	<0.1	<0.01	7.1	<0.1	0.09	11	0.6	0.18	0.081	
REP MM09TR81 C11A	QC																				0.18
MM09TR81 C45	Rock	0.145	7	20	1.64	37	0.008	3	1.89	0.024	0.07	<0.1	<0.01	5.9	<0.1	<0.05	9	<0.5	N.A.	N.A.	
REP MM09TR81 C45	QC	0.153	8	22	1.70	36	0.008	3	1.95	0.025	0.07	<0.1	<0.01	6.1	<0.1	<0.05	9	<0.5			
Reference Materials																					
STD DS7	Standard	0.078	12	216	1.04	394	0.103	38	1.04	0.096	0.48	3.6	0.19	2.1	4.1	0.19	5	3.8			
STD DS7	Standard	0.077	12	228	1.08	420	0.115	38	1.09	0.096	0.46	3.8	0.19	2.2	4.2	0.20	5	3.6			
STD DS7	Standard	0.076	12	202	1.04	391	0.111	35	1.04	0.090	0.44	3.9	0.18	2.2	4.0	0.19	5	3.9			
STD DS7	Standard	0.076	12	200	1.04	415	0.112	36	1.04	0.092	0.45	3.7	0.18	2.4	4.1	0.19	5	3.5			
STD DS7	Standard	0.072	12	208	1.07	386	0.118	33	1.07	0.087	0.44	3.8	0.19	2.3	4.0	0.20	4	3.3			
STD DS7	Standard	0.076	14	220	1.09	420	0.128	37	1.09	0.097	0.48	4.4	0.20	2.5	4.6	0.20	5	4.1			
STD DS7	Standard	0.074	11	204	1.06	396	0.111	38	1.05	0.091	0.44	3.6	0.19	2.2	4.4	0.19	4	3.6			
STD DS7	Standard	0.071	12	199	1.01	385	0.107	33	1.03	0.089	0.43	3.7	0.20	2.1	4.4	0.19	4	3.6			
STD DS7	Standard	0.077	12	183	1.01	397	0.104	35	1.00	0.092	0.43	3.7	0.17	2.2	4.0	0.19	4	2.8			
STD DS7	Standard	0.080	12	186	1.03	397	0.106	40	1.02	0.095	0.45	4.0	0.17	2.4	3.9	0.20	4	3.6			
STD DS7	Standard	0.069	12	178	1.04	367	0.122	34	1.04	0.083	0.42	3.5	0.18	2.3	3.7	0.18	5	3.2			
STD DS7	Standard	0.077	14	195	1.04	391	0.130	38	1.06	0.094	0.43	3.6	0.20	2.5	4.0	0.19	5	4.0			
STD GC-7	Standard																				0.551
STD OXH55	Standard																				1.29
STD OXH55	Standard																				1.33



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: September 02, 2009

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

VAN09003193.3

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
STD OXH55	Standard																					
STD OXK69	Standard																					
STD OXK69	Standard																					
STD R4A	Standard																					
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	
STD OXK69 Expected																						
STD OXH55 Expected																						
STD GC-7 Expected																						
STD R4A Expected																						
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
BLK	Blank		<0.1	1.0	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
Prep Wash																						
G1	Prep Blank	<0.01	0.2	4.7	2.8	47	<0.1	5.3	4.5	548	1.86	<0.5	1.6	<0.5	3.6	55	<0.1	<0.1	<0.1	38	0.67	
G1	Prep Blank	<0.01	0.1	5.8	2.8	47	<0.1	5.5	4.8	552	1.92	<0.5	2.0	<0.5	4.2	63	<0.1	<0.1	0.1	38	0.62	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 02, 2009

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

VAN09003193.3

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR				
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	Cu			
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%			
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001			
STD OXH55	Standard																			1.33			
STD OXK69	Standard																				3.82		
STD OXK69	Standard																				3.66		
STD R4A	Standard																				0.499		
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5					
STD OXK69 Expected																					3.583		
STD OXH55 Expected																					1.282		
STD GC-7 Expected																					0.555		
STD R4A Expected																					0.502		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5					
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5					
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5					
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5					
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5					
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5					
BLK	Blank																				<0.01		
BLK	Blank																					<0.01	
BLK	Blank																					<0.01	
BLK	Blank																					<0.01	
BLK	Blank																					<0.01	
BLK	Blank																					<0.01	
Prep Wash																						<0.001	
G1	Prep Blank	0.081	8	12	0.61	245	0.124	<1	1.07	0.078	0.55	<0.1	<0.01	2.0	0.4	<0.05	5	<0.5	N.A.	N.A.			
G1	Prep Blank	0.083	8	11	0.63	270	0.148	<1	1.03	0.080	0.55	0.2	<0.01	2.2	0.4	<0.05	5	<0.5	N.A.	N.A.			



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
 Receiving Lab: Canada-Vancouver
 Received: July 30, 2009
 Report Date: August 13, 2009
 Page: 1 of 4

CERTIFICATE OF ANALYSIS

VAN09003241.1

CLIENT JOB INFORMATION

Project: None Given
 Shipment ID:
 P.O. Number
 Number of Samples: 70

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200	70	Crush, split and pulverize rock to 200 mesh			VAN
1DX15	70	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
 DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: None Given
 Report Date: August 13, 2009

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN09003241.1

Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09TR81 C61	Rock	0.93	1.2	12.0	1.8	49	<0.1	22.9	19.0	1377	5.78	5.8	0.3	1.2	0.9	187	<0.1	0.2	<0.1	207	5.71
MM09TR81 C62	Rock	1.41	0.3	3.5	4.5	29	<0.1	1.0	2.1	481	1.18	3.7	0.3	<0.5	2.4	17	<0.1	0.2	<0.1	6	0.33
MM09TR81 C63	Rock	1.61	0.4	45.5	1.9	48	<0.1	24.9	25.6	1053	4.62	3.8	0.4	<0.5	1.3	148	<0.1	0.2	<0.1	155	4.94
MM09TR81 C64	Rock	1.28	0.3	10.7	1.7	50	<0.1	5.9	17.6	1089	4.63	3.0	0.2	<0.5	0.7	110	<0.1	0.1	<0.1	96	3.78
MM09TR81 C65	Rock	1.49	0.2	13.9	1.8	71	<0.1	58.4	31.5	1643	5.28	5.5	0.4	<0.5	1.4	173	<0.1	0.2	<0.1	156	5.94
MM09TR81 C66	Rock	1.40	0.3	82.4	1.2	28	0.1	8.9	17.3	917	4.80	5.0	0.2	1.8	0.8	100	<0.1	<0.1	0.1	161	3.40
MM09TR81 C67	Rock	1.26	0.3	157.8	1.1	25	0.2	9.3	17.5	844	4.24	4.4	0.3	23.4	0.8	91	<0.1	0.1	0.1	135	2.75
MM09TR81 C68	Rock	1.29	0.2	343.4	0.8	25	0.3	8.8	10.5	2234	3.98	3.9	0.3	1.6	1.1	136	0.1	<0.1	<0.1	143	7.32
MM09TR81 C69	Rock	1.62	0.3	27.6	1.3	37	<0.1	28.9	14.8	1017	5.18	4.9	0.3	1.7	0.7	134	<0.1	0.2	<0.1	202	3.66
MM09TR81 C70	Rock	1.33	0.3	86.0	0.9	24	<0.1	8.5	20.9	901	4.49	4.2	0.2	2.4	0.7	96	0.6	<0.1	<0.1	162	2.97
MM09TR81 C71	Rock	1.64	0.3	386.4	2.2	25	0.4	10.3	38.3	846	5.18	5.0	0.3	4.3	0.8	68	<0.1	0.1	0.2	181	2.03
MM09TR81 C72	Rock	1.13	0.2	1179	0.5	28	0.5	9.0	12.3	932	4.76	4.8	0.3	<0.5	0.9	88	0.2	<0.1	<0.1	186	2.35
MM09TR81 C73	Rock	1.47	0.3	716.2	1.0	26	0.3	9.9	25.6	890	5.04	4.5	0.2	2.4	1.0	76	<0.1	0.1	0.1	164	2.34
MM09TR81 C74	Rock	1.14	0.1	117.1	0.9	28	0.1	11.9	16.5	1051	4.83	4.2	0.3	1.7	1.0	98	<0.1	<0.1	<0.1	179	3.93
MM09TR81 C75	Rock	1.29	1.4	118.1	0.9	24	<0.1	10.3	8.0	905	4.14	5.9	0.3	1.0	0.9	84	<0.1	0.1	<0.1	159	4.84
MM09TR81 C76	Rock	1.22	0.3	260.6	1.1	26	<0.1	10.5	14.6	877	4.41	4.9	0.3	0.6	0.9	104	0.1	0.2	<0.1	175	3.78
MM09TR81 C77	Rock	1.19	0.4	285.5	1.5	22	0.2	10.2	7.6	790	3.74	3.9	0.3	0.7	0.8	98	0.2	0.2	<0.1	135	3.70
MM09TR81 C78	Rock	1.57	0.2	66.2	0.9	24	<0.1	9.8	15.4	841	3.96	4.4	0.3	1.5	0.9	101	<0.1	0.2	<0.1	160	4.08
MM09TR81 C79	Rock	1.88	0.6	292.9	1.0	24	<0.1	9.0	7.7	810	3.71	3.9	0.4	<0.5	0.9	107	<0.1	0.2	<0.1	148	4.30
MM09TR81 C80	Rock	1.39	2.8	394.5	2.3	32	0.1	12.2	24.3	967	4.16	4.9	0.3	<0.5	1.0	93	0.2	0.2	<0.1	175	3.56
MM09TR81 C81	Rock	1.11	0.2	161.1	1.1	24	<0.1	7.7	15.0	809	3.85	4.5	0.3	<0.5	0.9	96	<0.1	0.2	<0.1	155	3.90
MM09TR81 C82	Rock	1.14	3.3	18.0	1.6	24	<0.1	12.6	76.9	726	4.73	4.7	0.3	2.0	0.8	68	<0.1	0.2	0.3	154	2.28
MM09TR81 C83	Rock	0.71	1.6	107.8	1.7	27	<0.1	12.7	44.6	770	4.73	4.9	0.4	1.6	1.0	66	0.2	0.2	0.2	165	1.92
MM09TR81 C84	Rock	0.72	0.2	133.6	1.2	21	<0.1	10.2	30.4	709	3.66	4.5	0.4	<0.5	1.2	84	0.2	0.2	<0.1	144	3.21
MM09TR81 C85	Rock	0.81	0.2	150.3	1.1	27	<0.1	9.7	14.4	914	4.08	5.0	0.3	<0.5	0.9	111	<0.1	0.2	<0.1	165	4.91
MM09TR82 C01	Rock	1.40	0.2	440.7	5.8	57	0.5	14.2	22.2	1550	3.79	6.5	0.4	7.0	1.1	117	0.2	0.2	0.2	152	4.47
MM09TR82 C02	Rock	1.23	0.2	187.9	4.9	53	0.4	14.6	18.5	1470	3.35	5.5	0.3	2.0	1.1	136	0.1	0.2	0.2	128	5.25
MM09TR82 C03	Rock	1.15	0.2	367.0	4.5	62	0.3	14.9	20.5	1565	3.65	9.5	0.4	5.6	1.2	121	0.2	0.2	<0.1	156	2.85
MM09TR82 C04	Rock	1.04	0.1	208.6	6.5	59	0.3	14.2	20.4	1469	3.74	8.8	0.3	24.4	1.2	146	0.3	0.3	0.2	151	3.02
MM09TR82 C05	Rock	1.03	0.2	158.2	6.2	71	0.1	15.6	21.1	1637	3.89	14.6	0.4	3.7	1.2	104	0.3	0.3	<0.1	174	2.03

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: None Given
 Report Date: August 13, 2009

Page: 2 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN09003241.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
MM09TR81 C61	Rock	0.144	8	40	2.24	47	0.006	15	2.68	0.018	0.04	<0.1	<0.01	11.8	<0.1	<0.05	11	<0.5
MM09TR81 C62	Rock	0.039	18	<1	0.13	41	0.002	4	0.46	0.044	0.23	<0.1	<0.01	1.8	<0.1	<0.05	2	<0.5
MM09TR81 C63	Rock	0.184	9	44	2.26	44	0.023	3	2.33	0.018	0.13	0.2	<0.01	6.1	<0.1	<0.05	9	<0.5
MM09TR81 C64	Rock	0.142	5	7	1.70	61	0.016	3	2.34	0.014	0.18	0.2	0.01	4.1	<0.1	<0.05	7	<0.5
MM09TR81 C65	Rock	0.204	10	116	2.84	33	0.031	2	2.51	0.017	0.09	0.3	<0.01	7.4	<0.1	<0.05	10	<0.5
MM09TR81 C66	Rock	0.150	7	19	2.30	53	0.008	3	2.39	0.020	0.09	0.2	<0.01	8.1	<0.1	0.35	10	0.7
MM09TR81 C67	Rock	0.147	6	20	2.07	38	0.011	3	2.12	0.023	0.06	0.1	<0.01	6.9	<0.1	0.29	10	0.9
MM09TR81 C68	Rock	0.156	8	24	2.05	19	0.013	<1	2.29	0.018	0.04	0.3	<0.01	7.8	<0.1	<0.05	10	<0.5
MM09TR81 C69	Rock	0.137	4	51	3.03	35	0.032	4	3.00	0.015	0.05	0.1	<0.01	9.4	<0.1	<0.05	11	<0.5
MM09TR81 C70	Rock	0.155	5	18	2.32	28	0.021	<1	2.40	0.021	0.05	0.1	<0.01	8.0	<0.1	0.17	11	<0.5
MM09TR81 C71	Rock	0.151	6	18	2.22	25	0.014	1	2.32	0.021	0.05	<0.1	<0.01	8.6	<0.1	0.53	11	1.4
MM09TR81 C72	Rock	0.153	6	21	2.68	49	0.017	1	2.69	0.025	0.06	<0.1	<0.01	8.6	<0.1	0.11	11	0.7
MM09TR81 C73	Rock	0.151	6	20	2.42	42	0.016	2	2.44	0.019	0.06	3.7	<0.01	7.2	<0.1	0.34	11	0.9
MM09TR81 C74	Rock	0.155	8	28	2.32	35	0.010	3	2.63	0.027	0.10	<0.1	<0.01	8.2	<0.1	0.07	11	0.5
MM09TR81 C75	Rock	0.158	8	25	1.65	31	0.016	3	1.85	0.022	0.08	<0.1	<0.01	6.9	<0.1	<0.05	9	<0.5
MM09TR81 C76	Rock	0.161	8	25	1.79	38	0.027	4	1.94	0.037	0.10	<0.1	<0.01	8.0	<0.1	<0.05	9	<0.5
MM09TR81 C77	Rock	0.159	8	24	1.59	26	0.024	2	1.65	0.029	0.06	0.1	<0.01	6.7	<0.1	<0.05	7	<0.5
MM09TR81 C78	Rock	0.158	8	25	1.63	29	0.029	3	1.72	0.035	0.09	<0.1	<0.01	7.9	<0.1	<0.05	8	<0.5
MM09TR81 C79	Rock	0.155	7	26	1.51	30	0.053	3	1.58	0.026	0.09	0.1	<0.01	7.3	<0.1	<0.05	7	<0.5
MM09TR81 C80	Rock	0.164	8	25	2.30	54	0.033	3	2.33	0.025	0.09	<0.1	<0.01	7.5	<0.1	<0.05	10	<0.5
MM09TR81 C81	Rock	0.160	8	25	1.56	76	0.035	3	1.67	0.036	0.10	<0.1	<0.01	8.0	<0.1	0.06	7	<0.5
MM09TR81 C82	Rock	0.160	7	23	1.91	33	0.024	2	1.82	0.024	0.05	<0.1	<0.01	6.9	<0.1	0.75	8	0.7
MM09TR81 C83	Rock	0.164	7	24	2.09	50	0.039	4	2.08	0.031	0.06	0.1	<0.01	7.3	<0.1	0.38	9	<0.5
MM09TR81 C84	Rock	0.152	7	21	1.74	40	0.033	3	1.88	0.019	0.04	<0.1	<0.01	7.1	<0.1	<0.05	8	<0.5
MM09TR81 C85	Rock	0.147	7	22	1.66	54	0.020	3	1.91	0.037	0.10	<0.1	<0.01	6.5	<0.1	<0.05	9	<0.5
MM09TR82 C01	Rock	0.196	10	26	1.71	36	0.012	8	1.89	0.018	0.09	<0.1	<0.01	5.9	<0.1	<0.05	9	<0.5
MM09TR82 C02	Rock	0.185	9	26	1.55	44	0.010	6	1.79	0.029	0.10	<0.1	<0.01	5.8	<0.1	<0.05	8	<0.5
MM09TR82 C03	Rock	0.204	9	27	2.15	29	0.014	8	2.10	0.022	0.05	<0.1	0.01	7.1	<0.1	<0.05	9	<0.5
MM09TR82 C04	Rock	0.192	9	24	2.03	32	0.009	6	2.23	0.027	0.05	<0.1	<0.01	6.1	<0.1	<0.05	9	<0.5
MM09TR82 C05	Rock	0.200	9	26	2.35	43	0.021	8	2.17	0.022	0.06	<0.1	<0.01	7.3	<0.1	<0.05	10	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: None Given
 Report Date: August 13, 2009

Page: 3 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN09003241.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09TR82 C06	Rock	1.32	0.1	32.8	4.3	58	<0.1	14.2	21.5	1505	3.94	8.3	0.4	3.5	1.1	113	0.2	0.2	<0.1	154	3.97
MM09TR82 C07	Rock	1.07	0.2	166.2	4.2	54	0.3	12.3	21.1	1272	3.93	9.0	0.3	1.2	0.9	133	0.2	0.2	0.1	109	4.35
MM09TR82 C08	Rock	0.99	0.2	73.7	4.5	50	0.1	14.9	19.6	1283	4.10	5.5	0.3	1.5	1.0	179	0.1	0.3	<0.1	136	4.97
MM09TR82 C09	Rock	1.16	0.3	42.8	2.8	45	<0.1	29.5	20.1	1419	4.06	4.3	0.2	<0.5	1.0	150	<0.1	0.2	<0.1	119	5.73
MM09TR82 C10	Rock	0.99	0.3	70.8	6.6	46	<0.1	25.7	19.3	1371	3.90	4.6	0.2	13.4	1.2	185	0.1	0.1	<0.1	114	6.50
MM09TR82 C11	Rock	0.94	0.2	88.1	28.7	66	0.2	53.9	27.8	1725	4.56	6.2	0.4	0.6	1.5	178	0.1	0.3	0.9	150	6.29
MM09TR82 C12	Rock	1.09	0.3	61.8	6.7	74	<0.1	66.6	30.8	1980	4.74	6.8	0.5	0.8	1.7	176	0.1	0.3	0.2	159	6.45
MM09TR82 C13	Rock	1.41	0.3	71.9	9.0	74	0.1	70.9	30.7	1969	4.85	8.0	0.5	2.8	1.7	171	0.2	0.3	0.3	165	6.57
MM09TR82 C14	Rock	1.19	0.2	5.0	4.2	52	<0.1	58.9	27.3	2643	4.44	6.6	0.6	2.3	1.4	224	0.1	0.2	<0.1	146	9.53
MM09TR82 C15	Rock	1.28	0.4	10.9	7.8	48	<0.1	47.0	24.1	2559	3.97	6.1	0.7	1.1	1.3	246	0.2	0.3	0.2	115	11.06
MM09TR82 C16	Rock	1.07	0.3	16.3	5.0	67	<0.1	72.0	30.3	1595	4.64	11.1	0.6	2.8	1.8	176	0.1	0.2	<0.1	161	5.47
MM09TR82 C17	Rock	1.01	0.5	625.9	6.9	57	0.3	63.0	25.8	2144	4.58	6.8	0.5	7.0	1.5	234	0.4	0.2	0.1	161	7.18
MM09TR82 C18	Rock	1.11	0.2	106.8	3.6	87	0.1	73.6	34.2	1753	5.31	6.6	0.5	1.5	1.7	133	0.3	0.2	<0.1	183	4.38
MM09TR82 C19	Rock	0.93	0.9	228.4	4.9	81	0.2	70.6	32.2	1893	5.06	9.3	0.6	9.8	1.8	166	0.4	0.3	<0.1	186	5.79
MM09TR82 C20	Rock	1.22	0.2	231.3	3.6	78	0.3	61.9	28.7	1700	4.68	6.7	0.5	50.6	1.5	174	0.2	0.2	<0.1	154	4.48
MM09TR82 C21	Rock	1.05	0.2	12.5	4.9	74	<0.1	67.0	30.5	1855	4.80	12.4	0.5	4.8	1.6	187	0.1	0.3	<0.1	162	4.56
MM09TR82 C22	Rock	1.22	0.3	30.1	4.9	70	<0.1	61.1	27.3	1613	4.79	9.1	0.6	2.5	1.6	149	0.1	0.3	<0.1	167	4.10
MM09TR82 C23	Rock	1.31	0.2	7.3	3.6	66	<0.1	60.6	29.0	1671	4.70	6.4	0.6	2.7	1.4	149	<0.1	0.2	<0.1	153	4.94
MM09TR82 C24	Rock	0.99	0.2	4.3	3.9	68	<0.1	70.7	30.4	1614	4.57	6.4	0.6	2.8	1.7	169	<0.1	0.2	<0.1	169	5.45
MM09TR82 C25	Rock	1.33	0.2	13.7	2.9	68	<0.1	15.2	12.4	1211	4.41	2.0	0.4	<0.5	0.8	92	<0.1	0.3	<0.1	99	4.30
MM09TR82 C26	Rock	1.11	0.3	34.2	2.4	59	<0.1	4.3	7.9	1126	4.34	1.5	0.3	<0.5	0.5	94	<0.1	0.2	<0.1	74	4.14
MM09TR82 C27	Rock	1.19	0.3	5.1	2.3	71	<0.1	4.7	9.3	909	4.79	2.2	0.2	4.0	0.4	69	<0.1	0.2	<0.1	74	2.67
MM09TR82 C28	Rock	0.84	0.3	5.7	3.5	62	<0.1	4.0	8.3	1077	4.34	1.8	0.3	0.9	0.5	155	<0.1	0.1	<0.1	66	3.98
MM09TR82 C29	Rock	1.21	0.2	6.2	2.3	73	<0.1	4.5	9.9	979	4.78	1.2	0.2	2.1	0.5	88	<0.1	0.1	<0.1	80	2.79
MM09TR82 C30	Rock	1.25	0.2	4.6	2.6	76	<0.1	4.6	9.4	1002	4.69	1.4	0.2	1.6	0.5	96	<0.1	0.1	<0.1	71	2.50
MM09TR82 C31	Rock	0.82	0.3	3.8	3.0	53	<0.1	4.2	15.7	1030	3.82	2.5	0.2	<0.5	0.6	142	<0.1	0.2	<0.1	71	4.48
MM09TR82 C32	Rock	1.14	0.3	1.8	2.4	62	<0.1	4.3	16.1	1100	3.78	2.2	0.2	<0.5	0.6	110	<0.1	0.1	<0.1	78	3.99
MM09TR82 C33	Rock	1.22	0.4	7.7	2.4	54	<0.1	4.7	14.4	1160	4.00	1.2	0.1	<0.5	0.6	116	<0.1	0.1	<0.1	62	6.34
MM09TR82 C34	Rock	0.93	0.9	9.9	2.8	139	<0.1	9.5	41.2	1681	9.61	8.0	0.3	1.4	0.6	50	<0.1	<0.1	<0.1	109	2.20
MM09TR82 C35	Rock	1.27	0.3	3.3	2.3	65	<0.1	8.3	24.6	1149	5.38	1.5	0.2	<0.5	0.6	109	<0.1	0.1	<0.1	89	4.88

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: None Given
 Report Date: August 13, 2009

Page: 3 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN09003241.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5
MM09TR82 C06	Rock	0.184	9	25	1.84	41	0.016	5	2.00	0.035	0.11	<0.1	<0.01	5.4	<0.1	<0.05	8	<0.5
MM09TR82 C07	Rock	0.168	8	20	1.71	43	0.013	4	2.04	0.016	0.15	<0.1	<0.01	4.2	<0.1	<0.05	7	<0.5
MM09TR82 C08	Rock	0.185	9	26	1.73	275	0.019	7	2.13	0.024	0.16	<0.1	<0.01	6.3	<0.1	<0.05	8	<0.5
MM09TR82 C09	Rock	0.163	8	48	2.05	42	0.030	5	2.21	0.017	0.11	<0.1	<0.01	4.9	<0.1	<0.05	8	<0.5
MM09TR82 C10	Rock	0.167	9	44	1.85	36	0.010	5	2.12	0.013	0.12	<0.1	<0.01	4.9	<0.1	<0.05	8	<0.5
MM09TR82 C11	Rock	0.200	10	96	2.44	43	0.019	6	2.44	0.015	0.11	<0.1	<0.01	6.5	<0.1	<0.05	9	<0.5
MM09TR82 C12	Rock	0.206	10	126	2.95	33	0.022	6	2.66	0.009	0.06	<0.1	<0.01	6.4	<0.1	<0.05	10	<0.5
MM09TR82 C13	Rock	0.221	11	130	3.10	40	0.020	5	2.80	0.009	0.07	<0.1	<0.01	7.1	<0.1	<0.05	9	<0.5
MM09TR82 C14	Rock	0.198	14	119	3.05	54	0.008	7	2.69	0.008	0.04	<0.1	<0.01	6.7	<0.1	<0.05	9	<0.5
MM09TR82 C15	Rock	0.169	14	88	2.20	63	0.007	7	2.24	0.006	0.06	<0.1	<0.01	6.9	<0.1	<0.05	8	<0.5
MM09TR82 C16	Rock	0.234	12	144	3.24	42	0.008	8	2.91	0.011	0.05	<0.1	<0.01	6.9	<0.1	<0.05	10	<0.5
MM09TR82 C17	Rock	0.210	13	130	2.82	71	0.015	6	2.56	0.010	0.06	<0.1	<0.01	7.8	<0.1	<0.05	10	0.5
MM09TR82 C18	Rock	0.228	12	150	3.16	42	0.017	5	2.85	0.015	0.09	<0.1	<0.01	7.2	<0.1	<0.05	11	<0.5
MM09TR82 C19	Rock	0.223	12	142	3.03	53	0.020	4	2.61	0.017	0.05	<0.1	<0.01	7.7	<0.1	<0.05	10	<0.5
MM09TR82 C20	Rock	0.215	11	122	3.46	53	0.015	7	2.81	0.013	0.09	<0.1	<0.01	7.2	<0.1	<0.05	10	<0.5
MM09TR82 C21	Rock	0.232	12	141	4.06	51	0.018	6	3.18	0.014	0.06	<0.1	0.01	8.3	<0.1	<0.05	10	<0.5
MM09TR82 C22	Rock	0.227	12	122	3.57	45	0.021	7	2.72	0.008	0.07	<0.1	<0.01	8.2	<0.1	<0.05	9	<0.5
MM09TR82 C23	Rock	0.212	11	122	3.30	56	0.014	4	2.78	0.012	0.08	<0.1	<0.01	7.5	<0.1	<0.05	9	<0.5
MM09TR82 C24	Rock	0.224	12	136	3.12	50	0.017	6	2.65	0.017	0.05	<0.1	<0.01	7.3	<0.1	<0.05	9	<0.5
MM09TR82 C25	Rock	0.156	8	20	1.77	53	0.022	4	2.02	0.012	0.20	<0.1	<0.01	2.7	<0.1	<0.05	7	<0.5
MM09TR82 C26	Rock	0.132	6	3	1.44	96	0.023	4	1.78	0.010	0.23	0.1	<0.01	2.0	<0.1	<0.05	6	<0.5
MM09TR82 C27	Rock	0.136	5	2	1.57	86	0.021	7	1.95	0.008	0.24	<0.1	<0.01	2.1	<0.1	<0.05	5	<0.5
MM09TR82 C28	Rock	0.135	6	3	1.33	106	0.023	4	1.75	0.014	0.25	<0.1	<0.01	2.2	<0.1	<0.05	5	<0.5
MM09TR82 C29	Rock	0.140	5	2	1.64	77	0.023	5	1.99	0.011	0.20	0.1	<0.01	2.3	<0.1	<0.05	6	<0.5
MM09TR82 C30	Rock	0.144	5	3	1.69	96	0.015	5	2.11	0.009	0.21	<0.1	<0.01	2.2	<0.1	<0.05	6	<0.5
MM09TR82 C31	Rock	0.149	5	5	1.44	68	0.019	6	2.11	0.015	0.24	<0.1	<0.01	3.4	<0.1	<0.05	5	<0.5
MM09TR82 C32	Rock	0.160	5	3	1.76	61	0.015	5	2.27	0.017	0.19	<0.1	<0.01	3.8	<0.1	<0.05	6	<0.5
MM09TR82 C33	Rock	0.122	8	7	1.33	68	0.006	3	2.22	0.013	0.19	<0.1	<0.01	3.8	<0.1	<0.05	6	<0.5
MM09TR82 C34	Rock	0.084	5	21	2.24	202	0.006	5	4.55	0.010	0.23	0.1	<0.01	6.3	<0.1	<0.05	10	<0.5
MM09TR82 C35	Rock	0.075	6	13	1.92	187	0.010	4	3.08	0.014	0.17	<0.1	<0.01	5.1	<0.1	<0.05	8	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: None Given
 Report Date: August 13, 2009

Page: 4 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN09003241.1

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
MM09TR83 T1	Rock	2.36	0.6	79.4	5.5	42	<0.1	11.5	12.0	641	2.73	4.3	0.7	4.5	2.7	82	0.1	0.3	<0.1	79	2.35
MM09TR83 T2	Rock	2.53	0.4	75.3	5.4	41	<0.1	11.3	10.9	635	2.63	3.2	0.5	3.8	2.0	67	<0.1	0.2	0.1	67	2.12
MM09TR83 T3	Rock	2.79	0.4	89.0	6.4	44	<0.1	7.7	8.9	585	2.49	3.3	0.6	2.1	2.5	62	0.1	0.2	<0.1	56	1.50
MM09TR83 T4	Rock	2.37	0.5	63.3	5.7	42	<0.1	8.4	10.3	683	2.81	3.3	0.5	2.3	2.1	73	0.1	0.2	<0.1	62	1.93
MM09TR83 T5	Rock	2.32	0.5	51.0	4.7	43	<0.1	10.4	15.3	780	3.38	3.2	0.6	2.3	1.5	124	<0.1	0.2	<0.1	88	3.30
MM09TR83 T6	Rock	1.81	0.4	19.6	3.5	41	<0.1	16.4	24.2	1073	4.83	2.8	0.5	0.9	1.5	189	<0.1	0.2	<0.1	151	5.28
MM09TR83 R7	Rock	1.95	0.2	5.7	3.3	32	<0.1	15.3	25.2	1214	5.03	3.0	0.3	0.6	0.7	221	<0.1	0.2	<0.1	152	6.25
MM09TR83 R8	Rock	1.99	<0.1	10.6	2.7	33	<0.1	12.4	19.2	1196	3.89	4.1	0.2	1.6	1.0	220	<0.1	0.1	<0.1	116	6.15
MM09TR83 R9	Rock	2.10	<0.1	46.2	3.9	34	<0.1	13.1	18.2	1394	3.60	4.1	0.5	0.6	1.1	188	0.1	0.2	<0.1	118	7.20
MM09TR83 R10	Rock	1.34	0.1	248.3	3.1	37	0.4	13.4	18.3	1078	3.49	3.3	0.3	30.2	1.1	145	<0.1	0.1	0.2	121	3.94



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: None Given
 Report Date: August 13, 2009

Page: 4 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN09003241.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
MM09TR83 T1	Rock	0.092	10	20	0.95	88	0.053	4	1.39	0.044	0.14	0.1	<0.01	3.7	<0.1	<0.05	5	<0.5
MM09TR83 T2	Rock	0.094	8	19	0.94	88	0.047	3	1.15	0.032	0.10	0.1	<0.01	3.7	<0.1	<0.05	4	<0.5
MM09TR83 T3	Rock	0.088	9	13	0.79	88	0.038	2	1.04	0.032	0.12	0.2	0.02	3.1	<0.1	<0.05	4	<0.5
MM09TR83 T4	Rock	0.094	9	13	0.84	113	0.036	4	1.21	0.024	0.13	0.2	0.02	3.6	<0.1	<0.05	4	<0.5
MM09TR83 T5	Rock	0.098	7	20	1.43	104	0.039	3	1.62	0.028	0.10	<0.1	<0.01	5.2	<0.1	<0.05	6	<0.5
MM09TR83 T6	Rock	0.114	7	33	2.28	71	0.025	4	2.51	0.024	0.11	<0.1	<0.01	8.3	<0.1	<0.05	8	<0.5
MM09TR83 R7	Rock	0.127	6	25	2.31	59	0.016	3	2.57	0.020	0.12	<0.1	<0.01	8.0	<0.1	<0.05	9	<0.5
MM09TR83 R8	Rock	0.181	8	21	1.86	44	0.014	2	2.09	0.025	0.13	<0.1	<0.01	5.1	<0.1	<0.05	8	<0.5
MM09TR83 R9	Rock	0.186	9	21	1.72	35	0.021	3	1.96	0.030	0.13	<0.1	<0.01	5.3	<0.1	<0.05	7	<0.5
MM09TR83 R10	Rock	0.173	7	22	1.90	54	0.022	2	1.87	0.030	0.08	<0.1	0.01	5.8	<0.1	<0.05	8	<0.5



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: None Given
 Report Date: August 13, 2009

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN09003241.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
MM09TR81 C65	Rock	1.49	0.2	13.9	1.8	71	<0.1	58.4	31.5	1643	5.28	5.5	0.4	<0.5	1.4	173	<0.1	0.2	<0.1	156	5.94
REP MM09TR81 C65	QC		0.2	12.9	1.8	70	<0.1	56.1	30.7	1598	5.12	5.4	0.4	<0.5	1.3	163	<0.1	0.3	<0.1	150	5.75
MM09TR82 C35	Rock	1.27	0.3	3.3	2.3	65	<0.1	8.3	24.6	1149	5.38	1.5	0.2	<0.5	0.6	109	<0.1	0.1	<0.1	89	4.88
REP MM09TR82 C35	QC		0.3	3.0	2.3	65	<0.1	8.1	24.5	1145	5.39	1.7	0.2	<0.5	0.6	106	<0.1	0.1	<0.1	88	4.85
Reference Materials																					
STD DS7	Standard		19.0	108.0	72.8	387	0.8	55.3	9.2	634	2.42	52.1	4.9	58.7	4.5	80	6.4	6.4	5.1	78	0.95
STD DS7	Standard		20.8	110.5	74.8	404	0.8	55.4	9.5	661	2.49	53.5	5.1	62.2	4.7	83	6.6	6.9	5.3	81	0.99
STD DS7	Standard		21.3	107.6	69.0	395	0.8	56.7	9.6	625	2.42	51.3	5.0	74.2	4.3	73	6.2	5.9	4.6	82	0.97
STD DS7	Standard		20.4	104.5	68.6	365	0.8	55.2	9.7	606	2.35	49.8	4.9	88.8	4.2	70	6.0	5.5	4.4	80	0.94
STD DS7	Standard		20.7	108.1	64.1	395	0.8	56.6	9.5	631	2.44	50.5	4.6	73.4	4.1	69	6.0	5.7	4.4	81	0.95
STD DS7	Standard		20.0	105.6	58.8	379	0.8	56.1	9.3	616	2.42	48.8	4.3	54.0	3.8	66	5.7	5.3	4.1	82	0.97
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.2	3.5	5.7	47	<0.1	4.9	4.9	563	1.95	1.6	1.6	<0.5	3.4	50	<0.1	<0.1	0.1	39	0.54
G1	Prep Blank	<0.01	0.1	5.2	6.4	49	<0.1	5.3	4.9	577	2.02	1.3	1.9	<0.5	3.7	54	<0.1	<0.1	<0.1	40	0.53



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: None Given
 Report Date: August 13, 2009

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN09003241.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																		
MM09TR81 C65	Rock	0.204	10	116	2.84	33	0.031	2	2.51	0.017	0.09	0.3	<0.01	7.4	<0.1	<0.05	10	<0.5
REP MM09TR81 C65	QC	0.194	10	114	2.78	32	0.028	3	2.45	0.018	0.08	0.3	<0.01	7.3	<0.1	<0.05	10	<0.5
MM09TR82 C35	Rock	0.075	6	13	1.92	187	0.010	4	3.08	0.014	0.17	<0.1	<0.01	5.1	<0.1	<0.05	8	<0.5
REP MM09TR82 C35	QC	0.077	5	13	1.92	190	0.010	3	3.05	0.013	0.18	<0.1	<0.01	5.3	<0.1	<0.05	8	<0.5
Reference Materials																		
STD DS7	Standard	0.083	13	192	1.03	412	0.118	40	1.04	0.097	0.45	4.0	0.18	2.4	4.4	0.19	5	3.2
STD DS7	Standard	0.082	13	201	1.07	429	0.123	40	1.07	0.106	0.45	3.9	0.20	2.5	4.5	0.19	5	4.1
STD DS7	Standard	0.079	13	211	1.06	402	0.119	40	1.04	0.091	0.40	4.0	0.20	2.3	4.1	0.19	5	3.8
STD DS7	Standard	0.079	12	203	1.00	383	0.114	37	1.01	0.094	0.42	3.7	0.20	2.3	4.1	0.19	5	3.7
STD DS7	Standard	0.072	12	212	1.04	421	0.115	38	1.05	0.095	0.46	3.8	0.18	2.1	3.9	0.19	5	3.6
STD DS7	Standard	0.072	12	210	1.06	386	0.115	37	1.07	0.095	0.45	3.8	0.16	2.2	3.7	0.20	5	3.5
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																		
G1	Prep Blank	0.081	7	10	0.61	265	0.130	<1	1.00	0.065	0.54	1.3	0.03	1.8	0.4	<0.05	5	<0.5
G1	Prep Blank	0.085	7	10	0.62	273	0.130	<1	1.02	0.076	0.56	1.9	0.02	1.8	0.4	<0.05	5	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
 Receiving Lab: Canada-Vancouver
 Received: August 04, 2009
 Report Date: August 10, 2009
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN09003333.1

CLIENT JOB INFORMATION

Project: Miner Mountain
 Shipment ID:
 P.O. Number
 Number of Samples: 11

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200	11	Crush, split and pulverize rock to 200 mesh			VAN
1DX15	11	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 10, 2009

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

VAN09003333.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09TR85 C33	Rock	0.81	0.7	86.1	1.0	66	<0.1	26.7	29.1	1139	5.15	23.7	0.3	2.8	0.6	96	0.1	0.6	<0.1	167	2.87
MM09TR85 C34	Rock	1.15	2.4	116.3	4.7	100	0.1	29.5	32.6	1256	6.56	69.7	0.3	4.0	0.7	74	0.2	2.3	<0.1	256	1.27
MM09TR85 C35	Rock	1.22	5.7	117.5	17.5	106	0.3	25.8	25.9	903	6.01	59.7	0.3	8.8	0.9	75	0.5	0.9	<0.1	167	2.27
MM09TR85 C35A	Rock	1.06	1.3	74.8	5.1	79	0.1	30.1	30.0	1532	6.92	24.0	0.2	5.0	0.6	88	0.1	0.6	<0.1	227	3.51
MM09TR85 C36	Rock	0.95	1.4	119.3	5.3	75	1.5	46.2	25.0	1493	6.19	49.4	0.3	127.2	0.9	135	0.1	0.6	0.1	180	5.57
MM09TR85 C37	Rock	1.18	1.2	133.5	16.5	153	0.5	22.7	18.5	1479	6.53	36.8	0.2	5.0	1.0	44	0.5	0.6	0.2	197	1.61
MM09TR85 C38	Rock	1.22	1.5	147.7	4.3	76	<0.1	30.6	30.0	1287	6.16	37.7	0.3	4.8	1.1	85	0.2	1.0	<0.1	249	2.78
MM09TR85 C39	Rock	0.85	1.0	156.0	4.2	76	0.1	20.5	27.1	1313	6.39	55.3	0.3	3.8	1.0	107	<0.1	1.5	0.1	252	2.93
MM09TR85 C40	Rock	1.20	1.3	122.3	7.7	71	<0.1	46.9	29.1	938	5.30	82.1	0.6	1.1	1.1	64	0.1	2.6	<0.1	224	1.51
MM09TR85 C41	Rock	0.91	2.1	128.7	3.4	73	<0.1	40.6	30.8	1073	5.60	93.1	0.4	2.9	1.1	72	0.1	3.5	<0.1	228	1.80
MM09TR85 C42	Rock	0.94	1.3	127.1	4.0	60	<0.1	35.4	28.8	911	4.53	87.1	0.4	1.4	0.9	127	<0.1	7.0	<0.1	143	1.69



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: August 10, 2009

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

VAN09003333.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
MM09TR85 C33	Rock	0.121	3	95	3.13	182	0.138	<1	2.98	0.025	0.04	<0.1	<0.01	14.5	<0.1	0.09	8	<0.5
MM09TR85 C34	Rock	0.144	4	97	3.22	341	0.055	1	3.41	0.064	0.04	<0.1	0.01	15.6	<0.1	0.26	12	0.7
MM09TR85 C35	Rock	0.135	5	75	1.96	294	0.004	2	2.78	0.024	0.13	<0.1	<0.01	11.0	<0.1	0.14	10	0.7
MM09TR85 C35A	Rock	0.130	5	113	2.45	364	0.005	2	3.48	0.026	0.07	<0.1	<0.01	16.7	<0.1	0.06	11	0.5
MM09TR85 C36	Rock	0.171	6	161	2.94	608	0.009	3	3.51	0.021	0.12	<0.1	<0.01	14.7	<0.1	0.14	11	0.6
MM09TR85 C37	Rock	0.159	5	73	2.95	88	0.010	2	3.82	0.030	0.12	<0.1	<0.01	12.8	<0.1	0.08	12	0.7
MM09TR85 C38	Rock	0.205	5	117	2.87	83	0.065	2	3.34	0.071	0.44	0.1	<0.01	16.2	0.2	0.42	12	0.8
MM09TR85 C39	Rock	0.232	7	71	2.67	85	0.031	<1	3.53	0.096	0.33	0.1	0.01	15.3	<0.1	0.18	12	1.1
MM09TR85 C40	Rock	0.150	5	153	2.53	58	0.134	2	2.75	0.086	0.23	<0.1	0.01	14.9	0.2	0.09	10	0.6
MM09TR85 C41	Rock	0.168	5	132	2.54	112	0.136	3	3.07	0.095	0.42	0.1	0.01	14.1	0.3	0.14	11	0.6
MM09TR85 C42	Rock	0.144	3	115	2.14	110	0.154	<1	3.37	0.236	0.42	0.1	<0.01	6.2	0.3	0.29	10	0.9



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

211 - 744 W. Hastings St.

Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: August 10, 2009

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN09003333.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
MM09TR85 C40	Rock	1.20	1.3	122.3	7.7	71	<0.1	46.9	29.1	938	5.30	82.1	0.6	1.1	1.1	64	0.1	2.6	<0.1	224	1.51
REP MM09TR85 C40	QC		1.4	129.9	9.8	75	0.1	46.3	30.4	917	5.42	84.4	0.5	2.2	1.2	66	0.1	2.5	<0.1	228	1.55
Reference Materials																					
STD DS7	Standard		19.6	97.8	72.4	381	0.8	55.1	9.9	661	2.39	51.7	5.3	66.9	4.7	64	6.2	5.0	4.1	80	0.95
STD DS7	Standard		22.0	100.9	78.8	402	0.9	57.0	9.8	644	2.46	54.6	5.5	64.3	5.2	71	6.8	5.5	4.3	83	0.98
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.2	2.1	2.7	44	<0.1	4.1	4.5	548	1.93	<0.5	1.7	1.1	4.2	48	<0.1	<0.1	<0.1	39	0.51
G1	Prep Blank	<0.01	0.1	2.7	5.3	47	<0.1	4.3	4.5	575	1.95	<0.5	1.7	0.6	3.9	45	<0.1	<0.1	<0.1	39	0.51



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: August 10, 2009

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN09003333.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																		
MM09TR85 C40	Rock	0.150	5	153	2.53	58	0.134	2	2.75	0.086	0.23	<0.1	0.01	14.9	0.2	0.09	10	0.6
REP MM09TR85 C40	QC	0.158	5	153	2.62	60	0.137	2	2.82	0.091	0.22	0.1	0.02	14.5	0.2	0.10	11	0.8
Reference Materials																		
STD DS7	Standard	0.082	12	199	1.02	412	0.111	42	1.00	0.100	0.47	3.8	0.18	2.4	3.9	0.19	5	3.5
STD DS7	Standard	0.078	13	201	1.04	433	0.115	44	1.03	0.098	0.45	3.8	0.18	2.5	4.3	0.19	5	3.6
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																		
G1	Prep Blank	0.093	7	9	0.59	252	0.112	<1	0.96	0.081	0.55	<0.1	<0.01	1.8	0.4	<0.05	5	<0.5
G1	Prep Blank	0.085	6	9	0.62	274	0.116	<1	0.95	0.057	0.58	<0.1	<0.01	1.9	0.4	<0.05	4	<0.5



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
 Receiving Lab: Canada-Vancouver
 Received: August 27, 2009
 Report Date: September 14, 2009
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN09003878.1

CLIENT JOB INFORMATION

Project: Miner Mountain
 Shipment ID:
 P.O. Number
 Number of Samples: 22

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200	22	Crush, split and pulverize rock to 200 mesh			VAN
1DX2	22	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 14, 2009

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

VAN09003878.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09TR86 C01	Rock		7.7	333.6	4.1	37	0.3	9.2	16.4	801	3.44	12.1	0.4	31.2	1.0	133	0.3	0.2	0.1	81	8.61
MM09TR86 C02	Rock		6.6	116.5	3.0	31	0.1	5.7	12.1	811	3.19	13.0	0.5	36.1	0.9	223	0.2	0.2	<0.1	90	12.00
MM09TR86 C03	Rock		2.2	123.4	2.1	32	<0.1	6.5	9.5	957	2.98	9.1	0.3	14.4	0.8	201	<0.1	0.2	<0.1	82	9.10
MM09TR86 C04	Rock		4.1	92.0	2.3	37	<0.1	8.8	18.7	961	3.41	7.8	0.2	12.8	0.9	150	<0.1	0.1	0.1	78	7.93
MM09TR86 C05	Rock		5.5	146.7	2.7	54	0.1	8.9	27.5	937	3.99	15.0	0.4	11.8	1.0	111	<0.1	0.2	0.1	82	5.98
MM09TR86 C06	Rock		7.9	190.6	3.3	34	0.2	8.6	13.5	835	3.80	16.5	0.4	26.6	0.8	136	0.1	0.2	0.2	104	8.98
MM09TR86 C07	Rock		2.2	185.6	2.4	36	0.1	11.2	45.8	1068	3.61	17.8	0.2	26.4	0.9	156	<0.1	0.2	0.3	93	7.65
MM09TR86 C08	Rock		6.9	233.4	5.1	41	0.2	9.6	20.6	924	3.87	28.6	0.4	18.2	0.9	126	0.2	0.3	0.2	99	6.47
MM09TR86 C09	Rock		4.5	173.3	5.8	48	0.3	18.3	31.7	1222	5.00	23.5	0.2	24.0	0.6	211	0.3	0.2	0.3	130	9.42
MM09TR86 C10	Rock		4.5	198.2	6.8	52	0.3	17.7	24.1	1058	5.13	18.5	0.3	17.6	0.6	240	0.2	0.2	0.3	130	7.59
MM09TR86 C11	Rock		3.3	197.8	5.4	63	0.2	8.2	10.0	744	3.93	16.2	0.5	10.9	1.0	143	0.3	0.2	<0.1	157	6.87
MM09TR86 C12	Rock		9.0	42.8	2.6	35	<0.1	10.3	23.8	759	5.13	9.6	0.3	3.6	1.1	81	<0.1	0.2	0.2	173	3.67
MM09TR86 C13	Rock		1.5	90.7	3.2	36	0.1	9.2	15.3	730	4.75	12.3	0.3	9.0	0.9	67	<0.1	0.2	0.3	152	3.81
MM09TR86 C14	Rock		3.4	184.0	2.3	28	0.1	8.6	12.1	689	4.31	9.1	0.3	23.5	1.0	105	<0.1	0.1	<0.1	178	4.57
MM09TR86 C15	Rock		3.4	118.8	3.4	58	0.2	2.4	10.6	639	3.83	7.8	0.3	216.4	1.0	58	0.2	0.2	0.4	71	3.49
MM09TR86 C16	Rock		1.6	86.7	4.4	52	0.3	2.5	8.2	986	3.98	4.9	0.2	310.3	0.9	45	0.1	0.3	1.0	68	3.39
MM09TR86 C17	Rock		1.8	67.7	2.5	60	0.1	2.0	12.0	714	3.84	4.8	0.3	274.7	1.0	42	0.3	0.2	0.3	74	2.70
MM09TR86 C18	Rock		2.2	67.8	2.9	82	0.1	2.6	11.2	628	3.98	3.7	0.3	121.6	1.0	45	0.5	0.1	0.4	79	2.27
MM09TR86 C19	Rock		4.8	153.4	3.9	67	0.1	5.7	16.8	702	4.07	14.2	0.5	68.6	1.1	89	0.4	0.3	0.2	105	3.07
MM09TR86 C20	Rock		0.8	355.6	5.3	70	1.0	1.9	12.5	746	4.95	13.7	0.5	805.8	1.2	104	0.5	0.5	7.0	76	1.67
MM09TR86 C21	Rock		10.2	253.4	4.9	46	0.3	5.2	16.7	710	4.23	15.6	0.5	18.8	0.5	142	0.3	0.2	0.1	156	7.23
MM09TR86 C22	Rock		26.1	391.4	6.7	44	0.6	12.7	23.6	983	5.73	17.5	0.6	28.8	0.4	140	0.5	0.3	0.1	172	10.96



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 14, 2009

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

VAN09003878.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5
MM09TR86 C01	Rock	0.141	14	13	1.17	54	0.004	9	1.58	0.011	0.18	<0.1	<0.01	3.6	<0.1	<0.05	5	<0.5
MM09TR86 C02	Rock	0.130	13	9	1.10	82	0.003	10	1.49	0.009	0.18	<0.1	<0.01	3.9	<0.1	0.11	6	<0.5
MM09TR86 C03	Rock	0.144	11	13	1.20	58	0.003	8	1.59	0.006	0.19	<0.1	<0.01	3.2	<0.1	<0.05	5	<0.5
MM09TR86 C04	Rock	0.157	11	15	1.09	72	0.003	8	1.58	0.006	0.25	<0.1	<0.01	3.7	<0.1	0.08	4	<0.5
MM09TR86 C05	Rock	0.175	10	14	1.33	50	0.003	11	1.87	0.006	0.24	<0.1	<0.01	3.6	<0.1	<0.05	6	<0.5
MM09TR86 C06	Rock	0.144	10	12	1.07	57	0.005	9	1.47	0.015	0.18	<0.1	<0.01	4.7	<0.1	0.10	6	<0.5
MM09TR86 C07	Rock	0.147	10	14	1.35	47	0.003	7	1.64	0.009	0.14	<0.1	<0.01	4.1	<0.1	0.22	6	<0.5
MM09TR86 C08	Rock	0.153	11	14	1.16	63	0.003	10	1.57	0.013	0.19	<0.1	<0.01	4.0	<0.1	0.28	5	<0.5
MM09TR86 C09	Rock	0.135	8	36	1.26	60	0.020	10	1.92	0.016	0.13	<0.1	<0.01	7.3	<0.1	0.25	7	<0.5
MM09TR86 C10	Rock	0.131	8	31	1.31	39	0.017	8	1.88	0.015	0.10	<0.1	<0.01	6.7	<0.1	0.16	7	<0.5
MM09TR86 C11	Rock	0.140	8	21	1.28	176	0.019	5	1.58	0.024	0.06	<0.1	<0.01	6.1	<0.1	<0.05	8	<0.5
MM09TR86 C12	Rock	0.169	10	13	1.68	37	0.005	8	2.02	0.027	0.09	<0.1	<0.01	7.3	<0.1	0.44	10	<0.5
MM09TR86 C13	Rock	0.166	11	14	1.34	35	0.006	8	1.74	0.026	0.11	<0.1	<0.01	6.8	<0.1	0.09	9	<0.5
MM09TR86 C14	Rock	0.157	8	22	1.47	42	0.008	8	1.57	0.020	0.08	<0.1	<0.01	8.0	<0.1	<0.05	9	<0.5
MM09TR86 C15	Rock	0.060	4	2	0.82	55	0.004	9	1.27	0.033	0.13	<0.1	<0.01	5.2	<0.1	0.07	5	<0.5
MM09TR86 C16	Rock	0.047	4	2	1.04	50	0.003	5	1.47	0.028	0.12	<0.1	<0.01	8.0	<0.1	0.30	5	<0.5
MM09TR86 C17	Rock	0.053	3	2	1.00	36	0.005	9	1.49	0.035	0.08	<0.1	<0.01	8.4	<0.1	<0.05	6	<0.5
MM09TR86 C18	Rock	0.050	4	<1	0.61	138	0.003	10	1.16	0.033	0.09	<0.1	<0.01	6.8	<0.1	<0.05	5	<0.5
MM09TR86 C19	Rock	0.095	7	8	0.84	106	0.010	12	1.23	0.030	0.12	<0.1	<0.01	7.0	<0.1	<0.05	5	<0.5
MM09TR86 C20	Rock	0.049	5	6	0.49	68	0.002	19	1.10	0.020	0.16	<0.1	0.03	10.3	<0.1	<0.05	4	<0.5
MM09TR86 C21	Rock	0.131	6	10	1.28	60	0.011	9	1.82	0.027	0.09	<0.1	<0.01	6.8	<0.1	0.13	8	<0.5
MM09TR86 C22	Rock	0.118	7	27	1.48	47	0.017	10	1.88	0.012	0.12	<0.1	<0.01	7.5	<0.1	0.24	7	<0.5



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: September 14, 2009

Page: 1 of 1 **Part** 1

QUALITY CONTROL REPORT

VAN09003878.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Reference Materials																				
STD DS7	Standard	21.6	109.3	66.6	377	0.8	56.1	9.6	627	2.43	49.4	4.9	62.7	4.7	72	5.9	5.2	4.7	84	0.93
STD DS7	Standard	21.2	110.2	68.3	386	0.8	58.1	9.2	626	2.46	47.9	5.1	71.2	4.8	74	5.5	5.3	4.6	84	0.96
STD DS7	Standard	18.5	105.5	69.4	363	0.7	53.0	9.2	587	2.32	46.0	4.8	69.4	4.4	68	6.0	5.0	4.5	81	0.88
STD DS7	Standard	20.6	112.0	70.0	373	0.7	53.1	9.3	609	2.40	47.3	5.0	52.9	4.5	73	6.0	5.4	4.5	82	0.93
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																				
G1	Prep Blank	0.3	3.4	4.0	48	<0.1	4.0	4.6	552	1.89	1.6	2.2	<0.5	6.7	56	<0.1	0.2	0.1	38	0.49
G1	Prep Blank	0.2	2.7	3.7	44	<0.1	3.4	4.4	533	1.77	0.9	1.8	<0.5	5.2	48	<0.1	0.2	<0.1	35	0.45



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: September 14, 2009

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN09003878.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Reference Materials																		
STD DS7	Standard	0.076	13	212	1.03	408	0.126	39	1.05	0.104	0.46	3.4	0.20	2.7	4.0	0.17	4	3.0
STD DS7	Standard	0.078	14	214	1.04	397	0.137	37	1.08	0.102	0.48	3.4	0.18	2.5	3.7	0.19	4	2.3
STD DS7	Standard	0.070	11	188	0.99	381	0.115	36	0.98	0.089	0.44	3.2	0.18	2.3	3.8	0.18	4	3.0
STD DS7	Standard	0.069	12	188	1.02	390	0.123	39	1.04	0.091	0.45	3.5	0.18	2.4	4.2	0.19	5	3.5
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																		
G1	Prep Blank	0.086	12	11	0.53	187	0.125	1	0.96	0.074	0.49	0.1	<0.01	2.1	0.3	<0.05	5	<0.5
G1	Prep Blank	0.082	9	10	0.51	173	0.118	1	0.86	0.045	0.48	<0.1	<0.01	2.0	0.3	<0.05	4	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: August 31, 2009
Report Date: September 20, 2009
Page: 1 of 4

CERTIFICATE OF ANALYSIS

VAN09003918.1

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 81

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200	80	Crush, split and pulverize rock to 200 mesh			VAN
1DX2	80	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 20, 2009

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN09003918.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR87 C1	Rock	0.78	1.5	270.8	5.8	49	0.5	1.9	12.6	626	3.84	13.8	0.3	453.2	2.1	8	0.4	0.4	2.1	59	0.32
MM09 TR87 C2	Rock	1.14	1.1	182.6	3.3	49	0.2	1.8	11.0	782	3.55	9.6	0.3	168.5	1.3	26	0.1	0.3	0.5	72	1.61
MM09 TR87 C3	Rock	0.73	1.6	395.1	3.6	54	0.5	2.2	12.7	707	4.46	10.9	0.4	391.5	2.2	9	0.2	0.5	0.9	86	0.33
MM09 TR87 C4	Rock	1.55	1.2	330.7	2.7	46	0.3	2.3	9.7	697	3.40	10.0	0.4	267.4	3.2	18	0.2	0.9	0.5	69	0.80
MM09 TR87 C5	Rock	0.94	1.6	345.2	3.9	62	0.3	2.1	11.5	873	4.54	10.9	0.3	358.9	1.6	16	0.2	0.2	0.3	101	1.20
MM09 TR87 C6	Rock	1.13	5.6	158.0	5.0	54	0.2	1.6	9.8	668	3.58	6.2	0.3	119.9	1.1	16	0.2	0.2	0.5	101	1.19
MM09 TR87 C7	Rock	1.13	9.1	197.7	14.7	61	0.4	1.8	13.0	813	4.03	8.2	0.3	227.7	1.0	20	0.2	0.2	1.1	84	1.42
MM09 TR87 C8	Rock	1.03	2.2	118.4	7.6	50	0.5	1.5	9.4	631	3.89	7.0	0.2	251.7	0.8	16	0.2	0.2	1.3	75	1.12
MM09 TR87 C9	Rock	1.12	1.7	128.7	3.5	54	0.3	1.6	8.8	627	3.75	6.9	0.3	172.3	1.0	11	0.3	0.3	0.6	89	0.47
MM09 TR87 C10	Rock	0.96	1.3	207.5	3.5	50	0.2	1.5	8.4	610	3.33	6.7	0.2	165.3	1.3	11	0.2	0.4	0.3	70	0.83
MM09 TR87 C11	Rock	0.81	1.3	539.9	3.5	40	0.6	1.7	7.5	516	2.72	11.9	0.2	646.5	1.9	16	0.1	1.3	0.3	47	1.01
MM09 TR87 C12	Rock	0.94	1.2	170.4	4.3	132	0.3	1.8	13.4	804	3.87	16.4	0.3	97.3	1.0	19	1.3	0.2	0.5	86	0.99
MM09 TR87 C13	Rock	0.72	0.9	193.7	3.2	71	0.3	1.9	9.7	584	3.67	25.6	0.2	209.1	0.8	13	0.4	0.2	0.4	80	1.00
MM09 TR87 C14	Rock	1.05	2.4	356.2	2.6	34	0.5	1.4	6.1	399	2.39	9.0	0.2	506.2	1.2	12	0.2	0.5	0.4	46	0.66
MM09 TR87 C15	Rock	0.92	1.4	395.5	3.7	149	0.3	2.1	19.5	906	4.25	44.4	0.3	233.5	1.1	12	1.6	0.2	0.4	87	0.88
MM09 TR87 C16	Rock	1.30	1.7	601.6	4.1	106	0.4	1.5	12.4	627	3.10	21.9	0.2	299.6	0.8	17	1.0	0.2	0.3	63	1.19
MM09 TR87 C17	Rock	0.88	1.7	327.0	7.4	229	1.1	1.6	17.4	700	3.63	32.0	0.2	288.8	0.8	10	2.6	0.2	1.1	72	0.58
MM09 TR87 C18	Rock	0.93	1.4	313.5	3.3	111	0.4	0.5	5.2	183	0.75	9.0	0.1	205.4	0.3	10	1.4	0.1	0.6	4	0.58
MM09 TR87 C19	Rock	0.89	0.7	246.3	3.8	144	0.2	1.8	11.8	788	4.08	12.8	0.2	94.0	0.9	13	1.2	0.4	0.3	78	0.46
MM09 TR87 C20	Rock	1.02	0.5	269.5	3.3	190	0.2	1.9	11.4	897	4.77	11.0	0.3	155.7	1.0	22	0.9	0.4	<0.1	113	0.90
MM09 TR87 C21	Rock	1.16	0.3	163.0	5.1	285	0.3	2.2	12.9	1072	4.49	14.5	0.3	207.6	1.2	34	0.7	0.4	0.2	96	1.16
MM09 TR87 C22	Rock	1.06	2.8	1104	7.5	2657	1.7	2.5	11.6	1521	4.88	28.7	0.3	193.6	1.1	13	48.3	0.4	1.0	74	0.47
MM09 TR87 C23	Rock	0.78	1.2	411.8	20.6	463	2.7	1.9	10.7	1132	4.94	4571	0.3	369.8	1.1	14	3.9	2.7	6.0	73	0.61
MM09 TR87 C24	Rock	0.98	0.9	176.1	12.1	323	0.3	1.7	11.5	812	3.87	34.0	0.3	236.9	0.9	31	2.2	0.6	0.9	75	0.41
MM09 TR87 C25	Rock	1.05	0.7	203.5	5.6	506	0.3	1.8	10.7	990	4.34	32.7	0.3	77.9	1.1	20	3.4	0.5	0.8	96	0.71
MM09 TR87 C26	Rock	0.94	0.4	150.9	5.0	254	0.2	1.5	13.1	820	4.00	19.2	0.4	111.9	1.1	46	1.4	0.8	0.2	102	0.67
MM09 TR87 C27	Rock	0.70	0.4	106.8	2.5	145	0.1	1.4	13.0	702	4.12	13.8	0.3	40.8	1.0	30	0.8	0.5	<0.1	110	1.01
MM09 TR87 C28	Rock	0.73	0.4	55.1	2.5	93	0.1	1.6	13.5	683	4.25	15.3	0.3	18.0	1.1	47	0.5	0.6	0.2	114	0.68
MM09 TR87 C29	Rock	1.10	0.5	124.8	69.9	105	0.3	1.8	12.7	699	4.00	16.1	0.4	64.6	1.1	29	0.5	0.5	0.5	113	0.58
MM09 TR87 C30	Rock	1.03	0.3	43.3	2.0	113	<0.1	1.7	13.8	660	4.47	12.1	0.3	51.4	1.2	26	0.2	0.4	0.1	132	0.95

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 20, 2009

Page: 2 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN09003918.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
MM09 TR87 C1	Rock	0.042	3	2	0.57	103	0.002	12	1.23	0.022	0.14	<0.1	<0.01	4.0	<0.1	0.10	5	1.1
MM09 TR87 C2	Rock	0.045	4	2	0.72	77	0.005	8	1.17	0.035	0.08	<0.1	<0.01	6.2	<0.1	0.17	5	0.9
MM09 TR87 C3	Rock	0.044	5	3	0.96	44	0.006	4	1.32	0.040	0.05	<0.1	<0.01	7.6	<0.1	0.30	7	1.4
MM09 TR87 C4	Rock	0.041	4	4	0.86	36	0.007	6	1.21	0.035	0.07	<0.1	<0.01	4.9	<0.1	0.15	5	0.6
MM09 TR87 C5	Rock	0.047	5	4	1.22	26	0.006	6	1.58	0.035	0.05	<0.1	<0.01	7.6	<0.1	0.13	9	<0.5
MM09 TR87 C6	Rock	0.046	4	3	0.95	39	0.010	3	1.17	0.050	0.04	<0.1	<0.01	7.5	<0.1	0.08	7	<0.5
MM09 TR87 C7	Rock	0.050	4	3	1.14	57	0.006	7	1.44	0.033	0.08	<0.1	<0.01	6.6	<0.1	0.15	7	0.6
MM09 TR87 C8	Rock	0.039	3	2	1.09	48	0.005	4	1.28	0.048	0.06	<0.1	<0.01	6.8	<0.1	0.09	6	<0.5
MM09 TR87 C9	Rock	0.046	4	3	1.13	33	0.005	3	1.38	0.042	0.06	<0.1	<0.01	7.6	<0.1	<0.05	7	<0.5
MM09 TR87 C10	Rock	0.036	4	3	1.18	29	0.004	4	1.35	0.044	0.07	<0.1	<0.01	6.6	<0.1	0.06	7	<0.5
MM09 TR87 C11	Rock	0.029	3	4	0.78	28	0.003	4	1.06	0.043	0.06	<0.1	<0.01	4.9	<0.1	0.08	6	0.7
MM09 TR87 C12	Rock	0.047	4	3	1.30	21	0.005	4	1.66	0.034	0.08	<0.1	<0.01	6.7	<0.1	<0.05	8	<0.5
MM09 TR87 C13	Rock	0.037	3	3	0.87	22	0.005	4	1.21	0.042	0.07	<0.1	<0.01	5.7	<0.1	<0.05	7	<0.5
MM09 TR87 C14	Rock	0.025	4	2	0.58	19	0.003	3	0.84	0.056	0.05	<0.1	<0.01	4.5	<0.1	0.08	4	0.6
MM09 TR87 C15	Rock	0.046	5	2	0.97	37	0.004	6	1.57	0.032	0.10	<0.1	<0.01	7.5	<0.1	<0.05	8	<0.5
MM09 TR87 C16	Rock	0.021	4	3	0.58	20	0.004	7	0.94	0.058	0.05	<0.1	<0.01	4.6	<0.1	0.17	5	1.3
MM09 TR87 C17	Rock	0.037	3	3	0.81	41	0.003	4	1.35	0.030	0.15	<0.1	<0.01	5.2	<0.1	0.10	6	1.1
MM09 TR87 C18	Rock	0.006	2	<1	0.03	46	<0.001	3	0.37	0.043	0.20	<0.1	<0.01	0.7	<0.1	<0.05	<1	<0.5
MM09 TR87 C19	Rock	0.032	3	2	1.05	79	0.004	5	1.55	0.046	0.07	<0.1	0.01	6.1	<0.1	<0.05	9	<0.5
MM09 TR87 C20	Rock	0.049	5	3	1.38	37	0.011	4	1.72	0.035	0.05	<0.1	0.01	9.3	<0.1	<0.05	8	<0.5
MM09 TR87 C21	Rock	0.048	4	3	1.44	58	0.007	6	2.03	0.028	0.06	<0.1	0.03	8.7	<0.1	<0.05	8	<0.5
MM09 TR87 C22	Rock	0.046	4	5	1.33	73	0.003	5	2.26	0.013	0.21	<0.1	0.86	6.5	<0.1	0.05	8	<0.5
MM09 TR87 C23	Rock	0.048	3	2	1.27	71	0.003	6	1.99	0.017	0.22	<0.1	0.06	6.0	<0.1	0.08	7	2.5
MM09 TR87 C24	Rock	0.041	4	2	1.15	55	0.014	6	1.89	0.034	0.12	<0.1	0.02	6.4	<0.1	<0.05	7	<0.5
MM09 TR87 C25	Rock	0.048	4	3	1.22	52	0.018	4	1.78	0.035	0.09	<0.1	0.02	8.3	<0.1	<0.05	8	<0.5
MM09 TR87 C26	Rock	0.047	4	3	1.27	68	0.041	7	1.95	0.037	0.06	<0.1	0.02	8.8	<0.1	<0.05	9	<0.5
MM09 TR87 C27	Rock	0.044	4	2	1.22	36	0.036	7	1.65	0.035	0.04	<0.1	<0.01	9.1	<0.1	<0.05	8	<0.5
MM09 TR87 C28	Rock	0.051	4	2	1.34	37	0.041	9	1.90	0.038	0.05	<0.1	0.01	9.4	<0.1	<0.05	8	<0.5
MM09 TR87 C29	Rock	0.055	5	4	1.17	34	0.022	5	1.68	0.029	0.08	<0.1	0.03	8.9	<0.1	<0.05	8	<0.5
MM09 TR87 C30	Rock	0.051	4	2	1.30	34	0.031	7	1.70	0.045	0.03	<0.1	<0.01	10.2	<0.1	<0.05	9	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 20, 2009

Page: 3 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN09003918.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR87 C31	Rock	0.91	0.3	78.1	2.1	63	<0.1	1.2	11.8	808	3.77	10.0	0.3	50.5	1.0	47	0.4	0.5	0.1	112	1.90
MM09 TR87 C32	Rock	0.80	0.5	149.0	2.8	150	0.2	1.7	12.2	765	3.74	11.7	0.3	92.2	1.0	28	1.8	0.6	0.2	97	0.96
MM09 TR87 C33	Rock	1.04	1.5	429.6	4.3	46	1.9	1.7	5.8	560	3.03	8.7	0.3	270.0	0.7	11	0.6	0.4	2.3	52	0.79
MM09 TR87 C34	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
MM09 TR87 C35	Rock	0.82	1.5	345.7	4.9	51	1.6	1.3	8.7	551	5.04	17.7	0.3	327.7	0.8	18	0.4	0.5	1.8	76	0.33
MM09 TR87 C36	Rock	0.94	2.2	102.2	2.9	49	1.7	1.5	10.0	653	3.96	19.0	0.3	2361	0.9	26	0.3	0.6	3.4	94	1.14
MM09 TR87 C37	Rock	1.11	0.6	70.1	1.9	57	<0.1	1.3	11.6	772	3.84	8.7	0.3	43.6	1.0	31	0.2	0.4	<0.1	116	1.66
MM09 TR87 C38	Rock	1.07	0.7	197.5	17.5	49	0.4	1.6	9.5	714	3.35	6.1	0.4	214.4	1.1	24	0.2	0.4	0.8	85	1.38
MM09 TR87 C39	Rock	1.08	0.9	97.6	3.4	63	0.3	1.6	13.6	933	4.14	8.1	0.4	163.9	1.3	21	0.4	0.5	10.3	107	0.74
MM09 TR87 C40	Rock	1.19	0.4	1116	8.4	38	2.9	0.9	5.8	469	2.53	6.3	0.3	6497	1.0	13	0.1	0.3	35.5	74	0.85
MM09 TR87 C41	Rock	1.32	0.6	76.8	2.5	57	0.2	1.8	11.3	740	3.60	8.1	0.4	54.6	1.1	29	0.2	0.5	0.2	101	1.56
MM09 TR87 C42	Rock	0.86	1.3	90.5	7.6	60	0.4	2.2	15.1	859	4.02	9.5	0.3	87.0	1.1	25	0.4	0.5	0.6	97	0.92
MM09 TR87 C43	Rock	1.00	0.4	90.9	6.7	63	0.1	1.6	12.0	661	4.31	7.9	0.3	91.7	0.9	15	0.2	0.4	0.2	112	0.83
MM09 TR87 C44	Rock	0.96	1.2	207.0	9.9	55	1.4	5.5	12.7	771	5.19	14.0	0.3	421.4	1.0	21	0.2	0.4	1.3	160	1.06
MM09 TR87 C45	Rock	1.10	1.0	109.8	4.9	62	0.1	2.3	12.3	821	4.76	6.9	0.2	85.6	0.9	24	0.2	0.4	0.2	124	0.97
MM09 TR87 R46	Rock	1.17	0.8	111.5	3.5	59	0.3	1.8	12.8	741	4.49	8.5	0.2	137.6	1.0	23	0.4	0.7	0.8	80	1.40
MM09 TR87 R47	Rock	1.07	0.9	64.1	3.8	179	<0.1	0.8	10.3	845	3.83	3.7	0.2	27.8	0.9	49	1.6	0.1	0.1	84	3.25
MM09 TR87 R48	Rock	1.16	0.8	72.3	2.6	131	<0.1	1.6	12.9	1099	4.01	5.2	0.3	28.0	1.0	64	1.2	0.2	<0.1	82	5.10
MM09 TR87 R49	Rock	1.16	0.7	110.4	3.5	78	<0.1	2.1	13.2	871	4.16	7.8	0.6	67.0	1.1	54	1.0	2.1	0.1	98	2.41
MM09 TR87 R50	Rock	1.07	1.5	376.9	1.9	28	<0.1	9.6	30.8	728	3.52	6.7	0.1	49.6	0.7	73	0.1	0.1	0.2	111	5.60
MM09 TR87 R51	Rock	0.97	4.2	129.5	2.5	58	<0.1	6.8	26.1	952	4.67	6.0	0.1	31.8	0.5	52	<0.1	0.1	0.2	106	3.31
MM09 TR87 R52	Rock	1.12	2.5	115.5	4.3	53	0.1	17.1	32.3	1114	5.34	11.7	0.2	16.2	0.6	90	0.2	0.1	0.2	178	4.65
MM09 TR87 C53	Rock	1.19	0.7	134.2	18.7	111	0.1	15.7	17.1	1179	5.51	8.1	0.2	12.8	0.6	122	1.1	<0.1	0.2	223	6.16
MM09 TR87 C54	Rock	0.76	1.8	111.0	4.1	42	0.1	9.0	11.7	1180	4.57	17.8	0.3	14.1	0.5	175	0.2	0.2	<0.1	169	6.42
MM09 TR87 C55	Rock	0.99	1.1	41.2	4.4	64	<0.1	17.5	11.8	1390	6.19	10.9	0.3	11.9	0.7	110	0.1	0.1	0.1	232	4.92
MM09 TR87 C56	Rock	1.09	1.6	187.9	6.0	50	0.2	20.6	21.4	938	5.81	16.3	0.3	16.8	0.6	83	0.1	0.1	0.1	253	3.69
MM09 TR87 C57	Rock	1.10	4.7	588.5	7.3	44	0.7	10.3	27.3	641	4.24	47.7	0.3	37.3	0.7	54	0.2	0.5	0.1	125	2.64
MM09 TR87 C58	Rock	1.13	4.6	151.7	4.5	58	0.2	9.8	14.9	788	4.12	35.3	0.2	16.0	0.7	92	0.1	0.3	<0.1	129	5.95
MM09 TR87 C59	Rock	0.83	2.0	131.2	5.0	44	0.1	8.8	13.0	834	4.11	16.5	0.2	13.7	0.5	106	0.2	0.1	<0.1	140	6.20
MM09 TR87 C60	Rock	1.04	2.2	198.3	3.2	62	0.2	9.0	19.2	806	5.37	16.8	0.2	11.1	0.4	78	0.1	0.2	0.1	202	3.91

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 20, 2009

Page: 3 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN09003918.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
MM09 TR87 C31	Rock	0.045	4	2	1.28	47	0.033	10	1.61	0.036	0.03	<0.1	<0.01	9.9	<0.1	<0.05	8	<0.5
MM09 TR87 C32	Rock	0.044	5	3	1.26	79	0.034	6	1.61	0.043	0.03	<0.1	<0.01	8.8	<0.1	<0.05	8	<0.5
MM09 TR87 C33	Rock	0.022	4	2	0.88	70	0.008	4	1.28	0.042	0.10	<0.1	<0.01	8.5	<0.1	0.09	5	<0.5
MM09 TR87 C34	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
MM09 TR87 C35	Rock	0.029	3	2	1.00	92	0.018	4	1.43	0.035	0.13	<0.1	<0.01	7.7	<0.1	0.16	7	1.1
MM09 TR87 C36	Rock	0.041	4	2	1.06	78	0.065	5	1.37	0.046	0.08	<0.1	<0.01	9.6	<0.1	0.06	7	0.6
MM09 TR87 C37	Rock	0.043	4	2	1.24	30	0.044	13	1.46	0.043	0.03	<0.1	<0.01	10.4	<0.1	<0.05	8	<0.5
MM09 TR87 C38	Rock	0.035	4	4	1.00	76	0.057	3	1.36	0.044	0.06	<0.1	<0.01	9.4	<0.1	<0.05	7	<0.5
MM09 TR87 C39	Rock	0.045	5	3	1.61	47	0.043	4	1.89	0.037	0.04	<0.1	<0.01	10.6	<0.1	<0.05	9	<0.5
MM09 TR87 C40	Rock	0.046	3	2	0.94	34	0.017	4	1.17	0.020	0.10	<0.1	0.01	7.9	<0.1	<0.05	6	<0.5
MM09 TR87 C41	Rock	0.042	4	3	1.37	46	0.056	3	1.60	0.041	0.03	<0.1	<0.01	10.2	<0.1	<0.05	8	<0.5
MM09 TR87 C42	Rock	0.047	3	2	1.63	177	0.029	4	1.97	0.018	0.04	<0.1	<0.01	9.6	<0.1	<0.05	10	<0.5
MM09 TR87 C43	Rock	0.050	4	2	1.19	38	0.022	2	1.47	0.025	0.03	<0.1	<0.01	9.9	<0.1	<0.05	8	<0.5
MM09 TR87 C44	Rock	0.079	6	10	1.39	77	0.025	4	1.76	0.033	0.05	<0.1	<0.01	12.1	<0.1	0.08	9	<0.5
MM09 TR87 C45	Rock	0.060	4	3	1.66	50	0.021	2	1.95	0.017	0.04	<0.1	<0.01	9.0	<0.1	<0.05	9	<0.5
MM09 TR87 R46	Rock	0.051	4	2	0.78	81	0.003	7	1.34	0.017	0.12	<0.1	<0.01	5.8	<0.1	<0.05	6	<0.5
MM09 TR87 R47	Rock	0.046	4	2	0.94	43	0.004	4	1.36	0.018	0.08	<0.1	<0.01	5.6	<0.1	<0.05	6	<0.5
MM09 TR87 R48	Rock	0.050	4	2	1.11	112	0.006	6	1.52	0.018	0.09	<0.1	0.01	6.1	<0.1	<0.05	6	<0.5
MM09 TR87 R49	Rock	0.050	6	3	1.26	107	0.002	5	1.65	0.020	0.06	<0.1	<0.01	7.5	<0.1	<0.05	8	<0.5
MM09 TR87 R50	Rock	0.151	7	10	1.31	41	0.003	5	1.56	0.017	0.13	<0.1	<0.01	4.1	<0.1	0.77	7	1.2
MM09 TR87 R51	Rock	0.069	3	15	1.95	49	0.004	6	2.18	0.015	0.11	<0.1	<0.01	7.7	<0.1	0.31	8	<0.5
MM09 TR87 R52	Rock	0.142	6	29	1.99	66	0.018	6	2.24	0.013	0.04	<0.1	<0.01	9.8	<0.1	0.26	10	0.5
MM09 TR87 C53	Rock	0.152	7	32	2.33	31	0.020	5	2.69	0.015	0.08	<0.1	<0.01	7.0	<0.1	<0.05	10	<0.5
MM09 TR87 C54	Rock	0.135	8	19	1.69	18	0.018	6	2.08	0.016	0.05	<0.1	<0.01	8.2	<0.1	0.05	9	<0.5
MM09 TR87 C55	Rock	0.151	7	31	2.81	23	0.033	9	2.96	0.012	0.09	<0.1	<0.01	9.4	<0.1	0.07	12	<0.5
MM09 TR87 C56	Rock	0.129	7	86	2.84	33	0.021	6	2.87	0.011	0.04	<0.1	<0.01	14.6	0.1	0.19	11	<0.5
MM09 TR87 C57	Rock	0.155	7	20	1.14	35	0.010	6	1.50	0.016	0.06	<0.1	<0.01	4.8	<0.1	0.15	7	1.1
MM09 TR87 C58	Rock	0.148	8	16	1.04	26	0.005	7	1.67	0.017	0.10	<0.1	<0.01	4.9	0.1	0.07	7	0.7
MM09 TR87 C59	Rock	0.133	8	16	1.38	53	0.008	5	1.83	0.016	0.05	<0.1	<0.01	5.8	<0.1	<0.05	8	<0.5
MM09 TR87 C60	Rock	0.140	4	16	2.13	28	0.013	5	2.48	0.017	0.05	<0.1	<0.01	9.0	<0.1	0.11	10	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 20, 2009

Page: 4 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN09003918.1

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
MM09 TR87 C61	Rock	0.84	5.1	175.9	4.0	46	0.2	18.5	46.4	940	6.22	30.3	0.4	31.9	0.7	76	0.1	0.2	0.2	264	3.08
MM09 TR87 C62	Rock	0.83	2.2	340.4	3.3	44	0.2	19.9	43.0	1049	6.45	29.0	0.4	32.6	0.7	77	0.1	0.1	0.2	309	4.36
MM09 TR87 C63	Rock	1.05	1.6	97.4	2.8	54	0.1	15.0	14.6	895	5.01	27.1	0.4	14.8	0.5	57	0.3	0.2	<0.1	219	2.70
MM09 TR87 C64	Rock	0.94	3.0	523.1	3.8	41	0.4	15.3	41.1	960	6.05	26.1	0.4	46.9	0.7	79	0.1	0.3	0.1	249	3.87
MM09 TR87 C65	Rock	1.11	5.0	273.4	3.3	37	0.3	13.6	33.8	1211	5.02	22.9	0.3	22.2	0.5	166	0.2	0.2	0.1	204	9.28
MM09 TR87 C66	Rock	1.16	13.3	301.9	6.0	42	0.3	7.8	30.1	823	5.76	26.7	0.4	44.6	0.6	28	0.3	0.4	0.2	219	1.32
MM09 TR87 C67	Rock	0.93	25.5	332.4	6.6	43	0.5	4.6	23.8	782	5.45	22.8	0.4	182.7	0.6	29	0.4	0.5	0.1	201	1.21
MM09 TR87 C68	Rock	1.21	149.4	2955	3.9	35	1.3	11.6	10.9	668	5.03	27.5	0.3	889.7	1.1	61	0.2	0.3	<0.1	168	2.99
MM09 TR87 C69	Rock	1.01	87.2	2001	3.0	36	0.8	19.5	42.0	698	5.33	23.8	0.4	837.8	1.1	58	<0.1	0.2	<0.1	168	2.17
MM09 TR87 C70	Rock	0.92	2.4	244.0	2.4	39	0.1	13.1	12.1	635	4.77	23.0	0.3	230.0	1.2	64	<0.1	0.2	<0.1	152	2.43
MM09 TR87 G1	Rock	0.91	12.8	8801	4.0	46	6.0	18.1	38.6	720	6.18	12.9	0.4	1334	1.2	24	0.1	0.2	<0.1	150	0.92
MM09 TR87 G2	Rock	1.86	35.8	5522	2.3	44	2.6	21.4	93.2	766	6.77	13.8	0.4	2549	1.1	44	<0.1	0.1	<0.1	194	1.93
MM09 TR87 G3	Rock	1.05	13.3	6546	2.4	33	2.0	14.8	37.3	582	4.54	11.5	0.4	2316	1.1	45	<0.1	0.1	<0.1	137	1.92
MM09 TR87 G4	Rock	1.35	2.8	9139	1.9	43	4.6	19.9	63.8	679	5.94	19.4	0.4	2728	0.8	20	0.2	0.3	<0.1	143	1.05
MM09 TR87 G5	Rock	1.18	69.8	4348	3.2	43	1.8	12.9	36.2	758	5.31	8.7	0.3	1236	1.2	64	<0.1	<0.1	<0.1	150	3.40
MM09 TR87 G6	Rock	1.26	5.1	8237	3.5	49	3.3	19.8	84.8	845	7.31	26.8	0.4	5975	1.0	32	<0.1	0.3	<0.1	213	1.38
MM09 TR87 G7	Rock	1.00	614.6	9355	5.8	37	4.0	11.5	41.1	675	5.29	22.8	0.5	3180	0.9	45	<0.1	0.5	<0.1	148	2.39
MM09 TR87 G8	Rock	2.43	0.9	215.8	2.0	78	0.1	1.7	12.1	844	4.14	10.8	0.2	109.0	1.1	25	0.3	0.3	<0.1	97	0.79
MM09 TR87 G9	Rock	3.46	1.8	296.7	2.5	63	0.1	1.6	10.3	744	3.54	10.1	0.2	124.2	0.9	26	0.2	0.6	<0.1	79	0.92
MM09 TR87 G10	Rock	3.69	1.0	577.8	2.9	60	0.7	1.6	11.6	741	3.40	8.2	0.2	3039	0.9	35	0.2	0.4	0.2	75	1.53
MM09 TR87 G11	Rock	3.77	0.7	193.7	2.7	67	0.3	1.7	10.7	886	3.72	9.4	0.3	319.1	0.9	56	0.4	0.4	0.5	88	3.24



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 20, 2009

Page: 4 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN09003918.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
MM09 TR87 C61	Rock	0.136	7	50	2.63	36	0.016	5	2.75	0.012	0.03	<0.1	<0.01	13.2	<0.1	0.26	12	<0.5
MM09 TR87 C62	Rock	0.135	7	54	2.73	44	0.014	5	2.96	0.013	0.02	<0.1	<0.01	13.5	<0.1	0.10	12	<0.5
MM09 TR87 C63	Rock	0.117	4	36	2.73	29	0.032	4	2.59	0.015	0.04	<0.1	<0.01	10.6	<0.1	<0.05	12	<0.5
MM09 TR87 C64	Rock	0.146	7	38	2.33	46	0.020	5	2.67	0.015	0.03	<0.1	<0.01	14.7	<0.1	0.23	11	<0.5
MM09 TR87 C65	Rock	0.114	7	28	2.06	60	0.014	6	2.09	0.011	0.02	<0.1	<0.01	11.6	<0.1	0.08	8	<0.5
MM09 TR87 C66	Rock	0.145	7	15	1.98	43	0.022	7	2.29	0.019	0.04	<0.1	<0.01	7.8	<0.1	0.22	10	<0.5
MM09 TR87 C67	Rock	0.152	6	4	1.89	49	0.020	7	2.32	0.024	0.04	<0.1	<0.01	6.7	<0.1	0.35	10	<0.5
MM09 TR87 C68	Rock	0.180	8	21	1.95	23	0.005	3	2.06	0.012	0.03	<0.1	<0.01	8.0	<0.1	<0.05	10	<0.5
MM09 TR87 C69	Rock	0.167	13	22	2.18	23	0.006	3	2.15	0.009	0.05	<0.1	<0.01	8.3	<0.1	0.10	11	<0.5
MM09 TR87 C70	Rock	0.160	18	19	2.19	23	0.005	2	2.15	0.011	0.07	<0.1	<0.01	7.9	<0.1	<0.05	11	0.6
MM09 TR87 G1	Rock	0.163	28	19	2.70	25	0.004	2	2.63	0.010	0.07	<0.1	<0.01	7.4	<0.1	0.27	12	1.8
MM09 TR87 G2	Rock	0.168	16	21	2.65	30	0.006	2	2.56	0.010	0.07	<0.1	<0.01	8.5	0.1	0.26	12	0.6
MM09 TR87 G3	Rock	0.156	21	15	1.85	18	0.004	3	1.96	0.008	0.09	<0.1	<0.01	6.6	<0.1	0.12	10	0.5
MM09 TR87 G4	Rock	0.167	16	15	2.45	35	0.003	3	2.50	0.009	0.11	<0.1	<0.01	6.9	<0.1	0.23	11	1.4
MM09 TR87 G5	Rock	0.179	7	15	2.20	16	0.006	3	2.31	0.011	0.08	<0.1	<0.01	7.6	<0.1	0.13	10	0.7
MM09 TR87 G6	Rock	0.161	21	17	2.84	23	0.005	3	2.88	0.010	0.07	<0.1	<0.01	9.0	<0.1	0.24	13	1.2
MM09 TR87 G7	Rock	0.167	11	14	2.12	28	0.004	3	2.16	0.011	0.05	<0.1	<0.01	8.5	<0.1	0.25	10	1.2
MM09 TR87 G8	Rock	0.049	4	3	1.50	35	0.017	4	1.69	0.024	0.04	<0.1	<0.01	8.6	<0.1	<0.05	7	<0.5
MM09 TR87 G9	Rock	0.040	4	3	1.34	29	0.019	3	1.56	0.023	0.03	<0.1	<0.01	8.6	<0.1	<0.05	7	<0.5
MM09 TR87 G10	Rock	0.035	3	3	1.18	26	0.014	4	1.38	0.029	0.03	<0.1	0.01	7.5	<0.1	<0.05	7	<0.5
MM09 TR87 G11	Rock	0.045	5	3	1.25	44	0.009	2	1.43	0.019	0.04	<0.1	<0.01	8.4	<0.1	<0.05	8	<0.5



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 20, 2009

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN09003918.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
MM09 TR87 C11	Rock	0.81	1.3	539.9	3.5	40	0.6	1.7	7.5	516	2.72	11.9	0.2	646.5	1.9	16	0.1	1.3	0.3	47	1.01
REP MM09 TR87 C11	QC		1.3	544.0	3.5	38	0.6	1.6	7.3	512	2.74	11.8	0.2	617.3	1.9	16	0.2	1.3	0.3	46	1.01
MM09 TR87 C57	Rock	1.10	4.7	588.5	7.3	44	0.7	10.3	27.3	641	4.24	47.7	0.3	37.3	0.7	54	0.2	0.5	0.1	125	2.64
REP MM09 TR87 C57	QC		4.9	584.1	8.3	44	0.7	10.2	27.1	618	4.28	47.6	0.4	37.5	0.7	54	0.1	0.4	0.2	124	2.59
MM09 TR87 G2	Rock	1.86	35.8	5522	2.3	44	2.6	21.4	93.2	766	6.77	13.8	0.4	2549	1.1	44	<0.1	0.1	<0.1	194	1.93
REP MM09 TR87 G2	QC		34.3	5336	2.2	45	2.8	22.2	93.7	728	6.65	13.0	0.3	2378	1.1	43	0.1	0.1	<0.1	190	1.91
Reference Materials																					
STD DS7	Standard		18.5	105.5	69.4	363	0.7	53.0	9.2	587	2.32	46.0	4.8	69.4	4.4	68	6.0	5.0	4.5	81	0.88
STD DS7	Standard		20.6	112.0	70.0	373	0.7	53.1	9.3	609	2.40	47.3	5.0	52.9	4.5	73	6.0	5.4	4.5	82	0.93
STD DS7	Standard		19.6	109.2	65.2	363	0.8	55.4	9.5	605	2.31	47.0	4.4	105.5	4.2	66	6.0	5.0	4.2	78	0.87
STD DS7	Standard		21.1	114.2	66.6	371	0.8	58.7	9.8	637	2.45	47.0	4.8	87.0	4.4	70	6.0	5.2	4.4	84	0.93
STD DS7	Standard		20.1	109.2	75.4	373	0.8	52.9	8.8	593	2.41	50.0	5.2	84.5	4.9	77	6.0	6.1	4.9	82	0.96
STD DS7	Standard		19.8	106.0	72.1	402	0.8	53.6	9.0	550	2.34	48.9	5.0	66.6	4.8	75	6.0	5.8	4.8	80	0.95
STD DS7	Standard		19.6	104.5	71.0	399	0.8	51.1	8.4	566	2.31	48.6	4.7	148.9	4.3	70	5.8	5.8	4.7	79	0.92
STD DS7	Standard		19.6	106.7	75.1	413	0.8	53.0	8.7	573	2.28	49.3	4.9	56.4	4.6	75	6.0	6.0	5.2	78	0.92
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	0.6	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	<0.1	4.4	3.4	42	<0.1	4.4	4.5	522	1.76	<0.5	2.1	<0.5	4.8	62	<0.1	<0.1	0.1	35	0.42
G1	Prep Blank	<0.01	0.2	4.2	3.8	44	<0.1	4.3	4.5	538	1.85	<0.5	2.0	<0.5	5.5	67	<0.1	<0.1	0.1	36	0.47



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 20, 2009

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN09003918.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Pulp Duplicates																			
MM09 TR87 C11	Rock	0.029	3	4	0.78	28	0.003	4	1.06	0.043	0.06	<0.1	<0.01	4.9	<0.1	0.08	6	0.7	
REP MM09 TR87 C11	QC	0.027	3	4	0.78	28	0.003	4	1.05	0.043	0.06	<0.1	<0.01	5.2	<0.1	0.08	5	0.7	
MM09 TR87 C57	Rock	0.155	7	20	1.14	35	0.010	6	1.50	0.016	0.06	<0.1	<0.01	4.8	<0.1	0.15	7	1.1	
REP MM09 TR87 C57	QC	0.154	7	20	1.12	33	0.009	5	1.50	0.017	0.06	<0.1	<0.01	4.8	<0.1	0.14	8	1.0	
MM09 TR87 G2	Rock	0.168	16	21	2.65	30	0.006	2	2.56	0.010	0.07	<0.1	<0.01	8.5	0.1	0.26	12	0.6	
REP MM09 TR87 G2	QC	0.161	16	20	2.61	30	0.006	2	2.49	0.009	0.07	<0.1	<0.01	8.4	0.1	0.26	12	0.8	
Reference Materials																			
STD DS7	Standard	0.070	11	188	0.99	381	0.115	36	0.98	0.089	0.44	3.2	0.18	2.3	3.8	0.18	4	3.0	
STD DS7	Standard	0.069	12	188	1.02	390	0.123	39	1.04	0.091	0.45	3.5	0.18	2.4	4.2	0.19	5	3.5	
STD DS7	Standard	0.070	11	198	0.97	397	0.125	34	0.99	0.092	0.45	3.5	0.17	2.3	3.8	0.18	5	3.2	
STD DS7	Standard	0.071	12	209	1.04	397	0.131	34	1.06	0.099	0.45	3.6	0.18	2.4	3.9	0.20	5	2.9	
STD DS7	Standard	0.076	13	173	1.04	392	0.123	39	0.98	0.082	0.39	4.0	0.19	2.2	4.0	0.20	4	3.4	
STD DS7	Standard	0.074	12	168	1.00	385	0.120	39	0.96	0.082	0.40	3.8	0.19	2.2	3.8	0.20	4	4.4	
STD DS7	Standard	0.074	12	160	1.00	386	0.117	35	0.93	0.075	0.39	3.8	0.19	2.1	3.8	0.19	4	4.0	
STD DS7	Standard	0.078	12	162	1.00	383	0.120	39	0.93	0.082	0.41	4.0	0.20	2.2	4.0	0.19	4	3.6	
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
Prep Wash																			
G1	Prep Blank	0.078	9	6	0.50	154	0.115	1	0.83	0.064	0.48	<0.1	<0.01	1.8	0.4	<0.05	4	<0.5	
G1	Prep Blank	0.084	10	8	0.51	159	0.120	<1	0.86	0.072	0.51	0.1	<0.01	1.9	0.4	<0.05	4	<0.5	



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
 Receiving Lab: Canada-Vancouver
 Received: August 31, 2009
 Report Date: October 05, 2009
 Page: 1 of 4

CERTIFICATE OF ANALYSIS

VAN09003918.2

CLIENT JOB INFORMATION

Project: Miner Mountain
 Shipment ID:
 P.O. Number
 Number of Samples: 81

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200	80	Crush, split and pulverize rock to 200 mesh			VAN
1DX2	80	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
G601	52	Fire Assay fusion Au by ICP-ES	30	Completed	VAN
7AR1	12	1:1:1 Aqua Regia digestion ICP-ES analysis	1	Completed	VAN

ADDITIONAL COMMENTS

Version 2: Group 6 Au & 7AR Cu included



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 05, 2009

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN09003918.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR87 C1	Rock	0.78	1.5	270.8	5.8	49	0.5	1.9	12.6	626	3.84	13.8	0.3	453.2	2.1	8	0.4	0.4	2.1	59	0.32
MM09 TR87 C2	Rock	1.14	1.1	182.6	3.3	49	0.2	1.8	11.0	782	3.55	9.6	0.3	168.5	1.3	26	0.1	0.3	0.5	72	1.61
MM09 TR87 C3	Rock	0.73	1.6	395.1	3.6	54	0.5	2.2	12.7	707	4.46	10.9	0.4	391.5	2.2	9	0.2	0.5	0.9	86	0.33
MM09 TR87 C4	Rock	1.55	1.2	330.7	2.7	46	0.3	2.3	9.7	697	3.40	10.0	0.4	267.4	3.2	18	0.2	0.9	0.5	69	0.80
MM09 TR87 C5	Rock	0.94	1.6	345.2	3.9	62	0.3	2.1	11.5	873	4.54	10.9	0.3	358.9	1.6	16	0.2	0.2	0.3	101	1.20
MM09 TR87 C6	Rock	1.13	5.6	158.0	5.0	54	0.2	1.6	9.8	668	3.58	6.2	0.3	119.9	1.1	16	0.2	0.2	0.5	101	1.19
MM09 TR87 C7	Rock	1.13	9.1	197.7	14.7	61	0.4	1.8	13.0	813	4.03	8.2	0.3	227.7	1.0	20	0.2	0.2	1.1	84	1.42
MM09 TR87 C8	Rock	1.03	2.2	118.4	7.6	50	0.5	1.5	9.4	631	3.89	7.0	0.2	251.7	0.8	16	0.2	0.2	1.3	75	1.12
MM09 TR87 C9	Rock	1.12	1.7	128.7	3.5	54	0.3	1.6	8.8	627	3.75	6.9	0.3	172.3	1.0	11	0.3	0.3	0.6	89	0.47
MM09 TR87 C10	Rock	0.96	1.3	207.5	3.5	50	0.2	1.5	8.4	610	3.33	6.7	0.2	165.3	1.3	11	0.2	0.4	0.3	70	0.83
MM09 TR87 C11	Rock	0.81	1.3	539.9	3.5	40	0.6	1.7	7.5	516	2.72	11.9	0.2	646.5	1.9	16	0.1	1.3	0.3	47	1.01
MM09 TR87 C12	Rock	0.94	1.2	170.4	4.3	132	0.3	1.8	13.4	804	3.87	16.4	0.3	97.3	1.0	19	1.3	0.2	0.5	86	0.99
MM09 TR87 C13	Rock	0.72	0.9	193.7	3.2	71	0.3	1.9	9.7	584	3.67	25.6	0.2	209.1	0.8	13	0.4	0.2	0.4	80	1.00
MM09 TR87 C14	Rock	1.05	2.4	356.2	2.6	34	0.5	1.4	6.1	399	2.39	9.0	0.2	506.2	1.2	12	0.2	0.5	0.4	46	0.66
MM09 TR87 C15	Rock	0.92	1.4	395.5	3.7	149	0.3	2.1	19.5	906	4.25	44.4	0.3	233.5	1.1	12	1.6	0.2	0.4	87	0.88
MM09 TR87 C16	Rock	1.30	1.7	601.6	4.1	106	0.4	1.5	12.4	627	3.10	21.9	0.2	299.6	0.8	17	1.0	0.2	0.3	63	1.19
MM09 TR87 C17	Rock	0.88	1.7	327.0	7.4	229	1.1	1.6	17.4	700	3.63	32.0	0.2	288.8	0.8	10	2.6	0.2	1.1	72	0.58
MM09 TR87 C18	Rock	0.93	1.4	313.5	3.3	111	0.4	0.5	5.2	183	0.75	9.0	0.1	205.4	0.3	10	1.4	0.1	0.6	4	0.58
MM09 TR87 C19	Rock	0.89	0.7	246.3	3.8	144	0.2	1.8	11.8	788	4.08	12.8	0.2	94.0	0.9	13	1.2	0.4	0.3	78	0.46
MM09 TR87 C20	Rock	1.02	0.5	269.5	3.3	190	0.2	1.9	11.4	897	4.77	11.0	0.3	155.7	1.0	22	0.9	0.4	<0.1	113	0.90
MM09 TR87 C21	Rock	1.16	0.3	163.0	5.1	285	0.3	2.2	12.9	1072	4.49	14.5	0.3	207.6	1.2	34	0.7	0.4	0.2	96	1.16
MM09 TR87 C22	Rock	1.06	2.8	1104	7.5	2657	1.7	2.5	11.6	1521	4.88	28.7	0.3	193.6	1.1	13	48.3	0.4	1.0	74	0.47
MM09 TR87 C23	Rock	0.78	1.2	411.8	20.6	463	2.7	1.9	10.7	1132	4.94	4571	0.3	369.8	1.1	14	3.9	2.7	6.0	73	0.61
MM09 TR87 C24	Rock	0.98	0.9	176.1	12.1	323	0.3	1.7	11.5	812	3.87	34.0	0.3	236.9	0.9	31	2.2	0.6	0.9	75	0.41
MM09 TR87 C25	Rock	1.05	0.7	203.5	5.6	506	0.3	1.8	10.7	990	4.34	32.7	0.3	77.9	1.1	20	3.4	0.5	0.8	96	0.71
MM09 TR87 C26	Rock	0.94	0.4	150.9	5.0	254	0.2	1.5	13.1	820	4.00	19.2	0.4	111.9	1.1	46	1.4	0.8	0.2	102	0.67
MM09 TR87 C27	Rock	0.70	0.4	106.8	2.5	145	0.1	1.4	13.0	702	4.12	13.8	0.3	40.8	1.0	30	0.8	0.5	<0.1	110	1.01
MM09 TR87 C28	Rock	0.73	0.4	55.1	2.5	93	0.1	1.6	13.5	683	4.25	15.3	0.3	18.0	1.1	47	0.5	0.6	0.2	114	0.68
MM09 TR87 C29	Rock	1.10	0.5	124.8	69.9	105	0.3	1.8	12.7	699	4.00	16.1	0.4	64.6	1.1	29	0.5	0.5	0.5	113	0.58
MM09 TR87 C30	Rock	1.03	0.3	43.3	2.0	113	<0.1	1.7	13.8	660	4.47	12.1	0.3	51.4	1.2	26	0.2	0.4	0.1	132	0.95

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 05, 2009

Page: 2 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN09003918.2

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	Cu	
		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%	%	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001
MM09 TR87 C1	Rock	0.042	3	2	0.57	103	0.002	12	1.23	0.022	0.14	<0.1	<0.01	4.0	<0.1	0.10	5	1.1	0.49	N.A.	
MM09 TR87 C2	Rock	0.045	4	2	0.72	77	0.005	8	1.17	0.035	0.08	<0.1	<0.01	6.2	<0.1	0.17	5	0.9	0.20	N.A.	
MM09 TR87 C3	Rock	0.044	5	3	0.96	44	0.006	4	1.32	0.040	0.05	<0.1	<0.01	7.6	<0.1	0.30	7	1.4	0.45	N.A.	
MM09 TR87 C4	Rock	0.041	4	4	0.86	36	0.007	6	1.21	0.035	0.07	<0.1	<0.01	4.9	<0.1	0.15	5	0.6	0.32	N.A.	
MM09 TR87 C5	Rock	0.047	5	4	1.22	26	0.006	6	1.58	0.035	0.05	<0.1	<0.01	7.6	<0.1	0.13	9	<0.5	0.48	N.A.	
MM09 TR87 C6	Rock	0.046	4	3	0.95	39	0.010	3	1.17	0.050	0.04	<0.1	<0.01	7.5	<0.1	0.08	7	<0.5	0.14	N.A.	
MM09 TR87 C7	Rock	0.050	4	3	1.14	57	0.006	7	1.44	0.033	0.08	<0.1	<0.01	6.6	<0.1	0.15	7	0.6	0.26	N.A.	
MM09 TR87 C8	Rock	0.039	3	2	1.09	48	0.005	4	1.28	0.048	0.06	<0.1	<0.01	6.8	<0.1	0.09	6	<0.5	0.28	N.A.	
MM09 TR87 C9	Rock	0.046	4	3	1.13	33	0.005	3	1.38	0.042	0.06	<0.1	<0.01	7.6	<0.1	<0.05	7	<0.5	0.20	N.A.	
MM09 TR87 C10	Rock	0.036	4	3	1.18	29	0.004	4	1.35	0.044	0.07	<0.1	<0.01	6.6	<0.1	0.06	7	<0.5	0.19	N.A.	
MM09 TR87 C11	Rock	0.029	3	4	0.78	28	0.003	4	1.06	0.043	0.06	<0.1	<0.01	4.9	<0.1	0.08	6	0.7	0.65	N.A.	
MM09 TR87 C12	Rock	0.047	4	3	1.30	21	0.005	4	1.66	0.034	0.08	<0.1	<0.01	6.7	<0.1	<0.05	8	<0.5	0.12	N.A.	
MM09 TR87 C13	Rock	0.037	3	3	0.87	22	0.005	4	1.21	0.042	0.07	<0.1	<0.01	5.7	<0.1	<0.05	7	<0.5	0.24	N.A.	
MM09 TR87 C14	Rock	0.025	4	2	0.58	19	0.003	3	0.84	0.056	0.05	<0.1	<0.01	4.5	<0.1	0.08	4	0.6	0.57	N.A.	
MM09 TR87 C15	Rock	0.046	5	2	0.97	37	0.004	6	1.57	0.032	0.10	<0.1	<0.01	7.5	<0.1	<0.05	8	<0.5	0.26	N.A.	
MM09 TR87 C16	Rock	0.021	4	3	0.58	20	0.004	7	0.94	0.058	0.05	<0.1	<0.01	4.6	<0.1	0.17	5	1.3	0.34	N.A.	
MM09 TR87 C17	Rock	0.037	3	3	0.81	41	0.003	4	1.35	0.030	0.15	<0.1	<0.01	5.2	<0.1	0.10	6	1.1	0.38	N.A.	
MM09 TR87 C18	Rock	0.006	2	<1	0.03	46	<0.001	3	0.37	0.043	0.20	<0.1	<0.01	0.7	<0.1	<0.05	<1	<0.5	0.25	N.A.	
MM09 TR87 C19	Rock	0.032	3	2	1.05	79	0.004	5	1.55	0.046	0.07	<0.1	0.01	6.1	<0.1	<0.05	9	<0.5	0.12	N.A.	
MM09 TR87 C20	Rock	0.049	5	3	1.38	37	0.011	4	1.72	0.035	0.05	<0.1	0.01	9.3	<0.1	<0.05	8	<0.5	0.19	N.A.	
MM09 TR87 C21	Rock	0.048	4	3	1.44	58	0.007	6	2.03	0.028	0.06	<0.1	0.03	8.7	<0.1	<0.05	8	<0.5	0.23	N.A.	
MM09 TR87 C22	Rock	0.046	4	5	1.33	73	0.003	5	2.26	0.013	0.21	<0.1	0.86	6.5	<0.1	0.05	8	<0.5	0.29	0.115	
MM09 TR87 C23	Rock	0.048	3	2	1.27	71	0.003	6	1.99	0.017	0.22	<0.1	0.06	6.0	<0.1	0.08	7	2.5	0.42	N.A.	
MM09 TR87 C24	Rock	0.041	4	2	1.15	55	0.014	6	1.89	0.034	0.12	<0.1	0.02	6.4	<0.1	<0.05	7	<0.5	0.10	N.A.	
MM09 TR87 C25	Rock	0.048	4	3	1.22	52	0.018	4	1.78	0.035	0.09	<0.1	0.02	8.3	<0.1	<0.05	8	<0.5	N.A.	N.A.	
MM09 TR87 C26	Rock	0.047	4	3	1.27	68	0.041	7	1.95	0.037	0.06	<0.1	0.02	8.8	<0.1	<0.05	9	<0.5	0.13	N.A.	
MM09 TR87 C27	Rock	0.044	4	2	1.22	36	0.036	7	1.65	0.035	0.04	<0.1	<0.01	9.1	<0.1	<0.05	8	<0.5	N.A.	N.A.	
MM09 TR87 C28	Rock	0.051	4	2	1.34	37	0.041	9	1.90	0.038	0.05	<0.1	0.01	9.4	<0.1	<0.05	8	<0.5	N.A.	N.A.	
MM09 TR87 C29	Rock	0.055	5	4	1.17	34	0.022	5	1.68	0.029	0.08	<0.1	0.03	8.9	<0.1	<0.05	8	<0.5	N.A.	N.A.	
MM09 TR87 C30	Rock	0.051	4	2	1.30	34	0.031	7	1.70	0.045	0.03	<0.1	<0.01	10.2	<0.1	<0.05	9	<0.5	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 05, 2009

Page: 3 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN09003918.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR87 C31	Rock	0.91	0.3	78.1	2.1	63	<0.1	1.2	11.8	808	3.77	10.0	0.3	50.5	1.0	47	0.4	0.5	0.1	112	1.90
MM09 TR87 C32	Rock	0.80	0.5	149.0	2.8	150	0.2	1.7	12.2	765	3.74	11.7	0.3	92.2	1.0	28	1.8	0.6	0.2	97	0.96
MM09 TR87 C33	Rock	1.04	1.5	429.6	4.3	46	1.9	1.7	5.8	560	3.03	8.7	0.3	270.0	0.7	11	0.6	0.4	2.3	52	0.79
MM09 TR87 C34	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
MM09 TR87 C35	Rock	0.82	1.5	345.7	4.9	51	1.6	1.3	8.7	551	5.04	17.7	0.3	327.7	0.8	18	0.4	0.5	1.8	76	0.33
MM09 TR87 C36	Rock	0.94	2.2	102.2	2.9	49	1.7	1.5	10.0	653	3.96	19.0	0.3	2361	0.9	26	0.3	0.6	3.4	94	1.14
MM09 TR87 C37	Rock	1.11	0.6	70.1	1.9	57	<0.1	1.3	11.6	772	3.84	8.7	0.3	43.6	1.0	31	0.2	0.4	<0.1	116	1.66
MM09 TR87 C38	Rock	1.07	0.7	197.5	17.5	49	0.4	1.6	9.5	714	3.35	6.1	0.4	214.4	1.1	24	0.2	0.4	0.8	85	1.38
MM09 TR87 C39	Rock	1.08	0.9	97.6	3.4	63	0.3	1.6	13.6	933	4.14	8.1	0.4	163.9	1.3	21	0.4	0.5	10.3	107	0.74
MM09 TR87 C40	Rock	1.19	0.4	1116	8.4	38	2.9	0.9	5.8	469	2.53	6.3	0.3	6497	1.0	13	0.1	0.3	35.5	74	0.85
MM09 TR87 C41	Rock	1.32	0.6	76.8	2.5	57	0.2	1.8	11.3	740	3.60	8.1	0.4	54.6	1.1	29	0.2	0.5	0.2	101	1.56
MM09 TR87 C42	Rock	0.86	1.3	90.5	7.6	60	0.4	2.2	15.1	859	4.02	9.5	0.3	87.0	1.1	25	0.4	0.5	0.6	97	0.92
MM09 TR87 C43	Rock	1.00	0.4	90.9	6.7	63	0.1	1.6	12.0	661	4.31	7.9	0.3	91.7	0.9	15	0.2	0.4	0.2	112	0.83
MM09 TR87 C44	Rock	0.96	1.2	207.0	9.9	55	1.4	5.5	12.7	771	5.19	14.0	0.3	421.4	1.0	21	0.2	0.4	1.3	160	1.06
MM09 TR87 C45	Rock	1.10	1.0	109.8	4.9	62	0.1	2.3	12.3	821	4.76	6.9	0.2	85.6	0.9	24	0.2	0.4	0.2	124	0.97
MM09 TR87 R46	Rock	1.17	0.8	111.5	3.5	59	0.3	1.8	12.8	741	4.49	8.5	0.2	137.6	1.0	23	0.4	0.7	0.8	80	1.40
MM09 TR87 R47	Rock	1.07	0.9	64.1	3.8	179	<0.1	0.8	10.3	845	3.83	3.7	0.2	27.8	0.9	49	1.6	0.1	0.1	84	3.25
MM09 TR87 R48	Rock	1.16	0.8	72.3	2.6	131	<0.1	1.6	12.9	1099	4.01	5.2	0.3	28.0	1.0	64	1.2	0.2	<0.1	82	5.10
MM09 TR87 R49	Rock	1.16	0.7	110.4	3.5	78	<0.1	2.1	13.2	871	4.16	7.8	0.6	67.0	1.1	54	1.0	2.1	0.1	98	2.41
MM09 TR87 R50	Rock	1.07	1.5	376.9	1.9	28	<0.1	9.6	30.8	728	3.52	6.7	0.1	49.6	0.7	73	0.1	0.1	0.2	111	5.60
MM09 TR87 R51	Rock	0.97	4.2	129.5	2.5	58	<0.1	6.8	26.1	952	4.67	6.0	0.1	31.8	0.5	52	<0.1	0.1	0.2	106	3.31
MM09 TR87 R52	Rock	1.12	2.5	115.5	4.3	53	0.1	17.1	32.3	1114	5.34	11.7	0.2	16.2	0.6	90	0.2	0.1	0.2	178	4.65
MM09 TR87 C53	Rock	1.19	0.7	134.2	18.7	111	0.1	15.7	17.1	1179	5.51	8.1	0.2	12.8	0.6	122	1.1	<0.1	0.2	223	6.16
MM09 TR87 C54	Rock	0.76	1.8	111.0	4.1	42	0.1	9.0	11.7	1180	4.57	17.8	0.3	14.1	0.5	175	0.2	0.2	<0.1	169	6.42
MM09 TR87 C55	Rock	0.99	1.1	41.2	4.4	64	<0.1	17.5	11.8	1390	6.19	10.9	0.3	11.9	0.7	110	0.1	0.1	0.1	232	4.92
MM09 TR87 C56	Rock	1.09	1.6	187.9	6.0	50	0.2	20.6	21.4	938	5.81	16.3	0.3	16.8	0.6	83	0.1	0.1	0.1	253	3.69
MM09 TR87 C57	Rock	1.10	4.7	588.5	7.3	44	0.7	10.3	27.3	641	4.24	47.7	0.3	37.3	0.7	54	0.2	0.5	0.1	125	2.64
MM09 TR87 C58	Rock	1.13	4.6	151.7	4.5	58	0.2	9.8	14.9	788	4.12	35.3	0.2	16.0	0.7	92	0.1	0.3	<0.1	129	5.95
MM09 TR87 C59	Rock	0.83	2.0	131.2	5.0	44	0.1	8.8	13.0	834	4.11	16.5	0.2	13.7	0.5	106	0.2	0.1	<0.1	140	6.20
MM09 TR87 C60	Rock	1.04	2.2	198.3	3.2	62	0.2	9.0	19.2	806	5.37	16.8	0.2	11.1	0.4	78	0.1	0.2	0.1	202	3.91

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 05, 2009

Page: 3 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN09003918.2

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	G6 Au	7AR Cu	
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%	
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001	
MM09 TR87 C31	Rock			0.045	4	2	1.28	47	0.033	10	1.61	0.036	0.03	<0.1	<0.01	9.9	<0.1	<0.05	8	<0.5	N.A.	N.A.	
MM09 TR87 C32	Rock			0.044	5	3	1.26	79	0.034	6	1.61	0.043	0.03	<0.1	<0.01	8.8	<0.1	<0.05	8	<0.5	0.13	N.A.	
MM09 TR87 C33	Rock			0.022	4	2	0.88	70	0.008	4	1.28	0.042	0.10	<0.1	<0.01	8.5	<0.1	0.09	5	<0.5	0.38	N.A.	
MM09 TR87 C34	Rock			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
MM09 TR87 C35	Rock			0.029	3	2	1.00	92	0.018	4	1.43	0.035	0.13	<0.1	<0.01	7.7	<0.1	0.16	7	1.1	0.45	N.A.	
MM09 TR87 C36	Rock			0.041	4	2	1.06	78	0.065	5	1.37	0.046	0.08	<0.1	<0.01	9.6	<0.1	0.06	7	0.6	2.73	N.A.	
MM09 TR87 C37	Rock			0.043	4	2	1.24	30	0.044	13	1.46	0.043	0.03	<0.1	<0.01	10.4	<0.1	<0.05	8	<0.5	0.06	N.A.	
MM09 TR87 C38	Rock			0.035	4	4	1.00	76	0.057	3	1.36	0.044	0.06	<0.1	<0.01	9.4	<0.1	<0.05	7	<0.5	0.25	N.A.	
MM09 TR87 C39	Rock			0.045	5	3	1.61	47	0.043	4	1.89	0.037	0.04	<0.1	<0.01	10.6	<0.1	<0.05	9	<0.5	0.21	N.A.	
MM09 TR87 C40	Rock			0.046	3	2	0.94	34	0.017	4	1.17	0.020	0.10	<0.1	0.01	7.9	<0.1	<0.05	6	<0.5	7.41	0.116	
MM09 TR87 C41	Rock			0.042	4	3	1.37	46	0.056	3	1.60	0.041	0.03	<0.1	<0.01	10.2	<0.1	<0.05	8	<0.5	0.06	N.A.	
MM09 TR87 C42	Rock			0.047	3	2	1.63	177	0.029	4	1.97	0.018	0.04	<0.1	<0.01	9.6	<0.1	<0.05	10	<0.5	0.10	N.A.	
MM09 TR87 C43	Rock			0.050	4	2	1.19	38	0.022	2	1.47	0.025	0.03	<0.1	<0.01	9.9	<0.1	<0.05	8	<0.5	0.09	N.A.	
MM09 TR87 C44	Rock			0.079	6	10	1.39	77	0.025	4	1.76	0.033	0.05	<0.1	<0.01	12.1	<0.1	0.08	9	<0.5	0.49	N.A.	
MM09 TR87 C45	Rock			0.060	4	3	1.66	50	0.021	2	1.95	0.017	0.04	<0.1	<0.01	9.0	<0.1	<0.05	9	<0.5	N.A.	N.A.	
MM09 TR87 R46	Rock			0.051	4	2	0.78	81	0.003	7	1.34	0.017	0.12	<0.1	<0.01	5.8	<0.1	<0.05	6	<0.5	0.17	N.A.	
MM09 TR87 R47	Rock			0.046	4	2	0.94	43	0.004	4	1.36	0.018	0.08	<0.1	<0.01	5.6	<0.1	<0.05	6	<0.5	N.A.	N.A.	
MM09 TR87 R48	Rock			0.050	4	2	1.11	112	0.006	6	1.52	0.018	0.09	<0.1	0.01	6.1	<0.1	<0.05	6	<0.5	N.A.	N.A.	
MM09 TR87 R49	Rock			0.050	6	3	1.26	107	0.002	5	1.65	0.020	0.06	<0.1	<0.01	7.5	<0.1	<0.05	8	<0.5	N.A.	N.A.	
MM09 TR87 R50	Rock			0.151	7	10	1.31	41	0.003	5	1.56	0.017	0.13	<0.1	<0.01	4.1	<0.1	0.77	7	1.2	N.A.	N.A.	
MM09 TR87 R51	Rock			0.069	3	15	1.95	49	0.004	6	2.18	0.015	0.11	<0.1	<0.01	7.7	<0.1	0.31	8	<0.5	N.A.	N.A.	
MM09 TR87 R52	Rock			0.142	6	29	1.99	66	0.018	6	2.24	0.013	0.04	<0.1	<0.01	9.8	<0.1	0.26	10	0.5	N.A.	N.A.	
MM09 TR87 C53	Rock			0.152	7	32	2.33	31	0.020	5	2.69	0.015	0.08	<0.1	<0.01	7.0	<0.1	<0.05	10	<0.5	N.A.	N.A.	
MM09 TR87 C54	Rock			0.135	8	19	1.69	18	0.018	6	2.08	0.016	0.05	<0.1	<0.01	8.2	<0.1	0.05	9	<0.5	N.A.	N.A.	
MM09 TR87 C55	Rock			0.151	7	31	2.81	23	0.033	9	2.96	0.012	0.09	<0.1	<0.01	9.4	<0.1	0.07	12	<0.5	N.A.	N.A.	
MM09 TR87 C56	Rock			0.129	7	86	2.84	33	0.021	6	2.87	0.011	0.04	<0.1	<0.01	14.6	0.1	0.19	11	<0.5	N.A.	N.A.	
MM09 TR87 C57	Rock			0.155	7	20	1.14	35	0.010	6	1.50	0.016	0.06	<0.1	<0.01	4.8	<0.1	0.15	7	1.1	N.A.	N.A.	
MM09 TR87 C58	Rock			0.148	8	16	1.04	26	0.005	7	1.67	0.017	0.10	<0.1	<0.01	4.9	0.1	0.07	7	0.7	N.A.	N.A.	
MM09 TR87 C59	Rock			0.133	8	16	1.38	53	0.008	5	1.83	0.016	0.05	<0.1	<0.01	5.8	<0.1	<0.05	8	<0.5	N.A.	N.A.	
MM09 TR87 C60	Rock			0.140	4	16	2.13	28	0.013	5	2.48	0.017	0.05	<0.1	<0.01	9.0	<0.1	0.11	10	<0.5	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 05, 2009

Page: 4 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN09003918.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR87 C61	Rock	0.84	5.1	175.9	4.0	46	0.2	18.5	46.4	940	6.22	30.3	0.4	31.9	0.7	76	0.1	0.2	0.2	264	3.08
MM09 TR87 C62	Rock	0.83	2.2	340.4	3.3	44	0.2	19.9	43.0	1049	6.45	29.0	0.4	32.6	0.7	77	0.1	0.1	0.2	309	4.36
MM09 TR87 C63	Rock	1.05	1.6	97.4	2.8	54	0.1	15.0	14.6	895	5.01	27.1	0.4	14.8	0.5	57	0.3	0.2	<0.1	219	2.70
MM09 TR87 C64	Rock	0.94	3.0	523.1	3.8	41	0.4	15.3	41.1	960	6.05	26.1	0.4	46.9	0.7	79	0.1	0.3	0.1	249	3.87
MM09 TR87 C65	Rock	1.11	5.0	273.4	3.3	37	0.3	13.6	33.8	1211	5.02	22.9	0.3	22.2	0.5	166	0.2	0.2	0.1	204	9.28
MM09 TR87 C66	Rock	1.16	13.3	301.9	6.0	42	0.3	7.8	30.1	823	5.76	26.7	0.4	44.6	0.6	28	0.3	0.4	0.2	219	1.32
MM09 TR87 C67	Rock	0.93	25.5	332.4	6.6	43	0.5	4.6	23.8	782	5.45	22.8	0.4	182.7	0.6	29	0.4	0.5	0.1	201	1.21
MM09 TR87 C68	Rock	1.21	149.4	2955	3.9	35	1.3	11.6	10.9	668	5.03	27.5	0.3	889.7	1.1	61	0.2	0.3	<0.1	168	2.99
MM09 TR87 C69	Rock	1.01	87.2	2001	3.0	36	0.8	19.5	42.0	698	5.33	23.8	0.4	837.8	1.1	58	<0.1	0.2	<0.1	168	2.17
MM09 TR87 C70	Rock	0.92	2.4	244.0	2.4	39	0.1	13.1	12.1	635	4.77	23.0	0.3	230.0	1.2	64	<0.1	0.2	<0.1	152	2.43
MM09 TR87 G1	Rock	0.91	12.8	8801	4.0	46	6.0	18.1	38.6	720	6.18	12.9	0.4	1334	1.2	24	0.1	0.2	<0.1	150	0.92
MM09 TR87 G2	Rock	1.86	35.8	5522	2.3	44	2.6	21.4	93.2	766	6.77	13.8	0.4	2549	1.1	44	<0.1	0.1	<0.1	194	1.93
MM09 TR87 G3	Rock	1.05	13.3	6546	2.4	33	2.0	14.8	37.3	582	4.54	11.5	0.4	2316	1.1	45	<0.1	0.1	<0.1	137	1.92
MM09 TR87 G4	Rock	1.35	2.8	9139	1.9	43	4.6	19.9	63.8	679	5.94	19.4	0.4	2728	0.8	20	0.2	0.3	<0.1	143	1.05
MM09 TR87 G5	Rock	1.18	69.8	4348	3.2	43	1.8	12.9	36.2	758	5.31	8.7	0.3	1236	1.2	64	<0.1	<0.1	<0.1	150	3.40
MM09 TR87 G6	Rock	1.26	5.1	8237	3.5	49	3.3	19.8	84.8	845	7.31	26.8	0.4	5975	1.0	32	<0.1	0.3	<0.1	213	1.38
MM09 TR87 G7	Rock	1.00	614.6	9355	5.8	37	4.0	11.5	41.1	675	5.29	22.8	0.5	3180	0.9	45	<0.1	0.5	<0.1	148	2.39
MM09 TR87 G8	Rock	2.43	0.9	215.8	2.0	78	0.1	1.7	12.1	844	4.14	10.8	0.2	109.0	1.1	25	0.3	0.3	<0.1	97	0.79
MM09 TR87 G9	Rock	3.46	1.8	296.7	2.5	63	0.1	1.6	10.3	744	3.54	10.1	0.2	124.2	0.9	26	0.2	0.6	<0.1	79	0.92
MM09 TR87 G10	Rock	3.69	1.0	577.8	2.9	60	0.7	1.6	11.6	741	3.40	8.2	0.2	3039	0.9	35	0.2	0.4	0.2	75	1.53
MM09 TR87 G11	Rock	3.77	0.7	193.7	2.7	67	0.3	1.7	10.7	886	3.72	9.4	0.3	319.1	0.9	56	0.4	0.4	0.5	88	3.24



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 05, 2009

Page: 4 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN09003918.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	Cu	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001	
MM09 TR87 C61	Rock	0.136	7	50	2.63	36	0.016	5	2.75	0.012	0.03	<0.1	<0.01	13.2	<0.1	0.26	12	<0.5	N.A.	N.A.
MM09 TR87 C62	Rock	0.135	7	54	2.73	44	0.014	5	2.96	0.013	0.02	<0.1	<0.01	13.5	<0.1	0.10	12	<0.5	N.A.	N.A.
MM09 TR87 C63	Rock	0.117	4	36	2.73	29	0.032	4	2.59	0.015	0.04	<0.1	<0.01	10.6	<0.1	<0.05	12	<0.5	N.A.	N.A.
MM09 TR87 C64	Rock	0.146	7	38	2.33	46	0.020	5	2.67	0.015	0.03	<0.1	<0.01	14.7	<0.1	0.23	11	<0.5	N.A.	N.A.
MM09 TR87 C65	Rock	0.114	7	28	2.06	60	0.014	6	2.09	0.011	0.02	<0.1	<0.01	11.6	<0.1	0.08	8	<0.5	N.A.	N.A.
MM09 TR87 C66	Rock	0.145	7	15	1.98	43	0.022	7	2.29	0.019	0.04	<0.1	<0.01	7.8	<0.1	0.22	10	<0.5	N.A.	N.A.
MM09 TR87 C67	Rock	0.152	6	4	1.89	49	0.020	7	2.32	0.024	0.04	<0.1	<0.01	6.7	<0.1	0.35	10	<0.5	0.07	N.A.
MM09 TR87 C68	Rock	0.180	8	21	1.95	23	0.005	3	2.06	0.012	0.03	<0.1	<0.01	8.0	<0.1	<0.05	10	<0.5	0.82	0.294
MM09 TR87 C69	Rock	0.167	13	22	2.18	23	0.006	3	2.15	0.009	0.05	<0.1	<0.01	8.3	<0.1	0.10	11	<0.5	2.26	0.199
MM09 TR87 C70	Rock	0.160	18	19	2.19	23	0.005	2	2.15	0.011	0.07	<0.1	<0.01	7.9	<0.1	<0.05	11	0.6	0.14	N.A.
MM09 TR87 G1	Rock	0.163	28	19	2.70	25	0.004	2	2.63	0.010	0.07	<0.1	<0.01	7.4	<0.1	0.27	12	1.8	2.69	0.844
MM09 TR87 G2	Rock	0.168	16	21	2.65	30	0.006	2	2.56	0.010	0.07	<0.1	<0.01	8.5	0.1	0.26	12	0.6	3.26	0.557
MM09 TR87 G3	Rock	0.156	21	15	1.85	18	0.004	3	1.96	0.008	0.09	<0.1	<0.01	6.6	<0.1	0.12	10	0.5	2.46	0.663
MM09 TR87 G4	Rock	0.167	16	15	2.45	35	0.003	3	2.50	0.009	0.11	<0.1	<0.01	6.9	<0.1	0.23	11	1.4	3.52	0.930
MM09 TR87 G5	Rock	0.179	7	15	2.20	16	0.006	3	2.31	0.011	0.08	<0.1	<0.01	7.6	<0.1	0.13	10	0.7	1.75	0.431
MM09 TR87 G6	Rock	0.161	21	17	2.84	23	0.005	3	2.88	0.010	0.07	<0.1	<0.01	9.0	<0.1	0.24	13	1.2	5.19	0.815
MM09 TR87 G7	Rock	0.167	11	14	2.12	28	0.004	3	2.16	0.011	0.05	<0.1	<0.01	8.5	<0.1	0.25	10	1.2	4.87	0.947
MM09 TR87 G8	Rock	0.049	4	3	1.50	35	0.017	4	1.69	0.024	0.04	<0.1	<0.01	8.6	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR87 G9	Rock	0.040	4	3	1.34	29	0.019	3	1.56	0.023	0.03	<0.1	<0.01	8.6	<0.1	<0.05	7	<0.5	0.14	N.A.
MM09 TR87 G10	Rock	0.035	3	3	1.18	26	0.014	4	1.38	0.029	0.03	<0.1	0.01	7.5	<0.1	<0.05	7	<0.5	3.82	0.060
MM09 TR87 G11	Rock	0.045	5	3	1.25	44	0.009	2	1.43	0.019	0.04	<0.1	<0.01	8.4	<0.1	<0.05	8	<0.5	0.29	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 05, 2009

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN09003918.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
MM09 TR87 C11	Rock	0.81	1.3	539.9	3.5	40	0.6	1.7	7.5	516	2.72	11.9	0.2	646.5	1.9	16	0.1	1.3	0.3	47	1.01
REP MM09 TR87 C11	QC		1.3	544.0	3.5	38	0.6	1.6	7.3	512	2.74	11.8	0.2	617.3	1.9	16	0.2	1.3	0.3	46	1.01
MM09 TR87 C57	Rock	1.10	4.7	588.5	7.3	44	0.7	10.3	27.3	641	4.24	47.7	0.3	37.3	0.7	54	0.2	0.5	0.1	125	2.64
REP MM09 TR87 C57	QC		4.9	584.1	8.3	44	0.7	10.2	27.1	618	4.28	47.6	0.4	37.5	0.7	54	0.1	0.4	0.2	124	2.59
MM09 TR87 G2	Rock	1.86	35.8	5522	2.3	44	2.6	21.4	93.2	766	6.77	13.8	0.4	2549	1.1	44	<0.1	0.1	<0.1	194	1.93
REP MM09 TR87 G2	QC		34.3	5336	2.2	45	2.8	22.2	93.7	728	6.65	13.0	0.3	2378	1.1	43	0.1	0.1	<0.1	190	1.91
Reference Materials																					
STD DS7	Standard		18.5	105.5	69.4	363	0.7	53.0	9.2	587	2.32	46.0	4.8	69.4	4.4	68	6.0	5.0	4.5	81	0.88
STD DS7	Standard		20.6	112.0	70.0	373	0.7	53.1	9.3	609	2.40	47.3	5.0	52.9	4.5	73	6.0	5.4	4.5	82	0.93
STD DS7	Standard		19.6	109.2	65.2	363	0.8	55.4	9.5	605	2.31	47.0	4.4	105.5	4.2	66	6.0	5.0	4.2	78	0.87
STD DS7	Standard		21.1	114.2	66.6	371	0.8	58.7	9.8	637	2.45	47.0	4.8	87.0	4.4	70	6.0	5.2	4.4	84	0.93
STD DS7	Standard		20.1	109.2	75.4	373	0.8	52.9	8.8	593	2.41	50.0	5.2	84.5	4.9	77	6.0	6.1	4.9	82	0.96
STD DS7	Standard		19.8	106.0	72.1	402	0.8	53.6	9.0	550	2.34	48.9	5.0	66.6	4.8	75	6.0	5.8	4.8	80	0.95
STD DS7	Standard		19.6	104.5	71.0	399	0.8	51.1	8.4	566	2.31	48.6	4.7	148.9	4.3	70	5.8	5.8	4.7	79	0.92
STD DS7	Standard		19.6	106.7	75.1	413	0.8	53.0	8.7	573	2.28	49.3	4.9	56.4	4.6	75	6.0	6.0	5.2	78	0.92
STD OXH55	Standard																				
STD OXH55	Standard																				
STD OXH55	Standard																				
STD OXK69	Standard																				
STD OXK69	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
STD R4A Expected																					
STD OXK69 Expected																					
STD OXH55 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: October 05, 2009

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN09003918.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	Cu		
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%		
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001		
Pulp Duplicates																					
MM09 TR87 C11	Rock	0.029	3	4	0.78	28	0.003	4	1.06	0.043	0.06	<0.1	<0.01	4.9	<0.1	0.08	6	0.7	0.65	N.A.	
REP MM09 TR87 C11	QC	0.027	3	4	0.78	28	0.003	4	1.05	0.043	0.06	<0.1	<0.01	5.2	<0.1	0.08	5	0.7			
MM09 TR87 C57	Rock	0.155	7	20	1.14	35	0.010	6	1.50	0.016	0.06	<0.1	<0.01	4.8	<0.1	0.15	7	1.1	N.A.	N.A.	
REP MM09 TR87 C57	QC	0.154	7	20	1.12	33	0.009	5	1.50	0.017	0.06	<0.1	<0.01	4.8	<0.1	0.14	8	1.0			
MM09 TR87 G2	Rock	0.168	16	21	2.65	30	0.006	2	2.56	0.010	0.07	<0.1	<0.01	8.5	0.1	0.26	12	0.6	3.26	0.557	
REP MM09 TR87 G2	QC	0.161	16	20	2.61	30	0.006	2	2.49	0.009	0.07	<0.1	<0.01	8.4	0.1	0.26	12	0.8			
Reference Materials																					
STD DS7	Standard	0.070	11	188	0.99	381	0.115	36	0.98	0.089	0.44	3.2	0.18	2.3	3.8	0.18	4	3.0			
STD DS7	Standard	0.069	12	188	1.02	390	0.123	39	1.04	0.091	0.45	3.5	0.18	2.4	4.2	0.19	5	3.5			
STD DS7	Standard	0.070	11	198	0.97	397	0.125	34	0.99	0.092	0.45	3.5	0.17	2.3	3.8	0.18	5	3.2			
STD DS7	Standard	0.071	12	209	1.04	397	0.131	34	1.06	0.099	0.45	3.6	0.18	2.4	3.9	0.20	5	2.9			
STD DS7	Standard	0.076	13	173	1.04	392	0.123	39	0.98	0.082	0.39	4.0	0.19	2.2	4.0	0.20	4	3.4			
STD DS7	Standard	0.074	12	168	1.00	385	0.120	39	0.96	0.082	0.40	3.8	0.19	2.2	3.8	0.20	4	4.4			
STD DS7	Standard	0.074	12	160	1.00	386	0.117	35	0.93	0.075	0.39	3.8	0.19	2.1	3.8	0.19	4	4.0			
STD DS7	Standard	0.078	12	162	1.00	383	0.120	39	0.93	0.082	0.41	4.0	0.20	2.2	4.0	0.19	4	3.6			
STD OXH55	Standard																			1.28	
STD OXH55	Standard																				1.30
STD OXH55	Standard																				1.29
STD OXK69	Standard																				3.65
STD OXK69	Standard																				3.63
STD R4A	Standard																				0.508
STD R4A	Standard																				0.502
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5			
STD R4A Expected																					0.502
STD OXK69 Expected																					3.583
STD OXH55 Expected																					1.282
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

211 - 744 W. Hastings St.

Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: October 05, 2009

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

VAN09003918.2

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	0.6	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	<0.01	<0.1	4.4	3.4	42	<0.1	4.4	4.5	522	1.76	<0.5	2.1	<0.5	4.8	62	<0.1	<0.1	0.1	35	0.42
G1	Prep Blank	<0.01	0.2	4.2	3.8	44	<0.1	4.3	4.5	538	1.85	<0.5	2.0	<0.5	5.5	67	<0.1	<0.1	0.1	36	0.47



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

211 - 744 W. Hastings St.

Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: October 05, 2009

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

VAN09003918.2

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	Cu
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5		
BLK	Blank																			<0.001
BLK	Blank																			<0.01
BLK	Blank																			<0.01
BLK	Blank																			<0.01
BLK	Blank																			<0.01
BLK	Blank																			<0.01
BLK	Blank																			<0.01
Prep Wash																				
G1	Prep Blank	0.078	9	6	0.50	154	0.115	1	0.83	0.064	0.48	<0.1	<0.01	1.8	0.4	<0.05	4	<0.5	N.A.	N.A.
G1	Prep Blank	0.084	10	8	0.51	159	0.120	<1	0.86	0.072	0.51	0.1	<0.01	1.9	0.4	<0.05	4	<0.5	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: September 02, 2009
Report Date: September 14, 2009
Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN09003976.1

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 54

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R150	54	Crush, split and pulverize rock to 150 mesh			VAN
1DX2	54	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 14, 2009

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN09003976.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09TR89-T1	Rock	0.96	3.3	222.2	7.3	60	0.3	11.6	16.3	870	4.62	28.3	0.4	38.9	1.3	33	0.4	0.2	0.2	152	0.99
MM09TR89-C2	Rock	0.94	13.4	213.5	5.7	66	0.2	10.4	17.0	820	4.41	40.2	1.4	16.9	1.3	119	0.4	0.3	0.2	131	6.24
MM09TR89-T3	Rock	1.37	5.2	259.9	3.9	58	0.3	8.9	13.2	758	4.12	28.1	0.6	25.6	1.1	94	0.4	0.2	0.2	161	3.07
MM09TR89-C4	Rock	1.18	1.4	129.7	3.2	42	0.2	4.9	8.9	639	3.23	15.6	0.6	5.6	0.9	99	0.4	0.1	0.1	142	3.68
MM09TR89-C5	Rock	1.05	1.9	160.9	5.6	48	0.2	8.8	20.5	767	4.53	28.7	0.5	13.5	1.1	114	0.2	0.2	0.3	144	3.92
MM09TR89-C6	Rock	1.55	1.8	241.2	1.7	36	0.2	10.1	16.4	861	4.43	15.3	0.6	10.4	1.3	84	<0.1	0.1	0.2	154	2.58
MM09TR89-C7	Rock	1.43	1.2	365.5	4.3	46	0.3	9.5	13.9	895	4.53	24.5	0.4	17.7	1.2	111	0.5	0.2	0.3	156	3.15
MM09TR89-C8	Rock	1.06	1.0	394.1	3.7	44	0.3	10.3	16.1	947	4.81	30.5	0.3	28.4	1.2	64	0.2	0.2	0.4	153	2.47
MM09TR89-C9	Rock	1.17	1.5	354.9	7.1	60	0.4	10.2	18.5	934	4.93	34.3	0.4	23.3	1.3	57	0.4	0.3	0.4	159	2.49
MM09TR89-C10	Rock	1.24	5.0	359.3	34.3	142	0.6	9.3	15.6	1065	5.30	29.7	0.5	33.3	1.3	58	1.7	0.2	0.3	170	1.93
MM09TR89-C11	Rock	1.17	4.0	368.4	6.2	53	0.5	9.9	21.7	769	3.79	46.1	0.5	32.4	1.1	116	0.8	0.4	0.2	143	3.40
MM09TR89-C12	Rock	1.30	3.4	332.4	5.1	49	0.5	10.1	20.7	820	4.16	41.3	0.5	22.4	1.2	61	0.5	0.3	0.2	158	2.64
MM09TR89-C13	Rock	1.18	1.9	301.6	2.3	37	0.4	8.8	16.5	692	3.71	17.2	0.4	13.7	1.3	63	0.2	0.2	<0.1	146	2.04
MM09TR89-C14	Rock	1.27	2.5	217.5	5.2	44	0.2	10.6	21.4	721	4.19	18.7	0.6	19.0	1.3	178	0.3	0.5	0.1	139	4.11
MM09TR89-C15	Rock	1.44	17.0	532.6	12.6	112	0.6	8.4	13.4	775	4.04	12.9	0.6	19.2	1.5	63	0.8	0.1	<0.1	160	2.80
MM09TR89-C16	Rock	1.10	2.0	81.8	2.1	24	<0.1	8.1	20.8	497	3.96	12.9	0.4	13.4	1.1	100	0.1	0.1	0.1	129	4.21
MM09TR89-C17	Rock	1.08	4.5	236.2	2.7	67	0.2	7.9	51.3	679	5.14	16.7	0.4	69.7	1.0	45	0.4	0.1	0.3	205	2.25
MM09TR89-C18	Rock	1.31	9.2	1189	3.6	61	0.9	15.6	40.0	698	5.17	21.6	0.5	81.3	1.1	58	1.0	0.2	0.4	212	2.48
MM09TR89-C19	Rock	1.44	7.5	707.8	2.5	41	0.5	12.7	35.9	773	5.40	18.0	0.5	62.2	1.1	88	0.3	<0.1	0.3	221	3.33
MM09TR89-C20	Rock	1.54	5.4	291.7	4.3	74	0.3	10.1	58.3	641	5.32	24.9	0.4	67.1	1.0	27	0.6	0.2	0.4	221	1.17
MM09TR89-C21	Rock	1.18	3.1	533.6	14.4	138	0.4	10.9	36.5	792	5.09	24.8	0.4	53.9	1.1	40	1.2	0.1	0.2	227	1.82
MM09TR89-C22	Rock	1.10	2.1	317.1	17.4	94	0.3	9.5	33.1	701	4.69	20.8	0.4	41.1	1.1	37	0.6	0.2	0.3	185	1.65
MM09TR89-C23	Rock	1.30	0.7	169.1	4.8	81	0.1	7.4	31.0	796	4.50	13.8	0.3	22.5	1.1	56	0.8	0.1	0.2	187	2.65
MM09TR89-C24	Rock	1.19	0.9	228.4	3.0	36	0.1	18.4	15.7	766	5.37	19.8	0.4	34.7	1.0	103	<0.1	0.3	0.1	251	2.73
MM09TR89-C25	Rock	1.30	0.5	241.0	3.3	40	0.1	18.7	37.7	821	5.44	18.3	0.4	79.7	1.1	80	0.2	0.3	0.1	198	2.37
MM09TR89-C26	Rock	1.19	0.5	215.7	5.4	46	<0.1	12.8	14.2	769	4.26	22.6	0.3	40.0	1.2	117	0.2	0.4	<0.1	170	2.82
MM09TR89-C27	Rock	1.41	0.7	115.8	2.6	35	<0.1	12.6	14.0	626	4.02	12.9	0.4	19.8	1.1	106	0.2	0.3	<0.1	172	2.76
MM09TR89-C28	Rock	1.31	2.8	129.4	2.6	38	<0.1	17.4	19.0	696	4.44	13.1	0.3	13.8	1.1	85	<0.1	0.2	<0.1	190	3.37
MM09TR89-C29	Rock	1.19	1.2	334.9	6.4	44	0.1	21.1	26.4	808	4.83	22.4	0.4	49.5	1.4	83	0.2	0.4	0.1	188	2.96
MM09TR89-C30	Rock	1.21	1.5	119.7	3.8	37	<0.1	16.6	12.8	647	3.78	16.0	0.5	48.9	1.4	192	0.1	0.2	<0.1	146	3.31

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 14, 2009

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN09003976.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	
MM09TR89-T1	Rock	0.139	10	19	0.65	77	0.012	17	1.39	0.022	0.12	<0.1	<0.01	8.2	<0.1	0.08	6	<0.5
MM09TR89-C2	Rock	0.154	10	19	0.61	351	0.004	14	0.83	0.018	0.14	<0.1	<0.01	6.2	<0.1	0.08	3	0.7
MM09TR89-T3	Rock	0.146	10	16	0.80	52	0.005	20	0.88	0.034	0.05	<0.1	<0.01	8.0	<0.1	0.21	5	<0.5
MM09TR89-C4	Rock	0.149	9	17	0.44	188	0.005	22	0.67	0.026	0.04	<0.1	<0.01	8.1	<0.1	0.13	4	<0.5
MM09TR89-C5	Rock	0.138	9	14	0.91	57	0.003	24	0.67	0.022	0.06	<0.1	<0.01	7.5	<0.1	0.34	3	0.5
MM09TR89-C6	Rock	0.165	8	23	0.69	95	0.009	25	1.17	0.023	0.06	<0.1	<0.01	11.3	<0.1	0.36	7	<0.5
MM09TR89-C7	Rock	0.150	10	15	0.92	54	0.007	19	1.57	0.018	0.03	<0.1	<0.01	9.8	<0.1	0.19	8	<0.5
MM09TR89-C8	Rock	0.146	10	13	1.17	36	0.006	12	1.84	0.018	0.03	<0.1	<0.01	9.7	<0.1	0.17	9	<0.5
MM09TR89-C9	Rock	0.157	10	14	1.05	40	0.006	17	1.78	0.021	0.03	<0.1	<0.01	9.9	<0.1	0.13	9	<0.5
MM09TR89-C10	Rock	0.157	10	14	1.04	77	0.006	19	1.80	0.017	0.04	<0.1	<0.01	10.3	<0.1	0.14	9	0.7
MM09TR89-C11	Rock	0.160	8	18	0.66	46	0.008	24	0.99	0.020	0.05	<0.1	<0.01	8.1	<0.1	0.21	6	0.5
MM09TR89-C12	Rock	0.151	9	20	1.00	41	0.015	19	1.27	0.022	0.05	<0.1	<0.01	8.9	<0.1	0.17	8	<0.5
MM09TR89-C13	Rock	0.147	6	20	1.39	60	0.022	11	1.61	0.016	0.08	<0.1	<0.01	8.9	<0.1	0.16	9	<0.5
MM09TR89-C14	Rock	0.148	8	21	1.54	76	0.011	17	1.46	0.025	0.06	<0.1	<0.01	8.9	<0.1	0.12	8	<0.5
MM09TR89-C15	Rock	0.159	27	20	1.43	36	0.010	10	1.78	0.015	0.08	<0.1	<0.01	7.1	<0.1	0.07	9	<0.5
MM09TR89-C16	Rock	0.169	8	16	1.09	78	0.003	11	1.64	0.012	0.13	<0.1	<0.01	5.0	<0.1	0.22	7	<0.5
MM09TR89-C17	Rock	0.163	11	21	1.62	51	0.017	6	1.92	0.011	0.08	<0.1	<0.01	6.9	<0.1	0.40	10	0.6
MM09TR89-C18	Rock	0.163	9	21	1.68	63	0.011	6	1.94	0.013	0.08	<0.1	<0.01	7.6	<0.1	0.68	10	1.1
MM09TR89-C19	Rock	0.168	8	22	2.06	27	0.027	5	2.27	0.013	0.09	<0.1	<0.01	7.7	<0.1	0.86	12	0.5
MM09TR89-C20	Rock	0.157	9	21	1.79	48	0.027	5	2.07	0.015	0.08	<0.1	<0.01	7.0	<0.1	0.83	11	<0.5
MM09TR89-C21	Rock	0.169	10	22	2.21	41	0.026	6	2.51	0.015	0.06	<0.1	<0.01	8.6	<0.1	0.40	13	0.8
MM09TR89-C22	Rock	0.162	10	21	1.91	39	0.030	4	2.21	0.012	0.05	<0.1	<0.01	8.0	<0.1	0.41	12	<0.5
MM09TR89-C23	Rock	0.160	10	22	1.96	39	0.031	3	2.18	0.015	0.06	<0.1	<0.01	8.0	<0.1	0.29	11	0.7
MM09TR89-C24	Rock	0.161	8	27	2.04	91	0.008	4	2.35	0.011	0.04	<0.1	<0.01	9.0	<0.1	0.08	12	<0.5
MM09TR89-C25	Rock	0.177	9	29	2.10	59	0.013	3	2.05	0.013	0.05	<0.1	<0.01	9.9	<0.1	0.13	10	<0.5
MM09TR89-C26	Rock	0.175	7	25	1.89	61	0.011	5	2.00	0.016	0.04	<0.1	<0.01	8.3	<0.1	0.07	9	0.5
MM09TR89-C27	Rock	0.182	6	26	1.63	30	0.043	4	1.65	0.019	0.04	<0.1	<0.01	6.8	<0.1	<0.05	8	<0.5
MM09TR89-C28	Rock	0.177	7	29	1.76	24	0.010	5	1.84	0.020	0.05	<0.1	<0.01	8.0	<0.1	<0.05	9	<0.5
MM09TR89-C29	Rock	0.185	8	29	2.13	38	0.011	5	2.23	0.018	0.05	<0.1	<0.01	9.1	<0.1	0.09	10	<0.5
MM09TR89-C30	Rock	0.171	8	23	1.80	35	0.007	4	1.98	0.015	0.02	<0.1	<0.01	7.5	<0.1	0.06	9	0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 14, 2009

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN09003976.1

Method	Analyte	Unit	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MM09TR89-C31	Rock		1.33	1.3	297.7	5.1	38	0.1	17.3	16.3	645	4.07	14.8	0.3	60.6	1.1	88	0.2	0.3	<0.1	164	2.85
MM09TR89-C32	Rock		1.09	13.0	888.7	2.3	41	<0.1	12.3	40.3	710	4.70	9.0	0.4	77.2	1.2	74	<0.1	0.2	<0.1	161	2.80
MM09TR89-C33	Rock		1.08	4.4	214.9	25.4	128	0.4	8.0	22.2	890	4.65	27.9	0.3	20.9	1.0	43	1.5	0.2	0.2	178	2.18
MM09TR89-C34	Rock		0.89	4.1	327.2	5.2	43	0.3	8.3	10.9	790	3.70	32.0	0.4	24.0	1.0	65	0.4	0.3	0.2	157	3.38
MM09TR89-C35	Rock		0.94	6.4	473.4	6.7	67	0.5	10.3	23.3	830	4.19	54.0	0.4	37.2	1.0	64	0.5	0.4	0.3	149	1.95
MM09TR89-C36	Rock		1.22	8.9	491.2	7.9	54	0.7	10.3	13.5	795	3.80	50.9	0.4	33.4	1.1	97	0.7	0.3	0.2	146	3.36
MM09TR89-C37	Rock		0.91	3.0	125.2	4.2	49	0.2	4.8	5.3	709	3.22	20.9	0.4	9.7	1.0	141	0.4	0.3	<0.1	130	3.68
MM09TR89-C38	Rock		0.96	7.7	540.3	5.7	59	0.6	13.3	39.0	837	4.70	39.4	0.4	39.5	1.0	55	0.4	0.3	0.4	174	2.26
MM09TR89-C39	Rock		1.09	3.8	407.7	5.2	54	0.5	10.4	25.1	798	4.15	38.2	0.5	25.4	1.0	57	0.3	0.3	0.2	176	3.18
MM09TR89-C40	Rock		1.00	2.6	484.2	5.0	58	0.6	13.0	24.9	769	4.21	37.9	0.4	24.1	1.1	53	0.3	0.3	0.3	174	2.19
MM09TR89-C41	Rock		1.35	3.8	443.9	2.2	54	0.5	9.0	14.7	869	4.12	35.1	0.4	13.7	1.0	51	0.6	0.2	0.1	164	2.59
MM09TR89-C42	Rock		0.82	1.6	210.0	2.6	40	0.3	9.5	20.0	749	4.39	28.5	0.4	20.0	1.1	54	0.2	0.2	0.2	167	1.56
MM09TR89-C43	Rock		1.12	3.2	265.3	6.8	102	0.4	8.7	38.0	823	3.97	23.3	0.4	20.8	1.1	70	0.9	0.2	0.1	147	2.79
MM09TR89-C44	Rock		1.04	2.2	411.4	8.3	88	0.4	9.6	16.8	689	3.93	19.8	0.4	51.9	1.1	76	0.8	0.2	0.1	168	1.87
MM09TR89-C45	Rock		0.97	3.4	326.1	3.1	38	0.3	11.2	14.7	820	4.14	16.7	0.5	15.7	1.1	107	0.2	0.2	<0.1	166	3.18
MM09TR89-C46	Rock		1.10	7.8	161.1	1.9	40	0.2	9.6	34.6	745	4.21	20.5	0.4	16.8	1.2	48	<0.1	0.2	0.2	171	1.16
MM09TR89-C47	Rock		1.06	9.6	471.6	3.5	35	0.4	13.1	38.9	771	4.25	27.3	0.6	43.8	1.1	89	0.2	0.3	0.2	142	2.31
MM09TR89-C48	Rock		0.84	4.6	752.9	2.3	45	0.4	12.6	21.8	910	4.79	20.1	0.4	11.4	1.2	75	0.1	0.2	<0.1	188	2.10
MM09TR89-C49	Rock		0.97	1.9	77.4	2.2	40	<0.1	9.2	16.4	715	4.11	19.2	0.3	8.1	1.0	92	0.1	0.2	<0.1	172	1.96
MM09TR89-C50	Rock		1.05	6.4	131.3	2.7	35	<0.1	7.2	13.6	666	4.53	13.4	0.5	6.2	1.1	150	0.1	0.4	0.1	165	2.78
MM09TR89-C51	Rock		1.30	7.8	495.9	3.2	36	0.3	12.4	32.0	807	4.45	20.3	1.0	35.3	0.9	115	0.2	0.2	0.2	170	3.52
MM09TR89-C52	Rock		1.26	3.3	417.5	119.9	330	0.5	8.0	8.9	844	4.22	13.3	0.4	16.3	1.2	101	6.1	0.2	<0.1	179	3.11
MM09TR89-C53	Rock		1.35	7.0	775.3	3.4	70	0.7	14.5	45.9	852	4.77	27.0	0.5	58.1	1.1	74	0.6	0.1	0.2	203	2.46
MM09TR89-C54	Rock		1.20	10.1	442.9	23.5	198	0.6	8.0	21.7	821	4.12	14.9	0.5	28.1	1.1	67	3.9	0.1	<0.1	166	3.25



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 14, 2009

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN09003976.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	
MM09TR89-C31	Rock	0.179	6	25	1.91	40	0.010	4	1.97	0.018	0.06	<0.1	<0.01	6.9	<0.1	0.07	9	<0.5
MM09TR89-C32	Rock	0.167	11	17	2.01	29	0.008	4	2.29	0.008	0.07	<0.1	<0.01	7.8	<0.1	<0.05	12	<0.5
MM09TR89-C33	Rock	0.147	9	16	0.86	57	0.008	20	1.70	0.015	0.05	<0.1	<0.01	10.3	<0.1	0.22	9	<0.5
MM09TR89-C34	Rock	0.153	9	16	0.54	50	0.006	25	1.13	0.017	0.04	<0.1	<0.01	10.4	0.1	0.13	6	<0.5
MM09TR89-C35	Rock	0.148	9	17	0.55	85	0.006	24	1.02	0.022	0.04	<0.1	<0.01	9.3	<0.1	0.22	6	0.6
MM09TR89-C36	Rock	0.140	8	16	0.73	66	0.006	21	1.15	0.020	0.04	<0.1	<0.01	8.1	<0.1	0.21	7	<0.5
MM09TR89-C37	Rock	0.135	8	16	1.17	38	0.009	13	1.13	0.017	0.03	<0.1	<0.01	6.9	<0.1	<0.05	6	<0.5
MM09TR89-C38	Rock	0.153	9	21	0.95	66	0.015	21	1.41	0.019	0.05	<0.1	<0.01	9.6	<0.1	0.39	8	0.6
MM09TR89-C39	Rock	0.159	9	22	0.97	64	0.016	22	1.49	0.016	0.05	<0.1	<0.01	9.3	<0.1	0.25	9	<0.5
MM09TR89-C40	Rock	0.164	8	23	1.56	61	0.019	13	1.85	0.018	0.05	<0.1	<0.01	8.8	<0.1	0.29	10	0.6
MM09TR89-C41	Rock	0.151	7	17	1.36	61	0.016	14	1.81	0.014	0.04	<0.1	<0.01	7.9	<0.1	0.20	10	<0.5
MM09TR89-C42	Rock	0.138	6	19	1.22	80	0.016	14	1.64	0.017	0.06	<0.1	<0.01	8.6	<0.1	0.46	9	<0.5
MM09TR89-C43	Rock	0.142	7	18	1.46	71	0.017	12	1.64	0.015	0.05	<0.1	<0.01	8.9	<0.1	0.25	9	<0.5
MM09TR89-C44	Rock	0.145	7	23	1.43	80	0.019	14	1.66	0.015	0.07	<0.1	<0.01	8.3	<0.1	0.20	9	<0.5
MM09TR89-C45	Rock	0.144	7	23	1.62	62	0.018	13	1.66	0.014	0.05	<0.1	<0.01	10.5	<0.1	0.13	9	<0.5
MM09TR89-C46	Rock	0.153	9	23	1.98	61	0.023	10	1.92	0.015	0.06	<0.1	<0.01	10.8	<0.1	0.30	11	<0.5
MM09TR89-C47	Rock	0.153	7	22	1.71	55	0.015	13	1.68	0.016	0.05	<0.1	<0.01	9.8	<0.1	0.33	9	<0.5
MM09TR89-C48	Rock	0.161	7	27	2.24	108	0.012	15	2.40	0.009	0.05	<0.1	<0.01	11.0	<0.1	0.10	12	<0.5
MM09TR89-C49	Rock	0.143	8	21	1.69	137	0.013	16	1.85	0.016	0.05	<0.1	<0.01	9.5	<0.1	0.08	9	<0.5
MM09TR89-C50	Rock	0.139	6	22	1.67	67	0.007	13	1.49	0.016	0.04	<0.1	<0.01	8.5	<0.1	0.25	9	0.7
MM09TR89-C51	Rock	0.150	8	20	2.07	55	0.014	10	1.80	0.017	0.07	<0.1	<0.01	7.4	<0.1	0.39	9	<0.5
MM09TR89-C52	Rock	0.144	20	20	1.61	61	0.013	11	1.80	0.015	0.05	<0.1	0.01	7.8	<0.1	0.07	10	<0.5
MM09TR89-C53	Rock	0.144	16	25	1.58	75	0.012	15	1.92	0.011	0.06	<0.1	<0.01	7.8	<0.1	0.26	11	0.7
MM09TR89-C54	Rock	0.155	24	20	1.37	42	0.010	13	1.88	0.014	0.08	<0.1	<0.01	7.0	<0.1	0.14	10	<0.5



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 14, 2009

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN09003976.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
MM09TR89-C16	Rock	1.10	2.0	81.8	2.1	24	<0.1	8.1	20.8	497	3.96	12.9	0.4	13.4	1.1	100	0.1	0.1	0.1	129	4.21
REP MM09TR89-C16	QC		2.1	76.9	2.1	23	<0.1	8.0	19.9	482	3.85	12.3	0.4	13.8	1.2	99	<0.1	0.1	0.1	128	4.07
MM09TR89-C46	Rock	1.10	7.8	161.1	1.9	40	0.2	9.6	34.6	745	4.21	20.5	0.4	16.8	1.2	48	<0.1	0.2	0.2	171	1.16
REP MM09TR89-C46	QC		7.6	159.0	2.2	37	0.2	10.2	34.1	770	4.17	21.2	0.5	18.7	1.3	49	0.2	0.2	0.1	171	1.14
Reference Materials																					
STD DS7	Standard		19.0	104.4	65.5	383	0.8	53.2	8.7	571	2.33	49.5	4.6	70.2	4.3	67	6.2	5.5	4.4	78	0.92
STD DS7	Standard		18.9	105.5	64.4	380	0.7	53.0	8.8	574	2.34	47.5	4.6	54.7	4.4	68	6.0	5.5	4.5	79	0.94
STD DS7	Standard		22.2	112.2	67.8	404	0.8	58.6	9.4	660	2.45	51.7	4.7	68.6	4.3	66	6.1	5.3	4.2	87	1.03
STD DS7	Standard		22.0	108.0	68.0	413	0.8	54.5	9.3	650	2.41	51.1	4.6	69.1	4.3	68	6.1	5.4	4.3	86	1.01
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.3	2.3	3.6	47	<0.1	3.5	4.3	574	1.97	0.6	2.3	0.8	7.1	63	<0.1	<0.1	<0.1	38	0.51
G1	Prep Blank	<0.01	0.2	2.8	3.7	51	<0.1	3.2	4.2	599	1.94	<0.5	1.9	1.2	6.5	60	<0.1	<0.1	<0.1	37	0.51



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: September 14, 2009

Page: 1 of 1 **Part** 2

QUALITY CONTROL REPORT

VAN09003976.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Pulp Duplicates																			
MM09TR89-C16	Rock	0.169	8	16	1.09	78	0.003	11	1.64	0.012	0.13	<0.1	<0.01	5.0	<0.1	0.22	7	<0.5	
REP MM09TR89-C16	QC	0.168	9	16	1.06	76	0.003	15	1.62	0.014	0.14	<0.1	<0.01	4.8	<0.1	0.21	7	0.5	
MM09TR89-C46	Rock	0.153	9	23	1.98	61	0.023	10	1.92	0.015	0.06	<0.1	<0.01	10.8	<0.1	0.30	11	<0.5	
REP MM09TR89-C46	QC	0.152	8	22	1.97	60	0.023	10	1.95	0.015	0.06	<0.1	<0.01	10.4	<0.1	0.30	10	<0.5	
Reference Materials																			
STD DS7	Standard	0.072	12	157	0.99	380	0.106	37	0.95	0.077	0.41	3.9	0.18	2.2	3.9	0.19	4	3.2	
STD DS7	Standard	0.070	12	161	1.00	367	0.115	33	0.98	0.076	0.40	3.6	0.19	2.3	3.9	0.19	4	4.2	
STD DS7	Standard	0.076	13	187	1.08	386	0.130	38	1.08	0.063	0.42	4.2	0.19	2.1	4.3	0.21	5	3.1	
STD DS7	Standard	0.074	13	185	1.05	398	0.130	40	1.05	0.064	0.41	4.1	0.18	2.1	4.2	0.21	5	3.5	
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
Prep Wash																			
G1	Prep Blank	0.079	15	9	0.52	232	0.128	<1	0.98	0.092	0.50	<0.1	0.01	2.2	0.3	<0.05	5	<0.5	
G1	Prep Blank	0.081	13	8	0.52	196	0.128	<1	0.95	0.079	0.50	<0.1	<0.01	2.0	0.4	<0.05	5	<0.5	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: September 04, 2009
Report Date: September 21, 2009
Page: 1 of 5

CERTIFICATE OF ANALYSIS

VAN09004078.1

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 116

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R150	116	Crush, split and pulverize rock to 150 mesh			VAN
1DX2	116	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 21, 2009

Page: 2 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN09004078.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09TR81A-C46	Rock		0.3	70.3	1.7	30	<0.1	10.0	16.9	852	4.26	5.7	0.4	0.7	1.1	107	<0.1	0.2	<0.1	155	4.90
MM09TR81A-C47	Rock		0.2	42.0	1.7	32	<0.1	10.0	16.7	761	4.41	6.5	0.4	<0.5	1.3	92	<0.1	0.2	<0.1	158	4.11
MM09TR81A-C48	Rock		0.3	116.1	2.1	32	<0.1	8.6	10.6	1062	4.40	4.9	0.5	1.7	1.4	100	<0.1	0.2	<0.1	176	4.93
MM09TR81A-C49	Rock		0.1	82.0	3.1	32	<0.1	10.4	14.8	881	4.27	4.7	0.3	<0.5	1.1	98	<0.1	0.1	<0.1	180	4.50
MM09TR81A-C50	Rock		0.3	169.0	2.1	39	<0.1	10.5	17.6	890	4.53	5.5	0.4	<0.5	1.2	85	<0.1	0.2	<0.1	213	3.51
MM09TR81A-C51	Rock		0.3	337.4	3.9	36	0.3	9.7	21.1	1278	4.41	6.2	0.4	<0.5	1.1	127	<0.1	0.3	<0.1	186	5.85
MM09TR81A-C52	Rock		0.3	130.4	1.9	30	<0.1	9.1	14.6	793	4.26	5.1	0.4	0.5	1.2	104	<0.1	0.2	<0.1	161	4.63
MM09TR81A-C53	Rock		0.2	170.5	2.5	31	<0.1	9.4	13.5	854	4.14	5.7	0.4	<0.5	1.0	99	<0.1	0.2	<0.1	165	4.92
MM09TR81A-C54	Rock		0.5	193.2	5.3	29	0.3	11.7	40.8	1007	5.90	11.1	0.3	103.3	1.1	83	<0.1	0.2	0.4	156	3.70
MM09TR81A-C55	Rock		0.3	134.6	1.4	30	<0.1	7.0	11.8	1020	4.69	3.0	0.3	21.0	1.3	85	<0.1	0.2	<0.1	158	4.09
MM09TR81A-C56	Rock		0.2	51.3	0.9	29	<0.1	7.7	11.9	919	4.48	3.7	0.3	8.8	1.2	87	<0.1	0.3	<0.1	158	3.92
MM09TR81A-C57	Rock		0.2	263.5	1.5	34	0.1	11.8	41.0	1049	5.22	11.2	0.3	9.4	1.2	76	<0.1	0.2	0.2	192	3.48
MM09TR81A-C58	Rock		0.4	166.3	1.1	35	0.1	10.2	16.4	1195	4.99	4.3	0.4	7.4	1.2	67	<0.1	0.2	0.1	168	3.58
MM09TR81A-C59	Rock		0.3	192.0	1.3	34	0.1	10.1	18.2	1032	4.76	5.5	0.3	60.9	1.1	79	<0.1	0.1	0.1	170	3.73
MM09TR81A-C60	Rock		0.3	443.3	1.7	39	0.2	10.3	35.0	1084	4.99	10.5	0.3	31.3	1.0	68	<0.1	0.1	0.2	182	3.33
MM09TR81A-C61	Rock		0.2	71.9	1.5	33	<0.1	6.6	19.3	1018	4.39	6.5	0.3	13.0	1.0	82	<0.1	0.2	0.1	150	3.71
MM09TR81A-C62	Rock		0.3	171.2	1.1	37	<0.1	8.7	47.3	1133	4.97	9.2	0.3	5.7	0.9	79	<0.1	0.2	0.2	170	3.88
MM09TR81A-C63	Rock		0.2	118.2	1.5	41	0.1	6.9	18.6	1336	5.19	6.4	0.3	7.4	0.8	98	<0.1	0.1	0.1	187	4.74
MM09TR81A-C64	Rock		0.5	208.6	1.8	35	0.2	7.1	17.4	1030	4.37	6.8	0.3	8.1	0.8	105	0.1	0.2	0.2	151	4.44
MM09TR81A-C65	Rock		0.4	152.4	1.9	44	0.1	8.6	20.4	1151	5.41	5.5	0.4	5.6	0.9	85	<0.1	0.1	<0.1	192	3.48
MM09TR81A-C66	Rock		0.5	134.0	1.8	40	0.2	9.2	21.9	1210	5.27	8.0	0.3	26.0	0.6	98	<0.1	0.1	0.2	184	4.48
MM09TR81A-C67	Rock		1.7	590.3	2.1	30	0.4	7.7	20.9	925	4.17	6.5	0.3	77.4	1.1	115	<0.1	0.3	0.2	150	3.95
MM09TR81A-C68	Rock		0.3	75.0	1.8	40	<0.1	7.5	14.0	1376	4.76	6.6	0.3	12.1	0.8	111	<0.1	0.1	<0.1	143	5.34
MM09TR81A-C69	Rock		1.1	475.7	2.1	44	0.3	10.6	19.1	1038	4.93	6.5	0.4	31.8	1.3	98	0.1	0.2	0.2	168	3.56
MM09TR81A-C70	Rock		0.3	106.6	1.9	34	0.1	7.6	15.9	872	4.04	5.7	0.3	18.5	1.2	119	<0.1	0.3	0.1	135	4.77
MM09TR81A-C71	Rock		1.1	326.1	4.4	38	0.3	9.1	22.6	970	4.13	7.6	0.3	43.5	0.9	129	0.1	0.2	0.3	136	4.51
MM09TR81A-C72	Rock		0.4	197.1	2.2	48	0.1	11.4	19.7	1295	5.49	5.6	0.3	34.9	0.8	97	<0.1	0.2	0.2	193	3.54
MM09TR81A-C73	Rock		0.7	141.7	2.1	46	<0.1	19.3	15.4	1275	5.20	7.2	0.2	9.3	1.0	110	<0.1	0.1	0.1	167	4.31
MM09TR81A-C74	Rock		0.5	142.4	2.1	40	0.1	14.8	24.2	1037	4.64	6.9	0.3	11.0	1.0	144	<0.1	0.2	0.2	155	4.16
MM09TR81A-C75	Rock		0.4	147.9	2.2	42	0.1	9.7	20.6	1115	4.66	4.8	0.4	12.1	1.2	82	0.2	0.2	0.2	167	4.06

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 21, 2009

Page: 2 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN09004078.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
MM09TR81A-C46	Rock	0.159	8	24	1.36	41	0.011	5	1.38	0.032	0.08	<0.1	<0.01	7.8	<0.1	<0.05	8	<0.5
MM09TR81A-C47	Rock	0.163	8	27	1.13	50	0.012	7	1.36	0.045	0.11	<0.1	<0.01	7.5	<0.1	<0.05	7	<0.5
MM09TR81A-C48	Rock	0.169	10	24	1.13	45	0.009	6	1.38	0.033	0.08	<0.1	<0.01	7.8	<0.1	<0.05	8	<0.5
MM09TR81A-C49	Rock	0.154	8	25	1.37	49	0.010	5	1.53	0.038	0.08	<0.1	<0.01	7.3	<0.1	<0.05	8	0.6
MM09TR81A-C50	Rock	0.162	7	26	1.55	43	0.011	6	1.73	0.033	0.07	<0.1	<0.01	8.0	<0.1	<0.05	9	0.7
MM09TR81A-C51	Rock	0.156	9	26	1.55	46	0.010	5	1.67	0.038	0.08	<0.1	<0.01	8.1	<0.1	<0.05	9	<0.5
MM09TR81A-C52	Rock	0.159	9	25	1.41	35	0.010	6	1.48	0.030	0.08	<0.1	<0.01	8.5	<0.1	<0.05	8	<0.5
MM09TR81A-C53	Rock	0.157	10	24	1.21	43	0.009	4	1.45	0.032	0.09	<0.1	<0.01	7.8	<0.1	<0.05	8	<0.5
MM09TR81A-C54	Rock	0.155	5	36	1.73	64	0.005	4	2.27	0.018	0.06	<0.1	<0.01	7.8	<0.1	0.10	11	1.5
MM09TR81A-C55	Rock	0.161	10	34	1.70	29	0.005	8	2.29	0.023	0.06	<0.1	<0.01	9.2	<0.1	<0.05	11	<0.5
MM09TR81A-C56	Rock	0.153	7	24	1.65	27	0.008	5	2.09	0.022	0.05	<0.1	<0.01	8.4	<0.1	<0.05	10	<0.5
MM09TR81A-C57	Rock	0.157	7	25	1.94	46	0.007	5	2.45	0.022	0.07	<0.1	<0.01	8.1	<0.1	0.18	11	0.6
MM09TR81A-C58	Rock	0.152	11	25	1.85	30	0.006	5	2.28	0.017	0.04	<0.1	<0.01	9.4	<0.1	<0.05	11	<0.5
MM09TR81A-C59	Rock	0.156	9	27	1.92	30	0.007	5	2.36	0.021	0.05	<0.1	<0.01	8.3	<0.1	<0.05	11	<0.5
MM09TR81A-C60	Rock	0.166	7	22	2.21	32	0.009	4	2.50	0.018	0.06	<0.1	<0.01	8.3	<0.1	0.07	11	<0.5
MM09TR81A-C61	Rock	0.154	6	12	1.79	32	0.010	4	2.12	0.027	0.06	<0.1	<0.01	8.6	<0.1	<0.05	10	0.8
MM09TR81A-C62	Rock	0.158	6	15	1.98	36	0.015	5	2.37	0.022	0.06	<0.1	<0.01	9.4	<0.1	0.09	11	0.7
MM09TR81A-C63	Rock	0.134	7	21	2.21	30	0.011	5	2.63	0.022	0.04	<0.1	<0.01	9.2	<0.1	<0.05	11	0.7
MM09TR81A-C64	Rock	0.140	5	15	1.74	39	0.011	5	2.10	0.027	0.06	<0.1	<0.01	9.0	<0.1	0.07	9	0.8
MM09TR81A-C65	Rock	0.149	5	19	2.12	35	0.019	7	2.44	0.024	0.06	<0.1	<0.01	9.8	<0.1	0.10	10	0.9
MM09TR81A-C66	Rock	0.133	5	18	2.15	31	0.015	5	2.52	0.020	0.05	<0.1	<0.01	10.2	<0.1	0.09	11	0.8
MM09TR81A-C67	Rock	0.148	6	15	1.47	31	0.015	6	1.88	0.021	0.06	<0.1	<0.01	9.7	<0.1	<0.05	8	0.6
MM09TR81A-C68	Rock	0.140	7	16	1.87	28	0.013	5	2.30	0.017	0.04	<0.1	<0.01	8.5	<0.1	<0.05	10	<0.5
MM09TR81A-C69	Rock	0.156	8	22	2.01	32	0.014	6	2.35	0.020	0.07	<0.1	<0.01	9.5	<0.1	<0.05	11	<0.5
MM09TR81A-C70	Rock	0.144	8	15	1.49	28	0.010	5	1.89	0.019	0.05	<0.1	<0.01	8.3	<0.1	<0.05	8	<0.5
MM09TR81A-C71	Rock	0.140	5	15	1.78	27	0.011	4	2.09	0.018	0.05	<0.1	<0.01	8.2	<0.1	0.10	9	0.6
MM09TR81A-C72	Rock	0.128	6	23	2.57	20	0.024	4	2.81	0.016	0.06	<0.1	<0.01	10.9	<0.1	<0.05	11	<0.5
MM09TR81A-C73	Rock	0.134	7	43	2.68	18	0.024	4	2.75	0.017	0.06	<0.1	<0.01	10.5	<0.1	<0.05	11	<0.5
MM09TR81A-C74	Rock	0.153	7	30	1.80	22	0.012	9	2.28	0.020	0.08	<0.1	<0.01	8.0	<0.1	<0.05	9	<0.5
MM09TR81A-C75	Rock	0.159	9	25	1.53	26	0.008	9	2.03	0.020	0.07	<0.1	<0.01	8.6	<0.1	<0.05	10	0.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 21, 2009

Page: 3 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN09004078.1

Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09TR81A-C76	Rock		0.2	59.3	1.3	31	<0.1	8.1	15.8	864	4.14	2.7	0.3	5.4	1.3	90	<0.1	0.2	0.1	150	4.52
MM09TR81A-C77	Rock		0.2	97.4	1.5	36	<0.1	8.7	12.9	896	4.25	3.0	0.3	1.8	1.3	90	<0.1	0.1	0.1	161	4.28
MM09TR81A-C78	Rock		0.3	223.1	1.7	34	0.1	11.1	19.1	929	4.23	6.3	0.3	16.6	1.1	102	<0.1	0.2	0.2	165	4.47
MM09TR81A-C79	Rock		0.4	393.0	2.3	36	0.2	13.5	27.4	1079	4.71	7.6	0.2	18.5	0.9	106	0.2	0.2	0.2	164	4.84
MM09TR81A-C80	Rock		0.8	233.1	2.3	32	0.2	7.7	21.7	1022	4.02	5.8	0.2	5.8	0.8	114	0.1	0.1	0.2	145	5.93
MM09TR81A-C81	Rock		0.4	120.6	4.3	46	0.2	8.3	29.3	1272	6.25	10.5	0.2	9.4	0.6	97	<0.1	<0.1	0.2	250	4.58
MM09TR81A-C82	Rock		0.5	79.1	2.6	59	<0.1	4.7	13.8	1062	4.79	5.3	0.3	1.9	0.9	83	0.6	0.3	0.1	177	3.26
MM09TR81A-C83	Rock		0.4	33.5	2.9	41	<0.1	6.8	15.7	1147	4.75	6.8	0.2	1.0	0.6	107	<0.1	0.1	0.2	205	4.86
MM09TR81A-C84	Rock		0.7	37.8	1.5	41	<0.1	10.5	15.7	1281	4.63	6.6	0.3	<0.5	0.6	130	<0.1	0.2	0.2	210	5.81
MM09TR81A-C85	Rock		1.6	15.3	2.9	49	<0.1	33.1	23.9	1111	5.06	6.5	0.4	1.0	1.3	120	<0.1	0.3	0.1	145	3.16
MM09TR81A-C86	Rock		1.9	13.6	2.8	48	<0.1	33.9	16.9	1481	4.83	4.1	0.4	<0.5	1.2	171	<0.1	0.3	0.1	161	4.73
MM09TR81A-C87	Rock		0.6	19.1	4.0	47	<0.1	26.1	18.4	1306	4.85	5.3	0.4	<0.5	1.1	183	<0.1	0.3	0.1	169	5.46
MM09TR81A-C88	Rock		0.4	21.7	2.6	48	<0.1	38.1	18.2	1143	4.30	3.0	0.4	<0.5	1.4	149	<0.1	0.2	<0.1	126	4.84
MM09TR81A-C89	Rock		1.1	22.3	2.0	39	<0.1	22.6	19.6	1058	4.20	5.1	0.4	0.8	1.0	181	<0.1	0.2	0.1	151	5.51
MM09TR81A-C90	Rock		1.5	186.4	4.9	51	0.2	15.0	21.1	956	3.73	8.6	0.4	4.6	0.8	159	<0.1	0.3	0.4	166	4.86
MM09TR81A-C91	Rock		0.2	6.7	4.5	35	<0.1	4.8	5.3	543	1.81	2.6	0.4	1.0	1.9	150	0.2	0.2	<0.1	26	1.86
MM09TR81A-C92	Rock		0.4	16.9	6.8	39	<0.1	5.7	5.0	424	1.66	3.8	0.3	3.0	1.9	47	<0.1	0.2	<0.1	27	0.95
MM09TR81A-C93	Rock		0.4	5.4	3.8	28	<0.1	1.2	1.9	331	1.10	2.4	0.3	1.7	2.5	25	<0.1	0.2	<0.1	9	0.40
MM09TR81A-C94	Rock		0.4	4.8	6.8	31	<0.1	1.2	2.3	420	1.20	3.0	0.2	<0.5	2.3	29	<0.1	0.1	<0.1	6	0.51
MM09TR81A-C95	Rock		0.3	3.9	9.7	34	<0.1	0.8	2.3	379	1.14	3.2	0.3	<0.5	2.1	28	0.1	0.2	<0.1	6	0.47
MM09TR81A-C96	Rock		0.5	16.1	10.5	36	<0.1	2.9	4.6	371	1.47	2.5	0.3	0.9	1.8	31	0.2	0.2	<0.1	18	0.64
MM09TR81A-C97	Rock		0.3	268.3	5.6	38	0.2	8.3	11.6	683	2.69	5.7	0.3	4.7	1.4	76	0.1	0.3	0.1	60	2.19
MM09TR81A-C98	Rock		0.3	154.5	4.1	44	0.1	9.3	15.2	929	3.64	5.4	0.3	<0.5	1.1	106	0.2	0.2	0.1	117	3.73
MM09TR81A-C99	Rock		0.4	94.5	2.6	38	<0.1	19.7	28.8	1067	4.63	6.6	0.3	6.7	1.1	116	0.1	0.3	0.2	142	3.76
MM09TR81A-C100	Rock		0.4	69.1	5.2	37	<0.1	15.4	18.4	1000	3.71	8.5	0.4	7.9	1.3	119	0.2	0.8	0.1	91	2.67
MM09TR81A-C101	Rock		0.4	77.1	2.0	34	<0.1	13.7	20.7	804	4.14	4.0	0.5	0.9	1.5	114	<0.1	0.1	<0.1	161	3.93
MM09TR81A-C102	Rock		0.3	147.1	6.9	55	0.2	8.3	23.8	1013	4.25	9.4	0.3	6.6	0.9	111	0.7	0.9	0.2	129	2.36
MM09TR81A-C103	Rock		0.2	28.5	3.9	60	<0.1	7.2	18.9	1136	4.73	5.6	0.3	3.2	0.8	83	0.3	0.5	<0.1	197	3.27
MM09TR81A-C104	Rock		0.4	264.7	2.2	40	0.3	20.6	22.0	1055	4.34	5.2	0.5	7.5	1.0	134	<0.1	0.4	0.2	131	4.64
MM09TR81A-C105	Rock		0.7	24.1	2.0	32	<0.1	8.9	14.3	1063	4.70	5.6	0.3	3.1	0.9	110	<0.1	0.2	<0.1	211	5.00

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 21, 2009

Page: 3 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN09004078.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
MM09TR81A-C76	Rock	0.154	6	25	1.23	26	0.005	9	1.77	0.018	0.06	<0.1	<0.01	7.9	<0.1	<0.05	9	<0.5
MM09TR81A-C77	Rock	0.157	8	22	1.35	27	0.006	9	1.87	0.020	0.05	<0.1	<0.01	7.7	<0.1	<0.05	9	<0.5
MM09TR81A-C78	Rock	0.159	9	25	1.45	58	0.011	7	1.88	0.029	0.09	<0.1	<0.01	7.5	<0.1	0.10	9	0.7
MM09TR81A-C79	Rock	0.141	7	29	1.65	29	0.013	7	2.10	0.017	0.10	<0.1	<0.01	7.6	<0.1	0.09	9	0.7
MM09TR81A-C80	Rock	0.129	6	14	1.39	36	0.010	7	1.80	0.025	0.08	<0.1	<0.01	7.8	<0.1	0.06	7	<0.5
MM09TR81A-C81	Rock	0.142	7	11	2.18	36	0.017	10	2.67	0.027	0.09	<0.1	<0.01	9.8	<0.1	0.11	11	<0.5
MM09TR81A-C82	Rock	0.142	7	10	1.90	37	0.016	8	2.24	0.025	0.10	<0.1	<0.01	8.0	<0.1	<0.05	9	<0.5
MM09TR81A-C83	Rock	0.148	4	12	1.93	25	0.012	6	2.22	0.023	0.04	<0.1	<0.01	11.4	<0.1	<0.05	9	<0.5
MM09TR81A-C84	Rock	0.142	5	27	1.88	30	0.012	9	2.07	0.018	0.05	<0.1	<0.01	12.9	<0.1	<0.05	8	<0.5
MM09TR81A-C85	Rock	0.146	9	50	2.55	38	0.007	9	2.43	0.014	0.04	<0.1	<0.01	12.7	<0.1	<0.05	10	<0.5
MM09TR81A-C86	Rock	0.133	11	52	2.44	42	0.005	17	2.13	0.024	0.02	<0.1	<0.01	11.7	<0.1	<0.05	9	<0.5
MM09TR81A-C87	Rock	0.141	10	41	2.35	42	0.008	14	2.14	0.024	0.04	<0.1	<0.01	11.3	<0.1	<0.05	9	<0.5
MM09TR81A-C88	Rock	0.141	10	60	1.91	48	0.006	14	1.83	0.024	0.03	<0.1	<0.01	10.0	<0.1	<0.05	9	<0.5
MM09TR81A-C89	Rock	0.139	8	41	1.51	38	0.004	15	1.65	0.026	0.04	<0.1	<0.01	11.0	<0.1	<0.05	7	<0.5
MM09TR81A-C90	Rock	0.154	5	33	1.21	81	0.003	25	1.50	0.035	0.05	<0.1	<0.01	10.0	<0.1	<0.05	6	<0.5
MM09TR81A-C91	Rock	0.050	16	4	0.65	42	0.002	9	0.61	0.048	0.20	<0.1	<0.01	3.2	<0.1	<0.05	3	<0.5
MM09TR81A-C92	Rock	0.050	15	11	0.38	38	0.002	9	0.63	0.039	0.18	<0.1	<0.01	3.1	<0.1	<0.05	2	<0.5
MM09TR81A-C93	Rock	0.046	16	1	0.16	40	0.002	5	0.43	0.048	0.21	<0.1	<0.01	1.9	<0.1	<0.05	2	<0.5
MM09TR81A-C94	Rock	0.045	18	2	0.19	37	0.002	5	0.42	0.043	0.21	<0.1	<0.01	2.0	<0.1	<0.05	2	<0.5
MM09TR81A-C95	Rock	0.044	15	1	0.19	38	0.002	5	0.45	0.043	0.22	<0.1	<0.01	1.9	<0.1	<0.05	2	<0.5
MM09TR81A-C96	Rock	0.053	16	5	0.26	39	0.002	5	0.58	0.043	0.21	<0.1	<0.01	2.7	<0.1	<0.05	3	<0.5
MM09TR81A-C97	Rock	0.090	11	20	0.86	53	0.005	10	1.08	0.030	0.18	<0.1	<0.01	6.9	<0.1	<0.05	5	<0.5
MM09TR81A-C98	Rock	0.146	9	15	1.59	49	0.012	4	1.75	0.030	0.15	<0.1	<0.01	6.9	<0.1	<0.05	7	<0.5
MM09TR81A-C99	Rock	0.154	6	38	1.67	40	0.005	21	2.03	0.024	0.07	<0.1	<0.01	12.8	<0.1	<0.05	9	<0.5
MM09TR81A-C100	Rock	0.120	9	32	1.32	36	0.004	10	1.57	0.024	0.11	<0.1	<0.01	9.4	<0.1	<0.05	6	<0.5
MM09TR81A-C101	Rock	0.187	8	21	2.04	32	0.015	4	2.01	0.027	0.09	<0.1	<0.01	7.3	<0.1	<0.05	10	<0.5
MM09TR81A-C102	Rock	0.159	5	11	1.91	96	0.013	6	2.15	0.031	0.13	<0.1	<0.01	10.0	<0.1	<0.05	8	<0.5
MM09TR81A-C103	Rock	0.155	5	7	2.18	39	0.017	6	2.33	0.033	0.12	<0.1	<0.01	9.7	<0.1	<0.05	9	<0.5
MM09TR81A-C104	Rock	0.161	7	42	1.70	50	0.023	5	2.02	0.022	0.13	<0.1	<0.01	7.6	<0.1	<0.05	8	<0.5
MM09TR81A-C105	Rock	0.161	6	16	2.17	40	0.015	4	2.28	0.029	0.07	<0.1	<0.01	8.9	<0.1	<0.05	10	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 21, 2009

Page: 4 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN09004078.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09TR81A-C106	Rock		0.3	39.5	4.4	51	<0.1	14.8	19.2	1036	4.94	3.3	0.3	0.8	0.8	104	<0.1	0.2	<0.1	127	3.43
MM09TR81A-C107	Rock		0.7	37.6	2.6	25	<0.1	13.1	16.2	1102	3.92	5.7	0.4	<0.5	1.1	146	<0.1	0.2	<0.1	145	6.35
MM09TR81A-C108	Rock		0.3	57.3	5.4	39	<0.1	16.6	32.0	1066	5.83	4.9	0.2	12.2	0.5	151	<0.1	0.4	<0.1	170	4.85
MM09TR81A-C109	Rock		0.1	47.2	2.3	56	<0.1	42.1	23.9	1428	5.12	4.1	0.3	3.2	1.1	185	<0.1	0.3	<0.1	183	5.32
MM09TR81A-C110	Rock		0.2	14.4	2.6	67	<0.1	53.4	29.2	1641	4.87	5.0	0.4	8.6	1.4	168	0.1	0.3	0.1	157	6.27
MM09TR81A-C111	Rock		0.4	108.7	2.2	37	<0.1	7.6	10.2	803	3.90	3.2	0.2	5.9	0.9	102	<0.1	0.1	0.1	114	2.91
MM09TR81A-C112	Rock		0.3	94.0	1.7	34	<0.1	18.2	26.3	902	4.72	3.7	0.2	2.1	1.0	121	<0.1	0.2	0.1	144	4.16
MM09TR81A-C113	Rock		0.2	169.3	1.9	36	0.1	8.7	21.2	936	5.06	5.2	0.2	3.2	0.8	98	<0.1	0.2	0.2	183	3.06
MM09TR81A-C114	Rock		0.4	129.5	2.1	36	0.1	9.4	24.0	821	5.33	4.5	0.3	1.2	0.7	72	<0.1	0.1	0.2	171	2.10
MM09TR81A-C115	Rock		0.3	628.1	1.9	40	0.6	8.5	18.6	864	5.15	5.2	0.3	21.5	0.8	69	<0.1	0.2	0.2	175	2.26
MM09TR81A-C116	Rock		0.5	193.8	2.8	29	0.3	9.1	20.2	920	4.72	5.3	0.3	6.8	0.9	120	<0.1	0.2	0.2	158	4.24
MM09TR81A-C117	Rock		0.4	112.4	1.6	34	<0.1	8.1	11.2	820	4.26	4.6	0.3	1.7	0.8	88	<0.1	0.1	0.1	157	2.63
MM09TR81A-C118	Rock		0.4	151.3	2.8	30	0.2	8.5	12.1	917	4.45	5.5	0.4	31.8	1.0	110	<0.1	0.2	0.2	152	4.03
MM09TR81A-C119	Rock		0.3	135.6	3.7	24	0.2	7.9	20.6	757	4.31	4.5	0.2	5.5	0.8	98	<0.1	0.1	0.3	123	2.94
MM09TR81A-C120	Rock		0.2	91.8	2.0	26	0.1	9.9	17.2	854	4.35	4.0	0.3	3.2	0.8	117	<0.1	0.2	0.2	149	3.54
MM09TR81A-C121	Rock		0.2	356.5	4.2	25	0.3	7.8	20.1	715	4.16	4.6	0.2	13.4	0.7	89	<0.1	0.1	0.2	118	2.33
MM09TR81A-C122	Rock		0.7	175.7	2.0	25	0.2	8.3	34.4	818	4.08	7.4	0.3	5.5	0.8	112	<0.1	0.2	0.2	150	3.62
MM09TR81A-C123	Rock		0.3	186.7	3.3	28	0.3	9.4	27.0	794	4.78	4.8	0.4	21.8	0.8	110	<0.1	0.2	0.2	147	2.31
MM09TR81A-C124	Rock		0.2	173.8	2.2	27	0.2	11.3	27.2	763	4.39	4.5	0.3	2.9	1.0	82	<0.1	0.1	0.1	152	2.26
MM09TR81A-C125	Rock		0.2	199.4	2.3	28	0.2	10.7	30.9	831	4.56	4.2	0.3	4.7	1.1	88	<0.1	<0.1	0.2	147	2.86
MM09TR81A-C126	Rock		0.2	68.7	1.2	27	<0.1	10.4	8.7	967	4.15	4.0	0.3	11.5	1.4	121	<0.1	<0.1	<0.1	167	4.10
MM09TR81A-C127	Rock		0.2	184.7	2.5	27	<0.1	10.2	18.4	817	4.13	4.6	0.3	2.2	1.4	107	<0.1	0.1	<0.1	158	3.17
MM09TR81A-C128	Rock		0.2	141.2	1.4	25	0.1	11.0	22.5	902	3.90	4.0	0.4	<0.5	1.5	99	<0.1	0.1	<0.1	144	4.09
MM09TR81A-C129	Rock		0.2	77.9	1.5	25	<0.1	10.5	11.5	957	3.97	3.7	0.4	7.9	1.4	114	<0.1	<0.1	<0.1	154	4.17
MM09TR81A-C130	Rock		0.2	190.2	2.1	24	0.2	8.1	20.6	928	4.10	4.1	0.3	1.8	1.0	136	<0.1	0.1	0.1	141	4.48
MM09TR81A-C131	Rock		0.2	64.0	1.5	23	<0.1	8.3	13.8	800	4.07	4.1	0.3	1.0	1.1	105	<0.1	0.1	<0.1	145	3.29
MM09TR81A-C132	Rock		0.1	101.5	1.4	23	<0.1	7.2	15.3	835	3.94	3.4	0.3	0.8	1.0	126	<0.1	0.1	<0.1	151	3.73
MM09TR81A-C133	Rock		0.2	223.5	2.1	33	0.2	20.2	16.4	1096	4.88	4.5	0.3	6.6	0.9	158	0.1	0.2	0.1	211	5.27
MM09TR81A-C134	Rock		0.4	101.6	2.1	36	<0.1	27.5	11.3	1003	4.83	4.9	0.3	2.6	0.9	155	<0.1	0.3	<0.1	222	3.67
MM09TR81A-C135	Rock		0.3	212.0	2.0	32	<0.1	22.6	24.9	927	4.31	4.3	0.3	8.2	0.9	153	<0.1	0.3	<0.1	198	4.36

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 21, 2009

Page: 4 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN09004078.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
MM09TR81A-C106	Rock	0.165	6	23	1.91	59	0.019	4	2.28	0.024	0.18	<0.1	<0.01	6.1	<0.1	<0.05	7	<0.5
MM09TR81A-C107	Rock	0.176	7	22	1.80	33	0.024	4	1.84	0.028	0.13	<0.1	<0.01	5.8	<0.1	<0.05	7	<0.5
MM09TR81A-C108	Rock	0.128	6	13	2.88	36	0.016	5	2.78	0.016	0.12	<0.1	<0.01	9.4	<0.1	<0.05	10	<0.5
MM09TR81A-C109	Rock	0.188	7	89	2.69	41	0.042	3	2.70	0.026	0.08	<0.1	<0.01	9.9	<0.1	<0.05	10	<0.5
MM09TR81A-C110	Rock	0.204	11	106	2.77	39	0.029	3	2.33	0.017	0.10	<0.1	<0.01	8.0	<0.1	<0.05	9	<0.5
MM09TR81A-C111	Rock	0.166	7	15	1.53	112	0.011	4	1.79	0.020	0.16	<0.1	<0.01	5.9	<0.1	0.09	7	<0.5
MM09TR81A-C112	Rock	0.174	7	31	2.17	61	0.016	4	2.13	0.031	0.13	<0.1	<0.01	8.1	<0.1	0.21	9	<0.5
MM09TR81A-C113	Rock	0.162	6	16	2.77	78	0.007	4	2.76	0.021	0.13	<0.1	<0.01	8.5	<0.1	0.47	11	0.8
MM09TR81A-C114	Rock	0.173	5	17	2.74	64	0.010	5	2.69	0.026	0.12	<0.1	<0.01	8.5	<0.1	0.51	10	1.3
MM09TR81A-C115	Rock	0.173	11	19	2.87	56	0.008	5	2.79	0.022	0.10	<0.1	<0.01	9.4	<0.1	0.11	11	1.1
MM09TR81A-C116	Rock	0.156	8	17	2.26	39	0.009	6	2.43	0.021	0.10	<0.1	<0.01	8.9	<0.1	0.32	10	1.4
MM09TR81A-C117	Rock	0.151	5	19	2.54	39	0.012	4	2.43	0.019	0.08	<0.1	<0.01	8.0	<0.1	0.26	10	0.8
MM09TR81A-C118	Rock	0.160	8	20	2.24	31	0.008	5	2.43	0.022	0.08	<0.1	<0.01	8.1	<0.1	0.15	10	1.0
MM09TR81A-C119	Rock	0.140	7	16	1.94	54	0.011	3	2.04	0.023	0.07	<0.1	<0.01	8.0	<0.1	0.51	9	1.5
MM09TR81A-C120	Rock	0.142	5	25	2.19	47	0.015	4	2.24	0.025	0.06	<0.1	<0.01	9.7	<0.1	0.25	9	0.9
MM09TR81A-C121	Rock	0.144	6	12	1.97	49	0.012	3	2.03	0.031	0.07	<0.1	<0.01	8.2	<0.1	0.42	9	1.5
MM09TR81A-C122	Rock	0.139	6	21	2.05	64	0.012	3	2.06	0.023	0.06	<0.1	<0.01	8.7	<0.1	0.29	8	1.3
MM09TR81A-C123	Rock	0.146	6	18	2.16	96	0.013	5	2.29	0.022	0.05	<0.1	<0.01	8.0	<0.1	0.47	10	1.8
MM09TR81A-C124	Rock	0.158	6	23	2.23	36	0.012	3	2.33	0.024	0.07	<0.1	<0.01	7.7	<0.1	0.22	10	0.8
MM09TR81A-C125	Rock	0.149	7	22	2.15	38	0.009	2	2.26	0.023	0.07	<0.1	<0.01	7.8	<0.1	0.29	10	1.3
MM09TR81A-C126	Rock	0.170	8	23	2.32	33	0.010	4	2.50	0.025	0.06	<0.1	<0.01	8.1	<0.1	<0.05	11	0.8
MM09TR81A-C127	Rock	0.162	7	21	2.24	29	0.012	3	2.34	0.027	0.06	<0.1	<0.01	8.2	<0.1	0.05	10	<0.5
MM09TR81A-C128	Rock	0.163	8	23	1.87	43	0.008	4	2.15	0.024	0.06	<0.1	<0.01	8.8	<0.1	<0.05	10	<0.5
MM09TR81A-C129	Rock	0.166	8	21	2.09	28	0.011	3	2.16	0.023	0.06	<0.1	<0.01	8.7	<0.1	<0.05	10	1.0
MM09TR81A-C130	Rock	0.145	6	19	1.84	40	0.013	2	2.09	0.028	0.04	<0.1	<0.01	8.5	<0.1	0.16	10	1.3
MM09TR81A-C131	Rock	0.159	6	19	1.83	32	0.011	3	2.16	0.032	0.05	<0.1	<0.01	7.8	<0.1	0.08	10	0.7
MM09TR81A-C132	Rock	0.148	5	15	1.91	22	0.013	2	2.19	0.034	0.04	<0.1	<0.01	8.2	<0.1	0.12	9	1.0
MM09TR81A-C133	Rock	0.132	5	41	2.56	29	0.023	5	2.80	0.021	0.06	<0.1	<0.01	9.8	<0.1	<0.05	10	1.0
MM09TR81A-C134	Rock	0.141	4	44	3.02	28	0.055	5	2.90	0.026	0.05	<0.1	<0.01	10.4	<0.1	<0.05	10	0.5
MM09TR81A-C135	Rock	0.138	4	44	2.56	24	0.044	4	2.57	0.026	0.05	<0.1	<0.01	10.1	<0.1	<0.05	9	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 21, 2009

Page: 5 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN09004078.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09TR81A-C136	Rock		0.2	765.2	4.0	34	0.6	23.4	18.6	1048	5.19	4.4	0.4	10.1	0.8	165	<0.1	0.3	<0.1	239	4.61
MM09TR81A-C137	Rock		1.0	470.1	1.9	39	0.2	28.2	26.3	1065	4.95	4.5	0.3	2.1	0.8	150	<0.1	0.2	<0.1	223	3.32
MM09TR81A-C138	Rock		1.0	470.0	1.9	35	0.2	23.4	24.5	1051	4.93	3.9	0.3	<0.5	0.8	156	<0.1	0.2	<0.1	219	3.91
MM09TR81A-C139	Rock		0.5	415.5	1.9	33	0.2	19.7	27.5	1085	4.83	3.8	0.3	1.1	0.8	160	<0.1	0.1	<0.1	214	4.22
MM09TR81A-C140	Rock		0.4	158.4	1.7	31	0.1	16.2	21.7	1063	4.72	4.3	0.2	2.4	0.8	133	0.1	0.1	<0.1	193	3.74
MM09TR81A-C141	Rock		0.6	110.9	5.6	24	0.1	8.3	21.9	873	4.69	4.2	0.3	18.5	0.8	105	0.3	<0.1	0.2	173	2.86
MM09TR81A-C142	Rock		0.5	82.6	2.2	23	0.2	9.6	28.4	809	5.11	4.4	0.3	17.2	0.8	88	<0.1	<0.1	0.2	168	1.92
MM09TR81A-C143	Rock		0.3	251.7	2.1	26	0.2	8.3	19.9	877	4.46	4.4	0.3	17.6	0.8	104	0.2	0.1	0.2	172	2.70
MM09TR81A-C144	Rock		0.3	27.5	3.5	25	<0.1	10.6	24.8	847	4.73	4.6	0.3	6.0	0.9	61	<0.1	<0.1	0.2	178	1.89
MM09TR81A-C145	Rock		0.4	163.6	3.6	24	0.2	8.9	35.4	841	4.81	5.0	0.3	5.3	0.9	77	0.1	0.1	0.3	166	2.23
MM09TR81A-C146	Rock		0.2	404.4	1.9	28	0.3	8.6	18.6	943	4.42	4.3	0.3	3.4	0.9	106	0.1	<0.1	0.1	178	2.62
MM09TR81A-C147	Rock		0.3	107.1	1.8	25	0.1	7.4	21.2	908	4.53	4.0	0.4	2.6	1.0	78	0.1	<0.1	0.2	179	2.61
MM09TR81A-C148	Rock		0.2	59.3	2.9	27	0.1	8.9	25.2	925	5.07	4.3	0.4	4.0	1.1	54	<0.1	0.1	0.3	174	1.45
MM09TR81A-C149	Rock		0.2	295.4	1.5	24	0.2	8.1	11.3	960	4.23	4.4	0.4	2.5	1.2	86	<0.1	0.1	<0.1	178	2.96
MM09TR81A-C150	Rock		0.2	170.4	2.1	31	0.1	7.5	15.6	903	4.42	3.5	0.3	4.9	1.0	91	<0.1	<0.1	0.1	158	2.94
MM09TR81A-C151	Rock		0.5	46.2	1.7	26	<0.1	9.4	13.4	856	3.95	4.9	0.4	0.7	1.0	99	<0.1	0.2	<0.1	177	3.95
MM09TR81A-C152	Rock		0.2	97.4	1.9	26	<0.1	10.1	14.1	869	3.86	4.3	0.4	<0.5	1.1	91	0.2	0.2	<0.1	154	4.06
MM09TR81A-C153	Rock		0.3	25.7	1.7	27	<0.1	9.9	13.6	855	3.96	4.8	0.4	<0.5	1.1	85	0.1	0.2	<0.1	156	3.56
MM09TR81A-C154	Rock		0.1	34.9	1.8	30	<0.1	14.2	9.5	852	4.31	4.3	0.3	<0.5	1.1	77	<0.1	0.2	<0.1	155	3.05
MM09TR81A-C155	Rock		0.3	493.9	1.8	25	0.1	10.5	8.5	756	3.64	5.4	0.4	0.5	1.0	107	0.1	0.3	<0.1	157	3.14
MM09TR81A-C156	Rock		0.3	144.6	2.0	26	<0.1	10.3	17.1	765	3.53	4.4	0.4	<0.5	1.0	94	0.2	0.2	<0.1	149	3.26
MM09TR81A-C157	Rock		0.4	58.3	2.3	23	<0.1	10.3	34.8	793	3.94	3.9	0.4	<0.5	1.0	90	<0.1	0.2	0.1	154	3.47
MM09TR81A-C158	Rock		0.2	64.4	2.1	23	<0.1	10.2	18.2	775	3.70	3.8	0.3	<0.5	1.0	82	0.5	0.2	<0.1	154	3.39
MM09TR81A-C159	Rock		1.9	46.1	2.3	26	<0.1	11.1	32.5	796	4.17	4.1	0.4	<0.5	1.0	82	<0.1	0.2	0.2	154	3.06
MM09TR81A-C160	Rock		0.2	236.3	1.7	26	<0.1	11.0	16.0	802	3.73	4.8	0.3	<0.5	1.3	82	<0.1	0.2	<0.1	152	3.42
MM09TR81A-C161	Rock		0.2	80.8	1.8	27	<0.1	10.9	13.5	780	3.80	4.3	0.4	<0.5	1.1	91	<0.1	0.2	<0.1	152	3.97



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 21, 2009

Page: 5 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN09004078.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
MM09TR81A-C136	Rock	0.143	5	58	2.66	21	0.057	4	2.80	0.022	0.05	<0.1	<0.01	13.0	<0.1	<0.05	10	<0.5
MM09TR81A-C137	Rock	0.148	4	47	3.29	22	0.057	7	3.18	0.019	0.04	<0.1	<0.01	9.6	<0.1	<0.05	10	<0.5
MM09TR81A-C138	Rock	0.137	4	52	3.12	19	0.042	3	3.01	0.020	0.04	<0.1	<0.01	11.3	<0.1	<0.05	11	<0.5
MM09TR81A-C139	Rock	0.147	5	45	2.81	33	0.046	3	2.83	0.027	0.04	<0.1	<0.01	10.6	<0.1	<0.05	11	<0.5
MM09TR81A-C140	Rock	0.144	5	31	2.70	41	0.035	3	2.74	0.022	0.07	<0.1	<0.01	9.6	<0.1	0.10	10	0.8
MM09TR81A-C141	Rock	0.152	6	19	2.22	28	0.028	2	2.48	0.024	0.05	<0.1	<0.01	8.8	<0.1	0.35	10	1.5
MM09TR81A-C142	Rock	0.145	6	17	2.11	25	0.031	2	2.36	0.025	0.05	<0.1	<0.01	8.1	<0.1	0.56	9	2.3
MM09TR81A-C143	Rock	0.146	6	18	2.19	25	0.019	3	2.34	0.027	0.05	<0.1	<0.01	8.5	<0.1	0.22	10	1.1
MM09TR81A-C144	Rock	0.153	7	19	2.19	37	0.016	3	2.31	0.026	0.06	<0.1	<0.01	9.7	<0.1	0.28	10	1.9
MM09TR81A-C145	Rock	0.152	6	18	2.12	36	0.015	2	2.27	0.025	0.05	<0.1	<0.01	8.5	<0.1	0.35	9	1.2
MM09TR81A-C146	Rock	0.165	6	18	2.44	34	0.022	2	2.50	0.021	0.05	<0.1	<0.01	8.7	<0.1	0.18	11	0.9
MM09TR81A-C147	Rock	0.156	6	18	2.25	28	0.015	2	2.39	0.025	0.05	<0.1	<0.01	8.6	<0.1	0.16	10	1.1
MM09TR81A-C148	Rock	0.166	7	17	2.36	38	0.011	3	2.61	0.028	0.09	<0.1	<0.01	9.3	<0.1	0.25	10	1.4
MM09TR81A-C149	Rock	0.162	7	21	2.11	34	0.020	2	2.26	0.027	0.07	<0.1	<0.01	9.3	<0.1	<0.05	10	0.6
MM09TR81A-C150	Rock	0.152	6	16	2.08	77	0.013	3	2.28	0.022	0.12	<0.1	<0.01	6.9	<0.1	0.08	9	<0.5
MM09TR81A-C151	Rock	0.169	8	23	1.67	33	0.022	4	1.76	0.032	0.09	<0.1	<0.01	7.5	<0.1	<0.05	8	0.6
MM09TR81A-C152	Rock	0.159	8	25	1.63	30	0.037	4	1.67	0.030	0.08	<0.1	<0.01	7.3	<0.1	<0.05	8	<0.5
MM09TR81A-C153	Rock	0.160	7	23	1.95	28	0.048	4	1.82	0.023	0.06	<0.1	<0.01	7.6	<0.1	<0.05	8	0.6
MM09TR81A-C154	Rock	0.174	8	34	1.95	41	0.035	6	1.87	0.027	0.09	<0.1	<0.01	7.9	<0.1	<0.05	9	<0.5
MM09TR81A-C155	Rock	0.161	7	23	1.91	49	0.061	6	1.90	0.027	0.05	<0.1	<0.01	7.3	<0.1	<0.05	9	<0.5
MM09TR81A-C156	Rock	0.159	7	25	1.79	38	0.059	4	1.82	0.024	0.06	<0.1	<0.01	7.4	<0.1	<0.05	8	0.6
MM09TR81A-C157	Rock	0.158	7	25	1.75	40	0.035	3	1.79	0.028	0.06	<0.1	<0.01	7.4	<0.1	0.27	8	0.6
MM09TR81A-C158	Rock	0.167	7	24	1.45	41	0.036	4	1.62	0.026	0.08	<0.1	<0.01	7.4	<0.1	<0.05	7	<0.5
MM09TR81A-C159	Rock	0.162	7	24	1.95	44	0.045	3	1.97	0.023	0.05	<0.1	<0.01	7.6	<0.1	0.36	8	0.7
MM09TR81A-C160	Rock	0.160	7	24	1.98	44	0.032	4	2.13	0.022	0.06	<0.1	<0.01	7.6	<0.1	<0.05	9	<0.5
MM09TR81A-C161	Rock	0.153	7	22	1.77	38	0.033	3	1.95	0.024	0.06	<0.1	<0.01	7.0	<0.1	<0.05	9	0.6



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 21, 2009

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN09004078.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																				
MM09TR81A-C50	Rock	0.3	169.0	2.1	39	<0.1	10.5	17.6	890	4.53	5.5	0.4	<0.5	1.2	85	<0.1	0.2	<0.1	213	3.51
REP MM09TR81A-C50	QC	0.3	174.9	2.4	39	<0.1	10.3	17.3	910	4.63	5.7	0.3	2.3	1.2	86	<0.1	0.2	<0.1	218	3.61
MM09TR81A-C96	Rock	0.5	16.1	10.5	36	<0.1	2.9	4.6	371	1.47	2.5	0.3	0.9	1.8	31	0.2	0.2	<0.1	18	0.64
REP MM09TR81A-C96	QC	0.4	15.1	10.6	35	<0.1	2.8	4.6	365	1.48	2.6	0.2	<0.5	1.8	31	0.1	0.2	<0.1	18	0.64
MM09TR81A-C132	Rock	0.1	101.5	1.4	23	<0.1	7.2	15.3	835	3.94	3.4	0.3	0.8	1.0	126	<0.1	0.1	<0.1	151	3.73
REP MM09TR81A-C132	QC	0.2	102.1	1.6	24	<0.1	7.2	15.2	807	4.03	3.3	0.3	1.3	1.0	136	<0.1	0.1	<0.1	155	3.76
MM09TR81A-C153	Rock	0.3	25.7	1.7	27	<0.1	9.9	13.6	855	3.96	4.8	0.4	<0.5	1.1	85	0.1	0.2	<0.1	156	3.56
REP MM09TR81A-C153	QC	0.2	27.2	1.6	28	<0.1	10.8	14.5	881	3.97	4.9	0.4	<0.5	1.0	85	0.1	0.2	<0.1	154	3.56
Reference Materials																				
STD DS7	Standard	19.1	101.7	69.9	380	0.8	52.7	9.2	567	2.29	51.2	5.0	62.6	4.7	66	6.7	6.2	5.0	78	0.93
STD DS7	Standard	17.9	102.6	61.5	367	0.7	53.0	9.0	549	2.24	49.4	4.7	46.8	4.0	66	6.4	5.9	4.4	78	0.91
STD DS7	Standard	19.7	108.6	77.3	391	0.9	53.8	9.2	585	2.37	50.8	5.2	63.4	4.5	72	6.0	6.4	5.2	83	0.97
STD DS7	Standard	19.5	108.7	72.7	388	0.9	54.0	9.0	594	2.32	49.0	5.1	63.2	4.5	72	6.3	6.2	5.1	82	0.95
STD DS7	Standard	20.0	101.2	72.1	371	0.8	53.2	8.3	597	2.34	48.4	5.3	60.9	5.1	75	6.0	6.3	4.8	80	0.97
STD DS7	Standard	20.8	102.1	76.2	388	0.8	56.1	9.2	588	2.37	50.8	5.2	66.7	4.8	80	6.4	6.7	5.2	81	0.95
STD DS7	Standard	19.6	104.3	67.6	377	0.8	56.2	9.1	578	2.33	46.1	4.6	68.5	4.3	61	5.8	5.6	4.1	80	0.94
STD DS7	Standard	21.0	106.6	68.0	388	0.8	56.8	9.3	595	2.31	48.6	4.6	62.0	4.3	65	5.7	5.3	4.2	80	0.95
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																				
G1	Prep Blank	0.1	2.4	3.4	47	<0.1	2.9	4.2	587	1.90	<0.5	2.1	<0.5	6.1	61	<0.1	<0.1	<0.1	37	0.51
G1	Prep Blank	<0.1	2.6	3.6	43	<0.1	2.9	4.3	538	1.92	<0.5	2.1	<0.5	6.0	59	<0.1	<0.1	<0.1	37	0.51

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 21, 2009

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN09004078.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																		
MM09TR81A-C50	Rock	0.162	7	26	1.55	43	0.011	6	1.73	0.033	0.07	<0.1	<0.01	8.0	<0.1	<0.05	9	0.7
REP MM09TR81A-C50	QC	0.173	8	27	1.57	42	0.013	7	1.74	0.034	0.07	<0.1	<0.01	8.4	<0.1	<0.05	9	<0.5
MM09TR81A-C96	Rock	0.053	16	5	0.26	39	0.002	5	0.58	0.043	0.21	<0.1	<0.01	2.7	<0.1	<0.05	3	<0.5
REP MM09TR81A-C96	QC	0.053	16	5	0.27	40	0.002	6	0.58	0.044	0.22	<0.1	<0.01	2.8	<0.1	<0.05	3	<0.5
MM09TR81A-C132	Rock	0.148	5	15	1.91	22	0.013	2	2.19	0.034	0.04	<0.1	<0.01	8.2	<0.1	0.12	9	1.0
REP MM09TR81A-C132	QC	0.146	6	15	1.90	22	0.014	3	2.22	0.037	0.04	<0.1	<0.01	8.6	<0.1	0.13	9	0.6
MM09TR81A-C153	Rock	0.160	7	23	1.95	28	0.048	4	1.82	0.023	0.06	<0.1	<0.01	7.6	<0.1	<0.05	8	0.6
REP MM09TR81A-C153	QC	0.168	7	23	1.93	27	0.047	5	1.81	0.024	0.06	<0.1	<0.01	7.6	<0.1	<0.05	8	<0.5
Reference Materials																		
STD DS7	Standard	0.077	12	160	1.01	380	0.109	44	0.94	0.086	0.40	4.1	0.19	2.1	4.3	0.19	4	3.3
STD DS7	Standard	0.080	11	150	1.00	373	0.101	37	0.94	0.083	0.39	3.8	0.17	2.3	3.7	0.19	4	3.0
STD DS7	Standard	0.074	12	174	1.02	391	0.121	38	0.98	0.080	0.39	4.4	0.20	2.1	3.9	0.20	4	3.2
STD DS7	Standard	0.078	12	171	1.00	391	0.122	39	0.96	0.077	0.39	4.2	0.19	2.1	4.2	0.20	4	3.9
STD DS7	Standard	0.073	12	165	1.02	370	0.121	43	0.98	0.081	0.41	4.0	0.19	2.3	4.1	0.19	4	3.4
STD DS7	Standard	0.083	13	168	1.02	388	0.122	44	0.95	0.085	0.42	4.1	0.22	2.3	4.4	0.20	4	3.6
STD DS7	Standard	0.074	11	165	1.03	367	0.110	40	0.98	0.076	0.37	4.0	0.16	2.1	4.0	0.19	4	3.2
STD DS7	Standard	0.073	12	168	1.03	361	0.111	37	0.99	0.078	0.39	4.0	0.18	2.3	4.0	0.19	4	3.5
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																		
G1	Prep Blank	0.085	13	8	0.55	179	0.134	3	0.96	0.080	0.50	<0.1	<0.01	1.9	0.3	<0.05	4	<0.5
G1	Prep Blank	0.077	13	9	0.53	167	0.127	1	0.95	0.087	0.47	<0.1	<0.01	2.0	0.3	<0.05	4	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: September 08, 2009
Report Date: September 27, 2009
Page: 1 of 8

CERTIFICATE OF ANALYSIS

VAN09004103.1

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 209

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200	209	Crush, split and pulverize rock to 200 mesh			VAN
1DX2	209	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 27, 2009

Page: 2 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN09004103.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR86A C11	Rock	1.01	2.0	74.6	1.8	49	0.1	7.9	16.8	753	3.61	8.8	0.5	8.7	1.0	104	<0.1	0.1	0.2	111	4.78
MM09 TR86A C12	Rock	0.93	3.8	190.5	3.6	45	0.2	11.7	28.1	813	4.26	23.8	0.4	17.2	0.8	107	0.1	0.2	0.3	116	5.03
MM09 TR86A C13	Rock	0.91	7.6	160.7	3.9	50	0.2	8.4	52.9	942	5.04	22.5	0.3	19.0	0.7	119	0.1	0.1	0.2	125	5.07
MM09 TR86A C14	Rock	0.90	2.1	181.2	3.0	52	0.2	7.8	17.6	901	3.93	17.5	0.2	13.9	0.7	136	0.1	0.2	0.3	120	5.95
MM09 TR86A C15	Rock	0.91	3.6	129.6	3.7	58	0.1	7.3	22.0	1068	4.42	26.1	0.5	8.9	0.8	123	0.1	0.2	0.2	128	6.61
MM09 TR86A C16	Rock	1.04	5.7	123.6	3.8	41	0.1	7.8	13.3	807	3.63	13.7	0.3	15.7	0.8	121	0.1	0.2	0.2	119	6.40
MM09 TR86A C17	Rock	0.91	4.3	114.0	3.6	52	0.2	9.5	18.0	789	4.24	32.8	0.4	28.8	0.7	129	0.1	0.1	0.2	149	6.87
MM09 TR86A C18	Rock	1.10	5.8	100.6	2.9	34	0.1	9.1	12.4	715	4.34	15.0	0.3	9.1	0.9	82	0.1	0.2	0.1	156	3.79
MM09 TR86A C19	Rock	1.12	6.7	40.5	2.0	29	<0.1	7.0	8.4	620	4.05	10.6	0.2	15.2	0.9	67	<0.1	0.2	0.1	138	2.87
MM09 TR86A C20	Rock	0.81	1.3	163.0	2.0	39	0.1	7.8	12.8	798	4.56	9.6	0.3	7.3	0.8	94	<0.1	0.2	0.2	175	4.22
MM09 TR86A C21	Rock	0.94	4.1	68.6	2.3	37	0.1	7.5	16.2	739	4.36	12.0	0.3	3.9	0.8	133	<0.1	0.2	0.2	162	5.27
MM09 TR86A C22	Rock	0.98	4.5	66.0	1.8	29	<0.1	6.8	9.3	711	4.20	9.6	0.3	9.5	0.9	92	<0.1	0.3	0.2	150	3.65
MM09 TR86A C23	Rock	0.99	5.3	46.1	2.9	36	<0.1	9.0	23.7	780	4.91	9.8	0.2	3.6	0.8	99	<0.1	0.2	0.2	173	3.56
MM09 TR86A C24	Rock	0.97	1.3	84.8	2.6	43	<0.1	6.4	11.0	670	4.20	10.8	0.3	12.7	1.0	90	0.1	0.3	0.2	167	3.41
MM09 TR86A C25	Rock	0.86	1.5	149.4	2.7	51	0.1	6.3	10.4	666	4.36	8.6	0.3	12.7	0.9	74	0.2	0.2	0.2	163	3.00
MM09 TR86A C26	Rock	0.98	2.4	75.3	2.2	32	0.1	8.5	13.0	761	3.86	16.2	0.3	3.2	0.8	116	<0.1	0.1	0.2	134	4.42
MM09 TR86A C27	Rock	1.07	6.4	165.0	1.7	32	0.1	8.6	10.4	682	4.31	23.3	0.2	17.4	0.8	91	<0.1	0.4	0.2	153	3.79
MM09 TR86A C28	Rock	0.82	0.9	110.6	2.8	29	0.2	8.0	14.1	761	4.74	17.6	0.2	14.9	0.8	85	<0.1	0.3	0.3	168	3.26
MM09 TR86A C29	Rock	0.87	1.2	109.9	2.8	30	0.1	7.5	9.5	700	4.19	22.4	0.2	18.1	0.8	95	0.1	0.3	0.2	156	3.78
MM09 TR86A C30	Rock	0.85	1.1	111.5	2.9	32	0.1	7.7	13.6	905	4.77	15.9	0.3	40.4	0.9	94	0.1	0.3	0.3	160	3.48
MM09 TR86A C31	Rock	0.88	3.9	115.5	2.2	31	0.1	6.5	8.7	761	3.82	9.0	0.4	18.4	0.8	130	<0.1	0.1	<0.1	144	4.99
MM09 TR86A C32	Rock	1.03	6.5	541.8	2.5	35	0.3	12.0	34.2	707	3.86	20.0	0.3	84.7	0.8	101	0.2	0.1	0.3	164	4.24
MM09 TR86A C33	Rock	0.90	6.9	219.3	2.4	33	0.1	8.0	16.9	706	5.02	14.6	0.4	23.2	0.9	99	<0.1	0.2	0.2	199	4.23
MM09 TR86A C34	Rock	0.94	3.5	378.0	2.1	33	0.1	7.2	14.2	729	4.58	10.8	0.3	61.5	0.9	103	0.1	0.2	0.1	211	4.60
MM09 TR86A C35	Rock	1.07	30.7	1075	2.5	28	0.4	11.8	21.7	762	4.07	11.9	0.3	230.4	0.9	139	<0.1	0.2	0.2	165	4.94
MM09 TR86A C36	Rock	1.19	12.9	367.2	2.0	29	0.2	8.3	11.5	708	3.87	11.9	0.3	80.2	1.0	111	<0.1	0.2	0.1	151	4.48
MM09 TR86A C37	Rock	0.99	30.2	333.7	2.4	30	0.2	6.4	12.2	1035	4.85	12.5	0.3	45.5	0.8	162	0.2	0.2	0.1	139	7.55
MM09 TR86A C38	Rock	1.26	1.5	62.4	2.5	38	0.2	1.8	8.5	652	3.36	9.1	0.2	180.6	0.9	87	<0.1	0.2	0.4	83	4.69
MM09 TR86A C39	Rock	1.03	2.7	95.0	2.4	43	0.2	2.6	8.7	677	3.53	8.6	0.2	201.8	0.9	97	<0.1	0.2	0.3	88	4.40
MM09 TR86A C40	Rock	1.12	2.0	59.9	2.1	51	0.1	2.0	8.8	687	3.85	10.8	0.2	164.3	0.8	66	0.1	0.2	0.3	99	3.86

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 27, 2009

Page: 2 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN09004103.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
MM09 TR86A C11	Rock	0.158	10	18	1.29	55	0.007	7	1.57	0.020	0.07	<0.1	<0.01	5.0	<0.1	0.13	9	<0.5
MM09 TR86A C12	Rock	0.148	9	19	1.45	51	0.007	8	1.81	0.018	0.12	<0.1	<0.01	5.0	<0.1	0.33	8	0.8
MM09 TR86A C13	Rock	0.136	9	17	1.60	38	0.005	6	1.88	0.016	0.08	<0.1	<0.01	6.2	<0.1	0.55	9	0.7
MM09 TR86A C14	Rock	0.131	10	15	1.38	40	0.006	7	1.84	0.020	0.10	<0.1	<0.01	6.3	<0.1	0.16	8	<0.5
MM09 TR86A C15	Rock	0.130	13	18	1.52	134	0.006	7	1.94	0.016	0.10	<0.1	<0.01	7.1	<0.1	0.11	8	<0.5
MM09 TR86A C16	Rock	0.154	10	15	1.12	60	0.007	8	1.57	0.018	0.13	<0.1	<0.01	4.9	<0.1	0.13	7	<0.5
MM09 TR86A C17	Rock	0.138	10	20	1.42	33	0.017	7	1.83	0.013	0.07	<0.1	<0.01	6.0	<0.1	0.18	8	<0.5
MM09 TR86A C18	Rock	0.151	9	15	1.37	33	0.009	5	1.64	0.025	0.06	<0.1	<0.01	6.6	<0.1	0.21	9	0.7
MM09 TR86A C19	Rock	0.155	8	12	1.35	37	0.006	5	1.61	0.021	0.07	<0.1	<0.01	6.0	<0.1	0.09	9	<0.5
MM09 TR86A C20	Rock	0.139	9	16	1.48	33	0.008	9	1.80	0.019	0.07	<0.1	<0.01	6.7	<0.1	0.13	10	0.8
MM09 TR86A C21	Rock	0.140	9	14	1.44	60	0.010	9	1.64	0.027	0.07	<0.1	<0.01	6.1	<0.1	0.13	9	0.7
MM09 TR86A C22	Rock	0.145	9	12	1.17	39	0.007	6	1.46	0.032	0.08	<0.1	<0.01	6.5	<0.1	0.09	9	0.8
MM09 TR86A C23	Rock	0.147	10	16	1.52	43	0.010	7	1.83	0.029	0.09	<0.1	<0.01	7.1	<0.1	0.16	10	0.6
MM09 TR86A C24	Rock	0.128	10	14	1.21	61	0.013	7	1.46	0.048	0.09	<0.1	<0.01	7.1	<0.1	0.09	8	1.1
MM09 TR86A C25	Rock	0.162	9	17	1.40	35	0.011	5	1.68	0.032	0.08	<0.1	<0.01	6.3	<0.1	0.12	9	0.8
MM09 TR86A C26	Rock	0.141	10	13	1.20	54	0.005	7	1.52	0.034	0.08	<0.1	<0.01	6.0	<0.1	0.12	9	0.7
MM09 TR86A C27	Rock	0.147	9	15	1.33	44	0.004	6	1.61	0.025	0.08	<0.1	<0.01	5.9	<0.1	0.11	9	1.1
MM09 TR86A C28	Rock	0.146	10	13	1.48	46	0.008	6	1.76	0.024	0.08	<0.1	<0.01	6.5	<0.1	0.22	10	1.3
MM09 TR86A C29	Rock	0.154	8	12	1.51	53	0.010	7	1.74	0.027	0.10	<0.1	<0.01	5.9	<0.1	0.09	10	<0.5
MM09 TR86A C30	Rock	0.154	12	11	1.36	58	0.007	7	1.75	0.038	0.10	<0.1	<0.01	6.5	<0.1	0.23	10	1.8
MM09 TR86A C31	Rock	0.145	8	14	1.61	52	0.006	4	1.59	0.033	0.09	<0.1	<0.01	5.4	<0.1	0.10	8	0.6
MM09 TR86A C32	Rock	0.144	8	20	1.27	52	0.011	5	1.49	0.032	0.07	<0.1	<0.01	7.2	<0.1	0.32	8	1.1
MM09 TR86A C33	Rock	0.157	9	21	1.51	49	0.014	6	1.75	0.035	0.09	<0.1	<0.01	7.3	<0.1	0.15	10	<0.5
MM09 TR86A C34	Rock	0.154	8	23	1.58	49	0.017	6	1.75	0.030	0.09	<0.1	<0.01	7.2	<0.1	0.11	10	<0.5
MM09 TR86A C35	Rock	0.141	9	18	1.31	98	0.010	6	1.40	0.038	0.10	<0.1	<0.01	6.3	<0.1	0.19	8	0.7
MM09 TR86A C36	Rock	0.164	9	18	1.40	66	0.008	8	1.68	0.023	0.13	<0.1	<0.01	6.1	<0.1	0.12	8	1.0
MM09 TR86A C37	Rock	0.127	11	17	1.25	63	0.007	7	1.64	0.021	0.10	<0.1	<0.01	6.7	<0.1	0.11	7	0.7
MM09 TR86A C38	Rock	0.064	6	2	0.86	58	0.004	9	1.15	0.034	0.12	<0.1	<0.01	6.0	<0.1	0.10	5	0.5
MM09 TR86A C39	Rock	0.070	5	4	0.93	66	0.005	6	1.35	0.034	0.13	<0.1	<0.01	5.6	<0.1	0.13	6	0.9
MM09 TR86A C40	Rock	0.054	5	3	0.90	49	0.006	6	1.34	0.039	0.11	<0.1	<0.01	6.5	<0.1	0.06	7	0.6



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 27, 2009

Page: 3 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN09004103.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR86A C41	Rock	1.16	2.2	47.3	2.8	60	<0.1	6.0	15.0	826	3.94	11.8	0.3	15.0	0.7	82	<0.1	0.2	<0.1	104	3.31
MM09 TR86A C42	Rock	1.11	1.5	15.8	3.8	65	0.1	2.7	12.7	802	3.61	9.1	0.2	163.6	0.6	53	0.1	0.3	0.2	71	2.91
MM09 TR86A C43	Rock	0.99	3.2	39.4	2.7	87	0.2	2.1	10.6	807	3.66	8.1	0.2	472.2	0.7	57	0.7	0.2	0.4	69	3.07
MM09 TR86A C44	Rock	1.21	1.1	77.8	2.7	60	0.1	1.8	10.0	865	3.33	5.0	0.2	161.8	0.8	49	0.8	0.3	0.2	76	3.02
MM09 TR86A C45	Rock	0.92	3.3	59.0	2.9	70	0.2	2.6	9.6	749	4.02	5.9	0.3	275.0	0.9	62	0.2	0.3	0.5	82	2.32
MM09 TR86A C46	Rock	0.91	1.4	31.5	2.1	60	<0.1	1.6	12.1	838	3.54	5.2	0.2	101.5	0.8	43	0.2	0.3	0.1	75	2.54
MM09 TR86A C47	Rock	1.20	2.4	48.0	2.3	61	0.1	2.0	8.7	767	3.62	4.8	0.2	472.2	0.9	46	0.3	0.4	0.3	63	2.51
MM09 TR86A C48	Rock	1.30	1.2	42.9	2.2	56	<0.1	1.7	8.0	768	3.61	4.7	0.2	204.4	0.9	47	0.3	0.6	0.2	72	2.48
MM09 TR86A C49	Rock	1.02	2.8	89.7	1.5	64	<0.1	1.8	10.5	947	3.63	3.3	0.1	89.9	0.9	62	0.2	0.2	0.2	81	3.56
MM09 TR86A C50	Rock	1.08	2.6	80.7	2.4	84	0.1	2.2	11.2	818	3.65	4.3	0.2	96.4	0.8	52	0.5	0.2	0.2	80	2.82
MM09 TR86A C51	Rock	0.98	1.8	111.7	2.6	61	0.2	1.9	8.6	710	3.92	5.3	0.2	461.2	1.0	53	0.4	0.3	0.6	81	3.08
MM09 TR86A C52	Rock	1.11	1.5	62.3	2.3	83	0.1	2.2	9.5	836	3.90	4.5	0.2	191.2	1.0	49	0.4	0.2	0.4	66	2.72
MM09 TR86A C53	Rock	0.99	3.2	236.1	3.0	57	0.3	1.4	7.2	670	3.51	4.2	0.3	259.1	1.2	44	0.2	0.3	0.4	80	3.18
MM09 TR86A C54	Rock	0.99	2.3	75.6	3.8	51	0.3	2.3	8.7	860	4.08	5.8	0.3	374.8	0.9	59	0.3	0.2	0.7	78	2.52
MM09 TR86A C55	Rock	0.99	4.2	189.5	3.0	59	0.3	3.1	9.6	700	3.77	5.7	0.3	317.0	1.0	74	0.4	0.2	1.0	84	2.67
MM09 TR86A C56	Rock	1.02	3.3	142.5	3.0	59	0.3	2.2	9.0	1070	3.65	4.6	0.3	312.8	1.1	63	0.7	0.3	0.6	67	5.28
MM09 TR86A C57	Rock	1.24	3.6	60.3	4.7	125	0.2	1.9	11.1	888	4.32	5.8	0.3	228.8	1.0	37	1.2	0.2	0.9	64	2.24
MM09 TR86A C58	Rock	1.04	2.4	78.4	3.3	100	0.3	2.3	10.3	712	3.51	4.5	0.3	372.4	1.0	41	0.8	0.2	1.1	64	2.91
MM09 TR86A C59	Rock	0.90	1.8	56.2	4.3	99	0.3	2.4	11.4	1039	4.37	5.3	0.4	316.1	0.9	69	1.1	0.1	0.7	53	4.22
MM09 TR86A C60	Rock	1.09	3.8	71.2	4.2	121	0.8	3.0	12.9	848	5.03	4.5	0.4	770.4	0.9	46	1.0	0.3	2.4	59	2.34
MM09 TR86A C61	Rock	1.35	3.2	46.2	2.5	141	0.2	1.9	10.2	609	3.55	4.2	0.3	147.4	0.8	45	1.6	0.2	0.3	76	2.42
MM09 TR86A C62	Rock	0.93	2.2	51.7	4.0	109	0.2	3.0	12.1	747	5.09	5.8	0.3	215.8	0.9	41	0.9	0.3	0.4	76	1.95
MM09 TR86A C63	Rock	1.12	0.9	76.3	3.2	83	0.2	2.6	11.7	663	4.12	6.5	0.2	515.3	0.9	39	0.7	0.4	0.4	73	1.93
MM09 TR86A C64	Rock	0.88	3.6	28.2	2.9	77	<0.1	1.9	12.0	691	4.44	4.4	0.4	29.9	1.0	50	0.5	0.2	0.2	74	2.36
MM09 TR86A C65	Rock	1.10	3.7	94.1	3.8	90	0.3	2.5	10.5	603	4.21	5.9	0.4	980.5	0.9	57	0.7	0.5	1.5	101	2.53
MM09 TR86A C66	Rock	0.91	4.1	30.1	2.9	85	0.1	2.3	11.1	465	4.13	3.7	0.3	124.2	0.9	37	0.4	0.1	0.3	82	1.57
MM09 TR86A C67	Rock	0.89	3.2	32.6	3.4	120	<0.1	2.4	11.2	551	3.98	3.4	0.4	64.4	0.9	38	0.6	0.1	0.2	69	1.79
MM09 TR86A C68	Rock	0.91	3.4	63.7	3.4	91	0.1	2.3	12.8	715	4.53	4.4	0.4	89.1	1.0	45	0.7	0.2	0.5	75	2.25
MM09 TR86A C69	Rock	1.23	3.6	43.9	2.6	66	<0.1	2.0	11.8	578	3.55	3.9	0.4	219.8	1.0	43	0.4	0.2	0.2	79	2.21
MM09 TR86A C70	Rock	0.99	2.4	43.4	2.6	75	<0.1	2.2	15.2	728	4.52	4.5	0.4	74.5	1.1	50	0.4	0.2	0.1	78	1.98

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 27, 2009

Page: 3 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN09004103.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
MM09 TR86A C41	Rock	0.107	10	17	1.65	66	0.009	6	1.90	0.032	0.12	<0.1	<0.01	7.0	<0.1	0.08	8	<0.5
MM09 TR86A C42	Rock	0.071	10	10	1.45	70	0.005	3	1.87	0.033	0.16	<0.1	<0.01	7.0	<0.1	0.09	8	<0.5
MM09 TR86A C43	Rock	0.055	5	4	1.07	77	0.005	6	1.47	0.043	0.12	<0.1	<0.01	6.9	<0.1	0.11	6	<0.5
MM09 TR86A C44	Rock	0.054	4	1	1.10	47	0.006	5	1.41	0.051	0.08	<0.1	<0.01	7.6	<0.1	<0.05	6	0.6
MM09 TR86A C45	Rock	0.059	5	2	1.08	143	0.004	8	1.49	0.053	0.07	<0.1	<0.01	7.6	<0.1	<0.05	7	0.5
MM09 TR86A C46	Rock	0.052	5	2	1.15	37	0.005	3	1.42	0.036	0.08	<0.1	<0.01	6.7	<0.1	<0.05	6	<0.5
MM09 TR86A C47	Rock	0.052	4	2	1.08	70	0.003	6	1.51	0.033	0.09	<0.1	<0.01	7.5	<0.1	<0.05	7	<0.5
MM09 TR86A C48	Rock	0.052	4	2	1.15	51	0.005	8	1.62	0.039	0.08	<0.1	<0.01	7.4	<0.1	<0.05	7	0.9
MM09 TR86A C49	Rock	0.054	4	2	1.28	53	0.004	5	1.61	0.045	0.07	<0.1	<0.01	7.2	<0.1	0.06	7	<0.5
MM09 TR86A C50	Rock	0.051	4	2	1.12	52	0.004	8	1.52	0.050	0.09	<0.1	<0.01	7.1	<0.1	<0.05	6	0.7
MM09 TR86A C51	Rock	0.049	4	2	0.86	114	0.004	7	1.29	0.047	0.07	<0.1	<0.01	7.8	<0.1	0.07	6	0.5
MM09 TR86A C52	Rock	0.052	4	2	1.11	66	0.003	6	1.67	0.036	0.12	<0.1	<0.01	6.5	<0.1	0.08	7	0.8
MM09 TR86A C53	Rock	0.049	4	2	0.81	150	0.006	5	1.08	0.062	0.04	<0.1	<0.01	6.9	<0.1	0.10	6	1.2
MM09 TR86A C54	Rock	0.053	4	2	0.77	94	0.003	10	1.26	0.047	0.07	<0.1	<0.01	7.4	<0.1	0.10	5	0.6
MM09 TR86A C55	Rock	0.071	5	5	0.95	330	0.004	9	1.44	0.047	0.07	<0.1	<0.01	6.9	<0.1	0.14	6	0.6
MM09 TR86A C56	Rock	0.045	4	1	0.78	103	0.006	9	1.27	0.040	0.09	<0.1	<0.01	6.8	<0.1	<0.05	5	0.9
MM09 TR86A C57	Rock	0.048	4	<1	0.91	46	0.003	9	1.46	0.022	0.11	<0.1	<0.01	6.6	<0.1	<0.05	6	0.7
MM09 TR86A C58	Rock	0.050	4	1	0.83	69	0.002	10	1.34	0.033	0.11	<0.1	<0.01	6.9	<0.1	<0.05	5	<0.5
MM09 TR86A C59	Rock	0.053	6	<1	0.75	61	<0.001	13	1.43	0.017	0.16	<0.1	<0.01	4.9	<0.1	0.07	5	0.8
MM09 TR86A C60	Rock	0.051	5	<1	0.80	154	0.001	13	1.47	0.017	0.15	<0.1	<0.01	6.1	<0.1	0.09	6	0.8
MM09 TR86A C61	Rock	0.048	5	<1	0.67	87	0.002	9	1.03	0.044	0.06	<0.1	0.02	7.9	<0.1	<0.05	5	<0.5
MM09 TR86A C62	Rock	0.052	4	1	0.66	71	0.003	12	1.29	0.042	0.11	<0.1	<0.01	7.8	<0.1	<0.05	6	<0.5
MM09 TR86A C63	Rock	0.049	4	1	1.03	83	0.002	10	1.63	0.024	0.11	<0.1	<0.01	7.5	<0.1	<0.05	6	<0.5
MM09 TR86A C64	Rock	0.050	5	1	0.43	62	0.004	13	1.10	0.039	0.14	<0.1	<0.01	6.0	<0.1	<0.05	5	0.5
MM09 TR86A C65	Rock	0.067	5	1	0.60	69	0.003	12	1.21	0.032	0.08	<0.1	<0.01	7.2	<0.1	<0.05	6	0.7
MM09 TR86A C66	Rock	0.051	5	1	0.39	68	0.002	12	1.04	0.047	0.09	<0.1	<0.01	6.9	<0.1	<0.05	5	<0.5
MM09 TR86A C67	Rock	0.054	5	2	0.42	54	0.002	14	1.09	0.035	0.11	<0.1	<0.01	5.8	<0.1	<0.05	5	0.6
MM09 TR86A C68	Rock	0.050	5	1	0.61	82	0.002	12	1.20	0.031	0.12	<0.1	<0.01	6.4	<0.1	<0.05	5	<0.5
MM09 TR86A C69	Rock	0.053	5	1	0.43	51	0.004	15	0.98	0.032	0.09	<0.1	<0.01	6.0	<0.1	<0.05	5	0.5
MM09 TR86A C70	Rock	0.053	5	1	0.58	55	0.004	13	1.33	0.035	0.11	0.3	<0.01	6.8	<0.1	<0.05	6	0.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 27, 2009

Page: 4 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN09004103.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR86A C71	Rock	1.00	3.1	59.6	3.3	56	<0.1	2.3	11.7	811	3.94	6.9	0.4	58.5	1.0	114	0.3	0.3	0.1	74	3.81
MM09 TR86A C72	Rock	1.03	3.4	59.8	3.4	62	<0.1	1.9	11.6	630	3.78	4.9	0.4	56.0	1.0	52	0.4	0.3	0.2	76	2.12
MM09 TR86A C73	Rock	0.98	1.7	61.2	2.5	55	<0.1	2.0	11.7	625	3.55	5.0	0.5	53.4	1.2	41	0.3	0.3	<0.1	68	1.69
MM09 TR86A C74	Rock	0.96	4.3	124.9	3.3	67	0.3	2.1	10.9	808	4.15	6.0	0.3	94.9	1.0	59	0.5	0.4	0.3	90	2.41
MM09 TR86A C75	Rock	0.94	3.8	131.3	4.0	69	0.5	2.7	11.8	760	4.27	7.0	0.4	199.9	1.0	49	0.4	0.5	1.1	80	1.89
MM09 TR86A C76	Rock	0.91	1.1	51.6	2.9	54	0.1	3.6	16.1	832	3.17	11.2	0.3	22.6	1.0	34	0.2	0.8	<0.1	76	0.62
MM09 TR86A C77	Rock	1.09	0.7	177.7	2.3	44	0.2	3.7	10.4	1038	2.56	11.6	0.2	40.2	1.0	26	0.2	0.6	<0.1	66	1.14
MM09 TR86A C78	Rock	0.87	0.5	94.6	2.3	39	<0.1	3.2	10.4	591	2.35	12.7	0.2	25.4	1.1	49	0.2	1.6	<0.1	63	0.47
MM09 TR86A C79	Rock	0.88	0.5	122.7	1.9	45	<0.1	2.3	10.4	680	2.60	10.9	0.3	49.5	0.9	47	0.2	0.8	<0.1	62	0.54
MM09 TR86A C80	Rock	1.03	0.5	153.3	2.3	62	0.1	2.1	13.6	737	3.47	16.5	0.3	92.3	1.0	66	0.1	1.2	<0.1	77	0.75
MM09 TR86A C81	Rock	0.93	0.7	135.4	3.7	74	0.1	1.9	12.2	731	3.46	13.8	0.4	33.4	1.0	27	0.4	1.0	<0.1	82	2.09
MM09 TR86A C82	Rock	0.98	0.7	25.3	2.7	52	<0.1	1.8	13.0	699	2.94	15.5	0.2	29.1	1.2	33	0.2	0.9	<0.1	78	2.55
MM09 TR86A C83	Rock	1.08	0.5	51.6	2.7	61	<0.1	2.5	11.9	765	3.22	12.0	0.3	11.4	1.0	31	0.2	0.7	0.1	86	2.55
MM09 TR86A C84	Rock	0.78	0.8	68.3	2.7	56	<0.1	1.7	13.2	742	3.19	15.5	0.4	44.7	1.0	69	0.2	1.0	<0.1	80	2.39
MM09 TR86A C85	Rock	0.88	0.6	45.4	2.9	59	<0.1	2.0	12.2	769	3.16	13.8	0.3	43.8	1.0	34	0.2	1.5	<0.1	77	2.79
MM09 TR86A C86	Rock	1.01	0.9	61.8	3.1	58	<0.1	2.1	11.8	805	3.70	12.8	0.3	27.3	1.0	21	0.1	0.7	<0.1	94	1.40
MM09 TR86A C87	Rock	1.00	0.6	53.7	2.8	59	<0.1	2.5	13.0	804	3.48	10.8	0.3	30.2	1.1	20	0.1	0.7	<0.1	80	1.54
MM09 TR86A C88	Rock	0.89	0.8	367.1	2.9	53	0.4	2.1	12.4	697	3.25	16.8	0.3	133.3	1.0	35	0.6	4.9	<0.1	63	2.58
MM09 TR86A C89	Rock	1.05	0.8	135.4	3.1	68	0.2	2.1	13.2	871	3.70	17.2	0.3	54.2	1.1	40	0.2	1.3	0.2	91	2.34
MM09 TR86A C90	Rock	0.89	0.8	83.3	2.9	55	<0.1	2.3	13.1	750	3.57	12.6	0.3	28.7	1.1	23	0.1	0.8	<0.1	84	1.71
MM09 TR86A C91	Rock	0.82	1.2	67.7	2.7	55	0.1	2.8	13.1	727	3.23	10.1	0.4	12.9	1.1	26	0.2	0.4	0.1	66	2.28
MM09 TR86A C92	Rock	0.91	0.7	149.4	3.2	39	<0.1	1.9	9.1	755	2.51	13.4	0.5	18.6	1.4	43	0.3	1.0	0.1	58	3.50
MM09 TR86A C93	Rock	1.06	1.0	122.9	3.7	73	0.1	2.1	14.5	822	4.00	16.2	0.4	105.3	1.2	28	0.1	1.3	<0.1	91	1.28
MM09 TR86A C94	Rock	0.77	0.7	120.6	2.8	59	0.1	2.0	12.6	759	3.31	11.1	0.4	61.2	1.1	28	0.2	0.8	0.1	73	2.02
MM09 TR86A C95	Rock	0.80	1.0	107.0	3.5	65	0.1	2.0	12.7	779	3.54	13.2	0.3	103.2	1.2	23	0.2	0.9	0.1	74	1.66
MM09 TR86A C96	Rock	0.88	0.8	183.8	3.6	65	0.2	1.7	11.9	806	3.83	17.6	0.3	100.0	1.1	37	0.2	1.8	0.1	89	2.19
MM09 TR86A C97	Rock	0.93	1.4	176.6	3.4	53	0.3	1.4	9.2	799	3.43	10.7	0.3	299.0	1.4	31	0.2	0.9	0.6	71	1.54
MM09 TR86A C98	Rock	0.89	1.5	195.1	3.9	61	0.2	1.7	13.6	878	3.44	11.8	0.3	237.4	1.2	39	0.3	0.6	0.2	82	2.45
MM09 TR86A C99	Rock	0.89	1.6	318.9	3.5	56	0.4	1.9	14.3	764	3.43	19.8	0.3	97.6	1.1	35	0.2	1.7	0.1	72	1.28
MM09 TR86A C100	Rock	0.99	1.0	100.3	2.9	64	0.1	1.5	11.1	864	3.68	10.2	0.3	125.3	1.1	23	0.2	0.6	0.2	95	1.61

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 27, 2009

Page: 4 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN09004103.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
MM09 TR86A C71	Rock	0.052	6	1	1.01	201	0.003	14	1.10	0.033	0.10	<0.1	<0.01	7.1	<0.1	<0.05	5	<0.5
MM09 TR86A C72	Rock	0.048	5	2	0.50	500	0.004	11	1.06	0.037	0.09	<0.1	<0.01	7.9	<0.1	<0.05	5	0.6
MM09 TR86A C73	Rock	0.049	5	<1	0.55	69	0.004	11	1.19	0.030	0.11	<0.1	<0.01	7.6	<0.1	<0.05	5	<0.5
MM09 TR86A C74	Rock	0.046	5	2	0.58	296	0.003	15	1.26	0.039	0.08	<0.1	<0.01	10.4	<0.1	<0.05	6	0.8
MM09 TR86A C75	Rock	0.049	5	2	0.72	229	0.002	12	1.39	0.025	0.11	<0.1	<0.01	9.6	<0.1	<0.05	6	0.6
MM09 TR86A C76	Rock	0.057	4	3	1.37	58	0.010	7	2.02	0.062	0.09	<0.1	<0.01	8.2	<0.1	<0.05	7	<0.5
MM09 TR86A C77	Rock	0.050	5	4	1.06	51	0.008	6	1.62	0.057	0.09	<0.1	<0.01	8.3	<0.1	<0.05	6	<0.5
MM09 TR86A C78	Rock	0.041	4	2	1.27	32	0.013	10	1.87	0.053	0.06	<0.1	<0.01	8.3	<0.1	<0.05	7	<0.5
MM09 TR86A C79	Rock	0.043	4	3	1.39	38	0.012	11	2.09	0.063	0.07	<0.1	<0.01	8.1	<0.1	<0.05	7	<0.5
MM09 TR86A C80	Rock	0.044	5	3	1.81	33	0.016	13	2.73	0.036	0.04	<0.1	<0.01	8.0	<0.1	<0.05	8	<0.5
MM09 TR86A C81	Rock	0.046	4	2	1.24	44	0.004	9	1.86	0.037	0.06	<0.1	<0.01	9.1	<0.1	<0.05	7	<0.5
MM09 TR86A C82	Rock	0.052	3	2	1.04	45	0.004	15	1.51	0.028	0.04	<0.1	<0.01	8.1	<0.1	<0.05	7	<0.5
MM09 TR86A C83	Rock	0.049	3	3	1.35	41	0.004	7	1.84	0.031	0.06	<0.1	<0.01	7.7	<0.1	<0.05	8	<0.5
MM09 TR86A C84	Rock	0.047	4	2	1.23	40	0.005	11	1.83	0.033	0.05	<0.1	<0.01	8.6	<0.1	<0.05	8	<0.5
MM09 TR86A C85	Rock	0.047	4	2	1.29	37	0.005	9	1.95	0.028	0.10	<0.1	<0.01	7.7	<0.1	<0.05	7	0.6
MM09 TR86A C86	Rock	0.051	4	2	1.56	38	0.006	8	2.12	0.027	0.05	<0.1	<0.01	8.8	<0.1	<0.05	9	<0.5
MM09 TR86A C87	Rock	0.047	4	4	1.48	50	0.004	9	2.08	0.030	0.06	<0.1	<0.01	7.8	<0.1	<0.05	8	<0.5
MM09 TR86A C88	Rock	0.044	4	5	1.03	43	0.003	8	1.57	0.028	0.08	<0.1	<0.01	7.1	<0.1	<0.05	6	0.6
MM09 TR86A C89	Rock	0.046	4	3	1.46	46	0.004	13	2.10	0.022	0.06	<0.1	<0.01	9.7	<0.1	<0.05	9	<0.5
MM09 TR86A C90	Rock	0.050	4	3	1.40	43	0.005	9	2.08	0.031	0.07	<0.1	<0.01	9.0	<0.1	<0.05	8	<0.5
MM09 TR86A C91	Rock	0.048	5	4	1.01	116	0.003	7	1.65	0.024	0.13	<0.1	<0.01	6.9	<0.1	<0.05	6	0.6
MM09 TR86A C92	Rock	0.053	5	1	0.89	39	0.003	8	1.17	0.028	0.06	<0.1	<0.01	8.4	<0.1	<0.05	5	<0.5
MM09 TR86A C93	Rock	0.054	4	3	1.71	60	0.005	7	2.28	0.029	0.06	<0.1	<0.01	9.5	<0.1	<0.05	8	<0.5
MM09 TR86A C94	Rock	0.049	4	2	1.22	42	0.004	8	1.64	0.028	0.09	<0.1	<0.01	9.7	<0.1	<0.05	7	<0.5
MM09 TR86A C95	Rock	0.052	4	2	1.25	46	0.004	8	1.77	0.029	0.06	<0.1	<0.01	10.9	<0.1	<0.05	8	<0.5
MM09 TR86A C96	Rock	0.053	5	2	1.46	71	0.005	11	2.06	0.028	0.06	<0.1	<0.01	11.8	<0.1	<0.05	8	<0.5
MM09 TR86A C97	Rock	0.033	4	<1	1.40	39	0.007	5	1.81	0.031	0.04	<0.1	<0.01	9.3	<0.1	<0.05	7	<0.5
MM09 TR86A C98	Rock	0.040	5	2	1.35	53	0.006	7	1.76	0.039	0.05	<0.1	<0.01	11.9	<0.1	<0.05	8	<0.5
MM09 TR86A C99	Rock	0.056	4	2	1.28	53	0.005	7	1.83	0.028	0.08	<0.1	<0.01	9.6	<0.1	<0.05	7	<0.5
MM09 TR86A C100	Rock	0.043	5	2	1.28	46	0.005	6	1.67	0.031	0.04	<0.1	<0.01	14.3	<0.1	<0.05	8	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 27, 2009

Page: 5 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN09004103.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR86A C101	Rock	0.92	0.8	61.5	4.2	72	<0.1	1.5	12.2	898	3.82	17.6	0.4	43.9	1.2	31	0.2	1.4	0.2	89	1.00
MM09 TR86A C102	Rock	0.98	1.1	119.4	3.7	57	0.3	1.3	9.9	952	3.66	15.4	0.4	133.4	1.2	31	0.2	0.9	1.5	90	1.02
MM09 TR86A C103	Rock	1.01	1.7	180.3	3.8	66	0.3	1.7	10.5	1062	4.08	14.2	0.3	112.6	1.2	31	0.3	0.9	0.8	92	1.47
MM09 TR86A C104	Rock	0.74	1.4	273.2	3.7	64	0.4	1.4	11.1	984	3.88	12.4	0.3	164.1	1.4	33	0.2	0.7	0.6	88	1.63
MM09 TR86A C105	Rock	0.91	1.2	100.8	3.1	58	0.1	1.7	9.2	875	3.00	8.9	0.3	191.0	1.1	33	0.3	0.5	0.1	74	2.01
MM09 TR88 C1	Rock	1.16	1.8	135.6	5.5	57	0.3	2.0	10.2	843	4.13	10.2	0.5	126.8	2.6	32	0.4	0.4	1.2	87	1.83
MM09 TR88 C2	Rock	0.83	1.4	307.1	8.6	58	0.5	1.5	11.4	910	4.23	12.5	0.4	484.3	1.0	24	1.1	1.0	3.2	81	1.64
MM09 TR88 C3	Rock	1.05	0.8	77.6	3.3	65	<0.1	1.6	11.3	940	3.46	7.3	0.4	44.3	1.0	46	0.3	0.2	0.2	76	3.28
MM09 TR88 C4	Rock	0.80	0.8	70.3	4.7	51	0.2	1.9	10.9	838	3.94	6.8	0.2	94.2	0.8	46	0.2	0.3	0.8	92	3.94
MM09 TR88 C5	Rock	0.92	0.9	76.6	5.8	61	0.1	1.6	11.0	1051	3.81	5.4	0.5	128.2	0.9	67	0.5	0.2	0.4	73	5.39
MM09 TR88 C6	Rock	1.05	0.6	58.2	3.3	64	0.1	2.0	11.6	1323	3.82	5.7	0.6	79.5	0.8	69	0.4	0.2	0.3	71	6.12
MM09 TR88 C7	Rock	0.99	0.6	63.6	3.0	81	0.2	1.9	12.9	1070	4.04	6.1	0.3	83.7	1.1	17	0.3	0.3	0.4	87	1.18
MM09 TR88 C8	Rock	0.89	0.5	60.5	4.0	76	0.1	2.1	13.8	1037	4.24	6.4	0.3	46.1	1.2	14	0.2	0.2	0.4	98	0.75
MM09 TR88 C9	Rock	0.92	0.4	54.9	3.7	70	0.1	1.9	12.7	871	4.22	6.2	0.3	113.7	1.0	18	0.3	0.3	0.5	96	1.08
MM09 TR88 C10	Rock	0.82	0.2	70.3	2.6	78	<0.1	1.8	14.1	913	4.16	5.4	0.3	30.2	1.0	19	0.2	0.2	0.2	89	1.37
MM09 TR88 C11	Rock	0.99	0.4	53.0	3.1	77	0.2	2.2	14.7	913	4.40	5.8	0.3	73.4	1.1	18	0.3	0.2	0.5	89	1.20
MM09 TR88 C12	Rock	0.96	0.2	35.1	1.9	71	<0.1	2.3	13.8	934	4.06	4.3	0.3	20.7	1.3	31	0.2	0.1	0.2	80	1.87
MM09 TR88 C13	Rock	0.95	0.5	62.6	4.3	71	0.1	2.6	11.9	906	3.91	7.3	0.4	84.0	1.4	27	0.6	0.3	0.5	98	1.84
MM09 TR88 C14	Rock	0.98	0.5	52.6	3.5	75	<0.1	2.7	12.9	846	3.95	10.3	0.4	41.3	1.3	34	0.4	0.4	0.1	108	2.70
MM09 TR88 C15	Rock	0.94	0.4	58.8	3.4	69	<0.1	2.3	12.4	732	4.07	7.3	0.4	50.7	1.0	40	0.5	0.5	0.3	103	2.14
MM09 TR88 C16	Rock	1.00	0.5	75.6	3.3	87	<0.1	2.5	13.0	792	4.03	7.5	0.3	78.0	1.2	22	0.5	0.5	0.1	99	1.62
MM09 TR88 C17	Rock	1.11	0.5	43.7	3.8	58	<0.1	1.8	11.4	874	4.30	7.8	0.3	135.2	1.1	38	0.4	0.5	0.2	95	2.80
MM09 TR88 C18	Rock	1.03	0.7	50.3	4.0	65	<0.1	1.6	12.1	928	4.50	8.3	0.4	84.6	1.2	40	0.6	0.5	0.2	97	2.98
MM09 TR88 C19	Rock	1.05	0.3	29.8	3.1	56	<0.1	1.6	12.0	1138	4.99	5.5	0.4	225.5	1.1	55	0.4	0.3	0.1	88	4.60
MM09 TR88 C20	Rock	1.06	0.6	91.2	4.3	65	0.2	1.8	11.7	928	4.31	7.1	0.3	156.7	1.1	39	0.4	0.3	0.3	104	3.51
MM09 TR88 C21	Rock	1.27	0.5	50.1	3.2	59	<0.1	2.1	12.5	795	3.91	5.9	0.4	109.5	1.3	32	0.4	0.4	<0.1	99	2.39
MM09 TR88 C22	Rock	1.06	0.4	47.0	3.4	65	<0.1	2.2	13.7	744	4.06	6.8	0.4	71.6	1.2	25	0.4	0.5	0.2	98	1.50
MM09 TR88 C23	Rock	0.88	0.6	65.0	3.2	70	0.1	2.0	12.3	795	4.32	8.0	0.5	59.9	1.1	17	0.6	0.6	0.3	105	1.14
MM09 TR88 C24	Rock	0.91	0.4	46.8	2.6	57	<0.1	1.6	10.7	889	3.36	7.9	0.4	56.8	1.1	43	0.5	0.5	0.2	82	2.73
MM09 TR88 C25	Rock	0.97	0.3	38.6	3.2	82	<0.1	2.0	10.9	863	4.12	7.5	0.3	61.5	1.0	19	0.4	0.6	0.2	87	0.78

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 27, 2009

Page: 5 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN09004103.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	
MM09 TR86A C101	Rock	0.058	6	<1	1.67	59	0.005	8	2.30	0.026	0.04	<0.1	<0.01	10.9	<0.1	<0.05	10	<0.5
MM09 TR86A C102	Rock	0.042	5	2	1.54	49	0.007	6	2.00	0.036	0.03	<0.1	<0.01	11.5	<0.1	<0.05	8	<0.5
MM09 TR86A C103	Rock	0.043	5	2	1.89	34	0.005	7	2.36	0.021	0.03	<0.1	<0.01	11.6	<0.1	<0.05	9	<0.5
MM09 TR86A C104	Rock	0.046	4	2	1.60	48	0.006	5	2.05	0.030	0.04	<0.1	<0.01	10.4	<0.1	<0.05	8	<0.5
MM09 TR86A C105	Rock	0.036	5	2	1.30	43	0.005	4	1.59	0.032	0.05	<0.1	<0.01	9.9	<0.1	<0.05	8	<0.5
MM09 TR88 C1	Rock	0.057	6	2	1.06	49	0.006	5	1.61	0.039	0.08	<0.1	<0.01	8.2	<0.1	<0.05	7	<0.5
MM09 TR88 C2	Rock	0.053	4	2	1.24	72	0.004	5	1.69	0.017	0.10	<0.1	<0.01	7.3	<0.1	0.08	7	<0.5
MM09 TR88 C3	Rock	0.052	5	2	1.02	48	0.010	5	1.48	0.032	0.08	<0.1	<0.01	6.4	<0.1	<0.05	6	<0.5
MM09 TR88 C4	Rock	0.046	5	2	0.74	36	0.008	3	1.18	0.032	0.04	<0.1	<0.01	7.0	<0.1	0.08	6	<0.5
MM09 TR88 C5	Rock	0.046	5	2	0.77	52	0.006	6	1.29	0.030	0.09	<0.1	<0.01	5.0	<0.1	<0.05	5	<0.5
MM09 TR88 C6	Rock	0.050	6	<1	0.72	57	0.004	5	1.20	0.026	0.09	<0.1	<0.01	5.1	<0.1	<0.05	5	<0.5
MM09 TR88 C7	Rock	0.060	6	1	1.23	44	0.011	6	1.66	0.038	0.10	<0.1	<0.01	9.2	<0.1	<0.05	8	<0.5
MM09 TR88 C8	Rock	0.063	5	1	1.21	42	0.010	3	1.62	0.042	0.07	<0.1	<0.01	10.3	<0.1	<0.05	8	<0.5
MM09 TR88 C9	Rock	0.059	4	1	1.18	39	0.008	4	1.71	0.038	0.04	<0.1	<0.01	9.1	<0.1	<0.05	8	<0.5
MM09 TR88 C10	Rock	0.059	4	1	1.40	30	0.009	4	1.89	0.028	0.04	<0.1	<0.01	9.4	<0.1	<0.05	9	<0.5
MM09 TR88 C11	Rock	0.064	4	1	1.37	40	0.009	4	1.93	0.042	0.05	<0.1	<0.01	9.9	<0.1	<0.05	8	<0.5
MM09 TR88 C12	Rock	0.062	5	2	1.35	37	0.010	4	2.02	0.053	0.06	<0.1	<0.01	8.5	<0.1	<0.05	8	<0.5
MM09 TR88 C13	Rock	0.058	6	4	0.76	45	0.009	4	1.26	0.059	0.05	<0.1	<0.01	11.4	<0.1	<0.05	7	0.5
MM09 TR88 C14	Rock	0.054	5	7	0.84	36	0.011	4	1.21	0.050	0.03	<0.1	<0.01	10.8	<0.1	<0.05	8	<0.5
MM09 TR88 C15	Rock	0.052	4	3	0.94	66	0.009	5	1.37	0.050	0.03	<0.1	<0.01	11.2	<0.1	<0.05	8	<0.5
MM09 TR88 C16	Rock	0.060	5	2	1.04	41	0.011	3	1.43	0.046	0.05	<0.1	<0.01	10.1	<0.1	<0.05	8	<0.5
MM09 TR88 C17	Rock	0.052	5	2	0.90	56	0.009	6	1.35	0.036	0.07	<0.1	<0.01	10.0	<0.1	<0.05	7	<0.5
MM09 TR88 C18	Rock	0.055	6	1	0.93	67	0.009	9	1.31	0.039	0.06	<0.1	<0.01	10.4	<0.1	<0.05	7	<0.5
MM09 TR88 C19	Rock	0.047	5	2	1.15	44	0.009	9	1.71	0.031	0.09	<0.1	<0.01	8.2	<0.1	<0.05	8	<0.5
MM09 TR88 C20	Rock	0.057	6	3	1.01	95	0.006	4	1.36	0.041	0.05	<0.1	<0.01	10.1	<0.1	<0.05	8	<0.5
MM09 TR88 C21	Rock	0.051	5	5	0.95	38	0.009	5	1.30	0.037	0.04	<0.1	<0.01	10.5	<0.1	<0.05	7	<0.5
MM09 TR88 C22	Rock	0.056	5	3	1.04	41	0.012	5	1.38	0.048	0.04	<0.1	<0.01	11.2	<0.1	<0.05	8	<0.5
MM09 TR88 C23	Rock	0.058	5	3	0.88	41	0.008	6	1.28	0.056	0.04	<0.1	<0.01	11.0	<0.1	<0.05	8	<0.5
MM09 TR88 C24	Rock	0.051	5	3	0.87	44	0.006	7	1.26	0.048	0.04	<0.1	<0.01	9.1	<0.1	<0.05	7	<0.5
MM09 TR88 C25	Rock	0.051	4	1	1.16	39	0.007	7	1.58	0.039	0.05	<0.1	<0.01	9.7	<0.1	<0.05	8	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 27, 2009

Page: 6 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN09004103.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR88 C26	Rock	0.92	0.3	41.7	3.2	75	<0.1	2.1	12.0	835	4.22	7.8	0.3	48.0	1.1	15	0.5	0.6	0.2	94	0.68
MM09 TR88 C27	Rock	1.09	0.5	85.1	3.5	99	0.1	2.0	12.7	786	4.10	9.0	0.4	58.5	1.2	15	0.6	0.6	0.4	97	1.17
MM09 TR88 C28	Rock	1.05	0.5	52.4	6.3	126	0.2	2.0	11.8	1052	3.94	10.6	0.4	110.4	1.1	20	2.3	0.4	0.8	84	2.12
MM09 TR88 C29	Rock	1.09	0.3	60.3	3.8	101	0.1	2.3	12.0	830	3.80	7.8	0.3	69.1	1.1	13	0.7	0.5	0.2	89	1.15
MM09 TR88 C30	Rock	0.90	0.4	110.6	3.9	110	0.1	2.5	12.4	794	4.01	7.9	0.3	34.6	1.1	12	0.8	0.6	0.3	99	0.77
MM09 TR88 C31	Rock	0.91	0.3	55.1	3.0	81	0.1	2.2	12.2	886	4.21	6.3	0.4	81.2	1.1	14	0.6	0.4	0.3	99	1.18
MM09 TR88 C32	Rock	1.27	0.3	67.3	2.0	124	<0.1	1.7	11.4	744	3.88	7.2	0.4	64.6	1.2	12	0.9	0.4	0.2	92	1.06
MM09 TR88 C33	Rock	1.14	0.3	56.9	2.7	193	0.1	2.4	11.7	823	4.08	6.4	0.3	71.4	1.3	10	1.5	0.4	0.2	94	0.89
MM09 TR88 C34	Rock	1.05	0.3	45.3	2.1	91	0.1	2.2	11.0	803	3.94	5.4	0.3	99.9	1.1	16	0.4	0.3	0.3	88	1.49
MM09 TR88 C35	Rock	0.99	0.3	69.6	3.6	120	0.2	2.7	13.3	995	5.12	6.5	0.4	122.4	1.0	14	2.5	0.3	0.6	108	1.13
MM09 TR88 C36	Rock	0.92	0.2	64.5	2.6	126	<0.1	2.7	12.2	815	4.16	5.4	0.3	87.1	1.2	14	1.4	0.3	0.3	101	1.08
MM09 TR88 C37	Rock	0.89	0.3	41.2	2.4	62	0.1	2.6	12.0	871	4.33	5.5	0.3	122.2	1.0	16	0.3	0.2	0.3	99	1.58
MM09 TR88 C38	Rock	1.02	0.3	40.3	1.9	66	<0.1	2.6	13.6	881	3.72	6.8	0.3	31.9	1.1	22	0.3	0.2	0.1	84	2.10
MM09 TR88 C39	Rock	0.83	0.3	37.1	2.0	65	<0.1	2.4	12.9	768	4.00	6.5	0.4	22.9	1.2	15	0.3	0.2	0.2	99	1.25
MM09 TR88 C40	Rock	0.97	0.2	47.3	1.9	57	0.1	2.7	12.5	921	4.15	7.2	0.3	68.5	1.9	17	0.3	0.2	0.3	95	1.72
MM09 TR88 C41	Rock	0.96	0.3	41.5	1.8	51	0.1	2.7	11.3	722	4.36	5.3	0.3	185.6	1.7	12	0.1	0.3	0.4	103	0.96
MM09 TR88 C42	Rock	1.02	0.3	68.2	3.1	52	0.1	2.5	11.0	742	4.28	5.1	0.4	241.0	2.1	10	0.2	0.4	1.9	94	0.83
MM09 TR88 C43	Rock	0.97	0.3	42.5	1.9	52	<0.1	3.0	10.8	752	3.76	6.0	0.3	85.0	2.4	8	0.3	0.3	0.2	89	0.34
MM09 TR88 C44	Rock	1.02	0.3	52.7	2.6	46	<0.1	2.5	8.0	687	4.70	5.3	0.3	64.8	2.6	9	0.2	0.4	0.2	104	0.43
MM09 TR88 C45	Rock	1.09	0.3	47.7	2.4	48	0.1	2.4	8.2	843	4.68	5.4	0.3	101.6	2.8	8	0.3	0.4	0.2	93	0.36
MM09 TR88 C46	Rock	1.06	0.4	70.9	4.3	59	0.1	2.2	8.2	768	3.73	4.1	0.3	77.0	2.7	9	0.4	0.3	0.6	86	0.61
MM09 TR88 C47	Rock	0.89	0.3	91.6	3.5	50	0.1	2.6	8.3	752	3.56	4.0	0.3	75.3	2.6	11	0.4	0.3	0.2	89	0.77
MM09 TR88 C48	Rock	0.91	0.4	62.3	4.5	52	0.2	2.7	8.8	687	3.93	4.8	0.4	395.3	2.9	11	0.2	0.4	0.6	97	0.56
MM09 TR88 C49	Rock	0.90	0.4	63.0	4.0	56	0.2	2.7	9.7	746	4.05	4.7	0.3	254.1	2.8	11	0.2	0.3	0.6	86	0.68
MM09 TR88 C50	Rock	1.01	0.4	85.6	5.5	45	0.3	2.1	6.6	639	3.09	5.8	0.4	248.9	2.7	11	0.2	0.4	0.5	71	0.71
MM09 TR88 C51	Rock	1.06	0.5	65.3	3.4	50	0.2	2.6	11.1	672	4.07	5.4	0.4	107.6	2.3	10	0.2	0.4	0.6	97	0.43
MM09 TR88 C52	Rock	1.05	0.3	81.7	4.1	54	0.1	2.4	10.6	691	4.00	5.0	0.3	162.9	2.0	9	0.2	0.3	0.3	96	0.55
MM09 TR88 C53	Rock	0.99	0.4	64.4	3.2	55	0.1	2.5	11.4	697	4.09	6.2	0.4	72.9	1.7	14	0.2	0.3	0.3	102	0.93
MM09 TR88 C54	Rock	1.02	0.3	40.7	1.5	49	<0.1	2.2	10.8	792	3.67	5.7	0.3	51.3	1.2	45	0.1	0.3	<0.1	92	2.99
MM09 TR88 C55	Rock	1.06	0.4	60.8	6.9	66	0.8	2.6	12.1	847	4.28	7.4	0.3	220.0	1.7	14	0.2	0.3	1.4	98	0.82

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 27, 2009

Page: 6 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN09004103.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
MM09 TR88 C26	Rock	0.051	4	2	1.16	45	0.008	6	1.69	0.042	0.06	<0.1	<0.01	9.9	<0.1	<0.05	8	<0.5
MM09 TR88 C27	Rock	0.054	4	2	1.05	52	0.007	5	1.48	0.039	0.04	<0.1	<0.01	9.7	<0.1	<0.05	8	<0.5
MM09 TR88 C28	Rock	0.051	4	1	0.92	98	0.004	5	1.40	0.039	0.07	<0.1	<0.01	8.9	<0.1	<0.05	7	0.5
MM09 TR88 C29	Rock	0.049	4	2	0.88	43	0.005	6	1.33	0.039	0.05	<0.1	<0.01	9.6	<0.1	<0.05	7	<0.5
MM09 TR88 C30	Rock	0.050	4	3	0.92	48	0.008	5	1.41	0.055	0.04	<0.1	<0.01	9.7	<0.1	<0.05	8	<0.5
MM09 TR88 C31	Rock	0.048	5	3	0.95	48	0.007	6	1.40	0.044	0.06	<0.1	<0.01	11.2	<0.1	<0.05	8	<0.5
MM09 TR88 C32	Rock	0.053	5	2	0.76	45	0.006	6	1.12	0.044	0.04	<0.1	<0.01	10.5	<0.1	<0.05	7	<0.5
MM09 TR88 C33	Rock	0.051	4	4	0.97	43	0.007	5	1.42	0.041	0.06	<0.1	0.02	9.4	<0.1	<0.05	7	<0.5
MM09 TR88 C34	Rock	0.046	4	4	0.86	41	0.008	5	1.24	0.037	0.06	<0.1	<0.01	9.2	<0.1	<0.05	7	<0.5
MM09 TR88 C35	Rock	0.053	5	6	1.03	55	0.006	8	1.56	0.042	0.10	<0.1	0.01	10.8	<0.1	<0.05	9	<0.5
MM09 TR88 C36	Rock	0.049	5	6	1.01	46	0.010	6	1.42	0.044	0.07	<0.1	<0.01	10.6	<0.1	<0.05	8	<0.5
MM09 TR88 C37	Rock	0.047	5	5	0.77	57	0.007	6	1.15	0.046	0.07	<0.1	<0.01	10.3	<0.1	<0.05	7	<0.5
MM09 TR88 C38	Rock	0.047	5	3	0.89	48	0.008	7	1.33	0.042	0.09	<0.1	<0.01	8.4	<0.1	<0.05	7	<0.5
MM09 TR88 C39	Rock	0.048	5	5	0.94	42	0.012	6	1.34	0.036	0.08	<0.1	<0.01	9.6	<0.1	<0.05	7	<0.5
MM09 TR88 C40	Rock	0.054	6	5	1.06	50	0.006	7	1.43	0.042	0.07	<0.1	<0.01	9.3	<0.1	<0.05	8	<0.5
MM09 TR88 C41	Rock	0.052	5	6	1.07	45	0.010	5	1.41	0.046	0.06	<0.1	<0.01	10.2	<0.1	<0.05	8	<0.5
MM09 TR88 C42	Rock	0.052	5	6	0.96	40	0.006	4	1.34	0.040	0.05	<0.1	<0.01	8.9	<0.1	<0.05	7	<0.5
MM09 TR88 C43	Rock	0.058	5	5	0.86	44	0.006	4	1.30	0.056	0.05	<0.1	<0.01	8.5	<0.1	<0.05	8	<0.5
MM09 TR88 C44	Rock	0.055	4	5	0.76	42	0.006	4	1.11	0.042	0.05	<0.1	<0.01	7.8	<0.1	<0.05	7	<0.5
MM09 TR88 C45	Rock	0.056	5	5	0.67	51	0.005	4	1.06	0.042	0.05	<0.1	<0.01	7.8	<0.1	<0.05	6	<0.5
MM09 TR88 C46	Rock	0.056	6	5	0.63	47	0.005	5	0.96	0.048	0.04	<0.1	<0.01	7.5	<0.1	<0.05	6	<0.5
MM09 TR88 C47	Rock	0.055	6	5	0.83	45	0.006	4	1.08	0.047	0.05	<0.1	<0.01	8.1	<0.1	<0.05	6	<0.5
MM09 TR88 C48	Rock	0.063	6	4	0.91	45	0.007	4	1.21	0.049	0.05	<0.1	<0.01	8.7	<0.1	<0.05	6	<0.5
MM09 TR88 C49	Rock	0.055	6	5	0.95	40	0.006	4	1.31	0.033	0.09	<0.1	<0.01	8.0	<0.1	<0.05	6	<0.5
MM09 TR88 C50	Rock	0.053	6	5	0.66	39	0.004	5	0.96	0.045	0.05	<0.1	<0.01	6.3	<0.1	<0.05	5	<0.5
MM09 TR88 C51	Rock	0.058	6	6	0.92	37	0.006	3	1.19	0.045	0.06	<0.1	<0.01	9.4	<0.1	<0.05	7	<0.5
MM09 TR88 C52	Rock	0.055	6	5	0.90	30	0.005	4	1.17	0.041	0.05	<0.1	<0.01	10.0	<0.1	<0.05	7	<0.5
MM09 TR88 C53	Rock	0.051	5	5	0.98	59	0.010	3	1.21	0.051	0.05	<0.1	<0.01	10.0	<0.1	<0.05	7	<0.5
MM09 TR88 C54	Rock	0.045	5	6	0.95	31	0.006	4	1.14	0.039	0.04	<0.1	<0.01	9.8	<0.1	<0.05	7	<0.5
MM09 TR88 C55	Rock	0.053	5	5	1.21	35	0.006	4	1.50	0.039	0.05	<0.1	<0.01	9.5	<0.1	<0.05	8	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 27, 2009

Page: 7 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN09004103.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR88 C56	Rock	0.93	0.6	174.2	4.6	55	0.3	2.6	10.3	794	4.29	7.0	0.4	245.0	2.2	11	0.2	0.4	1.6	94	0.66
MM09 TR88 C57	Rock	1.04	0.3	106.1	1.9	65	0.1	2.6	12.5	1112	3.68	6.7	0.3	82.4	1.5	60	0.2	0.2	0.2	95	3.05
MM09 TR88 C58	Rock	1.05	0.5	70.3	2.5	63	0.2	2.5	9.6	732	3.66	7.4	0.5	132.4	2.5	19	0.3	0.3	0.5	90	1.17
MM09 TR88 C59	Rock	1.13	0.4	51.7	2.8	56	0.1	3.1	12.6	842	4.20	8.8	0.3	80.2	1.8	17	0.2	0.3	0.3	106	0.99
MM09 TR88 C60	Rock	0.99	0.5	64.7	3.1	62	0.1	2.6	14.0	887	4.35	5.2	0.3	238.7	1.3	18	0.2	0.3	0.3	107	1.11
MM09 TR88 C61	Rock	1.03	0.5	70.4	2.8	62	<0.1	2.3	14.2	871	4.36	6.4	0.3	98.1	1.4	21	0.2	0.3	0.1	102	1.05
MM09 TR88 C62	Rock	0.90	0.5	71.7	4.4	77	1.2	1.8	15.2	1161	4.51	9.1	0.4	3537	0.8	17	0.2	0.2	1.4	78	1.16
MM09 TR88 C63	Rock	0.93	0.5	41.5	3.1	74	0.5	1.8	15.9	935	4.31	5.7	0.3	698.6	0.8	15	0.2	0.2	1.5	92	0.57
MM09 TR88 C64	Rock	0.94	0.5	106.4	4.4	52	0.3	2.6	11.7	765	3.82	7.8	0.4	211.2	1.7	9	0.3	0.3	0.4	94	0.51
MM09 TR88 C65	Rock	0.90	0.7	285.2	26.1	91	27.2	2.0	11.7	869	5.40	27.8	0.4	25591	1.2	18	0.5	1.2	81.8	95	1.19
MM09 TR88 C66	Rock	0.80	0.4	55.3	2.3	69	0.1	2.9	11.8	787	3.91	7.4	0.3	101.9	1.1	13	0.2	0.3	0.3	84	0.59
MM09 TR88 C67	Rock	1.08	0.3	56.9	2.6	55	0.2	1.9	12.7	905	4.40	5.3	0.4	262.3	1.5	22	0.2	0.2	0.6	96	1.16
MM09 TR88 C68	Rock	0.90	0.3	63.8	2.6	64	0.1	2.3	12.5	850	4.54	5.0	0.3	133.3	1.1	15	0.2	0.2	0.2	92	0.93
MM09 TR88 C69	Rock	0.99	0.4	67.9	2.8	58	0.2	1.7	12.7	871	4.28	4.9	0.3	201.9	1.0	22	<0.1	0.1	0.5	91	1.33
MM09 TR88 C70	Rock	1.09	0.6	107.9	2.7	55	0.2	1.6	11.9	1408	4.67	8.3	0.4	543.0	0.9	34	0.2	0.2	0.2	100	2.86
MM09 TR90 C1	Rock	0.86	0.7	46.0	2.9	44	<0.1	9.5	13.8	616	3.22	5.2	0.3	3.4	1.0	134	0.1	0.1	<0.1	86	2.90
MM09 TR90 C2	Rock	0.95	1.0	23.5	3.0	43	<0.1	7.6	12.0	652	3.13	1.7	0.3	3.7	1.2	97	<0.1	<0.1	<0.1	80	2.68
MM09 TR90 C3	Rock	1.03	0.7	42.3	6.1	62	<0.1	11.8	17.1	977	4.20	3.9	0.2	2.5	0.9	151	0.1	<0.1	<0.1	124	4.68
MM09 TR90 C4	Rock	0.93	0.5	49.2	5.9	47	<0.1	9.3	18.6	1026	3.69	4.9	0.2	3.7	0.7	201	0.1	0.1	<0.1	109	7.12
MM09 TR90 C5	Rock	0.88	0.4	125.1	4.7	57	0.1	9.6	16.7	901	4.28	6.1	0.2	3.1	1.0	123	0.1	0.1	<0.1	128	3.76
MM09 TR90 C6	Rock	1.00	1.0	858.4	3.7	46	1.0	9.4	20.1	718	4.47	7.3	0.3	5.3	0.9	64	0.2	0.1	<0.1	147	2.37
MM09 TR90 C7	Rock	0.85	0.5	368.9	3.5	55	0.3	9.9	19.0	730	4.33	4.6	0.2	3.7	0.8	66	0.2	0.1	<0.1	139	2.73
MM09 TR90 C8	Rock	1.15	0.5	36.7	3.1	43	<0.1	7.8	12.2	615	3.25	2.4	0.3	2.1	1.0	69	<0.1	0.1	<0.1	82	2.93
MM09 TR90 C9	Rock	1.10	1.0	22.5	3.9	45	<0.1	7.7	12.0	659	3.18	2.9	0.3	2.7	1.1	60	0.1	0.2	<0.1	78	2.73
MM09 TR90 C10	Rock	0.80	1.0	28.1	3.6	47	<0.1	12.2	15.2	759	3.59	3.0	0.3	2.4	0.9	84	0.1	0.1	<0.1	96	3.00
MM09 TR90 C11	Rock	1.07	0.6	21.0	3.4	44	<0.1	11.4	15.7	825	3.90	8.0	0.2	2.2	1.1	94	0.1	0.2	<0.1	114	3.41
MM09 TR90 C12	Rock	1.26	0.7	39.8	3.7	41	<0.1	9.9	13.8	935	3.95	5.5	0.3	14.5	1.0	120	0.1	0.2	<0.1	108	4.68
MM09 TR90 C13	Rock	0.90	0.3	31.6	2.4	36	<0.1	10.3	14.1	906	4.76	9.5	0.3	2.1	1.3	98	<0.1	0.1	<0.1	156	3.41
MM09 TR90 C14	Rock	0.91	1.0	42.2	4.2	42	<0.1	8.5	12.6	755	3.70	4.1	0.3	4.0	1.1	82	0.1	0.1	<0.1	104	3.25
MM09 TR90 C15	Rock	0.98	0.4	43.3	2.7	41	<0.1	10.2	14.3	851	4.61	7.0	0.3	4.6	1.3	87	<0.1	0.1	<0.1	147	3.53

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 27, 2009

Page: 7 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN09004103.1

Method	Analyte	Unit	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		MDL	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MM09 TR88 C56	Rock		0.050	5	5	1.00	42	0.006	4	1.32	0.046	0.05	<0.1	<0.01	9.3	<0.1	<0.05	7	<0.5
MM09 TR88 C57	Rock		0.047	5	6	1.26	39	0.012	3	1.48	0.041	0.06	<0.1	<0.01	9.3	<0.1	<0.05	8	<0.5
MM09 TR88 C58	Rock		0.054	5	6	0.88	31	0.007	3	1.16	0.043	0.03	<0.1	<0.01	8.0	<0.1	<0.05	7	<0.5
MM09 TR88 C59	Rock		0.057	5	6	1.23	66	0.011	4	1.55	0.052	0.05	<0.1	<0.01	10.3	<0.1	<0.05	8	<0.5
MM09 TR88 C60	Rock		0.055	5	7	1.45	35	0.009	5	1.70	0.044	0.07	<0.1	<0.01	11.1	<0.1	<0.05	9	<0.5
MM09 TR88 C61	Rock		0.061	5	4	1.46	36	0.013	4	1.73	0.060	0.06	<0.1	<0.01	11.2	<0.1	<0.05	9	<0.5
MM09 TR88 C62	Rock		0.057	3	1	1.39	48	0.004	4	1.84	0.031	0.15	<0.1	<0.01	7.8	<0.1	0.10	8	<0.5
MM09 TR88 C63	Rock		0.060	4	2	1.32	49	0.016	5	1.65	0.047	0.12	<0.1	<0.01	8.6	<0.1	<0.05	7	<0.5
MM09 TR88 C64	Rock		0.058	4	5	1.04	34	0.007	3	1.35	0.040	0.03	<0.1	<0.01	8.5	<0.1	<0.05	7	<0.5
MM09 TR88 C65	Rock		0.058	4	3	1.18	46	0.007	5	1.52	0.033	0.09	<0.1	0.02	10.8	<0.1	<0.05	9	1.4
MM09 TR88 C66	Rock		0.058	4	3	1.17	34	0.014	5	1.51	0.039	0.06	<0.1	<0.01	8.8	<0.1	<0.05	7	<0.5
MM09 TR88 C67	Rock		0.058	5	2	1.30	42	0.010	5	1.70	0.056	0.07	<0.1	<0.01	10.7	<0.1	<0.05	8	<0.5
MM09 TR88 C68	Rock		0.068	4	3	1.49	38	0.008	5	1.85	0.032	0.08	<0.1	<0.01	9.4	<0.1	<0.05	9	<0.5
MM09 TR88 C69	Rock		0.055	4	1	1.34	42	0.008	5	1.69	0.056	0.07	<0.1	<0.01	9.6	<0.1	<0.05	8	<0.5
MM09 TR88 C70	Rock		0.057	5	1	1.01	59	0.008	4	1.34	0.046	0.06	<0.1	<0.01	9.4	<0.1	<0.05	7	<0.5
MM09 TR90 C1	Rock		0.091	10	13	1.01	73	0.003	10	1.26	0.023	0.19	<0.1	<0.01	7.4	<0.1	<0.05	5	<0.5
MM09 TR90 C2	Rock		0.084	11	12	0.69	68	0.006	10	1.06	0.027	0.14	<0.1	<0.01	7.5	<0.1	<0.05	4	<0.5
MM09 TR90 C3	Rock		0.127	9	18	1.59	38	0.004	6	1.99	0.021	0.15	<0.1	<0.01	5.8	<0.1	<0.05	8	<0.5
MM09 TR90 C4	Rock		0.123	7	18	1.32	32	0.005	4	1.89	0.017	0.08	<0.1	<0.01	5.1	<0.1	<0.05	7	<0.5
MM09 TR90 C5	Rock		0.161	9	17	1.51	37	0.005	6	1.99	0.018	0.11	<0.1	<0.01	5.4	<0.1	<0.05	8	<0.5
MM09 TR90 C6	Rock		0.155	9	18	1.56	33	0.004	4	1.93	0.019	0.07	<0.1	<0.01	7.1	<0.1	<0.05	9	<0.5
MM09 TR90 C7	Rock		0.136	7	13	1.59	33	0.004	4	1.99	0.018	0.11	<0.1	<0.01	6.6	<0.1	<0.05	9	<0.5
MM09 TR90 C8	Rock		0.094	9	13	0.94	35	0.005	11	1.39	0.019	0.16	<0.1	<0.01	6.2	<0.1	<0.05	6	<0.5
MM09 TR90 C9	Rock		0.077	10	12	0.85	45	0.005	8	1.28	0.022	0.18	<0.1	<0.01	6.7	<0.1	<0.05	6	<0.5
MM09 TR90 C10	Rock		0.082	10	15	1.20	46	0.006	5	1.42	0.021	0.16	<0.1	<0.01	7.1	<0.1	<0.05	6	<0.5
MM09 TR90 C11	Rock		0.128	8	14	1.50	37	0.005	6	1.90	0.021	0.15	<0.1	<0.01	6.4	<0.1	<0.05	8	<0.5
MM09 TR90 C12	Rock		0.131	9	13	1.41	61	0.004	4	1.77	0.015	0.14	<0.1	<0.01	5.9	<0.1	<0.05	7	<0.5
MM09 TR90 C13	Rock		0.174	8	13	1.85	33	0.008	6	2.33	0.021	0.08	<0.1	<0.01	8.6	<0.1	<0.05	10	<0.5
MM09 TR90 C14	Rock		0.108	10	12	1.11	55	0.005	6	1.52	0.019	0.16	<0.1	<0.01	7.0	<0.1	<0.05	7	<0.5
MM09 TR90 C15	Rock		0.153	9	13	1.75	39	0.006	6	2.23	0.017	0.11	<0.1	<0.01	8.5	<0.1	<0.05	9	0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 27, 2009

Page: 8 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN09004103.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR90 C16	Rock	0.75	0.2	151.2	2.4	36	0.2	12.3	15.1	812	5.29	14.5	0.2	6.8	1.5	63	<0.1	0.1	<0.1	189	2.60
MM09 TR90 C17	Rock	1.02	0.2	95.2	2.6	38	<0.1	11.8	14.9	888	4.68	10.3	0.3	2.4	1.3	93	<0.1	0.2	<0.1	173	3.97
MM09 TR90 C18	Rock	0.91	0.2	27.8	2.9	39	<0.1	15.3	17.7	1034	4.55	6.8	0.3	3.7	1.0	111	<0.1	0.2	<0.1	148	5.25
MM09 TR90 C19	Rock	0.97	0.3	28.3	2.8	42	<0.1	38.4	18.7	786	4.47	3.0	0.3	3.1	1.5	86	<0.1	0.2	<0.1	116	2.85
MM09 TR90 C20	Rock	1.00	0.3	26.4	2.3	53	<0.1	59.2	21.1	666	4.26	1.2	0.3	5.3	1.6	78	<0.1	0.2	<0.1	81	2.77
MM09 TR90 C21	Rock	0.83	0.3	160.0	2.8	29	0.2	13.6	13.3	724	4.00	9.1	0.3	11.0	1.1	123	<0.1	0.2	<0.1	149	4.24
MM09 TR90 C22	Rock	1.02	0.4	197.3	1.9	29	0.2	13.2	14.5	715	4.09	5.7	0.2	11.8	0.9	90	<0.1	0.1	<0.1	138	3.88
MM09 TR90 C23	Rock	0.95	0.3	84.6	1.6	34	<0.1	20.6	15.6	701	4.45	5.5	0.2	2.6	1.1	74	<0.1	0.1	<0.1	150	2.93
MM09 TR90 C24	Rock	0.94	0.7	151.3	1.8	25	0.1	10.4	10.8	697	4.18	7.0	0.2	5.2	1.0	79	<0.1	0.2	<0.1	144	3.18
MM09 TR90 C25	Rock	0.92	0.3	161.2	2.2	30	<0.1	10.3	14.1	766	4.33	5.8	0.3	2.2	1.6	97	<0.1	0.2	<0.1	185	2.88
MM09 TR90 C26	Rock	0.90	0.2	151.1	2.5	30	0.1	9.8	11.9	730	4.26	6.0	0.4	6.2	1.6	107	<0.1	0.2	<0.1	160	3.45
MM09 TR90 C27	Rock	1.03	0.2	50.8	2.0	28	<0.1	9.9	17.9	798	4.36	7.2	0.4	4.0	1.4	113	<0.1	0.1	<0.1	169	2.58
MM09 TR90 C28	Rock	1.09	0.4	247.7	2.7	29	0.2	9.7	14.1	872	4.27	15.6	0.4	7.5	1.4	111	<0.1	0.3	<0.1	187	3.36
MM09 TR90 C29	Rock	1.01	0.4	769.0	5.6	31	0.4	11.2	25.1	923	4.00	14.1	0.4	5.9	1.4	139	<0.1	0.2	0.1	184	3.78
MM09 TR90 C30	Rock	1.13	0.7	608.1	4.1	33	0.6	11.1	19.0	982	3.86	28.0	0.4	21.4	1.2	109	0.1	0.2	<0.1	157	4.38
MM09 TR90 C31	Rock	0.94	1.3	1514	6.9	34	0.9	10.8	26.2	946	4.39	10.1	0.6	21.5	1.4	113	0.2	0.2	<0.1	218	2.54
MM09 TR90 C32	Rock	1.10	0.6	657.0	4.8	29	0.4	10.8	22.0	956	3.62	9.2	0.4	4.7	1.3	129	0.2	0.2	<0.1	169	3.64
MM09 TR90 C33	Rock	1.02	0.3	1424	3.5	36	0.3	11.7	21.8	871	4.69	7.9	0.4	6.9	1.4	102	<0.1	0.2	<0.1	194	2.82
MM09 TR90 C34	Rock	1.00	0.6	1375	4.4	30	0.8	10.4	20.2	1020	4.26	7.8	0.4	11.5	1.2	126	0.2	0.1	<0.1	163	5.26
MM09 TR90 C35	Rock	1.03	1.2	648.2	5.1	30	0.7	10.5	20.1	933	3.84	10.8	0.3	9.7	1.3	105	0.2	0.4	<0.1	154	3.74
MM09 TR90 C36	Rock	1.42	0.2	2083	4.4	38	2.1	11.7	24.0	1083	4.56	4.4	0.3	6.4	1.1	152	0.4	0.1	<0.1	148	5.70
MM09 TR90 C37	Rock	0.97	0.2	370.3	3.0	35	0.3	11.0	12.8	886	4.59	5.3	0.3	2.0	1.3	103	<0.1	0.2	<0.1	154	3.48
MM09 TR90 C38	Rock	1.18	0.3	296.7	3.4	32	0.3	10.4	15.2	991	4.35	6.2	0.3	4.1	1.1	146	<0.1	0.1	<0.1	149	4.86
MM09 TR90 C39	Rock	1.04	0.2	740.1	2.8	37	0.3	11.4	15.3	936	4.24	5.2	0.3	2.9	1.2	113	<0.1	0.2	<0.1	156	3.56
MM09 TR90 C40	Rock	1.04	0.2	1644	3.5	38	0.4	12.6	43.9	964	4.20	6.0	0.4	4.3	1.2	115	<0.1	0.2	<0.1	155	3.66
MM09 TR90 C41	Rock	1.08	0.2	2442	3.7	38	1.5	11.2	15.1	1000	4.27	5.3	0.4	7.9	1.3	157	0.2	0.2	<0.1	146	4.12
MM09 TR90 C42	Rock	0.85	0.2	456.2	2.7	36	0.2	10.5	24.2	901	4.28	6.6	0.3	2.0	1.2	103	<0.1	0.2	<0.1	138	2.97
MM09 TR90 C43	Rock	0.94	0.2	916.4	4.5	38	0.6	12.1	24.9	1015	4.18	5.8	0.4	71.6	1.3	128	0.6	0.1	<0.1	148	3.43
MM09 TR90 C44	Rock	0.80	0.3	2419	4.2	40	0.9	12.1	28.7	1091	4.25	6.9	0.4	7.3	1.4	113	0.1	0.2	<0.1	141	3.16



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 27, 2009

Page: 8 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN09004103.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
MM09 TR90 C16	Rock	0.189	7	13	2.19	31	0.005	7	2.70	0.013	0.04	<0.1	<0.01	9.5	<0.1	<0.05	12	<0.5
MM09 TR90 C17	Rock	0.175	9	13	1.60	35	0.009	7	2.12	0.022	0.07	<0.1	<0.01	8.3	<0.1	<0.05	10	<0.5
MM09 TR90 C18	Rock	0.171	9	20	1.78	47	0.008	6	2.18	0.017	0.07	<0.1	<0.01	7.4	<0.1	<0.05	10	<0.5
MM09 TR90 C19	Rock	0.143	11	52	2.07	44	0.010	6	2.15	0.020	0.06	<0.1	<0.01	8.2	<0.1	<0.05	10	<0.5
MM09 TR90 C20	Rock	0.128	13	78	2.13	33	0.007	7	2.00	0.018	0.05	<0.1	<0.01	6.9	<0.1	<0.05	10	<0.5
MM09 TR90 C21	Rock	0.150	7	16	1.58	60	0.019	5	1.96	0.022	0.06	<0.1	<0.01	6.8	<0.1	<0.05	9	<0.5
MM09 TR90 C22	Rock	0.147	8	23	1.66	27	0.005	5	1.97	0.019	0.05	<0.1	<0.01	7.1	<0.1	<0.05	9	<0.5
MM09 TR90 C23	Rock	0.153	7	31	1.96	37	0.007	6	2.27	0.021	0.05	<0.1	<0.01	7.5	<0.1	<0.05	11	<0.5
MM09 TR90 C24	Rock	0.154	8	23	1.64	51	0.008	6	1.92	0.031	0.03	<0.1	<0.01	8.2	<0.1	<0.05	10	<0.5
MM09 TR90 C25	Rock	0.177	10	20	1.89	21	0.011	9	2.37	0.039	0.02	<0.1	<0.01	9.8	<0.1	<0.05	12	<0.5
MM09 TR90 C26	Rock	0.183	10	19	1.86	33	0.010	10	2.45	0.030	0.03	<0.1	<0.01	8.4	<0.1	<0.05	11	<0.5
MM09 TR90 C27	Rock	0.185	9	21	1.99	32	0.014	8	2.45	0.039	0.03	<0.1	<0.01	8.1	<0.1	<0.05	11	<0.5
MM09 TR90 C28	Rock	0.183	10	20	1.74	28	0.013	7	2.11	0.028	0.06	<0.1	<0.01	8.9	<0.1	<0.05	10	<0.5
MM09 TR90 C29	Rock	0.186	9	22	1.97	27	0.011	7	2.34	0.036	0.05	<0.1	<0.01	8.9	<0.1	<0.05	12	<0.5
MM09 TR90 C30	Rock	0.169	9	23	1.65	36	0.014	7	1.95	0.029	0.06	<0.1	<0.01	7.6	<0.1	<0.05	10	<0.5
MM09 TR90 C31	Rock	0.197	11	24	2.25	48	0.015	11	2.48	0.038	0.06	<0.1	<0.01	10.7	<0.1	<0.05	11	0.5
MM09 TR90 C32	Rock	0.177	10	22	1.95	42	0.013	7	2.19	0.033	0.04	<0.1	<0.01	9.0	<0.1	<0.05	9	<0.5
MM09 TR90 C33	Rock	0.185	9	25	1.98	37	0.015	6	2.24	0.036	0.09	<0.1	<0.01	8.1	<0.1	<0.05	11	<0.5
MM09 TR90 C34	Rock	0.179	11	24	1.58	44	0.014	5	1.82	0.029	0.09	<0.1	<0.01	9.6	<0.1	<0.05	9	0.8
MM09 TR90 C35	Rock	0.182	9	24	1.59	40	0.011	7	1.93	0.038	0.08	<0.1	<0.01	8.2	<0.1	<0.05	9	<0.5
MM09 TR90 C36	Rock	0.188	10	25	1.56	29	0.011	5	1.98	0.025	0.12	<0.1	<0.01	6.7	<0.1	<0.05	9	0.6
MM09 TR90 C37	Rock	0.180	9	27	1.88	41	0.013	4	2.10	0.039	0.11	<0.1	<0.01	7.7	<0.1	<0.05	9	<0.5
MM09 TR90 C38	Rock	0.179	9	25	1.83	38	0.014	5	2.18	0.037	0.09	<0.1	<0.01	7.6	<0.1	<0.05	9	<0.5
MM09 TR90 C39	Rock	0.172	9	22	1.92	41	0.016	6	2.13	0.040	0.09	<0.1	<0.01	8.6	<0.1	<0.05	10	<0.5
MM09 TR90 C40	Rock	0.182	9	24	1.96	48	0.016	6	2.11	0.033	0.06	<0.1	<0.01	8.3	<0.1	<0.05	10	<0.5
MM09 TR90 C41	Rock	0.184	9	24	2.00	53	0.018	8	2.30	0.049	0.09	<0.1	<0.01	8.6	<0.1	0.06	11	0.6
MM09 TR90 C42	Rock	0.173	7	21	1.94	30	0.013	5	2.11	0.027	0.06	<0.1	<0.01	7.8	<0.1	<0.05	9	<0.5
MM09 TR90 C43	Rock	0.187	8	23	2.05	41	0.016	6	2.24	0.038	0.10	<0.1	<0.01	8.3	<0.1	0.06	10	<0.5
MM09 TR90 C44	Rock	0.184	8	22	1.95	32	0.017	6	2.06	0.034	0.09	<0.1	<0.01	8.2	<0.1	<0.05	9	<0.5



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 27, 2009

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN09004103.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
MM09 TR86A C55	Rock	0.99	4.2	189.5	3.0	59	0.3	3.1	9.6	700	3.77	5.7	0.3	317.0	1.0	74	0.4	0.2	1.0	84	2.67
REP MM09 TR86A C55	QC		4.2	189.4	2.9	61	0.3	3.0	9.2	695	3.73	5.3	0.3	315.0	1.1	71	0.4	0.2	1.0	82	2.64
MM09 TR86A C91	Rock	0.82	1.2	67.7	2.7	55	0.1	2.8	13.1	727	3.23	10.1	0.4	12.9	1.1	26	0.2	0.4	0.1	66	2.28
REP MM09 TR86A C91	QC		1.0	68.2	2.7	55	0.1	2.8	13.2	712	3.17	10.0	0.3	19.5	1.1	27	0.2	0.5	0.1	64	2.27
MM09 TR88 C3	Rock	1.05	0.8	77.6	3.3	65	<0.1	1.6	11.3	940	3.46	7.3	0.4	44.3	1.0	46	0.3	0.2	0.2	76	3.28
REP MM09 TR88 C3	QC		0.9	81.4	3.8	70	<0.1	1.9	11.9	998	3.53	7.4	0.5	49.5	0.9	50	0.3	0.2	0.2	77	3.38
MM09 TR88 C42	Rock	1.02	0.3	68.2	3.1	52	0.1	2.5	11.0	742	4.28	5.1	0.4	241.0	2.1	10	0.2	0.4	1.9	94	0.83
REP MM09 TR88 C42	QC		0.4	72.7	3.3	56	0.1	3.0	11.7	787	4.42	5.7	0.4	242.4	2.3	10	0.3	0.3	2.0	98	0.86
MM09 TR88 C67	Rock	1.08	0.3	56.9	2.6	55	0.2	1.9	12.7	905	4.40	5.3	0.4	262.3	1.5	22	0.2	0.2	0.6	96	1.16
REP MM09 TR88 C67	QC		0.3	59.3	2.5	58	0.2	2.2	12.9	952	4.43	5.5	0.3	238.9	1.5	22	0.2	0.2	0.6	96	1.18
Reference Materials																					
STD DS7	Standard		19.3	101.0	67.3	386	0.8	51.9	9.1	580	2.34	52.6	4.7	59.6	4.1	80	6.1	6.4	4.8	79	0.94
STD DS7	Standard		18.6	100.5	70.3	414	0.8	52.0	8.9	659	2.36	52.7	5.0	59.3	4.5	79	5.8	6.8	5.2	80	0.96
STD DS7	Standard		19.4	100.6	65.0	382	0.9	54.0	9.3	585	2.28	50.1	4.6	73.3	4.2	66	6.0	5.8	4.6	78	0.94
STD DS7	Standard		19.7	103.8	65.8	392	0.8	56.5	9.0	585	2.30	51.3	4.6	55.2	4.3	67	6.3	5.8	4.5	78	0.94
STD DS7	Standard		20.1	101.5	66.4	382	0.8	57.8	9.3	602	2.32	49.4	4.7	77.7	4.2	66	5.8	5.7	4.3	81	0.98
STD DS7	Standard		21.6	104.7	69.6	401	0.9	60.3	9.5	645	2.43	51.4	4.9	77.2	4.7	70	6.0	6.0	4.5	84	1.01
STD DS7	Standard		20.6	106.7	68.1	396	0.8	54.9	9.2	601	2.39	53.9	4.7	155.4	4.4	70	6.3	6.1	4.7	81	0.97
STD DS7	Standard		20.5	105.1	69.7	392	0.9	56.4	9.3	605	2.41	52.9	4.9	382.3	4.5	70	6.4	6.1	4.7	80	0.98
STD DS7	Standard		19.7	110.2	80.1	389	0.8	55.0	9.1	595	2.40	54.0	5.3	61.0	4.7	79	6.2	7.0	5.3	83	0.98
STD DS7	Standard		19.8	108.8	78.7	406	0.8	53.0	8.8	596	2.42	52.9	5.4	69.8	4.7	77	6.4	6.9	5.2	84	1.00
STD DS7	Standard		20.7	109.8	80.7	411	0.8	57.5	9.1	612	2.45	55.1	5.3	68.3	5.0	80	6.5	7.5	5.4	84	0.98
STD DS7	Standard		20.2	104.9	74.8	392	0.8	53.9	9.3	551	2.34	54.7	5.0	72.8	4.7	84	6.4	7.2	5.3	80	0.94
STD DS7	Standard		21.5	115.5	74.3	394	0.9	53.9	9.4	629	2.54	53.0	5.4	80.8	5.2	86	6.7	6.4	5.2	87	1.05
STD DS7	Standard		19.8	103.3	69.6	375	0.7	53.7	8.4	573	2.37	47.7	4.8	73.2	4.7	77	6.3	5.7	4.6	79	1.00
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 27, 2009

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN09004103.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																		
MM09 TR86A C55	Rock	0.071	5	5	0.95	330	0.004	9	1.44	0.047	0.07	<0.1	<0.01	6.9	<0.1	0.14	6	0.6
REP MM09 TR86A C55	QC	0.065	5	6	0.95	348	0.004	8	1.41	0.049	0.07	<0.1	<0.01	6.6	<0.1	0.13	6	0.7
MM09 TR86A C91	Rock	0.048	5	4	1.01	116	0.003	7	1.65	0.024	0.13	<0.1	<0.01	6.9	<0.1	<0.05	6	0.6
REP MM09 TR86A C91	QC	0.048	5	4	1.00	115	0.004	8	1.63	0.024	0.12	<0.1	<0.01	7.1	<0.1	<0.05	6	<0.5
MM09 TR88 C3	Rock	0.052	5	2	1.02	48	0.010	5	1.48	0.032	0.08	<0.1	<0.01	6.4	<0.1	<0.05	6	<0.5
REP MM09 TR88 C3	QC	0.055	5	2	1.04	48	0.011	6	1.58	0.035	0.09	<0.1	<0.01	6.8	<0.1	<0.05	7	<0.5
MM09 TR88 C42	Rock	0.052	5	6	0.96	40	0.006	4	1.34	0.040	0.05	<0.1	<0.01	8.9	<0.1	<0.05	7	<0.5
REP MM09 TR88 C42	QC	0.052	5	5	1.00	41	0.007	5	1.41	0.041	0.06	<0.1	<0.01	8.9	<0.1	<0.05	8	<0.5
MM09 TR88 C67	Rock	0.058	5	2	1.30	42	0.010	5	1.70	0.056	0.07	<0.1	<0.01	10.7	<0.1	<0.05	8	<0.5
REP MM09 TR88 C67	QC	0.062	5	3	1.31	40	0.009	5	1.70	0.053	0.06	<0.1	<0.01	10.7	<0.1	<0.05	9	<0.5
Reference Materials																		
STD DS7	Standard	0.074	13	159	1.01	373	0.116	39	0.95	0.081	0.40	4.0	0.18	2.2	4.2	0.20	4	3.9
STD DS7	Standard	0.079	13	173	1.01	383	0.125	37	0.97	0.089	0.44	3.9	0.19	2.2	4.3	0.20	4	3.7
STD DS7	Standard	0.075	12	156	0.99	368	0.108	39	0.96	0.082	0.39	4.2	0.17	2.2	4.1	0.19	4	3.9
STD DS7	Standard	0.076	12	162	0.99	360	0.108	38	0.94	0.081	0.39	4.1	0.18	2.2	3.8	0.19	4	3.4
STD DS7	Standard	0.072	13	175	1.01	383	0.111	38	0.99	0.081	0.42	3.8	0.20	2.3	4.0	0.20	5	4.1
STD DS7	Standard	0.077	14	180	1.06	410	0.118	36	1.05	0.088	0.45	4.1	0.23	2.5	4.4	0.20	5	3.8
STD DS7	Standard	0.080	12	170	1.04	373	0.115	38	0.98	0.084	0.41	4.1	0.20	2.3	3.8	0.20	4	3.8
STD DS7	Standard	0.079	13	172	1.05	390	0.113	40	0.99	0.088	0.42	4.3	0.19	2.4	4.0	0.20	4	3.2
STD DS7	Standard	0.078	13	159	1.03	375	0.128	42	1.02	0.093	0.41	4.1	0.18	2.3	4.1	0.21	4	3.7
STD DS7	Standard	0.083	14	165	1.04	394	0.126	42	1.01	0.086	0.43	4.1	0.19	2.3	4.1	0.21	4	3.7
STD DS7	Standard	0.080	13	157	1.03	407	0.121	44	1.01	0.088	0.42	4.1	0.22	2.4	4.3	0.20	4	3.1
STD DS7	Standard	0.082	13	158	1.02	401	0.122	41	0.97	0.088	0.41	4.3	0.17	2.3	4.0	0.20	4	3.4
STD DS7	Standard	0.074	14	210	1.08	435	0.125	39	1.11	0.108	0.46	4.0	0.18	2.6	4.1	0.20	5	3.8
STD DS7	Standard	0.067	12	194	1.02	388	0.115	35	1.04	0.088	0.43	3.6	0.19	2.3	3.7	0.19	4	3.7
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: September 27, 2009

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

VAN09004103.1

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	0.8	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.2	2.3	3.2	48	<0.1	3.2	4.2	547	1.88	<0.5	1.7	<0.5	5.4	52	<0.1	<0.1	<0.1	36	0.45
G1	Prep Blank	<0.01	0.3	3.0	4.4	50	<0.1	3.8	4.5	590	1.99	0.6	1.7	<0.5	5.6	58	<0.1	<0.1	<0.1	37	0.51



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: September 27, 2009

Page: 2 of 2 **Part** 2

QUALITY CONTROL REPORT

VAN09004103.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																		
G1	Prep Blank	0.083	10	8	0.54	180	0.119	1	0.97	0.071	0.50	0.1	<0.01	1.8	0.3	<0.05	4	<0.5
G1	Prep Blank	0.087	12	9	0.54	180	0.129	1	1.00	0.081	0.53	0.2	<0.01	2.0	0.3	<0.05	5	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
 Receiving Lab: Canada-Vancouver
 Received: September 08, 2009
 Report Date: October 22, 2009
 Page: 1 of 8

CERTIFICATE OF ANALYSIS

VAN09004103.2

CLIENT JOB INFORMATION

Project: Miner Mountain
 Shipment ID:
 P.O. Number
 Number of Samples: 209

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
 DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200	209	Crush, split and pulverize rock to 200 mesh			VAN
1DX2	209	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
G6	90	Fire Assay fusion Au by ICP-ES	30	Completed	VAN
7AR	12	1:1:1 Aqua Regia digestion ICP-ES analysis	1	Completed	VAN

ADDITIONAL COMMENTS

Version 2 : G7AR-Cu & G6-Au included.



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 22, 2009

Page: 2 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN09004103.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR86A C11	Rock	1.01	2.0	74.6	1.8	49	0.1	7.9	16.8	753	3.61	8.8	0.5	8.7	1.0	104	<0.1	0.1	0.2	111	4.78
MM09 TR86A C12	Rock	0.93	3.8	190.5	3.6	45	0.2	11.7	28.1	813	4.26	23.8	0.4	17.2	0.8	107	0.1	0.2	0.3	116	5.03
MM09 TR86A C13	Rock	0.91	7.6	160.7	3.9	50	0.2	8.4	52.9	942	5.04	22.5	0.3	19.0	0.7	119	0.1	0.1	0.2	125	5.07
MM09 TR86A C14	Rock	0.90	2.1	181.2	3.0	52	0.2	7.8	17.6	901	3.93	17.5	0.2	13.9	0.7	136	0.1	0.2	0.3	120	5.95
MM09 TR86A C15	Rock	0.91	3.6	129.6	3.7	58	0.1	7.3	22.0	1068	4.42	26.1	0.5	8.9	0.8	123	0.1	0.2	0.2	128	6.61
MM09 TR86A C16	Rock	1.04	5.7	123.6	3.8	41	0.1	7.8	13.3	807	3.63	13.7	0.3	15.7	0.8	121	0.1	0.2	0.2	119	6.40
MM09 TR86A C17	Rock	0.91	4.3	114.0	3.6	52	0.2	9.5	18.0	789	4.24	32.8	0.4	28.8	0.7	129	0.1	0.1	0.2	149	6.87
MM09 TR86A C18	Rock	1.10	5.8	100.6	2.9	34	0.1	9.1	12.4	715	4.34	15.0	0.3	9.1	0.9	82	0.1	0.2	0.1	156	3.79
MM09 TR86A C19	Rock	1.12	6.7	40.5	2.0	29	<0.1	7.0	8.4	620	4.05	10.6	0.2	15.2	0.9	67	<0.1	0.2	0.1	138	2.87
MM09 TR86A C20	Rock	0.81	1.3	163.0	2.0	39	0.1	7.8	12.8	798	4.56	9.6	0.3	7.3	0.8	94	<0.1	0.2	0.2	175	4.22
MM09 TR86A C21	Rock	0.94	4.1	68.6	2.3	37	0.1	7.5	16.2	739	4.36	12.0	0.3	3.9	0.8	133	<0.1	0.2	0.2	162	5.27
MM09 TR86A C22	Rock	0.98	4.5	66.0	1.8	29	<0.1	6.8	9.3	711	4.20	9.6	0.3	9.5	0.9	92	<0.1	0.3	0.2	150	3.65
MM09 TR86A C23	Rock	0.99	5.3	46.1	2.9	36	<0.1	9.0	23.7	780	4.91	9.8	0.2	3.6	0.8	99	<0.1	0.2	0.2	173	3.56
MM09 TR86A C24	Rock	0.97	1.3	84.8	2.6	43	<0.1	6.4	11.0	670	4.20	10.8	0.3	12.7	1.0	90	0.1	0.3	0.2	167	3.41
MM09 TR86A C25	Rock	0.86	1.5	149.4	2.7	51	0.1	6.3	10.4	666	4.36	8.6	0.3	12.7	0.9	74	0.2	0.2	0.2	163	3.00
MM09 TR86A C26	Rock	0.98	2.4	75.3	2.2	32	0.1	8.5	13.0	761	3.86	16.2	0.3	3.2	0.8	116	<0.1	0.1	0.2	134	4.42
MM09 TR86A C27	Rock	1.07	6.4	165.0	1.7	32	0.1	8.6	10.4	682	4.31	23.3	0.2	17.4	0.8	91	<0.1	0.4	0.2	153	3.79
MM09 TR86A C28	Rock	0.82	0.9	110.6	2.8	29	0.2	8.0	14.1	761	4.74	17.6	0.2	14.9	0.8	85	<0.1	0.3	0.3	168	3.26
MM09 TR86A C29	Rock	0.87	1.2	109.9	2.8	30	0.1	7.5	9.5	700	4.19	22.4	0.2	18.1	0.8	95	0.1	0.3	0.2	156	3.78
MM09 TR86A C30	Rock	0.85	1.1	111.5	2.9	32	0.1	7.7	13.6	905	4.77	15.9	0.3	40.4	0.9	94	0.1	0.3	0.3	160	3.48
MM09 TR86A C31	Rock	0.88	3.9	115.5	2.2	31	0.1	6.5	8.7	761	3.82	9.0	0.4	18.4	0.8	130	<0.1	0.1	<0.1	144	4.99
MM09 TR86A C32	Rock	1.03	6.5	541.8	2.5	35	0.3	12.0	34.2	707	3.86	20.0	0.3	84.7	0.8	101	0.2	0.1	0.3	164	4.24
MM09 TR86A C33	Rock	0.90	6.9	219.3	2.4	33	0.1	8.0	16.9	706	5.02	14.6	0.4	23.2	0.9	99	<0.1	0.2	0.2	199	4.23
MM09 TR86A C34	Rock	0.94	3.5	378.0	2.1	33	0.1	7.2	14.2	729	4.58	10.8	0.3	61.5	0.9	103	0.1	0.2	0.1	211	4.60
MM09 TR86A C35	Rock	1.07	30.7	1075	2.5	28	0.4	11.8	21.7	762	4.07	11.9	0.3	230.4	0.9	139	<0.1	0.2	0.2	165	4.94
MM09 TR86A C36	Rock	1.19	12.9	367.2	2.0	29	0.2	8.3	11.5	708	3.87	11.9	0.3	80.2	1.0	111	<0.1	0.2	0.1	151	4.48
MM09 TR86A C37	Rock	0.99	30.2	333.7	2.4	30	0.2	6.4	12.2	1035	4.85	12.5	0.3	45.5	0.8	162	0.2	0.2	0.1	139	7.55
MM09 TR86A C38	Rock	1.26	1.5	62.4	2.5	38	0.2	1.8	8.5	652	3.36	9.1	0.2	180.6	0.9	87	<0.1	0.2	0.4	83	4.69
MM09 TR86A C39	Rock	1.03	2.7	95.0	2.4	43	0.2	2.6	8.7	677	3.53	8.6	0.2	201.8	0.9	97	<0.1	0.2	0.3	88	4.40
MM09 TR86A C40	Rock	1.12	2.0	59.9	2.1	51	0.1	2.0	8.8	687	3.85	10.8	0.2	164.3	0.8	66	0.1	0.2	0.3	99	3.86

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 22, 2009

Page: 2 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN09004103.2

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	G6 Au	7AR Cu
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001
MM09 TR86A C11	Rock			0.158	10	18	1.29	55	0.007	7	1.57	0.020	0.07	<0.1	<0.01	5.0	<0.1	0.13	9	<0.5	N.A.	N.A.
MM09 TR86A C12	Rock			0.148	9	19	1.45	51	0.007	8	1.81	0.018	0.12	<0.1	<0.01	5.0	<0.1	0.33	8	0.8	N.A.	N.A.
MM09 TR86A C13	Rock			0.136	9	17	1.60	38	0.005	6	1.88	0.016	0.08	<0.1	<0.01	6.2	<0.1	0.55	9	0.7	N.A.	N.A.
MM09 TR86A C14	Rock			0.131	10	15	1.38	40	0.006	7	1.84	0.020	0.10	<0.1	<0.01	6.3	<0.1	0.16	8	<0.5	N.A.	N.A.
MM09 TR86A C15	Rock			0.130	13	18	1.52	134	0.006	7	1.94	0.016	0.10	<0.1	<0.01	7.1	<0.1	0.11	8	<0.5	N.A.	N.A.
MM09 TR86A C16	Rock			0.154	10	15	1.12	60	0.007	8	1.57	0.018	0.13	<0.1	<0.01	4.9	<0.1	0.13	7	<0.5	N.A.	N.A.
MM09 TR86A C17	Rock			0.138	10	20	1.42	33	0.017	7	1.83	0.013	0.07	<0.1	<0.01	6.0	<0.1	0.18	8	<0.5	N.A.	N.A.
MM09 TR86A C18	Rock			0.151	9	15	1.37	33	0.009	5	1.64	0.025	0.06	<0.1	<0.01	6.6	<0.1	0.21	9	0.7	N.A.	N.A.
MM09 TR86A C19	Rock			0.155	8	12	1.35	37	0.006	5	1.61	0.021	0.07	<0.1	<0.01	6.0	<0.1	0.09	9	<0.5	N.A.	N.A.
MM09 TR86A C20	Rock			0.139	9	16	1.48	33	0.008	9	1.80	0.019	0.07	<0.1	<0.01	6.7	<0.1	0.13	10	0.8	N.A.	N.A.
MM09 TR86A C21	Rock			0.140	9	14	1.44	60	0.010	9	1.64	0.027	0.07	<0.1	<0.01	6.1	<0.1	0.13	9	0.7	N.A.	N.A.
MM09 TR86A C22	Rock			0.145	9	12	1.17	39	0.007	6	1.46	0.032	0.08	<0.1	<0.01	6.5	<0.1	0.09	9	0.8	N.A.	N.A.
MM09 TR86A C23	Rock			0.147	10	16	1.52	43	0.010	7	1.83	0.029	0.09	<0.1	<0.01	7.1	<0.1	0.16	10	0.6	N.A.	N.A.
MM09 TR86A C24	Rock			0.128	10	14	1.21	61	0.013	7	1.46	0.048	0.09	<0.1	<0.01	7.1	<0.1	0.09	8	1.1	N.A.	N.A.
MM09 TR86A C25	Rock			0.162	9	17	1.40	35	0.011	5	1.68	0.032	0.08	<0.1	<0.01	6.3	<0.1	0.12	9	0.8	N.A.	N.A.
MM09 TR86A C26	Rock			0.141	10	13	1.20	54	0.005	7	1.52	0.034	0.08	<0.1	<0.01	6.0	<0.1	0.12	9	0.7	N.A.	N.A.
MM09 TR86A C27	Rock			0.147	9	15	1.33	44	0.004	6	1.61	0.025	0.08	<0.1	<0.01	5.9	<0.1	0.11	9	1.1	N.A.	N.A.
MM09 TR86A C28	Rock			0.146	10	13	1.48	46	0.008	6	1.76	0.024	0.08	<0.1	<0.01	6.5	<0.1	0.22	10	1.3	N.A.	N.A.
MM09 TR86A C29	Rock			0.154	8	12	1.51	53	0.010	7	1.74	0.027	0.10	<0.1	<0.01	5.9	<0.1	0.09	10	<0.5	N.A.	N.A.
MM09 TR86A C30	Rock			0.154	12	11	1.36	58	0.007	7	1.75	0.038	0.10	<0.1	<0.01	6.5	<0.1	0.23	10	1.8	N.A.	N.A.
MM09 TR86A C31	Rock			0.145	8	14	1.61	52	0.006	4	1.59	0.033	0.09	<0.1	<0.01	5.4	<0.1	0.10	8	0.6	N.A.	N.A.
MM09 TR86A C32	Rock			0.144	8	20	1.27	52	0.011	5	1.49	0.032	0.07	<0.1	<0.01	7.2	<0.1	0.32	8	1.1	N.A.	N.A.
MM09 TR86A C33	Rock			0.157	9	21	1.51	49	0.014	6	1.75	0.035	0.09	<0.1	<0.01	7.3	<0.1	0.15	10	<0.5	N.A.	N.A.
MM09 TR86A C34	Rock			0.154	8	23	1.58	49	0.017	6	1.75	0.030	0.09	<0.1	<0.01	7.2	<0.1	0.11	10	<0.5	N.A.	N.A.
MM09 TR86A C35	Rock			0.141	9	18	1.31	98	0.010	6	1.40	0.038	0.10	<0.1	<0.01	6.3	<0.1	0.19	8	0.7	0.29	0.105
MM09 TR86A C36	Rock			0.164	9	18	1.40	66	0.008	8	1.68	0.023	0.13	<0.1	<0.01	6.1	<0.1	0.12	8	1.0	N.A.	N.A.
MM09 TR86A C37	Rock			0.127	11	17	1.25	63	0.007	7	1.64	0.021	0.10	<0.1	<0.01	6.7	<0.1	0.11	7	0.7	N.A.	N.A.
MM09 TR86A C38	Rock			0.064	6	2	0.86	58	0.004	9	1.15	0.034	0.12	<0.1	<0.01	6.0	<0.1	0.10	5	0.5	0.26	N.A.
MM09 TR86A C39	Rock			0.070	5	4	0.93	66	0.005	6	1.35	0.034	0.13	<0.1	<0.01	5.6	<0.1	0.13	6	0.9	0.24	N.A.
MM09 TR86A C40	Rock			0.054	5	3	0.90	49	0.006	6	1.34	0.039	0.11	<0.1	<0.01	6.5	<0.1	0.06	7	0.6	0.19	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 22, 2009

Page: 3 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN09004103.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR86A C41	Rock	1.16	2.2	47.3	2.8	60	<0.1	6.0	15.0	826	3.94	11.8	0.3	15.0	0.7	82	<0.1	0.2	<0.1	104	3.31
MM09 TR86A C42	Rock	1.11	1.5	15.8	3.8	65	0.1	2.7	12.7	802	3.61	9.1	0.2	163.6	0.6	53	0.1	0.3	0.2	71	2.91
MM09 TR86A C43	Rock	0.99	3.2	39.4	2.7	87	0.2	2.1	10.6	807	3.66	8.1	0.2	472.2	0.7	57	0.7	0.2	0.4	69	3.07
MM09 TR86A C44	Rock	1.21	1.1	77.8	2.7	60	0.1	1.8	10.0	865	3.33	5.0	0.2	161.8	0.8	49	0.8	0.3	0.2	76	3.02
MM09 TR86A C45	Rock	0.92	3.3	59.0	2.9	70	0.2	2.6	9.6	749	4.02	5.9	0.3	275.0	0.9	62	0.2	0.3	0.5	82	2.32
MM09 TR86A C46	Rock	0.91	1.4	31.5	2.1	60	<0.1	1.6	12.1	838	3.54	5.2	0.2	101.5	0.8	43	0.2	0.3	0.1	75	2.54
MM09 TR86A C47	Rock	1.20	2.4	48.0	2.3	61	0.1	2.0	8.7	767	3.62	4.8	0.2	472.2	0.9	46	0.3	0.4	0.3	63	2.51
MM09 TR86A C48	Rock	1.30	1.2	42.9	2.2	56	<0.1	1.7	8.0	768	3.61	4.7	0.2	204.4	0.9	47	0.3	0.6	0.2	72	2.48
MM09 TR86A C49	Rock	1.02	2.8	89.7	1.5	64	<0.1	1.8	10.5	947	3.63	3.3	0.1	89.9	0.9	62	0.2	0.2	0.2	81	3.56
MM09 TR86A C50	Rock	1.08	2.6	80.7	2.4	84	0.1	2.2	11.2	818	3.65	4.3	0.2	96.4	0.8	52	0.5	0.2	0.2	80	2.82
MM09 TR86A C51	Rock	0.98	1.8	111.7	2.6	61	0.2	1.9	8.6	710	3.92	5.3	0.2	461.2	1.0	53	0.4	0.3	0.6	81	3.08
MM09 TR86A C52	Rock	1.11	1.5	62.3	2.3	83	0.1	2.2	9.5	836	3.90	4.5	0.2	191.2	1.0	49	0.4	0.2	0.4	66	2.72
MM09 TR86A C53	Rock	0.99	3.2	236.1	3.0	57	0.3	1.4	7.2	670	3.51	4.2	0.3	259.1	1.2	44	0.2	0.3	0.4	80	3.18
MM09 TR86A C54	Rock	0.99	2.3	75.6	3.8	51	0.3	2.3	8.7	860	4.08	5.8	0.3	374.8	0.9	59	0.3	0.2	0.7	78	2.52
MM09 TR86A C55	Rock	0.99	4.2	189.5	3.0	59	0.3	3.1	9.6	700	3.77	5.7	0.3	317.0	1.0	74	0.4	0.2	1.0	84	2.67
MM09 TR86A C56	Rock	1.02	3.3	142.5	3.0	59	0.3	2.2	9.0	1070	3.65	4.6	0.3	312.8	1.1	63	0.7	0.3	0.6	67	5.28
MM09 TR86A C57	Rock	1.24	3.6	60.3	4.7	125	0.2	1.9	11.1	888	4.32	5.8	0.3	228.8	1.0	37	1.2	0.2	0.9	64	2.24
MM09 TR86A C58	Rock	1.04	2.4	78.4	3.3	100	0.3	2.3	10.3	712	3.51	4.5	0.3	372.4	1.0	41	0.8	0.2	1.1	64	2.91
MM09 TR86A C59	Rock	0.90	1.8	56.2	4.3	99	0.3	2.4	11.4	1039	4.37	5.3	0.4	316.1	0.9	69	1.1	0.1	0.7	53	4.22
MM09 TR86A C60	Rock	1.09	3.8	71.2	4.2	121	0.8	3.0	12.9	848	5.03	4.5	0.4	770.4	0.9	46	1.0	0.3	2.4	59	2.34
MM09 TR86A C61	Rock	1.35	3.2	46.2	2.5	141	0.2	1.9	10.2	609	3.55	4.2	0.3	147.4	0.8	45	1.6	0.2	0.3	76	2.42
MM09 TR86A C62	Rock	0.93	2.2	51.7	4.0	109	0.2	3.0	12.1	747	5.09	5.8	0.3	215.8	0.9	41	0.9	0.3	0.4	76	1.95
MM09 TR86A C63	Rock	1.12	0.9	76.3	3.2	83	0.2	2.6	11.7	663	4.12	6.5	0.2	515.3	0.9	39	0.7	0.4	0.4	73	1.93
MM09 TR86A C64	Rock	0.88	3.6	28.2	2.9	77	<0.1	1.9	12.0	691	4.44	4.4	0.4	29.9	1.0	50	0.5	0.2	0.2	74	2.36
MM09 TR86A C65	Rock	1.10	3.7	94.1	3.8	90	0.3	2.5	10.5	603	4.21	5.9	0.4	980.5	0.9	57	0.7	0.5	1.5	101	2.53
MM09 TR86A C66	Rock	0.91	4.1	30.1	2.9	85	0.1	2.3	11.1	465	4.13	3.7	0.3	124.2	0.9	37	0.4	0.1	0.3	82	1.57
MM09 TR86A C67	Rock	0.89	3.2	32.6	3.4	120	<0.1	2.4	11.2	551	3.98	3.4	0.4	64.4	0.9	38	0.6	0.1	0.2	69	1.79
MM09 TR86A C68	Rock	0.91	3.4	63.7	3.4	91	0.1	2.3	12.8	715	4.53	4.4	0.4	89.1	1.0	45	0.7	0.2	0.5	75	2.25
MM09 TR86A C69	Rock	1.23	3.6	43.9	2.6	66	<0.1	2.0	11.8	578	3.55	3.9	0.4	219.8	1.0	43	0.4	0.2	0.2	79	2.21
MM09 TR86A C70	Rock	0.99	2.4	43.4	2.6	75	<0.1	2.2	15.2	728	4.52	4.5	0.4	74.5	1.1	50	0.4	0.2	0.1	78	1.98

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 22, 2009

Page: 3 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN09004103.2

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	G6 Au	7AR Cu
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001
MM09 TR86A C41	Rock			0.107	10	17	1.65	66	0.009	6	1.90	0.032	0.12	<0.1	<0.01	7.0	<0.1	0.08	8	<0.5	N.A.	N.A.
MM09 TR86A C42	Rock			0.071	10	10	1.45	70	0.005	3	1.87	0.033	0.16	<0.1	<0.01	7.0	<0.1	0.09	8	<0.5	0.08	N.A.
MM09 TR86A C43	Rock			0.055	5	4	1.07	77	0.005	6	1.47	0.043	0.12	<0.1	<0.01	6.9	<0.1	0.11	6	<0.5	0.59	N.A.
MM09 TR86A C44	Rock			0.054	4	1	1.10	47	0.006	5	1.41	0.051	0.08	<0.1	<0.01	7.6	<0.1	<0.05	6	0.6	0.18	N.A.
MM09 TR86A C45	Rock			0.059	5	2	1.08	143	0.004	8	1.49	0.053	0.07	<0.1	<0.01	7.6	<0.1	<0.05	7	0.5	0.31	N.A.
MM09 TR86A C46	Rock			0.052	5	2	1.15	37	0.005	3	1.42	0.036	0.08	<0.1	<0.01	6.7	<0.1	<0.05	6	<0.5	0.11	N.A.
MM09 TR86A C47	Rock			0.052	4	2	1.08	70	0.003	6	1.51	0.033	0.09	<0.1	<0.01	7.5	<0.1	<0.05	7	<0.5	0.59	N.A.
MM09 TR86A C48	Rock			0.052	4	2	1.15	51	0.005	8	1.62	0.039	0.08	<0.1	<0.01	7.4	<0.1	<0.05	7	0.9	0.21	N.A.
MM09 TR86A C49	Rock			0.054	4	2	1.28	53	0.004	5	1.61	0.045	0.07	<0.1	<0.01	7.2	<0.1	0.06	7	<0.5	0.10	N.A.
MM09 TR86A C50	Rock			0.051	4	2	1.12	52	0.004	8	1.52	0.050	0.09	<0.1	<0.01	7.1	<0.1	<0.05	6	0.7	0.11	N.A.
MM09 TR86A C51	Rock			0.049	4	2	0.86	114	0.004	7	1.29	0.047	0.07	<0.1	<0.01	7.8	<0.1	0.07	6	0.5	0.49	N.A.
MM09 TR86A C52	Rock			0.052	4	2	1.11	66	0.003	6	1.67	0.036	0.12	<0.1	<0.01	6.5	<0.1	0.08	7	0.8	0.22	N.A.
MM09 TR86A C53	Rock			0.049	4	2	0.81	150	0.006	5	1.08	0.062	0.04	<0.1	<0.01	6.9	<0.1	0.10	6	1.2	0.29	N.A.
MM09 TR86A C54	Rock			0.053	4	2	0.77	94	0.003	10	1.26	0.047	0.07	<0.1	<0.01	7.4	<0.1	0.10	5	0.6	0.48	N.A.
MM09 TR86A C55	Rock			0.071	5	5	0.95	330	0.004	9	1.44	0.047	0.07	<0.1	<0.01	6.9	<0.1	0.14	6	0.6	0.27	N.A.
MM09 TR86A C56	Rock			0.045	4	1	0.78	103	0.006	9	1.27	0.040	0.09	<0.1	<0.01	6.8	<0.1	<0.05	5	0.9	0.44	N.A.
MM09 TR86A C57	Rock			0.048	4	<1	0.91	46	0.003	9	1.46	0.022	0.11	<0.1	<0.01	6.6	<0.1	<0.05	6	0.7	0.19	N.A.
MM09 TR86A C58	Rock			0.050	4	1	0.83	69	0.002	10	1.34	0.033	0.11	<0.1	<0.01	6.9	<0.1	<0.05	5	<0.5	0.40	N.A.
MM09 TR86A C59	Rock			0.053	6	<1	0.75	61	<0.001	13	1.43	0.017	0.16	<0.1	<0.01	4.9	<0.1	0.07	5	0.8	0.34	N.A.
MM09 TR86A C60	Rock			0.051	5	<1	0.80	154	0.001	13	1.47	0.017	0.15	<0.1	<0.01	6.1	<0.1	0.09	6	0.8	0.89	N.A.
MM09 TR86A C61	Rock			0.048	5	<1	0.67	87	0.002	9	1.03	0.044	0.06	<0.1	0.02	7.9	<0.1	<0.05	5	<0.5	0.17	N.A.
MM09 TR86A C62	Rock			0.052	4	1	0.66	71	0.003	12	1.29	0.042	0.11	<0.1	<0.01	7.8	<0.1	<0.05	6	<0.5	0.21	N.A.
MM09 TR86A C63	Rock			0.049	4	1	1.03	83	0.002	10	1.63	0.024	0.11	<0.1	<0.01	7.5	<0.1	<0.05	6	<0.5	0.63	N.A.
MM09 TR86A C64	Rock			0.050	5	1	0.43	62	0.004	13	1.10	0.039	0.14	<0.1	<0.01	6.0	<0.1	<0.05	5	0.5	N.A.	N.A.
MM09 TR86A C65	Rock			0.067	5	1	0.60	69	0.003	12	1.21	0.032	0.08	<0.1	<0.01	7.2	<0.1	<0.05	6	0.7	0.99	N.A.
MM09 TR86A C66	Rock			0.051	5	1	0.39	68	0.002	12	1.04	0.047	0.09	<0.1	<0.01	6.9	<0.1	<0.05	5	<0.5	0.12	N.A.
MM09 TR86A C67	Rock			0.054	5	2	0.42	54	0.002	14	1.09	0.035	0.11	<0.1	<0.01	5.8	<0.1	<0.05	5	0.6	N.A.	N.A.
MM09 TR86A C68	Rock			0.050	5	1	0.61	82	0.002	12	1.20	0.031	0.12	<0.1	<0.01	6.4	<0.1	<0.05	5	<0.5	N.A.	N.A.
MM09 TR86A C69	Rock			0.053	5	1	0.43	51	0.004	15	0.98	0.032	0.09	<0.1	<0.01	6.0	<0.1	<0.05	5	0.5	0.27	N.A.
MM09 TR86A C70	Rock			0.053	5	1	0.58	55	0.004	13	1.33	0.035	0.11	0.3	<0.01	6.8	<0.1	<0.05	6	0.6	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 22, 2009

Page: 4 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN09004103.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR86A C71	Rock	1.00	3.1	59.6	3.3	56	<0.1	2.3	11.7	811	3.94	6.9	0.4	58.5	1.0	114	0.3	0.3	0.1	74	3.81
MM09 TR86A C72	Rock	1.03	3.4	59.8	3.4	62	<0.1	1.9	11.6	630	3.78	4.9	0.4	56.0	1.0	52	0.4	0.3	0.2	76	2.12
MM09 TR86A C73	Rock	0.98	1.7	61.2	2.5	55	<0.1	2.0	11.7	625	3.55	5.0	0.5	53.4	1.2	41	0.3	0.3	<0.1	68	1.69
MM09 TR86A C74	Rock	0.96	4.3	124.9	3.3	67	0.3	2.1	10.9	808	4.15	6.0	0.3	94.9	1.0	59	0.5	0.4	0.3	90	2.41
MM09 TR86A C75	Rock	0.94	3.8	131.3	4.0	69	0.5	2.7	11.8	760	4.27	7.0	0.4	199.9	1.0	49	0.4	0.5	1.1	80	1.89
MM09 TR86A C76	Rock	0.91	1.1	51.6	2.9	54	0.1	3.6	16.1	832	3.17	11.2	0.3	22.6	1.0	34	0.2	0.8	<0.1	76	0.62
MM09 TR86A C77	Rock	1.09	0.7	177.7	2.3	44	0.2	3.7	10.4	1038	2.56	11.6	0.2	40.2	1.0	26	0.2	0.6	<0.1	66	1.14
MM09 TR86A C78	Rock	0.87	0.5	94.6	2.3	39	<0.1	3.2	10.4	591	2.35	12.7	0.2	25.4	1.1	49	0.2	1.6	<0.1	63	0.47
MM09 TR86A C79	Rock	0.88	0.5	122.7	1.9	45	<0.1	2.3	10.4	680	2.60	10.9	0.3	49.5	0.9	47	0.2	0.8	<0.1	62	0.54
MM09 TR86A C80	Rock	1.03	0.5	153.3	2.3	62	0.1	2.1	13.6	737	3.47	16.5	0.3	92.3	1.0	66	0.1	1.2	<0.1	77	0.75
MM09 TR86A C81	Rock	0.93	0.7	135.4	3.7	74	0.1	1.9	12.2	731	3.46	13.8	0.4	33.4	1.0	27	0.4	1.0	<0.1	82	2.09
MM09 TR86A C82	Rock	0.98	0.7	25.3	2.7	52	<0.1	1.8	13.0	699	2.94	15.5	0.2	29.1	1.2	33	0.2	0.9	<0.1	78	2.55
MM09 TR86A C83	Rock	1.08	0.5	51.6	2.7	61	<0.1	2.5	11.9	765	3.22	12.0	0.3	11.4	1.0	31	0.2	0.7	0.1	86	2.55
MM09 TR86A C84	Rock	0.78	0.8	68.3	2.7	56	<0.1	1.7	13.2	742	3.19	15.5	0.4	44.7	1.0	69	0.2	1.0	<0.1	80	2.39
MM09 TR86A C85	Rock	0.88	0.6	45.4	2.9	59	<0.1	2.0	12.2	769	3.16	13.8	0.3	43.8	1.0	34	0.2	1.5	<0.1	77	2.79
MM09 TR86A C86	Rock	1.01	0.9	61.8	3.1	58	<0.1	2.1	11.8	805	3.70	12.8	0.3	27.3	1.0	21	0.1	0.7	<0.1	94	1.40
MM09 TR86A C87	Rock	1.00	0.6	53.7	2.8	59	<0.1	2.5	13.0	804	3.48	10.8	0.3	30.2	1.1	20	0.1	0.7	<0.1	80	1.54
MM09 TR86A C88	Rock	0.89	0.8	367.1	2.9	53	0.4	2.1	12.4	697	3.25	16.8	0.3	133.3	1.0	35	0.6	4.9	<0.1	63	2.58
MM09 TR86A C89	Rock	1.05	0.8	135.4	3.1	68	0.2	2.1	13.2	871	3.70	17.2	0.3	54.2	1.1	40	0.2	1.3	0.2	91	2.34
MM09 TR86A C90	Rock	0.89	0.8	83.3	2.9	55	<0.1	2.3	13.1	750	3.57	12.6	0.3	28.7	1.1	23	0.1	0.8	<0.1	84	1.71
MM09 TR86A C91	Rock	0.82	1.2	67.7	2.7	55	0.1	2.8	13.1	727	3.23	10.1	0.4	12.9	1.1	26	0.2	0.4	0.1	66	2.28
MM09 TR86A C92	Rock	0.91	0.7	149.4	3.2	39	<0.1	1.9	9.1	755	2.51	13.4	0.5	18.6	1.4	43	0.3	1.0	0.1	58	3.50
MM09 TR86A C93	Rock	1.06	1.0	122.9	3.7	73	0.1	2.1	14.5	822	4.00	16.2	0.4	105.3	1.2	28	0.1	1.3	<0.1	91	1.28
MM09 TR86A C94	Rock	0.77	0.7	120.6	2.8	59	0.1	2.0	12.6	759	3.31	11.1	0.4	61.2	1.1	28	0.2	0.8	0.1	73	2.02
MM09 TR86A C95	Rock	0.80	1.0	107.0	3.5	65	0.1	2.0	12.7	779	3.54	13.2	0.3	103.2	1.2	23	0.2	0.9	0.1	74	1.66
MM09 TR86A C96	Rock	0.88	0.8	183.8	3.6	65	0.2	1.7	11.9	806	3.83	17.6	0.3	100.0	1.1	37	0.2	1.8	0.1	89	2.19
MM09 TR86A C97	Rock	0.93	1.4	176.6	3.4	53	0.3	1.4	9.2	799	3.43	10.7	0.3	299.0	1.4	31	0.2	0.9	0.6	71	1.54
MM09 TR86A C98	Rock	0.89	1.5	195.1	3.9	61	0.2	1.7	13.6	878	3.44	11.8	0.3	237.4	1.2	39	0.3	0.6	0.2	82	2.45
MM09 TR86A C99	Rock	0.89	1.6	318.9	3.5	56	0.4	1.9	14.3	764	3.43	19.8	0.3	97.6	1.1	35	0.2	1.7	0.1	72	1.28
MM09 TR86A C100	Rock	0.99	1.0	100.3	2.9	64	0.1	1.5	11.1	864	3.68	10.2	0.3	125.3	1.1	23	0.2	0.6	0.2	95	1.61

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 22, 2009

Page: 4 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN09004103.2

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	G6 Au	7AR Cu
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001
MM09 TR86A C71	Rock			0.052	6	1	1.01	201	0.003	14	1.10	0.033	0.10	<0.1	<0.01	7.1	<0.1	<0.05	5	<0.5	N.A.	N.A.
MM09 TR86A C72	Rock			0.048	5	2	0.50	500	0.004	11	1.06	0.037	0.09	<0.1	<0.01	7.9	<0.1	<0.05	5	0.6	N.A.	N.A.
MM09 TR86A C73	Rock			0.049	5	<1	0.55	69	0.004	11	1.19	0.030	0.11	<0.1	<0.01	7.6	<0.1	<0.05	5	<0.5	N.A.	N.A.
MM09 TR86A C74	Rock			0.046	5	2	0.58	296	0.003	15	1.26	0.039	0.08	<0.1	<0.01	10.4	<0.1	<0.05	6	0.8	N.A.	N.A.
MM09 TR86A C75	Rock			0.049	5	2	0.72	229	0.002	12	1.39	0.025	0.11	<0.1	<0.01	9.6	<0.1	<0.05	6	0.6	0.20	N.A.
MM09 TR86A C76	Rock			0.057	4	3	1.37	58	0.010	7	2.02	0.062	0.09	<0.1	<0.01	8.2	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR86A C77	Rock			0.050	5	4	1.06	51	0.008	6	1.62	0.057	0.09	<0.1	<0.01	8.3	<0.1	<0.05	6	<0.5	N.A.	N.A.
MM09 TR86A C78	Rock			0.041	4	2	1.27	32	0.013	10	1.87	0.053	0.06	<0.1	<0.01	8.3	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR86A C79	Rock			0.043	4	3	1.39	38	0.012	11	2.09	0.063	0.07	<0.1	<0.01	8.1	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR86A C80	Rock			0.044	5	3	1.81	33	0.016	13	2.73	0.036	0.04	<0.1	<0.01	8.0	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR86A C81	Rock			0.046	4	2	1.24	44	0.004	9	1.86	0.037	0.06	<0.1	<0.01	9.1	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR86A C82	Rock			0.052	3	2	1.04	45	0.004	15	1.51	0.028	0.04	<0.1	<0.01	8.1	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR86A C83	Rock			0.049	3	3	1.35	41	0.004	7	1.84	0.031	0.06	<0.1	<0.01	7.7	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR86A C84	Rock			0.047	4	2	1.23	40	0.005	11	1.83	0.033	0.05	<0.1	<0.01	8.6	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR86A C85	Rock			0.047	4	2	1.29	37	0.005	9	1.95	0.028	0.10	<0.1	<0.01	7.7	<0.1	<0.05	7	0.6	N.A.	N.A.
MM09 TR86A C86	Rock			0.051	4	2	1.56	38	0.006	8	2.12	0.027	0.05	<0.1	<0.01	8.8	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR86A C87	Rock			0.047	4	4	1.48	50	0.004	9	2.08	0.030	0.06	<0.1	<0.01	7.8	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR86A C88	Rock			0.044	4	5	1.03	43	0.003	8	1.57	0.028	0.08	<0.1	<0.01	7.1	<0.1	<0.05	6	0.6	0.13	N.A.
MM09 TR86A C89	Rock			0.046	4	3	1.46	46	0.004	13	2.10	0.022	0.06	<0.1	<0.01	9.7	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR86A C90	Rock			0.050	4	3	1.40	43	0.005	9	2.08	0.031	0.07	<0.1	<0.01	9.0	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR86A C91	Rock			0.048	5	4	1.01	116	0.003	7	1.65	0.024	0.13	<0.1	<0.01	6.9	<0.1	<0.05	6	0.6	N.A.	N.A.
MM09 TR86A C92	Rock			0.053	5	1	0.89	39	0.003	8	1.17	0.028	0.06	<0.1	<0.01	8.4	<0.1	<0.05	5	<0.5	N.A.	N.A.
MM09 TR86A C93	Rock			0.054	4	3	1.71	60	0.005	7	2.28	0.029	0.06	<0.1	<0.01	9.5	<0.1	<0.05	8	<0.5	0.14	N.A.
MM09 TR86A C94	Rock			0.049	4	2	1.22	42	0.004	8	1.64	0.028	0.09	<0.1	<0.01	9.7	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR86A C95	Rock			0.052	4	2	1.25	46	0.004	8	1.77	0.029	0.06	<0.1	<0.01	10.9	<0.1	<0.05	8	<0.5	0.11	N.A.
MM09 TR86A C96	Rock			0.053	5	2	1.46	71	0.005	11	2.06	0.028	0.06	<0.1	<0.01	11.8	<0.1	<0.05	8	<0.5	0.15	N.A.
MM09 TR86A C97	Rock			0.033	4	<1	1.40	39	0.007	5	1.81	0.031	0.04	<0.1	<0.01	9.3	<0.1	<0.05	7	<0.5	0.47	N.A.
MM09 TR86A C98	Rock			0.040	5	2	1.35	53	0.006	7	1.76	0.039	0.05	<0.1	<0.01	11.9	<0.1	<0.05	8	<0.5	0.26	N.A.
MM09 TR86A C99	Rock			0.056	4	2	1.28	53	0.005	7	1.83	0.028	0.08	<0.1	<0.01	9.6	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR86A C100	Rock			0.043	5	2	1.28	46	0.005	6	1.67	0.031	0.04	<0.1	<0.01	14.3	<0.1	<0.05	8	<0.5	0.13	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 22, 2009

Page: 5 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN09004103.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR86A C101	Rock	0.92	0.8	61.5	4.2	72	<0.1	1.5	12.2	898	3.82	17.6	0.4	43.9	1.2	31	0.2	1.4	0.2	89	1.00
MM09 TR86A C102	Rock	0.98	1.1	119.4	3.7	57	0.3	1.3	9.9	952	3.66	15.4	0.4	133.4	1.2	31	0.2	0.9	1.5	90	1.02
MM09 TR86A C103	Rock	1.01	1.7	180.3	3.8	66	0.3	1.7	10.5	1062	4.08	14.2	0.3	112.6	1.2	31	0.3	0.9	0.8	92	1.47
MM09 TR86A C104	Rock	0.74	1.4	273.2	3.7	64	0.4	1.4	11.1	984	3.88	12.4	0.3	164.1	1.4	33	0.2	0.7	0.6	88	1.63
MM09 TR86A C105	Rock	0.91	1.2	100.8	3.1	58	0.1	1.7	9.2	875	3.00	8.9	0.3	191.0	1.1	33	0.3	0.5	0.1	74	2.01
MM09 TR88 C1	Rock	1.16	1.8	135.6	5.5	57	0.3	2.0	10.2	843	4.13	10.2	0.5	126.8	2.6	32	0.4	0.4	1.2	87	1.83
MM09 TR88 C2	Rock	0.83	1.4	307.1	8.6	58	0.5	1.5	11.4	910	4.23	12.5	0.4	484.3	1.0	24	1.1	1.0	3.2	81	1.64
MM09 TR88 C3	Rock	1.05	0.8	77.6	3.3	65	<0.1	1.6	11.3	940	3.46	7.3	0.4	44.3	1.0	46	0.3	0.2	0.2	76	3.28
MM09 TR88 C4	Rock	0.80	0.8	70.3	4.7	51	0.2	1.9	10.9	838	3.94	6.8	0.2	94.2	0.8	46	0.2	0.3	0.8	92	3.94
MM09 TR88 C5	Rock	0.92	0.9	76.6	5.8	61	0.1	1.6	11.0	1051	3.81	5.4	0.5	128.2	0.9	67	0.5	0.2	0.4	73	5.39
MM09 TR88 C6	Rock	1.05	0.6	58.2	3.3	64	0.1	2.0	11.6	1323	3.82	5.7	0.6	79.5	0.8	69	0.4	0.2	0.3	71	6.12
MM09 TR88 C7	Rock	0.99	0.6	63.6	3.0	81	0.2	1.9	12.9	1070	4.04	6.1	0.3	83.7	1.1	17	0.3	0.3	0.4	87	1.18
MM09 TR88 C8	Rock	0.89	0.5	60.5	4.0	76	0.1	2.1	13.8	1037	4.24	6.4	0.3	46.1	1.2	14	0.2	0.2	0.4	98	0.75
MM09 TR88 C9	Rock	0.92	0.4	54.9	3.7	70	0.1	1.9	12.7	871	4.22	6.2	0.3	113.7	1.0	18	0.3	0.3	0.5	96	1.08
MM09 TR88 C10	Rock	0.82	0.2	70.3	2.6	78	<0.1	1.8	14.1	913	4.16	5.4	0.3	30.2	1.0	19	0.2	0.2	0.2	89	1.37
MM09 TR88 C11	Rock	0.99	0.4	53.0	3.1	77	0.2	2.2	14.7	913	4.40	5.8	0.3	73.4	1.1	18	0.3	0.2	0.5	89	1.20
MM09 TR88 C12	Rock	0.96	0.2	35.1	1.9	71	<0.1	2.3	13.8	934	4.06	4.3	0.3	20.7	1.3	31	0.2	0.1	0.2	80	1.87
MM09 TR88 C13	Rock	0.95	0.5	62.6	4.3	71	0.1	2.6	11.9	906	3.91	7.3	0.4	84.0	1.4	27	0.6	0.3	0.5	98	1.84
MM09 TR88 C14	Rock	0.98	0.5	52.6	3.5	75	<0.1	2.7	12.9	846	3.95	10.3	0.4	41.3	1.3	34	0.4	0.4	0.1	108	2.70
MM09 TR88 C15	Rock	0.94	0.4	58.8	3.4	69	<0.1	2.3	12.4	732	4.07	7.3	0.4	50.7	1.0	40	0.5	0.5	0.3	103	2.14
MM09 TR88 C16	Rock	1.00	0.5	75.6	3.3	87	<0.1	2.5	13.0	792	4.03	7.5	0.3	78.0	1.2	22	0.5	0.5	0.1	99	1.62
MM09 TR88 C17	Rock	1.11	0.5	43.7	3.8	58	<0.1	1.8	11.4	874	4.30	7.8	0.3	135.2	1.1	38	0.4	0.5	0.2	95	2.80
MM09 TR88 C18	Rock	1.03	0.7	50.3	4.0	65	<0.1	1.6	12.1	928	4.50	8.3	0.4	84.6	1.2	40	0.6	0.5	0.2	97	2.98
MM09 TR88 C19	Rock	1.05	0.3	29.8	3.1	56	<0.1	1.6	12.0	1138	4.99	5.5	0.4	225.5	1.1	55	0.4	0.3	0.1	88	4.60
MM09 TR88 C20	Rock	1.06	0.6	91.2	4.3	65	0.2	1.8	11.7	928	4.31	7.1	0.3	156.7	1.1	39	0.4	0.3	0.3	104	3.51
MM09 TR88 C21	Rock	1.27	0.5	50.1	3.2	59	<0.1	2.1	12.5	795	3.91	5.9	0.4	109.5	1.3	32	0.4	0.4	<0.1	99	2.39
MM09 TR88 C22	Rock	1.06	0.4	47.0	3.4	65	<0.1	2.2	13.7	744	4.06	6.8	0.4	71.6	1.2	25	0.4	0.5	0.2	98	1.50
MM09 TR88 C23	Rock	0.88	0.6	65.0	3.2	70	0.1	2.0	12.3	795	4.32	8.0	0.5	59.9	1.1	17	0.6	0.6	0.3	105	1.14
MM09 TR88 C24	Rock	0.91	0.4	46.8	2.6	57	<0.1	1.6	10.7	889	3.36	7.9	0.4	56.8	1.1	43	0.5	0.5	0.2	82	2.73
MM09 TR88 C25	Rock	0.97	0.3	38.6	3.2	82	<0.1	2.0	10.9	863	4.12	7.5	0.3	61.5	1.0	19	0.4	0.6	0.2	87	0.78

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 22, 2009

Page: 5 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN09004103.2

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	G6 Au	7AR Cu
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001
MM09 TR86A C101	Rock			0.058	6	<1	1.67	59	0.005	8	2.30	0.026	0.04	<0.1	<0.01	10.9	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09 TR86A C102	Rock			0.042	5	2	1.54	49	0.007	6	2.00	0.036	0.03	<0.1	<0.01	11.5	<0.1	<0.05	8	<0.5	0.15	N.A.
MM09 TR86A C103	Rock			0.043	5	2	1.89	34	0.005	7	2.36	0.021	0.03	<0.1	<0.01	11.6	<0.1	<0.05	9	<0.5	0.12	N.A.
MM09 TR86A C104	Rock			0.046	4	2	1.60	48	0.006	5	2.05	0.030	0.04	<0.1	<0.01	10.4	<0.1	<0.05	8	<0.5	0.18	N.A.
MM09 TR86A C105	Rock			0.036	5	2	1.30	43	0.005	4	1.59	0.032	0.05	<0.1	<0.01	9.9	<0.1	<0.05	8	<0.5	0.21	N.A.
MM09 TR88 C1	Rock			0.057	6	2	1.06	49	0.006	5	1.61	0.039	0.08	<0.1	<0.01	8.2	<0.1	<0.05	7	<0.5	0.15	N.A.
MM09 TR88 C2	Rock			0.053	4	2	1.24	72	0.004	5	1.69	0.017	0.10	<0.1	<0.01	7.3	<0.1	0.08	7	<0.5	0.54	N.A.
MM09 TR88 C3	Rock			0.052	5	2	1.02	48	0.010	5	1.48	0.032	0.08	<0.1	<0.01	6.4	<0.1	<0.05	6	<0.5	N.A.	N.A.
MM09 TR88 C4	Rock			0.046	5	2	0.74	36	0.008	3	1.18	0.032	0.04	<0.1	<0.01	7.0	<0.1	0.08	6	<0.5	N.A.	N.A.
MM09 TR88 C5	Rock			0.046	5	2	0.77	52	0.006	6	1.29	0.030	0.09	<0.1	<0.01	5.0	<0.1	<0.05	5	<0.5	0.11	N.A.
MM09 TR88 C6	Rock			0.050	6	<1	0.72	57	0.004	5	1.20	0.026	0.09	<0.1	<0.01	5.1	<0.1	<0.05	5	<0.5	N.A.	N.A.
MM09 TR88 C7	Rock			0.060	6	1	1.23	44	0.011	6	1.66	0.038	0.10	<0.1	<0.01	9.2	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR88 C8	Rock			0.063	5	1	1.21	42	0.010	3	1.62	0.042	0.07	<0.1	<0.01	10.3	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR88 C9	Rock			0.059	4	1	1.18	39	0.008	4	1.71	0.038	0.04	<0.1	<0.01	9.1	<0.1	<0.05	8	<0.5	0.08	N.A.
MM09 TR88 C10	Rock			0.059	4	1	1.40	30	0.009	4	1.89	0.028	0.04	<0.1	<0.01	9.4	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR88 C11	Rock			0.064	4	1	1.37	40	0.009	4	1.93	0.042	0.05	<0.1	<0.01	9.9	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR88 C12	Rock			0.062	5	2	1.35	37	0.010	4	2.02	0.053	0.06	<0.1	<0.01	8.5	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR88 C13	Rock			0.058	6	4	0.76	45	0.009	4	1.26	0.059	0.05	<0.1	<0.01	11.4	<0.1	<0.05	7	0.5	N.A.	N.A.
MM09 TR88 C14	Rock			0.054	5	7	0.84	36	0.011	4	1.21	0.050	0.03	<0.1	<0.01	10.8	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR88 C15	Rock			0.052	4	3	0.94	66	0.009	5	1.37	0.050	0.03	<0.1	<0.01	11.2	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR88 C16	Rock			0.060	5	2	1.04	41	0.011	3	1.43	0.046	0.05	<0.1	<0.01	10.1	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR88 C17	Rock			0.052	5	2	0.90	56	0.009	6	1.35	0.036	0.07	<0.1	<0.01	10.0	<0.1	<0.05	7	<0.5	0.09	N.A.
MM09 TR88 C18	Rock			0.055	6	1	0.93	67	0.009	9	1.31	0.039	0.06	<0.1	<0.01	10.4	<0.1	<0.05	7	<0.5	0.05	N.A.
MM09 TR88 C19	Rock			0.047	5	2	1.15	44	0.009	9	1.71	0.031	0.09	<0.1	<0.01	8.2	<0.1	<0.05	8	<0.5	0.26	N.A.
MM09 TR88 C20	Rock			0.057	6	3	1.01	95	0.006	4	1.36	0.041	0.05	<0.1	<0.01	10.1	<0.1	<0.05	8	<0.5	0.15	N.A.
MM09 TR88 C21	Rock			0.051	5	5	0.95	38	0.009	5	1.30	0.037	0.04	<0.1	<0.01	10.5	<0.1	<0.05	7	<0.5	0.10	N.A.
MM09 TR88 C22	Rock			0.056	5	3	1.04	41	0.012	5	1.38	0.048	0.04	<0.1	<0.01	11.2	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR88 C23	Rock			0.058	5	3	0.88	41	0.008	6	1.28	0.056	0.04	<0.1	<0.01	11.0	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR88 C24	Rock			0.051	5	3	0.87	44	0.006	7	1.26	0.048	0.04	<0.1	<0.01	9.1	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR88 C25	Rock			0.051	4	1	1.16	39	0.007	7	1.58	0.039	0.05	<0.1	<0.01	9.7	<0.1	<0.05	8	<0.5	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 22, 2009

Page: 6 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN09004103.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR88 C26	Rock	0.92	0.3	41.7	3.2	75	<0.1	2.1	12.0	835	4.22	7.8	0.3	48.0	1.1	15	0.5	0.6	0.2	94	0.68
MM09 TR88 C27	Rock	1.09	0.5	85.1	3.5	99	0.1	2.0	12.7	786	4.10	9.0	0.4	58.5	1.2	15	0.6	0.6	0.4	97	1.17
MM09 TR88 C28	Rock	1.05	0.5	52.4	6.3	126	0.2	2.0	11.8	1052	3.94	10.6	0.4	110.4	1.1	20	2.3	0.4	0.8	84	2.12
MM09 TR88 C29	Rock	1.09	0.3	60.3	3.8	101	0.1	2.3	12.0	830	3.80	7.8	0.3	69.1	1.1	13	0.7	0.5	0.2	89	1.15
MM09 TR88 C30	Rock	0.90	0.4	110.6	3.9	110	0.1	2.5	12.4	794	4.01	7.9	0.3	34.6	1.1	12	0.8	0.6	0.3	99	0.77
MM09 TR88 C31	Rock	0.91	0.3	55.1	3.0	81	0.1	2.2	12.2	886	4.21	6.3	0.4	81.2	1.1	14	0.6	0.4	0.3	99	1.18
MM09 TR88 C32	Rock	1.27	0.3	67.3	2.0	124	<0.1	1.7	11.4	744	3.88	7.2	0.4	64.6	1.2	12	0.9	0.4	0.2	92	1.06
MM09 TR88 C33	Rock	1.14	0.3	56.9	2.7	193	0.1	2.4	11.7	823	4.08	6.4	0.3	71.4	1.3	10	1.5	0.4	0.2	94	0.89
MM09 TR88 C34	Rock	1.05	0.3	45.3	2.1	91	0.1	2.2	11.0	803	3.94	5.4	0.3	99.9	1.1	16	0.4	0.3	0.3	88	1.49
MM09 TR88 C35	Rock	0.99	0.3	69.6	3.6	120	0.2	2.7	13.3	995	5.12	6.5	0.4	122.4	1.0	14	2.5	0.3	0.6	108	1.13
MM09 TR88 C36	Rock	0.92	0.2	64.5	2.6	126	<0.1	2.7	12.2	815	4.16	5.4	0.3	87.1	1.2	14	1.4	0.3	0.3	101	1.08
MM09 TR88 C37	Rock	0.89	0.3	41.2	2.4	62	0.1	2.6	12.0	871	4.33	5.5	0.3	122.2	1.0	16	0.3	0.2	0.3	99	1.58
MM09 TR88 C38	Rock	1.02	0.3	40.3	1.9	66	<0.1	2.6	13.6	881	3.72	6.8	0.3	31.9	1.1	22	0.3	0.2	0.1	84	2.10
MM09 TR88 C39	Rock	0.83	0.3	37.1	2.0	65	<0.1	2.4	12.9	768	4.00	6.5	0.4	22.9	1.2	15	0.3	0.2	0.2	99	1.25
MM09 TR88 C40	Rock	0.97	0.2	47.3	1.9	57	0.1	2.7	12.5	921	4.15	7.2	0.3	68.5	1.9	17	0.3	0.2	0.3	95	1.72
MM09 TR88 C41	Rock	0.96	0.3	41.5	1.8	51	0.1	2.7	11.3	722	4.36	5.3	0.3	185.6	1.7	12	0.1	0.3	0.4	103	0.96
MM09 TR88 C42	Rock	1.02	0.3	68.2	3.1	52	0.1	2.5	11.0	742	4.28	5.1	0.4	241.0	2.1	10	0.2	0.4	1.9	94	0.83
MM09 TR88 C43	Rock	0.97	0.3	42.5	1.9	52	<0.1	3.0	10.8	752	3.76	6.0	0.3	85.0	2.4	8	0.3	0.3	0.2	89	0.34
MM09 TR88 C44	Rock	1.02	0.3	52.7	2.6	46	<0.1	2.5	8.0	687	4.70	5.3	0.3	64.8	2.6	9	0.2	0.4	0.2	104	0.43
MM09 TR88 C45	Rock	1.09	0.3	47.7	2.4	48	0.1	2.4	8.2	843	4.68	5.4	0.3	101.6	2.8	8	0.3	0.4	0.2	93	0.36
MM09 TR88 C46	Rock	1.06	0.4	70.9	4.3	59	0.1	2.2	8.2	768	3.73	4.1	0.3	77.0	2.7	9	0.4	0.3	0.6	86	0.61
MM09 TR88 C47	Rock	0.89	0.3	91.6	3.5	50	0.1	2.6	8.3	752	3.56	4.0	0.3	75.3	2.6	11	0.4	0.3	0.2	89	0.77
MM09 TR88 C48	Rock	0.91	0.4	62.3	4.5	52	0.2	2.7	8.8	687	3.93	4.8	0.4	395.3	2.9	11	0.2	0.4	0.6	97	0.56
MM09 TR88 C49	Rock	0.90	0.4	63.0	4.0	56	0.2	2.7	9.7	746	4.05	4.7	0.3	254.1	2.8	11	0.2	0.3	0.6	86	0.68
MM09 TR88 C50	Rock	1.01	0.4	85.6	5.5	45	0.3	2.1	6.6	639	3.09	5.8	0.4	248.9	2.7	11	0.2	0.4	0.5	71	0.71
MM09 TR88 C51	Rock	1.06	0.5	65.3	3.4	50	0.2	2.6	11.1	672	4.07	5.4	0.4	107.6	2.3	10	0.2	0.4	0.6	97	0.43
MM09 TR88 C52	Rock	1.05	0.3	81.7	4.1	54	0.1	2.4	10.6	691	4.00	5.0	0.3	162.9	2.0	9	0.2	0.3	0.3	96	0.55
MM09 TR88 C53	Rock	0.99	0.4	64.4	3.2	55	0.1	2.5	11.4	697	4.09	6.2	0.4	72.9	1.7	14	0.2	0.3	0.3	102	0.93
MM09 TR88 C54	Rock	1.02	0.3	40.7	1.5	49	<0.1	2.2	10.8	792	3.67	5.7	0.3	51.3	1.2	45	0.1	0.3	<0.1	92	2.99
MM09 TR88 C55	Rock	1.06	0.4	60.8	6.9	66	0.8	2.6	12.1	847	4.28	7.4	0.3	220.0	1.7	14	0.2	0.3	1.4	98	0.82

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 22, 2009

Page: 6 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN09004103.2

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	G6 Au	7AR Cu
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001
MM09 TR88 C26	Rock			0.051	4	2	1.16	45	0.008	6	1.69	0.042	0.06	<0.1	<0.01	9.9	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR88 C27	Rock			0.054	4	2	1.05	52	0.007	5	1.48	0.039	0.04	<0.1	<0.01	9.7	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR88 C28	Rock			0.051	4	1	0.92	98	0.004	5	1.40	0.039	0.07	<0.1	<0.01	8.9	<0.1	<0.05	7	0.5	0.14	N.A.
MM09 TR88 C29	Rock			0.049	4	2	0.88	43	0.005	6	1.33	0.039	0.05	<0.1	<0.01	9.6	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR88 C30	Rock			0.050	4	3	0.92	48	0.008	5	1.41	0.055	0.04	<0.1	<0.01	9.7	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR88 C31	Rock			0.048	5	3	0.95	48	0.007	6	1.40	0.044	0.06	<0.1	<0.01	11.2	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR88 C32	Rock			0.053	5	2	0.76	45	0.006	6	1.12	0.044	0.04	<0.1	<0.01	10.5	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR88 C33	Rock			0.051	4	4	0.97	43	0.007	5	1.42	0.041	0.06	<0.1	0.02	9.4	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR88 C34	Rock			0.046	4	4	0.86	41	0.008	5	1.24	0.037	0.06	<0.1	<0.01	9.2	<0.1	<0.05	7	<0.5	0.11	N.A.
MM09 TR88 C35	Rock			0.053	5	6	1.03	55	0.006	8	1.56	0.042	0.10	<0.1	0.01	10.8	<0.1	<0.05	9	<0.5	0.13	N.A.
MM09 TR88 C36	Rock			0.049	5	6	1.01	46	0.010	6	1.42	0.044	0.07	<0.1	<0.01	10.6	<0.1	<0.05	8	<0.5	0.10	N.A.
MM09 TR88 C37	Rock			0.047	5	5	0.77	57	0.007	6	1.15	0.046	0.07	<0.1	<0.01	10.3	<0.1	<0.05	7	<0.5	0.13	N.A.
MM09 TR88 C38	Rock			0.047	5	3	0.89	48	0.008	7	1.33	0.042	0.09	<0.1	<0.01	8.4	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR88 C39	Rock			0.048	5	5	0.94	42	0.012	6	1.34	0.036	0.08	<0.1	<0.01	9.6	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR88 C40	Rock			0.054	6	5	1.06	50	0.006	7	1.43	0.042	0.07	<0.1	<0.01	9.3	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR88 C41	Rock			0.052	5	6	1.07	45	0.010	5	1.41	0.046	0.06	<0.1	<0.01	10.2	<0.1	<0.05	8	<0.5	0.23	N.A.
MM09 TR88 C42	Rock			0.052	5	6	0.96	40	0.006	4	1.34	0.040	0.05	<0.1	<0.01	8.9	<0.1	<0.05	7	<0.5	0.27	N.A.
MM09 TR88 C43	Rock			0.058	5	5	0.86	44	0.006	4	1.30	0.056	0.05	<0.1	<0.01	8.5	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR88 C44	Rock			0.055	4	5	0.76	42	0.006	4	1.11	0.042	0.05	<0.1	<0.01	7.8	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR88 C45	Rock			0.056	5	5	0.67	51	0.005	4	1.06	0.042	0.05	<0.1	<0.01	7.8	<0.1	<0.05	6	<0.5	0.15	N.A.
MM09 TR88 C46	Rock			0.056	6	5	0.63	47	0.005	5	0.96	0.048	0.04	<0.1	<0.01	7.5	<0.1	<0.05	6	<0.5	N.A.	N.A.
MM09 TR88 C47	Rock			0.055	6	5	0.83	45	0.006	4	1.08	0.047	0.05	<0.1	<0.01	8.1	<0.1	<0.05	6	<0.5	N.A.	N.A.
MM09 TR88 C48	Rock			0.063	6	4	0.91	45	0.007	4	1.21	0.049	0.05	<0.1	<0.01	8.7	<0.1	<0.05	6	<0.5	0.48	N.A.
MM09 TR88 C49	Rock			0.055	6	5	0.95	40	0.006	4	1.31	0.033	0.09	<0.1	<0.01	8.0	<0.1	<0.05	6	<0.5	0.39	N.A.
MM09 TR88 C50	Rock			0.053	6	5	0.66	39	0.004	5	0.96	0.045	0.05	<0.1	<0.01	6.3	<0.1	<0.05	5	<0.5	0.32	N.A.
MM09 TR88 C51	Rock			0.058	6	6	0.92	37	0.006	3	1.19	0.045	0.06	<0.1	<0.01	9.4	<0.1	<0.05	7	<0.5	0.12	N.A.
MM09 TR88 C52	Rock			0.055	6	5	0.90	30	0.005	4	1.17	0.041	0.05	<0.1	<0.01	10.0	<0.1	<0.05	7	<0.5	0.27	N.A.
MM09 TR88 C53	Rock			0.051	5	5	0.98	59	0.010	3	1.21	0.051	0.05	<0.1	<0.01	10.0	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR88 C54	Rock			0.045	5	6	0.95	31	0.006	4	1.14	0.039	0.04	<0.1	<0.01	9.8	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR88 C55	Rock			0.053	5	5	1.21	35	0.006	4	1.50	0.039	0.05	<0.1	<0.01	9.5	<0.1	<0.05	8	<0.5	0.24	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 22, 2009

Page: 7 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN09004103.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR88 C56	Rock	0.93	0.6	174.2	4.6	55	0.3	2.6	10.3	794	4.29	7.0	0.4	245.0	2.2	11	0.2	0.4	1.6	94	0.66
MM09 TR88 C57	Rock	1.04	0.3	106.1	1.9	65	0.1	2.6	12.5	1112	3.68	6.7	0.3	82.4	1.5	60	0.2	0.2	0.2	95	3.05
MM09 TR88 C58	Rock	1.05	0.5	70.3	2.5	63	0.2	2.5	9.6	732	3.66	7.4	0.5	132.4	2.5	19	0.3	0.3	0.5	90	1.17
MM09 TR88 C59	Rock	1.13	0.4	51.7	2.8	56	0.1	3.1	12.6	842	4.20	8.8	0.3	80.2	1.8	17	0.2	0.3	0.3	106	0.99
MM09 TR88 C60	Rock	0.99	0.5	64.7	3.1	62	0.1	2.6	14.0	887	4.35	5.2	0.3	238.7	1.3	18	0.2	0.3	0.3	107	1.11
MM09 TR88 C61	Rock	1.03	0.5	70.4	2.8	62	<0.1	2.3	14.2	871	4.36	6.4	0.3	98.1	1.4	21	0.2	0.3	0.1	102	1.05
MM09 TR88 C62	Rock	0.90	0.5	71.7	4.4	77	1.2	1.8	15.2	1161	4.51	9.1	0.4	3537	0.8	17	0.2	0.2	1.4	78	1.16
MM09 TR88 C63	Rock	0.93	0.5	41.5	3.1	74	0.5	1.8	15.9	935	4.31	5.7	0.3	698.6	0.8	15	0.2	0.2	1.5	92	0.57
MM09 TR88 C64	Rock	0.94	0.5	106.4	4.4	52	0.3	2.6	11.7	765	3.82	7.8	0.4	211.2	1.7	9	0.3	0.3	0.4	94	0.51
MM09 TR88 C65	Rock	0.90	0.7	285.2	26.1	91	27.2	2.0	11.7	869	5.40	27.8	0.4	25591	1.2	18	0.5	1.2	81.8	95	1.19
MM09 TR88 C66	Rock	0.80	0.4	55.3	2.3	69	0.1	2.9	11.8	787	3.91	7.4	0.3	101.9	1.1	13	0.2	0.3	0.3	84	0.59
MM09 TR88 C67	Rock	1.08	0.3	56.9	2.6	55	0.2	1.9	12.7	905	4.40	5.3	0.4	262.3	1.5	22	0.2	0.2	0.6	96	1.16
MM09 TR88 C68	Rock	0.90	0.3	63.8	2.6	64	0.1	2.3	12.5	850	4.54	5.0	0.3	133.3	1.1	15	0.2	0.2	0.2	92	0.93
MM09 TR88 C69	Rock	0.99	0.4	67.9	2.8	58	0.2	1.7	12.7	871	4.28	4.9	0.3	201.9	1.0	22	<0.1	0.1	0.5	91	1.33
MM09 TR88 C70	Rock	1.09	0.6	107.9	2.7	55	0.2	1.6	11.9	1408	4.67	8.3	0.4	543.0	0.9	34	0.2	0.2	0.2	100	2.86
MM09 TR90 C1	Rock	0.86	0.7	46.0	2.9	44	<0.1	9.5	13.8	616	3.22	5.2	0.3	3.4	1.0	134	0.1	0.1	<0.1	86	2.90
MM09 TR90 C2	Rock	0.95	1.0	23.5	3.0	43	<0.1	7.6	12.0	652	3.13	1.7	0.3	3.7	1.2	97	<0.1	<0.1	<0.1	80	2.68
MM09 TR90 C3	Rock	1.03	0.7	42.3	6.1	62	<0.1	11.8	17.1	977	4.20	3.9	0.2	2.5	0.9	151	0.1	<0.1	<0.1	124	4.68
MM09 TR90 C4	Rock	0.93	0.5	49.2	5.9	47	<0.1	9.3	18.6	1026	3.69	4.9	0.2	3.7	0.7	201	0.1	0.1	<0.1	109	7.12
MM09 TR90 C5	Rock	0.88	0.4	125.1	4.7	57	0.1	9.6	16.7	901	4.28	6.1	0.2	3.1	1.0	123	0.1	0.1	<0.1	128	3.76
MM09 TR90 C6	Rock	1.00	1.0	858.4	3.7	46	1.0	9.4	20.1	718	4.47	7.3	0.3	5.3	0.9	64	0.2	0.1	<0.1	147	2.37
MM09 TR90 C7	Rock	0.85	0.5	368.9	3.5	55	0.3	9.9	19.0	730	4.33	4.6	0.2	3.7	0.8	66	0.2	0.1	<0.1	139	2.73
MM09 TR90 C8	Rock	1.15	0.5	36.7	3.1	43	<0.1	7.8	12.2	615	3.25	2.4	0.3	2.1	1.0	69	<0.1	0.1	<0.1	82	2.93
MM09 TR90 C9	Rock	1.10	1.0	22.5	3.9	45	<0.1	7.7	12.0	659	3.18	2.9	0.3	2.7	1.1	60	0.1	0.2	<0.1	78	2.73
MM09 TR90 C10	Rock	0.80	1.0	28.1	3.6	47	<0.1	12.2	15.2	759	3.59	3.0	0.3	2.4	0.9	84	0.1	0.1	<0.1	96	3.00
MM09 TR90 C11	Rock	1.07	0.6	21.0	3.4	44	<0.1	11.4	15.7	825	3.90	8.0	0.2	2.2	1.1	94	0.1	0.2	<0.1	114	3.41
MM09 TR90 C12	Rock	1.26	0.7	39.8	3.7	41	<0.1	9.9	13.8	935	3.95	5.5	0.3	14.5	1.0	120	0.1	0.2	<0.1	108	4.68
MM09 TR90 C13	Rock	0.90	0.3	31.6	2.4	36	<0.1	10.3	14.1	906	4.76	9.5	0.3	2.1	1.3	98	<0.1	0.1	<0.1	156	3.41
MM09 TR90 C14	Rock	0.91	1.0	42.2	4.2	42	<0.1	8.5	12.6	755	3.70	4.1	0.3	4.0	1.1	82	0.1	0.1	<0.1	104	3.25
MM09 TR90 C15	Rock	0.98	0.4	43.3	2.7	41	<0.1	10.2	14.3	851	4.61	7.0	0.3	4.6	1.3	87	<0.1	0.1	<0.1	147	3.53

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 22, 2009

Page: 7 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN09004103.2

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	G6 Au	7AR Cu
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001
MM09 TR88 C56	Rock			0.050	5	5	1.00	42	0.006	4	1.32	0.046	0.05	<0.1	<0.01	9.3	<0.1	<0.05	7	<0.5	0.29	N.A.
MM09 TR88 C57	Rock			0.047	5	6	1.26	39	0.012	3	1.48	0.041	0.06	<0.1	<0.01	9.3	<0.1	<0.05	8	<0.5	0.09	N.A.
MM09 TR88 C58	Rock			0.054	5	6	0.88	31	0.007	3	1.16	0.043	0.03	<0.1	<0.01	8.0	<0.1	<0.05	7	<0.5	0.11	N.A.
MM09 TR88 C59	Rock			0.057	5	6	1.23	66	0.011	4	1.55	0.052	0.05	<0.1	<0.01	10.3	<0.1	<0.05	8	<0.5	0.12	N.A.
MM09 TR88 C60	Rock			0.055	5	7	1.45	35	0.009	5	1.70	0.044	0.07	<0.1	<0.01	11.1	<0.1	<0.05	9	<0.5	0.27	N.A.
MM09 TR88 C61	Rock			0.061	5	4	1.46	36	0.013	4	1.73	0.060	0.06	<0.1	<0.01	11.2	<0.1	<0.05	9	<0.5	0.12	N.A.
MM09 TR88 C62	Rock			0.057	3	1	1.39	48	0.004	4	1.84	0.031	0.15	<0.1	<0.01	7.8	<0.1	0.10	8	<0.5	1.19	N.A.
MM09 TR88 C63	Rock			0.060	4	2	1.32	49	0.016	5	1.65	0.047	0.12	<0.1	<0.01	8.6	<0.1	<0.05	7	<0.5	0.81	N.A.
MM09 TR88 C64	Rock			0.058	4	5	1.04	34	0.007	3	1.35	0.040	0.03	<0.1	<0.01	8.5	<0.1	<0.05	7	<0.5	0.25	N.A.
MM09 TR88 C65	Rock			0.058	4	3	1.18	46	0.007	5	1.52	0.033	0.09	<0.1	0.02	10.8	<0.1	<0.05	9	1.4	31.47	N.A.
MM09 TR88 C66	Rock			0.058	4	3	1.17	34	0.014	5	1.51	0.039	0.06	<0.1	<0.01	8.8	<0.1	<0.05	7	<0.5	0.10	N.A.
MM09 TR88 C67	Rock			0.058	5	2	1.30	42	0.010	5	1.70	0.056	0.07	<0.1	<0.01	10.7	<0.1	<0.05	8	<0.5	0.25	N.A.
MM09 TR88 C68	Rock			0.068	4	3	1.49	38	0.008	5	1.85	0.032	0.08	<0.1	<0.01	9.4	<0.1	<0.05	9	<0.5	0.14	N.A.
MM09 TR88 C69	Rock			0.055	4	1	1.34	42	0.008	5	1.69	0.056	0.07	<0.1	<0.01	9.6	<0.1	<0.05	8	<0.5	0.25	N.A.
MM09 TR88 C70	Rock			0.057	5	1	1.01	59	0.008	4	1.34	0.046	0.06	<0.1	<0.01	9.4	<0.1	<0.05	7	<0.5	0.62	N.A.
MM09 TR90 C1	Rock			0.091	10	13	1.01	73	0.003	10	1.26	0.023	0.19	<0.1	<0.01	7.4	<0.1	<0.05	5	<0.5	N.A.	N.A.
MM09 TR90 C2	Rock			0.084	11	12	0.69	68	0.006	10	1.06	0.027	0.14	<0.1	<0.01	7.5	<0.1	<0.05	4	<0.5	N.A.	N.A.
MM09 TR90 C3	Rock			0.127	9	18	1.59	38	0.004	6	1.99	0.021	0.15	<0.1	<0.01	5.8	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR90 C4	Rock			0.123	7	18	1.32	32	0.005	4	1.89	0.017	0.08	<0.1	<0.01	5.1	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR90 C5	Rock			0.161	9	17	1.51	37	0.005	6	1.99	0.018	0.11	<0.1	<0.01	5.4	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR90 C6	Rock			0.155	9	18	1.56	33	0.004	4	1.93	0.019	0.07	<0.1	<0.01	7.1	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR90 C7	Rock			0.136	7	13	1.59	33	0.004	4	1.99	0.018	0.11	<0.1	<0.01	6.6	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR90 C8	Rock			0.094	9	13	0.94	35	0.005	11	1.39	0.019	0.16	<0.1	<0.01	6.2	<0.1	<0.05	6	<0.5	N.A.	N.A.
MM09 TR90 C9	Rock			0.077	10	12	0.85	45	0.005	8	1.28	0.022	0.18	<0.1	<0.01	6.7	<0.1	<0.05	6	<0.5	N.A.	N.A.
MM09 TR90 C10	Rock			0.082	10	15	1.20	46	0.006	5	1.42	0.021	0.16	<0.1	<0.01	7.1	<0.1	<0.05	6	<0.5	N.A.	N.A.
MM09 TR90 C11	Rock			0.128	8	14	1.50	37	0.005	6	1.90	0.021	0.15	<0.1	<0.01	6.4	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR90 C12	Rock			0.131	9	13	1.41	61	0.004	4	1.77	0.015	0.14	<0.1	<0.01	5.9	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR90 C13	Rock			0.174	8	13	1.85	33	0.008	6	2.33	0.021	0.08	<0.1	<0.01	8.6	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09 TR90 C14	Rock			0.108	10	12	1.11	55	0.005	6	1.52	0.019	0.16	<0.1	<0.01	7.0	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR90 C15	Rock			0.153	9	13	1.75	39	0.006	6	2.23	0.017	0.11	<0.1	<0.01	8.5	<0.1	<0.05	9	0.5	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 22, 2009

Page: 8 of 8 Part 1

CERTIFICATE OF ANALYSIS

VAN09004103.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR90 C16	Rock	0.75	0.2	151.2	2.4	36	0.2	12.3	15.1	812	5.29	14.5	0.2	6.8	1.5	63	<0.1	0.1	<0.1	189	2.60
MM09 TR90 C17	Rock	1.02	0.2	95.2	2.6	38	<0.1	11.8	14.9	888	4.68	10.3	0.3	2.4	1.3	93	<0.1	0.2	<0.1	173	3.97
MM09 TR90 C18	Rock	0.91	0.2	27.8	2.9	39	<0.1	15.3	17.7	1034	4.55	6.8	0.3	3.7	1.0	111	<0.1	0.2	<0.1	148	5.25
MM09 TR90 C19	Rock	0.97	0.3	28.3	2.8	42	<0.1	38.4	18.7	786	4.47	3.0	0.3	3.1	1.5	86	<0.1	0.2	<0.1	116	2.85
MM09 TR90 C20	Rock	1.00	0.3	26.4	2.3	53	<0.1	59.2	21.1	666	4.26	1.2	0.3	5.3	1.6	78	<0.1	0.2	<0.1	81	2.77
MM09 TR90 C21	Rock	0.83	0.3	160.0	2.8	29	0.2	13.6	13.3	724	4.00	9.1	0.3	11.0	1.1	123	<0.1	0.2	<0.1	149	4.24
MM09 TR90 C22	Rock	1.02	0.4	197.3	1.9	29	0.2	13.2	14.5	715	4.09	5.7	0.2	11.8	0.9	90	<0.1	0.1	<0.1	138	3.88
MM09 TR90 C23	Rock	0.95	0.3	84.6	1.6	34	<0.1	20.6	15.6	701	4.45	5.5	0.2	2.6	1.1	74	<0.1	0.1	<0.1	150	2.93
MM09 TR90 C24	Rock	0.94	0.7	151.3	1.8	25	0.1	10.4	10.8	697	4.18	7.0	0.2	5.2	1.0	79	<0.1	0.2	<0.1	144	3.18
MM09 TR90 C25	Rock	0.92	0.3	161.2	2.2	30	<0.1	10.3	14.1	766	4.33	5.8	0.3	2.2	1.6	97	<0.1	0.2	<0.1	185	2.88
MM09 TR90 C26	Rock	0.90	0.2	151.1	2.5	30	0.1	9.8	11.9	730	4.26	6.0	0.4	6.2	1.6	107	<0.1	0.2	<0.1	160	3.45
MM09 TR90 C27	Rock	1.03	0.2	50.8	2.0	28	<0.1	9.9	17.9	798	4.36	7.2	0.4	4.0	1.4	113	<0.1	0.1	<0.1	169	2.58
MM09 TR90 C28	Rock	1.09	0.4	247.7	2.7	29	0.2	9.7	14.1	872	4.27	15.6	0.4	7.5	1.4	111	<0.1	0.3	<0.1	187	3.36
MM09 TR90 C29	Rock	1.01	0.4	769.0	5.6	31	0.4	11.2	25.1	923	4.00	14.1	0.4	5.9	1.4	139	<0.1	0.2	0.1	184	3.78
MM09 TR90 C30	Rock	1.13	0.7	608.1	4.1	33	0.6	11.1	19.0	982	3.86	28.0	0.4	21.4	1.2	109	0.1	0.2	<0.1	157	4.38
MM09 TR90 C31	Rock	0.94	1.3	1514	6.9	34	0.9	10.8	26.2	946	4.39	10.1	0.6	21.5	1.4	113	0.2	0.2	<0.1	218	2.54
MM09 TR90 C32	Rock	1.10	0.6	657.0	4.8	29	0.4	10.8	22.0	956	3.62	9.2	0.4	4.7	1.3	129	0.2	0.2	<0.1	169	3.64
MM09 TR90 C33	Rock	1.02	0.3	1424	3.5	36	0.3	11.7	21.8	871	4.69	7.9	0.4	6.9	1.4	102	<0.1	0.2	<0.1	194	2.82
MM09 TR90 C34	Rock	1.00	0.6	1375	4.4	30	0.8	10.4	20.2	1020	4.26	7.8	0.4	11.5	1.2	126	0.2	0.1	<0.1	163	5.26
MM09 TR90 C35	Rock	1.03	1.2	648.2	5.1	30	0.7	10.5	20.1	933	3.84	10.8	0.3	9.7	1.3	105	0.2	0.4	<0.1	154	3.74
MM09 TR90 C36	Rock	1.42	0.2	2083	4.4	38	2.1	11.7	24.0	1083	4.56	4.4	0.3	6.4	1.1	152	0.4	0.1	<0.1	148	5.70
MM09 TR90 C37	Rock	0.97	0.2	370.3	3.0	35	0.3	11.0	12.8	886	4.59	5.3	0.3	2.0	1.3	103	<0.1	0.2	<0.1	154	3.48
MM09 TR90 C38	Rock	1.18	0.3	296.7	3.4	32	0.3	10.4	15.2	991	4.35	6.2	0.3	4.1	1.1	146	<0.1	0.1	<0.1	149	4.86
MM09 TR90 C39	Rock	1.04	0.2	740.1	2.8	37	0.3	11.4	15.3	936	4.24	5.2	0.3	2.9	1.2	113	<0.1	0.2	<0.1	156	3.56
MM09 TR90 C40	Rock	1.04	0.2	1644	3.5	38	0.4	12.6	43.9	964	4.20	6.0	0.4	4.3	1.2	115	<0.1	0.2	<0.1	155	3.66
MM09 TR90 C41	Rock	1.08	0.2	2442	3.7	38	1.5	11.2	15.1	1000	4.27	5.3	0.4	7.9	1.3	157	0.2	0.2	<0.1	146	4.12
MM09 TR90 C42	Rock	0.85	0.2	456.2	2.7	36	0.2	10.5	24.2	901	4.28	6.6	0.3	2.0	1.2	103	<0.1	0.2	<0.1	138	2.97
MM09 TR90 C43	Rock	0.94	0.2	916.4	4.5	38	0.6	12.1	24.9	1015	4.18	5.8	0.4	71.6	1.3	128	0.6	0.1	<0.1	148	3.43
MM09 TR90 C44	Rock	0.80	0.3	2419	4.2	40	0.9	12.1	28.7	1091	4.25	6.9	0.4	7.3	1.4	113	0.1	0.2	<0.1	141	3.16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 22, 2009

Page: 8 of 8 Part 2

CERTIFICATE OF ANALYSIS

VAN09004103.2

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	G6 Au	7AR Cu
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001
MM09 TR90 C16	Rock			0.189	7	13	2.19	31	0.005	7	2.70	0.013	0.04	<0.1	<0.01	9.5	<0.1	<0.05	12	<0.5	N.A.	N.A.
MM09 TR90 C17	Rock			0.175	9	13	1.60	35	0.009	7	2.12	0.022	0.07	<0.1	<0.01	8.3	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09 TR90 C18	Rock			0.171	9	20	1.78	47	0.008	6	2.18	0.017	0.07	<0.1	<0.01	7.4	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09 TR90 C19	Rock			0.143	11	52	2.07	44	0.010	6	2.15	0.020	0.06	<0.1	<0.01	8.2	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09 TR90 C20	Rock			0.128	13	78	2.13	33	0.007	7	2.00	0.018	0.05	<0.1	<0.01	6.9	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09 TR90 C21	Rock			0.150	7	16	1.58	60	0.019	5	1.96	0.022	0.06	<0.1	<0.01	6.8	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR90 C22	Rock			0.147	8	23	1.66	27	0.005	5	1.97	0.019	0.05	<0.1	<0.01	7.1	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR90 C23	Rock			0.153	7	31	1.96	37	0.007	6	2.27	0.021	0.05	<0.1	<0.01	7.5	<0.1	<0.05	11	<0.5	N.A.	N.A.
MM09 TR90 C24	Rock			0.154	8	23	1.64	51	0.008	6	1.92	0.031	0.03	<0.1	<0.01	8.2	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09 TR90 C25	Rock			0.177	10	20	1.89	21	0.011	9	2.37	0.039	0.02	<0.1	<0.01	9.8	<0.1	<0.05	12	<0.5	N.A.	N.A.
MM09 TR90 C26	Rock			0.183	10	19	1.86	33	0.010	10	2.45	0.030	0.03	<0.1	<0.01	8.4	<0.1	<0.05	11	<0.5	N.A.	N.A.
MM09 TR90 C27	Rock			0.185	9	21	1.99	32	0.014	8	2.45	0.039	0.03	<0.1	<0.01	8.1	<0.1	<0.05	11	<0.5	N.A.	N.A.
MM09 TR90 C28	Rock			0.183	10	20	1.74	28	0.013	7	2.11	0.028	0.06	<0.1	<0.01	8.9	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09 TR90 C29	Rock			0.186	9	22	1.97	27	0.011	7	2.34	0.036	0.05	<0.1	<0.01	8.9	<0.1	<0.05	12	<0.5	N.A.	N.A.
MM09 TR90 C30	Rock			0.169	9	23	1.65	36	0.014	7	1.95	0.029	0.06	<0.1	<0.01	7.6	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09 TR90 C31	Rock			0.197	11	24	2.25	48	0.015	11	2.48	0.038	0.06	<0.1	<0.01	10.7	<0.1	<0.05	11	0.5	0.01	0.147
MM09 TR90 C32	Rock			0.177	10	22	1.95	42	0.013	7	2.19	0.033	0.04	<0.1	<0.01	9.0	<0.1	<0.05	9	<0.5	<0.01	0.064
MM09 TR90 C33	Rock			0.185	9	25	1.98	37	0.015	6	2.24	0.036	0.09	<0.1	<0.01	8.1	<0.1	<0.05	11	<0.5	<0.01	0.143
MM09 TR90 C34	Rock			0.179	11	24	1.58	44	0.014	5	1.82	0.029	0.09	<0.1	<0.01	9.6	<0.1	<0.05	9	0.8	0.01	0.135
MM09 TR90 C35	Rock			0.182	9	24	1.59	40	0.011	7	1.93	0.038	0.08	<0.1	<0.01	8.2	<0.1	<0.05	9	<0.5	0.01	0.064
MM09 TR90 C36	Rock			0.188	10	25	1.56	29	0.011	5	1.98	0.025	0.12	<0.1	<0.01	6.7	<0.1	<0.05	9	0.6	0.01	0.205
MM09 TR90 C37	Rock			0.180	9	27	1.88	41	0.013	4	2.10	0.039	0.11	<0.1	<0.01	7.7	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR90 C38	Rock			0.179	9	25	1.83	38	0.014	5	2.18	0.037	0.09	<0.1	<0.01	7.6	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR90 C39	Rock			0.172	9	22	1.92	41	0.016	6	2.13	0.040	0.09	<0.1	<0.01	8.6	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09 TR90 C40	Rock			0.182	9	24	1.96	48	0.016	6	2.11	0.033	0.06	<0.1	<0.01	8.3	<0.1	<0.05	10	<0.5	<0.01	0.163
MM09 TR90 C41	Rock			0.184	9	24	2.00	53	0.018	8	2.30	0.049	0.09	<0.1	<0.01	8.6	<0.1	0.06	11	0.6	<0.01	0.229
MM09 TR90 C42	Rock			0.173	7	21	1.94	30	0.013	5	2.11	0.027	0.06	<0.1	<0.01	7.8	<0.1	<0.05	9	<0.5	<0.01	0.045
MM09 TR90 C43	Rock			0.187	8	23	2.05	41	0.016	6	2.24	0.038	0.10	<0.1	<0.01	8.3	<0.1	0.06	10	<0.5	0.01	0.092
MM09 TR90 C44	Rock			0.184	8	22	1.95	32	0.017	6	2.06	0.034	0.09	<0.1	<0.01	8.2	<0.1	<0.05	9	<0.5	<0.01	0.244



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 22, 2009

Page: 1 of 3 Part 1

QUALITY CONTROL REPORT

VAN09004103.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
MM09 TR86A C55	Rock	0.99	4.2	189.5	3.0	59	0.3	3.1	9.6	700	3.77	5.7	0.3	317.0	1.0	74	0.4	0.2	1.0	84	2.67
REP MM09 TR86A C55	QC		4.2	189.4	2.9	61	0.3	3.0	9.2	695	3.73	5.3	0.3	315.0	1.1	71	0.4	0.2	1.0	82	2.64
MM09 TR86A C91	Rock	0.82	1.2	67.7	2.7	55	0.1	2.8	13.1	727	3.23	10.1	0.4	12.9	1.1	26	0.2	0.4	0.1	66	2.28
REP MM09 TR86A C91	QC		1.0	68.2	2.7	55	0.1	2.8	13.2	712	3.17	10.0	0.3	19.5	1.1	27	0.2	0.5	0.1	64	2.27
MM09 TR86A C96	Rock	0.88	0.8	183.8	3.6	65	0.2	1.7	11.9	806	3.83	17.6	0.3	100.0	1.1	37	0.2	1.8	0.1	89	2.19
REP MM09 TR86A C96	QC																				
MM09 TR88 C3	Rock	1.05	0.8	77.6	3.3	65	<0.1	1.6	11.3	940	3.46	7.3	0.4	44.3	1.0	46	0.3	0.2	0.2	76	3.28
REP MM09 TR88 C3	QC		0.9	81.4	3.8	70	<0.1	1.9	11.9	998	3.53	7.4	0.5	49.5	0.9	50	0.3	0.2	0.2	77	3.38
MM09 TR88 C42	Rock	1.02	0.3	68.2	3.1	52	0.1	2.5	11.0	742	4.28	5.1	0.4	241.0	2.1	10	0.2	0.4	1.9	94	0.83
REP MM09 TR88 C42	QC		0.4	72.7	3.3	56	0.1	3.0	11.7	787	4.42	5.7	0.4	242.4	2.3	10	0.3	0.3	2.0	98	0.86
MM09 TR88 C67	Rock	1.08	0.3	56.9	2.6	55	0.2	1.9	12.7	905	4.40	5.3	0.4	262.3	1.5	22	0.2	0.2	0.6	96	1.16
REP MM09 TR88 C67	QC		0.3	59.3	2.5	58	0.2	2.2	12.9	952	4.43	5.5	0.3	238.9	1.5	22	0.2	0.2	0.6	96	1.18
MM09 TR90 C44	Rock	0.80	0.3	2419	4.2	40	0.9	12.1	28.7	1091	4.25	6.9	0.4	7.3	1.4	113	0.1	0.2	<0.1	141	3.16
REP MM09 TR90 C44	QC																				
Reference Materials																					
STD DS7	Standard		19.3	101.0	67.3	386	0.8	51.9	9.1	580	2.34	52.6	4.7	59.6	4.1	80	6.1	6.4	4.8	79	0.94
STD DS7	Standard		18.6	100.5	70.3	414	0.8	52.0	8.9	659	2.36	52.7	5.0	59.3	4.5	79	5.8	6.8	5.2	80	0.96
STD DS7	Standard		19.4	100.6	65.0	382	0.9	54.0	9.3	585	2.28	50.1	4.6	73.3	4.2	66	6.0	5.8	4.6	78	0.94
STD DS7	Standard		19.7	103.8	65.8	392	0.8	56.5	9.0	585	2.30	51.3	4.6	55.2	4.3	67	6.3	5.8	4.5	78	0.94
STD DS7	Standard		20.1	101.5	66.4	382	0.8	57.8	9.3	602	2.32	49.4	4.7	77.7	4.2	66	5.8	5.7	4.3	81	0.98
STD DS7	Standard		21.6	104.7	69.6	401	0.9	60.3	9.5	645	2.43	51.4	4.9	77.2	4.7	70	6.0	6.0	4.5	84	1.01
STD DS7	Standard		20.6	106.7	68.1	396	0.8	54.9	9.2	601	2.39	53.9	4.7	155.4	4.4	70	6.3	6.1	4.7	81	0.97
STD DS7	Standard		20.5	105.1	69.7	392	0.9	56.4	9.3	605	2.41	52.9	4.9	382.3	4.5	70	6.4	6.1	4.7	80	0.98
STD DS7	Standard		19.7	110.2	80.1	389	0.8	55.0	9.1	595	2.40	54.0	5.3	61.0	4.7	79	6.2	7.0	5.3	83	0.98
STD DS7	Standard		19.8	108.8	78.7	406	0.8	53.0	8.8	596	2.42	52.9	5.4	69.8	4.7	77	6.4	6.9	5.2	84	1.00
STD DS7	Standard		20.7	109.8	80.7	411	0.8	57.5	9.1	612	2.45	55.1	5.3	68.3	5.0	80	6.5	7.5	5.4	84	0.98
STD DS7	Standard		20.2	104.9	74.8	392	0.8	53.9	9.3	551	2.34	54.7	5.0	72.8	4.7	84	6.4	7.2	5.3	80	0.94
STD DS7	Standard		21.5	115.5	74.3	394	0.9	53.9	9.4	629	2.54	53.0	5.4	80.8	5.2	86	6.7	6.4	5.2	87	1.05

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: October 22, 2009

Page: 1 of 3 Part 2

QUALITY CONTROL REPORT

VAN09004103.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	Cu	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001	
Pulp Duplicates																				
MM09 TR86A C55	Rock	0.071	5	5	0.95	330	0.004	9	1.44	0.047	0.07	<0.1	<0.01	6.9	<0.1	0.14	6	0.6	0.27	N.A.
REP MM09 TR86A C55	QC	0.065	5	6	0.95	348	0.004	8	1.41	0.049	0.07	<0.1	<0.01	6.6	<0.1	0.13	6	0.7		
MM09 TR86A C91	Rock	0.048	5	4	1.01	116	0.003	7	1.65	0.024	0.13	<0.1	<0.01	6.9	<0.1	<0.05	6	0.6	N.A.	N.A.
REP MM09 TR86A C91	QC	0.048	5	4	1.00	115	0.004	8	1.63	0.024	0.12	<0.1	<0.01	7.1	<0.1	<0.05	6	<0.5		
MM09 TR86A C96	Rock	0.053	5	2	1.46	71	0.005	11	2.06	0.028	0.06	<0.1	<0.01	11.8	<0.1	<0.05	8	<0.5	0.15	N.A.
REP MM09 TR86A C96	QC																		0.13	
MM09 TR88 C3	Rock	0.052	5	2	1.02	48	0.010	5	1.48	0.032	0.08	<0.1	<0.01	6.4	<0.1	<0.05	6	<0.5	N.A.	N.A.
REP MM09 TR88 C3	QC	0.055	5	2	1.04	48	0.011	6	1.58	0.035	0.09	<0.1	<0.01	6.8	<0.1	<0.05	7	<0.5		
MM09 TR88 C42	Rock	0.052	5	6	0.96	40	0.006	4	1.34	0.040	0.05	<0.1	<0.01	8.9	<0.1	<0.05	7	<0.5	0.27	N.A.
REP MM09 TR88 C42	QC	0.052	5	5	1.00	41	0.007	5	1.41	0.041	0.06	<0.1	<0.01	8.9	<0.1	<0.05	8	<0.5		
MM09 TR88 C67	Rock	0.058	5	2	1.30	42	0.010	5	1.70	0.056	0.07	<0.1	<0.01	10.7	<0.1	<0.05	8	<0.5	0.25	N.A.
REP MM09 TR88 C67	QC	0.062	5	3	1.31	40	0.009	5	1.70	0.053	0.06	<0.1	<0.01	10.7	<0.1	<0.05	9	<0.5		
MM09 TR90 C44	Rock	0.184	8	22	1.95	32	0.017	6	2.06	0.034	0.09	<0.1	<0.01	8.2	<0.1	<0.05	9	<0.5	<0.01	0.244
REP MM09 TR90 C44	QC																		<0.01	
Reference Materials																				
STD DS7	Standard	0.074	13	159	1.01	373	0.116	39	0.95	0.081	0.40	4.0	0.18	2.2	4.2	0.20	4	3.9		
STD DS7	Standard	0.079	13	173	1.01	383	0.125	37	0.97	0.089	0.44	3.9	0.19	2.2	4.3	0.20	4	3.7		
STD DS7	Standard	0.075	12	156	0.99	368	0.108	39	0.96	0.082	0.39	4.2	0.17	2.2	4.1	0.19	4	3.9		
STD DS7	Standard	0.076	12	162	0.99	360	0.108	38	0.94	0.081	0.39	4.1	0.18	2.2	3.8	0.19	4	3.4		
STD DS7	Standard	0.072	13	175	1.01	383	0.111	38	0.99	0.081	0.42	3.8	0.20	2.3	4.0	0.20	5	4.1		
STD DS7	Standard	0.077	14	180	1.06	410	0.118	36	1.05	0.088	0.45	4.1	0.23	2.5	4.4	0.20	5	3.8		
STD DS7	Standard	0.080	12	170	1.04	373	0.115	38	0.98	0.084	0.41	4.1	0.20	2.3	3.8	0.20	4	3.8		
STD DS7	Standard	0.079	13	172	1.05	390	0.113	40	0.99	0.088	0.42	4.3	0.19	2.4	4.0	0.20	4	3.2		
STD DS7	Standard	0.078	13	159	1.03	375	0.128	42	1.02	0.093	0.41	4.1	0.18	2.3	4.1	0.21	4	3.7		
STD DS7	Standard	0.083	14	165	1.04	394	0.126	42	1.01	0.086	0.43	4.1	0.19	2.3	4.1	0.21	4	3.7		
STD DS7	Standard	0.080	13	157	1.03	407	0.121	44	1.01	0.088	0.42	4.1	0.22	2.4	4.3	0.20	4	3.1		
STD DS7	Standard	0.082	13	158	1.02	401	0.122	41	0.97	0.088	0.41	4.3	0.17	2.3	4.0	0.20	4	3.4		
STD DS7	Standard	0.074	14	210	1.08	435	0.125	39	1.11	0.108	0.46	4.0	0.18	2.6	4.1	0.20	5	3.8		



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: October 22, 2009

Page: 2 of 3 Part 1

QUALITY CONTROL REPORT

VAN09004103.2

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD DS7	Standard		19.8	103.3	69.6	375	0.7	53.7	8.4	573	2.37	47.7	4.8	73.2	4.7	77	6.3	5.7	4.6	79	1.00
STD OXH55	Standard																				
STD OXH55	Standard																				
STD OXH55	Standard																				
STD OXH55	Standard																				
STD OXH55	Standard																				
STD OXK69	Standard																				
STD OXK69	Standard																				
STD OXK69	Standard																				
STD OXK69	Standard																				
STD OXK69	Standard																				
STD OXK69	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
STD R4A Expected																					
STD OXH55 Expected																					
STD OXK69 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	0.8	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: October 22, 2009

Page: 2 of 3 Part 2

QUALITY CONTROL REPORT

VAN09004103.2

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	Cu	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001	
STD DS7	Standard	0.067	12	194	1.02	388	0.115	35	1.04	0.088	0.43	3.6	0.19	2.3	3.7	0.19	4	3.7			
STD OXH55	Standard																			1.36	
STD OXH55	Standard																			1.23	
STD OXH55	Standard																			1.33	
STD OXH55	Standard																			1.29	
STD OXH55	Standard																			1.33	
STD OXK69	Standard																			3.75	
STD OXK69	Standard																			3.45	
STD OXK69	Standard																			3.68	
STD OXK69	Standard																			3.61	
STD OXK69	Standard																			3.51	
STD OXK69	Standard																			3.71	
STD R4A	Standard																				0.505
STD R4A	Standard																				0.497
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5			
STD R4A Expected																					0.502
STD OXH55 Expected																					1.282
STD OXK69 Expected																					3.583
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5			
BLK	Blank																				<0.001
BLK	Blank																				<0.01
BLK	Blank																				<0.01
BLK	Blank																				<0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: October 22, 2009

Page: 3 of 3 **Part** 1

QUALITY CONTROL REPORT

VAN09004103.2

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
Prep Wash																						
G1	Prep Blank	<0.01	0.2	2.3	3.2	48	<0.1	3.2	4.2	547	1.88	<0.5	1.7	<0.5	5.4	52	<0.1	<0.1	<0.1	36	0.45	
G1	Prep Blank	<0.01	0.3	3.0	4.4	50	<0.1	3.8	4.5	590	1.99	0.6	1.7	<0.5	5.6	58	<0.1	<0.1	<0.1	37	0.51	



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 22, 2009

Page: 3 of 3 Part 2

QUALITY CONTROL REPORT

VAN09004103.2

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR			
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	Cu		
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%		
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001		
BLK	Blank																			<0.01		
BLK	Blank																				<0.01	
BLK	Blank																				<0.01	
BLK	Blank																				<0.01	
BLK	Blank																				<0.01	
BLK	Blank																				<0.01	
BLK	Blank																				<0.01	
BLK	Blank																				<0.01	
BLK	Blank																				<0.01	
Prep Wash																						
G1	Prep Blank	0.083	10	8	0.54	180	0.119	1	0.97	0.071	0.50	0.1	<0.01	1.8	0.3	<0.05	4	<0.5	N.A.	N.A.		
G1	Prep Blank	0.087	12	9	0.54	180	0.129	1	1.00	0.081	0.53	0.2	<0.01	2.0	0.3	<0.05	5	<0.5	N.A.	N.A.		



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: September 09, 2009
Report Date: September 24, 2009
Page: 1 of 5

CERTIFICATE OF ANALYSIS

VAN09004115.1

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 95

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200	95	Crush, split and pulverize rock to 200 mesh			VAN
1DX2	95	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 24, 2009

Page: 2 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN09004115.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR91 C1	Rock	0.94	0.9	4975	3.8	35	0.6	13.3	17.3	887	3.31	3.0	0.4	7.9	1.0	126	0.2	0.2	0.2	136	6.28
MM09 TR91 C2	Rock	1.19	1.3	4078	2.6	33	0.7	13.1	17.2	855	3.12	3.5	0.4	3.2	1.0	120	0.2	<0.1	<0.1	135	5.20
MM09 TR91 C3	Rock	0.67	4.7	>10000	2.8	31	0.9	13.4	15.3	591	3.72	2.8	0.4	3.1	0.9	63	0.1	<0.1	0.1	219	3.37
MM09 TR91 C4	Rock	0.88	2.3	5766	2.0	39	0.4	13.5	23.6	845	4.37	2.7	0.2	0.8	0.7	117	0.2	0.1	<0.1	192	3.87
MM09 TR91 C5	Rock	0.84	0.3	5492	2.6	47	0.4	16.7	33.5	1340	5.78	2.0	0.2	0.8	0.3	254	<0.1	0.2	<0.1	163	4.90
MM09 TR91 C6	Rock	0.77	0.2	32.2	2.5	48	<0.1	16.2	29.9	1210	4.58	2.1	0.2	1.0	0.6	224	<0.1	0.2	<0.1	144	3.48
MM09 TR91 C7	Rock	0.91	0.1	14.9	2.4	45	<0.1	17.0	30.1	1290	4.52	2.0	0.2	<0.5	0.5	244	0.1	0.2	<0.1	132	4.32
MM09 TR91 C8	Rock	1.10	<0.1	37.1	1.1	54	<0.1	19.6	33.8	1442	4.79	1.7	0.2	0.7	0.4	250	<0.1	0.2	<0.1	149	4.82
MM09 TR91 C9	Rock	1.23	0.1	11.2	1.3	36	<0.1	12.1	23.1	1256	4.10	1.9	0.3	3.4	0.6	255	<0.1	0.2	<0.1	140	5.38
MM09 TR91 C10	Rock	0.99	0.3	21.9	2.7	36	<0.1	10.5	18.8	1108	4.17	2.1	0.3	<0.5	0.7	264	0.1	0.2	<0.1	159	5.05
MM09 TR91 C11	Rock	0.92	0.2	39.1	2.1	34	<0.1	8.4	17.4	1028	4.00	1.7	0.4	1.2	0.7	228	<0.1	0.2	<0.1	139	5.60
MM09 TR91 C12	Rock	0.76	0.3	5.8	2.7	44	<0.1	8.8	21.4	1081	4.35	2.6	0.3	1.1	0.6	193	<0.1	0.2	<0.1	121	4.65
MM09 TR91 C13	Rock	0.91	0.2	5.3	1.9	47	<0.1	12.1	24.2	1135	4.63	2.1	0.3	0.9	0.7	220	<0.1	0.2	<0.1	140	3.90
MM09 TR91 C14	Rock	0.95	0.3	8.5	2.3	40	<0.1	9.5	22.0	1009	4.43	2.2	0.3	0.9	0.6	250	<0.1	0.2	<0.1	129	3.85
MM09 TR91 C15	Rock	1.18	0.2	4.4	1.3	37	<0.1	7.8	19.8	1057	4.01	1.9	0.3	1.3	0.6	203	<0.1	0.2	<0.1	116	4.39
MM09 TR91 C16	Rock	0.93	0.2	30.0	3.1	53	<0.1	8.3	20.0	952	4.26	2.7	0.3	7.0	0.7	173	0.1	0.3	<0.1	127	3.73
MM09 TR91 C17	Rock	0.90	0.3	8.0	3.0	46	<0.1	11.0	24.9	1289	4.64	2.3	0.3	1.2	0.6	174	0.1	0.3	<0.1	137	5.17
MM09 TR91 C18	Rock	1.07	0.2	7.3	3.2	45	<0.1	14.4	24.7	1337	4.39	2.6	0.3	<0.5	0.6	245	0.1	0.3	<0.1	124	5.31
MM09 TR91 C19	Rock	0.96	0.3	7.8	3.5	50	<0.1	11.6	25.5	1275	4.70	2.9	0.3	0.9	0.6	180	0.1	0.3	<0.1	130	5.09
MM09 TR91 C20	Rock	0.92	0.2	1.8	3.9	48	<0.1	8.9	22.8	1352	4.26	1.9	0.3	0.8	0.7	156	<0.1	0.3	<0.1	122	6.32
MM09 TR91 C21	Rock	0.92	0.2	5.7	4.3	57	<0.1	10.2	26.0	1462	4.92	1.6	0.4	<0.5	0.8	177	0.1	0.3	<0.1	141	5.43
MM09 TR91 C22	Rock	1.07	0.2	4.8	5.7	72	<0.1	10.3	26.8	1361	4.92	2.6	0.4	0.9	0.6	145	0.2	0.4	<0.1	118	5.21
MM09 TR91 C23	Rock	1.04	0.2	4.3	3.3	52	<0.1	7.9	25.6	1226	4.19	2.1	0.3	<0.5	0.6	102	0.1	0.2	<0.1	96	3.21
MM09 TR92 C1	Rock	0.94	0.2	435.5	3.5	35	<0.1	12.3	19.0	1206	3.64	3.0	0.5	2.4	1.0	148	0.1	0.2	<0.1	131	6.02
MM09 TR92 C2	Rock	0.96	0.6	637.8	3.4	40	0.2	15.4	19.9	1166	3.97	3.5	0.4	1.1	1.0	138	0.1	0.2	<0.1	146	5.26
MM09 TR92 C3	Rock	0.92	0.4	40.9	4.0	40	<0.1	16.3	21.0	1173	4.27	3.5	0.2	0.8	0.9	124	0.1	0.1	<0.1	156	4.62
MM09 TR92 C4	Rock	0.98	0.2	84.0	2.2	38	<0.1	20.2	20.4	1040	4.54	2.3	0.3	0.6	1.0	122	<0.1	0.2	<0.1	156	3.95
MM09 TR92 C5	Rock	1.05	0.2	21.2	2.2	39	<0.1	19.6	22.3	1257	4.71	2.0	0.3	<0.5	0.6	167	<0.1	0.2	<0.1	158	5.80
MM09 TR92 C6	Rock	0.89	0.2	135.3	2.3	40	<0.1	19.8	22.2	1145	4.52	2.2	0.3	<0.5	0.8	187	0.1	0.2	<0.1	156	4.70
MM09 TR92 C7	Rock	1.01	0.3	130.0	3.5	43	<0.1	20.2	40.4	1296	4.85	2.9	0.3	1.4	0.8	132	0.1	0.2	<0.1	166	4.92

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 24, 2009

Page: 2 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN09004115.1

Method	Analyte	Unit	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
MDL			0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5
MM09 TR91 C1	Rock		0.171	8	45	1.45	87	0.013	3	1.64	0.018	0.15	0.1	<0.01	6.0	<0.1	0.29	7	1.4
MM09 TR91 C2	Rock		0.185	9	31	1.58	95	0.011	3	1.72	0.043	0.11	<0.1	<0.01	6.3	<0.1	0.16	7	0.8
MM09 TR91 C3	Rock		0.173	7	53	1.53	46	0.007	2	1.64	0.043	0.09	<0.1	<0.01	6.2	<0.1	0.52	7	2.3
MM09 TR91 C4	Rock		0.165	6	36	2.37	47	0.011	2	2.21	0.019	0.10	<0.1	<0.01	7.7	<0.1	0.26	9	1.2
MM09 TR91 C5	Rock		0.121	5	30	4.01	45	0.049	6	3.32	0.008	0.05	<0.1	<0.01	11.2	<0.1	0.28	10	0.8
MM09 TR91 C6	Rock		0.114	6	24	3.58	49	0.036	5	3.07	0.014	0.08	<0.1	<0.01	9.3	<0.1	<0.05	9	<0.5
MM09 TR91 C7	Rock		0.107	5	23	3.80	37	0.032	4	3.25	0.018	0.09	<0.1	<0.01	8.0	<0.1	<0.05	10	<0.5
MM09 TR91 C8	Rock		0.100	5	33	4.13	38	0.023	4	3.42	0.010	0.07	<0.1	<0.01	11.0	<0.1	<0.05	10	<0.5
MM09 TR91 C9	Rock		0.111	5	18	2.60	41	0.019	4	2.53	0.019	0.09	<0.1	<0.01	7.4	<0.1	<0.05	9	<0.5
MM09 TR91 C10	Rock		0.131	6	24	2.16	39	0.024	3	2.07	0.031	0.04	<0.1	<0.01	8.3	<0.1	<0.05	8	<0.5
MM09 TR91 C11	Rock		0.123	7	18	1.87	68	0.013	3	2.10	0.027	0.07	<0.1	<0.01	7.4	<0.1	<0.05	8	<0.5
MM09 TR91 C12	Rock		0.123	6	13	2.16	60	0.018	3	2.02	0.019	0.09	<0.1	<0.01	6.6	<0.1	<0.05	8	<0.5
MM09 TR91 C13	Rock		0.129	6	23	2.64	43	0.019	3	2.38	0.020	0.08	<0.1	<0.01	7.7	<0.1	<0.05	9	<0.5
MM09 TR91 C14	Rock		0.128	6	15	2.32	30	0.019	3	2.19	0.024	0.08	<0.1	<0.01	7.2	<0.1	<0.05	8	<0.5
MM09 TR91 C15	Rock		0.122	6	11	2.12	36	0.017	2	1.93	0.032	0.06	<0.1	<0.01	6.2	<0.1	<0.05	7	<0.5
MM09 TR91 C16	Rock		0.137	8	11	1.95	48	0.018	3	1.98	0.032	0.08	<0.1	<0.01	7.4	<0.1	<0.05	8	<0.5
MM09 TR91 C17	Rock		0.140	7	14	2.70	44	0.019	4	2.41	0.014	0.12	<0.1	<0.01	6.6	<0.1	<0.05	8	<0.5
MM09 TR91 C18	Rock		0.128	5	19	2.27	40	0.017	4	2.17	0.014	0.12	<0.1	<0.01	7.6	<0.1	<0.05	7	<0.5
MM09 TR91 C19	Rock		0.128	6	16	2.49	51	0.018	3	2.35	0.014	0.14	<0.1	<0.01	6.7	<0.1	<0.05	8	<0.5
MM09 TR91 C20	Rock		0.132	9	13	2.38	40	0.019	3	2.17	0.011	0.14	<0.1	<0.01	5.4	<0.1	<0.05	6	<0.5
MM09 TR91 C21	Rock		0.145	7	13	3.00	46	0.022	4	2.71	0.011	0.18	<0.1	<0.01	6.7	<0.1	<0.05	9	<0.5
MM09 TR91 C22	Rock		0.139	8	7	2.46	60	0.017	4	2.56	0.012	0.15	<0.1	<0.01	5.6	<0.1	<0.05	7	<0.5
MM09 TR91 C23	Rock		0.113	6	6	2.61	48	0.011	4	2.55	0.013	0.16	<0.1	<0.01	4.2	<0.1	<0.05	7	<0.5
MM09 TR92 C1	Rock		0.177	10	21	1.88	165	0.015	3	1.89	0.019	0.15	<0.1	<0.01	5.0	<0.1	<0.05	8	<0.5
MM09 TR92 C2	Rock		0.176	10	27	2.21	72	0.011	2	2.12	0.027	0.12	<0.1	<0.01	5.9	<0.1	<0.05	9	<0.5
MM09 TR92 C3	Rock		0.174	9	27	2.46	142	0.009	2	2.39	0.026	0.10	<0.1	<0.01	6.2	<0.1	0.06	10	<0.5
MM09 TR92 C4	Rock		0.152	8	40	2.45	44	0.013	2	2.32	0.028	0.09	<0.1	<0.01	7.5	<0.1	<0.05	9	<0.5
MM09 TR92 C5	Rock		0.125	7	39	2.44	57	0.023	2	2.33	0.020	0.07	<0.1	<0.01	8.5	<0.1	<0.05	8	<0.5
MM09 TR92 C6	Rock		0.143	7	36	2.54	50	0.018	3	2.30	0.025	0.09	<0.1	<0.01	9.0	<0.1	<0.05	9	<0.5
MM09 TR92 C7	Rock		0.157	9	36	2.86	85	0.013	3	2.65	0.020	0.10	<0.1	<0.01	8.5	<0.1	<0.05	10	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 24, 2009

Page: 3 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN09004115.1

Method Analyte	Unit	WGHT	1DX15																		
			Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
MM09 TR92 C8	Rock	0.89	0.2	9.7	3.5	43	<0.1	17.8	21.8	1355	4.77	1.9	0.2	1.2	0.6	169	0.2	0.2	<0.1	146	5.43
MM09 TR92 C9	Rock	1.11	0.2	65.5	3.8	40	<0.1	12.0	24.5	1473	4.53	2.3	0.3	0.7	0.6	159	<0.1	0.3	<0.1	152	6.44
MM09 TR92 C10	Rock	0.97	0.2	14.2	4.1	50	<0.1	9.6	26.3	1393	5.17	2.1	0.2	<0.5	0.5	169	<0.1	0.4	<0.1	189	5.80
MM09 TR92 C11	Rock	1.08	0.2	8.1	3.6	60	<0.1	12.2	30.0	1485	5.49	2.1	0.3	<0.5	0.5	168	0.1	0.4	<0.1	179	5.34
MM09 TR92 C12	Rock	1.10	0.2	6.5	4.6	49	<0.1	12.9	26.8	1656	5.17	1.6	0.3	1.8	0.4	168	0.2	0.3	<0.1	149	6.54
MM09 TR92 C13	Rock	1.12	0.2	4.1	4.9	43	<0.1	12.7	24.4	1301	5.01	1.8	0.3	0.6	0.4	145	0.1	0.4	<0.1	147	5.12
MM09 TR92 C14	Rock	0.81	0.2	15.2	5.1	51	<0.1	15.6	29.2	1313	5.35	2.0	0.3	<0.5	0.6	172	0.1	0.3	<0.1	158	4.59
MM09 TR92 C15	Rock	0.97	0.2	6.7	3.9	51	<0.1	12.9	30.5	1469	5.63	2.0	0.2	1.1	0.4	184	0.1	0.2	<0.1	154	5.35
MM09 TR92 C16	Rock	0.94	0.2	9.4	4.0	51	<0.1	17.6	29.9	1414	5.27	2.2	0.2	<0.5	0.5	213	0.1	0.3	<0.1	138	5.26
MM09 TR92 C17	Rock	1.10	0.2	10.2	5.2	46	<0.1	17.2	26.3	1388	4.90	2.0	0.2	5.7	0.6	216	0.1	0.4	<0.1	139	5.47
MM09 TR92 C18	Rock	1.15	0.2	14.0	4.3	46	<0.1	8.8	22.9	1045	4.84	2.0	0.3	<0.5	0.5	117	<0.1	0.3	<0.1	141	4.37
MM09 TR92 C19	Rock	0.96	0.3	17.1	5.9	49	<0.1	9.4	22.0	1221	4.98	2.4	0.3	<0.5	0.5	127	0.2	0.4	<0.1	160	5.51
MM09 TR92 C20	Rock	1.00	0.2	146.6	7.5	47	<0.1	9.3	18.6	1767	4.49	1.9	0.3	<0.5	0.5	220	0.4	0.3	<0.1	149	8.87
MM09 TR92 C21	Rock	0.90	0.3	44.8	3.4	47	<0.1	8.2	23.6	1035	4.27	2.5	0.2	1.7	0.5	175	<0.1	0.2	<0.1	114	3.13
MM09 TR92 C22	Rock	1.06	0.3	16.9	5.8	55	<0.1	11.5	26.4	1511	5.85	1.7	0.4	<0.5	0.5	225	0.2	0.3	<0.1	187	5.75
MM09 TR92 C23	Rock	0.91	0.4	52.0	3.8	50	<0.1	9.6	27.0	1172	5.78	2.3	0.3	0.7	0.6	205	<0.1	0.3	<0.1	175	3.94
MM09 TR92 C24	Rock	1.03	0.2	23.4	2.2	52	<0.1	12.5	29.1	1296	5.12	2.0	0.3	0.6	0.8	173	<0.1	0.2	<0.1	159	4.00
MM09 TR92 C25	Rock	0.92	0.3	9.9	4.2	49	<0.1	9.3	24.2	1146	4.90	2.2	0.3	<0.5	0.6	202	<0.1	0.3	<0.1	138	4.07
MM09 TR92 C26	Rock	1.01	0.3	61.2	2.7	43	<0.1	9.2	26.9	1328	5.08	1.8	0.3	1.0	0.6	200	<0.1	0.2	<0.1	159	4.49
MM09 TR92 C27	Rock	1.00	0.2	30.3	2.4	43	<0.1	11.3	24.5	1222	4.77	2.1	0.3	0.6	0.5	155	0.1	0.2	<0.1	137	4.42
MM09 TR92 C28	Rock	1.06	0.2	33.1	2.2	55	<0.1	24.8	26.1	1577	4.49	2.5	0.7	6.0	1.0	152	<0.1	0.2	<0.1	153	5.55
MM09 TR92 C29	Rock	0.97	0.2	21.0	2.3	50	<0.1	21.4	26.1	1247	4.73	2.4	0.4	<0.5	0.9	147	<0.1	0.3	<0.1	146	3.81
MM09 TR92 C30	Rock	0.98	0.2	15.0	2.0	47	<0.1	13.5	25.3	1207	4.81	2.4	0.4	<0.5	0.8	133	<0.1	0.2	<0.1	146	3.70
MM09 TR92 C31	Rock	1.05	0.3	64.7	2.8	62	<0.1	31.6	27.9	1463	5.01	2.6	0.5	<0.5	1.2	157	<0.1	0.3	0.1	166	5.14
MM09 TR92 C32	Rock	1.10	0.3	72.4	3.6	66	<0.1	36.0	24.6	1340	4.83	3.1	0.5	<0.5	1.3	159	<0.1	0.4	0.2	181	5.04
MM09 TR92 C33	Rock	1.03	0.2	67.0	4.3	80	<0.1	64.3	31.2	1750	5.22	3.7	0.6	<0.5	1.9	171	<0.1	0.7	0.2	190	5.92
MM09 TR92 C34	Rock	0.76	<0.1	191.3	3.2	48	0.2	14.1	18.7	1176	3.48	1.7	0.4	1.5	1.2	136	<0.1	0.2	<0.1	130	3.80
MM09 TR92 C35	Rock	1.01	0.2	137.7	2.9	45	0.1	13.2	17.4	1126	3.55	2.1	0.3	1.2	1.2	128	<0.1	0.2	<0.1	143	4.15
MM09 TR92 C36	Rock	0.85	0.1	67.2	2.6	43	<0.1	14.1	17.8	1230	3.60	1.8	0.3	<0.5	1.1	118	<0.1	0.2	<0.1	144	4.66
MM09 TR92 C37	Rock	1.05	0.2	97.6	3.7	53	0.1	13.9	18.9	1165	3.79	2.8	0.4	1.4	1.2	106	<0.1	0.3	<0.1	147	4.06

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 24, 2009

Page: 3 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN09004115.1

Method	Analyte	Unit	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		MDL	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MM09 TR92 C8	Rock		0.121	6	24	2.57	163	0.013	3	2.41	0.018	0.09	<0.1	<0.01	7.4	<0.1	<0.05	8	<0.5
MM09 TR92 C9	Rock		0.157	8	19	2.26	65	0.018	2	2.24	0.016	0.10	<0.1	<0.01	8.1	<0.1	<0.05	8	<0.5
MM09 TR92 C10	Rock		0.155	7	11	2.73	109	0.020	3	2.61	0.015	0.13	<0.1	<0.01	8.4	<0.1	<0.05	9	<0.5
MM09 TR92 C11	Rock		0.154	7	14	3.26	66	0.020	4	3.01	0.011	0.12	<0.1	<0.01	9.2	<0.1	<0.05	10	<0.5
MM09 TR92 C12	Rock		0.118	6	14	3.01	126	0.017	4	2.78	0.009	0.14	<0.1	<0.01	6.6	<0.1	<0.05	8	<0.5
MM09 TR92 C13	Rock		0.118	6	13	2.74	63	0.017	4	2.52	0.013	0.15	<0.1	<0.01	7.0	<0.1	<0.05	7	<0.5
MM09 TR92 C14	Rock		0.128	6	19	3.00	61	0.017	4	2.90	0.011	0.14	<0.1	<0.01	8.7	<0.1	<0.05	9	<0.5
MM09 TR92 C15	Rock		0.122	5	15	3.06	181	0.013	3	2.79	0.010	0.11	<0.1	<0.01	6.6	<0.1	<0.05	8	<0.5
MM09 TR92 C16	Rock		0.115	5	21	2.81	140	0.012	4	2.80	0.010	0.12	<0.1	<0.01	9.0	<0.1	<0.05	7	<0.5
MM09 TR92 C17	Rock		0.112	5	24	2.66	80	0.016	4	2.68	0.010	0.14	<0.1	<0.01	9.0	<0.1	<0.05	7	<0.5
MM09 TR92 C18	Rock		0.147	6	11	2.30	152	0.014	4	2.19	0.016	0.14	<0.1	<0.01	6.8	<0.1	<0.05	8	<0.5
MM09 TR92 C19	Rock		0.151	7	10	2.04	71	0.017	4	2.27	0.014	0.16	<0.1	<0.01	7.4	<0.1	<0.05	8	<0.5
MM09 TR92 C20	Rock		0.147	9	10	1.50	1128	0.014	5	1.96	0.013	0.16	<0.1	<0.01	8.8	<0.1	<0.05	6	<0.5
MM09 TR92 C21	Rock		0.128	4	8	2.64	94	0.012	3	2.54	0.011	0.09	<0.1	<0.01	5.1	<0.1	<0.05	8	<0.5
MM09 TR92 C22	Rock		0.127	6	14	2.67	107	0.017	5	2.94	0.012	0.09	<0.1	<0.01	9.2	<0.1	<0.05	9	<0.5
MM09 TR92 C23	Rock		0.130	6	9	2.76	62	0.015	5	3.01	0.011	0.09	<0.1	<0.01	7.5	<0.1	<0.05	9	<0.5
MM09 TR92 C24	Rock		0.126	6	14	3.02	61	0.018	4	2.91	0.014	0.07	<0.1	<0.01	9.4	<0.1	<0.05	10	<0.5
MM09 TR92 C25	Rock		0.118	5	11	2.44	45	0.020	5	2.55	0.012	0.09	<0.1	<0.01	6.7	<0.1	<0.05	8	<0.5
MM09 TR92 C26	Rock		0.136	6	10	2.75	93	0.018	6	2.76	0.011	0.06	<0.1	<0.01	7.9	<0.1	<0.05	9	<0.5
MM09 TR92 C27	Rock		0.113	5	11	2.35	43	0.014	4	2.46	0.008	0.08	<0.1	<0.01	6.6	<0.1	<0.05	8	<0.5
MM09 TR92 C28	Rock		0.134	8	41	2.49	67	0.017	3	2.46	0.013	0.08	<0.1	<0.01	6.8	<0.1	<0.05	9	<0.5
MM09 TR92 C29	Rock		0.142	7	34	2.60	53	0.017	4	2.44	0.012	0.10	<0.1	<0.01	6.5	<0.1	<0.05	9	<0.5
MM09 TR92 C30	Rock		0.136	7	18	2.62	43	0.017	3	2.44	0.016	0.11	<0.1	<0.01	6.3	<0.1	<0.05	9	<0.5
MM09 TR92 C31	Rock		0.171	9	55	2.50	56	0.021	4	2.60	0.015	0.10	<0.1	<0.01	7.3	<0.1	<0.05	9	<0.5
MM09 TR92 C32	Rock		0.170	9	72	2.10	43	0.022	4	2.16	0.015	0.10	<0.1	<0.01	6.9	<0.1	<0.05	8	<0.5
MM09 TR92 C33	Rock		0.199	12	126	2.51	89	0.026	5	2.48	0.013	0.09	<0.1	<0.01	7.7	<0.1	<0.05	9	<0.5
MM09 TR92 C34	Rock		0.179	10	23	1.69	51	0.013	4	1.60	0.024	0.11	<0.1	<0.01	5.5	<0.1	<0.05	7	0.5
MM09 TR92 C35	Rock		0.169	9	22	1.65	45	0.017	3	1.62	0.025	0.09	<0.1	<0.01	5.7	<0.1	<0.05	7	<0.5
MM09 TR92 C36	Rock		0.175	9	24	1.79	41	0.019	3	1.70	0.026	0.09	<0.1	<0.01	5.7	<0.1	<0.05	7	<0.5
MM09 TR92 C37	Rock		0.174	9	22	1.66	337	0.019	3	1.72	0.025	0.14	<0.1	<0.01	4.9	<0.1	<0.05	7	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 24, 2009

Page: 4 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN09004115.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR92 C38	Rock	1.03	0.2	27.1	3.2	48	<0.1	14.1	20.4	1166	3.65	2.1	0.3	<0.5	1.2	111	<0.1	0.2	<0.1	157	4.55
MM09 TR92 C39	Rock	1.13	0.2	17.8	2.5	46	<0.1	14.7	18.3	1092	3.48	1.6	0.3	<0.5	1.3	115	<0.1	0.1	<0.1	145	4.34
MM09 TR92 C40	Rock	1.14	0.2	41.1	2.6	44	<0.1	14.4	18.0	1045	4.25	2.8	0.4	0.8	1.2	91	<0.1	0.2	<0.1	175	4.47
MM09 TR92 C41	Rock	1.17	0.2	49.3	2.3	47	<0.1	14.3	18.7	1198	4.16	2.3	0.3	4.1	1.2	94	<0.1	0.2	<0.1	175	4.97
MM09 TR92 C42	Rock	0.95	0.2	65.7	2.0	44	<0.1	13.8	21.2	1080	4.12	2.2	0.3	<0.5	1.2	85	<0.1	0.2	<0.1	173	4.46
MM09 TR92 C43	Rock	0.92	0.3	86.3	1.8	44	<0.1	12.4	18.6	1173	3.96	4.0	0.4	0.5	1.2	84	<0.1	0.2	<0.1	166	4.32
MM09 TR92 C44	Rock	0.98	0.3	42.2	2.8	44	<0.1	14.4	21.0	1168	4.09	2.4	0.3	1.8	1.1	93	<0.1	0.2	<0.1	161	4.65
MM09 TR92 C45	Rock	1.01	0.2	54.1	2.6	43	<0.1	12.6	19.3	1151	3.91	1.9	0.3	<0.5	1.0	115	<0.1	0.2	<0.1	153	4.61
MM09 TR92 C46	Rock	0.89	0.2	197.3	2.4	44	0.3	13.3	19.0	1106	3.76	1.9	0.3	2.8	1.1	101	<0.1	0.2	<0.1	151	4.07
MM09 TR92 C47	Rock	0.78	0.2	87.8	2.9	49	<0.1	13.0	21.7	1187	4.32	2.6	0.3	3.9	1.0	120	<0.1	0.2	<0.1	147	4.13
MM09 TR92 C48	Rock	1.10	0.2	30.3	3.3	60	<0.1	13.9	24.9	1327	4.84	3.5	0.3	<0.5	0.7	179	<0.1	0.5	<0.1	157	5.77
MM09 TR92 C49	Rock	0.91	0.1	1069	4.7	46	<0.1	15.1	19.1	1904	2.95	2.6	0.6	4.1	0.6	404	0.3	0.2	<0.1	116	13.03
MM09 TR92 C50	Rock	1.07	0.2	37.3	3.0	59	<0.1	19.2	26.9	1399	4.69	3.5	0.3	0.8	0.8	157	<0.1	0.4	<0.1	144	4.79
MM09 TR92 C51	Rock	1.15	0.3	212.9	4.2	70	0.2	21.6	30.6	1431	5.12	3.0	0.5	1.9	0.8	151	<0.1	0.5	<0.1	173	6.26
MM09 TR92 C52	Rock	1.08	0.1	183.4	3.0	62	0.1	38.1	24.2	1695	3.85	3.3	0.5	0.9	1.4	202	0.2	0.3	<0.1	138	7.60
MM09 TR92 C53	Rock	0.90	0.2	110.8	3.3	86	<0.1	63.0	31.7	1589	4.66	4.7	0.6	0.5	1.9	152	0.1	0.5	<0.1	161	6.02
MM09 TR92 C54	Rock	1.00	<0.1	94.8	2.9	77	0.1	64.8	27.3	1623	4.18	4.9	0.6	1.6	1.8	195	<0.1	0.5	<0.1	150	7.07
MM09 TR92 C55	Rock	1.05	0.2	33.4	3.1	79	<0.1	68.3	29.6	1401	4.60	5.9	0.6	0.6	1.8	137	<0.1	0.3	<0.1	152	5.81
MM09 TR92 C56	Rock	1.03	0.1	18.0	1.7	80	<0.1	7.0	24.4	1173	5.92	2.3	0.2	1.4	0.4	67	<0.1	0.3	<0.1	148	2.92
MM09 TR92 C57	Rock	0.81	0.1	26.4	1.7	79	<0.1	13.2	24.0	1213	5.37	2.3	0.3	<0.5	0.6	104	<0.1	0.3	<0.1	137	3.90
MM09 TR92 C58	Rock	1.00	0.2	83.6	2.8	78	0.2	59.1	27.5	1500	4.35	4.9	0.6	1.2	1.6	172	<0.1	0.4	<0.1	160	5.87
MM09 TR92 C59	Rock	1.07	0.2	184.8	3.2	69	0.1	64.6	26.9	2006	3.75	4.0	0.6	<0.5	1.6	235	<0.1	0.5	<0.1	128	8.06
MM09 TR92 C60	Rock	0.94	0.2	367.8	3.3	70	0.1	65.8	26.0	1614	4.05	4.5	0.6	2.3	1.7	215	<0.1	0.4	<0.1	147	6.28
MM09 TR92 C61	Rock	0.91	0.3	23.0	3.7	72	<0.1	61.0	25.6	1888	4.04	5.2	0.4	0.6	1.7	182	<0.1	0.4	<0.1	149	7.19
MM09 TR92 C62	Rock	0.98	0.2	124.1	2.7	99	0.2	71.8	30.4	1877	4.87	8.2	0.7	0.8	1.7	142	<0.1	0.4	<0.1	178	3.65
MM09 TR92 C63	Rock	0.99	0.2	100.6	2.4	86	0.2	63.2	25.1	1885	4.03	8.0	0.6	2.0	1.4	188	<0.1	0.3	<0.1	160	5.38
MM09 TR92 C64	Rock	0.95	0.3	71.7	3.0	95	0.1	64.6	28.2	1975	4.41	8.3	0.7	<0.5	1.7	158	<0.1	0.3	<0.1	194	4.47
MM09 TR92 C65	Rock	1.01	0.2	65.1	3.1	107	0.1	71.2	29.8	1827	4.59	10.2	0.8	<0.5	1.9	148	0.1	0.3	<0.1	199	3.44
MM09 TR92 C66	Rock	1.13	0.3	25.7	2.9	104	<0.1	67.6	28.8	1822	4.30	11.0	1.2	<0.5	1.7	269	0.1	0.4	<0.1	185	3.80
MM09 TR92 C67	Rock	1.08	0.2	999.9	3.2	111	1.9	68.7	29.1	1787	4.38	6.6	0.8	6.4	1.8	174	0.2	0.4	<0.1	220	4.50

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 24, 2009

Page: 4 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN09004115.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
MM09 TR92 C38	Rock	0.170	8	24	1.92	43	0.016	3	1.91	0.029	0.09	<0.1	<0.01	5.8	<0.1	<0.05	9	<0.5
MM09 TR92 C39	Rock	0.182	8	24	1.84	46	0.022	2	1.65	0.027	0.08	<0.1	<0.01	5.9	<0.1	<0.05	8	<0.5
MM09 TR92 C40	Rock	0.160	9	26	1.63	108	0.032	3	1.65	0.022	0.14	0.2	<0.01	5.0	<0.1	<0.05	7	<0.5
MM09 TR92 C41	Rock	0.172	9	22	1.71	214	0.030	3	1.67	0.023	0.12	0.2	<0.01	5.0	<0.1	<0.05	7	<0.5
MM09 TR92 C42	Rock	0.162	9	23	2.03	63	0.024	3	1.91	0.023	0.11	0.2	<0.01	5.1	<0.1	<0.05	9	<0.5
MM09 TR92 C43	Rock	0.178	9	21	1.69	48	0.053	6	1.68	0.025	0.12	0.2	<0.01	5.6	<0.1	<0.05	8	<0.5
MM09 TR92 C44	Rock	0.161	8	22	2.15	38	0.027	2	1.89	0.026	0.10	0.1	<0.01	6.1	<0.1	<0.05	9	<0.5
MM09 TR92 C45	Rock	0.152	7	21	1.94	38	0.023	3	1.79	0.022	0.11	<0.1	<0.01	6.2	<0.1	<0.05	8	<0.5
MM09 TR92 C46	Rock	0.173	9	24	1.91	50	0.017	3	1.83	0.026	0.09	<0.1	<0.01	5.5	<0.1	<0.05	8	<0.5
MM09 TR92 C47	Rock	0.140	7	22	2.10	45	0.019	3	2.11	0.017	0.08	<0.1	<0.01	8.0	<0.1	<0.05	9	<0.5
MM09 TR92 C48	Rock	0.137	7	19	2.32	52	0.024	4	2.57	0.018	0.10	<0.1	<0.01	8.3	<0.1	<0.05	9	<0.5
MM09 TR92 C49	Rock	0.104	11	30	1.46	3176	0.005	3	1.86	0.012	0.09	<0.1	<0.01	7.1	<0.1	0.05	7	<0.5
MM09 TR92 C50	Rock	0.120	6	32	2.55	179	0.023	4	2.52	0.017	0.10	<0.1	<0.01	9.7	<0.1	<0.05	9	<0.5
MM09 TR92 C51	Rock	0.132	7	47	2.20	313	0.035	4	2.27	0.021	0.11	<0.1	<0.01	12.6	<0.1	<0.05	9	<0.5
MM09 TR92 C52	Rock	0.167	13	77	1.78	678	0.018	4	2.06	0.021	0.08	<0.1	<0.01	9.3	<0.1	<0.05	8	<0.5
MM09 TR92 C53	Rock	0.218	13	111	2.71	77	0.027	5	2.54	0.016	0.13	<0.1	<0.01	9.6	<0.1	<0.05	9	<0.5
MM09 TR92 C54	Rock	0.223	13	132	2.51	45	0.028	4	2.27	0.016	0.10	<0.1	<0.01	7.9	<0.1	<0.05	8	<0.5
MM09 TR92 C55	Rock	0.240	14	130	2.57	82	0.025	4	2.34	0.017	0.15	<0.1	<0.01	7.4	0.1	<0.05	9	<0.5
MM09 TR92 C56	Rock	0.089	5	11	2.60	38	0.024	6	3.08	0.028	0.07	<0.1	<0.01	9.6	<0.1	<0.05	11	<0.5
MM09 TR92 C57	Rock	0.101	6	25	2.41	74	0.010	5	2.80	0.017	0.08	<0.1	<0.01	9.2	<0.1	<0.05	10	<0.5
MM09 TR92 C58	Rock	0.199	12	117	3.00	39	0.019	6	2.54	0.020	0.07	<0.1	<0.01	8.3	<0.1	<0.05	9	<0.5
MM09 TR92 C59	Rock	0.200	12	124	2.52	76	0.023	4	2.25	0.017	0.04	<0.1	<0.01	8.1	<0.1	<0.05	8	<0.5
MM09 TR92 C60	Rock	0.212	13	137	2.33	629	0.018	6	2.20	0.019	0.04	<0.1	<0.01	8.1	<0.1	<0.05	8	<0.5
MM09 TR92 C61	Rock	0.201	10	111	2.17	30	0.031	4	2.03	0.023	0.05	<0.1	<0.01	7.1	<0.1	<0.05	8	<0.5
MM09 TR92 C62	Rock	0.233	13	164	4.28	284	0.022	5	2.81	0.018	0.03	<0.1	<0.01	9.0	<0.1	<0.05	9	<0.5
MM09 TR92 C63	Rock	0.204	10	131	3.49	181	0.030	5	2.56	0.018	0.01	<0.1	<0.01	7.5	<0.1	<0.05	9	<0.5
MM09 TR92 C64	Rock	0.201	12	136	4.17	120	0.030	6	2.77	0.020	0.04	<0.1	<0.01	9.2	<0.1	<0.05	9	<0.5
MM09 TR92 C65	Rock	0.235	13	147	4.35	43	0.023	5	2.75	0.014	0.04	<0.1	<0.01	9.3	<0.1	<0.05	9	<0.5
MM09 TR92 C66	Rock	0.212	11	135	4.16	76	0.022	6	2.57	0.013	0.04	<0.1	<0.01	8.9	<0.1	<0.05	9	<0.5
MM09 TR92 C67	Rock	0.218	12	144	3.59	66	0.023	6	2.37	0.016	0.04	<0.1	<0.01	9.1	<0.1	<0.05	9	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: September 24, 2009

Page: 5 of 5 **Part** 1

CERTIFICATE OF ANALYSIS

VAN09004115.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR92 C68	Rock	1.09	0.2	1609	3.0	109	3.1	63.5	26.9	1731	4.13	6.3	0.7	46.5	1.6	180	0.2	0.3	<0.1	197	4.86
MM09 TR92 C69	Rock	1.10	0.2	60.7	3.0	97	<0.1	64.8	28.3	1798	4.39	6.7	0.9	2.4	1.6	215	<0.1	0.3	<0.1	205	5.73
MM09 TR92 C70	Rock	1.11	0.2	48.3	2.4	82	<0.1	61.4	26.7	1952	4.03	4.4	0.6	8.6	1.7	190	0.1	0.3	<0.1	178	7.04
MM09 CR07	Rock	1.46	2.0	32.1	1.6	52	<0.1	18.2	21.5	1098	4.85	4.7	0.1	1.8	0.5	132	<0.1	0.3	<0.1	174	3.62
MM09 CR08	Rock	0.89	0.4	78.5	2.3	52	0.1	6.5	16.0	707	3.83	2.9	0.3	6.9	1.0	75	<0.1	0.3	<0.1	121	1.53



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: September 24, 2009

Page: 5 of 5 **Part** 2

CERTIFICATE OF ANALYSIS

VAN09004115.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
MM09 TR92 C68	Rock	0.205	12	132	3.33	99	0.021	4	2.30	0.014	0.04	<0.1	<0.01	8.7	<0.1	<0.05	9	<0.5
MM09 TR92 C69	Rock	0.205	12	135	3.10	57	0.028	4	2.34	0.020	0.04	<0.1	<0.01	8.7	<0.1	<0.05	9	<0.5
MM09 TR92 C70	Rock	0.194	11	127	2.53	41	0.033	4	2.12	0.022	0.04	<0.1	<0.01	8.5	<0.1	<0.05	8	<0.5
MM09 CR07	Rock	0.145	4	33	2.44	168	0.094	7	1.89	0.066	0.16	<0.1	<0.01	13.7	<0.1	0.25	7	<0.5
MM09 CR08	Rock	0.142	8	9	1.31	51	0.134	3	1.41	0.050	0.13	<0.1	<0.01	6.8	<0.1	<0.05	6	<0.5



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: September 24, 2009

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN09004115.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
REP G1	QC		0.2	3.0	2.8	45	<0.1	3.0	4.3	541	1.85	<0.5	1.6	<0.5	5.6	53	<0.1	<0.1	<0.1	36	0.46
MM09 TR92 C24	Rock	1.03	0.2	23.4	2.2	52	<0.1	12.5	29.1	1296	5.12	2.0	0.3	0.6	0.8	173	<0.1	0.2	<0.1	159	4.00
REP MM09 TR92 C24	QC		0.2	23.1	2.2	51	<0.1	12.4	28.8	1229	4.99	2.2	0.3	<0.5	0.7	167	<0.1	0.2	<0.1	154	3.88
MM09 TR92 C60	Rock	0.94	0.2	367.8	3.3	70	0.1	65.8	26.0	1614	4.05	4.5	0.6	2.3	1.7	215	<0.1	0.4	<0.1	147	6.28
REP MM09 TR92 C60	QC		0.2	372.8	4.8	69	0.1	69.1	27.5	1634	4.10	4.8	0.6	1.3	1.8	222	0.1	0.5	<0.1	150	6.28
Reference Materials																					
STD DS7	Standard		19.3	97.8	62.4	359	0.8	51.2	8.6	560	2.22	46.8	4.6	61.7	4.0	62	5.7	5.4	4.1	77	0.92
STD DS7	Standard		19.5	102.7	66.1	378	0.8	53.0	8.8	575	2.29	49.8	4.7	63.6	4.3	63	5.6	5.6	4.4	78	0.95
STD DS7	Standard		20.9	103.1	63.5	401	0.8	55.5	9.5	614	2.33	52.8	4.7	64.4	4.1	67	6.5	6.0	4.6	78	0.95
STD DS7	Standard		20.5	101.2	62.2	378	0.8	56.1	9.3	577	2.30	50.8	4.5	65.0	4.0	66	6.1	5.6	4.4	78	0.94
STD DS7	Standard		19.4	100.6	65.0	382	0.9	54.0	9.3	585	2.28	50.1	4.6	73.3	4.2	66	6.0	5.8	4.6	78	0.94
STD DS7	Standard		19.7	103.8	65.8	392	0.8	56.5	9.0	585	2.30	51.3	4.6	55.2	4.3	67	6.3	5.8	4.5	78	0.94
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.2	2.7	2.7	49	<0.1	3.1	4.3	566	1.88	<0.5	2.0	2.0	6.0	53	<0.1	<0.1	<0.1	37	0.47
G1	Prep Blank	<0.01																			
G1	Prep Blank		0.2	3.0	2.7	46	<0.1	3.2	4.1	538	1.86	<0.5	1.7	0.9	5.8	52	<0.1	<0.1	<0.1	36	0.45



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: September 24, 2009

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN09004115.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																		
REP G1	QC	0.077	12	10	0.51	162	0.118	<1	0.96	0.077	0.48	<0.1	<0.01	1.8	0.3	<0.05	5	<0.5
MM09 TR92 C24	Rock	0.126	6	14	3.02	61	0.018	4	2.91	0.014	0.07	<0.1	<0.01	9.4	<0.1	<0.05	10	<0.5
REP MM09 TR92 C24	QC	0.126	5	14	2.91	59	0.018	4	2.84	0.013	0.06	<0.1	<0.01	9.2	<0.1	<0.05	10	<0.5
MM09 TR92 C60	Rock	0.212	13	137	2.33	629	0.018	6	2.20	0.019	0.04	<0.1	<0.01	8.1	<0.1	<0.05	8	<0.5
REP MM09 TR92 C60	QC	0.221	14	139	2.38	651	0.019	6	2.25	0.021	0.04	<0.1	<0.01	8.3	<0.1	<0.05	8	<0.5
Reference Materials																		
STD DS7	Standard	0.070	12	155	0.97	352	0.104	37	0.92	0.079	0.38	3.7	0.17	2.2	4.0	0.19	4	3.5
STD DS7	Standard	0.073	12	161	0.99	379	0.107	39	0.97	0.081	0.40	4.2	0.20	2.2	4.2	0.19	4	3.6
STD DS7	Standard	0.079	12	173	1.00	385	0.110	38	0.96	0.082	0.41	4.0	0.20	2.2	4.0	0.20	4	4.0
STD DS7	Standard	0.075	12	163	0.99	368	0.106	38	0.94	0.078	0.39	4.0	0.20	2.1	4.0	0.19	5	3.7
STD DS7	Standard	0.075	12	156	0.99	368	0.108	39	0.96	0.082	0.39	4.2	0.17	2.2	4.1	0.19	4	3.9
STD DS7	Standard	0.076	12	162	0.99	360	0.108	38	0.94	0.081	0.39	4.1	0.18	2.2	3.8	0.19	4	3.4
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																		
G1	Prep Blank	0.078	13	10	0.53	168	0.129	2	0.96	0.079	0.51	<0.1	<0.01	2.2	0.3	<0.05	5	<0.5
G1	Prep Blank																	
G1	Prep Blank	0.077	12	10	0.52	163	0.121	1	0.95	0.078	0.49	<0.1	<0.01	1.9	0.3	<0.05	5	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: September 09, 2009
Report Date: October 09, 2009
Page: 1 of 5

CERTIFICATE OF ANALYSIS

VAN09004115.2

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 95

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200	95	Crush, split and pulverize rock to 200 mesh			VAN
1DX2	95	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
G6	8	Fire Assay fusion Au by ICP-ES	30	Completed	VAN
7AR	8	1:1:1 Aqua Regia digestion ICP-ES analysis	1	Completed	VAN

ADDITIONAL COMMENTS

Version 2 : G7AR-Cu & G6-Au included.



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 09, 2009

Page: 2 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN09004115.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR91 C1	Rock	0.94	0.9	4975	3.8	35	0.6	13.3	17.3	887	3.31	3.0	0.4	7.9	1.0	126	0.2	0.2	0.2	136	6.28
MM09 TR91 C2	Rock	1.19	1.3	4078	2.6	33	0.7	13.1	17.2	855	3.12	3.5	0.4	3.2	1.0	120	0.2	<0.1	<0.1	135	5.20
MM09 TR91 C3	Rock	0.67	4.7	>10000	2.8	31	0.9	13.4	15.3	591	3.72	2.8	0.4	3.1	0.9	63	0.1	<0.1	0.1	219	3.37
MM09 TR91 C4	Rock	0.88	2.3	5766	2.0	39	0.4	13.5	23.6	845	4.37	2.7	0.2	0.8	0.7	117	0.2	0.1	<0.1	192	3.87
MM09 TR91 C5	Rock	0.84	0.3	5492	2.6	47	0.4	16.7	33.5	1340	5.78	2.0	0.2	0.8	0.3	254	<0.1	0.2	<0.1	163	4.90
MM09 TR91 C6	Rock	0.77	0.2	32.2	2.5	48	<0.1	16.2	29.9	1210	4.58	2.1	0.2	1.0	0.6	224	<0.1	0.2	<0.1	144	3.48
MM09 TR91 C7	Rock	0.91	0.1	14.9	2.4	45	<0.1	17.0	30.1	1290	4.52	2.0	0.2	<0.5	0.5	244	0.1	0.2	<0.1	132	4.32
MM09 TR91 C8	Rock	1.10	<0.1	37.1	1.1	54	<0.1	19.6	33.8	1442	4.79	1.7	0.2	0.7	0.4	250	<0.1	0.2	<0.1	149	4.82
MM09 TR91 C9	Rock	1.23	0.1	11.2	1.3	36	<0.1	12.1	23.1	1256	4.10	1.9	0.3	3.4	0.6	255	<0.1	0.2	<0.1	140	5.38
MM09 TR91 C10	Rock	0.99	0.3	21.9	2.7	36	<0.1	10.5	18.8	1108	4.17	2.1	0.3	<0.5	0.7	264	0.1	0.2	<0.1	159	5.05
MM09 TR91 C11	Rock	0.92	0.2	39.1	2.1	34	<0.1	8.4	17.4	1028	4.00	1.7	0.4	1.2	0.7	228	<0.1	0.2	<0.1	139	5.60
MM09 TR91 C12	Rock	0.76	0.3	5.8	2.7	44	<0.1	8.8	21.4	1081	4.35	2.6	0.3	1.1	0.6	193	<0.1	0.2	<0.1	121	4.65
MM09 TR91 C13	Rock	0.91	0.2	5.3	1.9	47	<0.1	12.1	24.2	1135	4.63	2.1	0.3	0.9	0.7	220	<0.1	0.2	<0.1	140	3.90
MM09 TR91 C14	Rock	0.95	0.3	8.5	2.3	40	<0.1	9.5	22.0	1009	4.43	2.2	0.3	0.9	0.6	250	<0.1	0.2	<0.1	129	3.85
MM09 TR91 C15	Rock	1.18	0.2	4.4	1.3	37	<0.1	7.8	19.8	1057	4.01	1.9	0.3	1.3	0.6	203	<0.1	0.2	<0.1	116	4.39
MM09 TR91 C16	Rock	0.93	0.2	30.0	3.1	53	<0.1	8.3	20.0	952	4.26	2.7	0.3	7.0	0.7	173	0.1	0.3	<0.1	127	3.73
MM09 TR91 C17	Rock	0.90	0.3	8.0	3.0	46	<0.1	11.0	24.9	1289	4.64	2.3	0.3	1.2	0.6	174	0.1	0.3	<0.1	137	5.17
MM09 TR91 C18	Rock	1.07	0.2	7.3	3.2	45	<0.1	14.4	24.7	1337	4.39	2.6	0.3	<0.5	0.6	245	0.1	0.3	<0.1	124	5.31
MM09 TR91 C19	Rock	0.96	0.3	7.8	3.5	50	<0.1	11.6	25.5	1275	4.70	2.9	0.3	0.9	0.6	180	0.1	0.3	<0.1	130	5.09
MM09 TR91 C20	Rock	0.92	0.2	1.8	3.9	48	<0.1	8.9	22.8	1352	4.26	1.9	0.3	0.8	0.7	156	<0.1	0.3	<0.1	122	6.32
MM09 TR91 C21	Rock	0.92	0.2	5.7	4.3	57	<0.1	10.2	26.0	1462	4.92	1.6	0.4	<0.5	0.8	177	0.1	0.3	<0.1	141	5.43
MM09 TR91 C22	Rock	1.07	0.2	4.8	5.7	72	<0.1	10.3	26.8	1361	4.92	2.6	0.4	0.9	0.6	145	0.2	0.4	<0.1	118	5.21
MM09 TR91 C23	Rock	1.04	0.2	4.3	3.3	52	<0.1	7.9	25.6	1226	4.19	2.1	0.3	<0.5	0.6	102	0.1	0.2	<0.1	96	3.21
MM09 TR92 C1	Rock	0.94	0.2	435.5	3.5	35	<0.1	12.3	19.0	1206	3.64	3.0	0.5	2.4	1.0	148	0.1	0.2	<0.1	131	6.02
MM09 TR92 C2	Rock	0.96	0.6	637.8	3.4	40	0.2	15.4	19.9	1166	3.97	3.5	0.4	1.1	1.0	138	0.1	0.2	<0.1	146	5.26
MM09 TR92 C3	Rock	0.92	0.4	40.9	4.0	40	<0.1	16.3	21.0	1173	4.27	3.5	0.2	0.8	0.9	124	0.1	0.1	<0.1	156	4.62
MM09 TR92 C4	Rock	0.98	0.2	84.0	2.2	38	<0.1	20.2	20.4	1040	4.54	2.3	0.3	0.6	1.0	122	<0.1	0.2	<0.1	156	3.95
MM09 TR92 C5	Rock	1.05	0.2	21.2	2.2	39	<0.1	19.6	22.3	1257	4.71	2.0	0.3	<0.5	0.6	167	<0.1	0.2	<0.1	158	5.80
MM09 TR92 C6	Rock	0.89	0.2	135.3	2.3	40	<0.1	19.8	22.2	1145	4.52	2.2	0.3	<0.5	0.8	187	0.1	0.2	<0.1	156	4.70
MM09 TR92 C7	Rock	1.01	0.3	130.0	3.5	43	<0.1	20.2	40.4	1296	4.85	2.9	0.3	1.4	0.8	132	0.1	0.2	<0.1	166	4.92

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 09, 2009

Page: 2 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN09004115.2

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	G6 Au	7AR Cu
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001
MM09 TR91 C1	Rock			0.171	8	45	1.45	87	0.013	3	1.64	0.018	0.15	0.1	<0.01	6.0	<0.1	0.29	7	1.4	<0.01	0.528
MM09 TR91 C2	Rock			0.185	9	31	1.58	95	0.011	3	1.72	0.043	0.11	<0.1	<0.01	6.3	<0.1	0.16	7	0.8	<0.01	0.405
MM09 TR91 C3	Rock			0.173	7	53	1.53	46	0.007	2	1.64	0.043	0.09	<0.1	<0.01	6.2	<0.1	0.52	7	2.3	<0.01	1.440
MM09 TR91 C4	Rock			0.165	6	36	2.37	47	0.011	2	2.21	0.019	0.10	<0.1	<0.01	7.7	<0.1	0.26	9	1.2	<0.01	0.591
MM09 TR91 C5	Rock			0.121	5	30	4.01	45	0.049	6	3.32	0.008	0.05	<0.1	<0.01	11.2	<0.1	0.28	10	0.8	<0.01	0.556
MM09 TR91 C6	Rock			0.114	6	24	3.58	49	0.036	5	3.07	0.014	0.08	<0.1	<0.01	9.3	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR91 C7	Rock			0.107	5	23	3.80	37	0.032	4	3.25	0.018	0.09	<0.1	<0.01	8.0	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09 TR91 C8	Rock			0.100	5	33	4.13	38	0.023	4	3.42	0.010	0.07	<0.1	<0.01	11.0	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09 TR91 C9	Rock			0.111	5	18	2.60	41	0.019	4	2.53	0.019	0.09	<0.1	<0.01	7.4	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR91 C10	Rock			0.131	6	24	2.16	39	0.024	3	2.07	0.031	0.04	<0.1	<0.01	8.3	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR91 C11	Rock			0.123	7	18	1.87	68	0.013	3	2.10	0.027	0.07	<0.1	<0.01	7.4	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR91 C12	Rock			0.123	6	13	2.16	60	0.018	3	2.02	0.019	0.09	<0.1	<0.01	6.6	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR91 C13	Rock			0.129	6	23	2.64	43	0.019	3	2.38	0.020	0.08	<0.1	<0.01	7.7	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR91 C14	Rock			0.128	6	15	2.32	30	0.019	3	2.19	0.024	0.08	<0.1	<0.01	7.2	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR91 C15	Rock			0.122	6	11	2.12	36	0.017	2	1.93	0.032	0.06	<0.1	<0.01	6.2	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR91 C16	Rock			0.137	8	11	1.95	48	0.018	3	1.98	0.032	0.08	<0.1	<0.01	7.4	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR91 C17	Rock			0.140	7	14	2.70	44	0.019	4	2.41	0.014	0.12	<0.1	<0.01	6.6	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR91 C18	Rock			0.128	5	19	2.27	40	0.017	4	2.17	0.014	0.12	<0.1	<0.01	7.6	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR91 C19	Rock			0.128	6	16	2.49	51	0.018	3	2.35	0.014	0.14	<0.1	<0.01	6.7	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR91 C20	Rock			0.132	9	13	2.38	40	0.019	3	2.17	0.011	0.14	<0.1	<0.01	5.4	<0.1	<0.05	6	<0.5	N.A.	N.A.
MM09 TR91 C21	Rock			0.145	7	13	3.00	46	0.022	4	2.71	0.011	0.18	<0.1	<0.01	6.7	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR91 C22	Rock			0.139	8	7	2.46	60	0.017	4	2.56	0.012	0.15	<0.1	<0.01	5.6	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR91 C23	Rock			0.113	6	6	2.61	48	0.011	4	2.55	0.013	0.16	<0.1	<0.01	4.2	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR92 C1	Rock			0.177	10	21	1.88	165	0.015	3	1.89	0.019	0.15	<0.1	<0.01	5.0	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR92 C2	Rock			0.176	10	27	2.21	72	0.011	2	2.12	0.027	0.12	<0.1	<0.01	5.9	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C3	Rock			0.174	9	27	2.46	142	0.009	2	2.39	0.026	0.10	<0.1	<0.01	6.2	<0.1	0.06	10	<0.5	N.A.	N.A.
MM09 TR92 C4	Rock			0.152	8	40	2.45	44	0.013	2	2.32	0.028	0.09	<0.1	<0.01	7.5	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C5	Rock			0.125	7	39	2.44	57	0.023	2	2.33	0.020	0.07	<0.1	<0.01	8.5	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR92 C6	Rock			0.143	7	36	2.54	50	0.018	3	2.30	0.025	0.09	<0.1	<0.01	9.0	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C7	Rock			0.157	9	36	2.86	85	0.013	3	2.65	0.020	0.10	<0.1	<0.01	8.5	<0.1	<0.05	10	<0.5	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 09, 2009

Page: 3 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN09004115.2

Method Analyte	Unit	WGHT	1DX15																			
			Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
MM09 TR92 C8	Rock	0.89	0.2	9.7	3.5	43	<0.1	17.8	21.8	1355	4.77	1.9	0.2	1.2	0.6	169	0.2	0.2	<0.1	146	5.43	
MM09 TR92 C9	Rock	1.11	0.2	65.5	3.8	40	<0.1	12.0	24.5	1473	4.53	2.3	0.3	0.7	0.6	159	<0.1	0.3	<0.1	152	6.44	
MM09 TR92 C10	Rock	0.97	0.2	14.2	4.1	50	<0.1	9.6	26.3	1393	5.17	2.1	0.2	<0.5	0.5	169	<0.1	0.4	<0.1	189	5.80	
MM09 TR92 C11	Rock	1.08	0.2	8.1	3.6	60	<0.1	12.2	30.0	1485	5.49	2.1	0.3	<0.5	0.5	168	0.1	0.4	<0.1	179	5.34	
MM09 TR92 C12	Rock	1.10	0.2	6.5	4.6	49	<0.1	12.9	26.8	1656	5.17	1.6	0.3	1.8	0.4	168	0.2	0.3	<0.1	149	6.54	
MM09 TR92 C13	Rock	1.12	0.2	4.1	4.9	43	<0.1	12.7	24.4	1301	5.01	1.8	0.3	0.6	0.4	145	0.1	0.4	<0.1	147	5.12	
MM09 TR92 C14	Rock	0.81	0.2	15.2	5.1	51	<0.1	15.6	29.2	1313	5.35	2.0	0.3	<0.5	0.6	172	0.1	0.3	<0.1	158	4.59	
MM09 TR92 C15	Rock	0.97	0.2	6.7	3.9	51	<0.1	12.9	30.5	1469	5.63	2.0	0.2	1.1	0.4	184	0.1	0.2	<0.1	154	5.35	
MM09 TR92 C16	Rock	0.94	0.2	9.4	4.0	51	<0.1	17.6	29.9	1414	5.27	2.2	0.2	<0.5	0.5	213	0.1	0.3	<0.1	138	5.26	
MM09 TR92 C17	Rock	1.10	0.2	10.2	5.2	46	<0.1	17.2	26.3	1388	4.90	2.0	0.2	5.7	0.6	216	0.1	0.4	<0.1	139	5.47	
MM09 TR92 C18	Rock	1.15	0.2	14.0	4.3	46	<0.1	8.8	22.9	1045	4.84	2.0	0.3	<0.5	0.5	117	<0.1	0.3	<0.1	141	4.37	
MM09 TR92 C19	Rock	0.96	0.3	17.1	5.9	49	<0.1	9.4	22.0	1221	4.98	2.4	0.3	<0.5	0.5	127	0.2	0.4	<0.1	160	5.51	
MM09 TR92 C20	Rock	1.00	0.2	146.6	7.5	47	<0.1	9.3	18.6	1767	4.49	1.9	0.3	<0.5	0.5	220	0.4	0.3	<0.1	149	8.87	
MM09 TR92 C21	Rock	0.90	0.3	44.8	3.4	47	<0.1	8.2	23.6	1035	4.27	2.5	0.2	1.7	0.5	175	<0.1	0.2	<0.1	114	3.13	
MM09 TR92 C22	Rock	1.06	0.3	16.9	5.8	55	<0.1	11.5	26.4	1511	5.85	1.7	0.4	<0.5	0.5	225	0.2	0.3	<0.1	187	5.75	
MM09 TR92 C23	Rock	0.91	0.4	52.0	3.8	50	<0.1	9.6	27.0	1172	5.78	2.3	0.3	0.7	0.6	205	<0.1	0.3	<0.1	175	3.94	
MM09 TR92 C24	Rock	1.03	0.2	23.4	2.2	52	<0.1	12.5	29.1	1296	5.12	2.0	0.3	0.6	0.8	173	<0.1	0.2	<0.1	159	4.00	
MM09 TR92 C25	Rock	0.92	0.3	9.9	4.2	49	<0.1	9.3	24.2	1146	4.90	2.2	0.3	<0.5	0.6	202	<0.1	0.3	<0.1	138	4.07	
MM09 TR92 C26	Rock	1.01	0.3	61.2	2.7	43	<0.1	9.2	26.9	1328	5.08	1.8	0.3	1.0	0.6	200	<0.1	0.2	<0.1	159	4.49	
MM09 TR92 C27	Rock	1.00	0.2	30.3	2.4	43	<0.1	11.3	24.5	1222	4.77	2.1	0.3	0.6	0.5	155	0.1	0.2	<0.1	137	4.42	
MM09 TR92 C28	Rock	1.06	0.2	33.1	2.2	55	<0.1	24.8	26.1	1577	4.49	2.5	0.7	6.0	1.0	152	<0.1	0.2	<0.1	153	5.55	
MM09 TR92 C29	Rock	0.97	0.2	21.0	2.3	50	<0.1	21.4	26.1	1247	4.73	2.4	0.4	<0.5	0.9	147	<0.1	0.3	<0.1	146	3.81	
MM09 TR92 C30	Rock	0.98	0.2	15.0	2.0	47	<0.1	13.5	25.3	1207	4.81	2.4	0.4	<0.5	0.8	133	<0.1	0.2	<0.1	146	3.70	
MM09 TR92 C31	Rock	1.05	0.3	64.7	2.8	62	<0.1	31.6	27.9	1463	5.01	2.6	0.5	<0.5	1.2	157	<0.1	0.3	0.1	166	5.14	
MM09 TR92 C32	Rock	1.10	0.3	72.4	3.6	66	<0.1	36.0	24.6	1340	4.83	3.1	0.5	<0.5	1.3	159	<0.1	0.4	0.2	181	5.04	
MM09 TR92 C33	Rock	1.03	0.2	67.0	4.3	80	<0.1	64.3	31.2	1750	5.22	3.7	0.6	<0.5	1.9	171	<0.1	0.7	0.2	190	5.92	
MM09 TR92 C34	Rock	0.76	<0.1	191.3	3.2	48	0.2	14.1	18.7	1176	3.48	1.7	0.4	1.5	1.2	136	<0.1	0.2	<0.1	130	3.80	
MM09 TR92 C35	Rock	1.01	0.2	137.7	2.9	45	0.1	13.2	17.4	1126	3.55	2.1	0.3	1.2	1.2	128	<0.1	0.2	<0.1	143	4.15	
MM09 TR92 C36	Rock	0.85	0.1	67.2	2.6	43	<0.1	14.1	17.8	1230	3.60	1.8	0.3	<0.5	1.1	118	<0.1	0.2	<0.1	144	4.66	
MM09 TR92 C37	Rock	1.05	0.2	97.6	3.7	53	0.1	13.9	18.9	1165	3.79	2.8	0.4	1.4	1.2	106	<0.1	0.3	<0.1	147	4.06	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 09, 2009

Page: 3 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN09004115.2

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	G6 Au	7AR Cu
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001
MM09 TR92 C8	Rock			0.121	6	24	2.57	163	0.013	3	2.41	0.018	0.09	<0.1	<0.01	7.4	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR92 C9	Rock			0.157	8	19	2.26	65	0.018	2	2.24	0.016	0.10	<0.1	<0.01	8.1	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR92 C10	Rock			0.155	7	11	2.73	109	0.020	3	2.61	0.015	0.13	<0.1	<0.01	8.4	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C11	Rock			0.154	7	14	3.26	66	0.020	4	3.01	0.011	0.12	<0.1	<0.01	9.2	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09 TR92 C12	Rock			0.118	6	14	3.01	126	0.017	4	2.78	0.009	0.14	<0.1	<0.01	6.6	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR92 C13	Rock			0.118	6	13	2.74	63	0.017	4	2.52	0.013	0.15	<0.1	<0.01	7.0	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR92 C14	Rock			0.128	6	19	3.00	61	0.017	4	2.90	0.011	0.14	<0.1	<0.01	8.7	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C15	Rock			0.122	5	15	3.06	181	0.013	3	2.79	0.010	0.11	<0.1	<0.01	6.6	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR92 C16	Rock			0.115	5	21	2.81	140	0.012	4	2.80	0.010	0.12	<0.1	<0.01	9.0	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR92 C17	Rock			0.112	5	24	2.66	80	0.016	4	2.68	0.010	0.14	<0.1	<0.01	9.0	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR92 C18	Rock			0.147	6	11	2.30	152	0.014	4	2.19	0.016	0.14	<0.1	<0.01	6.8	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR92 C19	Rock			0.151	7	10	2.04	71	0.017	4	2.27	0.014	0.16	<0.1	<0.01	7.4	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR92 C20	Rock			0.147	9	10	1.50	1128	0.014	5	1.96	0.013	0.16	<0.1	<0.01	8.8	<0.1	<0.05	6	<0.5	N.A.	N.A.
MM09 TR92 C21	Rock			0.128	4	8	2.64	94	0.012	3	2.54	0.011	0.09	<0.1	<0.01	5.1	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR92 C22	Rock			0.127	6	14	2.67	107	0.017	5	2.94	0.012	0.09	<0.1	<0.01	9.2	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C23	Rock			0.130	6	9	2.76	62	0.015	5	3.01	0.011	0.09	<0.1	<0.01	7.5	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C24	Rock			0.126	6	14	3.02	61	0.018	4	2.91	0.014	0.07	<0.1	<0.01	9.4	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09 TR92 C25	Rock			0.118	5	11	2.44	45	0.020	5	2.55	0.012	0.09	<0.1	<0.01	6.7	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR92 C26	Rock			0.136	6	10	2.75	93	0.018	6	2.76	0.011	0.06	<0.1	<0.01	7.9	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C27	Rock			0.113	5	11	2.35	43	0.014	4	2.46	0.008	0.08	<0.1	<0.01	6.6	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR92 C28	Rock			0.134	8	41	2.49	67	0.017	3	2.46	0.013	0.08	<0.1	<0.01	6.8	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C29	Rock			0.142	7	34	2.60	53	0.017	4	2.44	0.012	0.10	<0.1	<0.01	6.5	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C30	Rock			0.136	7	18	2.62	43	0.017	3	2.44	0.016	0.11	<0.1	<0.01	6.3	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C31	Rock			0.171	9	55	2.50	56	0.021	4	2.60	0.015	0.10	<0.1	<0.01	7.3	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C32	Rock			0.170	9	72	2.10	43	0.022	4	2.16	0.015	0.10	<0.1	<0.01	6.9	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR92 C33	Rock			0.199	12	126	2.51	89	0.026	5	2.48	0.013	0.09	<0.1	<0.01	7.7	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C34	Rock			0.179	10	23	1.69	51	0.013	4	1.60	0.024	0.11	<0.1	<0.01	5.5	<0.1	<0.05	7	0.5	N.A.	N.A.
MM09 TR92 C35	Rock			0.169	9	22	1.65	45	0.017	3	1.62	0.025	0.09	<0.1	<0.01	5.7	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR92 C36	Rock			0.175	9	24	1.79	41	0.019	3	1.70	0.026	0.09	<0.1	<0.01	5.7	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR92 C37	Rock			0.174	9	22	1.66	337	0.019	3	1.72	0.025	0.14	<0.1	<0.01	4.9	<0.1	<0.05	7	<0.5	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 09, 2009

Page: 4 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN09004115.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR92 C38	Rock	1.03	0.2	27.1	3.2	48	<0.1	14.1	20.4	1166	3.65	2.1	0.3	<0.5	1.2	111	<0.1	0.2	<0.1	157	4.55
MM09 TR92 C39	Rock	1.13	0.2	17.8	2.5	46	<0.1	14.7	18.3	1092	3.48	1.6	0.3	<0.5	1.3	115	<0.1	0.1	<0.1	145	4.34
MM09 TR92 C40	Rock	1.14	0.2	41.1	2.6	44	<0.1	14.4	18.0	1045	4.25	2.8	0.4	0.8	1.2	91	<0.1	0.2	<0.1	175	4.47
MM09 TR92 C41	Rock	1.17	0.2	49.3	2.3	47	<0.1	14.3	18.7	1198	4.16	2.3	0.3	4.1	1.2	94	<0.1	0.2	<0.1	175	4.97
MM09 TR92 C42	Rock	0.95	0.2	65.7	2.0	44	<0.1	13.8	21.2	1080	4.12	2.2	0.3	<0.5	1.2	85	<0.1	0.2	<0.1	173	4.46
MM09 TR92 C43	Rock	0.92	0.3	86.3	1.8	44	<0.1	12.4	18.6	1173	3.96	4.0	0.4	0.5	1.2	84	<0.1	0.2	<0.1	166	4.32
MM09 TR92 C44	Rock	0.98	0.3	42.2	2.8	44	<0.1	14.4	21.0	1168	4.09	2.4	0.3	1.8	1.1	93	<0.1	0.2	<0.1	161	4.65
MM09 TR92 C45	Rock	1.01	0.2	54.1	2.6	43	<0.1	12.6	19.3	1151	3.91	1.9	0.3	<0.5	1.0	115	<0.1	0.2	<0.1	153	4.61
MM09 TR92 C46	Rock	0.89	0.2	197.3	2.4	44	0.3	13.3	19.0	1106	3.76	1.9	0.3	2.8	1.1	101	<0.1	0.2	<0.1	151	4.07
MM09 TR92 C47	Rock	0.78	0.2	87.8	2.9	49	<0.1	13.0	21.7	1187	4.32	2.6	0.3	3.9	1.0	120	<0.1	0.2	<0.1	147	4.13
MM09 TR92 C48	Rock	1.10	0.2	30.3	3.3	60	<0.1	13.9	24.9	1327	4.84	3.5	0.3	<0.5	0.7	179	<0.1	0.5	<0.1	157	5.77
MM09 TR92 C49	Rock	0.91	0.1	1069	4.7	46	<0.1	15.1	19.1	1904	2.95	2.6	0.6	4.1	0.6	404	0.3	0.2	<0.1	116	13.03
MM09 TR92 C50	Rock	1.07	0.2	37.3	3.0	59	<0.1	19.2	26.9	1399	4.69	3.5	0.3	0.8	0.8	157	<0.1	0.4	<0.1	144	4.79
MM09 TR92 C51	Rock	1.15	0.3	212.9	4.2	70	0.2	21.6	30.6	1431	5.12	3.0	0.5	1.9	0.8	151	<0.1	0.5	<0.1	173	6.26
MM09 TR92 C52	Rock	1.08	0.1	183.4	3.0	62	0.1	38.1	24.2	1695	3.85	3.3	0.5	0.9	1.4	202	0.2	0.3	<0.1	138	7.60
MM09 TR92 C53	Rock	0.90	0.2	110.8	3.3	86	<0.1	63.0	31.7	1589	4.66	4.7	0.6	0.5	1.9	152	0.1	0.5	<0.1	161	6.02
MM09 TR92 C54	Rock	1.00	<0.1	94.8	2.9	77	0.1	64.8	27.3	1623	4.18	4.9	0.6	1.6	1.8	195	<0.1	0.5	<0.1	150	7.07
MM09 TR92 C55	Rock	1.05	0.2	33.4	3.1	79	<0.1	68.3	29.6	1401	4.60	5.9	0.6	0.6	1.8	137	<0.1	0.3	<0.1	152	5.81
MM09 TR92 C56	Rock	1.03	0.1	18.0	1.7	80	<0.1	7.0	24.4	1173	5.92	2.3	0.2	1.4	0.4	67	<0.1	0.3	<0.1	148	2.92
MM09 TR92 C57	Rock	0.81	0.1	26.4	1.7	79	<0.1	13.2	24.0	1213	5.37	2.3	0.3	<0.5	0.6	104	<0.1	0.3	<0.1	137	3.90
MM09 TR92 C58	Rock	1.00	0.2	83.6	2.8	78	0.2	59.1	27.5	1500	4.35	4.9	0.6	1.2	1.6	172	<0.1	0.4	<0.1	160	5.87
MM09 TR92 C59	Rock	1.07	0.2	184.8	3.2	69	0.1	64.6	26.9	2006	3.75	4.0	0.6	<0.5	1.6	235	<0.1	0.5	<0.1	128	8.06
MM09 TR92 C60	Rock	0.94	0.2	367.8	3.3	70	0.1	65.8	26.0	1614	4.05	4.5	0.6	2.3	1.7	215	<0.1	0.4	<0.1	147	6.28
MM09 TR92 C61	Rock	0.91	0.3	23.0	3.7	72	<0.1	61.0	25.6	1888	4.04	5.2	0.4	0.6	1.7	182	<0.1	0.4	<0.1	149	7.19
MM09 TR92 C62	Rock	0.98	0.2	124.1	2.7	99	0.2	71.8	30.4	1877	4.87	8.2	0.7	0.8	1.7	142	<0.1	0.4	<0.1	178	3.65
MM09 TR92 C63	Rock	0.99	0.2	100.6	2.4	86	0.2	63.2	25.1	1885	4.03	8.0	0.6	2.0	1.4	188	<0.1	0.3	<0.1	160	5.38
MM09 TR92 C64	Rock	0.95	0.3	71.7	3.0	95	0.1	64.6	28.2	1975	4.41	8.3	0.7	<0.5	1.7	158	<0.1	0.3	<0.1	194	4.47
MM09 TR92 C65	Rock	1.01	0.2	65.1	3.1	107	0.1	71.2	29.8	1827	4.59	10.2	0.8	<0.5	1.9	148	0.1	0.3	<0.1	199	3.44
MM09 TR92 C66	Rock	1.13	0.3	25.7	2.9	104	<0.1	67.6	28.8	1822	4.30	11.0	1.2	<0.5	1.7	269	0.1	0.4	<0.1	185	3.80
MM09 TR92 C67	Rock	1.08	0.2	999.9	3.2	111	1.9	68.7	29.1	1787	4.38	6.6	0.8	6.4	1.8	174	0.2	0.4	<0.1	220	4.50

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 09, 2009

Page: 4 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN09004115.2

Method	Analyte	Unit	MDL	1DX15 P	1DX15 La	1DX15 Cr	1DX15 Mg	1DX15 Ba	1DX15 Ti	1DX15 B	1DX15 Al	1DX15 Na	1DX15 K	1DX15 W	1DX15 Hg	1DX15 Sc	1DX15 Ti	1DX15 S	1DX15 Ga	1DX15 Se	G6 Au	7AR Cu
				%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%
				0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001
MM09 TR92 C38	Rock			0.170	8	24	1.92	43	0.016	3	1.91	0.029	0.09	<0.1	<0.01	5.8	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C39	Rock			0.182	8	24	1.84	46	0.022	2	1.65	0.027	0.08	<0.1	<0.01	5.9	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR92 C40	Rock			0.160	9	26	1.63	108	0.032	3	1.65	0.022	0.14	0.2	<0.01	5.0	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR92 C41	Rock			0.172	9	22	1.71	214	0.030	3	1.67	0.023	0.12	0.2	<0.01	5.0	<0.1	<0.05	7	<0.5	N.A.	N.A.
MM09 TR92 C42	Rock			0.162	9	23	2.03	63	0.024	3	1.91	0.023	0.11	0.2	<0.01	5.1	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C43	Rock			0.178	9	21	1.69	48	0.053	6	1.68	0.025	0.12	0.2	<0.01	5.6	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR92 C44	Rock			0.161	8	22	2.15	38	0.027	2	1.89	0.026	0.10	0.1	<0.01	6.1	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C45	Rock			0.152	7	21	1.94	38	0.023	3	1.79	0.022	0.11	<0.1	<0.01	6.2	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR92 C46	Rock			0.173	9	24	1.91	50	0.017	3	1.83	0.026	0.09	<0.1	<0.01	5.5	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR92 C47	Rock			0.140	7	22	2.10	45	0.019	3	2.11	0.017	0.08	<0.1	<0.01	8.0	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C48	Rock			0.137	7	19	2.32	52	0.024	4	2.57	0.018	0.10	<0.1	<0.01	8.3	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C49	Rock			0.104	11	30	1.46	3176	0.005	3	1.86	0.012	0.09	<0.1	<0.01	7.1	<0.1	0.05	7	<0.5	<0.01	0.106
MM09 TR92 C50	Rock			0.120	6	32	2.55	179	0.023	4	2.52	0.017	0.10	<0.1	<0.01	9.7	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C51	Rock			0.132	7	47	2.20	313	0.035	4	2.27	0.021	0.11	<0.1	<0.01	12.6	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C52	Rock			0.167	13	77	1.78	678	0.018	4	2.06	0.021	0.08	<0.1	<0.01	9.3	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR92 C53	Rock			0.218	13	111	2.71	77	0.027	5	2.54	0.016	0.13	<0.1	<0.01	9.6	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C54	Rock			0.223	13	132	2.51	45	0.028	4	2.27	0.016	0.10	<0.1	<0.01	7.9	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR92 C55	Rock			0.240	14	130	2.57	82	0.025	4	2.34	0.017	0.15	<0.1	<0.01	7.4	0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C56	Rock			0.089	5	11	2.60	38	0.024	6	3.08	0.028	0.07	<0.1	<0.01	9.6	<0.1	<0.05	11	<0.5	N.A.	N.A.
MM09 TR92 C57	Rock			0.101	6	25	2.41	74	0.010	5	2.80	0.017	0.08	<0.1	<0.01	9.2	<0.1	<0.05	10	<0.5	N.A.	N.A.
MM09 TR92 C58	Rock			0.199	12	117	3.00	39	0.019	6	2.54	0.020	0.07	<0.1	<0.01	8.3	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C59	Rock			0.200	12	124	2.52	76	0.023	4	2.25	0.017	0.04	<0.1	<0.01	8.1	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR92 C60	Rock			0.212	13	137	2.33	629	0.018	6	2.20	0.019	0.04	<0.1	<0.01	8.1	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR92 C61	Rock			0.201	10	111	2.17	30	0.031	4	2.03	0.023	0.05	<0.1	<0.01	7.1	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 TR92 C62	Rock			0.233	13	164	4.28	284	0.022	5	2.81	0.018	0.03	<0.1	<0.01	9.0	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C63	Rock			0.204	10	131	3.49	181	0.030	5	2.56	0.018	0.01	<0.1	<0.01	7.5	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C64	Rock			0.201	12	136	4.17	120	0.030	6	2.77	0.020	0.04	<0.1	<0.01	9.2	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C65	Rock			0.235	13	147	4.35	43	0.023	5	2.75	0.014	0.04	<0.1	<0.01	9.3	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C66	Rock			0.212	11	135	4.16	76	0.022	6	2.57	0.013	0.04	<0.1	<0.01	8.9	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C67	Rock			0.218	12	144	3.59	66	0.023	6	2.37	0.016	0.04	<0.1	<0.01	9.1	<0.1	<0.05	9	<0.5	0.01	0.099

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 09, 2009

Page: 5 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN09004115.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM09 TR92 C68	Rock	1.09	0.2	1609	3.0	109	3.1	63.5	26.9	1731	4.13	6.3	0.7	46.5	1.6	180	0.2	0.3	<0.1	197	4.86
MM09 TR92 C69	Rock	1.10	0.2	60.7	3.0	97	<0.1	64.8	28.3	1798	4.39	6.7	0.9	2.4	1.6	215	<0.1	0.3	<0.1	205	5.73
MM09 TR92 C70	Rock	1.11	0.2	48.3	2.4	82	<0.1	61.4	26.7	1952	4.03	4.4	0.6	8.6	1.7	190	0.1	0.3	<0.1	178	7.04
MM09 CR07	Rock	1.46	2.0	32.1	1.6	52	<0.1	18.2	21.5	1098	4.85	4.7	0.1	1.8	0.5	132	<0.1	0.3	<0.1	174	3.62
MM09 CR08	Rock	0.89	0.4	78.5	2.3	52	0.1	6.5	16.0	707	3.83	2.9	0.3	6.9	1.0	75	<0.1	0.3	<0.1	121	1.53



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 09, 2009

Page: 5 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN09004115.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	Cu	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001	
MM09 TR92 C68	Rock	0.205	12	132	3.33	99	0.021	4	2.30	0.014	0.04	<0.1	<0.01	8.7	<0.1	<0.05	9	<0.5	0.02	0.161
MM09 TR92 C69	Rock	0.205	12	135	3.10	57	0.028	4	2.34	0.020	0.04	<0.1	<0.01	8.7	<0.1	<0.05	9	<0.5	N.A.	N.A.
MM09 TR92 C70	Rock	0.194	11	127	2.53	41	0.033	4	2.12	0.022	0.04	<0.1	<0.01	8.5	<0.1	<0.05	8	<0.5	N.A.	N.A.
MM09 CR07	Rock	0.145	4	33	2.44	168	0.094	7	1.89	0.066	0.16	<0.1	<0.01	13.7	<0.1	0.25	7	<0.5	N.A.	N.A.
MM09 CR08	Rock	0.142	8	9	1.31	51	0.134	3	1.41	0.050	0.13	<0.1	<0.01	6.8	<0.1	<0.05	6	<0.5	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 09, 2009

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN09004115.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
REP G1	QC	0.2	3.0	2.8	45	<0.1	3.0	4.3	541	1.85	<0.5	1.6	<0.5	5.6	53	<0.1	<0.1	<0.1	36	0.46	
MM09 TR92 C24	Rock	1.03	0.2	23.4	2.2	52	<0.1	12.5	29.1	1296	5.12	2.0	0.3	0.6	0.8	173	<0.1	0.2	<0.1	159	4.00
REP MM09 TR92 C24	QC		0.2	23.1	2.2	51	<0.1	12.4	28.8	1229	4.99	2.2	0.3	<0.5	0.7	167	<0.1	0.2	<0.1	154	3.88
MM09 TR92 C60	Rock	0.94	0.2	367.8	3.3	70	0.1	65.8	26.0	1614	4.05	4.5	0.6	2.3	1.7	215	<0.1	0.4	<0.1	147	6.28
REP MM09 TR92 C60	QC		0.2	372.8	4.8	69	0.1	69.1	27.5	1634	4.10	4.8	0.6	1.3	1.8	222	0.1	0.5	<0.1	150	6.28
Reference Materials																					
STD DS7	Standard		19.3	97.8	62.4	359	0.8	51.2	8.6	560	2.22	46.8	4.6	61.7	4.0	62	5.7	5.4	4.1	77	0.92
STD DS7	Standard		19.5	102.7	66.1	378	0.8	53.0	8.8	575	2.29	49.8	4.7	63.6	4.3	63	5.6	5.6	4.4	78	0.95
STD DS7	Standard		20.9	103.1	63.5	401	0.8	55.5	9.5	614	2.33	52.8	4.7	64.4	4.1	67	6.5	6.0	4.6	78	0.95
STD DS7	Standard		20.5	101.2	62.2	378	0.8	56.1	9.3	577	2.30	50.8	4.5	65.0	4.0	66	6.1	5.6	4.4	78	0.94
STD DS7	Standard		19.4	100.6	65.0	382	0.9	54.0	9.3	585	2.28	50.1	4.6	73.3	4.2	66	6.0	5.8	4.6	78	0.94
STD DS7	Standard		19.7	103.8	65.8	392	0.8	56.5	9.0	585	2.30	51.3	4.6	55.2	4.3	67	6.3	5.8	4.5	78	0.94
STD OXH55	Standard																				
STD OXK69	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
STD R4A Expected																					
STD OXH55 Expected																					
STD OXK69 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	<0.01	0.2	2.7	2.7	49	<0.1	3.1	4.3	566	1.88	<0.5	2.0	2.0	6.0	53	<0.1	<0.1	<0.1	37	0.47

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: October 09, 2009

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN09004115.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR		
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	Cu			
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%			
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001			
Pulp Duplicates																						
REP G1	QC	0.077	12	10	0.51	162	0.118	<1	0.96	0.077	0.48	<0.1	<0.01	1.8	0.3	<0.05	5	<0.5				
MM09 TR92 C24	Rock	0.126	6	14	3.02	61	0.018	4	2.91	0.014	0.07	<0.1	<0.01	9.4	<0.1	<0.05	10	<0.5	N.A.	N.A.		
REP MM09 TR92 C24	QC	0.126	5	14	2.91	59	0.018	4	2.84	0.013	0.06	<0.1	<0.01	9.2	<0.1	<0.05	10	<0.5				
MM09 TR92 C60	Rock	0.212	13	137	2.33	629	0.018	6	2.20	0.019	0.04	<0.1	<0.01	8.1	<0.1	<0.05	8	<0.5	N.A.	N.A.		
REP MM09 TR92 C60	QC	0.221	14	139	2.38	651	0.019	6	2.25	0.021	0.04	<0.1	<0.01	8.3	<0.1	<0.05	8	<0.5				
Reference Materials																						
STD DS7	Standard	0.070	12	155	0.97	352	0.104	37	0.92	0.079	0.38	3.7	0.17	2.2	4.0	0.19	4	3.5				
STD DS7	Standard	0.073	12	161	0.99	379	0.107	39	0.97	0.081	0.40	4.2	0.20	2.2	4.2	0.19	4	3.6				
STD DS7	Standard	0.079	12	173	1.00	385	0.110	38	0.96	0.082	0.41	4.0	0.20	2.2	4.0	0.20	4	4.0				
STD DS7	Standard	0.075	12	163	0.99	368	0.106	38	0.94	0.078	0.39	4.0	0.20	2.1	4.0	0.19	5	3.7				
STD DS7	Standard	0.075	12	156	0.99	368	0.108	39	0.96	0.082	0.39	4.2	0.17	2.2	4.1	0.19	4	3.9				
STD DS7	Standard	0.076	12	162	0.99	360	0.108	38	0.94	0.081	0.39	4.1	0.18	2.2	3.8	0.19	4	3.4				
STD OXH55	Standard																			1.36		
STD OXK69	Standard																				3.75	
STD R4A	Standard																				0.505	
STD R4A	Standard																				0.497	
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5				
STD R4A Expected																						0.502
STD OXH55 Expected																						1.282
STD OXK69 Expected																						3.583
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5				
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5				
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5				
BLK	Blank																					<0.001
BLK	Blank																					<0.01
BLK	Blank																					<0.01
Prep Wash																						
G1	Prep Blank	0.078	13	10	0.53	168	0.129	2	0.96	0.079	0.51	<0.1	<0.01	2.2	0.3	<0.05	5	<0.5	N.A.	N.A.		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

211 - 744 W. Hastings St.

Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: October 09, 2009

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

VAN09004115.2

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
G1	Prep Blank	<0.01																				
G1	Prep Blank		0.2	3.0	2.7	46	<0.1	3.2	4.1	538	1.86	<0.5	1.7	0.9	5.8	52	<0.1	<0.1	<0.1	36	0.45	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: October 09, 2009

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

VAN09004115.2

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	Cu
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001
G1	Prep Blank																		N.A.	N.A.
G1	Prep Blank	0.077	12	10	0.52	163	0.121	1	0.95	0.078	0.49	<0.1	<0.01	1.9	0.3	<0.05	5	<0.5		



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: December 17, 2009
Report Date: December 29, 2009
Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN09006272.1

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 29

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	26	Crush split and pulverize 250g drill core to 200 mesh			VAN
1DX2	29	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Sego Resources Inc.
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: December 29, 2009

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

VAN09006272.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944051	Rock Pulp	0.02	442.0	4465	82.7	51	41.3	6.2	1.4	258	0.77	36.0	0.6	15.2	0.6	176	0.4	85.7	4.2	7	1.25
944052	Drill Core	6.28	1.1	2501	5.6	288	2.0	8.6	30.3	2868	4.52	3.2	1.4	17.3	1.7	200	0.5	0.4	<0.1	163	4.93
944053	Drill Core	10.21	2.3	750.9	7.2	237	0.6	12.4	21.1	2493	5.99	3.0	0.8	6.7	1.2	300	0.5	0.6	<0.1	164	5.44
944054	Drill Core	9.52	1.6	668.7	3.9	323	0.7	13.9	21.5	3101	6.69	2.8	1.1	4.9	1.3	254	0.1	0.6	<0.1	190	5.49
944055	Drill Core	9.64	1.4	1690	6.1	245	1.1	9.5	30.9	2595	5.17	3.2	1.1	8.9	1.2	316	0.2	0.5	<0.1	144	5.45
944056	Drill Core	7.88	0.8	2054	4.5	304	1.2	15.6	32.6	2914	6.70	4.3	1.3	19.8	1.4	341	0.3	0.6	<0.1	193	4.84
944057	Drill Core	10.06	0.4	847.9	3.1	186	0.4	13.1	26.6	2156	6.50	3.3	1.2	26.1	1.4	398	0.2	0.5	<0.1	164	4.29
944058	Drill Core	9.54	0.4	1655	2.9	280	1.2	10.6	27.2	3245	5.80	3.8	1.2	24.2	1.7	228	0.1	0.4	<0.1	190	5.15
944059	Drill Core	9.00	0.5	4208	3.7	122	3.5	7.5	13.9	1771	2.88	3.7	1.7	135.2	1.2	321	0.2	0.2	<0.1	93	5.34
944060	Rock Pulp	0.05	13.7	42.6	7.7	55	0.2	18.4	81.4	594	2.91	2716	1.8	217.7	5.5	64	0.1	5.7	8.8	35	3.15
944061	Drill Core	5.81	0.4	6280	4.9	113	5.4	5.0	9.3	1560	1.50	9.7	2.5	316.8	1.4	156	0.3	0.5	<0.1	71	5.40
944062	Drill Core	5.83	0.1	8900	7.6	98	7.7	4.6	7.8	1394	1.34	3.4	3.9	527.3	1.4	158	0.9	0.5	<0.1	56	4.33
944063	Drill Core	3.23	0.5	227.7	2.0	86	0.2	15.8	22.3	1454	4.71	2.2	1.1	11.7	0.2	352	0.4	0.2	<0.1	89	4.08
944064	Drill Core	7.77	0.3	125.2	1.2	76	0.1	14.2	20.4	1249	4.51	1.7	0.6	4.4	0.3	296	<0.1	0.2	<0.1	84	3.54
944065	Drill Core	4.19	0.4	4204	3.5	87	2.0	8.3	15.2	1599	2.95	3.0	3.6	104.0	1.0	247	0.3	0.4	<0.1	84	5.31
944066	Drill Core	7.01	2.7	2429	4.4	142	3.5	13.7	19.9	1661	4.07	3.8	1.3	211.8	0.7	415	0.1	0.3	<0.1	117	4.69
944067	Drill Core	10.15	0.4	191.8	1.1	71	0.3	16.9	20.9	1302	4.74	5.0	0.5	8.4	0.2	837	0.1	0.4	<0.1	119	4.88
944068	Drill Core	11.08	0.3	7465	6.8	175	6.4	8.7	16.8	2035	3.09	7.3	2.8	429.9	1.5	183	0.6	0.6	<0.1	106	4.49
944069	Drill Core	11.39	0.5	1511	3.0	124	0.6	16.9	22.2	1632	4.25	8.2	1.3	29.4	0.5	199	0.2	0.4	<0.1	114	5.06
944070	Rock Pulp	0.02	409.3	4267	81.9	47	39.8	5.8	1.3	248	0.74	36.9	0.6	15.8	0.6	167	0.4	81.7	4.2	7	1.21
944071	Drill Core	9.61	0.3	5539	5.8	293	3.7	7.5	21.3	2857	3.91	5.3	2.5	241.9	1.3	154	0.6	0.6	<0.1	145	5.76
944072	Drill Core	8.87	0.2	8267	7.5	195	5.2	7.5	13.2	2207	2.65	3.5	3.1	542.1	1.6	124	0.8	0.4	<0.1	118	5.24
944073	Drill Core	8.12	0.1	>10000	7.6	168	5.8	5.6	12.4	2259	2.16	3.3	6.3	373.8	1.3	138	0.6	0.2	<0.1	72	5.88
944074	Drill Core	5.32	<0.1	315.7	5.2	196	0.2	4.1	25.2	2222	5.34	7.8	0.9	28.8	2.2	150	<0.1	1.1	<0.1	227	4.27
944075	Drill Core	3.95	0.1	355.2	6.0	162	0.2	3.2	24.4	2199	5.46	8.8	1.0	49.5	2.0	166	0.1	1.2	<0.1	238	4.33
944076	Drill Core	4.20	0.2	280.4	5.5	136	0.1	2.6	20.8	2225	5.09	5.8	1.0	24.9	2.3	186	<0.1	0.9	<0.1	228	5.24
944077	Drill Core	11.03	0.1	320.8	4.0	121	0.1	2.8	18.0	1797	4.66	7.2	0.8	10.9	2.0	147	<0.1	0.9	<0.1	199	4.62
944078	Drill Core	6.22	1.5	392.1	4.5	69	0.2	11.8	30.2	1254	6.20	9.2	1.1	19.7	1.6	138	0.2	0.5	0.3	230	5.14
944079	Drill Core	7.53	1.6	347.5	3.4	42	0.2	8.5	32.6	899	6.41	6.8	0.7	25.0	1.8	128	<0.1	0.3	0.7	249	5.09



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: December 29, 2009

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

VAN09006272.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.1	0.05	1	0.5	
944051	Rock Pulp	0.018	3	221	0.11	145	0.006	<1	0.29	0.030	0.16	0.1	0.23	0.5	<0.1	0.70	1	0.6
944052	Drill Core	0.164	12	9	2.42	89	0.093	1	2.20	0.017	0.10	<0.1	<0.01	5.5	<0.1	0.12	9	1.1
944053	Drill Core	0.146	9	15	2.70	59	0.117	2	2.33	0.017	0.30	<0.1	<0.01	8.0	<0.1	<0.05	8	<0.5
944054	Drill Core	0.137	11	17	2.98	105	0.174	2	2.38	0.020	0.63	<0.1	0.01	9.3	<0.1	<0.05	10	<0.5
944055	Drill Core	0.162	11	9	2.37	294	0.155	2	2.15	0.027	0.25	<0.1	0.01	5.5	<0.1	0.08	8	<0.5
944056	Drill Core	0.173	12	20	3.11	157	0.152	1	2.45	0.021	0.34	<0.1	0.02	9.3	<0.1	0.08	10	1.2
944057	Drill Core	0.161	12	19	2.57	356	0.150	2	2.14	0.030	0.34	<0.1	<0.01	8.7	<0.1	<0.05	8	<0.5
944058	Drill Core	0.175	15	9	2.84	687	0.022	2	2.36	0.018	0.23	<0.1	0.02	9.9	<0.1	0.08	12	1.4
944059	Drill Core	0.215	13	26	1.61	559	0.007	4	1.77	0.024	0.08	<0.1	0.03	7.3	<0.1	0.21	7	7.5
944060	Rock Pulp	0.090	43	28	0.30	52	0.061	23	0.86	0.107	0.11	0.4	<0.01	2.4	<0.1	0.63	3	6.4
944061	Drill Core	0.231	12	11	1.10	330	0.011	2	1.08	0.025	0.11	<0.1	0.07	5.3	<0.1	0.26	6	10.6
944062	Drill Core	0.126	14	8	1.17	498	0.008	2	0.92	0.027	0.12	<0.1	0.13	4.5	<0.1	0.33	6	18.2
944063	Drill Core	0.077	9	66	2.62	137	0.004	7	2.64	0.026	0.05	<0.1	<0.01	10.3	<0.1	<0.05	8	0.5
944064	Drill Core	0.077	7	58	2.47	50	0.004	6	2.41	0.032	0.05	<0.1	<0.01	9.7	<0.1	<0.05	8	<0.5
944065	Drill Core	0.139	12	28	2.16	231	0.007	4	1.61	0.033	0.07	<0.1	0.06	6.7	<0.1	0.28	6	5.7
944066	Drill Core	0.107	10	51	2.30	1146	0.007	8	2.25	0.040	0.07	0.4	0.04	9.8	<0.1	0.14	8	3.4
944067	Drill Core	0.083	7	61	2.57	112	0.043	12	2.47	0.085	0.06	<0.1	<0.01	12.6	<0.1	<0.05	7	<0.5
944068	Drill Core	0.168	10	13	1.63	319	0.005	3	1.63	0.016	0.18	<0.1	0.04	5.9	<0.1	0.47	8	11.0
944069	Drill Core	0.092	8	29	1.82	324	0.003	6	2.09	0.020	0.18	<0.1	0.04	7.4	<0.1	0.16	7	0.9
944070	Rock Pulp	0.017	3	196	0.12	136	0.005	<1	0.28	0.027	0.15	0.1	0.23	0.4	<0.1	0.67	1	0.7
944071	Drill Core	0.155	13	9	2.17	471	0.004	3	2.13	0.016	0.13	<0.1	0.05	4.9	<0.1	0.39	10	6.9
944072	Drill Core	0.161	13	4	1.47	428	0.002	3	1.50	0.015	0.13	<0.1	0.09	5.0	<0.1	0.38	7	8.1
944073	Drill Core	0.162	14	4	1.76	412	0.002	4	1.25	0.023	0.15	<0.1	0.06	3.1	<0.1	0.36	6	13.8
944074	Drill Core	0.177	11	<1	2.13	145	0.009	3	2.22	0.019	0.04	<0.1	<0.01	9.0	<0.1	<0.05	11	0.7
944075	Drill Core	0.191	13	<1	2.15	191	0.008	6	2.28	0.019	0.04	<0.1	<0.01	9.6	<0.1	<0.05	10	<0.5
944076	Drill Core	0.167	15	<1	2.10	132	0.006	6	2.01	0.020	0.04	<0.1	<0.01	9.5	<0.1	<0.05	9	0.5
944077	Drill Core	0.157	13	1	1.80	622	0.007	6	1.75	0.022	0.07	<0.1	0.02	8.0	<0.1	0.07	8	<0.5
944078	Drill Core	0.155	14	7	2.62	71	0.005	10	1.96	0.031	0.05	<0.1	0.11	12.4	<0.1	1.99	11	4.0
944079	Drill Core	0.170	15	2	2.58	66	0.005	10	1.94	0.035	0.04	<0.1	0.04	10.9	<0.1	2.52	10	3.6



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: December 29, 2009

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN09006272.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
944066	Drill Core	7.01	2.7	2429	4.4	142	3.5	13.7	19.9	1661	4.07	3.8	1.3	211.8	0.7	415	0.1	0.3	<0.1	117	4.69
REP 944066	QC		2.9	2414	4.2	141	3.0	12.7	19.1	1655	4.06	3.5	1.3	191.9	0.7	423	0.2	0.3	<0.1	117	4.65
Core Reject Duplicates																					
944075	Drill Core	3.95	0.1	355.2	6.0	162	0.2	3.2	24.4	2199	5.46	8.8	1.0	49.5	2.0	166	0.1	1.2	<0.1	238	4.33
DUP 944075	QC		0.2	311.3	6.4	176	0.2	4.1	25.5	2260	5.63	9.1	1.0	81.8	2.0	167	<0.1	1.3	<0.1	248	4.16
Reference Materials																					
STD DS7	Standard		21.0	103.6	69.7	408	0.9	57.7	8.7	590	2.37	52.3	4.8	68.0	4.9	80	6.2	6.7	5.2	82	0.96
STD DS7	Standard		19.4	102.5	66.8	391	0.8	53.6	8.4	581	2.30	49.1	4.3	61.4	4.1	73	6.0	5.8	4.6	78	0.92
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	1.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.2	2.5	2.7	49	<0.1	4.4	4.2	589	1.93	<0.5	2.2	4.9	3.5	60	<0.1	<0.1	<0.1	38	0.50
G1	Prep Blank	<0.01	0.2	2.4	3.0	51	<0.1	4.3	4.5	580	2.05	<0.5	2.5	1.2	4.1	66	<0.1	<0.1	<0.1	42	0.56



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: December 29, 2009

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN09006272.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																		
944066	Drill Core	0.107	10	51	2.30	1146	0.007	8	2.25	0.040	0.07	0.4	0.04	9.8	<0.1	0.14	8	3.4
REP 944066	QC	0.113	10	49	2.29	1107	0.007	9	2.21	0.040	0.07	0.3	0.04	9.8	<0.1	0.14	7	3.5
Core Reject Duplicates																		
944075	Drill Core	0.191	13	<1	2.15	191	0.008	6	2.28	0.019	0.04	<0.1	<0.01	9.6	<0.1	<0.05	10	<0.5
DUP 944075	QC	0.190	14	<1	2.22	165	0.007	6	2.30	0.018	0.03	<0.1	<0.01	9.9	<0.1	<0.05	11	<0.5
Reference Materials																		
STD DS7	Standard	0.077	13	189	0.99	380	0.127	39	0.97	0.099	0.43	4.0	0.21	2.2	4.4	0.20	4	3.3
STD DS7	Standard	0.072	11	179	0.95	344	0.122	37	0.93	0.093	0.42	3.7	0.19	2.1	3.8	0.20	5	3.4
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																		
G1	Prep Blank	0.078	6	9	0.59	258	0.152	1	1.14	0.156	0.59	<0.1	<0.01	2.3	0.4	<0.05	5	<0.5
G1	Prep Blank	0.093	8	13	0.62	272	0.154	<1	1.22	0.172	0.60	<0.1	<0.01	2.5	0.5	<0.05	5	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
 Receiving Lab: Canada-Vancouver
 Received: December 17, 2009
 Report Date: January 29, 2010
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN09006272.2

CLIENT JOB INFORMATION

Project: Miner Mountain
 Shipment ID:
 P.O. Number
 Number of Samples: 29

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
 DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	26	Crush split and pulverize 250g drill core to 200 mesh			VAN
1DX2	29	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
G601	20	Fire Assay fusion Au by ICP-ES	30	Completed	VAN
7AR	20	1:1:1 Aqua Regia digestion ICP-ES analysis	0.4	Completed	VAN

ADDITIONAL COMMENTS

Version 2: G601 Au & 7AR Cu included



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 29, 2010

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

VAN09006272.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944051	Rock Pulp	0.02	442.0	4465	82.7	51	41.3	6.2	1.4	258	0.77	36.0	0.6	15.2	0.6	176	0.4	85.7	4.2	7	1.25
944052	Drill Core	6.28	1.1	2501	5.6	288	2.0	8.6	30.3	2868	4.52	3.2	1.4	17.3	1.7	200	0.5	0.4	<0.1	163	4.93
944053	Drill Core	10.21	2.3	750.9	7.2	237	0.6	12.4	21.1	2493	5.99	3.0	0.8	6.7	1.2	300	0.5	0.6	<0.1	164	5.44
944054	Drill Core	9.52	1.6	668.7	3.9	323	0.7	13.9	21.5	3101	6.69	2.8	1.1	4.9	1.3	254	0.1	0.6	<0.1	190	5.49
944055	Drill Core	9.64	1.4	1690	6.1	245	1.1	9.5	30.9	2595	5.17	3.2	1.1	8.9	1.2	316	0.2	0.5	<0.1	144	5.45
944056	Drill Core	7.88	0.8	2054	4.5	304	1.2	15.6	32.6	2914	6.70	4.3	1.3	19.8	1.4	341	0.3	0.6	<0.1	193	4.84
944057	Drill Core	10.06	0.4	847.9	3.1	186	0.4	13.1	26.6	2156	6.50	3.3	1.2	26.1	1.4	398	0.2	0.5	<0.1	164	4.29
944058	Drill Core	9.54	0.4	1655	2.9	280	1.2	10.6	27.2	3245	5.80	3.8	1.2	24.2	1.7	228	0.1	0.4	<0.1	190	5.15
944059	Drill Core	9.00	0.5	4208	3.7	122	3.5	7.5	13.9	1771	2.88	3.7	1.7	135.2	1.2	321	0.2	0.2	<0.1	93	5.34
944060	Rock Pulp	0.05	13.7	42.6	7.7	55	0.2	18.4	81.4	594	2.91	2716	1.8	217.7	5.5	64	0.1	5.7	8.8	35	3.15
944061	Drill Core	5.81	0.4	6280	4.9	113	5.4	5.0	9.3	1560	1.50	9.7	2.5	316.8	1.4	156	0.3	0.5	<0.1	71	5.40
944062	Drill Core	5.83	0.1	8900	7.6	98	7.7	4.6	7.8	1394	1.34	3.4	3.9	527.3	1.4	158	0.9	0.5	<0.1	56	4.33
944063	Drill Core	3.23	0.5	227.7	2.0	86	0.2	15.8	22.3	1454	4.71	2.2	1.1	11.7	0.2	352	0.4	0.2	<0.1	89	4.08
944064	Drill Core	7.77	0.3	125.2	1.2	76	0.1	14.2	20.4	1249	4.51	1.7	0.6	4.4	0.3	296	<0.1	0.2	<0.1	84	3.54
944065	Drill Core	4.19	0.4	4204	3.5	87	2.0	8.3	15.2	1599	2.95	3.0	3.6	104.0	1.0	247	0.3	0.4	<0.1	84	5.31
944066	Drill Core	7.01	2.7	2429	4.4	142	3.5	13.7	19.9	1661	4.07	3.8	1.3	211.8	0.7	415	0.1	0.3	<0.1	117	4.69
944067	Drill Core	10.15	0.4	191.8	1.1	71	0.3	16.9	20.9	1302	4.74	5.0	0.5	8.4	0.2	837	0.1	0.4	<0.1	119	4.88
944068	Drill Core	11.08	0.3	7465	6.8	175	6.4	8.7	16.8	2035	3.09	7.3	2.8	429.9	1.5	183	0.6	0.6	<0.1	106	4.49
944069	Drill Core	11.39	0.5	1511	3.0	124	0.6	16.9	22.2	1632	4.25	8.2	1.3	29.4	0.5	199	0.2	0.4	<0.1	114	5.06
944070	Rock Pulp	0.02	409.3	4267	81.9	47	39.8	5.8	1.3	248	0.74	36.9	0.6	15.8	0.6	167	0.4	81.7	4.2	7	1.21
944071	Drill Core	9.61	0.3	5539	5.8	293	3.7	7.5	21.3	2857	3.91	5.3	2.5	241.9	1.3	154	0.6	0.6	<0.1	145	5.76
944072	Drill Core	8.87	0.2	8267	7.5	195	5.2	7.5	13.2	2207	2.65	3.5	3.1	542.1	1.6	124	0.8	0.4	<0.1	118	5.24
944073	Drill Core	8.12	0.1	>10000	7.6	168	5.8	5.6	12.4	2259	2.16	3.3	6.3	373.8	1.3	138	0.6	0.2	<0.1	72	5.88
944074	Drill Core	5.32	<0.1	315.7	5.2	196	0.2	4.1	25.2	2222	5.34	7.8	0.9	28.8	2.2	150	<0.1	1.1	<0.1	227	4.27
944075	Drill Core	3.95	0.1	355.2	6.0	162	0.2	3.2	24.4	2199	5.46	8.8	1.0	49.5	2.0	166	0.1	1.2	<0.1	238	4.33
944076	Drill Core	4.20	0.2	280.4	5.5	136	0.1	2.6	20.8	2225	5.09	5.8	1.0	24.9	2.3	186	<0.1	0.9	<0.1	228	5.24
944077	Drill Core	11.03	0.1	320.8	4.0	121	0.1	2.8	18.0	1797	4.66	7.2	0.8	10.9	2.0	147	<0.1	0.9	<0.1	199	4.62
944078	Drill Core	6.22	1.5	392.1	4.5	69	0.2	11.8	30.2	1254	6.20	9.2	1.1	19.7	1.6	138	0.2	0.5	0.3	230	5.14
944079	Drill Core	7.53	1.6	347.5	3.4	42	0.2	8.5	32.6	899	6.41	6.8	0.7	25.0	1.8	128	<0.1	0.3	0.7	249	5.09



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 29, 2010

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

VAN09006272.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	Cu	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001	
944051	Rock Pulp	0.018	3	221	0.11	145	0.006	<1	0.29	0.030	0.16	0.1	0.23	0.5	<0.1	0.70	1	0.6	N.A.	N.A.
944052	Drill Core	0.164	12	9	2.42	89	0.093	1	2.20	0.017	0.10	<0.1	<0.01	5.5	<0.1	0.12	9	1.1	0.03	0.269
944053	Drill Core	0.146	9	15	2.70	59	0.117	2	2.33	0.017	0.30	<0.1	<0.01	8.0	<0.1	<0.05	8	<0.5	<0.01	0.079
944054	Drill Core	0.137	11	17	2.98	105	0.174	2	2.38	0.020	0.63	<0.1	0.01	9.3	<0.1	<0.05	10	<0.5	0.01	0.071
944055	Drill Core	0.162	11	9	2.37	294	0.155	2	2.15	0.027	0.25	<0.1	0.01	5.5	<0.1	0.08	8	<0.5	0.01	0.178
944056	Drill Core	0.173	12	20	3.11	157	0.152	1	2.45	0.021	0.34	<0.1	0.02	9.3	<0.1	0.08	10	1.2	0.03	0.212
944057	Drill Core	0.161	12	19	2.57	356	0.150	2	2.14	0.030	0.34	<0.1	<0.01	8.7	<0.1	<0.05	8	<0.5	0.02	0.091
944058	Drill Core	0.175	15	9	2.84	687	0.022	2	2.36	0.018	0.23	<0.1	0.02	9.9	<0.1	0.08	12	1.4	0.03	0.172
944059	Drill Core	0.215	13	26	1.61	559	0.007	4	1.77	0.024	0.08	<0.1	0.03	7.3	<0.1	0.21	7	7.5	0.18	0.450
944060	Rock Pulp	0.090	43	28	0.30	52	0.061	23	0.86	0.107	0.11	0.4	<0.01	2.4	<0.1	0.63	3	6.4	N.A.	N.A.
944061	Drill Core	0.231	12	11	1.10	330	0.011	2	1.08	0.025	0.11	<0.1	0.07	5.3	<0.1	0.26	6	10.6	0.31	0.636
944062	Drill Core	0.126	14	8	1.17	498	0.008	2	0.92	0.027	0.12	<0.1	0.13	4.5	<0.1	0.33	6	18.2	0.67	0.872
944063	Drill Core	0.077	9	66	2.62	137	0.004	7	2.64	0.026	0.05	<0.1	<0.01	10.3	<0.1	<0.05	8	0.5	0.01	0.024
944064	Drill Core	0.077	7	58	2.47	50	0.004	6	2.41	0.032	0.05	<0.1	<0.01	9.7	<0.1	<0.05	8	<0.5	<0.01	0.014
944065	Drill Core	0.139	12	28	2.16	231	0.007	4	1.61	0.033	0.07	<0.1	0.06	6.7	<0.1	0.28	6	5.7	0.16	0.453
944066	Drill Core	0.107	10	51	2.30	1146	0.007	8	2.25	0.040	0.07	0.4	0.04	9.8	<0.1	0.14	8	3.4	0.13	0.256
944067	Drill Core	0.083	7	61	2.57	112	0.043	12	2.47	0.085	0.06	<0.1	<0.01	12.6	<0.1	<0.05	7	<0.5	<0.01	0.020
944068	Drill Core	0.168	10	13	1.63	319	0.005	3	1.63	0.016	0.18	<0.1	0.04	5.9	<0.1	0.47	8	11.0	0.54	0.760
944069	Drill Core	0.092	8	29	1.82	324	0.003	6	2.09	0.020	0.18	<0.1	0.04	7.4	<0.1	0.16	7	0.9	0.04	0.165
944070	Rock Pulp	0.017	3	196	0.12	136	0.005	<1	0.28	0.027	0.15	0.1	0.23	0.4	<0.1	0.67	1	0.7	N.A.	N.A.
944071	Drill Core	0.155	13	9	2.17	471	0.004	3	2.13	0.016	0.13	<0.1	0.05	4.9	<0.1	0.39	10	6.9	0.27	0.591
944072	Drill Core	0.161	13	4	1.47	428	0.002	3	1.50	0.015	0.13	<0.1	0.09	5.0	<0.1	0.38	7	8.1	0.67	0.840
944073	Drill Core	0.162	14	4	1.76	412	0.002	4	1.25	0.023	0.15	<0.1	0.06	3.1	<0.1	0.36	6	13.8	0.41	0.975
944074	Drill Core	0.177	11	<1	2.13	145	0.009	3	2.22	0.019	0.04	<0.1	<0.01	9.0	<0.1	<0.05	11	0.7	N.A.	N.A.
944075	Drill Core	0.191	13	<1	2.15	191	0.008	6	2.28	0.019	0.04	<0.1	<0.01	9.6	<0.1	<0.05	10	<0.5	N.A.	N.A.
944076	Drill Core	0.167	15	<1	2.10	132	0.006	6	2.01	0.020	0.04	<0.1	<0.01	9.5	<0.1	<0.05	9	0.5	N.A.	N.A.
944077	Drill Core	0.157	13	1	1.80	622	0.007	6	1.75	0.022	0.07	<0.1	0.02	8.0	<0.1	0.07	8	<0.5	N.A.	N.A.
944078	Drill Core	0.155	14	7	2.62	71	0.005	10	1.96	0.031	0.05	<0.1	0.11	12.4	<0.1	1.99	11	4.0	N.A.	N.A.
944079	Drill Core	0.170	15	2	2.58	66	0.005	10	1.94	0.035	0.04	<0.1	0.04	10.9	<0.1	2.52	10	3.6	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: January 29, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN09006272.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
944052	Drill Core	6.28	1.1	2501	5.6	288	2.0	8.6	30.3	2868	4.52	3.2	1.4	17.3	1.7	200	0.5	0.4	<0.1	163	4.93
REP 944052	QC																				
944061	Drill Core	5.81	0.4	6280	4.9	113	5.4	5.0	9.3	1560	1.50	9.7	2.5	316.8	1.4	156	0.3	0.5	<0.1	71	5.40
REP 944061	QC																				
944066	Drill Core	7.01	2.7	2429	4.4	142	3.5	13.7	19.9	1661	4.07	3.8	1.3	211.8	0.7	415	0.1	0.3	<0.1	117	4.69
REP 944066	QC		2.9	2414	4.2	141	3.0	12.7	19.1	1655	4.06	3.5	1.3	191.9	0.7	423	0.2	0.3	<0.1	117	4.65
Core Reject Duplicates																					
944075	Drill Core	3.95	0.1	355.2	6.0	162	0.2	3.2	24.4	2199	5.46	8.8	1.0	49.5	2.0	166	0.1	1.2	<0.1	238	4.33
DUP 944075	QC		0.2	311.3	6.4	176	0.2	4.1	25.5	2260	5.63	9.1	1.0	81.8	2.0	167	<0.1	1.3	<0.1	248	4.16
Reference Materials																					
STD DS7	Standard		21.0	103.6	69.7	408	0.9	57.7	8.7	590	2.37	52.3	4.8	68.0	4.9	80	6.2	6.7	5.2	82	0.96
STD DS7	Standard		19.4	102.5	66.8	391	0.8	53.6	8.4	581	2.30	49.1	4.3	61.4	4.1	73	6.0	5.8	4.6	78	0.92
STD GC-7	Standard																				
STD OXH55	Standard																				
STD OXK69	Standard																				
STD R4A	Standard																				
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
STD OXH55 Expected																					
STD OXK69 Expected																					
STD GC-7 Expected																					
STD R4A Expected																					
BLK	Blank		<0.1	1.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	<0.01	0.2	2.5	2.7	49	<0.1	4.4	4.2	589	1.93	<0.5	2.2	4.9	3.5	60	<0.1	<0.1	<0.1	38	0.50
G1	Prep Blank	<0.01	0.2	2.4	3.0	51	<0.1	4.3	4.5	580	2.05	<0.5	2.5	1.2	4.1	66	<0.1	<0.1	<0.1	42	0.56

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 29, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN09006272.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	Cu
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	%
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	0.001
Pulp Duplicates																				
944052	Drill Core	0.164	12	9	2.42	89	0.093	1	2.20	0.017	0.10	<0.1	<0.01	5.5	<0.1	0.12	9	1.1	0.03	0.269
REP 944052	QC																		0.03	
944061	Drill Core	0.231	12	11	1.10	330	0.011	2	1.08	0.025	0.11	<0.1	0.07	5.3	<0.1	0.26	6	10.6	0.31	0.636
REP 944061	QC																			0.637
944066	Drill Core	0.107	10	51	2.30	1146	0.007	8	2.25	0.040	0.07	0.4	0.04	9.8	<0.1	0.14	8	3.4	0.13	0.256
REP 944066	QC	0.113	10	49	2.29	1107	0.007	9	2.21	0.040	0.07	0.3	0.04	9.8	<0.1	0.14	7	3.5		
Core Reject Duplicates																				
944075	Drill Core	0.191	13	<1	2.15	191	0.008	6	2.28	0.019	0.04	<0.1	<0.01	9.6	<0.1	<0.05	10	<0.5	N.A.	N.A.
DUP 944075	QC	0.190	14	<1	2.22	165	0.007	6	2.30	0.018	0.03	<0.1	<0.01	9.9	<0.1	<0.05	11	<0.5	N.A.	N.A.
Reference Materials																				
STD DS7	Standard	0.077	13	189	0.99	380	0.127	39	0.97	0.099	0.43	4.0	0.21	2.2	4.4	0.20	4	3.3		
STD DS7	Standard	0.072	11	179	0.95	344	0.122	37	0.93	0.093	0.42	3.7	0.19	2.1	3.8	0.20	5	3.4		
STD GC-7	Standard																			0.556
STD OXH55	Standard																			1.27
STD OXK69	Standard																			3.45
STD R4A	Standard																			0.506
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5		
STD OXH55 Expected																				1.282
STD OXK69 Expected																				3.583
STD GC-7 Expected																				0.555
STD R4A Expected																				0.502
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5		
BLK	Blank																			<0.01
BLK	Blank																			<0.01
BLK	Blank																			<0.001
Prep Wash																				
G1	Prep Blank	0.078	6	9	0.59	258	0.152	1	1.14	0.156	0.59	<0.1	<0.01	2.3	0.4	<0.05	5	<0.5	N.A.	N.A.
G1	Prep Blank	0.093	8	13	0.62	272	0.154	<1	1.22	0.172	0.60	<0.1	<0.01	2.5	0.5	<0.05	5	<0.5	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: December 21, 2009
Report Date: January 08, 2010
Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN09006292.1

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 36

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	32	Crush split and pulverize 250g drill core to 200 mesh			VAN
1DX2	36	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 08, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN09006292.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944080	Rock Pulp	0.09	14.1	38.9	7.6	53	0.2	17.1	81.8	578	2.86	2669	1.9	193.2	5.1	59	0.1	5.5	8.0	35	3.15
944081	Drill Core	9.41	2.9	352.1	2.5	21	0.1	8.2	34.2	570	5.46	8.5	1.1	21.1	1.9	123	0.1	0.3	0.2	239	5.35
944082	Drill Core	10.93	2.6	350.6	3.6	43	0.1	9.3	27.8	663	5.51	7.0	0.5	15.6	1.9	134	<0.1	0.2	0.2	185	4.16
944083	Drill Core	11.46	1.5	176.4	4.4	29	<0.1	14.1	30.9	372	5.32	6.3	0.6	8.6	1.7	60	<0.1	0.2	0.5	129	1.64
944084	Drill Core	11.37	0.7	183.4	4.4	64	<0.1	16.5	26.5	992	6.78	7.5	0.3	6.0	1.6	103	<0.1	0.2	0.2	204	2.53
944085	Drill Core	11.43	2.5	230.6	4.1	52	0.1	17.8	30.6	827	6.38	8.8	0.2	3.4	1.6	677	<0.1	0.2	0.3	177	2.60
944086	Drill Core	7.78	3.8	262.6	6.0	10	0.1	18.6	29.3	86	5.87	10.3	0.8	12.0	1.9	1520	<0.1	0.2	0.8	43	1.03
944087	Drill Core	11.98	2.6	81.5	3.5	13	<0.1	8.2	24.8	147	4.70	6.9	0.3	2.8	1.4	606	<0.1	0.1	0.8	61	7.49
944088	Drill Core	11.44	2.5	106.6	2.5	23	<0.1	7.1	29.2	259	4.93	5.5	0.3	3.7	1.2	618	<0.1	0.1	0.7	91	7.58
944089	Drill Core	9.73	1.3	158.9	3.1	27	<0.1	7.7	26.6	282	5.19	3.2	0.3	3.6	1.2	544	<0.1	<0.1	0.6	77	6.86
944090	Rock Pulp	0.07	500.0	4697	87.4	53	37.9	5.8	1.6	258	0.82	37.5	0.7	14.4	0.8	185	0.5	75.0	4.4	8	1.32
944091	Drill Core	7.62	1.0	159.2	2.5	30	<0.1	8.8	24.5	356	5.97	3.5	0.2	1.7	1.2	431	<0.1	0.1	0.6	94	5.52
944092	Drill Core	10.96	0.5	290.6	2.5	41	0.1	6.7	26.2	693	7.42	6.3	0.3	<0.5	1.8	376	<0.1	<0.1	0.3	222	5.88
944093	Drill Core	11.34	1.7	247.2	3.0	24	<0.1	9.5	26.7	369	6.55	4.7	0.4	1.6	1.6	518	<0.1	0.1	0.6	143	6.54
944094	Drill Core	11.19	7.0	145.1	1.9	17	<0.1	9.8	27.7	241	3.99	7.8	0.6	2.4	2.1	799	<0.1	<0.1	0.2	114	9.79
944095	Drill Core	10.87	5.6	101.9	1.0	5	<0.1	4.0	15.6	72	2.66	5.7	0.3	2.9	1.0	1115	<0.1	<0.1	0.2	42	10.01
944096	Drill Core	11.34	18.9	66.5	1.3	2	<0.1	3.5	23.1	25	3.27	6.5	0.4	2.1	0.9	1639	<0.1	<0.1	0.2	10	10.59
944097	Drill Core	11.31	3.3	221.9	1.8	25	<0.1	7.0	19.6	402	3.70	39.1	0.8	7.4	2.0	1358	<0.1	0.1	<0.1	105	3.62
944098	Drill Core	11.49	1.7	768.3	3.1	30	0.1	5.4	9.8	468	4.77	16.6	0.2	15.7	3.2	839	<0.1	0.1	<0.1	185	3.03
944099	Drill Core	10.68	2.4	2689	2.9	19	0.3	5.9	15.9	315	2.90	105.7	0.6	24.3	2.5	1200	<0.1	0.2	0.1	109	2.44
944100	Drill Core	11.68	5.0	137.5	1.5	35	<0.1	7.0	22.6	727	3.88	22.4	0.9	4.2	1.5	1668	<0.1	<0.1	<0.1	72	6.87
944101	Rock Pulp	0.10	14.2	37.9	7.6	54	0.2	17.0	76.5	586	2.84	2774	1.9	209.0	4.9	51	0.2	5.5	8.2	35	3.08
944102	Drill Core	11.58	0.9	310.4	2.0	47	<0.1	18.2	33.4	1006	6.02	90.6	1.0	13.8	1.0	820	<0.1	0.2	<0.1	138	6.87
944103	Drill Core	11.03	1.0	1067	1.9	45	0.2	28.4	57.3	923	6.24	511.7	1.8	75.4	2.3	3526	0.2	0.4	0.2	188	7.22
944104	Drill Core	11.07	2.3	935.7	1.6	39	<0.1	14.9	43.0	650	5.82	209.5	0.7	10.0	2.2	4837	0.2	0.2	<0.1	234	4.46
944105	Drill Core	12.10	0.4	439.7	1.6	33	<0.1	8.5	23.5	591	5.31	72.4	0.4	8.5	1.8	593	<0.1	0.1	<0.1	178	4.41
944106	Drill Core	11.75	0.6	318.0	1.1	36	<0.1	8.5	23.1	586	5.64	55.5	0.3	14.8	1.7	624	<0.1	<0.1	<0.1	175	3.26
944107	Drill Core	11.88	0.9	978.3	1.4	30	0.1	6.1	20.8	532	5.13	64.8	0.3	54.0	1.6	473	<0.1	<0.1	<0.1	167	4.20
944108	Drill Core	10.63	1.6	1147	1.1	28	<0.1	9.9	23.2	539	5.83	83.7	0.5	39.4	1.9	2725	<0.1	0.1	<0.1	231	4.11
944109	Drill Core	10.73	2.1	660.5	1.5	23	<0.1	10.4	31.4	484	5.72	55.0	0.4	13.9	2.0	2667	<0.1	<0.1	<0.1	209	4.16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 08, 2010

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN09006292.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
944080	Rock Pulp	0.079	41	28	0.28	50	0.061	25	0.76	0.071	0.10	0.4	<0.01	2.0	<0.1	0.62	3	6.8
944081	Drill Core	0.163	14	2	2.98	50	0.005	12	1.40	0.049	0.03	<0.1	0.04	9.7	<0.1	2.89	8	4.9
944082	Drill Core	0.155	15	5	2.08	47	0.004	12	0.93	0.048	0.06	<0.1	0.04	10.9	<0.1	2.61	5	3.6
944083	Drill Core	0.157	15	15	1.54	32	0.004	11	0.90	0.041	0.11	<0.1	0.03	8.4	<0.1	3.00	4	5.2
944084	Drill Core	0.128	14	24	2.37	110	0.005	15	1.12	0.057	0.03	<0.1	0.02	16.1	<0.1	1.24	6	2.5
944085	Drill Core	0.128	14	24	2.22	89	0.004	17	1.16	0.055	0.06	<0.1	0.03	16.1	<0.1	1.70	5	4.0
944086	Drill Core	0.170	14	9	0.74	24	0.002	6	0.69	0.024	0.17	<0.1	0.03	2.8	<0.1	5.51	2	10.4
944087	Drill Core	0.133	8	<1	0.97	18	0.003	5	0.96	0.011	0.19	<0.1	0.03	3.8	0.1	7.99	4	7.8
944088	Drill Core	0.141	11	2	1.69	19	0.003	6	1.49	0.016	0.18	<0.1	0.03	4.5	<0.1	7.50	6	8.0
944089	Drill Core	0.142	13	5	2.00	21	0.004	5	1.76	0.015	0.17	<0.1	0.02	2.8	<0.1	7.18	6	5.7
944090	Rock Pulp	0.014	4	242	0.10	158	0.007	1	0.32	0.023	0.17	0.1	0.25	0.5	<0.1	0.73	2	0.8
944091	Drill Core	0.147	13	7	2.29	24	0.004	4	1.99	0.015	0.13	<0.1	0.02	3.7	<0.1	6.29	7	5.8
944092	Drill Core	0.168	15	2	3.66	30	0.009	5	3.00	0.019	0.08	<0.1	0.01	9.4	<0.1	4.08	11	2.4
944093	Drill Core	0.144	13	4	2.33	22	0.005	8	1.91	0.021	0.12	<0.1	0.03	7.4	<0.1	5.96	7	5.5
944094	Drill Core	0.151	13	7	1.08	16	0.003	7	1.08	0.016	0.12	<0.1	<0.01	8.0	<0.1	7.81	5	6.3
944095	Drill Core	0.140	5	3	0.39	28	<0.001	7	0.44	0.027	0.13	<0.1	0.01	2.5	<0.1	8.06	1	5.5
944096	Drill Core	0.166	2	<1	0.03	15	<0.001	8	0.30	0.026	0.11	<0.1	0.01	0.4	<0.1	9.59	<1	8.7
944097	Drill Core	0.183	13	16	0.73	92	0.003	16	0.88	0.041	0.11	<0.1	<0.01	10.2	<0.1	1.93	4	2.2
944098	Drill Core	0.265	15	19	0.89	70	0.004	22	1.40	0.056	0.04	<0.1	<0.01	16.3	<0.1	0.30	6	1.4
944099	Drill Core	0.183	17	10	0.51	111	0.003	20	0.83	0.043	0.10	<0.1	<0.01	10.3	0.1	0.62	4	4.4
944100	Drill Core	0.131	14	18	0.67	91	0.004	13	0.72	0.053	0.15	<0.1	<0.01	8.7	<0.1	0.83	2	1.4
944101	Rock Pulp	0.090	42	28	0.29	53	0.056	26	0.76	0.072	0.10	0.4	<0.01	2.1	<0.1	0.65	3	5.6
944102	Drill Core	0.135	9	24	1.28	28	0.028	25	0.81	0.057	0.03	<0.1	0.01	14.3	0.2	0.51	3	0.7
944103	Drill Core	0.239	19	10	0.88	136	0.016	39	0.90	0.055	0.08	<0.1	<0.01	13.6	0.2	1.17	4	2.6
944104	Drill Core	0.184	16	3	1.65	282	0.055	41	1.76	0.052	0.91	<0.1	<0.01	15.3	0.5	0.76	8	1.6
944105	Drill Core	0.198	10	3	1.08	280	0.027	31	1.37	0.051	0.28	<0.1	<0.01	10.9	0.1	0.16	6	0.5
944106	Drill Core	0.205	7	6	1.02	401	0.030	36	1.30	0.053	0.28	<0.1	<0.01	11.3	0.1	0.17	6	<0.5
944107	Drill Core	0.197	6	3	1.02	205	0.055	24	1.21	0.049	0.24	<0.1	<0.01	10.6	<0.1	0.20	5	2.1
944108	Drill Core	0.190	15	8	1.46	348	0.056	29	1.48	0.046	0.76	<0.1	0.02	19.9	0.3	0.45	6	2.0
944109	Drill Core	0.176	15	6	1.11	208	0.026	26	1.15	0.050	0.42	<0.1	<0.01	16.4	0.2	0.78	6	2.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 08, 2010

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN09006292.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944110	Rock Pulp	0.07	456.4	4467	78.9	55	42.4	5.5	1.5	255	0.81	39.9	0.7	17.7	0.7	175	0.5	82.3	4.0	7	1.27
944111	Drill Core	9.02	1.5	865.1	1.8	22	0.1	9.0	23.5	421	5.15	57.4	0.3	11.2	1.9	686	<0.1	0.1	<0.1	162	3.64
944112	Drill Core	9.40	9.5	549.1	2.0	15	<0.1	10.6	33.1	277	4.53	44.9	0.4	10.7	1.3	2111	<0.1	<0.1	<0.1	62	3.22
944113	Drill Core	4.56	0.7	333.9	1.5	45	0.1	12.9	36.8	595	6.38	34.5	0.4	7.8	1.5	723	<0.1	<0.1	0.3	255	2.71
944114	Drill Core	7.99	3.6	278.8	3.5	20	0.2	9.2	29.0	302	4.65	31.0	0.8	9.5	2.4	1770	<0.1	0.2	0.4	66	3.20
944115	Drill Core	8.76	3.1	345.2	2.6	39	0.2	8.8	27.4	466	4.54	43.1	1.2	10.7	1.8	1809	<0.1	0.2	0.2	94	3.62



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 08, 2010

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN09006292.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
944110	Rock Pulp	0.020	4	219	0.12	155	0.006	<1	0.31	0.022	0.17	0.1	0.23	0.5	<0.1	0.71	1	0.7
944111	Drill Core	0.202	13	6	0.72	86	0.012	17	0.98	0.059	0.06	<0.1	<0.01	16.2	<0.1	0.44	5	1.4
944112	Drill Core	0.183	15	2	0.81	90	0.003	12	0.43	0.031	0.19	<0.1	0.02	5.0	<0.1	2.57	1	8.8
944113	Drill Core	0.188	16	4	2.19	63	0.005	40	2.04	0.048	0.03	<0.1	0.02	16.4	<0.1	2.10	9	3.8
944114	Drill Core	0.208	16	1	1.19	63	0.002	13	0.54	0.042	0.18	<0.1	0.04	3.6	<0.1	3.89	2	9.1
944115	Drill Core	0.189	14	5	1.41	60	0.003	23	0.73	0.052	0.18	<0.1	0.02	5.5	<0.1	3.24	3	5.8



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 08, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN09006292.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
944084	Drill Core	11.37	0.7	183.4	4.4	64	<0.1	16.5	26.5	992	6.78	7.5	0.3	6.0	1.6	103	<0.1	0.2	0.2	204	2.53
REP 944084	QC		0.7	194.4	4.4	67	0.1	17.8	27.1	1001	6.95	7.4	0.3	2.9	1.6	109	<0.1	0.1	0.2	211	2.59
944101	Rock Pulp	0.10	14.2	37.9	7.6	54	0.2	17.0	76.5	586	2.84	2774	1.9	209.0	4.9	51	0.2	5.5	8.2	35	3.08
REP 944101	QC		14.1	38.8	7.0	52	0.2	17.5	80.8	601	2.83	2805	1.7	191.7	4.8	60	<0.1	5.4	7.5	35	3.12
Core Reject Duplicates																					
944111	Drill Core	9.02	1.5	865.1	1.8	22	0.1	9.0	23.5	421	5.15	57.4	0.3	11.2	1.9	686	<0.1	0.1	<0.1	162	3.64
DUP 944111	QC		1.5	900.8	2.1	21	0.1	8.2	24.3	432	5.05	57.0	0.3	18.4	1.9	680	<0.1	0.2	<0.1	157	3.62
Reference Materials																					
STD DS7	Standard		19.9	103.5	65.5	405	0.8	56.2	8.7	606	2.37	56.2	4.8	59.5	4.4	71	6.8	6.4	4.9	83	0.95
STD DS7	Standard		20.3	106.6	63.9	405	0.8	54.8	9.0	602	2.35	55.6	4.9	72.3	4.2	76	6.7	6.0	4.8	83	0.95
STD DS7	Standard		20.0	104.3	69.3	393	0.8	54.0	9.2	585	2.33	49.0	5.1	60.9	4.4	70	6.5	5.9	5.0	79	0.94
STD DS7	Standard		20.3	102.0	65.3	381	0.8	53.0	9.0	582	2.28	49.2	4.6	63.4	4.4	72	6.2	6.0	4.5	78	0.93
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.1	2.1	2.0	48	<0.1	4.0	4.8	559	1.95	<0.5	2.5	<0.5	3.7	47	<0.1	<0.1	<0.1	39	0.43
G1	Prep Blank	<0.01	0.4	2.4	1.9	50	<0.1	4.4	4.7	551	2.05	0.8	2.2	<0.5	3.6	44	<0.1	0.1	<0.1	39	0.44



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: January 08, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN09006292.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																		
944084	Drill Core	0.128	14	24	2.37	110	0.005	15	1.12	0.057	0.03	<0.1	0.02	16.1	<0.1	1.24	6	2.5
REP 944084	QC	0.132	14	23	2.45	116	0.005	15	1.19	0.058	0.03	<0.1	0.02	16.1	<0.1	1.29	6	2.9
944101	Rock Pulp	0.090	42	28	0.29	53	0.056	26	0.76	0.072	0.10	0.4	<0.01	2.1	<0.1	0.65	3	5.6
REP 944101	QC	0.086	39	29	0.29	53	0.056	23	0.77	0.074	0.11	0.4	<0.01	2.2	<0.1	0.65	3	5.9
Core Reject Duplicates																		
944111	Drill Core	0.202	13	6	0.72	86	0.012	17	0.98	0.059	0.06	<0.1	<0.01	16.2	<0.1	0.44	5	1.4
DUP 944111	QC	0.194	13	6	0.71	80	0.013	16	0.90	0.049	0.05	<0.1	<0.01	16.5	<0.1	0.47	4	1.5
Reference Materials																		
STD DS7	Standard	0.082	12	185	1.00	407	0.117	43	0.98	0.092	0.42	4.1	0.19	2.2	4.4	0.21	4	3.3
STD DS7	Standard	0.079	12	191	1.00	385	0.122	43	0.96	0.094	0.41	4.1	0.18	2.3	4.1	0.20	5	3.7
STD DS7	Standard	0.073	12	187	0.96	385	0.118	42	0.92	0.087	0.39	4.0	0.21	2.1	4.2	0.20	5	3.9
STD DS7	Standard	0.072	12	186	0.95	368	0.121	36	0.91	0.087	0.38	3.9	0.20	2.1	3.9	0.18	4	3.8
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																		
G1	Prep Blank	0.079	7	12	0.60	257	0.146	<1	0.87	0.056	0.54	<0.1	<0.01	1.9	0.4	<0.05	5	<0.5
G1	Prep Blank	0.082	7	12	0.61	260	0.143	<1	0.84	0.050	0.53	<0.1	<0.01	1.8	0.4	<0.05	5	<0.5



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
 Receiving Lab: Canada-Vancouver
 Received: December 21, 2009
 Report Date: January 27, 2010
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN09006292.2

CLIENT JOB INFORMATION

Project: Miner Mountain
 Shipment ID:
 P.O. Number
 Number of Samples: 36

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
 DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	32	Crush split and pulverize 250g drill core to 200 mesh			VAN
1DX2	36	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
3B02	1	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed	VAN

ADDITIONAL COMMENTS

Version 2: 3B02 Au Pt Pd included



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
 All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
 "**" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 27, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN09006292.2

Method Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944080	Rock Pulp	0.09	14.1	38.9	7.6	53	0.2	17.1	81.8	578	2.86	2669	1.9	193.2	5.1	59	0.1	5.5	8.0	35	3.15
944081	Drill Core	9.41	2.9	352.1	2.5	21	0.1	8.2	34.2	570	5.46	8.5	1.1	21.1	1.9	123	0.1	0.3	0.2	239	5.35
944082	Drill Core	10.93	2.6	350.6	3.6	43	0.1	9.3	27.8	663	5.51	7.0	0.5	15.6	1.9	134	<0.1	0.2	0.2	185	4.16
944083	Drill Core	11.46	1.5	176.4	4.4	29	<0.1	14.1	30.9	372	5.32	6.3	0.6	8.6	1.7	60	<0.1	0.2	0.5	129	1.64
944084	Drill Core	11.37	0.7	183.4	4.4	64	<0.1	16.5	26.5	992	6.78	7.5	0.3	6.0	1.6	103	<0.1	0.2	0.2	204	2.53
944085	Drill Core	11.43	2.5	230.6	4.1	52	0.1	17.8	30.6	827	6.38	8.8	0.2	3.4	1.6	677	<0.1	0.2	0.3	177	2.60
944086	Drill Core	7.78	3.8	262.6	6.0	10	0.1	18.6	29.3	86	5.87	10.3	0.8	12.0	1.9	1520	<0.1	0.2	0.8	43	1.03
944087	Drill Core	11.98	2.6	81.5	3.5	13	<0.1	8.2	24.8	147	4.70	6.9	0.3	2.8	1.4	606	<0.1	0.1	0.8	61	7.49
944088	Drill Core	11.44	2.5	106.6	2.5	23	<0.1	7.1	29.2	259	4.93	5.5	0.3	3.7	1.2	618	<0.1	0.1	0.7	91	7.58
944089	Drill Core	9.73	1.3	158.9	3.1	27	<0.1	7.7	26.6	282	5.19	3.2	0.3	3.6	1.2	544	<0.1	<0.1	0.6	77	6.86
944090	Rock Pulp	0.07	500.0	4697	87.4	53	37.9	5.8	1.6	258	0.82	37.5	0.7	14.4	0.8	185	0.5	75.0	4.4	8	1.32
944091	Drill Core	7.62	1.0	159.2	2.5	30	<0.1	8.8	24.5	356	5.97	3.5	0.2	1.7	1.2	431	<0.1	0.1	0.6	94	5.52
944092	Drill Core	10.96	0.5	290.6	2.5	41	0.1	6.7	26.2	693	7.42	6.3	0.3	<0.5	1.8	376	<0.1	<0.1	0.3	222	5.88
944093	Drill Core	11.34	1.7	247.2	3.0	24	<0.1	9.5	26.7	369	6.55	4.7	0.4	1.6	1.6	518	<0.1	0.1	0.6	143	6.54
944094	Drill Core	11.19	7.0	145.1	1.9	17	<0.1	9.8	27.7	241	3.99	7.8	0.6	2.4	2.1	799	<0.1	<0.1	0.2	114	9.79
944095	Drill Core	10.87	5.6	101.9	1.0	5	<0.1	4.0	15.6	72	2.66	5.7	0.3	2.9	1.0	1115	<0.1	<0.1	0.2	42	10.01
944096	Drill Core	11.34	18.9	66.5	1.3	2	<0.1	3.5	23.1	25	3.27	6.5	0.4	2.1	0.9	1639	<0.1	<0.1	0.2	10	10.59
944097	Drill Core	11.31	3.3	221.9	1.8	25	<0.1	7.0	19.6	402	3.70	39.1	0.8	7.4	2.0	1358	<0.1	0.1	<0.1	105	3.62
944098	Drill Core	11.49	1.7	768.3	3.1	30	0.1	5.4	9.8	468	4.77	16.6	0.2	15.7	3.2	839	<0.1	0.1	<0.1	185	3.03
944099	Drill Core	10.68	2.4	2689	2.9	19	0.3	5.9	15.9	315	2.90	105.7	0.6	24.3	2.5	1200	<0.1	0.2	0.1	109	2.44
944100	Drill Core	11.68	5.0	137.5	1.5	35	<0.1	7.0	22.6	727	3.88	22.4	0.9	4.2	1.5	1668	<0.1	<0.1	<0.1	72	6.87
944101	Rock Pulp	0.10	14.2	37.9	7.6	54	0.2	17.0	76.5	586	2.84	2774	1.9	209.0	4.9	51	0.2	5.5	8.2	35	3.08
944102	Drill Core	11.58	0.9	310.4	2.0	47	<0.1	18.2	33.4	1006	6.02	90.6	1.0	13.8	1.0	820	<0.1	0.2	<0.1	138	6.87
944103	Drill Core	11.03	1.0	1067	1.9	45	0.2	28.4	57.3	923	6.24	511.7	1.8	75.4	2.3	3526	0.2	0.4	0.2	188	7.22
944104	Drill Core	11.07	2.3	935.7	1.6	39	<0.1	14.9	43.0	650	5.82	209.5	0.7	10.0	2.2	4837	0.2	0.2	<0.1	234	4.46
944105	Drill Core	12.10	0.4	439.7	1.6	33	<0.1	8.5	23.5	591	5.31	72.4	0.4	8.5	1.8	593	<0.1	0.1	<0.1	178	4.41
944106	Drill Core	11.75	0.6	318.0	1.1	36	<0.1	8.5	23.1	586	5.64	55.5	0.3	14.8	1.7	624	<0.1	<0.1	<0.1	175	3.26
944107	Drill Core	11.88	0.9	978.3	1.4	30	0.1	6.1	20.8	532	5.13	64.8	0.3	54.0	1.6	473	<0.1	<0.1	<0.1	167	4.20
944108	Drill Core	10.63	1.6	1147	1.1	28	<0.1	9.9	23.2	539	5.83	83.7	0.5	39.4	1.9	2725	<0.1	0.1	<0.1	231	4.11
944109	Drill Core	10.73	2.1	660.5	1.5	23	<0.1	10.4	31.4	484	5.72	55.0	0.4	13.9	2.0	2667	<0.1	<0.1	<0.1	209	4.16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 27, 2010

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN09006292.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B	3B	3B	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	Pt	Pd	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppb	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	2	3	2	
944080	Rock Pulp	0.079	41	28	0.28	50	0.061	25	0.76	0.071	0.10	0.4	<0.01	2.0	<0.1	0.62	3	6.8	N.A.	N.A.	N.A.
944081	Drill Core	0.163	14	2	2.98	50	0.005	12	1.40	0.049	0.03	<0.1	0.04	9.7	<0.1	2.89	8	4.9	N.A.	N.A.	N.A.
944082	Drill Core	0.155	15	5	2.08	47	0.004	12	0.93	0.048	0.06	<0.1	0.04	10.9	<0.1	2.61	5	3.6	N.A.	N.A.	N.A.
944083	Drill Core	0.157	15	15	1.54	32	0.004	11	0.90	0.041	0.11	<0.1	0.03	8.4	<0.1	3.00	4	5.2	N.A.	N.A.	N.A.
944084	Drill Core	0.128	14	24	2.37	110	0.005	15	1.12	0.057	0.03	<0.1	0.02	16.1	<0.1	1.24	6	2.5	N.A.	N.A.	N.A.
944085	Drill Core	0.128	14	24	2.22	89	0.004	17	1.16	0.055	0.06	<0.1	0.03	16.1	<0.1	1.70	5	4.0	N.A.	N.A.	N.A.
944086	Drill Core	0.170	14	9	0.74	24	0.002	6	0.69	0.024	0.17	<0.1	0.03	2.8	<0.1	5.51	2	10.4	N.A.	N.A.	N.A.
944087	Drill Core	0.133	8	<1	0.97	18	0.003	5	0.96	0.011	0.19	<0.1	0.03	3.8	0.1	7.99	4	7.8	N.A.	N.A.	N.A.
944088	Drill Core	0.141	11	2	1.69	19	0.003	6	1.49	0.016	0.18	<0.1	0.03	4.5	<0.1	7.50	6	8.0	N.A.	N.A.	N.A.
944089	Drill Core	0.142	13	5	2.00	21	0.004	5	1.76	0.015	0.17	<0.1	0.02	2.8	<0.1	7.18	6	5.7	N.A.	N.A.	N.A.
944090	Rock Pulp	0.014	4	242	0.10	158	0.007	1	0.32	0.023	0.17	0.1	0.25	0.5	<0.1	0.73	2	0.8	N.A.	N.A.	N.A.
944091	Drill Core	0.147	13	7	2.29	24	0.004	4	1.99	0.015	0.13	<0.1	0.02	3.7	<0.1	6.29	7	5.8	N.A.	N.A.	N.A.
944092	Drill Core	0.168	15	2	3.66	30	0.009	5	3.00	0.019	0.08	<0.1	0.01	9.4	<0.1	4.08	11	2.4	N.A.	N.A.	N.A.
944093	Drill Core	0.144	13	4	2.33	22	0.005	8	1.91	0.021	0.12	<0.1	0.03	7.4	<0.1	5.96	7	5.5	5	4	13
944094	Drill Core	0.151	13	7	1.08	16	0.003	7	1.08	0.016	0.12	<0.1	<0.01	8.0	<0.1	7.81	5	6.3	N.A.	N.A.	N.A.
944095	Drill Core	0.140	5	3	0.39	28	<0.001	7	0.44	0.027	0.13	<0.1	0.01	2.5	<0.1	8.06	1	5.5	N.A.	N.A.	N.A.
944096	Drill Core	0.166	2	<1	0.03	15	<0.001	8	0.30	0.026	0.11	<0.1	0.01	0.4	<0.1	9.59	<1	8.7	N.A.	N.A.	N.A.
944097	Drill Core	0.183	13	16	0.73	92	0.003	16	0.88	0.041	0.11	<0.1	<0.01	10.2	<0.1	1.93	4	2.2	N.A.	N.A.	N.A.
944098	Drill Core	0.265	15	19	0.89	70	0.004	22	1.40	0.056	0.04	<0.1	<0.01	16.3	<0.1	0.30	6	1.4	N.A.	N.A.	N.A.
944099	Drill Core	0.183	17	10	0.51	111	0.003	20	0.83	0.043	0.10	<0.1	<0.01	10.3	0.1	0.62	4	4.4	N.A.	N.A.	N.A.
944100	Drill Core	0.131	14	18	0.67	91	0.004	13	0.72	0.053	0.15	<0.1	<0.01	8.7	<0.1	0.83	2	1.4	N.A.	N.A.	N.A.
944101	Rock Pulp	0.090	42	28	0.29	53	0.056	26	0.76	0.072	0.10	0.4	<0.01	2.1	<0.1	0.65	3	5.6	N.A.	N.A.	N.A.
944102	Drill Core	0.135	9	24	1.28	28	0.028	25	0.81	0.057	0.03	<0.1	0.01	14.3	0.2	0.51	3	0.7	N.A.	N.A.	N.A.
944103	Drill Core	0.239	19	10	0.88	136	0.016	39	0.90	0.055	0.08	<0.1	<0.01	13.6	0.2	1.17	4	2.6	N.A.	N.A.	N.A.
944104	Drill Core	0.184	16	3	1.65	282	0.055	41	1.76	0.052	0.91	<0.1	<0.01	15.3	0.5	0.76	8	1.6	N.A.	N.A.	N.A.
944105	Drill Core	0.198	10	3	1.08	280	0.027	31	1.37	0.051	0.28	<0.1	<0.01	10.9	0.1	0.16	6	0.5	N.A.	N.A.	N.A.
944106	Drill Core	0.205	7	6	1.02	401	0.030	36	1.30	0.053	0.28	<0.1	<0.01	11.3	0.1	0.17	6	<0.5	N.A.	N.A.	N.A.
944107	Drill Core	0.197	6	3	1.02	205	0.055	24	1.21	0.049	0.24	<0.1	<0.01	10.6	<0.1	0.20	5	2.1	N.A.	N.A.	N.A.
944108	Drill Core	0.190	15	8	1.46	348	0.056	29	1.48	0.046	0.76	<0.1	0.02	19.9	0.3	0.45	6	2.0	N.A.	N.A.	N.A.
944109	Drill Core	0.176	15	6	1.11	208	0.026	26	1.15	0.050	0.42	<0.1	<0.01	16.4	0.2	0.78	6	2.4	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 27, 2010

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN09006292.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944110	Rock Pulp	0.07	456.4	4467	78.9	55	42.4	5.5	1.5	255	0.81	39.9	0.7	17.7	0.7	175	0.5	82.3	4.0	7	1.27
944111	Drill Core	9.02	1.5	865.1	1.8	22	0.1	9.0	23.5	421	5.15	57.4	0.3	11.2	1.9	686	<0.1	0.1	<0.1	162	3.64
944112	Drill Core	9.40	9.5	549.1	2.0	15	<0.1	10.6	33.1	277	4.53	44.9	0.4	10.7	1.3	2111	<0.1	<0.1	<0.1	62	3.22
944113	Drill Core	4.56	0.7	333.9	1.5	45	0.1	12.9	36.8	595	6.38	34.5	0.4	7.8	1.5	723	<0.1	<0.1	0.3	255	2.71
944114	Drill Core	7.99	3.6	278.8	3.5	20	0.2	9.2	29.0	302	4.65	31.0	0.8	9.5	2.4	1770	<0.1	0.2	0.4	66	3.20
944115	Drill Core	8.76	3.1	345.2	2.6	39	0.2	8.8	27.4	466	4.54	43.1	1.2	10.7	1.8	1809	<0.1	0.2	0.2	94	3.62



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 27, 2010

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN09006292.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B	3B	3B	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	Pt	Pd	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppb	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	2	3	2	
944110	Rock Pulp	0.020	4	219	0.12	155	0.006	<1	0.31	0.022	0.17	0.1	0.23	0.5	<0.1	0.71	1	0.7	N.A.	N.A.	N.A.
944111	Drill Core	0.202	13	6	0.72	86	0.012	17	0.98	0.059	0.06	<0.1	<0.01	16.2	<0.1	0.44	5	1.4	N.A.	N.A.	N.A.
944112	Drill Core	0.183	15	2	0.81	90	0.003	12	0.43	0.031	0.19	<0.1	0.02	5.0	<0.1	2.57	1	8.8	N.A.	N.A.	N.A.
944113	Drill Core	0.188	16	4	2.19	63	0.005	40	2.04	0.048	0.03	<0.1	0.02	16.4	<0.1	2.10	9	3.8	N.A.	N.A.	N.A.
944114	Drill Core	0.208	16	1	1.19	63	0.002	13	0.54	0.042	0.18	<0.1	0.04	3.6	<0.1	3.89	2	9.1	N.A.	N.A.	N.A.
944115	Drill Core	0.189	14	5	1.41	60	0.003	23	0.73	0.052	0.18	<0.1	0.02	5.5	<0.1	3.24	3	5.8	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 27, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN09006292.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
944084	Drill Core	11.37	0.7	183.4	4.4	64	<0.1	16.5	26.5	992	6.78	7.5	0.3	6.0	1.6	103	<0.1	0.2	0.2	204	2.53
REP 944084	QC		0.7	194.4	4.4	67	0.1	17.8	27.1	1001	6.95	7.4	0.3	2.9	1.6	109	<0.1	0.1	0.2	211	2.59
944093	Drill Core	11.34	1.7	247.2	3.0	24	<0.1	9.5	26.7	369	6.55	4.7	0.4	1.6	1.6	518	<0.1	0.1	0.6	143	6.54
REP 944093	QC																				
944101	Rock Pulp	0.10	14.2	37.9	7.6	54	0.2	17.0	76.5	586	2.84	2774	1.9	209.0	4.9	51	0.2	5.5	8.2	35	3.08
REP 944101	QC		14.1	38.8	7.0	52	0.2	17.5	80.8	601	2.83	2805	1.7	191.7	4.8	60	<0.1	5.4	7.5	35	3.12
Core Reject Duplicates																					
944111	Drill Core	9.02	1.5	865.1	1.8	22	0.1	9.0	23.5	421	5.15	57.4	0.3	11.2	1.9	686	<0.1	0.1	<0.1	162	3.64
DUP 944111	QC		1.5	900.8	2.1	21	0.1	8.2	24.3	432	5.05	57.0	0.3	18.4	1.9	680	<0.1	0.2	<0.1	157	3.62
Reference Materials																					
STD DS7	Standard		19.9	103.5	65.5	405	0.8	56.2	8.7	606	2.37	56.2	4.8	59.5	4.4	71	6.8	6.4	4.9	83	0.95
STD DS7	Standard		20.3	106.6	63.9	405	0.8	54.8	9.0	602	2.35	55.6	4.9	72.3	4.2	76	6.7	6.0	4.8	83	0.95
STD DS7	Standard		20.0	104.3	69.3	393	0.8	54.0	9.2	585	2.33	49.0	5.1	60.9	4.4	70	6.5	5.9	5.0	79	0.94
STD DS7	Standard		20.3	102.0	65.3	381	0.8	53.0	9.0	582	2.28	49.2	4.6	63.4	4.4	72	6.2	6.0	4.5	78	0.93
STD PD1	Standard																				
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
STD PD1 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	<0.01	0.1	2.1	2.0	48	<0.1	4.0	4.8	559	1.95	<0.5	2.5	<0.5	3.7	47	<0.1	<0.1	<0.1	39	0.43
G1	Prep Blank	<0.01	0.4	2.4	1.9	50	<0.1	4.4	4.7	551	2.05	0.8	2.2	<0.5	3.6	44	<0.1	0.1	<0.1	39	0.44



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 27, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN09006292.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	3B	3B	3B	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	Pt	Pd	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppb	ppb	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	2	3	2	
Pulp Duplicates																					
944084	Drill Core	0.128	14	24	2.37	110	0.005	15	1.12	0.057	0.03	<0.1	0.02	16.1	<0.1	1.24	6	2.5	N.A.	N.A.	N.A.
REP 944084	QC	0.132	14	23	2.45	116	0.005	15	1.19	0.058	0.03	<0.1	0.02	16.1	<0.1	1.29	6	2.9			
944093	Drill Core	0.144	13	4	2.33	22	0.005	8	1.91	0.021	0.12	<0.1	0.03	7.4	<0.1	5.96	7	5.5	5	4	13
REP 944093	QC																		5	3	13
944101	Rock Pulp	0.090	42	28	0.29	53	0.056	26	0.76	0.072	0.10	0.4	<0.01	2.1	<0.1	0.65	3	5.6	N.A.	N.A.	N.A.
REP 944101	QC	0.086	39	29	0.29	53	0.056	23	0.77	0.074	0.11	0.4	<0.01	2.2	<0.1	0.65	3	5.9			
Core Reject Duplicates																					
944111	Drill Core	0.202	13	6	0.72	86	0.012	17	0.98	0.059	0.06	<0.1	<0.01	16.2	<0.1	0.44	5	1.4	N.A.	N.A.	N.A.
DUP 944111	QC	0.194	13	6	0.71	80	0.013	16	0.90	0.049	0.05	<0.1	<0.01	16.5	<0.1	0.47	4	1.5	N.A.	N.A.	N.A.
Reference Materials																					
STD DS7	Standard	0.082	12	185	1.00	407	0.117	43	0.98	0.092	0.42	4.1	0.19	2.2	4.4	0.21	4	3.3			
STD DS7	Standard	0.079	12	191	1.00	385	0.122	43	0.96	0.094	0.41	4.1	0.18	2.3	4.1	0.20	5	3.7			
STD DS7	Standard	0.073	12	187	0.96	385	0.118	42	0.92	0.087	0.39	4.0	0.21	2.1	4.2	0.20	5	3.9			
STD DS7	Standard	0.072	12	186	0.95	368	0.121	36	0.91	0.087	0.38	3.9	0.20	2.1	3.9	0.18	4	3.8			
STD PD1	Standard																		506	435	538
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5			
STD PD1 Expected																			542	456	563
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5			
BLK	Blank																		<2	<3	<2
Prep Wash																					
G1	Prep Blank	0.079	7	12	0.60	257	0.146	<1	0.87	0.056	0.54	<0.1	<0.01	1.9	0.4	<0.05	5	<0.5	N.A.	N.A.	N.A.
G1	Prep Blank	0.082	7	12	0.61	260	0.143	<1	0.84	0.050	0.53	<0.1	<0.01	1.8	0.4	<0.05	5	<0.5	N.A.	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: December 22, 2009
Report Date: January 12, 2010
Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN09006327.1

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 47

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	42	Crush split and pulverize 250g drill core to 200 mesh			VAN
1DX2	47	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Sego Resources Inc.
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 12, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN09006327.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944116	Drill Core	3.72	0.4	16.7	1.1	56	<0.1	8.7	14.6	902	4.15	4.8	0.2	<0.5	0.3	145	<0.1	<0.1	<0.1	86	4.05
944117	Drill Core	11.23	0.6	320.9	3.1	73	0.1	10.3	25.5	888	5.14	16.9	0.3	0.5	1.7	111	<0.1	0.1	0.1	155	4.27
944118	Drill Core	11.91	0.2	116.3	3.2	62	<0.1	12.4	17.7	1156	5.16	26.0	0.3	0.8	2.0	123	<0.1	0.2	<0.1	175	4.07
944119	Drill Core	12.65	0.4	60.2	2.5	57	<0.1	12.2	21.6	1103	4.52	9.4	0.3	<0.5	0.6	145	<0.1	0.1	<0.1	100	5.55
944120	Rock Pulp	0.09	14.5	39.1	7.4	52	0.2	17.6	84.9	596	2.87	2793	1.8	197.7	5.2	54	0.1	5.0	7.5	33	3.10
944121	Drill Core	12.33	0.4	18.5	2.4	57	<0.1	11.3	22.0	1125	4.56	6.0	0.3	<0.5	0.3	268	<0.1	0.1	<0.1	81	6.25
944122	Drill Core	10.40	<0.1	130.5	2.6	68	<0.1	16.6	28.2	1547	5.43	8.2	0.6	1.2	1.9	263	<0.1	0.1	<0.1	192	7.41
944123	Drill Core	11.00	0.1	34.4	2.9	58	<0.1	13.7	24.5	1321	5.33	5.8	0.7	0.5	2.0	266	<0.1	0.1	<0.1	195	5.34
944124	Drill Core	11.37	0.2	59.0	4.4	60	<0.1	13.0	22.6	1275	4.76	7.1	0.8	<0.5	1.1	527	<0.1	0.1	<0.1	164	6.15
944125	Drill Core	10.68	1.0	255.9	3.9	52	0.1	17.6	32.7	1778	5.74	3.9	0.7	4.5	1.5	682	<0.1	0.2	0.1	172	9.20
944126	Drill Core	11.70	<0.1	103.2	4.0	64	<0.1	11.7	24.4	1391	4.98	2.9	0.6	<0.5	2.1	367	<0.1	0.1	<0.1	186	6.38
944127	Drill Core	12.22	<0.1	13.0	4.1	70	<0.1	11.7	24.1	1422	5.00	2.3	0.5	4.9	2.0	250	0.1	0.1	<0.1	178	6.11
944128	Drill Core	11.81	<0.1	7.9	1.9	73	<0.1	12.2	21.2	1403	5.22	2.2	0.6	<0.5	2.1	407	<0.1	0.1	<0.1	190	5.29
944129	Drill Core	12.11	0.3	51.5	1.7	61	<0.1	12.0	28.9	1319	4.62	1.8	0.7	<0.5	1.5	245	<0.1	0.1	<0.1	160	4.15
944130	Drill Core	12.48	<0.1	144.0	2.2	71	<0.1	13.0	27.6	1490	5.29	2.8	0.6	<0.5	1.6	277	<0.1	0.1	<0.1	194	5.08
944131	Drill Core	12.28	1.8	152.6	3.7	71	<0.1	13.6	31.9	1669	5.55	4.2	0.8	2.1	1.5	239	<0.1	0.1	0.2	150	5.04
944132	Rock Pulp	0.09	14.3	40.8	7.3	51	0.2	17.4	82.0	588	2.86	2787	1.8	201.5	5.1	54	0.2	4.8	7.5	34	3.14
944133	Drill Core	12.05	0.1	67.0	2.7	87	<0.1	13.9	27.3	1582	5.79	4.6	0.7	0.7	1.7	179	<0.1	0.2	<0.1	168	6.51
944134	Drill Core	11.54	0.7	91.6	14.7	73	<0.1	12.2	25.0	1270	5.00	4.0	0.3	0.8	0.6	185	0.2	<0.1	<0.1	90	4.70
944135	Drill Core	11.37	0.3	79.5	16.2	73	<0.1	10.1	21.7	1301	4.92	5.7	0.6	<0.5	0.7	208	0.2	0.1	<0.1	104	5.18
944136	Drill Core	11.91	0.5	59.2	11.4	65	<0.1	9.5	20.9	1143	4.19	6.2	0.4	<0.5	0.5	160	0.2	<0.1	<0.1	87	4.89
944137	Drill Core	12.24	1.7	173.5	4.9	76	0.2	16.3	32.1	1643	5.18	8.7	0.7	9.5	1.7	213	0.1	0.2	0.3	98	8.40
944138	Drill Core	4.79	8.9	494.6	3.5	86	0.3	8.8	39.2	1454	5.55	5.6	0.9	7.6	1.7	186	0.1	0.1	0.2	115	6.18
944139	Rock Pulp	0.06	432.9	4469	77.4	48	41.8	5.4	1.6	238	0.76	35.1	0.6	10.5	0.7	168	0.6	72.9	3.8	6	1.28
944140	Drill Core	10.70	20.3	624.3	3.1	37	0.2	10.8	10.7	777	5.20	11.0	0.4	107.7	1.1	125	<0.1	0.2	<0.1	166	4.46
944141	Drill Core	11.89	3.8	169.7	2.9	39	0.4	13.6	12.6	942	6.15	8.2	0.7	3916	1.0	123	0.1	0.2	<0.1	205	4.79
944142	Drill Core	10.95	16.6	312.8	4.5	46	0.4	11.4	29.0	986	6.24	33.7	0.5	77.1	0.8	115	0.1	0.2	0.2	225	4.18
944143	Drill Core	11.28	9.0	183.0	5.3	44	0.3	11.1	23.2	1138	6.18	39.7	0.7	15.5	0.5	141	0.1	0.3	0.1	256	5.11
944144	Drill Core	10.54	1.6	89.5	3.5	37	0.2	4.5	15.9	984	4.84	12.6	0.3	13.1	0.6	151	<0.1	0.2	0.3	153	3.92
944145	Drill Core	11.47	3.0	10.6	3.7	37	<0.1	3.8	14.3	1169	5.49	15.3	0.3	3.7	0.6	203	<0.1	0.2	<0.1	185	5.60

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 12, 2010

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN09006327.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
944116	Drill Core	0.073	8	54	1.80	9	0.003	19	1.23	0.098	0.08	<0.1	<0.01	11.0	<0.1	0.14	4	<0.5
944117	Drill Core	0.133	12	12	1.51	18	0.005	15	1.40	0.044	0.04	<0.1	<0.01	12.4	<0.1	0.74	6	0.6
944118	Drill Core	0.133	11	14	1.57	28	0.004	17	1.67	0.039	0.06	<0.1	<0.01	11.6	<0.1	0.21	7	<0.5
944119	Drill Core	0.076	8	50	1.74	14	0.006	26	1.23	0.081	0.08	<0.1	<0.01	12.0	<0.1	0.12	4	<0.5
944120	Rock Pulp	0.080	40	30	0.29	50	0.055	24	0.78	0.072	0.10	0.4	<0.01	1.8	<0.1	0.64	3	6.3
944121	Drill Core	0.067	7	53	2.14	50	0.005	20	1.06	0.080	0.09	<0.1	<0.01	11.7	<0.1	0.21	4	<0.5
944122	Drill Core	0.123	11	40	2.02	119	0.004	19	1.86	0.053	0.06	<0.1	0.01	21.7	<0.1	0.26	8	<0.5
944123	Drill Core	0.144	11	27	2.15	40	0.006	13	2.49	0.039	0.08	<0.1	<0.01	11.9	<0.1	0.12	10	<0.5
944124	Drill Core	0.105	9	37	2.27	33	0.004	19	1.68	0.064	0.07	<0.1	<0.01	13.5	<0.1	0.11	7	<0.5
944125	Drill Core	0.106	10	35	2.21	154	0.003	14	1.79	0.035	0.07	<0.1	0.06	19.3	<0.1	1.02	7	<0.5
944126	Drill Core	0.142	12	23	2.21	289	0.006	9	2.50	0.020	0.09	<0.1	<0.01	11.5	<0.1	0.05	9	<0.5
944127	Drill Core	0.142	12	25	2.31	129	0.006	6	2.46	0.023	0.10	<0.1	<0.01	12.0	<0.1	<0.05	9	<0.5
944128	Drill Core	0.147	12	32	2.55	98	0.007	6	2.60	0.024	0.07	<0.1	<0.01	10.8	<0.1	0.06	10	<0.5
944129	Drill Core	0.155	8	19	2.55	117	0.009	5	2.66	0.019	0.04	<0.1	<0.01	9.4	<0.1	0.13	10	<0.5
944130	Drill Core	0.151	9	18	2.62	235	0.007	7	2.63	0.020	0.04	<0.1	<0.01	12.9	<0.1	0.11	11	<0.5
944131	Drill Core	0.159	8	17	2.53	116	0.007	8	2.31	0.031	0.12	<0.1	0.03	9.5	<0.1	1.07	8	1.2
944132	Rock Pulp	0.083	40	27	0.29	48	0.058	22	0.78	0.074	0.10	0.4	<0.01	1.9	0.1	0.64	3	6.5
944133	Drill Core	0.153	11	19	2.29	70	0.006	8	1.94	0.036	0.12	<0.1	0.01	13.0	<0.1	0.33	8	<0.5
944134	Drill Core	0.097	9	42	2.13	80	0.006	11	1.58	0.091	0.14	<0.1	0.02	10.8	<0.1	0.60	6	<0.5
944135	Drill Core	0.092	9	36	2.31	46	0.019	13	1.51	0.099	0.16	<0.1	<0.01	10.5	<0.1	0.20	6	<0.5
944136	Drill Core	0.091	9	47	1.80	68	0.004	12	1.24	0.096	0.12	<0.1	0.02	11.4	<0.1	0.27	5	<0.5
944137	Drill Core	0.141	10	25	2.15	96	0.007	5	1.89	0.015	0.20	<0.1	0.06	10.4	<0.1	1.40	6	0.8
944138	Drill Core	0.145	12	7	2.14	132	0.008	5	2.24	0.014	0.14	<0.1	0.03	8.7	<0.1	1.26	8	1.1
944139	Rock Pulp	0.017	3	228	0.10	150	0.006	1	0.29	0.016	0.15	0.1	0.25	0.3	<0.1	0.70	1	0.9
944140	Drill Core	0.157	15	14	2.13	47	0.008	4	2.27	0.017	0.08	<0.1	<0.01	8.4	<0.1	0.21	11	0.5
944141	Drill Core	0.135	20	30	2.85	43	0.015	5	2.67	0.008	0.09	<0.1	<0.01	10.7	<0.1	0.30	13	0.5
944142	Drill Core	0.151	11	16	2.29	92	0.020	7	2.58	0.010	0.10	<0.1	<0.01	9.2	<0.1	1.02	12	1.8
944143	Drill Core	0.127	6	27	2.83	21	0.026	6	2.62	0.014	0.04	<0.1	<0.01	10.7	<0.1	1.04	12	1.9
944144	Drill Core	0.124	6	6	2.12	53	0.010	10	1.98	0.027	0.07	<0.1	<0.01	7.5	<0.1	0.85	9	1.3
944145	Drill Core	0.124	6	6	2.27	31	0.013	6	2.40	0.026	0.04	<0.1	<0.01	9.4	<0.1	0.55	11	1.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 12, 2010

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN09006327.1

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
944146	Drill Core	11.02	1.7	117.6	7.1	71	0.2	5.3	23.5	1037	5.81	15.3	0.4	5.6	0.6	134	0.1	0.3	0.1	205	3.55
944147	Drill Core	11.02	0.2	5.6	1.3	49	<0.1	6.1	14.1	792	5.82	17.8	0.2	2.2	0.5	126	<0.1	0.1	<0.1	230	3.10
944148	Drill Core	12.12	0.2	38.6	0.8	43	<0.1	13.4	14.3	804	5.29	15.1	0.2	2.3	0.5	128	<0.1	0.1	<0.1	185	3.25
944149	Drill Core	12.16	3.4	332.1	2.0	43	0.3	7.6	34.2	939	6.18	46.3	0.3	27.0	0.6	133	0.1	0.3	0.2	241	3.82
944150	Drill Core	11.83	1.2	80.4	1.6	39	0.1	7.8	19.3	856	5.76	27.2	0.2	12.0	0.5	141	<0.1	0.2	<0.1	217	4.13
944151	Rock Pulp	0.10	13.4	37.6	7.6	53	0.2	16.4	79.8	549	2.79	2721	1.7	198.7	5.4	59	0.2	5.6	8.3	33	2.97
944152	Drill Core	11.72	3.6	166.9	1.4	43	0.1	10.7	37.5	990	5.80	18.5	0.2	9.3	0.5	159	<0.1	0.2	0.1	235	5.29
944153	Drill Core	11.59	0.8	184.3	1.3	43	0.1	8.6	30.1	978	5.61	15.0	0.6	6.7	0.5	188	0.1	0.1	<0.1	187	5.84
944154	Drill Core	12.08	2.0	246.8	1.0	45	0.1	7.5	31.5	963	5.90	15.3	0.2	18.1	0.6	141	<0.1	0.1	<0.1	244	3.61
944155	Drill Core	11.23	1.0	116.3	1.4	37	<0.1	8.4	20.0	840	4.91	9.5	0.3	8.5	0.4	159	<0.1	0.2	<0.1	170	3.08
944156	Drill Core	11.32	0.6	37.2	1.8	39	<0.1	11.9	19.6	947	5.13	5.1	0.2	3.1	0.3	158	<0.1	0.1	<0.1	188	4.10
944157	Drill Core	11.85	0.5	151.3	2.1	52	0.2	8.8	22.4	1023	6.01	7.9	0.2	5.0	0.4	175	0.2	0.2	0.1	235	4.96
944158	Drill Core	11.16	0.9	224.0	2.7	51	0.4	7.6	31.5	1011	5.85	11.1	0.2	6.9	0.6	125	0.1	0.1	0.2	248	4.68
944159	Drill Core	11.55	0.8	91.7	1.5	52	0.1	15.8	24.3	1200	5.76	9.9	0.3	3.2	0.8	137	<0.1	0.1	0.1	174	5.22
944160	Rock Pulp	0.06	418.1	4465	79.6	48	41.9	5.7	1.5	245	0.78	38.6	0.6	17.7	0.6	180	0.8	82.4	4.3	7	1.27
944161	Drill Core	11.83	3.2	149.5	2.5	59	0.3	10.0	25.7	1189	5.92	22.5	0.4	5.7	0.6	141	<0.1	<0.1	0.2	191	5.75
944162	Drill Core	12.85	0.7	85.2	2.8	68	0.1	7.9	25.6	1161	5.88	17.2	0.3	3.9	0.4	147	0.1	0.2	<0.1	174	5.08



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 12, 2010

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN09006327.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
944146	Drill Core	0.139	5	6	2.50	56	0.023	17	2.50	0.056	0.06	<0.1	<0.01	9.6	<0.1	0.37	12	0.8
944147	Drill Core	0.119	4	13	3.09	41	0.028	9	2.43	0.063	0.03	<0.1	<0.01	10.2	<0.1	0.15	11	0.6
944148	Drill Core	0.104	4	33	2.93	33	0.028	7	2.34	0.070	0.04	<0.1	<0.01	11.3	<0.1	0.25	11	0.6
944149	Drill Core	0.162	7	16	2.84	56	0.021	9	2.44	0.052	0.03	<0.1	0.01	13.8	<0.1	0.99	12	1.6
944150	Drill Core	0.113	7	19	2.63	46	0.017	8	2.27	0.054	0.03	<0.1	<0.01	15.4	<0.1	0.23	10	<0.5
944151	Rock Pulp	0.094	39	27	0.28	52	0.052	29	0.71	0.067	0.10	0.3	<0.01	2.0	<0.1	0.62	3	6.6
944152	Drill Core	0.150	8	32	2.79	42	0.017	11	2.56	0.043	0.07	<0.1	<0.01	12.4	<0.1	0.27	10	<0.5
944153	Drill Core	0.144	6	18	2.48	39	0.016	12	2.43	0.037	0.12	<0.1	<0.01	10.7	<0.1	0.29	9	<0.5
944154	Drill Core	0.162	7	13	3.42	30	0.047	7	2.76	0.052	0.05	<0.1	<0.01	13.5	<0.1	0.22	11	0.6
944155	Drill Core	0.092	4	25	2.39	32	0.100	6	1.96	0.066	0.03	<0.1	<0.01	12.7	<0.1	0.06	9	<0.5
944156	Drill Core	0.064	4	36	2.51	36	0.053	7	2.11	0.061	0.03	<0.1	<0.01	16.4	<0.1	<0.05	10	<0.5
944157	Drill Core	0.110	6	24	2.69	48	0.036	9	2.52	0.053	0.03	<0.1	<0.01	17.3	<0.1	0.16	12	<0.5
944158	Drill Core	0.147	6	16	2.44	21	0.033	6	2.67	0.035	0.06	<0.1	<0.01	11.1	<0.1	0.35	12	0.6
944159	Drill Core	0.166	8	30	2.65	37	0.023	10	2.76	0.034	0.11	<0.1	<0.01	9.0	<0.1	0.30	11	<0.5
944160	Rock Pulp	0.019	3	201	0.11	154	0.006	<1	0.27	0.020	0.16	0.1	0.25	0.3	<0.1	0.69	1	0.9
944161	Drill Core	0.140	8	22	2.54	49	0.015	9	2.86	0.028	0.13	<0.1	<0.01	8.0	<0.1	0.48	11	0.6
944162	Drill Core	0.123	8	18	2.28	58	0.007	10	2.54	0.036	0.17	<0.1	<0.01	7.9	<0.1	0.39	9	<0.5



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 12, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN09006327.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
REP 944122	QC	<0.1	134.4	2.7	69	<0.1	16.4	27.7	1549	5.49	7.9	0.6	<0.5	1.8	258	<0.1	0.1	<0.1	195	7.39	
944162	Drill Core	12.85	0.7	85.2	2.8	68	0.1	7.9	25.6	1161	5.88	17.2	0.3	3.9	0.4	147	0.1	0.2	<0.1	174	5.08
REP 944162	QC		0.7	89.4	2.9	70	0.1	8.5	26.3	1219	6.21	17.9	0.3	7.8	0.4	152	0.1	0.3	<0.1	182	5.28
Core Reject Duplicates																					
944122	Drill Core	10.40	<0.1	130.5	2.6	68	<0.1	16.6	28.2	1547	5.43	8.2	0.6	1.2	1.9	263	<0.1	0.1	<0.1	192	7.41
DUP 944122	QC		<0.1	137.5	2.6	69	<0.1	16.3	28.7	1553	5.44	7.8	0.6	<0.5	1.7	258	<0.1	0.1	<0.1	193	7.46
944157	Drill Core	11.85	0.5	151.3	2.1	52	0.2	8.8	22.4	1023	6.01	7.9	0.2	5.0	0.4	175	0.2	0.2	0.1	235	4.96
DUP 944157	QC		0.3	138.8	2.1	49	0.2	8.6	20.8	1014	5.88	7.4	0.2	4.9	0.4	159	0.2	0.2	<0.1	228	4.74
Reference Materials																					
STD DS7	Standard		18.7	102.4	65.7	382	0.8	52.6	8.8	586	2.31	53.0	4.7	60.8	4.3	67	6.8	6.4	4.8	78	0.92
STD DS7	Standard		19.4	103.1	65.9	376	0.8	51.9	8.7	563	2.28	53.8	4.8	193.1	4.5	71	6.5	6.1	4.9	79	0.94
STD DS7	Standard		20.1	104.2	66.6	379	0.8	57.5	9.6	590	2.32	52.1	4.7	69.3	4.3	67	6.0	5.7	4.3	79	0.94
STD DS7	Standard		21.0	106.1	65.0	381	0.8	58.4	9.5	594	2.29	52.7	4.6	70.9	4.2	67	6.3	5.6	4.3	81	0.94
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.2	4.4	2.8	44	<0.1	3.7	4.5	556	1.88	<0.5	1.6	<0.5	5.8	65	<0.1	<0.1	<0.1	36	0.48
G1	Prep Blank	<0.01	<0.1	4.9	2.9	44	<0.1	4.0	4.4	573	2.01	<0.5	1.8	<0.5	6.4	62	<0.1	<0.1	<0.1	39	0.52



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 12, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN09006327.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																		
REP 944122	QC	0.123	11	40	2.03	123	0.004	20	1.97	0.053	0.06	<0.1	<0.01	21.8	<0.1	0.26	8	<0.5
944162	Drill Core	0.123	8	18	2.28	58	0.007	10	2.54	0.036	0.17	<0.1	<0.01	7.9	<0.1	0.39	9	<0.5
REP 944162	QC	0.127	8	19	2.38	59	0.007	9	2.68	0.037	0.17	<0.1	<0.01	8.0	<0.1	0.41	9	<0.5
Core Reject Duplicates																		
944122	Drill Core	0.123	11	40	2.02	119	0.004	19	1.86	0.053	0.06	<0.1	0.01	21.7	<0.1	0.26	8	<0.5
DUP 944122	QC	0.125	11	39	2.03	116	0.004	20	1.88	0.051	0.06	<0.1	<0.01	21.6	<0.1	0.25	8	<0.5
944157	Drill Core	0.110	6	24	2.69	48	0.036	9	2.52	0.053	0.03	<0.1	<0.01	17.3	<0.1	0.16	12	<0.5
DUP 944157	QC	0.104	5	23	2.60	42	0.036	8	2.44	0.050	0.03	<0.1	<0.01	16.4	<0.1	0.15	12	0.5
Reference Materials																		
STD DS7	Standard	0.082	11	178	0.96	366	0.115	45	0.91	0.086	0.40	3.7	0.20	2.2	3.8	0.20	4	2.7
STD DS7	Standard	0.082	12	177	0.97	392	0.121	43	0.93	0.089	0.41	3.8	0.20	2.4	4.2	0.19	4	3.4
STD DS7	Standard	0.072	12	199	0.97	371	0.115	37	0.96	0.089	0.39	4.0	0.18	2.0	4.1	0.20	4	3.3
STD DS7	Standard	0.075	12	206	0.99	380	0.119	35	0.97	0.092	0.41	3.8	0.21	2.0	4.0	0.20	4	3.8
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																		
G1	Prep Blank	0.074	11	11	0.53	171	0.126	2	0.90	0.067	0.46	<0.1	<0.01	1.6	0.3	<0.05	4	<0.5
G1	Prep Blank	0.081	13	12	0.53	161	0.128	1	0.93	0.083	0.46	<0.1	<0.01	1.7	0.3	<0.05	5	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
 Receiving Lab: Canada-Vancouver
 Received: December 22, 2009
 Report Date: January 28, 2010
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN09006327.2

CLIENT JOB INFORMATION

Project: Miner Mountain
 Shipment ID:
 P.O. Number
 Number of Samples: 47

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
 DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Sego Resources Inc.
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	42	Crush split and pulverize 250g drill core to 200 mesh			VAN
1DX2	47	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
G601	3	Fire Assay fusion Au by ICP-ES	30	Completed	VAN

ADDITIONAL COMMENTS

Version 2: G601 Au included



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 28, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN09006327.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944116	Drill Core	3.72	0.4	16.7	1.1	56	<0.1	8.7	14.6	902	4.15	4.8	0.2	<0.5	0.3	145	<0.1	<0.1	<0.1	86	4.05
944117	Drill Core	11.23	0.6	320.9	3.1	73	0.1	10.3	25.5	888	5.14	16.9	0.3	0.5	1.7	111	<0.1	0.1	0.1	155	4.27
944118	Drill Core	11.91	0.2	116.3	3.2	62	<0.1	12.4	17.7	1156	5.16	26.0	0.3	0.8	2.0	123	<0.1	0.2	<0.1	175	4.07
944119	Drill Core	12.65	0.4	60.2	2.5	57	<0.1	12.2	21.6	1103	4.52	9.4	0.3	<0.5	0.6	145	<0.1	0.1	<0.1	100	5.55
944120	Rock Pulp	0.09	14.5	39.1	7.4	52	0.2	17.6	84.9	596	2.87	2793	1.8	197.7	5.2	54	0.1	5.0	7.5	33	3.10
944121	Drill Core	12.33	0.4	18.5	2.4	57	<0.1	11.3	22.0	1125	4.56	6.0	0.3	<0.5	0.3	268	<0.1	0.1	<0.1	81	6.25
944122	Drill Core	10.40	<0.1	130.5	2.6	68	<0.1	16.6	28.2	1547	5.43	8.2	0.6	1.2	1.9	263	<0.1	0.1	<0.1	192	7.41
944123	Drill Core	11.00	0.1	34.4	2.9	58	<0.1	13.7	24.5	1321	5.33	5.8	0.7	0.5	2.0	266	<0.1	0.1	<0.1	195	5.34
944124	Drill Core	11.37	0.2	59.0	4.4	60	<0.1	13.0	22.6	1275	4.76	7.1	0.8	<0.5	1.1	527	<0.1	0.1	<0.1	164	6.15
944125	Drill Core	10.68	1.0	255.9	3.9	52	0.1	17.6	32.7	1778	5.74	3.9	0.7	4.5	1.5	682	<0.1	0.2	0.1	172	9.20
944126	Drill Core	11.70	<0.1	103.2	4.0	64	<0.1	11.7	24.4	1391	4.98	2.9	0.6	<0.5	2.1	367	<0.1	0.1	<0.1	186	6.38
944127	Drill Core	12.22	<0.1	13.0	4.1	70	<0.1	11.7	24.1	1422	5.00	2.3	0.5	4.9	2.0	250	0.1	0.1	<0.1	178	6.11
944128	Drill Core	11.81	<0.1	7.9	1.9	73	<0.1	12.2	21.2	1403	5.22	2.2	0.6	<0.5	2.1	407	<0.1	0.1	<0.1	190	5.29
944129	Drill Core	12.11	0.3	51.5	1.7	61	<0.1	12.0	28.9	1319	4.62	1.8	0.7	<0.5	1.5	245	<0.1	0.1	<0.1	160	4.15
944130	Drill Core	12.48	<0.1	144.0	2.2	71	<0.1	13.0	27.6	1490	5.29	2.8	0.6	<0.5	1.6	277	<0.1	0.1	<0.1	194	5.08
944131	Drill Core	12.28	1.8	152.6	3.7	71	<0.1	13.6	31.9	1669	5.55	4.2	0.8	2.1	1.5	239	<0.1	0.1	0.2	150	5.04
944132	Rock Pulp	0.09	14.3	40.8	7.3	51	0.2	17.4	82.0	588	2.86	2787	1.8	201.5	5.1	54	0.2	4.8	7.5	34	3.14
944133	Drill Core	12.05	0.1	67.0	2.7	87	<0.1	13.9	27.3	1582	5.79	4.6	0.7	0.7	1.7	179	<0.1	0.2	<0.1	168	6.51
944134	Drill Core	11.54	0.7	91.6	14.7	73	<0.1	12.2	25.0	1270	5.00	4.0	0.3	0.8	0.6	185	0.2	<0.1	<0.1	90	4.70
944135	Drill Core	11.37	0.3	79.5	16.2	73	<0.1	10.1	21.7	1301	4.92	5.7	0.6	<0.5	0.7	208	0.2	0.1	<0.1	104	5.18
944136	Drill Core	11.91	0.5	59.2	11.4	65	<0.1	9.5	20.9	1143	4.19	6.2	0.4	<0.5	0.5	160	0.2	<0.1	<0.1	87	4.89
944137	Drill Core	12.24	1.7	173.5	4.9	76	0.2	16.3	32.1	1643	5.18	8.7	0.7	9.5	1.7	213	0.1	0.2	0.3	98	8.40
944138	Drill Core	4.79	8.9	494.6	3.5	86	0.3	8.8	39.2	1454	5.55	5.6	0.9	7.6	1.7	186	0.1	0.1	0.2	115	6.18
944139	Rock Pulp	0.06	432.9	4469	77.4	48	41.8	5.4	1.6	238	0.76	35.1	0.6	10.5	0.7	168	0.6	72.9	3.8	6	1.28
944140	Drill Core	10.70	20.3	624.3	3.1	37	0.2	10.8	10.7	777	5.20	11.0	0.4	107.7	1.1	125	<0.1	0.2	<0.1	166	4.46
944141	Drill Core	11.89	3.8	169.7	2.9	39	0.4	13.6	12.6	942	6.15	8.2	0.7	3916	1.0	123	0.1	0.2	<0.1	205	4.79
944142	Drill Core	10.95	16.6	312.8	4.5	46	0.4	11.4	29.0	986	6.24	33.7	0.5	77.1	0.8	115	0.1	0.2	0.2	225	4.18
944143	Drill Core	11.28	9.0	183.0	5.3	44	0.3	11.1	23.2	1138	6.18	39.7	0.7	15.5	0.5	141	0.1	0.3	0.1	256	5.11
944144	Drill Core	10.54	1.6	89.5	3.5	37	0.2	4.5	15.9	984	4.84	12.6	0.3	13.1	0.6	151	<0.1	0.2	0.3	153	3.92
944145	Drill Core	11.47	3.0	10.6	3.7	37	<0.1	3.8	14.3	1169	5.49	15.3	0.3	3.7	0.6	203	<0.1	0.2	<0.1	185	5.60

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 28, 2010

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN09006327.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	
944116	Drill Core	0.073	8	54	1.80	9	0.003	19	1.23	0.098	0.08	<0.1	<0.01	11.0	<0.1	0.14	4	<0.5	N.A.
944117	Drill Core	0.133	12	12	1.51	18	0.005	15	1.40	0.044	0.04	<0.1	<0.01	12.4	<0.1	0.74	6	0.6	N.A.
944118	Drill Core	0.133	11	14	1.57	28	0.004	17	1.67	0.039	0.06	<0.1	<0.01	11.6	<0.1	0.21	7	<0.5	N.A.
944119	Drill Core	0.076	8	50	1.74	14	0.006	26	1.23	0.081	0.08	<0.1	<0.01	12.0	<0.1	0.12	4	<0.5	N.A.
944120	Rock Pulp	0.080	40	30	0.29	50	0.055	24	0.78	0.072	0.10	0.4	<0.01	1.8	<0.1	0.64	3	6.3	N.A.
944121	Drill Core	0.067	7	53	2.14	50	0.005	20	1.06	0.080	0.09	<0.1	<0.01	11.7	<0.1	0.21	4	<0.5	N.A.
944122	Drill Core	0.123	11	40	2.02	119	0.004	19	1.86	0.053	0.06	<0.1	0.01	21.7	<0.1	0.26	8	<0.5	N.A.
944123	Drill Core	0.144	11	27	2.15	40	0.006	13	2.49	0.039	0.08	<0.1	<0.01	11.9	<0.1	0.12	10	<0.5	N.A.
944124	Drill Core	0.105	9	37	2.27	33	0.004	19	1.68	0.064	0.07	<0.1	<0.01	13.5	<0.1	0.11	7	<0.5	N.A.
944125	Drill Core	0.106	10	35	2.21	154	0.003	14	1.79	0.035	0.07	<0.1	0.06	19.3	<0.1	1.02	7	<0.5	N.A.
944126	Drill Core	0.142	12	23	2.21	289	0.006	9	2.50	0.020	0.09	<0.1	<0.01	11.5	<0.1	0.05	9	<0.5	N.A.
944127	Drill Core	0.142	12	25	2.31	129	0.006	6	2.46	0.023	0.10	<0.1	<0.01	12.0	<0.1	<0.05	9	<0.5	N.A.
944128	Drill Core	0.147	12	32	2.55	98	0.007	6	2.60	0.024	0.07	<0.1	<0.01	10.8	<0.1	0.06	10	<0.5	N.A.
944129	Drill Core	0.155	8	19	2.55	117	0.009	5	2.66	0.019	0.04	<0.1	<0.01	9.4	<0.1	0.13	10	<0.5	N.A.
944130	Drill Core	0.151	9	18	2.62	235	0.007	7	2.63	0.020	0.04	<0.1	<0.01	12.9	<0.1	0.11	11	<0.5	N.A.
944131	Drill Core	0.159	8	17	2.53	116	0.007	8	2.31	0.031	0.12	<0.1	0.03	9.5	<0.1	1.07	8	1.2	N.A.
944132	Rock Pulp	0.083	40	27	0.29	48	0.058	22	0.78	0.074	0.10	0.4	<0.01	1.9	0.1	0.64	3	6.5	N.A.
944133	Drill Core	0.153	11	19	2.29	70	0.006	8	1.94	0.036	0.12	<0.1	0.01	13.0	<0.1	0.33	8	<0.5	N.A.
944134	Drill Core	0.097	9	42	2.13	80	0.006	11	1.58	0.091	0.14	<0.1	0.02	10.8	<0.1	0.60	6	<0.5	N.A.
944135	Drill Core	0.092	9	36	2.31	46	0.019	13	1.51	0.099	0.16	<0.1	<0.01	10.5	<0.1	0.20	6	<0.5	N.A.
944136	Drill Core	0.091	9	47	1.80	68	0.004	12	1.24	0.096	0.12	<0.1	0.02	11.4	<0.1	0.27	5	<0.5	N.A.
944137	Drill Core	0.141	10	25	2.15	96	0.007	5	1.89	0.015	0.20	<0.1	0.06	10.4	<0.1	1.40	6	0.8	N.A.
944138	Drill Core	0.145	12	7	2.14	132	0.008	5	2.24	0.014	0.14	<0.1	0.03	8.7	<0.1	1.26	8	1.1	N.A.
944139	Rock Pulp	0.017	3	228	0.10	150	0.006	1	0.29	0.016	0.15	0.1	0.25	0.3	<0.1	0.70	1	0.9	N.A.
944140	Drill Core	0.157	15	14	2.13	47	0.008	4	2.27	0.017	0.08	<0.1	<0.01	8.4	<0.1	0.21	11	0.5	0.15
944141	Drill Core	0.135	20	30	2.85	43	0.015	5	2.67	0.008	0.09	<0.1	<0.01	10.7	<0.1	0.30	13	0.5	0.15
944142	Drill Core	0.151	11	16	2.29	92	0.020	7	2.58	0.010	0.10	<0.1	<0.01	9.2	<0.1	1.02	12	1.8	0.08
944143	Drill Core	0.127	6	27	2.83	21	0.026	6	2.62	0.014	0.04	<0.1	<0.01	10.7	<0.1	1.04	12	1.9	N.A.
944144	Drill Core	0.124	6	6	2.12	53	0.010	10	1.98	0.027	0.07	<0.1	<0.01	7.5	<0.1	0.85	9	1.3	N.A.
944145	Drill Core	0.124	6	6	2.27	31	0.013	6	2.40	0.026	0.04	<0.1	<0.01	9.4	<0.1	0.55	11	1.0	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 28, 2010

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN09006327.2

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
944146	Drill Core	11.02	1.7	117.6	7.1	71	0.2	5.3	23.5	1037	5.81	15.3	0.4	5.6	0.6	134	0.1	0.3	0.1	205	3.55
944147	Drill Core	11.02	0.2	5.6	1.3	49	<0.1	6.1	14.1	792	5.82	17.8	0.2	2.2	0.5	126	<0.1	0.1	<0.1	230	3.10
944148	Drill Core	12.12	0.2	38.6	0.8	43	<0.1	13.4	14.3	804	5.29	15.1	0.2	2.3	0.5	128	<0.1	0.1	<0.1	185	3.25
944149	Drill Core	12.16	3.4	332.1	2.0	43	0.3	7.6	34.2	939	6.18	46.3	0.3	27.0	0.6	133	0.1	0.3	0.2	241	3.82
944150	Drill Core	11.83	1.2	80.4	1.6	39	0.1	7.8	19.3	856	5.76	27.2	0.2	12.0	0.5	141	<0.1	0.2	<0.1	217	4.13
944151	Rock Pulp	0.10	13.4	37.6	7.6	53	0.2	16.4	79.8	549	2.79	2721	1.7	198.7	5.4	59	0.2	5.6	8.3	33	2.97
944152	Drill Core	11.72	3.6	166.9	1.4	43	0.1	10.7	37.5	990	5.80	18.5	0.2	9.3	0.5	159	<0.1	0.2	0.1	235	5.29
944153	Drill Core	11.59	0.8	184.3	1.3	43	0.1	8.6	30.1	978	5.61	15.0	0.6	6.7	0.5	188	0.1	0.1	<0.1	187	5.84
944154	Drill Core	12.08	2.0	246.8	1.0	45	0.1	7.5	31.5	963	5.90	15.3	0.2	18.1	0.6	141	<0.1	0.1	<0.1	244	3.61
944155	Drill Core	11.23	1.0	116.3	1.4	37	<0.1	8.4	20.0	840	4.91	9.5	0.3	8.5	0.4	159	<0.1	0.2	<0.1	170	3.08
944156	Drill Core	11.32	0.6	37.2	1.8	39	<0.1	11.9	19.6	947	5.13	5.1	0.2	3.1	0.3	158	<0.1	0.1	<0.1	188	4.10
944157	Drill Core	11.85	0.5	151.3	2.1	52	0.2	8.8	22.4	1023	6.01	7.9	0.2	5.0	0.4	175	0.2	0.2	0.1	235	4.96
944158	Drill Core	11.16	0.9	224.0	2.7	51	0.4	7.6	31.5	1011	5.85	11.1	0.2	6.9	0.6	125	0.1	0.1	0.2	248	4.68
944159	Drill Core	11.55	0.8	91.7	1.5	52	0.1	15.8	24.3	1200	5.76	9.9	0.3	3.2	0.8	137	<0.1	0.1	0.1	174	5.22
944160	Rock Pulp	0.06	418.1	4465	79.6	48	41.9	5.7	1.5	245	0.78	38.6	0.6	17.7	0.6	180	0.8	82.4	4.3	7	1.27
944161	Drill Core	11.83	3.2	149.5	2.5	59	0.3	10.0	25.7	1189	5.92	22.5	0.4	5.7	0.6	141	<0.1	<0.1	0.2	191	5.75
944162	Drill Core	12.85	0.7	85.2	2.8	68	0.1	7.9	25.6	1161	5.88	17.2	0.3	3.9	0.4	147	0.1	0.2	<0.1	174	5.08



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 28, 2010

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN09006327.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	
944146	Drill Core	0.139	5	6	2.50	56	0.023	17	2.50	0.056	0.06	<0.1	<0.01	9.6	<0.1	0.37	12	0.8	N.A.
944147	Drill Core	0.119	4	13	3.09	41	0.028	9	2.43	0.063	0.03	<0.1	<0.01	10.2	<0.1	0.15	11	0.6	N.A.
944148	Drill Core	0.104	4	33	2.93	33	0.028	7	2.34	0.070	0.04	<0.1	<0.01	11.3	<0.1	0.25	11	0.6	N.A.
944149	Drill Core	0.162	7	16	2.84	56	0.021	9	2.44	0.052	0.03	<0.1	0.01	13.8	<0.1	0.99	12	1.6	N.A.
944150	Drill Core	0.113	7	19	2.63	46	0.017	8	2.27	0.054	0.03	<0.1	<0.01	15.4	<0.1	0.23	10	<0.5	N.A.
944151	Rock Pulp	0.094	39	27	0.28	52	0.052	29	0.71	0.067	0.10	0.3	<0.01	2.0	<0.1	0.62	3	6.6	N.A.
944152	Drill Core	0.150	8	32	2.79	42	0.017	11	2.56	0.043	0.07	<0.1	<0.01	12.4	<0.1	0.27	10	<0.5	N.A.
944153	Drill Core	0.144	6	18	2.48	39	0.016	12	2.43	0.037	0.12	<0.1	<0.01	10.7	<0.1	0.29	9	<0.5	N.A.
944154	Drill Core	0.162	7	13	3.42	30	0.047	7	2.76	0.052	0.05	<0.1	<0.01	13.5	<0.1	0.22	11	0.6	N.A.
944155	Drill Core	0.092	4	25	2.39	32	0.100	6	1.96	0.066	0.03	<0.1	<0.01	12.7	<0.1	0.06	9	<0.5	N.A.
944156	Drill Core	0.064	4	36	2.51	36	0.053	7	2.11	0.061	0.03	<0.1	<0.01	16.4	<0.1	<0.05	10	<0.5	N.A.
944157	Drill Core	0.110	6	24	2.69	48	0.036	9	2.52	0.053	0.03	<0.1	<0.01	17.3	<0.1	0.16	12	<0.5	N.A.
944158	Drill Core	0.147	6	16	2.44	21	0.033	6	2.67	0.035	0.06	<0.1	<0.01	11.1	<0.1	0.35	12	0.6	N.A.
944159	Drill Core	0.166	8	30	2.65	37	0.023	10	2.76	0.034	0.11	<0.1	<0.01	9.0	<0.1	0.30	11	<0.5	N.A.
944160	Rock Pulp	0.019	3	201	0.11	154	0.006	<1	0.27	0.020	0.16	0.1	0.25	0.3	<0.1	0.69	1	0.9	N.A.
944161	Drill Core	0.140	8	22	2.54	49	0.015	9	2.86	0.028	0.13	<0.1	<0.01	8.0	<0.1	0.48	11	0.6	N.A.
944162	Drill Core	0.123	8	18	2.28	58	0.007	10	2.54	0.036	0.17	<0.1	<0.01	7.9	<0.1	0.39	9	<0.5	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 28, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN09006327.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
REP 944122	QC	<0.1	134.4	2.7	69	<0.1	16.4	27.7	1549	5.49	7.9	0.6	<0.5	1.8	258	<0.1	0.1	<0.1	195	7.39	
944162	Drill Core	12.85	0.7	85.2	2.8	68	0.1	7.9	25.6	1161	5.88	17.2	0.3	3.9	0.4	147	0.1	0.2	<0.1	174	5.08
REP 944162	QC		0.7	89.4	2.9	70	0.1	8.5	26.3	1219	6.21	17.9	0.3	7.8	0.4	152	0.1	0.3	<0.1	182	5.28
Core Reject Duplicates																					
944122	Drill Core	10.40	<0.1	130.5	2.6	68	<0.1	16.6	28.2	1547	5.43	8.2	0.6	1.2	1.9	263	<0.1	0.1	<0.1	192	7.41
DUP 944122	QC		<0.1	137.5	2.6	69	<0.1	16.3	28.7	1553	5.44	7.8	0.6	<0.5	1.7	258	<0.1	0.1	<0.1	193	7.46
944157	Drill Core	11.85	0.5	151.3	2.1	52	0.2	8.8	22.4	1023	6.01	7.9	0.2	5.0	0.4	175	0.2	0.2	0.1	235	4.96
DUP 944157	QC		0.3	138.8	2.1	49	0.2	8.6	20.8	1014	5.88	7.4	0.2	4.9	0.4	159	0.2	0.2	<0.1	228	4.74
Reference Materials																					
STD DS7	Standard		18.7	102.4	65.7	382	0.8	52.6	8.8	586	2.31	53.0	4.7	60.8	4.3	67	6.8	6.4	4.8	78	0.92
STD DS7	Standard		19.4	103.1	65.9	376	0.8	51.9	8.7	563	2.28	53.8	4.8	193.1	4.5	71	6.5	6.1	4.9	79	0.94
STD DS7	Standard		20.1	104.2	66.6	379	0.8	57.5	9.6	590	2.32	52.1	4.7	69.3	4.3	67	6.0	5.7	4.3	79	0.94
STD DS7	Standard		21.0	106.1	65.0	381	0.8	58.4	9.5	594	2.29	52.7	4.6	70.9	4.2	67	6.3	5.6	4.3	81	0.94
STD OXH55	Standard																				
STD OXK69	Standard																				
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
STD OXH55 Expected																					
STD OXK69 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	<0.01	0.2	4.4	2.8	44	<0.1	3.7	4.5	556	1.88	<0.5	1.6	<0.5	5.8	65	<0.1	<0.1	<0.1	36	0.48
G1	Prep Blank	<0.01	<0.1	4.9	2.9	44	<0.1	4.0	4.4	573	2.01	<0.5	1.8	<0.5	6.4	62	<0.1	<0.1	<0.1	39	0.52

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: January 28, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN09006327.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01
Pulp Duplicates																			
REP 944122	QC	0.123	11	40	2.03	123	0.004	20	1.97	0.053	0.06	<0.1	<0.01	21.8	<0.1	0.26	8	<0.5	
944162	Drill Core	0.123	8	18	2.28	58	0.007	10	2.54	0.036	0.17	<0.1	<0.01	7.9	<0.1	0.39	9	<0.5	N.A.
REP 944162	QC	0.127	8	19	2.38	59	0.007	9	2.68	0.037	0.17	<0.1	<0.01	8.0	<0.1	0.41	9	<0.5	
Core Reject Duplicates																			
944122	Drill Core	0.123	11	40	2.02	119	0.004	19	1.86	0.053	0.06	<0.1	0.01	21.7	<0.1	0.26	8	<0.5	N.A.
DUP 944122	QC	0.125	11	39	2.03	116	0.004	20	1.88	0.051	0.06	<0.1	<0.01	21.6	<0.1	0.25	8	<0.5	N.A.
944157	Drill Core	0.110	6	24	2.69	48	0.036	9	2.52	0.053	0.03	<0.1	<0.01	17.3	<0.1	0.16	12	<0.5	N.A.
DUP 944157	QC	0.104	5	23	2.60	42	0.036	8	2.44	0.050	0.03	<0.1	<0.01	16.4	<0.1	0.15	12	0.5	N.A.
Reference Materials																			
STD DS7	Standard	0.082	11	178	0.96	366	0.115	45	0.91	0.086	0.40	3.7	0.20	2.2	3.8	0.20	4	2.7	
STD DS7	Standard	0.082	12	177	0.97	392	0.121	43	0.93	0.089	0.41	3.8	0.20	2.4	4.2	0.19	4	3.4	
STD DS7	Standard	0.072	12	199	0.97	371	0.115	37	0.96	0.089	0.39	4.0	0.18	2.0	4.1	0.20	4	3.3	
STD DS7	Standard	0.075	12	206	0.99	380	0.119	35	0.97	0.092	0.41	3.8	0.21	2.0	4.0	0.20	4	3.8	
STD OXH55	Standard																		1.28
STD OXK69	Standard																		3.66
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	
STD OXH55 Expected																			1.282
STD OXK69 Expected																			3.583
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
BLK	Blank																		<0.01
BLK	Blank																		<0.01
Prep Wash																			
G1	Prep Blank	0.074	11	11	0.53	171	0.126	2	0.90	0.067	0.46	<0.1	<0.01	1.6	0.3	<0.05	4	<0.5	N.A.
G1	Prep Blank	0.081	13	12	0.53	161	0.128	1	0.93	0.083	0.46	<0.1	<0.01	1.7	0.3	<0.05	5	<0.5	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: December 22, 2009
Report Date: February 04, 2010
Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN09006327.3

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 47

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	42	Crush split and pulverize 250g drill core to 200 mesh			VAN
1DX2	47	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
G601	3	Fire Assay fusion Au by ICP-ES	30	Completed	VAN

ADDITIONAL COMMENTS

Version 3: Metallics Au analysis recommended for Sample ID 944141



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: February 04, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN09006327.3

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944116	Drill Core	3.72	0.4	16.7	1.1	56	<0.1	8.7	14.6	902	4.15	4.8	0.2	<0.5	0.3	145	<0.1	<0.1	<0.1	86	4.05
944117	Drill Core	11.23	0.6	320.9	3.1	73	0.1	10.3	25.5	888	5.14	16.9	0.3	0.5	1.7	111	<0.1	0.1	0.1	155	4.27
944118	Drill Core	11.91	0.2	116.3	3.2	62	<0.1	12.4	17.7	1156	5.16	26.0	0.3	0.8	2.0	123	<0.1	0.2	<0.1	175	4.07
944119	Drill Core	12.65	0.4	60.2	2.5	57	<0.1	12.2	21.6	1103	4.52	9.4	0.3	<0.5	0.6	145	<0.1	0.1	<0.1	100	5.55
944120	Rock Pulp	0.09	14.5	39.1	7.4	52	0.2	17.6	84.9	596	2.87	2793	1.8	197.7	5.2	54	0.1	5.0	7.5	33	3.10
944121	Drill Core	12.33	0.4	18.5	2.4	57	<0.1	11.3	22.0	1125	4.56	6.0	0.3	<0.5	0.3	268	<0.1	0.1	<0.1	81	6.25
944122	Drill Core	10.40	<0.1	130.5	2.6	68	<0.1	16.6	28.2	1547	5.43	8.2	0.6	1.2	1.9	263	<0.1	0.1	<0.1	192	7.41
944123	Drill Core	11.00	0.1	34.4	2.9	58	<0.1	13.7	24.5	1321	5.33	5.8	0.7	0.5	2.0	266	<0.1	0.1	<0.1	195	5.34
944124	Drill Core	11.37	0.2	59.0	4.4	60	<0.1	13.0	22.6	1275	4.76	7.1	0.8	<0.5	1.1	527	<0.1	0.1	<0.1	164	6.15
944125	Drill Core	10.68	1.0	255.9	3.9	52	0.1	17.6	32.7	1778	5.74	3.9	0.7	4.5	1.5	682	<0.1	0.2	0.1	172	9.20
944126	Drill Core	11.70	<0.1	103.2	4.0	64	<0.1	11.7	24.4	1391	4.98	2.9	0.6	<0.5	2.1	367	<0.1	0.1	<0.1	186	6.38
944127	Drill Core	12.22	<0.1	13.0	4.1	70	<0.1	11.7	24.1	1422	5.00	2.3	0.5	4.9	2.0	250	0.1	0.1	<0.1	178	6.11
944128	Drill Core	11.81	<0.1	7.9	1.9	73	<0.1	12.2	21.2	1403	5.22	2.2	0.6	<0.5	2.1	407	<0.1	0.1	<0.1	190	5.29
944129	Drill Core	12.11	0.3	51.5	1.7	61	<0.1	12.0	28.9	1319	4.62	1.8	0.7	<0.5	1.5	245	<0.1	0.1	<0.1	160	4.15
944130	Drill Core	12.48	<0.1	144.0	2.2	71	<0.1	13.0	27.6	1490	5.29	2.8	0.6	<0.5	1.6	277	<0.1	0.1	<0.1	194	5.08
944131	Drill Core	12.28	1.8	152.6	3.7	71	<0.1	13.6	31.9	1669	5.55	4.2	0.8	2.1	1.5	239	<0.1	0.1	0.2	150	5.04
944132	Rock Pulp	0.09	14.3	40.8	7.3	51	0.2	17.4	82.0	588	2.86	2787	1.8	201.5	5.1	54	0.2	4.8	7.5	34	3.14
944133	Drill Core	12.05	0.1	67.0	2.7	87	<0.1	13.9	27.3	1582	5.79	4.6	0.7	0.7	1.7	179	<0.1	0.2	<0.1	168	6.51
944134	Drill Core	11.54	0.7	91.6	14.7	73	<0.1	12.2	25.0	1270	5.00	4.0	0.3	0.8	0.6	185	0.2	<0.1	<0.1	90	4.70
944135	Drill Core	11.37	0.3	79.5	16.2	73	<0.1	10.1	21.7	1301	4.92	5.7	0.6	<0.5	0.7	208	0.2	0.1	<0.1	104	5.18
944136	Drill Core	11.91	0.5	59.2	11.4	65	<0.1	9.5	20.9	1143	4.19	6.2	0.4	<0.5	0.5	160	0.2	<0.1	<0.1	87	4.89
944137	Drill Core	12.24	1.7	173.5	4.9	76	0.2	16.3	32.1	1643	5.18	8.7	0.7	9.5	1.7	213	0.1	0.2	0.3	98	8.40
944138	Drill Core	4.79	8.9	494.6	3.5	86	0.3	8.8	39.2	1454	5.55	5.6	0.9	7.6	1.7	186	0.1	0.1	0.2	115	6.18
944139	Rock Pulp	0.06	432.9	4469	77.4	48	41.8	5.4	1.6	238	0.76	35.1	0.6	10.5	0.7	168	0.6	72.9	3.8	6	1.28
944140	Drill Core	10.70	20.3	624.3	3.1	37	0.2	10.8	10.7	777	5.20	11.0	0.4	107.7	1.1	125	<0.1	0.2	<0.1	166	4.46
944141	Drill Core	11.89	3.8	169.7	2.9	39	0.4	13.6	12.6	942	6.15	8.2	0.7	3916	1.0	123	0.1	0.2	<0.1	205	4.79
944142	Drill Core	10.95	16.6	312.8	4.5	46	0.4	11.4	29.0	986	6.24	33.7	0.5	77.1	0.8	115	0.1	0.2	0.2	225	4.18
944143	Drill Core	11.28	9.0	183.0	5.3	44	0.3	11.1	23.2	1138	6.18	39.7	0.7	15.5	0.5	141	0.1	0.3	0.1	256	5.11
944144	Drill Core	10.54	1.6	89.5	3.5	37	0.2	4.5	15.9	984	4.84	12.6	0.3	13.1	0.6	151	<0.1	0.2	0.3	153	3.92
944145	Drill Core	11.47	3.0	10.6	3.7	37	<0.1	3.8	14.3	1169	5.49	15.3	0.3	3.7	0.6	203	<0.1	0.2	<0.1	185	5.60

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: February 04, 2010

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN09006327.3

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	
944116	Drill Core	0.073	8	54	1.80	9	0.003	19	1.23	0.098	0.08	<0.1	<0.01	11.0	<0.1	0.14	4	<0.5	N.A.
944117	Drill Core	0.133	12	12	1.51	18	0.005	15	1.40	0.044	0.04	<0.1	<0.01	12.4	<0.1	0.74	6	0.6	N.A.
944118	Drill Core	0.133	11	14	1.57	28	0.004	17	1.67	0.039	0.06	<0.1	<0.01	11.6	<0.1	0.21	7	<0.5	N.A.
944119	Drill Core	0.076	8	50	1.74	14	0.006	26	1.23	0.081	0.08	<0.1	<0.01	12.0	<0.1	0.12	4	<0.5	N.A.
944120	Rock Pulp	0.080	40	30	0.29	50	0.055	24	0.78	0.072	0.10	0.4	<0.01	1.8	<0.1	0.64	3	6.3	N.A.
944121	Drill Core	0.067	7	53	2.14	50	0.005	20	1.06	0.080	0.09	<0.1	<0.01	11.7	<0.1	0.21	4	<0.5	N.A.
944122	Drill Core	0.123	11	40	2.02	119	0.004	19	1.86	0.053	0.06	<0.1	0.01	21.7	<0.1	0.26	8	<0.5	N.A.
944123	Drill Core	0.144	11	27	2.15	40	0.006	13	2.49	0.039	0.08	<0.1	<0.01	11.9	<0.1	0.12	10	<0.5	N.A.
944124	Drill Core	0.105	9	37	2.27	33	0.004	19	1.68	0.064	0.07	<0.1	<0.01	13.5	<0.1	0.11	7	<0.5	N.A.
944125	Drill Core	0.106	10	35	2.21	154	0.003	14	1.79	0.035	0.07	<0.1	0.06	19.3	<0.1	1.02	7	<0.5	N.A.
944126	Drill Core	0.142	12	23	2.21	289	0.006	9	2.50	0.020	0.09	<0.1	<0.01	11.5	<0.1	0.05	9	<0.5	N.A.
944127	Drill Core	0.142	12	25	2.31	129	0.006	6	2.46	0.023	0.10	<0.1	<0.01	12.0	<0.1	<0.05	9	<0.5	N.A.
944128	Drill Core	0.147	12	32	2.55	98	0.007	6	2.60	0.024	0.07	<0.1	<0.01	10.8	<0.1	0.06	10	<0.5	N.A.
944129	Drill Core	0.155	8	19	2.55	117	0.009	5	2.66	0.019	0.04	<0.1	<0.01	9.4	<0.1	0.13	10	<0.5	N.A.
944130	Drill Core	0.151	9	18	2.62	235	0.007	7	2.63	0.020	0.04	<0.1	<0.01	12.9	<0.1	0.11	11	<0.5	N.A.
944131	Drill Core	0.159	8	17	2.53	116	0.007	8	2.31	0.031	0.12	<0.1	0.03	9.5	<0.1	1.07	8	1.2	N.A.
944132	Rock Pulp	0.083	40	27	0.29	48	0.058	22	0.78	0.074	0.10	0.4	<0.01	1.9	0.1	0.64	3	6.5	N.A.
944133	Drill Core	0.153	11	19	2.29	70	0.006	8	1.94	0.036	0.12	<0.1	0.01	13.0	<0.1	0.33	8	<0.5	N.A.
944134	Drill Core	0.097	9	42	2.13	80	0.006	11	1.58	0.091	0.14	<0.1	0.02	10.8	<0.1	0.60	6	<0.5	N.A.
944135	Drill Core	0.092	9	36	2.31	46	0.019	13	1.51	0.099	0.16	<0.1	<0.01	10.5	<0.1	0.20	6	<0.5	N.A.
944136	Drill Core	0.091	9	47	1.80	68	0.004	12	1.24	0.096	0.12	<0.1	0.02	11.4	<0.1	0.27	5	<0.5	N.A.
944137	Drill Core	0.141	10	25	2.15	96	0.007	5	1.89	0.015	0.20	<0.1	0.06	10.4	<0.1	1.40	6	0.8	N.A.
944138	Drill Core	0.145	12	7	2.14	132	0.008	5	2.24	0.014	0.14	<0.1	0.03	8.7	<0.1	1.26	8	1.1	N.A.
944139	Rock Pulp	0.017	3	228	0.10	150	0.006	1	0.29	0.016	0.15	0.1	0.25	0.3	<0.1	0.70	1	0.9	N.A.
944140	Drill Core	0.157	15	14	2.13	47	0.008	4	2.27	0.017	0.08	<0.1	<0.01	8.4	<0.1	0.21	11	0.5	0.16
944141	Drill Core	0.135	20	30	2.85	43	0.015	5	2.67	0.008	0.09	<0.1	<0.01	10.7	<0.1	0.30	13	0.5	0.18
944142	Drill Core	0.151	11	16	2.29	92	0.020	7	2.58	0.010	0.10	<0.1	<0.01	9.2	<0.1	1.02	12	1.8	0.05
944143	Drill Core	0.127	6	27	2.83	21	0.026	6	2.62	0.014	0.04	<0.1	<0.01	10.7	<0.1	1.04	12	1.9	N.A.
944144	Drill Core	0.124	6	6	2.12	53	0.010	10	1.98	0.027	0.07	<0.1	<0.01	7.5	<0.1	0.85	9	1.3	N.A.
944145	Drill Core	0.124	6	6	2.27	31	0.013	6	2.40	0.026	0.04	<0.1	<0.01	9.4	<0.1	0.55	11	1.0	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: February 04, 2010

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN09006327.3

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
944146	Drill Core	11.02	1.7	117.6	7.1	71	0.2	5.3	23.5	1037	5.81	15.3	0.4	5.6	0.6	134	0.1	0.3	0.1	205	3.55
944147	Drill Core	11.02	0.2	5.6	1.3	49	<0.1	6.1	14.1	792	5.82	17.8	0.2	2.2	0.5	126	<0.1	0.1	<0.1	230	3.10
944148	Drill Core	12.12	0.2	38.6	0.8	43	<0.1	13.4	14.3	804	5.29	15.1	0.2	2.3	0.5	128	<0.1	0.1	<0.1	185	3.25
944149	Drill Core	12.16	3.4	332.1	2.0	43	0.3	7.6	34.2	939	6.18	46.3	0.3	27.0	0.6	133	0.1	0.3	0.2	241	3.82
944150	Drill Core	11.83	1.2	80.4	1.6	39	0.1	7.8	19.3	856	5.76	27.2	0.2	12.0	0.5	141	<0.1	0.2	<0.1	217	4.13
944151	Rock Pulp	0.10	13.4	37.6	7.6	53	0.2	16.4	79.8	549	2.79	2721	1.7	198.7	5.4	59	0.2	5.6	8.3	33	2.97
944152	Drill Core	11.72	3.6	166.9	1.4	43	0.1	10.7	37.5	990	5.80	18.5	0.2	9.3	0.5	159	<0.1	0.2	0.1	235	5.29
944153	Drill Core	11.59	0.8	184.3	1.3	43	0.1	8.6	30.1	978	5.61	15.0	0.6	6.7	0.5	188	0.1	0.1	<0.1	187	5.84
944154	Drill Core	12.08	2.0	246.8	1.0	45	0.1	7.5	31.5	963	5.90	15.3	0.2	18.1	0.6	141	<0.1	0.1	<0.1	244	3.61
944155	Drill Core	11.23	1.0	116.3	1.4	37	<0.1	8.4	20.0	840	4.91	9.5	0.3	8.5	0.4	159	<0.1	0.2	<0.1	170	3.08
944156	Drill Core	11.32	0.6	37.2	1.8	39	<0.1	11.9	19.6	947	5.13	5.1	0.2	3.1	0.3	158	<0.1	0.1	<0.1	188	4.10
944157	Drill Core	11.85	0.5	151.3	2.1	52	0.2	8.8	22.4	1023	6.01	7.9	0.2	5.0	0.4	175	0.2	0.2	0.1	235	4.96
944158	Drill Core	11.16	0.9	224.0	2.7	51	0.4	7.6	31.5	1011	5.85	11.1	0.2	6.9	0.6	125	0.1	0.1	0.2	248	4.68
944159	Drill Core	11.55	0.8	91.7	1.5	52	0.1	15.8	24.3	1200	5.76	9.9	0.3	3.2	0.8	137	<0.1	0.1	0.1	174	5.22
944160	Rock Pulp	0.06	418.1	4465	79.6	48	41.9	5.7	1.5	245	0.78	38.6	0.6	17.7	0.6	180	0.8	82.4	4.3	7	1.27
944161	Drill Core	11.83	3.2	149.5	2.5	59	0.3	10.0	25.7	1189	5.92	22.5	0.4	5.7	0.6	141	<0.1	<0.1	0.2	191	5.75
944162	Drill Core	12.85	0.7	85.2	2.8	68	0.1	7.9	25.6	1161	5.88	17.2	0.3	3.9	0.4	147	0.1	0.2	<0.1	174	5.08



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: February 04, 2010

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN09006327.3

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	
944146	Drill Core	0.139	5	6	2.50	56	0.023	17	2.50	0.056	0.06	<0.1	<0.01	9.6	<0.1	0.37	12	0.8	N.A.
944147	Drill Core	0.119	4	13	3.09	41	0.028	9	2.43	0.063	0.03	<0.1	<0.01	10.2	<0.1	0.15	11	0.6	N.A.
944148	Drill Core	0.104	4	33	2.93	33	0.028	7	2.34	0.070	0.04	<0.1	<0.01	11.3	<0.1	0.25	11	0.6	N.A.
944149	Drill Core	0.162	7	16	2.84	56	0.021	9	2.44	0.052	0.03	<0.1	0.01	13.8	<0.1	0.99	12	1.6	N.A.
944150	Drill Core	0.113	7	19	2.63	46	0.017	8	2.27	0.054	0.03	<0.1	<0.01	15.4	<0.1	0.23	10	<0.5	N.A.
944151	Rock Pulp	0.094	39	27	0.28	52	0.052	29	0.71	0.067	0.10	0.3	<0.01	2.0	<0.1	0.62	3	6.6	N.A.
944152	Drill Core	0.150	8	32	2.79	42	0.017	11	2.56	0.043	0.07	<0.1	<0.01	12.4	<0.1	0.27	10	<0.5	N.A.
944153	Drill Core	0.144	6	18	2.48	39	0.016	12	2.43	0.037	0.12	<0.1	<0.01	10.7	<0.1	0.29	9	<0.5	N.A.
944154	Drill Core	0.162	7	13	3.42	30	0.047	7	2.76	0.052	0.05	<0.1	<0.01	13.5	<0.1	0.22	11	0.6	N.A.
944155	Drill Core	0.092	4	25	2.39	32	0.100	6	1.96	0.066	0.03	<0.1	<0.01	12.7	<0.1	0.06	9	<0.5	N.A.
944156	Drill Core	0.064	4	36	2.51	36	0.053	7	2.11	0.061	0.03	<0.1	<0.01	16.4	<0.1	<0.05	10	<0.5	N.A.
944157	Drill Core	0.110	6	24	2.69	48	0.036	9	2.52	0.053	0.03	<0.1	<0.01	17.3	<0.1	0.16	12	<0.5	N.A.
944158	Drill Core	0.147	6	16	2.44	21	0.033	6	2.67	0.035	0.06	<0.1	<0.01	11.1	<0.1	0.35	12	0.6	N.A.
944159	Drill Core	0.166	8	30	2.65	37	0.023	10	2.76	0.034	0.11	<0.1	<0.01	9.0	<0.1	0.30	11	<0.5	N.A.
944160	Rock Pulp	0.019	3	201	0.11	154	0.006	<1	0.27	0.020	0.16	0.1	0.25	0.3	<0.1	0.69	1	0.9	N.A.
944161	Drill Core	0.140	8	22	2.54	49	0.015	9	2.86	0.028	0.13	<0.1	<0.01	8.0	<0.1	0.48	11	0.6	N.A.
944162	Drill Core	0.123	8	18	2.28	58	0.007	10	2.54	0.036	0.17	<0.1	<0.01	7.9	<0.1	0.39	9	<0.5	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: February 04, 2010

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN09006327.3

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
REP 944122	QC	<0.1	134.4	2.7	69	<0.1	16.4	27.7	1549	5.49	7.9	0.6	<0.5	1.8	258	<0.1	0.1	<0.1	195	7.39	
944142	Drill Core	10.95	16.6	312.8	4.5	46	0.4	11.4	29.0	986	6.24	33.7	0.5	77.1	0.8	115	0.1	0.2	0.2	225	4.18
REP 944142																					
944162	Drill Core	12.85	0.7	85.2	2.8	68	0.1	7.9	25.6	1161	5.88	17.2	0.3	3.9	0.4	147	0.1	0.2	<0.1	174	5.08
REP 944162	QC		0.7	89.4	2.9	70	0.1	8.5	26.3	1219	6.21	17.9	0.3	7.8	0.4	152	0.1	0.3	<0.1	182	5.28
Core Reject Duplicates																					
944122	Drill Core	10.40	<0.1	130.5	2.6	68	<0.1	16.6	28.2	1547	5.43	8.2	0.6	1.2	1.9	263	<0.1	0.1	<0.1	192	7.41
DUP 944122	QC		<0.1	137.5	2.6	69	<0.1	16.3	28.7	1553	5.44	7.8	0.6	<0.5	1.7	258	<0.1	0.1	<0.1	193	7.46
944157	Drill Core	11.85	0.5	151.3	2.1	52	0.2	8.8	22.4	1023	6.01	7.9	0.2	5.0	0.4	175	0.2	0.2	0.1	235	4.96
DUP 944157	QC		0.3	138.8	2.1	49	0.2	8.6	20.8	1014	5.88	7.4	0.2	4.9	0.4	159	0.2	0.2	<0.1	228	4.74
Reference Materials																					
STD DS7	Standard		18.7	102.4	65.7	382	0.8	52.6	8.8	586	2.31	53.0	4.7	60.8	4.3	67	6.8	6.4	4.8	78	0.92
STD DS7	Standard		19.4	103.1	65.9	376	0.8	51.9	8.7	563	2.28	53.8	4.8	193.1	4.5	71	6.5	6.1	4.9	79	0.94
STD DS7	Standard		20.1	104.2	66.6	379	0.8	57.5	9.6	590	2.32	52.1	4.7	69.3	4.3	67	6.0	5.7	4.3	79	0.94
STD DS7	Standard		21.0	106.1	65.0	381	0.8	58.4	9.5	594	2.29	52.7	4.6	70.9	4.2	67	6.3	5.6	4.3	81	0.94
STD OXH55	Standard																				
STD OXH55	Standard																				
STD OXK69	Standard																				
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
STD OXK69 Expected																					
STD OXH55 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	<0.01	0.2	4.4	2.8	44	<0.1	3.7	4.5	556	1.88	<0.5	1.6	<0.5	5.8	65	<0.1	<0.1	<0.1	36	0.48



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: February 04, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN09006327.3

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	
Pulp Duplicates																			
REP 944122	QC	0.123	11	40	2.03	123	0.004	20	1.97	0.053	0.06	<0.1	<0.01	21.8	<0.1	0.26	8	<0.5	
944142	Drill Core	0.151	11	16	2.29	92	0.020	7	2.58	0.010	0.10	<0.1	<0.01	9.2	<0.1	1.02	12	1.8	0.05
REP 944142	QC																		0.07
944162	Drill Core	0.123	8	18	2.28	58	0.007	10	2.54	0.036	0.17	<0.1	<0.01	7.9	<0.1	0.39	9	<0.5	N.A.
REP 944162	QC	0.127	8	19	2.38	59	0.007	9	2.68	0.037	0.17	<0.1	<0.01	8.0	<0.1	0.41	9	<0.5	
Core Reject Duplicates																			
944122	Drill Core	0.123	11	40	2.02	119	0.004	19	1.86	0.053	0.06	<0.1	0.01	21.7	<0.1	0.26	8	<0.5	N.A.
DUP 944122	QC	0.125	11	39	2.03	116	0.004	20	1.88	0.051	0.06	<0.1	<0.01	21.6	<0.1	0.25	8	<0.5	N.A.
944157	Drill Core	0.110	6	24	2.69	48	0.036	9	2.52	0.053	0.03	<0.1	<0.01	17.3	<0.1	0.16	12	<0.5	N.A.
DUP 944157	QC	0.104	5	23	2.60	42	0.036	8	2.44	0.050	0.03	<0.1	<0.01	16.4	<0.1	0.15	12	0.5	N.A.
Reference Materials																			
STD DS7	Standard	0.082	11	178	0.96	366	0.115	45	0.91	0.086	0.40	3.7	0.20	2.2	3.8	0.20	4	2.7	
STD DS7	Standard	0.082	12	177	0.97	392	0.121	43	0.93	0.089	0.41	3.8	0.20	2.4	4.2	0.19	4	3.4	
STD DS7	Standard	0.072	12	199	0.97	371	0.115	37	0.96	0.089	0.39	4.0	0.18	2.0	4.1	0.20	4	3.3	
STD DS7	Standard	0.075	12	206	0.99	380	0.119	35	0.97	0.092	0.41	3.8	0.21	2.0	4.0	0.20	4	3.8	
STD OXH55	Standard																		1.28
STD OXH55	Standard																		1.26
STD OXK69	Standard																		3.66
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	
STD OXK69 Expected																			3.583
STD OXH55 Expected																			1.282
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	
BLK	Blank																		<0.01
BLK	Blank																		<0.01
BLK	Blank																		<0.01
Prep Wash																			
G1	Prep Blank	0.074	11	11	0.53	171	0.126	2	0.90	0.067	0.46	<0.1	<0.01	1.6	0.3	<0.05	4	<0.5	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: February 04, 2010

Page: 2 of 2 **Part** 1

QUALITY CONTROL REPORT

VAN09006327.3

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
G1	Prep Blank	<0.01	<0.1	4.9	2.9	44	<0.1	4.0	4.4	573	2.01	<0.5	1.8	<0.5	6.4	62	<0.1	<0.1	<0.1	39	0.52	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

211 - 744 W. Hastings St.

Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: February 04, 2010

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

VAN09006327.3

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	gm/mt	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.01	
G1	Prep Blank	0.081	13	12	0.53	161	0.128	1	0.93	0.083	0.46	<0.1	<0.01	1.7	0.3	<0.05	5	<0.5	N.A.	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
 Receiving Lab: Canada-Vancouver
 Received: February 09, 2010
 Report Date: February 15, 2010
 Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN09006327R.1

CLIENT JOB INFORMATION

Project: Miner Mountain
 Shipment ID:
 P.O. Number
 Number of Samples: 1

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
 DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
M150	1	Crush, Pulverize and Sieve 500g, save +150 and -150 mes		Completed	VAN
Split +150 mesh	1	Analysis sample split/packet			VAN
Split -150	1	Analysis sample split/packet			VAN
G602	1	Metallics Fire Assay	30	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: February 15, 2010

Page: 2 of 2 **Part** 1

CERTIFICATE OF ANALYSIS

VAN09006327R.1

Method	WGHT	M150	G6	G6.ME	G6.ME	G6.ME
Analyte	Wgt	TotWt	-Au	+Wt	+Au	TotAu
Unit	kg	g	gm/mt	g	mg	gm/mt
MDL	0.01	1	0.01	0.01	0.005	0.01
944141	Drill Core	584	0.12	29.87	<0.005	0.11



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: February 15, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN09006327R.1

Method	WGHT	M150	G6	G6.ME	G6.ME	G6.ME
Analyte	Wgt	TotWt	-Au	+Wt	+Au	TotAu
Unit	kg	g	gm/mt	g	mg	gm/mt
MDL	0.01	1	0.01	0.01	0.005	0.01
Pulp Duplicates						
944141	Drill Core	584	0.12	29.87	<0.005	0.11
REP 944141	QC		0.12			
Reference Materials						
STD OXH55	Standard		1.29			
STD OXP61	Standard			30.07	0.455	
BLK	Blank		<0.01			
BLK	Blank			30.00	<0.005	
Prep Wash						
G1	Prep Blank	517	<0.01	35.55	<0.005	<0.01



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: January 12, 2010
Report Date: January 19, 2010
Page: 1 of 4

CERTIFICATE OF ANALYSIS

VAN10000124.1

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 75

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	68	Crush split and pulverize 250g drill core to 200 mesh			VAN
1DX2	75	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 19, 2010

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN10000124.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944163	Drill Core	10.93	0.8	35.8	6.9	48	<0.1	22.0	21.5	1381	6.23	17.4	0.4	3.2	0.6	154	<0.1	0.3	<0.1	262	4.92
944164	Drill Core	11.14	1.4	68.5	28.8	50	0.1	16.5	23.7	1243	5.68	10.2	0.4	4.4	0.6	154	<0.1	0.2	<0.1	260	4.68
944165	Drill Core	12.18	2.0	95.3	5.6	42	0.1	18.0	20.7	1182	5.35	10.6	0.4	10.4	0.6	164	0.2	0.2	<0.1	233	5.27
944166	Drill Core	11.43	1.0	128.8	3.0	34	<0.1	11.2	20.2	1016	4.77	11.2	0.2	2.6	0.4	153	<0.1	0.2	<0.1	200	4.57
944167	Drill Core	11.89	1.6	70.1	1.9	38	<0.1	8.5	18.0	1031	5.00	10.4	0.4	1.9	0.6	150	0.2	0.3	<0.1	214	4.31
944168	Drill Core	11.77	0.1	2.9	1.4	25	<0.1	4.8	11.5	863	4.28	5.0	0.2	<0.5	0.6	253	<0.1	0.5	<0.1	145	4.50
944169	Drill Core	11.68	0.1	1.9	1.0	20	<0.1	5.3	10.2	776	3.59	4.8	0.2	1.8	0.5	202	<0.1	0.6	<0.1	133	4.22
944170	Rock Pulp	0.05	14.2	41.3	8.1	52	0.2	17.3	85.2	607	2.83	2860	1.9	187.1	5.5	59	0.2	5.3	8.0	35	3.15
944171	Drill Core	12.59	<0.1	21.9	1.3	22	<0.1	6.0	10.0	856	3.67	5.5	0.2	<0.5	0.6	261	<0.1	0.7	<0.1	141	5.04
944172	Drill Core	11.64	0.4	30.1	2.2	36	<0.1	11.4	15.4	1306	4.22	10.6	0.3	0.8	0.4	241	<0.1	0.6	<0.1	145	8.65
944173	Drill Core	11.90	0.8	39.7	1.6	24	<0.1	5.5	14.5	1081	3.93	5.4	0.2	0.5	0.4	210	<0.1	0.5	<0.1	122	7.31
944174	Drill Core	11.23	<0.1	2.4	1.3	28	<0.1	4.6	15.4	843	4.55	2.6	0.2	<0.5	0.6	167	<0.1	0.5	<0.1	137	4.64
944175	Rock Pulp	0.02	458.5	4517	86.4	51	43.4	5.4	1.4	237	0.76	35.1	0.6	16.9	0.7	176	<0.1	78.9	4.1	8	1.24
944176	Drill Core	8.07	9.1	536.7	3.5	33	0.3	10.7	11.5	699	4.84	6.1	0.2	45.0	1.0	91	<0.1	0.2	<0.1	170	4.31
944177	Drill Core	11.12	5.4	249.1	5.2	29	0.2	10.5	10.9	762	5.10	7.7	0.4	47.5	1.0	121	<0.1	0.2	0.1	182	4.00
944178	Drill Core	11.13	1.5	196.2	3.0	45	0.2	11.1	17.2	925	4.63	9.2	0.4	42.3	0.9	137	<0.1	0.1	<0.1	164	4.24
944179	Drill Core	11.06	37.0	447.7	5.3	41	0.5	10.7	20.0	863	5.35	22.4	0.7	179.0	1.0	119	<0.1	0.3	<0.1	200	4.13
944180	Drill Core	11.47	1.8	136.0	4.9	42	0.2	8.0	20.2	1031	5.79	45.0	0.4	11.8	0.6	122	<0.1	0.2	0.3	237	3.83
944181	Drill Core	11.33	10.3	177.0	7.9	71	0.4	11.0	21.9	1137	6.18	84.5	0.7	20.1	0.6	125	0.5	0.6	0.2	241	3.51
944182	Drill Core	11.38	0.9	49.5	3.6	41	<0.1	6.0	16.0	1082	5.01	17.3	0.3	4.5	0.6	135	0.1	0.2	0.2	183	4.23
944183	Drill Core	11.32	6.6	17.8	3.1	38	<0.1	4.4	10.8	1031	5.19	13.3	0.2	2.4	0.7	151	<0.1	0.2	<0.1	171	4.28
944184	Drill Core	10.96	0.4	150.6	28.9	76	0.3	8.9	24.6	1211	6.04	16.9	0.3	8.3	0.6	174	1.9	0.2	0.2	229	4.57
944185	Drill Core	11.54	0.5	15.5	1.6	48	<0.1	14.3	17.5	891	5.64	6.2	0.1	1.7	0.5	146	<0.1	<0.1	<0.1	191	3.57
944186	Rock Pulp	0.05	15.6	49.2	8.2	57	0.2	17.7	83.0	619	2.87	2971	1.9	216.4	5.3	61	0.1	5.5	8.3	35	3.23
944187	Drill Core	11.62	0.7	35.5	2.9	63	<0.1	5.0	19.0	961	4.85	17.2	0.3	2.3	0.4	163	0.1	0.2	<0.1	162	3.90
944188	Drill Core	12.05	1.4	164.2	2.4	49	0.1	8.4	24.2	974	5.38	26.9	0.1	11.1	0.5	153	<0.1	0.2	<0.1	195	4.64
944189	Drill Core	10.67	0.4	99.1	1.8	39	<0.1	8.8	26.1	876	5.57	7.4	0.2	8.1	0.6	132	<0.1	0.1	<0.1	232	3.97
944190	Drill Core	12.00	0.3	184.1	1.5	43	0.1	9.6	23.0	958	5.06	7.1	0.2	7.4	0.5	142	<0.1	0.1	<0.1	212	4.93
944191	Drill Core	11.69	0.3	108.5	1.2	35	0.1	7.5	20.7	850	4.78	9.8	0.1	4.3	0.6	204	<0.1	0.1	0.1	135	4.60
944192	Drill Core	11.73	1.2	111.5	1.8	34	0.1	9.7	20.9	970	4.57	10.8	0.4	3.4	0.6	275	<0.1	0.3	0.1	101	5.18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 19, 2010

Page: 2 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN10000124.1

Method	Analyte	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5
944163	Drill Core	0.130	6	67	3.56	37	0.023	7	3.56	0.053	0.08	<0.1	<0.01	14.0	<0.1	0.27	14	<0.5
944164	Drill Core	0.129	6	42	3.32	47	0.015	8	3.18	0.053	0.08	<0.1	<0.01	12.6	<0.1	0.32	12	0.5
944165	Drill Core	0.124	6	72	3.18	84	0.011	7	2.96	0.044	0.03	<0.1	<0.01	14.3	<0.1	0.19	12	<0.5
944166	Drill Core	0.084	6	33	2.83	56	0.010	4	2.47	0.052	0.03	<0.1	<0.01	14.8	<0.1	0.22	11	<0.5
944167	Drill Core	0.117	6	25	3.09	50	0.014	8	3.07	0.047	0.07	<0.1	<0.01	11.7	<0.1	0.15	12	<0.5
944168	Drill Core	0.134	4	5	2.69	82	0.020	6	2.94	0.043	0.10	<0.1	<0.01	6.9	<0.1	<0.05	10	<0.5
944169	Drill Core	0.130	3	5	2.25	33	0.057	3	2.32	0.039	0.09	<0.1	<0.01	6.3	<0.1	<0.05	8	<0.5
944170	Rock Pulp	0.083	42	29	0.28	72	0.057	24	0.76	0.076	0.10	0.4	<0.01	1.8	<0.1	0.66	3	6.1
944171	Drill Core	0.141	4	8	2.38	35	0.050	4	2.64	0.041	0.10	<0.1	<0.01	6.7	<0.1	<0.05	8	<0.5
944172	Drill Core	0.109	4	30	2.45	54	0.017	4	2.86	0.035	0.13	<0.1	<0.01	8.3	<0.1	0.14	8	<0.5
944173	Drill Core	0.110	4	12	1.96	64	0.007	4	2.39	0.040	0.13	<0.1	<0.01	7.2	<0.1	0.07	7	<0.5
944174	Drill Core	0.125	4	5	2.48	51	0.008	6	2.89	0.044	0.17	<0.1	<0.01	6.5	<0.1	<0.05	8	<0.5
944175	Rock Pulp	0.017	3	226	0.10	138	0.006	<1	0.29	0.021	0.15	0.1	0.25	0.5	<0.1	0.71	1	0.7
944176	Drill Core	0.156	12	16	1.69	36	0.010	2	1.91	0.030	0.08	<0.1	<0.01	7.9	<0.1	0.09	10	0.6
944177	Drill Core	0.160	9	15	1.94	46	0.014	5	2.12	0.048	0.09	<0.1	<0.01	8.6	0.1	0.19	10	0.6
944178	Drill Core	0.155	12	15	2.08	69	0.020	5	2.02	0.039	0.09	<0.1	<0.01	8.3	<0.1	0.28	9	<0.5
944179	Drill Core	0.152	20	17	2.24	27	0.017	6	2.38	0.024	0.08	<0.1	<0.01	7.2	<0.1	0.85	11	2.1
944180	Drill Core	0.126	6	17	2.46	27	0.029	7	2.62	0.039	0.08	<0.1	<0.01	8.5	<0.1	1.39	12	1.0
944181	Drill Core	0.127	7	25	2.92	35	0.027	9	2.71	0.026	0.05	<0.1	0.01	10.9	<0.1	1.39	12	1.6
944182	Drill Core	0.129	6	11	2.19	49	0.020	8	2.51	0.056	0.07	<0.1	<0.01	8.7	<0.1	0.65	10	0.6
944183	Drill Core	0.128	6	6	2.29	32	0.013	6	2.52	0.036	0.05	<0.1	<0.01	9.3	<0.1	0.54	11	<0.5
944184	Drill Core	0.128	6	16	2.61	52	0.021	11	2.85	0.061	0.05	<0.1	<0.01	10.8	<0.1	0.72	12	1.5
944185	Drill Core	0.106	6	34	2.93	37	0.013	12	2.72	0.070	0.05	<0.1	<0.01	10.9	<0.1	0.12	11	<0.5
944186	Rock Pulp	0.086	43	31	0.29	54	0.057	24	0.85	0.078	0.11	0.4	<0.01	2.1	<0.1	0.67	3	6.3
944187	Drill Core	0.099	8	11	2.35	55	0.007	9	2.38	0.062	0.19	<0.1	<0.01	7.8	<0.1	0.17	8	<0.5
944188	Drill Core	0.139	8	22	2.73	27	0.013	6	2.80	0.047	0.11	<0.1	<0.01	8.9	<0.1	0.28	11	0.6
944189	Drill Core	0.131	7	16	2.72	34	0.020	9	2.81	0.073	0.10	<0.1	<0.01	10.2	<0.1	0.07	11	<0.5
944190	Drill Core	0.133	6	27	2.74	22	0.022	6	2.69	0.047	0.07	<0.1	<0.01	9.7	<0.1	0.06	11	<0.5
944191	Drill Core	0.131	6	11	2.16	34	0.012	11	2.54	0.065	0.22	<0.1	<0.01	7.0	<0.1	0.30	7	0.9
944192	Drill Core	0.134	6	11	2.03	88	0.003	15	2.29	0.050	0.24	<0.1	<0.01	7.2	<0.1	0.32	5	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 19, 2010

Page: 3 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN10000124.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944193	Drill Core	11.96	0.7	43.5	1.4	38	<0.1	8.6	20.0	1013	5.26	9.3	0.3	4.2	0.7	162	<0.1	0.2	0.1	158	4.57
944194	Drill Core	11.74	0.3	100.7	1.1	39	<0.1	6.7	20.5	976	5.17	8.7	0.2	6.8	0.6	129	<0.1	0.2	<0.1	151	4.12
944195	Rock Pulp	0.02	495.3	4649	93.2	52	43.4	5.7	1.5	242	0.77	37.6	0.7	16.7	0.8	173	0.2	81.0	4.2	8	1.27
944196	Drill Core	11.78	1.9	38.9	0.8	44	<0.1	14.7	20.1	1140	5.79	6.2	0.3	2.7	0.5	184	<0.1	0.2	<0.1	221	5.35
944197	Drill Core	11.84	0.5	168.2	1.6	43	0.2	9.7	31.8	967	5.30	18.8	0.2	2.1	0.5	150	0.2	0.1	<0.1	177	4.86
944198	Drill Core	11.45	0.6	152.2	1.2	37	<0.1	5.3	20.7	1064	5.17	10.9	0.2	1.5	0.6	180	0.2	0.2	<0.1	168	5.37
944199	Drill Core	11.59	1.6	75.0	0.8	39	<0.1	5.8	18.5	1055	5.45	9.3	0.2	2.0	0.5	154	<0.1	0.1	<0.1	201	5.31
944200	Drill Core	11.95	2.0	73.4	1.1	38	0.1	5.0	18.6	1013	5.09	10.8	0.4	3.3	0.5	141	0.2	<0.1	<0.1	190	5.70
944201	Drill Core	11.13	1.0	136.2	1.5	40	0.2	5.6	20.5	906	5.14	9.0	0.2	4.2	0.6	119	0.1	0.2	<0.1	192	3.80
944202	Drill Core	11.39	1.4	54.4	1.3	36	<0.1	10.5	24.1	1017	5.49	10.3	0.2	1.1	0.6	154	0.1	0.2	<0.1	176	5.09
944203	Drill Core	10.55	0.4	61.7	1.6	30	<0.1	10.8	18.6	834	4.81	5.5	0.2	2.5	0.6	157	<0.1	0.2	<0.1	140	4.52
944204	Drill Core	11.00	0.6	97.2	1.7	36	0.1	12.4	19.2	1019	5.13	4.3	0.2	<0.5	0.7	160	<0.1	0.2	<0.1	160	4.94
944205	Rock Pulp	0.05	14.4	38.2	8.5	51	0.2	16.5	80.3	590	2.76	2834	1.9	210.7	6.0	62	<0.1	5.6	8.6	35	3.13
944206	Drill Core	10.01	0.2	16.4	1.9	42	<0.1	22.2	18.7	1354	6.97	5.7	0.2	1.1	0.5	183	<0.1	0.2	0.2	230	6.76
944207	Drill Core	11.51	0.2	2.5	0.9	32	<0.1	11.3	11.1	1073	4.16	3.1	0.1	<0.5	0.5	174	<0.1	0.2	<0.1	160	6.07
944208	Drill Core	10.47	<0.1	2.1	0.8	34	<0.1	5.0	12.3	1052	3.74	3.4	0.1	2.6	0.5	152	<0.1	0.2	<0.1	148	5.00
944209	Drill Core	10.67	<0.1	34.7	0.9	35	<0.1	5.5	11.2	1041	4.07	3.8	0.1	1.2	0.6	139	<0.1	0.3	0.1	157	5.13
944210	Drill Core	13.13	0.1	5.1	0.9	40	<0.1	6.4	13.4	1045	4.12	4.1	0.1	0.9	0.5	134	<0.1	0.2	<0.1	173	5.23
944211	Drill Core	10.92	<0.1	86.3	0.7	30	<0.1	5.8	11.0	842	3.53	3.5	0.1	1.6	0.6	119	<0.1	0.3	<0.1	165	5.01
944212	Drill Core	8.72	<0.1	42.8	0.8	26	<0.1	6.8	11.6	955	3.51	3.4	0.1	1.6	0.7	136	<0.1	0.4	0.2	145	5.80
944213	Drill Core	11.07	0.2	63.8	1.1	39	<0.1	18.6	17.8	1322	6.25	4.2	0.1	1.6	0.5	173	<0.1	0.7	0.2	193	6.38
944214	Drill Core	10.78	0.3	52.9	1.8	38	<0.1	9.9	14.6	1236	4.84	8.2	0.2	2.6	0.6	218	<0.1	0.3	0.1	156	6.61
944215	Rock Pulp	0.05	14.0	40.1	7.6	53	0.2	17.1	79.0	627	2.91	2949	1.9	210.9	5.2	63	0.1	5.4	8.2	36	3.22
944216	Drill Core	10.96	0.3	59.9	1.8	37	<0.1	6.5	14.0	1174	4.67	8.6	0.2	2.6	0.6	188	<0.1	0.2	0.1	133	5.71
944217	Drill Core	11.99	0.5	229.9	2.6	40	0.3	15.1	23.4	1117	4.78	16.0	0.4	8.3	0.7	148	0.1	0.1	0.1	154	5.02
944218	Drill Core	11.04	0.5	107.5	2.1	51	0.2	16.0	31.1	1173	5.44	14.6	0.3	3.1	0.6	156	0.1	0.2	0.2	142	4.57
944219	Drill Core	11.92	0.3	5.5	1.4	36	<0.1	5.8	12.7	1113	5.11	6.0	0.2	2.1	0.6	152	<0.1	0.2	<0.1	140	4.45
944220	Drill Core	11.68	0.2	2.6	0.8	33	<0.1	4.8	10.4	1089	4.57	4.9	0.2	1.2	0.6	168	<0.1	0.3	<0.1	147	5.03
944221	Drill Core	10.30	0.1	12.0	0.8	26	<0.1	6.2	7.6	1090	4.08	3.5	0.2	0.9	0.6	182	<0.1	0.3	0.1	145	6.09
944222	Drill Core	10.71	0.8	197.7	0.9	38	0.2	24.1	11.2	1427	5.31	6.2	0.2	3.2	0.6	190	<0.1	0.4	0.2	208	6.32

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 19, 2010

Page: 3 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN10000124.1

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.01	0.05	1	0.5	
944193	Drill Core	0.124	6	20	2.32	37	0.009	9	2.67	0.058	0.15	<0.1	<0.01	8.4	0.1	0.21	10	<0.5
944194	Drill Core	0.122	6	10	2.34	51	0.010	8	2.63	0.055	0.11	<0.1	<0.01	7.1	<0.1	0.21	10	<0.5
944195	Rock Pulp	0.018	4	237	0.11	150	0.006	<1	0.31	0.022	0.16	0.1	0.26	0.5	<0.1	0.72	1	0.8
944196	Drill Core	0.141	7	45	3.11	40	0.019	8	3.20	0.056	0.14	<0.1	<0.01	12.6	<0.1	<0.05	11	<0.5
944197	Drill Core	0.128	5	17	2.59	35	0.016	6	2.85	0.048	0.12	<0.1	<0.01	9.1	<0.1	0.32	10	1.0
944198	Drill Core	0.130	7	5	2.34	68	0.009	11	2.70	0.043	0.12	<0.1	<0.01	7.8	<0.1	0.15	9	<0.5
944199	Drill Core	0.134	6	7	2.57	53	0.016	8	2.94	0.060	0.11	<0.1	<0.01	8.9	<0.1	0.19	11	<0.5
944200	Drill Core	0.133	7	6	2.31	34	0.018	6	2.70	0.050	0.09	<0.1	<0.01	8.6	<0.1	0.28	11	<0.5
944201	Drill Core	0.140	7	7	2.41	38	0.013	6	2.79	0.059	0.11	<0.1	<0.01	8.7	<0.1	0.34	11	<0.5
944202	Drill Core	0.138	6	24	2.84	58	0.006	9	3.10	0.043	0.14	<0.1	<0.01	9.9	<0.1	0.25	10	<0.5
944203	Drill Core	0.142	5	15	2.46	42	0.007	9	2.74	0.042	0.16	<0.1	<0.01	7.4	<0.1	0.27	8	<0.5
944204	Drill Core	0.135	7	21	2.76	59	0.006	10	3.24	0.048	0.22	<0.1	<0.01	8.9	<0.1	0.06	10	<0.5
944205	Rock Pulp	0.087	43	30	0.28	52	0.058	24	0.85	0.076	0.10	0.4	<0.01	2.2	<0.1	0.64	3	6.6
944206	Drill Core	0.114	6	63	2.85	53	0.010	7	3.57	0.033	0.13	<0.1	<0.01	14.5	<0.1	0.27	11	1.0
944207	Drill Core	0.109	5	26	2.11	31	0.004	6	2.56	0.051	0.15	<0.1	<0.01	11.0	<0.1	<0.05	7	<0.5
944208	Drill Core	0.138	5	4	2.11	29	0.005	7	2.46	0.045	0.10	<0.1	<0.01	9.4	<0.1	<0.05	8	<0.5
944209	Drill Core	0.137	6	5	1.96	26	0.007	7	2.51	0.058	0.12	<0.1	<0.01	10.3	<0.1	<0.05	8	<0.5
944210	Drill Core	0.137	5	4	2.34	20	0.010	7	2.69	0.069	0.09	<0.1	<0.01	10.2	<0.1	<0.05	9	<0.5
944211	Drill Core	0.152	5	5	1.70	21	0.009	4	2.16	0.063	0.09	<0.1	<0.01	10.2	<0.1	<0.05	7	<0.5
944212	Drill Core	0.145	6	13	1.88	32	0.007	6	2.29	0.045	0.10	<0.1	<0.01	9.8	<0.1	<0.05	7	<0.5
944213	Drill Core	0.105	5	73	3.01	55	0.015	6	3.44	0.027	0.07	<0.1	<0.01	18.0	<0.1	0.08	11	0.6
944214	Drill Core	0.146	7	14	2.33	81	0.004	16	3.17	0.064	0.22	<0.1	<0.01	9.1	<0.1	0.19	8	0.8
944215	Rock Pulp	0.091	41	29	0.30	52	0.062	27	0.78	0.078	0.11	0.4	<0.01	2.1	<0.1	0.68	3	5.8
944216	Drill Core	0.129	8	12	2.43	42	0.005	5	2.86	0.029	0.15	<0.1	<0.01	6.0	<0.1	0.19	8	<0.5
944217	Drill Core	0.144	7	30	2.46	53	0.010	5	2.69	0.049	0.13	<0.1	<0.01	8.3	<0.1	0.36	9	0.8
944218	Drill Core	0.133	6	30	2.86	89	0.007	6	3.15	0.026	0.16	<0.1	<0.01	8.0	<0.1	0.36	9	0.6
944219	Drill Core	0.144	5	5	2.82	83	0.009	7	3.20	0.037	0.21	<0.1	<0.01	6.6	<0.1	0.31	9	1.1
944220	Drill Core	0.142	6	6	2.67	67	0.009	5	2.89	0.032	0.16	<0.1	<0.01	6.6	<0.1	<0.05	8	<0.5
944221	Drill Core	0.144	6	11	2.06	49	0.008	6	2.61	0.039	0.24	<0.1	<0.01	7.0	<0.1	<0.05	7	<0.5
944222	Drill Core	0.137	6	53	3.02	215	0.008	5	3.36	0.028	0.12	<0.1	<0.01	13.3	<0.1	0.06	10	<0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 19, 2010

Page: 4 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN10000124.1

	Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
944223	Drill Core	11.33	0.3	52.0	0.6	32	<0.1	10.5	9.9	1067	3.99	3.8	0.1	1.9	0.5	182	<0.1	0.4	<0.1	158	5.27	
944224	Drill Core	10.62	0.5	75.0	1.8	43	<0.1	8.5	15.1	1059	4.34	10.1	0.2	3.6	0.5	228	0.1	0.2	<0.1	134	5.38	
944225	Rock Pulp	0.05	13.9	39.6	7.7	52	0.2	17.2	80.6	601	2.85	2842	1.8	213.9	5.1	63	0.1	5.4	8.1	35	3.15	
944226	Drill Core	9.32	0.7	138.0	2.4	53	<0.1	11.6	16.7	1156	4.55	6.2	0.2	9.1	0.4	172	0.1	0.3	<0.1	142	5.48	
944227	Drill Core	4.82	2.1	536.8	1.2	46	0.6	22.3	19.0	1262	4.85	3.6	0.2	7.3	0.6	182	<0.1	0.4	0.2	161	6.14	
944228	Drill Core	4.23	0.6	158.8	1.1	34	0.1	10.6	24.7	1318	4.49	7.3	0.3	4.2	0.5	164	<0.1	0.3	0.1	114	7.32	
944229	Drill Core	10.26	1.1	162.2	0.9	45	0.1	12.4	32.1	1120	4.98	8.5	0.2	2.7	0.4	122	<0.1	0.3	<0.1	144	5.21	
944230	Drill Core	10.41	0.4	47.5	0.9	44	<0.1	14.8	21.0	1163	4.80	4.5	0.2	1.9	0.5	127	<0.1	0.3	<0.1	171	5.42	
MM09CR20	Rock	1.02	1.1	103.4	2.0	65	<0.1	17.6	25.8	677	3.12	10.1	0.6	2.9	0.5	92	0.3	0.4	<0.1	111	1.60	
MM09CR21	Rock	1.23	4.3	109.9	2.0	59	<0.1	17.8	21.9	532	3.09	19.1	0.4	3.2	0.5	84	0.2	0.5	<0.1	88	1.16	
MM09CR22	Rock	1.18	1.6	187.1	6.2	49	0.1	20.9	61.8	768	3.59	20.3	0.6	1.3	1.0	90	0.8	0.5	<0.1	154	1.86	
MM09CR23	Rock	1.29	0.2	17.8	1.2	50	<0.1	12.3	23.0	565	3.25	3.5	0.2	<0.5	0.5	88	<0.1	0.4	<0.1	104	1.56	
MM09CR24	Rock	1.20	0.7	3.0	11.8	13	<0.1	0.3	0.8	107	0.53	4.5	0.6	3.9	4.0	6	<0.1	0.2	<0.1	3	0.06	
MM09CR25	Rock	0.93	0.3	93.4	2.8	62	0.1	13.8	20.9	510	3.30	2.8	0.2	2.2	0.4	76	<0.1	0.2	<0.1	87	1.26	
MM09CR26	Rock	1.34	0.6	95.3	2.3	63	<0.1	12.0	19.0	844	3.83	1.5	0.3	3.0	0.8	115	<0.1	0.7	<0.1	134	1.49	



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 19, 2010

Page: 4 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN10000124.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	
944223	Drill Core	0.128	5	10	2.48	141	0.005	4	2.88	0.041	0.20	<0.1	<0.01	7.9	<0.1	<0.05	8	<0.5
944224	Drill Core	0.131	5	18	2.41	323	0.004	6	2.76	0.035	0.19	<0.1	<0.01	7.6	<0.1	0.06	7	<0.5
944225	Rock Pulp	0.083	41	27	0.30	53	0.059	27	0.79	0.077	0.10	0.4	<0.01	2.1	<0.1	0.65	3	5.6
944226	Drill Core	0.098	6	26	2.63	54	0.004	6	2.48	0.047	0.13	<0.1	<0.01	11.8	<0.1	<0.05	8	<0.5
944227	Drill Core	0.108	5	31	2.63	139	0.004	6	2.32	0.044	0.22	<0.1	<0.01	13.7	<0.1	<0.05	6	<0.5
944228	Drill Core	0.115	4	11	2.77	101	0.001	6	1.26	0.048	0.19	<0.1	<0.01	11.3	<0.1	0.12	3	0.5
944229	Drill Core	0.077	3	18	2.62	78	0.002	5	1.97	0.067	0.17	<0.1	<0.01	15.4	<0.1	0.16	6	<0.5
944230	Drill Core	0.112	5	28	2.70	38	0.002	4	1.95	0.063	0.13	<0.1	<0.01	15.1	<0.1	<0.05	6	<0.5
MM09CR20	Rock	0.143	3	28	1.44	66	0.206	3	1.62	0.090	0.11	<0.1	0.02	5.6	<0.1	0.09	6	2.3
MM09CR21	Rock	0.140	3	25	1.47	35	0.210	3	1.61	0.066	0.13	<0.1	0.04	3.5	<0.1	0.16	5	2.1
MM09CR22	Rock	0.145	6	13	1.56	197	0.051	2	2.00	0.107	0.08	<0.1	0.13	9.9	<0.1	0.23	8	2.9
MM09CR23	Rock	0.126	3	8	1.64	104	0.238	3	1.59	0.049	0.47	<0.1	0.02	5.7	<0.1	<0.05	6	<0.5
MM09CR24	Rock	0.012	15	2	0.03	34	0.001	<1	0.23	0.044	0.11	<0.1	0.01	0.7	<0.1	<0.05	<1	<0.5
MM09CR25	Rock	0.125	3	26	1.67	39	0.217	1	1.50	0.037	0.07	<0.1	<0.01	4.6	<0.1	<0.05	4	<0.5
MM09CR26	Rock	0.155	6	19	2.13	294	0.065	2	2.12	0.034	0.25	<0.1	0.02	8.9	<0.1	0.08	7	<0.5



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: January 19, 2010

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN10000124.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
944170	Rock Pulp	0.05	14.2	41.3	8.1	52	0.2	17.3	85.2	607	2.83	2860	1.9	187.1	5.5	59	0.2	5.3	8.0	35	3.15
REP 944170	QC		14.1	39.9	8.1	51	0.2	17.1	82.5	582	2.76	2781	1.8	213.6	5.4	56	0.1	5.4	8.1	35	3.09
944205	Rock Pulp	0.05	14.4	38.2	8.5	51	0.2	16.5	80.3	590	2.76	2834	1.9	210.7	6.0	62	<0.1	5.6	8.6	35	3.13
REP 944205	QC		13.7	38.8	8.5	55	0.2	17.7	80.6	604	2.82	2871	1.8	233.3	5.6	58	<0.1	5.4	8.2	35	3.14
944229	Drill Core	10.26	1.1	162.2	0.9	45	0.1	12.4	32.1	1120	4.98	8.5	0.2	2.7	0.4	122	<0.1	0.3	<0.1	144	5.21
REP 944229	QC		1.1	156.3	0.9	41	0.1	11.3	32.6	1110	4.94	8.5	0.1	3.0	0.4	119	<0.1	0.3	<0.1	145	5.06
MM09CR21	Rock	1.23	4.3	109.9	2.0	59	<0.1	17.8	21.9	532	3.09	19.1	0.4	3.2	0.5	84	0.2	0.5	<0.1	88	1.16
REP MM09CR21	QC		4.3	105.7	2.1	64	<0.1	17.1	22.1	509	3.04	18.5	0.4	3.8	0.4	79	0.2	0.5	<0.1	87	1.14
Core Reject Duplicates																					
944185	Drill Core	11.54	0.5	15.5	1.6	48	<0.1	14.3	17.5	891	5.64	6.2	0.1	1.7	0.5	146	<0.1	<0.1	<0.1	191	3.57
DUP 944185	QC		0.5	15.2	1.8	46	<0.1	14.7	17.7	847	5.51	6.0	0.1	2.1	0.5	154	<0.1	<0.1	<0.1	188	3.49
944220	Drill Core	11.68	0.2	2.6	0.8	33	<0.1	4.8	10.4	1089	4.57	4.9	0.2	1.2	0.6	168	<0.1	0.3	<0.1	147	5.03
DUP 944220	QC		0.2	2.1	0.9	31	<0.1	4.7	10.1	1089	4.71	4.4	0.3	1.8	0.6	160	<0.1	0.3	<0.1	151	5.10
Reference Materials																					
STD DS7	Standard		18.5	101.8	67.7	372	0.7	53.3	8.8	629	2.40	48.3	4.5	61.3	4.5	69	5.7	6.1	4.3	80	0.95
STD DS7	Standard		19.9	107.5	68.4	366	0.8	52.7	9.0	625	2.40	47.7	4.7	52.9	4.6	71	5.5	5.5	4.4	81	0.96
STD DS7	Standard		19.9	102.0	66.3	393	0.8	51.3	8.7	626	2.35	52.4	4.7	106.8	4.4	79	6.0	5.8	4.5	80	0.96
STD DS7	Standard		20.1	102.0	65.9	387	0.8	52.8	8.4	594	2.34	52.8	4.7	82.2	4.3	81	5.9	5.7	4.7	80	0.98
STD DS7	Standard		19.1	100.3	64.6	370	0.7	54.4	8.4	613	2.34	46.2	4.4	61.3	4.6	67	5.2	5.5	4.6	77	0.93
STD DS7	Standard		19.2	98.8	65.1	373	0.7	53.5	8.6	627	2.36	46.6	4.4	61.5	4.6	73	5.6	5.5	4.5	79	0.96
STD DS7	Standard		18.6	99.0	61.9	354	0.7	51.1	9.0	605	2.30	46.2	4.6	58.5	4.2	72	5.7	5.8	4.4	74	0.89
STD DS7	Standard		18.2	91.0	59.2	335	0.8	47.2	8.0	566	2.10	44.2	4.3	50.5	4.1	70	5.1	5.3	4.1	72	0.82
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: January 19, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN10000124.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																		
944170	Rock Pulp	0.083	42	29	0.28	72	0.057	24	0.76	0.076	0.10	0.4	<0.01	1.8	<0.1	0.66	3	6.1
REP 944170	QC	0.081	42	29	0.28	51	0.058	25	0.75	0.073	0.10	0.4	<0.01	1.8	<0.1	0.64	3	6.5
944205	Rock Pulp	0.087	43	30	0.28	52	0.058	24	0.85	0.076	0.10	0.4	<0.01	2.2	<0.1	0.64	3	6.6
REP 944205	QC	0.090	43	29	0.29	53	0.056	24	0.84	0.076	0.10	0.4	<0.01	1.9	<0.1	0.65	3	6.5
944229	Drill Core	0.077	3	18	2.62	78	0.002	5	1.97	0.067	0.17	<0.1	<0.01	15.4	<0.1	0.16	6	<0.5
REP 944229	QC	0.079	3	20	2.59	81	0.003	5	1.95	0.068	0.17	<0.1	<0.01	15.5	<0.1	0.16	6	<0.5
MM09CR21	Rock	0.140	3	25	1.47	35	0.210	3	1.61	0.066	0.13	<0.1	0.04	3.5	<0.1	0.16	5	2.1
REP MM09CR21	QC	0.138	3	24	1.37	35	0.207	1	1.49	0.065	0.13	<0.1	0.04	3.6	0.2	0.15	5	2.1
Core Reject Duplicates																		
944185	Drill Core	0.106	6	34	2.93	37	0.013	12	2.72	0.070	0.05	<0.1	<0.01	10.9	<0.1	0.12	11	<0.5
DUP 944185	QC	0.103	5	34	2.84	34	0.014	14	2.71	0.069	0.05	<0.1	<0.01	10.9	<0.1	0.12	11	0.5
944220	Drill Core	0.142	6	6	2.67	67	0.009	5	2.89	0.032	0.16	<0.1	<0.01	6.6	<0.1	<0.05	8	<0.5
DUP 944220	QC	0.136	6	5	2.67	65	0.010	7	3.00	0.033	0.18	<0.1	<0.01	6.7	<0.1	<0.05	9	<0.5
Reference Materials																		
STD DS7	Standard	0.075	12	201	1.02	406	0.124	35	1.05	0.094	0.45	3.9	0.17	2.1	3.9	0.19	5	3.5
STD DS7	Standard	0.069	12	217	1.03	408	0.131	37	1.05	0.095	0.44	3.7	0.18	2.2	3.7	0.19	5	3.2
STD DS7	Standard	0.082	13	198	1.03	412	0.127	44	1.03	0.094	0.44	3.7	0.18	2.2	3.9	0.20	4	3.2
STD DS7	Standard	0.077	13	187	1.02	391	0.125	41	1.03	0.092	0.43	3.6	0.19	2.4	4.1	0.19	5	3.4
STD DS7	Standard	0.074	12	208	1.01	395	0.120	39	1.03	0.096	0.43	4.1	0.18	2.2	4.2	0.18	5	2.7
STD DS7	Standard	0.072	12	207	1.02	388	0.123	36	1.03	0.098	0.43	4.2	0.18	2.2	4.0	0.19	5	3.2
STD DS7	Standard	0.078	12	194	1.02	374	0.137	33	1.02	0.086	0.45	3.5	0.18	2.2	3.5	0.19	5	3.3
STD DS7	Standard	0.069	11	184	0.95	354	0.136	32	0.90	0.083	0.41	3.3	0.18	2.1	3.3	0.16	4	2.9
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
Prep Wash																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

211 - 744 W. Hastings St.

Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: January 19, 2010

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

VAN10000124.1

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
G1	Prep Blank	<0.01	<0.1	2.4	11.4	50	<0.1	3.4	4.5	603	1.98	<0.5	2.3	<0.5	6.0	61	<0.1	<0.1	<0.1	39	0.57	
G1	Prep Blank	<0.01	0.1	2.5	34.9	46	<0.1	3.0	4.3	551	1.93	<0.5	2.9	<0.5	6.7	56	<0.1	<0.1	<0.1	38	0.53	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: January 19, 2010

Page: 2 of 2 **Part** 2

QUALITY CONTROL REPORT

VAN10000124.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
G1	Prep Blank	0.079	12	12	0.57	199	0.144	1	1.06	0.104	0.56	0.4	<0.01	2.0	0.2	<0.05	5	<0.5
G1	Prep Blank	0.083	13	13	0.53	179	0.126	1	0.97	0.093	0.48	0.1	<0.01	1.8	0.2	<0.05	5	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: March 29, 2010
Report Date: April 12, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN10001209.1

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 24

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	24	Crush split and pulverize 250g drill core to 200 mesh			VAN
1DX2	24	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Sego Resources Inc.
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 12, 2010

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

VAN10001209.1

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
944251	Drill Core	2.30	0.4	273.1	2.8	73	0.2	5.3	24.9	1187	4.96	2.4	0.7	10.3	1.9	191	<0.1	0.4	<0.1	118	2.39
944252	Drill Core	5.36	1.5	579.2	3.4	67	0.3	8.1	23.4	1459	5.36	2.4	1.1	59.4	2.2	227	0.2	0.4	<0.1	126	4.26
944253	Drill Core	11.08	1.0	330.8	13.4	71	0.3	12.2	24.5	1295	5.95	3.2	0.9	13.1	1.2	128	0.2	0.3	<0.1	152	4.46
944254	Drill Core	10.84	0.9	415.9	9.2	70	0.2	14.3	30.9	1312	7.89	2.6	0.8	48.1	1.1	105	0.1	0.3	<0.1	187	3.35
944255	Drill Core	10.71	2.7	608.1	3.9	61	0.4	12.4	33.3	1451	5.83	2.8	1.0	58.5	1.2	132	0.1	0.3	<0.1	138	4.10
944256	Drill Core	10.58	0.9	287.6	2.5	72	0.1	12.3	33.2	1356	8.32	2.6	2.0	16.8	1.5	97	<0.1	0.3	<0.1	176	2.20
944257	Drill Core	12.24	0.9	294.3	3.3	196	0.2	13.7	32.6	1864	9.40	3.5	0.8	17.4	1.3	82	0.5	0.2	<0.1	220	2.21
944258	Drill Core	10.77	0.8	123.7	12.6	113	<0.1	10.8	27.3	1665	8.78	3.3	0.6	9.2	1.4	97	<0.1	0.2	<0.1	197	2.98
944259	Drill Core	11.71	0.2	66.9	1.2	92	<0.1	7.2	23.5	1339	4.49	3.5	0.6	3.6	2.0	83	<0.1	0.2	<0.1	135	2.65
944260	Drill Core	8.45	0.3	179.8	1.3	136	<0.1	6.5	22.9	1537	5.89	4.9	0.5	12.1	1.9	94	<0.1	0.3	<0.1	144	2.35
944261	Drill Core	12.65	0.5	365.1	2.8	123	0.3	9.6	22.5	1711	6.40	2.9	0.5	11.0	1.6	106	0.1	0.2	<0.1	157	2.48
944262	Drill Core	11.75	0.4	265.8	3.8	130	0.2	4.3	20.0	1538	4.79	3.2	0.7	2.6	2.1	92	<0.1	0.2	<0.1	111	2.33
944263	Drill Core	9.86	0.5	193.6	2.5	152	<0.1	16.5	26.3	1788	6.81	3.1	0.6	20.6	1.4	106	0.1	0.2	<0.1	242	3.19
944264	Drill Core	7.49	0.8	582.5	3.4	108	0.2	13.4	24.9	1497	5.27	3.9	0.7	49.4	1.5	151	0.1	0.4	<0.1	202	4.46
944265	Drill Core	1.39	0.3	35.8	2.5	161	<0.1	10.9	18.9	2281	3.74	3.5	0.8	0.9	1.4	166	<0.1	0.2	<0.1	184	5.61
944266	Drill Core	6.03	0.3	134.1	1.6	214	0.1	9.6	23.5	2105	4.58	3.8	0.7	7.2	1.5	148	<0.1	0.2	<0.1	190	4.32
944267	Drill Core	2.96	<0.1	108.8	3.4	84	0.2	8.1	22.7	1371	3.72	4.4	0.9	3.7	1.8	346	<0.1	0.3	<0.1	159	5.04
944268	Drill Core	10.22	0.3	253.9	4.8	115	0.3	10.1	19.3	1454	4.35	4.3	0.7	9.1	1.7	171	<0.1	0.3	<0.1	189	3.95
944269	Drill Core	10.61	0.4	253.0	6.1	139	<0.1	9.4	23.2	1780	4.32	5.2	0.6	6.6	1.6	167	0.2	0.3	<0.1	189	5.28
944270	Drill Core	10.91	0.3	442.3	42.6	215	0.2	7.0	23.4	2248	4.88	4.6	0.8	36.1	2.0	198	0.2	0.3	<0.1	232	6.28
944271	Drill Core	0.09	14.9	44.8	8.0	57	0.2	17.7	84.5	617	2.89	2937	2.0	224.7	5.7	64	0.2	5.8	8.5	35	3.24
944272	Drill Core	0.06	498.6	4746	87.1	51	42.7	5.7	1.5	258	0.83	39.7	0.7	16.6	0.7	176	0.6	83.5	4.3	9	1.31
944273	Drill Core	11.35	0.4	188.7	44.7	208	0.4	2.7	22.3	1978	4.59	4.1	0.9	10.9	2.2	181	2.1	0.4	<0.1	215	4.58
944274	Drill Core	12.00	0.2	239.0	19.1	218	0.5	3.3	25.4	2079	4.92	7.1	0.8	8.0	2.2	231	0.2	1.0	<0.1	211	4.50



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: April 12, 2010

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

VAN10001209.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
944251	Drill Core	0.147	11	4	1.20	79	0.026	3	1.71	0.026	0.16	<0.1	<0.01	2.8	<0.1	<0.05	6	<0.5	<0.2
944252	Drill Core	0.135	15	11	0.99	643	0.014	3	1.52	0.031	0.20	<0.1	<0.01	4.2	<0.1	0.05	5	<0.5	<0.2
944253	Drill Core	0.148	13	18	0.81	344	0.009	2	1.14	0.032	0.16	<0.1	0.03	5.8	<0.1	0.42	6	<0.5	<0.2
944254	Drill Core	0.134	13	21	1.18	646	0.009	2	1.56	0.030	0.16	<0.1	<0.01	5.9	<0.1	0.14	7	<0.5	<0.2
944255	Drill Core	0.172	13	17	1.64	431	0.012	2	1.96	0.026	0.22	<0.1	<0.01	5.1	<0.1	0.25	8	0.6	<0.2
944256	Drill Core	0.150	15	18	1.10	198	0.021	2	1.43	0.031	0.18	<0.1	<0.01	6.9	<0.1	<0.05	7	<0.5	<0.2
944257	Drill Core	0.140	14	21	1.57	161	0.010	2	1.73	0.029	0.07	<0.1	0.01	8.6	<0.1	0.13	10	<0.5	<0.2
944258	Drill Core	0.128	13	17	1.61	274	0.010	1	1.80	0.038	0.08	<0.1	<0.01	9.3	<0.1	0.09	9	<0.5	<0.2
944259	Drill Core	0.168	16	12	1.37	61	0.007	2	1.63	0.043	0.12	<0.1	0.01	5.9	<0.1	<0.05	8	<0.5	<0.2
944260	Drill Core	0.161	15	9	1.35	283	0.006	3	1.77	0.031	0.16	<0.1	<0.01	4.7	<0.1	<0.05	8	<0.5	<0.2
944261	Drill Core	0.197	16	16	1.29	270	0.008	2	1.64	0.033	0.16	<0.1	0.01	6.0	<0.1	<0.05	8	0.6	<0.2
944262	Drill Core	0.166	15	6	0.81	122	0.007	2	1.23	0.039	0.20	<0.1	<0.01	3.7	<0.1	<0.05	5	0.5	<0.2
944263	Drill Core	0.144	12	26	1.47	365	0.009	<1	1.53	0.040	0.05	<0.1	<0.01	9.4	<0.1	<0.05	9	<0.5	<0.2
944264	Drill Core	0.139	13	20	1.32	315	0.009	3	1.46	0.029	0.06	<0.1	0.01	10.8	<0.1	<0.05	7	<0.5	<0.2
944265	Drill Core	0.158	14	24	2.23	28	0.010	<1	2.07	0.034	0.04	<0.1	0.01	10.9	<0.1	<0.05	10	<0.5	<0.2
944266	Drill Core	0.154	13	13	2.27	29	0.008	2	2.01	0.039	0.04	<0.1	<0.01	9.7	<0.1	<0.05	10	<0.5	<0.2
944267	Drill Core	0.155	15	12	2.40	24	0.008	2	2.07	0.036	0.04	<0.1	<0.01	9.3	<0.1	<0.05	9	<0.5	<0.2
944268	Drill Core	0.149	13	13	2.04	12	0.009	2	2.10	0.036	0.04	<0.1	0.01	9.8	<0.1	<0.05	9	<0.5	<0.2
944269	Drill Core	0.146	14	12	1.83	342	0.005	2	1.94	0.033	0.08	<0.1	<0.01	8.3	<0.1	<0.05	9	<0.5	<0.2
944270	Drill Core	0.168	14	11	2.12	153	0.008	2	2.29	0.024	0.07	<0.1	<0.01	9.3	<0.1	<0.05	11	<0.5	<0.2
944271	Drill Core	0.090	44	30	0.30	54	0.066	23	0.85	0.079	0.11	0.4	0.01	1.9	<0.1	0.68	3	6.9	1.7
944272	Drill Core	0.018	4	234	0.11	159	0.007	<1	0.31	0.022	0.17	0.1	0.27	0.4	<0.1	0.74	1	1.0	0.6
944273	Drill Core	0.175	14	<1	1.81	88	0.012	1	1.98	0.025	0.07	<0.1	0.02	7.3	<0.1	<0.05	9	0.7	<0.2
944274	Drill Core	0.187	12	<1	1.99	99	0.009	3	2.15	0.036	0.06	<0.1	0.01	7.6	<0.1	<0.05	10	0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: April 12, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN10001209.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
944274	Drill Core	12.00	0.2	239.0	19.1	218	0.5	3.3	25.4	2079	4.92	7.1	0.8	8.0	2.2	231	0.2	1.0	<0.1	211	4.50
REP 944274	QC		0.2	226.6	18.6	216	0.5	3.3	24.1	2071	4.83	6.7	0.8	10.3	2.3	222	0.2	0.9	<0.1	204	4.49
Reference Materials																					
STD DS7	Standard		21.3	109.0	67.6	402	0.9	57.0	9.2	618	2.36	54.7	4.8	92.6	4.7	72	6.7	6.0	4.5	82	0.95
STD DS7	Standard		21.3	112.2	68.3	402	1.0	54.3	9.1	631	2.43	53.7	5.0	92.4	4.6	73	6.4	6.0	4.7	82	0.95
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.2	48.0	7.7	53	<0.1	6.5	4.5	575	1.96	<0.5	2.2	<0.5	7.3	50	<0.1	0.1	<0.1	37	0.48
G1	Prep Blank	<0.01	0.3	149.7	8.7	54	<0.1	6.8	4.2	563	1.94	0.5	1.9	<0.5	6.4	44	<0.1	0.1	<0.1	36	0.44



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

211 - 744 W. Hastings St.

Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: April 12, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN10001209.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																				
944274	Drill Core	0.187	12	<1	1.99	99	0.009	3	2.15	0.036	0.06	<0.1	0.01	7.6	<0.1	<0.05	10	0.5	<0.2	
REP 944274	QC	0.194	13	<1	1.97	97	0.008	3	2.09	0.035	0.06	<0.1	<0.01	7.5	<0.1	<0.05	9	0.5	<0.2	
Reference Materials																				
STD DS7	Standard	0.072	12	190	1.06	391	0.134	39	1.02	0.091	0.44	3.8	0.21	2.2	4.2	0.20	4	3.7	1.3	
STD DS7	Standard	0.079	13	196	1.06	399	0.140	40	1.04	0.093	0.45	3.8	0.22	2.3	3.9	0.20	4	3.7	1.9	
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																				
G1	Prep Blank	0.075	15	12	0.57	164	0.148	2	0.91	0.074	0.47	0.1	<0.01	1.8	0.3	<0.05	4	<0.5	<0.2	
G1	Prep Blank	0.079	13	12	0.57	160	0.131	<1	0.85	0.057	0.48	0.1	0.02	1.6	0.3	<0.05	4	<0.5	<0.2	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: March 31, 2010
Report Date: April 12, 2010
Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN10001286.1

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 35

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	33	Crush split and pulverize 250g drill core to 200 mesh			VAN
1DX2	35	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 12, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10001286.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944275	Drill Core	10.84	0.1	219.3	10.7	199	0.4	2.8	21.6	1923	4.34	5.2	0.8	5.0	2.3	204	0.1	0.8	<0.1	184	3.38
944276	Drill Core	10.76	0.3	237.5	7.3	216	0.4	2.6	22.4	2150	4.40	6.4	0.7	9.4	2.5	185	<0.1	0.8	<0.1	194	3.52
944277	Drill Core	11.35	0.1	216.6	3.5	155	0.4	2.7	23.2	1858	4.18	5.0	0.8	4.1	2.0	327	0.1	0.7	<0.1	152	3.50
944278	Drill Core	12.10	<0.1	205.7	3.8	178	0.7	2.5	22.2	2050	4.53	4.8	0.8	5.9	2.1	297	0.2	0.6	<0.1	185	3.63
944279	Drill Core	11.14	<0.1	197.4	5.0	168	0.6	2.5	22.4	2017	4.51	5.9	0.7	7.9	2.0	215	0.2	0.8	<0.1	189	3.70
944280	Drill Core	11.80	0.3	301.0	6.7	177	0.6	2.1	21.0	1960	4.18	5.6	0.7	12.0	1.9	198	0.3	0.8	<0.1	189	4.23
944281	Drill Core	11.25	0.1	276.2	4.3	220	0.9	2.7	23.6	2130	4.51	6.2	1.0	8.1	2.1	194	0.2	0.9	<0.1	206	3.96
944282	Drill Core	10.64	0.1	249.7	7.3	214	0.7	2.5	22.5	2018	4.42	6.7	0.7	18.0	2.1	200	0.2	0.7	<0.1	210	3.81
944283	Drill Core	10.99	0.1	220.9	5.4	270	0.5	2.3	22.1	2145	4.52	6.9	0.6	17.1	2.1	312	0.1	0.5	<0.1	200	3.83
944284	Drill Core	11.18	<0.1	210.5	4.9	233	0.5	2.0	21.5	2094	4.47	5.1	0.7	12.0	2.2	3039	0.1	0.4	<0.1	182	3.97
944285	Drill Core	11.08	<0.1	176.6	6.4	209	0.3	2.8	22.9	1979	4.69	5.8	0.6	8.5	2.3	167	0.2	0.5	<0.1	214	3.70
944286	Drill Core	10.06	0.2	228.3	9.5	164	0.2	5.2	21.6	1672	4.14	6.1	1.0	7.2	2.1	364	0.1	0.5	<0.1	201	3.93
944287	Drill Core	10.31	0.6	229.2	5.9	122	0.1	6.7	12.5	1198	2.26	5.4	3.0	19.9	1.9	220	0.6	0.2	<0.1	139	4.32
944288	Drill Core	12.24	0.3	285.5	3.7	135	0.2	6.7	17.3	1383	2.84	4.6	2.2	11.5	1.4	372	0.1	0.3	<0.1	107	4.29
944289	Drill Core	12.80	0.5	355.3	11.1	114	0.2	9.4	20.4	1333	3.55	4.8	1.8	11.2	0.9	794	<0.1	0.3	<0.1	112	2.97
944290	Drill Core	12.09	0.4	342.3	2.4	112	0.2	8.3	18.6	1562	3.31	5.0	3.2	5.3	1.1	483	<0.1	0.3	<0.1	112	3.51
944291	Drill Core	12.06	0.4	827.6	4.5	141	0.6	10.5	23.5	2003	4.37	5.8	2.1	7.5	1.6	480	0.1	0.3	<0.1	175	4.16
944292	Drill Core	10.70	1.2	858.2	9.4	189	0.3	10.5	24.4	2341	4.75	4.9	3.0	30.7	1.7	454	0.2	0.2	<0.1	192	4.42
944293	Drill Core	11.24	0.4	434.3	3.5	176	0.2	10.0	24.6	2324	5.03	3.7	3.1	10.2	1.8	321	0.1	0.2	<0.1	185	4.83
944294	Drill Core	12.15	0.4	519.0	1.7	122	0.5	7.4	21.2	1527	4.21	3.7	1.6	22.1	1.2	336	<0.1	0.3	<0.1	118	3.47
944295	Drill Core	12.26	0.5	350.0	3.9	171	0.3	10.1	20.3	2027	4.87	3.6	1.7	14.9	1.4	378	0.2	0.3	<0.1	159	4.27
944296	Drill Core	11.54	0.2	404.6	2.6	244	0.4	11.4	30.1	2497	5.97	3.6	2.0	5.0	1.7	398	0.1	0.1	<0.1	216	3.98
944297	Rock Pulp	0.05	15.0	44.8	8.4	56	0.2	18.7	85.0	606	2.96	3016	2.0	228.5	6.0	64	0.2	5.8	8.4	37	3.16
944298	Rock Pulp	0.02	479.6	4608	87.2	51	44.2	6.2	1.6	249	0.81	40.9	0.7	23.4	0.7	182	0.5	83.7	4.1	8	1.33
944299	Drill Core	11.49	0.2	302.4	2.2	163	0.3	9.6	25.5	1920	5.62	4.0	1.3	11.8	2.1	348	<0.1	0.3	<0.1	221	3.85
944300	Drill Core	11.27	0.3	399.7	2.2	173	0.2	5.2	27.9	1978	6.11	4.5	0.8	22.6	2.2	305	<0.1	0.2	<0.1	252	3.94
944301	Drill Core	11.77	2.0	242.7	5.7	103	0.2	10.8	25.1	1114	5.08	8.5	0.7	29.4	1.5	260	<0.1	0.3	0.4	143	4.26
944302	Drill Core	11.21	4.9	163.6	16.6	22	0.2	9.1	24.1	121	5.14	11.5	0.5	12.2	1.4	518	0.2	0.5	1.0	32	5.20
944303	Drill Core	11.70	2.6	160.2	2.2	5	<0.1	8.8	18.9	44	3.59	5.9	0.4	7.3	1.6	665	<0.1	0.2	0.3	27	6.59
944304	Drill Core	11.73	2.3	191.8	2.5	19	<0.1	9.3	23.3	257	4.56	3.7	0.6	14.2	1.9	569	<0.1	0.1	0.3	102	5.22

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 12, 2010

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10001286.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
944275	Drill Core	0.193	13	1	1.89	53	0.012	3	1.81	0.041	0.07	<0.1	<0.01	6.2	<0.1	<0.05	8	<0.5	<0.2
944276	Drill Core	0.200	13	<1	1.96	40	0.008	3	1.91	0.037	0.06	<0.1	<0.01	5.9	<0.1	<0.05	9	<0.5	<0.2
944277	Drill Core	0.182	11	<1	2.07	39	0.012	3	1.86	0.035	0.04	<0.1	<0.01	5.5	<0.1	<0.05	7	<0.5	<0.2
944278	Drill Core	0.186	13	<1	2.06	72	0.010	3	1.93	0.030	0.05	<0.1	<0.01	6.9	<0.1	<0.05	9	<0.5	<0.2
944279	Drill Core	0.191	13	<1	1.96	55	0.015	3	1.88	0.035	0.08	<0.1	<0.01	6.3	<0.1	<0.05	8	<0.5	<0.2
944280	Drill Core	0.173	13	<1	1.55	106	0.009	3	1.63	0.031	0.07	<0.1	<0.01	6.0	<0.1	<0.05	8	<0.5	<0.2
944281	Drill Core	0.176	12	<1	1.87	57	0.006	3	1.84	0.037	0.07	<0.1	<0.01	6.7	<0.1	<0.05	9	<0.5	<0.2
944282	Drill Core	0.186	13	<1	1.95	65	0.006	2	1.90	0.032	0.06	<0.1	<0.01	6.5	<0.1	<0.05	9	<0.5	<0.2
944283	Drill Core	0.186	14	<1	1.91	144	0.006	3	1.88	0.030	0.09	<0.1	<0.01	5.9	<0.1	<0.05	9	<0.5	<0.2
944284	Drill Core	0.190	14	<1	1.84	147	0.008	3	1.76	0.024	0.10	<0.1	<0.01	5.5	<0.1	0.10	9	<0.5	<0.2
944285	Drill Core	0.199	14	<1	1.97	81	0.010	2	1.99	0.030	0.08	<0.1	<0.01	7.2	<0.1	<0.05	9	<0.5	<0.2
944286	Drill Core	0.183	14	5	2.06	169	0.006	3	2.09	0.040	0.07	<0.1	<0.01	8.1	<0.1	0.06	10	<0.5	<0.2
944287	Drill Core	0.197	18	10	1.47	97	0.011	3	1.40	0.048	0.06	<0.1	<0.01	7.9	<0.1	0.08	7	<0.5	<0.2
944288	Drill Core	0.175	15	8	2.48	142	0.020	3	1.85	0.039	0.08	<0.1	<0.01	6.3	<0.1	<0.05	6	<0.5	<0.2
944289	Drill Core	0.167	10	10	2.30	99	0.066	2	1.65	0.059	0.03	<0.1	<0.01	4.6	<0.1	0.10	6	0.5	0.3
944290	Drill Core	0.169	13	10	2.67	77	0.043	2	1.86	0.052	0.02	<0.1	<0.01	7.2	<0.1	<0.05	7	<0.5	<0.2
944291	Drill Core	0.155	16	14	2.35	248	0.010	3	2.15	0.033	0.08	<0.1	<0.01	11.4	<0.1	0.06	9	0.6	<0.2
944292	Drill Core	0.167	18	16	2.68	314	0.006	3	2.20	0.053	0.09	<0.1	<0.01	12.3	<0.1	0.16	9	<0.5	<0.2
944293	Drill Core	0.156	15	10	2.76	168	0.012	3	2.34	0.048	0.06	<0.1	<0.01	11.8	<0.1	<0.05	9	<0.5	<0.2
944294	Drill Core	0.167	9	7	2.36	130	0.053	2	1.84	0.056	0.04	<0.1	<0.01	5.8	<0.1	<0.05	7	<0.5	<0.2
944295	Drill Core	0.165	11	10	2.85	145	0.045	3	2.23	0.058	0.05	<0.1	<0.01	7.3	<0.1	<0.05	8	0.6	<0.2
944296	Drill Core	0.150	14	13	4.11	184	0.011	2	3.10	0.039	0.02	<0.1	<0.01	11.8	<0.1	<0.05	13	0.5	<0.2
944297	Rock Pulp	0.096	43	30	0.30	55	0.065	25	0.81	0.085	0.11	0.4	<0.01	1.9	<0.1	0.66	3	6.2	2.2
944298	Rock Pulp	0.018	4	231	0.10	153	0.006	1	0.32	0.022	0.17	0.1	0.26	0.3	<0.1	0.72	1	1.1	0.5
944299	Drill Core	0.190	12	9	3.53	133	0.015	4	2.74	0.058	0.04	<0.1	<0.01	10.6	<0.1	<0.05	10	<0.5	<0.2
944300	Drill Core	0.197	14	1	3.41	128	0.015	3	2.66	0.052	0.03	<0.1	<0.01	10.3	<0.1	0.21	12	<0.5	<0.2
944301	Drill Core	0.151	13	15	2.52	62	0.005	4	2.08	0.053	0.15	<0.1	0.06	8.5	<0.1	3.23	8	3.3	0.2
944302	Drill Core	0.147	13	5	0.65	19	0.003	3	0.87	0.018	0.23	<0.1	0.05	2.0	<0.1	9.67	2	6.7	0.6
944303	Drill Core	0.194	6	5	0.49	21	0.002	5	0.73	0.016	0.21	<0.1	0.03	1.3	0.1	9.19	2	5.0	0.4
944304	Drill Core	0.175	13	8	1.38	24	0.004	2	1.60	0.021	0.13	<0.1	0.02	5.5	<0.1	7.27	5	5.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 12, 2010

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10001286.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944305	Drill Core	11.99	6.0	315.7	1.6	6	<0.1	6.3	18.9	68	2.99	2.8	0.6	7.4	2.0	783	<0.1	0.1	0.1	28	7.06
944306	Drill Core	11.52	5.3	118.8	2.8	7	<0.1	11.8	24.7	48	4.42	4.8	0.7	11.6	1.5	592	<0.1	0.2	0.2	24	5.60
944307	Drill Core	12.37	1.8	417.8	2.1	22	<0.1	24.6	23.5	275	5.11	3.2	0.5	11.4	1.5	512	<0.1	0.1	0.3	132	4.66
944308	Drill Core	12.11	3.2	86.1	1.5	11	<0.1	7.4	17.4	113	2.98	1.8	0.4	6.2	1.4	697	<0.1	<0.1	0.1	49	6.81
944309	Drill Core	11.45	3.3	271.5	1.4	12	<0.1	8.5	20.4	151	3.34	1.0	0.8	9.8	2.0	668	<0.1	<0.1	<0.1	38	5.25



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 12, 2010

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10001286.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
944305	Drill Core	0.159	13	2	0.37	23	0.002	3	0.64	0.014	0.19	<0.1	0.02	1.8	<0.1	8.57	2	5.9	0.2
944306	Drill Core	0.162	12	3	0.41	18	0.002	2	0.65	0.013	0.22	<0.1	0.04	1.4	<0.1	9.38	1	8.9	0.4
944307	Drill Core	0.156	14	57	2.74	26	0.007	3	2.60	0.018	0.09	<0.1	0.02	8.4	<0.1	6.52	8	4.7	0.2
944308	Drill Core	0.140	10	5	0.64	23	0.002	4	0.85	0.013	0.13	<0.1	0.02	2.8	<0.1	8.05	3	6.3	0.3
944309	Drill Core	0.176	15	3	0.65	20	0.002	4	0.99	0.017	0.18	<0.1	<0.01	1.8	<0.1	6.74	3	8.7	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 12, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN10001286.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
944297	Rock Pulp	0.05	15.0	44.8	8.4	56	0.2	18.7	85.0	606	2.96	3016	2.0	228.5	6.0	64	0.2	5.8	8.4	37	3.16
REP 944297	QC		14.8	44.3	8.0	56	0.2	18.7	87.6	655	3.03	3092	2.0	229.9	5.7	68	0.2	6.0	8.4	38	3.25
Core Reject Duplicates																					
944276	Drill Core	10.76	0.3	237.5	7.3	216	0.4	2.6	22.4	2150	4.40	6.4	0.7	9.4	2.5	185	<0.1	0.8	<0.1	194	3.52
DUP 944276	QC		0.3	250.9	7.7	218	0.4	2.9	23.6	2134	4.46	6.8	0.8	4.4	2.7	182	0.1	0.9	<0.1	198	3.55
Reference Materials																					
STD DS7	Standard		20.0	112.4	65.5	390	0.9	55.6	9.9	619	2.37	53.5	4.6	62.4	4.2	70	6.7	5.9	4.6	81	0.95
STD DS7	Standard		21.4	109.7	64.6	401	0.9	55.7	9.1	643	2.44	56.9	4.9	67.9	4.4	78	6.7	6.0	4.5	83	0.98
STD DS7	Standard		20.9	109.5	69.2	387	1.0	55.2	9.7	608	2.37	54.1	4.9	54.7	4.5	77	6.4	6.0	4.6	82	0.94
STD DS7	Standard		20.8	112.7	68.7	387	1.0	56.3	9.4	598	2.41	52.9	4.8	66.8	4.5	78	6.4	5.6	4.5	83	0.96
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.1	2.8	3.3	43	<0.1	2.8	4.1	556	1.86	0.9	2.8	<0.5	5.8	59	<0.1	<0.1	<0.1	36	0.51
G1	Prep Blank	<0.01	0.1	4.0	3.3	45	<0.1	2.7	4.1	588	1.97	1.0	2.2	<0.5	6.2	53	<0.1	<0.1	0.1	39	0.51



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: April 12, 2010

Page: 1 of 1 **Part** 2

QUALITY CONTROL REPORT

VAN10001286.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																			
944297	Rock Pulp	0.096	43	30	0.30	55	0.065	25	0.81	0.085	0.11	0.4	<0.01	1.9	<0.1	0.66	3	6.2	2.2
REP 944297	QC	0.095	44	31	0.31	55	0.067	25	0.83	0.087	0.11	0.4	<0.01	1.9	<0.1	0.68	3	6.0	1.3
Core Reject Duplicates																			
944276	Drill Core	0.200	13	<1	1.96	40	0.008	3	1.91	0.037	0.06	<0.1	<0.01	5.9	<0.1	<0.05	9	<0.5	<0.2
DUP 944276	QC	0.197	14	<1	2.03	40	0.007	3	1.98	0.035	0.05	<0.1	<0.01	6.1	<0.1	<0.05	9	<0.5	<0.2
Reference Materials																			
STD DS7	Standard	0.079	12	192	1.06	382	0.127	34	1.01	0.088	0.41	3.6	0.20	2.1	3.9	0.19	4	2.9	0.8
STD DS7	Standard	0.084	13	192	1.07	367	0.139	36	1.04	0.092	0.44	3.7	0.20	2.4	3.9	0.20	5	3.5	1.5
STD DS7	Standard	0.078	12	193	1.06	394	0.133	40	1.01	0.088	0.44	3.7	0.21	2.3	3.9	0.19	5	3.6	0.8
STD DS7	Standard	0.075	12	188	1.05	374	0.132	40	1.03	0.090	0.44	3.5	0.22	2.4	4.0	0.19	4	2.8	1.6
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
G1	Prep Blank	0.084	11	6	0.52	178	0.123	2	0.95	0.085	0.47	<0.1	<0.01	1.7	0.3	<0.05	4	<0.5	<0.2
G1	Prep Blank	0.091	12	9	0.55	173	0.122	2	0.89	0.067	0.49	<0.1	<0.01	1.6	0.3	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: April 06, 2010
Report Date: April 12, 2010
Page: 1 of 4

CERTIFICATE OF ANALYSIS

VAN10001330.1

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 62

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	62	Crush, split and pulverize 250 g rock to 200 mesh			VAN
1DX2	62	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 12, 2010

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN10001330.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM 10 TR93 R01	Rock	0.97	0.7	83.5	7.2	61	0.1	4.2	21.7	1088	4.84	6.0	0.5	5.8	1.0	226	0.1	0.6	0.1	168	3.56
MM 10 TR93 R02	Rock	1.25	0.7	82.2	5.5	67	<0.1	4.2	23.1	1117	4.65	6.3	0.5	<0.5	0.9	177	<0.1	0.5	<0.1	156	3.18
MM 10 TR93 R03	Rock	1.00	0.4	228.4	3.2	58	0.3	3.3	18.5	1065	4.47	5.3	0.5	2.9	0.9	153	0.1	0.3	0.1	175	4.03
MM 10 TR93 R04	Rock	1.26	0.3	56.9	3.2	59	<0.1	3.5	17.8	808	4.06	4.5	0.4	1.8	0.8	99	<0.1	0.3	<0.1	154	2.70
MM 10 TR93 R05	Rock	1.13	0.8	821.5	5.9	69	0.4	3.2	18.9	924	4.25	11.6	0.5	16.2	0.9	93	0.1	0.4	<0.1	114	2.76
MM 10 TR93 R06	Rock	0.85	0.2	6.2	5.1	73	<0.1	4.4	20.8	843	4.17	5.8	0.5	1.3	0.8	313	<0.1	0.3	<0.1	162	3.01
MM 10 TR93 R07	Rock	0.88	0.4	8720	6.3	42	14.5	1.5	9.8	716	2.90	2.0	0.9	263.2	0.5	169	0.7	0.4	4.1	85	5.55
MM 10 TR93 R08	Rock	1.19	0.2	2836	4.9	58	3.4	3.1	17.9	880	3.34	2.5	0.5	63.0	0.8	110	0.5	0.4	0.9	109	3.50
MM 10 TR93 R09	Rock	0.82	0.2	13.8	3.7	61	<0.1	4.1	23.2	963	5.06	4.6	0.2	0.5	0.7	69	<0.1	0.3	<0.1	141	2.62
MM 10 TR93 R10	Rock	0.96	0.2	7.5	5.4	42	<0.1	3.8	18.2	1021	4.59	4.6	0.4	1.3	0.8	146	<0.1	0.4	<0.1	147	3.91
MM 10 TR93 R11	Rock	0.92	0.5	2364	4.0	55	1.6	3.5	22.9	1039	4.19	4.5	0.4	51.0	0.7	94	0.2	0.2	0.3	148	2.54
MM 10 TR93 R12	Rock	0.83	0.6	52.9	5.3	82	0.1	11.2	20.2	1207	4.04	15.7	0.5	6.6	0.9	92	0.2	0.6	<0.1	108	4.17
MM 10 TR93 R13	Rock	0.82	0.4	63.4	5.2	85	0.1	10.7	18.7	1188	3.77	24.8	0.4	8.6	0.9	85	<0.1	0.5	<0.1	86	4.33
MM 10 TR93 R14	Rock	0.92	0.4	28.9	4.4	66	<0.1	10.2	16.9	1135	3.39	15.0	0.3	6.2	0.8	83	0.1	0.5	<0.1	86	4.28
MM 10 TR94 R01	Rock	0.76	0.7	114.8	9.0	66	0.3	10.8	17.2	1268	3.64	48.1	0.5	18.5	0.9	95	0.1	0.6	<0.1	92	4.80
MM 10 TR94 R02	Rock	0.87	0.7	67.1	6.4	64	0.2	9.6	16.7	1325	3.65	22.8	0.4	12.6	0.8	121	0.1	0.5	<0.1	102	4.70
MM 10 TR94 R03	Rock	1.06	0.4	51.6	3.9	76	<0.1	11.0	18.3	1268	3.76	9.3	0.4	3.2	0.9	98	0.2	0.4	<0.1	103	4.43
MM 10 TR94 R04	Rock	1.33	2.1	46.3	15.7	98	0.4	10.6	18.7	1313	3.69	128.8	0.5	62.6	0.7	84	0.2	1.0	<0.1	56	4.26
MM 10 TR94 R05	Rock	0.99	0.8	69.4	6.9	78	0.3	11.0	17.8	1255	3.79	33.7	0.4	15.2	0.8	92	0.2	0.5	<0.1	83	4.36
MM 10 TR94 R06	Rock	0.99	0.9	64.3	7.1	92	0.2	11.0	19.0	1154	4.05	43.4	0.5	17.2	0.9	78	0.2	0.5	<0.1	100	3.73
MM 10 TR95 R01	Rock	0.73	0.2	37.3	2.6	80	<0.1	106.1	30.2	1144	3.60	9.8	0.8	2.1	1.8	141	<0.1	0.3	<0.1	134	3.83
MM 10 TR95 R02	Rock	0.93	0.2	9.8	3.0	72	<0.1	102.2	29.2	1123	3.67	15.9	0.8	<0.5	2.0	206	<0.1	0.5	<0.1	120	3.83
MM 10 TR95 R03	Rock	0.86	0.2	45.9	3.1	71	<0.1	104.4	28.9	1186	3.51	13.7	0.7	<0.5	2.1	161	<0.1	0.7	<0.1	116	3.62
MM 10 TR95 R04	Rock	0.98	0.7	31.0	5.3	64	<0.1	42.3	18.8	1035	3.27	8.4	0.5	3.2	1.7	263	0.2	0.5	<0.1	100	4.29
MM 10 TR95 R05	Rock	0.90	0.8	25.0	5.1	70	<0.1	24.8	14.8	1450	3.60	4.5	0.8	2.8	0.6	252	0.3	0.6	<0.1	110	5.84
MM 10 TR95 R06	Rock	0.94	1.3	84.5	7.5	75	<0.1	11.9	16.2	1294	4.06	7.0	0.3	4.4	1.0	379	0.3	1.0	<0.1	118	6.01
MM 10 TR95 R07	Rock	0.93	2.1	588.8	4.2	88	0.4	8.1	27.8	1301	4.38	3.2	0.4	44.8	2.3	196	0.2	0.3	0.1	174	5.35
MM 10 TR95 R08	Rock	0.77	1.0	290.1	3.2	85	0.1	6.0	22.9	1257	5.45	1.9	0.5	10.2	2.2	116	<0.1	0.3	<0.1	219	4.45
MM 10 TR95 R09	Rock	0.75	1.3	305.5	3.5	123	0.2	8.8	32.5	1747	7.77	2.4	0.6	10.0	2.5	130	<0.1	0.2	<0.1	272	5.33
MM 10 TR95 R10	Rock	0.85	0.7	433.0	3.2	77	0.2	4.4	26.5	1072	4.54	4.1	0.7	12.3	4.0	169	<0.1	0.2	<0.1	203	4.31

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 12, 2010

Page: 2 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN10001330.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
MM 10 TR93 R01	Rock	0.148	7	3	1.94	26	0.011	7	2.39	0.011	0.03	<0.1	<0.01	11.4	<0.1	<0.05	9	<0.5	0.2
MM 10 TR93 R02	Rock	0.144	6	3	2.03	24	0.010	7	2.42	0.010	0.02	<0.1	<0.01	11.1	<0.1	<0.05	8	<0.5	<0.2
MM 10 TR93 R03	Rock	0.145	7	3	1.71	23	0.010	6	2.25	0.012	0.08	<0.1	<0.01	11.2	<0.1	<0.05	8	<0.5	<0.2
MM 10 TR93 R04	Rock	0.148	5	2	1.66	16	0.012	5	2.04	0.018	0.06	<0.1	<0.01	9.0	<0.1	<0.05	7	<0.5	<0.2
MM 10 TR93 R05	Rock	0.136	7	6	1.99	20	0.009	5	2.14	0.019	0.10	<0.1	<0.01	7.1	<0.1	0.41	8	<0.5	0.8
MM 10 TR93 R06	Rock	0.155	5	4	2.08	12	0.014	6	2.55	0.006	0.08	<0.1	<0.01	9.7	<0.1	<0.05	8	<0.5	<0.2
MM 10 TR93 R07	Rock	0.095	4	1	0.95	9	0.008	5	1.44	0.009	0.02	<0.1	0.02	5.5	<0.1	0.08	5	14.3	2.3
MM 10 TR93 R08	Rock	0.127	5	2	1.79	12	0.012	5	2.18	0.013	0.07	<0.1	<0.01	8.6	<0.1	<0.05	8	2.2	0.6
MM 10 TR93 R09	Rock	0.138	5	1	2.08	18	0.012	3	2.24	0.011	0.07	<0.1	<0.01	10.4	<0.1	<0.05	8	<0.5	<0.2
MM 10 TR93 R10	Rock	0.131	6	2	1.45	33	0.016	5	1.96	0.015	0.13	<0.1	<0.01	12.6	<0.1	<0.05	7	<0.5	<0.2
MM 10 TR93 R11	Rock	0.142	5	2	2.10	61	0.036	6	2.39	0.012	0.43	<0.1	0.01	11.8	<0.1	<0.05	8	1.3	<0.2
MM 10 TR93 R12	Rock	0.171	9	22	2.08	73	0.019	4	2.44	0.016	0.24	<0.1	<0.01	4.2	<0.1	<0.05	7	<0.5	<0.2
MM 10 TR93 R13	Rock	0.181	9	20	2.09	47	0.019	3	2.35	0.009	0.20	<0.1	<0.01	3.1	<0.1	<0.05	7	<0.5	<0.2
MM 10 TR93 R14	Rock	0.178	9	17	1.66	57	0.030	2	2.02	0.014	0.22	<0.1	<0.01	3.5	<0.1	<0.05	6	<0.5	<0.2
MM 10 TR94 R01	Rock	0.168	9	18	1.61	67	0.019	2	1.94	0.014	0.18	<0.1	<0.01	3.4	<0.1	<0.05	5	<0.5	0.2
MM 10 TR94 R02	Rock	0.160	9	16	1.71	52	0.023	3	2.00	0.014	0.16	<0.1	<0.01	3.7	<0.1	<0.05	6	<0.5	<0.2
MM 10 TR94 R03	Rock	0.166	9	17	2.00	158	0.030	3	2.29	0.018	0.23	<0.1	<0.01	4.1	<0.1	<0.05	6	<0.5	<0.2
MM 10 TR94 R04	Rock	0.145	7	16	1.86	56	0.003	3	2.22	0.005	0.20	<0.1	0.01	2.5	<0.1	0.08	5	<0.5	<0.2
MM 10 TR94 R05	Rock	0.175	9	17	1.95	88	0.016	4	2.44	0.013	0.25	<0.1	<0.01	3.8	<0.1	<0.05	6	<0.5	<0.2
MM 10 TR94 R06	Rock	0.186	9	21	2.03	48	0.010	3	2.28	0.014	0.23	<0.1	<0.01	3.9	<0.1	<0.05	6	<0.5	<0.2
MM 10 TR95 R01	Rock	0.217	11	175	3.94	44	0.065	4	1.91	0.027	0.03	0.1	0.01	7.2	<0.1	<0.05	8	<0.5	<0.2
MM 10 TR95 R02	Rock	0.227	12	161	4.13	47	0.067	4	1.70	0.036	0.03	0.2	0.01	7.5	<0.1	<0.05	7	<0.5	<0.2
MM 10 TR95 R03	Rock	0.227	13	168	3.82	32	0.044	5	1.58	0.032	0.02	<0.1	<0.01	8.8	<0.1	<0.05	7	<0.5	<0.2
MM 10 TR95 R04	Rock	0.145	10	78	1.72	452	0.023	6	1.28	0.030	0.14	<0.1	<0.01	5.7	<0.1	<0.05	4	<0.5	<0.2
MM 10 TR95 R05	Rock	0.109	10	9	2.49	303	0.004	6	0.94	0.054	0.11	<0.1	0.01	7.6	<0.1	<0.05	3	<0.5	<0.2
MM 10 TR95 R06	Rock	0.161	11	11	1.12	839	0.005	9	1.48	0.020	0.24	<0.1	0.01	7.0	<0.1	<0.05	4	<0.5	<0.2
MM 10 TR95 R07	Rock	0.267	12	6	1.70	201	0.004	5	2.35	0.012	0.13	<0.1	0.04	7.1	<0.1	0.76	8	<0.5	0.4
MM 10 TR95 R08	Rock	0.166	14	2	1.77	148	0.008	2	2.36	0.009	0.03	<0.1	0.01	10.3	<0.1	0.10	9	<0.5	<0.2
MM 10 TR95 R09	Rock	0.241	14	16	2.58	66	0.008	3	2.77	0.005	0.02	<0.1	0.02	16.0	<0.1	0.11	13	<0.5	0.3
MM 10 TR95 R10	Rock	0.447	17	1	2.01	61	0.011	3	2.47	0.011	0.02	<0.1	0.03	9.2	<0.1	0.22	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 12, 2010

Page: 3 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN10001330.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM 10 TR95 R11	Rock	0.80	0.6	271.9	2.3	54	0.2	2.8	22.6	863	3.84	2.9	0.5	39.0	2.6	117	<0.1	0.1	<0.1	152	3.73
MM 10 TR95 R12	Rock	0.91	0.4	275.6	3.3	67	0.1	3.0	23.1	991	4.33	2.3	0.4	8.1	2.5	156	<0.1	0.1	<0.1	179	4.18
MM 10 TR95 R13	Rock	0.74	0.8	2255	3.4	76	0.9	3.3	23.0	1037	4.73	3.0	0.6	62.7	3.1	65	0.2	0.2	<0.1	193	4.47
MM 10 TR95 R14	Rock	1.04	0.6	1836	3.0	82	0.8	3.8	18.9	1087	4.92	2.3	0.6	98.0	3.1	63	<0.1	0.2	<0.1	191	3.61
MM 10 TR95 R15	Rock	0.70	0.8	1731	3.0	74	0.8	4.0	17.6	911	4.66	3.0	0.6	47.6	2.6	68	<0.1	0.2	0.1	200	3.07
MM 10 TR95 R16	Rock	0.69	1.1	562.5	2.7	61	0.2	8.0	27.3	1110	4.24	4.9	0.5	63.3	2.8	194	<0.1	0.2	<0.1	155	5.33
MM 10 TR95 R17	Rock	0.90	1.5	506.6	1.7	87	0.2	13.5	37.6	1295	7.48	6.7	1.1	112.5	4.8	240	0.2	0.2	<0.1	245	4.89
MM 10 TR95 R18	Rock	0.76	1.3	456.2	1.6	49	0.2	6.7	20.4	866	3.87	2.9	0.8	85.1	2.4	107	0.1	0.2	<0.1	122	3.99
MM 10 TR95 R19	Rock	1.06	1.4	214.4	3.3	79	0.1	13.5	39.0	1194	5.16	4.3	0.7	25.0	2.1	204	0.1	0.2	<0.1	174	5.21
MM 10 TR95 R20	Rock	0.69	1.0	271.4	1.5	46	0.1	4.0	13.8	1271	3.21	2.7	0.6	12.8	1.3	209	<0.1	0.1	<0.1	116	10.13
MM 10 TR95 R21	Rock	0.65	1.5	539.3	3.9	168	0.2	16.3	36.5	1155	9.30	5.9	1.4	29.1	5.2	135	1.3	0.3	0.2	456	5.15
MM 10 TR95 R22	Rock	0.93	2.0	254.8	4.9	54	<0.1	8.8	23.1	1060	5.05	5.2	1.9	13.8	6.0	121	0.1	0.2	<0.1	306	4.58
MM 10 TR95 R23	Rock	0.84	2.6	233.7	5.6	63	<0.1	12.0	35.6	1110	5.48	9.5	2.6	20.8	14.4	200	<0.1	0.2	<0.1	228	4.35
MM 10 TR95 R24	Rock	0.99	1.2	215.8	3.0	41	0.1	11.7	39.2	662	7.04	6.9	1.3	36.1	1.6	200	<0.1	0.3	0.1	231	4.68
MM 10 TR95 R25	Rock	0.98	1.6	234.4	5.4	55	<0.1	4.3	13.1	764	3.01	2.5	0.8	8.7	1.7	120	0.2	0.3	<0.1	67	3.53
MM 10 TR95 R26	Rock	1.19	2.2	421.2	4.3	48	0.2	3.8	12.4	853	3.50	2.7	1.2	15.8	1.2	152	0.2	0.2	0.1	81	4.84
MM 10 TR95 R27	Rock	0.89	2.0	614.6	2.7	49	0.2	9.2	24.2	1071	5.02	5.2	1.3	24.4	4.8	199	<0.1	0.2	0.1	293	5.41
MM 10 TR95 R28	Rock	1.16	1.1	359.5	2.7	62	<0.1	10.2	23.4	932	4.80	3.7	0.9	22.4	3.5	208	<0.1	0.2	<0.1	185	4.36
MM 10 TR95 R29	Rock	1.07	1.8	418.5	2.6	59	0.1	6.6	23.9	833	3.76	6.2	1.6	20.9	8.4	152	<0.1	0.2	<0.1	168	5.38
MM 10 TR95 R30	Rock	0.81	1.8	446.9	2.6	70	0.2	7.0	24.7	1110	4.37	4.4	1.4	57.1	4.0	165	0.1	0.2	0.1	187	4.83
MM 10 TR95 R31	Rock	0.80	1.1	2024	3.7	81	0.5	7.4	12.9	894	3.52	2.1	1.6	55.2	1.4	138	0.1	0.2	0.1	151	3.39
MM 10 TR95 R32	Rock	0.76	2.2	463.3	2.4	63	0.2	7.3	34.3	1031	4.40	10.2	1.4	32.4	12.9	194	<0.1	0.2	<0.1	226	7.06
MM 10 TR95 R33	Rock	1.07	2.1	382.0	3.5	55	0.2	6.8	23.9	908	4.24	3.8	1.2	36.2	2.7	143	0.1	0.2	0.1	198	3.89
MM 10 TR95 R34	Rock	0.84	11.5	2419	5.2	76	0.8	14.5	35.0	849	5.91	15.1	0.9	204.3	2.5	94	0.2	0.3	0.4	216	3.15
MM 10 TR95 R35	Rock	0.84	1.7	2067	3.4	49	0.6	10.7	20.6	853	5.22	4.0	1.4	83.9	3.1	117	0.1	0.2	0.2	234	3.39
MM 10 TR95 R36	Rock	0.85	2.7	1066	3.8	57	0.3	10.5	24.5	933	4.98	8.0	1.5	92.1	2.1	133	0.2	0.1	0.2	173	3.96
MM 10 TR95 R37	Rock	0.95	1.5	897.5	3.1	33	0.3	7.9	21.7	823	3.50	1.7	2.7	73.5	1.6	229	<0.1	<0.1	<0.1	136	3.05
MM 10 TR95 R38	Rock	0.76	2.0	696.1	2.0	34	0.2	7.0	16.7	860	3.29	1.8	4.4	79.0	2.7	195	<0.1	<0.1	<0.1	105	3.50
MM 10 TR95 R39	Rock	0.84	1.9	989.1	2.8	71	0.3	10.6	33.6	919	4.17	2.7	0.6	143.8	2.5	75	<0.1	<0.1	<0.1	177	2.91
MM 10 TR95 R40	Rock	0.80	2.1	734.7	3.0	47	0.2	9.6	19.7	919	4.62	2.3	1.2	83.6	1.9	154	<0.1	0.1	<0.1	217	2.97

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 12, 2010

Page: 3 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN10001330.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
MM 10 TR95 R11	Rock	0.215	14	<1	1.53	57	0.008	4	1.93	0.015	0.06	<0.1	0.01	6.5	<0.1	0.26	7	0.8	<0.2
MM 10 TR95 R12	Rock	0.231	15	<1	1.88	49	0.011	3	2.48	0.010	0.07	<0.1	0.01	7.3	<0.1	0.14	9	<0.5	0.3
MM 10 TR95 R13	Rock	0.290	20	<1	2.31	80	0.007	2	2.41	0.008	0.07	<0.1	0.02	6.1	<0.1	0.42	10	0.6	<0.2
MM 10 TR95 R14	Rock	0.247	16	<1	2.19	96	0.011	3	2.44	0.015	0.12	<0.1	<0.01	6.6	<0.1	0.22	10	0.5	0.5
MM 10 TR95 R15	Rock	0.244	12	<1	2.46	88	0.010	2	2.46	0.016	0.06	<0.1	0.01	6.9	<0.1	0.59	11	1.4	0.3
MM 10 TR95 R16	Rock	0.310	11	7	1.50	107	0.016	3	1.93	0.007	0.02	<0.1	0.02	11.7	<0.1	0.32	6	0.8	<0.2
MM 10 TR95 R17	Rock	0.454	13	8	1.64	156	0.036	4	1.99	0.012	0.02	<0.1	0.02	8.1	<0.1	0.19	6	<0.5	0.2
MM 10 TR95 R18	Rock	0.201	10	24	1.18	163	0.018	3	1.41	0.010	0.03	<0.1	0.02	8.8	<0.1	0.34	5	1.2	<0.2
MM 10 TR95 R19	Rock	0.212	9	35	1.80	122	0.029	3	2.14	0.013	0.03	<0.1	0.02	9.0	<0.1	0.36	7	0.8	0.4
MM 10 TR95 R20	Rock	0.169	7	3	1.22	32	0.017	2	1.32	0.010	0.02	<0.1	<0.01	5.0	<0.1	0.18	5	<0.5	0.3
MM 10 TR95 R21	Rock	0.508	23	11	1.29	35	0.016	6	1.59	0.010	0.02	<0.1	0.03	14.7	<0.1	0.81	8	1.8	0.9
MM 10 TR95 R22	Rock	0.872	38	15	1.34	153	0.024	4	1.60	0.014	0.04	<0.1	0.01	13.9	<0.1	0.12	7	<0.5	0.3
MM 10 TR95 R23	Rock	1.798	44	11	1.32	151	0.031	8	1.76	0.015	0.04	<0.1	0.03	11.3	<0.1	0.46	6	2.0	0.2
MM 10 TR95 R24	Rock	0.201	7	36	1.06	102	0.085	5	1.55	0.007	0.01	<0.1	0.06	9.2	<0.1	1.36	5	2.4	0.8
MM 10 TR95 R25	Rock	0.192	11	3	0.97	49	0.013	4	1.16	0.025	0.12	<0.1	0.01	4.4	<0.1	0.17	4	<0.5	<0.2
MM 10 TR95 R26	Rock	0.125	13	5	1.08	41	0.005	5	1.07	0.026	0.11	<0.1	0.01	5.7	<0.1	0.19	4	0.5	<0.2
MM 10 TR95 R27	Rock	0.492	19	10	2.53	70	0.020	7	1.89	0.016	0.04	<0.1	0.02	11.9	<0.1	0.50	6	1.3	0.3
MM 10 TR95 R28	Rock	0.400	16	7	1.76	91	0.009	6	2.05	0.007	0.02	<0.1	0.02	7.6	<0.1	0.53	6	0.6	0.2
MM 10 TR95 R29	Rock	0.850	30	7	2.07	82	0.013	5	2.01	0.017	0.03	<0.1	0.02	7.3	<0.1	0.95	7	0.6	0.4
MM 10 TR95 R30	Rock	0.400	18	6	3.15	81	0.014	6	2.19	0.022	0.04	<0.1	0.02	10.1	<0.1	1.08	7	1.2	0.5
MM 10 TR95 R31	Rock	0.119	10	13	2.98	149	0.013	4	2.01	0.024	0.05	<0.1	0.02	8.0	<0.1	0.40	7	1.4	<0.2
MM 10 TR95 R32	Rock	1.224	37	4	2.16	96	0.016	7	2.25	0.017	0.02	<0.1	0.03	7.3	<0.1	0.99	8	1.1	0.7
MM 10 TR95 R33	Rock	0.256	15	8	2.49	148	0.010	6	1.93	0.027	0.09	<0.1	0.02	7.9	<0.1	0.66	7	1.5	0.2
MM 10 TR95 R34	Rock	0.198	16	40	2.50	131	0.007	9	2.04	0.022	0.19	<0.1	0.05	15.9	<0.1	1.10	8	5.3	<0.2
MM 10 TR95 R35	Rock	0.271	23	30	2.40	163	0.006	8	2.24	0.022	0.07	<0.1	0.03	14.5	<0.1	0.27	8	4.0	0.4
MM 10 TR95 R36	Rock	0.130	15	31	3.33	149	0.005	6	1.98	0.031	0.08	<0.1	0.02	12.0	<0.1	0.65	8	1.6	0.3
MM 10 TR95 R37	Rock	0.125	9	10	3.17	18	0.007	5	2.43	0.030	0.03	<0.1	<0.01	8.2	<0.1	<0.05	7	<0.5	<0.2
MM 10 TR95 R38	Rock	0.114	10	21	3.46	14	0.006	5	2.17	0.033	0.03	<0.1	0.02	9.9	<0.1	0.08	7	0.9	0.3
MM 10 TR95 R39	Rock	0.171	17	18	2.83	31	0.008	6	2.55	0.019	0.08	<0.1	0.01	14.8	<0.1	0.50	8	1.7	0.2
MM 10 TR95 R40	Rock	0.152	11	10	3.13	41	0.010	5	2.70	0.024	0.06	<0.1	<0.01	9.7	<0.1	0.11	9	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 12, 2010

Page: 4 of 4 Part 1

CERTIFICATE OF ANALYSIS

VAN10001330.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
MM 10 TR95 R41	Rock	0.94	1.5	879.7	2.2	57	0.3	4.5	13.1	853	2.31	2.5	0.8	51.9	3.4	57	<0.1	<0.1	<0.1	88	2.95
MM 10 TR95 R42	Rock	0.73	1.6	870.7	4.1	45	0.3	5.6	14.7	635	2.15	2.1	0.8	90.4	2.4	52	0.1	0.1	<0.1	72	3.11



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: April 12, 2010

Page: 4 of 4 Part 2

CERTIFICATE OF ANALYSIS

VAN10001330.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
MM 10 TR95 R41	Rock	0.187	19	6	1.80	95	0.006	5	1.49	0.034	0.12	<0.1	0.01	8.4	<0.1	0.13	5	1.2	0.3
MM 10 TR95 R42	Rock	0.074	13	4	2.65	186	0.009	5	1.23	0.033	0.17	<0.1	<0.01	8.9	<0.1	0.49	5	2.1	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 12, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN10001330.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
MM 10 TR94 R03	Rock	1.06	0.4	51.6	3.9	76	<0.1	11.0	18.3	1268	3.76	9.3	0.4	3.2	0.9	98	0.2	0.4	<0.1	103	4.43
REP MM 10 TR94 R03	QC		0.4	49.4	3.9	79	<0.1	10.3	18.5	1277	3.79	9.1	0.3	2.7	0.9	95	0.2	0.4	<0.1	104	4.49
MM 10 TR95 R21	Rock	0.65	1.5	539.3	3.9	168	0.2	16.3	36.5	1155	9.30	5.9	1.4	29.1	5.2	135	1.3	0.3	0.2	456	5.15
REP MM 10 TR95 R21	QC		1.6	551.8	4.0	182	0.2	17.2	36.8	1189	9.48	6.0	1.4	28.5	5.4	143	1.5	0.3	0.3	467	5.33
Reference Materials																					
STD DS7	Standard		20.9	109.5	69.2	387	1.0	55.2	9.7	608	2.37	54.1	4.9	54.7	4.5	77	6.4	6.0	4.6	82	0.94
STD DS7	Standard		20.8	112.7	68.7	387	1.0	56.3	9.4	598	2.41	52.9	4.8	66.8	4.5	78	6.4	5.6	4.5	83	0.96
STD DS7	Standard		19.3	108.6	66.7	392	0.9	56.7	9.5	626	2.39	52.0	4.8	71.4	4.4	72	6.4	5.7	4.7	82	0.94
STD DS7	Standard		19.5	108.5	62.7	385	0.9	54.7	9.4	608	2.42	51.2	4.6	124.8	4.1	74	5.8	5.7	4.6	81	0.97
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	2.7	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.3	2.6	4.4	43	<0.1	3.0	3.8	534	1.75	1.1	2.1	<0.5	6.3	46	<0.1	0.3	<0.1	34	0.41
G1	Prep Blank	<0.01	0.2	2.1	5.5	44	<0.1	2.5	3.9	536	1.69	<0.5	2.2	<0.5	6.2	43	<0.1	0.6	0.1	33	0.41



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: April 12, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN10001330.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																				
MM 10 TR94 R03	Rock	0.166	9	17	2.00	158	0.030	3	2.29	0.018	0.23	<0.1	<0.01	4.1	<0.1	<0.05	6	<0.5	<0.2	
REP MM 10 TR94 R03	QC	0.175	9	19	1.95	161	0.030	3	2.33	0.018	0.23	<0.1	<0.01	4.0	<0.1	<0.05	6	<0.5	<0.2	
MM 10 TR95 R21	Rock	0.508	23	11	1.29	35	0.016	6	1.59	0.010	0.02	<0.1	0.03	14.7	<0.1	0.81	8	1.8	0.9	
REP MM 10 TR95 R21	QC	0.522	25	10	1.33	35	0.016	5	1.60	0.010	0.02	<0.1	0.03	14.9	<0.1	0.83	8	1.8	0.6	
Reference Materials																				
STD DS7	Standard	0.078	12	193	1.06	394	0.133	40	1.01	0.088	0.44	3.7	0.21	2.3	3.9	0.19	5	3.6	0.8	
STD DS7	Standard	0.075	12	188	1.05	374	0.132	40	1.03	0.090	0.44	3.5	0.22	2.4	4.0	0.19	4	2.8	1.6	
STD DS7	Standard	0.079	12	187	1.05	390	0.126	39	1.00	0.087	0.43	3.6	0.21	2.3	4.3	0.20	4	3.0	1.5	
STD DS7	Standard	0.075	12	191	1.02	381	0.129	38	0.98	0.089	0.42	3.7	0.20	2.4	3.8	0.20	4	3.1	1.2	
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																				
G1	Prep Blank	0.078	13	9	0.49	191	0.118	2	0.79	0.053	0.43	<0.1	<0.01	1.7	0.3	<0.05	4	<0.5	<0.2	
G1	Prep Blank	0.083	12	8	0.50	187	0.116	1	0.77	0.043	0.46	<0.1	<0.01	1.6	0.3	<0.05	4	<0.5	<0.2	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: April 06, 2010
Report Date: April 12, 2010
Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN10001331.1

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 38

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	34	Crush split and pulverize 250g drill core to 200 mesh			VAN
1DX2	38	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 12, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10001331.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944310	Drill Core	11.48	10.6	262.9	1.3	10	<0.1	4.9	13.9	122	2.01	2.7	1.0	8.0	1.9	717	<0.1	<0.1	<0.1	34	7.67
944311	Drill Core	12.11	7.5	379.5	1.5	33	<0.1	3.4	13.4	333	3.11	4.1	0.8	15.8	2.1	683	<0.1	<0.1	<0.1	76	5.98
944312	Drill Core	12.44	11.5	487.3	2.0	31	<0.1	6.3	22.7	485	4.25	2.7	0.7	28.3	1.9	572	<0.1	<0.1	<0.1	140	6.54
944313	Drill Core	12.00	0.8	366.0	2.3	54	<0.1	9.4	32.7	1004	6.08	5.4	0.5	21.4	1.6	423	<0.1	0.1	<0.1	212	5.76
944314	Drill Core	12.40	0.7	527.8	2.7	70	<0.1	10.9	31.8	1199	5.93	17.1	0.6	31.6	2.0	625	<0.1	0.1	0.1	197	5.77
944315	Drill Core	11.65	0.8	573.9	4.2	60	<0.1	14.9	37.5	943	5.50	94.2	0.6	32.8	2.6	443	<0.1	0.1	<0.1	206	4.77
944316	Drill Core	11.57	7.3	259.5	2.9	23	<0.1	11.3	31.5	388	4.05	46.2	0.7	23.0	2.2	1055	<0.1	<0.1	<0.1	115	4.36
944317	Rock Pulp	0.05	14.6	42.0	8.1	54	0.2	18.1	83.4	614	2.86	2934	1.9	230.9	5.5	61	<0.1	5.6	8.7	34	3.17
944318	Rock Pulp	0.02	464.4	4736	89.5	51	44.4	6.0	1.6	262	0.82	38.6	0.7	18.8	0.7	177	0.4	84.1	4.5	8	1.32
944319	Drill Core	2.36	0.3	92.8	5.5	54	<0.1	9.6	24.8	765	4.35	7.5	0.3	17.7	1.2	341	<0.1	0.4	<0.1	140	3.20
944320	Drill Core	9.62	2.4	130.3	24.2	156	0.2	12.3	29.6	1147	5.51	12.4	0.6	9.3	1.0	183	0.3	0.3	<0.1	160	2.41
944321	Drill Core	9.88	0.4	70.9	4.9	119	<0.1	11.9	26.4	1075	5.51	4.9	0.4	2.1	1.1	185	<0.1	0.1	<0.1	164	2.28
944322	Drill Core	10.25	1.1	144.9	9.7	162	0.1	11.8	25.3	1132	5.34	4.2	0.6	26.7	1.5	259	0.2	0.2	<0.1	165	3.29
944323	Drill Core	7.37	0.6	301.3	5.1	145	0.2	11.2	30.9	1118	6.59	3.4	0.8	29.2	1.8	242	0.1	0.2	<0.1	191	2.50
944324	Drill Core	9.99	0.2	252.8	2.6	114	0.2	10.9	27.9	1264	6.08	3.3	0.6	46.6	1.6	176	<0.1	0.2	<0.1	170	2.41
944325	Drill Core	5.27	0.5	197.8	11.3	192	0.1	4.9	25.8	1671	5.59	5.1	0.7	10.7	2.1	137	0.7	0.2	<0.1	234	3.73
944326	Drill Core	2.36	0.9	607.6	6.8	114	0.7	8.5	24.2	1736	4.56	6.3	0.6	41.3	1.6	173	0.1	0.3	<0.1	173	6.19
944327	Drill Core	10.90	0.4	473.2	2.3	84	0.3	12.8	28.0	1502	5.02	4.3	0.7	50.5	1.7	396	<0.1	0.4	<0.1	170	5.65
944328	Drill Core	10.14	0.9	651.2	3.6	128	0.4	7.2	24.1	1603	4.67	5.4	0.5	76.2	1.8	192	<0.1	0.2	<0.1	185	5.07
944329	Drill Core	9.69	0.4	1044	7.7	126	0.7	9.2	25.8	1490	4.71	6.2	1.1	205.0	1.7	240	0.1	0.5	<0.1	158	4.13
944330	Drill Core	6.53	0.6	234.6	4.3	77	0.1	8.0	16.1	984	2.70	4.3	1.6	15.5	1.2	416	<0.1	1.1	<0.1	98	4.30
944331	Drill Core	11.09	0.8	272.2	2.7	66	0.1	7.9	20.2	858	3.33	5.2	1.3	10.1	1.3	366	<0.1	0.9	<0.1	103	3.57
944332	Drill Core	11.67	0.3	269.9	4.9	75	0.4	7.7	21.4	1167	4.35	4.8	1.2	56.6	1.5	401	0.2	0.6	<0.1	149	5.04
944333	Drill Core	6.79	0.1	259.9	11.6	254	0.5	4.0	22.2	1779	4.64	6.9	0.7	23.9	2.0	247	0.8	0.5	<0.1	181	3.00
944334	Drill Core	7.15	0.2	492.2	7.7	123	0.6	3.3	17.3	1320	3.98	5.7	0.7	25.4	2.5	173	0.3	0.4	<0.1	138	3.11
944335	Drill Core	9.75	0.1	314.0	7.9	137	0.7	3.6	18.7	1643	3.48	5.5	1.2	34.1	2.1	416	0.2	0.4	<0.1	126	4.38
944336	Drill Core	7.99	0.2	228.9	16.9	291	0.6	3.5	22.5	2451	4.79	5.3	0.5	14.9	2.2	209	0.3	0.3	<0.1	186	2.92
944337	Drill Core	11.45	0.2	662.3	36.3	257	2.0	3.4	15.7	2147	3.63	5.0	0.6	86.6	2.1	435	0.5	0.3	<0.1	126	3.28
944338	Rock Pulp	0.05	14.6	42.0	8.3	55	0.3	19.0	84.6	608	2.80	2878	2.0	225.1	5.6	59	0.1	5.7	8.8	34	3.13
944339	Rock Pulp	0.02	489.5	4621	88.7	53	43.9	6.0	1.4	255	0.80	39.2	0.7	17.7	0.7	182	0.4	81.5	4.3	8	1.28

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 12, 2010

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10001331.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
944310	Drill Core	0.150	19	4	0.32	27	0.004	3	0.55	0.015	0.19	0.1	<0.01	1.8	<0.1	5.67	2	1.4	<0.2
944311	Drill Core	0.196	19	2	0.98	35	0.008	4	1.26	0.023	0.20	<0.1	<0.01	3.4	<0.1	3.76	5	1.2	<0.2
944312	Drill Core	0.206	13	2	1.48	46	0.014	8	1.43	0.037	0.15	<0.1	<0.01	8.1	<0.1	3.57	6	1.7	<0.2
944313	Drill Core	0.181	6	2	2.61	112	0.043	18	2.16	0.076	0.04	<0.1	<0.01	10.4	<0.1	1.06	8	0.7	<0.2
944314	Drill Core	0.182	10	6	2.22	162	0.043	23	2.03	0.072	0.06	<0.1	<0.01	11.2	<0.1	0.89	9	1.2	<0.2
944315	Drill Core	0.199	14	5	1.50	149	0.011	33	1.63	0.110	0.07	<0.1	<0.01	14.8	0.1	0.29	7	1.5	<0.2
944316	Drill Core	0.183	16	5	1.40	130	0.007	28	0.85	0.092	0.27	<0.1	0.01	8.8	0.2	1.28	3	2.6	0.2
944317	Rock Pulp	0.092	41	30	0.29	51	0.058	27	0.84	0.074	0.11	0.4	<0.01	2.0	<0.1	0.67	3	6.3	1.8
944318	Rock Pulp	0.019	3	223	0.11	145	0.006	<1	0.30	0.021	0.16	0.1	0.29	0.4	<0.1	0.75	1	0.9	0.4
944319	Drill Core	0.151	6	12	2.20	10	0.054	2	2.35	0.029	0.02	<0.1	<0.01	5.6	<0.1	0.41	8	0.5	<0.2
944320	Drill Core	0.179	5	15	2.71	17	0.117	2	2.50	0.044	0.03	<0.1	0.01	5.8	<0.1	0.73	10	1.0	<0.2
944321	Drill Core	0.173	5	15	2.72	17	0.098	1	2.48	0.045	0.03	<0.1	<0.01	6.4	<0.1	0.09	10	<0.5	<0.2
944322	Drill Core	0.163	10	22	2.45	15	0.031	1	2.17	0.038	0.03	<0.1	<0.01	10.2	<0.1	0.16	10	0.6	<0.2
944323	Drill Core	0.164	13	13	3.23	28	0.021	2	2.73	0.028	0.16	<0.1	<0.01	12.7	<0.1	0.27	12	1.0	<0.2
944324	Drill Core	0.161	10	12	3.17	33	0.042	1	2.69	0.034	0.15	<0.1	<0.01	9.7	<0.1	<0.05	11	<0.5	<0.2
944325	Drill Core	0.173	14	2	2.79	32	0.014	1	2.57	0.032	0.04	<0.1	0.03	10.6	<0.1	0.16	12	<0.5	<0.2
944326	Drill Core	0.170	14	9	2.08	81	0.008	2	2.07	0.026	0.06	0.1	0.01	9.3	<0.1	0.26	9	0.7	<0.2
944327	Drill Core	0.158	13	18	2.32	75	0.020	2	2.18	0.027	0.07	<0.1	<0.01	10.0	<0.1	<0.05	9	0.6	<0.2
944328	Drill Core	0.166	16	10	2.56	366	0.006	3	2.48	0.023	0.08	<0.1	0.02	8.5	<0.1	0.40	11	0.9	<0.2
944329	Drill Core	0.158	17	11	2.58	99	0.010	3	2.46	0.036	0.05	<0.1	0.02	8.6	<0.1	0.47	11	1.9	<0.2
944330	Drill Core	0.150	10	13	1.61	308	0.115	4	1.69	0.030	0.03	<0.1	0.01	5.9	<0.1	0.24	5	<0.5	<0.2
944331	Drill Core	0.146	9	9	1.67	129	0.087	3	1.72	0.031	0.03	<0.1	<0.01	4.7	<0.1	0.22	6	<0.5	<0.2
944332	Drill Core	0.155	10	15	2.11	90	0.066	3	2.03	0.032	0.02	<0.1	<0.01	8.1	<0.1	0.10	8	<0.5	<0.2
944333	Drill Core	0.177	12	3	2.41	80	0.014	2	2.30	0.033	0.07	<0.1	<0.01	6.6	<0.1	<0.05	11	<0.5	<0.2
944334	Drill Core	0.170	16	2	1.89	43	0.008	2	1.88	0.037	0.07	<0.1	<0.01	4.2	<0.1	<0.05	8	0.5	<0.2
944335	Drill Core	0.168	14	2	1.83	32	0.020	3	1.94	0.028	0.05	<0.1	<0.01	6.1	<0.1	<0.05	8	<0.5	<0.2
944336	Drill Core	0.200	14	2	2.08	47	0.011	2	2.15	0.026	0.10	<0.1	<0.01	5.5	<0.1	<0.05	10	<0.5	<0.2
944337	Drill Core	0.168	12	3	2.12	44	0.021	2	2.25	0.036	0.20	<0.1	<0.01	3.8	<0.1	<0.05	9	0.7	<0.2
944338	Rock Pulp	0.085	43	30	0.28	54	0.063	26	0.85	0.077	0.11	0.4	<0.01	2.0	<0.1	0.65	3	6.4	2.2
944339	Rock Pulp	0.019	4	235	0.12	156	0.007	<1	0.32	0.021	0.16	0.1	0.27	0.4	<0.1	0.73	1	1.3	0.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 12, 2010

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10001331.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944340	Drill Core	11.34	<0.1	989.7	12.2	183	1.5	3.9	17.6	2243	4.07	6.2	0.6	175.1	2.6	433	0.2	0.3	<0.1	138	3.89
944341	Drill Core	11.87	0.3	447.7	70.0	240	1.1	4.8	19.8	2179	4.60	6.3	0.7	15.7	2.3	323	0.2	0.4	<0.1	145	3.21
944342	Drill Core	11.19	0.2	359.9	6.6	192	1.0	6.3	29.2	1792	5.23	6.1	0.6	14.2	1.5	283	0.2	0.4	<0.1	172	3.56
944343	Drill Core	11.53	0.2	195.2	7.6	216	0.6	2.4	21.3	1909	3.82	5.1	0.5	10.2	1.3	252	0.1	0.4	<0.1	132	2.72
944344	Drill Core	10.82	0.2	297.6	8.8	326	0.9	3.6	21.3	2763	4.73	6.7	0.4	6.8	1.5	391	0.2	0.3	<0.1	172	3.80
944345	Drill Core	12.07	0.2	267.9	14.2	296	0.7	3.8	28.9	2501	5.11	7.0	0.5	11.9	1.5	560	0.1	0.4	<0.1	191	3.46
944346	Drill Core	11.98	0.3	483.9	11.8	144	0.5	6.9	34.1	1744	4.97	7.0	0.4	8.1	1.1	729	0.2	0.5	<0.1	172	4.47
944347	Drill Core	11.44	0.3	787.7	8.7	160	0.7	6.8	37.4	1827	5.01	7.1	0.5	28.5	1.5	664	0.4	0.4	<0.1	197	4.93



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 12, 2010

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10001331.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
944340	Drill Core	0.171	15	2	2.29	118	0.006	3	2.24	0.039	0.07	<0.1	<0.01	4.8	<0.1	<0.05	10	1.4	<0.2
944341	Drill Core	0.176	11	3	2.19	33	0.026	2	2.03	0.039	0.06	<0.1	<0.01	5.7	<0.1	<0.05	9	0.8	<0.2
944342	Drill Core	0.173	9	3	2.19	21	0.087	1	1.91	0.045	0.04	<0.1	<0.01	6.1	<0.1	<0.05	8	<0.5	<0.2
944343	Drill Core	0.167	10	1	2.05	23	0.013	2	1.70	0.030	0.05	<0.1	<0.01	4.0	<0.1	<0.05	8	<0.5	<0.2
944344	Drill Core	0.160	12	1	2.52	38	0.007	2	2.13	0.038	0.04	<0.1	<0.01	6.5	<0.1	<0.05	11	<0.5	<0.2
944345	Drill Core	0.181	11	2	2.98	25	0.011	2	2.49	0.039	0.04	<0.1	<0.01	7.0	<0.1	<0.05	10	<0.5	<0.2
944346	Drill Core	0.178	8	9	3.02	14	0.101	2	2.34	0.047	0.03	<0.1	<0.01	6.2	<0.1	<0.05	9	0.7	0.2
944347	Drill Core	0.180	13	9	3.10	73	0.009	2	2.58	0.043	0.03	<0.1	<0.01	8.1	<0.1	<0.05	11	0.9	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 12, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN10001331.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
944340	Drill Core	11.34	<0.1	989.7	12.2	183	1.5	3.9	17.6	2243	4.07	6.2	0.6	175.1	2.6	433	0.2	0.3	<0.1	138	3.89
REP 944340	QC		0.4	978.3	11.9	178	1.3	3.7	17.3	2254	4.06	6.3	0.7	163.7	2.5	420	0.2	0.4	<0.1	140	3.89
Core Reject Duplicates																					
944316	Drill Core	11.57	7.3	259.5	2.9	23	<0.1	11.3	31.5	388	4.05	46.2	0.7	23.0	2.2	1055	<0.1	<0.1	<0.1	115	4.36
DUP 944316	QC		8.2	257.2	2.6	23	<0.1	10.8	32.9	393	4.18	46.4	0.7	19.2	2.3	1082	<0.1	<0.1	<0.1	117	4.45
Reference Materials																					
STD DS7	Standard		19.3	108.6	66.7	392	0.9	56.7	9.5	626	2.39	52.0	4.8	71.4	4.4	72	6.4	5.7	4.7	82	0.94
STD DS7	Standard		19.5	108.5	62.7	385	0.9	54.7	9.4	608	2.42	51.2	4.6	124.8	4.1	74	5.8	5.7	4.6	81	0.97
STD DS7	Standard		20.5	113.7	68.7	377	0.9	55.7	9.0	627	2.37	52.0	5.0	64.5	4.6	67	6.0	5.9	4.9	82	0.93
STD DS7	Standard		20.7	112.8	67.7	391	1.0	57.6	9.4	619	2.41	53.0	4.8	60.7	4.5	71	6.3	5.8	4.6	83	0.96
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	2.7	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.1	2.4	3.5	42	<0.1	4.1	4.4	551	1.83	3.8	1.8	<0.5	5.7	51	<0.1	<0.1	0.1	37	0.44
G1	Prep Blank	<0.01	<0.1	2.1	3.5	42	<0.1	3.4	4.1	532	1.88	5.4	1.9	<0.5	6.1	46	<0.1	<0.1	0.1	37	0.43



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 12, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN10001331.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																				
944340	Drill Core	0.171	15	2	2.29	118	0.006	3	2.24	0.039	0.07	<0.1	<0.01	4.8	<0.1	<0.05	10	1.4	<0.2	
REP 944340	QC	0.169	15	2	2.26	116	0.007	2	2.22	0.039	0.07	<0.1	<0.01	4.7	<0.1	<0.05	10	1.1	<0.2	
Core Reject Duplicates																				
944316	Drill Core	0.183	16	5	1.40	130	0.007	28	0.85	0.092	0.27	<0.1	0.01	8.8	0.2	1.28	3	2.6	0.2	
DUP 944316	QC	0.193	17	6	1.43	148	0.007	31	0.85	0.092	0.28	<0.1	0.02	9.0	0.2	1.34	3	3.4	<0.2	
Reference Materials																				
STD DS7	Standard	0.079	12	187	1.05	390	0.126	39	1.00	0.087	0.43	3.6	0.21	2.3	4.3	0.20	4	3.0	1.5	
STD DS7	Standard	0.075	12	191	1.02	381	0.129	38	0.98	0.089	0.42	3.7	0.20	2.4	3.8	0.20	4	3.1	1.2	
STD DS7	Standard	0.077	12	188	1.04	378	0.128	41	0.99	0.085	0.44	3.8	0.23	2.2	3.9	0.20	4	3.2	0.8	
STD DS7	Standard	0.079	12	194	1.06	394	0.129	39	1.02	0.088	0.44	3.6	0.21	2.2	3.9	0.21	5	3.3	0.7	
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																				
G1	Prep Blank	0.083	12	14	0.56	183	0.125	2	0.91	0.080	0.51	<0.1	<0.01	1.8	0.3	<0.05	4	<0.5	<0.2	
G1	Prep Blank	0.085	12	12	0.53	179	0.121	2	0.86	0.073	0.47	<0.1	<0.01	1.7	0.3	<0.05	4	<0.5	<0.2	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: April 09, 2010
Report Date: April 20, 2010
Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN10001384.1

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 40

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	36	Crush split and pulverize 250g drill core to 200 mesh			VAN
1DX2	40	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Sego Resources Inc.
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 20, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10001384.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944348	Drill Core	11.74	0.6	391.7	5.8	117	0.4	5.4	25.8	1521	4.11	6.7	0.8	10.8	1.9	503	0.3	0.3	0.1	170	5.68
944349	Drill Core	10.81	0.5	101.2	6.3	103	0.1	6.0	22.9	1511	4.17	8.8	0.7	2.4	2.0	363	0.2	0.6	<0.1	195	5.67
944350	Drill Core	8.49	0.8	369.7	8.0	110	0.5	5.5	22.4	1647	3.97	7.2	0.5	10.1	2.3	230	0.2	0.6	<0.1	161	4.94
944351	Drill Core	8.90	2.4	300.6	170.7	196	0.1	4.9	25.5	1961	4.53	7.0	0.7	11.6	2.6	314	<0.1	0.4	<0.1	199	3.63
944352	Drill Core	4.71	1.2	263.6	13.9	166	0.8	5.7	22.4	1702	4.05	5.8	0.7	13.2	2.5	243	0.2	0.4	<0.1	170	3.34
944353	Drill Core	8.00	0.3	265.7	5.5	156	0.6	4.7	24.3	2054	4.48	4.9	0.8	23.2	2.5	168	0.1	0.3	<0.1	194	3.03
944354	Drill Core	9.68	0.3	182.9	3.5	173	0.4	5.1	24.4	2385	4.66	5.2	0.7	29.4	2.5	241	0.1	0.3	<0.1	206	3.85
944355	Drill Core	11.27	0.3	267.8	3.8	163	0.5	5.7	24.3	2063	4.29	6.4	0.6	14.8	2.5	152	<0.1	0.3	0.1	204	2.34
944356	Drill Core	12.38	1.5	400.8	5.5	223	0.4	5.2	23.6	2412	4.71	6.3	0.9	8.6	2.5	467	0.1	0.4	<0.1	215	4.02
944357	Drill Core	10.43	3.1	349.0	2.6	205	0.6	5.3	26.6	2517	4.94	4.3	1.0	7.5	2.5	189	<0.1	0.2	<0.1	227	2.74
944358	Drill Core	6.33	1.3	230.3	3.7	144	0.2	5.8	23.3	1884	4.54	5.2	0.7	3.7	2.3	204	<0.1	0.3	<0.1	196	3.10
944359	Rock Pulp	0.05	13.9	40.4	7.9	52	0.2	18.0	82.3	580	2.70	2761	2.0	223.3	5.7	59	0.1	5.3	8.2	34	3.01
944360	Rock Pulp	0.02	466.6	4427	87.7	50	40.8	5.8	1.4	235	0.79	38.6	0.7	22.0	0.7	167	0.2	76.0	4.2	8	1.24
944361	Drill Core	1.89	1.4	387.4	9.6	157	0.4	4.2	20.4	1749	3.80	4.6	0.8	10.6	2.2	88	0.3	0.1	<0.1	151	2.02
944362	Drill Core	5.89	1.3	1188	7.8	185	0.8	2.9	21.6	2258	4.56	3.4	0.7	24.0	1.7	122	0.2	0.2	<0.1	199	2.93
944363	Drill Core	10.13	2.2	573.3	27.7	215	0.5	4.8	25.1	2162	4.76	3.0	0.7	14.6	1.5	137	1.2	0.2	<0.1	188	2.99
944364	Drill Core	7.46	2.2	931.5	8.4	184	0.7	5.3	27.1	2242	4.79	3.2	1.2	26.2	1.6	126	0.2	0.2	<0.1	228	2.54
944365	Drill Core	10.15	3.7	1362	5.9	196	0.8	7.0	28.7	2413	4.95	2.9	0.9	20.7	1.5	141	0.2	0.2	<0.1	214	2.56
944366	Drill Core	10.91	5.2	856.8	27.3	263	0.6	8.5	25.7	2438	4.39	7.0	1.5	12.5	1.5	144	1.6	0.2	<0.1	199	3.74
944367	Drill Core	5.97	5.8	1983	22.6	258	0.8	10.0	33.2	2817	6.31	5.5	1.7	35.9	1.9	171	1.2	0.3	<0.1	288	3.96
944368	Drill Core	11.75	8.4	3211	8.8	215	1.1	9.6	31.4	3015	4.69	4.9	2.8	66.1	1.4	160	0.6	0.2	<0.1	278	4.12
944369	Drill Core	11.82	7.1	4907	11.1	272	4.7	10.6	35.9	3092	4.56	2.9	2.9	76.2	1.5	93	0.2	0.2	0.2	280	2.54
944370	Drill Core	8.32	1.3	4514	25.4	306	6.1	9.2	29.2	2987	3.87	2.6	1.7	109.0	1.5	110	0.3	0.2	0.2	211	3.74
944371	Drill Core	9.77	1.5	3338	8.0	194	3.1	5.0	20.9	2248	2.88	2.9	4.9	112.4	2.3	105	0.2	0.2	<0.1	152	3.30
944372	Drill Core	9.00	0.8	3093	10.8	278	2.7	5.1	23.6	2567	4.15	2.2	2.0	134.9	1.8	125	1.0	0.2	<0.1	160	3.24
944373	Drill Core	7.61	5.3	690.5	17.8	279	0.7	4.2	27.5	2561	4.76	3.6	1.1	17.4	1.7	128	1.0	0.2	<0.1	175	3.46
944374	Drill Core	6.19	4.8	811.0	15.8	275	0.8	3.7	27.7	2067	4.25	11.6	0.9	28.4	1.8	96	1.3	0.4	<0.1	165	2.32
944375	Drill Core	0.93	0.6	258.5	4.0	143	0.2	2.7	19.4	2175	4.05	3.0	0.5	9.0	1.7	195	0.3	0.3	<0.1	163	5.11
944376	Drill Core	3.78	0.3	241.8	3.2	167	0.2	2.4	22.1	2240	4.20	3.0	0.5	5.4	1.7	178	0.1	0.4	<0.1	163	3.43
944377	Drill Core	9.87	0.4	534.4	2.9	181	0.3	2.9	21.5	2357	4.29	2.9	0.6	5.9	1.5	180	0.2	0.3	<0.1	181	3.60



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 20, 2010

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10001384.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
944348	Drill Core	0.175	16	7	2.20	33	0.008	2	2.02	0.043	0.04	<0.1	<0.01	6.6	<0.1	<0.05	9	<0.5	<0.2
944349	Drill Core	0.174	13	2	1.83	13	0.008	4	2.08	0.042	0.05	<0.1	<0.01	8.5	<0.1	<0.05	8	<0.5	<0.2
944350	Drill Core	0.153	14	6	1.99	32	0.006	2	2.03	0.041	0.05	<0.1	<0.01	6.3	<0.1	<0.05	8	<0.5	<0.2
944351	Drill Core	0.178	16	2	2.04	37	0.007	3	2.11	0.035	0.05	<0.1	<0.01	7.3	<0.1	<0.05	11	0.9	<0.2
944352	Drill Core	0.179	15	3	1.93	38	0.009	2	1.91	0.036	0.05	0.7	0.01	5.8	<0.1	<0.05	9	<0.5	<0.2
944353	Drill Core	0.184	16	2	2.23	33	0.007	1	2.04	0.033	0.05	<0.1	<0.01	6.6	<0.1	<0.05	10	<0.5	<0.2
944354	Drill Core	0.182	17	2	2.22	258	0.007	2	2.06	0.034	0.05	<0.1	<0.01	6.6	<0.1	<0.05	10	<0.5	<0.2
944355	Drill Core	0.184	16	2	2.00	59	0.008	2	2.07	0.041	0.07	<0.1	<0.01	6.4	<0.1	<0.05	10	<0.5	<0.2
944356	Drill Core	0.181	18	2	1.73	136	0.008	3	1.83	0.033	0.08	<0.1	<0.01	8.0	<0.1	<0.05	10	<0.5	<0.2
944357	Drill Core	0.188	17	2	2.37	53	0.009	1	2.30	0.030	0.05	<0.1	<0.01	8.3	<0.1	<0.05	11	<0.5	<0.2
944358	Drill Core	0.180	15	2	1.94	46	0.008	2	1.94	0.039	0.06	<0.1	<0.01	7.0	<0.1	<0.05	9	<0.5	<0.2
944359	Rock Pulp	0.085	41	29	0.28	53	0.053	23	0.81	0.071	0.11	0.3	<0.01	1.9	<0.1	0.63	3	5.6	1.6
944360	Rock Pulp	0.018	4	222	0.11	146	0.006	1	0.30	0.020	0.16	<0.1	0.28	0.3	<0.1	0.70	1	0.6	0.4
944361	Drill Core	0.146	9	4	1.58	60	0.029	1	1.78	0.025	0.07	<0.1	0.01	3.8	<0.1	0.07	8	<0.5	<0.2
944362	Drill Core	0.179	8	1	1.95	88	0.064	2	2.04	0.023	0.06	<0.1	0.02	4.5	<0.1	0.19	10	0.8	<0.2
944363	Drill Core	0.179	7	3	1.89	81	0.107	1	1.89	0.018	0.05	<0.1	0.03	3.9	<0.1	0.19	8	<0.5	<0.2
944364	Drill Core	0.190	10	2	1.95	134	0.061	2	2.05	0.028	0.08	<0.1	0.02	4.2	<0.1	0.35	9	0.6	<0.2
944365	Drill Core	0.198	10	7	2.53	105	0.048	2	2.39	0.019	0.06	<0.1	0.02	5.6	<0.1	0.20	10	1.2	<0.2
944366	Drill Core	0.166	11	10	2.44	117	0.059	1	2.28	0.022	0.05	<0.1	0.03	7.3	<0.1	0.33	10	1.1	<0.2
944367	Drill Core	0.223	15	6	2.91	194	0.033	2	2.70	0.016	0.04	<0.1	0.04	10.9	<0.1	0.31	11	1.0	<0.2
944368	Drill Core	0.178	14	13	2.79	131	0.112	1	2.52	0.019	0.05	<0.1	0.02	9.9	<0.1	0.36	11	1.0	<0.2
944369	Drill Core	0.180	16	23	2.38	230	0.066	1	2.28	0.026	0.06	<0.1	0.01	9.0	<0.1	0.40	11	5.1	<0.2
944370	Drill Core	0.151	16	13	2.00	364	0.022	1	2.04	0.021	0.07	<0.1	0.02	8.7	<0.1	0.37	11	5.4	0.3
944371	Drill Core	0.239	26	9	1.47	329	0.019	1	1.64	0.019	0.10	<0.1	0.02	6.3	<0.1	0.50	8	3.2	<0.2
944372	Drill Core	0.199	15	5	2.01	302	0.012	2	2.20	0.017	0.10	<0.1	0.04	5.2	<0.1	0.27	10	2.8	<0.2
944373	Drill Core	0.191	11	5	2.21	286	0.014	2	2.52	0.014	0.11	<0.1	0.02	4.8	<0.1	0.19	10	0.5	<0.2
944374	Drill Core	0.202	11	2	1.95	286	0.012	2	2.15	0.021	0.13	<0.1	0.03	4.6	<0.1	0.36	9	1.6	<0.2
944375	Drill Core	0.180	13	2	1.69	432	0.008	3	1.96	0.022	0.09	<0.1	<0.01	5.2	<0.1	<0.05	8	<0.5	<0.2
944376	Drill Core	0.191	12	<1	1.87	183	0.007	3	2.16	0.028	0.06	<0.1	<0.01	5.0	<0.1	<0.05	9	<0.5	<0.2
944377	Drill Core	0.184	12	<1	1.83	280	0.010	3	2.06	0.022	0.08	<0.1	0.01	5.2	<0.1	<0.05	9	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 20, 2010

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10001384.1

	Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
944378	Drill Core	11.05	0.7	557.5	2.6	200	0.4	3.0	22.3	2508	4.48	2.6	0.8	9.2	1.6	183	0.2	0.2	<0.1	192	3.02	
944379	Drill Core	11.76	1.6	1027	3.5	211	1.0	6.2	25.6	2929	5.52	2.6	1.3	207.8	2.1	209	0.1	0.1	<0.1	235	3.36	
944380	Drill Core	7.30	2.4	1091	5.9	271	0.9	10.0	32.6	3467	6.63	3.3	1.4	98.0	1.6	616	0.3	0.2	<0.1	248	4.73	
944381	Rock Pulp	0.05	14.4	40.6	8.3	54	0.2	17.7	85.3	604	2.81	2835	2.0	226.1	5.8	60	0.1	5.5	8.4	36	3.18	
944382	Rock Pulp	0.02	443.5	4353	82.7	49	40.4	5.7	1.4	249	0.79	36.9	0.6	20.9	0.6	171	0.4	76.3	3.9	7	1.22	
944383	Drill Core	10.69	2.7	6660	7.4	202	2.0	9.3	28.6	3293	5.02	3.8	1.4	134.9	1.4	664	0.3	0.2	0.1	184	5.94	
944384	Drill Core	10.56	1.5	>10000	14.3	157	5.7	11.8	36.0	2616	5.06	3.6	2.0	130.1	1.8	388	1.2	0.2	0.1	219	4.01	
944385	Drill Core	9.40	0.9	2969	6.8	153	1.4	10.9	27.8	2243	3.81	3.8	1.0	24.7	1.7	573	0.3	0.5	<0.1	170	5.53	
944386	Drill Core	11.38	0.5	4755	8.7	159	3.0	7.5	24.1	2597	3.46	2.8	2.3	43.8	1.6	757	0.8	0.3	<0.1	137	5.54	
944387	Drill Core	12.28	0.3	5201	9.2	200	3.9	10.4	32.3	2780	3.63	3.0	1.5	54.2	1.8	370	0.5	0.4	<0.1	142	5.04	



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 20, 2010

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10001384.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
944378	Drill Core	0.192	13	<1	1.98	234	0.007	3	2.18	0.022	0.09	<0.1	<0.01	5.0	<0.1	<0.05	10	<0.5	<0.2
944379	Drill Core	0.196	15	5	1.98	373	0.010	2	2.17	0.019	0.12	<0.1	0.02	5.5	<0.1	0.09	11	1.1	<0.2
944380	Drill Core	0.188	17	16	2.20	726	0.008	2	2.32	0.020	0.11	<0.1	0.02	6.9	<0.1	0.11	11	0.9	<0.2
944381	Rock Pulp	0.089	42	30	0.29	55	0.057	26	0.85	0.075	0.11	0.4	<0.01	1.8	<0.1	0.66	3	5.5	0.9
944382	Rock Pulp	0.018	4	229	0.11	141	0.005	2	0.32	0.019	0.16	0.1	0.25	0.4	<0.1	0.69	1	0.7	0.8
944383	Drill Core	0.169	16	9	2.32	146	0.004	4	2.69	0.010	0.20	<0.1	0.04	8.8	<0.1	0.52	9	4.0	<0.2
944384	Drill Core	0.199	17	16	2.34	292	0.006	4	2.54	0.016	0.14	<0.1	0.12	8.8	<0.1	0.54	10	3.9	0.3
944385	Drill Core	0.135	12	18	2.00	332	0.006	7	2.46	0.022	0.14	<0.1	0.04	9.1	<0.1	0.17	11	1.1	0.3
944386	Drill Core	0.150	15	14	1.87	553	0.006	6	2.16	0.019	0.23	<0.1	0.08	7.1	<0.1	0.27	8	2.1	<0.2
944387	Drill Core	0.133	13	19	2.20	207	0.031	5	2.18	0.040	0.06	<0.1	0.02	9.7	<0.1	0.23	9	1.5	0.3



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: April 20, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN10001384.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
944349	Drill Core	10.81	0.5	101.2	6.3	103	0.1	6.0	22.9	1511	4.17	8.8	0.7	2.4	2.0	363	0.2	0.6	<0.1	195	5.67
REP 944349	QC		0.4	105.8	6.3	104	0.1	5.8	22.5	1524	4.21	8.9	0.7	4.3	2.2	372	0.2	0.6	<0.1	198	5.74
944383	Drill Core	10.69	2.7	6660	7.4	202	2.0	9.3	28.6	3293	5.02	3.8	1.4	134.9	1.4	664	0.3	0.2	0.1	184	5.94
REP 944383	QC		2.7	6802	7.6	198	2.1	10.3	29.2	3352	5.09	3.6	1.4	106.4	1.5	695	0.4	0.3	<0.1	188	5.94
Core Reject Duplicates																					
944381	Rock Pulp	0.05	14.4	40.6	8.3	54	0.2	17.7	85.3	604	2.81	2835	2.0	226.1	5.8	60	0.1	5.5	8.4	36	3.18
DUP 944381	QC		13.3	37.0	7.6	50	0.2	17.3	76.5	570	2.69	2776	1.8	212.6	5.2	60	0.1	4.9	7.6	35	3.03
Reference Materials																					
STD DS7	Standard		19.9	103.5	67.4	372	0.9	53.1	9.3	596	2.31	50.2	5.0	57.6	4.6	71	6.2	5.5	4.7	82	0.93
STD DS7	Standard		20.5	105.1	65.8	375	0.9	54.1	9.4	600	2.30	50.5	4.7	82.0	4.6	73	5.8	5.3	4.3	82	0.94
STD DS7	Standard		20.1	99.1	61.7	373	1.0	49.8	8.8	585	2.29	48.7	4.6	65.9	4.5	77	5.7	5.3	4.4	81	0.95
STD DS7	Standard		20.0	100.8	63.2	386	0.9	52.7	8.5	599	2.33	51.1	4.7	67.4	4.5	80	6.1	6.0	4.6	81	0.98
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	0.6	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.1	3.6	21.3	43	0.1	3.3	4.4	530	1.87	<0.5	1.8	1.2	5.6	55	<0.1	<0.1	0.5	38	0.53
G1	Prep Blank	<0.01	0.1	3.8	5.9	48	<0.1	3.6	4.7	589	1.98	<0.5	2.1	<0.5	6.4	60	<0.1	<0.1	0.1	41	0.55



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: April 20, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN10001384.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																				
944349	Drill Core	0.174	13	2	1.83	13	0.008	4	2.08	0.042	0.05	<0.1	<0.01	8.5	<0.1	<0.05	8	<0.5	<0.2	
REP 944349	QC	0.177	13	2	1.84	13	0.008	3	2.10	0.042	0.05	<0.1	<0.01	8.6	<0.1	<0.05	9	<0.5	<0.2	
944383	Drill Core	0.169	16	9	2.32	146	0.004	4	2.69	0.010	0.20	<0.1	0.04	8.8	<0.1	0.52	9	4.0	<0.2	
REP 944383	QC	0.163	16	11	2.40	161	0.004	5	2.72	0.011	0.20	<0.1	0.04	9.0	<0.1	0.53	9	3.4	<0.2	
Core Reject Duplicates																				
944381	Rock Pulp	0.089	42	30	0.29	55	0.057	26	0.85	0.075	0.11	0.4	<0.01	1.8	<0.1	0.66	3	5.5	0.9	
DUP 944381	QC	0.084	40	30	0.28	48	0.051	25	0.79	0.074	0.10	0.3	<0.01	1.8	<0.1	0.63	3	6.5	0.9	
Reference Materials																				
STD DS7	Standard	0.074	12	186	1.02	396	0.117	40	0.99	0.085	0.44	3.4	0.22	2.1	3.8	0.19	4	3.2	1.0	
STD DS7	Standard	0.074	12	186	1.03	387	0.121	41	1.01	0.087	0.43	3.3	0.21	2.2	3.8	0.19	4	2.9	0.9	
STD DS7	Standard	0.071	12	180	0.99	371	0.118	38	0.99	0.088	0.42	3.5	0.17	2.1	4.1	0.20	5	3.6	<0.2	
STD DS7	Standard	0.074	13	180	1.02	391	0.115	37	1.03	0.090	0.45	3.5	0.21	2.2	4.2	0.20	5	3.2	1.1	
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																				
G1	Prep Blank	0.084	14	12	0.53	174	0.124	<1	0.94	0.080	0.49	<0.1	<0.01	1.8	0.3	<0.05	4	<0.5	<0.2	
G1	Prep Blank	0.087	15	10	0.61	208	0.141	<1	1.08	0.100	0.59	<0.1	<0.01	2.0	0.3	<0.05	5	<0.5	<0.2	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: April 09, 2010
Report Date: May 10, 2010
Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN10001384.2

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 40

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	36	Crush split and pulverize 250g drill core to 200 mesh			VAN
1DX2	40	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
G601	24	Fire Assay fusion Au by ICP-ES	30	Completed	VAN
7AR1	24	1:1:1 Aqua Regia digestion ICP-ES analysis	1	Completed	VAN

ADDITIONAL COMMENTS

Version 2 : G6-Au & 7AR-Cu included.



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 10, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10001384.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944348	Drill Core	11.74	0.6	391.7	5.8	117	0.4	5.4	25.8	1521	4.11	6.7	0.8	10.8	1.9	503	0.3	0.3	0.1	170	5.68
944349	Drill Core	10.81	0.5	101.2	6.3	103	0.1	6.0	22.9	1511	4.17	8.8	0.7	2.4	2.0	363	0.2	0.6	<0.1	195	5.67
944350	Drill Core	8.49	0.8	369.7	8.0	110	0.5	5.5	22.4	1647	3.97	7.2	0.5	10.1	2.3	230	0.2	0.6	<0.1	161	4.94
944351	Drill Core	8.90	2.4	300.6	170.7	196	0.1	4.9	25.5	1961	4.53	7.0	0.7	11.6	2.6	314	<0.1	0.4	<0.1	199	3.63
944352	Drill Core	4.71	1.2	263.6	13.9	166	0.8	5.7	22.4	1702	4.05	5.8	0.7	13.2	2.5	243	0.2	0.4	<0.1	170	3.34
944353	Drill Core	8.00	0.3	265.7	5.5	156	0.6	4.7	24.3	2054	4.48	4.9	0.8	23.2	2.5	168	0.1	0.3	<0.1	194	3.03
944354	Drill Core	9.68	0.3	182.9	3.5	173	0.4	5.1	24.4	2385	4.66	5.2	0.7	29.4	2.5	241	0.1	0.3	<0.1	206	3.85
944355	Drill Core	11.27	0.3	267.8	3.8	163	0.5	5.7	24.3	2063	4.29	6.4	0.6	14.8	2.5	152	<0.1	0.3	0.1	204	2.34
944356	Drill Core	12.38	1.5	400.8	5.5	223	0.4	5.2	23.6	2412	4.71	6.3	0.9	8.6	2.5	467	0.1	0.4	<0.1	215	4.02
944357	Drill Core	10.43	3.1	349.0	2.6	205	0.6	5.3	26.6	2517	4.94	4.3	1.0	7.5	2.5	189	<0.1	0.2	<0.1	227	2.74
944358	Drill Core	6.33	1.3	230.3	3.7	144	0.2	5.8	23.3	1884	4.54	5.2	0.7	3.7	2.3	204	<0.1	0.3	<0.1	196	3.10
944359	Rock Pulp	0.05	13.9	40.4	7.9	52	0.2	18.0	82.3	580	2.70	2761	2.0	223.3	5.7	59	0.1	5.3	8.2	34	3.01
944360	Rock Pulp	0.02	466.6	4427	87.7	50	40.8	5.8	1.4	235	0.79	38.6	0.7	22.0	0.7	167	0.2	76.0	4.2	8	1.24
944361	Drill Core	1.89	1.4	387.4	9.6	157	0.4	4.2	20.4	1749	3.80	4.6	0.8	10.6	2.2	88	0.3	0.1	<0.1	151	2.02
944362	Drill Core	5.89	1.3	1188	7.8	185	0.8	2.9	21.6	2258	4.56	3.4	0.7	24.0	1.7	122	0.2	0.2	<0.1	199	2.93
944363	Drill Core	10.13	2.2	573.3	27.7	215	0.5	4.8	25.1	2162	4.76	3.0	0.7	14.6	1.5	137	1.2	0.2	<0.1	188	2.99
944364	Drill Core	7.46	2.2	931.5	8.4	184	0.7	5.3	27.1	2242	4.79	3.2	1.2	26.2	1.6	126	0.2	0.2	<0.1	228	2.54
944365	Drill Core	10.15	3.7	1362	5.9	196	0.8	7.0	28.7	2413	4.95	2.9	0.9	20.7	1.5	141	0.2	0.2	<0.1	214	2.56
944366	Drill Core	10.91	5.2	856.8	27.3	263	0.6	8.5	25.7	2438	4.39	7.0	1.5	12.5	1.5	144	1.6	0.2	<0.1	199	3.74
944367	Drill Core	5.97	5.8	1983	22.6	258	0.8	10.0	33.2	2817	6.31	5.5	1.7	35.9	1.9	171	1.2	0.3	<0.1	288	3.96
944368	Drill Core	11.75	8.4	3211	8.8	215	1.1	9.6	31.4	3015	4.69	4.9	2.8	66.1	1.4	160	0.6	0.2	<0.1	278	4.12
944369	Drill Core	11.82	7.1	4907	11.1	272	4.7	10.6	35.9	3092	4.56	2.9	2.9	76.2	1.5	93	0.2	0.2	0.2	280	2.54
944370	Drill Core	8.32	1.3	4514	25.4	306	6.1	9.2	29.2	2987	3.87	2.6	1.7	109.0	1.5	110	0.3	0.2	0.2	211	3.74
944371	Drill Core	9.77	1.5	3338	8.0	194	3.1	5.0	20.9	2248	2.88	2.9	4.9	112.4	2.3	105	0.2	0.2	<0.1	152	3.30
944372	Drill Core	9.00	0.8	3093	10.8	278	2.7	5.1	23.6	2567	4.15	2.2	2.0	134.9	1.8	125	1.0	0.2	<0.1	160	3.24
944373	Drill Core	7.61	5.3	690.5	17.8	279	0.7	4.2	27.5	2561	4.76	3.6	1.1	17.4	1.7	128	1.0	0.2	<0.1	175	3.46
944374	Drill Core	6.19	4.8	811.0	15.8	275	0.8	3.7	27.7	2067	4.25	11.6	0.9	28.4	1.8	96	1.3	0.4	<0.1	165	2.32
944375	Drill Core	0.93	0.6	258.5	4.0	143	0.2	2.7	19.4	2175	4.05	3.0	0.5	9.0	1.7	195	0.3	0.3	<0.1	163	5.11
944376	Drill Core	3.78	0.3	241.8	3.2	167	0.2	2.4	22.1	2240	4.20	3.0	0.5	5.4	1.7	178	0.1	0.4	<0.1	163	3.43
944377	Drill Core	9.87	0.4	534.4	2.9	181	0.3	2.9	21.5	2357	4.29	2.9	0.6	5.9	1.5	180	0.2	0.3	<0.1	181	3.60

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 10, 2010

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10001384.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/mt	%	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001	
944348	Drill Core	0.175	16	7	2.20	33	0.008	2	2.02	0.043	0.04	<0.1	<0.01	6.6	<0.1	<0.05	9	<0.5	<0.2	N.A.	N.A.
944349	Drill Core	0.174	13	2	1.83	13	0.008	4	2.08	0.042	0.05	<0.1	<0.01	8.5	<0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.
944350	Drill Core	0.153	14	6	1.99	32	0.006	2	2.03	0.041	0.05	<0.1	<0.01	6.3	<0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.
944351	Drill Core	0.178	16	2	2.04	37	0.007	3	2.11	0.035	0.05	<0.1	<0.01	7.3	<0.1	<0.05	11	0.9	<0.2	N.A.	N.A.
944352	Drill Core	0.179	15	3	1.93	38	0.009	2	1.91	0.036	0.05	0.7	0.01	5.8	<0.1	<0.05	9	<0.5	<0.2	N.A.	N.A.
944353	Drill Core	0.184	16	2	2.23	33	0.007	1	2.04	0.033	0.05	<0.1	<0.01	6.6	<0.1	<0.05	10	<0.5	<0.2	N.A.	N.A.
944354	Drill Core	0.182	17	2	2.22	258	0.007	2	2.06	0.034	0.05	<0.1	<0.01	6.6	<0.1	<0.05	10	<0.5	<0.2	N.A.	N.A.
944355	Drill Core	0.184	16	2	2.00	59	0.008	2	2.07	0.041	0.07	<0.1	<0.01	6.4	<0.1	<0.05	10	<0.5	<0.2	N.A.	N.A.
944356	Drill Core	0.181	18	2	1.73	136	0.008	3	1.83	0.033	0.08	<0.1	<0.01	8.0	<0.1	<0.05	10	<0.5	<0.2	N.A.	N.A.
944357	Drill Core	0.188	17	2	2.37	53	0.009	1	2.30	0.030	0.05	<0.1	<0.01	8.3	<0.1	<0.05	11	<0.5	<0.2	N.A.	N.A.
944358	Drill Core	0.180	15	2	1.94	46	0.008	2	1.94	0.039	0.06	<0.1	<0.01	7.0	<0.1	<0.05	9	<0.5	<0.2	N.A.	N.A.
944359	Rock Pulp	0.085	41	29	0.28	53	0.053	23	0.81	0.071	0.11	0.3	<0.01	1.9	<0.1	0.63	3	5.6	1.6	N.A.	N.A.
944360	Rock Pulp	0.018	4	222	0.11	146	0.006	1	0.30	0.020	0.16	<0.1	0.28	0.3	<0.1	0.70	1	0.6	0.4	N.A.	N.A.
944361	Drill Core	0.146	9	4	1.58	60	0.029	1	1.78	0.025	0.07	<0.1	0.01	3.8	<0.1	0.07	8	<0.5	<0.2	N.A.	N.A.
944362	Drill Core	0.179	8	1	1.95	88	0.064	2	2.04	0.023	0.06	<0.1	0.02	4.5	<0.1	0.19	10	0.8	<0.2	0.025	0.125
944363	Drill Core	0.179	7	3	1.89	81	0.107	1	1.89	0.018	0.05	<0.1	0.03	3.9	<0.1	0.19	8	<0.5	<0.2	0.014	0.060
944364	Drill Core	0.190	10	2	1.95	134	0.061	2	2.05	0.028	0.08	<0.1	0.02	4.2	<0.1	0.35	9	0.6	<0.2	0.029	0.096
944365	Drill Core	0.198	10	7	2.53	105	0.048	2	2.39	0.019	0.06	<0.1	0.02	5.6	<0.1	0.20	10	1.2	<0.2	0.022	0.140
944366	Drill Core	0.166	11	10	2.44	117	0.059	1	2.28	0.022	0.05	<0.1	0.03	7.3	<0.1	0.33	10	1.1	<0.2	0.012	0.089
944367	Drill Core	0.223	15	6	2.91	194	0.033	2	2.70	0.016	0.04	<0.1	0.04	10.9	<0.1	0.31	11	1.0	<0.2	0.044	0.204
944368	Drill Core	0.178	14	13	2.79	131	0.112	1	2.52	0.019	0.05	<0.1	0.02	9.9	<0.1	0.36	11	1.0	<0.2	0.089	0.336
944369	Drill Core	0.180	16	23	2.38	230	0.066	1	2.28	0.026	0.06	<0.1	0.01	9.0	<0.1	0.40	11	5.1	<0.2	0.090	0.513
944370	Drill Core	0.151	16	13	2.00	364	0.022	1	2.04	0.021	0.07	<0.1	0.02	8.7	<0.1	0.37	11	5.4	0.3	0.126	0.483
944371	Drill Core	0.239	26	9	1.47	329	0.019	1	1.64	0.019	0.10	<0.1	0.02	6.3	<0.1	0.50	8	3.2	<0.2	0.136	0.354
944372	Drill Core	0.199	15	5	2.01	302	0.012	2	2.20	0.017	0.10	<0.1	0.04	5.2	<0.1	0.27	10	2.8	<0.2	0.173	0.322
944373	Drill Core	0.191	11	5	2.21	286	0.014	2	2.52	0.014	0.11	<0.1	0.02	4.8	<0.1	0.19	10	0.5	<0.2	0.018	0.073
944374	Drill Core	0.202	11	2	1.95	286	0.012	2	2.15	0.021	0.13	<0.1	0.03	4.6	<0.1	0.36	9	1.6	<0.2	0.032	0.085
944375	Drill Core	0.180	13	2	1.69	432	0.008	3	1.96	0.022	0.09	<0.1	<0.01	5.2	<0.1	<0.05	8	<0.5	<0.2	<0.005	0.024
944376	Drill Core	0.191	12	<1	1.87	183	0.007	3	2.16	0.028	0.06	<0.1	<0.01	5.0	<0.1	<0.05	9	<0.5	<0.2	<0.005	0.024
944377	Drill Core	0.184	12	<1	1.83	280	0.010	3	2.06	0.022	0.08	<0.1	0.01	5.2	<0.1	<0.05	9	<0.5	<0.2	<0.005	0.056

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 10, 2010

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10001384.2

	Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
944378	Drill Core	11.05	0.7	557.5	2.6	200	0.4	3.0	22.3	2508	4.48	2.6	0.8	9.2	1.6	183	0.2	0.2	<0.1	192	3.02	
944379	Drill Core	11.76	1.6	1027	3.5	211	1.0	6.2	25.6	2929	5.52	2.6	1.3	207.8	2.1	209	0.1	0.1	<0.1	235	3.36	
944380	Drill Core	7.30	2.4	1091	5.9	271	0.9	10.0	32.6	3467	6.63	3.3	1.4	98.0	1.6	616	0.3	0.2	<0.1	248	4.73	
944381	Rock Pulp	0.05	14.4	40.6	8.3	54	0.2	17.7	85.3	604	2.81	2835	2.0	226.1	5.8	60	0.1	5.5	8.4	36	3.18	
944382	Rock Pulp	0.02	443.5	4353	82.7	49	40.4	5.7	1.4	249	0.79	36.9	0.6	20.9	0.6	171	0.4	76.3	3.9	7	1.22	
944383	Drill Core	10.69	2.7	6660	7.4	202	2.0	9.3	28.6	3293	5.02	3.8	1.4	134.9	1.4	664	0.3	0.2	0.1	184	5.94	
944384	Drill Core	10.56	1.5	>10000	14.3	157	5.7	11.8	36.0	2616	5.06	3.6	2.0	130.1	1.8	388	1.2	0.2	0.1	219	4.01	
944385	Drill Core	9.40	0.9	2969	6.8	153	1.4	10.9	27.8	2243	3.81	3.8	1.0	24.7	1.7	573	0.3	0.5	<0.1	170	5.53	
944386	Drill Core	11.38	0.5	4755	8.7	159	3.0	7.5	24.1	2597	3.46	2.8	2.3	43.8	1.6	757	0.8	0.3	<0.1	137	5.54	
944387	Drill Core	12.28	0.3	5201	9.2	200	3.9	10.4	32.3	2780	3.63	3.0	1.5	54.2	1.8	370	0.5	0.4	<0.1	142	5.04	



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 10, 2010

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10001384.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/mt	%	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001	
944378	Drill Core	0.192	13	<1	1.98	234	0.007	3	2.18	0.022	0.09	<0.1	<0.01	5.0	<0.1	<0.05	10	<0.5	<0.2	0.010	0.057
944379	Drill Core	0.196	15	5	1.98	373	0.010	2	2.17	0.019	0.12	<0.1	0.02	5.5	<0.1	0.09	11	1.1	<0.2	0.213	0.107
944380	Drill Core	0.188	17	16	2.20	726	0.008	2	2.32	0.020	0.11	<0.1	0.02	6.9	<0.1	0.11	11	0.9	<0.2	0.096	0.112
944381	Rock Pulp	0.089	42	30	0.29	55	0.057	26	0.85	0.075	0.11	0.4	<0.01	1.8	<0.1	0.66	3	5.5	0.9	N.A.	N.A.
944382	Rock Pulp	0.018	4	229	0.11	141	0.005	2	0.32	0.019	0.16	0.1	0.25	0.4	<0.1	0.69	1	0.7	0.8	N.A.	N.A.
944383	Drill Core	0.169	16	9	2.32	146	0.004	4	2.69	0.010	0.20	<0.1	0.04	8.8	<0.1	0.52	9	4.0	<0.2	0.116	0.752
944384	Drill Core	0.199	17	16	2.34	292	0.006	4	2.54	0.016	0.14	<0.1	0.12	8.8	<0.1	0.54	10	3.9	0.3	0.149	1.447
944385	Drill Core	0.135	12	18	2.00	332	0.006	7	2.46	0.022	0.14	<0.1	0.04	9.1	<0.1	0.17	11	1.1	0.3	0.014	0.329
944386	Drill Core	0.150	15	14	1.87	553	0.006	6	2.16	0.019	0.23	<0.1	0.08	7.1	<0.1	0.27	8	2.1	<0.2	0.032	0.518
944387	Drill Core	0.133	13	19	2.20	207	0.031	5	2.18	0.040	0.06	<0.1	0.02	9.7	<0.1	0.23	9	1.5	0.3	0.054	0.566



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 10, 2010

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN10001384.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
944349	Drill Core	10.81	0.5	101.2	6.3	103	0.1	6.0	22.9	1511	4.17	8.8	0.7	2.4	2.0	363	0.2	0.6	<0.1	195	5.67
REP 944349	QC		0.4	105.8	6.3	104	0.1	5.8	22.5	1524	4.21	8.9	0.7	4.3	2.2	372	0.2	0.6	<0.1	198	5.74
944375	Drill Core	0.93	0.6	258.5	4.0	143	0.2	2.7	19.4	2175	4.05	3.0	0.5	9.0	1.7	195	0.3	0.3	<0.1	163	5.11
REP 944375	QC																				
944383	Drill Core	10.69	2.7	6660	7.4	202	2.0	9.3	28.6	3293	5.02	3.8	1.4	134.9	1.4	664	0.3	0.2	0.1	184	5.94
REP 944383	QC		2.7	6802	7.6	198	2.1	10.3	29.2	3352	5.09	3.6	1.4	106.4	1.5	695	0.4	0.3	<0.1	188	5.94
Core Reject Duplicates																					
944381	Rock Pulp	0.05	14.4	40.6	8.3	54	0.2	17.7	85.3	604	2.81	2835	2.0	226.1	5.8	60	0.1	5.5	8.4	36	3.18
DUP 944381	QC		13.3	37.0	7.6	50	0.2	17.3	76.5	570	2.69	2776	1.8	212.6	5.2	60	0.1	4.9	7.6	35	3.03
Reference Materials																					
STD DS7	Standard		19.9	103.5	67.4	372	0.9	53.1	9.3	596	2.31	50.2	5.0	57.6	4.6	71	6.2	5.5	4.7	82	0.93
STD DS7	Standard		20.5	105.1	65.8	375	0.9	54.1	9.4	600	2.30	50.5	4.7	82.0	4.6	73	5.8	5.3	4.3	82	0.94
STD DS7	Standard		20.1	99.1	61.7	373	1.0	49.8	8.8	585	2.29	48.7	4.6	65.9	4.5	77	5.7	5.3	4.4	81	0.95
STD DS7	Standard		20.0	100.8	63.2	386	0.9	52.7	8.5	599	2.33	51.1	4.7	67.4	4.5	80	6.1	6.0	4.6	81	0.98
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXK69	Standard																				
STD OXK69	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
STD R4A Expected																					
STD OXH66 Expected																					
STD OXK69 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	0.6	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				
BLK	Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 10, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN10001384.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/mt	%	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001	
Pulp Duplicates																					
944349	Drill Core	0.174	13	2	1.83	13	0.008	4	2.08	0.042	0.05	<0.1	<0.01	8.5	<0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.
REP 944349	QC	0.177	13	2	1.84	13	0.008	3	2.10	0.042	0.05	<0.1	<0.01	8.6	<0.1	<0.05	9	<0.5	<0.2		
944375	Drill Core	0.180	13	2	1.69	432	0.008	3	1.96	0.022	0.09	<0.1	<0.01	5.2	<0.1	<0.05	8	<0.5	<0.2	<0.005	0.024
REP 944375	QC																				0.025
944383	Drill Core	0.169	16	9	2.32	146	0.004	4	2.69	0.010	0.20	<0.1	0.04	8.8	<0.1	0.52	9	4.0	<0.2	0.116	0.752
REP 944383	QC	0.163	16	11	2.40	161	0.004	5	2.72	0.011	0.20	<0.1	0.04	9.0	<0.1	0.53	9	3.4	<0.2		
Core Reject Duplicates																					
944381	Rock Pulp	0.089	42	30	0.29	55	0.057	26	0.85	0.075	0.11	0.4	<0.01	1.8	<0.1	0.66	3	5.5	0.9	N.A.	N.A.
DUP 944381	QC	0.084	40	30	0.28	48	0.051	25	0.79	0.074	0.10	0.3	<0.01	1.8	<0.1	0.63	3	6.5	0.9	N.A.	N.A.
Reference Materials																					
STD DS7	Standard	0.074	12	186	1.02	396	0.117	40	0.99	0.085	0.44	3.4	0.22	2.1	3.8	0.19	4	3.2	1.0		
STD DS7	Standard	0.074	12	186	1.03	387	0.121	41	1.01	0.087	0.43	3.3	0.21	2.2	3.8	0.19	4	2.9	0.9		
STD DS7	Standard	0.071	12	180	0.99	371	0.118	38	0.99	0.088	0.42	3.5	0.17	2.1	4.1	0.20	5	3.6	<0.2		
STD DS7	Standard	0.074	13	180	1.02	391	0.115	37	1.03	0.090	0.45	3.5	0.21	2.2	4.2	0.20	5	3.2	1.1		
STD OXH66	Standard																				1.202
STD OXH66	Standard																				1.301
STD OXK69	Standard																				3.416
STD OXK69	Standard																				3.667
STD R4A	Standard																				0.510
STD R4A	Standard																				0.503
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08		
STD R4A Expected																					0.502
STD OXH66 Expected																					1.285
STD OXK69 Expected																					3.583
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																				<0.001
BLK	Blank																				<0.005

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: May 10, 2010

Page: 2 of 2 **Part** 1

QUALITY CONTROL REPORT

VAN10001384.2

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
Prep Wash																						
G1	Prep Blank	<0.01	0.1	3.6	21.3	43	0.1	3.3	4.4	530	1.87	<0.5	1.8	1.2	5.6	55	<0.1	<0.1	0.5	38	0.53	
G1	Prep Blank	<0.01	0.1	3.8	5.9	48	<0.1	3.6	4.7	589	1.98	<0.5	2.1	<0.5	6.4	60	<0.1	<0.1	0.1	41	0.55	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

211 - 744 W. Hastings St.

Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: May 10, 2010

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

VAN10001384.2

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu		
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/mt	%		
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001		
BLK	Blank																				<0.005		
BLK	Blank																					<0.005	
BLK	Blank																					<0.005	
Prep Wash																							
G1	Prep Blank	0.084	14	12	0.53	174	0.124	<1	0.94	0.080	0.49	<0.1	<0.01	1.8	0.3	<0.05	4	<0.5	<0.2	N.A.	N.A.		
G1	Prep Blank	0.087	15	10	0.61	208	0.141	<1	1.08	0.100	0.59	<0.1	<0.01	2.0	0.3	<0.05	5	<0.5	<0.2	N.A.	N.A.		



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: April 13, 2010
Report Date: April 28, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN10001436.1

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 22

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	20	Crush split and pulverize 250g drill core to 200 mesh			VAN
1DX2	22	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Sego Resources Inc.
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 28, 2010

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

VAN10001436.1

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
944388	Drill Core	10.79	0.8	5423	8.4	293	3.9	10.9	33.4	3243	3.83	3.0	1.6	39.9	2.0	328	0.5	0.5	<0.1	191	5.16
944389	Drill Core	10.78	1.0	1935	3.6	195	1.2	10.8	22.8	2699	3.17	3.2	1.5	26.2	1.8	292	0.3	0.2	<0.1	162	5.71
944390	Drill Core	11.11	0.2	2341	2.4	77	1.3	15.0	20.4	1420	2.74	2.3	1.2	18.8	1.5	265	0.1	0.2	<0.1	128	4.69
944391	Drill Core	11.20	0.1	6348	3.3	85	3.2	6.1	22.7	1296	2.06	2.6	2.0	77.9	2.3	322	0.2	0.2	<0.1	74	4.58
944392	Drill Core	11.02	<0.1	1810	2.1	93	0.8	3.5	19.3	1447	2.04	1.8	0.8	35.8	2.1	227	0.3	0.3	<0.1	85	4.23
944393	Drill Core	10.92	1.0	2997	3.5	112	1.3	7.3	18.5	1807	2.74	5.0	1.5	139.8	1.8	286	0.2	0.3	<0.1	149	5.39
944394	Drill Core	12.46	2.7	3148	7.1	112	0.8	6.7	19.5	1726	3.75	9.7	1.6	66.4	1.9	381	0.5	0.5	<0.1	199	6.20
944395	Drill Core	12.00	2.6	4346	5.3	115	1.0	5.1	20.6	1529	3.81	8.7	1.3	515.8	2.2	6368	0.2	0.6	0.1	257	4.50
944396	Drill Core	11.10	1.8	176.1	3.7	40	<0.1	10.9	26.0	480	4.74	6.8	0.4	4.2	1.3	723	<0.1	0.2	0.4	136	5.57
944397	Drill Core	10.99	8.1	125.9	2.4	12	<0.1	8.1	22.2	165	4.08	6.3	0.3	7.4	1.2	645	<0.1	0.1	0.4	89	7.47
944398	Drill Core	11.76	4.2	156.4	2.9	15	<0.1	12.1	33.0	318	4.43	6.8	0.6	12.0	2.1	974	<0.1	0.1	0.6	94	6.45
944399	Drill Core	11.11	4.3	388.2	1.4	40	0.1	26.6	37.9	501	6.83	12.7	0.3	13.1	1.6	1178	<0.1	<0.1	0.1	300	2.80
944400	Drill Core	10.09	4.0	417.4	1.4	30	<0.1	17.5	47.4	320	4.97	10.3	0.4	12.5	2.4	1004	<0.1	<0.1	0.2	210	2.35
944401	Drill Core	10.36	5.1	1401	2.1	31	0.2	7.5	23.3	343	3.90	12.6	0.5	22.4	2.9	1349	<0.1	<0.1	<0.1	156	2.57
944402	Drill Core	11.14	2.7	609.9	1.9	29	0.1	13.9	33.9	420	4.85	3.2	0.7	14.2	1.9	583	<0.1	<0.1	<0.1	188	6.35
944403	Rock Pulp	0.05	15.4	43.7	8.2	55	0.2	18.3	84.9	622	2.87	2920	2.0	204.4	6.3	61	0.1	5.7	9.0	37	3.29
944404	Rock Pulp	0.02	482.6	4737	91.8	54	43.8	6.5	1.5	251	0.83	42.4	0.7	26.7	0.8	189	0.6	83.0	4.6	8	1.29
944405	Drill Core	11.59	3.3	2396	0.9	23	0.3	5.7	24.9	272	3.50	1.4	0.6	29.7	2.0	728	<0.1	<0.1	0.2	165	6.31
944406	Drill Core	6.11	3.2	790.9	27.6	109	1.2	12.6	34.3	815	4.67	4.6	0.9	28.5	3.1	45	0.5	0.2	0.4	124	1.83
944407	Drill Core	5.79	5.0	253.3	12.7	90	0.4	5.6	18.1	842	2.63	5.8	3.4	19.5	3.1	60	0.5	0.3	<0.1	75	2.60
944408	Drill Core	3.44	3.8	280.0	12.4	133	1.1	1.9	13.4	1282	3.90	3.5	1.4	25.0	3.1	60	0.1	0.4	<0.1	84	2.70
944409	Drill Core	5.65	4.3	599.7	14.1	162	1.0	6.3	21.0	1641	4.74	4.9	0.5	18.0	2.8	74	<0.1	0.3	<0.1	155	3.01



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 28, 2010

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

VAN10001436.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
944388	Drill Core	0.163	13	15	2.98	275	0.027	5	2.57	0.039	0.09	<0.1	0.02	9.9	<0.1	0.26	10	1.9	<0.2
944389	Drill Core	0.165	15	15	2.19	691	0.004	7	2.14	0.035	0.15	<0.1	0.01	8.2	<0.1	0.15	8	1.0	<0.2
944390	Drill Core	0.122	12	23	2.12	313	0.004	5	1.85	0.056	0.16	<0.1	<0.01	9.0	<0.1	0.10	7	1.9	<0.2
944391	Drill Core	0.214	18	6	1.25	754	0.003	5	1.42	0.039	0.23	<0.1	0.04	3.8	<0.1	0.20	5	4.3	0.5
944392	Drill Core	0.125	12	3	1.31	651	0.004	4	1.34	0.047	0.20	<0.1	<0.01	3.1	<0.1	0.08	6	1.8	0.2
944393	Drill Core	0.163	17	11	1.46	729	0.003	6	1.49	0.040	0.17	<0.1	0.01	9.5	<0.1	0.19	6	2.8	<0.2
944394	Drill Core	0.166	17	8	1.93	163	0.004	12	1.42	0.062	0.06	<0.1	0.02	12.1	<0.1	0.36	6	2.4	<0.2
944395	Drill Core	0.224	18	3	2.27	157	0.006	7	2.03	0.052	0.06	<0.1	0.06	7.8	<0.1	1.34	9	5.8	<0.2
944396	Drill Core	0.152	12	11	2.28	35	0.004	4	2.11	0.030	0.13	<0.1	0.03	6.6	<0.1	5.72	7	4.6	0.8
944397	Drill Core	0.141	8	5	1.18	32	0.002	6	1.25	0.020	0.13	<0.1	0.02	3.7	0.1	7.39	4	4.8	<0.2
944398	Drill Core	0.182	16	9	1.16	38	0.003	6	1.29	0.028	0.17	<0.1	0.01	5.9	<0.1	6.21	5	6.4	0.6
944399	Drill Core	0.177	13	36	2.76	90	0.011	18	2.78	0.041	0.11	<0.1	0.01	21.7	<0.1	2.16	11	6.8	<0.2
944400	Drill Core	0.207	17	20	1.44	56	0.020	34	1.58	0.057	0.26	<0.1	0.01	11.9	<0.1	3.21	8	7.5	<0.2
944401	Drill Core	0.202	22	4	1.15	92	0.011	23	1.23	0.050	0.23	<0.1	<0.01	6.8	<0.1	1.52	5	3.8	<0.2
944402	Drill Core	0.139	16	14	1.90	37	0.017	16	1.67	0.037	0.15	<0.1	0.02	13.2	<0.1	4.37	8	5.4	0.6
944403	Rock Pulp	0.085	43	28	0.31	54	0.056	26	0.88	0.111	0.11	0.4	<0.01	1.8	<0.1	0.64	3	6.5	2.4
944404	Rock Pulp	0.020	4	230	0.11	168	0.006	<1	0.32	0.024	0.18	0.1	0.29	0.3	<0.1	0.72	1	1.4	0.2
944405	Drill Core	0.141	17	3	1.57	30	0.024	6	1.64	0.029	0.37	<0.1	<0.01	6.6	0.1	4.71	7	4.4	<0.2
944406	Drill Core	0.131	21	12	0.57	73	0.017	<1	0.86	0.055	0.19	<0.1	0.05	5.1	<0.1	1.73	5	5.6	0.3
944407	Drill Core	0.158	26	4	0.48	111	0.003	<1	0.71	0.041	0.21	0.1	0.06	3.4	<0.1	1.43	3	1.2	<0.2
944408	Drill Core	0.136	21	1	1.16	102	0.004	4	1.11	0.038	0.27	<0.1	0.05	2.2	<0.1	1.42	5	1.0	<0.2
944409	Drill Core	0.147	18	9	1.18	140	0.005	2	1.41	0.040	0.16	<0.1	0.04	4.8	<0.1	1.09	7	1.6	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: April 28, 2010

Page: 1 of 1 **Part** 1

QUALITY CONTROL REPORT

VAN10001436.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
944406	Drill Core	6.11	3.2	790.9	27.6	109	1.2	12.6	34.3	815	4.67	4.6	0.9	28.5	3.1	45	0.5	0.2	0.4	124	1.83
REP 944406	QC		3.3	787.7	26.6	112	1.1	12.6	33.9	823	4.67	4.4	0.9	30.6	3.1	45	0.4	0.3	0.4	123	1.82
Reference Materials																					
STD DS7	Standard		19.4	107.0	63.8	408	0.9	55.4	8.8	610	2.39	55.0	4.5	60.8	4.4	69	6.4	6.3	4.6	83	0.92
STD DS7	Standard		20.4	107.4	66.1	382	0.9	53.8	9.7	607	2.40	52.6	4.9	61.3	4.6	71	6.0	6.1	4.8	83	0.94
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	0.7	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.1	4.9	3.1	48	<0.1	3.3	4.3	604	2.14	<0.5	2.2	<0.5	6.6	57	<0.1	<0.1	0.5	38	0.51
G1	Prep Blank	<0.01	0.1	2.4	3.1	47	<0.1	2.9	4.1	602	2.11	<0.5	2.3	<0.5	6.2	64	<0.1	<0.1	<0.1	38	0.54



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: April 28, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN10001436.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																				
944406	Drill Core	0.131	21	12	0.57	73	0.017	<1	0.86	0.055	0.19	<0.1	0.05	5.1	<0.1	1.73	5	5.6	0.3	
REP 944406	QC	0.134	21	13	0.57	74	0.018	2	0.87	0.056	0.20	0.1	0.04	5.3	<0.1	1.71	4	5.2	0.7	
Reference Materials																				
STD DS7	Standard	0.080	11	184	1.04	409	0.110	39	0.97	0.083	0.44	3.6	0.21	2.2	3.8	0.20	5	3.9	1.1	
STD DS7	Standard	0.074	12	191	1.04	415	0.117	40	1.02	0.089	0.43	4.0	0.21	2.2	4.0	0.20	4	3.6	1.3	
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																				
G1	Prep Blank	0.085	13	8	0.52	190	0.120	2	1.05	0.134	0.52	0.2	<0.01	1.9	0.3	<0.05	5	<0.5	0.3	
G1	Prep Blank	0.085	13	8	0.52	189	0.125	2	1.08	0.148	0.51	<0.1	<0.01	2.1	0.3	<0.05	5	<0.5	<0.2	



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: April 13, 2010
Report Date: April 26, 2010
Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN10001437.1

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 7

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	7	Crush, split and pulverize 250 g rock to 200 mesh			VAN
1DX2	7	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 26, 2010

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

VAN10001437.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
BD 20-10-R1	Rock	1.03	1.5	204.9	6.0	93	0.2	20.8	44.8	1040	4.35	21.0	1.1	5.7	0.8	79	1.0	0.4	<0.1	232	1.66
BD 20-10-R2	Rock	1.15	0.5	72.8	2.1	56	0.1	22.4	25.3	696	3.88	5.4	0.2	6.5	0.3	86	0.1	0.4	<0.1	136	2.09
BD 20-10-R3	Rock	1.00	0.5	3.3	7.4	30	<0.1	0.8	2.5	475	1.36	1.7	0.8	2.0	4.4	18	<0.1	0.2	<0.1	10	0.58
BD 20-10-R4	Rock	1.09	0.5	123.2	1.9	37	<0.1	8.7	15.0	487	2.82	2.3	0.2	2.2	0.4	91	<0.1	<0.1	<0.1	111	1.42
BD 20-10-R5	Rock	1.43	0.3	87.3	2.3	93	0.2	18.1	24.8	970	3.83	3.6	0.3	4.0	0.6	97	0.2	0.3	<0.1	125	1.20
BD 20-10-R6	Rock	0.81	0.1	11.8	0.6	38	<0.1	10.0	9.4	577	3.61	4.6	0.2	7.0	0.5	78	<0.1	0.2	<0.1	94	1.93
BD 20-10-R7	Rock	0.74	0.3	10.4	2.0	42	<0.1	4.1	8.6	367	2.67	1.8	0.3	2.1	1.4	36	<0.1	0.2	<0.1	69	0.85



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 26, 2010

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

VAN10001437.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
BD 20-10-R1	Rock	0.148	5	29	2.32	155	0.165	1	2.49	0.142	0.09	0.2	0.04	11.3	<0.1	<0.05	11	1.1	<0.2
BD 20-10-R2	Rock	0.107	2	53	2.32	84	0.173	<1	2.30	0.072	0.07	<0.1	0.03	10.4	<0.1	<0.05	7	<0.5	<0.2
BD 20-10-R3	Rock	0.032	22	2	0.14	72	0.004	1	0.61	0.072	0.22	<0.1	<0.01	1.7	<0.1	<0.05	4	<0.5	<0.2
BD 20-10-R4	Rock	0.136	2	11	0.81	49	0.163	<1	1.88	0.269	0.21	<0.1	<0.01	3.4	<0.1	<0.05	6	<0.5	<0.2
BD 20-10-R5	Rock	0.131	4	30	2.17	82	0.162	<1	2.37	0.093	0.27	<0.1	<0.01	8.1	<0.1	<0.05	8	<0.5	<0.2
BD 20-10-R6	Rock	0.115	3	14	1.16	376	0.060	3	1.36	0.087	0.23	<0.1	<0.01	4.1	<0.1	<0.05	4	<0.5	<0.2
BD 20-10-R7	Rock	0.152	4	9	0.61	52	0.121	<1	1.05	0.129	0.33	0.2	<0.01	4.4	<0.1	<0.05	4	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: April 26, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN10001437.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
BD 20-10-R2	Rock	1.15	0.5	72.8	2.1	56	0.1	22.4	25.3	696	3.88	5.4	0.2	6.5	0.3	86	0.1	0.4	<0.1	136	2.09
REP BD 20-10-R2	QC		0.5	74.4	2.2	55	0.1	24.5	24.7	679	3.83	5.1	0.2	4.7	0.4	86	<0.1	0.4	<0.1	132	2.04
Reference Materials																					
STD DS7	Standard		19.9	108.8	66.1	400	0.9	56.2	9.0	613	2.42	51.9	4.6	66.7	4.3	68	6.1	5.8	4.6	83	0.93
STD DS7	Standard		20.9	111.2	61.0	397	0.9	54.1	9.0	626	2.40	55.5	4.3	56.0	4.2	72	6.2	6.0	4.4	85	0.97
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.1	4.3	3.5	51	<0.1	3.2	4.3	624	2.24	<0.5	1.6	12.2	5.0	55	<0.1	<0.1	0.1	39	0.51



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: April 26, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN10001437.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
BD 20-10-R2	Rock	0.107	2	53	2.32	84	0.173	<1	2.30	0.072	0.07	<0.1	0.03	10.4	<0.1	<0.05	7	<0.5	<0.2
REP BD 20-10-R2	QC	0.106	2	53	2.34	83	0.169	1	2.28	0.071	0.08	<0.1	0.03	10.5	<0.1	<0.05	6	<0.5	<0.2
Reference Materials																			
STD DS7	Standard	0.078	12	183	1.05	378	0.111	39	1.01	0.090	0.44	4.0	0.22	2.3	4.2	0.20	5	4.1	1.3
STD DS7	Standard	0.078	12	185	1.04	401	0.117	38	1.03	0.093	0.45	3.7	0.22	2.6	3.8	0.20	4	2.8	1.4
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
G1	Prep Blank	0.082	11	8	0.58	203	0.125	<1	1.06	0.117	0.54	<0.1	<0.01	1.8	0.3	<0.05	5	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: April 20, 2010
Report Date: April 29, 2010
Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN10001534.1

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 39

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	35	Crush split and pulverize 250g drill core to 200 mesh			VAN
1DX2	39	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 29, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10001534.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944410	Drill Core	11.30	7.2	609.8	12.8	154	0.8	12.9	27.6	2229	5.57	7.0	0.5	32.1	1.6	102	0.2	0.3	<0.1	196	4.60
944411	Drill Core	11.53	5.9	528.5	44.2	233	0.5	7.3	22.0	1878	4.43	3.8	0.6	24.9	2.0	87	1.2	0.3	<0.1	165	3.55
944412	Drill Core	9.01	2.9	533.2	39.5	180	0.5	6.2	26.7	2121	4.89	5.0	1.1	31.5	2.3	91	0.2	0.2	0.2	186	3.44
944413	Drill Core	10.44	1.7	252.1	12.1	220	0.3	3.3	23.9	2658	4.96	4.8	1.2	15.4	2.1	92	0.1	0.2	<0.1	240	3.35
944414	Drill Core	8.35	2.2	813.7	18.5	157	0.6	3.2	17.9	2373	4.16	7.6	2.4	19.3	2.2	133	0.2	0.3	<0.1	196	3.71
944415	Drill Core	10.31	2.1	542.8	6.5	158	0.3	7.8	24.8	2538	4.85	7.5	2.9	6.8	1.9	264	0.1	0.3	<0.1	224	3.69
944416	Drill Core	7.39	2.6	502.5	8.4	139	0.3	6.9	21.6	2381	4.86	5.4	2.0	15.0	2.0	204	0.1	0.5	<0.1	189	4.15
944417	Drill Core	12.53	4.4	793.5	7.2	153	0.5	7.5	25.8	2834	4.85	3.6	2.8	20.2	1.6	561	0.3	0.5	<0.1	188	6.66
944418	Drill Core	11.23	3.1	507.1	6.4	125	0.4	7.7	26.8	2504	5.91	4.1	2.5	23.3	2.1	258	<0.1	0.4	<0.1	220	4.09
944419	Drill Core	12.98	3.1	882.7	6.3	148	0.7	11.3	29.2	2882	5.98	4.4	2.5	58.7	1.7	336	0.1	0.5	<0.1	281	4.20
944420	Drill Core	10.93	4.8	1153	10.1	153	0.5	10.7	25.9	2467	5.13	5.8	2.4	150.3	1.8	486	0.7	0.4	<0.1	247	5.95
944421	Drill Core	10.90	0.3	205.4	13.8	131	0.2	25.2	24.7	1917	5.02	4.9	0.6	28.3	1.7	442	<0.1	0.3	<0.1	198	4.18
944422	Drill Core	11.63	0.7	300.5	36.1	160	0.2	23.9	26.9	2079	5.58	4.9	0.3	13.8	1.7	163	<0.1	0.1	<0.1	223	2.69
944423	Rock Pulp	0.05	13.7	41.4	7.9	56	0.2	16.8	81.1	594	2.81	2958	1.9	232.4	5.7	60	0.1	5.7	8.4	34	3.10
944424	Rock Pulp	0.02	457.2	4610	87.4	51	42.6	5.5	1.5	248	0.80	39.3	0.7	30.4	0.7	173	0.2	86.0	4.3	8	1.31
944425	Drill Core	10.77	0.7	197.7	13.8	145	0.2	15.2	22.6	1812	4.73	5.9	0.4	13.4	1.8	261	<0.1	0.2	<0.1	167	4.12
944426	Drill Core	11.15	2.0	256.0	6.6	79	0.2	10.7	30.7	1176	4.90	6.6	1.1	29.4	1.6	458	0.1	0.1	0.2	211	4.38
944427	Drill Core	11.91	1.0	383.9	35.4	149	0.3	17.7	26.1	1752	5.44	5.5	0.3	16.0	1.7	262	<0.1	0.2	0.2	217	3.78
944428	Drill Core	11.24	2.8	179.8	4.9	76	<0.1	13.2	23.1	923	5.09	6.1	0.3	10.2	1.5	821	<0.1	0.2	0.2	180	5.07
944429	Drill Core	12.45	1.7	144.3	4.6	28	<0.1	17.3	23.9	395	4.71	6.3	0.3	6.2	1.4	1673	<0.1	0.2	0.3	117	4.86
944430	Drill Core	11.04	1.7	117.6	4.2	56	0.1	26.7	23.9	751	4.82	6.6	0.2	6.2	1.3	1065	<0.1	0.3	0.2	111	4.84
944431	Drill Core	11.08	2.9	147.6	6.3	76	0.1	30.7	34.8	849	5.91	24.4	0.3	7.4	1.8	1058	<0.1	0.4	0.2	112	3.50
944432	Drill Core	10.92	1.1	212.9	10.6	85	0.3	9.2	22.4	1217	4.04	11.0	0.3	9.9	1.3	180	0.2	0.5	0.4	76	5.04
944433	Drill Core	12.74	1.2	222.3	12.8	38	0.2	7.0	11.7	594	3.51	7.0	0.3	3.2	2.0	105	<0.1	0.4	0.3	66	1.39
944434	Drill Core	11.91	1.0	406.7	14.6	70	0.3	13.6	23.3	1092	4.90	6.2	0.2	7.1	2.0	112	<0.1	0.3	0.5	102	1.46
944435	Drill Core	11.54	1.0	245.2	13.9	54	0.3	10.1	17.9	870	4.19	5.5	0.3	4.7	2.1	108	<0.1	0.3	0.4	91	1.41
944436	Drill Core	12.15	0.7	235.6	17.1	55	0.2	11.5	13.7	917	4.48	5.8	0.2	3.2	1.6	92	<0.1	0.2	0.4	90	1.21
944437	Drill Core	11.26	0.6	257.7	17.4	78	0.2	13.9	20.7	1235	5.21	5.9	0.3	3.4	1.9	99	<0.1	0.2	0.4	131	1.90
944438	Rock Pulp	0.02	469.6	4616	90.4	52	42.6	5.6	1.5	249	0.80	38.5	0.7	19.8	0.7	179	0.1	83.6	4.2	8	1.30
944439	Rock Pulp	0.05	14.8	44.6	8.7	56	0.2	18.8	84.4	608	2.87	2952	2.0	222.3	6.1	64	0.1	5.7	8.6	35	3.19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 29, 2010

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10001534.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
944410	Drill Core	0.148	14	21	1.71	72	0.007	1	1.95	0.033	0.11	<0.1	0.05	9.6	<0.1	1.82	10	1.1	<0.2
944411	Drill Core	0.156	18	9	1.53	128	0.005	<1	1.72	0.039	0.13	<0.1	0.05	6.8	<0.1	0.96	10	0.8	<0.2
944412	Drill Core	0.154	17	6	1.95	171	0.007	<1	1.83	0.037	0.06	0.1	0.03	8.6	<0.1	0.83	10	3.3	<0.2
944413	Drill Core	0.200	18	2	2.12	220	0.008	<1	2.14	0.034	0.09	<0.1	0.03	6.8	<0.1	0.55	11	0.9	<0.2
944414	Drill Core	0.160	18	3	1.57	152	0.007	<1	1.46	0.038	0.08	<0.1	0.03	5.5	<0.1	0.94	8	3.6	<0.2
944415	Drill Core	0.176	17	9	1.96	217	0.011	<1	1.81	0.045	0.08	<0.1	0.01	9.5	<0.1	0.55	10	1.4	<0.2
944416	Drill Core	0.167	16	7	2.54	283	0.005	3	2.37	0.030	0.14	<0.1	0.01	9.4	<0.1	0.27	9	1.3	<0.2
944417	Drill Core	0.165	16	9	2.45	112	0.005	4	2.50	0.020	0.20	<0.1	0.03	8.5	<0.1	0.93	9	0.6	<0.2
944418	Drill Core	0.191	19	7	2.39	83	0.010	3	2.50	0.020	0.15	<0.1	0.04	8.4	<0.1	1.22	11	0.6	<0.2
944419	Drill Core	0.170	19	18	3.08	122	0.008	2	2.92	0.020	0.08	<0.1	0.03	12.8	<0.1	1.14	12	1.0	<0.2
944420	Drill Core	0.174	19	17	2.29	144	0.006	3	2.15	0.035	0.11	<0.1	0.03	6.8	<0.1	0.89	10	1.3	<0.2
944421	Drill Core	0.161	14	54	2.61	159	0.006	2	2.40	0.048	0.06	<0.1	0.01	9.8	<0.1	0.80	10	<0.5	<0.2
944422	Drill Core	0.170	15	49	2.94	118	0.005	3	2.71	0.061	0.05	<0.1	0.01	11.3	<0.1	0.23	12	0.9	<0.2
944423	Rock Pulp	0.091	43	28	0.29	52	0.052	25	0.79	0.075	0.11	0.4	<0.01	2.2	<0.1	0.66	3	6.3	1.4
944424	Rock Pulp	0.018	4	210	0.11	152	0.005	<1	0.29	0.021	0.16	0.1	0.28	0.5	<0.1	0.71	1	0.6	0.5
944425	Drill Core	0.172	13	23	2.31	142	0.004	2	1.75	0.059	0.06	<0.1	0.01	7.4	<0.1	0.77	8	<0.5	<0.2
944426	Drill Core	0.166	13	6	2.43	68	0.003	2	1.55	0.065	0.07	<0.1	0.04	8.5	<0.1	2.05	7	3.5	<0.2
944427	Drill Core	0.167	15	27	2.43	144	0.003	2	2.05	0.060	0.04	<0.1	0.02	11.7	<0.1	0.57	9	1.4	<0.2
944428	Drill Core	0.148	13	16	2.37	55	0.002	2	1.53	0.064	0.10	<0.1	0.04	9.1	<0.1	3.58	6	2.4	<0.2
944429	Drill Core	0.146	13	23	2.33	51	0.003	2	1.43	0.062	0.13	<0.1	0.04	6.4	<0.1	4.65	5	5.4	<0.2
944430	Drill Core	0.147	13	29	2.40	77	0.002	2	1.53	0.075	0.12	<0.1	0.02	6.8	<0.1	3.16	5	2.9	<0.2
944431	Drill Core	0.163	13	35	2.13	71	0.002	6	1.77	0.110	0.30	<0.1	0.10	7.9	0.2	2.21	5	3.3	0.7
944432	Drill Core	0.162	10	7	2.56	99	0.001	4	1.04	0.073	0.20	<0.1	0.02	3.7	<0.1	1.48	3	3.4	<0.2
944433	Drill Core	0.216	16	9	1.04	349	0.010	3	1.37	0.045	0.36	<0.1	0.01	2.5	0.1	0.26	4	4.3	<0.2
944434	Drill Core	0.218	17	15	1.70	351	0.004	3	2.17	0.066	0.29	<0.1	0.02	4.0	<0.1	0.36	7	3.9	<0.2
944435	Drill Core	0.220	18	16	1.38	307	0.005	3	1.79	0.052	0.35	<0.1	0.03	3.9	0.1	0.31	6	5.4	<0.2
944436	Drill Core	0.205	16	16	1.41	326	0.004	2	1.84	0.055	0.27	<0.1	0.01	4.0	<0.1	0.17	6	4.1	<0.2
944437	Drill Core	0.206	16	22	1.93	331	0.004	2	2.21	0.060	0.25	<0.1	0.02	5.8	<0.1	0.23	7	5.1	<0.2
944438	Rock Pulp	0.019	4	224	0.11	150	0.006	<1	0.30	0.022	0.17	0.1	0.27	0.5	<0.1	0.71	1	0.6	<0.2
944439	Rock Pulp	0.091	46	29	0.29	52	0.062	25	0.85	0.082	0.11	0.4	<0.01	2.2	<0.1	0.66	3	5.4	1.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 29, 2010

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10001534.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944440	Drill Core	12.02	0.5	295.8	17.8	98	0.4	15.9	30.4	1455	6.01	6.9	0.4	17.2	1.7	92	<0.1	0.2	0.3	154	1.68
944441	Drill Core	13.98	2.6	1198	9.8	178	0.5	4.8	17.7	2156	3.97	3.6	0.7	70.8	1.7	113	<0.1	0.3	<0.1	163	3.61
944442	Drill Core	8.20	1.8	3220	64.1	334	1.1	7.8	21.9	2436	3.65	5.0	1.2	152.8	1.7	109	2.5	0.2	<0.1	171	4.47
944443	Drill Core	8.94	3.5	1324	104.1	411	0.8	14.8	29.6	2352	5.60	6.3	2.9	32.8	2.2	79	3.3	0.4	<0.1	249	2.95
944444	Drill Core	11.27	4.0	1487	12.6	192	0.6	10.3	25.4	2227	4.97	6.1	2.1	18.0	2.0	83	0.1	0.2	<0.1	221	2.85
944445	Drill Core	10.44	3.0	2828	41.6	333	1.6	9.1	29.5	2654	5.22	5.2	1.7	80.7	1.7	108	2.8	0.3	<0.1	232	3.37
944446	Drill Core	8.54	0.8	4479	15.3	172	2.9	12.2	29.0	2368	4.90	8.1	1.3	341.6	1.7	114	0.3	0.4	0.2	200	4.08
944447	Drill Core	9.56	1.4	399.9	106.7	925	0.4	4.3	25.4	2665	4.31	3.7	0.7	9.0	1.6	121	13.1	0.3	<0.1	178	3.69
944448	Drill Core	9.49	0.6	292.0	5.0	374	0.2	2.3	22.6	2301	4.40	3.0	0.5	2.9	1.5	185	3.1	0.4	<0.1	173	3.33



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 29, 2010

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10001534.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
944440	Drill Core	0.194	16	25	2.49	207	0.003	2	2.57	0.060	0.15	<0.1	0.07	7.0	<0.1	0.70	9	6.9	<0.2
944441	Drill Core	0.139	14	5	1.58	430	0.013	4	1.73	0.029	0.11	<0.1	<0.01	6.2	<0.1	0.16	10	0.8	<0.2
944442	Drill Core	0.162	19	10	1.66	365	0.006	5	1.91	0.024	0.11	<0.1	0.07	6.7	<0.1	0.27	9	2.3	<0.2
944443	Drill Core	0.176	24	25	1.56	151	0.008	4	1.78	0.023	0.12	<0.1	0.10	8.7	<0.1	0.76	11	3.5	<0.2
944444	Drill Core	0.154	20	15	1.65	466	0.008	4	1.86	0.015	0.08	<0.1	0.01	8.7	<0.1	0.18	11	2.1	<0.2
944445	Drill Core	0.178	19	10	1.95	473	0.008	4	2.24	0.019	0.11	0.1	0.06	7.4	<0.1	0.32	12	4.8	<0.2
944446	Drill Core	0.160	16	24	2.24	245	0.005	7	2.19	0.021	0.10	<0.1	0.04	10.2	<0.1	0.56	10	5.6	<0.2
944447	Drill Core	0.172	14	2	1.88	350	0.007	5	2.06	0.023	0.09	<0.1	0.27	7.4	<0.1	0.11	9	1.1	<0.2
944448	Drill Core	0.181	12	<1	2.02	227	0.010	5	2.28	0.019	0.05	<0.1	0.04	6.9	<0.1	0.06	9	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 29, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN10001534.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
944434	Drill Core	11.91	1.0	406.7	14.6	70	0.3	13.6	23.3	1092	4.90	6.2	0.2	7.1	2.0	112	<0.1	0.3	0.5	102	1.46
REP 944434	QC		0.9	403.9	14.7	66	0.3	12.2	22.2	1061	4.87	6.1	0.3	5.3	2.0	112	<0.1	0.3	0.5	101	1.44
944443	Drill Core	8.94	3.5	1324	104.1	411	0.8	14.8	29.6	2352	5.60	6.3	2.9	32.8	2.2	79	3.3	0.4	<0.1	249	2.95
REP 944443	QC		3.6	1389	105.7	415	0.8	14.0	29.9	2400	5.85	6.5	2.9	22.8	2.2	82	3.3	0.4	<0.1	262	3.09
944448	Drill Core	9.49	0.6	292.0	5.0	374	0.2	2.3	22.6	2301	4.40	3.0	0.5	2.9	1.5	185	3.1	0.4	<0.1	173	3.33
REP 944448	QC		0.6	293.1	5.3	372	0.2	2.8	23.0	2297	4.48	3.2	0.5	3.3	1.6	194	2.9	0.4	<0.1	176	3.38
Reference Materials																					
STD DS7	Standard		19.2	107.5	67.6	390	0.9	52.2	8.9	609	2.32	50.4	4.8	71.8	4.5	71	5.7	6.1	4.7	82	0.94
STD DS7	Standard		21.3	117.2	73.4	417	1.0	57.8	9.4	643	2.41	52.3	5.4	85.2	5.1	79	6.3	6.3	4.8	85	1.00
STD DS7	Standard		22.4	114.3	71.5	412	1.0	54.0	9.9	623	2.45	53.5	5.0	55.1	4.7	83	6.7	6.6	5.0	84	1.01
STD DS7	Standard		20.5	116.1	73.2	414	1.0	56.7	10.1	636	2.46	55.0	5.6	70.9	5.1	88	6.3	6.3	5.3	85	1.05
STD DS7	Standard		22.1	113.5	75.9	425	0.8	56.3	9.5	684	2.52	55.4	5.4	89.8	5.1	83	6.7	6.6	4.9	88	1.02
STD DS7	Standard		21.7	116.1	78.6	420	0.9	57.8	9.6	688	2.52	55.6	5.6	75.3	5.2	78	6.6	7.0	5.3	88	1.03
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.1	3.2	3.1	48	<0.1	3.0	4.3	605	2.21	<0.5	2.0	1.5	5.8	66	<0.1	<0.1	<0.1	39	0.51
G1	Prep Blank	<0.01	0.2	4.0	3.6	44	<0.1	3.0	4.1	583	2.12	0.9	2.7	0.7	7.0	66	<0.1	<0.1	<0.1	38	0.51



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 29, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN10001534.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
944434	Drill Core	0.218	17	15	1.70	351	0.004	3	2.17	0.066	0.29	<0.1	0.02	4.0	<0.1	0.36	7	3.9	<0.2
REP 944434	QC	0.218	17	15	1.62	344	0.004	3	2.15	0.067	0.29	<0.1	0.02	4.1	<0.1	0.35	6	3.9	<0.2
944443	Drill Core	0.176	24	25	1.56	151	0.008	4	1.78	0.023	0.12	<0.1	0.10	8.7	<0.1	0.76	11	3.5	<0.2
REP 944443	QC	0.176	24	24	1.62	156	0.009	4	1.87	0.024	0.12	<0.1	0.11	8.9	<0.1	0.78	12	3.7	<0.2
944448	Drill Core	0.181	12	<1	2.02	227	0.010	5	2.28	0.019	0.05	<0.1	0.04	6.9	<0.1	0.06	9	<0.5	<0.2
REP 944448	QC	0.177	12	1	2.01	230	0.009	4	2.31	0.020	0.05	<0.1	0.06	7.3	<0.1	0.06	10	<0.5	<0.2
Reference Materials																			
STD DS7	Standard	0.075	12	182	1.03	384	0.116	40	1.01	0.089	0.46	3.8	0.21	2.2	4.1	0.19	5	3.1	0.5
STD DS7	Standard	0.078	14	201	1.08	414	0.132	38	1.06	0.094	0.46	4.1	0.23	2.5	4.3	0.20	5	4.0	2.1
STD DS7	Standard	0.082	14	209	1.09	441	0.138	41	1.08	0.096	0.46	3.6	0.22	2.7	4.3	0.20	5	4.0	2.2
STD DS7	Standard	0.080	14	215	1.07	422	0.146	39	1.11	0.103	0.49	4.0	0.23	2.8	4.7	0.20	5	3.7	1.6
STD DS7	Standard	0.079	14	217	1.10	434	0.140	46	1.09	0.096	0.49	4.0	0.23	2.3	4.3	0.21	5	4.8	2.0
STD DS7	Standard	0.083	14	214	1.13	446	0.133	44	1.10	0.094	0.52	4.3	0.27	2.2	4.4	0.21	5	4.8	0.7
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
G1	Prep Blank	0.084	11	11	0.55	189	0.127	<1	1.04	0.105	0.57	0.1	<0.01	2.1	0.3	<0.05	5	<0.5	<0.2
G1	Prep Blank	0.082	13	11	0.52	180	0.130	<1	1.02	0.112	0.56	<0.1	<0.01	2.0	0.3	<0.05	5	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: April 20, 2010
Report Date: May 14, 2010
Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN10001534.2

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 39

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	35	Crush split and pulverize 250g drill core to 200 mesh			VAN
1DX2	39	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
G601	6	Fire Assay fusion Au by ICP-ES	30	Completed	VAN
7AR1	6	1:1:1 Aqua Regia digestion ICP-ES analysis	1	Completed	VAN

ADDITIONAL COMMENTS

Verison 2 : G6-Au & 7AR-Cu included.



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 14, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10001534.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944410	Drill Core	11.30	7.2	609.8	12.8	154	0.8	12.9	27.6	2229	5.57	7.0	0.5	32.1	1.6	102	0.2	0.3	<0.1	196	4.60
944411	Drill Core	11.53	5.9	528.5	44.2	233	0.5	7.3	22.0	1878	4.43	3.8	0.6	24.9	2.0	87	1.2	0.3	<0.1	165	3.55
944412	Drill Core	9.01	2.9	533.2	39.5	180	0.5	6.2	26.7	2121	4.89	5.0	1.1	31.5	2.3	91	0.2	0.2	0.2	186	3.44
944413	Drill Core	10.44	1.7	252.1	12.1	220	0.3	3.3	23.9	2658	4.96	4.8	1.2	15.4	2.1	92	0.1	0.2	<0.1	240	3.35
944414	Drill Core	8.35	2.2	813.7	18.5	157	0.6	3.2	17.9	2373	4.16	7.6	2.4	19.3	2.2	133	0.2	0.3	<0.1	196	3.71
944415	Drill Core	10.31	2.1	542.8	6.5	158	0.3	7.8	24.8	2538	4.85	7.5	2.9	6.8	1.9	264	0.1	0.3	<0.1	224	3.69
944416	Drill Core	7.39	2.6	502.5	8.4	139	0.3	6.9	21.6	2381	4.86	5.4	2.0	15.0	2.0	204	0.1	0.5	<0.1	189	4.15
944417	Drill Core	12.53	4.4	793.5	7.2	153	0.5	7.5	25.8	2834	4.85	3.6	2.8	20.2	1.6	561	0.3	0.5	<0.1	188	6.66
944418	Drill Core	11.23	3.1	507.1	6.4	125	0.4	7.7	26.8	2504	5.91	4.1	2.5	23.3	2.1	258	<0.1	0.4	<0.1	220	4.09
944419	Drill Core	12.98	3.1	882.7	6.3	148	0.7	11.3	29.2	2882	5.98	4.4	2.5	58.7	1.7	336	0.1	0.5	<0.1	281	4.20
944420	Drill Core	10.93	4.8	1153	10.1	153	0.5	10.7	25.9	2467	5.13	5.8	2.4	150.3	1.8	486	0.7	0.4	<0.1	247	5.95
944421	Drill Core	10.90	0.3	205.4	13.8	131	0.2	25.2	24.7	1917	5.02	4.9	0.6	28.3	1.7	442	<0.1	0.3	<0.1	198	4.18
944422	Drill Core	11.63	0.7	300.5	36.1	160	0.2	23.9	26.9	2079	5.58	4.9	0.3	13.8	1.7	163	<0.1	0.1	<0.1	223	2.69
944423	Rock Pulp	0.05	13.7	41.4	7.9	56	0.2	16.8	81.1	594	2.81	2958	1.9	232.4	5.7	60	0.1	5.7	8.4	34	3.10
944424	Rock Pulp	0.02	457.2	4610	87.4	51	42.6	5.5	1.5	248	0.80	39.3	0.7	30.4	0.7	173	0.2	86.0	4.3	8	1.31
944425	Drill Core	10.77	0.7	197.7	13.8	145	0.2	15.2	22.6	1812	4.73	5.9	0.4	13.4	1.8	261	<0.1	0.2	<0.1	167	4.12
944426	Drill Core	11.15	2.0	256.0	6.6	79	0.2	10.7	30.7	1176	4.90	6.6	1.1	29.4	1.6	458	0.1	0.1	0.2	211	4.38
944427	Drill Core	11.91	1.0	383.9	35.4	149	0.3	17.7	26.1	1752	5.44	5.5	0.3	16.0	1.7	262	<0.1	0.2	0.2	217	3.78
944428	Drill Core	11.24	2.8	179.8	4.9	76	<0.1	13.2	23.1	923	5.09	6.1	0.3	10.2	1.5	821	<0.1	0.2	0.2	180	5.07
944429	Drill Core	12.45	1.7	144.3	4.6	28	<0.1	17.3	23.9	395	4.71	6.3	0.3	6.2	1.4	1673	<0.1	0.2	0.3	117	4.86
944430	Drill Core	11.04	1.7	117.6	4.2	56	0.1	26.7	23.9	751	4.82	6.6	0.2	6.2	1.3	1065	<0.1	0.3	0.2	111	4.84
944431	Drill Core	11.08	2.9	147.6	6.3	76	0.1	30.7	34.8	849	5.91	24.4	0.3	7.4	1.8	1058	<0.1	0.4	0.2	112	3.50
944432	Drill Core	10.92	1.1	212.9	10.6	85	0.3	9.2	22.4	1217	4.04	11.0	0.3	9.9	1.3	180	0.2	0.5	0.4	76	5.04
944433	Drill Core	12.74	1.2	222.3	12.8	38	0.2	7.0	11.7	594	3.51	7.0	0.3	3.2	2.0	105	<0.1	0.4	0.3	66	1.39
944434	Drill Core	11.91	1.0	406.7	14.6	70	0.3	13.6	23.3	1092	4.90	6.2	0.2	7.1	2.0	112	<0.1	0.3	0.5	102	1.46
944435	Drill Core	11.54	1.0	245.2	13.9	54	0.3	10.1	17.9	870	4.19	5.5	0.3	4.7	2.1	108	<0.1	0.3	0.4	91	1.41
944436	Drill Core	12.15	0.7	235.6	17.1	55	0.2	11.5	13.7	917	4.48	5.8	0.2	3.2	1.6	92	<0.1	0.2	0.4	90	1.21
944437	Drill Core	11.26	0.6	257.7	17.4	78	0.2	13.9	20.7	1235	5.21	5.9	0.3	3.4	1.9	99	<0.1	0.2	0.4	131	1.90
944438	Rock Pulp	0.02	469.6	4616	90.4	52	42.6	5.6	1.5	249	0.80	38.5	0.7	19.8	0.7	179	0.1	83.6	4.2	8	1.30
944439	Rock Pulp	0.05	14.8	44.6	8.7	56	0.2	18.8	84.4	608	2.87	2952	2.0	222.3	6.1	64	0.1	5.7	8.6	35	3.19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 14, 2010

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10001534.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/mt	%	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001	
944410	Drill Core	0.148	14	21	1.71	72	0.007	1	1.95	0.033	0.11	<0.1	0.05	9.6	<0.1	1.82	10	1.1	<0.2	N.A.	N.A.
944411	Drill Core	0.156	18	9	1.53	128	0.005	<1	1.72	0.039	0.13	<0.1	0.05	6.8	<0.1	0.96	10	0.8	<0.2	N.A.	N.A.
944412	Drill Core	0.154	17	6	1.95	171	0.007	<1	1.83	0.037	0.06	0.1	0.03	8.6	<0.1	0.83	10	3.3	<0.2	N.A.	N.A.
944413	Drill Core	0.200	18	2	2.12	220	0.008	<1	2.14	0.034	0.09	<0.1	0.03	6.8	<0.1	0.55	11	0.9	<0.2	N.A.	N.A.
944414	Drill Core	0.160	18	3	1.57	152	0.007	<1	1.46	0.038	0.08	<0.1	0.03	5.5	<0.1	0.94	8	3.6	<0.2	N.A.	N.A.
944415	Drill Core	0.176	17	9	1.96	217	0.011	<1	1.81	0.045	0.08	<0.1	0.01	9.5	<0.1	0.55	10	1.4	<0.2	N.A.	N.A.
944416	Drill Core	0.167	16	7	2.54	283	0.005	3	2.37	0.030	0.14	<0.1	0.01	9.4	<0.1	0.27	9	1.3	<0.2	N.A.	N.A.
944417	Drill Core	0.165	16	9	2.45	112	0.005	4	2.50	0.020	0.20	<0.1	0.03	8.5	<0.1	0.93	9	0.6	<0.2	N.A.	N.A.
944418	Drill Core	0.191	19	7	2.39	83	0.010	3	2.50	0.020	0.15	<0.1	0.04	8.4	<0.1	1.22	11	0.6	<0.2	N.A.	N.A.
944419	Drill Core	0.170	19	18	3.08	122	0.008	2	2.92	0.020	0.08	<0.1	0.03	12.8	<0.1	1.14	12	1.0	<0.2	N.A.	N.A.
944420	Drill Core	0.174	19	17	2.29	144	0.006	3	2.15	0.035	0.11	<0.1	0.03	6.8	<0.1	0.89	10	1.3	<0.2	N.A.	N.A.
944421	Drill Core	0.161	14	54	2.61	159	0.006	2	2.40	0.048	0.06	<0.1	0.01	9.8	<0.1	0.80	10	<0.5	<0.2	N.A.	N.A.
944422	Drill Core	0.170	15	49	2.94	118	0.005	3	2.71	0.061	0.05	<0.1	0.01	11.3	<0.1	0.23	12	0.9	<0.2	N.A.	N.A.
944423	Rock Pulp	0.091	43	28	0.29	52	0.052	25	0.79	0.075	0.11	0.4	<0.01	2.2	<0.1	0.66	3	6.3	1.4	N.A.	N.A.
944424	Rock Pulp	0.018	4	210	0.11	152	0.005	<1	0.29	0.021	0.16	0.1	0.28	0.5	<0.1	0.71	1	0.6	0.5	N.A.	N.A.
944425	Drill Core	0.172	13	23	2.31	142	0.004	2	1.75	0.059	0.06	<0.1	0.01	7.4	<0.1	0.77	8	<0.5	<0.2	N.A.	N.A.
944426	Drill Core	0.166	13	6	2.43	68	0.003	2	1.55	0.065	0.07	<0.1	0.04	8.5	<0.1	2.05	7	3.5	<0.2	N.A.	N.A.
944427	Drill Core	0.167	15	27	2.43	144	0.003	2	2.05	0.060	0.04	<0.1	0.02	11.7	<0.1	0.57	9	1.4	<0.2	N.A.	N.A.
944428	Drill Core	0.148	13	16	2.37	55	0.002	2	1.53	0.064	0.10	<0.1	0.04	9.1	<0.1	3.58	6	2.4	<0.2	N.A.	N.A.
944429	Drill Core	0.146	13	23	2.33	51	0.003	2	1.43	0.062	0.13	<0.1	0.04	6.4	<0.1	4.65	5	5.4	<0.2	N.A.	N.A.
944430	Drill Core	0.147	13	29	2.40	77	0.002	2	1.53	0.075	0.12	<0.1	0.02	6.8	<0.1	3.16	5	2.9	<0.2	N.A.	N.A.
944431	Drill Core	0.163	13	35	2.13	71	0.002	6	1.77	0.110	0.30	<0.1	0.10	7.9	0.2	2.21	5	3.3	0.7	N.A.	N.A.
944432	Drill Core	0.162	10	7	2.56	99	0.001	4	1.04	0.073	0.20	<0.1	0.02	3.7	<0.1	1.48	3	3.4	<0.2	N.A.	N.A.
944433	Drill Core	0.216	16	9	1.04	349	0.010	3	1.37	0.045	0.36	<0.1	0.01	2.5	0.1	0.26	4	4.3	<0.2	N.A.	N.A.
944434	Drill Core	0.218	17	15	1.70	351	0.004	3	2.17	0.066	0.29	<0.1	0.02	4.0	<0.1	0.36	7	3.9	<0.2	N.A.	N.A.
944435	Drill Core	0.220	18	16	1.38	307	0.005	3	1.79	0.052	0.35	<0.1	0.03	3.9	0.1	0.31	6	5.4	<0.2	N.A.	N.A.
944436	Drill Core	0.205	16	16	1.41	326	0.004	2	1.84	0.055	0.27	<0.1	0.01	4.0	<0.1	0.17	6	4.1	<0.2	N.A.	N.A.
944437	Drill Core	0.206	16	22	1.93	331	0.004	2	2.21	0.060	0.25	<0.1	0.02	5.8	<0.1	0.23	7	5.1	<0.2	N.A.	N.A.
944438	Rock Pulp	0.019	4	224	0.11	150	0.006	<1	0.30	0.022	0.17	0.1	0.27	0.5	<0.1	0.71	1	0.6	<0.2	N.A.	N.A.
944439	Rock Pulp	0.091	46	29	0.29	52	0.062	25	0.85	0.082	0.11	0.4	<0.01	2.2	<0.1	0.66	3	5.4	1.6	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 14, 2010

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10001534.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944440	Drill Core	12.02	0.5	295.8	17.8	98	0.4	15.9	30.4	1455	6.01	6.9	0.4	17.2	1.7	92	<0.1	0.2	0.3	154	1.68
944441	Drill Core	13.98	2.6	1198	9.8	178	0.5	4.8	17.7	2156	3.97	3.6	0.7	70.8	1.7	113	<0.1	0.3	<0.1	163	3.61
944442	Drill Core	8.20	1.8	3220	64.1	334	1.1	7.8	21.9	2436	3.65	5.0	1.2	152.8	1.7	109	2.5	0.2	<0.1	171	4.47
944443	Drill Core	8.94	3.5	1324	104.1	411	0.8	14.8	29.6	2352	5.60	6.3	2.9	32.8	2.2	79	3.3	0.4	<0.1	249	2.95
944444	Drill Core	11.27	4.0	1487	12.6	192	0.6	10.3	25.4	2227	4.97	6.1	2.1	18.0	2.0	83	0.1	0.2	<0.1	221	2.85
944445	Drill Core	10.44	3.0	2828	41.6	333	1.6	9.1	29.5	2654	5.22	5.2	1.7	80.7	1.7	108	2.8	0.3	<0.1	232	3.37
944446	Drill Core	8.54	0.8	4479	15.3	172	2.9	12.2	29.0	2368	4.90	8.1	1.3	341.6	1.7	114	0.3	0.4	0.2	200	4.08
944447	Drill Core	9.56	1.4	399.9	106.7	925	0.4	4.3	25.4	2665	4.31	3.7	0.7	9.0	1.6	121	13.1	0.3	<0.1	178	3.69
944448	Drill Core	9.49	0.6	292.0	5.0	374	0.2	2.3	22.6	2301	4.40	3.0	0.5	2.9	1.5	185	3.1	0.4	<0.1	173	3.33



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 14, 2010

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10001534.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/mt	%	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001	
944440	Drill Core	0.194	16	25	2.49	207	0.003	2	2.57	0.060	0.15	<0.1	0.07	7.0	<0.1	0.70	9	6.9	<0.2	N.A.	N.A.
944441	Drill Core	0.139	14	5	1.58	430	0.013	4	1.73	0.029	0.11	<0.1	<0.01	6.2	<0.1	0.16	10	0.8	<0.2	0.124	0.125
944442	Drill Core	0.162	19	10	1.66	365	0.006	5	1.91	0.024	0.11	<0.1	0.07	6.7	<0.1	0.27	9	2.3	<0.2	0.174	0.329
944443	Drill Core	0.176	24	25	1.56	151	0.008	4	1.78	0.023	0.12	<0.1	0.10	8.7	<0.1	0.76	11	3.5	<0.2	0.021	0.135
944444	Drill Core	0.154	20	15	1.65	466	0.008	4	1.86	0.015	0.08	<0.1	0.01	8.7	<0.1	0.18	11	2.1	<0.2	0.021	0.151
944445	Drill Core	0.178	19	10	1.95	473	0.008	4	2.24	0.019	0.11	0.1	0.06	7.4	<0.1	0.32	12	4.8	<0.2	0.094	0.285
944446	Drill Core	0.160	16	24	2.24	245	0.005	7	2.19	0.021	0.10	<0.1	0.04	10.2	<0.1	0.56	10	5.6	<0.2	0.383	0.455
944447	Drill Core	0.172	14	2	1.88	350	0.007	5	2.06	0.023	0.09	<0.1	0.27	7.4	<0.1	0.11	9	1.1	<0.2	N.A.	N.A.
944448	Drill Core	0.181	12	<1	2.02	227	0.010	5	2.28	0.019	0.05	<0.1	0.04	6.9	<0.1	0.06	9	<0.5	<0.2	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 14, 2010

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN10001534.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
944434	Drill Core	11.91	1.0	406.7	14.6	70	0.3	13.6	23.3	1092	4.90	6.2	0.2	7.1	2.0	112	<0.1	0.3	0.5	102	1.46
REP 944434	QC		0.9	403.9	14.7	66	0.3	12.2	22.2	1061	4.87	6.1	0.3	5.3	2.0	112	<0.1	0.3	0.5	101	1.44
944443	Drill Core	8.94	3.5	1324	104.1	411	0.8	14.8	29.6	2352	5.60	6.3	2.9	32.8	2.2	79	3.3	0.4	<0.1	249	2.95
REP 944443	QC		3.6	1389	105.7	415	0.8	14.0	29.9	2400	5.85	6.5	2.9	22.8	2.2	82	3.3	0.4	<0.1	262	3.09
944446	Drill Core	8.54	0.8	4479	15.3	172	2.9	12.2	29.0	2368	4.90	8.1	1.3	341.6	1.7	114	0.3	0.4	0.2	200	4.08
REP 944446	QC																				
944448	Drill Core	9.49	0.6	292.0	5.0	374	0.2	2.3	22.6	2301	4.40	3.0	0.5	2.9	1.5	185	3.1	0.4	<0.1	173	3.33
REP 944448	QC		0.6	293.1	5.3	372	0.2	2.8	23.0	2297	4.48	3.2	0.5	3.3	1.6	194	2.9	0.4	<0.1	176	3.38
Reference Materials																					
STD DS7	Standard		19.2	107.5	67.6	390	0.9	52.2	8.9	609	2.32	50.4	4.8	71.8	4.5	71	5.7	6.1	4.7	82	0.94
STD DS7	Standard		21.3	117.2	73.4	417	1.0	57.8	9.4	643	2.41	52.3	5.4	85.2	5.1	79	6.3	6.3	4.8	85	1.00
STD DS7	Standard		22.4	114.3	71.5	412	1.0	54.0	9.9	623	2.45	53.5	5.0	55.1	4.7	83	6.7	6.6	5.0	84	1.01
STD DS7	Standard		20.5	116.1	73.2	414	1.0	56.7	10.1	636	2.46	55.0	5.6	70.9	5.1	88	6.3	6.3	5.3	85	1.05
STD DS7	Standard		22.1	113.5	75.9	425	0.8	56.3	9.5	684	2.52	55.4	5.4	89.8	5.1	83	6.7	6.6	4.9	88	1.02
STD DS7	Standard		21.7	116.1	78.6	420	0.9	57.8	9.6	688	2.52	55.6	5.6	75.3	5.2	78	6.6	7.0	5.3	88	1.03
STD OXH66	Standard																				
STD OXK69	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
STD R4A Expected																					
STD OXH66 Expected																					
STD OXK69 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 14, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN10001534.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu		
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/mt	%		
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001		
Pulp Duplicates																						
944434	Drill Core	0.218	17	15	1.70	351	0.004	3	2.17	0.066	0.29	<0.1	0.02	4.0	<0.1	0.36	7	3.9	<0.2	N.A.	N.A.	
REP 944434	QC	0.218	17	15	1.62	344	0.004	3	2.15	0.067	0.29	<0.1	0.02	4.1	<0.1	0.35	6	3.9	<0.2			
944443	Drill Core	0.176	24	25	1.56	151	0.008	4	1.78	0.023	0.12	<0.1	0.10	8.7	<0.1	0.76	11	3.5	<0.2	0.021	0.135	
REP 944443	QC	0.176	24	24	1.62	156	0.009	4	1.87	0.024	0.12	<0.1	0.11	8.9	<0.1	0.78	12	3.7	<0.2			
944446	Drill Core	0.160	16	24	2.24	245	0.005	7	2.19	0.021	0.10	<0.1	0.04	10.2	<0.1	0.56	10	5.6	<0.2	0.383	0.455	
REP 944446	QC																				0.449	
944448	Drill Core	0.181	12	<1	2.02	227	0.010	5	2.28	0.019	0.05	<0.1	0.04	6.9	<0.1	0.06	9	<0.5	<0.2	N.A.	N.A.	
REP 944448	QC	0.177	12	1	2.01	230	0.009	4	2.31	0.020	0.05	<0.1	0.06	7.3	<0.1	0.06	10	<0.5	<0.2			
Reference Materials																						
STD DS7	Standard	0.075	12	182	1.03	384	0.116	40	1.01	0.089	0.46	3.8	0.21	2.2	4.1	0.19	5	3.1	0.5			
STD DS7	Standard	0.078	14	201	1.08	414	0.132	38	1.06	0.094	0.46	4.1	0.23	2.5	4.3	0.20	5	4.0	2.1			
STD DS7	Standard	0.082	14	209	1.09	441	0.138	41	1.08	0.096	0.46	3.6	0.22	2.7	4.3	0.20	5	4.0	2.2			
STD DS7	Standard	0.080	14	215	1.07	422	0.146	39	1.11	0.103	0.49	4.0	0.23	2.8	4.7	0.20	5	3.7	1.6			
STD DS7	Standard	0.079	14	217	1.10	434	0.140	46	1.09	0.096	0.49	4.0	0.23	2.3	4.3	0.21	5	4.8	2.0			
STD DS7	Standard	0.083	14	214	1.13	446	0.133	44	1.10	0.094	0.52	4.3	0.27	2.2	4.4	0.21	5	4.8	0.7			
STD OXH66	Standard																				1.261	
STD OXK69	Standard																					3.465
STD R4A	Standard																					0.510
STD R4A	Standard																					0.503
STD R4A	Standard																					0.507
STD R4A	Standard																					0.506
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08			
STD R4A Expected																						0.502
STD OXH66 Expected																						1.285
STD OXK69 Expected																						3.583
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

211 - 744 W. Hastings St.

Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: May 14, 2010

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

VAN10001534.2

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
Prep Wash																						
G1	Prep Blank	<0.01	0.1	3.2	3.1	48	<0.1	3.0	4.3	605	2.21	<0.5	2.0	1.5	5.8	66	<0.1	<0.1	<0.1	39	0.51	
G1	Prep Blank	<0.01	0.2	4.0	3.6	44	<0.1	3.0	4.1	583	2.12	0.9	2.7	0.7	7.0	66	<0.1	<0.1	<0.1	38	0.51	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: May 14, 2010

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

VAN10001534.2

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/mt	%	
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001	
BLK	Blank																					<0.001
BLK	Blank																					<0.001
BLK	Blank																					<0.005
BLK	Blank																					<0.005
Prep Wash																						
G1	Prep Blank	0.084	11	11	0.55	189	0.127	<1	1.04	0.105	0.57	0.1	<0.01	2.1	0.3	<0.05	5	<0.5	<0.2	N.A.	N.A.	
G1	Prep Blank	0.082	13	11	0.52	180	0.130	<1	1.02	0.112	0.56	<0.1	<0.01	2.0	0.3	<0.05	5	<0.5	<0.2	N.A.	N.A.	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: April 21, 2010
Report Date: April 28, 2010
Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN10001560.1

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 50

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	46	Crush split and pulverize 250g drill core to 200 mesh			VAN
1DX2	50	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 28, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10001560.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944449	Drill Core	9.87	0.5	163.9	9.8	664	0.1	5.7	22.7	1867	4.22	4.6	0.4	1.1	1.3	211	6.2	0.4	<0.1	142	3.63
944450	Drill Core	9.62	0.6	237.1	8.1	291	0.1	9.1	23.1	2027	4.38	4.4	0.4	3.7	1.1	142	2.3	0.2	<0.1	162	4.10
944451	Drill Core	10.37	1.0	1547	7.3	576	0.9	9.4	32.0	1909	4.68	7.5	0.5	15.7	1.7	140	7.4	0.3	<0.1	171	3.84
944452	Drill Core	9.88	0.6	341.5	3.9	208	0.2	4.7	21.2	1997	4.47	5.4	0.4	4.8	1.9	115	0.1	0.4	<0.1	174	3.28
944453	Drill Core	10.39	0.6	297.9	6.6	202	0.2	5.8	19.4	1877	4.60	10.9	0.4	5.9	1.8	196	0.5	0.4	<0.1	192	3.78
944454	Drill Core	11.70	1.2	166.1	4.7	82	<0.1	15.9	28.9	1016	5.99	10.7	0.8	18.0	1.0	5485	0.2	0.2	0.2	217	4.96
944455	Drill Core	11.56	1.4	194.8	4.0	103	0.1	18.6	32.5	824	6.32	11.5	0.2	16.8	1.1	360	0.1	0.2	0.2	243	3.01
944456	Drill Core	10.56	2.4	178.0	3.0	1413	0.2	9.9	33.3	331	4.38	11.5	0.4	99.9	1.7	812	13.5	0.2	0.4	173	1.57
944457	Drill Core	9.76	2.1	287.9	1.7	46	0.3	6.5	23.5	369	3.15	11.7	1.0	23.0	2.1	1032	0.1	0.1	0.4	80	3.30
944458	Drill Core	12.17	0.6	577.4	5.0	352	0.3	4.3	21.7	942	4.52	14.8	0.5	125.8	2.2	245	2.0	0.3	0.1	197	2.90
944459	Drill Core	10.70	1.0	684.4	3.6	234	0.3	10.9	30.3	871	5.45	89.6	0.7	187.8	2.2	818	1.5	0.3	0.1	210	3.43
944460	Drill Core	10.04	1.7	509.9	3.2	33	0.2	22.7	33.3	652	5.53	135.9	0.7	21.6	2.3	946	0.1	0.3	0.3	190	3.37
944461	Rock Pulp	0.05	15.2	41.6	8.9	57	0.2	17.3	86.7	628	2.85	2888	2.1	253.9	6.1	63	0.1	6.1	8.9	37	3.21
944462	Rock Pulp	0.02	506.8	4489	93.1	55	42.6	5.6	1.5	245	0.79	44.0	0.8	28.1	0.8	178	0.3	87.5	4.6	8	1.31
944463	Drill Core	8.96	3.7	357.1	3.2	26	0.1	26.8	42.4	306	5.50	96.3	0.8	6.2	2.1	886	<0.1	0.4	0.5	164	1.47
944464	Drill Core	10.00	1.1	187.8	3.0	30	0.2	24.8	35.4	315	5.25	82.4	0.8	6.4	1.9	314	<0.1	0.2	0.4	153	1.18
944465	Drill Core	9.19	3.0	271.0	3.3	34	0.1	20.1	31.9	565	5.46	54.7	0.5	7.1	1.9	592	<0.1	0.2	0.3	181	2.48
944466	Drill Core	11.06	8.7	292.7	3.9	51	0.2	27.6	40.9	700	5.62	22.9	0.9	19.8	2.8	660	<0.1	0.2	0.5	138	2.59
944467	Drill Core	9.09	8.5	144.7	2.7	39	<0.1	36.9	26.7	642	4.58	40.1	1.7	3.6	2.5	1314	<0.1	0.3	0.2	73	2.70
944468	Drill Core	3.22	0.5	18.0	2.2	76	<0.1	49.6	25.1	1015	4.76	13.1	0.6	<0.5	1.2	109	<0.1	0.2	<0.1	149	3.19
944469	Drill Core	12.20	0.4	9.5	2.8	71	<0.1	96.9	30.7	957	3.30	23.8	0.9	<0.5	2.3	130	<0.1	0.4	<0.1	115	3.31
944470	Drill Core	11.00	0.4	8.5	2.9	71	<0.1	100.3	31.5	1013	3.86	19.4	0.9	<0.5	2.0	145	0.1	0.3	<0.1	128	3.63
944471	Drill Core	12.17	0.1	123.0	2.6	64	<0.1	95.3	29.9	920	3.22	11.3	0.8	<0.5	2.1	142	<0.1	0.3	<0.1	159	3.27
944472	Drill Core	11.53	0.3	460.1	3.2	71	0.3	91.8	30.4	1244	4.50	6.8	1.0	<0.5	1.9	203	0.1	0.2	<0.1	177	4.52
944473	Drill Core	11.75	0.3	429.4	3.3	77	0.3	81.8	31.7	1130	4.28	10.7	1.2	<0.5	2.0	181	<0.1	0.2	<0.1	156	3.99
944474	Drill Core	11.05	0.3	156.9	2.9	69	0.1	59.3	26.7	1211	4.07	11.9	0.9	<0.5	1.9	172	0.1	0.3	<0.1	173	4.01
944475	Drill Core	11.14	0.1	9.3	3.8	72	<0.1	56.9	23.6	1047	3.30	15.3	0.6	2.8	2.1	165	0.1	0.4	<0.1	118	4.85
944476	Drill Core	8.18	0.3	41.6	7.9	90	0.1	18.3	20.3	1490	4.49	5.6	0.6	3.2	0.8	251	0.1	0.5	<0.1	123	5.83
944477	Drill Core	10.43	0.6	129.0	6.4	73	0.2	12.7	17.3	1292	3.29	7.6	0.5	4.1	0.9	607	0.2	0.5	0.1	62	5.32
944478	Drill Core	2.71	102.5	151.3	12.0	47	0.6	10.5	50.1	925	3.34	11.0	0.7	977.0	0.7	2563	0.7	0.6	0.4	58	5.47

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 28, 2010

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10001560.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
944449	Drill Core	0.143	10	24	1.88	82	0.007	16	2.53	0.033	0.07	<0.1	0.28	8.9	<0.1	<0.05	9	0.8	<0.2
944450	Drill Core	0.132	11	40	1.98	115	0.016	37	3.47	0.078	0.22	<0.1	0.07	10.9	<0.1	0.06	12	<0.5	<0.2
944451	Drill Core	0.165	12	17	1.95	178	0.011	20	2.24	0.059	0.16	<0.1	0.18	9.5	<0.1	0.24	10	0.6	<0.2
944452	Drill Core	0.182	13	5	2.07	45	0.008	21	1.82	0.046	0.19	<0.1	<0.01	8.2	<0.1	0.09	9	<0.5	<0.2
944453	Drill Core	0.181	14	6	2.13	53	0.006	33	1.45	0.058	0.07	<0.1	0.05	10.3	<0.1	0.36	7	0.7	<0.2
944454	Drill Core	0.147	10	23	2.73	97	0.002	40	1.50	0.069	0.10	<0.1	0.08	12.9	<0.1	2.48	6	2.6	0.4
944455	Drill Core	0.178	10	50	2.32	105	0.006	37	1.72	0.051	0.12	<0.1	0.03	15.5	<0.1	1.84	8	2.9	<0.2
944456	Drill Core	0.174	11	4	1.27	52	0.008	24	1.04	0.059	0.16	<0.1	0.16	10.3	<0.1	3.24	5	9.0	0.2
944457	Drill Core	0.207	15	2	1.62	76	0.005	14	0.89	0.052	0.30	<0.1	0.02	4.0	<0.1	2.19	3	8.6	0.9
944458	Drill Core	0.211	16	3	1.59	122	0.010	27	1.65	0.045	0.10	<0.1	0.10	8.0	<0.1	1.61	9	3.2	0.4
944459	Drill Core	0.206	14	10	1.64	176	0.012	39	2.08	0.042	0.07	<0.1	0.05	15.0	<0.1	1.12	10	1.8	<0.2
944460	Drill Core	0.195	15	35	2.19	91	0.008	35	1.84	0.037	0.04	<0.1	0.02	18.8	<0.1	2.62	8	4.3	<0.2
944461	Rock Pulp	0.093	44	29	0.28	54	0.067	31	0.92	0.083	0.11	0.5	<0.01	2.0	<0.1	0.64	3	7.1	2.2
944462	Rock Pulp	0.019	4	232	0.12	160	0.007	2	0.34	0.023	0.18	0.1	0.31	0.4	<0.1	0.72	1	0.7	0.9
944463	Drill Core	0.181	12	33	2.26	71	0.014	27	1.96	0.038	0.10	<0.1	0.02	8.3	<0.1	3.71	9	8.3	0.2
944464	Drill Core	0.189	10	35	2.49	54	0.013	21	2.08	0.043	0.10	<0.1	0.02	5.4	<0.1	3.48	10	5.3	1.4
944465	Drill Core	0.172	13	25	1.94	69	0.005	36	1.70	0.045	0.09	<0.1	0.04	10.8	<0.1	2.72	7	4.4	0.2
944466	Drill Core	0.215	17	41	1.84	38	0.003	21	1.71	0.033	0.17	0.2	0.04	8.4	<0.1	4.13	7	5.6	1.0
944467	Drill Core	0.207	21	50	1.63	102	0.006	30	1.44	0.081	0.14	<0.1	0.02	8.7	<0.1	2.00	3	3.4	0.2
944468	Drill Core	0.146	8	99	2.43	38	0.061	6	2.14	0.044	0.11	<0.1	<0.01	10.4	<0.1	<0.05	10	<0.5	0.2
944469	Drill Core	0.229	11	141	3.43	25	0.098	6	1.79	0.025	0.04	0.2	0.01	5.7	<0.1	<0.05	8	<0.5	<0.2
944470	Drill Core	0.213	10	176	3.79	38	0.100	8	1.85	0.047	0.06	0.2	0.02	6.2	<0.1	<0.05	8	<0.5	<0.2
944471	Drill Core	0.257	12	159	3.28	33	0.095	5	1.74	0.030	0.03	0.2	<0.01	3.7	<0.1	<0.05	8	<0.5	<0.2
944472	Drill Core	0.204	12	175	3.55	65	0.092	6	2.20	0.043	0.04	<0.1	<0.01	8.6	<0.1	<0.05	9	<0.5	<0.2
944473	Drill Core	0.244	9	149	3.23	57	0.113	4	1.99	0.025	0.04	0.2	0.02	6.0	<0.1	<0.05	11	<0.5	<0.2
944474	Drill Core	0.207	10	117	3.48	65	0.106	6	1.74	0.049	0.05	0.2	0.04	8.3	<0.1	<0.05	9	<0.5	<0.2
944475	Drill Core	0.198	13	104	2.81	82	0.052	6	1.34	0.026	0.03	<0.1	0.02	9.8	<0.1	<0.05	7	<0.5	<0.2
944476	Drill Core	0.105	9	13	2.78	296	0.015	7	1.56	0.049	0.28	<0.1	0.04	7.9	<0.1	0.09	5	<0.5	<0.2
944477	Drill Core	0.135	9	13	2.35	230	0.007	8	1.11	0.038	0.26	<0.1	0.04	3.4	<0.1	0.19	3	<0.5	<0.2
944478	Drill Core	0.145	5	12	1.21	109	0.004	10	0.88	0.029	0.22	0.6	0.09	4.2	<0.1	1.35	2	1.2	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 28, 2010

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10001560.1

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
944479	Drill Core	3.46	0.8	128.3	7.2	62	0.2	6.4	21.0	1019	3.28	5.5	0.2	12.0	0.5	476	0.2	0.3	<0.1	69	6.45
944480	Drill Core	7.63	3.1	74.5	6.2	73	0.1	6.1	14.2	935	3.60	3.9	0.3	8.8	1.0	600	0.2	0.6	<0.1	92	4.14
944481	Drill Core	8.01	7.6	185.2	8.3	72	0.2	11.9	19.7	1181	4.19	12.1	0.3	57.2	1.1	762	0.3	0.7	<0.1	107	6.19
944482	Drill Core	7.48	0.6	133.6	7.0	70	0.1	7.9	18.7	1265	3.94	12.1	0.4	7.2	1.4	805	0.3	1.0	<0.1	75	6.45
944483	Drill Core	3.66	0.7	122.7	6.1	67	0.1	14.6	20.3	1397	3.92	16.4	0.2	7.5	1.0	357	0.1	0.8	<0.1	100	6.91
944484	Drill Core	11.50	1.0	172.8	4.5	97	0.2	7.3	27.4	1507	6.01	2.8	0.6	25.2	2.1	256	<0.1	0.6	<0.1	225	6.87
944485	Drill Core	10.52	1.2	349.9	2.9	82	0.2	3.0	22.3	1294	4.63	2.3	0.7	13.3	2.6	560	<0.1	0.2	<0.1	182	5.20
944486	Drill Core	11.53	3.0	544.6	4.7	124	0.4	4.2	26.6	1299	4.75	3.4	0.7	26.6	2.3	933	0.3	0.2	0.1	166	5.60
944487	Drill Core	11.79	1.0	502.0	3.4	83	0.3	3.3	25.3	1139	4.71	3.7	0.8	14.6	3.1	354	<0.1	0.2	<0.1	177	4.15
944488	Rock Pulp	0.05	13.4	38.3	8.2	53	0.2	17.1	83.5	600	2.79	2794	1.9	221.1	5.5	59	0.1	5.1	8.0	36	3.22
944489	Rock Pulp	0.02	435.4	4259	93.0	52	41.0	5.1	1.5	238	0.77	41.8	0.6	45.6	0.7	175	0.2	82.8	4.3	7	1.27
944490	Drill Core	11.74	0.9	450.6	2.3	73	0.2	2.3	22.1	1031	4.32	3.4	0.7	13.3	2.6	351	<0.1	0.2	<0.1	172	3.68
944491	Drill Core	8.45	2.1	5789	4.8	66	2.4	6.7	25.3	1112	5.76	4.7	1.2	262.2	3.2	495	0.5	0.5	0.2	244	5.32
944492	Drill Core	10.46	1.3	1566	2.4	42	0.3	8.3	21.7	965	4.62	4.6	0.9	48.4	3.0	450	0.1	0.2	<0.1	214	5.51
944493	Drill Core	10.03	3.0	867.4	3.7	81	0.3	7.8	29.2	1060	5.58	6.5	1.2	56.4	3.6	267	0.1	0.2	0.3	228	4.94
944494	Drill Core	12.20	1.6	1608	3.3	56	0.3	6.4	23.4	1044	5.07	4.1	1.0	94.5	4.3	382	0.1	0.2	0.1	231	5.49
944495	Drill Core	10.75	1.7	1098	5.3	96	0.3	13.8	45.6	1361	12.30	9.7	1.5	93.4	9.1	169	0.3	0.4	0.1	553	5.64
944496	Drill Core	10.59	0.9	439.0	3.6	75	0.1	4.0	24.8	1117	4.83	3.9	0.7	28.4	2.2	139	0.1	0.2	<0.1	206	5.12
944497	Drill Core	10.30	0.7	434.6	2.8	88	0.2	5.1	28.1	1232	5.82	4.6	0.7	20.1	2.6	133	<0.1	0.1	0.1	246	4.37
944498	Drill Core	10.56	1.7	1217	3.0	101	0.4	7.8	28.3	1113	7.64	4.3	0.6	38.7	1.8	142	0.2	0.4	<0.1	318	4.04



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 28, 2010

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10001560.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
944479	Drill Core	0.088	4	23	0.94	284	0.001	10	1.07	0.019	0.25	<0.1	0.01	7.8	<0.1	0.30	3	0.8	<0.2
944480	Drill Core	0.132	9	6	1.31	441	0.005	11	1.20	0.033	0.23	<0.1	<0.01	4.8	<0.1	0.05	4	<0.5	<0.2
944481	Drill Core	0.139	8	16	1.36	608	0.003	13	1.76	0.022	0.26	<0.1	0.03	7.6	<0.1	0.32	6	0.6	<0.2
944482	Drill Core	0.152	11	12	1.53	584	0.003	13	1.81	0.010	0.31	0.1	0.10	4.9	<0.1	0.25	4	0.6	<0.2
944483	Drill Core	0.133	9	32	1.65	589	0.003	13	2.36	0.012	0.32	<0.1	0.08	7.6	<0.1	0.30	7	<0.5	<0.2
944484	Drill Core	0.207	13	10	2.32	516	0.006	4	2.33	0.014	0.10	<0.1	<0.01	7.4	<0.1	0.31	10	<0.5	<0.2
944485	Drill Core	0.202	15	<1	1.98	274	0.009	3	2.34	0.031	0.17	<0.1	<0.01	5.8	<0.1	0.14	9	<0.5	0.2
944486	Drill Core	0.251	15	5	2.14	253	0.006	3	2.25	0.013	0.14	<0.1	0.02	5.1	<0.1	0.75	9	0.6	0.3
944487	Drill Core	0.265	16	1	2.22	235	0.008	5	2.53	0.031	0.14	<0.1	0.02	5.3	<0.1	0.58	10	1.0	<0.2
944488	Rock Pulp	0.086	40	29	0.29	51	0.056	28	0.80	0.075	0.11	0.4	<0.01	2.0	<0.1	0.62	3	6.2	1.5
944489	Rock Pulp	0.019	4	228	0.11	156	0.006	1	0.31	0.019	0.18	0.1	0.27	0.4	<0.1	0.70	1	0.9	0.2
944490	Drill Core	0.208	14	<1	2.13	121	0.006	6	2.42	0.014	0.05	<0.1	0.01	5.8	<0.1	0.21	10	0.6	<0.2
944491	Drill Core	0.348	18	7	2.44	178	0.011	7	2.44	0.025	0.10	<0.1	0.06	11.1	<0.1	1.10	10	7.8	0.8
944492	Drill Core	0.280	19	9	2.45	163	0.006	7	2.33	0.017	0.06	<0.1	0.04	10.9	<0.1	0.90	10	2.3	<0.2
944493	Drill Core	0.308	20	7	2.74	120	0.006	6	2.25	0.036	0.09	<0.1	0.04	8.2	<0.1	1.53	9	2.2	<0.2
944494	Drill Core	0.379	24	10	2.27	183	0.007	8	2.25	0.023	0.08	<0.1	0.04	10.2	<0.1	0.76	9	2.3	0.2
944495	Drill Core	0.587	30	8	2.63	85	0.012	11	2.35	0.021	0.04	<0.1	0.04	9.7	<0.1	0.79	13	2.0	0.3
944496	Drill Core	0.182	17	3	2.02	161	0.005	7	1.96	0.023	0.08	<0.1	0.04	7.8	<0.1	0.84	8	0.5	<0.2
944497	Drill Core	0.204	16	4	2.75	103	0.007	6	2.70	0.027	0.07	<0.1	0.03	10.1	<0.1	0.88	11	1.5	<0.2
944498	Drill Core	0.140	13	3	2.22	124	0.006	9	2.07	0.020	0.05	<0.1	0.04	9.4	<0.1	0.81	9	1.5	0.6



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 28, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN10001560.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
944491	Drill Core	8.45	2.1	5789	4.8	66	2.4	6.7	25.3	1112	5.76	4.7	1.2	262.2	3.2	495	0.5	0.5	0.2	244	5.32
REP 944491	QC		1.7	5704	4.6	66	2.4	6.6	25.0	1080	5.66	4.7	1.2	325.7	3.1	484	0.3	0.5	0.2	240	5.20
Core Reject Duplicates																					
944463	Drill Core	8.96	3.7	357.1	3.2	26	0.1	26.8	42.4	306	5.50	96.3	0.8	6.2	2.1	886	<0.1	0.4	0.5	164	1.47
DUP 944463	QC		3.0	340.3	3.2	25	0.1	26.3	39.7	327	5.40	89.8	0.7	5.1	1.9	737	<0.1	0.3	0.5	161	1.46
944498	Drill Core	10.56	1.7	1217	3.0	101	0.4	7.8	28.3	1113	7.64	4.3	0.6	38.7	1.8	142	0.2	0.4	<0.1	318	4.04
DUP 944498	QC		1.6	1253	3.2	105	0.4	8.0	29.1	1148	7.85	4.2	0.6	33.4	1.9	144	0.1	0.4	<0.1	324	4.20
Reference Materials																					
STD DS7	Standard		22.4	114.3	71.5	412	1.0	54.0	9.9	623	2.45	53.5	5.0	55.1	4.7	83	6.7	6.6	5.0	84	1.01
STD DS7	Standard		20.5	116.1	73.2	414	1.0	56.7	10.1	636	2.46	55.0	5.6	70.9	5.1	88	6.3	6.3	5.3	85	1.05
STD DS7	Standard		20.2	105.4	69.7	380	0.8	52.7	9.0	629	2.35	49.5	4.7	62.6	4.5	71	6.2	5.7	4.5	82	0.97
STD DS7	Standard		19.8	107.6	68.5	383	0.7	53.0	8.7	599	2.32	48.8	4.5	68.9	4.6	73	5.8	5.6	4.6	82	0.97
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.3	13.5	4.9	46	<0.1	4.7	4.5	578	2.17	1.3	1.8	<0.5	6.2	70	<0.1	<0.1	<0.1	40	0.61
G1	Prep Blank	<0.01	0.2	13.9	4.7	46	<0.1	5.2	4.7	609	2.16	0.7	1.7	<0.5	6.1	61	<0.1	<0.1	<0.1	40	0.61



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: April 28, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN10001560.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																				
944491	Drill Core	0.348	18	7	2.44	178	0.011	7	2.44	0.025	0.10	<0.1	0.06	11.1	<0.1	1.10	10	7.8	0.8	
REP 944491	QC	0.343	18	6	2.38	175	0.011	8	2.41	0.024	0.09	<0.1	0.05	10.7	<0.1	1.05	10	8.1	1.0	
Core Reject Duplicates																				
944463	Drill Core	0.181	12	33	2.26	71	0.014	27	1.96	0.038	0.10	<0.1	0.02	8.3	<0.1	3.71	9	8.3	0.2	
DUP 944463	QC	0.169	12	30	2.30	65	0.011	24	1.94	0.034	0.09	<0.1	0.02	8.3	<0.1	3.53	9	7.1	<0.2	
944498	Drill Core	0.140	13	3	2.22	124	0.006	9	2.07	0.020	0.05	<0.1	0.04	9.4	<0.1	0.81	9	1.5	0.6	
DUP 944498	QC	0.148	14	5	2.28	121	0.005	9	2.06	0.016	0.04	<0.1	0.04	9.4	<0.1	0.81	9	1.8	0.6	
Reference Materials																				
STD DS7	Standard	0.082	14	209	1.09	441	0.138	41	1.08	0.096	0.46	3.6	0.22	2.7	4.3	0.20	5	4.0	2.2	
STD DS7	Standard	0.080	14	215	1.07	422	0.146	39	1.11	0.103	0.49	4.0	0.23	2.8	4.7	0.20	5	3.7	1.6	
STD DS7	Standard	0.072	12	190	1.03	401	0.117	38	1.04	0.091	0.47	3.8	0.22	2.2	4.0	0.19	4	3.8	1.2	
STD DS7	Standard	0.073	13	194	1.03	412	0.114	38	1.02	0.092	0.45	3.9	0.21	2.2	4.1	0.20	5	3.3	0.6	
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																				
G1	Prep Blank	0.076	15	13	0.57	195	0.140	1	1.03	0.104	0.49	<0.1	<0.01	2.3	0.3	<0.05	5	<0.5	<0.2	
G1	Prep Blank	0.077	15	15	0.55	182	0.134	2	0.98	0.100	0.51	<0.1	<0.01	2.1	0.3	<0.05	5	<0.5	<0.2	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
 Receiving Lab: Canada-Vancouver
 Received: April 21, 2010
 Report Date: May 17, 2010
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN10001560.2

CLIENT JOB INFORMATION

Project: Miner Mountain
 Shipment ID:
 P.O. Number
 Number of Samples: 50

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
 DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5
 Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	46	Crush split and pulverize 250g drill core to 200 mesh			VAN
1DX2	50	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
G601	8	Fire Assay fusion Au by ICP-ES	30	Completed	VAN
7AR1	8	1:1:1 Aqua Regia digestion ICP-ES analysis	1	Completed	VAN

ADDITIONAL COMMENTS

Version 2: G601 & 7AR1 Cu for Sample IDs 944491 to 944498 included



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 17, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10001560.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944449	Drill Core	9.87	0.5	163.9	9.8	664	0.1	5.7	22.7	1867	4.22	4.6	0.4	1.1	1.3	211	6.2	0.4	<0.1	142	3.63
944450	Drill Core	9.62	0.6	237.1	8.1	291	0.1	9.1	23.1	2027	4.38	4.4	0.4	3.7	1.1	142	2.3	0.2	<0.1	162	4.10
944451	Drill Core	10.37	1.0	1547	7.3	576	0.9	9.4	32.0	1909	4.68	7.5	0.5	15.7	1.7	140	7.4	0.3	<0.1	171	3.84
944452	Drill Core	9.88	0.6	341.5	3.9	208	0.2	4.7	21.2	1997	4.47	5.4	0.4	4.8	1.9	115	0.1	0.4	<0.1	174	3.28
944453	Drill Core	10.39	0.6	297.9	6.6	202	0.2	5.8	19.4	1877	4.60	10.9	0.4	5.9	1.8	196	0.5	0.4	<0.1	192	3.78
944454	Drill Core	11.70	1.2	166.1	4.7	82	<0.1	15.9	28.9	1016	5.99	10.7	0.8	18.0	1.0	5485	0.2	0.2	0.2	217	4.96
944455	Drill Core	11.56	1.4	194.8	4.0	103	0.1	18.6	32.5	824	6.32	11.5	0.2	16.8	1.1	360	0.1	0.2	0.2	243	3.01
944456	Drill Core	10.56	2.4	178.0	3.0	1413	0.2	9.9	33.3	331	4.38	11.5	0.4	99.9	1.7	812	13.5	0.2	0.4	173	1.57
944457	Drill Core	9.76	2.1	287.9	1.7	46	0.3	6.5	23.5	369	3.15	11.7	1.0	23.0	2.1	1032	0.1	0.1	0.4	80	3.30
944458	Drill Core	12.17	0.6	577.4	5.0	352	0.3	4.3	21.7	942	4.52	14.8	0.5	125.8	2.2	245	2.0	0.3	0.1	197	2.90
944459	Drill Core	10.70	1.0	684.4	3.6	234	0.3	10.9	30.3	871	5.45	89.6	0.7	187.8	2.2	818	1.5	0.3	0.1	210	3.43
944460	Drill Core	10.04	1.7	509.9	3.2	33	0.2	22.7	33.3	652	5.53	135.9	0.7	21.6	2.3	946	0.1	0.3	0.3	190	3.37
944461	Rock Pulp	0.05	15.2	41.6	8.9	57	0.2	17.3	86.7	628	2.85	2888	2.1	253.9	6.1	63	0.1	6.1	8.9	37	3.21
944462	Rock Pulp	0.02	506.8	4489	93.1	55	42.6	5.6	1.5	245	0.79	44.0	0.8	28.1	0.8	178	0.3	87.5	4.6	8	1.31
944463	Drill Core	8.96	3.7	357.1	3.2	26	0.1	26.8	42.4	306	5.50	96.3	0.8	6.2	2.1	886	<0.1	0.4	0.5	164	1.47
944464	Drill Core	10.00	1.1	187.8	3.0	30	0.2	24.8	35.4	315	5.25	82.4	0.8	6.4	1.9	314	<0.1	0.2	0.4	153	1.18
944465	Drill Core	9.19	3.0	271.0	3.3	34	0.1	20.1	31.9	565	5.46	54.7	0.5	7.1	1.9	592	<0.1	0.2	0.3	181	2.48
944466	Drill Core	11.06	8.7	292.7	3.9	51	0.2	27.6	40.9	700	5.62	22.9	0.9	19.8	2.8	660	<0.1	0.2	0.5	138	2.59
944467	Drill Core	9.09	8.5	144.7	2.7	39	<0.1	36.9	26.7	642	4.58	40.1	1.7	3.6	2.5	1314	<0.1	0.3	0.2	73	2.70
944468	Drill Core	3.22	0.5	18.0	2.2	76	<0.1	49.6	25.1	1015	4.76	13.1	0.6	<0.5	1.2	109	<0.1	0.2	<0.1	149	3.19
944469	Drill Core	12.20	0.4	9.5	2.8	71	<0.1	96.9	30.7	957	3.30	23.8	0.9	<0.5	2.3	130	<0.1	0.4	<0.1	115	3.31
944470	Drill Core	11.00	0.4	8.5	2.9	71	<0.1	100.3	31.5	1013	3.86	19.4	0.9	<0.5	2.0	145	0.1	0.3	<0.1	128	3.63
944471	Drill Core	12.17	0.1	123.0	2.6	64	<0.1	95.3	29.9	920	3.22	11.3	0.8	<0.5	2.1	142	<0.1	0.3	<0.1	159	3.27
944472	Drill Core	11.53	0.3	460.1	3.2	71	0.3	91.8	30.4	1244	4.50	6.8	1.0	<0.5	1.9	203	0.1	0.2	<0.1	177	4.52
944473	Drill Core	11.75	0.3	429.4	3.3	77	0.3	81.8	31.7	1130	4.28	10.7	1.2	<0.5	2.0	181	<0.1	0.2	<0.1	156	3.99
944474	Drill Core	11.05	0.3	156.9	2.9	69	0.1	59.3	26.7	1211	4.07	11.9	0.9	<0.5	1.9	172	0.1	0.3	<0.1	173	4.01
944475	Drill Core	11.14	0.1	9.3	3.8	72	<0.1	56.9	23.6	1047	3.30	15.3	0.6	2.8	2.1	165	0.1	0.4	<0.1	118	4.85
944476	Drill Core	8.18	0.3	41.6	7.9	90	0.1	18.3	20.3	1490	4.49	5.6	0.6	3.2	0.8	251	0.1	0.5	<0.1	123	5.83
944477	Drill Core	10.43	0.6	129.0	6.4	73	0.2	12.7	17.3	1292	3.29	7.6	0.5	4.1	0.9	607	0.2	0.5	0.1	62	5.32
944478	Drill Core	2.71	102.5	151.3	12.0	47	0.6	10.5	50.1	925	3.34	11.0	0.7	977.0	0.7	2563	0.7	0.6	0.4	58	5.47

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 17, 2010

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10001560.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/mt	%	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001	
944449	Drill Core	0.143	10	24	1.88	82	0.007	16	2.53	0.033	0.07	<0.1	0.28	8.9	<0.1	<0.05	9	0.8	<0.2	N.A.	N.A.
944450	Drill Core	0.132	11	40	1.98	115	0.016	37	3.47	0.078	0.22	<0.1	0.07	10.9	<0.1	0.06	12	<0.5	<0.2	N.A.	N.A.
944451	Drill Core	0.165	12	17	1.95	178	0.011	20	2.24	0.059	0.16	<0.1	0.18	9.5	<0.1	0.24	10	0.6	<0.2	N.A.	N.A.
944452	Drill Core	0.182	13	5	2.07	45	0.008	21	1.82	0.046	0.19	<0.1	<0.01	8.2	<0.1	0.09	9	<0.5	<0.2	N.A.	N.A.
944453	Drill Core	0.181	14	6	2.13	53	0.006	33	1.45	0.058	0.07	<0.1	0.05	10.3	<0.1	0.36	7	0.7	<0.2	N.A.	N.A.
944454	Drill Core	0.147	10	23	2.73	97	0.002	40	1.50	0.069	0.10	<0.1	0.08	12.9	<0.1	2.48	6	2.6	0.4	N.A.	N.A.
944455	Drill Core	0.178	10	50	2.32	105	0.006	37	1.72	0.051	0.12	<0.1	0.03	15.5	<0.1	1.84	8	2.9	<0.2	N.A.	N.A.
944456	Drill Core	0.174	11	4	1.27	52	0.008	24	1.04	0.059	0.16	<0.1	0.16	10.3	<0.1	3.24	5	9.0	0.2	N.A.	N.A.
944457	Drill Core	0.207	15	2	1.62	76	0.005	14	0.89	0.052	0.30	<0.1	0.02	4.0	<0.1	2.19	3	8.6	0.9	N.A.	N.A.
944458	Drill Core	0.211	16	3	1.59	122	0.010	27	1.65	0.045	0.10	<0.1	0.10	8.0	<0.1	1.61	9	3.2	0.4	N.A.	N.A.
944459	Drill Core	0.206	14	10	1.64	176	0.012	39	2.08	0.042	0.07	<0.1	0.05	15.0	<0.1	1.12	10	1.8	<0.2	N.A.	N.A.
944460	Drill Core	0.195	15	35	2.19	91	0.008	35	1.84	0.037	0.04	<0.1	0.02	18.8	<0.1	2.62	8	4.3	<0.2	N.A.	N.A.
944461	Rock Pulp	0.093	44	29	0.28	54	0.067	31	0.92	0.083	0.11	0.5	<0.01	2.0	<0.1	0.64	3	7.1	2.2	N.A.	N.A.
944462	Rock Pulp	0.019	4	232	0.12	160	0.007	2	0.34	0.023	0.18	0.1	0.31	0.4	<0.1	0.72	1	0.7	0.9	N.A.	N.A.
944463	Drill Core	0.181	12	33	2.26	71	0.014	27	1.96	0.038	0.10	<0.1	0.02	8.3	<0.1	3.71	9	8.3	0.2	N.A.	N.A.
944464	Drill Core	0.189	10	35	2.49	54	0.013	21	2.08	0.043	0.10	<0.1	0.02	5.4	<0.1	3.48	10	5.3	1.4	N.A.	N.A.
944465	Drill Core	0.172	13	25	1.94	69	0.005	36	1.70	0.045	0.09	<0.1	0.04	10.8	<0.1	2.72	7	4.4	0.2	N.A.	N.A.
944466	Drill Core	0.215	17	41	1.84	38	0.003	21	1.71	0.033	0.17	0.2	0.04	8.4	<0.1	4.13	7	5.6	1.0	N.A.	N.A.
944467	Drill Core	0.207	21	50	1.63	102	0.006	30	1.44	0.081	0.14	<0.1	0.02	8.7	<0.1	2.00	3	3.4	0.2	N.A.	N.A.
944468	Drill Core	0.146	8	99	2.43	38	0.061	6	2.14	0.044	0.11	<0.1	<0.01	10.4	<0.1	<0.05	10	<0.5	0.2	N.A.	N.A.
944469	Drill Core	0.229	11	141	3.43	25	0.098	6	1.79	0.025	0.04	0.2	0.01	5.7	<0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.
944470	Drill Core	0.213	10	176	3.79	38	0.100	8	1.85	0.047	0.06	0.2	0.02	6.2	<0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.
944471	Drill Core	0.257	12	159	3.28	33	0.095	5	1.74	0.030	0.03	0.2	<0.01	3.7	<0.1	<0.05	8	<0.5	<0.2	N.A.	N.A.
944472	Drill Core	0.204	12	175	3.55	65	0.092	6	2.20	0.043	0.04	<0.1	<0.01	8.6	<0.1	<0.05	9	<0.5	<0.2	N.A.	N.A.
944473	Drill Core	0.244	9	149	3.23	57	0.113	4	1.99	0.025	0.04	0.2	0.02	6.0	<0.1	<0.05	11	<0.5	<0.2	N.A.	N.A.
944474	Drill Core	0.207	10	117	3.48	65	0.106	6	1.74	0.049	0.05	0.2	0.04	8.3	<0.1	<0.05	9	<0.5	<0.2	N.A.	N.A.
944475	Drill Core	0.198	13	104	2.81	82	0.052	6	1.34	0.026	0.03	<0.1	0.02	9.8	<0.1	<0.05	7	<0.5	<0.2	N.A.	N.A.
944476	Drill Core	0.105	9	13	2.78	296	0.015	7	1.56	0.049	0.28	<0.1	0.04	7.9	<0.1	0.09	5	<0.5	<0.2	N.A.	N.A.
944477	Drill Core	0.135	9	13	2.35	230	0.007	8	1.11	0.038	0.26	<0.1	0.04	3.4	<0.1	0.19	3	<0.5	<0.2	N.A.	N.A.
944478	Drill Core	0.145	5	12	1.21	109	0.004	10	0.88	0.029	0.22	0.6	0.09	4.2	<0.1	1.35	2	1.2	0.2	N.A.	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 17, 2010

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10001560.2

Method	Analyte	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
944479	Drill Core	3.46	0.8	128.3	7.2	62	0.2	6.4	21.0	1019	3.28	5.5	0.2	12.0	0.5	476	0.2	0.3	<0.1	69	6.45
944480	Drill Core	7.63	3.1	74.5	6.2	73	0.1	6.1	14.2	935	3.60	3.9	0.3	8.8	1.0	600	0.2	0.6	<0.1	92	4.14
944481	Drill Core	8.01	7.6	185.2	8.3	72	0.2	11.9	19.7	1181	4.19	12.1	0.3	57.2	1.1	762	0.3	0.7	<0.1	107	6.19
944482	Drill Core	7.48	0.6	133.6	7.0	70	0.1	7.9	18.7	1265	3.94	12.1	0.4	7.2	1.4	805	0.3	1.0	<0.1	75	6.45
944483	Drill Core	3.66	0.7	122.7	6.1	67	0.1	14.6	20.3	1397	3.92	16.4	0.2	7.5	1.0	357	0.1	0.8	<0.1	100	6.91
944484	Drill Core	11.50	1.0	172.8	4.5	97	0.2	7.3	27.4	1507	6.01	2.8	0.6	25.2	2.1	256	<0.1	0.6	<0.1	225	6.87
944485	Drill Core	10.52	1.2	349.9	2.9	82	0.2	3.0	22.3	1294	4.63	2.3	0.7	13.3	2.6	560	<0.1	0.2	<0.1	182	5.20
944486	Drill Core	11.53	3.0	544.6	4.7	124	0.4	4.2	26.6	1299	4.75	3.4	0.7	26.6	2.3	933	0.3	0.2	0.1	166	5.60
944487	Drill Core	11.79	1.0	502.0	3.4	83	0.3	3.3	25.3	1139	4.71	3.7	0.8	14.6	3.1	354	<0.1	0.2	<0.1	177	4.15
944488	Rock Pulp	0.05	13.4	38.3	8.2	53	0.2	17.1	83.5	600	2.79	2794	1.9	221.1	5.5	59	0.1	5.1	8.0	36	3.22
944489	Rock Pulp	0.02	435.4	4259	93.0	52	41.0	5.1	1.5	238	0.77	41.8	0.6	45.6	0.7	175	0.2	82.8	4.3	7	1.27
944490	Drill Core	11.74	0.9	450.6	2.3	73	0.2	2.3	22.1	1031	4.32	3.4	0.7	13.3	2.6	351	<0.1	0.2	<0.1	172	3.68
944491	Drill Core	8.45	2.1	5789	4.8	66	2.4	6.7	25.3	1112	5.76	4.7	1.2	262.2	3.2	495	0.5	0.5	0.2	244	5.32
944492	Drill Core	10.46	1.3	1566	2.4	42	0.3	8.3	21.7	965	4.62	4.6	0.9	48.4	3.0	450	0.1	0.2	<0.1	214	5.51
944493	Drill Core	10.03	3.0	867.4	3.7	81	0.3	7.8	29.2	1060	5.58	6.5	1.2	56.4	3.6	267	0.1	0.2	0.3	228	4.94
944494	Drill Core	12.20	1.6	1608	3.3	56	0.3	6.4	23.4	1044	5.07	4.1	1.0	94.5	4.3	382	0.1	0.2	0.1	231	5.49
944495	Drill Core	10.75	1.7	1098	5.3	96	0.3	13.8	45.6	1361	12.30	9.7	1.5	93.4	9.1	169	0.3	0.4	0.1	553	5.64
944496	Drill Core	10.59	0.9	439.0	3.6	75	0.1	4.0	24.8	1117	4.83	3.9	0.7	28.4	2.2	139	0.1	0.2	<0.1	206	5.12
944497	Drill Core	10.30	0.7	434.6	2.8	88	0.2	5.1	28.1	1232	5.82	4.6	0.7	20.1	2.6	133	<0.1	0.1	0.1	246	4.37
944498	Drill Core	10.56	1.7	1217	3.0	101	0.4	7.8	28.3	1113	7.64	4.3	0.6	38.7	1.8	142	0.2	0.4	<0.1	318	4.04



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 17, 2010

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10001560.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/mt	%	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001	
944479	Drill Core	0.088	4	23	0.94	284	0.001	10	1.07	0.019	0.25	<0.1	0.01	7.8	<0.1	0.30	3	0.8	<0.2	N.A.	N.A.
944480	Drill Core	0.132	9	6	1.31	441	0.005	11	1.20	0.033	0.23	<0.1	<0.01	4.8	<0.1	0.05	4	<0.5	<0.2	N.A.	N.A.
944481	Drill Core	0.139	8	16	1.36	608	0.003	13	1.76	0.022	0.26	<0.1	0.03	7.6	<0.1	0.32	6	0.6	<0.2	N.A.	N.A.
944482	Drill Core	0.152	11	12	1.53	584	0.003	13	1.81	0.010	0.31	0.1	0.10	4.9	<0.1	0.25	4	0.6	<0.2	N.A.	N.A.
944483	Drill Core	0.133	9	32	1.65	589	0.003	13	2.36	0.012	0.32	<0.1	0.08	7.6	<0.1	0.30	7	<0.5	<0.2	N.A.	N.A.
944484	Drill Core	0.207	13	10	2.32	516	0.006	4	2.33	0.014	0.10	<0.1	<0.01	7.4	<0.1	0.31	10	<0.5	<0.2	N.A.	N.A.
944485	Drill Core	0.202	15	<1	1.98	274	0.009	3	2.34	0.031	0.17	<0.1	<0.01	5.8	<0.1	0.14	9	<0.5	0.2	N.A.	N.A.
944486	Drill Core	0.251	15	5	2.14	253	0.006	3	2.25	0.013	0.14	<0.1	0.02	5.1	<0.1	0.75	9	0.6	0.3	N.A.	N.A.
944487	Drill Core	0.265	16	1	2.22	235	0.008	5	2.53	0.031	0.14	<0.1	0.02	5.3	<0.1	0.58	10	1.0	<0.2	N.A.	N.A.
944488	Rock Pulp	0.086	40	29	0.29	51	0.056	28	0.80	0.075	0.11	0.4	<0.01	2.0	<0.1	0.62	3	6.2	1.5	N.A.	N.A.
944489	Rock Pulp	0.019	4	228	0.11	156	0.006	1	0.31	0.019	0.18	0.1	0.27	0.4	<0.1	0.70	1	0.9	0.2	N.A.	N.A.
944490	Drill Core	0.208	14	<1	2.13	121	0.006	6	2.42	0.014	0.05	<0.1	0.01	5.8	<0.1	0.21	10	0.6	<0.2	N.A.	N.A.
944491	Drill Core	0.348	18	7	2.44	178	0.011	7	2.44	0.025	0.10	<0.1	0.06	11.1	<0.1	1.10	10	7.8	0.8	0.240	0.664
944492	Drill Core	0.280	19	9	2.45	163	0.006	7	2.33	0.017	0.06	<0.1	0.04	10.9	<0.1	0.90	10	2.3	<0.2	0.057	0.174
944493	Drill Core	0.308	20	7	2.74	120	0.006	6	2.25	0.036	0.09	<0.1	0.04	8.2	<0.1	1.53	9	2.2	<0.2	0.043	0.098
944494	Drill Core	0.379	24	10	2.27	183	0.007	8	2.25	0.023	0.08	<0.1	0.04	10.2	<0.1	0.76	9	2.3	0.2	0.071	0.180
944495	Drill Core	0.587	30	8	2.63	85	0.012	11	2.35	0.021	0.04	<0.1	0.04	9.7	<0.1	0.79	13	2.0	0.3	0.083	0.124
944496	Drill Core	0.182	17	3	2.02	161	0.005	7	1.96	0.023	0.08	<0.1	0.04	7.8	<0.1	0.84	8	0.5	<0.2	0.015	0.050
944497	Drill Core	0.204	16	4	2.75	103	0.007	6	2.70	0.027	0.07	<0.1	0.03	10.1	<0.1	0.88	11	1.5	<0.2	0.006	0.046
944498	Drill Core	0.140	13	3	2.22	124	0.006	9	2.07	0.020	0.05	<0.1	0.04	9.4	<0.1	0.81	9	1.5	0.6	0.023	0.142



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 17, 2010

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN10001560.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
944491	Drill Core	8.45	2.1	5789	4.8	66	2.4	6.7	25.3	1112	5.76	4.7	1.2	262.2	3.2	495	0.5	0.5	0.2	244	5.32
REP 944491	QC		1.7	5704	4.6	66	2.4	6.6	25.0	1080	5.66	4.7	1.2	325.7	3.1	484	0.3	0.5	0.2	240	5.20
944493	Drill Core	10.03	3.0	867.4	3.7	81	0.3	7.8	29.2	1060	5.58	6.5	1.2	56.4	3.6	267	0.1	0.2	0.3	228	4.94
REP 944493	QC																				
Core Reject Duplicates																					
944463	Drill Core	8.96	3.7	357.1	3.2	26	0.1	26.8	42.4	306	5.50	96.3	0.8	6.2	2.1	886	<0.1	0.4	0.5	164	1.47
DUP 944463	QC		3.0	340.3	3.2	25	0.1	26.3	39.7	327	5.40	89.8	0.7	5.1	1.9	737	<0.1	0.3	0.5	161	1.46
944498	Drill Core	10.56	1.7	1217	3.0	101	0.4	7.8	28.3	1113	7.64	4.3	0.6	38.7	1.8	142	0.2	0.4	<0.1	318	4.04
DUP 944498	QC		1.6	1253	3.2	105	0.4	8.0	29.1	1148	7.85	4.2	0.6	33.4	1.9	144	0.1	0.4	<0.1	324	4.20
Reference Materials																					
STD DS7	Standard		22.4	114.3	71.5	412	1.0	54.0	9.9	623	2.45	53.5	5.0	55.1	4.7	83	6.7	6.6	5.0	84	1.01
STD DS7	Standard		20.5	116.1	73.2	414	1.0	56.7	10.1	636	2.46	55.0	5.6	70.9	5.1	88	6.3	6.3	5.3	85	1.05
STD DS7	Standard		20.2	105.4	69.7	380	0.8	52.7	9.0	629	2.35	49.5	4.7	62.6	4.5	71	6.2	5.7	4.5	82	0.97
STD DS7	Standard		19.8	107.6	68.5	383	0.7	53.0	8.7	599	2.32	48.8	4.5	68.9	4.6	73	5.8	5.6	4.6	82	0.97
STD OXK69	Standard																				
STD OXK69	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
STD R4A Expected																					
STD OXK69 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	<0.01	0.3	13.5	4.9	46	<0.1	4.7	4.5	578	2.17	1.3	1.8	<0.5	6.2	70	<0.1	<0.1	<0.1	40	0.61

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: May 17, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN10001560.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu		
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/mt	%		
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001		
Pulp Duplicates																						
944491	Drill Core	0.348	18	7	2.44	178	0.011	7	2.44	0.025	0.10	<0.1	0.06	11.1	<0.1	1.10	10	7.8	0.8	0.240	0.664	
REP 944491	QC	0.343	18	6	2.38	175	0.011	8	2.41	0.024	0.09	<0.1	0.05	10.7	<0.1	1.05	10	8.1	1.0			
944493	Drill Core	0.308	20	7	2.74	120	0.006	6	2.25	0.036	0.09	<0.1	0.04	8.2	<0.1	1.53	9	2.2	<0.2	0.043	0.098	
REP 944493	QC																				0.097	
Core Reject Duplicates																						
944463	Drill Core	0.181	12	33	2.26	71	0.014	27	1.96	0.038	0.10	<0.1	0.02	8.3	<0.1	3.71	9	8.3	0.2	N.A.	N.A.	
DUP 944463	QC	0.169	12	30	2.30	65	0.011	24	1.94	0.034	0.09	<0.1	0.02	8.3	<0.1	3.53	9	7.1	<0.2	N.A.	N.A.	
944498	Drill Core	0.140	13	3	2.22	124	0.006	9	2.07	0.020	0.05	<0.1	0.04	9.4	<0.1	0.81	9	1.5	0.6	0.023	0.142	
DUP 944498	QC	0.148	14	5	2.28	121	0.005	9	2.06	0.016	0.04	<0.1	0.04	9.4	<0.1	0.81	9	1.8	0.6	N.A.	N.A.	
Reference Materials																						
STD DS7	Standard	0.082	14	209	1.09	441	0.138	41	1.08	0.096	0.46	3.6	0.22	2.7	4.3	0.20	5	4.0	2.2			
STD DS7	Standard	0.080	14	215	1.07	422	0.146	39	1.11	0.103	0.49	4.0	0.23	2.8	4.7	0.20	5	3.7	1.6			
STD DS7	Standard	0.072	12	190	1.03	401	0.117	38	1.04	0.091	0.47	3.8	0.22	2.2	4.0	0.19	4	3.8	1.2			
STD DS7	Standard	0.073	13	194	1.03	412	0.114	38	1.02	0.092	0.45	3.9	0.21	2.2	4.1	0.20	5	3.3	0.6			
STD OXK69	Standard																				3.556	
STD OXK69	Standard																					3.643
STD R4A	Standard																					0.507
STD R4A	Standard																					0.507
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08			
STD R4A Expected																						0.502
STD OXK69 Expected																						3.583
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank																					<0.001
BLK	Blank																					<0.005
BLK	Blank																					<0.005
Prep Wash																						
G1	Prep Blank	0.076	15	13	0.57	195	0.140	1	1.03	0.104	0.49	<0.1	<0.01	2.3	0.3	<0.05	5	<0.5	<0.2	N.A.	N.A.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

211 - 744 W. Hastings St.

Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: May 17, 2010

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

VAN10001560.2

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
G1	Prep Blank	<0.01	0.2	13.9	4.7	46	<0.1	5.2	4.7	609	2.16	0.7	1.7	<0.5	6.1	61	<0.1	<0.1	<0.1	40	0.61	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

211 - 744 W. Hastings St.

Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: May 17, 2010

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

VAN10001560.2

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/mt	%
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001
G1	Prep Blank	0.077	15	15	0.55	182	0.134	2	0.98	0.100	0.51	<0.1	<0.01	2.1	0.3	<0.05	5	<0.5	<0.2	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
 Receiving Lab: Canada-Vancouver
 Received: April 26, 2010
 Report Date: May 07, 2010
 Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN10001625.1

CLIENT JOB INFORMATION

Project: Miner Mountain
 Shipment ID:
 P.O. Number
 Number of Samples: 44

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	38	Crush split and pulverize 250g drill core to 200 mesh			VAN
1DX2	42	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
 DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5
 Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 07, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10001625.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944499	Drill Core	6.44	1.5	3781	4.6	61	1.2	9.1	21.9	1056	4.55	3.0	1.1	211.9	2.5	130	0.1	0.3	0.2	188	4.36
944500	Drill Core	6.75	3.6	1816	4.0	41	0.5	10.8	22.4	834	3.97	3.0	1.1	214.5	2.4	156	0.1	0.3	0.1	180	4.19
944501	Drill Core	7.42	3.2	797.2	2.8	46	0.2	9.2	21.6	714	4.18	2.5	1.2	82.7	2.6	120	<0.1	0.1	0.2	169	3.46
944502	Drill Core	4.37	2.4	6398	3.6	38	2.2	11.4	24.7	797	4.53	3.7	1.0	920.5	2.6	189	0.3	0.6	0.3	118	4.78
944503	Drill Core	4.52	19.3	>10000	4.0	27	3.9	6.0	5.3	377	2.64	1.9	2.5	1211	4.2	70	0.9	1.1	0.5	52	3.05
944504	Drill Core	9.74	8.7	4585	2.6	28	3.5	5.9	17.6	307	2.42	2.7	2.0	214.6	4.2	72	0.3	0.3	0.3	66	2.68
944505	Rock Pulp	0.05	14.3	41.8	8.6	57	0.2	18.7	83.9	619	2.90	2952	1.9	276.2	5.9	61	0.1	5.9	8.6	35	3.15
944506	Rock Pulp	0.02	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
944507	Drill Core	8.58	4.4	1148	3.1	68	0.6	7.8	22.3	560	3.79	3.8	0.8	63.3	2.5	63	0.2	0.2	0.2	115	1.78
944508	Drill Core	9.07	5.1	1116	2.9	61	0.6	4.9	16.9	741	3.07	5.8	1.5	54.4	2.9	80	0.2	<0.1	0.1	60	3.19
944509	Drill Core	10.98	1.4	725.3	6.2	108	0.5	9.7	19.7	1778	4.66	11.1	0.4	257.7	2.1	89	0.3	0.2	0.2	125	5.71
944510	Drill Core	11.69	0.8	743.4	3.5	73	0.3	10.9	15.6	1686	4.80	2.3	0.5	91.8	1.6	104	0.2	0.3	<0.1	225	5.95
944511	Drill Core	9.56	1.0	703.4	3.6	60	0.3	13.2	22.0	1004	4.53	2.2	0.5	77.7	1.8	130	0.2	0.2	0.1	212	5.67
944512	Drill Core	9.94	3.2	1437	3.3	33	0.4	8.4	13.9	654	3.74	2.5	0.6	126.3	2.2	99	0.2	0.3	0.1	150	5.52
944513	Drill Core	3.46	1.6	489.4	11.6	168	0.4	2.9	18.9	1612	4.16	4.7	0.7	9.4	2.5	159	1.1	0.4	<0.1	128	3.39
944514	Rock Pulp	0.05	13.6	37.6	7.6	54	0.2	17.7	77.5	583	2.77	2799	1.8	246.6	5.4	60	0.1	5.6	8.0	33	3.04
944515	Rock Pulp	0.02	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
944516	Drill Core	9.30	0.7	469.9	5.9	160	0.3	5.4	25.4	1916	5.18	3.4	0.6	11.8	1.5	176	0.3	0.3	<0.1	162	3.46
944517	Drill Core	6.24	1.7	1482	287.0	198	1.4	8.5	27.4	2593	4.90	3.7	1.4	120.8	1.8	167	1.2	0.3	<0.1	210	5.88
944518	Drill Core	6.42	3.0	1802	8.3	192	1.4	14.4	45.6	2536	7.75	5.6	2.8	51.3	2.0	114	0.7	0.3	<0.1	298	4.03
944519	Drill Core	6.78	1.3	877.6	5.0	138	0.7	10.7	26.9	2267	5.17	2.9	0.8	352.4	1.6	202	0.1	0.3	<0.1	186	5.36
944520	Drill Core	10.38	0.6	1357	2.7	132	0.9	4.5	21.6	1658	3.91	2.0	0.7	526.2	1.8	216	0.2	0.3	<0.1	142	3.35
944521	Drill Core	11.32	0.9	1851	5.4	145	1.3	2.8	20.6	1881	4.66	3.0	0.7	994.6	1.8	153	0.2	0.3	<0.1	166	3.40
944522	Drill Core	5.52	9.4	1655	8.8	197	0.9	5.3	20.7	2087	4.31	4.4	0.8	212.8	1.5	187	0.3	0.4	0.3	154	5.30
944523	Drill Core	8.29	4.2	1326	3.4	239	0.8	4.1	21.7	2382	5.11	2.3	0.9	69.4	1.7	110	<0.1	0.2	<0.1	199	3.12
944524	Drill Core	9.03	2.0	2322	3.3	228	1.3	8.3	23.3	2339	5.03	1.8	1.2	219.5	1.4	124	0.2	0.2	<0.1	191	3.26
944525	Drill Core	10.38	2.1	1821	4.1	186	1.0	7.7	27.0	2235	6.44	3.6	1.8	274.0	1.8	145	0.2	0.3	<0.1	226	3.69
944526	Drill Core	12.10	3.1	1481	2.0	197	0.8	5.7	24.5	2485	5.44	2.9	1.6	187.9	1.5	141	0.1	0.2	<0.1	193	2.92
944527	Drill Core	11.34	2.1	965.9	1.9	193	0.5	5.0	24.1	2322	4.87	2.8	1.1	28.2	1.2	210	<0.1	0.3	<0.1	188	3.33
944528	Drill Core	11.74	2.2	857.6	2.8	184	0.5	10.4	27.1	2211	4.38	3.1	1.5	18.4	1.3	192	0.2	0.3	<0.1	177	3.86

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 07, 2010

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10001625.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
944499	Drill Core	0.245	17	11	2.41	123	0.014	11	1.37	0.037	0.21	0.1	0.04	11.4	<0.1	1.29	5	5.1	0.5
944500	Drill Core	0.178	17	14	2.56	115	0.005	9	1.70	0.036	0.07	<0.1	0.08	14.0	<0.1	0.71	7	3.1	<0.2
944501	Drill Core	0.197	17	6	2.87	80	0.005	9	1.72	0.034	0.09	<0.1	0.02	14.7	<0.1	0.78	7	1.8	0.5
944502	Drill Core	0.233	17	8	2.19	51	0.010	8	1.44	0.030	0.06	<0.1	0.06	15.9	<0.1	1.50	5	15.1	0.3
944503	Drill Core	0.356	28	3	1.57	88	0.005	6	0.79	0.055	0.19	0.2	0.09	5.7	<0.1	1.85	3	36.8	1.1
944504	Drill Core	0.283	20	2	1.13	103	0.003	6	0.75	0.043	0.26	0.3	0.06	2.8	<0.1	1.57	2	15.6	0.6
944505	Rock Pulp	0.091	43	28	0.30	61	0.052	24	0.81	0.095	0.13	0.4	<0.01	2.2	<0.1	0.66	3	6.4	2.2
944506	Rock Pulp	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
944507	Drill Core	0.191	17	5	1.42	66	0.005	6	1.15	0.045	0.20	0.2	0.03	4.3	<0.1	2.12	5	4.6	0.8
944508	Drill Core	0.175	17	3	1.55	78	0.003	5	0.76	0.048	0.21	0.1	0.02	3.3	<0.1	1.82	2	5.4	0.8
944509	Drill Core	0.162	15	4	1.55	96	0.006	5	1.62	0.028	0.24	<0.1	0.05	9.1	<0.1	2.03	5	2.2	<0.2
944510	Drill Core	0.148	12	8	1.90	48	0.008	6	1.87	0.023	0.05	<0.1	<0.01	14.7	<0.1	0.31	8	1.9	<0.2
944511	Drill Core	0.164	15	10	2.43	63	0.007	6	2.13	0.032	0.04	<0.1	0.03	14.6	<0.1	1.31	8	2.5	0.3
944512	Drill Core	0.164	22	5	1.45	38	0.004	6	1.09	0.043	0.06	<0.1	0.06	8.0	<0.1	1.94	4	3.9	0.5
944513	Drill Core	0.165	10	<1	1.55	86	0.030	2	1.62	0.036	0.10	<0.1	0.05	3.6	<0.1	0.38	8	0.9	<0.2
944514	Rock Pulp	0.087	40	27	0.29	54	0.049	23	0.76	0.089	0.12	0.4	<0.01	2.2	<0.1	0.63	3	5.9	1.8
944515	Rock Pulp	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
944516	Drill Core	0.158	9	2	1.60	58	0.080	2	1.56	0.023	0.07	<0.1	0.02	3.6	<0.1	0.21	8	0.9	<0.2
944517	Drill Core	0.167	13	9	1.68	268	0.016	1	1.79	0.023	0.08	<0.1	0.04	8.3	<0.1	0.69	10	8.9	<0.2
944518	Drill Core	0.236	24	14	1.80	52	0.019	<1	1.78	0.026	0.07	<0.1	0.03	8.3	<0.1	0.64	11	2.3	<0.2
944519	Drill Core	0.150	11	16	2.57	216	0.028	1	2.41	0.036	0.07	<0.1	0.03	10.0	<0.1	0.43	11	1.1	<0.2
944520	Drill Core	0.162	8	8	1.89	80	0.091	2	1.70	0.025	0.05	<0.1	0.02	4.9	<0.1	0.28	8	2.5	0.4
944521	Drill Core	0.192	10	1	1.92	128	0.015	1	1.87	0.030	0.10	<0.1	0.07	4.7	<0.1	0.84	9	2.8	<0.2
944522	Drill Core	0.184	9	3	2.03	105	0.016	<1	1.97	0.019	0.06	<0.1	0.15	5.0	<0.1	1.66	9	2.9	<0.2
944523	Drill Core	0.182	12	2	2.65	228	0.014	<1	2.38	0.021	0.08	<0.1	0.02	7.3	<0.1	0.17	11	1.6	<0.2
944524	Drill Core	0.172	11	9	2.66	164	0.011	<1	2.40	0.016	0.09	<0.1	<0.01	8.5	<0.1	0.21	11	2.1	<0.2
944525	Drill Core	0.179	15	4	1.79	251	0.012	<1	1.88	0.024	0.08	<0.1	0.01	6.0	<0.1	0.16	10	2.4	<0.2
944526	Drill Core	0.181	9	6	2.21	245	0.073	1	1.97	0.023	0.09	<0.1	<0.01	6.6	<0.1	0.13	10	2.0	<0.2
944527	Drill Core	0.180	8	4	2.43	174	0.121	1	2.14	0.034	0.12	0.1	<0.01	5.4	<0.1	0.11	10	1.3	<0.2
944528	Drill Core	0.176	10	20	2.45	180	0.097	1	2.11	0.032	0.08	<0.1	<0.01	7.1	<0.1	0.16	9	0.8	0.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 07, 2010

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10001625.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944529	Drill Core	11.17	1.1	633.0	2.0	374	0.5	13.6	28.2	2632	5.27	2.9	1.0	15.7	1.2	176	1.0	0.3	<0.1	228	4.89
944530	Drill Core	7.86	2.3	986.0	5.7	160	0.6	9.4	23.4	1928	4.34	3.9	1.4	20.1	1.7	115	0.1	0.2	<0.1	188	3.09
944531	Drill Core	10.14	1.1	2712	3.3	108	1.0	9.7	28.8	1743	4.87	3.8	1.3	65.9	1.6	205	0.1	0.3	<0.1	196	4.02
944532	Drill Core	11.18	1.2	1166	3.1	110	0.4	12.0	29.1	1631	4.90	3.8	0.8	24.4	1.1	250	0.1	0.3	<0.1	179	3.71
944533	Rock Pulp	0.05	13.3	39.4	7.3	57	0.3	16.9	79.0	577	2.82	2831	1.8	238.8	5.1	60	0.2	5.5	7.9	35	3.11
944534	Rock Pulp	0.02	491.4	4710	85.9	48	42.5	5.4	1.5	244	0.79	36.8	0.6	14.9	0.6	175	0.5	68.1	4.0	8	1.28
944535	Drill Core	12.51	1.6	1595	3.7	126	0.8	7.2	29.4	2063	4.36	3.7	1.6	46.9	1.7	290	<0.1	0.2	<0.1	197	4.29
944536	Drill Core	11.22	1.1	552.6	3.0	135	0.3	11.3	26.9	1816	4.80	3.3	2.5	29.5	1.9	228	0.1	0.2	<0.1	215	3.23
944537	Drill Core	10.04	3.3	1101	3.6	170	0.4	11.3	27.1	2029	4.59	3.1	1.0	102.6	1.5	112	<0.1	0.2	<0.1	201	3.56
944538	Drill Core	10.66	3.1	1085	2.8	125	0.4	5.5	21.8	1937	4.27	3.0	1.7	58.1	1.2	153	0.2	0.2	<0.1	160	4.34
944539	Drill Core	8.33	0.7	997.6	3.2	159	0.4	11.1	27.6	2317	4.72	2.7	1.9	252.6	1.3	244	0.2	0.3	<0.1	184	5.69
944540	Drill Core	6.78	2.1	635.2	3.4	202	0.2	10.0	28.1	2382	5.83	3.9	1.8	31.5	1.5	335	0.3	0.2	<0.1	195	4.89
944541	Drill Core	10.91	2.9	1095	3.3	200	0.5	11.5	34.7	2576	5.88	4.7	2.1	41.3	1.5	249	0.3	0.1	<0.1	253	4.19
944542	Drill Core	11.36	0.9	1056	5.9	107	0.5	16.7	35.0	2189	5.46	4.7	1.0	77.2	1.5	516	0.3	0.4	<0.1	220	5.60



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 07, 2010

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10001625.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
944529	Drill Core	0.153	11	21	2.81	81	0.092	<1	2.52	0.031	0.10	<0.1	0.06	9.7	<0.1	0.06	11	1.2	<0.2
944530	Drill Core	0.181	13	15	2.01	193	0.012	<1	1.89	0.021	0.10	<0.1	0.02	9.7	<0.1	0.15	10	1.1	<0.2
944531	Drill Core	0.193	12	12	2.19	129	0.022	2	2.09	0.046	0.15	<0.1	0.02	9.0	<0.1	0.22	10	3.0	<0.2
944532	Drill Core	0.164	10	15	2.47	131	0.013	3	2.53	0.036	0.14	<0.1	0.01	9.3	<0.1	0.13	10	1.3	<0.2
944533	Rock Pulp	0.092	41	28	0.29	56	0.051	23	0.80	0.096	0.13	0.3	<0.01	2.2	<0.1	0.64	3	5.1	1.1
944534	Rock Pulp	0.018	4	256	0.11	136	0.005	3	0.33	0.020	0.18	0.1	0.27	0.4	<0.1	0.71	2	0.8	0.4
944535	Drill Core	0.215	12	3	2.45	110	0.022	3	2.42	0.040	0.08	<0.1	0.01	8.8	<0.1	0.19	11	1.3	<0.2
944536	Drill Core	0.186	16	21	2.05	144	0.028	2	2.09	0.047	0.13	<0.1	0.01	12.2	<0.1	0.08	11	<0.5	<0.2
944537	Drill Core	0.174	14	15	2.26	254	0.007	3	2.20	0.036	0.17	<0.1	<0.01	6.8	<0.1	0.12	11	1.1	<0.2
944538	Drill Core	0.181	11	5	1.98	661	0.005	3	2.08	0.036	0.26	<0.1	<0.01	4.4	0.1	0.13	10	0.9	<0.2
944539	Drill Core	0.146	14	18	2.57	1146	0.006	4	2.69	0.030	0.26	<0.1	<0.01	7.0	<0.1	0.11	11	0.7	<0.2
944540	Drill Core	0.154	16	14	2.68	385	0.005	2	2.58	0.038	0.15	<0.1	<0.01	6.7	<0.1	0.13	11	0.7	<0.2
944541	Drill Core	0.145	15	17	3.21	209	0.012	2	2.76	0.057	0.08	<0.1	<0.01	10.7	<0.1	0.23	13	1.3	<0.2
944542	Drill Core	0.140	13	30	2.99	364	0.046	4	3.01	0.036	0.06	<0.1	<0.01	13.9	<0.1	0.07	13	1.3	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 07, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN10001625.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
944513	Drill Core	3.46	1.6	489.4	11.6	168	0.4	2.9	18.9	1612	4.16	4.7	0.7	9.4	2.5	159	1.1	0.4	<0.1	128	3.39
REP 944513	QC		1.5	489.6	11.9	162	0.4	2.8	18.8	1628	4.18	3.9	0.7	9.8	2.6	160	1.0	0.3	<0.1	127	3.39
944539	Drill Core	8.33	0.7	997.6	3.2	159	0.4	11.1	27.6	2317	4.72	2.7	1.9	252.6	1.3	244	0.2	0.3	<0.1	184	5.69
REP 944539	QC		0.6	993.3	3.2	159	0.4	10.7	27.8	2367	4.76	2.8	1.9	280.8	1.3	250	0.2	0.3	<0.1	185	5.78
Core Reject Duplicates																					
944516	Drill Core	9.30	0.7	469.9	5.9	160	0.3	5.4	25.4	1916	5.18	3.4	0.6	11.8	1.5	176	0.3	0.3	<0.1	162	3.46
DUP 944516	QC		0.8	480.5	6.3	158	0.4	5.5	25.6	1949	5.28	3.2	0.6	10.5	1.6	172	0.4	0.4	<0.1	164	3.48
Reference Materials																					
STD DS7	Standard		20.8	113.5	73.2	399	1.0	55.7	9.8	649	2.43	47.3	5.0	88.6	4.7	77	6.0	5.8	4.9	82	1.00
STD DS7	Standard		20.7	106.4	71.7	366	1.0	50.7	9.9	612	2.40	46.6	5.2	70.4	5.1	80	5.6	5.5	4.9	81	1.00
STD DS7	Standard		19.7	106.3	71.0	400	1.0	55.8	9.0	642	2.40	53.8	5.0	86.9	4.6	71	6.5	6.0	4.7	81	0.94
STD DS7	Standard		21.5	108.3	67.3	394	1.0	55.5	9.1	659	2.45	54.0	5.0	87.8	4.5	75	6.3	6.4	4.8	84	0.97
STD DS7	Standard		20.8	104.8	68.3	388	1.0	54.2	9.3	661	2.43	49.0	4.6	77.8	4.6	82	6.1	5.5	4.5	85	1.03
STD DS7	Standard		20.8	98.8	67.8	389	1.0	55.7	9.4	655	2.40	49.7	4.7	99.3	4.8	82	6.5	5.4	4.5	84	1.02
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	1.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.2	3.4	3.6	50	<0.1	3.6	4.0	587	1.99	<0.5	2.5	<0.5	8.0	65	<0.1	<0.1	<0.1	39	0.57
G1	Prep Blank	<0.01	0.2	5.4	4.7	51	<0.1	3.0	4.1	607	1.98	<0.5	2.1	<0.5	7.4	61	<0.1	<0.1	<0.1	38	0.55



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 07, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN10001625.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																				
944513	Drill Core	0.165	10	<1	1.55	86	0.030	2	1.62	0.036	0.10	<0.1	0.05	3.6	<0.1	0.38	8	0.9	<0.2	
REP 944513	QC	0.170	9	2	1.53	76	0.030	1	1.63	0.036	0.10	<0.1	0.04	3.4	<0.1	0.37	7	0.8	<0.2	
944539	Drill Core	0.146	14	18	2.57	1146	0.006	4	2.69	0.030	0.26	<0.1	<0.01	7.0	<0.1	0.11	11	0.7	<0.2	
REP 944539	QC	0.146	14	18	2.57	1133	0.006	3	2.70	0.031	0.27	<0.1	<0.01	7.1	<0.1	0.11	11	0.8	<0.2	
Core Reject Duplicates																				
944516	Drill Core	0.158	9	2	1.60	58	0.080	2	1.56	0.023	0.07	<0.1	0.02	3.6	<0.1	0.21	8	0.9	<0.2	
DUP 944516	QC	0.159	8	2	1.63	58	0.084	<1	1.62	0.025	0.08	<0.1	0.02	3.7	<0.1	0.21	8	0.7	0.3	
Reference Materials																				
STD DS7	Standard	0.077	13	200	1.07	379	0.128	40	1.06	0.095	0.46	3.8	0.24	2.5	4.0	0.19	5	3.8	1.7	
STD DS7	Standard	0.079	13	195	1.06	361	0.135	42	1.05	0.093	0.45	3.7	0.20	2.4	4.0	0.19	5	3.3	0.5	
STD DS7	Standard	0.080	12	192	1.04	416	0.114	40	1.01	0.092	0.49	4.0	0.23	2.3	4.2	0.20	5	4.2	1.3	
STD DS7	Standard	0.082	12	193	1.07	447	0.117	43	1.05	0.097	0.50	4.2	0.20	2.5	4.5	0.20	4	3.9	1.4	
STD DS7	Standard	0.079	13	218	1.08	418	0.116	42	1.10	0.100	0.50	4.1	0.22	2.6	4.3	0.19	5	4.0	1.6	
STD DS7	Standard	0.080	14	220	1.08	426	0.119	40	1.09	0.099	0.51	4.1	0.23	2.5	4.3	0.20	5	3.6	1.1	
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																				
G1	Prep Blank	0.077	17	12	0.55	179	0.140	1	1.02	0.090	0.57	0.2	<0.01	2.2	0.4	<0.05	5	<0.5	<0.2	
G1	Prep Blank	0.081	15	12	0.56	170	0.138	<1	0.94	0.071	0.52	0.3	<0.01	2.1	0.3	<0.05	5	<0.5	<0.2	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: April 26, 2010
Report Date: May 17, 2010
Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN10001625.2

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 44

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Sego Resources Inc.
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	38	Crush split and pulverize 250g drill core to 200 mesh			VAN
1DX2	42	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
G601	36	Fire Assay fusion Au by ICP-ES	30	Completed	VAN
7AR1	36	1:1:1 Aqua Regia digestion ICP-ES analysis	1	Completed	VAN

ADDITIONAL COMMENTS

Version 2: G601 & 7AR1 Cu included



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 17, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10001625.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944499	Drill Core	6.44	1.5	3781	4.6	61	1.2	9.1	21.9	1056	4.55	3.0	1.1	211.9	2.5	130	0.1	0.3	0.2	188	4.36
944500	Drill Core	6.75	3.6	1816	4.0	41	0.5	10.8	22.4	834	3.97	3.0	1.1	214.5	2.4	156	0.1	0.3	0.1	180	4.19
944501	Drill Core	7.42	3.2	797.2	2.8	46	0.2	9.2	21.6	714	4.18	2.5	1.2	82.7	2.6	120	<0.1	0.1	0.2	169	3.46
944502	Drill Core	4.37	2.4	6398	3.6	38	2.2	11.4	24.7	797	4.53	3.7	1.0	920.5	2.6	189	0.3	0.6	0.3	118	4.78
944503	Drill Core	4.52	19.3	>10000	4.0	27	3.9	6.0	5.3	377	2.64	1.9	2.5	1211	4.2	70	0.9	1.1	0.5	52	3.05
944504	Drill Core	9.74	8.7	4585	2.6	28	3.5	5.9	17.6	307	2.42	2.7	2.0	214.6	4.2	72	0.3	0.3	0.3	66	2.68
944505	Rock Pulp	0.05	14.3	41.8	8.6	57	0.2	18.7	83.9	619	2.90	2952	1.9	276.2	5.9	61	0.1	5.9	8.6	35	3.15
944506	Rock Pulp	0.02	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
944507	Drill Core	8.58	4.4	1148	3.1	68	0.6	7.8	22.3	560	3.79	3.8	0.8	63.3	2.5	63	0.2	0.2	0.2	115	1.78
944508	Drill Core	9.07	5.1	1116	2.9	61	0.6	4.9	16.9	741	3.07	5.8	1.5	54.4	2.9	80	0.2	<0.1	0.1	60	3.19
944509	Drill Core	10.98	1.4	725.3	6.2	108	0.5	9.7	19.7	1778	4.66	11.1	0.4	257.7	2.1	89	0.3	0.2	0.2	125	5.71
944510	Drill Core	11.69	0.8	743.4	3.5	73	0.3	10.9	15.6	1686	4.80	2.3	0.5	91.8	1.6	104	0.2	0.3	<0.1	225	5.95
944511	Drill Core	9.56	1.0	703.4	3.6	60	0.3	13.2	22.0	1004	4.53	2.2	0.5	77.7	1.8	130	0.2	0.2	0.1	212	5.67
944512	Drill Core	9.94	3.2	1437	3.3	33	0.4	8.4	13.9	654	3.74	2.5	0.6	126.3	2.2	99	0.2	0.3	0.1	150	5.52
944513	Drill Core	3.46	1.6	489.4	11.6	168	0.4	2.9	18.9	1612	4.16	4.7	0.7	9.4	2.5	159	1.1	0.4	<0.1	128	3.39
944514	Rock Pulp	0.05	13.6	37.6	7.6	54	0.2	17.7	77.5	583	2.77	2799	1.8	246.6	5.4	60	0.1	5.6	8.0	33	3.04
944515	Rock Pulp	0.02	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
944516	Drill Core	9.30	0.7	469.9	5.9	160	0.3	5.4	25.4	1916	5.18	3.4	0.6	11.8	1.5	176	0.3	0.3	<0.1	162	3.46
944517	Drill Core	6.24	1.7	1482	287.0	198	1.4	8.5	27.4	2593	4.90	3.7	1.4	120.8	1.8	167	1.2	0.3	<0.1	210	5.88
944518	Drill Core	6.42	3.0	1802	8.3	192	1.4	14.4	45.6	2536	7.75	5.6	2.8	51.3	2.0	114	0.7	0.3	<0.1	298	4.03
944519	Drill Core	6.78	1.3	877.6	5.0	138	0.7	10.7	26.9	2267	5.17	2.9	0.8	352.4	1.6	202	0.1	0.3	<0.1	186	5.36
944520	Drill Core	10.38	0.6	1357	2.7	132	0.9	4.5	21.6	1658	3.91	2.0	0.7	526.2	1.8	216	0.2	0.3	<0.1	142	3.35
944521	Drill Core	11.32	0.9	1851	5.4	145	1.3	2.8	20.6	1881	4.66	3.0	0.7	994.6	1.8	153	0.2	0.3	<0.1	166	3.40
944522	Drill Core	5.52	9.4	1655	8.8	197	0.9	5.3	20.7	2087	4.31	4.4	0.8	212.8	1.5	187	0.3	0.4	0.3	154	5.30
944523	Drill Core	8.29	4.2	1326	3.4	239	0.8	4.1	21.7	2382	5.11	2.3	0.9	69.4	1.7	110	<0.1	0.2	<0.1	199	3.12
944524	Drill Core	9.03	2.0	2322	3.3	228	1.3	8.3	23.3	2339	5.03	1.8	1.2	219.5	1.4	124	0.2	0.2	<0.1	191	3.26
944525	Drill Core	10.38	2.1	1821	4.1	186	1.0	7.7	27.0	2235	6.44	3.6	1.8	274.0	1.8	145	0.2	0.3	<0.1	226	3.69
944526	Drill Core	12.10	3.1	1481	2.0	197	0.8	5.7	24.5	2485	5.44	2.9	1.6	187.9	1.5	141	0.1	0.2	<0.1	193	2.92
944527	Drill Core	11.34	2.1	965.9	1.9	193	0.5	5.0	24.1	2322	4.87	2.8	1.1	28.2	1.2	210	<0.1	0.3	<0.1	188	3.33
944528	Drill Core	11.74	2.2	857.6	2.8	184	0.5	10.4	27.1	2211	4.38	3.1	1.5	18.4	1.3	192	0.2	0.3	<0.1	177	3.86

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 17, 2010

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10001625.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/mt	%	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001	
944499	Drill Core	0.245	17	11	2.41	123	0.014	11	1.37	0.037	0.21	0.1	0.04	11.4	<0.1	1.29	5	5.1	0.5	0.209	0.389
944500	Drill Core	0.178	17	14	2.56	115	0.005	9	1.70	0.036	0.07	<0.1	0.08	14.0	<0.1	0.71	7	3.1	<0.2	0.203	0.192
944501	Drill Core	0.197	17	6	2.87	80	0.005	9	1.72	0.034	0.09	<0.1	0.02	14.7	<0.1	0.78	7	1.8	0.5	0.079	0.080
944502	Drill Core	0.233	17	8	2.19	51	0.010	8	1.44	0.030	0.06	<0.1	0.06	15.9	<0.1	1.50	5	15.1	0.3	0.752	0.648
944503	Drill Core	0.356	28	3	1.57	88	0.005	6	0.79	0.055	0.19	0.2	0.09	5.7	<0.1	1.85	3	36.8	1.1	1.159	1.668
944504	Drill Core	0.283	20	2	1.13	103	0.003	6	0.75	0.043	0.26	0.3	0.06	2.8	<0.1	1.57	2	15.6	0.6	0.164	0.473
944505	Rock Pulp	0.091	43	28	0.30	61	0.052	24	0.81	0.095	0.13	0.4	<0.01	2.2	<0.1	0.66	3	6.4	2.2	N.A.	N.A.
944506	Rock Pulp	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
944507	Drill Core	0.191	17	5	1.42	66	0.005	6	1.15	0.045	0.20	0.2	0.03	4.3	<0.1	2.12	5	4.6	0.8	0.051	0.116
944508	Drill Core	0.175	17	3	1.55	78	0.003	5	0.76	0.048	0.21	0.1	0.02	3.3	<0.1	1.82	2	5.4	0.8	0.047	0.111
944509	Drill Core	0.162	15	4	1.55	96	0.006	5	1.62	0.028	0.24	<0.1	0.05	9.1	<0.1	2.03	5	2.2	<0.2	0.196	0.074
944510	Drill Core	0.148	12	8	1.90	48	0.008	6	1.87	0.023	0.05	<0.1	<0.01	14.7	<0.1	0.31	8	1.9	<0.2	0.070	0.075
944511	Drill Core	0.164	15	10	2.43	63	0.007	6	2.13	0.032	0.04	<0.1	0.03	14.6	<0.1	1.31	8	2.5	0.3	0.055	0.072
944512	Drill Core	0.164	22	5	1.45	38	0.004	6	1.09	0.043	0.06	<0.1	0.06	8.0	<0.1	1.94	4	3.9	0.5	0.107	0.148
944513	Drill Core	0.165	10	<1	1.55	86	0.030	2	1.62	0.036	0.10	<0.1	0.05	3.6	<0.1	0.38	8	0.9	<0.2	N.A.	N.A.
944514	Rock Pulp	0.087	40	27	0.29	54	0.049	23	0.76	0.089	0.12	0.4	<0.01	2.2	<0.1	0.63	3	5.9	1.8	N.A.	N.A.
944515	Rock Pulp	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
944516	Drill Core	0.158	9	2	1.60	58	0.080	2	1.56	0.023	0.07	<0.1	0.02	3.6	<0.1	0.21	8	0.9	<0.2	N.A.	N.A.
944517	Drill Core	0.167	13	9	1.68	268	0.016	1	1.79	0.023	0.08	<0.1	0.04	8.3	<0.1	0.69	10	8.9	<0.2	N.A.	N.A.
944518	Drill Core	0.236	24	14	1.80	52	0.019	<1	1.78	0.026	0.07	<0.1	0.03	8.3	<0.1	0.64	11	2.3	<0.2	N.A.	N.A.
944519	Drill Core	0.150	11	16	2.57	216	0.028	1	2.41	0.036	0.07	<0.1	0.03	10.0	<0.1	0.43	11	1.1	<0.2	0.342	0.088
944520	Drill Core	0.162	8	8	1.89	80	0.091	2	1.70	0.025	0.05	<0.1	0.02	4.9	<0.1	0.28	8	2.5	0.4	0.427	0.142
944521	Drill Core	0.192	10	1	1.92	128	0.015	1	1.87	0.030	0.10	<0.1	0.07	4.7	<0.1	0.84	9	2.8	<0.2	0.890	0.185
944522	Drill Core	0.184	9	3	2.03	105	0.016	<1	1.97	0.019	0.06	<0.1	0.15	5.0	<0.1	1.66	9	2.9	<0.2	0.209	0.170
944523	Drill Core	0.182	12	2	2.65	228	0.014	<1	2.38	0.021	0.08	<0.1	0.02	7.3	<0.1	0.17	11	1.6	<0.2	0.027	0.134
944524	Drill Core	0.172	11	9	2.66	164	0.011	<1	2.40	0.016	0.09	<0.1	<0.01	8.5	<0.1	0.21	11	2.1	<0.2	0.230	0.236
944525	Drill Core	0.179	15	4	1.79	251	0.012	<1	1.88	0.024	0.08	<0.1	0.01	6.0	<0.1	0.16	10	2.4	<0.2	0.294	0.189
944526	Drill Core	0.181	9	6	2.21	245	0.073	1	1.97	0.023	0.09	<0.1	<0.01	6.6	<0.1	0.13	10	2.0	<0.2	0.236	0.154
944527	Drill Core	0.180	8	4	2.43	174	0.121	1	2.14	0.034	0.12	0.1	<0.01	5.4	<0.1	0.11	10	1.3	<0.2	0.024	0.101
944528	Drill Core	0.176	10	20	2.45	180	0.097	1	2.11	0.032	0.08	<0.1	<0.01	7.1	<0.1	0.16	9	0.8	0.3	0.019	0.091

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 17, 2010

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10001625.2

Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
944529	Drill Core	11.17	1.1	633.0	2.0	374	0.5	13.6	28.2	2632	5.27	2.9	1.0	15.7	1.2	176	1.0	0.3	<0.1	228	4.89
944530	Drill Core	7.86	2.3	986.0	5.7	160	0.6	9.4	23.4	1928	4.34	3.9	1.4	20.1	1.7	115	0.1	0.2	<0.1	188	3.09
944531	Drill Core	10.14	1.1	2712	3.3	108	1.0	9.7	28.8	1743	4.87	3.8	1.3	65.9	1.6	205	0.1	0.3	<0.1	196	4.02
944532	Drill Core	11.18	1.2	1166	3.1	110	0.4	12.0	29.1	1631	4.90	3.8	0.8	24.4	1.1	250	0.1	0.3	<0.1	179	3.71
944533	Rock Pulp	0.05	13.3	39.4	7.3	57	0.3	16.9	79.0	577	2.82	2831	1.8	238.8	5.1	60	0.2	5.5	7.9	35	3.11
944534	Rock Pulp	0.02	491.4	4710	85.9	48	42.5	5.4	1.5	244	0.79	36.8	0.6	14.9	0.6	175	0.5	68.1	4.0	8	1.28
944535	Drill Core	12.51	1.6	1595	3.7	126	0.8	7.2	29.4	2063	4.36	3.7	1.6	46.9	1.7	290	<0.1	0.2	<0.1	197	4.29
944536	Drill Core	11.22	1.1	552.6	3.0	135	0.3	11.3	26.9	1816	4.80	3.3	2.5	29.5	1.9	228	0.1	0.2	<0.1	215	3.23
944537	Drill Core	10.04	3.3	1101	3.6	170	0.4	11.3	27.1	2029	4.59	3.1	1.0	102.6	1.5	112	<0.1	0.2	<0.1	201	3.56
944538	Drill Core	10.66	3.1	1085	2.8	125	0.4	5.5	21.8	1937	4.27	3.0	1.7	58.1	1.2	153	0.2	0.2	<0.1	160	4.34
944539	Drill Core	8.33	0.7	997.6	3.2	159	0.4	11.1	27.6	2317	4.72	2.7	1.9	252.6	1.3	244	0.2	0.3	<0.1	184	5.69
944540	Drill Core	6.78	2.1	635.2	3.4	202	0.2	10.0	28.1	2382	5.83	3.9	1.8	31.5	1.5	335	0.3	0.2	<0.1	195	4.89
944541	Drill Core	10.91	2.9	1095	3.3	200	0.5	11.5	34.7	2576	5.88	4.7	2.1	41.3	1.5	249	0.3	0.1	<0.1	253	4.19
944542	Drill Core	11.36	0.9	1056	5.9	107	0.5	16.7	35.0	2189	5.46	4.7	1.0	77.2	1.5	516	0.3	0.4	<0.1	220	5.60



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 17, 2010

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10001625.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/mt	%	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001	
944529	Drill Core	0.153	11	21	2.81	81	0.092	<1	2.52	0.031	0.10	<0.1	0.06	9.7	<0.1	0.06	11	1.2	<0.2	0.026	0.066
944530	Drill Core	0.181	13	15	2.01	193	0.012	<1	1.89	0.021	0.10	<0.1	0.02	9.7	<0.1	0.15	10	1.1	<0.2	0.015	0.104
944531	Drill Core	0.193	12	12	2.19	129	0.022	2	2.09	0.046	0.15	<0.1	0.02	9.0	<0.1	0.22	10	3.0	<0.2	0.064	0.282
944532	Drill Core	0.164	10	15	2.47	131	0.013	3	2.53	0.036	0.14	<0.1	0.01	9.3	<0.1	0.13	10	1.3	<0.2	0.026	0.121
944533	Rock Pulp	0.092	41	28	0.29	56	0.051	23	0.80	0.096	0.13	0.3	<0.01	2.2	<0.1	0.64	3	5.1	1.1	0.247	0.004
944534	Rock Pulp	0.018	4	256	0.11	136	0.005	3	0.33	0.020	0.18	0.1	0.27	0.4	<0.1	0.71	2	0.8	0.4	I.S.	0.470
944535	Drill Core	0.215	12	3	2.45	110	0.022	3	2.42	0.040	0.08	<0.1	0.01	8.8	<0.1	0.19	11	1.3	<0.2	0.051	0.159
944536	Drill Core	0.186	16	21	2.05	144	0.028	2	2.09	0.047	0.13	<0.1	0.01	12.2	<0.1	0.08	11	<0.5	<0.2	0.033	0.054
944537	Drill Core	0.174	14	15	2.26	254	0.007	3	2.20	0.036	0.17	<0.1	<0.01	6.8	<0.1	0.12	11	1.1	<0.2	0.115	0.112
944538	Drill Core	0.181	11	5	1.98	661	0.005	3	2.08	0.036	0.26	<0.1	<0.01	4.4	0.1	0.13	10	0.9	<0.2	0.064	0.113
944539	Drill Core	0.146	14	18	2.57	1146	0.006	4	2.69	0.030	0.26	<0.1	<0.01	7.0	<0.1	0.11	11	0.7	<0.2	0.271	0.101
944540	Drill Core	0.154	16	14	2.68	385	0.005	2	2.58	0.038	0.15	<0.1	<0.01	6.7	<0.1	0.13	11	0.7	<0.2	0.028	0.068
944541	Drill Core	0.145	15	17	3.21	209	0.012	2	2.76	0.057	0.08	<0.1	<0.01	10.7	<0.1	0.23	13	1.3	<0.2	0.045	0.116
944542	Drill Core	0.140	13	30	2.99	364	0.046	4	3.01	0.036	0.06	<0.1	<0.01	13.9	<0.1	0.07	13	1.3	<0.2	0.075	0.108



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 17, 2010

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

VAN10001625.2

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
944509	Drill Core	10.98	1.4	725.3	6.2	108	0.5	9.7	19.7	1778	4.66	11.1	0.4	257.7	2.1	89	0.3	0.2	0.2	125	5.71
REP 944509	QC																				
944513	Drill Core	3.46	1.6	489.4	11.6	168	0.4	2.9	18.9	1612	4.16	4.7	0.7	9.4	2.5	159	1.1	0.4	<0.1	128	3.39
REP 944513	QC		1.5	489.6	11.9	162	0.4	2.8	18.8	1628	4.18	3.9	0.7	9.8	2.6	160	1.0	0.3	<0.1	127	3.39
944523	Drill Core	8.29	4.2	1326	3.4	239	0.8	4.1	21.7	2382	5.11	2.3	0.9	69.4	1.7	110	<0.1	0.2	<0.1	199	3.12
REP 944523	QC																				
944537	Drill Core	10.04	3.3	1101	3.6	170	0.4	11.3	27.1	2029	4.59	3.1	1.0	102.6	1.5	112	<0.1	0.2	<0.1	201	3.56
REP 944537	QC																				
944539	Drill Core	8.33	0.7	997.6	3.2	159	0.4	11.1	27.6	2317	4.72	2.7	1.9	252.6	1.3	244	0.2	0.3	<0.1	184	5.69
REP 944539	QC		0.6	993.3	3.2	159	0.4	10.7	27.8	2367	4.76	2.8	1.9	280.8	1.3	250	0.2	0.3	<0.1	185	5.78
Core Reject Duplicates																					
944516	Drill Core	9.30	0.7	469.9	5.9	160	0.3	5.4	25.4	1916	5.18	3.4	0.6	11.8	1.5	176	0.3	0.3	<0.1	162	3.46
DUP 944516	QC		0.8	480.5	6.3	158	0.4	5.5	25.6	1949	5.28	3.2	0.6	10.5	1.6	172	0.4	0.4	<0.1	164	3.48
Reference Materials																					
STD DS7	Standard		20.8	113.5	73.2	399	1.0	55.7	9.8	649	2.43	47.3	5.0	88.6	4.7	77	6.0	5.8	4.9	82	1.00
STD DS7	Standard		20.7	106.4	71.7	366	1.0	50.7	9.9	612	2.40	46.6	5.2	70.4	5.1	80	5.6	5.5	4.9	81	1.00
STD DS7	Standard		19.7	106.3	71.0	400	1.0	55.8	9.0	642	2.40	53.8	5.0	86.9	4.6	71	6.5	6.0	4.7	81	0.94
STD DS7	Standard		21.5	108.3	67.3	394	1.0	55.5	9.1	659	2.45	54.0	5.0	87.8	4.5	75	6.3	6.4	4.8	84	0.97
STD DS7	Standard		20.8	104.8	68.3	388	1.0	54.2	9.3	661	2.43	49.0	4.6	77.8	4.6	82	6.1	5.5	4.5	85	1.03
STD DS7	Standard		20.8	98.8	67.8	389	1.0	55.7	9.4	655	2.40	49.7	4.7	99.3	4.8	82	6.5	5.4	4.5	84	1.02
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXK69	Standard																				
STD OXK69	Standard																				
STD OXK69	Standard																				
STD R4A	Standard																				
STD R4A	Standard																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
Report Date: May 17, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

VAN10001625.2

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/mt	%	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001	
Pulp Duplicates																					
944509	Drill Core	0.162	15	4	1.55	96	0.006	5	1.62	0.028	0.24	<0.1	0.05	9.1	<0.1	2.03	5	2.2	<0.2	0.196	0.074
REP 944509	QC																				0.187
944513	Drill Core	0.165	10	<1	1.55	86	0.030	2	1.62	0.036	0.10	<0.1	0.05	3.6	<0.1	0.38	8	0.9	<0.2	N.A.	N.A.
REP 944513	QC	0.170	9	2	1.53	76	0.030	1	1.63	0.036	0.10	<0.1	0.04	3.4	<0.1	0.37	7	0.8	<0.2		
944523	Drill Core	0.182	12	2	2.65	228	0.014	<1	2.38	0.021	0.08	<0.1	0.02	7.3	<0.1	0.17	11	1.6	<0.2	0.027	0.134
REP 944523	QC																				0.135
944537	Drill Core	0.174	14	15	2.26	254	0.007	3	2.20	0.036	0.17	<0.1	<0.01	6.8	<0.1	0.12	11	1.1	<0.2	0.115	0.112
REP 944537	QC																				0.107
944539	Drill Core	0.146	14	18	2.57	1146	0.006	4	2.69	0.030	0.26	<0.1	<0.01	7.0	<0.1	0.11	11	0.7	<0.2	0.271	0.101
REP 944539	QC	0.146	14	18	2.57	1133	0.006	3	2.70	0.031	0.27	<0.1	<0.01	7.1	<0.1	0.11	11	0.8	<0.2		
Core Reject Duplicates																					
944516	Drill Core	0.158	9	2	1.60	58	0.080	2	1.56	0.023	0.07	<0.1	0.02	3.6	<0.1	0.21	8	0.9	<0.2	N.A.	N.A.
DUP 944516	QC	0.159	8	2	1.63	58	0.084	<1	1.62	0.025	0.08	<0.1	0.02	3.7	<0.1	0.21	8	0.7	0.3	N.A.	N.A.
Reference Materials																					
STD DS7	Standard	0.077	13	200	1.07	379	0.128	40	1.06	0.095	0.46	3.8	0.24	2.5	4.0	0.19	5	3.8	1.7		
STD DS7	Standard	0.079	13	195	1.06	361	0.135	42	1.05	0.093	0.45	3.7	0.20	2.4	4.0	0.19	5	3.3	0.5		
STD DS7	Standard	0.080	12	192	1.04	416	0.114	40	1.01	0.092	0.49	4.0	0.23	2.3	4.2	0.20	5	4.2	1.3		
STD DS7	Standard	0.082	12	193	1.07	447	0.117	43	1.05	0.097	0.50	4.2	0.20	2.5	4.5	0.20	4	3.9	1.4		
STD DS7	Standard	0.079	13	218	1.08	418	0.116	42	1.10	0.100	0.50	4.1	0.22	2.6	4.3	0.19	5	4.0	1.6		
STD DS7	Standard	0.080	14	220	1.08	426	0.119	40	1.09	0.099	0.51	4.1	0.23	2.5	4.3	0.20	5	3.6	1.1		
STD OXH66	Standard																				1.227
STD OXH66	Standard																				1.245
STD OXH66	Standard																				1.262
STD OXK69	Standard																				3.439
STD OXK69	Standard																				3.472
STD OXK69	Standard																				3.479
STD R4A	Standard																				0.502
STD R4A	Standard																				0.509

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**

211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Project: Miner Mountain

Report Date: May 17, 2010

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

VAN10001625.2

		WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
STD R4A Expected																					
STD OXH66 Expected																					
STD OXK69 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	1.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	<0.01	0.2	3.4	3.6	50	<0.1	3.6	4.0	587	1.99	<0.5	2.5	<0.5	8.0	65	<0.1	<0.1	<0.1	39	0.57
G1	Prep Blank	<0.01	0.2	5.4	4.7	51	<0.1	3.0	4.1	607	1.98	<0.5	2.1	<0.5	7.4	61	<0.1	<0.1	<0.1	38	0.55



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 17, 2010

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

VAN10001625.2

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	G6	7AR
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	Cu
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/mt	%
		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	0.001
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08		
STD R4A Expected																					0.502
STD OXH66 Expected																					1.285
STD OXK69 Expected																					3.583
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																				<0.001
BLK	Blank																				<0.005
BLK	Blank																				<0.005
BLK	Blank																				<0.005
BLK	Blank																				<0.005
BLK	Blank																				<0.005
BLK	Blank																				<0.005
Prep Wash																					
G1	Prep Blank	0.077	17	12	0.55	179	0.140	1	1.02	0.090	0.57	0.2	<0.01	2.2	0.4	<0.05	5	<0.5	<0.2	N.A.	N.A.
G1	Prep Blank	0.081	15	12	0.56	170	0.138	<1	0.94	0.071	0.52	0.3	<0.01	2.1	0.3	<0.05	5	<0.5	<0.2	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5 Canada

Submitted By: J. Paul Stevenson
Receiving Lab: Canada-Vancouver
Received: April 27, 2010
Report Date: May 06, 2010
Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN10001694.1

CLIENT JOB INFORMATION

Project: Miner Mountain
Shipment ID:
P.O. Number
Number of Samples: 44

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	40	Crush split and pulverize 250g drill core to 200 mesh			VAN
1DX2	44	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: **Sego Resources Inc.**
211 - 744 W. Hastings St.
Vancouver BC V6C 1A5
Canada

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 06, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10001694.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
944543	Drill Core	8.66	1.8	634.3	3.9	157	0.3	7.5	22.4	2340	4.61	4.6	1.2	21.2	1.6	202	0.1	0.2	<0.1	168	5.56
944544	Drill Core	8.13	3.9	483.0	33.7	238	0.5	10.4	33.4	2261	6.07	9.6	1.9	109.1	1.4	159	0.4	0.2	<0.1	222	3.57
944545	Drill Core	10.53	8.6	717.0	41.8	255	0.5	11.3	28.6	1843	5.31	10.5	0.6	149.5	1.5	176	1.1	0.1	<0.1	201	3.22
944546	Drill Core	11.64	8.2	653.6	59.0	236	0.3	6.9	22.8	1693	4.20	12.7	0.6	65.2	2.0	232	2.0	0.2	<0.1	180	2.93
944547	Drill Core	11.23	0.8	195.6	4.5	148	0.2	6.8	23.2	1854	5.08	5.9	0.4	73.0	1.8	549	0.1	0.2	<0.1	193	4.69
944548	Drill Core	10.84	1.1	381.4	11.1	93	0.3	3.9	20.3	1254	3.85	18.5	0.9	30.5	2.2	550	0.2	0.6	<0.1	124	3.98
944549	Drill Core	11.80	1.6	241.0	6.0	100	0.2	2.9	17.0	1305	3.07	8.7	0.9	20.0	2.1	1818	0.1	0.2	<0.1	101	4.31
944550	Drill Core	11.05	1.2	374.1	4.1	151	0.2	16.3	25.8	2292	5.54	5.0	0.7	25.0	1.4	1974	0.2	0.2	<0.1	210	6.34
944551	Drill Core	11.22	0.9	369.9	3.8	134	0.2	21.0	32.7	2332	5.79	6.7	0.7	28.8	1.3	716	0.1	0.8	<0.1	221	7.45
944552	Drill Core	11.49	1.1	828.5	4.0	92	0.4	11.3	28.2	1631	4.65	4.7	0.9	40.7	2.0	3377	0.1	0.5	<0.1	229	5.73
944553	Drill Core	11.82	0.5	365.4	3.0	98	0.2	28.3	28.9	1635	6.32	6.4	0.7	23.3	1.3	1123	0.2	0.4	<0.1	204	6.28
944554	Rock Pulp	0.05	14.6	39.6	7.7	55	0.2	17.6	78.7	615	2.84	2905	1.9	242.3	5.7	59	0.2	5.6	7.9	34	3.15
944555	Rock Pulp	0.02	489.2	4476	89.7	50	41.5	5.8	1.5	240	0.75	37.4	0.6	16.8	0.7	172	0.8	76.8	4.0	8	1.28
944556	Drill Core	11.27	1.4	175.3	8.7	80	0.3	29.1	23.6	1233	4.97	22.6	0.4	12.0	1.2	1619	0.2	0.5	0.3	87	4.41
944557	Drill Core	10.28	1.6	135.7	23.5	40	1.6	9.4	26.5	656	5.16	11.5	0.7	27.6	1.5	590	0.1	0.5	0.8	49	2.15
944558	Drill Core	11.35	0.8	125.9	5.0	80	0.2	9.5	45.0	1228	6.33	7.1	0.3	4.3	1.7	334	<0.1	0.3	0.2	101	2.03
944559	Drill Core	10.38	1.0	204.0	2.1	87	<0.1	6.1	26.6	1729	6.25	5.3	0.3	1.5	2.4	96	<0.1	0.1	<0.1	215	1.49
944560	Drill Core	11.46	0.9	300.5	5.8	75	0.3	8.6	32.1	1576	6.45	8.1	0.4	6.4	1.3	147	0.1	0.2	0.3	197	2.35
944561	Drill Core	12.02	1.0	264.1	9.8	61	0.4	5.9	34.7	1074	5.83	7.8	0.3	12.3	1.2	84	0.1	0.3	0.4	101	1.74
944562	Drill Core	11.11	2.3	238.9	13.8	72	0.6	6.1	32.5	1114	6.03	10.6	0.5	17.4	1.4	83	0.1	0.5	0.9	119	1.60
944563	Drill Core	11.64	0.6	315.5	4.1	121	0.2	4.0	24.7	1725	5.26	6.4	0.3	8.0	1.4	162	0.1	0.3	<0.1	150	3.38
944564	Drill Core	11.45	0.7	504.2	4.0	98	0.3	3.7	24.5	1682	5.19	5.6	0.5	11.7	1.3	177	0.2	0.2	0.1	155	3.76
944565	Drill Core	11.34	0.5	282.8	4.2	124	0.3	3.5	24.3	1881	5.08	5.5	0.4	13.5	1.6	262	0.1	0.4	<0.1	187	4.06
944566	Drill Core	10.76	0.2	527.1	3.1	135	0.3	4.8	23.4	1959	5.15	6.0	0.6	16.9	1.8	479	0.1	0.3	<0.1	188	4.21
944567	Drill Core	11.35	<0.1	521.6	1.4	151	0.1	3.5	20.5	1977	4.89	2.7	0.6	15.5	1.8	341	0.2	0.3	<0.1	160	3.51
944568	Drill Core	11.44	0.1	606.0	1.2	157	0.2	2.4	20.9	1898	4.84	2.8	0.5	6.2	1.7	324	<0.1	0.2	<0.1	163	3.67
944569	Drill Core	12.84	0.1	710.0	1.4	167	0.4	3.2	23.3	2036	5.22	3.6	0.5	9.8	1.7	260	<0.1	0.2	<0.1	170	2.51
944570	Drill Core	8.71	0.3	315.8	3.1	130	0.2	3.2	23.2	1848	5.04	3.9	0.5	7.6	1.5	274	<0.1	0.3	<0.1	174	3.12
944571	Drill Core	12.57	0.3	173.1	3.8	86	0.2	2.6	21.0	1484	4.65	5.3	0.5	5.5	1.9	347	<0.1	0.3	0.1	175	3.31
944572	Drill Core	9.57	1.1	302.0	5.4	123	0.4	3.2	21.3	1699	4.78	5.6	0.5	7.8	2.0	515	0.1	0.3	0.1	192	3.33

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 06, 2010

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10001694.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
944543	Drill Core	0.190	17	10	2.54	272	0.004	3	2.40	0.031	0.11	<0.1	<0.01	7.5	<0.1	0.40	9	0.6	<0.2
944544	Drill Core	0.163	13	21	3.36	140	0.007	2	2.62	0.048	0.04	0.3	0.01	10.3	<0.1	0.31	12	1.4	<0.2
944545	Drill Core	0.167	15	18	2.96	50	0.003	2	2.17	0.051	0.02	<0.1	0.01	8.9	<0.1	0.39	10	1.8	<0.2
944546	Drill Core	0.183	15	8	2.32	34	0.003	1	2.03	0.054	0.02	<0.1	<0.01	6.2	<0.1	0.36	10	2.3	<0.2
944547	Drill Core	0.180	14	7	2.13	38	0.004	2	1.80	0.050	0.03	<0.1	0.03	8.9	<0.1	0.42	8	0.6	<0.2
944548	Drill Core	0.159	16	2	1.98	113	0.004	3	1.20	0.063	0.10	<0.1	0.03	4.5	<0.1	1.23	6	2.9	<0.2
944549	Drill Core	0.154	14	1	1.95	212	0.002	2	1.00	0.047	0.08	<0.1	0.02	3.8	<0.1	0.76	5	1.4	<0.2
944550	Drill Core	0.149	13	29	2.84	360	0.004	2	1.95	0.059	0.03	<0.1	<0.01	16.2	<0.1	0.30	8	0.8	<0.2
944551	Drill Core	0.134	12	34	3.01	112	0.019	3	1.96	0.080	0.04	<0.1	<0.01	19.6	<0.1	0.06	8	0.6	<0.2
944552	Drill Core	0.175	15	16	2.73	310	0.009	3	2.19	0.105	0.04	<0.1	<0.01	14.2	<0.1	0.19	9	1.3	<0.2
944553	Drill Core	0.140	13	50	3.18	139	0.005	3	2.11	0.099	0.07	<0.1	<0.01	19.1	<0.1	0.09	8	0.7	<0.2
944554	Rock Pulp	0.097	42	28	0.29	51	0.055	25	0.82	0.079	0.10	0.4	<0.01	1.9	<0.1	0.64	3	5.8	1.8
944555	Rock Pulp	0.019	4	216	0.11	143	0.005	<1	0.31	0.021	0.16	0.1	0.28	0.3	<0.1	0.70	1	1.1	0.5
944556	Drill Core	0.149	15	51	2.44	153	0.001	6	1.57	0.118	0.28	<0.1	0.14	7.3	0.2	1.01	5	3.0	0.5
944557	Drill Core	0.163	14	2	1.25	24	0.001	3	0.98	0.055	0.27	<0.1	0.61	2.0	0.2	4.11	3	14.6	2.9
944558	Drill Core	0.179	14	7	2.17	141	0.002	3	1.88	0.055	0.26	<0.1	0.08	3.0	<0.1	0.88	5	1.8	0.4
944559	Drill Core	0.248	16	2	2.76	286	0.003	2	2.81	0.032	0.09	<0.1	0.02	4.4	<0.1	0.25	11	<0.5	<0.2
944560	Drill Core	0.177	11	8	2.78	89	0.002	3	2.54	0.056	0.17	<0.1	0.09	6.2	<0.1	1.40	9	3.3	0.8
944561	Drill Core	0.190	7	2	1.88	25	0.002	2	1.92	0.030	0.21	<0.1	0.50	2.7	0.1	2.73	7	12.2	2.2
944562	Drill Core	0.210	8	3	2.07	23	0.002	3	1.99	0.038	0.26	<0.1	0.32	3.0	0.1	2.83	7	8.5	1.3
944563	Drill Core	0.198	14	1	2.68	180	0.002	2	2.11	0.044	0.13	<0.1	0.05	3.9	<0.1	0.86	8	1.4	<0.2
944564	Drill Core	0.201	13	4	2.59	124	0.003	3	2.32	0.051	0.20	<0.1	0.17	3.8	<0.1	0.99	9	2.2	0.6
944565	Drill Core	0.199	14	1	2.75	107	0.004	2	2.25	0.051	0.06	<0.1	0.07	6.9	<0.1	1.25	10	1.0	0.4
944566	Drill Core	0.171	13	2	2.77	109	0.007	2	2.38	0.060	0.06	<0.1	0.02	9.0	<0.1	0.27	10	0.5	<0.2
944567	Drill Core	0.206	14	2	2.75	177	0.006	2	2.46	0.042	0.10	<0.1	0.03	7.5	<0.1	0.05	10	<0.5	<0.2
944568	Drill Core	0.195	14	1	2.19	407	0.007	2	2.15	0.047	0.13	<0.1	<0.01	5.8	<0.1	0.09	9	<0.5	<0.2
944569	Drill Core	0.203	13	1	2.92	225	0.008	1	2.71	0.037	0.05	<0.1	0.02	7.4	<0.1	0.19	11	0.6	<0.2
944570	Drill Core	0.182	11	2	2.50	274	0.014	2	2.63	0.057	0.10	<0.1	0.02	7.2	<0.1	0.37	10	0.9	<0.2
944571	Drill Core	0.196	12	<1	2.06	127	0.007	2	2.44	0.050	0.09	<0.1	0.01	7.2	<0.1	0.16	10	1.5	0.4
944572	Drill Core	0.228	16	1	2.24	201	0.005	2	2.30	0.058	0.09	<0.1	0.03	6.7	<0.1	0.41	10	2.1	0.5



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 06, 2010

Page: 3 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN10001694.1

	Method Analyte Unit MDL	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
944573	Drill Core	11.89	1.0	245.7	3.5	131	0.2	2.7	20.8	1832	4.73	5.3	0.5	1.9	1.6	532	0.1	0.5	<0.1	186	3.76	
944574	Rock Pulp	0.05	14.1	38.5	7.5	54	0.2	16.9	76.6	587	2.82	2879	1.9	218.1	5.3	57	0.2	5.4	7.8	34	3.16	
944575	Rock Pulp	0.02	448.7	4528	83.7	47	41.9	5.7	1.5	245	0.76	37.8	0.6	15.4	0.7	166	0.8	74.3	3.8	8	1.29	
944576	Drill Core	11.57	1.1	346.9	3.6	129	0.2	2.6	20.6	1923	4.69	5.2	0.7	2.8	1.5	405	0.1	0.8	<0.1	181	4.23	
944577	Drill Core	12.05	0.7	347.2	3.7	121	0.2	5.0	22.7	2023	5.38	6.0	0.6	5.6	1.5	331	0.2	0.6	<0.1	165	5.16	
944578	Drill Core	11.00	1.1	261.6	13.1	165	0.4	5.5	24.7	1740	5.06	6.7	0.4	15.6	1.6	221	1.7	0.4	<0.1	167	3.36	
944579	Drill Core	13.20	2.8	195.8	22.1	138	0.5	7.4	26.4	1657	5.80	6.9	0.3	22.5	1.6	128	0.2	0.6	<0.1	187	2.87	
944580	Drill Core	11.82	2.7	222.7	25.6	106	0.7	8.0	33.6	1012	6.19	10.5	0.3	24.2	1.6	107	0.2	0.8	0.5	169	1.82	
944581	Drill Core	11.10	1.8	162.4	14.7	85	0.6	10.0	32.1	1342	5.76	9.4	0.3	14.7	1.5	131	0.1	0.4	0.5	148	2.70	
944582	Drill Core	12.34	1.7	327.1	12.6	92	0.7	5.2	24.7	1111	4.31	11.3	0.7	31.1	2.5	133	0.1	0.5	0.3	112	2.61	
944583	Drill Core	11.24	1.6	476.8	11.3	147	0.6	4.3	19.3	1856	4.77	11.0	0.5	26.7	2.4	186	<0.1	0.2	<0.1	143	2.68	
944584	Drill Core	11.86	3.7	150.1	5.1	81	0.3	3.2	15.3	1014	3.18	8.9	1.0	14.8	2.4	106	<0.1	0.2	<0.1	90	2.39	
944585	Drill Core	11.15	0.3	134.0	6.5	151	0.2	5.1	20.1	1950	4.69	6.4	0.7	9.2	2.5	84	<0.1	0.3	<0.1	183	2.39	
944586	Drill Core	12.68	0.5	79.9	4.3	84	0.2	6.6	19.2	1593	4.48	9.1	0.5	14.0	2.0	143	<0.1	0.4	0.1	167	3.01	



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 06, 2010

Page: 3 of 3 Part 2

CERTIFICATE OF ANALYSIS

VAN10001694.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
944573	Drill Core	0.198	14	<1	2.15	149	0.005	2	2.32	0.049	0.06	<0.1	<0.01	7.3	<0.1	0.13	10	0.7	<0.2
944574	Rock Pulp	0.097	41	28	0.28	53	0.054	27	0.81	0.078	0.10	0.4	<0.01	1.9	<0.1	0.64	3	6.7	1.5
944575	Rock Pulp	0.020	4	218	0.10	146	0.005	<1	0.29	0.021	0.16	0.1	0.26	0.4	<0.1	0.70	1	1.0	0.5
944576	Drill Core	0.180	15	<1	2.21	107	0.004	4	2.13	0.054	0.11	<0.1	<0.01	5.0	<0.1	0.11	9	0.6	<0.2
944577	Drill Core	0.164	15	4	2.35	116	0.004	3	2.15	0.061	0.14	<0.1	<0.01	6.1	<0.1	0.12	8	<0.5	<0.2
944578	Drill Core	0.177	14	4	2.08	28	0.005	2	1.81	0.038	0.14	<0.1	0.02	5.1	<0.1	2.87	9	2.7	<0.2
944579	Drill Core	0.170	15	7	2.46	20	0.006	3	2.02	0.047	0.11	<0.1	0.03	7.6	<0.1	3.99	9	2.9	<0.2
944580	Drill Core	0.178	14	2	1.64	15	0.005	3	1.23	0.052	0.14	<0.1	0.03	7.2	<0.1	4.84	6	9.5	<0.2
944581	Drill Core	0.168	13	11	1.65	29	0.003	4	0.79	0.063	0.14	<0.1	0.03	10.1	<0.1	3.06	3	7.2	<0.2
944582	Drill Core	0.182	17	4	1.32	39	0.004	3	0.97	0.041	0.20	<0.1	0.03	4.9	<0.1	2.05	5	5.6	0.4
944583	Drill Core	0.161	17	3	1.68	90	0.004	3	1.41	0.044	0.13	<0.1	0.02	4.0	<0.1	0.83	7	0.9	<0.2
944584	Drill Core	0.141	18	3	1.18	204	0.004	2	1.03	0.057	0.16	<0.1	<0.01	3.0	<0.1	0.66	6	1.0	0.3
944585	Drill Core	0.180	17	4	2.52	182	0.006	2	2.47	0.034	0.09	<0.1	<0.01	5.2	<0.1	0.59	12	1.0	<0.2
944586	Drill Core	0.159	15	11	2.36	122	0.006	2	2.16	0.055	0.11	<0.1	0.02	7.1	<0.1	0.50	10	1.2	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 06, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN10001694.1

Method	WGHT	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	
Pulp Duplicates																					
944566	Drill Core	10.76	0.2	527.1	3.1	135	0.3	4.8	23.4	1959	5.15	6.0	0.6	16.9	1.8	479	0.1	0.3	<0.1	188	4.21
REP 944566	QC		0.2	541.6	3.1	140	0.3	4.9	23.9	2043	5.29	6.2	0.7	21.7	1.9	522	0.2	0.3	<0.1	195	4.32
944586	Drill Core	12.68	0.5	79.9	4.3	84	0.2	6.6	19.2	1593	4.48	9.1	0.5	14.0	2.0	143	<0.1	0.4	0.1	167	3.01
REP 944586	QC		0.6	82.3	4.4	90	0.2	6.7	19.9	1647	4.64	9.5	0.5	11.5	2.1	149	0.1	0.4	<0.1	175	3.13
Core Reject Duplicates																					
944558	Drill Core	11.35	0.8	125.9	5.0	80	0.2	9.5	45.0	1228	6.33	7.1	0.3	4.3	1.7	334	<0.1	0.3	0.2	101	2.03
DUP 944558	QC		0.8	129.5	4.9	82	0.2	10.3	45.1	1235	6.27	7.9	0.3	3.8	1.7	355	<0.1	0.3	0.2	99	2.04
Reference Materials																					
STD DS7	Standard		20.4	105.9	65.5	378	0.9	54.5	9.0	596	2.32	49.4	4.6	72.4	4.4	68	6.3	5.5	4.3	78	0.94
STD DS7	Standard		20.6	107.8	65.8	390	0.9	55.5	9.4	602	2.35	50.4	4.7	65.3	4.4	69	6.5	5.7	4.5	80	0.95
STD DS7	Standard		20.6	107.4	66.7	393	1.1	55.0	9.2	618	2.41	49.9	4.8	141.2	4.7	72	6.2	5.4	4.6	83	0.99
STD DS7	Standard		21.1	109.2	70.5	411	1.1	57.1	9.9	625	2.47	54.3	5.1	67.5	4.8	74	7.0	5.7	4.8	85	1.00
STD DS7	Standard		19.5	106.4	67.9	377	1.0	54.4	9.6	588	2.34	50.0	4.8	62.3	4.9	72	6.4	5.9	4.8	81	0.95
STD DS7	Standard		19.5	102.5	64.7	389	1.0	53.1	9.2	617	2.38	47.9	4.7	62.5	4.5	68	6.5	5.2	4.6	81	0.95
STD DS7 Expected			20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.1	2.2	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.2	17.5	3.7	42	<0.1	4.1	4.4	533	2.04	<0.5	1.8	2.0	6.2	50	<0.1	<0.1	0.2	37	0.51
G1	Prep Blank	<0.01	0.2	28.7	3.8	45	<0.1	3.7	4.6	579	2.12	<0.5	1.8	0.7	7.1	53	<0.1	<0.1	0.2	36	0.52



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Sego Resources Inc.**
 211 - 744 W. Hastings St.
 Vancouver BC V6C 1A5 Canada

Project: Miner Mountain
 Report Date: May 06, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN10001694.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																				
944566	Drill Core	0.171	13	2	2.77	109	0.007	2	2.38	0.060	0.06	<0.1	0.02	9.0	<0.1	0.27	10	0.5	<0.2	
REP 944566	QC	0.184	14	2	2.85	109	0.007	2	2.53	0.062	0.06	<0.1	0.03	9.3	<0.1	0.28	10	0.6	<0.2	
944586	Drill Core	0.159	15	11	2.36	122	0.006	2	2.16	0.055	0.11	<0.1	0.02	7.1	<0.1	0.50	10	1.2	<0.2	
REP 944586	QC	0.169	15	11	2.46	119	0.005	2	2.21	0.058	0.11	<0.1	0.02	7.1	<0.1	0.52	10	1.0	<0.2	
Core Reject Duplicates																				
944558	Drill Core	0.179	14	7	2.17	141	0.002	3	1.88	0.055	0.26	<0.1	0.08	3.0	<0.1	0.88	5	1.8	0.4	
DUP 944558	QC	0.177	15	7	2.14	159	0.002	2	1.87	0.056	0.28	<0.1	0.09	3.1	<0.1	0.86	6	1.6	<0.2	
Reference Materials																				
STD DS7	Standard	0.082	12	191	1.02	387	0.119	37	1.01	0.090	0.45	3.5	0.20	2.3	4.0	0.19	5	3.7	1.3	
STD DS7	Standard	0.078	12	191	1.02	386	0.119	38	1.00	0.090	0.45	3.5	0.20	2.3	4.2	0.19	5	3.5	1.0	
STD DS7	Standard	0.084	13	201	1.05	392	0.127	39	1.04	0.092	0.50	3.7	0.23	2.4	3.9	0.20	4	3.3	1.0	
STD DS7	Standard	0.087	14	203	1.10	405	0.130	44	1.05	0.094	0.50	4.0	0.22	2.6	4.1	0.20	5	3.5	1.2	
STD DS7	Standard	0.077	13	204	1.01	402	0.122	44	1.03	0.091	0.45	3.5	0.21	2.4	4.3	0.19	4	3.2	1.3	
STD DS7	Standard	0.080	13	204	1.04	396	0.124	40	1.02	0.089	0.45	3.3	0.21	2.3	3.8	0.19	4	3.1	1.6	
STD DS7 Expected		0.08	12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																				
G1	Prep Blank	0.088	12	14	0.54	166	0.111	1	0.91	0.076	0.47	0.2	<0.01	1.8	0.3	<0.05	4	<0.5	<0.2	
G1	Prep Blank	0.088	14	12	0.52	158	0.110	1	0.94	0.083	0.46	1.1	<0.01	1.9	0.3	<0.05	5	<0.5	<0.2	