



Ministry of Energy & Mines Energy & Minerals Division Geological Survey Branch

ASSESSMENT REPORT TITLE PAGE AND SUMMARY

| TITLE OF REPORT [type of survey(s)] Assessment Report describing Diamond Drilling 1,150,296,42 |
|---|
| AUTHOR(S) David Veager P.Geo. SIGNATURE(S) DAYN |
| Mrnds Burgert P. Geo. |
| NOTICE OF WORK PERMIT NUMBER(S)/DATE(S) $\# 10 - 0101255 - 6831$ YEAR OF WORK 2010 |
| STATEMENT OF WORK - CASH PAYMENT EVENT NUMBER(S)/DATE(S) 4816994 - December 9, 2010 |
| 4817021 - December 9, 2010 |
| PROPERTY NAME Iskut Property |
| CLAIM NAME(S) (on which work was done) <u>5NIPI - Tenure No. 523348</u> |
| COMMODITIES SOLIGHT ALL AS ZN Cy Ph |
| |
| MINING DIVISION / Java NTC 104 R 11 |
| LATITUDE $56 \circ 39$, $03 = 10$ NGTUDE $131 \circ 03$, $40 = (at contra d und)$ |
| |
| 1)Skyline Gold Corporation |
| |
| 611-675 West Hastings St. |
| Vancouver, B.C. V6BINZ |
| OPERATOR(S) [who paid for the work] |
| 1) <u>5ame</u> 2) |
| MAILING ADDRESS |
| 5ame |
| PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude): Stuhini Group, Triassic, Volcano sedimentary rocks, mineralized shears, potassic, biotsto potassium feldspar, sericite |
| REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS 31387 |

| TYPE OF WORK IN THIS REPORT | EXTENT OF WORK (IN METRIC UNITS) | ON WHICH CLAIMS | PROJECT COSTS APPORTIONED |
|---|-------------------------------------|-----------------|------------------------------|
| GEOLOGICAL (scale, area) | | | |
| Ground, mapping | | | |
| Photo interpretation | | | |
| GEOPHYSICAL (line-kilometres) | | | |
| Ground | | | |
| Magnetic | | | |
| Electromagnetic | | | |
| Induced Polarization | | | |
| Radiometric | | | |
| Seismic | | | |
| Other | | | |
| Airborne | | | |
| GEOCHEMICAL (number of samples analysed for) | | | |
| Soil | | | |
| Silt | | | |
| Rock | | | |
| Other | | | |
| total metres; number of holes, size) Core <u>18 N & Hole</u> Non-core | 5 3,570 m. | 5NIPI (523348) | |
| RELATED TECHNICAL | | | |
| Sampling/assaying | | | |
| Petrographic | | | |
| Mineralographic | | | |
| Metallurgic | | | |
| ROSPECTING (scale, area) | | | |
| REPARATORY/PHYSICAL | | | |
| Line/grid (kilometres) | | | |
| Topographic/Photogrammetric (scale, area) | | | |
| Legal surveys (scale, area) | | | |
| Road, local access (kilometres)/trail | | 1 | |
| Trench (metres) | 131 m. | 5NIPI (523348) | |
| | | 1 | |
| Underground dev. (metres) | | | |

ASSESSMENT REPORT

describing

BC Geological Survey Assessment Report 32217

DIAMOND DRILLING ON THE SNIP 1 TENURE, ISKUT PROPERTY

Located in the Iskut River Area Liard Mining Division British Columbia NTS 104B/11; BCGS 104B.065 56° 39' 03" N Latitude; 131° 03' 40" W Longitude

-prepared for-

SKYLINE GOLD CORPORATION

Suite 611 675 West Hastings Street Vancouver, B.C. V6C 1N2

-by-

Arnd Burgert, P.Geo. Arnd Burgert Consulting, Ltd.

David Yeager, P.Geo.

April 30, 2011

TABLE OF CONTENTS

| | | Page |
|----|---|--------|
| 1 | SUMMARY | 1 |
| 2 | INTRODUCTION | 1 |
| 3 | RELIANCE ON OTHER EXPERTS | 2 |
| 4 | PROPERTY DESCRIPTION AND LOCATION | 2 |
| 5 | ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, | |
| | PHYSIOGRAPHY | 3 |
| 6 | HISTORY | 4 |
| 7 | REGIONAL GEOLOGY AND MINERALIZATION | 6 |
| 8 | PROPERTY GEOLOGY AND MINERALIZATION | 7 |
| | 8.1 Property Geology | 7 |
| 9 | DEPOSIT TYPE | 8 |
| | 9.1 Polymetallic Veins +/- Au | 8 |
| | 9.2 Subvolcanic Cu-Au-Ag | 8 |
| 10 | MINERALIZATION | 9 |
| 11 | EXPLORATION | 10 |
| 12 | DRILLING | 10 |
| 13 | SAMPLING METHOD AND APPROACH | 12 |
| 14 | SAMPLE PREPARATION, ANALYSES, AND SECURITY | 13 |
| | 14.1 Sample Preparation | 13 |
| | 14.2 Sample Analyses | 13 |
| | 14.3 Security | 13 |
| 15 | DATA VERIFICATION | 14 |
| | 15.1 Quality Control and Quality Assurance Program for 2010 Drill Program | 14 |
| | 15.2 QA/QC Protocols | 14 |
| | 15.2.1 Field Blank Protocol | 14 |
| | 15.2.2 Field Duplicate Protocol | 15 |
| | 15.2.3 Field Standard Protocol | 15 |
| | 15.2.4 Check Analyses Protocol | 16 |
| | 15.3 QA/QC RESULTS | 16 |
| | 15.3.1 Field Blank Results | 16 |
| | 15.3.2 Field Duplicate Results | 17 |
| | 15.3.3 Field Standard Results | 17 |
| 16 | INTERPRETATION AND CONCLUSIONS | 18 |
| 17 | RECOMMENDATIONS | 18 |
| 18 | REFERENCES | 19 |
| 19 | SIGNATURE PAGE | 21 |
| | | ·· _ · |

TABLES:

| TABLE 1 – TENURE DATA | 3 |
|--|------|
| TABLE 2 – SIGNIFICANT DRILL INTERCEPTS | . 11 |
| TABLE 3 – CERTIFIED METALS CONCENTRATIONS IN STANDARDS | . 15 |

Figures:All figures follow p. 21FIGURE 1 - PROPERTY LOCATIONFIGURE 2 - TENURE LOCATIONFIGURE 3 - REGIONAL GEOLOGYFIGURE 4 - PROPERTY GEOLOGYFIGURE 5 - CHANNEL SAMPLING RESULTSFIGURE 6 - DRILL HOLE LOCATIONSFIGURES 7 THROUGH 17 - DRILL SECTIONSFIGURES 18 THROUGH 23 - METALS CORRELATION PLOTSFIGURES 24 THROUGH 28 - FIELD BLANK RESULTSFIGURES 28 THROUGH 33 - FIELD DUPLICATE RESULTSFIGURES 34 THROUGH 37 - FIELD STANDARD Z-SCORES

Appendices:

APPENDIX 1 – STATEMENT OF COSTS APPENDIX 2 – DRILL LOGS AND DRILL CORE ANALYTICAL CERTIFICATES APPENDIX 2 – TRENCHING ANALYTICAL CERTIFICATES

1.0 SUMMARY

During 2010, eighteen diamond drill holes totalling 3,570 metres were cored in the Snip 1 mineral tenure located in the northern Coast Mountains of British Columbia by Skyline Gold Corporation, which holds a 100% interest in the tenure. Work was carried out in two phases; May 28 to June 27, 2010 and October 7 to November 3, 2010. The cost of the program was \$1,150,296.42. This report was written to support two Mineral Claim Exploration and Development Work/Expiry Date Changes registered on December 9, 2010. The Expiry Date Changes were registered as event numbers 4816953 (\$181,991.79) and 4817021 (\$34,537.91). Work was performed under the authority of Permit MX-1-46, by way of two separate work permit approvals: Approval # 10-0101255-0430 for the May 28 to June 27, 2010 work and Approval # 10-0101255-0831 for the October 7 to November 3, 2010 work.

The program's objective was to test the CE Zone mineralization that had been confirmed by drilling in 2009.

Geology in the southern part of the property consists of rocks of the Jurassic Hazelton Group. The Hazelton rocks consist of flat-lying felsic to intermediate volcanic flows, pyroclastics and tuffaceous sedimentary rocks (Garrett, 1995). The Stonehouse gold deposit is located in crosscutting structures near the base of this section. The Hazelton section unconformably overlies deformed volcanic and volcanosedimentary rocks of the Upper Triassic Stuhini Group, within which the SNIP 1 tenure is located.

These layered rocks are intruded by monzonitic and related rocks of the Early Jurassic Texas Creek Plutonic suite, associated with the nearby Lehto Batholith. These intrusions include the Red Bluff Porphyry which lies immediately northwest of the SNIP 1 tenure and is a potassium feldspar, mega-crystic, plagioclase-quartz diorite to tonalite intrusion (Rhys, 1995). This highly altered intrusion is assumed to be the metallogene for the Twin Zone mineralization at the nearby Snip Gold Mine.

Mineralization of the CE Zone typically includes 3-5% disseminated pyrite, with trace to 0.3% chalcopyrite commonly associated with the pyrite. Biotite commonly occurs as envelopes to coarser pyrite blebs. Zones containing about 0.5% fine to coarse-grained sphalerite and trace to 0.3% galena appear to be later and occur interstitially with pyrite and within late milky, locally vuggy quartz veins. Irregular stringers of sphalerite and pyrite are also common, and occasional bands of sphalerite up to 0.3 m thick have been intersected. Bands of semi-massive to massive pyrite with interstitial silica are common and range from a few millimetres to greater than a metre wide. The pyrite sections commonly contain abundant, locally massive, sphalerite, chalcopyrite and galena. Visible gold and electrum were noted in drill core at several locations.

Hand trenching and additional drilling to better define the orientation and magnitude of the mineralization is ongoing.

2.0 INTRODUCTION

Arnd Burgert Consulting, Ltd. was retained by Skyline Gold Corporation to manage its 2010 exploration program on its Bronson Creek property. Mr. Arnd Burgert, P.Geo. personally supervised the field work, which was carried out in two phases during the periods May 28 to

June 27 and October 7 to November 3, 2010. Mr. David Yeager, P.Geo. was Skyline's Senior Consulting Geologist providing technical guidance.

All work described in this report was carried out over the Snip 1 mineral tenure. The Snip 1 mineral tenure, tenure number 523348, straddles Bronson Creek, a tributary to the Iskut River in northwestern British Columbia (Figure 1). The property lies within a belt of deformed mafic metavolcanic and meta-sedimentary rocks of the Triassic Stuhini Group and Lower to Middle Jurassic Hazelton Group. These rocks have been intruded by the Early Jurassic Red Bluff Porphyry, which is a potassium feldspar mega-crystic intrusion that hosts a significant Au-Cu resource, the Bronson Slope deposit.

Mineralization of the Bronson Slope deposit consists of two styles. The bulk of the mineralization is the Red Bluff copper-gold porphyry style resource. The resource has been the subject of a Preliminary Assessment Update by Moose Mountain Technical Services (November 5, 2010). The Moose Mountain assessment provides an economic analysis of the deposit and includes a mine plan and project cost estimate showing positive economics. The projected lifeof-mine mill feed is 191.8 million tonnes grading 0.116% copper, 0.343 g/t gold (2.1 million ounces), 2.13 g/t silver and 5.3% magnetite. The strip ratio is 0.77. The Preliminary Estimate is NI 43-101 compliant.

The second style of mineralization was the focus of the 2010 exploration work – an occurrence of vein-hosted sulphide mineralization situated on the SNIP 1 tenure approximately 400m southeast of the porphyry deposit. Mineralization consists of disseminated to massive sphalerite, chalcopyrite, galena, and pyrite with precious metals grades including 20.2 g/t gold over 1.33 metres. Wider zones of mineralization have also been intersected including a 27.0m intercept in SK09-02 grading 4.36g/t gold, 75.9g/t silver, 0.13% copper and 1.15% zinc.

Trenching was performed to determine the nature and extent of the mineralization. The significant gold grade trench assays and drill hole composites appear to indicate zones within which precious and base metal minerals have been deposited in openings in the rock caused by structural features such as fractures, shear zones and faults. These high sulphidation, gold mineralized features form a mineralized stockwork presently explored for 170m of strike length by up to 80m of width that is open in both strike directions and on trend with the historically mined Snip Gold Mine. Drilling and trenching indicate the existence of this style of mineralization from surface to a depth of at least 200m below surface.

Additional trenching and drilling to delineate the mineralization at the CE Zone is ongoing.

3.0 RELIANCE ON OTHER EXPERTS

Historical Information in this report was derived from Company files, government publications and published reports. Reasonable care and diligence has been taken by the authors to verify all historical information. The authors have seen no reason to doubt the validity and accuracy of this source data and historical information, most of which was generated by qualified, professional persons at the times the work was done.

4.0 PROPERTY DESCRIPTION AND LOCATION

The Bronson Slope property is situated within the Liard Mining Division, on the south side of the lower Iskut River valley in northwestern BC. The SNIP 1 tenure (Tenure 523348) is located four kilometres southeast of the Bronson Airstrip along Bronson Creek, and is centred at 56° 39' 03" North Latitude and 131° 03' 40" West Longitude (Figure 1). Tenure data are summarized in Table 1.

| Tenure | New Expiry | Tenure | New Expiry | Tenure | New Expiry | | | | | | | |
|-----------|-------------|--------|-------------|--------|-------------|--|--|--|--|--|--|--|
| Number | Dale | Number | Dale | Number | Dale | | | | | | | |
| 517750 | 2015/dec/31 | 598292 | 2014/dec/31 | 705133 | 2014/dec/31 | | | | | | | |
| 517756 | 2015/dec/31 | 598293 | 2014/dec/31 | 705588 | 2014/dec/31 | | | | | | | |
| 523329 | 2015/dec/31 | 598294 | 2014/dec/31 | 831390 | 2014/dec/31 | | | | | | | |
| 523348 ** | 2020/mar/01 | 598300 | 2014/dec/31 | 831393 | 2014/dec/31 | | | | | | | |
| 528422 | 2014/dec/31 | 600290 | 2014/dec/31 | 831397 | 2014/dec/31 | | | | | | | |
| 566844 | 2014/dec/31 | 663823 | 2014/dec/31 | 833742 | 2014/dec/31 | | | | | | | |
| 566845 | 2014/dec/31 | 663824 | 2014/dec/31 | 833743 | 2014/dec/31 | | | | | | | |
| 570110 | 2014/dec/31 | 705126 | 2014/dec/31 | 833744 | 2014/dec/31 | | | | | | | |
| 570253 | 2014/dec/31 | 705127 | 2014/dec/31 | 834157 | 2014/dec/31 | | | | | | | |
| 570254 | 2014/dec/31 | 705128 | 2014/dec/31 | 834369 | 2014/dec/31 | | | | | | | |
| 570258 | 2014/dec/31 | 705130 | 2014/dec/31 | 834370 | 2014/dec/31 | | | | | | | |

TABLE 1: TENURE DATA

Notes: * - Assuming acceptance of this assessment report. ** - SNIP 1 tenure on which work was performed.

5.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY

The Iskut property, including tenures under purchase option by Skyline, ranges from the Iskut River flats in the north, to the Craig River in the west and Snippaker Creek to the south and east. Included are most of Johnny Mountain, the western portion of Snippaker Ridge, and the intervening portion of the Bronson Creek valley. Relief at the top of Johnny Flats is subdued, while topography over most of the remainder of the tenures is moderate to steep, with rocky bluffs common along the Bronson Creek valley slopes.

The Snip 1 tenure lies along the steep slopes of Bronson Creek, from the Johnny Mountain plateau in the south to Snippaker Ridge in the north. Elevations range from 300 metres above sea level on Bronson Creek to 1450 metres on the slopes of Johnny Mountain.

The approximately 1.6 kilometre long Bronson airstrip, which can accommodate Hercules aircraft, is located adjacent to Bronson Creek 4 kilometres downstream from the SNIP 1 tenure. From Bronson airstrip, access onto the Snip1 tenure is by helicopter or on foot.

Vegetation on the tenure comprises stands of mature hemlock, spruce and poplar on the lower slopes with dense slide alder and bracken on the middle slopes and alpine scrub conifer on higher slopes. The lskut property has a northern coastal climate, with warm summers and moderate winters. Snowfall can be high with an accumulation up to several metres in the valley bottoms to in excess of 10 metres at higher elevations. Fieldwork can be performed during the period April to November (depending on elevation and annual weather fluctuations) and drilling

has been done on the property almost year round. Avalanches are a danger on the steep slopes during fall, winter and spring.

6.0 HISTORY

The following summary of history of exploration on the Snip-1 tenure has been updated from Equity (2009).

The exploration of the surrounding properties, including the past producing Snip mine and the Johnny Mountain mine and the development-stage Bronson Slope deposit, particularly over the last 30 years, is detailed in a number of reports and most of the following history is excerpted from Yeager (2003).

In 1907, a prospecting party from Wrangell, Alaska recorded tenures on Bronson Creek. These tenures were later Crown Granted and currently remain in existence. During the period 1911 to 1920 the Iskut Mining Company reported drifting, trenching and stripping of a number of gold bearing veins on the Red Bluff and Iskut Grants on the northeastern portion of the property. From 1954 to 1960 Hudson Bay Mining and Smelting Co. Ltd. completed exploration drilling resulting in the discovery of copper prospects at the eventual location of the Johnny Mountain Gold Mine. In 1964, Cominco Ltd. optioned tenures from Tuksi Mining Company and Jodi Explorations Ltd. and in 1965 completed pack-sack drilling on the Red Bluff Grant for its copper content. In 1973 and 1974 the property was examined by Texas Gulf Sulphur Inc. for its copper and precious metal content.

In 1980, Skyline restaked the tenures and initiated exploration on the Pickaxe Vein and adjacent area to define its gold potential. In 1981, the Discovery Vein was found and subsequently drilled. In 1982 Skyline continued drilling the Discovery Vein and other targets resulting in the discovery of a high grade gold vein that became known as the 16 Vein.

In late 1982, Skyline entered into an agreement with Placer Development Ltd. to explore the property. Placer in turn entered into a joint venture with Anaconda Canada Exploration Ltd. and the joint venture completed exploration during 1983 and 1984.

In late 1984, Skyline completed deep drilling on the 16 Vein and established depth continuity to this gold-bearing quartz-sulphide vein. From 1985 to 1988 Skyline continued with the surface and underground exploration and development on the several veins that comprise the Stonehouse Gold Deposit. In August 1988, the Johnny Mountain Gold Mine commenced production. During the period August 1988 to September 1990 a total of 207,058 short Tons were milled at an average rate of 323 Tons per day grading 16.25 g/tonne Au. A total of 84,806 ounces of gold, 133,039 ounces of silver and 2,163,000 pounds of copper was produced. The gold recovery averaged 86.4%. Operations were suspended due to declining gold grades at the end of September 1990. The mine was restarted in 1993 for three months resulting in the production of an additional 23,762 short Tons. This brought the total metals produced to 92,500 ounces of gold, 145,000 ounces of silver and 2,300,000 pounds of copper for total revenue of \$45 million.

Skyline completed large geochemical, geophysical and prospecting programs during 1988, 1989 and 1990 between the mine and the northern and northeastern portion of the tenures. These programs resulted in reconnaissance diamond drilling of numerous promising gold

targets, including the Red Bluff copper-gold porphyry target in 1988 and the CE Zone on the SNIP 1 tenure in 1989.

Skyline also completed exploration programs on behalf of Placer Dome Inc. in 1990 and 1991 on an optioned block of tenures on the northeastern portion of the property known as the Bronson Creek Project. Placer was exploring for a southeastern extension of the Snip Gold Mine which adjoins the northern boundary of the Iskut Property. In excess of one million dollars was spent on geophysical, geochemical, trenching, prospecting, geologic mapping and diamond drilling programs.

During 1991, Adrian Resources Ltd. performed exploration work on the northwest (Craig River) portion of the Iskut property under an earn-in option agreement. The work comprised geophysics, geochemistry, prospecting, geologic mapping, trenching and diamond drilling. Numerous targets were identified and the SMC Zone, thought to be a gold and base metal, shear-hosted deposit, received the bulk of the drilling. Expenditures were reported to be \$1.3 million.

In 1993, Skyline signed an exploration agreement with Cominco Ltd. in which Cominco performed exploration on a portion of the northeast area of the property. Cominco's interest was in finding a deposit similar to the Snip Gold Mine. During the period 1993 to 1995, Cominco spent approximately \$1.4 million on geologic mapping and diamond drilling.

Skyline performed a limited program of induced polarization and diamond drilling on the Red Bluff gold-copper+molybdenum porphyry system in 1993. This led to an extensive program of advanced exploration and feasibility study during the period 1994 to 1997, during which time, the deposit was re-named the Bronson Slope porphyry deposit. Field work was stopped in 1998 due to declining metal prices and loss of investor confidence resulting from the Bre-X scandal.

In 1999, Skyline reached an agreement with Homestake Canada Inc. whereby Skyline was given controlled access to the Snip Mine workings to perform underground exploration on an area of Skyline's ground immediately adjacent to the Snip workings. Financing for the work was provided by Royal Gold, Inc. of Denver Colorado. The cost of the program was \$CDN300,000. Skyline completed an additional 561.6 metres HQ drilling in 4 holes in 2006, drilling the HQ core for comparative purposes on the Red Bluff Zone, a higher grade portion of the Bronson Slope deposit. In 2007, 3936.2 metres were drilled in 11 NQ holes, also testing within the Bronson Slope deposit area.

Through the course of this exploration history, only sporadically did work touch on the area of the historic CE Zone. The soil geochemical sampling and prospecting done in 1988 and subsequent drilling in 1989 comprise the most significant work in the area. The drilling of 4 holes, 911 and 917 to 919, in the immediate area of the CE Zone intersected strong gold-silver-zinc mineralization over wide intervals and were the impetus for follow up drilling done in 2009.

Skyline retained Equity Engineering Ltd. to conduct a drill program on the CE Zone during October, 2009. The program consisted of 2 diamond drill holes, drilled from one set up, for a total of 728.78 metres of NQ core. The holes were drilled from the site used in 1989 for drill hole 911. Both drill holes intersected numerous intervals of pyrite-sphalerite-chalcopyrite-minor galena-arsenopyrite mineralization associated with shears and faults hosted in a folded sequence of interbedded greywacke, siltstone and mudstone. These faults and shears are east-southeast striking features that parallel the elongation of the Red Bluff porphyry and mineralized structures at the Snip Mine, 3 kilometres to the northwest. In the CE Zone, high

grade gold results up to 20.2 g/t Au over 1.33 metres drilled thickness were intersected in 2009 and, taken together, the numerous mineralized structures returned wide intervals of up to 235.94 metres averaging 1.13 g/t Au, 14.1 g/t Ag and 0.43% Zn. The purpose of the 2010 exploration program was to better define and test the bounds of the strong mineralization intersected by the 2009 drill holes.

7.0 REGIONAL GEOLOGY AND MINERALIZATION

The following description of geology (Sections 7 and 8) is taken from Equity (2009). The Iskut River region is within the Intermontane Belt on the western margin of the Stikine Terrane (Figure 3). Three distinct stratigraphic elements are recognized in the western portion of the area (Anderson, 1989): (i) Upper Paleozoic schist, argillite, coralline limestone and volcanic rocks of the Stikine Assemblage, (ii) Triassic Stuhini Group volcanic and sedimentary arc related strata, and (iii) Lower to Middle Jurassic Hazelton Group volcanic and sedimentary arc related strata.

The Stikine Assemblage is Paleozoic in age; from Early Devonian and Mississippian to Permian. This group consists of metavolcanic and meta-sedimentary rocks, which include coralline limestone, chert, mafic to felsic volcanic and volcaniclastic rocks and argillite (Anderson, 1989; Britton et al., 1989).

The Stuhini Group is a Triassic volcano-sedimentary arc complex that is composed of mafic intrusive rocks, polymictic conglomerate, basaltic to andesitic volcanic and sedimentary rocks, such as chert-limestone conglomerate, shale, argillite and limestone (Anderson and Thorkelson, 1990).

The Early to Mid-Jurassic Hazelton Group is composed of mafic to felsic volcanic and volcaniclastic rocks, conglomerate, argillite and mudstone sedimentary rocks (Anderson and Thorkelson, 1990). Grove (1986), Anderson and Thorkelson (1990) and Alldrick (1991) subdivided the Hazelton group into four formations; from oldest to youngest, they are the Unuk River, Betty Creek, Mount Dilworth and Salmon River Formations. These groups have since been modified by Henderson et. al. (1992) and Nadaradju (1993) into the basal Jack, Betty Creek and Salmon River Formations.

Intrusive rocks in the Iskut River region comprise five plutonic suites. The Stikine plutonic suite comprises Late Triassic calc-alkaline intrusions, which are coeval with Stuhini Group strata. The Copper Mountain, Texas Creek and Three Sisters plutonic suites are variable in composition but are roughly coeval and co-spatial with Hazelton Group volcanic strata. Tertiary elements of the Coast Plutonic Complex are represented by predominantly granodiorite to monzonite Eocene intrusions of the Hyder plutonic suite, exposed 12 kilometres south of the Bronson Slope deposit (Alldrick et al., 1990).

Anderson (1989) and Logan et. al. (1989) concluded that the Stikine assemblages first underwent an extensional event during the Mississippian then a contractional event between the Early Permian and Late Triassic The events during the Jurassic and the resulting events on the Hazelton group are described as being contractional with lower greenschist to sub-greenschist metamorphism (Childe, 1996).

The age, mineralogy and texture of the Red Bluff porphyry stock (associated with the Bronson Slope deposit) suggest that it belongs to the metallogenetically important Early Jurassic Texas

Creek plutonic suite (Alldrick et al, 1990). Plutons of this suite are widespread in the Stewart, Iskut River region and range in age from 196 to 185 million years (Anderson, 1993; MacDonald et al., 1992). The Red Bluff porphyry is likely the centre and driving force of a mineralizing system responsible for the deposits and numerous occurrences in the Bronson Creek area (Rhys, 1995).

8.0 PROPERTY GEOLOGY AND MINERALIZATION

The geology of the SNIP 1 tenure (Figure 4) consists primarily of interbedded mudstone, siltstone and greywacke of the Triassic Stuhini Group, which underlie the northern two thirds of the tenure (Callan, 1993; Garrett, 1995). These rocks contain clasts of both sedimentary and volcanic origin. Carbonate lenses are present as well as calcareous units within the section. The bedding dips moderately to steeply and is folded about a northwest-southeast striking axial plane with an syncline situated approximately along Bronson Creek and an anticline located at the eastern edge of Johnny Flats (Metcalfe, 1991 private company report; Rhys, 1995).

8.1 Property Geology

In the southern part of the property, rocks of the Jurassic Hazelton Group are exposed above a flat-lying unconformity, situated at the break in slope from Johnny Mountain to Johnny Flats. The Hazelton rocks consist of flat-lying felsic to intermediate volcanic flows, pyroclastics and tuffaceous sediments (Garrett, 1995). The Stonehouse gold deposit is located in cross-cutting structures near the base of this section.

The Red Bluff Porphyry lies immediately northwest of the SNIP 1 tenure and is a potassium feldspar, mega-crystic, plagioclase-quartz diorite to tonalite intrusion (Rhys, 1995). It has been dated (MacDonald et al, 1992) at 195+/-1 Ma and correlated with the Texas Creek plutonic suite. This highly altered intrusion is believed to be the metallogene of the mineralization at the Snip Mine.

Lamprophyre dykes are found locally within NE striking, steeply dipping fault structures. One of these lamprophyres, located on the 300 Level of the Snip Mine, has been dated at 32.0+/-1.1 Ma. (in Rhys. 1995) Two major orientations of fault structures are mapped in the property vicinity (Garrett, 1995). A northwest-striking, southwest-dipping set (Bronson Creek fault, Sky Creek fault, Twin Shear) is important as the Snip deposit, Tailings Pond Shear and CE Contact and CE mineralization are all hosted by structures with this orientation. The second set are north to north-northeast striking, steeply to westerly-dipping faults (Monsoon Lake fault, Lamp fault) which cut and locally offset the Twin Zone shear mineralization. The Lamp Fault, located at Snip Mine grid 5000E, appears to truncate the the economic gold grades that exist in the Snip gold mine to the northwest. The Handel Fault strikes across Bronson Creek and is spatially associated with mineralization on Snipakker Ridge to the north. Veins at the Johnny Mountain gold mine strike 065° and dip from 45° to 70° to the northwest.

The sedimentary rocks on the SNIP 1 tenure have been metasomatised and mineralized as part of a larger system that is roughly zoned around the Red Bluff porphyry (Atkinson et al, 1991, private company report; Rhys, 1995). There is pervasive to localized potassic alteration characterized by pervasive potassium feldspar and disseminated to localized biotite in the CE Contact and CE zones. This tends to be associated with shears and faults, generally those striking southeast-northwest. There is a phyllic overprint on the potassic alteration, characterized by sericite and pyrite, and this is likely related to a strong phyllic alteration zone that lies southeast of the Red Bluff porphyry. Later, possibly retrograde, chlorite-calcite is also noted on the SNIP 1 tenure, occurring between and surrounding zones of potassic and phyllic alteration (Metcalfe, 1988).

9.0 DEPOSIT TYPE

According to the BC Geological Survey published BC Mineral Deposit Profiles, the vein mineralization on the SNIP 1 tenure is best classified as either I05 Polymetallic Veins Ag-Pb-Zn +/- Au or L01 Subvolcanic Cu-Au-Ag porphyry.

9.1 Polymetallic Veins Ag-Pb-Zn +/- Au

Polymetallic veins typically occur as sulphide-rich veins containing sphalerite, galena, silver and sulphosalt minerals in a carbonate and quartz gangue. These veins occur in virtually all tectonic settings except oceanic, and can be hosted by all rock types. In a metasedimentary host rock, veins are emplaced along faults or fractures, and typically form steeply dipping, narrow, tabular or splayed veins or sets of veins. Expected ore mineralogy for this deposit type includes galena, sphalerite, tetrahedrite- tennantite, other sulphosalts including pyrargyrite, stephanite, bournonite and acanthite, native silver, chalcopyrite, pyrite, arsenopyrite, stibnite. Silver minerals often occur as inclusions in galena. Native gold and electrum occur in some deposits. Rhythmic compostional banding is sometimes present in sphalerite. Some veins contain more chalcopyrite and gold at depth and gold grades are normally low for the amount of sulphides present. Mineralization is typically Proterozic or younger; mainly Cretaceous to Tertiary in British Columbia.

Regional faults, fault sets and fractures are important ore controls for polymetallic veins. However, veins are typically associated with second order structures. In igneous rocks the faults may relate to volcanic centers. Significant deposits are restricted to competent lithologies. Dikes are often emplaced along the same faults and in some camps are believed to be roughly contemporaneous with mineralization. Some polymetallic veins are found surrounding intrusions with porphyry deposits or prospects. Historically these veins have been considered to result from differentiation of magma with the development of a volatile fluid phase that escaped along faults to form the veins. More recently researchers have preferred to invoke mixing of cooler, upper crustal hydrothermal or meteoric waters with rising fluids that could be metamorphic, groundwater heated by an intrusion or expelled directly from a differentiating magma.

9.2 Subvolcanic Cu-Au-Ag porphyry

Mineralization of the subvolcanic Cu-Au-Ag porphyry type typically consists of pyritic veins, stockworks and breccias in subvolcanic intrusive bodies with stratabound to discordant massive pyritic replacements, veins, stockworks, disseminations and related hydrothermal breccias in country rocks. These deposits are located near or above porphyry copper hydrothermal systems and commonly contain pyritic auriferous polymetallic mineralization with silver sulphosalt and other arsenic and antimony-bearing minerals.

Mineralization forms in volcano-plutonic belts in island arcs and continental margins and continental volcanic arcs. Subvolcanic intrusions are abundant. Extensional tectonic regimes allow high-level emplacement of the intrusions, but compressive regimes are also permissive. Mineral impregnation occurs in the uppermost levels of intrusive systems and their adjoining fractured and permeable country rocks, commonly in volcanic terrains with eroded stratovolcanoes. Subvolcanic domes and flow-dome complexes can also be mineralized; their uppermost parts are exposed without much erosion.

Stockworks and closely-spaced to sheeted sets of sulphide-bearing veins in zones within intrusions and as structurally controlled and stratabound or bedding plane replacements along permeable units and horizons in hostrocks. Veins and stockworks form in transgressive hydrothermal fluid conduits that can pass into pipe-like and planar breccias. Breccia bodies are commonly tens of metres and, rarely, a few hundred metres in size. Massive sulphide zones can pass outward into auriferous pyrite-quartz-sericite veins and replacements.

Expected ore mineralogy in subvolcanic Cu-Au-Ag porphyry systems includes pyrite (commonly auriferous), chalcopyrite, terahedrite/tennantite; enargite/luzonite, covellite, chalcocite, bornite, sphalerite, galena, arsenopyrite, argentite, sulphosalts, gold, stibnite, molybdenite, wolframite or scheelite, pyrrhotite, marcasite, realgar,hematite, tin and bismuth minerals. Depth zoning is commonly evident with pyrite-rich deposits containing enargite near surface, passing downwards into tetrahedrite/tennantite + chalcopyrite and chalcopyrite in porphyry intrusions at depth.

These deposits represent a transition from porphyry copper to epithermal conditions with a blending and blurring of porphyry and epithermal characteristics. Mineralization is related to robust, evolving hydrothermal systems derived from porphyritic, subvolcanic intrusions. Vertical zoning and superimposition of different types of ores is typical due, in large part, to overlapping stages of mineralization. Ore fluids with varying amounts of magmatic-source fluids have temperatures generally greater than those of epithermal systems, commonly in the order of 300° C and higher. Fluid salinities are also relatively high, commonly more than 10 weight per cent NaCI-equivalent and rarely in the order of 50 %, and greater.

Mineralization is controlled by strongly fractured to crackled zones in cupolas and internal parts of intrusions and flow-dome complexes; along faulted margins of high-level intrusive bodies. Permeable lithologies in the country rocks, both primary and secondary in origin, also control mineralization formation. Primary controls are structural features such as faults, shears, fractured and crackled zones and breccias. Secondary controls are porous volcanic units, bedding plane contacts and unconformities. Breccia pipes provide channelways for hydrothermal fluids originating from porphyry copper systems and commonly carry elevated values of gold and silver. The vein and replacement style deposits can be separated from the deeper porphyry copper mineralization by 200 to 700 m.

Most deposits are of Tertiary age, but older deposits have been identified.

10.0 MINERALIZATION

Based on observations made in drill core and bedrock exposures, mineralization of the CE Zone typically includes 3-5% disseminated pyrite, with trace to 0.3% chalcopyrite commonly associated with the pyrite. Biotite commonly occurs as envelopes to coarser pyrite blebs.

Zones containing about 0.5% fine to coarse-grained sphalerite and trace to 0.3% galena appear to be later and occur interstitially with pyrite and within late milky, locally vuggy quartz veins. Irregular stringers of sphalerite and pyrite are also common, and occasional bands of sphalerite up to 0.3 m thick have been intersected. Bands of semi-massive to massive pyrite with interstitial silica are common and range from a few millimetres to greater than a metre wide. The pyrite sections commonly contain abundant, locally massive, sphalerite, chalcopyrite and galena. Visible gold and electrum were noted in drill core at several locations.

This mineral assemblage is typical of occurrences that form in the haloes of porphyry coppergold deposits; however, the high sulphidation character implies a "transition" to a separate mesothermal to epithermal style system. The host rocks are fine grained volcaniclastic sedimentary rocks.

The sulphide bands appear to be most common proximal to shears and late, gouge-filled faults. These structures are irregularly oriented with respect to the long core axis. This mineralization seems to correlate well with mineralized shears and veins at surface that strike east-southeast to southeast and dip 70-90° southwest (Metcalfe, 1988). A set of quartz-carbonate-sulphide veins cut the core as well at more obtuse angles of 60-70° and likely correlate with shallower-dipping veins mapped at surface (Metcalfe, 1988). Generally, mineralization wanes toward the bottoms of the drill holes.

Significant intersections are summarized in Table 2.

11.0 EXPLORATION

In addition to the drill program, Skyline carried out a hand trenching and channel sampling program. Seven hand trenches were excavated with an aggregate length of 131 m. Eighty-five rock channel samples were collected from the trenches and submitted for laboratory analysis. Results of the 2010 trench sampling program are illustrated on Figure 6. Continuous series of rock samples were collected from trenches by channel sampling, but trenches were not mapped due to snow accumulations.

12.0 DRILLING

Eighteen diamond drill holes were cored in the SNIP 1 tenure during 2010. Drill hole locations are depicted on Figure 6 and a series of cross sections is presented as Figures 7 through 17. The locations of sections can be seen by the UTM coordinates shown along the edges of Figure 6. The most significant intersections are summarized in the Table 2. A summary of drill hole orientation information and drill logs are included as Appendix 1, and Certificates of Assay appear after the logs of their respective drill holes.

| From (m) | To (m) | Width (m) | Gold (g/t) | Silver (g/t) | Copper (%) | Lead (%) | Zinc (%) |
|-------------|-----------|--------------|---------------|-----------------|---------------|-------------|-------------|
| SK10-06 | | | | | | | |
| 4.99 | 199.00 | 194.01 | 1.05 | 9.6 | 0.04 | 0.14 | 0.55 |
| including: | | | | | | | |
| 25.40 | 26.36 | 0.96 | 31.74 | 10.1 | 0.02 | 0.05 | 0.83 |
| 51.00 | 53.00 | 2.00 | 8.79 | 1.3 | 0.03 | 0.01 | 0.02 |
| 116.60 | 199.00 | 82.40 | 1.64 | 15.9 | 0.03 | 0.28 | 1.05 |
| 126.30 | 136.72 | 10.42 | 1.89 | 17.5 | 0.07 | 0.16 | 0.87 |
| 164.63 | 171.06 | 6.43 | 5.03 | 59.4 | 0.03 | 1.91 | 4.13 |
| 164.63 | 199.00 | 34.37 | 2.89 | 19.9 | 0.02 | 0.39 | 0.89 |
| 183.00 | 199.00 | 16.00 | 3.84 | 6.9 | 0.02 | 0.05 | 0.15 |
| SK-10-12 | | | | | | | |
| 123.00 | 174.00 | 51.00 | 0.34 | 7.5 | 0.03 | 0.06 | 0.58 |
| including: | | | | | | | |
| 123.00 | 125.00 | 2.00 | 3.92 | 14.2 | 0.04 | 0.04 | 0.03 |
| SK-10-13 | | | | | | | |
| 122.00 | 132.00 | 10.00 | 2.34 | 11.3 | 0.04 | 0.14 | 0.57 |
| including: | | | | | | | |
| 122.00 | 125.00 | 3.00 | 5.72 | 16.3 | 0.06 | 0.23 | 1.17 |
| 122.00 | 123.00 | 1.00 | 13.35 | 16.7 | 0.04 | 0.18 | 1.53 |
| SK-10-14 | | | | | | | |
| 109.85 | 111.20 | 1.35 | 6.27 | 4.6 | 0.01 | 0.03 | 0.12 |
| 140.80 | 142.80 | 2.00 | 3.45 | 6.9 | 0.09 | 0.01 | 0.03 |
| 158.00 | 160.00 | 2.00 | 4.57 | 17.4 | 0.17 | 0.01 | 0.02 |
| SK-10-15 | | | | | | | |
| 72.00 | 93.00 | 21.00 | 0.68 | 14.0 | 0.02 | 0.32 | 1.50 |
| including: | | | | | | | |
| 72.00 | 73.00 | 1.00 | 4.29 | 17.9 | 0.02 | 0.41 | 2.71 |
| 91.50 | 93.00 | 1.50 | 4.25 | 26.1 | 0.07 | 0.47 | 3.68 |
| SK-10-16 | | | | | | | |
| 18.23 | 18.53 | 0.30 | 6.88 | 51.4 | 0.39 | 0.11 | 0.57 |
| SK-10-17 | | | | | | | |
| 90.00 | 102.50 | 12.50 | 3.36 | 22.5 | 0.11 | 0.18 | 1.42 |
| includina: | | | 0.00 | | 5 | 0.10 | |
| 90.00 | 91.00 | 1.00 | 6.18 | 28.1 | 0.13 | 0.03 | 0.05 |
| 101.50 | 102.50 | 1.00 | 27.40 | 9.8 | 0.02 | 0.07 | 0.28 |
| SK-10-18 | | | | | | | |
| 16.00 | 17.50 | 1.50 | 2.94 | 70.8 | 0.06 | 0.77 | 2.29 |

TABLE 2: SIGNIFICANT DRILL INTERCEPTS

Holes SK-10-01 through SK-10-10 were drilled during the first phase of exploration (May 28 to June 27, 2010) while holes SK-10-11 through SK-10-18 were drilled during the second phase (October 7 to November 3, 2010).

A series of plots comparing the gold concentration to each of copper, zinc, lead, arsenic, antimony, and sulphur is presented as Figures 18 through 23. The coefficient of determination, R^2 , for each data set is indicated on each plot. These plots show that there is no reliable correlation between gold and any of the elements plotted. Prospecting for gold using portable XRF technology that analyses for indicator elements would not be a suitable technique for detecting precious metals in the vein mineralization present at SNIP 1.

13.0 SAMPLING METHOD AND APPROACH

The drill crew placed the NQ size drill core into standard wooden core boxes. Each core box was labeled at the drill site by the drillers with its drill hole identification number and box number. Wooden depth blocks were inserted in the boxes to mark the hole depth after each drill run. At the end of each drill shift, drill core was flown by helicopter from the drill rig to the core shack north of the camp at Bronson Creek.

At the core shack, a quick log was made, summarizing obvious mineralized zones and structural features. The core boxes were permanently marked using aluminum tags inscribed with the hole identification number, box number, and contained depths. The upper edge of each core box was also marked with the same information.

Each core box containing whole core was then placed on top of the logging benches and photographed. The geologist then logged the drill core by noting lithological boundaries, major structures, overburden depths, and broad mineralization and alteration intervals.

Where practical, sample intervals were selected so as to coincide with mineralized zones to help build an understanding of metals associations. Sample intervals were marked by stapling a two-part assay tag onto the core box at the start of each interval. For each hole, the place for insertion of standards, blanks, and field duplicates into the sample stream was predetermined on the sample log, and assay tags for these were inserted into the core box was labelled as standard, blank, and duplicate assay tags, the portion remaining in the core box was labelled as standard, blank, or duplicate, while the portion to be submitted to the laboratory was unmarked. Details on Skyline's QA/QC protocols are reported in Section 13. Core boxes with attached assay tags were then racked until a core sampler was available to sample the core.

The core sampler used a manual core splitter to split the drill core longitudinally. Half of the core for each sample interval was placed into a sample bag together with the numbered sample tag, while the other half was replaced into the core box. Sample bags were sealed using plastic cable ties. Boxes containing the remaining half core were either placed in storage racks or cross-piled outside the core shack.

Completed and sealed samples were packed, in sequential order, into woven polyethylene textile sacks for shipment to the laboratory. A freight scale was used to standardize sack weights, simplifying later aircraft payload allowance calculation. Sacks were sealed with numbered locking security (NLS) ties. Each sack's NLS serial number was recorded along with the sample sequence enclosed in each sack.

Samples were stored in a locked sample storage room until a cargo flight was available. All core sample sacks were flown by fixed wing aircraft from the Bronson Airstrip directly to Smithers Airport. The planes were met by personnel from either Skyline's expediter, Blue Bear

Exploration Ltd., or from the laboratory. Blue Bear or laboratory personnel then took possession of the samples at the airport and delivered them to the sample preparation laboratory.

14.0 SAMPLE PREPARATION, ANALYSES, AND SECURITY

14.1 Sample Preparation

The laboratory selected to analyze Skyline's core samples during the first phase of drilling (holes SK-10-01 through SK-10-10) was Assayers Canada Ltd. of 8282 Sherbrooke Street, Vancouver, B.C. For the second phase (holes SK-10-11 through SK-10-18) ALS Laboratory Group of 2103 Dollarton Highway, North Vancouver, B.C. was selected. Core samples were submitted to their prep labs in Telkwa and Terrace, B.C. respectively.

Once at the prep lab, samples were dried, weighed, crushed, and split using a riffle splitter. A portion of the coarse crushed material was pulverized for 90 seconds and sieved through a 150 mesh size screen. A riffle splitter was then used to obtain a representative 200g split for analysis.

The pulp fraction was forwarded to the respective analytical facilities in Vancouver (Assayers Canada) and North Vancouver (ALS).

14.2 Sample Analyses

All samples were initially subjected to multi-element analysis by ICP. Additionally, gold was analysed by fire assay for all samples. Those samples for which the ICP analysis reported over limit for any of silver, copper, lead, or zinc were subsequently analysed for the overlimit metal by assay. Samples having an initial gold concentration over 3 g/t were automatically reanalysed using a screen for metallics procedure to detect coarse gold.

14.3 Security

For all core samples processed during 2010, Skyline implemented a chain of custody procedure to ensure sample security. Drill core was handled at Skyline's core facility at Bronson Camp where doors were locked when unattended. Any core stored outside was marked in each core box row to detect tampering. Once packed in rice sacks, completed samples were stored in a locked sample storage shed room. Following sample transport by air, samples were either taken into possession by trusted personnel or held in secure storage until delivered to the prep labs where laboratory staff assumed custody.

Assayers Canada is a ISO 9001:2008 certified laboratory, and ALS has ISO 9001:2000 certification. Samples were submitted to the labs in rice sacks sealed with numbered locking security (NLS) ties. As laboratory personnel unpacked each rice sack, the NLS serial number was recorded along with the sample sequence therein contained. This information was sent by Email to the Project Geologist for verification against the data in the sample log.

15.0 DATA VERIFICATION

15.1 Quality Control and Quality Assurance Program for 2010 Drill Program

During the course of Skyline Gold's drill program 2,496 samples were analyzed, including 2,332 diamond drill core samples, and 164 samples comprising the field component of Skyline's Quality Assurance and Quality Control (QA/QC) Program. Protocols followed for the QA/QC program are described in Section 14.2, and results are presented in Section 14.3. The following four types of samples were prepared either by Skyline or the lab and analysed as QA/QC checks:

- field blanks;
- field duplicates;
- field standards;
- check analyses.

In addition to the field QA/QC checks, each lab operates its own in-house QA/QC system.

The QA/QC program indicates that no significant analytical problems were encountered, and no significant cross-contamination of samples occurred. The assay values as reported are considered reliable.

15.2 QA/QC Protocols

15.2.1 Field Blank Protocol

Field blanks were inserted into the sample stream to test for contamination of samples at any stage of handling and analysis. Blank samples are meant to contain the elements of interest at concentrations several orders of magnitude lower than those in the drill core being analysed, and the assay values returned by the lab are expected to consistently low. An assay value significantly higher than the detection limit would suggest an analytical blunder or sample contamination.

Blanks inserted into the core sample stream were prepared by packaging samples of coarse crushed white marble in standard rock sample bags. These packages were inserted into the sample stream at an interval of approximately every 50th sample, for a total of fifty-one blank rock samples. When selecting locations for the insertion of field blank samples, the geologist logging the drill core preferentially chose locations immediately following samples containing visible mineralization such as massive sulphides to detect carryover (cross-contamination between samples) during sample preparation. The samples were submitted blind to the lab, where they were prepared and analyzed the same as every other sample.

15.2.2 Field Duplicate Protocol

The purpose of field duplicate samples is to test for analytical precision and repeatability. The metals concentrations in a duplicate sample assay are expected to be close to the concentrations reported by the original assay. Due to natural variability of the mineral distribution throughout the rock formation (and hence drill core), small disparities between initial and duplicate assay values are expected, and not indicative of an analytical problem. A large disparity between initial and duplicate assay values would suggest an analytical problem.

Field duplicate samples were prepared by sampling half of the available drill core as usual, but rather than replacing the remaining core portion in the core box as a reference, the remaining portion was bagged and prepared as an additional (duplicate) sample. The duplicate sample was numbered with the next sequential number following the original sample, and submitted blind to the laboratory, where it was prepared and analyzed the same as every other sample. Duplicate samples were prepared approximately every 50th sample, for a total of forty-five duplicate core samples.

15.2.3 Field Standard Protocol

Field standards were inserted into the sample stream to test for analytical accuracy and repeatability of assays and systemic analytical deviations. Standards were commercially prepared by CDN Research Laboratories Ltd. (CDN) and certified by Smee and Associates Consulting Ltd. The five standards are listed in Table 3 with their certified values.

TABLE 3: CERTIFIED METALS CONCENTRATIONS IN STANDARDS

| Standard | Gold | Silver | Copper | Zinc | |
|------------|---------------|------------------|----------------|------|-----------|
| CDN-CGS-12 | 0.29 ± 0.04 g | /t - | 0.265 ± 0.015% | | - |
| CDN-CGS-13 | 1.01 ± 0.11 g | /t - | 0.329 ± 0.018% | | - |
| CDN-CGS-15 | 0.57 ± 0.06 g | /t - | 0.451 ± 0.020% | | - |
| CDN-GS-20A | 21.12 ± 1.54 | g/t | | | - |
| CDN-ME-2 | 2.10 ± 0.11 g | /t14.0 ± 1.3 g/t | 0.480 ± 0.018% | 1.35 | 5 ± 0.10% |

While the standards are not certified for other elements, the data are still useful for checking repeatability by comparing each standard analysis to the arithmetic mean of the standard analyses.

Standard samples were obtained from CDN pre-packaged in 50g packs of the prepared standard material in small paper envelopes. One of the standard packs was then placed in the usual rock sample bags and inserted into the sample sequence approximately every 40th sample, for a total of sixty-eight standard samples (fifteen of CGS-12, sixteen of CGS-13, thirteen of CGS-15, twelve of ME-2, and four of GS-20A). Of these, three were reanalysed at Skyline's request as checks. Accordingly, the total number of standard analyses is seventy-one.

At the sample preparation laboratories, the standard samples were crushed, sieved, and transferred into the laboratory's pulp envelopes the same as every other sample. They were submitted blind to the assay facilities in Vancouver.

15.2.4 Check Analyses Protocol

Once Assayers Canada had finished analysing all core samples from the first phase (holes SK-10-01 through SK-10-10), a series of sample pulps was selected by Skyline for analysis at a check lab. The purpose of check samples is to let an independent lab confirm analyses for some of the samples. Pulps of two core samples were selected from each of the ten drill holes, for a total of twenty check analyses. The selected check sample set included samples containing both high and low grade gold and base metals, as well as each of the field standards, a field blank, and a field duplicate.

To preclude the possibility of communication between the labs, the check sample pulps were repackaged by Skyline and assigned new sample numbers before being sent to the ALS Laboratories facility in North Vancouver, BC for analysis.

15.3 QA/QC Results

15.3.1 Field Blank Results

Assay results from the blank rock sample analyses are presented graphically in Figures 24 through 28. Numerous samples returned values higher than the detection limit, indicating that the crushed marble used as blank material contained metals at detectible concentrations. Of interest is the consistency of the metals concentrations reported for the blank samples. Assay values reported for blanks should be consistent, and at least an order of magnitude lower than mineralized core samples.

The order in which sample numbers are plotted from left to right on Figures 24 through 28 corresponds with the order in which the blank samples were analysed throughout the drill program. The blank samples analysed early in the program are at the left end, while the samples analysed later are in the right side of the field.

With one exception, the reported silver concentrations among field blanks are less than 2.4 ppm. Gold concentrations are at or below the detection limit of 0.01 g/t except a single sample with a reported concentration of 0.02 g/t. Copper concentrations are generally below 15 ppm, with the notable exception of Sample No. 165089 which returned a value of 50 ppm. At Skyline's request, this sample was reanalysed, returning a new value of 2 ppm. Assayers Canada concluded that cross contamination had occurred at the analysis stage. Reported concentrations for lead are at or below 15 ppm. Zinc concentrations are below 40 ppm with the exception of two samples. Sample No. 165043 reported a zinc concentration of 230 ppm. The immediate preceding sample, Sample No. 165042, contained massive sphalerite assaying 22.6% zinc. Although not investigated by Assayers Canada, the analysis for Sample No. 165043 appears to have been impacted during analysis stage by sample cross-contamination from the preceding sample.

The instances of outlying analytical values noted in the preceding paragraph confirm that the blank samples analysed were effective in detecting instances of cross-contamination. The magnitude of cross contamination apparent in the outlying samples is so small as to be insignificant compared to the metals concentrations of the mineralized zones. Detection of a

few outlying high values reported early in the program alerted the lab to a potential problem, resulting in greater attention being given to avoiding cross-contamination and hence cleaner data for the remainder of the analyses.

15.3.2 Field Duplicate Results

Assay results from the forty-five field duplicate samples are plotted on Figures 29 through 33. Perfect results in which assays of initial and duplicate samples returned identical values would plot on the diagonal line in each. The distribution of the value pairs (points) about the line can be described by the coefficient of determination (R2), where 0.0 would describe a random scatter of points, and 1.0 would describe a perfect fit to the line. The R2 for each field duplicate data set is noted on its respective plot. The degree of scatter is expected, and not indicative of any analytical problem.

15.3.3 Field Standard Results

The means and standard deviations of each standard inserted into the sample stream were established by round robin analyses at multiple labs during each standard's certification. Means and standard deviations can be used for calculating conservative warning and control limits. Warning limits for most metals are set at the mean ± 2 standard deviations (σ) and control limits are set at $\pm 3\sigma$. For these metals, any single standard beyond the upper and lower control limits is deemed a failure and consecutive samples exceeding the warning limits are also deemed failures.

Shewhart charts plotting concentration versus sample sequence with warning and control limits are shown in Figures 34 through 37. By plotting the z-score, multiple standards can be displayed for each element; the z-score levels the mean and standard deviation for each standard so that warning limits are indicated by a z-score of ± 2 and control limits are indicated by a z-score of ± 3 .

The laboratory's stated tolerance for ICP analyses at a concentration 50 times the detection limit is +/-10% of the nominal concentration. The z-score methodology is not appropriate for all analyses because for some metals, the 10% tolerance lies outside the 3 z-score control limit. Applying the 3 z-score as a control would result in an excessive number of apparent failures that are not truly indicative of any analytical problem. One such case is of the ICP analysis for copper, for which the stated laboratory tolerance is 10% of the nominal value. Accordingly, the 10% concentration is a more appropriate tolerance for copper. Lines indicating the 10% tolerances have been plotted on Figure 34, expressed as a z-score value. While numerous copper analyses initially plot outside the 3 z-score control limit, all but two fall within their respective 10% limit.

Sample No. 165126, near the left end of Figure 29, is a failed gold analysis. Upon reanalysis at Skyline's request, a conformable value was obtained (165126RT near the centre of the plot). Assayers Canada indicated that the original erroneous value was the result of a calculation error. The failed analysis (0.073 g/t) is omitted from statistical calculations, while the reanalysis value (0.224 g/t) is included.

Five other failures lie well outside the expected range and are the result of either blunders at the coreshack or lab. For example, sample No. G023070 appears to be standard CDN-CGS-2 that was inserted in place of CDN-GS-20A by the core sampler.

Sample 697280 is a failed standard for both copper and gold. At Skyline's request, Assayers Canada reanalysed this sample with similar results. The similar repeat values indicate that no analytical error had occurred, but rather a sample mix-up, either at Assayers Canada or possibly at the standard manufacturer, CDN. The reported analytical values are consistent with neither field blanks nor Standard 12, ruling out a coreshack blunder. The unexplained values for this sample remain unresolved.

An additional failed standard for gold is Sample No. 166111 which, upon reanalysis, returned a conformable value for gold.

The zinc and silver concentrations are certified for the standard CDN-ME-2, with analytical results plotted on Figures 30 and 31. All zinc and silver analyses for this standard plot within the 2 z-score warning limit.

The analysis of field standards has shown that while erroneous analytical results do occasionally occur, they are detectible by Skyline's QA/QC program, and that the number of non-conforming values is so low as to have no significant impact on the interpretation of the exploration program.

16 INTERPRETATION AND CONCLUSIONS

The occurrence of high-grade precious and base metals on the SNIP 1 tenure has been further tested. It appears that an offset occurs at the eastern limit of drilling.

The inconsistent orientation of mineralized veins in drill core suggests that the morphology of the mineralized system is a stockwork system rather than sheeted zones having consistent attitudes.

The concentrations of precious metals (gold, silver) at the SNIP 1 veins do not correlate strongly with the base metals (copper, zinc, lead) concentrations. Presence of base metals sulphides is not a reliable predictor of precious metals in all instances.

17 RECOMMENDATIONS

Additional work is ongoing to further define the extent of the vein mineralization at SNIP 1. The following program is in progress:

- 1) Geology and structure to be mapped in existing hand trenches.
- 2) Additional trenches to be excavated and mapped and sampled. Consideration will be given to utilizing explosives where overburden is thick.
- 3) Structural analysis and three dimensional modeling will be useful to assist with the placement of boreholes in the drill program.
- 4) Ongoing drilling will utilize oriented core techniques.

18 REFERENCES

- Alldrick, D.J., 1991. Geology and Ore Deposits of the Stewart Mining Camp, British Columbia; unpublished Ph.D. thesis, University of British Columbia, Vancouver, Canada, 347 p..
- Anderson, R.G., 1989. A stratigraphic, plutonic and structural framework for the Iskut River map area, northwestern British Columbia; Geological Survey of Canada, Paper 89-1E, p. 145-154.
- Anderson, R.G. and Thokelson, D.L., 1990. Mesozoic stratigraphy and setting for some mineral deposits in the Iskut River map area, northwestern British Columbia; Geological Survey of Canada Paper 89-1E, p. 131-140.
- Anderson, R.G., 1993. A Mesozoic stratigraphic and plutonic framework for northwestern Stikiinia (Iskut River area), northwestern British Columbia, Canada; in Mesozoic Paleogeography of the Western United States edited by G. Dunne and K. MacDougall, Society of Economic Paleontologists and Mineralogists, v. 2, Pacific Section.
- Atkinson, J., Metcalfe, P., Moore, M., 1991. Summary Report 1990 Program Skyline Gold Corp./Placer Dome Inc. Joint Venture Bronson Project, unpublished company report, three volumes, 72pp.
- Britton, J.M., Webster, I.C.L., and Aldrick, D.J., 1989. Unuk map area (104B/7E7 8W710E); British Columbia Ministry of Energy, Mines and Petroleum Resources, Geological Fieldwork 1988, Paper 1989-1.
- Callan, N., 1993. Assessment report, 1993 Diamond Drilling Skyline Property, Reg 1, Sky 1, El Oro Claims; British Columbia Ministry of Energy, Mines and Petroleum Resources, Assessment Report #23,147.
- Childe, F., 1996. U-Pb geochronology of Nd and Pb isotope characteristics of the Au-Ag rich Eskay Creek volcanogenic massive sulphide deposit, British Columbia; Economic Geology, Vol. 91, p. 1201-1224.
- Equity Exploration Consultants, Ltd., 2010. 2009 Diamond Drilling Report on the Snip 1 Tenure (Tenure #523384), Bronson Slope Property. Report to Skyline Gold Corp. February.
- Garrett, J.R., 1995. Assessment report, 1995 Diamond Drilling Skyline Property, Sky 3 Mineral Claim; British Columbia Ministry of Energy, Mines and Petroleum Resources, Assessment Report #24,361.
- Grove, E.W., 1986. Geology and mineral deposits of the Unuk River-Salmon River-Anyox area; British Columbia Ministry of Energy, Mines and Petroleum Resources, Bulletin 63, 434 p.
- Henderson, J.R., Kirkham, R.V., Henderson, M.N., Payne, J.G., Wright, T.O., and Wright, R.L.,1992. Stratigraphy and structure of the Sulphurets area, British Columbia; Geological Survey of Canada, Paper 92-IA, p.323-332.
- Jones, M., 2010. 2009 Diamond drilling report on the SNIP 1 claim (Tenure # 523348), Bronson Slope property. Assessment Report # 31387. 19pp.

- Logan, J.M., and Koyanagi, V.M., 1989. Geology and mineral deposits of the Galore Creek area, northwestern British Columbia (104G/3,4). British Columbia Ministry of Energy, Mines and Petroleum Resources, Geological Fieldwork 1988, Paper 1989-1.
- MacDonald, A.J., van der Heyden, P., Alldrick, D.J. and Lefebure, D., 1992 Geochronometry of the Iskut River area – An update; British Columbia Ministry of Energy, Mines and Petroleum Resources, Geological Fieldwork 1991, Paper 1992-1, pp. 495-501.
- Metcalfe, P. 1988. Red Bluff Project (exploration), geological termination report; Unpublished company report, Skyline Explorations Ltd., Vancouver, British Columbia, 23 p. (Mapping by M. Moore).
- Nadaraju, G.T., 1993. Triassic-Jurassic biochronology of the eastern Iskut River map area, northwestern British Columbia. Unpublished M.Sc. thesis, Vancouver, Canada, University of British Columbia, 223 p.
- Rhys, D.A., 1995. The Red Bluff gold-copper porphyry and associated precious and base metal veins, northwestern British Columbia; in Schroeter, TG., editor, Porphyry Deposits of the Northwestern Cordillera of North America, Paper 67, pp. 838-.
- Yeager, D.A., 2003. Geochemical and Technical Assessment Report on the Sky 10, 11 and Reg 2 Mineral Claims; British Columbia Ministry of Energy, Mines and Petroleum Resources, Assessment Report #27,380.

19 SIGNATURE PAGE

19.1 Certificate of Author

I, Arnd Burgert, P.Geo., do hereby certify that:

- I am currently employed as a consulting geologist by: Arnd Burgert Consulting, Ltd.
 921 Colonia Drive Ladysmith, British Columbia, Canada V9G 1N9
- 2. I graduated with a B.Sc. degree in Geology from the University of British Columbia in 1995.
- 3. I am a member of the Association of Professional Engineers and Geoscientists of B.C.
- 4. I have worked as a geologist for 16 years since graduating from university.
- 5. I am an author responsible for the preparation of the Assessment Report titled "Assessment Report describing Diamond Drilling on the Snip 1 Claim, Bronson Slope Property" for Skyline Gold Corp., dated April 30, 2011. I worked on the Snip 1 Property during the 2010 field program.
- 6. I am an author of a previous report on the Bronson Slope Property, titled "Technical Report Magnetite Mineral Resource Estimate – Bronson Slope Deposit", dated January 28, 2010.
- 7. I hold no financial interest and no shares, nor do I expect to receive or acquire any interest or shares in Skyline Gold Corp.

Dated this 30th day of April, 2011.

"Arnd Burgert" {Signed and Sealed}

Signature of Author

Arnd Burgert, P.Geo Printed name of Author

19.2 Certificate of Author

I, David A. Yeager, do hereby state:

- 1. That I am a consulting geologist with offices located at 7575 Kilrea Crescent, Burnaby, B.C.
- 2. That I am a member of the Association of Professional Engineers and Geoscientists of the Province of British Columbia holding License Number 19855.
- 3. That I am a graduate of the University of British Columbia (B.Sc., 1972) and have been employed as an exploration and mining geologist since that time.
- 4. That my experience has given me considerable knowledge in geological, geochemical and geophysical exploration techniques as well as in the planning, execution and evaluation of exploration drilling programs.
- 5. That I am an author responsible for the preparation of the Assessment Report titled "Assessment Report describing Diamond Drilling on the Snip 1 Claim, Bronson Slope Property" for Skyline Gold Corp., dated April 30, 2011. I worked on the Snip 1 Property during the 2010 field program.
- 6. That the accompanying Statement of Costs is an accurate statement of expenditures on the project.

Signed on the 30th day of April, 2011

D. A. YEAGER David A. Yeager, P.Geo

| APPENDIX 1: STATEMENT | ГS | | | | | |
|--------------------------------|--------------|----------------|-----------|----------|--------------|--------------|
| | | | | | | |
| Exploration Work type | | | | | | Totals |
| Personnel (Name)* / Position | Davs | Start | End | Rate | Subtotal* | |
| Arnd Burgert, Project Manager | 37 | 25-May-10 | 01-Jul-10 | \$750.00 | \$27,750.00 | |
| Dave Yeager, Senior Consultant | 12 | 29-May-10 | 10-Jun-10 | \$900.00 | \$10,800,00 | |
| Arnd Burgert, Project Manager | 31 | 04-Oct-10 | 04-Nov-10 | \$750.00 | \$23,250.00 | |
| Dan Takagawa, Geologist | 30 | 01-Jun-10 | 01-Jul-10 | \$520.00 | \$15.600.00 | |
| Brent Hemmingway, Geologist | 24 | 11-Oct-10 | 04-Nov-10 | \$400.00 | \$9,600.00 | |
| Doug Ouock, Core Sampler | 37 | 25-May-10 | 01-Jul-10 | \$250.00 | \$9,250.00 | |
| Doug Quock, Core Sampler | 24 | 11-Oct-10 | 04-Nov-10 | \$250.00 | \$6.000.00 | |
| Lisa, Cook | 16 | 22-May-10 | 07-Jun-10 | \$450.00 | \$7,200.00 | |
| Janice, Cook | 23 | 08-Jun-10 | 01-Jul-10 | \$450.00 | \$10,350.00 | |
| Virginia Pohl, Bull Cook | 20 | 25-May-10 | 14-Jun-10 | \$325.00 | \$6,500.00 | |
| Virginia Pohl, Core Tech | 16 | 15-Jun-10 | 01-Jul-10 | \$325.00 | \$5,200.00 | |
| Ron, Camp Manager | 16 | 22-May-10 | 07-Jun-10 | \$450.00 | \$7,200.00 | |
| Kevin, Camp Manager | 23 | 08-Jun-10 | 01-Jul-10 | \$450.00 | \$10,350.00 | |
| Julien Remillard, Camp Manager | 7 | 07-Oct-10 | 14-Oct-10 | \$450.00 | \$3,150.00 | |
| Dave Nash, Pad Builder | 5 | 20-May-10 | 25-May-10 | \$450.00 | \$2,250.00 | |
| Johnny, Pad Builder | 5 | 20-May-10 | 25-May-10 | \$450.00 | \$2,250.00 | |
| Dave Nash, Pad Builder | 5 | 17-Jun-10 | 22-Jun-10 | \$450.00 | \$2,250.00 | |
| Johnny, Pad Builder | 5 | 17-Jun-10 | 22-Jun-10 | \$450.00 | \$2,250.00 | |
| Dave Nash, Pad Builder | 19 | 07-Oct-10 | 26-Oct-10 | \$450.00 | \$8,550.00 | |
| Johnny, Pad Builder | 19 | 07-Oct-10 | 26-Oct-10 | \$450.00 | \$8,550.00 | |
| Monika, Cook | 31 | 04-Oct-10 | 04-Nov-10 | \$450.00 | \$13,950.00 | |
| Bull Cook | 31 | 04-Oct-10 | 04-Nov-10 | \$350.00 | \$10,850.00 | |
| Richard Louis, Trench Sampler | 28 | 07-Oct-10 | 04-Nov-10 | \$420.00 | \$11,760.00 | |
| Wesley Ouock, Trench Sampler | 11 | 20-Oct-10 | 31-Oct-10 | \$420.00 | \$4,620.00 | |
| James Henyu, Trench Sampler | 7 | 13-Oct-10 | 20-Oct-10 | \$420.00 | \$2,940.00 | |
| James Tashoots, Trench Sampler | 7 | 13-Oct-10 | 20-Oct-10 | \$420.00 | \$2,940.00 | |
| Alex Reid, Trench Sampler | 5 | 15-Oct-10 | 20-Oct-10 | \$420.00 | \$2,100.00 | |
| Aaron Pelsma, Trench Sampler | 13 | 07-Oct-10 | 20-Oct-10 | \$420.00 | \$5,460.00 | |
| Terrance, Trench Sampler | 31 | 04-Oct-10 | 04-Nov-10 | \$450.00 | \$13,950.00 | |
| Dave Rippel, Trench Sampler | 28 | 07-Oct-10 | 04-Nov-10 | \$420.00 | \$11,760.00 | |
| Michael, Trench Foreman | 9 | 19-Oct-10 | 28-Oct-10 | \$450.00 | \$4,050.00 | |
| | 575 | 1 | r 1 | | \$262,680.00 | \$262,680.00 |
| Assaying & Geochemical | | | No. | Rate | Subtotal | · · · |
| Drill core | June | | 1357 | \$37.10 | \$50,344.70 | |
| Trench channel samples | October | | 82 | \$35.50 | \$2,910.90 | |
| Drill core | October | | 979 | \$35.50 | \$34,753.26 | |
| | | | 2418 | | \$88,008.86 | \$88,008.86 |
| Drilling | No. of Holes | , Size of Core | No. | | Subtotal | |
| Diamond Drilling June | 10 holes, N | Q | | | \$174,668.00 | |
| Diamond Drilling October | 8 holes, NC |) | | | \$137,940.09 | |
| | | | | | \$312,608.09 | \$312,608.09 |
| Transportation | | | No. | Rate | Subtotal | |
| Airfare | | | 10 | \$568.76 | \$5,687.60 | |
| Тахі | | | 1 | \$30.00 | \$30.00 | |
| Helicopter cost June | | | | | \$115,681.00 | |
| Helicopter cost October | | | | | \$93,955.00 | |

| Fuel cost June | | | \$34,476.00 | |
|-----------------------------------|------------|-----|--------------|----------------|
| Fuel cost October | | | \$24,244.63 | |
| Fixed Wing cost June | | | \$69,755.00 | |
| Fixed Wing cost October | | | \$48,143.47 | |
| | | | \$391,972.70 | \$391,972.70 |
| Accommodation & Food | Actual Cos | sts | | |
| Hotel | | | \$895.25 | |
| Camp | | | \$67,944.27 | |
| Meals | | | \$9,087.75 | |
| | | | \$77,927.27 | \$77,927.27 |
| Miscellaneous | | | | |
| Expediting 13294 | | | \$1,312.50 | |
| Expediting 13287 | | | \$1,237.00 | |
| | | | \$2,549.50 | \$2,549.50 |
| Equipment Rentals | | | | |
| Field Gear (generator, camp gear) | | | \$11,275.00 | |
| Water Pumps, Hose | | | \$3,275.00 | |
| | | | \$14,550.00 | \$14,550.00 |
| | | | | |
| TOTAL Expenditures | | | | \$1,150,296.42 |

APPENDIX 2: FIGURES











| r | | | | | | | | | | | | | | | 1 |
|--------|--------|-----------|----------|-------|--------|--------|---------|--------|-------|--------|--------|----------|----------|-------|-----|
| | | | | GOLD | | | | | GOLD | | | | | GOLD | |
| TRENCH | SAMPLE | SAMPLE | LENGTH | ASSAY | TRENCH | SAMPLE | SAMPLE | LENGTH | ASSAY | TRENCH | SAMPLE | E SAMPLE | LENGTH | ASSAY | |
| NO. | NO. | TYPE | (m) | (g/t) | NO. | NO. | TYPE | (m) | (g/t) | NO. | NO. | TYPE | (m) | (g/t) | |
| CE13 | 6318 | CHANNEL | 1.7 | 1.12 | CE13 | 6359 | CHANNEL | 1.2 | 1.30 | CE13 | 6554 | CHIP | 1.0 | 0.24 | |
| CE13 | 6319 | CHANNEL | 1.0 | 0.89 | CE13 | 6360 | CHANNEL | 1.0 | 0.62 | CE13 | 6555 | CHIP | 1.0 | 0.53 | |
| CE13 | 6320 | CHANNEL | 1.0 | 0.82 | CE13 | 6361 | CHANNEL | 0.8 | 2.40 | CE13 | 6556 | CHIP | 1.0 | 0.48 | |
| CE13 | 6321 | CHANNEL | 1.9 | 1.30 | CE13 | 6362 | CHANNEL | 1.3 | 7.10 | CE13 | 6557 | CHIP | 1.0 | 0.35 | |
| CE13 | 6322 | CHANNEL | 0.4 | 0.55 | CE13 | 6363 | CHANNEL | 0.6 | 9.49 | CE13 | 6558 | CHIP | 1.0 | 0.34 | |
| CE13 | 6323 | CHANNEL | 0.7 | 0.14 | CE13 | 6364 | CHANNEL | 1.2 | 1.71 | CE13 | 6559 | CHIP | 1.0 | 0.46 | |
| CE13 | 6324 | CHANNEL | 1.1 | 0.14 | CE13 | 6365 | CHANNEL | 1.0 | 0.55 | CE13 | 6560 | CHIP | 1.0 | 0.44 | |
| CE13 | 6325 | CHANNEL | 0.8 | 0.21 | CE13 | 6366 | CHANNEL | 1.0 | 0.34 | CE13 | 6561 | CHIP | 1.0 | 0.39 | |
| CE13 | 6326 | CHANNEL | 0.4 | 0.89 | CE13 | 6367 | CHANNEL | 1.0 | 0.75 | CE13 | 6562 | CHIP | 1.0 | 0.34 | |
| CE13 | 6327 | CHANNEL | 0.5 | 1.23 | CE13 | 6368 | CHANNEL | 1.0 | 0.34 | CE13 | 6563 | CHIP | 1.0 | 0.31 | |
| CE13 | 6328 | CHANNEL | 0.8 | 0.07 | CE13 | 6369 | CHANNEL | 1.0 | 0.14 | CE13 | 6564 | CHIP | 1.0 | 0.36 | |
| CE13 | 6329 | CHANNEL | 1.0 | 0.75 | CE13 | 6370 | CHANNEL | 1.3 | 0.21 | CE13 | 6565 | CHIP | 1.0 | 1.98 | |
| CE13 | 6330 | CHANNEL | 0.8 | 0.21 | CE13 | 6371 | CHANNEL | 1.0 | 0.41 | CE13 | 6566 | SPECIMEN | SPECIMEN | 0.43 | |
| CE13 | 6331 | CHANNEL | 0.7 | 1.37 | CE13 | 6372 | CHANNEL | 0.8 | 0.21 | CE13 | 6567 | CHIP | 1.0 | 0.39 | |
| CE13 | 6332 | CHANNEL | 0.5 | 0.27 | CE13 | 6373 | CHANNEL | 1.2 | 0.27 | CE13 | 6568 | CHIP | 1.0 | 0.37 | |
| CE13 | 6333 | CHANNEL | 0.7 | 0.34 | CE13 | 6374 | CHANNEL | 1.0 | 0.27 | CE13 | 6569 | CHIP | 1.0 | 1.15 | |
| CE13 | 6334 | CHANNEL | 0.6 | 0.89 | CE13 | 6375 | CHANNEL | 1.0 | 0.21 | CE13 | 6570 | CHIP | 1.0 | 2.96 | |
| CE13 | 6335 | CHANNEL | 0.8 | 0.34 | CE13 | 6376 | CHANNEL | 0.8 | 0.82 | CE13 | 6571 | CHIP | 1.0 | 4.01 | |
| CE13 | 6336 | CHANNEL | 0.2 | 0.27 | CE13 | 6377 | CHANNEL | 1.0 | 0.41 | CE13 | 6572 | CHIP | 1.0 | 0.60 | |
| CE13 | 6337 | CHANNEL | 0.9 | 0.89 | CE13 | 6378 | CHANNEL | 1.0 | 0.41 | CE13 | 6573 | CHIP | 1.0 | 0.30 | |
| CE13 | 6338 | CHANNEL | 0.2 | 1.10 | CE13 | 6379 | CHANNEL | 0.6 | 0.55 | CE13 | 6574 | CHIP | 1.0 | 1.08 | |
| CE13 | 6339 | CHANNEL | 0.5 | 0.41 | CE13 | 6380 | CHANNEL | 0.9 | 0.07 | CE13 | 6575 | CHIP | 1.0 | 4.97 | |
| CE13 | 6341 | SPECIMENS | SPECIMEN | 4.39 | CE13 | 6381 | CHANNEL | 1.0 | 0.34 | CE13 | 6576 | CHIP | 1.0 | 2.44 | |
| CE13 | 6342 | SPECIMENS | SPECIMEN | 1.30 | CE13 | 6382 | CHANNEL | 1.0 | 0.41 | CE13 | 6577 | CHIP | 1.0 | 8.40 | |
| CE13 | 6343 | CHANNEL | 1.0 | 0.69 | CE13 | 6383 | CHANNEL | 1.0 | 0.21 | CE13 | 6578 | CHIP | 1.0 | 1.65 | |
| CE13 | 6344 | CHANNEL | 0.7 | 0.48 | CE13 | 6384 | CHANNEL | 1.0 | 0.14 | CE13 | 6579 | CHIP | 1.0 | 2.29 | |
| CE13 | 6345 | CHANNEL | 1.3 | 0.62 | CE13 | 6385 | CHANNEL | 1.0 | 0.21 | CE13 | 6580 | CHIP | 1.0 | 2.20 | |
| CE13 | 6346 | CHANNEL | 1.0 | 0.41 | CE13 | 6386 | CHANNEL | 1.0 | 0.27 | CE13 | 6581 | CHIP | 1.0 | 0.60 | |
| CE13 | 6347 | CHANNEL | 1.0 | 0.75 | CE13 | 6387 | CHANNEL | 1.0 | 0.55 | CE13 | 6582 | CHIP | 1.0 | 0.63 | |
| CE13 | 6348 | CHANNEL | 1.0 | 0.75 | CE13 | 6388 | CHANNEL | 1.0 | 0.27 | CE13 | 6583 | CHIP | 0.5 | 2.91 | |
| CE13 | 6349 | CHANNEL | 1.0 | 0.34 | CE13 | 6389 | CHANNEL | 1.0 | 0.41 | CE13 | 6584 | CHIP | 0.5 | 0.45 | 20 |
| CE13 | 6350 | CHANNEL | 1.2 | 1.30 | CE13 | 6390 | CHANNEL | 1.0 | 0.69 | CE13 | 6585 | CHIP | 0.5 | 0.50 | |
| CE13 | 6351 | CHANNEL | 0.8 | 0.14 | CE13 | 6391 | CHANNEL | 1.0 | 0.89 | CE13 | 6586 | CHIP | 0.5 | 0.79 | S S |
| CE13 | 6352 | CHANNEL | 1.0 | 1.37 | CE13 | 6392 | CHANNEL | 1.0 | 1.03 | CE13 | 6587 | CHIP | 1.0 | 0.37 | |
| CE13 | 6353 | CHANNEL | 1.0 | 0.07 | CE13 | 6393 | CHANNEL | 1.0 | 0.41 | CE13 | 6588 | CHIP | 1.0 | 0.22 | c |
| CE13 | 6354 | CHANNEL | 1.0 | 0.14 | CE13 | 6394 | CHANNEL | 1.0 | 0.27 | CE13 | 6589 | CHIP | 1.0 | 0.30 | R |
| CE13 | 6355 | CHANNEL | 1.0 | 0.14 | CE13 | 6395 | CHANNEL | 1.0 | 0.62 | CE13 | 6590 | CHIP | 1.0 | 1.17 | |
| CE13 | 6356 | CHANNEL | 1.0 | 1.17 | CE13 | 6396 | CHANNEL | 1.0 | 0.21 | CE13 | 6591 | CHIP | 1.0 | 0.10 | DR/ |
| CE13 | 6357 | CHANNEL | 1.2 | 0.62 | CE13 | 6397 | CHANNEL | 1.0 | 0.41 | | | | | | |
| CE13 | 6358 | CHANNEL | 1.0 | 0.75 | CE13 | 6398 | CHANNEL | 1.0 | 2.19 | | | | | | |



AB JAN 2011 5b




























Figure 18: Metals Correlation: Gold vs. Copper



Figure 20: Metals Correlation: Gold vs. Lead



Figure 22: Metals Correlation: Gold vs. Sulphur







Figure 21: Metals Correlation: Gold vs. Arsenic



Figure 23: Metals Correlation: Gold vs. Antimony



Figure 24: Field Blank Analyses – Silver









Figure 27: Field Blank Analyses - Lead



Figure 28: Field Blank Analyses - Zinc







Figure 32: Field Duplicate Analyses – Lead









APPENDIX 3: DRILL LOGS AND DRILLING ASSAY CERTIFICATES



DIAMOND DRILL HOLE LOG

| HOLE: | SK10-01 | CONTRACTOR: | Driftwood Diamond Drilling Ltd. |
|--|--|---------------|---------------------------------|
| COLLAR COORDINATE Easting: Northing: | S UTM (NAD 83): 373542.4 6280826.3 | DATE STARTED: | 30-May-10 |
| COLLAR COORDINATE | S MINE GRID: | DATE COMPLETE | ED: |
| Northing: | 11677 | | 01-Jun-10 |
| Easting: | 27368 | | |
| COLLAR ELEVATION: | | CORE SIZE: | |
| | 649.5m | | NQ |
| FINAL DEPTH: | | RIG: | |
| | 209m | SR | S 3000 Hydraulic |
| SURVEYS: | | | |
| Depth | Azimuth | Inclination | Method |
| 0 | 059.0 | -70.0 | compass, clinometer |
| 101 | 061.7 | -74.5 | Reflex |
| 204 | 062.5 | -77.7 | Reflex |

Page: 2 of 6 pages



| | То | | From | То | Interval | | | | |
|----------|---|------------|-------|-------|----------|--------|--------|--------|--------|
| From (m) | (m) Description | Sample No. | (m) | (m) | (m) | Au g/t | Ag g/t | Cu ppm | Zn ppm |
| 0.00 | 9.00 CASING | | | | | | | | |
| 9.00 | 49.45 GREYWACKE | 165001 | 9.00 | 11.00 | 2.00 | 0.092 | 3.6 | 171 | 655 |
| | Grey mottled fine to medium grained (mg) feldspathic (felds) | 165002 | 11.00 | 13.00 | 2.00 | 0.150 | 2.2 | 216 | 557 |
| | sandstone. 2 to 25% pyrite (py) in disseminated (dissem) | 165003 | 13.00 | 15.00 | 2.00 | 0.070 | 2.0 | 269 | 364 |
| | aggregates of fine grained (fg) crystals (xls) and veins (vns). | 165004 | 15.00 | 17.00 | 2.00 | 0.115 | 2.9 | 257 | 1338 |
| | Dominant py vn axis 35 CA (degree to core axis). Occasional | 165005 | 17.00 | 18.00 | 1.00 | 0.270 | 3.2 | 110 | 3953 |
| | quartz (qtz) vn to 5mm wide, typical angle 50 CA. Occasional | 165006 | 18.00 | 19.00 | 1.00 | 0.640 | 6.9 | 69 | 3328 |
| | sphalerite (sphal), as aggregates typically 5mm wide, most | 165007 | 19.00 | 20.10 | 1.10 | 0.200 | 3.2 | 144 | 1887 |
| | commonly adjacent to the thicker py vns. | 165008 | 20.10 | 21.20 | 1.10 | 10.87 | 112.5 | 144 | 7212 |
| | | 165009 | 21.20 | 22.30 | 1.10 | 17.13 | 170.5 | 310 | 6983 |
| | | 165010 | 22.30 | 24.00 | 1.70 | 9.460 | 61.8 | 151 | 7279 |
| | 16.0 - vn, 35mm wide, qtz-felds matrix, twice as much light grey | 165011 | 24.15 | 26.00 | 1.85 | 0.173 | 6.5 | 343 | 2970 |
| | quartz as milky white felds, 60% py, 1mm wide selvedge of | 165012 | 26.00 | 28.00 | 2.00 | 0.042 | 1.0 | 89 | 239 |
| | brown sphal,7mm wide brown sphal clot with gl, vn CA 25 | 165013 | 28.00 | 30.00 | 2.00 | 0.047 | 1.1 | 136 | 224 |
| | | 165014 | 30.00 | 31.50 | 1.50 | 0.045 | 1.4 | 240 | 113 |
| | | 165015 | 31.50 | 32.10 | 0.60 | 0.102 | 3.0 | 91 | 5041 |
| | 17.5 - vn, 20mm to 40mm wide, py veinlet, 60% py, 25% qtz, | 165016 | 32.10 | 34.00 | 1.90 | 0.198 | 3.7 | 242 | 161 |
| | 15% felds, tr brown sphal tends to occur at selvedge, CA 40 | 165017 | 34.00 | 36.00 | 2.00 | 0.140 | 2.5 | 281 | 1366 |
| | 17.10 to 17.35 - vn, 60% py, 15% of vn is wacke country rock, | 165018 | 36.00 | 38.00 | 2.00 | 0.043 | 2.0 | 434 | 796 |
| | 15% qtz, 10% felds, uphole CA 45, downhole CA irregular | 165019 | | | STD12 | 0.242 | 2.5 | 2335 | 273 |
| | | 165020 | 38.00 | 40.00 | 2.00 | 0.294 | 3.1 | 432 | 939 |
| | 17.35 to 19.3 disseminated pyrite as 10 to 20mm wide veinlets | 165021 | 40.00 | 42.00 | 2.00 | 0.654 | 2.2 | 412 | 117 |
| | spaced 200mm, CA varies 0 to 50, typical composition 60% py | 165022 | 42.00 | 44.00 | 2.00 | 0.612 | 5.1 | 418 | 255 |
| | 25%, qtz, 15% felds, tr sphal | 165023 | 44.00 | 45.50 | 1.50 | 0.958 | 8.2 | 504 | 6434 |
| | | 165024 | 45.50 | 47.50 | 2.00 | 0.332 | 4.1 | 482 | 3520 |
| | | 165025 | 47.50 | 49.45 | 1.95 | 0.902 | 13.3 | 528 | 18000 |
| | 20.3 to 20.8 - massive textured py vn, broken into 10mm to | | | | | | | | |
| | 20mm frags, fg xls in masses to 20mm, uphole CA 30, downhole | | | | | | | | |
| | CA 20, tr sphal, 25% qtz, 15% felds, 60% py | | | | | | | | |
| | 20.95 to 22.3 same as 20.3 to 20.8 except py frags are larger (up | | | | | | | | |
| | to 25mm x 60mm), uphole CA irregular, downhole CA 40, tr | | | | | | | | |
| | lsphal | | | | | | | | |

Page: 3 of 6 pages



| | То | | From | То | Interval | | | | |
|----------|--|------------|-------|-------|----------|-------|--------|--------|--------|
| From (m) | (m) Description | Sample No. | (m) | (m) | (m) | Au g/ | Ag g/t | Cu ppm | Zn ppm |
| | 22.30 to 24.15 - dissem to semimassive py as wisps and vns up to | | | | | | | | |
| | 60mm wide, including shal bands up to 10mm wide, CAs variable | | | | | | | | |
| | 15 to 35 | | | | | | | | |
| | 24.15 to 24.35 - qtz and sphal veining, qtz vns up to 30mm, CA | | | | | | | | |
| | 65, sphal disseminated as wispy vns up to 5mm wide, CA varies | | | | | | | | |
| | 45 to 55 | | | | | | | | |
| | 24.97 to 26.0 - apparent fragmental zone. Frags due to soft sed | | | | | | | | |
| | slumping of vfg felsic layers É 25.55 to 25.79 discrete felsic layer | | | | | | | | |
| | broken into frags. Largest frag over 25 x 50mm plus. CA 25 | | | | | | | | |
| | 31.52 to 31.95 - qtz sphal vn, 5 to 30mm wide, 5% brown sphal | | | | | | | | |
| | as aggregatates up to 4mm x 10mm, irregular CA 5 typical | | | | | | | | |
| | 32.05 - 32.39 fault, some gouge, broken core, rusty fracture | | | | | | | | |
| | surfaces, uphole CA 15, downhole CA 5 | | | | | | | | |
| 49.45 | 57.67 MUDSTONE | 165026 | 49.45 | 51.50 | 2.05 | 0.044 | 5.4 | 54 | 5562 |
| | Mudstone, dark green, with occasional biotitic clasts 1mm to 15 | 165027 | 51.50 | 53.50 | 2.00 | 0.042 | 2.1 | 91 | 2878 |
| | x 25 mm wide. | 165028 | 53.50 | 55.60 | 2.10 | 0.250 | 3.6 | 123 | 3711 |
| | 54.48 to 54.72 - bedding 35 CA, fining indicates overturned to | 165029 | 55.60 | 57.67 | 2.07 | 0.029 | 2.5 | 53 | 3643 |
| | vertical bedding at 35 CA | | | | | | | | |
| | 57.67 to 57.87 - fault, 3 planes, with gouge, rusty fracture, 40 CA | | | | | | | | |
| 57.67 | 66.8 GREYWACKE | 165030 | 57.67 | 59.50 | 1.83 | 0.273 | 10.0 | 536 | 2140 |
| | Same as interval 9.00 to 49.45 | 165031 | 57.67 | 59.50 | DUP | 0.138 | 6.2 | 571 | 1667 |
| | 60.95 to 61.11 - 75mm wide zone of wispy veins comprised of | 165032 | 59.50 | 60.90 | 1.40 | 0.120 | 4.5 | 469 | 2090 |
| | brown sphal, py, felds ,qtz, 50% country rock | 165033 | 60.90 | 62.40 | 1.50 | 0.508 | 3 15.4 | 1096 | 14200 |
| | | 165034 | 62.40 | 63.90 | 1.50 | 0.224 | 8.2 | 339 | 4156 |
| | 63.97 to 64.64 - Irregular veining 70% py, 30% cpy, up to 40mm | 165035 | 63.90 | 65.20 | 1.30 | 4.860 | 119.6 | 17000 | 3176 |
| | wide, UC 55 CA | 165036 | 65.20 | 66.70 | 1.50 | 3.030 | 62.0 | 4863 | 729 |
| | 66.63 to 66.80 - Felsic vfg sedimentry rock interval, offwhite to | 165037 | 66.70 | 68.70 | 2.00 | 0.058 | 8 0.7 | 154 | 710 |
| | brownish grey color, sharp UC 50 CA, LC gradational to fg | | | | | | | | |
| | greywacke/siltstone | | | | | | | | |

Page: 4 of 6 pages



| | То | | | From | То | Interval | | | | |
|----------|---------------|---|------------|--------|--------|----------|--------|--------|--------|--------|
| From (m) | (m) | Description | Sample No. | (m) | (m) | (m) | Au g/t | Ag g/t | Cu ppm | Zn ppm |
| 66.8 | 73.8 | FG GREYWACKE/SILTSTONE | 165038 | 68.70 | 70.70 | 2.00 | 0.088 | 3.0 | 327 | 1226 |
| | Py dissem in | veinlets from 1 to 45mm wide, rare brown sphal | 165039 | 70.70 | 72.70 | 2.00 | 0.200 | 6.4 | 1059 | 1798 |
| | | | 165040 | 72.70 | 74.70 | 2.00 | 1.180 | 36.3 | 3342 | 3388 |
| 73.8 | 103.5 | GREYWACKE | 165041 | 74.70 | 76.60 | 1.90 | 1.140 | 15.7 | 748 | 8978 |
| | Same as inte | erval 9.00 to 49.45 | 165042 | 76.60 | 77.25 | 0.65 | 45.030 | 78.0 | 1134 | 226000 |
| | 73.80 to 74. | 5 - 2% Disseminated cpy | 165043 | | | BLANK | 0.008 | 1.7 | 10 | 230 |
| | 76.60 to 77. | 25 - Semimassive red sphal zone with visable gold | 165265 | 76.60 | 77.25 | DUP | 70.540 | 69.4 | 1096 | 212000 |
| | (vg), 50% red | d sphal, 25% country rock, 10% py, 15% qtz, tr ca- | 165044 | 77.25 | 78.03 | 0.78 | 6.580 | 61.3 | 1711 | 36900 |
| | carb as hairl | ine stringers, UC 50 CA, LC 25 CA | 165045 | 78.03 | 79.00 | 0.97 | 0.632 | 3.8 | 184 | 2003 |
| | | | 165046 | 79.00 | 81.00 | 2.00 | 0.073 | 2.0 | 140 | 212 |
| | 77.25 to 78. | 03 - 30% semimassive py, 10% red brown sphal, 5% | 165047 | 81.00 | 83.00 | 2.00 | 0.091 | 1.9 | 199 | 136 |
| | biotitic coun | try rock, 15% qtz, 25% feld, 15% ankerite and calcite | 165048 | 83.00 | 85.00 | 2.00 | 0.266 | 1.0 | 113 | 149 |
| | | | 165049 | 85.00 | 87.00 | 2.00 | 3.180 | 2.1 | 111 | 307 |
| | 85.9 to 86.0 | 0 - Semimassive py zone, 50% py, 25% felds, 10% | 165050 | 87.00 | 89.00 | 2.00 | 0.089 | 1.0 | 137 | 105 |
| | qtz, 15% bio | titic country rock | 165051 | 89.00 | 91.00 | 2.00 | 0.100 | 1.1 | 203 | 90 |
| | 90.00 to 90.4 | 43 - Fg felsic sedimentary layer, UC 50 CA | 165052 | 91.00 | 93.00 | 2.00 | 0.078 | 0.7 | 154 | 137 |
| | | | 165053 | 93.00 | 94.50 | 1.50 | 0.046 | 1.0 | 109 | 160 |
| | | | G024953 | 94.50 | 96.50 | 2.00 | 0.322 | 1.0 | 104 | 160 |
| 103.5 | 109.77 | FELDSPATHIC GRAYWACKE | 165055 | 96.50 | 98.75 | 2.25 | 5.450 | 10.9 | 200 | 203 |
| | Medium to l | ight grey felsic clasts several to 30 mm wide in a fg | 165056 | 98.75 | 100.00 | 1.25 | 0.766 | 12.5 | 209 | 9336 |
| | light grey qu | artzo-feldspathic matrix, less than 1% to 3% py is | 165057 | 100.00 | 102.00 | 2.00 | 0.106 | 5.1 | 203 | 4131 |
| | dissem in irr | egular veinlets. | 165058 | | | BLANK | 0.005 | 0.6 | 6 | 144 |
| | | | G024954 | 102.00 | 103.00 | 1.00 | 0.072 | 3.4 | 234 | 5180 |
| | 105.47 to 10 | 6.15 - Semimassive (40%) sulfide zone, 18% py, 14% | 165059 | 103.00 | 104.00 | 1.00 | 0.049 | 1.6 | 81 | 2427 |
| | cpy, 10% re | d brown sphal, UC irregular averaging 40 CA, LC 20 | 165060 | 104.00 | 105.00 | 1.00 | 0.418 | 8.8 | 93 | 3212 |
| | СА | | 165061 | 105.00 | 105.47 | 0.47 | 0.150 | 5.4 | 70 | 1239 |
| | 106.96 to 10 | 17.50 - Semimassive (40%) sulfide zone, 20% red | 165062 | 105.47 | 106.15 | 0.68 | 3.030 | 248.4 | 18300 | 24400 |
| | brown sphal | , 14% ру, 6% сру | 165063 | 106.15 | 106.96 | 0.81 | 0.422 | 11.1 | 222 | 1546 |
| | 107.50 to 10 | 8.06 - dissem py less than 1% and red brown sphal | 165064 | 106.96 | 107.50 | 0.54 | 4.570 | 155.9 | 5631 | 74000 |
| | less than 1% | | 165065 | 107.50 | 108.50 | 1.00 | 0.482 | 11.7 | 249 | 8473 |

Page: 5 of 6 pages



| | То | | From | То | Interval | | | | |
|----------|--|------------|--------|--------|----------|--------|--------|--------|--------|
| From (m) | (m) Description | Sample No. | (m) | (m) | (m) | Au g/t | Ag g/t | Cu ppm | Zn ppm |
| | 109.40 to 109.77 - 20% py and 20% red brown sphal banding, UC | 165066 | 108.50 | 109.40 | 0.90 | 0.354 | 5.8 | 218 | 5234 |
| | irregular averaging 40 CA, LC sphalerite contact irregular and | 165067 | 109.40 | 109.77 | 0.37 | 1.510 | 32.7 | 683 | 66000 |
| | contorted approx 15 CA, final 40mm comprises vfg beddedÉ | 165068 | 109.77 | 111.00 | 1.23 | 5.600 | 37.2 | 1573 | 1038 |
| | pyritic 'mudstone', LC of py 35 CA | 165069 | 111.00 | 113.00 | 2.00 | 0.788 | 7.7 | 695 | 3657 |
| | | 165070 | 113.00 | 115.00 | 2.00 | 2.110 | 8.1 | 950 | 451 |
| 109.77 | 156.5 GREYWACKE | 165071 | 115.00 | 117.00 | 2.00 | 0.517 | 3.5 | 502 | 318 |
| | Same as interval 9.00 to 49.45 | 165072 | 117.00 | 119.00 | 2.00 | 0.163 | 1.8 | 247 | 106 |
| | 137.09 to 137.12 - fg olivine rich basalt dyke, UC 70 CA | 165073 | | | STD12 | 0.326 | 2.5 | 2621 | 328 |
| | | 165074 | 119.00 | 121.00 | 2.00 | 0.253 | 2.1 | 190 | 598 |
| | 141.06 to 141.40 - Irregular sulfide zone, 5-10% py, sphal, gal, | 165075 | 121.00 | 123.00 | 2.00 | 0.422 | 2.3 | 294 | 884 |
| | po, appear to be rimming clasts and in vns, in a qtz and calcite | 165076 | 123.00 | 125.00 | 2.00 | 2.89 | 2.9 | 531 | 298 |
| | matrix | 165077 | 125.00 | 127.00 | 2.00 | 0.652 | 2.2 | 316 | 237 |
| 156.5 | 163.64 SILT/MDST MINOR INTERBEDDED GREYWACKE | 165078 | 127.00 | 129.00 | 2.00 | 0.454 | 2.0 | 222 | 102 |
| | Onset of interval dominated by alteration banded | 165079 | 129.00 | 131.00 | 2.00 | 0.457 | 0.4 | 122 | 96 |
| | siltstone/mudstone with thin to medium varves of vfg | 165080 | 131.00 | 133.00 | DUP | 0.082 | 1.5 | 197 | 395 |
| | greywacke. Biotite and kspar alteration occur commonly as | 165081 | 131.00 | 133.00 | 2.00 | 0.114 | 2.0 | 282 | 450 |
| | compositional bands parallel to bedding. Py is dissem thorughout | 165082 | 133.00 | 135.00 | 2.00 | 0.086 | 2.8 | 218 | 1738 |
| | often parallel to bedding commonly as fg-mg cubic to small | 165083 | 135.00 | 136.20 | 1.20 | 0.074 | 2.8 | 339 | 1976 |
| | aggregate blebs with or surroundewd by biotite. Ca-carb is weak | 165084 | 136.20 | 137.09 | 0.89 | 0.300 | 208.1 | 802 | 2180 |
| | throughout and often noted as fracture fill, tention gash fracture | 165085 | 137.09 | 137.13 | 0.04 | 0.576 | 54196 | 163000 | 129 |
| | and blebs that brecciate the unit. Bedding 35-40 CA, UC 35 CA, | 165086 | 137.13 | 139.00 | 1.87 | 0.219 | 6.1 | 288 | 229 |
| | LC 40 CA | 165087 | 139.00 | 141.00 | 2.00 | 0.100 | 1.9 | 132 | 469 |
| | | 165088 | 141.00 | 141.40 | 0.40 | 1.480 | 26.5 | 402 | 27500 |
| | | 165089 | | | BLANK | 0.007 | 0.8 | 50 | 30 |
| 163.64 | 209.0 GREYWACKE | 165090 | 141.40 | 143.50 | 2.10 | 0.215 | 4.1 | 252 | 518 |
| | Same as interval 9.00 to 49.45 | 165091 | 143.50 | 145.00 | 1.50 | 0.330 | 4.8 | 346 | 193 |
| | 170.00 to 174.20 Chloritic / sericitic alteration zone; greenish | 165092 | 145.00 | 147.00 | 2.00 | 0.830 | 2.1 | 378 | 133 |
| | tinge to rock colour, clasts still visible. | 165093 | 147.00 | 149.00 | 2.00 | 1.110 | 2.6 | 533 | 134 |
| | 174.20 to 204.00 Mixed medium grey coloured greywacke and | 165094 | 149.00 | 151.00 | 2.00 | 0.112 | 1.5 | 312 | 133 |
| | light grey feldspathically altered (poss. Kspar) greywacke. | 165095 | 151.00 | 153.00 | 2.00 | 0.041 | 0.7 | 162 | 458 |
| | | 165096 | 153.00 | 155.00 | 2.00 | 0.007 | 1.6 | 125 | 981 |

Page: 6 of 6 pages



| | То | | From | То | Interval | | | | |
|----------|--|------------|--------|--------|----------|--------|--------|--------|--------|
| From (m) | (m) Description | Sample No. | (m) | (m) | (m) | Au g/t | Ag g/t | Cu ppm | Zn ppm |
| | @173.75: Fault slip with gouge and slickensides and broken core. | 165097 | 155.00 | 157.00 | 2.00 | 0.040 | 2.9 | 155 | 1535 |
| | | 165098 | 157.00 | 159.00 | 2.00 | 0.020 | 1.0 | 151 | 454 |
| | @174.95: Crushed core. | 165099 | 159.00 | 161.00 | 2.00 | 0.025 | 0.6 | 168 | 75 |
| | @175.30 to 175.40: Fault slip with gouge, slickensides and | 165100 | 161.00 | 163.00 | 2.00 | 0.044 | 1.4 | 221 | 134 |
| | broken core. | 165101 | 163.00 | 165.00 | 2.00 | 0.061 | 0.8 | 183 | 229 |
| | @175.98: Crushed core with slickensides. | 165102 | 165.00 | 167.00 | 2.00 | 0.031 | 0.6 | 104 | 216 |
| | 178.60 to 178.83 Red brown sphalerite plus pyrite mineralization | 165103 | 167.00 | 169.00 | 2.00 | 0.052 | 0.7 | 110 | 892 |
| | as narrow band up to 40mm, 40 CA, sphalerite 60%, quartz 30%, | 165104 | 169.00 | 171.00 | 2.00 | 0.066 | 2.3 | 235 | 1815 |
| | pyrite 20% in bands. | 165105 | 171.00 | 173.00 | 2.00 | 0.137 | 5.4 | 209 | 2777 |
| | 182.95 to 183.33 Disseminated pyrite, red brown sphalerite zone | 165106 | 173.00 | 175.00 | 2.00 | 0.850 | 3.2 | 132 | 987 |
| | as stringers up to 18mm; pyrite more abundant than sphalerite; | 165107 | 175.00 | 177.00 | 2.00 | 0.061 | 2.0 | 130 | 2351 |
| | 45 CA. Mineralization appears to be confined to a single | 165108 | 177.00 | 178.60 | 1.60 | 0.109 | 6.9 | 226 | 9190 |
| | approximately 380mm long fragment. | 165109 | 178.60 | 178.90 | 0.30 | 0.392 | 16.8 | 526 | 50000 |
| | | 165110 | 178.90 | 180.00 | 1.10 | 0.161 | 2.6 | 161 | 2093 |
| | 184.90 to 185.45 Disseminated to massive pyrite, sphalerite | 165125 | 180.00 | 182.00 | 2.00 | 0.079 | 2.2 | 156 | 1000 |
| | zone; greywacke 40%, pyrite 35%, sphalerite 20%, quartz 5%; LC | 165126 | | | STD12 | 0.244 | 2.6 | 2469 | 375 |
| | 40 CA; possible vg or electrum. | 165111 | 182.00 | 182.95 | 0.95 | 0.065 | 2.4 | 172 | 783 |
| | | 165112 | 182.95 | 183.33 | 0.38 | 0.218 | 12.8 | 316 | 13800 |
| | @186.25: sharp bedding contact between medium grey | 165113 | 183.33 | 184.90 | 1.57 | 0.042 | 1.9 | 140 | 981 |
| | sandstone uphole and light grey siltstone downhole; 45 CA; | 165114 | 184.90 | 185.45 | 0.55 | 0.789 | 31.2 | 1531 | 108000 |
| | bedding top downhole. | 165115 | 185.45 | 186.00 | 0.55 | 0.229 | 4.4 | 374 | 3948 |
| 209.0 | End of Hole | 165116 | 186.00 | 188.00 | 2.00 | 0.399 | 1.7 | 226 | 938 |
| | | 165117 | 188.00 | 190.00 | 2.00 | 0.059 | 0.8 | 98 | 350 |
| | | 165118 | 190.00 | 192.00 | 2.00 | 0.129 | 1.8 | 220 | 199 |
| | | 165119 | 192.00 | 194.00 | 2.00 | 0.154 | 3.2 | 225 | 1288 |
| | | 165120 | 194.00 | 196.00 | 2.00 | 0.052 | 1.0 | 134 | 160 |
| | | 165121 | 196.00 | 198.00 | 2.00 | 0.124 | 0.8 | 148 | 147 |
| | | 165122 | 198.00 | 200.00 | 2.00 | 0.167 | 1.5 | 296 | 77 |
| | | 165123 | 200.00 | 202.00 | 2.00 | 0.148 | 2.9 | 203 | 3106 |
| | | 165124 | 202.00 | 204.00 | 2.00 | 0.239 | 7.5 | 336 | 7065 |



Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

Quality Assaying for over 35 Years

Metallic Assay Certificate

0S-0021-RM1

Company:Skyline Gold Corp.Project:BronsonAttn:Arnd Burgert

Jun-15-10

We *hereby certify* the following analysis of 1 sample submitted Jun-11-10

| Sample | Wt Total | Wt -150 | +150 Au | -150 Au | Metallic Au | Net Au |
|--------|----------|---------|---------|---------|-------------|---------|
| Name | g | g | mg | g/tonne | g/tonne | g/tonne |
| 165265 | 566.9 | 44.2 | 29.274 | 20.50 | 51.64 | 70.54 |

Fire Assay for Metallic Au analysis

Certified by_



Page 1 of 1





Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

Quality Assaying for over 35 Years

Geochemical Analysis Certificate

0S-0021-RG1

Company:Skyline Gold Corp.Project:BronsonAttn:Arnd Burgert

Jun-15-10

| We hereby certify the following | geochemical | analysis of 1 | core sample |
|---------------------------------|-------------|---------------|-------------|
| submitted Jun-11-10 | | | |

| Sample | Au | Au | Zn Sa | mple-wt | |
|-----------------|----------------|---------|-------|---------|------|
| Name | ppb | g/tonne | % | Kg | |
| 165265 *0211 | >10000 2236 | 42.57 | 21.2 | 0.9 | |
| *ME-3 | | | 0.90 | | |
| *BLANK | < 1. | | <0.01 | | |
| | | | | | |

Au 50g F.A. AA finish. Zn A.R/ AA finish

Certified by_

| | AM PR | ŧ | | | | | 82 | 282 Sh Tel: | ierbro (604 | Assa ooke \$) 327- | ayen St., V -3436 | rs Ca ancou 5 Fax | anac uver, l :: (604 | la B.C., V 4) 327- | /5X 4 -3423 | IR6 | | | | | | | | Re I Dat | oort e | No | : 0S : Jui | 0019 1-15- | RT 10 | | | | | |
|------------------|-----------|---------|-----------|-----------|-----------|-----------|---------|----------------|----------------|----------------------------------|--------------------------------|-------------------------|----------------------------|---------------------------------|----------------|---------|-----------|-------------|-------------|------|--------|-----------|--------|--------------------|-------------|-----------|---------------|----------------------|-----------------|----------|----------|----------|-----------|-----------|
| Skyline | Gold Co | orp. | | | | | | | | | | | | | | | | | | | | | | | | | | San | ple t | уре | : CC | RE | | |
| Project : | Bronson | | | | | | | | | | I | Mult | i-E | leme | ent] | ICP- | AES | S An | alys | is | | | | | | | | | | | | | | |
| Attention : | Arnd Burg | gert | | | | | | | | | | | | Aqua | a Reg | gia Di | gestio | n | C | | | | | | | | | | | | | | | |
| Sample Number | Ag ppm | AI % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Hg ppm | к % | La ppm | Mg % | Mn ppm | Mo f ppm | Na I %pp | Ni | P % | Pb opm | S % | Sb ppm | Sc ppm | Sr ppm | Th ppm | Ti % | TI ppm | U ppm | V ppm | W ppm | Zn ppm | Zr ppm |
| 165089 | 0.9 | 0.05 | <5 | 21 | <0.5 | < 5 | 22.04 | <1 | <1 | 5 | 7 | 0.07 | 6 | 0.02 | <10 | 12.13 | 73 | <2 0. | 01 | 2 | 0.024 | <2 | 0.50 | <5 | <1 | 183 | <5 | <0.01 | 11 | <10 | 2 | <10 | 10 | <1 |
| Standards: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blank | <0.2 | < 0.01 | <5 | <10 | <0.5 | < 5 | < 0.01 | <1 | <1 | <1 | 7 | < 0.01 | 2 | < 0.01 | <10 | <0.01 | <5 | <2 0. | 01 < | <1 < | 0.001 | <2 | <0.01 | <5 | <1 | <1 | <5 | < 0.01 | <10 | <10 | <1 | <10 | <1 | <1 |
| CH-4 | 1.9 | 1.78 | 13 | 300 | 1.2 | < 5 | 0.60 | 5 | 28 | 109 | 2087 | 4.52 | <1 | 1.36 | 13 | 1.22 | 327 | 3 0. | 05 4 | 49 | 0.064 | 16 | 0.59 | <5 | 7 | 9 | <5 | 0.21 | <10 | <10 | 85 | <10 | 201 | 14 |

Au 50g F.A. AA finish.Ag by F.A. Cu,Ni,Zn A.R. digest A.A finish

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.



Signed: ____



Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

Quality Assaying for over 35 Years

Metallic Assay Certificate

0S-0019-RM1

Company: Skyline Gold Corp. Project: Bronson Attn: Arnd Burgert

Jun-15-10

We hereby certify the following analysis of 10 samples submitted Jun-10-10

| Sample | Wt Total | Wt +150 | +150 Au | -150 Au | Metallic Au | Net Au |
|--------|----------|---------|---------|---------|-------------|---------|
| Name | g | g | mg | g/tonne | g/tonne | g/tonne |
| 165049 | 952.6 | 75.3 | 0.342 | 3.06 | 0.36 | 3.18 |
| 165055 | 969.8 | 89.8 | 0.555 | 5.37 | 0.57 | 5.45 |
| 165062 | 978.9 | 89.5 | 1.112 | 2.08 | 1.14 | 3.03 |
| 165064 | 970.4 | 77.5 | 0.563 | 4.34 | 0.58 | 4.57 |
| 165067 | 981.6 | 76.9 | 0.496 | 1.09 | 0.51 | 1.51 |
| 165068 | 651.8 | 72.1 | 0.486 | 5.46 | 0.75 | 5.60 |
| 165070 | 931.5 | 55.9 | 0.238 | 1.97 | 0.26 | 2.11 |
| 165076 | 944.7 | 84.0 | 0.431 | 2.67 | 0.46 | 2.89 |
| 165088 | 682.1 | 56.5 | 0.538 | 0.75 | 0.79 | 1.48 |
| 165093 | 920.7 | 64.2 | 0.075 | 1.11 | 0.08 | 1.11 |

Fire Assay for Metallic Au analysis

Certified by_____



Skyline Gold Corp.

Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0019RJDate: Jun-15-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | Al | As | Ba | Be | Bi | Ca | Cd | Co | Сг | Cu | Fe | Hg | K | La | Mg Min | Mo Na | Ni | Р | Pb | S | Sb | Sc | Sr | Th | Ti | TI | U | V | W | Zn | Zr |
|--------|--------|------|-----|-----|------|-----|-------|-----|-----|-----|--------|-------|-----|------|-----|-----------|----------|-----|-------|------|------|-------|----|-----|-----|-------|-----|-------|-----|-----|--------|-----|
| Number | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | % | ppm | % ppm | ppm % | ppm | % | ppm | % | opm p | pm | ppm | ppm | % | ppm | ppm r | ppm | ppm | ppm p | opm |
| 165049 | 2.1 | 2.02 | 66 | 70 | 1.1 | 10 | 2.17 | 13 | 70 | 157 | 111 | 5.43 | 1 | 1.81 | <10 | 2.52 1459 | <2 0.03 | 159 | 0.093 | 108 | 3.00 | <5 | 3 | 224 | <5 | 0.16 | <10 | <10 | 56 | <10 | 307 | 3 |
| 165050 | 1.0 | 1.68 | 57 | 318 | 1.0 | 8 | 2.87 | 6 | 13 | 129 | 137 | 3.02 | 1 | 1.50 | <10 | 2.34 1347 | <2 0.04 | 162 | 0.096 | 28 | 0.85 | 7 | 4 | 300 | <5 | 0.15 | <10 | <10 | 56 | <10 | 105 | 1 |
| 165051 | 1.1 | 2.38 | 62 | 259 | 1.2 | 8 | 2.85 | 7 | 20 | 100 | 203 | 4,14 | 1 | 1.52 | <10 | 2.95 1050 | 2 0.04 | 103 | 0.104 | 15 | 1.01 | <5 | 6 | 296 | <5 | 0.15 | <10 | <10 | 75 | <10 | 90 | 2 |
| 165052 | 0.7 | 3.96 | 32 | 111 | 1.0 | 14 | 2.41 | 8 | 26 | 93 | 154 | 5.70 | <1 | 1.28 | <10 | 4.74 1050 | <2 0.02 | 44 | 0.091 | 22 | 0.87 | <5 | 8 | 233 | <5 | 0.12 | <10 | <10 | 106 | <10 | 137 | Z |
| 165053 | 1.0 | 3.23 | 27 | 139 | 0.9 | 11 | 3.17 | 7 | 16 | 67 | 109 | 5.00 | 2 | 1.34 | <10 | 3.79 1451 | <2 0.02 | 37 | 0.098 | 26 | 0.82 | <5 | 6 | 309 | <5 | 0.12 | <10 | <10 | 74 | <10 | 160 | 2 |
| 165054 | 2.1 | 1.77 | 111 | 113 | 0.5 | 17 | 2.13 | 30 | 15 | 39 | 136 | 4.89 | <1 | 0.98 | <10 | 1.92 1360 | <2 0.01 | 36 | 0.094 | 106 | 2.24 | <5 | 3 | 180 | <5 | 0.08 | <10 | <10 | 40 | 21 | 1655 | 2 |
| 165055 | 10.9 | 2.15 | 64 | 104 | 0.8 | 20 | 3.22 | 10 | 80 | 71 | 200 | 6.71 | 1 | 1.44 | <10 | 2.24 2037 | <2 0.01 | 53 | 0.099 | 76 | 3.16 | <5 | 5 | 270 | <5 | 0.12 | <10 | <10 | 61 | <10 | 203 | 2 |
| 165056 | 12.5 | 0.99 | 193 | 50 | <0.5 | 64 | 1.48 | 150 | 25 | 34 | 209 | 6.24 | 2 | 0.70 | <10 | 0.64 1260 | 3 0.01 | 44 | 0.090 | 2089 | 4.35 | <5 | 1 | 80 | < 5 | 0.05 | <10 | <10 | 24 | 117 | 9336 | 3 |
| 165057 | 5.1 | 1.16 | 206 | 97 | <0.5 | 33 | 0.55 | 62 | 11 | 33 | 203 | 4.45 | <1 | 0.79 | <10 | 0.58 856 | <2 0.01 | 41 | 0.075 | 341 | 2.34 | <5 | 1 | 31 | <5 | 0.05 | <10 | <10 | 21 | 46 | 4131 | 3 |
| 165058 | 0.6 | 0.03 | <5 | <10 | <0.5 | <5 | 17.22 | <1 | 1 | 6 | 6 | 0.09 | <1 | 0.01 | <10 | 9.52 50 | <2 0.01 | 1 | 0.014 | 15 | 0.49 | <5 | <1 | 138 | <5 | <0.01 | <10 | <10 | 1 | <10 | 144 | <1 |
| 165059 | 1.6 | 0.86 | 156 | 96 | <0.5 | 11 | 1.71 | 37 | 8 | 28 | 81 | 2.42 | <1 | 0.68 | 10 | 0.68 1481 | <2 0.01 | 36 | 0.103 | 114 | 1.35 | <5 | 1 | 71 | < 5 | 0.03 | <10 | <10 | 18 | 26 | 2427 | 2 |
| 165060 | 8.8 | 0.50 | 178 | 56 | <0.5 | 36 | 1.62 | 51 | 11 | 40 | 93 | 5.32 | <1 | 0.40 | <10 | 0.54 1352 | <2 0.01 | 35 | 0.069 | 397 | 3.92 | <5 | 1 | 71 | <5 | 0.01 | <10 | <10 | 12 | 36 | 3212 | 3 |
| 165061 | 5.4 | 0.48 | 115 | 70 | <0.5 | 12 | 0.68 | 18 | 11 | 42 | 70 | 3.50 | <1 | 0.36 | <10 | 0.22 577 | <2 0.01 | 8 | 0.056 | 384 | 2.77 | <5 | <1 | 28 | <5 | 0.01 | <10 | <10 | 7 | 15 | 1239 | 2 |
| 165062 | >200.0 | 0.25 | 565 | 18 | <0.5 | 379 | 0.99 | 285 | 27 | 71 | >10000 | 12.64 | 4 | 0.19 | <10 | 0.11 810 | <2 0.01 | 8 | 0.024 | 5676 | 8.12 | <5 | <1 | 49 | <5 | <0.01 | <10 | 13 | 10 | 223 | >10000 | 4 |
| 165063 | 11.1 | 0.44 | 221 | 38 | <0.5 | 33 | 0.29 | 26 | 12 | 43 | 222 | 5.69 | 1 | 0.32 | <10 | 0.07 101 | <2 0.01 | 13 | 0.051 | 427 | 4.20 | <5 | <1 | 13 | <5 | <0.01 | <10 | <10 | 8 | 23 | 1546 | 3 |
| 165064 | 155.9 | 0.22 | 488 | 18 | <0.5 | 321 | 0.57 | 836 | 25 | 74 | 5631 | 11.36 | 3 | 0.17 | <10 | 0.06 445 | <2 0.01 | 16 | 0.043 | 7040 | 8.65 | 8 | <1 | 31 | <5 | <0.01 | <10 | 13 | 12 | 754 | >10000 | 4 |
| 165065 | 11.7 | 0.50 | 305 | 32 | <0.5 | 54 | 0.51 | 118 | 10 | 37 | 249 | 6.08 | <1 | 0.36 | <10 | 0.08 197 | <2 0.01 | 38 | 0.117 | 1503 | 4.68 | <5 | 1 | 25 | <5 | <0.01 | <10 | <10 | 14 | 99 | 8473 | 3 |
| 165066 | 5.8 | 0.48 | 226 | 35 | <0.5 | 37 | 0.34 | 75 | 25 | 50 | 218 | 5,75 | 2 | 0.36 | <10 | 0.09 75 | <2 0.01 | 61 | 0.118 | 464 | 4.26 | <5 | 1 | 16 | <5 | 0.01 | <10 | <10 | 12 | 60 | 5234 | 2 |
| 165067 | 32.7 | 0.39 | 261 | 43 | <0.5 | 122 | 5.50 | 644 | 88 | 34 | 683 | 6.87 | 3 | 0.28 | <10 | 0.73 3403 | <2 0.01 | 51 | 0.044 | 2589 | 5.39 | <5 | 1 | 392 | <5 | 0.01 | <10 | <10 | 12 | 579 | >10000 | 3 |
| 165068 | 37.2 | 0.61 | 343 | 31 | <0.5 | 69 | 1.10 | 26 | 228 | 39 | 1573 | 9.50 | 1 | 0.47 | <10 | 0.41 972 | <2 0.01 | 6 | 0.072 | 553 | 6.32 | <5 | <1 | 65 | < 5 | 0.02 | <10 | <10 | 14 | 16 | 1038 | 4 |
| 165069 | 7.7 | 0.90 | 82 | 121 | <0.5 | 32 | 0.90 | 52 | 57 | 30 | 695 | 3.43 | <1 | 0.72 | 16 | 0.43 667 | <2 0.01 | 3 | 0.089 | 119 | 2.26 | <5 | 1 | 55 | < 5 | 0.04 | <10 | <10 | 16 | 39 | 3657 | 3 |
| 165070 | 8.1 | 1.43 | 425 | 68 | 0.5 | 22 | 1.32 | 12 | 89 | 31 | 950 | 6.93 | <1 | 0.99 | 23 | 1.05 1359 | <2 0.01 | 7 | 0.098 | 127 | 3.96 | <5 | 2 | 91 | < 5 | 0.09 | <10 | <10 | 43 | 10 | 451 | 4 |
| 165071 | 3.5 | 1.81 | 37 | 149 | 0.6 | 13 | 2.22 | 10 | 48 | 19 | 502 | 5.29 | 1 | 1.23 | 16 | 1.45 1532 | <2 0.02 | 7 | 0.126 | 109 | 2.27 | <5 | 2 | 191 | < 5 | 0.11 | 10 | <10 | 56 | <10 | 318 | 2 |
| 165072 | 1.8 | 1.29 | 33 | 122 | 0.5 | 5 | 2.81 | 5 | 16 | 22 | 247 | 3.39 | <1 | 0.99 | 11 | 1.33 1655 | <2 0.03 | 6 | 0.111 | 52 | 1.15 | <5 | 2 | 262 | <5 | 0.09 | <10 | <10 | 46 | <10 | 106 | 2 |
| 165073 | 2.5 | 1.95 | 25 | 186 | 0.6 | 11 | 0.95 | 9 | 22 | 176 | 2621 | 3.73 | <1 | 0.81 | 26 | 0.74 232 | 197 0.05 | 10 | 0.051 | 53 | 1.65 | 7 | 6 | 51 | 14 | 0.04 | <10 | <10 | 49 | <10 | 328 | 4 |
| 165074 | 2.1 | 1.58 | 33 | 112 | 0.5 | 11 | 1.92 | 13 | 18 | 25 | 190 | 4.20 | <1 | 0.76 | 13 | 1.49 1539 | <2 0.04 | 5 | 0.121 | 245 | 1.51 | <5 | 3 | 147 | < 5 | 0.09 | <10 | <10 | 67 | <10 | 598 | 2 |
| 165075 | 2.3 | 2.10 | 44 | 189 | 0.7 | 17 | 1.05 | 17 | 24 | 23 | 294 | 4.84 | <1 | 1.15 | 18 | 1.65 1241 | <2 0.05 | 7 | 0.100 | 247 | 1.48 | <5 | 3 | 87 | <5 | 0.14 | 10 | <10 | 81 | 12 | 884 | 2 |
| 165076 | 2.9 | 1.95 | 67 | 73 | 0.6 | 11 | 0.94 | 13 | 41 | 35 | 531 | 6.94 | 2 | 0.90 | 12 | 1.61 1095 | <2 0.05 | 7 | 0.109 | 94 | 3.21 | <5 | 4 | 71 | <5 | 0.12 | <10 | <10 | 87 | <10 | 298 | 3 |
| 165077 | 2.2 | 2.41 | 47 | 190 | 0.8 | 8 | 1.32 | 8 | 10 | 31 | 316 | 5.28 | <1 | 1.08 | 10 | 1.88 1156 | <2 0.06 | 9 | 0.137 | 114 | 1.52 | < 5 | 7 | 82 | <5 | 0.16 | 10 | <10 | 132 | <10 | 237 | 3 |
| 165078 | 2.0 | 2.10 | 57 | 216 | 0.7 | 15 | 1.93 | 6 | 7 | 32 | 222 | 4.40 | <1 | 1.16 | <10 | 1.66 1318 | <2 0.05 | 11 | 0.136 | 70 | 1.21 | <5 | 6 | 97 | <5 | 0.16 | 10 | <10 | 124 | <10 | 102 | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Page 1 of 4

Signed: _



Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

 Report No
 : 0S0019RJ

 Date
 : Jun-15-10

Sample type : CORE

Skyline Gold Corp.

Project : Bronson

Attention : Arnd Burgert

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | Al | As | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Hg | ĸ | La | Mg Mn | Mo Na | Ni | Р | Рb | S | Sb | Sc | Sr | Th | Ti | TI | υ | V | W | Zn | Zr |
|--------|--------|-------------------|-----|-----|------|-------------|-------|-----|-----------|-----|--------|-------|----|-------|-------------|-----------|----------------|--------|-------|------|-------------|-----|----|-------------------|-----|-------|-----|-----|---------|------|--------|----|
| Number | ppm | % ppm ppm ppm ppm | | | % | % ppm ppm p | | | ppm % ppm | | | % ppm | | % ppm | % ppm ppm % | | % ppm | | % ppm | | opm ppm ppn | | | % ppm ppm ppm ppm | | | | | ppm ppm | | | |
| 165079 | 0.4 | 1.75 | 34 | 225 | 0.8 | 9 | 1.42 | 5 | 7 | 33 | 122 | 3.65 | 1 | 1.20 | <10 | 1.28 1093 | <2 0.06 | 10 | 0.106 | 26 | 1.11 | <5 | 4 | 95 | <5 | 0.15 | <10 | <10 | 88 | <10 | 96 | 2 |
| 165080 | 1.5 | 1.71 | 63 | 274 | 0.7 | <5 | 1.34 | 8 | 11 | 34 | 197 | 3.53 | <1 | 1.44 | <10 | 1.15 1139 | <2 0.05 | 22 | 0.092 | 127 | 1.16 | 5 | 3 | 114 | < 5 | 0.14 | <10 | <10 | 59 | <10 | 395 | 3 |
| 165081 | 2.0 | 1.52 | 70 | 211 | 0.7 | 11 | 1.34 | 10 | 14 | 38 | 282 | 4.29 | <1 | 1.31 | <10 | 1.09 1166 | <2 0.04 | 29 | 0.088 | 145 | 1.89 | 5 | 2 | 105 | <5 | 0.13 | <10 | <10 | 54 | <10 | 450 | 3 |
| 165082 | 2.8 | 2.05 | 110 | 277 | 1.0 | 15 | 1.03 | 27 | 11 | 24 | 218 | 4.46 | 4 | 1.77 | <10 | 1.36 1171 | <2 0.05 | 14 | 0.095 | 321 | 1.39 | 6 | 3 | 102 | <5 | 0.20 | 11 | <10 | 77 | 17 | 1738 | 3 |
| 165083 | 2.8 | 2.62 | 362 | 169 | 0.9 | 21 | 1.66 | 33 | 11 | 65 | 339 | 6.46 | <1 | 1.72 | <10 | 1.79 1736 | <2 0.03 | 34 | 0.100 | 268 | 2.00 | 5 | 3 | 128 | <5 | 0.17 | 11 | <10 | 83 | 20 | 1976 | 3 |
| 165084 | >200.0 | 2.77 | 67 | 360 | 1.3 | 51 | 1.09 | 18 | 12 | 29 | 802 | 5.55 | <1 | 2.21 | <10 | 1.80 1127 | <2 0.04 | 58 | 0.120 | 605 | 1.15 | 9 | 5 | 78 | 6 | 0.25 | 13 | <10 | 110 | 1068 | 2180 | 3 |
| 165085 | >200.0 | 1.17 | 8 | 226 | <0.5 | 40 | 0.13 | <1 | 282 | 410 | >10000 | 2.30 | 3 | 0.86 | <10 | 0.54 277 | 10 0.06 | >10000 | 0.034 | 151 | 0.38 | 5 | 6 | 16 | <5 | 0.01 | <10 | <10 | 11 | 1074 | 129 | <1 |
| 165086 | 6.1 | 2.61 | 31 | 313 | 1.2 | 9 | 2.39 | 6 | 10 | 22 | 288 | 4.64 | <1 | 1.87 | <10 | 1.82 1464 | <2 0.05 | 18 | 0.128 | 77 | 0.73 | 5 | 5 | 177 | <5 | 0.22 | 12 | <10 | 115 | 48 | 229 | 2 |
| 165087 | 1.9 | 2.31 | 24 | 255 | 0.9 | 10 | 2.80 | 10 | 8 | 22 | 132 | 4.21 | <1 | 1.40 | <10 | 1.66 1681 | <2 0.04 | 11 | 0.126 | 101 | 0.68 | < 5 | 4 | 172 | <5 | 0.17 | 10 | <10 | 91 | 16 | 469 | 2 |
| 165088 | 26.5 | 4.01 | 326 | 75 | 0.7 | 68 | 0.71 | 319 | 22 | 38 | 402 | 9.27 | <1 | 1.01 | <10 | 3.13 1842 | <2 0.02 | 11 | 0.092 | 2018 | 3.21 | <5 | 5 | 51 | <5 | 0.13 | 10 | <10 | 106 | 315 | >10000 | 3 |
| 165089 | 0.8 | 0.05 | <5 | 17 | <0.5 | <5 | 18.31 | <1 | <1 | 4 | 50 | 0.07 | <1 | 0.03 | <10 | 9.69 58 | <2 0.01 | 2 | 0.015 | <2 | 0.43 | < 5 | <1 | 200 | <5 | <0.01 | <10 | <10 | 2 | <10 | 30 | <1 |
| 165090 | 4.1 | 2.08 | 60 | 253 | 0.8 | 6 | 3.35 | 12 | 10 | 25 | 252 | 4.39 | <1 | 1.24 | <10 | 1.31 2029 | <2 0.05 | 11 | 0.115 | 176 | 1.37 | 5 | 4 | 191 | <5 | 0.15 | 10 | <10 | 90 | 17 | 518 | 2 |
| 165091 | 4.8 | 1.77 | 54 | 248 | 0.8 | 5 | 2.44 | 7 | 6 | 34 | 346 | 4.36 | <1 | 1.39 | <10 | 1.09 1399 | <2 0.04 | 14 | 0.109 | 61 | 1.47 | <5 | 3 | 117 | <5 | 0.16 | 10 | <10 | 76 | 16 | 193 | 3 |
| 165092 | 2.1 | 1.73 | 43 | 218 | 0.8 | 9 | 2.17 | 7 | 8 | 52 | 378 | 4.87 | <1 | 1.39 | <10 | 1.05 1321 | 30 0.05 | 56 | 0.131 | 39 | 1.77 | <5 | 5 | 117 | <5 | 0.17 | 10 | <10 | 124 | <10 | 133 | 5 |
| 165093 | 2.7 | 2.12 | 60 | 91 | 1.3 | 8 | 2.85 | 313 | 33 | 56 | 514 | 6.46 | <1 | 1.81 | <10 | 1.15 1861 | <2 0.05 | 46 | 0.132 | 46 | 2.85 | 5 | 5 | 175 | <5 | 0.21 | 11 | <10 | 148 | <10 | 155 | 4 |
| 165094 | 1.8 | 2.24 | 40 | 289 | 1.5 | 12 | 3.38 | 248 | 29 | 39 | 267 | 4.75 | <1 | 1.70 | <10 | 1.60 1697 | <2 0.04 | 19 | 0.157 | 48 | 1.69 | 7 | 6 | 193 | <5 | 0.23 | 12 | <10 | 115 | <10 | 144 | 2 |
| 165095 | 0.8 | 2.92 | 45 | 390 | 1.9 | 15 | 3.59 | 251 | 22 | 27 | 110 | 5.15 | <1 | 2.14 | <10 | 2.13 1785 | <2 0.06 | 11 | 0.194 | 111 | 1.01 | 9 | 7 | 206 | <5 | 0.29 | 15 | <10 | 157 | <10 | 459 | 2 |
| 165096 | 1.7 | 3.01 | 26 | 331 | 1.8 | 26 | 2.64 | 383 | 41 | 23 | 64 | 4.90 | <1 | 2.00 | <10 | 2.26 1899 | <2 0.03 | 9 | 0.147 | 448 | 0.40 | 9 | 5 | 151 | <5 | 0.25 | 13 | <10 | 116 | 12 | 1005 | 2 |
| 165097 | 3.0 | 2.64 | 53 | 355 | 1.8 | 18 | 3.04 | 201 | 19 | 22 | 98 | 4.62 | <1 | 2.14 | <10 | 1.88 1592 | <2 0.05 | 7 | 0.143 | 644 | 0.84 | 9 | 5 | 212 | <5 | 0.27 | 14 | <10 | 113 | 15 | 1494 | 2 |
| 165098 | 1.0 | 2.21 | 42 | 310 | 1.6 | 16 | 2.68 | 242 | 24 | 28 | 99 | 3.93 | <1 | 1.87 | <10 | 1.70 1686 | <2 0.04 | 15 | 0.164 | 143 | 0.58 | 8 | 4 | 242 | <5 | 0.23 | 11 | <10 | 82 | <10 | 451 | 2 |
| 165099 | 0.7 | 2.03 | 36 | 311 | 1.4 | 13 | 3.28 | 198 | 28 | 30 | 118 | 3.40 | <1 | 1.74 | <10 | 1.49 1343 | <2 0.06 | 16 | 0.150 | 30 | 0.80 | 9 | 4 | 303 | <5 | 0.20 | 11 | <10 | 84 | <10 | 103 | 2 |
| 165100 | 1.5 | 2.10 | 46 | 323 | 1.4 | 7 | 3.38 | 154 | 19 | 54 | 181 | 3.90 | <1 | 1.91 | <10 | 1.67 1863 | <2 0.03 | 40 | 0.149 | 74 | 0.85 | 8 | 5 | 358 | <5 | 0.21 | 11 | <10 | 76 | <10 | 148 | 2 |
| 165101 | 1.0 | 2.27 | 47 | 316 | 1.4 | 5 | 4.15 | 172 | 17 | 43 | 129 | 4.51 | <1 | 1.84 | <10 | 1.52 2398 | <2 0.04 | 26 | 0.116 | 81 | 1.10 | 9 | 5 | 389 | <5 | 0.21 | 12 | <10 | 84 | <10 | 244 | 2 |
| 165102 | 0.7 | 2.78 | 27 | 215 | 1.4 | <5 | 4.85 | 169 | 16 | 53 | 40 | 4.72 | <1 | 1.49 | <10 | 2.18 3076 | <2 0.03 | 14 | 0.121 | 104 | 0.56 | 6 | 6 | 327 | <5 | 0.19 | 12 | <10 | 106 | <10 | 237 | 2 |
| 165103 | 0.8 | 4.06 | 21 | 188 | 1.2 | 13 | 4.28 | 132 | 17 | 83 | 43 | 6.46 | 3 | 1.23 | <10 | 3.30 3487 | <2 0.02 | 18 | 0.123 | 161 | 0.50 | 5 | 11 | 264 | <5 | 0.16 | 12 | <10 | 142 | 12 | 910 | 2 |
| 165104 | 2.4 | 3.44 | 41 | 110 | 0.5 | 23 | 2.42 | 177 | 14 | 51 | 200 | 8.36 | <1 | 0.64 | <10 | 2.97 3131 | <2 0.02 | 17 | 0.115 | 383 | 1.03 | <5 | 6 | 144 | <5 | 0.07 | <10 | <10 | 90 | 24 | 1785 | 3 |
| 165105 | 5.6 | 2.30 | 73 | 137 | <0.5 | 26 | 1.25 | 154 | 24 | 36 | 172 | 7.54 | <1 | 0.74 | <10 | 2.62 3043 | <2 0.02 | 16 | 0.100 | 1226 | 1.48 | <5 | 3 | 116 | <5 | 0.06 | <10 | <10 | 48 | 31 | 2739 | 3 |
| 165106 | 3.3 | 2.28 | 20 | 120 | 0.7 | 16 | 2.16 | 98 | 11 | 21 | 78 | 4.89 | <1 | 0.89 | <10 | 2.18 2943 | <2 0.02 | 10 | 0.100 | 753 | 0.54 | <5 | 3 | 178 | <5 | 0.09 | <10 | <10 | 47 | <10 | 916 | 2 |
| 165107 | 2.2 | 1.21 | 26 | 128 | <0.5 | 18 | 2.60 | 112 | 9 | 27 | 72 | 3.63 | <1 | 0.65 | <10 | 1.39 3076 | <2 0.03 | 10 | 0.085 | 295 | 0.69 | <5 | 2 | 224 | <5 | 0.03 | <10 | <10 | 27 | 25 | 2185 | 2 |
| 165108 | 7.1 | 2.28 | 59 | 92 | 0.5 | 45 | 1.90 | 218 | 10 | 30 | 188 | 5.44 | <1 | 0.64 | <10 | 2.02 2607 | <2 0.02 | 11 | 0.092 | 1809 | 1.35 | 6 | 2 | 148 | <5 | 0.05 | <10 | <10 | 37 | 99 | 9659 | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed:



Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0019RJDate: Jun-15-10

Sample type : CORE

Skyline Gold Corp.

Project : Bronson

Attention : Arnd Burgert

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | Al | As | Ba | Be | Bi | Ca | Cd | Со | Cr | Cu | Fe | Hg | к | La | Mg Mn | Mo Na | Ni | Р | Pb | S | Sb | Sc | Sr | Th | Ti | TI | U | ۷ | W | Zn | Zr |
|-------------|------|------|-----|-----|-------|-----|-------|------|-----|-----|------|-------|-----|------|-----|-----------|----------|-----|-------|------|------|-------|------|-------|-----|-------|-----|-------|-----|------|-----------------|----|
| Number | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % p | opm | % | ppm | % ppm | ppm % | ppm | % | ppm | % ¢ | ppm p | pm p | opm p | opm | % | ppm | ppm p | pm | ppm | ppm p | pm |
| 165109 | 17.2 | 2.42 | 115 | 92 | <0.5 | 123 | 1.98 | 697 | 14 | 34 | 515 | 6.74 | 2 | 0.64 | <10 | 1.94 3072 | <2 0.02 | 11 | 0.076 | 2622 | 3.57 | 8 | 2 | 151 | <5 | 0.05 | <10 | <10 | 37 | 450 | >10000 | 2 |
| 165110 | 2.8 | 1.98 | 24 | 114 | 0.5 | 27 | 2.56 | 87 | 8 | 27 | 116 | 4.42 | 1 | 0.69 | 10 | 1.87 3131 | <2 0.02 | 13 | 0.114 | 431 | 0.68 | <5 | 2 | 200 | <5 | 0.06 | <10 | <10 | 35 | 19 | 2066 | 2 |
| 165111 | 2.6 | 2.51 | 30 | 138 | 0.8 | 14 | 3.67 | 62 | 7 | 25 | 130 | 4.57 | <1 | 0.96 | 14 | 2.21 3375 | <2 0.03 | 10 | 0.152 | 235 | 0.75 | 5 | 4 | 234 | 5 | 0.10 | 10 | <10 | 70 | <10 | 799 | 2 |
| 165112 | 13.0 | 3.90 | 165 | 73 | 0.5 | 79 | 1.61 | 242 | 15 | 28 | 279 | 9.02 | 2 | 0.77 | <10 | 3.31 3020 | <2 0.01 | 7 | 0.146 | 1635 | 3.02 | <5 | 4 | 124 | <5 | 0.08 | <10 | <10 | 83 | 130 | >10000 | 4 |
| 165113 | 2.1 | 1.90 | 27 | 131 | 0.6 | 13 | 3.26 | 63 | 7 | 21 | 95 | 3.92 | <1 | 0.76 | 12 | 1.87 3223 | <2 0.03 | 12 | 0.148 | 170 | 0.60 | <5 | 3 | 229 | <5 | 0.07 | <10 | <10 | 46 | <10 | 9 55 | 2 |
| 165114 | 33.2 | 0.83 | 710 | 27 | <0.5 | 143 | 3.00 | 1511 | 50 | 32 | 1684 | 15.16 | 3 | 0.23 | <10 | 0.94 2121 | <2 0.01 | 32 | 0.037 | 3373 | 9.73 | <5 | 1 | 214 | <5 | 0.03 | <10 | 12 | 26 | 1115 | >10000 | 6 |
| 165115 | 4.4 | 2.45 | 122 | 70 | <0.5 | 35 | 1.13 | 63 | 5 | 24 | 374 | 7.07 | 1 | 0.60 | <10 | 2.13 1601 | <2 0.01 | 19 | 0.104 | 390 | 3.16 | <5 | 2 | 82 | <5 | 0.05 | <10 | <10 | 52 | 41 | 3948 | 3 |
| 165116 | 1.7 | 0.99 | 40 | 85 | <0.5 | 8 | 2.86 | 18 | 7 | 23 | 226 | 4.00 | <1 | 0.50 | <10 | 1.43 2332 | <2 0.03 | 11 | 0.096 | 151 | 1.46 | <5 | 2 | 253 | <5 | 0.03 | <10 | <10 | 29 | 11 | 938 | 2 |
| 165117 | 0.8 | 1.09 | 13 | 89 | < 0.5 | 6 | 4.22 | 9 | 6 | 18 | 98 | 3.59 | <1 | 0.50 | 10 | 1.73 2303 | <2 0.04 | 11 | 0.100 | 97 | 0.44 | <5 | 3 | 395 | <5 | 0.03 | <10 | <10 | 40 | <10 | 350 | 1 |
| 165118 | 1.8 | 1.73 | 28 | 88 | 0.5 | 8 | 4.03 | 7 | 9 | 27 | 220 | 3.59 | <1 | 0.55 | <10 | 1.40 1940 | <2 0.04 | 13 | 0.107 | 82 | 0.95 | <5 | 4 | 263 | <5 | 0.07 | <10 | <10 | 74 | <10 | 199 | 2 |
| 165119 | 3.2 | 1.60 | 83 | 75 | <0.5 | 17 | 2.29 | 23 | 31 | 22 | 225 | 5.34 | <1 | 0.42 | 10 | 1.50 2250 | <2 0.03 | 11 | 0.095 | 514 | 2.09 | <5 | 2 | 148 | <5 | 0.03 | <10 | <10 | 44 | 13 | 1288 | 2 |
| 165120 | 1.0 | 1.88 | 31 | 96 | 0.5 | 10 | 2.93 | 6 | 8 | 25 | 134 | 3.66 | <1 | 0.67 | <10 | 1.44 1977 | <2 0.04 | 10 | 0.091 | 58 | 0.95 | <5 | 3 | 168 | <5 | 0.08 | <10 | <10 | 71 | <10 | 160 | 2 |
| 165121 | 0.8 | 2.00 | 24 | 126 | 0.6 | 17 | 3.24 | 6 | 7 | 26 | 148 | 3.75 | <1 | 0.75 | 10 | 1.63 1876 | <2 0.05 | 13 | 0.103 | 37 | 0.74 | <5 | 4 | 209 | <5 | 0.09 | <10 | <10 | 74 | <10 | 147 | 2 |
| 165122 | 1.5 | 1.61 | 28 | 112 | 0.6 | <5 | 3.94 | 6 | 5 | 23 | 296 | 3.62 | <1 | 0.75 | 10 | 1.35 1657 | <2 0.04 | 11 | 0.097 | 22 | 1.17 | <5 | 3 | 265 | <5 | 0.09 | <10 | <10 | 67 | <10 | 77 | 2 |
| 165123 | 2.9 | 1.41 | 62 | 124 | 0.5 | 27 | 2.76 | 51 | 8 | 26 | 203 | 4.44 | <1 | 0.85 | <10 | 1.67 2400 | <2 0.04 | 13 | 0.092 | 400 | 1.74 | <5 | 3 | 237 | <5 | 0.08 | <10 | <10 | 52 | 29 | 3106 | 2 |
| 165124 | 7.5 | 0.68 | 521 | 99 | <0.5 | 33 | 2.24 | 106 | 15 | 19 | 336 | 4.61 | <1 | 0.50 | <10 | 1.31 1999 | <2 0.02 | 6 | 0.079 | 1263 | 2.29 | <5 | i | 192 | <5 | 0.02 | <10 | <10 | 18 | 68 | 7065 | 2 |
| 165125 | 2.2 | 1.65 | 33 | 94 | <0.5 | 19 | 3.35 | 18 | 8 | 21 | 156 | 4.41 | <1 | 0.56 | 10 | 1.67 2116 | <2 0.03 | 18 | 0.120 | 191 | 1.14 | <5 | 4 | 234 | < 5 | 0.04 | <10 | <10 | 56 | 12 | 1000 | 2 |
| 165126 | 2.6 | 1.82 | 23 | 172 | 0.6 | 15 | 0.92 | 9 | 21 | 166 | 2469 | 3.31 | <1 | 0.78 | 23 | 0.72 243 | 185 0.05 | 11 | 0.045 | 66 | 1.55 | 6 | 5 | 50 | 13 | 0.03 | <10 | <10 | 46 | <10 | 375 | 4 |
| Duplicates: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165049 | 2.2 | 2.01 | 68 | 65 | 1.1 | 20 | 2.23 | 9 | 70 | 160 | 121 | 5.49 | 1 | 1.78 | <10 | 2.51 1455 | <2 0.03 | 160 | 0.095 | 110 | 3.02 | < 5 | 3 | 223 | <5 | 0.16 | <10 | <10 | 56 | <10 | 314 | 3 |
| 165058 | <0.2 | 0.03 | <5 | <10 | <0.5 | <5 | 17.32 | <1 | <1 | 6 | 4 | 0.07 | <1 | 0.01 | <10 | 9.59 50 | <2 0.01 | 1 | 0.015 | 15 | 0.47 | <5 | <1 | 134 | < 5 | <0.01 | <10 | <10 | 1 | <10 | 137 | <1 |
| 165068 | 34.1 | 0.60 | 306 | 26 | <0.5 | 61 | 1.08 | 24 | 218 | 38 | 1520 | 9.31 | 1 | 0.46 | <10 | 0.40 931 | <2 0.01 | 6 | 0.069 | 510 | 6.01 | <5 | <1 | 64 | < 5 | 0.02 | <10 | <10 | 14 | 16 | 905 | 4 |
| 165071 | 3.7 | 1.85 | 37 | 151 | 0.6 | 14 | 2.27 | 11 | 50 | 20 | 503 | 5.43 | <1 | 1.26 | 16 | 1.47 1592 | <2 0.02 | 7 | 0.128 | 111 | 2.33 | <5 | 2 | 177 | <5 | 0.11 | 10 | <10 | 58 | <10 | 337 | 2 |
| 165080 | 1.5 | 1.80 | 66 | 281 | 0.8 | 7 | 1.42 | 8 | 11 | 35 | 215 | 3.76 | <1 | 1.52 | <10 | 1.23 1212 | <2 0.05 | 23 | 0.092 | 139 | 1.19 | 6 | 3 | 118 | <5 | 0.15 | 10 | <10 | 61 | <10 | 413 | 3 |
| 165090 | 3.9 | 2.01 | 59 | 247 | 0.8 | 9 | 3.33 | 12 | 10 | 25 | 237 | 4.36 | <1 | 1.21 | <10 | 1.29 2027 | <2 0.05 | 11 | 0.117 | 176 | 1.39 | <5 | 4 | 187 | <5 | 0.15 | 10 | <10 | 88 | 14 | 517 | 2 |
| 165093 | 2.8 | 2.14 | 67 | 81 | 1.3 | 10 | 3.03 | 69 | 15 | 59 | 529 | 6.77 | <1 | 1.87 | <10 | 1.21 1948 | <2 0.05 | 47 | 0.144 | 57 | 3.07 | 6 | 5 | 186 | <5 | 0.22 | 12 | <10 | 154 | <10 | 426 | 5 |
| 165102 | 0.9 | 2.83 | 31 | 233 | 1.4 | 8 | 5.10 | 50 | 14 | 57 | 42 | 4.66 | <1 | 1.52 | <10 | 2.26 3202 | <2 0.03 | 15 | 0.133 | 123 | 0.66 | 5 | 7 | 349 | < 5 | 0.19 | 12 | <10 | 114 | <10 | 365 | 2 |
| 165112 | 14.7 | 3.97 | 168 | 78 | 0.5 | 69 | 1.68 | 235 | 13 | 30 | 289 | 9.31 | <1 | 0.79 | 10 | 3.43 3131 | <2 0.01 | 7 | 0.150 | 1705 | 3.09 | <5 | 4 | 131 | <5 | 0.09 | 10 | <10 | 87 | 141 | >10000 | 4 |
| 165115 | 4.5 | 2.54 | 128 | 74 | <0.5 | 28 | 1.17 | 63 | 5 | 26 | 371 | 7.31 | <1 | 0.62 | <10 | 2.22 1628 | <2 0.01 | 19 | 0.103 | 396 | 3.12 | <5 | 3 | 89 | < 5 | 0.05 | <10 | <10 | 54 | 41 | 3998 | 3 |
| 165124 | 7.0 | 0.67 | 491 | 95 | <0.5 | 41 | 2.18 | 102 | 15 | 13 | 331 | 4.46 | <1 | 0.49 | <10 | 1.28 1938 | <2 0.02 | 6 | 0.075 | 1201 | 2.15 | <5 | 1 | 185 | < 5 | 0.02 | <10 | <10 | 17 | 66 | 6693 | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed:

| ASSAY CAN | | | | Assayers Canada 8282 Sherbrooke St., Vancouver, B.C., V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423 | | | | | | | | | | | | | | Re Dat | port] e | : 0S001 : Jun-1. | 0 19RJ 15-10 | | |
|------------------------------------|----------------------------|-------------------------|--------------------|--|-------------|---------------------|--------------------|-------------------|-------------|--------------------|------------|-----------------|------------|---------------|---------------|----------------|--------------|------------------|-------------|---------------------|------------------------|-----------|-----------|
| Skyline Gold | Corp. | | | | | | | | | | | | | | | | | San | aple f | type | : CORF | 3 | |
| Project : Brons | on | | | | Μ | [ulti-E] | lement | ICP- | AES | S Anal | ysis | | | | | | | | | | | | |
| Attention : Arnd | Burgert | | | | | | Aqua Re | egia Di | gestic | n | • | | | | | | | | | | | | |
| Sample Number | Ag Al A ppm % ppr | s Ba Be n ppm ppm pp | Bi Ca om %p | Cd Co C opm ppm ppn | Cu ppm | Fe Hg %ppm | KL %ppr | a Mg n % | Mn ppm (| Mo Na ppm % | Ni ppm | թ % ք | Pb opm | S %pt | Sb S om pp | Sc Si mippm | r Th ippm | Ti % | TI ppm r | U ppm p | V W pm ppm | Zn ppm | Zr ppm |
| Standards: Blank CH-4 | <0.2 <0.01 < 1.7 1.69 1 | 5 <10 <0.5 2 267 0.8 | <5 <0.01 9 0.54 | <1 <1 <1 8 28 98 | 1 · 1951 | <0.01 <1 4.65 <1 | <0.01 <1 1.32 1 | 0 <0.01 3 1.13 | <5 303 | <2 0.01 <2 0.05 | <1 < 48 | <0.001 0.053 | <2 < 11 | <0.01 0.55 | <5 < <5 | :1 <1 7 9 | <5 <5 | <0.01 0.19 | <10 <10 | <10 <10 | <1 <10 75 <10 | <1 206 | <1 11 |

Signed: _____

m/2


Quality Assaying for over 35 Years

Geochemical Analysis Certificate

0S-0019-RG1

Jun-15-10

Company:Skyline Gold Corp.Project:BronsonAttn:Arnd Burgert

We *hereby certify* the following geochemical analysis of 22 core samples submitted Jun-10-10

| Sample | Au | Au-Check | Ag | Cu | Zn Sa | mple-wt |
|---------|------|----------|---------|--------|---------|---------|
| Name | ppb | ppb | g/tonne | % | % | Kg |
| 1650/0 | 3006 | 3290 | - | | | 4.5 |
| 165050 | 89 | | | | | 5.0 |
| 165051 | 100 | | | | | 5.0 |
| 165052 | 78 | | | | | 5.0 |
| 165053 | 46 | | | | | 3.5 |
| 165054 | 278 | • | | | | 6.0 |
| 165055 | 5410 | | | | | 6.0 |
| 165056 | 766 | | | | | 3.0 |
| 165057 | 106 | | | | | 4.5 |
| 165058 | 5 | | | | | 0.2 |
| 165059 | 49 | | | | | 2.5 |
| 165060 | 418 | | | | | 2.0 |
| 165061 | 150 | | | | | 1.3 |
| 165062 | 2756 | | 248.4 | 1.83 | 2.44 | 2.0 |
| 165063 | 422 | | | | | 2.0 |
| 165064 | 4918 | | | | 7.40 | 1.5 |
| 165065 | 482 | | | | | 2.5 |
| 165066 | 354 | | | | | 2.0 |
| 165067 | 1047 | | | | 6.60 | 1./ |
| 165068 | 4582 | 4541 | | | | 2.5 |
| 165069 | 788 | | | | | 2.5 |
| 165070 | 1976 | | | | | 7.0 |
| *0211 | 2022 | | | | | |
| *AC0501 | | | 233.0 | | • • • • | |
| *ME3 | | | | 0.187 | 0.90 | |
| *BLANK | <1 | | <0.1 | <0.001 | <0.01 | |

Au 50g F.A. AA finish.Ag by F.A. Cu,Zn A.R. digest A.A finish

Certified by_



Quality Assaying for over 35 Years

Geochemical Analysis Certificate

Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

0S-0019-RG2

Jun-15-10

| Company: | Skyline Gold Corp. |
|----------|--------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

We *hereby certify* the following geochemical analysis of 22 core samples submitted Jun-10-10

| Sample | Au | Au-Check | Ag | Cu | Ni | Zn Sa | mple-wt |
|------------------|------|----------|---------|--------|--------|-------|---------|
| Name | ppb | թթե | g/tonne | % | % | % | Kg |
| 165071 | 517 | 559 | | | | | 5.0 |
| 165072 | 163 | | | | | | 5.0 |
| 165073 | 326 | | | | | | 0.1 |
| 165074 | 253 | | | | | | 5.0 |
| 165075 | 422 | | | | | | 4.5 |
| 165076 | 3809 | | | | | | 5.0 |
| 165077 | 652 | | | | | | 7.0 |
| 165078 | 454 | | | | | | 2.0 |
| 165079 | 457 | | | | | | 4.0 |
| 165080 | 82 | | | | | | 3.0 |
| 165081 | 114 | | | | | | 2.0 |
| 165082 | 86 | | | | | | 5.0 |
| 165083 | 74 | | | | | | 2.5 |
| 165084 | 300 | | 208.1 | | | | 2.5 |
| 165085 | 576 | | 54196 | 16.3 | 1.66 | | 0.1 |
| 165086 | 219 | | | | | | 5.0 |
| 165087 | 100 | | | | | | 5.0 |
| 165088 | 3021 | | | | | 2.75 | 1.0 |
| 165089 | 7 | | | | | | 0.2 |
| 165090 | 215 | 232 | | | | | 6.0 |
| 1 (= 0.0.1 | 330 | | | | | | 4.0 |
| 165091 | 830 | | | | | | 6.0 |
| 165092 | 2010 | | | | | | |
| *UZII *DC0501 | 2010 | | 233 0 | | | | |
| *ACU301 | | | 200.0 | 0.187 | | 0.90 | |
| ○国臣=3 | | | | V.10, | 0 241 | | |
| *RTS-2 *BLANK | <1 | | <0.1 | <0.001 | <0.001 | <0.01 | |

Au 50g F.A. AA finish.Ag by F.A. Cu,Ni,Zn A.R. digest A.A finish

MA Certified by_



Quality Assaying for over 35 Years

Geochemical Analysis Certificate

Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

0S-0019-RG3

Jun-15-10

Company:Skyline Gold Corp.Project:BronsonAttn:Arnd Burgert

We *hereby certify* the following geochemical analysis of 22 core samples submitted Jun-10-10

| Nameppbppb%Kg 165093 1213 5.0 165094 112 5.0 165095 41 5.0 165096 7 5.0 165097 40 5.0 165098 20 5.0 165099 25 5.0 165100 44 5.0 165101 61 6.0 165102 31 29 5.0 165103 52 4.0 165104 66 5.0 165105 137 5.0 165106 850 5.0 165107 61 5.0 165108 109 4.0 165109 392 5.00 165101 65 2.5 165111 65 2.5 165112 218 225 1.38 | Sample Au | Au-Check Zr | Sample-wt |
|---|-------------|-------------|-----------|
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | Name ppb | ppb % | , Kg |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 165093 1213 | | 5.0 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 165094 112 | | 5.0 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 165095 41 | | 5.0 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 165096 7 | | 5.0 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 165097 40 | | 5.0 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 165098 20 | | 5.0 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 165099 25 | | 5.0 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 165100 44 | | 5.0 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 165101 61 | | 6.0 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 165102 31 | 29 | 5.0 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 165103 52 | | 4.0 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 165104 66 | | 5.0 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 165105 137 | | 5.0 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 165106 850 | | 5.0 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 165107 61 | | 5.0 |
| 1651093925.000.71651101613.0165111652.51651122182251.38 | 165108 109 | | 4.0 |
| 165110 161 3.0 165111 65 2.5 165112 218 225 1.38 | 165109 392 | 5.00 |) 0.7 |
| 165111 65 2.5 165112 218 225 1.38 1.2 | 165110 161 | | 3.0 |
| 165112 218 225 1.38 1.2 | 165111 65 | | 2.5 |
| | 165112 218 | 225 1.3 | 3 1.2 |
| 4.0 | 165113 42 | | 4.0 |
| 165114 789 10.8 2.0 | 165114 789 | 10. | 3 2.0 |
| *0211 2090 | *0211 2090 | | |
| *ME-3 0.90 | *ME-3 | 0.9 |) |
| *BLANK <1 <0.01 | *BLANK <1 | <0.0 | L . |

Au 50g F.A. AA finish. Zn A.R. digest A.A finish

Certified by_

ngi



.

Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

Quality Assaying for over 35 Years

Geochemical Analysis Certificate

0S-0019-RG4

Company:Skyline Gold Corp.Project:BronsonAttn:Arnd Burgert

Jun-15-10

We *hereby certify* the following geochemical analysis of 12 core samples submitted Jun-10-10

| Sample | Au A | u-Check A | u-Rerun Sa | mple-wt | |
|--------|------|-----------|------------|---------|------|
| Name | ppb | ppb | ppb | - Kg | |
| 165115 | 229 | 224 | | 2.0 | |
| 165116 | 399 | | | 5.0 | |
| 165117 | 59 | | | 4.0 | |
| 165118 | 129 | | | 4.5 | |
| 165119 | 154 | | | 6.0 | |
| 165120 | 52 | | | 5.0 | |
| 165121 | 124 | | | 5.0 | |
| 165122 | 167 | | | 5.0 | |
| 165123 | 148 | | | 5.0 | |
| 165124 | 239 | | 217 | 5.0 | |
| 165125 | 79 | | 95 | 4.5 | |
| 165126 | 244 | | 276 | 0.5 | |
| *0211 | 2280 | | 2130 | | |
| *BLANK | <1 | | <1 | | |
| | | | | | |

Au 50g F.A. AA finish

Certified by_



Quality Assaying for over 35 Years

Metallic Assay Certificate

0S-0018-RM1

Jun-14-10

Company:Skyline Gold Corp.Project:BronsonAttn:David Jensen/Arnd Burgert

We *hereby certify* the following analysis of 9 samples submitted Jun-09-10

| Sample | Wt Total | Wt +150 | +150 Au | -150 Au | Metallic Au | Net Au |
|--------|----------|---------|---------|---------|-------------|---------|
| Name | g | g | mg | g/tonne | g/tonne | g/tonne |
| 165008 | 985.1 | 42.1 | 0.823 | 10.48 | 0.84 | 10.87 |
| 165009 | 986.3 | 73.2 | 2.204 | 16.09 | 2.23 | 17.13 |
| 165010 | 990.6 | 78.8 | 2.054 | 8.02 | 2.07 | 9.46 |
| 165035 | 997.4 | 34.3 | 1.817 | 3.15 | 1.82 | 4.86 |
| 165036 | 986.6 | 48.2 | 0.779 | 2.36 | 0.79 | 3.03 |
| 165040 | 994.8 | 61.2 | 0.232 | 1.01 | 0.23 | 1.18 |
| 165041 | 995.1 | 63.9 | 0.140 | 1.07 | 0.14 | 1.14 |
| 165042 | 993.7 | 71.2 | 26.956 | 19.28 | 27.13 | 45.03 |
| 165044 | 993.6 | 95.8 | 2.099 | 4.94 | 2.11 | 6.58 |

Fire Assay for Metallic Au analysis

12-Certified by____ _ _ ...



Skyline Gold Corp.

Project : Bronson

Attention : David Jensen/Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0018RJDate: Jun-14-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | Al % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Hg ppm | K % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | Р % | Pb ppm | S % | Sb ppm | Sc ppm |
|------------------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|--------|-----------|---------|-----------|-----------|---------|-----------|--------|-----------|--------|-----------|-----------|
| 165001 | 3.6 | 1.96 | 138 | 159 | <0.5 | 10 | 1.97 | 11 | 19 | 85 | 171 | 4.90 | <1 | 1.07 | <10 | 1.83 | 2109 | <2 | 0.02 | 95 | 0.125 | 97 | 1.96 | 19 | 3 |
| 165002 | 2.2 | 1.41 | 131 | 150 | <0.5 | 6 | 2.58 | 9 | 17 | 83 | 216 | 4.27 | <1 | 0.94 | <10 | 1.69 | 2035 | 2 | 0.01 | 133 | 0.144 | 123 | 1.82 | 14 | 2 |
| 165003 | 2.0 | 1.65 | 118 | 195 | <0.5 | 5 | 2.59 | 6 | 15 | 70 | 269 | 4.09 | <1 | 1.12 | <10 | 1.72 | 1905 | 2 | 0.02 | 103 | 0.132 | 128 | 1.60 | 14 | 2 |
| 165004 | 2.9 | 1.69 | 98 | 138 | <0.5 | 6 | 1.74 | 22 | 13 | 59 | 257 | 4.58 | <1 | 0.90 | <10 | 1.55 | 1468 | <2 | 0.01 | 71 | 0.137 | 292 | 1.96 | 15 | 2 |
| 165005 | 3.2 | 3.05 | 178 | 42 | <0.5 | 18 | 0.66 | 78 | 111 | 89 | 110 | 12.11 | <1 | 0.88 | 23 | 2.18 | 1127 | 3 | 0.01 | 132 | 0.137 | 362 | 6.17 | 30 | 3 |
| 165006 | 6.9 | 2.12 | 161 | 47 | <0.5 | 15 | 0.40 | 63 | 41 | 105 | 69 | 9.76 | <1 | 0.63 | 11 | 1.43 | 882 | 3 | 0.01 | 92 | 0.106 | 796 | 5.41 | 24 | 2 |
| 165007 | 3.2 | 2.37 | 115 | 67 | <0.5 | 9 | 0.53 | 33 | 24 | 74 | 144 | 7.35 | <1 | 0.82 | 11 | 1.65 | 873 | <2 | 0.01 | 81 | 0.147 | 425 | 3.63 | 25 | 2 |
| 165008 | 112.5 | 0.44 | 445 | 39 | <0.5 | 110 | 0.85 | 164 | 485 | 64 | 144 | 22.49 | 1 | 0.26 | <10 | 0.45 | 1075 | <2 | 0.01 | 183 | 0.041 | 2267 | >10.00 | 51 | 1 |
| 165009 | 170.5 | 0.31 | 521 | 37 | <0.5 | 160 | 0.52 | 156 | 639 | 49 | 310 | 23.00 | 2 | 0.17 | <10 | 0.32 | 739 | <2 | 0.01 | 171 | 0.026 | 2467 | >10.00 | 54 | <1 |
| 165010 | 61.8 | 1.61 | 322 | 34 | <0.5 | 51 | 0.42 | 147 | 102 | 72 | 151 | 13.44 | <1 | 0.80 | 25 | 0.98 | 463 | <2 | 0.01 | 83 | 0.140 | 881 | 7.42 | 29 | 1 |
| 165011 | 6.5 | 1.48 | 208 | 83 | <0.5 | 10 | 2.38 | 44 | 16 | 65 | 343 | 6.09 | <1 | 0.85 | <10 | 1.59 | 1741 | 2 | 0.01 | 79 | 0.114 | 335 | 3.48 | 18 | 2 |
| 165012 | 1.0 | 1.13 | 50 | 133 | < 0.5 | < 5 | 2.72 | 5 | 13 | 48 | 89 | 3.48 | <1 | 0.85 | <10 | 1.14 | 1334 | <2 | 0.01 | 51 | 0.112 | 96 | 1.37 | 9 | 1 |
| 165013 | 1.1 | 1.48 | 71 | 131 | <0.5 | 6 | 2.37 | 6 | 18 | 54 | 136 | 4.68 | <1 | 1.09 | <10 | 1.18 | 1236 | <2 | 0.01 | 58 | 0.104 | 114 | 2.27 | 14 | 2 |
| 165014 | 1.4 | 1.40 | 71 | 122 | <0.5 | 5 | 3,49 | 6 | 16 | 52 | 240 | 5.81 | <1 | 1.03 | 10 | 1.56 | 1668 | <2 | 0.01 | 32 | 0.127 | 26 | 2.75 | 15 | 2 |
| 165015 | 3.0 | 0.84 | 276 | 50 | <0.5 | 11 | 3.83 | 94 | 18 | 39 | 91 | 10.18 | <1 | 0.67 | 17 | 1.38 | 2186 | 5 | 0.01 | 38 | 0.148 | 136 | 6.22 | 28 | 2 |
| 165016 | 3.7 | 0.78 | 169 | 47 | <0.5 | 12 | 3.12 | 14 | 17 | 34 | 242 | 9.46 | <1 | 0.61 | <10 | 1.03 | 1835 | <2 | 0.01 | 25 | 0.177 | 84 | 5.78 | 28 | 2 |
| 165017 | 2.5 | 1.57 | 141 | 109 | <0.5 | 6 | 2.64 | 28 | 22 | 40 | 281 | 6.50 | <1 | 1.09 | 12 | 1.39 | 1875 | <2 | 0.01 | 25 | 0.182 | 228 | 3.04 | 19 | 3 |
| 165018 | 2.0 | 3.16 | 82 | 53 | <0.5 | 11 | 1.17 | 19 | 28 | 30 | 434 | 10.05 | <1 | 1.32 | 10 | 1.93 | 1335 | <2 | 0.01 | 7 | 0.214 | 109 | 4.09 | 24 | 6 |
| 165019 | 2.5 | 1.85 | 28 | 153 | <0.5 | 7 | 0.83 | 5 | 17 | 220 | 2335 | 3.19 | <1 | 0.72 | 23 | 0.59 | 213 | 211 | 0.05 | 8 | 0.053 | 51 | 1.44 | 19 | 5 |
| 165020 | 3.1 | 2.05 | 175 | 47 | < 0.5 | 11 | 0.90 | 24 | 30 | 41 | 432 | 9.25 | <1 | 1.25 | <10 | 1.04 | 991 | <2 | 0.01 | 22 | 0.170 | 130 | 4.60 | 21 | 4 |
| 165021 | 2.2 | 2.28 | 61 | 56 | <0.5 | 10 | 0.88 | 8 | 19 | 59 | 412 | 8,37 | <1 | 1.32 | <10 | 1.06 | 1012 | <2 | 0.01 | 34 | 0.126 | 70 | 3.69 | 20 | 3 |
| 165022 | 5.1 | 1.45 | 70 | 54 | <0.5 | 12 | 1.43 | 10 | 19 | 43 | 418 | 7.38 | <1 | 0.93 | 10 | 0.82 | 1117 | 39 | 0.01 | 37 | 0.141 | 235 | 3.91 | 20 | 2 |
| 165023 | 8.2 | 2.22 | 122 | 53 | <0.5 | 14 | 2.59 | 127 | 31 | 55 | 504 | 10.78 | <1 | 1.42 | <10 | 1.55 | 1994 | <2 | 0.02 | 17 | 0.213 | 1064 | 6.11 | 27 | 5 |
| 165024 | 4.1 | 2.14 | 97 | 81 | <0.5 | 10 | 2.88 | 69 | 26 | 57 | 482 | 9.52 | <1 | 1.12 | <10 | 1.83 | 2273 | <2 | 0.02 | 43 | 0.173 | 225 | 4.92 | 26 | 3 |
| 165025 | 13.3 | 3.12 | 771 | 71 | <0.5 | 18 | 2.10 | 264 | 23 | 54 | 528 | 11.24 | <1 | 0.89 | <10 | 2.54 | 3299 | 2 | 0.02 | 26 | 0.202 | 3944 | 5.92 | 32 | 5 |
| 165026 | 5.4 | 3.15 | 96 | 93 | <0.5 | < 5 | 0.82 | 75 | 18 | 112 | 54 | 5.93 | <1 | 0.62 | <10 | 2.56 | 2160 | 2 | 0.01 | 102 | 0.097 | 2079 | 0.99 | 20 | 3 |
| 165027 | 2.1 | 3.88 | 99 | 92 | <0.5 | 8 | 0.57 | 41 | 14 | 122 | 91 | 7.19 | <1 | 0.66 | <10 | 3.18 | 2085 | <2 | 0.01 | 116 | 0.097 | 579 | 1.41 | 22 | 3 |
| 165028 | 3.6 | 2.75 | 271 | 78 | <0.5 | 6 | 1.75 | 57 | 15 | 67 | 123 | 5,90 | <1 | 0.62 | <10 | 2.79 | 3094 | <2 | 0.01 | 97 | 0.160 | 759 | 1.63 | 17 | 2 |
| 165029 | 2.5 | 3.34 | 976 | 75 | <0.5 | 7 | 1.05 | 55 | 19 | 59 | 53 | 5.96 | <1 | 0.41 | <10 | 3.20 | 2053 | <2 | 0.01 | 52 | 0.201 | 580 | 0.35 | 17 | 3 |
| 165030 | 10.0 | 1.91 | 507 | 91 | <0.5 | 17 | 3.19 | 38 | 23 | 45 | 536 | 8.68 | <1 | 0.67 | <10 | 2.13 | 3256 | 3 | 0.01 | 75 | 0.134 | 435 | 4.11 | 21 | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.



Skyline Gold Corp.

Project : Bronson

Attention : David Jensen/Arnd Burgert

| Sample | Sr | Th | Ti | TI | U | v | W | Zn | Zr |
|--------|-----|-----|------|-----|-----|-----|-----|--------|-----|
| Number | ppm | ppm | % | ррт | ppm | ppm | ppm | ppm | ppm |
| 165001 | 168 | < 5 | 0.11 | <10 | 18 | 43 | 14 | 655 | 2 |
| 165002 | 215 | <5 | 0.09 | <10 | 17 | 29 | 12 | 557 | 2 |
| 165003 | 204 | <5 | 0.09 | <10 | 14 | 31 | <10 | 364 | 2 |
| 165004 | 120 | <5 | 0.09 | <10 | 15 | 30 | 23 | 1338 | 2 |
| 165005 | 36 | 5 | 0.11 | 14 | 30 | 58 | 64 | 3953 | 6 |
| 165006 | 21 | <5 | 0.07 | 10 | 24 | 31 | 50 | 3328 | 5 |
| 165007 | 29 | <5 | 0.09 | <10 | 16 | 38 | 31 | 1887 | 4 |
| 165008 | 48 | <5 | 0.02 | 12 | 80 | 19 | 117 | 7212 | 10 |
| 165009 | 30 | <5 | 0.01 | 12 | 82 | 19 | 118 | 6983 | 9 |
| 165010 | 24 | 5 | 0.10 | 14 | 31 | 34 | 116 | 7279 | 6 |
| 165011 | 190 | <5 | 0.08 | <10 | 20 | 30 | 44 | 2970 | 3 |
| 165012 | 198 | <5 | 0.08 | <10 | 10 | 26 | <10 | 239 | 2 |
| 165013 | 161 | <5 | 0.11 | <10 | 12 | 35 | <10 | 224 | 2 |
| 165014 | 244 | <5 | 0.12 | 10 | 17 | 41 | <10 | 113 | 3 |
| 165015 | 298 | <5 | 0.05 | 12 | 30 | 28 | 74 | 5041 | 4 |
| 165016 | 259 | <5 | 0.04 | <10 | 31 | 29 | 10 | 161 | 4 |
| 165017 | 230 | < 5 | 0.13 | 11 | 19 | 57 | 24 | 1366 | 3 |
| 165018 | 97 | <5 | 0.21 | 12 | 27 | 123 | 19 | 796 | 4 |
| 165019 | 48 | 14 | 0.04 | <10 | <10 | 44 | 12 | 273 | 5 |
| 165020 | 94 | <5 | 0.19 | 11 | 23 | 84 | 20 | 939 | 4 |
| 165021 | 92 | < 5 | 0.17 | <10 | 23 | 72 | <10 | 117 | 4 |
| 165022 | 153 | < 5 | 0.13 | <10 | 20 | 52 | 10 | 255 | 4 |
| 165023 | 223 | <5 | 0.20 | 12 | 29 | 102 | 97 | 6434 | 4 |
| 165024 | 236 | <5 | 0.14 | 10 | 27 | 64 | 53 | 3520 | 4 |
| 165025 | 124 | <5 | 0.12 | 12 | 40 | 93 | 252 | >10000 | 5 |
| 165026 | 40 | <5 | 0.07 | <10 | 19 | 39 | 81 | 5562 | 2 |
| 165027 | 27 | <5 | 0.07 | <10 | 23 | 42 | 45 | 2878 | 3 |
| 165028 | 96 | <5 | 0.06 | <10 | 26 | 37 | 56 | 3711 | 2 |
| 165029 | 94 | <5 | 0.02 | <10 | 19 | 53 | 54 | 3643 | 2 |
| 165030 | 204 | <5 | 0.07 | <10 | 30 | 41 | 35 | 2140 | 3 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0018RJDate: Jun-14-10Sample type: CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion





Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0018RJDate: Jun-14-10

Sample type : CORE

Skyline Gold Corp.

Project : Bronson

Attention : David Jensen/Arnd Burgert

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | AI % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | DC mag | Co ppm | Cr ppm | Cu ppm | Fe % | Hg opm | К % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni | P % | Pb ppm | S % | Sb ppm | Sc |
|------------------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|--------|-----------|---------|-----------|-----------|---------|-----|--------|-----------|--------|-----------|-------|
| | •• | | •• | • • | | 1.1. | | 1.1 | F 1 | 6 P | P.P. | | 6 F | | P | ,, | P.P | PP | | 66 | | PP | | ppm | 66.00 |
| 165031 | 6.2 | 1.93 | 318 | 136 | <0.5 | 11 | 3.24 | 30 | 18 | 63 | 571 | 6.86 | <1 | 0.79 | <10 | 2.02 | 3191 | 3 | 0.02 | 69 | 0.134 | 123 | 2.90 | 20 | 2 |
| 165032 | 4.5 | 1.33 | 98 | 144 | <0.5 | 6 | 3.43 | 37 | 14 | 62 | 469 | 5.33 | <1 | 0.85 | <10 | 1.20 | 2420 | 4 | 0.01 | 103 | 0.115 | 263 | 2.71 | 15 | 1 |
| 165033 | 15.4 | 3.14 | 120 | 143 | <0.5 | 14 | 2.84 | 210 | 15 | 126 | 1096 | 8.53 | <1 | 1.23 | 11 | 2.24 | 2812 | 5 | 0.02 | 123 | 0.166 | 2346 | 3.76 | 25 | 3 |
| 165034 | 8.2 | 1.69 | 297 | 86 | <0.5 | 18 | 2.24 | 72 | 13 | 68 | 339 | 8.76 | <1 | 0.59 | <10 | 1.56 | 2449 | <2 | 0.01 | 84 | 0.148 | 878 | 5.36 | 25 | 2 |
| 165035 | 119.6 | 0.49 | 441 | 47 | <0.5 | 108 | 0.42 | 62 | 35 | 70 : | >10000 | 14.86 | 1 | 0.38 | <10 | 0.08 | 319 | <2 | 0.02 | 154 | 0.111 | 1402 | 9.22 | 41 | 1 |
| 165036 | 62.0 | 0.47 | 253 | 50 | <0.5 | 99 | 1.15 | 23 | 20 | 50 | 4863 | 8.97 | 1 | 0.38 | <10 | 0.20 | 473 | <2 | 0.01 | 153 | 0.130 | 866 | 6.55 | 26 | 1 |
| 165037 | 0.7 | 3,97 | 175 | 128 | <0.5 | 6 | 7.94 | 12 | 38 | 102 | 154 | 6.62 | <1 | 1.07 | <10 | 3.40 | 2395 | <2 | 0.02 | 71 | 0.093 | 8 | 1.37 | 18 | 8 |
| 165038 | 3.0 | 2.75 | 177 | 96 | <0.5 | 10 | 3.96 | 25 | 25 | 112 | 327 | 6.01 | <1 | 0.77 | <10 | 3.22 | 2156 | Z | 0.01 | 166 | 0.094 | 458 | 1.96 | 16 | 4 |
| 165039 | 6.4 | 2.87 | 248 | 123 | <0.5 | 18 | 1.46 | 37 | 25 | 148 | 1059 | 7.57 | <1 | 0.93 | <10 | 2.95 | 1474 | 2 | 0.02 | 198 | 0.119 | 456 | 4.13 | 23 | 2 |
| 165040 | 36.3 | 1.78 | 473 | 55 | <0.5 | 77 | 0.54 | 68 | 22 | 104 | 3342 | 10.14 | <1 | 0.71 | <10 | 1.50 | 623 | <2 | 0.01 | 151 | 0.126 | 406 | 6.50 | 27 | 1 |
| 165041 | 15.7 | 0.94 | 614 | 38 | <0.5 | 41 | 0.65 | 168 | 18 | 75 | 748 | 10.84 | 1 | 0.65 | <10 | 0.42 | 440 | <2 | 0.02 | 167 | 0.119 | 1057 | 7.50 | 26 | 1 |
| 165042 | 78.0 | 0.33 | 176 | 40 | <0.5 | 32 | 3.26 | >2000 | 32 | 31 | 1134 | 7.16 | 6 | 0.26 | <10 | 0.89 | 3004 | 4 | 0.01 | 29 | 0.103 | >10000 | 10.00 | 35 | 1 |
| 165043 | 1.7 | 0.06 | 15 | 14 | <0.5 | <5 | 24.89 | 5 | 1 | 7 | 10 | 0.12 | <1 | 0.02 | <10 | 13.85 | 71 | <2 | 0.01 | <1 | 0.029 | 33 | 0.56 | 10 | <1 |
| 165044 | 61.3 | 0.43 | 914 | 54 | <0.5 | 95 | 7.05 | 476 | 67 | 51 | 1711 | 13.89 | 1 | 0.29 | <10 | 2.99 | 5530 | <2 | 0.01 | 73 | 0.052 | 3497 | 9.64 | 32 | 1 |
| 165045 | 3.8 | 1.82 | 200 | 105 | <0.5 | 9 | 2.59 | 41 | 36 | 124 | 184 | 6.46 | 1 | 1.30 | <10 | 2.03 | 1832 | 2 | 0.02 | 163 | 0.116 | 338 | 3.92 | 18 | 2 |
| 165046 | 2.0 | 1.85 | 324 | 137 | <0.5 | 7 | 5.44 | 3 | 14 | 162 | 140 | 4.61 | <1 | 1.26 | <10 | 3.20 | 2707 | 2 | 0.02 | 300 | 0.118 | 85 | 1.16 | 17 | з |
| 165047 | 1.9 | 2.02 | 149 | 195 | <0.5 | <5 | 4.96 | 2 | 10 | 157 | 199 | 4.12 | <1 | 1.59 | <10 | 3.58 | 1986 | <2 | 0.05 | 218 | 0.139 | 57 | 1.07 | 14 | 4 |
| 165048 | 1.0 | 2.17 | 105 | 212 | <0.5 | 9 | 3.67 | 4 | 21 | 131 | 113 | 5.78 | <1 | 1.93 | <10 | 2.87 | 1973 | 2 | 0.02 | 176 | 0.147 | 41 | 2.80 | 18 | 3 |
| Duplicates: | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165001 | 3.3 | 1.87 | 128 | 147 | <0.5 | 10 | 1.80 | 10 | 17 | 78 | 166 | 4.46 | <1 | 1.00 | <10 | 1.67 | 1955 | <2 | 0.02 | 87 | 0.118 | 92 | 1.84 | 14 | 3 |
| 165010 | 60.8 | 1.51 | 308 | 32 | <0.5 | 46 | 0.38 | 140 | 99 | 70 | 146 | 12.10 | <1 | 0.75 | 25 | 0.87 | 454 | <2 | 0.01 | 75 | 0.133 | 751 | 7.11 | 29 | 1 |
| 165020 | 3.4 | 2.04 | 180 | 44 | <0.5 | 12 | 0.92 | 25 | 32 | 40 | 447 | 9.44 | <1 | 1.26 | <10 | 1.07 | 993 | <2 | 0.01 | 22 | 0.177 | 139 | 4.63 | 21 | 4 |
| 165023 | 8.4 | 2.36 | 127 | 62 | <0.5 | 12 | 2.68 | 130 | 32 | 56 | 541 | 11.58 | <1 | 1.53 | <10 | 1.64 | 2110 | <2 | 0.02 | 19 | 0.216 | 1153 | 6.42 | 30 | 5 |
| 165032 | 4.4 | 1.39 | 99 | 141 | <0.5 | 8 | 3.42 | 35 | 14 | 56 | 480 | 5.45 | <1 | 0.89 | <10 | 1.19 | 2313 | 4 | 0.02 | 104 | 0.116 | 273 | 2.69 | 16 | 1 |
| 165042 | 61.5 | 0.31 | 168 | 37 | <0.5 | 32 | 3.09 | >2000 | 31 | 28 | 1046 | 7.54 | 5 | 0.27 | <10 | 0.90 | 2868 | 3 | 0.01 | 32 | 0.101 | >10000 | 9.48 | 32 | 1 |
| 165045 | 3.8 | 1.84 | 206 | 106 | <0.5 | 10 | 2.57 | 43 | 37 | 127 | 184 | 6.44 | <1 | 1.32 | <10 | 2.02 | 1868 | 2 | 0.02 | 165 | 0.117 | 332 | 4.04 | 20 | 2 |
| Standards: | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blank | <0.2 | < 0.01 | <5 | <10 | <0.5 | <5 | <0.01 | <1 | <1 | <1 | <1 | < 0.01 | <1 | <0.01 | <10 | < 0.01 | <5 | <2 | < 0.01 | 1 | <0.001 | <2 | < 0.01 | <5 | <1 |
| CH-4 | 1.7 | 1.85 | 24 | 292 | <0.5 | <5 | 0.62 | 8 | 28 | 105 | 2148 | 4.89 | <1 | 1.51 | 12 | 1.20 | 331 | 3 | 0.05 | 48 | 0.072 | 14 | 0.55 | 15 | 7 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.



Skyline Gold Corp.

Project : Bronson

Attention : David Jensen/Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0018RJDate: Jun-14-10Sample type: CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Sr | Th | Ti | TI | U | V | w | Zn | Zr |
|-------------|-----|-----|--------|-----|-----|-----|------|--------|-----|
| Number | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm |
| | | | | | | | | | |
| 165031 | 211 | <5 | 0.06 | 10 | 26 | 40 | 28 | 1667 | 3 |
| 165032 | 181 | <5 | 0.07 | <10 | 17 | 25 | 31 | 2090 | 3 |
| 165033 | 139 | <5 | 0.13 | 12 | 27 | 53 | 197 | >10000 | 4 |
| 165034 | 102 | <5 | 0.04 | <10 | 30 | 29 | 64 | 4156 | 3 |
| 165035 | 18 | <5 | 0.01 | <10 | 38 | 12 | 52 | 3176 | 6 |
| | | | | | | | | | |
| 165036 | 54 | <5 | 0.01 | <10 | 22 | 12 | 17 | 729 | 4 |
| 165037 | 417 | <5 | 0.14 | 11 | 18 | 104 | 15 | 710 | 2 |
| 165038 | 250 | <5 | 0.07 | <10 | 18 | 62 | 22 | 1226 | 2 |
| 165039 | 105 | <5 | 0.06 | <10 | 22 | 44 | 31 | 1798 | 3 |
| 165040 | 27 | <5 | 0.05 | <10 | 26 | 30 | 52 | 3388 | 4 |
| | | | | | | | | | |
| 165041 | 31 | <5 | 0.03 | <10 | 25 | 24 | 142 | 8978 | 4 |
| 165042 | 182 | <5 | 0.01 | <10 | 30 | 12 | 3495 | >10000 | 3 |
| 165043 | 161 | <5 | <0.01 | 13 | <10 | 1 | <10 | 230 | <1 |
| 165044 | 275 | <5 | 0.01 | 11 | 69 | 15 | 512 | >10000 | 5 |
| 165045 | 179 | <5 | 0.12 | <10 | 19 | 37 | 32 | 2003 | 3 |
| | | | | | | | | | |
| 165046 | 385 | <5 | 0.13 | <10 | 18 | 40 | <10 | 212 | 2 |
| 165047 | 337 | <5 | 0.16 | <10 | 12 | 54 | <10 | 136 | 2 |
| 165048 | 282 | <5 | 0.20 | 10 | 17 | 56 | <10 | 149 | 3 |
| | | | | | | | | | |
| Duplicates: | | - | | - 0 | | | | | |
| 165001 | 169 | <5 | 0.10 | <10 | 18 | 40 | 12 | 580 | 2 |
| 165010 | 24 | 5 | 0.09 | 14 | 31 | 33 | 110 | 6817 | 6 |
| 165020 | 96 | <5 | 0.18 | 11 | 25 | 81 | 20 | 980 | 4 |
| 165023 | 210 | <5 | 0.22 | 13 | 32 | 96 | 103 | 6536 | 4 |
| | | - | | | | | | | _ |
| 165032 | 168 | <5 | 0.07 | <10 | 19 | 24 | 30 | 1945 | 3 |
| 165042 | 174 | <5 | 0.01 | <10 | 30 | 10 | 3212 | >10000 | 3 |
| 100045 | 186 | <5 | 0.12 | <10 | 21 | 38 | 33 | 2051 | 3 |
| Standards: | | | | | | | | | |
| Blank | <1 | <5 | < 0.01 | <10 | <10 | <1 | <10 | 2 | <1 |
| CH-4 | 8 | <5 | 0.24 | 12 | <10 | 79 | 12 | 210 | 10 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.



Quality Assaying for over 35 Years

Geochemical Analysis Certificate

0S-0018-RG1

Company:Skyline Gold Corp.Project:BronsonAttn:David Jensen/Arnd Burgert

Jun-14-10

We *hereby certify* the following geochemical analysis of 22 core samples submitted Jun-09-10

| Sample | Au | Au-Check | Au | Sample-wt |
|--------|--------|----------|---------|-----------|
| Name | ppb | թթե | g/tonne | Kg |
| 165001 | 92 | 92 | | 2.0 |
| 165002 | 150 | | | 5.0 |
| 165003 | 70 | | | 5.0 |
| 165004 | 115 | | | 4.5 |
| 165005 | 270 | | | 3.0 |
| 165006 | 640 | | | 3.0 |
| 165007 | 200 | | | 2.5 |
| 165008 | 9980 | | | 4.0 |
| 165009 | >10000 | | 18.88 | 4.0 |
| 165010 | /860 | | | 6.0 |
| 165011 | 173 | | | 4.0 |
| 165012 | 42 | | | 5.0 |
| 165013 | 4 / | | | 5.0 |
| 165014 | 45 | | | 4.0 |
| 165015 | 102 | - | | 1.5 |
| | 198 | | | 5.0 |
| 165017 | 140 | | | 5.5 |
| 165019 | 43 | | | 5.0 |
| 165020 | 294 | 294 | | 5.0 |
| 165021 | | 201 | | 5.0 |
| 165022 | 612 | | | 3.5 |
| *0211 | 2104 | | | 4.0 |
| *BLANK | <1 | | | |
| | _ | | | |

Au 50g F.A. AA finish



Quality Assaying for over 35 Years

Geochemical Analysis Certificate

0S-0018-RG2

Company:Skyline Gold Corp.Project:BronsonAttn:David Jensen/Arnd Burgert

Jun-14-10

We *hereby certify* the following geochemical analysis of 22 core samples submitted Jun-09-10

| Sample | Au | Au-Check | Au | Cu | Pb | Zn | Sample-wt |
|--------|--------|----------|---------|--------|-------|-------|-----------|
| Name | ppb | թթե | g/tonne | % | % | % | Kg |
| 165023 | 958 | 884 | | | | | 5.0 |
| 165024 | 332 | | | | | | 6.0 |
| 165025 | 902 | | | | | 1.80 | 5.5 |
| 165026 | 44 | | | | | | 4.5 |
| 165027 | 42 | | | | | | 4.0 |
| 165028 | 250 | | | | | | 5.0 |
| 165029 | 29 | | | | | | 5.0 |
| 165030 | 273 | | | | | | 2.5 |
| 165031 | 138 | | | | | | 2.0 |
| 165032 | 120 | 115 | | | | | 3.5 |
| 165033 | 508 | | | | | 1.42 | 4.0 |
| 165034 | 224 | | | | | | 4.0 |
| 165035 | 3680 | | | 1.70 | | | 4.0 |
| 165036 | 2142 | | | | | | 4.0 |
| 165037 | 58 | | | | | | 4.0 |
| 165038 | 88 | | | | | | 4.5 |
| 165039 | 200 | | | | | | 5.0 |
| 165040 | 1010 | | | | | | 5.5 |
| 165041 | 1140 | | | | | | 4.5 |
| 165042 | >10000 | | 27.02 | | 1.18 | 22.6 | 2.0 |
| 165043 | 8 | | | | | | 0.2 |
| 165044 | 5846 | | | | | 3.69 | 3.0 |
| *0211 | 2034 | | | | | | |
| *ME-3 | | | | 0.187 | 2.75 | 0.90 | |
| *BLANK | <1 | | | <0.001 | <0.01 | <0.01 | |

Au 50g F.A. AA finish. Cu,Pb,Zn A.R/ AA finish



Quality Assaying for over 35 Years

Geochemical Analysis Certificate

0S-0018-RG3

Company:Skyline Gold Corp.Project:BronsonAttn:David Jensen/Arnd Burgert

Jun-14-10

We *hereby certify* the following geochemical analysis of 4 core samples submitted Jun-09-10

| Sample Name | Au | Au-Check | Sample-wt Kø |
|----------------|------|----------|-----------------|
| . unic | 644 | PPP | 6 |
| 165045 | 632 | 625 | 3.0 |
| 165046 | 73 | | 4.5 |
| 165047 | 91 | | 5.0 |
| 165048 | 266 | | 4.5 |
| *0211 | 2330 | | |
| *BLANK | <1 | | |

Au 50g F.A. AA finish

Certified by_



DIAMOND DRILL HOLE LOG

| | HOLE: | SK10-02 | CONTRACTOR: | Driftwood Diamond Drilling Ltd. |
|---|------------------|-------------------|---------------|---------------------------------|
| | COLLAR COORDINAT | TES UTM (NAD 83): | DATE STARTED: | |
| | Easting: | 373543.3 | | 01-Jun-10 |
| | Northing: | 6280824.9 | | |
| | COLLAR COORDINAT | ES MINE GRID: | DATE COMPLET | ED: |
| | Northing: | 11677 | | 03-Jun-10 |
| | Easting: | 27368 | | |
| | COLLAR ELEVATION | | CORE SIZE: | |
| | | 649.2m | | NQ |
| | FINAL DEPTH: | | RIG: | |
| | | 195m | S | RS 3000 Hydraulic |
| | SURVEYS: | | • | |
| | Depth | Azimuth | Inclination | Method |
| | 0 | 077.0 | -45.0 | compass, clinometer |
| T | | | | • • |

Page: 2 of 11 pages



| | | | | | | | | | UOLD | COLL OILVIIO |
|----------|--------------|---|------------|-------|--------|----------|-------|------|--------|--------------|
| | То | | | From | | Interval | Au | Ag | | |
| From (m) | (m) | Description | Sample No. | (m) | To (m) | (m) | g/t | g/t | Cu ppm | Zn ppm |
| 0.00 | 6.71 | CASING | | | | | | | | |
| 5.00 | 24.79 | GREYWACKE | 165127 | 5.00 | 6.00 | 1.00 | 1.94 | 44.6 | 532 | 4825 |
| | Grey mottle | ed fine to medium grained (mg) feldspathic (felds) | 165128 | 6.00 | 7.00 | 1.00 | 0.245 | 14.1 | 595 | 4049 |
| | sandstone. | 2 to 25% pyrite (py) in disseminated (dissem) | 165129 | 7.00 | 8.00 | 1.00 | 0.046 | 3.1 | 106 | 561 |
| | aggregates | of fine grained (fg) crystals (xls) and veins (vns). | 165130 | 7.00 | 8.00 | DUP | 0.046 | 3.2 | 109 | 606 |
| | Dominant p | y vn 5 to 60 tca (degree to core axis). Occasional | 165131 | 8.00 | 9.00 | 1.00 | 0.029 | 2.0 | 178 | 1040 |
| | quartz (qtz) | vn to 5mm wide, typical angle 15 to 40 tca. | 165132 | 9.00 | 10.00 | 1.00 | 0.059 | 2.6 | 230 | 2086 |
| | Occasional | sphalerite (sphal), as aggregates typically 5mm wide, | 165133 | 10.00 | 11.00 | 1.00 | 0.452 | 14.7 | 213 | 2298 |
| | most comm | nonly associated with the thicker py vns. | 165134 | 11.00 | 12.00 | 1.00 | 0.044 | 2.3 | 208 | 4094 |
| | | | 165135 | 12.00 | 13.40 | 1.40 | 0.073 | 4.3 | 147 | 1902 |
| | 5.00 to 5.10 |) Semi-massive pyrite zone; country rock gangue; 75 | 165136 | 13.40 | 14.40 | 1.00 | 0.132 | 17.4 | 441 | 8156 |
| | tca. | | 165137 | 14.40 | 15.40 | 1.00 | 0.182 | 21.1 | 581 | 30500 |
| | 5.20 to 5.40 |) Minor fault; slickensides, oxidized gouge; limonite | 165138 | 15.40 | 16.40 | 1.00 | 0.145 | 13.3 | 298 | 13100 |
| | and pyrolus | ite in fault; 30 tca. | 165139 | BLANK | BLANK | BLANK | 0.002 | <0.2 | 3 | 15 |
| | @5.90: limo | onitic void; 40 tca. | 165140 | 16.40 | 17.00 | 0.60 | 0.066 | 5.9 | 114 | 2186 |
| | @6.20: Min | or fault with slickensides; limonitic void; 20 tca. | 165151 | 17.00 | 17.54 | 0.54 | 0.239 | 29.9 | 285 | 32200 |
| | @7.30 to 8. | 70: Minor fault zone with slickensides and gouge; 15 | 165141 | 17.54 | 18.04 | 0.50 | 0.214 | 57.0 | 566 | 118000 |
| | tca. | | 165142 | 18.04 | 18.54 | 0.50 | 0.052 | 12.3 | 436 | 54000 |
| | @14.40 to 3 | 15.40: Zone of increased pyrite, sphalerite veining; | 165143 | 18.54 | 19.00 | 0.46 | 0.013 | 4.4 | 230 | 4724 |
| | avg. 30mm | width; irregular but steep angles to core axis. | 165144 | 19.00 | 20.00 | 1.00 | 0.056 | 6.2 | 228 | 997 |
| | | | 165145 | 20.00 | 21.00 | 1.00 | 0.053 | 8.8 | 238 | 1524 |
| | @15.40 to : | 17.00: Zone of quartz, sphalerite, pyrite veining | 165146 | 21.00 | 22.00 | 1.00 | 0.053 | 5.7 | 175 | 2997 |
| | increasing i | n frequency downhole; veins irregular and at multiple | 165147 | 22.00 | 23.00 | 1.00 | 0.145 | 16.4 | 410 | 4374 |
| | orientation | S. | 165148 | 23.00 | 24.79 | 1.79 | 0.054 | 5.6 | 195 | 3131 |
| | @17.00 to 1 | 17.54: Sulphide filled hydrothermal crackle breccia; | | | | | | | | |
| | framework | of country rock fragments; matrix of quartz, | | | | | | | | |
| | sphalerite, | pyrite veinlets up to 5mm; veinlets less than 5% of | | | | | | | | |
| | rock mass; | veinlets irregular and at multiple orientations. | | | | | | | | |
| | @17.54 to : | 18.04: Semi-massive sulphide filled hydrothermal | | | | | | | | |
| | breccia; fra | mework of country rock fragments; matrix of pyrite, | | | | | | | | |
| | sphalerite, | quartz masses up to 30mm; matrix masses irregular | | | | | | | | |

Page: 3 of 11 pages



| | | | | | | | | GULD | CONFUNATION |
|----------|---|--------------|--------|--------|----------|-------|-------|--------|-------------|
| | То | | From | | Interval | Au | Ag | | |
| From (m) | (m) Description | Sample No. | (m) | To (m) | (m) | g/t | g/t | Cu ppm | Zn ppm |
| | and at multiple orientations. | | | | | | | | |
| | | | | | | | | | |
| | @18.04 to 18.54: Continuation of hydrothermal breccia from | ו | | | | | | | |
| | previous interval; breccia mass is oriented at 5 to 10 tca; the | | | | | | | | |
| | downhole boundary of the breccia is sharp, the adjacent cou | ntry | | | | | | | |
| | rock is unmineralized. | | | | | | | | |
| 24.79 | 31.00 FAULT ZONE | 165149 | 24.79 | 26.00 | 1.21 | 0.047 | 4.6 | 188 | 2419 |
| | 24.79 to 24.99: Gouge seam, 5mm to 15mm; 20 tca. | 165150 | 26.00 | 27.40 | 1.40 | 1.29 | 20.5 | 752 | 2762 |
| | 24.99 to 25.65: Broken core; 15 tca. | 165152 | 27.40 | 28.50 | 1.10 | 0.127 | 4.1 | 285 | 2180 |
| | 26.00 to 27.00: Broken and crushed core with slickensides an | nd 165153 | 28.50 | 29.50 | 1.00 | 0.044 | 2.5 | 203 | 1163 |
| | gouge; 30 to 40 tca. | 165154 | 29.50 | 31.00 | 1.50 | 0.032 | 3.4 | 113 | 1747 |
| | 27.40 to 28.35: Broken, crushed and shattered core with | | | | | | | | |
| | slickensides and gouge; 20 tca. | | | | | | | | |
| | 28.60 to 29.50: Broken core with gouge seams; 15 to 30 tca. | | | | | | | | |
| | 30.00 to 30.10: Gouge seam 5mm, with shattered core; 5 tca | ı. | | | | | | | |
| | | | | | | | | | |
| 31.00 | 63.85 GREYWACKE | 165155 | 31.00 | 33.00 | 2.00 | 0.023 | 1.4 | 102 | 745 |
| | Grey mottled fine to medium grained (mg) feldspathic (felds |) 165156 | 33.00 | 34.60 | 1.60 | 0.065 | 2.6 | 137 | 1967 |
| | sandstone. 2 to 25% pyrite (py) in disseminated (dissem) | 165157 | 34.60 | 35.15 | 0.55 | 0.88 | 40.8 | 3929 | 8132 |
| | aggregates of fine grained (fg) crystals (xls) and veins (vns). | 165158 | 35.15 | 36.00 | 0.85 | 1.38 | 92.8 | 12500 | 4115 |
| | Dominant py vn 5 to 60 tca (degree to core axis). Occasional | 165159 | 36.00 | 37.25 | 1.25 | 1.23 | 116.1 | 11400 | 2350 |
| | quartz (qtz) vn to 5mm wide, typical angle 15 to 40 tca. | 165160 | 37.25 | 38.00 | 0.75 | 0.142 | 5.4 | 205 | 4885 |
| | Occasional sphalerite (sphal), as aggregates typically 5mm w | ide, 165161 | 38.00 | 39.00 | 1.00 | 0.293 | 7.6 | 217 | 13200 |
| | most commonly associated with the thicker py vns. | 165162 | 39.00 | 40.00 | 1.00 | 0.056 | 2.8 | 209 | 5886 |
| | | 165163 | 40.00 | 41.70 | 1.70 | 0.098 | 2.3 | 233 | 776 |
| | @34.60 to 35.15: Fault with broken core and limonitic gouge | e; LC 165164 | 41.70 | 42.15 | 0.45 | 0.151 | 4.6 | 320 | 29900 |
| | 10mm gouge seam, 10 tca. | 165165 | 42.15 | 44.40 | 2.25 | 0.135 | 5.0 | 385 | 1823 |
| | @41.70 to 42.15: Three approximately equispaced pyrite, | 165166 | STD 13 | STD 13 | STD 13 | 1.039 | 3.1 | 3092 | 322 |
| | sphalerite, quartz bands; 5 to 25 tca. | 165167 | 44.40 | 45.40 | 1.00 | 0.055 | 1.7 | 194 | 523 |
| | @44.40 to 45.40: Lithic wacke bed; medium grey coloured, g | rain 165168 | 45.40 | 47.00 | 1.60 | 0.864 | 28.7 | 4234 | 880 |
| | size from silty to 2mm. | 165169 | 47.00 | 48.50 | 1.50 | 0.263 | 7.1 | 314 | 5705 |
| | @46.00 to 47.00: Increased pyrite, chalcopyrite as veins and | 165170 | 48.50 | 49.74 | 1.24 | 0.371 | 4.2 | 692 | 382 |

Page: 4 of 11 pages



| | То | | From | | Interval | Au | Ag | l l | |
|----------|---|------------|-------|--------|----------|-------|------|--------|--------|
| From (m) | (m) Description | Sample No. | (m) | To (m) | (m) | g/t | g/t | Cu ppm | Zn ppm |
| | replacements; pyrite 5 to 10 %, chalcopyrite 1 to 2%, red brown | 165171 | 49.74 | 51.45 | 1.71 | 0.659 | 6.9 | 1085 | 2101 |
| | sphalerite trace; 35 to 50 tca. | 165172 | 51.45 | 53.00 | 1.55 | 0.23 | 3.9 | 347 | 849 |
| | @48.50 to 49.74: Lithic wacke bed; medium grey coloured, grain | 165173 | 53.00 | 55.00 | 2.00 | 0.171 | 4.4 | 542 | 272 |
| | size from silty to 2mm; fine grained disseminated pyrite 1 to 3%. | 165174 | 55.00 | 57.00 | 2.00 | 0.155 | 5.2 | 635 | 250 |
| | | 165175 | 57.00 | 59.00 | 2.00 | 0.194 | 2.7 | 283 | 635 |
| | @50.05 to 50.30: FAULT with gouge and crushed core; 60 to 70 | 165176 | 59.00 | 61.50 | 2.50 | 0.188 | 1.6 | 201 | 509 |
| | tca. | 165177 | 61.50 | 63.00 | 1.50 | 0.214 | 3.6 | 261 | 2680 |
| | @51.20 to 51.45: FAULT with gouge, slickensides, broken to | 165178 | 63.00 | 63.85 | 0.85 | 0.98 | 11.5 | 711 | 4148 |
| | shattered core; 45 to 65 tca. | | | | | | | | |
| | @59.00 to 60.00: Lithic wacke bed; medium grey coloured, grain | | | | | | | | |
| | size from silty to 2mm; fine grained disseminated pyrite 1%; | | | | | | | | |
| | abundant broken core with minor gouge coating surfaces. | | | | | | | | |
| | @60.00: FAULT with 20mm gouge; 50 tca. | | | | | | | | |
| | @63.00 to 63.85: Sulphide filled crackle breccia; greywacke | | | | | | | | |
| | framework; pyrite, red brown sphalerite, quartz matrix. | | | | | | | | |
| 63.85 | 81.40 LITHIC WACKE, SILTSTONE, MUDSTONE | 165179 | 63.85 | 66.00 | 2.15 | 0.145 | 0.8 | 144 | 188 |
| | Lithic wacke dominated by medium grey colour, grain size from | 165180 | 63.85 | 66.00 | DUP | 0.12 | 0.6 | 120 | 155 |
| | silty to 2mm; fine grained disseminated pyrite 1 to 3%. | 165181 | 66.00 | 68.00 | 2.00 | 0.13 | 1.2 | 199 | 155 |
| | Occasional siltstone or mudstone beds up to 10mm; 15 to 25 tca. | 165182 | 68.00 | 70.00 | 2.00 | 0.06 | 1.1 | 197 | 187 |
| | | 165183 | 70.00 | 71.65 | 1.65 | 0.08 | 1.5 | 271 | 379 |
| | @71.65 to 72.00: Pyrite, quartz, red brown sphalerite vein; | 165184 | 71.65 | 72.00 | 0.35 | 0.43 | 14.1 | 290 | 13800 |
| | 70mm thick; 45 tca. | 165185 | 72.00 | 74.00 | 2.00 | 0.10 | 2.3 | 375 | 501 |
| 81.40 | 94.70 GREYWACKE | 165186 | 74.00 | 76.00 | 2.00 | 0.03 | 1.0 | 205 | 162 |
| | Grey mottled fine to medium grained (mg) feldspathic (felds) | 165187 | 76.00 | 78.00 | 2.00 | 0.05 | 1.6 | 274 | 105 |
| | sandstone. 2 to 25% pyrite (py) in disseminated (dissem) | 165188 | 78.00 | 80.00 | 2.00 | 0.06 | 1.7 | 286 | 290 |
| | aggregates of fine grained (fg) crystals (xls) and veins (vns). | 165189 | BLANK | BLANK | BLANK | <0.01 | <0.2 | 3 | 4 |
| | Dominant py vn 5 to 60 tca (degree to core axis). Occasional | 165190 | 80.00 | 81.33 | 1.33 | 0.05 | 1.6 | 249 | 469 |
| | quartz (qtz) vn to 5mm wide, typical angle 15 to 40 tca. | 165191 | 81.33 | 83.00 | 1.67 | 0.28 | 4.3 | 219 | 1250 |
| | Occasional sphalerite (sphal), as aggregates typically 5mm wide, | 165192 | 83.00 | 84.00 | 1.00 | 0.10 | 2.3 | 231 | 423 |
| | most commonly associated with the thicker py vns. | 165193 | 84.00 | 85.00 | 1.00 | 2.00 | 30.9 | 2153 | 7427 |
| | | 165194 | 85.00 | 85.70 | 0.70 | 0.31 | 11.2 | 730 | 5806 |

Page: 5 of 11 pages



| | То | | From | | Interval | Au | Ag | ľ | |
|----------|--|------------|--------|--------|----------|------|------|--------|--------|
| From (m) | (m) Description | Sample No. | (m) | To (m) | (m) | g/t | g/t | Cu ppm | Zn ppm |
| | @81.33 to 85.70: Semi-massive textured pyrite filling crackle | 165195 | 85.70 | 87.00 | 1.30 | 3.58 | 13.2 | 845 | 5347 |
| | breccias and partially replacing chloriitic fragments in greywacke; | 165196 | 87.00 | 87.55 | 0.55 | 2.35 | 15.8 | 512 | 6703 |
| | up to 30mm; red brown sphalerite occasionally occurring with | 165197 | 87.55 | 88.66 | 1.11 | 0.22 | 2.9 | 313 | 679 |
| | the pyrite; angles to core axis irregular but generally 5 to 25 tca. | 165198 | 88.66 | 88.92 | 0.26 | 0.21 | 14.9 | 602 | 36800 |
| | | 165199 | 88.92 | 90.66 | 1.74 | 0.10 | 4.0 | 158 | 3297 |
| | @85.70 to 87.55: Semi-massive textured pyrite and red brown | 165200 | 90.66 | 91.08 | 0.42 | 0.06 | 37.3 | 304 | 94000 |
| | sphalerite filling a shear subparallel to the core axis; maximum | 165201 | 91.08 | 92.36 | 1.28 | 0.08 | 2.4 | 208 | 1060 |
| | mineralized thickness 40mm; 0 to 15 tca. | 165202 | 92.36 | 93.74 | 1.38 | 0.05 | 1.7 | 213 | 581 |
| | @88.30 to 88.40: Slip fault with limonitic gouge and broken core; | 165203 | 93.74 | 94.70 | 0.96 | 0.35 | 7.2 | 414 | 5111 |
| | 20 to 30 tca. | | | | | | | | 1 ' |
| | @88.66: Slip fault with limonitic gouge and platey core; 35 tca. | | | | | | | | |
| | @88.66 to 88.92: Red brown sphalerite, pyrite filling shear and | | | | | | | | |
| | partially replacing chloritic clasts; approximately 130mm thick | | | | | | | | |
| | with disseminated sulphides throughout downhole portion of | | | | | | | / | |
| | interval; 35 to 40 tca. | | | | | | | / | 1 |
| | @90.66 to 91.08: Red brown sphalerite with minor pyrite filling | | | | | | | / | 1 |
| | shear; approximately 120mm wide; boundaries irregular | | | | | | | / | |
| | approximately 25 to 35 tca; disseminated in veining in remainder | | | | | | | | 1 |
| | of interval. | | | | | | | / | |
| | @92.36: Gouge filled seam; 3mm thick; 45 tca. | | | | | | | / | 1 |
| | @93.74: Gouge filled seam; 10mm thick; 20 tca. | | | | | | | | |
| | @94.00 to 94.70: FAULT; broken core and gouge; 20 tca. | | | | | | | | |
| 94.70 | 121.00 FELDSPATHIC GRAYWACKE | 165204 | 94.70 | 95.55 | 0.85 | 0.07 | 2.5 | 176 | 451 |
| | Medium to light grey felsic clasts several to 30 mm wide in a fg | 165205 | 95.55 | 97.00 | 1.45 | 0.05 | 1.1 | 110 | 83 |
| | light grey quartzo-feldspathic matrix; light purplish colour | 165206 | STD 12 | STD 12 | STD 12 | 0.27 | 2.9 | 2682 | 346 |
| | indicates biotitic alteration; less than 1% to 3% disseminated | 165207 | 97.00 | 99.00 | 2.00 | 0.07 | 1.2 | 167 | 78 |
| | pyrite in irregular veinlets. | 165208 | 99.00 | 101.00 | 2.00 | 0.04 | 0.9 | 161 | 99 |
| | @95.20 to 95.55: FAULT; broken to crushed core with several 10 | 165209 | 101.00 | 103.00 | 2.00 | 0.05 | 0.8 | 147 | 81 |
| | to 15mm gouge zones; 35 to 40 tca. | 165210 | 103.00 | 105.00 | 2.00 | 0.03 | 0.5 | 144 | 46 |
| | @96.28 to 97.15: FAULT; broken and crushed core with gouge | 165211 | 105.00 | 107.00 | 2.00 | 0.05 | 0.8 | 173 | 70 |

Page: 6 of 11 pages



| | То | | From | | Interval | Au | Ag | | |
|----------|---|------------|--------|--------|----------|------|------|--------|--------|
| From (m) | (m) Description | Sample No. | (m) | To (m) | (m) | g/t | g/t | Cu ppm | Zn ppm |
| | seams up to 10mm; 30 to 40 tca. | 165212 | 107.00 | 109.00 | 2.00 | 0.07 | 1.1 | 235 | 69 |
| | @98.05: Minor FAULT; gouge seam up to 10mm; 5 tca. | 165213 | 109.00 | 111.00 | 2.00 | 0.09 | 1.5 | 143 | 196 |
| | @99.40 to 100.10: Minor FAULT; broken core and gouge seams | 165214 | 111.00 | 113.00 | 2.00 | 0.08 | 0.6 | 86 | 37 |
| | to 3mm; 25 to 35 tca. | 165215 | 113.00 | 115.00 | 2.00 | 0.07 | 0.3 | 26 | 25 |
| | @102.10: Minor fault slip with gouge; 20 tca. | 165216 | 115.00 | 117.00 | 2.00 | 0.04 | 1.0 | 98 | 38 |
| | @103.15: Minor fault slip with gouge: 30 tca. | 165217 | 117.00 | 119.00 | 2.00 | 0.08 | 2.1 | 255 | 66 |
| | @103.45 to 107.00: Minor fault slip with gouge and broken core; | 165218 | 119.00 | 120.10 | 1.10 | 0.13 | 2.8 | 228 | 711 |
| | 25 to 30 tca. | 165219 | 120.10 | 120.65 | 0.55 | 7.91 | 19.3 | 269 | 14500 |
| | @104.35: Minor fault slip with gouge; 25 tca. | 165220 | 120.65 | 121.00 | 0.35 | 0.28 | 21.6 | 497 | 6284 |
| | @105.60 to 105.70: Minor fault slip with gouge; 20 tca. | | | | | | | | |
| | @108.65: Minor fault slip with gouge; 40 tca. | | | | | | | | |
| | @109.20: Minor fault slip with gouge; 30 tca. | | | | | | | | |
| | @115.10 to 115.30: Minor fault slip with gouge and broken core; | | | | | | | | |
| | 15 tca. | | | | | | | | |
| | @120.10 to 120.65: Semi-massive textured pyrite 30%, quartz | | | | | | | | |
| | 10%, red brown sphalerite 3%, chlorite (trace) vein; approx. | | | | | | | | |
| | 120mm thick; UC 30, LC 10 tca. | | | | | | | | |
| | @120.65 to 121.00: Diminishing stringers of previous | | | | | | | | |
| | mineralization. | | | | | | | | |
| 121.00 | 141.60 FELDSPATHIC LITHIC WACKE/GREYWACKE | 165221 | 121.00 | 123.00 | 2.00 | 0.12 | 4.3 | 252 | 2033 |
| | Interbedded layers of Lithic Wacke and Greywacke. Light grey | 165222 | 123.00 | 125.00 | 2.00 | 0.03 | 1.2 | 100 | 98 |
| | colour likely due to pervasive potassium feldspar alteration. | 165223 | 125.00 | 127.00 | 2.00 | 0.05 | 1.7 | 231 | 136 |
| | Biotite alteration is common and pervasive. Individual beds | 165224 | 127.00 | 129.00 | 2.00 | 0.15 | 2.5 | 189 | 1380 |
| | approximately 1m to 2m thick. | 165225 | 129.00 | 129.60 | 0.60 | 1.94 | 11.2 | 869 | 3963 |
| | @121.00 to 125.40: Lithic wacke bed; UC irregular, LC 30 tca. | 165226 | 129.60 | 131.00 | 1.40 | 0.06 | 1.1 | 85 | 93 |
| | | 165227 | 131.00 | 133.00 | 2.00 | 0.12 | 2.2 | 249 | 71 |
| | @125.00 to 125.22: FAULT with 40mm of gouge and broken | 165228 | 133.00 | 135.00 | 2.00 | 0.16 | 2.5 | 271 | 72 |
| | core; 30 tca. | 165229 | 135.00 | 135.95 | 0.95 | 0.46 | 27.9 | 602 | 52000 |
| | @129.00 to 129.60: Zone of VEINING; UC 20mm pyrite, quartz, | 165230 | 135.95 | 137.00 | 1.05 | 0.18 | 8.3 | 565 | 3972 |
| | minor red brown sphalerite vein; diminishing veinlets to LC; UC | 165231 | BLANK | BLANK | BLANK | 0.01 | <0.2 | 5 | 10 |
| | 20, LC 45 tca. | 165232 | 137.00 | 139.00 | 2.00 | 0.09 | 2.2 | 292 | 117 |
| | @129.60 to 132.4: coarsely disseminated Py (5-7%)(.5 to 1 mm) | 165233 | 137.00 | 139.00 | DUP | 0.12 | 2.1 | 276 | 116 |

Page: 7 of 11 pages



| | | | | | | | | UULD | UDITI UTIATIO |
|----------|---|------------|--------|--------|----------|-------|------|--------|---------------|
| | То | | From | | Interval | Au | Ag | | |
| From (m) | (m) Description | Sample No. | (m) | To (m) | (m) | g/t | g/t | Cu ppm | Zn ppm |
| | with rare Cpy blebs. 2-3% hairline to 12 mm Qtz stringers mainly | 165234 | 139.00 | 141.00 | 2.00 | 0.07 | 2.8 | 140 | 1062 |
| | ~ 50 TCA within a feldspathic wacke. | | | | | | | | |
| | @132.4 to 133.3: 1 to 3 cm Py dominant with some Cpy | | | | | | | | |
| | (90%:10%) sulphide stringer concordant with core cross-cutting | | | | | | | | |
| | pre-mineralization ~60 TCA qtz stringers 1-5 mm wide. Sulphide | | | | | | | | |
| | stringer is blebby with some qtz with the sulphide stringer. | | | | | | | | |
| | @ 133.3 to 134 is a section of greywacke with bedding of 35 | | | | | | | | |
| | degrees TCA. Trace disseminated Py. 1% hairline to 1 mm qtz | | | | | | | | |
| | stringers. | | | | | | | | |
| | @ 135.31 to 136.5 is an interval with a series of veins and | | | | | | | | |
| | brecciation. 135.31 - 135.65 is UCA is 20 TCA, LCA is 10 TCA. | | | | | | | | |
| | Another is 135.74 to 135.92 is UCA = 25 TCA, LCA = 40. | | | | | | | | |
| | Sphalerite = 10-15%, Py = 4-6%, Cpy = 0.5-1%, Galena = trace - | | | | | | | | |
| | 0.5%. Some off yellow flecs of Py seen within the mass of Py. | | | | | | | | |
| | From 135.92 to 136.5 is a hydrothermally brecciated zone with | | | | | | | | |
| | Qtz + Py (7-8%) | | | | | | | | |
| | @ 136.5 to 141 is a lithic greywacke with ~1% hairline to 2 mm | | | | | | | | |
| | qtz stringers with angles ranging from 70 to 45 TCA. 4-5% 3-4 mm | | | | | | | | |
| | wide stringer and blebby Py. Suspect patchy moderate Kspar | | | | | | | | |
| | alteration. Weak-moderate chlorite as stringers. | | | | | | | | |
| | @140.15m is 30 TCA fracture with no visible fault gouge nor | | | | | | | | |
| | slickensides | | | | | | | | |
| | @ 140.57 m there is a fault with slickensides with 30 TCA planar, | | | | | | | | |
| | polished with disseminated Py. | | | | | | | | |
| 141.60 | 183.68 FELDSPATHIC GREYWACKE | 165235 | 141.00 | 143.00 | 2.00 | 0.01 | 0.8 | 39 | 393 |
| | Frequent qtz (2%) stringers of various angles hairline to up to 20 | 165236 | 143.00 | 145.00 | 2.00 | 0.06 | 3.6 | 47 | 6318 |
| | mm wide, mostly 1-2 mm, mainly 40-50 TCA. 1% disseminated | 165237 | 145.00 | 147.00 | 2.00 | 0.09 | 2.7 | 95 | 1002 |
| | Py with some intervals barren. Py stringers common with some | 165238 | 147.00 | 149.00 | 2.00 | 0.05 | 0.9 | 103 | 92 |
| | stringers bearing Sphal (See below). Weak sparse Chl stringers. | 165239 | BLANK | BLANK | BLANK | <0.01 | <0.2 | 2 | 10 |
| | Note: there are intervals of lithic wacke and siltstone. See below. | 165240 | 149.00 | 151.00 | 2.00 | 0.07 | 2.2 | 75 | 1134 |

Page: 8 of 11 pages



| | То | | From | | Interval | Au | Ag | | |
|----------|--|------------|--------|--------|----------|------|-----|--------|--------|
| From (m) | (m) Description | Sample No. | (m) | To (m) | (m) | g/t | g/t | Cu ppm | Zn ppm |
| | | 165241 | 151.00 | 153.00 | 2.00 | 0.05 | 1.3 | 56 | 344 |
| | @ 142.92m 50 TCA 10 to 20 mm wide Qtz-Ca-Dol stringer with | 165242 | 153.00 | 154.60 | 1.60 | 0.03 | 5.1 | 129 | 6884 |
| | 5% Sphal, 2% Py. | 165243 | 154.60 | 155.55 | 0.95 | 0.02 | 2.9 | 44 | 1782 |
| | From 144m to 144.2m there is a brecciated zone with Qtz-Ca-Dol | 165244 | 155.55 | 157.50 | 1.95 | 0.03 | 0.8 | 53 | 81 |
| | and sulphide stringers. Sph (2-3%) dominating with trace Galena | 165245 | 157.50 | 159.50 | 2.00 | 0.06 | 2.1 | 91 | 789 |
| | (Gal) grading out and into a more Py (2-3%) dominating section. | 165246 | STD 13 | STD 13 | STD 13 | 1.15 | 3.2 | 3334 | 172 |
| | Note that there is a sulphideless interval between these sections. | 165247 | 159.50 | 161.50 | 2.00 | 0.10 | 3.9 | 238 | 1853 |
| | UCA = 65 TCA, LCA = 35 TCA. Also, there are a few Py stringers | 165248 | 161.50 | 163.50 | 2.00 | 3.26 | 5.0 | 373 | 9564 |
| | 45 TCA 1-2 mm wide found above this brecciated zone. | 165249 | 163.50 | 165.50 | 2.00 | 0.06 | 1.8 | 144 | 115 |
| | | 165250 | 165.50 | 167.50 | 2.00 | 0.80 | 3.7 | 229 | 1559 |
| | @ 145.3 to 145.37 m is a 40 TCA Py(15%) +Sphal (1%) veinlet. | 165251 | 167.50 | 169.50 | 2.00 | 0.10 | 3.3 | 162 | 1730 |
| | | 165252 | 169.50 | 171.50 | 2.00 | 0.25 | 2.8 | 283 | 264 |
| | @ 146.35m there is a 10 TCA Chl veinlet 10 mm wide. | 165253 | 171.50 | 173.50 | 2.00 | 0.09 | 2.8 | 291 | 186 |
| | @ 149.87 there is a 25 TCA 20-30 mm wide Py (35%) + Sph (2%) | 165254 | 173.50 | 175.50 | 2.00 | 0.19 | 7.7 | 548 | 3156 |
| | with qtz+Cal veinlet | 165255 | 175.50 | 177.50 | 2.00 | 0.19 | 6.7 | 654 | 797 |
| | @ 151.3 to 151.85 there is a 10 TCA mainly Qtz with minor | 165256 | 177.50 | 179.50 | 2.00 | 0.24 | 6.7 | 553 | 332 |
| | calcite 14 mm veinlet with minor Gal (trace). | 165257 | 179.50 | 181.50 | 2.00 | 0.17 | 4.9 | 325 | 614 |
| | @ 153.56 to 154.77 m is a lithic wacke moderate to intensely | 165258 | 181.50 | 183.50 | 2.00 | 0.15 | 5.8 | 285 | 3107 |
| | pervasive chloritized with some Py and Sph stringers. Total Py = | | | | | | | | |
| | 1-2%, total Sph = 1-2%. 25 to 40 TCA | | | | | | | | |
| | @154.7 m is 25 TCA and 154.78 m is 35 TCA qtz veinlets 11 mm | | | | | | | | |
| | and 35 mm wide, respectively with no apparent sulphides. Also, | | | | | | | | |
| | at 155.45 is a 6 mm 35 TCA Qtz veinlet with 1-2% Py and 2-3% | | | | | | | | |
| | Sph. | | | | | | | | |
| | 159.34 to 159.49 m is a Py dominant (50% of vein) with qtz and | | | | | | | | |
| | trace calcite. | | | | | | | | |
| | @ 157.6 m there is a minor fault with 1 mm fault gouge. Planar, | | | | | | | | |
| | 20 TCA with some slickensides. | | | | | | | | |
| | @157.75 there is a minor fault with slickensides 25 TCA. Planar | | | | | | | | |
| | surface with < 1 mm calcite. | | | | | | | | |
| | @ 160.43 m - 50 TCA 8 mm wide Py stringer. Again this sulphide | | | | | | | | |
| | stringer appears to be a later phase than the ubiquitous qtz | | | | | | | | |

Page: 9 of 11 pages



| | То | | | From | | | Interval | Au | Ag | GOLD | John OnArio |
|----------|----------------|---|------------|------|----|-----|----------|-----|-----|--------|-------------|
| From (m) | (m) | Description | Sample No. | (m) | То | (m) | (m) | g/t | g/t | Cu ppm | Zn ppm |
| | stringer as it | cross-cuts them often at a near perpendicular angle. | | | | | | | | | |
| | | | | | | | | | | | |
| | 160.5 - 163 | m is a feldspathic greywacke up to ~ 1mm grained | | | | | | | | | |
| | with 0.5 to 3 | 3% disseminated Py with higher occurences near qtz | | | | | | | | | |
| | and sulphide | e stringers. ~ 30 TCA hairline to 2 mm Qtz and Cal | | | | | | | | | |
| | stringers. (C | al stringers = 30 TCA at 160.5 m) (Qtz stringers = | | | | | | | | | |
| | 162.3 m wit | h 25 TCA. | | | | | | | | | |
| | @ 163.12 to | o163.38 m is UCA = 35, LCA = 50 sulphide vein with | | | | | | | | | |
| | 15% Py, 30% | 6 Sph, 20% qtz, 20% Cal, 15% suspect Anite. Sphal is | | | | | | | | | |
| | associated w | vith the Cal forming an envelope around the Cal. Py | | | | | | | | | |
| | is around th | e periphery of the vein. Qtz is focussed near the UC | | | | | | | | | |
| | of this interv | val. Mildly magnetic, hence Pyrrhotite instead of Py. | | | | | | | | | |
| | 166.37 to 16 | 66.49 m is a UCA = 60 TCA, LCA = 70. 15% Pyrrhotite, | | | | | | | | | |
| | 3-5% Sph, 45 | 5% Cal, 20% Qtz, ~15% Wallrock | | | | | | | | | |
| | @166.9 to 1 | 167.18 is a 15 TCA mainly qtz with 7-10% Pyrrhotite | | | | | | | | | |
| | (disseminate | ed but mainly as a pod close to the UC), 7-10% | | | | | | | | | |
| | suspect Anit | e mainly as a pod on the LC with some on periphery | | | | | | | | | |
| | of vein as st | ringers, 7-10% biotite also as stringers concordant | | | | | | | | | |
| | with vein an | gle. | | | | | | | | | |
| | @ 168.47 to | o 168.55 UCA = 40, LCA =35 with non-magnetic | | | | | | | | | |
| | blebby Py = | =40%, Sph = 5%, Cal near LC = ~25%, Qtz near UC = | | | | | | | | | |
| | 20%, 10% = | Wall rock. | | | | | | | | | |
| | 169.5 m to 1 | 171 m is a siltstone/mudstone package. | | | | | | | | | |
| | @ 171.10 m | n is bedding 30 TCA with interbedded feldspathic | | | | | | | | | |
| | greywacke v | vith a biotite/mafic component. This bedding | | | | | | | | | |
| | continues or | nto ~173 with slight variance in angle of ~ +/- 5 | | | | | | | | | |
| | degrees. | | | | | | | | | | |
| | @ 170.43 tł | nere is a 35 TCA Py stringer ~ 7 mm wide with a ~ 30 | | | | | | | | | |
| | mm wide fin | ne-grained biotite halo on both sides. | | | 1 | | | | | | |
| | @ 170.94 a | calcite stringer cross-cuts a Py stringer near | | | | | | | | | |
| | perpendicul | ar. Py = 60 TCA, Cal = 25 TCA. Py = 2- 5 mm wide, Cal | | | | | | | | | |

Page: 10 of 11 pages



| | То | | From | | Interval | Au | Ag | | |
|----------|--|--|---|--|-------------------------------------|-------------------------------------|----------------------------------|------------------------------------|---|
| From (m) | (m) Description | Sample No. | (m) | To (m) | (m) | g/t | g/t | Cu ppm | Zn ppm |
| From (m) | (m) Description = ~ 5 mm wide. @173.5 m there are two Py stringers cross-cutting each other approximately perpendicular to each other. 45 TCA earlier phase, with 25 TCA (later phase) cutting and both with slight amounts of calcite+Qtz+Biotite. Both < 10 mm wide @ 173.8 m is a 50 TCA 20-40 mm wide Py bearing with Qtz+Cal with Bio on the periphery. @ 174.5 m is a 30 TCA 20-40 mm wide Py bearing with Qtz+Cal with Bio on the periphery. @ 175.35 m is 20 TCA ~ 20 mm wide with trace to 0.5% Cpy, 5% Py, 5% Sph, suspect trace v.f.g. Gal, 5% biotite all within Calcite. @ 173.35 to 181.5 has frequent Py, +/- Qtz, +/- Cal, +/- Biotite, +/- Anite, +/- Sph ranging from 25 to 50 TCA and a few mm to a few cm scale. Py is the dominant sulphide with quite infrequent Sph. 181.5 to 183.5 m has the introduction of chloritic alteration as spotty weak-moderate stringers. Also, the sulphide stringers are magnetic Pyrrhotite and not Py. 192.16 Chloritized Lithic Greywacke Pervasively moderate-intensely chloritized mainly weak moderate and moderate intensely magnetic. Magnetism here is likely due to the more mafic nature of the host rock compared to the feldspathic wacke above. This also correlates with the pervasive chloritic alteration. There were more mafic elements in the host rock to supply the Chl and Magnetite. Frequent Py, +/ Cal, +/- Qtz, +/- Sph (note: Sph more often is associated with the Cal rather than the Qtz), +/- Mt (Magnetite), +/- Bio (biotite). There are less frequent Qtz stringers and more often Py/sulphide stringers here. Intermittent intervals of weak-moderate densely | Sample No. 165259 165260 165261 165262 | (m) 183.50 185.50 187.50 189.50 | To (m) 185.50 187.50 189.50 191.50 | (m) 2.00 2.00 2.00 2.00 | g/t 1.03 0.99 1.81 0.50 | g/t 5.5 11.0 6.3 8.7 | Cu ppm 126 233 369 192 | Zn ppm 2406 11500 2659 4676 |

Page: 11 of 11 pages



| | То | | From | | Interval | Au | Ag | | |
|----------|--|------------------|------------------|------------------|--------------|--------------|------------|------------|-------------|
| From (m) | (m) Description | Sample No. | (m) | To (m) | (m) | g/t | g/t | Cu ppm | Zn ppm |
| 192.16 | @ 184.22 there is a 25 TCA biotite alteration zone ~ 40 mm wide cross cut by a 85 TCA 45 mm Py with minor Sph and minor Calcite hydrothermal injection with hazy boundaries (i.e. Not sharp contacts) @ 184.55 there is a 50 TCA hydrothermal injection (HI) with a width of 40 mm bearing mainly Pyrrhotite with minor Sph (<1%) along with Calcite. @ 185.85 there is a 55 TCA 70 mm interval with 20% Sph, 10% mainly Pyrrh with minor Py, 15% Calcite, ~ 55% wall rock. @ 187.14m there is a 40 TCA Py+Cal interval (non-magnetic) with minor (<0.5%) blebby Sph. @ 189.35 m to 191.10 m there is Sph present as Sph sulphide stringers, associated with Cal and Qtz stringers, and blebs (roughly totalling 1% within this interval). 195.00 FELDSPATHIC GREYWACKE Blebby disseminated 0.5 to up to 4 mm Py along with supsect very fine-grained Sphal within the groundmass. 0.5 to 1% calcite hairline to up to 2 mm width. Some Qtz veinlet present. This unit is no longer chloritized and is non-magnetic. @ 193.04 to 193.2 m is a UCA = 50 TCA and LCA = 60 TCA Pyrrhotite, Qtz, less Sph than Pyrr (~1%), 130 mm true width. Masses of v.f.g. Biotite present on lower core portion of this interval ~15%. @ 194.9 is a 20 TCA 5 mm Qtz veinlet with a 1 mm concordant dolomite veinlet right adjacent and touching the qtz veinlet with sparse coarse blebby Py = 0.5%. This veinlet continues to EOH and is truncated. 195 End of Hole | 165263 165264 | 191.50 193.50 | 193.50 195.00 | 2.00 1.50 | 0.32 0.05 | 7.8 2.0 | 290 134 | 4007 134 |



Quality Assaying for over 35 Years

Metallic Assay Certificate

0S-0022-RM1

Jul-02-10

Company:Skyline Gold CorporationProject:BronsonAttn:Arnd Burgert

We *hereby certify* the following analysis of 9 core samples submitted Jun-10-10

| Sample | Wt Total | Wt +150 | +150 Au | -150 Au | Metallic Au | Net Au |
|--------|----------|---------|---------|---------|-------------|---------|
| Name | g | g | mg | g/tonne | g/tonne | g/tonne |
| 165193 | 899.6 | 65.9 | 0.134 | 2.00 | 0.15 | 2.00 |
| 165195 | 902.8 | 56.9 | 0.525 | 3.20 | 0.58 | 3.58 |
| 165196 | 905.8 | 85.3 | 0.328 | 2.20 | 0.36 | 2.35 |
| 165219 | 894.9 | 77.9 | 4.042 | 3.72 | 4.52 | 7.91 |
| 165225 | 892.3 | 82.9 | 0.729 | 1.24 | 0.82 | 1.94 |
| 165248 | 898.2 | 59.9 | 1.790 | 1.36 | 1.99 | 3.26 |
| 165259 | 883.2 | 83.8 | 0.097 | 1.02 | 0.11 | 1.03 |
| 165260 | 860.0 | 83.4 | 0.254 | 0.77 | 0.29 | 0.99 |
| 165261 | 885.2 | 54.4 | 0.508 | 1.32 | 0.57 | 1.81 |

Fire Assay for Metallic Au analysis

Certified by_



Skyline Gold Corporation

Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0022RJDate: Jul-02-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | Al | As | Ba | Be | Bi | Ca | Cđ | Co | Cr | Cu | Fe | Hg | K | La | Mg N | In Mo | o I | Na I | Ni | Р | Pb | S | Sb | Sc | Sr | Th | Ti | T | U | v | W | Zn | Zr |
|--------|------|------|-----|-----|------|----------|-------|-----|-----|----------|------|-------|-----|------|------|----------|---|-------------|----------------|-----------|-------|--------|------|------------|--------|-----|-----|-------|-----|-----|-----|------|--------|----------|
| Number | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ррт | % | ppm | % | ppm | % pp | m ppn | n | % pp | m | % | ppm | % | ppm j | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm p | opm |
| 165181 | 12 | 3 54 | 70 | 133 | 0.9 | < 5 | 3 1 5 | 5 | 0 | 59 | 199 | 6 5 2 | 1 | 1.00 | c10 | 2 76 231 | 8 -1 | , n | 03 7 | 17 | 0.154 | 61 | 1 53 | ~5 | 6 | 197 | ~5 | 0.11 | ~10 | ~10 | | <10 | 155 | 5 |
| 165182 | 1.1 | 3.23 | 50 | 120 | 0.8 | <5 | 3.44 | 5 | 12 | 69 | 197 | 6.24 | 1 | 0.89 | <10 | 2 63 218 | 85 23 | ະ 0. ວັດ | 02 3 | 13 | 0.134 | 54 | 1 34 | ~5 | 6 | 201 | ~5 | 0.10 | <10 | <10 | 90 | <10 | 197 | 2 |
| 165183 | 1.5 | 3.07 | 67 | 107 | 0.8 | <5 | 2.34 | 7 | 16 | 83 | 271 | 6 36 | 1 | 0.66 | 13 | 2 75 198 | a ~: | 2 0. | 05 3 | 15 | 0.140 | 127 | 1 55 | ~5 | 7 | 158 | ~5 | 0.10 | <10 | <10 | 116 | <10 | 370 | 2 |
| 165184 | 14.1 | 3.56 | 831 | 29 | 0.6 | 12 | 1.86 | 103 | 54 | 66 | 290 | 13.74 | 1 | 0.78 | 13 | 2 93 172 | 28 <2 | 2 0. | 01 7 | 15 | 0.150 | 4047 | 7.80 | ~5 | 4 | 126 | ~5 | 0.09 | 12 | 13 | 100 | 172 | >10000 | 2 A |
| 165185 | 2.3 | 3.29 | 77 | 124 | 0.9 | <5 | 1.55 | 8 | 17 | 71 | 375 | 7.20 | <1 | 0.76 | 20 | 3.06 178 | 84 <2 | 2 0. | .05 3 | 18 | 0.158 | 232 | 2.35 | <5 | 8 | 113 | <5 | 0.10 | 11 | <10 | 131 | <10 | 501 | 2 |
| 165106 | | | | | | - | 2.04 | | | 70 | | | | | | | | | | _ | | _ | _ | _ | | | | | | | | | | |
| 105100 | 1.0 | 2.87 | 86 | 115 | 0.8 | < 5 | 2.81 | 6 | 14 | /8 | 205 | 6.36 | 1 | 0.70 | <10 | 3.08 164 | 19 <2 | 20. | .04 3 | 0 | 0.153 | 45 | 1.15 | <5 | 9 | 219 | <5 | 0.10 | <10 | <10 | 139 | <10 | 162 | 2 |
| 165187 | 1.0 | 2.57 | 117 | 170 | 1.1 | <5 | 2.98 | 6 | 15 | 83 | 274 | 6.54 | 1 | 1.04 | 10 | 2.83 185 | 57 <a< td=""><td>20.</td><td>.04 4</td><td>12</td><td>0.171</td><td>40</td><td>1.91</td><td><5</td><td>9</td><td>266</td><td><5</td><td>0.14</td><td>11</td><td><10</td><td>120</td><td><10</td><td>105</td><td>2</td></a<> | 20. | .04 4 | 12 | 0.171 | 40 | 1.91 | <5 | 9 | 266 | <5 | 0.14 | 11 | <10 | 120 | <10 | 105 | 2 |
| 165188 | 1./ | 3.21 | 84 | 140 | 1.2 | 5 | 1.72 | 6 | 15 | 84 | 286 | 7.08 | <1 | 1.05 | 16 | 3.33 181 | .5 <2 | 20. | .03 3 | 16 | 0.173 | 109 | 1.97 | <5 | 9 | 138 | <5 | 0.14 | 11 | <10 | 124 | <10 | 290 | 2 |
| 165189 | <0.2 | 0.03 | <5 | 10 | <0.5 | <5 | 20.50 | <1 | <1 | 8 | 3 | 0.06 | 3 | 0.01 | <10 | 11.28 | 53 <2 | 2 0. | .01 | 1 | 0.019 | <2 | 0.61 | 5 | <1 | 154 | <5 | <0.01 | 13 | <10 | 2 | <10 | 4 | <1 |
| 165190 | 1.6 | 4.29 | 46 | 255 | 2.0 | 5 | 1.30 | 6 | 14 | 92 | 249 | 7.15 | <1 | 1.74 | 14 | 4.22 196 | 50 <2 | 2 0. | .03 3 | 12 | 0.195 | 143 | 0.72 | <5 | 10 | 101 | <5 | 0.23 | 14 | <10 | 155 | <10 | 469 | 2 |
| 165191 | 4.3 | 2.41 | 133 | 42 | 1.3 | 7 | 2.21 | 16 | 69 | 53 | 219 | 8.41 | <1 | 1.73 | 11 | 2.44 205 | 52 2 | 2 0. | .03 3 | 19 | 0.140 | 493 | 4.04 | < 5 | 5 | 247 | < 5 | 0.18 | 12 | <10 | 91 | 13 | 1250 | 3 |
| 165192 | 2.3 | 2.63 | 131 | 176 | 1.7 | <5 | 2.05 | 6 | 18 | 46 | 231 | 6.28 | <1 | 2.05 | <10 | 2.54 200 |)9 d | ŧ 0. | .03 2 | 9 | 0.161 | 164 | 1.60 | < 5 | 5 | 203 | <5 | 0.23 | 12 | <10 | 93 | <10 | 423 | 2 |
| 165193 | 30.9 | 2.59 | 357 | 26 | 1.1 | 20 | 1.49 | 65 | 177 | 65 | 2153 | 13.10 | <1 | 1.43 | <10 | 2.34 182 | 26 E | 30. | .01 11 | 2 | 0.135 | 2449 | 7.06 | <5 | 4 | 143 | <5 | 0.16 | 12 | 12 | 96 | 67 | 7427 | 4 |
| 165194 | 11.2 | 3.36 | 91 | 100 | 1.5 | 9 | 1.68 | 45 | 30 | 44 | 730 | 8.36 | <1 | 1.84 | 14 | 3.06 190 | 93 9 | € 0. | .01 3 | 2 | 0.176 | 1354 | 2.53 | < 5 | 5 | 194 | < 5 | 0.20 | 13 | <10 | 116 | 53 | 5806 | 3 |
| 165195 | 13.2 | 2.41 | 213 | 29 | 1.0 | 11 | 1.53 | 48 | 122 | 58 | 845 | 10.57 | 1 | 1.47 | <10 | 2.11 154 | 4 4 | ŧ 0. | .01 7 | '5 | 0.143 | 1292 | 6.07 | < 5 | 3 | 195 | <5 | 0.15 | 10 | <10 | 79 | 48 | 5347 | 4 |
| 165196 | 15.8 | 3.05 | 327 | 24 | 0.9 | 18 | 0.87 | 65 | 125 | 65 | 512 | 13.78 | <1 | 1 36 | <10 | 2 78 126 | 3 <2 | , n | 01 7 | 76 | 0 111 | 1768 | 7.96 | < 5 | 4 | 84 | < 5 | 0.16 | 12 | 16 | 116 | 61 | 6703 | 5 |
| 165197 | 2.9 | 2.97 | 107 | 143 | 1.4 | 5 | 1.25 | 8 | 22 | 59 | 313 | 6.66 | <1 | 1.65 | 10 | 2.62 140 | 08 | 3 0 | 02 3 | ถ้ | 0 158 | 216 | 2.08 | <5 | 6 | 115 | < 5 | 0.19 | 11 | <10 | 90 | < 10 | 679 | 3 |
| 165198 | 14.9 | 2.59 | 380 | 38 | 1.0 | 13 | 1.66 | 269 | 40 | 46 | 602 | 8.72 | 2 | 1.33 | <10 | 2.45 181 | 7 4 | 5 0. | .01 6 | 50 | 0 161 | 2949 | 5 15 | < 5 | 4 | 166 | < 5 | 0.15 | 11 | <10 | 81 | 311 | >10000 | 3 |
| 165199 | 4.0 | 2.12 | 81 | 208 | 1.3 | <5 | 2.14 | 24 | 17 | 43 | 158 | 4.68 | 1 | 1.55 | 19 | 1.96 198 | 19 2 | 2 0. | .02 4 | 10 | 0.193 | 1108 | 1.51 | 5 | 3 | 241 | < 5 | 0.17 | 12 | <10 | 54 | 29 | 3297 | 2 |
| 165200 | 37.3 | 1.91 | 86 | 54 | 1.1 | 15 | 1.80 | 844 | 14 | 39 | 304 | 5.33 | З | 1.52 | 11 | 1.95 171 | 3 2 | 2 0. | .01 2 | 2 | 0.153 | >10000 | 5.08 | 18 | 2 | 215 | <5 | 0.16 | 10 | <10 | 51 | 927 | >10000 | 2 |
| 165201 | 24 | 3.64 | 05 | 175 | 17 | ~5 | 1 45 | 12 | 22 | 61 | 200 | 7 20 | | | <10 | 7 AE 161 | | | 0.2 | 0 | 0 100 | 450 | 1.05 | - 6 | c | | | 0.22 | | | | | 4050 | . |
| 165202 | 17 | 2.04 | 55 | 208 | 1.7 | ~5 | 2.43 | 12 | 32 | QZ E1 | 200 | 7.30 | 4 | 2.22 | <10 | 3.43 101 | | 2 U. 1 O | .02 4 .02 3 | +U • 4 | 0.160 | 452 | 1.95 | < 5 . (| b C | 144 | < 5 | 0.23 | 12 | <10 | 115 | 10 | 1060 | 3 |
| 165202 | 1.7 | 2.57 | 214 | 200 | 0.9 | ~ 3 | 1.75 | 41 | 20 | 21 | 414 | 0.39 | - | 2,13 | ~ 10 | 3.21 220 | 14 <2 | 2 U. | .03 3 | 94 10 | 0.100 | 187 | 1.79 | < 5 | 0 7 | 283 | < 5 | 0.19 | 11 | <10 | 99 | <10 | 581 | 2 |
| 165204 | 7.2 | 1.17 | 214 | 210 | 0.0 | 0 - 5 | 1.75 | 41 | 37 | 26 | 414 | 7.09 | 2 | 1.31 | 10 | 2.05 150 | | 20. - 0 | .01 / | 18 10 | 0.147 | /13 | 4.18 | < 5 | 3 | 219 | < 5 | 0.11 | <10 | <10 | 64 | 42 | 5111 | 3 |
| 165204 | 2.2 | 1.17 | 27 | 170 | 0.5 | <5 | 2.00 | 5 | 10 | 00 | 110 | 3.14 | 2 | 0.00 | -10 | 1.30 101 | iz : | , U. | ,UZ 4 | 13 | 0.185 | 160 | 1.29 | 5 | 2 | 372 | <5 | 0.04 | <10 | <10 | 45 | <10 | 451 | 2 |
| 105205 | 1.1 | 1.09 | 50 | 172 | 0.5 | < 3 | 2.24 | 2 | 12 | 34 | 110 | 2.96 | 2 | 0.73 | <10 | 1.33 13: | 15 4 | + U. | .03 3 | 51 | 0.167 | 46 | 0.99 | <5 | د | 206 | <5 | 0.06 | <10 | <10 | 42 | <10 | 83 | 2 |
| 165206 | 2.9 | 2.25 | 27 | 101 | 0.8 | 5 | 0.99 | 5 | 21 | 201 | 2682 | 3.66 | <1 | 0.89 | 27 | 0.80 24 | 7 227 | 70. | .06 1 | 2 | 0.063 | 68 | 1.75 | 5 | 6 | 56 | 14 | 0.05 | <10 | <10 | 55 | <10 | 346 | 5 |
| 165207 | 1.2 | 1.16 | 69 | 134 | 0.6 | <5 | 1.98 | 3 | 20 | 32 | 167 | 3.50 | 2 | 0.86 | <10 | 1.30 121 | .1 2 | 20. | .03 3 | 37 | 0.151 | 29 | 1.53 | < 5 | 2 | 177 | <5 | 0.07 | <10 | <10 | 37 | <10 | 78 | 2 |
| 165208 | 0.9 | 1.25 | 59 | 168 | 0.7 | <5 | 2.15 | 3 | 13 | 30 | 161 | 3.35 | 1 | 0.94 | <10 | 1.21 118 | 34 3 | 30. | .03 3 | 86 | 0.146 | 39 | 1.37 | <5 | 2 | 204 | <5 | 0.08 | <10 | <10 | 40 | <10 | 99 | 2 |
| 165209 | 0.8 | 1.44 | 70 | 132 | 1.0 | <5 | 2.18 | 4 | 18 | 52 | 147 | 4.54 | 2 | 1.24 | <10 | 1.40 105 | 51 2 | 20. | .03 4 | 18 | 0.156 | 33 | 2.04 | <5 | 4 | 189 | <5 | 0.15 | <10 | <10 | 57 | <10 | 81 | 2 |
| 165210 | 0.5 | 1.09 | 43 | 145 | 0.5 | <5 | 2.33 | 3 | 16 | 36 | 144 | 3.63 | 1 | 0.72 | <10 | 1.23 93 | 20 2 | 2 0. | .04 3 | 32 | 0.160 | 17 | 1.49 | < 5 | 4 | 210 | <5 | 0.07 | <10 | <10 | 54 | <10 | 46 | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Page 1 of 4

Signed:



Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0022RJDate: Jul-02-10

Sample type : CORE

Skyline Gold Corporation

Project : Bronson

Attention : Arnd Burgert

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | | Ag | Al | As | Ba | a Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Hg | ĸ | La | Mg Mr | Mo | Na | Ni | Р | Pb | S | Sb | Sc | Sr | Th | Ti | TI | U | V | W | Zn | Zr |
|--------|----|------|------|-----|-----|--------|-----|-------|-----|-----|-----|-----|-------|-----|------|-----|-----------|-----|------|-----|-------|------|--------|-----|-----|-----|-----|-------|-----|-------|-----|-----|--------|-----|
| Number | | ppm | % | ppm | ppm | n ppm | ppm | % | ррт | ppm | ppm | ppm | % | ppm | % | ppm | % ppm | ppm | % | ppm | % | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm (| opm | ppm | ppm | ppm |
| 165211 | | 0.8 | 1.25 | 39 | 133 | 0.7 | <5 | 2.14 | 3 | 18 | 37 | 173 | 4 16 | 1 | 0.85 | <10 | 1 47 1025 | <7 | 0.02 | 31 | 0 160 | 22 | 1 72 | < 5 | 3 | 196 | < 5 | 0.09 | <10 | <10 | 53 | <10 | 70 | 2 |
| 165212 | | 1.1 | 1.83 | 52 | 91 | 1.2 | <5 | 2.01 | 4 | 25 | 52 | 235 | 5.32 | 1 | 1.45 | <10 | 1.59 1018 | 2 | 0.03 | 44 | 0.177 | 22 | 2.41 | <5 | 3 | 185 | <5 | 0.17 | <10 | <10 | 61 | <10 | 69 | 2 |
| 165213 | | 1.5 | 1.27 | 55 | 120 | 0.7 | <5 | 2.11 | 4 | 17 | 34 | 143 | 3.73 | 1 | 1.01 | <10 | 1.11 928 | <2 | 0.02 | 50 | 0.158 | 177 | 2.04 | <5 | 2 | 210 | <5 | 0.09 | <10 | <10 | 34 | <10 | 196 | 2 |
| 165214 | | 0.6 | 0.93 | 41 | 142 | < 0.5 | <5 | 1.53 | 2 | 10 | 47 | 86 | 2.35 | 1 | 0.67 | <10 | 0.77 529 | 2 | 0.03 | 31 | 0.087 | 17 | 1.24 | <5 | 1 | 144 | <5 | 0.03 | <10 | <10 | 17 | <10 | 37 | 2 |
| 165215 | | 0.3 | 0.57 | 33 | 97 | <0.5 | <5 | 1.16 | 1 | 6 | 62 | 26 | 1.04 | 1 | 0.44 | <10 | 0.54 468 | <2 | 0.03 | 22 | 0.059 | 18 | 0.33 | 5 | 1 | 97 | <5 | 0.02 | <10 | <10 | 11 | <10 | 25 | 1 |
| 165216 | | 1.0 | 0.88 | 49 | 140 | < 0.5 | < 5 | 1.76 | 1 | 11 | 50 | 98 | 2.03 | 1 | 0.65 | <10 | 0.96 1027 | 3 | 0.02 | 35 | 0.089 | 25 | 0.78 | <5 | 1 | 190 | <5 | 0.03 | <10 | <10 | 16 | <10 | 38 | 2 |
| 165217 | | 2.1 | 1.33 | 78 | 119 | 0.7 | <5 | 2.41 | 4 | 10 | 47 | 255 | 4.83 | 1 | 1.04 | <10 | 1.51 1700 | 2 | 0.02 | 48 | 0.121 | 37 | 2.16 | <5 | 2 | 324 | <5 | 0.10 | <10 | <10 | 38 | <10 | 66 | 3 |
| 165218 | | 2.8 | 1.74 | 36 | 251 | 0.9 | <5 | 1.42 | 7 | 7 | 35 | 228 | 4.33 | 1 | 1.25 | <10 | 1.31 1599 | 2 | 0.01 | 46 | 0.142 | 213 | 1.07 | <5 | 2 | 178 | <5 | 0.12 | <10 | <10 | 42 | <10 | 711 | 3 |
| 165219 | | 19.3 | 1.02 | 464 | 22 | <0.5 | 14 | 2.17 | 106 | 361 | 67 | 269 | 19.38 | 1 | 0.51 | <10 | 1.15 2595 | 6 | 0.01 | 35 | 0.034 | 1774 | >10.00 | <5 | <1 | 201 | <5 | 0.04 | 10 | 30 | 42 | 120 | >10000 | 7 |
| 165220 | •- | 21.6 | 1.99 | 23 | 53 | 0.5 | 24 | 1.73 | 44 | 12 | 38 | 497 | 8.99 | 2 | 1.11 | <10 | 1.76 3001 | 3 | 0.01 | 43 | 0.069 | 1886 | 3.45 | <5 | 1 | 237 | <5 | 0.07 | <10 | <10 | 34 | 50 | 6284 | 4 |
| 165221 | | 4.3 | 1.24 | 59 | 160 | 0.5 | <5 | 1.46 | 15 | 10 | 49 | 252 | 3.71 | 1 | 0.93 | <10 | 1.14 1661 | 3 | 0.01 | 29 | 0.080 | 617 | 1.06 | <5 | 1 | 165 | <5 | 0.06 | <10 | <10 | 20 | 16 | 2033 | 2 |
| 165222 | | 1.2 | 0.98 | 51 | 147 | <0.5 | <5 | 2.41 | 2 | 5 | 51 | 100 | 2.61 | 2 | 0.72 | <10 | 1.18 1873 | <2 | 0.03 | 25 | 0.069 | 55 | 0.73 | < 5 | 1 | 301 | <5 | 0.04 | <10 | <10 | 22 | <10 | 98 | 2 |
| 165223 | | 1.7 | 1.04 | 96 | 130 | 0.5 | < 5 | 2.53 | 3 | 8 | 45 | 231 | 3.34 | 2 | 0.81 | <10 | 1.23 1746 | 5 | 0.01 | 44 | 0.098 | 52 | 1.27 | <5 | 1 | 345 | <5 | 0.06 | <10 | <10 | 24 | <10 | 136 | 2 |
| 165224 | | 2.5 | 1.55 | 83 | 168 | 0.8 | <5 | 2.31 | 11 | 16 | 45 | 189 | 4.15 | 1 | 1.28 | <10 | 1.18 1936 | 2 | 0.01 | 51 | 0.116 | 338 | 1.71 | <5 | 2 | 222 | < 5 | 0.11 | <10 | <10 | 34 | 11 | 1380 | 3 |
| 165225 | | 11.2 | 2.08 | 112 | 52 | 1.1 | 9 | 1.14 | 28 | 36 | 91 | 869 | 8.38 | 1 | 1.80 | <10 | 1.56 1747 | 2 | 0.01 | 101 | 0.071 | 1252 | 3.67 | <5 | 1 | 94 | <5 | 0.17 | 10 | <10 | 47 | 32 | 3963 | 4 |
| 165226 | | 1.1 | 1.07 | 47 | 138 | 0.6 | <5 | 1.68 | 2 | 5 | 60 | 85 | 2.22 | 1 | 0.91 | <10 | 1.06 1663 | 2 | 0.03 | 26 | 0.056 | 51 | 0.53 | <5 | 1 | 140 | <5 | 0.08 | <10 | <10 | 21 | <10 | 93 | 1 |
| 165227 | | 2.2 | 1.27 | 73 | 146 | 0.7 | <5 | 2.00 | 3 | 8 | 69 | 249 | 3.59 | 2 | 1.10 | <10 | 1.31 1866 | 2 | 0.01 | 46 | 0.071 | 37 | 1.40 | < 5 | 2 | 190 | <5 | 0.11 | <10 | <10 | 28 | <10 | 71 | 2 |
| 165228 | | 2.5 | 1.25 | 134 | 186 | 0.6 | <5 | 1.83 | 3 | 12 | 80 | 271 | 3.28 | 1 | 1.04 | <10 | 1.11 1611 | 3 | 0.02 | 73 | 0.087 | 40 | 1.46 | 5 | 2 | 177 | <5 | 0.09 | <10 | <10 | 30 | <10 | 72 | 2 |
| 165229 | | 27.9 | 1.18 | 650 | 78 | < 0.5 | 15 | 3.23 | 370 | 25 | 61 | 602 | 4.73 | 3 | 0.88 | <10 | 1.44 3173 | 3 | 0.01 | 55 | 0.059 | 7304 | 4.12 | 19 | 1 | 356 | <5 | 0.07 | <10 | <10 | 27 | 410 | >10000 | 3 |
| 165230 | | 8.3 | 1.60 | 605 | 136 | 0.6 | <5 | 2.65 | 29 | 22 | 77 | 565 | 5.85 | 2 | 1.31 | <10 | 1.58 2526 | 3 | 0.01 | 68 | 0.057 | 1639 | 2.27 | <5 | 1 | 268 | <5 | 0.09 | <10 | <10 | 34 | 31 | 3972 | 3 |
| 165231 | | <0.2 | 0.05 | <5 | <10 |) <0.5 | <5 | 18.99 | 1 | 1 | 4 | 5 | 0.08 | 4 | 0.01 | <10 | 10.97 61 | <2 | 0.01 | 2 | 0.020 | <2 | 0.58 | <5 | <1 | 146 | <5 | <0.01 | 13 | <10 | 2 | <10 | 10 | <1 |
| 165232 | | 2.2 | 1.71 | 186 | 72 | 0.9 | <5 | 1.51 | 4 | 21 | 92 | 292 | 5.17 | 1 | 1.47 | <10 | 1.29 1451 | <2 | 0.02 | 74 | 0.068 | 59 | 2.78 | <5 | 2 | 130 | <5 | 0.13 | <10 | <10 | 38 | <10 | 117 | 2 |
| 165233 | | 2.1 | 1.63 | 155 | 136 | 6 0.9 | <\$ | 1.48 | 4 | 21 | 91 | 276 | 4.88 | 1 | 1.44 | <10 | 1.30 1417 | <2 | 0.02 | 76 | 0.075 | 55 | 2.49 | <5 | 1 | 126 | <5 | 0.14 | <10 | <10 | 37 | <10 | 116 | 2 |
| 165234 | | 2.8 | 1.64 | 146 | 164 | 0.9 | <5 | 1.46 | 8 | 12 | 99 | 140 | 3.19 | 1 | 1.38 | <10 | 1.47 1306 | 2 | 0.03 | 98 | 0.078 | 333 | 1.00 | 7 | 2 | 134 | <5 | 0.14 | <10 | <10 | 4Z | <10 | 1062 | 2 |
| 165235 | | 0.8 | 0.68 | 49 | 108 | < 0.5 | <5 | 1.49 | 3 | 5 | 60 | 39 | 1.28 | 1 | 0.58 | <10 | 0.74 1452 | <2 | 0.02 | 32 | 0.060 | 108 | 0.34 | 5 | 1 | 119 | <5 | 0.03 | <10 | <10 | 13 | <10 | 393 | 1 |
| 165236 | | 3.6 | 0.82 | 33 | 154 | < 0.5 | < 5 | 2.97 | 38 | 4 | 34 | 47 | 1.95 | 2 | 0.65 | <10 | 1.14 2925 | 2 | 0.02 | 16 | 0.065 | 879 | 0.76 | 6 | 1 | 155 | <5 | 0.03 | <10 | <10 | 12 | 48 | 6318 | 2 |
| 165237 | | 2.7 | 1.05 | 92 | 127 | < 0.5 | <5 | 2.14 | 7 | 12 | 51 | 95 | 2.68 | 2 | 0.87 | <10 | 1.04 2370 | <2 | 0.02 | 35 | 0.061 | 399 | 1.05 | 6 | 1 | 160 | < 5 | 0.06 | <10 | <10 | 17 | <10 | 1002 | 2 |
| 165238 | | 0.9 | 1.17 | 101 | 129 | 0.6 | < 5 | 1.73 | 2 | 12 | 42 | 103 | 2.18 | 1 | 0.96 | <10 | 1.13 1569 | <2 | 0.03 | 42 | 0.081 | 42 | 0.76 | 5 | 2 | 153 | <5 | 0.08 | <10 | <10 | 25 | <10 | 92 | 2 |
| 165239 | | <0.2 | 0.03 | <5 | <10 |) <0.5 | <5 | 19.04 | <1 | <1 | 4 | 2 | 0.04 | 4 | 0.01 | <10 | 10.56 56 | <2 | 0.01 | 1 | 0.014 | <2 | 0.53 | <5 | <1 | 141 | <5 | <0.01 | 13 | <10 | 1 | <10 | 10 | <1 |
| 165240 | | 2.2 | 0.93 | 77 | 135 | i <0.5 | <5 | 2.10 | 8 | 10 | 33 | 75 | 1.81 | 2 | 0.75 | <10 | 0.96 1728 | <2 | 0.03 | 34 | 0.076 | 350 | 0.75 | 6 | 1 | 194 | <5 | 0.05 | <10 | <10 | 17 | <10 | 1134 | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.



Skyline Gold Corporation

Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0022RJDate: Jul-02-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | AI | As | Ва | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Hg | к | La | Mg | Mn | Мо | Na | Ni | Р | Pb | S | Sb | Sc | Sr | Th | Ti | TL | U | v | W | Zn | Zr |
|-------------|------|------|------|-----|-------|-----|------|-----|-----|-----|------|-------|-----|------|-----|--------|------|-----|------|----|-------|--------|------|-------|----|-----|-----|------|-----|-----|-----|-----|--------|-----|
| Number | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | % | ppm | % r | pm p | pm | % p | pm | % | ppm | % | opm p | pm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm p | ppm |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165241 | 1.3 | 0.87 | 28 | 138 | < 0.5 | <5 | 2.96 | 3 | 7 | 42 | 56 | 1.85 | 2 | 0.73 | <10 | 1.04 3 | 071 | <2 | 0.02 | 25 | 0.058 | 150 | 0.23 | <5 | 1 | 256 | <5 | 0.04 | <10 | <10 | 11 | <10 | 344 | 1 |
| 165242 | 5.1 | 2.11 | 15 | 215 | 1.0 | <5 | 1.42 | 43 | 9 | 60 | 129 | 3.75 | 1 | 1.75 | <10 | 1.46 1 | 852 | <2 | 0.02 | 29 | 0.082 | 1104 | 0.77 | 7 | 2 | 128 | <\$ | 0.14 | <10 | <10 | 31 | 52 | 6884 | 2 |
| 165243 | 2.9 | 0.86 | 28 | 133 | < 0.5 | <5 | 3.02 | 12 | 6 | 48 | 44 | 1.24 | 2 | 0.70 | <10 | 0.92 2 | 440 | <2 | 0.01 | 21 | 0.061 | 459 | 0.28 | 6 | 1 | 304 | <5 | 0.04 | <10 | <10 | 13 | 13 | 1782 | 2 |
| 165244 | 0.8 | 1.06 | 46 | 184 | < 0.5 | <5 | 1.50 | 1 | 8 | 39 | 53 | 1.36 | 1 | 0.83 | <10 | 0.92 1 | 298 | <2 | 0.03 | 35 | 0.093 | 84 | 0.36 | 5 | 1 | 144 | <5 | 0.04 | <10 | <10 | 18 | <10 | 81 | 2 |
| 165245 | 2.1 | 1.11 | 57 | 135 | 0.5 | <5 | 1.77 | 7 | 10 | 52 | 91 | 2.22 | 1 | 0.95 | <10 | 1.19 1 | 848 | <2 | 0.02 | 35 | 0.058 | 260 | 0.79 | 6 | 1 | 172 | <5 | 0.07 | <10 | <10 | 20 | <10 | 789 | 1 |
| 165246 | 3.2 | 2.08 | 58 | 183 | 0.7 | 6 | 0.73 | 5 | 16 | 239 | 3334 | 3.98 | <1 | 0.81 | 31 | 0.66 | 329 | 222 | 0.05 | 16 | 0.059 | 130 | 1.25 | 20 | 5 | 40 | 13 | 0.03 | <10 | <10 | 50 | <10 | 172 | 7 |
| 165247 | 3.9 | 1.43 | 85 | 191 | 0.7 | <5 | 2.52 | 15 | 17 | 60 | 238 | 3.50 | 3 | 1.21 | <10 | 1.45 2 | 029 | 2 | 0.02 | 58 | 0.099 | 442 | 1.61 | 6 | 1 | 261 | <5 | 0.11 | <10 | <10 | 30 | 15 | 1853 | 2 |
| 165248 | 5.0 | 1.88 | 97 | 153 | 0.9 | 6 | 2.23 | 63 | 18 | 54 | 373 | 4.46 | 2 | 1.57 | <10 | 1.78 2 | 277 | 2 | 0.02 | 43 | 0.081 | 342 | 1.95 | 5 | 2 | 246 | <5 | 0.13 | <10 | <10 | 40 | 75 | 9564 | 3 |
| 165249 | 1.8 | 1.33 | 60 | 248 | 0.8 | < 5 | 3.12 | 2 | 14 | 43 | 144 | 2.44 | 2 | 1.14 | <10 | 1.26 2 | 316 | 3 | 0.02 | 68 | 0.121 | 106 | 0.50 | <5 | 2 | 367 | <5 | 0.11 | <10 | <10 | 31 | <10 | 115 | 3 |
| 165250 | 3.7 | 1.58 | 134 | 149 | 0.8 | <5 | 3.79 | 12 | 22 | 59 | 229 | 4.81 | 2 | 1.30 | <10 | 1.56 2 | 998 | 4 | 0.02 | 95 | 0.117 | 490 | 2.29 | <5 | 2 | 481 | <5 | 0.12 | <10 | <10 | 43 | 12 | 1559 | 3 |
| 165251 | 3.3 | 1.20 | 38 | 248 | 0.6 | <5 | 3.71 | 13 | 16 | 53 | 162 | 4.28 | 2 | 1.04 | <10 | 1.54 3 | 520 | 13 | 0.02 | 57 | 0.114 | 519 | 1.38 | <5 | 1 | 350 | <5 | 0.10 | <10 | <10 | 37 | 13 | 1730 | 3 |
| 165252 | 2.8 | 2.29 | 119 | 344 | 1.3 | <5 | 2.88 | 5 | 15 | 29 | 283 | 5.51 | 1 | 2.01 | <10 | 2.35 3 | 555 | 6 | 0.01 | 64 | 0.175 | 142 | 1.42 | <5 | 2 | 265 | <5 | 0.20 | 11 | <10 | 74 | <10 | 264 | 6 |
| 165253 | 2.8 | 1.92 | 102 | 201 | 1.3 | <5 | 1.73 | 4 | 22 | 49 | 291 | 5.01 | 1 | 1.73 | <10 | 1.82 2 | 422 | 2 | 0.02 | 60 | 0.194 | 114 | 1.73 | <5 | 3 | 162 | <5 | 0.20 | 10 | <10 | 57 | <10 | 186 | 3 |
| 165254 | 7.7 | 3.22 | 125 | 70 | 1.6 | 5 | 1.53 | 27 | 31 | 54 | 548 | 8.35 | 1 | 2.82 | <10 | 2.36 3 | 094 | 7 | 0.02 | 55 | 0.175 | 570 | 3.02 | <5 | 4 | 140 | <5 | 0.26 | 13 | <10 | 100 | 24 | 3156 | 5 |
| 165255 | 6.7 | 2.57 | 124 | 52 | 1.4 | <5 | 2.36 | 11 | 33 | 46 | 654 | 7.91 | 1 | 2.23 | <10 | 1.76 3 | 090 | 33 | 0.01 | 44 | 0.179 | 292 | 3.56 | <5 | 3 | 235 | <5 | 0.24 | 12 | <10 | 91 | <10 | 797 | 7 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165256 | 6.7 | 2.84 | 160 | 59 | 1.6 | <5 | 2.17 | 7 | 36 | 47 | 553 | 7.53 | 1 | 2.54 | <10 | 2.01 2 | 932 | 78 | 0.02 | 64 | 0.186 | 192 | 3.14 | <5 | 3 | 217 | <5 | 0.25 | 13 | <10 | 100 | <10 | 332 | 7 |
| 165257 | 4.9 | 2.02 | 166 | 230 | 1.2 | <5 | 2.88 | 7 | 17 | 58 | 325 | 5.49 | 1 | 1.65 | <10 | 1.77 3 | 505 | <2 | 0.01 | 49 | 0.190 | 265 | 1.74 | <5 | 2 | 283 | <5 | 0.18 | 10 | <10 | 55 | <10 | 614 | 3 |
| 165258 | 5.8 | 2.72 | 50 | 208 | 1.1 | < 5 | 2.29 | 22 | 9 | 41 | 285 | 5.60 | 1 | 1.34 | 13 | 2.34 3 | 530 | 2 | 0.02 | 41 | 0.171 | 778 | 1.10 | <5 | 3 | 165 | <5 | 0.15 | 10 | <10 | 63 | 24 | 3107 | 3 |
| 165259 | 5.5 | 5.41 | 125 | 83 | 0.8 | <5 | 1.29 | 24 | 44 | 23 | 126 | 11.86 | <1 | 0.96 | 25 | 4.37 4 | 373 | <2 | 0.01 | 11 | 0.203 | 733 | 3.44 | <5 | 4 | 83 | 6 | 0.12 | 15 | <10 | 133 | 19 | 2406 | 5 |
| 165260 | 11.0 | 4.54 | 294 | 64 | 0.6 | 7 | 2.31 | 91 | 59 | 23 | 233 | 11.43 | <1 | 0.82 | 26 | 3.63 4 | 764 | <2 | 0.01 | 11 | 0.181 | 1797 | 4.34 | <5 | 4 | 144 | 5 | 0.11 | 14 | <10 | 146 | 101 | >10000 | 5 |
| 165261 | 6.3 | 3.47 | 71 | 178 | 1.3 | <5 | 1.93 | 20 | 13 | 18 | 369 | 7.38 | 1 | 1.59 | 13 | 2.72 3 | 612 | 3 | 0.02 | 4 | 0.206 | 604 | 1.73 | < 5 | 3 | 121 | <5 | 0.18 | 12 | <10 | 94 | 21 | 2659 | 3 |
| 165262 | 8.7 | 4.76 | 1189 | 154 | 1.1 | < 5 | 1.57 | 36 | 17 | 31 | 192 | 10.24 | <1 | 1.41 | 11 | 3.71 4 | 266 | <2 | 0.01 | 11 | 0.133 | 1337 | 1.98 | <5 | 4 | 97 | <5 | 0.17 | 12 | <10 | 111 | 36 | 4676 | 5 |
| 165263 | 7.8 | 2.80 | 893 | 175 | 0.9 | < 5 | 1.88 | 28 | 9 | 35 | 290 | 6.81 | 1 | 1.33 | <10 | 2.26 3 | 165 | <2 | 0.02 | 21 | 0.093 | 1271 | 1.34 | <5 | 2 | 167 | <5 | 0.13 | 10 | <10 | 57 | 31 | 4007 | 4 |
| 165264 | 2.0 | 1.47 | 44 | 251 | 1.0 | < 5 | 2.65 | 3 | 8 | 20 | 134 | 3.65 | 1 | 1.20 | 15 | 1.42 2 | 823 | <2 | 0.04 | 11 | 0.132 | 68 | 0.79 | <5 | 2 | 215 | <5 | 0.14 | 10 | <10 | 60 | <10 | 134 | 3 |
| Duplicates: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165181 | 1.2 | 3.41 | 72 | 137 | 0.9 | <5 | 3.20 | 5 | 9 | 60 | 196 | 6.57 | 1 | 0.98 | <10 | 2.74 2 | 311 | 2 | 0.03 | 33 | 0.159 | 64 | 1.57 | <5 | 6 | 182 | < 5 | 0.11 | <10 | <10 | 99 | <10 | 174 | 2 |
| 165190 | 1.4 | 3.93 | 46 | 235 | 1.7 | <5 | 1.16 | 6 | 12 | 80 | 236 | 6.50 | <1 | 1.63 | 12 | 3.83 1 | 803 | <2 | 0.02 | 28 | 0.181 | 131 | 0.72 | <5 | 10 | 94 | <5 | 0.21 | 12 | <10 | 142 | <10 | 435 | 2 |
| 165200 | 36.1 | 1.84 | 76 | 54 | 1.1 | 15 | 1.76 | 822 | 13 | 37 | 288 | 5.22 | 3 | 1.49 | 10 | 1.90 1 | 681 | 2 | 0.01 | 22 | 0.148 | >10000 | 5.08 | 18 | 2 | 209 | <5 | 0.15 | 10 | <10 | 49 | 869 | >10000 | 2 |
| 165203 | 7.0 | 1.98 | 200 | 34 | 0.8 | 8 | 1.70 | 40 | 38 | 59 | 398 | 7.39 | 1 | 1.25 | 11 | 2.00 1 | 532 | 2 | 0.01 | 76 | 0.146 | 685 | 4.02 | <5 | 3 | 210 | <5 | 0.11 | <10 | <10 | 62 | 39 | 4915 | 3 |
| 165212 | 1.1 | 1.77 | 51 | 75 | 1.1 | <5 | 1.96 | 4 | 23 | 44 | 222 | 5.14 | 1 | 1.44 | <10 | 1.56 | 990 | 2 | 0.03 | 43 | 0.171 | 21 | 2.32 | <5 | 3 | 179 | <5 | 0.17 | <10 | <10 | 58 | <10 | 70 | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.



Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0022RJDate: Jul-02-10

Sample type : CORE

Skyline Gold Corporation

Project : Bronson

Attention : Arnd Burgert

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | AI % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm p | Co pm | Cr ppm | Cu ppm | Fe % | Hg ppm | К % | La ppm | Mg % | Mn ppm (| Mo opm | Na % | Ni ppm | P % | Pb ppm | S % | Sb ppm p | Sc pm | Sr ppm (| Th ppm | Tì % | TI opm | U ppm p | V opm | W ppm | Zn ppm p | Zr pm |
|------------------|-----------|---------|-----------|-----------|-----------|-----------|---------|-------------|----------|-----------|-----------|---------|-----------|--------|-----------|---------|-------------|-----------|---------|-----------|--------|-----------|--------|-------------|----------|-------------|-----------|---------|-----------|------------|----------|----------|-------------|----------|
| 165222 | 1.2 | 0.95 | 48 | 144 | <0.5 | < 5 | 2,43 | 2 | 5 | 50 | 101 | 2.60 | 1 | 0.72 | <10 | 1.19 | 1884 | 2 | 0.03 | 25 | 0.069 | 53 | 0.71 | <5 | i | 303 | <5 | 0.04 | <10 | <10 | 22 | <10 | 94 | 2 |
| 165225 | 11.1 | 2.14 | 107 | 55 | 1.1 | 8 | 1.13 | 27 | 36 | 94 | 855 | 8.36 | 1 | 1.86 | <10 | 1.53 | 1742 | 3 | 0.01 | 102 | 0.070 | 1236 | 3.66 | < 5 | 1 | 97 | <5 | 0.17 | 10 | <10 | 48 | 30 | 3864 | 4 |
| 165234 | 3.0 | 1.73 | 154 | 174 | 1.0 | < 5 | 1.55 | 9 | 13 | 101 | 150 | 3.39 | 1 | 1.48 | <10 | 1.56 | 1386 | 2 | 0.03 | 104 | 0.083 | 358 | 1.07 | 6 | 2 | 143 | <5 | 0.15 | <10 | <10 | 45 | <10 | 1131 | 2 |
| 165244 | 0.8 | 1.09 | 45 | 188 | <0.5 | < 5 | 1.57 | 1 | 8 | 40 | 57 | 1.41 | 1 | 0.85 | <10 | 0.96 | 1358 | <2 | 0.03 | 35 | 0.100 | 84 | 0.35 | <5 | 1 | 151 | <5 | 0.05 | <10 | <10 | 19 | <10 | 90 | 2 |
| 165247 | 3.9 | 1.42 | 89 | 193 | 0.8 | <5 | 2.73 | 16 | 18 | 62 | 243 | 3.85 | 2 | 1.23 | <10 | 1.54 | 2159 | 2 | 0.02 | 57 | 0.103 | 455 | 1.66 | 5 | 1 | 264 | <5 | 0.11 | <10 | <10 | 31 | 15 | 1991 | 2 |
| 165256 | 7.1 | 2.78 | 156 | 60 | 1.5 | <5 | 2.18 | 7 | 35 | 44 | 561 | 7.66 | 1 | 2.54 | <10 | 2.01 | 2909 | 75 | 0.02 | 62 | 0.183 | 186 | 3.04 | <5 | 3 | 217 | <5 | 0.25 | 13 | <10 | 96 | <10 | 323 | 7 |
| Standards: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blank | <0.2 | <0.01 | < 5 | <10 | <0.5 | <5 | <0.01 | <1 | <1 | <1 | <1 | <0.01 | <1 | <0.01 | <10 | < 0.01 | <5 | <2 | < 0.01 | <1 | <0.001 | <2 | < 0.01 | <5 | <1 | <1 | < 5 | < 0.01 | <10 | <10 | <1 | <10 | <1 | <1 |
| CH-4 | 1.9 | 1.91 | 13 | 300 | 1.5 | < 5 | 0.63 | 5 | 30 | 112 | 2092 | 4.68 | <1 | 1.41 | 14 | 1.29 | 353 | 3 | 0.06 | 48 | 0.073 | 18 | 0.58 | <5 | 8 | 9 | <5 | 0.24 | <10 | <10 | 87 | <10 | 206 | 23 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.



Quality Assaying for over 35 Years

Assay Certificate08-0022-RA1Company:Skyline Gold CorporationProject:BronsonAttn:Arnd Burgert

We *hereby certify* the following assay of 22 core samples submitted Jun-10-10

| Sample | Au | Sample-wt | Pb | Zn |
|-------------|---------|-----------|-------|-------|
| Name | g/tonne | Kg | % | % |
| 165181 | 0.13 | 5.0 | | |
| 165182 | 0.06 | 5.0 | | |
| 165183 | 0.08 | 4.0 | | |
| 165184 | 0.43 | 1.0 | | 1.38 |
| 165185 | 0.10 | 5.0 | | |
| 165186 | 0.03 | 4.0 | | |
| 165187 | 0.05 | 5.0 | | |
| 165188 | 0.06 | 4.5 | | |
| 165189 | <0.01 | 0.2 | | |
| 165190 | 0.05 | 3.0 | | |
| 165191 | 0.28 | 4.0 | | |
| 165192 | 0.10 | 3.0 | | |
| 165193 | 2.30 | 3.5 | | |
| 165194 | 0.31 | 2.0 | | |
| 165195 | 3.37 | 3.0 | | |
| 165196 | 2.79 | 2.0 | | |
| 165197 | 0.22 | 2.5 | | |
| 165198 | 0.21 | 1.0 | | 3.68 |
| 165199 | 0.10 | 4.0 | | |
| 165200 | 0.06 | 1.2 | 1.22 | 9.40 |
| 165201 | 0.08 | 4.0 | | |
| 165202 | 0.05 | 3.5 | | |
| *DUP 165181 | 0.14 | | | |
| *DUP 165190 | 0.05 | | | |
| *DUP 165200 | 0.08 | | | |
| *0211 | 2.21 | | | |
| *ME-3 | | | 2.80 | 0.87 |
| *BLANK | <0.01 | | <0.01 | <0.01 |

Au 50g F.A. AA finish

Certified by



Quality Assaying for over 35 Years

Assay Certificate

0S-0022-RA2

Jul-02-10

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

We *hereby certify* the following assay of 22 core samples submitted Jun-10-10

| Sample | Au | Sample-wt | Pb | Zn |
|-------------|---------|-----------|----|-------|
| Name | g/tonne | Kg | % | % |
| 165203 | 0.35 | 2.0 | | |
| 165204 | 0.07 | 1.3 | | |
| 165205 | 0.05 | 3.5 | | |
| 165206 | 0.27 | 0.1 | | |
| 165207 | 0.07 | 5.0 | | |
| 165208 | 0.04 | 4.5 | | |
| 165209 | 0.05 | 4.0 | | |
| 165210 | 0.03 | 5.0 | | |
| 165211 | 0.05 | 5.0 | | |
| 165212 | 0.07 | 4.0 | | |
| 165213 | 0.09 | 4.0 | | |
| 165214 | 0.08 | 5.0 | | |
| 165215 | 0.07 | 5.0 | | |
| 165216 | 0.04 | 5.0 | | |
| 165217 | 0.08 | 5.5 | | |
| 165218 | 0.13 | 3.0 | | |
| 165219 | 3.79 | 2.0 | | 1.45 |
| 165220 | 0.28 | 0.8 | | |
| 165221 | 0.12 | 4.5 | | |
| 165222 | 0.03 | 4.5 | | |
| 165223 | 0.05 | 4.0 | | |
| 165224 | 0.15 | 5.0 | | |
| *DUP 165203 | 0.37 | | | |
| *DUP 165212 | 0.07 | | | |
| *DUP 165222 | 0.02 | | | |
| *0211 | 2.28 | | | |
| *ME-3 | | | | 0.87 |
| *BLANK | <0.01 | | | <0.01 |

Au 50g F.A. AA finish

Certified by



Quality Assaying for over 35 Years

Assay Certificate08-0022-RA3Company:Skyline Gold CorporationProject:BronsonAttn:Arnd Burgert

We *hereby certify* the following assay of 22 core samples submitted Jun-10-10

| Sample | Au | Sample-wt | Pb | Zn |
|-------------|---------|-----------|----|-------|
| Name | g/tonne | Kg | % | % |
| 165225 | 1.26 | 2.0 | | |
| 165226 | 0.06 | 3.0 | | |
| 165227 | 0.12 | 5.0 | | |
| 165228 | 0.16 | 5.0 | | |
| 165229 | 0.46 | 2.0 | | 5.20 |
| 165230 | 0.18 | 3.0 | | |
| 165231 | 0.01 | 0.3 | | |
| 165232 | 0.09 | 2.0 | | |
| 165233 | 0.12 | 2.0 | | |
| 165234 | 0.07 | 4.5 | | |
| 165235 | 0.01 | 4.0 | | |
| 165236 | 0.06 | 5.0 | | |
| 165237 | 0.09 | 5.0 | | |
| 165238 | 0.05 | 4.0 | | |
| 165239 | <0.01 | 0.2 | | |
| 165240 | 0.07 | 4.0 | | · |
| 165241 | 0.05 | 4.0 | | |
| 165242 | 0.03 | 3.5 | | |
| 165243 | 0.02 | 2.0 | | |
| 165244 | 0.03 | 4.0 | | |
| 165245 | 0.06 | 5.0 | | |
| 165246 | 1.15 | 0.1 | | |
| *DUP 165225 | 1.30 | | | |
| *DUP 165234 | 0.06 | | | |
| *DUP 165244 | 0.04 | | | |
| *0211 | 2.28 | | | |
| *ME-3 | | | | 0.87 |
| *BLANK | <0.01 | | | <0.01 |

Au 50g F.A. AA finish

. ...



Quality Assaying for over 35 Years

Assay Certificate08-0022-RA4Company:Skyline Gold CorporationProject:BronsonAttn:Arnd Burgert

We *hereby certify* the following assay of 18 core samples submitted Jun-10-10

| Sample | Au | Sample-wt | Pb | Zn |
|-------------|---------|-----------|----|-------|
| Name | g/tonne | Kg | % | % |
| 165247 | 0.10 | 5.0 | | |
| 165248 | 1.28 | 5.0 | | |
| 165249 | 0.06 | 5.0 | | |
| 165250 | 0.80 | 5.0 | | |
| 165251 | 0.10 | 5.0 | | |
| 165252 | 0.25 | 5.0 | | |
| 165253 | 0.09 | 5.0 | | |
| 165254 | 0.19 | 5.0 | | |
| 165255 | 0.19 | 5.0 | | |
| 165256 | 0.24 | 5.0 | | |
| 165257 | 0.17 | 5.0 | | |
| 165258 | 0.15 | 5.0 | | |
| 165259 | 1.07 | 5.0 | | |
| 165260 | 1.24 | 5.0 | | 1.15 |
| 165261 | 1.55 | 5.0 | | |
| 165262 | 0.50 | 4.0 | | |
| 165263 | 0.32 | 5.0 | | |
| 165264 | 0.05 | 3.5 | | |
| *DUP 165247 | 0.10 | | | |
| *DUP 165256 | 0.24 | | | |
| *0211 | 2.27 | | | |
| *ME-3 | | | | 0.87 |
| *BLANK | <0.01 | | | <0.01 |

Au 50g F.A. AA finish

Certified by_____



Quality Assaying for over 35 Years

Metallic Assay Certificate

0S-0020-RM1

Jun-18-10

/AA

Company:Skyline Gold Corp.Project:BronsonAttn:Arnd Burgert

We *hereby certify* the following analysis of 5 core samples submitted Jun-12-10

| Sample Name | Wt Total g | Wt +150 g | +150 Au mg | -150 Au g/tonne | Metallic Au g/tonne | Net Au g/tonne |
|--------------------------------------|--------------------------------|----------------------|-------------------------|----------------------|------------------------|----------------------|
| 165127 165150 165158 165159 | 963.6 951 946.7 950.8 | 43.2 73.8 65.3 | 0.240 0.047 0.271 | 1.77 1.35 1.17 | 0.25 0.05 0.29 | 1.94 1.29 1.38 |
| 165178 | 940.3 | 54.5 | 0,124 | 0.89 | 0.40 | 0.98 |

Fire Assay for Metallic Au analysis

Certified by_



Skyline Gold Corp.

Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0020RJDate: Jun-18-10

Sample type :

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | AI | As | Ва | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Hg | ĸ | La | Mg | Mn | Mo Na | a Ni | Р | Pb | S | Sb | Sc | Sr | Th | Ti | ŤΙ | U | V | W | Zn | Zr |
|--------|------|------|-----|-----|------|-----|-------|-----|-----|-----|-----|-------|-----|------|-----|-------|------|---------|-------|-------|------|------|-------|-----|-----|-----|-------|-----|-------|-----|------|--------|----|
| Number | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | % | ppm | % | ppm | ppm % | 5 ppm | % | ppm | % | opm t | opm | ppm | ppm | % | ppm | ppm (| opm | ppm | ppm p | pm |
| 165127 | 44.6 | 2.65 | 549 | 47 | <0.5 | 91 | 0.64 | 39 | 23 | 104 | 532 | 9.11 | 1 | 0.73 | <10 | 2.39 | 1902 | <2 0.01 | 110 | 0.091 | 854 | 5.24 | <5 | 2 | 49 | < 5 | 0.06 | <10 | <10 | 52 | 57 | 4825 | 3 |
| 165128 | 14.1 | 4.22 | 666 | 46 | <0.5 | 55 | 0.76 | 40 | 24 | 126 | 595 | 10.54 | <1 | 0.58 | <10 | 4.34 | 2913 | <2 0.01 | 114 | 0.075 | 306 | 4.96 | <5 | 4 | 59 | <5 | 0.07 | <10 | <10 | 74 | 50 | 4049 | 3 |
| 165129 | 3.1 | 3.95 | 213 | 91 | 0.5 | 29 | 0.57 | 6 | 20 | 136 | 106 | 7.88 | 1 | 0.78 | <10 | 3.86 | 2299 | <2 0.01 | 111 | 0.091 | 96 | 2.53 | <5 | 4 | 43 | < 5 | 0.09 | <10 | <10 | 80 | 14 | 561 | 3 |
| 165130 | 3.2 | 4.03 | 214 | 75 | 0.6 | 40 | 0.60 | 7 | 18 | 124 | 109 | 7.90 | <1 | 0.71 | <10 | 3.95 | 2406 | <2 0.01 | 105 | 0.089 | 101 | 2.50 | <5 | 4 | 45 | < 5 | 0.08 | <10 | <10 | 78 | 13 | 606 | 3 |
| 165131 | 2.0 | 2.97 | 125 | 130 | 0.6 | 15 | 0.88 | 11 | 20 | 51 | 178 | 6.08 | <1 | 0.91 | <10 | 2.64 | 2388 | <2 0.02 | 38 | 0.133 | 68 | 2.20 | <5 | 2 | 74 | <5 | 0.09 | <10 | <10 | 48 | 16 | 1040 | 2 |
| 165132 | 2.6 | 2.07 | 222 | 82 | 0.6 | 28 | 0.88 | 18 | 15 | 38 | 230 | 6.51 | <1 | 0.83 | <10 | 1.94 | 2329 | 2 0.02 | 21 | 0.105 | 77 | 3.44 | <5 | 2 | 94 | <5 | 0.09 | <10 | <10 | 57 | 28 | 2086 | Z |
| 165133 | 14.7 | 2.30 | 182 | 118 | 0.6 | 31 | 0.93 | 18 | 18 | 37 | 213 | 6.02 | <1 | 0.96 | <10 | 1.95 | 2424 | <2 0.02 | 16 | 0.130 | 327 | 2.69 | <5 | 2 | 100 | <5 | 0.09 | <10 | <10 | 49 | 28 | 2298 | 2 |
| 165134 | 2.3 | 2.17 | 113 | 118 | 0.7 | 29 | 1.22 | 31 | 18 | 30 | 208 | 5.71 | <1 | 0.96 | <10 | Z.11 | 2806 | <2 0.02 | 18 | 0.119 | 51 | 2.38 | <5 | 2 | 138 | <5 | 0.11 | <10 | <10 | 46 | 42 | 4094 | 2 |
| 165135 | 4.3 | 1.93 | 117 | 113 | 1.0 | 24 | 1.15 | 15 | 19 | 39 | 147 | 5.33 | <1 | 1.47 | <10 | 1.61 | 2236 | <2 0.02 | 18 | 0.127 | 123 | 2.53 | < 5 | 2 | 142 | <5 | 0.14 | <10 | <10 | 42 | 22 | 1902 | 2 |
| 165136 | 17.4 | 2.69 | 238 | 94 | 0.7 | 67 | 0.52 | 58 | 19 | 79 | 441 | 6.76 | <1 | 0.99 | <10 | 2.34 | 1588 | 2 0.01 | 94 | 0.104 | 576 | 3.21 | <5 | 2 | 45 | <5 | 0.10 | <10 | <10 | 47 | 89 | 8156 | 3 |
| 165137 | 21.1 | 3.14 | 298 | 57 | <0.5 | 120 | 0.89 | 197 | 15 | 90 | 581 | 8.43 | <1 | 0.55 | <10 | 3.03 | 3443 | <2 0.01 | 83 | 0.060 | 543 | 4.50 | <5 | 3 | 81 | <5 | 0.06 | <10 | <10 | 48 | 283 | >10000 | 3 |
| 165138 | 13.3 | 4.70 | 170 | 82 | 0.6 | 80 | 0.64 | 93 | 15 | 105 | 298 | 8.94 | <1 | 0.79 | <10 | 4.39 | 3768 | <2 0.01 | . 98 | 0.074 | 406 | 2.78 | <5 | 5 | 56 | <5 | 0.09 | <10 | <10 | 76 | 133 | >10000 | 4 |
| 165139 | <0.2 | 0.07 | <5 | <10 | <0.5 | < 5 | 18.62 | <1 | <1 | 7 | 3 | 0.11 | <1 | 0.02 | <10 | 11.08 | 116 | <2 0.01 | 2 | 0.019 | <2 | 0.55 | <5 | <1 | 154 | <\$ | <0.01 | <10 | <10 | 2 | <10 | 15 | <1 |
| 165140 | 5.9 | 5.24 | 132 | 90 | 0.8 | 32 | 0.60 | 18 | 16 | 106 | 114 | 8.92 | <1 | 0.96 | <10 | 4.69 | 3780 | <2 0.01 | 81 | 0.097 | 363 | 1.78 | <5 | 5 | 48 | <5 | 0.12 | <10 | <10 | 89 | 30 | 2186 | 3 |
| 165141 | 57.0 | 4.11 | 376 | 52 | <0.5 | 209 | 2,19 | 672 | 24 | 78 | 566 | 10.92 | <1 | 0.62 | <10 | 4.08 | 6994 | <2 0.01 | . 54 | 0.034 | 3266 | 6.97 | <5 | 4 | 225 | <5 | 0.08 | <10 | <10 | 65 | 1097 | >10000 | 4 |
| 165142 | 12.3 | 5.12 | 44 | 101 | 0.9 | 130 | 1.14 | 323 | 13 | 126 | 436 | 8.83 | 3 | 1.10 | <10 | 4.48 | 4976 | <2 0.01 | 63 | 0.067 | 798 | 2.66 | 9 | 5 | 119 | <5 | 0.13 | <10 | <10 | 84 | 481 | >10000 | 3 |
| 165143 | 4.4 | 5.37 | 32 | 145 | 0.9 | 45 | 0.65 | 37 | 10 | 137 | 230 | 8.33 | <1 | 1.24 | <10 | 4.45 | 3495 | <2 0.01 | . 77 | 0.092 | 412 | 0.59 | 8 | 4 | 65 | <5 | 0.14 | 10 | <10 | 89 | 53 | 4724 | 3 |
| 165144 | 6.2 | 4.21 | 124 | 109 | 0.7 | 26 | 0.67 | 8 | 16 | 111 | 228 | 7.92 | <1 | 0.95 | <10 | 3.63 | 3445 | <2 0.01 | 100 | 0.090 | 467 | 1.69 | <5 | 4 | 61 | <5 | 0.11 | <10 | <10 | 77 | 18 | 997 | 3 |
| 165145 | 8.8 | 4.37 | 127 | 141 | 0.8 | 32 | 0.68 | 13 | 18 | 123 | 238 | 8.08 | <1 | 1.07 | <10 | 3.79 | 3344 | 3 0.01 | . 121 | 0.085 | 700 | 1.89 | 10 | 5 | 64 | < 5 | 0.12 | <10 | <10 | 72 | 21 | 1524 | 3 |
| 165146 | 5.7 | 4.36 | 101 | 153 | 1.1 | 31 | 0.86 | 22 | 13 | 103 | 175 | 7.55 | <1 | 1.39 | <10 | 4.07 | 3202 | <2 0.01 | 88 | 0.085 | 492 | 1.23 | 6 | 5 | 91 | <5 | 0.16 | <10 | <10 | 75 | 35 | 2997 | 3 |
| 165147 | 16.4 | 3.46 | 202 | 80 | 0.9 | 57 | 1.39 | 33 | 22 | 131 | 410 | 8.73 | 2 | 1.18 | <10 | 3.43 | 3906 | <2 0.01 | . 114 | 0.071 | 1321 | 3.41 | <5 | 5 | 156 | <5 | 0.14 | <10 | <10 | 75 | 52 | 4374 | 3 |
| 165148 | 5.6 | 2.60 | 150 | 147 | 0.8 | 32 | 0.93 | 23 | 18 | 93 | 195 | 5.81 | <1 | 1.07 | <10 | 2.39 | 2662 | <2 0.01 | . 125 | 0.097 | 563 | 1.98 | 7 | 3 | 85 | < 5 | 0.11 | <10 | <10 | 49 | 34 | 3131 | 2 |
| 165149 | 4.6 | 3.32 | 86 | 153 | 0.7 | 21 | 1.14 | 21 | 12 | 99 | 188 | 6.41 | <1 | 0.96 | <10 | 2.93 | 3346 | <2 0.01 | 112 | 0.101 | 488 | 1.30 | 5 | 3 | 93 | < 5 | 0.10 | <10 | <10 | 53 | 30 | 2419 | 2 |
| 165150 | 20.5 | 2.49 | 116 | 90 | 0.6 | 38 | 0.97 | 47 | 23 | 97 | 752 | 7.32 | <1 | 0.95 | <10 | 2.20 | 2038 | <2 0.01 | . 123 | 0.104 | 694 | 3.20 | <5 | 2 | 88 | <5 | 0.10 | <10 | <10 | 46 | 35 | 2762 | 3 |
| 165151 | 29.9 | 4.01 | 337 | 71 | <0.5 | 122 | 1.57 | 205 | 25 | 85 | 285 | 9.79 | <1 | 0.66 | <10 | 3.99 | 5641 | 2 0.01 | . 93 | 0.061 | 1985 | 4.52 | < 5 | 5 | 156 | <5 | 0.08 | <10 | <10 | 72 | 335 | >10000 | 4 |
| 165152 | 4.1 | 1.84 | 220 | 95 | 0.5 | 33 | 3.02 | 32 | 70 | 124 | 285 | 7.69 | 3 | 0.88 | <10 | 2.57 | 2910 | <2 0.01 | 162 | 0.115 | 411 | 4.13 | < 5 | z | 316 | <5 | 0.08 | <10 | <10 | 40 | 28 | 2180 | 3 |
| 165153 | 2.5 | 2.53 | 185 | 141 | 0.6 | 19 | 2.26 | 10 | 30 | 126 | 203 | 5.51 | <1 | 1.00 | <10 | 2.78 | 2571 | <2 0.01 | 176 | 0.110 | 279 | 1.57 | < 5 | 2 | 181 | <5 | 0.09 | <10 | <10 | 48 | 15 | 1163 | 2 |
| 165154 | 3.4 | 2.41 | 150 | 115 | 0.6 | 19 | 2.69 | 18 | 25 | 128 | 113 | 5.56 | <1 | 0.95 | <10 | 2.78 | 3086 | <2 0.01 | 156 | 0.102 | 729 | 1.47 | <5 | 3 | 200 | <5 | 0.10 | <10 | <10 | 52 | 19 | 1747 | 2 |
| 165155 | 1.4 | 2.02 | 109 | 146 | 0.5 | 16 | 2.94 | 7 | 18 | 115 | 102 | 5.17 | <1 | 0.95 | <10 | 2.39 | 2841 | 2 0.01 | 151 | 0.089 | 155 | 1.76 | <5 | 2 | 199 | <5 | 0.08 | <10 | <10 | 46 | 11 | 745 | 2 |
| 165156 | 2.6 | 0.60 | 146 | 97 | <0.5 | 14 | 4.52 | 19 | 10 | 47 | 137 | 3.78 | 1 | 0.50 | <10 | 1.72 | 3608 | 2 0.01 | 157 | 0.106 | 234 | 1.77 | < 5 | 1 | 292 | <5 | 0.02 | <10 | <10 | 19 | 21 | 1967 | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Page 1 of 3



Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 0S0020RJ Date : Jun-18-10

Sample type :

W.

Signed:

Skyline Gold Corp.

Project : Bronson

Attention : Arnd Burgert

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | Al | As | Ba | Be | Bi | Ca | Cd | Co | Сг | Cu | Fe | Hg | K | La | Mg | Mn | Мо | Na | Ni | Р | Pb | S | Sb | Sc | Sr | Th | Ti | ΤI | U | v | W | Zn | Zr |
|-------------|-------|--------------|-----|-----|-------|-----|------|-----|-----|-----|--------|-------|-----|------|-----|------|------|-------|------|-------|------|------|------|-------|----|-----|-----|------|-----|-----|-----|-----|--------|-----|
| Number | ppm | % | ppm | ppm | ppm | ppm | % | ррт | ppm | ppm | ppm | % | ppm | % | ppm | % | ppm | ppm | % | ppm | % | ppm | % | ppm p | pm | ppm | ppm | % | ppm | ppm | ррт | ppm | ppm p | opm |
| 165157 | 40.8 | 0.54 | 218 | 85 | <0.5 | 86 | 2.95 | 60 | 16 | 69 | 3929 | 5.66 | 3 | 0.44 | <10 | 1.17 | 2841 | <2 0 | .01 | 146 0 | .094 | 597 | 3.64 | <5 | 1 | 167 | <5 | 0.01 | <10 | <10 | 15 | 90 | 8132 | 3 |
| 165158 | 92.8 | 0.39 | 380 | 32 | <0.5 | 132 | 0.65 | 37 | 20 | 55 | >10000 | 9.32 | 2 | 0.31 | <10 | 0.32 | 728 | 20 | .01 | 94 0 | .046 | 834 | 6.75 | < 5 | 1 | 27 | <5 | 0.01 | <10 | 12 | 13 | 49 | 4115 | 3 |
| 165159 | 116.1 | 0.53 | 693 | 25 | <0.5 | 251 | 0.50 | 24 | 23 | 73 | >10000 | 11.22 | <1 | 0.41 | <10 | 0.25 | 448 | <2 0 | .01 | 111 0 | .077 | 1097 | 7.95 | <5 | 1 | 22 | <5 | 0.01 | <10 | 14 | 16 | 34 | 2350 | 4 |
| 165160 | 5.4 | 1.01 | 259 | 75 | <0.5 | 35 | 3.84 | 44 | 14 | 32 | 205 | 6.15 | <1 | 0.58 | 10 | 1.86 | 3578 | <2 0 | .01 | 19 0 | .141 | 477 | 3.66 | <5 | 1 | 210 | <5 | 0.04 | <10 | <10 | 24 | 52 | 4885 | 3 |
| 165161 | 7.6 | 1.89 | 471 | 55 | 0.5 | 65 | 2.16 | 98 | 20 | 47 | 217 | 8.63 | <1 | 0.71 | 14 | 1.97 | 2219 | <2 0 | .01 | 23 0 | .150 | 1350 | 5.14 | <5 | 2 | 109 | <5 | 0.06 | <10 | <10 | 46 | 129 | >10000 | 3 |
| 165162 | 2.8 | 2.83 | 136 | 92 | 0.8 | 35 | 1.46 | 47 | 20 | 40 | 209 | 6.99 | 7 | 0.85 | 11 | 2.61 | 1683 | <2 0 | 0.01 | 31 0 | .182 | 664 | 2.50 | 5 | 4 | 75 | <5 | 0.10 | <10 | <10 | 73 | 66 | 5886 | 3 |
| 165163 | 2.3 | 2.47 | 231 | 79 | 0.7 | 19 | 1.87 | 9 | 27 | 45 | 233 | 8.15 | <1 | 0.93 | <10 | 2.17 | 1849 | <2 0 | .01 | 33 0 | .174 | 326 | 3.56 | <5 | 3 | 102 | < 5 | 0.09 | <10 | <10 | 67 | 14 | 776 | 3 |
| 165164 | 4.6 | 2.61 | 212 | 76 | 0.7 | 73 | 2.37 | 180 | 30 | 66 | 320 | 8.65 | 3 | 0.92 | <10 | 2.58 | 2148 | <2 0 | .01 | 35 0 | .127 | 730 | 4.25 | 8 | 3 | 139 | <5 | 0.11 | <10 | <10 | 71 | 253 | >10000 | 3 |
| 165165 | 5.0 | 2.15 | 93 | 121 | 0.6 | 19 | 2.28 | 16 | 22 | 51 | 385 | 5.81 | <1 | 0.94 | 10 | 2.03 | 1903 | <2 0 | .01 | 74 0 | .114 | 456 | 2.17 | <5 | 3 | 136 | <5 | 0.09 | <10 | <10 | 46 | 23 | 1823 | 2 |
| 165166 | 3.1 | 1.69 | 50 | 171 | 0.6 | 11 | 0.70 | 13 | 16 | 180 | 3092 | 3.82 | 1 | 0.66 | 26 | 0.62 | 314 | 210 0 | .04 | 14 0 | .050 | 132 | 1.29 | 20 | 5 | 35 | 12 | 0.03 | <10 | <10 | 43 | 13 | 322 | 6 |
| 165167 | 1.7 | 0.92 | 88 | 127 | <0.5 | <5 | 3.51 | 5 | 21 | 43 | 194 | 3.24 | 2 | 0.72 | 12 | 1.40 | 2685 | 20 | .01 | 81 0 | .101 | 83 | 1.04 | < 5 | 1 | 225 | <5 | 0.05 | <10 | <10 | 20 | <10 | 523 | 2 |
| 165168 | 28.7 | 1.90 | 266 | 49 | 0.5 | 33 | 1.71 | 13 | 18 | 83 | 4234 | 9.15 | 1 | 0.90 | 10 | 1.99 | 1834 | 10 0 | .01 | 129 0 | .095 | 211 | 4.88 | <5 | 2 | 114 | < 5 | 0.08 | <10 | <10 | 45 | 15 | 880 | 4 |
| 165169 | 7.1 | 1.06 | 133 | 88 | <0.5 | 38 | 2.60 | 40 | 18 | 67 | 314 | 5.56 | 3 | 0.74 | <10 | 1.49 | 2459 | 20 | .01 | 92 0 | .125 | 976 | 3.44 | <5 | 2 | 179 | <5 | 0.05 | <10 | <10 | 24 | 61 | 5705 | 2 |
| 165170 | 4.2 | 0.89 | 144 | 52 | <0.5 | 24 | 0.56 | 7 | 9 | 44 | 692 | 6.11 | <1 | 0.65 | <10 | 0.41 | 283 | <2 0 | .01 | 66 0 | .148 | 124 | 4.42 | <5 | 1 | 34 | <5 | 0.02 | <10 | <10 | 23 | <10 | 382 | 3 |
| 165171 | 6.9 | 1.71 | 143 | 90 | <0.5 | 26 | 1.59 | 20 | 26 | 81 | 1085 | 6.24 | <1 | 0.76 | <10 | 1.78 | 1726 | <2 0 | .01 | 124 0 | .124 | 188 | 3.37 | <5 | 2 | 123 | < 5 | 0.06 | <10 | <10 | 31 | 27 | 2101 | 2 |
| 165172 | 3.9 | 1.78 | 101 | 86 | <0.5 | 16 | 1.29 | 10 | 30 | 71 | 347 | 6.43 | <1 | 0.61 | <10 | 1.54 | 1469 | <2 0 | .01 | 91 0 | .117 | 274 | 3.45 | <5 | 2 | 102 | <5 | 0.04 | <10 | <10 | 30 | 16 | 849 | 2 |
| 165173 | 4.4 | 2.09 | 79 | 120 | 0.5 | 19 | 1.23 | 6 | 20 | 61 | 542 | 6.11 | 2 | 0.84 | <10 | 1.99 | 1419 | <2 0 | .01 | 83 0 | .132 | 140 | 2.82 | <5 | 2 | 132 | < 5 | 0.08 | <10 | <10 | 44 | 10 | 272 | 2 |
| 165174 | 5.2 | 2.20 | 71 | 129 | <0.5 | 19 | 1.96 | 5 | 20 | 65 | 635 | 6.42 | <1 | 0.80 | <10 | 2.12 | 1976 | <2 0 | 1,01 | 90 0 | .116 | 78 | 2.96 | <5 | 3 | 188 | <5 | 0.07 | <10 | <10 | 45 | 10 | 250 | 2 |
| 165175 | 2.7 | 3.99 | 46 | 82 | 0.8 | 26 | 2.25 | 11 | 10 | 54 | 283 | 6.60 | <1 | 1.01 | 12 | 4.20 | 2188 | <2 0 | .01 | 34 0 | .127 | 71 | 1.46 | <5 | 5 | 198 | <5 | 0.10 | <10 | <10 | 90 | 12 | 635 | 2 |
| 165176 | 1.6 | 3.96 | 28 | 93 | 0.8 | 13 | 2.65 | 6 | 9 | 58 | 201 | 6.16 | <1 | 1.04 | <10 | 4.21 | 2413 | <2 0 | .02 | 31 0 | .117 | 117 | 0.99 | < 5 | 6 | 233 | <5 | 0.09 | <10 | <10 | 95 | 11 | 509 | 2 |
| 165177 | 3.6 | 5.02 | 59 | 74 | 0.9 | 37 | 1.31 | 19 | 11 | 61 | 261 | 7.88 | <1 | 1.00 | 14 | 4.61 | 1947 | <20 | .01 | 23 0 | .139 | 597 | 1.59 | 6 | 7 | 100 | < 5 | 0.11 | 12 | <10 | 128 | 41 | 2680 | 2 |
| 165178 | 11.5 | 2.68 | 119 | 95 | 0.8 | 34 | 1.12 | 33 | 32 | 113 | 711 | 7.12 | <1 | 1.05 | 11 | 2.27 | 1330 | <2 0 | .02 | 35 0 | .122 | 1361 | 3.45 | 5 | 4 | 79 | < 5 | 0.10 | 10 | <10 | 66 | 54 | 4148 | 2 |
| 165179 | 0.8 | 3.62 | 28 | 81 | 0.6 | 8 | 3.59 | 4 | 8 | 74 | 144 | 6.20 | 4 | 0.74 | <10 | 2.78 | 2511 | <2 0 | .02 | 33 0 | .111 | 45 | 1.10 | <5 | 7 | 245 | < 5 | 0.09 | <10 | <10 | 99 | <10 | 188 | 2 |
| 165180 | 0.6 | 3.6 9 | 38 | 95 | 0.7 | 12 | 3.36 | 4 | 7 | 74 | 120 | 6.08 | <1 | 0.79 | <10 | 2.80 | 2399 | <2 0 | .02 | 31 0 | .111 | 40 | 0.89 | <5 | 8 | 232 | <5 | 0.09 | <10 | <10 | 107 | <10 | 155 | 2 |
| Duplicates: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165127 | 47.5 | 2.67 | 552 | 44 | < 0.5 | 87 | 0.68 | 40 | 23 | 107 | 534 | 9.49 | <1 | 0.76 | <10 | 2.51 | 1941 | <2 0 | .01 | 110 0 | .092 | 874 | 5.34 | < 5 | 3 | 50 | <5 | 0.07 | <10 | <10 | 53 | 56 | 5003 | 3 |
| 165136 | 17.7 | 2.83 | 259 | 96 | 0.8 | 79 | 0.56 | 65 | 20 | 83 | 459 | 7.20 | <1 | 1.06 | <10 | 2.53 | 1678 | <2 0 | .01 | 105 0 | .114 | 599 | 3.37 | 5 | 3 | 49 | <5 | 0.11 | <10 | <10 | 50 | 91 | 8498 | 4 |
| 165146 | 5.5 | 4.29 | 95 | 157 | 1.1 | 41 | 0.86 | 22 | 13 | 104 | 178 | 7.45 | <1 | 1.40 | <10 | 4.13 | 3222 | <2 0 | .01 | 87 0 | .090 | 497 | 1.23 | 6 | 5 | 93 | <5 | 0.16 | 11 | <10 | 76 | 36 | 2971 | 3 |
| 165149 | 4.7 | 3.39 | 88 | 161 | 0.7 | 25 | 1.15 | 21 | 12 | 102 | 188 | 6.53 | <1 | 0.99 | <10 | 2.96 | 3399 | 20 | .01 | 114 0 | .107 | 494 | 1.33 | < 5 | 3 | 92 | <5 | 0.10 | <10 | <10 | 54 | 29 | 2499 | 3 |
| 165158 | 99.7 | 0.44 | 411 | 32 | <0.5 | 134 | 0.66 | 39 | 20 | 59 | >10000 | 9.44 | 2 | 0.34 | <10 | 0.34 | 735 | <2 0 | .01 | 99 0 | .050 | 881 | 6.86 | <5 | 1 | 28 | <5 | 0.01 | <10 | 12 | 13 | 50 | 4234 | 4 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Page 2 of 3



Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0020RJDate: Jun-18-10

Sample type :

Skyline Gold Corp.

Attention : Arnd Burgert

Project : Bronson

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | AI % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm j | Co ppm | Cr opm | Cu ppm | Fe % | Hg ppm | К % | La ppm | Mg % | Mn ppm | Mo ppm | Na %p | Ni i opm % | ⊃ Pb 6ppm | S % | Sb opm p | Sc opm | Sr ppm p | Th opm | Ti % | TI ppm | U ppm | V ppm | W ppm | Zn ppm p | Zr ppm |
|------------------|-----------|---------|-----------|-----------|-----------|-----------|---------|--------------------|-----------|-----------|-----------|---------|-----------|--------|-----------|---------|-----------|-----------|----------|---------------|--------------|--------|-------------|-----------|-------------|-----------|---------|-----------|----------|----------|----------|-------------|-----------|
| 165168 | 27.5 | 1.92 | 283 | 50 | 0.5 | 34 | 1.78 | 14 | 20 | 92 | 4151 | 9.32 | <1 | 0.92 | 10 | 2.03 | 1895 | 10 0. | .01 | 130 0.10 | 5 228 | 5.19 | < 5 | 3 | 117 | <5 | 0.09 | <10 | <10 | 48 | 18 | 965 | 4 |
| 165171 | 7.1 | 1.75 | 148 | 89 | < 0.5 | 36 | 1.56 | 20 | 26 | 82 | 1101 | 6.33 | <1 | 0.78 | <10 | 1.79 | 1738 | <2 0. | .01 | 125 0.12 | 2 190 | 3.41 | <5 | 2 | 124 | <5 | 0.06 | <10 | <10 | 32 | 25 | 2099 | 3 |
| 165180 | 0.6 | 3.87 | 38 | 93 | 0.7 | 10 | 3.57 | 4 | 8 | 76 | 123 | 6.47 | <1 | 0.83 | <10 | 2.95 | 2535 | <2 0. | .02 | 33 0.11 | 9 43 | 0.92 | < 5 | 8 | 239 | <5 | 0.09 | <10 | <10 | 109 | 11 | 167 | 2 |
| Standards: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blank | <0.2 | < 0.01 | <5 | <10 | <0.5 | <5 | < 0.01 | <1 | <1 | <1 | <1 | < 0.01 | <1 | < 0.01 | <10 | <0.01 | <5 | <2 0. | .01 | <1 0.00 | 2 <2 | < 0.01 | <5 | <1 | <1 | <5 · | < 0.01 | <10 | <10 | <1 | <10 | <1 | <1 |
| CH-4 | 1.9 | 1.70 | 13 | 282 | 1.2 | 11 | 0.58 | 3 | 29 | 102 | 1988 | 4.41 | <1 | 1.32 | 13 | 1.19 | 322 | 20. | .05 | 50 0.05 | 7 15 | 0.56 | <5 | 7 | 10 | <5 | 0.20 | <10 | <10 | 78 | 10 | 212 | 13 |

٠

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.


Quality Assaying for over 35 Years

Geochemical Analysis Certificate

0S-0020-RG1

| Company: | Skyline Gold Corp. |
|----------|--------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jun-18-10

We *hereby certify* the following geochemical analysis of 22 core samples submitted Jun-12-10

| Sample | Au | Au-Check | Zn | Sample-wt |
|--------|------|----------|-------|-----------|
| Name | թրե | ppb | % | Kg |
| 165127 | 1869 | 1681 | | 3.0 |
| 165128 | 245 | | | 2.5 |
| 165129 | 46 | | | 0.2 |
| 165130 | 46 | | | 0.1 |
| 165131 | 29 | | | 2.0 |
| 165132 | 59 | | | 3.0 |
| 165133 | 452 | | | 3.5 |
| 165134 | 44 | | | 3.0 |
| 165135 | 73 | | | 4.0 |
| 165136 | 132 | | | 2.5 |
| 165137 | 182 | | 3.05 | 2.5 |
| 165138 | 145 | | 1.31 | 2.5 |
| 165139 | 2 | | | 0.2 |
| 165140 | 66 | | | 0.2 |
| 165141 | 214 | | 11.8 | 0.1 |
| 165142 | 52 | | 5.40 | 1.4 |
| 165143 | 13 | | | 1.2 |
| 165144 | 56 | | | 2.5 |
| 165145 | 53 | | | 3.0 |
| 165146 | 53 | 46 | | 4.0 |
| 165147 | 145 | | | |
| 165148 | 54 | | | |
| *0211 | 2158 | | | |
| *ME-3 | | | 0.87 | |
| *BLANK | <1 | | <0.01 | |

Certified by_

AL-



Quality Assaying for over 35 Years

Geochemical Analysis Certificate

0S-0020-RG2

Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6

Tel: (604) 327-3436

Fax: (604) 327-3423

Jun-18-10

| Company: | Skyline Gold Corp. |
|----------|--------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

We *hereby certify* the following geochemical analysis of 22 core samples submitted Jun-12-10

| Sample | Au | Au-Check | Cu | Zn | Sample-wt |
|--------|------|----------|--------|-------|-----------|
| Name | ppb | թթե | % | % | Kg |
| 165149 | 47 | 44 | | | 3.0 |
| 165151 | 239 | | | | 2.5 |
| 165152 | 127 | | | | 2.5 |
| 165153 | 44 | | | | 2.5 |
| 165154 | 32 | | | | 4.0 |
| 165155 | 23 | | | | 5.5 |
| 165156 | 65 | | | | 4.5 |
| 165157 | 1202 | | 1 05 | | 0.2 |
| 165158 | 1302 | | 1.25 | | 2.0 |
| 165159 | 142 | | 1.14 | | 2.5 |
| 165161 | 293 | | | 1 32 | 2.5 |
| 165162 | 56 | | | 1.52 | 3.0 |
| 165163 | 98 | | | | 2,5 |
| 165164 | 151 | | | 2,99 | 2.0 |
| 165165 | 135 | | | | 7.0 |
| 165166 | 1039 | | | | 0.1 |
| 165167 | 55 | 000 | | | 3.0 |
| 165168 | 864 | 926 | | | 4.0 |
| 165169 | 263 | | | | 4.0 |
| 165170 | 3/1 | | | | 3.5 |
| *ME-3 | 2098 | | 0 191 | 0 88 | |
| *BLANK | <1 | | <0.001 | <0.01 | |
| | | | | | |

Certified by___



Quality Assaying for over 35 Years

Geochemical Analysis Certificate

Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

0S-0020-RG3

Company: Skyline Gold Corp. Project: Bronson Attn: Arnd Burgert

Jun-18-10

We hereby certify the following geochemical analysis of 10 core samples submitted Jun-12-10

| SampleANamepp | u Au-Check Sample-wt b ppb Kg | |
|---|---|--|
| 1651716516517223165173171651741516517519 | 9 616 5.0 0 4.5 1 5.5 5 5.0 4 4.0 | |
| 165176 18 165177 21 165178 107 165179 14 165180 12 *0211 227 *BLANK < | 8 7.0 4 4.0 6 2.5 5 3.5 0 3.0 4 1 | |

Au 50g F.A. AA finish

Certified by _____



DIAMOND DRILL HOLE LOG

| HOLE: | SK10-03 | CONTRACTOR: Driftwood Diamond Drilling Ltd. | | | | | | | |
|---|---|---|------------------|--|--|--|--|--|--|
| COLLAR COORDINAT Easting: Northing: | ES UTM (NAD 83): 373542 6280824.9 | DATE STARTED: 03-Jun-10 | | | | | | | |
| COLLAR COORDINAT Northing: Easting: | ES MINE GRID: 11677 27368 | DATE COMPLETED: 05-Jun-10 | | | | | | | |
| COLLAR ELEVATION: | 649m | CORE SIZE: NQ | | | | | | | |
| FINAL DEPTH: | 204m | RIG: SF | S 3000 Hydraulic | | | | | | |
| SURVEYS: | | | | | | | | | |
| Depth | Azimuth | Inclination | Method | | | | | | |
| 0 | 108.0 | -45.0 compass, clinometer | | | | | | | |
| 96 | 100.7 | -48.4 | Reflex | | | | | | |
| 201 | 103.1 | -52.7 | Reflex | | | | | | |

Page: 2 of 14 pages



| From | То | | | From | То | Interval | Au | Ag | | |
|-------|--------------|---|------------|-------|-------|----------|------|------|--------|--------|
| (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | Cu ppm | Zn ppm |
| 0.00 | 6.00 | casing | | | | | | | | |
| 6.00 | 15.00 | FELDSPATHIC GREYWACKE | 165266 | 6.46 | 7.50 | 1.04 | 0.22 | 9.6 | 418 | 700 |
| | Grey mottle | ed with light pink, white and grey-green feldspathic | 165267 | 7.50 | 8.50 | 1.00 | 0.07 | 3.0 | 143 | 457 |
| | greywacke. | Grain size ranging from mudstone to siltstone to | 165268 | 8.50 | 9.50 | 1.00 | 0.55 | 21.9 | 298 | 6414 |
| | sandstone. | 1 to 20 disseminated and in sulphide stringers Py. | 165269 | 9.50 | 10.50 | 1.00 | 0.04 | 3.1 | 229 | 451 |
| | Spotty and | local trace to 0.5% ~ 2mm Sph associated with Py-Qtz- | 165270 | 10.50 | 11.50 | 1.00 | 0.02 | 1.3 | 66 | 1930 |
| | Dol-Cal hyd | rothermal injection (HI). moderate-intense patchy | 165271 | 11.50 | 12.50 | 1.00 | 0.02 | 1.4 | 120 | 4933 |
| | pods of fair | nt pink-grey Kspar, white plag+qtz along with | 165272 | 12.50 | 13.50 | 1.00 | 0.02 | 1.2 | 168 | 4728 |
| | disseminate | ed Chl gives this unit the mottled look. 25-50 TCA 1- | 165273 | 13.50 | 14.50 | 1.00 | 0.01 | 1.2 | 107 | 2527 |
| | 2% Qtz strir | ngers. | 165274 | 14.50 | 15.00 | 0.50 | 0.02 | 1.8 | 157 | 2619 |
| | @ 9.00 is 2 | 0 TCA \sim 60 mm wide with 80% blebby Py with 1-2% \sim | | | | | | | | |
| | 2mm spott | y Sph, 15% Qtz and the rest wall rock hydrothermal | | | | | | | | |
| | injection (H | I). | | | | | | | | |
| | @6.22 m is | s a intensely limonitized fracture surface with | | | | | | | | |
| | abundant d | isseminate Py proximal to this 40 TCA fracture surface | | | | | | | | |
| | with < 0.5 r | nm limonite stain. | | | | | | | | |
| | @ 9.41 m i | s a 45 TCA fault with slickensides, stepping surface | | | | | | | | |
| | with minor | qtz on fracture surface. | | | | | | | | |
| | @ 9.60 m i | s a 30 TCA hydrothermal injection 10 mm wide with | | | | | | | | |
| | 40% blebby | coarse grained (~ 1 mm) with 60% qtz. | | | | | | | | |
| | From 9.75 t | to 9.97 is a shear zone with average 5 mm offsets that | | | | | | | | |
| | are 4- 25 m | m apart (avg = ~ 8-10 mm). Also, below the offsets | | | | | | | | |
| | there are te | ension gashes finfilled with feldspars (likely plag). | | | | | | | | |
| | | | | | | | | | | |
| 15.00 | 63.90 | LITHIC GREYWACKE | 165275 | 15.00 | 15.85 | 0.85 | 0.24 | 13.4 | 284 | 6659 |
| | Medium gr | ey lithic greywacke mostly of siltstone grain size with | 165276 | 15.85 | 17.65 | 1.80 | 0.13 | 3.1 | 194 | 3232 |
| | occasional | sandstone (mostly highlighted by the mottled | 165277 | 17.65 | 18.75 | 1.10 | 0.2 | 7.5 | 446 | 4946 |
| | texture).1-2 | 2% hairline to 3 mm qtz stringers with an average of | 165278 | 18.75 | 20.00 | 1.25 | 0.04 | 20.6 | 826 | 9998 |
| | 40 TCA. 0.5 | to 10% Py with less frequent Py hydrothermal | 165279 | 20.00 | 21.00 | 1.00 | 0.03 | 2.8 | 129 | 1784 |
| | injections (| HI) and less disseminated Py with spotty <1% blebby | 165280 | 20.00 | 21.00 | DUP | 0.03 | 2.8 | 141 | 2477 |
| | Sph associa | ted with the (HI) also with less Sph disseminations | 165281 | 21.00 | 22.03 | 1.03 | 0.01 | 2.1 | 79 | 2158 |
| | found here | | 165282 | 22.03 | 23.03 | 1.00 | 0.03 | 2.1 | 82 | 1331 |

Page: 3 of 14 pages



| From | То | | From | То | Interval | Au | Ag | | |
|------|---|------------|--------|--------|----------|-------|-------|--------|--------|
| (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | Cu ppm | Zn ppm |
| | @ 17.8 m is a HI with 20 TCA with 30 mm. A few suspect (trace | 165283 | 23.03 | 24.29 | 1.26 | 0.02 | 2.5 | 154 | 2320 |
| | amounts of) (doubtful) Au flecs found here. Along with patches | 165284 | 24.29 | 25.72 | 1.43 | 0.08 | 1.7 | 118 | 1835 |
| | of ~20% Py disseminations with 1-@% Sph blebs. | 165285 | 25.72 | 27.00 | 1.28 | 0.07 | 4.4 | 371 | 1555 |
| | | 165286 | STD 12 | STD 12 | STD 12 | 0.27 | 2.5 | 2408 | 295 |
| | | 165287 | 27.00 | 28.00 | 1.00 | 0.03 | 1.3 | 85 | 654 |
| | From 21.8 to 22.3 is a bedding plane with sharp contacts with | 165288 | 28.00 | 29.00 | 1.00 | 0.03 | 1.5 | 107 | 408 |
| | UCA = 20 and LCA = 20. The beds are of siltstone and mudstone. | 165289 | BLANK | BLANK | BLANK | <0.01 | <0.2 | 2 | 20 |
| | @ 18.44 to 18.71 is HI with the Py having a 30 TCA bearing | 165290 | 29.00 | 31.00 | 2.00 | 0.05 | 1.5 | 120 | 281 |
| | disseminated stringer within this HI. Sph = 1-2%, Chl blebs and | 165291 | 31.00 | 33.00 | 2.00 | 0.05 | 1.7 | 183 | 1372 |
| | filling interstices = ~10 %, the remaining comprising qtz, | 165292 | 33.00 | 34.55 | 1.55 | 1.16 | 37.8 | 542 | 81000 |
| | feldspars, and wall rock. | 165293 | 34.55 | 36.00 | 1.45 | 0.08 | 12.4 | 445 | 12200 |
| | @ 24.04 to24.32 is a HI with 40 UCA and 50 LCA with ~8% | 165294 | 36.00 | 36.80 | 0.80 | 0.03 | 4.1 | 139 | 5759 |
| | dissem Py, ~12%Qtz, and minor Biotite altering to Chl (3-4%) wit | n 165295 | 36.80 | 38.00 | 1.20 | 0.05 | 4.2 | 294 | 1883 |
| | the remainding as wall rock | 165296 | 38.00 | 39.00 | 1.00 | 0.04 | 1.8 | 287 | 366 |
| | @ 25.76m to 29.75 m is a lithic wacke with the biotite altering t | 165297 | 39.00 | 40.30 | 1.30 | 0.18 | 3.1 | 342 | 436 |
| | chlorite. Interbedded biotite, chlorite, qtz, Kspar, plag, +/- Py | 165298 | 40.30 | 41.27 | 0.97 | 1.02 | 10.6 | 516 | 774 |
| | form a well defined bedding. See below for measurements. | 165299 | 41.27 | 42.00 | 0.73 | 0.17 | 3.7 | 299 | 1256 |
| | | 165300 | 42.00 | 43.00 | 1.00 | 0.07 | 2.5 | 346 | 612 |
| | @ 25.81 m bedding is 15 TCA with interbedded sandstone and | 165301 | 43.00 | 44.00 | 1.00 | 0.05 | 2.4 | 265 | 370 |
| | siltstone with Qtz and Py stringers inbetween | 165302 | 44.00 | 45.00 | 1.00 | 0.08 | 1.8 | 285 | 518 |
| | @ 27.75 to28.47 m is interbedded siltstone, and sandstone (wit | n 165303 | 45.00 | 46.00 | 1.00 | 0.2 | 2.3 | 330 | 238 |
| | Bio, kspar, plag and minor Py) present here with 15 TCA. | 165304 | 46.00 | 47.00 | 1.00 | 0.22 | 6.7 | 505 | 1044 |
| | | 165305 | 47.00 | 48.87 | 1.87 | 0.1 | 3.7 | 690 | 829 |
| | @ 26.68 m is fault with oxidized gouge. 25 TCA curviplanar, | 165306 | 48.87 | 50.00 | 1.13 | 0.13 | 3.6 | 513 | 865 |
| | smooth with , 1 mm oxidized gouge. | 165307 | 50.00 | 51.00 | 1.00 | 0.04 | 1.9 | 246 | 225 |
| | @ 26.93 is a fault with an oxidized gouge film 55 TCA. | 165308 | 51.00 | 52.23 | 1.23 | 0.02 | 1.9 | 200 | 300 |
| | Curviplanar, smooth. | 165309 | 52.23 | 53.33 | 1.10 | 0.12 | 5.3 | 268 | 1299 |
| | @ 29.29 is a fault 40 TCA with 1 mm fault gouge breccia weakly | 165310 | 53.33 | 54.37 | 1.04 | 1.91 | 53.0 | 866 | 6838 |
| | limonitized planar smooth. | 165311 | 54.37 | 55.54 | 1.17 | 6.01 | 145.0 | 3359 | 9197 |
| | @ 31.00 to 31.25 m is a HI with Bio, ChI, Py (7-8%), minor Qtz. 1 | 5 165312 | 55.54 | 56.55 | 1.01 | 0.23 | 12.3 | 857 | 2207 |
| | TCA. | 165313 | 56.55 | 57.57 | 1.02 | 0.09 | 4.0 | 665 | 637 |
| | @ 30.24 to 30.60 is a darker grey siltstone with a LCA of 60 and | 165314 | 57.57 | 58.56 | 0.99 | 0.09 | 3.1 | 303 | 351 |

Page: 4 of 14 pages



| From | То | | | From | То | Interval | Au | Ag | GOLD | |
|------|--------------|--|------------|-------|-------|----------|-------|------|--------|--------|
| (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | Cu ppm | Zn ppm |
| | UCA of 20. | Minor, 1% qtz ~ 1 mm wide, 45 TCA stringers present. | 165315 | 58.56 | 59.66 | 1.10 | 0.22 | 6.4 | 631 | 275 |
| | | | 165316 | 59.66 | 60.87 | 1.21 | 1.09 | 42.8 | 1825 | 11500 |
| | @32.56 to | o 32.76 is an HI with UCA of 20 TCA | 165317 | 60.87 | 61.88 | 1.01 | 0.18 | 4.5 | 425 | 318 |
| | @ 32.8 m | is a fault. 15 TCA with slickensides and ~ 1 mm | 165318 | 61.88 | 62.88 | 1.00 | 10.47 | 37.2 | 814 | 282 |
| | oxidized ar | nd non-oxidized fault gouge. Trace Py. | 165319 | 62.88 | 64.45 | 1.57 | 0.13 | 10.1 | 277 | 8952 |
| | @ 34.55 t | o 34.68 m is a vein with UCA of 30 and LCA of 50. | | | | | | | | |
| | Bearing 10 | -15% blebby stringer Sph concordant with the vein | | | | | | | | |
| | angle and 2 | 2-3% Gal (?) and ~0.5% disseminated Py with stronger | | | | | | | | |
| | Py stringer | rs on the periphery. The identity of the silver sulphide | | | | | | | | |
| | is uncertai | n but is labeled as Galena here. | | | | | | | | |
| | | | | | | | | | | |
| | @ 37.55 t | o 38.53 is a light purple-pink Kspar enriched interval | | | | | | | | |
| | with disser | minated biotite. Weak spotty chloritic alteration. 6-8% | | | | | | | | |
| | dissem&st | ringer Py. Qtz veinlet in the middle of this interval | | | | | | | | |
| | likely prov | ided the alteration fluid. Note: higher Qtz stringers | | | | | | | | |
| | here, 4-5% | ,). | | | | | | | | |
| | @ 37.94 t | o 38.05 is UCA = 45, LCA = 60 Qtz veinlet with 2-3% | | | | | | | | |
| | stringer lik | e Sph, 6-8% blebby Chl, 3-4% blebby Py, 2-3% Bio. | | | | | | | | |
| | @35.69 - 3 | 35.79 is a fault with broken up core and up to 3 mm | | | | | | | | |
| | fault gouge | e breccia. LCA is 35 TCA polished surface. UCA is 40 | | | | | | | | |
| | with a film | of gouge, slightly limonitized. | | | | | | | | |
| | @ 40.3 to | 41.27 m is a hydrothermal breccia with feldspars and | | | | | | | | |
| | disseminat | ted and stringer Py convoluted with some remnants of | | | | | | | | |
| | the wall ro | ock still present near the upper core. Py amount begins | | | | | | | | |
| | to taper do | own downcore (30-40%) | | | | | | | | |
| | @ 44.55 is | s relict bedding with an angle of 20 TCA with feldspar | | | | | | | | |
| | flooding in | between the bedding planes? | | | | | | | | |
| | @ 46.4 to | 63.90 is attaining a light pink/purple hue likely due to | | | | | | | | |
| | a higher pr | resence of Kspar. Hence more of a feldspathic | | | | | | | | |
| | greywacke | · · · | | | | | | | | |
| | @ 48.87 t | o 52.6 is becoming quite coarse grained. A lithic | | | | | | | | |

Page: 5 of 14 pages



Page: 6 of 14 pages



| | | | | | | | | UULU | CONFUNATION |
|-------|--|------------|-------|-------|----------|-------|------|--------|-------------|
| From | То | | From | То | Interval | Au | Ag | | |
| (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | Cu ppm | Zn ppm |
| | of this HI (<1% of interval), Cal, Dol, Qtz with Cal focussed | | | | | | | | |
| | @ 67.36 to 68.79 m is a semi-massive to massive Py interval | | | | | | | | |
| | with Py veins with shallow core angles. Sphal on the periphery of | | | | | | | | |
| | the Py pods. Dol, Cal, Felds with minor Qtz. | | | | | | | | |
| | @68.79 to 70.20 is transitioning into a more of a lithic wacke. | | | | | | | | |
| | Still has quite high Py disseminations and stringers. Semi-massive | | | | | | | | |
| | at parts but~20% Py. Biotite on the periphery of some Py | | | | | | | | |
| | patches. Sparse qtz stringers. | | | | | | | | |
| | @ 70.20 is a 50 TCA fault with 20 mm fault gouge breccia with ~ | | | | | | | | |
| | 60 mm of broken up core below the gouge. | | | | | | | | |
| 70.30 | 95.04 VARIABLY CHLORITIZED GREYWACKE | 165327 | 70.20 | 72.00 | 1.80 | 0.21 | 13.6 | 488 | 15400 |
| | Medium grey-green variably pervasively moderately chloritized | 165328 | 72.00 | 74.00 | 2.00 | 0.11 | 2.6 | 152 | 1850 |
| | greywacke with silt to sandstone size grains. <1% qtz stringers | 165329 | 74.00 | 75.25 | 1.25 | 0.15 | 3.7 | 374 | 958 |
| | with infrequent 1-2 mm wide. Spotty weak-moderate biotite | 165330 | 74.00 | 75.25 | DUP | 0.13 | 3.2 | 324 | 1188 |
| | alteration. 0.5% to 10% with an average of 1% with locally high | 165331 | 75.25 | 76.25 | 1.00 | 0.23 | 8.8 | 750 | 17300 |
| | Py presence where wide Py stringers are present. Mostly | 165332 | 76.25 | 76.46 | 0.21 | 3.05 | 36.8 | 3638 | 2483 |
| | disseminated Py. Very local Sph (See below). Only local wide Py | 165333 | 76.46 | 77.50 | 1.04 | 0.13 | 4.7 | 391 | 601 |
| | stringers. | 165334 | 77.50 | 78.40 | 0.90 | 0.98 | 20.9 | 2645 | 432 |
| | @ 72.45 is a 10 TCA fault up to 6 mm clay fault gouge breccia | 165335 | 78.40 | 78.90 | 0.50 | 1.74 | 36.6 | 5083 | 733 |
| | with spotty weak limonite, finely disseminated Py and weak Chl. | 165336 | 78.90 | 79.80 | 0.90 | 0.2 | 7.8 | 1122 | 408 |
| | | 165337 | 79.80 | 81.00 | 1.20 | 0.17 | 7.5 | 1040 | 905 |
| | 71.77 is a 10 TCA fault with slickensides not much gouge | 165338 | 81.00 | 82.00 | 1.00 | 0.1 | 3.6 | 598 | 175 |
| | though. | 165339 | BLANK | BLANK | BLANK | <0.01 | <0.2 | 5 | 25 |
| | @ 75.25 to 76.46 m is an interval with more frequent wide Py | 165340 | 82.00 | 83.44 | 1.44 | 0.03 | 1.5 | 264 | 181 |
| | stringers also with local Sph producing a halo like feature around | 165341 | 83.44 | 85.02 | 1.58 | 0.05 | 1.9 | 245 | 166 |
| | the wall rock+Py (found at 75.77) | 165342 | 85.02 | 87.00 | 1.98 | 0.11 | 6.0 | 907 | 351 |
| | @ 76.26 is a fault with limonitized gouge a thin film of it. 50 TCA. | 165343 | 87.00 | 88.70 | 1.70 | 0.05 | 2.7 | 297 | 990 |
| | | 165344 | 88.70 | 89.32 | 0.62 | 1.16 | 26.8 | 1012 | 16000 |
| | @ 76.08 is a fault with Fe-oxidized fault gouge. 40 TCA with | 165345 | 89.32 | 91.00 | 1.68 | 0.06 | 4.7 | 165 | 1728 |
| | dissem. Py. | 165346 | 91.00 | 93.00 | 2.00 | 0.01 | 0.2 | 28 | 210 |
| 1 | @ 78.23 is a 6 mm discontinuous 80TCA Sph stringer. | 165347 | 93.00 | 95.04 | 2.04 | 0.02 | 0.3 | 53 | 210 |

Page: 7 of 14 pages



| | | | | | | | | | UOLD | CONFUNATION |
|-------|---|------------------------|------------|--------|--------|----------|-------|------|--------|-------------|
| From | То | | | From | То | Interval | Au | Ag | | |
| (m) | (m) Descriptio | n | Sample No. | (m) | (m) | (m) | g/t | g/t | Cu ppm | Zn ppm |
| | 75 TCA bedding from 78.15 to 78.45m wth | bands of biotite and | | | | | | | | |
| | feldspars. | | | | | | | | | |
| | @ 78.55 there is a 20 mm 20 TCA Py+Cpy+D | ol+Cal+Qtz HI | | | | | | | | |
| | @80.52 is 60 TCA bedding. | | | | | | | | | |
| | 30TCA fault with 2mm fault gouge at 82.87r | n | | | | | | | | |
| | 81.29 is a 50 TCA bedding plane | | | | | | | | | |
| | @ 84.73 is curviplanar surface fault with coa | arse fault gouge. | | | | | | | | |
| | @ 85.02 to 95.04 is a grainy coarse-grained, | hence lithic | | | | | | | | |
| | sandstone with biotite, qtz, and feldspars. N | ow with Calcite | | | | | | | | |
| | stringers instead of qtz (1-3% hairline to up t | o 12 mm wide, | | | | | | | | |
| | mostly 1-2 mm). 0.5 to 1% disseminated Py | with occasional wide | | | | | | | | |
| | Py+ Sph Hls. | | | | | | | | | |
| | @ 85.38 is a bedding plane 60 TCA. | | | | | | | | | |
| | @ 88.7 m is a 5 TCA Py+Sph+Cpy+Gal 10 to 2 | 15 mm wide. (Py = | | | | | | | | |
| | 55%, Sph=20%, Cal = 15%, Qtz = 5%, Gal= 2-3 | 3%, Cpy= 1-2% | | | | | | | | |
| | @ 93m is 30 TCA polished, smooth, slickens | ided and planar fault. | | | | | | | | |
| 95.04 | 107.52 FELDSPATHIC GREYWACKE | | 165348 | 95.04 | 96.00 | 0.96 | 0.01 | <0.2 | 18 | 193 |
| | Pale brown-pink feldspathic greywacke perv | asively disseminated | 165349 | 96.00 | 97.00 | 1.00 | 0.01 | <0.2 | <1 | 198 |
| | with < 1mm biotite flecs. Noticeably less HI | than previous unit. | 165350 | 97.00 | 98.00 | 1.00 | 0.01 | 0.2 | 24 | 184 |
| | No longer chloritized. 1-2% disseminated Py | with some local | 165351 | 98.00 | 100.09 | 2.09 | 0.29 | 3.3 | 223 | 218 |
| | stringers. Now dominantly Qtz stringers (1-2 | %) with local Calcite | 165352 | BLANK | BLANK | BLANK | <0.01 | <0.2 | <1 | 8 |
| | stringers. | | 165353 | 100.09 | 101.00 | 0.91 | 0.17 | 3.2 | 330 | 393 |
| | @ 96.59 is a 65 TCA slickensided fault. | | 165354 | 101.00 | 102.00 | 1.00 | 0.14 | 3.1 | 259 | 217 |
| | @ 97.54 is a slickensided fault with 45 TCA | | 165355 | 102.00 | 103.00 | 1.00 | 0.04 | 1.0 | 107 | 71 |
| | @ 99.37m to 100.09 is a 5 mm wide Py strin | ger near parallel TCA | 165356 | 103.00 | 104.00 | 1.00 | 0.03 | 1.2 | 128 | 127 |
| | some minor Qtz associated with this stringer | | 165357 | 104.00 | 105.00 | 1.00 | 0.07 | 3.4 | 185 | 403 |
| | @ 101.54 and 101.86 are shears both fractu | re surfaced polished | 165358 | 105.00 | 106.00 | 1.00 | 0.12 | 4.1 | 343 | 292 |
| | smoothly, 40 and 60 TCA ,respectively. | | 165359 | 106.00 | 107.10 | 1.10 | 0.32 | 9.4 | 777 | 610 |
| | @ 101.00 to 101.40 is an interval with highe | er Py % (10-15%) as | | | | | | | | |
| | wide Py stringers. | | | | | | | | | |

Page: 8 of 14 pages



| From | То | | From | То | Interval | Au | Ag | | |
|--------|--|------------|--------|--------|----------|-------|-----|--------|--------|
| (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | Cu ppm | Zn ppm |
| | @ 102.03 is a fault with 20 TCA 15 mm fault gouge. | | | | | | | | |
| | @ 104.65 is a 45 mm wide 20 TCA Qtz with some trace | | | | | | | | |
| | carbonate with trace - 0.5% disseminated Py. | | | | | | | | |
| | @ 104.88 Py stringer 5-10 mm wide, 40 TCA (but in opposite | | | | | | | | |
| | direction as previous qtz vein. | | | | | | | | |
| | @ 105.75 m 35 TCA 25 mm wide with Calcite, disseminated Py, | | | | | | | | |
| | trace Ga, trace Cpy, trace Sph. | | | | | | | | |
| | @ 106.91 to 107.1 is a HI with massive Py (60%), 50 TCA with | | | | | | | | |
| | calcite, biotite, trace Chl. | | | | | | | | |
| 107.52 | 125.91 FELDSPATHIC GREYWACKE | 165360 | 107.10 | 108.00 | 0.90 | 0.06 | 1.4 | 118 | 148 |
| | Very pale grey with intervals of purple (biotic alteration) | 165361 | 108.00 | 110.00 | 2.00 | 0.02 | 0.9 | 86 | 138 |
| | feldspathic greywacke intermittently and pervasively moderately | 165362 | 110.00 | 112.00 | 2.00 | 0.03 | 0.8 | 88 | 75 |
| | biotitic alteration.2-3% stringers of which are dominantly calcite | 165363 | 112.00 | 114.00 | 2.00 | 0.03 | 1.1 | 126 | 72 |
| | with some occasional qtz. Blebby and disseminated Py 1-2% and | 165364 | 114.00 | 116.00 | 2.00 | 0.02 | 1.1 | 153 | 141 |
| | locally abundant. Trace Sph, Gal, and Cpy where noted. | 165365 | 116.00 | 118.00 | 2.00 | 0.03 | 1.0 | 123 | 84 |
| | | 165366 | 118.00 | 120.00 | 2.00 | 0.03 | 1.2 | 113 | 91 |
| | @ 110.75 and 111 are cavities formed likely formed due to the | 165367 | 120.00 | 122.00 | 2.00 | 0.02 | 1.3 | 125 | 119 |
| | calcite dissolving. | 165368 | 122.00 | 124.00 | 2.00 | 0.02 | 1.1 | 135 | 48 |
| | @ 113.7 is 35 TCA bedding of plag and Kspar alteration which | 165369 | 124.00 | 126.00 | 2.00 | 0.02 | 1.1 | 69 | 78 |
| | continues for about 200 mm. Also, a Py stringer present proximal | | | | | | | | |
| | to this bedding. | | | | | | | | |
| | @ 116.73 m is a 35 TCA fault with < 0.5 mm fault gouge, planar, | | | | | | | | |
| | smooth. | | | | | | | | |
| | @ 120.38 is another cavity formed due to dissolved calcite. | | | | | | | | |
| | @ 121.44 is bedding 25 TCA. The wall rock's matrix effervesces | | | | | | | | |
| | pervasively moderately. | | | | | | | | |
| 125.91 | 128.12 MUDSTONE | 165370 | 126.00 | 128.00 | 2.00 | <0.01 | 0.7 | 11 | 294 |
| | White-very pale grey mudstone with 1-2% calcite stringers | 165371 | STD 12 | STD 12 | STD 12 | 0.26 | 2.9 | 2814 | 308 |
| | commonly 45 TCA. Local trace disseminated Py. | | | | | | | | |
| 128.12 | 130.00 FELDSPATHIC GREYWAKE HYDROTHERMALLY | 165372 | 128.00 | 129.00 | 1.00 | 1.55 | 7.3 | 136 | 3965 |
| | BRECCIATED | 165373 | 129.00 | 130.00 | 1.00 | 0.22 | 9.2 | 412 | 5110 |
| | Light grey-blue feldspathic greywacke hydrothermally brecciated | | | | | | | | 1 |

Page: 9 of 14 pages



| | | | | | | | | UOLD | CONFUNATION |
|--------|--|------------|---------|---------|----------|------|------------|--------|-------------|
| From | То | | From | То | Interval | Au | Ag | | |
| (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | Cu ppm | Zn ppm |
| | by dolomitic and calcitic fluids. Brecciation is visible at multiple | | | | | | | | |
| | points. Mainly Py within brecciation (3-4%) and rare Sph | | | | | | | | |
| | stringers in and out of brecciation (<0.5%) Dolomite/Calcite = 8- | | | | | | | | |
| | 10% Note: 29.08 to 29.64 is relatively competent and not | | | | | | | | |
| | brecciated | | | | | | | | |
| 130.00 | 130.55 FELDSPATHIC GREYWACKE | 165374 | 130.00 | 131.00 | 1.00 | 0.15 | 9.6 | 235 | 9506 |
| | This unit was unaffected by the brecciation. (Possibly due to a | | | | | | | | |
| | different cement type during diagenesis provided more | | | | | | | | |
| | resistance from brecciation)(or fluids simply preferentially | | | | | | | | |
| | penentrated those areas.) Also, note that the matrix in the non- | | | | | | | | |
| | brecciated areas are non-calcareous, where as in the brecciated | | | | | | | | |
| | intervals effervesces with HCl. 5-7% disseminated and stringer | | | | | | | | |
| | Py. | | | | | | | | |
| 130.55 | 132.52 FELDSPATHIC GREYWAKE | 165375 | 131.00 | 132.00 | 1.00 | 0.36 | 18.3 | 549 | 30400 |
| | This unit has abundant HI mostly low angles TCA (See below for | | | | | | | | |
| | details). Py in HI as stringers and disseminations ~ 8-10% and 4- | | | | | | | | |
| | 5% patchy Sph in HI. | | | | | | | | |
| | @ 131.88 is bedding at 45 TCA. | | | | | | | | |
| | @ 130.55 is an HI upper contact 15 TCA. Lower is obsecure | | | | | | | | |
| | @ 132.52 is HI Upper contact near parallel TCA i.e. 0 | | | | | | | | |
| | @ 133.17 is a HI contact lower contact TCA = 25 | | | | | | | | |
| | @132.52 to 133.17 m is a hydrothermally brecciated feldspathic | | | | | | | | |
| | greywake that has been rebrecciated. Breccia within a breccia is | | | | | | | | |
| | visible at 132.80 m. Sph is minor (<0.5%) but at 132.15 is a HI | | | | | | | | |
| | with 10-12% Sph over a 50 mm interval. Trace - 0.5% | | | | | | | | |
| | disseminated Cpy, 2-3% disseminated and stringer Py. | | | | | | | | |
| 122 17 | | 165276 | 122.00 | 122.00 | 1.00 | 2 20 | 10 5 | 221 | 0170 |
| 155.17 | 150.5 FELDSPATHIC GRETWACKE | 165277 | 132.00 | 124.00 | 1.00 | 2.59 | 10.5 | 247 | 2650 |
| | and mudstone (longer intervals noted) with verying decrease of | 165377 | 124.00 | 1254.00 | 1.00 | 0.52 | 5.5 6 4 | 106 | 2050 |
| | biotitic alteration (of the foldenare most of it is either ariginal | 165270 | 1254.00 | 136.00 | 1.00 | 0.48 | 0.4 | 190 | 2959 |
| | Kener or is an alteration product residu mederate interretite at | 165300 | 135.00 | 130.00 | 1.00 | 0.07 | 5.3 | 234 | 12200 |
| I | Inspar or is an alteration product mainly moderate intermittent | U85COT | 132.00 | 130.00 | | 0.12 | ×./ | I 318 | 12200 |

Page: 10 of 14 pages



| From | То | | | From | То | Interval | Au | Ag | | |
|------|---|-------------------------|------------|--------|--------|----------|------|------|--------|--------|
| (m) | (m) Description | า | Sample No. | (m) | (m) | (m) | g/t | g/t | Cu ppm | Zn ppm |
| | pervasive. Disseminated and periodic stringe | r Py ranging from | 165381 | 136.00 | 137.00 | 1.00 | 0.08 | 2.3 | 130 | 630 |
| | 1% to locally 10%. General bedding angle is 2 | 0 to 70 TCA. See | 165382 | 137.00 | 138.05 | 1.05 | 0.14 | 1.9 | 219 | 113 |
| | below for more specifics. stringers and veining | ng follow this general | 165383 | 138.05 | 139.00 | 0.95 | 0.03 | 1.8 | 104 | 532 |
| | trend as well. | | 165384 | 139.00 | 140.00 | 1.00 | 0.15 | 11.4 | 208 | 5722 |
| | | | 165385 | 140.00 | 141.00 | 1.00 | 0.1 | 3.6 | 198 | 356 |
| | @ 133.91 to 134.45 m - siltstone to mudstor | ne unit, 45 TCA | 165386 | 141.00 | 142.00 | 1.00 | 0.11 | 5.2 | 181 | 16700 |
| | relatively free of biotitic alteration. | | 165387 | 142.00 | 144.00 | 2.00 | 0.57 | 51.6 | 336 | 73800 |
| | @ 134.45 to 134.93 m - HI with 40% semi-m | assive Py moderate | 165388 | 144.00 | 145.00 | 1.00 | 0.04 | 1.3 | 144 | 444 |
| | to intensely biotite, spotty weak chlorite. HI | is 0-5 TCA. Trace | 165389 | 145.00 | 146.00 | 1.00 | 0.18 | 1.0 | 107 | 185 |
| | Sph on periphery of Py vein. | | 165390 | 146.00 | 146.88 | 0.88 | 0.05 | 1.4 | 176 | 719 |
| | @ 138.88 is 20 TCA 25 to 30 mm milky white | e qtz vein with | 165391 | 146.88 | 147.30 | 0.42 | 1.74 | 30.9 | 1230 | 29100 |
| | interstitial minor calcite. | | 165392 | 147.30 | 148.00 | 0.70 | 0.15 | 1.6 | 143 | 646 |
| | ! 138.49 to 138.75 - siltstone-mudstone UC | A - 55 TCA, LCA - 55. | 165393 | 148.00 | 149.00 | 1.00 | 0.06 | 2.0 | 125 | 1325 |
| | Relatively biotite free, disseminated Py ~1%. | | 165394 | 149.00 | 150.00 | 1.00 | 0.09 | 3.1 | 130 | 2825 |
| | @ 141.30 is 30 TCA bedding plane highlighed | d by biotite and | 165395 | 150.00 | 151.00 | 1.00 | 0.18 | 11.3 | 255 | 15400 |
| | feldspathic greywacke. | | 165396 | 151.00 | 152.00 | 1.00 | 0.04 | 1.4 | 90 | 782 |
| | @ 141.52 is a 60 TCA 30 mm wide Py veinlet | | 165397 | 152.00 | 153.00 | 1.00 | 0.09 | 1.4 | 158 | 156 |
| | @ 142.58 to 142.87 is a HI with 50 TCA Py-S | oh (with Sph on | 165398 | 153.00 | 154.00 | 1.00 | 0.12 | 2.9 | 95 | 2011 |
| | upper core interval) Sph = 8 mm wide stringe | er, Py = 10-15%. 2 | 165399 | 154.00 | 155.00 | 1.00 | 0.19 | 1.3 | 139 | 125 |
| | mm wide Sph stringer parallel TCA cross-cuts | Py. | 165400 | 155.00 | 156.00 | 1.00 | 0.08 | 1.7 | 95 | 774 |
| | @143.66 to 143.8 is a Sph veinlet (with LCA | of 50. UCA is | 165401 | 156.00 | 157.00 | 1.00 | 0.71 | 24.8 | 160 | 18600 |
| | obsecure)i.e. This intersection is massive Sph | with spotty Gal. \sim | | | | | | | | |
| | 30 mm Py injection right proximal downcore | from the Sph vein. | | | | | | | | |
| | Mainly calcite with minor qtz | | | | | | | | | |
| | @ 144.60 m is a 40 TCA, 20 mm wide qtz str | inger with 30% Py | | | | | | | | |
| | with minor Sph on periphery. | | | | | | | | | |
| | @ 144.96 is a 50 TCA 10 mm wide mainly Py | stringer with <10% | | | | | | | | |
| | qtz. | | | | | | | | | |
| | @ 143.61 is a shear 50 TCA, polished, planar | smooth. | | | | | | | | |
| | @ 145.84 is a fault with slickensides 45 TCA | with trace qtz on | | | | | | | | |
| | smooth, planar fracture surface. | | | | | | | | | |
| | @ 146.2 is a 30 TCA shear, polished, smooth | , planar, minor qtz. | | | | | | | | |

Page: 11 of 14 pages



| From | То | | From | То | Interval | Au | Ag | | |
|--------|--|--|--|--|--|--|---|--|--|
| (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | Cu ppm | Zn ppm |
| | 146.88 to 147.2 is a massive Py vein with moderate Sph in the middle of this interval (40 mm true width)+ minor Gal associated wth the Sph.@ UCA = 50, LCA = 30. There is also peripheral Sph on both UC and LC contacts suggesting that this interval is a result of 2 HI with the higher Ga in between the 2 HI. @ 150.81 to 150.98 is a HI with UCA = 35, LCA = 45. ~ 10-15% Sph, 5-10% Py, 40% baby blue-grey qtz, 20% biotite, 10-15% wallrock/feldspar, 3-5% chlorite with peripheral 1% Cpy and 1% Gal. @ 151.74 is a shear 20 TCA polished smooth, planar. @ 152.58 is a 40 TCA 30 mm wide milky white qtz veinlet with ~ 15 % blebby chlorite and trace disseminated Sph. @ 152.93 to 153.03 is a 30 TCA with 10-15% chlorite, and the majority milky white qtz with < 1% Cpy, < 1% Gal and 1-2% Sph. | | | | | | | | |
| 156.50 | 176.78 LITHIC GREYWACKE Near the upper contact of this unit is gradually transitioning into a lithic greywack. From 171.1 m onwards the lithic clasts are more apparent There are noticeably less HI and sulphide bearing veins/stringers when compared to the above unit (feldspathic greywacke). ~1% wider (not average 1 mm like above) average 4-5 mm qtz stringers/veinlets with minor Cal. 0.1 to 3% disseminated sulphides with occassional Py stringers that increase Py content by ~5%. @ 153.36 is a 15 TCA 30 mm wide milky white qtz+dark green chlorite (anite?) 3-5%. @ 153.68 is a 50 mm true width baby blue-grey qtz veinlet with 8-10 magnetite,3-4% chlorite (anite), 1-2% sph, <0.5% Cpy. 45 TCA. | 165402 165403 165404 165405 165406 165407 165408 165409 165410 165411 165412 | 157.00 158.00 159.00 161.00 163.00 165.00 167.00 169.00 171.00 173.00 175.00 | 158.00 159.00 161.00 163.00 165.00 167.00 171.00 173.00 175.00 177.00 | 1.00 1.00 2.00 2.00 2.00 2.00 2.00 2.00 | 2.22 0.1 0.87 0.08 0.05 0.27 0.07 0.2 0.03 0.09 0.86 | 462.9 3.6 3.2 1.6 2.2 3.3 0.3 0.3 <0.2 0.5 14.5 | 314 141 190 123 105 209 64 113 35 86 268 | 9900 1847 107 184 884 217 111 92 166 139 11100 |

Page: 12 of 14 pages



| | | | | | | | | GOLD | CURPURATION |
|--------|--|------------|---------|--------|----------|------|-----|--------|-------------|
| From | То | | From | То | Interval | Au | Ag | | |
| (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | Cu ppm | Zn ppm |
| | @ 156.45 to 156.5 is a intermediate-mafic dyke with 5mm to 50 | | | | | | | | |
| | mm chill margins (average 10 mm). With angular ~ 1 mm | | | | | | | | |
| | calcareous flecs. UCA = 65. LCA is too irregular. | | | | | | | | |
| | @ 156.08 is a HI with 45 TCA 40 mm wide, with magnetite | | | | | | | | |
| | enveloping the Sph+Qtz (25 mm wide Mt upper core section and | | | | | | | | |
| | 20 mm wide Mt on the lower core).2 sequences of ~5-10 mm | | | | | | | | |
| | Sph and \sim 5 mm Qtz are alternating with each other. Total HI | | | | | | | | |
| | width is 70 mm. Trace-0.5% Gal and Cpy, both blebby, 3-5% | | | | | | | | |
| | Py/Pyrrh. | | | | | | | | |
| | @ 157.87 is a 30 TCA 35 to 40 mm veinlet. Qtz- 8-10% Sph, ~ 1% | | | | | | | | |
| | Gal with Py stringer with minor blebby Cpy within adjacent to this | | | | | | | | |
| | veinlet. | | | | | | | | |
| | @ 159 15 TCA slickensided fault fracture surface, planar. | | | | | | | | |
| | @ 162.44 is a 40 TCA 5 to 10 mm Py stringer with trace amounts | | | | | | | | |
| | of Spy on the periphery. Slightly calcareous matrix within the Py | | | | | | | | |
| | stringer. | | | | | | | | |
| | @ 163m is a 30 TCA 30-35 mm opaque white qtz vein | | | | | | | | |
| | @ 165.45 is a 40 TCA 30 mm true width biotite altering to | | | | | | | | |
| | chlorite-Pyrite stringer (ratio between bio&Py is 50:50). Non- | | | | | | | | |
| | magnetic. | | | | | | | | |
| | @ 166.50 m is a discontinuous Py stringer, 50 TCA, 5 to 10 mm | | | | | | | | |
| | wide. Suspect Au flecs, but unlikely. | | | | | | | | |
| | @ 166.54 to 176.78 is a lithic wacke relatively free of Py | | | | | | | | |
| | stringers or mineralized HI. Lithics range from ~ 1 mm to up to | | | | | | | | |
| | 100 mm mostly ranging in the mm scale. Lithic clasts are mostly | | | | | | | | |
| | felsic in composition with angular feldspars forming over the | | | | | | | | |
| | clast and matrix. Core sticks are coherent competent. Pervasive | | | | | | | | |
| | moderate biotitic alteration still exists. | | | | | | | | |
| 176 78 | | 165/13 | 177.00 | 179.00 | 2 00 | 0.11 | 3.2 | 137 | 622 |
| 1/0./8 | light to medium grey feldsnathic greywacke with spotty weak | 16541/ | 179.00 | 181 00 | 2.00 | 0.11 | 2 9 | 1/15 | 2066 |
| | local magnetite natches 3-5% blebby 5-10 mm Pv 8-10% dtz | 103414 | 1, 5.00 | 101.00 | 2.00 | 0.15 | 2.5 | 145 | 2000 |
| | | | | | | | | | |

Page: 13 of 14 pages



| From | То | | | From | То | Interval | Au | Ag | GOLD | |
|--------|---|---|--------------------------------------|--------------------------------------|--------------------------------------|----------------------|------------------------------|---------------------------|------------------------|-------------------------|
| (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | Cu ppm | Zn ppm |
| 180.96 | stringers of which veins a Weak spotty local biotite measured at 179.78 m) V for more details. @176.78 is a 25 UCA qtz 50 mm (~70-80% Py+/- P goethite, magnetite), 10° composition to a near 10° into near parallel TCA an vuggy. @ 178.08 m there is a 1° wide. There is a biotite s @ 178.62m there is a nevein, 10- 15 mm wide. T 178.64m. 186.38 Greywacke Pervasively moderate bio mm qtz-cal stringers. Bio unit. (total including dissed disseminated Py along w Py stringer details. Also, siltstone/mudstone. Bed TCA. @ 181.07 is a 30 TCA Py @ 181.46 35 TCA, 30 mm 10-30 mm wide biotite. @184.24 is a 35 TCA Py stringer of chlorite right mm wide and discontinu @ 185.37 m UCA 60, LCA vein devoid of apparent | and near parallel veinlets increase %. e concordant with bedding (30 TCA /uggy qtz stringers present. See below z vein with massive sulphides for the first Pyrr, 20% FeO (Limonite, hematite, % wall rock). This vein changes 00% milky white qtz vein that transitions d runs till 177.5m) This vein is slightly 0 TCA milky white qtz vein 15-25 mm tringer above this vein ~ 10 mm wide. ear parallel TCA milky white vuggy qtz his vein cross-cuts a Py stringer at e otite with frequent 2-3% hairline to 11 otitic alteration grades in and out of this sem&stringers = 6-8%)3-4% with frequent Py stringers. See below for some sequences of interbedded lding angles measuerd are 20, 40 and 50 f veinlet/stringer 10 to 15 mm wide m wide HI with mostly Py enveloped wth veinlet 25 to 40 mm wide. There is a adjacent and below this Py veinlet. (3-4 ous) A=50 130 mm true width milky white qtz sulphides. | 165415 165416 165417 165418 | 181.00 183.00 184.00 185.00 | 183.00 184.00 185.00 186.38 | 2.00 1.00 1.38 | 1.77 0.07 13.47 0.5 | 6.1 0.7 12.3 3.5 | 165 89 78 100 | 150 111 92 134 |

Page: 14 of 14 pages



| From | То | | | From | То | Interval | Au | Ag | | |
|--------|----------------|---|------------|--------|--------|----------|-------|------|--------|--------|
| (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | Cu ppm | Zn ppm |
| 186.38 | 187.02 | INTERMEDIATE TO MAFIC DYKE | 165419 | 186.38 | 187.02 | 0.64 | 0.01 | <0.2 | 49 | 113 |
| | Dark grey in | termediate to mafic dyke with calcareous spots. UCA | | | | | | | | |
| | = 40 TCA. LC | CA = 30 | | | | | | | | |
| 187.02 | 191.39 | Greywacke | 165420 | 187.02 | 188.35 | 1.33 | 0.58 | 1.6 | 149 | 103 |
| | Weak to mo | derately pervasive biotite and Kspar altered. 0.5 to | 165421 | BLANK | BLANK | BLANK | <0.01 | 1.9 | 1 | 5 |
| | 3% dissemir | nated Py-Pyrr with higher grades more proximal to Py | 165422 | STD 13 | STD 13 | STD 13 | 0.89 | 3.8 | 3107 | 167 |
| | stringers. 1- | 2% calcite stringers. | 165423 | 188.35 | 189.35 | 1.00 | 1.18 | 2.1 | 218 | 89 |
| | @ 188.48 n | n is a 30 TCA 25-30 mm Py-Pyrr stringer with 1-3 mm | 165424 | 189.35 | 190.35 | 1.00 | 0.33 | 0.3 | 139 | 70 |
| | biotite and S | Sph stringers enveloping the Py. Calcite associated | 165425 | 190.35 | 191.39 | 1.04 | 0.25 | 0.9 | 284 | 133 |
| | with it as we | ell. | | | | | | | | |
| | @ 188.77, 3 | 30 TCA 5 mm Py-Pyrr-calcite-biotite stringer. | | | | | | | | |
| 191.39 | 204.00 | LITHIC GREYWACKE | 165426 | 191.39 | 193.00 | 1.61 | 0.06 | <0.2 | 66 | 72 |
| | Intermittent | t pervasive weak-moderately biotite lithic greywacke | 165427 | 193.00 | 195.00 | 2.00 | 0.06 | 0.4 | 86 | 64 |
| | with very fe | w Py stringers ranging from25-40 TCA and 10-15 mm | 165428 | 195.00 | 197.00 | 2.00 | 0.03 | 0.2 | 36 | 53 |
| | wide (only 7 | ' throughout this unit, also more frequent closer to | 165429 | 197.00 | 199.00 | 2.00 | 0.04 | 0.5 | 60 | 53 |
| | fault close to | o EOH). Cal-Qtz (majority is calcite) stringers 0.5-1%. | 165430 | 197.00 | 199.00 | DUP | 0.03 | 0.6 | 72 | 71 |
| | Lithic clast s | izes ranges from a few mm to several cms. | 165431 | 199.00 | 201.00 | 2.00 | 0.01 | 0.8 | 37 | 121 |
| | | | 165432 | 201.00 | 202.50 | 1.50 | 0.01 | 0.2 | 21 | 186 |
| | @ 203.18m | and 55 TCA fault with 3 mm fault gouge breccia | 165433 | 202.50 | 204.00 | 1.50 | 0.19 | 1.0 | 67 | 539 |
| | @ 199.93 n | n is a 2 mm diameter suspect light-medium green | | | | | | | | |
| | serpentinite | e (accessory mineral). | | | | | | | | |
| | 204.00 End | of Hole | | | | | | | | |



Quality Assaying for over 35 Years

Metallic Assay Certificate

0S-0024-RM1

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-13-10

| We hereby certify the following analysis of 18 | core samples |
|--|--------------|
| submitted Jun-21-10 | |

| Sample | Wt Total | Wt +150 | +150 Au | -150 Au | Metallic Au | Net Au |
|--------|----------|---------|---------|---------|-------------|---------|
| Name | g | g | mg | g/tonne | g/tonne | g/tonne |
| 165292 | 859.1 | 50.2 | 0.130 | 1.07 | 0.15 | 1.16 |
| 165298 | 956.8 | 70,5 | 0.090 | 1.00 | 0.09 | 1.02 |
| 165310 | 943.4 | 51.9 | 0.172 | 1.83 | 0.18 | 1.91 |
| 165311 | 965.1 | 71.9 | 0.974 | 5.40 | 1.01 | 6.01 |
| 165316 | 969.5 | 48.5 | 0.058 | 1.08 | 0.06 | 1.09 |
| 165318 | 951.1 | 63.5 | 2.176 | 8.77 | 2.29 | 10.47 |
| 165323 | 945.7 | 70.1 | 0.128 | 2.43 | 0.14 | 2.39 |
| 165324 | 969.9 | 69.4 | 0.192 | 1.75 | 0.20 | 1.82 |
| 165332 | 199.6 | 31.6 | 0.254 | 2.11 | 1.27 | 3.05 |
| 165335 | 944.1 | 64.1 | 0.177 | 1.67 | 0.19 | 1.74 |
| 165344 | 957.1 | 83.6 | 0.221 | 1.02 | 0.23 | 1.16 |
| 165372 | 956.5 | 94.9 | 0.204 | 1.48 | 0.21 | 1.55 |
| 165376 | 927.4 | 61.9 | 0.197 | 2.33 | 0.21 | 2.39 |
| 165391 | 963.9 | 89.9 | 0.441 | 1.42 | 0.46 | 1.74 |
| 165402 | 979.9 | 47.4 | 1.442 | 0.79 | 1.47 | 2.22 |
| 165415 | 980.7 | 54.2 | 0.140 | 1.72 | 0.14 | 1.77 |
| 165417 | 979.6 | 36.4 | 1,308 | 12.60 | 1.34 | 13.47 |
| 165423 | 979.7 | 43.3 | 0.078 | 1.15 | 0.08 | 1.18 |

Fire Assay for Metallic Au analysis

Certified by_



Skyline Gold Corporation

Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0024RJDate: Jul-13-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | Al | As | Ba | Be | Bi | Ca | Cd | Со | Cr | Cu | Fe | Hg | к | La | Mg Mn | Mo Na | Ni | Р | Pb | S | Sb | Sc | Sr | Th | Ti | TI U | v | W | Zn | Zr |
|----------------|------|------|---------|-----|-------|-----|-------|-----|-----|-----|------|------|-----|------|-----|------------|----------|-----|-------|------|------|-------|----|-------|-----|--------|----------------|-----|-------|-------|----|
| Number | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | % | ppm | % ppm | ppm % | ppm | % | ppm | % | ppm p | pm | ppm p | opm | % pp | m ppm | ppm | ppm | ppm p | pm |
| 165266 | 9.6 | 2.28 | 387 | 79 | <0.5 | 19 | 0.53 | 9 | 78 | 97 | 418 | 7 19 | 1 | 0.62 | <10 | 1 96 1598 | 2 0 01 | 00 | 0.083 | 756 | 3 56 | ~5 | 1 | 49 | ~5 | 0.06 / | 0 <10 | 20 | ~10 | 200 | 3 |
| 165267 | 3.0 | 2.06 | 221 | 99 | < 0.5 | 6 | 0.93 | 6 | 25 | 72 | 143 | 5 46 | <1 | 0.74 | <10 | 1 90 2352 | 3 0 01 | 92 | 0.005 | 154 | 2.56 | ~5 | 1 | 85 | ~5 | 0.00 < | | 34 | <10 | 457 | 2 |
| 165268 | 21.9 | 2.37 | 484 | 48 | < 0.5 | 35 | 0.71 | 54 | 25 | 92 | 298 | 9.12 | <1 | 0.68 | <10 | 2 11 2073 | 2 0 01 | 20 | 0.002 | 796 | 4 75 | -5 | 1 | 64 | ~5 | 0.07 < | 10 <10 | 7 | 56 | 6414 | 2 |
| 165269 | 3.1 | 2.00 | 222 | 129 | 0.5 | - 5 | 1.24 | 6 | 16 | 88 | 229 | 5.38 | <1 | 0.92 | <10 | 1 95 2522 | 2 0.01 | 111 | 0.095 | 152 | 2 55 | ~5 | 2 | 130 | ~5 | 0.07 < | 10 <10 | 35 | ~10 | 451 | 2 |
| 165270 | 1.3 | 1.61 | 115 | 118 | < 0.5 | <5 | 1.19 | 16 | 10 | 55 | 66 | 3.27 | <1 | 0.71 | <10 | 1.55 2.522 | 2 0 01 | 84 | 0.057 | 58 | 1 16 | ~5 | 1 | 174 | ~5 | 0.00 < | 10 <10 | 76 | 15 | 1030 | 1 |
| | | | | | | | | | -• | | ••• | 5.2. | | 0171 | | 1.00 2002 | 2 0.01 | 04 | 0.112 | 50 | 1.10 | | - | 124 | | 0.00 < | 10 10 | 20 | 15 | 1950 | - |
| 165271 | 1.4 | 2.15 | 113 | 138 | 0.5 | 8 | 1.19 | 38 | 12 | 66 | 120 | 4.39 | <1 | 0.89 | <10 | 2.06 2034 | 2 0.02 | 84 | 0.126 | 55 | 1.67 | <5 | 2 | 124 | <5 | 0.08 < | l0 <10 | 40 | 40 | 4933 | 2 |
| 165272 | 1.2 | 2.12 | 59 | 125 | 0.7 | 6 | 1.21 | 37 | 9 | 73 | 168 | 3.72 | <1 | 1.06 | <10 | 2.15 2090 | <2 0.02 | 60 | 0.111 | 20 | 1.00 | <5 | 2 | 122 | <5 | 0.11 < | l 0 <10 | 43 | 39 | 4728 | 1 |
| 165273 | 1.2 | 2.20 | 71 | 137 | 0.7 | 5 | 1.29 | 20 | 10 | 65 | 107 | 3.91 | <1 | 1.05 | <10 | 2.18 2191 | 2 0.02 | 71 | 0.100 | 42 | 1.00 | <5 | 2 | 133 | <5 | 0.11 < | l0 <10 | 40 | 20 | 2527 | 1 |
| 165274 | 1.8 | 1.74 | 79 | 111 | <0.5 | 5 | 1.11 | 20 | 12 | 52 | 157 | 3.54 | <1 | 0.72 | <10 | 1.65 1935 | <2 0.01 | 52 | 0.113 | 61 | 1.22 | <5 | 1 | 107 | <5 | 0.06 < | 10 <10 | 26 | 20 | 2619 | 1 |
| 165275 | 13.4 | 2.07 | 281 | 103 | <0.5 | 23 | 1.04 | 50 | 16 | 55 | 284 | 6.13 | <1 | 0.81 | <10 | 1.88 2143 | <2 0.01 | 79 | 0.110 | 553 | 3.13 | <5 | 2 | 105 | <5 | 0.07 < | l0 <10 | 35 | 57 | 6659 | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165 276 | 3.1 | 2.38 | 116 | 122 | 0.5 | 10 | 0.76 | 26 | 15 | 98 | 194 | 5.63 | <1 | 0.86 | <10 | 2.14 2100 | 2 0.01 | 91 | 0.099 | 243 | 2.18 | <5 | 2 | 64 | <5 | 0.09 < | 10 <10 | 40 | 26 | 3232 | 2 |
| 165277 | 7.5 | 1.97 | 229 | 120 | <0.5 | 13 | 1.05 | 34 | 18 | 58 | 446 | 5.25 | <1 | 0.74 | <10 | 1.71 2808 | <2 0.01 | 50 | 0.111 | 595 | 2.21 | <5 | 2 | 89 | <5 | 0.07 < | LO <10 | 39 | 40 | 4946 | 2 |
| 165278 | 20.6 | 3.01 | 270 | 86 | 0.5 | 32 | 0.99 | 79 | 24 | 79 | 826 | 8.29 | <1 | 0.87 | <10 | 2.79 3027 | 3 0.01 | 65 | 0.122 | 1666 | 3.97 | <5 | 3 | 80 | <5 | 0.09 < | l0 <10 | 60 | 94 | 9998 | 4 |
| 165279 | 2.8 | 2.70 | 134 | 105 | <0.5 | 7 | 0.71 | 14 | 18 | 66 | 129 | 5.70 | <1 | 0.74 | <10 | 2.37 2264 | 2 0.01 | 76 | 0.122 | 304 | 1.87 | <5 | 2 | 55 | <5 | 0.07 < | 10 <10 | 41 | 15 | 1784 | 2 |
| 165280 | 2.8 | 2.84 | 94 | 106 | 0.5 | 7 | 0.69 | 18 | 14 | 72 | 141 | 5.45 | <1 | 0.80 | <10 | 2.47 2288 | <2 0.01 | 72 | 0.123 | 312 | 1.53 | <5 | 2 | 54 | <5 | 0.08 < | LO <10 | 42 | 20 | 2477 | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165281 | 2.1 | 1.83 | 61 | 127 | <0.5 | 5 | 1.64 | 15 | 9 | 71 | 79 | 3.17 | <1 | 0.67 | <10 | 1.82 3384 | <2 0.02 | 64 | 0.090 | 196 | 0.54 | <5 | 1 | 130 | <5 | 0.05 < | l0 <10 | 26 | 17 | 2158 | 1 |
| 165282 | 2.1 | 2.27 | 122 | 109 | <0.5 | 7 | 0.93 | 11 | 15 | 104 | 82 | 4.40 | <1 | 0.75 | <10 | 2.14 1888 | 2 0.02 | 101 | 0.102 | 192 | 1.29 | <5 | 2 | 87 | <5 | 0.07 < | LO <10 | 40 | 12 | 1331 | 2 |
| 165283 | 2.5 | 2.65 | 89 | 122 | 0.5 | 8 | 1.41 | 18 | 16 | 69 | 154 | 5.19 | <1 | 0.89 | <10 | 2.83 2418 | <2 0.02 | 83 | 0.103 | 136 | 1,57 | <5 | 3 | 153 | <5 | 0.09 < | LO <10 | 48 | 20 | 2320 | 2 |
| 165284 | 1.7 | 2.12 | 79 | 127 | 0.6 | 7 | 1.22 | 16 | 21 | 72 | 118 | 4.79 | <1 | 0.85 | <10 | 2.16 2011 | 3 0.02 | 58 | 0.140 | 99 | 1.69 | <5 | 2 | 124 | <5 | 0.09 < | l0 <10 | 49 | 15 | 1835 | 2 |
| 165285 | 4.4 | 2.99 | 104 | 132 | 0.6 | 8 | 0.95 | 14 | 21 | 68 | 371 | 5.66 | <1 | 0.82 | <10 | 3.02 1961 | 2 0.02 | 68 | 0.139 | 218 | 1.53 | <5 | 3 | 93 | <5 | 0.09 < | 10 <10 | 71 | 13 | 1555 | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165286 | 2.5 | 1.08 | 26 | 147 | 0.5 | 6 | 0.86 | 4 | 21 | 63 | 2408 | 3.22 | <1 | 0.49 | 20 | 0.66 206 | 220 0.03 | 8 | 0.055 | 50 | 1.54 | <5 | 4 | 44 | 12 | 0.04 < | LO <10 | 40 | <10 | 295 | 4 |
| 165287 | 1.3 | 2.32 | 53 | 179 | 0.8 | <5 | 1.02 | 6 | 14 | 69 | 85 | 4.39 | <1 | 0.95 | <10 | 2.29 1594 | <2 0.05 | 43 | 0.189 | 95 | 1.04 | <5 | 3 | 103 | <5 | 0.12 < | LO <10 | 70 | <10 | 654 | 2 |
| 165288 | 1.5 | 2.15 | 58 | 196 | 0.8 | 5 | 1.18 | 5 | 25 | 28 | 107 | 5.17 | <1 | 1.14 | <10 | 2.05 1628 | 2 0.03 | 25 | 0.222 | 92 | 2.00 | <5 | 2 | 122 | <5 | 0.13 < | 10 <10 | 61 | <10 | 408 | 2 |
| 165289 | <0.2 | 0.04 | <5 | 10 | <0.5 | <5 | 18.63 | <1 | <1 | 4 | 2 | 0.07 | 2 | 0.01 | <10 | 9.81 80 | <2 0.01 | 1 | 0.021 | <2 | 0.57 | <5 | <1 | 149 | <5 | <0.01 | 10 <10 | 2 | <10 | 20 | <1 |
| 165290 | 1.5 | 1.95 | 135 | 211 | 0.9 | <5 | 1.16 | 4 | 20 | 36 | 120 | 4.82 | <1 | 1.09 | <10 | 1.82 1334 | <2 0.04 | 23 | 0.202 | 49 | 1.77 | <5 | 3 | 120 | <5 | 0.14 < | 10 <10 | 68 | <10 | 281 | 2 |
| 445004 | | | | | | | | | | | | | | | | | | | | | | _ | - | | | | | | | | |
| 165291 | 1.7 | 2.59 | 302 | 191 | 1.0 | 6 | 1.31 | 14 | 20 | 35 | 183 | 5.99 | <1 | 1.34 | <10 | 2.37 1778 | <2 0.03 | 23 | 0.275 | 86 | 2.19 | <5 | 3 | 158 | <5 | 0.16 | 11 <10 | 77 | 12 | 1372 | 2 |
| 165292 | 37.8 | 1.82 | 100001< | 56 | <0.5 | 88 | 3.52 | 514 | 109 | 55 | 542 | 9.31 | 2 | 0.81 | <10 | 2.47 4839 | 3 0.01 | 31 | 0.170 | 3962 | 5.03 | 8 | 2 | 313 | <5 | 0.08 | 10 <10 | 44 | 558 > | 10000 | 3 |
| 165293 | 12.4 | 3.74 | 1285 | 194 | 1.2 | 23 | 0.62 | 83 | 14 | 55 | 445 | 7.83 | <1 | 1.62 | <10 | 3.21 2184 | <2 0.01 | 21 | 0.261 | 1657 | 1.96 | <5 | 3 | 68 | <5 | 0.19 | 13 <10 | 83 | 94 3 | 10000 | 3 |
| 165205 | 4.1 | 3.25 | 97 | 228 | 1.1 | 11 | 0.87 | 42 | 1.5 | 32 | 139 | 5.99 | <1 | 1.64 | <10 | 2.84 1770 | 2 0.01 | 30 | 0.263 | 679 | 1.41 | <5 | 3 | 124 | <5 | 0.18 | 11 <10 | 71 | 49 | 5759 | 3 |
| 102522 | 4.2 | 2.35 | 119 | 168 | 0.9 | | 1.80 | 15 | 15 | 61 | 294 | 5.50 | <1 | 1.42 | <10 | 2.45 2339 | 3 0.01 | 48 | 0.182 | 480 | 1.72 | <5 | 2 | 371 | <5 | 0.15 < | ιυ <10 | 51 | 16 | 1883 | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed:



8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0024RJDate: Jul-13-10

Sample type : CORE

Skyline Gold Corporation

Project : Bronson

Attention : Arnd Burgert

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | AI | As | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Hg | K | La | Mg | Mn | Mo Na | Ni | Р | Pb | S | Sb | Sc | Sr | Th | Ti | TI | U | V | W | Zn | Zr |
|-----------------|-------|------|-----|-----|------|-----|------|-----|-----|-----|------|-------|-----|------|-----|--------|-------|---------|-----|-------|--------|--------|-------|----|-------|-----|------|-----|--------------|-----|-------|--------|----|
| Number | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | % | ppm | % | ppm p | pm % | ppm | % | ppm | % | opm p | pm | ppm p | opm | % | ppm | ppm f | opm | ppm | ppm p | pm |
| 165296 | 1.8 | 2.36 | 476 | 182 | 1.2 | <5 | 1.51 | 5 | 24 | 32 | 287 | 5.67 | <1 | 1.94 | <10 | 2.22 | 1481 | 2 0.02 | 10 | 0.278 | 55 | 2.50 | < 5 | 2 | 323 | <5 | 0.19 | 11 | <10 | 66 | <10 | 366 | 2 |
| 165297 | 3.1 | 2.11 | 235 | 108 | 1.1 | <5 | 1.23 | 6 | 23 | 30 | 342 | 5.85 | <1 | 1.75 | <10 | 1.91 | 1225 | 3 0.02 | 8 | 0.211 | 61 | 2.48 | <5 | z | 219 | <5 | 0.19 | 10 | <10 | 64 | <10 | 436 | 2 |
| 165298 | 10.6 | 1.34 | 605 | 30 | 0.5 | 7 | 0.69 | 14 | 39 | 50 | 516 | 9.80 | <1 | 1.08 | <10 | 0.96 | 715 | 11 0.01 | 8 | 0.160 | 79 | 5.31 | <5 | 1 | 95 | <5 | 0.10 | <10 | 11 | 43 | <10 | 774 | 4 |
| 165299 | 3.7 | 2.20 | 72 | 70 | 1.5 | 5 | 0.56 | 15 | 32 | 22 | 299 | 6.47 | <1 | 1.93 | <10 | 1.75 | 967 | 2 0.04 | 9 | 0.191 | 40 | 3.01 | <5 | 3 | 74 | <5 | 0.24 | 12 | <10 | 84 | 11 | 1256 | 2 |
| 165300 | 2.5 | 2.42 | 89 | 99 | 1.5 | <5 | 0.64 | 8 | 34 | 31 | 346 | 6.23 | <1 | 2.14 | <10 | 1.86 | 1008 | 2 0.04 | 9 | 0.236 | 35 | 2.65 | <5 | 3 | 80 | <5 | 0.25 | 13 | <10 | 86 | <10 | 612 | 3 |
| 165301 | 2.4 | 2.07 | 36 | 136 | 1.6 | <5 | 0.72 | 5 | 25 | 26 | 265 | 5.71 | <1 | 1.93 | <10 | 1.67 | 1309 | 2 0.03 | 8 | 0.208 | 32 | 2.33 | <5 | 3 | 93 | <5 | 0.27 | 12 | <10 | 79 | <10 | 370 | 2 |
| 165302 | 1.8 | 1.65 | 122 | 138 | 1,1 | <5 | 0.79 | 6 | 18 | 42 | 285 | 5.01 | <1 | 1.49 | <10 | 1.32 | 1197 | 2 0.05 | 11 | 0.233 | 45 | 2.47 | <5 | 2 | 100 | <5 | 0.19 | 11 | <10 | 62 | <10 | 518 | 2 |
| 165303 | 2.3 | 1.84 | 287 | 51 | 1.0 | <5 | 0.55 | 6 | 56 | 34 | 330 | 7.85 | <1 | 1.71 | <10 | 1.55 | 1317 | 2 0.02 | 8 | 0.142 | 41 | 4.12 | <5 | 1 | 59 | <5 | 0.17 | 10 | <10 | 47 | <10 | 238 | 3 |
| 165304 | 6.7 | 2.10 | 65 | 56 | 1.1 | 10 | 0.53 | 15 | 28 | 44 | 505 | 7.83 | <1 | 1.95 | <10 | 1.60 | 1065 | 2 0.01 | 10 | 0.184 | 93 | 4.05 | <5 | 2 | 54 | <5 | 0.20 | 11 | <10 | 56 | 10 | 1044 | 4 |
| 165305 | 3.7 | 2.12 | 818 | 49 | 1.3 | 8 | 0.39 | 12 | 33 | 45 | 690 | 8.68 | <1 | 1.90 | <10 | 1.40 | 838 | 8 0.01 | 15 | 0.174 | 33 | 4.12 | <5 | 2 | 32 | <5 | 0.23 | 12 | <10 | 62 | <10 | 829 | 3 |
| 165306 | 3.6 | 1.89 | 131 | 44 | 0.9 | 6 | 0.40 | 12 | 26 | 57 | 513 | 8.20 | <1 | 1.71 | <10 | 1.47 | 919 | 7 0.02 | 21 | 0.101 | 51 | 4.24 | <5 | 2 | 41 | <5 | 0.16 | 10 | <10 | 49 | <10 | 865 | 3 |
| 165307 | 1.9 | 1.72 | 55 | 182 | 1.1 | <5 | 0.84 | 4 | 14 | 33 | 246 | 4.69 | <1 | 1.59 | <10 | 1.54 | 1202 | 3 0.03 | 15 | 0.119 | 87 | 2.10 | <5 | 2 | 106 | <5 | 0.18 | 10 | <10 | 46 | <10 | 225 | 2 |
| 165308 | 1.9 | 2.04 | 29 | 319 | 1.3 | <5 | 1.03 | 4 | 16 | 31 | 200 | 4.07 | <1 | 1.89 | <10 | 1.87 | 1411 | 3 0.02 | 13 | 0.134 | 54 | 1.21 | <5 | 3 | 124 | <5 | 0.22 | 11 | <10 | 59 | <10 | 300 | 2 |
| 165309 | 5.3 | 1.55 | 119 | 155 | 0.8 | 8 | 1.30 | 13 | 12 | 39 | 268 | 4.59 | <1 | 1.41 | <10 | 1.46 | 1349 | 5 0.01 | 42 | 0.155 | 139 | 2.27 | <5 | 2 | 141 | <5 | 0.14 | <10 | <10 | 42 | 11 | 1299 | 2 |
| 165310 | 53.0 | 1.94 | 320 | 29 | 1.0 | 71 | 0.98 | 64 | 28 | 63 | 866 | 11.53 | 1 | 1.64 | <10 | 1.36 | 1164 | 8 0.01 | 18 | 0.164 | 297 | 7.58 | <5 | 2 | 96 | <5 | 0.18 | 13 | 10 | 64 | 70 | 6838 | 5 |
| 165311 | 145.0 | 1.41 | 436 | 30 | <0.5 | 128 | 2.00 | 86 | 35 | 54 | 3359 | 13.90 | <1 | 0.97 | 10 | 1.44 | 1954 | 9 0.01 | 58 | 0.114 | 2520 | 8.74 | <5 | 2 | 188 | <5 | 0.09 | 12 | 13 | 57 | 99 | 9197 | 5 |
| 165312 | 12.3 | 2.11 | 160 | 60 | 1.2 | 8 | 1.50 | 23 | 30 | 47 | 857 | 8.50 | 1 | 1.74 | <10 | 2.19 | 1520 | 4 0.01 | 44 | 0.198 | 932 | 4.07 | <5 | 4 | 142 | <5 | 0.19 | 11 | <10 | 85 | 27 | 2207 | 4 |
| 165313 | 4.0 | 2.13 | 131 | 255 | 1.1 | <5 | 2.56 | 9 | 15 | 139 | 665 | 5.05 | 1 | 1.88 | <10 | 2.30 | 2316 | 6 0.01 | 202 | 0.132 | 93 | 1.59 | <5 | 3 | 296 | <5 | 0.18 | 10 | <10 | 56 | 12 | 637 | 3 |
| 165314 | 3.1 | 2.24 | 198 | 136 | 1.1 | 5 | 2.30 | 6 | 21 | 123 | 303 | 6.10 | 1 | 1.92 | <10 | 2.02 | 2043 | 16 0.02 | 267 | 0.150 | 69 | 2.31 | <5 | 3 | 266 | <5 | 0.19 | 10 | <10 | 60 | <10 | 351 | 4 |
| 165315 | 6.4 | 1.99 | 148 | 88 | 1.0 | 10 | 2.11 | 6 | 20 | 90 | 631 | 6.95 | 2 | 1.65 | <10 | 1.96 3 | 2425 | 22 0.01 | 115 | 0.135 | 77 | 3.37 | <5 | 2 | 207 | <5 | 0.16 | <10 | <10 | 59 | <10 | 275 | 5 |
| 165316 | 42.8 | 3.25 | 252 | 50 | 1.3 | 58 | 1.18 | 81 | 22 | 169 | 1825 | 10.34 | 1 | 2.26 | <10 | 2.67 | 2189 | 9 0.01 | 167 | 0.132 | 2077 | 4.90 | <5 | 4 | 104 | <5 | 0.22 | 13 | <10 | 85 | 106 : | >10000 | 4 |
| 1653 1 7 | 4.5 | 3.28 | 172 | 87 | 1.2 | 12 | 1.57 | 7 | 14 | 225 | 425 | 8.50 | 1 | 1.76 | <10 | 3.05 | 2646 | 4 0.01 | 199 | 0.122 | 178 | 3.24 | <5 | 3 | 162 | <5 | 0.21 | 11 | <10 | 75 | 10 | 318 | 3 |
| 165318 | 37.2 | 3.16 | 214 | 61 | 1.0 | 32 | 1.83 | 8 | 22 | 177 | 814 | 9.79 | 1 | 1.55 | <10 | 3.07 | 2669 | 4 0.01 | 252 | 0.110 | 479 | 4.46 | <5 | 2 | 178 | <5 | 0.17 | 12 | <10 | 68 | 11 | 282 | 4 |
| 165319 | 10.1 | 2.33 | 131 | 136 | 0.9 | 21 | 1.34 | 65 | 16 | 117 | 277 | 6.23 | <1 | 1.37 | <10 | 2.07 | 1677 | 3 0.01 | 115 | 0.129 | 2367 | 2.81 | 6 | 3 | 113 | <5 | 0.15 | <10 | <10 | 47 | 95 | 8952 | 2 |
| 165320 | 14.7 | 0.38 | 74 | 71 | <0.5 | 25 | 6.17 | 189 | 8 | 32 | 633 | 3.57 | 3 | 0.31 | <10 | 2.24 | 4519 | 3 0.01 | 56 | 0.054 | 2878 | 2.61 | 14 | 1 | 282 | <5 | 0.02 | <10 | <10 | 11 | 265 | >10000 | 1 |
| 165321 | 9.0 | 1.13 | 164 | 78 | <0.5 | 11 | 2.00 | 23 | 9 | 56 | 579 | 5.55 | i | 0.83 | <10 | 1.27 | 2014 | 4 0.01 | 108 | 0.103 | 1150 | 3.55 | <5 | 1 | 81 | <5 | 0.06 | <10 | <10 | 24 | 33 | 3229 | 2 |
| 165322 | 10.8 | 1.14 | 172 | 75 | <0.5 | 23 | 2.60 | 54 | 11 | 87 | 708 | 6.39 | <1 | 0.88 | <10 | 1.43 | 2579 | 7 0.02 | 137 | 0.111 | 1230 | 4.28 | 7 | 2 | 104 | <5 | 0.06 | <10 | <10 | 2.7 | 83 | 8126 | 3 |
| 165323 | 46.7 | 0.70 | 305 | 31 | <0.5 | 85 | 7.97 | 280 | 140 | 78 | 671 | 15.65 | 2 | 0.32 | <10 | 3.05 | 5142 | 7 0.01 | 134 | 0.043 | 3208 🔅 | >10.00 | <5 | 1 | 353 | <5 | 0.02 | 11 | 10 | 36 | 420 : | >10000 | 5 |
| 165324 | 19.1 | 2.20 | 274 | 43 | <0.5 | 34 | 4.92 | 62 | 59 | 161 | 556 | 14.98 | 1 | 0.96 | 47 | 2.95 | 3935 | 9 0.01 | 176 | 0.087 | 884 | 8.60 | <5 | 2 | 245 | 5 | 0.09 | 20 | <10 | 67 | 78 | 7397 | 5 |
| 165325 | 3.9 | 3.01 | 136 | 57 | 0.5 | 11 | 0.59 | 14 | 20 | 163 | 483 | 11.01 | <1 | 0.94 | 54 | 2.28 | 1273 | 8 0.01 | 78 | 0.145 | 91 | 5.19 | <5 | 2 | 38 | 5 | 0.09 | 17 | <10 | 62 | 20 | 1118 | 4 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed:



8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 0S0024RJ

Date : Jul-13-10

Sample type : CORE

Skyline Gold Corporation

Project : Bronson

Attention : Arnd Burgert

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | Al | As | Ba | a Be | e Bi | Ca | Cd | Co | Cr | Cu | Fe | Hg | к | La | Mg Mn | Мо | Na | Ni | Р | Pb | s | Sb | Sc | Sr | Th | Ti | τı | U | v | W | Zn | Zr |
|--------|------|------|--|-------|-------------------|-------|-------|-----|-----|-----|------|-------|-----|------|-----|-----------|-------|------|----|-------|------|------|-------|-------|-------|-----|-------|-----|-------|-----|-----|--------|-----|
| Number | ppm | % | ppn |) ppn | ı ppn | ı ppm | % | ppm | ppm | ppm | ppm | % | ppm | % | ppm | % ppm | ppm | % p | pm | % | ppm | % p | opm p | opm j | opm į | ppm | % | ppm | ppm (| ppm | ppm | ppm p | opm |
| 165326 | 3.2 | 1.26 | 63 | 161 | 0, | ; 7 | 0.70 | 5 | 17 | 67 | 3125 | 4.04 | <1 | 0.53 | 27 | 0.63 314 | 247 0 | 0.03 | 13 | 0.059 | 135 | 1.37 | 19 | 4 | 34 | 13 | 0.03 | <10 | <10 | 42 | 12 | 210 | 6 |
| 165327 | 13.6 | 5.26 | 61 | 65 | ; <0. | 32 | 0.88 | 108 | 7 | 99 | 488 | 12.57 | <1 | 0.66 | <10 | 3.86 3405 | 2 0 | 0.01 | 37 | 0.128 | 1827 | 2.79 | <5 | 8 | 53 | <5 | 0.07 | 10 | <10 | 124 | 134 | >10000 | 4 |
| 165328 | 2.6 | 4.12 | 54 | 105 | 5 O.! | 5 8 | 1.02 | 19 | 6 | 65 | 152 | 9.25 | 1 | 0.87 | <10 | 3.09 2910 | 2 0 | 0.01 | 32 | 0.128 | 228 | 1.75 | <5 | 5 | 62 | <5 | 0.08 | <10 | <10 | 89 | 23 | 1850 | 3 |
| 165329 | 3.7 | 3.92 | 62 | 110 | 0.6 | 5 8 | 1.10 | 14 | 11 | 61 | 374 | 9.33 | 2 | 1.02 | <10 | 3.16 2943 | 2 0 | 0.02 | 34 | 0.132 | 133 | 1.99 | <5 | 5 | 67 | <5 | 0.10 | <10 | <10 | 92 | 15 | 958 | 3 |
| 165330 | 3.2 | 3.74 | 52 | 111 | 0.6 | 6 | 1.00 | 19 | 10 | 60 | 324 | 8.93 | <1 | 1.03 | <10 | 2.97 2717 | 2 0 | 0.01 | 32 | 0.133 | 128 | 1.96 | <5 | 5 | 62 | <5 | 0.10 | <10 | <10 | 92 | 20 | 1188 | 3 |
| 165331 | 8.8 | 4.56 | 169 | 49 |) <0.9 | 5 36 | 0.61 | 154 | 20 | 71 | 750 | 13.37 | <1 | 0.74 | <10 | 3.30 2924 | 30 | 0.01 | 43 | 0.127 | 447 | 4.91 | <5 | 5 | 39 | <5 | 0.08 | <10 | 11 | 102 | 148 | >10000 | 4 |
| 165332 | 36.8 | 3.43 | 95 | 49 | 9 <0.9 | 5 11 | 0.36 | 34 | 17 | 63 | 3638 | 11.14 | 1 | 0.67 | <10 | 2.51 1715 | <2 0 |).01 | 59 | 0.119 | 800 | 4.78 | <5 | 3 | 21 | <5 | 0.07 | <10 | <10 | 73 | 25 | 2483 | 4 |
| 165333 | 4.7 | 4.50 | 54 | 121 | 0. | i 10 | 0.88 | 11 | 9 | 75 | 391 | 9.09 | <1 | 0.91 | <10 | 3.33 2408 | <2 0 | .02 | 37 | 0.160 | 206 | 1.66 | <5 | 6 | 55 | <5 | 0.09 | <10 | <10 | 98 | 12 | 601 | 3 |
| 165334 | 20.9 | 2.65 | 73 | 114 | F 0.6 | 5 <5 | 1.88 | 11 | 28 | 46 | 2645 | 7.27 | <1 | 0.95 | <10 | 2.54 2872 | <2 0 | 0.02 | 38 | 0.145 | 88 | 2.42 | <5 | 4 | 147 | <5 | 0.10 | <10 | <10 | 63 | 13 | 432 | 3 |
| 165335 | 36.6 | 2.56 | 70 | 99 | 5 <0.9 | 58 | 1.48 | 15 | 16 | 59 | 5083 | 9.03 | <1 | 0.65 | <10 | 2.48 2352 | <2 0 | 0.01 | 57 | 0.156 | 165 | 3.16 | <5 | 4 | 107 | <5 | 0.04 | <10 | <10 | 60 | 13 | 733 | 3 |
| 165336 | 7.8 | 2.50 | 31 | 126 | 5 <0 .9 | 5 <5 | 1.56 | 8 | 11 | 49 | 1122 | 6.71 | 2 | 0.75 | <10 | 2.22 2204 | <2 0 | 0.01 | 32 | 0,171 | 112 | 1.73 | <5 | з | 126 | <5 | 0.06 | <10 | <10 | 54 | <10 | 408 | 3 |
| 165337 | 7.5 | 2.96 | 67 | 139 | 9 0.6 | 58 | 1.43 | 14 | 15 | 61 | 1040 | 7.39 | <1 | 0.91 | <10 | 2.53 2166 | 30 |).02 | 37 | 0.148 | 161 | 1.89 | <5 | 4 | 98 | <5 | 0.09 | <10 | <10 | 78 | 11 | 905 | 3 |
| 165338 | 3.6 | 3.12 | 47 | 137 | 0.7 | / <5 | 1.65 | 8 | 16 | 64 | 598 | 7.28 | <1 | 0.96 | <10 | 2.61 1909 | 30 | 0.02 | 40 | 0.169 | 32 | 1.59 | <5 | 5 | 115 | <5 | 0.11 | <10 | <10 | 91 | <10 | 175 | 2 |
| 165339 | <0.2 | 0.04 | <5 | ; <10 |) <0.5 | i <5 | 19.96 | <1 | <1 | 17 | 5 | 0.10 | 3 | 0.01 | <10 | 11.21 74 | 30 |).01 | 2 | 0.016 | <2 | 0.51 | <5 | <1 | 150 | <5 | <0.01 | 11 | <10 | 2 | <10 | 25 | <1 |
| 165340 | 1.5 | 2.71 | 38 | 150 | 0.7 | , 6 | 2.53 | 7 | 16 | 54 | 264 | 6.85 | <1 | 0.98 | <10 | 2.55 2419 | 2 0 | 0.02 | 37 | 0.143 | 32 | 1.41 | <5 | 4 | 193 | <5 | 0.11 | <10 | <10 | 80 | <10 | 181 | 2 |
| 165341 | 1.9 | 1.98 | 49 | i 198 | 3 0.7 | 76 | 3.66 | 7 | 17 | 37 | 245 | 6.18 | 1 | 1.10 | <10 | 2.05 2963 | 20 | 0.02 | 27 | 0.157 | 41 | 1.70 | <5 | 3 | 301 | <5 | 0.10 | <10 | <10 | 54 | <10 | 166 | 2 |
| 165342 | 6.0 | 4.32 | 61 | 17 | 3 1.0 |) 10 | 1.61 | 11 | 19 | 85 | 907 | 9.48 | 1 | 1.09 | <10 | 3.49 2526 | 2 0 |).02 | 39 | 0.156 | 77 | 1.44 | <5 | 8 | 94 | <5 | 0.14 | <10 | <10 | 142 | 12 | 351 | 3 |
| 165343 | 2.7 | 4.30 | 67 | 184 | 1 0.9 |) 9 | 0.86 | 13 | 17 | 72 | 297 | 8.86 | <1 | 1.03 | <10 | 3.36 1956 | <2 0 | 0.03 | 34 | 0.152 | 217 | 1.31 | <5 | 9 | 52 | <5 | 0.14 | <10 | <10 | 143 | 14 | 990 | 3 |
| 165344 | 26.8 | 3.74 | 464 | 44 | 4 0.6 | 5 16 | 0.79 | 137 | 72 | 51 | 1012 | 12.64 | 1 | 0.74 | <10 | 3.01 1536 | <2 0 | 0.02 | 68 | 0.115 | 3958 | 5.78 | <5 | 5 | 48 | <5 | 0.10 | 10 | <10 | 109 | 139 | >10000 | 4 |
| 165345 | 4.7 | 4.41 | 63 | 19 | 5 1.: | 13 | 2.28 | 22 | 14 | 55 | 165 | 8.14 | <1 | 1.27 | <10 | 4.36 2137 | <2 0 | 0.02 | 37 | 0.142 | 732 | 0.82 | <5 | 8 | 183 | <5 | 0.16 | 10 | <10 | 129 | 17 | 1728 | 2 |
| 165346 | 0.2 | 4.38 | 21 | 22 | 5 1.2 | 2 5 | 2.82 | 7 | 8 | 58 | 28 | 7.30 | <1 | 1.46 | <10 | 4.79 1865 | 2 0 | 0.03 | 37 | 0.122 | 33 | 0.26 | <5 | 9 | 275 | <5 | 0.16 | <10 | <10 | 131 | <10 | 210 | 2 |
| 165347 | 0.3 | 4.54 | 35 | 210 |) 1.2 | 2 5 | 2.23 | 8 | 9 | 54 | 53 | 7.61 | <1 | 1.43 | <10 | 4.71 1601 | <2 0 |).02 | 36 | 0.124 | 29 | 0.39 | <5 | 10 | 209 | <5 | 0.17 | <10 | <10 | 147 | <10 | 210 | 2 |
| 165348 | <0.2 | 4.45 | 18 | 222 | 7 1.! | 5 <5 | 2.53 | 6 | 8 | 45 | 18 | 6.81 | <1 | 1.93 | <10 | 5.05 1369 | 2 0 | 0.03 | 28 | 0.120 | 19 | 0.14 | <5 | 9 | 294 | <5 | 0.20 | <10 | <10 | 143 | <10 | 193 | 2 |
| 165349 | <0.2 | 4.20 | ε | 143 | 3 1.2 | 2 <5 | 2.73 | 6 | 7 | 40 | <1 | 6.53 | 1 | 1.61 | <10 | 5.21 1393 | 20 | 0.02 | 34 | 0.124 | 17 | 0.06 | <5 | 8 | 382 | <5 | 0.16 | <10 | <10 | 117 | <10 | 198 | 2 |
| 165350 | 0.2 | 3.20 | 19 | 173 | 2 1.3 | 2 5 | 4.18 | 6 | 9 | 43 | 24 | 5.83 | 1 | 1.84 | <10 | 4.25 1875 | 4 (| 0.02 | 31 | 0.147 | 19 | 0.19 | <5 | 4 | 649 | <5 | 0.17 | <10 | <10 | 82 | <10 | 184 | 2 |
| 165351 | 3.3 | 2.75 | 66 | i 214 | 1.2 | 2 7 | 2.53 | 8 | 18 | 54 | 223 | 6.56 | <1 | 1.71 | <10 | 2.94 1443 | 3 0 | 0.02 | 51 | 0.141 | 41 | 1.69 | <5 | 5 | 265 | <5 | 0.18 | <10 | <10 | 88 | <10 | 218 | 3 |
| 165352 | <0.2 | 0.04 | </td <td>i <10</td> <td>) <0.</td> <td>5 <5</td> <td>20.76</td> <td><1</td> <td><1</td> <td>7</td> <td><1</td> <td>0.08</td> <td>2</td> <td>0.02</td> <td><10</td> <td>11.07 60</td> <td>3 0</td> <td>0.01</td> <td>1</td> <td>0.022</td> <td><2</td> <td>0.51</td> <td><5</td> <td><1</td> <td>148</td> <td><5</td> <td><0.01</td> <td>11</td> <td><10</td> <td>2</td> <td><10</td> <td>8</td> <td><1</td> | i <10 |) <0. | 5 <5 | 20.76 | <1 | <1 | 7 | <1 | 0.08 | 2 | 0.02 | <10 | 11.07 60 | 3 0 | 0.01 | 1 | 0.022 | <2 | 0.51 | <5 | <1 | 148 | <5 | <0.01 | 11 | <10 | 2 | <10 | 8 | <1 |
| 165353 | 3.2 | 3.06 | 51 | . 192 | 2 1.4 | 8 | 1.69 | 9 | 18 | 49 | 330 | 7.24 | <1 | 2.60 | <10 | 2.59 1385 | 20 | 0.02 | 24 | 0.161 | 38 | 2.00 | <5 | 6 | 211 | <5 | 0.23 | <10 | <10 | 104 | <10 | 393 | 3 |
| 165354 | 3.1 | 1.94 | 102 | 2 197 | 7 1.: | 5 | 1.47 | 6 | 19 | 35 | 259 | 5.24 | 1 | 1.68 | <10 | 1.43 1256 | 3 0 |).02 | 31 | 0.150 | 50 | 2.07 | <5 | 3 | 180 | <5 | 0.18 | <10 | <10 | 62 | <10 | 217 | 2 |
| 165355 | 1.0 | 1.71 | 38 | 242 | 2 1.: | l <5 | 2.68 | 3 | 12 | 32 | 107 | 3.48 | <1 | 1.45 | <10 | 1.35 1629 | 3 0 | 0.03 | 42 | 0.158 | 31 | 0.69 | <5 | 4 | 275 | <5 | 0.17 | <10 | <10 | 61 | <10 | 71 | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed:



8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0024RJDate: Jul-13-10

Sample type : CORE

Skyline Gold Corporation

Project : Bronson

Attention : Arnd Burgert

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | AI | As | Ba | Be | Bi | Ca | Cd | Co | Сг | Cu | Fe | Hg | ĸ | La | Mg M | n Mo | Na | Ni | P | Pb | S | Sb | Sc | Şr | Th | Tí | TI | U | v | W | Zn | Zr |
|--------|------|------|-----|-----|-------|-----|------|-------|-----|-----|------|-------|-----|------|-----|----------|---------|------|----|-------|------|------|-------|-----|-------|-----|--------|-----|-------|----|-----|--------|-----|
| Number | ppm | % | ppm | ppm | ι ppm | ppm | % | ppm (| ppm | ppm | ppm | % | ppm | % | ppm | ∛ ppr | n ppm | % pp | om | % | ppm | % | opm p | opm | ppm p | opm | % | ppm | ppm p | pm | ppm | ppm p | ipm |
| 165356 | 1.2 | 1.56 | 47 | 207 | 0.9 | <5 | 1.99 | 3 | 14 | 29 | 128 | 3.25 | <1 | 1.37 | <10 | 1.32 147 | 0 4 0 | .03 | 35 | 0.137 | 27 | 0.85 | <5 | 2 | 187 | <5 | 0.14 | <10 | <10 | 46 | <10 | 127 | , |
| 165357 | 3.4 | 1.20 | 88 | 187 | 0.5 | 7 | 2.30 | 7 | 14 | 37 | 185 | 3.35 | <1 | 1.03 | <10 | 1.12 145 | 0 20 | .02 | 45 | 0.145 | 245 | 1.54 | <5 | 2 | 291 | <5 | 0.09 | <10 | <10 | 31 | <10 | 403 | 2 |
| 165358 | 4.1 | 1.05 | 155 | 148 | <0.5 | <5 | 2.90 | 7 | 21 | 34 | 343 | 5.03 | <1 | 0.88 | <10 | 0.98 208 | 0 30 | .01 | 66 | 0.150 | 82 | 3.15 | <5 | 2 | 337 | <5 | 0.07 | <10 | <10 | 28 | <10 | 292 | 3 |
| 165359 | 9.4 | 1.05 | 344 | 55 | <0.5 | 11 | 2.84 | 14 | 52 | 37 | 777 | 8.53 | 1 | 0.87 | <10 | 0.65 179 | 7 30 | .01 | 74 | 0.127 | 153 | 6.07 | <5 | 2 | 344 | <5 | 0.07 | <10 | <10 | 37 | 11 | 610 | 4 |
| 165360 | 1.4 | 0.81 | 64 | 148 | <0.5 | <5 | 2.43 | 4 | 4 | 35 | 118 | 2.75 | <1 | 0.59 | <10 | 0.70 136 | 2 30 | .02 | 12 | 0.078 | 24 | 1.25 | <5 | 1 | 237 | <5 | 0.03 | <10 | <10 | 18 | <10 | 148 | 2 |
| 165361 | 0.9 | 0.61 | 26 | 122 | <0.5 | <5 | 2.10 | 3 | 6 | 34 | 86 | 1.92 | <1 | 0.46 | <10 | 0.66 103 | 8 20 | .04 | 12 | 0.070 | 10 | 0.72 | <5 | 1 | 180 | <5 | 0.02 | <10 | <10 | 14 | <10 | 138 | 2 |
| 165362 | 0.8 | 0.38 | 25 | 109 | < 0.5 | <5 | 2.08 | 2 | 6 | 39 | 88 | 1.90 | <1 | 0.33 | <10 | 0.64 115 | 7 20 | .03 | 12 | 0.077 | 24 | 0.76 | <5 | 1 | 162 | <5 | < 0.01 | <10 | <10 | 7 | <10 | 75 | 2 |
| 165363 | 1.1 | 0.78 | 38 | 134 | <0.5 | <5 | 2.49 | 3 | 11 | 34 | 126 | 3.01 | <1 | 0.59 | <10 | 1.02 110 | 0 2 0 | .04 | 28 | 0.074 | 14 | 1.31 | <5 | 1 | 225 | <5 | 0.03 | <10 | <10 | 22 | <10 | 72 | 2 |
| 165364 | 1.1 | 1.40 | 39 | 226 | 0.8 | <5 | 3.07 | 4 | 14 | 46 | 153 | 3.93 | <1 | 1.18 | <10 | 1.74 130 | 5 30 | .03 | 66 | 0.122 | 14 | 1.11 | <5 | 3 | 282 | <5 | 0.13 | <10 | <10 | 46 | <10 | 141 | 3 |
| 165365 | 1.0 | 1.28 | 34 | 265 | 0.7 | <5 | 3.81 | 4 | 11 | 43 | 123 | 3.55 | 1 | 1.06 | <10 | 1.61 132 | 530 | .04 | 63 | 0.120 | 18 | 0.91 | <5 | 3 | 356 | <5 | 0.10 | <10 | <10 | 47 | <10 | 84 | 3 |
| 165366 | 1.2 | 1.24 | 47 | 234 | 0.7 | <5 | 3.62 | 3 | 9 | 45 | 113 | 3.47 | 1 | 1.03 | <10 | 1.66 146 | 8 30 | .03 | 51 | 0.118 | 23 | 0.79 | <5 | 3 | 361 | <5 | 0.11 | <10 | <10 | 46 | <10 | 91 | 2 |
| 165367 | 1.3 | 1.26 | 56 | 210 | 0.7 | <5 | 3.14 | 3 | 12 | 43 | 125 | 3.19 | <1 | 1.03 | <10 | 1.82 130 | 8 30 | .03 | 56 | 0.122 | 25 | 0.72 | <5 | 3 | 322 | <5 | 0.09 | <10 | <10 | 44 | <10 | 119 | 3 |
| 165368 | 1.1 | 1.23 | 60 | 217 | 0.7 | 5 | 3.15 | 3 | 9 | 53 | 135 | 3.28 | <1 | 1.05 | <10 | 1.55 125 | 4 30 | .04 | 64 | 0.121 | 22 | 0.95 | <5 | 3 | 306 | <5 | 0.12 | <10 | <10 | 49 | <10 | 48 | 2 |
| 165369 | 1.1 | 0.98 | 32 | 155 | <0.5 | <5 | 2.95 | 2 | 6 | 14 | 69 | 1.88 | <1 | 0.78 | <10 | 1.34 162 | 4 4 0 | .02 | 21 | 0.050 | 34 | 0.47 | <5 | 1 | 294 | 7 | 0.03 | <10 | <10 | 9 | <10 | 78 | 3 |
| 165370 | 0.7 | 0.48 | 9 | 100 | < 0.5 | <5 | 2.49 | 3 | 3 | 15 | 11 | 0.94 | <1 | 0.40 | 10 | 0.75 178 | 820 | .01 | 7 | 0.054 | 85 | 0.14 | <5 | <1 | 218 | 6 | 0.01 | <10 | <10 | 4 | <10 | 294 | 3 |
| 165371 | 2.9 | 1.95 | 29 | 150 | 0.7 | 5 | 1.00 | 5 | 23 | 200 | 2814 | 3.80 | <1 | 0.81 | 26 | 0.82 26 | 3 250 0 | .06 | 12 | 0.059 | 59 | 1.74 | 6 | 6 | 56 | 14 | 0.04 | <10 | <10 | 53 | 11 | 308 | 5 |
| 165372 | 7.3 | 0.56 | 111 | 123 | <0.5 | <5 | 3.88 | 31 | 17 | 27 | 136 | 3.59 | 1 | 0.49 | <10 | 1.21 296 | 960 | .01 | 41 | 0.118 | 1317 | 1.82 | <5 | 1 | 339 | <5 | 0.01 | <10 | <10 | 13 | 34 | 3965 | 2 |
| 165373 | 9.2 | 0.49 | 100 | 100 | < 0.5 | 6 | 3.51 | 41 | 19 | 31 | 412 | 4.66 | <1 | 0.39 | <10 | 1.18 305 | 250 | .01 | 34 | 0.057 | 1369 | 2.69 | <5 | 1 | 308 | <5 | 0.01 | <10 | <10 | 10 | 46 | 5110 | 2 |
| 165374 | 9.6 | 0.83 | 122 | 87 | <0.5 | 7 | 3.59 | 79 | 34 | 41 | 235 | 6.93 | 1 | 0.65 | <10 | 1.31 333 | 7 30 | .01 | 44 | 0.055 | 2133 | 4.26 | <5 | 1 | 321 | <5 | 0.04 | <10 | <10 | 22 | 95 | 9506 | 3 |
| 165375 | 18.3 | 1.13 | 126 | 77 | < 0.5 | 6 | 4.02 | 197 | 24 | 42 | 549 | 8.33 | 1 | 0.80 | <10 | 1.37 380 | 4 80 | .01 | 38 | 0.070 | 3766 | 5.56 | <5 | 1 | 330 | <5 | 0.06 | <10 | <10 | 36 | 248 | >10000 | 4 |
| 165376 | 10.5 | 1.09 | 69 | 91 | <0.5 | 21 | 6.21 | 67 | 25 | 31 | 331 | 7.48 | 5 | 0.83 | <10 | 2.17 562 | 3 14 0 | .01 | 37 | 0.093 | 2098 | 3.42 | <5 | 2 | 555 | <5 | 0.07 | <10 | <10 | 34 | 85 | 8128 | 4 |
| 165377 | 5.5 | 1.40 | 43 | 137 | 0.6 | 11 | 4.61 | 32 | 10 | 20 | 347 | 6.43 | 3 | 1.14 | <10 | 1.62 437 | 8 18 0 | .01 | 24 | 0.134 | 1086 | 2.48 | <5 | 2 | 376 | <5 | 0.11 | <10 | <10 | 47 | 39 | 3650 | 6 |
| 165378 | 6.4 | 1.05 | 179 | 52 | <0.5 | 15 | 3.27 | 31 | 165 | 47 | 196 | 11.02 | 1 | 0.77 | <10 | 1.42 378 | 7 360 | .01 | 72 | 0.105 | 945 | 6.50 | <5 | 1 | 273 | <5 | 0.06 | <10 | <10 | 43 | 35 | 2959 | 6 |
| 165379 | 5.3 | 1.54 | 40 | 155 | 0.7 | 18 | 2.41 | 83 | 14 | 46 | 234 | 5.81 | 1 | 1.22 | <10 | 1.44 247 | 380 | .01 | 42 | 0.134 | 1375 | 2.49 | <5 | 2 | 231 | <5 | 0.11 | <10 | <10 | 43 | 102 | 9716 | 4 |
| 165380 | 7.8 | 1.38 | 82 | 120 | 0.6 | 24 | 2.32 | 102 | 20 | 59 | 319 | 6.90 | 1 | 1.12 | <10 | 1.33 243 | 960 | .01 | 59 | 0.128 | 1911 | 3.55 | <5 | 2 | 223 | <5 | 0.11 | <10 | <10 | 41 | 126 | >10000 | 4 |
| 165381 | 2.3 | 1.10 | 35 | 188 | 0.5 | <5 | 3.68 | 7 | 6 | 18 | 130 | 3.51 | 1 | 0.89 | 10 | 1.17 300 | 930 | .02 | 9 | 0.153 | 311 | 1.20 | <5 | 2 | 336 | <5 | 0.06 | <10 | <10 | 30 | <10 | 630 | 4 |
| 165382 | 1.9 | 1.23 | 46 | 173 | 0.6 | <5 | 2.93 | 4 | 20 | 26 | 219 | 4.28 | 2 | 1.03 | <10 | 1.48 181 | 3 40 | .02 | 12 | 0.167 | 70 | 1.94 | <5 | 2 | 306 | <5 | 0.09 | <10 | <10 | 43 | <10 | 113 | 3 |
| 165383 | 1.8 | 0.91 | 19 | 186 | <0.5 | 5 | 3.20 | 6 | 10 | 30 | 104 | 2.62 | 1 | 0.74 | 14 | 1.15 237 | 540 | .02 | 12 | 0.140 | 214 | 0.71 | <5 | 2 | 314 | <5 | 0.04 | <10 | <10 | 26 | <10 | 532 | 3 |
| 165384 | 11.4 | 1.24 | 49 | 100 | 0.6 | 18 | 2.77 | 42 | 33 | 28 | 208 | 7.42 | 1 | 1.03 | 18 | 1.42 298 | 4 200 | .01 | 25 | 0.128 | 3633 | 3.58 | <5 | 2 | 292 | <5 | 0.09 | <10 | <10 | 50 | 59 | 5722 | 5 |
| 165385 | 3.6 | 0.87 | 101 | 124 | <0.5 | 5 | 5.03 | 8 | 30 | 26 | 198 | 6.19 | 3 | 0.68 | 14 | 1.52 425 | 3 90 0 | .02 | 43 | 0.146 | 261 | 3.00 | <5 | 1 | 546 | <5 | 0.04 | <10 | <10 | 36 | <10 | 356 | 8 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _



8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0024RJDate: Jul-13-10Sample type: CORE

Skyline Gold Corporation

Project : Bronson

Attention : Arnd Burgert

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | Al | As | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Hg | ĸ | La | Mg Mn | Mo Na | i Ni | P | Pb | S | Sb | Sc | Sr | Th | Ti | TI | U | v | W | Zn | Zr |
|--------|--------|------|-----|-----|------|-----|------|-----|-----|-----|------|-------|-----|------|-----|-----------|---------|------|-------|--------|--------|-------|----|-----|-----|------|-----|-------|-----|-----|--------|-----|
| Number | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | opm | ppm | % | ppm | % | ppm | % ppm | ppm % | ppm | % | ppm | % | pbu t | pm | ppm | ppm | % | ppm | ppm r | opm | ppm | ppm p | opm |
| 165386 | 5.2 | 0.81 | 206 | 100 | <0.5 | 28 | 6.01 | 150 | 17 | 33 | 181 | 7.39 | 3 | 0.65 | <10 | 1.54 4777 | 9 0.01 | 36 | 0.120 | 805 | 4.21 | <5 | z | 537 | <5 | 0.05 | <10 | <10 | 32 | 159 | >10000 | 5 |
| 165387 | 51.6 | 1.20 | 237 | 56 | 0.5 | 58 | 2.38 | 629 | 28 | 38 | 336 | 7.05 | 3 | 0.95 | 10 | 1.14 2728 | 11 0.01 | 28 | 0.126 | >10000 | 5.71 | 38 | z | 188 | <5 | 0.09 | <10 | <10 | 40 | 760 | >10000 | 4 |
| 165388 | 1.3 | 1.75 | 56 | 127 | 1.1 | 5 | 3.31 | 7 | 20 | 21 | 144 | 5.64 | 1 | 1.36 | 15 | 2.07 3544 | 2 0.02 | 11 | 0.164 | 110 | 1.18 | <5 | 3 | 261 | <5 | 0.15 | 11 | <10 | 66 | <10 | 444 | 3 |
| 165389 | 1.0 | 1.13 | 20 | 152 | 0.6 | <5 | 3.85 | 3 | 8 | 16 | 107 | 3.29 | 2 | 0.87 | 13 | 1.76 2490 | 4 0.03 | 8 | 0.163 | 70 | 0.57 | <5 | 3 | 323 | <5 | 0.09 | <10 | <10 | 46 | <10 | 185 | 2 |
| 165390 | 1.4 | 1.39 | 17 | 151 | 0.9 | <5 | 3.35 | 8 | 9 | 20 | 176 | 4.29 | <1 | 1.14 | 11 | 1.71 2698 | 3 0.02 | 10 | 0.178 | 171 | 0.77 | <5 | 3 | 291 | <5 | 0.13 | <10 | <10 | 60 | 11 | 719 | 3 |
| 165391 | 30.9 | 1.10 | 822 | 26 | <0.5 | 56 | 1.94 | 206 | 252 | 50 | 1230 | 21.38 | 2 | 0.84 | <10 | 1.22 2193 | 17 0.01 | 21 | 0.058 | 8415 | >10.00 | <5 | <1 | 155 | <5 | 0.09 | 13 | 26 | 58 | 294 | >10000 | 8 |
| 165392 | 1.6 | 1.11 | 28 | 160 | 0.7 | <5 | 3.82 | 6 | 10 | 15 | 143 | 3.94 | <1 | 0.91 | 10 | 1.64 2776 | 3 0.02 | 10 | 0.201 | 290 | 0.76 | <5 | 2 | 298 | <5 | 0.09 | <10 | <10 | 48 | 10 | 646 | 3 |
| 165393 | 2.0 | 0.96 | 24 | 173 | 0.5 | <5 | 3.88 | 11 | 7 | 23 | 125 | 3.58 | 1 | 0.78 | 10 | 1.41 2816 | 3 0.02 | 6 | 0.159 | 465 | 0.76 | <5 | 2 | 327 | <5 | 0.07 | <10 | <10 | 37 | 14 | 1325 | 3 |
| 165394 | 3.1 | 1.62 | 27 | 218 | 1.0 | 9 | 2.27 | 19 | 9 | 21 | 130 | 4.75 | <1 | 1.38 | 13 | 1.55 2449 | 3 0.02 | 9 | 0.150 | 947 | 0.90 | <5 | 2 | 204 | <5 | 0.15 | 10 | <10 | 56 | 29 | 2825 | 3 |
| 165395 | 11.3 | 2.38 | 257 | 160 | 1.4 | 37 | 1.29 | 120 | 23 | 27 | 255 | 7.63 | <1 | 2.01 | <10 | 1.95 2567 | 3 0.01 | 6 | 0.127 | 3667 | 2.55 | <5 | 3 | 110 | <5 | 0.21 | 11 | <10 | 69 | 158 | >10000 | 4 |
| 165396 | 1.4 | 1.11 | 57 | 117 | 0.5 | <5 | 2.52 | 7 | 6 | 12 | 90 | 2.90 | 2 | 0.90 | <10 | 1.42 2405 | <2 0.02 | 5 | 0.122 | 215 | 0.49 | <5 | 2 | 355 | <5 | 0.07 | <10 | <10 | 37 | <10 | 782 | 2 |
| 165397 | 1.4 | 0.90 | 31 | 102 | <0.5 | <5 | 2.98 | .4 | 7 | 17 | 158 | 3.37 | 1 | 0.62 | <10 | 1.33 2212 | <2 0.02 | 7 | 0,127 | 161 | 0.78 | <5 | 2 | 479 | <5 | 0.04 | <10 | <10 | 29 | <10 | 156 | 2 |
| 165398 | 2.9 | 0.98 | 20 | 131 | <0.5 | <5 | 1.88 | 16 | 7 | 22 | 95 | 3.73 | <1 | 0.76 | <10 | 1.09 2274 | <2 0.02 | 7 | 0.108 | 582 | 1.03 | <5 | 2 | 254 | <5 | 0.06 | <10 | <10 | 32 | 14 | 2011 | 3 |
| 165399 | 1.3 | 1.31 | 31 | 187 | 0.8 | <5 | 1.94 | 3 | 9 | 12 | 139 | 3.73 | <1 | 1.08 | <10 | 1.35 2004 | <2 0.03 | 10 | 0.110 | 79 | 1.07 | <5 | 2 | 250 | <5 | 0.12 | <10 | <10 | 50 | <10 | 125 | 3 |
| 165400 | 1.7 | 1.57 | 19 | 226 | 1.0 | <5 | 2.26 | 8 | 10 | 19 | 95 | 3.77 | <1 | 1.07 | 10 | 1.47 2024 | 2 0.05 | 9 | 0,127 | 260 | 0.57 | <5 | 3 | 262 | <5 | 0.13 | <10 | <10 | 61 | <10 | 774 | 5 |
| 165401 | 24.8 | 1.99 | 988 | 195 | 0.9 | 28 | 1.60 | 119 | 12 | 12 | 160 | 5.19 | <1 | 1.60 | <10 | 1.69 2748 | 2 0.02 | 7 | 0.096 | 4439 | 1.88 | 8 | 2 | 168 | <5 | 0.14 | <10 | <10 | 48 | 130 | >10000 | 3 |
| 165402 | >200.0 | 1.26 | 670 | 133 | 0.5 | 914 | 1.77 | 67 | 10 | 18 | 314 | 5.65 | 1 | 0.99 | <10 | 1.15 2369 | 2 0.02 | 11 | 0.085 | >10000 | 2.68 | 24 | 2 | 200 | <5 | 0.08 | <10 | <10 | 37 | 68 | 9442 | 3 |
| 165403 | 3.6 | 0.80 | 130 | 161 | <0.5 | <5 | 2.78 | 13 | 7 | 8 | 141 | 3.25 | 1 | 0.68 | <10 | 0.98 2831 | <2 0.02 | 7 | 0.114 | 408 | 0.99 | <5 | 1 | 297 | <5 | 0.04 | <10 | <10 | 22 | 13 | 1847 | 3 |
| 165404 | 3.2 | 0.97 | 46 | 189 | <0.5 | 5 | 2.15 | 3 | 12 | 14 | 190 | 3.51 | <1 | 0.82 | <10 | 1.00 1831 | 2 0.03 | 8 | 0.111 | 77 | 1.60 | <5 | 1 | 261 | <5 | 0.06 | <10 | <10 | 31 | <10 | 107 | 3 |
| 165405 | 1.6 | 0.88 | 110 | 150 | <0.5 | <5 | 2.57 | 4 | 10 | 13 | 123 | 3.13 | <1 | 0.73 | <10 | 1.07 1744 | <2 0.03 | 12 | 0.104 | 95 | 0.99 | <5 | 1 | 323 | <5 | 0.06 | <10 | <10 | 32 | <10 | 184 | 2 |
| 165406 | 2.2 | 1.18 | 58 | 240 | 0.6 | <5 | 2.14 | 8 | 12 | 25 | 105 | 3.48 | <1 | 0.95 | <10 | 1.15 1613 | 2 0.04 | 11 | 0.095 | 239 | 1.03 | <5 | 2 | 286 | <5 | 0.09 | <10 | <10 | 45 | <10 | 884 | 3 |
| 165407 | 3.3 | 1.54 | 108 | 141 | 0.8 | 6 | 2.24 | 7 | 18 | 37 | 209 | 6.19 | <1 | 1.25 | 10 | 1.67 1818 | <2 0.02 | 27 | 0.094 | 67 | 2.60 | <5 | 4 | 261 | <5 | 0.12 | <10 | <10 | 59 | <10 | 217 | 3 |
| 165408 | 0.3 | 1.86 | 18 | 321 | 1.2 | <5 | 2.84 | 4 | 11 | 41 | 64 | 4.81 | <1 | 1.37 | <10 | 2.07 1681 | <2 0.05 | 16 | 0.111 | 17 | 0.66 | <5 | 6 | 291 | <5 | 0.17 | <10 | <10 | 92 | <10 | 111 | 2 |
| 165409 | 0.6 | 1.82 | 29 | 236 | 0.9 | <5 | 4.02 | 5 | 14 | 57 | 113 | 5.92 | 1 | 1.01 | <10 | 2.50 2057 | <2 0.03 | 16 | 0.117 | 16 | 1.04 | <5 | 8 | 398 | <5 | 0.13 | <10 | <10 | 100 | <10 | 92 | 3 |
| 165410 | <0.2 | 2.57 | 12 | 423 | 1.3 | <5 | 3.61 | 5 | 14 | 70 | 35 | 6.13 | <1 | 1.54 | <10 | 2.82 1859 | <2 0.03 | 20 | 0.138 | 20 | 0.35 | <5 | 11 | 431 | <5 | 0.19 | <10 | <10 | 124 | <10 | 166 | 3 |
| 165411 | 0.5 | 2.64 | 19 | 338 | 1.1 | <5 | 3.99 | 7 | 19 | 76 | 86 | 6.93 | 1 | 1.39 | <10 | 2.92 2134 | <2 0.02 | 21 | 0.137 | 23 | 0.88 | <5 | 11 | 394 | <5 | 0.17 | 10 | <10 | 132 | <10 | 139 | 3 |
| 165412 | 14.5 | 1.81 | 111 | 226 | 0.8 | 7 | 3.90 | 67 | 17 | 49 | 268 | 6.92 | 1 | 1.16 | <10 | 2.43 2905 | 6 0.02 | 25 | 0.128 | 4388 | 2.23 | <5 | 7 | 441 | <5 | 0.12 | <10 | <10 | 87 | 77 | >10000 | 3 |
| 165413 | 3.2 | 0.49 | 66 | 124 | <0.5 | <5 | 4.70 | 10 | 18 | 24 | 137 | 6.64 | 2 | 0.44 | <10 | 1.84 2924 | <2 0.01 | 21 | 0.124 | 432 | 2.53 | <5 | 6 | 654 | <5 | 0.01 | <10 | <10 | 29 | <10 | 622 | 2 |
| 165414 | 2.9 | 0.54 | 56 | 141 | <0.5 | <5 | 2.22 | 15 | 27 | 17 | 145 | 3.47 | <1 | 0.49 | <10 | 0.93 1568 | 3 0.01 | 17 | 0.132 | 474 | 1.61 | <5 | Z | 242 | <5 | 0.01 | <10 | <10 | 16 | 13 | 2066 | 2 |
| 165415 | 6.1 | 1.17 | 71 | 127 | 0.7 | <5 | 2.34 | 6 | 58 | 12 | 165 | 5.62 | <1 | 1.05 | <10 | 1.16 1471 | 3 0.02 | 13 | 0.102 | 43 | 2.81 | <5 | 1 | 236 | <5 | 0.12 | <10 | <10 | 43 | <10 | 150 | 3 |

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed:



8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

 Report No
 : 0S0024RJ

 Date
 : Jul-13-10

Sample type : CORE

Skyline Gold Corporation

Project : Bronson

Attention : Arnd Burgert

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | AI | As | Ba | Be | Bi | Ca | Cd | Co | Ċr | Cu | Fe | Hg | к | La | Mg Mn | Mo Na | a Ni | Р | Pb | s | Sb | Sc | Sr | Th | Ti | ΤΙ | U | v | w | Zn | Zr |
|-------------|------|------|-----|-----|------|-----|-------|-------|-----|-----|------|-------|-----|-------|-----|-----------|----------|-------|-------|------|------|-------|-----|-------|-----|-------|-----|-------|-----|-----|-------|-----|
| Number | ppm | % | ppm | ppm | ppm | ppm | % | ppm (| ppm | ppm | ppm | % | ppm | % | ppm | % ppm | ppm % | 5 ppm | % | ppm | % | ppm (| opm | ppm (| ppm | % | ppm | ppm p | pm | ppm | ppm p | opm |
| 165416 | 0.7 | 1.35 | 27 | 215 | 0.9 | <5 | 2.85 | 3 | 16 | 13 | 89 | 3.36 | <1 | 1.19 | <10 | 1.01 1435 | 2 0.04 | 7 | 0.098 | 21 | 0.78 | <5 | z | 270 | <5 | 0.14 | <10 | <10 | 56 | <10 | 111 | 3 |
| 165417 | 12.3 | 1.33 | 68 | 170 | 1.0 | 13 | 1.81 | 4 | 38 | 14 | 78 | 4.49 | <1 | 1.17 | <10 | 0.96 955 | 4 0.02 | 10 | 0.123 | 50 | 1.92 | <5 | 1 | 190 | <5 | 0.15 | <10 | <10 | 44 | <10 | 92 | 3 |
| 165418 | 3.5 | 0.92 | 35 | 151 | <0.5 | 6 | 3.26 | <1 | 19 | 55 | 100 | 3.62 | 4 | 0.59 | <10 | 0.84 1627 | 2 0.02 | 4 | 0.069 | 320 | 1.42 | 8 | 1 | 277 | <5 | 0.05 | <10 | <10 | 19 | <10 | 134 | 3 |
| 165419 | <0.2 | 1.94 | 16 | 92 | 0.9 | <5 | 2.34 | 1 | 32 | 35 | 49 | 6.11 | 1 | 0.11 | 28 | 3.00 1573 | <2 0.18 | 27 | 0.377 | 8 | 0.26 | 8 | 7 | 368 | 6 | 0.47 | 17 | <10 | 134 | <10 | 113 | 25 |
| 165420 | 1.6 | 1.70 | 55 | 196 | <0.5 | <5 | 2.34 | <1 | 27 | 36 | 149 | 4.88 | 3 | 1.36 | <10 | 1.24 1386 | 3 0.04 | 5 | 0.105 | 31 | 1.71 | 9 | 3 | 216 | <5 | 0.21 | <10 | <10 | 58 | <10 | 103 | 7 |
| 165421 | 1.9 | 0.04 | 8 | 16 | <0.5 | <5 | 22.27 | <1 | 1 | 2 | 1 | 0.08 | 10 | <0.01 | <10 | 12.33 61 | <2 0.01 | <1 | 0.020 | <2 | 0.52 | <5 | <1 | 154 | <5 | <0.01 | 11 | <10 | 1 | <10 | 5 | 1 |
| 165422 | 3.8 | 1.04 | 59 | 137 | <0.5 | 8 | 0.69 | 2 | 15 | 62 | 3107 | 3.80 | <1 | 0.44 | 23 | 0.59 304 | 231 0.03 | 9 | 0.056 | 142 | 1.31 | 24 | 4 | 31 | 13 | 0.03 | <10 | <10 | 35 | <10 | 167 | 5 |
| 165423 | 2.1 | 2.02 | 73 | 80 | <0.5 | 6 | 2.39 | 1 | 56 | 29 | 218 | 7.37 | 4 | 1.86 | <10 | 1.44 1719 | 6 0.02 | 1 | 0.084 | 16 | 3.28 | 12 | 2 | 278 | <5 | 0.22 | <10 | 22 | 62 | 13 | 89 | 4 |
| 165424 | 0.3 | 1.92 | 42 | 394 | <0.5 | <5 | 2.48 | <1 | 12 | 25 | 139 | 4.59 | 3 | 1.73 | <10 | 1.38 1289 | <2 0.04 | 8 | 0.096 | 11 | 1.01 | 8 | 4 | 259 | <5 | 0.25 | <10 | <10 | 70 | <10 | 70 | 3 |
| 165425 | 0.9 | 1.93 | 46 | 177 | <0.5 | <5 | 2.37 | <1 | 29 | 35 | 284 | 6.15 | 4 | 1.67 | <10 | 1.52 1344 | 6 0.04 | - 8 | 0.090 | 16 | 2.02 | 10 | 3 | 266 | <5 | 0.23 | <10 | 13 | 66 | <10 | 133 | 4 |
| 165426 | <0.2 | 1.84 | 19 | 271 | <0.5 | <5 | 2.40 | <1 | 15 | 26 | 66 | 4.03 | 3 | 1.62 | <10 | 1.75 1181 | <2 0.04 | 5 | 0.106 | 5 | 0.46 | 8 | 3 | 269 | <5 | 0.21 | <10 | <10 | 64 | <10 | 72 | 3 |
| 165427 | 0.4 | 1.41 | 28 | 179 | <0.5 | <5 | 3.04 | <1 | 19 | 38 | 86 | 4.81 | 4 | 1.07 | <10 | 1.90 1195 | <2 0.05 | 16 | 0.116 | 5 | 0.94 | 8 | 3 | 331 | <5 | 0.13 | <10 | <10 | 64 | <10 | 64 | 3 |
| 165428 | 0.2 | 1.21 | 15 | 189 | <0.5 | <5 | 2.83 | <1 | 13 | 26 | 36 | 3.44 | 3 | 1.03 | <10 | 1.57 1139 | <2 0.05 | 12 | 0.106 | 3 | 0.41 | 6 | 3 | 283 | <5 | 0.13 | <10 | <10 | 49 | <10 | 53 | 2 |
| 165429 | 0.5 | 0.96 | 17 | 200 | <0.5 | <5 | 3.04 | <1 | 10 | 31 | 60 | 2.93 | 3 | 0.83 | <10 | 1.35 1292 | 2 0.05 | 6 | 0.108 | 5 | 0.41 | 6 | 2 | 314 | <5 | 0.11 | <10 | <10 | 45 | <10 | 53 | 2 |
| 165430 | 0.6 | 1.04 | 19 | 217 | <0.5 | <5 | 3.06 | <1 | 11 | 24 | 72 | 3.13 | 3 | 0.90 | <10 | 1.51 1347 | <2 0.05 | 8 | 0.115 | 5 | 0.42 | 7 | 2 | 310 | <5 | 0.12 | <10 | <10 | 50 | <10 | 71 | 2 |
| 165431 | 0.8 | 0.70 | 21 | 143 | <0.5 | <5 | 3.89 | <1 | 8 | 25 | 37 | 2.65 | 4 | 0.61 | <10 | 1.63 1783 | 3 0.04 | 10 | 0.105 | 6 | 0.38 | 5 | 2 | 382 | <5 | 0.06 | <10 | <10 | 29 | <10 | 121 | 2 |
| 165432 | 0.2 | 1.38 | 14 | 207 | <0.5 | <5 | 3.46 | <1 | 6 | 33 | 21 | 3.72 | 4 | 1.25 | <10 | 2.22 1865 | <2 0.04 | 9 | 0.125 | 4 | 0.33 | 7 | 3 | 331 | <5 | 0.17 | <10 | <10 | 55 | <10 | 186 | 2 |
| 165433 | 1.0 | 0.95 | 32 | 162 | <0.5 | <5 | 3.68 | 3 | 6 | 32 | 67 | 3.87 | 5 | 0.72 | <10 | 1.72 2149 | <2 0.03 | 11 | 0.118 | 20 | 0.89 | 6 | 3 | 412 | <5 | 0.07 | <10 | 11 | 39 | <10 | 539 | 3 |
| Duplicates: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165266 | 9.7 | 2.28 | 394 | 81 | <0.5 | 19 | 0.56 | 9 | 28 | 99 | 421 | 7.59 | <1 | 0.64 | <10 | 2.03 1633 | 2 0.01 | 102 | 0.090 | 246 | 3.73 | <5 | 1 | 48 | <5 | 0.07 | <10 | <10 | 40 | <10 | 727 | 3 |
| 165275 | 12.2 | 2.09 | 274 | 105 | <0.5 | 22 | 1.05 | 50 | 16 | 54 | 283 | 6.21 | <1 | 0.83 | <10 | 1.90 2148 | <2 0.01 | 79 | 0.106 | 542 | 3.07 | <5 | 2 | 104 | <5 | 0.08 | <10 | <10 | 36 | 57 | 6607 | 2 |
| 165285 | 4.4 | 3.12 | 104 | 136 | 0.6 | 8 | 0.96 | 14 | 21 | 70 | 377 | 5.75 | <1 | 0.86 | <10 | 3.09 1999 | 2 0.02 | 68 | 0.136 | 217 | 1.51 | <5 | 3 | 95 | <5 | 0.10 | <10 | <10 | 73 | 13 | 1529 | 2 |
| 165288 | 1.5 | 2.12 | 57 | 194 | 0.8 | <5 | 1.19 | 5 | 25 | 29 | 105 | 5.23 | <1 | 1.15 | <10 | 2.09 1626 | 2 0.03 | 26 | 0,209 | 91 | 1.93 | <5 | 2 | 123 | <5 | 0.13 | <10 | <10 | 61 | <10 | 411 | 2 |
| 165297 | 3.0 | 2.18 | 233 | 120 | 1.2 | <5 | 1.29 | 7 | 24 | 29 | 350 | 6.17 | <1 | 1.83 | <10 | 2.00 1265 | 3 0.02 | 9 | 0.229 | 67 | 2.62 | <5 | 2 | 226 | <5 | 0.19 | 11 | <10 | 66 | <10 | 444 | 2 |
| 165307 | 2.7 | 1.63 | 52 | 174 | 1.0 | <5 | 0.81 | 3 | 13 | 31 | 237 | 4.54 | <1 | 1.51 | <10 | 1.48 1150 | 3 0.03 | 14 | 0.120 | 79 | 2.05 | <5 | 2 | 100 | <5 | 0.17 | <10 | <10 | 43 | <10 | 213 | 2 |
| 165310 | 52.5 | 1.93 | 305 | 32 | 1.0 | 67 | 1.00 | 62 | 28 | 61 | 841 | 12.17 | <1 | 1.70 | <10 | 1.41 1143 | 7 0.01 | 17 | 0.158 | 293 | 7.38 | <5 | 2 | 96 | <5 | 0.18 | 13 | 10 | 62 | 68 | 6578 | 5 |
| 165319 | 10.2 | 2.39 | 132 | 130 | 0.9 | 20 | 1.40 | 64 | 16 | 118 | 287 | 6.61 | 1 | 1.45 | <10 | 2.18 1698 | 3 0.01 | 115 | 0.143 | 2355 | 2.88 | 6 | 3 | 117 | <5 | 0.15 | <10 | <10 | 48 | 91 | 8816 | 3 |
| 165329 | 3.4 | 3.75 | 48 | 106 | 0.5 | 8 | 1.03 | 13 | 10 | 58 | 349 | 8.79 | <1 | 0.98 | <10 | 2.97 2731 | 2 0.01 | 32 | 0.123 | 124 | 1.83 | <5 | 5 | 64 | <5 | 0.09 | <10 | <10 | 87 | 15 | 868 | 3 |
| 165332 | 38.4 | 3.46 | 98 | 55 | <0.5 | 11 | 0.40 | 33 | 17 | 63 | 3649 | 12.11 | <1 | 0.68 | <10 | 2.46 1766 | 2 0.01 | 59 | 0.130 | 797 | 4.82 | <5 | 3 | 21 | <5 | 0.08 | <10 | <10 | 73 | 25 | 2360 | 4 |
| 165341 | 1.9 | 2.05 | 39 | 197 | 0.7 | <5 | 3.67 | 6 | 16 | 36 | 245 | 6.24 | 1 | 1.13 | 10 | 2.06 2867 | 2 0.02 | 25 | 0.146 | 38 | 1.59 | <5 | 3 | 306 | <5 | 0.11 | <10 | <10 | 53 | <10 | 141 | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Page 6 of 7

Signed:



8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0024RJDate: Jul-13-10Sample type: CORE

Skyline Gold Corporation

Project : Bronson

Attention : Arnd Burgert

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | A | As | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Hg | ĸ | La | Mg Mn | Mo Na | Ni | P | Pb | S | Sb | Sc | Sr | Th | Ti | Ti | U | V | w | Zn | Zr |
|------------|------|-------|-----|-----|------|-----|-------|-----|-----|-----|------|-------|-----|--------|-----|-----------|---------|-----|--------|------|--------|--------------|-------|-------|-----|-------|-----|-------|-----|-------|--------|-----|
| Number | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | % | ppm | % ppm | ppm % | ppm | % | ppm | % | ppm j | opm p | ppm ‡ | ppm | % | ppm | ppm j | opm | ppm | ppm | ppm |
| 165351 | 2.8 | 2.76 | 62 | 220 | 1.2 | 5 | 2.46 | 8 | 18 | 54 | 221 | 6.40 | <1 | 1.71 | <10 | 2.90 1416 | 2 0.02 | 48 | 0.128 | 40 | 1.57 | <5 | 5 | 267 | <5 | 0.17 | <10 | <10 | 87 | <10 | 203 | 3 |
| 165354 | 2.9 | 2.05 | 85 | 177 | 1.2 | <5 | 1.43 | 6 | 18 | 34 | 266 | 4.98 | 1 | 1.76 | <10 | 1.50 1236 | 4 0.02 | 29 | 0.145 | 52 | 1.97 | <5 | 3 | 182 | <5 | 0.18 | <10 | <10 | 61 | <10 | 225 | 2 |
| 165363 | 1.2 | 0.92 | 39 | 160 | <0.5 | <5 | 2.62 | 3 | 12 | 37 | 135 | 3.20 | <1 | 0.68 | <10 | 1.12 1152 | 3 0.04 | 30 | 0.075 | 15 | 1.36 | <5 | 2 | 243 | <5 | 0.04 | <10 | <10 | 26 | <10 | 80 | 2 |
| 165373 | 8.8 | 0.56 | 103 | 115 | <0.5 | 5 | 3.58 | 40 | 19 | 35 | 416 | 4.47 | <1 | 0.46 | 10 | 1.17 3038 | 4 0.01 | 35 | 0.055 | 1333 | 2.58 | <5 | 1 | 313 | <5 | 0.01 | <10 | <10 | 11 | 46 | 4796 | 2 |
| 165376 | 10.7 | 1.09 | 79 | 96 | <0.5 | 25 | 6.89 | 72 | 26 | 33 | 339 | 8.39 | 2 | 0.86 | <10 | 2.38 5940 | 15 0.01 | 39 | 0.109 | 2231 | 3.67 | <5 | 2 | 547 | <5 | 0.08 | <10 | <10 | 36 | 89 | 8930 | 5 |
| 165385 | 3.5 | 0.84 | 91 | 122 | <0.5 | 7 | 5.11 | 7 | 29 | 26 | 188 | 6.19 | 2 | 0.67 | 14 | 1.53 4162 | 86 0.01 | 42 | 0.141 | 253 | 2.83 | <5 | 1 | 526 | <5 | 0.04 | <10 | <10 | 34 | 10 | 357 | 8 |
| 165395 | 11.3 | 2.42 | 240 | 172 | 1.4 | 30 | 1.24 | 113 | 23 | 28 | 254 | 7.35 | 2 | 2.03 | <10 | 1.91 2487 | 3 0.01 | 6 | 0.108 | 3517 | 2.36 | <5 | 3 | 113 | <5 | 0.21 | 10 | <10 | 69 | 156 > | >10000 | 4 |
| 165396 | 1.3 | 1.14 | 65 | 134 | 0.6 | <5 | 2.69 | 8 | 6 | 16 | 87 | 3.05 | <1 | 0.91 | <10 | 1.45 2480 | <2 0.02 | 6 | 0.127 | 223 | 0.52 | <5 | 2 | 346 | <5 | 0.08 | <10 | <10 | 40 | <10 | 868 | 2 |
| 165405 | 1.6 | 0.90 | 107 | 165 | 0.5 | <5 | 2.64 | 4 | 10 | 14 | 121 | 3.20 | <1 | 0.74 | <10 | 1.07 1765 | <2 0.03 | 12 | 0.107 | 95 | 1.03 | <5 | 2 | 317 | <5 | 0.07 | <10 | <10 | 34 | <10 | 196 | 2 |
| 165415 | 6.2 | 1.23 | 74 | 116 | 0.8 | <5 | 2.34 | 6 | 56 | 13 | 170 | 5.72 | <1 | 1.08 | <10 | 1.17 1468 | 3 0.02 | 14 | 0.117 | 41 | 2.98 | <5 | 1 | 240 | <5 | 0.13 | <10 | <10 | 44 | <10 | 149 | 3 |
| 165418 | 3.5 | 0.92 | 37 | 162 | <0.5 | 6 | 3.11 | <1 | 19 | 59 | 96 | 3.48 | 3 | 0.58 | <10 | 0.81 1580 | 2 0.02 | 2 | 0.075 | 321 | 1.44 | 8 | 1 | 266 | <5 | 0.05 | <10 | <10 | 20 | <10 | 125 | 3 |
| 165427 | 0.4 | 1.38 | 29 | 173 | <0.5 | <5 | 2.89 | <1 | 19 | 36 | 81 | 4.63 | 4 | 1.03 | <10 | 1.82 1144 | <2 0.05 | 15 | 0.102 | 4 | 0.88 | 7 | 3 | 320 | <5 | 0.13 | <10 | <10 | 62 | <10 | 61 | 3 |
| Standards: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blank | <0.2 | <0.01 | <5 | <10 | <0.5 | <5 | <0.01 | <1 | <1 | <1 | <1 | <0.01 | 2 | < 0.01 | <10 | <0.01 <5 | <2 0.01 | <1 | <0.001 | <2 | < 0.01 | <5 | <1 | <1 | <5 | <0.01 | <10 | <10 | <1 | <10 | <1 | <1 |
| CH-4 | 1.9 | 1.68 | 11 | 274 | 1.0 | <5 | 0.54 | 4 | 29 | 99 | 1950 | 4.28 | <1 | 1.31 | 12 | 1.15 312 | 3 0.05 | 47 | 0.063 | 16 | 0.51 | <5 | 6 | 8 | <5 | 0.19 | <10 | <10 | 76 | <10 | 196 | 10 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed:



Quality Assaying for over 35 Years

Assay Certificate

0S-0024-RA1

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-13-10

We *hereby certify* the following assay of 22 core samples submitted Jun-21-10

| Sample | Au | Smple-wt | |
|-------------|---------|----------|--|
| Name | g/tonne | Kg | |
| 165266 | 0.22 | 4.0 | |
| 165267 | 0.07 | 3.0 | |
| 165268 | 0.55 | 2.5 | |
| 165269 | 0.04 | 3.0 | |
| 165270 | 0.02 | 2.5 | |
| 165271 | 0.02 | 2.5 | |
| 165272 | 0.02 | 1.3 | |
| 165273 | 0.01 | 3.0 | |
| 165274 | 0.02 | 2.0 | |
| 165275 | 0.24 | 3.0 | |
| 165276 | 0.13 | 4.5 | |
| 165277 | 0.20 | 0.9 | |
| 165278 | 0.04 | 5.0 | |
| 165279 | 0.03 | 2.0 | |
| 165280 | 0.03 | 1.3 | |
| 165281 | 0.01 | 2.5 | |
| 165282 | 0.03 | 2.5 | |
| 165283 | 0.02 | 3.0 | |
| 165284 | 0.08 | 4.0 | |
| 165285 | 0.07 | 3.0 | |
| 165286 | 0.27 | 0.1 | |
| 165287 | 0.03 | 3.0 | |
| *DUP 165266 | 0.21 | | |
| *DUP 165275 | 0.24 | | |
| *DUP 165285 | 0.07 | | |
| *0211 | 2.23 | | |
| *BLANK | <0.01 | | |

Au 50g F.A. AA finish

Certified by___



Quality Assaying for over 35 Years

Assay Certificate

0S-0024-RA2

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-13-10

We *hereby certify* the following assay of 22 core samples submitted Jun-21-10

| Sample Name | Au g/tonne | Zn % | As % | Smple-wt Kg | |
|----------------|---------------|-----------|---------|----------------|--|
| 165288 | 0.03 | · · · · · | | 2.0 | |
| 165289 | <0.01 | | | 0.3 | |
| 165290 | 0.05 | | | 5.0 | |
| 165291 | 0.05 | | | 8.0 | |
| 165292 | 1.18 | 8.10 | 3.65 | 1.2 | |
| 165293 | 0.08 | 1.22 | | 3.0 | |
| 165294 | 0.03 | | | 2.5 | |
| 165295 | 0.05 | | | 3.2 | |
| 165296 | 0.04 | | | 2.0 | |
| 165297 | 0.18 | | | 4.0 | |
| 165298 | 1.02 | | | 3.5 | |
| 165299 | 0.17 | | | 2.0 | |
| 165300 | 0.07 | | | 3.0 | |
| 165301 | 0.05 | | | 3.0 | |
| 165302 | 0.08 | | | 3.0 | |
| 165303 | 0.20 | | | 3.0 | |
| 165304 | 0.22 | | | 3.0 | |
| 165305 | 0.10 | | | 5.0 | |
| 165306 | 0.13 | | | 3.0 | |
| 165307 | 0.04 | | | 3.0 | |
| 165308 | 0.02 | | | 3.0 | |
| 165309 | 0.12 | | | 4.0 | |
| *DUP 165288 | 0.03 | | | | |
| *DUP 165297 | 0.23 | | | | |
| *DUP 165307 | 0.05 | | | | |
| *0211 | 2.05 | | | | |
| *ME-3 | | 0.91 | | | |
| *CD-1 | | | 0.660 | | |
| *BLANK | <0.01 | | <0.001 | | |

Certified by_



Quality Assaying for over 35 Years

Assay Certificate

0S-0024-RA3

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-13-10

We *hereby certify* the following assay of 22 core samples submitted Jun-21-10

| Sample | Au | Zn | Smple-wt | |
|------------|---------|-------|----------|------|
| Name | g/tonne | % | Kg | |
| 165310 | 1.99 | · | 3.0 | |
| 165311 | 4.88 | | 4.0 | |
| 165312 | 0.23 | | 1.5 | |
| 165313 | 0.09 | | 3.0 | |
| 165314 | 0.09 | | 2.5 | |
| L65315 | 0.22 | | 3.0 | |
| 165316 | 1.00 | 1.15 | 3.0 | |
| L65317 | 0.18 | | 3.0 | |
| l65318 | 7.94 | | 2.5 | |
| 165319 | 0.13 | | 4.0 | |
| 65320 | 0.25 | 3.90 | 3.0 | ···· |
| L65321 | 0.20 | | 2.0 | |
| 65322 | 0.22 | | 3.0 | |
| 65323 | 2.33 | 4.30 | 3.0 | |
| 65324 | 1.44 | | 2.5 | |
| 165325 | 0.17 | | 1.7 | |
| 65326 | 0.96 | | 0.1 | |
| .65327 | 0.21 | 1.54 | 4.0 | |
| 65328 | 0.11 | | 5.0 | |
| 65329 | 0.15 | | 2.0 | |
| 65330 | 0.13 | | 2.0 | |
| 65331 | 0.23 | 1.73 | 3.0 | |
| DUP 165310 | 1.97 | | | |
| DUP 165319 | 0.12 | | | |
| DUP 165329 | 0.13 | | | |
| 0211 | 2.21 | | | |
| ME-3 | | 0.86 | | |
| BLANK | <0.01 | <0.01 | | |

M2 Certified by_



Quality Assaying for over 35 Years

Assay Certificate

0S-0024-RA4

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-13-10

わ

We *hereby certify* the following assay of 22 core samples submitted Jun-21-10

| Sample | Au | Zn | Smple-wt | |
|-------------|---------|-------|--|--|
| Name | g/tonne | % | Kg | |
| 165332 | 1.86 | | 0.5 | |
| 165333 | 0.13 | | 2.0 | |
| 165334 | 0.98 | | 3.0 | |
| 165335 | 1.68 | | 1.4 | |
| 165336 | 0.20 | | 2.5 | |
| 165337 | 0.17 | | 3.0 | |
| 165338 | 0.10 | | 2.0 | |
| 165339 | <0.01 | | 0.3 | |
| 165340 | 0.03 | | 4.0 | |
| 165341 | 0.05 | | 3.5 | |
| 165342 | 0.11 | | 5.0 | |
| 165343 | 0.05 | | 4.0 | |
| 165344 | 1.03 | 1.60 | 1.5 | |
| 165345 | 0.06 | | 4.5 | |
| 165346 | 0.01 | | 5.0 | |
| 165347 | 0.02 | · · · | 5.5 | |
| 165348 | 0.01 | | 3.0 | |
| 165349 | 0.01 | | 2.5 | |
| 165350 | 0.01 | | 2.5 | |
| 165351 | 0.29 | | 7.0 | |
| 165352 | <0.01 | | 0.2 | |
| 165353 | 0.17 | | 2.5 | |
| *DUP 165332 | 1.82 | | | |
| *DUP 165341 | 0.04 | | | |
| *DUP 165351 | 0.26 | | | |
| *0211 | 2.09 | | ······································ | |
| *ME-3 | | 0.91 | | |
| *BLANK | <0.01 | <0.01 | | |
| | | | | |



Quality Assaying for over 35 Years

Assay Certificate

0S-0024-RA5

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-13-10

We *hereby certify* the following assay of 22 core samples submitted Jun-21-10

| Sample | Au | Zn | Smple-wt | |
|--------------|--------------|-------|----------|--|
| Name | g/tonne | % | Kg | |
| 165354 | 0.14 | | 2.0 | |
| 165355 | 0.04 | | 2.5 | |
| 165356 | 0.03 | | 3.0 | |
| 165357 | 0.07 | | 2.5 | |
| 165358 | 0.12 | | 3.0 | |
| 165359 | 0.32 | | 2.5 | |
| 165360 | 0.06 | | 2.5 | |
| 165361 | 0.02 | | 4.5 | |
| 165362 | 0.03 | | 5.0 | |
| 165363 | 0.03 | | 5.0 | |
| 165364 | 0.02 | | 4.0 | |
| 165365 | 0.03 | | 5.0 | |
| | 0.03 | | 5.0 | |
| 165367 | 0.02 | | 5.5 | |
| 165368 | 0.02 | | 3.0 | |
| 165369 | 0.02 | | 5.0 | |
| 165370 | <0.01 | | 5.0 | |
| 165372 | U.26 1.25 | | 0.1 | |
| 165373 | 1.35 | | 2.5 | |
| 165373 | 0.22 | | 2.0 | |
| 165375 | 0.15 | 2 04 | 3.0 | |
| * DID 165354 | 0.30 | 5.04 | 5.0 | |
| *DUP 165363 | 0.17 | | | |
| *DUP 165373 | 0.17 | | | |
| *0211 | 2 07 | ··· · | | |
| *ME-3 | 2.07 | 0.91 | | |
| *BLANK | <0.01 | <0.01 | | |
| | | | | |

Certified by_



Quality Assaying for over 35 Years

Assay Certificate

0S-0024-RA6

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-13-10

We *hereby certify* the following assay of 22 core samples submitted Jun-21-10

| Sample Namo | Au g/tonne | Zn % | Pb % | Smple-wt Kg | |
|---|---|--------------|---------|---------------------------------|--|
| 165376 165377 165378 165379 165380 | 2.28 0.52 0.48 0.07 0.12 | 1.22 | | 2.5 3.0 3.5 1.5 2.0 | |
| 165381 165382 165383 165384 165385 | $\begin{array}{c} 0.08\\ 0.14\\ 0.03\\ 0.15\\ 0.10\\ \end{array}$ | | | 2.5 2.0 5.0 2.5 | |
| 165386 165387 165388 165389 165390 | 0.11 0.57 0.04 0.18 0.05 | 1.67 7.38 | 1.28 | 2.5 3.0 3.0 3.0 2.0 | |
| 165391 165392 165393 165394 165395 | 1.32 0.15 0.06 0.09 0.18 | 2.91 | | 1.2 2.0 3.0 2.5 3.0 | |
| *DUP 165376 *DUP 165385 *DUP 165395 *0211 *ME-3 | 2.21 0.12 0.28 2.21 | 0.86 | 2.70 | | |
| *BLANK | <0.01 | <0.01 | <0.01 | | |



Quality Assaying for over 35 Years

Assay Certificate

0S-0024-RA7

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-13-10

We *hereby certify* the following assay of 22 core samples submitted Jun-21-10

| Sample | Au | Ag | Pb | Zn | Smple-wt |
|-------------|---------|---------|-------|-------|----------|
| Name | g/tonne | g/tonne | % | % | Kg |
| 165396 | 0.04 | | | | 2.0 |
| 165397 | 0.09 | | | | 2.5 |
| 165398 | 0.12 | | | | 2.5 |
| 165399 | 0.19 | | | | 3.0 |
| 165400 | 0.08 | | | | 3.0 |
| 165401 | 0.71 | | | 1.86 | 3.0 |
| 165402 | 1.65 | 462.9 | 1.29 | 0.99 | 3.0 |
| 165403 | 0.10 | | | | 3.0 |
| 165404 | 0.87 | | | | 4.0 |
| 165405 | 0.08 | | | | 5.0 |
| 165406 | 0.05 | | | | 5.0 |
| 165407 | 0.27 | | | | 5.0 |
| 165408 | 0,07 | | | | 5.0 |
| 165409 | 0.20 | | | | 5.0 |
| 165410 | 0.03 | | | | 5.0 |
| 165411 | 0.09 | | | | 5.0 |
| 165412 | 0.86 | | | 1.11 | 5.0 |
| 165413 | 0.11 | | | | 5.0 |
| 165414 | 0.15 | | | | 5.0 |
| 165415 | 2.40 | | | | 5.0 |
| 165416 | 0.07 | | | | 3.0 |
| 165417 | 12.80 | | | | 2.5 |
| *DUP 165396 | 0.05 | | | | |
| *DUP 165405 | 0.06 | | | | |
| *DUP 165415 | 2.69 | | | | |
| *0211 | 2.17 | | | | |
| *ME-3 | | 282.4 | 2.80 | 0.90 | |
| *BLANK | <0.01 | <0.1 | <0.01 | <0.01 | |
| | | | | | |

Certified by_



Quality Assaying for over 35 Years

Assay Certificate

0S-0024-RA8

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-13-10

We *hereby certify* the following assay of 16 core samples submitted Jun-21-10

| Sample | Au | Smple-wt | |
|------------|---------|----------|--|
| Name | g/tonne | Kg | |
| 165418 | 0.50 | 2.5 | |
| 165419 | 0.01 | 1.5 | |
| 165420 | 0.58 | 3.0 | |
| 165421 | <0.01 | 3.0 | |
| 165422 | 0.89 | 0.1 | |
| 165423 | 1.37 | 2,5 | |
| 165424 | 0.33 | 2.5 | |
| 165425 | 0.25 | 3.0 | |
| 165426 | 0.06 | 4.5 | |
| 165427 | 0.06 | 5.0 | |
| 165428 | 0.03 | 5.0 | |
| 165429 | 0.04 | 4.0 | |
| 165430 | 0.03 | 3.0 | |
| 165431 | 0.01 | 5.0 | |
| 165432 | 0.01 | 3.0 | |
| 165433 | 0.19 | 4.0 | |
| *DUP165418 | 0.61 | | |
| *DUP165427 | 0.07 | | |
| *0211 | 1.96 | | |
| *BLANK | <0.01 | | |

Au 50g F.A. AA finish

A



DIAMOND DRILL HOLE LOG

| HOLE: | SK10-04 | CONTRACTOR: | TOR: Driftwood Diamond Drilling Ltd. | | | | |
|--|---------------------------------------|----------------------------|--------------------------------------|--|--|--|--|
| COLLAR COORDINATI Easting: Northing: | ES UTM (NAD 83): 373538 6280825 | DATE STARTED: 05-Jun-10 | | | | | |
| COLLAR COORDINATI | ES MINE GRID: | DATE COMPLETE | ED: | | | | |
| Northing: | 11677 | 07-Jun-10 | | | | | |
| Easting: | 27368 | | | | | | |
| COLLAR ELEVATION: | | CORE SIZE: | | | | | |
| | 649m | NQ | | | | | |
| FINAL DEPTH: | | RIG: | | | | | |
| | 240m | SR | RS 3000 Hydraulic | | | | |
| SURVEYS: | | | | | | | |
| Depth | Azimuth | Inclination | Method | | | | |
| 0 | 238.0 | -44.0 compass, clinometer | | | | | |
| 93 | 237.7 | -47.6 | Reflex | | | | |
| 201 | 239.4 | -52.3 | Reflex | | | | |

Page: 2 of 15 pages



| From | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|------|-------------------|--|------------|-------|-------|----------|-------|-------|-----|-------|
| (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| 2.78 | 61.58 | GREYWACKE INTERBEDDED WITH FELDSPATHIC | 165434 | 2.78 | 3.85 | 1.07 | 0.03 | 1.1 | 120 | 546 |
| | | GREYWACKE | 165435 | 3.85 | 4.85 | 1.00 | 0.04 | 2.2 | 171 | 1244 |
| | Med to dark { | grey greywacke interbedded with light grey wispy | 165436 | 4.85 | 6.00 | 1.15 | 0.03 | 1.2 | 103 | 993 |
| | feldspathic gr | eywacke moderate to mildly shattered with (+/- | 165437 | 6.00 | 7.00 | 1.00 | 0.05 | 1.0 | 219 | 2855 |
| | sulphide) strir | ngers. Feldspathic sequences are more frequent | 165438 | 7.00 | 8.00 | 1.00 | 0.06 | 1.2 | 238 | 1138 |
| | closer to end | of interval. Qtz stringers from top of hole to 15.9m | 165439 | 8.00 | 9.00 | 1.00 | 0.05 | 0.9 | 98 | 1265 |
| | and then the | it changes to calcite from then on below. Both | 165440 | 9.00 | 10.00 | 1.00 | 0.03 | 0.7 | 76 | 657 |
| | roughly ~1% a | and average 2-3 mm wide. From 2.78 to 15.9m is ~ 7 | 165441 | 10.00 | 11.00 | 1.00 | 0.08 | 0.7 | 134 | 961 |
| | 8% Py mainly | found in Py stringers/HI with ~1% disseminated. | 165442 | 11.00 | 12.00 | 1.00 | 0.11 | 1.2 | 247 | 2784 |
| | There is evide | ence of hydrothermal brecciation with Py (+/- Sph) | 165443 | 12.00 | 13.00 | 1.00 | 0.07 | 1.6 | 224 | 3127 |
| | filling interstie | ces from 3 m to 15m. Disseminated pervasive weak- | 165444 | 13.00 | 14.00 | 1.00 | 0.37 | 7.5 | 87 | 1483 |
| | moderate bio | tite. From 57.22 it is predominantly feldspathic | 165445 | 14.00 | 14.40 | 0.40 | 1.71 | 40.7 | 193 | 11600 |
| | greywacke. T | hen from 61.58 it is a feldspathic grewacke | 165446 | 14.40 | 15.40 | 1.00 | 0.17 | 6.4 | 114 | 2325 |
| | (FeldsGW) | | 165447 | 15.40 | 17.00 | 1.60 | 0.04 | 0.6 | 43 | 477 |
| | | | 165448 | 17.00 | 18.00 | 1.00 | 0.01 | <0.2 | 38 | 181 |
| i | @ from 2.23 | m to 6 m is frequently broken up core with | 165449 | 18.00 | 19.30 | 1.30 | 0.03 | 0.9 | 80 | 316 |
| | dominant frag | cture angles at 60 TCA which more or less coincides | 165450 | 19.30 | 20.68 | 1.38 | 0.15 | 3.9 | 82 | 1211 |
| I | with stringer | angles within this interval. | 165451 | 20.68 | 21.68 | 1.00 | 0.28 | 19.5 | 170 | 12200 |
| I | @ 5.2 m is a | 75 TCA 35 mm wide Py stringer with minor biotite | 165617 | 21.68 | 22.23 | 0.55 | 25.57 | 309.1 | 121 | 1619 |
| | and qtz. | | 165618 | 21.68 | 22.23 | DUP | 11.81 | 274.6 | 124 | 3940 |
| | @8.39 m 30 | TCA fault with limonitized fault gouge breccia 2 mm. | 165619 | 22.23 | 24.00 | 1.77 | 0.06 | 3.7 | 69 | 633 |
| | Planar. | | 165620 | 24.00 | 26.00 | 2.00 | 0.04 | 1.6 | 56 | 409 |
| | @ 14.00 to 1 | 4.40 is a massive Py vein (85%Py) tapering off near | 165621 | 26.00 | 28.00 | 2.00 | 0.02 | 0.6 | 86 | 1169 |
| | the end of the | e interval resulting in more wall rock within this | 165622 | 28.00 | 30.00 | 2.00 | 0.03 | 0.7 | 88 | 391 |
| | sample interv | al. UCA = 45, LCA = 45 with a qtz veinlet 45 TCA in | 165623 | 30.00 | 32.00 | 2.00 | 0.02 | 1.2 | 63 | 1277 |
| | the opposing | direction. Blebby Sph (1-2%) and qtz within the Py | 165624 | 32.00 | 34.00 | 2.00 | 0.02 | 1.0 | 67 | 670 |
| I | mass. | | 165625 | 34.00 | 35.00 | 1.00 | 0.02 | 1.5 | 91 | 3875 |
| | @18.99 is a 4 | 10 TCA 40-25 mm wide Py-bearing hydrothermal | 165626 | 35.00 | 36.20 | 1.20 | 0.02 | 1.8 | 108 | 1612 |
| I | injection (HI). | | 165627 | 36.20 | 38.22 | 2.02 | 0.11 | 4.5 | 219 | 2251 |
| i | @ 20.68 to 2 | .0.87 m is a HI with UCA= 25 and LCA = slightly | 165628 | 38.22 | 40.00 | 1.78 | 0.03 | 2.2 | 96 | 1716 |
| i | irregular but ' | ~ 30. Mainly Py on upper half and Py-Sph-Cal-Gal on | 165629 | 40.00 | 42.00 | 2.00 | 0.08 | 2.3 | 206 | 1372 |
| 1 | the latter half | i. 70-75% non-magnetic Py, 3-5% blebby Sph, 15% | 165630 | 42.00 | 44.00 | 2.00 | 0.06 | 4.0 | 476 | 3386 |

Page: 3 of 15 pages



| | - | | - | | | | | | GOLD | CURPURATION |
|------|--|--|------------|--------|--------|----------|------|------|------|-------------|
| From | То | | | From | То | Interval | Au | Ag | Cu | Zn |
| (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | patchy Calcite | e, 3-4% wall rock+/- biotite, 1-2% disseminated Gal, | 165631 | STD 13 | STD 13 | STD 13 | 0.90 | 3.0 | 3243 | 171 |
| | and trace ligh | t green serpentinite (?) | 165632 | 44.00 | 46.00 | 2.00 | 0.05 | 3.9 | 279 | 2013 |
| | @ 19.97 is a | fault with 1 mm fault gouge breccia 45 TCA stepping | 165633 | 46.00 | 48.00 | 2.00 | 0.01 | 1.5 | 128 | 1105 |
| | planar | | 165634 | 48.00 | 50.00 | 2.00 | 0.02 | 2.4 | 166 | 1955 |
| | @ from 21.2 | 3 to 21.48 is a 10 TCA >30 mm wide (core cuts off | 165635 | 50.00 | 52.00 | 2.00 | 2.14 | 57.6 | 69 | 904 |
| | mineralizatio | n 90% Py with 3-4%blebby Sph and 6-7% calcite | 165636 | 52.00 | 53.00 | 1.00 | 0.02 | 3.1 | 60 | 1472 |
| | filliing interst | ices. | 165637 | 53.00 | 54.00 | 1.00 | 0.19 | 24.2 | 130 | 2352 |
| | @21.89 to 22 | 2.06 is a 20 TCA ~ 50 mm wide Cal-70%, Py - 20%, | 165638 | 54.00 | 55.00 | 1.00 | 0.08 | 6.6 | 148 | 1636 |
| | Sph-5%, Gal - | 5%, Trace-1% Sericite. | 165639 | 55.00 | 56.00 | 1.00 | 0.05 | 2.3 | 123 | 1842 |
| | @ 24.84 m is | a 15 TCA clean fracture surface with a veneer of | 165640 | 56.00 | 57.00 | 1.00 | 0.07 | 2.8 | 169 | 6215 |
| | limonitized cl | ay gouge, FAULT. | 165641 | 57.00 | 58.00 | 1.00 | 0.12 | 7.3 | 146 | 5816 |
| | @ 25.28 to 2 | 6.18 is a broken zone with multiple limonitized | 165642 | 58.00 | 59.00 | 1.00 | 0.08 | 3.3 | 73 | 2038 |
| | fracture surfa | ices. | 165643 | 59.00 | 60.00 | 1.00 | 0.06 | 8.9 | 127 | 7653 |
| | @ 28.15 is a | bedding (?) plane 55 TCA highlighted by med-dark | 165644 | 60.00 | 62.00 | 2.00 | 0.04 | 4.5 | 96 | 3813 |
| | grey greywac | ke with light grey wispy feldspathic bands. | | | | | | | | |
| | | | | | | | | | | |
| | @ 10-15 TCA | is a curviplanar fracture surface with < 0.5 mm | | | | | | | | |
| | limonitized cl | ay fault gouge. | | | | | | | | |
| | @32.83 is a | fault 55 TCA up to 5 mm clay fault gouge slightly | | | | | | | | |
| | limonitized. | | | | | | | | | |
| | @ 32.88 is a | fault 25 TCA with ~ 1 mm clay fault gouge. Planar. | | | | | | | | |
| | | | | | | | | | | |
| | @ 34.83 is a | 60 TCA 3 mm veinlet with 30% Py and 30 FeO | | | | | | | | |
| | (limonite/her | natite). | | | | | | | | |
| | @ 35.88 is a | bedding (?) plane 35 TCA highlighted by med-dark | | | | | | | | |
| | grey greywacked and light grey wispy-jagged bordered | | | | | | | | | |
| | feldspathic ba | ands. | | | | | | | | |
| | @ 38.18 m is | a 65 TCA 70 mm wide milky white qtz vein. With 3- | | | | | | | | |
| | 4% blebby Py | with more focussed on the periphery and outside | | | | | | | | |
| | of the qtz vei | n. 1-2% blebby Sph and trace-0.5% blebby Cpy, | | | | | | | | |
| | trace-0.5% Ga | al inside the vein. | | | | | | | | |
| | From 38.12 t | o 49.73 is increased Py disseminations and | | | | | | | | |
Page: 4 of 15 pages



| _ | | | 1 | | T | 1 | 1 | r | GOLD | CURPURATIO |
|------|-------------------|---|------------|------|-----|----------|-----|-----|------|------------|
| From | То | | | From | То | Interval | Au | Ag | Cu | Zn |
| (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | stringers. 10- | 12% stringer and 2-3% disseminated, +/- 1-3% Sph, | | | | | | | | |
| | and +/- 1-2% | Cpy blebby in stringers. | | | | | | | | |
| | From 52.98 to | o 61.20 is increased hydrothermal injections (HI) | | | | | | | | |
| | with mostly P | y +/- Sph. See below for details. | | | | | | | | |
| | NOTE: | | | | | | | | | |
| | There appear | s to be in an error with the core block placement | | | | | | | | |
| | between "42 | m" and "45 m". The core block placed was "42 m" | | | | | | | | |
| | and unknown | /blurry. The block after the supposed 45 m mark | | | | | | | | |
| | was mistaken | ly "42 m" (It should have read "48m"). Thus, there | | | | | | | | |
| | was a 6 m off | set. Each core block was moved down 2 interals | | | | | | | | |
| | down to leng | then the original hole by 6 m. There are a few | | | | | | | | |
| | interals in this | s hole where one 3 m run is too long and adjacent | | | | | | | | |
| | interal is too | short (or vice versa). The sum of these 2 intervals | | | | | | | | |
| | are approxim | ately 6 m. The core logger has placed pseudo core | | | | | | | | |
| | blocks to mak | the 2 intervals approximately 3 m each. e.g. at 45 | | | | | | | | |
| | and 60 m. | | | | | | | | | |
| | | | | | | | | | | |
| | @ 43.55 is a | 35 TCA 8 mm wide with 10% Cpy, 10% Py with | | | | | | | | |
| | interstitial sili | ca. | | | | | | | | |
| | @ 49.53 is a | 45 TCA bedding plane highlighted by a (white-very | | | | | | | | |
| | light grey) qu | artzo-feldspathic plane with a dark grey greywacke | | | | | | | | |
| | plane, each p | lane ~8-15 mm. This sequence is 80 mm true width. | | | | | | | | |
| | @ 54 m is a f | 55 TCA with 160 mm true width HI bydrothermally | | | | | | | | |
| | brecciated wi | th blebby 8-10%Py and silica filling interstices of the | | | | | | | | |
| | wall rock (feld | denothic wacke) Biotite on the margins of the | | | | | | | | |
| | matrix | aspathie wackej. Diotte on the margins of the | | | | | | | | |
| | @ 56 27 m is | a 35 TCA 20 to 30 mm wide HL 30 natchy Py 10% | | | | | | | | |
| | hlehhy Snh 2 | -3% hlehby Gal. Disseminated hightite and interstitial | | | | | | | | |
| | silica and wal | l rock light green sericite on the periphery of the | | | | | | | | |
| | sulphides with | h the sulphides and sericite in a mass of silica and | | | | | | | 1 | |
| | wall rock | in the sulplines and service in a mass of since and | | | | | | | | |
| I | | | I | I | I | I | | I | 1 | l |

Page: 5 of 15 pages



| From | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|-------|-----------------|--|------------|-------|-------|----------|------|------|------|-------|
| (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| 61.58 | 68.5 | FELDSPATHIC GREYWACKE | 165645 | 62.00 | 64.00 | 2.00 | 0.03 | 2.1 | 87 | 441 |
| | Light grey fel | dspathic greywacke (FeldsGW) with predominantly | 165646 | 64.00 | 66.00 | 2.00 | 0.02 | 2.4 | 113 | 660 |
| | qtz-plag grain | is with weak-moderate biotite grains, pervasive. 0 to | 165647 | 66.00 | 68.50 | 2.50 | 0.04 | 4.5 | 101 | 459 |
| | trace qtz strir | ngers. Most stringers here are blebby Py-filled with | | | | | | | | |
| | minor biotite | +/- disseminated sphalerite. 2-3% disseminated and | | | | | | | | |
| | stringer Py | | | | | | | | | |
| | @ 63.7 m is a | a 30 TCA Py stringer 20-35 mm wide with 80-85% Py | | | | | | | | |
| | with interstiti | al silica with biotite on the outer margin of stringer | | | | | | | | |
| | border | | | | | | | | | |
| | 66.57 m is a | 55 TCA, 10 mm wide 80% Py with interstial silica. | | | | | | | | |
| 68.5 | 86.59 | GREYWACKE | 165648 | 68.50 | 71.00 | 2.50 | 0.04 | 3.3 | 114 | 824 |
| | Med grey gre | ywacke with persvasive f.g. Disseminated biotite | 165649 | 71.00 | 73.00 | 2.00 | 0.14 | 4.2 | 105 | 995 |
| | and mafic mi | nerals amongst the feldspathic minerals. Majority | 165650 | 73.00 | 75.00 | 2.00 | 0.07 | 1.9 | 125 | 943 |
| | of stringers a | re Py-filled except for several wider silica veinlets | 165651 | 75.00 | 77.00 | 2.00 | 0.10 | 1.3 | 129 | 134 |
| | and veins. As | noted below. 3-5% disseminated and stringer Py. | 165652 | 77.00 | 79.00 | 2.00 | 0.21 | 1.6 | 186 | 383 |
| | local ~ 1% Sp | h, Gal found mainly in silica veins. See below for | 165653 | 79.00 | 81.00 | 2.00 | 0.21 | 3.0 | 108 | 1995 |
| | exact depth a | ind details. | 165654 | 81.00 | 82.22 | 1.22 | 0.14 | 4.7 | 187 | 3955 |
| | | | 165655 | 82.22 | 82.67 | 0.45 | 0.32 | 16.9 | 1026 | 21000 |
| | @ 69.80 m is | a 60 TCA slickensided fracture, hence FAULT. | 165656 | BLANK | BLANK | BLANK | 0.01 | 2.0 | 12 | 18 |
| | @ 69.86 m is | a 40 TCA slickensided fracture. Also makes a | 165657 | 82.67 | 83.67 | 1.00 | 0.33 | 2.5 | 88 | 2878 |
| | contact for a | qtz veinlet with the same angle as this slickensided | 165658 | 83.67 | 84.67 | 1.00 | 0.12 | 5.4 | 362 | 3343 |
| | fracture. | | 165659 | 84.67 | 85.60 | 0.93 | 0.27 | /.3 | 236 | 2960 |
| | @ 70.05 m is | a 35 TCA since vein * 140-150 mm true thickness. | 102000 | 85.60 | 86.59 | 0.99 | 0.25 | 15.2 | 384 | 1299 |
| | BIEDDY 1% SP | n and 0.5-1% blebby Gal.0.5-1% spotty Py.vuggy. | | | | | | | | |
| | @ 71.71 is a | 45 TCA 25-30 mm wide silica vein with light green | | | | | | | | |
| | sericite devel | oping weakly on periphery. Vein devoid of aparent | | | | | | | | |
| | suipnides. | | | | | | | | | |
| | e /2 m simi | iar vein as above with biebby blotite with 55 TCA 25- | | | | | | | | |
| I | Iso milli wide | | I | | | I | | | | |

Page: 6 of 15 pages



| From | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|-------|-----------------|--|------------|-------|-------|----------|------|------|------|-------|
| (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | 73.8 FAULT 2 | 25 TCA with a veneer of clay gouge and moderately | | | | | | | | |
| | chloritized. P | lanar, smooth. | | | | | | | | |
| | @ 80.39 is a | silica vein 75 TCA, 70 mm, no apparent sulphide | | | | | | | | |
| | and with wea | ak sericite on periphery. Similar to vein at 72 m and | | | | | | | | |
| | 71.71 | | | | | | | | | |
| | @ 80.79 m t | il end of this interval has elevated disseminated and | | | | | | | | |
| | stringer Py. H | II angle taken at 80.79 is 40 TCA. Another major HI | | | | | | | | |
| | angle at 82.2 | 2 is 25 TCA and they mostly fall within this range. Py | | | | | | | | |
| | 15-20% | | | | | | | | | |
| | @ 82.22 to 8 | 32.67 is a HI with 20-25% blebby Py with 10-15% Sph | | | | | | | | |
| | which is mor | e patchy and localized than Py. Disseminated 0.5 to | | | | | | | | |
| | 1% spotty Ga | al flecs. | | | | | | | | |
| | From 80 m to | o 85.5 is moderate to intense pervasive | | | | | | | | |
| | chloritization | (?) of the core, likely the mafic minerals. Possibly | | | | | | | | |
| | the biotite re | etrograded to chlorite (?). The HI described above | | | | | | | | |
| | likely brough | t about the chloritization(?) as the alteration is more | | | | | | | | |
| | concentrated | at the HI. The very dark green/black mineral | | | | | | | | |
| | follows the P | y bands within the HI. | | | | | | | | |
| | @ 82.87 is a | 30 TCA 35 mm wide silica dominated with minor | | | | | | | | |
| | wall rock bar | nding and 1~ Sph, ~1% Py and ~1% Gal disseminated | | | | | | | | |
| | with weak Se | ericite on periphery of silica | | | | | | | | |
| 86.59 | 94.53 | FELDSPATHIC GREYWACKE | 165661 | 86.59 | 87.60 | 1.01 | 0.23 | 11.8 | 363 | 1535 |
| | Light grey Fe | ldsGW with 85-90% quartzo-feldspathic grains with | 165662 | 87.60 | 89.06 | 1.46 | 0.13 | 3.2 | 181 | 721 |
| | the matrix ei | ther being disseminated biotite or Py | 165663 | 89.06 | 90.06 | 1.00 | 0.19 | 10.9 | 229 | 4115 |
| | stringer/diss | eminations. 4-5 silica veinlet \sim 45 and \sim 15 TCA. Mild | 165664 | 90.06 | 91.06 | 1.00 | 2.54 | 64.1 | 584 | 1169 |
| | local light gre | een sericite alteration. 5-20% disseminated and | 165665 | 91.06 | 92.06 | 1.00 | 0.17 | 24.0 | 1200 | 3825 |
| | stringer Py. I | Local blebby 2-3% Cpy 90.5 to 96 m. Local 3-4% | 165666 | 92.06 | 93.06 | 1.00 | 0.06 | 3.0 | 160 | 808 |
| | patchy Sph m | nostly associated with vein/lets and HI. Core is non- | 165667 | 93.06 | 94.53 | 1.47 | 1.02 | 85.9 | 5826 | 12800 |
| | magnetic. | | 165668 | 93.06 | 94.53 | DUP | 1.23 | 66.3 | 4205 | 8625 |
| | @ 89.1 is a 1 | 15 TCA silica veinlet 15-20 mm wide with biotite on | | | | | | | | |
| | periphery ou | tside silica with 1-2% blebby Cpy within silica. | | | | | | | | |

Page: 7 of 15 pages



| From | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|--------|---|---|------------------|-----------------|------------------|--------------|--------------|------------|------------|-------------|
| (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | @ 89. 02 slick 15TCA. Faint/ slickensides h apart. This su for multiple d proximity of t that the hydro the rock ducti | sensided fracture, same angle as veinlet above, of weak light green sericite on fract surface. Note the ave multiple orientations within mm scale distances ggests that the rock/area was ductile and allowed irections of rock movement at a micro level. The his feature (and the TCA resemblance) suggests othermal fluid provided the heat necessary to make le. | | | | | | | | |
| | @ 90.84, 40 T and 1-2% blek | CA silica veinlet 15 mm wide with 2-3% blebby Cpy bby Py. | | | | | | | | |
| 94.53 | @ 94.53 is a 0 102.67 | GREYWACKE | 165669 | 94.53 | 95.53 | 1.00 | 0.31 | 28.0 | 4492 | 1888 |
| 0 1100 | Med grey grey | wacke with persvasive disseminated biotite and | 165670 | 95.53 | 96.53 | 1.00 | 0.44 | 25.5 | 3477 | 5501 |
| | mafic mineral | s. The stringers are Py-filled and made of silica, 1- | 165671 | 96.53 | 97.53 | 1.00 | 0.15 | 5.0 | 365 | 1642 |
| | 2%. Dissemina | ated Py=3-4%. Local blebby Cpy (mostly near the | 165672 | 97.53 | 99.00 | 1.47 | 0.20 | 9.1 | 743 | 4111 |
| | beginning of t FAULT @ 98.9 breccia with t LCA = 50. Mo remanents of of ~6 mm (the be related. Th TCA right befo | his interval - 1-2%). 4 m with UCA = 15 TCA 2-4 mm clay fault gouge race Py with no limonite. Possible but obsecure deratelely broken zone for ~ 1.3 m. With a near parallel TCA FAULT with clay gouge breccia ese remnants run for ~ 50 cm). These 2 faults could here are a few Py stringers/HI that run near parallel bre the UCA. | 165673 165674 | 99.00 101.22 | 101.22 102.67 | 2.22 1.45 | 0.13 0.08 | 7.5 2.7 | 260 194 | 3032 524 |
| | FAULT @ 102. breccia. Plana Note: Core re- above. | 67 LCA = 20 TCA with ~ 10 mm clay fault gouge ar smooth fracture surface. covery was suboptimal due to multiple faulting | | | | | | | | |
| 102.67 | 126.87 | LITHIC GREYWACKE WITH FELDSPATHIC CLASTS | 165675 | 102.67 | 105.00 | 2.33 | 0.02 | 2.1 | 35 | 275 |
| | Light grey-gre | en to med grey greywacke with lithic clasts that are | 165676 | 105.00 | 107.00 | 2.00 | 0.01 | 1.7 | 20 | 140 |

Page: 8 of 15 pages



| | | | - | | | | | | GULD | CURPURATION |
|--------|-----------------|---|------------|--------|--------|----------|------|------|--------|-------------|
| From | То | | | From | То | Interval | Au | Ag | Cu | Zn |
| (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | mainly feldsp | athic. Most clasts are very angular to angular. | 165677 | 107.00 | 109.00 | 2.00 | 0.01 | 1.7 | 13 | 261 |
| | Some clasts h | nave very sharp boundaries where as there are some | 165678 | 109.00 | 111.00 | 2.00 | 0.02 | 2.3 | 25 | 347 |
| | clasts that ha | ve diffuse contacts. 120.3 to 122.3 has good | 165679 | 111.00 | 113.00 | 2.00 | 0.05 | 2.8 | 114 | 622 |
| | examples of a | angular feldspathic clasts. | 165680 | 113.00 | 115.00 | 2.00 | 0.06 | 2.0 | 79 | 2671 |
| | @ 107.84 is | a slickensided fracture surface, 35 TCA, minor slip | 165681 | STD 12 | STD 12 | STD 12 | 0.30 | 3.1 | 2595 | 294 |
| | FAULT. | | 165682 | 115.00 | 117.00 | 2.00 | 0.19 | 10.9 | 312 | 18700 |
| | @ 108.32 m | is a FAULT with 10-15 TCA with 10-15 mm fault | 165683 | 117.00 | 119.00 | 2.00 | 0.17 | 4.4 | 183 | 6972 |
| | gouge breccia | a.No apparent sulphides present. | 165684 | 119.00 | 121.00 | 2.00 | 0.26 | 6.6 | 228 | 8025 |
| | @ 108.67 m | is a near parallel TCA FAULT with ~ 1 mm clay fault | 165685 | 121.00 | 123.00 | 2.00 | 0.05 | 5.3 | 54 | 4318 |
| | gouge runs fo | or ~ 50 cm. | 165686 | 123.00 | 124.00 | 1.00 | 0.06 | 3.6 | 65 | 3488 |
| | @ 110.94 m | is a FAULT with 30 TCA with 2-3 mm clay fault | 165687 | 124.00 | 125.00 | 1.00 | 0.53 | 13.4 | 458 | 54000 |
| | gouge breccia | а. | 165688 | 125.00 | 126.00 | 1.00 | 1.26 | 16.0 | 463 | 65000 |
| | @ 115.3 to 1 | 15.7 has a few sulphide stringers bearing 5-10% Py | 165689 | 126.00 | 126.87 | 0.87 | 1.44 | 21.3 | 563 | 93000 |
| | and 3-4% Spł | n with silica. | | | | | | | | |
| | @ 119.64 is | a FAULT with 30-35 TCA ~ 2 mm fault clay gouge. | | | | | | | | |
| | | | | | | | | | | |
| | @ ~123.94 t | o 124.4 is a curviplanar fault, 5-8 mm clay fault | | | | | | | | |
| | gouge with | UCA of ~5-10 TCA and then the LCA is truncated by | | | | | | | | |
| | another fault | at ~ 124.4 with ~50 TCA. There is a 60 mm 20% Sph, | | | | | | | | |
| | 15-20% Py m | ineralized+silica and wall rock HI interval right below | | | | | | | | |
| | this fault with | n a similar ~ 50 TCA attitude. | | | | | | | | |
| | | | | | | | | | | |
| | @ 126 m is a | FAULT with 25-30 mm clay fault gouge running | | | | | | | | |
| | near parallel | TCA. Eunedral grey translucent, nardness [~] 4-6 | | | | | | | | |
| | pentagon-cui | be mineral developed on fault fracture surface. It | | | | | | | | |
| | effervesced in | ntensely, but so did the fault gouge. | | | | | | | | |
| | @ 126 25 to | 126.87 is a Sph mineralized HI with a similar trend | | | | | | | | |
| | as the fault a | bove.15-20% Sph with 15-20% Pv with silica calcite | | | | | | | | |
| | and wall rock | | | | | | | | | |
| 126.87 | 134.95 | GREYWACKE (heavily faulted zone) | 165690 | 126.87 | 128.00 | 1.13 | 0.14 | 5.7 | 103 | 7317 |
| | Green-grev g | revwacke intermittent pervasive weak-moderate | 165691 | 128.00 | 129.00 | 1.00 | 0.90 | 5.0 | 172 | 18900 |
| I | 0/ 0 | -, | | | | | | | · -· - | |

Page: 9 of 15 pages



| From | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|------|-------------------|--|------------|--------|--------|----------|------|-----|-----|------|
| (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | chloritization. | Frequently faulted (See below for exact locations | 165692 | 129.00 | 130.00 | 1.00 | 0.53 | 4.3 | 137 | 8604 |
| | and details) m | nainly 127m to 132m). Weak-moderate pervasive | 165693 | 130.00 | 131.00 | 1.00 | 0.13 | 2.2 | 175 | 6732 |
| | disseminated | and fracture filling biotite. There are faults that | 165694 | 131.00 | 132.00 | 1.00 | 0.12 | 2.2 | 100 | 2623 |
| | intersect and | is mineralized there. From observing the faults, the | 165695 | 132.00 | 134.00 | 2.00 | 0.09 | 7.9 | 102 | 4165 |
| | steeper TCA f | aults ~ 50-60 are mineralized. | 165696 | 134.00 | 136.00 | 2.00 | 0.02 | 3.8 | 27 | 231 |
| | | | | | | | | | | |
| | @ 127.21 40 | TCA FAULT with coarsely broken rock with a veneer | | | | | | | | |
| | of clay gouge. | | | | | | | | | |
| | @ 127.26 is a | a 5 TCA FAULT with 2-3 mm clay fault gouge. | | | | | | | | |
| | @ 127.45 is a | a 75 TCA FAULT with slickensides. This fault | | | | | | | | |
| | intersects wit | h the fault above and has a 50 mm wide silica | | | | | | | | |
| | veinlet with 2 | 0% Sph, ~1% dissem Py, trace-0.5% spotty Cpy, | | | | | | | | |
| | trace Gal. No | te only a 25 mm by 50 mm portion is expose by this | | | | | | | | |
| | drill core (hec | e the mineralization is truncated by the 5 TCA fault) | | | | | | | | |
| | @ 127.65 cou | uld be the same FAULT as 127.26 as it has 5 TCA and | | | | | | | | |
| | 2-3 mm clay f | ault gouge. | | | | | | | | |
| | , @ 129 m is a | near parallel TCA FAULT ~5 could be the | | | | | | | | |
| | same/related | to fault above. ~ 10 mm clay fault gouge. | | | | | | | | |
| | @ 129.45 is a | 25 TCA FAULT with 10 to 20 mm clay fault gouge. | | | | | | | | |
| | | | | | | | | | | |
| | @ 129.66 is a | a 20 (5 mm gouge) and 60 (>3 mm gouge) TCA | | | | | | | | |
| | FAULT interse | ection there is also a faint near parallel TCA fracture | | | | | | | | |
| | developing w | hich also intersects. Non-calcareous. | | | | | | | | |
| | @ 129.79 is a | a curviplanar FAULT with UCA = 20, LCA = 30. 5-8 | | | | | | | | |
| | mm clay fault | gouge. | | | | | | | | |
| | @ 131.43 m i | is a 50 TCA and 0-5 TCA (near parallel TCA) FAULT | | | | | | | | |
| | intersection w | vith both 5-10 mm clay fault gouge. | | | | | | | | |
| | @ 131.84 is a | a 65 TCA FAULT with clay fault gouge. Also, at the | | | | | | | | |
| | same depth is | a 5-10 TCA FAULT with ~ 10 mm clay fault gouge | | | | | | | | |
| | with blebby P | y - 5% | | | | | | | | |
| | @132.33 is a | $55\ {\rm TCA}$ fracture surface with very fine-grained $5\text{-}7\%$ | | | | | | | | |

Page: 10 of 15 pages



| From | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|--------|-----------------|---|------------|--------|--------|----------|------|-----|-----|------|
| (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | Py +/- trace-0 | .5% Сру. | | | | | | | | |
| 134.95 | 138.00 | LITHIC GREYWACKE WITH FELDSPATHIC CLASTS | 165697 | 136.00 | 138.00 | 2.00 | 0.17 | 4.9 | 84 | 9541 |
| | Light grey to | grey coarse-grained greywacke with angular | | | | | | | | |
| | fragments of | which most are feldspathic. Moderate biotite | | | | | | | | |
| | pervasive. | | | | | | | | | |
| | @ 135.38 is a | a 40 TCA 25-30 mm dominantly silica veinlet with | | | | | | | | |
| | minor calcite. | Weak trace light green sericite developing on | | | | | | | | |
| | periphery. | | | | | | | | | |
| 138.00 | 141.54 | GREYWACKE | 165698 | 138.00 | 140.00 | 2.00 | 0.01 | 1.3 | 40 | 227 |
| | Looks fairly si | milar to above unit except for the near lack of | 165699 | 140.00 | 142.00 | 2.00 | 0.02 | 2.8 | 48 | 249 |
| | feldspathic cl | asts (one found at 138.5) Another difference is that | | | | | | | | |
| | this unit has l | ess coarse grains. (med sand here, and coarse sand | | | | | | | | |
| | for the above | unit). ~1% slightly calcareous stringers, 45-70 TCA | | | | | | | | |
| | general orien | tation Trace-1% dissem Py. | | | | | | | | |
| | | | | | | | | | | |
| 141.54 | 144.63 | LITHIC GREYWACKE WITH FELDSPATHIC CLASTS | 165700 | 142.00 | 144.00 | 2.00 | 0.02 | 3.6 | 74 | 240 |
| | Light grey-gre | ey medium-grained greywacke with sub-angular | | | | | | | | |
| | clasts. Interva | al of 142.8 to 143.21 is banded that could be | | | | | | | | |
| | bedding (?) 6 | 0 to 70 TCA that gets cross-cut by calcareous | | | | | | | | |
| | stringers, haiı | line to 1 mm wide.Clast sizes can range from 10-15 | | | | | | | | |
| | mm wide and | 15-35 mm long to possibly multiple cm scale. 1-2% | | | | | | | | |
| | dissem Py. | | | | | | | | | |
| | @ 142.81 is a | a 20 TCA minor slip with slickensides. | | | | | | | | |
| 144.63 | 148.02 | GREYWACKE | 165701 | 144.00 | 146.00 | 2.00 | 0.04 | 1.4 | 110 | 685 |
| | Grey greywad | k with med grained sand. Mildly shattered with | 165702 | 146.00 | 148.02 | 2.02 | 0.02 | 2.0 | 95 | 1326 |
| | <1% hairline t | to ~ 0.5 mm calcite stringers and occasional | | | | | | | | |
| | silica/calcite | stringers. 1-3% dissem Py with increasing grade to | | | | | | | | |
| | end of this in | terval. Py stringers appear closer to end of this | | | | | | | | |
| | interval. | | | | | | | | | |
| 148.02 | 149.88 | FELDSPATHIC GREYWACKE | 165703 | 148.02 | 149.88 | 1.86 | 0.05 | 2.7 | 31 | 385 |
| | Feldspathic g | reywacke rich in feldspars and qtz both in the matrix | | | | | | | | |
| | and grains. Pa | ale green-yellow grey which likely formed due to a | | | | | | | | |

Page: 11 of 15 pages



| From | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|--------|-----------------|--|------------|--------|--------|----------|------|-------|------|-------|
| (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | silica enrichm | ent. 1-2% disseminated Py. Trace weak sericitic | | | | | | | | |
| | alteration. | | | | | | | | | |
| 149.88 | 154.47 | GREYWACKE (HYDROTHERMALLY BRECCIATED) | 165704 | 149.88 | 152.00 | 2.12 | 0.04 | 1.5 | 58 | 344 |
| | Grey hydroth | ermally brecciated greywacke with angular mafic | 165705 | 152.00 | 154.47 | 2.47 | 0.01 | 2.0 | 39 | 809 |
| | voids/clasts in | n a felsic background. 1-2% disseminated Py with 1- | 165706 | BLANK | BLANK | BLANK | 0.01 | 2.8 | <1 | 22 |
| | 2% Py found i | n matrix between brecciated clasts. 1-3% calcite | | | | | | | | |
| | stringers. | | | | | | | | | |
| 154.47 | 166.02 | GREEN GREYWACKE | 165707 | 154.47 | 155.20 | 0.73 | 0.02 | 1.9 | 96 | 954 |
| | Med grey-gre | en greywacke. Suspect chlorite (?) or sericite (?) | 165708 | 155.20 | 155.63 | 0.43 | 5.51 | 278.3 | 434 | 28800 |
| | pervasive we | ak-moderate to moderate alteration (?) or | 165709 | 155.63 | 157.00 | 1.37 | 0.02 | 4.4 | 317 | 891 |
| | sediment's in | herent colour give this interval the distinct green | 165710 | 157.00 | 158.00 | 1.00 | 0.13 | 14.0 | 207 | 2462 |
| | hue. 2 to 10% | Py disseminated and (mostly) stringers with higher | 165711 | 158.00 | 159.00 | 1.00 | 0.07 | 7.1 | 186 | 1682 |
| | occurrence at | the beginning and end of this interval. Sph within | 165712 | 159.00 | 161.00 | 2.00 | 0.09 | 5.2 | 81 | 1050 |
| | sulphide strin | gers also at beginning and end (up till 156.63 and | 165713 | 161.00 | 162.00 | 1.00 | 0.04 | 2.9 | 59 | 1274 |
| | then dies out | and then kicks back from 164.5 m onwards). 165.84 | 165714 | 162.00 | 163.14 | 1.14 | 0.07 | 2.5 | 124 | 252 |
| | to end of this | interval is trace flecs of Gal and trace-0.5% rare | 165715 | 163.14 | 164.14 | 1.00 | 0.11 | 4.2 | 250 | 423 |
| | blebs of Cpy v | within PY. Suspect VG Au (?) present? | 165716 | 164.14 | 165.14 | 1.00 | 0.20 | 26.0 | 1284 | 20400 |
| | | | 165717 | 165.14 | 166.13 | 0.99 | 0.35 | 21.3 | 970 | 4361 |
| | @ 155.5 is a | Sph orientation within an HI - 65 TCA. Py injections | 165718 | 165.14 | 166.13 | DUP | 0.22 | 25.9 | 721 | 6981 |
| | with similar o | rientations sandwich it. | | | | | | | | |
| | @ 164.6 m is | a HI 10-15 mm wide, 35 TCA, bearing stringer Sph - | | | | | | | | |
| | 30% (relative | to HI), 20% Py, 1-2% Cpy and trace Gal. | | | | | | | | |
| | @ 165.2 and | 165.33 are Py stringers 60 and 40 TCA, respectively. | | | | | | | | |
| | The latter cro | ss-cuts an earlier 35-40 TCA1-2% Cpy bearing 2-3 | | | | | | | | |
| | mm wide veir | nlet with Py and silica. | | | | | | | | |
| | @ ~166 m is | a 40 TCA 20-30 mm wide HI with 50% Py with 1-2% | | | | | | | | |
| | Cpy blebs, tra | ce Gal and suspect VG Au, 5-10% interstitial silica | | | | | | | | |
| | with the rema | ainding being wall rock. | | | | | | | | |
| 166.02 | 174.66 | GREYWACKE | 165719 | 166.13 | 167.13 | 1.00 | 0.03 | 2.1 | 95 | 352 |
| | Med grey gre | ywacke with minor amounts of feldspahtic | 165720 | 167.13 | 169.00 | 1.87 | 0.04 | 2.2 | 155 | 274 |
| | greywacke (~ | 169.5 to 170m) fine to med-grained sand with | 165721 | STD 13 | STD 13 | STD 13 | 0.89 | 3.6 | 3378 | 171 |
| | disseminated | biotite.2-5% Py stringers. Mainly silica stringers | 165722 | 169.00 | 171.00 | 2.00 | 0.03 | 2.7 | 185 | 188 |

Page: 12 of 15 pages



| From | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|--------|-----------------|---|------------|--------|--------|----------|------|------|-----|-------|
| (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | <1%. Non-ma | gnetic core. | 165723 | 171.00 | 173.00 | 2.00 | 0.04 | 2.3 | 142 | 282 |
| | @ 168.8 to 1 | 69.15 is a HI with ~20% Py with non-magnetic Pyrr | 165724 | 173.00 | 175.00 | 2.00 | 0.11 | 4.0 | 138 | 3322 |
| | (?) The Py is h | nighly tarnished. | | | | | | | | |
| | @ 174.66 is a | a 20 TCA UCA and LCA opaque white silca veinlet.~ | | | | | | | | |
| | 60 mm wide v | with trace to 0.5% Py. | | | | | | | | |
| 174.66 | 199.97 | MAINLY GREYWACKE WITH MINOR | 165725 | 175.00 | 175.67 | 0.67 | 0.21 | 5.4 | 185 | 7310 |
| | Med to light g | grey mainly greywacke with minor sections (10-20 | 165726 | 175.67 | 176.37 | 0.70 | 0.42 | 23.9 | 253 | 26500 |
| | cm to up to 1 | m, at 187 to 188m). Fine-grained, to very fine- | 165727 | 176.37 | 178.00 | 1.63 | 0.05 | 4.3 | 197 | 4204 |
| | grained sand | makes identification difficult. 0.1 to 3% | 165728 | 178.00 | 180.00 | 2.00 | 0.05 | 4.0 | 159 | 4774 |
| | disseminated | Py with 2-5% Py stringers with local Sph in stringers | 165729 | 180.00 | 182.00 | 2.00 | 0.03 | 1.4 | 141 | 208 |
| | (1%). Core is | very coherent resulting in long (avg 80 cm in length | 165730 | 182.00 | 184.00 | 2.00 | 0.05 | 2.0 | 143 | 249 |
| | and often a w | hole length of a core box). 30-40 TCA 10-20 mm | 165731 | 184.00 | 186.00 | 2.00 | 0.06 | 5.2 | 215 | 3127 |
| | wide silica ve | inlets with hairline to 5 mm calcareous stingers. | 165732 | 186.00 | 188.00 | 2.00 | 0.17 | 7.7 | 295 | 11900 |
| | Local Cpy ble | bs (seen at 191.15m, 1%) | 165733 | 188.00 | 190.00 | 2.00 | 0.64 | 80.9 | 589 | 7337 |
| | | | 165734 | 190.00 | 192.00 | 2.00 | 0.29 | 40.6 | 571 | 11600 |
| | @ 190.7 m 4 | 5 TCA 20-25 mm wide silica veinlet with blebby 7- | 165735 | 192.00 | 194.00 | 2.00 | 0.08 | 14.5 | 457 | 5542 |
| | 8% Py and Sp | h. | 165736 | 194.00 | 196.00 | 2.00 | 0.06 | 7.4 | 337 | 7273 |
| | | | 165737 | 196.00 | 198.00 | 2.00 | 0.02 | 3.5 | 118 | 3017 |
| | | | 165738 | 198.00 | 199.97 | 1.97 | 0.02 | 4.6 | 166 | 4132 |
| 199.97 | 203.08 | FELDSPATHIC GREYWACKE | 165739 | 199.97 | 201.78 | 1.81 | 0.05 | 7.5 | 90 | 6293 |
| | Light grey felo | dspathic greywacke From 201.84 m to 202.5 m has | 165740 | 201.78 | 202.50 | 0.72 | 0.11 | 12.7 | 162 | 29500 |
| | 7-8% 1-4 mm | wide Sph stringers with local 3-4% Gal and 2-3% Py | | | | | | | | |
| | with the Sph | stringers. Non-calcareous and core is still quite | | | | | | | | |
| | coherent. Thi | s unit could have resulted from a HI injection. | | | | | | | | |
| | | | | | | | | | | |
| 203.80 | 216.05 | GREYWACKE | 165741 | 202.50 | 204.00 | 1.50 | 0.08 | 10.8 | 302 | 32400 |
| | Med grey-gre | en greywacke pervasively weak-moderate | 165742 | 204.00 | 206.00 | 2.00 | 0.09 | 8.6 | 247 | 17800 |
| | chloritization | 212.74 m is a LC of chloritization with LCA = 30 | 165743 | 206.00 | 208.00 | 2.00 | 0.98 | 11.7 | 293 | 16000 |
| | TCA with 2-3 | mm fault gouge, hence a fault. UC is fairly | 165744 | 208.00 | 209.00 | 1.00 | 1.47 | 22.2 | 820 | 31800 |
| | crude/diffuse | with a 30 TCA contact at 202.55 m. Pervasive | 165745 | 209.00 | 210.00 | 1.00 | 1.20 | 15.5 | 819 | 24900 |
| | disseminated | 10-15% <0.25 mm fairly uniform grains dispersed | 165746 | 210.00 | 211.00 | 1.00 | 0.72 | 10.2 | 438 | 24700 |
| | tan in colour | and circular in shape that is supsect plag altered to a | 165747 | 211.00 | 212.00 | 1.00 | 2.87 | 10.4 | 651 | 4639 |

Page: 13 of 15 pages



| From | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|--------|-----------------|---|------------|--------|--------|----------|-------|-------|------|--------|
| (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | clay. The san | ne "spots" are visible in the interval of 201.78 to | 165748 | 212.00 | 213.00 | 1.00 | 0.44 | 6.0 | 114 | 5268 |
| | 202.5 HI injec | ction that are white (not altered to a suspect clay) | 165749 | 213.00 | 214.00 | 1.00 | 0.05 | 4.1 | 182 | 3494 |
| | plag/silica, ex | tremely small to identify. 206.55 to 213 m is | 165750 | 214.00 | 215.00 | 1.00 | 1.32 | 14.3 | 244 | 49800 |
| | moderately b | roken up and with multiple faults (see below for | 165751 | 215.00 | 216.00 | 1.00 | 0.22 | 3.6 | 330 | 6205 |
| | details)(note: | ~208m to ~209 m is competent).8-10% Py as | | | | | | | | |
| | mainly string | ers and 3-4%Sph in stringers. From 212.74 to 214.09 | | | | | | | | |
| | is a pervasive | moderately biotite interval. | | | | | | | | |
| | @ 207.2 m is | a FAULT with 10 TCA, >10 mm chloritized clay fault | | | | | | | | |
| | gouge | | | | | | | | | |
| | @ 207.29 m | is a 50 TCA FAULT present with coarsely brecciated | | | | | | | | |
| | fault gouge u | p to 50 mm, but could have been the combined | | | | | | | | |
| | result from th | ne shallow degree fault, also chloritized. | | | | | | | | |
| | @ 208 m is a | ~5 TCA FAULT which could be the same one at | | | | | | | | |
| | 207.2 m with | 5-10 mm chloritized clay gouge | | | | | | | | |
| | @ 209.9m is | a 55 TCA FAULT with ~ 3-5 mm coarsely brecciated | | | | | | | | |
| | fault gouge w | /ith ~1% dissem. Py. | | | | | | | | |
| | From 210.25 | to 213m is core repeatedly fractured at angles of | | | | | | | | |
| | ~30 and~50 T | CA. The HI and stringers also follow this | | | | | | | | |
| | orientation. | There is also a more rare 80-90 TCA fracture. | | | | | | | | |
| | Average core | piece length is ~ 20 mm. Suspect VG or Au at 214.3 | | | | | | | | |
| | m. Fracture a | at 211 m has blebby 1-2% Cpy and trace - 0.5% Gal | | | | | | | | |
| | flecs. | | | | | | | | | |
| 216.05 | 219.36 | HYDROTHERMAL INJECTION WITH SEMI-MASSIVE | | | | | | | | |
| | | SULPHIDES | 165752 | 216.00 | 217.35 | 1.35 | 0.12 | 11.5 | 211 | 8854 |
| | Frequent silic | a enrichment intervals (216.05 to 216.44, 217.04 to | 165753 | 217.35 | 217.70 | 0.35 | 0.81 | 212.8 | 1631 | 152000 |
| | 217.47, and 2 | 209.73 to 210.17 m) 10-15% Sph interlocking webs, | 165754 | 217.70 | 218.49 | 0.79 | 0.13 | 10.3 | 584 | 50100 |
| | with ~10% blo | ebby Py, Trace-2% Gal with those sulphies often in a | 165755 | 218.49 | 219.36 | 0.87 | 0.90 | 52.4 | 684 | 67800 |
| | tan colour int | erlocking webs. It is very likely the same "spots" | 165756 | BLANK | BLANK | BLANK | <0.01 | <0.2 | 4 | 17 |
| | found at 203. | 8 to 216.05 interval (suspect altered plag to suspect | | | | | | | | |
| | clay.) | | | | | | | | | |

Page: 14 of 15 pages



| From | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|--------|------------------|--|------------|--------|--------|----------|------|------|------|------|
| (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | @ 216.05 is a | a 40 TCA fracture that follows the general | | | | | | | | |
| | orientation of | f the HI. | | | | | | | | |
| | @ 217.35 to | 217.7 is an interval with especially higher | | | | | | | | |
| | sulphides, SEI | MI-MASSIVE. Sph = 30-35%, Py = 10-15%, Gal = 3- | | | | | | | | |
| | 5%, Cpy = 2-3 | % UCA = 45-50 TCA, LCA = ~ 45. | | | | | | | | |
| | @ 219.36 is a | a 30 TCA Hi that is the last significant HI of this unit | | | | | | | | |
| | 20 mm wide | bearing 25% Sph, 35% tan stained silica , 20-25% Py- | | | | | | | | |
| | Pyrr, 5-6% ble | ebby Cpy, 3-4% blebby Gal, remainding as wallrock. | | | | | | | | |
| 219.36 | 223.58 | GREYWACKE | 165757 | 219.36 | 220.37 | 1.01 | 0.08 | 12.7 | 126 | 2492 |
| | Dark to med | grey greywacke with frequent bands of fining | 165758 | 220.37 | 222.00 | 1.63 | 0.03 | 2.5 | 92 | 824 |
| | upwards sequ | uence (assuming way up is uphole) with more | 165759 | 222.00 | 223.58 | 1.58 | 0.03 | 4.5 | 91 | 1618 |
| | frequent feld | spathic matrix and grains closer to end of this | | | | | | | | |
| | interval. | | | | | | | | | |
| | @ 222.14 wi | th 70 TCA bedding band with fining upwards | | | | | | | | |
| | sequence. | | | | | | | | | |
| | @ 220.08 m | is a 55 TCA bedding band | | | | | | | | |
| | @ 223.25 is a | a 80 TCA silica veinlet, 8 mm wide with no apparent | | | | | | | | |
| | sulphides. | | | | | | | | | |
| 223.58 | 240.73 | FELDSPATHIC GREYWACKE (WITH MINOR | | | | | | | | |
| | | GREYWACKE) | 165760 | 223.58 | 226.00 | 2.42 | 0.03 | 1.6 | 90 | 331 |
| | Grey-light gre | ey greywacke with minor intervals of greywacke | 165761 | STD 12 | STD 12 | STD 12 | 0.31 | 2.5 | 2481 | 318 |
| | (226.5 to 227 | .31 and 234 to 234.74 m) with 0.5 to 2-3% (locally 5- | 165762 | 226.00 | 228.00 | 2.00 | 0.04 | 1.5 | 86 | 819 |
| | 7% with Py st | ringers) disseminated Py. With a total of <0.5% | 165763 | 228.00 | 230.00 | 2.00 | 0.03 | 1.0 | 104 | 97 |
| | stringers (silio | a) with very rare 3-10 mm wide silica veinlets (65 | 165764 | 230.00 | 232.00 | 2.00 | 0.03 | 1.2 | 123 | 490 |
| | TCA at 223.86 | 5 m, 8 wide silica veinlet. Some of the mafic | 165765 | 232.00 | 234.00 | 2.00 | 0.03 | 1.5 | 135 | 143 |
| | minerals has | altered to biotite, weak spotty. | 165766 | 234.00 | 236.00 | 2.00 | 0.02 | 1.3 | 100 | 834 |
| | | | 165767 | 236.00 | 238.00 | 2.00 | 0.02 | 0.5 | 50 | 73 |
| | @ 224.4 m is | a 55 TCA bedding plane with dark grey banded with | 165768 | 236.00 | 238.00 | DUP | 0.02 | 0.6 | 51 | 79 |
| | light grey/cre | am. Mafic banded with feldspathic minerals | 165769 | 238.00 | 240.00 | 2.00 | 0.04 | 1.2 | 85 | 389 |
| | @ 233.36 is a | a 55 TCA bedding plane highlighted by dark grey | | | | | | | | |

Page: 15 of 15 pages



| From | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|--------|-----------------|---|------------|--------|--------|----------|------|-----|-----|------|
| (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | with creamy § | grey (a few mm wide) | | | | | | | | |
| | @ 234.74 m | is a 30 TCA FAULT with 3-4 mm clay gouge breccia. | | | | | | | | |
| | | | | | | | | | | |
| | There are sha | llow TCA fractures at around 233m and 235 m | | | | | | | | |
| | mark. | | | | | | | | | |
| | @ 236.59 is a | a bedding plane with 55 TCA with dark grey and | | | | | | | | |
| | creamy bandi | ng. | | | | | | | | |
| 240.73 | 246.00 | GREYWACKE | 165770 | 240.00 | 241.97 | 1.97 | 0.07 | 1.5 | 83 | 902 |
| | Med grey gre | ywacke with 1-3% disseminated and stringer Py. | 165771 | 241.97 | 244.00 | 2.03 | 0.02 | 1.6 | 77 | 1402 |
| | ~1% Sph in su | lphide stringers, hairline to 1 mm wide silica | 165772 | 244.00 | 246.00 | 2.00 | 0.01 | 2.4 | 82 | 1706 |
| | stringers are s | sparse, <1%. Pervasive mottled mafics (0.5 to 1 mm) | | | | | | | | |
| | going to bioti | te at parts. | | | | | | | | |
| | @ 242.03.39 | is a 25 TCA milky white opaque qtz vein 30 mm | | | | | | | | |
| | wide with ble | bby ~1% Cpy, ~1-2% Sph, ~1-2% Pyrr | | | | | | | | |
| | @ 245.34 is a | a 40 TCA bedding plane. Highlighted by dark and | | | | | | | | |
| | med grey ban | ds, grain sizes are fairly uniform. | | | | | | | | |



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0031RJDate: Jul-22-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | Α | A I | s Ba | ı Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Hg | ĸ | La | Mg Mn | Mo Na | a Ni | Р | Pb | S | Sb | Sc | Sr | Th | Ti | TI | U | v | w | Zn | 7r |
|--------|--------|------|--------|---------------|-------|-----|------|-----|-----|-----|-----|-------|-----|------|-----|-----------|---------|-------|--------|--------|--------|-------|-----|------|------------|------|-----|-------|----------|------|----------------|-----|
| Number | ppm | 9 | 6 ppn | n ppm | i ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | % | ppm | % ppm | ppm % | 6 ppm | % | ppm | % | ppm p | opm | ppm | ppm | % | ppm | ppm r | ppm | ppm | ppm p | opm |
| 165434 | 1.1 | 1.7 | 1 18: | 1 188 | 0.6 | <5 | 2.00 | 11 | 29 | 81 | 120 | 4 75 | 4 | U 08 | <10 | 1 97 2426 | 2 0.02 | . 116 | 0 1 20 | 07 | 2 1 2 | ~5 | 2 | 24.2 | - 6 | | .10 | .10 | | | F 4 6 | |
| 165435 | 2.2 | 2.14 | 1 20 | 7 169 | 0.6 | <5 | 1.95 | 15 | 22 | 77 | 171 | 5.26 | 1 | 1 13 | <10 | 2 49 2806 | 4 0.00 | 136 | 0.120 | 105 | 2.13 | ~5 | 2 | 213 | < 3 2 C | 0.10 | <10 | <10 | 48 | <10 | 1246 | 2 |
| 165436 | 1.2 | 1.6 | 5 15: | 3 181 | 0.6 | <5 | 2.39 | 15 | 16 | 58 | 103 | 4.46 | 2 | 1.08 | <10 | 2 13 2936 | 2 0.02 | > 101 | 0.127 | 105 | 2.20 | ~5 | 2 | 221 | <5 | 0.11 | <10 | <10 | 21 | 10 | 1244 | 2 |
| 165437 | 1.0 | 1.7 | 3 9 | 5 190 | 0.8 | <5 | 1.56 | 26 | 20 | 35 | 219 | 5.22 | 1 | 1.30 | <10 | 1 74 2018 | 2 0.02 | 301 | 0.191 | 57 | 2.00 | ~5 | 2 | 162 | ~5 | 0.10 | <10 | <10 | 40 | ~10 | 2055 | 2 |
| 165438 | 1.2 | 2.40 |) 18 | 5 105 | 0.8 | <5 | 1.21 | 15 | 25 | 75 | 238 | 7.34 | 1 | 1.27 | <10 | 2.33 2226 | <2 0.03 | 8 81 | 0.116 | 86 | 3.79 | <5 | 3 | 134 | <5 | 0.14 | <10 | <10 | 58 68 | <10 | 1138 | 2 |
| 165439 | 0.9 | 1.8 | 3 134 | \$ 198 | 0.7 | <5 | 1.55 | 14 | 16 | 71 | 98 | 4.63 | 1 | 1.11 | <10 | 2.00 2214 | 2 0.02 | 2 83 | 0.114 | 61 | 1.93 | <5 | 3 | 169 | <5 | 0.11 | <10 | <10 | 44 | 11 | 1265 | 2 |
| 165440 | 0.7 | 1.59 | 9 12 | 5 189 | 0.7 | <5 | 2.41 | 9 | 18 | 53 | 76 | 3.25 | 2 | 1.13 | 11 | 2.04 2859 | <2 0.02 | 2 83 | 0.122 | 55 | 0.91 | <5 | 2 | 272 | <5 | 0.10 | <10 | <10 | 38 | <10 | 657 | 1 |
| 165441 | 0.7 | 2.04 | 4 246 | 5 200 | 0.8 | <5 | 1.80 | 12 | 24 | 60 | 134 | 5.16 | 1 | 1.36 | 10 | 2.32 2419 | 3 0.02 | 2 76 | 0.143 | 56 | 2.42 | <5 | 2 | 194 | <5 | 0.13 | <10 | <10 | 49 | <10 | 961 | 2 |
| 165442 | 1.2 | 2.28 | 3 170 |) 236 | 0.9 | <5 | 1.36 | 23 | 19 | 58 | 247 | 4,96 | <1 | 1.50 | 10 | 2.35 2113 | 4 0.02 | 2 71 | 0.151 | 48 | 2.12 | <5 | 3 | 143 | <5 | 0.15 | <10 | <10 | 56 | 19 | 2784 | 2 |
| 165443 | 1.6 | 2.0 | € 204 | 4 225 | 0.8 | <5 | 1.34 | 24 | 18 | 60 | 224 | 4.59 | i | 1.52 | <10 | 2.24 2351 | 8 0.02 | 8 66 | 0.154 | 64 | 2.06 | <5 | 2 | 143 | <5 | 0.14 | <10 | <10 | 52 | 22 | 3127 | 2 |
| 165444 | 7.5 | 2.1 | 3 33(|) 147 | 0.9 | 7 | 1.20 | 14 | 18 | 54 | 87 | 5.15 | <1 | 1.66 | 11 | 2.19 2225 | 5 0.02 | 56 | 0.172 | 217 | 2.76 | <5 | 2 | 123 | <5 | 0.16 | 10 | <10 | 57 | 11 | 1483 | 2 |
| 165445 | 40.7 | 2.0 | 5 3616 | 5 25 | <0.5 | 46 | 1.18 | 92 | 144 | 63 | 193 | 18.58 | 2 | 0.88 | <10 | 2.25 2796 | 2 0.01 | . 73 | 0.086 | 1994 | >10.00 | <5 | 1 | 94 | <5 | 0.09 | 11 | 20 | 61 | 87 | >10000 | 6 |
| 165446 | 6.4 | 3.4 | 3 518 | 3 98 | 1.3 | 6 | 0.77 | 20 | 28 | 40 | 114 | 7.55 | <1 | 2.27 | 11 | 3.15 1874 | <2 0.01 | 26 | 0.184 | 508 | 3.05 | <5 | 3 | 59 | <5 | 0.23 | 13 | <10 | 77 | 16 | 2325 | 3 |
| 165447 | 0.6 | 2.3 | 8 83 | 3 376 | 1.3 | <5 | 1.73 | 8 | 18 | 38 | 43 | 4.31 | <1 | 1.97 | 15 | 2.16 2272 | <2 0.04 | 25 | 0.209 | 103 | 0.84 | <5 | 3 | 146 | <5 | 0.22 | 13 | <10 | 75 | <10 | 477 | 2 |
| 165448 | <0.2 | 2.50 | 5 113 | 3 377 | 1.5 | <5 | 2.36 | 5 | 14 | 36 | 38 | 4.18 | <1 | 2.15 | 17 | 2.19 1883 | <2 0.03 | 31 | 0.267 | 38 | 0.59 | <5 | 4 | 181 | <5 | 0.24 | 14 | <10 | 86 | <10 | 181 | 2 |
| 165449 | 0.9 | 2.3 | 2 118 | 3 166 | 1.2 | <5 | 2.77 | 7 | 25 | 38 | 80 | 5.78 | 1 | 1.87 | 13 | 2.13 2653 | 2 0.03 | 29 | 0 239 | 136 | 7 46 | ~5 | 2 | 242 | ~5 | 0.20 | 17 | <10 | 69 | <10 | 216 | 7 |
| 165450 | 3.9 | 2.10 | 5 118 | 3 335 | 1.1 | <5 | 1.92 | 14 | 18 | 39 | 82 | 4.53 | <1 | 1.78 | 14 | 2.04 2307 | 2 0.04 | 31 | 0.235 | 216 | 1 69 | ~5 | 2 | 173 | ~5 | 0.20 | 12 | <10 | 67 | <10 | 1211 | 2 |
| 165451 | 19,5 | 1.7 | L 791 | L 26 | 0.6 | 19 | 2.11 | 86 | 59 | 50 | 170 | 11.58 | 3 | 1.37 | <10 | 1.56 2152 | 2 0.02 | 21 | 0.168 | 1552 | 8.52 | <5 | 1 | 180 | <5 | 0.13 | 11 | <10 | 52 | - 10 | 1211 >10000 | 2 |
| 165617 | >200.0 | 2.50 | 357 | 7 66 | 0.9 | 209 | 3.65 | 19 | 25 | 39 | 121 | 7.94 | 2 | 2.00 | <10 | 2.37 3034 | <2 0.02 | 24 | 0.185 | 7685 | 5.34 | 9 | 2 | 295 | < 5 | 0.16 | 12 | <10 | 56 | 12 | 1619 | 7 |
| 165618 | >200.0 | 1.90 | 320 | 112 | 0.7 | 177 | 6.67 | 34 | 24 | 40 | 124 | 7.29 | 5 | 1.55 | <10 | 1.85 4472 | 2 0.02 | 20 | 0.165 | >10000 | 5.35 | 17 | 2 | 600 | <5 | 0.13 | 13 | <10 | 45 | 28 | 3940 | 3 |
| 165619 | 3.7 | 2.00 |) 6 | 6 325 | 1.1 | <5 | 1.97 | 8 | 13 | 19 | 69 | 3.30 | <1 | 1.72 | 17 | 1.69 1934 | <2 0.03 | 13 | 0.215 | 169 | 0.93 | <5 | 2 | 181 | <5 | 0.17 | 11 | <10 | 48 | <10 | 633 | 2 |
| 165620 | 1.6 | 2.0 | 5 203 | 3 232 | 1.0 | <5 | 1.90 | 6 | 26 | 59 | 56 | 3.39 | 1 | 1.72 | 13 | 1.97 2197 | 3 0.02 | 66 | 0.136 | 175 | 0.76 | <5 | 2 | 149 | <5 | 0.17 | 11 | <10 | 46 | <10 | 409 | 2 |
| 165621 | 0.6 | 2.2 | 5 84 | 287 | <0.5 | <5 | 1.49 | 9 | 15 | 53 | 86 | 3.93 | <1 | 1.93 | 13 | 2.04 1622 | 2 0.03 | 30 | 0.240 | 166 | 1.32 | 11 | 2 | 106 | 5 | 0.21 | 10 | <10 | 49 | 15 | 1169 | 2 |
| 165622 | 0.7 | 2.0 | 5 218 | 3 228 | <0.5 | <5 | 1.56 | 4 | 18 | 49 | 88 | 4.14 | 1 | 1.66 | 11 | 2.05 1597 | <2 0.02 | 42 | 0.214 | 159 | 1.66 | 13 | 2 | 110 | <5 | 0.18 | <10 | <10 | 45 | <10 | 391 | 2 |
| 165623 | 1.2 | 1.69 | 9 11 | 5 205 | <0.5 | 5 | 2.85 | 11 | 17 | 64 | 63 | 3.86 | 2 | 1.39 | 10 | 1.93 2563 | 2 0.02 | 58 | 0.174 | 102 | 1.86 | 12 | 2 | 201 | <5 | 0.14 | <10 | 11 | 39 | 17 | 1277 | 2 |
| 165624 | 1.0 | 1.88 | 3 94 | l 198 | <0.5 | 5 | 2.35 | 6 | 18 | 43 | 67 | 4.11 | 1 | 1.57 | 12 | 2.09 2251 | 2 0.02 | 60 | 0.209 | 108 | 1.84 | 14 | 2 | 174 | <5 | 0.17 | <10 | <10 | 44 | 11 | 670 | 2 |
| 165625 | 1.5 | 1.99 | 9 165 | 5 160 | <0.5 | <5 | 2.58 | 28 | 17 | 55 | 91 | 4.07 | 2 | 1.30 | 15 | 2.28 2711 | 2 0.02 | 77 | 0.200 | 261 | 1.65 | 12 | 2 | 182 | 5 | 0.14 | <10 | <10 | 40 | 46 | 3875 | 2 |
| 165626 | 1.8 | 2.16 | 5 128 | 3 183 | <0.5 | 6 | 1.78 | 12 | 19 | 38 | 108 | 4.32 | 1 | 1.55 | 13 | 2.32 2027 | <2 0.02 | 41 | 0.253 | 321 | 1.81 | 12 | 2 | 129 | 5 | 0.16 | <10 | <10 | 47 | 20 | 1612 | 2 |
| 165627 | 4.5 | 2.04 | 1 551 | i 135 | <0.5 | 6 | 1.19 | 17 | 22 | 41 | 219 | 5.17 | <1 | 1.36 | <10 | 2.12 1656 | 2 0.01 | 39 | 0.168 | 285 | 2.86 | 13 | 2 | 89 | <5 | 0.15 | <10 | 11 | 43 | 28 | 2251 | 2 |
| 165628 | 2.2 | 2.11 | 147 | 7 179 | <0.5 | 5 | 1.57 | 13 | 17 | 34 | 96 | 4.56 | 1 | 1.81 | <10 | 2.38 1637 | 3 0.02 | 26 | 0.199 | 286 | 2.25 | 11 | 2 | 125 | <5 | 0.19 | <10 | <10 | 45 | 22 | 1716 | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0031RJDate: Jul-22-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | Al % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe %p | Hg pm | K % | La ppm | Mg Mn %ppm | Mo ppm | Na % p | Ni pm | P % | Pb ppm | Տ % բ | Sb pm p | Sc pm | Sr ppm p | Th opm | Ti % | TI ppm | U ppm p | V opm | W ppm | Zn ppm p | Zr opm |
|------------------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|----------|----------|--------|-----------|---------------|-----------|------------|------------|--------|-----------|----------|------------|----------|-------------|-----------|---------|-----------|------------|----------|----------|-------------|-----------|
| 165629 | 23 | 2 10 | 134 | 192 | <0.5 | <5 | 1 87 | 11 | 17 | 31 | 206 | 4 43 | 2 | 1.86 | <10 | 2 41 2045 | ~2 0 | 02 | 74 | 0 225 | 365 | 2 15 | 13 | 2 | 161 | ~5 | 0 19 | <10 | 17 | 16 | 19 | 1370 | ъ |
| 165630 | 4.0 | 2.94 | 229 | 128 | <0.5 | 7 | 1.57 | 25 | 18 | 38 | 476 | 5 78 | 2 | 2 41 | <10 | 3 26 2340 | <20 | 02 | 26 | 0.216 | 503 | 2 39 | 14 | 4 | 136 | <5 | 0.28 | 11 | 16 | 83 | 41 | 3386 | 2 |
| 165631 | 3.0 | 1.12 | 66 | 165 | < 0.5 | g | 0.68 | 4 | 16 | 66 | 3243 | 3.81 | ~ <1 | 0.45 | 25 | 0.58 307 | 261 0 | Λ <u>4</u> | 17 | 0.064 | 144 | 1 40 | 31 | 4 | 32 | 17 | 0.20 | <10 | <10 | 44 | 17 | 171 | 6 |
| 165632 | 3.9 | 2.60 | 191 | 164 | < 0.5 | 7 | 1.98 | 16 | 20 | 41 | 279 | 5.18 | 3 | 2.21 | <10 | 3.07 2275 | <2 0 | .02 | 36 | 0.224 | 737 | 2.27 | 14 | 4 | 181 | <5 | 0.24 | <10 | 15 | 71 | 26 | 2013 | 2 |
| 165633 | 1.5 | 2.35 | 131 | 188 | <0.5 | 6 | 2.03 | 8 | 14 | 49 | 128 | 4.13 | 2 | 1.39 | <10 | 2.78 2123 | 2 0 | .02 | 50 | 0.222 | 272 | 1.18 | 12 | 2 | 178 | <5 | 0.15 | <10 | 11 | 47 | 16 | 1105 | 2 |
| 165634 | 2.4 | 2.83 | 279 | 160 | <0.5 | 8 | 2.20 | 14 | 18 | 48 | 166 | 5.48 | 2 | 1.35 | <10 | 3.35 2113 | 20 | .01 | 54 | 0.265 | 503 | 1.85 | 15 | 3 | 187 | <5 | 0.15 | <10 | 13 | 60 | 26 | 1955 | 2 |
| 165635 | 57.6 | 1.37 | 177 | 121 | <0.5 | 72 | 2.33 | 7 | 15 | 59 | 69 | 3.27 | 1 | 0.96 | <10 | 1.94 2148 | <2 0 | .01 | 79 | 0.107 | 862 | 1.29 | 9 | 1 | 208 | <5 | 0.08 | <10 | 10 | 20 | 12 | 904 | 2 |
| 165636 | 3.1 | 1.17 | 178 | 119 | <0.5 | 6 | 1.81 | 11 | 11 | 51 | 60 | 3.30 | 2 | 0.90 | <10 | 1.51 1695 | 20 | .01 | 77 | 0.115 | 234 | 1.86 | 9 | 1 | 164 | <5 | 0.07 | <10 | <10 | 19 | 18 | 1472 | 2 |
| 165637 | 24.2 | 1.05 | 307 | 113 | <0.5 | 53 | 2.18 | 23 | 16 | 52 | 130 | 4.32 | 3 | 0.79 | <10 | 1.60 2059 | <2 0 | .01 | 94 | 0.093 | 958 | 3.16 | 11 | 1 | 220 | <5 | 0.06 | <10 | 15 | 16 | 28 | 2352 | 2 |
| 165638 | 6.6 | 1.48 | 322 | 109 | <0.5 | 17 | 1.93 | 16 | 23 | 37 | 148 | 4.85 | 2 | 0.89 | <10 | 1.89 2016 | <2 0 | .01 | 46 | 0.158 | 191 | 3.15 | 12 | 2 | 166 | <5 | 0.08 | <10 | 15 | 24 | 21 | 1636 | 2 |
| 165639 | 2.3 | 1.65 | 281 | 113 | <0.5 | 7 | 1.92 | 17 | 14 | 45 | 123 | 5.11 | 3 | 0.82 | <10 | 2.06 2124 | <2 0 | .01 | 55 | 0.146 | 185 | 3.01 | 11 | 2 | 173 | <5 | 0.07 | <10 | 17 | 27 | 24 | 1842 | 2 |
| 165640 | 2.8 | 1.50 | 256 | 106 | <0.5 | <5 | 1.80 | 57 | 12 | 58 | 169 | 3.84 | 2 | 0.72 | <10 | 1.90 2160 | <2 0 | .01 | 50 | 0.086 | 337 | 1.94 | 9 | 1 | 154 | <5 | 0.07 | <10 | 14 | 17 | 71 | 6215 | 2 |
| 165641 | 7.3 | 1.46 | 668 | 87 | <0.5 | 9 | 2.08 | 56 | 28 | 72 | 146 | 6.45 | 2 | 0.75 | <10 | 2.04 2279 | <2 0 | .02 1 | 102 | 0.083 | 1467 | 4.44 | 13 | 2 | 185 | <5 | 0.07 | <10 | 22 | 22 | 69 | 5816 | 3 |
| 165642 | 3.3 | 1.69 | 403 | 116 | <0.5 | 7 | 1.63 | 18 | 17 | 78 | 73 | 5.04 | 2 | 0.84 | <10 | 2.05 1929 | <2 0 | .01 | 5 6 | 0.080 | 615 | 2.80 | 13 | 1 | 155 | <5 | 0.08 | <10 | 16 | 21 | 26 | 2038 | 2 |
| 165643 | 8.9 | 2.62 | 213 | 119 | 0.5 | 6 | 1.08 | 55 | 25 | 98 | 127 | 5.25 | 1 | 1.02 | <10 | 2.66 1964 | 20 | .02 | 85 | 0.074 | 1982 | 1.84 | <5 | 2 | 91 | <5 | 0.09 | <10 | <10 | 34 | 50 | 7653 | 2 |
| 165644 | 4.5 | 1.92 | 148 | 107 | <0.5 | <5 | 1.39 | 26 | 13 | 81 | 96 | 4.19 | <1 | 0.80 | <10 | 2.15 2055 | <2 0 | .02 | 94 | 0.067 | 1155 | 1.52 | <5 | 1 | 132 | <5 | 0.07 | <10 | <10 | 26 | 23 | 3813 | 2 |
| 165645 | 2.1 | 1.57 | 152 | 117 | <0.5 | <5 | 2.05 | 6 | 12 | 82 | 87 | 4.42 | 2 | 0.78 | <10 | 1.92 1960 | <2 0 | .03 | 92 | 0.062 | 309 | 1.90 | <5 | 2 | 198 | <5 | 0.06 | <10 | <10 | 30 | <10 | 441 | 2 |
| 165646 | 2.4 | 1.32 | 98 | 102 | < 0.5 | <5 | 2.00 | 7 | 13 | 58 | 113 | 3.53 | 1 | 0.71 | <10 | 1.81 1878 | 20 | .02 | 73 | 0.068 | 254 | 1.28 | <5 | 1 | 188 | <5 | 0.06 | <10 | <10 | 25 | <10 | 660 | 1 |
| 165647 | 4.5 | 1.13 | 96 | 139 | <0.5 | 9 | 2.53 | 5 | 16 | 51 | 101 | 3.46 | 1 | 0.90 | <10 | 1.62 1868 | <2 0 | .02 | 76 | 0.064 | 151 | 1.33 | <5 | 1 | 220 | <5 | 0.06 | <10 | <10 | 22 | <10 | 459 | 2 |
| 165648 | 3.3 | 1.33 | 121 | 147 | 0.5 | <5 | 2.98 | 7 | 22 | 50 | 114 | 3.72 | 1 | 1.06 | <10 | 1.89 2256 | <2 0 | .02 | 67 | 0.082 | 332 | 1.01 | <5 | 1 | 220 | <5 | 0.09 | <10 | <10 | 31 | <10 | 824 | 2 |
| 165649 | 4.2 | 1.51 | 571 | 114 | <0.5 | 5 | 2.78 | 8 | 25 | 54 | 105 | 4.55 | 1 | 0.83 | <10 | 2.00 2502 | 20 | .01 | 87 | 0.089 | 218 | 1.55 | <5 | 1 | 199 | <5 | 0.06 | <10 | <10 | 25 | <10 | 995 | 2 |
| 165650 | 1.9 | 1.98 | 98 | 108 | 0.5 | <5 | 1.87 | 8 | 25 | 61 | 125 | 4,44 | <1 | 0.92 | <10 | 2.14 1361 | 20 | .01 | 88 | 0.157 | 128 | 1.23 | <5 | 2 | 145 | <5 | 0.09 | <10 | <10 | 41 | <10 | 943 | 2 |
| 165651 | 1.3 | 2.27 | 131 | 114 | <0.5 | 6 | 2.17 | 2 | 24 | 84 | 129 | 5.42 | 2 | 1.02 | <10 | 2.57 1308 | <2 0 | .01 2 | 109 | 0.141 | 46 | 1.83 | 14 | 2 | 184 | <5 | 0.11 | <10 | 11 | 40 | <10 | 134 | 2 |
| 165652 | 1.6 | 2.32 | 429 | 114 | <0.5 | 6 | 1.70 | 4 | 23 | 84 | 186 | 5.65 | 1 | 0.91 | <10 | 2.53 1686 | <20 | .01 | 98 | 0.083 | 65 | 2.00 | 15 | 2 | 146 | <5 | 0.09 | <10 | 14 | 30 | <10 | 383 | 2 |
| 165653 | 3.0 | 2.27 | 1044 | 99 | <0.5 | 9 | 2.31 | 15 | 23 | 75 | 108 | 5.82 | 2 | 0.75 | <10 | 2.81 2442 | <2 0 | .01 | 76 | 0.133 | 228 | 2.27 | 12 | 2 | 226 | <5 | 0.08 | <10 | 14 | 31 | 25 | 1995 | 2 |
| 165654 | 4.7 | 2.97 | 423 | 77 | <0.5 | 14 | 0.81 | 30 | 20 | 98 | 187 | 8.00 | <1 | 0.78 | 10 | 2.94 1441 | <2 0 | .01 | 76 | 0.166 | 340 | 4.26 | 16 | 2 | 64 | <5 | 0.09 | <10 | 16 | 43 | 48 | 3955 | 3 |
| 165655 | 16.9 | 2.15 | 476 | 42 | <0.5 | 24 | 0.70 | 167 | 17 | 104 | 1026 | 9.60 | í | 0.48 | <10 | 2.14 1053 | 40 | .01 | 50 | 0.107 | 1052 | 6.56 | 13 | 1 | 52 | <5 | 0.05 | <10 | 21 | 22 | 249 > | >10000 | 4 |
| 165656 | 2.0 | 0.05 | 11 | 18 | <0.5 | <5 | 22.73 | 1 | <1 | 5 | 12 | 0.12 | 1 | 0.02 | <10 | 13.50 59 | <2 0 | .01 | <1 | 0.020 | <2 | 0.55 | <5 | <1 | 135 | <5 | <0.01 | 10 | <10 | <1 | <10 | 18 | <1 |
| 165657 | 2.5 | 2.61 | 263 | 86 | <0.5 | 8 | 0.93 | 21 | 17 | 82 | 88 | 6.07 | <1 | 0.67 | 11 | 2.58 1466 | <2 0 | .01 | 71 | 0.144 | 233 | 2.46 | 13 | 2 | 81 | <5 | 0.08 | <10 | 10 | 36 | 36 | 2878 | 3 |
| 165658 | 5.4 | 3.19 | 401 | 57 | <0.5 | 15 | 0.98 | 26 | 18 | 63 | 362 | 9.78 | <1 | 0.81 | 13 | 3.21 1437 | <2 0 | .01 | 67 | 0.196 | 432 | 5.25 | 20 | 2 | 57 | <5 | 0.10 | <10 | 19 | 44 | 43 | 3343 | 4 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0031RJDate: Jul-22-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | Al | As | Ba | Be | Bi | Ca | Cd | Co | Сг | Cu | Fe | Hg | ĸ | La | Mg Mn | Mo Na | Ni | Р | Pb | s | Sb | Sc | Sr | Th | Ti | Tí | U | v | W | Zn | Zr |
|--------|------|------|------|-----|-------|-----|------|-----|-----|-----|------|------|-----|------|-----|-----------|----------|-----|-------|------|------|-------|------|-----|-----|------|-------|-------|-----|-------|--------|----|
| Number | ppm | % | ppm | ppm | ppm - | ppm | % | ppm | ppm | ppm | ppm | % | ppm | % | ppm | % ppm | ppm % | ppm | % | ppm | % F | opm p | pm p | opm | ppm | % (| ppm (| ppm f | opm | ppm | ppm p | pm |
| 165659 | 7.3 | 2.41 | 381 | 56 | <0.5 | 17 | 1.37 | 25 | 18 | 73 | 236 | 8.89 | 2 | 0.73 | <10 | 2.68 1815 | <2 0.01 | 93 | 0.127 | 339 | 5.19 | 18 | 2 | 88 | <5 | 0.08 | <10 | 23 | 35 | 39 | 2960 | 4 |
| 165660 | 15.2 | 1.87 | 566 | 46 | <0.5 | 26 | 0.74 | 13 | 25 | 97 | 384 | 8.68 | <1 | 0.72 | <10 | 1.77 1073 | 5 0.01 | 102 | 0.111 | 277 | 6.35 | 18 | 1 | 51 | <5 | 0.06 | <10 | 22 | 25 | 20 | 1299 | 5 |
| 165661 | 11.8 | 1.95 | 589 | 53 | <0.5 | 22 | 1.02 | 14 | 58 | 83 | 363 | 8.33 | 1 | 0.81 | <10 | 1.97 1260 | 8 0.01 | 117 | 0.100 | 247 | 5.22 | 15 | 1 | 75 | <5 | 0.07 | <10 | 19 | 28 | 22 | 1535 | 4 |
| 165662 | 3.2 | 2.55 | 178 | 111 | <0.5 | 8 | 1.91 | 5 | 27 | 71 | 181 | 4.63 | <1 | 0.81 | 11 | 2.98 1806 | 2 0.01 | 102 | 0.167 | 77 | 1.08 | 12 | 2 | 208 | <5 | 0.07 | <10 | <10 | 38 | 12 | 721 | 2 |
| 165663 | 10.9 | 1.22 | 312 | 82 | <0.5 | 18 | 1.93 | 34 | 17 | 76 | 229 | 5.49 | 2 | 0.78 | <10 | 1.41 1354 | <2 0.01 | 39 | 0.193 | 232 | 3.64 | 12 | 1 | 238 | <5 | 0.06 | <10 | 12 | 25 | 49 | 4115 | 2 |
| 165664 | 64.1 | 1.50 | 176 | 100 | <0.5 | 53 | 1.37 | 10 | 17 | 64 | 584 | 5.00 | 2 | 0.83 | <10 | 1.48 1537 | <2 0.01 | 73 | 0.138 | 446 | 2.80 | 11 | 2 | 110 | <5 | 0.07 | <10 | 13 | 27 | 16 | 1169 | 2 |
| 165665 | 24.0 | 3.04 | 233 | 48 | <0.5 | 26 | 0.80 | 30 | 19 | 113 | 1200 | 9.72 | <1 | 0.98 | <10 | 2.94 1218 | <2 0.02 | 106 | 0.076 | 390 | 4.57 | 16 | 2 | 51 | <5 | 0.10 | <10 | 18 | 37 | 46 | 3825 | 3 |
| 165666 | 3.0 | 1.65 | 221 | 88 | <0.5 | 7 | 0.88 | 7 | 14 | 86 | 160 | 4.79 | <1 | 0.57 | <10 | 1.59 1415 | <2 0.01 | 61 | 0.082 | 42 | 2.56 | 9 | 2 | 74 | <5 | 0.05 | <10 | <10 | 27 | 13 | 808 | 2 |
| 165667 | 85.9 | 1.05 | 186 | 101 | <0.5 | 31 | 1.12 | 90 | 21 | 77 | 5826 | 4.32 | <1 | 0.56 | 10 | 1.00 1499 | 3 0.01 | 58 | 0.084 | 2122 | 3.03 | 12 | 2 | 102 | <5 | 0.04 | <10 | <10 | 21 | 148 > | >10000 | 2 |
| 165668 | 66.3 | 1.01 | 165 | 89 | <0.5 | 25 | 1.18 | 61 | 19 | 67 | 4205 | 3.90 | <1 | 0.53 | <10 | 0.98 1393 | 2 0.01 | 64 | 0.085 | 1787 | 2.44 | 12 | 1 | 95 | <5 | 0.04 | <10 | <10 | 18 | 101 | 8625 | 2 |
| 165669 | 28.0 | 3.18 | 230 | 104 | <0.5 | 15 | 0.79 | 15 | 21 | 113 | 4492 | 7.32 | 1 | 0.87 | <10 | 3.21 1321 | 4 0.01 | 93 | 0.107 | 218 | 2.82 | 16 | 2 | 62 | <5 | 0.09 | <10 | 17 | 33 | 25 | 1888 | 4 |
| 165670 | 25.5 | 2.18 | 233 | 72 | <0.5 | 17 | 0.93 | 41 | 22 | 95 | 3477 | 6.76 | 1 | 0.66 | <10 | 2.20 1401 | 2 0.01 | 81 | 0.086 | 453 | 3.73 | 13 | 2 | 68 | <5 | 0.07 | <10 | 17 | 26 | 64 | 5501 | 3 |
| 165671 | 5.0 | 1.86 | 244 | 88 | <0.5 | 9 | 1.80 | 13 | 30 | 65 | 365 | 5.59 | 2 | 0.63 | <10 | 2.17 2091 | <2 0.01 | 81 | 0.089 | 261 | 2.80 | 11 | 1 | 134 | <5 | 0.06 | <10 | 16 | 22 | 22 | 1642 | 2 |
| 165672 | 9.1 | 2.76 | 270 | 101 | <0.5 | 17 | 0.81 | 34 | 34 | 103 | 743 | 7.08 | <1 | 0.98 | 13 | 2.72 1162 | 10 0.01 | 72 | 0.127 | 431 | 3.82 | 15 | 2 | 67 | <5 | 0.12 | <10 | 11 | 50 | 52 | 4111 | 4 |
| 165673 | 7.5 | 1.99 | 175 | 131 | <0.5 | 12 | 5.45 | 26 | 22 | 98 | 260 | 5.96 | 3 | 0.86 | <10 | 3.65 4002 | 3 0.01 | 96 | 0.100 | 454 | 1.92 | 12 | 2 | 377 | <5 | 0.08 | <10 | 23 | 36 | 38 | 3032 | 3 |
| 165674 | 2.7 | 2.83 | 160 | 155 | <0.5 | 9 | 2.31 | 5 | 19 | 124 | 194 | 6.32 | <1 | 1.08 | <10 | 3.46 1924 | <2 0.01 | 139 | 0.150 | 121 | 2.34 | 18 | 3 | 212 | <5 | 0.12 | <10 | 14 | 62 | 12 | 524 | 3 |
| 165675 | 2.1 | 1.86 | 358 | 117 | <0.5 | 5 | 5.15 | 3 | 26 | 185 | 35 | 3.83 | 3 | 0.75 | <10 | 3.76 2892 | 7 0.02 | 233 | 0.090 | 107 | 0.38 | 12 | з | 429 | <5 | 0.06 | <10 | 15 | 35 | <10 | 275 | 2 |
| 165676 | 1.7 | 1.79 | 370 | 107 | < 0.5 | <5 | 4.97 | <1 | 22 | 205 | 20 | 3.48 | 2 | 0.71 | <10 | 3.99 2455 | 3 0.02 | 290 | 0.070 | 123 | 0.14 | 10 | 3 | 400 | <5 | 0.06 | <10 | 12 | 32 | <10 | 140 | 1 |
| 165677 | 1.7 | 2.43 | 314 | 97 | <0.5 | <5 | 4.60 | <1 | 17 | 209 | 13 | 4.20 | 2 | 0.75 | <10 | 4.45 2887 | 5 0.01 | 276 | 0.084 | 149 | 0.13 | 12 | 3 | 336 | <5 | 0.06 | <10 | 15 | 35 | <10 | 261 | 2 |
| 165678 | 2.3 | 2.08 | 381 | 120 | <0.5 | <5 | 4.68 | 2 | 20 | 199 | 25 | 3.90 | í | 0.81 | <10 | 3.89 3235 | 3 0.01 | 298 | 0.082 | 219 | 0.15 | 14 | 2 | 334 | <5 | 0.07 | <10 | 14 | 30 | <10 | 347 | 2 |
| 165679 | 2.8 | 2.72 | 224 | 130 | < 0.5 | 6 | 3.79 | 4 | 23 | 128 | 114 | 5.20 | i | 1.03 | <10 | 3.80 3285 | 15 0.01 | 194 | 0.133 | 251 | 0.76 | 14 | 3 | 240 | <5 | 0.11 | <10 | 17 | 57 | 12 | 622 | 2 |
| 165680 | 2.0 | 2.98 | 189 | 121 | <0.5 | 7 | 2.70 | 22 | 15 | 101 | 79 | 5.18 | <1 | 0.98 | 11 | 3.64 2590 | 3 0.01 | 132 | 0.162 | 215 | 1.01 | 12 | 2 | 173 | <5 | 0.11 | <10 | 14 | 54 | 36 | 2671 | 2 |
| 165681 | 3.1 | 1.37 | 33 | 98 | < 0.5 | 5 | 0.96 | 3 | 19 | 78 | 2595 | 3.51 | <1 | 0.57 | 24 | 0.73 224 | 237 0.03 | 9 | 0.059 | 61 | 1.65 | 12 | 5 | 50 | 15 | 0.05 | <10 | <10 | 41 | 10 | 294 | 4 |
| 165682 | 10.9 | 3.80 | 210 | 95 | <0.5 | 18 | 1.68 | 141 | 18 | 291 | 312 | 8.92 | <1 | 0.99 | <10 | 3.84 2264 | 2 0.01 | 286 | 0.050 | 1745 | 3.39 | 18 | 4 | 112 | <5 | 0.13 | <10 | 23 | 49 | 224 3 | >10000 | 3 |
| 165683 | 4.4 | 3.10 | 104 | 104 | <0.5 | 9 | 1.93 | 57 | 20 | 265 | 183 | 6.23 | <1 | 0.96 | <10 | 3.26 2263 | 2 0.01 | 224 | 0.075 | 715 | 1.42 | 18 | 3 | 143 | <5 | 0.12 | <10 | 18 | 45 | 92 | 6972 | 2 |
| 165684 | 6.6 | 2.91 | 213 | 89 | < 0.5 | 15 | 2.82 | 81 | 15 | 172 | 228 | 8.12 | <1 | 0.89 | <10 | 3.52 3023 | 6 0.01 | 153 | 0.098 | 757 | 3.37 | 16 | 2 | 196 | <5 | 0.11 | <10 | 24 | 44 | 116 | 8025 | 3 |
| 165685 | 5.3 | 2.94 | 314 | 100 | < 0.5 | 9 | 3.10 | 38 | 14 | 226 | 54 | 5.04 | 1 | 0.84 | <10 | 3.81 3442 | 8 0.01 | 250 | 0.077 | 620 | 0.58 | 15 | 3 | 246 | <5 | 0.09 | <10 | 19 | 44 | 57 | 4318 | 2 |
| 165686 | 3.6 | 2.49 | 225 | 87 | < 0.5 | 8 | 3.25 | 28 | 10 | 241 | 65 | 4.51 | 1 | 0.68 | <10 | 3.44 3156 | 3 0.01 | 215 | 0.063 | 350 | 0.51 | 13 | 3 | 272 | <5 | 0.07 | <10 | 17 | 35 | 43 | 3488 | 2 |
| 165687 | 13.4 | 2.37 | 179 | 61 | <0.5 | 17 | 1.98 | 330 | 11 | 235 | 458 | 7.61 | 3 | 0.46 | <10 | 2.61 2717 | 2 0.01 | 194 | 0.051 | 1183 | 4.77 | 12 | 2 | 145 | <5 | 0.05 | <10 | 26 | 34 | 489 3 | >10000 | 3 |
| 165688 | 16.0 | 0.79 | 1238 | 45 | < 0.5 | 23 | 6.48 | 407 | 18 | 97 | 463 | 9.46 | 6 | 0.31 | <10 | 1.43 3330 | 2 0.01 | 121 | 0.039 | 2065 | 7.69 | 16 | 1 | 374 | <5 | 0.02 | <10 | 37 | 12 | 626 3 | >10000 | 3 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Page 3 of 7



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0031RJDate: Jul-22-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | AI | As | Ba | Be | Bi | Ca | Cď | Co | Cr | Cu | Fe | Hg | ĸ | La | Mg Mn | Mo Na | Ni | Р | Pb | S | Sb | Sc | Sr | Th | Ti | TI | U | v | w | Zn | Zr |
|--------|--------|------|------|-----|-------|-----|-------|-----|-----|-----|------|-------|-----|------|-----|-----------|---------|-----|-------|------|------|--------------|-----|-------|-----|--------|-----|-------|-----|------|--------|-----|
| Number | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | % | ppm | % ppm | ppm % | ррт | % | ppm | % | opm i | opm | ppm (| ppm | % | ppm | ppm r | opm | ppm | ppm p | opm |
| 165689 | 21.3 | 1.03 | 3233 | 50 | <0.5 | 22 | 3.03 | 693 | 21 | 112 | 563 | 6.90 | 5 | 0.28 | <10 | 1.75 3428 | <2 0.01 | 134 | 0.052 | 2642 | 6.90 | 13 | 1 | 218 | <5 | 0.02 | <10 | 30 | 15 | 1036 | >10000 | 3 |
| 165690 | 5.7 | 2.79 | 189 | 87 | <0.5 | 9 | 3.02 | 62 | 17 | 292 | 103 | 5.76 | 1 | 0.65 | <10 | 3.62 3036 | 2 0.01 | 249 | 0.071 | 1011 | 1.29 | 16 | 2 | 218 | <5 | 0.07 | <10 | 20 | 37 | 100 | 7317 | 2 |
| 165691 | 5.0 | 3.12 | 192 | 87 | < 0.5 | 10 | 1.20 | 154 | 20 | 173 | 172 | 7.05 | <1 | 0.62 | <10 | 3.01 1537 | 2 0.01 | 152 | 0.130 | 745 | 2.92 | 11 | 2 | 80 | <5 | 0.07 | <10 | 16 | 53 | 229 | >10000 | 3 |
| 165692 | 4.3 | 3.41 | 408 | 69 | < 0.5 | 15 | 0.76 | 83 | 38 | 116 | 137 | 9.06 | <1 | 0.43 | <10 | 2.88 1103 | 2 0.01 | 129 | 0.134 | 339 | 4.30 | 21 | 2 | 47 | <5 | 0.04 | <10 | 23 | 68 | 121 | 8604 | 3 |
| 165693 | 2.2 | 4.30 | 165 | 85 | <0.5 | 13 | 1.22 | 69 | 19 | 162 | 175 | 10.17 | <1 | 0.67 | <10 | 3.60 2112 | <2 0.01 | 157 | 0.127 | 104 | 3,44 | 22 | 4 | 70 | <5 | 0.09 | <10 | 29 | 81 | 90 | 6732 | 4 |
| 165694 | 2.2 | 3.60 | 177 | 85 | <0.5 | 12 | 1.74 | 26 | 28 | 130 | 100 | 8.46 | <1 | 0.80 | <10 | 3.02 2395 | 2 0.01 | 134 | 0.133 | 87 | 2.59 | 20 | 3 | 99 | <5 | 0.10 | <10 | 25 | 61 | 38 | 2623 | 3 |
| 165695 | 7.9 | 1.73 | 102 | 127 | <0.5 | 18 | 2.25 | 39 | 22 | 66 | 102 | 4.09 | <1 | 0.98 | <10 | 1.50 2260 | 2 0.02 | 84 | 0.129 | 299 | 1.41 | 12 | 2 | 176 | <5 | 0.08 | <10 | 12 | 35 | 50 | 4165 | 2 |
| 165696 | 3.8 | 1.34 | 56 | 140 | <0.5 | 7 | 2.89 | 2 | 13 | 41 | 27 | 2.74 | 1 | 1.10 | 14 | 1.54 2740 | <2 0.02 | 58 | 0.142 | 153 | 0.26 | 7 | 2 | 216 | <5 | 0.09 | <10 | <10 | 31 | <10 | 231 | 1 |
| 165697 | 4.9 | 1.01 | 115 | 139 | <0.5 | 8 | 2.96 | 86 | 15 | 65 | 84 | 3.52 | 3 | 0.89 | <10 | 1.15 2646 | 2 0.02 | 72 | 0.091 | 492 | 2.01 | 8 | 2 | 232 | <5 | 0.07 | <10 | 15 | 25 | 113 | 9541 | 2 |
| 165698 | 1.3 | 1.82 | 95 | 140 | <0.5 | <5 | 3.03 | 2 | 16 | 94 | 40 | 3.41 | 2 | 1.30 | 10 | 2.20 2343 | <2 0.02 | 104 | 0.127 | 60 | 0.30 | 10 | 3 | 278 | <5 | 0.12 | <10 | <10 | 53 | <10 | 227 | 2 |
| 165699 | 2.8 | 2.11 | 60 | 149 | <0.5 | 7 | 2.88 | 2 | 18 | 107 | 48 | 3.84 | 1 | 1.28 | 11 | 2.28 2021 | <2 0.02 | 93 | 0.136 | 115 | 0.37 | 13 | 3 | 270 | <5 | 0.12 | <10 | <10 | 60 | <10 | 249 | 2 |
| 165700 | 3.6 | 2.01 | 72 | 165 | <0.5 | 10 | 3.22 | 3 | 21 | 88 | 74 | 3.94 | 2 | 1.37 | 10 | 1.98 2185 | <2 0.02 | 103 | 0.138 | 100 | 0.65 | 13 | 3 | 294 | <5 | 0.13 | <10 | <10 | 60 | <10 | 240 | 2 |
| 165701 | 1.4 | 2.72 | 61 | 202 | <0.5 | 8 | 2.11 | 6 | 24 | 107 | 110 | 4.82 | <1 | 1.37 | <10 | 1.83 1783 | 2 0.03 | 70 | 0.141 | 39 | 0.84 | 14 | 5 | 161 | <5 | 0.15 | <10 | <10 | 94 | 12 | 685 | 2 |
| 165702 | 2.0 | 2.27 | 76 | 197 | <0.5 | 7 | 2.09 | 13 | 23 | 78 | 95 | 4.27 | 1 | 1.18 | <10 | 1.67 1915 | <2 0.02 | 64 | 0.139 | 66 | 0.87 | 13 | 3 | 173 | <5 | 0.12 | <10 | <10 | 66 | 18 | 1326 | 2 |
| 165703 | 2.7 | 0.96 | 67 | 151 | <0.5 | <5 | 5.02 | 5 | 19 | 48 | 31 | 3.19 | 6 | 0.78 | <10 | 2.00 4378 | 2 0.02 | 43 | 0.112 | 77 | 0.37 | 11 | 2 | 404 | <5 | 0.05 | <10 | 17 | 29 | <10 | 385 | 2 |
| 165704 | 1.5 | 1.83 | 74 | 166 | <0.5 | 5 | 2.90 | 3 | 25 | 53 | 58 | 3.40 | 1 | 1.21 | 12 | 1.84 2448 | 2 0.02 | 44 | 0.162 | 108 | 0.49 | 12 | 3 | 287 | 5 | 0.11 | <10 | <10 | 61 | <10 | 344 | 2 |
| 165705 | 2.0 | 1.98 | 59 | 163 | <0.5 | 6 | 2.54 | 7 | 21 | 57 | 39 | 3.32 | 1 | 1.26 | 14 | 1.97 2572 | <2 0.03 | 42 | 0.160 | 165 | 0.32 | 10 | 3 | 256 | 5 | 0.12 | <10 | <10 | 52 | 12 | 809 | 2 |
| 165706 | 2.8 | 0.06 | 9 | 41 | <0.5 | <5 | 17.41 | 1 | <1 | 3 | <1 | 0.09 | 1 | 0.06 | <10 | 9.20 86 | <2 0.01 | <1 | 0.019 | <2 | 0.56 | 5 | <1 | 152 | <5 | < 0.01 | <10 | <10 | 1 | <10 | 22 | <1 |
| 165707 | 1.9 | 2.21 | 55 | 140 | <0.5 | 7 | 1.72 | 7 | 10 | 68 | 96 | 3.87 | <1 | 1.07 | 15 | 1.76 2420 | <2 0.02 | 39 | 0.125 | 93 | 0.64 | 11 | 3 | 181 | <5 | 0.09 | <10 | <10 | 55 | 14 | 954 | 2 |
| 165708 | >200.0 | 2.95 | 144 | 89 | <0.5 | 456 | 1.01 | 173 | 67 | 60 | 434 | 7.37 | <1 | 0.72 | <10 | 1.91 2568 | <2 0.01 | 44 | 0.129 | 4940 | 3.86 | 16 | 3 | 91 | <5 | 0.07 | 10 | 20 | 70 | 269 | >10000 | 4 |
| 165709 | 4.4 | 3.32 | 57 | 135 | <0.5 | 15 | 0.50 | 5 | 11 | 74 | 317 | 6.54 | <1 | 1.04 | 16 | 1.92 1662 | 2 0.01 | 32 | 0.180 | 294 | 1.45 | 18 | 5 | 41 | 6 | 0.11 | 11 | <10 | 95 | 16 | 891 | 4 |
| 165710 | 14.0 | 2.09 | 129 | 118 | <0.5 | 25 | 0.87 | 19 | 23 | 55 | 207 | 5.14 | <1 | 0.76 | 14 | 1.29 1570 | <2 0.02 | 35 | 0.152 | 379 | 2.40 | 15 | 2 | 74 | 5 | 0.06 | <10 | <10 | 44 | 30 | 2462 | 3 |
| 165711 | 7.1 | 2.50 | 63 | 139 | <0.5 | 16 | 0.71 | 13 | 9 | 46 | 186 | 4.36 | <1 | 1.00 | 23 | 1.55 1447 | 2 0.02 | 34 | 0.124 | 215 | 1.19 | 13 | 3 | 60 | 6 | 0.09 | 10 | <10 | 55 | 22 | 1682 | 3 |
| 165712 | 5.2 | 2.11 | 54 | 115 | <0.5 | 12 | 1.70 | 8 | 12 | 60 | 81 | 3.74 | <1 | 0.89 | 17 | 1.62 2268 | <2 0.02 | 37 | 0.136 | 278 | 0.87 | 11 | 2 | 163 | 6 | 0.07 | <10 | <10 | 51 | 15 | 1050 | 2 |
| 165713 | 2.9 | 2.77 | 61 | 145 | <0.5 | 6 | 1.28 | 8 | 15 | 65 | 59 | 4.34 | <1 | 1.39 | 16 | 1.99 1980 | 2 0.02 | 38 | 0.145 | 412 | 0.79 | 16 | 4 | 123 | 6 | 0.12 | 10 | <10 | 75 | 18 | 1274 | 2 |
| 165714 | 2.5 | 1.84 | 92 | 145 | <0.5 | 6 | 1.95 | 1 | 36 | 33 | 124 | 3.09 | <1 | 1.28 | 12 | 1.66 2258 | 2 0.02 | 34 | 0.130 | 198 | 0.75 | 12 | 3 | 222 | 5 | 0.10 | <10 | <10 | 43 | <10 | 252 | 2 |
| 165715 | 4.2 | 2.09 | 90 | 124 | <0.5 | 8 | 1.85 | 4 | 18 | 87 | 250 | 4.74 | <1 | 0.99 | 11 | 1.62 2511 | <2 0.02 | 66 | 0.121 | 345 | 1.94 | 16 | 3 | 209 | 5 | 0.08 | <10 | 16 | 50 | 10 | 423 | 3 |
| 165716 | 26.0 | 2.91 | 103 | 93 | <0.5 | 14 | 0.53 | 114 | 21 | 51 | 1284 | 7.57 | <1 | 0.72 | 10 | 1.77 1800 | 2 0.01 | 28 | 0.160 | 2956 | 3.68 | 17 | 3 | 45 | < 5 | 0.07 | <10 | 19 | 51 | 185 | >10000 | 4 |
| 165717 | 21.3 | 3.22 | 131 | 81 | <0.5 | 32 | 0.86 | 34 | 45 | 58 | 970 | 11.77 | <1 | 1.11 | <10 | 2.11 2352 | 4 0.01 | 32 | 0.138 | 1262 | 4.90 | 20 | 3 | 52 | <5 | 0.13 | <10 | 24 | 57 | 49 | 4361 | 5 |
| 165718 | 25.9 | 3.10 | 227 | 56 | <0.5 | 41 | 0.84 | 57 | 76 | 69 | 721 | 13.65 | <1 | 0.98 | <10 | 2.09 2530 | 6 0.01 | 41 | 0.137 | 1549 | 6.77 | 22 | 3 | 54 | <5 | 0.12 | <10 | 29 | 55 | 78 | 6981 | 7 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Page 4 of 7



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0031RJDate: Jul-22-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | A | l As | a Ba | ı Be | Bi | Ca | Cd | Co | Çr | Cu | Fe | Hg | K | La | Mg Mn | Mo Na | a Ni | Р | Pb | S | Sb | Sc | Sr | Th | Ti | TI | U | v | W | Zn | Zr |
|--------|------|------|------|-------|-------|-----|------|-----|-----|-----|----------------|-------|------------|-------|-----|-----------|----------|-------|-------|------|------|-------|--------|-----|------------|-------|-----|-------|------------|------|--------|--------|
| Number | ppm | % | ppm | ı ppm | n ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | % | ppm | % ppm | ppm % | 5 ppm | % | ppm | % | ppm p | pm | ppm | ppm | % | ppm | ppm (| ppm | ppm | ppm p | pm |
| 165719 | 2.1 | 2.24 | 34 | 146 | <05 | <5 | 3,36 | з | 14 | 48 | 95 | 4 27 | c 1 | 1 3 8 | 10 | 2 31 3226 | <2.0.02 | 50 | 0 165 | 104 | 0.55 | 10 | 2 | 271 | ~ | 0.14 | ~10 | -10 | 5 - | .10 | | _ |
| 165720 | 2.2 | 2.87 | 84 | 160 | <0.5 | 5 | 2.54 | 2 | 26 | 57 | 155 | 5.65 | <1 | 1.50 | 19 | 2.31 3220 | 2 0.02 | 48 | 0.165 | 104 | 1 /1 | 17 | ני | 2/1 | 0 4 | 0.14 | <10 | <10 | 21 | <10 | 352 | 2 |
| 165721 | 3.6 | 1.29 | 69 | 178 | < 0.5 | 9 | 0.73 | 5 | 16 | 76 | 3378 | 3.97 | <1 | 0.52 | 28 | 0.62 356 | 254 0.02 | 0 | 0.160 | 140 | 1.41 | 20 | د ۸ | 200 | 15 | 0.15 | ~10 | <10 | 20 | < 10 | 274 | د ح |
| 165722 | 2.7 | 2.28 | 64 | 128 | < 0.5 | <5 | 3.87 | 2 | 18 | 46 | 185 | 5.38 | 2 | 1.05 | 11 | 2 44 2957 | 4 0.05 | 16 | 0.001 | 69 | 1 39 | 12 | 7 | 204 | -5 | 0.04 | ~10 | ~10 | 23 | 11 | 1/1 | 0 2 |
| 165723 | 2.3 | 2.26 | 49 | 133 | < 0.5 | <5 | 3.63 | 2 | 24 | 33 | 147 | 4 60 | 2 | 1.00 | <10 | 2.44 2000 | 4 0.01 | 10 | 0.145 | 00 | 1.30 | 11 | נ ר | 204 | < 5 2 E | 0.10 | <10 | 14 | 33 | <10 | 198 | 2 |
| | | | - | | | _ | | - | | 00 | | | - | | •=• | 2.15 5000 | 4 0.01 | | 0.107 | 35 | 0.07 | 11 | 4 | 234 | ~) | 0.10 | ~10 | 14 | 49 | <10 | 202 | 2 |
| 165724 | 4.0 | 3.32 | 112 | 97 | <0.5 | 14 | 1.29 | 25 | 24 | 46 | 138 | 7.64 | <1 | 0.70 | <10 | 2.78 2327 | <2 0.01 | 18 | 0.131 | 182 | 2.10 | 14 | 3 | 75 | <5 | 0.07 | <10 | 16 | 52 | 38 | 3322 | 3 |
| 165725 | 5.4 | 2.31 | 139 | 89 | < 0.5 | 11 | 0.36 | 62 | 14 | 99 | 185 | 6.84 | <1 | 0.28 | <10 | 1.77 1090 | 4 0.01 | 21 | 0.080 | 241 | 2.77 | 13 | 1 | 17 | <5 | 0.01 | <10 | 15 | 22 | 73 | 7310 | 3 |
| 165726 | 23.9 | 1.21 | 387 | 47 | <0.5 | 46 | 0.29 | 251 | 27 | 44 | 253 | 9.31 | <1 | 0.37 | <10 | 0.85 641 | <2 0.01 | 22 | 0.072 | 1466 | 7.60 | 11 | 1 | 12 | <5 | 0.02 | <10 | 18 | 15 | 316 | >10000 | 4 |
| 165727 | 4.3 | 2.05 | 89 | 109 | < 0.5 | 11 | 0.23 | 35 | 25 | 50 | 197 | 6.21 | <1 | 0.63 | <10 | 1.32 934 | 2 0.01 | 20 | 0.087 | 281 | 2.26 | 12 | 1 | 14 | <5 | 0.05 | <10 | 15 | 20 | 46 | 4204 | 4 |
| 165728 | 4.0 | 2.31 | 102 | 120 | < 0.5 | 11 | 1.30 | 40 | 13 | 76 | 159 | 5.77 | <1 | 0.80 | <10 | 1.87 1602 | <2 0.01 | 69 | 0.097 | 285 | 1.79 | 13 | 2 | 89 | <5 | 0.07 | <10 | 14 | 36 | 51 | 4774 | 3 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165729 | 1.4 | 2.68 | 112 | 151 | <0.5 | 6 | 2.99 | 2 | 17 | 152 | 141 | 5.62 | 2 | 1.38 | <10 | 2.68 1669 | 9 0.01 | 186 | 0.148 | 55 | 1.39 | 13 | 3 | 210 | <5 | 0.14 | <10 | <10 | 57 | <10 | 208 | 3 |
| 165730 | 2.0 | 2.13 | 171 | 150 | < 0.5 | 5 | 2.97 | 3 | 37 | 72 | 143 | 5.23 | 2 | 1.24 | <10 | 2.19 1753 | 22 0.01 | 140 | 0.151 | 91 | 1.53 | 12 | 2 | 211 | <5 | 0.12 | <10 | 12 | 44 | <10 | 249 | 4 |
| 165731 | 5.2 | 2.16 | 86 | 140 | <0.5 | 10 | 1.36 | 26 | 16 | 37 | 215 | 5.60 | <1 | 0.89 | <10 | 1.67 1728 | 2 0.01 | 28 | 0.165 | 392 | 1.78 | 12 | 2 | 83 | <5 | 0.08 | <10 | 13 | 37 | 35 | 3127 | 2 |
| 165732 | 7.7 | 1.19 | 96 | 115 | <0.5 | 11 | 1.51 | 107 | 13 | 32 | 295 | 5.85 | <1 | 0.52 | <10 | 1.14 2459 | <2 0.01 | 8 | 0.133 | 982 | 2.61 | 9 | 2 | 82 | <5 | 0.03 | <10 | 15 | 22 | 131 | >10000 | 2 |
| 165733 | 80.9 | 2.35 | 28 | 138 | <0.5 | 166 | 0.69 | 62 | 6 | 33 | 589 | 9.01 | <1 | 0.70 | <10 | 1.77 2497 | <2 0.01 | 1 | 0.203 | 1484 | 1.90 | 15 | 3 | 37 | <5 | 0.06 | <10 | 20 | 51 | 76 | 7337 | 4 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165734 | 40.6 | 1.75 | 57 | 117 | <0.5 | 86 | 0.34 | 113 | 8 | 45 | 571 | 7.74 | <1 | 0.85 | <10 | 1.25 1448 | <2 0.01 | 29 | 0.132 | 713 | 2.95 | 11 | 2 | 19 | <5 | 0.08 | <10 | 17 | 34 | 132 | >10000 | 4 |
| 165735 | 14.5 | 1.48 | 76 | 118 | <0.5 | 28 | 0.40 | 49 | 7 | 46 | 457 | 7.51 | <1 | 0.53 | <10 | 1.63 1982 | <2 0.01 | 47 | 0.095 | 356 | 1.74 | 15 | 2 | 27 | <5 | 0.03 | <10 | 19 | 22 | 60 | 5542 | 4 |
| 165736 | 7.4 | 1.72 | 52 | 112 | <0.5 | 15 | 0.68 | 61 | 18 | 44 | 337 | 5.66 | <1 | 0.52 | <10 | 1.30 1944 | <2 0.01 | 58 | 0.108 | 256 | 1.23 | 12 | 2 | 44 | <5 | 0.05 | <10 | 15 | 26 | 76 | 7273 | 4 |
| 165737 | 3.5 | 1.16 | 33 | 130 | < 0.5 | 7 | 0.30 | 24 | 10 | 48 | 118 | 4.48 | <1 | 0.51 | <10 | 1.09 1070 | <2 0.01 | 50 | 0.107 | 207 | 0.76 | 11 | 1 | 19 | <5 | 0.02 | <10 | <10 | 16 | 33 | 3017 | 3 |
| 165738 | 4.6 | 1.61 | 226 | 112 | <0.5 | 10 | 0.30 | 31 | 14 | 52 | 166 | 4.86 | <1 | 0.50 | <10 | 1.30 1127 | 3 0.01 | 38 | 0.090 | 373 | 0.99 | 11 | 1 | 18 | <5 | 0.02 | <10 | <10 | 21 | 44 | 4132 | 3 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165739 | 7.5 | 0.53 | 342 | 85 | <0.5 | 14 | 0.28 | 42 | 9 | 36 | 9 0 | 3.08 | <1 | 0.33 | <10 | 0.76 976 | <2 0.01 | 28 | 0.080 | 1009 | 0.99 | <5 | 1 | 17 | <5 | <0.01 | <10 | <10 | 8 | 41 | 6293 | 2 |
| 165740 | 12.7 | 0.58 | 174 | 82 | <0.5 | 14 | 0.52 | 201 | 13 | 37 | 162 | 3.67 | <1 | 0.32 | <10 | 0.90 1432 | <2 0.01 | 29 | 0.073 | 2616 | 2.23 | 11 | 1 | 24 | <5 | <0.01 | <10 | <10 | 10 | 202 | >10000 | 2 |
| 165741 | 10.8 | 2.10 | 101 | 72 | <0.5 | 15 | 0.69 | 227 | 9 | 35 | 302 | 6.93 | 1 | 0.28 | <10 | 1.99 2750 | 32 0.01 | 39 | 0.117 | 2033 | 2.41 | <5 | 2 | 36 | <5 | 0.01 | <10 | <10 | 32 | 223 | >10000 | 3 |
| 165742 | 8.6 | 2.43 | 101 | 75 | <0.5 | 12 | 0.99 | 122 | 14 | 48 | 247 | 7.21 | <1 | 0.27 | <10 | 2.17 3206 | 2 0.01 | 38 | 0.100 | 1620 | 2.18 | <5 | 2 | 42 | < 5 | 0.01 | <10 | <10 | 37 | 129 | >10000 | 3 |
| 165743 | 11.7 | 3.96 | 1128 | 67 | <0.5 | 15 | 2.64 | 103 | 20 | 30 | 293 | 10.35 | <1 | 0.17 | <10 | 3.08 3512 | 5 0.01 | 28 | 0.190 | 2119 | 2.02 | <5 | 6 | 141 | <5 | 0.02 | <10 | <10 | 125 | 110 | >10000 | 4 |
| | | | | | ÷ | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165/44 | 22.2 | 4.06 | 2186 | 49 | <0.5 | 17 | 1.62 | 198 | 37 | 41 | 820 | 12.62 | <1 | 0.20 | <10 | 3.32 3898 | 11 0.01 | 18 | 0.239 | 3482 | 3.50 | <5 | 7 | 98 | <5 | 0.03 | <10 | <10 | 128 | 208 | >10000 | 4 |
| 165/45 | 15.5 | 2.96 | 551 | 54 | <0.5 | 14 | 1.13 | 157 | 41 | 32 | 819 | 12.84 | <1 | 0.25 | <10 | 2.63 2924 | 10 0.01 | 21 | 0.231 | 1743 | 4.30 | < S | 4 | 86 | <5 | 0.02 | <10 | <10 | 80 | 149 | >10000 | 4 |
| 105/46 | 10.2 | 3.54 | 915 | 66 | <0.5 | 11 | 1.17 | 163 | 16 | 18 | 438 | 10.02 | <1 | 0.27 | <10 | 2.99 2458 | 5 0.01 | 11 | 0.280 | 1329 | 2.02 | <5 | 5 | 91 | <5 | 0.02 | <10 | <10 | 92 | 154 | >10000 | 3 |
| 165/4/ | 10.4 | 2.83 | 275 | 99 | <0.5 | <5 | 3.21 | 34 | 29 | 19 | 651 | 9.46 | <1 | 0.51 | <10 | 3.04 3047 | 9 0.01 | 15 | 0.214 | 931 | 2.77 | <5 | _4 | 250 | <5 | 0.04 | <10 | <10 | 80 | 33 | 4639 | 3 |
| 105/48 | 6.0 | 3.19 | 47 | 160 | 0.7 | 5 | 2.03 | 43 | 12 | 36 | 114 | 7.18 | <1 | 0.85 | <10 | 2.56 2357 | 4 0.01 | 26 | 0.168 | 663 | 0.73 | <5 | 4 | 193 | <5 | 0.09 | <10 | <10 | 78 | 40 | 5268 | 3 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 0S0031RJ

Date : Jul-22-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | AI % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe %† | Hg opm | К % | La ppm | Mg Min %ppm | Mo Na ppm % | Ni ppm | P % | Pb ppm | S % | Sb ppm | Sc ppm (| Sr ppm (| Th ppm | Ti % | TI ppm | U ppm p | V opm | W ppm | Zn ppm r | Zr ppm |
|------------------|-----------|---------|-----------|-----------|--------------|-----------|---------|-----------|-----------|-----------|-----------|----------|-----------|--------|-----------|----------------|----------------|-----------|--------|-----------|--------|-----------|-------------|-------------|-----------|---------|-----------|------------|----------|----------|-------------|-----------|
| 165749 | 4 1 | 1.68 | 72 | 228 | 00 | ~5 | 2 01 | 28 | 14 | 18 | 187 | 5 53 | ~1 | 1 77 | ~10 | 1 25 2362 | 4 0 01 | 17 | 0 126 | EE1 | 1 16 | ~ F | 2 | 103 | ~F | 0.13 | -10 | -10 | 60 | 26 | 3404 | |
| 165750 | 14.3 | 3 20 | 2983 | 68 | 0.9 | 23 | 0.59 | 323 | 20 | 18 | 744 | 0.87 | ~1 | 1 1 2 | <10 | 1.72 3686 | 15 0.01 | 17 | 0.150 | 7174 | 2 72 | ~5 | 2 | 103 | ~5 | 0.12 | 10 | <10 | 175 | 20 | 2494 | ່ ເ |
| 165751 | 3.6 | 4 15 | 774 | 196 | 15 | | 0.96 | 48 | 19 | 30 | 330 | 9.46 | ~1 | 1 95 | <10 | 2 18 2048 | 10.01 | 10 | 0.203 | 470 | 1 74 | ~5 | 2 | 25 | ~5 | 0.12 | 14 | <10 | 155 | 297 | >10000 | 2 |
| 165752 | 11.5 | 1.40 | 585 | 104 | 0.6 | 5 | 2.36 | 62 | 8 | 59 | 211 | 6.02 | 1 | 0.88 | <10 | 1 46 3138 | 3 0.01 | 33 | 0.201 | 1697 | 7 10 | 17 | 2 | 176 | ~5 | 0.22 | ~10 | <10 | 133 | 47 | 9954 | - |
| 165753 | >200.0 | 0.32 | 197 | 26 | < 0.5 | 21 | 1.97 | 1345 | 17 | 49 | 1631 | 6.52 | 10 | 0.00 | <10 | 0.80 2619 | 3 0.01 | 52 | 0.070 | >1000 | 7 30 | 220 | -1 | 147 | ~5 | 0.00 | ~10 | ~10 | 17 | 1100 | >10000 | 2 |
| | | | | | | | | | | | | 0.52 | 10 | V.2 I | -10 | 0.00 2015 | 5 0.01 | 52 | 0.057 | >10000 | 1.55 | 220 | ~1 | 147 | ~ 5 | 0.01 | ~10 | . 10 | 13 | 1100 | >10000 | |
| 165754 | 10.3 | 2.81 | 172 | 69 | 0.8 | 11 | 0.68 | 336 | 18 | 84 | 584 | 7.94 | <1 | 1.25 | <10 | 1.66 2381 | <2 0.01 | 48 | 0.096 | 629 | 2.90 | 6 | 2 | 46 | <5 | 0.14 | <10 | <10 | 61 | 320 | >10000 | 3 |
| 165755 | 52.4 | 0.70 | 305 | 56 | <0.5 | 11 | 3.26 | 389 | 36 | 51 | 684 | 6.61 | 4 | 0.53 | <10 | 1.41 4446 | 2 0.01 | 50 | 0.056 | 7870 | 4.67 | 49 | 1 | 206 | <5 | 0.04 | <10 | <10 | 18 | 417 | >10000 | 2 |
| 165756 | <0.2 | 0.04 | <5 | <10 | <0.5 | <5 | 17.42 | 1 | <1 | 4 | 4 | 0.07 | 1 | 0.01 | <10 | 9.88 58 | <2 0.01 | 2 | 0.018 | 4 | 0.57 | <5 | <1 | 145 | <5 | < 0.01 | 11 | <10 | 2 | <10 | 17 | <1 |
| 165757 | 12.7 | 3.92 | 28 | 117 | 0.6 | <5 | 0.93 | 20 | 19 | 103 | 126 | 7.44 | <1 | 0.97 | <10 | 2.93 2875 | <2 0.01 | 83 | 0.142 | 2128 | 0.59 | <5 | 3 | 64 | <5 | 0.10 | <10 | <10 | 65 | 18 | 2492 | 3 |
| 165758 | 2.5 | 2.41 | 44 | 93 | <0.5 | <5 | 1.78 | 7 | 17 | 69 | 92 | 4.53 | <1 | 0.71 | <10 | 2.29 2930 | <2 0.01 | 78 | 0.119 | 238 | 0.35 | <5 | 2 | 152 | <5 | 0.06 | <10 | <10 | 37 | <10 | 824 | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165759 | 4.5 | 2.15 | 49 | 134 | 0.6 | <5 | 2.43 | 13 | 17 | 60 | 91 | 4.06 | <1 | 0.93 | <10 | 2.36 3029 | 2 0.01 | 84 | 0.135 | 388 | 0.38 | <5 | 2 | 237 | <5 | 0.09 | <10 | <10 | 38 | 12 | 1618 | 2 |
| 165760 | 1.6 | 1.17 | 52 | 136 | 0.5 | <5 | 2.48 | 4 | 16 | 40 | 90 | 2.70 | 1 | 0.91 | <10 | 1.59 1736 | <2 0.02 | 62 | 0.117 | 38 | 0.65 | <5 | 2 | 386 | <5 | 0.07 | <10 | <10 | 24 | <10 | 331 | 1 |
| 165761 | 2.5 | 2.37 | 24 | 166 | 0.7 | 5 | 1.03 | 4 | 21 | 215 | 2481 | 3.45 | <1 | 0.96 | 26 | 0.80 264 | 213 0.07 | 12 | 0.060 | 58 | 1.64 | 8 | 6 | 58 | 13 | 0.04 | <10 | <10 | 54 | <10 | 318 | 5 |
| 165762 | 1.5 | 0.86 | 24 | 138 | <0.5 | <5 | 1.91 | 8 | 8 | 47 | 86 | 2.15 | 1 | 0.63 | <10 | 0.96 1795 | 4 0.05 | 22 | 0.062 | 25 | 0.50 | <5 | 1 | 226 | <5 | 0.04 | <10 | <10 | 17 | <10 | 819 | 2 |
| 165763 | 1.0 | 1.09 | 27 | 151 | 0.6 | <5 | 3.05 | 3 | 14 | 44 | 104 | 3.24 | 2 | 0.73 | <10 | 1.57 1415 | 3 0.06 | 52 | 0.101 | 10 | 0.91 | <5 | 3 | 429 | <5 | 0.06 | <10 | <10 | 39 | <10 | 97 | З |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165764 | 1.2 | 1.10 | 19 | 160 | 0.6 | <5 | 2.89 | 6 | 11 | 36 | 123 | 3.21 | 2 | 0.76 | 10 | 1.53 1725 | <2 0.05 | 39 | 0.091 | 8 | 0.62 | <5 | 3 | 372 | <5 | 0.06 | <10 | <10 | 31 | <10 | 490 | 2 |
| 165765 | 1.5 | 1.07 | 26 | 173 | 0.5 | <5 | 2.77 | 3 | 13 | 34 | 135 | 3.06 | 1 | 0.80 | 10 | 1.39 1691 | 2 0.04 | 37 | 0.097 | 10 | 0.82 | <5 | 2 | 353 | <5 | 0.06 | <10 | <10 | 31 | <10 | 143 | 3 |
| 165766 | 1.3 | 0.93 | 25 | 144 | <0.5 | <5 | 2.38 | 8 | 11 | 43 | 100 | 2.76 | 1 | 0.68 | <10 | 1.12 2024 | 15 0.04 | 27 | 0.072 | 66 | 0.67 | <5 | 1 | 256 | <5 | 0.04 | <10 | <10 | 32 | <10 | 834 | 2 |
| 165767 | 0.5 | 0.80 | 30 | 138 | <0.5 | <5 | 2.54 | 2 | 11 | 39 | 50 | 2.36 | 1 | 0.58 | <10 | 1.17 1396 | 2 0.05 | 53 | 0.081 | 13 | 0.43 | <5 | 2 | 301 | <5 | 0.04 | <10 | <10 | 20 | <10 | 73 | 2 |
| 165768 | 0.6 | 0.79 | 21 | 140 | <0.5 | <5 | 2.71 | 2 | 9 | 38 | 51 | 2.35 | 1 | 0.57 | <10 | 1.19 1419 | 2 0.05 | 52 | 0.085 | 11 | 0.41 | <5 | 2 | 313 | <5 | 0.04 | <10 | <10 | 20 | <10 | 79 | 2 |
| 165760 | 1 2 | 1.00 | 57 | 1 5 1 | 0.5 | ~ 5 | 2 70 | F | 14 | 25 | OF | 2.16 | | 0.00 | 10 | 1 36 3337 | -2 0 02 | 20 | 0.005 | 20 | 0.73 | - 5 | - | 250 | | 0.05 | | | | | | |
| 165770 | 1.2 | 0.66 | 57 | 110 | <0.5 <0.5 | ~5 | 1 50 | О | 14 | 22 | 60 | 3.10 | 1 | 0.00 | ~10 | 1.36 2237 | <2 0.03 | 28 | 0.095 | 39 | 0.73 | < 5 | 2 | 258 | <5 | 0.06 | <10 | <10 | 21 | <10 | 389 | 2 |
| 165771 | 1.5 | 1 77 | 17 | 1/0 | 0.5 | ~5 | 1 72 | 12 | 14 | 22 | 03 77 | 2.73 | -1 | 0.40 | <10 | 0.09 1720 | <2 0.05 | 22 | 0.047 | 92 | 0.92 | - 5 | 1 | 127 | < 5 | 0.02 | <10 | <10 | 16 | <10 | 902 | 1 |
| 165772 | 2.4 | 2.72 | 16 | 1/7 | 0.5 | ~5 | 1.7.5 | 15 | 10 | 44 | // 07 | 3.61 | 1 | 0.07 | <10 | 1.49 2404 | <2 0.03 | 52 | 0.070 | 147 | 0.40 | < > | 2 | 147 | < 5 | 0.07 | <10 | <10 | 26 | 10 | 1402 | 2 |
| 105772 | 2.4 | 2.37 | 10 | 142 | 0.0 | ~) | 1.05 | 13 | 12 | 44 | 02 | 4.01 | 1 | 0.95 | <10 | 2.04 2349 | <2 0.02 | 21 | 0.078 | 227 | 0.44 | < 5 | 2 | 157 | < 5 | 0.08 | <10 | <10 | .34 | 12 | 1706 | د |
| Duplicates: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165434 | 1.2 | 1.72 | 174 | 172 | 0.6 | <5 | 1.98 | 9 | 29 | 78 | 124 | 4.67 | 2 | 0.99 | <10 | 1.97 2409 | 2 0.03 | 114 | 0.113 | 102 | 1.99 | <5 | 2 | 214 | <5 | 0.10 | <10 | <10 | 47 | <10 | 500 | 2 |
| 165443 | 1.6 | 2.06 | 190 | 202 | 0.8 | <5 | 1.32 | 21 | 18 | 57 | 223 | 4.46 | 1 | 1.51 | <10 | 2.18 2295 | 7 0.02 | 64 | 0.146 | 63 | 1.98 | <5 | 2 | 139 | <5 | 0.14 | <10 | <10 | 50 | 20 | 2950 | 2 |
| 165618 | >200.0 | 1.81 | 310 | 106 | 0.6 | 168 | 6.63 | 32 | 23 | 39 | 118 | 7.11 | 5 | 1.47 | <10 | 1.75 4347 | 2 0.02 | 19 | 0.176 | >10000 | 5.36 | 16 | 1 | 576 | <5 | 0.13 | 11 | <10 | 43 | 27 | 3855 | 3 |
| 165621 | 0.5 | 2.32 | 90 | 296 | <0.5 | <5 | 1.51 | 9 | 15 | 53 | 75 | 4.03 | <1 | 1.99 | 14 | 2.10 1650 | 2 0.03 | 34 | 0.250 | 156 | 1.37 | 12 | 2 | 108 | 5 | 0.21 | 10 | <10 | 50 | 16 | 1175 | 2 |
| 165630 | 4.6 | 3.31 | 258 | 145 | <0.5 | 10 | 1.76 | 28 | 20 | 42 | 521 | 6.45 | 2 | 2.73 | <10 | 3.67 2556 | <2 0.02 | 29 | 0.239 | 596 | 2.64 | 15 | 4 | 149 | <5 | 0.31 | 12 | 17 | 91 | 46 | 3759 | 3 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Page 6 of 7

Signed: _



Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 0S0031RJ

Date : Jul-22-10

Sample type : CORE

Skyline Gold Corporation

Project : Bronson

Attention : Arnd Burgert

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | AI % | As ppm | Ba ppm | Be ppm p | Bi opm | Ca % | Cd ppm | Co opm | Cr ppm | Cu ppm | Fe % | Hg ppm | K % | La ppm | Mg Min %ppm | Mo Na ppm % | Ni ppm | P % | Pb ppm | ່ S % I | Sb pm | Sc opm | Sr opm p | Th opm | Ti % | TI ppm | U ppm p | V opm | W ppm | Zn ppm p | Zr opm |
|------------------|-----------|---------|-----------|-----------|-------------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|--------|-----------|----------------|----------------|-----------|---------|-----------|------------|----------|-----------|-------------|-----------|---------|-----------|------------|----------|----------|-------------|-----------|
| 165640 | 3.1 | 1.52 | 255 | 106 | <0.5 | 6 | 1.82 | 56 | 12 | 56 | 175 | 3.89 | 2 | 0.74 | <10 | 1.90 2198 | <2 0.01 | 52 | 0.092 | 346 | 2.01 | 8 | 1 | 156 | <5 | 0.06 | <10 | 14 | 17 | 70 | 6175 | 2 |
| 165643 | 8.3 | 2.53 | 213 | 121 | 0.5 | 7 | 1.09 | 55 | 25 | 98 | 126 | 5.25 | <1 | 0.99 | <10 | 2.50 1949 | 2 0.02 | 85 | 0.073 | 1971 | 1.83 | <5 | 2 | 92 | <5 | 0.09 | <10 | <10 | 33 | 48 | 7712 | 2 |
| 165651 | 1.1 | 2.24 | 124 | 113 | <0.5 | 6 | 2.10 | 2 | 23 | 82 | 126 | 5.27 | 2 | 1.00 | <10 | 2.49 1272 | <2 0.01 | 110 | 0.135 | 44 | 1.77 | 13 | 2 | 173 | <5 | 0.11 | <10 | <10 | 39 | <10 | 125 | 2 |
| 165660 | 15.1 | 1.99 | 597 | 48 | <0.5 | 27 | 0.81 | 14 | 26 | 98 | 378 | 9.45 | 1 | 0.77 | <10 | 1.90 1091 | 5 0.01 | 110 | 0.118 | 306 | 6.33 | 19 | 1 | 50 | <5 | 0.06 | <10 | 22 | 26 | 21 | 1307 | 5 |
| 165670 | 26.7 | 2.16 | 253 | 82 | <0.5 | 17 | 0.93 | 44 | 23 | 98 | 3496 | 6.73 | 1 | 0.65 | <10 | 2.28 1413 | 2 0.01 | 82 | 0.094 | 492 | 3.87 | 15 | 2 | 69 | <5 | 0.07 | <10 | 18 | 27 | 67 | 5697 | 3 |
| 165673 | 7.0 | 1.89 | 167 | 122 | <0.5 | 12 | 5.09 | 25 | 21 | 92 | 271 | 5.50 | 2 | 0.81 | <10 | 3.55 3778 | 3 0.01 | 95 | 0.097 | 436 | 1.79 | 13 | 2 | 375 | <5 | 0.07 | <10 | 23 | 33 | 36 | 2780 | 3 |
| 165682 | 11.2 | 3.58 | 206 | 92 | <0.5 | 17 | 1.56 | 139 | 18 | 290 | 310 | 8.12 | <1 | 0.92 | <10 | 3.47 2247 | 2 0.01 | 280 | 0.052 | 1699 | 3.47 | 19 | 4 | 114 | <5 | 0.11 | <10 | 24 | 48 | 217 : | >10000 | 3 |
| 165692 | 4.4 | 3.47 | 406 | 68 | <0.5 | 14 | 0.73 | 85 | 39 | 118 | 137 | 9.37 | <1 | 0.42 | <10 | 2.97 1147 | 2 0.01 | 134 | 0.138 | 329 | 4.59 | 19 | 2 | 48 | <5 | 0.05 | <10 | 24 | 70 | 121 | 8909 | 4 |
| 165695 | 7.1 | 1.65 | 89 | 113 | <0.5 | 15 | 2.06 | 33 | 19 | 58 | 91 | 3.78 | <1 | 0.97 | <10 | 1.38 1957 | 2 0.02 | 79 | 0.135 | 311 | 1.22 | 11 | 2 | 149 | <5 | 0.08 | <10 | 10 | 30 | 43 | 3666 | 2 |
| 165704 | 1.5 | 1.78 | 73 | 162 | <0.5 | 5 | 2.75 | 3 | 26 | 50 | 58 | 3.20 | 1 | 1.21 | 12 | 1.71 2379 | <2 0.02 | 45 | 0.150 | 100 | 0.46 | 11 | 3 | 276 | 5 | 0.11 | <10 | <10 | 59 | <10 | 338 | 2 |
| 165714 | 2.6 | 1.86 | 91 | 146 | <0.5 | 5 | 2.08 | 1 | 35 | 33 | 123 | 3.29 | <1 | 1.31 | 11 | 1.77 2300 | 2 0.02 | 35 | 0.136 | 208 | 0.78 | 11 | 3 | 218 | 5 | 0.10 | <10 | <10 | 43 | <10 | 257 | 2 |
| 165717 | 24.0 | 3.16 | 142 | 67 | <0.5 | 34 | 0.84 | 37 | 49 | 61 | 926 | 11.36 | <1 | 1.15 | <10 | 2.07 2529 | 5 0.01 | 31 | 0.148 | 1318 | 5.22 | 21 | 3 | 56 | <5 | 0.13 | <10 | 25 | 61 | 53 | 4298 | 6 |
| 165726 | 23.9 | 1.19 | 392 | 43 | <0.5 | 47 | 0.28 | 250 | 27 | 44 | 251 | 8.99 | <1 | 0.37 | <10 | 0.82 645 | <2 0.01 | 31 | 0.072 | 1483 | 7.43 | 8 | 1 | 12 | <5 | 0.02 | <10 | 18 | 15 | 323 | >10000 | 4 |
| 165736 | 7.5 | 1.79 | 59 | 117 | <0.5 | 13 | 0.75 | 64 | 18 | 46 | 329 | 6.23 | <1 | 0.55 | <10 | 1.43 2035 | <2 0.01 | 59 | 0.114 | 259 | 1.38 | 11 | 2 | 45 | <5 | 0.05 | <10 | 15 | 26 | 79 | 7870 | 4 |
| 165739 | 8.2 | 0.59 | 327 | 89 | <0.5 | 14 | 0.27 | 40 | 9 | 37 | 94 | 3.06 | <1 | 0.37 | <10 | 0.72 972 | <2 0.01 | 25 | 0.076 | 983 | 0.95 | <5 | 1 | 17 | <5 | <0.01 | <10 | <10 | 9 | 41 | 5811 | 2 |
| 165748 | 5.9 | 3.12 | 52 | 166 | 0.6 | <5 | 2.08 | 45 | 14 | 36 | 111 | 7.21 | <1 | 0.84 | <10 | 2.74 2346 | 3 0.01 | 27 | 0.172 | 658 | 0.74 | <5 | 4 | 198 | <5 | 0.09 | <10 | <10 | 78 | 41 | 5621 | 3 |
| 165758 | 2.6 | 2.49 | 44 | 100 | 0.5 | <5 | 1.76 | 7 | 16 | 71 | 94 | 4.51 | <1 | 0.74 | <10 | 2.30 2916 | <2 0.01 | 77 | 0.120 | 238 | 0.33 | <5 | 2 | 153 | <5 | 0.07 | <10 | <10 | 38 | <10 | 816 | 2 |
| 165761 | 2.5 | 2.45 | 22 | 162 | 0.7 | <5 | 0.95 | 4 | 20 | 207 | 2412 | 3.27 | <1 | 0.96 | 25 | 0.76 255 | 210 0.07 | 11 | 0.050 | 54 | 1.48 | 8 | 6 | 53 | 12 | 0.04 | <10 | <10 | 53 | <10 | 288 | 5 |
| 165770 | 1.5 | 0.72 | 63 | 123 | <0.5 | <5 | 1.62 | 9 | 15 | 56 | 88 | 2.80 | 1 | 0.43 | <10 | 0.73 1773 | <2 0.06 | 12 | 0.046 | 96 | 0.93 | 5 | 1 | 132 | <5 | 0.02 | <10 | <10 | 17 | <10 | 939 | 1 |
| Standards: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blank | <0.2 | <0.01 | <5 | <10 | <0.5 | <5 | <0.01 | 18 | <1 | <1 | <1 | <0.01 | <1 | <0.01 | <10 | <0.01 <5 | <2 0.01 | <1 | < 0.001 | <2 | <0.01 | <5 | <1 | <1 | <5 | < 0.01 | <10 | <10 | <1 | <10 | <1 | <1 |
| CH-4 | 2.1 | 1.77 | 11 | 289 | 0.9 | <5 | 0.58 | 5 | 30 | 105 | 2090 | 4.67 | <1 | 1.41 | 13 | 1.18 336 | 3 0.05 | 53 | 0.070 | 24 | 0.59 | <5 | 7 | 8 | <5 | 0.20 | <10 | <10 | 81 | <10 | 210 | 12 |
| Blank | <0.2 | <0.01 | <5 | <10 | <0.5 | <5 | <0.01 | <1 | <1 | <1 | <1 | <0.01 | <1 | <0.01 | <10 | <0.01 <5 | <2 0.01 | <1 | < 0.001 | <2 | <0.01 | <5 | <1 | <1 | <5 | <0.01 | <10 | <10 | <1 | <10 | 1 | <1 |
| CH-4 | 1.7 | 1.56 | 11 | 230 | 0.9 | <5 | 0.51 | 4 | 27 | 91 | 1887 | 3.90 | <1 | 1.27 | 12 | 1.07 284 | 2 0.04 | 47 | 0.057 | 16 | 0.50 | <5 | 6 | 7 | <5 | 0.15 | <10 | <10 | 69 | <10 | 182 | 8 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Page 7 of 7



Quality Assaying for over 35 Years

Assay Certificate

0S-0034-RA1

| Company: | Skyline Gold Corp |
|----------|---------------------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-23-10

We *hereby certify* the following assay of 22 core samples submitted Jun-23-10

| Sample | Au | Sample-wt | Zn | |
|-------------|---------|-----------|-------|-------------|
| Name | g/tonne | kg | % | |
| 165651 | 0.10 | 5.0 | | |
| 165652 | 0.21 | 5.0 | | |
| 165653 | 0.21 | 5.0 | | |
| 165654 | 0.14 | 3.5 | | |
| 165655 | 0.32 | 1.3 | 2.10 | |
| 165656 | 0.01 | 0.3 | | |
| 165657 | 0.33 | 3.5 | | |
| 165658 | 0.12 | 3.0 | | |
| 165659 | 0.27 | 3.0 | | |
| 165660 | 0.25 | 2.5 | | |
| 165661 | 0.23 | 3.0 | | |
| 165662 | 0.13 | 4.5 | | |
| 165663 | 0.19 | 3.0 | | |
| 165664 | 2.69 | 3.5 | | |
| 165665 | 0.17 | 3.5 | | |
| 165666 | 0.06 | 2.5 | | |
| 165667 | 1.41 | 3.0 | 1.28 | |
| 165668 | 1.34 | 3.0 | | |
| 165669 | 0.31 | 3.0 | | |
| 165670 | | 3.5 | | |
| 165671 | 0.15 | 3.0 | | |
| 165672 | 0.20 | 3.0 | | |
| *DUP 165651 | 0.10 | | | |
| *DUP 165660 | 0.25 | | | |
| *DUP 165670 | 0.50 | | | - <u></u> . |
| *0211 | 2.23 | | | |
| *ME-3 | | | 0.88 | |
| *BLANK | <0.01 | | <0.01 | |
| | | | | |

Au by 50g FA, AA finish.Zn A.R. digest/A.A.



Quality Assaying for over 35 Years

Metallic Assay Certificate

0S-0031-RM1

Company:Skyline Gold CorporationProject:BronsonAttn:Arnd Burgert

Jul-22-10

We *hereby certify* the following analysis of 4 core samples submitted Jun-16-10

| Sample | Wt Total | Wt +150 | +150 Au | -150 Au I | Metallic Au | Net Au |
|--------|----------|---------|---------|-----------|-------------|---------|
| Name | g | g | mg | g/tonne | g/tonne | g/tonne |
| 165445 | 911.6 | 100.3 | 0.204 | 1.67 | 0.22 | 1.71 |
| 165617 | 547.6 | 71.5 | 6.561 | 15.63 | 11.98 | 25.57 |
| 165618 | 368.2 | 48.0 | 1.207 | 9.81 | 3.28 | 11.81 |
| 165635 | 757.4 | 45.0 | 0.176 | 2.03 | 0.23 | 2.14 |
| | | | | | | |

Fire Assay for Metallic Au analysis

Certified by_



Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

Quality Assaying for over 35 Years

Metallic Assay Certificate

0S-0031-RM2

Company:Skyline Gold CorporationProject:BronsonAttn:Arnd Burgert

Jul-22-10

| | And Bulgen |
|-----------------------|--|
| We <i>he</i> submi | by certify the following analysis of 11 core samples 1 Jun-16-10 |

| Sample Name | Wt Total g | Wt +150 g | +150 Au mg | -150 Au g/tonne | Metallic Au g/tonne | Net Au g/tonne |
|----------------|---------------|-----------|---------------|--------------------|------------------------|-------------------|
| 165664 | 803.6 | 40.0 | 0.102 | 2.54 | 0.13 | 2.54 |
| 165667 | 762.4 | 62.1 | 0.135 | 0.92 | 0.18 | 1.02 |
| 165668 | 784.2 | 62.4 | 0.135 | 1.15 | 0.17 | 1,23 |
| 165688 | 834.2 | 67.3 | 0.232 | 1.07 | 0.28 | 1.26 |
| 165689 | 830.7 | 64.9 | 0.212 | 1.28 | 0.26 | 1.44 |
| 165691 | 858.9 | 37.5 | 0.260 | 0.62 | 0.30 | 0.90 |
| 165708 | 597.1 | 62.2 | 1.447 | 3.44 | 2.42 | 5.51 |
| 165744 | 806.4 | 111.8 | 0.273 | 1.31 | 0.34 | 1.47 |
| 165745 | 838.4 | 86.9 | 0.348 | 0.88 | 0.42 | 1.20 |
| 165747 | 815.2 | 70.4 | 0.432 | 2.56 | 0.53 | 2,87 |
| 165750 | 882.4 | 59.76 | 0.281 | 1.07 | 0.32 | 1.32 |

Fire Assay for Metallic Au analysis



Quality Assaying for over 35 Years

Assay Certificate

0S-0031-RA1

Jul-22-10

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

We *hereby certify* the following assay of 22 core samples submitted Jun-16-10

| Sample | Au | Sample-wt | Ag | Pb | Zn | |
|-----------|---------|-----------|---------|-------|-------|-----|
| Name | g/tonne | Kg | g/tonne | % | % | |
| 165434 | 0.03 | 4.0 | ··· | | | |
| 165435 | 0.04 | 2.0 | | | | |
| 165436 | 0.03 | 2.0 | | | | |
| 165437 | 0.05 | 2.0 | | | | |
| 165438 | 0.06 | 2.0 | | | | |
| 165439 | 0.05 | 2.0 | | | | |
| 165440 | 0.03 | 2.5 | | | | |
| 165441 | 0.08 | 2.0 | | | | |
| 165442 | 0.11 | 2.0 | | | | |
| 165443 | 0.07 | 2.0 | | | | |
| 165444 | 0.37 | 2.0 | | | | |
| 165445 | 1.53 | 1.0 | | | 1.16 | |
| 165446 | 0.17 | 2.0 | | | | |
| 165447 | 0.04 | 4.0 | | | | |
| 165448 | 0.01 | 3.0 | | | | |
| 165449 | 0.03 | 3.0 | | | | |
| 165450 | 0.15 | 5.0 | | | | |
| 165451 | 0.28 | 4.0 | | | 1.22 | |
| 165617 | 21.80 | 0.9 | 309.1 | | | |
| 165618 | 10.30 | 0.7 | 274.6 | 1.11 | | |
| 165619 | 0.06 | 4.0 | | | | ÷ : |
| 165620 | 0.04 | 5.0 | | | | |
| DUP165434 | 0.04 | | | | | |
| DUP165443 | 0.07 | | | | | |
| DUP165618 | 11.90 | | | | | |
| *0211 | 1.96 | | | | | |
| *ME-3 | | | 268.8 | 2.80 | 0.87 | |
| *BLANK | <0.01 | | <0.1 | <0.01 | <0.01 | |
| | | | | | | |

Au 50g F.A. AA finish.Ag,Pb,Zn 4 Acid/ AA

Certified by_



Quality Assaying for over 35 Years

Assay Certificate

.

0S-0031-RA2

| Company: | Skyline Gold Corporation |
|----------|--|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-22-10

We *hereby certify* the following assay of 22 core samples submitted Jun-16-10

| Sample | Au | Sample-wt | | |
|-----------|---------|-----------|---------------------------------------|--|
| Name | g/tonne | Kg | | |
| 165621 | 0.02 | 5.5 | · · · - | |
| 165622 | 0.03 | 4.5 | | |
| 165623 | 0.02 | 5.0 | | |
| 165624 | 0.02 | 4.5 | | |
| 165625 | 0.02 | 2.5 | | |
| 165626 | 0.02 | 3.0 | · · · · · · · · · · · · · · · · · · · | |
| 165627 | 0.11 | 5.0 | | |
| 165628 | 0.03 | 4.5 | | |
| 165629 | 0.08 | 5.0 | | |
| 165630 | 0.06 | 5.0 | | |
| 165631 | 0.90 | | | |
| 165632 | 0.05 | 5.0 | | |
| 165633 | 0.01 | 5.0 | | |
| 165634 | 0.02 | 5.0 | | |
| 165635 | 2.38 | 5.0 | | |
| 165636 | 0.02 | 2.0 | | |
| 165637 | 0.19 | 2.0 | | |
| 165638 | 0.08 | 3.0 | | |
| 165639 | 0.05 | 2.5 | | |
| 165640 | 0.07 | 2.5 | | |
| 165641 | 0.12 | 2.5 | | |
| 165642 | 0.08 | 2.5 | | |
| DUP165621 | 0.02 | | | |
| DUP165630 | 0.05 | | | |
| DUP165640 | 0.11 | | | |
| *0211 | 1.95 | | | |
| *BLANK | <0.01 | | | |
| | | | | |

Au 50g F.A. AA finish

Certified by____



Quality Assaying for over 35 Years

Assay Certificate

.

Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

0S-0031-RA3

Jul-22-10

| Company: | Skyline Gold Corporation |
|----------|---------------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

We *hereby certify* the following assay of 8 core samples submitted Jun-16-10

| Sample | Au | Sample-wt | |
|-------------|---------|-----------|------|
| Name | g/tonne | Kg | |
| 165643 | 0.06 | 2.5 | |
| 165644 | 0.04 | 4.5 | |
| 165645 | 0.03 | 5.0 | |
| 165646 | 0.02 | 4.0 | |
| 165647 | 0.04 | 6.5 | |
| 165648 | 0.04 | 5.5 | |
| 165649 | 0.14 | 4.0 | |
| 165650 | 0.07 | 3.0 | |
| *DUP 165643 | 0.06 | | |
| *0211 | 2.09 | | |
| *BLANK | <0.01 | | |

Certified by____



Quality Assaying for over 35 Years

Assay Certificate

0S-0031-RA4

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-22-10

AL

tion

We *hereby certify* the following assay of 22 core samples submitted Jun-16-10

| Sample | Au | Sample-wt | |
|-------------|---------|-----------|--|
| Name | g/tonne | kg | |
| 165651 | 0.10 | 5.0 | |
| 165652 | 0.21 | 5.0 | |
| 165653 | 0.21 | 5.0 | |
| 165654 | 0.14 | 3.5 | |
| 165655 | 0.32 | 1.3 | |
| 165656 | 0.01 | 0.3 | |
| 165657 | 0.33 | 3.5 | |
| 165658 | 0.12 | 3.0 | |
| 165659 | 0.27 | 3.0 | |
| 165660 | 0.25 | 2.5 | |
| 165661 | 0.23 | 3.0 | |
| 165662 | 0.13 | 4.5 | |
| 165663 | 0.19 | 3.0 | |
| 165664 | 2.69 | 3.5 | |
| 165665 | 0.17 | 3.5 | |
| 165666 | 0.06 | 2.5 | |
| 165667 | 1.41 | 3.0 | |
| 165668 | 1.34 | 3.0 | |
| 165669 | 0.31 | 3.0 | |
| 165670 | 0.44 | 3.5 | |
| 165671 | 0.15 | 3.0 | |
| 165672 | 0.20 | 3.0 | |
| *DUP 165651 | 0.10 | | |
| *DUP 165660 | 0.25 | | |
| *DUP 165670 | 0.50 | | |
| *0211 | 2.23 | | |
| *ME-3 | | | |
| *BLANK | <0.01 | | |
| | | | |



Quality Assaying for over 35 Years

Assay Certificate

0S-0031-RA5

Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-22-10

We *hereby certify* the following assay of 22 core samples submitted Jun-16-10

| Sample | Au | Sample-wt | Zn | |
|-------------|---------|-----------|-------|------|
| Name | g/tonne | kg | % | |
| 165673 | 0.13 | 3.0 | | |
| 165674 | 0.08 | 4.5 | | |
| 165675 | 0.02 | 6.0 | | |
| 165676 | 0.01 | 4.0 | | |
| 165677 | 0.01 | 5.0 | | |
| 165678 | 0.02 | 5.0 | | |
| 165679 | 0.05 | 5.0 | | |
| 165680 | 0.06 | 5.0 | | |
| 165681 | 0.30 | | | |
| 165682 | 0.19 | 5.5 | 1.87 | |
| 165683 | 0.17 | 5.0 | | |
| 165684 | 0.26 | 5.0 | | |
| 165685 | 0.05 | 5.0 | | |
| 165686 | 0.06 | 3.0 | | |
| 165687 | 0.53 | 2.5 | 5.40 | |
| 165688 | 1.00 | 3.5 | 6.50 | |
| 165689 | 2.01 | 3.5 | 9.30 | |
| 165690 | 0.14 | 3.0 | | |
| 165691 | 1.00 | 3.0 | 1.89 | |
| 165692 | 0.53 | 2.0 | | |
| 165693 | 0.13 | 3.0 | | |
| 165694 | 0.12 | 3.0 | | |
| *DUP 165673 | 0.12 | | | |
| *DUP 165682 | 0.21 | | | |
| *DUP 165692 | 0.56 | | | |
| *0211 | 2.23 | | | |
| *ME-3 | | | 0.91 | |
| *BLANK | <0.01 | | <0.01 | |
| | | | | |

Certified by_



Quality Assaying for over 35 Years

Assay Certificate

0S-0031-RA6

Jul-22-10

| Company: | Skyline Gold Corporation |
|----------|--|
| Project: | Bronson |
| Attn: | Arnd Burgert |

We *hereby certify* the following assay of 22 core samples submitted Jun-16-10

| Sample | Au | Sample-wt | Ag | Zn | |
|-------------|---------|-----------|---------|-------|--|
| Name | g/tonne | kg | g/tonne | % | |
| 165695 | 0.09 | 5.0 | | | |
| 165696 | 0.02 | 5.0 | | | |
| 165697 | 0.17 | 5.0 | | | |
| 165698 | 0.01 | 5.5 | | | |
| 165699 | 0.02 | 6.0 | | | |
| 165700 | 0.02 | 5.0 | | | |
| 165701 | 0.04 | 5.0 | | | |
| 165702 | 0.02 | 6.0 | | | |
| 165703 | 0.05 | 5.0 | | | |
| 165704 | 0.04 | 6.0 | | | |
| 165705 | 0.01 | 7.0 | | | |
| 165706 | 0.01 | 0.3 | | | |
| 165707 | 0.02 | 2.0 | | | |
| 165708 | 4.36 | 1.0 | 278.3 | 2.88 | |
| 165709 | 0.02 | 4.0 | | | |
| 165710 | 0.13 | 3.0 | | | |
| 165711 | 0.07 | 3.0 | | | |
| 165712 | 0.09 | 5.0 | | | |
| 165713 | 0.04 | 3.0 | | | |
| 165714 | . 0.07 | 3.0 | | | |
| 165715 | 0.11 | 3.0 | | | |
| 165716 | 0.20 | 3.0 | | 2.04 | |
| *DUP 165695 | 0.11 | | | | |
| *DUP 165704 | 0.04 | | | | |
| *DUP 165714 | 0.08 | | | | |
| *0211 | 2.24 | | | | |
| *ME-3 | | | 260.8 | 0.88 | |
| *BLANK | <0.01 | | <0.1 | <0.01 | |
| | | | | | |

Au 50g F.A. AA finish; Ag, Zn AR digest AA finish

1At Certified by___



Quality Assaying for over 35 Years

Assay Certificate

0S-0031-RA7

Jul-22-10

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

We *hereby certify* the following assay of 22 core samples submitted Jun-16-10

| Sample | Au | Sample-wt | Zn | |
|-------------|---------|-----------|-------|-----------------------|
| Name | g/tonne | kg | % | |
| 165717 | 0.35 | 2.0 | | |
| 165718 | 0.22 | 2.0 | | |
| 165719 | 0.03 | 2.5 | | |
| 165720 | 0.04 | 5.0 | | |
| 165721 | 0.89 | | | |
| 165722 | 0.03 | 5.0 | | · · · · · · · · · · · |
| 165723 | 0.04 | 4.0 | | |
| 165724 | 0.11 | 4.0 | | |
| 165725 | 0.21 | 2.0 | | |
| 165726 | 0.42 | 2.0 | 2.65 | |
| 165727 | 0.05 | 4.0 | | |
| 165728 | 0.05 | 5.0 | | |
| 165729 | 0.03 | 4.5 | | |
| 165730 | 0.05 | 4.0 | | |
| 165731 | 0.06 | 4.5 | | |
| 165732 | 0.17 | 5.5 | 1.19 | |
| 165733 | 0.64 | 5.0 | | |
| 165734 | 0.29 | 4.0 | 1.16 | |
| 165735 | 0.08 | 5.0 | | |
| 165736 | 0.06 | 4.5 | | |
| 165737 | 0.02 | 4.0 | | |
| 165738 | 0.02 | 5.0 | | |
| *DUP 165717 | 0.33 | | | |
| *DUP 165726 | 0.41 | | | |
| *DUP 165736 | 0.05 | | | |
| *0211 | 2.32 | | | |
| *ME-3 | | | 0.88 | |
| *BLANK | <0.01 | | <0.01 | |
| | | | | |

Au 50g F.A. AA finish; Zn AR digest AA finish

Certified by_



Quality Assaying for over 35 Years

<u>Assay Certificate</u>

0S-0031-RA8

| Company: | Skyline Gold Corporation |
|----------|---------------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-22-10

We *hereby certify* the following assay of 22 core samples submitted Jun-16-10

| Sample | Au | Sample-wt | Ag | Pb | Zn | |
|-------------|---------|-----------|---------|-------|-------|---|
| Name | g/tonne | kg | g/tonne | % | % | |
| 165739 | 0.05 | 5.0 | | - | | |
| 165740 | 0.11 | 3.0 | | | 2.95 | |
| 165741 | 0.08 | 4.0 | | | 3.24 | |
| 165742 | 0.09 | 5.0 | | | 1.78 | |
| 165743 | 0.98 | 4.0 | | | 1.60 | |
| 165744 | 2.18 | 3.0 | | | 3.18 | |
| 165745 | 1.00 | 3.0 | | | 2.49 | |
| 165746 | 0.72 | 3.0 | | | 2.47 | |
| 165747 | 4.13 | 2.0 | | | | |
| 165748 | 0.44 | 3.5 | | | | |
| 165749 | 0.05 | 3.0 | | | | |
| 165750 | 1.01 | 3.0 | | | 4.98 | |
| 165751 | 0.22 | 3.0 | | | | |
| 165752 | 0.12 | 4.0 | | | | |
| 165753 | 0.81 | 1.0 | 212.8 | 4.54 | 15.2 | |
| 165754 | 0.13 | 2.0 | | | 5.01 | |
| 165755 | 0.90 | 2.0 | | | 6.78 | |
| 165756 | <0.01 | 0.4 | | | | |
| 165757 | 0.08 | 3.0 | | | | |
| 165758 | 0.03 | 5.0 | | | | |
| 165759 | 0.03 | 4.0 | | | | - |
| 165760 | 0.03 | 5.0 | | | | |
| *DUP 165739 | 0.05 | | | | | |
| *DUP 165748 | 0.32 | | | | | |
| *DUP 165758 | 0.03 | | | | | |
| *0211 | 2.21 | | | | | |
| *ME-3 | | | 275.4 | 2.85 | 0.89 | |
| *BLANK | <0.01 | | <0.1 | <0.01 | <0.01 | |
| | | | | | | |

Au 50g F.A. AA finish; Ag by F.A.; Pb, Zn AR digest AA finish

Certified by___



.

Quality Assaying for over 35 Years

Assay Certificate

0S-0031-RA9

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-22-10

We *hereby certify* the following assay of 12 core samples submitted Jun-16-10

| Sample Name | Au a/tonne | Sample-wt | |
|----------------|---------------|-----------|--|
| | gronne | мg | |
| 165761 | 0.31 | | |
| 165762 | 0.04 | 4.5 | |
| 165763 | 0.03 | 5.0 | |
| 165764 | 0.03 | 5.0 | |
| 165765 | 0.03 | 4.5 | |
| 165766 | 0.02 | 4.5 | |
| 165767 | 0.02 | 3.0 | |
| 165768 | 0.02 | 3.0 | |
| 165769 | 0.04 | 6.0 | |
| 165770 | 0.07 | 5.0 | |
| 165771 | 0.02 | 5.0 | |
| 165772 | 0.01 | 5.0 | |
| *DUP 165761 | 0.29 | | |
| *DUP 165770 | 0.07 | | |
| *AC0501 | 8.30 | | |
| *BLANK | <0.01 | | |

Certified by_



DIAMOND DRILL HOLE LOG

| HOLE: SK10-05 | CONTRACTOR: Driftwood Diamond Drilling Ltd. | | | | |
|--|---|--|--|--|--|
| COLLAR COORDINATES UTM (NAD 83): Easting: 373538 Northing: 6280825 | DATE STARTED: 07-Jun-10 | | | | |
| COLLAR COORDINATES MINE GRID: | DATE COMPLETED: | | | | |
| Northing: 11677 | 09-Jun-10 | | | | |
| Easting: 27368 | | | | | |
| COLLAR ELEVATION: | CORE SIZE: | | | | |
| 649m | NQ | | | | |
| FINAL DEPTH: | RIG: | | | | |
| 228m | SRS 3000 Hydraulic | | | | |
| SURVEYS: | • | | | | |
| Depth Azimuth | Inclination Method | | | | |
| 0 235.0 | -65.0 compass, clinometer | | | | |
| 201 235.1 | -68.4 Reflex | | | | |

Page: 2 of 13 pages



| | То | | | From | То | Interval | | | | |
|----------|---------------|--|------------|-------|-------|----------|--------|--------|--------|--------|
| From (m) | (m) | Description | Sample No. | (m) | (m) | (m) | Au g/t | Ag g/t | Cu ppm | Zn ppm |
| 0.00 | 2.30 | CASING | | | | | | | | |
| 2.30 | 5.25 | GREYWACKE | 165773 | 2.30 | 3.30 | 1.00 | 0.02 | 1.5 | 66 | 843 |
| | Med grey g | reywacke with minor feldspathic greywacke | 165774 | 3.30 | 4.30 | 1.00 | 0.05 | 1.5 | 139 | 2131 |
| | interbedde | d. Weak-moderately shattered with 30, 45, 80 TCA | 165775 | 4.30 | 5.25 | 0.95 | 0.03 | 1.5 | 136 | 1234 |
| | silca veinlet | ts. 3-4 mm, 5-6 mm and 20 mm wide respectively.7- | | | | | | | | |
| | 8% dissemi | nated Py with Py stringers. Weak-moderate | | | | | | | | |
| | limonitized | fractures. | | | | | | | | |
| 5.25 | 41.23 | FELDSPATHIC GREYWACKE (WITH MINOR GW) | 165776 | 5.25 | 6.44 | 1.19 | 0.05 | 2.1 | 100 | 1712 |
| | Mainly feld | spathic with minor greywacke interbedded with rare | 165777 | 6.44 | 7.44 | 1.00 | 0.06 | 1.7 | 170 | 2651 |
| | thin stiltsto | ne beds. Moderately broken up and shattered with | 165778 | 7.44 | 9.00 | 1.56 | 0.03 | 1.2 | 87 | 249 |
| | mainly silica | a stringers. Carbonate domniant stringers from ~13m | 165779 | 9.00 | 10.00 | 1.00 | 0.05 | 1.5 | 75 | 645 |
| | to 24m. 0.5 | to 10% disseminated Py with stronger Py closer to Py | 165780 | 10.00 | 11.00 | 1.00 | 0.03 | 0.8 | 39 | 343 |
| | stringers, lo | ocally 15-20% Py. The geometry of some of the | 165781 | 11.00 | 12.00 | 1.00 | 0.01 | 0.8 | 57 | 325 |
| | hydrotherm | nal injections (HI) suggests that this interval could be | 165782 | 12.00 | 13.00 | 1.00 | 0.01 | 0.6 | 58 | 272 |
| | mineralized | due to the presence of very large mineralized | 165783 | 13.00 | 14.00 | 1.00 | 0.02 | 0.7 | 52 | 481 |
| | brecciated | clasts. weak-moderate biotite altered on fracture | 165784 | 14.00 | 15.00 | 1.00 | 0.05 | 0.7 | 87 | 438 |
| | margins and | d some disseminated. Fracture surfaces are still | 165785 | 15.00 | 16.00 | 1.00 | 0.03 | 0.9 | 115 | 319 |
| | limonitized | but progressively becomes less frequent towards the | 165786 | 16.00 | 17.00 | 1.00 | 0.03 | 0.6 | 51 | 486 |
| | of this inter | rval. Note:Poor recovery from top of hole to 27 m, | 165787 | 17.00 | 18.00 | 1.00 | 0.06 | 1.0 | 70 | 649 |
| | 10% to 35% | 6 loss per run. | 165788 | 18.00 | 19.00 | 1.00 | 0.03 | 0.5 | 75 | 250 |
| | | | 165789 | 19.00 | 20.00 | 1.00 | 0.03 | <0.2 | 41 | 186 |
| | @ 2.30 - 16 | 5.00 Claw like marks 1-2 mm wide by 5-10 up to 20 | 165790 | 20.00 | 21.00 | 1.00 | 0.03 | 0.4 | 50 | 178 |
| | mm long. 1 | Fension gashes filled with silica/carbonate suggests | 165791 | 21.00 | 22.00 | 1.00 | 0.04 | 0.8 | 68 | 266 |
| | more brittle | eness at this depth. | 165792 | 22.00 | 23.00 | 1.00 | 0.05 | 0.6 | 100 | 656 |
| | @ 6.37 is a | 45 TCA HI, \sim 200 mm wide with disseminated Py and | 165793 | 23.00 | 24.00 | 1.00 | 0.03 | 0.9 | 57 | 218 |
| | biotite with | n weak sericite proximal to silica. | 165794 | 24.00 | 25.00 | 1.00 | 0.02 | 0.9 | 40 | 154 |
| | @15.34 - 1 | 5.62 Darker grey thin siltstone bed. | 165795 | 25.00 | 26.00 | 1.00 | 0.03 | 1.6 | 49 | 291 |
| | @ 17.31 is a | a 35 TCA slickensided fracture, planar surface. | 165796 | 26.00 | 27.00 | 1.00 | 0.02 | 0.9 | 52 | 227 |
| | @ 17.9 m is | s a FAULT, UCA is 20, LCA is 30 with 10-20mm fault | 165797 | 27.00 | 28.00 | 1.00 | 0.03 | 1.4 | 63 | 256 |
| | gouge brec | cia. | 165798 | 28.00 | 29.00 | 1.00 | 0.03 | 0.9 | 98 | 275 |
| | @ 20.82 m | is a bedding plane with 40TCA with suspect offsetting | 165799 | 29.00 | 30.00 | 1.00 | 0.03 | 1.8 | 129 | 1419 |
| | planes by a | maximum of 5 mm. | 165800 | 30.00 | 31.00 | 1.00 | 0.03 | 2.3 | 92 | 784 |

Page: 3 of 13 pages



| | То | | From | То | Interval | | | | |
|----------|---|------------|--------|--------|----------|--------|--------|--------|--------|
| From (m) | (m) Description | Sample No. | (m) | (m) | (m) | Au g/t | Ag g/t | Cu ppm | Zn ppm |
| | @ 23.86 is a 40 TCA FAULT with 10-15 clay fault gouge breccia. | 165801 | STD 13 | STD 13 | STD 13 | 1.04 | 3.2 | 2869 | 154 |
| | | 165802 | 31.00 | 31.86 | 0.86 | 0.04 | 1.8 | 107 | 477 |
| | @ 24.88 is a 40 TCA FAULT with > mm clay fault gouge. | 165803 | 31.86 | 33.15 | 1.29 | 0.55 | 7.7 | 560 | 823 |
| | @ 29 m to 30.25 are 4 sections of limonitized fractured core | 165804 | 33.15 | 34.16 | 1.01 | 1.02 | 37.3 | 270 | 3013 |
| | pieces, possibly resulted from all the same movement. These | 165805 | 34.16 | 36.00 | 1.84 | 0.03 | 3.0 | 82 | 399 |
| | fractures are shallow, 5-10 TCA | 165806 | BLANK | BLANK | BLANK | 0.01 | 2.0 | 2 | 25 |
| | @ 31.86 m to 34.16m is a well mineralized interval. 20-25% Py, | 165807 | 36.00 | 37.00 | 1.00 | 0.02 | 2.0 | 75 | 584 |
| | mainly in stringer/veinlets (with minor interstitial qtz), mostly 10- | 165808 | 37.00 | 38.00 | 1.00 | 0.03 | 2.1 | 87 | 594 |
| | 20 mm wide, but up to 50 mm wide. 2-3% blebby local Sph. Fine- | 165809 | 38.00 | 39.00 | 1.00 | 0.05 | 2.3 | 61 | 1790 |
| | grained patchy biotite mostly along Py stringer margins. Some of | 165810 | 39.00 | 40.00 | 1.00 | 0.06 | 2.0 | 35 | 1252 |
| | the biotite has retrograded to chlorite(+/- sericite), especially | 165811 | 40.00 | 41.23 | 1.23 | 0.07 | 2.2 | 81 | 463 |
| | along the silica veinlets (33.85 to 34) | | | | | | | | |
| | | | | | | | | | |
| | @ 33.21 is a 50 mm wide Py stringer, UCA is 45, LCA=15 | | | | | | | | |
| | @ 36.09 is a FAULT 50 TCA curviplanar surface with slickensides+ | | | | | | | | |
| | @ 36.12 = 50 TCA FAULT opposite direction (strike) of previous | | | | | | | | |
| | fault, a veneer of clay | | | | | | | | |
| | @ 36.15 = 40 TCA, FAULT same direction as 36.09 with veneer of | | | | | | | | |
| | clay | | | | | | | | |
| | @ 36.16 = 55 TCA FAULT with 0.5 mm clay gouge, same direction | 1 | | | | | | | |
| | as 36.12 | | | | | | | | |
| | @ 36.46 30 TCA is a curviplanar shear with slickensides and a | | | | | | | | |
| | veneer of clay gouge | | | | | | | | |
| | @ 37 m is a FAULT 35 TCA with 1 mm clay gouge | | | | | | | | |
| | @ 37.55 to 37.8 is a moderate to highly broken up zone, | | | | | | | | |
| | structure is estimated to be very low angle, 5-10TCA with clay | | | | | | | | |
| | fault gouge. | | | | | | | | |
| | @ 39.46, 39.52 is a 30 and 50 TCA, respectively. Both with 2-3 | | | | | | | | |
| | mm clay fault gouge. | | | | | | | | |
| | @ 39.96, 40.2, 40.3 40.48, 40.92m is 60, 60, 40, 55, 50 TCA, | | | | | | | | |
| | milky opaque white qtz veinlets that are 8, 16, 8, 11, 40 mm wide | | | | | | | | |
| | with no apparent sulphides. | | | | | | | | |

Page: 4 of 13 pages



| | То | | | From | То | Interval | | | | | | |
|----------|---------------|--|------------|-------|-------|----------|----|------|----|-----|--------|--------|
| From (m) | (m) | Description | Sample No. | (m) | (m) | (m) | Au | g/t | Ag | g/t | Cu ppm | Zn ppm |
| | @ 40.98m | is a FAULT with 45 TCA with 30 mm clay fault gouge. | | | | | | | | | | |
| | | | | | | | | | | | | |
| 41.23 | 44.75 | FELDSPATHIC GREYWACKE (HYDROTHERMALLY | 165812 | 41.23 | 43.00 | 1.77 | | 0.12 | | 2.8 | 139 | 1464 |
| | | BRECCIATED AND INFILLED WITH PY) | 165813 | 43.00 | 44.75 | 1.75 | | 0.06 | | 1.8 | 171 | 403 |
| | Creamy to g | grey feldspathic greywacke with 15-20 % Py as mostly | | | | | | | | | | |
| | stringers/in | fill with some disseminations. Minor silica veinlets, | | | | | | | | | | |
| | ~45-60 TCA | up to 10 mm wide. Biotite at some margins of Py | | | | | | | | | | |
| | stringers an | d some interstitial biotite, 2-3%. Suspect f.g. small | | | | | | | | | | |
| | blebs of Sph | n, tr-0.5%. The texture sugests that this unit was a | | | | | | | | | | |
| | coherent Fe | elds GW at one point and hydrothermal fluids bearing | | | | | | | | | | |
| | Py+biotite b | precciated it. | | | | | | | | | | |
| 44.75 | 45.22 | FELDSPATHIC GREYWACKE (HYDROTHERMALLY | 165814 | 44.75 | 45.22 | 0.47 | | 0.03 | | 1.4 | 127 | 468 |
| | This unit loc | oks fairly similar to the above unit, except that it | | | | | | | | | | |
| | contains les | s Py and no brecciation. | | | | | | | | | | |
| 45.22 | 46.60 | FELDSPATHIC GREYWACKE (HYDROTHERMALLY | 165815 | 45.22 | 46.60 | 1.38 | | 0.12 | | 2.8 | 163 | 458 |
| | | BRECCIATED AND INFILLED WITH PY) | | | | | | | | | | |
| | Same as 41. | .23 to 44.75 m | | | | | | | | | | |
| 46.6 | 46.95 | SILICA VEIN WITH FAULTING | 165816 | 46.60 | 46.95 | 0.35 | | 0.07 | | 3.3 | 148 | 907 |
| | Mainly silica | a veining (50%) with some wall rock and fault gouge | | | | | | | | | | |
| | breccia. Son | ne of the vein has a pale yellow colour to it (some | | | | | | | | | | |
| | feldspars wi | ithin that possibly altered). | | | | | | | | | | |
| | @ 46.95 m | is a FAULT, 20 TCA with 3-4 mm clay fault gouge with | | | | | | | | | | |
| | 1% dissem F | Ру. | | | | | | | | | | |
| 46.95 | 48.96 | GREYWACKE | 165817 | 46.95 | 48.96 | 2.01 | | 0.16 | | 1.6 | 69 | 1739 |
| | Grey greywa | acke mottled with pervasive disseminated 0.25 to 0.5 | 165818 | 46.95 | 48.96 | DUP | | 0.18 | | 2.9 | 81 | 2840 |
| | mm biotite | altered mafics (possibly hornblende.?) 0.5 to 5% | | | | | | | | | | |
| | disseminate | ed Py with a strong Py near at the end of this interval. | | | | | | | | | | |
| | < 0.5% silica | a hairline to 1 mm stringers. | | | | | | | | | | |
| 48.96 | 68.20 | LITHIC GREYWACKE | 165819 | 48.96 | 51.00 | 2.04 | | 0.09 | | 6.9 | 84 | 2138 |
| | Grey lithic g | reywacke with clasts sub-rounded to sub-angular 20 | 165820 | 51.00 | 53.00 | 2.00 | | 0.1 | | 1.1 | 125 | 300 |
| | by 30 mm to | o a few mm scale feldspathic clasts often being | 165821 | 53.00 | 55.00 | 2.00 | | 0.05 | | 1.5 | 67 | 768 |
| | replaced by | Py. Fine-grained to med-grained. Note: There are | 165822 | 55.00 | 57.00 | 2.00 | | 0.05 | | 1.0 | 20 | 384 |

Page: 5 of 13 pages



| | То | | From | То | Interval | | | | |
|----------|---|------------|-------|-------|----------|--------|--------|--------|--------|
| From (m) | (m) Description | Sample No. | (m) | (m) | (m) | Au g/t | Ag g/t | Cu ppm | Zn ppm |
| | intervals void of apparent clasts that make it non-lithic. Those | 165823 | 57.00 | 59.00 | 2.00 | 0.1 | 1.2 | 27 | 1703 |
| | non-clastic intervals are mainly greywacke with some feldspathic | 165824 | 59.00 | 61.00 | 2.00 | 0.18 | 2.5 | 54 | 1456 |
| | intervals. 0.5 to 7% disseminated Py. Disseminated mafics going | 165825 | 61.00 | 63.00 | 2.00 | 0.07 | 1.3 | 90 | 775 |
| | to biotite. The majority of the core fractured at fairly high | 165826 | 63.00 | 65.00 | 2.00 | 0.05 | 2.1 | 86 | 753 |
| | angles, 60-90 TCA. | 165827 | 65.00 | 66.50 | 1.50 | 0.07 | 3.0 | 71 | 1552 |
| | | 165828 | 66.50 | 68.20 | 1.70 | 0.01 | 1.2 | 35 | 391 |
| | @ 53.45 to 54.75 m has 6 silica veinlets at 85-90 TCA, 5 -20 mm | | | | | | | | |
| | wide with trace Gal. | | | | | | | | |
| | @ 49.33 has 10 TCA stringers bearing Py, Sph, minor Gal, 1-3 | | | | | | | | |
| | mm wide | | | | | | | | |
| | @ 49.94 has 30 TCA Py, Sph, Gal and Cpy bearing stringer 2-4 | | | | | | | | |
| | @ 51.45 is a fracture surface with chlorite developing, weakly.35 | - | | | | | | | |
| | 40 TCA | | | | | | | | |
| | @ 57.05 m is a 20 TCA 5- 15 mm wide stringer with Sph - 15- | | | | | | | | |
| | 20%, Gal 2-3% blebby, 1-2% Py +/- Cpy all within silica. | | | | | | | | |
| | @ 60.12 m is a 35 TCA 15 wide silica veinlet with trace-1% Sph | | | | | | | | |
| | and trace-1% blebby Gal. | | | | | | | | |
| | @ 66.54 is a minor FAULT 40 TCA 0.5 mm clay fault gouge. | | | | | | | | |
| | @ 66.93 m is a FAULT 35 TCA with 1 mm clay fault gouge also | | | | | | | | |
| | with slickensides. | | | | | | | | |
| | @ 68 m is a 20 TCA slickensided fracture, with no fault gouge, | | | | | | | | |
| | hence shear. | | | | | | | | |
| 68.20 | 69.48 HYDROTHERMALLY BRECCIATED GREYWACKE | 165829 | 68.20 | 69.48 | 1.28 | 0.01 | 0.4 | 18 | 91 |
| | Creamy grey hydrothermally brecciated feldspathic greywack | | | | | | | | |
| | with abundant mafic grains filling interstices.2-3% silica stringers. | | | | | | | | |
| | 1-2% disseminated Py, other than that devoid of apparent | | | | | | | | |
| | sulphides. | | | | | | | | |
| 69.48 | 74.28 GREYWACKE | 165830 | 69.48 | 72.00 | 2.52 | 0.01 | 0.3 | 29 | 232 |
| | Mainly dominated by a fine-grained med grey greywacke with | 165831 | 72.00 | 74.28 | 2.28 | 0.02 | 0.4 | 26 | 273 |
| | silica dominated (with minor carbonates) stringers hairline to 10 | | | | | | | | |
| | mm wide 2-3%. Occasional angular clasts, a few mm scale, | | | | | | | | |
| | present. 2-3%. The abundance of dark grey (likely f.g. Biotite?) | | | | | | | | |
Page: 6 of 13 pages



| | | | | | | 1 | | | | GULD | CONFORATION |
|----------|----------------|---|------------|-------|-------|----------|----|------|-------|----------|-------------|
| | То | | | From | То | Interval | | | | | |
| From (m) | (m) | Description | Sample No. | (m) | (m) | (m) | Au | g/t | Ag g/ | t Cu ppm | Zn ppm |
| | matrix with | occasional mafic grains qualifies this unit as a | | | | | | | | | |
| | greywacke. | | | | | | | | | | |
| 74.28 | 79.68 | FELDSPATHIC GREYWACKE | 165832 | 74.28 | 76.28 | 2.00 | | 0.02 | 0. | 4 31 | 202 |
| | Either frequ | ent hydrothermal injections (mainly unmineralized) | 165833 | 76.28 | 78.23 | 1.95 | | 0.01 | 0. | 5 27 | 264 |
| | altering the | rocks to a feldspathic mineral (likely Kspar) or clasts | 165834 | 78.23 | 79.68 | 1.45 | | 0.02 | 0. | 4 14 | 225 |
| | of feldspath | ic mineral moderately hydrothermally brecciated. | | | | | | | | | |
| | Likely the fo | ormer. The higher presence of feldspathic intervals | | | | | | | | | |
| | qualifies this | s section as a feldspathic greywacke. There are | | | | | | | | | |
| | intervals sor | me up to 10-15cm thick that are coarser-grained | | | | | | | | | |
| | feldspathic I | minerals 40-70% set in a mafic matrix, hence some | | | | | | | | | |
| | are greywad | :ke here. | | | | | | | | | |
| | Note: The in | iterval between 69.48 to ~ 107.87 is an interval that | | | | | | | | | |
| | often switch | ies from a greywacke to a feldspathic greywacke. | | | | | | | | | |
| | Units that h | ave a higher mafic component(most of which is due | | | | | | | | | |
| | to the highe | r matrix amount) have been classified as a | | | | | | | | | |
| | greywacke. | Often, the grains and matrix is difficult to discern as | | | | | | | | | |
| | some that m | nay look like grains have diffuse boundaries. Minerals | | | | | | | | | |
| | that are pale | e grey/tan are assumed to be altered plagioclase and | | | | | | | | | |
| | are under th | ne feldspathic category | | | | | | | | | |
| | @ 74.93 = s | slickensided fracture-50 TCA | | | | | | | | | |
| | @ 75.24 = s | slickensided fracture-20-25TCA smooth with minor | | | | | | | | | |
| | chlorite/seri | icite. | | | | | | | | | |
| | @ 80.61 is a | a 40 TCA slickensided shear, stepping | | | | | | | | | |
| 79.68 | 107.87 | MAINLY FELDSPATHIC GREYWACKE | 165835 | 79.68 | 82.00 | 2.32 | < | 0.01 | 0. | 9 23 | 195 |
| | This unit wo | ould classify as a feldspathic greywacke because of | 165836 | 82.00 | 84.00 | 2.00 | | 0.01 | 0. | 9 53 | 305 |
| | more interv | als with the feldspathic minerals dominating. There | 165837 | 84.00 | 86.00 | 2.00 | | 0.04 | 0. | 8 36 | 166 |
| | are short se | ctions that may have slightly higher non-feldspathic | 165838 | 86.00 | 88.00 | 2.00 | | 0.04 | 0. | 4 13 | 172 |
| | components | s. From ~94 m to end of unit has a salt-pepper look | 165839 | 88.00 | 90.00 | 2.00 | | 0.09 | 1. | 1 25 | 423 |
| | due to coars | ser grains (med-coarse sand). Finely disseminated | 165840 | 90.00 | 92.00 | 2.00 | | 0.14 | 0. | 7 38 | 347 |
| | trace-0.1% t | to coarsely disseminated 1-2% Py with occasional 2- | 165841 | 92.00 | 94.00 | 2.00 | | 0.09 | 0. | 6 37 | 361 |
| | 3% Py string | gers. Trace Gal in silica veinlets. ~1% silica stringers. | 165842 | 94.00 | 96.00 | 2.00 | | 0.05 | 1. | 3 35 | 450 |

Page: 7 of 13 pages



| | | | | | | | | | GULD | CONFUNATION |
|----------|--|---------|------------|--------|--------|----------|--------|--------|--------|-------------|
| | То | | | From | То | Interval | | | | |
| From (m) | (m) Description | | Sample No. | (m) | (m) | (m) | Au g/t | Ag g/t | Cu ppm | Zn ppm |
| | | | 165843 | 96.00 | 98.00 | 2.00 | 0.01 | 0.8 | 48 | 392 |
| | @ 83.6 is a 35-40 TCA FAULT with 1 mm clay fault gouge w | veakly | 165844 | 98.00 | 100.00 | 2.00 | 0.03 | 0.8 | 54 | 553 |
| | chloritized. Smooth, planar. | | 165845 | 100.00 | 102.00 | 2.00 | 0.12 | 1.3 | 102 | 433 |
| | From 92.4 onwards there are marks on the core that are | | 165846 | 102.00 | 104.00 | 2.00 | 0.01 | 0.7 | 56 | 145 |
| | perfectly perpendicular TCA banding the core with dark gre | ey with | 165847 | 104.00 | 105.20 | 1.20 | 0.01 | 1.0 | 37 | 136 |
| | creamy-light grey. This feature was likely due to drilling an | d not | 165848 | 105.20 | 105.66 | 0.46 | 0.05 | 1.7 | 57 | 498 |
| | the nature of the rock. | | 165849 | 105.66 | 107.87 | 2.21 | 0.01 | 0.2 | 26 | 360 |
| | @ 87.6m 35 TCA slickensided fracture surface with weak- | | | | | | | | | |
| | moderate choloritization of biotite with coarse Py grains | | | | | | | | | |
| | disseminated on fratcture surface. | | | | | | | | | |
| | @ 89.41 is a 35 TCA curviplanar surface that is slickensided | d with | | | | | | | | |
| | a veneer of clay gouge, biotite weakly chloritized with coar grains. | se Py | | | | | | | | |
| | @ 95.55 is a 10 TCA 5-10 mm wide silica veinlet with trace | -0.5% | | | | | | | | |
| | blebby Gal &Sphal with similar angled fracture nearby. | | | | | | | | | |
| | 101.48 is 25-30 TCA FAULT with 0.5 mm clay fault gouge slickensided. | | | | | | | | | |
| | From 10.52 to 105.6 are pods of silica with a obsecure angle | le, | | | | | | | | |
| | roughly and irregular ~ 15-20 TCA with 5-15 mm blebs of m | nainly | | | | | | | | |
| | chloritite with some remnants of biotite. Suspect sericite n | earby | | | | | | | | |
| | as well. Also nearby are Py cubes with hues indicating susp | bect | | | | | | | | |
| | Cpy, Arsenopyrite fractions within a cube of 0.5-1.5 mm. 5- | -6%. | | | | | | | | |
| | @ 105.85 is a fracture surface 20 TCA with massive Py coa | ting - | | | | | | | | |
| | 75-80% Py, 15-20% silica and the remainding as wall rock. | | | | | | | | | |
| 107.87 | 134.95 GREYWACKE (with tension gashes) | | 165850 | 107.87 | 110.00 | 2.13 | 0.01 | <0.2 | 45 | 448 |
| | Med grey to dark grey greywacke. As the unit becomes mo | ore | 165851 | 110.00 | 112.00 | 2.00 | 0.02 | 0.5 | 52 | 487 |
| | mafic, the tension gashes are more frequent and closely sp | aced | 165852 | 112.00 | 114.00 | 2.00 | 0.01 | 0.6 | 56 | 711 |
| | apart in succession. 29 one mm wide 10-20 mm long tension | on | 165853 | 114.00 | 116.00 | 2.00 | 0.02 | 0.6 | 59 | 205 |
| | gashes over a 10cm interval (from 128.33 m). The unit is le | SS | 165854 | 116.00 | 118.00 | 2.00 | 0.01 | 0.8 | 71 | 177 |

Page: 8 of 13 pages



| (m) Description | Sample No | | | | | | | |
|--|--|---|--|--|---|---|--|---|
| | Sumple No. | (m) | (m) | (m) | Au g/t | Ag g/t | Cu ppm | Zn ppm |
| mafic, thus less obvious tension gashes (t.g.) then becomes more | 165855 | 118.00 | 119.78 | 1.78 | < 0.01 | <0.2 | 66 | 261 |
| mafic and then grades out into a feldspathic greywacke (the next | 165856 | BLANK | BLANK | BLANK | <0.01 | 2.2 | 1 | 7 |
| unit), the t.g. increases and grades out into the next unit | 165857 | 119.78 | 120.23 | 0.45 | 0.32 | 11.0 | 908 | 417 |
| accordingly. There are no t.g.s obvserved in the next feldspathic | 165858 | 120.23 | 121.50 | 1.27 | 0.12 | 3.4 | 208 | 2375 |
| greywacke unit which is more brittle and fractures more easily | 165859 | 121.50 | 123.00 | 1.50 | 0.01 | 1.3 | 65 | 708 |
| resulting in longer stringers, rather than short t.g.s The high mafic | 165860 | 123.00 | 125.00 | 2.00 | 0.01 | <0.2 | 16 | 146 |
| matrix (giving it a darker grey/brown) attributes itself to a | 165861 | 125.00 | 127.00 | 2.00 | 0.04 | 0.3 | 26 | 260 |
| greywacke rather than a feldspathic greywacke.4-5% carbonate | 165862 | 127.00 | 129.00 | 2.00 | 0.03 | 1.8 | 41 | 1417 |
| dominant stringers/t.g.s with minor silica in the first part (till \sim | 165863 | 129.00 | 130.36 | 1.36 | 0.03 | 3.2 | 52 | 2207 |
| 118m) 0.5 to 3-4% disseminated Py. Intermittent pervasive | 165864 | 130.36 | 130.69 | 0.33 | 0.04 | 4.0 | 64 | 26500 |
| moderate Ksp alteration due to hydrothermal injecions (HI). Also, | 165865 | 130.69 | 132.93 | 2.24 | 0.02 | 1.0 | 57 | 498 |
| some intervals appear feldspathic due to these Ksp-HI. | 165866 | 132.93 | 134.95 | 2.02 | 0.14 | 2.1 | 39 | 551 |
| @ 108.25 m is a silica dominant stringer 20 TCA, 10-15 mm wide with 5-10% dissem Py with weak-moderate sericite. It is also fractured at this angle with slickensides @ 110.30 is a fracture with fairly euhedral silca crystals 30-35 TCA with 3-4% blebby Py. @ 110.75 is a 25-30TCA fracture with veneer of clay gouge. @ 110.95 is a 30 TCA FAULT with <0.5 mm clay fault gouge.planar. @ 111.5, 111.52, 111.55, 111.59 40, 45, 30, 35 TCA respectively, all with a veneer to 1 mm clay gouge. 20-25 TCA fracture with ~ 5% Py blebs at 113.71 m. @ 117.16 is a FAULT with 20 TCA with 0.5 to 3 mm clay fault gouge breccia with disseminated Py, 1-2% @ 119.78 to 120.23 m an interval with high Py due to a UCA-30 and irregular LCA of 20 with Py of 25-30% with interstitial silica and wall rock. @ 120.23 to 121.5 has a few low angle TCA Py stringers, 5-8% | | | | | | | | |
| | mafic and then grades out into a feldspathic greywacke (the next unit), the t.g. increases and grades out into the next unit accordingly. There are no t.g.s obvserved in the next feldspathic greywacke unit which is more brittle and fractures more easily resulting in longer stringers, rather than short t.g.s The high mafic matrix (giving it a darker grey/brown) attributes itself to a greywacke rather than a feldspathic greywacke.4-5% carbonate dominant stringers/t.g.s with minor silica in the first part (till ~ 118m) 0.5 to 3-4% disseminated Py. Intermittent pervasive moderate Ksp alteration due to hydrothermal injecions (HI). Also, some intervals appear feldspathic due to these Ksp-HI. @ 108.25 m is a silica dominant stringer 20 TCA, 10-15 mm wide with 5-10% dissem Py with weak-moderate sericite. It is also fractured at this angle with fairly euhedral silca crystals 30-35 TCA with 3-4% blebby Py. @ 110.75 is a 25-30TCA fracture with veneer of clay gouge. @ 110.95 is a 30 TCA FAULT with <0.5 mm clay fault gouge.planar. @ 111.5, 111.52, 111.55, 111.59 40, 45, 30, 35 TCA respectively, all with a veneer to 1 mm clay gouge. 20-25 TCA fracture with ~ 5% Py blebs at 113.71 m. @ 117.16 is a FAULT with 20 TCA with 0.5 to 3 mm clay fault gouge breccia with disseminated Py, 1-2% @ 119.78 to 120.23 m an interval with high Py due to a UCA-30 and irregular LCA of 20 with Py of 25-30% with interstitial silica and wall rock. @ 120.23 to 121.5 has a few low angle TCA Py stringers, 5-8% Py. | mafic and then grades out into a feldspathic greywacke (the next unit unit), the t.g. increases and grades out into the next unit 165857 accordingly. There are no t.g.s obvserved in the next feldspathic 165858 greywacke unit which is more brittle and fractures more easily 165859 resulting in longer stringers, rather than short t.g.s The high mafic 165861 greywacke rather than a feldspathic greywacke.4-5% carbonate 165861 greywacke rather than a feldspathic greywacke.4-5% carbonate 165862 dominant stringers/t.g.s with minor silica in the first part (till ~ 165863) 118m) 0.5 to 3-4% disseminated Py. Intermittent pervasive 165864 moderate Ksp alteration due to hydrothermal injecions (HI). Also, 165865 some intervals appear feldspathic due to these Ksp-HI. 165866 @ 108.25 m is a silica dominant stringer 20 TCA, 10-15 mm wide with 5-10% dissem Py with weak-moderate sericite. It is also fracture dat this angle with slickensides @ 110.30 is a fracture with fairly euhedral silca crystals 30-35 TCA with 3-4% blebby Py. @ 110.75 is a 25-30TCA fracture with veneer of clay gouge. @ 110.95 is a 30 TCA FAULT with <0.5 mm clay fault gouge.planar. @ 117.16 is a FAULT with 20 TCA with 0.5 to 3 mm clay fault gouge breccia with disseminated Py, 1-2% @ 119.78 to 120.23 m an interval with high Py due to a UCA-30 and irregular LCA of 20 with Py of 25-30% with interstitial silica and wall rock. @ 120.23 to 121.5 has a few low angle TCA Py stringers, 5-8% Py. | matic and then grades out into a feldspathic greywacke (the next unit), the t.g. increases and grades out into the next unit accordingly. There are no t.g.s obvserved in the next feldspathic greywacke unit which is more brittle and fractures more easily resulting in longer stringers, rather than short t.g.s The high matic matrix (giving it a darker grey/brown) attributes itself to a greywacke rather than a feldspathic greywacke.4-5% carbonate dominant stringers/t.g.s with minor silica in the first part (til ~ 165861 125.00 greywacke rather than a feldspathic greywacke.4-5% carbonate dominant stringers/t.g.s with minor silica in the first part (til ~ 165861 129.00 118m) 0.5 to 3-4% disseminated Py. Intermittent pervasive moderate Ksp alteration due to hydrothermal injecions (HI). Also, some intervals appear feldspathic due to these Ksp-HI.165861 125.00 165866 132.93@ 108.25 m is a silica dominant stringer 20 TCA, 10-15 mm wide with 5-10% dissem Py with weak-moderate sericite. It is also fracture dat this angle with slickensides @ 110.30 is a fracture with fairly euhedral silca crystals 30-35 TCA with 3-4% blebby Py.165.5 130.69 165866 132.93@ 110.55 is a 25-30TCA fracture with veneer of clay gouge. @ 110.75 is a 25-30TCA fracture with veneer of clay gouge. @ 110.75 is a AULT with 20 TCA with 0.5 to 3 mm clay fault gouge berecia with disseminated Py, 1-2% @ 119.78 to 120.23 m an interval with high Py due to a UCA-30 and will rock. @ 120.23 to 121.5 has a few low angle TCA Py stringers, 5-8% Py. | mafic and then grades out into a feldspathic greywacke (the next unit), the t.g. increases and grades out into the next unit accordingly. There are no t.g.s obvserved in the next feldspathic greywacke unit which is more brittle and fractures more easily resulting in longer stringers, rather than short t.g.s The high mafic matrix (giving it a darker grey/brown) attributes itself to a greywacke rather than a feldspathic greywacke.4-5% carbonate dominant stringers/t.g.s with minor silica in the first part (till ~ 165861 125.00 127.00 129.00 dominant stringers/t.g.s with minor silica in the first part (till ~ 165862 127.00 129.00 100 and its papear feldspathic due to these Ksp-HI. @ 108.25 m is a silica dominant stringer 20 TCA, 10-15 mm wide with 5-10% dissem Py with weak-moderate sericite. It is also fractured at this angle with slickensides @ 110.30 is a fracture with fairly euhedral silca crystals 30-35 TCA with 3-4% blebby Py. @ 110.75 is a 25-30TCA fracture with veneer of clay gouge. @ 110.95 is a 30 TCA FAULT with <0.5 mm clay fault gouge.planar. @ 117.16 is a FAULT with 20 TCA with 0.5 to 3 mm clay fault gouge breccia with disseminated Py, 1-2% @ 119.78 to 120.23 m an interval with high Py due to a UCA-30 and irregular LCA of 20 with Py of 25-30% with interstitial silica and wall rock. @ 120.23 to 121.5 has a few low angle TCA Py stringers, 5-8% Py. | mafic and then grades out into a feldspathic greywacke (the next unit), the t.g. increases and grades out into the next unit accordingly. There are no t.g.s obvserved in the next feldspathic greywacke unit which is more brittle and fractures more easily resulting in longer stringers, rather than short t.g.s The high mafic netrix (giving it a darker grey/brown) attributes itself to a greywacke rather than a feldspathic greywacke (4-5% carbonate dominant stringers/t.g.s with minor silica in the first part (till ~ 165861 125.00 127.00 2.00 greywacke rather than a feldspathic greywacke (4-5% carbonate 165862 127.00 129.00 2.00 dominant stringers/t.g.s with minor silica in the first part (till ~ 165863 129.00 130.36 1.36 118m) 0.5 to 3-4% disseminated PV. Intermittent pervasive noderate Ksp alteration due to hydrothermal injecions (HI). Also, some intervals appear feldspathic due to these Ksp-HI. @ 108.25 m is a silica dominant stringer 20 TCA, 10-15 mm wide with 5-10% dissem Py with weak-moderate sericite. It is also fractured at this angle with slickensides @ 110.30 is a fracture with fairly euhedral silca crystals 30-35 TCA with 3-4% blebby Py. @ 110.75 is a 25-30TCA fracture with veneer of clay gouge. @ 110.95 is a 30 TCA FAULT with <0.5 mm clay fault gouge.planar. @ 111.15, 111.55, 111.59 40, 45, 30, 35 TCA respectively, all with a veneer to 1 mm clay gouge. 20-25 TCA fracture with 0.5 to 3 mm clay fault gouge breccia with disseminated Py, 1-2% @ 119.78 to 120.23 m an interval with high Py due to a UCA-30 and irregular LCA of 20 with Py of 25-30% with interstitial silica and wall rock. @ 120.23 to 121.5 has a few low angle TCA Py stringers, 5-8% Py. | mafic and then grades out into a feldspathic greywacke (the next unit), the t.g. increases and grades out into the next unit accordingly. There are no t.g. s obvserved in the next feldspathic greywacke unit which is more brittle and fractures more easily resulting in longer stringers, rather than short t.g.s The high mafic (165859 121.50 123.00 1.50 0.01 matrix (giving it a darker grey/brown) attributes itself to a greywacke rather than a feldspathic greywacke.4-5% carbonate dominant stringers/t.g.s with minor silica in the first part (till ~ 165861 125.00 127.00 2.00 0.03 dominant stringers/t.g.s with minor silica in the first part (till ~ 165861 125.00 127.00 2.00 0.03 dominant stringers/t.g.s with minor silica in the first part (till ~ 165861 120.00 130.36 1.36 0.03 118m) 0.5 to 3-4% disseminated Py. Intermittent pervasive moderate Ksp alteration due to hydrothermal injecions (HI). Also, some intervals appear feldspathic due to these Ksp-HI. @ 108.25 m is a silica dominant stringer 20 TCA, 10-15 mm wide with 5-10% dissem Py with weak-moderate sericite. It is also fractured at this angle with slickensides @ 110.30 is a fracture with fairly euhedral silca crystals 30-35 TCA with 3-4% blebby Py. @ 110.75 is a 25-30TCA Fracture with veneer of clay gouge. @ 110.95 is a 30 TCA FAULT with <0.5 mm clay fault gouge_planar. @ 111.5, 111.52, 111.59 40, 45, 30, 35 TCA respectively, all with a veneer to 1 mm clay gouge. 20-25 TCA fracture with visc 5 mm clay fault gouge breccia with disseminated Py, 1-2% @ 119.78 to 120.23 m an interval with high Py due to a UCA-30 and irregular LCA of 20 with Py of 25-30% with interstitial silica and wall rock. @ 120.23 to 121.5 has a few low angle TCA Py stringers, 5-8% Py. | mafic and then grades out into a feldspathic greywacke (the next unit accordingly. There are not g_s obvserved in the next unit 165857 119.78 120.23 0.45 0.32 11.0 accordingly. There are not g_s obvserved in the next feldspathic 165858 120.23 121.50 1.27 0.12 3.4 greywacke unit which is more brittle and fractures more easily resulting in longer stringers, rather than short g_s The high mafic 165861 125.00 127.00 2.00 0.01 4.02 matrix (giving it a darker grey/brown) attributes itself to a greywacke rather than a feldspathic greywacke.4-5% carbonate 165862 127.00 129.00 2.00 0.03 1.8 dominant stringers/t.g.s with minor silica in the first part (till ~ 165863 129.00 130.36 1.36 0.03 3.2 11580).5 to 3-4% disseminated Py. Intermittent pervasive moderate Ksp alteration due to hydrothermal injecions (HI). Also, some intervals appear feldspathic due to these Ksp-HI. 165866 132.93 134.95 2.02 0.14 2.1 $@$ 108.25 m is a silica dominant stringer 20 TCA, 10-15 mm wide with 5-10% dissem Py with weak-moderate sericite. It is also fracture with fairly euhedral silca crystals 30-35 TCA with 3-4% blebby Py. $@$ 110.75 is a 25-30TCA fracture with veneer of clay gouge. $@$ 110.05 is a 3-0TCA FAULT with veneer of clay gouge. $@$ 110.75 is a 25-30TCA fracture with veneer of clay gouge. $@$ 110.75 is a 25-30TCA fracture with veneer of clay gouge. $@$ 110.75 is a 25-30TCA fracture with high Py due to a UCA-30 and irregular LCA of 20 with Py of 25-30% with interstitial silica and wall rock. $@$ 120.23 to 121.5 has a few low angle TCA Py stringers, 5-8% Py. | mafic and then grades out into a feldspathic greywacke (the next unit), the t.g. increases and grades out into the next unit accordingly. There are no t.g. sobvserved in the next feldspathic greywacke unit which is more britle and fractures more easily resulting in longer stringers, rather than short t.g.s The high mafic matrix (giving it a darker grey/brown) attributes itself to a greywacke anther than a feldspathic greywacke. 4-5% carbonate dominant stringers/t.g. swith minor silca in the first part (till ~ 165856 122.00 127.00 2.00 0.04 0.3 2.6 greywacke rather than a feldspathic greywacke. 4-5% carbonate 165862 127.00 129.00 2.00 0.03 1.8 41 dominant stringers/t.g. swith minor silca in the first part (till ~ 165861 129.00 130.36 1.36 0.03 3.2 52 118m) 0.5 to 3-4% disseminated Py. Intermittent pervasive 165864 130.36 130.69 0.33 0.04 4.0 64 moderate Ksp alteration due to hydrothermal injecions (HI). Also, some intervals appear feldspathic due to these Ksp-HI. 165866 132.93 134.95 2.02 0.14 2.1 39 @ 108.25 m is a silica dominant stringer 20 TCA, 10-15 mm wide with 5-10% dissem Py with weak-moderate sericite. It is also fractured at this angle with slickensides (@ 110.30 is a fracture with fairly euhedral slica crystals 30-35 TCA with 3-4% blebby Py. @ 110.75 is a 25-30TCA fracture with veneer of clay gouge. @ 110.75 is a 25-30TCA fracture with veneer of clay gouge. @ 110.75 is a 5-30TCA fracture with high Py due to a UCA-30 and irregular LCA of 20 with Py of 25-30% with interstitial silica and wall rock. @ 112.51 has a few low angle TCA Py stringers, 5-8% Py. I I I I I I I I I I I I I I I I I I I |

Page: 9 of 13 pages



| | | | | | | | | | GOLD | CORFONATION |
|----------|--|------------|--------|--------|----------|-------|------|-------|--------|-------------|
| | То | | From | То | Interval | | | | | |
| From (m) | (m) Description | Sample No. | (m) | (m) | (m) | Au g/ | t Ag | g/t | Cu ppm | Zn ppm |
| | @ 130.60 m is a HI with 65 TCA 35 to 60 mm wide irregular, | | | | | | | | | |
| | with 10-15% Sph on periphery of UCA as a band. None noted on | | | | | | | | I | |
| | LCA. With 1-2% blebby Pyrr. | | | | | | | | I | |
| | 133.1 to 134.4 m has abundant tension gashes infilled with | | | | | | | | I | |
| | carbonate. | | | | | | | | I | |
| | @ 134.82 45 TCA 1 mm clay fault gouge breccia with carbonate | | | | | | | | I | |
| | and silica. Planar smooth surface. | | | | | | | | I | |
| | @ 134.90 is a 45 TCA FAULT with < 0.5 mm clay fault gouge | | | | | | | | I | |
| | breccia. With sericit and silica nearby. | | | | | | | | I | |
| 134.95 | 176.69 FELDSPATHIC GREYWACKE | 165867 | 134.95 | 137.00 | 2.05 | 0.0 | 4 | 2.2 | 87 | 1203 |
| | Mainly a feldspathic greywacke unit (slightly lighter grey than the | 165868 | 137.00 | 139.00 | 2.00 | 0.0 | 3 | 1.1 | 93 | 1246 |
| | greywacke unit due to a stronger presence of feldspars and silica | 165869 | 139.00 | 141.00 | 2.00 | 0.0 | 2 | 1.2 | 61 | 452 |
| | with no more/less prominent tension gashes. Fine to medium | 165870 | 141.00 | 143.00 | 2.00 | 0.0 | 1 | 0.6 | 16 | 241 |
| | grained mafics (biotite/hornblence) and silica/feldspars from | 165871 | 143.00 | 145.00 | 2.00 | 0.0 | 2 | 0.8 | 63 | 201 |
| | 134.95 to 166m From 166m to 176.69 is medium to coarse- | 165872 | 145.00 | 147.08 | 2.08 | 0.0 | 1 | 0.4 | 65 | 183 |
| | grained sand. From 158.3 m to ~ 168 m has a calcareous matrix. | 165873 | 147.08 | 147.79 | 0.71 | 0.1 | 1 | 2.1 | 163 | 224 |
| | 1-3% stringers of which stringers are calcareous and wider 5-20 | 165874 | 147.79 | 150.00 | 2.21 | 0.0 | 1 | 0.4 | 33 | 166 |
| | mm veinlets are dominantly silica with minor carbonates. 1-2% | 165875 | 150.00 | 152.00 | 2.00 | 0.0 | 4 | 1.1 | 77 | 249 |
| | disseminated Py with 1-2% occasional Py stringers. Intervals | 165876 | 150.00 | 152.00 | DUP | 0.0 | 3 | 1.2 | 72 | 231 |
| | proximal to or subjected to HI has likely gone through weak- | 165877 | 152.00 | 153.00 | 1.00 | 0.0 | 2 | 1.0 | 78 | 275 |
| | moderate Kspar alteration, local. Local weak sericite within silica. | 165878 | 153.00 | 153.80 | 0.80 | 0.0 | 7 | 5.8 | 464 | 2196 |
| | <1% total local Sph in HI. | 165879 | 153.80 | 154.23 | 0.43 | 0.9 | 9 1 | 169.2 | 1931 | 48900 |
| | | 165880 | 154.23 | 154.93 | 0.70 | 0.0 | 4 | 6.3 | 430 | 1674 |
| | @ 137.24 m is a 0-5 TCA irregular 15-20 mm wide HI with 35% of | 165881 | 154.93 | 156.00 | 1.07 | 0.6 | 5 | 19.1 | 301 | 21100 |
| | HI blebby Py, 10% Sph, 20% Chl/sericite, and 45% interstitial and | 165882 | 156.00 | 157.00 | 1.00 | 0. | 2 | 13.7 | 319 | 16100 |
| | pods of silica with minor calcite. | 165883 | 157.00 | 158.00 | 1.00 | 0.2 | 1 | 10.8 | 436 | 5954 |
| | @ 138.55 is a 65-70 TCA silica veinlet 5-10 mm wide wth 10% | 165884 | 158.00 | 159.00 | 1.00 | 0.0 | 2 | 1.3 | 61 | 580 |
| | Pyrr, 0.5-1% Cpy. | 165885 | 159.00 | 160.00 | 1.00 | 0.1 | 6 | 4.9 | 74 | 3226 |
| | @ 137.6 to ~ 143.25 are lithic clasts (feldspathic in composition) | 165886 | 160.00 | 161.00 | 1.00 | 0.0 | 5 | 0.8 | 121 | 359 |
| | partly replaced by Py and carbonate, 10-20 mm in diameter. | 165887 | 161.00 | 162.00 | 1.00 | 0.0 | 2 | 0.3 | 134 | 157 |
| | | 165888 | 162.00 | 163.00 | 1.00 | 0.0 | 4 | 1.4 | 169 | 112 |
| | Between 147.44 and 147.83 m are multiple HI. UCA = 45, LCA = | 165889 | 163.00 | 164.00 | 1.00 | 0.0 | 3 | 1.6 | 148 | 234 |

Page: 10 of 13 pages



| | То | | | From | То | Interval | | | | COLD | Com Chanton |
|----------|-------------|--|------------|--------|--------|----------|----|------|--------|--------|-------------|
| From (m) | (m) | Description | Sample No. | (m) | (m) | (m) | Au | g/t | Ag g/t | Cu ppm | Zn ppm |
| | 30-35 TCA | . 10-15% disseminated/patchy Py and 2-3% blebby | 165890 | 164.00 | 166.00 | 2.00 | (| 0.01 | 0.3 | 109 | 262 |
| | Sph within | interstitial silica and carbonate. | 165891 | 166.00 | 168.00 | 2.00 | 0 | 0.01 | 0.3 | 106 | 96 |
| | 148 to 16 | 0.35 has occasional lithic clasts sub-angular to sub- | 165892 | 168.00 | 169.00 | 1.00 | 0 | 0.05 | 1.3 | 155 | 106 |
| | rounded 5 | -15 mm diameter. | 165893 | 169.00 | 170.00 | 1.00 | 0 | 0.07 | 1.2 | 260 | 75 |
| | @ 150.92 | to 151.12 is an irregular angled HI with sub-rounded to | 165894 | 170.00 | 171.00 | 1.00 | 0 | 0.02 | <0.2 | 128 | 71 |
| | rounded ca | alcareous clasts partially replaced by Py (with abundant | 165895 | 171.00 | 172.00 | 1.00 | 0 | 0.03 | 0.4 | 195 | 49 |
| | disseminat | ted Py proximal) a few mm diameter to 10-15 mm long | 165896 | 172.00 | 173.00 | 1.00 | 0 | 0.01 | <0.2 | . 87 | 71 |
| | ovals. Mo | st of the Py is disseminated throughout the matrix - 10- | 165897 | 173.00 | 174.25 | 1.25 | 0 | 0.02 | 0.4 | 135 | 114 |
| | 15%. | | 165898 | 174.25 | 174.55 | 0.30 | | 0.2 | 8.4 | 1386 | 135 |
| | @ 154.23 | is a FAULT , 45 TCA with 3-4 mm clay fault gouge, lime | 165899 | 174.55 | 175.55 | 1.00 | 0 | 0.01 | <0.2 | 79 | 71 |
| | green in co | blour. | 165900 | 175.55 | 176.59 | 1.04 | 0 | 0.02 | 0.5 | 154 | 59 |
| | @ 154.14 | m is a 35-40 TCA is a 10 mm 70% non-magnetic Pyrr | 165901 | STD 12 | STD 12 | STD 12 | 0 |).26 | 3.6 | 2487 | 282 |
| | with 2-3% | Cpy bearing veinlet. | | | | | | | | | |
| | @ 153.73 | to 153.99 is a HI with an obsecure 20 TCA=UC with | | | | | | | | | |
| | non-magn | etic Pyrr- 10-15%, 10-15% Sph, with blebby 2-5% Cpy, | | | | | | | | | |
| | suspect VG | 5 (?) | | | | | | | | | |
| | @ 153.72 | to 154.45 is slightly lime green, hence pervasive | | | | | | | | | |
| | moderate | sericitic alteration. Also, local found on fracture | | | | | | | | | |
| | surfaces is | chlorite. | | | | | | | | | |
| | @ 155.17 | to 155.44 is an HI with an irregular UCA of 45-70 TCA | | | | | | | | | |
| | with 15-20 |)% non/magnetic Pyrr with 2-3% blebby Cpy | | | | | | | | | |
| | 153.35 to 1 | 156.14 is a Pyrr dominated intermittent mineralization | | | | | | | | | |
| | with total | ~10% with 3-4% Sph with ~1% blebby Cpy. | | | | | | | | | |
| | | | | | | | | | | | |
| | 154.93 to | 155.23 is a series of HI with 15-20% magnetic Pyrr, 10- | | | | | | | | | |
| | 15%Sph, 2 | -3%blebby Gal, and trace blebby Cpy. | | | | | | | | | |
| | @ 156.1 is | s an irregular HI with ~20-45 UCA with 30-40% | | | | | | | | | |
| | magnetic F | Pyrr, 20% Sph and ~1% blebby rare Cpy. | | | | | | | | | |
| | From 156 | to 157 m is a series of HI with magnetic Pyrr (8-10%) | | | | | | | | | |
| | and Sph (1 | 0-12%), blebby Cpy (1-2%) with interstitial silica and | | | | | | | | | |
| | carbonate | (one UCA is 50 TCA @ 156.65) | | | | | | | | | |
| | @ 159.92 | m is a 35 TCA 50 mm wide carbonate matrix HI with | | | | | | | | | |

Page: 11 of 13 pages



| | | | | | | | | | GULD | CURPURATION |
|----------|--|------------|--------|--------|----------|----|-----|-------|--------|-------------|
| | То | | From | То | Interval | | | | | |
| From (m) | (m) Description | Sample No. | (m) | (m) | (m) | Au | g/t | Ag g/ | Cu ppm | Zn ppm |
| | blebby asicular Arsenopyrite (+/- Gal) 1-3%, blebby Sph (2-4%), 1- | | | | | | | | | |
| | 2% blebby weakly magnetic Pyrr +/- Py. | | | | | | | | | |
| | @ 162.43m is a HI with 40 TCA, 30 mm wide (8-10%) | | | | | | | | | |
| | disseminated Py with interstitial silica and minor biotite | | | | | | | | | |
| | associated with Py (2-3%). (also minor Arsenopyrite replacing Py | | | | | | | | | |
| | (1-2%) | | | | | | | | | |
| | @ 174.32 is a 55 TCA 55 mm wide massive Py (85-90%) (+/- | | | | | | | | | |
| | Pyrr), ~1% Cpy vein with interstitial silica. | | | | | | | | | |
| | @ 174.36 to 175.04 is a short sequence of greywacke. | | | | | | | | | |
| | @ 176.66 m is a 40 TCA 35 mm massive Py (85-90% vein (+/- | | | | | | | | | |
| | Pyrr), ~1% Cpy vein with interstitial silica. | | | | | | | | | |
| | @ 176.69 is a 35 TCA FAULT 2-3 mm clay fault gouge with Py on | | | | | | | | | |
| | fracture surface. This fault likely brought about the massive Py | | | | | | | | | |
| | vein right above. | | | | | | | | | |
| 176.69 | 181.10 GREYWACKE | 165902 | 176.59 | 176.89 | 0.30 | 0 | .06 | 2.7 | 7 546 | 122 |
| | Med-dark grey greywacke (note that there was a GW unit right | 165903 | 176.89 | 178.40 | 1.51 | 0 | .01 | 0.7 | 7 320 | 105 |
| | below the massive Py vein at 174.32 and now this GW unit below | 165904 | 178.40 | 179.90 | 1.50 | 0 | .02 | 1.0 | 205 | 113 |
| | the 176.66 Py vein. Abundant dark grey/brown (clay/biotite) | 165905 | 179.90 | 181.40 | 1.50 | 0 | .02 | 0.3 | 3 73 | 110 |
| | matrix with 10-15% 0.25 to 0.5 mm (hence med sand grains.) | 165906 | BLANK | BLANK | BLANK | <0 | .01 | 2.0 |) 3 | 34 |
| | @ 178.84 is a 45 TCA 65 mm wide carbonate-silica vein (silica | | | | | | | | | |
| | sandwiching the carbonate) 15-20% blebbby/patchy Py | | | | | | | | | |
| 181.10 | 192.82 LITHIC GREYWACKE | 165907 | 181.40 | 182.25 | 0.85 | | 0.1 | 3.6 | 5 173 | 119 |
| | light-medium grey mostly feldspathic greywacke with sub- | 165908 | 182.25 | 184.00 | 1.75 | 0 | .04 | 0.7 | 7 67 | 88 |
| | rounded to sub-angular mostly felsic clasts 1-4 mm up to 10-15 | 165909 | 184.00 | 186.00 | 2.00 | 0 | .01 | 0.5 | 63 | 69 |
| | by 30-40 mm. There are multiple ghostly wisps that could be K- | 165910 | 186.00 | 188.00 | 2.00 | 0 | .04 | 1.2 | 2 103 | 170 |
| | spar alteration injecting through this interval. Moderate, | 165911 | 188.00 | 190.00 | 2.00 | 0 | .03 | 0.2 | 2 105 | 306 |
| | intermittent (with short non-altered intervals) pervasive Kspar. | 165912 | 190.00 | 192.00 | 2.00 | 0 | .02 | 2.3 | 8 47 | 1095 |
| | 0.5 to 5% disseminated (at parts coarsely disseminated) Py with | | | | | | | | | |
| | frequent Py stringers, locally 10-15% (higher Py there). The high | | | | | | | | | |
| | frequency Ksp alteration contributes this unit to be a more | 1 | | | | | | | | |

Page: 12 of 13 pages



| | То | | From | То | Interval | | | | | GOLD | CONFORATIO |
|----------|--|------------|--------|--------|----------|----|------|----|------|--------|------------|
| From (m) | (m) Description | Sample No. | (m) | (m) | (m) | Au | g/t | Ag | g/t | Cu ppm | Zn ppm |
| | feldspathic unit if it were not for the clasts. also, locally | | | | | | - | | | | |
| | disseminated Po 1-2% | | | | | | | | | | |
| | From 181.4 to 182.25 are HI bearing Py and weakly magnetic Po | | | | | | | | | | |
| | (Pyrrhotite) patchy. Po UCA is 45 TCA, 50 to 60 mm wide. | | | | | | | | | | |
| | @ 186.9 is an irregular HI with UCA of 45 and LCA of 20 with | | | | | | | | | | |
| | carbonate and some drill rod copper (?) smeared on to the core. | | | | | | | | | | |
| | The carbonate is intertwined with some unknown very fine- | | | | | | | | | | |
| | grained mafic mineral. Pyroxene(?) Disseminated Py proximal to | | | | | | | | | | |
| 192.82 | 211.13 GREYWACKE | 165913 | 192.00 | 194.00 | 2.00 | 0 |).16 | 1 | 14.2 | 180 | 7918 |
| | Mainly a greywacke unit, dark grey with bands of light-med grey. | 165914 | 194.00 | 195.00 | 1.00 | 0 | 0.07 | | 4.2 | 291 | 1856 |
| | Kspar alteration injection moderate intermittent gives this unit | 165915 | 195.00 | 196.00 | 1.00 | | 0.1 | | 2.9 | 380 | 262 |
| | sections of ghostly wisps with clast like pieces unrefined hazy | 165916 | 196.00 | 197.12 | 1.12 | 0 | 0.08 | | 3.6 | 372 | 490 |
| | boundaries. These intervals run for 2-3 cm to ~ 20cm. Pervasive | 165917 | 197.12 | 197.53 | 0.41 | | 0.7 | 1 | 14.9 | 691 | 1135 |
| | moderate 0.25 to 1 mm biotite alteration overprinted the Kspar. | 165918 | 197.53 | 199.00 | 1.47 | 0 |).16 | | 3.8 | 345 | 581 |
| | 1-8% disseminated Py with a massive Py section and a near semi- | 165919 | 199.00 | 201.00 | 2.00 | 0 | 0.03 | | 1.8 | 127 | 672 |
| | massive Sph section (see below) 1-2% silica veinlets/stringers | 165920 | 201.00 | 203.00 | 2.00 | 0 | 0.02 | | 2.7 | 179 | 2154 |
| | with a very minor carbonate component in some. | 165921 | 203.00 | 204.71 | 1.71 | 0 | 0.02 | | 2.3 | 141 | 1411 |
| | | 165922 | 204.71 | 205.32 | 0.61 | | 0.1 | | 24.3 | 237 | 73000 |
| | @193.15 to 194.17 are multiple HI. UCA = 40-45 TCA, LCA = ~ 40 | 165923 | 205.32 | 206.40 | 1.08 | 0 | 0.03 | | 2.4 | 160 | 8966 |
| | TCA. 3-4% blebby Sph, 3-4% blebby Py, trace-1% Gal/Arseno, | 165924 | 205.32 | 206.40 | 1.08 | 0 | 0.04 | | 3.0 | 208 | 9335 |
| | trace-1%Cpy with interstitial silica | 165925 | 206.40 | 207.40 | DUP | 0 | 0.02 | | 3.3 | 234 | 20800 |
| | @197.12 to 197.53 is a 20-25 TCA MASSIVE PY VEIN. Since it is | 165926 | 207.40 | 208.40 | 1.00 | 0 | 0.01 | | 1.3 | 83 | 872 |
| | a low angle TCA there will be abundant ~ 50% wall rock in the | 165927 | 208.40 | 210.00 | 1.60 | 0 | 0.08 | | 2.1 | 153 | 1078 |
| | sample. Width is unknown 60-90 mm wide as the LCA is | 165928 | 210.00 | 212.00 | 2.00 | 0 | 0.02 | | 1.8 | 108 | 756 |
| | obscure. ~ 5-10% interstitial silica. 10-15% of Py is likey weakly | | | | | | | | | | |
| | magnetic Po. | | | | | | | | | | |
| | @ 197.53 to 198.5 has Py-Po stringers and disseminations. 10- | | | | | | | | | | |
| | 15% | | | | | | | | | | |
| | @ 201.43 to 201.93 are a few 10-15 cm wide Kspar altered-hazy | | | | | | | | | | |
| | boundary felsic clasts. | | | | | | | | | | |
| | @ 202.4 to 204.71 m is banding of feldspathic and greywacke | | | | | | | | | | |

Page: 13 of 13 pages



| | То | | | From | То | Interval | | | | | GOED | |
|----------|---|----------------|------------|--------|--------|----------|------|-----|----|-----|--------|--------|
| From (m) | (m) Description | s | Sample No. | (m) | (m) | (m) | Au g | g/t | Ag | g/t | Cu ppm | Zn ppm |
| | units 80-90 TCA. However some of these features a | re obsecured | | | | | | | | | | |
| | due to drill scour marks. | | | | | | | | | | | |
| | @ 202.76 is a 85-90 TCA bedding plane that the dri | ll scour marks | | | | | | | | | | |
| | has cross-cut. Bedding is likely very close to perpen | dicular TCA in | | | | | | | | | | |
| | this area and has been masked by the drill scour ma | rks. | | | | | | | | | | |
| | @ 204.92 to 205.15 is a~ 35TCA lower and upper, H | ll with 15- | | | | | | | | | | |
| | 20% patchy to pod Sph, trace-1% Gal, ~1 rare Py dis | seminations | | | | | | | | | | |
| | with the remainding being wall rock and carbonate. | | | | | | | | | | | |
| | @ 205.75 to 206.85 has a few 3-5 mm wide Sph-Py | bearing | | | | | | | | | | |
| | stringers in random orientations. Total Sph = ~ 2-3% | Py-1-2%. | | | | | | | | | | |
| | There are minor stringers till 208.54m | | | | | | | | | | | |
| 211.13 | 228.00 FELDSPATHIC GREYWACKE | | 165929 | 212.00 | 214.00 | 2.00 | 0. | 02 | | 1.7 | 86 | 170 |
| | Light to medium grey greywacke with mainly steep | bedding | 165930 | 214.00 | 216.00 | 2.00 | 0. | 03 | | 1.5 | 66 | 147 |
| | planes 50-70 TCA. 1-5% disseminated Py with 3-4% | intermittent | 165931 | 216.00 | 218.00 | 2.00 | 0. | 03 | | 1.0 | 94 | 104 |
| | Py stringers, 5-10 mm wide. Locally hydrothermally | brecciated to | 165932 | 218.00 | 220.00 | 2.00 | 0. | 07 | | 1.3 | 222 | 224 |
| | 3-4 mm angular felsic clasts. | | 165933 | 220.00 | 222.00 | 2.00 | 0. | 04 | | 1.6 | 172 | 149 |
| | @ 214 m is a 50 TCA bedding plane. | | 165934 | 222.00 | 224.00 | 2.00 | 0. | 04 | | 1.6 | 170 | 473 |
| | @ 214.75 is a 40 TCA FAULTwith < 1mm clay fault g | ouge. | 165935 | 224.00 | 226.00 | 2.00 | 0. | 03 | | 1.3 | 103 | 700 |
| | @ 217.55 is a 70 FAULT with slickensides and mode | erate biotite | 165936 | 226.00 | 228.00 | 2.00 | 0. | 01 | | 1.2 | 53 | 368 |
| | and sericite on the fracture surfaces. | | | | | | | | | | | |
| | @ 217.45 is a 70 TCA bedding plane | | | | | | | | | | | |
| | @ 218.2 is a 70 TCA bedding plane | | | | | | | | | | | |
| | @ 219.5 is a 80 TCA slickensided fracture, no gouge | . SHEAR | | | | | | | | | | |
| | @ 220.5 unit becomes more feldspathic. | | | | | | | | | | | |
| | @ 226.01 to 226.17 is a silica veinlet with 40 TCA w | ith 5-10% | | | | | | | | | | |
| | disseminated Py with trace to 1% Cpy and suspect A | rsenopyr. | | | | | | | | | | |
| | @ 226.9 is a 50 TCA bedding plane. | | | | | | | | | | | |
| | EOH = 228m | | | | | | | | | | | |
| | | | | | | | | | | | | |



Quality Assaying for over 35 Years

Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

Metallic Assay Certificate

0S-0035-RM1

Company:Skyline Gold CorporationProject:BronsonAttn:Arnd Burgert

Jul-22-10

We *hereby certify* the following analysis of 2 core samples submitted Jun-22-10

___

| Sample | Wt Total | Wt +150 | +150 Au | -150 Au | Metallic Au | Net Au |
|--------|----------|---------|---------|---------|-------------|---------|
| Name | g | g | mg | g/tonne | g/tonne | g/tonne |
| 165804 | 901.4 | 73.2 | 0.077 | 1.02 | 0.09 | 1.02 |
| 165881 | 912.7 | 48.4 | 0.064 | 0.61 | 0.07 | 0.65 |

Fire Assay for Metallic Au analysis

Certified by_



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 0S0035RJ Date : Jul-22-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | Al % | As ppm | Ba Be ppm ppm | Bi Bi | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Hg ppm | К % | La ppm | Mg Mn %ppm | Mo ppm | Na % | Ni ppm | Р % | Pb ppm | S % | Sb opm p | Sc opm | Sr ppm | Th ppm | Ti % | TI ppm | U ppm j | V ppm | W ppm | Zn ppm p | Zr opm |
|------------------|-----------|---------|-----------|------------------|----------|---------|-----------|-----------|-----------|-----------|---------|-----------|--------|-----------|---------------|-----------|---------|-----------|--------|-----------|--------|-------------|-----------|-----------|-----------|---------|-----------|------------|----------|----------|-------------|-----------|
| 165773 | 1.5 | 1.28 | 132 | 119 <0.5 | 5 | 2.05 | 8 | 10 | 52 | 66 | 3 94 | 7 | 0.78 | <10 | 1 65 2349 | 2 | 0.02 | 102 | 0 100 | 169 | 1 71 | 0 | 7 | 224 | ~5 | 0.00 | ~10 | 17 | 22 | 12 | 047 | 2 |
| 165774 | 1.5 | 1.47 | 167 | 104 < 0.5 | 7 | .1.11 | 18 | 12 | 73 | 139 | 5 34 | 1 | 1 01 | ~10 | 1.03 2.543 | ~2 | 0.02 | 103 | 0.109 | 100 | 3.02 | 15 | 2 | 176 | ~5 | 0.00 | <10 | 14 | 20 | 22 | 043 | 2 |
| 165775 | 1.5 | 1.67 | 122 | 146 < 0.5 | 6 | 1.67 | -0 | 12 | 82 | 136 | 3.96 | 2 | 1.02 | <10 | 1 98 2595 | ~2 | 0.02 | 97 | 0.091 | 172 | 1.02 | 11 | 2 | 130 | ~5 | 0.11 | <10 | 10 | 24 | 14 | 1724 | 4 |
| 165776 | 2.1 | 1.63 | 206 | 139 < 0.5 | 5 | 1.46 | 14 | 25 | 80 | 100 | 4 86 | 1 | 1 04 | <10 | 1.90 2.535 | ~2 | 0.01 | 113 | 0.091 | 358 | 2 21 | 17 | 2 | 164 | ~5 | 0.12 | <10 | 14 | 37 | 10 | 1234 | 2 |
| 165777 | 1.7 | 2.05 | 158 | 142 <0.5 | 6 | 1.31 | 23 | 18 | 57 | 170 | 5.22 | 3 | 1.18 | <10 | 2.21 2079 | <2 | 0.01 | 67 | 0.109 | 254 | 2.00 | 13 | 2 | 142 | <5 | 0.14 | <10 | 14 | 34 | 32 | 2651 | 2 |
| 165778 | 1.2 | 1.25 | 201 | 152 <0.5 | <5 | 1.87 | 2 | 21 | 53 | 87 | 3.70 | 2 | 1.01 | <10 | 1.51 2140 | <2 | 0.01 | 82 | 0.116 | 154 | 1.46 | 13 | 2 | 203 | <5 | 0.11 | <10 | 10 | 24 | <10 | 249 | 2 |
| 165779 | 1.5 | 1.31 | 167 | 160 <0.5 | <5 | 1.91 | 6 | 14 | 50 | 75 | 4.07 | 2 | 1.05 | <10 | 1.54 2230 | 2 | 0.02 | 45 | 0.145 | 295 | 1.63 | 9 | 2 | 209 | <5 | 0.12 | <10 | 10 | 34 | 11 | 645 | 2 |
| 165780 | 0.8 | 0.95 | 140 | 127 <0.5 | <5 | 1.74 | 4 | 10 | 50 | 39 | 3.21 | <1 | 0.77 | <10 | 1.16 1938 | <2 | 0.02 | 66 | 0.101 | 108 | 1.50 | 9 | 1 | 184 | <5 | 0.08 | <10 | <10 | 21 | <10 | 343 | 1 |
| 165781 | 0.8 | 1.08 | 132 | 142 <0.5 | <5 | 2.06 | 3 | 9 | 55 | 57 | 3.23 | 2 | 0.91 | <10 | 1.41 2012 | <2 | 0.02 | 74 | 0.107 | 127 | 1.33 | 9 | 2 | 222 | <5 | 0.09 | <10 | 10 | 25 | <10 | 325 | 1 |
| 165782 | 0.6 | 1.34 | 142 | 169 <0.5 | <5 | 2.39 | 3 | 15 | 56 | 58 | 3.33 | 1 | 1.17 | <10 | 1.82 1945 | <2 | 0.02 | 94 | 0.115 | 98 | 0.92 | 8 | 2 | 233 | <5 | 0.13 | <10 | <10 | 33 | <10 | 272 | í |
| 165783 | 0.7 | 1.27 | 99 | 150 <0.5 | <5 | 2.06 | 6 | 10 | 45 | 52 | 3.64 | 1 | 1.09 | <10 | 1.59 1826 | 2 | 0.02 | 70 | 0.130 | 115 | 1.64 | 7 | 2 | 186 | <5 | 0.12 | <10 | <10 | 33 | <10 | 481 | 2 |
| 165784 | 0.7 | 1.24 | 124 | 150 <0.5 | <5 | 1.76 | 6 | 15 | 47 | 87 | 4.47 | <1 | 1.08 | <10 | 1.51 1825 | 4 | 0.02 | 76 | 0.131 | 94 | 2.30 | 10 | 2 | 160 | <5 | 0.13 | <10 | 11 | 35 | <10 | 438 | 2 |
| 165785 | 0.9 | 1.60 | 106 | 195 <0.5 | <5 | 2.23 | 3 | 25 | 52 | 115 | 4.03 | 2 | 1.41 | <10 | 1.80 1827 | 6 | 0.02 | 82 | 0.122 | 104 | 1.52 | 10 | 2 | 212 | <5 | 0.17 | <10 | <10 | 40 | <10 | 319 | 2 |
| 165786 | 0.6 | 1.64 | 55 | 222 <0.5 | <5 | 1.79 | 4 | 15 | 37 | 51 | 2.85 | <1 | 1.44 | 19 | 1.84 1842 | 2 | 0.03 | 43 | 0.200 | 197 | 0.56 | 6 | 2 | 152 | 5 | 0.17 | <10 | <10 | 45 | <10 | 486 | 2 |
| 165787 | 1.0 | 1.90 | 54 | 246 <0.5 | <5 | 1.92 | 5 | 11 | 28 | 70 | 3.49 | <1 | 1.64 | 20 | 2.03 1796 | <2 | 0.03 | 29 | 0.221 | 361 | 0.71 | 8 | 2 | 160 | 5 | 0.19 | 11 | <10 | 54 | <10 | 649 | 2 |
| 165788 | 0.5 | 1.79 | 58 | 221 <0.5 | <5 | 2.76 | 2 | 9 | 36 | 75 | 3.62 | 1 | 1.60 | 13 | 2.15 2527 | <2 | 0.03 | 28 | 0.197 | 84 | 0.74 | 9 | 3 | 238 | 5 | 0.19 | <10 | <10 | 55 | <10 | 250 | 2 |
| 165789 | <0.2 | 2.06 | 34 | 253 <0.5 | <5 | 2.25 | 1 | 12 | 22 | 41 | 3.74 | <1 | 1.89 | 19 | 2.20 2194 | 2 | 0.03 | 10 | 0.293 | 43 | 0.66 | 8 | 2 | 175 | 6 | 0.24 | 11 | <10 | 57 | <10 | 186 | 2 |
| 165790 | 0.4 | 1.85 | 51 | 237 <0.5 | <5 | 1.65 | 1 | 17 | 38 | 50 | 3.26 | <1 | 1.68 | 17 | 1.89 1717 | 5 | 0.02 | 24 | 0.182 | 87 | 0.56 | 7 | 2 | 121 | 5 | 0.20 | 10 | <10 | 47 | <10 | 178 | 2 |
| 165791 | 0.8 | 1.66 | 55 | 218 <0.5 | <5 | 1.98 | 2 | 15 | 27 | 68 | 3.11 | <1 | 1.50 | 13 | 1.83 1965 | 2 | 0.02 | 31 | 0.167 | 123 | 0.52 | 7 | 2 | 139 | <5 | 0.18 | <10 | <10 | 44 | <10 | 266 | 1 |
| 165792 | 0.6 | 2.24 | 77 | 258 <0.5 | <5 | 1.68 | 5 | 15 | 25 | 100 | 4.67 | 1 | 2.07 | 11 | 2.17 1686 | <2 | 0.02 | 11 | 0.211 | 48 | 1.25 | 10 | 3 | 102 | <5 | 0.25 | 11 | <10 | 57 | 11 | 656 | 2 |
| 165793 | 0.9 | 1.58 | 39 | 191 <0.5 | <5 | 2.17 | 2 | 13 | 17 | 57 | 3.74 | <1 | 1.44 | 11 | 1.76 1642 | <2 | 0.01 | 7 | 0.207 | 55 | 1.15 | 7 | 1 | 131 | <5 | 0.15 | <10 | <10 | 30 | <10 | 218 | 2 |
| 165794 | 0.9 | 1.16 | 28 | 171 <0.5 | <5 | 2.55 | 1 | 8 | 18 | 40 | 2.28 | <1 | 1.02 | 16 | 1.40 1933 | <2 | 0.01 | 12 | 0.204 | 55 | 0.40 | 5 | 1 | 168 | 5 | 0.10 | <10 | <10 | 24 | <10 | 154 | 1 |
| 165795 | 1.6 | 1.71 | 73 | 208 <0.5 | <5 | 2.23 | 2 | 12 | 55 | 49 | 3.17 | 4 | 1.52 | <10 | 1.90 2482 | 2 | 0.01 | 86 | 0.126 | 148 | 0.52 | 10 | 2 | 143 | <5 | 0.16 | <10 | <10 | 30 | <10 | 291 | 2 |
| 165796 | 0.9 | 1.90 | 37 | 236 <0.5 | <5 | 2.19 | 1 | 10 | 24 | 52 | 3.44 | 4 | 1.72 | <10 | 2.04 2377 | <2 | 0.01 | 18 | 0.211 | 109 | 0.59 | 7 | Z | 153 | <5 | 0.19 | <10 | <10 | 42 | <10 | 227 | 2 |
| 165797 | 1.4 | 2.03 | 69 | 243 <0.5 | <5 | 2.35 | 2 | 14 | 14 | 63 | 4.43 | 2 | 1.79 | 12 | 2.21 2376 | <2 | 0.01 | 10 | 0.269 | 143 | 1.29 | 8 | 2 | 160 | 5 | 0.19 | 10 | <10 | 39 | <10 | 256 | 2 |
| 165798 | 0.9 | 2.58 | 147 | 260 <0.5 | <5 | 1.48 | 2 | 13 | 49 | 98 | 5.18 | 2 | 2.14 | 10 | 2.49 2066 | <2 | 0.01 | 37 | 0.185 | 94 | 1.34 | 13 | 3 | 102 | <5 | 0.23 | <10 | 11 | 51 | <10 | 275 | 2 |
| 165799 | 1.8 | 2.90 | 278 | 247 <0.5 | 6 | 1.34 | 11 | 13 | 46 | 129 | 5.96 | 3 | 2.09 | <10 | 2.83 2481 | <2 | 0.01 | 51 | 0.155 | 257 | 1.52 | 15 | 3 | 102 | <5 | 0.23 | 10 | 14 | 57 | 20 | 1419 | 2 |
| 165800 | 2.3 | 2.00 | 123 | 210 <0.5 | 5 | 1.62 | 6 | 10 | 51 | 92 | 4.90 | 2 | 1.58 | 10 | 2.02 2561 | <2 | 0.01 | 59 | 0.139 | 196 | 1.49 | 15 | 2 | 125 | <5 | 0.18 | <10 | 11 | 37 | 12 | 784 | 2 |
| 165801 | 3.2 | 1.05 | 61 | 146 <0.5 | 8 | 0.67 | 4 | 14 | 60 | 2869 | 3.62 | <1 | 0.43 | 23 | 0.54 294 | 230 | 0.03 | 13 | 0.057 | 129 | 1.22 | 30 | 4 | 29 | 12 | 0.03 | <10 | <10 | 33 | 11 | 154 | 5 |
| 165802 | 1.8 | 1.93 | 64 | 236 <0.5 | 5 | 1.36 | 3 | 14 | 54 | 107 | 4.40 | 1 | 1.68 | 11 | 1.86 2036 | <2 | 0.01 | 52 | 0.163 | 94 | 1.22 | 11 | 2 | 94 | <5 | 0.19 | <10 | <10 | 38 | <10 | 477 | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Page 1 of 7



Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

 Report No
 : 0S0035RJ

 Date
 : Jul-22-10

Sample type : CORE

Skyline Gold Corporation

Project : Bronson

Attention : Arnd Burgert

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | Al | As | Ba | Be | Bi | Ca | Cd | Со | Cr | Çu | Fe | Hg | K | La | Mg Mn | Мо | Na | Ni | P | Pb | S | Sb | Sc | Sr | Th | Ti | TI | U | V | W | Zn | Zr |
|--------|------|------|------|-----|------|------|-------|-----|-----|-----|------|-------|-----|------|------|-----------|-----|------|-----|-------|-----|------|-------|-----|-----|-----|--------|-----|-------|-----|-----|-------|----|
| Number | phu | 70 | ppm | ppm | hhu | hhuu | 70 | ppm | ppm | ppm | рртп | 70 | opm | 70 | рртп | % ppm | ppm | % | ppm | % | ppm | % f | pbu t | opm | ppm | ppm | % | ppm | ppm p | opm | ppm | ppm p | pm |
| 165803 | 7.7 | 1.62 | 861 | 60 | <0.5 | 13 | 2.08 | 10 | 48 | 43 | 560 | 8.41 | 4 | 1.27 | <10 | 1.97 2776 | <2 | 0.01 | 64 | 0.140 | 130 | 5.20 | 16 | 2 | 150 | <5 | 0.14 | <10 | 24 | 34 | 15 | 823 | 3 |
| 165804 | 37.3 | 2.18 | 1246 | 45 | <0.5 | 47 | 1.20 | 29 | 59 | 72 | 270 | 10.94 | 3 | 1.45 | <10 | 2.20 1693 | 3 | 0.01 | 90 | 0.106 | 830 | 7.08 | 26 | 2 | 80 | <5 | 0.16 | <10 | 28 | 44 | 39 | 3013 | 4 |
| 165805 | 3.0 | 1.40 | 119 | 125 | <0.5 | 6 | 2.75 | 3 | 18 | 60 | 82 | 3.99 | 4 | 0.96 | <10 | 2.00 2914 | 2 | 0.01 | 81 | 0.109 | 175 | 1.27 | 41 | 2 | 220 | <5 | 0.09 | <10 | 12 | 24 | <10 | 399 | 2 |
| 165806 | 2.0 | 0.04 | 18 | 22 | <0.5 | <5 | 23.65 | 1 | 1 | 3 | 2 | 0.10 | 17 | 0.02 | <10 | 13.88 68 | <2 | 0.01 | <1 | 0.026 | 3 | 0.60 | 5 | <1 | 149 | <5 | < 0.01 | 10 | <10 | <1 | <10 | 25 | <1 |
| 165807 | 2.0 | 1.96 | 73 | 123 | <0.5 | 5 | 2.21 | 5 | 13 | 80 | 75 | 4.35 | 5 | 1.10 | <10 | 2.46 2657 | <2 | 0.01 | 99 | 0.083 | 131 | 1.10 | 27 | 2 | 200 | <5 | 0.12 | <10 | 15 | 30 | 10 | 584 | 2 |
| 165808 | 2.1 | 1.52 | 95 | 123 | <0.5 | 6 | 3.16 | 6 | 17 | 75 | 87 | 4.54 | 5 | 0.96 | <10 | 2.26 2902 | <2 | 0.01 | 92 | 0.087 | 97 | 1.40 | 14 | 2 | 293 | <5 | 0.09 | <10 | 14 | 23 | 10 | 594 | 2 |
| 165809 | 2.3 | 1.53 | 87 | 97 | <0.5 | 6 | 2.44 | 13 | 15 | 55 | 61 | 3.61 | 3 | 0.75 | <10 | 2.16 2515 | 2 | 0.01 | 59 | 0.115 | 215 | 0.81 | 9 | 1 | 213 | <5 | 0.07 | <10 | 12 | 24 | 21 | 1790 | 2 |
| 165810 | 2.0 | 1.60 | 1368 | 101 | <0.5 | 5 | 1.97 | 9 | 25 | 47 | 35 | 3.51 | 3 | 0.85 | <10 | 2.03 2086 | 2 | 0.01 | 55 | 0.120 | 361 | 0.67 | 8 | 1 | 179 | <5 | 0.09 | <10 | 11 | 27 | 16 | 1252 | 2 |
| 165811 | 2.2 | 1.11 | 176 | 99 | <0.5 | 5 | 3.44 | 5 | 15 | 70 | 81 | 4.43 | 6 | 0.70 | <10 | 2.08 2799 | <2 | 0.01 | 83 | 0.105 | 136 | 1.68 | 10 | 1 | 429 | <5 | 0.06 | <10 | 14 | 20 | <10 | 463 | 2 |
| 165812 | 2.8 | 0.87 | 167 | 94 | <0.5 | 6 | 2.32 | 14 | 16 | 37 | 139 | 4.68 | 4 | 0.73 | <10 | 1.37 1399 | <2 | 0.01 | 90 | 0.127 | 105 | 3,18 | 9 | 1 | 304 | <5 | 0.05 | <10 | 11 | 16 | 19 | 1464 | 2 |
| 165813 | 1.8 | 1.05 | 74 | 95 | <0.5 | <5 | 3.42 | 5 | 19 | 30 | 171 | 5.46 | 4 | 0.91 | <10 | 1.89 1354 | <2 | 0.01 | 49 | 0.151 | 38 | 2.65 | 11 | 2 | 342 | <5 | 0.07 | <10 | 10 | 25 | <10 | 403 | 2 |
| 165814 | 1.4 | 0.59 | 48 | 109 | <0.5 | <5 | 2.59 | 5 | 13 | 24 | 127 | 3.03 | 3 | 0.49 | <10 | 1.05 1100 | <2 | 0.01 | 26 | 0.223 | 29 | 1.73 | 8 | 1 | 265 | <5 | 0.02 | <10 | <10 | 14 | <10 | 468 | 1 |
| 165815 | 2.8 | 0.57 | 110 | 102 | <0.5 | 7 | 4.55 | 6 | 19 | 26 | 163 | 5.56 | 7 | 0.48 | <10 | 1.98 2494 | <2 | 0.01 | 41 | 0.130 | 60 | 3.60 | 12 | 1 | 371 | <5 | 0.03 | <10 | 16 | 16 | <10 | 458 | 2 |
| 165816 | 3.3 | 0.70 | 100 | 99 | <0.5 | 5 | 4.75 | 9 | 12 | 60 | 148 | 4.50 | 7 | 0.58 | <10 | 1.91 3203 | <2 | 0.01 | 45 | 0.135 | 181 | 1.69 | 10 | 2 | 422 | <5 | 0.05 | <10 | 15 | 19 | 13 | 907 | 2 |
| 165817 | 1.6 | 2.44 | 1365 | 148 | <0.5 | 7 | 1.55 | 13 | 26 | 53 | 69 | 5.37 | 3 | 1.27 | <10 | 2.34 2140 | <2 | 0.01 | 53 | 0.159 | 292 | 1.55 | 14 | 3 | 177 | <5 | 0.15 | <10 | 18 | 66 | 24 | 1739 | 2 |
| 165818 | 2.9 | 2.30 | 1186 | 119 | <0.5 | 7 | 1.59 | 22 | 20 | 50 | 81 | 5.89 | 2 | 1.22 | <10 | 2.26 2297 | <2 | 0.01 | 56 | 0.154 | 599 | 2.31 | 14 | 3 | 185 | <5 | 0.15 | <10 | 17 | 65 | 36 | 2840 | 2 |
| 165819 | 6.9 | 3.20 | 108 | 215 | <0.5 | 18 | 1.46 | 17 | 14 | 60 | 84 | 5.70 | 4 | 1.34 | <10 | 2.92 3287 | 2 | 0.01 | 37 | 0.177 | 671 | 0.92 | 14 | 5 | 167 | <5 | 0.17 | <10 | 18 | 94 | 30 | 2138 | 3 |
| 165820 | 1.1 | 2.53 | 144 | 166 | <0.5 | <5 | 2.14 | 2 | 24 | 16 | 125 | 5.05 | 1 | 1.02 | <10 | 2.66 3140 | <2 | 0.01 | 4 | 0.263 | 147 | 1.19 | 11 | 6 | 233 | <5 | 0.14 | <10 | 14 | 114 | <10 | 300 | 2 |
| 165821 | 1.5 | 1.83 | 147 | 184 | <0.5 | <5 | 1.56 | 6 | 16 | 56 | 67 | 3.70 | 3 | 1.09 | <10 | 1.86 2244 | <2 | 0.01 | 54 | 0.100 | 356 | 0.81 | 10 | 3 | 189 | <5 | 0.12 | <10 | 14 | 47 | 12 | 768 | 2 |
| 165822 | 1.0 | 1.95 | 292 | 187 | <0.5 | <5 | 1.55 | 3 | 17 | 94 | 20 | 3.40 | 2 | 1.46 | <10 | 2.03 2183 | <2 | 0.02 | 75 | 0.070 | 154 | 0.39 | 10 | 3 | 166 | <5 | 0.15 | <10 | 11 | 43 | <10 | 384 | 1 |
| 165823 | 1.2 | 2.18 | 622 | 218 | <0.5 | <5 | 1.78 | 12 | 17 | 86 | 27 | 3.76 | 2 | 1.71 | <10 | 2.18 2444 | <2 | 0.02 | 67 | 0.106 | 302 | 0.49 | 11 | 3 | 175 | <5 | 0.18 | <10 | 13 | 50 | 23 | 1703 | 2 |
| 165824 | 2.5 | 1.86 | 168 | 186 | <0.5 | 6 | 1.53 | 12 | 17 | 68 | 54 | 3.78 | 2 | 1.54 | <10 | 1.90 2028 | <2 | 0.02 | 80 | 0.129 | 449 | 1.03 | 11 | 3 | 164 | <5 | 0.17 | <10 | 14 | 52 | 21 | 1456 | 1 |
| 165825 | 1.3 | 1.92 | 163 | 208 | <0.5 | <5 | 1.60 | 7 | 15 | 81 | 90 | 3.92 | 2 | 1.46 | <10 | 1.97 2211 | <2 | 0.03 | 85 | 0.117 | 254 | 0.86 | 10 | 4 | 169 | <5 | 0.18 | <10 | 14 | 61 | 12 | 775 | 2 |
| 165826 | 2.1 | 1.96 | 127 | 223 | <0.5 | <5 | 1.81 | 7 | 12 | 83 | 86 | 3.79 | 2 | 1.36 | <10 | 2.19 2387 | <2 | 0.03 | 75 | 0.140 | 373 | 0.88 | 11 | 4 | 182 | <5 | 0.16 | <10 | 11 | 69 | 12 | 753 | 2 |
| 165827 | 3.0 | 2.75 | 180 | 164 | <0.5 | 5 | 1.91 | 12 | 14 | 248 | 71 | 4.98 | 2 | 1.22 | <10 | 3.15 2536 | 4 | 0.02 | 189 | 0.084 | 738 | 0.99 | 16 | 4 | 170 | <5 | 0.15 | <10 | 15 | 66 | 21 | 1552 | 2 |
| 165828 | 1.2 | 2.46 | 293 | 134 | <0.5 | <5 | 2.67 | 2 | 32 | 237 | 35 | 4.15 | 4 | 1.12 | <10 | 3.11 2500 | 6 | 0.01 | 222 | 0.072 | 174 | 0.32 | 13 | 4 | 321 | <5 | 0.13 | <10 | 15 | 49 | <10 | 391 | 2 |
| 165829 | 0.4 | 1.26 | 64 | 177 | <0.5 | <5 | 2.15 | 1 | 6 | 78 | 18 | 2.38 | 3 | 0.97 | <10 | 1.58 1733 | <2 | 0.03 | 61 | 0.072 | 16 | 0.15 | 8 | 3 | 303 | <5 | 0.11 | <10 | <10 | 37 | <10 | 91 | 1 |
| 165830 | 0.3 | 2.20 | 48 | 193 | <0.5 | <5 | 2.13 | 2 | 14 | 67 | 29 | 4.15 | 2 | 1.24 | <10 | 2.17 1615 | <2 | 0.03 | 73 | 0.139 | 19 | 0.27 | 10 | 4 | 267 | <5 | 0.17 | <10 | 10 | 60 | <10 | 232 | 2 |
| 165831 | 0.4 | 2.01 | 165 | 217 | <0.5 | <5 | 2.22 | 2 | 25 | 77 | 26 | 3.74 | 3 | 1.29 | <10 | 2.04 1605 | <2 | 0.03 | 80 | 0.115 | 19 | 0.20 | 9 | 4 | 206 | <5 | 0.17 | <10 | 10 | 59 | <10 | 273 | 1 |
| 165832 | 0.4 | 1.20 | 94 | 168 | <0.5 | <5 | 2.83 | 2 | 9 | 76 | 31 | 2.95 | 3 | 0.87 | <10 | 1.51 1560 | <2 | 0.04 | 64 | 0.067 | 8 | 0.31 | 8 | 3 | 242 | <5 | 0.11 | <10 | 10 | 39 | <10 | 202 | 1 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

 Report No
 : 0S0035RJ

 Date
 : Jul-22-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | Al % | As ppm | Ba ppm (| Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Hg ppm | K % | La ppm | Mg Mg %pp | in Mi mppr | o n | Na %p | Ni opm | P % | Pb ppm | S % p | Sb opm p | Sc opm | Sr ppm | Th ppm | Ti % | TI ppm | U ppm | V ppm | W ppm | Zn ppm p | Zr opm |
|------------------|-----------|---------|-----------|-------------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|--------|-----------|--------------|---------------|--------|----------|-----------|--------|-----------|----------|-------------|-----------|-----------|-----------|---------|-----------|----------|----------|----------|-------------|-----------|
| 165833 | 0.5 | 1.19 | 122 | 172 - | <0.5 | <5 | 2.23 | 2 | 21 | 66 | 27 | 2.48 | 3 | 0.97 | <10 | 1.36 150 |)2 < | 2 0 | 0.04 | 70 | 0.081 | 15 | 0.20 | 7 | 3 | 208 | <5 | 0.11 | <10 | <10 | 38 | <10 | 264 | 1 |
| 165834 | 0.4 | 1.60 | 267 | 226 · | <0.5 | <5 | 2.57 | 2 | 16 | 47 | 14 | 3.13 | 3 | 1.33 | <10 | 1.83 175 | 50 < | 2 0 | 0.03 | 45 | 0.152 | 27 | 0.14 | 8 | 3 | 244 | <5 | 0.17 | <10 | 10 | 47 | <10 | 225 | 1 |
| 165835 | 0.9 | 1.95 | 184 | 178 · | <0.5 | <5 | 3.05 | 2 | 7 | 91 | 23 | 4.30 | 4 | 1.01 | <10 | 2.13 200 |)2 < | 2 0 | 0.03 | 79 | 0.119 | 27 | 0.30 | 11 | 4 | 266 | <5 | 0.14 | <10 | 14 | 63 | <10 | 195 | 2 |
| 165836 | 0.9 | 1.64 | 29 | 230 · | <0.5 | <5 | 2.54 | 4 | 8 | 51 | 53 | 3.85 | 1 | 1.34 | <10 | 1.70 161 | .6 < | 2 0 | 0.03 | 80 | 0.140 | 51 | 0.43 | 10 | 3 | 249 | <5 | 0.17 | <10 | 10 | 49 | <10 | 305 | 1 |
| 165837 | 0.8 | 1.47 | 286 | 224 | <0.5 | <5 | 2.74 | 2 | 15 | 54 | 36 | 3.23 | 3 | 1.18 | <10 | 1.72 158 | 36 < | 2 0 | 0.04 | 73 | 0.100 | 39 | 0.29 | 8 | 3 | 236 | <5 | 0.14 | <10 | 10 | 44 | <10 | 166 | 1 |
| 165838 | 0.4 | 1.17 | 529 | 213 · | <0.5 | <5 | 2.59 | 2 | 19 | 62 | 13 | 2.45 | 3 | 0.95 | <10 | 1.40 128 | 39 < | 2 0 | 0.04 | 64 | 0.071 | 16 | 0,18 | 6 | 3 | 212 | <5 | 0.12 | <10 | <10 | 40 | <10 | 172 | 1 |
| 165839 | 1.1 | 1.56 | 638 | 189 - | <0.5 | <5 | 3.37 | 4 | 19 | 83 | 25 | 3.61 | 4 | 1.02 | <10 | 2.13 206 | 66 | 3 0 | 0.04 | 82 | 0.121 | 29 | 0.26 | 10 | 4 | 265 | <5 | 0.14 | <10 | 10 | 55 | <10 | 423 | 2 |
| 165840 | 0.7 | 1.55 | 813 | 214 | <0.5 | <5 | 3.33 | 3 | 24 | 67 | 38 | 3.59 | 3 | 1.29 | <10 | 2.00 190 |)1 | 4 C | 0.04 | 85 | 0.093 | 18 | 0.39 | 10 | 3 | 280 | <5 | 0.16 | <10 | 10 | 43 | <10 | 347 | 2 |
| 165841 | 0.6 | 1.83 | 884 | 221 - | <0.5 | <5 | 2.63 | 3 | 37 | 76 | 37 | 3.64 | 3 | 1.53 | <10 | 2.14 198 | 32 | 2 0 | 0.04 | 94 | 0.077 | 21 | 0.34 | 8 | 3 | 243 | <5 | 0.17 | <10 | 10 | 43 | <10 | 361 | 2 |
| 165842 | 1.3 | 1.30 | 96 | 166 | <0.5 | <5 | 2.48 | 3 | 9 | 76 | 35 | 2.86 | 2 | 1.03 | <10 | 1.64 182 | 27 < | 2 0 | 0.03 | 51 | 0.064 | 110 | 0.61 | 9 | 2 | 277 | <5 | 0.12 | <10 | <10 | 35 | <10 | 450 | 1 |
| 165843 | 0.8 | 1.58 | 82 | 208 | <0.5 | <5 | 3.13 | 3 | 16 | 61 | 48 | 3.22 | 3 | 1.33 | <10 | 1.93 215 | <u>67</u> | 2 0 | 0.03 | 83 | 0.095 | 32 | 0.43 | 7 | 3 | 329 | <5 | 0.16 | <10 | <10 | 41 | <10 | 392 | 2 |
| 165844 | 0.8 | 2.13 | 177 | 362 · | <0.5 | 5 | 3.22 | 4 | 19 | 86 | 54 | 3.99 | 2 | 1.80 | 10 | 2.26 212 | 26 < | 2 0 | 0.04 | 71 | 0.147 | 42 | 0.57 | 11 | 4 | 267 | <5 | 0.23 | <10 | <10 | 64 | 10 | 553 | 2 |
| 165845 | 1.3 | 2.45 | 185 | 212 · | <0.5 | 6 | 1.72 | 5 | 26 | 83 | 102 | 4.91 | 1 | 2.11 | <10 | 2.33 152 | 29 < | 2 0 | 0.03 | 90 | 0.133 | 58 | 1.59 | 9 | 4 | 139 | <5 | 0.25 | <10 | <10 | 60 | <10 | 433 | 2 |
| 165846 | 0.7 | 1.41 | 56 | 277 · | <0.5 | <5 | 3.00 | 1 | 8 | 79 | 56 | 2.54 | 2 | 1.14 | <10 | 1.50 170 |)5 < | 2 0 | 0.04 | 53 | 0.073 | 16 | 0.36 | 8 | 3 | 249 | <5 | 0.14 | <10 | <10 | 43 | <10 | 145 | 1 |
| 165847 | 1.0 | 1.28 | 52 | 199 | <0.5 | <5 | 3.78 | 2 | 7 | 64 | 37 | 3.02 | 4 | 1.04 | <10 | 1.78 211 | .0 < | 2 0 | 0.03 | 45 | 0.062 | 20 | 0.48 | 8 | 3 | 361 | <5 | 0.11 | <10 | <10 | 34 | <10 | 136 | 1 |
| 165848 | 1.7 | 1.28 | 139 | 132 · | <0.5 | 8 | 3.27 | 7 | 14 | 58 | 57 | 3.99 | 3 | 0.64 | <10 | 2.07 212 | 23 < | 2 0 | 0.03 | 72 | 0.059 | 41 | 1.20 | 10 | 3 | 305 | <5 | 0.07 | <10 | 10 | 34 | <10 | 498 | 2 |
| 165849 | 0.2 | 2,32 | 38 | 187 · | <0.5 | 5 | 2.83 | 3 | 12 | 92 | 26 | 4.98 | 3 | 1.26 | <10 | 2.99 194 | 17 < | 2 0 | 0.02 | 94 | 0.130 | 10 | 0.27 | 13 | 5 | 302 | <5 | 0.15 | <10 | <10 | 76 | <10 | 360 | 2 |
| 165850 | <0.2 | 3.16 | 40 | 299 · | <0.5 | 6 | 2.45 | 3 | 15 | 138 | 45 | 5.95 | 1 | 2.47 | 12 | 3.40 198 | 30 < | 2 0 | 0.03 | 109 | 0.124 | 21 | 0.64 | 13 | 5 | 229 | <5 | 0.31 | 11 | <10 | 88 | 10 | 448 | 2 |
| 165851 | 0.5 | 2.41 | 87 | 327 · | <0.5 | <5 | 1.98 | 4 | 20 | 81 | 52 | 4.04 | 1 | 2.04 | 11 | 2.51 149 | 90 | 2 0 | 0.03 | 93 | 0.147 | 42 | 0.48 | 9 | 4 | 190 | <5 | 0.25 | <10 | <10 | 63 | <10 | 487 | 2 |
| 165852 | 0.6 | 2.20 | 85 | 325 · | <0.5 | 6 | 2.92 | 9 | 22 | 105 | 56 | 4.03 | <1 | 1.87 | 12 | 2.49 168 | 32 < | 2 0 | 0.03 | 113 | 0.136 | 39 | 0.46 | 11 | 4 | 266 | <5 | 0.23 | 10 | <10 | 59 | 11 | 711 | 2 |
| 165853 | 0.6 | 2.39 | 69 | 339 · | <0.5 | 6 | 2.77 | 2 | 16 | 144 | 59 | 4.69 | 1 | 1.99 | 13 | 2.74 164 | 46 < | 2 0 | 0.03 | 127 | 0.124 | 29 | 0.60 | 13 | 5 | 275 | <5 | 0.24 | 10 | <10 | 69 | <10 | 205 | 2 |
| 165854 | 0.8 | 2.43 | 113 | 391 · | <0.5 | 5 | 2.23 | 3 | 15 | 112 | 71 | 4.68 | 2 | 2.00 | <10 | 2.73 149 | 99 | 2 0 | 0.04 | 133 | 0.146 | 33 | 0.67 | 13 | 5 | 258 | <5 | 0.24 | <10 | <10 | 70 | <10 | 177 | 2 |
| 165855 | <0.2 | 3.99 | 59 | 420 · | <0.5 | <5 | 2.28 | 2 | 12 | 248 | 66 | 6.64 | <1 | 3.13 | <10 | 4.01 179 | 95 < | 2 0 | 0.03 | 166 | 0.112 | 3 | 0.67 | 16 | 7 | 162 | <5 | 0.33 | 10 | <10 | 105 | <10 | 261 | 2 |
| 165856 | 2.2 | 0.02 | 15 | <10 · | <0.5 | <5 | 18.19 | 1 | <1 | 2 | 1 | 0.05 | 18 | 0.02 | <10 | 9.91 9 | 54 < | 2 0 | 0.01 | <1 | 0.024 | <2 | 0.52 | 6 | <1 | 143 | <5 | <0.01 | 10 | <10 | <1 | <10 | 7 | <1 |
| 165857 | 11.0 | 3.49 | 777 | 35 | <0.5 | 33 | 1.49 | 13 | 72 | 162 | 908 | 16.20 | 1 | 2.44 | <10 | 3.39 149 | 51 < | 2 0 | 0.02 | 768 | 0.078 | 562 | 7.85 | 30 | 4 | 105 | <5 | 0.29 | 10 | 32 | 74 | 14 | 417 | 5 |
| 165858 | 3.4 | 3.65 | 294 | 80 | <0.5 | 13 | 1.93 | 32 | 36 | 187 | 208 | 8.66 | 2 | 2.35 | <10 | 3.80 183 | 32 < | 2 0 | 0.02 | 275 | 0.100 | 356 | 3.43 | 24 | 5 | 148 | <5 | 0.27 | <10 | 16 | 79 | 32 | 2375 | 3 |
| 165859 | 1.3 | 3.56 | 50 | 323 - | <0.5 | 6 | 2.67 | 8 | 14 | 254 | 65 | 6.07 | 4 | 2.14 | <10 | 3.89 207 | ~ vo | 2 0 | 0.03 | 170 | 0.106 | 194 | 0.68 | 18 | 7 | 179 | <5 | 0.28 | <10 | 10 | 93 | 13 | 708 | 2 |
| 165860 | <0.2 | 3.13 | 161 | 321 · | <0.5 | 6 | 3.27 | 1 | 32 | 199 | 16 | 4.92 | 3 | 2.26 | <10 | 3.38 209 | 95 < | 2 0 | 0.03 | 167 | 0.124 | 30 | 0.22 | 16 | 6 | 203 | <5 | 0.28 | <10 | <10 | 89 | <10 | 146 | 2 |
| 165861 | 0.3 | 2.63 | 633 | 292 · | <0.5 | <5 | 3.04 | 2 | 41 | 147 | 26 | 4.64 | 5 | 2.27 | <10 | 3.12 189 | 92 < | 2 0 | 0.02 | 148 | 0.113 | 81 | 0.35 | 10 | 4 | 236 | <5 | 0.22 | <10 | 13 | 66 | <10 | 260 | 2 |
| 165862 | 1.8 | 2.94 | 71 | 288 | <0.5 | <5 | 1.66 | 9 | 12 | 96 | 41 | 4.66 | 3 | 2.46 | <10 | 3.03 189 | 93 < | 2 0 | 0.02 | 64 | 0.150 | 630 | 0.59 | 8 | З | 127 | <5 | 0.23 | <10 | 10 | 60 | 17 | 1417 | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

 Report No
 : 0S0035RJ

 Date
 : Jul-22-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | AI % | As ppm | Ba ppm | Be Be | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % p | Hg opm | K % | La ppm | Mg Mn %ppm | Mo ppm | Na % | Ni ppm | P Pb % ppm | S % | Sb opm (| Sc opm | Sr ppm (| Th ppm | Ti % | TI ppm | U ppm i | V ppm | W ppm | Zn ppm p | Zr ppm |
|------------------|-----------|---------|-----------|-----------|----------|-----------|---------|-----------|-----------|-----------|------------|-----------|-----------|--------|-----------|---------------|-----------|---------|-----------|---------------|--------|-------------|-----------|-------------|-----------|---------|-----------|------------|----------|----------|-----------------|-----------|
| 165863 | 3.2 | 2.34 | 157 | 199 | <0.5 | 5 | 2.60 | 16 | 25 | 134 | 52 | 4.66 | 5 | 1.69 | <10 | 2.72 3105 | <2 | 0.02 | 118 | 0.110 868 | 0.69 | 11 | 3 | 162 | <5 | 0.18 | <10 | 14 | 57 | 25 | 2207 | 2 |
| 165864 | 4.0 | 2.75 | 32 | 196 | <0.5 | 7 | 3.61 | 186 | 16 | 107 | 64 | 5.17 | 6 | 1.90 | <10 | 3.28 4082 | <2 | 0.01 | 71 | 0.116 634 | 1.79 | 8 | 3 | 205 | <5 | 0.19 | <10 | 20 | 54 | 252 | >10000 | , |
| 165865 | 1.0 | 2.88 | 334 | 283 | <0.5 | 5 | 3.24 | 3 | 26 | 174 | 57 | 5.28 | 5 | 2.53 | <10 | 3,42 3084 | <2 | 0.02 | 142 | 0.154 143 | 0.44 | 14 | 5 | 231 | <5 | 0.25 | <10 | 16 | 75 | <10 | 200001 < RDb | 2 |
| 165866 | 2.1 | 1.96 | 497 | 215 | <0.5 | 6 | 2.97 | 5 | 25 | 95 | 39 | 3.60 | 3 | 1.63 | <10 | 2.38 2453 | <2 | 0.03 | 106 | 0.120 211 | 0.29 | 8 | 3 | 255 | <5 | 0.17 | <10 | 10 | 52 | <10 | 551 | 1 |
| 165867 | 2.2 | 2.79 | 56 | 250 | <0.5 | <5 | 2.61 | 11 | 18 | 164 | 87 | 5.12 | 4 | 1.72 | <10 | 3.03 3273 | <2 | 0.02 | 142 | 0.116 353 | 0.65 | 13 | 4 | 225 | <5 | 0.19 | <10 | 19 | 64 | 16 | 1203 | 2 |
| 165868 | 1.1 | 3.04 | 62 | 184 | <0.5 | 5 | 2.61 | 14 | 15 | 206 | 93 | 5.47 | 4 | 1.31 | <10 | 3.79 2795 | <2 | 0.02 | 179 | 0.104 225 | 0.71 | 12 | 4 | 205 | <5 | 0.15 | <10 | 17 | 71 | 17 | 1246 | 2 |
| 165869 | 1.2 | 3.35 | 47 | 186 | <0.5 | 5 | 3.63 | 5 | 14 | 261 | 6 i | 5.91 | 6 | 1.26 | <10 | 4.44 2823 | <2 | 0.02 | 231 | 0.100 196 | 0.51 | 14 | 6 | 254 | <5 | 0.15 | <10 | 15 | 89 | <10 | 452 | 2 |
| 165870 | 0.6 | 2.51 | 61 | 217 | <0.5 | <5 | 3.35 | 2 | 9 | 198 | 16 | 4.50 | 4 | 1.27 | <10 | 3.41 2424 | <2 | 0.02 | 136 | 0.107 140 | 0.16 | 12 | 4 | 219 | <5 | 0.15 | <10 | 10 | 72 | <10 | 241 | 2 |
| 165871 | 0.8 | 2.57 | 62 | 189 | <0.5 | 5 | 3.25 | 1 | 16 | 223 | 63 | 4.93 | 5 | 1.21 | <10 | 3.19 2351 | <2 | 0.02 | 210 | 0.106 129 | 0.55 | 13 | 5 | 212 | <5 | 0.14 | <10 | 11 | 78 | <10 | 201 | 2 |
| 165872 | 0.4 | 2.53 | 54 | 182 | <0.5 | <5 | 2.93 | 1 | 15 | 175 | 65 | 4.79 | 4 | 1.37 | <10 | 3.12 2374 | <2 | 0.02 | 145 | 0.108 40 | 0.55 | 11 | 4 | 201 | <5 | 0.16 | <10 | 11 | 78 | <10 | 183 | 2 |
| 165873 | 2.1 | 2.96 | 198 | 200 | <0.5 | 8 | 2.90 | 3 | 40 | 165 | 163 | 6.94 | 4 | 1.74 | <10 | 3.58 2497 | <2 | 0.02 | 196 | 0.130 167 | 2.64 | 17 | 4 | 206 | <5 | 0.19 | <10 | 17 | 82 | <10 | 224 | 2 |
| 165874 | 0.4 | 2.28 | 90 | 178 | <0.5 | <5 | 3.15 | 1 | 18 | 140 | 33 | 4.12 | 4 | 1.47 | <10 | 3.05 1899 | <2 | 0.02 | 128 | 0.129 52 | 0.27 | 10 | 4 | 234 | <5 | 0.16 | <10 | <10 | 59 | <10 | 166 | 1 |
| 165875 | 1.1 | 2.40 | 126 | 181 | <0.5 | <5 | 3.02 | 3 | 24 | 120 | 77 | 4.88 | 5 | 1.57 | <10 | 3.21 2030 | <2 | 0.02 | 145 | 0.136 81 | 0.95 | 14 | 3 | 228 | <5 | 0.16 | <10 | 11 | 55 | <10 | 249 | 2 |
| 165876 | 1.2 | 2.58 | 121 | 185 | <0.5 | 5 | 3.07 | 2 | 25 | 123 | 72 | 5.23 | 3 | 1.65 | <10 | 3.36 2032 | <2 | 0.02 | 148 | 0.139 87 | 1.08 | 12 | 3 | 231 | <5 | 0.17 | <10 | 11 | 57 | <10 | 231 | 2 |
| 165877 | 1.0 | 2.73 | 91 | 189 | <0.5 | 5 | 2.63 | 1 | 17 | 157 | 78 | 5.31 | 3 | 1.49 | <10 | 3.33 2458 | <2 | 0.02 | 142 | 0.119 47 | 0.74 | 12 | 4 | 203 | <5 | 0.16 | <10 | 12 | 61 | <10 | 275 | 2 |
| 165878 | 5.8 | 4.51 | 105 | 138 | < 0.5 | 16 | 2.62 | 20 | 27 | 317 | 464 | 9.82 | 4 | 1 23 | <10 | 5 30 3313 | ~2 | 0.01 | 187 | 0 101 227 | 3 63 | 22 | c | 200 | ۰F | 0.15 | ~10 | 25 | 104 | | 7405 | ~ |
| 165879 | 169.2 | 1.74 | >10000 | 51 | < 0.5 | 299 | 2.80 | 343 | 90 | | 1931 | 8.37 | 5 | 0.17 | <10 | 3.08 3469 | <2 | 0.01 | 129 | 0.101 227 | 1 10 | 46 | 2 | 200 | ~5 | 0.13 | <10 | 20 | 21 | 29 | 2190 | 3 7 |
| 165880 | 6.3 | 2.22 | 52 | 128 | <0.5 | 12 | 3.29 | 15 | 16 | 118 | 430 | 7.07 | 4 | 1.12 | <10 | 3.09 3490 | <2 | 0.01 | 184 | 0.075 0052 | 1 81 | 1.9 | 3 | 290 | ~5 | 0.01 | <10 | 20 | 21 | 425 | 1674 | э - |
| 165881 | 19.1 | 1.41 | >10000 | 92 | <0.5 | 47 | 2.18 | 150 | 120 | 73 | 301 | 6.25 | 3 | 0.99 | <10 | 1.81 2231 | <2 | 0.01 | 177 | 0.103 404 | 3 70 | 40 | 2 | 103 | ~5 | 0.12 | ~10 | 10 | 4.5 | 100 | 1074 | د - |
| 165882 | 13.7 | 1.53 | 97 | 110 | <0.5 | 10 | 1.91 | 87 | 26 | 70 | 319 | 5.48 | 3 | 1.18 | <10 | 1.60 1872 | <2 | 0.01 | 125 | 0.114 3169 | 2.65 | 16 | 2 | 165 | <5 | 0.10 | <10 | 15 | 35 | 135 | >10000 | 2 |
| 165883 | 10.8 | 2.29 | 120 | 134 | <0.5 | 7 | 1.85 | 48 | 37 | 42 | 436 | 4.86 | 3 | 2.03 | <10 | 2.49 1780 | <2 | 0.01 | 45 | 0.152 2184 | 1.51 | 17 | 3 | 159 | <5 | 0.18 | <10 | <10 | 51 | 66 | 5954 | 2 |
| 165884 | 1.3 | 1.82 | 54 | 131 | <0.5 | <5 | 2.59 | 4 | 14 | 34 | 61 | 3.36 | 4 | 1.60 | <10 | 1.87 1864 | 2 | 0.01 | 18 | 0.184 216 | 0.55 | 10 | 2 | 235 | <5 | 0.13 | <10 | <10 | 40 | <10 | 580 | 2 |
| 165885 | 4.9 | 1.96 | 42 | 187 | <0.5 | <5 | 4.25 | 25 | 10 | 30 | 74 | 4.17 | 7 | 1.70 | <10 | 1.98 3312 | <2 | 0.02 | 4 | 0.120 1459 | 0.67 | 11 | 2 | 368 | <5 | 0.19 | <10 | 12 | 49 | 35 | 3226 | 3 |
| 165886 | 0.8 | 2.13 | 60 | 285 | <0.5 | 5 | Z.49 | 4 | 12 | 21 | 121 | 4.89 | 4 | 1.89 | <10 | 1.59 1514 | <2 | 0.02 | 3 | 0.148 208 | 1.17 | 11 | 3 | 233 | <5 | 0.23 | <10 | 10 | 68 | <10 | 359 | 2 |
| 165887 | 0.3 | 1.97 | 37 | 265 | <0.5 | <5 | 2.01 | 2 | 10 | 24 | 134 | 4.27 | 4 | 1.80 | <10 | 1.45 996 | <2 | 0.03 | 9 | 0.146 40 | 1.01 | 10 | 4 | 194 | <5 | 0.25 | <10 | <10 | 78 | <10 | 157 | 2 |
| 165888 | 1.4 | 1.71 | 48 | 198 | <0.5 | 5 | 1.64 | 2 | 15 | 40 | 169 | 3.96 | 3 | 1.57 | <10 | 1.28 894 | <2 | 0.02 | 12 | 0.137 49 | 1.38 | 9 | 2 | 170 | <5 | 0.20 | <10 | <10 | 49 | <10 | 112 | 2 |
| 165889 | 1.6 | 2.05 | 83 | 203 | <0.5 | <5 | 2.14 | 3 | 15 | 34 | 148 | 4.73 | 3 | 1.91 | <10 | 1.59 1159 | <2 | 0.02 | 27 | 0.167 104 | 1.34 | 9 | 3 | 212 | <5 | 0.23 | <10 | <10 | 56 | <10 | 234 | 2 |
| 165890 | 0.3 | 1.88 | 55 | 225 | <0.5 | 5 | 2.08 | 4 | 12 | 26 | 109 | 3.91 | 4 | 1.72 | <10 | 1.43 1152 | <2 | 0.03 | 8 | 0.152 53 | 0.82 | 10 | 3 | 192 | <5 | 0.23 | <10 | <10 | 76 | <10 | 262 | 2 |
| 165891 | 0.3 | 2.01 | 39 | 236 | <0.5 | <5 | 2.04 | 1 | 14 | 23 | 106 | 4.29 | 4 | 1.87 | <10 | 1.48 1158 | <2 | 0.03 | 1 | 0.158 34 | 0.95 | 8 | 3 | 170 | <5 | 0.25 | <10 | <10 | 77 | <10 | 96 | 2 |
| 165892 | 1.3 | 2.12 | 39 | 260 | <0.5 | 5 | 1.09 | 2 | 19 | 29 | 155 | 5.11 | 2 | 1.97 | <10 | 1.50 820 | <2 | 0.02 | 14 | 0.152 33 | 1.39 | 10 | 3 | 90 | <5 | 0.24 | <10 | <10 | 61 | <10 | 106 | 3 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0035RJDate: Jul-22-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | Al % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Hg ppm | К % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P % | Pb ppm | S % I | Sb pm (| Sc opm | Sr ppm | Th ppm | Ti % | TI ppm | U ppm | V ppm | W mqq | Zn ppm a | Zr |
|------------------|-----------|---------|-----------|-------------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------------|-----------|-------------|-----------|---------|-----------|-----------|---------|-----------|--------|-----------|----------|------------|-----------|-----------|------------|---------|-----------|----------|----------|----------|-------------|----|
| 165893 | 1 2 | 2 20 | 37 | 175 | <0.5 | ~5 | 1 59 | 3 | 22 | 70 | 260 | E 07 | | a aa | | | | | 0.03 | | 0.450 | | | | • | | | | | | | | | _ |
| 165894 | <0.2 | 2.20 | 30 | 330 | ~0.5 | | 2.04 | 2 | 17 | 20 | 170 | 5.97 | 4 5 | 2.07 | <10 | 1.03 | 964 | <2 | 0.02 | 10 | 0.155 | 19 | 2.18 | 11 | 4 | 139 | <5 | 0.28 | <10 | 11 | 75 | <10 | 75 | 2 |
| 165895 | 0.4 | 1 98 | 115 | 153 | <0.5 | 6 | 1 34 | 2 | 20 | 20 | 105 | 5.22 | נ א | 1 05 | <10 | 1.90 | 993 | ~2 | 0.03 | 12 | 0.137 | 14 | 1.07 | 13 | 5 | 183 | <5 | 0.31 | 10 | <10 | 98 | <10 | 71 | 2 |
| 165896 | <0.7 | 1.96 | 34 | 244 | ~0.5 | ~5 | 1.88 | 1 | 16 | 10 | 195 | 3.00 | 4 | 1.03 | <10 | 1.40 | 1170 | < Z | 0.02 | 4 | 0.130 | 12 | 2.28 | | 3 | 127 | <5 | 0.26 | <10 | <10 | /3 | <10 | 49 | 2 |
| 165897 | 0.4 | 1.30 | 43 | 277 | <0.5 | ~5 | 1 46 | 2 | 15 | 74 | 135 | J.92 A A 1 | | 1.62 | <10 | 1.30 | 11/0 | <2 | 0.03 | د د | 0.112 | 14 | 0.03 | 8 | 4 | 171 | <5 | 0.24 | <10 | <10 | /3 | <10 | 71 | 2 |
| | 011 | 1, | | 220 | -0.5 | | 1.,0 | 2 | 1.2 | 24 | 100 | 4.41 | - | 1.02 | ~10 | 1.52 | 079 | ~2 | 0.02 | 2 | 0.115 | 20 | 1.15 | 9 | 3 | 132 | < 5 | Q.22 | <10 | <10 | 68 | <10 | 114 | 2 |
| 165898 | 8.4 | 1.50 | 99 | 50 | <0.5 | 10 | 1.10 | 9 | 60 | 30 | 1386 | 10.87 | 4 | 1.32 | <10 | 1.05 | 854 | <2 | 0.02 | 28 | 0.100 | 23 | 7.54 | 18 | 2 | 87 | <5 | 0.19 | <10 | 26 | 48 | <10 | 135 | 4 |
| 165899 | <0.2 | 1.82 | 25 | 219 | <0.5 | <5 | 1.96 | 1 | 11 | 22 | 79 | 3.86 | 5 | 1.69 | <10 | 1.51 | 1093 | <2 | 0.03 | 4 | 0.132 | 16 | 0.51 | 8 | 3 | 166 | <5 | 0.25 | <10 | <10 | 71 | <10 | 71 | , |
| 165900 | 0.5 | 1.76 | 42 | 244 | <0.5 | <5 | 1.62 | 1 | 21 | 23 | 154 | 3.89 | 1 | 1.63 | 11 | 1.31 | 870 | <2 | 0.02 | 5 | 0.123 | 12 | 0.79 | 8 | 3 | 141 | <5 | 0.21 | <10 | <10 | 54 | <10 | 59 | 2 |
| 165901 | 3.6 | 1.51 | 30 | 1 41 | <0.5 | 6 | 0.97 | 3 | 19 | 168 | 2487 | 3.53 | <1 | 0.70 | 20 | 0.72 | 246 | 209 | 0.05 | 5 | 0.059 | 55 | 1.75 | 13 | 5 | 47 | 13 | 0.04 | <10 | <10 | 40 | 10 | 282 | 4 |
| 165902 | 2.7 | 4.37 | 166 | 41 | <0.5 | 17 | 0.89 | 9 | 36 | 523 | 546 | 14.31 | 3 | 3.84 | <10 | 3.28 | 1009 | <2 | 0.02 | 304 | 0.069 | 34 | 7.17 | 33 | 9 | 78 | <5 | 0.22 | 13 | 34 | 111 | 10 | 122 | 5 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165903 | 0.7 | 4.85 | 771 | 156 | <0.5 | 10 | 2.33 | 4 | 26 | 622 | 320 | 11.69 | 6 | 4.06 | <10 | 4.12 | 1816 | <2 | 0.02 | 410 | 0.085 | 8 | 2.66 | 30 | 10 | 225 | <5 | 0.28 | 12 | 24 | 124 | <10 | 105 | 4 |
| 165904 | 1.0 | 2.84 | 62 | 263 | <0.5 | 7 | 2.70 | 4 | 22 | 223 | 205 | 7.78 | 6 | 2.33 | <10 | 2.41 | 1689 | <2 | 0.02 | 183 | 0.105 | 17 | 2.06 | 17 | 4 | 226 | <5 | 0.23 | <10 | 17 | 75 | <10 | 113 | з |
| 165905 | 0.3 | 1.74 | 55 | 286 | <0.5 | 5 | 1.75 | 2 | 16 | 53 | 73 | 4.39 | 5 | 1.42 | <10 | 1.24 | 803 | <2 | 0.03 | 41 | 0.096 | 22 | 1.16 | 9 | 3 | 157 | <5 | 0.18 | <10 | <10 | 62 | <10 | 110 | 2 |
| 165906 | 2.0 | 0.04 | 22 | <10 | <0.5 | <5 | 20.78 | 1 | <1 | 3 | 3 | 0.08 | 14 | 0.02 | <10 | 11.49 | 63 | <2 | 0.01 | <1 | 0.021 | 3 | 0.49 | <5 | <1 | 139 | <5 | <0.01 | 10 | <10 | <1 | <10 | 34 | <1 |
| 165907 | 3.6 | 1.87 | 162 | 131 | <0.5 | 13 | 3.03 | 4 | 28 | 82 | 173 | 6.21 | 6 | 1.56 | <10 | 1.60 | 1034 | <2 | 0.03 | 99 | 0.103 | 61 | 2.55 | 15 | 4 | 281 | <5 | 0.18 | <10 | 11 | 79 | <10 | 119 | З |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165908 | 0.7 | 1.48 | 36 | 321 | <0.5 | <5 | 3.36 | 1 | 14 | 38 | 67 | 3.78 | 5 | 1.24 | <10 | 1.29 | 1366 | <2 | 0.03 | 28 | 0.122 | 12 | 0.56 | 7 | 3 | 281 | · <5 | 0.15 | <10 | <10 | 57 | <10 | 88 | 2 |
| 165909 | 0.5 | 1.62 | 20 | 371 | <0.5 | <5 | 3.80 | 1 | 9 | 20 | 63 | 3.36 | 7 | 1.37 | <10 | 1.21 | 1400 | <2 | 0.03 | 7 | 0.137 | 9 | 0.30 | 6 | 3 | 273 | <5 | 0.16 | <10 | <10 | 49 | <10 | 69 | 2 |
| 165910 | 1.2 | 1.86 | 64 | 305 | <0.5 | <5 | 4.66 | 3 | 27 | 36 | 103 | 5.26 | 7 | 1.43 | <10 | 1.74 | 2313 | <2 | 0.02 | 15 | 0.126 | 51 | 1.34 | 10 | 4 | 401 | <\$ | 0.16 | <10 | 13 | 64 | <10 | 170 | 2 |
| 165911 | 0.2 | 2.77 | 39 | 359 | <0.5 | 5 | 3.58 | 4 | 22 | 47 | 105 | 6.46 | 6 | 1.93 | <10 | 2.11 | 1872 | <2 | 0.02 | 6 | 0.117 | 91 | 1.07 | 12 | 7 | 277 | <5 | 0.22 | <10 | 13 | 102 | <10 | 306 | 3 |
| 165912 | 2.3 | 1.59 | 34 | 170 | <0.5 | <5 | 2.43 | 8 | 18 | 13 | 47 | 4.02 | 4 | 1.20 | <10 | 1.44 | 2271 | <2 | 0.01 | 3 | 0.115 | 692 | 0.47 | 9 | 2 | 134 | <5 | 0.13 | <10 | 10 | 40 | 15 | 1095 | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165913 | 14.2 | 1.63 | 53 | 162 | <0.5 | <5 | 2.78 | 66 | 15 | 26 | 180 | 4.48 | 4 | 1.03 | 13 | 1.46 | 2545 | <2 | 0.01 | 8 | 0.098 | 3405 | 1.38 | 16 | 2 | 128 | <5 | 0.09 | <10 | 11 | 36 | 90 | 7918 | 3 |
| 165914 | 4.2 | 2.35 | 100 | 161 | <0.5 | 6 | 3.23 | 17 | 15 | 45 | 291 | 7.35 | 4 | 1.11 | <10 | 1.92 | 2766 | <2 | 0.01 | 17 | 0.229 | 528 | 2.36 | 16 | 4 | 187 | <5 | 0.12 | <10 | 20 | 96 | 24 | 1856 | 4 |
| 165915 | 2.9 | 2.63 | 56 | 169 | <0.5 | 8 | 2.19 | 4 | 25 | 28 | 380 | 7.95 | 2 | 1.06 | 13 | 1.84 | 1936 | <2 | 0.01 | 19 | 0.286 | 41 | 2.16 | 15 | 4 | 119 | 5 | 0.12 | 10 | 14 | 103 | <10 | 262 | 4 |
| 165916 | 3.6 | 2.46 | 47 | 179 | <0.5 | 6 | 3.31 | 6 | 22 | 35 | 372 | 7.46 | 4 | 0.96 | 15 | 1.88 | 3207 | 4 | 0.01 | 9 | 0.294 | 54 | 1.68 | 14 | 4 | 195 | 5 | 0.10 | <10 | 18 | 99 | 11 | 490 | 4 |
| 165917 | 14.9 | 1.43 | 661 | 41 | <0.5 | 27 | 1.53 | 26 | 191 | 44 | 691 | 20.61 | 4 | 0.61 | <10 | 1.07 | 1827 | 29 | 0.01 | 31 | 0.128 | 816 | >10.00 | 32 | 2 | 76 | <5 | 0.08 | <10 | 59 | 57 | 21 | 1135 | 9 |
| 165918 | 3.8 | 3.31 | 85 | 129 | <0.5 | 9 | 1.98 | 7 | 40 | 61 | 345 | 9.10 | з | 0.90 | <10 | 2 39 | 2613 | 6 | 0.01 | 36 | 0 199 | 170 | 2 98 | 17 | 4 | 120 | ~5 | 0.11 | <10 | 74 | 07 | 12 | 501 | 4 |
| 165919 | 1.8 | 2.45 | 63 | 157 | < 0.5 | 5 | 2.03 | 6 | 20 | 87 | 127 | 5.04 | 3 | 1.20 | <10 | 2.39 | 2372 | <2 | 0.01 | 112 | 0 144 | 160 | 0.60 | 12 | 7 | 170 | ~5 | 0.11 | ~10 | 13 | 47 | 11 | 677 | -+ |
| 165920 | 2.7 | 2.78 | 41 | 141 | <0.5 | 6 | 1.67 | 20 | 25 | 84 | 179 | 5.76 | 4 | 1.11 | <10 | 2.65 | 2182 | <2 | 0.01 | 107 | 0.123 | 388 | 0.79 | 13 | 3 | 156 | ~5 | 0.13 | <10 | 17 | 40 | 77 | 7154 | 2 |
| 165921 | 2.3 | 2.84 | 43 | 119 | < 0.5 | 7 | 1.28 | 12 | 22 | 88 | 141 | 5.76 | 2 | 1.01 | <10 | 2.55 | 1959 | <2 | 0.01 | 93 | 0.134 | 238 | 1.00 | 17 | 3 | 112 | ~5 | 0.11 | <10 | 14 | | 18 | 1411 | 2 |
| 165922 | 24.3 | 3.42 | 21 | 71 | < 0.5 | 8 | 2.36 | 566 | 20 | 111 | 237 | 7.62 | 7 | 0.67 | <10 | 3.49 | 3249 | <2 | 0.01 | 83 | 0.099 | 4012 | 4.03 | 17 | 4 | 134 | ر - ۲ - | 0.11 | ~10 | 25 | 59 | 678 - | 10000 | 2 |
| | | | | | | | | | | | / | | | | | 22 | | ~ | 0.01 | | 0.077 | | 1.05 | ** | - | 104 | ~ 1 | 0.00 | ~10 | 25 | 50 | 0/0 | ~ 10000 | - |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0035RJDate: Jul-22-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | AI % | As ppm | Ba ppm | a Be ippmi | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % I | Hg opm | К % | La ppm | Mg Mn %ppm | Mo ppm | Na % | Ni ppm | P % | Pb ppm | S % p | Sb opm p | Sc pm p | Sr opm p | Th opm | Ti % | TI ppm | U ppm j | V pm | W ppm | Zn ppm p | Zr opm |
|------------------|-----------|---------|-----------|-----------|---------------|-----------|---------|-----------|-----------|-----------|-----------|-----------|-----------|--------|-----------|---------------|-----------|---------|-----------|---------|-----------|----------|-------------|------------|-------------|-----------|---------|-----------|------------|---------|----------|-------------|-----------|
| 165923 | 2.4 | 3.76 | 23 | 93 | < 0.5 | 7 | 0.73 | 99 | 16 | 93 | 160 | 7.20 | 2 | 0.99 | <10 | 3.25 1675 | <2 | 0.01 | 73 | 0.097 | 226 | 1.35 | 16 | 3 | 48 | <5 | 0.11 | <10 | 17 | 54 | 107 | 8966 | ٦ |
| 165924 | 3.0 | 3.57 | 26 | 88 | < 0.5 | 9 | 0.81 | 105 | 17 | 98 | 208 | 7.22 | 1 | 0.94 | <10 | 3.13 1737 | <2 | 0.01 | 75 | 0.095 | 280 | 1.59 | 14 | 3 | 54 | <5 | 0.11 | <10 | 18 | 52 | 112 | 9335 | 3 |
| 165925 | 3.3 | 4.29 | 19 | 89 | < 0.5 | 9 | 0.74 | 199 | 20 | 104 | 234 | 8.36 | 2 | 0.89 | <10 | 3.75 1878 | <2 | 0.01 | 84 | 0.127 | 369 | 1.79 | 15 | 4 | 50 | <5 | 0.11 | <10 | 20 | 68 | 207 | >10000 | 3 |
| 165926 | 1.3 | 3.25 | 24 | 95 | < 0.5 | 6 | 1.23 | 6 | 18 | 82 | 83 | 5.67 | 2 | 1.08 | <10 | 2.77 1719 | <2 | 0.01 | 86 | 0.130 | 164 | 0.40 | 12 | 3 | 74 | <5 | 0.11 | <10 | 12 | 51 | 14 | 877 | 2 |
| 165927 | 2.1 | 2.79 | 10 | 76 | s <0.5 | 6 | 0.63 | 8 | 10 | 32 | 153 | 5.51 | <1 | 0.68 | <10 | 2.12 1734 | 2 | 0.01 | 18 | 0.058 | 113 | 0.27 | 11 | 1 | 36 | <5 | 0.07 | <10 | 11 | 22 | 16 | 1078 | 2 |
| 165928 | 1.8 | 2.06 | 21 | 109 | < 0.5 | 5 | 2.15 | 5 | 15 | 32 | 108 | 4.79 | 1 | 0.77 | <10 | 1.95 2795 | 2 | 0.01 | 28 | 0.106 | 209 | 0.46 | 10 | 2 | 141 | <5 | 0.08 | <10 | 15 | 29 | 11 | 756 | 2 |
| 165929 | 1.7 | 1.13 | 35 | 150 | < 0.5 | 5 | 3.18 | 2 | 12 | 20 | 86 | 3.32 | 3 | 0.89 | <10 | 1.30 3126 | <2 | 0.02 | 26 | 0.123 | 114 | 0.75 | 9 | 2 | 193 | <\$ | 0.09 | <10 | 12 | 25 | <10 | 170 | 2 |
| 165930 | 1.5 | 0.99 | 32 | 143 | < 0.5 | <5 | 2.74 | 1 | 10 | 23 | 66 | 2.89 | 1 | 0.73 | <10 | 1.14 2356 | <2 | 0.03 | 31 | 0.106 | 133 | 0.96 | 9 | 2 | 174 | <5 | 0.08 | <10 | <10 | 25 | <10 | 147 | 2 |
| 165931 | 1.0 | 1.29 | 32 | 202 | <0.5 | <5 | 3.27 | i | 11 | 28 | 94 | 3.00 | 3 | 1.05 | <10 | 1.46 1925 | <2 | 0.03 | 35 | 0.124 | 24 | 0.80 | 6 | 2 | 216 | <5 | 0.13 | <10 | <10 | 42 | <10 | 104 | 2 |
| 165932 | 1.3 | 1.51 | 40 | 293 | <0.5 | <5 | 3.12 | 3 | 18 | 32 | 222 | 4.23 | 3 | 1.26 | <10 | 1.55 1969 | 14 | 0.03 | 43 | 0.121 | 20 | 1.46 | 10 | 3 | 205 | <5 | 0.16 | <10 | <10 | 107 | <10 | 224 | 3 |
| 165933 | 1.6 | 1.28 | 31 | 262 | <0.5 | <5 | 3.23 | 3 | 18 | 29 | 172 | 4.19 | 3 | 0.99 | <10 | 1.33 1959 | <2 | 0.04 | 33 | 0.119 | 14 | 1.64 | 10 | ٦ | 221 | <5 | 0 14 | <10 | <10 | 47 | <10 | 149 | 3 |
| 165934 | 1.6 | 1.28 | 36 | 269 | <0.5 | <5 | 3.08 | 6 | 15 | 32 | 170 | 3.81 | 1 | 1.07 | <10 | 1.50 2265 | 3 | 0.03 | 34 | 0.112 | 13 | 0.99 | 8 | 2 | 212 | <5 | 0.13 | <10 | <10 | 41 | <10 | 473 | 2 |
| 165935 | 1.3 | 1.09 | 36 | 198 | < 0.5 | <5 | 2.79 | 7 | 11 | 32 | 103 | 3.24 | 2 | 0.81 | <10 | 1.34 2193 | <2 | 0.03 | 28 | 0.115 | 28 | 0.72 | 7 | 2 | 199 | <5 | 0.09 | <10 | <10 | 32 | 10 | 700 | 2 |
| 165936 | 1.2 | 0.72 | 47 | 143 | <0.5 | <5 | 2.52 | 4 | 14 | 31 | 53 | 2.45 | 2 | 0.57 | <10 | 1.06 2037 | <2 | 0.03 | 40 | 0.079 | 81 | 0.64 | 7 | 1 | 188 | <5 | 0.05 | <10 | <10 | 14 | <10 | 368 | 2 |
| Duplicates: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165773 | 1.6 | 1.34 | 143 | 131 | <0.5 | 5 | 2.16 | 8 | 11 | 57 | 67 | 4.42 | 1 | 0.81 | <10 | 1 86 2517 | 2 | 0.02 | 107 | 0 1 1 9 | 175 | 1 87 | 10 | 7 | 220 | ~5 | 0.00 | ~10 | 13 | 26 | 14 | 074 | - |
| 165782 | 0.6 | 1.42 | 151 | 180 | <0.5 | <5 | 2.54 | 3 | 16 | 61 | 61 | 3.54 | 2 | 1.23 | <10 | 1 95 2032 | <2 | 0.02 | 97 | 0.122 | 107 | 0.98 | 10 | ~ ~ | 235 | ~5 | 0.09 | <10 | -10 | 20 | 14 | 0/4 | 2 |
| 165792 | 0.6 | 2.26 | 76 | 259 | < 0.5 | <5 | 1.68 | 5 | 15 | 30 | 103 | 4.68 | <1 | 2.07 | 11 | 2 18 1640 | <2 | 0.02 | 11 | 0.122 | 49 | 1 20 | 10 | 2 | 107 | ~5 | 0.14 | 11 | <10 | 55 | 10 | 200 | 1 |
| 165795 | 1.7 | 1.77 | 80 | 220 | <0.5 | <5 | 2.33 | 2 | 12 | 58 | 52 | 3.29 | 3 | 1.56 | <10 | 1.99 2589 | 2 | 0.01 | 86 | 0.132 | 155 | 0.55 | 11 | 2 | 146 | <5 | 0.25 | <10 | <10 | 31 | <10 | 306 | 2 |
| 165804 | 39.0 | 2.21 | 1270 | 46 | <0.5 | 49 | 1.21 | 29 | 61 | 77 | 281 | 11.09 | 4 | 1.45 | <10 | 2.19 1847 | 4 | 0.01 | 86 | 0.099 | 791 | 7.56 | 25 | 2 | 84 | <5 | 0.16 | <10 | 28 | 47 | 40 | 3167 | 4 |
| 165814 | 1.5 | 0.68 | 46 | 122 | <0.5 | <5 | 2.79 | 5 | 13 | 28 | 135 | 3.31 | 3 | 0.56 | <10 | 1.14 1145 | <2 | 0.01 | 27 | 0.236 | 28 | 1.88 | | 1 | 276 | <5 | 0.03 | <10 | <10 | 15 | <10 | 491 | 1 |
| 165817 | 1.8 | 2.55 | 1324 | 157 | <0.5 | 6 | 1.53 | 13 | 26 | 56 | 74 | 5.40 | 1 | 1.32 | <10 | 2.29 2180 | <2 | 0.01 | 49 | 0.155 | 284 | 1.54 | 14 | 3 | 185 | <5 | 0.15 | <10 | 15 | 70 | 74 | 1730 | 2 |
| 165826 | 1.9 | 2.16 | 123 | 214 | <0.5 | <5 | 1.89 | 6 | 12 | 77 | 78 | 4.03 | 2 | 1.47 | <10 | 2.30 2311 | <2 | 0.03 | 71 | 0.148 | 389 | 0.84 | 10 | 4 | 175 | <5 | 0.17 | <10 | 13 | 64 | 11 | 671 | 2 |
| 165836 | 0.8 | 1.56 | 30 | 225 | <0.5 | <5 | 2.43 | 3 | 8 | 50 | 52 | 3.68 | 2 | 1.27 | <10 | 1.62 1555 | <2 | 0.03 | 75 | 0.140 | 51 | 0.44 | 8 | 3 | 242 | <5 | 0.16 | <10 | 10 | 48 | <10 | 2.99 | 1 |
| 165839 | 0.7 | 1.61 | 651 | 170 | <0.5 | 6 | 3.29 | 4 | 19 | 79 | 22 | 3.62 | 2 | 1.04 | <10 | 2.09 1974 | <2 | 0.04 | 83 | 0.111 | 23 | 0.23 | 10 | 4 | 251 | <5 | 0.14 | <10 | <10 | 53 | <10 | 395 | 2 |
| 165848 | 1.8 | 1.29 | 135 | 129 | <0.5 | 7 | 3.11 | 7 | 13 | 58 | 61 | 3.86 | 1 | 0.64 | <10 | 1.96 2202 | <2 | 0.03 | 74 | 0.057 | 37 | 1.17 | 11 | 3 | 313 | <5 | 0.06 | <10 | <10 | 34 | <10 | 471 | 2 |
| 165858 | 3.3 | 3.47 | 281 | 80 | <0.5 | 13 | 1.77 | 30 | 36 | 182 | 208 | 8.03 | 1 | 2.22 | <10 | 3.43 1742 | <2 | 0.02 | 248 | 0.100 | 354 | 3.31 | 20 | 5 | 142 | <5 | 0.26 | 10 | 15 | 77 | 31 | 2232 | 3 |
| 165861 | 0.4 | 2.53 | 587 | 301 | <0.5 | <5 | 2.97 | 2 | 40 | 154 | 27 | 4.64 | 3 | 2.16 | <10 | 3.11 1879 | <2 | 0.02 | 147 | 0.102 | 82 | 0.34 | 12 | 4 | 225 | <5 | 0.22 | <10 | 10 | 68 | <10 | 277 | 2 |
| 165870 | 0.5 | 2.38 | 60 | 200 | <0.5 | <5 | 3.16 | 2 | 9 | 180 | 14 | 4.27 | 5 | 1.19 | <10 | 3.24 2280 | <2 | 0.02 | 133 | 0.101 | 127 | 0.15 | 10 | 4 | 204 | <5 | 0.14 | <10 | 12 | 65 | <10 | 227 | 1 |
| 165880 | 5.7 | 2.10 | 46 | 121 | <0.5 | 11 | 3.07 | 14 | 15 | 109 | 403 | 6.65 | 5 | 1.05 | <10 | 2.88 3232 | <2 | 0.01 | 171 | 0.098 | 367 | 1.69 | 15 | 3 | 270 | <5 | 0.11 | <10 | 22 | 40 | 20 | 1521 | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed:



Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0035RJDate: Jul-22-10

Sample type : CORE

Skyline Gold Corporation

Project : Bronson

Attention : Arnd Burgert

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | AI % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % [| Hg opm | K % | La ppm | Mg % | Mn ppm i | Mo ppm | Na % | Ni ppm | P % | Pb ppm | S % | Sb ppm f | Sc opm | Sr ppm p | Th ppm | Ti % | TI ppm | U ppm (| V ppm | W ppm | Zn ppm p | Zr opm |
|------------------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|-----------|-----------|-------------------|-----------|---------|-------------|-----------|---------|-----------|--------|-----------|--------|--------------------|-----------|-------------|-----------|---------|-----------|------------|----------|----------|-------------|-----------|
| 165883 | 11.2 | 2.45 | 113 | 132 | <0.5 | 7 | 1.89 | 46 | 38 | 43 | 469 | 5.09 | 4 | 2.09 | <10 | 2.64 | 1792 | 2 | 0.01 | 44 | 0.161 | 2152 | 1.63 | 14 | 3 | 162 | <5 | 0.19 | <10 | 10 | 51 | 61 | 6013 | 2 |
| 165892 | 1.0 | 1.97 | 38 | 239 | <0.5 | <5 | 1.02 | 2 | 18 | 27 | 144 | 4.79 | З | 1.83 | <10 | 1.42 | 754 | <2 | 0.02 | 9 | 0.151 | 32 | 1.33 | 10 | 2 | 81 | <5 | 0.22 | <10 | <10 | 55 | <10 | 100 | 2 |
| 165902 | 2.9 | 4.60 | 174 | 42 | <0.5 | 18 | 0.98 | 10 | 37 | 544 | 578 | 15.09 | 4 | 4.03 | <10 | 3.37 | 1050 | <2 | 0.02 | 321 | 0.072 | 36 | 7.52 | 36 | 10 | 80 | <5 | 0.25 | 13 | 35 | 116 | 10 | 128 | 5 |
| 165905 | 0.3 | 1.72 | 55 | 290 | <0.5 | 5 | 1.70 | 2 | 15 | 53 | 72 | 4.54 | З | 1.40 | <10 | 1.22 | 806 | <2 | 0.03 | 42 | 0.095 | 23 | 1.10 | 9 | 3 | 155 | <5 | 0.18 | <10 | <10 | 62 | <10 | 110 | 2 |
| 165914 | 4.0 | 2.33 | 91 | 160 | <0.5 | 6 | 2.92 | 15 | 13 | 45 | 280 | 6.79 | 3 | 1.08 | <10 | 1.76 | 2609 | <2 | 0.01 | 19 | 0.207 | 501 | 2.16 | 15 | 4 | 182 | <5 | 0.12 | <10 | 17 | 96 | 22 | 1659 | 3 |
| 165924 | 2.9 | 3.76 | 26 | 94 | <0.5 | 9 | 0.84 | 101 | 18 | 102 | 210 | 7.50 | 2 | 0. 9 8 | <10 | 3.35 | 1718 | <2 | 0.01 | 79 | 0.096 | 279 | 1.60 | 13 | 3 | 55 | <5 | 0.11 | <10 | 21 | 53 | 115 | 9888 | 3 |
| 165927 | 2.1 | 2.82 | 13 | 78 | <0.5 | 6 | 0.64 | 8 | 10 | 33 | 151 | 5.44 | <1 | 0.68 | <10 | 2.15 | 1699 | 2 | 0.01 | 13 | 0.059 | 110 | 0.27 | 13 | 1 | 37 | <5 | 0.08 | <10 | 13 | 22 | 16 | 1085 | 3 |
| 165936 | 1.1 | 0.69 | 45 | 136 | <0.5 | <5 | 2.48 | 4 | 13 | 30 | 52 | 2.41 | 2 | 0.56 | <10 | 1.04 | 1991 | <2 | 0.03 | 36 | 0.076 | 76 | 0.62 | 7 | 1 | 185 | <5 | 0.05 | <10 | <10 | 13 | <10 | 361 | 1 |
| Standards: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blank | <0.2 | < 0.01 | <5 | <10 | <0.5 | <5 | <0.01 | <1 | <1 | <1 | <1 | <0.01 | <1 | < 0.01 | <10 | <0.01 | <5 | <2 | <0.01 | <1 | <0.001 | <2 | < 0.01 | <5 | <1 | <1 | <5 | <0.01 | <10 | <10 | <1 | <10 | 1 | <1 |
| CH-4 | 1.7 | 1.71 | 19 | 283 | <0.5 | <5 | 0.61 | 3 | 27 | 104 | 1970 | 4.72 | <1 | 1.36 | 13 | 1.20 | 322 | 2 | 0.05 | 46 | 0.064 | 17 | 0.60 | 8 | 7 | 8 | <5 | 0.20 | <10 | <10 | 76 | <10 | 215 | 10 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.



Quality Assaying for over 35 Years

Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

Assay Certificate

0S-0035-RA1

Jul-22-10

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

We *hereby certify* the following assay of 22 core samples submitted Jun-22-10

| Sample | Au | Sample-wt | |
|-------------|---------|-----------|--|
| Name | g/tonne | Kg | |
| 165773 | 0.02 | 3.0 | |
| 165774 | 0.05 | 3.0 | |
| 165775 | 0.03 | 3.0 | |
| 165776 | 0.05 | 3.0 | |
| 165777 | 0.06 | 2.5 | |
| 165778 | 0.03 | 3.5 | ······································ |
| 165779 | 0.05 | 2.0 | |
| 165780 | 0.03 | 2.5 | |
| 165781 | 0.01 | 2.0 | |
| 165782 | 0.01 | 2.0 | |
| 165783 | 0.02 | 2.0 | |
| 165784 | 0.05 | 1.0 | |
| 165785 | 0.03 | 1.5 | |
| 165786 | 0.03 | 1.5 | |
| 165787 | 0.06 | 1.0 | |
| 165788 | 0.03 | 1.5 | · · · · · · · · · · · · · · · · · · · |
| 165789 | 0.03 | 1.0 | |
| 165790 | 0.03 | 1.5 | |
| 165791 | 0.04 | 2.0 | |
| 165792 | 0.05 | 1.5 | |
| 165793 | 0.03 | 1.5 | |
| 165794 | 0.02 | 2.0 | |
| *DUP 165773 | 0.03 | | |
| *DUP 165782 | 0.01 | | |
| *DUP 165792 | 0.05 | | |
| *0211 | 2.23 | | |
| *BLANK | <0.01 | | |

Au 50g F.A. AA finish

Certified by___



Quality Assaying for over 35 Years

Assay Certificate

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

We *hereby certify* the following assay of 22 core samples submitted Jun-22-10

| Sample | Au | Sample-wt |
|-------------|---------|-----------|
| Name | g/tonne | Kg |
| 165795 | 0.03 | 2.0 |
| 165796 | 0.02 | 2.0 |
| 165797 | 0.03 | 2.0 |
| 165798 | 0.03 | 2.5 |
| 165799 | 0.03 | 2.0 |
| 165800 | 0.03 | 2.5 |
| 165801 | 1.04 | |
| 165802 | 0.04 | 2.5 |
| 165803 | 0.55 | 2.5 |
| 165804 | 1.09 | 2.5 |
| 165805 | 0.03 | 3.0 |
| 165806 | 0.01 | 0.3 |
| 165807 | 0.02 | 2.0 |
| 165808 | 0.03 | 2.0 |
| 165809 | 0.05 | 2.0 |
| 165810 | 0.06 | 2.5 |
| 165811 | 0.07 | 3.0 |
| 165812 | 0.12 | 3.0 |
| 165813 | 0.06 | 4.0 |
| 165814 | 0.03 | 1.0 |
| 165815 | 0.12 | 3.0 |
| 165816 | 0.07 | 1.0 |
| *DUP 165795 | 0.03 | |
| *DUP 165804 | 1.09 | |
| *DUP 165814 | 0.04 | |
| *0211 | 2.35 | |
| *BLANK | <0.01 | |

Au 50g F.A. AA finish

Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

0S-0035-RA2

Jul-22-10

.

Certified by_



Quality Assaying for over 35 Years

Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

Assay Certificate

0S-0035-RA3

Jul-22-10

Company:Skyline Gold CorporationProject:BronsonAttn:Arnd Burgert

We *hereby certify* the following assay of 22 core samples submitted Jun-22-10

| Sample | Au | Sample-wt | |
|-------------|---------|-----------|---------------------------------------|
| Name | g/tonne | Kg | |
| 165817 | 0.16 | 3.0 | ······ |
| 165818 | 0.18 | 2.0 | |
| 165819 | 0.09 | 5.0 | |
| 165820 | 0.10 | 5.0 | |
| 165821 | 0.05 | 4.0 | |
| 165822 | 0.05 | 4.0 | · · · · · · · · · · · · · · · · · · · |
| 165823 | 0.10 | 4.0 | |
| 165824 | 0.18 | 4.0 | |
| 165825 | 0.07 | 5.0 | |
| 165826 | 0.05 | 4.5 | |
| 165827 | 0.07 | 3.0 | |
| 165828 | 0.01 | 4.0 | |
| 165829 | 0.01 | 2.5 | |
| 165830 | 0.01 | 5.0 | |
| 165831 | 0.02 | 5.0 | |
| 165832 | 0.02 | 4.5 | |
| 165833 | 0.01 | 4.5 | |
| 165834 | 0.02 | 3.0 | |
| 165835 | <0.01 | 6.0 | |
| 165836 | 0.01 | 5.5 | |
| 165837 | 0.04 | 4.0 | ······ |
| 165838 | 0.04 | 5.0 | |
| *DUP 165817 | 0.15 | | |
| *DUP 165826 | 0.05 | | |
| *DUP 165836 | 0.02 | | |
| *0211 | 2.11 | | |
| *BLANK | <0.01 | | |

Au 50g F.A. AA finish

Certified by_



Quality Assaying for over 35 Years

Assay Certificate

Company:Skyline Gold CorporationProject:BronsonAttn:Arnd Burgert

We *hereby certify* the following assay of 22 core samples submitted Jun-22-10

| Sample | Au | Sample-wt | | |
|-------------|---------|-----------|------|--|
| Name | g/tonne | Kg | | |
| 165839 | 0.09 | 5.0 | | |
| 165840 | 0.14 | 5.5 | | |
| 165841 | 0.09 | 5.0 | | |
| 165842 | 0.05 | 5.0 | | |
| 165843 | 0.01 | 5.5 | | |
| 165844 | 0.03 | 4.5 | | |
| 165845 | 0.12 | 5.5 | | |
| 165846 | 0.01 | 4.5 | | |
| 165847 | 0.01 | 2.5 | | |
| 165848 | 0.05 | 1.0 | | |
| 165849 | 0.01 | 4.5 | | |
| 165850 | 0.01 | 4.5 | | |
| 165851 | 0.02 | 4.0 | | |
| 165852 | 0.01 | 4.0 | | |
| 165853 | 0.02 | 5.0 | | |
| 165854 | 0.01 | 4.0 | | |
| 165855 | <0.01 | 4.5 | | |
| 165856 | <0.01 | 0.3 | | |
| 165857 | 0.32 | 1.5 | | |
| 165858 | 0.12 | 2.5 | | |
| 165859 | 0.01 | 4.0 | | |
| 165860 | 0.01 | 5.0 | | |
| *DUP 165839 | 0.11 | | | |
| *DUP 165848 | 0.04 | | | |
| *DUP 165858 | 0.11 | | | |
| *0211 | 2.29 | | | |
| *BLANK | <0.01 | | | |

Au 50g F.A. AA finish

Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

0S-0035-RA4

Jul-22-10

Certified by_



Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

0S-0035-RA5

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-22-10

We *hereby certify* the following assay of 22 core samples submitted Jun-22-10

| Sample | Au | As | Sample-wt | Zn | |
|-------------|---------|--------|-----------|-------|--|
| Name | g/tonne | % | Kg | % | |
| 165861 | 0.04 | | 5.5 | | |
| 165862 | 0.03 | | 5.5 | | |
| 165863 | 0.03 | | 3.5 | | |
| 165864 | 0.04 | | 0.7 | 2.65 | |
| 165865 | 0.02 | | 5.0 | | |
| 165866 | 0.14 | | 5.5 | | |
| 165867 | 0.04 | | 5.0 | | |
| 165868 | 0.03 | | 5.0 | | |
| 165869 | 0.02 | | 5.0 | | |
| 165870 | 0.01 | | 5.0 | | |
| 165871 | 0.02 | | 5.0 | | |
| 165872 | 0.01 | | 5.0 | | |
| 165873 | 0.11 | | 3.0 | | |
| 165874 | 0.01 | | 6.0 | | |
| 165875 | 0.04 | | 3.0 | | |
| 165876 | 0.03 | | 3.0 | | |
| 165877 | 0.02 | | 2.0 | | |
| 165878 | 0.07 | | 1.5 | | |
| 165879 | 0.99 | 1.24 | 1.0 | 4.89 | |
| 165880 | 0.04 | | 2.0 | | |
| 165881 | 1.07 | 1.50 | 2.5 | 2.11 | |
| 165882 | 0.20 | | 3.0 | 1.61 | |
| *DUP 165861 | 0.04 | | | | |
| *DUP 165870 | 0.01 | | | | |
| *DUP 165880 | 0.04 | | | | |
| *0211 | 2.28 | | | | |
| *CD-1 | | 0.659 | | | |
| *ME-3 | | | | 0.89 | |
| *BLANK | <0.01 | <0.001 | | <0.01 | |

Au 50g F.A. AA finish.Zn 4 Acid/A.A.

pr



Quality Assaying for over 35 Years

Assay Certificate

Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

0S-0035-RA6

Jul-22-10

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

We *hereby certify* the following assay of 22 core samples submitted Jun-22-10

| Sample Name | Au g/tonne | Sample-wt Kø | |
|----------------|---------------|---------------------------------------|--|
| 165883 | 0.21 | 2 5 | |
| 165994 | 0.21 | 5.5 5.5 | |
| 165005 | 0.02 | 3.0 | |
| 165996 | 0.16 | 2.0 | |
| 165887 | 0.05 | 2.0 | |
| 16500 | 0.02 | · · · · · · · · · · · · · · · · · · · | |
| 165888 | 0.04 | 2.0 | |
| 165889 | 0.03 | 2.5 | |
| 165890 | 0.01 | 4,5 | |
| 165891 | 0,01 | 4.5 | |
| 165892 | 0.05 | 2.5 | |
| 165893 | 0.07 | 2.5 | |
| 165894 | 0.02 | 2.5 | |
| 165895 | 0.03 | 2.0 | |
| 165896 | 0.01 | 2.0 | |
| 165897 | 0.02 | 3.5 | |
| 165898 | 0.20 | 1.0 | |
| 165899 | 0.01 | 2.5 | |
| 165900 | 0.02 | 1.5 | |
| 165901 | 0.26 | | |
| 165902 | 0.06 | 0.8 | |
| 165903 | 0.01 | 3.0 | |
| 165904 | 0.02 | 4.0 | |
| *DUP 165883 | 0.23 | | |
| *DUP 165892 | 0.05 | | |
| *DUP 165902 | 0.06 | | |
| *0211 | 2.21 | | |
| *BLANK | <0.01 | | |
| | | | |

Au 50g F.A. AA finish

Certified by_



Quality Assaying for over 35 Years

Assay Certificate

Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

0S-0035-RA7

.

Jul-22-10

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

We *hereby certify* the following assay of 22 core samples submitted Jun-22-10

| Sample | Au | Sample-wt | Zn | |
|-------------|---------|-----------|-------|--|
| Name | g/tonne | Kg | % | |
| 165905 | 0.02 | 3.5 | | |
| 165906 | <0.01 | 0.3 | | |
| 165907 | 0.10 | 2.0 | | |
| 165908 | 0.04 | 4.5 | | |
| 165909 | 0.01 | 4.5 | | |
| 165910 | 0.04 | 5.0 | | |
| 165911 | 0.03 | 5.0 | | |
| 165912 | 0.02 | 4.5 | | |
| 165913 | 0.16 | 4.5 | | |
| 165914 | 0.07 | 3.0 | | |
| 165915 | 0.10 | 2.5 | | |
| 165916 | 0.08 | 2.5 | | |
| 165917 | 0.70 | 1.5 | | |
| 165918 | 0.16 | 3.0 | | |
| 165919 | 0.03 | 1.5 | | |
| 165920 | 0.02 | 5.0 | | |
| 165921 | 0.02 | 4.5 | | |
| 165922 | 0.10 | 1.5 | 7.30 | |
| 165923 | 0.03 | 1.0 | | |
| 165924 | 0.04 | 1.0 | | |
| 165925 | 0.02 | 3.0 | 2.08 | |
| 165926 | 0.01 | 2.0 | | |
| *DUP 165905 | 0.02 | | | |
| *DUP 165914 | 0.07 | | | |
| *DUP 165924 | 0.07 | | | |
| *0211 | 2.29 | | | |
| *ME-3 | | | 0.89 | |
| *BLANK | <0.01 | | <0.01 | |
| | | | | |

Au 50g F.A. AA finish.Zn 4 Acid/A.A.

Certified by_



Quality Assaying for over 35 Years

Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

Assay Certificate

0S-0035-RA8

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-22-10

We *hereby certify* the following assay of 10 core samples submitted Jun-22-10

| Sample | Au | Sample-wt | | |
|-------------|---------|-----------|--|--|
| Name | g/tonne | Kg | | |
| 165927 | 0.08 | 4.0 | - ···································· | |
| 165928 | 0.02 | 4.5 | | |
| 165929 | 0.02 | 5.5 | | |
| 165930 | 0.03 | 4.5 | | |
| 165931 | 0.03 | 5.5 | | |
| 165932 | 0.07 | 5.5 | | |
| 165933 | 0.04 | 5.0 | | |
| 165934 | 0.04 | 4.5 | | |
| 165935 | 0.03 | 4.5 | | |
| 165936 | 0.01 | 4.5 | | |
| *DUP 165927 | 0.02 | | ······································ | |
| *DUP 165936 | 0.01 | | | |
| *0211 | 2.22 | | | |
| *BLANK | <0.01 | | | |
| | ····· | | | |

Au 50g F.A. AA finish

Certified by_



DIAMOND DRILL HOLE LOG

| HOLE: | SK10-06 | CONTRACTOR: | Driftwood Diamond Drilling Ltd. |
|--|---------------------------------------|----------------------|---------------------------------|
| COLLAR COORDINATE Easting: Northing: | ES UTM (NAD 83): 373541 6280825 | DATE STARTED: | 09-Jun-10 |
| COLLAR COORDINATE Northing: Easting: | ES MINE GRID: 11677 27368 | DATE COMPLETE | ED: 11-Jun-10 |
| COLLAR ELEVATION: | 649m | CORE SIZE: | NQ |
| FINAL DEPTH: | 273m | RIG: SF | S 3000 Hydraulic |
| SURVEYS: Depth O | Azimuth 061.0 | Inclination -85.0 | Method compass, clinometer |

Page: 2 of 13 pages



| | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|---------------|---|------------|--------|--------|----------|------|------|------|-------|
| From (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| 0 | 4.57 | Casing | | | | | | | | |
| 4.57 | 6.12 | GREYWACKE | 165452 | 4.99 | 6.00 | 1.01 | 0.42 | 10.8 | 1777 | 1509 |
| | Broken | up and fracture controlled Fe-oxidation (limonite) | | | | | | | | |
| | Dissemina | ted and blebby Py-10-15% with 1% Qtz stringers. One | | | | | | | | |
| 6.12 | 8.23 | FELDSPATHIC GREYWACKE | 165453 | 6.00 | 7.00 | 1.00 | 0.20 | 4.8 | 434 | 877 |
| | Smoky grey | r feldspathic greywacke moderately broken up with | 165454 | 7.00 | 8.23 | 1.23 | 0.14 | 3.9 | 443 | 976 |
| | fracture co | ntrolled Fe-oxidation (limonite). Disseminated and | | | | | | | | |
| | stringer Py | - 5-6%, trace Sph, dendritic Pyrolusite (or variants of | | | | | | | | |
| | MnO) | | | | | | | | | |
| | @ 8.03m F | ault, 30 TCA 7 mm limonitized clay fault gouge. | | | | | | | | |
| | Planar. | | | | | | | | | |
| 8.23 | 19.47 | GREYWACKE | 165455 | 8.23 | 9.00 | 0.77 | 2.00 | 40.0 | 2124 | 3201 |
| | Interbedde | d Greywack, siltstone/mudstone with frequent Py | 165456 | 9.00 | 10.00 | 1.00 | 0.17 | 15.5 | 603 | 12200 |
| | stringers ar | nd abundant disseminated and disseminated clusters | 165457 | 10.00 | 11.00 | 1.00 | 0.12 | 4.7 | 477 | 1625 |
| | of Py-3-20% | % (significant Py sections are noted below). 1-3% qtz | 165458 | 11.00 | 12.00 | 1.00 | 0.57 | 35.8 | 501 | 12000 |
| | stringers ar | nd veinlets. 0.1 to 1% Sph mostly associated with Py | 165459 | 12.00 | 13.00 | 1.00 | 0.37 | 25.1 | 631 | 35800 |
| | and Qtz vei | inlet/stringers. Fracture surfaces are frequently | 165460 | 13.00 | 14.00 | 1.00 | 0.33 | 10.8 | 363 | 9312 |
| | limonitized | . Core is becoming progressively more cometent. | 165461 | 14.00 | 15.00 | 1.00 | 0.35 | 10.8 | 234 | 8888 |
| | Average 30 | cm core sticks from 11 m and beyond. | 165462 | STD 13 | STD 13 | STD 13 | 1.03 | 3.5 | 3190 | 192 |
| | | | 165463 | 15.00 | 16.00 | 1.00 | 0.30 | 4.8 | 446 | 1781 |
| | @ 9.63 is a | a 25 cm long 0 TCA HI with Qtz, (Sph-10-15% and Gal 1- | 165464 | 16.00 | 17.00 | 1.00 | 0.08 | 2.5 | 242 | 728 |
| | 2% closely a | associated with each other), Py-10-15%. | 165465 | 17.00 | 18.00 | 1.00 | 0.05 | 2.6 | 203 | 1273 |
| | @ 12.3 is a | a HI with 35 TCA = UCA, LCA = indiscernable but | 165466 | 18.00 | 19.49 | 1.49 | 0.11 | 3.6 | 397 | 974 |
| | appears fai | rly shallow. 23 cm long along core. 15-20% Sph | | | | | | | | |
| | peripheral | to 5-10% patchy Py. 1-3% disseminated Gal. Not | | | | | | | | |
| | much qtz a | nd more sulphides here. | | | | | | | | |
| | @ 13.75m, | , UCA = 20 with a Sph stringer of 30 TCA only 50 m | | | | | | | | |
| | downcore. | Also the HI progressively becomes steeper down core. | | | | | | | | |
| | E.g. 32 cm (| down from UCA of 20 it is now 60 TCA. Perhaps this | | | | | | | | |
| | interval is v | very close to a hinge of a fold. Py is 65-70% over a 35 | | | | | | | | |
| | cm interval | with 2-3% Sph. Trace-0.5% suspect Sericite seen in | | | | | | | | |
| 1 | wallrock. | | | | | | | | i I | |

Page: 3 of 13 pages



| | То | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|---|------------|-------|-------|----------|-------|------|------|-------|
| From (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | @ 14.72 m is a 20 TCA Qtz-Sph-Gal stringer 15 mm wide with | | | | | | | | |
| | densely disseminated Py perpheral to it. It runs for 35 cm along | | | | | | | | |
| | core.1-3% Sph, ~ 1% Gal, 15-20% Py. | | | | | | | | |
| | @ 15.41 is bedding is 30 TCA. | | | | | | | | |
| | @ 16.87 m is a shear 25 TCA smooth, planar, with a film of | | | | | | | | |
| | limonitized fracture surface. | | | | | | | | |
| | @ 19.47 is a semi-irregular contact between the greywacke and | | | | | | | | |
| | feldspathic greywacke below with a 55 TCA defined by a qtz | | | | | | | | |
| | veinlet 6 mm wide. | | | | | | | | |
| 19.47 | 25.29 FELDSPATHIC GREYWACKE | 165467 | 19.49 | 20.49 | 1.00 | 1.22 | 31.6 | 2163 | 4090 |
| | Smoky grey feldspathic greywacke (silt-mudstone size) with some | 165468 | 20.49 | 21.50 | 1.01 | 1.15 | 31.8 | 1622 | 3588 |
| | intervals with felsic fragments. Frequent weak spotty sericite. | 165469 | 21.50 | 22.40 | 0.90 | 1.11 | 22.0 | 894 | 2645 |
| | Pervasive semi-massive Py - 25-35%. 1-2% Blebby Cpy only near | 165470 | 22.40 | 23.40 | 1.00 | 0.37 | 21.7 | 983 | 21300 |
| | the upper and lower boundary of this unit.1-2% Sph bearing HI in | 165471 | BLANK | BLANK | BLANK | 0.01 | 1.8 | 5 | 38 |
| | the middle of this interval associated with qtz, weak ~1% Cpy | 165472 | 23.40 | 24.40 | 1.00 | 0.42 | 10.5 | 653 | 1994 |
| | here too. ~0.5-1% disseminated Gal mostly associated with HI. | 165473 | 24.40 | 25.40 | 1.00 | 0.84 | 55.9 | 5859 | 6702 |
| | @ 22.5 m is 35 TCA Sph, Gal, Py stringer 12 mm wide. | | | | | | | | |
| | @ 22.7 m is a near parallel TCA HI > 15 mm wide (true width | | | | | | | | |
| | undefined since it is cut off by the core). | | | | | | | | |
| | @ 22.96 m are a few HI bearing Sph, Py, Gal. | | | | | | | | |
| 25.29 | 30.28 INTERBEDDED GREYWACKE AND LITHIC | 165474 | 25.40 | 26.36 | 0.96 | 31.74 | 10.1 | 226 | 8285 |
| | GREYWACKE (CLASTS ARE MOSTLY FELSIC- | 165475 | 26.36 | 27.34 | 0.98 | 0.18 | 4.8 | 181 | 2067 |
| | FELDSPARS) | 165476 | 27.34 | 28.34 | 1.00 | 0.1 | 2.6 | 80 | 316 |
| | This unit starts off as a greywacke and then changes fairly sharp | 165477 | 28.34 | 29.34 | 1.00 | 0.08 | 1.7 | 149 | 173 |
| | to a lithic greywacke with mainly felsic-feldspar clasts. This unit | 165478 | 29.34 | 30.28 | 0.94 | 0.07 | 1.8 | 224 | 189 |
| | switches 5 times within this interval. The felsic clasts are | | | | | | | | |
| | brecciated at parts due to hydrothermal activity. The lithic | | | | | | | | |
| | greywacke is smoky grey. 10% to semi-massive to massive Py at | | | | | | | | |
| | parts. 25.5 to 26 m is 60% with the last 9 cm being 85-90% Py.3- | | | | | | | | |
| | 4% qtz with mainly frequent wide Qtz veinlets 20- 80 mm wide | | | | | | | | |
| | (~12 within this interval) 60-70 TCA. Trace sericite, mostly found | | | | | | | | |

Page: 4 of 13 pages



| | То | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|---|------------|-------|-------|----------|------|------|-----|------|
| From (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | within the qtz veinlets as a bright green. | | | | | | | | |
| | @ 28.14 to 28.34 are 2 qtz veinlets ~ 60 TCA with blebby seric | te | | | | | | | |
| | and 3-4% dissem. Py. | | | | | | | | |
| 30.28 | 69.07 LITHIC GREYWACKE (MAINLY FELSIC CLASTS) | 165479 | 30.28 | 31.79 | 1.51 | 0.04 | 0.3 | 103 | 168 |
| | Med to dark grey lithic greywacke with some clasts reaching 70 | 165480 | 30.28 | 31.79 | DUP | 0.03 | 0.3 | 89 | 183 |
| | mm in diameter. ~0.5 to 8% disseminated Py with higher grade | 165481 | 31.79 | 32.60 | 0.81 | 0.36 | 2.1 | 428 | 229 |
| | more proximal to Py stringers. Stringer composition starts to | 165482 | 32.60 | 34.60 | 2.00 | 0.07 | 0.7 | 236 | 130 |
| | transition to a more calcareous material from 39.78 and | 165483 | 34.60 | 36.60 | 2.00 | 0.2 | 2.2 | 384 | 133 |
| | becomes dominantly calcareous (as opposed to qtz base) from | 165951 | 36.60 | 39.00 | 2.40 | 0.18 | 0.7 | 325 | 248 |
| | 48.74 m. Then qtz compent grades in from 62.84m. | 165484 | 39.00 | 41.00 | 2.00 | 0.06 | 0.6 | 163 | 197 |
| | | 165952 | 41.00 | 43.00 | 2.00 | 0.07 | <0.2 | 212 | 184 |
| | @ 31.79 to 32.5 is a 4 mm to 20 mm wide Py stringer running | 165485 | 43.00 | 45.00 | 2.00 | 0.04 | <0.2 | 84 | 137 |
| | neary parallel TCA. | 165953 | 45.00 | 47.00 | 2.00 | 0.04 | <0.2 | 78 | 221 |
| | @ 32.56 is a 30 TCA fault with 3 mm fault gouge breccia, plana | r, 165486 | 47.00 | 49.00 | 2.00 | 0.21 | 0.2 | 137 | 147 |
| | smooth. | 165954 | 49.00 | 51.00 | 2.00 | 0.06 | <0.2 | 170 | 223 |
| | @ 35.63 to 35.84 is a 20 TCA Py ~ 20 mm wide stringer. | 165487 | 51.00 | 53.00 | 2.00 | 8.79 | 1.3 | 251 | 167 |
| | @ 35.84 to 44.35 has no apparent significant measureable | 165955 | 53.00 | 55.00 | 2.00 | 0.04 | <0.2 | 95 | 294 |
| | structural features. | 165488 | 55.00 | 57.00 | 2.00 | 0.09 | 1.0 | 160 | 253 |
| | @ 44.35 shear, planar, smooth, 35 TCA with faint slickensides. | 165956 | 57.00 | 59.00 | 2.00 | 0.12 | 0.7 | 213 | 291 |
| | Dissem Py on fracture surface. | 165489 | 59.00 | 61.00 | 2.00 | 0.02 | 0.2 | 109 | 260 |
| | @ 60 m is 20 TCA slickensided with a veneer of fault gouge, | 165957 | 61.00 | 63.00 | 2.00 | 0.02 | <0.2 | 82 | 323 |
| | hence fault. Smooth, planar. | 165490 | 63.00 | 65.00 | 2.00 | 0.09 | 1.4 | 200 | 304 |
| | @ 66.43 with 50 TCA veneer of fault gouge. | 165958 | 65.00 | 67.00 | 2.00 | 0.08 | 2.0 | 164 | 304 |
| | @ 66.49 35 TCA fault with limonitized clay fault gouge, 1 mm. | 165491 | 67.00 | 69.07 | 2.07 | 0.22 | 4.5 | 413 | 2373 |
| | Note: this fault is in the opposite direction as the previous faul | | | | | | | | |
| | @ 66.87 and 66.91 is a fault with 60 TCA with a veneer of clay fault gouge. | | | | | | | | |
| | @ 67.70 to 68.4 m is a near parallel TCA fracture with a Py | | | | | | | | |
| | fracture coating. | | | | | | | | |
| | @ 69.07 m is a fault 50 TCA with < 1 mm fault gouge breccia. | | | | | | | | |
| | | | | | | | | | |

Page: 5 of 13 pages



| | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|---------------|--|------------|--------|--------|----------|------|------|------|------|
| From (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | @ 67.91 m i | is a 55 TCA slightly limonitized clay gouge, < 1mm | | | | | | | | |
| | | | | | | | | | | |
| 69.07 | 103.96 | GREYWACKE | 165959 | 69.07 | 71.00 | 1.93 | 0.28 | 3.1 | 368 | 5246 |
| | Medium gre | y greywacke (silt-mudstone) with weak to moderate | 165492 | 71.00 | 73.00 | 2.00 | 0.23 | 6.3 | 254 | 8693 |
| | biotite.1-2% | hairline to average 1-2 mm qtz stringer (now Calcite | 165960 | 73.00 | 74.00 | 1.00 | 0.12 | 1.5 | 129 | 309 |
| | component | s completely gone). Intermittent HI with mostly Py | 165493 | 74.00 | 77.00 | 3.00 | 0.1 | 2.4 | 155 | 195 |
| | (unless othe | rwise noted below) with Py stringers and | 165961 | 77.00 | 79.00 | 2.00 | 0.05 | 1.0 | 102 | 321 |
| | disseminatio | ons, 0.2 to 10% | 165494 | 79.00 | 81.00 | 2.00 | 0.08 | 2.1 | 99 | 484 |
| | @ 70.65 is a | a fault with 1-2 mm clay fault gouge with 55 TCA. | 165495 | 81.00 | 83.00 | 2.00 | 0.16 | 2.2 | 148 | 854 |
| | @ 71.4 is ar | n irregular low angle HI with Py and biotite. | 165496 | 83.00 | 85.00 | 2.00 | 0.66 | 18.1 | 2181 | 518 |
| | @ 76.17 m i | is a bedding plane 35 TCA | 165497 | 85.00 | 87.00 | 2.00 | 0.12 | 4.0 | 301 | 861 |
| | @78.36 is e | vidence of hydrothermal brecciation along an axix | 165498 | 87.00 | 88.00 | 1.00 | 0.3 | 8.2 | 698 | 814 |
| | parallel TCA. | | 165499 | 88.00 | 89.00 | 1.00 | 0.35 | 8.5 | 480 | 396 |
| | @79.50 is a | 50 TCA fault with limonite fault gouge breccia, 2 | 165500 | 89.00 | 90.00 | 1.00 | 0.56 | 9.0 | 855 | 300 |
| | mm. | | 165501 | 90.00 | 91.00 | 1.00 | 0.06 | 2.4 | 81 | 208 |
| | @80.35 is a | 20 TCA 10 mm Py stringer. | 165502 | STD 12 | STD 12 | STD 12 | 0.27 | 2.7 | 2688 | 320 |
| | @ 83.73 is a | a fault with slickensides, 40 TCA. | 165503 | 91.00 | 92.00 | 1.00 | 0.05 | 1.8 | 134 | 291 |
| | @ 84.45 is a | a 20 TCA 5-20 mm Cpy bearing Py stringer. Cpy is 3- | 165504 | 92.00 | 93.00 | 1.00 | 0.26 | 7.6 | 1033 | 653 |
| | 4% and Py is | 90% of this discontinuous and irregular stringer. | 165505 | 93.00 | 95.00 | 2.00 | 0.11 | 2.3 | 262 | 988 |
| | | | 165962 | 95.00 | 97.00 | 2.00 | 0.08 | 2.5 | 297 | 330 |
| | @84.54 30 | TCA with 11 fault gouge breccia. | 165506 | 97.00 | 99.00 | 2.00 | 0.06 | 2.7 | 247 | 297 |
| | @ 85.97 is a | an HI 30 TCA 40 mm bearing mainly qtz and 2-3 | 165963 | 99.00 | 100.50 | 1.50 | 0.04 | 1.8 | 170 | 363 |
| | disseminate | d Py and trace Sph. | 165964 | 100.50 | 102.00 | 1.50 | 0.13 | 7.1 | 731 | 681 |
| | @ 87.74 m 3 | 30 TCA 3-6 mm wide qtz stringer with 10% blebby | 165507 | 102.00 | 103.96 | 1.96 | 0.15 | 4.8 | 531 | 338 |
| | Sph and 1-29 | % disseminated Py | | | | | | | | |
| | @ 89.4 m is | ° 10 TCA slightly irregular 15-30 mm wide Py | | | | | | | | |
| | stringer with | n~10% Cpy, 85% Py and the rest is wall rock/qtz. | | | | | | | | |
| | @ 92.12m 1 | L5 TCA 25 mm wide Py stringer with 3-4% blebby Cpy | | | | | | | | |
| | and some in | terstial minor Qtz. No calcite and non-magnetic. | | | | | | | | |
| | @ 93.95 is a | a 15 TCA 15 to 20 mm Py stringer with minor sericite | | | | | | | | |

Page: 6 of 13 pages



| - | | | | | 1 | | | GOLD | CONFORMIN |
|----------|---|------------|--------|--------|----------|------|-------|------|-----------|
| | То | | From | То | Interval | Au | Ag | Cu | Zn |
| From (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | and qtz | | | | | | | | |
| | @ 94.22 is a fracture with slickensides, hence a fault with 65 TCA. | | | | | | | | |
| | Curviplanar smooth | | | | | | | | |
| | @ 98.41 is a bedding plan with 25 TCA. | | | | | | | | |
| | @ 103.21 is a 45 TCA 50 mm wide with 95% Py and 5% qtz and | | | | | | | | |
| | minor wall rock. Non-magnetic. | | | | | | | | |
| 103.96 | 113.05 LITHIC GREYWACKE (MOSTLY FELSIC CLASTS) | 165965 | 103.96 | 105.96 | 2.00 | 0.05 | 2.0 | 196 | 257 |
| | Medium grey lithic greywacke with a gradational increase in lithic | 165508 | 105.96 | 107.84 | 1.88 | 0.17 | 2.4 | 193 | 281 |
| | clasts (mostly felsic) of which are angular and 40-70 mm in | 165509 | 107.84 | 109.84 | 2.00 | 0.02 | 0.8 | 52 | 191 |
| | diameter. 3-4% disseminated and stringer Py. Finely | 165510 | 109.84 | 111.84 | 2.00 | 0.01 | 0.5 | 58 | 143 |
| | disseminated weak-moderate pervasive biotite. ~ 1% calcite | 165511 | BLANK | BLANK | BLANK | 0.01 | <0.2 | <1 | <1 |
| | stringers. | 165512 | 111.84 | 113.05 | 1.21 | 0.02 | 0.9 | 143 | 135 |
| 113.05 | 120.79 LITHIC GREYWACKE (SANDSTONE-SILTSTONE | 165513 | 113.05 | 114.60 | 1.55 | 0.02 | 1.1 | 89 | 131 |
| | GRAINSIZE) | 165514 | 114.60 | 116.60 | 2.00 | 0.03 | 1.5 | 118 | 119 |
| | Medium grey lithic greywacke with sandstone-siltstone size | 165515 | 116.60 | 117.66 | 1.06 | 1.11 | 31.6 | 1874 | 27900 |
| | grains (>15% matrix) and also lithic clasts are mostly of felsic | 165516 | 117.66 | 119.16 | 1.50 | 0.04 | 6.0 | 246 | 3542 |
| | compostion. ~1% qtz stringers with a slight calcareous | 165517 | 119.16 | 120.79 | 1.63 | 0.16 | 9.0 | 429 | 6231 |
| | component. 0.1 to 5 % disseminated Py with increasing grade | | | | | | | | |
| | near stringers. Pervasive weak-moderate disseminated biotite. | | | | | | | | |
| | Non-magnetic. | | | | | | | | |
| | @116.6 to 117.66 is a UCA=55, LCA=70. Massive sulphide HI, 60- | | | | | | | | |
| | 65% Py, wispy and blebby 1-2% Sph, trace-0.5% Gal with more | | | | | | | | |
| | wall rock than qtz interstitially. | | | | | | | | |
| 120.79 | 121.60 MASSIVE SULPHIDE VEIN (PY DOMINANT) | 165518 | 120.79 | 121.60 | 0.81 | 3.75 | 111.4 | 925 | 24000 |
| | UCA is 40 TCA. 70% Py, 3-5% stringer Sph, interstitial calcareous | | | | | | | | |
| | material + silica. LCA is 65 TCA. Wall rock is light blue-grey | | | | | | | | |
| | feldspathic greywacke | | | | | | | | |
| 121.60 | 122.60 MASSIVE SULPHIDE VEIN (SPH>PY) | 165519 | 121.60 | 122.60 | 1.00 | 0.95 | 36.9 | 821 | 93000 |
| | 10-15% Sph injections UCA is 60 TCA. 1-2% Cpy, trace to 1% Gal. | | | | | | | | |
| | Calcareous and silica eveloped by Sph stringers and in wall rock. | | | | | | | | |
| | Py = 10-12% disseminations. Wall rock is weak-moderate | | | | | | | | |
| | pervasively biotite altered. Wall rock is light blue-grey feldspathic | | | | | | | | |

Page: 7 of 13 pages



| | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|------------------|--|--|------------------|------------------|------------------|--------------|--------------|-------------|------------|------------|
| From (m) | (m) Description | on | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| 122.60 122.73 | greywacke 122.73 FELDSPATHIC GREYWACKE Interval between massiv sulphide zone with sulphides. 7-10% stringer and disseminated 123.30 MASSIVE SULPHIDE VEIN (SPH Wall rock is light blue-grey feldspathic greyw interwebbed stringers) with calcareous mat within webbing.3-5% disseminated and bley Arsenopyrite). Vugs present. Weak biotite | relatively low Py. I>PY) vacke. Sph (12-17% ter, silica, feldspars oby Gal (+/- | 165520 | 122.60 | 123.30 | 0.70 | 0.55 | 43.0 | 910 | 98000 |
| 123.30 | 127.02 FELDSPATHIC GREYWACKE | | 165521 | 123.30 | 124.21 | 0.91 | 0.25 | 9.0 | 355 | 26900 |
| | Mineralization peters down going away fror | n massive sulphide | 165522 | 124.21 | 125.30 | 1.09 | 0.17 | 4.9 | 321 | 6901 |
| | section. 2-4% occassional Sph stringers roug | hly 60 TCA, 6-8% | 165523 | 125.30 | 126.30 | 1.00 | 0.2 | 6.5 | 204 | 12900 |
| | disseminated and stringer Py. Trace-1% Gal Pervasive weak-moderate biotite. Pervasive Kspar (contributing to this unit name feldspa silica-calcareous stringers ~1% | +/-Arsenopyrite. e weak-moderate athic greywacke.) | 165524 | 126.30 | 127.30 | 1.00 | 3.68 | 25.3 | 312 | 26000 |
| 127.02 | 135.85 LITHIC GREYWACKE Lithic greywacke with mainly 1-3 mm angula | ar clasts with some | 165525 165526 | 127.30 128.30 | 128.30 129.30 | 1.00 1.00 | 3.48 0.88 | 9.1 7.4 | 452 788 | 931 564 |
| | alteration giving core a lighter grey colour | Silica, calcite | 165528 | 129.30 | 122 20 | 2.00 | 2.05 | 10.4 2 2 | 439 527 | 2152 |
| | stringers Snh-rich intervals seem to have c | alcite associated | 165529 | 130.30 | 132.30 | 2.00 | 0.71 | 0.0 18 6 | 812 | 2850 |
| | rather than silica. Py disseminated and strin | gers = 10-15%. | 165530 | 132.30 | 134.17 | DUP | 1.05 | 19.2 | 767 | 1605 |
| | Stringers and disseminated near stringers = | 1-2%, trace-0.5% | 165531 | 134.17 | 135.02 | 0.85 | 3.41 | 37.4 | 2016 | 3372 |
| | Gal, Trace Cpy. Note: sulphides are richer a | t the last 2 m of this | 165532 | 135.02 | 135.59 | 0.57 | 1.07 | 34.5 | 243 | 23600 |
| | interval. @ 130.13 m is a 80 TCA 40 mm 45% Sph- 42 interstitial silica+wall rock. @ 130.59 is UCA 50, @ 135.85 is LCA = 60. massive sulphide with 35-40% semi-massive interstial wall rock, calcite and wall rock. Th veinlets both above and below this unit. Als | 5% Py injection with This interval is a Py and Sph with ere are calcite so, 0.5-1% Gal and | 165533 | 135.59 | 135.85 | 0.26 | 4.00 | 83.0 | 1130 | 109000 |

Page: 8 of 13 pages



| | То | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|--|------------|--------|--------|----------|------|-------------|------|-------|
| From (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | Сру. | | | | | | | | |
| | From 134.17 to 135.02 is elevated Py zone, 135.02 to 135.09 is | | | | | | | | |
| | relatively unmineralized,135.59 to 135.85 is equal amounts of | | | | | | | | |
| | massive sulphide Py and Sph. | | | | | | | | |
| 135.85 | 146.56 GREYWACKE | 165534 | 135.85 | 136.72 | 0.87 | 1.45 | 5.5 | 239 | 2932 |
| | Suspect lithic greywacke with wispy fragment contacts (mostly | 165535 | 136.72 | 138.00 | 1.28 | 0.85 | 2.9 | 143 | 2013 |
| | feldspathic) or is a K-spar altered patches. These fragments have | 165536 | 138.00 | 140.00 | 2.00 | 0.17 | 2.6 | 91 | 2944 |
| | well defined feldspar grains within. Biotite alteration is more | 165537 | 140.00 | 142.00 | 2.00 | 0.09 | 4.3 | 178 | 4056 |
| | focussed outside of these fragments, but spotty biotite is found | 165538 | 142.00 | 144.00 | 2.00 | 0.07 | 3.8 | 179 | 3409 |
| | within the fragments. Calcareous matrix as well as calcite | 165539 | 144.00 | 146.00 | 2.00 | 0.12 | 3.1 | 295 | 501 |
| | stringers (~1%) Blebby 1-5% Py with local 1-2% Gal and local 2- | | | | | | | | |
| | 4% Sph. | | | | | | | | |
| | @138.62 is a 30 TCA 4 to 15 mm wide calcite stringer with 6-8% | | | | | | | | |
| | Gal and 6-8% Sph and 2-3% Pv | | | | | | | | |
| | @ 143.41 is a 45 TCA 2-3 mm discontinous Sph + Gal stringer. | | | | | | | | |
| | | | | | | | | | |
| | @ 143.57 is a 40 TCA (in the opposite direction as the stringer | | | | | | | | |
| | above) bedding plane made of biotite, Ksp,and Py planes (each | | | | | | | | |
| | 0.5 to 1 mm thick) | | | | | | | | |
| 146.56 | 164.63 GREYWACKE | 165540 | 146.00 | 148.00 | 2.00 | 0.07 | 4.1 | 504 | 441 |
| | This greywacke unit is devoid of wispy bordered feldspathic | 165541 | 148.00 | 150.00 | 2.00 | 0.11 | 3.1 | 244 | 925 |
| | fragments, hence, is a more defined greywacke (and not a | 165542 | 150.00 | 152.00 | 2.00 | 0.05 | 0.8 | 69 | 239 |
| | suspect lithic greywacke like the unit above). Interbedded | 165543 | 152.00 | 153.41 | 1.41 | 0.07 | 2.8 | 131 | 1186 |
| | silt/mudstone with sandstone. Calcite stringers until 159.4 | 165544 | 153.41 | 154.86 | 1.45 | 0.67 | 55.4 | 388 | 68000 |
| | onwards where it gains a qtz component (1-2% stringers). | 165545 | 154.86 | 155.24 | 0.38 | 0.18 | 29.1 | 200 | 16900 |
| | Matrix is pervasively calcareous (calcite). Moderately pervasively | 165546 | 155.24 | 156.04 | 0.80 | 5.05 | 54.2 | 375 | 41300 |
| | disseminated blotite. 0.1 to 5% disseminated Py with stronger Py | 165547 | 156.04 | 158.00 | 1.96 | 0.77 | 2.1 | 93 | 1235 |
| | proximal to Py stringers. | 165548 | 158.00 | 160.00 | 2.00 | 0.07 | 2.6 | 100 | 5/82 |
| | @ 152.20 m is a 50 TCA hadding plane with sequences of | 165549 | 160.00 | 161.94 | 0.94 | 0.38 | 10.4 2 F | 182 | 12600 |
| | eilt /mudstane with conditione | 105550 | 100.94 | | U.67 | 0.55 | 3.5 | 2450 | 225 |
| | sit/mudstone with sandstone. | 165551 | 210 13 | 21013 | | 0.87 | 3.8 | 3128 | 412 |

Page: 9 of 13 pages



| From (m)(m)DescriptionSample No.(m)(m)(m) g/t g/t ppm From 153.41 to 156.04 is H1 with semi-massive sulphides165552161.61163.601.990.030.042.7averaged through intersection. (154.86 to 155.24 is relatively165553163.60164.631.030.042.759980free of sulphides, 155.24 to 156.04 is massive) Mineralization ends fairly abruptly at the end. @ 155.74 is a Sph+Gal stringer 25163.60164.631.030.042.759980 g/t 159.9 is a 20 TCA ~ 30 mm wide bearing mainly Sph with minor Gal and Py @ 160.98 to 161.60 is a Qtz veinlet-wein. 55 TCA for the first veinlet, the vein below has the same UCA, LCA is 15 TCA. Trace blebby Py and blebby biottle with some retrograde to chlorite. 30% dilution by wall rock.164.63165.160.531.6213.331612100164.63172.83FFLDSPATHIC GREYWACKE165554164.63165.160.531.6213.331612100Clast (most large clasts are felsic, 15-25 mm wide and 50-60 mm long angular clasts. There are smaller 10-20 mm diameter clasts165555165.16166.761.603.119.714.7394000Clast will be share UCA, UCA *30 CSD mm wide biotite. a swell. Mostly felsic. Pervasive moderate disseminated biotite. a suphide interval from 168.97 to 170.07 Py Is disseminated to blebby and in stringers = 15-20% and Sph e disseminated to blebby and in stringers = 15-20% and Sph e disseminated to blebby and in stringers = 5-7%, blebby in H Gal = locally 5-15%, trace -0.5% local Cay b | | То | | From | То | Interval | Au | Ag | Cu | Zn |
|--|----------|---|------------|--------|--------|----------|------|-------|-----|-------|
| From 153.41 to 156.04 is HI with semi-massive sulphides 165552 161.61 163.60 1.99 0.03 0.3 4.7 269 averaged through intersection. (154.86 to 155.24 is relatively 165553 163.60 164.63 1.03 0.04 2.7 59 980 ends fairly abruptly at the end. @ 155.74 is a Sph+Gal stringer 25 to 40 mm wide 50 TCA. Mostly calcite with on silica dominant 165553 164.63 1.03 0.04 2.7 59 980 obsecure. @ 159.9 is a 20 TCA ~ 30 mm wide bearing mainly Sph with minor Gal and Py @ 160.98 to 161.60 is a Qtz veinlet-vein. 55 TCA for the first 165554 164.63 165.16 0.53 1.62 13.3 316 12100 Moderate to intensely hydrothermally altered clastic greywacke. 165554 164.63 165.16 16.0 3.11 97.1 473 94000 Iong angular clasts. There are smaller 10-20 mm diameter clasts 165555 155.16 166.76 1.60 3.11 97.1 420 Majority of sulphide-bearing H Iber aclicite instead o silica | From (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| averaged through intersection. (154.86 to 155.24 is relatively free of sulphides, 155.24 to 156.04 is massive) Mineralization ends fairly abruptly at the end. @ 155.74 is a Sph-Gal stringer 25 to 40 mm wide 50 TCA. Mostly calcite with on silica dominant veinlet at 154.56 m at 60 TCA = UCA. ~ 20-30 mm wide with LCA obsecure. @ 159.9 is a 20 TCA ~ 30 mm wide bearing mainly Sph with minor Gal and Py @ 0160.98 to 161.60 is a Qtz veinlet-vein. 55 TCA for the first veinlet, the vein below has the same UCA, LCA is 15 TCA. Trace blebby Py and blebby biotite with some retrograde to chlorite. ~ 30% dilution by wall rock.165554164.63165.160.531.6213.331612100164.63172.83FELDSPATHIC GREYWACKE165554164.63165.1616.571.603.1197.147394000Ica supplication of a guard class are fields: up and blebby biotite with some retrograde to classing elists a relation (15.55164.63165.161.603.1197.147394000Ica supplication of a guard classic (15.25mu wide and 50-66155.16166.76D.UP2.0784.34488500Ica supplication of angular class. Ica is 15.00165.555164.63165.161.603.1197.147394000Ica supplication of angular class. Ica supplication of angular class. Ica supplication of angular class. Ica supplication of angular class. Ica supplication of angular class.165.555165.16165.701 | | From 153.41 to 156.04 is HI with semi-massive sulphides | 165552 | 161.61 | 163.60 | 1.99 | 0.03 | 0.3 | 47 | 269 |
| free of sulphides, 155.24 to 156.04 is massive) Mineralization ends fairly abruptly at the end. @ 155.74 is a Sph+Gal stringer 25 to 40 mm wide 50 TCA. Mostly calcite with on silica dominant veinlet at 154.56 m at 60 TCA = UCA. ~ 20-30 mm wide with LCA obsecure. @ 159.9 is a 20 TCA ~ 30 mm wide bearing mainly Sph with minor Gal and Py @ 160.98 to 161.60 is a Qtz veinlet-vein. 55 TCA for the first veinlet, the vein below has the same UCA, LCA is 15 TCA. Trace blebby Py and blebby biotite with some retrograde to chlorite. ~ 30% dilution by wall rock. 164.63 172.83 FELDSPATHIC GREYWACKE 165555 165.16 166.76 1.60 3.11 97.1 473 94000 Clasts (most large clasts are felsic, 15-25 mm wide and 50-60 mm 165966 165.16 166.76 DUP 2.07 84.3 446 85000 long angular clasts. There are smaller 10-20 mm diameter clasts a swell. Mostly felsic. Pervasive moderate do intexe: 165557 166.76 166.76 DUP 2.07 84.3 446 85000 long angular clasts. There are smaller 10-20 mm diameter clasts a swell. Mostly felsic. Pervasive moderate do intexe: 165557 166.76 168.36 1.60 7.91 14.2 162 8991 Majority of sulphide-bearing HI bear calcite instead o silica.~1% 165560 170.06 170.06 7.01 77.05 31.1 116 15900 calcite stringers and 2-3% silica veinlets. Excluding massive 165560 170.06 170.06 1.00 7.05 31.1 116 15900 sulphide interval from 168.97 to 170.07 Py is disseminated to 165560 170.06 171.06 1.00 4.65 98.7 596 45000 blebby and in stringers = 15-20% and 5ph = disseminated to 165561 171.06 172.83 1.77 0.15 4.3 388 2818 and stringers = 5-7%, blebby in HI Gal = locally 5-15%, trace-0.5% local Cpy blebs. Suspect, very questionable Au right adjacent to Cpy at 165.39. Also at 165.39 is an anomalously high Gal (40% of HI) patch. @ 165.571 is a Gal dominant HI UCA 70, LCA ~30 ~50 mm wide. With Sph. Gal = ~30%, Sph = 30% 2-3% Cpy peripheral to this HI. 2-3% disseminated Py. @ 166.5 m is 60 TCA, 90mm true width, 95% Py with ~3-4% 1-4 mm wide envelope Sph. Note: another very similar | | averaged through intersection. (154.86 to 155.24 is relatively | 165553 | 163.60 | 164.63 | 1.03 | 0.04 | 2.7 | 59 | 980 |
| ends fairly abruptly at the end. @ 155.74 is a Sph-Gal stringer 25 to 40 mm wide 50 TCA. Mostly calcite with on silica dominant veinlet at 154.56 m at 60 TCA = UCA. ~ 20-30 mm wide with LCA obsecure. @ 150.91 is a 20 TCA ~ 30 mm wide bearing mainly Sph with minor Gal and Py @ 160.98 to 161.60 is a Qtz veinlet-vein. 55 TCA for the first veinlet, the vein below has the same UCA, LCA is 15 TCA. Trace blebby Py and blebby bloitle with some retrograde to chlorite. ~ 30% dilution by wall rock.165554164.63165.160.531.6213.331612100164.63172.83FELDSPATHIC GREYWACKE165554164.63165.761.603.1197.147394000Clasts (most large clasts are felsic, 15-25 mm wide and 50-60 mm long angular clasts. There are smaller 10-20 mm diameter clasts as well. Mostly felsic. Pervasive moderate disseminated biotite. suphibide-bearing HI bear calcite instead o silica. ~1%165555166.76168.361.607.9114.21628991Majority of sulphide-bearing HI bear calcite instead o silica. ~1%165559168.36168.960.602.36106.76333000calcite stringers and 2-3% silica veinlets. Excluding massive sulphide interval from 168.97 to 170.07 Py is disseminated to 15550, trace-0.5%170.06171.06172.831.770.154.33892818and stringers = 5-7%, blebby in HI Gal = locally 5-15%, trace-0.5% local Cpy blebs. Suspect, very questionable Auright adjacent to Cpy at 165.39 Also at 165.39 is an anomalously high Gal (40% of HI) patch.171.06172.831.770.154.33892818and string | | free of sulphides, 155.24 to 156.04 is massive) Mineralization | | | | | | | | |
| to 40 mm wide 50 TCA. Mostly calcite with on silica dominant veinlet at 154.56 m at 60 TCA = UCA, ~ 20-30 mm wide with LCA obsecure. @ 159.9 is a 20 TCA ~ 30 mm wide bearing mainly Sph with minor Gal and Py @ 160.98 to 161.60 is a Qtz veinlet-vein. 55 TCA for the first veinlet, the vein below has the same UCA, LCA is 15 TCA. Trace blebby Py and blebby bloitie with some retrograde to chlorite. ~ 30% dilution by wall rock.165.554164.63165.160.531.6213.331612100164.63172.83FELDSPATHIC GREYWACKE165555165.16166.761.603.1197.147394000Clasts (most large clasts are felsic, 15-25 mm wide and 50-60 mm165555165.16165.76DUP2.0784.344685000long angular clasts. There are smaller 10-20 mm diameter clasts165555165.16165.761.603.1197.147394000Clasts (most large clasts are felsic, 15-25 mm wide and 50-60 mm165555165.16165.76DUP2.0784.344685000long angular clasts. There are smaller 10-20 mm diameter clasts165557165.76168.361.607.311.421628991Majority of sulphide-bearing HI bear calcite instead o silica.~1%165558168.96170.061.107.0531.111615900subplide interval from 168.97 to 170.07 Py is disseminated to165556170.0617.101.004.6585.7545004blebby and in stringers = 15-20% and Sph = disseminated, blebby local Cpy blebs. Suspect, very questionable Au right adjacent to< | | ends fairly abruptly at the end. @ 155.74 is a Sph+Gal stringer 25 | | | | | | | | |
| veinlet at 154.56 m at 60 TCA = UCA. ~ 20-30 mm wide with LCA obsecure. @ 159.9 is a 20 TCA ~ 30 mm wide bearing mainly Sph with minor Gal and Py @ 160.98 to 161.60 is a Qtz veinlet-vein. 55 TCA for the first veinlet, the vein below has the same UCA, LCA is 15 TCA. Trace blebby Py and blebby biotite with some retrograde to chlorite. ~ 30% dilution by wall rock.165.554164.63165.160.531.6213.331612100164.63172.83FELDSPATHIC GREYWACKE165555165.16165.76DUP2.0784.344685000100g angular clasts. There are smaller 10-20 mm diameter clasts a well. Mostly felsic. Pervasive moderate disseminated biottle. clasts (most large clasts are felsic, 15-25 mm wide and 50-60 mm long angular clasts. There are smaller 10-20 mm diameter clasts a swell. Mostly felsic. Pervasive moderate disseminated biottle. 165555165.16166.76DUP2.0784.344685000Majority of sulphide-bearing HI bear calcite instead o silica.~1%165555168.361.607.9114.21628991Majority of sulphide-bearing HI bear calcite instead o silica.~1%165559168.96170.061.107.0531.111615900sulphide interval from 168.97 to 170.07 Py is disseminated to blebby load in stringers = 15-20% and Sph = disseminated, blebby local Cpy blebs. Suspect, very questionable Au right adjacent to Cpy at 165.39 is an anomalously high Gal (40% of HI) patch.17.06170.061.077.154.33892818@ 165.527 is a Gal dominant HI UCA 70, LCA ~30 ~ 50 mm wide. With Sph. Gal = ~30%, Sph = 30% 2-3% Cpy peripheral to this | | to 40 mm wide 50 TCA. Mostly calcite with on silica dominant | | | | | | | | |
| obsecure. @ 159.9 is a 20 TCA ~ 30 mm wide bearing mainly Sph with minor Gal and Py @ 160.98 to 161.60 is a Qtz veinlet-vein. 55 TCA for the first veinlet, the vein below has the same UCA, LCA is 15 TCA. Trace blebby Py and blebby biotite with some retrograde to chlorite. ~ 30% dilution by wall rock.164.63165.160.531.6213.331612100164.63172.83FELDSPATHIC GREVWACKE165554164.63165.160.531.6213.33162100164.64172.83FELDSPATHIC GREVWACKE165555165.16166.761.603.1197.147394000Clasts (most large clasts are felsic, 15-25 mm wide and 50-60 mm165966165.16166.76DUP2.0784.344685000long angular clasts. There are smaller 10-20 mm diameter clasts1655557166.6168.361.607.9114.21628991Majority of sulphide-bearing HI bear calcite instead o silica. "1%165558168.36168.960.602.36106.76353000calcite stringers and 2-3% silica veinlets. Excluding massive sulphide interval from 168.97 to 17.0.07 Py is disseminated to and stringers = 5-7%, blebby in HI Gal = locally 5-15%, trace-0.5%165.56170.06171.061.004.6598.759645000blebby and in stringers = 15-20% and Sph = disseminated to calcit estringers and 2-3% Silica veinlets. Excluding masive and stringers = 5-7%, blebby in HI Gal = locally 5-15%, trace-0.5%165.56170.06171.061.004.6598.759645000local Cpy b | | veinlet at 154.56 m at 60 TCA = UCA. ~ 20-30 mm wide with LCA | | | | | | | | |
| @ 159.9 is a 20 TCA ~ 30 mm wide bearing mainly Sph with minor Gal and Py @ 160.98 to 161.60 is a Qtz veinlet-vein. 55 TCA for the first veinlet, the vein below has the same UCA, LCA is 15 TCA. Trace blebby Py and blebby biotite with some retrograde to chlorite. ~ 30% dilution by wall rock. 164.63 165.54 164.63 165.16 0.53 1.62 13.3 316 12100 Moderate to intensely hydrothermally altered clastic greywacke. 165555 165.16 166.76 0.03 1.12 17.3 94000 Clasts (most large clasts are felsic, 15-25 mm wide and 50-60 mm 165555 165.16 166.76 DUP 2.07 84.3 446 85000 long angular clasts. There are smaller 10-20 mm diameter clasts 165555 165.16 166.36 10UP 2.07 84.3 446 85000 long angular clasts. There are smaller 10-20 mm diameter clasts 165557 166.76 DUP 2.07 84.3 446 85000 long angular clasts. There are smaller 10-20 mm diameter clasts 165557 166.76 10.07 2.07 84.3 446 85000 long angular clasts. There are smaller 10-20 mm diameter clasts 165557 168.76 168.36 1.00 7.05 31.1 116 15900 | | obsecure. | | | | | | | | |
| minor Gal and Py (@ 160.98 to 161.60 is a Qtz veinlet-vein. 55 TCA for the first veinlet, the vein below has the same UCA, LCA is 15 TCA. Trace blebby Py and blebby biotite with some retrograde to chlorite. ~ 30% dilution by wall rock.Image: State of | | @ 159.9 is a 20 TCA ~ 30 mm wide bearing mainly Sph with | | | | | | | | |
| @ 160.98 to 161.60 is a Qtz veinlet-vein. 55 TCA for the first veinlet, the vein below has the same UCA, LCA is 15 TCA. Trace blebby Py and blebby biotite with some retrograde to chlorite. ~ asset to intensely hydrothermally altered clastic greywacke. 165554 164.63 165.16 0.53 1.62 13.3 316 12100 164.63 172.83 FELDSPATHIC GREYWACKE 165555 165.16 166.76 DUP 2.07 84.3 446 85000 Clasts (most large clasts are felsic, 15-25 mm wide and 50-60 mm 165555 165.16 166.76 DUP 2.07 84.3 446 85000 long angular clasts. There are smaller 10-20 mm diameter clasts 165555 165.16 166.76 DUP 2.07 84.3 446 85000 as well. Mostly felsic. Pervasive moderate disseminated biotite. 165555 166.76 168.36 1.60 7.91 14.2 162 8991 Majority of sulphide-bearing Hi bear calcite instead o silica.~1% 165559 168.36 168.96 0.60 2.36 106.7 63 53000 calcite stringers and 2-3% silica veinlets. Excluding massive 165559 168.96 170.06 1.10 7.05 31.1 | | minor Gal and Py | | | | | | | | |
| veinlet, the vein below has the same UCA, LCA is 15 TCA. Trace blebby Py and blebby biotite with some retrograde to chlorite.~ 30% dilution by wall rock.Image: Constraint of the second s | | @ 160.98 to 161.60 is a Qtz veinlet-vein. 55 TCA for the first | | | | | | | | |
| blebby Py and blebby biotite with some retrograde to chlorite. ~ Some and the second seco | | veinlet, the vein below has the same UCA, LCA is 15 TCA. Trace | | | | | | | | |
| 30% dilution by wall rock. Image: Solution by wall rock. | | blebby Py and blebby biotite with some retrograde to chlorite. \sim | | | | | | | | |
| 164.63 172.83 FELDSPATHIC GREYWACKE 165554 164.63 165.16 0.53 1.62 13.3 316 12100 Moderate to intensely hydrothermally altered clastic greywacke. 165555 165.16 166.76 DUP 2.07 84.3 446 85000 Iong angular clasts. There are smaller 10-20 mm diameter clasts 165556 BLANK BLANK BLANK BLANK 0.01 2.0 4 15 as well. Mostly felsic. Pervasive moderate disseminated biotite. 165557 166.76 168.36 1.60 7.91 14.2 162 8991 Majority of sulphide-bearing HI bear calcite instead o silica.~1% 165558 168.36 168.96 0.60 2.36 167.76 53000 sulphide interval from 168.97 to 170.07 Py is disseminated to 165559 168.96 170.06 171.06 1.00 4.63 389 2818 and stringers = 5-7%, blebby in HI Gal = locally 5-15%, trace-0.5% 165551 171.06 172.83 1.77 0.15 4.3 389 2818 and stringers = 5-7%, blebby in HI Gal = locally 5-15%, trace-0.5% 165551 171.06 172.83 1.77 <td< td=""><td></td><td>30% dilution by wall rock.</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<> | | 30% dilution by wall rock. | | | | | | | | |
| Moderate to intensely hydrothermally altered clastic greywacke. 165555 165.16 166.76 1.60 3.11 97.1 473 94000 Clasts (most large clasts are felsic, 15-25 mm wide and 50-60 mm 165566 165.16 166.76 DUP 2.07 84.3 446 85000 long angular clasts. There are smaller 10-20 mm diameter clasts 165556 BLANK BLANK BLANK 0.01 2.0 4 15 as well. Mostly felsic. Pervasive moderate disseminated biotite. 165557 166.76 168.36 1.60 7.91 14.2 162 8991 Majority of sulphide-bearing HI bear calcite instead o silica.~1% 165558 168.36 168.96 0.60 2.36 106.7 63 53000 calcite stringers and 2-3% silica veinlets. Excluding massive 165559 168.96 170.06 1.10 7.05 31.1 116 15900 sulphide interval from 168.97 to 170.07 Py is disseminated to 165550 170.06 170.06 1.00 4.65 98.7 596 45000 and stringers = 5-7%, blebby in HI Gal = locally 5-15%, trace-0.5% 165.51 171.06 172.83 1.77 0.15 <td>164.63</td> <td>172.83 FELDSPATHIC GREYWACKE</td> <td>165554</td> <td>164.63</td> <td>165.16</td> <td>0.53</td> <td>1.62</td> <td>13.3</td> <td>316</td> <td>12100</td> | 164.63 | 172.83 FELDSPATHIC GREYWACKE | 165554 | 164.63 | 165.16 | 0.53 | 1.62 | 13.3 | 316 | 12100 |
| Clasts (most large clasts are felsic, 15-25 mm wide and 50-60 mm 165966 165.16 166.76 DUP 2.07 84.3 446 85000 long angular clasts. There are smaller 10-20 mm diameter clasts 165556 BLANK BLANK BLANK 0.01 2.0 4 15 as well. Mostly felsic. Pervasive moderate disseminated biotite. 165557 166.76 168.36 1.60 7.91 14.2 162 8991 Majority of sulphide-bearing HI bear calcite instead o silica.~1% 165558 168.96 1.00 2.36 106.7 63 53000 calcite stringers and 2-3% silica veinlets. Excluding massive 165559 168.96 170.06 1.10 7.05 31.1 116 15900 sulphide interval from 168.97 to 170.07 Py is disseminated to 165560 170.06 171.06 1.00 4.65 98.7 596 45000 blebby and in stringers = 15-20% and Sph = disseminated to 165561 171.06 172.83 1.77 0.15 4.3 389 2818 and stringers = 5-7%, blebby in HI Gal = locally 5-15%, trace-0.5% 165.39 172.83 1.77 0.15 4.3 389 2 | | Moderate to intensely hydrothermally altered clastic greywacke. | 165555 | 165.16 | 166.76 | 1.60 | 3.11 | 97.1 | 473 | 94000 |
| long angular clasts. There are smaller 10-20 mm diameter clasts 165556 BLANK BLANK BLANK 0.01 2.0 4 15 as well. Mostly felsic. Pervasive moderate disseminated biotite. 165557 166.76 168.36 1.60 7.91 14.2 162 8991 Majority of sulphide-bearing HI bear calcite instead o silica.~1% 165558 168.36 168.96 0.60 2.36 106.7 63 53000 calcite stringers and 2-3% silica veinlets. Excluding massive 165559 168.96 170.06 1.10 7.05 31.1 116 15900 sulphide interval from 168.97 to 170.07 Py is disseminated to 165560 170.06 171.06 1.00 4.65 98.7 596 45000 blebby and in stringers = 15-20% and Sph = disseminated, blebby 165561 171.06 172.83 1.77 0.15 4.3 389 2818 and stringers = 5-7%, blebby in HI Gal = locally 5-15%, trace-0.5% 10cal Cpy blebs. Suspect, very questionable Au right adjacent to Figure 4 | | Clasts (most large clasts are felsic, 15-25 mm wide and 50-60 mm | 165966 | 165.16 | 166.76 | DUP | 2.07 | 84.3 | 446 | 85000 |
| as well. Mostly felsic. Pervasive moderate disseminated biotite. 165557 166.76 168.36 1.60 7.91 14.2 162 8991 Majority of sulphide-bearing HI bear calcite instead o silica.~1% 165558 168.36 168.96 0.60 2.36 106.7 63 53000 calcite stringers and 2-3% silica veinlets. Excluding massive 165559 168.96 170.06 1.10 7.05 31.1 116 15900 sulphide interval from 168.97 to 170.07 Py is disseminated to 165560 170.06 171.06 1.00 4.65 98.7 596 45000 blebby and in stringers = 15-20% and Sph = disseminated, blebby 165561 171.06 172.83 1.77 0.15 4.3 389 2818 and stringers = 5-7%, blebby in HI Gal = locally 5-15%, trace-0.5% local Cpy blebs. Suspect, very questionable Au right adjacent to Iff.06 172.83 1.77 0.15 4.3 389 2818 @ 165.27 is a Gal dominant HI UCA 70, LCA ~30 ~ 50 mm wide. With Sph. Gal = ~30%, Sph = 30% 2-3% Cpy peripheral to this HI. 2-3% disseminated Py. Iff.06 Iff.07 Iff.08 Iff.08 Iff.08 Iff.08 Iff.08 Iff.08 Iff.08 <td></td> <td>long angular clasts. There are smaller 10-20 mm diameter clasts</td> <td>165556</td> <td>BLANK</td> <td>BLANK</td> <td>BLANK</td> <td>0.01</td> <td>2.0</td> <td>4</td> <td>15</td> | | long angular clasts. There are smaller 10-20 mm diameter clasts | 165556 | BLANK | BLANK | BLANK | 0.01 | 2.0 | 4 | 15 |
| Majority of sulphide-bearing HI bear calcite instead o silica.~1% 165558 168.36 168.96 0.60 2.36 106.7 63 53000 calcite stringers and 2-3% silica veinlets. Excluding massive 165559 168.96 170.06 1.10 7.05 31.1 116 15900 sulphide interval from 168.97 to 170.07 Py is disseminated to 165560 170.06 171.06 1.00 4.65 98.7 596 45000 blebby and in stringers = 15-20% and Sph = disseminated, blebby 165561 171.06 172.83 1.77 0.15 4.3 389 2818 and stringers = 5-7%, blebby in HI Gal = locally 5-15%, trace-0.5% local Cpy blebs. Suspect, very questionable Au right adjacent to 171.06 172.83 1.77 0.15 4.3 389 2818 @ 165.27 is a Gal dominant HI UCA 70, LCA ~30 ~ 50 mm wide. With Sph. Gal = ~30%, Sph = 30% 2-3% Cpy peripheral to this HI. 4.4 | | as well. Mostly felsic. Pervasive moderate disseminated biotite. | 165557 | 166.76 | 168.36 | 1.60 | 7.91 | 14.2 | 162 | 8991 |
| calcite stringers and 2-3% silica veinlets. Excluding massive 165559 168.96 170.06 1.10 7.05 31.1 116 15900 sulphide interval from 168.97 to 170.07 Py is disseminated to 165560 170.06 171.06 1.00 4.65 98.7 596 45000 blebby and in stringers = 15-20% and Sph = disseminated, blebby 165561 171.06 172.83 1.77 0.15 4.3 389 2818 and stringers = 5-7%, blebby in HI Gal = locally 5-15%, trace-0.5% 165561 171.06 172.83 1.77 0.15 4.3 389 2818 local Cpy blebs. Suspect, very questionable Au right adjacent to Cpy at 165.39. Also at 165.39 is an anomalously high Gal (40% of HI) patch. 14 14 14 14 14 14 14 14 14 14 15 15 16 16 16 17 16 15 16 16 16 16 16 16 16 16 16 16 16 16 16 16 16 17 16 17 16 16 16 16 16 16 16 16 1 | | Majority of sulphide-bearing HI bear calcite instead o silica.~1% | 165558 | 168.36 | 168.96 | 0.60 | 2.36 | 106.7 | 63 | 53000 |
| sulphide interval from 168.97 to 170.07 Py is disseminated to 165560 170.06 171.06 1.00 4.65 98.7 596 45000 blebby and in stringers = 15-20% and Sph = disseminated, blebby 165561 171.06 172.83 1.77 0.15 4.3 389 2818 and stringers = 5-7%, blebby in HI Gal = locally 5-15%, trace-0.5% 165561 171.06 172.83 1.77 0.15 4.3 389 2818 local Cpy blebs. Suspect, very questionable Au right adjacent to Cpy at 165.39. Also at 165.39 is an anomalously high Gal (40% of HI) patch. If the second secon | | calcite stringers and 2-3% silica veinlets. Excluding massive | 165559 | 168.96 | 170.06 | 1.10 | 7.05 | 31.1 | 116 | 15900 |
| blebby and in stringers = 15-20% and Sph = disseminated, blebby and stringers = 5-7%, blebby in HI Gal = locally 5-15%, trace-0.5% local Cpy blebs. Suspect, very questionable Au right adjacent to Cpy at 165.39. Also at 165.39 is an anomalously high Gal (40% of HI) patch. @ 165.27 is a Gal dominant HI UCA 70, LCA ~30 ~ 50 mm wide. With Sph. Gal = ~30%, Sph = 30% 2-3% Cpy peripheral to this HI. 2-3% disseminated Py. @ 166.5 m is 60 TCA, 90mm true width, 95% Py with ~3-4% 1-4 mm wide envelope Sph. Note: another very similar | | sulphide interval from 168.97 to 170.07 Py is disseminated to | 165560 | 170.06 | 171.06 | 1.00 | 4.65 | 98.7 | 596 | 45000 |
| and stringers = 5-7%, blebby in HI Gal = locally 5-15%, trace-0.5% local Cpy blebs. Suspect, very questionable Au right adjacent to Cpy at 165.39. Also at 165.39 is an anomalously high Gal (40% of HI) patch. @ 165.27 is a Gal dominant HI UCA 70, LCA ~30 ~ 50 mm wide. With Sph. Gal = ~30%, Sph = 30% 2-3% Cpy peripheral to this HI. 2-3% disseminated Py. @ 166.5 m is 60 TCA, 90mm true width, 95% Py with ~3-4% 1-4 mm wide envelope Sph. Note: another very similar | | blebby and in stringers = 15-20% and Sph = disseminated, blebby | 165561 | 171.06 | 172.83 | 1.77 | 0.15 | 4.3 | 389 | 2818 |
| local Cpy blebs. Suspect, very questionable Au right adjacent to Cpy at 165.39. Also at 165.39 is an anomalously high Gal (40% of HI) patch. @ 165.27 is a Gal dominant HI UCA 70, LCA ~30 ~ 50 mm wide. With Sph. Gal = ~30%, Sph = 30% 2-3% Cpy peripheral to this HI. 2-3% disseminated Py. @ 166.5 m is 60 TCA, 90mm true width, 95% Py with ~3-4% 1-4 mm wide envelope Sph. Note: another very similar | | and stringers = 5-7%, blebby in HI Gal = locally 5-15%, trace-0.5% | | | | | | | | |
| Cpy at 165.39. Also at 165.39 is an anomalously high Gal (40% of HI) patch. @ 165.27 is a Gal dominant HI UCA 70, LCA ~30 ~ 50 mm wide. With Sph. Gal = ~30%, Sph = 30% 2-3% Cpy peripheral to this HI. 2-3% disseminated Py. @ 166.5 m is 60 TCA, 90mm true width, 95% Py with ~3-4% 1-4 mm wide envelope Sph. Note: another very similar | | local Cpy blebs. Suspect, very questionable Au right adjacent to | | | | | | | | |
| HI) patch. @ 165.27 is a Gal dominant HI UCA 70, LCA ~30 ~ 50 mm wide. With Sph. Gal = ~30%, Sph = 30% 2-3% Cpy peripheral to this HI. 2-3% disseminated Py. @ 166.5 m is 60 TCA, 90mm true width, 95% Py with ~3-4% 1-4 mm wide envelope Sph. Note: another very similar | | Cpy at 165.39. Also at 165.39 is an anomalously high Gal (40% of | | | | | | | | |
| @ 165.27 is a Gal dominant HI UCA 70, LCA ~30 ~ 50 mm wide. With Sph. Gal = ~30%, Sph = 30% 2-3% Cpy peripheral to this HI. 2-3% disseminated Py. @ 166.5 m is 60 TCA, 90mm true width, 95% Py with ~3-4% 1-4 mm wide envelope Sph. Note: another very similar | | HI) patch. | | | | | | | | |
| @ 165.27 is a Gal dominant HI UCA 70, LCA ~30 ~ 50 mm wide. With Sph. Gal = ~30%, Sph = 30% 2-3% Cpy peripheral to this HI. 2-3% disseminated Py. @ 166.5 m is 60 TCA, 90mm true width, 95% Py with ~3-4% 1-4 mm wide envelope Sph. Note: another very similar | | | | | | | | | | |
| With Sph. Gal = ~30%, Sph = 30% 2-3% Cpy peripheral to this HI. 2-3% disseminated Py. @ 166.5 m is 60 TCA, 90mm true width, 95% Py with ~3-4% 1-4 mm wide envelope Sph. Note: another very similar | | @ 165.27 is a Gal dominant HI UCA 70, LCA ~30 ~ 50 mm wide. | | | | | | | | |
| 2-3% disseminated Py. @ 166.5 m is 60 TCA, 90mm true width, 95% Py with ~3-4% 1-4 mm wide envelope Sph. Note: another very similar | | With Sph. Gal = \sim 30%, Sph = 30% 2-3% Cpy peripheral to this HI. | | | | | | | | |
| @ 166.5 m is 60 TCA, 90mm true width, 95% Py with ~3-4% 1-4 mm wide envelope Sph. Note: another very similar | | 2-3% disseminated Py. | | | | | | | | |
| mm wide envelope Sph. Note: another very similar | | @ 166.5 m is 60 TCA, 90mm true width, 95% Py with ~3-4% 1-4 | | | | | | | | |
| | | mm wide envelope Sph. Note: another very similar | | | | | | | | |

Page: 10 of 13 pages



| | То | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|---|------------|--------|--------|----------|------|--------|-----|------|
| From (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | mineralization ~ 100 mm downcore. Ange is obsecure. | | | | | | | | |
| | @ 168.97 to 170.07 is a massive sulphide ~ 85% Py, 5% stringer | | | | | | | | |
| | Sph, 10% interstitial calcite and wall rock. | | | | | | | | |
| | @ 168.41m, 50 TCA is beginning of significant mineralization | | | | | | | | |
| | zone fairly sharp and measurable. LCA is obsecure. (LCA of | | | | | | | | |
| | massive Py interval is roughly at a 20 TCA with a stepping | | | | | | | | |
| | nature.) | | | | | | | | |
| | From 171.07 to the end of this interval (172.83 is relatively | | | | | | | | |
| | unmineralized when compared to the rest of this unit).Py dissem | | | | | | | | |
| | = 4-5%. | | | | | | | | |
| 172.83 | 191.69 GREYWACKE (SANDSTONE) | 165562 | 172.83 | 174.27 | 1.44 | 0.16 | 20.5 | 101 | 949 |
| | Medium grey with pervasive coarse-grained to v.coarse-grained | 165563 | 174.27 | 174.91 | 0.64 | 4.56 | >200.0 | 847 | 9595 |
| | biotite disseminations (172.83 to 191.69) and then darker grey | 165564 | 174.91 | 177.00 | 2.09 | 0.15 | 5.1 | 147 | 1115 |
| | fine-grained and less abundant, pervasive biotite disseminations | 165565 | 177.00 | 179.00 | 2.00 | 0.15 | 3.0 | 115 | 390 |
| | (191.69 onwards) of which both slighly different appearing units | 165566 | 179.00 | 181.00 | 2.00 | 0.32 | 1.6 | 155 | 269 |
| | are greywacke. Mostly sandstone interbedded with | 165567 | 181.00 | 183.00 | 2.00 | 0.38 | 3.0 | 167 | 155 |
| | silt/mudstone. 0.5 to locally 15-20% disseminated and stringer P | / 165568 | 183.00 | 185.00 | 2.00 | 1.32 | 1.9 | 139 | 285 |
| | (with higher Py dissemination presence more proximal to | 165569 | 185.00 | 187.00 | 2.00 | 2.73 | 3.7 | 178 | 364 |
| | stringers) with average of ~ 4-5% Py. Trace Sericite on peripheral | 165570 | 187.00 | 189.00 | 2.00 | 8.93 | 10.0 | 331 | 3827 |
| | of silica stringers. 1-2% stringers are Ca+silica the start of this | 165571 | 189.00 | 191.00 | 2.00 | 1.25 | 5.4 | 209 | 346 |
| | interval to 196.02 m and then beyond, the stringers are all | | | | | | | | |
| | calcite. (veinlets, veins are mostly silica). | | | | | | | | |
| | From 174.27 to 174.91 is an interval with higher than background | Ŀ | | | | | | | |
| | Py in this interval, 20-25% stringers and blebby.LCA = 35 | | | | | | | | |
| | @174.91 | | | | | | | | |
| | @ 177.26 is a 45 TCA with a 30-40 mm wide silica dominant | | | | | | | | |
| | veinlet with some calcite with trace light green Sericite | | | | | | | | |
| | @ 178.13 is bedding at 45 TCA. | | | | | | | | |
| | @ 178.71 is 45 TCA 25-30 mm wide silica dominant veinlet with | | | | | | | | |
| | minor calcite with trace light green Sericite | | | | | | | | |
| | @ 195.54 m is a 25 TCA 30-40 mm wide Py with interstitial | | | | | | | | |

Page: 11 of 13 pages



| | То | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|--|--|---|---|--|--|--|---|---|
| From (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| From (m) | To (m)Descriptioncalcite.@ 200.26 m is a bedding plane with 55 TCA with interbedded coarse-grained sandstone with silt-mudstone.@ 209.11 is a 40 TCA ~ 40 wide silica veinlet with green carbonate.@ 211.33 m is a bedding plane 65 TCA comprised of medium- grained sand with silt-mudstone@ 211.8 with 70 TCA 30 mm with 1% blebby Cpy with 0.5% blebby magnetite within a stringer of green carbonate within the silca@ 215.12 is a bedding plane with interbedded med.grained sandstone with silt/mudstone.217.26m is a mainly silica veinlet TCA 45, 30 mm wide with a calcareous green bleb.@ 218.43 is a 45 TCA bedding plane highlighted by Py interbedded with siltstone/mudstone.247.14GREYWACKE (SILT/MUDSTONE INTERBEDDED WITH SANDSTONEMedium grey with pervasive coarse-grained to v.coarse-grained biotite disseminations (172.83 to 191.69) and then darker grey fine-grained and less abundant, pervasive biotite disseminations(191.69 onwards) of which both slighly different appearing units are greywacke. Mostly sandstone interbedded with silt/mudstone. 0.5 to locally 15-20% disseminated and stringer Py (with higher Py dissemination presence more proximal to stringers) with average of ~ 4-5% Py. Trace Sericite on peripheral of silica stringers 1-2% stringers are Caseling the start of this | Sample No. 165572 165573 165574 165575 165576 165576 165578 165579 165580 165581 165581 165581 | From (m) 191.00 193.00 195.00 195.00 201.00 203.00 205.00 205.00 205.00 205.00 205.00 | To (m) 193.00 195.00 197.00 199.00 201.00 203.00 205.00 207.00 207.00 207.00 209.00 211.00 | Interval (m) 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.0 | Au g/t 6.22 0.55 7.25 2.47 0.55 0.87 0.83 0.4 0.26 0.52 0.69 | Ag g/t 10.9 2.1 18.3 3.2 3.3 5.8 4.4 3.4 3.4 4.1 9 3 | Cu ppm 421 103 218 59 184 507 558 261 410 322 871 | Zn ppm 3339 357 1230 1946 457 533 183 352 744 1781 2475 |
| | interval to 196.02 m and then beyond the stringers are all | 165582 | 209.00 | 211.00 | 2.00 | 0.69 | 9.3 | 8/1 607 | 24/5 |
| | interval to 196.02 m and then beyond, the stringers are all | 165583 | 211.00 | 213.00 | 2.00 | 0.43 | 7.7 | 607 | 1507 |
| | calcite. (verniets, verns are mostly silica). | 165584 | 213.00 | 215.00 | 2.00 | 0.12 | 1.6 4.2 | 249 411 | 922 1233 |
| | @ 221.62 is a 50 TCA bedding plane interbedded with silt and | 165586 | 217.00 | 219.00 | 2.00 | 0.23 | 3.0 | 262 | 465 |
| | mudstone | 165587 | 219.00 | 221.00 | 2.00 | 0.08 | 3.4 | 216 | 1612 |

Page: 12 of 13 pages



| _ | | | | | | | | | GOLD | JUNPUNATIUI |
|----------|-----------------|--|------------|--------|--------|----------|-------|------|------|-------------|
| | То | | | From | То | Interval | Au | Ag | Cu | Zn |
| From (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | @ 228.18 is | a 55 TCA 35 mm wide calcite veinlet with a green | 165588 | 221.00 | 223.00 | 2.00 | 0.09 | 1.6 | 216 | 194 |
| | sericite with | a calcite. | 165589 | 223.00 | 225.00 | 2.00 | 0.13 | 1.0 | 188 | 111 |
| | @ 235.76 s | a 60 TCA bedding plane with feldspathic bedded with | 165590 | 225.00 | 227.00 | 2.00 | 0.17 | 0.8 | 198 | 93 |
| | mafics. | | 165591 | STD 12 | STD 12 | STD 12 | 0.25 | 2.9 | 2435 | 308 |
| | @ 233.88 to | o 235.13 is a mildly broken up zone. | 165592 | 227.00 | 229.00 | 2.00 | 0.34 | 0.5 | 216 | 72 |
| | 236.58 - 251 | 1.20 Elevated Py interval through disseminated blebs | 165593 | 229.00 | 231.00 | 2.00 | 0.05 | 0.6 | 156 | 72 |
| | and less so a | as a result of stringers. 236.58 to 240.28 is ~ 10-15% | 165594 | 231.00 | 233.00 | 2.00 | 0.44 | 4.2 | 422 | 1396 |
| | and from 24 | 0.28 to 251.2 is ~7-12% Py. Calcareous stringers and | 165595 | 233.00 | 235.00 | 2.00 | 0.05 | <0.2 | 204 | 113 |
| | matrix ~ 1%. | | 165596 | 235.00 | 237.00 | 2.00 | 0.05 | <0.2 | 318 | 163 |
| | | | 165597 | 237.00 | 239.00 | 2.00 | 0.08 | <0.2 | 178 | 122 |
| | | | 165598 | 239.00 | 241.00 | 2.00 | 0.74 | 1.0 | 539 | 158 |
| | | | 165599 | 241.00 | 243.00 | 2.00 | 0.22 | <0.2 | 438 | 137 |
| | | | 165600 | 243.00 | 245.00 | 2.00 | 0.34 | <0.2 | 585 | 175 |
| | | | 165601 | 245.00 | 247.00 | 2.00 | 0.38 | 0.6 | 589 | 148 |
| 247.14 | 249.84 | LITHIC GREYWACKE (BEARING FELDSPATHIC | 165602 | 247.00 | 249.00 | 2.00 | 2.81 | 0.8 | 735 | 78 |
| | | CLASTS) | | | | | | | | |
| | Bears large f | feldspathic clasts, 20-30 mm wide and > 50 mm long | | | | | | | | |
| | along with 0 | 0.5 to 1 mm clasts. This unit resembles the previous | | | | | | | | |
| | unit except f | for the large feldspathic clasts. | | | | | | | | |
| 249.84 | 273.00 | GREYWACKE (SILT/MUDSTONE INTERBEDDED | 165603 | 249.00 | 251.00 | 2.00 | 0.36 | 0.5 | 570 | 100 |
| | | WITH SANDSTONE | 165604 | 251.00 | 253.00 | 2.00 | 0.18 | <0.2 | 287 | 92 |
| | (Same unit a | as 191.69 to 247.1) From 249.41 the core gains a faint | 165605 | 253.00 | 255.00 | 2.00 | 0.05 | <0.2 | 213 | 96 |
| | green hue si | uggesting a pervasive weak sericitic alteration. This | 165606 | BLANK | BLANK | BLANK | <0.01 | 2.3 | <1 | 5 |
| | persists till E | OH. Alteration is stronger (moderate)closer to HI or | 165607 | 255.00 | 257.00 | 2.00 | 0.62 | <0.2 | 428 | 91 |
| | stringers. | | 165608 | 257.00 | 259.00 | 2.00 | 0.35 | 0.8 | 547 | 99 |
| | @ 256.36m | is a 70 TCA bedding plane highlighted by Py and | 165609 | 259.00 | 261.00 | 2.00 | 4.33 | 6.8 | 1570 | 205 |
| | silt/mudstor | ne planes | 165610 | 261.00 | 263.00 | 2.00 | 0.08 | <0.2 | 181 | 124 |
| | @ 260.44 is | a 35 TCA 40 mm wide mainly qtz veinlet with minor | 165611 | 263.00 | 265.00 | 2.00 | 0.06 | 0.2 | 147 | 162 |
| | calcite, 1% d | lissem. Py. | 165612 | 265.00 | 267.00 | 2.00 | 0.24 | 1.2 | 227 | 633 |
| | @ 265.23 is | a 110 mm true width HI with mainly qtz some minor | 165613 | 267.00 | 269.00 | 2.00 | 0.86 | <0.2 | 219 | 166 |
| | calcite with | blebby minor 1% Sph with disseminated Cpy 1% | 165614 | 269.00 | 270.48 | 1.48 | 0.67 | 1.3 | 420 | 676 |
| | patchy mode | erate green sericitic alteration. | 165615 | 270.48 | 271.21 | 0.73 | 2.43 | 9.3 | 573 | 8524 |
Page: 13 of 13 pages



| | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|----------------|---|------------|--------|--------|----------|------|-----|-----|------|
| From (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | @ 265.97 is i | rregular25-30 mm wide 50 TCA mainly qtz with | 165616 | 271.21 | 273.00 | 1.79 | 0.24 | 6.4 | 555 | 5473 |
| | patchy calcite | e veinlet with blebby 4-5% Pyrrhotite. | | | | | | | | |
| | @ 270.48 m | is a 30 TCA fault with 30 mm clay fault gouge | | | | | | | | |
| | breccia with 6 | 500 mm of broken core interval with an obsecure | | | | | | | | |
| | LCA with 25 n | nm clay fault gouge. | | | | | | | | |
| | | 273.0 m End of Hole | | | | | | | | |



Quality Assaying for over 35 Years

Metallic Assay Certificate

0S-0030-RM1

Company:Skyline Gold Corp.Project:BronsonAttn:Arnd Burgert

Jul-23-10

We *hereby certify* the following analysis of 11 core samples submitted Jun-21-10

| Sample | Wt Total | Wt +150 | +150 Au | -150 Au | Metallic Au | Net Au |
|--------|----------|---------|---------|---------|-------------|---------|
| Name | g | g | mg | g/tonne | g/tonne | g/tonne |
| 165455 | 990.6 | 31.5 | 0.059 | 2.00 | 0.06 | 2.00 |
| 165467 | 976.0 | 40.5 | 0.066 | 1.20 | 0.07 | 1.22 |
| 165468 | 986.9 | 35.8 | 0.045 | 1.15 | 0.05 | 1.15 |
| 165469 | 979.1 | 97.0 | 0.111 | 1.11 | 0.11 | 1.11 |
| 165474 | 832.7 | 60.7 | 15.782 | 13.79 | 18.95 | 31.74 |
| 165487 | 991.5 | 35.9 | 2.303 | 6.71 | 2.32 | 8.79 |
| 165515 | 973.5 | 57.6 | 0.141 | 1.03 | 0.14 | 1.11 |
| 165518 | 991.3 | 98.4 | 0.415 | 3.70 | 0.42 | 3.75 |
| 165524 | 975.3 | 41.1 | 0.318 | 3.50 | 0.33 | 3.68 |
| 165525 | 994.2 | 87.0 | 0.344 | 3.44 | 0.35 | 3.48 |
| 165527 | 983.7 | 48.5 | 0.386 | 2.37 | 0.39 | 2.65 |



Quality Assaying for over 35 Years

Metallic Assay Certificate

0S-0030-RM2

Jul-23-10

Company:Skyline Gold Corp.Project:BronsonAttn:Arnd Burgert

We *hereby certify* the following analysis of 11 core samples submitted Jun-21-10

| Sample Name | Wt Total | Wt +150 σ | +150 Au | -150 Au g/tonne | Metallic Au | Net Au g/tonne |
|----------------|----------|--------------|---------|--------------------|------------------|-------------------|
| 1.65500 | | | | B to line | 5 , tonne | B, toline |
| 165529 | 973.2 | 39.7 | 0.079 | 0.85 | 0.08 | 0.90 |
| 165530 | 990.8 | 32.2 | 0.057 | 1.03 | 0.06 | 1.05 |
| 165531 | 991.0 | 54.9 | 0.228 | 3.37 | 0.23 | 3.41 |
| 165532 | 982.7 | 69.5 | 0.334 | 0.78 | 0.34 | 1.07 |
| 165533 | 910.1 | 53.7 | 1.442 | 2.57 | 1.58 | 4.00 |
| 165534 | 953.3 | 61.7 | 0.258 | 1.26 | 0.27 | 1.45 |
| 165535 | 968.7 | 80.2 | 0.187 | 0.72 | 0.19 | 0.85 |
| 165546 | 931.3 | 88.7 | 0.828 | 4.60 | 0.89 | 5.05 |
| 165554 | 929.1 | 71.8 | 0.258 | 1.46 | 0.28 | 1.62 |
| 165555 | 923,9 | 73.9 | 1.562 | 1.54 | 1.69 | 3.11 |
| 165557 | 952,8 | 66.0 | 4.082 | 3,90 | 4.28 | 7.91 |

.....

Certified by_



Quality Assaying for over 35 Years

Metallic Assay Certificate

0S-0030-RM3

Jul-23-10

Company:Skyline Gold Corp.Project:BronsonAttn:Arnd Burgert

We *hereby certify* the following analysis of 11 core samples submitted Jun-21-10

| Sample | Wt Total | Wt +150 | +150 Au | -150 Au | Metallic Au | Net Au |
|--------|----------|---------|---------|---------|-------------|---------|
| Name | g | g | mg | g/tonne | g/tonne | g/tonne |
| 165558 | 944.0 | 79.2 | 0.886 | 1.55 | 0.94 | 2.36 |
| 165559 | 947.1 | 95.3 | 1.619 | 5.94 | 1.71 | 7.05 |
| 165560 | 957.8 | 75.3 | 2.928 | 1.73 | 3.06 | 4.65 |
| 165563 | 953.0 | 107.4 | 0.949 | 4.02 | 1.00 | 4.56 |
| 165568 | 939.9 | 43.0 | 0.142 | 1.23 | 0.15 | 1.32 |
| 165569 | 947.1 | 43.6 | 0.315 | 2.51 | 0.33 | 2.73 |
| 165570 | 922.0 | 45.2 | 1.174 | 8.05 | 1.27 | 8.93 |
| 165571 | 955.8 | 37.8 | 0.111 | 1.18 | 0.12 | 1.25 |
| 165572 | 951.0 | 57.4 | 1.519 | 4.92 | 1.60 | 6.22 |
| 165574 | 906.3 | 71.1 | 1.245 | 6.37 | 1.37 | 7.24 |
| 165575 | 911.8 | 62.1 | 0.654 | 1.88 | 0.72 | 2.47 |

Certified by___



Quality Assaying for over 35 Years

Metallic Assay Certificate

0S-0030-RM4

Jul-23-10

| Company: | Skyline Gold Corp. |
|----------|--------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

We *hereby certify* the following analysis of 4 core samples submitted Jun-21-10

| Sample | Wt Total | Wt +150 | +150 Au | -150 Au 🛛 🛛 | /Ietallic Au | Net Au |
|--------|----------|---------|---------|-------------|--------------|---------|
| Name | g | g | mg | g/tonne | g/tonne | g/tonne |
| 165602 | 897.1 | 71.4 | 0.324 | 2.66 | 0.36 | 2.81 |
| 165609 | 884.8 | 64.0 | 0.984 | 3.47 | 1.11 | 4.33 |
| 165615 | 858.7 | 59.0 | 0.236 | 2.31 | 0.27 | 2.43 |
| 165966 | 341.8 | 38.6 | 0.312 | 1.52 | 0.91 | 2.26 |
| | | | | | | |

Certified by_



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 0S0030RJ Date : Jul-23-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | AI | As | Ba B | e Bi | i Ca | Cd | Co | Cr | Cu | Fe | Hg | ĸ | La | Mg N | in Mo | Na | Ni | Р | Pb | S | Sb | Sc | Sr | Th | Ti | τι | U | v | w | Zn | Zr |
|--------|------|------|------|----------|-------|-------|-----|-----|-----|------|-------|-----|------|-----|-----------|----------|--------|-----|-------|------|--------|-------|-----|-----|-----|-------|-----|-----|-----|-----|--------|--------|
| Number | ppm | % | ppm | ppm ppr | n ppm | % | ppm | ppm | ppm | ppm | % | ppm | % | ppm | % pp | m ppm | % p | pm | % | ppm | % | ppm p | opm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm (| ppm |
| 165452 | 10.8 | 2.77 | 513 | 88 <0. | 5 14 | 1.01 | 12 | 8 | 75 | 1777 | 7.96 | 2 | 1.15 | <10 | 2.29 163 | 6 10 0 | 0.02 | 63 | 0.137 | 330 | 3.93 | 17 | 3 | 99 | <5 | 0.14 | <10 | 20 | 61 | 23 | 1509 | 3 |
| 165453 | 4.8 | 1.75 | 156 | 183 <0. | 59 | 1.39 | 6 | 9 | 39 | 434 | 4.64 | 1 | 1.17 | <10 | 1.51 228 | 39 5 (| 0.01 | 46 | 0.206 | 135 | 2.07 | 11 | 2 | 129 | <5 | 0.13 | <10 | 16 | 40 | 14 | 877 | 2 |
| 165454 | 3.9 | 1.10 | 148 | 171 <0. | 56 | 1.12 | 12 | 13 | 44 | 443 | 4.01 | 1 | 0.82 | <10 | 0.84 161 | 8 6 (| 0.01 | 41 | 0.177 | 120 | 2.34 | 11 | 2 | 96 | <5 | 0.07 | <10 | 13 | 26 | 15 | 976 | 2 |
| 165455 | 40.0 | 1.11 | 141 | 76 <0. | 5 32 | 2.27 | 27 | 33 | 50 | 2124 | 7.41 | .2 | 0.89 | <10 | 1.19 225 | 5 5 (| 0.01 | 36 | 0.157 | 1139 | 5.01 | 16 | 2 | 173 | <5 | 0.08 | <10 | 23 | 30 | 44 | 3201 | |
| 165456 | 15.5 | 1.23 | 123 | 158 <0. | 56 | 3.39 | 88 | 4 | 48 | 603 | 4.92 | 3 | 0.97 | <10 | 1.73 292 | 20 4 0 | 0.02 | 31 | 0.198 | 2578 | 3.13 | 15 | 2 | 213 | <5 | 0.10 | <10 | 19 | 34 | 156 | >10000 | 2 |
| 165457 | 4.7 | 1.31 | 176 | 150 <0. | 55 | 2.09 | 12 | 4 | 62 | 477 | 5.15 | 2 | 1.01 | <10 | 1.11 202 | .9 42 (| 0.01 | 84 | 0.152 | 346 | 3.02 | 15 | 2 | 168 | <5 | 0.11 | <10 | 17 | 34 | 23 | 1625 | 3 |
| 165458 | 35.8 | 1.53 | 113 | 105 <0. | 5 25 | 2.34 | 74 | 15 | 78 | 501 | 5.81 | 2 | 1.08 | <10 | 1.47 211 | .0 34 (| 0.01 | 106 | 0.126 | 4484 | 3.17 | 25 | 2 | 197 | <5 | 0.12 | <10 | 19 | 31 | 142 | >10000 | 4 |
| 165459 | 25.1 | 1.24 | 108 | 94 <0. | 5 11 | 2.71 | 211 | 23 | 49 | 631 | 5.24 | 3 | 0.87 | <10 | 1.28 243 | 9 9 1 | 0.01 | 80 | 0.147 | 3980 | 4.00 | 15 | 2 | 179 | <5 | 0.08 | <10 | 19 | 24 | 431 | >10000 | 3 |
| 165460 | 10.8 | 1.59 | 280 | 50 <0. | 5 23 | 1.49 | 71 | 55 | 77 | 363 | 10.49 | 1 | 0.71 | <10 | 1.33 177 | 5 4 (| 0.01 | 112 | 0.097 | 725 | 7.03 | 22 | 2 | 101 | < 5 | 0.08 | <10 | 29 | 30 | 126 | 9312 | 4 |
| 165461 | 10.8 | 1.90 | 285 | 56 <0. | 5 21 | 1.52 | 68 | 13 | 96 | 234 | 9.78 | <1 | 0.85 | <10 | 1.60 237 | 7 2 (| 0.01 | 79 | 0.108 | 1163 | 6.36 | 21 | 2 | 76 | <5 | 0.10 | 12 | 27 | 35 | 118 | 8888 | 4 |
| 165462 | 3.5 | 1.25 | 64 | 201 <0. | 58 | 0.65 | 4 | 14 | 64 | 3190 | 3.44 | <1 | 0.49 | 26 | 0.50 28 | 19 244 (| D.03 | 9 | 0.053 | 123 | 1.17 | 34 | 4 | 31 | 13 | 0.04 | 11 | <10 | 35 | 11 | 192 | 6 |
| 165463 | 4.8 | 2.64 | 98 | 123 <0. | 5 10 | 1.31 | 14 | 20 | 84 | 446 | 6.70 | 1 | 1.04 | 10 | 2.17 183 | 3 3 (| 0.02 | 83 | 0.146 | 184 | 2.97 | 16 | 2 | 93 | <5 | 0.12 | 10 | 17 | 40 | 26 | 1781 | 3 |
| 165464 | 2.5 | 2.54 | 108 | 149 <0. | 57 | 2.26 | 6 | 11 | 123 | 242 | 5.14 | 1 | 1.19 | <10 | 2.36 234 | 7 2 (| 0.02 1 | 138 | 0.141 | 231 | 1.62 | 14 | 2 | 170 | <5 | 0.14 | 11 | 18 | 42 | 13 | 728 | 2 |
| 165465 | 2.6 | 3.01 | 117 | 138 <0. | 56 | 2.71 | 10 | 9 | 174 | 203 | 5.86 | 1 | 1.16 | 11 | 3.08 297 | 9 2 (| 0.01 1 | 176 | 0.109 | 349 | 1.74 | 17 | 3 | 208 | <5 | 0.14 | 11 | 20 | 50 | 20 | 1273 | 2 |
| 165466 | 3.6 | 2.72 | 161 | 135 <0. | 57 | 1.60 | 7 | 12 | 180 | 397 | 6.09 | 1 | 1.16 | 12 | 2.44 225 | 3 20 | 0.01 1 | 190 | 0.123 | 343 | 2.53 | 19 | 3 | 119 | <5 | 0.15 | 12 | 19 | 51 | 17 | 974 | 3 |
| 165467 | 31.6 | 0.78 | 647 | 38 <0. | 5 51 | 0.43 | 36 | 29 | 91 | 2163 | 12.00 | 1 | 0.57 | 10 | 0.31 30 | 17 <2 (| D.01 1 | 120 | 0.134 | 1296 | 9 47 | 26 | 1 | 25 | ~5 | 0.03 | 10 | 74 | 71 | 53 | 4000 | c |
| 165468 | 31.8 | 0.61 | 978 | 36 <0. | 5 62 | 0.26 | 33 | 15 | 77 | 1622 | 13.82 | <1 | 0.45 | 15 | 0.17 7 | 4 <2 (| 0.01 1 | 125 | 0.126 | 1237 | >10.00 | 31 | 1 | 13 | ~5 | 0.03 | 11 | 24 | 17 | 22 | 3500 | 2 E |
| 165469 | 22.0 | 0.52 | 1071 | 34 <0. | 5 40 | 0.19 | 26 | 14 | 97 | 894 | 14.05 | 1 | 0.38 | <10 | 0.11 4 | 2 <2 (| 0.01 1 | 132 | 0.097 | 2263 | >10.00 | 36 | 1 | 10 | ~5 | 0.02 | <10 | 20 | 15 | 28 | 2645 | 5 |
| 165470 | 21.7 | 0.46 | 609 | 36 <0. | 5 20 | 0.35 | 140 | 7 | 60 | 983 | 8.05 | 1 | 0.34 | <10 | 0.15 28 | 6 <2 (| D.01 1 | 110 | 0.107 | 4429 | 7.02 | 25 | 1 | 16 | <5 | 0.01 | <10 | 18 | 11 | 270 | >10000 | 3 |
| 165471 | 1.8 | 0.03 | 13 | 17 <0. | 5 <5 | 24.11 | 1 | <1 | 5 | 5 | 0.07 | 7 | 0.03 | <10 | 11.70 4 | 7 <2 (| 0.01 | <1 | 0.025 | 12 | 0.60 | <5 | <1 | 131 | <5 | <0.01 | 11 | <10 | <1 | <10 | 38 | <1 |
| 165472 | 10.5 | 0.53 | 702 | 46 <0. | 5 21 | 0.24 | 18 | 7 | 71 | 653 | 8.17 | <1 | 0.38 | 14 | 0.11 4 | 2 <2 (| 0.01 1 | 133 | 0.115 | 893 | 6.98 | 21 | 1 | 15 | <5 | 0.01 | <10 | 13 | 13 | 29 | 1994 | 4 |
| 165473 | 55.9 | 0.79 | 547 | 47 <0. | 5 75 | 0.38 | 53 | 11 | 76 | 5859 | 8.53 | <1 | 0.53 | 11 | 0.34 43 | 1 <2 (| 0.01 1 | 122 | 0.117 | 1451 | 7.13 | 23 | 1 | 26 | <5 | 0.02 | <10 | 17 | 19 | 87 | 6702 | 4 |
| 165474 | 10.1 | 2.05 | 678 | 28 0. | 534 | 0.88 | 88 | 55 | 49 | 226 | 15.02 | <1 | 1.11 | <10 | 1.83 123 | 3 2 (| 0.01 | 67 | 0.122 | 487 | 8.73 | <5 | 2 | 59 | <5 | 0.12 | 13 | 21 | 72 | 97 | 8285 | 5 |
| 165475 | 4.8 | 0.92 | 162 | 122 <0. | 58 | 3.41 | 23 | 25 | 48 | 181 | 5.40 | <1 | 0.78 | <10 | 1 56 230 | 2 5 (| 0.01 | 95 | 0.143 | 397 | 3.42 | <5 | 1 | 249 | <5 | 0.06 | <10 | <10 | 27 | 25 | 2067 | 2 |
| 165476 | 2.6 | 0.74 | 71 | 112 <0. | 55 | 5.92 | 11 | 8 | 52 | 80 | 5.41 | 1 | 0.63 | <10 | 2.13 340 | 3 5 (| 0.01 | 37 | 0.156 | 170 | 2.83 | <5 | 2 | 466 | <5 | 0.04 | <10 | <10 | 28 | <10 | 316 | 3 |
| 165477 | 1.7 | 1.15 | 53 | 145 0. | 5 <5 | 5.31 | 10 | 15 | 26 | 149 | 4.80 | <1 | 0.98 | <10 | 2.09 2.58 | i0 5 (| 0.01 | 33 | 0.164 | 46 | 2.05 | <5 | 2 | 349 | <5 | 0.08 | <10 | <10 | 38 | <10 | 173 | 2 |
| 165478 | 1.8 | 0.83 | 54 | 144 <0.5 | 56 | 4.32 | 8 | 13 | 49 | 224 | 3.62 | 1 | 0.73 | <10 | 1.62 232 | 9 5 (| 0.01 | 47 | 0.124 | 66 | 1.45 | <5 | 1 | 329 | <5 | 0.05 | <10 | <10 | 24 | <10 | 189 | 2 |
| 165479 | 0.3 | 1.95 | 63 | 191 1.0 |) 8 | 2.34 | 8 | 18 | 29 | 103 | 5.68 | <1 | 1.32 | <10 | 1.88 144 | 7 2 (|).01 | 45 | 0.184 | 28 | 1.88 | <5 | 3 | 213 | <5 | 0.17 | 11 | <10 | 84 | <10 | 168 | 2 |
| 165480 | 0.3 | 2.00 | 51 | 219 1. | 19 | 2.51 | 9 | 17 | 39 | 89 | 5.53 | <1 | 1.42 | <10 | 1.95 150 | 8 3 (| 0.01 | 45 | 0.188 | 27 | 1.65 | <5 | 3 | 225 | <5 | 0.18 | 12 | <10 | 81 | <10 | 183 | 2 |
| 165481 | 2.1 | 2.56 | 191 | 32 0.1 | 7 11 | 0.95 | 16 | 51 | 52 | 428 | 14.95 | <1 | 0.99 | <10 | 2.01 84 | 4 3 (| 0.01 | 20 | 0.197 | 98 | 7.97 | <5 | 5 | 85 | <5 | 0.15 | 14 | 20 | 126 | 14 | 229 | 5 |

Signed:



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0030RJDate: Jul-23-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | Al % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Hg ppm | К % | La ppm | Mg Mn %ppm | Mo Na ppm % | Ni ppm | P % | Pb ppm | S % | Sb ppm | Sc ppm | Sr mqq | Th ppm | Ti % | IT maa | U maa | V maa | W maa | Zn pom g | Zr |
|------------------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|--------|-----------|---------------|----------------|-----------|--------|-----------|---------------|-----------|-----------|-----------|-----------|---------|-----------|----------|----------|----------|-------------|--------|
| 165493 | 0.7 | 3.04 | 40 | 102 | | | | 0 | 24 | ~ ~ | | | | | | | | | | | | | | | | | • | ., | | | | |
| 165492 | 0.7 | 3.04 | 48 | 102 | 1.8 | 14 | 1.03 | 9 | 24 | 31 | 235 | 8.55 | <1 | 2.03 | <10 | 2.16 1044 | 2 0.02 | 11 | 0.247 | 33 | 2.95 | <5 | 6 | 100 | <5 | 0.29 | 16 | <10 | 152 | 13 | 130 | 3 |
| 105405 | 2.2 | 1.35 | 10 | 49 | 0.9 | 10 | 0.71 | 9 | .34 | 48 | 384 | 8.72 | <1 | 1.19 | 10 | 0.74 606 | 8 0.02 | 21 | 0.191 | 54 | 5.16 | <5 | 3 | 71 | <5 | 0.16 | 12 | <10 | 82 | 11 | 133 | 3 |
| 105404 | 0.0 | 2.90 | 33 | 162 | 1.7 | 12 | 1.37 | 8 - | 21 | 37 | 163 | 7.54 | <1 | 1.93 | 11 | 2.50 1388 | 3 0.02 | 12 | 0.236 | 36 | 2.23 | <5 | 6 | 137 | <5 | 0.28 | 16 | <10 | 152 | 12 | 197 | 2 |
| 103403 | <0.2 | 2.05 | 42 | 344 | 1.6 | / | 2.59 | | 13 | 34 | 84 | 6.08 | <1 | 1.69 | 15 | 2.47 1413 | 3 0.03 | 6 | 0.214 | 25 | 1.01 | <5 | 6 | 242 | <5 | 0.24 | 15 | <10 | 138 | <10 | 137 | 2 |
| 103400 | 0.2 | 2.04 | 00 | 298 | 1.6 | 8 | 1.79 | | 23 | 36 | 137 | 6.20 | <1 | 1.66 | 12 | 2.33 1188 | 3 0.04 | 16 | 0.217 | 42 | 1.76 | <5 | 6 | 145 | <5 | 0.24 | 15 | <10 | 148 | <10 | 147 | 2 |
| 165487 | 1.3 | 3.06 | 160 | 110 | 1.5 | <5 | 3.45 | 8 | 36 | 48 | 251 | 8.06 | <1 | 1.52 | <10 | 3.16 1893 | 4 0.03 | 22 | 0.235 | 62 | 3.13 | <5 | 8 | 258 | <5 | 0.22 | 15 | <10 | 180 | 10 | 167 | 3 |
| 165488 | 1.0 | 3.12 | 138 | 231 | 1.2 | 10 | 3.84 | 7 | 40 | 56 | 160 | 7.05 | <1 | 1.14 | <10 | 3.75 2263 | 4 0.03 | 24 | 0.237 | 98 | 2.29 | <5 | 9 | 281 | <5 | 0.16 | 12 | <10 | 175 | 10 | 253 | 2 |
| 165489 | 0.2 | 3.40 | 36 | 219 | 1.2 | 9 | 3.57 | 6 | 20 | 63 | 109 | 5.80 | <1 | 1.10 | 10 | 4.12 1978 | 4 0.03 | 18 | 0.250 | 66 | 0.43 | <5 | 11 | 263 | <5 | 0.17 | 13 | <10 | 206 | 11 | 260 | 2 |
| 165490 | 1.4 | 3.12 | 107 | 189 | 1.0 | 11 | 2.91 | 8 | 26 | 52 | 200 | 7.34 | 1 | 0.90 | <10 | 3.74 1960 | 5 0.03 | 30 | 0.238 | 154 | 2.14 | <5 | 9 | 240 | <5 | 0.14 | 11 | <10 | 183 | 11 | 304 | 2 |
| 165491 | 4.5 | 1.99 | 186 | 79 | 0.5 | 10 | 0.77 | 24 | 43 | 48 | 413 | 7.81 | 1 | 0.83 | <10 | 1.63 1802 | 5 0.01 | 34 | 0.137 | 379 | 4.23 | <5 | 1 | 72 | <5 | 0.08 | <10 | <10 | 46 | 31 | 2373 | 3 |
| | | | | | | | | | | | | | | | | | | | | | | - | _ | . – | _ | | | | | *- | | 0 |
| 165492 | 6.3 | 3.69 | 471 | 124 | 0.6 | 12 | 1.16 | 75 | 35 | 33 | 254 | 9.20 | <1 | 0.86 | <10 | 3.26 2870 | 3 0.01 | 37 | 0.209 | 1370 | 3.14 | <5 | 5 | 131 | <5 | 0.10 | 10 | <10 | 116 | 102 | 8693 | 3 |
| 165493 | 2.4 | 2.29 | 89 | 170 | 1.4 | 7 | 2.04 | 5 | 31 | 75 | 155 | 5.81 | 2 | 2.04 | <10 | 2.58 2535 | 3 0.02 | 102 | 0.133 | 79 | 2.13 | <5 | 3 | 259 | <5 | 0.24 | 12 | <10 | 72 | <10 | 195 | 2 |
| 165494 | 2.1 | 2.33 | 61 | 390 | 1.6 | 6 | 1.98 | 9 | 26 | 95 | 99 | 5.05 | 1 | 2.05 | <10 | 2.55 2285 | 3 0.02 | 91 | 0.160 | 69 | 1.38 | <5 | 4 | 214 | <5 | 0.26 | 13 | <10 | 89 | 10 | 484 | 2 |
| 165495 | 2.2 | 2.12 | 140 | 232 | 1.3 | 10 | 2.38 | 11 | 25 | 107 | 148 | 5.69 | <1 | 1.73 | <10 | 2.41 2719 | 4 0.02 | 145 | 0.145 | 64 | 2.02 | <5 | 3 | 242 | <5 | 0.21 | 11 | <10 | 72 | 15 | 854 | 2 |
| 165496 | 18.1 | 2.42 | 214 | 156 | 1.2 | 12 | 2,42 | 8 | 36 | 86 | 2181 | 6.65 | 2 | 1.92 | <10 | 2.67 2498 | 3 0.01 | 130 | 0.130 | 120 | 2.53 | <5 | 3 | 276 | <5 | 0.21 | 11 | <10 | 70 | 14 | 518 | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165497 | 4.0 | 1.91 | 178 | 147 | 0.7 | 10 | 3.78 | 10 | 26 | 118 | 301 | 4.74 | 2 | 1.07 | <10 | 2.57 3817 | 5 0.01 | 160 | 0.119 | 211 | 0.99 | <5 | 3 | 358 | <5 | 0.10 | <10 | <10 | 47 | 13 | 861 | 2 |
| 165498 | 8.2 | 2.04 | 126 | 125 | 0.7 | 9 | 4.17 | 11 | 33 | 218 | 698 | 6.11 | <1 | 1.07 | <10 | 2.82 4560 | 6 0.01 | 271 | 0.062 | 246 | 1.59 | <5 | 3 | 409 | <5 | 0.11 | <10 | <10 | 42 | 16 | 814 | 2 |
| 165499 | 8.5 | 2.37 | 107 | 193 | 0.9 | 18 | 2.95 | 7 | 27 | 123 | 480 | 6.46 | 1 | 1.66 | <10 | 2.65 3469 | 16 0.01 | 123 | 0.090 | 358 | 1.71 | <5 | 3 | 312 | <5 | 0.16 | 10 | <10 | 54 | 12 | 396 | 3 |
| 165500 | 9.0 | 2.30 | 472 | 72 | 1.0 | 15 | 1.86 | 7 | 83 | 86 | 855 | 9.15 | 1 | 1.75 | <10 | 2.23 2582 | 19 0.01 | 134 | 0.103 | 184 | 4.34 | < 5 | 2 | 205 | <5 | 0.19 | 13 | <10 | 52 | 14 | 300 | 3 |
| 165501 | 2.4 | 1.97 | 111 | 367 | 1.2 | 7 | 2.44 | 3 | 32 | 71 | 81 | 4.55 | 1 | 1.76 | <10 | 2.16 2809 | 4 0.01 | 85 | 0.171 | 88 | 1.04 | <5 | 2 | 307 | <5 | 0.20 | 12 | <10 | 49 | <10 | 208 | 2 |
| 165502 | 2.7 | 1.23 | 33 | 216 | 0.6 | 6 | 0.99 | 4 | 24 | 72 | 2688 | 3.73 | <1 | 0.55 | 74 | 0.74 231 | 247 0 03 | Q | 0.060 | 55 | 1 80 | ~ 5 | 5 | 51 | 14 | 0.05 | ~10 | ~10 | 10 | 10 | 200 | |
| 165503 | 1.8 | 1.95 | 80 | 310 | 1.1 | 5 | 2.00 | 3 | 29 | 64 | 134 | 4.38 | 1 | 1.71 | <10 | 2.01 2275 | 4 0 01 | 67 | 0.000 | 81 | 1.00 | ~5 | 2 | 235 | -5 | 0.03 | 11 | <10 | 40 | -10 | 320 | 4 |
| 165504 | 7.6 | 2.69 | 191 | 86 | 1.3 | 15 | 1.41 | 10 | 41 | 110 | 1033 | 8.71 | 1 | 2.12 | <10 | 2.32 1731 | 5 0.01 | 120 | 0.160 | 176 | 1.00 7 0 7 | ~5 | 2 | 164 | ~5 | 0.10 | 15 | <10 | 4) 64 | 17 | 291 | 2 |
| 165505 | 2.3 | 2,21 | 106 | 130 | 1.1 | 8 | 1.78 | 14 | 47 | 85 | 262 | 6.34 | <1 | 1.99 | <10 | 2.26 1940 | 4 0.01 | 137 | 0 139 | 73 | 2 72 | ~5 | 2 | 255 | ~5 | 0.23 | 11 | ~10 | 57 | 10 | 000 | ა ი |
| 165506 | 2.7 | 2.03 | 67 | 387 | 1.2 | <5 | 2.27 | 4 | 18 | 83 | 247 | 4.13 | <1 | 1.82 | <10 | 2.30 2861 | 4 0.01 | 91 | 0.163 | 34 | 0.87 | <5 | 2 | 293 | <5 | 0.19 | 11 | <10 | 50 | <10 | 297 | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | - | 255 | - 2 | 0.10 | ~~ | -10 | 50 | ~10 | £.37 | 2 |
| 165507 | 4.8 | 2.43 | 193 | 168 | 1.3 | 8 | 2.36 | 5 | 42 | 128 | 531 | 6.31 | 2 | 2.18 | <10 | 2.62 2800 | 5 0.02 | 138 | 0.150 | 80 | 2.35 | <5 | 3 | 276 | <5 | 0.23 | 14 | <10 | 71 | 11 | 338 | 3 |
| 165508 | 2.4 | 2.97 | 177 | 343 | 1.5 | 8 | 2.49 | 5 | 37 | 236 | 193 | 6.31 | <1 | 2.12 | <10 | 3.65 2138 | 4 0.03 | 215 | 0.133 | 89 | 1.85 | <5 | 5 | 254 | <5 | 0.26 | 14 | <10 | 93 | 12 | 281 | 3 |
| 165509 | 0.8 | 2.44 | 114 | 323 | 1.1 | <5 | 3.74 | 3 | 19 | 210 | 52 | 4.57 | 3 | 1.46 | <10 | 3.60 2255 | 4 0.03 | 179 | 0.121 | 74 | 0.48 | < 5 | 4 | 376 | <5 | 0.17 | 10 | <10 | 79 | <10 | 191 | 2 |
| 165510 | 0.5 | 2.54 | 90 | 276 | 0.9 | 5 | 4.64 | 4 | 20 | 268 | 58 | 5.36 | <1 | 1.29 | <10 | 3.83 2296 | 4 0.03 | 233 | 0.106 | 53 | 0.67 | <5 | 5 | 400 | <5 | 0.16 | <10 | <10 | 84 | <10 | 143 | 2 |
| 165511 | <0.2 | 0.03 | <5 | 11 | <0.5 | <5 | 21.21 | <1 | <1 | 3 | <1 | 0.05 | 1 | 0.01 | <10 | 10.77 60 | 8 0.01 | 2 | 0.018 | <2 | 0.56 | <5 | <1 | 161 | <5 | <0.01 | <10 | <10 | 1 | <10 | <1 | <1 |

Signed:



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0030RJDate: Jul-23-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | AI % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Hg ppm | К % | La ppm | Mg Mn %ppm | Mo Na ppm % | Ni ppm | P % | Pb ppm | S % | Sb ppm | Sc ppm | Sr ppm | Th ppm | Ti % | Ti ppm | U pm p | V opm | W ppm | Zn ۱ ppm | Zr ppm |
|------------------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|--------|-----------|---------------|----------------|-----------|--------|-----------|--------|-----------|-----------|-----------|-----------|---------|-----------|-----------|----------|----------|-------------|-----------|
| 165512 | 0.9 | 2.37 | 145 | 275 | 1.0 | 6 | 4.03 | 4 | 22 | 215 | 143 | 5.93 | 2 | 1.33 | <10 | 3.61 2224 | 2 0.02 | 268 | 0.119 | 62 | 1.66 | <5 | 4 | 362 | <5 | 0.16 | 10 | <10 | 79 | <10 | 135 | 2 |
| 165513 | 1.1 | 1.68 | 89 | 297 | 1.0 | 6 | 3.60 | 2 | 19 | 107 | 89 | 3.57 | 1 | 1.43 | <10 | 2.74 2065 | 3 0.03 | 134 | 0.140 | 95 | 0.75 | <5 | 3 | 361 | <5 | 0.15 | <10 | <10 | 53 | <10 | 131 | 2 |
| 165514 | 1.5 | 1.50 | 166 | 162 | 0.6 | 7 | 3.69 | 2 | 20 | 92 | 118 | 3.70 | 1 | 1.09 | <10 | 2.37 2259 | 6 0.02 | 168 | 0.140 | 112 | 1.10 | <5 | 2 | 343 | <5 | 0.09 | <10 | <10 | 41 | <10 | 119 | 2 |
| 165515 | 31.6 | 1.29 | 425 | 38 | <0.5 | 38 | 2.21 | 207 | 47 | 57 | 1874 | 12.10 | 1 | 0.62 | <10 | 1.45 2746 | 6 0.01 | 64 | 0.095 | 2002 | 7.39 | <5 | 1 | 133 | <5 | 0.05 | <10 | 12 | 40 | 287 | >10000 | 4 |
| 165516 | 6.0 | 4.48 | 59 | 114 | 1.0 | 13 | 2.06 | 28 | 11 | 105 | 246 | 10.99 | 2 | 1.31 | <10 | 3.22 4025 | 4 0.01 | 38 | 0.121 | 1358 | 1.95 | <5 | 11 | 91 | <5 | 0.16 | 14 | <10 | 150 | 45 | 3542 | 3 |
| 165517 | 9.0 | 2.24 | 180 | 97 | <0.5 | 27 | 1.67 | 51 | 22 | 42 | 429 | 8.64 | 1 | 0.80 | 10 | 1.79 2494 | 4 0.01 | 29 | 0.132 | 785 | 3.97 | <5 | 2 | 88 | <5 | 0.07 | <10 | <10 | 51 | 72 | 6231 | 3 |
| 165518 | 111.4 | 0.28 | 2001 | 25 | <0.5 | 133 | 2.71 | 204 | 27 | 80 | 925 | 24.14 | 4 | 0.22 | <10 | 0.40 1848 | 4 0.01 | 15 | 0.054 | 4418 | >10.00 | <5 | <1 | 118 | <5 | 0.01 | 12 | 30 | 32 | 207 | >10000 | 8 |
| 165519 | 36.9 | 0.30 | 350 | 45 | <0.5 | 36 | 1.57 | 590 | 24 | 64 | 821 | 6.65 | 3 | 0.25 | <10 | 0.43 2297 | <2 0.01 | 17 | 0.071 | 2756 | 8.65 | 20 | 1 | 54 | <5 | 0.01 | <10 | 28 | 9 | 1246 | >10000 | 4 |
| 165520 | 43.0 | 0.36 | 255 | 55 | <0.5 | 23 | 6.28 | 614 | 10 | 63 | 910 | 8.47 | 5 | 0.34 | <10 | 2.09 8145 | 2 0.02 | 33 | 0.073 | 4912 | 8.25 | 34 | 1 | 114 | <5 | 0.01 | <10 | 53 | 7 | 1231 | >10000 | 3 |
| 165521 | 9.0 | 0.88 | 237 | 86 | <0.5 | 10 | 1.72 | 212 | 16 | 41 | 355 | 5.62 | 1 | 0.56 | <10 | 0.84 2487 | <2 0.02 | 34 | 0.146 | 1147 | 5.93 | 15 | 1 | 49 | <5 | 0.04 | <10 | 21 | 18 | 403 | >10000 | 3 |
| 165522 | 4.9 | 1.04 | 227 | 83 | <0.5 | 9 | 1.66 | 50 | 14 | 60 | 321 | 6.02 | 1 | 0.56 | <10 | 0.80 2085 | <2 0.02 | 34 | 0.078 | 635 | 4.51 | 15 | 1 | 61 | <5 | 0.04 | <10 | 19 | 16 | 86 | 6901 | 3 |
| 165523 | 6.5 | 0.97 | 339 | 74 | <0.5 | 8 | 1.48 | 88 | 13 | 39 | 204 | 5.12 | 1 | 0.53 | <10 | 0.60 1801 | <2 0.02 | 25 | 0.074 | 1103 | 4.01 | 13 | 1 | 58 | <5 | 0.04 | <10 | 17 | 13 | 163 | >10000 | 3 |
| 165524 | 25.3 | 1.08 | 210 | 56 | <0.5 | 21 | 2.01 | 171 | 140 | 53 | 312 | 8.53 | 2 | 0.49 | <10 | 0.76 2423 | <2 0.02 | 15 | 0.084 | 2850 | 7.06 | 22 | 1 | 73 | <5 | 0.04 | <10 | 30 | 22 | 339 | >10000 | 5 |
| 165525 | 9.1 | 3.00 | 100 | 54 | <0.5 | 20 | 0.79 | 11 | 191 | 27 | 452 | 11.48 | <1 | 0.90 | 12 | 1.90 1566 | <2 0.02 | 7 | 0.182 | 565 | 6.71 | 26 | 2 | 26 | <5 | 0.10 | 13 | 30 | 70 | 21 | 931 | 7 |
| 165526 | 7.4 | 1.76 | 593 | 111 | <0.5 | 12 | 1.49 | 6 | 36 | 32 | 788 | 6.07 | <1 | 0.87 | 10 | 1.08 1532 | <2 0.02 | 1 | 0.204 | 98 | 3.45 | 15 | 2 | 53 | <5 | 0.08 | 10 | 17 | 42 | 14 | 564 | 5 |
| 165527 | 10.4 | 2.33 | 1775 | 65 | <0.5 | 25 | 0.90 | 56 | 128 | 30 | 439 | 9.73 | <1 | 0.79 | 13 | 1.47 1300 | <2 0.02 | 4 | 0.159 | 641 | 6.51 | 25 | 2 | 32 | <5 | 0.08 | 12 | 25 | 56 | 85 | 5749 | 6 |
| 165528 | 8.8 | 2.60 | 695 | 90 | <0.5 | 18 | 0.87 | 25 | 49 | 46 | 537 | 8.01 | 1 | 0.87 | <10 | 1.48 1430 | <2 0.02 | 4 | 0.155 | 501 | 4.13 | 20 | 2 | 33 | <5 | 0.09 | 11 | 21 | 55 | 44 | 3152 | 5 |
| 165529 | 18.6 | 0.97 | 1147 | 61 | <0.5 | 31 | 1.16 | 22 | 53 | 42 | 812 | 7.45 | <1 | 0.61 | <10 | 0.53 1096 | <2 0.02 | <1 | 0.131 | 543 | 6.31 | 19 | 1 | 54 | <5 | 0.04 | <10 | 19 | 24 | 39 | 2850 | 5 |
| 165530 | 19.2 | 1.10 | 417 | 62 | <0.5 | 32 | 1.26 | 14 | 63 | 84 | 767 | 6.84 | 1 | 0.69 | <10 | 0.58 1223 | 3 0.02 | 3 | 0.140 | 546 | 5.80 | 20 | 1 | 61 | <5 | 0.05 | <10 | 20 | 28 | 26 | 1605 | 5 |
| 165531 | 37.4 | 0.46 | 706 | 37 | <0.5 | 55 | 0.66 | 32 | 185 | 70 | 2016 | 15.51 | 2 | 0.36 | <10 | 0.12 358 | <2 0.02 | 7 | 0.124 | 1649 : | >10.00 | 40 | 1 | 25 | <5 | 0.01 | <10 | 41 | 19 | 49 | 3372 | 8 |
| 165532 | 34.5 | 0.48 | 400 | 49 | <0.5 | 43 | 1.55 | 139 | 46 | 74 | 243 | 8.14 | 2 | 0.40 | <10 | 0.31 1238 | <2 0.02 | 3 | 0.105 | 5777 | 8.14 | 30 | i | 58 | <5 | 0.01 | <10 | 21 | 13 | 325 | >10000 | 5 |
| 165533 | 83.0 | 0.54 | 1910 | 41 | <0.5 | 84 | 2.12 | 708 | 66 | 50 | 1130 | 9.73 | 4 | 0.26 | <10 | 0.58 2120 | <2 0.01 | 2 | 0.042 | >10000 : | >10.00 | 50 | 1 | 90 | <5 | 0.01 | <10 | 36 | 13 | 1321 | >10000 | 5 |
| 165534 | 5.5 | 2.68 | 53 | 108 | <0.5 | 12 | 2.31 | 21 | 17 | 28 | 239 | 5.17 | 1 | 0.92 | 10 | 1.80 2285 | <2 0.02 | <1 | 0.153 | 426 | 1.68 | 13 | 2 | 99 | <5 | 0.09 | 10 | 17 | 51 | 39 | 2932 | 4 |
| 165535 | 2.9 | 2.53 | 27 | 127 | <0.5 | 7 | 1.61 | 12 | 8 | 16 | 143 | 3.94 | 1 | 0.85 | 10 | 1.53 1757 | <2 0.02 | 1 | 0.154 | 379 | 0.61 | 10 | 2 | 74 | <5 | 0.08 | <10 | 12 | 45 | 27 | 2013 | 4 |
| 165536 | 2.6 | 2.68 | 22 | 236 | <0.5 | <5 | 2.41 | 20 | 7 | 47 | 91 | 3.94 | 2 | 1.14 | <10 | 1.45 1950 | <2 0.02 | 7 | 0.146 | 682 | 0.81 | 13 | 2 | 138 | <5 | 0.08 | 10 | 12 | 51 | 38 | 2944 | 3 |
| 165537 | 4.3 | 2.48 | 49 | 124 | <0.5 | 6 | 2.88 | 29 | 7 | 92 | 178 | 4.37 | 2 | 0.89 | <10 | 1.66 2007 | <2 0.02 | 78 | 0.142 | 1566 | 0.97 | 16 | 2 | 174 | <5 | 0.09 | <10 | 16 | 46 | 53 | 4056 | 3 |
| 165538 | 3.8 | 2.68 | 97 | 166 | <0.5 | 7 | 3.14 | 26 | 9 | 71 | 179 | 4.69 | 2 | 0.97 | <10 | 1.73 2189 | <2 0.02 | 24 | 0.157 | 1037 | 1.65 | 16 | 3 | 191 | <5 | 0.09 | <10 | 15 | 57 | 44 | 3409 | 3 |
| 165539 | 3.1 | 2,47 | 119 | 155 | <0.5 | 6 | 2.34 | 4 | 16 | 26 | 295 | 5.14 | 2 | 0.89 | 10 | 1.56 1801 | 2 0.02 | 5 | 0.154 | 236 | 2.64 | 16 | 2 | 151 | <5 | 0.09 | 10 | 15 | 53 | 11 | 501 | 4 |
| 165540 | 4.1 | 2.27 | 131 | 76 | <0.5 | 10 | 1.94 | 5 | 23 | 64 | 504 | 8.72 | <1 | 0.75 | <10 | 1.37 1356 | 27 0.02 | 42 | 0.152 | 224 | 4.29 | 20 | 2 | 105 | <5 | 0.07 | 10 | 18 | 60 | 11 | 441 | 7 |
| 165541 | 3.1 | 3.39 | 162 | 131 | <0.5 | 7 | 4.22 | 7 | 27 | 67 | 244 | 7.37 | 1 | 0.66 | <10 | 2.89 2008 | 4 0.01 | 51 | 0.140 | 295 | 2.06 | 19 | 5 | 238 | <5 | 0.07 | 10 | 16 | 92 | 16 | 925 | 4 |

Signed:



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 0S0030RJ Date : Jul-23-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | Al % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Hg ppm | K % | La ppm | Mg % (| Mn ppm | Mo Na ppm % | a Ni 6 ppm | P % | Pb ppm | S % | Sb ppm | Sc ppm | Sr ppm | Th ppm | Ti % | Ti ppm | U ppm | V ppm | W ppm | Zn ppm j | Zr ppm |
|------------------|-----------|---------|----------------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|--------|-----------|-----------|-----------|----------------|---------------|--------|-----------|--------|-----------|-----------|-----------|-----------|---------|-----------|----------|----------|----------|-------------|-----------|
| 165542 | 0.8 | 4.35 | 105 | 110 | <0.5 | 6 | 7.08 | <1 | 40 | 98 | 69 | 7.00 | 2 | 0.77 | <10 | 3.98 2 | 2701 | <2 0.02 | 2 61 | 0.095 | 94 | 0.66 | 18 | 8 | 401 | <5 | 0.10 | 11 | 17 | 110 | <10 | 239 | 3 |
| 165543 | 2.8 | 3.32 | 125 | 132 | <0.5 | 6 | 2.60 | 7 | 24 | 25 | 131 | 6.23 | <1 | 0.65 | 10 | 2.55 1 | 1767 | <2 0.01 | L 16 | 0.154 | 636 | 1.12 | 16 | 3 | 135 | <5 | 0.06 | <10 | 12 | 62 | 18 | 1186 | 3 |
| 165544 | 55.4 | 1.25 | 5530 | 54 | <0.5 | 23 | 2.78 | 449 | 29 | 60 | 388 | 5.26 | 1 | 0.38 | <10 | 1.01 | 1967 | 3 0.01 | L 1 | 0.051 | >10000 | 5.28 | 58 | 2 | 200 | < 5 | 0.03 | <10 | 19 | 19 | 791 | >10000 | 3 |
| 165545 | 29.1 | 2.69 | 158 | 116 | <0.5 | 9 | 5.51 | 108 | 48 | 71 | 200 | 6.44 | 1 | 0.83 | <10 | 2.51 2 | 2184 | <2 0.01 | L 40 | 0.055 | 9908 | 3.00 | 31 | 6 | 446 | <5 | 0.11 | <10 | 17 | 73 | 101 | >10000 | 2 |
| 165546 | 54.2 | 1.11 | 352 | 49 | <0.5 | 26 | 3.46 | 303 | 298 | 64 | 375 | 15.14 | 1 | 0.31 | <10 | 1.06 1 | 1344 | <2 0.01 | L 16 | 0.022 | >10000 | 9.97 | 51 | 2 | 248 | <5 | 0.04 | 11 | 36 | 33 | 473 | >10000 | 5 |
| 165547 | 2.1 | 4.47 | 115 | 123 | <0.5 | 9 | 6.34 | 8 | 61 | 110 | 93 | 8.22 | 2 | 0.72 | <10 | 4.56 1 | 1882 | <2 0.02 | 2 62 | 0.090 | 426 | 1.48 | 20 | 13 | 404 | <5 | 0.11 | <10 | 16 | 155 | 19 | 1235 | 3 |
| 165548 | 2.6 | 3.68 | 201 | 150 | <0.5 | 5 | 7.59 | 44 | 36 | 83 | 100 | 6.56 | 3 | 1.10 | <10 | 3.48 2 | 2700 | <2 0.01 | L 58 | 0.096 | 1088 | 1.00 | 18 | 9 | 522 | <5 | 0.14 | 11 | 17 | 112 | 72 | 5782 | 3 |
| 165549 | 10.4 | 1.63 | 382 | 100 | <0.5 | 9 | 3.07 | 100 | 22 | 57 | 182 | 5.95 | <1 | 0.74 | <10 | 1.53 1 | 1777 | <2 0.02 | 2 19 | 0.096 | 4262 | 3.04 | 24 | 2 | 196 | <5 | 0.06 | <10 | 17 | 38 | 156 | >10000 | 3 |
| 165550 | 3.5 | 0.31 | 62 | 69 | <0.5 | <5 | 14.41 | 5 | 11 | 42 | 55 | 6.72 | 5 | 0.18 | <10 | 4.58 7 | 7183 | <2 0.01 | L 7 | 0.028 | 113 | 0.84 | 17 | 7 | 1363 | <5 | 0.02 | <10 | 55 | 14 | <10 | 225 | 2 |
| 165551 | 3.8 | 1.91 | 71 | 181 | <0.5 | 8 | 0.79 | 5 | 16 | 282 | 3159 | 4.06 | <1 | 0.82 | 26 | 0.66 | 371 | 246 0.06 | 5 14 | 0.061 | 233 | 1.33 | 37 | 5 | 41 | 13 | 0.03 | 12 | <10 | 46 | 13 | 412 | 7 |
| 165552 | 0.3 | 3.13 | 115 | 265 | <0.5 | <5 | 7.25 | 1 | 44 | 92 | 47 | 6.53 | 2 | 1.66 | <10 | 3.89 2 | 2700 | <2 0.02 | 2 68 | 0.099 | 39 | 0.39 | 19 | 10 | 572 | <5 | 0.19 | 13 | 17 | 115 | <10 | 269 | 3 |
| 165553 | 2.7 | 2,78 | 101 | 272 | <0.5 | <5 | 7.22 | 7 | 38 | 68 | 59 | 6.39 | 3 | 1.53 | <10 | 3.52 3 | 3140 | <2 0.01 | L 65 | 0.095 | 1083 | 0.49 | 32 | 9 | 545 | <5 | 0.17 | 13 | 19 | 105 | 15 | 980 | 3 |
| 165554 | 13.3 | 1.30 | 654 | 58 | <0.5 | 18 | 1.99 | 90 | 48 | 69 | 316 | 8.63 | <1 | 1.02 | 12 | 1.09 1 | 1394 | 2 0.01 | l 12 | 0.100 | 4004 | 5.78 | 20 | 2 | 158 | <5 | 0.10 | 11 | 19 | 36 | 157 | >10000 | 4 |
| 165555 | 97.1 | 1.41 | 163 | 31 | <0.5 | 28 | 1.35 | 689 | 107 | 39 | 473 | 10.00 | <1 | 0.59 | <10 | 1.20 2 | 2008 | 2 0.01 | l <1 | 0.091 | >10000 | 8.88 | 76 | 1 | 113 | <5 | 0.06 | 10 | 31 | 29 | 1202 | >10000 | 5 |
| 165556 | 2.0 | 0.04 | 10 | 12 | <0.5 | <5 | 21.91 | 2 | 1 | 6 | 4 | 0.10 | 5 | 0.05 | <10 | 11.98 | 60 | <2 0.01 | l <1 | 0.024 | 10 | 0.59 | <5 | <1 | 126 | <5 | <0.01 | 11 | <10 | <1 | <10 | 15 | <1 |
| 165557 | 14.2 | 1.34 | 104 | 84 | <0.5 | 14 | 2.07 | 66 | 49 | 30 | 162 | 6.66 | <1 | 1.08 | 24 | 1.41 2 | 2066 | <2 0.01 | 1 11 | 0.152 | 3819 | 4.06 | 15 | 2 | 183 | <5 | 0.11 | 14 | 14 | 47 | 111 | 8991 | 4 |
| 165558 | 106.7 | 0.45 | 465 | 35 | <0.5 | 21 | 1.39 | 400 | 211 | 44 | 63 | 12.66 | <1 | 0.39 | <10 | 0.52 1 | 1197 | 5 0.01 | · | 0.093 | >10000 | 9.88 | 96 | 1 | 100 | <5 | 0.02 | <10 | 30 | 15 | 625 | ×10000 | т 5 |
| 165559 | 31.1 | 0.19 | 1202 | 48 | <0.5 | 40 | 1.97 | 106 | 620 | 73 | 116 | 25.77 | <1 | 0.16 | <10 | 0.44 1 | 1465 | 2 0.01 | L <1 | 0.024 | 6713 | >10.00 | 57 | <1 | 106 | < 5 | 0.01 | 13 | 60 | 17 | 178 | >10000 | 2 |
| 165560 | 98.7 | 0.65 | 493 | 29 | < 0.5 | 37 | 2.64 | 301 | 82 | 38 | 596 | 8.88 | <1 | 0.52 | 10 | 0.85 2 | 2328 | 2 0.01 | . 6 | 0.059 | >10000 | 6.75 | 75 | 1 | 174 | <5 | 0.01 | <10 | 22 | 15 | 515 | >10000 | 4 |
| 165561 | 4.3 | 2.29 | 74 | 146 | <0.5 | 7 | 1.67 | 21 | 18 | 35 | 389 | 6.21 | <1 | 1.10 | 29 | 1.91 1 | 1614 | <2 0.01 | 6 | 0.149 | 445 | 2.12 | 14 | 3 | 131 | 5 | 0.12 | 15 | 10 | 65 | 36 | 2818 | 4 |
| 165562 | 20.5 | 3.43 | 106 | 178 | 0.7 | 41 | 4.64 | 8 | 42 | 80 | 101 | 6.59 | 2 | 1.26 | <10 | 3.50 2 | 2573 | <2 0.01 | 58 | 0.083 | 385 | 1.05 | <5 | 8 | 366 | <5 | 0.16 | 10 | <10 | 112 | <10 | 949 | 2 |
| 165563 | >200.0 | 3.23 | 633 | 38 | 0.5 | 1419 | 0.87 | 79 | 74 | 48 | 847 | 13.81 | <1 | 0.95 | 36 | 2.76 1 | 1344 | <2 0.01 | 10 | 0.078 | 3107 | 7.04 | 25 | 3 | 74 | <5 | 0.13 | 16 | <10 | 106 | 70 | 9595 | 6 |
| 165564 | 5.1 | 1.74 | 49 | 223 | 0.6 | 10 | 1.77 | 7 | 18 | 42 | 147 | 4.43 | 1 | 1.34 | 12 | 1.61 1 | l 594 | <2 0.05 | 5 11 | 0.100 | 284 | 2.00 | <5 | 2 | 188 | <5 | 0.12 | <10 | <10 | 53 | <10 | 1115 | 2 |
| 165565 | 3.0 | 1.39 | 2 6 | 214 | 0.5 | 7 | 2.31 | 1 | 8 | 24 | 115 | 2.79 | 1 | 1.12 | <10 | 1.22 1 | 1610 | <2 0.03 | 8 8 | 0.136 | 75 | 0.92 | <5 | 1 | 188 | <5 | 0.09 | <10 | <10 | 41 | <10 | 390 | 2 |
| 165566 | 1.6 | 1.63 | 26 | 259 | 0.7 | <5 | 2.83 | 1 | 11 | 31 | 155 | 3.31 | 1 | 1.32 | 11 | 1.47 1 | 1702 | <2 0.04 | 19 | 0.153 | 57 | 1.13 | <5 | 2 | 233 | <5 | 0.11 | <10 | <10 | 57 | <10 | 269 | 2 |
| 165567 | 3.0 | 1.82 | 19 | 254 | 0.9 | <5 | 2.95 | <1 | 11 | 19 | 167 | 3.72 | <1 | 1.52 | 22 | 1.78 1 | 1884 | <2 0.03 | 37 | 0.162 | 110 | 0.95 | <5 | 3 | 269 | <5 | 0.15 | 11 | <10 | 70 | <10 | 155 | 2 |
| 165568 | 1.9 | 1.68 | 42 | 237 | 0.8 | <5 | 2.88 | 2 | 18 | 33 | 139 | 4.54 | <1 | 1.32 | 59 | 1.47 1 | 1945 | <2 0.03 | 39 | 0.154 | 116 | 1.86 | <5 | 2 | 274 | 6 | 0.13 | 17 | <10 | 61 | <10 | 285 | 3 |
| 165569 | 3.7 | 2.54 | 108 | 173 | 0.8 | <5 | 3.12 | 3 | 22 | 30 | 178 | 6.03 | <1 | 1.23 | 36 | 2.57 2 | 2601 | <2 0.02 | 2 14 | 0.192 | 181 | 2.05 | <5 | 4 | 274 | 5 | 0.14 | 14 | <10 | 96 | <10 | 364 | 3 |
| 165570 | 10.0 | 3.60 | 213 | 115 | 0.6 | 10 | 2.17 | 35 | 41 | 42 | 331 | 9.11 | <1 | 0.88 | 35 | 3.01 2 | 2372 | <2 0.01 | . 22 | 0.191 | 674 | 3.46 | <5 | 4 | 156 | 5 | 0.11 | 13 | <10 | 110 | 25 | 3827 | 4 |
| 165571 | 5.4 | 2.25 | 160 | 140 | 0.7 | 6 | 1.56 | 3 | 27 | 43 | 209 | 6.45 | <1 | 1.17 | 35 | 1.73 2 | 2129 | 12 0.02 | 2 44 | 0.152 | 205 | 2.69 | <5 | 3 | 127 | 5 | 0.13 | 13 | <10 | 74 | <10 | 346 | 4 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed:



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0030RJDate: Jul-23-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | A | As | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Ha | к | La | Ma Mn | Mo Na | Ni | Р | Pb | S | Sh | Sc | Sr | Th | ті | т | U. | v | 107 | 7.0 | 71 |
|--------|------|------|-----|-------------|-------|-----|------|-----|-----|----------------|------|------|------------|------|-----|-----------|----------|-----|---------|------|------|-----|--------|-----------|-------------|------|------------|------------|----------|-----------|-----------|--------|
| Number | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | % | ppm | % ppm | ppm % | ppm | % | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm p | opm |
| 165572 | 10.9 | 3.51 | 183 | 77 | 1.0 | 13 | 2.71 | 26 | 51 | 94 | 421 | 9.27 | <1 | 1.58 | 17 | 2.87 2259 | 2 0.02 | 76 | 0.284 | 1072 | 3.77 | <5 | 6 | 193 | <5 | 0.21 | 13 | <10 | 137 | 21 | 3339 | 5 |
| 165573 | 2.1 | 3.15 | 45 | 368 | 1.4 | <5 | 3.88 | 3 | 19 | 61 | 103 | 6.20 | 1 | 1.97 | 17 | 3.05 2236 | <2 0.03 | 21 | 0.334 | 124 | 1.32 | <5 | 11 | 230 | < 5 | 0.26 | 14 | <10 | 189 | < 10 | 357 | 3 |
| 165574 | 18.3 | 3.94 | 132 | 142 | 1.2 | 29 | 3.32 | 11 | 48 | 88 | 218 | 8.52 | <1 | 1.66 | 23 | 3.39 2312 | <2 0.02 | 35 | 0.309 | 807 | 2 76 | < 5 | â | 174 | ~ 5 | 0.20 | 15 | ~10 | 185 | 12 | 1220 | ر ۲ |
| 165575 | 3.2 | 3.33 | 69 | 271 | 1.2 | <5 | 5.03 | 13 | 32 | 64 | 59 | 6.53 | 2 | 1.58 | 19 | 2.89 3270 | <2 0.03 | 35 | 0.280 | 605 | 1 49 | < 5 | 8 | 299 | < 5 | 0.22 | 14 | <10 | 165 | 14 | 1046 | 7 |
| 165576 | 3.3 | 2.86 | 57 | 361 | 1.3 | <5 | 3.61 | 2 | 22 | 93 | 184 | 5.82 | <1 | 2.07 | 18 | 2.18 2782 | <2 0.03 | 67 | 0.183 | 329 | 1.23 | <5 | 6 | 222 | <5 | 0.24 | 13 | <10 | 114 | <10 | 457 | 3 |
| 165577 | 5.8 | 2.05 | 100 | 159 | 0.9 | 8 | 3.00 | 3 | 24 | 143 | 507 | 5.52 | 2 | 1.71 | 12 | 1.52 1996 | 2 0.02 | 115 | 0.100 | 248 | 2.20 | <5 | 3 | 236 | <5 | 0.19 | 10 | <10 | 72 | <10 | 533 | 3 |
| 165578 | 4.4 | 2.10 | 88 | 75 | 0.9 | 6 | 2.49 | 3 | 32 | 55 | 558 | 6.77 | 1 | 1.87 | <10 | 1.53 1575 | <2 0.02 | 58 | 0.113 | 80 | 3.54 | <5 | 3 | 207 | <5 | 0.19 | <10 | <10 | 62 | <10 | 183 | 3 |
| 165579 | 3.4 | 1.88 | 97 | 109 | 1.0 | 5 | 2.88 | 2 | 25 | 64 | 261 | 5.76 | 1 | 1.67 | <10 | 1.39 1645 | <2 0.03 | 85 | 0.128 | 200 | 2.98 | <5 | 3 | 228 | <5 | 0.19 | <10 | <10 | 61 | <10 | 352 | 3 |
| 165580 | 3.4 | 2.49 | 56 | 241 | 0.9 | < S | 3.56 | 5 | 14 | 52 | 410 | 6.11 | 2 | 1.98 | <10 | 1.97 2037 | <2 0.02 | 44 | 0.107 | 143 | 2.14 | <5 | 3 | 343 | <5 | 0.18 | <10 | <10 | 65 | <10 | 744 | 3 |
| 165581 | 4.1 | 2.10 | 108 | 81 | 1.0 | 5 | 2.93 | 12 | 31 | 86 | 322 | 6.69 | 2 | 1.85 | <10 | 1.51 1687 | <2 0.03 | 96 | 0.129 | 335 | 3.77 | <5 | 3 | 237 | <5 | 0.20 | 10 | <10 | 64 | 12 | 1781 | 3 |
| 165582 | 9.3 | 2.16 | 145 | 60 | 0.9 | 10 | 2.72 | 20 | 30 | 73 | 871 | 7.67 | 2 | 1.88 | <10 | 1.65 1863 | <2 0.02 | 95 | 0.099 | 328 | 4.20 | <5 | 3 | 777 | < 5 | 0 17 | <10 | <10 | 55 | 17 | 2475 | 3 |
| 165583 | 7.7 | 2.13 | 105 | 116 | 1.0 | 11 | 3.01 | 11 | 29 | 70 | 607 | 6.40 | 1 | 1.87 | <10 | 1.46 1897 | 2 0.02 | 82 | 0.097 | 603 | 2.87 | <5 | 2 | 256 | <5 | 0.19 | <10 | <10 | 58 | 11 | 1507 | 7 |
| 165584 | 1.6 | 1.94 | 83 | 255 | <0.5 | 7 | 3.68 | 9 | 17 | 99 | 249 | 4.42 | 2 | 1.80 | <10 | 1.48 1661 | <2 0.02 | 90 | 0.149 | 26 | 1.69 | 12 | 4 | 292 | <5 | 0.23 | <10 | <10 | 62 | 14 | 922 | 2 |
| 165585 | 4.2 | 2.18 | 103 | 90 | <0.5 | 15 | 2.74 | 13 | 26 | 111 | 411 | 6.67 | <1 | 1.87 | <10 | 1.57 1421 | 2 0.02 | 139 | 0.153 | 159 | 3.35 | 15 | 4 | 240 | <5 | 0.20 | <10 | 15 | 60 | 10 | 1233 | 2 |
| 165586 | 3.0 | 1.76 | 63 | 225 | <0.5 | 9 | 2.94 | 4 | 13 | 59 | 262 | 4.54 | <1 | 1.54 | <10 | 1.26 1580 | 5 0.02 | 74 | 0.142 | 95 | 1.86 | 12 | 3 | 275 | <5 | 0.18 | <10 | <10 | 58 | <10 | 465 | 3 |
| 165587 | 3.4 | 1.99 | 98 | 248 | < 0.5 | g | 3.10 | 12 | 13 | 38 | 216 | 4 77 | <i>c</i> 1 | 1 74 | <10 | 1 63 1776 | 3 0 02 | 45 | 0 1 2 9 | 250 | 1 77 | | 2 | 707 | | 0.10 | | | | ~ ~ | | |
| 165588 | 1.6 | 1.67 | 83 | 221 | <0.5 | 8 | 3.11 | | 12 | 48 | 216 | 4 75 | -1 | 1 50 | ~10 | 1.05 1770 | 3 0.02 | 70 | 0.136 | 330 | 1.77 | 10 | 2 | 293 | < 5 | 0.19 | <10 | 10 | 49 | 21 | 1612 | 3 |
| 165589 | 1.0 | 1.64 | 67 | 195 | < 0.5 | 7 | 3.40 | 1 | 17 | 55 | 188 | 3 95 | <1 | 1.50 | <10 | 1.40 1555 | 3 0.02 | 70 | 0.139 | 17 | 1.72 | 10 | د | 204 | <0 | 0.19 | <10 | <10 | 52 | <10 | 194 | 2 |
| 165590 | 0.8 | 1.71 | 60 | 186 | < 0.5 | 7 | 4.25 | 1 | 11 | 57 | 198 | 3.69 | - 1 | 1 59 | <10 | 1 76 1848 | 3 0.03 | 60 | 0.130 | 17 | 1.31 | 10 | 7 | 237 | < 5 . (F | 0.20 | <10 | <10 | 22 | <10 | 111 | 2 |
| 165591 | 2.9 | 1.82 | 34 | 125 | <0.5 | 6 | 0.98 | 3 | 20 | 211 | 2435 | 3.45 | <1 | 0.75 | 24 | 0.74 245 | 233 0.05 | 11 | 0.067 | 58 | 1.80 | 16 | 4 6 | 269 52 | <5 14 | 0.21 | <10 <10 | <10 <10 | 52 46 | <10 11 | 93 308 | 2 5 |
| 165592 | 0.5 | 1.81 | 64 | 182 | <0.5 | 7 | 3.44 | 1 | 12 | 63 | 216 | 3.74 | <1 | 1.71 | <10 | 2.08 1239 | 3 0.03 | 68 | 0.147 | 8 | 1.17 | 10 | 4 | 233 | <5 | 0.21 | <10 | <10 | 63 | <10 | 72 | 7 |
| 165593 | 0.6 | 1.67 | 50 | 174 | <0.5 | 6 | 2.86 | 1 | 14 | 62 | 156 | 3.34 | <1 | 1.55 | <10 | 1.83 910 | 2 0.04 | 53 | 0.134 | 11 | 0.84 | 9 | 4 | 175 | <5 | 0.20 | <10 | <10 | 67 | <10 | 72 | 2 |
| 165594 | 4.2 | 2.67 | 73 | 2 72 | <0.5 | 12 | 3.43 | 13 | 23 | 58 | 422 | 5.95 | 1 | 2.45 | <10 | 2.20 1326 | 2 0.02 | 43 | 0.179 | 1250 | 2.25 | 15 | 5 | 273 | <5 | 0.29 | 10 | <10 | 115 | 20 | 1396 | 2 |
| 165595 | <0.2 | 3.17 | 53 | 360 | <0.5 | 8 | 3.69 | 1 | 20 | 78 | 204 | 5.91 | 1 | 2.20 | <10 | 3.99 1110 | 7 0.03 | 37 | 0.251 | 10 | 1.42 | 14 | 7 | 222 | < 5 | 0.27 | 11 | <10 | 143 | <10 | 113 | 3 |
| 165596 | <0.2 | 4.91 | 64 | 347 | <0.5 | 10 | 4.39 | 2 | 21 | 259 | 318 | 8.27 | 2 | 2.27 | <10 | 6.21 1341 | 6 0.02 | 75 | 0.266 | 5 | 1.58 | 22 | 20 | 332 | <5 | 0.29 | 12 | <10 | 248 | <10 | 163 | 4 |
| 165597 | <0.2 | 3.50 | 40 | 282 | <0.5 | 8 | 4.02 | 2 | 17 | 46 | 178 | 6.95 | 2 | 1.62 | <10 | 4.14 976 | <2 0.03 | 19 | 0.298 | 6 | 1.83 | 15 | 10 | 267 | <5 | 0.22 | 10 | <10 | 183 | <10 | 122 | 3 |
| 165598 | 1.0 | 3.60 | 51 | 59 | <0.5 | 12 | 3.18 | 4 | 59 | 39 | 539 | 9.42 | <1 | 1.97 | <10 | 3.32 770 | 2 0.04 | 23 | 0.331 | 18 | 4.34 | 18 | 10 | 197 | <5 | 0.30 | 13 | 10 | 231 | 10 | 158 | 4 |
| 165599 | <0.2 | 3.35 | 33 | 80 | <0.5 | 9 | 2.70 | 3 | 23 | 13 | 438 | 7.48 | <1 | 2.25 | <10 | 2.75 524 | 2 0.05 | 6 | 0.369 | 10 | 2.64 | 15 | 9 | 126 | <5 | 0.32 | 13 | <10 | 224 | <10 | 137 | 3 |
| 165600 | <0.2 | 3.99 | 40 | 74 | <0.5 | 12 | 2.98 | 4 | 30 | 13 | 585 | 9.39 | <1 | 2.25 | <10 | 3.20 736 | 2 0.04 | 9 | 0.338 | 10 | 3.66 | 18 | 11 | 118 | <5 | 0.32 | 14 | <10 | 280 | 10 | 175 | 5 |
| 165601 | 0.6 | 3.82 | 34 | 148 | <0.5 | 15 | 3.99 | 4 | 21 | 5 9 | 589 | 9.42 | 1 | 1.73 | <10 | 3.10 1065 | <2 0.04 | 17 | 0.312 | 11 | 3.26 | 19 | 15 | 163 | < 5 | 0.24 | 13 | <10 | 271 | 10 | 148 | 5 |

Page 5 of 7



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0030RJDate: Jul-23-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | AI % | As ppm | Ba ppm | Be Ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Hg ppm | K % | La ppm | Mg % | Mn ppm | Mo Na ppm % | a Ni Sppm | P % | Pb ppm | S % | Sb opm | Sc ppm | Sr ppm | Th ppm | Ti % | TI ppm | U ppm | V ppm | W ppm | Zn ppm (| Zr ppm |
|------------------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|--------|-----------|---------|-----------|----------------|--------------|--------|-----------|--------|-----------|-----------|-----------|-----------|---------|-----------|----------|----------|----------|-------------|-----------|
| 165602 | 0.8 | 2.69 | 40 | 62 | <0.5 | 15 | 2.92 | 6 | 25 | 33 | 735 | 9.75 | 1 | 1.76 | <10 | 1.66 | 718 | 14 0.03 | 19 | 0.272 | 12 | 4.58 | 19 | 8 | 158 | <5 | 0.24 | 11 | 10 | 232 | <10 | 78 | 6 |
| 165603 | 0.5 | 3.54 | 36 | 180 | <0.5 | 16 | 4.93 | 5 | 16 | 59 | 570 | 9.40 | 3 | 1.04 | <10 | 3.14 | 1246 | <2 0.04 | 21 | 0.300 | 10 | 3.31 | 20 | 15 | 220 | <5 | 0.15 | <10 | <10 | 280 | 13 | 100 | 4 |
| 165604 | <0.2 | 3.66 | 25 | 192 | <0.5 | 9 | 4.33 | 3 | 14 | 57 | 287 | 7.63 | 1 | 1.13 | <10 | 3.55 | 1158 | <2 0.03 | 24 | 0.297 | 3 | 1.78 | 15 | 16 | 181 | <5 | 0.16 | 10 | <10 | 249 | 10 | 92 | 3 |
| 165605 | <0.2 | 3.94 | 22 | 187 | <0.5 | 10 | 4.73 | 3 | 10 | 56 | 213 | 7.83 | 1 | 1.18 | 14 | 3.68 | 1270 | <2 0.03 | 20 | 0.304 | 3 | 1.28 | 16 | 17 | 214 | 5 | 0.17 | 11 | <10 | 245 | <10 | 96 | 3 |
| 165606 | 2.3 | 0.06 | 8 | 11 | <0.5 | <5 | 23.72 | <1 | 1 | 3 | <1 | 0.13 | 15 | 0.02 | <10 | 13.59 | 96 | <2 0.01 | <1 | 0.025 | <2 | 0.61 | <5 | <1 | 160 | <5 | <0.01 | <10 | <10 | 1 | <10 | 5 | <1 |
| 165607 | <0.2 | 4.50 | 41 | 115 | <0.5 | 17 | 4.32 | 5 | 18 | 98 | 428 | 12.37 | 3 | 0.69 | 15 | 3.85 | 1353 | <2 0.02 | 45 | 0.283 | 6 | 2.93 | 22 | 19 | 210 | 5 | 0.12 | 10 | <10 | 284 | 10 | 91 | 4 |
| 165608 | 0.8 | 4.30 | 36 | 143 | <0.5 | 15 | 5.66 | 4 | 22 | 279 | 547 | 10.98 | 5 | 1.06 | <10 | 5.05 | 1702 | <2 0.03 | 98 | 0.236 | 4 | 2.27 | 25 | 21 | 302 | <5 | 0.14 | <10 | 14 | 210 | 13 | 99 | 4 |
| 165609 | 6.8 | 4.41 | 72 | 170 | <0.5 | 17 | 5.61 | 6 | 77 | 257 | 1570 | 13.19 | 3 | 1.31 | 20 | 4.69 | 2203 | <2 0.01 | 75 | 0.228 | 12 | 3.41 | 27 | 17 | 431 | 5 | 0.17 | 12 | 19 | 205 | 16 | 205 | 5 |
| 165610 | <0.2 | 3.74 | 34 | 246 | <0.5 | 6 | 3.87 | 1 | 17 | 22 | 181 | 7.31 | 2 | 1.88 | 10 | 3.50 | 1288 | <2 0.03 | 5 | 0.287 | 5 | 0.91 | 15 | 8 | 213 | <5 | 0.23 | 11 | <10 | 170 | <10 | 124 | 3 |
| 165611 | 0.2 | 3.81 | 39 | 229 | <0.5 | 7 | 4.32 | 2 | 23 | 12 | 147 | 7.87 | 3 | 1.83 | <10 | 3.79 | 1529 | <2 0.03 | 4 | 0.309 | 14 | 0.94 | 13 | 6 | 254 | <5 | 0.22 | 10 | 11 | 150 | <10 | 162 | 3 |
| 165612 | 1.2 | 3.93 | 76 | 250 | <0.5 | 11 | 4.95 | 8 | 25 | 29 | 227 | 9.43 | 5 | 1.99 | <10 | 3.78 | 2325 | 2 0.03 | 9 | 0.302 | 178 | 1.55 | 20 | 8 | 353 | <5 | 0.24 | 11 | 15 | 172 | 14 | 633 | 3 |
| 165613 | <0.2 | 3.72 | 42 | 216 | <0.5 | 9 | 2.89 | 2 | 32 | 12 | 219 | 8.57 | 1 | 1.74 | <10 | 3.11 | 1401 | <2 0.03 | <1 | 0.342 | 14 | 1.67 | 16 | 8 | 225 | <5 | 0.21 | 11 | <10 | 186 | <10 | 166 | 3 |
| 165614 | 1.3 | 2.84 | 65 | 93 | <0.5 | 10 | 1.92 | 8 | 46 | 28 | 420 | 9.40 | <1 | 1,27 | <10 | 2.30 | 1346 | 6 0.03 | 21 | 0.274 | 265 | 4.03 | 19 | 7 | 180 | <5 | 0.15 | 10 | 14 | 138 | 15 | 676 | 4 |
| 165615 | 9.3 | 1.52 | 77 | 102 | <0.5 | 11 | 3.81 | 74 | 48 | 42 | 573 | 6.58 | 2 | 0.62 | <10 | 2.25 | 2148 | 2 0.02 | 59 | 0.146 | 2073 | 2.57 | 12 | 3 | 391 | <5 | 0.04 | <10 | 19 | 45 | 107 | 8524 | 3 |
| 165616 | 6.4 | 2.42 | 51 | 142 | <0.5 | 14 | 3.29 | 48 | 23 | 47 | 555 | 8.61 | 3 | 0.96 | <10 | 2.82 | 2205 | <2 0.02 | 30 | 0.218 | 941 | 2.73 | 15 | 6 | 378 | <5 | 0.09 | <10 | 20 | 108 | 71 | 5473 | 4 |
| 165951 | 0.7 | 2.97 | 71 | 56 | <0.5 | 8 | 0.84 | 6 | 32 | 34 | 325 | 10.00 | <1 | 2.73 | <10 | 2.03 | 956 | 3 0.03 | 7 | 0.248 | 78 | 4.57 | 18 | 6 | 70 | <5 | 0.36 | 14 | 11 | 138 | 11 | 248 | 4 |
| 165952 | <0.2 | 3.17 | 70 | 98 | <0.5 | 8 | 1.30 | 4 | 24 | 32 | 212 | 8.65 | <1 | 2.47 | 11 | 2.51 | 1323 | <2 0.03 | 11 | 0.264 | 32 | 3.38 | 16 | 8 | 105 | 5 | 0.32 | 14 | <10 | 153 | 11 | 184 | 3 |
| 165953 | <0.2 | 2.90 | 46 | 419 | <0.5 | 6 | 1.75 | 2 | 13 | 24 | 78 | 5.82 | <1 | 2.25 | 17 | 2.60 | 1578 | <2 0.03 | 3 | 0,258 | 28 | 0.89 | 14 | 8 | 154 | 5 | 0.28 | 16 | <10 | 158 | <10 | 221 | 2 |
| 165954 | <0.2 | 3.06 | 59 | 311 | <0.5 | 6 | 1.63 | 2 | 22 | 38 | 170 | 6.26 | <1 | 2.25 | 10 | 2.61 | 1437 | 3 0.04 | 20 | 0.208 | 37 | 1.36 | 16 | 6 | 128 | <5 | 0.28 | 12 | <10 | 137 | <10 | 223 | 3 |
| 165955 | <0.2 | 3.47 | 52 | 246 | <0.5 | 5 | 4.22 | 2 | 18 | 64 | 95 | 6.52 | 3 | 1.38 | 13 | 3.94 | 2460 | <2 0.03 | 15 | 0.258 | 70 | 0.82 | 12 | 13 | 286 | 5 | 0.20 | 12 | <10 | 227 | 12 | 294 | 3 |
| 165956 | 0.7 | 3.47 | 173 | 235 | <0.5 | 5 | 3.35 | 5 | 40 | 60 | 213 | 7.09 | 3 | 1.36 | <10 | 3.89 | 1883 | <2 0.03 | 18 | 0.251 | 114 | 2.29 | 17 | 12 | 223 | <5 | 0.18 | 10 | <10 | 195 | 11 | 291 | 3 |
| 165957 | <0.2 | 2.71 | 41 | 154 | <0.5 | <5 | 3.25 | 2 | 14 | 41 | 82 | 5.41 | 1 | 0.77 | 14 | 3.41 | 2086 | 3 0.04 | 13 | 0.239 | 169 | 0.59 | 10 | 9 | 231 | 5 | 0.13 | 10 | <10 | 165 | <10 | 323 | 2 |
| 165958 | 2.0 | 2.13 | 98 | 169 | <0.5 | 5 | 2.77 | 4 | 18 | 58 | 164 | 5.63 | 1 | 1.00 | <10 | 2.56 | 2620 | 2 0.03 | 37 | 0.183 | 306 | 2.05 | 13 | 5 | 225 | <5 | 0.12 | <10 | 14 | 86 | 11 | 304 | 2 |
| 165959 | 3.1 | 3.94 | 345 | 86 | <0.5 | 10 | 0.66 | 48 | 23 | 22 | 368 | 9.29 | <1 | 0.74 | <10 | 3.10 | 2931 | <2 0.01 | 7 | 0.231 | 414 | 3.38 | 21 | 5 | 40 | <5 | 0.08 | <10 | 22 | 111 | 69 | 5246 | 4 |
| 165960 | 1.5 | 2.00 | 68 | 246 | <0.5 | <5 | 1.50 | 3 | 13 | 59 | 129 | 4.15 | <1 | 1.78 | <10 | 1.81 | 3012 | <2 0.02 | 66 | 0.147 | 72 | 1.16 | 11 | 3 | 174 | <5 | 0.17 | <10 | 17 | 52 | <10 | 309 | 2 |
| 165961 | 1.0 | 2.11 | 60 | 321 | <0.5 | <5 | 1.86 | 4 | 21 | 87 | 102 | 4.08 | <1 | 2.23 | <10 | 2.19 | 2319 | <2 0.03 | 83 | 0.155 | 62 | 1.10 | 12 | 4 | 193 | <5 | 0.24 | <10 | 12 | 83 | <10 | 321 | 2 |
| 165962 | 2.5 | 1.90 | 70 | 315 | <0.5 | <5 | 2.46 | 2 | 21 | 62 | 297 | 4.24 | <1 | 1.75 | <10 | 2.55 | 2364 | <2 0.01 | 80 | 0.164 | 56 | 1.05 | 8 | 2 | 337 | <5 | 0.19 | <10 | 13 | 39 | <10 | 330 | 2 |
| 165963 | 1.8 | 2.83 | 116 | 385 | <0.5 | 7 | 1.92 | 1 | 24 | 107 | 170 | 6.24 | <1 | 2.46 | <10 | 2.77 | 3358 | <2 0.02 | 124 | 0.146 | 53 | 1.19 | 13 | 3 | 203 | <5 | 0.25 | <10 | 21 | 62 | <10 | 363 | 3 |
| 165964 | 7.1 | 3.14 | 152 | 165 | <0.5 | 10 | 1.99 | 7 | 35 | 166 | 731 | 7.61 | <1 | 2.66 | <10 | 3.04 | 3240 | <2 0.02 | 138 | 0.137 | 83 | 2.04 | 16 | 4 | 216 | <5 | 0.29 | 11 | 24 | 81 | 12 | 681 | 3 |
| 165965 | 2.0 | 2.76 | 94 | 193 | <0.5 | 5 | 2.13 | 1 | 22 | 156 | 196 | 6.44 | <1 | 2.49 | <10 | 3.29 | 2124 | <2 0.03 | 150 | 0.134 | 117 | 1.88 | 13 | 4 | 214 | <5 | 0.27 | <10 | 15 | 75 | <10 | 257 | 3 |

Page 6 of 7

Signed:



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0030RJDate: Jul-23-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | A % | l As ppm | Ba ppm | Be Born | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Hg ppm | k % | La ppm | Mg %p | Mn pm | Mo Na ppm % | a Ni Sippm | P % | Pb ppm | S % | Sb ppm | Sc ppm | Sr ppm | Th ppm | Ti % | TI ppm | U ppm | V ppm | W ppm | Zn ppm | Zr ppm |
|------------------|-----------|--------|-------------|-----------|------------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|--------|--------|---------------|----------|----------------|---------------|-------------------|-----------|--------|-----------|-----------|-----------|-----------|---------|-----------|----------|----------|----------|-----------|-----------|
| 165966 | 84.3 | 0.65 | 671 | 33 | <0.5 | 23 | 0.88 | 728 | 59 | 50 | 446 | 5.95 | 1 | 0.40 | <10 | 0.57 1 | 517 | 3 0.01 | <1 | 0.051 | >10000 | 8.80 | 60 | 1 | 114 | <5 | 0.04 | <10 | 23 | 25 | 1029 | >10000 | 4 |
| Duplicates: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165452 | 11.2 | 2.72 | 528 | 89 | < 0.5 | 14 | 1.01 | 13 | 8 | 76 | 1837 | 7.73 | 1 | 1.15 | <10 | 2.26 1 | 698 | 11 0.02 | 64 | 0.139 | 334 | 4 09 | 19 | 3 | 100 | <5 | 0.15 | <10 | 20 | 61 | 24 | 1565 | 2 |
| 165461 | 10.5 | 1.92 | 288 | 53 | <0.5 | 20 | 1.53 | 69 | 13 | 98 | 227 | 9.36 | 1 | 0.86 | <10 | 1.59 2 | 382 | 2 0.01 | 79 | 0.111 | 1168 | 6 25 | 20 | 2 | 77 | <5 | 0.10 | 11 | 30 | 35 | 110 | 9751 | ב ג |
| 165471 | 1.7 | 0.03 | 13 | 18 | < 0.5 | <5 | 24.87 | <1 | <1 | 5 | 4 | 0.07 | 8 | 0.03 | <10 | 12.11 | 48 | <2 0.01 | <1 | 0.025 | -100 | 0.60 | < 5 | <1 | 132 | <5 | <0.10 | 11 | <10 | -1 | <10 | 57.51 | -1 |
| 165474 | 11.0 | 2.08 | 654 | 31 | 0.5 | 25 | 0.86 | 79 | 54 | 51 | 235 | 14.87 | 1 | 1.11 | <10 | 1.79 1 | 238 | 3 0.01 | 65 | 0.119 | 473 | 8.80 | <5 | 2 | 59 | <5 | 0.12 | 13 | 19 | 74 | 95 | 8229 | 5 |
| 165483 | 2.3 | 1.43 | 63 | 47 | 0.9 | 11 | 0.72 | 8 | 36 | 52 | 406 | 8.84 | <1 | 1.24 | 10 | 0.77 | 641 | 9 0.02 | 22 | 0.198 | 62 | 5.31 | <5 | 3 | 75 | <5 | 0.17 | 12 | <10 | 86 | 11 | 150 | 3 |
| 165493 | 2.5 | 2.39 | 91 | 144 | 1.5 | 6 | 2.14 | 5 | 33 | 79 | 166 | 6.05 | <1 | 2.11 | <10 | 2.66 2 | 624 | 4 0.02 | 107 | 0.151 | 90 | 2.29 | <5 | 4 | 267 | <5 | 0.25 | 13 | <10 | 76 | 10 | 202 | 2 |
| 165496 | 18.5 | 2.43 | 214 | 156 | 1.3 | 18 | 2.50 | 8 | 37 | 90 | 2233 | 6.93 | <1 | 1,92 | <10 | 2.73 2 | 547 | 4 0.01 | 136 | 0.143 | 127 | 2.67 | <5 | 3 | 265 | <5 | 0.21 | 13 | <10 | 73 | 14 | 560 | 3 |
| 165505 | 2.3 | 2.11 | 96 | 116 | 1.0 | 7 | 1.70 | 14 | 44 | 83 | 246 | 6.13 | 1 | 1.90 | <10 | 2.16 1 | 867 | 3 0.01 | 131 | 0.132 | 65 | 2.61 | <5 | 2 | 236 | <5 | 0.19 | 11 | <10 | 51 | 15 | 933 | 2 |
| 165515 | 30.7 | 1.26 | 408 | 35 | <0.5 | 39 | 2.21 | 194 | 45 | 54 | 1818 | 11.93 | 1 | 0.60 | <10 | 1.48 2 | 664 | 6 0.01 | 60 | 0.092 | 1901 | 7.16 | <5 | 1 | 128 | <5 | 0.05 | <10 | 11 | 38 | 278 | >10000 | 4 |
| 165518 | 112.9 | 0.30 | 1949 | 22 | <0.5 | 126 | 2.45 | 205 | 27 | 90 | 948 | 23.34 | 4 | 0.23 | <10 | 0.39 1 | 795 | 5 0.01 | 14 | 0.054 | 4083 | >10.00 | <5 | <1 | 108 | <5 | 0.01 | 10 | 28 | 32 | 216 | >10000 | 8 |
| 165527 | 10.1 | 2.30 | 1590 | 65 | <0.5 | 28 | 0.85 | 51 | 120 | 28 | 428 | 9.13 | <1 | 0.85 | 12 | 1.31 1 | 231 | <2 0.02 | 3 | 0.151 | 627 | 5.90 | 24 | 2 | 30 | <5 | 0.08 | 11 | 24 | 52 | 80 | 5321 | 6 |
| 165537 | 4.6 | 2.48 | 49 | 132 | <0.5 | 7 | 2.77 | 29 | 8 | 96 | 181 | 4.29 | 2 | 0.92 | <10 | 1.61 2 | 04Z | <2 0.02 | 72 | 0.143 | 1564 | 0.97 | 17 | 2 | 175 | <5 | 0.09 | <10 | 14 | 49 | 52 | 3982 | 3 |
| 165540 | 4.2 | 1.95 | 131 | 73 | <0.5 | 11 | 1.68 | 5 | 23 | 66 | 498 | 7.89 | <1 | 0.69 | <10 | 1.23 1 | 321 | 27 0.01 | 42 | 0.153 | 212 | 4.27 | 20 | 2 | 101 | <5 | 0.06 | <10 | 17 | 60 | 11 | 440 | 7 |
| 165549 | 10.2 | 1.51 | 371 | 103 | <0.5 | 9 | 2.84 | 97 | 22 | 57 | 181 | 5.70 | <1 | 0.69 | <10 | 1.42 1 | 774 | <2 0.01 | 23 | 0.092 | 4133 | 2.97 | 24 | 2 | 190 | <5 | 0.06 | <10 | 16 | 38 | 151 | >10000 | 3 |
| 165559 | 35.1 | 0.19 | 1396 | 48 | <0.5 | 43 | 2.08 | 122 | 700 | 80 | 129 | 26.29 | 1 | 0.15 | <10 | 0.47 1 | 651 | <2 0.01 | <1 | 0.025 | 6864 | >10.00 | 64 | <1 | 120 | <5 | 0.01 | 13 | 67 | 14 | 204 | >10000 | 9 |
| 165562 | 20.6 | 3.48 | 105 | 176 | 0.7 | 38 | 4.75 | 7 | 42 | 79 | 96 | 6.67 | 2 | 1.26 | <10 | 3.53 2 | 601 | <2 0.02 | 58 | 0.083 | 354 | 1.03 | <5 | 8 | 369 | <5 | 0.16 | 10 | <10 | 112 | <10 | 927 | 2 |
| 165571 | 4.6 | 2.21 | 165 | 143 | 0.7 | 6 | 1.62 | 3 | 28 | 43 | 205 | 6.60 | <1 | 1.16 | 35 | 1.76 2 | 169 | 12 0.02 | 46 | 0.151 | 207 | 2.73 | <5 | 3 | 129 | 5 | 0.13 | 13 | <10 | 74 | <10 | 356 | 4 |
| 165581 | 4.3 | 2.06 | 108 | 95 | 1.0 | 6 | 2.96 | 12 | 31 | 86 | 320 | 6.73 | 1 | 1.81 | <10 | 1.49 1 | 706 | <2 0.03 | 97 | 0.126 | 340 | 3.75 | <5 | 3 | 233 | <5 | 0.19 | 10 | <10 | 64 | 13 | 1836 | 3 |
| 165584 | 1.5 | 1.98 | 81 | 258 | <0.5 | 8 | 3.74 | 9 | 17 | 100 | 246 | 4.56 | 1 | 1.80 | <10 | 1.51 1 | 659 | <2 0.02 | 91 | 0.146 | 27 | 1.70 | 12 | 4 | 289 | <5 | 0.23 | <10 | <10 | 62 | 14 | 937 | 2 |
| 165593 | 0.7 | 1.84 | 56 | 198 | <0.5 | 5 | 3.10 | <1 | 15 | 69 | 173 | 3.66 | <1 | 1.68 | <10 | 2.03 | 997 | 2 0.04 | 61 | 0.141 | 12 | 0.90 | 10 | 4 | 189 | <5 | 0.22 | <10 | <10 | 68 | <10 | 80 | 2 |
| 165603 | 0.5 | 3.62 | 37 | 183 | <0.5 | 16 | 5.15 | 4 | 16 | 60 | 572 | 9.41 | 3 | 1.05 | 10 | 3.20 1 | 250 | <2 0.04 | 20 | 0.297 | 10 | 3.35 | 19 | 16 | 224 | <5 | 0.17 | 10 | <10 | 262 | 12 | 100 | 4 |
| 165606 | 2.1 | 0.06 | 7 | 10 | < 0.5 | <5 | 19.84 | <1 | <1 | 3 | 1 | 0.10 | 15 | 0.04 | <10 | 11.14 | 86 | <2 0.01 | <1 | 0.024 | <2 | 0.51 | <5 | <1 | 139 | <5 | < 0.01 | <10 | <10 | 1 | <10 | 12 | <1 |
| 165615 | 9.5 | 1.44 | 73 | 105 | <0.5 | 14 | 3.36 | 73 | 46 | 43 | 579 | 6.17 | 2 | 0.60 | <10 | 2.01 2 | 130 | 2 0.02 | 61 | 0.156 | 2007 | 2.58 | 13 | 3 | 378 | <5 | 0.03 | <10 | 15 | 45 | 104 | 8460 | 3 |
| 165959 | 3.0 | 3.80 | 337 | 85 | <0.5 | 10 | 0.64 | 49 | 23 | 22 | 364 | 8.88 | <1 | 0.72 | <10 | 3.01 2 | 883 | <2 0.01 | 4 | 0.24 9 | 428 | 3.45 | 18 | 5 | 40 | <5 | 0.08 | <10 | 23 | 111 | 70 | 5407 | 4 |
| 165962 | 2.7 | 2.10 | 78 | 328 | <0.5 | 6 | 2.70 | 3 | 22 | 66 | 311 | 4.70 | <1 | 1.92 | <10 | 2.79 2 | 487 | 2 0.02 | 90 | 0.182 | 56 | 1.14 | 9 | 2 | 347 | <5 | 0.21 | <10 | 14 | 41 | <10 | 330 | 2 |
| Standards: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blank | <0.2 | <0.01 | <5 | <10 | < 0.5 | <5 | < 0.01 | <1 | <1 | <1 | <1 | 0.01 | <1 | < 0.01 | <10 | <0.01 | <5 | <2 0.01 | <1 | < 0.001 | <2 | < 0.01 | <5 | <1 | <1 | <5 | < 0.01 | <10 | <10 | <1 | <10 | <1 | <1 |
| CH-4 | 1.9 | 1.76 | 12 | 293 | 0.9 | <5 | 0.61 | 1 | 30 | 106 | 2080 | 4.78 | <1 | 1.40 | 13 | 1.20 | 337 | 3 0.05 | 53 | 0.071 | 11 | 0.56 | <5 | 7 | 8 | <5 | 0.19 | <10 | <10 | 81 | <10 | 207 | 10 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Page 7 of 7

Signed:



Quality Assaying for over 35 Years

Assay Certificate

Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

0S-0030-RA1

| Company: | Skyline Gold Corp |
|----------|-------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-23-10

We *hereby certify* the following assay of 22 core samples submitted Jun-21-10

| Sample | Au | Zn | Sample-wt | |
|-------------|---------|-------|-----------|---------------------------------------|
| Name | g/tonne | % | Kg | |
| 165452 | 0.42 | | 2.0 | |
| 165453 | 0.20 | | 2.0 | |
| 165454 | 0.14 | | 2.0 | |
| 165455 | 2.59 | | 2.0 | |
| 165456 | 0.17 | 1.22 | 2.0 | |
| 165457 | 0.12 | | 3.5 | |
| 165458 | 0.57 | 1.20 | 3.0 | |
| 165459 | 0.37 | 3.58 | 3.0 | |
| 165460 | 0.33 | | 3.0 | |
| 165461 | 0.35 | | 2.5 | |
| 165462 | 0.93 | | | · · · · · · · · · · · · · · · · · · · |
| 165463 | 0.30 | | 3.0 | |
| 165464 | 0.08 | | 2.0 | |
| 165465 | 0.05 | | 2.0 | |
| 165466 | 0.11 | | 3.5 | |
| 165467 | 1.31 | | 3.0 | ······ |
| 165468 | 1.15 | | 3.0 | |
| 165469 | 1.20 | | 3.0 | |
| 165470 | 0.37 | 2.13 | 2.0 | |
| 165471 | 0.01 | | 0.3 | |
| 165472 | 0.42 | | 3.0 | |
| 165473 | 0.84 | | 3.0 | |
| *DUP 165452 | 0.41 | | | |
| *DUP 165461 | 0.37 | | | |
| *DUP 165471 | 0.01 | | | |
| *0211 | 2.16 | | | |
| *ME-3 | | 0.84 | | |
| *BLANK | <0.01 | <0.01 | | |
| | | | | |

Au 50g F.A. AA finish.Zn A.R. Digest AA finish

Certified by____



Quality Assaying for over 35 Years

Assay Certificate

0S-0030-RA2

| Company: | Skyline Gold Corp. |
|----------|--------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-23-10

We *hereby certify* the following assay of 22 core samples submitted Jun-21-10

| Au | Sample-wt | | |
|---------|--|--|---|
| g/tonne | Kg | | |
| 27.1 | 3.0 | | |
| 0.18 | 2.0 | | |
| 0.10 | 3.0 | | |
| 0.08 | 2.0 | | |
| 0.07 | 2.0 | | |
| 0.04 | 2.0 | | |
| 0.03 | 2.0 | | |
| 0,36 | 2.0 | | |
| 0.07 | 5.0 | | |
| 0.20 | 5.0 | | |
| 0.06 | 5.0 | | |
| 0.04 | 5.0 | | |
| 0.21 | 5.0 | | |
| 5.46 | 6.0 | | |
| 0.09 | 5.0 | | |
| 0.02 | 5.0 | | |
| 0.09 | 6.0 | | |
| 0.22 | 4.0 | | |
| 0.23 | 5.0 | | |
| 0.10 | 6.0 | | |
| 0.08 | 4.0 | ··· | |
| 0.16 | 5.0 | | |
| 15.8 | | | |
| 0.18 | | | |
| 0.10 | | | |
| 2.13 | | | |
| <0.01 | | | |
| | Au $g/tonne$ 27.10.180.100.080.070.040.030.360.070.200.060.040.215.460.090.020.020.030.100.080.1615.80.180.102.13<0.01 | AuSample-wtg/tonneKg27.1 3.0 0.18 2.0 0.10 3.0 0.08 2.0 0.07 2.0 0.04 2.0 0.03 2.0 0.04 2.0 0.05 2.0 0.06 5.0 0.20 5.0 0.06 5.0 0.06 5.0 0.06 5.0 0.06 5.0 0.02 5.0 0.04 5.0 0.05 46 6.0 0.09 5.0 0.02 5.0 0.02 5.0 0.03 4.0 0.10 6.0 0.10 5.0 15.8 0.18 0.10 2.13 <0.01 | Au Sample-wt g/tonne Kg 27.1 3.0 0.18 2.0 0.10 3.0 0.08 2.0 0.07 2.0 0.03 2.0 0.04 2.0 0.05 2.0 0.04 2.0 0.05 2.0 0.06 5.0 0.20 5.0 0.06 5.0 0.06 5.0 0.21 5.0 0.22 5.0 0.09 6.0 0.22 4.0 0.23 5.0 0.10 6.0 0.23 5.0 0.10 6.0 0.12 5.0 0.16 5.0 15.8 0.18 0.10 2.13 <0.01 |

Au 50g F.A. AA finish.

Certified by_



Quality Assaying for over 35 Years

Assay Certificate

0S-0030-RA3

| Company: | Skyline Gold Corp. |
|----------|--------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-23-10

We *hereby certify* the following assay of 22 core samples submitted Jun-21-10

| Sample | Au | Sample-wt | Zn | |
|-------------|---------|-----------|-------|------------------------|
| Name | g/tonne | Kg | % | |
| 165496 | 0.66 | 5.0 | | |
| 165497 | 0.12 | 5.0 | | |
| 165498 | 0.30 | 3.0 | | |
| 165499 | 0.35 | 3.0 | | |
| 165500 | 0.56 | 3.0 | | |
| 165501 | 0.06 | 2.0 | | |
| 165502 | 0.31 | | | |
| 165503 | 0.05 | 2.5 | | |
| 165504 | 0.26 | 3.0 | | |
| 165505 | 0.11 | 5.0 | | |
| 165506 | 0.06 | 4.5 | | |
| 165507 | 0.15 | 5.0 | | |
| 165508 | 0.17 | 5.0 | | |
| 165509 | 0.02 | 5.0 | | |
| 165510 | 0.01 | 5.0 | | |
| 165511 | 0.03 | 0.3 | | |
| 165512 | 0.02 | 3.5 | | |
| 165513 | 0.02 | 4.0 | | |
| 165514 | 0.03 | 4.5 | | |
| 165515 | 1.20 | 4.0 | 2.79 | |
| 165516 | 0.04 | 4.0 | | · ·· ·· ·· ·· ·· ·· ·· |
| 165517 | 0.16 | 5.0 | | |
| *DUP 165496 | 0.60 | | | |
| *DUP 165505 | 0.10 | | | |
| *DUP 165515 | 0.96 | | | |
| *0211 | 2.12 | | | |
| *ME-3 | | | 0.84 | |
| *BLANK | <0.01 | | <0.01 | |
| | | | | |

Au 50g F.A. AA finish.Zn A.R. Digest AA finish



Quality Assaying for over 35 Years

Assay Certificate

0S-0030-RA4

Jul-23-10

Company:Skyline Gold Corp.Project:BronsonAttn:Arnd Burgert

We *hereby certify* the following assay of 22 core samples submitted Jun-21-10

| Sample | Au | Sample-wt | Pb | Zn | |
|-------------|---------|-----------|-------|-------|--|
| Name | g/tonne | Kg | % | % | |
| 165518 | 3.23 | 3.0 | | 2.40 | |
| 165519 | 0.95 | 1.5 | | 9.30 | |
| 165520 | 0.55 | 2.5 | | 9.80 | |
| 165521 | 0.25 | 2.0 | | 2.69 | |
| 165522 | 0.17 | 2.5 | | | |
| 165523 | 0.20 | 2.5 | | 1.29 | |
| 165524 | 3.00 | 3.5 | | 2.60 | |
| 165525 | 3.69 | 2.0 | | | |
| 165526 | 0.88 | 3.0 | | | |
| 165527 | 2.90 | 3.0 | | | |
| 165528 | 0.71 | 6.0 | | | |
| 165529 | 1.04 | 3.5 | | | |
| 165530 | 1.18 | 3.5 | | | |
| 165531 | 3.51 | 3.5 | | | |
| 165532 | 1.00 | 2.0 | | 2.36 | |
| 165533 | 3.21 | 1.0 | 1.92 | 10.9 | |
| 165534 | 1.54 | 2.0 | | | |
| 165535 | 1.54 | 3.5 | | | |
| 165536 | 0.17 | 5.0 | | | |
| 165537 | 0.09 | 6.0 | | | |
| 165538 | 0.07 | 6.0 | | | |
| 165539 | 0.12 | 6.0 | | | |
| *DUP 165518 | 3.86 | | | | |
| *DUP 165527 | 3.24 | | | | |
| *DUP 165537 | 0.11 | | | | |
| *0211 | 2.18 | | | | |
| *ME-3 | | | 2.80 | 0.90 | |
| *BLANK | <0.01 | | <0.01 | <0.01 | |
| | | | | | |

Au 50g F.A. AA finish.Pb,Zn A.R. Digest AA finish

Certified by_____



Quality Assaying for over 35 Years

Assay Certificate

Company:

Project:

Attn:

0S-0030-RA5

| Skyline Gold Corp. | |
|--------------------|--|
| Bronson | |
| Arnd Burgert | |

Jul-23-10

We *hereby certify* the following assay of 22 core samples submitted Jun-21-10

| Sample | Au | Sample-wt | Pb | Zn | |
|-------------|---------|-----------|-------|-----------------|--|
| Name | g/tonne | Kg | % | % | |
| 165540 | 0.07 | 6.0 | | | |
| 165541 | 0.11 | 6.0 | | | |
| 165542 | 0.05 | 6.0 | | | |
| 165543 | 0.07 | 4.5 | | | |
| 165544 | 0.67 | 4.0 | 1,85 | 6.80 | |
| 165545 | 0.18 | 1.0 | | 1.69 | |
| 165546 | 3.84 | 3.0 | 1.74 | 4.13 | |
| 165547 | 0.77 | 5.0 | | | |
| 165548 | 0.07 | 5.0 | | | |
| 165549 | 0.38 | 3.0 | | 1.26 | |
| 165550 | 0.55 | 2.0 | | · · · · <u></u> | |
| 165551 | 0.77 | | | | |
| 165552 | 0.03 | 6.5 | | | |
| 165553 | 0.04 | 2.0 | | | |
| 165554 | 2.35 | 1.5 | | 1.21 | |
| 165555 | 1.87 | 4,0 | 3.77 | 9.40 | |
| 165556 | 0.01 | 0.3 | | | |
| 165557 | 8.97 | 6.0 | | | |
| 165558 | 2.40 | 1.5 | 3.27 | 5.30 | |
| 165559 | 7.11 | 4.0 | | 1.59 | |
| 165560 | 2.00 | 3.0 | 2.70 | 4.50 | |
| 165561 | 0.15 | 4.5 | | | |
| *DUP 165540 | 0.16 | | | | |
| *DUP 165549 | 0.38 | | | | |
| *DUP 165559 | 7.28 | | | | |
| *0211 | 2.08 | | | | |
| *ME-3 | | | 2.80 | 0.84 | |
| *BLANK | <0.01 | | <0.01 | <0.01 | |
| | | | | | |

Au 50g F.A. AA finish.Pb,Zn A.R. Digest AA finish

Certified by_



Quality Assaying for over 35 Years

Assay Certificate

0S-0030-RA6

| Company: | Skyline Gold Corp. |
|----------|--------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-23-10

We *hereby certify* the following assay of 22 core samples submitted Jun-21-10

| Sample | Au | Sample-wt | |
|-------------|---------|-----------|--|
| Name | g/tonne | Kg | |
| 165562 | 0.16 | 5.0 | ······································ |
| 165563 | 4.26 | 1.5 | |
| 165564 | 0.15 | 6.0 | |
| 165565 | 0.15 | 5.0 | |
| 165566 | 0.32 | 5.0 | |
| 165567 | 0.38 | 6.0 | |
| 165568 | 1.45 | 5.0 | |
| 165569 | 1.84 | 4.5 | |
| 165570 | 9.34 | 6.0 | |
| 165571 | 1.08 | 4.0 | |
| 165572 | 7.18 | 5.5 | |
| 165573 | 0.55 | 5.5 | |
| 165574 | 7.86 | 5.0 | |
| 165575 | 2.13 | 4.0 | |
| 165576 | 0.55 | 6.0 | |
| 165577 | 0.87 | 4.5 | |
| 165578 | 0.83 | 4.5 | |
| 165579 | 0.40 | 3.0 | |
| 165580 | 0.26 | 3.0 | |
| 165581 | 0.52 | 5.0 | |
| 165582 | 0.69 | 4.5 | |
| 165583 | 0.43 | 5.0 | |
| *DUP 165562 | 0.17 | | |
| *DUP 165571 | 1.22 | | |
| *DUP 165581 | 0.70 | | |
| *0211 | 2.05 | | · · · · · · · · · · · · · · · · |
| *BLANK | <0.01 | | |
| | | | |

Au 50g F.A. AA finish.

Certified by__



Quality Assaying for over 35 Years

Assay Certificate

0S-0030-RA7

| Company: | Skyline Gold Corp. |
|----------|--------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-23-10

A

We *hereby certify* the following assay of 22 core samples submitted Jun-21-10

| Sample | Au | Sample-wt | |
|-------------|---------|-----------|---------------------------------------|
| Name | g/tonne | Kg | |
| 165584 | 0.12 | 5.0 | |
| 165585 | 0.25 | 4.5 | |
| 165586 | 0.09 | 5.0 | |
| 165587 | 0.08 | 5.0 | |
| 165588 | 0.09 | 4.5 | |
| 165589 | 0.13 | 5.0 | |
| 165590 | 0.17 | 5.0 | |
| 165591 | 0.19 | | |
| 165592 | 0.34 | 4.5 | |
| 165593 | 0.05 | 5.0 | |
| 165594 | 0.44 | 5.0 | |
| 165595 | 0.05 | 4.0 | |
| 165596 | 0.05 | 5.0 | |
| 165597 | 0.08 | 4.5 | |
| 165598 | 0.74 | 4.5 | · · · · · · · · · · · · · · · · · · · |
| 165599 | 0.22 | 6.0 | |
| 165600 | 0.34 | 6.0 | |
| 165601 | 0.38 | 5.0 | |
| 165602 | 2.47 | 4.5 | |
| 165603 | 0.36 | 4.0 | · · · · · · · · · · · · · · · · · · · |
| 165604 | 0.18 | 4.0 | |
| | 0.05 | 6.0 | |
| *DUP 165584 | 0.15 | | |
| *DUP 165595 | 0.08 | | |
| +0011 | | | |
| | | | |
| ^ BLANK | <0.01 | | |

Au 50g F.A. AA finish

Certified by____



Quality Assaying for over 35 Years

Assay Certificate

0S-0030-RA8

| Company: | Skyline Gold Corp. |
|----------|--------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-23-10

We hereby certify the following assay of 22 core samples submitted Jun-21-10

| Sample | Au | Sample-wt | |
|-------------|---------|-----------|--|
| Name | g/tonne | Kg | |
| 165606 | <0.01 | 0.3 | |
| 165607 | 0.62 | 5.0 | |
| 165608 | 0.35 | 5.0 | |
| 165609 | 4.04 | 5.0 | |
| 165610 | 0.08 | 5.0 | |
| 165611 | 0.06 | 5.0 | |
| 165612 | 0.24 | 5.0 | |
| 165613 | 0.86 | 6.0 | |
| 165614 | 0.67 | 3.0 | |
| 165615 | 2.33 | 2.0 | |
| 165616 | 0.24 | 3.0 | |
| 165951 | 0.18 | 6.5 | |
| 165952 | 0.07 | 6.0 | |
| 165953 | 0.04 | 5.0 | |
| 165954 | 0.06 | 5.0 | |
| 165955 | 0.04 | 5.0 | |
| 165956 | 0.12 | 5.0 | |
| 165957 | 0.02 | 5.0 | |
| 165958 | 0.08 | 5.0 | |
| 165959 | 0.28 | 5.0 | |
| 165960 | 0.12 | 4.0 | |
| 165961 | 0.05 | 5.0 | |
| *DUP 165606 | <0.01 | | |
| *DUP 165615 | 2.18 | | |
| *DUP 165959 | 0.24 | | |
| *0211 | 2.12 | | |
| *BLANK | <0.01 | | |

Au 50g F.A. AA finish.

Certified by___



Quality Assaying for over 35 Years

Assay Certificate

0S-0030-RA9

Jul-23-10

Company:Skyline Gold Corp.Project:BronsonAttn:Arnd Burgert

We *hereby certify* the following assay of 5 core samples submitted Jun-21-10

| Sample | Au | Sample-wt | Pb | Zn | |
|-------------|---------|-----------|-------|-------|--|
| Name | g/tonne | Kg | % | % | |
| 165962 | 0.08 | 5.0 | | | |
| 165963 | 0.04 | 4.0 | | | |
| 165964 | 0.13 | 5.0 | | | |
| 165965 | 0.05 | 5.0 | | | |
| 165966 | 2.07 | 0.7 | 3.51 | 8.50 | |
| *DUP 165962 | 0.07 | | | | |
| *0211 | 2.16 | | | | |
| *ME-3 | | | 2.80 | 0.92 | |
| *BLANK | <0.01 | | <0.01 | <0.01 | |

Au 50g F.A. AA finish.Pb,Zn A.R. Digest AA finish

Certified by_



DIAMOND DRILL HOLE LOG

| HOLE: | SK10-07 | CONTRACTOR: Driftwood Diamond Drilling Ltd. | | | | | | |
|--|--|---|---------------------|--|--|--|--|--|
| COLLAR COORDINATE Easting: Northing: | S UTM (NAD 83): 373543.1 6280826.2 | DATE STARTED: 19-Jun-10 | | | | | | |
| COLLAR COORDINATE Northing: Easting: | S MINE GRID: 11677 27368 | DATE COMPLETE | ED: 20-Jun-10 | | | | | |
| COLLAR ELEVATION: | 649.1m | CORE SIZE: NQ | | | | | | |
| FINAL DEPTH: | 207m | RIG: SRS 3000 Hydraulic | | | | | | |
| SURVEYS: | | | | | | | | |
| Depth | Azimuth | Inclination | Method | | | | | |
| 0 | 082.0 | -52.5 | compass, clinometer | | | | | |
| 12 | 081.9 | -51.4 | Reflex | | | | | |
| 108 | 086.4 | -55.2 | Reflex | | | | | |
| 207 | 089.1 | -57.8 | Reflex | | | | | |

Page: 2 of 19 pages



| | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|---------------|--|------------|--------|--------|----------|-------|-------|-------|-------|
| From (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| 0 | 8.29 | CASING | | | | | | | | |
| 8.29 | 59.72 | FELDSPATHIC GREYWACKE | 165937 | 8.29 | 9.29 | 1.00 | 0.19 | 6.2 | 175 | 540 |
| | Grey to ligh | t grey feldspathic greywacke with very local clastic | 165938 | 9.29 | 10.29 | 1.00 | 0.11 | 2.8 | 134 | 1139 |
| | feldspathic (| greywacke intervals. Short minor intervals of 2-3% | 165939 | 10.29 | 11.29 | 1.00 | 0.16 | 4.7 | 90 | 1777 |
| | disseminate | ed Py (10-20% of total interval) and 10-15% | 165940 | 11.29 | 12.75 | 1.46 | 0.10 | 4.4 | 211 | 690 |
| | disseminate | ed with locally semi-massive to massive Py +/- Cpy | 165941 | STD 13 | STD 13 | STD 13 | 1.03 | 3.3 | 3249 | 211 |
| | intervals. Sp | oh found periodicaly within HI or Py stringers | 165942 | 12.75 | 13.96 | 1.21 | 0.26 | 16.6 | 1361 | 1346 |
| | (sometimes | found been enveloped by Py in stringer, suggesting | 165943 | 13.96 | 15.00 | 1.04 | 0.14 | 7.9 | 211 | 4665 |
| | an earlier pl | hase than the Py. Some cross-cutting is visible at | 165944 | 15.00 | 16.16 | 1.16 | 0.08 | 6.2 | 272 | 3463 |
| | 27.62m, Py | growing over Sph). Pervasive moderate biotite | 165945 | 16.16 | 18.00 | 1.84 | 0.64 | 23.8 | 407 | 3600 |
| | ranging in si | ize from <0.25 mm to 1 mm. Biotite grain size is | 165946 | 18.00 | 19.00 | 1.00 | 0.08 | 22.3 | 691 | 20700 |
| | related to th | he overal grain size in that unit. (there are up to 1 mm | 165947 | 19.00 | 20.00 | 1.00 | 0.10 | 15.9 | 700 | 13600 |
| | biotite when | re c.g. sand/feldspars are). Biotite shapes range from | 165948 | 20.00 | 21.00 | 1.00 | 0.06 | 5.8 | 323 | 3518 |
| | laths, to nee | edles (suggesting it was originally hornblende) to | 165949 | 21.00 | 22.00 | 1.00 | 0.03 | 3.0 | 141 | 2082 |
| | small triang | les to irregular angular blebs. Some intervals are very | 165950 | 22.00 | 23.03 | 1.03 | 0.21 | 12.4 | 431 | 4270 |
| | siliceous sug | ggesting silicification. The top (8.29 m) to 18.6 m is | 166001 | 23.03 | 24.00 | 0.97 | 0.06 | 3.1 | 364 | 4258 |
| | frequently b | proken (as suggested by the presence of numerous | 166002 | 24.00 | 25.00 | 1.00 | 0.07 | 2.7 | 173 | 3661 |
| | faults) and f | fracture-controlled limonitization. Local Qtz-Sericite- | 166003 | 25.00 | 26.52 | 1.52 | 0.08 | 3.6 | 226 | 3590 |
| | Py alteration | n (Seri at ~50.5 to 55m) There are intervals that have | 166004 | 26.52 | 27.56 | 1.04 | 0.09 | 5.3 | 408 | 5269 |
| | been hydrot | thermally brecciated (see below, e.g. 34.56m to | 166005 | 27.56 | 30.00 | 2.44 | 0.70 | 19.5 | 1532 | 54600 |
| | 36.68m) | | 166006 | BLANK | BLANK | BLANK | <0.01 | <0.2 | 5 | 8 |
| | | | 166007 | 30.00 | 30.32 | 0.32 | 0.63 | 135.2 | 31400 | 3872 |
| | @ 9m is a 0 |)-5 TCA FAULT with undulating limonitized fracture | 166008 | 30.32 | 31.32 | 1.00 | 0.17 | 4.9 | 600 | 1435 |
| | with 1 mm f | fault gouge breccia. | 166009 | 31.32 | 32.32 | 1.00 | 0.08 | 2.4 | 268 | 1955 |
| | @ 9.53 is a | 40 TCA FAULT with faint slickendside and a veneer of | 166010 | 32.32 | 33.41 | 1.09 | 0.07 | 2.3 | 160 | 2716 |
| | limonitized | clay fault gouge breccia. | 166011 | 33.41 | 34.78 | 1.37 | 0.13 | 3.8 | 181 | 2636 |
| | @ 9.8 m is | a 20 TCA FAULT with limonitized clay fault gouge with | 166012 | 34.78 | 35.52 | 0.74 | 0.18 | 5.7 | 378 | 16100 |
| | slickensides | and 1% dissem Py. | 166013 | 35.52 | 36.52 | 1.00 | 0.16 | 3.2 | 323 | 1020 |
| | @ 10 m is a | a 10-15 TCA FAULT with 5 to 15 mm limonitized clay | 166014 | 36.52 | 37.52 | 1.00 | 0.18 | 3.1 | 552 | 1768 |
| | fault gouge | breccia. | 166015 | 37.52 | 38.42 | 0.90 | 0.09 | 1.8 | 249 | 216 |
| | @ 12.4 are | a few near parallel TCA fractured pieces with | 166016 | 38.42 | 38.72 | 0.30 | 12.18 | 5.6 | 588 | 194 |
| | limonite. So | ome coarse rock fragments are in the core box | 166017 | 38.72 | 40.00 | 1.28 | 0.11 | 2.2 | 347 | 4265 |

Page: 3 of 19 pages



| | | | | | | | | | UULD | OUTLI UTLATIO |
|----------|----------------------|---|------------|--------|--------|----------|-------|-------|-------|---------------|
| | То | | | From | То | Interval | Au | Ag | Cu | Zn |
| From (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | implying that t | here was some brecciation. Hence FAULT. | 166018 | 40.00 | 42.00 | 2.00 | 0.15 | 2.5 | 158 | 8108 |
| | @ 12.5, 12.53 | , 12.59 are 50, 20, 60 TCA limonitized with clay | 166019 | 42.00 | 44.00 | 2.00 | 0.17 | 8.2 | 150 | 3356 |
| | fault gouge br | eccia. | 166020 | 44.00 | 45.66 | 1.66 | 0.14 | 1.2 | 86 | 439 |
| | @ 13.96 is a H | II with 80-85% silica and ~10% Py and the rest as | 166021 | 45.66 | 46.62 | 0.96 | 0.37 | 3.9 | 457 | 3042 |
| | wall rock. Nea | r parallel TCA and 20 mm wide but discontinuous. | 166022 | 46.62 | 48.00 | 1.38 | 2.57 | 18.8 | 1481 | 2045 |
| | Continues for | \sim 50 cm and narrows. | 166023 | 48.00 | 48.77 | 0.77 | 4.80 | 41.3 | 1977 | 2616 |
| | @ 15.25 is a 2 | 0-25 stepping FAULT fracture with limonitized clay | 166024 | 48.77 | 49.38 | 0.61 | 1.12 | 8.6 | 664 | 1849 |
| | fault gouge - 1 | mm. | 166025 | 49.38 | 49.80 | 0.42 | 7.47 | 101.3 | 9186 | 3943 |
| | @ 16.26 m is | a 30-35 TCA 25-30 mm wide HI with Sph-8-10% | 166026 | 49.38 | 49.80 | DUP | 12.13 | 149.1 | 15400 | 4525 |
| | enveloped by | 10-15% Py on periphery all within a silica matrix. | 166027 | 49.80 | 50.73 | 0.93 | 0.41 | 6.6 | 812 | 1333 |
| | | | 166028 | 50.73 | 52.11 | 1.38 | 1.39 | 22.5 | 758 | 4220 |
| | @ 18.05m ~1 | 5 TCA FAULT 10-15 mm compacted clay fault gouge | 166029 | 52.11 | 52.59 | 0.48 | 25.02 | 642.8 | 29900 | 12100 |
| | not limonitized | b | 166030 | 52.59 | 52.90 | 0.31 | 15.33 | 282.3 | 32400 | 17800 |
| | @ 18.28 m is | a 65 TCA compacted 5-10 mm clay fault gouge | 166031 | STD 12 | STD 12 | STD 12 | 0.28 | 3.1 | 2605 | 278 |
| | breccia, not lir | nonitized. | 166032 | 52.90 | 53.34 | 0.44 | 5.81 | 160.3 | 10900 | 28900 |
| | From 18 to 18 | 8.6 m is a FAULT ZONE with frequent gouge breccia | 166033 | 53.34 | 54.60 | 1.26 | 0.82 | 35.4 | 1326 | 1478 |
| | with still cohe | rent rock pieces, but some not measureable for | 166034 | 54.60 | 55.60 | 1.00 | 11.45 | 98.9 | 8524 | 3213 |
| | structure. | | 166035 | 55.60 | 56.58 | 0.98 | 0.72 | 4.7 | 163 | 3109 |
| | @ 18.33 is a 5 | i-10 TCA FAULT with 1 mm clay gouge breccia, not | 166036 | 56.58 | 57.70 | 1.12 | 0.54 | 3.0 | 247 | 3551 |
| | limonitized. | | 166037 | 57.70 | 58.07 | 0.37 | 0.67 | 3.5 | 287 | 4000 |
| | @ 18.8 is a fra | acture limonitized with ~10 TCA . There is an | 166038 | 58.07 | 59.72 | 1.65 | 0.21 | 5.2 | 367 | 4220 |
| | irregular HI ob | lique to it that bears 25% Sph, 3-5% Py with | | | | | | | | |
| | carbonate and | silica, about 5 cm diameter. | | | | | | | | |
| | @ 22.73 m is | a 115 mm wide HI 50 TCA with 5-10% Py | | | | | | | | |
| | disseminatd sp | parsely more focussed near the LCA and 1-2% Sph | | | | | | | | |
| | blebs near the | LCA with <1% Gal, and trace Cpy. The wall rock | | | | | | | | |
| | with medium ${ m g}$ | grained biotic alteration (moderate) dominates this | | | | | | | | |
| | HI. | | | | | | | | | |
| | From 24 to 26 | m are multiple near parallel to low (0-15 TCA) | | | | | | | | |
| | fractures mod | erately fracture controlled limonitized surfaces. | | | | | | | | |
| | @ 26.55 to 26 | 5.81 is a HI with UCA = 30-35 TCA and LCA = 25-35 | | | | | | | | |

Page: 4 of 19 pages



| | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|-------------------|--|------------|------|-----|----------|-----|-----|-----|-----|
| From (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | with 45-50 mm | wide milky white qtz veinlet near top, then a | | | | | | | | |
| | melange of silic | a, wall-rock, altered wall-rock (medium grey- | | | | | | | | |
| | green, suspect o | hlorite), 3-4% blebby Py, 1-2% blebby Sph, <1%: | | | | | | | | |
| | Gal/Arseno, tra | ce blebby Cpy. Sulphides are enveloped by the | | | | | | | | |
| | milky white qtz | | | | | | | | | |
| | @ 27.56 to 28.0 | 05 is a near parallel TCA HI (starts off ~20 mm and | | | | | | | | |
| | then gradually t | hins out) with 40-45% Sph adjacent to 40-45% Py | | | | | | | | |
| | with interstitial | silica. There is no Py enveloping the Sph, but the | | | | | | | | |
| | silica is envelop | ing both. | | | | | | | | |
| | @ 28.26 is a po | d of HI with a short orientation of UCA of 70, and | | | | | | | | |
| | LCA of 45 which | is 20 to 40 mm wide 55-60%Py, 15-~20% Sph, | | | | | | | | |
| | with the remain | ding as wall rock, interstitial silica with minor | | | | | | | | |
| | carbonate, and | disseminated biotit, and trace Gal/Arseno. | | | | | | | | |
| | 28.16 to 29.4 is | hydrothermally brecciated with \sim 2 by 5 mm | | | | | | | | |
| | angular clasts. | , , , , , , | | | | | | | | |
| | @ 29.97 to 30.3 | 32 is a MASSIVE SULPHIDE VEIN UCA = 25-30 TCA, | | | | | | | | |
| | LCA = 30, width | approximated as 150 mm. 55-60% Py, 10-15% | | | | | | | | |
| | Po, 5-10% Cpy, | trace -2% Arseno/Gal, remaining as interstitial | | | | | | | | |
| | and pod wallroo | k+silica | | | | | | | | |
| | From 34.56 m t | o 36.68m is hydrothermally brecciated with | | | | | | | | |
| | clasts that are c | alcareous (mostly) 10mm by 10mm up to 40-90 | | | | | | | | |
| | mm subrounde | d clasts. Also. From about the start of this unit to | | | | | | | | |
| | 39.47m is entire | ely calcareous (likely due to the brecciating fluids | | | | | | | | |
| | being calcareou | s and penetrated throughout this interval. Thus, | | | | | | | | |
| | from 34.56 to 3 | 9.47 is a subunit that is calcareous due to | | | | | | | | |
| | hydrothermal b | recciation. | | | | | | | | |
| | @ 38.5 to 38.5 | 7 is a MASSIVE Py vein with 70-75% blebby Py | | | | | | | | |
| | with biotite on t | the outer trace of the vein and interstitial silica | | | | | | | | |
| | and very minor | carbonates. UCA = 20 TCA, LCA = 50 TCA (slightly | | | | | | | | |
| | obscure and irre | egular) | | | | | | | | |
| | @ 40.68 to 41. | 20 is suspect pervasive weak-moderate | | | | | | | 1 | |

Page: 5 of 19 pages



| | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|--|---|------------|-------------|-----------|-----------------|-----------|-----------|-----------|-----------|
| From (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| From (m) | To (m) chloritization with biotite string 1mm wide and discontinuous. 7 @ 42.07 are 2 HI's that meet p runs perpendicular TCA, 6-8%b TCA for 160 mm, 8-10% Py and @ 43.58 is a Py veinlet, UCA = 50% blebby Py. @ 45.87 to 46.20 is a HI wth U 3% disseminated Sph near UC a Sph, 2-3%. @ 46.54 m is a FAULT 35 TCA w From 46.62 to 52.1 (up to the concentration of dissem Py - 15 @ 49.45 to 49.76 is a MASSIVE and LCA of 25 with 45-50% Py @ 49.82 m is a 65 TCA 10 mm may not be similar due to the H quartered. @ 50.78 is a Sph veinlet with 2 stringer is 90-95% Sph. From 50.78 to 52.11 is suspect (light green-grey), quite silicifie disseminated/stringer Py. Perva Hence, Qtz-Ser-Py - Moderate p | Description gers running near parallel TCA ~ ~ 5-15 cm long. erpendicularily. 10-40 mm wide lebby sph and 10-20 runs parallel 2-3% Sph. 50, LCA = 40.15-20 mm wide with CA 35, LCA 20-50 variable angle. 2 and disseminated Py below the with 1 mm clay fault gouge. massive Py vein) is a high 5-20% average PY intersection with UCA of 25 clay FAULT gouge breccia. Dup II shape and how it can be 5 TCA and 2-3 mm to 5 mm. This weak-moderate pervasive sericite d with 15-20% asive moderate silicification. ohyllic alteration. | Sample No. | From (m) | To (m) | Interval (m) | Au g/t | Ag g/t | Cu ppm | Zn ppm |
| | @ 52.11 is a FAULT that likely I slickensides. 20 TCA planar wit From 52.11 to 52.59 is MASSIV silica and wall rock and minor (Sph at the tail of this interval. 52.59 m to 52.90m is a SEMI-M 15% blebby Sph, 8-10% blebby | brought in the MS with h a phyllic sheen to it. YE PY 90-95% Py with interstitial trace) Gal/Arseno. Trace Cpy and ASSIVE SULPHIDE interval with10- Cpy, -10% blebby Py. | | | | | | | | |

Page: 6 of 19 pages



| | То | | From | То | Interval | Διι | Δσ | Cu | 7n |
|----------|--|------------|-------|-------|----------|------|-----|-----|-----|
| From (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | 52.90 to 53.34 is the tail end of the MS with abundant wallrock | | () | () | () | 0/ - | | | |
| | (about half is non HI section) in the sample. LCA is 10-15 TCA. A | | | | | | | | |
| | band of Cpy+Sph+Py (20 TCA and 10-15 mm wide) near the upper | | | | | | | | |
| | interval and lower interval and a disseminated Sph + minor | | | | | | | | |
| | Gal/Aspy band in between. Note: the Sph+Aspy band is | | | | | | | | |
| | sandwiched by the Cpy-Py injections. The HI is 10-15% blebby | | | | | | | | |
| | Sph, 5-10% Cpy, 5-10%Py and 2-3% Gal/Aspy. | | | | | | | | |
| | @ 54.60 m is a crude 45-50 TCA FAULT with 1-2 mm clay fault | | | | | | | | |
| | gouge breccia. | | | | | | | | |
| | @ 54.86 is a HI with LCA of 40 TCA and 15-20% blebby Cpy with | | | | | | | | |
| | 10-15% blebby Py. > 40 mm wide | | | | | | | | |
| | From 55.5 to 57.3 is moderate pervasive biotite and stringers. | | | | | | | | |
| | @ 55.98 is a 70 TCA FAULT with 2-3 mm clay fault gouge breccia. | | | | | | | | |
| | @ 56.03 is a 75 TCA FAULT with 2-3 mm clay fault gouge breccia. | | | | | | | | |
| | @ 57.3 m to 60 m is coarse-grained feldspathic greywacke with | | | | | | | | |
| | disseminated biotite, 10-15% 0.25 to 0.5 mm, hence med grained. | | | | | | | | |
| | @ 57.85 m is a HI with an irregular angle and 8-10% | | | | | | | | |
| | dissem/stringer Py with 3-4% Sph in the HI with interstitial silica. | | | | | | | | |
| 59.72 | 63.89 HYDROTHERMALLY BRECCIATED FELDSPATHIC | 166039 | 59.72 | 61.00 | 1.28 | 0.28 | 2.6 | 202 | 267 |
| | GREYWACKE | 166040 | 61.00 | 62.00 | 1.00 | 0.24 | 2.4 | 231 | 368 |
| | From 60 m to 64 m is hydrothermally brecciated with silcifying | 166041 | 62.00 | 63.89 | 1.89 | 0.34 | 2.9 | 170 | 371 |
| | fluids. The core is a light grey to white. 10 to 20 mm diameter to | | | | | | | | |
| | possibly up to 200 to 250 mm diameter clasts. Sub-angular to | | | | | | | | |
| | angular with the smaller fragments being very angular and | | | | | | | | |
| | tabular to very angular blebs. 5-6% disseminated and stringer Py. | | | | | | | | |
| | Moderate to moderate-intense pervasive biotite with | | | | | | | | |

Page: 7 of 19 pages



| | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|---------------|--|------------|-------|--------|----------|-------|------|------|-------|
| From (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | biotitization | of the matrix and fracture infillings. | | | | | | | | |
| | | | | | | | | | | |
| 63.89 | 69.16 | FELDSPATHIC GREYWACKE (SERICITE/CHL ALTERED | 166042 | 63.89 | 65.39 | 1.50 | 0.15 | 2.6 | 228 | 1156 |
| | | | 166043 | 65.39 | 66.39 | 1.00 | 0.37 | 5.4 | 411 | 8817 |
| | Med grey-gr | een pervasively moderate-intensely chlorite/sericite | 166044 | 66.39 | 67.39 | 1.00 | 1.95 | 16.8 | 471 | 6915 |
| | altered with | pervasive 0.5 to 1 mm biotite laths and cubes. 5-8% | 166045 | 67.39 | 68.27 | 0.88 | 0.59 | 19.8 | 824 | 19100 |
| | disseminate | d and stringer Py with 1-3% locally higher Sph blebs | 166046 | 68.27 | 69.16 | 0.89 | 0.34 | 4.0 | 243 | 2725 |
| | with intersti | tial carbonate with minor silica. (higher Sph from | | | | | | | | |
| | 67.7 to 68.2 | 7) | | | | | | | | |
| 69.16 | 73.97 | COARSE GRAINED FELDSPATHIC GREYWACKE | 166047 | 69.16 | 71.50 | 2.34 | 0.12 | 0.7 | 67 | 261 |
| | Med grey co | arse-grained greywacke with pervasive c.grained | 166048 | 71.50 | 73.97 | 2.47 | 0.21 | 1.5 | 216 | 258 |
| | biotite 10-20 | 0% range (strong near the first part to 70.92 m. This | | | | | | | | |
| | unit is perva | sively calcareous (likely a calcareous cement) and | | | | | | | | |
| | progressivel | y gets weaker down to end of this unit. 0.1 to 1% | | | | | | | | |
| | finely dissem | ninated Py with blebs of carbonate nearly void of any | | | | | | | | |
| | apparent sul | phides. | | | | | | | | |
| 73.97 | 100.17 | FELDSPATHIC GREYWACKE | 166049 | 73.97 | 75.06 | 1.09 | 0.38 | 4.0 | 478 | 340 |
| | Mainly a felo | dspathic greywacke unit with minor intervals of clasts | 166050 | 75.06 | 75.75 | 0.69 | 23.18 | 42.1 | 586 | 19900 |
| | with some sl | harp and some ghostly outlines. Also, some intervals | 166051 | BLANK | BLANK | BLANK | 0.01 | <0.2 | 2 | 12 |
| | have less fel | dspathic minerals nearly qualifying it for a | 166052 | 75.75 | 76.75 | 1.00 | 5.14 | 16.4 | 267 | 507 |
| | greywacke, ł | out since it is questionable and small interval, this | 166053 | 76.75 | 78.00 | 1.25 | 0.19 | 2.9 | 195 | 960 |
| | unit was clas | ssified as a feldspathic greywacke. 1 to 4% | 166054 | 78.00 | 80.00 | 2.00 | 0.51 | 11.7 | 2068 | 1282 |
| | disseminate | d Py with increasing Py content closer to Py stringers. | 166055 | 80.00 | 81.00 | 1.00 | 0.07 | 1.5 | 192 | 168 |
| | The core has | a weakly pale purple tinge either inherent of the | 166056 | 81.00 | 84.00 | 3.00 | 0.03 | 0.9 | 150 | 81 |
| | sediments o | r was pervasively altered by biotite. There are | 166057 | 84.00 | 86.00 | 2.00 | 0.05 | 1.0 | 173 | 73 |
| | disseminatio | ons of mafic flecs and filling interstices that are likely | 166058 | 86.00 | 88.00 | 2.00 | 0.05 | 1.1 | 165 | 115 |
| | biotite. The | biotite flecs coincide moreorless withe the overall | 166059 | 88.00 | 90.00 | 2.00 | 0.05 | 1.1 | 146 | 163 |
| | grain size in | that area. There are intervals with v.f.g. to c.g. but | 166060 | 90.00 | 92.00 | 2.00 | 0.02 | 0.9 | 60 | 131 |
| | the average | is fine-grained to med-grained. Mainly carbonate | 166061 | 92.00 | 94.00 | 2.00 | 0.03 | 0.9 | 117 | 55 |
| | stringers and | fracture-infilling with a small component of silica. | 166062 | 94.00 | 96.00 | 2.00 | 0.03 | 0.6 | 101 | 66 |
| | | | 166063 | 96.00 | 98.00 | 2.00 | 0.04 | 0.9 | 96 | 347 |
| | | | 166064 | 98.00 | 100.17 | 2.17 | 0.07 | 0.6 | 96 | 64 |

Page: 8 of 19 pages



| | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|--|--------------------------|------------|------|-----|----------|-----|-----|-----|-----|
| From (m) | (m) Descripti | on | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | @ 75.06 is a 30 UCA and 35 to 40 LCA HI to | 75.75 m. From 75.5 | | | | | | | | |
| | to 75.75 is a MASSIVE SULPHIDE. The overa | all interval is ~ 15-20% | | | | | | | | |
| | blebby Py, 8-10% wispy blebs of Sph, +/- tra | ace Cpy, trace Gal. | | | | | | | | |
| | Some of the Py has already corroded, indica | ating a suspect non- | | | | | | | | |
| | From 75.75 to 76.25 is still relatively fairly | strong suldphides. 8- | | | | | | | | |
| | 10% stringer, disseminated Py. | | | | | | | | | |
| | From 79.1 79.15 are 5 sulphide stringers w | ith interstitial silica | | | | | | | | |
| | and minor carbonate mostly 50 TCA 5-10 m | ım wide. 70-75% Py | | | | | | | | |
| | with 3-5% Sph blebby. | | | | | | | | | |
| | @ 79.65 is a bedding plane 40-45 TCA. The | series of plane lasts | | | | | | | | |
| | for about 23 cm. | | | | | | | | | |
| | @ 81 m is a 5-10 TCA FAULT with 1-2 mm of | clay fault gouge | | | | | | | | |
| | breccia with faint weak suspect sericite on | fracture surfaces | | | | | | | | |
| | Note: From 81m to 84 m there is only 87 cr | n of core. This | | | | | | | | |
| | shortage of 2.13 m of core for this 3 m inte | rval is likely due to | | | | | | | | |
| | meterage block placement error by the dril | lers. No adjustment | | | | | | | | |
| | was made to the depths below and the inte | erval between 81 and | | | | | | | | |
| | 84 was taken as 3 m as instructed. Also, the | ere is no evidence that | | | | | | | | |
| | there was any core loss/difficulty drilling. T | he core sticks are in 2 | | | | | | | | |
| | pieces for this interval and may have been | proken purposely to | | | | | | | | |
| | fit the core box rows, hence competent. | | | | | | | | | |
| | From 85.08 to 87 has clasts and inferring fi | om the fault at 85.84 | | | | | | | | |
| | this interval is a weakly hydrothermally bre | cciated interval. 5 to | | | | | | | | |
| | 10 mm angular clasts. | | | | | | | | | |
| | @ 85.84 is a FAULT 30 TCA with 1-2 mm cla | ay fault gouge breccia. | | | | | | | | |
| | Note that there are 4 other fractures withir | n 6 cm true width | | | | | | | | |
| | interval with very similar fracture angles +/ | -2-3 degrees and have | | | | | | | | |
| | veneers of clay. | | | | | | | | | |
| | @ 87.08 and 87.12 are 2 milky white silica | veinlets with 60-65 | | | | | | | | |
| | TCA with a few 2-4 mm cubed blebs of Biot | ite+Sph, 1-3% Sph. | | | | | | | | |

Page: 9 of 19 pages



| | То | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|--|------------------|------------------|------------------|--------------|--------------|------------|------------|-----------|
| From (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| 100.17 | 40-45 TCA bedding plane over a span of 88.2 to 88.92 m highlighted by a more mafic component interbedded with a more feldspathic component. 5-20 mm thick @ 91.73 m is a 30 TCA smooth planar slickensided fracture. SHEAR @ 93.1 m is a 20 TCA fracture with a veneer of gouge. Undulating planar, SHEAR. @ 94.38 is a 10-15 TCA FAULT with slickensides and 1-3 mm fault gouge breccia. @ 94.80 is a 5-10 TCA FAULT that could be related to the above 94.3 m fault that undulated Slickensided and 1-3 mm fault gouge breccia. @ 95.46 m is a FAULT 10-15 TCA with 1-2 mm clay fault gouge breccia @ 96.1 m is a 10-15 TCA fracture with minor slickensides. @ 97.41 m is a FAULT with 15-20 TCA with slckensides, 1-2 mm clay fault gouge breccia and trace-0.5% dissem Py on fracture surface. @ 98.48 with 30-35 TCA bedding plane defined by a weakly brecciated unit and a minor (cm true thickness) greywacke unit 106.94 HYDROTHERMALLY BRECCIATED FELDSPATHIC | 166065 | 100.17 | 102.00 | 1.83 | 0.05 | 0.8 | 124 | 62 |
| | GREYWACKE Light to medium grey feldpathic greywacke that has been fairly consistently brecciated (about 80% of interval including the LC transition zone). Some brecciated clasts may have been a lithic fragment pre-brecciation. Most fragments are felsic. Fairly unmineralized (1-3% disseminated Py with clasts being replaced by Py). No other apparent sulphides other than Py. Fracture infilling biotite 10-15% | 166066 166067 | 102.00 104.50 | 104.50 106.94 | 2.50 2.44 | 0.06 0.19 | 0.7 1.5 | 130 150 | 56 911 |

Page: 10 of 19 pages



| | То | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|--|--|--|--|--|--------------------------------------|---------------------------------|---------------------------------|-----------------------------------|
| From (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| 106.94 | @ 103.07 m is a slickensided fracture at 35 TCA, SHEAR, planar smooth. From 101.2 to104.7 has patches of rust/corrosion. Non-magnetic. Not limonite. 108.38 GREYWACKE Dark to medium grey greywacke intrerval that is quite short and inbetween two Feldspathic/lithic greywacke units that appear to be brecciated.3-4% dissem and stringer Py with silica stringers with minor carbonate. @ 109.7 m is a bedding plane 40-45 TCA continuous for ~60 cm. | 166068 | 106.94 | 108.38 | 1.44 | 0.58 | 4.4 | 244 | 2614 |
| 108.38 | 116.19 LITHIC GREYWACKE light to medium grey lithic greywacke with feldspathic clasts. Some intervals appear hydrothermally brecciated. Clasts are sub- rounded to rounded 10 by 10 mm to 20 by 20 mm and few mm scale sub-rounded clasts closely clustered (they look brecciated). Disseminated and fracture-filling biotite. 1-3% dissminated and fracture-filling Py. | 166069 166070 166071 166072 166073 | 108.38 110.00 STD 13 112.00 114.00 | 110.00 112.00 STD 13 114.00 116.00 | 1.62 2.00 STD 13 2.00 2.00 | 0.06 0.03 0.99 0.04 0.19 | 0.5 0.6 3.5 0.5 3.0 | 71 87 2973 94 420 | 66 63 149 35 632 |
| 116.19 | 118.35 HYDROTHERMALLY BRECCIATED FELDSPATHIC GREYWACKE Same as 100.17 to 106.9 m unit. @ 117.24 m - 15 TCA with slickensided. It shows post depositional/brecciation minor brittle slip plane that cuts hydrothermal breccia clast. From 118.56 to 119.16 is a undulating fracture that 15 to 0 to -15 TCA. | 166074 | 116.00 | 118.00 | 2.00 | 0.55 | 1.8 | 174 | 63 |
| 118.35 | 126.07 FELDSPATHIC GREYWACKE Light grey to grey feldspathic greywacke. It appears to be a similar unit as above, except not subjected to hydrothermal brecciation. Less biotit infilling as less fluids came in the system. Biotite disseminations and infilling ~ 5-10%. 2-4% disseminated and stringer Py. with 2 HI with Py and Sph. See below. < 1% | 166075 166076 166077 166078 166079 | 118.00 118.00 120.00 122.00 124.00 | 120.00 120.00 122.00 124.00 126.09 | 2.00 DUP 2.00 2.00 2.09 | 0.08 0.09 0.07 0.23 0.09 | 1.7 1.9 4.1 4.9 4.6 | 172 177 185 193 134 | 138 194 894 4558 6089 |

Page: 11 of 19 pages



| | То | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|--|------------|--------|--------|----------|------|------|-----|-------|
| From (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | mainly silica stringers. trace Gal | | | | | | | | |
| | From 122.08 to 122.15 is a HI with 15-20% Sph and 15-20% Py | | | | | | | | |
| | with the remainding as carbonate, silica and wall rock with trace | | | | | | | | |
| | Gal. UCA = 75-80 TCA, LCA = 65-70 TCA | | | | | | | | |
| | @ 124.26 is a FAULT with 30 TCA with 4-5 mm clay fault gouge | | | | | | | | |
| | @ 125.67 m is a HI with 60-65 TCA. This sulphide stringer has | | | | | | | | |
| | been offset by a silica stringer/veinlet. By 5-10 mm. This silica | | | | | | | | |
| | veinlet is ~ 25 TCA. This example can be seen in both the Py | | | | | | | | |
| | stringer and the Sph-rich HI. | | | | | | | | |
| 126.07 | 133.12 GREYWACKE | 166080 | 126.09 | 128.05 | 1.96 | 0.08 | 4.7 | 217 | 3980 |
| | Med to dark grey greywack with mainly med-grained sand. The | 166081 | 128.05 | 129.00 | 0.95 | 0.63 | 13.8 | 716 | 18200 |
| | dominance/abundance of mafic/biotite stringer and | 166082 | 129.00 | 129.59 | 0.59 | 0.70 | 15.0 | 167 | 30200 |
| | disseminations makes up this greywacke unit. Frequent HI | 166083 | 129.59 | 130.59 | 1.00 | 0.49 | 4.4 | 226 | 2717 |
| | bearing Py (5-10%) and Sph (2-3%), Trace Cpy. Green tinge in | 166084 | 130.59 | 131.59 | 1.00 | 0.71 | 4.9 | 540 | 762 |
| | some silica suggests Sericite (weak, local). 2-4% mainly silica with | 166085 | 131.59 | 132.59 | 1.00 | 1.74 | 4.9 | 582 | 105 |
| | minor carbonate stringers and bleb. Evidence of offsetting and | 166086 | 132.59 | 133.59 | 1.00 | 0.19 | 2.9 | 326 | 99 |
| | transporting sulphides is apparent (128.15 and 128.4m) There | | | | | | | | |
| | may be an association between that green mineral (sericit/Chl, | | | | | | | | |
| | looks more chlorit here) with Gal and Cpy. (128.73 is with Gal) | | | | | | | | |
| | (128.56 is with Cpy) | | | | | | | | |
| | @ 128.15 is a 45 TCA Py with interstital silica/calcite HI 20-30 | | | | | | | | |
| | mm wide off set by 30 mm by another later phase HI. Py = \sim 70% | | | | | | | | |
| | @ 128.4 is a UCA 55, LCA = 40 20-25 mm wide mainly Py (70- | | | | | | | | |
| | 75%)vein that has been offset and not visible in the core. Minor | | | | | | | | |
| | Sph (3-5%)on periphry. Minor Cpy (a bleb) nearby associated | | | | | | | | |
| | with that green sericite | | | | | | | | |
| | From 124.14 to 124.59 are a series of HI with Sph (3-4%), Py (2- | | | | | | | | |
| | 3%) and trace Gal (one bleb, 1 mm by 1mm). | | | | | | | | |
| | @ 130.04 to 130.25 is a Py vein offset and chopped up that it is | | | | | | | | |
| | difficult to obtain a structural measurement. One block is 40 mm | | | | | | | | |

Page: 12 of 19 pages



| | То | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|--|------------|--------|--------|----------|------|------|------|-------|
| From (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | by 60 mm with 80-85% Py with interstitial silica and carbonate. | | | | | | | | |
| | | | | | | | | | |
| | From 131.79 to 131.88 is another offset Py vein 60 to 65 TCA 80- | | | | | | | | |
| | 85% Py with interstital silica and carbonate. | | | | | | | | |
| | @ 132.16 is a 55 TCA Py veinlet 15-20 mm wide slightly corroded | | | | | | | | |
| | at parts. | | | | | | | | |
| 133.12 | 136.51 FELDSPATHIC GREYWACKE | 166087 | 133.59 | 134.59 | 1.00 | 0.25 | 5.6 | 321 | 2726 |
| | Light to med grey short interval of feldspathic greywack of which | 166088 | 134.59 | 135.59 | 1.00 | 0.21 | 5.4 | 236 | 1217 |
| | some parts appear hydrothermally breciated.2-3% disseminated | 166089 | 135.59 | 136.48 | 0.89 | 0.40 | 10.0 | 1082 | 303 |
| | and stringer Py. | | | | | | | | |
| | @ 134.56 m is a 20-25 TCA bedding plane. | | | | | | | | |
| 136.51 | 143.02 CHLORITIZED/SERICITIZED UNIT | 166090 | 136.48 | 136.98 | 0.50 | 2.14 | 18.9 | 831 | 17700 |
| | Pervasively chloritized/sericitized (?) Green-med grey lithic | 166091 | 136.98 | 138.00 | 1.02 | 0.49 | 10.6 | 993 | 5199 |
| | greywack with mainly mafic clasts. Rounded 60 mmby 30 mm | 166092 | 138.00 | 139.17 | 1.17 | 0.56 | 17.4 | 883 | 19300 |
| | high sphericity sub-rounded clasts to angular and tabular to | 166093 | 139.17 | 140.16 | 0.99 | 0.08 | 4.6 | 165 | 4072 |
| | moderate spherical mafic clasts in mm scale. 8-10% Py | 166094 | 140.16 | 141.16 | 1.00 | 0.26 | 5.9 | 165 | 5511 |
| | disseminated and in HIs. Sph = 2-3% in HIs and trace blebby Cpy | 166095 | 141.16 | 142.16 | 1.00 | 1.69 | 9.5 | 385 | 15600 |
| | and Gal. The suspect chloritization is pervasive and gives a green | 166096 | 142.16 | 143.02 | 0.86 | 2.30 | 19.7 | 221 | 7265 |
| | colour to the matrix as well as the clasts. They give a darker | | | | | | | | |
| | green colour to some of the clasts. Note: that there are some | | | | | | | | |
| | white 0.25 to 1 mm particles found in the matrix. The core is | | | | | | | | |
| | intermittently weak-moderately magnetic, suggesting | | | | | | | | |
| | disseminated magnetite. | | | | | | | | |
| | | | | | | | | | |
| | @ 136.53 is a 45 TCA Py vein 15-25 mm wide with trace-0.5% | | | | | | | | |
| | Cpy, trace Gal, 80-85% Py and minor rare blebby Sph nearby with | | | | | | | | |
| | biotite on the outter periphery of Py. There is also interstitial | | | | | | | | |
| | silca. | | | | | | | | |
| | From 136.83 to 136.98 m is a MASSIVE PY VEIN 80-85% Py and 2- | | | | | | | | |
| | 3 % blebby Sph. LCA is near perpendicular TCA. UCA is irregular. | | | | | | | | |
| | From 138.45 to 139.16 are a series of HI 70-85 TCA and 10-30 | | | | | | | | |

Page: 13 of 19 pages



| | То | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|--|------------|--------|--------|----------|-------|------|-----|------|
| From (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | mm wide with Py and Sph all MASSIVE SULPHIDES | | | | | | | | |
| | From 141.54 to 141.57 m is a HI 85-90 TCA with 70% Py and 10% | | | | | | | | |
| | Sph and interstitial silica+carbonate and wall rock. | | | | | | | | |
| | From 139.43 m to 139.83 is an undulating fracture with spotty | | | | | | | | |
| | slicknsides. UCA = 30, then flattens out to parallel TCA, then LCA | | | | | | | | |
| | is 25. | | | | | | | | |
| 143.02 | 153.38 LITHIC GREYWACKE | 166097 | 143.02 | 145.00 | 1.98 | 0.19 | 6.3 | 311 | 2609 |
| | Med grey-pale brown lithic greywacke. The overall brown colour | 166098 | 145.00 | 146.93 | 1.93 | 0.06 | 3.0 | 114 | 1156 |
| | is due to the pervasive moderate to moderate-intense biotite | 166099 | 146.93 | 147.63 | 0.70 | 0.07 | 5.8 | 191 | 8536 |
| | alteration. Biotitite alteration style is dissemination and | 166100 | 147.63 | 149.63 | 2.00 | 0.06 | 2.7 | 130 | 1734 |
| | stringers/fracture infil. The clasts range from 2-10 mm | 166101 | BLANK | BLANK | BLANK | <0.01 | <0.2 | <1 | 10 |
| | tranlucent/grey angular (also mafic clasts present as well) clasts | 166102 | 149.63 | 152.00 | 2.37 | 0.15 | 3.7 | 371 | 742 |
| | to ghostly 20-30 mm wispy banded outline clasts. 0.5-4% | 166103 | 152.00 | 153.38 | 1.38 | 0.15 | 4.7 | 353 | 2309 |
| | disseminated and stringer Py. Due to the high presence of biotite | | | | | | | | |
| | (60-65%) the non-feldspathic component would make this a | | | | | | | | |
| | greywacke unit rather than a feldspathic greywacke. 2-3% calcite | | | | | | | | |
| | stringers (silica component rare) Weak tension gashes through | | | | | | | | |
| | this unit. | | | | | | | | |
| | @ 146.98 m there is a ~25 TCA HI truncated by the core breaking | | | | | | | | |
| | between runs. Width unknown and LCA missing. Estimated to be | | | | | | | | |
| | >20 mm wide ~40% Sph with trace-1% Gal within Sph mass, 3-5% | | | | | | | | |
| | blebby Py. | | | | | | | | |
| | @ 147.37 is a 20-25 TCA HI 15 - 20 mm wide with 25-30% blebby | | | | | | | | |
| | Py with 20-25% blebby Sph within this thin HI. Carbonate and | | | | | | | | |
| | patchy biotite associated with it. | | | | | | | | |
| 153.38 | 163.31 HYDROTHERMALLY BRECCIATED INTERBEDDED | 166104 | 153.38 | 155.00 | 1.62 | 0.06 | 2.0 | 88 | 2640 |
| | FELDSPATHIC GREYWACKE WITH GREYWACKE/ | 166105 | 155.00 | 157.00 | 2.00 | 0.02 | 0.8 | 30 | 198 |
| | FAULT ZONE | 166106 | 157.00 | 158.30 | 1.30 | 0.09 | 0.6 | 62 | 175 |
| | Grey brown with grey hydrothermally brecciated unit. This | 166107 | 158.30 | 160.10 | 1.80 | 0.03 | 2.2 | 58 | 866 |
| | interval is also highly broken up with frequent fault gouge (see | 166108 | 160.10 | 162.00 | 1.90 | 0.04 | 2.0 | 36 | 2064 |
| | below). As the mineralization was transported on a local scale | 166109 | 162.00 | 163.31 | 1.31 | 0.04 | 5.0 | 125 | 9068 |
| | (cm scale) by faulting, the mineralization may have been | | | | | | 1 | | |

Page: 14 of 19 pages



| | То | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|---|------------|------|-----|----------|-----|-----|-----|-----|
| From (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | transported on a regional scale (100 to 1000m scale) by this fault | | | | | | | | |
| | zone as there is relativly little mineralization below this fault. | | | | | | | | |
| | Fragments are often feldspathic and a few mm to 10 mm angular | | | | | | | | |
| | tabular clasts. Moderate pervasive biotite disseminations and | | | | | | | | |
| | fracture infilling. In some intervals the clasts are aligned parallel | | | | | | | | |
| | TCA, a foliation developing or a hydrothermal flow transporting | | | | | | | | |
| | the clasts, found at 158.05 m. 0.1 to 1% disseminated Py. | | | | | | | | |
| | @ 153.72 is a 25 TCA FAULT with 1-2 mm clay fault gouge with | | | | | | | | |
| | 20cm of broken up cor below fault average 20mm by 20mm | | | | | | | | |
| | pieces with minor fault gouge. | | | | | | | | |
| | @ 154.25 is a FAULT with minor (veneer) clay fault gouge with | | | | | | | | |
| | 40-45 TCA | | | | | | | | |
| | @ 154.8 is a FAULT 6-7 cm broken up core pieces with ~10 mm | | | | | | | | |
| | clay fault gouge breccia, no angle measureable. | | | | | | | | |
| | @ 155.23 is a FAULT 20 mm clay fault gouge breccia, 30-35 TCA. | | | | | | | | |
| | This piece of core displaying the structure is also splitting the | | | | | | | | |
| | core in half in a plane parallel to the core box bottom. | | | | | | | | |
| | @ 155.83 is a 55 TCA series (four) 5-15 mm wide carbonate | | | | | | | | |
| | veinlets with 20-25% green mineral rectangular to cubes (~5mm | | | | | | | | |
| | by 5mm) 1% dissem Py and 5% biotite. | | | | | | | | |
| | @ 155.96 to 156.04 is broken up fragments of similar vein | | | | | | | | |
| | material as described above. | | | | | | | | |
| | 156.36 is a 30 TCA slickensided and planar polished fracture with | | | | | | | | |
| | minor Chl (?) developing. | | | | | | | | |
| | @ 156.86 is a 10-15 TCA slickensided fracture planar minor | | | | | | | | |
| | stepping. | | | | | | | | |
| | @ 157.58 is a 25 TCA polished planar fracture surface. | | | | | | | | |
| | @ 158.45 to 160.10 is a BROKEN ZONE with fairly consistently | | | | | | | | |
| | broken up core (except for on 15 cm long core piece) . Avg is | | | | | | | | |

Page: 15 of 19 pages



| | То | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|--|------------|--------|--------|----------|------|-----|------|------|
| From (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | 2mm by 2 mm with fault gouge and ~1 mm core chips. | | | | | | | | |
| | | | | | | | | | |
| | @ 159.25 is are 2 fracture surfaces 30-35 TCA surrounded by | | | | | | | | |
| | core rubble. This is probably the orientation of the fault/broken zone that caused the rubble. | | | | | | | | |
| | @ 160.28 is a 30 to 35 TCA minor FAULT with 0.5 mm fault | | | | | | | | |
| | gouge breccia. | | | | | | | | |
| | @ 160.20 m is a 55-60 TCA fracture with slickensides. Minor | | | | | | | | |
| | slip. | | | | | | | | |
| | @ 160.42 is a 35 TCA FAULT with 0.5 mm clay fault gouge | | | | | | | | |
| | breccia. | | | | | | | | |
| | @ 161.65 m is a FAULT with 35-40 TCA 1 mm clay fault gouge | | | | | | | | |
| | breccia. | | | | | | | | |
| | @ 161.85 is a FAULT ~50 TCA with 150 mm of fault gouge | | | | | | | | |
| | breccia and pebble sized core rubble. This is probably the main | | | | | | | | |
| | orientation of the fault as it is the last major fault feature of this | | | | | | | | |
| | interval. | | | | | | | | |
| | From 162 to 163.31 m has 3-5% stringer and disseminated Sph. | | | | | | | | |
| | Stringers are 1-2 mm wisps found with (and within calcite) ~1% | | | | | | | | |
| | coarse to very coarse disseminated Py with trace similar habit | | | | | | | | |
| | Сру. | | | | | | | | |
| 163.31 | 193.17 FELDSPATHIC GREYWACKE | 166110 | 163.31 | 165.00 | 1.69 | 0.02 | 4.9 | 72 | 5502 |
| | Mainly grey with short intervals of grey -green or darker grey | 166111 | STD 13 | STD 13 | STD 13 | 0.27 | 2.8 | 2793 | 304 |
| | (greywacke unit here). Mainly medium grained to fine grained | 166112 | 165.00 | 167.00 | 2.00 | 0.02 | 2.2 | 43 | 2023 |
| | feldspathic greywacke with some intervals of coarse-grained | 166113 | 167.00 | 169.00 | 2.00 | 0.04 | 2.8 | 118 | 1256 |
| | sand (e.g. 171.04m to \sim 173.45m). There are short intervals that | 166114 | 169.00 | 171.04 | 2.04 | 0.02 | 1.9 | 118 | 1364 |
| | have clusters of lithic fragments (e.g. 179.82 to 180.60) that are 1 | - 166115 | 171.04 | 173.00 | 1.96 | 0.04 | 1.1 | 120 | 133 |
| | 5 mm upwards to 50 mm diameter angular clasts that often have | 166116 | 173.00 | 175.00 | 2.00 | 0.04 | 1.4 | 209 | 72 |
| | ghost wispy outlines. The disseminations of biotite dominated | 166117 | 175.00 | 177.00 | 2.00 | 0.09 | 3.2 | 383 | 172 |
| | matrix often highlights these clusters of lithic clastsFrom 167.51 | 166118 | 177.00 | 179.00 | 2.00 | 0.06 | 3.5 | 313 | 893 |
| | to 189.25 majority (90-95%) has a calcareous matrix) 1-2% calcite | 166119 | 179.00 | 181.25 | 2.25 | 0.18 | 4.2 | 327 | 2190 |
| | stringers and veinlets hairline to up to 40 mm wide 0.1 to 4% | 166120 | 181.25 | 183.00 | 1.75 | 0.05 | 1.2 | 122 | 537 |
Page: 16 of 19 pages



| | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|------------------|--|------------|--------|--------|----------|------|------|-----|------|
| From (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | disseminated a | nd stringer Py (and Po stringers) with higher Py | 166121 | 183.00 | 185.00 | 2.00 | 0.05 | 3.9 | 171 | 3364 |
| | disseminations | proximal to Py-bearing HI and stringers. Rare Sph- | 166122 | 185.00 | 187.00 | 2.00 | 0.06 | 4.2 | 160 | 2453 |
| | bearing HI <1% | of total interval. Trace Gal and Trace Cpy mostly | 166123 | 187.00 | 189.00 | 2.00 | 0.13 | 6.8 | 350 | 2987 |
| | in the lower pa | rt of interval (see below) | 166124 | 189.00 | 190.13 | 1.13 | 0.14 | 15.1 | 482 | 7563 |
| | | | 166125 | 190.13 | 192.63 | 2.50 | 0.53 | 5.1 | 327 | 1476 |
| | | | 166126 | 190.13 | 192.63 | DUP | 0.06 | 6.4 | 305 | 2501 |
| | From 163.31 t | o 164.59 has multiple (~ 6) wispy and randomly | 166127 | 192.63 | 193.05 | 0.42 | 3.58 | 8.9 | 206 | 8604 |
| | orientated strin | ngers bearing blebby Sph,Gal +/- Py ~1%. Sulphides | | | | | | | | |
| | are within calci | ite. | | | | | | | | |
| | 164.61 m is a 1 | 10-15 TCA FAULT with 0.5 mm clay fault gouge | | | | | | | | |
| | breccia with sli | ckensides. | | | | | | | | |
| | @ 163.85 is a 2 | 25-30 TCA FAULT with 0.5mm to 1 mm clay fault | | | | | | | | |
| | gouge breccia v | with blebby Py and Sph stringer right adjacent. | | | | | | | | |
| | @ 165.46 is a 2 | 25 to 30 TCA fracture with slickensides, planar | | | | | | | | |
| | polished. | | | | | | | | | |
| | @ 167.32 is a | 45 TCA FAULT with 0.5 to 1 mm of clay gouge | | | | | | | | |
| | breccia. | | | | | | | | | |
| | From 167.34 to | o 171.04 has angular lithics, hence a lithic | | | | | | | | |
| | greywacke her | e, some with ghostly outlines. | | | | | | | | |
| | @ 169.69 is a | 65 TCA 35 mm wide HI band with 10 mm wide | | | | | | | | |
| | 20% blebby Py | with interstitial calcite. | | | | | | | | |
| | @173.51 is a 7 | 0 to 75 TCA polished smooth planar fracture. | | | | | | | | |
| | @174.41 is a 3 | 30 TCA fracture with minor slickensides planar, | | | | | | | | |
| | smooth. | | | | | | | | | |
| | @ 177.27, 177 | 2.35, 177.45 are a 40-45 mm wide blebby 25-30% | | | | | | | | |
| | Py injection, 20 | 0-25 mm wide calcite+silica veinlet, and a planar | | | | | | | | |
| | smooth fractur | e surface, respectively, all with a ~20 TCA. | | | | | | | | |
| | From 175 to 18 | 31.25 has higher Py presence due to more frequent | | | | | | | | |
| | Py injections, 6 | -7% Py dissem, blebby and stringers. Some | | | | | | | | |
| | intervals have | spots with a faint green tinge. Moderate | | | | | | | | |

Page: 17 of 19 pages



| | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|------------------|---|------------|------|-----|----------|-----|-----|-----|-----|
| From (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | intermittent H | Kspar with a weak-moderate disseminated and on | | | | | | | | |
| | margins of fra | agments biotite overprint. From 177.85 to 179.82m | | | | | | | | |
| | the Py injection | ons are nearly perpendicular TCA. | | | | | | | | |
| | | | | | | | | | | |
| | @ 181.14 the | ere is a FAULT 85-90 TCA with a veneer of clay | | | | | | | | |
| | gouge breccia | Э. | | | | | | | | |
| | From 181.14 | to 181.25 is a MASSIVE SULPHIDE INJECTION 60 | | | | | | | | |
| | mm wide. Pyr | rr-rich interval due to a Py-Pyrr injection which | | | | | | | | |
| | follows the or | rientation of the fault above. 85-90 TCA. Pyrr-30- | | | | | | | | |
| | 35%, Py - 25-3 | 30%, Sph - interstitial blebby 3-6% with interstitial | | | | | | | | |
| | carbonate, +/ | - silica, suspect sericite and chlorite. | | | | | | | | |
| | From 182 to a | and of this unit is mainly mod to c.g. Sand | | | | | | | | |
| | 187 22 to 102 | 2.68 this unit is noticeably pervasively green. The | | | | | | | | |
| | sediments it o | comprises could have been inherently green or it | | | | | | | | |
| | could have be | en subjected to nervasive chloritization. The | | | | | | | | |
| | former is mor | re likely since it is the simplest | | | | | | | | |
| | | | | | | | | | | |
| | @ 189.5m 15 | 5-10 TCA irregular 5-10 mm calcite stringer with the | | | | | | | | |
| | lower half (do | ownhole direction) bearing with a 100 mm length of | | | | | | | | |
| | 70-75% Sph w | vith one pod of magnetic Pyrr - 5-8% with finely | | | | | | | | |
| | disseminated | 0.5 to 1% Gal and interstitial calcite. | | | | | | | | |
| | | | | | | | | | | |
| | @ 190.07 m | is a 1-2 mm bands of Cpy+Py 60-65 TCA and 85-90 | | | | | | | | |
| | TCA with inte | rstitial calcite | | | | | | | | |
| | From 191 to | 191.08 is a 25 TCA HI, ~70 mm true width with 7- | | | | | | | | |
| | 10% Pyrr and | 2-3% Cpy. Note: it is cut off by the core piece | | | | | | | | |
| | broken off | | | | | | | | | |
| | From 192.66 | to 193 are 4 HI with ~70-75% blebby Py with | | | | | | | | |
| | interstital car | bonate, 2-3% v.f.g. Sph, with peripheral biotite and | | | | | | | | |
| | trace Gal,10 t | o 60 mm wide, weak sericite along the carbonate | | | | | | | | |
| I | margins. | | | I | I | I | l | I | I | I |

Page: 18 of 19 pages



| | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|-----------------|---|------------|--------|--------|----------|------|------|-----|------|
| From (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| 193.17 | 207.00 | LITHIC GREYWACKE | 166128 | 193.05 | 195.00 | 1.95 | 0.05 | 1.2 | 43 | 1101 |
| | Med grey an | d grey-brown lithic greywacke with mostly a non- | 166129 | 195.00 | 197.00 | 2.00 | 0.14 | 0.6 | 97 | 86 |
| | feldpathic m | atrix. The clasts range from mafic to feldspathic and | 166130 | 197.00 | 199.21 | 2.21 | 0.10 | 1.6 | 231 | 53 |
| | a few mm to | a few cms to as big as 350 mm. There is some | 166131 | 199.21 | 200.50 | 1.29 | 0.99 | 9.4 | 243 | 3786 |
| | evidence tha | t there were more than one brecciating event as | 166132 | 200.50 | 202.20 | 1.70 | 0.09 | 1.8 | 118 | 850 |
| | there are cla | sts within a clast observed (at 196.1 m). Som of the | 166133 | 202.20 | 203.91 | 1.71 | 0.22 | 3.9 | 363 | 655 |
| | clast outlines | s have a wispy ghostly appearance. They can range | 166134 | 203.91 | 204.49 | 0.58 | 3.97 | 10.1 | 836 | 129 |
| | from angular | r to rounded. Pervasive moderate biotite alteration | 166135 | 204.49 | 205.15 | 0.66 | 0.19 | 3.2 | 382 | 155 |
| | as dissemina | tions and fracture infilling/around clasts and pyrite | 166136 | 205.15 | 206.19 | 1.04 | 0.25 | 3.3 | 397 | 135 |
| | grains. local | weak sericite (?) alteration along silica stringers. 1- | 166137 | 206.19 | 207.00 | 0.81 | 0.46 | 4.1 | 639 | 111 |
| | 8% dissemina | ated and stringer Py. | | | | | | | | |
| | | | | | | | | | | |
| | @ 193.94 is | a 15 to 20 mm wide HI with 60 TCA and 15-20% Sph | | | | | | | | |
| | upper core a | nd 15-20% Py lower core trace Gal with Sph. | | | | | | | | |
| | Sulphides are | e in a Sericite background (15-20% showing) with | | | | | | | | |
| | interstitial ca | alcite | | | | | | | | |
| | @ 199.44 to | 199.54 m is a MASSIVE SULPHIDE VEIN with 60 TCA | | | | | | | | |
| | with 65-70 m | nm of it being 80-85% as Py +/- minor Pyrr, minor | | | | | | | | |
| | trace Aspy w | ith interstitial carbonate. The upper part of the HI ~ | | | | | | | | |
| | 4cm of it is a | mix of 10-15% Py, 5-10% Sph,5-10% Biotite, 10-15% | | | | | | | | |
| | green sericite | e, trace Gal and the rest as interstitial carbonate and | | | | | | | | |
| | wall rock +/- | silica. | | | | | | | | |
| | 199.78, 200. | 51 are 2 HI's both 10 mm wide and near | | | | | | | | |
| | perpendicula | ar TCA. Similar composition as above vein (at 199.44) | | | | | | | | |
| | @ 203 Q1 to | 204 05 is a MASSIVE SUI PHIDE that is highly | | | | | | | | |
| | cilicoous tran | solucent white to pale grey conditione. Over a 80 | | | | | | | | |
| | mm interval | it is 80-85% Py with interstitial silica and minor | | | | | | | | |
| | | 0 TCA. Downcore from it there are more His with Dy | | | | | | | | |
| | Sol Cov and | d Sari | | | | | | | | |
| | @ 205 02 +h | μ sch. | | | | | | | | |
| | | arisite 10-15% and trace discominated Dy | | | | | | | | |
| | nig nign of 26 | encite 10-1370 and trace disseminated Py. | | | | | | | | |

Page: 19 of 19 pages



| | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|----------|-------------|-------------|------------|------|-----|----------|-----|-----|-----|-----|
| From (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | | | | | | | | | | |
| | 207.0 m End | | | | | | | | | |



Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0036RPDate: Jul-15-10Sample type: CORE

Skyline Gold Corporation

Project : Bronson

Attention : Arnd Bjornson

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | Al | As | Ва | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Hg | К | La | Mg | Mn | Мо | Na | Ni | Р | Рb | S | Sb | Sc | Sr | Th | Ti | τı | U | v | W | Zn | Zr |
|--------|-------|------|-----|-----|------|-----|------|-----|-----|-----|------|------|-----|------|-----|------|------|-----|------|-----|-------|-----|------|-----|-----|-----|-----|------|-----|-----|-----|-----|------|-----|
| Number | рртп | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | % | ppm | % | ppm | ppm | % | ppm | % | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm |
| 166111 | 3.2 | 2.50 | 25 | 122 | 0.5 | 20 | 1.02 | 3 | 19 | 165 | 2888 | 3.89 | 1 | 1.19 | 24 | 0.83 | 249 | 221 | 0.07 | 11 | 0.054 | 65 | 1,53 | 11 | 5 | 52 | 12 | 0.04 | <10 | <10 | 49 | <10 | 285 | 5 |
| 166112 | 2.6 6 | 5.18 | 22 | 72 | <0.5 | 35 | 1.73 | 17 | 5 | 32 | 53 | 8.49 | 1 | 1.10 | <10 | 4.66 | 3163 | <2 | 0.02 | 22 | 0.150 | 473 | 0.41 | 12 | 4 | 97 | <5 | 0.08 | <10 | <10 | 81 | 28 | 1902 | 3 |
| 166113 | 2.7 | 3.54 | 41 | 91 | <0.5 | 21 | 2.87 | 10 | 6 | 32 | 127 | 5.16 | 2 | 1.27 | <10 | 2.71 | 3188 | <2 | 0.02 | 31 | 0.147 | 381 | 0.74 | 10 | 2 | 176 | <5 | 0.08 | <10 | <10 | 49 | 17 | 1212 | 2 |

Au 50g F.A. AA finish

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed:



Quality Assaying for over 35 Years

Metallic Assay Certificate

0S-0036-RM1

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Bjornson |

Jul-15-10

We *hereby certify* the following analysis of 20 core samples submitted Jun-22-10

| Sample | Wt-Total | Wt +150 | +150 Au | -150 Au | Metallic Au | Net Au |
|--------|----------|---------|---------------|---------|-------------|---------|
| Name | g | g | mg | g/tonne | g/tonne | g/tonne |
| 166016 | 834.4 | 53.4 | 0.712 | 12.10 | 0.85 | 12.18 |
| 161022 | 988.6 | 58.9 | 0.221 | 2.50 | 0.22 | 2.57 |
| 166023 | 977.9 | 84.7 | 0.594 | 4.59 | 0.61 | 4.80 |
| 166024 | 982.6 | 57.2 | 0.081 | 1.10 | 0,08 | 1.12 |
| 166025 | 517.5 | 50.2 | 0.757 | 6.65 | 1.46 | 7.47 |
| 166026 | 494.8 | 43.5 | 2.006 | 8.86 | 4.05 | 12.13 |
| 166028 | 507.5 | 52.2 | 0.100 | 1.33 | 0.20 | 1.39 |
| 166029 | 511.1 | 72.7 | 4.806 | 18.21 | 9.40 | 25.02 |
| 166030 | 345.0 | 61.5 | 1.891 | 11.99 | 5.48 | 15.33 |
| 166032 | 482.4 | 49.0 | 1.617 | 2.74 | 3.35 | 5.81 |
| 166034 | 985.4 | 67.2 | 7.325 | 4.31 | 7.43 | 11.45 |
| 166044 | 955.4 | 69.6 | 0.235 | 1.84 | 0.25 | 1.95 |
| 166050 | 780.6 | 59.9 | 3.367 | 20.44 | 4.31 | 23,18 |
| 166052 | 794.8 | 35.8 | 0.270 | 5.03 | 0.34 | 5.14 |
| 166085 | 952.7 | 65.6 | 0.145 | 1.71 | 0.15 | 1.74 |
| 166090 | 742.2 | 96.4 | 0.311 | 1.98 | 0.42 | 2.14 |
| 166095 | 951.2 | 68.1 | 0.817 | 0.90 | 0.86 | 1.69 |
| 166096 | 839.4 | 97.8 | 0.630 | 1.75 | 0.75 | 2.30 |
| 166127 | 780.9 | 187.9 | 0.904 | 3.19 | 1.16 | 3.58 |
| 166134 | 860.9 | 81.0 | 0.53 <u>6</u> | 3.69 | 0.62 | 3.97 |

Fire Assay for mettalic Au Assay



Project : Bronson

Attention : Arnd Bjornson

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0036RJDate: Jul-15-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag | Al % | As | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Hg | ĸ | La | Mg | Mn | Мо | Na | Ni | P | Pb | s | Sb | Sc |
|------------------|-------|---------|-----|-----|-------|------|-------|-----|-----|------|-------|-------|--|-------|------|-------|------|---------|--------|----------|-------|------|--------------|------------|---------|
| | PP-11 | | ppm | ppm | PPIII | ppin | 70 | ppm | phu | ppm | ppm | % | ppm | % | ppm | % | ppm | ppm | % | ppm | % | ppm | % | ppm | ppm |
| 165937 | 6.2 | 2.49 | 555 | 62 | 0.7 | 11 | 0.84 | 10 | 17 | 95 | 175 | 7.99 | <1 | 0.93 | <10 | 2 54 | 1745 | -2 | 0.01 | 05 | 0.005 | 260 | 4.10 | | |
| 165938 | 2.8 | 2.50 | 226 | 92 | 1.2 | 5 | 0.84 | 15 | 14 | 77 | 134 | 7.09 | <1 | 1.52 | <10 | 2.34 | 1525 | ~2 | 0.01 | 33 | 0.101 | 209 | 4.18 | <5 | 2 |
| 165939 | 4.7 | 1.68 | 245 | 64 | 0.6 | 10 | 0.36 | 18 | 13 | 62 | 90 | 6.90 | <1 | 0.82 | <10 | 1 4 2 | 1002 | 2 | 0.01 | 70 | 0.101 | 81 | 3.46 | <5 | 2 |
| 165940 | 4.4 | 2.03 | 276 | 80 | 0.6 | 7 | 0.59 | 14 | 20 | 79 | 211 | 7 34 | <1 | 0.90 | ~10 | 1.96 | 1400 | 2 | 0.01 | 33 | 0.128 | 151 | 3.71 | <5 | 1 |
| 165941 | 3.3 | 1.65 | 59 | 173 | 0.6 | 6 | 0.71 | 6 | 16 | 207 | 3249 | 4.08 | <1 | 0.66 | 27 | 0.63 | 343 | 233 | 0.01 | 94 17 | 0.057 | 137 | 4.13 1.35 | <5 16 | 1 4 |
| 165942 | 16.6 | 2.19 | 478 | 33 | 0.5 | 12 | 0.68 | 20 | 35 | 57 | 1361 | 10.65 | <1 | 0.78 | <10 | 2.18 | 1604 | 2 | 0.01 | 53 | 0 122 | 170 | 6 4 4 | -5 | |
| 165943 | 7.9 | 3.68 | 244 | 69 | 0.7 | 12 | 0.65 | 38 | 17 | 46 | 211 | 10.16 | <1 | 0.87 | <10 | 3.53 | 2022 | ~2 | <0.01 | 20 | 0.126 | 201 | 0.44 | <5 | 1 |
| 165944 | 6.2 | 3.64 | 331 | 94 | 0.8 | 7 | 0.50 | 29 | 18 | 104 | 272 | 8.53 | <1 | 0.97 | <10 | 3 36 | 1851 | -2 | <0.01 | 100 | 0.135 | 301 | 4.94 | <5 | 2 |
| 165945 | 23.8 | 3.01 | 299 | 68 | 0.5 | 28 | 0.78 | 29 | 15 | 100 | 407 | 8.25 | <1 | 0.64 | <10 | 2.84 | 2189 | 2 | <0.01 | 100 | 0.104 | 478 | 3.42 | <5 | 3 |
| 165946 | 22.3 | 4.44 | 92 | 76 | 0.7 | 34 | 0.88 | 141 | 13 | 139 | 691 | 9.29 | <1 | 0.82 | <10 | 4.06 | 3665 | <2 | <0.01 | 83 97 | 0.101 | 1869 | 3.33 | <5 <5 | 2 3 |
| 165947 | 15.9 | 3.44 | 171 | 80 | 0.7 | 25 | 0.66 | 91 | 14 | 100 | 700 | 8 30 | ~1 | 0.00 | -10 | 2.00 | 2010 | | | | | | | | |
| 165948 | 5.8 | 1.95 | 152 | 94 | 0.5 | 8 | 1.70 | 28 | 14 | 67 | 323 | 6.20 | <1 | 0.09 | <10 | 2.99 | 2819 | 2 | <0.01 | 85 | 0.089 | 1210 | 3.39 | <5 | 2 |
| 165949 | 3.0 | 2.16 | 103 | 98 | 0.5 | 5 | 0.93 | 18 | 15 | 88 | 141 | 5.67 | ~1 | 0.01 | <10 | 2.14 | 3164 | 2 | 0.01 | 142 | 0.107 | 297 | 2.90 | <5 | 2 |
| 165950 | 12.4 | 3.30 | 240 | 56 | 0.6 | 20 | 0.62 | 35 | 29 | 85 | 431 | 9.66 | ~1 | 0.74 | <10 | 2.00 | 24/4 | <2 | <0.01 | 111 | 0.104 | 186 | 2.29 | <5 | 1 |
| 166001 | 3.1 | 4.09 | 111 | 91 | 0.9 | 7 | 0.64 | 34 | 17 | 102 | 364 | 8 94 | ~1 | 1 13 | ~10 | 2.75 | 2339 | <2 | <0.01 | 97 | 0.110 | 692 | 4.17 | <5 | 2 |
| | | | | | | | | | | | 501 | 0.94 | ~1 | 1.1.5 | <10 | 3.33 | 2439 | <2 | <0.01 | 103 | 0.107 | 196 | 2.77 | <5 | 3 |
| 166002 | 2.7 | 2.41 | 113 | 110 | 0.6 | 5 | 0.90 | 30 | 13 | 74 | 173 | 6.25 | <1 | 0.85 | < 10 | 7 74 | 2468 | 2 | <0.01 | 117 | 0.006 | 100 | 2.24 | - | |
| 166003 | 3.6 | 2.72 | 109 | 130 | 0.8 | < 5 | 1.12 | 28 | 15 | 72 | 226 | 5.75 | <1 | 1.05 | < 10 | 2.24 | 2450 | 2 | 10.07 | 112 | 0.090 | 198 | 2.34 | <5 | 1 |
| 166004 | 5.3 | 2.24 | 121 | 71 | 0.5 | 6 | 2.24 | 41 | 31 | 106 | 408 | 7.55 | <1 | 0.70 | <10 | 2.55 | 3000 | 2 | <0.01 | 120 | 0.125 | 100 | 1.50 | <5 | 2 |
| 166005 | 19.5 | 0.75 | 353 | 30 | <0.5 | 30 | 1.36 | 359 | 21 | 51 | 1532 | 8.81 | 2 | 0.47 | <10 | 0.84 | 1617 | 2 | 0.01 | 107 | 0.092 | 495 | 3.21 | <5 | 2 |
| 166006 | <0.2 | 0.03 | <5 | <10 | <0.5 | <5 | 19.70 | <1 | <1 | 4 | 5 | 0.08 | 5 | 0.01 | <10 | 11.07 | 75 | <2 | < 0.01 | 2 | 0.085 | | 7.02 0.56 | <5 <5 | 1 <1 |
| 166007 | 135.2 | 0.29 | 647 | 21 | < 0.5 | 164 | 1.24 | 48 | 53 | 52 > | 10000 | 27 93 | 3 | 0.22 | -10 | 0.53 | 2004 | | | | | | | | |
| 166008 | 4.9 | 0.62 | 218 | 75 | <0.5 | 7 | 1.16 | 13 | 9 | 48 | 600 | 4 4 7 | ر ۲1 | 0.25 | <10 | 0.55 | 2094 | 17 | <0.01 | 88 | 0.047 | 956 | >10.00 | <5 | <1 |
| 166009 | 2.4 | 0.74 | 163 | 86 | <0.5 | <5 | 1.79 | 18 | 17 | 48 | 268 | 4.71 | 1 | 0.40 | <10 | 0.33 | 935 | 2 | 0.01 | 75 | 0.112 | 84 | 3.05 | <5 | 1 |
| 166010 | 2.3 | 1.35 | 101 | 79 | < 0.5 | <5 | 3.83 | 77 | 9 | 53 | 160 | 4.21 | 2 | 0.33 | ~10 | 0.67 | 1439 | <2 | 0.01 | 127 | 0.104 | 141 | 2.77 | <5 | 1 |
| 166011 | 3.8 | 0.79 | 116 | 90 | <0.5 | < 5 | 2.96 | 25 | 15 | 44 | 181 | 3.42 | 2 | 0.62 | <10 | 2.04 | 2058 | <2 2 | 0.01 | 66 62 | 0.077 | 242 | 1.72 | <5 | 1 |
| | | | | | | | | | | | | | | | | 2127 | 1909 | - | 0.01 | 02 | 0.090 | 122 | 1.05 | < 5 | T |
| 166012 | 5.7 | 1.05 | 224 | 78 | <0.5 | 6 | 4.61 | 137 | 14 | 35 | 378 | 7.16 | 3 | 0.61 | <10 | 1.89 | 3084 | 2 | 0.01 | 33 | 0.000 | 534 | 4 97 | ~5 | |
| 166013 | 3.2 | 1.41 | 88 | 104 | <0.5 | <5 | 5.21 | 18 | 22 | 31 | 323 | 8.21 | 2 | 0.75 | <10 | 2.16 | 3516 | <2 | 0.01 | 21 | 0 197 | 231 | 4.05 | < 5 ~ 6 | 1 |
| 166014 | 3.1 | 2.23 | 112 | 41 | 0.7 | <5 | 2.47 | 27 | 35 | 34 | 552 | 11.07 | <1 | 1.00 | <10 | 1.64 | 1934 | 2 | 0.01 | 25 | 0 212 | 188 | 6.76 | ~5 | 4 |
| 166015 | 1.8 | 1.48 | 44 | 79 | 0.7 | < 5 | 2.42 | 7 | 24 | 27 | 249 | 6.45 | <1 | 0.96 | <10 | 1.10 | 1830 | 3 | 0.01 | 18 | 0 196 | 100 | 3 20 | < 5 ~ E | ** |
| 166016 | 5.6 | 2.05 | 146 | 23 | 0.7 | <5 | 1.55 | 18 | 80 | 28 | 588 | 14.61 | <i< td=""><td>0.95</td><td><10</td><td>1.58</td><td>1764</td><td><2</td><td>< 0.01</td><td>36</td><td>0.180</td><td>158</td><td>3.30 8.34</td><td>< 5 < 5</td><td>2</td></i<> | 0.95 | <10 | 1.58 | 1764 | <2 | < 0.01 | 36 | 0.180 | 158 | 3.30 8.34 | < 5 < 5 | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Page 1 of 12

Signed:



Project : Bronson

Attention : Arnd Bjornson

| Sample Number | Sr ppm | Th ppm | Ti % | Ti ppm | U ppm | V ppm | W ppm | Zn ppm | Zr ppm |
|------------------|-----------|-----------|---------|-----------|----------|----------|----------|-----------|-----------|
| 165937 | 66 | <5 | 0.10 | <10 | <10 | 46 | <10 | 540 | 3 |
| 165938 | 59 | <5 | 0.17 | <10 | <10 | 54 | 10 | 1139 | 2 |
| 165939 | 29 | <5 | 0.08 | <10 | <10 | 36 | 14 | 1777 | 3 |
| 165940 | 46 | <5 | 0.09 | <10 | <10 | 44 | <10 | 690 | 2 |
| 165941 | 34 | 12 | 0.03 | <10 | <10 | 47 | <10 | 211 | 6 |
| 165942 | 50 | <5 | 0.08 | <10 | <10 | 51 | 12 | 1346 | 4 |
| 165943 | 41 | <5 | 0.10 | <10 | <10 | 75 | 38 | 4665 | 3 |
| 165944 | 32 | <5 | 0.11 | <10 | <10 | 73 | 27 | 3463 | 3 |
| 165945 | 54 | <5 | 0.07 | <10 | <10 | 51 | 29 | 3600 | ž |
| 165946 | 60 | <5 | 0.10 | <10 | <10 | 77 | 170 | >10000 | 3 |
| 165947 | 44 | <5 | 0.10 | <10 | <10 | 60 | 108 | >10000 | з |
| 165948 | 152 | <5 | 0.08 | <10 | <10 | 44 | 27 | 3518 | 2 |
| 165949 | 61 | <5 | 0.07 | <10 | <10 | 38 | 16 | 2082 | 2 |
| 165950 | 37 | <5 | 0.10 | <10 | <10 | 64 | 34 | 4270 | 3 |
| 166001 | 42 | <5 | 0.14 | <10 | <10 | 76 | 33 | 4258 | 3 |
| 166002 | 67 | <5 | 0.09 | <10 | <10 | 40 | 27 | 3661 | 2 |
| 166003 | 89 | <5 | 0.11 | <10 | <10 | 60 | 27 | 3590 | 2 |
| 166004 | 203 | <5 | 0.07 | <10 | <10 | 42 | 42 | 5269 | 2 |
| 166005 | 74 | <5 | 0.03 | <10 | <10 | 22 | 382 | >10000 | 3 |
| 166006 | 131 | <5 | <0.01 | <10 | <10 | 1 | <10 | 71 | <1 |
| 166007 | 60 | <5 | 0.01 | <10 | 19 | 25 | 40 | 3872 | 6 |
| 166008 | 50 | <5 | 0.02 | <10 | <10 | 14 | 11 | 1435 | ž |
| 166009 | 83 | <5 | 0.03 | <10 | <10 | 18 | 15 | 1955 | 2 |
| 166010 | 182 | <5 | 0.05 | <10 | <10 | 23 | 22 | 2716 | 2 |
| 166011 | 130 | <5 | 0.03 | <10 | <10 | 18 | 20 | 2636 | 2 |
| 166012 | 230 | <5 | 0.05 | <10 | <10 | 36 | 137 - | >10000 | 2 |
| 166013 | 297 | <5 | 0.08 | <10 | <10 | 72 | 10 | 1020 | - 3 |
| 166014 | 131 | <5 | 0.12 | 11 | <10 | 105 | 17 | 1768 | 3 |
| 166015 | 127 | <5 | 0.09 | <10 | <10 | 58 | <10 | 216 | 2 |
| 166016 | 74 | <5 | 0.12 | 13 | 14 | 99 | <10 | 194 | 5 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0036RJDate: Jul-15-10Sample type: CORE

b

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Signed:



Project : Bronson

Attention : Arnd Bjornson

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

 Report No
 : 0S0036RJ

 Date
 : Jul-15-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | Al | As | Ва | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Hg | к | La | Mg | Mn | Мо | Na | Ni | Р | Pb | S | Sb | Sc |
|--------|--------|------|-----------------|-----|-------|------|------|-----|-----|------|--------|-------|-----|------|-----|------|------|-----|--------|-----|---------|-------|--------|-----|-----|
| Number | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | % | ppm | % | ppm | ppm | % | ppm | % | ppm | % | ppm | ppm |
| 166017 | 2.2 | 2.04 | 109 | 62 | 0.6 | <5 | 1.73 | 38 | 24 | 39 | 347 | 8.49 | <1 | 0.88 | 11 | 1.60 | 1883 | 2 | 0.01 | 28 | 0.219 | 196 | 4.36 | <5 | 3 |
| 166018 | 2.5 | 2.93 | 366 | 74 | 0.5 | <5 | 1.37 | 66 | 21 | 103 | 158 | 7.70 | <1 | 0.72 | <10 | 2.43 | 2313 | <2 | < 0.01 | 94 | 0.099 | 389 | 2.34 | <5 | 2 |
| 166019 | 8.2 | 2.31 | 298 | 81 | 0.6 | 14 | 1.81 | 25 | 18 | 61 | 150 | 5.79 | <1 | 0.76 | <10 | 2.02 | 2277 | <2 | 0.01 | 91 | 0.100 | 1074 | 1.59 | <5 | |
| 166020 | 1.2 | 1.50 | 113 | 78 | <0.5 | <5 | 1.86 | 6 | 19 | 39 | 86 | 3.92 | <1 | 0.60 | <10 | 1.45 | 1658 | <2 | < 0.01 | 89 | 0.116 | 216 | 1.15 | < 5 | 1 |
| 166021 | 3.9 | 0.95 | 3605 | 86 | <0.5 | <5 | 3.76 | 24 | 80 | 35 | 457 | 4.91 | 2 | 0.52 | <10 | 1.62 | 2987 | 3 | 0.01 | 79 | 0.105 | 283 | 2.11 | <5 | 1 |
| 166022 | 18.8 | 0.43 | 391 | 19 | <0.5 | 35 | 1.23 | 27 | 110 | 54 | 1481 | 13.12 | <1 | 0.34 | 15 | 0.29 | 867 | 4 | 0.01 | 248 | 0.106 | 527 | 8.79 | <5 | <1 |
| 166023 | 41.3 | 0.40 | 666 | 19 | <0.5 | 82 | 0.28 | 31 | 44 | 72 | 1977 | 15.04 | <1 | 0.32 | 17 | 0.12 | 124 | 4 | 0.01 | 104 | 0.097 | 1283 | 9.59 | <5 | <1 |
| 166024 | 8.6 | 0.48 | 338 | 31 | <0.5 | 17 | 0.52 | 19 | 19 | 54 | 664 | 8.77 | <1 | 0.38 | 14 | 0.24 | 407 | 2 | 0.01 | 138 | 0.120 | 365 | 6.28 | <5 | <1 |
| 166025 | 101.3 | 0.44 | 733 | 23 | <0.5 | 130 | 0.86 | 36 | 20 | 63 | 9186 | 12.63 | 1 | 0.35 | <10 | 0.43 | 959 | 2 | < 0.01 | 140 | 0.095 | 1855 | 8.67 | <5 | <1 |
| 166026 | 149.1 | 0.48 | 637 | 21 | <0.5 | 181 | 0.69 | 41 | 28 | 57 : | >10000 | 13.51 | 1 | 0.37 | <10 | 0.40 | 678 | 2 | <0.01 | 158 | 0.098 | 2523 | 8.69 | <5 | <1 |
| 166027 | 6.6 | 0.48 | 198 | 58 | <0.5 | 7 | 2.39 | 15 | 14 | 60 | 812 | 6.91 | 1 | 0.35 | <10 | 1.02 | 2002 | 3 | 0.01 | 123 | 0.108 | 199 | 4.86 | <5 | 1 |
| 166028 | 22.5 | 0.32 | 298 | 31 | <0.5 | 47 | 0.22 | 32 | 10 | 55 | 758 | 8.92 | <1 | 0.26 | <10 | 0.06 | 134 | <2 | 0.01 | 178 | 0.070 | 468 | 6.72 | <5 | <1 |
| 166029 | >200.0 | 0.24 | 1106 | 20 | <0.5 | 1516 | 0.18 | 91 | 19 | 67 : | >10000 | 32.88 | <1 | 0.20 | 12 | 0.07 | 192 | <2 | < 0.01 | 125 | 0.063 | 6925 | >10.00 | 181 | <1 |
| 166030 | >200.0 | 0.21 | 87 9 | 19 | < 0.5 | 292 | 0.14 | 122 | 28 | 61 : | >10000 | 22.77 | <1 | 0.18 | 29 | 0.08 | 277 | 2 | < 0.01 | 85 | 0.013 | 4051 | >10.00 | 29 | <1 |
| 166031 | 3.1 | 1.71 | 22 | 144 | 0.6 | <5 | 0.94 | 5 | 19 | 184 | 2605 | 3.41 | <1 | 0.74 | 23 | 0.75 | 226 | 205 | 0.05 | 13 | 0.053 | 54 | 1.59 | <5 | 5 |
| 166032 | 160.3 | 0.26 | 229 | 33 | <0.5 | 121 | 1.01 | 176 | 13 | 67 : | >10000 | 7.20 | 2 | 0.22 | <10 | 0.27 | 738 | 3 | 0.01 | 74 | 0.050 : | 10000 | 6.15 | 27 | <1 |
| 166033 | 35.4 | 0.34 | 106 | 35 | <0.5 | 72 | 0.36 | 15 | 16 | 52 | 1326 | 6.89 | <1 | 0.28 | <10 | 0.09 | 112 | 2 | 0.01 | 121 | 0.124 | 1343 | 5.35 | <5 | <1 |
| 166034 | 98.9 | 0.52 | 364 | 25 | <0.5 | 129 | 1.48 | 30 | 47 | 85 | 8524 | 9.53 | <1 | 0.39 | 13 | 0.68 | 1368 | 3 | 0.01 | 130 | 0.097 | 1432 | 7.16 | <5 | 1 |
| 166035 | 4.7 | 1.62 | 199 | 75 | <0.5 | 7 | 2.28 | 27 | 13 | 83 | 163 | 5.64 | <1 | 0.86 | 12 | 2.20 | 1852 | 3 | 0.01 | 104 | 0.112 | 352 | 2.97 | <5 | 2 |
| 166036 | 3.0 | 2.90 | 129 | 83 | 0.6 | 5 | 1.52 | 31 | 17 | 161 | 247 | 7.36 | <1 | 0.89 | <10 | 2.79 | 2106 | Z | 0.01 | 168 | 0.085 | 144 | 2.93 | <5 | 2 |
| 166037 | 3.5 | 3.09 | 277 | 48 | <0.5 | 7 | 0.45 | 37 | 17 | 188 | 287 | 10.74 | <1 | 0.51 | <10 | 2.51 | 912 | 2 | <0.01 | 159 | 0.107 | 166 | 5.34 | <5 | 2 |
| 166038 | 5.2 | 2.42 | 126 | 95 | 0.6 | 7 | 1.64 | 35 | 13 | 141 | 367 | 6.40 | <1 | 0.97 | <10 | 2.55 | 1859 | 2 | 0.01 | 159 | 0.103 | 212 | 2.73 | <5 | 2 |
| 166039 | 2.6 | 1.99 | 75 | 96 | 0.6 | <5 | 2.17 | 5 | 19 | 102 | 202 | 4.74 | <1 | 0.96 | <10 | 2.56 | 1903 | <2 | 0.01 | 134 | 0.142 | 42 | 1.83 | <5 | 2 |
| 166040 | 2.4 | 1.52 | 86 | 91 | 0.5 | < 5 | 2.03 | 7 | 15 | 77 | 231 | 4.37 | 1 | 0.83 | <10 | 2.10 | 1669 | 2 | 0.02 | 84 | 0.114 | 43 | 2.10 | <5 | 2 |
| 166041 | 2.9 | 1.06 | 101 | 79 | <0.5 | <5 | 2.89 | 8 | 19 | 61 | 170 | 4.34 | 1 | 0.64 | <10 | 1.79 | 2218 | 3 | 0.01 | 82 | 0.123 | 91 | 2.42 | <5 | 2 |
| 166042 | 2.6 | 4.72 | 54 | 70 | 0.7 | <5 | 1.94 | 14 | 7 | 67 | 228 | 7.80 | <1 | 1.00 | <10 | 4.72 | 2932 | <2 | 0.01 | 44 | 0.128 | 97 | 1.17 | <5 | 6 |
| 166043 | 5.4 | 5.73 | 90 | 47 | <0.5 | 7 | 0.57 | 93 | 19 | 60 | 411 | 11.70 | <1 | 0.31 | <10 | 4.45 | 1908 | <2 | < 0.01 | 46 | 0.158 | 147 | 3.55 | <5 | 6 |
| 166044 | 16.8 | 6.56 | 31 | 69 | 0.7 | 17 | 1.05 | 73 | 16 | 65 | 471 | 10.55 | <1 | 0.78 | <10 | 5.19 | 2979 | <2 | < 0.01 | 34 | 0.139 | 371 | 1.30 | <5 | 8 |
| 166045 | 19.8 | 3.65 | 216 | 49 | <0.5 | 16 | 1.25 | 136 | 33 | 113 | 824 | 10.52 | <1 | 0.49 | 21 | 2.89 | 2374 | <2 | < 0.01 | 60 | 0.107 | 1790 | 4.84 | <5 | 4 |
| 166046 | 4.0 | 3.72 | 64 | 60 | <0.5 | <5 | 1.49 | 28 | 23 | 74 | 243 | 9.54 | <1 | 0.50 | 13 | 3.06 | 1784 | <2 | 0.01 | 51 | 0.139 | 263 | 3.66 | <5 | 4 |

Page 3 of 12

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: _



Project : Bronson

Attention : Arnd Bjornson

| Sample Number | Sr ppm | Th ppm | Ti % | TI ppm | U ppm | V ppm | W ppm | Zn ppm | Zr ppm |
|------------------|-----------|-----------|---------|-----------|----------|----------|----------|-----------|-----------|
| 166017 | 93 | <5 | 0.09 | 10 | <10 | 76 | 35 | 4265 | 3 |
| 166018 | 67 | <5 | 0.07 | <10 | <10 | 47 | 66 | 8108 | 2 |
| 166019 | 88 | <5 | 0.07 | <10 | <10 | 40 | 26 | 3356 | 2 |
| 166020 | 94 | <5 | 0.05 | <10 | <10 | 27 | <10 | 439 | 1 |
| 166021 | 226 | <5 | 0.03 | <10 | <10 | 20 | 25 | 3042 | 2 |
| 166022 | 57 | <5 | 0.01 | <10 | 10 | 23 | 18 | 2045 | 4 |
| 166023 | 13 | <5 | 0.01 | 10 | 15 | 26 | 22 | 2616 | 5 |
| 166024 | 26 | <5 | 0.01 | <10 | <10 | 19 | 16 | 1849 | 3 |
| 166025 | 43 | <5 | 0.01 | <10 | 14 | 23 | 34 | 3943 | 4 |
| 166026 | 34 | <5 | 0.01 | <10 | 18 | 24 | 41 | 4525 | 5 |
| 166027 | 209 | <5 | 0.01 | <10 | <10 | 18 | 12 | 1333 | 3 |
| 166028 | 9 | <5 | < 0.01 | <10 | <10 | 14 | 33 | 4220 | 3 |
| 166029 | 11 | <5 | < 0.01 | 12 | 54 | 28 | 106 | >10000 | 7 |
| 166030 | 8 | <5 | <0.01 | 12 | 19 | 19 | 159 | >10000 | 5 |
| 166031 | 48 | 12 | 0.04 | <10 | <10 | 47 | <10 | 278 | 4 |
| 166032 | 39 | <5 | <0.01 | <10 | <10 | 11 | 232 | >10000 | 3 |
| 166033 | 18 | <5 | <0.01 | <10 | <10 | 13 | 13 | 1478 | 3 |
| 166034 | 89 | <5 | 0.01 | <10 | <10 | 20 | 30 | 3213 | 4 |
| 166035 | 191 | <5 | 0.06 | <10 | <10 | 32 | 26 | 3109 | 2 |
| 166036 | 106 | <5 | 0.09 | <10 | <10 | 44 | 29 | 3551 | 3 |
| 166037 | 23 | <5 | 0.05 | <10 | 10 | 52 | 36 | 4000 | 4 |
| 166038 | 137 | <5 | 0.09 | <10 | <10 | 43 | 36 | 4220 | 2 |
| 166039 | 205 | <5 | 0.08 | <10 | <10 | 42 | <10 | 267 | 2 |
| 166040 | 198 | <5 | 0.07 | <10 | <10 | 36 | <10 | 368 | 2 |
| 166041 | 260 | <5 | 0.04 | <10 | <10 | 25 | <10 | 371 | 2 |
| 166042 | 142 | <5 | 0.10 | <10 | <10 | 98 | 11 | 1156 | 2 |
| 166043 | 25 | <5 | 0.04 | <10 | <10 | 132 | 78 | 8817 | 3 |
| 166044 | 48 | <5 | 0.09 | <10 | <10 | 151 | 66 | 6915 | 3 |
| 166045 | 67 | <5 | 0.05 | 10 | <10 | 94 | 150 | >10000 | 3 |
| 166046 | 75 | <5 | 0.05 | <10 | <10 | 81 | 20 | 2725 | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No:0S0036RJDate:Jul-15-10Sample type:CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Signed:



Project : Bronson

Attention : Arnd Bjornson

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 0S0036RJ Date : Jul-15-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag | AI % | As | Ba | Be | Bi | Ca % | Cd | Co | Cr | Сц | Fe | Hg | ĸ | La | Mg | Mn | Мо | Na | Ni | Р | Pb | S | Sb | Sc |
|--------------------|------|---------|------|-------|-------|-------|---------|------|-----|-----|------|------|----------|------|------------|-------|------|----------|--------|----------|----------------|------------|--------------|------------|---------|
| | F.F | | PPIL | PPIII | Ppm | PPIII | 70 | hhui | phu | ppm | ppm | 70 | ppm | 70 | ppm | % | ppm | ppm | % | ppm | % | ppm | % | ppm | ppm |
| 166047 | 0.7 | 3.24 | 70 | 73 | 0.7 | <5 | 7.11 | 6 | 39 | 70 | 67 | 5.71 | 1 | 0.91 | <10 | 3,54 | 3331 | <7 | 0.01 | 62 | 0.073 | 36 | 0.46 | -5 | |
| 166048 | 1.5 | 2.73 | 63 | 70 | <0.5 | <5 | 4.69 | 6 | 22 | 61 | 216 | 5.91 | 1 | 0.67 | <10 | 3.29 | 2755 | -2 | 0.01 | 40 | 0.075 | 50 | 1 22 | < 3 - F | 0 r |
| 166049 | 4.0 | 1.34 | 64 | 81 | <0.5 | <5 | 5.10 | 7 | 8 | 25 | 478 | 5.34 | 1 | 0.83 | <10 | 1 02 | 2747 | ~2 | 0.01 | 22 | 0.050 | 210 | 1.52 | < 3 | 2 |
| 166050 | 42.1 | 0.55 | 179 | 49 | < 0.5 | 47 | 7.84 | 118 | 71 | 58 | 586 | 9.37 | 3 | 0.35 | <10 | 1.22 | 2537 | 2 | <0.01 | 55 | 0.120 | 219 | 2.56 | <5 | 2 |
| 166051 | <0.2 | 0.05 | <5 | 12 | <0.5 | <5 | 19.75 | <1 | <1 | 11 | 2 | 0.11 | 3 | 0.02 | <10 | 11.56 | 96 | ~2 | < 0.01 | 2 | 0.068 | 2489 <2 | 6.46 0.55 | <5 <5 | 2 <1 |
| 166052 | 16.4 | 2.18 | 73 | 67 | 0.9 | 31 | 3.18 | 11 | 36 | 94 | 267 | 8.71 | <1 | 1.28 | <10 | 2.63 | 1696 | <2 | 0.01 | 45 | 0 107 | 166 | 1 46 | ~5 | F |
| 166053 | 2.9 | 1.55 | 53 | 144 | 0.8 | <5 | 2.07 | 10 | 20 | 47 | 195 | 4.85 | 1 | 1.36 | <10 | 1 50 | 1175 | 2 | 0.01 | 35 | 0.107 | 170 | 2.42 | < 5 E | 2 |
| 166054 | 11.7 | 1.12 | 67 | 170 | 0.6 | <5 | 1.50 | 11 | 10 | 25 | 2068 | 3.19 | 1 | 1.04 | <10 | 0.96 | 840 | ~2 | 0.01 | 31 | 0.120 | 200 | 2.42 | < 5 | 3 |
| 166055 | 1.5 | 1.33 | 29 | 188 | 1.0 | <5 | 1.51 | 3 | 8 | 35 | 192 | 3.01 | 1 | 1.25 | <10 | 1.09 | 946 | 2 | 0.01 | 34 | 0.130 | 200 | 1.70 | < 5 | 2 |
| 166056 | 0.9 | 1.26 | 14 | 198 | 0.9 | <5 | 1.75 | 2 | 7 | 29 | 150 | 2.43 | <1 | 1.17 | <10 | 1.12 | 935 | <2 | 0.02 | 29 | 0.142 | 30 18 | 0.76 | <5 <5 | 3 |
| 166057 | 1.0 | 1.24 | 26 | 159 | 0.8 | <5 | 1.50 | 3 | 14 | 27 | 173 | 3.11 | 1 | 1.13 | <10 | 1.25 | 857 | <2 | 0.02 | 36 | 0 132 | 21 | 1 4 3 | ~5 | 7 |
| 166058 | 1.1 | 1.36 | 37 | 144 | 0.9 | <5 | 1.79 | 3 | 16 | 31 | 165 | 3.31 | <1 | 1.23 | <10 | 1.39 | 1053 | <2 | 0.01 | 40 | 0.138 | 30 | 1.43 | <5 <5 | 2 |
| 166059 | 1.1 | 1.41 | 35 | 155 | 0.9 | <5 | 1.53 | 4 | 13 | 24 | 146 | 3.30 | 1 | 1.29 | <10 | 1.32 | 896 | <2 | 0.01 | 36 | 0.147 | 50 | 1.42 | < J 25 | 2 |
| 166060 | 0.9 | 1.35 | 27 | 163 | 0.9 | <5 | 1.89 | 2 | 10 | 25 | 60 | 2.56 | 1 | 1.23 | <10 | 1 33 | 1144 | <2 | 0.01 | 30 | 0.172 | 50 | 0.71 | < 5 | 2 |
| 166061 | 0.9 | 1.24 | 48 | 167 | 0.9 | <5 | 1.96 | 2 | 17 | 22 | 117 | 2.76 | 1 | 1.12 | <10 | 1.28 | 1082 | 2 | 0.02 | 35 | 0.135 | 17 | 0.86 | <5 | 2 |
| 166062 | 0.6 | 1.38 | 34 | 161 | 1.0 | <5 | 1.82 | 3 | 12 | 31 | 101 | 3.03 | <1 | 1 74 | <10 | 1 43 | 077 | ~7 | 0.03 | 76 | 0.140 | • • | 0.07 | - | _ |
| 166063 | 0.9 | 1.34 | 41 | 171 | 0.9 | <5 | 2.37 | 4 | 13 | 21 | 96 | 3.03 | 1 | 1 17 | <10 | 1 20 | 1427 | ~2 | 0.02 | 30 | 0.140 | 16 | 0.82 | <5 | 3 |
| 166064 | 0.6 | 1.08 | 27 | 139 | 0.7 | <5 | 2.59 | 2 | 10 | 20 | 96 | 2 56 | 1 | 0.07 | <10 | 1.30 | 1957 | ~2 | 0.02 | 26 | 0.149 | 112 | 0.90 | <5 | 2 |
| 166065 | 0.8 | 0.77 | 32 | 111 | 0.5 | <5 | 2.89 | 2 | -* | 28 | 124 | 2.30 | 2 | 0.57 | <10 | 1.27 | 1334 | <2 | 0.02 | 21 | 0.136 | 28 | 0.71 | <5 | 2 |
| 166066 | 0.7 | 1.00 | 35 | 129 | 0.6 | <5 | 2.70 | 3 | 5 | 48 | 130 | 2.95 | 1 | 0.87 | <10 <10 | 1.24 | 1162 | 2 <2 | 0.03 | 31 49 | 0.095 0.089 | 22 15 | 0.61 0.95 | <5 <5 | 2 3 |
| 166067 | 1.5 | 1.26 | 56 | 158 | 0.8 | <5 | 1.85 | 9 | 21 | 47 | 150 | 3.68 | 1 | 1.12 | <10 | 1 37 | 1747 | 7 | 0.01 | 61 | 0 007 | 310 | 4 74 | | _ |
| 166068 | 4.4 | 2.71 | 93 | 119 | 1.3 | <5 | 1.64 | 22 | 40 | 58 | 244 | 6.49 | <1 | 2.37 | <10 | 2 44 | 1051 | ~7 | 0.01 | 60 | 0.097 | 213 | 1.71 | < 5 | 2 |
| 166069 | 0.5 | 0.92 | 59 | 133 | 0.6 | <5 | 2.90 | 2 | 29 | 39 | 71 | 2.60 | 1 | 0.81 | ~10 | 1.47 | 1461 | ~~ | 0.01 | 00 | 0.087 | 933 | 2.47 | <5 | 3 |
| 166070 | 0.6 | 1.18 | 61 | 147 | 0.8 | <5 | 2.90 | 3 | 13 | 63 | 87 | 3.00 | 1 | 1.05 | <10 | 1 50 | 1767 | 2 | 0.03 | 22 | 0.085 | 30 | 0.63 | <5 | 3 |
| 166071 | 3.5 | 1.51 | 43 | 182 | 0.6 | 5 | 0.63 | 5 | 14 | 161 | 2973 | 3.44 | <1 | 0.66 | 23 | 0.57 | 293 | 198 | 0.03 | 90 14 | 0.093 | 16 109 | 0.75 | <5 15 | 3 4 |
| 166072 | 0.5 | 0.96 | 37 | 121 | 0.6 | <5 | 2.95 | 2 | q | 48 | 94 | 2 41 | 2 | 0.86 | <10 | 1.00 | 1120 | ~ | 0.07 | | | _ | | _ | |
| 166073 | 3.0 | 0.70 | 47 | 116 | < 0.5 | <5 | 3.58 | - 7 | 14 | 28 | 420 | 7 48 | 2 | 0.00 | <10 | 1.00 | 1120 | 2 | 0.03 | /2 | 0.084 | 7 | 0.56 | <5 | 2 |
| 166074 | 1.8 | 0.80 | 46 | 106 | <0.5 | <5 | 2.04 | 2 | 6 | 38 | 174 | 2.70 | <u>د</u> | 0.60 | <10 | 0.01 | 1040 | - 2 | 0.01 | 32 | 0.082 | 292 | 1.60 | <5 | 1 |
| 166075 | 1.7 | 0.64 | 62 | 93 | <0.5 | <5 | 1.50 | 3 | 7 | 35 | 172 | 2.35 | ~1 | 0.05 | <10 | 0.97 | 1202 | <2 | 0.03 | 42 | 0.070 | 33 | 0.94 | <5 | 1 |
| 16607 6 | 1.9 | 0.65 | 73 | 96 | <0.5 | <5 | 1.54 | 3 | 8 | 33 | 177 | 2.49 | 1 | 0.50 | <10 | 0.84 | 1395 | <2 <2 | 0.02 | 29 33 | 0.047 | 58 73 | 1.04 1.19 | <5 <5 | 1 1 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed:



Project : Bronson

Attention : Arnd Bjornson

| As | say | ers | Canada | |
|----|-----|-----|--------|--|
| - | - | | | |

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

| Report No | : 0S0036RJ |
|-------------|-------------|
| Date | : Jul-15-10 |
| Sample type | : CORE |

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Sr | Th | Ti | TI | U | v | w | Zn | Zr |
|--------|-----|-----|-------|-----|-----|-----|-----|--------|-----|
| Number | ppm | ppm | % | ppm | ppm | ppm | ррт | ppm | ppm |
| 166047 | 433 | <5 | 0.10 | <10 | <10 | 101 | <10 | 261 | 2 |
| 166048 | 275 | <5 | 0.06 | <10 | <10 | 73 | <10 | 258 | 2 |
| 166049 | 303 | <5 | 0.06 | <10 | <10 | 37 | <10 | 340 | 1 |
| 166050 | 512 | <5 | 0.02 | <10 | <10 | 27 | 138 | >10000 | 3 |
| 166051 | 152 | <5 | <0.01 | 10 | <10 | 2 | <10 | 42 | <1 |
| 166052 | 269 | <5 | 0.14 | <10 | <10 | 82 | <10 | 507 | 3 |
| 166053 | 207 | <5 | 0.12 | <10 | <10 | 51 | <10 | 960 | 3 |
| 166054 | 160 | <5 | 0.10 | <10 | <10 | 30 | 11 | 1282 | 2 |
| 166055 | 122 | < 5 | 0.15 | <10 | <10 | 54 | <10 | 168 | 2 |
| 166056 | 150 | <5 | 0.13 | <10 | <10 | 41 | <10 | 81 | 2 |
| 166057 | 138 | <5 | 0.11 | <10 | <10 | 37 | <10 | 73 | 2 |
| 166058 | 195 | <5 | 0.12 | <10 | <10 | 36 | <10 | 115 | 2 |
| 166059 | 162 | <5 | 0.13 | <10 | <10 | 36 | <10 | 163 | 2 |
| 166060 | 224 | <5 | 0.12 | <10 | <10 | 33 | <10 | 131 | 1 |
| 166061 | 208 | <5 | 0.12 | <10 | <10 | 41 | <10 | 55 | 1 |
| 166062 | 188 | <5 | 0.14 | <10 | <10 | 48 | <10 | 66 | 1 |
| 166063 | 230 | <5 | 0.12 | <10 | <10 | 41 | <10 | 347 | 1 |
| 166064 | 249 | <5 | 0.09 | <10 | <10 | 37 | <10 | 64 | 1 |
| 166065 | 260 | <5 | 0.06 | <10 | <10 | 36 | <10 | 62 | 1 |
| 166066 | 253 | <5 | 0.09 | <10 | <10 | 45 | <10 | 56 | 2 |
| 166067 | 192 | <5 | 0.11 | <10 | <10 | 39 | <10 | 911 | 2 |
| 166068 | 178 | <5 | 0.19 | 10 | <10 | 58 | 22 | 2614 | 3 |
| 166069 | 313 | <5 | 0.08 | <10 | <10 | 42 | <10 | 66 | 2 |
| 166070 | 293 | <5 | 0.11 | <10 | <10 | 41 | <10 | 63 | 2 |
| 166071 | 34 | 11 | 0.02 | <10 | <10 | 41 | <10 | 149 | 5 |
| 166072 | 282 | <5 | 0.09 | <10 | <10 | 31 | <10 | 35 | 2 |
| 166073 | 313 | <5 | 0.04 | <10 | <10 | 17 | <10 | 632 | 2 |
| 166074 | 226 | <5 | 0.05 | <10 | <10 | 22 | <10 | 63 | 2 |
| 166075 | 167 | <5 | 0.03 | <10 | <10 | 15 | <10 | 138 | 1 |
| 166076 | 177 | <5 | 0.03 | <10 | <10 | 16 | <10 | 194 | 1 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed:



Project : Bronson

Attention : Arnd Bjornson

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 0S0036RJ Date : Jul-15-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | AI % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd mag | Co maa | Cr | Cu maa | Fe % | Hg | К % | La | Mg % | Mn | Mo | Na % | Ni | P % | Pb | S % | Sb | Sc |
|------------------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|-----|-----------|---------|------------|-------------|-----|---------|-------|-------|---------|------|--------|------|--------|------------|--------|
| | ., | | •• | •• | | | | - | 1.1 | P.P | P.P | | PP | <i>,</i> ,, | ppm | 70 | PPIII | PPIII | ,,, | hhiu | 70 | ppin | 70 | ppm | ppm |
| 166077 | 4.1 | 0.94 | 32 | 123 | 0.5 | <5 | 1.99 | 7 | 7 | 29 | 185 | 2.29 | <1 | 0.81 | <10 | 1.11 | 1619 | <2 | 0.02 | 37 | 0.076 | 625 | 0.64 | <5 | 1 |
| 166078 | 4.9 | 0.99 | 48 | 127 | <0.5 | <5 | 1.16 | 31 | 7 | 33 | 193 | 3.03 | <1 | 0.86 | <10 | 0.92 | 1396 | 2 | 0.02 | 20 | 0.060 | 673 | 1.67 | <5 | 1 |
| 166079 | 4.6 | 0.98 | 25 | 108 | <0.5 | <5 | 1.31 | 48 | 3 | 26 | 134 | 2.33 | 1 | 0.79 | <10 | 0.96 | 1689 | <2 | 0.01 | 20 | 0.050 | 1085 | 0.83 | <5 | 1 |
| 166080 | 4.7 | 2.99 | 74 | 177 | 1.4 | <5 | 1.10 | 28 | 12 | 49 | 217 | 6.69 | <1 | 2.37 | <10 | 2.28 | 2264 | 15 | 0.01 | 49 | 0.094 | 1146 | 1.35 | <5 | 2 |
| 166081 | 13.8 | 3.12 | 90 | 81 | 1.3 | 5 | 1.37 | 100 | 26 | 48 | 716 | 8.76 | 1 | 2.09 | <10 | 2.63 | 2668 | 50 | 0.01 | 73 | 0.087 | 3059 | 3.56 | <5 | 4 |
| 166082 | 15.0 | 1.28 | 78 | 80 | 0.5 | 5 | 4.21 | 188 | 44 | 31 | 167 | 6.81 | 4 | 0.94 | <10 | 2.44 | 4829 | 4 | 0.01 | 39 | 0.053 | 3170 | 3.86 | <5 | 3 |
| 166083 | 4.4 | 1.87 | 63 | 98 | 0.9 | <5 | 2.72 | 24 | 62 | 31 | 226 | 7.84 | 2 | 1.50 | <10 | 2.29 | 3337 | 15 | 0.01 | 71 | 0.081 | 860 | 3.63 | <5 | z |
| 166084 | 4.9 | 2.02 | 154 | 142 | 1.0 | <5 | 1.70 | 9 | 5 | 38 | 540 | 6.16 | <1 | 1.62 | <10 | 1.90 | 2168 | 12 | 0.01 | 72 | 0.095 | 269 | 2.29 | <5 | 3 |
| 166085 | 4.9 | 1.35 | 113 | 68 | 0.7 | <5 | 2.16 | 8 | 60 | 26 | 582 | 7.86 | 1 | 1.22 | <10 | 1.55 | 2227 | 13 | 0.01 | 61 | 0.097 | 60 | 4.76 | <5 | 1 |
| 166086 | 2.9 | 1.68 | 51 | 192 | 0.9 | <5 | 2.36 | 4 | 4 | 29 | 326 | 4.76 | 1 | 1.51 | <10 | 1.70 | 1986 | 6 | 0.01 | 57 | 0.117 | 38 | 1.93 | <5 | 2 |
| 166087 | 5.6 | 1.71 | 91 | 161 | 1.0 | <5 | 2.52 | 24 | 7 | 26 | 321 | 5.04 | <1 | 1.54 | <10 | 1.80 | 2355 | 5 | 0.01 | 63 | 0.131 | 608 | 2.21 | <5 | 2 |
| 166088 | 5.4 | 1.64 | 75 | 158 | 0.9 | <5 | 2.42 | 12 | 11 | 25 | 236 | 5.30 | 1 | 1.48 | <10 | 1.78 | 3063 | 5 | 0.01 | 42 | 0.117 | 485 | 2.33 | <5 | 2 |
| 166089 | 10.0 | 2.72 | 285 | 77 | 1.2 | <5 | 1.38 | 9 | 19 | 44 | 1082 | 8.92 | <1 | 1.91 | 11 | 2.20 | 3071 | 15 | 0.01 | 47 | 0.130 | 240 | 4.14 | <5 | 2 |
| 166090 | 18.9 | 5.28 | 207 | 38 | 1.0 | 8 | 0.97 | 101 | 154 | 38 | 831 | 16.16 | <1 | 1.53 | 11 | 4.12 | 3953 | 11 | 0.01 | 40 | 0.096 | 2309 | 7.93 | <5 | 6 |
| 166091 | 10.6 | 3.88 | 117 | 92 | 1.0 | <5 | 0.97 | 38 | 23 | 22 | 993 | 9.45 | <1 | 1.46 | 16 | 3.01 | 3544 | 34 | 0.01 | 24 | 0.110 | 914 | 3.47 | <5 | 4 |
| 166092 | 17.4 | 4.76 | 200 | 73 | 0.7 | 7 | 1.00 | 99 | 15 | 41 | 883 | 11.59 | <1 | 1.03 | <10 | 3.48 | 4331 | 20 | 0.01 | 23 | 0 100 | 7474 | 4 51 | ~5 | 5 |
| 166093 | 4.6 | 5.03 | 15 | 93 | 0.7 | <5 | 1.14 | 31 | 6 | 61 | 165 | 8.45 | <1 | 0.98 | 11 | 3.74 | 4499 | <7 | 0.01 | 79 | 0.101 | 771 | 0.77 | ~5 | 4 |
| 166094 | 5.9 | 5.31 | 42 | 88 | 0.6 | <5 | 0.73 | 42 | 13 | 130 | 165 | 9.42 | <1 | 0.93 | <10 | 3.86 | 3633 | 2 | < 0.01 | 50 | 0.095 | 1037 | 1 75 | <5 | 5 |
| 166095 | 9.5 | 3.73 | 93 | 86 | 0.5 | 6 | 0.88 | 83 | 12 | 66 | 385 | 7.65 | <1 | 0.78 | <10 | 2.81 | 3438 | 2 | 0.01 | 78 | 0.080 | 1510 | 2.06 | ~5 | 3 |
| 166096 | 19.7 | 4.19 | 117 | 108 | 0.7 | 19 | 1.65 | 55 | 33 | 76 | 221 | 9.20 | <1 | 0.94 | <10 | 3.53 | 4269 | <2 | 0.01 | 71 | 0.124 | 2093 | 3.13 | <5 | 4 |
| 166097 | 6.3 | 2.26 | 94 | 201 | 1.1 | <5 | 2.49 | 22 | 15 | 54 | 311 | 5.83 | 1 | 1.69 | <10 | 2 22 | 3833 | , | 0.01 | 77 | 0 140 | 636 | 1 90 | ~5 | 7 |
| 166098 | 3.0 | 2.27 | 33 | 243 | 1.2 | <5 | 3.06 | 11 | 7 | 36 | 114 | 4.70 | 2 | 1.66 | <10 | 2.23 | 3440 | <2 | 0.01 | 51 | 0.145 | 389 | 0.83 | ~5 | 2 |
| 166099 | 5.8 | 3.24 | 210 | 178 | 1.0 | <5 | 2.96 | 66 | 13 | 51 | 191 | 6.62 | 1 | 1.30 | <10 | 2.96 | 3586 | <2 | 0.01 | 40 | 0.157 | 1234 | 1 76 | ~5 | 3 |
| 166100 | 2.7 | 2.89 | 37 | 211 | 1.1 | <5 | 2.11 | 15 | 7 | 51 | 130 | 5.65 | <1 | 1.46 | <10 | 2.46 | 3128 | <2 | 0.01 | 52 | 0.166 | 508 | 0.78 | ~5 | 3 |
| 166101 | <0.2 | 0.05 | <5 | <10 | <0.5 | <5 | 19.88 | <1 | <1 | 3 | <1 | 0.07 | 6 | 0.02 | <10 | 11.21 | 70 | <2 | < 0.01 | 2 | 0.017 | <2 | 0.54 | <5 | <1 |
| 166102 | 3.7 | 2.01 | 74 | 154 | 0.9 | <5 | 3.11 | 9 | 6 | 30 | 371 | 5 29 | c 1 | 1 20 | <10 | 2.06 | 3556 | 11 | 0.01 | 50 | 0 166 | 102 | 7 1 7 | ~5 | 2 |
| 166103 | 4.7 | 3.69 | 97 | 119 | 0.9 | <5 | 1.57 | 22 | 12 | 53 | 353 | 7.82 | <1 | 1 17 | 12 | 2.00 | 2865 | 11 | 0.01 | 50 | 0.100 | 193 | 2.1/ | < J 25 | 2 |
| 166104 | 2.0 | 3.14 | 89 | 157 | 1.1 | <5 | 4.17 | 24 | 37 | 70 | 88 | 5.86 | <1 | 1.30 | <10 | 3.00 | 2003 | | 0.01 | 64 | 0.149 | 393 | 2.33 | < J 25 | د 7 |
| 166105 | 0.8 | 2.81 | 224 | 189 | 1.2 | <5 | 7.89 | 5 | 46 | 74 | 30 | 5.04 | 2 | 1 50 | <10 | 2 72 | 3600 | ~ 2 | 0.01 | 71 | 0.107 | 202 | 0.90 | < 5 ~ 5 | , |
| 166106 | 0.6 | 3.21 | 271 | 214 | 1.5 | <5 | 6.87 | 6 | 42 | 73 | 62 | 6.01 | 2 | 1.77 | <10 | 3.19 | 3658 | <2 | 0.01 | 75 | 0.095 | 63 | 0.57 | <5 | 10 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed:



Project : Bronson

Attention : Arnd Bjornson

| Sample Number | Sr ppm | Th ppm | Ti % | TI ppm | U ppm | V ppm | W ppm | Zn ppm | Zr ppm |
|------------------|-----------|-----------|--------------|-----------|----------|----------|----------|-----------|-----------|
| 166077 | 777 | ~5 | 0.06 | -10 | ~10 | 24 | -10 | 004 | ~ |
| 166079 | 277 | < 5 | 0.05 | <10 | <10 | 21 | <10 | 894 | 2 |
| 100078 | 159 | <5 | 0.05 | <10 | <10 | 16 | 36 | 4558 | 2 |
| 166079 | 173 | <5 | 0.05 | <10 | <10 | 13 | 48 | 6089 | 2 |
| 100080 | 109 | <5 | 0.20 | 11 | <10 | 55 | 32 | 3980 | 3 |
| 199081 | 156 | <5 | 0.19 | 11 | <10 | 90 | 128 | >10000 | 4 |
| 166082 | 427 | <5 | 0.08 | <10 | <10 | 27 | 203 | >10000 | 3 |
| 166083 | 301 | <5 | 0.14 | <10 | <10 | 57 | 23 | 2717 | 4 |
| 166084 | 203 | <5 | 0.16 | <10 | <10 | 82 | <10 | 762 | 4 |
| 166085 | 258 | <5 | 0.11 | <10 | <10 | 55 | <10 | 105 | 5 |
| 166086 | 265 | <5 | 0.15 | <10 | <10 | 70 | <10 | 99 | 4 |
| 166087 | 258 | ~5 | 0.15 | <10 | <10 | 60 | 77 | 7776 | 4 |
| 166088 | 246 | <5 | 0.13 | <10 | ~10 | 25 | 11 | 1217 | 7 |
| 166089 | 177 | ~5 | 0.19 | 12 | <10 | | ~10 | 202 | 5 |
| 166090 | 73 | <5 | 0.18 | 16 | 12 | 165 | 117 | >1000 | 2 |
| 166091 | 66 | <5 | 0.15 | 12 | <10 | 107 | 47 | 5100 | 5 |
| | | | 0.10 | | -10 | 102 | 74 | 5155 | 5 |
| 166092 | 71 | <5 | 0.11 | 11 | <10 | 118 | 121 | >10000 | 7 |
| 166093 | 76 | <5 | 0.10 | 10 | <10 | 93 | 34 | 4072 | 4 |
| 166094 | 45 | <5 | 0.10 | <10 | <10 | 100 | 45 | 5511 | 4 |
| 166095 | 59 | <5 | 0.08 | <10 | <10 | 77 | 103 | >10000 | 3 |
| 166096 | 106 | <5 | 0.10 | 10 | <10 | 77 | 69 | 7265 | 4 |
| 166097 | 191 | <5 | 0.17 | <10 | <10 | 57 | 24 | 2609 | 2 |
| 166098 | 235 | <5 | 0.17 | <10 | <10 | 57 | 11 | 1156 | 2 |
| 166099 | 234 | <5 | 0.15 | 10 | <10 | 78 | 70 | 8536 | 2 |
| 166100 | 147 | <5 | 0.16 | <10 | <10 | 65 | 15 | 1734 | 2 |
| 166101 | 154 | <5 | <0.01 | 11 | <10 | 20 | <10 | 1/34 | -1 |
| 100101 | 194 | ~ 5 | V0.01 | 11 | ~10 | 2 | 10 | 55 | ~1 |
| 166102 | 220 | <5 | 0.12 | <10 | <10 | 55 | <10 | 742 | 3 |
| 166103 | 101 | <5 | 0.12 | 10 | <10 | 77 | 21 | 2309 | 4 |
| 166104 | 331 | <5 | 0.14 | <10 | <10 | 109 | 24 | 2640 | 3 |
| 166105 | 1026 | <5 | 0.16 | 10 | <10 | 113 | <10 | 198 | 2 |
| 166106 | 575 | <5 | 0.20 | 11 | <10 | 132 | <10 | 175 | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0036RJDate: Jul-15-10Sample type: CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Signed:



Project : Bronson

Attention : Arnd Bjornson

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

 Report No
 : 0S0036RJ

 Date
 : Jul-15-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | AI | As | Ва | Be | Bi | Ca | Cd | Со | Cr | Cu | Fe | Hg | К | La | Mg | Mn | Мо | Na | Ni | P | Pb | S | Sb | Sc |
|--------|------|------|------|-----|-----|-----|------|-----|-----|-----|------|-------|-----|------|-----|------|------|-----|--------|-----|-------|------|------|-----|-----|
| Number | ppm | 70 | ppm | ppm | ppm | ppm | 70 | ppm | ррт | ppm | ppm | % | ppm | % | ppm | % | ppm | ppm | % | ppm | % | ppm | % | ppm | ppm |
| 166107 | 2.2 | 2.34 | 46 | 105 | 0.6 | <5 | 3.69 | 10 | 9 | 28 | 58 | 4.79 | 1 | 0.84 | <10 | 2.85 | 4152 | <2 | 0.01 | 31 | 0.130 | 339 | 0.66 | <5 | 3 |
| 166108 | 2.0 | 5.50 | 40 | 66 | 0.6 | <5 | 1.21 | 21 | 6 | 46 | 36 | 8.40 | <1 | 0.67 | <10 | 4.78 | 3581 | <2 | 0.01 | 32 | 0.158 | 493 | 0.77 | <5 | 5 |
| 166109 | 5.0 | 5.17 | 21 | 49 | 0.5 | <5 | 1.96 | 67 | 4 | 43 | 125 | 8.56 | <1 | 0.50 | <10 | 4.27 | 4897 | <2 | < 0.01 | 26 | 0.111 | 1084 | 1.22 | < 5 | 7 |
| 166110 | 4.9 | 4.94 | 256 | 74 | 0.6 | <5 | 1.64 | 42 | 4 | 38 | 72 | 7.34 | <1 | 0.74 | <10 | 4.09 | 4011 | <2 | 0.01 | 25 | 0.152 | 1136 | 0.59 | < 5 | 5 |
| 166111 | 2.8 | 2.00 | 25 | 165 | 0.7 | <5 | 0.89 | 5 | 21 | 196 | 2793 | 3.55 | <1 | 0.83 | 26 | 0.75 | 235 | 213 | 0.05 | 13 | 0.059 | 56 | 1.70 | <5 | 6 |
| 166112 | 2.2 | 4.80 | 20 | 74 | 0.5 | <5 | 1.46 | 20 | 5 | 33 | 43 | 7.02 | <1 | 0.68 | <10 | 3.95 | 3466 | <2 | 0.01 | 26 | 0.168 | 475 | 0.41 | <5 | 4 |
| 166113 | 2.8 | 2.72 | 40 | 95 | 0.6 | <5 | 2.37 | 12 | 5 | 34 | 118 | 4.35 | <1 | 0.81 | <10 | 2,43 | 3441 | <2 | 0.01 | 34 | 0.151 | 374 | 0.74 | <5 | 2 |
| 166114 | 1.9 | 4.49 | 90 | 78 | 0.7 | <5 | 1.44 | 14 | 8 | 25 | 118 | 6.78 | <1 | 0.91 | <10 | 3.60 | 2595 | 2 | 0.01 | 17 | 0.152 | 279 | 0.79 | <5 | - 3 |
| 166115 | 1.1 | 2.33 | 41 | 81 | 0.7 | <5 | 3.79 | 4 | 10 | 7 | 120 | 3.77 | 1 | 0.88 | <10 | 1.98 | 2468 | <2 | 0.02 | 5 | 0.194 | 71 | 0.90 | <5 | 2 |
| 166116 | 1.4 | 2.33 | 53 | 120 | 0.9 | <5 | 3.14 | 4 | 13 | 11 | 209 | 3.98 | <1 | 1.14 | <10 | 1.94 | 1916 | <2 | 0.02 | 4 | 0.172 | 26 | 1.12 | <5 | 2 |
| 166117 | 3.2 | 2.18 | 151 | 122 | 0.9 | <5 | 2.89 | 6 | 21 | 13 | 383 | 5.54 | 1 | 1.15 | <10 | 1.70 | 2115 | <2 | 0.01 | 5 | 0.190 | 86 | 2.70 | <5 | 7 |
| 166118 | 3.5 | 2.54 | 93 | 120 | 0.8 | <5 | 2.68 | 10 | 12 | 10 | 313 | 4.68 | <1 | 1.05 | <10 | 2.01 | 2532 | <2 | 0.01 | 5 | 0.184 | 266 | 1.44 | < 5 | ~ 2 |
| 166119 | 4.2 | 3.32 | 723 | 89 | 0.7 | <5 | 2.83 | 23 | 30 | 17 | 327 | 7.92 | 1 | 0.88 | 12 | 2.83 | 2890 | <2 | 0.01 | 10 | 0.148 | 400 | 3 50 | <5 | |
| 166120 | 1.2 | 2.56 | 196 | 82 | 0.7 | <5 | 3.59 | 7 | 9 | 11 | 122 | 4.32 | <1 | 0.73 | <10 | 2.16 | 2410 | <2 | 0.02 | 5 | 0 145 | 71 | 1 09 | ~5 | 2 |
| 166121 | 3.9 | 2.75 | 727 | 92 | 0.7 | <5 | 3.94 | 28 | 9 | 10 | 171 | 4.68 | 1 | 0.83 | <10 | 2.27 | 2527 | <2 | 0.02 | 7 | 0.154 | 591 | 1.02 | <5 | 2 |
| 166122 | 4.2 | 3.16 | 294 | 116 | 1.0 | <5 | 3.20 | 21 | 15 | 18 | 160 | 5.44 | <1 | 1.09 | <10 | 2.53 | 2479 | <2 | 0.02 | 10 | 0.175 | 572 | 0.98 | <5 | ٦ |
| 166123 | 6.8 | 3.68 | 235 | 117 | 0.9 | <5 | 3.35 | 27 | 27 | 31 | 350 | 7.36 | <1 | 1.02 | <10 | 2.87 | 3372 | <2 | 0.01 | 16 | 0.155 | 725 | 1.89 | < 5 | 5 |
| 166124 | 15.1 | 3.84 | 3596 | 107 | 0.8 | <5 | 3.89 | 55 | 22 | 14 | 482 | 7.68 | <1 | 0.97 | 14 | 2.98 | 4230 | <2 | 0.01 | | 0.110 | 1921 | 1.83 | 10 | ž |
| 166125 | 5.1 | 3.75 | 363 | 106 | 0.7 | <5 | 1.84 | 15 | 13 | 9 | 327 | 7.03 | <1 | 0.93 | 13 | 2.83 | 3446 | <2 | 0.01 | 5 | 0.115 | 628 | 1.01 | < 5 | ž |
| 166126 | 6.4 | 3.53 | 299 | 113 | 0.8 | <5 | 2.11 | 22 | 16 | 9 | 305 | 6.90 | <1 | 0.97 | 13 | 2.68 | 3568 | <2 | 0.01 | 6 | 0.120 | 889 | 1.06 | <5 | 2 |
| 166127 | 8.9 | 2.86 | 1754 | 64 | 0.6 | <5 | 3.31 | 65 | 143 | 19 | 206 | 12.29 | <1 | 0.88 | 15 | 2.28 | 4028 | 6 | 0.01 | 9 | 0.095 | 962 | 7.00 | <5 | 2 |
| 166128 | 1.2 | 2.13 | 183 | 117 | 0.9 | <5 | 3.11 | 9 | 6 | 14 | 43 | 3.19 | i | 0.93 | 14 | 1.69 | 2339 | <2 | 0.03 | 7 | 0.141 | 166 | 0.46 | <5 | 3 |
| 166129 | 0.6 | 2.09 | 40 | 211 | 1.2 | <5 | 3.58 | 3 | 11 | 15 | 97 | 3.62 | <1 | 1.34 | <10 | 2.37 | 1256 | <2 | 0.04 | 7 | 0.139 | 20 | 0.93 | <5 | 4 |
| 166130 | 1.6 | 1.91 | 36 | 265 | 1.4 | <5 | 1.71 | 4 | 20 | 16 | 231 | 4.35 | <1 | 1.58 | <10 | 1.33 | 831 | <2 | 0.04 | 7 | 0.149 | 17 | 1.63 | <5 | २ |
| 166131 | 9.4 | 2.51 | 944 | 103 | 1.5 | <5 | 1.60 | 31 | 76 | 17 | 243 | 6.84 | <1 | 2.02 | <10 | 1.92 | 1828 | <2 | 0.02 | 8 | 0.126 | 1045 | 3.22 | <5 | 3 |
| 166132 | 1.8 | 2.18 | 30 | 268 | 1.6 | <5 | 2.24 | 9 | 9 | 14 | 118 | 3.58 | <1 | 1.93 | 17 | 1.65 | 1872 | <2 | 0.03 | 8 | 0.147 | 252 | 0.65 | <5 | 3 |
| 166133 | 3.9 | 2.03 | 69 | 189 | 1.7 | <5 | 0.90 | 9 | 24 | 20 | 363 | 5.95 | <1 | 1.87 | <10 | 1.43 | 1009 | <2 | 0.03 | 12 | 0.157 | 245 | 2.50 | <5 | 4 |
| 166134 | 10.1 | 1.19 | 357 | 31 | 0.5 | < 5 | 1.35 | 18 | 233 | 38 | 836 | 15.30 | <1 | 0.95 | <10 | 0.68 | 1165 | 17 | 0.01 | 11 | D.125 | 202 | 9.82 | <5 | 1 |
| 166135 | 3.2 | 2.59 | 85 | 261 | 2.0 | <5 | 1.39 | 6 | 22 | 18 | 382 | 6.11 | <1 | 2.35 | 10 | 1.76 | 1477 | <2 | 0.01 | 10 | 0.189 | 43 | 1.83 | <5 | 4 |
| 166136 | 3.3 | 2.37 | 103 | 145 | 1.8 | <5 | 1.58 | 6 | 26 | 24 | 397 | 6.67 | <1 | 2.17 | <10 | 1.64 | 1515 | <2 | 0.02 | 10 | 0.165 | 69 | 2.73 | <5 | 4 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Page 9 of 12

Signed:



Project : Bronson

Attention: Arnd Bjornson

| Sample Number | Sr ppm | Th ppm | Ti % | T1 ppm | U ppm | V ppm | W ppm | Zn ppm | Zr ppm |
|------------------|-----------|------------|---------|-----------|----------|----------|----------|-----------|-----------|
| 166107 | 306 | <5 | 0.07 | <10 | <10 | 47 | <10 | 866 | 2 |
| 166108 | 84 | <5 | 0.08 | <10 | <10 | 92 | 19 | 2064 | 3 |
| 166109 | 125 | <5 | 0.06 | <10 | <10 | 94 | 84 | 9068 | 3 |
| 166110 | 100 | <5 | 0.07 | <10 | <10 | 83 | 49 | 5502 | 3 |
| 166111 | 50 | 13 | 0.04 | <10 | <10 | 53 | <10 | 304 | 5 |
| 166110 | | - | | | | | | | |
| 100112 | 88 | <5 | 0.07 | <10 | <10 | 83 | 18 | 2023 | 3 |
| 100113 | 169 | <5 | 0.08 | <10 | <10 | 50 | 11 | 1256 | 2 |
| 166114 | 83 | <5 | 0.09 | <10 | <10 | 86 | 12 | 1364 | 4 |
| 166115 | 220 | <5 | 0.09 | <10 | <10 | 63 | <10 | 133 | 2 |
| 166116 | 208 | <5 | 0.12 | <10 | <10 | 76 | <10 | 72 | 2 |
| 166117 | 247 | <5 | 0.12 | <10 | <10 | 64 | <10 | 172 | 2 |
| 166118 | 175 | <5 | 0.11 | <10 | <10 | 66 | <10 | 893 | 2 |
| 166119 | 207 | <5 | 0.09 | 10 | <10 | 89 | 20 | 2190 | 3 |
| 166120 | 194 | <5 | 0.07 | <10 | <10 | 68 | <10 | 537 | 2 |
| 166121 | 216 | <5 | 0.08 | <10 | <10 | 76 | 29 | 3364 | 2 |
| | | | | | | | | | - |
| 166122 | 164 | <5 | 0.13 | <10 | <10 | 99 | 20 | 2453 | 2 |
| 166123 | 176 | <5 | 0.12 | <10 | <10 | 115 | 26 | 2987 | 3 |
| 166124 | 270 | <5 | 0.10 | 11 | <10 | 89 | 67 | 7563 | 3 |
| 166125 | 94 | <5 | 0.10 | 10 | <10 | 80 | 13 | 1476 | 3 |
| 166126 | 109 | <5 | 0.10 | 10 | <10 | 77 | 21 | 2501 | 3 |
| 166127 | 255 | ~5 | 0.00 | 12 | ~10 | 01 | 02 | | - |
| 166128 | 160 | ~5 | 0.09 | -10 | <10 | | 83 | 8604 | > |
| 166120 | 100 | < 5 ~ E | 0.11 | <10 | <10 | /3 | 10 | 1101 | 2 |
| 166130 | 130 | < 5 E | 0.10 | <10 | <10 | 100 | <10 | 86 | 2 |
| 166131 | 121 | < 5 - F | 0.19 | 10 | <10 | 88 | <10 | 53 | 3 |
| 100151 | 131 | < J | 0.22 | 11 | <10 | 84 | 23 | 3786 | 4 |
| 166132 | 205 | <5 | 0.22 | 12 | <10 | 80 | <10 | 850 | 3 |
| 166133 | 76 | <5 | 0.26 | 12 | <10 | 100 | <10 | 655 | 3 |
| 166134 | 132 | <5 | 0.12 | 10 | 16 | 60 | <10 | 129 | 6 |
| 166135 | 117 | <5 | 0.32 | 14 | <10 | 109 | <10 | 155 | 3 |
| 166136 | 157 | <5 | 0.29 | 12 | <10 | 106 | <10 | 135 | Δ |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0036RJDate: Jul-15-10Sample type: CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Signed:



Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0036RJDate: Jul-15-10

Sample type : CORE

Skyline Gold Corporation

Project : Bronson

Attention : Arnd Bjornson

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | AI % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Hg ppm | К % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P % | Pb ppm | S % | Sb ppm | Sc ppm |
|------------------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|--------|-----------|---------|-----------|-----------|---------|-----------|--------|-----------|--------|-----------|-----------|
| 166137 | 4.1 | 2.52 | 79 | 65 | 1.8 | <5 | 1.16 | 10 | 33 | 21 | 639 | 9.26 | <1 | 2.23 | <10 | 1.90 | 1035 | <2 | 0.01 | 11 | 0.138 | 44 | 4.64 | <5 | 5 |
| Duplicates: | | | | | | | | | | | | | | | | | | | | | | | | | |
| 165937 | 6.4 | 2.51 | 570 | 59 | 0.7 | 12 | 0.90 | 10 | 17 | 97 | 179 | 8.35 | <1 | 0.93 | <10 | 2.62 | 1778 | <2 | 0.01 | 97 | 0.098 | 270 | 4.16 | < 5 | 2 |
| 165946 | 23.0 | 4.70 | 100 | 78 | 0.7 | 33 | 0.93 | 146 | 13 | 147 | 717 | 9.68 | <1 | 0.85 | <10 | 4,30 | 3797 | <2 | < 0.01 | 101 | 0.106 | 1899 | 3.37 | <5 | 4 |
| 166006 | <0.2 | 0.03 | <5 | <10 | <0.5 | < 5 | 19.67 | <1 | <1 | 4 | 4 | 0.08 | 5 | 0.01 | <10 | 10,98 | 75 | <2 | < 0.01 | 2 | 0.019 | <2 | 0.56 | <5 | <1 |
| 166009 | 3.1 | 0.73 | 154 | 83 | <0.5 | <5 | 1.77 | 17 | 16 | 39 | 304 | 4.19 | 1 | 0.55 | <10 | 0.86 | 1399 | <2 | 0.01 | 122 | 0.086 | 143 | 2.59 | <5 | 1 |
| 166018 | 2.8 | 3.07 | 383 | 76 | 0.6 | <5 | 1.43 | 68 | 23 | 107 | 170 | 8.04 | <1 | 0.74 | <10 | 2.54 | 2367 | <2 | 0.01 | 97 | 0.084 | 398 | 2.21 | <5 | 2 |
| 166028 | 21.4 | 0.33 | 299 | 28 | <0.5 | 47 | 0.22 | 32 | 10 | 55 | 753 | 8.94 | <1 | 0.26 | <10 | 0.07 | 134 | <2 | 0.01 | 173 | 0.064 | 469 | 6.21 | <5 | <1 |
| 166031 | 3.0 | 1.87 | 21 | 130 | 0.7 | <5 | 0.94 | 4 | 19 | 189 | 2609 | 3.46 | <1 | 0.76 | 23 | 0.76 | 227 | 192 | 0.05 | 12 | 0.051 | 53 | 1.54 | <5 | 5 |
| 166040 | 2.4 | 1.62 | 84 | 97 | 0.5 | <5 | 2.08 | 7 | 15 | 82 | 236 | 4.57 | 1 | 0.89 | <10 | 2.19 | 1749 | 2 | 0.02 | 87 | 0.114 | 42 | 2.18 | <5 | 2 |
| 166050 | 41.6 | 0.55 | 174 | 48 | <0.5 | 47 | 7.43 | 112 | 71 | 57 | 582 | 8.71 | 3 | 0.36 | 10 | 1.18 | 3577 | 2 | 0.01 | 53 | 0.067 | 2411 | 6.37 | <5 | 2 |
| 166053 | 3.0 | 1.68 | 55 | 129 | 0.8 | <5 | 2.21 | 11 | 22 | 51 | 197 | 5.12 | 1 | 1.46 | <10 | 1.57 | 1202 | 2 | 0.01 | 36 | 0.127 | 185 | 2.54 | <5 | 3 |
| 166062 | 0.5 | 1.44 | 37 | 169 | 1.0 | <5 | 1.88 | 3 | 13 | 32 | 99 | 3.20 | <1 | 1.27 | <10 | 1.43 | 972 | <2 | 0.02 | 37 | 0.149 | 17 | 0.82 | <5 | 3 |
| 166072 | 0.5 | 0.98 | 36 | 129 | 0.6 | <5 | 2.96 | 2 | 9 | 49 | 95 | 2.41 | 2 | 0.84 | <10 | 1.08 | 1138 | <2 | 0.03 | 71 | 0.083 | 7 | 0.55 | <5 | 2 |
| 166074 | 1.7 | 0.85 | 48 | 114 | <0.5 | <5 | 2.19 | 2 | 6 | 39 | 182 | 2.55 | 1 | 0.73 | <10 | 1.03 | 1351 | 2 | 0.03 | 45 | 0.063 | 39 | 0.92 | <5 | z |
| 166083 | 4.4 | 1.90 | 63 | 94 | 0.9 | <5 | 2.84 | 23 | 62 | 33 | 228 | 7.94 | 1 | 1.51 | <10 | 2.29 | 3340 | 15 | 0.01 | 71 | 0.077 | 865 | 3.64 | <5 | 2 |
| 166093 | 4.6 | 5.16 | 16 | 96 | 0.7 | <5 | 1.20 | 31 | 6 | 62 | 166 | 8.84 | <1 | 0.99 | 11 | 3.88 | 4607 | 2 | 0.01 | 30 | 0.099 | 781 | 0.72 | <5 | 5 |
| 166096 | 19.0 | 4.18 | 117 | 105 | 0.6 | 16 | 1.65 | 53 | 32 | 74 | 215 | 9.19 | <1 | 0.94 | <10 | 3.51 | 4179 | <2 | 0.01 | 69 | 0.123 | 2010 | 3.03 | <5 | 4 |
| 166105 | 0.8 | 2.80 | 206 | 187 | 1.2 | <5 | 7.74 | 5 | 45 | 74 | 29 | 5.24 | 3 | 1.48 | <10 | 2.65 | 3515 | <2 | 0.01 | 69 | 0.087 | 97 | 0.75 | <5 | 9 |
| 166115 | 1.1 | 2.39 | 47 | 89 | 0.8 | <5 | 3.99 | 4 | 11 | 10 | 116 | 3.91 | <1 | 0.91 | <10 | 2.03 | 2535 | <2 | 0.02 | 5 | 0.204 | 73 | 0.91 | <5 | z |
| 166118 | 3.3 | 2.36 | 101 | 112 | 0.7 | <5 | 2.68 | 10 | 11 | 9 | 306 | 4.64 | <1 | 0.98 | <10 | 1.92 | 2473 | <2 | 0.01 | 5 | 0.182 | 262 | 1.42 | <5 | 2 |
| 166127 | 8.6 | 2.74 | 1669 | 63 | 0.5 | 6 | 3.11 | 65 | 141 | 20 | 190 | 12.24 | 1 | 0.85 | 14 | 2.21 | 3993 | 5 | 0.01 | 9 | 0.092 | 930 | 6.65 | <5 | 2 |
| 166137 | 4.2 | 2.57 | 81 | 62 | 1.8 | <5 | 1.19 | 10 | 34 | 22 | 644 | 9.32 | <1 | 2.28 | <10 | 1.96 | 1061 | <2 | 0.01 | 11 | 0.142 | 45 | 4.71 | <5 | 5 |
| Standards: | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blank | <0.2 | < 0.01 | <5 | <10 | <0.5 | <5 | < 0.01 | <1 | <1 | <1 | <1 | <0.01 | <1 | < 0.01 | <10 | < 0.01 | <5 | <2 | < 0.01 | <1 | <0.001 | <2 | < 0.01 | < 5 | <1 |
| CH-4 | 1.8 | 1.67 | 12 | 277 | 1.1 | <5 | 0.58 | 5 | 29 | 101 | 1999 | 4.74 | <1 | 1.34 | 13 | 1.19 | 326 | 2 | 0.04 | 51 | 0.063 | 19 | 0.56 | <5 | 6 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed:



Project : Bronson

Attention : Arnd Bjornson

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0036RJDate: Jul-15-10Sample type: CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Sr ppm | Th ppm | Ti % | Ti ppm | U ppm | V ppm | W ppm | Zn ppm | Zr ppm |
|------------------|-----------|-----------|---------|-----------|----------|----------|----------|-----------|-----------|
| 166137 | 64 | <5 | 0.30 | 14 | <10 | 125 | <10 | 111 | 4 |
| Duplicates: | | | | | | | | | |
| 165937 | 69 | <5 | 0.10 | <10 | <10 | 46 | <10 | 557 | 3 |
| 165946 | 64 | < 5 | 0.11 | <10 | <10 | 82 | 171 | >10000 | 3 |
| 166006 | 130 | <5 | <0.01 | <10 | <10 | 1 | <10 | 79 | <1 |
| 166009 | 83 | <5 | 0.03 | <10 | <10 | 17 | 15 | 1905 | 2 |
| 166018 | 69 | <5 | 0.08 | <10 | <10 | 50 | 67 | 8350 | 2 |
| 166028 | 9 | <5 | < 0.01 | <10 | <10 | 14 | 32 | 4255 | 3 |
| 166031 | 49 | 13 | 0.04 | <10 | <10 | 48 | <10 | 269 | 4 |
| 166040 | 208 | <5 | 0.07 | <10 | <10 | 38 | <10 | 360 | 2 |
| 166050 | 500 | <5 | 0.02 | <10 | <10 | 27 | 138 | >10000 | 3 |
| 166053 | 221 | <5 | 0.13 | <10 | <10 | 56 | <10 | 993 | 3 |
| 166062 | 191 | <5 | 0.15 | <10 | <10 | 49 | <10 | 69 | 1 |
| 166072 | 283 | <5 | 0.09 | <10 | <10 | 32 | <10 | 35 | 2 |
| 166074 | 234 | <5 | 0.06 | <10 | <10 | 24 | <10 | 114 | 2 |
| 166083 | 314 | <5 | 0.14 | 10 | <10 | 59 | 23 | 2703 | 4 |
| 166093 | 77 | <5 | 0.10 | 10 | <10 | 95 | 34 | 4184 | 4 |
| 166096 | 106 | <5 | 0.10 | 10 | <10 | 75 | 62 | 6920 | 4 |
| 166105 | 1011 | <5 | 0.16 | 10 | <10 | 112 | <10 | 202 | 2 |
| 166115 | 226 | < 5 | 0.09 | <10 | <10 | 65 | <10 | 147 | 2 |
| 166118 | 165 | <5 | 0.10 | <10 | <10 | 63 | <10 | 894 | 2 |
| 166127 | 233 | <5 | 0.09 | 12 | <10 | 78 | 78 | 8603 | 5 |
| 166137 | 66 | <5 | 0.31 | 14 | <10 | 129 | <10 | 129 | 4 |
| Standards: | | | | | | | | | |
| Blank | <1 | <5 | <0.01 | <10 | <10 | <1 | <10 | <1 | <1 |
| CH-4 | 8 | <5 | 0.19 | <10 | <10 | 78 | <10 | 218 | 9 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.





Quality Assaying for over 35 Years

Assay Certificate

0S-0036-RA1

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Bjornson |

Jul-15-10

We *hereby certify* the following assay of 22 core samples submitted Jun-22-10

| Sample | Au | Cu | Zn | Sample-wt | |
|-------------|---------|--------|-------|-----------|---|
| Name | g/tonne | % | % | Kg | |
| 165937 | 0.19 | | | 2.5 | |
| 165938 | 0.11 | | | 1.0 | |
| 165939 | 0.16 | | | 1.0 | |
| 165940 | 0.10 | | | 2.5 | |
| 165941 | 1.03 | | | | |
| 165942 | 0.26 | | | 2.5 | |
| 165943 | 0.14 | | | 3.0 | |
| 165944 | 0.08 | | | 2.0 | |
| 165945 | 0.64 | | | 3.0 | |
| 165946 | 0.08 | | 2.07 | 1.5 | |
| 165947 | 0.10 | | 1.36 | 3.0 | |
| 165948 | 0.06 | | | 2.0 | |
| 165949 | 0.03 | | | 2.5 | |
| 165950 | 0.21 | | | 2.5 | |
| 166001 | 0.06 | | | 2.0 | |
| 166002 | 0.07 | | | 2.0 | |
| 166003 | 0.08 | | | 3.5 | |
| 166004 | 0.09 | | | 2.5 | |
| 166005 | 0.70 | | 5.46 | 6.0 | |
| 166006 | <0.01 | | | 0.4 | |
| 166007 | 0.63 | 3.14 | | 1.5 | |
| 166008 | 0.17 | | | 2.5 | |
| *DUP 165937 | 0.20 | | | | |
| *DUP 165946 | 0.09 | | | | |
| *DUP 166006 | 0.01 | | | | |
| *0211 | 2.27 | | | | · |
| *ME-3 | | 0.185 | 0.92 | | |
| *BLANK | <0.01 | <0.001 | <0.01 | | |

Au 50g F.A. AA finish.Cu,Zn A.R/A.A.

Certified by_



Quality Assaying for over 35 Years

Assay Certificate

0S-0036-RA2

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Bjornson |

Jul-15-10

We *hereby certify* the following assay of 22 core samples submitted Jun-22-10

| Sample Name | Au g/tonne | Ag g/tonne | Cu % | Zn % | Sample-wt Ka |
|----------------|---------------|---------------|---------|---------|-----------------|
| 166009 | 0.08 | | | | 2 0 |
| 166010 | 0.07 | | | | 2.0 |
| 166011 | 0.13 | | | | 2.5 |
| 166012 | 0.18 | | | 1.61 | 1.5 |
| 166013 | 0.16 | | | 2.01 | 2.5 |
| 166014 | 0.18 | | | | 3.0 |
| 166015 | 0.09 | | | | 2.0 |
| 166016 | 12.38 | | | | 1.0 |
| 166017 | 0.11 | | | | 2.5 |
| 166018 | 0.15 | | | | 5.5 |
| 166019 | 0.17 | | | | 5.0 |
| 166020 | 0.14 | | | | 4.0 |
| 166021 | 0.37 | | | | 2.5 |
| 166022 | 2.96 | | | | 3.5 |
| 166023 | 3.21 | | | | 2.0 |
| 166024 | 1.09 | | | | 1.5 |
| 166025 | 6.79 | | | | 1.0 |
| 166026 | 9.12 | | 1.54 | | 1.0 |
| 166027 | 0.41 | | | | 2.0 |
| 166028 | 1.21 | | | | 3.0 |
| 166029 | 33.60 | 642.8 | 2.99 | 1.21 | 2.5 |
| 166030 | 16.04 | 282.3 | 3.24 | 1.78 | 0.7 |
| *DUP 166009 | 0.10 | | | | |
| *DUP 166018 | 0.14 | | | | |
| *DUP_166028 | 1.38 | | | | |
| *0211 | 2.21 | | | | · |
| *ME-3 | | 268.6 | 0.180 | 0.85 | |
| *BLANK | <0.01 | <0.1 | <0.001 | <0.01 | |

Au 50g F.A. AA finish.Ag F.A. Grav. Pb,Zn A.R/A.A.



Quality Assaying for over 35 Years

Ъл

Assay Certificate

0S-0036-RA3

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Bjornson |

Jul-15-10

We *hereby certify* the following assay of 22 core samples submitted Jun-22-10

| Sample | Au | Cu | Pb | Zn | Sample-wt |
|-------------|---------|--------|-------|-------|-----------|
| Name | g/tonne | % | % | % | Kg |
| 166031 | 0.28 | | | | |
| 166032 | 3.20 | 1.09 | 1.20 | 2.89 | 1.0 |
| 166033 | 0.82 | | | | 3.0 |
| 166034 | 16.10 | | | | 2.5 |
| 166035 | 0.72 | | | | 2.0 |
| 166036 | 0.54 | | | | 3 0 |
| 166037 | 0.67 | | | | 1.5 |
| 166038 | 0.21 | | | | 4.0 |
| 166039 | 0.28 | | | | 3.5 |
| 166040 | 0.24 | | | | 2.5 |
| 166041 | 0.34 | | | | 4.5 |
| 166042 | 0.15 | | | | 3.0 |
| 166043 | 0.37 | | | | 2.5 |
| 166044 | 0.21 | | | | 3.0 |
| 166045 | 0.59 | | | 1.91 | 2.5 |
| 166046 | 0.34 | | | | 3.0 |
| 166047 | 0.12 | | | | 5.5 |
| 166048 | 0.21 | | | | 4.5 |
| 166049 | 0.38 | | | | 2.5 |
| 166050 | 18.72 | | | 1.99 | 1.5 |
| 166051 | 0.01 | | | | 0.4 |
| 166052 | 5.69 | | | | 2.0 |
| *DUP 166031 | 0.29 | | | | |
| *DUP 166040 | 0.21 | | | | |
| *DUP 166050 | 18.09 | | | | |
| *0211 | 2.10 | | | | |
| *ME-3 | | 0.192 | 2.85 | 0.89 | |
| *BLANK | <0.01 | <0.001 | <0.01 | <0.01 | |

Au 50g F.A. AA finish.Cu,Pb,Zn A.R/A.A.

Certified by_



Quality Assaying for over 35 Years

Assay Certificate

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Bjornson |

We *hereby certify* the following assay of 21 core samples submitted Jun-22-10

| Sample | Au | Sample-wt | |
|-------------|---------|-----------|--|
| Name | g/tonne | Kg | |
| 166053 | 0.19 | 2.5 | |
| 166054 | 0.51 | 4.5 | |
| 166055 | 0.07 | 2.0 | |
| 166056 | 0.03 | 1.5 | |
| 166057 | 0.05 | 4.5 | |
| 166058 | 0.05 | 4.5 | |
| 166059 | 0.05 | 4.5 | |
| 166060 | 0.02 | 4.5 | |
| 166061 | 0.03 | 3.5 | |
| 166062 | 0.03 | 4.0 | |
| 166063 | 0.04 | 4.0 | |
| 166064 | 0.07 | 5.0 | |
| 166065 | 0.05 | 4.0 | |
| 166066 | 0.06 | 5.5 | |
| 166067 | 0.19 | 5.0 | |
| 166068 | 0.58 | 3.5 | |
| 166069 | 0.06 | 3.0 | |
| 166070 | 0.03 | 4.5 | |
| 166071 | 0.99 | | |
| 166072 | 0.04 | 5.0 | |
| 166073 | 0.19 | 4.0 | |
| *DUP 166053 | 0.21 | | |
| *DUP 166062 | 0.03 | | |
| *DUP 166072 | 0.05 | | |
| *0211 | 2.22 | | |
| *BLANK | <0.01 | | |

Au 50g F.A. AA finish

Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

0S-0036-RA4

Jul-15-10

Certified by_

A



Quality Assaying for over 35 Years

Assay Certificate

0S-0036-RA5

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Bjornson |

Jul-15-10

We *hereby certify* the following assay of 22 core samples submitted Jun-22-10

| Sample Name | Au g/tonne | Zn % | Sample-wt Kg | |
|----------------|---------------|---------|-----------------|------|
| 166074 | 0.55 | | 4.5 | |
| 166075 | 0.08 | | 1.5 | |
| 166076 | 0.09 | | 2.5 | |
| 166077 | 0.07 | | 4.5 | |
| 166078 | 0.23 | | 5.0 | |
| 166079 | 0.09 | | 4.0 | ···· |
| 166080 | 0.08 | | 5.0 | |
| 166081 | 0.63 | 1.82 | 2.0 | |
| 166082 | 0.70 | 3.02 | 2.0 | |
| 166083 | 0.49 | | 2.5 | |
| 166084 | 0.71 | | 3.0 | |
| 166085 | 1.83 | | 3.0 | |
| 166086 | 0.19 | | 3.0 | |
| 166087 | 0.25 | | 2.0 | |
| 166088 | 0.21 | | 3.5 | |
| 166089 | 0.40 | | 3.0 | |
| 166090 | 1.86 | 1.77 | 1.5 | |
| 166091 | 0.49 | | 3.5 | |
| 166092 | 0.56 | 1.93 | 3.5 | |
| 166093 | 0.08 | | 3.0 | |
| 166094 | 0.26 | | 3.0 | |
| 166095 | 1.06 | 1.56 | 3.0 | |
| *DUP 166074 | 0.59 | | | |
| *DUP 166083 | 0.42 | | | |
| *DUP 166093 | 0.09 | | | |
| *0211 | 2.14 | | | |
| *ME-3 | | 0.88 | | |
| *BLANK | <0.01 | <0.01 | | |

Au 50g F.A. AA finish.Zn A.R/A.A.

Certified by_



Quality Assaying for over 35 Years

Assay Certificate

0S-0036-RA6

| Company: | Skyline Gold Corporation |
|----------|--|
| Project: | Bronson |
| Attn: | Arnd Bjornson |

Jul-15-10

....

We hereby certify the following assay of 22 core samples submitted Jun-22-10

| Sample | Au | Sample-wt | Au-Rerun | |
|-------------|---------|-----------|----------|--|
| Name | g/tonne | Kg | g/tonne | |
| 166096 | 2.63 | 3.0 | | |
| 166097 | 0.19 | 5.0 | | |
| 166098 | 0.06 | 6.0 | | |
| 166099 | 0.07 | 2.0 | | |
| 166100 | 0.06 | 4.0 | | |
| 166101 | <0.01 | 0.3 | | |
| 166102 | 0.15 | 6.5 | | |
| 166103 | 0.15 | 4.0 | | |
| 166104 | 0.06 | 4.0 | | |
| 166105 | 0.02 | 5.0 | | |
| 166106 | 0.09 | 3.5 | | |
| 166107 | 0.03 | 3.0 | | |
| 166108 | 0.04 | 4.0 | | |
| 166109 | 0.04 | 3.5 | | |
| 166110 | 0.02 | 5.0 | | |
| 166111 | 0.27 | | 0.27 | |
| 166112 | 0.02 | 4.5 | 0.02 | |
| 166113 | 0.04 | 5.0 | 0.04 | |
| 166114 | 0.02 | 4.5 | | |
| 166115 | 0.04 | 5.0 | | |
| 166116 | 0.04 | 5.0 | | |
| 166117 | 0.09 | 5.0 | | |
| *DUP 166096 | 2.63 | | | |
| *DUP 166105 | 0.03 | | | |
| *DUP 166115 | 0.04 | | | |
| *0211 | 2.22 | | 2.08 | |
| *BLANK | <0.01 | | <0.01 | |
| | | | | |

Au 50g F.A. AA finish

Certified by_



Quality Assaying for over 35 Years

Assay Certificate

0S-0036-RA7

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Bjornson |

Jul-15-10

We *hereby certify* the following assay of 20 core samples submitted Jun-22-10

| Sample | Au | Sample-wt |
|-------------|---------|-----------|
| Name | g/tonne | Kg |
| 166118 | 0.06 | 4.5 |
| 166119 | 0.18 | 5.5 |
| 166120 | 0.05 | 4.0 |
| 166121 | 0.05 | 5.0 |
| 166122 | 0.06 | 5.0 |
| 166123 | 0.13 | 5.5 |
| 166124 | 0.14 | 3.0 |
| 166125 | 0.53 | 3.5 |
| 166126 | 0.06 | 3.5 |
| 166127 | 3.47 | 1.5 |
| 166128 | 0.05 | 5.0 |
| 166129 | 0.14 | 4.5 |
| 166130 | 0.10 | 5.0 |
| 166131 | 0.99 | 3.5 |
| 166132 | 0.09 | 4.5 |
| 166133 | 0.22 | 4.0 |
| 166134 | 4.64 | 1.5 |
| 166135 | 0.19 | 1.0 |
| 166136 | 0.25 | 3.0 |
| 166137 | 0.46 | 1.5 |
| *DUP 166118 | 0.07 | |
| *DUP 166127 | 3.90 | |
| *DUP 166137 | 0.51 | |
| *0211 | 2.17 | |
| *BLANK | <0.01 | |

Au 50g F.A. AA finish

Certified by_



DIAMOND DRILL HOLE LOG

| HOLE: | SK10-08 | CONTRACTOR: | Driftwood Diamond Drilling Ltd. | |
|--|--|-------------------------------|---|--|
| COLLAR COORDINA Easting: Northing: | TES UTM (NAD 83): 373543.3 6280824.9 | DATE STARTED: | 21-Jun-10 | |
| COLLAR COORDINATES MINE GRID: Northing: 11677 Easting: 27368 | | DATE COMPLET | DATE COMPLETED: 22-Jun-10 | |
| COLLAR ELEVATION: 649.0m | | CORE SIZE: NQ | | |
| FINAL DEPTH: 201m | | RIG: SRS 3000 Hydraulic | | |
| SURVEYS: Depth 0 201 | Azimuth 086.0 088.7 | Inclination -60.0 -55.2 | Method compass, clinometer Reflex | |

Page: 2 of 15 pages



| From | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|------|---------------|---|------------|-------|-------|----------|------|------|------|------|
| (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| 0 | 1.22 | CASING | | | | | | | | |
| 1.22 | 4.87 | MISSING CORE | | | | | | | | |
| 4.87 | 5.65 | LITHIC GREYWACKE HYDROTHERMALLY | 166138 | 4.87 | 5.56 | 0.69 | 0.04 | 1.5 | 169 | 804 |
| | | BRECCIATED | | | | | | | | |
| | Dark grey li | thic greywacke hydrothermally brecciated with 10-15 | | | | | | | | |
| | mm to > 50 | mm feldpathic clasts very densely compacted with | | | | | | | | |
| | very fine-gr | ained biotite filling the interstices. Matrix = 15-20%. | | | | | | | | |
| | There is one | e fragment one part shows one fragment (~55mm by | | | | | | | | |
| | > 50 mm) t | The set of | | | | | | | | |
| | tragments. | I ne outline of the original larger clast is highlighted | | | | | | | | |
| | by the blott | ar elasts the larger elast breesisted into There are | | | | | | | | |
| | other small | vals that show shortly clast outlines clongated 5.10 | | | | | | | | |
| | mm by 20-3 | 25 mm also feldenathic clasts. Dervasive moderate. | | | | | | | | |
| | intense hiot | tite alteration 3-8% disseminated blebby and stringer | | | | | | | | |
| | Py Silica fra | acture infill/stringers 0.5 to 1% | | | | | | | | |
| | i y. Sinca ne | | | | | | | | | |
| | From 5.65 t | to 5.9 is MASSIVE SULPHIDE 70-75 Pv that has mostly | | | | | | | | |
| | oxidized, lir | nonite with mild vuggy texture. Py in interstitial silica | | | | | | | | |
| | and wall ro | ck. | | | | | | | | |
| 5.65 | 11.08 | GREYWACKE | 166139 | 5.56 | 5.90 | 0.34 | 3.29 | 63.2 | 272 | 4569 |
| | Greyish-gre | en greywacke with 5mm by 20 mm angular and | 166140 | 5.90 | 6.90 | 1.00 | 0.23 | 15.3 | 218 | 1565 |
| | tabular and | 3 to 10 mm by 5-20 mm sub-angular blebs of Py that | 166141 | 6.90 | 7.51 | 0.61 | 0.64 | 24.9 | 1398 | 5409 |
| | resemble cl | asts. This suggests that the Py has replaced the clasts | 166142 | 7.51 | 9.24 | 1.73 | 0.21 | 6.3 | 171 | 4218 |
| | with itself a | nd interstital silica and biotite. Moderate biotite | 166143 | 9.24 | 10.24 | 1.00 | 0.11 | 8.2 | 124 | 2597 |
| | presence as | s within sulphide blebs, along the margins, stringers | 166144 | 10.24 | 11.24 | 1.00 | 0.12 | 7.5 | 229 | 669 |
| | and dissem | inations. It is unclear as to whether this green colour | | | | | | | | |
| | is inherent | of the sediments or through alteration (pervasive | | | | | | | | |
| | chlorite/ser | ricite). The contact is fairly sharp and abrupt at parts | | | | | | | | |
| | and fading | at others. 55-60 TCA is the contact. at 11.08m. Since | | | | | | | | |
| | it is assume | ed that the colour is due to the sediments (and not | | | | | | | | |

Page: 3 of 15 pages



| From | То | | From | То | Interval | Au | Ag | Cu | Zn |
|-------------|--|--------------------------------------|----------------------------------|----------------------------------|------------------------------|------------------------------|--------------------------|--------------------------|-------------------------|
| (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| From (m) | To (m) Description alteration) they are non likely non-feldspathic. Thy comprise a large part of the rock, hence this unit is a greywacke. 10-12% blebby and stringer Py, 1-3% blebby Sph mostly found within silica and dolomite, trace needles of Aspy and trace cubic subhedral Gal. From 8.8 to 9m is a rubble of broken core with fault gouge, hence FAULT. No orientation obtainable, but from examination of the rubble, it appears to be ~ 0 to 15 TCA. Dissem Py within rubble. 6cm by 2cm is largest fragment all the way down to a few mm by a few mm. @ 9.28 m is a 35 to 40 TCA HI with 5-8% blebby Sph, 2-4% Aspy/Gal, 2-4% dissem Py within silica with minor dolomite ~ 20 mm wide Frequent Py stringers +/- Sph, +/-Gal,Aspy throughout this interval, see % above. 30.36 LITHIC GREYWACKE WITH FELDSPATHIC CLASTS Grey lithic greywacke with minor intervals of apparent | Sample No. | From (m) 11.24 12.24 | To (m) 12.24 13.24 | Interval (m) 1.00 | Au g/t | Ag g/t 8.8 | Cu ppm 158 261 | 2n ppm 920 607 |
| | hydrothermal brecciation (e.g. 13.74 to 14.03 m). Clasts are mostly feldspathic and appear as ghostly outlined greyish pale pink (Kspar altered?) clasts that are 10 mm by 15 mm angular to | 166146 166147 166148 166149 | 12.24 13.24 14.24 15.36 | 13.24 14.24 15.36 16.36 | 1.00 1.00 1.12 1.00 | 0.08 0.05 0.09 0.05 | 5.2 2.9 3.9 3.0 | 201 146 267 202 | 628 1110 1163 |
| | several cm scale to few mm scale clasts. Pervasive weak- | 166150 | 16.36 | 18.00 | 1.64 | 0.06 | 3.8 | 218 | 4682 |
| | moderate biotite as disseminations, clast interstitial | 166151 | BLANK | BLANK | BLANK | <0.01 | <0.2 | 15 | 17 |
| | matrix/fracture infill. 0.1 to 3% disseminatd and stringer Py. | 166152 | STD 13 | STD 13 | STD 13 | 0.90 | 3.9 | 3404 | 181 |
| | trace to 0.5% locally blebby Sph found with silica-dolomite-Py | 166153 | 18.00 | 19.00 | 1.00 | 0.05 | 3.7 | 188 | 1964 |
| | bearing HIs | 166154 | 19.00 | 21.00 | 2.00 | 0.32 | 16.9 | 228 | 1474 |
| | @ 12.46 m is a HI wth 5-10 TCA >10 mm wide wth 10%Sph and | 166155 | 21.00 | 23.00 | 2.00 | 0.02 | 1.9 | 114 | 1110 |
| | 10% Py within silica and wall rock | 166156 | 23.00 | 24.00 | 1.00 | 0.09 | 7.5 | 294 | 8643 |
| | of a EAULT 1C thora is a EAULT at 16.17 with 25.40 TCA with 25 | 166150 | 24.00 | 25.00 | 1.00 | 0.06 | /.L | 325 161 | 4006 2790 |
| | 30 mm clay fault gouge breccia very weakly spotty limonitized | 166150 | 25.00 | 27.00 | 2.00 | 0.10 | 5.1 Q / | 404 562 | 270U 2782 |
| | 1% dissem Py. | 166160 | 29.37 | 30.36 | 0.99 | 0.22 | 6.9 | 255 | 3722 |

Page: 4 of 15 pages



| From | То | | From | То | Interval | Au | Ag | Cu | Zn |
|-------|--|------------|-------|-------|----------|------|-----|-----|------|
| (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | @ 16.29 there is a FAULT with35-40 TCA and 0.5 to 1 mm clay | | | | | | | | |
| | fault gouge. | | | | | | | | |
| | @ 18.03 is a 15-20 TCA FAULT with 1 mm clay fault gouge. | | | | | | | | |
| | @ 18.37 is a 40 to 45 TCA, slickensided, veneer clay fault gouge | | | | | | | | |
| | @ 18.87 is a 15-20 slickensided clay fault. | | | | | | | | |
| | @ 22.84 is 15-20 minor FAULT with 1 mm clay limonitized fault gouge. | | | | | | | | |
| | From 23.49 to 24.07 HI running parallel TCA >25 mm wide | | | | | | | | |
| | bearing ~10% Sph, ~10%Py stringers with ~1 rare blebs of Gal. | | | | | | | | |
| | @ 28.85 m is a 15-20 TCA minor FAULT with 3-5 mm clay fault | | | | | | | | |
| | gouge breccia, slightly oxidized. | | | | | | | | |
| | From 27.3 to 30.36 this unit gains a green hue. | | | | | | | | |
| 30.36 | 40.61 FELDSPATHIC GREYWACKE HYDROTHERMALLY | 166161 | 30.36 | 31.36 | 1.00 | 0.67 | 5.4 | 195 | 1499 |
| | BRECCIATED | 166162 | 31.36 | 32.36 | 1.00 | 0.18 | 3.5 | 371 | 902 |
| | Light grey hydrothermally brecciated feldspathic greywacke but | 166163 | 32.36 | 33.36 | 1.00 | 0.15 | 2.9 | 342 | 410 |
| | at parts it could look like a lithic greywacke. It very well may | 166164 | 33.36 | 34.50 | 1.14 | 0.10 | 3.2 | 162 | 243 |
| | have been a lithic greywacke that became brecciated. Weak | 166165 | 34.50 | 35.50 | 1.00 | 0.26 | 8.0 | 355 | 503 |
| | biotite fracture infilling. Py stringers and fracture is more | 166166 | 35.50 | 36.50 | 1.00 | 0.20 | 4.1 | 370 | 182 |
| | dominant, moderate. Py = 5-12% disseminated mostly stringer | 166167 | 36.50 | 37.50 | 1.00 | 0.13 | 3.7 | 255 | 561 |
| | and patches. Calcite stringers - 1-2%. Moderately broken with | 166168 | 37.50 | 38.50 | 1.00 | 0.42 | 5.3 | 278 | 264 |
| | intermittent faulting. See below. No notable apparent Sph | 166169 | 38.50 | 39.50 | 1.00 | 0.22 | 3.4 | 246 | 221 |
| | present in this interval. | 166170 | 39.50 | 40.61 | 1.11 | 0.22 | 5.2 | 256 | 761 |
| | @ 32.05 is a 30 TCA FAULT with 10-15 cm of broken core and < | 1 | | | | | | | |
| | mm clay fault gouge breccia. | | | | | | | | |
| | @ 34.38 m is a 35 to 40 TCA fracture with a veneer of clay | | | | | | | | |
| | gouge. | | | | | | | | |
| | @ 35.43 is a near parallel ~0 TCA FAULT with 5-10 mm clay faul | t | | | | | | | |
| | gouge breccia | | | | | | | | |
| | @ 35.54, 30-35 TCA FAULT with > 0.5 mm clay fault gouge | | | | | | | | |
| | breccia Note there is abundant breccia pieces nearby, just not | | | | | | | | |

Page: 5 of 15 pages



| From | То | | From | То | Interval | Au | Ag | Cu | Zn |
|-------|--|------------|-------|-------|----------|-------|-------|------|-------|
| (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | adhering to the fracture. | | | | | | | | |
| | From 36.86 to 39.91 there are 3 ~ 0 TCA fractures that may be | | | | | | | | |
| | the same or are related. | | | | | | | | |
| | @ 38.43 is a 15-20 TCA FAULT with 1-2 mm clay fault gouge | | | | | | | | |
| | breccia. | | | | | | | | |
| | @ 38.81 and 38.7 are 15-20 and 30 TCA minor faults with 0.5 | | | | | | | | |
| | mm clay and 0. 5 mm limonitized clay fault gouge breccia, | | | | | | | | |
| | respectively. | | | | | | | | |
| | From 40.07 to 40.57 are a series of low angle FAULTS, @ 40.07 i | S | | | | | | | |
| | a 10-15 TCA FAULT slickensided. Others are likely 0-15 TCA with | ~ | | | | | | | |
| | 1mm clay fault gouge breccia. | | | | | | | | |
| | @ 40.45 is a 30-35 TCA FAULT with ~ 1 mm clay fault goug | | | | | | | | |
| | breccia. | | | | | | | | |
| 40.61 | 60.43 LITHIC FELDSPATHIC GREYWACKE | 166171 | 40.61 | 42.00 | 1.39 | 0.05 | 2.9 | 146 | 313 |
| | Pale grey with some local pale grey with brown (due to local f.g. | 166172 | 42.00 | 43.00 | 1.00 | 0.05 | 1.5 | 85 | 307 |
| | Suspect biotite patches) Some intervals appear to be | 166173 | 43.00 | 44.00 | 1.00 | 0.08 | 3.7 | 257 | 4166 |
| | hydrothermally brecciated. Clasts size range greatly in size from | 166174 | 44.00 | 45.00 | 1.00 | 0.04 | 1.6 | 204 | 458 |
| | 1-2 mm to 10-20 mm to several cm scale mostly angular to sub- | 166175 | 45.00 | 46.00 | 1.00 | 0.10 | 2.1 | 201 | 167 |
| | angular. There is interstitial brown biotite and Py that highlight | 166176 | 45.00 | 46.00 | DUP | 0.12 | 2.4 | 245 | 286 |
| | the feldspathic clasts. Instersitial moderate pervasive | 166177 | 46.00 | 48.00 | 2.00 | 0.04 | 1.8 | 223 | 190 |
| | disseminated Biotite. 1-3% disseminated and stringer Py till | 166178 | 48.00 | 50.00 | 2.00 | 0.54 | 4.8 | 597 | 1181 |
| | about 53 m mark, then getting closer to the MS vein the Py | 166179 | 50.00 | 52.00 | 2.00 | 0.23 | 9.5 | 1399 | 315 |
| | increases due to the transition into the MS there are shoots of | 166180 | 52.00 | 54.00 | 2.00 | 0.06 | 2.6 | 350 | 121 |
| | MS veins. See below. (53-60.43m is 5-15% Py mostly as Py | 166181 | 54.00 | 55.82 | 1.82 | 0.58 | 17.7 | 2267 | 409 |
| | stringers and shoots.) Mainly silica stingers (~1%) with minor | 166182 | 55.82 | 56.43 | 0.61 | 10.78 | 134.4 | 5307 | 27800 |
| | calcite component in the first part of this interval. Local weak- | 166183 | 56.43 | 57.50 | 1.07 | 3.31 | 16.8 | 3014 | 9061 |
| | moderat sericite | 166184 | 57.50 | 58.60 | 1.10 | 0.39 | 6.5 | 348 | 1231 |
| | | 166185 | 58.60 | 59.62 | 1.02 | 0.87 | 13.0 | 1504 | 928 |
| | @ 43.90 is a 40-45 mm wide MASSIVE SULPHIDE (Py=90-95%) | 166186 | 59.62 | 60.43 | 0.81 | 1.32 | 22.1 | 2332 | 576 |
| | VEIN. UCA is 40-45 and LCA is 50-55 with trace Cpy and suspect | | | | | | | | |
| | VG Au? Vein has a boxwork texture. | | | | | | | | |
| | Stringers have a preferred orientation that ranges from 30 to 60 | | | | | | | | |

Page: 6 of 15 pages



| From | То | | From | То | Interval | Au | Ag | Cu | Zn |
|-------|---|--|---|---|--|--|---|--|---|
| (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | TCA from ~ 44 m to 54m @ 50.68 is a fracture with fault gouge breccia, difficult to obtain an accurate structural measurement, estimated at 30-50 TCA, FAULT with 2-4 mm oxidized clay fault gouge breccia @ 55.82 is a 20 TCA = UCA contact of a MASSIVE SULPHIDE VEIN from 55.82 to 59.62 m LCA is 10-15 TCA with ~60% Py with ~15-20% Sph mainly bands 10-15 mm wide with blebs, trace-1% rare blebby Cpy, trace Gal/Aspy dissminated proximal to Cpy. Weakmoderate Sericite developing on the interstitial qtz. From approximatly 57 m to the massive sulphide vein (60.43m) is fairly pervasive weak-moderate sericite developing on the qtz to give it a light greenish-blue tinge From 57.4 to 58.4 is an interval with apparent bedding of 20-30 TCA highlighted by qtz+sericite and Py+biotite bands 5-15 mm wide. | | | | | 5 | | | |
| 60.43 | @ 60.43 is the upper contact (UCA of the MASSIVE SULPHIDE VEIN) at 30 TCA. 63.08 MASSIVE SULPHIDE Massive sulphide vein interval with some wall rock brecciated (hydrothermally) clasts within the vein (some clasts as large as 70 mm (possibly longer since the core piece cuts off clast) long and 50-60 mm wide) 20-25% is clasts or interstitial wall rock/silica with minor calcite with weak sericite. The top 25 cm is dominated by Cpy (~10% total) (till 60.80m), then 10 cm down there is a ~25 cm wide stringer injections of the familiar Sph (5-10% total) (till 61.1m) followed by a few 10-50 cm stringers injections of a rusty red sulphide (suspect Pyrr that oxidized?) or could be a different looking Sph - (10-15%) (~61.1 to 61.53 and 61.53 to 62.2) followed by another injection of stringers 10-15 cm wide of the familiar Sph (62.7 to 62.85). The remaining | 166187 166188 166189 166190 166191 166192 166193 | 60.43 60.80 61.10 61.50 62.42 62.42 BLANK | 60.80 61.10 61.50 62.42 63.08 63.08 BLANK | 0.37 0.30 0.40 0.92 0.66 DUP BLANK | 30.15 24.24 11.63 15.06 13.94 14.33 0.02 | 409.6 428.8 213.7 128.6 190.4 222.5 0.9 | 49500 50800 12900 8678 11700 12200 4 | 10900 24000 88800 129000 62000 63400 14 |

Page: 7 of 15 pages



| From | То | | From | То | Interval | Au | Ag | Cu | Zn |
|-------|--|--|---|---|--|--|--|---|---|
| (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | sulphides makes up Py. Trace Gal, Aspy disseminated throughout, but more evident close to Cpy. Note that the texture of the rusty red sulphide has a general vague orientation 55-65 TCA. It appears as though the sulphide vein brecciated (what is left of) the wall rock. | | | | | | | | |
| 63.08 | 71.49 LITHIC FELDSPATHIC GREYWACKE Med grey to light grey lithic greywacke that is feldspathic in composition. Biotite+/-Py infill. Where there there is Py blebs there is biotite on the periphery. Py blebs/disseminations and stringers = 10-15%. Silica stringers/infill = 2-3% From 64.6 to 66 is mainly white qtz infil (thus, less Py here). | 166194 166195 166196 166197 166198 166199 166200 166201 | 63.08 65.00 66.34 66.74 67.74 69.50 70.60 | 65.00 66.34 66.74 67.74 69.50 70.60 71.49 | 1.92 1.34 0.40 1.00 1.76 1.10 0.89 STD 12 | 1.22 0.17 0.57 0.12 0.31 1.22 0.74 | 17.4 2.5 6.9 2.3 5.7 19.5 1.7 3.3 | 2153 169 577 127 540 1688 156 2572 | 2211 728 6220 630 1257 5976 2246 341 |
| 71.49 | 66.34 to 66.74 15-20 UCA and LCA = 35-40 TCA SEMI/MASSIVE SULPHIDE VEIN - Py = 45-50% and Sph=3-5% blebs in a stringer orientation following the vein's orientation remaindin is wallrock and qtz fragments following the vein orientation. It appears as though the sulphide vein is brecciating the wall rock. @70.5 m is a 20-25 TCA 10-15 mm wide 80-85% Py vein with interstitial silica and wall rock with biotite on the outer fringes of the Py veinlet. 73.22 FELDSPATHIC GREYWACKE (ALMOST DYKE LIKE) Light grey to med grey feldspathic greywacke with c. Grain to granule size (up to 3mm) grains. Note that this unit starts off as v.f. Grain then grades to f.g. To med grain to c.g. To granules. (like a chill margin) all within a 20 cm interval. Slightly calcareous matrix with 2-3% calcite/silica stringers @ 71.97 to 72.04 is a SEMI-MASSIVE SULPHIDE VEIN with 30-35 TCA UCA and LCA. 50 mm true width with a qtz enveloping 25- | 166201 166202 166203 | STD 12 71.49 72.96 | STD 12 72.96 73.22 | STD 12 1.47 0.26 | 0.27 0.10 8.77 | 3.3 0.5 93.8 | 2572 78 19900 | 341 215 1843 |

Page: 8 of 15 pages



| From | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|-------|---|---|--|--|--|--|--|---|--|--|
| (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | cubes))witl | hin the centre sulphide vein. | | | | | | | | |
| 73.22 | 83.27 | FELDSPATHIC GREYWACKE HYDROTHERMALYL | 166204 | 73.22 | 75.00 | 1.78 | 1.03 | 32.3 | 1753 | 1011 |
| | | BRECCIATED WITH SULPHIDE-BEARING FLUIDS | 166205 | 75.00 | 76.50 | 1.50 | 1.05 | 25.6 | 743 | 27800 |
| | Grey with a | a tinge of pale light blue (suspect pervasive weak | 166206 | 76.50 | 78.00 | 1.50 | 2.17 | 24.4 | 1149 | 22400 |
| | sericite (?)) | (wall rock) with strands of yellow (Py) and brown | 166207 | 78.00 | 79.60 | 1.60 | 1.20 | 23.4 | 494 | 45700 |
| | (intersitial b | piotite and stringers of Sph). As the name of this unit | 166208 | 79.60 | 81.00 | 1.40 | 0.31 | 3.4 | 175 | 4890 |
| | suggests it i | is brecciated with Py (~20%) and minor Sph (3- | 166209 | 81.00 | 82.50 | 1.50 | 0.14 | 3.5 | 134 | 2337 |
| | 5%).~1% m | ainly silica stringers with very minor calcite. | 166210 | 82.50 | 83.27 | 0.77 | 0.09 | 2.5 | 60 | 652 |
| | From 75.14 and 35-40 r @ 77.1 is a The higher 79.6 m at 4 @ 82.33 ar mm wide @ 82.40 m is nearly pe structural fo | 4 to 75.24 is a Sph-rich (75-80%) interval 35-40 TCA mm wide with trace Cpy a 35 to 40 TCA orientation of a Sph stringer. concentration sulphides subsides at approximately 0 to 45 TCA. re a series of Py stringers with an angle of 20 TCA 5-15 a is a 35 to 40 TCA bedding plane (this bedding plane erpendicular to the Py stringer orientation. (both eatures seen on one piece of core stick) | | | | | | | | |
| 83.27 | 98.85 Light grey tr intervals the m) but ther hydrotherm Also, the flu calcareous mm angular Disseminate disseminate | LITHIC FELDSPATHIC GREYWACKE o med grey lithic feldspathic greywacke with some at appear hydrothermally brecciated (86.25 to 87.12 re are planes of bedding visible due to the lack of hally brecciating fluids destructing the original texture. uids here in this interval bear less Py and more stingers (dolomite) Clasts range in size from a few r clasts to cm scale angular clasts, often tabular. ed and fracture filling biotite alteration. 5-7% ed and stringer Py Averag bedding plane is 40 TCA. | 166211 166212 166213 166214 166215 166216 166217 166218 166219 | 83.27 85.00 87.00 91.00 91.40 93.00 95.00 97.00 | 85.00 87.00 91.00 91.40 93.00 95.00 97.00 99.00 | 1.73 2.00 2.00 2.00 0.40 1.60 2.00 2.00 2.00 | 0.18 0.15 0.11 0.18 0.33 0.10 0.07 0.06 0.06 | 1.3 1.2 1.9 3.2 6.8 4.1 3.1 1.8 1.6 | 71 20 192 157 96 125 109 121 101 | 1404 256 3038 26900 5037 1646 331 573 |

Page: 9 of 15 pages



| From | То | | From | То | Interval | Au | Ag | Cu | Zn |
|-------|--|--|--|---|---------------------------------------|--|--|--------------------------------------|--|
| (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| 98.85 | @ 83.5 m is a bedding plane 50 TCA highlighted by a brown layer with a pale grey bed. @ 86.48 is a 35-40 TCA bedding plane @ 87 m is a 35-40 10-15 mm wide qtz veinlet with minor calcite. @ 89.4 are blebs of minor Sph and Py within broken core with qtz, angle estimated at 35-40 TCA. From 91 to 91.4 is an interval with a 35 to 40 TCA=LCA HI with calcite, Sph and Py with a fading/obsecure UCA contact ~60 TCA. Width ~80 mm. Py = 40-45%, Sph = 15-20% and the rest is calcite+wall rock @ 97.27, 97.41, 97.65 the bedding planes are 30, 50, 40 TCA, hence the average bedding plane are 40 TCA. @ 96.23 is 35 TCA bedding plane 109.08 FELDSPATHIC GREYWACKE Grey feldspathic greywacke with very little to no evidence of hydrothermal brecciation. There are intervals that have very coarse grained feldspathic greywack (98.85 to 99.94 and 108.87 to 109.08). Very weak to weak (progressively getting stronger downhole) interstital very fine-grained biotite alteration (or brown matrix) (or both, the matrix has altered to biotite) 0.1 to 3% disseminated and stringer Py with the Py getting weaker downhole (away from the hydrothermally brecciation above this unit) @ 99.36 and 99.67 are FAULTS 20 and 25 TCA, 2-5 and 2-5 mm clay fault gouge breccia, respectively. Both surfaces polished smooth with slickenslides. @ 101.23 is a 40 TCA slickensided fracture. @ 103.74, 103.83,103.90 there are 50, 35, 30 TCA FAULTS with none, 1 mm, 2-3 mm (with 2-3 cm length worth of core rubble) clay fault gouge breccia polished and slickensided, respectively. It seems as though as the angle becomes shallower TCA the fault | 166220 166221 166223 166223 166224 166225 | 99.00 101.00 103.00 105.00 BLANK | 101.00 103.00 105.00 109.00 BLANK | 2.00 2.00 2.00 2.00 BLANK | 0.07 0.12 0.32 0.17 0.12 0.01 | 1.7 4.9 1.9 2.2 1.9 2.2 | 106 336 316 193 139 2 | 214 6626 108 673 728 20 |

Page: 10 of 15 pages



| Erom | То | | T | From | То | Interval | ٨ | Δσ | Cu | Zn |
|--------|------------------------|--|-----------|--------|--------|----------|------|-----------|-----|-----|
| (m) | (m) | Description | Sample No | (m) | (m) | (m) | σ/t | ~5 σ/t | nnm | nnm |
| (11) | gouge amount incr | eases hence a stronger fault (2) is this fault | | (111) | (111) | (111) | g/ t | g/ t | ρρπ | ppm |
| | strength related to | the 35-40 TCA hedding nlane? | | | | | | | | |
| | | the ss to revised and plane. | | | | | | | | |
| | @ 103.68 and 104 | 3 is a 35 an 35-40 TCA bedding plane. | | | | | | | | |
| | respectively. | | | | | | | | | |
| | @ 106.84 is 30 TC | A bedding. | | | | | | | | |
| | @ 109.09 are 2 pla | anes measureable 35-40 and ~10 TCA of what | | | | | | | | |
| | appears to be hydr | othermal fluids altering the coarse grained | | | | | | | | |
| | greywacke. Also, r | note that at 109.44 there is a 35 TCA plane as | | | | | | | | |
| | well going towards | the 2 planes above. Thus, the coarse-grained | | | | | | | | |
| | greywacke is the p | ristine, non altered, unit and after | | | | | | | | |
| | hydrothermal fluid | s/alteration it results in the more massive | | | | | | | | |
| | (grains are no long | er) state. Also, the 35-40 TCA alteration | | | | | | | | |
| | injection cuts the ~ | 10 TCA injection, hence the 35-40 is a later | | | | | | | | |
| | event. | | | | | | | | | |
| | From 109.9 to 110 | 0.22 there are 3 bedding planes with 30 TCA. | | | | | | | | |
| 109.08 | 125.31 FELD | SPATHIC GREYWACKE | 166226 | 109.00 | 111.00 | 2.00 | 0.10 | 0.9 | 202 | 69 |
| | This unit is fairly si | milar to the above unit except that this unit | 166227 | 111.00 | 113.00 | 2.00 | 0.05 | 0.6 | 49 | 54 |
| | has more interstiti | al biotite/matrix than the previous unit. This | 166228 | 113.00 | 115.00 | 2.00 | 0.03 | 0.5 | 53 | 52 |
| | gives this unit a mo | ore mafic (almost a greywacke) and more | 166229 | 115.00 | 117.00 | 2.00 | 0.03 | 0.7 | 49 | 61 |
| | brown colour. Her | nce, a med grey to pale brown feldspathic | 166230 | 117.00 | 119.00 | 2.00 | 0.03 | 0.6 | 66 | 65 |
| | greywacke with ab | undant (~5-20%) interstitial and disseminated | 166231 | 119.00 | 121.00 | 2.00 | 0.03 | 0.9 | 126 | 44 |
| | biotite. 0.5 to 2% c | lisseminated Py with rare stringers. | 166232 | 121.00 | 123.15 | 2.15 | 0.04 | 0.9 | 203 | 61 |
| | | | 166233 | 123.15 | 125.31 | 2.16 | 0.04 | 0.5 | 109 | 61 |
| | @ 113.02 is a 30 T | CA shear with a smooth, polished and | | | | | | | | |
| | slickensided fractu | re surface. | | | | | | | | |
| | From 114.6 to 115 | .2 are multiple bedding planes ranging from 25 | | | | | | | | |
| | to 30 TCA. | | | | | | | | | |
| | @ 116.69 m is a 3 | 0 TCA FAULT with 1 mm clay gouge, polished | | | | | | | | |
| | and smooth fractu | re surface with chlorite and 1-3% disseminated | | | | | | | | 1 |
| 1 | Py. | | I | | | | | | I I | l |

Page: 11 of 15 pages



| From | То | | From | То | Interval | Au | Ag | Cu | Zn |
|--------|---|------------|--------|--------|----------|------|------|-----|-------|
| (m) | (m) Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | @ 118.19 is a 40 TCA minor FAULT with 1-2 mm clay fault gouge | | | | | | | | |
| | breccia, smooth, polished planar surface. | | | | | | | | |
| | 119.26 is a 35 TCA polished surface shear with minor | | | | | | | | |
| | slickensides. | | | | | | | | |
| | From 119.3 (with 20 = UCA) to 119.8 (LCA = 10-15 TCA) is an | | | | | | | | |
| | undulating FAULT with 0.5 mm clay fault gouge breccia with very | | | | | | | | |
| | minor and local limonite and chlorite developing on the fracture | | | | | | | | |
| | surface. | | | | | | | | |
| | @ 123.93 is a 40 to 45 TCA bedding plane. | | | | | | | | |
| 125.31 | 166.98 FELDSPATHIC GREYWACKE | 166234 | 125.31 | 127.00 | 1.69 | 0.05 | 1.3 | 244 | 92 |
| | Med grey with some intervals of dark grey feldspathic | 166235 | 127.00 | 129.00 | 2.00 | 0.04 | 1.3 | 241 | 84 |
| | greywacke. There are some bedding layers that could be named | 166236 | 129.00 | 131.00 | 2.00 | 0.10 | 2.3 | 295 | 129 |
| | a greywacke, but they are quite minor and even those sections | 166237 | 131.00 | 133.00 | 2.00 | 0.20 | 2.0 | 304 | 79 |
| | are questionable whether if it is non-feldspathic or not. The | 166238 | 133.00 | 135.00 | 2.00 | 0.07 | 0.9 | 206 | 65 |
| | grains are med to c.g. minor sections of f.g. There are minor | 166239 | 135.00 | 137.00 | 2.00 | 0.13 | 1.4 | 212 | 176 |
| | intervals with lithic clasts (feldspathic in composition)from 129.5 | 166240 | 137.00 | 139.00 | 2.00 | 0.08 | 4.2 | 239 | 3152 |
| | to 130.5 and 147.5 to 157m. There are intervals (137.84 to | 166241 | 139.00 | 141.00 | 2.00 | 0.17 | 4.3 | 320 | 1206 |
| | 138.6m) and (145.95 to 147.47m) that have a green tint to the | 166242 | 141.00 | 143.00 | 2.00 | 0.07 | 1.6 | 174 | 304 |
| | unit. 0.5 to 3% disseminated and stringer Py with local semi- | 166243 | 143.00 | 144.00 | 1.00 | 0.05 | 1.4 | 123 | 126 |
| | massive to massive Py (see below for depths). Trace local Sph | 166244 | 144.00 | 145.00 | 1.00 | 0.51 | 16.6 | 465 | 9994 |
| | and Cpy.From 153.5 to end of this unit has a calcareous matrix | 166245 | 144.00 | 145.00 | DUP | 0.21 | 17.2 | 486 | 12100 |
| | component (likely a calcareous cement, calcite) ~1% calcite | 166246 | 145.00 | 146.00 | 1.00 | 0.21 | 20.7 | 288 | 19500 |
| | stringers mainly 1-3mm wide. Rare qtz veinlets ((even these | 166247 | 146.00 | 147.00 | 1.00 | 0.15 | 16.0 | 387 | 9980 |
| | have a small calcite component to it at around 149 to 151 there | 166248 | 147.00 | 148.00 | 1.00 | 0.11 | 3.9 | 344 | 1445 |
| | are 2 mainly silica veinlets and those are mainly the only one | 166249 | 148.00 | 149.00 | 1.00 | 0.13 | 3.8 | 385 | 187 |
| | present in this interval. | 166250 | 149.00 | 150.00 | 1.00 | 0.06 | 1.6 | 212 | 171 |
| | | 166251 | 150.00 | 152.00 | 2.00 | 0.06 | 1.6 | 150 | 198 |
| | 125.60 is a 40 TCA 10-15 mm wide discontinuos Py stringer 65- | 166252 | 152.00 | 154.00 | 2.00 | 0.07 | 0.8 | 107 | 98 |
| | 70% Ру. | 166253 | 154.00 | 156.00 | 2.00 | 0.10 | 0.4 | 100 | 132 |
| | @ 126m is a 25-35 and 40 TCA qtz (minor calcite) veinlet 20-25 | 166254 | 156.00 | 158.00 | 2.00 | 0.04 | 0.5 | 111 | 133 |
| | and 20-25 mm wide with 0.5 to 1% disseminated Py and 2-3% | 166255 | 158.00 | 160.00 | 2.00 | 0.03 | 1.4 | 96 | 963 |
| | rare tabular and blebby (suspect biotite retrograding into | 166256 | 160.00 | 162.00 | 2.00 | 0.02 | 1.3 | 62 | 649 |
Page: 12 of 15 pages



| From | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|--------|-----------------|--|------------|--------|--------|----------|------|------|------|------|
| (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | chlorite). | | 166257 | STD 13 | STD 13 | STD 13 | 0.90 | 3.9 | 3109 | 186 |
| | From 126.9 t | to 130.2 the bedding angles changes very rapidly | 166258 | 162.00 | 164.50 | 2.50 | 0.09 | 1.3 | 181 | 138 |
| | from 40-45 t | o a low angle of 20 TCA. | 166259 | 164.50 | 166.98 | 2.48 | 0.08 | 2.7 | 244 | 376 |
| | From ~130 to | o 136 there is an increase in Py presence due to the | | | | | | | | |
| | increased fre | equency of PY stringers. | | | | | | | | |
| | @ 131.1 the | ere is a 30 TCA = UCA SEMI-MASSIVE Py interval for | | | | | | | | |
| | ~10 cm. The | LCA is obscure and unclear. | | | | | | | | |
| | From 131.25 | to 131.33 is a MASSIVE SULPHIDE 80-85% Py with | | | | | | | | |
| | undefined/ir | regular contacts | | | | | | | | |
| | @ 134.07 is | a minor FAULT with 40 TCA, polished, planar smooth | | | | | | | | |
| | fracture surf | ace with a veneer of clay gouge. | | | | | | | | |
| | @ 136.37 is | a 40-45 TCA minor FAULT with a veneer of clay fault. | | | | | | | | |
| | | | | | | | | | | |
| | @ 136.70 to | 136.90 there is a 35 TCA orientation stringer sets | | | | | | | | |
| | with 11-13 m | nm true width interval with 15-20% blebby Py | | | | | | | | |
| | @ 138.51 to | 138.55 there is a near perpendicular TCA 40 mm | | | | | | | | |
| | wide HI with | 7-8% Sph, 3-5% Py, and 0.5 to 1% Cpy within wall | | | | | | | | |
| | rock and car | bonate. | | | | | | | | |
| | @ 144.13 to | 144.49 are multple His with three orientations with | | | | | | | | |
| | 25, one with | 35 and one with 50 to 55 TCA 5 to 35 mm wide with | | | | | | | | |
| | disseminated | d Py/ (non-mag Po) and Sph (80-20% ratio) with | | | | | | | | |
| | interstitial ca | arbonate. | | | | | | | | |
| | From 145.47 | to 145.97 there are a few Sph dominant | | | | | | | | |
| | stringers/vei | nlets (65-70%) with 3-5% dissem Py, 1-2% Aspy/Gal | | | | | | | | |
| | in a a calcite | stringer with in random and obsecure orientation a | | | | | | | | |
| | few mm to o | ne that is 30 mm wide. | | | | | | | | |
| | @ 166.98 is | a 35 TCA mainly qtz veinlet with a minor calcite (2- | | | | | | | | |
| | 3% compone | ent) with 1-2% disseminated Cpy, Gal and Py. 25 to | | | | | | | | |
| | 30 mm wide | . Also, 20-25% suspect blebby to semi-massive | | | | | | | | |
| | chlorite. | | | | | | | | | |
| 166.98 | 181.32 | FELDSPATHIC GREYWACKE | 166260 | 166.98 | 167.64 | 0.66 | 0.41 | 16.2 | 1048 | 9930 |

Page: 13 of 15 pages



| | - | | | | | | | | GULD | CURPURATION |
|------|--------------------|---|------------|--------|--------|----------|-------|-----|------|-------------|
| From | То | | | From | То | Interval | Au | Ag | Cu | Zn |
| (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | This unit is diffe | erent from the above Feld GW unit because the | 166261 | 167.64 | 169.89 | 2.25 | 0.02 | 0.9 | 73 | 766 |
| | grains are finer | . Predomiantly fine grained sand grey with slight | 166262 | 169.89 | 172.04 | 2.15 | 0.07 | 1.3 | 109 | 531 |
| | tinge of blue-gr | reen. The mafic matrix and stringers are very | 166263 | 172.04 | 174.00 | 1.96 | 0.09 | 5.9 | 42 | 1716 |
| | weakly beginni | ng to alter to biotite. From 166.98 to 176 m is | 166264 | 174.00 | 176.00 | 2.00 | 0.16 | 1.5 | 42 | 1193 |
| | blebby dissemi | nated and stringer Py with higher Py closer to | 166265 | 176.00 | 178.00 | 2.00 | 0.01 | 1.4 | 50 | 703 |
| | stringers. from | 176 to 181.32 is slightly less at ~ 0.1 to 2% | 166266 | 178.00 | 180.00 | 2.00 | 0.02 | 1.9 | 57 | 1318 |
| | disseminated P | by with rare major Py stringers. Local 3-5% blebby | 166267 | 180.00 | 181.32 | 1.32 | <0.01 | 1.8 | 12 | 531 |
| | Cpy in mainly q | tz veinlet at ~ 167.4m. ~1% mainly calcite | | | | | | | | |
| | stringers and ve | einlets with rare qtz veinlet. The unit from ~ 168 | | | | | | | | |
| | to 171.77 m ha | is a calcareous matrix as the entire core | | | | | | | | |
| | effervesces (ca | lcareous cement) It seems as this feature is | | | | | | | | |
| | confined to the | e faulted area. From 169.30 m to 172.06 is | | | | | | | | |
| | frequently brol | ken with abundant fault gouge breccia. | | | | | | | | |
| | @ 167.38 m is | a mainly qtz veinlet 25 TCA 5-10 mm wide with | | | | | | | | |
| | blebby Cpy 3-5 | %, trace to 0.5% rare blebs of Po, Sph and trace Py | | | | | | | | |
| | in the vein. Pe | ripheral to the veinlet are blebby Py-15-20% with | | | | | | | | |
| | 5-8% stringer S | p all within a 70 mm ~true width enveloping the | | | | | | | | |
| | veinlet. | | | | | | | | | |
| | @ 167.24 is a | $^{\sim}$ 35 TCA minor FAULT with 0.5mm clay fault | | | | | | | | |
| | gouge, polished | d, smooth, slickensides. | | | | | | | | |
| | @167.57 is a 3 | 80-35 TCA minor FAULT with slickensides and a | | | | | | | | |
| | veneer of clay f | fault gouge | | | | | | | | |
| | From 167.55 to | o 167.75 are four minor FAULTS with 25 to 35 TCA | | | | | | | | |
| | with a veneer t | to 1 mm clay fault gouge breccia polished, smooth, | | | | | | | | |
| | planar with slic | kensides. | | | | | | | | |
| | @ 169.25 ther | e is a 25 TCA FAULT with 1 mm clay fault gouge. | | | | | | | | |
| | @ 169.3 there | is a major FAULT with 15-20 with 2 mm of clay | | | | | | | | |
| | fault gouge wit | h 45-50 cm worth of drill core rubble with | | | | | | | | |
| | abundant (5-10 | 0%) as clay gouge breccia. LCA at 169.89 is 15-20 | | | | | | | | |
| | TCA. | | | | | | | | | |
| | - | | - | - | | • • | | | | |

Page: 14 of 15 pages



| Erom | То | T | From | То | Interval | Διι | Δα | Cu | Zn |
|-----------|--|--|--------------------------------------|---|------------------------------|------------------------------|--------------------------|------------------------------|----------------------------|
| (m) | (m) Description | Sample No | (m) | (m) | (m) | Au a/t | Ag a/t | Cu | 211 |
| (11) | (iii) Description | | (11) | (111) | (111) | g/t | g/t | phin | ppm |
| 181.32 | (m) Description (m) Description (m) 169.68 is a 10-15 TCA is a FAULT with 2-3 mm clay fault gouge breccia. (m) 171.77 is a FAULT 15-20 TCA with 6 mm clay fault gouge breccia. (m) 171.92 20-25 TCA with 1-2 mm clay gouge breccia with 10-15 mm worth of core into up to pebble sized gouge breccia nearby (m) 171.94 35-40 with 1-3 mm clay gouge breccia with 10-15 mm worth of core into up to pebble sized gouge breccia nearby (m) 175.59 m is a ~20 TCA minor FAULT with ~1 mm clay fault gouge breccia. (m) 177.17 is a 30 to 35 TCA bedding plane. (m) 177.76 m is a 40-45 TCA bedding plane. (m) 177.67 m is a 40-45 TCA bedding plane. (m) 174 and 175.5 are 2 injections of Py ~ 100 mm wide with 40- 45 and 20-25 TCA orientation, respectively. 189.41 GREYWACKE Medium grey greywack with very minor feldspathic lithic clasts, sub-rounded ~15 by 25 mm clasts to up to 70-80 mm long tabular clasts generally sub-rounded. Weak locally pervasive mafics altering to biotite as disseminations and stringers. 1- 5 % blebby disseminated Py and local Py stringers < 0.5% calcite-silica stringers with some lithic clasts being replaced by calcite. From 182.67 to 182.85 and 184.36 to 184.63 (this interval partly replaced by calcite) are lithic clasts (m) 183.4 to 183.74 is an HI with a pod of calcite 50 mm by >20 mm(cut off by core) with very angular breciated wall rock clasts | Sample No. 166268 166269 166270 166271 | 181.32 183.32 185.32 187.32 | (m) 183.32 185.32 187.32 189.41 | 2.00 2.00 2.00 2.09 | 0.04 0.08 0.07 0.02 | 1.0 1.5 1.5 1.7 | ppm 36 38 69 102 | 693 1046 850 1148 |
| 189.41 | (cut off by core) with very angular precciated Wall Pock clasts with 1-2% blebby Sph and 1-2% blebby Py @ 188.08 m is a 45-50 minor FAULT with a veneer of clay gouge. 201.00 FELDSPATHIC GREYWACKF | 166272 | 189.41 | 191.00 | 1.59 | 0.02 | 4.5 | 166 | 1825 |
| 1 -222.11 | | 1 1002/2 | 1 -22.11 | 101.00 | 1 1.55 | 1 0.02 | I | 1 100 | 1 1020 |

Page: 15 of 15 pages



| From | То | | | From | То | Interval | Au | Ag | Cu | Zn |
|------|-----------------|--|------------|--------|--------|----------|-------|-----|-----|------|
| (m) | (m) | Description | Sample No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | Mainly a med | dium grey feldspathic greywacke unit with minor | 166273 | 191.00 | 193.00 | 2.00 | 0.03 | 2.9 | 153 | 843 |
| | intervals of g | reywacke (196.72 to 196.95 and 199.22 to 199.77 | 166274 | 193.00 | 195.00 | 2.00 | 0.24 | 2.2 | 133 | 114 |
| | m) There are | also minor sequences of lithic clasts that are 10 to | 166275 | BLANK | BLANK | BLANK | <0.01 | 1.9 | 2 | 12 |
| | 25 mm diame | eter and sub-rounded to sub-angular(from 189.41 | 166276 | 195.00 | 197.00 | 2.00 | 0.01 | 2.0 | 65 | 595 |
| | to190.07m). | | 166277 | 197.00 | 199.00 | 2.00 | 0.04 | 2.0 | 74 | 1571 |
| | @ 194.57 is | a 30 TCA ~ 30 mm wide HI with mostly calcite (80- | 166278 | 199.00 | 201.00 | 2.00 | 0.20 | 3.4 | 117 | 2450 |
| | 85%), trace I | Po, rare blebs of suspect Gal. | | | | | | | | |
| | @ 197.54 to | 197.59 is an HI with 55-60 CA with 2-3% blebby Sph | | | | | | | | |
| | and finely dis | seminated supect Gal trace-1%. | | | | | | | | |
| | From 197.43 | to197.93 the rock is noticeably greener due to | | | | | | | | |
| | green lithic c | lasts, the matix is a v.f.g. black mafic. | | | | | | | | |
| | From 199.3 t | o 199.35 there is a MASSIVE SULPHIDE VEIN 75-80 | | | | | | | | |
| | TCA, 45 to 50 |) mm wide (Py = 65-70%, Po = 15-20%, trace Cpy and | | | | | | | | |
| | the rest is int | erstitial biotite, wall rock, and silica with minor | | | | | | | | |
| | calcite. | | | | | | | | | |
| | 201 m End o | f Hole | | | | | | | | |



Quality Assaying for over 35 Years

Metallic Assay Certificate

0S-0038-RM1

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-20-10

We *hereby certify* the following analysis of 17 core samples submitted Jun-28-10

| Sample | Wt Total | Wt +150 | +150 Au | -150 Au | Metallic Au | Net Au |
|--------|----------|---------|---------|---------|-------------|---------|
| Name | g | g | mg | g/tonne | g/tonne | g/tonne |
| 166139 | 517.8 | 105.4 | 0.354 | 3.27 | 0.68 | 3.29 |
| 166182 | 925.7 | 75.1 | 1.401 | 10.08 | 1.51 | 10.78 |
| 166183 | 894.5 | 86.4 | 1.376 | 1.96 | 1.54 | 3.31 |
| 166186 | 884.9 | 70.5 | 0.122 | 1.28 | 0.14 | 1.32 |
| 166187 | 846.1 | 92.0 | 14.729 | 14.30 | 17.41 | 30.15 |
| 166188 | 563.9 | 123.8 | 6.975 | 15.21 | 12.37 | 24.24 |
| 166189 | 887.6 | 106.1 | 2.894 | 9.50 | 3.26 | 11.63 |
| 166190 | 865.0 | 120.0 | 6.486 | 8.78 | 7.50 | 15.06 |
| 166191 | 453.7 | 41.8 | 0.602 | 13.89 | 1.33 | 13.94 |
| 166192 | 399.2 | 58.5 | 0.820 | 14.38 | 2.05 | 14.33 |
| 166194 | 926.8 | 60.5 | 0.156 | 1.12 | 0.17 | 1.22 |
| 166199 | 919.0 | 49.4 | 0.147 | 1.12 | 0.16 | 1.22 |
| 166203 | 743.2 | 38.5 | 4.863 | 2.35 | 6.54 | 8.77 |
| 166204 | 900.0 | 45.4 | 0.079 | 0.99 | 0.09 | 1.03 |
| 166205 | 912.5 | 44.4 | 0.103 | 0.99 | 0.11 | 1.05 |
| 166206 | 936.8 | 50.7 | 0,580 | 1.64 | 0.62 | 2.17 |
| 166207 | 897.7 | 71.2 | 0.361 | 0.87 | 0.40 | 1.20 |

Fire Assay for mettalic Au Assay



Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 0S0038RJ Date : Jul-20-10

Sample type : CORE

Skyline Gold Corporation

Project : Bronson

Attention : Arnd Burgert

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | Al % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | oO mag | Cr maa | Cu pom | Fe % | Hg | K % | La pom | Mg % | Mn ppm | Mo mag | Na % | Ni pom | P % | Pb | S % | Sb | Sc |
|------------------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------|----|--------|-----------|---------|-----------|-----------|---------|-----------|--------|------------|--------|------|-----|
| | | | | | | •• | | | • • | | | | | ,,, | 1-1 | /• | 66 | 10101 | | PP | ,,, | 6 5 | ,0 | PPIN | ppm |
| 166138 | 1.5 | 2.22 | 124 | 128 | 0.7 | <5 | 1.47 | 9 | 9 | 95 | 169 | 4.70 | 1 | 1.04 | <10 | 2.48 | 2335 | 2 | 0.02 | 81 | 0.115 | 34 | 1.87 | <5 | 2 |
| 166139 | 63.2 | 2.14 | 1792 | 29 | <0.5 | 110 | 0.67 | 58 | 118 | 98 | 272 | 20.09 | <1 | 0.50 | <10 | 2.04 | 1404 | <2 | 0.01 | 122 | 0.062 | 1138 | >10.00 | <5 | 1 |
| 166140 | 15.3 | 3.16 | 519 | 64 | <0.5 | 29 | 1.28 | 20 | 14 | 95 | 218 | 8.58 | <1 | 0.79 | <10 | 3.21 | 2622 | 2 | 0.01 | 80 | 0.102 | 349 | 4.33 | <5 | 2 |
| 166141 | 24.9 | 2.70 | 788 | 48 | 0.8 | 36 | 1.48 | 50 | 42 | 103 | 1398 | 10.60 | 1 | 1.18 | <10 | 2.93 | 2588 | <2 | 0.01 | 115 | 0.083 | 545 | 6.16 | <5 | 2 |
| 166142 | 6.3 | 3.72 | 688 | 64 | 0.7 | 14 | 0.49 | 42 | 23 | 115 | 171 | 10.59 | <1 | 0.97 | <10 | 3.36 | 1553 | 2 | 0.01 | 81 | 0.122 | 316 | 5.59 | <5 | 3 |
| 166143 | 8.2 | 3.48 | 445 | 65 | <0.5 | 11 | 1.04 | 27 | 29 | 61 | 124 | 10.07 | <1 | 0.70 | <10 | 3.41 | 2254 | 2 | 0.01 | 46 | 0.146 | 713 | 5.31 | <5 | 3 |
| 166144 | 7.5 | 4.63 | 389 | 79 | 0.7 | 11 | 0.86 | 13 | 33 | 68 | 229 | 10.63 | <1 | 0.99 | <10 | 4.39 | 2324 | 3 | 0.01 | 62 | 0.159 | 140 | 5.03 | <5 | 4 |
| 166145 | 8.8 | 3.04 | 364 | 53 | 0.7 | 12 | 1.22 | 16 | 50 | 61 | 158 | 10.13 | <1 | 1.16 | <10 | 2.91 | 2200 | <2 | 0.01 | 73 | 0.156 | 251 | 5.72 | <5 | 2 |
| 166146 | 5.2 | 2.22 | 221 | 127 | 0.6 | 7 | 1.19 | 8 | 29 | 73 | 261 | 5.30 | <1 | 0.98 | <10 | 2.22 | 2159 | 2 | 0.01 | 88 | 0.139 | 145 | 2.44 | <5 | 2 |
| 166147 | 2.9 | 1.84 | 154 | 124 | 0.5 | <5 | 2.80 | 8 | 21 | 73 | 146 | 4.99 | 1 | 0.89 | <10 | 2.58 | 4167 | <2 | 0.01 | 95 | 0.105 | 127 | 2.20 | <5 | 2 |
| 166148 | 3.9 | 2.93 | 161 | 114 | 0.6 | <5 | 1.17 | 12 | 16 | 53 | 267 | 6.33 | <1 | 0.96 | <10 | 2.92 | 2223 | 3 | 0.01 | 73 | 0.194 | 228 | 2.57 | <5 | 2 |
| 166149 | 3.0 | 2.16 | 108 | 117 | 0.5 | <5 | 1.46 | 13 | 12 | 47 | 202 | 5.27 | <1 | 0.87 | <10 | 2.19 | 2833 | 2 | 0.01 | 45 | 0.172 | 251 | 2.12 | <5 | 2 |
| 166150 | 3.8 | 2.44 | 93 | 112 | 0.5 | <5 | 1.45 | 35 | 10 | 56 | 218 | 5.41 | <1 | 0.77 | <10 | 2.45 | 2991 | 2 | 0.01 | 80 | 0.136 | 465 | 2.01 | <5 | 2 |
| 166151 | <0.Z | 0.03 | <5 | <10 | <0.5 | <5 | 18.42 | <1 | <1 | 2 | 15 | 0.05 | 7 | 0.01 | <10 | 10.77 | 56 | <2 | < 0.01 | 1 | 0.017 | <2 | 0.51 | <5 | <1 |
| 166152 | 3.9 | 1.26 | 63 | 173 | 0.6 | 6 | 0.77 | 6 | 16 | 72 | 3404 | 3.93 | <1 | 0.51 | 26 | 0.65 | 319 | 233 | 0.03 | 14 | 0.057 | 129 | 1.32 | 16 | 4 |
| 166153 | 3.7 | 2.09 | 175 | 112 | 0.5 | 6 | 1.29 | 19 | 21 | 79 | 188 | 5.84 | 1 | 0.84 | <10 | 2.01 | 2583 | 2 | 0.01 | 115 | 0.117 | 186 | 2.86 | <5 | z |
| 166154 | 16.9 | 2.92 | 116 | 106 | 0.5 | 19 | 1.06 | 14 | 20 | 89 | 228 | 6.16 | <1 | 0.84 | <10 | 2.75 | 2498 | <2 | 0.01 | 110 | 0.111 | 320 | 2.02 | <5 | 2 |
| 166155 | 1.9 | 1.50 | 167 | 144 | 0.5 | <5 | 2.50 | 11 | 20 | 65 | 114 | 3.88 | 1 | 0.88 | <10 | 1.98 | 3099 | 2 | 0.01 | 114 | 0.108 | 100 | 1.45 | <5 | 2 |
| 166156 | 7.5 | 2.39 | 202 | 81 | 0.6 | <5 | 1.56 | 69 | 47 | 76 | 294 | 7.79 | <1 | 1.02 | <10 | 2.43 | 2469 | 2 | 0.01 | 149 | 0.113 | 1526 | 4.19 | <5 | 2 |
| 166157 | 7.1 | 3.39 | 84 | 109 | 0.8 | 6 | 1.24 | 34 | 15 | 95 | 325 | 7.00 | <1 | 1.09 | <10 | 3.02 | 2670 | 2 | 0.01 | 80 | 0.115 | 858 | 1.98 | < 5 | 3 |
| 166158 | 5.1 | 2.51 | 197 | 81 | <0.5 | <5 | 2.27 | 26 | 28 | 201 | 464 | 6.54 | <1 | 0.70 | <10 | 3.01 | 2302 | <2 | 0.01 | 221 | 0.115 | 469 | 2.93 | <5 | 2 |
| 166159 | 8.4 | 3.05 | 185 | 79 | 0.5 | 11 | 1.29 | 27 | 45 | 298 | 563 | 8.75 | <1 | 0.87 | <10 | 2.99 | 1556 | <2 | 0.01 | 242 | 0.096 | 637 | 4.38 | <5 | 3 |
| 166160 | 6.9 | 1.96 | 135 | 90 | < 0.5 | 8 | 2.06 | 29 | 24 | 115 | 255 | 6.33 | <1 | 0.70 | <10 | 2.11 | 1603 | <2 | 0.01 | 174 | 0.123 | 987 | 3.17 | <5 | 2 |
| 166161 | 5.4 | 0.65 | 77 | 90 | <0.5 | < 5 | 9.46 | 16 | 14 | 25 | 195 | 4.99 | 4 | 0.53 | <10 | 3.16 | 4496 | 7 | 0.01 | 44 | 0.103 | 274 | 2.06 | <5 | 2 |
| 166162 | 3.5 | 0.69 | 204 | 66 | <0.5 | <5 | 3.58 | 16 | 26 | 33 | 371 | 7.85 | 2 | 0.57 | <10 | 1.50 | 2198 | 2 | 0.01 | 71 | 0.171 | 104 | 5.53 | <5 | 1 |
| 166163 | 2.9 | 0.68 | 158 | 72 | <0.5 | <5 | 5.83 | 11 | 22 | 27 | 342 | 7.49 | 3 | 0.57 | <10 | 1.54 | 2658 | 2 | 0.01 | 45 | 0.159 | 49 | 5.12 | < 5 | 1 |
| 166164 | 3.2 | 0.58 | 97 | 98 | <0.5 | <5 | 7.50 | 7 | 12 | 34 | 162 | 4.99 | 3 | 0.48 | <10 | 1.65 | 3352 | 9 | 0.01 | 45 | 0.148 | 73 | 3.30 | <5 | 2 |
| 166165 | 8.0 | 0.74 | 180 | 68 | <0.5 | 6 | 6.24 | 13 | 19 | 26 | 355 | 8.44 | 2 | 0.61 | <10 | 1.52 | 2688 | 2 | 0.01 | 28 | 0.201 | 150 | 6.05 | <5 | 2 |
| 166166 | 4.1 | 1.14 | 126 | 43 | 0.5 | <5 | 2.85 | 11 | 31 | 25 | 370 | 9.41 | 1 | 0.93 | <10 | 1.15 | 1205 | 2 | 0.01 | 30 | 0.227 | 97 | 6.49 | < 5 | 2 |
| 166167 | 3.7 | 1.09 | 79 | 84 | <0.5 | <5 | 3.79 | 11 | 19 | 31 | 255 | 6.75 | 2 | 0.89 | <10 | 1.21 | 1907 | 9 | 0.01 | 43 | 0.155 | 216 | 4.14 | <5 | 1 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Page 1 of 12

Signed:



Project : Bronson

Attention : Arnd Burgert

| Sample Number | Sr ppm | Th ppm | Ti % | TI ppm | U ppm | V ppm | W ppm | Zn ppm | Zr ppm |
|------------------|-----------|-----------|---------|-----------|----------|----------|----------|-------------------|-----------|
| 166138 | 172 | <5 | 0.09 | <10 | <10 | 44 | <10 | 804 | 2 |
| 166139 | 52 | <5 | 0.04 | 11 | 29 | 63 | 39 | 4569 | 8 |
| 166140 | 115 | <5 | 0.07 | <10 | <10 | 56 | 14 | 1565 | 4 |
| 166141 | 136 | <5 | 0.13 | <10 | <10 | 57 | 47 | 5409 | 4 |
| 166142 | 34 | <5 | 0.11 | <10 | <10 | 72 | 35 | 4218 | 4 |
| 166143 | 74 | <5 | 0.07 | <10 | <10 | 73 | 22 | 25 9 7 | 4 |
| 166144 | 61 | <5 | 0.11 | <10 | <10 | 99 | <10 | 669 | 4 |
| 166145 | 94 | <5 | 0.11 | <10 | <10 | 75 | <10 | 920 | 4 |
| 166146 | 98 | <5 | 0.08 | <10 | <10 | 41 | <10 | 607 | 2 |
| 166147 | 273 | <5 | 0.07 | <10 | <10 | 32 | <10 | 628 | 2 |
| 166148 | 85 | <5 | 0.08 | <10 | <10 | 58 | 10 | 1110 | 3 |
| 166149 | 111 | <5 | 0.07 | <10 | <10 | 50 | 10 | 1163 | 3 |
| 166150 | 110 | <5 | 0.06 | <10 | <10 | 45 | 38 | 4682 | 2 |
| 166151 | 132 | <5 | <0.01 | <10 | <10 | 1 | <10 | 17 | <1 |
| 166152 | 33 | 12 | 0.03 | <10 | <10 | 44 | 10 | 181 | 6 |
| 166153 | 98 | <5 | 0.07 | <10 | <10 | 40 | 16 | 1964 | 2 |
| 166154 | 72 | <5 | 0.08 | <10 | <10 | 50 | 13 | 1474 | 2 |
| 166155 | 227 | <5 | 0.07 | <10 | <10 | 33 | <10 | 1110 | 2 |
| 166156 | 149 | <5 | 0.10 | <10 | <10 | 55 | 76 | 8643 | 3 |
| 166157 | 112 | <5 | 0.11 | <10 | <10 | 63 | 33 | 4066 | 3 |
| 166158 | 191 | <5 | 0.06 | <10 | <10 | 44 | 23 | 2780 | 2 |
| 166159 | 92 | <5 | 0.09 | <10 | <10 | 59 | 23 | 2783 | 3 |
| 166160 | 153 | <5 | 0.06 | <10 | <10 | 38 | 29 | 3722 | 2 |
| 166161 | 580 | <5 | 0.03 | <10 | <10 | 25 | 13 | 1499 | 2 |
| 166162 | 214 | <5 | 0.02 | <10 | <10 | 27 | 10 | 902 | 3 |
| 166163 | 382 | <5 | 0.03 | <10 | <10 | 27 | <10 | 410 | 3 |
| 166164 | 484 | <5 | 0.02 | <10 | <10 | 25 | <10 | 243 | 2 |
| 166165 | 433 | <5 | 0.03 | <10 | <10 | 40 | <10 | 503 | 4 |
| 166166 | 185 | <5 | 0.09 | <10 | <10 | 58 | <10 | 182 | 4 |
| 166167 | 237 | <5 | 0.07 | <10 | <10 | 46 | <10 | 561 | 4 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0038RJDate: Jul-20-10Sample type: CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Signed:



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

 Report No
 : 0S0038RJ

 Date
 : Jul-20-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag | AI % | As | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Hg | K | La | Mg | Mn | Мо | Na | Ni | P | Pb | S | Sb | Sc |
|------------------|--------|---------|------|-----|-------|-----|-------|-----|-----|-------|--------|--------|-----|------|-----|-------|------|-----|------|-----|-------|--------|--------|-----|-----|
| NUMBER | ppm | 70 | hhui | phu | ppm | ppm | 70 | ppm | ppm | ppm | ppm | % | ppm | 70 | ppm | % | ppm | ppm | % | ppm | % | ppm | % | ppm | ppm |
| 166168 | 5.3 | 0.85 | 128 | 59 | <0.5 | <5 | 4.21 | 10 | 27 | 32 | 278 | 7.91 | 2 | 0.68 | <10 | 0.90 | 1886 | 3 | 0.01 | 53 | 0.166 | 218 | 5.80 | <5 | 1 |
| 166169 | 3.4 | 1.04 | 106 | 98 | <0.5 | < 5 | 3.68 | 7 | 16 | 45 | 246 | 6.57 | 1 | 0.74 | <10 | 1.54 | 2036 | 4 | 0.01 | 62 | 0.135 | 162 | 3.96 | <5 | 1 |
| 166170 | 5.2 | 0.65 | 180 | 76 | <0.5 | < 5 | 5.73 | 13 | 21 | 36 | 256 | 6.86 | 2 | 0.50 | <10 | 1.61 | 3153 | <2 | 0.01 | 64 | 0.114 | 331 | 4.71 | <5 | 1 |
| 166171 | 2.9 | 2.99 | 138 | 159 | 0.9 | < 5 | 4.24 | 8 | 24 | 50 | 146 | 7.23 | <1 | 1.34 | 24 | 3.09 | 2647 | 2 | 0.01 | 67 | 0.398 | 288 | 2.54 | <5 | 3 |
| 166172 | 1.5 | 1.70 | 54 | 103 | 0.5 | <5 | 2.89 | 5 | 12 | 35 | 85 | 4.30 | <1 | 0.74 | <10 | 1.79 | 2130 | 2 | 0.01 | 37 | 0.235 | 201 | 1.28 | <5 | 1 |
| 166173 | 3.7 | 1.43 | 283 | 97 | 0.5 | <5 | 1.85 | 33 | 30 | 56 | 257 | 5.51 | 1 | 0.73 | <10 | 1.48 | 1819 | <2 | 0.01 | 86 | 0.101 | 405 | 2.92 | <5 | 1 |
| 166174 | 1.6 | 1.84 | 53 | 143 | 0.8 | <5 | 3.12 | 7 | 19 | 74 | 204 | 4.88 | 1 | 1.23 | <10 | 2.32 | 2840 | <2 | 0.01 | 76 | 0.122 | 68 | 1.32 | <5 | 2 |
| 166175 | 2.1 | 1.23 | 120 | 138 | 0.6 | <5 | 3.88 | 5 | 18 | 39 | 201 | 4.19 | 1 | 0.96 | <10 | 1.97 | 3032 | <2 | 0.01 | 67 | 0.116 | 42 | 1.43 | <5 | 1 |
| 166176 | 2.4 | 1.25 | 116 | 145 | 0.6 | <5 | 3.81 | 6 | 18 | 41 | 245 | 4.14 | 2 | 0.97 | <10 | 2.06 | 2939 | <2 | 0.01 | 67 | 0.104 | 54 | 1.35 | <5 | 1 |
| 166177 | 1.8 | 1.05 | 60 | 144 | 0.5 | <5 | 3.95 | 5 | 14 | 40 | 223 | 4.20 | 1 | 0.87 | 12 | 1.68 | 3022 | <2 | 0.01 | 88 | 0.100 | 39 | 1.43 | <5 | 1 |
| 166178 | 4.8 | 1.04 | 109 | 125 | <0.5 | <5 | 1.92 | 13 | 14 | 28 | 597 | 4.51 | <1 | 0.87 | 13 | 1.13 | 1749 | 3 | 0.01 | 36 | 0.087 | 93 | 2.39 | <5 | 1 |
| 166179 | 9.5 | 1.96 | 108 | 140 | 0.6 | <5 | 2.47 | 7 | 12 | 104 | 1399 | 6.07 | <1 | 1.08 | <10 | 2.28 | 2545 | 20 | 0.01 | 168 | 0.144 | 97 | 2.44 | <5 | 2 |
| 166180 | 2.6 | 1.08 | 70 | 135 | <0.5 | <5 | 3.21 | 4 | 5 | 49 | 350 | 3.81 | <1 | 0.74 | <10 | 1.56 | 2932 | 2 | 0.01 | 85 | 0.145 | 70 | 1.09 | <5 | 2 |
| 166181 | 17.7 | 1.25 | 106 | 135 | <0.5 | 15 | 2.45 | 7 | 9 | 49 | 2267 | 4.97 | <1 | 0.83 | <10 | 1.48 | 2363 | 3 | 0.01 | 99 | 0.153 | 259 | 2.24 | <5 | 1 |
| 166182 | 134.4 | 0.99 | 708 | 48 | <0.5 | 247 | 3.21 | 187 | 29 | 63 | 5307 | 10.33 | 8 | 0.35 | <10 | 1.80 | 3676 | 6 | 0.01 | 170 | 0.094 | 2638 | 6.92 | 18 | 2 |
| 166183 | 16.8 | 1.13 | 597 | 78 | <0.5 | 15 | 1.98 | 72 | 8 | 56 | 3014 | 5.06 | 2 | 0.52 | <10 | 1.49 | 2091 | 2 | 0.01 | 72 | 0.151 | 372 | 3.53 | 11 | 1 |
| 166184 | 6.5 | 1.61 | 1077 | 62 | < 0.5 | 18 | 0.83 | 10 | 20 | 78 | 348 | 6.58 | 1 | 0.67 | <10 | 1.59 | 918 | 2 | 0.01 | 130 | 0.148 | 252 | 4.19 | 17 | 2 |
| 166185 | 13.0 | 0.55 | 364 | 41 | <0.5 | 20 | 1.10 | 10 | 27 | 64 | 1504 | 7.73 | 2 | 0.41 | <10 | 0.52 | 1004 | <2 | 0.01 | 155 | 0.120 | 287 | 5.78 | 20 | 1 |
| 166186 | 22.1 | 0.59 | 364 | 32 | < 0.5 | 46 | 0.26 | 9 | 25 | 69 | 2332 | 8.23 | <1 | 0.40 | <10 | 0.11 | 145 | <2 | 0.01 | 136 | 0.083 | 403 | 6.07 | 20 | 1 |
| 166187 | >200.0 | 0.36 | 2906 | 41 | <0.5 | 509 | 0.11 | 88 | 29 | 132 : | >10000 | >50.00 | 3 | 0.27 | <10 | 0.09 | 185 | 5 | 0.01 | 112 | 0.024 | 9015 | >10.00 | 77 | 1 |
| 166188 | >200.0 | 0.19 | 2896 | 55 | <0.5 | 476 | 0.46 | 167 | 22 | 61 : | >10000 | >50.00 | 5 | 0.17 | <10 | 0.08 | 366 | 4 | 0.01 | 117 | 0.023 | >10000 | >10.00 | 114 | 1 |
| 166189 | >200.0 | 0.15 | 2153 | 48 | <0.5 | 203 | 0.79 | 423 | 28 | 91 : | >10000 | 16.01 | 7 | 0.13 | <10 | 0.08 | 550 | <2 | 0.01 | 87 | 0.022 | >10000 | >10.00 | 141 | <1 |
| 166190 | 128.6 | 0.13 | 1549 | 40 | <0.5 | 85 | 3.18 | 659 | 15 | 63 | 8678 | 11.46 | 13 | 0.11 | <10 | 0.73 | 2001 | 2 | 0.01 | 29 | 0.048 | 3505 | 9.36 | 94 | 1 |
| 166191 | >200.0 | 0.18 | 1774 | 50 | <0.5 | 201 | 1.45 | 260 | 51 | 84 > | >10000 | 18.65 | 7 | 0.17 | <10 | 0.20 | 876 | <2 | 0.01 | 93 | 0.013 | 9322 | >10.00 | 59 | <1 |
| 166192 | >200.0 | 0.21 | 1847 | 57 | <0.5 | 236 | 1.78 | 277 | 40 | 78 3 | >10000 | 20.38 | 7 | 0.18 | <10 | 0.19 | 960 | <2 | 0.01 | 98 | 0.018 | >10000 | >10.00 | 61 | <1 |
| 166193 | 0.9 | 0.25 | 8 | 17 | <0.5 | <5 | 21.42 | <1 | 2 | 13 | 4 | 0.29 | 9 | 0.10 | <10 | 11.25 | 106 | <2 | 0.02 | <1 | 0.032 | <2 | 0.54 | <5 | 1 |
| 166194 | 17.4 | 1.99 | 509 | 85 | <0.5 | 16 | 2.47 | 16 | 17 | 125 | 2153 | 6.84 | 3 | 0.94 | <10 | 2.55 | 2012 | 2 | 0.01 | 126 | 0.127 | 811 | 3.50 | 18 | 2 |
| 166195 | 2.5 | 1.74 | 137 | 108 | <0.5 | 8 | 3.17 | 6 | 11 | 107 | 169 | 5.50 | 3 | 0.78 | <10 | 2.67 | 2170 | <2 | 0.01 | 125 | 0.113 | 86 | 1.98 | 14 | 2 |
| 166196 | 6.9 | 1.23 | 309 | 34 | <0.5 | 23 | 0.68 | 64 | 114 | 112 | 577 | 12.96 | <1 | 0.54 | 12 | 1.08 | 412 | <2 | 0.01 | 132 | 0.100 | 226 | 8.52 | 26 | 1 |
| 166197 | 2.3 | 1.50 | 115 | 94 | <0.5 | 8 | 1.53 | 6 | 20 | 68 | 127 | 4.69 | 1 | 0.77 | <10 | 1.84 | 1184 | 2 | 0.01 | 91 | 0.136 | 77 | 2.64 | 10 | 1 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Page 3 of 12

Signed:



Project : Bronson

Attention : Arnd Burgert

| Assayers | Canada |
|----------|--------|
|----------|--------|

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

 Report No
 : 0S0038RJ

 Date
 : Jul-20-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Sr | Th | Ti | τı | U | v | W | Zn | Zr |
|--------|-----|-----|--------|-----|-----|-----|------|--------|-----|
| Number | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm |
| 166168 | 255 | <5 | 0.05 | <10 | <10 | 36 | <10 | 264 | 4 |
| 166169 | 232 | <5 | 0.05 | <10 | <10 | 36 | <10 | 221 | 3 |
| 166170 | 357 | <5 | 0.02 | <10 | <10 | 22 | <10 | 761 | 3 |
| 166171 | 264 | 6 | 0.10 | 14 | <10 | 70 | <10 | 313 | 3 |
| 166172 | 179 | <5 | 0.06 | <10 | <10 | 36 | <10 | 307 | 2 |
| 166173 | 116 | <5 | 0.05 | <10 | <10 | 29 | 32 | 4166 | 2 |
| 166174 | 267 | <5 | 0.12 | <10 | <10 | 48 | <10 | 458 | 2 |
| 166175 | 293 | <5 | 0.07 | <10 | <10 | 32 | <10 | 167 | 2 |
| 166176 | 283 | <5 | 0.07 | <10 | <10 | 34 | <10 | 286 | 2 |
| 166177 | 281 | <5 | 0.06 | <10 | <10 | 28 | <10 | 190 | 2 |
| 166178 | 149 | <5 | 0.05 | <10 | <10 | 22 | 10 | 1181 | 3 |
| 166179 | 205 | <5 | 0.08 | <10 | <10 | 44 | <10 | 315 | 3 |
| 166180 | 246 | <5 | 0.04 | <10 | <10 | 23 | <10 | 121 | 2 |
| 166181 | 173 | <5 | 0.05 | <10 | <10 | 29 | <10 | 409 | 3 |
| 166182 | 214 | <5 | 0.02 | <10 | 45 | 28 | 357 | >10000 | 5 |
| 166183 | 117 | <5 | 0.03 | <10 | 15 | 20 | 115 | 9061 | 3 |
| 166184 | 48 | <5 | 0.05 | <10 | 17 | 27 | 19 | 1231 | 3 |
| 166185 | 58 | <5 | 0.01 | <10 | 23 | 13 | 16 | 928 | 3 |
| 166186 | 13 | <5 | 0.01 | <10 | 23 | 14 | 12 | 576 | 4 |
| 166187 | 6 | <5 | <0.01 | <10 | 76 | 15 | 141 | >10000 | 9 |
| 166188 | 27 | <5 | <0.01 | <10 | 77 | 11 | 313 | >10000 | 8 |
| 166189 | 48 | <5 | < 0.01 | <10 | 64 | 9 | 823 | >10000 | 7 |
| 166190 | 154 | <5 | < 0.01 | <10 | 45 | 8 | 1277 | >10000 | 4 |
| 166191 | 99 | <5 | < 0.01 | <10 | 78 | 11 | 510 | >10000 | 8 |
| 166192 | 120 | <5 | <0.01 | <10 | 84 | 11 | 543 | >10000 | 9 |
| 166193 | 152 | <5 | 0.03 | 14 | <10 | 10 | <10 | 14 | 1 |
| 166194 | 172 | <5 | 0.10 | <10 | 22 | 40 | 29 | 2211 | 3 |
| 166195 | 207 | <5 | 0.06 | <10 | 18 | 29 | 12 | 728 | 2 |
| 166196 | 34 | <5 | 0.03 | <10 | 32 | 24 | 76 | 6220 | 6 |
| 166197 | 106 | <5 | 0.05 | <10 | 12 | 25 | 11 | 630 | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed:



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 0S0038RJ Date : Jul-20-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | Al % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Hg ppm | K % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P % | Pb ppm | S % | Sb ppm | Sc ppm |
|------------------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|--------|-----------|---------|-----------|-----------|---------|-----------|--------|-----------|--------|-----------|-----------|
| 166198 | 5.7 | 1.47 | 201 | 70 | <0.5 | 14 | 1.14 | 10 | 16 | 76 | 540 | 5.98 | <1 | 0.78 | <10 | 1.53 | 911 | <2 | 0.01 | 94 | 0.143 | 122 | 3.67 | 14 | 1 |
| 166199 | 19.5 | 1.68 | 630 | 49 | <0.5 | 29 | 1.09 | 48 | 27 | 71 | 1688 | 8.73 | 1 | 0.78 | <10 | 1.55 | 860 | <2 | 0.01 | 89 | 0.151 | 495 | 5.47 | 16 | 2 |
| 166200 | 1.7 | 2.19 | 146 | 72 | <0.5 | 10 | 1.13 | 19 | 34 | 94 | 156 | 7.23 | 1 | 0.95 | <10 | 2.05 | 945 | 5 | 0.01 | 61 | 0.132 | 43 | 3.76 | 17 | 2 |
| 166201 | 3.3 | 1.32 | 37 | 139 | <0.5 | 6 | 0.93 | 4 | 20 | 73 | 2572 | 3.43 | <1 | 0.54 | 24 | 0.77 | 219 | 246 | 0.03 | 8 | 0.056 | 59 | 1.63 | 16 | 5 |
| 166202 | 0.5 | 3.11 | 123 | 142 | <0.5 | 6 | 6.53 | 1 | 41 | 75 | 78 | 6.47 | 7 | 1.52 | <10 | 3.61 | 2373 | <2 | 0.01 | 66 | 0.091 | 14 | 0.63 | 14 | 10 |
| 166203 | 93.8 | 1.37 | 117 | 75 | <0.5 | 9 | 3.19 | 21 | 32 | 82 : | >10000 | 11.69 | 4 | 1.14 | <10 | 1.88 | 1527 | 2 | 0.01 | 65 | 0.087 | 102 | 4.38 | 20 | 5 |
| 166204 | 32.3 | 0.56 | 462 | 29 | <0.5 | 61 | 0.32 | 24 | 17 | 49 | 1753 | 11.43 | 3 | 0.38 | <10 | 0.10 | 28 | <2 | 0.01 | 101 | 0.161 | 706 | 9.30 | 17 | <1 |
| 166205 | 25.6 | 0.49 | 466 | 36 | <0.5 | 42 | 0.33 | 223 | 23 | 76 | 743 | 15.04 | 3 | 0.39 | <10 | 0.20 | 277 | <2 | 0.02 | 53 | 0.074 | 3514 | >10.00 | 17 | 1 |
| 166206 | 24.4 | 1.15 | 527 | 43 | <0.5 | 35 | 0.62 | 190 | 28 | 57 | 1149 | 14.11 | 2 | 0.55 | <10 | 0.75 | 1021 | <2 | 0.02 | 37 | 0.102 | 2616 | 9.25 | 19 | 3 |
| 166207 | 23.4 | 1.25 | 594 | 38 | <0.5 | 35 | 1.24 | 307 | 20 | 58 | 494 | 16.68 | 3 | 0.66 | <10 | 0.97 | 1927 | <2 | 0.02 | 22 | 0.102 | 4082 | >10.00 | 17 | 3 |
| 166208 | 3.4 | 2.98 | 109 | 96 | <0.5 | 12 | 1.34 | 47 | 24 | 50 | 175 | 12.00 | 2 | 1.04 | <10 | 2.48 | 2147 | <2 | 0.02 | 32 | 0.138 | 218 | 5.00 | 17 | 3 |
| 166209 | 3.5 | 2.47 | 66 | 139 | <0.5 | 8 | 3.10 | 23 | 21 | 48 | 134 | 8.61 | 4 | 1.25 | <10 | 2.96 | 3258 | 2 | 0.02 | 46 | 0.126 | 168 | 3.04 | 12 | 3 |
| 166210 | 2.5 | 2.44 | 63 | 147 | <0.5 | 6 | 3.79 | 8 | 24 | 44 | 60 | 9.04 | 5 | 1.67 | <10 | 3.43 | 3443 | <2 | 0.02 | 54 | 0.108 | 93 | 3.37 | 11 | 3 |
| 166211 | 1.3 | 3.41 | 104 | 146 | <0.5 | 7 | 1.89 | 14 | 18 | 67 | 71 | 9.63 | 2 | 1.93 | <10 | 3.35 | 2043 | <2 | 0.02 | 41 | 0.129 | 37 | 2.69 | 15 | 5 |
| 166212 | 1.2 | 2.15 | 52 | 156 | <0.5 | <5 | 2.50 | 3 | 21 | 35 | 20 | 6.77 | 4 | 1.90 | <10 | 2.45 | 2236 | <2 | 0.02 | 49 | 0.133 | 31 | 2.36 | 11 | 3 |
| 166213 | 1.9 | 1.38 | 60 | 181 | <0.5 | <5 | 3.12 | 6 | 15 | 31 | 192 | 4.83 | 4 | 1.31 | <10 | 1.79 | 2074 | 17 | 0.02 | 46 | 0.123 | 93 | 2.08 | 9 | 2 |
| 166214 | 3.2 | 2.02 | 77 | 151 | <0.5 | 6 | 2.47 | 22 | 35 | 30 | 157 | 7.12 | 3 | 1.98 | <10 | 1.98 | 1707 | 8 | 0.02 | 66 | 0.135 | 1002 | 2.74 | 12 | 2 |
| 166215 | 6.8 | 1.00 | 119 | 70 | <0.5 | 7 | 2.97 | 197 | 80 | 36 | 96 | 8.20 | 3 | 0.84 | <10 | 1.19 | 2509 | 2 | 0.02 | 78 | 0.127 | 2395 | 5.70 | 6 | 2 |
| 166216 | 4.1 | 0.77 | 103 | 108 | <0.5 | 5 | 1.46 | 39 | 33 | 43 | 125 | 4.63 | <1 | 0.67 | <10 | 0.44 | 930 | <2 | 0.02 | 71 | 0.109 | 1151 | 3.31 | 9 | 1 |
| 166217 | 3.1 | 0.98 | 94 | 115 | <0.5 | <5 | 2.64 | 13 | 12 | 31 | 109 | 4.30 | 2 | 0.87 | <10 | 1.10 | 1743 | <2 | 0.01 | 72 | 0.103 | 516 | 2.42 | 9 | 2 |
| 166218 | 1.8 | 1.07 | 66 | 157 | <0.5 | <5 | 2.51 | 4 | 14 | 40 | 121 | 3.82 | 3 | 1.00 | <10 | 1.19 | 1529 | <2 | 0.01 | 59 | 0.095 | 144 | 1.90 | 9 | 1 |
| 166219 | 1.6 | 1.37 | 50 | 162 | <0.5 | <5 | 2.56 | 4 | 11 | 36 | 101 | 3.66 | 4 | 1.32 | <10 | 1.61 | 1680 | <2 | 0.02 | 45 | 0.097 | 191 | 1.26 | 6 | 2 |
| 166220 | 1.7 | 0.81 | 50 | 131 | <0.5 | <5 | 2.17 | 2 | 13 | 37 | 106 | 2.59 | 2 | 0.72 | <10 | 0.54 | 1504 | <2 | 0.02 | 17 | 0.074 | 152 | 1.43 | 6 | 1 |
| 166221 | 4.9 | 0.82 | 52 | 135 | <0.5 | <5 | 2.57 | 68 | 10 | 26 | 336 | 2.57 | 2 | 0.72 | <10 | 0.60 | 1321 | <2 | 0.01 | 44 | 0.109 | 1255 | 1.73 | 7 | 1 |
| 166222 | 1.9 | 1.97 | 96 | 152 | <0.5 | 6 | 3.36 | 3 | 18 | 30 | 316 | 6.92 | 4 | 1.80 | <10 | 1.88 | 2159 | 21 | 0.02 | 50 | 0.152 | 54 | 2.59 | 12 | 3 |
| 166223 | 2.2 | 1.91 | 53 | 212 | <0.5 | <5 | 3.76 | 6 | 13 | 32 | 193 | 5.45 | 5 | 1.82 | <10 | 2.07 | 2533 | 8 | 0.02 | 54 | 0.149 | 342 | 1.63 | 10 | 3 |
| 166224 | 1.9 | 2.17 | 54 | 243 | <0.5 | 5 | 4.25 | 5 | 11 | 59 | 139 | 5.49 | 5 | 2.11 | <10 | 2.60 | 3199 | <2 | 0.02 | 98 | 0.123 | 371 | 0.84 | 11 | 3 |
| 166225 | 2.2 | 0.04 | 9 | 12 | <0.5 | <5 > | >25.00 | <1 | <1 | 2 | 2 | 0.09 | 16 | 0.06 | <10 | 14.83 | 76 | <2 | 0.02 | <1 | 0.023 | <2 | 0.54 | <5 | <1 |
| 166226 | 0.9 | 1.76 | 65 | 182 | 1.0 | <5 | 3.90 | 5 | 14 | 105 | 202 | 4.40 | 2 | 1.56 | <10 | 2.06 | 1886 | <2 | 0.03 | 121 | 0.135 | 20 | 1.16 | <5 | 4 |
| 166227 | 0.6 | 1.50 | 67 | 173 | 1.0 | <5 | 4.02 | 3 | 13 | 60 | 49 | 3.23 | 1 | 1.37 | <10 | 1.68 | 1823 | 2 | 0.03 | 73 | 0.137 | 27 | 0.75 | <5 | 4 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Page 5 of 12

Signed:



Project : Bronson

Attention : Arnd Burgert

| Sample Number | Sr ppm | Th ppm | Ti % | TI ppm | U ppm | V ppm | W ppm | Zn ppm | Zr ppm |
|------------------|-----------|-----------|---------|-----------|----------|------------|----------|-----------|-----------|
| 166198 | 77 | <5 | 0.05 | <10 | 14 | 25 | 18 | 1257 | 3 |
| 166199 | 60 | <5 | 0.07 | <10 | 22 | 32 | 73 | 5976 | 4 |
| 166200 | 69 | <5 | 0.11 | <10 | 18 | 50 | 35 | 2246 | 5 |
| 166201 | 49 | 14 | 0.05 | <10 | <10 | 41 | 11 | 341 | 5 |
| 166202 | 390 | <5 | 0.22 | 11 | 16 | 108 | 11 | 215 | 3 |
| | | | | | | | | | |
| 166203 | 226 | <5 | 0.14 | <10 | 23 | 52 | 24 | 1843 | 4 |
| 166204 | 13 | <5 | 0.01 | <10 | 21 | 23 | 14 | 1011 | 5 |
| 166205 | 14 | <5 | 0.01 | <10 | 28 | 15 | 327 | >10000 | 4 |
| 166206 | 28 | < 5 | 0.03 | <10 | 27 | 34 | 265 | >10000 | 4 |
| 166207 | 49 | <5 | 0.06 | <10 | 35 | 37 | 477 | >10000 | 4 |
| | | | | | | | | | |
| 166208 | 64 | <5 | 0.11 | <10 | 21 | 51 | 52 | 4890 | 4 |
| 166209 | 199 | <5 | 0.11 | <10 | 21 | 47 | 29 | 2337 | 3 |
| 166210 | 271 | <5 | 0.15 | <10 | 24 | 61 | 12 | 652 | 3 |
| 166211 | 136 | <5 | 0.22 | <10 | 17 | 84 | 19 | 1404 | 4 |
| 166212 | 233 | <5 | 0.18 | <10 | 16 | 51 | <10 | 256 | 3 |
| | | | | | | | | | |
| 166213 | 285 | <5 | 0.12 | <10 | 12 | 47 | <10 | 536 | 3 |
| 166214 | 190 | <5 | 0.18 | <10 | 12 | 64 | 33 | 3038 | 4 |
| 166215 | 167 | <5 | 0.08 | <10 | 20 | 28 | 302 | >10000 | 4 |
| 166216 | 87 | <5 | 0.04 | <10 | <10 | 14 | 52 | 5037 | 3 |
| 166217 | 187 | <5 | 0.06 | <10 | <10 | 20 | 18 | 1646 | 3 |
| | | | | | | | | | |
| 166218 | 207 | <5 | 0.09 | <10 | <10 | 22 | <10 | 331 | 3 |
| 166219 | 188 | <5 | 0.14 | <10 | <10 | 32 | <10 | 573 | 3 |
| 166220 | 155 | <5 | 0.04 | <10 | <10 | 11 | <10 | 214 | 2 |
| 166221 | 194 | <5 | 0.04 | <10 | <10 | 16 | 68 | 6626 | 3 |
| 166222 | 345 | <5 | 0.19 | <10 | 16 | 54 | <10 | 108 | 6 |
| | | | | | | | | | |
| 166223 | 302 | <5 | 0.18 | <10 | 12 | 52 | 10 | 673 | 5 |
| 166224 | 327 | <5 | 0.20 | <10 | 16 | 6 6 | 11 | 728 | 3 |
| 166225 | 156 | <5 | < 0.01 | 10 | <10 | <1 | <10 | 20 | <1 |
| 166226 | 360 | <5 | 0.15 | <10 | <10 | 60 | <10 | 69 | 2 |
| 166227 | 353 | ~5 | 0.15 | ~10 | ~10 | 56 | ~10 | E A | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0038RJDate: Jul-20-10Sample type: CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Signed:



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 0S0038RJ Date : Jul-20-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag | Al % | As | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Hg | K | La | Mg | Мп | Мо | Na | Ni | P | Pb | S | Sb | Sc |
|------------------|------|---------|------|------|------|------|------|-----|-----|-----|------|------|-----|------|-----|------|------|-----|------|-----|-------|-----------------|------|-----|-----|
| Number | ppin | 70 | phu | ppin | Phu | hhui | 70 | ppm | ppm | ррт | ppm | 70 | ppm | 70 | ppm | % | ppm | ppm | % | ppm | % | ppm | % | ppm | ppm |
| 166228 | 0.5 | 2.01 | 109 | 237 | 1.3 | <5 | 3.88 | 4 | 16 | 78 | 53 | 3.65 | 1 | 1.83 | <10 | 1.80 | 1783 | 2 | 0.03 | 116 | 0.131 | 23 | 0.82 | <5 | 4 |
| 166229 | 0.7 | 2.17 | 63 | 262 | 1.5 | <5 | 3.64 | 4 | 20 | 62 | 49 | 3.85 | 1 | 1.94 | <10 | 1.94 | 1856 | 3 | 0.03 | 77 | 0.137 | 28 | 0.77 | <5 | 4 |
| 166230 | 0.6 | 1.96 | 39 | 242 | 1.4 | <5 | 3.62 | 4 | 16 | 42 | 66 | 3.39 | 1 | 1.77 | <10 | 1.63 | 1630 | 3 | 0.03 | 56 | 0.151 | 19 | 0.76 | <5 | 4 |
| 166231 | 0.9 | 1.65 | 44 | 226 | 1.2 | <5 | 3.56 | 4 | 13 | 39 | 126 | 3.39 | 1 | 1.50 | <10 | 1.35 | 1522 | 2 | 0.03 | 58 | 0.155 | 14 [·] | 1.10 | <5 | 4 |
| 166232 | 0.9 | 1.93 | 30 | 295 | 1.4 | <5 | 3.12 | 4 | 11 | 36 | 203 | 4.12 | 1 | 1.74 | <10 | 1.52 | 1316 | 3 | 0.03 | 41 | 0.161 | 14 | 1.07 | <5 | 4 |
| 166233 | 0.5 | 1.65 | 30 | 308 | 1.2 | <5 | 2.94 | 4 | 17 | 32 | 109 | 4.02 | <1 | 1.45 | <10 | 1.65 | 1375 | <2 | 0.04 | 38 | 0.160 | 15 | 0.93 | <5 | 5 |
| 166234 | 1.3 | 1.75 | 59 | 230 | 1.1 | <5 | 3.16 | 6 | 13 | 13 | 244 | 4.88 | 1 | 1.45 | <10 | 1.75 | 1680 | <2 | 0.03 | 6 | 0.181 | 25 | 1.55 | <5 | 3 |
| 166235 | 1.3 | 1.98 | 22 | 212 | 1.2 | <5 | 3.76 | 5 | 11 | 10 | 241 | 4.59 | 1 | 1.52 | <10 | 2.03 | 1799 | <2 | 0.03 | 5 | 0.198 | 19 | 1.38 | <5 | 3 |
| 166236 | 2.3 | 1.68 | 100 | 189 | 0.9 | <5 | 2.89 | 6 | 12 | 13 | 295 | 5.07 | 1 | 1.19 | 12 | 1.42 | 2011 | <2 | 0.03 | 11 | 0.161 | 56 | 2.21 | <5 | 2 |
| 166237 | 2.0 | 2.08 | 103 | 154 | 0.9 | <5 | 2.58 | 7 | 35 | 17 | 304 | 5.91 | <1 | 1.18 | 12 | 1.62 | 1376 | <2 | 0.03 | 6 | 0.150 | 30 | 2.76 | <5 | 3 |
| 166238 | 0.9 | 2.55 | 49 | 130 | 1.0 | <5 | 4.06 | 6 | 14 | 12 | 206 | 5.32 | 1 | 1.04 | 11 | 2.18 | 1551 | <2 | 0.03 | 8 | 0.174 | 21 | 1.72 | <5 | 4 |
| 166239 | 1.4 | 2.51 | 31 | 118 | 0.9 | <5 | 3.86 | 6 | 14 | 22 | 212 | 5.11 | <1 | 0.99 | 14 | 2.19 | 2019 | <2 | 0.02 | 14 | 0.165 | 56 | 1.66 | <5 | 4 |
| 166240 | 4.2 | 2.72 | 26 | 87 | 0.6 | <5 | 2.98 | 25 | 9 | 14 | 239 | 5.55 | <1 | 0.73 | 10 | 2.28 | 3004 | <2 | 0.02 | 8 | 0.141 | 762 | 1.01 | <5 | 2 |
| 166241 | 4.3 | 2.41 | 106 | 82 | 0.6 | <5 | 3.10 | 15 | 16 | 22 | 320 | 6.11 | <1 | 0.77 | 13 | 2.05 | 2789 | <2 | 0.02 | 12 | 0.154 | 473 | 2.50 | <5 | 3 |
| 166242 | 1.6 | 1.84 | 75 | 77 | 0.5 | <5 | 2.29 | 6 | 10 | 11 | 174 | 3.94 | <1 | 0.64 | 16 | 1.58 | 1986 | <2 | 0.03 | 4 | 0.117 | 108 | 1.33 | <5 | 2 |
| 166243 | 1.4 | 1.14 | 57 | 79 | <0.5 | <5 | 3.13 | 3 | 10 | 17 | 123 | 2.48 | <1 | 0.48 | 12 | 0.94 | 2258 | 2 | 0.03 | 5 | 0.108 | 89 | 0.95 | <5 | 1 |
| 166244 | 16.6 | 2.09 | 1216 | 84 | 0.6 | 5 | 1.98 | 66 | 18 | 15 | 465 | 5.70 | 1 | 0.83 | 10 | 1.81 | 1807 | <2 | 0.02 | 8 | 0.122 | 3927 | 2.92 | 7 | 1 |
| 166245 | 17.2 | 2.17 | 1463 | 91 | 0.7 | 6 | 1.58 | 73 | 15 | 15 | 486 | 5.47 | 1 | 0.89 | 11 | 1.87 | 1632 | <2 | 0.02 | 8 | 0.128 | 4054 | 2.59 | 10 | 1 |
| 166246 | 20.7 | 2.91 | 1323 | 80 | 0.6 | 5 | 2.13 | 123 | 14 | 13 | 288 | 6.01 | <1 | 0.77 | 12 | 2.57 | 2555 | <2 | 0.02 | 6 | 0.117 | 5886 | 1.99 | 13 | 2 |
| 166247 | 16.0 | 3.97 | 1373 | 77 | 0.5 | 5 | 1.07 | 68 | 19 | 12 | 387 | 7.95 | <1 | 0.66 | <10 | 3.22 | 2575 | <2 | 0.01 | 7 | 0.137 | 3512 | 1.58 | <5 | 3 |
| 166248 | 3.9 | 2.98 | 332 | 120 | <0.5 | 5 | 0.82 | 9 | 13 | 19 | 344 | 5.94 | <1 | 0.90 | 13 | 2.41 | 1545 | <2 | 0.03 | 6 | 0.159 | 605 | 1.70 | 16 | 3 |
| 166249 | 3.8 | 1.95 | 108 | 131 | <0.5 | <5 | 1.57 | 2 | 15 | 28 | 385 | 5.43 | <1 | 1.15 | 18 | 1.55 | 1704 | <2 | 0.03 | 3 | 0.156 | 109 | 2.84 | 17 | 3 |
| 166250 | 1.6 | 1.66 | 156 | 167 | <0.5 | <5 | 1.65 | 1 | 17 | 17 | 212 | 3.94 | <1 | 1.12 | 17 | 1.45 | 1811 | <2 | 0.04 | 5 | 0.155 | 47 | 1.75 | 12 | 3 |
| 166251 | 1.6 | 1.78 | 119 | 188 | <0.5 | 5 | 2.41 | 2 | 18 | 21 | 150 | 3.99 | 1 | 1.27 | 16 | 1.61 | 2047 | <2 | 0.04 | 6 | 0.149 | 79 | 1.66 | 10 | 3 |
| 166252 | 0.8 | 1.69 | 143 | 200 | <0.5 | <5 | 2.54 | 1 | 11 | 15 | 107 | 3.27 | 1 | 1.17 | 18 | 1.65 | 1782 | 3 | 0.04 | 5 | 0.149 | 19 | 0.86 | 9 | 3 |
| 166253 | 0.4 | 2.17 | 106 | 208 | <0.5 | <5 | 2.76 | í | 15 | 21 | 100 | 4.10 | <1 | 1.26 | 19 | 2.03 | 1573 | 2 | 0.06 | 10 | 0.192 | 25 | 1.13 | 11 | 5 |
| 166254 | 0.5 | 2.46 | 62 | 195 | <0.5 | <5 | 3.38 | 1 | 14 | 18 | 111 | 4.60 | 3 | 1.41 | 16 | 2.46 | 1801 | 2 | 0.04 | 5 | 0.162 | 32 | 0.95 | 10 | 5 |
| 166255 | 1.4 | 2.25 | 117 | 176 | <0.5 | <5 | 2.48 | 6 | 10 | 14 | 96 | 4.07 | 2 | 1.21 | 18 | 2.02 | 1837 | <2 | 0.04 | 4 | 0.148 | 269 | 0.74 | 11 | 3 |
| 166256 | 1.3 | 1.90 | 43 | 200 | <0.5 | <5 | 3.36 | 4 | 10 | 12 | 62 | 3.15 | 2 | 1.46 | 20 | 1.51 | 1957 | <2 | 0.04 | 2 | 0.152 | 229 | 0.52 | 9 | 3 |
| 166257 | 3.9 | 2.03 | 68 | 200 | 0.5 | 9 | 0.73 | 4 | 15 | 144 | 3109 | 3.78 | <1 | 0.82 | 29 | 0.63 | 335 | 258 | 0.06 | 11 | 0.063 | 135 | 1.29 | 37 | 5 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Page 7 of 12



Project : Bronson

Attention : Arnd Burgert

| Sample Number | Sr ppm | Th ppm | Ti % | TI ppm | U ppm | V ppm | W ppm | Zn ppm | Zr ppm |
|------------------|-----------|-----------|---------|-----------|----------|----------|----------|-----------|-----------|
| 166228 | 319 | <5 | 0.20 | <10 | <10 | 69 | <10 | 52 | 2 |
| 166229 | 304 | <5 | 0.22 | <10 | <10 | 78 | <10 | 61 | 2 |
| 166230 | 310 | <5 | 0.20 | <10 | <10 | 70 | <10 | 65 | 2 |
| 166231 | 302 | <5 | 0.18 | <10 | <10 | 61 | <10 | 44 | 2 |
| 166232 | 266 | <5 | 0.22 | <10 | <10 | 76 | <10 | 61 | 2 |
| 166233 | 282 | <5 | 0.18 | <10 | <10 | 72 | <10 | 61 | 2 |
| 166234 | 333 | <5 | 0.16 | <10 | <10 | 76 | <10 | 92 | 2 |
| 166235 | 327 | <5 | 0.16 | <10 | <10 | 86 | <10 | 84 | 2 |
| 166236 | 258 | <5 | 0.12 | <10 | <10 | 62 | <10 | 129 | 3 |
| 166237 | 229 | <5 | 0.13 | <10 | <10 | 86 | <10 | 79 | 3 |
| 166238 | 280 | <5 | 0.12 | <10 | <10 | 107 | <10 | 65 | 2 |
| 166239 | 264 | <5 | 0.11 | <10 | <10 | 93 | <10 | 176 | 3 |
| 166240 | 222 | <5 | 0.07 | <10 | <10 | 63 | 26 | 3152 | 3 |
| 166241 | 197 | <5 | 0.08 | <10 | <10 | 72 | 11 | 1206 | 3 |
| 166242 | 165 | <5 | 0.06 | <10 | <10 | 56 | <10 | 304 | 2 |
| 166243 | 296 | <5 | 0.04 | <10 | <10 | 32 | <10 | 126 | 2 |
| 166244 | 172 | <5 | 0.08 | <10 | <10 | 52 | 86 | 9994 | З |
| 166245 | 117 | <5 | 0.09 | <10 | <10 | 56 | 95 | >10000 | 3 |
| 166246 | 171 | <5 | 0.08 | <10 | <10 | 65 | 158 | >10000 | 3 |
| 166247 | 87 | <5 | 0.06 | <10 | <10 | 84 | 87 | 9980 | 4 |
| 166248 | 62 | 5 | 0.11 | <10 | 12 | 81 | 22 | 1445 | 3 |
| 166249 | 126 | 5 | 0.14 | 11 | 11 | 67 | <10 | 187 | 3 |
| 166250 | 134 | 5 | 0.14 | 10 | <10 | 64 | <10 | 171 | 2 |
| 166251 | 189 | 5 | 0.15 | 11 | <10 | 70 | <10 | 198 | 3 |
| 166252 | 200 | 5 | 0.15 | 11 | <10 | 77 | <10 | 98 | 2 |
| 166253 | 172 | 6 | 0.18 | 13 | <10 | 104 | <10 | 132 | 3 |
| 166254 | 222 | 5 | 0.19 | 13 | <10 | 105 | <10 | 133 | 2 |
| 166255 | 191 | 6 | 0.16 | 12 | <10 | 78 | 15 | 963 | 2 |
| 166256 | 248 | 6 | 0.18 | 14 | <10 | 71 | 10 | 649 | 2 |
| 166257 | 39 | 14 | 0.04 | <10 | <10 | 47 | 12 | 186 | 6 |

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0038RJDate: Jul-20-10Sample type: CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

Signed:



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

 Report No
 : 0S0038RJ

 Date
 : Jul-20-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | AI | As | Ва | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Hg | к | La | Mg | Mn | Мо | Na | Ni | Р | Pb | s | Sb | Sc |
|-------------|--------|------|------|-----|-------|-----|-------|-----|-----|------|--------|-------|-----|------|-----|-------|------|-----|------|-----|-------|------|--------|-----|-----|
| Number | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | % | ppm | % | ppm | ppm | % | ppm | % | ppm | % | ppm | ppm |
| 166258 | 1.3 | 2.46 | 88 | 182 | <0.5 | <5 | 3.50 | 1 | 22 | 15 | 181 | 5.13 | 3 | 1.46 | 15 | 2.15 | 1929 | 2 | 0.03 | 7 | 0.220 | 51 | 1.91 | 14 | 5 |
| 166259 | 2.7 | 3.09 | 91 | 172 | <0.5 | <5 | 2.92 | 3 | 13 | 20 | 244 | 5.25 | 2 | 1.47 | 16 | 2.53 | 2408 | <2 | 0.03 | 8 | 0.206 | 170 | 1.35 | 15 | 5 |
| 166260 | 16.2 | 4.88 | 247 | 96 | <0.5 | 10 | 0.48 | 73 | 23 | 22 | 1048 | 8.60 | <1 | 1.73 | 31 | 3.73 | 1115 | <2 | 0.02 | 5 | 0.178 | 1242 | 3.78 | 22 | 5 |
| 166261 | 0.9 | 4.64 | 126 | 183 | <0.5 | <5 | 4.51 | 6 | 42 | 94 | 73 | 7.39 | 7 | 1.48 | <10 | 3.94 | 3394 | <2 | 0.02 | 61 | 0.110 | 134 | 0.75 | 20 | 12 |
| 166262 | 1.3 | 3.68 | 50 | 115 | <0.5 | 6 | 3.82 | 3 | 6 | 18 | 109 | 6.38 | 3 | 0.99 | 21 | 2.79 | 3853 | <2 | 0.02 | 7 | 0.188 | 233 | 0.98 | 15 | 6 |
| 166263 | 5.9 | 6.81 | 21 | 81 | <0.5 | 7 | 1.50 | 11 | 7 | 23 | 42 | 10.49 | <1 | 0.87 | 23 | 5.31 | 4559 | <2 | 0.01 | 5 | 0.216 | 1712 | 0.82 | 25 | 8 |
| 166264 | 1.5 | 9.21 | 145 | 76 | <0.5 | 13 | 0.74 | 8 | 21 | 40 | 42 | 14.23 | <1 | 1.01 | 17 | 7.65 | 4626 | 2 | 0.01 | 8 | 0.154 | 393 | 2.06 | 33 | 9 |
| 166265 | 1.4 | 4.20 | 26 | 98 | < 0.5 | <5 | 1.43 | 4 | 5 | 30 | 50 | 6.86 | <1 | 0.91 | 23 | 3.54 | 4423 | <2 | 0.01 | 10 | 0.124 | 175 | 0.50 | 16 | 3 |
| 166266 | 1.9 | 4.26 | 21 | 77 | <0.5 | 6 | 1.73 | 9 | 5 | 16 | 57 | 6.95 | <1 | 0.74 | 56 | 3.67 | 4723 | <2 | 0.02 | 1 | 0.136 | 275 | 0.45 | 16 | 3 |
| 166267 | 1.8 | 2.36 | 18 | 113 | <0.5 | <5 | 2.40 | 3 | 4 | 19 | 12 | 3.60 | 2 | 1.00 | 13 | 2.12 | 4653 | <2 | 0.02 | 8 | 0.146 | 210 | 0.27 | 9 | 2 |
| 166268 | 1.0 | 5.54 | 70 | 76 | <0.5 | 7 | 1.03 | 4 | 6 | 20 | 36 | 7.59 | <1 | 0.77 | 17 | 4.56 | 3655 | <2 | 0.01 | 6 | 0.145 | 210 | 0.60 | 21 | 5 |
| 166269 | 1.5 | 8.68 | 103 | 72 | <0.5 | 12 | 1.40 | 5 | 9 | 24 | 38 | 12.60 | 1 | 0.88 | 12 | 7.20 | 4865 | <2 | 0.01 | 8 | 0.175 | 325 | 0.91 | 28 | 9 |
| 166270 | 1.5 | 8.98 | 158 | 86 | <0.5 | 12 | 0.76 | 4 | 7 | 33 | 69 | 13.46 | <1 | 1.15 | 22 | 6.94 | 4304 | <2 | 0.01 | 9 | 0.185 | 233 | 1.20 | 31 | 11 |
| 166271 | 1.7 | 9.30 | 35 | 176 | <0.5 | 14 | 0.59 | 4 | 11 | 37 | 102 | 14.27 | <1 | 2.21 | <10 | 6.75 | 4420 | <2 | 0.01 | 18 | 0.154 | 362 | 1.17 | 32 | 10 |
| 166272 | 4.5 | 5.04 | 32 | 253 | <0.5 | 9 | 1.69 | 13 | 10 | 69 | 166 | 8.12 | <1 | 2.23 | <10 | 3.99 | 4410 | <2 | 0.01 | 28 | 0.177 | 514 | 0.76 | 26 | 7 |
| 166273 | 2.9 | 2.33 | 69 | 219 | <0.5 | <5 | 2.91 | 6 | 7 | 36 | 153 | 5.07 | <1 | 1.80 | 21 | 2.09 | 3250 | <2 | 0.02 | 17 | 0.217 | 278 | 1.06 | 15 | 4 |
| 166274 | 2.2 | 1.32 | 75 | 116 | < 0.5 | <5 | 3.75 | 2 | 7 | 18 | 133 | 4.54 | <1 | 0.95 | 15 | 1.51 | 2865 | <2 | 0.02 | 10 | 0.170 | 117 | 1.85 | 12 | 3 |
| 166275 | 1.9 | 0.25 | 8 | 17 | < 0.5 | <5 | 22.32 | <1 | 2 | 13 | 2 | 0.29 | 9 | 0.10 | <10 | 12.85 | 106 | <2 | 0.02 | <1 | 0.032 | <2 | 0.54 | <5 | 1 |
| 166276 | 2.0 | 1.66 | 12 | 143 | < 0.5 | <5 | 3.65 | 4 | 7 | 16 | 65 | 3.69 | 2 | 1.15 | <10 | 1.77 | 3764 | <2 | 0.02 | 6 | 0.187 | 223 | 0.34 | 8 | 3 |
| 166277 | 2.0 | 3.20 | 41 | 193 | <0.5 | <5 | 2.51 | 10 | 14 | 28 | 74 | 6.01 | 1 | 1.49 | <10 | 2.82 | 4090 | 2 | 0.02 | 13 | 0.160 | 244 | 0.76 | 16 | 4 |
| 166278 | 3.4 | 4.64 | 635 | 177 | <0.5 | 8 | 1.43 | 16 | 18 | 32 | 117 | 8.14 | <1 | 1.65 | <10 | 3.76 | 3746 | <2 | 0.01 | 10 | 0.185 | 575 | 1.54 | 21 | 6 |
| Duplicates: | | | | | | | | | | | | | | | | | | | | | | | | | |
| 166138 | 1.5 | 2.21 | 123 | 129 | 0.6 | <5 | 1.51 | 9 | 9 | 96 | 150 | 4.80 | 1 | 1.03 | <10 | 2.50 | 2352 | 2 | 0.02 | 82 | 0.113 | 35 | 1.85 | <5 | 2 |
| 166147 | 2.9 | 1.78 | 145 | 121 | 0.5 | < 5 | 2.78 | 8 | 21 | 71 | 145 | 4.91 | 2 | 0.87 | <10 | 2.51 | 4038 | <2 | 0.01 | 90 | 0.087 | 123 | 2.01 | <5 | z |
| 166157 | 6.5 | 3.51 | 89 | 117 | 0.8 | 6 | 1.30 | 35 | 16 | 99 | 338 | 7.28 | <1 | 1.13 | <10 | 3.13 | 2762 | 2 | 0.01 | 83 | 0.099 | 883 | 1.86 | <5 | 3 |
| 166160 | 7.0 | 2.01 | 129 | 88 | <0.5 | 7 | 2.06 | 29 | 24 | 116 | 259 | 6.41 | <1 | 0.72 | <10 | 2,14 | 1602 | <2 | 0.01 | 171 | 0.122 | 957 | 3.11 | <5 | 2 |
| 166169 | 3.8 | 1.03 | 107 | 97 | <0.5 | <5 | 3.82 | 8 | 17 | 44 | 273 | 6.81 | 1 | 0.74 | <10 | 1.70 | 2088 | 4 | 0.01 | 64 | 0.139 | 169 | 4.05 | <5 | 1 |
| 166179 | 7.8 | 1.92 | 102 | 131 | 0.6 | <5 | 2.40 | 6 | 11 | 96 | 1322 | 5.89 | 1 | 1.05 | <10 | 2.25 | 2499 | 19 | 0.01 | 159 | 0.145 | 87 | 2.41 | <5 | 2 |
| 166182 | 134.5 | 1.01 | 710 | 47 | <0.5 | 256 | 3.32 | 187 | 29 | 63 | 5496 | 10.24 | 6 | 0.35 | <10 | 1.87 | 3703 | 7 | 0.01 | 173 | 0.095 | 2587 | 6.91 | 19 | 2 |
| 166191 | >200.0 | 0.18 | 1742 | 43 | <0.5 | 188 | 1.51 | 245 | 48 | 83 : | >10000 | 18.56 | 7 | 0.16 | <10 | 0.20 | 833 | <2 | 0.01 | 95 | 0.013 | 8746 | >10.00 | 54 | <1 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Page 9 of 12

Signed:



Project : Bronson

Attention : Arnd Burgert

| Sample | Sr | Th | Ti | TI | U | v | W | Zn | Zr |
|-------------|-----|-----|--------|-----|-----|-----|-----|--------|-----|
| Number | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm |
| 166258 | 244 | 5 | 0.19 | 12 | 10 | 97 | <10 | 138 | 2 |
| 166259 | 191 | 5 | 0.18 | 13 | 13 | 103 | <10 | 376 | 3 |
| 166260 | 34 | 6 | 0.20 | 17 | 16 | 114 | 144 | 9930 | 5 |
| 166261 | 376 | <5 | 0.18 | 11 | 26 | 146 | 15 | 766 | 3 |
| 166262 | 222 | 6 | 0.14 | 15 | 23 | 112 | 11 | 531 | 3 |
| 166263 | 84 | 7 | 0.12 | 15 | 38 | 148 | 28 | 1716 | 4 |
| 166264 | 44 | 7 | 0.13 | 15 | 52 | 167 | 23 | 1193 | 6 |
| 166265 | 104 | 6 | 0.10 | 12 | 27 | 68 | 13 | 703 | 3 |
| 166266 | 142 | 10 | 0.08 | 18 | 18 | 70 | 21 | 1318 | 3 |
| 166267 | 159 | 5 | 0.11 | <10 | 23 | 53 | <10 | 531 | 2 |
| 166268 | 66 | 5 | 0.09 | 11 | 30 | 110 | 14 | 693 | 4 |
| 166269 | 78 | 6 | 0.12 | 13 | 49 | 187 | 21 | 1046 | 6 |
| 166270 | 47 | 7 | 0.15 | 17 | 46 | 177 | 18 | 850 | 6 |
| 166271 | 36 | 6 | 0.25 | 16 | 55 | 174 | 22 | 1148 | 7 |
| 166272 | 167 | 5 | 0.27 | 13 | 39 | 95 | 29 | 1825 | 4 |
| 166273 | 279 | 5 | 0.22 | 13 | 18 | 69 | 15 | 843 | 3 |
| 166274 | 413 | <5 | 0.12 | 10 | 15 | 54 | <10 | 114 | 2 |
| 166275 | 152 | <5 | 0.03 | 14 | <10 | 10 | <10 | 12 | 1 |
| 166276 | 355 | <5 | 0.15 | <10 | 19 | 58 | 11 | 595 | 2 |
| 166277 | 214 | <5 | 0.19 | 10 | 29 | 75 | 24 | 1571 | 3 |
| 166278 | 118 | <5 | 0.21 | 11 | 35 | 115 | 36 | 2450 | 4 |
| Duplicates: | | | | | | | | | |
| 166138 | 173 | <5 | 0.09 | <10 | <10 | 44 | <10 | 798 | 2 |
| 166147 | 268 | <5 | 0.07 | <10 | <10 | 31 | <10 | 608 | 2 |
| 166157 | 116 | <5 | 0.12 | <10 | <10 | 66 | 34 | 4157 | 3 |
| 166160 | 155 | <5 | 0.06 | <10 | <10 | 38 | 28 | 3570 | 2 |
| 166169 | 236 | <5 | 0.05 | <10 | <10 | 36 | <10 | 241 | 3 |
| 166179 | 203 | <5 | 0.08 | <10 | <10 | 43 | <10 | 291 | 3 |
| 166182 | 218 | <5 | 0.02 | <10 | 45 | 28 | 350 | >10000 | 5 |
| 166191 | 91 | <5 | < 0.01 | <10 | 77 | 9 | 473 | >10000 | 8 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0038RJDate: Jul-20-10Sample type: CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 0S0038RJ Date : Jul-20-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | AI % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Hg ppm | К % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P % | Pb ppm | S % | Sb ppm | Sc ppm |
|------------------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|--------|-----------|---------|-----------|-----------|---------|-----------|--------|-----------|--------|-----------|-----------|
| 166201 | 3.6 | 1.33 | 37 | 119 | <0.5 | 7 | 0.93 | 4 | 20 | 70 | 2590 | 3.38 | <1 | 0.55 | 24 | 0.76 | 217 | 236 | 0.03 | 7 | 0.061 | 77 | 1.68 | 15 | 5 |
| 166204 | 33.1 | 0.57 | 445 | 38 | <0.5 | 66 | 0.37 | 16 | 17 | 58 | 1743 | 13.17 | 1 | 0.46 | <10 | 0.14 | 37 | <2 | 0.02 | 113 | 0.141 | 812 | 9.09 | 17 | i |
| 166213 | 2.0 | 1.40 | 64 | 182 | <0.5 | < 5 | 3.20 | 6 | 15 | 30 | 195 | 5.00 | 3 | 1.33 | <10 | 1.74 | 2066 | 17 | 0.02 | 53 | 0.135 | 96 | 2.16 | 10 | - 2 |
| 166223 | 2.4 | 1.86 | 51 | 212 | <0.5 | 5 | 3.67 | 5 | 13 | 31 | 185 | 5.36 | 4 | 1.81 | <10 | 2.04 | 2524 | 8 | 0.02 | 48 | 0.150 | 345 | 1.60 | 10 | 3 |
| 166226 | 0.9 | 1.76 | 63 | 181 | 1.0 | <5 | 3.96 | 5 | 14 | 106 | 201 | 4.48 | <1 | 1.58 | <10 | 2.10 | 1890 | <2 | 0.03 | 120 | 0.136 | 23 | 1.11 | <5 | 4 |
| 166235 | 1.3 | 2.03 | 24 | 220 | 1.2 | <5 | 3.65 | 5 | 11 | 11 | 235 | 4.69 | i | 1.52 | <10 | 1.93 | 1756 | <2 | 0.03 | 4 | 0.196 | 21 | 1.37 | <5 | 3 |
| 166245 | 18.0 | 2.32 | 1540 | 100 | 0.7 | 7 | 1.57 | 73 | 16 | 17 | 499 | 5.56 | <1 | 0.93 | 13 | 1.97 | 1652 | <2 | 0.02 | 8 | 0.133 | 4128 | 2.57 | 10 | 1 |
| 166248 | 3.9 | 2.85 | 341 | 118 | < 0.5 | 5 | 0.78 | 9 | 13 | 18 | 335 | 5.78 | <1 | 0.88 | 13 | 2.34 | 1522 | <2 | 0.03 | 2 | 0.154 | 585 | 1.65 | 17 | 3 |
| 166257 | 3.6 | 2.04 | 68 | 197 | 0.5 | 8 | 0.71 | 4 | 15 | 143 | 3091 | 3.78 | <1 | 0.82 | 29 | 0.63 | 330 | 253 | 0.06 | 13 | 0.064 | 133 | 1.27 | 37 | 5 |
| 166267 | 1.7 | 2.44 | 19 | 117 | <0.5 | <5 | 2.45 | 3 | 4 | 19 | 16 | 3.70 | 2 | 1.03 | 13 | 2.16 | 4790 | 2 | 0.02 | 7 | 0.150 | 212 | 0.27 | 9 | 2 |
| 166270 | 1.1 | 8.98 | 175 | 87 | <0.5 | 13 | 0.75 | 4 | 7 | 33 | 69 | 13.31 | <1 | 1.13 | 22 | 6.89 | 4281 | <2 | 0.01 | 12 | 0.197 | 228 | 1.20 | 30 | 11 |
| Standards: | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blank | <0.2 | < 0.01 | <5 | <10 | <0.5 | <5 | < 0.01 | <1 | <1 | <1 | <1 | < 0.01 | <1 | < 0.01 | <10 | < 0.01 | <5 | <2 | 0.01 | 2 | <0.001 | < 7 | <0.01 | <5 | <1 |
| CH-4 | 1.8 | 1.90 | 19 | 294 | <0.5 | <5 | 0.60 | 3 | 27 | 108 | 2030 | 4.49 | <1 | 1.47 | 14 | 1.25 | 353 | 4 | 0.06 | 48 | 0.074 | 15 | 0.57 | 11 | 7 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed:



Project : Bronson

Attention : Arnd Burgert

| Assayers C | Canada | a |
|-------------------|--------|---|
|-------------------|--------|---|

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0038RJDate: Jul-20-10Sample type: CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Sr ppm | Th ppm | Ti % | TI ppm | U ppm | V ppm | W ppm | Zn ppm | Zr ppm |
|------------------|-----------|-----------|---------|-----------|----------|----------|----------|-----------|-----------|
| 166201 | 49 | 14 | 0.05 | <10 | <10 | 40 | 12 | 421 | 5 |
| 166204 | 14 | <5 | 0.01 | <10 | 23 | 15 | 18 | 1051 | 5 |
| 166213 | 293 | <5 | 0.12 | <10 | 12 | 46 | <10 | 505 | 3 |
| 166223 | 303 | <5 | 0.17 | <10 | 15 | 50 | 10 | 648 | 4 |
| 166226 | 356 | <5 | 0.15 | <10 | <10 | 60 | <10 | 66 | 2 |
| 166235 | 319 | <5 | 0.16 | <10 | <10 | 87 | <10 | 91 | 2 |
| 166245 | 119 | <5 | 0.09 | <10 | <10 | 59 | 96 | >10000 | 3 |
| 166248 | 60 | 5 | 0.10 | <10 | 12 | 80 | 21 | 1405 | 3 |
| 166257 | 39 | 14 | 0.04 | <10 | <10 | 46 | 12 | 181 | 6 |
| 166267 | 163 | 5 | 0.12 | 10 | 24 | 55 | 10 | 538 | 2 |
| 166270 | 47 | 7 | 0.15 | 16 | 46 | 177 | 18 | 871 | 6 |
| Standards: | | | | | | | | | |
| Blank | <1 | <5 | < 0.01 | <10 | <10 | <1 | <10 | <1 | <1 |
| CH-4 | 9 | <5 | 0.24 | 10 | <10 | 81 | <10 | 212 | 15 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed:



Quality Assaying for over 35 Years

Assay Certificate

0S-0038-RA1

Jul-20-10

Company:Skyline Gold CorporationProject:BronsonAttn:Arnd Burgert

We *hereby certify* the following assay of 22 core samples submitted Jun-28-10

| Sample | Au | Sample-wt | |
|-------------|---------|-----------|--|
| Name | g/tonne | Kg | |
| 166138 | 0.04 | 2.0 | |
| 166139 | 2.88 | 1.0 | |
| 166140 | 0.23 | 2.0 | |
| 166141 | 0.64 | 1.5 | |
| 166142 | 0.21 | 1.0 | |
| 166143 | 0.11 | 3.0 | |
| 166144 | 0.12 | 2.5 | |
| 166145 | 0.11 | 2.0 | |
| 166146 | 0.08 | 3.0 | |
| 166147 | 0.05 | 2.5 | |
| 166148 | 0.09 | 2.0 | |
| 166149 | 0.05 | 2.0 | |
| 166150 | 0.06 | 2.5 | |
| 166151 | <0.01 | 0.4 | |
| 166152 | 0.90 | | |
| 166153 | 0.05 | 3.0 | |
| 166154 | 0.32 | 5.0 | |
| 166155 | 0.02 | 5.5 | |
| 166156 | 0.09 | 3.5 | |
| 166157 | 0.06 | 2.5 | |
| 166158 | 0.16 | 4.0 | |
| 166159 | 0.22 | 4.5 | |
| *DUP 166138 | 0.05 | | |
| *DUP 166147 | 0.06 | | |
| *DUP 166157 | 0.07 | | |
| *0211 | 2.11 | | |
| *BLANK | <0.01 | | |

Au 50g F.A. AA finish.

Certified by_



Quality Assaying for over 35 Years

Assay Certificate

0S-0038-RA2

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-20-10

We *hereby certify* the following assay of 22 core samples submitted Jun-28-10

| Sample | Au | Sample-wt | |
|-------------|---------|-----------|--|
| Name | g/tonne | Kg | |
| 166160 | 0.13 | 2.5 | · · · · · · · · · · · · · · · · · · · |
| 166161 | 0.67 | 2.0 | |
| 166162 | 0.18 | 1.5 | |
| 166163 | 0.15 | 2.5 | |
| 166164 | 0.10 | 2.0 | |
| 166165 | 0.26 | 2.0 | |
| 166166 | 0.20 | 2.0 | |
| 166167 | 0.13 | 2.5 | |
| 166168 | 0.42 | 2.0 | |
| 166169 | 0.22 | 2.5 | |
| 166170 | 0.22 | 2.5 | |
| 166171 | 0.05 | 3.0 | |
| 166172 | 0.05 | 2.5 | |
| 166173 | 0.08 | 2.0 | |
| 166174 | 0.04 | 2.0 | |
| 166175 | 0.10 | 1.0 | |
| 166176 | 0.12 | 1.5 | |
| 166177 | 0.04 | 4.5 | |
| 166178 | 0.54 | 5.0 | |
| 166179 | 0.23 | 5.0 | |
| 166180 | 0.06 | 4.0 | |
| 166181 | 0.58 | 2.0 | |
| *DUP 166160 | 0.14 | | |
| *DUP 166169 | 0.23 | | |
| *DUP 166179 | 0.28 | | |
| *0211 | 2.21 | | ······································ |
| *BLANK | <0.01 | | |

Au 50g F.A. AA finish.

Certified by___



Quality Assaying for over 35 Years

Assay Certificate

Company:

Project: Attn:

0S-0038-RA3

| Skyline Go | old Corporation |
|------------|-----------------|
| Bronson | |
| Arnd Burge | ert |

Jul-20-10

We *hereby certify* the following assay of 22 core samples submitted Jun-28-10

| Sample | Au | Ag | Cu | Pb | Zn | Sample-wt |
|-------------|---------|---------|--------|-------|-------|-----------|
| Name | g/tonne | g/tonne | % | % | % | Kg |
| 166182 | 12.54 | | | | 2.78 | 3.0 |
| 166183 | 1.22 | | | | | 2.5 |
| 166184 | 0.39 | | | | | 2.0 |
| 166185 | 0.87 | | | | | 2.0 |
| 166186 | 1.09 | | | | | 1.5 |
| 166187 | 25.98 | 409.6 | 4.95 | | 1.09 | 1.5 |
| 166188 | 21.14 | 428.8 | 5.08 | 1.69 | 2.40 | 1,5 |
| 166189 | 10.26 | 213.7 | 1.29 | 1.22 | 8.88 | 1.5 |
| 166190 | 7.82 | | | | 12.9 | 2.5 |
| 166191 | 9.36 | 190.4 | 1.17 | | 6.20 | 1.0 |
| 166192 | 13.10 | 222.5 | 1.22 | 1.14 | 6.34 | 1.0 |
| 166193 | 0.02 | | | | | 0.3 |
| 166194 | 1.05 | | | | | 6.0 |
| 166195 | 0.17 | | | | | 4.0 |
| 166196 | 0.57 | | | | | 1.5 |
| 166197 | 0.12 | | | | | 3.0 |
| 166198 | 0.31 | | | | | 4.5 |
| 166199 | 1.36 | | | | | 4.0 |
| 166200 | 0.74 | | | | | 2.0 |
| 166201 | 0.27 | | | | | |
| 166202 | 0.10 | | | | | 4.5 |
| 166203 | 6.05 | | 1.99 | | | 1.5 |
| *DUP 166182 | 12.34 | | | | | |
| *DUP 166191 | 12.30 | | | | | |
| *DUP 166201 | 0.25 | | | | | |
| *0211 | 2.29 | | | | | |
| *ME-3 | | 272.4 | 0.200 | 2.90 | 0.89 | |
| *BLANK | <0.01 | <0.1 | <0.001 | <0.01 | <0.01 | |

Au 50g F.A. AA finish.Ag,Cu,Pb,Zn A.R/A.A.

Certified by_



Quality Assaying for over 35 Years

Assay Certificate

0S-0038-RA4

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-20-10

We *hereby certify* the following assay of 22 core samples submitted Jun-28-10

| Sample | Au | Zn | Sample-wt | |
|-------------|---------|-------|-----------|--|
| Name | g/tonne | % | Kg | |
| 166204 | 1.02 | | 6.0 | |
| 166205 | 1.12 | 2.78 | 5.0 | |
| 166206 | 1.55 | 2.24 | 5.0 | |
| 166207 | 1.17 | 4.57 | 5.0 | |
| 166208 | 0.31 | | 3.5 | |
| 166209 | 0.14 | | 4.0 | |
| 166210 | 0.09 | | 1.5 | |
| 166211 | 0.18 | | 4.0 | |
| 166212 | 0.15 | | 6.0 | |
| 166213 | 0.11 | | 6.0 | |
| 166214 | 0.18 | | 4.5 | |
| 166215 | 0.33 | 2.69 | 1.0 | |
| 166216 | 0.10 | | 4.0 | |
| 166217 | 0.07 | | 4.0 | |
| 166218 | 0.06 | | 4.5 | |
| 166219 | 0.06 | | 6.5 | |
| 166220 | 0.07 | | 5.0 | |
| 166221 | 0.12 | | 5.0 | |
| 166222 | 0.32 | | 6.0 | |
| 166223 | 0.17 | | 5.0 | |
| 166224 | 0.12 | | 5.0 | |
| 166225 | 0.01 | | 0.3 | |
| *DUP 166204 | 0.96 | | | |
| *DUP 166213 | 0.12 | | | |
| *DUP 166223 | 0.14 | | | |
| *0211 | 2.32 | | | |
| *ME-3 | | 0.88 | | |
| *BLANK | <0.01 | <0.01 | | |

Au 50g F.A. AA finish.Zn A.R/A.A.

Certified by_



Quality Assaying for over 35 Years

Assay Certificate

0S-0038-RA5

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-20-10

We *hereby certify* the following assay of 22 core samples submitted Jun-28-10

| Sample | Au | Zn | Sample-wt | |
|-------------|---------|-------|-----------|---------------------------------------|
| Name | g/tonne | % | Kg | |
| 166226 | 0.10 | | 5.5 | |
| 166227 | 0.05 | | 5.0 | |
| 166228 | 0.03 | | 5.0 | |
| 166229 | 0.03 | | 5.0 | |
| 166230 | 0.03 | | 5.0 | |
| 166231 | 0.03 | | 5.0 | · · · · · · · · · · · · · · · · · · · |
| 166232 | 0.04 | | 5.5 | |
| 166233 | 0.04 | | 5.0 | |
| 166234 | 0.05 | | 4.0 | |
| 166235 | 0.04 | | 5.0 | |
| 166236 | 0.10 | | 4.0 | |
| 166237 | 0.20 | | 4.0 | |
| 166238 | 0.07 | | 4.0 | |
| 166239 | 0.13 | | 5.0 | |
| 166240 | 0.08 | | 4.0 | |
| 166241 | 0.17 | | 4.0 | |
| 166242 | 0.07 | | 5.0 | |
| 166243 | 0.05 | | 2.0 | |
| 166244 | 0.51 | | 1.0 | |
| 166245 | 0,21 | 1.21 | 1.0 | |
| 166246 | 0.21 | 1.95 | 3.5 | ···· |
| 166247 | 0.15 | | 2.0 | |
| *DUP 166226 | 0.11 | | | |
| *DUP 166235 | 0.05 | | | |
| *DUP 166245 | 0.22 | | | |
| *0211 | 2.16 | | | |
| *ME-3 | | 0.88 | | |
| *BLANK | <0.01 | <0.01 | | |

Au 50g F.A. AA finish.Zn A.R/A.A.



Quality Assaying for over 35 Years

Assay Certificate

0S-0038-RA6

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-20-10

We *hereby certify* the following assay of 22 core samples submitted Jun-28-10

| Sample | Au | Sample-wt | |
|-------------|---------|-----------|--|
| Name | g/tonne | Kg | |
| 166248 | 0.11 | 2.0 | |
| 166249 | 0.13 | 2.0 | |
| 166250 | 0.06 | 1.5 | |
| 166251 | 0.06 | 4.0 | |
| 166252 | 0.07 | 4.0 | |
| 166253 | 0.10 | 5.0 | |
| 166254 | 0.04 | 4.0 | |
| 166255 | 0.03 | 5.0 | |
| 166256 | 0.02 | 6.0 | |
| 166257 | 0.90 | | |
| 166258 | 0.09 | 6.0 | |
| 166259 | 0.08 | 5.5 | |
| 166260 | 0.41 | 1.0 | |
| 166261 | 0.02 | 4.5 | |
| 166262 | 0.07 | 4.0 | |
| 166263 | 0.09 | 4.0 | |
| 166264 | 0.16 | 5.0 | |
| 166265 | 0.01 | 4.0 | |
| 166266 | 0.02 | 5.0 | |
| 166267 | <0.01 | 3.0 | |
| 166268 | 0.04 | 4.5 | |
| 166269 | 0.08 | 5.0 | |
| *DUP 166248 | 0.13 | | |
| *DUP 166257 | 0.97 | | |
| *DUP 166267 | 0.02 | | |
| *0211 | 2.15 | ····· | |
| *BLANK | <0.01 | | |

Au 50g F.A. AA finish.

Certified by_



Quality Assaying for over 35 Years

Assay Certificate

0S-0038-RA7

Comnany: Skyling Cold Co

Jul-20-10

| company. | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

We hereby certify the following assay of 9 core samples submitted Jun-28-10

| Au | Sample-wt | |
|---------|---|--|
| g/tonne | Kg | |
| 0.07 | 5.0 | |
| 0.02 | 4.0 | |
| 0.02 | 3.0 | |
| 0.03 | 5.0 | |
| 0.24 | 5.0 | |
| <0.01 | 0.3 | |
| 0.01 | 4.5 | |
| 0.04 | 5.0 | |
| 0.20 | 4.0 | |
| 0.07 | | |
| 7.92 | ··· · · · · · · · · · · · · · · · · · | |
| <0.01 | | |
| | Au g/tonne 0.07 0.02 0.02 0.03 0.24 <0.01 0.01 0.04 0.20 0.07 7.92 <0.01 | AuSample-wtg/tonneKg 0.07 5.0 0.02 4.0 0.02 3.0 0.03 5.0 0.24 5.0 <0.01 0.3 0.01 4.5 0.04 5.0 0.20 4.0 0.07 7.92 <0.01 0.1 |

Au 50g F.A. AA finish

Certified by_



DIAMOND DRILL HOLE LOG

| HOLE: | SK10-09 | CONTRACTOR: Driftwood Diamond Drilling Ltd. | | | | | |
|---|---|---|-------------------|--|--|--|--|
| COLLAR COORDINAT Easting: Northing: | ES UTM (NAD 83): 373811.3 6280805.0 | DATE STARTED: 22-Jun-10 | | | | | |
| COLLAR COORDINAT Northing: Easting: | ES MINE GRID: 11860 27610 | DATE COMPLETI | ED: 23-Jun-10 | | | | |
| COLLAR ELEVATION: | 565.8m | CORE SIZE: | NQ | | | | |
| FINAL DEPTH: | 174m | RIG: SF | RS 3000 Hydraulic | | | | |
| SURVEYS: | | • | | | | | |
| Depth | Azimuth | Inclination | Method | | | | |
| 0 | 025.0 | -45.0 compass, clinometer | | | | | |
| 150 | 024.9 | -43.3 | Reflex | | | | |
| 174 | 026.6 | -43.7 | Reflex | | | | |

Page: 2 of 14 pages



| From | То | | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|-------|----------------|---|--------|-------|-------|----------|-------|------|-----|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| 0 | 15.34 | CASING | | | | | | | | |
| 15.34 | 28.84 | GREYWACKE | 166279 | 15.40 | 17.00 | 1.60 | 0.01 | 1.3 | 44 | 650 |
| | Medium gre | ey greywacke with some intervals (e.g. 15.93 to 16.08) | 166280 | 17.00 | 19.00 | 2.00 | 0.01 | <0.2 | 30 | 36 |
| | appear to be | e feldspathic. However, this is likely due to alteration | 166281 | 19.00 | 21.00 | 2.00 | 0.01 | <0.2 | 63 | 49 |
| | that wiped a | all the mafics out of the rock.< 1% mainly silca with | 166282 | 21.00 | 23.00 | 2.00 | 0.01 | <0.2 | 36 | 42 |
| | slight calcite | e component hairline to up to 15 mm | 166283 | 23.00 | 25.00 | 2.00 | 0.02 | 0.3 | 135 | 42 |
| | stringers/ve | inlets with the general orientaion between 25-45 | 166284 | 25.00 | 25.80 | 0.80 | <0.01 | <0.2 | 32 | 33 |
| | TCA.0.1 to 1 | % finely disseminated Py with Py increasing from | 166285 | 25.80 | 27.20 | 1.40 | 0.04 | <0.2 | 192 | 54 |
| | 15.95 m and | beyond (3-5% Py here with blebby and | 166286 | 27.20 | 28.84 | 1.64 | <0.01 | <0.2 | 47 | 74 |
| | stringer/pat | ches of Py). Mainly fine-grained sand. The mafic | | | | | | | | |
| | matrix/mine | erals do not appear to be altering to biotite here. | | | | | | | | |
| | Weak, local | sericite developing on silica-cacite veinlets (see | | | | | | | | |
| | below) | | | | | | | | | |
| | 15.43 to 15. | 48m = UCA ~ 70-75, LCA ~ 80-85 TCA FAULT with | | | | | | | | |
| | unoxidized f | fault gouge breccia 50 mm wide. | | | | | | | | |
| | From 21.4 to | o 23.4 is weak sericite developing in and proximal to | | | | | | | | |
| | silica-calcite | veinlets as blebs (comprises about ~5 in some to 80- | | | | | | | | |
| | 85% in anot | her thinner stringer) | | | | | | | | |
| | @ 20.16 is a | a FAULT = 40 TCA with 2-3 mm clay fault gouge, | | | | | | | | |
| | planar smoo | oth. | | | | | | | | |
| | There is what | at appears to be the contact between the GW and | | | | | | | | |
| | dyke unit. I | t is slightly unclear if in fact this structural feature is | | | | | | | | |
| | indeed the o | contact, UCA = 30 TCA. | | | | | | | | |
| 28.84 | 31.05 | INTERMEDIATE PORPHYRITIC DYKE | 166287 | 28.84 | 31.05 | 2.21 | 0.01 | <0.2 | 45 | 112 |
| | Light to med | d grey porphyritic intermediate dyke with what | | | | | | | | |
| | appears to b | pe silica spots 1-3 mm diameter with black mafic | | | | | | | | |
| | subhedral w | vith some euhedral hexagonal (1-2 mm diameter) and | | | | | | | | |
| | lath (1-3 mn | n long by 0.5 mm wide) minerals. Suspect tourmaline | | | | | | | | |
| | (?) +/-hornb | elende. Core at LCA is broken up and is difficult to be | | | | | | | | |
| | positive abo | out the contact angle. ~25-45 TCA (?) This interval is | | | | | | | | |
| | moderately | broken up and is more broken up closer to the | | | | | | | | |
| | contacts (as | one would expect). Faint halos of green developing | | | | | | | | |

Page: 3 of 14 pages



| From | То | | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|-------|--|---|--------------------------------------|----------------------------------|----------------------------------|------------------------------|------------------------------|--------------------------|----------------------|-----------------------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | (v.fine-graine | ed olive?) | | | | | | | | |
| 31.05 | 34.75 Light grey to feldspathic in unit reveals t units were a of its mafic co A few "wispy more than a Brecciated cla been transpo dark purple n brecciated. 1 32.44 the bre above. They ~10 mm dian this interval a alteration tha | HYDROTHERMAL BRECCIA med grey hydrothermal breccia that appears to be composition. However, this unit and the following hat perhaps some (if not all?) of the feldspathic result of alteration of greywacke being washed out omponent leaving it rich with feldspathic minerals. " looking features appear like an alteration product sedimentary feature (e.g. at 30.76 to 30.95 m) asts are very angular and appear like they have not orted far (10-15 mm long by ~ 5 mm wide blebs). natrix background with grey-offwhite clasts being -2% disseminated ~ 1 mm cubic Py. From 31.05 to ecciated clasts appear different than described are sub-rounded to rounded a few mm diameter to neter to up to 150 mm diameter. The clasts within appear to not have been subjected to a type of at the clasts below were.Also, there appears to be sts within the~ 15 cm diameter clast. | 166288 166289 | 31.05 33.00 | 33.00 34.75 | 1.95 | 0.01 | 0.2 | 69 58 | 40 36 |
| 34.75 | 42.22 Off white and very intriguin that perhaps seen before h It can be obse cut by and ch cracks/featur purple mafic | FELDSPATHIC GREYWACKE (DUE TO ALTERATION AND NOT DIAGENESIS) d deep purple feldspathic greywacke. This unit is ag and revealing. This and the above unit reveals some (if not all?) of the feldspathic greywacke unit has been a product of alteration of greywacke units). erved that 38.27 that the offwhite areas are being hanged into the deep purple mineral by 0.5-1 mm res. At 40.57 it can be observed that the deep mineral is being altered into the offwhite mineral by | 166290 166291 166292 166293 | 34.75 36.57 38.39 40.21 | 36.57 38.39 40.21 42.22 | 1.82 1.82 1.82 2.01 | 0.01 0.05 0.02 0.03 | 0.3 0.7 0.2 0.9 | 26 49 42 55 | 29 34 25 357 |

Page: 4 of 14 pages



| From | То | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|-------|---|----------------------------|-------------------------|-------------------------|---------------------|----------------------|-------------------|------------------|----------------|
| (m) | (m) Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | linear features ~1 mm wide and > 60 mm long. Thus, what could have been a greywacke can be changed into looking into a feldspathic greywacke. Observing sedimentological features (such as bedding) would aid in further differentiating between the greywackes. 0.5 to 2% disseminated Py. | | | | | | | | |
| | @ 37.18m is a 30-35 TCA bedding plane highlighted by a bed of feldspathic and a bed rich with mafic minerals (deep purple). | | | | | | | | |
| | @ 40.27 is a bedding plane with 30 TCA, similar as above. From 38.13 to 38.20 is a semi-massive Py vein with 80-85% Py with interstitial calcite and wall rock. | | | | | | | | |
| 42.22 | 52.14 GREYWACKE (WITH INTERVALS OF FELDSPATHIC GREYWACKE (DUE TO ALTERATION) | 166294 166295 166296 | 42.22 43.43 43.43 | 43.43 45.15 45.15 | 1.21 1.72 DUP | 0.03 0.04 0.32 | 0.3 2.3 1.2 | 67 112 128 | 65 33 34 |
| | Med grey greywacke with some intervals of light grey | 166297 | 45.15 | 47.00 | 1.85 | 0.10 | 0.5 | 67 | 59 |
| | (feldspathic greywacke) due to alteration and not alteration | 166298 | 47.00 | 49.00 | 2.00 | 0.04 | 0.8 | 164 | 270 |
| | (inferred due to the wispy and fading nature of the feldspathic | 166299 | 49.00 | 51.00 | 2.00 | 0.03 | 1.1 | 108 | 77 |
| | zones). There are some intervals that have lithic clasts (sub- rounded to rounded which appear much like the clasts in the hydrothermal breccia zone above) V.f.grained biotite associated with Py (Py grains in a matrix of biotite.) 1-5% disseminated Py with Py stringers. Py seems to increase downhole. (from 51m and beyond). 1-2% thin (1-3 mm) calcite stringers with rare wider (up to 45 mm) silica vein/lets. | 166300 | 51.00 | 52.20 | 1.20 | 0.22 | 6.5 | 181 | 244 |
| | @ 48.35 m is a 50-55 TCA bedding plane . 46.3 to 46.5 appear feldspathic but is likely due to alteration. However, at 46.67 to 47.12 appears to be feldspathic due to diagenesis as it is sub-parallel with apparent bedding in this interval. LCA = 60-65 TCA | | | | | | | | |

Page: 5 of 14 pages



| From | То | | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|-------|---|--|--------|-----------------|-----------------|----------|------|------|------------|------------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | There are a couple of silica veir interval of 47.4 to 48.3 m. ~1% | nlets with 20-25 TCA in the disseminated Pv. 4-7 mm wide. | | | | | | | | |
| | | | | | | | | | | |
| | @ 50.26 m is a 20-25 TCA 40 n | nm wide mainly silica veinlet wit | | | | | | | | |
| 52.14 | 58.23 FELDSPATHIC GR | y. FYWACKF | 166301 | 52.20 | 53.40 | 1.20 | 0.23 | 7.7 | 340 | 1509 |
| | This FLD GW unit does not have | the obvious signs of | 166302 | 53.40 | 55.00 | 1.60 | 0.33 | 1.4 | 75 | 1928 |
| | alteration/iflux of feldspathic m | inerals like the previous FLD GW | 166303 | 55.00 | 56.60 | 1.60 | 0.18 | 7.3 | 1342 | 5314 |
| | unit (34.75 to 42.22m) but som | e parts seem to be vague whether | 166304 | 56.60 | 58.20 | 1.60 | 0.04 | 5.5 | 115 | 4325 |
| | or not alteration faded some of | the mafic minerals out. This unit | | | | | | | | |
| | proximal to the hydrothermally | brecciated unit below, hence has | | | | | | | | |
| | more frequent HI's, Py and has | a presence of more clasts. There | | | | | | | | |
| | are ghostly (faint outlines) of so | me clasts (53.75m) angular 10-40 | | | | | | | | |
| | mm blebs. The mafic minerals/ | clasts are beginning to go to | | | | | | | | |
| | biotite, weak pervasive. Trace t | to 1% 5-10 mm wide Sph stringers | | | | | | | | |
| | within calcite. | | | | | | | | | |
| | From 52.72 to 53.36 is an HI wit | th 10-15% finely disseminatd Py in | | | | | | | | |
| | patches/stringers, trace-0.5% S | ph stringers, and trace-0.5 rare | | | | | | | | |
| | blebs of Gal. UCA = 40 and LCA | = 20, this interval is likely to be a | | | | | | | | |
| | combination of more than one | HI, hence the differing angles, also | | | | | | | | |
| | there are HI contacts that orien | t towards each other.Most of this | | | | | | | | |
| | HI is made of wall rock with cal | cite+/- minor silica interstitial to | | | | | | | | |
| | the sulphides. | | | | | | | | | |
| | @ 57.86 m is a 25 to 30 TCA FA | ULT with 1 mm clay fault gouge, | | | | | | | | |
| 50.00 | planar smooth. | | 466205 | 50.20 | 50.00 | 1.10 | 0.42 | | 445 | • • • • • |
| 58.23 | 62.59 HYDROTHERMAL | BRECCIA | 166305 | 58.20 | 59.30 | 1.10 | 0.13 | 5.1 | 115 | 2333 |
| | On white, light grey and med gr | bara. Clasts are sub apgular to | 166207 | 59.30 51 0T2 | 00.00 STD 12 | 1.30 | 0.31 | 10.0 | 205 | 15000 |
| | sub-rounded ~ 15 mm by 15mm | nere. Clasis are sub-aliguiar lo | 166302 | 51012 | 210 15 | 2 00 | 0.29 | | 2750 56 | 213 213 |
| | is highly altered due to hydroth | ermal fluids with intervals of Py | 100200 | 00.00 | 02.00 | 2.00 | 0.02 | 0.4 | 50 | 60 |
| | apparently replacing clasts (e.g. | 59.5 to 59.7) and Pv filling | | | | | | | | |
| I | Tabbar curry i chine cingra (c.g. | | 1 | | 1 | I | 1 | I | | l |

Page: 6 of 14 pages



| From | То | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|--------------|---|--|---|---|------------------------------|------------------------------|---------------------------|-----------------------|----------------------|
| (m) | (m) Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| (m) 62.59 | interstices (e.g. 60.37 to 60.69m). Total Py = 0.5 to 8% with Py levels dropping dramatically in the deep purple matrix unit (from 61.16 m and onwards). Py richer in the offwhite (hydrothermal fluid-rich) unit. Total Sph = 0 to 2-4% blebby and stringer style with Sph levels dropping and very rare from beyond 60.25 m. From 59.6 to 59.7 is a MASSIVE SULPHIDE interval with 70-75% Py with 2-3% Po band on the LCA margin with 3-4% Sph banded and blebby filling Py interstices, trace very rare blebs of Cpy within Py. From 59.5 to 60.6 is a fairly Py-rich interval. 15-20% overall. @ 59.6 is UCA = 50 and 59.67 is LCA = 50-55 of HI. 70.09 FELDSPATHIC GREYWACKE Light grey to med grey feldspathic greywacke with some interval that look mariginally to be of greywacke composition. But, they are short minor intervals (some portions between 68m and 70 m). Also, within the 68 to 70 m interval there are wispy outlines of pseudo-clasts (however since the composition within the pseudo-clast is of the same as outside, this makes it unlikely that | 166309 166310 166311 | (m) 62.60 65.20 67.87 | (m) 65.20 67.87 70.09 | 2.60 2.67 2.22 | 0.02 0.02 0.01 | 0.9 0.8 <0.2 | 66 49 35 | 325 234 93 |
| 70.09 | it is a clast). F.g to m.g. sand grains. ~1% disseminated Py with rare HIs bearing Py, orientatino is 40-55 TCA.20-30 mm wide with 5-20% blebby-disseminated Py with interstitial silica/calcite.~2% silica and calcite stringers/veinlets. From 68 m to 70 m has a calcareous matrix, hence a wackestone unit here. Grey with a tinge of purple-brown. 89.00 LITHIC GREYWACKE Grey with some intervals of dark and light grey lithic greywacke. Also, with varying grain size from coarse-grained to fine-grained (not taking into account the minor silt/mudstone unit nor the much larger lithic clasts). | 166312 166313 166314 166315 166316 | 70.09 72.00 74.00 76.00 77.00 | 72.00 74.00 76.00 77.00 78.00 | 1.91 2.00 2.00 1.00 | 0.03 0.02 0.04 0.05 | <0.2 0.4 0.2 1.5 | 44 27 64 147 | 45 45 69 89 |

Page: 7 of 14 pages



| From | То | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|------|---|--------|-------|-------|----------|-------|------|-----|-------|
| (m) | (m) Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | packed (75-80% being clasts) with some minor intervals | 166317 | 78.00 | 79.00 | 1.00 | 0.01 | 0.2 | 32 | 43 |
| | inbetween (no more than 1 m) with no apparent clasts. Clasts | 166318 | 79.00 | 80.18 | 1.18 | 0.01 | 0.5 | 77 | 69 |
| | range from very angular to sub-rounded a few mm scale up to 60 | 166319 | 80.18 | 81.26 | 1.08 | 0.03 | 11.8 | 267 | 25500 |
| | mm diameter (or more). Clasts are mostly feldspathic (often qtz) | 166320 | 81.26 | 82.26 | 1.00 | 0.02 | 1.8 | 90 | 1080 |
| | in composition. 0.5 to 3% finely disseminated to disseminated to | 166321 | 82.26 | 83.55 | 1.29 | 0.02 | 2.8 | 66 | 2731 |
| | blebby disseminated with some Py-clast replacement (e.g. at | 166322 | 83.55 | 84.81 | 1.26 | <0.01 | <0.2 | 42 | 131 |
| | 74.90 to 75.15 m) Trace local Po, and sericite (at 74.69 in calcite | 166323 | 84.81 | 87.00 | 2.19 | 0.03 | 1.5 | 32 | 956 |
| | stringers.)There is a minor wackestone unit from 83.56 to 84.79 | 166324 | 87.00 | 88.00 | 1.00 | 0.01 | 1.0 | 31 | 570 |
| | (pervasive calcareous matrix/cement). Stringers (3-4% with a | 166325 | 88.00 | 89.00 | 1.00 | 0.15 | 14.6 | 194 | 15000 |
| | high frequency from 73.5 to 76.5m) are calcite with some minor | | | | | | | | |
| | component of silica in the vein/lets | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | @ 74.69 m is a set of calcite stringers converging and in disarray | | | | | | | | |
| | bearing blebby 3-5% Py, 3-4% dark green sericite, and 1-2% Po | | | | | | | | |
| | interstitial and related to Py. | | | | | | | | |
| | @ 75.84m is a 45-50 TCA FAULT with 1-2 mm clay fault gouge. | | | | | | | | |
| | | | | | | | | | |
| | @ 80.15m is a 35-40 TCA mainly silica veinlet with minor calcite | | | | | | | | |
| | 10 mm wide Sph taking up the majority of the veinlet, but waning | | | | | | | | |
| | off. Sph = 60-65% blocky patches | | | | | | | | |
| | @ 81.03 to 81.33 2 sets of HI one with UCA of 80 and LCA of 60- | | | | | | | | |
| | 65 with a thin band of trace-1% Cpy on the LCA followed by 10- | | | | | | | | |
| | 15% Sph stringers webbed together, with 1-2% blebby Py and | | | | | | | | |
| | trace rare crystals of Gal all within a calcite matrix. | | | | | | | | |
| | | | | | | | | | |
| | From 83.56 to 84.79 is a wackestone unit (pervasive calcareous | | | | | | | | |
| | matrix/cement) UCA = 30-35 TCA fairly sharp, LCA = 35 TCA. | | | | | | | | |
| | | | | | | | | | |
| | UCA = 40, LCA = 50-55 15-25 mm wide 30-35 % Sph with 1-2% | | | | | | | | |
| | Py, trace Cpy with calcite taking up the upper half of this | | | | | | | | |
| | veinlet/HI. | | | | | | | | |

Page: 8 of 14 pages



| From | То | | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|-------|---------------|--|--------|--------|--------|----------|------|------|-----|-------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | From 88.3 to | o the end of this unit, 89m, appears to be a | | | | | | | | |
| | greywacke. | | | | | | | | | |
| 89.00 | 111.13 | FELDSPATHIC GREYWACKE | 166326 | 89.00 | 90.68 | 1.68 | 0.09 | 8.0 | 103 | 16500 |
| | Light to mee | d grey feldspathic greywacke with minor intervals of | 166327 | 90.68 | 92.18 | 1.50 | 0.03 | 5.5 | 233 | 5161 |
| | greywacke (| 88.30 to 90.68 m), hydrothermally brecciated | 166328 | BLANK | BLANK | BLANK | 0.01 | 1.3 | 3 | 12 |
| | feldspathic { | greywacke (98m to 99.21 m), feldspathic fine-breccia | 166329 | 92.18 | 93.00 | 0.82 | 0.23 | 14.8 | 213 | 16000 |
| | unit (105.88 | m to 107m). 0.5 to 3% disseminated Py with locally | 166330 | 93.00 | 94.67 | 1.67 | 0.03 | 0.5 | 103 | 184 |
| | up to 7-8% (| disseminations and stringers. The grewacke subunit | 166331 | 94.67 | 96.34 | 1.67 | 0.03 | <0.2 | 59 | 132 |
| | referred to a | above has preferentially higher Sph presence. Note: | 166332 | 96.34 | 98.00 | 1.66 | 0.03 | 0.2 | 85 | 77 |
| | that This sul | ounit is also a lone greywacke unit surrounded by | 166333 | 98.00 | 99.21 | 1.21 | 0.03 | 0.9 | 112 | 106 |
| | feldspathic g | greywacke. Hence, is this greywacke unit a product | 166334 | 99.21 | 101.00 | 1.79 | 0.01 | 0.2 | 33 | 76 |
| | of an alterat | tion product? Was it once a feldspathic greywacke | 166335 | 101.00 | 103.00 | 2.00 | 0.02 | 0.3 | 103 | 129 |
| | subjected to | alteration (likely biotitic since it has a high amount | 166336 | 103.00 | 105.00 | 2.00 | 0.01 | <0.2 | 36 | 89 |
| | of biotite in | the matrix. Hence this interval, 88.30 to 90.6 is a | 166337 | 105.00 | 107.00 | 2.00 | 0.01 | <0.2 | 59 | 223 |
| | short interv | al subjected to potassic alteration with P-T conditions | 166338 | 107.00 | 109.00 | 2.00 | 0.01 | <0.2 | 28 | 96 |
| | more favou | rable for biotite and Sph to precipitate out (?) Is this | 166339 | 109.00 | 111.00 | 2.00 | 0.02 | 0.2 | 88 | 111 |
| | interval clos | er to the heat source? Sph = 2-4% but localy within | | | | | | | | |
| | HI up to 60- | 65% in a 3cm width. Mainly fine to med grain sand. | | | | | | | | |
| | Weak, disco | ntinuous biotitic alteration of mafics in the matrix | | | | | | | | |
| | and of the | grains. Note that from 90.68 to the end of this unit | | | | | | | | |
| | has a calcar | eous matrix (hence it could be named a wackestone) | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | @ 89.85, 45 | 5-50 TCA 10-20 mm wide HI with 60-65% Sph within a | | | | | | | | |
| | calcite back | ground. 0.5 to 1% Py with trace to 0.5% Po and trace | | | | | | | | |
| | suspect Cpy | . Note that there are a series of HI-bearing Sph | | | | | | | | |
| | within 1m u | p and 1m down hole of this point with Sph+Calcite HI | | | | | | | | |
| | with similar | orientations. | | | | | | | | |
| | @ 91.02 th | ere is a thin 5-8 mm wide 65-70 TCA 70-75% Po, 5- | | | | | | | | |
| | 10% Cpy fin | e-grained blebs. Thus, the previous Cpy siting is | | | | | | | | |
| | proabably a | ccurate. | | | | | | | | |

Page: 9 of 14 pages



| From | То | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|--------|--|--------|--------|--------|----------|-------|------|-----|-----|
| (m) | (m) Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | From 92.5 to 92.66 is a HI with 60-65 UCA, LCA is obscure. ~110 | | | | | | | | |
| | mm wide with 25 mm wide 85-90% Sph section.Overall the HI | | | | | | | | |
| | section has 5-10% disseminated Py and trace Gal, and suspect | | | | | | | | |
| | trace non-magnetic Po. | | | | | | | | |
| | @ 94.55 there is a 30-35 TCA bedding plane highlighted by | | | | | | | | |
| | feldspathic minerals with mafic fine-grained grains. | | | | | | | | |
| | @ 96.14m 45-50 TCA bedding plane | | | | | | | | |
| | @ 97.9 25-30 TCA bedding plane. | | | | | | | | |
| | @ 98.25 m is a FAULT with 10-15 TCA, with 10 mm pebble sized | | | | | | | | |
| | fault gouge with 3-4 mm weak-moderately limonitized clay | | | | | | | | |
| | gouge. Note: this fault is within the hydrothermal breccia zone. | | | | | | | | |
| | Hence this fault likely caused the texture in the nearby rocks. | | | | | | | | |
| | @ 103.1 to 103.15 is a 30-35% blebby Py veinlet with interstitial | | | | | | | | |
| | calcite and minor silica with very fine-grained biotite delevoping | | | | | | | | |
| | a thin band along the border of this veinlet. | | | | | | | | |
| | From 105.89 to 107 is a micro-brecciated unit. There is a supsec | | | | | | | | |
| | 20 cm off-set by a suspect FAULT 40-45 TCA. There is no fault | | | | | | | | |
| | gouge breccia but there is a 1 mm infill-fracture healing Py. The | | | | | | | | |
| | offset is from ~106.7 to ~107m. This massive movement created | | | | | | | | |
| | the tectonic energy required to create a tectonic micro-breccia | | | | | | | | |
| | here. UCA of this contact is 30-35. LCA = is 30 | | | | | | | | |
| | From 109.2 to 109.5 is a med. Grained near greywacke | | | | | | | | |
| | (borderline feldspathic greywacke) with 40-45% biotite in the | | | | | | | | |
| | matrix and grains. 10-15% blebby Pv. | | | | | | | | |
| | Note: from 90.68 to the end of this unit (111.13) the matrix | | | | | | | | |
| | effervesces pervasively, hence this unit could be named a | | | | | | | | |
| | wackestone. | | | | | | | | |
| 111.13 | 114.18 LITHIC GREYWACKE | 166340 | 111.00 | 113.00 | 2.00 | 0.05 | <0.2 | 34 | 97 |
| | This grey lithic greywacke has noticeably more abundant lithic | 166341 | 113.00 | 115.22 | 2.22 | <0.01 | <0.2 | 48 | 91 |

Page: 10 of 14 pages



| From | То | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|--------|--|------------------|------------------|------------------|--------------|--------------|-------------|-----------|-----------|
| (m) | (m) Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| 114.18 | fragments that are angular to sub-angular mostly ~5 mm by ~5 mm mostly feldspathic fragments set in a med to coarse grained matrix mostly altered to biotite. The lithic fragments make up approximately 60-65% of this unit. 0.5 to 1% disseminated Py. Pervasively calcareous matrix. @111.87 is a 5-15 TCA undulating planar FAULT that runs for ~ 60 cm with ~1 mm clay fault gouge breccia. @ 113.15 is another low angle FAULT (could be the same one again?) 5-15 TCA that seems to run for 110 cm. 0.5 mm limonitized clay fault gouge breccia. 119.65 MASSIVE FELDSPATHIC GREYWACKE (OR POSSIBLY AN ANDESITE) Med grey very coarse and coarse-grained feldspathic greywacke. This unit lacks bedding due to the massive texture. Thus, this unit could be looked at as an andesite. Qtz-feldspar porphyrytic andesite (andesitic flow?) hornblende phyric (?) 0.5 to 1% disseminated Py with very locally 75-80% (see below) Matrix/groundmass is no longer calcareous (another support for a volcanic unit). @ 115.2 is a minor FAULT with local fault gouge breccia. The entire fracture surface is weakly limonitized. | 166342 | 115.22 | 117.44 | 2.22 | 0.14 | 0.3 | 80 | 114 |
| 119.65 | @ 116.15 m is a 50 TCA 30 mm wide MASSIVE PY interval with interstitial silica and calcite. @ 118.55 is a qtz vein 70-75 TCA and 80-85 mm wide 10-15% blebby/patchy magnetic Po and 1-2% rare blebby Cpy both within a mass of qtz vein. 121.68 MAFIC DYKE Black mafic dyke. Note that this does not appear to be the same intermediate dyke seen near the top of this hole. 5-10% ~1 mm sub-anhedral blebs of what appears to be feldspathic phenocrysts within a mafic groundmass. Pervasively moderate-intensely magnetic. 10 TCA apparent UCA. LCA apparent contact | 166343 166344 | 117.44 119.65 | 119.65 121.68 | 2.21 2.03 | 0.07 0.04 | 0.3 <0.2 | 131 57 | 105 99 |

Page: 11 of 14 pages



| From | То | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|--------|---|--------|--------|--------|----------|------|------|-----|------|
| (m) | (m) Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | is ~15 TCA. suspect 0.5% very finely disseminated sulphides (Py?) | | | | | | | | |
| | There are no chill margins but there is an abundance of (and | | | | | | | | |
| | slightly larger) phenocrysts near the middle of this interval. | | | | | | | | |
| | | | | | | | | | |
| 121.68 | 154.26 FELDSPATHIC GREYWACKE | 166345 | 121.68 | 123.16 | 1.48 | 0.11 | 0.2 | 228 | 91 |
| | Grey with a faint puple/pink tinge feldspathic greywacke. The | 166346 | 123.16 | 125.00 | 1.84 | 0.12 | <0.2 | 134 | 82 |
| | pink tinge appears to be due to extremely fine-grained pin-point | 166347 | 125.00 | 127.00 | 2.00 | 0.21 | <0.2 | 129 | 96 |
| | pricks of pink found pervasively, both in the dark matrix and | 166348 | 127.00 | 129.00 | 2.00 | 0.06 | <0.2 | 36 | 69 |
| | white/opaque feldspathic grains. Note that from 123.96 to | 166349 | 129.00 | 131.00 | 2.00 | 0.12 | <0.2 | 119 | 51 |
| | ~127.70 the core is not pink but has a green hue to it due to the | 166350 | 131.00 | 133.00 | 2.00 | 0.04 | <0.2 | 51 | 55 |
| | presence of dark green mafic grains (partly chloritized mafics?). | 166351 | 133.00 | 135.00 | 2.00 | 0.03 | 0.6 | 104 | 364 |
| | There are 2 short dykes within this interval (123.86 to 123.96m | 166352 | 135.00 | 137.00 | 2.00 | 0.02 | 0.7 | 112 | 120 |
| | and 125.93 to 126.00m) that appear to be intermediate and are | 166353 | 137.00 | 139.00 | 2.00 | 0.07 | 1.2 | 130 | 297 |
| | non-magnetic (hence more similar to the dykes near the top of | 166354 | 139.00 | 141.20 | 2.20 | 0.03 | 0.3 | 157 | 104 |
| | the hole) There is an interval with v.cgrained to granule-sized | 166355 | 141.20 | 141.35 | 0.15 | 2.39 | 2.2 | 422 | 97 |
| | grains (from 141.35 to 144.25m) and intermittently | 166356 | 141.20 | 141.35 | DUP | 1.96 | 2.6 | 463 | 97 |
| | hydrothermally brecciated (proximal to a fault) from 144.81 to | 166357 | 141.35 | 143.10 | 1.75 | 0.04 | <0.2 | 60 | 88 |
| | 147.95m. This unit as a whole is fine-grained to med grained. | 166358 | 143.10 | 144.81 | 1.71 | 0.02 | 0.4 | 25 | 199 |
| | Locally weakly biotite altered (mostly local fracture infill proximal | 166359 | 144.81 | 146.42 | 1.61 | 0.06 | 0.7 | 130 | 357 |
| | to faulting). 0.1 to 3% finely disseminated to locally 7-10% | 166360 | 146.42 | 147.95 | 1.53 | 0.71 | 8.6 | 270 | 3657 |
| | blebby disseminated and Py stringers. From 146.42 to 147.95 is | 166361 | 147.95 | 150.00 | 2.05 | 0.39 | 1.4 | 269 | 112 |
| | ~20% blebby disseminated and stringer Py. This unit is mostly | 166362 | 150.00 | 152.00 | 2.00 | 0.17 | 0.5 | 85 | 71 |
| | pervasively calcareous (the cement where present is calcareous, | 166363 | 152.00 | 154.26 | 2.26 | 0.04 | <0.2 | 42 | 41 |
| | the very thin mud-like units which don't carry any cement are not | | | | | | | | |
| | calcareous, calcite). ~1% calcite stringers with more occurrences | | | | | | | | |
| | up till 137m, even the wider vein/lets are predominantly calcite | | | | | | | | |
| | over silica (~70:30) There are multiple FAULTS at 145 to 146.5 | | | | | | | | |
| | with 0-30 TCA (see below). | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | @ 123.83 is a intermediate dyke with UCA 30-35 and at 123.96 is | | | | | | | | |
| | a LCA contact of 20-25. ~ 1mm angular blebs of silica with a pink- | | | | | | | | |

Page: 12 of 14 pages



| From | То | | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|------|-----------------|--|--------|------|-----|----------|-----|-----|-----|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | red tinge (Mai | nganese tint? Or could also be a FeO tint, but it is | | | | | | | | |
| | too bright for | that). ~0.5 mm laths and blebs of mafic minerals | | | | | | | | |
| | (anhedral) | | | | | | | | | |
| | From 126.46 t | to 126.76 is frequently broken up core with some | | | | | | | | |
| | fault gouge br | eccia but angle is unobtainable. There is a vuggy | | | | | | | | |
| | calcite and Py | veinlet with 40 TCA. | | | | | | | | |
| | @ 128.78 is a | fracture surface, planar, 40-45 TCA with moderate | | | | | | | | |
| | intense fractu | re controlled dark green soft chlorite alteration. | | | | | | | | |
| | @ 130.64 is a | calcite vein with 50 TCA, 45 mm wide mainly | | | | | | | | |
| | calcite (70:30) | with some silica vein with 1-5 mm long by 0.25 to | | | | | | | | |
| | 5 mm wide Py | rr laths and angular blebs within 20-25% dark | | | | | | | | |
| | green soft chlo | orite. | | | | | | | | |
| | @ 133.4 is a F | AULT with ~40 TCA ~ 10 mm clay fault gouge | | | | | | | | |
| | breccia. | | | | | | | | | |
| | From 137.1 to | o 138 is a frequently faulted and broken up FAULT | | | | | | | | |
| | interval. UCA | = 35-40 @ 137.1 has ~1 mm clay gouge breccia, | | | | | | | | |
| | LCA = 30-35 @ | 9 138 with 1-2 mm clay gouge breccia. The interval | | | | | | | | |
| | between the l | JC and LCA has 5-7 faulted fracture surface with 2 | | | | | | | | |
| | surfaces havin | g 5-10 mm clay fault gouge breccia (more or less in | | | | | | | | |
| | the centre of t | this interval) They also have similar angles to the | | | | | | | | |
| | UC and LCA of | 30 TCA. | | | | | | | | |
| | @ 141.28 is a | 30-35 TCA 10-20 mm wide 70-75% Po-Py veinlet | | | | | | | | |
| | (50:50, Po, Py | ratio) within interstitial calcite and qtz. Po is | | | | | | | | |
| | corroding and | is magnetic. | | | | | | | | |
| | @ 144.25 is a | a LC contact of the upper granule to v.cgrained | | | | | | | | |
| | feldspathic gro | eywacke unit to the lower fine to med-grained | | | | | | | | |
| | feldspathic gro | eywacke of 30 TCA. | | | | | | | | |
| | @ 144.81 is a | FAULT with 0-30 TCA planar undulating fracture | | | | | | | | |
| | surface and ru | ins to 145.65 m with ~10 mm clay fault gouge | | | | | | | | |
| | breccia with s | lickensided fracture surfaces. | | | | | | | | |
| | @ 146 to 146 | .4 there are 2-3 fractures with fault gouge breccia, | | | | | | | | |
Page: 13 of 14 pages



| From | То | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|--------|---|-----------------------|------------------|------------------|--------------|---------------|--------------|----------|----------|
| (m) | (m) Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| 154.26 | hence a FAULT with UCA = 15 TCA (1-2 mm fault gouge breccia), and LCA is 30 TCA with 3-4 mm clay fault bx). These two faults may be the same or are related to the ones above. @ 146.82 FAULT with 50 TCA with 0.5 mm clay gouge with mino slickensides. There is also a sub-parallel Py stringer with interstitial calcite 15-20 TCA 5-15 mm wide. 40-45 Py with minor biotite also in the interstices and more on the outer fringes of the stringer forming a border. From 146.42 to ~147.95 is an elevated Py interval with ~20% blebby disseminated and stringer Py. From 150.6 to 151.2 are 25-35 TCA bedding planes highlighted by mafic and feldspathic banding. 158.18 LITHIC GREYWACKE Grey with a faint puple/pink tinge lithic greywacke with rounded clasts mixed in with angular clasts of various sizes. The larger (10 40 mm diameter) clasts are generally more rounded while the smaller (1-5 mm) clasts are more angular, in a very broad sense. The clasts are mainly feldspathic. The matrix appears to be moderate pervasively biotite altered.0.1 to 2% finely disseminated to disseminated Py. The clasts comprise ~ 60-65% with the remainding as the matrix. | r 166364 166365 | 154.26 156.00 | 156.00 158.18 | 1.74 2.18 | 0.02 0.03 | <0.2 <0.2 | 37 57 | 56 46 |
| 158.18 | 174.00 FELDSPATHIC GREYWACKE | 166366 | 158.18 | 160.00 | 1.82 | 0.01 | <0.2 | 35 | 42 |
| | Grey feldspathic greywacke with some intervals looking | 166367 | SID 13 | SID 13 | SID 13 | 1.00 | 3.2 | 3002 | 1/3 |
| | conspiculously like a greywacke (158.87 m to 161.44m) probably | 166368 | 160.00 | 162.00 | 2.00 | 0.02 | <0.2 | /8 20 | 76 |
| | due to the fine-grained almost silt-mudstone grained nature. | 166309 | 162.00 | 164.00 | 2.00 | 0.01 | <0.2 | 30 | /1 65 |
| | grained feldsnathic graywackes. This entire unit resembles the | 166370 | 166.00 | 168.00 | 2.00 | <0.01 0.02 | <0.2 | 10 | 05 65 |
| | 121.6 to 154.26 felds pathic growwacke unit and likely are the | 166372 | 168.00 | 108.00 | 2.00 | 0.02 | <0.2 | 44 10 | 82 |
| | same units simply cut off by an interval of lithic greywacke (a | 166372 | 170.00 | 171 35 | 2.00 | 0.02 | <0.2 | 13 | 62 68 |
| | sudden flux of lithic fragments). Note that the interbedded | 166374 | 171.35 | 171.70 | 0.35 | 0.17 | 0.8 | 333 | 187 |

Page: 14 of 14 pages



| From | То | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|------|--|----------|--------|--------|----------|-------|------|-----|-----|
| (m) | (m) Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | silt/mudstone with med-c.g. grains are immediately following the | e 166375 | BLANK | BLANK | BLANK | <0.01 | <0.2 | <1 | <1 |
| | lithic greywacke supporting the fact that the environment was | 166376 | 171.70 | 173.79 | 2.09 | 0.04 | <0.2 | 90 | 59 |
| | quite perturbed before the lithic greywacke introduction. | 166377 | 173.79 | 174.00 | 0.21 | 0.02 | <0.2 | 68 | 54 |
| | Medium to c.grained with the pink-purple tinge as the previous | | | | | | | | |
| | feldspathic greywacke unit. Fairly unmineralized with 0.1 to 1% | | | | | | | | |
| | disseminated Py with rare Py stringers.0.5 to 1% calcite stringers | | | | | | | | |
| | with rare silica dominant wider (15 to 40 mm) stringer/veinlets. | | | | | | | | |
| | The mafics in the matrix and some rare clasts are weakly biotite | | | | | | | | |
| | altered. | | | | | | | | |
| | From 158 45 to 158 88 are bedding planes ranging from 35 to 45 | | | | | | | | |
| | 50 TCA highlighted by mafic and feldsnathic beding planes 1-5 | | | | | | | | |
| | Imm thick. | | | | | | | | |
| | From 159.3 to 160.15 are bedding planes 30-35 to 35-40 TCA | | | | | | | | |
| | highlighted by mafic-rich bands (silt/mudstone) with feldspathic- | | | | | | | | |
| | rich (feldspathic greywacke) units. | | | | | | | | |
| | 166.63 is a rare Py veinlet with 45-50 TCA 3-6 mm wide with | | | | | | | | |
| | intersititial calcite and biotite. ~80% py | | | | | | | | |
| | @ 171.39 to 171.52 is a > 20 mm wide Py-Po veinlet with UCA o | : | | | | | | | |
| | 10-15 and LCA is irregular. ~75% sulphides with mainly Po | | | | | | | | |
| | (80:20). | | | | | | | | |
| | @ 173.71 to EOH, 174m (and likely continuous) 15-20 TCA milky | | | | | | | | |
| | white opaque mainly qtz vein with minor calcite , 40 mm wide | | | | | | | | |
| | (only 5-10% calcite) with ~5% interstitial blebby and on the | | | | | | | | |
| | border of the vein green chlorite with minor sericite. 1-2% blebb | / | | | | | | | |
| | disseminated Py. | | | | | | | | |
| | EOH = 174m | | | | | | | | |
| | | | | | | | | | |



Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0039RJDate: Jul-23-10

Sample type : CORE

Skyline Gold Corporation

Project : Bronson

Attention : Arnd Burgert

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | AI % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Hg ppm | К % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P % | Pb ppm | S % | Sb ppm | Sc ppm | Sr ppm | Th ppm | Ti % | TI ppm | U ppm | V ppm | W ppm | Zn ppm | Zr ppm |
|------------------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|--------|-----------|---------|-----------|-----------|---------|-----------|--------|-----------|--------|-----------|-----------|-----------|-----------|---------|-----------|----------|----------|----------|-----------|-----------|
| 166279 | 1.3 | 1.93 | 81 | 290 | 0.9 | <5 | 2.10 | 6 | 15 | 33 | 44 | 3.48 | <1 | 1.32 | <10 | 1.53 | 785 | 2 | 0.04 | 35 | 0.203 | 373 | 1.01 | <5 | 3 | 157 | <5 | 0.14 | <10 | <10 | 64 | <10 | 650 | 2 |
| 166280 | <0.2 | 1.87 | 24 | 349 | 1.1 | <5 | 2.83 | 2 | 15 | 32 | 30 | 2.63 | <1 | 1.55 | <10 | 1.59 | 665 | 2 | 0.06 | 25 | 0.192 | 12 | 0.41 | <5 | 3 | 217 | <5 | 0.17 | <10 | <10 | 69 | <10 | 36 | 1 |
| 166281 | <0.2 | 2.01 | 23 | 306 | 1.3 | <5 | 2.14 | 2 | 19 | 29 | 63 | 3.13 | <1 | 1.71 | 10 | 1.99 | 585 | 2 | 0.06 | 31 | 0.214 | 14 | 0.36 | <5 | 5 | 181 | <5 | 0.20 | 11 | <10 | 88 | <10 | 49 | 2 |
| 166282 | <0.2 | 2.19 | 24 | 289 | 1.2 | <5 | 2.86 | . 2 | 14 | 40 | 36 | 3.16 | <1 | 1.70 | 10 | 2.06 | 768 | <2 | 0.07 | 28 | 0.212 | 11 | 0.23 | <5 | 6 | 235 | <5 | 0.21 | 11 | <10 | 109 | <10 | 42 | 2 |
| 166283 | 0.3 | 2.47 | 89 | 307 | 1.4 | 6 | 3.50 | 3 | 34 | 27 | 135 | 4.81 | <1 | 2.01 | <10 | 2.12 | 875 | 2 | 0.05 | 45 | 0.209 | 21 | 1.64 | <5 | 6 | 274 | <5 | 0.25 | 13 | <10 | 120 | <10 | 42 | 2 |
| 166284 | <0.2 | 2.19 | 26 | 368 | 1.3 | <5 | 2.67 | 2 | 14 | 28 | 32 | 3.11 | <1 | 1.82 | <10 | 1.80 | 670 | 2 | 0.05 | 28 | 0.162 | 11 | 0.34 | <5 | 3 | 189 | <5 | 0.20 | 11 | <10 | 75 | <10 | 33 | 2 |
| 166285 | <0.2 | 4.20 | 79 | 67 | 1.4 | <5 | 1.93 | 7 | 53 | 102 | 192 | 9.16 | <1 | 2.72 | <10 | 3.85 | 841 | <2 | 0.04 | 47 | 0.150 | 32 | 3.94 | <5 | 15 | 125 | <5 | 0.26 | 12 | <10 | 183 | <10 | 54 | 3 |
| 166286 | <0.2 | 2.61 | 20 | 319 | 1.4 | <5 | 3.84 | 3 | 17 | 62 | 47 | 3.86 | <1 | 1.85 | <10 | 2.22 | 825 | 2 | 0.04 | 41 | 0.158 | 14 | 0.88 | <5 | 6 | 260 | <5 | 0.25 | 12 | <10 | 119 | <10 | 74 | 2 |
| 166287 | <0.2 | 2.81 | 20 | 99 | 3.1 | <5 | 3.33 | 3 | 29 | 23 | 45 | 5.15 | <1 | 0.25 | 34 | 1.53 | 978 | 2 | 0.25 | 14 | 0.338 | 17 | 0.30 | <5 | 8 | 308 | 5 | 0.51 | 21 | <10 | 141 | <10 | 112 | 17 |
| 166288 | 0.2 | 1.41 | 71 | 169 | 1.0 | <5 | 3.78 | 2 | 17 | 59 | 69 | 3.36 | 1 | 1.00 | <10 | 1.13 | 758 | 2 | 0.06 | 53 | 0.111 | 13 | 0.90 | <5 | 4 | 287 | <5 | 0.19 | <10 | <10 | 66 | <10 | 40 | 2 |
| 166289 | 0.2 | 0.66 | 67 | 109 | <0.5 | <5 | 2.01 | 2 | 18 | 32 | 58 | 2.90 | <1 | 0.52 | <10 | 0.83 | 504 | 3 | 0.05 | 53 | 0.101 | 8 | 1.17 | <5 | 2 | 189 | <5 | 0.05 | <10 | <10 | 27 | <10 | 36 | 2 |
| 166290 | 0.3 | 0.65 | 45 | 107 | <0.5 | <5 | 2.17 | 1 | 10 | 23 | 26 | 1.76 | <1 | 0.54 | <10 | 0.73 | 487 | 2 | 0.04 | 38 | 0.103 | 11 | 0.49 | <5 | 2 | 191 | <5 | 0.04 | <10 | <10 | 20 | <10 | 29 | 2 |
| 166291 | 0.7 | 0.76 | 39 | 100 | <0.5 | <5 | 2.51 | 2 | 14 | 39 | 49 | 2.86 | <1 | 0.63 | <10 | 0.83 | 604 | 3 | 0.04 | 41 | 0.077 | 8 | 1.24 | <5 | 1 | 230 | <5 | 0.07 | <10 | <10 | 25 | <10 | 34 | 2 |
| 166292 | 0.2 | 0.49 | 48 | 82 | <0.5 | <5 | 2.22 | 1 | 14 | 24 | 42 | 2.31 | <1 | 0.39 | <10 | 0.64 | 476 | 2 | 0.03 | 31 | 0.086 | 5 | 1.00 | <5 | 1 | 186 | <5 | 0.01 | <10 | <10 | 13 | <10 | 25 | 2 |
| 166293 | 0.9 | 0.82 | 70 | 97 | <0.5 | <5 | 2.97 | 5 | 13 | 25 | 55 | 2.13 | <1 | 0.67 | <10 | 0.77 | 593 | 3 | 0.03 | 35 | 0.092 | 38 | 0.87 | <5 | 1 | 216 | <5 | 0.06 | <10 | <10 | 23 | <10 | 357 | 2 |
| 166294 | 0.3 | 1.54 | 60 | 160 | 0.9 | <5 | 2.93 | 2 | 17 | 61 | 67 | 3.72 | <1 | 1.35 | <10 | 1.32 | 720 | 3 | 0.03 | 63 | 0.111 | 16 | 1.36 | <5 | 2 | 211 | <5 | 0.17 | <10 | <10 | 49 | <10 | 65 | 2 |
| 166295 | 2.3 | 1.76 | 62 | 194 | 0.9 | 7 | 3.18 | 3 | 26 | 54 | i12 | 4.72 | <1 | 1.56 | <10 | 1.38 | 878 | 3 | 0.03 | 51 | 0.109 | 21 | 2.10 | <5 | 3 | 225 | <5 | 0.19 | 10 | <10 | 54 | <10 | 33 | 3 |
| 166296 | 1.2 | 1.74 | 59 | 195 | 1.0 | <5 | 3.08 | 3 | 24 | 51 | 128 | 4.52 | <1 | 1.55 | <10 | 1.38 | 833 | 2 | 0.03 | 55 | 0.112 | 18 | 1.93 | <5 | 3 | 217 | <5 | 0.19 | 10 | <10 | 54 | <10 | 34 | 3 |
| 166297 | 0.5 | 1.08 | 39 | 129 | 0.6 | <5 | 3.12 | 2 | 10 | 24 | 67 | 2.94 | 1 | 0.92 | <10 | 1.05 | 939 | 2 | 0.03 | 32 | 0.110 | 23 | 0.87 | <5 | 2 | 259 | <5 | 0.10 | <10 | <10 | 30 | <10 | 59 | 2 |
| 166298 | 0.8 | 1.56 | 57 | 139 | 0.8 | <5 | 3.18 | 6 | 15 | 43 | 164 | 4.44 | 1 | 1.35 | <10 | 1.43 | 1220 | 4 | 0.02 | 62 | 0.135 | 27 | 1.68 | <5 | 2 | 290 | <5 | 0.16 | <10 | <10 | 63 | <10 | 270 | 3 |
| 166299 | 1.1 | 1.64 | 48 | 156 | 0.8 | <5 | 3.19 | 3 | 13 | 49 | 108 | 3.84 | <1 | 1.47 | <10 | 1.30 | 1405 | 3 | 0.02 | 43 | 0.117 | 43 | 1.41 | <5 | 3 | 272 | <5 | 0.18 | <10 | <10 | 59 | <10 | 77 | 3 |
| 166300 | 6.5 | 1.76 | 168 | 128 | 0.8 | 8 | 3.59 | 6 | 73 | 40 | 181 | 6.27 | 2 | 1.60 | <10 | 1.35 | 1609 | 8 | 0.01 | 64 | 0.128 | 669 | 3.60 | <5 | 2 | 351 | <5 | 0.16 | 10 | <10 | 129 | <10 | 244 | 4 |
| 166301 | 7.7 | 1.16 | 163 | 109 | 0.5 | <5 | 3.64 | 19 | 31 | 40 | 340 | 6.16 | 4 | 1.01 | <10 | 0.85 | 1691 | 4 | 0.01 | 64 | 0.097 | 1649 | 4.98 | 11 | 1 | 349 | <5 | 0.09 | <10 | <10 | 33 | 21 | 1509 | 4 |
| 166302 | 1.4 | 1.32 | 46 | 156 | 0.9 | < 5 | 2.89 | 14 | 14 | 29 | 75 | 2.38 | 3 | 1.15 | <10 | 0.87 | 1485 | 4 | 0.02 | 43 | 0.128 | 360 | 0.72 | <5 | Z | 252 | <5 | 0.12 | <10 | <10 | 36 | 19 | 1928 | 3 |
| 166303 | 7.3 | 1.56 | 55 | 142 | 0.9 | < 5 | 4.45 | 38 | 14 | 34 | 1342 | 3.57 | 4 | 1.35 | <10 | 1.26 | 2724 | 5 | 0.01 | 61 | 0.123 | 1219 | 1.24 | 6 | 2 | 394 | <5 | 0.14 | <10 | <10 | 43 | 60 | 5314 | 3 |
| 166304 | 5.5 | 1.27 | 28 | 125 | 0.8 | <5 | 2.97 | 29 | 12 | 32 | 115 | 2.74 | 3 | 1.09 | <10 | 0.91 | 2023 | 5 | 0.01 | 49 | 0.114 | 2044 | 0.88 | 8 | 1 | 228 | <5 | 0.11 | <10 | <10 | 29 | 45 | 4325 | 3 |
| 166305 | 5.1 | 0.74 | 170 | 96 | <0.5 | < 5 | 5.70 | 20 | 34 | 27 | 115 | 4.66 | 5 | 0.64 | <10 | 0.73 | 3110 | 6 | 0.01 | 44 | 0.092 | 1273 | 3.44 | 5 | 1 | 476 | <5 | 0.05 | <10 | <10 | 17 | 28 | 2333 | 3 |
| 166306 | 16.6 | 0.64 | 177 | 91 | <0.5 | 5 | 6.54 | 133 | 78 | 30 | 205 | 8.24 | 7 | 0.55 | <10 | 1.11 | 4360 | 10 | 0.01 | 39 | 0.083 | 4406 | 6.64 | 11 | 1 | 530 | <5 | 0.04 | <10 | <10 | 22 | 237 | >10000 | 4 |
| 166307 | 2.7 | 1.35 | 34 | 155 | <0.5 | <5 | 0.98 | 4 | 21 | 76 | 2750 | 3.46 | 7 | 0.57 | 24 | 0.75 | 226 | 246 | 0.04 | 9 | 0.062 | 63 | 1.69 | 13 | 5 | 51 | 14 | 0.04 | <10 | <10 | 46 | 10 | 319 | 5 |
| 166308 | 0.4 | 0.76 | 55 | 108 | 0.5 | <5 | 3.00 | 3 | 12 | 36 | 56 | 3.04 | 2 | 0.65 | <10 | 1.15 | 1374 | 5 | 0.02 | 48 | 0.099 | 22 | 1.01 | <5 | 2 | 301 | <5 | 0.06 | <10 | <10 | 27 | <10 | 85 | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Page 1 of 4



Skyline Gold Corporation

Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

 Report No
 : 0S0039RJ

 Date
 : Jul-23-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | Ai | As | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Hg | K | La | Mg Mn | Мо | Na | Ni | P 9 | Pb | s | Sb | Sc | Sr | Th | Ti | ΤI | U | v | W | Zn | Zr |
|--------|------|------|------|-----|------|-----|--------|-----|-----|-----|-----|------|-----|------|-----|-----------|-----|------|-----|----------|----|------------|--------------|-----|-----|-----|-------|-----|-----|-----|------|--------|-----|
| Number | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | % | ppm | % ppm | ppm | % | ppm | % рр | m | % f | opm I | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm p | ppm |
| 166309 | 0.9 | 0.81 | 144 | 108 | <0.5 | <5 | 3.25 | 6 | 21 | 39 | 66 | 3.53 | 3 | 0.67 | <10 | 1.71 1620 | 3 | 0.02 | 128 | 0.113 1 | 23 | 1.18 | <5 | 2 | 316 | <5 | 0.06 | <10 | <10 | 25 | <10 | 325 | 2 |
| 166310 | 0.8 | 0.64 | 143 | 106 | <0.5 | <5 | 3.42 | 4 | 24 | 34 | 49 | 2.99 | 2 | 0.55 | <10 | 1.17 1381 | 4 | 0.01 | 92 | 0.114 | 84 | 1.33 | <5 | 2 | 294 | <5 | 0.04 | <10 | <10 | 20 | <10 | 234 | 3 |
| 166311 | <0.2 | 1.62 | 61 | 151 | 1.4 | <5 | 3.81 | 3 | 20 | 46 | 35 | 3.11 | 3 | 1.47 | <10 | 1.56 1077 | 4 | 0.05 | 55 | 0.108 | 12 | 0.57 | <5 | 5 | 311 | <5 | 0.20 | <10 | <10 | 66 | <10 | 93 | 2 |
| 166312 | <0.2 | 1.20 | 86 | 120 | 1.0 | <5 | 2.45 | 3 | 16 | 53 | 44 | 2.78 | 2 | 1.02 | <10 | 1.12 592 | 3 | 0.05 | 26 | 0.087 | 11 | 0.76 | <5 | з | 194 | <5 | 0.13 | <10 | <10 | 50 | <10 | 45 | 2 |
| 166313 | 0.4 | 1.16 | 82 | 150 | 0.9 | <5 | 2.10 | 2 | 13 | 44 | 27 | 2.34 | 2 | 1.01 | <10 | 1.03 651 | 4 | 0.05 | 27 | 0.089 | 6 | 0.41 | <5 | 3 | 180 | <5 | 0.13 | <10 | <10 | 44 | <10 | 45 | 2 |
| 166314 | 0.2 | 1.37 | 59 | 168 | 1.0 | <5 | 3.51 | 4 | 14 | 25 | 64 | 3.40 | 2 | 1.20 | <10 | 1.33 1056 | 4 | 0.04 | 26 | 0.107 | 18 | 0.83 | <5 | 2 | 320 | <5 | 0.15 | <10 | <10 | 54 | <10 | 69 | 3 |
| 166315 | 1.5 | 1.06 | 58 | 150 | 0.6 | <5 | 4,29 | 5 | 22 | 45 | 147 | 3.96 | 3 | 0.93 | <10 | 0.85 1389 | 5 | 0.02 | 29 | 0.085 | 48 | 2.57 | <5 | 2 | 384 | <5 | 0.10 | <10 | <10 | 32 | <10 | 89 | 3 |
| 166316 | 0.3 | 1.17 | 29 | 136 | 1.0 | <5 | 3.07 | 2 | 11 | 33 | 44 | 2.14 | 3 | 1.05 | <10 | 0.94 1188 | 4 | 0.03 | 19 | 0.080 | 10 | 0.59 | <5 | 2 | 228 | <5 | 0.12 | <10 | <10 | 34 | <10 | 43 | 2 |
| 166317 | 0.2 | 1.49 | 26 | 172 | 1.2 | <5 | 2.28 | 3 | 13 | 83 | 32 | 2.58 | 3 | 1.36 | <10 | 1.29 914 | 4 | 0.04 | 33 | 0.102 | 13 | 0.50 | 5 | 4 | 169 | <5 | 0.17 | <10 | <10 | 51 | <10 | 43 | 2 |
| 166318 | 0.5 | 1.46 | 41 | 212 | 1.0 | <5 | 2.36 | 4 | 19 | 38 | 77 | 3.11 | 2 | 1.29 | <10 | 1.09 1030 | 4 | 0.02 | 40 | 0.124 | 29 | 1.11 | 5 | 2 | 182 | <5 | 0.15 | <10 | <10 | 45 | <10 | 69 | 3 |
| 166319 | 11.8 | 1.04 | 82 | 166 | 0.6 | <5 | 4.04 | 170 | 18 | 41 | 267 | 3.01 | З | 0.86 | <10 | 1.10 2147 | 5 | 0.02 | 39 | 0.075 31 | 95 | 2.30 | 13 | 1 | 337 | <5 | 0.08 | <10 | <10 | 26 | 349 | >10000 | 2 |
| 166320 | 1.8 | 1.29 | 87 | 201 | 0.8 | <5 | 2.21 | 9 | 16 | 38 | 90 | 3.07 | 2 | 1.10 | <10 | 1.00 1207 | 4 | 0.03 | 29 | 0.084 4 | 43 | 1.23 | <5 | 1 | 192 | <5 | 0.12 | <10 | <10 | 35 | 11 | 1080 | 3 |
| 166321 | 2.8 | 1.54 | 2138 | 246 | 0.8 | <5 | 2.24 | 17 | 15 | 47 | 66 | 3.33 | 2 | 1.20 | <10 | 1.22 1473 | 2 | 0.03 | 13 | 0.065 6 | 76 | 0.85 | 7 | 2 | 165 | <5 | 0.13 | <10 | <10 | 38 | 31 | 2731 | 2 |
| 166322 | <0.2 | 4.80 | 796 | 396 | 2.4 | <5 | 5.11 | 8 | 50 | 130 | 42 | 7.47 | 6 | 2.82 | <10 | 4.37 2263 | 3 | 0.02 | 78 | 0.082 | 31 | 0.34 | <5 | 18 | 353 | <5 | 0.40 | 16 | <10 | 217 | <10 | 131 | 3 |
| 166323 | 1.5 | 1.44 | 35 | 197 | 0.9 | <5 | 2.19 | 8 | 10 | 49 | 32 | 2.56 | <1 | 1.12 | <10 | 1.00 1312 | 2 | 0.04 | 13 | 0.066 3 | 73 | 0.62 | 5 | 2 | 167 | <5 | 0.12 | <10 | <10 | 43 | 10 | 956 | 2 |
| 166324 | 1.0 | 1.04 | 15 | 120 | 0.7 | <5 | 2.08 | 5 | 7 | 43 | 31 | 1.99 | <1 | 0.83 | <10 | 0.63 1239 | 3 | 0.04 | 10 | 0.063 2 | 54 | 0.53 | <5 | 1 | 147 | <5 | 0.08 | <10 | <10 | 27 | < 10 | 570 | 2 |
| 166325 | 14.6 | 1.96 | 2805 | 155 | <0.5 | <5 | 5.16 | 97 | 18 | 36 | 194 | 5.38 | 21 | 1.57 | <10 | 1.41 3224 | 4 | 0.01 | 54 | 0.118 46 | 61 | 2.31 | 19 | 2 | 332 | <5 | 0.15 | <10 | <10 | 50 | 227 | >10000 | 3 |
| 166326 | 8.0 | 3.12 | 8540 | 213 | 1.7 | 9 | 2.03 | 96 | 21 | 47 | 103 | 6.49 | 2 | 2.61 | <10 | 2.28 2406 | 4 | 0.01 | 57 | 0.145 26 | 78 | 1.82 | 14 | 4 | 128 | <5 | 0.23 | 10 | <10 | 82 | 210 | >10000 | 3 |
| 166327 | 5.5 | 1.93 | 721 | 187 | 1.2 | <5 | 2.27 | 33 | 25 | 26 | 233 | 5.34 | <1 | 1.66 | <10 | 1.43 2000 | 4 | 0.01 | 60 | 0.152 16 | 15 | 1.61 | 5 | 2 | 152 | <5 | 0.17 | <10 | <10 | 44 | 61 | 5161 | 3 |
| 166328 | 1.3 | 0.04 | 12 | <10 | <0.5 | <5 | >25.00 | <1 | <1 | 1 | 3 | 0.06 | 1 | 0.03 | <10 | 3.62 47 | 3 | 0.01 | 1 | 0.010 | 8 | 0.94 | <5 | <1 | 133 | <5 | <0.01 | <10 | 10 | 2 | <10 | 12 | <1 |
| 166329 | 14.8 | 0.66 | 2492 | 96 | <0.5 | <5 | 8.88 | 105 | 23 | 23 | 213 | 5.17 | 3 | 0.52 | <10 | 1.24 4046 | 6 | 0.01 | 35 | 0.115 34 | 16 | 3.58 | 31 | 2 | 716 | <5 | 0.03 | <10 | <10 | 18 | 211 | >10000 | 3 |
| 166330 | 0.5 | 1.13 | 73 | 133 | 0.6 | <5 | 4.99 | 4 | 23 | 25 | 103 | 3.65 | <1 | 0.94 | <10 | 1.47 1355 | 10 | 0.03 | 46 | 0.149 | 48 | 1.50 | <5 | 3 | 389 | <5 | 0.09 | <10 | <10 | 46 | <10 | 184 | 3 |
| 166331 | <0.2 | 1.68 | 66 | 195 | 1.1 | <5 | 4.90 | 4 | 21 | 69 | 59 | 3.13 | 1 | 1.47 | <10 | 1.55 970 | 4 | 0.03 | 84 | 0.163 | 29 | 0.86 | <5 | 3 | 374 | <5 | 0.16 | <10 | <10 | 57 | <10 | 132 | 2 |
| 166332 | 0.2 | 1.85 | 71 | 192 | 1.3 | <5 | 5.22 | 4 | 21 | 79 | 85 | 3.54 | 2 | 1.67 | <10 | 1.64 1038 | 4 | 0.03 | 82 | 0.135 | 21 | 1.15 | <5 | 4 | 391 | <5 | 0.19 | <10 | <10 | 59 | <10 | 77 | 2 |
| 166333 | 0.9 | 1.88 | 78 | 202 | 1.2 | <5 | 4.09 | 5 | 25 | 58 | 112 | 4.42 | 1 | 1.63 | <10 | 1.48 857 | 3 | 0.02 | 95 | 0.130 | 43 | 2.00 | <5 | 3 | 319 | <5 | 0.17 | <10 | <10 | 57 | <10 | 106 | 3 |
| 166334 | 0.2 | 1.57 | 41 | 233 | 1.2 | <5 | 4.45 | 3 | 16 | 26 | 33 | 2.77 | 1 | 1.40 | <10 | 1.18 803 | 4 | 0.03 | 51 | 0.165 | 26 | 0.83 | <5 | 3 | 294 | <5 | 0.19 | <10 | <10 | 51 | <10 | 76 | 2 |
| 166335 | 0.3 | 2.72 | 125 | 314 | 1.6 | <5 | 6.00 | 6 | 26 | 245 | 103 | 4.79 | 2 | 2.35 | <10 | 2.37 1261 | 4 | 0.03 | 211 | 0.155 | 41 | 1.32 | 5 | 5 | 364 | <5 | 0.25 | 11 | <10 | 85 | <10 | 129 | 2 |
| 166336 | <0.2 | 2.05 | 56 | 268 | <0.5 | <5 | 4.02 | 1 | 17 | 47 | 36 | 3.17 | 20 | 1.75 | <10 | 1.68 847 | 2 | 0.04 | 75 | 0.155 | 39 | 0.92 | 8 | 4 | 197 | <5 | 0.23 | 11 | <10 | 72 | <10 | 89 | 2 |
| 166337 | <0.2 | 1.87 | 35 | 238 | 1.5 | <5 | 3.58 | 6 | 19 | 28 | 59 | 3.74 | 1 | 1.58 | <10 | 1.43 767 | 4 | 0.03 | 39 | 0.155 | 34 | 1.17 | <5 | 3 | 164 | <5 | 0.22 | <10 | <10 | 68 | <10 | 223 | 2 |
| 166338 | <0.2 | 1.60 | 16 | 230 | 1.4 | <5 | 4.43 | 3 | 10 | 27 | 28 | 2.54 | 1 | 1.34 | <10 | 1.06 820 | 4 | 0.04 | 34 | 0.168 | 8 | 0.33 | <5 | 3 | 196 | <5 | 0.21 | <10 | <10 | 53 | <10 | 96 | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.



Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0039RJDate: Jul-23-10

Sample type : CORE

Skyline Gold Corporation

Project : Bronson

Attention : Arnd Burgert

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | AI | As | Ва | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Hg | ĸ | La | Mg | Mn | Мо | Na | Ni | P | Pb | S | Sb | Sc | Sr | Th | Ti | TI | U | v | W | Zn | Zr |
|--------|------|------|------------|-----|------|-----|------|-----|-----|-----|------|------|-----|------|-----|------|------|-----|------|-----|-------|------|------|-------|-----|-----|-----|------|-----|-----|-----|-----|-------|----|
| Number | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | % | ppm | % | ppm | ppm | % I | opm | % | ppm | % (| opm l | opm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm p | pm |
| 166339 | 0.2 | 1.47 | 34 | 215 | 1.4 | <5 | 4.44 | 5 | 21 | 24 | 88 | 3.88 | <1 | 1.17 | <10 | 0.89 | 843 | 7 | 0.04 | 28 | 0.160 | 26 | 1.53 | 5 | 3 | 202 | <5 | 0.21 | <10 | <10 | 54 | <10 | 111 | 2 |
| 166340 | <0.2 | 1.26 | 26 | 244 | 1.4 | <5 | 4.33 | 3 | 11 | 34 | 34 | 2.28 | <1 | 0.99 | <10 | 0.76 | 741 | 5 | 0.05 | 24 | 0.146 | 10 | 0.62 | 5 | 3 | 218 | <5 | 0.21 | <10 | <10 | 60 | <10 | 97 | 2 |
| 166341 | <0.2 | 1.74 | 58 | 199 | 1.5 | <5 | 4.38 | 4 | 14 | 10 | 48 | 3.24 | 2 | 1.16 | <10 | 1.22 | 851 | 6 | 0.04 | 9 | 0.190 | 14 | 0.94 | <5 | 3 | 213 | <5 | 0.20 | <10 | <10 | 85 | <10 | 91 | 2 |
| 166342 | 0.3 | 2.07 | 33 | 111 | 1.2 | <5 | 3.45 | 6 | 16 | 9 | 80 | 4.11 | <1 | 0.75 | <10 | 1.78 | 919 | 4 | 0.04 | 3 | 0.181 | 43 | 1.06 | <5 | 4 | 145 | <5 | 0.17 | <10 | <10 | 106 | <10 | 114 | 2 |
| 166343 | 0.3 | 2.11 | 34 | 96 | 0.8 | <5 | 3.57 | 6 | 21 | 12 | 131 | 4.89 | 1 | 0.53 | <10 | 1.97 | 925 | 5 | 0.04 | 5 | 0.163 | 49 | 1.97 | <5 | 4 | 158 | <5 | 0.12 | <10 | <10 | 94 | <10 | 105 | 3 |
| 166344 | <0.2 | 2.34 | 30 | 117 | 4.3 | <5 | 3.51 | 7 | 38 | 55 | 57 | 6.17 | <1 | 0.17 | 32 | 2.44 | 1104 | 4 | 0.28 | 50 | 0.330 | 11 | 0.54 | <5 | 10 | 263 | <5 | 0.58 | 20 | <10 | 162 | <10 | 99 | 33 |
| 166345 | 0.2 | 2.01 | 45 | 117 | 0.8 | <5 | 2.65 | 5 | 24 | 19 | 228 | 5.09 | 1 | 0.60 | 10 | 1.67 | 815 | 2 | 0.04 | 4 | 0.184 | 36 | 2.30 | <5 | 4 | 128 | <5 | 0.10 | <10 | <10 | 123 | <10 | 91 | 2 |
| 166346 | <0.2 | 1.96 | 29 | 70 | 0.5 | <5 | 2.91 | 5 | 19 | 29 | 134 | 4.50 | <1 | 0.32 | 12 | 1.78 | 889 | <2 | 0.06 | 11 | 0.181 | 17 | 1.61 | <5 | 6 | 151 | <5 | 0.07 | <10 | <10 | 125 | <10 | 82 | 5 |
| 166347 | <0.2 | 2.16 | 65 | 34 | <0.5 | <5 | 3.05 | 5 | 23 | 20 | 129 | 5.33 | 1 | 0.11 | 10 | 1.89 | 921 | <2 | 0.04 | 8 | 0.140 | 21 | 2.21 | <5 | 6 | 169 | <5 | 0.01 | <10 | <10 | 131 | <10 | 96 | 2 |
| 166348 | <0.2 | 2.30 | 22 | 91 | 0.6 | <5 | 3.46 | 3 | 11 | 21 | 36 | 3.59 | 2 | 0.41 | 11 | 2.06 | 1114 | <2 | 0.05 | 7 | 0.174 | 10 | 0.62 | <5 | 6 | 215 | <5 | 0.08 | <10 | <10 | 135 | <10 | 69 | 2 |
| 166349 | <0.2 | 2.23 | 22 | 116 | 1.0 | <5 | 4.32 | 4 | 15 | 32 | 119 | 4.20 | 3 | 0.68 | <10 | 1.80 | 1180 | <2 | 0.04 | 14 | 0.139 | 11 | 1.07 | <5 | 6 | 207 | <5 | 0.15 | <10 | <10 | 145 | <10 | 51 | 3 |
| 166350 | <0.2 | 1.49 | 13 | 111 | 0.9 | <5 | 3.53 | 2 | 9 | 17 | 51 | 2.50 | <1 | 0.66 | <10 | 1.19 | 967 | <2 | 0.04 | 6 | 0.120 | 11 | 0.77 | <5 | 3 | 171 | <5 | 0.11 | <10 | <10 | 66 | <10 | 55 | 2 |
| 166351 | 0.6 | 1.30 | 51 | 102 | 0.8 | <5 | 4.29 | 5 | 9 | 18 | 104 | 2.48 | 2 | 0.66 | <10 | 1.00 | 1472 | <2 | 0.03 | 9 | 0.131 | 61 | 0.91 | <5 | 2 | 180 | <5 | 0.11 | <10 | <10 | 56 | <10 | 364 | 2 |
| 166352 | 0.7 | 1.43 | 21 | 103 | 0.9 | <5 | 3.75 | 3 | 9 | 21 | 112 | 2.93 | 2 | 0.83 | <10 | 1.10 | 1360 | <2 | 0.03 | 8 | 0.144 | 51 | 0.91 | <5 | 2 | 131 | <5 | 0.14 | <10 | <10 | 57 | <10 | 120 | 2 |
| 166353 | 1.2 | 1.36 | 83 | 93 | 0.7 | <5 | 3.89 | 5 | 15 | 21 | 130 | 3.15 | 1 | 0.73 | 10 | 1.07 | 1638 | 2 | 0.02 | 19 | 0.139 | 87 | 1.60 | <5 | 2 | 152 | <5 | 0.09 | <10 | <10 | 36 | <10 | 297 | 2 |
| 166354 | 0.3 | 1.34 | 30 | 131 | 0.9 | <5 | 2,93 | 3 | 14 | 20 | 157 | 2.93 | 1 | 1.04 | <10 | 0.96 | 952 | <2 | 0.03 | 17 | 0 140 | 33 | 1 33 | < 5 | 7 | 99 | ~5 | 0.14 | <10 | <10 | 48 | <10 | 104 | 2 |
| 166355 | 2.2 | 1.20 | 924 | 56 | 0.7 | <5 | 3.01 | 10 | 76 | 32 | 422 | 8.38 | 2 | 0.91 | <10 | 0.96 | 1020 | <2 | 0.04 | 35 | 0.100 | 93 | 5.80 | 6 | 2 | 135 | <5 | 0.13 | <10 | 11 | 64 | <10 | 07 | 3 |
| 166356 | 2.6 | 1.10 | 843 | 45 | 0.6 | 6 | 2.15 | 10 | 69 | 28 | 463 | 9.23 | <1 | 0.80 | <10 | 0.89 | 844 | <2 | 0.03 | 31 | 0.083 | 108 | 5.93 | 6 | 2 | 99 | <5 | 0.12 | <10 | 14 | 62 | <10 | 97 | 3 |
| 166357 | <0.2 | 1.40 | 15 | 121 | 1.0 | <5 | 3.54 | 2 | 9 | 22 | 60 | 2.21 | 1 | 1.07 | <10 | 1.13 | 959 | <2 | 0.03 | 10 | 0.129 | 18 | 0.65 | < 5 | 2 | 139 | <5 | 0.16 | <10 | <10 | 63 | <10 | 88 | 2 |
| 166358 | 0.4 | 1.65 | 21 | 102 | 1.1 | <5 | 4.40 | 3 | 9 | 16 | 25 | 2.25 | 2 | 1.36 | <10 | 1.45 | 1240 | <2 | 0.02 | 10 | 0.144 | 93 | 0.53 | <5 | 2 | 176 | <5 | 0.16 | <10 | <10 | 59 | <10 | 199 | 1 |
| 166359 | 0.7 | 1.48 | 38 | 100 | 1.1 | <5 | 4.54 | 4 | 9 | 20 | 130 | 3.50 | 2 | 1.13 | <10 | 1.17 | 1825 | 2 | 0.01 | 11 | 0.169 | 93 | 1.44 | < 5 | 2 | 219 | <5 | 0.16 | <10 | <10 | 50 | <10 | 357 | 2 |
| 166360 | 8.6 | 1.11 | 179 | 70 | 0.5 | 12 | 4.17 | 32 | 20 | 24 | 270 | 7.17 | 2 | 0.83 | <10 | 0.81 | 2128 | 8 | 0.01 | 14 | 0.135 | 1021 | 5.11 | 5 | 1 | 222 | <5 | 0.11 | <10 | <10 | 42 | 46 | 3657 | 3 |
| 166361 | 1.4 | 1.80 | 36 | 153 | 1.3 | 5 | 3.58 | 5 | 22 | 20 | 269 | 5.35 | 2 | 1.47 | <10 | 1.39 | 1398 | 6 | 0.02 | 12 | 0.176 | 69 | 2.65 | <5 | 3 | 190 | <5 | 0.21 | <10 | <10 | 86 | <10 | 112 | 2 |
| 166362 | 0.5 | 1.73 | 28 | 159 | 1.2 | <5 | 3.15 | 3 | 15 | 23 | 85 | 3.40 | 1 | 1.39 | <10 | 1.39 | 1041 | <2 | 0.03 | 13 | 0.184 | 32 | 1.27 | <5 | 3 | 144 | <5 | 0.19 | <10 | <10 | 74 | <10 | 71 | 2 |
| 166363 | <0.2 | 2.06 | 4 4 | 304 | 1.1 | <5 | 1.37 | 2 | 16 | 50 | 42 | 2.96 | <1 | 1.57 | <10 | 1.86 | 814 | <2 | 0.05 | 23 | 0.142 | 10 | 0.73 | <5 | 5 | 50 | <5 | 0.19 | <10 | <10 | 99 | <10 | 41 | 2 |
| 166364 | <0.2 | 2.94 | 48 | 497 | 1.3 | <5 | 1.63 | 3 | 14 | 45 | 37 | 3.70 | <1 | 2.32 | <10 | 2.81 | 1088 | 2 | 0.05 | 17 | 0.132 | 10 | 0.53 | <5 | 7 | 59 | <5 | 0.23 | <10 | <10 | 152 | <10 | 56 | 2 |
| 166365 | <0.2 | 2.13 | 29 | 390 | 1.1 | <5 | 2.52 | 3 | 17 | 35 | 57 | 3.20 | <1 | 1.82 | <10 | 1.89 | 986 | 2 | 0.04 | 16 | 0.125 | 8 | 0.74 | <5 | 5 | 127 | <5 | 0.19 | <10 | <10 | 110 | <10 | 46 | 2 |
| 166366 | <0.2 | 1.77 | 19 | 381 | 1.1 | <5 | 1.78 | 2 | 15 | 33 | 35 | 2.52 | <1 | 1.55 | <10 | 1.62 | 742 | <2 | 0.05 | 15 | 0.136 | 7 | 0.45 | <5 | 3 | 85 | <5 | 0.18 | <10 | <10 | 73 | <10 | 42 | 1 |
| 166367 | 3.2 | 1.06 | 62 | 161 | 0.5 | 6 | 0.72 | 6 | 17 | 62 | 3002 | 3.75 | <1 | 0.45 | 24 | 0.59 | 300 | 237 | 0.02 | 12 | 0.058 | 129 | 1.30 | 18 | 4 | 31 | 12 | 0.03 | <10 | <10 | 40 | 10 | 173 | 6 |
| 166368 | <0.2 | 1.75 | 34 | 312 | 1.2 | <5 | 2.30 | 3 | 22 | 46 | 78 | 3.53 | 1 | 1.38 | <10 | 1.36 | 765 | <2 | 0.04 | 26 | 0.161 | 21 | 1.23 | <5 | 4 | 92 | <5 | 0.21 | <10 | <10 | 82 | <10 | 76 | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.



Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 0S0039RJ

Date : Jul-23-10

Sample type : CORE

Skyline Gold Corporation

Project : Bronson

Attention : Arnd Burgert

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | AI % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Hg ppm | К % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P % | Pb ppm | s % | Sb ppm | Sc ppm | Sr ppm | Th ppm | Ti % | TI ppm | U ppm | V ppm | W ppm | Zn ppm p | Zr ppm |
|------------------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------|------------|--------|-----------|---------|-----------|-----------|---------|-----------|--------|-----------|--------|-----------|-----------|-----------|-----------|--------------|-----------|------------|----------|------------|-------------|-----------|
| 166369 | <0.2 | 2.77 | 29 | 377 | 1.3 | <5 | 2,52 | 3 | 22 | 52 | 30 | 3.91 | 1 | 1.39 | <10 | 2.74 | 1085 | <2 | 0.04 | 12 | 0.158 | 24 | 0.62 | <5 | 10 | 81 | <5 | 0.23 | <10 | <10 | 173 | <10 | 71 | 2 |
| 166370 | <0.2 | 2.52 | 31 | 291 | 1.4 | <5 | 2.65 | 3 | 17 | 39 | 18 | 3.45 | 1 | 1.41 | <10 | 2.37 | 908 | <2 | 0.04 | 9 | 0.169 | 19 | 0.44 | <5 | - 8 | 88 | < 5 | 0.23 | <10 | <10 | 148 | <10 | 65 | 2 |
| 166371 | <0.2 | 2.31 | 53 | 274 | 1.3 | <5 | 2.89 | 3 | 23 | 36 | 44 | 3.77 | 2 | 1.31 | <10 | 2.17 | 884 | <2 | 0.04 | 10 | 0.154 | 18 | 0.86 | <5 | 7 | 114 | <5 | 0.23 | <10 | <10 | 140 | <10 | 65 | 2 |
| 166372 | <0.2 | 2.16 | 22 | 188 | 1.0 | <5 | 2.49 | 2 | 14 | 32 | 19 | 3.06 | 1 | 0.84 | <10 | 2.12 | 840 | <2 | 0.05 | | 0.138 | 16 | 0.52 | <5 | . 6 | 103 | <5 | 0.17 | <10 | <10 | 125 | < 10 | 82 | 2 |
| 166373 | <0.2 | 1.69 | 19 | 227 | 1.1 | <5 | 3.24 | 2 | 13 | 22 | 34 | 2.95 | 2 | 1.08 | <10 | 1.41 | 821 | <2 | 0.03 | 11 | 0.129 | 12 | 0.77 | <5 | 3 | 157 | <5 | 0.16 | <10 | <10 | 73 | <10 | 68 | 2 |
| 166374 | 0.8 | 2.10 | 91 | 36 | 1.1 | <5 | 0.85 | 10 | 63 | 60 | 333 | 9.43 | <1 | 1.50 | <10 | 1.69 | 498 | <2 | 0.02 | 42 | 0.107 | 29 | 5.07 | <5 | 3 | 42 | <5 | 0.17 | <10 | 11 | 79 | <10 | 187 | 4 |
| 166375 | <0.2 | 0.02 | <5 | <10 | <0.5 | <5 | >25.00 | <1 | <1 | 1 | <1 | 0.04 | 4 | 0.01 | <10 | 1.28 | 28 | <2 | <0.01 | <1 | 0.002 | <2 | 0.76 | <5 | <1 | 125 | <5 | < 0.01 | <10 | 10 | 1 | <10 | <1 | <1 |
| 166376 | <0.2 | 1.27 | 49 | 168 | 0.7 | <5 | 3.13 | 2 | 14 | 36 | 90 | 3.19 | <1 | 0.80 | <10 | 1.00 | 710 | <2 | 0.03 | 19 | 0.121 | 12 | 1.20 | <5 | 3 | 177 | <5 | 0.09 | <10 | <10 | 62 | <10 | 59 | 2 |
| 166377 | <0.2 | 0.47 | 15 | 29 | <0.5 | <5 | 1.34 | 1 | 2 | 125 | 68 | 1.21 | <1 | 0.07 | <10 | 0.43 | 286 | <2 | 0.03 | 8 | 0.043 | 7 | 0.39 | <5 | 1 | 135 | <5 | <0.01 | <10 | <10 | 19 | <10 | 54 | 1 |
| Duplicates: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 166279 | 1.4 | 1.98 | 84 | 287 | 0.9 | <5 | 2.21 | 6 | 15 | 33 | 43 | 3.62 | <1 | 1.38 | <10 | 1.59 | 801 | 2 | 0.05 | 36 | 0.201 | 375 | 1.01 | <5 | 3 | 164 | <5 | 0.14 | <10 | <10 | 65 | <10 | 634 | 2 |
| 166288 | 0.2 | 1.40 | 69 | 161 | 1.0 | <5 | 3.75 | 2 | 17 | 58 | 69 | 3.35 | 1 | 1.01 | <10 | 1.12 | 749 | 2 | 0.05 | 52 | 0.109 | 13 | 0.87 | <5 | 4 | 285 | <5 | 0.18 | <10 | <10 | 64 | <10 | 40 | 2 |
| 166298 | 0.7 | 1.57 | 56 | 138 | 0.8 | <5 | 3.20 | 6 | 15 | 43 | 161 | 4.44 | 1 | 1.38 | <10 | 1.45 | 1221 | 3 | 0.02 | 61 | 0.128 | 28 | 1.64 | <5 | 2 | 290 | <5 | 0.17 | <10 | <10 | 62 | <10 | 275 | 3 |
| 166301 | 7.5 | 1.19 | 156 | 116 | 0.7 | <5 | 3.89 | 18 | 30 | 41 | 351 | 6.50 | 4 | 1.04 | <10 | 0.87 | 1782 | 4 | 0.01 | 61 | 0.092 | 1691 | 4.99 | 13 | 1 | 359 | <5 | 0.10 | <10 | <10 | 34 | 22 | 1567 | 4 |
| 166310 | 0.6 | 0.70 | 135 | 109 | <0.5 | <5 | 3.34 | 4 | 24 | 34 | 49 | 2.98 | 4 | 0.59 | <10 | 1.18 | 1375 | 4 | 0.02 | 90 | 0.115 | 85 | 1.34 | <5 | 2 | 298 | <5 | 0.04 | <10 | <10 | 20 | <10 | 230 | 3 |
| 166320 | 1.8 | 1.31 | 88 | 211 | 0.8 | <5 | 2.37 | 10 | 18 | 40 | 98 | 3.26 | 3 | 1.11 | <10 | 1.04 | 1240 | 2 | 0.03 | 33 | 0.096 | 489 | 1.31 | <5 | 1 | 201 | <5 | 0.12 | <10 | <10 | 36 | 13 | 1089 | 3 |
| 166323 | 1.5 | 1.42 | 37 | 207 | 0.8 | <5 | 2.32 | 8 | 11 | 56 | 32 | 2.61 | <1 | 1.10 | <10 | 1.01 | 1362 | 3 | 0.04 | 13 | 0.057 | 392 | 0.62 | <5 | 2 | 168 | <5 | 0.12 | <10 | <10 | 44 | <10 | 1013 | 2 |
| 166332 | 0.2 | 1.95 | 66 | 203 | 1.4 | <5 | 5.53 | 4 | 21 | 82 | 88 | 3.77 | 1 | 1.75 | <10 | 1.73 | 1096 | 5 | 0.03 | 89 | 0.134 | 21 | 1.23 | <5 | 4 | 403 | <5 | 0.20 | 10 | <10 | 61 | <10 | 69 | 2 |
| 166342 | 0.2 | 2.21 | 34 | 123 | 1.4 | <5 | 3.72 | 6 | 17 | 10 | 84 | 4.39 | <1 | 0.79 | <10 | 1.88 | 982 | 4 | 0.05 | 4 | 0.189 | 43 | 1.13 | <5 | 4 | 151 | <5 | 0.19 | 10 | <10 | 116 | <10 | 124 | 3 |
| 166345 | <0.2 | 1.97 | 42 | 119 | 0.8 | <5 | 2.70 | 5 | 24 | 20 | 218 | 5.12 | <1 | 0.58 | 11 | 1.68 | 790 | 2 | 0.05 | 4 | 0,187 | 28 | 2.24 | <5 | 5 | 127 | <5 | 0.11 | <10 | <10 | 124 | <10 | 91 | 2 |
| 166354 | 0.3 | 1.32 | 25 | 127 | 0.9 | <5 | 2.98 | 3 | 14 | 19 | 151 | 2.97 | <1 | 1.02 | <10 | 0.97 | 945 | <2 | 0.03 | 17 | 0.137 | 31 | 1.29 | <5 | 2 | 98 | <5 | 0.15 | <10 | <10 | 47 | <10 | 103 | 2 |
| 166364 | <0.2 | 2.82 | 58 | 480 | 1.3 | <5 | 1.62 | 3 | 14 | 43 | 36 | 3.65 | <1 | 2.21 | <10 | 2.76 | 1060 | <2 | 0.05 | 16 | 0.144 | 11 | 0.53 | <5 | 7 | 58 | <5 | 0.22 | <10 | <10 | 146 | <10 | 54 | 2 |
| 166367 | 3.2 | 1.00 | 58 | 159 | 0.5 | 7 | 0.69 | 5 | 16 | 59 | 2851 | 3.61 | <1 | 0.44 | 22 | 0.57 | 284 | 225 | 0.02 | 13 | 0.055 | 123 | 1.19 | 16 | 3 | 30 | 11 | 0.03 | <10 | <10 | 37 | <10 | 160 | 5 |
| 166376 | <0.2 | 1.26 | 48 | 164 | 0.6 | <5 | 3.03 | 2 | 13 | 36 | 93 | 3.09 | 1 | 0.80 | <10 | 0.97 | 700 | <2 | 0.03 | 19 | 0.117 | 11 | 1.14 | <5 | 3 | 166 | <5 | 0.09 | <10 | <10 | 60 | <10 | 56 | 2 |
| Standards | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blank | <0.2 | <0.01 | < 5 | <10 | <0.5 | < 5 | <0.01 | <1 | <1 | <1 | <1 | <0.01 | <i>c</i> 1 | < 0.01 | <10 | <0.01 | ~5 | ~2 | 0.01 | ~1 | <0.001 | ~2 | <0.01 | ~5 | ~1 | -1 | ~5 | -0.01 | ~10 | <10 | | -10 | | |
| CH-4 | 2.1 | 1.87 | 14 | 294 | 1.0 | <5 | 0.62 | 4 | 30 | 109 | 2093 | 4.69 | <1 | 1.42 | 14 | 1.29 | 343 | -2 3 | 0.06 | 53 | 0.070 | 18 | 0.60 | <5 | 7 | 10 | <5 | 0.01 0.22 | <10 10 | <10 <10 | <1 85 | <10 <10 | 195 | <1 16 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Page 4 of 4



Quality Assaying for over 35 Years

Assay Certificate

0S-0039-RA1

Jul-23-10

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

| company. | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

We hereby certify the following assay of 22 core samples submitted Jul-02-10

| Sample | Au | Sample-wt | | |
|-------------|---------|-----------|---|--|
| Name | g/tonne | Kg | | |
| 166279 | 0.01 | 3.5 | | ····· |
| 166280 | 0.01 | 4.5 | | |
| 166281 | 0.01 | 4.5 | | |
| 166282 | 0.01 | 4.5 | | |
| 166283 | 0.02 | 4.5 | | |
| 166284 | <0.01 | 2,0 | • | ······································ |
| 166285 | 0.04 | 3.5 | | |
| 166286 | <0.01 | 1.5 | | |
| 166287 | 0.01 | 4.5 | | |
| 166288 | 0.01 | 4.0 | | |
| 166289 | 0.02 | 4.0 | | |
| 166290 | 0.01 | 3.5 | | |
| 166291 | 0.05 | 4.0 | | |
| 166292 | 0.02 | 4.0 | | |
| 166293 | 0.03 | 4.0 | | |
| 166294 | 0.03 | 3.0 | ······· | ······································ |
| 166295 | 0.04 | 2.5 | | |
| 166296 | 0.32 | 3.0 | | |
| 166297 | 0.10 | 3.5 | | |
| 166298 | 0.04 | 4.0 | | |
| 166299 | 0.03 | 4.0 | | |
| 166300 | 0.22 | 2.5 | | |
| *DUP 166279 | 0.01 | | | |
| *DUP 166288 | 0.01 | | | |
| *DUP 166298 | 0.05 | | | |
| *0211 | 2.08 | | | ····· |
| *BLANK | <0.01 | | | |

Au 50g F.A. AA finish

Certified by_



Quality Assaying for over 35 Years

Assay Certificate

0S-0039-RA2

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-23-10

We *hereby certify* the following assay of 22 core samples submitted Jul-02-10

| Sample | Au | Sample-wt | Zn | |
|-------------|---------|-----------|-------|--|
| Name | g/tonne | Kg | % | |
| 166301 | 0.23 | 2.0 | | |
| 166302 | 0.33 | 3.5 | | |
| 166303 | 0.18 | 3.0 | | |
| 166304 | 0.04 | 3.0 | | |
| 166305 | 0.13 | 2.0 | | |
| 166306 | 0.31 | 3.0 | 1.50 | |
| 166307 | 0.29 | | | |
| 166308 | 0.02 | 4.5 | | |
| 166309 | 0.02 | 5.0 | | |
| 166310 | 0.02 | 6.0 | | |
| 166311 | 0.01 | 4.5 | | |
| 166312 | 0.03 | 4.0 | | |
| 166313 | 0.02 | 4.0 | | |
| 166314 | 0.04 | 4.0 | | |
| 166315 | 0.05 | 2.0 | | |
| 166316 | 0.01 | 1.5 | | |
| 166317 | 0.01 | 2.0 | | |
| 166318 | 0.01 | 2.5 | | |
| 166319 | 0.03 | 2.5 | 2.55 | |
| 166320 | 0.02 | 2.0 | | |
| 166321 | 0.02 | 3.0 | | |
| 166322 | <0.01 | 2.5 | | |
| *DUP 166301 | 0,22 | | | |
| *DUP 166310 | 0.03 | | | |
| *DUP 166320 | 0.02 | | | |
| *0211 | 2.08 | | | |
| *ME-3 | | | 0.85 | |
| *BLANK | <0.01 | | <0.01 | |
| | | | | |

Au 50g F.A. AA finish.Zn A.R. Digest/A.A.

Certified by___



Quality Assaying for over 35 Years

Assay Certificate

0S-0039-RA3

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-23-10

We *hereby certify* the following assay of 22 core samples submitted Jul-02-10

| Sample | Au | Sample-wt | Zn | |
|-------------|---------|-----------|-------|--|
| Name | g/tonne | Kg | % | |
| 166323 | 0.03 | 4.5 | | |
| 166324 | 0.01 | 2.5 | | |
| 166325 | 0.15 | 2.0 | 1.50 | |
| 166326 | 0.09 | 4.0 | 1.65 | |
| 166327 | 0.03 | 3.5 | | |
| 166328 | 0.01 | 0.4 | | · · · · · · · · · · · · · · · · · · · |
| 166329 | 0.23 | 2.0 | 1.60 | |
| 166330 | 0.03 | 3.5 | | |
| 166331 | 0.03 | 3.5 | | |
| 166332 | 0.03 | 3.5 | | |
| 166333 | 0.03 | 2.5 | | |
| 166334 | 0.01 | 4.0 | | |
| 166335 | 0.02 | 4.0 | | |
| 166336 | 0.01 | 4.5 | | |
| 166337 | 0.01 | 4.0 | | |
| 166338 | 0.01 | 3.5 | | ······································ |
| 166339 | 0.02 | 4.5 | | |
| 166340 | 0.05 | 4.5 | | |
| 166341 | <0.01 | 4.0 | | |
| 166342 | 0.14 | 4.5 | | |
| 166343 | 0.07 | 5.5 | | |
| 166344 | 0.04 | 5.0 | | |
| *DUP 166323 | 0,02 | | | |
| *DUP 166332 | 0.02 | | | |
| *DUP 166342 | 0.16 | | | |
| *0211 | 2.04 | | | |
| *ME-3 | | | 0.85 | |
| *BLANK | <0.01 | | <0.01 | |
| | | | | |

Au 50g F.A. AA finish.Zn A.R. Digest/A.A.

Certified by_



Quality Assaying for over 35 Years

Assay Certificate

.

Vancouver, B.C. V5X 4R6

Assayers Canada 8282 Sherbrooke St.

Tel: (604) 327-3436

Fax: (604) 327-3423

0S-0039-RA4

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-23-10

We hereby certify the following assay of 22 core samples submitted Jul-02-10

| Sample | Au | Sample-wt | |
|-------------|---------|-----------|--|
| Name | g/tonne | Kg | |
| 166345 | 0.11 | 3.0 | ······································ |
| 166346 | 0.12 | 4.5 | |
| 166347 | 0.21 | 4.5 | |
| 166348 | 0.06 | 4.5 | |
| 166349 | 0.12 | 4.0 | |
| 166350 | 0.04 | 5.0 | |
| 166351 | 0.03 | 4.5 | |
| 166352 | 0.02 | 3.5 | |
| 166353 | 0.07 | 5.0 | |
| 166354 | 0.03 | 5.0 | |
| 166355 | 2.39 | 0.2 | |
| 166356 | 1.96 | 0.3 | |
| 166357 | 0.04 | 3.5 | |
| 166358 | 0.02 | 3.5 | |
| 166359 | 0.06 | 2.0 | |
| 166360 | 0.71 | 4.0 | |
| 166361 | 0.39 | 4.5 | |
| 166362 | 0.17 | 4.5 | |
| 166363 | 0.04 | 5.0 | |
| 166364 | 0.02 | 4.0 | |
| 166365 | 0.03 | 4.0 | |
| 166366 | 0.01 | 4.0 | |
| *DUP 166345 | 0.11 | | |
| *DUP 166354 | 0.03 | | |
| *DUP 166364 | 0.02 | | |
| *0211 | 2.25 | | ······································ |
| *BLANK | <0.01 | | |

Au 50g F.A. AA finish

Certified by_



Quality Assaying for over 35 Years

Assay Certificate

Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

0S-0039-RA5

Jul-23-10

| Company: | Skyline Gold Corporation |
|----------|--------------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

We *hereby certify* the following assay of 11 core samples submitted Jul-02-10

| Sample | Au | Sample-wt | |
|-------------|---------|-----------|--|
| Name | g/tonne | Kg | |
| 166367 | 1.00 | | |
| 166368 | 0.02 | 5.0 | |
| 166369 | 0.01 | 4.0 | |
| 166370 | <0.01 | 4.5 | |
| 166371 | 0.02 | 4.0 | |
| 166372 | 0.02 | 3.5 | |
| 166373 | 0.01 | 3.0 | |
| 166374 | 0.17 | 1.0 | |
| 166375 | <0.01 | 0.4 | |
| 166376 | 0.04 | 4.0 | |
| 166377 | 0.02 | | |
| *DUP 166367 | 1.01 | | |
| *DUP 166376 | 0.04 | | |
| *0211 | 2.20 | | |
| *BLANK | <0.01 | | |

Au 50g F.A. AA finish

Certified by_



DIAMOND DRILL HOLE LOG

| HOLE: | SK10-10 | CONTRACTOR: | ITRACTOR: Driftwood Diamond Drilling Ltd. | | | | | | |
|---|---|----------------------------|---|--|--|--|--|--|--|
| COLLAR COORDINAT Easting: Northing: | ES UTM (NAD 83): 373810.4 6280803.3 | DATE STARTED: 23-Jun-10 | | | | | | | |
| COLLAR COORDINAT Northing: Easting: | ES MINE GRID: 11860 27610 | DATE COMPLET | ED: 25-Jun-10 | | | | | | |
| COLLAR ELEVATION: | 566.7m | CORE SIZE: NQ | | | | | | | |
| FINAL DEPTH: | 150.0m | RIG: SF | RS 3000 Hydraulic | | | | | | |
| SURVEYS: Depth 0 | Azimuth 030.0 | Inclination -55.0 | Method compass, clinometer Reflex Reflex | | | | | | |

Page: 2 of 18 pages



| From | То | | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|-------|----------------|---|--------|-------|-------|----------|------|------|-----|-------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| 0 | 9.00 | CASING | | | | | | | | |
| 9.00 | 11.86 | GREYWACKE | 697201 | 9.06 | 10.86 | 1.80 | 0.07 | 15.1 | 228 | 11100 |
| | Dark grey g | reywacke with fine to med-grained mafic grains weak | 697202 | 10.86 | 11.86 | 1.00 | 0.16 | 21.7 | 228 | 14300 |
| | pervasive w | visps of chlorite/sericite alteration with weak- | | | | | | | | |
| | moderate p | pervasive biotite alteration. 4-5% fine-grained Sph | | | | | | | | |
| | mostly asso | ociated with calcite (with minor qtz) stringers/veinlets, | | | | | | | | |
| | 1-2% disser | ninated Py, trace Gal, and trace Cpy.1-2% calcite | | | | | | | | |
| | stringers wi | ith the above mentioned sulphides with | | | | | | | | |
| | angular/blo | ocky blebby chlorite. 5-10 mm by 5-10 mm. Locally | | | | | | | | |
| | weakly mag | gnetic. | | | | | | | | |
| | @ 10.97 is | a 50-55 TCA HI 10-25 mm wide with 5-10% Sph with | | | | | | | | |
| | ~5% very fi | nely disseminated silver metallic mineral pervasively | | | | | | | | |
| | throughout | the HI, 1-2% rare blebs of Py, trace-1% disseminaetd | | | | | | | | |
| | Gal, trace-0 | 0.1% blebby Cpy, 60-65% massive chlorite, and the rest | | | | | | | | |
| | interstitial o | calcite. | | | | | | | | |
| | From 11.04 | to end of this unit has 8-12 stringers with very | | | | | | | | |
| | random ori | entations (75 and 45-45 with no particular pattern), | | | | | | | | |
| | mostly 2-5 | mm with up to 10 mm wide. These stringers have Sph | | | | | | | | |
| | with only q | tz or only calcite, +/-Py, +/- Gai | | | | | | | | |
| 11.86 | 19.95 | FELDSPATHIC GREYWACKE (MOSTLY DUE TO | 697203 | 11.86 | 12.74 | 0.88 | 0.07 | 4.8 | 186 | 884 |
| | | ALTERATION) | 697204 | 12.74 | 13.69 | 0.95 | 0.09 | 2.7 | 148 | 232 |
| | Light grey t | o med grey feldspathic greywacke (due to | 697205 | 13.69 | 14.69 | 1.00 | 0.53 | 18.3 | 323 | 453 |
| | hydrotherm | nal fluids causing alteration of mafic minerals into | 697206 | 14.69 | 15.69 | 1.00 | 0.02 | 0.4 | 39 | 38 |
| | feldspathic | minerals, likely K-spar, hence potassic alteration). | 697207 | 15.69 | 17.69 | 2.00 | 0.02 | 0.4 | 105 | 50 |
| | There looks | s to be at least 3 phases at alteration (seen at 13.6 to | 697208 | 17.69 | 19.23 | 1.54 | 0.02 | <0.2 | 66 | 167 |
| | 13.85 m). 1 | There appears to be a pervasive moderate-intense | 697209 | 19.23 | 19.95 | 0.72 | 0.01 | 1.1 | 277 | 89 |
| | Kspar altera | ation (light grey) then a mafic influx of moderate | | | | | | | | |
| | patchy biot | ite alteration (black), then a 2nd generation of Kspar, | | | | | | | | |
| | much weak | er (stringer like) K-spar alteration that cross-cuts the | | | | | | | | |
| | biotitic alte | ration. Within the 60-100 mm wide biotite alteration | | | | | | | | |
| | is a 15-25 n | nm wide 65-70 TCA 40-45% Py, with 2-3% rare Sph | | | | | | | | |

Page: 3 of 18 pages



| From | То | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|-------|--|--|---|---|--------------------------------------|--------------------------------------|---------------------------------|-----------------------------|----------------------------|
| (m) | (m) Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | blebs, trace Po with interstitial chlorite-calcite-silica (40:30:30) Mineralizing HI are quite high TCA;65, 65-70, 70, 80 from 12 m to 14.5 m. Overall, this unit has from 11.86m to 14.69 more sulphides (5-10% disseminated and stringer Py, ~1-2% blebby Sph mainly in HIs, trace Gal, trace Po.~1% hairline to 1 mm calcite stringers with rare wider (~35 mm wide qtz dominated veinlet). From 14.69 to end of this unit has less sulphides at ~1% disseminated Py with <0.5% calcite stringers. Also, the lighter grey parts (inferred to be Kspar altered, have a calcareous matrix/cement, mainly from 13.46 to end of this unit. However, first introduction of calcareous cement is at 12.13 m. @ 12.16 is a 35 mm wide qtz dominated veinlet, 25 TCA. @ 18.11 is a 35 TCA bedding plane highlighted by light grey (suspect Kspar altered banded with mafics) 2-3 mm bands for 10 mm. From 19.23 to 19.95 has an elevated presence of Py with frequent Py stringers and blebby disseminated, Py = 10-12% | | | | | | | | |
| 19.95 | 29.04 LITHIC GREYWACKE Med grey lithic greywacke with some rounded intrusive-looking high sphericity clasts up to 110 mm diameter ~3-5% of total interval rock volume and sub-rounded to sub-angular mostly feldspathic clasts 2-10 mm diameter. Intermittent pervasive weak K-spar alteration.0.1 to 2% disseminated Py/Po with locally up to ~15% (21.82 m to 22.2 m)There are some intervals that make the rock look feldspathic (23.34 to 24.05m) but this likely due to some variant of silica/feldspathic enrichment). @ 21.90 20-25 TCA 50 mm wide HI. This HI likely brought in the higher amount of Py within this interval (21.82 to 22.2) ~15% | 697210 697211 697212 697213 697214 | 19.95 21.70 22.20 24.50 26.75 | 21.70 22.20 24.50 26.75 29.04 | 1.75 0.50 2.30 2.25 2.29 | 0.06 0.01 0.03 0.03 0.03 | 0.2 0.6 0.2 0.2 0.4 | 70 104 63 72 54 | 59 30 46 42 35 |

Page: 4 of 18 pages



| From | То | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|-------|---|-----------------------|----------------|----------------|--------------|--------------|-------------|----------|-----------|
| (m) | (m) Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| 29.04 | disseminated and stringer Py. @ 26.2 is 60 TCA apparent bedding plane highlighted by differing shades of grey (Ksp alteration?) @ 27.31 to 27.61 there are bedding planes ranging from 40 to 55-60 TCA. Also highlighted by differing amoutns of feldspathic minerals in the differing bedding planes. 32.73 INTERMEDIATE PORPHYRYTIC DYKE This intermediate dyke looks very alike the one seen in the interval 28.84 to 31.05m of SK-10-09, thus it should be the same one with euhedral suspect hornblende and tourmaline, etc. 1-5 mm by 0.5-1 mm hornblende (?) laths (6-8%), 1-2 mm diameter suspect tourmaline (6-8%) subhedral hexagonal crystals with 1-2 mm silica spots (5-10%). No faint green halos are observed in thi dyke, as it was in SK-10-09. Note that from 29.45 to 31.25 it doe not appear to be of dyke composition, but more like the country rock. Perhaps the dyke split into two (from 29.04 t 29.45 and 31.25 to 32.73) and the unit inbetween is a transition zone (it appears to be of med. grained and feldspathic) between the country rock and dyke. | 697215 697216 s | 29.04 31.25 | 31.25 32.73 | 2.21 1.48 | 0.03 0.02 | 0.5 <0.2 | 65 37 | 51 117 |
| | @ 29.04 is a contact angle between the upper lithic greywacke and lower intermediate dyke of 30-35 TCA. @ 32.73 is the contact between the upper intermediate dyke and the lower lithic greywacke. However, due to the poor preservation of the core, structural measurements can not be taken. It appears to be fairly high angle (near perpendicular) | | | | | | | | |
| 32.73 | 40.95 LITHIC GREYWACKE | 697217 | 32.73 | 34.00 | 1.27 | 0.02 | 0.4 | 47 | 24 |
| | This grey-brown lithic greywacke looks similar to the 19.95m to | 697218 | 34.00 | 35.14 | 1.14 | 0.03 | 0.3 | 53 | 39 |
| | 29.04 m lithic greywacke unit in this hole except that it lacks the | 697219 | 35.14 | 37.00 | 1.86 | 0.03 | 0.3 | 52 | 61 |
| | higher level of Kspar alteration (Thus, giving it a less grey looking | 697220 | 37.00 | 39.00 | 2.00 | 0.01 | <0.2 | 54 | 63 |
| | component). 6-8% of 20 mm to >150 mm diameter intrusive, or | 697221 | 39.00 | 40.95 | 1.95 | 0.01 | <0.2 | 40 | 31 |

Page: 5 of 18 pages



| From | То | | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|--------------|--|--|-----------------------------------|--------------------------------|--------------------------------|-----------------------------|---------------------|--------------------------|------------------------|------------------------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| (m) 40.95 | (m) pebble cons sphericity. (mm diamet intrusive/cc 7% finely di replacemen brown hue weakly alte effervescen From 34.43 TCA 1-5 mm 46.85 Grey greyw 41.25m to 4 greywacke since the bo and darker curvy, and/ sediments | Description glomerate clasts, mostly well rounded with moderate Other than that clasts are mostly angular to 2 to 10 er with some sub-rounded clasts. The non- onglomerate clasts comprise ~ 15-20% of unit. 0.5 to sseminated to disseminated, stringers and some clast at Py (higher Py levels from 32.73 to 35.14). The component could be a result of the matrix starting to ring to biotite. ~1% calcite stringers with pervasive ce, hence a calcareous matrix. B to 34.73 are bedding planes ranging from 55 to 65 in thick. GREYWACKE acke with some intervals of feldspathic greywacke (13.25) (this interval appearing like a feldspathic is very likely due to high influx of Kspar alteration oundaries between the lighter (feldspathic minerals) (mafic/fine-grained matrix) are non linear, wavy, or orientated as if fluids were introduced rather than were deposited. The interval betwen 45.42 to 45.71 | No. 697222 697223 697224 | (m) 40.95 43.00 45.00 | (m) 43.00 45.00 46.85 | (m) 2.05 2.00 1.85 | g/t 0.01 0.02 | g/t 0.3 0.3 0.8 | ppm 45 55 110 | ppm 46 91 102 |
| | has lithic cla Fairly rapidl going from calcareous disseminate @ 46.45 is mafic/matr | asts/granule sized grains 2-15 mm diameter clasts. ly changing bedding plane angles at 45.05 to 45.25 15 to 30 to 25 TCA.~1% calcite stringers with a matrix. Trace to 0.5% finely disseminated and ed Py with no notable Py stringers. Is a bedding plane 30 to 35 TCA highlighted by a ix band with a a more feldspathic unit (grains visible) | | | | | | | | |
| 46.85 | 64.18 | FELDSPATHIC GREYWACKE (WITH LITHIC GW and MINOR GW INTERBEDDED) | 697225 697226 | 46.85 49.00 | 49.00 51.00 | 2.15 2.00 | 0.02 0.02 | 0.5 0.9 | 84 69 | 99 91 |

Page: 6 of 18 pages



| - | | | | | 1 | | | GUL | D GURPURATIO |
|------|--|--------|-------|-------|----------|------|-----|-----|--------------|
| From | То | Sample | From | То | Interval | Au | Ag | Cu | Zn |
| (m) | (m) Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | Med grey with a tinge of brown (due to the matrix altering | 697227 | 51.00 | 53.00 | 2.00 | 0.09 | 0.9 | 82 | 84 |
| | weakly to biotite). Med to fine-grained (all units up to this point | 697228 | 51.00 | 53.00 | DUP | 0.04 | 0.7 | 83 | 87 |
| | were med to fine-grained) with trace to 0.5% up to 59.05 and | 697229 | 53.00 | 55.00 | 2.00 | 0.02 | 0.4 | 68 | 69 |
| | from 59.05 to 62.10 is 1-4% disseminated and, mostly due to, Py | 697230 | 55.00 | 57.00 | 2.00 | 0.08 | 0.2 | 58 | 44 |
| | stringers and from 62.1 to 64.18 is trace to 1%. From 51.40 to | 697231 | 57.00 | 59.05 | 2.05 | 0.07 | 1.0 | 76 | 91 |
| | 58.43 there are intermittent clasts 20 to 70 to 100 mm diameter | 697232 | 59.05 | 60.40 | 1.35 | 0.09 | 1.4 | 98 | 79 |
| | intrusive looking (possibly a granite due to the abundance of | 697233 | 60.40 | 61.78 | 1.38 | 0.09 | 1.2 | 116 | 121 |
| | silica-rich 1-3 mm diameter phenocrysts) clasts present with a 20- | 697234 | 61.78 | 64.18 | 2.40 | 0.03 | 0.6 | 58 | 82 |
| | 30 cm gap inbetween each other. The majority of the unit has a | | | | | | | | |
| | calcareous (calcite) matrix. This is what appears to be giving the | | | | | | | | |
| | unit the grey colour (the calcite cement) as the more brown | | | | | | | | |
| | portions are not calcareous. 1-2% calcite stringers. | | | | | | | | |
| | | | | | | | | | |
| | From 48.48 to 49 m are a series of bedding planes 20-25 TCA | | | | | | | | |
| | highilghted by feldspathic-rich and fine-grained mafic beds 1mm | | | | | | | | |
| | to up to 20 mm thick. | | | | | | | | |
| | From 54 to 54.07 is a minor greywacke bed/interval. | | | | | | | | |
| | @ 55.08 is a 35 TCA bedding plane highlighted by feldspathic- | | | | | | | | |
| | rich plane with fine-grained mafic rich plane. | | | | | | | | |
| | From 57.2 to 57.7 there are a series of calcite stringers (3 that | | | | | | | | |
| | are ~2-3 mm wide and 10-20 hairline) that have concordant | | | | | | | | |
| | angles of ~20 TCA. | | | | | | | | |
| | @ 56.47 there is a 55-60 TCA 10-15 mm wide 80-85 % Py with | | | | | | | | |
| | interstitial qtz, calcite and f.g. Biotite. | | | | | | | | |
| | @ 60.92 there is a HI with UCA = 80, LCA = 50, 35-40 mm wide | | | | | | | | |
| | with 30-35% Py, 35-40% biotite (could be dark brown Sph but it is | | | | | | | | |
| | too soft), and the rest is interstitial qtz, calcite, and wall rock. | | | | | | | | |
| | | | | | | | | | |
| | From 60.4 to 61.78 are multiple (~ 10-15) mainly Py stringers | | | | | | | | |
| | with interstitial silica, calcite, biotite +/ country rock. Py=30-60%. | | | | | | | | |
| | These stringers/veinlets are mainly -3 mm up to one that is 40 | | | | | | | | |
| | mm. | | | | | | | | |

Page: 7 of 18 pages



| From | То | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|-------|--|--------|--------|--------|----------|------|-----|------|-----|
| (m) | (m) Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | From 62.43 to 64.18 are multiple bedding planes highlighted by | | | | | | | | |
| | thinner (~1 mm) felsic (likely qtz) laminae in between thicker | | | | | | | | |
| | more mafic beds (1 to up to 10 mm thick) Angle ranges from 15 | | | | | | | | |
| | to 20 to 30 to 20-25 and 20-25, measurments taken | | | | | | | | |
| | approximately every 50 cm. | | | | | | | | |
| 64.18 | 72.77 ZEBRA STRIPED UNIT | 697235 | 64.18 | 66.20 | 2.02 | 0.01 | 0.5 | 43 | 100 |
| | This unit is name due to its more feldspathic-rich white | 697236 | 66.20 | 67.57 | 1.37 | 0.01 | 0.3 | 49 | 106 |
| | bands/blebs banded with the more still mafic-rich dark | 697237 | 67.57 | 69.90 | 2.33 | 0.04 | 0.6 | 60 | 111 |
| | purple/black bands/blebs (less flooded with silica). It would | 697238 | 69.90 | 71.40 | 1.50 | 0.02 | 0.5 | 70 | 68 |
| | appear that the unit looks feldspathic (even so to the point that it | 697239 | 71.40 | 73.40 | 2.00 | 0.04 | 0.8 | 90 | 108 |
| | could pass for a sandstone unit) (e.g. from 72.77 to 75.43 m). | 697240 | STD 12 | STD 12 | STD 12 | 0.31 | 2.9 | 2834 | 335 |
| | This can be interpreted as a results of silica/feldspar minerals | | | | | | | | |
| | flooding. At 65.16 m to 65.93 m, 78m to 78.4 m, and 80.55 to | | | | | | | | |
| | 80.72 one can observe that the feldspar/silica enrichment follows | | | | | | | | |
| | calcite (with minor silica) stringers. This could indicate that the | | | | | | | | |
| | feldspar-silica-rich blebs/bands are not sedimentary beds nor | | | | | | | | |
| | clasts and that they are due to hydrothermal fluids. Such an Fe | | | | | | | | |
| | dissolving event could be due to a reducing environment (?) The | | | | | | | | |
| | sequence of qtz and feldspar invasion could be observed to be | | | | | | | | |
| | feldspars 1st, then quartz as can be seen at 74.09 m with a | | | | | | | | |
| | veinlet with feldspars in the middle with quartz on both sides (3 | | | | | | | | |
| | times as much quartz on one side than the other side). There are | | | | | | | | |
| | also intervals that were relatively unaffected by the silica- | | | | | | | | |
| | feldspar flooding alteration (mafic matrix not as invaded making | | | | | | | | |
| | the unit almost look like a greywacke e.g. at 71.35 to 71.60) | | | | | | | | |
| | (Non-calareous unit (except for the ~2-3% calcite stringers mostly | | | | | | | | |
| | 40-60 TCA). 0.1 to 1% disseminated Py with rare Py stringers. | | | | | | | | |
| | Non-magnetic unit. This unit has a heavily broken and faulted | | | | | | | | |
| | interval (67.57 to 69.90 m)hence, FAULT. The alteration for this | | | | | | | | |
| | interval would be the silica/feldspar flooding/enrichment. | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

Page: 8 of 18 pages



| From | То | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|-------|--|--|---|--|---|--|--|--|--|
| (m) | (m) Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| (m) | (m) Description 64.4 to 64.8 is a 5-10 TCA FAULT with 6-7 mm fault gouge breccia weak spotty limonite, smooth, planar, with slickensides. From 67.57 to 67.95 is a FAULT with broken up rubble of core with minor fault breccia near the LCA. Suspect LCA is 15 TCA. This would explain the highly broken up rubble with the shallow fault angle TCA. From 68.44 to 68.5 is a piece of core with fault gouge that has an angle of 0-5 TCA. From 68.4 to 69.9 is a FAULT with broken up core with moderate amounts of clay fault gouge breccia. LCA appears to be 10 TCA. | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| 72.17 | @ 71.02 is a 30 TCA FAULT with slickensides and 0.5 mm clay fault gouge breccia. @ 72.08 is a 10 TCA fracture with slickensides and a veneer of clay gouge. Hence a minor FAULT. @ 72.50 is a 0-5 TCA FAULT with up to mm clay fault gouge breccia. This fault may be the same or is related to the one above. It seems to run till 73.57 discontinuously. 77.33 SILICA/FELDSPAR ENRICHED This unit could have originally been a greywacke or a feldspathic greywacke. What we can observe now is that it is presently a highly rich in feldspars and silica. There are hints of what appears to be remnants of the previous unit (e.g. 72.6 to 72.92) m. The only difference is that this unit had more intense flooding of | 697241 697242 697243 697244 697245 697246 | 73.40 74.40 75.43 75.82 76.15 | 74.40 75.43 75.43 75.82 76.15 76.44 | 1.00 1.03 DUP 0.39 0.33 0.29 | 0.04 0.06 0.09 0.93 2.48 2.14 | 1.8 10.3 15.5 70.4 117.5 66.6 | 46 494 594 1352 1038 1411 | 761 4877 5410 57000 >10000 >10000 |
| | feldspars and silica to the point that this unit now looks like a sandstone at parts (<15% of clay mud matrix, virtually none at some parts) There is 0% (none) of calcareous stringers and the matrix is not calcareous Ther are 1-2% qtz stringer/veinlets. The void of calcite and dominance of quartz is likely due to the silica/feldspar flooding. med to c.grained sand grains. 1-4% | 697247 697248 | BLANK 76.44 | BLANK 77.33 | BLANK 0.89 | 0.01 0.10 | 0.4 | 5 272 | 25 2259 |

Page: 9 of 18 pages



| Erom | То | Sample | From | То | Interval | Διι | Δσ | Cu | 7n |
|-------|--|--------|-------|-------|----------|------|--------|------|-----|
| (m) | (m) Description | No | (m) | (m) | (m) | g/t | σ/t | nnm | nnm |
| (11) | disseminated and stringer Py. There appears to be more Py in | 110. | (, | (111) | (, | 8/ 5 | - 6/ ° | 2211 | ppm |
| | the silica/feldspar flooded intervals than the not so invaded | | | | | | | | |
| | zones thus far. | | | | | | | | |
| | | | | | | | | | |
| | @ 74.09 is a 55-60 TCA there is a 25 mm gtz-feldspar banded | | | | | | | | |
| | veinlet. Note that the qtz is on the outside and the feldspar is on | | | | | | | | |
| | the inside. This would imply that the more likely scenario would | | | | | | | | |
| | be that the feldspars invaded first and then the qtz. | | | | | | | | |
| | | | | | | | | | |
| | @ 75.35 driu 75.43 dre 35 driu 35 TCA FAULTS with 1-3 min and | | | | | | | | |
| | 75 42 - 76 44 fault | | | | | | | | |
| | Highly broken up with abundant fault gouge breccia present. This | | | | | | | | |
| | unit is oxidized with limonite from 75 43 to 75 82 and from 75 82 | | | | | | | | |
| | to the end of this unit there are sulphides. Thus, there were oxic | | | | | | | | |
| | and anoxic conditions present in this interval. There are still | | | | | | | | |
| | some 0.5 to 1% disseminated Pv in the limonite oxidized interval. | | | | | | | | |
| | From 75.82 to 76.15 Py = 10-15% disseminated and Sph = 1-2%. | | | | | | | | |
| | From 76.15 to 76.44 is MASSIVE SULPHIDES with 90-95% Py and | | | | | | | | |
| | 1-2% Sph with interstitial silica and trace calcite. LCA is likely | | | | | | | | |
| | about 45 TCA. | | | | | | | | |
| | | | | | | | | | |
| 20 27 | 29 70 ZEDDA STDIDED LINIT | 697249 | 77 33 | 78 70 | 1 37 | 0.03 | 1 1 1 | 101 | 130 |
| //.55 | This unit is the same as the unit from 64 18 to 72 77 in that there | 057245 | //.55 | 70.70 | 1.57 | 0.05 | 1.1 | 101 | 150 |
| | is an influx of feldspar/guart through hydrothermal fluids that | | | | | | | | |
| | follow calcite stringers. Note that there are also calcite stringers | | | | | | | | |
| | that post date silica/feldspar influx (seen at 77.51 to 78 m) | | | | | | | | |
| | through the calcite stringers cross-cutting the feldspar/silica | | | | | | | | |
| | enriched parts. 0.5 to 1% disseminated Py. | | | | | | | | |
| | @ 78 14 is a 25 TCA discontinuous 10 15 mm wide dark areas | | | | | | | | |
| 1 | I the volta is a 55 LCA discontinuous 10-15 min while dark green | | 1 | | | I | I | I | |

Page: 10 of 18 pages



| From | То | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|-------|---|------------------|-------------------------|-------------------------|----------------------|--------------|------------|----------|----------------|
| (m) | (m) Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| 78.70 | chlorite with a slight metallic look (green Sph?) with biotite on the edges that appears to cross-cut the silica-feldspar enrichment and the calcite stringers, hence the lastest event (?) @ 77.64 and 77.71 are 2 stringers that are light blue and translucent, fairly soft, hence some sort of clay (?) 65 and 65 TCA and 10 mm and 5 mm wide. From 77.64 to 82.61 there are more of these light blue and translucent, fairly soft stringers mostly with biotite and +/- Py. 80.20 GREYWACKE This unit has had relatively low amount of feldspar-silica enrichment leaving it in a relatively uninvaded interval compared to the feldspar-silica enriched and zebra striped units. 0.5 to 1% disseminated Py. 3-5% calcite and qtz stringers with wider (7- 8mm) qtz veinlets. The presence or lack thereof stringers does not seem to affect the level of silica/feldspar enrichment as this interval has abundant stringers. @ 78.58 is 50 TCA 20-25 mm wide with Py=80-85% with interstitial qtz. | 697250 | 78.70 | 80.20 | 1.50 | 0.05 | 0.7 | 85 | 71 |
| 80.20 | 97.09 INTERBEDDED SILICA-FELDSPAR ENRICHED with ZEBRA STRIPED with GREYWACKE/FELDSPATHIC | 697251 697252 | 80.20 81.80 83.70 | 81.80 83.70 85.70 | 1.60 1.90 2.00 | 0.01 0.02 | 0.4 0.7 | 32 56 | 78 72 96 |
| | This interval grades in and out of these 3 units that differ mainly | 697254 | 85.70 | 87 70 | 2.00 | 0.02 | 0.0 | 50 | 90 81 |
| | in the level of silica/feldspar enrichment. Note that the zebra | 697255 | 87 70 | 88.80 | 2.00 | 0.01 | 0.4 | 38 | 58 |
| | strined unit is the "transition zone" grading in and out of the 2 | 697256 | 88.80 | 90.00 | 1.10 | 0.01 | 0.5 | 126 | 96 |
| | other units. From 80.20 m to 81.8m is the zebra striped unit. | 697257 | 90.00 | 91.20 | 1.20 | 0.02 | 1.9 | 146 | 271 |
| | 81.8 m to 83.70 is the feldspar-silica enriched zone (F.S. | 697258 | 91.20 | 92.20 | 1.00 | 0.05 | 4.4 | 136 | 3359 |
| | enriched). 83.7 to 88.8 is the zebra striped unit. 88.8 to 93.53 is | 697259 | 92.20 | 93.20 | 1.00 | 0.09 | 2.1 | 86 | 1119 |
| | mainly a feldspathic greywacke unit with short intervals of | 697260 | 93.20 | 94.52 | 1.32 | 0.04 | 9.0 | 189 | 5627 |
| | greywacke (88.8 to 89.62 and 91.42 to 91.62m). 93.53 to 97.09 is | 697261 | 94.52 | 96.43 | 1.91 | 0.01 | 0.8 | 23 | 2003 |

Page: 11 of 18 pages



| From | То | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|------|--|--------|-------|-------|----------|------|-----|-----|------|
| (m) | (m) Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | a zebra striped unit. From 80.2 to 83.7 (till the feldspathic | 697262 | 96.43 | 97.09 | 0.66 | 0.01 | 3.5 | 121 | 8226 |
| | greywacke unit) Py = 0.1 to 1% finely disseminated to | | | | | | | | |
| | disseminated. From 93.7 to 94.52 is 1-8% Py through | | | | | | | | |
| | disseminations mostly following bedding (15-25 TCA) replacing | | | | | | | | |
| | the feldspathic minerals rather than the mafic bedding layers. | | | | | | | | |
| | From 94.52 to 96.4 is trace-0.5% finely disseminated Py. 96.4 to | | | | | | | | |
| | 97.19 (cut off by dyke) is 2-3% blebby disseminate and stringer | | | | | | | | |
| | Py with 1-4% stringer Sph within interstitial qtz. | | | | | | | | |
| | From 79.97 to 81 is a 0 to 5 TCA undulating planar fracture. | | | | | | | | |
| | @ 81.1 is a 30 TCA minor FAULT with a 0.5 mm fault gouge | | | | | | | | |
| | breccia with minor clay. Fracture surface is limonitized weak- | | | | | | | | |
| | moderately. | | | | | | | | |
| | @ 82.88 is a 65-70 TCA fracture surface with a 0.5 mm of | | | | | | | | |
| | limonitized clay fault gouge, planar smooth. | | | | | | | | |
| | @ 83.10 is a 20-25 vuggy fracture surface with limonitized | | | | | | | | |
| | calcite in a qtz dominant veinlet. 10 mm clay fault gouge breccia. | | | | | | | | |
| | @ 83.79 is a 5-10 TCA FAULT with 8 mm clay fault gouge breccia | | | | | | | | |
| | with limonitized fracture surfaces. | | | | | | | | |
| | From 84.4 to 85.96 is a undulating 0-10 TCA FAULT with up to 6 | | | | | | | | |
| | mm clay fault gouge breccia. | | | | | | | | |
| | From 87.5 to 87.75 is a 10 TCA FAULT with a veneer of clay | | | | | | | | |
| | gouge. | | | | | | | | |
| | From 88.95 to 89.53 are a series of beds 15-20, 20-25, 25, 25 TCA | | | | | | | | |
| | with Py replacing some of the feldspathic-rich planes. Beds are | | | | | | | | |
| | ~1 mm thick. | | | | | | | | |
| | From 90 to 91.6 are bedding planes highlighted by differing | | | | | | | | |
| | amounts of mafic and feldspathic minerals in each plane; 20-25, | | | | | | | | |
| | 25-30, 40-45 TCA taken every~40 cm | | | | | | | | |
| | There are 3 His at 91.25, 92.1, and 92.3 that are 2-10 mm wide | | | | | | | | |
| | with 10-85% Py with interstitial calcite +/- silica. | | | | | | | | |

Page: 12 of 18 pages



| From | То | | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|--------|--|--|--|--------------------------------------|--|--------------------------------------|--------------------------------------|--------------------------|-----------------------------|------------------------------------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | @ 91.7 and with 15-40% interstitial/r From 96.4 to Sph with dis looking to th | 93.63 there are HIs with 15-25 TCA 5-10 mm wide 5 patchy Sph, 3-4% disseminated Py with natrix calcite +/- silica. 5 97.09 there are several His bearing blebby/patchy seminated Py 40-45 TCA and 3-10 mm wide, similar ne previous sets described above. | | | | | | | | |
| 97.09 | 100.55 Black mafic intensely ma blebby rasbo pervasively white spots, margin at U chill margin has an inter- hence the co 0% to trace the dyke i.e. brecciation with 2-3% b | MAFIC DYKE porphyritic dyke. This unit is pervasively moderate to agnetic poryphyritic with 1-4 mm mostly 1-2 mm erry red sub-anhedral suspect ankerite (?) This unit effervesces. Hence, Fe+carbonate= ankerite. ~1 mm /blebs of calcite, +/- plag, +/- qtz. 2-10 mm chill CA with 20 TCA (1 mm clay fault gouge breccia). LCA ~ 2-5 mm with ~ 25 TCA. The bottom 90 cm length val with no phenocrysts (no ankerite/aphanitic) ontact may run quite close to parallel TCA near here. very finely disseminated Py. Note: ~17 cm below . 100.55 to 100.82 there is a hydrothermal likely caused when the dyke pentretated through lebby disseminated Py. | 697263 697264 | 97.09 98.80 | 98.80 100.55 | 1.71 1.75 | <0.01 <0.01 | <0.2 <0.2 | 53 51 | 137 145 |
| 100.55 | 119.42 | INTERMITTENT SILICA-FELDSPAR ENRICHED with ZEBRA STRIPED with GREYWACKE/FELDSPATHIC GREYWACKE with HYDROTHERMAL BRECCIA | 697265 697266 697267 697268 697269 | 100.55 100.82 101.60 102.41 | 100.82 101.60 102.41 102.79 103.60 | 0.27 0.78 0.81 0.38 0.81 | 0.01 0.01 0.01 0.18 0.01 | 1.2 1.5 2.0 2.1 | 71 45 24 228 57 | 3926 1563 2758 327 261 |
| | the same un | hit. It was simply cut by the mafic dyke. It is a | 697270 | 103.60 | 105.00 | 1 50 | 0.01 | 1 1 | 111 | 201 |
| | feldspar-silio | ca enriched interval (F.S. Enriched) from 100.82 to | 697271 | 105.10 | 106.45 | 1.35 | 0.04 | 5.6 | 216 | 7094 |
| | 103.60. a 7e | bra striped unit (see the 64.18 to 72.77 unit for a | 697272 | 106.45 | 108.65 | 2.20 | 0.01 | 1.4 | 60 | 2857 |
| | description) | from 103.60 to 105.87, a feldspathic grevwacke | 697273 | 108.65 | 109.45 | 0.80 | 0.36 | 11.1 | 275 | >10000 |
| | from 105.87 | to 108.65, a hydrothermal breccia from 108.65 to | 697274 | 109.45 | 110.45 | 1.00 | 0.04 | 5.5 | 233 | 5743 |

Page: 13 of 18 pages



| From | То | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|------|---|--------|--------|--------|----------|-------|------|-----|-----|
| (m) | (m) Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | 109.45, etc see below for a complete table. Aside from the | 697275 | 110.45 | 111.46 | 1.01 | <0.01 | 0.2 | 9 | 290 |
| 1 | hydrothermally brecciated zones there are finely disseminated, | 697276 | 111.46 | 112.99 | 1.53 | 0.02 | 0.3 | 119 | 102 |
| l . | disseminated and locally blebby disseminated 0.1 to 3% Py. 1-3% | 697277 | 112.99 | 115.32 | 2.33 | 0.02 | 0.3 | 41 | 134 |
| l . | thin (hairline to 3 mm) calcite stringers with rare wider (15 to up | 697278 | 112.99 | 115.32 | DUP | 0.01 | <0.2 | 27 | 96 |
| 1 | to 35 mm wide) qtz +/- minor calcite veinlets. These veinlets | 697279 | 115.32 | 117.40 | 2.08 | 0.03 | 0.2 | 60 | 45 |
| 1 | seem to favour the feldspar-silica enriched intervals. This could | 697280 | STD 13 | STD 13 | STD 13 | 0.06 | 1.0 | 199 | 52 |
| 1 | be because of the more brittle nature of the F.S. enriched zones | 697281 | 117.40 | 119.42 | 2.02 | 0.06 | 1.1 | 138 | 90 |
| 1 | as opposed to the other less brittle zones that will mircro- | | | | | | | | |
| 1 | fracture (thinner calcite) rather than have a more focussed stress | | | | | | | | |
| 1 | point. Note that the F.S. enriched intervals do also have the | | | | | | | | |
| 1 | calcite stringers as well. The above calcite percentage also apply | | | | | | | | |
| 1 | to the hydrothermally brecciated intervals although, there seems | | | | | | | | |
| 1 | to be a slightly higher presence there (2-4%). As for alteration, | | | | | | | | |
| 1 | aside from the varying degrees of feldspathic-silica enrichment | | | | | | | | |
| 1 | the mafic matrix appears to be weakly pervasively biotite altered. | | | | | | | | |
| 1 | Local moderate sericite and chlorite alteration (within the | | | | | | | | |
| 1 | hydothermal breccia interval (108.65 to 109.45). Also, the | | | | | | | | |
| 1 | feldspathic greywacke interval from 106.62 to 108.65 m has a | | | | | | | | |
| 1 | med green tinge to it (not the deep purple in the other intervals). | | | | | | | | |
| 1 | Note that this unit and the one below (the hydrothermal breccia) | | | | | | | | |
| 1 | hosts relatively higher Sph than the other units. These 2 unique | | | | | | | | |
| 1 | characteristics coincide (green colour and higher Zn) within this | | | | | | | | |
| 1 | interval (106.62 to 108.65 m). See below for hydrothermally | | | | | | | | |
| l . | brecciated interval description. | | | | | | | | |
| l . | | | | | | | | | |
| l | | | | | | | | | |
| l . | 100.82 - 103.6 Feldspar-Silica Enriched | | | | | | | | |
| 1 | 103.60 - 105.87 Zebra Striped | | | | | | | | |
| 1 | 105.87 - 108.65 Feldspathic Greywacke | | | | | | | | |
| l I | 108.65 - 109.45 Hydrothermal Breccia | | | | | | | | |
| 1 | 109.45 - 111.46 Feldspar-Silica Enriched | | | | | | | | |

Page: 14 of 18 pages



| From | То | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|------|---|--------|------|-----|----------|-----|-----|-----|-----|
| (m) | (m) Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | 111.46 - 112.99 Hydrothermal Breccia | | | | | | | | |
| | 112.99 - 113.62 Zebra Striped | | | | | | | | |
| | 113.62 - 114.05 Feldspar-Silica Enriched | | | | | | | | |
| | 114.05 - 115.32 Zebra Striped | | | | | | | | |
| | 115.32 - 116.1 Hydrothermal Breccia | | | | | | | | |
| | 116.10 - 116.90 Feldspar-Silica Enriched | | | | | | | | |
| | 116.90 - 118.12 Zebra Striped | | | | | | | | |
| | 118.12 - 119.42 Feldspar-Silica Enriched | | | | | | | | |
| | @ 101.02 is a 15-20 TCA stepping FAULT with 3 mm clay fault | | | | | | | | |
| | gouge breccia. | | | | | | | | |
| | @ 102.42 is a 50 TCA 25-30 mm qtz veinlet with vugs (the calcite | | | | | | | | |
| | likely dissolved away). | | | | | | | | |
| | @ 102.47 is a 45 TCA MASSIVE SULPHIDE vein that has 95-100% | | | | | | | | |
| | cubic with up to 10-15 mm Py crystals. The rubble could make | | | | | | | | |
| | up about 25-30 mm worth of Py vein with minor interstitial silica | | | | | | | | |
| | @ 102.72 and 107.85 are 35-40 and 15 TCA mjnor FAULTS with | | | | | | | | |
| | 0.5 mm clay fault gouge breccia with 1-2% and trace | | | | | | | | |
| | disseminated Py. | | | | | | | | |
| | From 106.45 to 108.65 is (over a ~2 m interval) ~2% stringer Sph | | | | | | | | |
| | with disseminated Py associated with it as well as interstitial | | | | | | | | |
| | calcite +/-silica. Note that the 2 HI's that contribute to the Sph % | | | | | | | | |
| | are at the beginning and end of this interval with 40-60 TCA. | | | | | | | | |
| | Those 2 intervals totalling ~20 cm have about 15-20% Sph with 3- | | | | | | | | |
| | 5% blebby disseminated Py. | | | | | | | | |
| | From 108 65 to 100 45 is a HI with a general orientation of 40 50 | | | | | | | | |
| | TCA The well mineralized interval is 4E cm of the core ~20% | | | | | | | | |
| | TCA. The weil infineralized interval is 45 cm of the Core. 20% | | | | | | | | |
| | patting and stringer spin with stringer and blebby $Py = 1-2\%$, +/- | | | | | | | | |
| | the 108 OF there is a groon tings (sorigita) to the staught shlarita | | | | | | | | |
| | to the dtz with chlorite | | | | | | | | |
| | $\bigcirc 110.04 is a 20 TCA 20 25 mm wide million white structure to the set of the set of$ | | | | | | | | |
| | @ 110.04 is a 20 ICA 30-35 mm wide milky white qtz veinlet | | | | | | | | |

Page: 15 of 18 pages



| From | То | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|--------|---|--------|--------|--------|----------|------|------|-----|-----|
| (m) | (m) Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | with blebby 10-15% off-white plag. | | | | | | | | |
| | @ 110.12 and 110.22 are Sph and Po with minor Cpy stringers | | | | | | | | |
| | 30-35 and 40 TCA 2 and 5 mm thick with minor interstitial silica. | | | | | | | | |
| | | | | | | | | | |
| | The hydrothermal breccia (HB) from 111.46 to 112.99 and 115.32 | | | | | | | | |
| | to 116.10 are relatively unmineralized when compared to the | | | | | | | | |
| | previous HI (106.45 to 108.65m). All three hydrothermally | | | | | | | | |
| | brecciated intervals have a similar texture in that they have | | | | | | | | |
| | angular to sub-angular wall rock brecciated into ~ 1 mm to up to | | | | | | | | |
| | >50 mm (mostly 1 to 10 mm) elongated or blebbby. The 2 HB | | | | | | | | |
| | have 5-6% blebby disseminated and stringer Py/feldspathic | | | | | | | | |
| | fragment replacement with a ~40 TCA orientation. LCA of HB at | | | | | | | | |
| | 112.99 is 40 TCA. UCA is obsecure. | | | | | | | | |
| | @ 116 33 is a fracture with ~10 TCA smooth and polished | | | | | | | | |
| | fracture surface with a veneer of gouge breccia with slickensides | | | | | | | | |
| | hence a minor FAULT | | | | | | | | |
| | @ 118 3 is a milky white atz veinlet 45 TCA 30-35 mm wide with | | | | | | | | |
| | blebby off white plag, this looks very similar to the gtz veinlet | | | | | | | | |
| | seen at \sim 110m. | | | | | | | | |
| 119.42 | 150.00 INTERMITTENT SILICA-FELDSPAR ENRICHED with | 697282 | 119.42 | 120.18 | 0.76 | 0.56 | 2.6 | 836 | 53 |
| _ | ZEBRA STRIPED with GREYWACKE/FELDSPATHIC | 697283 | 120.18 | 122.00 | 1.82 | 0.04 | 0.4 | 90 | 65 |
| | GREYWACKE with HYDROTHERMAL BRECCIA | 697284 | 122.00 | 124.00 | 2.00 | 0.04 | 0.5 | 122 | 75 |
| | | 697285 | 124.00 | 126.00 | 2.00 | 0.06 | 0.8 | 92 | 71 |
| | This unit is similar to the previous intermittent unit (100.55 to | 697286 | 126.00 | 128.00 | 2.00 | 0.03 | <0.2 | 54 | 34 |
| | 119.42). See below for specifc details of alternating units. The | 697287 | 128.00 | 130.08 | 2.08 | 0.07 | 0.3 | 111 | 50 |
| | only noticeable difference is that the grains are larger, coarse- | 697288 | 130.08 | 131.50 | 1.42 | 0.10 | 0.5 | 188 | 29 |
| | grained then from 141.5 it increases to very coarse-grained- | 697289 | 131.50 | 133.46 | 1.96 | 0.07 | 0.9 | 69 | 236 |
| | granular. Starting from 119.42 the grains get coarser and with it | 697290 | 133.46 | 135.50 | 2.04 | 0.09 | 0.2 | 108 | 40 |
| | the matrix within the zebra striped uni becomes a hazier grey | 697291 | 135.50 | 137.50 | 2.00 | 0.06 | 0.2 | 108 | 28 |
| | with the "feldspar-silica-rich" interval less stark and obvious. This | 697292 | 137.50 | 139.50 | 2.00 | 0.02 | <0.2 | 54 | 29 |
| | could be that because of the coarse-grained nature of the unit, | 697293 | 139.50 | 141.71 | 2.21 | 0.04 | 0.3 | 107 | 34 |

Page: 16 of 18 pages



| From | То | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|------|---|--------|--------|--------|----------|------|------|-----|-----|
| (m) | (m) Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| . , | the hydrothermal fluids were better able to permeate through | 697294 | 141.71 | 142.72 | 1.01 | 0.46 | 1.3 | 684 | 33 |
| | the rock and more evenly distribute rather than segregate into | 697295 | 142.72 | 143.63 | 0.91 | 0.16 | 0.2 | 79 | 24 |
| | the "striped" sharp contact patches as in the finer-grained units | 697296 | 143.63 | 144.90 | 1.27 | 0.20 | 0.4 | 115 | 40 |
| | previous (100.55 to 119.42). Also, to support this thought | 697297 | BLANK | BLANK | BLANK | 0.01 | <0.2 | <1 | <1 |
| | beyond 134.09 m there are only rare and sparse F.S. enriched | 697298 | 144.90 | 146.60 | 1.70 | 0.05 | <0.2 | 124 | 44 |
| | "stripes" with more "cloudy" matrix, hence the long feldspathic | 697299 | 146.60 | 148.30 | 1.70 | 0.02 | 0.3 | 104 | 55 |
| | greywacke interval (also this unit could have easily been a | 697300 | 148.30 | 150.00 | 1.70 | 0.04 | <0.2 | 145 | 51 |
| | greywacke, but with the influx of feldspathic minerals from the | | | | | | | | |
| | hydrothermal fluids the unit became a feldspathic greywacke, | | | | | | | | |
| | however this probably unlikely since almost all of the grains | | | | | | | | |
| | appear to retain their original texture. The Py slowly increases | | | | | | | | |
| | and then peaks at around the middle then wanes down again. | | | | | | | | |
| | From 120.18 to ~123.5 is 0.1 to 1% disseminated Py. ~123.5 to | | | | | | | | |
| | ~130m is 1-3% disseminated Py, ~130 to 141.71 is 2-4 % | | | | | | | | |
| | disseminated and stringer Py with locally high intervals due to Py | | | | | | | | |
| | stringers, local Po dominant (e.g. 137.5 to 138). from 141.71 to | | | | | | | | |
| | 142.71 is a relatively high Py interval with 15-20% Py with trace | | | | | | | | |
| | Cpy. From 142.72 to 146.65 is 1-2% Py and 146.65 to 150 (EOH) | | | | | | | | |
| | is trace to 0.5% Py with trace Po. As for alteration the mafic | | | | | | | | |
| | matrix is weakly biotite altered. Very local chlorite +/- sericitic | | | | | | | | |
| | alteration. From 143.95 to 146.82 is pervasively calcareous i.e. | | | | | | | | |
| | likely a calcite cement. Some of the clasts in the hydrothermal | | | | | | | | |
| | breccia unit are calcareous/calcite.~1% calcite stringers from | | | | | | | | |
| | 119.42 to 129m, from 129m to 140 m is 2-35 calcite/qtz | | | | | | | | |
| | stringers, and 140 to 150 is 0.5 to 1%. There may be a | | | | | | | | |
| | correlation with Py and calcite stringer presence. Higher calcite | | | | | | | | |
| | stringer is followed by a stronger Py presence it seems (a lag of | | | | | | | | |
| | ~2-3 m). | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | 119.42 - 121.56 Zebra Striped | | | | | | | | |

Page: 17 of 18 pages



| From | То | | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|------|------------|--|--------|------|-----|----------|-----|-----|-----|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | 121.56 - 2 | 122.7 Feldspar-Silica Enriched | | | | | | | | |
| | 122.70 - 1 | 123.42 Zebra Striped | | | | | | | | |
| | 123.42 - 1 | 126.36 Feldspar-Silica Enriched | | | | | | | | |
| | 126.36 - 2 | 131.50 Zebra Striped | | | | | | | | |
| | 131.50 - 1 | 133.46 Feldspar-Silica Enriched | | | | | | | | |
| | 133.46 - 2 | 134.09 Zebra Striped | | | | | | | | |
| | 134.09 - 2 | 138.79 Feldspathic Greywacke | | | | | | | | |
| | 138.79 - 1 | 138.93 Greywacke | | | | | | | | |
| | 138.93 - 2 | 141.50 Feldspathic Greywacke | | | | | | | | |
| | 141.50 - 1 | 142.63 V.c. to granular grained Feldspathic Greywacke | | | | | | | | |
| | 143.63 - 2 | 144.90 Hydrothermal Breccia | | | | | | | | |
| | 144.90 - 1 | 150.00 V.c. to granular grained Feldspathic Greywacke | | | | | | | | |
| | From 119 | .42 to 120.18 is an Hi with a stringer near the LCA with | | | | | | | | |
| | 5-10 TCA | Total Py disseminated and stringers = 15-20% with | | | | | | | | |
| | trace Cpy | with interstitial silica. | | | | | | | | |
| | @ 121.6 | 7, 121.78, and 122.06 there are 3 FAULTS 5-10, 40, and | | | | | | | | |
| | 25-30 TC | A with 10 mm, 2 mm, 1-2 mm clay fault gouge | | | | | | | | |
| | limonitize | ed, planar, planar and stepping fracture surfaces. | | | | | | | | |
| | @ 122.53 | 3 and 122.62 are FAULTS 30 and 30-35 both with 1-2 | | | | | | | | |
| | mm clay f | fault gouge limonitized. | | | | | | | | |
| | @ 125.6 | m is a 45 mm wide limonitized qtz veinlet. | | | | | | | | |
| | There are | some noticeable lithics that are sub-rounded to | | | | | | | | |
| | rounded | 10-25 mm diameter between 128 and 130 mm. | | | | | | | | |
| | @ 130.9 | 6 is a 55-60 TCA calcite stringer with a lusterous dark | | | | | | | | |
| | green mii | neral. Green Sph (?) or a very rich-green sericite (?) | | | | | | | | |
| | | | | | | | | | | |
| | From 134 | to 136.35 are frequent Py stringers with interstitial | | | | | | | | |
| | silica and | calcite 30-45 TCA and 2-15 mm wide. | | | | | | | | |
| | @ 139.1 | there is apparent bedding and a foliation developing | | | | | | | | |
| | with a 25 | TCA angle. The calcite stringers/veinlets also follow | | | | | | | | |
| | this orien | tation around this depth. | | | | | | | | |
| | | | | | | | | | | |

Page: 18 of 18 pages



| From | То | Sample | From | То | Interval | Au | Ag | Cu | Zn |
|------|--|--------|------|-----|----------|-----|-----|-----|-----|
| (m) | (m) Description | No. | (m) | (m) | (m) | g/t | g/t | ppm | ppm |
| | From 141.71 to 142.71 is a relatively high Py interval with 15-20% | | | | | | | | |
| | Py with trace Cpy. | | | | | | | | |
| | Note: in the core photographs box 40 and 41 were mislabeled | | | | | | | | |
| | when photographed. Box 40 should read "139.67 to 143.1m" | | | | | | | | |
| | and Box 41 should read "143.1 to 46.42 m" The "143.1" depth | | | | | | | | |
| | was mislabled "142.1" by the geotech. The appropriate | | | | | | | | |
| | corrections were made on the core box. | | | | | | | | |
| | From 143.63 to 144.90 is a hydrothermally brecciated unit. | | | | | | | | |
| | Upon close inspection it can be observed that there were 2 | | | | | | | | |
| | hydrothermal events. From 143.63 to 144.05 is a siliciclastic | | | | | | | | |
| | breccia and from 144.05 to 144.90 is with calcareous breccia with | | | | | | | | |
| | the clasts and matrix being calcareous, calcite/limestone (with a | | | | | | | | |
| | faint blue hue. Both unit clasts are angular to sub-angular 1-2 | | | | | | | | |
| | mm to 35 mm diameter with more common 5-10 mm clasts. UCA | | | | | | | | |
| | at 143.63 is 30 TCA, LCA of siliciclastic 144.05 is ~20 TCA. LCA | | | | | | | | |
| | calcareous breccia at 144.90 is 25 TCA which is also a FAULT with | | | | | | | | |
| | 1 mm clay fault gouge breccia. This unit has 8-10% disseminated | | | | | | | | |
| | Py within the weakly biotite altered matrix. | | | | | | | | |
| | There is a FAULT at 144.58 15-20 TCA with 1-2 mm clay fault | | | | | | | | |
| | gouge breccia. This FAULT likely facilitated the calcareous | | | | | | | | |
| | breccia hydrothermal fluids. | | | | | | | | |
| | 30, 35, 20-25 TCA foliation and apparent bedding with calcite | | | | | | | | |
| | stringers also following this orientation are present from 145.35 | | | | | | | | |
| | to 146. | | | | | | | | |
| | @ 149.62 there is a 15 TCA stringer with a dark green mineral | | | | | | | | |
| | very soft, hence likely chlorite that retrograded from | | | | | | | | |
| | biotite.Blebby Chl 1-2% Po, 1% Py, trace Cpy within intersitial | | | | | | | | |
| | calcite. | | | | | | | | |
| | 150.00 End of Hole | | | | | | | | |



Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0040RVDate: Jul-24-10

Sample type : CORE

Skyline Gold Corp.

Project : Bronson

Attention : Arnd Burgert

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | AI % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe % | Hg ppm | к % | La ppm | Mg % | Mn ppm | Mo ppm | Na % | Ni ppm | P % | Pb ppm | S % p | Sb opm | Sc ppm | Sr ppm | Th ppm | Ti % | TI ppm | U ppm | V ppm | W ppm | Zn ppm | Zr ppm |
|------------------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|--------|-----------|---------|-----------|-----------|---------|-----------|--------|-----------|----------|-----------|-----------|-----------|-----------|---------|-----------|----------|----------|----------|-----------|-----------|
| 697277 | 0.7 | 0.52 | 14 | 75 | <0.5 | <5 | 3.09 | 1 | 6 | 9 | 41 | 2.93 | 10 | 0.44 | <10 | 1.63 | 988 | <2 | 0.02 | 6 (| 0.171 | 26 0. | 57 | 5 | 2 | 318 | <5 | 0.03 | <10 | <10 | 21 | <10 | 108 | 1 |
| 697278 | 0.6 | 0.55 | 9 | 79 | <0.5 | <5 | 3.02 | 1 | 6 | 10 | 26 | 2.69 | 8 | 0.45 | <10 | 1.63 | 949 | <2 | 0.02 | 6 (| 0.174 | 19 0. | 37 | <5 | 2 | 318 | <5 | 0.03 | <10 | <10 | 22 | <10 | 84 | 1 |
| 697279 | 0.5 | 0.60 | 16 | 114 | <0.5 | <5 | 2.48 | 1 | 8 | 16 | 57 | 2.71 | 6 | 0.49 | <10 | 1.01 | 657 | <2 | 0.03 | 12 | 0.147 | 80. | 93 | 5 | 2 | 226 | <5 | 0.05 | <10 | <10 | 24 | <10 | 36 | 2 |
| 697280 | 1.2 | 1.14 | 24 | 134 | <0.5 | 7 | 2.78 | 2 | 9 | 18 | 202 | 4.55 | 10 | 1.01 | <10 | 1.77 | 853 | <2 | 0.03 | 7 (| 0.135 | 16 1. | 60 | 10 | 3 | 290 | <5 | 0.16 | <10 | <10 | 59 | <10 | 44 | 2 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed: ____



Quality Assaying for over 35 Years

Metallic Assay Certificate

0S-0040-RM1

Company:Skyline Gold Corp.Project:BronsonAttn:Arnd Burgert

Jul-24-10

We *hereby certify* the following analysis of 2 core samples submitted Jun-28-10

| Sample | Wt Total | Wt +150 | +150 Au | -150 Au | Metallic Au | Net Au |
|--------|----------|---------|---------|---------|-------------|---------|
| Name | g | g | mg | g/tonne | g/tonne | g/tonne |
| 687245 | 345.9 | 33.0 | 0.076 | 2.21 | 0.22 | 2.22 |
| 687246 | 756.4 | 52.0 | 0.102 | 2.28 | 0.14 | 2.26 |

.......

Fire Assay for Metallic Gold analysis.

MAL-Certified by_



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 0S0040RJ Date : Jul-24-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | AI | As | Ва | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Hg | K | La | Mg | Mn | Mo Na | a Ni | P | Pb | S | Sb | Sc | Sr | Th | Ti | ΤI | Ų | v | W | Zn | Zr |
|--------|------|------|--------|-----|-----|-----------|------|-----|----------|----------|-----|------|-----|------|-----|------|------|---------|-------|---------|------|------|-----|-----|-----|-----|------|-----|-----|-----|-----|--------|-----|
| Number | ppm | % | ppm | ppm | ppm | ppm | % I | ppm | ppm | ppm | ppm | % | ppm | % | ppm | % | ppm | ppm % | 6 ppm | % | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm |
| 697201 | 15 1 | 3 91 | 4407 | 270 | 1 3 | 9 | 1 73 | 75 | 24 | 41 | 220 | 0 01 | 2 | 1 71 | ~10 | 2 00 | 4064 | 4 8 6 | | 0 4 5 4 | | 4 70 | | _ | | - | | | | | | | |
| 697202 | 21.7 | 5 54 | >10000 | 273 | 15 | 12 | 1 30 | 01 | 27 | 76 | 220 | 0.01 | 2 | 1.72 | <10 | 3.09 | 4004 | 4 0.04 | : 34 | 0.151 | 3462 | 1.78 | 1/ | 6 | 105 | <5 | 0.20 | 10 | <10 | 126 | 143 | >10000 | 3 |
| 697203 | 4.8 | 2 58 | 87 | 208 | 1.5 | -5 | 7 32 | 10 | 25 | 22 70 | 104 | 5 77 | 2 | 1.99 | <10 | 4.19 | 4833 | 4 0.01 | 12 | 0.230 | 5196 | 1.84 | 35 | 12 | 62 | <5 | 0.24 | 12 | <10 | 204 | 189 | >10000 | 4 |
| 697204 | 27 | 1.83 | 85 | 200 | 1 1 | ~5 | 2.32 | 4 | 20 | 20 | 140 | 5.77 | | 1.50 | <10 | 2.05 | 3207 | 2 0.04 | 2 32 | 0.203 | 333 | 1./1 | <5 | 4 | 159 | <5 | 0.23 | 11 | <10 | 83 | 13 | 884 | 3 |
| 697205 | 183 | 2.00 | 75 | 203 | 1 1 | 36 | 1.04 | 12 | 20 40 | 29 | 140 | 2.05 | ~ ~ | 1.02 | <10 | 1.51 | 1924 | 4 0.03 | \$ 30 | 0.193 | 96 | 2.27 | <5 | 2 | 199 | <5 | 0.17 | <10 | <10 | 59 | <10 | 232 | 2 |
| 001200 | 10.2 | 2.27 | /3 | 02 | 1.1 | 50 | 1.94 | 1.5 | 42 | 21 | 323 | 1.09 | 2. | 1.97 | <10 | 1.64 | 1295 | 3 0.02 | 2 24 | 0.181 | 126 | 4.17 | <5 | 2 | 135 | <5 | 0.19 | <10 | <10 | 59 | 12 | 453 | 3 |
| 697206 | 0.4 | 1.26 | 24 | 275 | 0.9 | <5 | 3.80 | 3 | 12 | 29 | 39 | 2.68 | 2 | 1.12 | <10 | 0.97 | 1275 | 3 0.04 | 18 | 0 177 | 12 | 0.83 | <5 | 3 | 309 | ~5 | 0.13 | <10 | <10 | 50 | <10 | 20 | - |
| 697207 | 0.4 | 1.87 | 48 | 298 | 1.3 | <5 | 2.42 | 5 | 18 | 28 | 105 | 4.43 | 2 | 1.68 | <10 | 1.51 | 786 | 5 0.04 | 33 | 0.158 | 10 | 1.40 | <5 | ĩ | 177 | < 5 | 0.19 | <10 | <10 | 85 | <10 | 50 | 2 |
| 697208 | <0.2 | 1.80 | 40 | 312 | 1.3 | <5 | 3.23 | 6 | 14 | 34 | 66 | 3.60 | 2 | 1.64 | <10 | 1.50 | 838 | 5 0.05 | 35 | 0.138 | 8 | 0.73 | <5 | 4 | 264 | < 5 | 0.19 | <10 | <10 | 105 | <10 | 167 | 2 |
| 697209 | 1.1 | 2.68 | 75 | 67 | 1.8 | 8 | 2.14 | 12 | 45 | 53 | 277 | 9.75 | 2 | 2.49 | <10 | 2.16 | 862 | 4 0.02 | 28 | 0.141 | 28 | 5.00 | <5 | 6 | 167 | < 5 | 0.28 | 17 | <10 | 113 | <10 | 89 | 4 |
| 697210 | 0.2 | 1.54 | 50 | 239 | 1.2 | <5 | 3.01 | 4 | 17 | 93 | 70 | 3.74 | 2 | 1.41 | <10 | 1.31 | 774 | 5 0.04 | 65 | 0.098 | 7 | 0.93 | <5 | 4 | 242 | <5 | 0.20 | <10 | <10 | 66 | <10 | 59 | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | _ | | | | •• | | | - |
| 697211 | 0.6 | 0.76 | 83 | 95 | 0.5 | <5 | 1.60 | 7 | 28 | 59 | 104 | 5.77 | 1 | 0.65 | <10 | 0.55 | 384 | 3 0.04 | 53 | 0.069 | 23 | 4.12 | <5 | 1 | 127 | <5 | 0.08 | <10 | <10 | 30 | <10 | 30 | 3 |
| 697212 | 0.2 | 1.01 | 44 | 166 | 0.8 | <5 | 2.87 | 4 | 17 | 58 | 63 | 3.66 | 2 | 0.87 | <10 | 1.04 | 693 | 3 0.05 | 52 | 0.116 | 5 | 1.54 | <5 | 4 | 232 | < 5 | 0.12 | <10 | <10 | 53 | <10 | 46 | 2 |
| 697213 | 0.2 | 1.21 | 74 | 176 | 0.9 | 6 | 2.92 | 5 | 23 | 61 | 72 | 4.16 | 2 | 1.06 | <10 | 0.93 | 654 | 4 0.05 | 53 | 0.105 | 9 | 1.88 | <5 | 3 | 228 | <5 | 0.14 | <10 | <10 | 57 | <10 | 42 | 3 |
| 697214 | 0.4 | 1.37 | 34 | 202 | 1.1 | <5 | 3.37 | 4 | 15 | 66 | 54 | 3.74 | 2 | 1.13 | <10 | 0.98 | 767 | 4 0.05 | 54 | 0.106 | 7 | 1.31 | <5 | 3 | 259 | <5 | 0.17 | <10 | <10 | 56 | <10 | 35 | 2 |
| 697215 | 0.5 | 1.43 | 40 | 96 | 2.1 | 5 | 3.27 | 5 | 25 | 59 | 65 | 4.74 | 2 | 0.22 | 14 | 1.22 | 873 | 4 0.11 | 31 | 0.145 | 7 | 1.21 | <5 | 5 | 146 | <5 | 0.29 | <10 | <10 | 89 | <10 | 51 | 28 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 697216 | <0.2 | 2.40 | 33 | 215 | 3.7 | <5 | 3.15 | 6 | 30 | 26 | 37 | 5.72 | 2 | 0.30 | 35 | 1.59 | 1163 | 3 0.23 | 15 | 0.324 | 12 | 0.27 | <5 | 8 | 301 | 5 | 0.51 | 20 | <10 | 143 | <10 | 117 | 20 |
| 697217 | 0.4 | 1.47 | 66 | 172 | 0.9 | <5 | 3.68 | 5 | 22 | 65 | 47 | 4.84 | 2 | 1.08 | <10 | 1.33 | 829 | 2 0.04 | 82 | 0.092 | 12 | 2.20 | <5 | 3 | 297 | <5 | 0.15 | <10 | <10 | 58 | <10 | 24 | 2 |
| 697218 | 0.3 | 1.74 | 64 | 224 | 1.3 | <5 | 3.74 | 5 | 27 | 67 | 53 | 4.28 | 2 | 1.53 | <10 | 1.50 | 927 | 3 0.03 | 64 | 0.114 | 16 | 1.50 | <5 | 3 | 344 | <5 | 0.20 | <10 | <10 | 67 | <10 | 39 | 2 |
| 697219 | 0.3 | 1.87 | 68 | 247 | 1.5 | <5 | 3.87 | 4 | 26 | 61 | 52 | 4.15 | 2 | 1.68 | <10 | 1.71 | 789 | 3 0.04 | 66 | 0.130 | 14 | 1.16 | <5 | 4 | 328 | <5 | 0.21 | <10 | <10 | 75 | <10 | 61 | 3 |
| 697220 | <0.2 | 2.17 | 50 | 274 | 1.7 | <5 | 3.69 | 5 | 24 | 68 | 54 | 4.53 | 2 | 1.97 | <10 | 1.93 | 860 | 2 0.04 | 57 | 0.145 | 13 | 1.11 | <5 | 6 | 299 | <5 | 0.25 | 10 | <10 | 100 | <10 | 63 | 3 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 697221 | <0.2 | 2.09 | 35 | 287 | 1.3 | <5 | 3.51 | 4 | 19 | 66 | 40 | 3.88 | 2 | 1.87 | <10 | 1.90 | 920 | 2 0.04 | 58 | 0.101 | 6 | 0.58 | <5 | 5 | 271 | <5 | 0.20 | <10 | <10 | 75 | <10 | 31 | 2 |
| 697222 | 0.3 | 1.22 | 111 | 165 | 0.8 | <5 | 4.12 | 3 | 18 | 60 | 45 | 2.85 | 2 | 1.07 | <10 | 1.37 | 1267 | 2 0.03 | 54 | 0.075 | 6 | 0.77 | <5 | 2 | 322 | <5 | 0.12 | <10 | <10 | 40 | <10 | 46 | 2 |
| 697223 | 0.3 | 2.21 | 90 | 263 | 1.4 | <5 | 3.31 | 3 | 19 | 64 | 55 | 3.24 | 15 | 1.99 | <10 | 2.02 | 1433 | 2 0.04 | 73 | 0.152 | 26 | 0.41 | <5 | 4 | 241 | <5 | 0.22 | 11 | <10 | 79 | <10 | 91 | 2 |
| 697224 | 0.8 | 2.31 | 121 | 239 | 1.5 | <5 | 2.59 | 3 | 25 | 55 | 110 | 3.54 | 13 | 2.08 | <10 | 2.03 | 1125 | 10 0.02 | 74 | 0.164 | 50 | 0.81 | <5 | 3 | 174 | <5 | 0.21 | 10 | <10 | 103 | <10 | 102 | 3 |
| 697225 | 0.5 | 1.98 | 177 | 240 | 1.4 | <5 | 3.79 | 3 | 22 | 60 | 84 | 3.49 | 15 | 1.78 | <10 | 1.63 | 1356 | 8 0.03 | 67 | 0.150 | 28 | 1.11 | <5 | 3 | 286 | <5 | 0.19 | 11 | <10 | 75 | <10 | 99 | 4 |
| 607006 | | | | | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 697226 | 0.9 | 2.07 | /3 | 260 | 1.3 | <5 | 3.17 | 3 | 18 | 73 | 69 | 3.26 | 13 | 1.84 | <10 | 1.76 | 1341 | 8 0.04 | 63 | 0.128 | 33 | 0.54 | <5 | 4 | 230 | <5 | 0.20 | 10 | <10 | 74 | <10 | 91 | 3 |
| 607720 | 0.9 | 2.08 | 120 | 245 | 1.4 | <5 | 3.41 | 3 | 16 | 68 | 82 | 3.49 | 14 | 1.86 | <10 | 1.77 | 1531 | 29 0.03 | 71 | 0.138 | 29 | 0.71 | <5 | 4 | 247 | <5 | 0.21 | 10 | <10 | 84 | <10 | 84 | 3 |
| 607220 | 0.7 | 2.08 | 104 | 250 | 1.4 | <5 | 3.31 | 3 | 16 | 71 | 83 | 3.50 | 13 | 1.87 | <10 | 1.77 | 1490 | 40 0.03 | 74 | 0.141 | 25 | 0.71 | <5 | `4 | 241 | <5 | 0.21 | 10 | <10 | 84 | <10 | 87 | 3 |
| 697229 | 0.4 | 2.48 | 95 | 2// | 1.0 | <5 - C | 3.62 | 3 | 13 | 77 | 68 | 3.97 | 15 | 2.22 | <10 | 2.20 | 1625 | 4 0.04 | - 72 | 0.154 | 20 | 0.65 | <5 | 6 | 289 | <5 | 0.24 | 12 | <10 | 100 | <10 | 69 | 3 |
| 057230 | 0.2 | 2.10 | 74 | 243 | 1.5 | <5 | 3.20 | ک | 13 | 75 | 58 | 3.56 | 13 | 1.87 | <10 | 1.85 | 1147 | 2 0.04 | 71 | 0.139 | 16 | 0.88 | <5 | 5 | 248 | <5 | 0.19 | 10 | <10 | 88 | <10 | 44 | 3 |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Signed:



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No: 0S0040RJDate: Jul-24-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | A | As | Ba | Be | Bi | Ca | Cd | Со | Cr | Cu | Fe | Hg | ĸ | La | Mg N | Vin M | Mo Na | Ni | Р | Pb | s | Sb | Sc | Sr | Th | Ti | TI | U | v | w | Zn | 7r |
|--------|-------|------|--------|-----|-------|-----|--------|-----|-----|-----|------|-------|-----|------|-----|----------|----------|---------|-----|---------|--------|--------|-------|----|-----|------------|--------|-----|-------|----------|-----|--------|--------|
| Number | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | opm | % | ppm | % pp | om pp | om % | ppm | % | ppm | % | ppm p | pm | ppm | opm | % | ppm | ppm į | opm | ppm | ppm p | pm |
| 697231 | 1.0 | 1.77 | 106 | 184 | 1.2 | <5 | 3.67 | 3 | 13 | 56 | 76 | 3 33 | 14 | 1.60 | <10 | 1 51 15 | 55 | 2 0 02 | 85 | 0 1 2 9 | 20 | 1.09 | ~F | 2 | 202 | ~5 | 0.17 | ~10 | -10 | 50 | -10 | 01 | ~ |
| 697232 | 1.4 | 1.91 | 69 | 199 | 1.3 | <5 | 3.62 | 4 | 17 | 76 | 98 | 4 09 | 14 | 1 78 | <10 | 1.69.15 | 73 | 2 0.02 | 71 | 0.120 | 20 | 1.00 | ~5 | 2 | 203 | ~5 | 0.17 | <10 | <10 | 20 | <10 | 30 | 3 7 |
| 697233 | 1.2 | 2.09 | 74 | 212 | 1.4 | <5 | 2.85 | 4 | 18 | 60 | 116 | 4 46 | 12 | 1 93 | <10 | 1 91 16 | 35 | 2 0.02 | 72 | 0.122 | 36 | 1.0.5 | ~5 | 4 | 201 | ~5 | 0.20 | 10 | <10 | 20 | <10 | 121 | 3 7 |
| 697234 | 0.6 | 1.54 | 66 | 161 | 1.2 | <5 | 2.79 | 3 | 20 | 49 | 58 | 3 12 | 11 | 1 39 | <10 | 1 65 15 | 67 | 2 0.02 | 67 | 0.135 | 25 | 0.85 | ~5 | 7 | 201 | ~5 | 0.22 | ~10 | <10 | 7.5 | <10 | 121 | 2 |
| 697235 | 0.5 | 0.99 | 60 | 122 | 0.7 | <5 | 3.62 | 3 | 15 | 38 | 43 | 2 99 | 12 | 0.87 | <10 | 1 59 200 | 07 00 | 2 0.03 | 71 | 0.124 | 2.5 | 0.05 | ~5 | 2 | 207 | < 5 < 5 | 0.17 | <10 | <10 | 39 47 | <10 | 100 | د - |
| | | | | | ••• | | | 5 | | | 15 | 2.99 | ** | 0.07 | ~10 | 1.35 20. | | 2 0.05 | 71 | 0.120 | 22 | 0.70 | ~ 5 | 3 | 202 | < 0 | 0.11 | <10 | <10 | 47 | <10 | 100 | 2 |
| 697236 | 0.3 | 1.22 | 63 | 134 | 0.9 | <5 | 2.85 | 4 | 16 | 58 | 49 | 3.97 | 10 | 0.99 | <10 | 1.78 17: | 12 - | <2 0.03 | 78 | 0.124 | 24 | 1.01 | <5 | 4 | 257 | <5 | 0.14 | <10 | <10 | 65 | <10 | 106 | 3 |
| 697237 | 0.6 | 1.17 | 38 | 155 | 0.7 | <5 | 2.93 | 4 | 15 | 57 | 60 | 3.65 | 11 | 0.90 | <10 | 1.72 200 | 09 | 2 0.03 | 62 | 0.122 | 22 | 1.20 | <5 | 3 | 284 | <5 | 0.10 | <10 | <10 | 47 | <10 | 111 | 4 |
| 697238 | 0.5 | 1.21 | 39 | 163 | 0.9 | <5 | 2.81 | 3 | 13 | 54 | 70 | 3.61 | 9 | 1.02 | <10 | 1.57 173 | 72 | 2 0.04 | 60 | 0.127 | 14 | 1.05 | <5 | 3 | 240 | <5 | 0.14 | <10 | <10 | 55 | <10 | 68 | 2 |
| 697239 | 0.8 | 1.07 | 51 | 183 | 0.7 | <5 | 2.08 | 4 | 13 | 52 | 90 | 3.55 | 9 | 0.86 | <10 | 1.38 15 | 36 | 2 0.02 | 56 | 0.139 | 40 | 1.29 | <5 | 2 | 224 | <5 | 0.09 | <10 | <10 | 36 | <10 | 108 | 4 |
| 697240 | 2.9 | 1.22 | 32 | 166 | 0.6 | <5 | 0.95 | 5 | 22 | 78 | 2834 | 3.52 | 5 | 0.54 | 23 | 0.71 22 | 24 2 | 61 0.03 | 9 | 0.069 | 57 | 1.89 | <5 | 5 | 49 | 13 | 0.04 | <10 | <10 | 47 | 10 | 335 | 5 |
| | | | | | | | | | | | | | | | | | | | | | | | | | - | | | | | | | | - |
| 697241 | 1.8 | 0.35 | 46 | 100 | < 0.5 | <5 | 2,44 | 6 | 5 | 43 | 46 | 1.89 | 8 | 0.30 | <10 | 0.87 176 | 68 | 2 0.02 | 21 | 0.068 | 146 | 0.60 | <5 | 1 | 219 | <5 | < 0.01 | <10 | <10 | 6 | <10 | 761 | 2 |
| 697242 | 10.3 | 0.40 | 462 | 86 | <0.5 | <5 | 1.80 | 32 | 13 | 32 | 494 | 6.85 | 6 | 0.38 | <10 | 1.49 249 | 96 | 2 0.01 | 21 | 0.076 | 1574 | 3.17 | <5 | 1 | 150 | <5 | 0.01 | <10 | <10 | 11 | 57 | 4877 | 4 |
| 697243 | 15.5 | 0.46 | 533 | 89 | <0.5 | 5 | 1.74 | 36 | 16 | 35 | 594 | 7.74 | 5 | 0.41 | <10 | 1.50 250 | 03 | 2 0.01 | 23 | 0.069 | 2533 | 3.97 | <5 | 1 | 146 | <5 | 0.01 | <10 | <10 | 13 | 64 | 5410 | 4 |
| 697244 | 70.4 | 0.36 | >10000 | 53 | <0.5 | 32 | 3.80 | 276 | 49 | 38 | 1352 | 10.03 | 11 | 0.30 | <10 | 1.27 382 | 73 | 6 0.01 | 30 | 0.066 | >10000 | 8.14 | 50 | 1 | 306 | <5 | 0.01 | <10 | <10 | 16 | 588 | >10000 | 4 |
| 697245 | 117.5 | 0.32 | >10000 | 24 | <0.5 | 78 | 1.62 | 359 | 179 | 49 | 1038 | 18.34 | 8 | 0.24 | <10 | 0.82 170 | 00 | 4 0.01 | 56 | 0.031 | >10000 | >10.00 | 53 | <1 | 120 | <5 | 0.01 | <10 | 36 | 31 | 955 | >10000 | 7 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 697246 | 66.6 | 0.10 | 4822 | 26 | <0.5 | 24 | 1.08 | 176 | 93 | 34 | 1411 | 19.32 | 6 | 0.08 | <10 | 0.35 100 | 64 • | <2 0.01 | 61 | 0.007 | 7845 | >10.00 | 30 | <1 | 65 | <5 | < 0.01 | <10 | 39 | 27 | 433 | >10000 | 6 |
| 697247 | 0.4 | 0.03 | 26 | <10 | <0.5 | <5 | >25.00 | 1 | 1 | 3 | 5 | 0.08 | 21 | 0.01 | <10 | 1.21 | 29 | 2 0.01 | <1 | 0.003 | 6 | 1.09 | <5 | <1 | 186 | <5 | <0.01 | <10 | <10 | 1 | <10 | 25 | <1 |
| 697248 | 6.2 | 0.64 | 125 | 126 | <0.5 | <5 | 2.30 | 16 | 23 | 34 | 272 | 5.45 | 4 | 0.52 | <10 | 1.40 194 | 49 | 2 0.01 | 51 | 0.104 | 712 | 2.76 | <5 | 1 | 222 | <5 | 0.02 | <10 | <10 | 17 | 29 | 2259 | 2 |
| 697249 | 1.1 | 0.91 | 71 | 132 | 0.5 | <5 | 3.25 | 3 | 18 | 55 | 101 | 3.00 | 6 | 0.77 | <10 | 1.35 168 | 88 | 2 0.03 | 76 | 0,074 | 51 | 1.05 | <5 | Z | 348 | <5 | 0.09 | <10 | <10 | 27 | <10 | 130 | 2 |
| 697250 | 0.7 | 1.07 | 67 | 133 | 0.7 | <5 | 2.79 | 3 | 15 | 88 | 85 | 2.98 | 6 | 0.93 | <10 | 1.34 108 | 88 | 2 0.03 | 79 | 0.068 | 26 | 1.06 | <5 | 2 | 268 | <5 | 0.12 | <10 | <10 | 35 | <10 | 71 | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 697251 | 0.4 | 0.73 | 43 | 98 | 0.5 | <5 | 2.55 | 2 | 11 | 54 | 32 | 2.54 | 5 | 0.60 | <10 | 1.54 108 | 82 - | <2 0.04 | 66 | 0.084 | 17 | 0.39 | <5 | 3 | 244 | <5 | 0.07 | <10 | <10 | 26 | <10 | 78 | 2 |
| 697252 | 0.7 | 0.40 | 78 | 97 | <0.5 | <5 | 3.32 | 3 | 7 | 40 | 56 | 2.79 | 5 | 0.33 | <10 | 1.31 142 | 21 | 2 0.03 | 64 | 0.077 | 16 | 0.91 | <5 | 2 | 311 | <5 | 0.01 | <10 | <10 | 11 | <10 | 72 | 1 |
| 697253 | 0.6 | 0.79 | 134 | 144 | <0.5 | <5 | 2.52 | 3 | 13 | 65 | 56 | 2.88 | 5 | 0.61 | <10 | 1.34 99 | 91 | 2 0.04 | 105 | 0.095 | 33 | 0.78 | <5 | 3 | 265 | <5 | 0.06 | <10 | <10 | 26 | <10 | 96 | 2 |
| 697254 | 0.4 | 0.78 | 74 | 145 | <0.5 | <5 | 2.64 | 2 | 9 | 69 | 57 | 2.54 | 4 | 0.64 | <10 | 1.26 92 | 27 < | <2 0.04 | 77 | 0.091 | 21 | 0.60 | <5 | 3 | 267 | <5 | 0.07 | <10 | <10 | 27 | <10 | 81 | 2 |
| 697255 | 0.3 | 0.90 | 75 | 158 | 0.6 | <5 | 3.28 | 3 | 13 | 71 | 38 | 2.85 | 6 | 0.76 | <10 | 1.47 116 | 61 | 2 0.04 | 75 | 0.076 | 15 | 0.74 | <5 | 3 | 328 | <5 | 0.09 | <10 | <10 | 34 | <10 | 58 | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 697256 | 0.5 | 2.07 | 60 | 211 | 1.3 | <5 | 3.83 | 4 | 26 | 47 | 126 | 5.11 | 8 | 1.79 | <10 | 1.61 156 | 63 | 4 0.03 | 45 | 0.126 | 38 | 2.01 | <5 | 3 | 330 | <5 | 0.21 | 10 | <10 | 142 | <10 | 96 | 3 |
| 697257 | 1.9 | 2.11 | 107 | 149 | 1.2 | <5 | 3.90 | 7 | 35 | 35 | 146 | 5.97 | 7 | 1.75 | <10 | 1.47 197 | 70 | 9 0.02 | 39 | 0.134 | 154 | 2.82 | <5 | 2 | 323 | <5 | 0.21 | 10 | <10 | 70 | <10 | 271 | 4 |
| 697258 | 4.4 | 3.40 | 58 | 228 | 1.5 | <5 | 2.59 | 24 | 20 | 94 | 136 | 6.19 | 6 | 2.43 | <10 | 2.81 190 | 09 4 | 41 0.01 | 92 | 0.146 | 794 | 1.44 | <5 | 3 | 191 | <5 | 0.24 | 11 | <10 | 79 | 42 | 3359 | 4 |
| 697259 | 2.1 | 2.53 | 84 | 183 | 1.2 | <5 | 5.89 | 9 | 17 | 40 | 86 | 5.03 | 9 | 1.79 | <10 | 2.01 323 | 33 : | 10 0.01 | 40 | 0.125 | 320 | 1.28 | <5 | 2 | 476 | <5 | 0.20 | 10 | <10 | 59 | 13 | 1119 | 3 |
| 697260 | 9.0 | 2.61 | 3344 | 151 | 0.8 | 6 | 3.38 | 32 | 21 | 210 | 189 | 5.86 | 8 | 1.31 | <10 | 2.88 259 | 97 | 6 0.01 | 175 | 0.117 | 1852 | 1.44 | 17 | 3 | 282 | <5 | 0.14 | <10 | <10 | 57 | 73 | 5627 | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Page 2 of 4



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

 Report No
 : 0S0040RJ

 Date
 : Jul-24-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample | Ag | A | l As | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Hg | к | La | Ma N | n Mo | Na | Ni | Р | Pb | s | Sb | Sc | Sr | Th | Ti | τı | П | v | w | Zn | 7r |
|----------------|-------|------|--------|-----|-------|-----|------|-----------|----------------|-----|-----|-------|-----|------|-----|-----------|--|------|-----|-------|------|------|-------|----|-----|-----|-------|-----|-------|-----|-------|--------|--------|
| Number | ppm | % | ppm | ppm | ppm : | ppm | % | ppm | ppm | ppm | ppm | % ¢ | opm | % | ppm | % рр | m ppm | % | ppm | % | ppm | % | ppm p | pm | ppm | ppm | % | ppm | ppm · | ppm | ppm | ppm p | ppm |
| 697261 | 0.8 | 1.01 | 54 | 113 | 0.5 | <5 | 4 77 | 13 | 10 | 26 | 22 | 2 00 | 7 | 0 66 | ~10 | 1 70 700 | | 0.07 | 45 | 0.452 | | | | _ | | | | | | | | | |
| 697262 | 3.5 | 1.86 | 43 | 132 | 0.6 | ~5 | 2 09 | 51 | 12 | 20 | 171 | 5.90 | , | 0.60 | <10 | 2.22.402 | בי כו | 0.03 | 45 | 0.155 | 141 | 0.41 | <5 | 3 | 341 | <5 | 0.06 | <10 | <10 | 27 | 23 | 2003 | 1 |
| 697263 | < 0.2 | 2 53 | 13 | 323 | 2.0 | ~5 | 4 97 | 7 | 37 | 61 | 121 | 5.65 | 7 | 0.09 | ~10 | 2.22 192 | 23 <2 | 0.03 | 37 | 0.175 | /62 | 1.35 | <5 | 4 | 142 | <5 | 0.09 | <10 | <10 | 50 | 108 | 8226 | 5 |
| 697264 | <0.2 | 2.74 | 13 | 171 | 2.2 | <5 | 7.27 | 7 | 37 | 36 | 51 | 6.67 | 5 | 0.11 | 20 | 2.02 110 | DZ <z< td=""><td>0.14</td><td>20</td><td>0.352</td><td>10</td><td>0.36</td><td><5</td><td>13</td><td>306</td><td><5</td><td>0.31</td><td>17</td><td><10</td><td>203</td><td><10</td><td>137</td><td>16</td></z<> | 0.14 | 20 | 0.352 | 10 | 0.36 | <5 | 13 | 306 | <5 | 0.31 | 17 | <10 | 203 | <10 | 137 | 16 |
| 697265 | 12 | 0 43 | 34 | 73 | <0.5 | ~5 | 734 | 27 | 2, | 20 | 71 | 2.50 | 5 | 0.13 | -10 | 3.93 115 | 99 <2 71 4 | 0.14 | 34 | 0.370 | 13 | 0.37 | <5 | 12 | 229 | <5 | 0.29 | 16 | <10 | 197 | <10 | 145 | 18 |
| | ~~~ | 0.43 | 54 | ,,, | ×0.5 | ~ 5 | 7.34 | <i></i> / | 5 | 20 | 11 | 5.50 | 9 | 0.27 | <10 | 1.84 .547 | 4 | 0.02 | 12 | 0.085 | 67 | 0.66 | <5 | 2 | 574 | <5 | <0.01 | <10 | <10 | 15 | 49 | 3926 | 1 |
| 697266 | 1.5 | 0.53 | 54 | 95 | <0.5 | <5 | 3.95 | 11 | 14 | 19 | 45 | 3.03 | 6 | 0.33 | <10 | 1.22 201 | 19 7 | 0.03 | 16 | 0.124 | 335 | 1.02 | < 5 | 2 | 297 | ~5 | 0.01 | <10 | <10 | 16 | 10 | 1567 | 2 |
| 697267 | 2.0 | 0.51 | 24 | 103 | <0.5 | <5 | 3.24 | 15 | 9 | 14 | 24 | 2.93 | 5 | 0.38 | <10 | 1.40 190 | 06 5 | 0.03 | 11 | 0.129 | 391 | 0.40 | <5 | 2 | 285 | ~5 | 0.01 | <10 | <10 | 16 | 32 | 2759 | 2 |
| 697268 | 2.1 | 0.37 | 694 | 28 | <0.5 | <5 | 3.53 | 12 | 45 | 36 | 228 | 10.76 | 8 | 0.27 | <10 | 1.14 185 | 52 2 | 0.04 | 42 | 0.079 | 201 | 7.05 | ~5 | 1 | 205 | | 0.01 | ~10 | 13 | 22 | ~10 | 2730 | ~ |
| 697269 | 0.6 | 0.51 | 19 | 102 | <0.5 | <5 | 3.41 | 3 | 12 | 15 | 57 | 2.72 | 6 | 0.34 | 11 | 1.08 110 | 0 2 | 0.04 | 5 | 0.140 | 128 | 0.77 | <5 | , | 290 | ~5 | 0.01 | <10 | <10 | 24 | <10 | 261 | 4 7 |
| 697270 | 1.1 | 1.08 | 44 | 79 | <0.5 | <5 | 3.59 | 5 | 13 | 16 | 111 | 4.93 | 7 | 0.42 | <10 | 1.68 161 | 10 <2 | 0.03 | Š | 0.162 | 69 | 1 74 | 25 | 7 | 300 | ~5 | 0.03 | ~10 | <10 | 40 | ~10 | 201 | 2 |
| | | | | | | | | | | | | | | | - | | | | - | | | | | • | 200 | | 0.05 | ~10 | ~10 | 40 | ~10 | 213 | 2 |
| 697271 | 5.6 | 1.44 | 36 | 81 | <0.5 | <5 | 3.52 | 44 | 13 | 14 | 216 | 4.86 | 6 | 0.46 | <10 | 1.73 187 | 77 2 | 0.03 | 6 | 0.143 | 770 | 1.75 | <5 | 2 | 278 | <5 | 0.04 | <10 | <10 | 48 | 88 | 7094 | 2 |
| 697272 | 1.4 | 3.04 | 220 | 68 | <0.5 | <5 | 4.51 | 20 | 3 9 | 80 | 60 | 6.26 | 9 | 0.48 | <10 | 3.73 240 |)2 <2 | 0.02 | 69 | 0.079 | 223 | 0.58 | <5 | 11 | 382 | <5 | 0.04 | <10 | <10 | 97 | 34 | 7054 | 2 |
| 697273 | 11.1 | 0.83 | >10000 | 41 | <0.5 | 18 | 7.62 | 312 | 11 | 18 | 275 | 6.82 | 13 | 0.36 | <10 | 1.58 355 | 58 2 | 0.01 | 19 | 0.055 | 2137 | 4.64 | 63 | 4 | 745 | <5 | 0.00 | <10 | <10 | 24 | 816 - | ×10000 | 2 |
| 697274 | 5.5 | 0.40 | 523 | 69 | <0.5 | <5 | 4.79 | 34 | 9 | 20 | 233 | 4.08 | 8 | 0.34 | <10 | 1.50 260 | 05 2 | 0.02 | 9 | 0.148 | 949 | 0.95 | <5 | 2 | 445 | <5 | <0.01 | <10 | <10 | 15 | 67 | 5743 | 2 |
| 697275 | 0.2 | 0.39 | 28 | 63 | <0.5 | < 5 | 4.53 | 3 | 7 | 10 | 9 | 2.31 | 7 | 0.33 | 10 | 1.41 149 | 97 <2 | 0.03 | 5 | 0.127 | 29 | 0.19 | <5 | 2 | 451 | <5 | 0.01 | <10 | <10 | 15 | <10 | 290 | 1 |
| | | | | | | | | | | | | | | | | | | | _ | | | | | _ | | | 0.01 | -10 | | 10 | ~10 | 230 | - |
| 697276 | 0.3 | 1.20 | 22 | 132 | 0.8 | <5 | 3.97 | 3 | 11 | 28 | 119 | 3.70 | 6 | 0.97 | <10 | 1.69 118 | 33 <2 | 0.03 | 8 | 0.141 | 19 | 1.05 | <5 | 4 | 369 | <5 | 0.12 | <10 | <10 | 67 | <10 | 102 | 2 |
| 697277 | 0.3 | 0.64 | 15 | 89 | <0.5 | <5 | 3.50 | 3 | 6 | 10 | 41 | 2.80 | 5 | 0.51 | <10 | 1.66 104 | 19 <2 | 0.03 | 7 | 0.152 | 24 | 0.57 | <5 | 3 | 355 | <5 | 0.03 | <10 | <10 | 26 | <10 | 134 | 1 |
| 697278 | <0.2 | 0.66 | 11 | 92 | <0.5 | <5 | 3.47 | 2 | 6 | 12 | 27 | 2.57 | 6 | 0.53 | 10 | 1.67 101 | 14 <2 | 0.03 | 7 | 0.164 | 17 | 0.36 | <5 | 3 | 360 | <5 | 0.03 | <10 | <10 | 27 | <10 | 96 | 1 |
| 697279 | 0.2 | 0.70 | 16 | 129 | <0.5 | <5 | 2.64 | 2 | 9 | 18 | 60 | 2.52 | 4 | 0.56 | <10 | 1.06 67 | 70 <2 | 0.03 | 13 | 0.132 | 5 | 0.97 | <5 | 2 | 245 | <5 | 0.05 | <10 | <10 | 29 | <10 | 45 | 2 |
| 697280 | 1.0 | 1.30 | 23 | 145 | 1.1 | <5 | 3.08 | 4 | 10 | 20 | 199 | 4.18 | 5 | 1.14 | <10 | 1.91 88 | 37 <2 | 0.04 | 8 | 0.114 | 15 | 1.63 | <5 | 3 | 325 | <5 | 0.16 | <10 | <10 | 67 | <10 | 52 | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | - | - | | - | | | | ÷. | .10 | 52 | - |
| 697281 | 1.1 | 0.49 | 28 | 163 | <0.5 | <5 | 2.62 | 3 | 8 | 27 | 138 | 3.30 | 5 | 0.38 | <10 | 0.78 78 | 37 2 | 0.03 | 18 | 0.133 | 48 | 1.69 | <5 | 2 | 227 | <5 | 0.01 | <10 | <10 | 17 | <10 | 90 | 2 |
| 697282 | 2.6 | 1.34 | 169 | 23 | 0.5 | 10 | 1.78 | 13 | 47 | 48 | 836 | 11.77 | 6 | 1.13 | <10 | 1.24 73 | 80 8 | 0.02 | 51 | 0.110 | 20 | 6.68 | <5 | 2 | 140 | <5 | 0.12 | <10 | 22 | 55 | <10 | 53 | 4 |
| 697283 | 0.4 | 0.67 | 19 | 140 | <0.5 | <5 | 4.35 | 3 | 12 | 21 | 90 | 3.35 | 7 | 0.57 | <10 | 1.29 122 | 20 2 | 0.02 | 9 | 0.133 | 3 | 1.37 | <5 | 2 | 454 | <5 | 0.05 | <10 | <10 | 25 | <10 | 65 | , |
| 697284 | 0.5 | 0.64 | 22 | 85 | <0.5 | <5 | 2.63 | 3 | 20 | 23 | 122 | 3.44 | 4 | 0.46 | <10 | 1.36 79 | 99 <2 | 0.04 | 7 | 0.118 | 11 | 1.17 | <5 | 3 | 254 | <5 | 0.04 | <10 | <10 | 32 | <10 | 75 | - |
| 697285 | 0.8 | 0.33 | 32 | 83 | <0.5 | <5 | 3.51 | 3 | 13 | 18 | 92 | 3.18 | 5 | 0.26 | <10 | 1.14 151 | 10 2 | 0.04 | 9 | 0.109 | 31 | 1.24 | <5 | 2 | 294 | <5 | <0.01 | <10 | <10 | 12 | <10 | 71 | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | - | _ | | - | | | | ~~ | -10 | | • |
| 6 97286 | <0.2 | 0.97 | 23 | 162 | 0.6 | <5 | 3.36 | 2 | 9 | 33 | 54 | 2.30 | 6 | 0.79 | <10 | 0.98 85 | 53 <2 | 0.04 | 10 | 0.117 | 3 | 0.60 | <5 | 3 | 307 | <5 | 0.08 | <10 | <10 | 41 | <10 | 34 | 2 |
| 697287 | 0.3 | 1.60 | 81 | 197 | 1.2 | <5 | 2.97 | 3 | 19 | 37 | 111 | 3.49 | 6 | 1.40 | <10 | 1.39 80 | 3 3 | 0.04 | 27 | 0.107 | 7 | 1.14 | <5 | 4 | 296 | <5 | 0.18 | <10 | <10 | 66 | <10 | 50 | 3 |
| 697288 | 0.5 | 1.12 | 54 | 74 | 0.6 | <5 | 2.92 | 5 | 21 | 47 | 188 | 5.43 | 6 | 0.97 | <10 | 1.07 68 | 36 <2 | 0.03 | 27 | 0.088 | 9 | 3.32 | <5 | 2 | 335 | <5 | 0.09 | <10 | <10 | 43 | <10 | 29 | 3 |
| 697289 | 0.9 | 0.40 | 49 | 124 | <0.5 | <5 | 3.74 | 5 | 11 | 28 | 69 | 3.11 | 1 | 0.29 | <10 | 0.79 89 | 8 4 | 0.04 | 19 | 0.128 | 121 | 1.64 | <5 | z | 297 | <5 | 0.01 | <10 | <10 | 17 | <10 | 236 | 3 |
| 697290 | 0.2 | 1.16 | 55 | 163 | 1.1 | <5 | 3.16 | 5 | 19 | 33 | 108 | 4.25 | 2 | 1.02 | <10 | 1.28 59 | 1 5 | 0.04 | 15 | 0.138 | 6 | 2.16 | <5 | 3 | 298 | <5 | 0.15 | <10 | <10 | 53 | <10 | 40 | 3 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | - | | | | | | - |

A .5 gm sample is digested with 5 ml 3:1 HCI/HNO3 at 95°C for 2 hours and diluted to 25ml.

Page 3 of 4

Signed: _



Project : Bronson

Attention : Arnd Burgert

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

 Report No
 : 0S0040RJ

 Date
 : Jul-24-10

Sample type : CORE

Multi-Element ICP-AES Analysis

Aqua Regia Digestion

| Sample Number | Ag ppm | AI % | As ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Co ppm | Cr ppm | Cu ppm | Fe %p | Hg opm | К % | La ppm | Mg % | Mn ppm (| Mo N ppm % | a Ni 6 ppm | P % | Pb ppm | S % | Sb ppm p | Sc opm | Sr ppm | Th ppm | Ti % | TI ppm | U ppm į | V opm | W ppm | Zn ppm p | Zr ppm |
|------------------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|----------|-----------|--------|-----------|---------|-------------|---------------|---------------|--------|-----------|--------|-------------|-----------|-----------|-----------|---------|------------|------------|----------|----------|-------------|-----------|
| 697291 | 0.2 | 1.12 | 57 | 161 | 0.8 | <5 | 3.46 | 4 | 16 | 34 | 108 | 3.62 | 3 | 0.99 | <10 | 0.95 | 553 | 5 0.0 | 3 19 | 0.114 | 6 | 2.07 | <5 | 2 | 305 | <5 | 0.12 | <10 | <10 | 48 | <10 | 28 | 3 |
| 697292 | <0.2 | 1.65 | 55 | 188 | 1.5 | <5 | 3.17 | 4 | 15 | 23 | 54 | 3.77 | 3 | 1.49 | <10 | 1.45 | 608 | 6 0.0 | 4 15 | 0.132 | . 7 | 1.34 | <5 | 3 | 273 | <5 | 0.20 | <10 | <10 | 59 | <10 | 29 | 2 |
| 697293 | 0.3 | 1.57 | 45 | 200 | 1.3 | <5 | 2.88 | 5 | 16 | 33 | 107 | 4.72 | 3 | 1.40 | <10 | 1.69 | 648 | 3 0.0 | 4 12 | 0.124 | 7 | 1.62 | <5 | 4 | 325 | <5 | 0.21 | <10 | <10 | 72 | <10 | 34 | 2 |
| 697294 | 1.3 | 2.10 | 65 | 44 | 1.7 | 5 | 1.21 | 12 | 43 | 47 | 684 | 11.26 | 3 | 1.84 | <10 | 1.88 | 790 | <2 0.0 | 3 11 | 0.087 | 16 | 5.55 | <5 | 5 | 92 | <5 | 0.27 | 11 | <10 | 90 | 10 | 33 | 5 |
| 697295 | 0.2 | 1.35 | 82 | 154 | 1.2 | <5 | 2.63 | 7 | 20 | 35 | 79 | 5.40 | 3 | 1.19 | <10 | 1.31 | 763 | 4 0.0 | 3 14 | 0.092 | 10 | 2.97 | <5 | 3 | 248 | <5 | 0.16 | <10 | <10 | 56 | <10 | 24 | 3 |
| 697296 | 0.4 | 1.40 | 227 | 135 | 0.7 | <5 | 9.88 | 8 | 13 | 17 | 115 | 6.25 | 6 | 1.13 | <10 | 1.93 | 2520 | 5 0.03 | 2 7 | 0.077 | 9 | 2.85 | <5 | z | 1002 | <5 | 0.11 | 10 | <10 | 47 | <10 | 40 | 3 |
| 697297 | <0.2 | 0.03 | <5 | <10 | <0.5 | <5 | >25.00 | <1 | <1 | 3 | <1 | 0.05 | 13 | 0.01 | <10 | 1.97 | 33 | 13 0.0 | 1 1 | 0.009 | <2 | 1.12 | <5 | <1 | 135 | <5 | <0.01 | <10 | 13 | 2 | <10 | <1 | <1 |
| 697298 | <0.2 | 2.11 | 71 | 183 | 1.8 | <5 | 4.02 | 6 | 28 | 24 | 124 | 5.46 | 3 | 1.74 | <10 | 1.78 | 1077 | 4 0.0 | 4 16 | 0.160 | 11 | 1.79 | <5 | 5 | 357 | <5 | 0.26 | 11 | <10 | 110 | <10 | 44 | 2 |
| 697299 | 0.3 | 2.35 | 31 | 226 | 2.0 | <5 | 2.78 | 5 | 20 | 27 | 104 | 4.83 | 2 | 1.80 | <10 | 2.03 | 904 | 2 0.0 | 5 12 | 0.142 | 14 | 1.04 | <5 | 6 | 173 | <5 | 0.31 | 11 | <10 | 134 | <10 | 55 | 3 |
| 697300 | <0.2 | 2.48 | 95 | 289 | 2.0 | <5 | 2.44 | 6 | 25 | 43 | 145 | 5.77 | 1 | 1.72 | <10 | 2.17 | 861 | 2 0.0 | 5 15 | 0.140 | 9 | 1.36 | <5 | 11 | 134 | <5 | 0.31 | 11 | <10 | 190 | <10 | 51 | 3 |
| Duplicates: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 697201 | 15.2 | 3.87 | 4487 | 275 | 1.4 | 5 | 1.81 | 77 | 25 | 42 | 219 | 9.12 | 2 | 1.70 | <10 | 3.09 | 4144 | 3 0.03 | 2 34 | 0.162 | 3559 | 1.69 | 13 | 6 | 104 | <5 | 0.21 | i 1 | <10 | 129 | 146 | >10000 | 3 |
| 697210 | 0.2 | 1.60 | 56 | 253 | 1.4 | <5 | 3.11 | 4 | 18 | 97 | 72 | 3.88 | 2 | 1.45 | <10 | 1.35 | 797 | 6 0.0 | 5 68 | 0.102 | . 8 | 0.97 | <5 | 4 | 248 | <5 | 0.21 | <10 | <10 | 69 | <10 | 83 | 2 |
| 697220 | <0.2 | 2.20 | 53 | 290 | 1.8 | <5 | 3.85 | 5 | 24 | 74 | 55 | 4.71 | 2 | 1.99 | <10 | 1.98 | 906 | 4 0.0 | \$ 60 | 0.146 | 14 | 1.14 | <5 | 6 | 305 | <5 | 0.26 | <10 | <10 | 104 | <10 | 76 | 3 |
| 697223 | 0.3 | 2.25 | 108 | 264 | 1.5 | <5 | 3.48 | 3 | 21 | 64 | 55 | 3.20 | 14 | 2.03 | <10 | 2.00 | 1496 | 2 0.0 | 4 75 | 0.165 | 27 | 0.44 | <5 | 4 | 247 | <5 | 0.23 | 11 | <10 | 79 | <10 | 91 | 2 |
| 697232 | 1.3 | 1.78 | 65 | 199 | <0.5 | <5 | 4.00 | 2 | 18 | 74 | 89 | 4.25 | 10 | 1.78 | <10 | 1.87 | 1662 | 3 0.0 | 2 79 | 0.126 | 36 | 1.72 | <5 | 3 | 279 | <5 | 0.21 | <10 | <10 | 61 | <10 | 89 | 3 |
| 697242 | 10.2 | 0.47 | 396 | 87 | <0.5 | <5 | 1.72 | 28 | 11 | 31 | 492 | 6.72 | 6 | 0.42 | <10 | 1.60 | 2393 | 2 0.0 | 1 18 | 0.067 | 1480 | 3.01 | <5 | 1 | 147 | <5 | 0.01 | <10 | <10 | 12 | 51 | 4369 | 4 |
| 697245 | 115.2 | 0.32 | >10000 | 22 | <0.5 | 77 | 1.58 | 346 | 175 | 46 | 1023 | 18.75 | 7 | 0.28 | <10 | 0.82 | 1668 | 4 0.0 | 1 52 | 0.032 | >10000 | >10.00 | 52 | <1 | 114 | <5 | 0.01 | <10 | 35 | 29 | 872 | >10000 | 7 |
| 697254 | 0.5 | 0.81 | 89 | 154 | 0.5 | <5 | 2.69 | 3 | 10 | 73 | 58 | 2.59 | 5 | 0.65 | <10 | 1.31 | 946 | <2 0.0 | 4 83 | 0.094 | 22 | 0.62 | <5 | 3 | 271 | <5 | 0.07 | <10 | <10 | 29 | <10 | 91 | 2 |
| 697264 | <0.2 | 2.85 | 20 | 184 | 2.2 | <5 | 3.51 | 7 | 39 | 39 | 56 | 6.99 | 5 | 0.13 | 30 | 4.00 | 1278 | <2 0.1 | 5 35 | 0.435 | 15 | 0.42 | <5 | 13 | 238 | <5 | 0.30 | 17 | <10 | 214 | <10 | 149 | 19 |
| 697267 | 1.8 | 0.50 | 20 | 97 | <0.5 | <5 | 3.03 | 14 | 9 | 14 | 22 | 2.77 | 5 | 0.38 | <10 | 1.33 | 1820 | 4 0.0 | 3 11 | 0.119 | 359 | 0.39 | <5 | 2 | 268 | <5 | 0.01 | <10 | <10 | 15 | 30 | 2790 | 2 |
| 697276 | 0.2 | 1.30 | 23 | 141 | 0.9 | <5 | 4.06 | 3 | 11 | 29 | 126 | 3.79 | 6 | 1.04 | 10 | 1.75 | 1194 | 2 0.0 | 48 | 0.142 | 18 | 1.05 | <5 | 5 | 379 | <5 | 0.12 | <10 | <10 | 70 | <10 | 85 | 2 |
| 697286 | <0.2 | 0.98 | 21 | 167 | 0.6 | <5 | 3.15 | 2 | 8 | 31 | 53 | 2.21 | 6 | 0.78 | <10 | 0.94 | 807 | <2 0.0 | 49 | 0.103 | 3 | 0.56 | <5 | 3 | 290 | <5 | 0.08 | <10 | <10 | 40 | <10 | 32 | 2 |
| 697289 | 0.7 | 0.39 | 40 | 111 | <0.5 | <5 | 3.57 | 4 | 10 | 23 | 70 | 3.03 | 3 | 0.30 | <10 | 0.80 | 876 | 3 0.0 | 4 16 | 0.126 | 106 | 1.55 | <5 | 2 | 300 | <5 | 0.01 | <10 | <10 | 16 | <10 | 215 | 3 |
| 697298 | 0.2 | 2.05 | 78 | 188 | 1.7 | <5 | 4.01 | 6 | 27 | 24 | 127 | 5.11 | 2 | 1.69 | <10 | 1.78 | 1057 | 2 0.04 | \$ 16 | 0.148 | 9 | 1.65 | <5 | 6 | 360 | <5 | 0.25 | 10 | <10 | 113 | <10 | 42 | 2 |
| Standards: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blank | <0.2 | <0.01 | <5 | <10 | <0.5 | <5 | <0.01 | <1 | <1 | 1 | <1 | <0.01 | 3 | <0.01 | <10 | <0.01 | <5 | <2 0.0 | 1 1 | <0.001 | <2 | < 0.01 | <5 | <1 | <1 | <5 | < 0.01 | <10 | <10 | <1 | <10 | <1 | <1 |
| CH-4 | 1.8 | 1.74 | 14 | 281 | 1.1 | <5 | 0.58 | 5 | 29 | 101 | 2017 | 4.64 | 2 | 1.40 | 13 | 1.19 | 335 | 3 0.0 | 5 51 | 0.060 | 18 | 0.58 | <5 | 7 | 8 | <5 | 0.20 | <10 | <10 | 78 | <10 | 224 | 12 |

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95°C for 2 hours and diluted to 25ml.

Page 4 of 4



Quality Assaying for over 35 Years

Assay Certificate

0S-0040-RA1

| Company: | Skyline Gold Corp. |
|----------|--------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-24-10

We *hereby certify* the following assay of 22 core samples submitted Jun-28-10

| Sample | Au | As | Zn | Sample wt | |
|-------------|---------|--------|-------|-----------|--|
| Name | g/tonne | % | % | Kg | |
| 697201 | 0.07 | | 1.11 | 2.5 | |
| 697202 | 0.16 | 1.24 | 1.43 | 2.0 | |
| 697203 | 0.07 | | | 2.0 | |
| 697204 | 0.09 | | | 2.5 | |
| 697205 | 0.53 | | | 2.5 | |
| 697206 | 0.02 | | | 2.5 | |
| 697207 | 0.02 | | | 4.5 | |
| 697208 | 0.02 | | | 3.0 | |
| 697209 | 0,01 | | | 1.5 | |
| 697210 | 0.06 | | | 4.5 | |
| 697211 | 0.01 | | | 1.0 | |
| 697212 | 0.03 | | | 5.5 | |
| 697213 | 0.03 | | | 6.0 | |
| 697214 | 0.03 | | | 5.5 | |
| 697215 | 0.03 | | | 4.5 | |
| 697216 | 0.02 | | | 4.0 | |
| 697217 | 0.02 | | | 2.0 | |
| 697218 | 0.03 | | | 3.0 | |
| 697219 | 0.03 | | | 5.0 | |
| 697220 | 0.01 | | | 4.5 | |
| 697221 | 0.01 | | | 4.5 | |
| 697222 | 0.01 | | | 4.0 | |
| *DUP 697201 | 0.08 | | | | |
| *DUP 697210 | 0.01 | | | | |
| *DUP 697220 | 0.03 | | | | |
| *0211 | 2.27 | | | | |
| *CD-1 | | 0.659 | | | |
| *ME-3 | | | 0.87 | | |
| *BLANK | <0.01 | <0.001 | <0.01 | | |

Au 50g F.A./ AA finish; Zn AR digest AA finish.


Quality Assaying for over 35 Years

Assay Certificate

Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

0S-0040-RA2

Jul-24-10

| Company: | Skyline Gold Corp. |
|----------|--------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

We *hereby certify* the following assay of 22 core samples submitted Jun-28-10

| Sample | Au | As | Sample-wt | Pb | Zn | |
|-------------|---------|--------|-----------|-------|-------|--|
| Name | g/tonne | % | Kg | % | % | |
| 697223 | 0.01 | | 4.5 | | | |
| 697224 | 0.02 | | 4.0 | | | |
| 697225 | 0.02 | | 5.0 | | | |
| 697226 | 0.02 | | 4.5 | | | |
| 697227 | 0.09 | | 2.0 | | | |
| 697228 | 0.04 | | 2.5 | | | |
| 697229 | 0.02 | | 4.5 | | | |
| 697230 | 0.08 | | 4.0 | | | |
| 697231 | 0.07 | | 4.5 | | | |
| 697232 | 0.09 | | 3.0 | | | |
| 697233 | 0.09 | | 3.5 | | | |
| 697234 | 0.03 | | 5.5 | | | |
| 697235 | 0.01 | | 4.5 | | | |
| 697236 | 0.01 | | 2.5 | | | |
| 697237 | 0.04 | | 4.0 | | | |
| 697238 | 0.02 | | 3.5 | | | |
| 697239 | 0.04 | | 5.0 | | | |
| 697240 | 0.31 | | | | | |
| 697241 | 0.04 | | 2.5 | | | |
| 697242 | 0.06 | | 1.0 | | | |
| 697243 | 0.09 | | 1.0 | | | |
| 697244 | 0.93 | 1.77 | 1.0 | 1.62 | 5.70 | |
| *DUP 697223 | 0.01 | | | | | |
| *DUP 697232 | 0.10 | | | | | |
| *DUP 697242 | 0.06 | | | | | |
| *0211 | 2.23 | | | | | |
| *CD-1 | | 0.659 | | | | |
| *ME-3 | | | | 2.77 | 0.89 | |
| *BLANK | <0.01 | <0.001 | | <0.01 | <0.01 | |

Au 50g F.A./ AA finish; Pb, Zn AR digest AA finish

Certified by_



Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

0S-0040-RA3

Jul-24-10

Company:Skyline Gold Corp.Project:BronsonAttn:Arnd Burgert

We *hereby certify* the following assay of 22 core samples submitted Jun-28-10

| Sample | Au | As | Sample-wt | Pb | Zn | |
|-------------|---------|--------|-----------|-------|-------|--|
| Name | g/tonne | % | Kg | % | % | |
| 697245 | 2.48 | 1.46 | 0.7 | 1.84 | 7.60 | |
| 697246 | 2.14 | | 1.0 | | 3.41 | |
| 697247 | 0.01 | | 0.5 | | | |
| 697248 | 0.10 | | 2.0 | | | |
| 697249 | 0.03 | | 3.5 | | | |
| 697250 | 0.05 | | 3.5 | | | |
| 697251 | 0.01 | | 4.0 | | | |
| 697252 | 0.02 | | 4.5 | | | |
| 697253 | 0.02 | | 4.5 | | | |
| 697254 | 0.01 | | 5.5 | | | |
| 697255 | 0.01 | | 2.5 | | | |
| 697256 | 0.02 | | 3.5 | | | |
| 697257 | 0.02 | | 4.0 | | | |
| 697258 | 0.05 | | 3.0 | | | |
| 697259 | 0.09 | | 3.0 | | | |
| 697260 | 0.04 | | 4.0 | | | |
| 697261 | 0.01 | | 5.0 | | | |
| 697262 | 0.01 | | 3.0 | | | |
| 697263 | <0.01 | | 4.0 | | | |
| 697264 | <0.01 | | 4.5 | | | |
| 697265 | 0.01 | | 0.7 | | | |
| 697266 | 0.01 | | 2.0 | | | |
| *DUP 697245 | 2.32 | | | | | |
| *DUP 697254 | 0.01 | | | | | |
| *DUP 697264 | <0.01 | | | | | |
| *0211 | 2.30 | | | | | |
| *CD-1 | | 0.659 | | | | |
| *ME-3 | | | | 2.77 | 0.90 | |
| *BLANK | <0.01 | <0.001 | | <0.01 | <0.01 | |

Au 50g F.A./ AA finish; Pb, Zn AR digest AA finish



Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

Quality Assaying for over 35 Years

Assay Certificate

0S-0040-RA4

Jul-24-10

Company:Skyline Gold Corp.Project:BronsonAttn:Arnd Burgert

We *hereby certify* the following assay of 22 core samples submitted Jun-28-10

| Sample | Au | As | Sample-wt | Zn | |
|-------------|---------|--------|-----------|-------|------|
| Name | g/tonne | % | Kg | % | |
| 697267 | 0.01 | | 3.0 | | |
| 697268 | 0.18 | | 1.0 | | |
| 697269 | 0.01 | | 2.5 | | |
| 697270 | 0.02 | | 4.0 | | |
| 697271 | 0.04 | | 3.5 | | |
| 697272 | 0.01 | | 6.5 | | |
| 697273 | 0.36 | 1.88 | 2.5 | 7.50 | |
| 697274 | 0.04 | | 3.0 | | |
| 697275 | <0.01 | | 3.0 | | |
| 697276 | 0.02 | | 4.5 | | |
| 697277 | 0.02 | | 3.5 | | |
| 697278 | 0.01 | | 4.0 | | |
| 697279 | 0.03 | | 5.0 | | |
| 697280 | 0.06 | | 0.4 | | |
| 697281 | 0.06 | | 6.0 | | |
| 697282 | 0.56 | | 3.0 | | |
| 697283 | 0.04 | | 5.0 | | |
| 697284 | 0.04 | | 5.0 | | |
| 697285 | 0.06 | | 4.5 | | |
| 697286 | 0.03 | | 4.5 | | |
| 697287 | 0.07 | | 5.0 | | |
| 697288 | 0.10 | | 4.0 | | |
| *DUP 697267 | 0.01 | | | | |
| *DUP 697276 | 0.02 | | | | |
| *DUP 697286 | 0.02 | | | | |
| *0211 | 2.30 | | | | |
| *CD-1 | | 0.659 | | | |
| *ME-3 | | | | 0.90 | |
| *BLANK | <0.01 | <0.001 | | <0.01 | |

Au 50g F.A./ AA finish; Zn AR digest AA finish



Assayers Canada 8282 Sherbrooke St. Vancouver, B.C. V5X 4R6 Tel: (604) 327-3436 Fax: (604) 327-3423

.

Quality Assaying for over 35 Years

Assay Certificate

0S-0040-RA5

| Company: | Skyline Gold Corp. |
|----------|--------------------|
| Project: | Bronson |
| Attn: | Arnd Burgert |

Jul-24-10

We *hereby certify* the following assay of 12 core samples submitted Jun-28-10

| Sample | Au | Sample-wt | |
|-------------|---------|-----------|--|
| Name | g/tonne | Kg | |
| 697289 | 0.07 | 6.0 | |
| 697290 | 0.09 | 6.0 | |
| 697291 | 0.06 | 5.5 | |
| 697292 | 0.02 | 6.0 | |
| 697293 | 0.04 | 6.0 | |
| 697294 | 0.46 | 2.5 | |
| 697295 | 0.16 | 2.0 | |
| 697296 | 0.20 | 3.0 | |
| 697297 | 0.01 | 0.4 | |
| 697298 | 0.05 | 4.5 | |
| 697299 | 0.02 | 4.0 | |
| 697300 | 0.04 | 4.0 | |
| *DUP 697289 | 0.07 | | |
| *DUP 697298 | 0.05 | | |
| *0211 | 2.28 | | |
| *BLANK | <0.01 | · · · | |

Au 50g F.A./ AA finish

Certified by_



AsPy

Ca

Chl

Gal

Ру

Pyr

Qtz

Barren

Sphal or sph

Arsenopyrite

alt

//

CA

Standards

Other Abbreviations

STD-15

STD-2

STD-20A

Calcite

Chlorite

Galena

Pyrite

Quartz

Pyrrhotite

Sphalerite

Barren of sulphides

DIAMOND DRILL HOLE LOG

alteration

CDN-CGS-15

CDN-GS-20A

To the core axis Py/qtz|Ca|qtz/Py Center of vein (mineral) order of mineralization

CDN-ME-2

Parallel

Summary of Drill Hole SK-10-11

| HOLE: | SK10-11 | CONTRACTOR: Driftwood Diamond Drilling Ltd | | From(m |) To (m) | Unit | Description | |
|--------------------------------------|--|---|--|----------|-----------|-------------|---|--------------------|
| | | | | 0.0 | 3.9 | | overburden | 1 |
| COLLAR COOL Easting: Northing: | DLLAR COORDINATES UTM (NAD 8 Easting: 373665.2 Northing: 6280872.2 DLLAR COORDINATES MINE GRID: | | I: DATE STARTED: 16-Oct-10 COMPLETED: 17-Oct-10 LOGGED BY: B. Hemingway | | 34.0 | GrW-Arg/Sst | Greywacke, It-med gray w/slight hue of pink due to K-spar in matrix, argillite component is > siltstone layering. Contacts are gradational and arbitrary between the units | |
| Northing: Easting: | 11754.9 27469.9 ATION (m-ASL): | SAMPLE INT GEOTECH BY SAMPLED BY | ERVALS: B.H./A. Burgert : N/A : D. Quock | 34.0 | 64.4 | GrW-Arg-Cgl | Poorly sorted conglomerate of siltstone clasts (content is < 20% of rock volume) within the argillite greywacke unit (GrW- | |
| | 575.5 | CORE SIZE: | NQ | | | | Arg/Sst) | |
| FINAL DEPTH | : 110.9 | RIG: | SRS 3000 Hydraulic | 64.4 | 89.0 | GrW-Sst/Arg | Greywacke, It-med gray w/slight hue of pink due to K-spar in matrix, siltstone component | 69.3 to 88 Spha |
| Denth | Azimuth | Inclination | Method | | | | is >argillite layering | lleni |
| 0 | 210.0 211.8 | -45.0 -46.4 | compass, clinometer Reflex | XXXXXXXX | XXXXXXXXX | l | 75.01 to 77.05 Fault Zone contact at 40° | Zone of te |
| 60 | 218.2 | -46.8 | Reflex | | | | | |
| 111 | 220.4 | -46.7 | Reflex | 89.0 | 103.1 | GrW-Arg-Cgl | Poorly sorted siltstone clasts within the argillite greywacke unit (GrW-Arg/Sst) | |
| Abbreviations | | | |] | | | | |
| Lithology GrW Slt | Greywacke Arg Siltstone Bio | ation Argil Bioti | litic or clay alteration te (potassic) | 103.1 | 110.9 | GrW-Sst-Cgl | Poorly sorted conglomerate of argillite clasts within the siltstone greywacke unit (GrW- Arg/Sst) | |
| Minerals | Clasis Kspa Phv | r Feld: Phvl | spar or reidspatnic (potassic) lic or sericitic | | | | | - |
| AsPy | Arsenopyrite Ser | Serio | cite | | | | | |

Hole: SK-10-11 Page: 2 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|------|---|---------|-------|-------|--------|-------|-----|-----|-----|-----|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| 0.0 | 3.9 | casing to 3.05 core starts at 3.90 weathering to 5.90 indicated by the slightly, rusty | | | | | | | | | | |
| | | Fe stained fractures. | | | | | | | | | | |
| 3.9 | 34.0 | GrW-Arg/Sst with alternating siltstone/mudstone or argillite layers | G022601 | 3.90 | 6.00 | 2.10 | 0.132 | 0.4 | 74 | 50 | 5 | 72 |
| | | The host rock is a fine to coarse grained feldspathic graywacke, the lithic | G022602 | 6.00 | 8.00 | 2.00 | 0.071 | 0.5 | 97 | 36 | 7 | 42 |
| | | component or lesser unit of graywacke within the formation is a sequence of | G022603 | 8.00 | 10.00 | 2.00 | 0.169 | 0.5 | 66 | 32 | 6 | 47 |
| | | intercalated siltstone, conglomerate consisting of mudstone with clasts of siltstone, | | | | | | | | | | |
| | | and massive argillite. Layering is common throughout although discontinuous in | | | | | | | | | | |
| | | sections with gradiational contacts to the next unit interval arbitarily set. General | | | | | | | | | | |
| | | overall colour of the host rock is a mottled light to medium dark gray indicating | | | | | | | | | | |
| | | silicification and argilliceous or carbonaceous matrix but also within bands and | | | | | | | | | | |
| | | clasts of lighter coloured siltstone within the darker grey coloured matrix. | | | | | | | | | | |
| | | Calcification is diffused giving a lighter colour appearance in core but in sections | | | | | | | | | | |
| | | grains of calcite are noticeable. Light coloured banding contacts are diffused and | | | | | | | | | | |
| | | represent remnant siltstone laminia/bedding. In a few sections the siltstone | | | | | | | | | | |
| | | bedding within the argilliceous host rock is contorted, discontinous representing | | | | | | | | | | |
| | | slumping or slope derived conditions to the diagenesis of rock formation. Generally, | | | | | | | | | | |
| | | cubes. Extensional fracturing is prevalent throughout, is discontinuous and partially | | | | | | | | | | |
| | | healed in the argilliceous matrix but clearly visible and not healed and more open in | | | | | | | | | | |
| | | areas of silification and within the siltstone bedding. Generally, the micro fracturing | | | | | | | | | | |
| | | cuts or offsets the quartz veining, rarely some veins are continuous. In sections of | | | | | | | | | | |
| | | intense stockwork-like micro fracturing, quartz veins are discontinous, angular, and | | | | | | | | | | |
| | | blocky. | | | | | | | | | | |
| | | associated with the microfracturing is the sphalerite mineralization where tiny | | | | | | | | | | |
| | | nodes of sphalerite form at the junction points thereof and in some cases the | | | | | | | | | | |
| | | intensity of sphalerite deposition at the node points yields blebs and clusters as well | | | | | | | | | | |
| | | thickens the fractures | | | | | | | | | | |
| | | med to drk gry matrix, with lt-gry siltstone layering. | | | | | | | | | | |
| | | from 9.6 to 10.15 zone of micro fractures anastomising and discontinous | G022603 | 8.00 | 10.00 | 2.00 | 0.169 | 0.5 | 66 | 32 | 6 | 47 |
| | | at 10.1m load cast structures indicate top is up. | | | | | | | | | | |
| | | at 11.2 a 3.0cm wide qtz/vn @50° cuts and offsets (unknown offset) faint silt | G022604 | 10.00 | 12.00 | 2.00 | 0.031 | 0.5 | 35 | 29 | 4 | 26 |
| | | laminia, bedding planes at 20° also fracturing is similar | | | | | | | | | | |
| | | at 12.85 to 13.78 zone of healed to open anastoming fractures | G022605 | 12.00 | 14.00 | 2.00 | 0.032 | 0.6 | 27 | 45 | 6 | 17 |
| | | at 13.3 qtz/ca vn at 30° sharp contact no selvage x-cuts diffused and discontinuous | | | | | | | | | | |
| | | siltstone laminia, wavy appearance to bedding, many healed fractures | | | | | | | | | | |
| | | at 15.1 matrix is more calcareous with many echelon type veinlets with mixed | G022606 | 14.00 | 16.00 | 2.00 | 0.109 | 0.7 | 79 | 49 | 8 | 19 |
| | | orientations, interstitual pyrite is <0.5% occasional pyritic veinlets | | | | | | | | | | |
| | | at 17.72 a 3.0cm wide fracture at 50° with fault gouge slighty greenish clay filled | G022607 | 16.00 | 18.00 | 2.00 | 0.072 | 0.7 | 115 | 91 | 14 | 27 |
| | | at 18.5 matrix is slightly tinge red, feldspathic alteration. Interstitial py same, | G022608 | 18.00 | 20.00 | 2.00 | 0.165 | 1.1 | 163 | 113 | 36 | 40 |
| | | occasional grn sercite in matrix at 19.2 with little clay alteration on some | | | | | | | | | | |

Page: 3 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|-----|---|---------|-------|-------|--------|-------|-----|------|-----|-----|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | fracture surfaces | | | | | | | | | | |
| | | at 20.2 silt layering more continuous at 30° with thin lamenia of calcite, very little | G022609 | 20.00 | 22.00 | 2.00 | 0.042 | 0.7 | 59 | 94 | 23 | 18 |
| | | intersitial pyrite but occurs in occasional thin layers parallel to bedding and with | G022610 | STD15 | STD15 | STD15 | 0.603 | 2.9 | 4690 | 181 | 30 | 68 |
| | | calcite veinlettes | | | | | | | | | | |
| | | at 20.3 a 1.0cm wide calcite veinlet@40° with a py within and at selvage edge | | | | | | | | | | |
| | | together with a very thin discontinuous biotite contact with host rk. | | | | | | | | | | |
| | | at 20.6 a 1.0cm wide calcite braided veinlet at 70° w/ occasional py in host rk matrix | | | | | | | | | | |
| | | nearby. | | | | | | | | | | |
| | | at 21.0 m a very thin, discontinuous, py veinlet w/ intermitten selvage of qtz and biotite. | | | | | | | | | | |
| | | at 21.2 a zone of micro, anastomizing healed fr with occasional biotite. Pyrite occurs | | | | | | | | | | |
| | | primary as veinlets | | | | | | | | | | |
| | | at 21.4 a wavy, variable thickness calcite veinlet with pyrite at 50° | | | | | | | | | | |
| | | at 21.9 zone of healed fr, offsets, anastomosing, discontinuous | | | | | | | | | | |
| | | at 22.1 qtz/cal veinlet at 40°, 2.0mm wide | G022611 | 22.00 | 24.00 | 2.00 | 0.083 | 0.7 | 98 | 95 | 34 | 31 |
| | | at 22.4 clay filled fr @ 40°, extensional 1.0cm wide tapering qtz/ca vein at 0° is cut | | | | | | | | | | |
| | | by fracture, the qtz/ca vein has a very thin(<1.0mm) dark selvage, pyrite associated | | | | | | | | | | |
| | | with vein is parallel to and contained near the edge (bifuricates). | | | | | | | | | | |
| | | at 23.15 a gouge filled fr @ 50°, GrW contains rare occurence of pyrite cubes | | | | | | | | | | |
| | | (<1.0mm) | | | | | | | | | | |
| | | at 23.85 crude bedding plane at 20° is 3.0cm wide with bedding contacts disjuncted | G022612 | 24.00 | 26.00 | 2.00 | 0.034 | 0.5 | 68 | 32 | 5 | 20 |
| | | and slightly offset, contorted, wavy | | | | | | | | | | |
| | | at 24.0-25.5 core is fractured both healed and unhealed micro anastomising | | | | | | | | | | |
| | | fractures, show offsetting bedding planes at 10° | | | | | | | | | | |
| | | at 24.15 matrix contains slight white sercite with calcite and very fine pyrite. At | | | | | | | | | | |
| | | 24.30 a 1.0cm wide cal/qtz/py vein at 30° ribboned like with layers of dark clay | | | | | | | | | | |
| | | intermixed. Most fractures contain sercite with little kao | | | | | | | | | | |
| | | at 24.5 matrix contains very sparse py, py is contained within discontinuous veinlets | | | | | | | | | | |
| | | and as mis-shapen blebs | | | | | | | | | | |
| | | at 27.15 zone of anastomosing fractures w/py/cal/kao some <1.0mm wide ribbon | G022613 | 26.00 | 28.00 | 2.00 | 0.066 | 0.8 | 143 | 42 | 8 | 33 |
| | | veinlets show qtz center with calcite outer ribben enveloping. | | | | | | | | | | |
| | | from 27.15 to 27.30 calcite veinlet (<2.0mm wide) at 0° is cut at both ends. | | | | | | | | | | |
| | | at 27.45 a 1.2 cm wide ribbon vein of cal/ qtz order from center qtz/cal/qtz near | | | | | | | | | | |
| | | contact edge | | | | | | | | | | |
| | | at 27.5 to 27.80 pyrite occurs as blebs in a discontinuous, contorted veins. | G022614 | 28.00 | 30.00 | 2.00 | 0.059 | 0.5 | 88 | 64 | 10 | 33 |
| | | at 29.7 diffused light coloured band @35° of qtz/cal/sparse py/ser very weakly | | | | | | | | | | |
| | | altered, band contains Xcrossing dark microfractures | | | | | | | | | | |
| | | at 30.0 a 10cm wide discontinuous sets of qtz/ser/cal veins with blebs of py | G022615 | 30.00 | 32.00 | 2.00 | 0.064 | 0.7 | 100 | 64 | 18 | 34 |
| | | at 30.2 matrix is very weakly feldspathic, with occasional but rare py cubes. | | | | | | | | | | |

Page: 4 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|------|---|---------|-------|-------|--------|-------|-----|-----|-----|-----|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | Matrix is sericite altered | | | | | | | | | | |
| | | at 31.0 matrix becoming whitish grey due to pervasive sercite alteration, calcite | | | | | | | | | | |
| | | restricted to occasional fine echelon veinlets, pyrite increase slightly, fracturing | | | | | | | | | | |
| | | anastomosing | | | | | | | | | | |
| | | at 33.40 a 5.0mm wide cal vein at 85° with py, core is becoming more mottled, dark | G022616 | 32.00 | 34.00 | 2.00 | 0.039 | 0.5 | 111 | 48 | 8 | 30 |
| | | coloured due to carbonaceous content. | | | | | | | | | | |
| 34.0 | 64.4 | GrW-Arg-CgI with siltstone clasts, poorly sorted conglomerate | G022617 | 34.00 | 36.00 | 2.00 | 0.02 | 0.5 | 78 | 44 | 5 | 27 |
| | | at 34.0 a 2.0cm by 4.0 cm argilleous clast with a thin dark selvage. Rare interstitial | | | | | | | | | | |
| | | pyrite in matrix | | | | | | | | | | |
| | | from 34.0 to 36.4 core is a mixture of mottled It to med grey clasts, light clasts have | | | | | | | | | | |
| | | a very lt, grn sericitized matrix. GrW typical zones of healed and unhealed braided | | | | | | | | | | |
| | | and anastomising fractures. Pyrite content slightly increases in areas of heavy | | | | | | | | | | |
| | | fracturing, interstitial pyrite rare | | | | | | | | | | |
| | | at 35.3 a Fr @ 80° has 5mm of gouge | | | | | | | | | | |
| | | from 36.1 to 36.80 zones of anastomosing Fr, Py is rare in matrix and localized in a | G022618 | 36.00 | 38.00 | 2.00 | 0.02 | 0.5 | 88 | 35 | 5 | 35 |
| | | few Fr | | | | | | | | | | |
| | | at 36.80 1.0cm wide qtz/Ca vein contains brk qtz xtals in a matrix of calcite, odd | | | | | | | | | | |
| | | pyrite is visible some with rimming of drk grn mineral. Also a Chlorite speck has | | | | | | | | | | |
| | | spotty but minute pyrite cubes intermitten at contact edge with calcite. | | | | | | | | | | |
| | | at 37.0 an open Fr @70° shows slickenslides, direction on down hole side is from | | | | | | | | | | |
| | | core axis is at 110° from the right side of Fr | | | | | | | | | | |
| | | at 37.12 to matrix has a very weak (localized) feldspathic alteration. | | | | | | | | | | |
| | | at 38.1 an irregular bleb of Ca/Qtz w/ a brk 5.0mm vein @ 45° | G022619 | 38.00 | 40.00 | 2.00 | 0.02 | 0.6 | 71 | 51 | 6 | 29 |
| | | at 39.1 a 1.0mm wide veinlet bearing an unidentified fg mafic mineral has a dark | | | | | | | | | | |
| | | thin selvage | | | | | | | | | | |
| | | at 39.3 a discontinuous wavy 1.0mm wide calcite veinlet with a thin drk selvage. | | | | | | | | | | |
| | | at 36.6 a 3.0cm wide disfused, irregular, qtz/cal banding @45° with rare Py, | | | | | | | | | | |
| | | followed at 36.7 by a second 4.0 cm wide band @45° | | | | | | | | | | |
| | | at 40.1 drk thin bands at 45° | G022620 | 40.00 | 42.00 | 2.00 | 0.03 | 0.7 | 129 | 81 | 27 | 52 |
| | | at 42.1 1.0 cm wide qtz vein discontinuous and wavy, irregular contains minor cal. | G022621 | 42.00 | 44.00 | 2.00 | 0.041 | 0.8 | 113 | 35 | 8 | 41 |
| | | Matrix and fractures to this point contain very rare pyrite | | | | | | | | | | |
| | | alteration is weak sericite/chlorite throughout this section | | | | | | | | . – | _ | |
| | | at 44.60 a 4.0cm wide, siliceous band at 55° is cut by many random fractures | G022622 | 44.00 | 46.00 | 2.00 | 0.054 | 1.1 | 155 | 45 | 8 | 46 |
| | | yielding a choppy but diffused, wall rock contact, a thin echelon cal veinlet is | | | | | | | | | | |
| | | contained within parallel to CA but is cut and discontinuous | | | | | | | | | | |
| | | at 45.40 a very irregular qtz with minor cal veinlet at 70° | | | | | | | | | | |
| | | at 46.2 a siliceous alteration band parallel to Ca has an associated 1.5cm wide pyrite | G022623 | 46.00 | 48.00 | 2.00 | 0.105 | 1.1 | 148 | 58 | 23 | 69 |
| | | band win med It grn selvage, pyrite occurs as blebs within the band, no calcite | | | | | | | | | | |
| | | within either band | | | | | | | | | | |





| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|-----|--|---------|-------|-------|--------|-------|------|------|-------|-----|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | at 47.40 a 7.0mm wide Ca\Qtz vein @20° no Py | G022624 | 48.00 | 50.00 | 2.00 | 0.026 | 0.7 | 79 | 68 | 19 | 32 |
| | | increasing but slight calcite in matrix together a slight increase of Py in veinlets and | | | | | | | | | | |
| | | matrix | | | | | | | | | | |
| | | from 48.70 to 48.90 a zone of discontinuous cal/Qtz veinlets associated with | | | | | | | | | | |
| | | occasional irregular bleb of greenish mixture of chlorite, sericite | | | | | | | | | | |
| | | from 48.90 to 51.42 core has increasing Py in matrix and in veinlets together with | | | | | | | | | | |
| | | more cal/qtz discontinuous irregular veinlets | | | | | | | | | | |
| | | at 49.6 a 1.0mm wide endurated chlorite veinlet with associated open gritty | G022625 | 50.00 | 52.00 | 2.00 | 0.037 | 0.5 | 70 | 90 | 26 | 52 |
| | | fracture, no pyrite but very slightly rusty. | G022626 | 52.00 | 54.00 | 2.00 | 0.031 | 0.3 | 64 | 54 | 15 | 36 |
| | | to 57.40 tension anastomosing fracturing starts to decrease, only occurs in isolated narrow zones of 8.0cm thickness | | | | | | | | | | |
| | | at 53.35 band of silification 35 cm wide with blebs of chlorite and calcite, wall rock | G022627 | 54.00 | 56.00 | 2.00 | 0.027 | 0.5 | 80 | 61 | 20 | 37 |
| | | contact is diffused with tight hairline healed microfractures, very sparse pyrite in | | | | | | | | | | |
| | | band, core has a slight increase in silification to 58.1 then more argillaceous banding | | | | | | | | | | |
| | | vields a more sericite and less silification. | | | | | | | | | | |
| | | at 54.5 a 1.0cm wide gtz/ca vein at 40° | | | | | | | | | | |
| | | at 55.0 a 7.0mm wide irregular qtz/ca veinlet at 60° with a bleb of lt grn | G022628 | 56.00 | 58.00 | 2.00 | 0.022 | 2.1 | 166 | 1795 | 378 | 27 |
| | | sericite/mariposite. Host rock has; clasts of siltstone, pyrite blebs are contained in a | | | | | | | | | | |
| | | zone of micro fractures to 55.40 | | | | | | | | | | |
| | | at 57.9 1.0mm wide gtz/ca veinlets at 60° are discontinuous and cut but not offset | G022629 | 58.00 | 60.00 | 2.00 | 0.031 | 1.1 | 161 | 438 | 158 | 25 |
| | | by a 1.0cm wide dark band of fine grained biotite at 20° | G022630 | STD2 | STD2 | STD2 | 2.01 | 14.8 | 5000 | 13350 | 245 | 26 |
| | | from 56.9 pyrite content in matrix is decreasing, and confined only to fractures and | | | | | | | | | | |
| | | veinlets, overall py is <1.0% | | | | | | | | | | |
| | | at 59.1 pyrite cubes in matrix is very sparse | | | | | | | | | | |
| | | at 60.2 bedding lamina at 60°, lamina have diffused contacts with each other | G022631 | 60.00 | 62.00 | 2.00 | 0.048 | 1.2 | 178 | 129 | 35 | 40 |
| | | at 60.4 an irregular discontinuous qtz/ca vein is cut by a finger of pyrite, pyrite blebs | | | | | | | | | | |
| | | also wraps around portions of the irregular qtz/ca vein | | | | | | | | | | |
| | | at 60.7 a 1.0cm wide qtz/ca vein with sharp wall rock contact and no selvage is at | | | | | | | | | | |
| | | 45° cuts and offsets (offset unknown) a braided 1.0cm wide band of qtz/ca at 60°. | | | | | | | | | | |
| | | at 62.0 pyrite in matrix is very rare, slight pink feldspathic hue to the matrix, very | G022632 | 62.00 | 64.00 | 2.00 | 0.058 | 5.1 | 552 | 3050 | 557 | 36 |
| | | weak. Bedding at 40° has occasional white calcite lamina | | | | | | | | | | |
| | | from 62.3 to 64.2, an increase in pyrite occurring in 1.0cm and less wide bands | | | | | | | | | | |
| | | parallel to bedding at 60°, pyrite layering has a slight, but narrow, dark alteration | | | | | | | | | | |
| | | selvage. matrix has no pyrite | | | | | | | | | | |
| | | at 62.65 a 2.5 cm wide qtz/ca vein at 25° with sharp wall rock contact shows chlorite | | | | | | | | | | |
| | | micro veinlets tapering from contact into vein, chlorite orientation is almost | | | | | | | | | | |
| | | perpendicular to wall rock contact. The Qtx/ca vein also contains sparse pyrite and | | | | | | | | | | |
| | | pyrrhotite associated with cross chlorite veinlets, very rare galena speck is noted. | | | | | | | | | | |
| | | Further if an increase in gold assay may be associated with the pyrrhotite. | | | | | | | | | | |





| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|------|---|---------|-------|-------|--------|-------|-----|-----------|-------|------|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | at 64.3 an irregular zone (10cm wide) of discontinuous qtz/ca veinlets, some having | | | | | | | | | | |
| | | echelon features. | | | | | | | | | | |
| 64.4 | 89.0 | GrW-Sst/Arg with alternating siltstone/mudstone or argillite layers | G022633 | 64.00 | 66.00 | 2.00 | 0.029 | 1.6 | 148 | 513 | 145 | 73 |
| | | from 64.4 to 65.3, 2.0cm wide crude bedding layers at 45 shows alternating | | | | | | | | | | |
| | | diffused, light siltstone bedding with darker argillaceous layering. | | | | | | | | | | |
| | | from 65.0 interstitial pyrite content increasing | | | | | | | | | | |
| | | at 65.30 a 5.0mm barren qtz/ca veinlet at 60° is cut by a thin fracture at 80° that is | | | | | | | | | | |
| | | partially filled with calcite. The fracture causes the barren qtz/ca veinlet to change | | | | | | | | | | |
| | | thickness. The fracture does not offset the veinlet | | | | | | | | | | |
| | | at 65.35 matrix becoming lighter colour and calcareous | | | | | | | | | | |
| | | at 66.1 interstitial pyrite cubes increasing in size but still < 1.0mm in size | G022634 | 66.00 | 68.00 | 2.00 | 0.016 | 1.5 | 52 | 1520 | 240 | 21 |
| | | 66.45-94.01 Grn Ser-Chl Alteration Zone, lithologic textures are very obscure | | | | | | | | | | |
| | | from 66.45 to 67.40, matrix has a progressing green colour intensity with | | | | | | | | | | |
| | | alternating bands of darker green with light green mottling towards the end of | | | | | | | | | | |
| | | interval, green colour is due to chlorite alteration. Decreasing interstitial py | | | | | | | | | | |
| | | from 67.40 to 68.0 a chlorite filled fracture runs parallel to core axis and shows faint | | | | | | | | | | |
| | | slickenslides or mineral alignment at 40° to CA taken from the footwall side and | | | | | | | | | | |
| | | from the right side orientation of the core side. | | | | | | | | | | |
| | | at 67.70 matrix has a darker green colour with patches of light green | G022635 | 68.00 | 70.00 | 2.00 | 0.018 | 2 | 56 | 1830 | 447 | 25 |
| | | (chlorite/sericite) | | | | | | | | | | |
| | | at 68.6, a 3.0mm wide, sinuous , discontinuous qtz/ca veinlet parallel to core axis. | | | | | | | | | | |
| | | at 69.1, sparse, interstitial py cubes > in size | | | | | | | | | | |
| | | 69.3-88.1 Zone of sphalerite mineralization | | 70.00 | 72.00 | 2.00 | 0.000 | 6.6 | C2 | 724.0 | 4530 | |
| | | from 69.30 to 88.1 section of core contains the majority of weak sphalerite | G022636 | 70.00 | 72.00 | 2.00 | 0.069 | 6.6 | 62 | /210 | 1520 | 41 |
| | | discominationed specks in a general shlaritis matrix best rock | | | | | | | | | | |
| | | at 50, 20 a 4.0mm wide braided ata (ca visible at 40° with large by cubes in matrix | | | | | | | | | | |
| | | at 09.50 a 4.01111 wide bladed qt2/ca vennet at 40° with large py cubes in matrix | | | | | | | | | | |
| | | (very weakly mineralized) | | | | | | | | | | |
| | | at 69 50 a chloritized fracture at 20 is filled with 1 0cm of green fault gouge, there is | | | | | | | | | | |
| | | random discontinuous atz/ca veinlets in this section. One vein is 1 2cm wide at 90° | | | | | | | | | | |
| | | is just immediately unhole and is cut by the fault fracture mentioned above | | | | | | | | | | |
| | | at 70.0 diffused blebs of very weak sphalerite mineralization | | | | | | | | | | |
| | | at 70.1, three parallel green gouge filled fractures at 30° are spaced 8.0cm apart | | | | | | | | | | |
| | | at 70.70 a 25 cm wide zone of anastomosing fractures and veinlets containing | | | | | | | | | | |
| | | pyrite, frequent sphalerite with rare arsenopyrite. Sphalerite wraps around the | | | | | | | | | | |
| | | occasional bleb of pyrite. qtz/ca veinlets are barren of sulphides but have a fine | | | | | | | | | | |
| | | selvage of sericite (phlogopite). Matrix of host rock very fine grained with pervasive | | | | | | | | | | |
| | | chlorite alteration | | | | | | | | | | |





| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|-----|---|----------|-------|-------|--------|-------|-----|-----|------|------|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | at 71.40 a sinuous 1.0cm wide qtz/ca vein with irregular wall rock contacts has | | | | | | | | | | |
| | | occasional pyrite and very rare sphalerite specks | | | | | | | | | | |
| | | at 70.50 a braided diffused qtz/ca vein 2.0cm wide at 40° contains very minute | | | | | | | | | | |
| | | specks of sphalerite in irregular clusters together with rare but very soft, silvery | | | | | | | | | | |
| | | mineral which gives a silvery streak (bismuth). | | | | | | | | | | |
| | | throughout this section matrix is fine grained with very little interstitial pyrite and | | | | | | | | | | |
| | | moderately to intensely chlorite-sericite altered | | | | | | | | | | |
| | | at 71.75 a 10cm wide section of the core contains irregular and elongated qtz/ca | | | | | | | | | | |
| | | blebs with diffused contact edges, sphalerite occurs as short (<4.0mm long) micro | | | | | | | | | | |
| | | veinlets that are discontinuous and wispy, rare blebs of sphalerite wrap around the | | | | | | | | | | |
| | | occasional pyrite speck that occur within a diffused, braided, dicontinuous qtz/ca | | | | | | | | | | |
| | | zone (width 2.0cm) | | | | | | | | | | |
| | | at 71.85 a 2.5cm wide band of diffused qtz/ca at 40° is discontinuous, occasional | | | | | | | | | | |
| | | specks of 1.0mm sphalerite occur and take the shape of pyrite cubes. Sphalerite is | | | | | | | | | | |
| | | replacing pyrite. The whole section is a fluid pressure injection | | | | | | | | | | |
| | | at 72.0 thin wispy, discontinuous, veinlets at 20° contain sphalerite but has the | G022637 | 72.00 | 74.00 | 2.00 | 0.022 | 0.9 | 65 | 262 | 97 | 51 |
| | | characteristic of being wurtzite because of colour and streak. | G022638 | 74.00 | 75.00 | 1.00 | 0.089 | 7 | 109 | 5020 | 1580 | 168 |
| | | from 72.1 to 72.45 a mesh of chlorite, qtz/ca and rare sphalerite/wurtzite veinlets | | | | | | | | | | |
| | | that are discontinuous, generally < 1.0mm. Matrix is very fine grained with a slight | | | | | | | | | | |
| | | pinkish hue due to weak feldspathification. | | | | | | | | | | |
| | | at 72.50 distinct bedding plane of siltstone with argillaceous layers at 30°. | | | | | | | | | | |
| | | from 72.50 to 75.0 core is more siliceous and with a light to medium gray mottled | | | | | | | | | | |
| | | colour with a slight green tinge of sericite | | | | | | | | | | |
| | | at 74.60 a 15 cm wide qtz/ca with minor chlorite has irregular uphole contact, | | | | | | | | | | |
| | | bottom contact is wavy at 50°, sulphide minerals are minute and not identifable, | | | | | | | | | | |
| | | some pyrite specks are chlorite rimmed | | | | | | | | | | |
| | | at 75.0 bottom contact of light grey with dark grey-green zone is at 30°, is diffused | G022639 | 75.00 | 76.00 | 1.00 | 0.041 | 3.8 | 98 | 2080 | 867 | 65 |
| | | and faint. Light grey zone is remnant siltstone bedding within the GrW unit | | | | | | | | | | |
| | | from 75.0 to 76.70 zone of friable core, very chloritic altered with one band of milky | | | | | | | | | | |
| | | white qtz/ca with sparse sulphides | | | | | | | | | | |
| | | 75.01-77.05 FAULT ZONE | 00000040 | 76.00 | 77.00 | 1.00 | 0.000 | | 22 | 1205 | 245 | 24 |
| | | at 75.9 fracture of 4.0cm fault gouge at 40° | G022640 | 76.00 | /7.00 | 1.00 | 0.022 | 1.4 | 32 | 1295 | 315 | 21 |
| | | from 76.0 to 76.40 a fracture with 1.0cm wide fault gouge at 20°. The zone gives | | | | | | | | | | |
| | | indeterminable | | | | | | | | | | |
| | | indeterminable. | | | | | | | | | | |
| | | at 70.50 broken blebs of pyrite in matrix, core has many healed fractures, minor | | | | | | | | | | |
| | | from 76.15 to 76.00 matrix is motified light to modium grou groop, brossisted and | 6022641 | 77 00 | 78.00 | 1 00 | 0.016 | 1 7 | 11 | 1200 | 201 | 15 |
| | | holid with darker grov groon matrix, fracturing is healed with chlorite | 0022041 | 77.00 | 78.00 | 1.00 | 0.010 | 1.2 | 11 | 1280 | 291 | 12 |
| | | neared with darker grey green matrix, nacturing is neared with thionte | | | | | | | | | | |

Hole: SK-10-11 Page: 8 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|-----|---|---------|-------|-------|--------|-------|------|-----|------|------|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | sericite fillings. At 77.05 a 6.0cm gouge filled fracture at 30° | | | | | | | | | | |
| | | from 78.1 to 78.9 pyrite specks and blebs are more noticeable in matrix, blebs form | G022642 | 78.00 | 79.00 | 1.00 | 0.111 | 3.5 | 114 | 3180 | 799 | 89 |
| | | a cluster in disjuncted zone of individual blebs followed by a qtz/cal vein 1.0cm wide | | | | | | | | | | |
| | | at 15° containing pyrite and sphalerite specks. Vein tapers to a point. Gash vein | | | | | | | | | | |
| | | at 79.15 1.0cm wide qtz/cal vein at 35 with specks (1.0mm) of sphalerite near | G022643 | 79.00 | 80.00 | 1.00 | 0.07 | 1.2 | 25 | 3720 | 273 | 12 |
| | | contact edge, contact edge is sharp and wavy with no alteration selvage. Vein Is cut | | | | | | | | | | |
| | | by a second 5.0mm wide qtz/ca vein at 70 with very little offset, both veins show | | | | | | | | | | |
| | | deductile forced injection features. | | | | | | | | | | |
| | | from 79.15 to 80.0 core matrix shows sub-rounded (1.0cm) to oblong (1.5 by 2.5 | | | | | | | | | | |
| | | cm), diffused outlines of light grey siltstone clasts | | | | | | | | | | |
| | | at 79.95 a 1.0cm wide qtz/ca vein with a ribbon of sphalerite with no pyrite, the | G022644 | 80.00 | 81.00 | 1.00 | 0.014 | 1.9 | 29 | 2550 | 500 | 7 |
| | | feature is of a pressure forced injection of mineralization | | | | | | | | | | |
| | | core throughout the previous chlorite alteration section contains very little pyrite in | | | | | | | | | | |
| | | matrix unless otherwise stated | | | | | | | | | | |
| | | at 80.55 a thin wisp of sphalerite at 35°, matrix has less intense chlorite sericite | | | | | | | | | | |
| | | alteration very little interstitial pyrite. Light green clasts in medium to dark green | | | | | | | | | | |
| | | matrix remnant siltstone | | | | | | | | | | |
| | | at 80.78 a very thin wisp or veinlet of sphalerite at 20° | | | | | | | | | | |
| | | at 81.0 pyrite cube shows rhombohedral shape due to strain | G022645 | 81.00 | 82.00 | 1.00 | 0.045 | 4.6 | 96 | 8780 | 1070 | 47 |
| | | at 81.1 a 2.0mm wide qtz/ca veinlet at 20° is wavy to a step like pattern | | | | | | | | | | |
| | | at 81.2 a discontinous, braided 5.0mm wide veinlet at 20° consists of a mixture of | | | | | | | | | | |
| | | qtz/ca/sph. | | | | | | | | | | |
| | | at 81.4 to 82.05 a 5.0mm wide and variable thickness, qtz/ca/sph vein almost | | | | | | | | | | |
| | | parallel to CA is sinuous, pinch and swell features, braided. Deductile injection | | | | | | | | | | |
| | | at 82.05 matrix has > in pyrite, cubes not strained | G022646 | 82.00 | 83.00 | 1.00 | 0.071 | 5.1 | 34 | 8710 | 1250 | 50 |
| | | at 82.70 a 7.0mm wide braided, qtz/ca/sphal veinlet at 40° | | | | | | | | | | |
| | | at 82.90 a 2.0cm wide discontinuous, braided qtz/ca/sph vein at 40°, sphalerite | | | | | | | | | | |
| | | content est. <4.0% | | | | | | | | | | |
| | | at 82.90 a 3.0mm wide, broken, discontinuous, signs of shearing and rehealed, | G022647 | 83.00 | 84.00 | 1.00 | 0.17 | 14.6 | 84 | 8870 | 3050 | 72 |
| | | qtz/cal/sparse sphalerite at 75° | | | | | | | | | | |
| | | from 82.90 to 83.1, a series of sinuous qtz/ca/sphal veining is broken sinuous, at | | | | | | | | | | |
| | | 83.0 to 83.7 a 2.20cm wide and variable thickness, almost parallel to CA, sinuous, | | | | | | | | | | |
| | | qtz/ca vein is very sparsely mineralized, sphalerite occurs seldomly on wall rock | | | | | | | | | | |
| | | contact edge of the qtz/ca vein but not interstitially within vein, an extremely rare | | | | | | | | | | |
| | | occurrence of a bright silvery mineral is within vein, streak appears to darken on | | | | | | | | | | |
| | | exposure to light, native silver | | | | | | | | | | |
| | | at 83.75 thin, discontinuous, wisps of sph together with irregular, elongated, qtz | | | | | | | | | | |
| | | tragmental vein (2.0mm wide by 2.0cm long) has arsenopyrite, suphides appear on | | | | | | | | | | |
| | | wall rock contact edge of vein | | | | | | | | | | |

Hole: SK-10-11 Page: 9 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|-------|---|---------|-------|-------|--------|---------|------|-----|------|------|------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | at 84.2 a broken 1.5cm wide discontinuous, pyrite vein at 30° is cut (offset unknwn) | G022648 | 84.00 | 85.00 | 1.00 | 0.046 | 2.8 | 18 | 3600 | 508 | 56 |
| | | by a 1.0 cm wide qtz/ca vein at 40° is sparsely mineralization with sphal, no pyrite, | G024951 | 84.00 | 85.00 | DUP | 0.053 | 2.7 | 29 | 2710 | 637 | 62 |
| | | matrix is prevasively chloritized/sericite altered, intensity is moderate | | | | | | | | | | |
| | | at 84.5 more pyrite/qtz/ca discontinuous, broken vein at 40° shows tapering lens | | | | | | | | | | |
| | | like shape, echelon feature to tension gash. One isolated 1.0cm irregular bleb of | | | | | | | | | | |
| | | sphalerite | | | | | | | | | | |
| | | at 84.6 matrix showing less interstitial py. | | | | | | | | | | |
| | | at 85.2 a 2.0mm wide thin discontinous wisp of sphalerite | G022649 | 85.00 | 86.00 | 1.00 | 0.187 | 7.8 | 54 | 6610 | 1580 | 2960 |
| | | at85.3 a 1.5cm wide braided, ribbon like qtz/ca/ pyrite/ sphalerite vein at 20° with | G022650 | BLANK | BLANK | BLANK | < 0.005 | <0.2 | <1 | 55 | 6 | 16 |
| | | rare aspy. | | | | | | | | | | |
| | | at 85.35 to 85.95, a discontinuous, broken, sinuous, 2.0mm wide, qtz/ca/py/sph/ | | | | | | | | | | |
| | | veinlet at 05, sulphides concentrate at wall rock edge | | | | | | | | | | |
| | | at 86.0 pyrite blebs, arranged in a partial linear fashion is 2.0mm wide, py content | G022651 | 86.00 | 87.00 | 1.00 | 0.118 | 5.8 | 30 | 7550 | 1100 | 747 |
| | | <3.0% interstitial py in matrix is > | | | | | | | | | | |
| | | at 86.90 a 1.2cm wide, braided and wavy, Qtz/ca/py/sph vein at 35° shows pyrite | G022652 | 87.00 | 88.00 | 1.00 | 0.14 | 5.3 | 157 | 4250 | 827 | 3780 |
| | | enveloping sphal blebs in vein | | | | | | | | | | |
| | | at 87.3 open fracture at 10° with crude slickenslides at 110 from the perpendicular | | | | | | | | | | |
| | | of the CA, on down hole side of fracture, measured from right side of core | | | | | | | | | | |
| | | from 87.4 to 88.2 a variable thickness, sinuous,wavy, braided, ribbon-like channel of | | | | | | | | | | |
| | | qtz/ca/py/sph/vein at 0° to CA , py appears as blebbly whereas sph appears as a | | | | | | | | | | |
| | | discontinuous ribbon-like filling. | | | | | | | | | | |
| | | at 88.50 a 1.0cm wide barren qtz/ca vein at 40° with distinct wallrock contact no | G022653 | 88.00 | 89.00 | 1.00 | 0.127 | 6.1 | 242 | 1405 | 771 | 93 |
| | | alteration selvage, matrix moderately chl-ser altered with occasional py cubes | | | | | | | | | | |
| | | unstrained | | | | | | | | | | |
| 89.0 | 103.1 | GrW-Arg-CgI with siltstone clasts, poorly sorted conglomerate | G022654 | 89.00 | 90.00 | 1.00 | 0.118 | 5.3 | 373 | 1850 | 430 | 83 |
| | | at 89.0 rock matrix is less altered, showing faint oblong (1.5cm x 2.0cm & >size) | | | | | | | | | | |
| | | clasts of siltstone within an argillaceous matrix, interstitual py < | | | | | | | | | | |
| | | at 90.2 irregular, 1.5mm wide, qtz/ca/py veinlet at 10° | G022655 | 90.00 | 91.00 | 1.00 | 0.109 | 4.7 | 337 | 782 | 340 | 105 |
| | | at 90.10 cluster of blebs of py in matrix (1.0 x4.0cm) | | | | | | | | | | |
| | | at 91.0 interstitial py confined to dark argillaceous bands, siltstone clasts still | G022656 | 91.00 | 92.00 | 1.00 | 0.03 | 3.3 | 163 | 1590 | 438 | 22 |
| | | diffused, fuzzy contacts with argillaceous matrix. Siltstone clasts are grainy and | G022657 | 92.00 | 94.00 | 2.00 | 0.046 | 2.6 | 115 | 803 | 351 | 61 |
| | | coarsing. The matrix appears to have a slight pinkish hue due to very weak but | | | | | | | | | | |
| | | pervasive feldspathic alteration, chlorite alteration is very weak, sericite content is | | | | | | | | | | |
| | | moderate | | | | | | | | | | |
| | | at 93.0 a series of qtz/ca/py veins at 30°, as before discontinuous, broken, pyrite | | | | | | | | | | |
| | | occurs as individual blebs in veins | | | | | | | | | | |
| | | at 93.3 two cross-cutting veins, a 1.0-3.0mm wide variable with pinch and swell | | | | | | | | | | |
| | | feature, qtz/ca vein at 25 with occasional sph cuts but not offsets a thin 1.0 mm | | | | | | | | | | |
| | | wide qtz/ca/sparse py/rare sph vein at 20° | | | | | | | | | | |

Hole: SK-10-11 Page: 10 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|---------|-------|---|----------|--------|--------|----------|------------|-----|--------|----------|-----|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | at 94.0 matrix is > in feldspathic alteration, at 94.1 a 5.0 cm wide zone of qtz/ca | G022658 | 94.00 | 96.00 | 2.00 | 0.057 | 1.3 | 113 | 153 | 45 | 34 |
| | | veins, a 1.5cm wide qtz/ca barren vein at 90° contains patches of green chl-ser | | | | | | | | | | |
| | | alteration with occasional py specks. | | | | | | | | | | |
| | | at 94.7 siltstone clasts have coarse grain sand size particles, band widths are 2.0cm | | | | | | | | | | |
| | | wide at 2.0-3.0 cm apart at 60° contact edges are fuzzy but slightly sharp. | | | | | | | | | | |
| | | from 95.2 to 96.4 silt-sandstone clasts are more diffused and cloudy. | | | | | | | | | | |
| | | at 96.3 a 2.0mm barren Qtz/ca vein at 30° | G022659 | 96.00 | 98.00 | 2.00 | 0.143 | 2.9 | 234 | 184 | 65 | 131 |
| | | at 96.8 2.0 mm wide qtz/ca vein has specks of pyrite with chlorite alteration | | | | | | | | | | |
| | | at 97.0 a 1.0cm wide continuous py/ca/qtz vein at 20° | | | | | | | | | | |
| | | at 97.45 a 1.0mm barren qtz/ca vein at 30°, at 98.0 same | | | | | | | | | | |
| | | at 98.5 a 1.0cm wide barren qtz/ca vein at 30° cuts and has unknown offset on a | G022660 | 98.00 | 100.00 | 2.00 | 0.027 | 1.2 | 87 | 243 | 90 | 39 |
| | | 1.5mm qtz/ca vein at 40° the secondary vein appears to be extensional echelon | | | | | | | | | | |
| | | feature where qtz/ca injected from the main vein into the cut vein, qtz/ca tapers to | | | | | | | | | | |
| | | a point. ductile pressure injected. | | | | | | | | | | |
| | | at 99.5 a 1.0cm wide qtz/ca vein barren at 25° has a "sister" cresent shaped or | | | | | | | | | | |
| | | echelon gash 1.0mm wide qtz/ca veinlet at 25° is about 1.0cm away from main vein, | | | | | | | | | | |
| | | the main vein cuts a py/fr at 5° | | | | | | | | | | |
| | | at 100 core has a series of < 1.5mm qtz/ca veinlets at 70° some discontinuous and | | | | | | | | | | |
| | | all are barren of sulphides | | | | | | | | | | |
| | | at 100.2 a 2.0cm wide irregular width and wavy qtz/ca vein at 35° with rare sphal, | G022661 | 100.00 | 102.00 | 2.00 | 0.028 | 0.7 | 57 | 106 | 24 | 110 |
| | | aspy. Sph is true xtalline form black triangular xtal face with striations, streak is | | | | | | | | | | |
| | | brown | | | | | | | | | | |
| | | at 101 a 2.0mm wide qtz/ca vein at 50° has pinch and swell feature | | | | | | | | | | |
| | | at 101.4 a 3.0mm wide vein as the same above | | | | | | | | | | |
| | | at 101.8 a 2.0mm wide vein at 30° is cut and offset by 1.0cm due to a py/qtz/ca | G022662 | 102.00 | 104.00 | 2.00 | 0.032 | 0.9 | 166 | 54 | 12 | 30 |
| | | fracture at 20° | | | | | | | | | | |
| | | core is it grey to med grey mottled, ser-Kspar alteration is weak with sparse fine py | | | | | | | | | | |
| 103.1 1 | 110.9 | GrW-Sst/Arg with alternating siltstone/mudstone or argillite layers | | | | | | | | | | |
| | | at 103.1 py in blebs and clusters within matrix core becoming > feldspathic but still | | | | | | | | | | |
| | | weak but prevasive | | | | | | | | | | |
| | | from 103.55 to 103.75 blebs and clusters of py in matrix shows crude lineation | | | | | | | | | | |
| | | at 103.9 matrix py is coarsening and > in content but still < 1.0% | 6022662 | 404.00 | 100.00 | 2.00 | 0.00 | 4.0 | 454 | 50 | 40 | 24 |
| | | at 104.15 patchy dtz with green chi-ser alteration patchs 5.0cm wide | G022663 | 104.00 | 106.00 | 2.00 | 0.06 | 1.8 | 154 | 59 | 40 | 21 |
| | | 104.5 py cluster and blebs 2.0cm wide band is cut by a 5.0mm/ qtz/ca vein at 40° | | | | | | | | | | |
| | | WallFock contact edge is fuzzy | | | | | | | | | | |
| | | 105.0 matrix is becoming more sinceous, sittstone banding dirused and indistinct | | | | | 0.007 | | 100 | | | 24 |
| 1 | | 106 0 ciltatono condatono bonding moro distinct at 95° | C()))LLA | 106 00 | 100 00 | 7 / 11/1 | (1) (10) / | 10 | 1,1111 | V | 14 | 2.1 |
| 1 | | 106.0 siltstone-sandstone banding more distinct at 85° | G022664 | 106.00 | 108.00 | 2.00 | 0.097 | 1.9 | 199 | 82 | 46 | 31 |

Hole: SK-10-11 Page: 11 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|-----|--|---------|--------|--------|--------|-------|-----|-----|-----|-----|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | injection contorted | | | | | | | | | | |
| | | 107.4 py fr at 20° | | | | | | | | | | |
| | | 107.75 a 1.0cm wide qtz/ca vein at 30° cuts and offsets py/fr at 05° | G022665 | 108.00 | 109.44 | 1.44 | 0.128 | 3.3 | 316 | 149 | 40 | 34 |
| | | 108.2 siltsone grains coarsening, > Kspar alteration to matrix but still weak | | | | | | | | | | |
| | | at 109.1 to 109.2 siliceous alteration of matrix in a light coloured band with cluster | G022666 | 109.44 | 110.87 | 1.43 | 0.061 | 1.7 | 212 | 128 | 56 | 17 |
| | | of py, followed by at 109.4 by a 2.0cm wide band at 20° of py blebs, a qtz/ca 2.0mm | | | | | | | | | | |
| | | wide veinlet at 45° cuts through the py band. | | | | | | | | | | |
| | | 110.0 two parrallel 1.0 cm wide qtz/ca veins at 40° have a few 1.0cm blebs of chl- | | | | | | | | | | |
| | | ser clots, minute py cubes are contained within | | | | | | | | | | |
| | | 110.7 a 1.0 cm wide braided py vein at 35° is wavy, and py is in discontinuous | | | | | | | | | | |
| | | 1.0mm wide ribbons. | | | | | | | | | | |
| | | 110.8 matrix is weakly feldspathic sericitic and with diffused or obscure It grey | | | | | | | | | | |
| | | layering with It-med grey | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | EOH 110.87 | | | | | | | | | | |

Hole Summary

The core from the surface down to the fault showed many sections that contained areas of intense anastomosing micro fractures, partially healed with chlorite or sericite. Approaching the fault zone, sphalerite mineralization increased and is particularily associated with the intensity of green sericite alteration. In the immediate area and surrounding the fault zone, the core alteration was intense and pervasive throughout the matrix destroying much of the original rock textures and features. Sphalerite mineralization within the zone was hosted primary in qtz/ca veins but also in "stand alone" veining consisting nothing but sphalerite, pyrite veinlets. Overall, the mineralization is weak being at best 0.5% Zn, Zn appears as a reddish-brown mineral, with a brown red streak more indicative of a possible high temperature mineral form of Zn wurtzite rather than sphalerite although sphalerite xtals have been noted elsewhere in the interval and seldomly in qtz/ca veins downhole.

Downhole from the fault, the core is seldomly fractured and has few zones of intense anastomosing micro fractures; it is more massive, feldspathic and with sericite/chlorite occurring rarely in a few qtz/ca veins. Sphalerite occurrence is rare and limited to a few qtz/ca veins.



ALS Canada Ltd. 2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION **SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8**

Page: 1 Finalized Date: 11- NOV- 2010 This copy reported on 12-NOV-2010 Account: BQL

CERTIFICATE TR10159281

Project: Bronson

P.O. No.: Green Security Tag Batch

This report is for 73 Drill Core samples submitted to our lab in Terrace, BC, Canada on 2- NOV- 2010.

The following have access to data associated with this certificate: DAVID JENSEN

| SAMPLE PREPARATION | | | | | | | | | | | |
|--------------------|------------------------------------|--|--|--|--|--|--|--|--|--|--|
| ALS CODE | DESCRIPTION | | | | | | | | | | |
| WEI- 21 | Received Sample Weight | | | | | | | | | | |
| SPL- 34 | Pulp Splitting Charge | | | | | | | | | | |
| LOG- 22 | Sample login - Rcd w/o BarCode | | | | | | | | | | |
| BAG- 01 | Bulk Master for Storage | | | | | | | | | | |
| CRU- 31 | Fine crushing - 70% < 2mm | | | | | | | | | | |
| CRU- QC | Crushing QC Test | | | | | | | | | | |
| PUL- QC | Pulverizing QC Test | | | | | | | | | | |
| SPL- 21 | Split sample - riffle splitter | | | | | | | | | | |
| PUL- 32m | Pulverize 500g - 85%<75um | | | | | | | | | | |
| LOG- 24 | Pulp Login - Rcd w/o Barcode | | | | | | | | | | |
| LOG- 22d | Sample login - Rcd w/o BarCode dup | | | | | | | | | | |
| SPL-21d | Split sample - duplicate | | | | | | | | | | |
| PUL- 32d | Pulverize Split - Dup 85% < 75µm | | | | | | | | | | |

| | ANALYTICAL PROCEDUR | RES |
|-----------------------------------|--|-----------------|
| ALS CODE | DESCRIPTION | INSTRUMENT |
| Au- AA24 Au- GRA22 ME- MS61 | Au 50g FA AA finish Au 50 g FA- GRAV finish 48 element four acid ICP- MS | AAS WST- SIM |

To: SKYLINE GOLD CORPORATION ATTN: DAVID JENSEN **SUITE 212** 10451 SHELLBRIDGE WAY **RICHMOND BC V6X 2W8**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - A Total # Pages: 3 (A - D) Plus Appendix Pages Finalized Date: 11- NOV- 2010 Account: BQL

Project: Bronson

| | | | | | | <u> </u> | | | C | ERTIFIC | <u>CATE O</u> | LYSIS | TR101 | 59281 | | |
|--|-----------------------------------|--|--|--------------------------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|-----------------------------|------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|
| ample Description | Method Analyte Units LOR | WEl- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME- MSG1 As ppm 0.2 | ME- MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME-MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME- MS61 Cr ppm 1 | ME- MS61 Cs ppm 0.05 |
| C022601 C022602 C022603 G022604 G022605 | | 5.58 4.65 5.17 4.34 4.68 | 0.132 0.071 0.169 0.031 0.032 | | | | | | | | | | | | | |
| C022606 C022607 C022608 G022609 G022610 | | 5.04 4.49 4.73 5.09 0.08 | 0.109 0.072 0.165 0.042 0.603 | | | | <u> </u> | | | | | | | | | |
| G022611 G022612 G022613 G022614 G022615 | | 4.49 4.14 4.32 3.94 4.55 | 0.083 0.034 0.066 0.059 0.064 | | | | | | | | | | | | | |
| G022616 G022617 G022618 G022619 G022620 | | 4.87 5.09 4.86 4.24 4.55 | 0.039 0.020 0.020 0.020 0.020 0.030 | | | | | | | | | | | | | |
| G022620- CRD G022621 G022621A G022622 G022622 G022623 | | <0.02 5.00 <0.02 4.23 4.45 | 0.028 0.041 0.043 0.054 0.105 | | 0.62 | 7.52 | 42.6 | 1810 | 0.71 | 0.50 | 2.28 | 0.12 | 21.9 | 5.5 | 69 | 1.45 |
| G022624 G022625 G022626 G022627 G022628 | | 4.17 4.41 4.28 4.54 4.66 | 0.026 0.037 0.031 0.027 0.022 | | | | | | | i | | | | | | |
| G022629 G022630 G022631 G022632 G022633 | | 4.67 0.14 4.70 4.95 5.01 | 0.031 2.33 0.048 0.058 0.029 | 2.01 | | | | | | <u>, "</u> , | | | <u>_</u> | | | |
| G022634 G022635 G022636 G022637 G022638 | | 2.24 4.56 5.71 5.21 1.65 | 0.016 0.018 0.069 0.022 0.089 | | | | | | | | <u>ее , ң</u> | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - B Total # Pages: 3 (A - D) Plus Appendix Pages Finalized Date: 11- NOV- 2010 Account: BQL

Project: Bronson

CERTIFICATE OF ANALYSIS TR10159281 ME-MS61 ME-MS61 ME- MS61 Method ME- MS61 ME- MS61 ME-MS61 ME- MS61 ME- MS61 ME- MS61 ME-MS61 ME-MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 Cu Analyte Fе Ga Ce Нf In Κ La Li Mg Mn Мо Na Nb Ni Units ppm % ppm ppm ppm % Sample Description ppm ppm % ppm ppm 000 % ppm ppm LOR 0.2 0.01 0.05 0.05 0.1 0.005 0.01 0.5 0.2 0.01 5 10.0 0.05 0.1 0.2 G022601 G022602 G022603 G022604 G022605 G022606 G022607 G022608 G022609 G022610 G022611 G022612 G022613 G022614 G022615 G022616 G022617 G022618 G022619 G022620 G022620- CRD G022621 G022621A 101.5 2.77 16.25 0.08 0.5 0.280 4.25 10.5 15.1 0.94 1010 0.92 2.56 2.6 37.1 G022622 G022623 G022624 G022625 G022626 G022627 G022628 G022629 G022630 G022631 G022632 G022633 G022634 G022635 G022636 G022637 G022638



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - C Total # Pages: 3 (A - D) Plus Appendix Pages Finalized Date: 11- NOV- 2010 Account: BQL

Project: Bronson

CERTIFICATE OF ANALYSIS TR10159281 ME-MS61 ME- MS61 ME- MS61 Method ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME- M561 ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME-MS61 Analyte Ρ Pb Rb Re S Sb Sc Se รก Sг Та Te Τh Τi ΤI Units ppm ppm ppm % ppm ppm Sample Description ppm ppm ppm ppm nnm % ppm ppm ppm LOR 10 0.5 0.1 0.002 0.01 0.05 0.1 1 0.2 0.2 0.05 0.05 0.2 0.005 0.02 G022601 G022602 G022603 G022604 G022605 G022606 G022607 G022608 G022609 G022610 G022611 G022612 G022613 G022614 G022615 G022616 G022617 G022618 G022619 G022620 G022620- CRD G022621 G022621A 650 12.8 76.8 < 0.002 0.85 1.77 8.3 1 1.3 365 0.16 0.15 1.9 0.209 1.54 G022622 G022623 G022624 G022625 G022626 G022627 G022628 G022629 G022630 G022631 G022632 G022633 G022634 G022635 G022636 G022637 G022638



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - D Total # Pages: 3 (A - D) Plus Appendix Pages Finalized Date: 11- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | |
|--|-----------------------------------|-----------------------------|---------------------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|--|
| G022601 G022602 G022603 G022604 G022605 | | | | | | | | |
| G022606 G022607 G022608 G022609 G022610 | | | · · · · · · · · · · · · · · · · · · · | | | | <u> </u> | |
| G022611 G022612 G022613 G022614 G022615 | | | | | | | | |
| C022616 C022617 C022618 C022619 C022620 | | | | | | | | |
| G022620- CRD G022621 G022621A G022622 G022622 G022623 | | 1.0 | 87 | 3.2 | 5.4 | 40 | 16.7 | |
| G022624 G022625 G022626 G022627 G022628 | | | | | | | | |
| G022629 G022630 G022631 G022632 G022633 | | | | | | | | |
| G022634 G022635 G022636 G022637 G022638 | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobai.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - A Total # Pages: 3 (A - D) Plus Appendix Pages Finalized Date: 11- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME- MS61 As ppm 0.2 | ME- MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME-MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME- MS61 Cr ppm 1 | ME- MS61 Cs ppm 0.05 |
|---|-----------------------------------|--|--|--------------------------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|-----------------------------|------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|
| G022639 G022640 G022640- CRD G022641 G022641A | | 2.63 2.64 <0.02 2.32 <0.02 | 0.041 0.022 0.023 0.016 0.028 | | 1.26 | 9.34 | 15.3 | 840 | 1.12 | 0.49 | 1.74 | 5.63 | 48.8 | 43 | 3/ | 1.26 |
| G022642 G022643 G022644 G022645 G022646 | | 2.17 2.22 2.34 2.71 2.29 | 0.111 0.070 0.014 0.045 0.071 | | | | | . <u></u> | | | | | | | | |
| G022647 G022648 G022649 G022650 G022651 | | 2.43 2.89 2.89 1.02 2.21 | 0.170 0.046 0.187 <0.005 0.118 | | | | | | | | | | | | | |
| G022652 G022653 G022654 G022655 G022656 | | 2.51 2.32 2.59 2.07 2.43 | 0.140 0.127 0.118 0.109 0.030 | | | | | | | | | | | | | |
| G022657 G022658 G022659 G022660 G022660- CRD | | 4.58 4.40 4.27 4.50 <0.02 | 0.046 0.057 0.143 0.027 0.027 | | | | | | | | | | | | | |
| C022661A C022661A C022662 C022663 C022664 | | 4.57 <0.02 4.47 4.33 4.64 | 0.028 0.016 0.032 0.060 0.097 | | 0.68 | 8.55 | 104.0 | 860 | 1.48 | 0.44 | 3.13 | 0.39 | 39.0 | 6.7 | 22 | 1.74 |
| C022665 C022666 C024951 | | 3.43 3.41 2.07 | 0.128 0.061 0.053 | 0.08 | | | | | | | | | | | | |
| | | L | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - B Total # Pages: 3 (A - D) Plus Appendix Pages Finalized Date: 11- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 Cu ppm 0.2 | ME- MS61 Fe % 0.01 | ME- MS61 Ga ppm 0.05 | ME- MS61 Ge ppm 0.05 | ME- MS61 Hf ppm 0.1 | ME- MS61 In ppm 0.005 | ME- MS61 K % 0.01 | ME- MS61 La ppm 0.5 | ME- M561 Li ppm 0.2 | ME- MS61 Mg % 0.01 | ME- MS61 Mn ppm 5 | ME- MS61 Mo ppm 0.05 | ME- MS61 Na % 0.01 | ME- M561 Nb ppm 0.1 | ME-MS61 Ni ppm 0.2 |
|---|-----------------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|--------------------------------|----------------------------|------------------------------|------------------------------|---|----------------------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|
| G022639 G022640 G022640- CRD G022641 G022641A | 1 | 12.4 | 7.64 | 24.3 | 0.17 | 1.7 | 0.813 | 3.32 | 27.2 | 46.0 | 3.64 | 4860 | 1 53 | 0.09 | | 20.8 |
| G022642 G022643 G022644 G022645 G022646 | | | | | | | | | | | | | | | | 20.0 |
| G022647 G022648 G022649 G022650 G022651 | | | | | | | | | | , <u> </u> | | | | | | |
| G022652 G022653 G022654 G022655 G022656 | | | | | | | | | | · | | | | | | |
| G022657 G022658 G022659 G022660 G022660- CRD | | | | | | | | | | , | | | | | | |
| G022661 G022661A G022662 G022663 G022664 | | 53.4 | 5.46 | 24.7 | 0.15 | 0.9 | 0.665 | 2.48 | 17.8 | 30.1 | 2.17 | 1940 | 0.34 | 3.49 | 17.4 | 12.8 |
| G022665 G022666 G024951 | | | | | | | | | | | , <u>, , , , , , , , , , , , , , , , , , </u> | <u> </u> | , . . | | | |
| | | | | | | | | | | | | | | · | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - C Total # Pages: 3 (A - D) Plus Appendix Pages Finalized Date: 11- NOV- 2010 Account: BQL

Project: Bronson

| | | | | | ······ | CERTIFICATE OF ANALYSIS | | | | | | | LYSIS | TR101 | 59281 | |
|---|-----------------------------------|----------------------------|------------------------------|-----------------------------|--------------------------------|--|------------------------------|------------------------------|---------------------------|------------------------------|------------------------------|-------------------------------|-------------------------------|---------------------------------------|---------------------|---|
| Sample Description | Method Analyte Units LOR | ME- MS61 P ppm 10 | ME- MS61 Pb ppm 0.5 | ME-MS61 Rb ppm 0.1 | ME- MS61 Re ppm 0.002 | ME- MS61 S % 0.01 | ME-MS51 Sb ppm 0.05 | ME- MS61 Sc ppm 0.1 | ME-MS61 Se ppm 1 | ME- MS61 Sп ppm 0.2 | ME- MS61 Sr ppm 0.2 | ME- MS61 Ta ppm 0.05 | ME- MS61 Te ppm 0.05 | ME-MS61 Th ppm 0.2 | ME- MS61 Ti % | ME- MS61 Tl ppm |
| G022639 G022640 G022640- CRD G022641 G022641A | | 1350 | 296 | 107.0 | 0.002 | 0.43 | 1.78 | 15.4 | 2 | 37 | 191 0 | 0.96 | 0.10 | 4.7 | 0.402 | 1.62 |
| G022642 G022643 G022644 G022645 G022646 | | | <u> </u> | | | | | | | | | 0.00 | | | 0.403 | |
| G022647 G022648 G022649 G022650 G022651 | | | | | | | | | | | | | | | | <u>,, , , , , , , , , , , , , , , , , , ,</u> |
| G022652 G022653 G022654 G022655 G022656 | | | | | | | | | | | - | | | · · · · · · · · · · · · · · · · · · · | | |
| G022657 G022658 G022659 G022660 G022660- CRD | | | | | | | | | | | <u>.</u> | | | | | |
| G022661 G022661A G022662 G022663 G022664 | | 1570 | 28.0 | 71.4 | <0.002 | 0.69 | 4.56 | 20.6 | 1 | 2.5 | 564 | 0.97 | 0.08 | 3.1 | 0.513 | 1.68 |
| G022665 G022666 G024951 | | | | | | <u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u> | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - D Total # Pages: 3 (A - D) Plus Appendix Pages Finalized Date: 11- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | |
|---|-----------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---|--|
| G022639 G022640 G022640- CRD G022641 G022641A | | 2.5 | 193 | 8.0 | 9.8 | 1240 | 71.1 | |
| G022642 G022643 G022644 G022645 G022645 | | | | | | | | |
| G022647 G022648 G022649 G022650 G022651 | | | | | | | , <u>, , , , , , , , , , , , , , , , , , </u> | |
| G022652 G022653 G022654 G022655 G022655 | | | | | | | | |
| G022657 G022658 G022659 G022660 G022660- CRD | | | | | | | | |
| G022661 G022661A G022662 G022663 G022664 | | 1.7 | 241 | 3.5 | 9.2 | 110 | 33.7 | |
| G022665 G022666 G024951 | | | | | | | | |
| | | | | | | | | |



Т

Г

ALS Canada Ltd. 2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: Appendix 1 Total # Appendix Pages: 1 Finalized Date: 11- NOV- 2010 Account: BQL

Project: Bronson

| Method | CERTIFICATE COMMENTS |
|----------|--|
| ME- MS61 | REE's may not be totally soluble in this method. |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



ALS Canada Ltd. 2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION **SUITE 212** 10451 SHELLBRIDGE WAY **RICHMOND BC V6X 2W8**

VARIABLE

CERTIFICATE TR10168798

Project: Bronson

P.O. No.: Green Security Tag Batch

This report is for 70 Drill Core samples submitted to our lab in Terrace, BC, Canada on 15- NOV- 2010.

The following have access to data associated with this certificate:

| DAVID JENSEN | DAVID YEAGER | JOHN ZBEETNOFF |
|--------------|---------------------------------------|----------------|
| | · · · · · · · · · · · · · · · · · · · | |

| | SAMPLE PREPARATION | |
|----------|--------------------------------|------------|
| ALS CODE | DESCRIPTION | |
| FND- 02 | Find Sample for Addn Analysis | |
| | ANALYTICAL PROCEDURI | ES |
| ALS CODE | DESCRIPTION | INSTRUMENT |
| ME-ICP41 | 35 Element Aqua Regia ICP- AES | ICP- AES |
| ME- OG46 | Ore Grade Elements - AquaRegia | ICP- AES |
| Zn- OG46 | Ore Grade Zn - Aqua Regia | VARIARIE |

Ore Grade Zn - Aqua Regia

To: SKYLINE GOLD CORPORATION ATTN: DAVID YEAGER **SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - A Total # Pages: 3 (A - C) Finalized Date: 19- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME-ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME-ICP41 As ppm 2 | ME- ICP41 B ppm 10 | ME- JCP41 Ba ppm 10 | ME- ICF'41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 | ME-ICP41 Cd ppm 0.5 | ME- ICP41 Co ppm 1 | ME- (CP41 Cr ppm 1 | ME- ICP41 Cu ppm 1 | ME- ICP41 Fe % 0.01 | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 1 |
|-------------------------------|-----------------------------------|------------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|--------------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|-----------------------------|----------------------------|
| G022601 G022602 G022603 | | 0.4 0.5 0.5 | 1.65 1.72 1.58 | 72 42 47 | <10 <10 <10 | 130 180 130 | <0.5 <0.5 <0.5 | <2 <2 <2 | 2.97 2.62 3.49 | <0.5 <0.5 <0.5 | 18 20 11 | 29 25 24 | 74 97 | 3.35 3.64 | <10 10 | <1 <1 |
| G022604 G022605 | | 0.5 | 1.64 1.80 | 26 17 | <10 <10 | 120 120 | <0.5 <0.5 | - <2 <2 | 3.55 3.83 | <0.5 <0.5 | 7 7 | 24 27 25 | 35 27 | 2.56 2.93 | <10 10 <10 | <1 <1 <1 |
| G022606 G022607 G022608 | | 0.7 0.7 1.1 | 1.89 2.07 2.07 | 19 27 40 | <10 <10 <10 | 140 160 | <0.5 <0.5 | <2 <2 | 3.11 3.76 | <0.5 <0.5 | 7 7 | 29 27 | 79 115 | 3.06 3.69 | <10 10 | <1 <1 |
| G022609 G022610 | | 0.7 2.9 | 1.93 1.38 | 18 68 | <10 <10 <10 | 140 60 | <0.5 <0.5 <0.5 | <2 <2 <2 | 2.69 2.82 4.31 | <0.5 <0.5 1.8 | 12 8 18 | 32 26 25 | 163 59 4690 | 4.50 3.19 5.30 | 10 10 10 | 1 <1 1 |
| G022611 G022612 G022613 | | 0.7 0.5 | 2.12 1.99 | 31 20 | <10 <10 | 140 130 | <0.5 <0.5 | <2 <2 | 2.60 2.19 | <0.5 <0.5 | 11 8 | 16 35 | 98 68 | 3.66 3.03 | 10 10 | |
| G022614 G022615 | | 0.5 0.7 | 1.98 1.97 | 33 33 34 | <10 <10 <10 | 140 130 130 | <0.5 <0.5 <0.5 | <2 <2 <2 | 2.85 3.26 3.33 | <0.5 <0.5 <0.5 | 16 9 14 | 80 37 32 | 143 88 100 | 3.66 3.08 3.44 | 10 10 <10 | <1 <1 |
| G022616 G022617 G022618 | | 0.5 | 2.30 2.11 | 30 27 | <10 <10 | 140 150 | <0.5 <0.5 | <2 <2 | 2.30 3.06 | <0.5 <0.5 | 14 8 | 32 34 | 111 78 | 3.65 | 10 10 | <1 |
| G022619 G022620 | | 0.5 0.6 0.7 | 1.91 1.98 1.64 | 35 29 52 | <10 <10 <10 | 160 170 150 | <0.5 <0.5 <0.5 | <2 <2 <2 | 2.85 2.76 2.33 | <0.5 <0.5 <0.5 | 8 6 7 | 61 62 76 | 88 71 | 3.42 2.99 | 10 10 | <1 1 |
| G022620- CRD G022621 | | 0.8 0.8 | 1.64 1.20 | 54 41 | <10 <10 | 150 120 | <0.5 <0.5 | <2 <2 | 2.33 | <0.5 | 7 | 76 | 129 133 113 | 3.04 | 10 | 1 |
| G022622 G022623 G022624 | | 1.1 1.1 0.7 | 1.11 1.65 1.18 | 46 69 32 | <10 <10 <10 | 120 160 120 | <0.5 <0.5 | <2 <2 | 2.25 1.75 | <0.5 <0.5 | 7 12 | 19 45 | 155 148 | 2.53 4.33 | <10 <10 10 | <1 <1 |
| G022625 G022626 | | 0.5 0.3 | 1.66 | 52 36 | <10 | 120 150 110 | <0.5 | <2 | 2.70 | <0.5 0.6 | 4 | 23 55 | 79 | 2.26 | <10 | <1 1 |
| G022627 G022628 G022629 | | 0.5 2.1 1.1 | 2.12 1.64 2.31 | 37 27 25 | <10 <10 <10 | 210 160 240 | <0.5 <0.5 <0.5 | ~2 ~2 ~2 | 2.77 1.70 2.24 | <0.5 <0.5 13.6 2.1 | 3 5 6 5 | 30 37 37 | 64 80 166 | 2.16 3.93 3.42 | <10 10 <10 | <1 <1 <1 |
| G022630 G022631 C022632 | | 14.8 1.2 | 0.88 | 26 40 | <10 <10 | 10 210 | <0.5 <0.5 | 2 <2 | 0.28 3.24 | 57.8 <0.5 | 10 5 | 40 40 31 | 5000 178 | 8.81 3.85 | <10 <10 10 | <1 2 <1 |
| G022632 G022633 G022634 | | 1.6 1.5 | 2.97 1.99 4.68 | 36 73 21 | <10 <10 <10 | 80 100 60 | <0.5 <0.5 <0.5 | <2 <2 <2 | 1.73 3.54 1.51 | 20.2 2.7 6.2 | 6 3 <1 | 18 37 51 | 552 148 52 | 7.79 4.38 7.42 | 10 <10 10 | 1 |
| G022635 G022636 G022637 | | 2.0 | 6.30 4.92 | 25 41 | <10 <10 | 40 50 | <0.5 <0.5 | <2 <2 | 1.02 2.08 | 7.3 47.3 | <1 1 | 65 165 | 56 62 | 9.31 7.44 | 10 10 10 | 2 |
| G022638 G022639 | | 7.0 3.8 | 1.75 1.48 3.22 | 51 168 65 | <10 <10 <10 | 90 60 60 | <0.5 <0.5 <0.5 | <2 <2 <2 | 3.53 4.72 4.05 | 0.6 32.7 11.0 | 9 11 13 | 101 28 81 | 65 109 98 | 4.03 4.53 6.40 | <10 <10 10 | <1 1 1 |



T

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - B Total # Pages: 3 (A - C) Finalized Date: 19- NOV- 2010 Account: BQL

Project: Bronson

| | Method | ME-ICP41 K | ME-ICP41 | ME- ICP4 1 Mo | ME- ICP41 | ME- ICP41 | ME-ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME-ICP41 | ME- 1CP41 | ME- ICP41 | ME-ICP41 | ME- ICP41 | ME- ICP4 1 |
|--------------------|---------------|---------------|----------|------------------|-------------|-----------|--------------|-----------|-----------|------------------|----------|-----------|-----------|----------|--------------|------------|
| | llnits | % | 0000 | 9K | MII 0000 | IVIO | Na | Ni | P | Pb | S | Sb | Sc | Sr | Th | Τī |
| Sample Description | LOR | 0.01 | 10 | 0 01 | 5 | n dd | » • • • • | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % |
| | | | | | | I | 0.01 | | 10 | 2 | 0.01 | 2 | T | 1 | 20 | 0.01 |
| G022601 | 1 | 1.39 | 10 | 1.12 | 697 | 2 | 0.04 | 29 | 1390 | 5 | 1.22 | 4 | 4 | 201 | <20 | 0.10 |
| G022602 | , | 1.44 | 10 | 1.21 | 594 | 1 | 0.04 | 31 | 1350 | 7 | 1.47 | 5 | 4 | 192 | ~20 | 0.19 |
| G022603 | , | 1.36 | 10 | 1.07 | 836 | 2 | 0.03 | 32 | 1580 | 6 | 1.08 | 5 | 7 | 210 | ~20 | 0,19 |
| G022604 | , | 1.41 | 10 | 1.14 | 818 | 1 | 0.03 | 35 | 1450 | 4 | 0.66 | 3 | 3 | 210 | < <u>∠</u> ∪ | 0.19 |
| G022605 | | 1.41 | 10 | 1.36 | 1065 | 1 | 0.02 | 21 | 1250 | 6 | 0.77 | 2 | 3 | 220 | <20 | 0.17 |
| G022606 | | 1.63 | 10 | 1.40 | 815 | | 0.03 | 32 | 1540 | | 0.95 | | | 221 | ~20 | 0.16 |
| G022607 | , | 1.76 | 10 | 1.48 | 1040 | 2 | 0.03 | 41 | 1560 | 0 14 | 0.00 | 4 | 4 | 196 | <20 | 0.20 |
| G022608 | , | 1.77 | 10 | 1.42 | 843 | 6 | 0.00 | 44 | 1300 | 14 | 1.06 | 4 | 4 | 237 | <20 | 0.23 |
| G022609 | , | 1.66 | 10 | 1.41 | 947 | 1 | 0.00 | 19 | 1400 | 30 | 1.89 | 4 | 4 | 163 | <20 | 0.23 |
| G022610 | ļ | 0.25 | 10 | 1.29 | 746 | 41 | 0.07 | 18 | 1490 | ∠ <i>3</i> 30 | 0.87 | 3 | 4 | 171 | <20 | 0.21 |
| G022611 | \rightarrow | 1.80 | | 1.64 | 069 | | | | | | Z.32 | 12 | 8 | 139 | <20 | 0.01 |
| G022612 | ļ | 1.72 | 10 | 1 59 | 900 | 1 | 0.03 | 19 | 1450 | 34 | 1.22 | 4 | 4 | 157 | <20 | 0.21 |
| G022613 | ļ | 1 45 | 10 | 1.55 | 003 | 1 | 0.03 | 29 | 1620 | 5 | 0.61 | 3 | 4 | 117 | <20 | 0.23 |
| G022614 | ļ | 1 73 | 10 | 1.50 | 3/0 | 1 | 0.02 | 54 | 1470 | 8 | 1.43 | 3 | 4 | 192 | <20 | 0.19 |
| G022615 | ļ | 1 1 71 | 10 | 1.50 | 4025 | 1 | 0.02 | 37 | 1590 | 10 | 0.74 | 4 | 4 | 190 | <20 | 0.22 |
| C032616 | | | | | 1020 | 1 | 0.02 | 41 | 1550 | 18 | 1.31 | 5 | 4 | 216 | <20 | 0.21 |
| C022010 | ļ | 1.99 | 10 | 1.85 | 756 | <1 | 0.02 | 40 | 1630 | 8 | 1.08 | 3 | 4 | 146 | <20 | 0.24 |
| C022017 | | 1.70 | 10 | 1.60 | 832 | 1 | 0.03 | 34 | 1330 | 5 | 0.73 | 4 | 5 | 192 | <20 | 0.21 |
| C022010 | | 1.55 | 10 | 1.44 | 838 | 1 | 0.03 | 49 | 910 | 5 | 0.84 | 4 | 5 | 204 | <20 | 0.19 |
| 0022015 | | 1.00 | 10 | 1.47 | 993 | 2 | 0.04 | 39 | 930 | 6 | 0.35 | 2 | 5 | 175 | <20 | 0.20 |
| 0022020 | | 1.30 | 10 | 1.16 | 1095 | 1 | 0.04 | 57 | 690 | 27 | 0.72 | 2 | 3 | 149 | <20 | 0.18 |
| G022620- CRD | | 1.36 | 10 | 1.16 | 1095 | 1 | 0.04 | 59 | 690 | | 0.73 | 3 | 3 | 147 | | 0.10 |
| G022621 | | 0.98 | 10 | 0.83 | 1010 | <1 | 0.04 | 33 | 660 | 8 | 0.90 | 3 | 2 | 154 | ~20 | 0.18 |
| 6022622 | | 0.90 | 10 | 0.76 | 982 | 1 | 0.03 | 25 | 700 | 8 | 1.06 | 4 | 2 | 150 | ~20 | 0.12 |
| G022623 | | 1.35 | <10 | 1.22 | 889 | 1 | 0.03 | 42 | 830 | 23 | 2.50 | 5 | 2 | 132 | ~20 | 0.09 |
| G022624 | | 0.95 | 10 | 0.80 | 1125 | <1 | 0.03 | 25 | 710 | 19 | 0.58 | 3 | 2 | 247 | ~∠∪ <20 | 0.17 |
| G022625 | | 1.28 | 10 | 1.20 | 993 | <1 | 0.04 | 51 | 980 | | | | | | -20 | 0.12 |
| G022626 | I | 0.94 | <10 | 0.96 | 1000 | 1 | 0.04 | 31 | 830 | 15 | 0.40 | -2 | 4 | 179 | <20 | 0.17 |
| G022627 | I | 1.73 | 10 | 1.61 | 1295 | , <1 | 0.03 | 54 | 1300 | 20 | 0.37 | <2 | 3 | 208 | <20 | 0.12 |
| G022628 | I | 1.31 | <10 | 1.08 | 912 | <1 | 0.00 | 32 | 880 | 279 | 1.31 | <2 | 5 | 217 | <20 | 0.23 |
| G022629 | | 1.87 | 10 | 1.79 | 1190 | <1 | 0.03 | 39 | 1190 | 158 | 1.41 | ~2 | 3 | 143 | <20 | 0.17 |
| G022630 | | 0.09 | <10 | 0.84 | 310 | | 0.01 | | | | 0.90 | ۷ | 4 | 187 | <20 | 0.23 |
| G022631 | 1 | 1.54 | 10 | 1.65 | 1610 | | 0.01 | 22 | 100 | 245 | >10.0 | <2 | 2 | 6 | <20 | 0.02 |
| G022632 | | 2.12 | 10 | 2 14 | 2120 | ×1 40 | 0.03 | 55 | 1480 | 35 | 1.00 | <2 | 4 | 296 | <20 | 0.19 |
| G022633 | 1 | 0.99 | 10 | 1 96 | 2120 | 14 | 0.02 | 29 | 1590 | 557 | 3.46 | 3 | 4 | 133 | <20 | 0.25 |
| G022634 | | 0.63 | 10 | 3.73 | 39470 | 9 | 0.01 | 70 | 1160 | 145 | 1.55 | 2 | 2 | 269 | <20 | 0.12 |
| 0022635 | <u> </u> | 0.52 | | | 3940 | <u> </u> | 0.01 | 4/ | 1400 | 240 | 0.71 | 2 | 4 | 114 | <20 | 0.09 |
| C022033 | 1 | 0.58 | 10 | 5.03 | 3890 | <1 | 0.01 | 55 | 1420 | 447 | 0.69 | <2 | 6 | 73 | <20 | 0.09 |
| 0022030 | | 0.60 | <10 | 4.25 | 4240 | <1 | 0.01 | 80 | 1250 | 1520 | 0.93 | 6 | 5 | 171 | <20 | 0.03 |
| GU22037 | | 0.72 | 10 | 2.03 | 2410 | <1 | 0.03 | 82 | 1230 | 97 | 0.68 | <2 | š | 321 | <20 | 0.08 |
| GUZZ038 | 1 | 0.65 | <10 | 1.71 | 2600 | <1 | 0.01 | 34 | 870 | 1580 | 1.72 | 3 | 2 | 552 | ~20 | 0.08 |
| 6022039 | I | 0.62 | 10 | 3.16 | 4060 | <1 | 0.01 | 66 | 1190 | 867 | 0.98 | 5 | 5 | 438 | ~20 | 0.07 |
| | | | | <u> </u> | | | | | | | | | | -00 | -40 | 0.07 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - C Total # Pages: 3 (A - C) Finalized Date: 19- NOV- 2010 Account: BQL

Project: Bronson

| | Method Analyte | ME- ICP41 TI | ME- ICP41 U | ME-ICP41 V | ME- ICP41 W | ME- ICP41 Zn | Zn- OG46 Zn | |
|--------------------|-------------------|-----------------|----------------|---------------|----------------|-----------------|--|--|
| Sample Description | Units LOR | ppm 10 | ppm 10 | ppm 1 | ppm 10 | ppm 2 | % 0.001 | |
| G022601 | | <10 | <10 | 58 | <10 | 50 | | |
| G022602 | | <10 | <10 | 58 | <10 | 36 | | |
| G022603 | | <10 | <10 | 55 | <10 | 32 | | |
| G022604 | | <10 | <10 | 51 | <10 | 29 | | |
| G022605 | | <10 | <10 | 46 | <10 | 45 | | |
| G022606 | | <10 | <10 | 59 | <10 | 49 | ······ | |
| 6022607 | | <10 | <10 | 77 | <10 | 91 | | |
| 0022608 | | <10 | <10 | 139 | <10 | 113 | | |
| 0022609 | | <10 | <10 | 64 | <10 | 94 | | |
| 0022010 | | <10 | <10 | 86 | <10 | 181 | | |
| G022617 | | <10 | <10 | 64 | <10 | 95 | | |
| G022612 | | <10 | <10 | 75 | <10 | 32 | | |
| C022614 | | <10 | <10 | 65 | <10 | 42 | | |
| G022615 | | <10 | <10 | 60 60 | <10 <10 | 64 64 | | |
| G022616 | | <10 | <10 | 63 | <10 | 40 | | |
| G022617 | | <10 | <10 | 74 | <10 | 40 | | |
| G022618 | | <10 | <10 | 67 | <10 | 35 | | |
| G022619 | | <10 | <10 | 70 | <10 | 51 | | |
| G022620 | | <10 | <10 | 52 | <10 | 81 | | |
| G022620- CRD | | <10 | <10 | 51 | <10 | 82 | | |
| G022621 | | <10 | <10 | 38 | <10 | 35 | | |
| G022622 | | <10 | <10 | 25 | <10 | 45 | | |
| 6022623 | ſ | <10 | <10 | 48 | <10 | 58 | | |
| G022624 | | <10 | <10 | 32 | <10 | 68 | | |
| G022625 | | <10 | <10 | 58 | <10 | 90 | ······································ | |
| 0022020 | | <10 | <10 | 44 | <10 | 54 | | |
| C022628 | | <10 | <10 | 68 | <10 | 61 | | |
| C022628 | | <10 | <10 | 43 | <10 | 1795 | | |
| C022620 | | | <10 | 60 | <10 | 438 | | |
| C022631 | | <10 | <10 | 15 | <10 | >10000 | 1.335 | |
| C022637 | | <10 <10 | <10 | 63 | <10 | 129 | | |
| 6022632 | | <10 | <10 | 73 | <10 | 3050 | | |
| 6022634 | | <10 | <10 | 48 | <10 | 513 | | |
| C022635 | | | <10 | | <10 | 1520 | | |
| C022636 | | <10 | <10 | 93 | <10 | 1830 | | |
| G022637 | | <10 | <10 | 75 | <10 | 7210 | | |
| G022638 | | <10 | <10 | 44 | <10 | 262 | | |
| G022639 | | <10 | <10 | 20 64 | <10 <10 | 5020 | | |
| | | | | 04 | <u> </u> | 2080 | _ | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - A Total # Pages: 3 (A - C) Finalized Date: 19- NOV- 2010 Account: BQL

Project: Bronson

| | | · | | | | | | | CERTIFICATE OF ANALYSIS | | | | | TR10168798 | | | |
|---|-----------------------------------|---------------------------------|--------------------------------------|-----------------------------|---------------------------------|-------------------------------|--|---|--------------------------------------|-------------------------------------|-----------------------------|-----------------------------|--------------------------------|---------------------------------|-----------------------------|------------------------|--|
| Sample Description | Method Analyte Units LOR | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME-ICP41 B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICF41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 | ME- ICP41 Cd ppm 0.5 | ME- ICP41 Co ppm 1 | ME- ICP41 Cr ppm 1 | ME- ICP4 I Cu ppm 1 | ME- ICP41 Fe % 0.01 | ME-ICP41 Ga ppm 10 | ME- ICP41 Hg ppm | |
| G022640 G022640- CRD G022641 G022642 | | 1.4 1.4 1.2 | 5.61 5.39 4.17 | 21 22 15 | <10 <10 <10 | 40 40 50 | <0.5 <0.5 <0.5 | <2 <2 <2 <2 | 1.33 1.29 1.59 | 4.0 4.0 5.6 | 3 2 2 | 34 29 19 | 32 31 11 | 8.68 8.38 6.34 | 10 10 10 | 1 1 1 | |
| G022643 | | 1.2 | 4.01 | 89 12 | <10 <10 | 50 60 | <0.5 <0.5 | <2 <2 | 1.40 2.20 | 18.0 24.1 | 4 2 | 28 16 | 114 25 | 11.80 5.99 | 20 10 | 2 <1 | |
| G022644 G022645 G022646 G022647 G022648 | | 1.9 4.6 5.1 14.6 | 5.87 8.63 7.98 5.88 | 7 47 50 72 | <10 <10 <10 <10 | 50 40 40 10 | <0.5 <0.5 <0.5 <0.5 | <pre><2 <2 <2 <2 <2 <2 <2 </pre> | 1.16 0.93 1.53 6.38 | 14.3 54.6 49.0 53.5 | 1 2 2 5 | 5 6 6 4 | 29 96 34 84 | 8.55 12.75 11.55 10.00 | 10 20 20 | <1 2 2 2 | |
| G022649 G022650 | | 7.8 | 7.74 | 56 2960 | <10 | 10 30 | <0.5 | <2 | 1.01 | 19.4 37.2 | 5 | 76 | 18 | 17.1 | 30 | 2 | |
| G022651 G022652 G022653 | | 5.8 5.3 6.1 | 0.12 6.99 5.19 3.60 | 16 747 3780 93 | <10 <10 <10 <10 | <10 40 30 90 | <0.5 <0.5 <0.5 <0.5 | <2 <2 <2 <2 | >25.0 1.09 1.02 2.98 | <0.5 45.2 23.5 5.8 | <1 7 4 3 | <1 7 8 | <1 30 157 | 0.14 11.35 10.65 | <10 20 10 | <1 2 1 | |
| G022654 G022655 G022656 G022657 C022658 | | 5.3 4.7 3.3 2.6 | 4.08 2.97 2.74 2.72 | 83 105 22 61 | <10 <10 <10 <10 | 50 60 60 80 | <0.5 <0.5 <0.5 <0.5 | <2 <2 <2 <2 <2 <2 | 2.94 3.02 2.62 2.37 | 9.1 3.1 7.9 3.1 | 3 2 2 5 | 14 12 5 10 | 373 337 163 115 | 7.38 5.75 4.34 4.56 | 10 10 10 10 | 1 1 1 <1 | |
| G022659 G022660 G022660 G022660 | | 2.9 1.2 | 2.17 2.36 2.16 | 34 131 39 | <10 <10 <10 | 150 60 160 | <0.5 <0.5 <0.5 | <2 <2 2 | 2.83 2.34 2.45 | <0.5 0.7 0.8 | 5 16 6 | 10 11 8 | 113 234 87 | 3.45 5.40 3.62 | 10 | <1 | |
| G022661 G022662 | | 1.0 0.7 0.9 | 2.17 2.44 2.17 | 37 110 30 | <10 <10 <10 | 160 180 160 | <0.5 0.5 <0.5 | 3 2 2 | 2.43 2.90 2.76 | 0.9 <0.5 <0.5 | 6 5 8 | 7 14 12 | 89 57 166 | 3.70 4.51 4.97 | 10 10 10 | <1 1 1 | |
| G022663 G022664 G022665 G022666 G024951 | | 1.8 1.9 3.3 1.7 2.7 | 1.35 1.77 1.90 1.82 9.30 | 21 31 34 17 62 | <10 <10 <10 <10 <10 | 150 170 90 280 20 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 3 2 2 <2 6 | 1.78 3.31 2.81 1.73 1.22 | <0.5 <0.5 1.0 <0.5 11.9 | 12 11 13 9 8 | 10 8 9 14 | 154 199 316 212 20 | 3.34 4.44 5.06 3.53 | <10 10 10 10 | <1 <1 1 <1 | |
| | | | | | | | | | | | - | | | 17.23 | <u> </u> | 2 | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - B Total # Pages: 3 (A - C) Finalized Date: 19- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 K % 0.01 | ME- ICP41 La ppm 10 | ME- ICP41 Mg % 0.01 | ME-≀CP4⊺ Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME- ICP41 Na % 0.01 | ME- (CP41 Ni ppm 1 | ME- ICP41 P ppm 10 | ME- ICP41 Pb ppm 2 | ME- ICP41 S % 0.01 | ME- ICP41 Sb ppm 2 | ME- ICP41 Sc ppm 1 | ME- ICP41 Sr ppm 1 | ME- ICP4 ĭ Th ppm 20 | ME- ICP41 Ti % 0.01 |
|-------------------------|-----------------------------------|-----------------------------|------------------------------|------------------------------|----------------------------|----------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-------------------------------|------------------------------|
| G022640 G022640- CRD | | 0.42 0.42 | 10 10 | 4.47 4.29 | 3560 3450 | <1 <1 | 0.01 0.01 | 28 24 | 1580 | 315 | 0.63 | 5 | 4 | 120 | <20 | 0.06 |
| G022641 | | 0.52 | 20 | 3.33 | 4200 | <1 | 0.01 | 21 | 1400 | 291 | 0.45 | <2 | 4 | 127 | <20 | 0.06 |
| G022642 | | 1.01 | 20 | 5.53 | 3940 | <1 | 0.01 | 28 | 1410 | 799 | 2.25 | 4 | 7 | 98 | <20 | 0.08 |
| 6022643 | | 0.77 | 20 | 3.00 | 4280 | <1 | 0.01 | 13 | 1380 | 273 | 0.48 | <2 | 3 | 146 | <20 | 0.10 |
| G022644 | | 0.93 | 20 | 4.28 | 4250 | <1 | 0.01 | 10 | 2010 | 500 | 0,39 | 5 | 5 | 76 | <20 | 0.13 |
| 6022645 | | 0.57 | 10 | 6.40 | 4760 | <1 | 0.01 | 12 | 2020 | 1070 | 1.66 | 2 | 8 | 68 | <20 | 0.09 |
| GUZ2040 C022647 | | 0.38 | 30 | 6.03 | 4990 | <1 | 0.01 | 10 | 1930 | 1250 | 1.89 | 5 | 7 | 102 | <20 | 0.06 |
| C022648 | [| 0.32 | 10 | 5.32 | 12250 | <1 | 0.01 | 12 | 1200 | 3050 | 2.33 | 16 | 6 | 378 | <20 | 0.05 |
| 6022040 | | 0.29 | 30 | 7.84 | 5190 | <1 | 0.01 | 22 | 2160 | 508 | 2.10 | 2 | 10 | 85 | <20 | 0.08 |
| G022649 C022650 | | 0.53 | 30 | 5.77 | 5010 | <1 | 0.01 | 17 | 1770 | 1580 | 3.92 | 11 | 6 | 148 | <20 | 0.07 |
| G022651 | | 0.01 | <10 | 1./1 | 55 | <1 | 0.01 | 2 | 60 | 6 | <0.01 | <2 | <1 | 5550 | 30 | <0.01 |
| 6022652 | | 0.62 | 30 | 3.37 | 3790 | <1 | 0.01 | 13 | 2120 | 1100 | 2.81 | 7 | 7 | 82 | <20 | 0.10 |
| G022653 | | 0.69 | 20 | 2.87 | 3230 | <1 | 0.01 | 13 | 1540 | 827 | 3.65 | 11 | 4 | 70 | <20 | 0.07 |
| C022654 | | 0.76 | | 2.07 | | | 0.01 | 11 | 1580 | | 2.28 | 2 | 3 | 198 | <20 | 0.08 |
| G022655 | | 0.70 | 10 | 3.15 | 5100 | <1 | 0.02 | 14 | 1600 | 430 | 2.24 | 3 | 4 | 176 | <20 | 0.11 |
| G022656 | | 0.66 | 10 | 1 92 | 4000 | <1 | 0.03 | 13 | 1460 | 340 | 2.17 | 5 | 3 | 173 | <20 | 0.10 |
| G022657 | | 0.85 | 10 | 1.32 | 3190 | <1 | 0.02 | 0 10 | 1190 | 438 | 0.64 | 2 | 2 | 132 | <20 | 0.09 |
| G022658 | | 1.02 | 10 | 1.46 | 2110 | <1 | 0.05 | 9 | 1420 | 351 | 1.01 | 2 | 3 | 117 | <20 | 0.12 |
| G022659 | | 1.13 | 10 | 1 53 | 1650 | | 0.05 | | 1000 | | 0.71 | | 4 | 185 | <20 | 0.15 |
| G022660 | | 1.04 | 20 | 1.56 | 1905 | <1 | 0.05 | 12 | 1330 | 65 | 2.97 | 6 | 4 | 178 | <20 | 0.17 |
| G022660- CRD | | 1.04 | 20 | 1.55 | 1895 | <1 | 0.07 | 4 | 1200 | 90 | 0.68 | 3 | 4 | 203 | <20 | 0.15 |
| G022661 | | 1.02 | 10 | 2.02 | 1665 | <1 | 0.07 | 9 | 1610 | 24 | 0.65 | 2 5 | 4 | 200 | <20 | 0.15 |
| G022662 | | 1.21 | 10 | 1.64 | 1115 | <1 | 0.06 | 7 | 1640 | 12 | 1.70 | 3 | 6 | 205 | <20 | 0.15 |
| G022663 | | 1.06 | 10 | 0.97 | 1030 | <1 | 0.05 | 12 | 1110 | 40 | 1 92 | | | 405 | -20 | 0.17 |
| G022664 | | 1.46 | 10 | 1.39 | 1595 | <1 | 0.04 | 8 | 1340 | 46 | 2.32 | 2 | 2 | 195 | <20 | 0.11 |
| G022665 | | 1.56 | 10 | 1.38 | 1480 | 1 | 0.04 | 9 | 1490 | 40 | 3.06 | 4 | 3 | 276 | <20 | 0.17 |
| G022666 | | 1.52 | 10 | 1.21 | 1435 | 1 | 0.03 | 11 | 1410 | 56 | 1.12 | 3 | 3 | 191 | <20 | 0.19 |
| G024951 | | 0.27 | 30 | 7.20 | 5260 | <1 | 0.02 | 14 | 2040 | 637 | 2.33 | 3 | 10 | 101 | <20 | 0.07 |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobai.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - C Total # Pages: 3 (A - C) Finalized Date: 19- NOV- 2010 Account: BQL

Project: Bronson

| | Method Analyte | ME- ICP41 TI | ME- ICP41 U | ME- ICP41 V | ME- ICP41 W | ME- ICP41 | Zn- OG46 Zn | |
|--------------------|-------------------|-----------------|----------------|----------------|----------------|-----------|----------------|--|
| Sample Description | Units | ppm | ppm | ppm | ppm | ppm | % | |
| | LOR | 10 | 10 | 1 | 10 | 2 | 0.001 | |
| G022640 | | <10 | <10 | 95 | <10 | 1295 | | |
| G022640- CRD | | <10 | <10 | 92 | <10 | 1205 | | |
| 6022641 | | <10 | <10 | 62 | <10 | 1280 | | |
| 0022042 | | <10 | <10 | 120 | <10 | 3180 | | |
| G022045 | | <10 | <10 | 62 | <10 | 3720 | | |
| 0022644 | | <10 | <10 | 109 | <10 | 2550 | | |
| C022646 | | <10 | <10 | 190 | <10 | 8780 | | |
| C022647 | | <10 | <10 | 152 | <10 | 8710 | | |
| G022648 | | <10 | <10 | 100 | <10 | 8870 | | |
| C022649 | | <10 | 10 | 220 | <10 | 3600 | | |
| G022650 | | <10 | <10 | 148 | <10 | 6610 | | |
| G022651 | | <10 | <10 | 3 120 | <10 | 55 | | |
| G022652 | | <10 | <10 | 139 | <10 | 7550 | | |
| G022653 | | <10 | <10 | 71 | <10 | 4250 | | |
| G022654 | | | -10 | | | 1405 | | |
| G022655 | ĺ | <10 | <10 | 102 | <10 | 1850 | | |
| G022656 | | <10 | <10 | 10 | <10 | 782 | | |
| G022657 | | <10 | <10 | 63 | <10 | 1090 | | |
| G022658 | | <10 | <10 | 82 | <10 | 153 | | |
| G022659 | | <10 | <10 | 84 | <10 | 184 | | |
| G022660 | | <10 | <10 | 82 | <10 | 243 | | |
| G022660- CRD | | <10 | <10 | 83 | <10 | 246 | | |
| G022661 | | <10 | <10 | 119 | <10 | 106 | | |
| G022662 | | <10 | <10 | 104 | <10 | 54 | | |
| G022663 | | <10 | <10 | 43 | <10 | 59 | | |
| G022664 C022665 | | <10 | <10 | 62 | <10 | 82 | | |
| 0022005 | | <10 | <10 | 64 | <10 | 149 | | |
| C022050 | | <10 | <10 | 59 | <10 | 128 | | |
| 0024551 | | <10 | <10 | 199 | 10 | 2710 | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |



DIAMOND DRILL HOLE LOG

Summary of Drill Hole SK-10-12

| HOLE | SK10-12 | CONTRACTOR: Dri | ftwood Diamond | From(m) | To (m) | Unit | Description | |
|--------------------------------------|---|--|--------------------------------------|---------|--------|-------------|--|---------------|
| HOLL. | 5810-12 | Drillin | g Ltd. | 0.0 | 3.9 | | overburden | |
| COLLAR COO Easting: Northing: | RDINATES UTM (NAD 83 373665.2 6280872.2 |): DATE STARTED: 17-0 COMPLETED: 18-0 | ct-10 ct-10 | 3.9 | 30.0 | GrW-Sst/Arg | It-med grey siltstone layering content and thickness is greater than the argillaceous layering or lamina, layers of sandstone maybe intermixed. Less common unit | |
| COLLAR COO Northing: | RDINATES MINE GRID: 11754.9 | LOGGED BY: SAMPLE INTERVAL | B. Hemingway S: B.H./A. Burgert | 30.0 | 72.4 | GrW-Arg-Cgl | argillite-siltstone layering with an intermix of siltstone clasts poorly sorted. Clasts are < 20% of the volume of rock unit | |
| COLLAR ELEV | 27469.9 | SAMPLED BY: | N/A D. Quock | 72.4 | 79.6 | GrW-SSt | gradational contact massive sandstone w/occasional siltstone lavering | |
| FINAL DEPTH | 575.5 : 174.0 | CORE SIZE: N RIG: SRS 3 | Q 000 Hydraulic | 79.6 | 95.4 | GrW-Arg/Sst | It-med grey when fresh w/ hue of pink feldspar alt, argillaceous content is > the siltstone content, generally the argillaceous lamina are thicker than the siltstone lamina. Common unit | |
| SURVEYS: Depth 0 | Azimuth 215 | Inclination -70.5 | Method comp,clino | 95.4 | 114.3 | GrW-Sst/Arg | from 105.75 to 109.8 Fault Zone | |
| 12 69 102 171 | 218.4 215.2 223.5 229.1 | -70.4 -70.8 -70.7 -71.1 | Reflex Reflex Reflex Reflex | 114.3 | 135.1 | GrW-Sst-Cg | siltstone layering with siltstone clasts rarely argillitic clasts. Clasts < 20% rock volume | 113.8 to 16 |
| Abbreviations | | | | | | | | 54 .7 |
| Lithology GrW | Greywacke Arg | ration Argillitic or cl | ay alteration | 135.1 | 144.9 | GrW-Arg/Sst | | . Zone |
| Slt Clt | Siltstone Bio Clasts Ksp | Biotite (potas ar Feldspar or F | sic) eldspathic (potassic) | 144.9 | 147.3 | GrW-Sst-Cgl | | of S |
| Minerals AsPy Ca Chl Gal | Arsenopyrite Ser Calcite alt Chlorite Sta Calana STI | Phyllic or set Sericite alteration hdards | icitic | 147.3 | 154.0 | GrW-Arg/Sst | | ohalarite Mir |
| Py Pyr Qtz Sphal or sph | Pyrite STI Pyrrhotite STI Quartz Oth Sphalerite // | -20A CDN-GS-20A -2 CDN-ME-2 er Abbreviations Parallel | | 154.0 | 161.8 | GrW-Sst-Cgl | | neralization |
| Barren | Barren of sulphides CA | To the core a Center of veir mineralization | xis າ (mineral) order of າ | 161.8 | 174.0 | GrW-Arg/Sst | | |

Hole: SK-10-12 Page: 2 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|------|--|---------|-------|-------|--------|-------|-----|------|-----|-----|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| 0.0 | 3.9 | casing, OVB depth, at 5.9 surface weathering effect to this depth | | | | | | | | | | |
| | | General Description | | | | | | | | | | |
| | | The core is essentially a mottled light grey to medium-dark grey Greywacke (GrW) | | | | | | | | | | |
| | | bands and broken clasts of light grey colour indicates an increase in silicification | | | | | | | | | | |
| | | due to the siltstone component, contact of the siltstone with the med-drk grey | | | | | | | | | | |
| | | matrix is generally fuzzy or diffused and sometimes to a point of being | | | | | | | | | | |
| | | undistinguishable due to the intense degree of metamorphism, alteration is | | | | | | | | | | |
| | | generally sericitic, but areas also show feldspathic and silicic, the alteration appears | | | | | | | | | | |
| | | to be lithological based where the original host rock contains those minerals that | | | | | | | | | | |
| | | are conducive for that type of alteration prior to metamorphism then only to be | | | | | | | | | | |
| | | remobilized as the result of the metamorphism from an external heat source. zones | | | | | | | | | | |
| | | of anastomosing micro-fractures both healed and unhealed exist prior to the main | | | | | | | | | | |
| | | fault but decline thereafter. | | | | | | | | | | |
| | | | | | | | | | | | | |
| 3.9 | 30.0 | GrW-Sst/Arg with alternating siltstone to mudstone layers | G022667 | 3.90 | 6.00 | 2.10 | 0.174 | 0.2 | 141 | 113 | 9 | 38 |
| | | from 4.9 to 12.1 clasts banding at 60° with argillaceous lamina | G022668 | 6.00 | 8.00 | 2.00 | 0.452 | 0.6 | 79 | 38 | 7 | 39 |
| | | at 7.75 1.0cm wide py/ca vein at 70° vein is py then ca towards contact edge | G022669 | 8.00 | 10.00 | 2.00 | 1.120 | 1.2 | 223 | 33 | 12 | 77 |
| | | at 7.9 a 20cm calcitic siliceous band, diffused contact at 55° with a 1.0 cm wide py | G022670 | STD15 | STD15 | STD15 | 0.644 | 2.6 | 4540 | 170 | 29 | 69 |
| | | vein cutting through at 0° is discontinuous and offsetted (2.0cm) with a sinuous , | G022671 | 10.00 | 12.00 | 2.00 | 1.035 | 0.4 | 126 | 38 | 5 | 33 |
| | | irregular 5.0mm wide qtz/ca vein at 70°, the zone has a deductile signature. | G022672 | 12.00 | 14.00 | 2.00 | 0.190 | 0.4 | 135 | 35 | 3 | 36 |
| | | 11.5 to 15.01 siltstone clastic banding, fuzzy, 2.0cm spacing generally 45°-70°CA | G022673 | 14.00 | 16.00 | 2.00 | 0.054 | 0.6 | 180 | 33 | 7 | 46 |
| | | 9.5 -10.4 10 veinlets of qtz/ca 1.0-5.0mm wide and at 40-70° | | | | | | | | | | |
| | | 10.45-14.9 Zone of microfracturing, healed and unhealed, matrix is a shade lighter | | | | | | | | | | |
| | | with more of a siltsone component, matrix is weak feldspathic with an increase in | | | | | | | | | | |
| | | pyrite content due to fracturing. | | | | | | | | | | |
| | | at 10.55 an irregular, discontinuous band of pyrite 1.2cm wide, braided to massive | | | | | | | | | | |
| | | about 7.0cm long parallel to CA | | | | | | | | | | |
| | | 12.95-13.6 25 qtz/ca/discontinuous veinlets , brk, step like | | | | | | | | | | |
| | | 14.01-14.85 22 qtz/ca 2.0mm ave width veinlets at 75° | | | | | | | | | | |
| | | at 15.2 a 2.5 cm wide braided, band at 90° with py/qtz/ca | | | | | | | | | | |
| | | 15.55 micro fracture at 25° offsets qtz/ca veinlets | | | | | | | | | | |
| | | at 16.0 fine bedding lamina of arg-silt at 50° | G022674 | 16.00 | 18.00 | 2.00 | 0.041 | 0.6 | 67 | 49 | 8 | 29 |
| | | at 16.60 1.0mm qtz/ca veinlet at 50° cuts completely a braided, discontinuous 1.0 | G022675 | 18.00 | 20.00 | 2.00 | 0.036 | 0.5 | 75 | 38 | 9 | 31 |
| | | mm wide py veinlet at 0° matrix is < feldspathic | | | | | | | | | | |
| | | at 17.70 an irregular qtz band discontinuous, little py, but blebs of chlorite-sericite, | | | | | | | | | | |
| | | green colour | | | | | | | | | | |
| | | 18.01 a 40cm zone of microfracturing, healed and unhealed, matrix is a shade | G022675 | 18.00 | 20.00 | 2.00 | 0.036 | 0.5 | 75 | 38 | 9 | 31 |
| | | lighter with more of a siltsone component, matrix is weak feldspathic with an | | | | | | | | | | |

Page: 3 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|------|--|---------|-------|-------|--------|-------|-----|-----|------|-----|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | increase in pyrite content due to fracturing. | | | | | | | | | | |
| | | at 19.0 4.0cm wide wavy irregular band of qtz/ca, no py | | | | | | | | | | |
| | | at 19.1 an elongated patch of hydrothermal sericite/chlorite, w/ sparse pyrite, | | | | | | | | | | |
| | | bright light-med green colour. | | | | | | | | | | |
| | | 19.9-32.5 core is micro fractured healed and more intense/unhealed in siliceous | | | | | | | | | | |
| | | calcareous-siltstone sections | | | | | | | | | | |
| | | 20.5-21.6 a blebby py band w/ variable thickness up to 3.0cm // to CA | G022676 | 20.00 | 22.00 | 2.00 | 1.145 | 7.1 | 973 | 48 | 67 | 253 |
| | | 22.40 1.0cm siltstone layer at 40° with ladder microfractures | G022677 | 22.00 | 24.00 | 2.00 | 1.280 | 1.3 | 316 | 73 | 47 | 133 |
| | | 22.8 to 24.6 a variable width pyrite fissure // to CA is wavy, sinuous, at 22.8 a | | | | | | | | | | |
| | | bubbous 1.2cm rounded tip of the fissure shows biotite selvage, at 24.6 the fissure | | | | | | | | | | |
| | | has a 10.0 cm wide braided band of siliceous alteration in the matrix, the feature | | | | | | | | | | |
| | | shows a soft, ductile sediment being injected by a pyrite fissure. the py cuts across | | | | | | | | | | |
| | | the pre-existing qtz/ca discontinuous veinlets | | | | | | | | | | |
| | | 24.6-32.7 matrix >calcareous , siltstone clasts indistinct | G022678 | 24.00 | 26.00 | 2.00 | 0.931 | 2.9 | 305 | 489 | 350 | 230 |
| | | at 25.9 a 1.5cm wide, wavy, py band at 40° | G022679 | 26.00 | 28.00 | 2.00 | 0.118 | 0.7 | 143 | 47 | 19 | 49 |
| | | 24.6-29.4 core is now less feldspathic and medium grey in colour with mottled light | | | | | | | | | | |
| | | grey zones of remnant siltstone. | | | | | | | | | | |
| | | at 27.1 an irregular py/qtz/ca band at 20° has partial selvage of biotite 1.0cm wide | | | | | | | | | | |
| | | that feeds into the surrounding microfractures. | | | | | | | | | | |
| | | at 28.4 a 5.0cm band of py/ca/qtz with a tapering qtz vein 1.5cm wide at 70°, the | G022680 | 28.00 | 30.00 | 2.00 | 0.102 | 1.4 | 162 | 1160 | 128 | 79 |
| | | band has wisps of sphalerite | | | | | | | | | | |
| | | at 28.5 a 20cm wide band of qtz/ca/py at 60° shows injection into microfractures, | | | | | | | | | | |
| | | followed by another zone of narled py/qtz/ca to 29.10 | | | | | | | | | | |
| | | at 28.91 fault gouge 1.3cm with brk wallrock chips fills the fracture at 60° wallrock | | | | | | | | | | |
| | | for 10cm downhole is brecciated and more siliceous | | | | | | | | | | |
| | | at 29.08 a 1.0cm wide wavy qtz/ca vein at 50° barren of sulphides | | | | | | | | | | |
| 30.0 | 72.4 | GrW-Arg-Cgl with siltstone clasts, poorly sorted conglomerate, Contact | G022681 | 30.00 | 32.00 | 2.00 | 0.077 | 0.8 | 75 | 59 | 22 | 28 |
| | | Gradiational. clasts of siltstone distinguishable | | | | | | | | | | |
| | | at 30.5 lamina bedding at 45° | | | | | | | | | | |
| | | core has more py in the form of veinlets/ bands, interstitially, and in clusters, also | | | | | | | | | | |
| | | the microfractures show py fillings | | | | | | | | | | |
| | | 32.6 - 33.9 Minor Sandstone Unit, coarsening of matrix to remnant sandstone, | G022682 | 32.00 | 34.00 | 2.00 | 0.415 | 0.9 | 113 | 43 | 8 | 36 |
| | | contact has a few clasts of siltstone that is uphole, contact very obscure at 50°, | | | | | | | | | | |
| | | bottom contact shows very faint siltstone clasts, but general sense of bedding is | | | | | | | | | | |
| | | gradational at a wavy contact of 40° | | | | | | | | | | |
| | | at 33.30 a 2.0cm wide barren qtz/ca vein at 70° | | | | | | | | | | |
| | | at 33.9 Irregular shaped, very obscure siltstone It gry clasts within a It-med gry | | | | | 0.000 | | ~~ | | ~ | |
| | | at 34.4 to35.3 siltstone clasts 1.0cm to >5.0cm irregular and subrounded to | G022683 | 34.00 | 36.00 | 2.00 | 0.028 | 0.3 | 62 | 43 | 6 | 32 |

Page: 4 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|-----|--|---------|-------|-------|--------|-------|------|------|-------|-----|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | rounded quartizite with angular quartz xtals and rare specks of biotite books, | | | | | | | | | | |
| | | interstitial py in this section < | | | | | | | | | | |
| | | 35.7 a wavy siltstone band at 45° | | | | | | | | | | |
| | | 36.7 10 contorted discontinuous <3.0mm wide qtz/ca veinlets | G022684 | 36.00 | 38.00 | 2.00 | 0.013 | 0.3 | 50 | 37 | 4 | 41 |
| | | 36.82 to 45.12py content in matrix significately reduced to <0.2% to 0% | | | | | | | | | | |
| | | throughout this section, bottom at 45.12 appears gradational in py content in | | | | | | | | | | |
| | | matrix with wide bands of 0% | | | | | | | | | | |
| | | 38.2 6 qtz/ca veins at 85°, variable thickness ave <3.0mm wide | G022685 | 38.00 | 40.00 | 2.00 | 0.035 | 0.6 | 70 | 47 | 3 | 31 |
| | | 42.9 irregular wisps & bands of py <1.0% appear // to bedding at 35° | G022686 | 40.00 | 42.00 | 2.00 | 0.015 | 0.3 | 42 | 32 | 3 | 34 |
| | | 43.6 to 44.05 weak zone of anastomosing fractures | G022687 | 42.00 | 44.00 | 2.00 | 0.071 | 0.8 | 134 | 44 | 7 | 40 |
| | | 46.15-46.5 20 qtz/ca veinlets ave 60° <2.0mm | G022688 | 44.00 | 46.00 | 2.00 | 0.022 | 0.7 | 50 | 39 | 5 | 28 |
| | | 47.25 a discontinuous, irregular 1.0cm qtz/ca vein at 80° contains a bleb of | G022689 | 46.00 | 48.00 | 2.00 | 0.077 | 0.8 | 75 | 32 | 5 | 36 |
| | | mariposite? Green colour, sericite | G022690 | STD2 | STD2 | STD2 | 2.100 | 13.4 | 4940 | 12850 | 224 | 26 |
| | | 48.1 lt-med gry matrix is more calcareous and kspar | G022691 | 48.00 | 50.00 | 2.00 | 0.040 | 0.5 | 68 | 69 | 4 | 38 |
| | | core very brittle at 51.55 a clast of 2.0 x 3.0 cm CG qtz sandstone | G022692 | 50.00 | 52.00 | 2.00 | 0.027 | 0.6 | 63 | 55 | 12 | 32 |
| | | 51.15 to 55.8 py content significately increasing ~1.0% throughout this section, | G022693 | 52.00 | 54.00 | 2.00 | 0.087 | 1.1 | 231 | 49 | 11 | 50 |
| | | uphole contact appears gradational in py content both interstitially and in bands | | | | | | | | | | |
| | | and clusters, down hole also the same also qtz/ca veining is increasing | | | | | | | | | | |
| | | at 54.15 a 1.0cm qtz/ca vein at 85° is barren of sulphides | G022694 | 54.00 | 56.00 | 2.00 | 0.064 | 1.4 | 344 | 78 | 17 | 49 |
| | | at 54.60 a 1.1cm qtz/ca vein at 45° contains specks of a metallic silvery coloured | | | | | | | | | | |
| | | mineral, streak is grey initially and darkens on exposure to light, acanthite? Xtal | | | | | | | | | | |
| | | system cubic vein has rare Py | | | | | | | | | | |
| | | 54.75 a 1.0cm qtz/ca vein at 45° w/py no metallic silver mineral | | | | | | | | | | |
| | | 55.05 4.0cm wide qtz/ca/rare py/ band at 90° w/ patchy green ser | | | | | | | | | | |
| | | 55.22 2.0mm wide grn ser/ vein with partial biotite selvage | | | | | | | | | | |
| | | 56.91-58.01 interstitial py < to rare | G022695 | 56.00 | 58.00 | 2.00 | 0.046 | 1.4 | 157 | 59 | 12 | 39 |
| | | 58.4 -58.7 zone of random healed unhealed fr, py content > in matrix | G022696 | 58.00 | 60.00 | 2.00 | 0.114 | 2.4 | 192 | 54 | 17 | 49 |
| | | 58.15-60.15 py occurs in bands, braided vienlets and clusters, est <4%. Matrix is | | | | | | | | | | |
| | | weak Kspar altered, crude drk bedding lamina at 50°. | | | | | | | | | | |
| | | 60.15-63.65 py content overall <1.0% and 0% in many sections | G022697 | 60.00 | 62.00 | 2.00 | 0.051 | 1.1 | 90 | 77 | 25 | 52 |
| | | 62.15 partial Ca filled Fr at 05° cuts and offsets lamina layering by 2.0cm. Bedding | G022698 | 62.00 | 64.00 | 2.00 | 0.046 | 2.3 | 103 | 1165 | 275 | 49 |
| | | siltstone clasts at 60° | G022699 | 62.00 | 64.00 | DUP | 0.048 | 1.7 | 109 | 776 | 163 | 45 |
| | | 63.35 2.0mm qtz/ca vein at 70° barren | G022700 | 64.00 | 64.87 | 0.87 | 0.105 | 2.3 | 222 | 185 | 134 | 49 |
| | | at 64.75 - 65.91 core is becoming siliceous/calcareous with swirling mass of | G022701 | 64.87 | 66.05 | 1.18 | 0.075 | 2.1 | 107 | 764 | 251 | 51 |
| | | siltstone clasts bearly distinguishable, | | | | | | | | | | |
| | | 64.70 1.3cm qtz/ca vein at 40° w/ rare specks of py and acanthite | | | | | | | | | | |
| | | 64.85 an irregular width vein (ave 3.0mm) has discontinuous Qtz/ca/sph, | | | | | | | | | | |
| | | blebs/,vein appears as forced injection into soft seds | | | | | | | | | | |
Page: 5 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|------|--|---------|-------|-------|--------|---------|-----|-----|-----|-----|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | 66.0 1.2cm wide qtz/ca vein at 45° has a grn silvery mineral (specks) | G022702 | 66.05 | 67.00 | 0.95 | 0.074 | 2.3 | 175 | 902 | 291 | 46 |
| | | 66.15 several rusty and open fractures | G022703 | 67.00 | 68.00 | 1.00 | 0.023 | 0.7 | 34 | 156 | 50 | 23 |
| | | 66.15-72.2 interstitial py < to rare, no veins with py in this section, siliceous | G022704 | 68.00 | 70.00 | 2.00 | 0.006 | 0.4 | 15 | 79 | 16 | 21 |
| | | siltstone clasts recognizable but fuzzy, hairline micro qtz/ca veinlets at 60° common | G022705 | 70.00 | 72.00 | 2.00 | 0.016 | 2.1 | 15 | 516 | 372 | 284 |
| | | (27) | | | | | | | | | | |
| 72.4 | 74.6 | crude gradiational contact of siltstone clasts to massive coarse sandstone, pyrite | G022706 | 72.00 | 74.00 | 2.00 | 0.029 | 1.0 | 94 | 111 | 43 | 46 |
| | | content is > , matrix is becoming > calcitic | | | | | | | | | | |
| 74.6 | 79.6 | SSt calcareous sandstone, matrix contains grain size calcite, crude bedding within | G022707 | 74.00 | 76.00 | 2.00 | 0.047 | 1.0 | 94 | 57 | 14 | 37 |
| | | the unit with the slighty darker arillaceous bands, arg bands still coarse grained but | G022708 | 76.00 | 78.00 | 2.00 | 0.103 | 0.9 | 99 | 97 | 20 | 27 |
| | | definite contacts with the lighter Sandstone unit, Sst is med-lt grey with a slight | G022709 | 78.00 | 80.00 | 2.00 | 0.014 | 0.4 | 35 | 65 | 8 | 6 |
| | | green hue with a very faint feldspathic pink colour. interstitial py content has | G022710 | BLANK | BLANK | BLANK | < 0.005 | 0.8 | <1 | <2 | <2 | <2 |
| | | noticeably increased. Sst unit appears more massive and uniform than the previous | | | | | | | | | | |
| | | argillaceous/siltstone clast unit. | | | | | | | | | | |
| | | 79.45 there are 4 light colored bands at 80° that appears to be the bottom contact | | | | | | | | | | |
| | | of the Sst unit, gradational | | | | | | | | | | |
| 79.6 | 95.4 | GrW-Arg/Sst It-med gry argillitic, calcitic with lamina of It-gry siltstone layers w/ | | | | | | | | | | |
| | | occasional siltstone clasts. | | | | | | | | | | |
| | | 79.60 a few It-med gry coloured siltstone clasts in a darker med-It gry argillaceous | | | | | | | | | | |
| | | matrix. Calcite content in matrix decreases rapidly after this point to rare | | | | | | | | | | |
| | | occurrence confined almost exclusively in qtz/ca veins & veinlets. Interstitual py is | | | | | | | | | | |
| | | noticeably much less than the previous Sst section or unit. | | | | | | | | | | |
| | | at 80.1 a 1.0cmwide Qtz/ca/vein at 30° with slight grn ser/ has rare specks of py/ | G022711 | 80.00 | 82.00 | 2.00 | 0.537 | 2.1 | 257 | 91 | 31 | 126 |
| | | acanthite/ and fine dendritic silver? | | | | | | | | | | |
| | | at 80.35 a 9.0cm wide band of braided, py/qtz/ca at 40° | | | | | | | | | | |
| | | 81.50 to 82.30 (14) ca/qtz/veinlets <2.0mm wide at 50° | G022712 | 82.00 | 84.00 | 2.00 | 0.093 | 0.6 | 64 | 55 | 9 | 23 |
| | | also within this interval, units of calcareous Sst are layered with units of siltstone | | | | | | | | | | |
| | | clasts in a Sst matrix. Rock textures towards the end of the interval are so re- | | | | | | | | | | |
| | | absorbed into an indistinguishable massive unit that only very obscure outlines can | | | | | | | | | | |
| | | be noticeable. The Calcareous Sst appears gradational with the Sst siltstone clastic | | | | | | | | | | |
| | | unit that a contact point between units is difficult to determine, it is an arbitrary | | | | | | | | | | |
| | | contact based upon the rock having little or no distinguishable clasts, also | | | | | | | | | | |
| | | interstitial Py is occasional | | | | | | | | | | |
| | | feldspathic alteration is weak throughout the interval | | | | | | | | | | |
| | | 84.4 a 2.0cm wide qtz/ca/vein at 50° shows a hairline ribbon selvage of lt grn ser, | G022713 | 84.00 | 86.00 | 2.00 | 0.030 | 1.6 | 56 | 96 | 43 | 24 |
| | | no suphides. | G022714 | 86.00 | 88.00 | 2.00 | 0.059 | 0.8 | 42 | 99 | 23 | 33 |
| | | at 87.1 an irregular, wavy, fr at 20° with ca and slightly rusty | | | | | | | | | | |
| | | 88.95 ser alteration of core to 89.05, bottom contact is with a qtz/ca braided band | G022715 | 88.00 | 90.00 | 2.00 | 0.045 | 2.8 | 77 | 559 | 194 | 21 |
| | | 1.1 cm wide at 50°. at 89.33 bedding contact at 60°. | | | | | | | | | | |

Page: 6 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|-------|---|---------|--------|--------|--------|-------|-----|-----|------|------|------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | 89.60 to 89.90 core is > silica | | | | | | | | | | |
| | | 89.9 a 1.0cm wide braided qtz/ca vein at 50° with specks of Cpy and acanthite? | G022716 | 90.00 | 92.00 | 2.00 | 0.034 | 1.1 | 106 | 160 | 50 | 40 |
| | | from 89.9 to 92.3 matrix is grainy w/cal and w/ very little py/slight feldspathic | G022717 | 92.00 | 94.00 | 2.00 | 0.038 | 1.2 | 162 | 110 | 34 | 41 |
| | | altered, very few hairline gtz\ca veinlets | | | | | | | | | | |
| | | 93.05 a 1.0cm wide qtz/ca/vein at 50° has specks of galena | | | | | | | | | | |
| | | 93.75 2.0cm wide gtz/ca vein at 40° cuts a cluster of sparse py, the vein is open | G022718 | 94.00 | 96.00 | 2.00 | 0.036 | 1.7 | 115 | 538 | 125 | 47 |
| | | with a fr in the center with crude ribbon of ca. Very sparse sulphides but silvery | | | | | | | | | | |
| | | mineral rare, qtz xtals are slightly ser altered | | | | | | | | | | |
| | | 94.1 crude outline of siltstone clasts bearly visible. Matrix is very calcareous and It | | | | | | | | | | |
| | | gry grn colour | | | | | | | | | | |
| 95.4 | 114.3 | GrW-Sst/Arg Transistion Zone, rock textures become obscure because of intense | | | | | | | | | | |
| | | alteration, This Zone appears to be GrW siltstone with argillaceous bedding | | | | | | | | | | |
| | | 95.7 matrix becoming more greenish in colour to 96.1 then It gry with py clusters | | | | | | | | | | |
| | | and irregular veinlets, the interval starts w/ a 1.5cm wide It gry band with a wavy | | | | | | | | | | |
| | | contact at 70° | | | | | | | | | | |
| | | 96.1 to 96.4 lt gry calcareous matrix w/ py band upper contact at 80° | G022719 | 96.00 | 98.00 | 2.00 | 0.079 | 6.4 | 457 | 2920 | 758 | 107 |
| | | 96.4 to 97.5 It grn mottled matrx very little interstitual py but occurs as | | | | | | | | | | |
| | | disseminations in crude lineaments | | | | | | | | | | |
| | | 97.1 a 1.1cm wide qtz/ca/ vein at 50° has sparse silver grey mineral | | | | | | | | | | |
| | | 97.4 a 3.0mm wide braided sph/ vein at 85° | | | | | | | | | | |
| | | 97.5-100.95 matrix is becoming more It to med gry banded very faintly, very little | G022720 | 98.00 | 100.00 | 2.00 | 0.051 | 2.4 | 112 | 674 | 225 | 21 |
| | | veining and py in matrix, occasional wisps at 98.9. | G022721 | 100.00 | 101.00 | 1.00 | 0.008 | 0.8 | 17 | 186 | 67 | 11 |
| | | 99.10 a 2.0mm wide qtz/ca/vein at 40° has rare silvery specks | | | | | | | | | | |
| | | 100.50 an open fr at 05°. 101.60 matrix w/patches of chl-ser alteration | | | | | | | | | | |
| | | 101.80 qtz/ca veinlet at 60 offsets two qtz/ca veinlets at 40° by 5.0mm | G022722 | 101.00 | 102.00 | 1.00 | 0.357 | 1.5 | 89 | 886 | 177 | 14 |
| | | 102.0-102.35 ser/chl hydrothermal brecciation of core with brk veins, clasts, zone | | | | | | | | | | |
| | | has some of intact discontinous brk qtz/ca/sparse py veins w/ sph | | | | | | | | | | |
| | | 102.35 a partially intact 1.0cm wide qtz/ca/sparse py,sph/ vein at 30° | G022723 | 102.00 | 103.00 | 1.00 | 0.247 | 3.4 | 175 | 4360 | 422 | 46 |
| | | 102.4 a wavy qtz/ca veinlet at 15° appears to be a contact between two different | | | | | | | | | | |
| | | hydrothermal alteration types (chl-ser/kspar-bio. Bottom contact at 30° w/ irregular | | | | | | | | | | |
| | | bleaching 10cm selvage on uphole side of contact. At 102.25 intact 5.0mm wide | | | | | | | | | | |
| | | qtz/ca/veiinlet at 50° with sparse silvery mineral and py. | | | | | | | | | | |
| | | 103.55 - 105.75 matrix becoming progressively light coloured towards 104.80 then | G022724 | 103.00 | 104.00 | 1.00 | 0.094 | 2.3 | 122 | 799 | 273 | 23 |
| | | zone of It gry bleaching to 105.75 followed by a zone of brk core to 109.80, some | | | | | | | | | | |
| | | gouge on Fr . at 103.90 a qtz/ca/ sparse py/veinlet at 50° shows sparse sph. At | | | | | | | | | | |
| | | 104.50 a 2.0cm wide qtz/ca/blebs of py/ vein at 40° w/ specks of sph/gal/pyr. | G022725 | 104.00 | 105.00 | 1.00 | 0.065 | 5.4 | 63 | 2330 | 1065 | 301 |
| | | 105.75-109.8 FAULT ZONE It gry matrix to brk fragments gouge slight grn, friable | G022726 | 105.00 | 106.00 | 1.00 | 0.014 | 1.1 | 19 | 725 | 268 | 15 |
| | | frags It gry, matrix is brk rehealed-fault breccia. At 109.60 1.5cm wide fault | G022727 | 106.00 | 107.00 | 1.00 | 0.100 | 0.9 | 33 | 866 | 152 | 1405 |

Page: 7 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|-------|-------|---|---------|--------|--------|--------|-------|------|------|-------|------|------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | gouge follow w/ a 3.0mm ca/qtz/ sparse py/veinlet at 15°, then a series of fine | G022728 | 107.00 | 108.00 | 1.00 | 0.014 | 1.1 | 39 | 214 | 142 | 36 |
| | | ribbon hairline veinlets, core very friable. | G022729 | 108.00 | 109.00 | 1.00 | 0.016 | 0.7 | 46 | 107 | 46 | 14 |
| | | 109.88-113.90 zone of intact core, feldspathic altered lt-mauve colour, sections of | G022730 | STD 15 | STD 15 | STD 15 | 0.539 | 3.3 | 4860 | 189 | 34 | 74 |
| | | rehealed brecciated fragments to 112.0, well mineralized swirly sph patches within | G022731 | 109.00 | 110.00 | 1.00 | 0.508 | 4.5 | 142 | 2920 | 262 | 264 |
| | | breccia. At 112.1 a continuous 1.0cm wide barren, qtz/ca vein cuts through breccia. | G022732 | 110.00 | 111.00 | 1.00 | 0.026 | 1.3 | 63 | 110 | 100 | 24 |
| | | 112.1 to 112.3 matrix has unhealed, healed micro fractures, weak but prevasively | G022733 | 111.00 | 112.00 | 1.00 | 0.216 | 17.6 | 177 | 21600 | 3430 | 4750 |
| | | feldspathic, slightly calcitic, rare interstitial py Zone has fragmented qtz patches; a | G022734 | 112.00 | 113.00 | 1.00 | 0.013 | 0.9 | 11 | 110 | 82 | 22 |
| | | few braided, qtz/ca/sparse sph/ veins at 113.8. bottom contact is a 1.5 cm gouge filled fr at 65° | G022735 | 113.00 | 114.00 | 1.00 | 0.661 | 16.1 | 170 | 7910 | 2970 | 1190 |
| | | 113.8-161.7 Zone of Mineralization | | | | | | | | | | |
| | | 113.7-114.3 interval of grn ser alteration of matrx , patchy, swirly, uphole contact at | | | | | | | | | | |
| | | 15°. at 113.7 irregular 2.0cm wide qtz/ca vein followed by a 2.0mm gouge in fr | | | | | | | | | | |
| | | both at 50°, downhole contact is w/ a thin wavy qtz/ca veinlet at 10°. zone contains wisps of sph. blebs of pv est 5% | | | | | | | | | | |
| 114.3 | 135.1 | GrW-Sst-CgL matrix is It to med gry feldspathic, rare interstitial py, interval has the | G022736 | 114.00 | 115.00 | 1.00 | 0.148 | 4.5 | 67 | 3080 | 797 | 2600 |
| | | occasional gtz/ca veinlet with very sparse sph. In some sections very faint gry | G022737 | 115.00 | 116.00 | 1.00 | 0.023 | 1.5 | 42 | 645 | 162 | 24 |
| | | patches may be the result of argillaceous clasts within a Sst matrix | G022738 | 116.00 | 117.00 | 1.00 | 0.026 | 1.6 | 80 | 850 | 143 | 17 |
| | | 118.78-121.05 the up hole contact of the interval has grn ser patches within Sst | G022739 | 117.00 | 118.00 | 1.00 | 0.027 | 0.9 | 43 | 95 | 49 | 21 |
| | | matrix is gradational with an increase in pervasive ser-chl alteration to 120, the | G022740 | 118.00 | 119.00 | 1.00 | 0.014 | 1.3 | 23 | 812 | 143 | 13 |
| | | down hole contact is sharp with a gouged filled fr at 70°, matrix is pervasively and | G022741 | 119.00 | 120.00 | 1.00 | 0.030 | 2.2 | 47 | 1250 | 220 | 178 |
| | | intensely chl-ser altered with occasional books of black biotite and with specks and | G022742 | 120.00 | 121.00 | 1.00 | 0.128 | 20.0 | 53 | 8800 | 3170 | 628 |
| | | clusters of pyh. at 120.78 to 120.95 large patchy clusters of qtz with a swirling | G022743 | 121.00 | 122.00 | 1.00 | 0.005 | 2.5 | 22 | 419 | 303 | 21 |
| | | peripheral sph/gal appears to be controlled by the healed microfractures | | | | | | | | | | |
| | | 121.08-121.78 zone of siliceous lt-med gry feldspathic Sst?, with many barren qtz | | | | | | | | | | |
| | | veins at 85°, a 12cm wide, with a few vugs, siliceous band ends the interval, the | | | | | | | | | | |
| | | band contains the occasional 2.0 x 3.0mm specks of gal, the vugs have a box to | | | | | | | | | | |
| | | triangular shape indicative of removed sulphides. | | | | | | | | | | |
| | | 121.78-122.55 grn pervasively, intensely altered chl-ser zone. Up hole contact w/ | G022744 | 122.00 | 123.00 | 1.00 | 0.614 | 3.1 | 55 | 710 | 294 | 588 |
| | | siliceous band at 70°, down hole contact appears to be clast controlled gradiational. | | | | | | | | | | |
| | | The zone contains linear arranged clusters and blebs of pyh; sparse wisps of sph. | | | | | | | | | | |
| | | Interstitial Ca is very sparse | | | | | | | | | | |
| | | 122.70 a gouged filled fr at 35° is followed by a 5.0mm wide braided ca/qtz veinlet | | | | | | | | | | |
| | | then by a 2.2cm wide massive py to bleb and cluster band. Then by a 30cm wide lt- | | | | | | | | | | |
| | | med gry, feldspathic layer with sparse py to 123.0 | | | | | | | | | | |
| | | 123.05-125.8 zone is defined by py verses pyh and not by lithology; mottled med- | G022745 | 123.00 | 124.00 | 1.00 | 5.260 | 16.9 | 153 | 166 | 486 | 559 |
| | | drk gry zone of heavy py clustering and blebs <10%. Zone begins with a 35cm band | G022746 | 124.00 | 125.00 | 1.00 | 2.570 | 11.4 | 609 | 495 | 288 | 425 |
| | | of It gry matrix siliceous and slightly calcitic with blebs and clusters of py, then | G022747 | 125.00 | 126.00 | 1.00 | 2.970 | 6.1 | 401 | 2290 | 373 | 167 |
| | | gradiational lt-dk feldspathic band to lt to drk grn ser-chl moderate alteration | G022748 | 126.00 | 127.00 | 1.00 | 0.114 | 29.0 | 1105 | 43800 | 2820 | 1985 |

Page: 8 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|-------|-------|--|---------|--------|--------|--------|-------|------|------|-------|------|------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | banding with a slight pink hue of weak Kspar alteration that contains numerous py | G022749 | 126.00 | 127.00 | DUP | 0.161 | 28.7 | 941 | 43500 | 2870 | 3050 |
| | | clusters and blebs, occasional forming lineaments at 50° to CA. Py clusters tend | G022750 | STD 2 | STD 2 | STD 2 | 1.940 | 15.2 | 5210 | 13400 | 258 | 30 |
| | | fade out towards end of interval only to be followed with pyh blebs and clusters. | G022751 | 127.00 | 128.00 | 1.00 | 0.020 | 6.4 | 517 | 4720 | 476 | 357 |
| | | the start of pyh is the end of the py zone. 124.9 a 1.3cm wide qtz/ca/vein at 40° | | | | | | | | | | |
| | | with sparse gal cuts across py blebs | | | | | | | | | | |
| | | 125.8-131.4 zone of pyh blebs, specks in a med gry to med-lt grn GrW, | | | | | | | | | | |
| | | 126.1 to 126.85 section appears to have the heaviest concentration of Sph in the | | | | | | | | | | |
| | | form of wisps, clots and clusters and is associated with the anastomising healed | | | | | | | | | | |
| | | fractures, some with sph | | | | | | | | | | |
| | | 127.9 a 1.1 cm wavy, braided band of qtz/ca w/ infilling of sph at 70° | G022752 | 128.00 | 129.00 | 1.00 | 0.112 | 15.1 | 358 | 10350 | 1540 | 191 |
| | | very little interstitial py in med gry-grn matrix | | | | | | | | | | |
| | | 128.1 a 2.0cm wavy, braided band of qtz/ca/sph at 50° | | | | | | | | | | |
| | | 128.22 two py/qtz braided veins at 05° discontinuous | | | | | | | | | | |
| | | at 128.75 a 1.0cm continous qtz/ca/rare gal/ vein at 45° | | | | | | | | | | |
| | | 128.95 to 129.25 darker grn outlines of clasts from original bedding | G022753 | 129.00 | 130.00 | 1.00 | 0.283 | 19.2 | 920 | 14150 | 2020 | 215 |
| | | 129.65 a 3.0cm wide band consisting qtz/ca/py/sph/at 85°, band is zoned with | | | | | | | | | | |
| | | cal/qtz/ sph near wall rock edge, band center is 1.0cm wide massive to blebby py,; | | | | | | | | | | |
| | | order of mineralization from wallrock edge towards center as follows: Qtz- | | | | | | | | | | |
| | | ca/sph/ca/ Py ca/sph/ca | | | | | | | | | | |
| | | 130.25two // qtz/ca veinlets at 55° | G022754 | 130.00 | 131.00 | 1.00 | 0.071 | 5.3 | 286 | 5940 | 445 | 88 |
| | | 130.7 an irregular braided channel 1.3cm wide w/qtz/ca/sph/py | | | | | | | | | | |
| | | at 130.9 core matrix is prevasively and moderately grn ser-chl altered with py | G022755 | 131.00 | 132.00 | 1.00 | 0.052 | 6.7 | 304 | 7390 | 653 | 36 |
| | | specks and veinlets <1.0% no pyh | G022756 | 132.00 | 133.00 | 1.00 | 0.182 | 7.0 | 269 | 2000 | 708 | 80 |
| | | 133.1 to 133.3 a 1.2cm wide braided qtz/ca/sph channel at 20° indicates soft | G022757 | 133.00 | 134.00 | 1.00 | 0.111 | 5.1 | 338 | 3460 | 261 | 93 |
| | | sediment ductile injection. At 133.4 two // py/qtz/ca channels at 70° shows a slight | | | | | | | | | | |
| | | offset caused by a micro fr. | | | | | | | | | | |
| | | at 133.55It gry to med gry bedding at 80° to CA | | | | | | | | | | |
| | | 133.95 a 1.0cm wide barren qtz/ca/vein at 70° | G022758 | 134.00 | 135.00 | 1.00 | 0.056 | 4.5 | 222 | 1185 | 286 | 39 |
| | | 134.3 py blebs and clusters | | | | | | | | | | |
| | | 134.40 to 135.10 matrix is It to med gry no calcite in vfg matrix, less ser altered | | | | | | | | | | |
| | | more siliceous. | | | | | | | | | | |
| 135.1 | 144.9 | GrW-Arg/Sst argillaceous w/siltstone bedding with minor siltstone clasts. matrix is | | | | | | | | | | |
| | | It-med grn mottled intensely and pervasively chl-ser altered, uphole contact is with | | | | | | | | | | |
| | | a 1.0cm wide qtz/ca vein at 80° followed by a 1.0 to 1.5cm braided channel of | | | | | | | | | | |
| | | sph/qtz. Down hole contact is faded but appears gradational to the lt-med gry layer | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | 135.1 to 135.3 a narled, contorted band of qtz/ca/ sph blebs/a few specks of Cpy, | G022759 | 135.00 | 136.00 | 1.00 | 0.068 | 3.9 | 102 | 20500 | 471 | 2370 |
| | | and Gal. Wallrock is incorporated in band, a pressure injection feature. | | | | | | | | | | |

Page: 9 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|-------|-------|--|---------|--------|--------|--------|--------|-----|-----|-------|------|------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | from 135.40 to 135.70 siliceous injection of qtz in matrix results in a contorted | | | | | | | | | | |
| | | sinuous patchy qtz, with sph specks and blebs | | | | | | | | | | |
| | | 135.45 1.0cm blebs of pyh in qtz | | | | | | | | | | |
| | | 136.22 to 136.32 pyh in veinlets, blebs and in specks | G022760 | 136.00 | 137.00 | 1.00 | 0.071 | 2.5 | 143 | 3070 | 270 | 2010 |
| | | 137.2 to 137.65 pyr in blebs, clusters, wisps and specks, a halo of pyh around py at | G022761 | 137.00 | 138.00 | 1.00 | 0.104 | 6.0 | 150 | 3880 | 907 | 1415 |
| | | 137.5 no sph. | | | | | | | | | | |
| | | 138.5 to 138.9 irregular, wavy sph veinlets and wisps w/ qtz/ca almost // to CA | G022762 | 138.00 | 139.00 | 1.00 | 0.052 | 6.7 | 299 | 7350 | 774 | 587 |
| | | 139.0 matrix is becoming more gry in colour to med-lt gry at 139.20 matrix is weak | G022763 | 139.00 | 140.00 | 1.00 | 0.037 | 3.0 | 79 | 1870 | 355 | 23 |
| | | feldspathic altered w/weak ser alteration, ca in matrix as sand grain size particles, | | | | | | | | | | |
| | | outlines of clasts barely visible. Interstitial Py is very rare in matrix, very seldom | | | | | | | | | | |
| | | blebs of py through out this unit. down hole contact is very obscure with < grn ser | | | | | | | | | | |
| | | alter. | | | | | | | | | | |
| | | at 140.65 to 141.15 a 1.0cm wide qtz/ca vein at 05° has very rare sph. | G022764 | 140.00 | 141.00 | 1.00 | 0.017 | 1.9 | 71 | 898 | 144 | 26 |
| | | 140.65-147.5 Alteration Contact UNIT SER-CHL lt-med lt grn alteration as described | G022765 | 141.00 | 142.00 | 1.00 | 0.167 | 2.5 | 155 | 2090 | 180 | 247 |
| | | prior typical | | | | | | | | | | |
| | | matrix is becoming more It-med grn colour or moderate to intense ser-chl | | | | | | | | | | |
| | | alteration prevasive. Ser/chl unit w/ py/ qtz/ca/pyh/sph veining, bands etc as | | | | | | | | | | |
| | | described before in the 135.1 to 139.25 section | | | | | | | | | | |
| | | at 141.6 a 10cm wide channel of indistinct qtz/ca veinlets with py blebs and | | | | | | | | | | |
| | | clusters, sph blebs with pyh, | | | | | | | | | | |
| | | 141.80 a 3.0mm wide sinuous, irregular, qtz/ca/pyh/py/ veinlet at 20° | | | | | | | | | | |
| | | 142.0 two 1.0mm wide discontinuous qtz/ca/sph veinlet at 85° | G022766 | 142.00 | 143.00 | 1.00 | 0.092 | 5.5 | 116 | 3110 | 600 | 546 |
| | | 142.3 a cluster of bleb py | | | | | | | | | | |
| | | 142.95 a3.0mm wide braided, sinuous, qtz/ca/vein at 30° | G022767 | 143.00 | 144.00 | 1.00 | 0.114 | 4.3 | 146 | 5860 | 386 | 2230 |
| | | 143.1 a 5.0mm sinuous qtz/ca/py/ sparse sph/rare gal/vein at 40° | | | | | | | | | | |
| | | 143.40-143.60 a braided discontinuous irregular 1.5cm+ qtz/ca injected sinuous | | | | | | | | | | |
| | | channel contains a 1.0cm bleb of sph | | | | | | | | | | |
| | | at 143.70 to 144.25 another irregular qtz/ca/ vein/channel/breccia/ system | | | | | | | | | | |
| | | w/sph/pyh. Est sph ~~0.5% | | | | | | | | | | |
| | | 144.50 blebby pyh w/sph 1.0cm+ in sinuous 2.0mm qtz/ca/veinlet. | | | | | | | | | | |
| | | 144.80 a 1.0cm wide qt/ca vein at 50° splits into two veinlets are cut | | | | | | | | | | |
| | | 144.90 irregular blebs of pyh and a 5.0mm wide qtz/ca/vein at 50° is continuous | | | | | | | | | | |
| | | and w/ very rare Cpy and sparse py | | | | | | | | | | |
| 144.9 | 147.3 | GrW-Sst CgL Lithological Gradiational Contact . | G022768 | 144.00 | 145.00 | 1.00 | 0.197 | 5.4 | 175 | 13000 | 463 | 6970 |
| | | 144.9-145.4 Alteration Contact UNIT K-SPAR SANDY CLASTIC sandy grey clasts; very | G022769 | 145.00 | 146.00 | 1.00 | 0.149 | 9.7 | 175 | 10750 | 1090 | 1040 |
| | | sparse interstitial py, matrix slightly K-spar vfg, down hole contact at 50° is wavy | G022770 | BLANK | BLANK | BLANK | <0.005 | 0.5 | <1 | 39 | 4 | 9 |
| | | and obscure. | | | | | | | | | | |
| | | 145.4-147.3 Alteration Contact-Unit SER-CHL lt-med lt grn alteration, at 145.456.0 a | G022771 | 146.00 | 147.00 | 1.00 | 0.080 | 5.9 | 128 | 6380 | 561 | 1485 |

Page: 10 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|-------|-------|--|---------|--------|--------|--------|-------|------|-----|-------|------|------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | a 5.0mm Qtz/ca/py/veinlet at 25° with angular fragments of sph. At 145.60 a 1.2cm | | | | | | | | | | |
| | | irregular qtz//ca/sparse py/rare gal/vein at 40 followed by blebs of sph in matrix. At | | | | | | | | | | |
| | | 14 | | | | | | | | | | |
| 147.5 | 154.0 | GrW-Arg/Sst Lithology contact Unit | | | | | | | | | | |
| | | 147.3-151.7 gradational bands of Unit Ser-Chl with Unit K-spar ave band width is 35 | G022772 | 147.00 | 148.00 | 1.00 | 0.089 | 2.9 | 58 | 2320 | 292 | 4710 |
| | | cm. Up hole contact is gradational down hole contact is the same At 147.70 a 1.0cm | G022773 | 148.00 | 149.00 | 1.00 | 0.031 | 4.1 | 24 | 1580 | 447 | 52 |
| | | wide qtz/ca/sparse py/rare Cpy/vein at 40°. at 148.9 to 149.2 a 2.0mm wide | G022774 | 149.00 | 150.00 | 1.00 | 0.418 | 13.0 | 281 | 6260 | 1100 | 3390 |
| | | sinuous veinlet // to CA has qtz/ca/sph/py. at 149.60 a 3.0cm wide band of blebbly | G022775 | 150.00 | 151.00 | 1.00 | 0.048 | 4.3 | 106 | 1550 | 354 | 48 |
| | | py w/intermix sph/qtz is at 24° to CA. at 150.10 two // 2.0mm qtz/ca/sph veinlets | | | | | | | | | | |
| | | at 90°. at 151.25 two // fr (w/slight gouge) at 8.0cm apart confines a channel of | | | | | | | | | | |
| | | braided qtz/ca veinlets with sph/veinlets and blebs of lineament py and sph. Matrix | | | | | | | | | | |
| | | at 151.5 contains more interstitial py. | G022776 | 151.00 | 152.00 | 1.00 | 0.201 | 10.2 | 344 | 5120 | 867 | 3550 |
| | | 151.7-153.95 Alteration Contact Unit Ser-chl at 151.75 two // py/sph/qtz/ca | G022777 | 152.00 | 153.00 | 1.00 | 0.339 | 10.4 | 291 | 7030 | 802 | 3030 |
| | | veinlets 9.0cm apart defines a zone of sparse irregular, discontinuous qtz, sph py in | G022778 | 153.00 | 154.00 | 1.00 | 0.093 | 7.9 | 236 | 5120 | 623 | 279 |
| | | matrix. At 152.45 a 4.5cm wide qtz/ca/rare specks gal/vein at 85°. no py or sph, | | | | | | | | | | |
| | | vein is almost completely devoid of sulphides albeit gal. at 152.95 1.0cm wide | | | | | | | | | | |
| | | gouge filled fr at 80 followed by massive blebs of py in a 13.0cm long band at 30°. | | | | | | | | | | |
| | | down hole contact is sharp with a 1.2cm wide blebby py/sparse cal/ band at 50°. at | | | | | | | | | | |
| | | 153.6 sph specks in matrix | | | | | | | | | | |
| 154.0 | 161.8 | GrW-Sst-CgL Lithology Contact Unit , Alteration Contact- Unit K-spar clastic, clasts | G022779 | 154.00 | 155.00 | 1.00 | 0.088 | 3.7 | 225 | 206 | 88 | 50 |
| | | barely distinguishable variable sizes to 3.0cm poorly sorted, It-gry clasts contacts | G022780 | 155.00 | 156.00 | 1.00 | 0.221 | 5.3 | 330 | 243 | 123 | 63 |
| | | very fuzzy, more calcitic than the darker grey coloured host matrix that contains a | | | | | | | | | | |
| | | more mafic componentn places appears to be "ghost" outlines of biotite; up hole | | | | | | | | | | |
| | | contact at 10 very obscure outline down hole contact the same but at 20°. at | | | | | | | | | | |
| | | 155.25 a 1.0cm wide py/qtz/vein at 40° | | | | | | | | | | |
| | | from 156.5 to 161.75 Alteration Contact-Unit Ser-chl up hole contact is very | G022781 | 156.00 | 157.00 | 1.00 | 0.197 | 9.8 | 338 | 7100 | 1115 | 87 |
| | | obscure but gradiation in patches towards a mottled It-med-drk grn, intensely, | G022782 | 157.00 | 158.00 | 1.00 | 0.504 | 7.1 | 282 | 6300 | 762 | 312 |
| | | altered Ser-chl at 156.80. down hole contact is indistinct by wavy at 40°. at 156.70 | G022783 | 158.00 | 159.00 | 1.00 | 0.076 | 5.6 | 390 | 8150 | 444 | 728 |
| | | a braided, blebbly py band at 40° w/prh and sparse Cpy, followed by a // wisp of | | | | | | | | | | |
| | | sph/qtz. At 156.90 a band of blebby sparse sph/ slightly linear py/ and fragmented | | | | | | | | | | |
| | | qtz/ca at 60°. at 157.60 an irregular/ discontinuous 2.0mm wide ca/qtz/sparse | | | | | | | | | | |
| | | gal/pressure injected veinlet at 60° tapers to a point then occurs over a few cms to | | | | | | | | | | |
| | | form ca/qtz/ blebs. at 157.70 8.0cm of irregular patchy blebblar py/sparse pyh, | | | | | | | | | | |
| | | rare sph, sinuous 1.0cm wide vein at 40°. from 157.9 to 158.2 pyh in wisps, a wisp | | | | | | | | | | |
| | | of sph in zone. at 158.40 a 1.4 cm wide braided qtz/ca/sparse py/vein at 40°. at | | | | | | | | | | |
| | | 158.45 zone of patchy contorted qtz/ca/ sph. at 158.85-158.95 blebs of pyh. at | | | | | | | | | | |
| | | 159.70 to 160.10 a zone of blebbly py w/ sparse pyh, qtz,cal/ followed by another | G022784 | 159.00 | 160.00 | 1.00 | 1.110 | 14.5 | 557 | 3300 | 1210 | 216 |
| | | 20cm zone of contorted qtz/ca/ py/sparse sph. | G022785 | 160.00 | 161.00 | 1.00 | 0.159 | 5.4 | 386 | 13750 | 377 | 179 |

Page: 11 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|-------|-------|---|---------|--------|--------|--------|-------|------|------|-------|------|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | qtz is slightly purple-amethyst. at 160.70 a 10cm wide band at 40° of blebbly py | G022786 | 161.00 | 162.00 | 1.00 | 0.104 | 10.9 | 315 | 13600 | 1355 | 304 |
| | | surrounded by sph, sparse pyh w/py some qtz/ca. at 161.15, | | | | | | | | | | |
| | | 20cm of blebbly sph pressure injected qtzirregular vein, est sph ~~3.0%. at 161.35 | | | | | | | | | | |
| | | a massive 6.0cm wide qtz/ca/sparse py, gal/sph/vein at 60°. matrix throughout this | | | | | | | | | | |
| | | section has sparse interstitial py. | | | | | | | | | | |
| 161.8 | 174.0 | GrW-Arg/Sst argillaceous K-spar It-med gry w/ hue of pink, It gry patches or areas | | | | | | | | | | |
| | | contain more interstitial calcite than darker gry areas, clasts not recognizable, | | | | | | | | | | |
| | | interstitial py rare, in some sections micro fractures are discernible then faded out | | | | | | | | | | |
| | | to healed fractures then faded into matrix. some sections are massive med-gry | | | | | | | | | | |
| | | w/sparse py indicative of an original mudstone parent rock. Sections within this unit | | | | | | | | | | |
| | | have minor 60cm width of intermixed Ser-chl unit or alteration within. Ser-chl | | | | | | | | | | |
| | | alteration at 166-166.70 and at 168.90 to 169.50. at 161.9 py blebs and specks in | | | | | | | | | | |
| | | matrix ~10%. At 161.05 a 1.0cm wide py/cal/qtz/vein at 50°. at 163.15 a10.cm wide | G022787 | 162.00 | 163.00 | 1.00 | 0.134 | 5.4 | 156 | 1125 | 499 | 64 |
| | | band of blebbly py w/ rare Cpy/ at 35°. at 163.9 a sinuous veinlet of py/cal/minor | G022788 | 163.00 | 164.00 | 1.00 | 1.105 | 7.9 | 489 | 367 | 253 | 75 |
| | | qtz/ser // to CA is a pressure injection feature. | G022789 | 164.00 | 165.00 | 1.00 | 0.080 | 2.7 | 47 | 257 | 139 | 21 |
| | | at 165.10 10cm core section contains py clusters and blebs 2%. From 165.40 a | G022790 | STD 15 | STD 15 | STD 15 | 0.609 | 2.9 | 4630 | 180 | 31 | 71 |
| | | 30cm channel (pressure injected) sinuous, w/py blebs w/sph +cal rimmings is | G022791 | 165.00 | 166.00 | 1.00 | 0.713 | 12.5 | 392 | 4570 | 922 | 95 |
| | | slightly ser-chl altered. At 166.50 a 2.0cm wide channel at 35° of ser-chl alteration | G022792 | 166.00 | 167.00 | 1.00 | 0.507 | 15.9 | 505 | 18850 | 1615 | 25 |
| | | contains fair pyh (est 5%) w/ sph (est 5.0%). At 167.0 a 5.0mm qtz/ca/rare gal on | | | | | | | | | | |
| | | contact edge/ veinlet w/ hairline bio selvage, veinlet shows a center hairline veinlet | | | | | | | | | | |
| | | of ser-chl alteration. | | | | | | | | | | |
| | | at 168.40 a 1.0cm wide braided py/ca/qtz vein at 35°, at 168.95 sinuous py/pyh | G022793 | 167.00 | 168.00 | 1.00 | 0.263 | 5.4 | 156 | 413 | 278 | 62 |
| | | veinlets at 35°. at 169.0 healed and unhealed micro fractures are slightly brown in | G022794 | 168.00 | 169.00 | 1.00 | 0.109 | 6.0 | 181 | 2440 | 471 | 52 |
| | | colour sph? Matrix is slightly grn ser altered. At 166.20-166.60 a sinuous veinlet | G022795 | 169.00 | 170.00 | 1.00 | 0.075 | 3.5 | 238 | 1240 | 218 | 22 |
| | | channel of ca/ sparse py/ rare gal/sph specks // to CA. at 170.0 and 170.25 py | G022796 | 170.00 | 171.00 | 1.00 | 0.537 | 7.3 | 339 | 2320 | 628 | 95 |
| | | specks, blebs, and clusters. at 170.30 a 1.0cm wide qtz/ca at 50° has specks of gal, | G022797 | 171.00 | 172.00 | 1.00 | 0.058 | 3.1 | 172 | 2570 | 318 | 27 |
| | | Cpy and rare acanthite near wall rock edge, vein cuts across py cluster. from 171.40 | G022798 | 172.00 | 173.00 | 1.00 | 0.018 | 2.0 | 15 | 1360 | 322 | 18 |
| | | to 172.40 zone contains a qtz injection interval, rough orientation at 30° to CA. | G022799 | 172.00 | 173.00 | DUP | 0.013 | 1.9 | 16 | 1590 | 301 | 14 |
| | | bands of intermixed wall rock in qtz, some bands 9.0cm wide, slight grn chl-ser | G022800 | 173.00 | 174.00 | 1.00 | 0.030 | 5.6 | 159 | 4990 | 795 | 36 |
| | | marled alteration within qtz. Content py, sph, <1.0% rare gal. Cpy. from 171.4 | | | | | | | | | | |
| | | matrix is massive, very little interstitial py and has patches of It-med grn alteration | | | | | | | | | | |
| | | to 173.60 followed by a slightly pyritic, K-spar coarse grained section to the end of | | | | | | | | | | |
| | | hole (original rock Sst?) at 172.4 crude bedding at 70° to CA. at 172.65 a 1.0cm | | | | | | | | | | |
| | | wide band of grn ser-chl at 70° w/ cal/py/qtz. at 173.70 a braided sph/py/ca/qtz | | | | | | | | | | |
| | | veinlet at 40° has slight grn ser-chl alt. | | | | | | | | | | |
| | | EOH 174.0 | | | | | | | | | | |



ALS Canada Ltd. 2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 1 Finalized Date: 23- NOV- 2010 This copy reported on 24- NOV- 2010 Account: BQL

CERTIFICATE TR10159280

Project: Bronson

P.O. No.: Red Security Tag Batch

This report is for 146 Drill Core samples submitted to our lab in Terrace, BC, Canada on 2- NOV- 2010.

The following have access to data associated with this certificate:

| DAVID JENSEN | DAVID YEAGER | JOHN ZBEETNOFF |
|--------------|--------------|----------------|
| | | |

| SAMPLE PREPARATION | | | | | | | | | | |
|--------------------|------------------------------------|--|--|--|--|--|--|--|--|--|
| ALS CODE | DESCRIPTION | | | | | | | | | |
| WEI- 21 | Received Sample Weight | | | | | | | | | |
| SPL- 34 | Pulp Splitting Charge | | | | | | | | | |
| LOG- 22 | Sample login - Rcd w/o BarCode | | | | | | | | | |
| BAG- 01 | Bulk Master for Storage | | | | | | | | | |
| CRU- 31 | Fine crushing - 70% < 2mm | | | | | | | | | |
| CRU- QC | Crushing QC Test | | | | | | | | | |
| PUL- QC | Pulverizing QC Test | | | | | | | | | |
| SPL- 21 | Split sample - riffle splitter | | | | | | | | | |
| PUL- 32m | Pulverize 500g - 85%<75um | | | | | | | | | |
| LOG- 24 | Pulp Login - Rcd w/o Barcode | | | | | | | | | |
| LOG- 22d | Sample login - Rcd w/o BarCode dup | | | | | | | | | |
| SPL-21d | Split sample - duplicate | | | | | | | | | |
| PUL- 32d | Pulverize Split - Dup 85% <75um | | | | | | | | | |

ANALYTICAL PROCEDURES ALS CODE DESCRIPTION INSTRUMENT Au- AA24 Au 50g FA AA finish AAS Au- GRA22 Au 50 g FA- GRAV finish WST- SIM ME- MS61 48 element four acid ICP- MS ME-ICP41 35 Element Aqua Regia ICP- AES ICP- AES ME- OG46 Ore Grade Elements - AquaRegia ICP- AES Zn- OG46 Ore Grade Zn - Agua Regia VARIABLE

To: SKYLINE GOLD CORPORATION ATTN: DAVID YEAGER SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - A Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

| | | _ | | | | | | | C | ERTIFIC | CATE C | F ANA | LYSIS | TR10 | 159280 | 1 |
|---|-----------------------------------|--------------------------------------|---|--------------------------------------|--------------------------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|---------------------------|
| ample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- AA24 Au Check ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME- MS61 As ppm 0.2 | ME- MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME- MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME-MS61 Cr ppm 1 |
| C022667 C022668 C022669 C022670 C022671 | | 5.40 5.08 4.38 0.08 5.22 | 0.174 0.452 1.120 0.644 1.035 | | | | | | | | | | | <u> </u> | | |
| C022672 C022673 C022674 C022675 G022676 | | 5.16 4.43 4.89 4.91 5.23 | 0.190 0.054 0.041 0.036 1.145 | | | | | | | | | | | | | |
| G022677 G022678 G022679 G022680 G022681 | | 5.23 5.27 5.27 4.81 5.19 | 1.280 0.931 0.118 0.102 0.077 | | | | | | | | | | | | | |
| G022682 G022683 G022684 G022685 G022685 G022686 C022686-CRD | | 4.81 5.02 5.02 5.30 4.25 | 0.415 0.028 0.013 0.035 0.015 | | | | | | | | | | | | | |
| G022687 G022687A G022687A G0226888 G022689 G022689 | | 5.13 <0.02 4.97 4.44 | 0.071 0.068 0.022 0.077 | | | 0.75 | 7.60 | 31.8 | 1410 | 0.79 | 0.90 | 3.11 | 0.15 | 34.4 | 15.0 | 50 |
| G022691 G022692 G022693 G022694 | | 5.03 4.84 4.73 4.70 | 2.13 0.040 0.027 0.087 0.064 | | 2.10 | | | | | | | | | | | |
| G022695 G022696 G022697 G022698 G022699 | | 4.48 4.67 4.39 4.93 4.84 | 0.046 0.114 0.051 0.046 0.048 | | | | | | | | | | | | | |
| G022700 G022701 G022702 G022703 G022704 | | 2.06 2.91 2.24 2.11 3.49 | 0.105 0.075 0.074 0.023 0.006 | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - B Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

| | | | | | | | | | C | ERTIFIC | CATE O | LYSIS | TR10 1 | 59280 |) | |
|--|-----------------------------------|-------------------------------|------------------------------|-----------------------------|------------------------------|-------------------------------|------------------------------|--------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------|---------------------|-----------------------|
| Sample Description | Method Analyte Units LOR | ME- MS61 Cs ppm 0.05 | ME- MS61 Cu ppm 0.2 | ME- MS61 Fe % 0.01 | ME-MS61 Ga ppm 0.05 | ME- MS61 Ge ppm 0.05 | ME- MS61 Hf ppm 0.1 | ME- MS61 In ppm 0.005 | ME- MS61 K % 0.01 | ME- MS61 La ppm 0.5 | ME- MS61 Li ppm 0.2 | ME- MS61 Mg % 0.01 | ME- MS61 Mn ppm 5 | ME- MS61 Mo ppm | ME- MS61 Na % | ME- MS61 Nb ppm |
| G022667 G022668 G022669 G022670 G022671 | | | | | | | | | | | | | | | | |
| G022672 G022673 G022674 G022675 G022676 | | | | | | | <u></u> | | | | | | | | | |
| G022677 G022678 G022679 G022680 G022681 | | | <u> </u> | | <u>,</u> | | | | | | | | | | | |
| C022682 C022683 C022684 C022685 C022685 C022686 | | | | | | | | | | | | | | | | |
| G022686- CRD G022687 G022687A G022688 G022688 G022689 | | 2.71 | 128.5 | 6.04 | 19.05 | 0.15 | 0.9 | 1.440 | 3.61 | 18.9 | 21.8 | 1.90 | 1150 | 6.39 | 2.33 | 5.6 |
| G022690 G022691 G022692 G022693 G022694 | | | | | | | | Ľ. | | | | | | | | |
| G022695 G022696 G022697 G022698 G022699 | | | | | | | | | | | | | | | | |
| G022700 G022701 G022702 G022703 G022704 | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - C Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 Ni ppm 0.2 | ME-MS61 P ppm 10 | ME- MS61 Pb ppm 0.5 | ME- MS61 Rb ppm 0.1 | ME- MS61 Re ppm 0.002 | ME- MS61 S % 0.01 | ME- MS61 Sb ppm 0.05 | ME-MS61 Sc ppm 0.1 | ME- MS61 Se ppm 1 | ME-MS61 Sn ppm 0.2 | ME-MS61 Sr ppm 0.2 | ME- MS61 Ta ppm 0.05 | ME- MS61 Te ppm 0.05 | ME- MS61 Th ppm 0.2 | ME- MS61 Ti % 0.005 |
|---|-----------------------------------|------------------------------|---------------------------|------------------------------|------------------------------|--------------------------------|----------------------------|-------------------------------|-----------------------------|----------------------------|-----------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|------------------------------|
| C022667 C022668 C022669 C022670 C022671 | | | | | | | | | | | | | | | <u></u> | |
| C022672 C022673 C022674 C022675 C022676 | | | | | | | | | | | | | | | | |
| G022677 G022678 G022679 G022680 G022681 | | | | | | | | <u> </u> | | | | | | | | |
| G022682 G022683 G022684 G022685 G022685 | | | | | | | | | | | | | | | | |
| G022686- CRD G022687 G022687A G022688 G022689 | | 34.9 | 1190 | 9.8 | 81.4 | 0.006 | 1.94 | 3.19 | 13.1 | 2 | 2.0 | 352 | 0.30 | 0.34 | 2.6 | 0.324 |
| G022690 G022691 G022692 G022693 G022694 | | | | | | | | | | | | | | | | |
| G022695 G022696 G022697 G022698 G022699 | | | | | | | | | | | | | | | <u></u> | |
| G022700 G022701 G022702 G022703 G022704 | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - D Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 Tl ppm 0.02 | ME- MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME- ICP41 B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 |
|---|-----------------------------------|-------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|-------------------------------|------------------------------|-----------------------------|---------------------------------|------------------------------|--------------------------------------|---------------------------------|------------------------------|
| G022667 G022668 G022669 G022670 | | | | | | | | | 0.2 0.6 1.2 2.6 | 1.59 1.69 1.77 1.34 | 38 39 77 69 | <10 <10 <10 <10 <10 | 130 160 110 80 | <0.5 <0.5 <0.5 <0.5 | 2 2 4 2 | 2.57 2.89 2.43 4.15 |
| G022672 G022672 | | | | | | | | | 0.4 | 1.91 1.87 | 33 | <10 | 150 | <0.5 | 3 | 1.79 |
| G022675 G022674 G022675 G022676 | | | | | | | | | 0.6 0.6 0.5 7 1 | 1.85 1.88 1.63 | 46 29 31 | <10 <10 <10 | 170 150 150 | <0.5 <0.5 <0.5 | - 3 <2 2 | 3.18 3.09 2.78 |
| G022677 G022678 G022679 | | | | | | | | | 1.3 | 2.37 | | <10 <10 <10 | 40 60 60 | <0.5 <0.5 <0.5 | 12 5 6 | 2.83 2.08 2.81 |
| G022680 G022681 | | | | | | | | | 0.7 1.4 0.8 | 1.82 1.81 2.22 | 49 79 28 | <10 <10 <10 | 140 130 180 | <0.5 <0.5 <0.5 | 3 2 3 | 3.17 2.72 2.82 |
| G022683 G022684 G022685 | | | | | | | | | 0.9 0.3 0.3 0.6 | 1.84 2.04 1.87 2.20 | 36 32 41 31 | <10 <10 <10 <10 | 160 210 190 | <0.5 <0.5 <0.5 | 3 <2 <2 | 3.03 2.97 4.09 |
| G022686 G022686- CRD | | | | | | | | | 0.3 | 2.08 | 34 | <10 | 180 | <0.5 | <2 | 1.73 3.44 |
| G022687 G022687A G022688 | | 1.84 | 1.7 | 161 | 4.0 | 9.3 | 55 | 32.1 | 0.8 0.7 | 2.56 | 40 28 | <10 | 230 | <0.5 <0.5 | 2 | 3.40 3.10 |
| G022689 G022690 | | | | | | | | | 0.8 | 1.28 | 36 | <10 | 120 40 | <0.5 | 2 | 1.89 |
| G022691 G022692 G022693 G022694 | | | | | | | | | 0.5 0.6 1.1 1.4 | 1.68 1.79 2.48 2.48 | 38 32 50 49 | <10 <10 <10 <10 | 160 180 110 70 | <0.5 <0.5 <0.5 <0.5 <0.5 | <2 <2 4 4 | 3.01 3.06 3.30 2.47 |
| G022695 G022696 G022697 G022698 G022699 | | - | | | | | | | 1.4 2.4 1.1 2.3 | 2.57 2.31 2.03 2.37 | 39 49 52 49 | <10 <10 <10 <10 <10 | 270 190 290 270 | <0.5 <0.5 <0.5 <0.5 <0.5 | - <2 <2 <2 <2 <2 | 3.41 4.04 4.20 3.95 |
| G022700 G022701 | | | | | | | | <u> </u> | 2.3 | 2.31 | 45 | <10 | 250 160 | <0.5 | <2 <2 | 3.84 3.49 |
| G022702 G022703 G022704 | | | | | | | | | 2.3 0.7 0.4 | 2.07 2.12 1.98 2.05 | 46 23 21 | <10 <10 <10 <10 | 260 240 230 270 | <0.5 <0.5 <0.5 <0.5 | <2 <2 <2 <2 | 3.54 3.49 4.36 3.89 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobai.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - E Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 Cd ppm 0.5 | ME- ICP41 Co ppm 1 | ME- ICP41 Cr ppm 1 | ME- ICP41 Cu ppm 1 | ME- ICP41 Fe % 0.01 | ME-ICP41 Ga ppm 10 | ME- ICP41 Hg ppm I | ME- ICP41 K % 0.01 | ME- ICP41 La ppm 10 | ME- ICP41 Mg % 0.01 | ME- ICP41 Mn ppm 5 | ME- ICP41 Mo ppm 1 | ME- ICP41 Na % 0.01 | ME- ICP41 Ni ppm 1 | ME- ICP41 P ppm 10 |
|-------------------------------------|-----------------------------------|-------------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|-----------------------------|------------------------------|-----------------------------|-----------------------------|
| G022667 G022668 G022669 | | 0.5 <0.5 <0.5 | 15 18 51 | 21 29 32 | 141 79 223 | 3.02 3.14 5.49 | <10 <10 <10 | <1 1 <1 | 1.29 1.38 1.38 | 10 10 10 | 1.03 1.10 1.22 | 657 692 585 | 1 1 <1 | 0.04 0.04 0.04 | 26 34 61 | 1350 1520 1380 |
| G022670 G022671 | | 1.9 <0.5 | 17 27 | 24 25 | 4540 126 | 5.16 4.18 | 10 10 | <1 <1 | 0.23 1.50 | 10 10 | 1.20 1.21 | 730 482 | 37 1 | 0.08 0.04 | 17 26 | 1120 1360 |
| G022672 G022673 G022674 | | <0.5 <0.5 | 20 25 | 45 32 | 135 180 | 3.80 4.49 | 10 10 | <1 <1 | 1.50 1.47 | <10 10 | 1.20 1.14 | 565 756 | <1 4 | 0.05 0.04 | 40 50 | 1480 1370 |
| G022675 G022676 | | <0.5 <0.5 0.8 | 14 156 | 24 12 10 | 67 75 973 | 3.17 2.81 15.8 | 10 <10 10 | <1 <1 <1 | 1.56 1.34 1.22 | <10 10 | 1.34 1.11 | 807 752 | 2 <1 | 0.03 0.04 | 24 16 | 1410 1390 |
| G022677 G022678 | | <0.5 3.2 | 67 179 | 39 24 | 316 305 | 8.15 8.12 | 10 10 <10 | <1 <1 <1 | 1.96 | 10 | 1.55 | 730 | <1 | 0.02 | 91 56 | 1010 |
| G022679 G022680 G022681 | | <0.5 9.5 <0.5 | 28 16 11 | 20 11 15 | 143 162 75 | 4.65 4.30 4.18 | 10 <10 10 | <1 <1 <1 | 1.55 1.48 1.86 | 10 10 10 | 1.32 1.19 1.61 | 904 1130 805 | 1 <1 <1 | 0.02 0.03 0.01 | 49 27 24 20 | 1270 1410 1570 |
| G022682 G022683 G022684 | | <0.5 <0.5 | 10 9 7 | 18 46 | 113 62 | 4.46 3.46 | 10 10 | <1 <1 | 1.45 1.63 | <10 10 | 1.19 1.48 | 698 683 | <1 <1 | 0.03 | 11 41 | 930 1010 |
| G022685 G022686 | | <0.5 <0.5 <0.5 | 7 13 10 | 48 32 43 | 50 70 42 | 2.92 3.29 3.02 | 10 10 10 | <1 <1 <1 | 1.53 1.85 1 74 | 10 <10 <10 | 1.31 1.76 1.60 | 947 531 925 | 1 <1 | 0.04 0.04 | 49 44 | 1030 850 |
| G022686- CRD G022687 G022687A | | <0.5 <0.5 | 10 14 | 43 37 | 42 134 | 3.09 5.41 | <10 10 | <1 <1 | 1.75 | <10 <10 10 | 1.63 1.71 | 925 1105 | <1 <1 5 | 0.05 | 46 47 33 | 1130 1150 1150 |
| G022688 G022689 | | <0.5 <0.5 | 6 9 | 33 31 | 50 75 | 2.75 2.84 | 10 <10 | <1 <1 | 1.27 1.01 | <10 <10 | 1.12 0.92 | 704 555 | 1 <1 | 0.05 0.06 | 15 24 | 760 720 |
| G022690 G022691 G022692 | | 53.5 <0.5 | 10 10 7 | 39 37 | 4940 68 | 8.77 2.85 | <10 10 | 1 <1 | 0.09 1.41 | <10 <10 | 0.91 1.21 | 319 890 | 12 1 | 0.02 0.04 | 20 34 | 100 940 |
| G022693 G022694 | | <0.5 <0.5 <0.5 | 21 25 | 43 28 30 | 63 231 344 | 2.84 6.30 7.42 | <10 10 10 | <1 <1 <1 | 1.47 2.02 1.89 | 10 <10 <10 | 1.27 1.57 1.58 | 911 1045 988 | 1 11 15 | 0.05 0.04 0.04 | 35 29 34 | 1040 1350 1200 |
| G022695 G022696 G022697 | | <0.5 <0.5 | 11 23 | 51 32 | 157 192 | 4.89 5.41 | 10 10 | <1 <1 | 2.26 2.00 | <10 <10 | 1.83 1.58 | 1235 1340 | 1 <1 | 0.04 0.03 | 44 39 | 1390 1330 |
| G022698 G022699 | | -0.5 6.4 3.8 | 12 10 | 33 40 36 | 90 103 109 | 3.96 4.23 4.18 | 10 10 10 | <1 <1 <1 | 1.73 2.05 1.96 | 10 <10 <10 | 1.46 1.80 1.70 | 1610 1710 1705 | <1 <1 | 0.04 0.04 | 56 37 | 1260 1370 |
| G022700 G022701 | | <0.5 4.2 | 17 11 | 20 19 | 222 107 | 4.52 3.91 | <10 10 | <1 <1 | 1.59 | <10 | 1.20 | 1580 | 2 | 0.03 | 24 | 1360 |
| G022702 G022703 G022704 | | 5.0 <0.5 <0.5 | 15 6 4 | 14 19 26 | 175 34 15 | 3.71 3.00 2.86 | 10 10 10 | <1 <1 <1 | 1.84 1.70 1.80 | 10 10 10 | 1.45 1.45 1.60 | 1595 1775 1605 | <1 <1 <1 | 0.03 0.04 0.05 | 26 20 26 | 1300 1440 1480 |



Т

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - F Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

| G022667 9 0.78 <2 3 175 <20 0.18 <10 <10 19 <10 113 | |
|--|--|
| G022668 7 1.13 < 2 4 202 < 20 0.19 < 10 57 < 10 38 | |
| G022669 12 3.69 <2 3 198 <20 0.17 <10 <10 57 <10 33 | |
| G022670 29 2.17 10 8 134 <20 0.01 <10 85 <10 170 | |
| G022671 5 1.76 <2 3 121 <20 0.18 <10 <10 56 <10 38 | |
| G022672 3 1.40 <2 4 147 <20 0.21 <10 <10 63 <10 35 | |
| $C_{0022673}$ 7 2.28 <2 4 216 <20 0.20 <10 <10 105 <10 33 | |
| | |
| 0.22675 9 0.85 <2 3 179 <20 0.17 <10 <10 49 <10 38 | |
| G022676 67 >10.0 3 2 236 <20 0.14 <10 <10 38 <10 48 | |
| $\begin{array}{c} 0022677 \\ 0022678 \\ 0000078 \\ 0000078 \\ 0000078 \\ 0000078 \\ 000078 \\ 000078 \\ 000078 \\ 000078 \\$ | |
| C022670 350 8.0 4 3 188 <20 0.15 <10 <10 46 <10 489 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| $\begin{bmatrix} 0.022030 \\ 0.17 \\ 0.17 \\ 0.10 \\ 0.17 \\ 0.10 \\ 0.10 \\ 0.17 \\ 0.10 \\ 0$ | |
| <u> 22 1.88 <2 3 205 <20 0.21 <10 <10 63 <10 59 </u> | |
| C022682 8 1.99 <2 3 218 <20 0.19 <10 <10 58 <10 43 | |
| 0.22005 6 0.90 <2 4 215 <20 0.19 <10 <10 65 <10 43 | |
| 4 0.56 < 2 3 309 < 20 0.20 < 10 < 10 53 < 10 37 | |
| C022685 3 0.98 <2 3 113 <20 0.19 <10 <10 40 <10 47 | |
| <u>3 0.51 <2 4 200 <20 0.22 <10 <10 62 <10 32</u> | |
| G022680-CRD 2 0.51 <2 4 200 <20 0.22 <10 <10 62 <10 32 | |
| C02268/ 7 1.92 <2 5 197 <20 0.24 <10 <10 85 <10 44 | |
| | |
| <u>6022688</u> 5 0.55 <2 3 142 <20 0.17 <10 <10 48 <10 39 | |
| <u>6022689</u> <u>5</u> 0.99 <2 2 120 <20 0.14 <10 <10 39 <10 32 | |
| C022690 224 9.7 <2 2 6 <20 0.02 <10 <10 15 <10 >10000 1.285 | |
| $\begin{array}{c} 0022691 \\ 4 \\ 0.51 \\ -2 \\ 3 \\ 173 \\ -20 \\ 0.19 \\ -10 \\ -10 \\ 51 \\ -10 \\ 69 \\ -10 \\ $ | |
| C022692 12 0.36 <2 4 200 <20 0.19 <10 <10 59 <10 55 | |
| 0.022693 11 3.01 <2 4 222 <20 0.25 <10 <10 88 <10 49 | |
| <u>6022694</u> 17 4.24 <2 4 209 <20 0.23 <10 <10 75 <10 78 | |
| C022695 12 1.42 <2 5 264 <20 0.26 <10 <10 84 <10 59 | |
| 17 2.54 < 2 4 377 < 20 0.22 < 10 < 10 58 < 10 54 | |
| C02269/ 25 1.13 <2 4 405 <20 0.20 <10 <10 55 <10 77 | |
| C022690 2/5 1.18 2 5 408 <20 0.22 <10 <10 65 <10 1165 | |
| <u>6022699</u> 163 1.12 <2 4 408 <20 0.21 <10 <10 61 <10 776 | |
| <u>6022701</u> 134 2.22 <2 3 412 <20 0.19 <10 <10 43 <10 185 | |
| <u>C022701</u> 251 1.48 4 3 324 <20 0.22 <10 <10 54 <10 764 | |
| <u>C022702</u> 291 0.95 <2 3 296 <20 0.21 <10 <10 49 <10 902 | |
| <u>50</u> 0.34 <2 3 370 <20 0.21 <10 <10 62 <10 156 | |
| 16 0.10 <2 4 322 <20 0.22 <10 <10 66 <10 79 | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - A Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- AA24 Au Check ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME- MS61 As ppm 0.2 | ME- MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME- MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME-MS61 Cr ppm 1 |
|---|-----------------------------------|--|--|--------------------------------------|--------------------------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|---------------------------|
| G022705 G022706 G022706- CRD G022707 G022707A | | 4.71 4.15 <0.02 4.95 <0.02 | 0.016 0.029 0.031 0.047 0.044 | | | 0 77 | 8 70 | 32.7 | 620 | 1 46 | 0.54 | 0.77 | | | | |
| G022708 G022709 G022710 G022711 G022712 | | 4.89 4.46 1.01 5.15 4.76 | 0.103 0.014 <0.005 0.537 0.093 | | | | | | 020 | 1.40 | 0.54 | 3.77 | 0.14 | 36.8 | 10.4 | 12 |
| G022713 G022714 G022715 G022716 G022717 | | 5.25 4.58 4.89 4.64 4.15 | 0.030 0.059 0.045 0.034 0.038 | | | | | | | | | | | | | |
| G022718 G022719 G022720 G022721 G022722 | | 4.32 4.95 4.00 1.91 2.10 | 0.036 0.079 0.051 0.008 0.357 | | | | | | | | | | | | | |
| G022723 G022724 G022725 G022726 G022726- CRD | | 2.25 2.48 2.34 2.13 <0.02 | 0.247 0.094 0.065 0.014 0.012 | | | | | | | | <u></u> | | | | | |
| G022727A G022727A G022728 G022729 G022730 | | 2.42 <0.02 2.11 1.69 0.09 | 0.100 0.283 0.014 0.016 0.539 | | | 0.71 | 8.17 | 1095 | 1360 | 1.25 | 0.32 | 2.82 | 4.93 | 21.0 | 7.0 | 17 |
| G022731 G022732 G022733 G022734 G022735 | | 2.15 2.41 2.59 2.90 2.40 | 0.508 0.026 0.216 0.013 0.661 | | | | | | | | | | | | | |
| G022736 G022737 G022738 G022739 G022740 | | 2.51 1.88 2.50 2.37 2.34 | 0.148 0.023 0.026 0.027 0.014 | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - B Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 Cs ppm 0.05 | ME- MS61 Cu ppm 0.2 | ME- MS61 Fe % 0.01 | ME- MS61 Ga ppm 0.05 | ME-MS61 Ge ppm 0.05 | ME-MS61 Hf ppm 0.1 | ME- MS61 In ppm 0.005 | ME- MS61 K % 0.01 | ME- MS61 La ppm 0.5 | ME- MS61 Li ppm 0.2 | ME- MS61 Mg % 0.01 | ME-MS61 Mn ppm 5 | ME- MS61 Mo ppm | ME- MS61 Na % | ME- MS61 Nb ppm |
|--|-----------------------------------|-------------------------------|------------------------------|-----------------------------|-------------------------------|------------------------------|-----------------------------|--------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------|---------------------|-----------------------|
| G022705 G022706 G022706- CRD G022707 G022707 | | 1.56 | 87.0 | 5.03 | 22.2 | 0.14 | 1.1 | 0.693 | 2.32 | 17.6 | 23.9 | 1 85 | 1580 | 0.69 | 2.65 | 40.7 |
| G022708 G022709 G022710 G022711 G022712 | | | | | | | | | | | | | | 0.09 | 3.00 | 18.7 |
| G022713 G022714 G022715 G022716 G022717 | | | | | | | | | | | | | | | | |
| C022718 C022719 C022720 C022721 C022722 | | | | | | | | | | | | | | | | |
| G022723 G022724 G022725 G022726 G022726- CRD | | | | | | | | | | | | | | | | |
| G022727A G0227278 G022729 G022730 | | 1.11 | 33.0 | 5.40 | 22.4 | 0.16 | 0.9 | 0.440 | 4.37 | 9.8 | 34.5 | 2.16 | 2450 | 1.49 | 1.22 | 20.3 |
| G022732 G022733 G022734 G022735 | | | | | | | | | | | | | | | | |
| G022737 G022737 G022738 G022739 G022740 | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - C Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 Ni ppm 0.2 | ME-MS61 P ppm 10 | ME- MS61 Pb ppm 0.5 | ME- MS61 Rb ppm 0.1 | ME- MS61 Re ppm 0.002 | ME- MS61 S % 0.01 | ME- MS61 Sb ppm 0.05 | ME- MS61 Sc ppm 0.1 | ME- MS61 Se ppm 1 | ME- MS61 Sn ppm 0.2 | ME- MS61 Sr ppm 0.2 | ME- MS61 Ta ppm 0.05 | ME- MS61 Te ppm 0.05 | ME- MS61 Th ppm 0.2 | ME- MS61 Ti % 0.005 |
|---|-----------------------------------|------------------------------|---------------------------|------------------------------|------------------------------|--------------------------------|----------------------------|-------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-------------------------------|-------------------------------|------------------------------|------------------------------|
| G022705 G022706 G022706- CRD G022707 G022707A | | 7.5 | 1420 | 19.4 | 73.4 | <0.002 | 1.13 | 2.98 | 13.9 | 1 | 23 | 587 | 1 03 | 0 15 | 2.2 | 0.444 |
| C022708 C022709 C022710 C022711 C022712 | | | | | | | | | v_ | | | | | 0.10 | | 0.444 |
| G022713 G022714 G022715 G022716 G022717 | | | | | | | | | | | | | | | | |
| G022718 G022719 G022720 G022721 G022722 | | | | | | | | | | · | | | | | | |
| G022723 G022724 G022725 G022726 G022726- CRD | | | | | | | | | | | | | | | | |
| G022727 G022727A G022728 G022729 G022730 | | 6.6 | 1170 | 168.0 | 84.2 | 0.002 | 0.43 | 3.41 | 13.7 | 1 | 1.5 | 482 | 1.15 | 0.10 | 1.7 | 0.383 |
| G022731 G022732 G022733 G022734 G022735 | | | | | | | | | | | | | | | | |
| G022736 G022737 G022738 G022739 G022740 | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - D Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 Tl ppm 0.02 | ME- MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME- ICP41 B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % |
|---|-----------------------------------|-------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|-----------------------------------|--|---------------------------------|---|--|--|---|--|
| G022705 G022706 G022706- CRD G022707 G022707A | | 1.83 | 1.6 | 219 | 5.0 | 10.2 | | 30.1 | 2.1 1.0 1.0 1.0 | 1.83 2.15 2.12 2.34 | 284 46 55 37 | <10 <10 <10 <10 | 270 150 150 110 | <0.5 0.5 0.5 <0.5 | <2 <2 <2 <2 <2 | 4.29 4.98 5.01 3.76 |
| C022708 C022709 C022710 C022711 G022712 | | | | | | | | Ja. 1 | 0.9 0.4 0.8 2.1 0.6 | 2.22 2.87 0.05 1.99 2.23 | 27 6 <2 126 23 | <10 <10 <10 <10 <10 | 140 150 10 130 130 | <0.5 0.5 <0.5 <0.5 | <2 <2 <2 <2 <2 | 3.46 2.65 >25.0 2.71 |
| G022713 G022714 G022715 G022716 G022717 | | | | | | | | | 1.6 0.8 2.8 1.1 1.2 | 2.77 2.61 2.20 2.36 2.47 | 24 33 21 40 41 | <10 <10 <10 <10 <10 <10 <10 | 130 80 170 240 260 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <pre></pre> | 4.31 5.13 2.20 2.67 2.83 |
| G022718 G022719 G022720 G022721 G022722 | | | | £ | | | | | 1.7 6.4 2.4 0.8 1.5 | 3.06 3.47 2.29 2.16 3.27 | 47 107 21 11 14 | <10 <10 <10 <10 <10 <10 | 120 150 110 110 130 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <pre></pre> | 3.18 2.23 4.28 4.26 2.79 |
| G022723 G022724 G022725 G022726 G022726-CRD | | | | | | | | | 3.4 2.3 5.4 1.1 1.1 | 4.31 2.91 2.67 1.78 1.84 | 46 23 301 15 14 | <10 <10 <10 <10 <10 <10 | 120 100 140 110 | <0.5 <0.5 <0.5 <0.5 <0.5 | 2 2 <2 <2 <2 | 2.66 3.07 2.90 3.04 |
| G022727 G022727A G022728 G022729 G022730 | | 2.50 | 0.9 | 196 | 6.6 | 7.2 | 957 | 28.7 | 0.9 1.1 0.7 3.3 | 1.65 1.13 1.11 1.43 | 1405 36 14 74 | <10 <10 <10 <10 | 90 90 100 | <0.5 <0.5 <0.5 <0.5 | <pre><2 <2 <</pre> | 2.84 2.40 2.41 |
| G022731 G022732 G022733 G022734 G022735 | | | | | | | | | 4.5 1.3 17.6 0.9 16.1 | 1.43 1.37 1.48 2.47 1.68 3.10 | 264 24 4750 22 1190 | <10 <10 <10 <10 <10 <10 | 100 150 130 140 | 0.5 <0.5 <0.5 <0.5 <0.5 | <2 <2 <2 <2 <2 <2 <2 | 4.44 7.4 4.15 5.80 4.75 |
| G022736 G022737 G022738 G022739 G022740 | | | | | | | | | 4.5 1.5 1.6 0.9 1.3 | 2.82 1.88 2.18 1.56 2.43 | 2600 24 17 21 13 | <10 <10 <10 <10 <10 <10 <10 | 130 130 120 130 130 130 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 5 <2 <2 <2 <2 <2 <2 <2 | 5.34 3.88 4.36 3.20 2.60 1.99 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - E Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 Cd ppm 0.5 | ME- ICP41 Co ppm 1 | ME- ICP41 Cr ppm 1 | ME-ICP41 Cu ppm 1 | ME- ICP41 Fe % 0.01 | ME- ICP41 Ga ppm 10 | ME- ICP41 Hg ppm 1 | ME- ICP41 K % 0.01 | ME- ICP41 La ppm 10 | ME- ICP41 Mg % 0.01 | ME- ICP41 Mn ppm 5 | ME- ICP41 Mo ppm 1 | ME- ICP41 Na % 0.01 | ME- ICP41 Ni ppm 1 | ME- ICP41 P ppm 10 |
|--|-----------------------------------|---------------------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------------------|------------------------------------|----------------------------------|--------------------------------------|------------------------------|--------------------------------------|--------------------------------------|----------------------------------|--|-----------------------------|--------------------------------------|
| G022705 G022706 G022706-CRD G022707 G022707A | | 2.6 <0.5 <0.5 <0.5 | 4 12 12 10 | 28 6 6 10 | 15 94 96 94 | 2.72 3.79 3.98 4.30 | 10 10 10 10 | <1 <1 <1 <1 | 1.47 1.41 1.42 0.90 | 10 10 10 10 | 1.38 1.42 1.43 1.71 | 1865 1870 1885 1440 | <1 <1 <1 <1 | 0.05 0.04 0.04 0.05 | 26 8 9 5 | 1510 1730 1730 1430 |
| G022708 G022709 G022710 G022711 G022712 | | <0.5 <0.5 <0.5 0.5 <0.5 | 7 5 1 12 7 | 7 8 <1 11 11 | 99 35 <1 257 64 | 4.23 4.09 0.04 4.77 3.68 | 10 10 <10 10 10 | <1 <1 <1 <1 <1 <1 | 1.03 1.33 0.01 0.87 0.93 | 10 10 <10 10 10 | 1.59 2.19 1.34 1.38 1.62 | 1145 999 23 1085 1080 | <1 <1 <1 <1 <1 | 0.06 0.05 0.02 0.05 0.07 | 6 5 <1 7 7 | 1260 1370 40 1230 |
| G022713 G022714 G022715 G022716 G022717 | | <0.5 <0.5 2.7 <0.5 <0.5 | 6 4 4 6 5 | 15 13 17 11 8 | 56 42 77 106 162 | 4.58 4.31 3.70 4.14 3.76 | 10 10 10 10 10 | <1 <1 <1 <1 <1 <1 | 1.03 0.79 1.32 1.73 1.86 | 10 10 10 10 10 | 2.01 1.89 1.48 1.61 1.75 | 2320 2680 1730 1935 1630 | <1 <1 <1 <1 <1 <1 | 0.06 0.05 0.05 0.05 0.05 0.04 | 9 5 13 6 7 | 1770 1730 1140 1200 1590 |
| G022718 G022719 G022720 G022721 G022722 | | 2.4 15.8 3.1 <0.5 4.0 | 5 8 3 2 4 | 10 39 14 12 10 | 115 457 112 17 89 | 5.38 7.45 3.84 3.47 5.48 | 10 10 10 10 10 | <1 <1 <1 <1 <1 <1 | 1.06 1.13 0.97 0.92 1.21 | 10 20 20 10 10 | 2.15 2.25 1.65 1.56 2.37 | 2950 3910 3540 2920 2560 | <1 7 <1 <1 <1 | 0.03 0.02 0.03 0.04 0.03 | 11 37 11 4 7 | 1510 1450 1450 1380 1400 |
| G022723 G022724 G022725 G022726 G022726 CRD | | 26.0 3.4 14.0 3.6 3.6 | 7 6 6 5 5 | 11 11 15 9 9 | 175 122 63 19 20 | 8.14 5.90 5.13 3.99 4.01 | 10 10 10 10 10 10 | <1 <1 <1 <1 <1 | 1.22 0.86 1.04 0.72 0.75 | 10 10 10 10 10 | 3.33 2.28 2.05 1.68 1.74 | 2830 3110 2130 2490 2520 | <1 <1 <1 <1 <1 | 0.02 0.03 0.03 0.03 0.03 0.03 | 12 10 9 4 | 1190 1350 1530 1400 1420 |
| C022727 G022727A C022728 C022729 G022730 | | 4.1 0.6 <0.5 1.7 | 6 6 6 18 | 8 9 26 | 33 39 46 4860 | 4.45 3.23 2.98 5.47 | 10 10 <10 10 | <1 <1 <1 <1 <1 | 0.42 0.33 0.40 0.24 | 10 10 10 10 | 1.89 1.36 1.33 1.32 | 2320 2100 1970 781 | <1 <1 <1 <1 41 | 0.03 0.03 0.04 0.09 | 4 6 9 20 | 1180 1060 1180 1220 |
| G022731 G022732 G022733 G022734 G022735 | | 18.0 <0.5 127.5 <0.5 46.0 | 11 5 10 3 31 | 9 8 14 5 14 | 142 63 177 11 170 | 5.32 3.28 6.39 2.96 10.55 | <10 <10 10 <10 10 | <1 <1 1 <1 <1 | 0.65 1.11 1.62 1.29 1.28 | <10 10 10 10 10 | 1.58 1.63 2.81 1.57 2.79 | 2840 3110 4160 2820 3680 | <1 <1 <1 <1 <1 <1 | 0.03 0.03 0.03 0.03 0.03 0.02 | 12 11 10 4 26 | 1160 1830 1350 1690 1530 |
| C022736 C022737 C022738 C022739 C022740 | | 18.0 3.4 4.0 <0.5 3.8 | 8 2 3 7 3 | 13 8 7 8 9 | 67 42 80 43 23 | 5.72 3.45 3.85 3.03 4.07 | 10 10 10 <10 <10 10 | <1 <1 <1 <1 <1 <1 | 1.42 1.17 1.12 1.08 1.21 | 10 10 10 10 10 | 2.64 2.08 2.11 1.53 2.04 | 3430 3500 3120 2410 2940 | <1 <1 <1 <1 <1 <1 | 0.04 0.03 0.03 0.05 0.04 | 9 3 3 5 5 | 1360 1330 1300 1170 1540 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - F Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME-ICP41 Pb ppm 2 | ME- ICP41 S % 0.01 | ME- ICP41 Sb ppm 2 | ME- ICP41 Sc ppm 1 | ME- ICP41 Sr ppm 1 | ME- ICP41 Th ppm 20 | ME- ICP41 Ti % 0.01 | ME- ICP41 Tl ppm 10 | ME- ICP41 U ppm 10 | ME- ICP41 V ppm I | ME-ICP41 W ppm 10 | ME- ICP41 Zn ppm 2 | Zn- OG46 Zn % 0.001 | |
|---|-----------------------------------|----------------------------------|---------------------------------------|--|-----------------------------|----------------------------------|--|--|--|--|------------------------------|--|--------------------------------------|------------------------------|--|
| G022705 G022706 G022706- CRD G022707 G022707A | | 372 43 46 14 | 0.22 1.04 1.11 1.10 | <2 <2 <2 <2 <2 | 4 3 3 4 | 329 331 332 222 | <20 <20 <20 <20 | 0.20 0.17 0.17 0.13 | <10 <10 <10 <10 | <10 <10 <10 <10 | 62 69 69 100 | <10 <10 <10 <10 | 516 111 114 57 | | |
| G022708 G022709 G022710 G022711 G022712 | | 20 8 <2 31 9 | 1.14 0.22 <0.01 2.01 0.44 | <2 <2 <2 <2 <2 <2 <2 | 3 4 <1 4 4 | 233 141 5530 160 162 | <20 <20 20 <20 <20 | 0.15 0.18 <0.01 0.13 0.14 | <10 <10 <10 <10 <10 <10 | <10 <10 10 <10 <10 | 84 93 1 88 103 | <10 <10 <10 <10 <10 | 97 65 <2 91 55 | | |
| G022713 G022714 G022715 G022716 G022717 | | 43 23 194 50 34 | 0.59 0.67 0.53 0.90 0.60 | <2 <2 <2 <2 <2 <2 | 7 6 3 3 4 | 232 234 135 157 203 | <20 <20 <20 <20 <20 <20 | 0.16 0.13 0.16 0.23 0.22 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 124 106 55 84 80 | <10 <10 <10 <10 <10 <10 | 96 99 559 160 110 | | |
| G022718 G022719 G022720 G022721 G022722 | | 125 758 225 67 177 | 1.13 1.93 0.47 0.21 0.52 | <2 2 <2 <2 <2 <2 | 4 4 3 3 4 | 206 170 320 284 218 | <20 <20 <20 <20 <20 <20 | 0.14 0.14 0.12 0.14 0.16 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 75 72 61 75 101 | <10 <10 <10 <10 <10 | 538 2920 674 186 886 | | |
| G022723 G022724 G022725 G022726 G022726- CRD | | 422 273 1065 268 272 | 1.57 0.91 0.58 0.19 0.19 | <2 <2 <2 <2 <2 <2 | 5 4 4 4 4 | 257 303 303 315 321 | <20 <20 <20 <20 <20 | 0.15 0.11 0.11 0.07 0.07 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 133 81 84 64 65 | 10 <10 <10 <10 <10 | 4360 799 2330 725 749 | | |
| G022727 G022727A G022728 G022729 G022730 | | 152 142 46 34 | 0.35 0.22 0.20 2.34 | <2 <2 <2 9 | 3 3 9 | 358 261 256 151 | <20 <20 <20 <20 <20 | 0.03 0.02 0.02 0.01 | <10 <10 <10 <10 | <10 <10 <10 <10 | 53 47 48 90 | <10 <10 <10 <10 | 866 214 107 189 | | |
| G022731 G022732 G022733 G022734 G022735 | | 262 100 3430 82 2970 | 2.50 0.47 2.42 0.26 7.6 | 5 <2 31 <2 12 | 3 3 4 3 5 | 673 374 573 469 677 | <20 <20 <20 <20 <20 | 0.06 0.13 0.19 0.14 0.16 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 49 51 73 52 86 | <10 <10 <10 <10 10 | 2920 110 >10000 110 7910 | 2.16 | |
| G022736 G022737 G022738 G022739 G022740 | | 797 162 143 49 143 | 1.55 0.32 0.58 0.64 0.32 | 12 <2 <2 <2 <2 <2 | 5 3 3 3 3 3 | 398 412 282 230 179 | <20 <20 <20 <20 <20 <20 | 0.16 0.13 0.13 0.13 0.13 0.15 | <10 <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 <10 | 80 61 55 57 65 | <10 <10 <10 <10 <10 | 3080 645 850 95 812 | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - A Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- AA24 Au Check ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME- MS61 As ppm 0.2 | ME- MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME- MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME- MS61 Cr ppm 1 |
|---|-----------------------------------|--|--|--------------------------------------|--------------------------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|----------------------------|
| C022741 G022742 C022743 C022744 G022745 | | 2.62 2.84 1.97 2.39 2.47 | 0.030 0.128 0.005 0.614 5.07 | | 5.15 | | | | | | | | | | | |
| G022746 G022746- CRD G022747 G022747A G022748 | | 2.42 <0.02 2.79 <0.02 2.72 | 3.57 2.88 0.206 0.248 0.114 | | 3.13 2.97 | 6.96 | 8.77 | 153.0 | 490 | 0.49 | 2.57 | 0.83 | 14.15 | 131.0 | 17.8 | 58 |
| G022749 G022750 G022751 G022752 G022753 | | 2.37 0.14 2.28 2.46 2.02 | 0.161 2.04 0.020 0.112 0.283 | | 1.94 | | | | | | | | | | | |
| G022754 G022755 G022756 G022757 G022758 | | 2.50 2.59 2.27 2.42 2.02 | 0.071 0.052 0.182 0.111 0.056 | | | | | | | | | | | | | |
| G022759 G022760 G022761 G022762 G022763 | | 2.15 2.49 2.58 2.32 2.51 | 0.068 0.071 0.104 0.052 0.037 | | | | | | | | | | | | | |
| G022764 G022765 G022766 G022766CRD G022767 | | 2.41 2.55 2.47 <0.02 2.06 | 0.017 0.167 0.092 0.071 0.114 | | | | | | | | | | | | | |
| G022767A G022768 G022769 G022770 G022771 | | <0.02 2.62 2.25 0.99 3.03 | 0.133 0.197 0.149 <0.005 0.080 | | | 4.16 | 7.34 | 1665 | 250 | 0.41 | 0.95 | 2.93 | 39.1 | 40.2 | 13.0 | 20 |
| G022772 G022773 G022774 G022775 G022776 | | 2.87 2.03 2.32 2.20 2.69 | 0.089 0.031 0.418 0.048 0.201 | 0.046 0.217 0.029 | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - B Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 Cs ppm 0.05 | ME- MS61 Cu ppm 0.2 | ME- MS61 Fe % 0.01 | ME- MS61 Ga ppm 0.05 | ME- MS61 Ge ppm 0.05 | ME- MS61 Hf ppm 0.1 | ME- MS61 In ppm 0.005 | ME- MS61 K % 0.01 | ME- MS61 La ppm 0.5 | ME- MS61 Li ppm 0.2 | ME- MS61 Mg % 0.01 | ME-MS61 Mn ppm 5 | ME- MS61 Mo ppm 0.05 | ME- MS61 Na % 0.01 | ME- MS61 Nb ppm 0.1 |
|--|-----------------------------------|-------------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|---|--------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|-------------------------------|-----------------------------|------------------------------|
| G022741 G022742 G022743 G022744 G022745 | | | | | | | | | <u></u> | | | | - | | | |
| G022746 G022746-CRD G022747 G022747A G022748 | | 1.40 | 489 | 16.05 | 24.8 | 0.21 | 1.4 | 2.97 | 2.65 | 88.3 | 28.4 | 4.86 | 4360 | 0.59 | 0.07 | 24.4 |
| G022749 G022750 G022751 G022752 G022753 | | | | | | | | | | | | | | | | |
| G022754 G022755 G022756 G022757 G022758 | | | | | | | | | | | | | | | | |
| G022759 G022760 G022761 G022762 G022763 | | | | | | | | | | | | | | | | |
| G022764 G022765 G022766 G022766CRD G022767 | | | | | | | | | | | | | | | | |
| G022767A G022768 G022769 G022770 G022771 | | 1.22 | 132.5 | 12.70 | 16.20 | 0.13 | 1.1 | 1.850 | 1.21 | 23.7 | 22.8 | 4.64 | 8290 | 0.47 | 0.03 | 20.3 |
| C022772 G022773 G022774 G022775 G022776 | | | | | | | <u>, , , , , , , , , , , , , , , , , , , </u> | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - C Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME-MS61 Ni ppm 0.2 | ME-MS61 P ppm 10 | ME- MS61 Pb ppm 0.5 | ME- MS61 Rb ppm 0.1 | ME-MS61 Re ppm 0.002 | ME- MS61 S % 0.01 | ME- MS61 Sb ppm 0.05 | ME- MS61 Sc ppm 0.1 | ME- MS61 Se ppm 1 | ME- MS61 Sn ppm 0.2 | ME- MS61 Sr ppm 0.2 | ME- MS61 Ta ppm 0.05 | ME- MS61 Te ppm 0.05 | ME- MS61 Th ppm 0.2 | ME- MS61 Ti % 0.005 |
|--|-----------------------------------|-----------------------------|---------------------------|------------------------------|------------------------------|-------------------------------|---|-------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-------------------------------|-------------------------------|------------------------------|------------------------------|
| G022741 G022742 G022743 G022744 G022745 | | | | | | | | | | | | | | | | |
| G022746 G022746- CRD G022747 G022747 G022747A G022748 | | 18.0 | 1490 | 469 | 43.8 | 0.002 | 6.74 | 7.54 | 11.1 | 2 | 3.9 | 129.0 | 1.35 | 0.87 | 2.9 | 0.600 |
| G022749 G022750 G022751 G022752 G022753 | | | | | | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | | | | | |
| G022754 G022755 G022756 G022757 G022758 | | | | | | | | | | | | | | | | |
| G022759 G022760 G022761 G022762 G022763 | | | | | | | | | | | | | | | | |
| G022764 G022765 G022766 G022766CRD G0227667 | | | | | | | | | | | | | | | | |
| G022767A G022768 G022769 G022770 G022771 | | 14.6 | 1070 | 372 | 49.1 | <0.002 | 1.72 | 17.70 | 12.2 | 2 | 1.7 | 164.0 | 1.09 | 0.25 | 3.0 | 0.458 |
| G022772 G022773 G022774 G022775 G022776 | | | | | | | | | | | | <u></u> | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - D Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 Tl ppm 0.02 | ME- MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME- ICP41 B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 |
|--|-----------------------------------|-------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|-------------------------------------|--------------------------------------|-----------------------------------|---|-------------------------------|--|--|--|
| G022741 G022742 G022743 G022744 G022745 | | | | | | | | | 2.2 20.0 2.5 3.1 16.9 | 8.30 6.98 2.77 4.46 0.74 | 178 628 21 588 559 | <10 <10 <10 <10 <10 <10 | 120 120 140 80 30 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <2 <2 <2 2 34 | 0.44 1.16 3.37 2.00 4 44 |
| G022746 G022746- CRD G022747 G022747 G022747A G022748 | | 1.94 | 5.9 | 203 | 5.9 | 6.1 | 2650 | 46.1 | 11.4 10.5 6.1 29.0 | 3.48 3.61 5.59 7.88 | 425 431 167 1985 | <10 <10 <10 <10 | 40 40 80 70 | <0.5 <0.5 <0.5 <0.5 | 3 4 2 2 | 1.57 1.58 0.70 2.00 |
| G022749 G022750 G022751 G022752 G022753 | | | | | | | | | 28.7 15.2 6.4 15.1 19.2 | 8.24 1.02 7.67 4.92 5.81 | 3050 30 357 191 215 | <10 <10 <10 <10 <10 <10 | 70 30 150 150 80 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <2 <2 <2 2 2 3 | 1.70 0.31 0.66 1.84 1.37 |
| C022754 C022755 C022756 C022757 C022758 | | | | | | | | | 5.3 6.7 7.0 5.1 4.5 | 6.81 6.33 5.57 3.71 2.31 | 88 36 80 93 39 | <10 <10 <10 <10 <10 <10 | 100 90 80 90 110 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <2 <2 <2 <2 <2 <2 <2 | 1.37 1.81 1.30 2.93 3.85 3.20 |
| C022759 C022760 C022761 C022762 G022763 | | | | | | | | | 3.9 2.5 6.0 6.7 3.0 | 5.07 6.58 4.83 6.02 2.67 | 2370 2010 1415 587 23 | <10 <10 <10 <10 <10 <10 | 60 60 80 100 | <0.5 <0.5 <0.5 <0.5 <0.5 | <pre></pre> | 2.11 1.15 0.80 0.84 |
| C022764 C022765 G022766 C022766CRD C022766CRD C022767 | | | | | | | | | 1.9 2.5 5.5 5.2 4.3 | 3.12 7.10 5.67 5.80 6.55 | 26 247 546 500 2230 | <10 <10 <10 <10 <10 <10 <10 | 140 70 80 80 60 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <pre> </pre> <pre> <2 <2 <2</pre> | 2.45 2.36 0.80 0.83 0.82 3.10 |
| G022767A G022768 G022769 G022770 G022771 | | 1.20 | 1.6 | 168 | 8.2 | 9.8 | 5940 | 46.2 | 5.4 9.7 0.5 5.9 | 6.27 5.48 0.05 6.56 | 6970 1040 9 1485 | <10 <10 <10 <10 | 70 70 10 70 | <0.5 <0.5 <0.5 <0.5 <0.5 | <2 <2 <2 <2 <2 <2 | 2.18 2.01 >25.0 0.95 |
| G022772 G022773 G022774 G022775 G022776 | | | | | | | | | 2.9 4.1 13.0 4.3 10.2 | 5.74 3.15 4.47 3.58 5.24 | 4710 52 3390 48 3550 | <10 <10 <10 <10 <10 | 70 100 90 130 130 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <2 <2 2 <2 <2 3 | 0.80 1.65 1.48 1.82 1.56 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - E Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME-ICP41 Cd ppm 0.5 | ME- ICP41 Co ppm 1 | ME- ICP41 Cr ppm 1 | ME- ICP41 Cu ppm 1 | ME- ICP41 Fe % 0.01 | ME- ICP41 Ga ppm 10 | ME- ICP41 Hg ppm 1 | ME- ICP41 K % 0.01 | ME- ICP41 La ppm 10 | ME- ICP41 Mg % 0.01 | ME- ICP41 Mn ppm 5 | ME- ICP41 Mo ppm 1 | ME- ICP41 Na % 0.01 | ME- ICP41 Ni ppm 1 | ME- ICP41 P ppm 10 |
|--|-----------------------------------|---------------------------------------|-----------------------------|-----------------------------|----------------------------------|--|----------------------------------|-----------------------------|--------------------------------------|----------------------------------|--------------------------------------|--------------------------------------|----------------------------------|--|-----------------------------|--------------------------------------|
| G022741 G022742 G022743 G022744 G022745 | | 4.2 59.2 1.2 1.5 <0.5 | 4 8 3 36 65 | 18 19 30 21 8 | 47 53 22 55 153 | 14.40 12.65 5.57 10.25 18.2 | 20 20 10 10 <10 | 1 1 <1 1 <1 | 1.75 1.45 1.04 1.17 0.54 | 10 10 10 10 20 | 6.05 5.28 2.39 3.42 0.71 | 3940 4220 3770 3910 3870 | <1 <1 <1 <1 <1 | 0.02 0.02 0.04 0.02 0.02 | 9 12 14 18 | 1100 1240 1030 1020 1060 |
| G022746 G022746- CRD G022747 G022747 G022747A G022748 | | <0.5 <0.5 11.2 255 | 39 39 16 23 | 89 92 48 82 | 609 605 401 1105 | 16.7 16.9 12.95 17.1 | 10 10 20 20 | 1 <1 <1 2 | 0.91 0.95 0.93 0.78 | 20 20 10 | 2.72 2.81 4.29 | 2880 2920 3160 | <1 <1 <1 | 0.02 0.02 <0.01 | 18 20 15 | 1410 1420 1280 |
| G022749 G022750 G022751 G022752 G022753 | | 260 58.7 28.0 70.6 83.8 | 25 10 14 11 25 | 90 44 83 34 78 | 941 5210 517 358 920 | 17.3 9.46 14.8 9.07 16.7 | 30 <10 20 10 20 | 1 2 1 1 <1 | 0.75 0.10 1.49 1.25 1.22 | 20 <10 10 10 <10 | 6.04 1.02 5.26 3.54 4.04 | 5970 364 4460 5210 4890 | <1 13 <1 <1 <1 | 0.02 0.02 0.02 0.02 0.02 0.02 | 18 22 17 12 22 | 1230 110 1440 1170 |
| C022754 C022755 C022756 C022757 C022758 | | 37.3 44.4 10.3 24.2 8.8 | 3 4 5 13 10 | 91 100 89 69 33 | 286 304 269 338 222 | 11.10 10.85 9.43 8.07 4.93 | 20 20 20 10 10 | 1 1 <1 <1 <1 | 0.93 0.84 0.67 0.83 0.72 | 10 10 10 10 10 | 4.97 4.72 4.36 3.00 1.67 | 5650 4660 5620 4090 3230 | <1 <1 <1 <1 <1 | 0.02 0.02 0.03 0.03 0.04 | 13 12 19 18 17 | 1400 1270 1300 1200 |
| C022759 C022760 C022761 C022762 C022763 | | 137.5 18.2 23.5 46.2 10.0 | 4 7 42 13 7 | 19 19 26 22 18 | 102 143 150 299 79 | 9.63 12.15 10.00 11.20 4.88 | 10 20 10 20 10 | <1 2 1 1 <1 | 0.43 0.55 0.59 0.99 0.94 | 10 10 10 10 10 | 3.55 4.47 3.30 4.06 1.82 | 5640 5410 4060 4890 3700 | <1 <1 1 <1 <1 | 0.02 0.02 0.02 0.02 0.02 | 10 12 16 14 | 1070 1230 1350 1230 |
| C022764 C022765 G022766 G022766CRD G022767 | | 4.1 10.3 20.6 19.3 36.6 | 5 17 11 11 12 | 21 22 19 19 21 | 71 155 116 118 146 | 5.65 13.35 10.30 10.30 11.95 | 10 20 10 10 20 | <1 1 <1 1 <1 | 1.08 0.74 0.71 0.72 0.68 | 10 10 10 10 10 10 | 2.18 5.11 4.02 4.08 4.66 | 3780 4410 4580 4580 7970 | <1 <1 <1 <1 <1 <1 | 0.04 0.02 0.02 0.02 0.02 0.02 | 10 11 14 14 13 | 1400 1390 1420 1410 1100 |
| C022767A G022768 G022769 G022770 G022771 | | 82.1 65.0 <0.5 41.8 | 13 5 1 8 | 22 110 <1 22 | 175 175 <1 128 | 11.90 9.67 0.06 11.00 | 20 10 <10 20 | 1 1 <1 <1 | 0.72 0.59 <0.01 0.95 | 10 10 <10 10 | 4.43 3.83 1.25 4.76 | 6640 6220 40 5020 | <1 <1 <1 <1 | 0.02 0.02 0.02 0.02 0.02 | 10 15 <1 11 | 1130 980 30 1210 |
| G022772 G022773 G022774 G022775 G022776 | | 12.9 8.1 38.5 7.3 28.6 | 5 5 29 4 12 | 10 6 8 8 25 | 58 24 281 106 344 | 9.91 4.63 9.21 6.37 12.05 | 20 10 10 10 10 10 | <1 <1 1 <1 <1 | 0.83 1.05 0.90 1.12 1.22 | 10 10 10 10 10 10 | 4.05 2.24 3.27 2.38 3.49 | 4270 3340 3550 3580 4010 | <1 <1 <1 <1 <1 | 0.02 0.03 0.02 0.04 0.02 | 6 5 11 7 24 | 950 1250 1440 1190 1890 |



(ALS)

Minerals

ALS Canada Ltd.

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - F Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 Pb ppm 2 | ME- ICP41 S % 0.01 | ME- ICP41 Sb ppm 2 | ME- ICP41 Sc ppm 1 | ME- ICP41 Sr ppm 1 | ME- ICP41 Th ppm 20 | ME- ICP41 Ti % 0.01 | ME- ICP41 Tl ppm 10 | ME-ICP41 U ppm 10 | ME- ICP41 V ppm 1 | ME- ICP41 W ppm 10 | ME- ICP41 Zn ppm 2 | Zn- OG46 Zn % 0.001 | |
|--|-----------------------------------|------------------------------------|---------------------------------------|-----------------------------|-----------------------------|--------------------------------|--|--------------------------------------|---------------------------------|---------------------------------|--------------------------------|--------------------------------|--|---------------------------------|--|
| G022741 G022742 G022743 G022744 G022745 | | 220 3170 303 294 486 | 1.66 2.34 0.39 4.00 >10.0 | <2 15 7 <2 <2 | 8 6 5 5 1 | 31 115 398 216 294 | <20 <20 <20 <20 <20 | 0.22 0.19 0.13 0.15 0.04 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 146 126 71 82 14 | <10 10 <10 <10 <10 | 1250 8800 419 710 166 | | |
| G022746 G022746- CRD G022747 G022747 G022747A G022748 | | 288 275 373 2820 | >10.0 >10.0 5.59 4.03 | 2 <2 3 22 | 3 3 5 11 | 126 124 53 134 | <20 <20 <20 <20 | 0.12 0.12 0.15 0.12 | <10 <10 <10 <10 | <10 <10 <10 <10 | 80 82 97 165 | <10 <10 <10 30 | 495 510 2290 | 4 38 | |
| G022749 G022750 G022751 G022752 G022753 | | 2870 258 476 1540 2020 | 3.86 >10.0 1.66 1.98 5.9 | 28 <2 3 10 10 | 12 2 18 6 16 | 111 8 47 143 112 | <20 <20 <20 <20 <20 | 0.12 0.02 0.20 0.17 0.18 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 177 17 214 99 184 | 20 <10 10 10 10 | >10000 >10000 4720 >10000 >10000 | 4.35 1.340 1.035 1.415 | |
| G022754 G022755 G022756 G022757 G022758 | | 445 653 708 261 286 | 0.78 1.27 2.01 4.01 1.91 | <2 3 <2 <2 3 | 21 20 16 10 4 | 134 94 173 231 187 | <20 <20 <20 <20 <20 <20 | 0.16 0.14 0.13 0.13 0.10 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 198 203 164 125 66 | 10 10 <10 10 <10 | 5940 7390 2000 3460 1185 | | |
| G022759 G022760 G022761 G022762 G022763 | | 471 270 907 774 355 | 1.68 1.48 2.00 1.50 0.89 | 13 6 6 4 <2 | 6 7 5 7 4 | 162 69 49 54 136 | <20 <20 <20 <20 <20 <20 | 0.07 0.09 0.09 0.14 0.13 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 90 112 90 122 73 | <10 <10 <10 10 <10 | >10000 3070 3880 7350 1870 | 2.05 | |
| G022764 G022765 G022766 G022766CRD G022767 | | 144 180 600 567 386 | 0.79 2.22 1.31 1.26 1.82 | <2 <2 2 3 11 | 5 9 6 9 | 157 60 45 45 164 | <20 <20 <20 <20 <20 <20 | 0.17 0.12 0.11 0.11 0.11 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 94 138 102 104 131 | <10 <10 10 10 20 | 898 2090 3110 2960 5860 | | |
| G022767A G022768 G022769 G022770 G022771 | | 463 1090 4 561 | 2.22 1.35 <0.01 1.27 | 22 11 <2 8 | 7 6 <1 6 | 117 106 5500 60 | <20 <20 20 <20 | 0.10 0.09 <0.01 0.14 | <10 <10 <10 <10 | <10 <10 10 <10 | 119 114 <1 121 | 10 <10 <10 10 | >10000 >10000 39 6380 | 1.300 1.075 | |
| G022773 G022773 G022775 G022776 | | 292 447 1100 354 867 | 0.91 0.14 2.98 0.63 3.32 | 18 3 20 <2 17 | 4 2 3 3 8 | 45 79 75 91 89 | <20 <20 <20 <20 <20 <20 | 0.11 0.15 0.12 0.16 0.17 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 83 59 85 81 155 | <10 <10 10 <10 10 | 2320 1580 6260 1550 5120 | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 5 - A Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- AA24 Au Check ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME- MS61 As ppm 0.2 | ME- MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME- MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME- MS61 Cr ppm 1 |
|--|-----------------------------------|--|---|--------------------------------------|--------------------------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|----------------------------|
| G022777 G022778 G022779 G022780 G022781 | | 3.15 2.35 2.22 1.98 2.57 | 0.339 0.093 0.088 0.221 0.197 | | | | | | <u> </u> | | | | | | | |
| G022782 G022783 G022784 G022785 G022786 | | 1.48 2.74 2.82 2.63 2.34 | 0.504 0.076 1.110 0.159 0.104 | | | | | | | | | | | | | |
| G022785-CKD G022787 G022787A G022788 G022789 | | <0.02 2.31 <0.02 2.55 2.36 | 0.112 0.134 0.130 1.105 0.080 | | | 4.94 | 7.56 | 45.2 | 980 | 1.34 | 2.03 | 2.64 | 6.35 | 39.5 | 7.1 | 54 |
| G022790 G022791 G022792 G022793 G022794 | | 2.28 2.25 2.16 2.32 | 0.609 0.713 0.507 0.263 0.109 | 0.629 0.769 0.273 | | | - | | | | | | | | | |
| G022795 G022796 G022797 G022798 G022799 | | 2.80 2.09 2.64 2.21 2.34 | 0.075 0.537 0.058 0.018 0.013 | | | | | | | | | | | | | |
| 6022800 | | 2.20 | 0.030 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

CERTIFICATE OF ANALYSIS

Page: 5 - B Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

TR10159280

Project: Bronson

ME- MS61 ME- MS61 Method ME- MS61 Analyte Cs Cu Fe Ga Ge Hf In к La Li Mg Mn Мо Na Nb Units ppm ppm % ppm ppm ppm ppm % Sample Description % ppm ppm ppm ppm % ppm LOR 0.05 0.2 0.01 0.05 0.05 0.1 0.005 0.01 0.5 0.2 0.01 5 0.05 0.01 0.1 G022777 G022778 G022779 G022780 G022781 G022782 G022783 G022784 G022785 G022786 G022786- CRD G022787 G022787A 2.21 145.0 5.76 16.25 0.14 0.7 0.615 3.49 24.2 28.8 2.11 3680 2.64 0.82 9.1 G022788 G022789 G022790 G022791 G022792 G022793 G022794 G022795 G022796 G022797 G022798 G022799 G022800



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION **SUITE 212** 10451 SHELLBRIDGE WAY **RICHMOND BC V6X 2W8**

CERTIFICATE OF ANALYSIS

Page: 5 - C Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

TR10159280 ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 Method ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME-MS61 ME-MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 Analyte Ni Р Рb Rb Re S Sb Sc Se Sn Sr Та Te Th Ti Units ppm ppm ppm ppm ppm % ppm ppm Sample Description ppm ppm ppm ppm % ppm ppm LOR 0.2 10 0.5 0.1 0.002 0.01 0.05 0.1 1 0.2 0.2 0.05 0.05 0.2 0.005 G022777 G022778 G022779 G022780 G022781 G022782 G022783 G022784 G022785 G022786 G022786- CRD G022787 G022787A 68.4 1160 518 106.5 0.006 1.24 6.76 13.6 5 1.8 412 0.47 0.49 3.0 0.351 G022788 G022789 G022790 G022791 G022792 G022793 G022794 G022795 G022796 G022797 G022798 G022799 G022800



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 5 - D Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 Tl ppm 0.02 | ME- MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME-MS61 Zr ppm 0.5 | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME- ICP41 B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 |
|---|-----------------------------------|-------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|---------------------------------------|-----------------------------|-----------------------------------|--------------------------------------|---------------------------------|--|--------------------------------|--|-----------------------------|--------------------------------------|
| G022777 G022778 G022779 G022780 G022781 | | | | | | | | · | 10.4 7.9 3.7 5.3 9.8 | 5.73 5.87 3.82 3.50 5.62 | 3030 279 50 63 87 | <10 <10 <10 <10 <10 <10 | 80 90 250 140 150 | <0.5 <0.5 0.5 0.5 <0.5 | 7 <2 2 <2 <2 | 1.89 1.60 3.86 3.60 1.80 |
| G022782 G022783 G022784 G022785 G022786 | | | | | | | | | 7.1 5.6 14.5 5.4 10.9 | 6.34 7.36 4.27 6.37 5.33 | 312 728 216 179 304 | <10 <10 <10 <10 <10 <10 | 120 100 50 100 140 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 3 <2 6 2 5 | 1.29 1.43 2.44 1.15 3.65 |
| G022786-CRD G022787 G022787A G022788 G022788 G022789 | | 2.17 | 1.4 | 163 | 6.6 | 17.1 | 1240 | 24.2 | 11.1 5.4 7.9 2.7 | 5.35 2.83 2.92 2.44 | 330 64 75 21 | <10 <10 <10 <10 | 140 180 80 230 | <0.5 <0.5 <0.5 <0.5 | 5 <2 4 <2 | 3.72 2.58 2.05 2.29 |
| G022790 G022791 G022792 G022793 G022794 | | | | | | | | | 2.9 12.5 15.9 5.4 6.0 | 1.34 4.01 4.32 2.68 2.81 | 71 95 25 62 52 | <10 <10 <10 <10 <10 <10 | 70 170 140 300 240 | <0.5 <0.5 <0.5 <0.5 <0.5 | <2 4 7 3 3 | 4.23 2.61 1.45 2.91 |
| G022795 G022796 G022797 G022798 G022799 | | | | | | | | | 3.5 7.3 3.1 2.0 1.9 | 4.30 2.10 2.26 2.65 2.69 | 22 95 27 18 14 | <10 <10 <10 <10 <10 <10 | 260 160 170 190 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <pre></pre> | 1.51 7.4 5.33 2.54 2.34 |
| G022800 | | | | | | | , , , , , , , , , , , , , , , , , , , | | 5.6 | 3.25 | 36 | <10 | 180 | <0.5 | <2 | 1.73 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 5 - E Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 Cd ppm 0.5 | ME- ICP41 Co ppm 1 | ME- ICP41 Cr ppm 1 | ME- ICP41 Cu ppm 1 | ME- ICP41 Fe % 0.01 | ME- ICP41 Ga ppm 10 | ME- ICP41 Hg ppm 1 | ME- ICP41 K % 0.01 | ME- ICP41 La ppm 10 | ME- ICP41 Mg % 0.01 | ME- ICP41 Mn ppm 5 | ME- ICP41 Mo ppm 1 | ME- ICP41 Na % 0.01 | ME- ICP41 Ni ppm 1 | ME- ICP41 P ppm 10 |
|--|-----------------------------------|--------------------------------------|-----------------------------|------------------------------|----------------------------------|--|------------------------------|---------------------------------|--------------------------------------|--------------------------------|--------------------------------------|--------------------------------------|--------------------------------|--|------------------------------|--------------------------------------|
| G022777 G022778 G022779 G022780 G022781 | | 40.8 31.5 <0.5 <0.5 44.1 | 55 11 8 10 5 | 101 69 58 61 78 | 291 236 225 330 338 | 15.3 10.35 6.51 7.19 9.72 | 10 20 10 10 20 | 1 <1 1 <1 1 | 0.67 0.72 1.86 1.74 1.15 | 10 20 20 10 10 | 3.76 4.44 2.96 2.53 4.02 | 4710 4410 2750 2900 3460 | 1 <1 <1 <1 1 | 0.02 0.01 0.04 0.03 0.02 | 51 28 24 27 24 | 2080 2570 3050 2850 2760 |
| G022782 G022783 G022784 G022785 G022786 | | 39.7 54.5 19.1 82.9 74.9 | 38 12 74 38 7 | 64 79 49 406 397 | 282 390 557 386 315 | 13.25 12.95 12.45 14.8 10.15 | 20 20 10 10 10 | 1 2 1 <1 1 | 0.97 0.90 1.26 1.12 1.45 | 10 10 10 <10 <10 | 4.52 5.25 2.91 4.34 4.15 | 3640 4220 4310 5050 6630 | <1 <1 1 1 <1 | 0.01 0.02 0.03 0.01 0.02 | 31 27 55 247 211 | 2750 3160 2270 970 960 |
| G022786- CRD G022787 G022787A G0227888 G022789 | | 79.8 5.5 <0.5 <0.5 | 7 6 6 3 | 409 42 165 36 | 308 156 489 47 | 10.30 5.04 7.51 3.50 | 10 10 10 10 | 1 <1 1 <1 | 1.47 1.66 1.89 1.92 | <10 <10 <10 <10 | 4.21 1.94 1.99 1.73 | 6770 3440 2870 2500 | <1 1 3 <1 | 0.02 0.03 0.03 0.04 | 224 66 112 43 | 980 1200 1210 1240 |
| G022790 G022791 G022792 G022793 G022794 | | 1.7 29.4 118.0 0.5 14.6 | 18 10 7 7 7 | 25 52 58 54 46 | 4630 392 505 156 181 | 5.22 7.57 8.54 4.36 4.90 | 10 10 10 10 10 | <1 <1 1 <1 1 | 0.23 2.11 1.88 2.05 1.83 | 10 <10 <10 <10 <10 | 1.25 2.86 3.00 1.76 1.88 | 745 3930 3540 3600 2960 | 39 1 <1 <1 <1 1 | 0.04 0.08 0.03 0.02 0.05 0.04 | 18 62 89 65 66 | 1150 1240 1130 1260 1230 |
| G022795 G022796 G022797 G022798 G022799 | | 6.4 12.7 14.1 8.7 10.9 | 4 12 2 2 2 | 50 62 30 32 33 | 238 339 172 15 16 | 6.09 5.37 4.44 4.25 4.38 | 10 10 <10 10 10 | <1 <1 <1 <1 <1 1 | 2.62 1.47 1.37 1.39 1.43 | <10 <10 <10 10 10 | 3.29 1.47 1.58 1.70 1.71 | 2820 4100 3480 3080 2950 | <1 1 <1 1 <1 | 0.02 0.03 0.02 0.01 0.01 | 44 67 32 50 48 | 1220 1020 920 1230 1230 |
| G022800 | | 30.8 | 2 | 38 | 159 | 5.54 | 10 | 1 | 1.55 | 10 | 2.24 | 3070 | <1 | 0.02 | 48 | 1020 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 5 - F Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 Pb ppm 2 | ME- ICP41 S % 0.01 | ME- ICP41 Sb ppm 2 | ME- ICP41 Sc ppm 1 | ME- ICP41 Sr ppm 1 | ME-ICP41 Th ppm 20 | ME- ICP41 Ti % 0.01 | ME- ICP41 Tl ppm 10 | ME- ICP41 U ppm 10 | ME- ICP41 V ppm 1 | ME-ICP41 W ppm 10 | ME- ICP41 Zn ppm 2 | Zn- OG46 Zn % 0.001 | |
|--|-----------------------------------|-----------------------------------|--------------------------------------|--------------------------------|-----------------------------|--------------------------------|--|--------------------------------------|---------------------------------|---------------------------------|---------------------------------|--|--|------------------------------|------|
| G022777 G022778 G022779 G022780 G022781 | | 802 623 88 123 1115 | 5.5 1.70 1.77 2.79 1.27 | 15 8 <2 <2 3 | 9 11 10 9 12 | 209 97 200 192 104 | <20 <20 <20 <20 <20 | 0.10 0.11 0.27 0.25 0.18 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 147 174 173 151 186 | 10 10 <10 <10 10 | 7030 5120 206 243 7100 | | |
| G022782 G022783 G022784 G022785 G022786 | | 762 444 1210 377 1355 | 3.67 1.24 7.5 3.96 2.46 | <2 2 <2 <2 <2 6 | 13 16 9 9 9 | 78 104 154 65 160 | <20 <20 <20 <20 <20 <20 | 0.16 0.15 0.19 0.16 0.19 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 201 237 140 120 126 | 10 10 <10 10 <10 | 6300 8150 3300 >10000 >10000 | 1.375 | |
| G022786- CRD G022787 G022787A G022788 G022788 G022789 | | 1435 499 253 139 | 2.48 1.26 3.59 0.31 | 8 <2 <2 <2 <2 | 9 4 5 3 | 162 116 87 90 | <20 <20 <20 <20 <20 | 0.20 0.19 0.22 0.21 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 128 76 95 65 | 10 <10 <10 <10 | >10000 1125 367 257 | 1.425 | |
| G022790 G022791 G022792 G022793 G022794 | | 31 922 1615 278 471 | 2.24 2.50 2.44 0.76 1.10 | 9 7 9 <2 2 | 8 6 5 5 4 | 143 109 66 113 81 | <20 <20 <20 <20 <20 <20 | 0.01 0.23 0.22 0.22 0.21 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 86 93 74 81 66 | <10 10 <10 <10 <10 | 180 4570 >10000 413 2440 | 1.885 | |
| G022795 G022796 G022797 G022798 G022799 | | 218 628 318 322 301 | 0.42 3.22 1.01 0.15 0.21 | <2 6 <2 8 6 | 5 4 3 3 3 | 57 417 278 107 96 | <20 <20 <20 <20 <20 <20 | 0.26 0.15 0.16 0.17 0.18 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 80 61 45 48 49 | <10 <10 <10 <10 <10 <10 | 1240 2320 2570 1360 1590 | | |
| G022800 | | 795 | 1.04 | 6 | 3 | 71 | <20 | 0.19 | <10 | <10 | 53 | 20 | 4990 | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |



Т

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: Appendix 1 Total # Appendix Pages: 1 Finalized Date: 23- NOV- 2010 Account: BQL

Project: Bronson

| Method | CERTIFICATE COMMENTS |
|----------|--|
| ME- MS61 | REE's may not be totally soluble in this method. |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 1 Finalized Date: 18- DEC- 2010 This copy reported on 20- DEC- 2010 Account: BQL

CERTIFICATE TR10169623

Project: Bronson

P.O. No.: Red Security Tag Batch

This report is for 2 Other samples submitted to our lab in Terrace, BC, Canada on 16- NOV- 2010.

The following have access to data associated with this certificate:

| DAVID JENSEN | DAVID YEAGER | JOHN ZBEETNOFF |
|--------------|--------------|----------------|
| | | |

| | SAMPLE PREPARATION | |
|----------|--------------------------------|---------------------------------------|
| ALS CODE | DESCRIPTION | |
| BAG- 01 | Bulk Master for Storage | |
| FND- 03 | Find Reject for Addn Analysis | |
| PUL- 32 | Pulverize 1000g to 85% < 75 um | |
| SCR- 21 | Screen to - 100 um | |
| SPL-21 | Split sample - riffle splitter | |
| WEI- 25 | Wt. of Crushed Reject | |
| <u> </u> | ANALYTICAL PROCEDURES | · · · · · · · · · · · · · · · · · · · |

| | | -0 |
|-----------|---------------------------------|------------|
| ALS CODE | DESCRIPTION | INSTRUMENT |
| Au- SCR24 | Au Screen FA Double Minus - 50g | WST- SIM |
| Au- AA26 | Ore Grade Au 50g FA AA finish | AAS |
| Au- AA26D | Ore Grade Au 50g FA AA Dup | AAS |

To: SKYLINE GOLD CORPORATION ATTN: DAVID YEAGER SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

-Signature:

Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - A Total # Pages: 2 (A) Finalized Date: 18- DEC- 2010 Account: BQL

Project: Bronson

CERTIFICATE OF ANALYSIS TR10169623

| Sample Description | Method Analyte Units LOR | Au- SCR24 Au Total ppm 0.05 | Au- SCR24 Au (+) F ppm 0.05 | Au- SCR24 Au (-) F ppm 0.05 | Au- SCR24 Au (+) m mg 0.001 | Au- SCR24 WT. + Fr g 0.01 | Au- SCR24 WT Fr g 0.1 | Au- AA26 Au ppm 0.01 | Au- AA26D Au ppm 0.01 | WEI- 25 Reject W kg 0.001 | |
|--------------------|-----------------------------------|--------------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|------------------------------------|--------------------------------|-------------------------------|--------------------------------|------------------------------------|--|
| G022745 G022746 | | 5.26 2.57 | 7.26 18.80 | 5.15 2.19 | 0.390 0.501 | 53.75 26.64 | 948.7 1123.5 | 5.07 2.17 | 5.22 2.21 | 1.000 1.150 | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

Comments: **CORRECTED COPY FOR WEI- 25 ON ALL SAMPLES**



DIAMOND DRILL HOLE LOG

Summary of Drill Hole SK-10-13

| | | CO | CONTRACTOR: Driftwood Diamond | | From(m) | To (m) | Unit | Description | |
|-------------------------------------|---|-------------------|--|--|---------|--------------|--------------|--|---------------|
| HOLE: | SK10-13 | | Drilling Ltd. | | 0 | 5.2 | | overburden | |
| COLLAR COO Easting: Northing: | OLLAR COORDINATES UTM (NAD 83): Easting: 373666.2 Northing: 6280871.7 | | DATE STARTED: 18-Oct-10 COMPLETED: 19-Oct-10 | | 5.2 | 31.7 | GrW-Arg/Sst | It-med grey argillite layering content and thickness is greater than the siltstone layering or lamina gradational contact w/rare siltstone clasts | |
| COLLAR COO Northing: Easting: | RDINATES MINE GRIE 11754.9 27471.0 | LOG SAN GEC | GGED BY: MPLE INTERVALS DTECH BY: | B. Hemingway : B.H./A. Burgert N/A | 31.7 | 39.4 51.1 | GrW-Arg-Cgl | argillite-siltstone layering with an intermix of siltstone clasts poorly sorted some > 8.0cm size. | |
| | | SAN | /IPLED BY: | D. Quock | | | GrW-Arg/Sst | 45.1 to 48.8 Fault Zone | |
| COLLAR ELEVATION (m-ASL): 575.1 | | COR | CORE SIZE: NQ | | 51.1 | 63.6 | GrW-Sst/Arg | upper contact Faulted | |
| FINAL DEPTH | 132.0 | | RIG: SRS 3000 Hydraulic | | 63.6 | 78.8 | GrW-Sst | Sst is It gry,massive w/coarse grains of calcite, rare argillite lamina. | |
| SURVEYS: Depth | Azimuth | Inc | clination | Method | 78.8 | 86.1 | GrW-Arg/Sst | | |
| 18 60 | 169.7 172.6 | - | -49.2 -47.8 | Reflex Reflex | 86.1 | 96.9 | GrW-Arg-Cgl | argillite/siltstone layering with siltstone clasts rarely argillitic clasts. Clasts < 20% rock volume | 78.8 |
| 105 | 177.7 | | -46.8 Reflex | | 96.9 | 106.7 | GrW-Sst-Cal | Siltstone lavering w/rare argillite clasts | -132 |
| Abbreviations | | | | | | | | | s ° |
| Lithology | | Iteration | ation | | | 111.6 | GrW-Sst/Arg | Siltstone content > argillite content and lamina | Zon |
| GrW | Greywacke | rg | Argillitic or clay alteration | | | | | clastic unit with > calcite content silt clasts | ie o raliz |
| Clt | Clasts | spar | Feldspar or Fe | eldspathic (potassic) | | | | subrounded barely noticeable, poorly sorted. | fw |
| Minerals | | hy | Phyllic or seri | citic | 111.6 | 121.01 | GrW-Arg-Cgl | mottled It-med-drk gry depending upon amount of | on l |
| AsPy | Arsenopyrite | er + | Sericite | | | | | calcite verses argillaceous content. | ပ္ပ |
| Chl | Chlorite | tandards | Is | | 121 01 | 126.05 | Gr\M_Ara/Set | | bhal |
| Gal | Galena | TD-15 | 5 CDN-CGS-15 | | 121.01 | 120.33 | OIW-Alg/03t | | arit |
| Py | Pyrite | TD-20A | CDN-GS-20A | | 126.95 | 132 | GrW-Sst/Arg | | e e |
| Pyr Otz | Pyrrhotite | SID-2 CDN-ME-2 | | | | Ŭ | | <u></u> | |
| Sphal or sph | Sphalerite | | Parallel | Parallel | | | | | |
| Barren | Barren of sulphides CA | | To the core axis | | | | | | |
| Py/q | | y/qtz Ca qt | z Ca qtz/Py Center of vein (mineral) order of mineralization | | | | | | |
Hole: SK-10-13 Page: 2 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|------|---|---------|-------|-------|--------|-------|-----|-----|-----|-----|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| 0.0 | 5.2 | casing, overburden depth to 5.2m | | | | | | | | | | |
| | | rubble, rusty fracture to 6.2m | | | | | | | | | | |
| 5.2 | 31.7 | GrW-Arg/Sst, the interval consists of weak K-spar to ser, vfg matrix in a calcareous | G022801 | 5.20 | 7.00 | 1.80 | 0.034 | 0.3 | 66 | 46 | 5 | 26 |
| | | cement. The GrW is a mixture of It-med-drk gry mottled coloured, the light colour | G022802 | 7.00 | 9.00 | 2.00 | 0.197 | 1.6 | 69 | 179 | 332 | 27 |
| | | sections are due to the increase in calcite content within the matrix and the | G022803 | 9.00 | 11.00 | 2.00 | 0.432 | 0.4 | 73 | 40 | 10 | 40 |
| | | siltstone grain size difference. Some intervals are lt-med grn ser-chl altered, | | | | | | | | | | |
| | | bedding planes are noticeable throughout the section albeit destruction by | | | | | | | | | | |
| | | alteration; seldomly observed, the intervals with clasts are visible due to an | | | | | | | | | | |
| | | increase in calcite-quartz content with in the argillaceous host matrix, clasts have | | | | | | | | | | |
| | | generally a flatten to an irregular oblong shape, possibly due to soft sediment | | | | | | | | | | |
| | | compaction during the diagenesis process of rock formation. | | | | | | | | | | |
| | | interstitial py is not distributed evenly in the interval but occurs in isolated sections | | | | | | | | | | |
| | | particularly where the more grainy argillaceous matrix is present and within the | | | | | | | | | | |
| | | prevasive lt-med grn prevasively, intensely units. | | | | | | | | | | |
| | | unhealed microfracturing is very common prior to the shearing and faulting in the | | | | | | | | | | |
| | | host rock but tapers off afterwards in the more competent layer below the shearing | | | | | | | | | | |
| | | or faulting where healed fractures are more common. The microfracturing has | | | | | | | | | | |
| | | disrupted the gtz/ca/veining that in some sections, veins appear in "chunks" and | | | | | | | | | | |
| | | broken, other areas the microfracturing has been a conduit for alteration and | | | | | | | | | | |
| | | mineralization resulting in clots, clusters, blebs of py in the core as well an avenue | | | | | | | | | | |
| | | for alteration fluids. The ever present feldspathic-sericite alteration maybe of a | | | | | | | | | | |
| | | result of in-situ K-spar and mica content of the original rock, areas of extensive It- | | | | | | | | | | |
| | | grn prevasive intense alteration where the microfractures and all rock textures | | | | | | | | | | |
| | | have been obilatored are definitely hydrothermal origin rather than the latter | | | | | | | | | | |
| | | created by detrital processes and later re-mobilization by metamorphism. | | | | | | | | | | |
| | | at 10.0 and a lt and laughing at 20° | C022004 | 11.00 | 12.00 | 2.00 | 0.270 | 0.2 | F.0 | 40 | 0 | 20 |
| | | at 10.0 ti uue it gry layering at 30 | 0022804 | 12.00 | 15.00 | 2.00 | 0.279 | 0.3 | 59 | 40 | 9 | 28 |
| | | at 12.1 3.0mm wide qt2/ca/sparse py/ veiniet at 50°, ca is on wairock edge only as | G022805 | 13.00 | 15.00 | 2.00 | 0.065 | 0.3 | 03 | 39 | 14 | 28 |
| | | the veinlet is essential qtz | G022806 | 15.00 | 17.00 | 2.00 | 0.035 | 0.4 | 79 | 166 | 16 | 25 |
| | | weak interstitial py throughout in this section | | | | | | | | | | |
| | | at 13.1 a 1.0cm wide dtz/ca/barren/vein at 90° is slightly med grn-ser altered. | | | | | | | | | | |
| | | at 14.05 bedding at 20° is cut by py/ca/fr at 0°, mcrofr present in matrix in this | | | | | | | | | | |
| | | section causing "bedding offset" or stepped bedding due to microfracturing | | | | | | | | | | |
| | | at 17.60 bedding at 35°, no microfr no offsets | G022807 | 17.00 | 19.00 | 2.00 | 0.050 | 0.4 | 73 | 28 | 6 | 29 |
| | | at 18.1 calcareous siltstone lamina shows loadcasts to down hole side. | | | | | | | | | - | |

Hole: SK-10-13 Page: 3 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|------|--|---------|-------|-------|--------|-------|-----|-----|-----|-----|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | Bedding top is towards down hole side of core. Bedding at 35°; py/cal veinlet // to | | | | | | | | | | |
| | | CA | | | | | | | | | | |
| | | 18.40 to 21.15, healed and unhealed microfracturing through out this section, | G022808 | 19.00 | 21.00 | 2.00 | 0.118 | 1.2 | 259 | 39 | 8 | 46 |
| | | causing more discontinous remobilization cal in the form of veinlets at 60 to 90° to | | | | | | | | | | |
| | | CA; py in matrix < 1.0% patchy py at 19.60 | | | | | | | | | | |
| | | at 20.33 a 1.0cm wide py/ca/vein at 40° | | | | | | | | | | |
| | | 21.20 to 24.90 microfracturing has caused > in overall py content and more | G022809 | 21.00 | 23.00 | 2.00 | 0.120 | 1.0 | 244 | 101 | 15 | 51 |
| | | offsetting of the ca/qtz/py veinlets, as well, > the K-spar alteration of the matrix. At | G022810 | STD 2 | STD 2 | STD 2 | NSS | NSS | NSS | NSS | NSS | NSS |
| | | 23.80 a 1.1cm wide qtz/ca/sparse py/ slightly grn-ser altered/vein at 50° has very | G022811 | 23.00 | 25.00 | 2.00 | 0.163 | 1.7 | 313 | 42 | 21 | 71 |
| | | sparse wire form Ag. | | | | | | | | | | |
| | | at 24.75 to 24.95 a 5.0cm wide band of contorted, discontinuous, wavy, | | | | | | | | | | |
| | | qtz/ca/veins-veinlets at 30° w/ slightly grn-ser alteration. Sparse interstitial py, | | | | | | | | | | |
| | | Kspar alteration of matrix is slight. | | | | | | | | | | |
| | | at 25.70 drk gry lamina apparent offset < 1.0cm on ave w/ microfr step-like offsets, | G022812 | 25.00 | 27.00 | 2.00 | 0.056 | 0.5 | 97 | 49 | 10 | 36 |
| | | lamina at 40° to CA. Core slight grnish-gry w/ > in Kspar | | | | | | | | | | |
| | | at 26.15 a 3.0cm wide braided band of qtz/ca/py at 60° to CA has bio alteration. | | | | | | | | | | |
| | | Matrix is med-It gry w/weak prevasive Kspar and fading to more calcitic It-gry | | | | | | | | | | |
| | | matrix. Bedding lamina at 70° | | | | | | | | | | |
| | | from 27.35 to 30.45 matrix fading to It-gry due to > in calcite. Anastomising | G022813 | 27.00 | 29.00 | 2.00 | 0.042 | 0.6 | 108 | 48 | 11 | 29 |
| | | microfracturing clearly visible as they are darker in colour, interstitial py sparse. | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | at 29.50 a 1.5 cm wide qtz/ca/vein at 35° w/minor py + very sparse silver colour | G022814 | 29.00 | 31.00 | 2.00 | 0.223 | 0.2 | 54 | 55 | 8 | 21 |
| | | mineral w/ black streak. The vein is cut and offset by a 1.5mm wide py/ca/qtz | | | | | | | | | | |
| | | veinlet at 85°. | | | | | | | | | | |
| | | at 30.15 an irregular oblong qtz/py sparse ca is barren w/ a slightly lt grn hue. Kspar | | | | | | | | | | |
| | | in core matrix slightly > | | | | | | | | | | |
| | | 30.25 cal/qtz irregular clast in matrix | | | | | | | | | | |
| | | 30.50 swirling and brk bedding indicative of slumping | | | | | | | | | | |
| | | 30.90 2.0cm+ wde, irregular ca/qtz/specks py/band at 15° has brk wallrock | | | | | | | | | | |
| | | fragments. | | | | | | | | | | |
| | | 31.70 wavy swirly bedding at 0° is cut by anastomising microfractures, soft | | | | | | | | | | |
| | | sediment slumping | | | | | | | | | | |
| | | 31.80 an ellipsoid shape cal/qtz clast well rounded, slight It grn ser alteration | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | 32.50 very faint outline of a 8cm wide clast | | | | | | | | | | |
| | | 33.30 Iamina bedding at 80°, sharp drk gry thin repetitious Iamina 2.0cm then 8cm | | | | | | | | | | |
| a. – | | then 2cm then changes bedding attitude to a wavy 30° < to CA. | | | | | | | | | c | |
| 31.7 | 39.4 | GrW-Arg-CgL, bedding is contorted not continuous, poorly sorted clast sizes | G022815 | 31.00 | 33.00 | 2.00 | 0.138 | 0.4 | 64 | 41 | 8 | 34 |

Hole: SK-10-13 Page: 4 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|------|---|---------|-------|-------|--------|-------|------|-----|-------------|-----|------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | some >8.0cm generally qtz/ca bearly noticeable. Up hole contact appears | G022816 | 33.00 | 35.00 | 2.00 | 0.054 | 0.9 | 150 | 36 | 11 | 52 |
| | | gradiational with the occasional clast and slumping features where as down hole | G022817 | 35.00 | 37.00 | 2.00 | 0.045 | 0.7 | 123 | 48 | 19 | 63 |
| | | contact is fuzzy with drk gry lamina showing wavy bedding or soft sed slumping, | G022818 | 37.00 | 39.00 | 2.00 | 0.041 | 1.0 | 106 | 312 | 85 | 48 |
| | | attitude very vague at 5° to CA. it appears the whole section is one slump block of | | | | | | | | | | |
| | | soft clastic sed. qtz/ca veins are ave 3 mm at 60-80° to CA. at 36.90 braided | | | | | | | | | | |
| | | irregular 3.0mm wide py/rare pyh/vein at 30° is cut by chl-ser healed | | | | | | | | | | |
| | | microfractures. | | | | | | | | | | |
| | | section has sparse interstitial py, slightly Kspar altered and pervasive, weak ser alt. | | | | | | | | | | |
| | | Matrix is It-med gry depending upon calcite content | | | | | | | | | | |
| 39.4 | 51.1 | GrW-Arg/Sst Unit with contorted lamina, slump features a drk coloured matrix | G022819 | 39.00 | 41.00 | 2.00 | 0.022 | 0.3 | 49 | 79 | 23 | 27 |
| | | yielding less calcite in matrix. At 41.1 vuggy open fractures, matrix very siliceous | G022820 | 41.00 | 43.00 | 2.00 | 0.037 | 1.2 | 78 | 840 | 189 | 24 |
| | | with minor calcite. At 41.5 drk gry lamina at 50° to CA. At 41.80 matrix lt gry | G022821 | 43.00 | 45.00 | 2.00 | 0.088 | 1.4 | 158 | 179 | 39 | 196 |
| | | siliceous shows anastomising, microfracturing clearly w/ ser-bio? fillings. | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | at 42.2 drk gry argilliceous ser-weak Kspar altered vfg matrix rare interstitial py, py | | | | | | | | | | |
| | | confined to veinlets, at 43.60 crude lamina at 15 to CA. At 44.05 a 1.0 cm wide | | | | | | | | | | |
| | | wavy, band of blebbly py at 25° to CA. | c022022 | 45.00 | 47.00 | 2.00 | 0.114 | 2.0 | 100 | 200 | 100 | 45 |
| | | 45.1-48.8 FAULI ZONE partially healed, at 45.10 a 1.0cm wide gouge filled fracture | G022822 | 45.00 | 47.00 | 2.00 | 0.114 | 3.0 | 188 | 390 1005 | 108 | 45 |
| | | at 65 is followed by a 2.0cm wide it gry compact healed chiser-ciay layer then | GU22823 | 47.00 | 49.00 | 2.00 | 1.160 | 18.0 | 213 | 1965 | 692 | 3240 |
| | | 10 nonved by compact qtz ciay interval, then sections of Grw, contorted maried, to | | | | | | | | | | |
| | | 48.80 where a calcule cement, rock gouged lined if ends the zone | | | | | | | | | | |
| | | Within the zone sections of $ t_{any} $ matrix is a mixture of calcite guartz w/very little | | | | | | | | | | |
| | | argillaceous content ny specks microfractures nartially healed and filled the zone | | | | | | | | | | |
| | | also has a 1.5 m section has an argillaceous matrix w/ brown biotite alteration + | | | | | | | | | | |
| | | moderate interstitial by The argillaceous section shows remnant flow hedding or | | | | | | | | | | |
| | | slumping features. At 48.82 immediately after the rock gouged filled fr is a 1.0cm | | | | | | | | | | |
| | | wide atz/vein at 35° is slightly vuggy, vugs show the outline of a former py and | G022824 | 49.00 | 51.00 | 2.00 | 0.059 | 1.3 | 91 | 211 | 68 | 93 |
| | | calcite, microfr proceeds up to the vein but do not cross but appear to be absorbed. | | | | | | | • - | | | |
| | | some of the microfrs within the vein show pin head nodes of sphalerite, dendritic | | | | | | | | | | |
| | | acanthite, Cpy. Small blebs of pyrite in bleached matrix show rimmings of chlorite. | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | at 48.90 1.0cm wide qtz/vein at 40° shows a ladder microfr criss crossing the vein | | | | | | | | | | |
| | | and fading out into the lt-gry matrix. The microfrs are filled with indeterminant | | | | | | | | | | |
| | | sulphides but acanthite is visible. Sulphides extend from the vein into the matrix | | | | | | | | | | |
| | | only a short distance. at 50.6 a 3.0mm wide (barren) ca/qtz vuggy veinlet cuts a | | | | | | | | | | |
| | | 3.0cm+wide x 13cm cluster of py | | | | | | | | | | |

Hole: SK-10-13 Page: 5 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|------|---|---------|-------|-------|--------|---------|------|-----|-----|-----|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| 51.1 | 63.6 | GrW-Sst/Arg med to drk gry feldspathic argillaceous GrW w/calcitic matrix shows | | | | | | | | | | |
| | | wavy slumping lamina. Lt-gry component in some zones are due to > calcite up hole | | | | | | | | | | |
| | | contact is at fault, down hole contact is gradiational with the lt-gry, mauve coloured | | | | | | | | | | |
| | | Sst Unit. | | | | | | | | | | |
| | | at 51.6 a 5.0mm sinuous, braided py/ca/qtz veinlet at 0° to CA extends to 52.4 and | G022825 | 51.00 | 53.00 | 2.00 | 0.134 | 1.8 | 181 | 68 | 31 | 109 |
| | | another at 53.0 to 53.7. at 53.4 wavy lamina bedding at 30° to CA | G022826 | 53.00 | 55.00 | 2.00 | 0.324 | 2.7 | 363 | 411 | 143 | 141 |
| | | The fault bleaching or mylonization effects the wall rock to 57.95 by showing | | | | | | | | | | |
| | | patches of qtz-sericitization of the original GrW. The alteration patches clearly show | | | | | | | | | | |
| | | the microfracturing of the rock whereas in the drk gry coloured, more argillaceous | | | | | | | | | | |
| | | component the microfractures tend to fade out or are "masked". some | | | | | | | | | | |
| | | microfracturing offsets bedding lamina in some sections and in others cuts across | | | | | | | | | | |
| | | without any offset. | | | | | | | | | | |
| | | 55.5-55.8 three qtz/barren/veins at ave 70° to CA | G022827 | 55.00 | 57.00 | 2.00 | 0.061 | 0.9 | 157 | 46 | 10 | 37 |
| | | at 55.92 a 3.0cm wide qtz/ca/vein w/ sparse py at 50° | | | | | | | | | | |
| | | at 56.15 to 56.35 a channel of irregular blebby py/ca | | | | | | | | | | |
| | | at 57.25 lamina bedding at 40° to CA, at 57.70 lamina bedding slump feature | G022828 | 57.00 | 59.00 | 2.00 | 0.106 | 1.8 | 256 | 55 | 15 | 40 |
| | | followed by a 4.0 x 8.0cm well rounded qtz-ca clast. Matrix is becoming more brittle | | | | | | | | | | |
| | | and feldspathic w/ less sericite alteration and calcite. Very sparse interstitial py in | | | | | | | | | | |
| | | matrix. | | | | | | | | | | |
| | | at 59.60 an irregular, braided py/ca/qtz/veinlet at 20°, appears to be a filled | G022829 | 59.00 | 61.00 | 2.00 | 0.099 | 1.7 | 223 | 157 | 56 | 71 |
| | | echelon gash in a veinlet, matrix becoming more feldspathic, less calcitic, slight > in | G022830 | BLANK | BLANK | BLANK | < 0.005 | <0.2 | <1 | 2 | <2 | 2 |
| | | ру | | | | | | | | | | |
| | | at 60.95 a 1.0cm wide qtz/spare py/ vein at 85° shows pressure injection feature. | G022831 | 61.00 | 63.00 | 2.00 | 0.032 | 0.8 | 128 | 67 | 11 | 31 |
| | | at 61.05 a 1.5cm braided py at 90° | | | | | | | | | | |
| | | at 61.70 a 1.5cm wide qtz/ca/vein at 30° bifurcates into 4 veinlets, barren | | | | | | | | | | |
| | | 61.85 a 1.5cm wide band of chl-grn ser w/ py at 60° to CA | | | | | | | | | | |
| 63.6 | 78.8 | Sst clastic, at 62.10 bedding lamina at 60° to CA. Matrix is now showing a frequency | | | | | | | | | | |
| | | or layering of argillaceous GrW with a Sst unit (Sst is It gry w/ coarse grains of | | | | | | | | | | |
| | | calcite and is often more calcitic than the GrW host.) | | | | | | | | | | |
| | | 62.30 a 1.0mm wide py/ca veinlet at 15° | | | | | | | | | | |
| | | 62.30 three 1.0mm wide ca/veinlets at 70° have caused an > in Kspar alteration in | | | | | | | | | | |
| | | the GrW matrix. | | | | | | | | | | |
| | | at 62.67 a long sinuous hairline py/veinlet // to CA | | | | | | | | | | |
| | | 63.60 GrW has obscure Sst layers and appears gradiation, the Sst unit contains | G022832 | 63.00 | 65.00 | 2.00 | 0.033 | 1.0 | 122 | 80 | 15 | 25 |
| | | calcareous clasts and it more calcareous overall than the surrounding GrW | | | | | | | | | | |
| | | formation. | | | | | | | | | | |
| | | 64.40 a 1.1cm wide qtz/ca/ vein at 40° is barren | | | | | | | | | | |

Hole: SK-10-13 Page: 6 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|------|--|---------|-------|-------|--------|-------|------|-----|------|------|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | 64.50 a ~1.0mm wide py/ca/qtz/veinlet at 10° | | | | | | | | | | |
| | | at 65.0 three // 2.0mm wide py veinlets at 10° are cut and offset by a 1.0mm wide | | | | | | | | | | |
| | | irregular ca/veinlet at 45°. Py veinlets show drag flows around the ca/veinlet | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | 66.0 crude bedding lamina at 60° | G022833 | 65.00 | 67.00 | 2.00 | 0.108 | 2.3 | 293 | 116 | 36 | 72 |
| | | 66.07 a 1.2cm wide blebby py band at 20° is offsetted by 1.0 cm by a fr at 45°. | | | | | | | | | | |
| | | 67.0 to 69.0 8 ca/veinlets barren at 60-80° to CA. Bedding at 60° very little | G022834 | 67.00 | 69.00 | 2.00 | 0.026 | 0.7 | 86 | 66 | 15 | 22 |
| | | interstitial py, slight >Kspar | | | | | | | | | | |
| | | at 70.6 matrix is less feldspathic and interstitial py | G022835 | 69.00 | 71.00 | 2.00 | 0.043 | 1.8 | 164 | 211 | 97 | 37 |
| | | at 71.45 bedding lamina at 65° | G022836 | 71.00 | 73.00 | 2.00 | 0.036 | 1.7 | 102 | 849 | 210 | 44 |
| | | at 71.85 a discontinous 1.1cm wide band at 60° of blebby py with | | | | | | | | | | |
| | | from 72.2 to 72.70 six ca/qtz veinlets at 65° w/ sparse py. At 72.75 a 3.0mm | | | | | | | | | | |
| | | braided ca/qtz/ veinlet at 65° has rare sph. | | | | | | | | | | |
| | | at 72.80 a 2.0 x 4.0cm oblong rounded argillite clast | | | | | | | | | | |
| | | at 73.2 core fabric and texture is becoming more calcitic and obscure. Vfg and | G022837 | 73.00 | 75.00 | 2.00 | 0.035 | 1.3 | 123 | 475 | 99 | 39 |
| | | sparse py, <kspar altered<="" td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></kspar> | | | | | | | | | | |
| | | at 74.50 an irregular 1.0cm wide ca/qtz/vein at 40° is barren | | | | | | | | | | |
| | | at 74.90 two 4.0mm wide py/ca/qtz/veinlets at 40° are offset 5.0mm by a fr at 50°. | | | | | | | | | | |
| | | Py appears to be replacing calcite. Matrix is shown less py, kspar and now has | | | | | | | | | | |
| | | patches of slight grn ser alteration. Microfr > | | | | | | | | | | |
| | | at 75.80 wavy lamina show soft sed slumping ending the Sst clastic unit | G022838 | 75.00 | 77.00 | 2.00 | 0.050 | 0.9 | 112 | 60 | 19 | 33 |
| | | 75.8-78.25 zone of progressive bleaching to lt-gry colour with increasing interstitial | G022839 | 77.00 | 78.00 | 1.00 | 0.110 | 2.8 | 180 | 854 | 264 | 91 |
| | | calcite | | | | | | | | | | |
| | | at 78.20 a 5.0mm wide qtz/ca/vein at 70° has grn-ser patches. At 78.70 a 6.0cm | G022840 | 78.00 | 79.00 | 1.00 | 0.226 | 4.7 | 370 | 5400 | 424 | 280 |
| | | wide qtz/ca/vein at 60° w/ sparse py and grn ser. Grn ser appears to be associated | | | | | | | | | | |
| | | with fracturing within the qtz vein and on the wall rock contact fr. | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | 78.25-79.1 Zone of Pervasive Grn Chl-Ser Alteration w/sph | | | | | | | | | | |
| | | very little interstitial calcite/ sparse int py. Bedding features very obscure. Ca | | | | | | | | | | |
| | | confined to veins/lets | | | | | | | | | | |
| | | at 78.80 a braided, wavy, 2.0cm wide band at 70° has qtz/ca sph, sph est 5% and | | | | | | | | | | |
| | | associated with calcite. | | | | | | | | | | |
| | | at 78.90 obscure bedding at 55°. | | | | | | | | | | |
| | | at 79.10 irregular, sph blebs w/ca/qtz/sparse gal at 60° | | | | | | | | | | |
| | | the sph blebs appears to be in a band with a wallrock wavy contact, very tight | | | | | | | | | | |
| | | crests. | | | | | | | | | | |
| 78.8 | 86.1 | GrW-Arg/Sst | | | | | | | | | | |
| | | 79.1-81.25 a zone of repetative grn ser alteration // to bedding at 60°. | G022841 | 79.00 | 80.00 | 1.00 | 0.108 | 17.7 | 177 | 9850 | 2030 | 232 |

Hole: SK-10-13 Page: 7 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|-----|---|---------|-------|-------|--------|-------|------|-----|-------|------|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | bedding planes are 1.0 to 1.5cm apart with argillaceous drk gry lamina in some | | | | | | | | | | |
| | | cases and It-med grn in others, it appears the grn Ser-Chl alteration has migrated | | | | | | | | | | |
| | | along some bedding planes, in some areas, the matrix has patchy areas of grn Ser- | | | | | | | | | | |
| | | chl alteration. separating the layers is siliceous siltstone bedding at about 1.0 to 1.5 | | | | | | | | | | |
| | | cm thick | | | | | | | | | | |
| | | at 79.20 a sinuous, discontinuous 3.0mm wide qtz/ca/ sph blebs/veinlet at 40°. | | | | | | | | | | |
| | | At 80.4 a 1.0cm wide braided, wavy, ca/qtz/bleb sph/vein at 55°. At 80.6 obscure | G022842 | 80.00 | 81.00 | 1.00 | 0.167 | 11.6 | 399 | 7320 | 2150 | 109 |
| | | bedding planes show soft sed slump, calcite very sparse in matrix. At 80.7 a 1.2cm | | | | | | | | | | |
| | | wide braided channel of ca/qtz/sparse pyh and sph/ at 60°. | | | | | | | | | | |
| | | at 80.9 a 5.0cm wide band of blebby py/ca/qtz/ sph/ with chlorite alteration at 60° | | | | | | | | | | |
| | | at 81.10 a 6.0cm wide band of ca/qtz/ wallrock frags/ sph bleb at 60° | G022843 | 81.00 | 82.00 | 1.00 | 0.182 | 11.4 | 567 | 12050 | 1290 | 107 |
| | | 81.20 a 3.0cm wide band of sph/py/cal/ qtz at 55° | | | | | | | | | | |
| | | sph occurs in the calcite-siltstone layers rather than the darker grn ser lamina, these | | | | | | | | | | |
| | | are perhaps the remnant argillaceous lamina and the calcareous siltstone yields a | | | | | | | | | | |
| | | lighter grn sericite, sph is last in the mineralizing system as wrappings around py are | | | | | | | | | | |
| | | common, calcite is always present with sph but qtz is always minor to calcite | | | | | | | | | | |
| | | at 81.25 to 83.70 matrix is becoming < grn ser-chl altered and now has the | | | | | | | | | | |
| | | appearance of It-med gry layering at 65° up hole is gradiational whereas down hole | | | | | | | | | | |
| | | is sharp at 50° where a 1.3cm wide ca/qtz/sparse py/vein at 70° starts the grn ser- | | | | | | | | | | |
| | | 81.80 a 1.0mm wide sph fr at 50° cuts across remnant | | | | | | | | | | |
| | | bedding planes and slightly offsets them by 5.0mm | | | | | | | | | | |
| | | at 82.9 remnant clasts outline? | G022844 | 82.00 | 83.00 | 1.00 | 0.897 | 4.6 | 223 | 5090 | 427 | 6 |
| | | at 83.35 a 1.3cm wide band of blebby py/rare Cpy at 40° a calcite veinlet // the | G022845 | 83.00 | 84.00 | 1.00 | 0.062 | 3.5 | 180 | 4560 | 342 | 78 |
| | | band. At 83.50 1.0 x 1.5cm brown coloured clasts shows up the microfracturing but | | | | | | | | | - | _ |
| | | hidden within the host rock. | | | | | | | | | | |
| | | at 83.65 a 2.0cm wide ca/otz/rare py specks/yein at 45° has on up hole side gry | | | | | | | | | | |
| | | argillite w/ sparse interstitial py with patches of It-grn ser alteration, matrix is | | | | | | | | | | |
| | | generally slight pinkish hue, the down hole side is pervasively and moderately grn | | | | | | | | | | |
| | | ser-chl altered. Matrix is a mixture of kspar and grn ser alteration $w/ >$ in interstitial | | | | | | | | | | |
| | | ру. | | | | | | | | | | |
| | | at 83.70 a1.0mm sph/ca/veinlet at 60°, microfr evident by seeing offsets of | | | | | | | | | | |
| | | veinlets, sph wisps are microfractures filled with sph which in turn causes blebbing | | | | | | | | | | |
| | | or "knots" or a "mesh" of sph in the matrix, grn ser altered matrix | | | | | | | | | | |
| | | is calcite poor and appears schistositic. | | | | | | | | | | |

Hole: SK-10-13 Page: 8 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|------|--|---------|--------|--------|--------|-------|------|------|-------|------|------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | at 84.70 a 2.0cm band of ca/py/sph at 70° to CA, order of veinlets ca-sph py+prh | G022846 | 84.00 | 85.00 | 1.00 | 0.093 | 5.6 | 233 | 7580 | 795 | 496 |
| | | w/sparse ca and sph ca-sph. The pyh surrounds the py | | | | | | | | | | |
| | | 84.80 a 1.5 cm wide braided band ca/sph at 50° to CA | | | | | | | | | | |
| | | at 84.90 a blebby py/ca band at 70° | | | | | | | | | | |
| | | 85.30 a 2.0mm wide ca/qtz/ sparse sph +py/veinlet at 70° offsets a 1.0mm wide by | G022847 | 85.00 | 86.00 | 1.00 | 0.233 | 6.4 | 128 | 3910 | 1165 | 5190 |
| | | 20cm long sinuous ca/qtz/sparse sph/veinlet at 0° is cut on the down hole side by a | | | | | | | | | | |
| | | microfr at 70° followed by a 1.0cm pyh band at 70° | | | | | | | | | | |
| 86.1 | 96.9 | GrW-Arg-CgL | | | | | | | | | | |
| | | a progressive alteration change to GrW with calcitic siltstone clasts, rounded and | | | | | | | | | | |
| | | poorly sorted . at 86.0 lt-med grn ser-chl alteration of matrix has more kspar | | | | | | | | | | |
| | | alteration and then at 86.1 a lt-gry matrix of kspar alteration remains within the | | | | | | | | | | |
| | | GrW. down hole contact is with a hairline veinlet of ca/sph/rare cpy-py at 20° to CA | | | | | | | | | | |
| | | | | | 07.00 | 1.00 | 0.050 | | | 500 | | |
| | | at 86.64 a 4.0cm wide qtz/ca/rare py/vein at 45° nas a few patches of it-grn er-chi | G022848 | 86.00 | 87.00 | 1.00 | 0.053 | 3.1 | 111 | 520 | 279 | 41 |
| | | alteration. Abutting to the vein is a 40cm long sinuous 1.5cm wide qtz/ca/rare gal- | G022849 | 86.00 | 87.00 | | 0.053 | 3.3 | 91 | 239 | 276 | 26 |
| | | cpy/vein at 10 to CA. At 88.0 cluster of blebby py 2.0 x 4.0cm. At 87.70 blebs and | GUZ2850 | SID 15 | SID 15 | 1 00 | 0.058 | 2.7 | 4480 | 108 | 29 | /1 |
| | | weinet of py. matrix of it-med gry with > interstitial py common, at 89.0 a 7.0cm | GU22851 | 87.00 | 89.00 | 1.00 | 0.271 | 0.3 | 407 | 808 | 257 | 48 |
| | | SOW matrix back kepar alteration | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | 89.50 a py/ca/yeinlet at 70°, at 92.90 crude but distinct bedding layers 2.0cm wide | G022852 | 89.00 | 91.00 | 2.00 | 0.714 | 4.5 | 252 | 1045 | 331 | 86 |
| | | at 50° to CA. At 93.1 two // echelon 1.0mm wide ca/veinlets at 15° with tapered | G022853 | 91.00 | 93.00 | 2.00 | 0.021 | 0.4 | 34 | 79 | 14 | 12 |
| | | end points. At 93.76 a 1.2cm wide ca/py/gtz/band at 85° to CA. At 93.85 a 3.5cm | G022854 | 93.00 | 95.00 | 2.00 | 0.065 | 3.1 | 214 | 85 | 32 | 53 |
| | | gtz/barren/ vein at 70° is almost chalcedony. | | | | | | | | | | |
| | | at 94.10 a 2.0cm x 5.0cm oblong qtz clast, orientation is at 80° to long axis to CA. | | | | | | | | | | |
| | | Matrix is drk gry w/ pink feldspathic hue w/ py specks. At 94.35 a py/ca channel at | | | | | | | | | | |
| | | 20° is 1.2cm + wide irregular.at 94.35 a long 3.0mm + qtz/ca veinlet cuts across all | | | | | | | | | | |
| | | py banding a blebs from 94.35 to 94.95 barren. | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | at 95.10 a 2.0mm gouge filled fr at 60° shows a 4.0cm wide bleach selvage in wall | | | | | | | | | | |
| | | rock down hole side, a shear. Matrix is kspar altered, vfg with very sparse interstitial | | | | | | | | | | |
| | | ру. | | | | | | | | | | |
| | | at 95.5 to 96.9 It-grn Ser-Chl alteration unit. Pervasive grn ser-chl alteration of | G022855 | 95.00 | 96.00 | 1.00 | 0.055 | 7.6 | 384 | 5930 | 674 | 124 |
| | | matrix has destroyed all sedimentary features with leaving only vague outlines | G022856 | 96.00 | 97.00 | 1.00 | 0.623 | 13.9 | 554 | 12450 | 1455 | 4780 |
| | | uphole contact is by a sph/py/ca filled microfracture at 10° to CA. At 96.70 a long | | | | | | | | | | |
| | | sinuous ca/qtz/sph/py+sparse pyh/ veinlet at 0° is 25cm long | | | | | | | | | | |
| | | at 96.0 irregular blebby sph and at 96.30. at 96.45 a 1.0cm wide ca/qtz/ | | | | | | | | | | |
| | | sph/py+pyh/vein at 70°. sph is after py as it forms around py. At 96.70 a | | | | | | | | | | |

Hole: SK-10-13 Page: 9 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|-------|-------|---|---------|--------|--------|--------|-------|------|-----|-------|------|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | 5.0mm wide ca/qtz/sparse sph+Cpy/ is offset by 1.0cm by a 5.0mm wide massive | | | | | | | | | | |
| | | sph/vein at 60° which has dragged some qtz/ca into the vein from the other at the | | | | | | | | | | |
| | | offset point. at 96.9 an irregular, gtz/ca/ sph/ wisps and veinlets in a 1.0cm band | | | | | | | | | | |
| | | and numerous ca/filled microfractures ends the Ser-Chl alteration unit. | | | | | | | | | | |
| | | | | | | | | | | | | |
| 96.9 | 106.7 | GrW-Sst-CgL | | | | | | | | | | |
| | | GrW unit Sst clastic Unit shades of It-med gry feldspathic. At 96.25 a 10cm wide | | | | | | | | | | |
| | | micro fracture banding with cal/qtz/py-pyh blebs and specks | | | | | | | | | | |
| | | matrix is slight pink hue w/ interstitial py ~2.0% with little calcite to 99.50 where | | | | | | | | | | |
| | | matrix is It-med grey. Textures are obscure but It gry patches appear to be ca clasts, | | | | | | | | | | |
| | | at 98.90 obscure bedding w/ a coarser grained lighter matrix is at 60° | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | at 97.70 1.0cm wide bands of blebby py at 40° to CA irregular, discontinous due to | G022857 | 97.00 | 98.00 | 1.00 | 0.086 | 8.2 | 356 | 2790 | 881 | 68 |
| | | microfracturing. Also angular siltstone clast breccia outlines in matrix. | G022858 | 98.00 | 100.00 | 2.00 | 0.045 | 4.5 | 140 | 1840 | 351 | 34 |
| | | | | | | | | | | | | |
| | | at 99.6 matrix is showing outlines of sub-rounded to sub-angular Sst ca clasts, | G022859 | 100.00 | 102.00 | 2.00 | 0.044 | 1.8 | 134 | 97 | 25 | 27 |
| | | matrix is more calcitic and lighter gry. Interstitial py is very sparse but occurs in the | G022860 | 102.00 | 104.00 | 2.00 | 0.073 | 1.7 | 155 | 112 | 22 | 36 |
| | | matrix of the calcitic clastics together with angular qtz | | | | | | | | | | |
| | | at 103.70 slump features, marled clasts swirly, with blebby py clustering, matrix is | | | | | | | | | | |
| | | becoming more grainy and lighter colour,minor calcitic Sst bedding at 70°. rare | | | | | | | | | | |
| | | interstitial py. At 105.0 matrix is > grn hue of ser-chl patchy alteration, py >. At | G022861 | 104.00 | 106.00 | 2.00 | 0.097 | 0.8 | 67 | 161 | 23 | 25 |
| | | 106.40 a py/veinlet at 25° | | | | | | | | | | |
| 106.7 | 111.6 | GrW-Sst/Arg at 106.7 matrix is becoming more Ser-chl altered w/ \Kspar, rare | G022862 | 106.00 | 108.00 | 2.00 | 0.147 | 1.6 | 125 | 193 | 55 | 27 |
| | | interstitial py. at 107.60 quartzite flooded 25cm wide at 50° has wall rock brx | G022863 | 108.00 | 109.00 | 1.00 | 0.066 | 2.8 | 243 | 347 | 106 | 62 |
| | | incorporated. is barren but microfr contain brown biotite. matrix is > in grn ser-chl | G022864 | 109.00 | 110.00 | 1.00 | 0.240 | 1.4 | 176 | 162 | 30 | 52 |
| | | content. interstitial py is rare but py appears in clusters. at 108.44 kspar is now | G022865 | 110.00 | 111.00 | 1.00 | 0.043 | 1.8 | 184 | 140 | 11 | 9 |
| | | appearing as patches in It grn ser-chl matrix. interstitial py rare, py occurring in | G022866 | 111.00 | 112.00 | 1.00 | 0.161 | 1.6 | 230 | 96 | 11 | 12 |
| | | veins and veinlets, clusters. at 108.65 sph occurs in matrix at microfracture node | | | | | | | | | | |
| | | points. at 108.9 a py/fr at 45°. at 109.0 a 2.0cm wide qtz/ca/at 40° w/ rare Cpy | | | | | | | | | | |
| | | specks. from 109.05 to 109.30 qtz flooded band with pervasive grn ser-chl | | | | | | | | | | |
| | | alteration, massive cluster of pyh. The grn ser-chl zone has outlines of angular | | | | | | | | | | |
| | | calcitic clasts-breccia. Matrix to down hole side of contact has < grn Ser-chl | | | | | | | | | | |
| | | alteration with >Kspar and interstitial py the down hole contact is arbitrary set at | | | | | | | | | | |
| | | the first sign of kspar alteration patches. | | | | | | | | | | |
| | | | | | | | | | | | | |
| 111.6 | 121.0 | GrW-Arg-Cgi clastic unit with > calcite content, silt size clasts, subrounded | G022867 | 112.00 | 114.00 | 2.00 | 0.410 | 3.8 | 369 | 133 | 24 | 40 |
| | | barely noticeable, poorly sorted, mottled lt-med-drk gry | G022868 | 114.00 | 115.00 | 1.00 | 1.275 | 9.5 | 694 | 2000 | 381 | 173 |
| | | depending upon amount of calcite verses argillaceous content. Interstitial | G022869 | 115.00 | 116.00 | 1.00 | 0.215 | 28.6 | 882 | 16500 | 5500 | 84 |

Hole: SK-10-13 Page: 10 of 11 pages



| | | | r | | | | | | | | | |
|-------|-------|---|---------|--------|--------|--------|--------|------|------|-------|-------|--------|
| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
| (m) | (m) | Description | NO. | (m) | (m) | (m) | ррр | ppm | ppm | ppm | ppm | ppm |
| | | py. At 114.20 a 2.0cm wide blebbly py/ca/vein scimming the outside of core to | G022870 | SID 2 | STD 2 | STD 2 | 2.190 | 14.9 | 4980 | NSS | 241 | 28 |
| | | 114.50. at 114.90 matrix is < calcite to almost 0 at this point core has slight It grn | G022871 | 116.00 | 117.00 | 1.00 | 0.277 | 20.9 | 659 | 9740 | 3510 | 3550 |
| | | hue, at 115.10 a 1.0cm wide band of qtz/py-minor pyh/ and very sparse sph is // to | G022872 | 117.00 | 118.00 | 1.00 | 0.590 | 22.2 | 494 | 15750 | 4250 | >10000 |
| | | CA | G022873 | 118.00 | 119.00 | 1.00 | 0.082 | 8.3 | 312 | 3780 | 1550 | 1630 |
| | | Unit GrW-Arg/Sst from 114.8 to 117.10 zone appears to be a slump feature < calcite | G022874 | 119.00 | 120.00 | 1.00 | 0.191 | 7.9 | 240 | 4020 | 1440 | 1695 |
| | | in matrix, kspar alteration is < with Ser-Chl alteration increasing. Overall py content | G022875 | 120.00 | 121.00 | 1.00 | 0.136 | 3.3 | 128 | 1195 | 454 | 1075 |
| | | is > overall, becoming more pyritic in knots, clusters and blebs. More py w/pyh | | | | | | | | | | |
| | | veining. At 115.4 , 20cm of py swirl clusters w/pyh and weak sph. same from 116.1 | | | | | | | | | | |
| | | to 116.4, overall py est ~5% at 116.40 to 117.1 same as before but with sparse Cpy | | | | | | | | | | |
| | | and sph > rough attitude is at 50° to CA order of mineralization: | | | | | | | | | | |
| | | ca/qtz sph py+weak pyh sph qtz/ca/lt grn ser-chl from 117.1 to 117.60 a 3.0cm | | | | | | | | | | |
| | | wide band of ooze of braided veinlets of qtz w/chl-ser alteration/qtz/ca+ sph wisps | | | | | | | | | | |
| | | and blebs/ py+pyh sparse cpy at 15° to CA. at 117.7 a 1.0cm wide qtz-ser-chl/py- | | | | | | | | | | |
| | | pyh/sparse sph at 25° to CA | | | | | | | | | | |
| | | 117.6-120.3 It grn Ser-Chl Unit, rock textures obscure with vague clasts outlines. | | | | | | | | | | |
| | | pervasive and moderately to intense alteration. From 118.1 to 118.7 pyh is > than | | | | | | | | | | |
| | | py in overall content. Occurs as clusters blebs and a 3.0mm wide pyh cluster | | | | | | | | | | |
| | | linement at 25° to CA down hole contact is intermitten and slowly fades to | | | | | | | | | | |
| | | natches of kenar then to kenar GrW clastic unit at 120.6 matrix is felds nathic $w/$ | | | | | | | | | | |
| | | odd natch of It-med grn Ser-Chl interstitial ny and calcite increasing at 120.5 a | | | | | | | | | | |
| | | 2.0 cm $dt/ca/vein at 30^{\circ} w/verv rare sulphides same at 120.7 at 121.0 Contact w/$ | | | | | | | | | | |
| | | Lt mod rn sor shi unit at 15° contact is a nu nuh partially filled microfr | | | | | | | | | | |
| | | it-med m ser-chi dhit at 15. contact is a py-pyn partiany mied micron. | | | | | | | | | | |
| 121.0 | 127.0 | GrW-Arg/Sst | | | | | | | | | | |
| | | at 121.3 irregular blebs and wisps of sph. At 121.9 a braided 22.0cm wide channel | G022876 | 121.00 | 122.00 | 1.00 | 0.371 | 8.5 | 366 | 8360 | 1190 | 4070 |
| | | of py clusters and blebs w/ 2.0mm // veinlets of ca/sph at 30° to CA. Channel is at | G022877 | 122.00 | 123.00 | 1.00 | 13.350 | 16.7 | 354 | 15250 | 1760 | 4070 |
| | | 30° to CA and ends at 122.40, Py content > 70%. Ser-Chl alteration extreme | | | | | | | | | | |
| | | w/spotty argillic clay alteration. slightly calcitic. the down hole contact is a fading | | | | | | | | | | |
| | | out of grn-ser-chl alteration and kspar increases >. A fracture at 126.85 contains It | | | | | | | | | | |
| | | grn ser-chl alteration, bottom contact appears to be a drk gry wavy, irregular | | | | | | | | | | |
| | | (hornsfelsic) laver with the lt-mottled -gry GrW Sst Unit at 126.95 at 55° to CA. | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | at 123.1 to 123.40 a cluster of blebby py+pyh with patchy intense lt grn-ser-chl. | G022878 | 123.00 | 124.00 | 1.00 | 1.670 | 8.8 | 622 | 3520 | 984 | 520 |
| | | at 124.60 patches of intense It-grn ser-chl alteration with nyh-ny blebs in matrix | G022879 | 124 00 | 125.00 | 1.00 | 2,150 | 23 3 | 695 | 16350 | 4100 | 4530 |
| | | and in veins at 25° to CA from 124.45 to 124.75. At 125.2 nvh nv | 2022073 | | | 2.00 | | _0.0 | | 20000 | . 200 | |
| | | irregular blebs. At 125.70 irregular veins and blebs of pv/pvh | G022880 | 125.00 | 126.00 | 1.00 | 0.265 | 13.7 | 784 | 3930 | 1470 | 3310 |

Hole: SK-10-13 Page: 11 of 11 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|-------|-------|---|---------|--------|--------|--------|-------|------|-----|------|------|--------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | at 126.40 a 3.0mm wide qtz/ca/py-pyh/ sparse sph/ veinlet at 10° to CA. At 126.50 | G022881 | 126.00 | 127.00 | 1.00 | 0.393 | 6.6 | 359 | 4400 | 654 | >10000 |
| | | a swirl of irregular veins at rough orientation at 40° to CA w/ ca/pyh/py/ sparse sph | | | | | | | | | | |
| | | to 126.70. | | | | | | | | | | |
| 127.0 | 132.0 | GrW-Sst/Arg kspar altered Unit with calcitic siltstone layers barely | G022882 | 127.00 | 128.00 | 1.00 | 0.042 | 2.2 | 109 | 536 | 239 | 210 |
| | | distinguishable. At 129.2 a 5.0mm-1.1cm wide ca/qtz/py/veinlet at 15° to 129.30 | G022883 | 128.00 | 129.00 | 1.00 | 0.037 | 1.3 | 100 | 93 | 52 | 23 |
| | | followed by a second one 5.0cm apart but with qta/ca/ py/sph. And a third one at | G022884 | 129.00 | 130.00 | 1.00 | 2.310 | 21.8 | 398 | 7460 | 2480 | 5730 |
| | | 129.9 containing rare sph. Matrix is slightly grn ser-chl altered. at 129.70 to 130.0 a | G022885 | 130.00 | 131.00 | 1.00 | 0.814 | 6.4 | 99 | 2800 | 860 | 1720 |
| | | 2.0cm wide sparse qtz/ca/ channel of blebs of py at 20° to CA. | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | at 131.75 a 1.5cm wide channel of blebby py/ca/qtz w/a wispy hairline veinlets at | G022886 | 131.00 | 132.00 | 1.00 | 2.370 | 11.9 | 349 | 2620 | 1130 | 2280 |
| | | 10° to CA to 132.0 | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | EOH 132.0 | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 1 Finalized Date: 13- NOV- 2010 This copy reported on 15- NOV- 2010 Account: BQL

CERTIFICATE TR10155729

Project: Bronson

P.O. No.: Blue Security Tag Batch This report is for 94 Drill Core samples submitted to our lab in Terrace, BC, Canada

on 2- NOV- 2010.

The following have access to data associated with this certificate:

DAVID JENSEN

| | SAMPLE PREPARATION | |
|----------|------------------------------------|--|
| ALS CODE | DESCRIPTION | |
| WEI- 21 | Received Sample Weight | |
| SPL- 34 | Pulp Splitting Charge | |
| LOG- 22 | Sample login - Rcd w/o BarCode | |
| BAG- 01 | Bulk Master for Storage | |
| CRU- 31 | Fine crushing - 70% < 2mm | |
| CRU- QC | Crushing QC Test | |
| PUL- QC | Pulverizing QC Test | |
| SPL-21 | Split sample - riffle splitter | |
| PUL- 32m | Pulverize 500g - 85%<75um | |
| LOG- 24 | Pulp Login - Rcd w/o Barcode | |
| LOG- 22d | Sample login - Rcd w/o BarCode dup | |
| SPL- 21d | Split sample - duplicate | |
| PUL- 32d | Pulverize Split - Dup 85% < 75um | |
| | | |

| | ANALYTICAL PROCEDUR | ES |
|-----------|--------------------------------|------------|
| ALS CODE | DESCRIPTION | INSTRUMENT |
| Au- AA24 | Au 50g FA AA finish | AAS |
| Au- GRA22 | Au 50 g FA- GRAV finish | WST- SIM |
| ME- MS61 | 48 element four acid ICP- MS | |
| ME- OG62 | Ore Grade Elements - Four Acid | ICP- AES |
| Zn- OG62 | Ore Grade Zn - Four Acid | VARIABLE |

To: SKYLINE GOLD CORPORATION ATTN: DAVID JENSEN SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

- english Signature:

Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - A Total # Pages: 4 (A - D) Plus Appendix Pages Finalized Date: 13- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME- MS61 As ppm 0.2 | ME- MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME- MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME- MS61 Cr ppm 1 | ME- MS61 Cs ppm 0.05 |
|---|-----------------------------------|--|--|--------------------------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|---|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|
| G022801 G022802 G022803 G022804 G022805 | | 4.35 4.57 4.59 4.61 4.66 | 0.034 0.197 0.432 0.279 0.065 | | | | | | | | | | nu | ¢ | | |
| G022806 G022807 G022808 G022809 G022810 | | 4.17 4.52 4.85 4.74 0.13 | 0.035 0.050 0.118 0.120 NSS | | | | | | | | | | | | | |
| G022811 G022812 G022813 G022814 G022815 | | 4.61 4.11 5.51 4.68 4.70 | 0.163 0.056 0.042 0.223 0.138 | | | | | | | | | | | | | |
| G022816 G022817 G022818 G022819 G022820 | | 4.90 4.60 4.08 4.64 4.96 | 0.054 0.045 0.041 0.022 0.037 | | | | | | <u>, , , , , , , , , , , , , , , , , , , </u> | | | | | | | |
| G022820- CRD G022821 G022821A G022822 G022823 | | <0.02 4.89 <0.02 4.97 4.72 | 0.037 0.088 0.071 0.114 1.160 | | 1.20 | 8.16 | 168.0 | 710 | 1.04 | 1.24 | 2.84 | 0.27 | 16.10 | 33.8 | 144 | 3.52 |
| G022824 G022825 G022826 G022827 G022828 | | 4.72 4.88 4.56 5.12 4.28 | 0.059 0.134 0.324 0.061 0.106 | | | | | | | | | | | | | |
| G022829 G022830 G022831 G022832 G022833 | | 4.99 1.02 4.89 5.00 5.16 | 0.099 <0.005 0.032 0.033 0.108 | | | | | | | | | | | | | |
| G022834 G022835 G022836 G022837 G022838 | | 4.72 4.27 4.96 4.90 3.83 | 0.026 0.043 0.036 0.035 0.050 | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

CERTIFICATE OF ANALYSIS

Page: 2 - B Total # Pages: 4 (A - D) Plus Appendix Pages Finalized Date: 13- NOV- 2010 Account: BQL

TR10155729

Project: Bronson

ME- MS61 ME- MS61 ME- MS61 Method ME- MS61 ME-MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 Cu Fe Ga Analyte Ge Hf In к Li La Mg Mn Мо Na Nb Ni % Units ppm ppm ppm ppm ppm % ppm % Sample Description ppm ppm % ppm ppm ppm LOR 0.2 0.01 0.05 0.05 0.1 0.005 0.01 0.5 0.2 0.01 5 0.05 0.01 0.1 0.2 G022801 G022802 G022803 G022804 G022805 G022806 G022807 G022808 G022809 G022810 G022811 G022812 G022813 G022814 G022815 G022816 G022817 G022818 G022819 G022820 G022820- CRD G022821 G022821A 138.0 7.08 14.05 0.19 0.6 0.310 5.21 31.1 7.7 3.74 1380 0.58 0.09 2.7 45.1 G022822 G022823 G022824 G022825 G022826 G022827 G022828 G022829 G022830 G022831 G022832 G022833 G022834 G022835 G022836 G022837 G022838



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - C Total # Pages: 4 (A - D) Plus Appendix Pages Finalized Date: 13- NOV- 2010 Account: BQL

Project: Bronson

| | | | | | · · · · · · · · · · · · · · · · · · · | | | | C | ERTIFIC | CATE O | F ANA | LYSIS | TR101 | 55729 | |
|--|-----------------------------------|---------------------------|------------------------------|------------------------------|---------------------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-------------------------------|-------------------------------|------------------------------|------------------------------|-------------------------------|
| Sample Description | Method Analyte Units LOR | ME-MS61 P ppm 10 | ME- MS61 Pb ppm 0.5 | ME- MS61 Rb ppm 0.1 | ME- MS61 Re ppm 0.002 | ME- MS61 S % 0.01 | ME-MS61 Sb ppm 0.05 | ME- MS61 Sc ppm 0.1 | ME- MS61 Se ppm 1 | ME- MS61 Sn ppm 0.2 | ME- MS61 Sr ppm 0.2 | ME- MS61 Ta ppm 0.05 | ME- MS61 Te ppm 0.05 | ME- MS61 Th ppm 0.2 | ME- MS61 Ti % 0.005 | ME- MS61 TI ppm 0.02 |
| G022801 G022802 G022803 G022804 G022805 | | | | | | | | | | | | | | <u> </u> | | |
| G022806 G022807 G022808 G022809 G022810 | | | | | | | | | | | | <u></u> | | · | | |
| G022811 G022812 G022813 G022814 G022815 | | | | | | <u> </u> | | | | | | | | | | |
| G022816 G022817 G022818 G022819 G022820 | | | | | | | | | | | | | | | | |
| G022820- CRD G022821 G022821A G022822 G022822 G022823 | | 1260 | 38.3 | 147.0 | <0.002 | 1.97 | 2.79 | 25.6 | 2 | 1.0 | 278 | 0.14 | 0.49 | 0.9 | 0.385 | 2.45 |
| G022824 G022825 G022826 G022827 G022828 | | | | | | | | | | | | | | | | |
| G022829 G022830 G022831 G022832 G022833 | | | | | | | | | | | | | | | | |
| G022834 G022835 G022836 G022837 G022838 | | | | | | | | | | | <u></u> | | <u></u> | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - D Total # Pages: 4 (A - D) Plus Appendix Pages Finalized Date: 13- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | Zn- OG62 Zn % 0.001 | | | | | |
|---|-----------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|----------|---------|----------|------|--|
| G022801 G022802 G022803 G022804 G022805 | | | | | | | | | <u> </u> | | | | |
| G022806 G022807 G022808 G022809 G022810 | | | | | | | | | | | <u> </u> | | |
| G022811 G022812 G022813 G022814 G022815 | | | | | | | | | | <u></u> | | | |
| G022816 G022817 G022818 G022819 G022820 | | | | | | | | | | | | | |
| G022820- CRD G022821 G022821A G022822 G022823 | | 0.4 | 227 | 3.6 | 6.3 | 189 | 24.9 | | | | | | |
| G022824 G022825 G022826 G022827 G022828 | | | | | | | | | | | | | |
| G022829 G022830 G022831 G022832 G022833 | | | | | | | | | | | | | |
| C022834 C022835 C022836 C022837 G022838 | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - A Total # Pages: 4 (A - D) Plus Appendix Pages Finalized Date: 13- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME- M561 As ppm 0.2 | ME-MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME- MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME- MS61 Cr ppm 1 | ME- MS61 Cs ppm 0.05 |
|---|-----------------------------------|--|---|--------------------------------|-------------------------------|-----------------------------|------------------------------|----------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|
| G022839 G022840 G022840- CRD G022841 G022841A | | 2.56 3.15 <0.02 2.55 <0.02 | 0.110 0.226 0.178 0.108 0.146 | | 8.16 | 7.59 | 199.0 | 710 | 0.72 | 1.12 | 1.19 | 56.3 | 29.6 | 6.3 | 65 | 146 |
| G022842 G022843 G022844 G022845 G022846 | | 3.05 2.79 2.69 2.68 2.74 | 0.167 0.182 0.897 0.062 0.093 | | | | | | | | | | | | | |
| G022847 G022848 G022849 G022850 G022851 | | 2.55 2.22 2.11 0.09 4.47 | 0.233 0.053 0.053 0.658 0.271 | | | | | | | | | | <u> </u> | | | |
| G022852 G022853 G022854 G022855 G022856 | | 5.55 4.40 4.78 2.64 2.41 | 0.714 0.021 0.065 0.055 0.623 | | | | | | | | | | | | | |
| G022857 G022858 G022859 G022860 G022860- CRD | | 2.14 4.95 4.50 5.06 <0.02 | 0.086 0.045 0.044 0.073 0.069 | | | | | | | | | | | | | |
| G022861 G022861A G022862 G022863 G022864 | | 5.22 <0.02 4.68 2.50 2.39 | 0.097 0.131 0.147 0.066 0.240 | | 0.76 | 8.30 | 18.5 | 900 | 1.04 | 0.32 | 4.72 | 0.84 | 32.7 | 5.1 | 63 | 1.79 |
| G022865 G022866 G022867 G022868 G022869 | | 5.42 2.47 2.34 2.67 2.48 | 0.043 0.161 0.410 1.275 0.215 | - 10 | | | | | | | | | | | | |
| G022870 G022871 G022872 G022873 G022874 | | 0.14 2.80 2.58 2.60 2.25 | 2.13 0.277 0.590 0.082 0.191 | 2.19 | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - B Total # Pages: 4 (A - D) Plus Appendix Pages Finalized Date: 13- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 Cu ppm 0.2 | ME- MS61 Fe % 0.01 | ME- MS61 Ga ppm 0.05 | ME- MS61 Ge ppm 0.05 | ME- MS61 Hf ppm 0.1 | ME- MS61 In ppm 0.005 | ME- MS61 K % 0.01 | ME- MS61 La ppm 0.5 | ME- MS61 Li ppm 0.2 | ME- MS61 Mg % 0.01 | ME-MS61 Mn ppm 5 | ME- MS61 Мо ррт 0.05 | ME- MS61 Na % 0.01 | ME- MS61 Nb ppm 0.1 | ME- MS61 Ni ppm 0.2 |
|---|-----------------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|--------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|-------------------------------|-----------------------------|------------------------------|------------------------------|
| G022839 G022840 G022840- CRD G022841 G022841A | | 169.0 | 9.05 | 16.45 | 0.24 | 1.1 | 2.15 | 2.70 | 14.9 | 30.4 | 3.35 | 3390 | 0.66 | 0.06 | 6.5 | 37.5 |
| G022842 G022843 G022844 G022845 G022846 | | | | | | | | | | | | | | | | 01.0 |
| G022847 G022848 G022849 G022850 G022851 | | | | | | | | | | | | | | | | |
| G022852 G022853 G022854 G022855 G022856 | | | | | | | | | | | | | | | | |
| G022857 G022858 G022859 G022860 G022860- CRD | | | | | | | | | | | | | | | | |
| G022861 G022861A G022862 G022863 G022864 | | 65.2 | 5.64 | 20.5 | 0.22 | 0.6 | 0.632 | 2.91 | 16.7 | 26.1 | 2.56 | 2500 | 0.61 | 1.90 | 14.1 | 19.4 |
| G022865 G022866 G022867 G022868 G022869 | | | | | | | | | | | | | | | | |
| G022870 G022871 G022872 G022873 G022874 | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - C Total # Pages: 4 (A - D) Plus Appendix Pages Finalized Date: 13- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME-MS61 P ppm 10 | ME- MS61 Pb ppm 0.5 | ME- MS61 Rb ppm 0.1 | ME- MS61 Re ppm 0.002 | ME- MS61 S % 0.01 | ME- MS61 Sb ppm 0.05 | ME- MS61 Sc ppm 0.1 | ME- MS61 Se ppm 1 | ME-MS61 Sn ppm 0.2 | ME-MS61 Sr ppm 0.2 | ME- MS61 Ta ppm 0.05 | ME- MS61 Te ppm 0.05 | ME- MS61 Th ppm 0.2 | ME- MS61 Ti % 0.005 | ME- MS61 Tl ppm 0.02 |
|---|-----------------------------------|---------------------------|------------------------------|------------------------------|--------------------------------|----------------------------|-------------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|------------------------------|-------------------------------|
| G022839 G022840 G022840- CRD G022841 G022841A | | 1460 | 1895 | 58.1 | <0.002 | 1.23 | 10.30 | 13.8 | 3 | 2.8 | 127.5 | 0.36 | 0.35 | 2.8 | 0.368 | 1.40 |
| G022842 G022843 G022844 G022845 G022846 | | | | | | | | | | | | | | | | |
| G022847 G022848 G022849 G022850 G022851 | | | | | | | | | | <u></u> | | | | | | |
| G022852 G022853 G022854 G022855 G022856 | | | | | | | | | | | | | | | | |
| G022857 G022858 G022859 G022860 G022860- CRD | | | | | | | | | | | | | | | | |
| G022861 G022861A G022862 G022863 G022863 | | 1160 | 37.3 | 93.3 | <0.002 | 0.39 | 2.45 | 28.2 | 2 | 3.4 | 499 | 0.78 | 0.07 | 2.1 | 0.500 | 1.77 |
| G022865 G022866 G022867 G022868 G022869 | | | | | | | | | | | | | | | | |
| G022870 G022871 G022872 G022873 G022874 | | | | | | | | | | | | | | <u> </u> | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - D Total # Pages: 4 (A - D) Plus Appendix Pages Finalized Date: 13- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | Zn- OC62 Zn % 0.001 | | | | |
|---|-----------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---|------------------------------|---------------|-------------|------|------|
| G022839 G022840 G022840- CRD G022841 G022841A | | 1.9 | 151 | 5.9 | 8.0 | >10000 | 42.6 | 1.095 | | | | |
| G022842 G022843 G022844 G022845 G022846 | | | | | | | | | | | | |
| G022847 G022848 G022849 G022850 G022851 | | | | | <u></u> | | | | | | | |
| G022852 G022853 G022854 G022855 G022856 | | | | | | | <u>, , , , , , , , , , , , , , , , , , , </u> | | | | | |
| G022857 G022858 G022859 G022860 G022860- CRD | | | | | | | | | | | | |
| G022861 G022861A G022862 G022863 G022864 | | 1.1 | 240 | 5.5 | 9.7 | 214 | 19.3 | | universite de | | | |
| G022865 G022866 G022867 G022868 G022869 | | | | | | | | | | | | |
| G022870 G022871 G022872 G022873 G022874 | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - A Total # Pages: 4 (A - D) Plus Appendix Pages Finalized Date: 13- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 A! % 0.01 | ME-MS61 As ppm 0.2 | ME- MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME-MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME- MS61 Cr ppm 1 | ME- MS61 Cs ppm 0.05 |
|--|-----------------------------------|--|---|--------------------------------|-------------------------------|-----------------------------|-----------------------------|-----------------------------|-------------------------------|-------------------------------|-----------------------------|------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|
| G022875 G022876 G022877 G022878 G022878 G022879 | | 2.47 2.07 2.85 2.31 2.32 | 0.136 0.371 >10.0 1.670 2.25 | 11.60 2.15 | | | | | | | | | | | | |
| G022880 G022880- CRD G022881 G022881A G022882 | | 2.45 <0.02 2.37 <0.02 2.30 | 0.265 0.200 0.393 0.567 0.042 | | 5.74 | 8.17 | 9730 | 1460 | 0.72 | 1.22 | 3.61 | 21.6 | 41.3 | 4.6 | 48 | 2.40 |
| G022883 G022884 G022885 G022886 | | 2.59 2.42 2.62 2.72 | 0.037 3.08 0.814 2.45 | 3.17 2.37 | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - B Total # Pages: 4 (A - D) Plus Appendix Pages Finalized Date: 13- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 Cu ppm 0.2 | ME- MS61 Fe % 0.01 | ME- MS61 Ga ppm 0.05 | ME- MS61 Ge ppm 0.05 | ME- MS61 Hf ppm 0.1 | ME- MS61 In ppm 0.005 | ME- MS61 K % 0.01 | ME- MS61 La ppm 0.5 | ME- MS61 Li ppm 0.2 | ME- MS61 Mg % 0.01 | ME- MS61 Mn ppm 5 | ME- MS61 Mo ppm 0.05 | ME- MS61 Na % 0.01 | ME- MS61 Nb ppm 0.1 | ME- MS61 Ni ppm 0.2 |
|---|-----------------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|--------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|----------------------------|-------------------------------|-----------------------------|------------------------------|------------------------------|
| G022875 G022876 G022877 G022878 G022879 | | | | | | | | | | | | | | | | |
| G022880 G022880- CRD G022881 G022881A G022882 | | 355 | 9.00 | 22.0 | 0.22 | 1.1 | 0.474 | 5.03 | 23.2 | 26.4 | 2.46 | 5880 | 1.10 | 0.08 | 24.6 | 10.4 |
| G022883 G022884 G022885 G022886 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - C Total # Pages: 4 (A - D) Plus Appendix Pages Finalized Date: 13- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME-MS61 P ppm 10 | ME- MS61 Pb ppm 0.5 | ME- MS61 Rb ppm 0.1 | ME- MS61 Re ppm 0.002 | ME- MS61 S % 0.01 | ME- MS61 Sb ppm 0.05 | ME- MS61 Sc ppm 0.1 | ME- MS61 Se ppm 1 | ME- MS61 Sn ppm 0.2 | ME- MS61 Sr ppm 0.2 | ME- MS61 Ta ppm 0.05 | ME- MS61 Te ppm 0.05 | ME- MS61 Th ppm 0.2 | ME- MS61 Ti % 0.005 | ME- MS61 TI ppm 0.02 |
|---|-----------------------------------|---------------------------|------------------------------|------------------------------|--------------------------------|----------------------------|--|------------------------------|----------------------------|------------------------------|------------------------------|-------------------------------|-------------------------------|------------------------------|------------------------------|-------------------------------|
| G022875 G022876 G022877 G022878 G022879 | | | | | | | ······································ | | | | | | <u></u> | <u> </u> | | |
| G022880 G022880- CRD G022881 G022881A G022882 | | 820 | 691 | 86.0 | <0.002 | 2.23 | 53.5 | 11.4 | 2 | 2.7 | 389 | 1.33 | 0.27 | 2.9 | 0.344 | 2.93 |
| G022883 G022884 G022885 G022886 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - D Total # Pages: 4 (A - D) Plus Appendix Pages Finalized Date: 13- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | Zn- OG62 Zn % 0.001 | | | <u></u> | |
|---|-----------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---|------------------------------|-------|------|-------------|------|
| G022875 G022876 G022877 G022878 G022879 | | | | | | | | | | | | |
| G022880 G022880- CRD G022881 G022881A G022882 | | 2.2 | 137 | 6.5 | 7.3 | 4790 | 41.1 | | 9 | | | |
| G022883 G022884 G022885 G022886 | | | | | | | <u>, , , , , , , , , , , , , , , , , , , </u> | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |



ALS Canada Ltd. 2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: Appendix 1 Total # Appendix Pages: 1 Finalized Date: 13- NOV- 2010 Account: BQL

Project: Bronson

| Method | CERTIFICATE COMMENTS |
|-------------|--|
| ALL METHODS | NSS is non- sufficient sample. |
| ME- MS61 | REE's may not be totally soluble in this method. |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 1 Finalized Date: 18- DEC- 2010 This copy reported on 20- DEC- 2010 Account: BQL

CERTIFICATE TR10167084

Project: Bronson

P.O. No.: Blue Security Tag Batch

This report is for 2 Other samples submitted to our lab in Terrace, BC, Canada on 15- NOV- 2010.

The following have access to data associated with this certificate:

| DAVID JENSEN | DAVID YEAGER | JOHN ZBEETNOFF |
|--------------|--------------|----------------|
| | | |

| | SAMPLE PREPARATION | |
|----------|--------------------------------|--|
| ALS CODE | DESCRIPTION | |
| FND- 03 | Find Reject for Addn Analysis | |
| SCR- 21 | Screen to - 100 um | |
| WEI- 25 | Wt. of Crushed Reject | |
| PUL- 32 | Pulverize 1000g to 85% < 75 um | |
| LOG- 22 | Sample login - Rcd w/o BarCode | |
| BAG- 01 | Bulk Master for Storage | |
| SPL- 21 | Split sample - riffle splitter | |

| | ANALYTICAL PROCEDURE | ES |
|-----------|---------------------------------|------------|
| ALS CODE | DESCRIPTION | INSTRUMENT |
| Au- SCR24 | Au Screen FA Double Minus - 50g | WST- SIM |
| Au- AA26 | Ore Grade Au 50g FA AA finish | AAS |
| Au- AA26D | Ore Grade Au 50g FA AA Dup | AAS |

To: SKYLINE GOLD CORPORATION ATTN: DAVID YEAGER SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

- Charles Signature:

Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - A Total # Pages: 2 (A) Finalized Date: 18- DEC- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | Au- SCR24 Au Total ppm 0.05 | Au- SCR24 Au (+) F ppm 0.05 | Au- SCR24 Au (-) F ppm 0.05 | Au- SCR24 Au (+) m mg 0.001 | Au- SCR24 WT. + Fr g 0.01 | Au- SCR24 WT Fr g 0.1 | Au- AA26 Au ppm 0.01 | Au- AA26D Au ppm 0.01 | WEI- 25 Reject W kg 0.001 | |
|--------------------|-----------------------------------|--------------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|------------------------------------|--------------------------------|-------------------------------|--------------------------------|------------------------------------|--|
| G022877 G022884 | | 13.35 2.31 | 47.4 12.95 | 11.30 1.91 | 2.468 0.428 | 52.08 33.08 | 854.5 873.5 | 10.15 1.99 | 12.40 1.83 | 0.907 0.907 | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION **SUITE 212** 10451 SHELLBRIDGE WAY **RICHMOND BC V6X 2W8**

Page: 1 Finalized Date: 12- DEC- 2010 Account: BQL

CERTIFICATE TR10180662

Project: Bronson

P.O. No.:

This report is for 94 Drill Core samples submitted to our lab in Terrace, BC, Canada on 1- DEC- 2010.

The following have access to data associated with this certificate:

| DAVID JENSEN | |
|--------------|--|
| | |

DAVID YEAGER

| | SAMPLE PREPARATION | | | | | | | |
|--|------------------------------------|------------|--|--|--|--|--|--|
| ALS CODE | DESCRIPTION | | | | | | | |
| FND- 02 | Find Sample for Addn Analysis | | | | | | | |
| ······································ | ANALYTICAL PROCEDURE | ES | | | | | | |
| ALS CODE | DESCRIPTION | INSTRUMENT | | | | | | |
| ME- ICP41 | 35 Element Aqua Regia ICP- AES | ICP- AES | | | | | | |
| ME- OG46 | Ore Grade Elements - AquaRegia | ICP- AES | | | | | | |
| Zn- OG46 | Ore Grade Zn - Aqua Regia VARIABLE | | | | | | | |

To: SKYLINE GOLD CORPORATION ATTN: DAVID YEAGER SUITE 212 **10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

ريهت Signature:

Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - A Total # Pages: 4 (A - C) Plus Appendix Pages Finalized Date: 12- DEC- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME- ICP41 B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 | ME- ICP41 Cd ppm 0.5 | ME- ICP41 Co ppm 1 | ME- ICP41 Cr ppm 1 | ME- ICP41 Cu ppm 1 | ME- ICP41 Fe % 0.01 | ME- ICP41 Ga ppm 10 | ME- ICP4 } Hg ppm 1 |
|---|-----------------------------------|----------------------------------|--------------------------------------|------------------------------|--|---------------------------------|--|----------------------------------|---------------------------------------|---|-----------------------------|-----------------------------|--------------------------------|--------------------------------------|--|--|
| G022801 G022802 G022803 G022804 | | 0.3 1 <i>.</i> 6 0.4 | 1.66 1.38 1.55 | 26 27 40 | <10 <10 <10 | 140 120 130 | <0.5 <0.5 <0.5 | <2 <2 <2 | 3.73 2.91 3.66 | <0.5 1.5 <0.5 | 8 9 10 | 27 21 22 | 66 69 73 | 2.60 2.68 2.86 | <10 <10 10 | 1 1 <1 |
| G022805 | | 0.3 | 1.77 | 28 | <10 | 130 | <0.5 <0.5 | <2 <2 | 3.51 3.65 | <0.5 <0.5 | 8 8 | 29 27 | 59 63 | 3.24 2.97 | <10 <10 | <1 <1 |
| G022806 G022807 G022808 G022809 | | 0.4 0.4 1.2 1.0 | 1.82 1.89 2.38 2.09 | 25 29 46 51 | <10 <10 <10 <10 | 140 140 160 150 | <0.5 <0.5 <0.5 <0.5 | <2 <2 2 <2 | 3.50 3.32 2.17 2.82 | 1.3 <0.5 <0.5 <0.5 | 7 8 19 17 | 31 38 30 31 | 79 73 259 244 | 2.74 2.92 5.06 4.99 | 10 10 10 10 | <1 1 <1 1 |
| G022810 G022811 | | 1.7 | 2.13 | NSS 71 | NSS <10 | NSS 110 | NSS <0.5 | NSS 2 | NSS 3.36 | NSS | NSS 20 | NSS | NSS | NSS | NSS 10 | NSS |
| G022812 G022813 G022814 G022815 | | 0.5 0.6 0.2 0.4 | 2.03 1.85 1.61 1.96 | 36 29 21 34 | <10 <10 <10 <10 | 150 150 170 180 | <0.5 <0.5 <0.5 <0.5 | <2 <2 <2 <2 | 3.15 3.24 4.67 4.64 | <0.5 <0.5 <0.5 <0.5 <0.5 | 8 8 4 7 | 24 14 26 39 | 97 108 54 64 | 3.26 3.01 2.77 3.71 | 10 10 <10 <10 | <1 <1 <1 1 |
| G022816 G022817 G022818 G022819 G022820 | | 0.9 0.7 1.0 0.3 1.2 | 1.96 1.58 1.99 1.79 2.64 | 52 63 48 27 24 | <10 <10 <10 <10 | 170 150 170 180 | <0.5 <0.5 <0.5 <0.5 | <2 <2 <2 <2 <2 | 2.82 3.09 3.80 3.72 | <0.5 <0.5 1.7 <0.5 | 12 7 8 3 | 37 32 31 28 | 150 123 106 49 | 3.86 3.31 3.47 3.08 | <10 <10 <10 <10 <10 | 1 <1 <1 1 |
| G022820- CRD G022821 G022821 | | 1.4 1.4 1.2 | 2.58 2.98 2.05 | 24 25 196 | <10 <10 <10 | 210 210 110 | <0.5 <0.5 <0.5 | <2 <2 2 | 3.11 3.14 3.01 | 4.3 4.5 <0.5 | 10 10 36 | 45 44 83 | 78 78 158 | 4.78 4.78 6.86 | <10 <10 <10 | 1 1 <1 |
| G022822 G022822 G022823 | | 3.0 18.0 | 2.95 1.18 5.61 | 45 3240 | <10 <10 <10 | 110 100 160 | <0.5 <0.5 <0.5 | 2 2 14 | 2.99 3.94 2.48 | <0.5 1.9 9.3 | 34 5 10 | 82 13 56 | 152 188 213 | 6.67 4.44 10.50 | <10 <10 10 | <1 <1 1 |
| G022824 G022825 G022826 G022827 G022828 | | 1.3 1.8 2.7 0.9 1.8 | 1.20 1.49 1.48 1.56 1.95 | 93 109 141 37 40 | <10 <10 <10 <10 <10 | 140 160 90 150 190 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <2 <2 2 <2 2 2 | 3.09 2.72 3.26 2.89 2.10 | 1.1 <0.5 2.4 <0.5 <0.5 | 5 16 11 10 15 | 16 26 27 38 38 | 91 181 363 157 256 | 3.34 4.30 5.89 3.72 4.17 | <10 <10 <10 <10 10 | <1 <1 <1 1 1 |
| G022829 G022830 G022831 G022832 G022833 | | 1.7 <0.2 0.8 1.0 2.3 | 1.42 0.03 1.74 1.45 1.97 | 71 2 31 25 72 | <10 <10 <10 <10 <10 | 170 10 210 200 60 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <2 <2 <2 <2 <2 <2 | 1.84 >25.0 2.54 2.30 2.12 | 0.8 <0.5 <0.5 <0.5 <0.5 <0.5 | 13 <1 7 4 10 | 25 <1 51 26 47 | 223 <1 128 122 293 | 3.52 0.03 3.00 2.70 5.21 | <10 <10 <10 <10 <10 <10 | <1 <1 <1 <1 <1 <1 1 |
| G022834 G022835 G022836 G022837 G022838 | | 0.7 1.8 1.7 1.3 0.9 | 1.89 1.77 1.89 1.74 1.77 | 22 37 44 39 33 | <10 <10 <10 <10 <10 <10 | 270 240 250 240 250 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <2 <2 2 <2 <2 <2 | 3.21 3.05 3.08 2.97 2.29 | <0.5 1.0 4.6 2.4 <0.5 | 5 7 5 7 9 | 42 36 33 29 35 | 86 164 102 123 112 | 3.01 3.04 3.08 2.82 3.21 | <10 <10 <10 <10 <10 <10 | <1 <1 <1 <1 <1 <1 <1 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - B Total # Pages: 4 (A - C) Plus Appendix Pages Finalized Date: 12- DEC- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 K % 0.01 | ME- ICP41 La ppm 10 | ME- ICP41 Mg % 0.01 | ME- ICP41 Mn ppm 5 | ME- ICP41 Mo ppm 1 | ME- ICP41 Na % 0.01 | ME- ICP41 Ni ppm 1 | ME- ICP41 P ppm 10 | ME- ICP41 Pb ppm 2 | ME- ICP41 S % 0.01 | ME- ICP41 Sb ppm 2 | ME- ICP41 Sc ppm 1 | ME- ICP41 Sr ppm 1 | ME- ICP41 Th ppm 20 | ME- ICP41 Ti % 0.01 |
|--|-----------------------------------|--------------------------------------|-----------------------------------|--------------------------------------|--------------------------------------|----------------------------------|---------------------------------------|-----------------------------|--------------------------------------|---------------------------------|---------------------------------------|-------------------------------------|-----------------------------|----------------------------------|---|--|
| G022801 G022802 G022803 G022804 G022805 | | 1.36 1.15 1.25 1.42 1.40 | 10 10 10 10 10 | 1.13 0.91 0.94 1.17 1.18 | 925 692 925 815 914 | <1 1 <1 <1 1 | 0.04 0.04 0.04 0.04 0.04 | 31 32 35 40 | 1460 1390 1580 1620 | 5 332 10 9 | 0.41 0.95 0.84 0.91 | <2 <2 <2 <2 <2 | 3 3 3 4 | 258 202 243 243 | <20 <20 <20 <20 | 0.18 0.15 0.18 0.20 |
| G022806 G022807 G022808 G022809 G022810 | | 1.50 1.58 1.98 1.73 NSS | 10 10 10 10 10 NSS | 1.32 1.38 1.87 1.49 NSS | 761 797 823 993 NSS | <1 <1 <1 <1 <1 <1 <1 <1 NSS | 0.04 0.04 0.03 0.03 NSS | 39 42 57 49 NSS | 1610 1550 1610 1550 NSS | 14 16 6 8 15 NSS | 0.43 0.59 2.27 2.46 | 3 <2 <2 2 2 2 | 3 4 4 4 4 4 | 250 227 214 148 213 | <20 <20 <20 <20 <20 <20 | 0.16 0.21 0.22 0.25 0.23 |
| G022811 G022812 G022813 G022814 G022815 | | 1.76 1.65 1.48 1.27 1.56 | <10 10 10 10 <10 | 1.66 1.47 1.30 1.12 1.43 | 1225 1015 1060 1515 1535 | 7 1 <1 1 <1 | 0.02 0.03 0.01 0.03 0.03 | 50 25 24 47 57 | 1370 1490 1530 1190 1170 | 21 10 11 8 8 | 3.52 0.82 0.87 0.37 0.97 | 2 <2 2 <2 <2 <2 2 | 3 4 3 3 4 | 277 256 283 402 361 | <20 <20 <20 <20 <20 <20 <20 | 0.21 0.19 0.16 0.16 0.20 |
| G022816 G022817 G022818 G022819 G022820 | | 1.57 1.27 1.59 1.39 2.02 | 10 <10 10 10 10 | 1.46 1.14 1.46 1.38 2.46 | 1110 1285 1765 1975 2160 | <1 <1 <1 <1 <1 <1 | 0.03 0.02 0.02 0.02 0.02 | 57 49 52 49 47 | 1170 960 1150 1060 1330 | 11 19 85 23 189 | 1.33 1.19 1.01 0.39 0.60 | 2 2 <2 2 2 <2 | 4 3 3 3 4 | 222 252 320 316 305 | <20 <20 <20 <20 <20 <20 | 0.20 0.15 0.18 0.17 0.21 |
| C022820- CRD G022821 C022821A G022822 G022822 G022823 | | 1.98 2.29 2.25 0.88 2.73 | 10 <10 <10 <10 <10 | 2.43 3.56 3.53 1.93 5.45 | 2190 1445 1435 2850 3420 | <1 <1 <1 1 3 | 0.01 0.01 0.01 0.01 0.01 | 47 46 44 27 61 | 1340 1320 1300 990 1240 | 201 39 38 108 692 | 0.61 2.28 2.13 1.64 2.68 | 2 <2 <2 4 | 4 7 7 2 7 | 305 283 281 353 248 | <20 <20 <20 <20 <20 <20 | 0.21 0.23 0.23 0.05 0.19 |
| G022824 G022825 G022826 G022827 G022828 | | 0.93 1.22 1.17 1.25 1.62 | <10 <10 <10 <10 <10 | 1.75 1.70 1.52 1.57 1.65 | 2010 1770 1855 1170 1190 | <1 <1 <1 <1 <1 <1 | 0.01 0.01 0.02 0.03 0.02 | 48 65 91 60 69 | 1190 1040 1050 980 1050 | 68 31 143 10 15 | 1.25 2.05 3.62 1.27 1.71 | 2 <2 2 3 4 | 2 3 3 3 3 3 | 297 250 419 291 181 | <20 <20 <20 <20 <20 <20 <20 | 0.19 0.09 0.14 0.14 0.16 0.20 |
| C022829 C022830 G022831 G022832 G022833 | | 1.17 0.01 1.40 1.18 1.63 | <10 <10 <10 <10 <10 | 1.11 1.36 1.25 1.05 1.46 | 1280 21 1630 1750 1910 | <1 <1 <1 1 <1 | 0.04 <0.01 0.04 0.04 0.03 | 46 <1 40 27 76 | 780 30 790 670 840 | 56 <2 11 15 36 | 1.72 <0.01 0.67 0.74 3.04 | 3 <2 <2 <2 <2 4 | 2 <1 3 2 2 | 151 4810 216 201 178 | <20 20 <20 <20 <20 <20 <20 | 0.14 <0.01 0.17 0.13 0.19 |
| C022834 C022835 C022836 C022837 C022838 | | 1.57 1.44 1.52 1.40 1.43 | <10 <10 <10 10 <10 | 1.38 1.35 1.33 1.17 1.33 | 1930 2290 2400 2020 1555 | <1 1 <1 <1 <1 | 0.03 0.04 0.03 0.03 0.03 | 47 48 42 48 38 | 930 870 930 1000 930 | 15 97 210 99 19 | 0.52 0.77 0.67 0.63 1.03 | <2 2 <2 2 <2 | 3 3 2 2 3 | 285 266 252 260 195 | <20 <20 <20 <20 <20 <20 | 0.19 0.17 0.17 0.16 0.17 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - C Total # Pages: 4 (A - C) Plus Appendix Pages Finalized Date: 12- DEC- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 Tl ppm 10 | ME- ICP41 U ppm 10 | ME- ICP41 V ppm 1 | ME- ICP41 W ppm 10 | ME- ICP41 Zn ppm 2 | Zn- OG46 Zn % 0.001 | |
|--|-----------------------------------|--|--|-----------------------------|--|----------------------------------|------------------------------|--|
| G022801 G022802 G022803 G022804 G022805 | | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 59 46 53 63 51 | <10 <10 <10 <10 <10 | 46 179 40 40 39 | | |
| G022806 G022807 G022808 G022809 G022810 | | <10 <10 <10 <10 NSS | <10 <10 <10 <10 NSS | 64 63 72 60 NSS | <10 <10 <10 <10 NSS | 166 28 39 101 NSS | | |
| G022811 G022812 G022813 G022814 G022815 | | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 89 63 44 51 62 | <10 <10 <10 <10 <10 | 42 49 48 55 41 | | |
| G022816 G022817 G022818 G022819 G022820 | | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 57 45 49 45 64 | <10 <10 <10 <10 <10 | 36 48 312 79 840 | | |
| G022820- CRD G022821 G022821A G022822 G022822 G022823 | | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 63 85 84 22 98 | <10 <10 <10 <10 <10 <10 | 868 179 177 390 1965 | | |
| G022824 G022825 G022826 G022827 G022828 | | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 28 43 43 49 51 | <10 <10 <10 <10 <10 | 211 68 411 46 55 | | |
| C022829 C022830 G022831 G022832 G022833 | | <10 <10 <10 <10 <10 | <10 20 <10 <10 <10 | 37 2 50 33 46 | <10 <10 <10 <10 <10 | 157 2 67 80 116 | | |
| C022834 C022835 C022836 C022837 C022838 | | <10 <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 <10 | 53 44 39 38 46 | <10 <10 <10 <10 <10 <10 | 66 211 849 475 60 | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - A Total # Pages: 4 (A - C) Plus Appendix Pages Finalized Date: 12- DEC- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME- ICP41 B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 | ME- ICP41 Cd ppm 0.5 | ME- ICP41 Co ppm 1 | ME- ICP41 Cr ppm 1 | ME- ICP41 Cu ppm 1 | ME- ICP41 Fe % 0.01 | ME- ICP41 Ga ppm 10 | ME- ICP41 Hg ppm 1 |
|--|-----------------------------------|------------------------------------|--------------------------------------|--------------------------------------|--|---------------------------------|--|--|--------------------------------------|--------------------------------------|-----------------------------|-----------------------------|----------------------------------|---------------------------------------|--------------------------------------|---------------------------------|
| G022839 G022840 G022840- CRD G022841 G022841A | | 2.8 4.7 4.5 17.7 8.9 | 1.63 2.33 2.30 4.27 4.27 | 91 280 304 232 209 | <10 <10 <10 <10 <10 | 110 140 130 100 110 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 2 2 2 3 2 | 3.05 3.48 3.47 1.17 1.20 | 4.5 34.4 33.5 61.1 62.7 | 13 6 5 5 | 19 37 37 48 48 | 180 370 356 177 182 | 5.08 5.42 5.29 8.37 8.46 | <10 <10 <10 10 | 1 <1 <1 2 |
| G022842 G022843 G022844 G022845 G022846 | | 11.6 11.4 4.6 3.5 5.6 | 4.67 3.66 3.59 3.44 5.07 | 109 107 6 78 496 | <10 <10 <10 <10 <10 | 100 110 150 130 110 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 2 5 3 2 4 | 1.87 3.53 1.67 1.51 0.64 | 40.3 69.2 32.7 29.5 48.7 | 15 13 2 4 3 | 89 36 41 20 23 | 399 567 223 180 233 | 9.28 9.45 6.76 7.23 9.84 | 10 10 10 10 10 10 | 1 1 1 1 <1 |
| C022847 C022848 G022849 G022850 G022851 | | 6.4 3.1 3.3 2.7 6.3 | 4.83 1.99 2.07 1.27 2.37 | 5190 41 26 71 48 | <10 <10 <10 <10 <10 | 130 190 210 50 70 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 2 <2 <2 3 2 | 0.82 2.53 2.38 4.07 1.51 | 22.1 2.4 <0.5 1.7 4.4 | 5 2 2 16 8 | 34 11 14 23 9 | 128 111 91 4480 407 | 9.44 3.64 3.62 5.14 5.53 | 10 <10 <10 <10 <10 10 | 1 <1 <1 <1 <1 <1 |
| C022852 G022853 G022854 G022855 G022855 | | 4.5 0.4 3.1 7.6 13.9 | 2.91 1.91 1.96 3.41 4.45 | 86 12 53 124 4780 | <10 <10 <10 <10 <10 <10 | 120 190 100 160 130 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 3 <2 <2 3 5 | 2.10 2.54 2.12 1.29 1.19 | 4.8 <0.5 <0.5 36.9 73.2 | 16 2 7 4 13 | 12 9 8 11 36 | 252 34 214 384 554 | 7.28 2.84 4.45 7.41 9.79 | 10 10 10 10 10 | 1 <1 <1 1 |
| C022857 C022858 C022859 G022860 G022860- CRD | | 8.2 4.5 1.8 1.7 2.1 | 2.69 2.41 2.29 3.04 3.02 | 68 34 27 36 41 | <10 <10 <10 <10 <10 | 110 290 320 180 170 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 2 <2 <2 <2 <2 <2 | 1.87 1.65 3.34 4.76 4.77 | 14.5 10.0 <0.5 <0.5 <0.5 | 10 4 4 2 2 | 23 19 41 54 55 | 356 140 134 155 156 | 6.45 4.46 4.34 5.68 5.74 | <10 <10 10 10 10 10 | 1 <1 1 <1 |
| C022861 C022861A C022862 G022863 G022864 | | 0.8 0.9 1.6 2.8 1.4 | 2.73 2.77 2.84 2.90 2.33 | 25 24 27 62 52 | <10 <10 <10 <10 <10 | 150 160 150 110 100 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <2 <2 <2 <2 <2 <2 <2 | 4.31 4.41 4.59 4.76 6.28 | 0.6 0.8 <0.5 1.4 <0.5 | 4 4 3 5 7 | 58 59 66 64 44 | 67 73 125 243 176 | 4.71 4.83 5.48 7.00 7.83 | 10 10 10 10 10 10 | 1 <1 <1 <1 |
| C022865 C022866 C022867 C022868 G022868 G022869 | | 1.8 1.6 3.8 9.5 28.6 | 2.80 2.10 2.03 1.20 1.63 | 9 12 40 173 84 | <10 <10 <10 <10 <10 | 130 130 200 80 100 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <2 <2 <2 4 2 | 4.80 4.39 4.21 2.82 1.25 | <0.5 <0.5 <0.5 11.3 79.1 | 3 3 5 9 16 | 77 65 47 6 4 | 184 230 369 694 882 | 6.26 6.26 5.90 5.44 7.70 | 10 10 <10 <10 <10 | <pre></pre> |
| G022870 G022871 G022872 G022873 G022874 | | 14.9 20.9 22.2 8.3 7.9 | 0.92 2.68 4.89 2.98 3.30 | 28 3550 >10000 1630 1695 | <10 <10 <10 <10 <10 <10 | 30 90 130 200 140 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 4 2 <2 <2 <2 <2 | 0.29 1.40 1.16 1.75 1.73 | 55.4 54.2 78.5 20.0 22.7 | 11 25 7 8 2 | 42 7 15 28 23 | 4980 659 494 312 240 | 8.99 8.86 11.80 7.43 6.98 | <10 <10 10 10 10 10 | 1 1 1 1 1 1 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - B Total # Pages: 4 (A - C) Plus Appendix Pages Finalized Date: 12-DEC- 2010 Account: BQL

Project: Bronson

| | Method | ME- ICP41 K | ME- ICP41 | ME- ICP41 Ma | ME- ICP41 |
|---------------------------------------|--------|----------------|-----------|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | Units | % | nnm | % | nnm | nnm | NA 0/ | NI | P | PD | S | Sb | Sc | Sr | Th | Ti |
| Sample Description | LOR | 0.01 | 10 | 0.01 | 5 | 2 pm | 0.01 | ppin 1 | ppm 10 | rndd C | % 0.01 | ppm | ppm | ppm | ppm | % |
| 6000000 | | | | | _ | | | | 10 | 2 | 0.01 | 2 | 1 | | 20 | 0.01 |
| G022839 | | 1.28 | <10 | 1.48 | 2540 | 5 | 0.03 | 46 | 1070 | 264 | 2.59 | 4 | 2 | 291 | <20 | 0.15 |
| G022840 | | 1.03 | 10 | 2.18 | 3330 | 4 | 0.01 | 37 | 1470 | 424 | 1.02 | 3 | 3 | 423 | <20 | 0.12 |
| G022840-CRD | | 1.01 | 10 | 2.17 | 3300 | 4 | 0.01 | 37 | 1460 | 424 | 0.97 | 3 | 3 | 423 | <20 | 0.12 |
| C022841A | | 0.92 | 10 | 3.32 | 3070 | <1 | <0.01 | 34 | 1490 | 2030 | 1.28 | 7 | 4 | 95 | <20 | 0.13 |
| G022641A | | 0.94 | <10 | 3.34 | 3160 | <1 | <0.01 | 35 | 1480 | 1900 | 1.29 | 6 | 4 | 97 | <20 | 0.13 |
| G022842 | | 1.07 | 10 | 3.79 | 4430 | <1 | 0.01 | 42 | 1320 | 2150 | 2.48 | 9 | 5 | 138 | <20 | 0.14 |
| G022843 | | 1.10 | 10 | 2.95 | 5910 | 5 | 0.01 | 51 | 1100 | 1290 | 3.85 | 4 | 4 | 232 | <20 | 0.14 |
| G022844 | | 1.27 | 10 | 2.66 | 3830 | 4 | 0.01 | 14 | 1440 | 427 | 0.93 | 3 | 4 | 112 | <20 | 0.17 |
| 6022845 | | 1.10 | 10 | 2.61 | 3910 | <1 | 0.01 | 19 | 1270 | 342 | 1.53 | 4 | 3 | 144 | <20 | 0.14 |
| G022846 | | 1.07 | 10 | 3.67 | 3760 | <1 | <0.01 | 16 | 1310 | 795 | 1.58 | 5 | 4 | 43 | <20 | 0.14 |
| G022847 | | 1.14 | 10 | 3.61 | 3550 | <1 | <0.01 | 16 | 1440 | 1165 | 1.42 | 23 | 5 | 55 | <20 | 0.15 |
| 6022848 | | 1.19 | 10 | 1.66 | 3830 | <1 | 0.02 | 11 | 1120 | 279 | 0.52 | <2 | 2 | 290 | <20 | 0.14 |
| 6022849 | | 1.35 | 10 | 1.67 | 3570 | <1 | 0.02 | 12 | 1240 | 276 | 0.50 | 2 | 2 | 264 | <20 | 0.16 |
| 6022850 | | 0.21 | 10 | 1.20 | 732 | 38 | 0.07 | 16 | 1100 | 29 | 2.08 | 8 | 7 | 138 | <20 | 0.01 |
| 6022851 | | 1.69 | 10 | 1.71 | 1915 | <1 | 0.02 | 10 | 1340 | 257 | 2.57 | 4 | 2 | 113 | <20 | 0.20 |
| G022852 | | 1.33 | 10 | 2.27 | 3200 | <1 | 0.01 | 9 | 1490 | 331 | 2.98 | 3 | 3 | 173 | <20 | 0.17 |
| G022853 | | 1.38 | 20 | 1.36 | 1230 | <1 | 0.04 | 7 | 1380 | 14 | 0.19 | <2 | 3 | 184 | <20 | 0.19 |
| G022854 | | 1.51 | 10 | 1.53 | 1545 | <1 | 0.03 | 6 | 1460 | 32 | 1.71 | 2 | 3 | 181 | <20 | 0.20 |
| 6022855 | 1 | 1.43 | 10 | 2.60 | 2670 | <1 | 0.01 | 9 | 1290 | 674 | 1.70 | 5 | 3 | 136 | <20 | 0.19 |
| G022856 | | 1.73 | 10 | 2.86 | 3590 | 20 | <0.01 | 45 | 1430 | 1455 | 1.92 | 18 | 5 | 113 | <20 | 0.24 |
| G022857 | | 2.08 | 10 | 1.86 | 3330 | <1 | 0.01 | 21 | 1390 | 881 | 1.86 | 4 | 3 | 158 | <20 | 0.25 |
| G022858 | | 1.87 | <10 | 1.81 | 2500 | <1 | 0.03 | 12 | 990 | 351 | 0.62 | <2 | 4 | 136 | <20 | 0.23 |
| 6022859 | | 1.73 | <10 | 1.81 | 2180 | <1 | 0.04 | 13 | 1180 | 25 | 0.80 | <2 | 7 | 247 | <20 | 0.23 |
| G022860 | | 1.25 | <10 | 2.46 | 3120 | <1 | 0.04 | 16 | 1230 | 22 | 0.97 | <2 | 9 | 310 | <20 | 0.18 |
| G022860- CRD | | 1.24 | <10 | 2.48 | 3150 | <1 | 0.03 | 17 | 1260 | 24 | 1.05 | <2 | 9 | 314 | <20 | 0.17 |
| G022861 | | 1.10 | <10 | 2.32 | 2290 | <1 | 0.04 | 17 | 1180 | 23 | 0.39 | <2 | 9 | 297 | <20 | 0.15 |
| G022861A | | 1.11 | <10 | 2.37 | 2340 | <1 | 0.04 | 18 | 1180 | 29 | 0.41 | <2 | 9 | 304 | <20 | 0.15 |
| 6022862 | | 1.00 | <10 | 2.68 | 3100 | <1 | 0.03 | 15 | 1210 | 55 | 0.68 | <2 | 9 | 360 | <20 | 0.14 |
| 6022863 | | 0.87 | <10 | 3.38 | 3780 | <1 | 0.02 | 26 | 1260 | 106 | 1.23 | <2 | 10 | 562 | <20 | 0.12 |
| 6022864 | | 0.83 | <10 | 2.84 | 3970 | <1 | 0.02 | 22 | 1080 | 30 | 1.87 | <2 | 8 | 831 | <20 | 0.10 |
| G022865 | | 0.98 | <10 | 2.79 | 2830 | <1 | 0.04 | 19 | 1200 | 11 | 0.71 | <2 | 12 | 359 | <20 | 0.14 |
| G022866 | | 1.05 | <10 | 2.40 | 3410 | <1 | 0.04 | 21 | 1280 | 11 | 1.07 | <2 | 10 | 346 | <20 | 0.14 |
| G022867 | | 1.63 | <10 | 1.75 | 3720 | <1 | 0.03 | 19 | 1280 | 24 | 1.64 | <2 | 7 | 380 | <20 | 0.22 |
| G022868 | | 0.96 | <10 | 0.82 | 3180 | 3 | 0.02 | 14 | 820 | 381 | 3.85 | <2 | 1 | 318 | <20 | 0.09 |
| GU22869 | | 1.32 | <10 | 1.01 | 2810 | <1 | 0.01 | 11 | 680 | 5500 | 4.42 | 20 | 1 | 120 | <20 | 0.14 |
| G022870 | | 0.09 | <10 | 0.91 | 331 | 12 | 0.02 | 22 | 110 | 241 | >10.0 | <2 | 2 | 5 | <20 | 0.02 |
| 6022871 | | 1.96 | <10 | 1.73 | 3260 | <1 | 0.02 | 7 | 1050 | 3510 | 3.88 | 25 | 2 | 150 | <20 | 0.21 |
| G022872 | | 2.06 | <10 | 3.13 | 3300 | <1 | 0.01 | 9 | 830 | 4250 | 3.18 | 48 | 4 | 106 | <20 | 0.24 |
| 6022873 | | 1.65 | <10 | 2.13 | 3120 | <1 | 0.01 | 9 | 1080 | 1550 | 1.57 | 9 | 3 | 209 | <20 | 0.20 |
| GU22874 | | 1.19 | 10 | 2.41 | 3270 | <1 | 0.01 | 13 | 1020 | 1440 | 1.08 | 8 | 3 | 204 | <20 | 0.15 |
| · · · · · · · · · · · · · · · · · · · | L | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - C Total # Pages: 4 (A - C) Plus Appendix Pages Finalized Date: 12-DEC- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME-ICP41 TI ppm 10 | ME- ICP41 U ppm 10 | ME- ICP41 V ppm 1 | ME-ICP41 W ppm 10 | ME- ICP41 Zn ppm 2 | Zn- OG46 Zn % 0.001 | |
|---|-----------------------------------|--|--|--------------------------------|--|--|------------------------------|--|
| G022839 G022840 G022840- CRD G022841 G022841A | | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 43 50 49 72 73 | <10 10 10 20 20 | 854 5400 5280 9850 >10000 | 1.075 | |
| C022842 G022843 G022844 G022845 G022846 | | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 81 91 69 55 79 | 20 10 10 10 10 | 7320 >10000 5090 4560 7580 | 1.205 | |
| G022847 G022848 G022849 G022850 G022851 | | <10 <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 <10 | 85 51 56 82 67 | <10 <10 <10 <10 <10 <10 | 3910 520 239 168 868 | | |
| G022852 G022853 G022854 G022855 G022856 | | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 68 76 72 71 124 | <10 <10 <10 10 <10 | 1045 79 85 5930 >10000 | 1.245 | |
| G022857 G022858 G022859 G022860 G022860- CRD | | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 64 72 107 123 122 | 10 <10 <10 <10 <10 | 2790 1840 97 112 114 | | |
| G022861 G022861A G022862 G022863 G022864 | | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 111 112 112 110 90 | <10 <10 <10 10 <10 | 161 190 193 347 162 | | |
| G022865 G022866 G022867 G022868 G022869 | | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 133 118 83 33 29 | <10 <10 <10 <10 <10 | 140 96 133 2000 >10000 | 1.650 | |
| G022870 G022871 G022872 G022873 G022874 | | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 15 57 99 65 61 | <10 <10 10 <10 <10 | >10000 9740 >10000 3780 4020 | NSS 1.575 | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - A Total # Pages: 4 (A - C) Plus Appendix Pages Finalized Date: 12- DEC- 2010 Account: BQL

Project: Bronson

| Sample Description | Method | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 |
|---|---------|-----------------------------------|--------------------------------------|---|---------------------------------|---------------------------------|--------------------------------------|--------------------------------|--------------------------------------|-------------------------------------|-----------------------|---------------------------|---------------------------------|--------------------------------------|--------------------------------|---------------------------------|
| | Analyte | Ag | Al | As | B | Ba | Be | Bi | Ca | Cd | Co | Cr | Cu | Fe | Ga | Hg |
| | Units | ppm | % | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm |
| | LOR | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 | 10 | 1 |
| G022875 | | 3.3 | 2.57 | 1075 | <10 | 130 | <0.5 | <2 | 2.50 | 6.3 | 2 | 21 | 128 | 5.79 | <10 | <1 |
| G022876 | | 8.5 | 3.23 | 4070 | <10 | 160 | <0.5 | <2 | 0.91 | 49.1 | 13 | 31 | 366 | 8.76 | 10 | <1 |
| G022877 | | 16.7 | 2.66 | 4070 | <10 | 30 | <0.5 | 4 | 1.63 | 80.9 | 142 | 17 | 354 | 18.2 | 10 | 1 |
| G022878 | | 8.8 | 3.92 | 520 | <10 | 40 | <0.5 | 3 | 1.38 | 20.5 | 62 | 27 | 622 | 14.6 | 10 | 1 |
| G022879 | | 23.3 | 3.56 | 4530 | <10 | 120 | <0.5 | <2 | 1.84 | 96.6 | 21 | 24 | 695 | 10.15 | 10 | 1 |
| G022880 G022880- CRD G022881 G022881A G022882 | | 13.7 14.7 6.6 6.9 2.2 | 2.75 2.76 2.67 2.62 1.16 | 3310 3350 >10000 >10000 210 | <10 <10 <10 <10 <10 | 210 200 200 170 190 | <0.5 <0.5 <0.5 <0.5 <0.5 | 2 3 <2 <2 <2 <2 | 3.06 3.19 3.42 3.51 1.86 | 20.4 20.4 23.2 23.4 2.7 | 6 7 3 3 3 | 40 40 25 24 3 | 784 853 359 381 109 | 8.07 8.35 7.67 7.92 2.57 | 10 <10 <10 <10 <10 | 1 <1 <1 <1 <1 <1 |
| G022883 G022884 G022885 G022886 | | 1.3 21.8 6.4 11.9 | 1.10 2.63 2.39 2.31 | 23 5730 1720 2280 | <10 <10 <10 <10 | 150 30 160 130 | <0.5 <0.5 <0.5 <0.5 | <2 <2 <2 <2 <2 | 1.65 1.12 1.12 1.85 | <0.5 40.7 15.9 13.9 | 2 39 9 11 | 4 8 7 7 7 | 100 398 99 349 | 2.22 9.49 5.25 5.99 | <10 10 10 10 | <1 <1 <1 <1 <1 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - B Total # Pages: 4 (A - C) Plus Appendix Pages Finalized Date: 12-DEC- 2010 Account: BQL

Project: Bronson

| Sample Description | Method | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME-ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 |
|---|---------|--------------------------------------|--------------------------------|--------------------------------------|--------------------------------------|----------------------------------|--------------------------------------|---------------------------|-------------------------------------|------------------------------------|--------------------------------------|----------------------------|-----------------------|---------------------------------|--|--------------------------------------|
| | Analyte | K | La | Mg | Mn | Mo | Na | Ni | P | Pb | S | Sb | Sc | Sr | Th | Ti |
| | Units | % | ppm | % | ppm | ppm | % | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % |
| | LOR | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 2 | 1 | 1 | 20 | 0.01 |
| G022875 G022876 G022877 G022878 G022879 | | 1.08 1.56 1.49 2.42 1.80 | <10 10 <10 <10 10 | 2.12 2.14 1.78 2.51 2.49 | 3510 2070 3050 3330 4490 | <1 <1 <1 <1 <1 <1 | 0.02 0.04 0.02 0.01 0.02 | 11 11 22 14 9 | 1050 1120 780 1060 1120 | 454 1190 1760 984 4100 | 0.82 2.66 >10.0 7.3 3.25 | <2 25 23 8 42 | 3 4 2 4 4 | 309 95 159 146 206 | <20 <20 <20 <20 <20 | 0.13 0.20 0.16 0.26 0.20 |
| G022880 G022880- CRD G022881 G022881A G022882 | | 2.20 2.18 2.13 2.05 0.92 | <10 <10 <10 <10 10 | 2.28 2.28 2.16 2.13 0.99 | 5190 5310 5820 5870 2580 | <1 <1 <1 <1 <1 1 | 0.01 0.02 0.02 0.01 0.03 | 17 17 9 9 4 | 1360 1370 920 870 670 | 1470 1560 654 689 239 | 2.01 2.20 2.10 2.38 0.29 | 15 20 42 44 <2 | 5 5 3 3 1 | 336 348 380 382 177 | <20 <20 <20 <20 <20 <20 | 0.27 0.26 0.21 0.20 0.10 |
| G022883 | | 0.88 | 10 | 0.87 | 1955 | <1 | 0.04 | 3 | 670 | 52 | 0.34 | <2 | 1 | 159 | <20 | 0.10 |
| G022884 | | 2.21 | <10 | 1.57 | 1810 | <1 | 0.02 | 9 | 780 | 2480 | 7.1 | 35 | 2 | 116 | <20 | 0.23 |
| G022885 | | 1.98 | <10 | 1.51 | 1675 | <1 | 0.02 | 6 | 840 | 860 | 1.95 | 9 | 2 | 105 | <20 | 0.21 |
| G022886 | | 1.81 | <10 | 1.59 | 2240 | 1 | 0.03 | 8 | 700 | 1130 | 2.59 | 11 | 2 | 204 | <20 | 0.18 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - C Total # Pages: 4 (A - C) Plus Appendix Pages Finalized Date: 12-DEC-2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 TI ppm 10 | ME- ICP41 U ppm 10 | ME- ICP41 V ppm 1 | ME-ICP41 W ppm 10 | ME- ICP41 Zn ppm 2 | Zn- OG46 Zn % 0.001 | |
|---|-----------------------------------|---------------------------------|---------------------------------|----------------------------|---------------------------------|--|------------------------------|--|
| G022875 G022876 G022877 G022878 G022879 | | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 54 71 48 94 77 | <10 <10 20 <10 10 | 1195 8360 >10000 3520 >10000 | 1.525 | |
| G022880 G022880- CRD G022881 G022881A G022882 | | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 76 75 52 49 21 | <10 <10 <10 <10 <10 | 3930 3920 4400 4410 536 | | |
| G022883 G022884 G022885 G022886 | | <10 <10 <10 <10 | <10 <10 <10 <10 | 28 43 45 46 | <10 <10 <10 <10 | 93 7460 2800 2620 | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |


Т

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: Appendix 1 Total # Appendix Pages: 1 Finalized Date: 12- DEC- 2010 Account: BQL

Project: Bronson

| Method | CERTIFICATE COMMENTS |
|-------------|--------------------------------|
| ALL METHODS | NSS is non- sufficient sample. |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



DIAMOND DRILL HOLE LOG

Summary of Drill Hole SK-10-14

| | SK10 14 | CONTRACTO | DR: Driftwood Diamond | From(m) | To (m) | Unit | Description | 1 |
|--|---|---|--|---------|--------|---|---|----------------------------|
| HOLE. | SK10-14 | | Drilling Ltd. | 0 | 5.2 | | overburden | |
| COLLAR COO Easting: Northing: | RDINATES UTM (NAD 8 373666.2 6280871.7 | 3): DATE STARTED: COMPLETED | 19-Oct-10 : 20-Oct-10 | 5.2 | 41.3 | GrW-Arg/Sst | It-med grey argillite layering content and thickness is greater than the siltstone layering or lamina | |
| COLLAR COO Northing: Easting: COLLAR ELEV | RDINATES MINE GRID: 11754.9 27471.0 ATION (m-ASL): | LOGGED BY: SAMPLE INTI GEOTECH BY SAMPLED BY | B. Hemingway ERVALS: B.H./A. Burgert : N/A : D. Quock | 41.3 | 61.3 | GrW-Sst/Arg | 51.3-56.5 Fault Zone clastic Unit with clasts of quartzite in It-med gry siltstone/argillaceous matrix, poorly sorted and clasts are rounded. Gradational contact to 62.9 | 58.3 |
| | 575.1 | CORE SIZE: | NQ | 61.3 | 75.11 | GrW-Sst | Sst is It gry,massive w/coarse grains of calcite, rare argillite lamina. | 3-125.5 |
| FINAL DEPTH | : 162.0 | RIG: | SRS 3000 Hydraulic | 75.1 | 85.8 | GrW-Arg/Sst | Siltstone layering is calcitic | |
| SURVEYS: Depth | Azimuth | Inclination | Method | 85.8 | 97.3 | GrW-SSt | Sandstone upper and lower contacts are gradational w/>grain size, minor argillaceous and siltstone layering ≈60° to CA | ione of Sp ineralizatio |
| 0 18 | 170.0 171.2 | -55.0 -54.6 | compass, clinometer Reflex | 97.3 | 105.9 | GrW-Arg-Cgl | clasts are majority Sst with a few being argillaceous | ohalariti on |
| 75 | 178.4 | -53.5 | Reflex | 105.9 | 112.4 | GrW-SSt | Sandstone layering w/minor argillite lamina | e-p |
| 126 | 183.8 | -52.7 | Reflex | 112.4 | 120.3 | GrW-Arg-Cgl | | /rite |
| Abbreviations | | | | 120.2 | 125.05 | GrW Set Cal | clastic unit with med gry angular 3.0cm clasts of | |
| Lithology | AI | eration | | 120.5 | 125.05 | Of W-Ost-Ogi | argillite in a siltstone matrix | |
| GrW Slt | Greywacke Ar Siltstone Bi | Argill | itic or clay alteration | 125.05 | 127.1 | GrW-Arg/Sst | | |
| Clt | Clasts Ks | par Felds | par or Feldspathic (potassic) | 127.1 | 135.7 | GrW-Sst/Arg | | |
| Minerals | Pr | / Phyll | ic or sericitic | | | | | |
| AsPy | Arsenopyrite Se | - Seric | Ite | 135.7 | 160 | GrW-Arg/Sst | 140.15 to 140.70 mafic lamprophyre dyke | |
| Chl | Chlorite St | indards | | | | | 145.1 to 145.75 hornhl porphyric diabase dyke | |
| Gal | Galena ST | D-15 CDN- | CGS-15 | | | | 143.1 to 143.73 hombi polphytic diabase dyke | |
| Py | Pyrite ST | D-20A CDN- | GS-20A | 160 | 162 | GrW-Arg-Cgl | siltstone clasts 8.0cm+ | |
| Pyr Otz | Pyrrhotite S | <u>J-2</u> CDN- | ME-2 | - | | ••••••••••••••••••••••••••••••••••••••• | | - |
| Sphal or sph | Sphalerite // | Paral | lel | | | | | |
| Barren | Barren of sulphides CA | To th | e core axis | | | | | |
| | Ру | /qtz Ca qtz/Py Center mine | er of vein (mineral) order of ralization | | | | | |

Hole: SK-10-14 Page: 2 of 9 pages



| From | | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|--------|--|---------|-------|-------|--------|--------|------|-----|-----|-----|-----|
| (m) | To (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| 0.0 | 5.2 | ovb; casing to 4.57, rock rubble to 5.6 rusty fr to 5.6 | | | | | | | | | | |
| | | General Description: Graywacke (GrW) The GrW Unit is a sequence of fine to coarse | | | | | | | | | | |
| | | grained feldspathic to lithic greywackes with lesser intercalated siltstone to | | | | | | | | | | |
| | | mudstone layering and mudstone with the occasional lithic siltstone clasts. Intervals | | | | | | | | | | |
| | | of biotite to feldspathic altered lithic greywacke are common throughout. The GrW | | | | | | | | | | |
| | | is typically feldspathic altered with a pinkish hue to the matrix. Bedding is | | | | | | | | | | |
| | | distinguishable by the coarseness of grains and with the amount It-gry calcitic | | | | | | | | | | |
| | | content. The Unit is typically lt-med gry mottled with sections of lt-brown due to the | | | | | | | | | | |
| | | amount of biotite present. Normally, the Unit is most often a pinkish hue due to | | | | | | | | | | |
| | | kspar alteration but with increasing sericite the matrix and core yields an overall | | | | | | | | | | |
| | | background greenish tinge to the Kspar pinkish hue. In sections with increasing | | | | | | | | | | |
| | | coarsening and lighting of the matrix, the unit displays a remnant of the original | | | | | | | | | | |
| | | sandstone host rock. interstitial py is intermittent throughout the matrix, qtz/ca | | | | | | | | | | |
| | | veining is most commonly jagged, braided, channeled, discontin. blocky, rarely | | | | | | | | | | |
| | | uniform, and often filling tension gashes. | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 5.2 | 41.3 | GrW-Arg/Sst It-med gry argillitic, calcitic with lamina of It-gry siltstone, at 6.5, -30° | G022887 | 5.40 | 8.00 | 2.60 | 0.103 | 0.2 | 64 | 39 | 4 | 24 |
| | | to CA, at 8.0, -50°, at 10.5, swirly -40°, at 11.5, -30°. interstitial py sparse, vfg matrix | G022888 | 8.00 | 10.00 | 2.00 | 0.111 | 0.2 | 68 | 47 | 8 | 29 |
| | | w/ kspar hue, at 8.0m gouge filled fr at 70°. At 9.95 irregular blebs of py | G022889 | 10.00 | 12.00 | 2.00 | 0.034 | 0.2 | 44 | 34 | 6 | 24 |
| | | microfractured controlled, 5.0mm wide linear at 05° to CA | G022890 | BLANK | BLANK | BLANK | <0.005 | <0.2 | <1 | <2 | <2 | <2 |
| | | at 12.1 Jamina at 40° offset by 3.0mm due to microfracturing at 65° | G022891 | 12 00 | 14 00 | 2 00 | 0.033 | 04 | 83 | 37 | 4 | 23 |
| | | at 134.70 a 1.0cm wide ca/gtz/sparse Cpv/vein at 70°. | G022892 | 14.00 | 16.00 | 2.00 | 0.025 | 0.4 | 66 | 251 | 43 | 31 |
| | | at 14.90 bedding planes at 40°, interstitial py very rare. | | | | | | | | | | |
| | | at 15.90 a fr at 45° partially filled w/ ca and a lt grn mineral. w/ slickenslides at 150°. | | | | | | | | | | |
| | | bedding at 45° | | | | | | | | | | |
| | | at 17.5 brown hue to matrix with the pink hue of Kspar >biotite content w/> | G022893 | 16.00 | 18.00 | 2.00 | 0.030 | 0.3 | 67 | 47 | 8 | 23 |
| | | interstitial py. | | | | | | | | | | |
| | | from 18.36 to 21.0 microfracturing is very sparse | G022894 | 18.00 | 20.00 | 2.00 | 0.036 | 0.4 | 99 | 37 | 8 | 35 |
| | | at 20.70 a 1.0cm wide gtz/ca/barren vein at 25°, microfrs > | G022895 | 20.00 | 22.00 | 2.00 | 0.130 | 1.5 | 291 | 66 | 14 | 58 |
| | | at 21.0 specks of py in matrix w/brn bio | | | | | | | | | | |
| | | at 21.30 4.0cm wide band of qtz/ca/py/veinlets at 40°w/grn ser | | | | | | | | | | |
| | | at 21.70 a 2.0cm wide qtz/ca/vein at 50° | | | | | | | | | | |
| | | at 21.90to 22.0 microfractured blebby py clusters est 5% matrix is Kspar hue, no brn | | | | | | | | | | |
| | | bio. | | | | | | | | | | |
| | | at 22.60 to 22.80 blebby py in core, brn bio in microfractures | G022896 | 22.00 | 24.00 | 2.00 | 0.101 | 0.9 | 265 | 127 | 21 | 41 |

Page: 3 of 9 pages



| From | | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|--------|---|---------|--------|--------|--------|-------|-----|------|------|-----|-----|
| (m) | To (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | at 23.30 a partially filled fr w/brn bio/py at 0° to CA | G022897 | 24.00 | 26.00 | 2.00 | 0.076 | 0.6 | 119 | 79 | 12 | 21 |
| | | at 24.80 faint bedding at 50° | | | | | | | | | | |
| | | 24.95 grn ser alter with kspar to 25.05 microfr has < over this section, towards the | | | | | | | | | | |
| | | end > brn bio alteration is due to the intensity of microfracturing | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | at 27.0 matrix has very sparse py is slightly brn, microfrs intense filled w/brn bio and | G022898 | 26.00 | 28.00 | 2.00 | 0.065 | 0.2 | 60 | 46 | 5 | 41 |
| | | some w/py. | G022899 | 26.00 | 28.00 | DUP | 0.064 | 0.2 | 67 | 47 | 5 | 50 |
| | | at 28.10 1.2cm wide med gry argillaceous layering at 60° | G022900 | STD 15 | STD 15 | STD 15 | 0.572 | 2.8 | 4520 | 175 | 30 | 71 |
| | | at 29.90 to 30.10, a 6.0cm band of ca/qtz/py at ~20° to CA | G022901 | 28.00 | 30.00 | 2.00 | 0.071 | 0.9 | 161 | 40 | 7 | 67 |
| | | from 30.50 to 32.0 matrix > Kspar <bio>grn ser alteration</bio> | G022902 | 30.00 | 32.00 | 2.00 | 0.115 | 0.7 | 121 | 40 | 8 | 58 |
| | | elevated interstitial and overall py in section | | | | | | | | | | |
| | | at 32.0 brn bio w/kspar altered matrix w/very sparse py | G022903 | 32.00 | 34.00 | 2.00 | 0.030 | 0.3 | 93 | 54 | 5 | 39 |
| | | at 32.40 a 5.0cm wide quartzite clast within the argilliceous host, clast is irregular | | | | | | | | | | |
| | | shaped but with rounded edges. | | | | | | | | | | |
| | | at 33.30 a 2.0cm wide qtz/ca/ vein at 60° is barren | | | | | | | | | | |
| | | from 33.90 to 37.95 interstitial calcite is rare in matrix and confined to frs and veins. | G022904 | 34.00 | 36.00 | 2.00 | 0.035 | 0.4 | 97 | 69 | 12 | 53 |
| | | Matrix and veins are more siliceous, and a < in brn bio w/ an > in grn ser alteration. | | | | | | | | | | |
| | | at 34.95 a gouge filled open fr at 15° to CA | | | | | | | | | | |
| | | from 35.05 to 37.95 > kspar in matrix and > grn ser | | | | | | | | | | |
| | | at 35.50 to 35.65 qtz flooded brx very little ca, grn-ser patch | | | | | | | | | | |
| | | 36.a to 38.4 extensional qtz veinlets at 60° | G022905 | 36.00 | 38.00 | 2.00 | 0.034 | 0.5 | 134 | 44 | 11 | 32 |
| | | at 38.6 a 1.0cm wide qtz/rare Cpy/ vein at 20° | G022906 | 38.00 | 40.00 | 2.00 | 0.062 | 0.6 | 106 | 76 | 20 | 33 |
| | | at 41.20 open fr with gouge at 50° | G022907 | 40.00 | 42.00 | 2.00 | 0.035 | 0.6 | 83 | 35 | 8 | 38 |
| 41.3 | 61.3 | GrW Sst/Arg clastic Unit with clasts of quartzite in It-med gry argillaceous-siltstone | G022908 | 42.00 | 44.00 | 2.00 | 0.018 | 0.2 | 82 | 52 | 7 | 40 |
| | | matrix, poorly sorted and clasts are rounded. Vague contact at a wavy 60° to CA. | G022909 | 44.00 | 46.00 | 2.00 | 0.034 | 0.4 | 82 | 53 | 8 | 26 |
| | | Microfr are distinct in clasts, interstitial calcite is sporatic to 63.90 | | | | | | | | | | |
| | | at 44.85 py in blebs and microfractures with calcite | | | | | | | | | | |
| | | from 45.5 to 48.90 matrix more siliceous and w/>grn ser <bio< td=""><td>G022910</td><td>46.00</td><td>48.00</td><td>2.00</td><td>0.264</td><td>6.6</td><td>271</td><td>4390</td><td>826</td><td>135</td></bio<> | G022910 | 46.00 | 48.00 | 2.00 | 0.264 | 6.6 | 271 | 4390 | 826 | 135 |
| | | at 46.30 a 2.0cm wide band of py/qtz/ca at 40° | | | | | | | | | | |
| | | at 48.3 a 1.2cm wide band of py/qtz/ca at 50°, matrix contains more py at microfr | G022911 | 48.00 | 50.00 | 2.00 | 0.365 | 6.5 | 220 | 686 | 397 | 137 |
| | | node points and overall py content is > | G022912 | 50.00 | 51.00 | 1.00 | 0.032 | 0.9 | 78 | 90 | 42 | 70 |
| | | at 50.6 matrix becoming very siliceous and bleached to lt gry. | | | | | | | | | | |
| | | 51.3-56.5 FAULT ZONE at 51.3 1.0cm gouged filled fr at 50° to CA, followed by | G022913 | 51.00 | 52.00 | 1.00 | 0.117 | 3.4 | 80 | 4160 | 479 | 147 |
| | | broken core with some sections intact but very friable and brittle. The Zone ends | G022914 | 52.00 | 53.00 | 1.00 | 0.104 | 1.4 | 106 | 241 | 73 | 68 |
| | | with the last gouged filled fr at 50° | G022915 | 53.00 | 54.00 | 1.00 | 0.051 | 1.2 | 216 | 87 | 14 | 40 |
| | | at 52.70 at 3.0cm wide wavy band of py/qtz/ca at 50°. crude bedding planes | | | | | | | | | | |

Page: 4 of 9 pages

Hole: SK-10-14



| From | | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|--------|---|---------|--------|--------|--------|---------|------|------|-------|------|--------|
| (m) | To (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | at 40° | | | | | | | | | | |
| | | at 53.5 micrfr are open not healed | G022916 | 54.00 | 55.00 | 1.00 | 0.297 | 6.2 | 749 | 1035 | 128 | 54 |
| | | at 55.80 a gouge filled fr at 30° has vague slickenslides at 30° | G022917 | 55.00 | 56.00 | 1.00 | 0.088 | 3.8 | 324 | 902 | 298 | 66 |
| | | at 57.80 calcareous siltstone bedding at 70° | G022918 | 56.00 | 57.00 | 1.00 | 0.021 | 1.3 | 132 | 183 | 118 | 27 |
| | | at 58.26 a gouge filled fr at 10° to 58.80 divides a massive py band // to fr and order | G022919 | 57.00 | 58.00 | 1.00 | 0.016 | 0.9 | 100 | 171 | 71 | 20 |
| | | of sequencing is healed qtz brx/2.0mm sph veinlet/fracture/ rock frags/ sph/ | G022920 | STD 2 | STD 2 | STD 2 | 2.150 | 15.1 | 5010 | 12900 | 241 | 26 |
| | | massive py w/qtz,ca. Overall py content > 70%, sph~1.0% | G022921 | 58.00 | 59.00 | 1.00 | 0.899 | 33.0 | 333 | 21200 | 6270 | 2420 |
| | | | G022922 | 59.00 | 60.15 | 1.15 | 1.405 | 10.2 | 41 | 929 | 711 | 250 |
| | | 58.6-60.1 massive py/qtz/ca from 58.60 to 60.1 then at a wavy contact at 15° to | G022923 | STD 20 | STD 20 | STD 20 | 21.400 | 5.2 | 118 | 257 | 1155 | >10000 |
| | | 60.80 then a // fracture 60.115 or 1.5 cm apart, massive py w/ calcite partly scims | G022924 | BLANK | BLANK | BLANK | < 0.005 | <0.2 | 3 | 22 | 7 | 4 |
| | | the core to 61.30 overall py in zone is >70%. | G022925 | 60.15 | 61.30 | 1.15 | 1.145 | 12.0 | 51 | 4180 | 1065 | 368 |
| 61.3 | 62.9 | GrW-Sst/Arg Gradational Contact of argillaceous unit w/ Sst Unit, Sandstone Unit is | G022926 | 61.30 | 62.15 | 0.85 | 0.163 | 3.7 | 212 | 1060 | 226 | 65 |
| | | grainy, It-med gry matrix w/sparse interstitial py w/ py generally located in fr and | | | | | | | | | | |
| | | veins/lets, calcareous, and slightly pink hue with Kspar alteration and a light | | | | | | | | | | |
| | | greenish hue of sericite. | | | | | | | | | | |
| | | the gradational contact appears to be a slump feature with sandstone bedding units | | | | | | | | | | |
| | | and clasts within | | | | | | | | | | |
| | | 62.85 to 63.0 py/qtz/ca vein scimming core at 0° | G022927 | 62.15 | 63.00 | 0.85 | 0.470 | 3.1 | 499 | 106 | 39 | 126 |
| 62.9 | 75.1 | Sst Unit as described previously above, up hole contact gradiation and starts at the | | | | | | | | | | |
| | | first massive Sst bed, down hole contact is sharp w/ GrW argillaceous Unit at 40° to | | | | | | | | | | |
| | | CA. | | | | | | | | | | |
| | | at 63.3 long open fr at 0° to ca, py veining in this section appears as tension gash | G022928 | 63.00 | 64.00 | 1.00 | 0.142 | 2.0 | 296 | 123 | 24 | 54 |
| | | fillings | G022929 | 64.00 | 65.00 | 1.00 | 0.039 | 0.7 | 79 | 152 | 19 | 16 |
| | | 65.50 to 65.95 a 3.0+cm massive py/ca/qtz vein // to CA is wavy braided with | G022930 | 65.00 | 66.00 | 1.00 | 1.085 | 11.3 | 139 | 4050 | 794 | 312 |
| | | sparse sph. Est py content >60% | | | | | | | | | | |
| | | from 66.60 to 67.0 a 3.0 +cm massive py/ca/qtz/ vein at // to CA is scimming the | G022931 | 66.00 | 67.00 | 1.00 | 0.925 | 6.6 | 945 | 470 | 104 | 205 |
| | | core is vuggy. Est py content >60% | | | | | | | | | | |
| | | at 67.35 a 3.0 cm wide band of py/ca/qtz at 30° appears to be micro fracture fillings | G022932 | 67.00 | 68.00 | 1.00 | 0.237 | 4.2 | 377 | 949 | 348 | 59 |
| | | is slightly vuggy | | | | | | | | | | |
| | | at 67.60 argilleceous bedding at 60° matrix is >kspar, slight bio | | | | | | | | | | |
| | | at 68.9 a qtz tension gash at 20° to CA, core is w/ microfr qtz/ca blebs | G022933 | 68.00 | 69.00 | 1.00 | 0.158 | 2.5 | 126 | 1060 | 313 | 5 |
| | | discontinuous veins/lets, etc. Minor py | | | | | | | | | | |
| | | at 69.70 8.0cm wide quartzite clast no calcite, micro fr general direction at 15° in | G022934 | 69.00 | 70.00 | 1.00 | 0.012 | 1.4 | 141 | 231 | 141 | 3 |
| | | clast. | | | | | | | | | | |
| | | at 70.9 blebs of py in matrix decreasing calcite in matrix more quartzite at 71.45 a | G022935 | 70.00 | 71.00 | 1.00 | 0.082 | 2.2 | 424 | 85 | 54 | 29 |
| | | 4.0cm wide band of py/ca/qtz at 50°. Calcite in matrix increasing | G022936 | 71.00 | 72.00 | 1.00 | 0.192 | 2.5 | 288 | 60 | 23 | 102 |
| | | at 71.70 a 5.0mm wide qtz/ca/veinlet at 70° to CA, matrix becoming more | G022937 | 72.00 | 73.00 | 1.00 | 0.060 | 1.1 | 125 | 39 | 13 | 27 |
| | | argillaceous. <kspar bio<="" brn="" grn="" ser="" td="" w=""><td>G022938</td><td>73.00</td><td>74.00</td><td>1.00</td><td>0.061</td><td>1.2</td><td>144</td><td>49</td><td>14</td><td>37</td></kspar> | G022938 | 73.00 | 74.00 | 1.00 | 0.061 | 1.2 | 144 | 49 | 14 | 37 |

Page: 5 of 9 pages



| From | | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|--------|---|---------|--------|--------|--------|---------|------|------|-------|------|--------|
| (m) | To (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | at 73.60 slump features of argillaceous lamina | G022939 | 74.00 | 75.00 | 1.00 | 0.065 | 1.3 | 201 | 54 | 6 | 26 |
| | | from 74.3 to 76.05 tiny ca/qtz tension gashes 2.0cm long at ~60° | G022940 | BLANK | BLANK | BLANK | < 0.005 | <0.2 | 1 | <2 | <2 | <2 |
| 75.1 | 85.8 | | | | | | | | | | | |
| | | GrW-Arg/Sst clastic Unit argillaceous, matrix kspar + > grn ser <bio alteration,="" td="" vfg,<=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></bio> | | | | | | | | | | |
| | | slightly py interstitial specks, only the siltstone layering is calcitic. At 75.80 band of | G022941 | 75.00 | 76.00 | 1.00 | 0.197 | 2.1 | 298 | 50 | 10 | 38 |
| | | py blebs and specks at 50° to CA. At 75.90 bedding at 60° | | | | | | | | | | |
| | | at 76.60 blebs, specks, discontinous veins of py due to micro fracturing, microfr | G022942 | 76.00 | 77.00 | 1.00 | 0.268 | 3.7 | 465 | 52 | 23 | 47 |
| | | obscure, sparse ca | | | | | | | | | | |
| | | at 77.25 a 12.0cm wide qtz/ca vein at 70° is barren, a quartzite bedding layer? | G022943 | 77.00 | 78.00 | 1.00 | 0.081 | 1.4 | 145 | 289 | 50 | 33 |
| | | at 78.1 bedding at 70° | G022944 | 78.00 | 79.00 | 1.00 | 0.075 | 1.2 | 160 | 52 | 19 | 22 |
| | | at 78.35 matrix is >grn ser alteration | | | | | | | | | | |
| | | at 78.95 a 5.0mm wde qtz/ca/py veinlet at 50°. core becoming more calcitic | | | | | | | | | | |
| | | because of more siltstone layers verses argillaceous layering. Siltstone layers at | | | | | | | | | | |
| | | 7.0cm wide | | | | | | | | | | |
| | | at 80.80 bedding at 40° interstitial py is very sparse | G022945 | 79.00 | 80.12 | 1.12 | 0.043 | 1.0 | 111 | 148 | 39 | 23 |
| | | at 81.40 very sparse gy metallic mineral in matrix, tetrahedron xtal shape, very | G022946 | 80.12 | 81.24 | 1.12 | 0.016 | 0.9 | 68 | 190 | 71 | 60 |
| | | minute at 20x magnification, black biotite alteration in lamina to 81.75. at 82.0 grn | G022947 | 81.24 | 82.36 | 1.12 | 0.347 | 3.1 | 173 | 1970 | 400 | 6330 |
| | | ser > in matrix | | | | | | | | | | |
| | | at 82.36 a 30cm wide band of py/sph/ca/qtz at 50° to CA. Order of mineralization | G022948 | 82.36 | 82.74 | 0.38 | 2.760 | 54.2 | 3390 | 26900 | 4160 | 5220 |
| | | from wall rock edge up hole 2.0mm wide sph veinlet/1.5cm wide vein of qtz-ca- | G022949 | 82.36 | 82.74 | DUP | 1.870 | 60.2 | 2310 | 37400 | 5320 | 9240 |
| | | sparse py+pyh with sparse grn ser alteration/massive py >70% with microfractures | G022950 | STD 20 | STD 20 | STD 20 | 21.800 | 6.0 | 120 | 269 | 1185 | >10000 |
| | | of calcite and sphalerite/ then a swirly wallrock contact at 40° | G022951 | BLANK | BLANK | BLANK | <0.005 | 0.2 | 7 | 104 | 5 | 27 |
| | | 83.2-83.05 Zone of Grn-Ser Alteration, the zone usually begins with a slight | G022952 | 82.74 | 83.37 | 0.63 | 0.067 | 7.1 | 408 | 3940 | 950 | 455 |
| | | alteration of the matrix into patches followed by increase alteration into the | | | | | | | | | | |
| | | calcareous siltstone layers, then into the argillaceous layering for intense alteration. | | | | | | | | | | |
| | | Patchy alteration is the result of either siltstone or argillaceous clasts being altered | | | | | | | | | | |
| | | with a different shade of grn. Remnant bedding and rock textures are preserved | | | | | | | | | | |
| | | through out the alteration. | | | | | | | | | | |
| | | at 83.20 matrix has a schistose texture > grn ser alteration | | | | | | | | | | |
| | | at 83.90 a8.0cm wide ca/qtz vein at 60° w/ grn ser patches/ sparse sph/Cpy/py | G022953 | 83.37 | 84.89 | 1.52 | 0.100 | 7.7 | 423 | 7660 | 900 | 727 |
| | | specks at 84.07 a 5.0mm wide sph ca/qtz veinlet at 60°. matrix in vicinity has 1.0x | | | | | | | | | | |
| | | 3.0cm wide bleb of pyh, also > grn ser alteration | | | | | | | | | | |
| | | at 84.40 a 1.5cm irregular ca/qtz/sparse py-sph/ vein at 30° | | | | | | | | | | |
| 85.8 | 93.1 | SSt Gradiational Contact , majority of the matrix is coarser grain taking on the | | | | | | | | | | |
| | | appearance of an original SSt with minor argillaceous and siltstone bedding at ~60° | | | | | | | | | | |
| | | crude bedding | | | | | | | | | | |

Page: 6 of 9 pages



| From | | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|-------|--------|--|---------|--------|--------|--------|-------|------|------|-------|------|------|
| (m) | To (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | from 85.15 to 85.70 blebs of sph in 1.0cm wide ca/qtz/ irregular veins at 85.70 a | G022954 | 84.89 | 86.00 | 1.11 | 0.548 | 9.6 | 193 | 8840 | 1330 | 7340 |
| | | at 86.05 a blebs of py in a 4.0cm wide band at 50° w/ argillic alteration + grn ser-chl, | G022955 | 86.00 | 87.00 | 1.00 | 0.103 | 2.4 | 104 | 1710 | 255 | 82 |
| | | alteration intense, very little calcite in matrix at 86.80 to 112.40 | | | | | | | | | | |
| | | at 87.05 a wavy blebby band of py at 50° w/ca | G022956 | 87.00 | 88.00 | 1.00 | 0.050 | 2.4 | 155 | 1220 | 284 | 1430 |
| | | at 87.50 matrix is It gry with slight Kspar alt sparse interstitial py, py confined to | | | | | | | | | | |
| | | blebs and bands. At 87.8 pyh veinlet at 70° | | | | | | | | | | |
| | | at 89.90 a 6.0cm wide band of sparse py/ca at 60° | G022957 | 88.00 | 90.00 | 2.00 | 0.102 | 3.8 | 307 | 864 | 222 | 75 |
| | | at 91.4 fa 1.5cm wide bleb py band at 40° | G022958 | 90.00 | 92.00 | 2.00 | 0.155 | 8.0 | 432 | 2260 | 820 | 106 |
| | | at 92.2 matrix is >argillaceous content with Sst clasts | G022959 | 92.00 | 94.00 | 2.00 | 0.067 | 2.8 | 219 | 450 | 145 | 36 |
| | | at 93.05 crude and obscure slump features in a Sst-Arg matrix | G022960 | STD 15 | STD 15 | STD 15 | 0.525 | 2.9 | 4870 | 197 | 31 | 71 |
| 93.1 | 97.3 | SSt Gradiational Contact with GrW-Arg -CgL | G022961 | 94.00 | 96.00 | 2.00 | 0.048 | 2.0 | 199 | 95 | 24 | 41 |
| | | matrix is slighty kspar alt, sparse py coarser grained with occasional Sst clasts, | G022962 | 96.00 | 98.00 | 2.00 | 0.086 | 5.9 | 447 | 3150 | 362 | 321 |
| | | | | | | | | | | | | |
| | | at 95.10 crude wavy argillaceous bedding at 50°, Sst clasts > | | | | | | | | | | |
| 97.3 | 105.9 | GrW-Arg-CgL Arbitrary Contact first argillaceous layer | | | | | | | | | | |
| | | at 97.35 a 2cm band of sph/py/ca at 50° w/grn ser-chl alt | | | | | | | | | | |
| | | 97.9-106.2 Zone of Grn Ser-Chl Alteration | | | | | | | | | | |
| | | at 98.10 blebs of py in a 2.0cm wide band w/ sparse sph at 50° matrix is moderately | G022963 | 98.00 | 100.00 | 2.00 | 0.282 | 12.2 | 579 | 4970 | 1280 | 603 |
| | | grn ser-chl altered | | | | | | | | | | |
| | | from 98.60 to 99.40 intense grn ser-chl alt with specks, wisps,blebs of sph est | | | | | | | | | | |
| | | overall content is <0.5%. At 99.30 a 10cm widle band of py at 50° w/ sph wisps/ca. | | | | | | | | | | |
| | | Alt is intense grn-ser-chl. At 101.30 3.0cm wide band of py/sph/ca at 50° | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | at 101.35 a 1.0cm wide band of py/sparse sph/ ca at 40° shows microfracturing | G022964 | 100.00 | 102.00 | 2.00 | 0.061 | 6.2 | 191 | 3760 | 858 | 132 |
| | | whereas in matrix is healed by the grn ser-chi alteration. | 0000005 | 102.00 | 404.00 | 2.00 | 0.766 | 45 7 | 62.4 | | 4475 | 100 |
| | | at 102.15 a 5.0cm wide band of blebby py/ ca/sparse spn at 40° | G022965 | 102.00 | 104.00 | 2.00 | 0.766 | 15.7 | 634 | 5550 | 1175 | 186 |
| | | at 102.20 slump feature then gradiation wit mixed arg/sst clasts | | | | | | | | | | |
| | | at 103 a 30cm zone of blebby py/ sparse sph/ ca at 50° w/numerous healed | | | | | | | | | | |
| | | microtractures. | | | | | | | | | | |
| | | followed by a friable, brittle 10cm zone of nealed shear | C0220CC | 104.00 | 100.00 | 2.00 | 0.202 | 12 7 | 1105 | 0070 | 021 | 2720 |
| | | from 103.80 to 106.2 a zone of intense ser-chi alteration w/ blobs, specks wisps of | G022966 | 104.00 | 106.00 | 2.00 | 0.283 | 13.7 | 1185 | 8870 | 931 | 2720 |
| | | spn/pyn/py within the microfracturing component of the core, at 105.20 a 1.5 cm | | | | | | | | | | |
| 105.0 | 112.4 | wide braided band of pyn | | | | | | | | | | |
| 102.9 | 112.4 | at 105 00 argillaceous bodding at 60° at 106 EE pub blob in core | 6022067 | 106.00 | 109.00 | 2 00 | 0.201 | 26 | 172 | 2240 | 406 | 0500 |
| | | at 109.30 arguide band of ny blobs at 200 | 6022907 | 100.00 | 100.00 | 2.00 | 0.201 | 5.0 | 1/2 | 2340 | 490 | 0000 |
| | | at 100.50 a 70m wide bydrothormal broccia zono w/ca/cab no ny oct arb content | 0022908 | 108.00 | 109.00 | 1.00 | 0.310 | 0.7 | 440 | 22800 | 038 | 2230 |
| | | at 100.00 a 20011 wide Trydrothermal breccia zone w/ca/sph no py est sph content | | | | | | | | | | |
| | | is 20% wavy contact, irregular | | | I | | | | | | | |

Page: 7 of 9 pages



| From | | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|-------|--------|--|---------|--------|--------|--------|-------|------|------|-------|------|------|
| (m) | To (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | at 108.90 a 3 cm wide band of blebby py at 45° w/ca | | | | | | | | | | |
| | | at 109.85 a 25cm wide zone of blebbly py at irregular 70° to CA, sparse py | G022969 | 109.00 | 109.85 | 0.85 | 0.157 | 8.1 | 344 | 2950 | 1190 | 451 |
| | | at 110.40 bedding contact of SSt with a minor Arg layer at 30° | G022970 | 109.85 | 111.20 | 1.35 | 6.420 | 4.6 | 70 | 1180 | 287 | 168 |
| | | at 111. 05 a 10cm wide band of blebby py at 40° w/ sparse sph-ca also slightly grn | | | | | | | | | | |
| | | ser-chl alter ed patchy. Py content ~70% | | | | | | | | | | |
| | | at 111.40 argillaceous content is > | | | | | | | | | | |
| | | at 111.80 slump feature? | | | | | | | | | | |
| | | at 112.30 a 4.0cm wide ca/qtz/patchy grn ser-chl/sparse py/ vein at 60° | | | | | | | | | | |
| 112.4 | 120.3 | GrW-Arg-CgL, greywacke w/ main component of argillaceous layering with siltstone | | | | | | | | | | |
| | | clasts, some layering of siltstone + sandstone + clasts of argillite but the majority of | | | | | | | | | | |
| | | the section is argillaceous layering sometimes massive with silstone clasts. contact | | | | | | | | | | |
| | | is at first argillaceous layer bedding plane at 50° is irregular and wavy. | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | at 112.40 calcite in matrix is > | G022971 | 111.20 | 113.60 | 2.40 | 0.086 | 6.1 | 308 | 1590 | 257 | 27 |
| | | 112.70 a 2.0cm wde ca/qtz/sparse py/ sparse blebs of chl-ser/vein at 35° | G022972 | 113.60 | 114.00 | 0.40 | 0.074 | 4.4 | 307 | 1640 | 272 | 41 |
| | | at 114.80 clasts of rounded siltstone clasts poorly sorted | G022973 | 114.00 | 116.00 | 2.00 | 0.086 | 3.5 | 238 | 2520 | 332 | 77 |
| | | at 115.10 a 6.0cm wide band of qtz/ca/py 25%/grn ser-chl/ sparse sph in qtz near | | | | | | | | | | |
| | | wall rock edge at 30° to CA. | | | | | | | | | | |
| | | at 116.3 >grn ser-chl alteration of matrix | G022974 | 116.00 | 118.00 | 2.00 | 0.244 | 3.4 | 196 | 10950 | 479 | 2430 |
| | | at 117.0 intense grn ser-chl alteration of matrix. At 117.01 a 2.5cm wide band of | | | | | | | | | | |
| | | ca/qtz/sph est 10% at 30° to CA followed by blebs of py/ca/wisps of sph in matrix to | | | | | | | | | | |
| | | 117.25 est overall sph in zone is about 5.0% | | | | | | | | | | |
| | | at 118.25 irregular band/vein to 118.40 w/sph ca/pyh | G022975 | 118.00 | 120.00 | 2.00 | 0.023 | 1.6 | 115 | 1260 | 172 | 69 |
| | | from 118.30 to 123.10 matrix w/ many anastomising fractures healed and unhealed. | | | | | | | | | | |
| | | | | | | | | | | | | |
| 120.3 | 125.1 | GrW-Sst-CgL med gry clasts of angular 3.0cm ave size argillite in a siltstone matrix | G022976 | 120.00 | 122.00 | 2.00 | 0.047 | 2.0 | 201 | 419 | 76 | 31 |
| | | clasts sizes. Alteration is slight Kspar. Clasts appear almost granitic with py specks, | | | | | | | | | | |
| | | siltstone matrix has very sparse py. Very little interstitial ca to 149.8 | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | from 123.8 to 125.0 matrix very siliceous | | | | | | | | | | |
| | | at 122.95 a 4.0cm wide qtz/ca/specular hematite/vein at 50° | G022977 | 122.00 | 124.00 | 2.00 | 0.047 | 2.1 | 128 | 452 | 115 | 31 |
| | | at 125.45 pyh in wisps | G022978 | 124.00 | 126.00 | 2.00 | 0.074 | 2.1 | 107 | 4100 | 211 | 868 |
| 125.1 | 127.1 | GrW-Arg/Sst argillaceous, matrix kspar + > grn ser , vfg, slightly py interstitial | | | | | | | | | | |
| | | specks, siltstone layering is quartz very little calcite | | | | | | | | | | |
| | | 125.55 a 3.5cm wide band of qtz/ca/sph est 10%/py at 55° to CA | | | | | | | | | | |
| | | in an intensive grn-ser-chl wall rock, grn ser-chl blebs in band | | | | | | | | | | |
| | | 125.1-127.05 matrix is grn-ser-chl alt'd from intense to moderate throughout this | G022979 | 126.00 | 128.00 | 2.00 | 0.210 | 2.7 | 80 | 2630 | 367 | 3300 |
| | | section. From 126.4 to 127.3 four qtz/ca/sph/py veinlets at 30° | G022980 | STD 2 | STD 2 | STD 2 | 2.000 | 14.5 | 5350 | 13600 | 249 | 40 |

Page: 8 of 9 pages



| From | | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|-------|--------|---|---------|--------|--------|--------|---------|------|------|------|-----|-----|
| (m) | To (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| 127.1 | 135.7 | GrW-Sst/Arg siltstone layering > than argillaceous layering matrix is It gry sparse py, | | | | | | | | | | |
| | | no calcite | | | | | | | | | | |
| | | at 127.4 a serpentinite coated fr at 45° has slickenslides at 65° | | | | | | | | | | |
| | | at 127.85 a wavy 2cm wide barren qtz vein at 20° cuts and offsets a 1.5 cm wide | | | | | | | | | | |
| | | qtz/sparse ca and blebs of sph/ rare py/ vein at 90° | | | | | | | | | | |
| | | at 128.60 crude argillaceous bedding at 60° | G022981 | 128.00 | 130.00 | 2.00 | 0.054 | 2.3 | 149 | 906 | 198 | 18 |
| | | at 131.5 py blebs formed by anastomosing microfractures | G022982 | 130.00 | 134.00 | 4.00 | 0.033 | 2.8 | 205 | 1030 | 225 | 42 |
| | | at 134.90 anastomosing microfrs filled w/py few blebs | G022983 | BLANK | BLANK | BLANK | < 0.005 | <0.2 | 2 | 9 | <2 | <2 |
| | | at 135.20 crude wavy bedding with massive 25cm argillaceous bed contact at 40° | G022984 | 134.00 | 136.00 | 2.00 | 0.075 | 2.6 | 314 | 292 | 120 | 53 |
| | | | | | | | | | | | | |
| 135.7 | 143.1 | GrW-Arg/Sst Gradiational Zone of intermixed GrW Arg-CgL and minor Sst | G022985 | 136.00 | 137.80 | 1.80 | 0.415 | 2.8 | 183 | 1460 | 401 | 30 |
| | | From 137.65 to 138.50 an irregular band of py/grn ser-chl-clay patches/ little ca. | G022986 | 137.80 | 138.80 | 1.00 | 0.117 | 2.0 | 117 | 1270 | 213 | 29 |
| | | | | | | | | | | | | |
| | | 138.75 as 1.0cm wide chl-ser-clay veinlet at 60° with slicks? Has a bleached selvage | G022987 | 138.80 | 139.80 | 1.00 | 0.324 | 4.3 | 190 | 785 | 340 | 148 |
| | | of 3.0cm wide. From 138.90 to 139.40 a bleached zone at 20 w/ 1.5cm+ wide py w/ | | | | | | | | | | |
| | | chl-ser. At 139.40 matrix has vfg sph for 10cm? At 140.0 a 2.0cm wide vein of ca/ | | | | | | | | | | |
| | | ser-chl-clay vuggy/vein at 20° w/ a 3.0cm wide bleached selvage then matrix has a | | | | | | | | | | |
| | | slight grn-ser-chl alteration followed at 140.15 by an altered mafic dyke? until | | | | | | | | | | |
| | | 140.70, a lamprophyre? with phenocrysts of a lt grn color mineral apatite? contact | G022988 | 139.80 | 140.80 | 1.00 | 0.383 | 5.1 | 861 | 230 | 82 | 98 |
| | | fuzzy at 40° lower contact is with a 2.0cm wide ser-chl-clay/py/sph/ vein at 05° | | | | | | | | | | |
| | | starting from 140.70 to 141.95. at 141.95 a 10cm wide bleach selvage separates the | | | | | | | | | | |
| | | vein with another 5.0cm wide lamprophyre then a massive py/ca/qtz/ vein at 0° to | G022989 | 140.80 | 141.80 | 1.00 | 2.180 | 4.9 | 696 | 507 | 140 | 99 |
| | | CA until 142.80 est py ~40%. the lamprophyre is reddish color overprint of Kspar | G022990 | 141.80 | 142.80 | 1.00 | 5.380 | 8.9 | 1190 | 166 | 120 | 197 |
| | | alter? | | | | | | | | | | |
| | | | | | | | | | | | | |
| 143.1 | 149.6 | GrW Arg/Sst upper contact is very arbitrary due to the metamorphic aureole | | | | | | | | | | |
| | | surrounding the dykes but it is taken from the first sign of bedding lamina at 143.1 | | | | | | | | | | |
| | | at 80° to CA load casts point towards up hole side for tops. | G022991 | 142.80 | 144.00 | 1.20 | 0.109 | 3.7 | 396 | 125 | 27 | 39 |
| | | at 143.50 a 3.0cm wide qtz/sparse ca/barren/ vein at 25° to CA | | | | | | | | | | |
| | | at `144.25 three 2.0cm+ // massive py/ca/qtz/shade of lt grn ser-chl/veins at 20° to | G022992 | 144.00 | 144.90 | 0.90 | 0.962 | 8.9 | 1410 | 206 | 77 | 141 |
| | | CA spaced 10cm apart. | G022993 | 144.90 | 145.67 | 0.77 | 0.011 | 0.6 | 99 | 115 | 8 | 6 |
| | | at 145.1 to 145.75 a porphyric diabase dyke with calcite filled vesicles. Phenos of | G022994 | 145.67 | 147.00 | 1.33 | 0.086 | 1.6 | 210 | 122 | 20 | 30 |
| | | hornblende distinct, vfg drk greenish matrix. Up hole contacts sharp at 50° down | G022995 | 147.00 | 148.00 | 1.00 | 0.183 | 2.3 | 470 | 105 | 39 | 70 |
| | | hole is w/ a gouge filled fr at 35° . the thermal aureole affects the wallrock as to | G022996 | 148.00 | 149.00 | 1.00 | 0.408 | 4.4 | 1330 | 227 | 99 | 78 |
| | | hornsfelsing for 2.0+m a 5 cm bleaching of the wall rock can be seen on the | G022997 | 149.00 | 150.00 | 1.00 | 0.489 | 7.9 | 1570 | 1175 | 268 | 93 |
| | | downhole side | | | | | | | | | | |
| 149.6 | 154.4 | Slump zone with swirling arg lamina, siltstone clasts and angular argillaceous clasts, | | | | | | | | | | |
| | | zone ends at the first bedding lamina recognible | | | | | | | | | | |

Hole: SK-10-14 Page: 9 of 9 pages



| From | | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|-------|--------|--|---------|--------|--------|--------|---------|------|------|-----|-----|-----|
| (m) | To (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | at 147.8 two // pyh/ veinlets at 20° to CA, a pyh filled fr at 40w/ slickens at 70° from | | | | | | | | | | |
| | | the perpendicular down hole side of fr. Is followed by a anastomosing micro fr filled | | | | | | | | | | |
| | | w/ py/pyh forming knots, clusters, blebs to 148.70 | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | at 149.10 a 4.0cm band of anastomosing fr w/ca/sph wisps at 30° followed by a | | | | | | | | | | |
| | | 3.0cm band of massive py blebs at 40° to CA. | G022998 | 150.00 | 152.00 | 2.00 | 0.239 | 3.1 | 422 | 566 | 140 | 103 |
| | | at 149.40 a veinlet of py // to CA, core contains py blebs, open microfr. | G022999 | 152.00 | 154.00 | 2.00 | 0.167 | 2.5 | 390 | 151 | 38 | 57 |
| | | 149.1 to .5 this section appears to have a slump feature relict. | G023000 | BLANK | BLANK | BLANK | < 0.005 | 0.8 | 1 | <2 | <2 | 3 |
| 154.4 | 160.0 | GrW-Arg/Sst argillaceous, matrix kspar weak, slight grn ser , vfg, slightly py | G023001 | 154.00 | 156.00 | 2.00 | 0.151 | 2.4 | 448 | 103 | 22 | 52 |
| | | interstitial specks, siltstone layering is a quartz layer separate from a calcarous layer. | G023002 | 154.00 | 156.00 | DUP | 0.151 | 2.5 | 411 | 96 | 25 | 59 |
| | | Lamina at 85° | G023003 | 156.00 | 158.00 | 2.00 | 0.281 | 2.5 | 456 | 93 | 13 | 51 |
| | | | G023004 | 158.00 | 160.00 | 2.00 | 4.200 | 17.4 | 1710 | 198 | 69 | 262 |
| 160.0 | 162.0 | GrW-Arg-CgL siltstone clasts 8.0cm + | G023005 | 160.00 | 162.00 | 2.00 | 0.356 | 3.5 | 610 | 113 | 17 | 85 |
| | | | | | | | | | | | | |
| | | EOH 162.0 | | | | | | | | | | |



ALS Canada Ltd. 2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 1 Finalized Date: 24- NOV- 2010 Account: BQL

CERTIFICATE TR10159282

Project: Bronson

P.O. No.: Pink Security Tag Batch

This report is for 129 Drill Core samples submitted to our lab in Terrace, BC, Canada on 2- NOV- 2010.

The following have access to data associated with this certificate:

| DAVID JENSEN | DAVID YEAGER | JOHN ZBEETNOFF |
|--------------|--------------|----------------|
| | | |

| SAMPLE PREPARATION | | | | | |
|--------------------|------------------------------------|--|--|--|--|
| ALS CODE | DESCRIPTION | | | | |
| WEI- 21 | Received Sample Weight | | | | |
| SPL- 34 | Pulp Splitting Charge | | | | |
| LOG- 22 | Sample login - Rcd w/o BarCode | | | | |
| BAG- 01 | Bulk Master for Storage | | | | |
| CRU- 31 | Fine crushing - 70% < 2mm | | | | |
| CRU- QC | Crushing QC Test | | | | |
| PUL- QC | Pulverizing QC Test | | | | |
| SPL- 21 | Split sample - riffle splitter | | | | |
| PUL- 32m | Pulverize 500g - 85%<75um | | | | |
| LOG- 24 | Pulp Login - Rcd w/o Barcode | | | | |
| LOG- 22d | Sample login - Rcd w/o BarCode dup | | | | |
| SPL-21d | Split sample - duplicate | | | | |
| PUL- 32d | Pulverize Split - Dup 85% < 75um | | | | |

| | ANALYTICAL PROCEDURE | ES |
|-----------|--------------------------------|------------|
| ALS CODE | DESCRIPTION | INSTRUMENT |
| Au- AA24 | Au 50g FA AA finish | AAS |
| Au- GRA22 | Au 50 g FA- GRAV finish | WST- SIM |
| ME- MS61 | 48 element four acid ICP- MS | |
| ME- ICP41 | 35 Element Aqua Regia ICP- AES | ICP- AES |
| ME- OG46 | Ore Grade Elements - AquaRegia | ICP- AES |
| Zn- OG46 | Ore Grade Zn - Aqua Regia | VARIABLE |

To: SKYLINE GOLD CORPORATION ATTN: DAVID YEAGER SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - A Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

| | | | | | | | | | С | ERTIFI | CATE O | F ANA | LYSIS | TR10 | 59282 | 1 1 | - |
|---|-----------------------------------|--|--|--------------------------------|-------------------------------|-----------------------------|------------------------------|----------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|---|
| ample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME- MS61 As ppm 0.2 | ME-MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME- MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME- MS61 Cr ppm 1 | ME- MS61 Cs ppm 0.05 | - |
| G022887 G022888 G022889 G022890 G022891 | | 6.46 4.54 4.82 1.01 4.41 | 0.103 0.111 0.034 <0.005 0.033 | | | | | | | | | | | | | | |
| G022892 G022893 G022894 G022895 G022895 | | 4.76 4.55 5.42 4.88 4.88 | 0.025 0.030 0.036 0.130 0.101 | | | | | | | | | | | | <u> </u> | | |
| G022897 G022898 G022899 G022900 G022901 | | 4.33 5.03 4.76 0.08 4.65 | 0.076 0.065 0.064 0.572 0.071 | | | | | | | | | | | | | | - |
| G022902 G022903 G022904 G022905 G022906 | | 5.05 4.78 4.16 4.84 4.79 | 0.115 0.030 0.035 0.034 0.062 | | | | | | | | | | | | | | - |
| G022906- CRD G022907 G022907A G022908 G022909 | | <0.02 4.66 <0.02 4.51 4.59 | 0.049 0.035 0.027 0.018 0.034 | | 0.57 | 7.68 | 38.3 | 1720 | 1.05 | 0.32 | 3.57 | 0.11 | 21.3 | 7.0 | 64 | 2.35 | - |
| G022910 G022911 G022912 G022913 G022914 | | 4.99 4.59 2.70 3.00 2.27 | 0.264 0.365 0.032 0.117 0.104 | | | | | | | | | | | | | | _ |
| G022915 G022916 G022917 G022918 G022919 | | 2.11 2.77 2.15 2.57 2.58 | 0.051 0.297 0.088 0.021 0.016 | | | | | | | | | | | | | | |
| G022920 G022921 G022922 G022924 G022923 | | 0.14 2.61 4.28 1.01 0.16 | 2.15 0.899 1.405 <0.005 >10.0 | 2.17 | | | | | | | | | | | | | - |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

CERTIFICATE OF ANALYSIS

Page: 2 - B Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

TR10159282

Project: Bronson

ME-MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 Method ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME-MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 Cu Fe Ga Analyte Ge Ηf In к La Li Mg Mn Мо Na Nb Ni Units ppm % ppm ppm ppm % ppm % Sample Description ppm ppm ppm % ppm ppm ppm LOR 0.2 0.01 0.05 0.05 0.1 0.005 0.01 0.5 0.2 0.01 5 0.05 0.01 0.1 0.2 G022887 G022888 G022889 G022890 G022891 G022892 G022893 G022894 G022895 G022896 G022897 G022898 G022899 G022900 G022901 G022902 G022903 G022904 G022905 G022906 G022906- CRD G022907 G022907A 81.5 3.25 19.45 0.20 1.0 0.229 4.62 9.9 21,1 1.60 1310 2.43 2.04 4.9 63.2 G022908 G022909 G022910 G022911 G022912 G022913 G022914 G022915 G022916 G022917 G022918 G022919 G022920 G022921 G022922 G022924 G022923



Sample Description

G022887 G022888 G022889 G022890 G022891 G022892 G022893 G022894

G022921 G022922 G022924 G022923 ALS Canada Ltd.

ME- MS61

Ρ

ppm

10

Method

Analyte

Units

LOR

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

CERTIFICATE OF ANALYSIS

Page: 2 - C Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

TR10159282

Project: Bronson

ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME-MS61 ME- MS61 ME-MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 Pb Rb Re S Sb Sc Se Sn Sr Та Te Th Ti ΤI ppm ppm ppm % ppm ppm ppm ppm ppm ppm ppm % ppm ppm 0.5 0.1 0.002 0.01 0.05 0.1 1 0.2 0.2 0.05 0.05 0.2 0.005 0.02

| G022895 G022896 | | | | | | | | | | | | | | | |
|---|------|------|------|-------|------|------|------|---------|-----|-----|------|------|-----|-------|------|
| G022897 G022898 G022899 G022900 G022901 | | | | | | | | <u></u> | | | | | | | |
| G022902 G022903 G022904 G022905 G022906 | | | | | | | | | | | | | | | |
| G022906- CRD G022907 G022907A G022908 G022909 | 1030 | 13.2 | 85.7 | 0.003 | 0.67 | 2.88 | 14.8 | 1 | 1.7 | 478 | 0.31 | 0.09 | 2.6 | 0.327 | 1.84 |
| G022910 G022911 G022912 G022913 G022914 | | | | | | | | | | | | | | | |
| C022915 C022916 C022917 C022918 C022919 | | | | | | | | | | | | | | | |
| G022920 | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - D Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME-ICP41 B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 | ME- 1CP41 Cd ppm 0.5 |
|---|-----------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|--|--------------------------------------|----------------------------------|---|---------------------------------|--|---------------------------------------|---------------------------------------|--|
| G022887 G022888 G022889 G022890 G022891 | | | | | | | | 0.2 0.2 0.2 <0.2 <0.2 0.4 | 1.46 1.63 1.37 0.03 1.78 | 24 29 24 <2 23 | <10 <10 <10 <10 <10 | 110 130 120 <10 140 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <2 2 <2 <2 2 2 | 2.78 3.43 3.41 >25.0 3.64 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 |
| G022892 G022893 G022894 G022895 G022896 | | | | | | | | 0.4 0.3 0.4 1.5 0.9 | 1.73 1.84 1.78 2.13 1.87 | 31 23 35 58 41 | <10 <10 <10 <10 <10 | 120 140 130 120 140 | <0.5 <0.5 <0.5 <0.5 <0.5 | <2 <2 <2 <2 <2 2 | 3.79 3.82 3.86 2.26 1.93 | 1.6 <0.5 <0.5 <0.5 <0.5 0.9 |
| G022897 G022898 G022899 G022900 G022901 | | | | | | | | 0.6 0.2 0.2 2.8 0.9 | 1.91 1.93 1.97 1.30 2.14 | 21 41 50 71 67 | <10 <10 <10 <10 <10 | 120 130 140 80 160 | <0.5 <0.5 <0.5 <0.5 <0.5 | <2 <2 <2 <2 <2 <2 2 | 2.65 3.21 3.29 4.27 2.84 | <0.5 <0.5 <0.5 2.0 <0.5 |
| G022902 G022903 G022904 G022905 G022906 | | | | | | | <u></u> | 0.7 0.3 0.4 0.5 0.6 | 2.15 2.47 2.27 1.42 1.95 | 58 39 53 32 33 | <10 <10 <10 <10 <10 <10 | 170 170 190 140 170 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 2 <2 <2 <2 <2 <2 2 | 4.04 3.11 1.94 2.13 2.39 | <0.5 <0.5 <0.5 <0.5 <0.5 |
| G022906- CRD G022907 G022907A G022907A G022908 G022909 | | 1.2 | 124 | 4.1 | 9.2 | 40 | 35.6 | 0.7 0.6 0.2 0.4 | 2.01 1.75 2.67 2.20 | 37 38 40 26 | <10 <10 <10 | 170 150 210 | <0.5 <0.5 <0.5 | <pre></pre> | 2.42 3.56 3.97 | <0.5 <0.5 <0.5 <0.5 |
| C022910 C022911 C022912 G022913 G022914 | | | | | | | | 6.6 6.5 0.9 3.4 1.4 | 1.60 1.07 0.90 0.92 0.94 | 135 137 70 147 68 | <10 <10 <10 <10 <10 <10 <10 | 100 90 90 70 80 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 2 3 8 2 3 <2 | 2.52 2.19 2.26 2.48 3.69 | <0.5 27.8 4.8 <0.5 25.6 |
| G022915 G022916 G022917 G022918 G022919 | | | | | | | | 1.2 6.2 3.8 1.3 0.9 | 1.54 0.85 0.93 1.87 1.41 | 40 54 66 27 20 | <10 <10 <10 <10 <10 <10 | 130 100 90 160 120 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <2 7 3 2 2 | 2.97 2.33 4.11 3.40 4.28 | <0.5 5.9 5.6 0.5 <0.5 |
| G022920 G022921 G022922 G022924 G022923 | | | | | | | | 15.1 33.0 10.2 <0.2 5.2 | 1.00 1.53 0.26 0.25 0.37 | 26 2420 250 4 >10000 | <10 <10 <10 <10 <10 | 40 50 20 10 130 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 6 5 12 <2 7 | 0.32 6.23 3.25 >25.0 2.00 | 57.0 111.0 4.6 <0.5 1.4 |



(ALS)

Minerals

ALS Canada Ltd.

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY **RICHMOND BC V6X 2W8**

Page: 2 - E Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 Co ppm 1 | ME- ICP41 Cr ppm 1 | ME- ICP41 Cu ppm 1 | ME- ICP41 Fe % 0.01 | ME- ICP41 Ga ppm 10 | ME- ICP41 Hg ppm 1 | ME- ICP41 K % 0.01 | ME- ICP41 La ppm 10 | ME- ICP41 Mg % 0.01 | ME- ICP41 Mn ppm 5 | ME- ICP41 Mo ppm 1 | ME- ICP41 Na % 0.01 | ME- ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME- ICP41 Pb ppm 2 |
|--------------------|-----------------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|-----------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|
| G022887 G022888 | | 8 10 | 25 28 | 64 68 | 2.47 3.04 | <10 10 | <1 <1 | 1.28 | 10 <10 | 1.05 | 698 835 | 1 | 0.04 | 29 | 1370 | 4 |
| G022889 | | 8 | 27 | 44 | 2.72 | 10 | <1 | 1.19 | <10 | 0.95 | 769 | 1 | 0.03 | 34 | 1570 | 8 |
| G022890 | | 1 | <1 | <1 | 0.03 | <10 | <1 | 0.01 | <10 | 1.36 | 21 | <1 | 0.04 | <1 | 40 | -2 |
| G022891 | | 7 | 35 | 83 | 2.72 | 10 | <1 | 1.54 | 10 | 1.33 | 795 | 1 | 0.05 | 36 | 1530 | 4 |
| G022892 | | 8 | 33 | 66 | 2.70 | <10 | <1 | 1.52 | 10 | 1.32 | 793 | <1 | 0.04 | 45 | 1540 | 43 |
| 6022893 | | 9 | 32 | 67 | 2.94 | 10 | <1 | 1.63 | 10 | 1.36 | 812 | 1 | 0.03 | 36 | 1500 | 8 |
| G022894 | | 11 | 31 | 99 | 3.13 | 10 | <1 | 1.56 | 10 | 1.32 | 792 | 1 | 0.04 | 41 | 1510 | 8 |
| G022895 G022896 | | 19 | 26 | 291 | 5.33 | 10 | <1 | 1.85 | <10 | 1.59 | 766 | 1 | 0.02 | 44 | 1400 | 14 |
| 6022090 | | 4 | 21 | 265 | 4.42 | <10 | <1 | 1.62 | 10 | 1.29 | 742 | 6 | 0.02 | 34 | 1480 | 21 |
| G022897 G022898 | | 9 | 14 | 119 | 2.94 | 10 | <1 | 1.66 | <10 | 1.48 | 864 | 1 | 0.02 | 18 | 1480 | 12 |
| G022898 | | 2 | 28 | 60 | 2.90 | 10 | <1 | 1.67 | 10 | 1.52 | 946 | 2 | 0.03 | 36 | 1560 | 5 |
| G022900 | | 18 | 29 | 4520 | 2.99 | 10 | <1 | 1.70 | 10 | 1.54 | 959 | 2 | 0.04 | 36 | 1580 | 5 |
| G022901 | | 12 | 43 | 4520 | J.10 1 35 | 10 | <1 | 0.23 | 10 | 1.25 | 737 | 37 | 0.08 | 17 | 1130 | 30 |
| C022902 | | | 40 | 101 | 4.55 | 10 | <u> </u> | 1.89 | <10 | 1.69 | 1090 | 1 | 0.03 | 50 | 1510 | 7 |
| G022902 | | 8 | 40 | 121 | 4.58 | 10 | <1 | 1.87 | <10 | 1.57 | 1465 | <1 | 0.02 | 53 | 1230 | 8 |
| G022904 | | 9 | 47 | 93 | 3.59 | 10 | <1 | 2.13 | <10 | 1.94 | 1200 | 1 | 0.02 | 49 | 1120 | 5 |
| G022905 | | 8 | 30 | 134 | 3.02 | 10 | <1 | 1.95 | <10 | 1.77 | 936 | <1 | 0.03 | 62 | 1080 | 12 |
| G022906 | | 9 | 35 | 104 | 3 24 | 10 | <1 | 1.10 | <10 | 0.99 | 931 | <1 | 0.04 | 28 | 650 | 11 |
| G022906- CRD | | 10 | 37 | 111 | 2.20 | | | 1.00 | 10 | 1.50 | 1065 | 1 | 0.03 | 44 | 820 | 20 |
| G022907 | | 5 | 41 | 83 | 3.29 2.73 | 10 | <1 | 1.72 | 10 | 1.54 | 1085 | 2 | 0.03 | 46 | 850 | 20 |
| G022907A | | - | | 00 | 2.75 | 10 | ~1 | 1.51 | <10 | 1.38 | 1270 | 1 | 0.03 | 51 | 990 | 8 |
| G022908 | | 4 | 47 | 82 | 4.04 | 10 | <1 | 2 33 | 10 | 2 10 | 1520 | 2 | 0.00 | | | _ |
| G022909 | | 2 | 36 | 82 | 3.70 | 10 | <1 | 1.88 | <10 | 1.69 | 1550 | 2 | 0.03 | 6U 40 | 1120 | 7 |
| G022910 | | 11 | 26 | 271 | 4.76 | 10 | <1 | 1.33 | <10 | 1 22 | 1540 | 40 | 0.03 | 40 | 1200 | 8 |
| G022911 | | 21 | 13 | 220 | 5.14 | <10 | <1 | 0.88 | <10 | 0.68 | 1035 | 12 | 0.01 | 66 | 1110 | 826 |
| G022912 | | 8 | 13 | 78 | 2.32 | <10 | <1 | 0.73 | <10 | 0.83 | 1090 | 3 | 0.02 | 40 | 1120 | 397 |
| G022913 | | 15 | 10 | 80 | 4.10 | <10 | <1 | 0.68 | <10 | 1.06 | 1455 | 1 | 0.01 | 33 | 840 | 42 |
| G022914 | | 15 | 23 | 106 | 3.65 | <10 | <1 | 0.68 | <10 | 1.12 | 1590 | 7 | 0.02 | 37 | 840 | 73 |
| G022915 | | 9 | 55 | 216 | 3.57 | <10 | <1 | 1.25 | <10 | 1.27 | 1295 | 2 | 0.03 | 60 | 050 | 10 |
| G022916 | | 12 | 13 | 749 | 3.27 | <10 | <1 | 0.69 | <10 | 0.86 | 1260 | 17 | 0.03 | 25 | 950 | 14 |
| G022917 | | 4 | 15 | 324 | 3.87 | <10 | <1 | 0.74 | <10 | 1.52 | 2290 | 4 | 0.01 | 23 40 | 900 | 209 |
| 6022918 | | 3 | 34 | 132 | 4.28 | <10 | <1 | 1.53 | <10 | 2.35 | 2720 | 3 | 0.02 | 49 | 1190 | 118 |
| G022919 | | 2 | 23 | 100 | 3.42 | <10 | <1 | 1.20 | <10 | 2.31 | 4970 | 7 | 0.01 | 24 | 980 | 71 |
| G022920 | | 11 | 43 | 5010 | 9.28 | 10 | 1 | 0.11 | <10 | 1.04 | 350 | 13 | 0.02 | 22 | 110 | 2/1 |
| 6022921 | | 58 | 13 | 333 | 17.0 | 10 | <1 | 0.75 | <10 | 2.87 | 6680 | 12 | 0.02 | 32 | 450 | 6270 |
| C022024 | | 277 | 1 | 41 | 26.1 | 10 | <1 | 0.11 | <10 | 0.30 | 1830 | <1 | 0.01 | 34 | 180 | 711 |
| C022923 | | 2 16 | <1 | 3 | 0.17 | <10 | <1 | 0.01 | <10 | 1.42 | 27 | <1 | 0.01 | <1 | 60 | 7 |
| | | | JZ | | 3.55 | <10 | <1 | 0.08 | <10 | 0.57 | 537 | 29 | 0.02 | 45 | 220 | 1155 |



Т

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - F Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| | Method Analyte | ME- ICP41 S | ME- ICP41 Sb | ME- ICP41 Sc | ME- ICP41 Sr | ME- ICP41 Th | ME- ICP41 Ti | ME- ICP41 TI | ME- JCP41 U | ME- ICP41 V | ME- ICP41 W | ME- ICP41 Zn | Zn- OG46 Zn | | |
|--------------------|-------------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-----------------|----------------|--------------|---|
| Sample Description | LOR | 0.01 | 2 | 1 | ppm 1 | ррт 20 | % 0.01 | ppm 10 | ppm 10 | ppm ו | ppm 10 | ppm 2 | % 0.001 | | |
| G022887 | | 0.50 | <2 | 3 | 186 | <20 | 0.17 | <10 | <10 | 52 | <10 | 39 | | | |
| G022888 | | 0.82 | <2 | 4 | 215 | <20 | 0.20 | <10 | <10 | 64 | <10 | 47 | | | |
| 6022889 | ļ | 0.93 | <2 | 3 | 217 | <20 | 0.17 | <10 | <10 | 55 | <10 | 34 | | | |
| G022890 | | <0.01 | <2 | <1 | 5200 | 20 | <0.01 | <10 | <10 | <1 | <10 | <2 | | | |
| G022891 | | 0.38 | <2 | 4 | 247 | <20 | 0.21 | <10 | <10 | 62 | <10 | 37 | | | |
| 6022892 | | 0.44 | <2 | 3 | 251 | <20 | 0.20 | <10 | <10 | 55 | <10 | 251 | ·· | | |
| G022893 | | 0.55 | <2 | 3 | 251 | <20 | 0.22 | <10 | <10 | 56 | <10 | 47 | | | |
| G022894 | | 0.93 | <2 | 3 | 250 | <20 | 0.21 | <10 | <10 | 55 | <10 | 37 | | | |
| G022895 | I | 3.09 | <2 | 3 | 160 | <20 | 0.21 | <10 | <10 | 54 | <10 | 66 | | | |
| G022896 | | 2.22 | <2 | 3 | 130 | <20 | 0.21 | <10 | <10 | 99 | <10 | 127 | | | |
| G022897 | | 0.87 | <2 | 2 | 176 | <20 | 0.18 | <10 | <10 | 44 | <10 | 79 | | | |
| 0022030 | | 0.50 | <2 | 4 | 212 | <20 | 0.21 | <10 | <10 | 61 | <10 | 46 | | | |
| G022099 | | 0.59 | <2 | 4 | 217 | <20 | 0.22 | <10 | <10 | 62 | <10 | 47 | | | |
| C022900 | 1 | 2.13 | 9 | 8 | 139 | <20 | 0.01 | <10 | <10 | 85 | <10 | 175 | | | |
| 6022901 | | 1.92 | <2 | 4 | 190 | <20 | 0.24 | <10 | <10 | 64 | <10 | 40 | | | |
| 6022902 | | 1.99 | <2 | 4 | 280 | <20 | 0.23 | <10 | <10 | 63 | <10 | 40 | | | |
| 6022903 | | 0.65 | <2 | 4 | 235 | <20 | 0.22 | <10 | <10 | 56 | <10 | 54 | | | |
| G022904 | | 0.75 | <2 | 3 | 149 | <20 | 0.22 | <10 | <10 | 53 | <10 | 69 | | | I |
| 6022905 | | 1.16 | <2 | 2 | 180 | <20 | 0.13 | <10 | <10 | 34 | <10 | 44 | | | I |
| G022906 | | 0.85 | <2 | 3 | 175 | <20 | 0.18 | <10 | <10 | 41 | <10 | 76 | | | |
| G022906- CRD | | 0.87 | <2 | 3 | 179 | <20 | 0.19 | <10 | <10 | 42 | <10 | 78 | | <u> </u> | - |
| G022907 | | 0.65 | <2 | 4 | 290 | <20 | 0.18 | <10 | <10 | 51 | <10 | 35 | | | |
| G022907A | | | _ | | | | | | | | | | | | |
| G022908 | | 0.74 | <2 | 5 | 293 | <20 | 0.23 | <10 | <10 | 98 | <10 | 52 | | | |
| 0022909 | | 0.98 | <2 | 4 | 251 | <20 | 0.21 | <10 | <10 | 64 | <10 | 53 | | | |
| G022910 | | 3.38 | 2 | 2 | 195 | <20 | 0.15 | <10 | <10 | 41 | <10 | 4390 | | | |
| 6022911 | | 4.66 | <2 | 1 | 155 | <20 | 0.09 | <10 | <10 | 25 | <10 | 686 | | | |
| 6022912 | | 1.00 | <2 | 1 | 172 | <20 | 0.07 | <10 | <10 | 17 | <10 | 90 | | | |
| 6022913 | | 3.03 | <2 | 1 | 170 | <20 | 0.05 | <10 | <10 | 16 | <10 | 4160 | | | |
| G022914 | | 1.88 | 8 | 2 | 326 | <20 | 0.07 | <10 | <10 | 25 | <10 | 241 | | | |
| G022915 | | 0.96 | <2 | 3 | 279 | <20 | 0.16 | <10 | <10 | 45 | <10 | 87 | | | |
| G022916 | | 1.97 | 4 | 1 | 260 | <20 | 0.06 | <10 | <10 | 18 | <10 | 1035 | | | |
| G022917 | I | 1.42 | 6 | 2 | 593 | <20 | 0.07 | <10 | <10 | 20 | <10 | 902 | | | |
| G022918 | 1 | 0.82 | 6 | 3 | 468 | <20 | 0.18 | <10 | <10 | 42 | <10 | 183 | | | |
| G022919 | | 0.21 | 4 | 2 | 373 | <20 | 0.13 | <10 | <10 | 30 | <10 | 171 | | | |
| G022920 | | >10.0 | <2 | 2 | 8 | <20 | 0.02 | <10 | <10 | 16 | <10 | >10000 | 1 290 | | |
| G022921 | | >10.0 | 25 | 2 | 604 | <20 | 0.07 | <10 | <10 | 29 | 10 | >10000 | 2 12 | | |
| G022922 | | >10.0 | <2 | <1 | 383 | <20 | 0.01 | <10 | <10 | 5 | <10 | 929 | 2.12 | | |
| G022924 | | <0.01 | <2 | <1 | 4690 | 20 | 0.01 | <10 | <10 | <1 | <10 | 22 | | | |
| G022923 | | 0.88 | <2 | 2 | 50 | <20 | <0.01 | <10 | <10 | 12 | <10 | 257 | | | |
| | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - A Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME- MS61 As ppm 0.2 | ME- MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME- MS61 Cd ppm 0.02 | ME-MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME- MS61 Cr ppm 1 | ME- MS61 Cs ppm 0.05 |
|--|-----------------------------------|--|--|--------------------------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|------------------------------|------------------------------|----------------------------|-------------------------------|
| C022925 C022926 G022926- CRD G022927 G022927A | | 3.71 1.85 <0.02 2.16 <0.02 | 1.145 0.163 0.158 0.470 0.521 | | 2.93 | 8.00 | 132.0 | 330 | 1.04 | 1.69 | 3.30 | 0.47 | | 17.7 | 61 | 1.56 |
| C022928 C022929 C022930 C022931 C022932 | | 2.55 2.55 2.72 2.40 2.62 | 0.142 0.039 1.085 0.925 0.237 | | | | <u> </u> | | | | | | | | | |
| C022933 C022934 C022935 C022936 C022937 C022937 | | 2.08 2.20 2.28 2.50 2.47 | 0.158 0.012 0.082 0.192 0.060 | | | | | | | | | | | | | |
| G022938 G022939 G022940 G022941 G022942 | | 1.90 2.15 1.01 2.41 2.60 | 0.061 0.065 <0.005 0.197 0.268 | | | | | | | | | | | | <u></u> | |
| G022943 G022944 G022945 G022946 G022946- CRD | | 2.29 2.35 2.53 2.51 <0.02 | 0.081 0.075 0.043 0.016 0.032 | | | | | | | | | | | | | |
| G022947 G022947A G022948 G022949 G022951 | | 2.58 <0.02 1.32 1.28 1.01 | 0.347 0.441 2.10 2.25 <0.005 | 2.76 1.87 | 3.13 | 8.04 | 5070 | 1020 | 0.78 | 1.22 | 1.80 | 10.90 | 29.3 | 4.9 | 191 | 3.52 |
| G022950 G022952 G022953 G022954 G022955 | | 0.16 1.80 3.64 2.63 2.54 | >10.0 0.067 0.100 0.548 0.103 | 21.8 | | | | | | | | | | | | |
| G022956 G022957 G022958 G022959 G022959 | | 2.71 4.45 4.84 5.01 0.09 | 0.050 0.102 0.155 0.067 0.525 | | | | | | | | | | | | | |



Sample Description

G022925 G022926 G022926- CRD G022927 G022927A

G022928 G022929 G022930 G022931 G022932 G022934 G022935 G022936 G022937 G022937 G022938 G022939 G022940 G022941 G022942

G022960

ALS Canada Ltd.

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

CERTIFICATE OF ANALYSIS

Page: 3 - B Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

TR10159282

Project: Bronson

ME- MS61 ME- MS61 ME- MS61 ME- MS61 Method ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME-MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 Cu Fe Analyte Ga Ge Hf In к La Li Mg Mn Мо Na Nb Ni Units ppm % ppm ppm % ppm ppm % ppm ppm % ppm ppm ppm ppm LOR 0.2 0.01 0.05 0.05 0.1 0.005 0.01 0.5 0.2 0.01 5 0.05 0.01 0.1 0.2 508 6.30 19.65 0.17 0.9 0.648 4.20 7.2 34.3 1.49 2390 21.3 0.08 5.2 40.6

| | 1 | | | | | | | | | | | | | | |
|--|-------|------|-------|------|-----|-------|------|------|------|------|------|------|------|-----|-------|
| G022943 G022944 G022945 G022946 G022946- CRD | | | | | | | | | | | | | | | |
| C022947 C022947A C022948 C022949 G022951 | 167.0 | 9.42 | 19.90 | 0.21 | 1.5 | 1.025 | 4.71 | 18.8 | 42.5 | 4.12 | 3790 | 7.53 | 0.05 | 5.0 | 123.5 |
| G022950 G022952 G022953 G022954 G022955 | | | | | | | | | | | | | | | |
| C022956 C022957 C022958 C022959 | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - C Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME-MS61 P ppm 10 | ME- MS61 Pb ppm 0.5 | ME- MS61 Rb ppm 0.1 | ME- MS61 Re ppm 0.002 | ME- MS61 S % 0.01 | ME- MS61 Sb ppm 0.05 | ME- MS61 Sc ppm | ME- MS61 Se ppm | ME- MS61 Sn ppm | ME- MS61 Sr ppm | ME- MS61 Ta ppm | ME- MS61 Te ppm | ME- MS61 Th ppm | ME- MS61 Ti % | ME- MS61 Ti ppm |
|---|-----------------------------------|---------------------------|------------------------------|------------------------------|--------------------------------|----------------------------|-------------------------------|---------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|
| G022925 G022926 G022926- CRD G022927 G022927A | | 1070 | 41.9 | 65.5 | 0.012 | 3.91 | 8 89 | 11 9 | 2 | 2.8 | 0.2 | 0.05 | 0.05 | 0.2 | 0.005 | 0.02 |
| G022928 G022929 G022930 G022931 G022932 | | | | | | | | | | 2.0 | | 0.29 | 0.71 | 1.7 | 0.318 | 2.05 |
| G022933 G022934 G022935 G022936 G022937 | | | | | | | | · · · · · · · · · · · · · · · · · · · | | | | | | 1 | | |
| G022938 G022939 G022940 G022941 G022942 | | | | | | | | | | | | | | | | |
| G022943 G022944 G022945 G022946 G022946-CRD | | | | | | | | | | | | | | | | |
| G022947 G022947A G022948 G022949 G022951 | | 1410 | 476 | 130.0 | 0.008 | 1.31 | 15.45 | 15.1 | 2 | 2.7 | 150.0 | 0.29 | 0.70 | 2.6 | 0.361 | 2.57 |
| G022950 G022952 G022953 G022954 G022955 | | | | | | | | | | | | | | | | |
| G022956 G022957 G022958 G022959 G022960 | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - D Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME- ICP41 B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 | ME- ICP41 Cd ppm 0.5 |
|---|-----------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|----------------------------------|--------------------------------------|------------------------------------|--|---------------------------------|--|-------------------------------|---------------------------------------|--|
| G022925 G022926 G022926- CRD G022927 G022927A | | 1.4 | 142 | 10.1 | 7.2 | 147 | 31.6 | 12.0 3.7 3.7 3.1 | 0.97 1.72 1.70 1.07 | 368 65 64 126 | <10 <10 <10 <10 | 20 160 150 120 | <0.5 <0.5 <0.5 <0.5 | 10 5 5 3 | 2.58 3.34 3.26 3.09 | 23.8 5.7 5.7 <0.5 |
| G022928 G022929 G022930 G022931 G022932 | | | | | | | | 2.0 0.7 11.3 6.6 4.2 | 1.29 1.10 0.59 0.70 1.39 | 54 16 312 205 59 | <10 <10 <10 <10 <10 <10 | 170 170 20 20 60 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 2 <2 12 4 2 | 3.07 2.40 1.38 0.92 0.73 | <0.5 0.6 23.8 2.5 5.5 |
| G022933 G022934 G022935 G022936 G022937 | | | | | | | | 2.5 1.4 2.2 2.5 1.1 | 1.34 1.17 0.87 1.11 0.98 | 5 3 29 102 27 | <10 <10 <10 <10 <10 <10 | 120 130 100 130 110 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 2 <2 <2 2 2 <2 | 2.24 1.50 1.54 2.76 3.81 | 6.1 1.0 <0.5 <0.5 <0.5 |
| C022938 C022939 C022940 C022941 C022942 | | | | | | | | 1.2 1.3 <0.2 2.1 3.7 | 1.45 1.98 0.15 2.11 1.50 | 37 26 <2 38 47 | <10 <10 <10 <10 <10 | 130 160 <10 170 150 | <0.5 <0.5 <0.5 <0.5 <0.5 | <2 <2 <2 2 2 2 | 3.14 3.01 >25.0 3.00 5.09 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 |
| G022943 G022944 G022945 G022946 G022946- CRD | | | | | | | | 1.4 1.2 1.0 0.9 0.8 | 0.88 2.00 2.12 2.38 2.37 | 33 22 23 60 66 | <10 <10 <10 <10 <10 <10 | 110 200 270 260 270 | <0.5 <0.5 <0.5 <0.5 <0.5 | 2 2 2 <2 <2 <2 | 3.86 4.07 3.99 3.71 3.74 | 1.7 <0.5 <0.5 <0.5 <0.5 |
| C022947 C022947A C022948 C022949 C022951 | | 2.2 | 191 | 4.7 | 7.9 | 2300 | 53.7 | 3.1 54.2 60.2 0.2 | 4.49 0.68 1.15 0.06 | 6330 5220 9240 27 | <10 <10 <10 <10 | 240 20 20 <10 | <0.5 <0.5 <0.5 <0.5 <0.5 | 2 15 20 <2 | 1.58 3.96 4.13 >25.0 | 9.3 148.5 209 |
| G022950 G022952 G022953 G022954 G022955 | | | | | | | | 6.0 7.1 7.7 9.6 2.4 | 0.39 2.83 3.62 3.35 3.28 | >10000 455 727 7340 82 | <10 <10 <10 <10 <10 <10 | 60 70 210 50 70 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 8 2 2 3 <2 | 2.05 2.06 2.50 2.29 1.27 | 1.6 22.9 48.4 48.6 8.9 |
| G022956 G022957 G022958 G022959 G022960 | | | | | | | | 2.4 3.8 8.0 2.8 2.9 | 5.90 2.56 3.10 2.56 1.38 | 1430 75 106 36 71 | <10 <10 <10 <10 <10 | 160 170 120 210 60 | <0.5 <0.5 <0.5 <0.5 0.5 0.5 | <pre></pre> | 0.94 2.00 1.73 1.62 4.13 | 4.6 4.4 13.6 1.9 2.2 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - E Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| | Method | ME- ICP41 | ME- ICP41 Cr | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME-1CP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 |
|--------------------|--------|-----------|-----------------|-----------|--|-----------|----------|--|---------------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | Inits | nnm | nnm | Cu nnm | ге % | Ga | Hg | ĸ | La | Mg | Mn | Mo | Na | Ni | Р | Pb |
| Sample Description | LOR | 1 | 1 | 1 IIII | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | ppm 10 | ppm | % ^ ^] | ppm | % | ppm | ppm | % | ppm | ppm | ppm |
| | | · | | | 0.01 | 10 | I | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 |
| G022925 | | 242 | 14 | 51 | 25.3 | 10 | <1 | 0.75 | <10 | 0.87 | 1700 | 8 | 0.01 | 49 | 560 | 1065 |
| G022926 | | 15 | 28 | 212 | 5.11 | <10 | <1 | 1.49 | <10 | 1.71 | 2420 | 13 | 0.01 | 22 | 1230 | 226 |
| G022926- CRD | | 15 | 28 | 198 | 5.04 | <10 | <1 | 1.46 | <10 | 1.67 | 2360 | 13 | 0.01 | 22 | 1210 | 220 |
| G022927 | | 15 | 15 | 499 | 4.98 | <10 | <1 | 0.91 | <10 | 1.02 | 2170 | 17 | 0.01 | 33 | 990 | 200 |
| G022927A | | ł | | | | | | | | | | •• | 0.01 | 00 | 330 | 33 |
| G022928 | | 9 | 20 | 296 | 4.04 | <10 | <1 | 1,08 | <10 | 1 30 | 2210 | 13 | 0.01 | 35 | 1050 | |
| G022929 | | 5 | 14 | 79 | 2.58 | <10 | <1 | 0.92 | 10 | 0.98 | 1730 | 2 | 0.01 | 30 | 1200 | 24 |
| G022930 | | 158 | 3 | 139 | 15.6 | <10 | <1 | 0.42 | <10 | 0.34 | 1105 | ∠ 12 | 0.01 | 22 | 1080 | 19 |
| G022931 | | 65 | 2 | 945 | 17.3 | <10 | <1 | 0.53 | <10 | 0.04 | 1575 | 15 | 0.01 | 21 | 380 | 794 |
| G022932 | | 30 | 9 | 377 | 8.02 | <10 | <1 | 1.14 | <10 | 0.91 | 1110 | 6 | 0.01 | 23 11 | 440 | 104 |
| G022933 | | 1 | 8 | 126 | 3.04 | <10 | <1 | 1 10 | <10 | 1 10 | 2210 | | | | | 340 |
| G022934 | J | 3 | 10 | 141 | 2.73 | <10 | <1 | 0.96 | <10 | 1.10 | 2310 | 1 | 0.02 | 8 | 540 | 313 |
| G022935 | | 4 | 10 | 424 | 3.75 | <10 | <1 | 0.33 | <10 | 0.90 | 1870 | 2 | 0.03 | 12 | 840 | 141 |
| G022936 | | 6 | 13 | 288 | 3.42 | <10 | <1 | 0.71 | ~10 | 0.03 | 1505 | 3 | 0.04 | 14 | 500 | 54 |
| G022937 | | J 5 | 15 | 125 | 2.47 | <10 | <1 | 0.33 | ~10 | 0.70 | 1725 | 1 | 0.02 | 22 | 730 | 23 |
| C022938 | | | | | | | <u> </u> | 0.00 | <u> </u> | 0.00 | 1945 | <1 | 0.02 | 28 | 890 | 13 |
| C022939 | | 4 2 | 29 43 | 144 | 2.54 | <10 | <1 | 1.26 | <10 | 1.07 | 1610 | 1 | 0.03 | 45 | 1050 | 14 |
| C022940 | | 1 | 40 | 201 | 3.35 | 10 | <1 | 1.73 | 10 | 1.46 | 1485 | <1 | 0.04 | 44 | 1180 | 6 |
| G022940 G022941 | | 1 | <u> </u> | 1 | 0.12 | <10 | <1 | 0.01 | <10 | 1.32 | 22 | <1 | 0.01 | <1 | 40 | <2 |
| C022942 | I | - J | 20 | 298 | 5.19 | 10 | <1 | 1.85 | <10 | 1.39 | 1550 | <1 | 0.02 | 35 | 1440 | 10 |
| 6022042 | | 4 | 15 | 400 | 4.85 | <10 | <1 | 1.28 | <10 | 1.29 | 2630 | 3 | 0.01 | 31 | 1370 | 23 |
| 6022943 | | 6 | 19 | 145 | 3.44 | <10 | <1 | 0.75 | <10 | 1.14 | 2120 | 3 | 0.02 | 28 | 1280 | 50 |
| G022944 | I | 4 | 39 | 160 | 3.65 | 10 | <1 | 1.74 | 10 | 1.53 | 1905 | <1 | 0.03 | 39 | 1400 | 19 |
| 0022945 | I | 2 | 43 | 111 | 3.52 | 10 | <1 | 1.86 | <10 | 1.61 | 2670 | <1 | 0.02 | 44 | 1270 | 29 |
| G022940 | | 2 | 88 | 68 | 3.92 | 10 | <1 | 2.11 | 10 | 2.08 | 3480 | <1 | 0.02 | 89 | 1280 | 71 |
| G022940-CKD | | 2 | 86 | 65 | 3.92 | 10 | <1 | 2.10 | 10 | 2.09 | 3500 | <1 | 0.02 | 90 | 1300 | 71 |
| G022947 | | 3 | 136 | 173 | 8.11 | 10 | <1 | 2.83 | 10 | 3.61 | 3330 | 6 | 0.01 | 108 | 1280 | 400 |
| G022947A | | | | | | | | | | | | 0 | 0.01 | 100 | 1200 | 400 |
| G022948 | | 235 | 2 | 3390 | 29.8 | 10 | <1 | 0.46 | <10 | 0.97 | 3910 | <1 | 0.02 | 45 | 230 | 4160 |
| G022949 | | 199 | 4 | 2310 | 27.8 | 10 | 1 | 0.79 | <10 | 1.33 | 4440 | 2 | 0.02 | -0 51 | 200 | 5220 |
| G022951 | | 1 | 1 | 7 | 0.10 | <10 | <1 | <0.01 | <10 | 1.42 | 39 | <1 | 0.02 | <1 | 40 | 5 5 |
| G022950 | | 16 | 34 | 120 | 3.69 | <10 | <1 | 0.08 | <10 | 0.60 | 560 | 30 | 0.02 | 46 | | - 1105 |
| G022952 | | 12 | 21 | 408 | 7.12 | 10 | 1 | 2.31 | 10 | 2 12 | 2660 | 30 | -0.02 | 40 | 230 | 1185 |
| G022953 | | 6 | 29 | 423 | 6.97 | 10 | 1 | 1.77 | 10 | 2.61 | 3470 | 1 | <0.01 | 24 | 1510 | 950 |
| G022954 | | 50 | 21 | 193 | 9.99 | 10 | 2 | 1.43 | 10 | 2.0 | 4000 | 2 | ~0.01 | 29 | 1510 | 900 |
| G022955 | | 12 | 4 | 104 | 7.52 | 10 | - <1 | 1.79 | 20 | 2.32 | 3160 | ∠ 1 | <0.01 | 20 | 1310 | 1330 |
| G022956 | | 6 | 4 | 155 | 10.15 | | | 1 71 | | | | I | 0.01 | ð | 1650 | 255 |
| G022957 | I | 6 | 3 | 307 | 4 88 | 10 | 1 | 1./1 | 10 | 4.43 | 3480 | <1 | <0.01 | 5 | 1910 | 284 |
| G022958 | | 27 | 33 | 432 | 6 77 | 10 | 1 | 1.33 | 10 | 2.28 | 3200 | <1 | 0.02 | 5 | 1830 | 222 |
| G022959 | | 8 | 3 | 219 | 4 66 | 10 | -1 | 1.10 | 10 | 2.60 | 3240 | <1 | 0.01 | 15 | 1600 | 820 |
| G022960 | | 17 | 26 | 4870 | 4.00 | -10 | <1 | 1.64 | 10 | 2.14 | 2110 | <1 | 0.01 | 4 | 1620 | 145 |
| | | | | -070 | 5.11 | 10 | 1 | 0.24 | 10 | 1.23 | 757 | 40 | 0.06 | 21 | 1190 | 31 |
| | | | | | | | | A CONTRACTOR OF A CONTRACTOR A CO | · · · · · · · · · · · · · · · · · · · | | | | | | | |



Т

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - F Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| | Method Analyte | ME- ICP41 S | ME- ICP41 Sb | ME- ICP41 Sc | ME- ICP41 Sr | ME- ICP41 Th | ME- ICP41 Ti | ME- ICP41 TI | ME- ICP41 U | ME- ICP41 V | ME- ICP41 W | ME- ICP41 Zn | Zn- OG46 Zn | | |
|--------------------|-------------------|----------------|-----------------|-----------------|------------------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|-----------------|----------------|-------|---|
| Sample Description | LOR | 0.01 | 2 | ppin 1 | ppm 1 | ppm 20 | % 0.01 | ppm ז מ | ppm נו | ppm ו | ppm 10 | ppm 2 | % | | |
| G022925 | | >10.0 | <2 | 1 | | -20 | | -10 | | <u> </u> | | | 0.001 | | |
| G022926 | 1 | 2.66 | <2 | 2 | 2/ 4 310 | <20 | 0.00 | <10 | <10 | 18 | <10 | 4180 | | | |
| G022926- CRD | 1 | 2.65 | <2 | 2 | 306 | <20 | 0.16 | <10 | <10 | 35 | <10 | 1060 | | | |
| G022927 | 1 | 3.65 | 4 | - 1 | 301 | <20 | 0.10 | ~10 | <10 | 34 | <10 | 1060 | | | |
| G022927A | 1 | 1 | | • | 501 | 720 | 0.10 | < IU | <10 | 23 | <10 | 106 | | | |
| G022928 | | 1.62 | 13 | 2 | 337 | <20 | 0.13 | <10 | <10 | 42 | <10 | 123 | | | |
| G022929 | 1 | 0.55 | 3 | 1 | 262 | <20 | 0.10 | <10 | <10 | 18 | <10 | 152 | | | |
| G022930 | ļ | >10.0 | <2 | 1 | 153 | <20 | 0.02 | <10 | <10 | 8 | <10 | 4050 | | | |
| G022931 | 1 | >10.0 | <2 | 1 | 99 | <20 | 0.03 | <10 | <10 | 7 | <10 | 470 | | | |
| G022932 | | 6.2 | <2 | 1 | 73 | <20 | 80.0 | <10 | <10 | , 16 | <10 | 949 | | | |
| G022933 | | 0.53 | <2 | 1 | 175 | <20 | 0.10 | <10 | <10 | 14 | <10 | 1060 | | | |
| G022934 | ļ | 0.49 | <2 | 1 | 130 | <20 | 0.11 | <10 | <10 | 19 | <10 | 231 | | | |
| G022935 | ļ | 2.03 | <2 | 1 | 131 | <20 | 0.08 | <10 | <10 | 13 | <10 | 85 | | | |
| G022936 | ļ | 2.15 | 2 | 1 | 219 | <20 | 0.09 | <10 | <10 | 16 | <10 | 60 | | | |
| G022937 |] | 1.26 | <2 | 1 | 292 | <20 | 0.09 | <10 | <10 | 19 | <10 | 39 | | | |
| G022938 | | 0.61 | <2 | 2 | 253 | <20 | 0.16 | <10 | <10 | 37 | <10 | 49 | | | |
| G022939 | ļ | 0.56 | <2 | 4 | 256 | <20 | 0.23 | <10 | <10 | 63 | <10 | 54 | | | |
| G022940 | ļ | <0.01 | <2 | <1 | 5380 | 20 | <0.01 | <10 | <10 | <1 | <10 | <2 | | | |
| G022941 | 1 | 2.40 | <2 | 3 | 287 | <20 | 0.24 | <10 | <10 | 52 | <10 | 50 | | | |
| G022942 |] | 2./1 | <2 | 2 | 584 | <20 | 0.16 | <10 | <10 | 34 | <10 | 52 | | | |
| G022943 | ļ | 1.11 | <2 | 2 | 483 | <20 | 0.10 | <10 | <10 | 29 | <10 | 289 | | | |
| G022944 | | 1.07 | <2 | 4 | 367 | <20 | 0.23 | <10 | <10 | 68 | <10 | 52 | | | |
| G022945 | 1 | 0.86 | <2 | 3 | 373 | <20 | 0.22 | <10 | <10 | 57 | <10 | 148 | | | |
| GU22946 | ļ | 0.40 | <2 | 4 | 309 | <20 | 0.23 | <10 | <10 | 60 | <10 | 190 | | | |
| G022946- CKD | | 0.40 | <2 | 4 | 309 | <20 | 0.23 | <10 | <10 | 61 | <10 | 189 | | | |
| G022947 | ļ | 1.33 | 5 | 6 | 107 | <20 | 0.25 | <10 | <10 | 106 | <10 | 1970 | | | |
| GUZZ94/A | | - 10.0 | 50 | | - • • | | | | | | | | | | |
| GU22940 C022040 | | >10.0 | 52 | 1 | 341 | <20 | 0.05 | <10 | <10 | 15 | 30 | >10000 | 2.69 | | |
| C022949 | | >10.0 | 87 | 1 | 324 | <20 | 0.08 | <10 | <10 | 22 | 20 | >10000 | 3.74 | | |
| 6022951 | | <0.01 | <2 | <1 | 4910 | 20 | <0.01 | <10 | <10 | <1 | <10 | 104 | | | |
| G022950 | | 0.91 | <2 | 2 | 44 | <20 | <0.01 | <10 | <10 | 13 | <10 | 269 | | ····· | |
| 0022952 | 1 | 3.47 | 11 | 3 | 182 | <20 | 0.26 | <10 | <10 | 58 | <10 | 3940 | | | |
| 0022333 | I | 1.// | 14 | 4 | 300 | <20 | 0.22 | <10 | <10 | 64 | <10 | 7660 | | | I |
| C022934 | | /.4 • • • | 36 | 3 | 168 | <20 | 0.18 | <10 | <10 | 66 | <10 | 8840 | | | I |
| 0022555 | | 3.60 | <2 | 3 | 93 | <20 | 0.22 | <10 | <10 | 81 | <10 | 1710 | | | |
| GU22930 | | 2.18 | 6 | 5 | 67 | <20 | 0.22 | <10 | <10 | 126 | <10 | 1220 | | | |
| G022957 | | 1.64 | 2 | 3 | 161 | <20 | 0.17 | <10 | <10 | 75 | <10 | 864 | | | |
| 0022958 | 1 | 2.96 | 6 | 3 | 157 | <20 | 0.15 | <10 | <10 | 82 | <10 | 2260 | | | |
| 6022959 | I | 1.44 | <2 | 3 | 146 | <20 | 0.20 | <10 | <10 | 74 | <10 | 450 | | | |
| 0022960 | | 2.37 | 7 | 8 | 142 | <20 | 0.01 | <10 | <10 | 87 | <10 | 197 | | | |
| | | | | | | | | <u> </u> | | | | | | | ļ |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - A Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME- MS61 As ppm 0.2 | ME- MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME-MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME- MS61 Cr ppm 1 | ME- MS61 Cs ppm 0.05 |
|--|-----------------------------------|--|---|--------------------------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|-----------------------------|------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|
| G022961 G022962 G022963 G022964 G022965 | | 4.54 4.69 5.63 4.51 5.07 | 0.048 0.086 0.282 0.061 0.766 | | | | | | | | <u></u> , | | <u> </u> | | <u> </u> | |
| C022966- CRD G022966- CRD G022967 G022967A G022968 | | 5.57 <0.02 5.55 <0.02 2.40 | 0.283 0.326 0.201 0.198 0.510 | | 3.46 | 8.78 | 6240 | 920 | 0.86 | 1.11 | 2.00 | 12.65 | 34.9 | 10.6 | 15 | 2.06 |
| G022970 G022971 G022972 G022973 | | 1.73 3.49 3.18 3.09 5.23 | 0.157 7.79 0.086 0.074 0.086 | 6.42 | | | | | | | | | | | | |
| G022975 G022976 G022977 G022978 | | 4.84 4.81 4.55 4.67 | 0.244 0.023 0.047 0.047 0.074 | | | | | | | | | | | | | |
| G022980 G022981 G022982 G022983 | | 5.35 0.14 4.28 8.79 1.01 | 0.210 2.26 0.054 0.033 <0.005 | 2.00 | | | | | | | | | | | | |
| G022984 G022985 G022986 G022986- CRD G022987 | | 4.68 4.55 2.54 <0.02 2.41 | 0.075 0.415 0.117 0.065 0.324 | | | | | | | | | | | | | |
| G022987A G022988 G022989 G022990 G022991 | | <0.02 2.25 2.40 2.74 3.09 | 0.313 0.383 2.10 5.62 0.109 | 2.18 5.38 | 4.33 | 8.38 | 151.0 | 140 | 0.68 | 3.88 | 1.86 | 5.19 | 48.3 | 53.3 | 19 | 1.56 |
| G022992 G022993 G022994 G022995 G022996 | | 2.15 1.68 3.35 2.42 2.74 | 0.962 0.011 0.086 0.183 0.408 | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - B Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 Cu ppm 0.2 | ME- MS61 Fe % 0.01 | ME- MS61 Ga ppm 0.05 | ME- MS61 Ge ppm 0.05 | ME- MS61 Hf ppm 0.1 | ME- MS61 In ppm 0.005 | ME- MS61 K % 0.01 | ME- MS61 La ppm 0.5 | ME- MS61 Li ppm 0.2 | ME- MS61 Mg % 0.01 | ME- MS61 Mn ppm 5 | ME- MS61 Mo ppm 0.05 | ME- MS61 Na % 0.01 | ME- MS61 Nb ppm 0.1 | ME- MS61 Ni ppm 0.2 |
|--|-----------------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|--------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|----------------------------|-------------------------------|-----------------------------|------------------------------|------------------------------|
| G022961 G022962 G022963 G022964 G022965 | | | | | | | | | | | <u></u> | | | | | |
| G022966 G022966- CRD G022967 G022967A G022967A | | 144.5 | 8.44 | 20.4 | 0.17 | 1.3 | 0.587 | 4.45 | 19.5 | 29.5 | 2.41 | 3720 | 1.48 | 0.11 | 22.5 | 10.6 |
| G022969 G022970 G022971 G022972 G022973 | | | | | | | | | | | | | | | | |
| G022974 G022975 G022976 G022977 G022978 | | | | | | | | | | | | | | | | |
| G022979 G022980 G022981 G022982 G022983 | | | | | | | | | | | | | | | | |
| C022984 C022985 C022986 C022986- CRD C022987 | | | | | | | | | | | | | | | | |
| G022987A G022988 G022989 G022990 G022991 | | 182.5 | 11.75 | 21.3 | 0.22 | 1.1 | 0.493 | 4.87 | 24.1 | 21.1 | 1.65 | 2570 | 1.25 | 1.48 | 21.9 | 23.5 |
| G022992 G022993 G022994 G022995 G022996 | | | | | | | | | | | | | | <u></u> | | |



Т

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - C Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME-MS61 P ppm 10 | ME- MS61 Pb ppm 0.5 | ME- MS61 Rb ppm 0.1 | ME- MS61 Re ppm 0.002 | ME- MS61 S % 0.01 | ME- MS61 Sb ppm 0.05 | ME- MS61 Sc ppm 0.1 | ME- MS61 Se ppm 1 | ME- MS61 Sn ppm 0.2 | ME- MS61 Sr ppm 0.2 | ME- MS61 Ta ppm 0.05 | ME- MS61 Te ppm 0.05 | ME- MS61 Th ppm 0.2 | ME- MS61 Ti % 0.005 | ME- MS61 Tl ppm 0.02 |
|--|-----------------------------------|---------------------------|------------------------------|------------------------------|--------------------------------|----------------------------|-------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-------------------------------|-------------------------------|------------------------------|------------------------------|-------------------------------|
| G022961 G022962 G022963 G022964 G022965 | | | | | | | | | <u></u> | | | | | | | <u>,</u> |
| G022966 G022966- CRD G022967 G022967A G022968 | | 840 | 500 | 133.5 | <0.002 | 1.79 | 39.1 | 8.7 | 1 | 2.5 | 289 | 1.39 | 0.25 | 3.1 | 0.335 | 2.60 |
| G022969 G022970 G022971 G022972 G022973 | | | | | | | | | | | | | | | | |
| G022974 G022975 G022976 G022977 G022978 | | | | | | | | | | | | | | | | |
| G022979 G022980 G022981 G022982 G022982 G022983 | | | | | | | | | | | <u></u> | | | | | |
| G022984 G022985 G022986 G022986- CRD G022987 | | | | | | | | | | | | | | | | |
| G022987A G022988 G022989 G022990 G022991 | | 1340 | 370 | 89.8 | <0.002 | 8.28 | 9.21 | 11.4 | 3 | 2.2 | 345 | 1.33 | 0.63 | 2.8 | 0.449 | 2.01 |
| G022992 G022993 G022994 G022995 G022995 | | | | | | | | | | <u></u> | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - D Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME-MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME- ICP41 B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 | ME- ICP41 Cd ppm 0.5 |
|---|-----------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|---------------------------|------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--|---------------------------------|--|---|---------------------------------------|--|
| G022961 G022962 G022963 G022964 G022965 | | | | | | | | 2.0 5.9 12.2 6.2 15.7 | 1.79 2.64 5.32 4.17 4.26 | 41 321 603 132 186 | <10 <10 <10 <10 <10 <10 | 220 160 60 80 30 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <2 2 2 2 3 | 2.56 1.98 1.48 2.01 1.68 | <0.5 19.8 26.6 21.1 32 5 |
| G022966 G022966- CRD G022967 G022967A G022968 | | 1.8 | 128 | 6.5 | 7.8 | 2370 | 41.2 | 13.7 13.2 3.6 6.7 | 6.00 5.77 2.87 1.87 | 2720 2630 8580 2230 | <10 <10 <10 <10 | 90 90 100 60 | <0.5 <0.5 <0.5 <0.5 | <pre> <2 <2 <2 <2 <2 <2 <2 <2</pre> | 1.16 1.14 1.88 2.68 | 49.6 48.9 11.9 |
| G022969 G022970 G022971 G022972 G022973 | | | | | | | | 8.1 4.6 6.1 4.4 3.5 | 1.53 1.26 1.71 2.29 2.91 | 451 168 27 41 77 | <10 <10 <10 <10 <10 | 130 20 220 210 90 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 2 2 <2 <2 2 2 | 1.67 1.53 2.75 1.79 1.89 | 16.0 5.9 9.2 8.5 12.9 |
| G022974 G022975 G022976 G022977 G022978 | | | | | | | | 3.4 1.6 2.0 2.1 2.1 | 3.25 3.26 2.11 1.24 2.82 | 2430 69 31 31 868 | <10 <10 <10 <10 <10 <10 | 140 210 260 190 150 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <2 <2 <2 <2 <2 <2 <2 | 2.12 2.05 3.43 2.59 1.31 | 68.5 6.5 1.8 2.7 25.3 |
| G022979 G022980 G022981 G022982 G022983 | | | | | | | | 2.7 14.5 2.3 2.8 <0.2 | 4.17 1.02 1.40 2.51 0.19 | 3300 40 18 42 <2 | <10 <10 <10 <10 <10 <10 | 200 40 220 250 10 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <2 5 2 <2 <2 <2 | 1.10 0.29 1.94 2.42 >25.0 | 18.0 58.2 4.9 5.1 |
| C022984 G022985 G022986 C022986- CRD C022987 | | | | | | | | 2.6 2.8 2.0 1.7 4.3 | 1.98 2.84 2.72 2.77 1.83 | 53 30 29 22 148 | <10 <10 <10 <10 <10 <10 | 70 80 150 210 40 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | | 2.57 1.90 1.45 1.44 1.68 | 1.3 7.8 6.5 6.3 4.2 |
| C022987A C022988 C022989 C022990 C022991 | | 1.6 | 175 | 6.4 | 9.2 | 947 | 41.2 | 5.1 4.9 8.9 3.7 | 3.27 4.81 2.59 2.23 | 98 99 197 39 | <10 <10 <10 <10 | 50 90 30 100 | <0.5 <0.5 <0.5 <0.5 | 5 6 9 4 | 1.20 1.04 1.70 1.27 | <0.5 1.7 <0.5 <0.5 |
| C022992 C022993 C022994 C022995 C022996 | | | | | | | | 8.9 0.6 1.6 2.3 4.4 | 3.42 2.50 2.37 1.69 2.42 | 141 6 30 70 78 | <10 <10 <10 <10 <10 | 30 160 260 50 40 | <0.5 0.9 <0.5 <0.5 <0.5 | 10 <2 4 5 5 | 1.25 2.90 1.33 1.13 1.93 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 |



ALS)

Minerals

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY **RICHMOND BC V6X 2W8**

Page: 4 - E Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME-ICP41 Co ppm 1 | ME- ICP41 Cr ppm 1 | ME- ICP41 Cu ppm 1 | ME- ICP41 Fe % 0.01 | ME- ICP41 Ga ppm 10 | ME- ICP41 Hg ppm 1 | ME- ICP41 K % 0.01 | ME- ICP41 La ppm 10 | ME- ICP41 Mg % 0.01 | ME- ICP41 Mn ppm 5 | ME- ICP41 Mo ppm 1 | ME- ICP41 Na % 0.01 | ME- ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME- ICP41 Pb ppm 2 |
|--|-----------------------------------|----------------------------|-----------------------------|----------------------------------|---------------------------------------|--|---------------------------------|--------------------------------------|-----------------------------------|--|--------------------------------------|--|---|--------------------------------|--|---------------------------------------|
| G022961 G022962 G022963 | | 6 7 59 | 3 6 13 | 199 447 579 | 3.55 6.45 16.8 | 10 10 10 | 1 1 2 | 1.40 1.49 1.36 | 10 10 10 | 1.50 2.08 3.90 | 2110 3510 4280 | <1 <1 2 | 0.02 0.01 0.01 | 4 8 18 | 1600 1220 1100 | 24 362 |
| G022964 G022965 | | 9 73 | 15 54 | 191 634 | 8.93 18.3 | 10 10 | 1 2 | 0.96 1.24 | 10 10 | 3.22 3.04 | 4420 3810 | 2 2 | <0.01 <0.01 | 11 19 | 1730 1350 | 858 1175 |
| G022966 G022966- CRD G022967 G022967A | | 31 29 8 | 86 82 7 | 1185 1155 172 | 15.9 13.30 7.03 | 20 20 <10 | 2 <1 <1 | 1.31 1.26 1.23 | 10 10 10 | 4.06 3.92 2.06 | 4080 3970 3490 | <1 <1 <1 | <0.01 <0.01 <0.01 | 16 16 11 | 1430 1380 830 | 931 908 496 |
| G022968 | | 28 | 21 | 448 | 10.05 | <10 | 1 | 1.28 | 10 | 1.62 | 3460 | <1 | <0.01 | 15 | 1130 | 658 |
| G022970 G022970 G022971 G022972 G022973 | | 13 332 12 5 7 | 5 6 9 15 24 | 344 70 308 307 238 | 4.98 14.70 3.51 4.81 6.81 | <10 <10 <10 10 10 | <1 <1 <1 1 <1 | 1.18 0.93 1.31 1.77 2.00 | 10 <10 10 10 10 | 1.01 0.85 1.25 1.61 2.25 | 2500 1970 2790 2630 2940 | 1 1 <1 <1 <1 | <0.01 <0.01 <0.01 0.01 0.01 | 10 27 7 12 13 | 950 890 1090 1160 1100 | 1190 287 257 272 332 |
| G022974 G022975 G022976 G022977 G022978 | | 9 4 9 7 5 | 24 33 34 14 | 196 115 201 128 107 | 7.48 6.25 5.04 2.66 5.48 | 10 10 10 <10 | 2 1 <1 <1 | 1.31 1.68 1.38 0.95 | 10 10 10 10 | 2.52 2.56 1.98 1.04 | 3260 2660 2580 2300 | <1 <1 <1 <1 <1 | 0.01 0.02 0.03 0.02 | 13 14 20 10 | 1040 1160 1380 940 | 479 172 76 115 |
| G022979 G022980 G022981 G022982 G022983 | | 11 11 5 7 <1 | 9 45 6 14 <1 | 80 5350 149 205 2 | 7.59 8.88 3.21 5.47 0.10 | 10 10 <10 <10 10 10 10 | 1 1 1 1 1 1 | 2.14 0.11 1.09 1.93 | <10 10 <10 10 10 | 2.12 2.76 0.98 1.14 1.92 | 2760 3680 363 2320 2660 | <1 <1 12 <1 <1 | 0.01 0.01 <0.01 0.03 0.02 | 8 9 24 8 14 | 660 780 110 960 1390 | 211 367 249 198 225 |
| G022984 G022985 G022986 G022986- CRD G022987 | | 11 19 16 14 51 | 17 17 15 15 12 | 314 183 117 116 190 | 5.82 7.29 6.85 6.91 9.91 | 10 10 10 10 10 10 | <1 <1 1 <1 <1 <1 | 1.52 2.19 1.08 1.08 0.96 | 10 10 10 10 10 <10 | 1.41 1.55 2.05 1.82 1.88 1.36 | 2560 2700 2220 2150 2250 | <1 <1 <1 <1 <1 <1 <1 | 0.01 0.04 0.03 <0.01 0.02 0.04 | 1 17 19 10 6 19 | 60 1370 1380 1250 1210 1210 | <2 120 401 213 189 340 |
| C022987A G022988 G022989 G022990 G022991 | | 20 31 58 7 | 16 6 6 6 | 861 696 1190 396 | 10.65 14.55 21.0 5.78 | 10 20 10 10 | <1 <1 1 <1 | 1.80 0.22 0.91 1.60 | <10 <10 <10 10 | 2.17 3.31 1.72 1.31 | 2550 2120 2470 1410 | <1 1 <1 <1 | 0.04 0.02 0.03 0.03 | 12 14 35 4 | 1260 570 640 1340 | 82 140 120 27 |
| G022992 G022993 G022994 G022995 G022996 | | 32 17 5 24 33 | 11 41 6 24 84 | 1410 99 210 470 1330 | 17.9 6.27 5.21 8.19 16.5 | 10 10 10 <10 10 | <1 <1 <1 1 1 | 2.44 0.35 1.85 1.24 1.94 | <10 30 10 <10 <10 | 2.28 2.29 1.23 0.77 1.15 | 1775 1640 1405 1475 2060 | <1 <1 1 9 13 | 0.02 0.26 0.03 0.02 0.02 | 28 23 4 32 66 | 1170 3500 1410 1200 1030 | 77 8 20 39 99 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - F Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 S % 0.01 | ME- ICP4 I Sb ppm 2 | ME- ICP41 Sc ppm 1 | ME- ICP41 Sr ppm 1 | ME- ICP41 Th ppm 20 | ME- ICP41 Ti % 0.01 | ME- ICP41 TI ppm 10 | ME-ICP41 U ppm 10 | ME- ICP41 V ppm 1 | ME-ICP41 W ppm 10 | ME- ICP41 Zn ppm 2 | Zn- OG46 Zn % 0.001 | |
|---|-----------------------------------|--|---------------------------------|-----------------------------|---------------------------------|--|--------------------------------------|--|--|-----------------------------|--|--------------------------------------|------------------------------|--|
| G022961 G022962 G022963 G022964 G022965 | | 1.17 2.52 9.2 3.07 >10.0 | <2 2 6 2 6 | 3 3 5 5 9 | 227 215 192 182 150 | <20 <20 <20 <20 <20 | 0.16 0.18 0.17 0.14 0.17 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 63 68 99 89 114 | <10 <10 <10 <10 <10 | 95 3150 4970 3760 5550 | | |
| G022966 G022966- CRD G022967 G022967A G022967A G022968 | | 6.0 5.8 2.01 9.4 | 11 14 31 10 | 13 12 2 4 | 110 108 201 311 | <20 <20 <20 <20 | 0.17 0.17 0.14 0.15 | <10 <10 <10 <10 | <10 <10 <10 | 175 168 41 56 | <10 <10 <10 | 8870 8710 2340 | 2.28 | |
| G022969 G022970 G022971 G022972 G022973 | | 2.72 >10.0 1.37 1.60 2.85 | 7 <2 2 2 2 <2 | 1 2 2 2 3 | 164 169 359 180 202 | <20 <20 <20 <20 <20 <20 | 0.13 0.09 0.14 0.21 0.24 | <10 <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 <10 | 27 28 30 49 66 | <10 <10 <10 <10 <10 <10 | 2950 1180 1590 1640 2520 | 2.20 | |
| G022974 G022975 G022976 G022977 G022978 | | 2.60 0.93 1.34 0.71 1.15 | 7 <2 <2 <2 <2 4 | 3 4 6 2 2 | 246 234 359 294 165 | <20 <20 <20 <20 <20 <20 | 0.16 0.22 0.19 0.11 0.14 | <10 <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 <10 | 58 74 76 31 39 | 10 <10 <10 <10 <10 | >10000 1260 419 452 4100 | 1.095 | |
| G022979 G022980 G022981 G022982 G022983 | | 1.20 >10.0 0.63 1.42 <0.01 | / <2 <2 <2 <2 <2 | 3 2 2 5 <1 | 147 6 237 252 6090 | <20 <20 <20 <20 30 | 0.21 0.02 0.14 0.26 0.01 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 62 16 39 82 1 | <10 <10 <10 <10 <10 | 2630 >10000 906 1030 9 | 1.360 | |
| G022984 G022985 G022986 G022986- CRD G022987 | | 2.64 2.54 2.06 1.74 8.3 | <2 <2 <2 5 6 | 4 5 5 5 4 | 247 189 174 166 182 | <20 <20 <20 <20 <20 <20 | 0.21 0.28 0.15 0.15 0.12 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 73 95 88 90 65 | <10 <10 <10 <10 <10 | 292 1460 1270 1255 785 | | |
| G022987A G022988 G022989 G022990 G022991 | | 5.30 7.0 >10.0 2.30 | 3 4 4 3 | 6 5 3 2 | 120 108 162 129 | <20 <20 <20 <20 | 0.23 0.03 0.13 0.25 | <10 <10 <10 <10 | <10 <10 <10 <10 | 127 120 65 64 | <10 <10 <10 <10 | 230 507 166 125 | | |
| G022992 G022993 G022994 G022995 G022996 | | >10.0 0.60 1.44 5.09 9.4 | 2 2 2 5 2 | 5 10 3 3 3 | 119 434 107 97 211 | <20 <20 <20 <20 <20 <20 | 0.33 0.61 0.29 0.19 0.23 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 92 147 68 57 57 | <10 <10 <10 <10 <10 | 206 115 122 105 227 | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 5 - A Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

| | | | | | | | | | C | <u>ERTIFI/</u> | <u>CATE C</u> | JF ANA | LYSIS | TR10 | 159282 | <u>'</u> | _ |
|---|-----------------------------------|--------------------------------------|--|--------------------------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|---|
| Sample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME- MS61 As ppm 0.2 | ME- MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME- MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME- MS61 Cr ppm 1 | ME- MS61 Cs ppm 0.05 | - |
| G022997 G022998 G022999 G023000 G023001 | | 2.74 5.37 4.37 1.01 5.58 | 0.489 0.239 0.167 <0.005 0.151 | | | | | | | | | | | | | | |
| G023002 G023003 G023004 G023005 | | 4.49 4.27 5.23 5.12 | 0.151 0.281 4.49 0.356 | 4.20 | | | | | | | | | | | | | _ |
| | | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 5 - B Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

| Method AnalyteME- MS61ME- MS61< | 1 S 61 |
|--|---------------|
| LOR 0.2 0.01 0.05 0.05 0.1 0.005 0.01 0.5 0.2 0.01 5 0.05 0.01 0.1 0. | i m v |
| G022997 G022998 G022999 G023000 G023001 | |
| | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 5 - C Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

| | | T | | | | | | | C | ERTIFI | CATE C |)F ANA | LYSIS | TR10 | 159282 | t |
|---|-----------------------------------|----------------------------|------------------------------|------------------------------|--------------------------------|----------------------------|-------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-------------------------------|-------------------------------|------------------------------|------------------------------|-----------------------|
| Sample Description | Method Analyte Units LOR | ME- MS61 P ppm 10 | ME- MS61 Pb ppm 0.5 | ME- MS61 Rb ppm 0.1 | ME- MS61 Re ppm 0.002 | ME- MS61 S % 0.01 | ME- MS61 Sb ppm 0.05 | ME- MS61 Sc ppm 0.1 | ME- MS61 Se ppm 1 | ME- MS61 Sn ppm 0.2 | ME- MS61 Sr ppm 0.2 | ME- MS61 Ta ppm 0.05 | ME- MS61 Te ppm 0.05 | ME- MS61 Th ppm 0.2 | ME- MS61 Ti % 0.005 | ME- MS61 Tl ppm |
| G022997 G022998 G022999 G023000 G023001 | | | | | | | | | | | | | | | | |
| G023002 G023003 G023004 G023005 | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 5 - D Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME-MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME- ICP41 B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 | ME- ICP41 Cd ppm 0.5 |
|---|-----------------------------------|----------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|---------------------------------|--------------------------------------|-----------------------------|--|------------------------------|--------------------------------------|-----------------------------|---------------------------------------|--------------------------------------|
| G022997 G022998 G022999 G023000 G023001 | | | | | | | | 7.9 3.1 2.5 0.8 2.4 | 2.02 1.85 2.55 0.07 1.85 | 93 103 57 3 52 | <10 <10 <10 <10 <10 <10 | 50 90 130 10 180 | <0.5 <0.5 <0.5 <0.5 <0.5 | 8 6 4 2 5 | 3.35 4.97 3.13 >25.0 2.73 | 7.9 3.0 <0.5 <0.5 <0.5 |
| G023002 G023003 G023004 G023005 | | | | | | | | 2.5 2.5 17.4 3.5 | 1.77 1.88 3.26 2.69 | 59 51 262 85 | <10 <10 <10 <10 <10 | 140 180 30 100 | <0.5 <0.5 <0.5 <0.5 <0.5 | 4 3 12 5 | 2.73 2.45 2.77 2.07 2.26 | <0.5 <0.5 <0.5 <0.5 <0.5 |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 5 - E Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME-ICP41 | ME- ICP41 |
|---|---------|---------------------------|----------------------------|--------------------------------|---------------------------------------|------------------------------|--------------------------|--------------------------------------|-------------------------------|--------------------------------------|------------------------------------|---------------------------|--|----------------------------|------------------------------------|------------------------------|
| | Analyte | Co | Cr | Cu | Fe | Ga | Hg | K | La | Mg | Mn | Mo | Na | Ni | P | Pb |
| | Units | ppm | ppm | ppm | % | ppm | ppm | % | ppm | % | ppm | ppm | % | ppm | ppm | ppm |
| | LOR | 1 | 1 | 1 | 0.01 | 10 | 1 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 |
| G022997 G022998 G022999 G023000 G023001 | | 35 17 12 1 12 | 35 28 32 <1 38 | 1570 422 390 1 448 | 12.55 7.82 6.92 0.08 5.57 | 10 <10 10 <10 10 | 1 1 <1 <1 <1 | 1.50 1.30 2.03 0.01 1.52 | <10 10 10 <10 <10 | 1.54 2.10 1.89 1.15 1.20 | 2610 2950 1940 35 1760 | <1 <1 <1 <1 3 | 0.02 0.02 0.02 0.02 0.02 0.03 | 58 28 26 <1 61 | 1840 2460 2550 40 1290 | 268 140 38 <2 22 |
| G023002 | | 14 | 39 | 411 | 5.62 | 10 | <1 | 1.45 | <10 | 1.13 | 1630 | 5 | 0.03 | 67 | 1330 | 25 |
| G023003 | | 3 | 96 | 456 | 5.76 | <10 | <1 | 1.50 | <10 | 1.32 | 1885 | <1 | 0.03 | 74 | 1170 | 13 |
| G023004 | | 12 | 294 | 1710 | 15.5 | 10 | 1 | 2.39 | <10 | 2.09 | 2270 | 1 | 0.02 | 240 | 920 | 69 |
| G023005 | | 8 | 151 | 610 | 7.86 | 10 | <1 | 2.20 | <10 | 1.81 | 1695 | <1 | 0.03 | 124 | 1080 | 17 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 5 - F Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 S % 0.01 | ME- ICP41 Sb ppm 2 | ME- ICP41 Sc ppm 1 | ME- ICP41 Sr ppm 1 | ME- ICP41 Th ppm 20 | ME- ICP41 Ti % 0.01 | ME- ICP41 TI ppm 10 | ME- ICP41 U ppm 10 | ME- ICP41 V ppm 1 | ME- ICP41 W ppm 10 | ME- ICP41 Zn ppm 2 | Zn- OG46 Zn % 0.001 | | |
|--------------------|-----------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|-----------------------------|------------------------------|--|--|
| G022997 | | 8.8 | 3 | 5 | 415 | <20 | 0.20 | <10 | <10 | 72 | <10 | 1175 | | ······································ | |
| G022998 | | 4.31 | 7 | 5 | 582 | <20 | 0.18 | <10 | <10 | 73 | <10 | 566 | | | |
| G022999 | | 2.70 | 3 | 6 | 369 | <20 | 0.31 | <10 | <10 | 104 | <10 | 151 | | | |
| G023000 | | <0.01 | <2 | <1 | 5520 | 20 | < 0.01 | <10 | <10 | 1 | <10 | -2 | | | |
| G023001 | | 2.62 | 3 | 4 | 254 | <20 | 0.20 | <10 | <10 | 99 | <10 | 103 | | | |
| G023002 | | 2.92 | 2 | 4 | 210 | <20 | 0.20 | <10 | <10 | 98 | <10 | 96 | | | |
| G023003 | | 2.38 | 2 | 4 | 246 | <20 | 0.19 | <10 | <10 | 59 | <10 | 93 | | | |
| G023004 | | >10.0 | <2 | 6 | 219 | <20 | 0.24 | <10 | <10 | 89 | <10 | 198 | | | |
| G023005 | | 3.50 | 3 | 5 | 195 | <20 | 0.23 | <10 | <10 | 71 | <10 | 113 | | | |



Т

ALS Canada Ltd. 2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: Appendix 1 Total # Appendix Pages: 1 Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Method | CERTIFICATE COMMENTS |
|----------|--|
| ME- MS61 | REE's may not be totally soluble in this method. |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |


2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 1 Finalized Date: 18- DEC- 2010 This copy reported on 20- DEC- 2010 Account: BQL

CERTIFICATE TR10170162

Project: Bronson

P.O. No.: Pink Security Tag Batch

This report is for 5 Drill Core samples submitted to our lab in Terrace, BC, Canada on 15- NOV- 2010.

The following have access to data associated with this certificate:

| DAVID JENSEN | DAVID YEAGER | JOHN ZBEETNOFF |
|--------------|--------------|----------------|
| | | |

| | SAMPLE PREPARATION | | | | | |
|----------|--------------------------------|--|--|--|--|--|
| ALS CODE | DESCRIPTION | | | | | |
| LOG- 22 | Sample login - Rcd w/o BarCode | | | | | |
| FND- 03 | Find Reject for Addn Analysis | | | | | |
| PUL- 32 | Pulverize 1000g to 85% < 75 um | | | | | |
| SCR- 21 | Screen to - 100 um | | | | | |
| BAG- 01 | Bulk Master for Storage | | | | | |
| SPL- 21 | Split sample - riffle splitter | | | | | |
| WEI- 25 | Wt. of Crushed Reject | | | | | |

| | ANALYTICAL PROCEDURE | S |
|-----------|---------------------------------|------------|
| ALS CODE | DESCRIPTION | INSTRUMENT |
| Au- SCR24 | Au Screen FA Double Minus - 50g | WST- SIM |
| Au- AA26 | Ore Grade Au 50g FA AA finish | AAS |
| Au- AA26D | Ore Grade Au 50g FA AA Dup | AAS |

To: SKYLINE GOLD CORPORATION ATTN: DAVID YEAGER SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

-Signature:

Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

CERTIFICATE OF ANALYSIS

Page: 2 - A Total # Pages: 2 (A) Finalized Date: 18- DEC- 2010 Account: BQL

TR10170162

Project: Bronson

Au- SCR24 Au- SCR24 Au- SCR24 Au- SCR24 Method Au- SCR24 Au- SCR24 Au- AA26 Au- AA26D WEI- 25 Analyte Au Total Au (+) F Au (-) F Au (+) m WT. + Fr WT. - Fr Au Au Reject W Units ppm ppm ppm mg g g ppm ppm kg Sample Description LOR 0.05 0.05 0.05 0.001 0.01 0.1 0.01 0.01 0.001 G022970 6.27 31.0 5.79 0.568 18.31 940.4 5.76 5.81 0.959 G022990 4.72 23.0 4.36 0.405 17.64 892.3 4.40 4.32 0.910 G023004 4.57 44.6 3.71 0.920 20.62 956.1 3.90 3.51 0.977

Comments: **CORRECTED COPY FOR WEI- 25 ON ALL SAMPLES**



DIAMOND DRILL HOLE LOG

Summary of Drill Hole SK-10-15

| ноге | SK10 1E | CONTRACTOR: Driftwood Diamond | From(m) | To (m) | Unit | Description | |
|--------------------------------------|--|--|---------|--------|-------------|---|---------------|
| HOLE: | 3K10-15 | Drilling Ltd. | 0 | 2.4 | | overburden | |
| COLLAR COOR Easting: | DINATES UTM (NAD 83): 373714.9 | DATE STARTED: 21-Oct-10 | 2.4 | 21.1 | GrW-Arg/Sst | It-med grey argillite layering content and thickness is greater than the siltstone layering or lamina | 5.0-9 |
| Northing: | 6280810.8 | COMPLETED: 22-Oct-10 | 21.1 | 29.06 | GrW-Sst/Arg | gradational contacts | 7.0 |
| COLLAR COOR Northing: Easting: | DINATES MINE GRID: 11723.0 27542.1 | LOGGED BY: B. Hemingway SAMPLE INTERVALS: B.H./A. Burger GEOTECH BY: N/A | 29.06 | 50.5 | GrW-Arg-Cgl | w/ minor sections of Sst- SSt, the section starts off with a gradational contact of Sst-SST to 34.10 then matrix becomes more argillaceous with clasts of Sst and SSt. | Zone of int |
| | | SAMPLED BY: D. Quock | 50.5 | 54.5 | GrW-Sst/Arg | Slump zone contact-gradational | em |
| COLLAR ELEVA | TION (m-ASL): 595.7 | CORE SIZE: NQ | 54.5 | 62.3 | GrW-Sst-SSt | Sst is It gry very siliceous alt., w/sections of bleaching brittle | iitten S |
| FINAL DEPTH: | 99.0 | RIG: SRS 3000 Hydraulic | 62.3 | 73.3 | GrW-Arg/Sst | contact arbitrary, zones of alt argillite to grn-ser- chl is more frequent than bleached siltstone layers | phalarite |
| SURVEYS: Depth 0 21 | Azimuth 232.0 234.8 | Inclination Method -45.0 compass, clinometer | 73.3 | 93.1 | GrW-Sst/Arg | bleach altered siltstone layers is more frequent than grn-ser-chl altered argillite layers | Mineralizatio |
| 75 | 237.5 | -44.7 Reflex | 93.1 | 99 | GrW-Arg-Cgl | gradational contact with minor clasts | , , |

| Abbreviations | | | |
|---------------|---------------------|------------------|--|
| Lithology | | Alteration | |
| GrW | Greywacke | Arg | Argillitic or clay alteration |
| Slt | Siltstone | Bio | Biotite (potassic) |
| Clt | Clasts | Kspar | Feldspar or Feldspathic (potassic) |
| Minerals | | Phy | Phyllic or sericitic |
| AsPy | Arsenopyrite | Ser | Sericite |
| Ca | Calcite | alt | alteration |
| Chl | Chlorite | Standards | |
| Gal | Galena | STD-15 | CDN-CGS-15 |
| Ру | Pyrite | STD-20A | CDN-GS-20A |
| Pyr | Pyrrhotite | STD-2 | CDN-ME-2 |
| Qtz | Quartz | Other Abbreviat | tions |
| Sphal or sph | Sphalerite | // | Parallel |
| Barren | Barren of sulphides | CA | To the core axis |
| | | Py/qtz Ca qtz/Py | Center of vein (mineral) order of mineralization |

Hole: SK-10-15 Page: 2 of 49 pages



| From | То | | Sample | From | То | Length | | Ag | Cu | | | |
|------|------|---|---------|-------|-------|--------|---------|------|-----|--------|--------|--------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | Au ppb | ppm | ppm | Zn ppm | Pb ppm | As ppm |
| 0.0 | 2.4 | OVB, casing to 1.54m rusty fr to 9.0m | | | | | | | | | | |
| 2.4 | 21.1 | GrW-Arg/Sst argillitic layering is greater than siltstone layering, alteratively, the | | | | | | | | | | |
| | | amount of the argillitic component is > the siltstone component of the total unit | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | 3.0 to 5.10 alteration zone of grn ser-chl, drk grn bands are indicative of parent rock | G023115 | 2.40 | 4.00 | 1.60 | 0.037 | 3.3 | 38 | 5070 | 1040 | 64 |
| | | bedding of argillaceous layers, It med grn layers are siltstone remnants. | G023116 | 4.00 | 5.00 | 1.00 | 0.097 | 3.2 | 35 | 2820 | 954 | 158 |
| | | | | | | | | | | | | |
| | | at 5.00 10cm of wisps of sph at 50° w/ca | G023117 | 5.00 | 6.00 | 1.00 | 0.063 | 2.6 | 43 | 2640 | 646 | 135 |
| | | 6.10 to 9.30 grn ser-chl zone up hole contact is a wavy open fr with calcite. Down | G023118 | 6.00 | 7.00 | 1.00 | 0.026 | 3.1 | 35 | 1380 | 506 | 41 |
| | | hole contact at 25° is sharp. At 6.30 a pressure fissure of qtz/ca/ wisps of sph | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | at 6.63 to 7.0 a 3.0cm wide sinuous qtz/ca vein is barren | | | | | | | | | | |
| | | from 7.20 to 7.754 core contains numerous wisps of sph, bands of py, veinlets of | G023119 | 7.00 | 8.00 | 1.00 | 0.328 | 13.2 | 107 | 11050 | 2850 | 897 |
| | | calcite, general to CA is 45° | G023120 | BLANK | BLANK | BLANK | < 0.005 | 4.7 | 1 | 146 | 23 | 8 |
| | | at 8.55 a slight gouge on irregular fr at 50° is followed by a 10cm wide band of | G023121 | 8.00 | 9.00 | 1.00 | 0.338 | 5.9 | 146 | 5530 | 803 | 3510 |
| | | qtz/ca/sph/ veinlets | | | | | | | | | | |
| | | at 9.25 blebs of py in grn ser-chl alteration zone end of. | G023122 | 9.00 | 10.00 | 1.00 | 0.247 | 4.1 | 160 | 1560 | 559 | 2920 |
| | | from 9.25 to 12.90 matrix slightly hornfels after grn ser-chl zone bottom contact is | G023123 | 10.00 | 11.00 | 1.00 | 0.059 | 4.7 | 127 | 3100 | 855 | 95 |
| | | gradational. | G023124 | 11.00 | 12.00 | 1.00 | 0.056 | 1.5 | 61 | 510 | 152 | 38 |
| | | Zone of Calcite in matrix from 11.10 to 12.90 | G023125 | 12.00 | 13.00 | 1.00 | 0.071 | 2.2 | 142 | 486 | 162 | 109 |
| | | from 12.90 to 16.2 zone of grn ser-chl alteration | G023126 | 13.00 | 14.00 | 1.00 | 0.054 | 12.5 | 164 | 6510 | 2760 | 106 |
| | | at 13.80 to 14.25 irregular veinlets of sph, veinlets of py and veinlets of calcite. At | G023127 | 14.00 | 15.00 | 1.00 | 0.024 | 1.5 | 87 | 1380 | 192 | 320 |
| | | at 15.50 a braided vein of qtz/ca/sph/py at 25° at 15.64 a 10cm wide zone of | G023128 | 15.00 | 16.00 | 1.00 | 0.457 | 15.3 | 227 | 8450 | 2930 | 524 |
| | | qtz/ca/sph veinlets at 50° | G023129 | 16.00 | 17.00 | 1.00 | 0.075 | 6.6 | 192 | 2750 | 1070 | 1640 |
| | | from 16.2 to 21.1 alternating gry to grn-ser-chl alteration of matrix | | | | | | | | | | |
| | | at 16.10 to 23.80 Zone of Calcite in matrix | | | | | | | | | | |
| | | at 16.8 irregular calcite bleb with a halo of qtz then sph | | | | | | | | | | |
| | | at 17.10 a 10cm wide band at 60° of ca/qtz/sph/veinlets | G023130 | 17.00 | 18.00 | 1.00 | 0.061 | 1.5 | 189 | 196 | 27 | 67 |
| | | at 17.50 hydrothermal breccia of wallrock angular frags w/ cemented with qtz/ ca | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | at 18.50 a 7cm wide band of breccia of ca/qtz/sph w/ wallrock at 90° | G023131 | 18.00 | 19.00 | 1.00 | 0.053 | 4.3 | 64 | 2590 | 833 | 29 |
| | | at 20.80 a vein of massive sph w/ca at 50° w/sparse py qtz | G023132 | 19.00 | 20.00 | 1.00 | 0.030 | 0.9 | 93 | 124 | 14 | 21 |
| 21.1 | 29.1 | GrW-Sst/Arg Gradational contact | G023133 | 20.00 | 21.00 | 1.00 | 0.148 | 6.7 | 224 | 5320 | 1740 | 1540 |
| | | from 21.10 to 27.90 matrix w/ >kspar alt < ser rare interstitial py | G023134 | 21.00 | 23.00 | 2.00 | 0.051 | 1.1 | 83 | 143 | 81 | 77 |
| | | matrix is siliceous, at 24.80 crude bedding at 70° | G023135 | 23.00 | 25.00 | 2.00 | 0.053 | 2.3 | 106 | 858 | 245 | 53 |
| | | from 27.90 to 28.70 a qtz flooded zone with massive qtz containing wallrock | G023136 | 25.00 | 27.00 | 2.00 | 0.044 | 1.3 | 92 | 328 | 101 | 35 |
| | | fragments altered to extreme Chl-Ser- clay. The core at this point appears to be a | G023137 | 27.00 | 27.90 | 0.90 | 0.093 | 3.9 | 221 | 1580 | 652 | 38 |
| | | hydrothermal breccia "stem" feeder zone completely filled in with | G023138 | 27.90 | 28.70 | 0.80 | 0.409 | 4.3 | 280 | 4970 | 485 | 426 |

Page: 3 of 49 pages



| From | То | | Sample | From | То | Length | | Ag | Cu | | | |
|------|------|---|---------|--------|--------|--------|--------|------|-----|--------|--------|--------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | Au ppb | ppm | ppm | Zn ppm | Pb ppm | As ppm |
| . , | . , | gtz/ca/blebs of py/sph. Up hole contact is a 1.0cm wide gtz/sparse ca+sph+py/vein | G023139 | 28.70 | 31.00 | 2.30 | 0.560 | 1.6 | 214 | 119 | 19 | 23 |
| | | at 90°, the wallrock contact appears to have microfractures filled with a yellow stain | G023140 | STD 15 | STD 15 | STD 15 | NSS | NSS | NSS | NSS | NSS | NSS |
| | | possible sulphur. bottom hole contact is sharp with a fr at 60°. | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | Zone of Calcite in matrix from 28.80 to 32.70 | | | | | | | | | | |
| 29.1 | 50.5 | GrW Arg-CgL minor sections of Sst- SSt, the section starts off with a gradational | | | | | | | | | | |
| | | contact of Sst-SST to 34.10 then matrix becomes more argillaceous with clasts of Sst | | | | | | | | | | |
| | | and SSt. | | | | | | | | | | |
| | | bedding is rare, matrix is coarse grained, kspar altered > ser,w/ interstitial py | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | at 30.90 a polished chl- fr surface at 15° | G023141 | 31.00 | 33.00 | 2.00 | 0.167 | 1.0 | 107 | 377 | 12 | 46 |
| | | at 35.05 a three // qtz veins at 60° barren but with chl specks | G023142 | 33.00 | 35.00 | 2.00 | 0.223 | 1.2 | 107 | 49 | 13 | 34 |
| | | at 37.40 clasts appear "granitic" | G023143 | 35.00 | 37.00 | 2.00 | 0.102 | 1.0 | 79 | 68 | 8 | 49 |
| | | from 38.70 to 50.30 Zone of Calcite in Matrix | G023144 | 37.00 | 39.00 | 2.00 | 0.051 | 0.9 | 78 | 88 | 8 | 80 |
| | | at 38.70 a fr at 70° shows a bleached 3.0mm wide selvage | G023145 | 39.00 | 40.00 | 1.00 | 0.139 | 1.1 | 98 | 103 | 15 | 39 |
| | | at 40.30 crude argillite bedding at 70° to CA | G023146 | 40.00 | 41.00 | 1.00 | 0.403 | 3.1 | 577 | 121 | 35 | 196 |
| | | from 40.70 to 41.0 matrix contains blebby py est >10% | G023147 | 41.00 | 42.00 | 1.00 | 0.145 | 1.7 | 365 | 211 | 28 | 109 |
| | | at 41.90 crude bedding at 50° matrix moderate kspar alt w/very sparse py | G023148 | 42.00 | 44.00 | 2.00 | 0.075 | 1.3 | 179 | 203 | 49 | 116 |
| | | at 45.40 to 46.90 a zone of stringer sph massive at 45.60 to 45.80 is fed from a | G023149 | 42.00 | 44.00 | DUP | 0.065 | 1.3 | 169 | 193 | 50 | 91 |
| | | down hole contact with a 1.0cm wide qtz/ca/grn-ser-chl w/sparse sph/vein at 50°. | G023150 | 44.00 | 45.40 | 1.40 | 0.314 | 1.4 | 201 | 221 | 51 | 92 |
| | | this vein is the feeder vein to the stringer or fissure veinlet/vein of sph along CA to | G023151 | 45.40 | 47.00 | 1.60 | 1.465 | 32.0 | 627 | 75600 | 7490 | 123 |
| | | 45.40 accumulating in a massive sph deposition at 45.60. the up hole side of the | G023152 | 47.00 | 48.00 | 1.00 | 0.034 | 1.8 | 119 | 3050 | 211 | 28 |
| | | fissure vein system is a 4.0cm wide qtz/py/sparse ca/vein at 40°. the matrix in this | G023153 | 48.00 | 49.00 | 1.00 | 0.019 | 1.2 | 52 | 1610 | 88 | 84 |
| | | section is slightly bleached due to the fissure vein. | G023154 | 49.00 | 50.00 | 1.00 | 0.047 | 1.7 | 89 | 450 | 161 | 81 |
| | | | | | | | | | | | | |
| | | at 48.10 matrix becoming more bio altered verses kspar, at 49.50 more grn ser | | | | | | | | | | |
| | | altered interstitial py rare. | | | | | | | | | | |
| | | from 49.70 to 50.20 core has many anastomosing healed fractures with calcite takes | | | | | | | | | | |
| | | on more of a siliceous character than before. Remnant features indicate a slump | | | | | | | | | | |
| | | zone. Bedding at 50.60 is at 60°. at50.80 is at 30 at 51.05 at 30° | | | | | | | | | | |
| | | | | | | | | | | | | |
| 50.5 | 54.5 | GrW-Sst/Arg Contact is a Slump zone or gradational contact | G023155 | 50.00 | 51.00 | 1.00 | 0.037 | 2.2 | 142 | 779 | 330 | 47 |
| | | from 52.0 matrix becoming more hornfelsic, fg, kspar alt>ser more argillaceous. | G023156 | 51.00 | 53.00 | 2.00 | 0.020 | 5.0 | 139 | 4150 | 1130 | 19 |
| | | | G023157 | 53.00 | 54.00 | 1.00 | 0.034 | 3.7 | 226 | 3210 | 581 | 37 |
| | | at 53.80 to 54.0 an irregular vein of qtz/ca/sph is sinuous scimming the core. | G023158 | 54.00 | 55.00 | 1.00 | 0.114 | 7.6 | 227 | 6230 | 1360 | 52 |
| | | Appears as a pressure injection where specks of sph are being carried along the | | | | | | | | | | |
| | | outside edge of the vein like "islands in the stream or rafts" then locked in place | | | | | | | | | | |
| | | when fluid "froze" | | | | | | | | | | |





| From | То | | Sample | From | То | Length | | Ag | Cu | | | |
|------|------|---|---------|--------|--------|--------|--------|------|-----|--------|--------|--------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | Au ppb | ppm | ppm | Zn ppm | Pb ppm | As ppm |
| 54.5 | 62.3 | Sst-SST Gradational contact | G023159 | 55.00 | 56.00 | 1.00 | 0.305 | 12.9 | 362 | 17050 | 2480 | 171 |
| | | at 54.70 another "river" of qtz/ca/massive sph/py/ vein runs // to CA until cut by an | G023160 | STD 15 | STD 15 | STD 15 | NSS | NSS | NSS | NSS | NSS | NSS |
| | | open fracture at 56.0. it appears the open fracture is associated with a 2.5cm wide | G023161 | 56.00 | 58.00 | 2.00 | 0.030 | 2.5 | 139 | 1290 | 382 | 48 |
| | | qtz injection vein. The feature is represents a pressure injection where the "river" | | | | | | | | | | |
| | | appears to carry "rafts" of sph along its "bank" with some being at the wallrock | | | | | | | | | | |
| | | contact. | | | | | | | | | | |
| | | at 56.0 to 56.80 matrix is brittle with many anastomosing un-healed fractures, like | | | | | | | | | | |
| | | a bleached zone | | | | | | | | | | |
| | | from 57.05 matrix > kspar and ser alt with sections of bleaching | | | | | | | | | | |
| | | at 58.50 a15 cm section of core is bleached and siliceous brittle intact. | G023162 | 58.00 | 60.00 | 2.00 | 0.046 | 1.8 | 129 | 320 | 118 | 77 |
| | | at 58.90 blebs of py in an irregular vein of calcite/quartz | | | | | | | | | | |
| | | at 59.05 rudimentary argillaceous bedding plane at 70° | | | | | | | | | | |
| | | at 60.60 a 30cm zone of slight bleaching of core, siliceous brittle | G023163 | 60.00 | 62.00 | 2.00 | 0.036 | 1.9 | 151 | 568 | 162 | 78 |
| | | at 61.40 a 1.0cm wide qtz/ca/vein at 70° It yellow stain sulphur? | | | | | | | | | | |
| | | at 61.85 a 1.5cm wide qtz/ca/sparse Cpy +gal/vein at 40° | | | | | | | | | | |
| | | at 62.10 >grn ser alt of matrix extensive and pervasive at 62.50 almost porous like | G023164 | 62.00 | 63.00 | 1.00 | 0.044 | 5.0 | 141 | 26400 | 904 | 1880 |
| | | texture, original rock fabric unrecognizable | | | | | | | | | | |
| | | at 62.20 a 2.0cm wide sinuous "river" channel of qtz/ca/sph at 35° with a // channel | | | | | | | | | | |
| | | of py | | | | | | | | | | |
| 62.3 | 73.3 | GrW Arg/Sst Contact arbitrary due to pervasive/intense alt | | | | | | | | | | |
| | | from 62.80 to 66.30 Zone of Grn Ser-chl alt of matrix no kspar | | | | | | | | | | |
| | | at 62.80 another 7.54cm wide river channel of pressure injected qtz/ca/py/sph at | | | | | | | | | | |
| | | 35° to CA | | | | | | | | | | |
| | | from 63.40 to 64.0 13 qtz/ca/sph veins/lets at ave 35° to CA | G023165 | 63.00 | 64.00 | 1.00 | 0.044 | 5.5 | 221 | 11600 | 1520 | 2220 |
| | | at 64.60 to 65.10 several veins of sph/ca/sph sinuous at ~35° | G023166 | 64.00 | 65.00 | 1.00 | 0.032 | 4.0 | 98 | 6450 | 1010 | 604 |
| | | at 65.90 a "splice" of qtz/ca/sph channel at 05° to CA is chopped by a fr at 50° | G023167 | 65.00 | 66.00 | 1.00 | 0.065 | 7.5 | 296 | 7010 | 1950 | 39 |
| | | at 66.35 pyh blebs in a 1.0cm wide channel at 10° | G023168 | 66.00 | 67.00 | 1.00 | 0.096 | 4.5 | 310 | 2410 | 918 | 42 |
| | | at 67.40 an outline of a clast like bleb is filled with qtz/py | | | | | | | | | | |
| | | from 68.0 to 68.80 three 2.0 cm channels of qtz/ca/sph intermixed randomly rough | G023169 | 67.00 | 68.00 | 1.00 | 0.350 | 5.4 | 375 | 4160 | 871 | 135 |
| | | orientation at 20° to CA | | | | | | | | | | |
| | | at 68.80 a open fr w/ clay at 20° to CA | G023170 | 68.00 | 69.00 | 1.00 | 0.116 | 12.4 | 252 | 23600 | 3080 | 76 |
| | | from 69.0 to 72.30 Zone of intensive grn ser-chl alt, original rock fabric completely | G023171 | 69.00 | 70.00 | 1.00 | 0.080 | 8.6 | 133 | 22400 | 2010 | 34 |
| | | destroyed but appears to a signature of a former slump zone. The zone is interlaced | G023172 | 70.00 | 71.00 | 1.00 | 0.154 | 13.3 | 96 | 59800 | 3420 | 549 |
| | | with numerous braided discontinuous veins/veinlets/ blebs and clusters of | G023173 | 71.00 | 72.00 | 1.00 | 0.121 | 16.1 | 141 | 47100 | 4190 | 1840 |
| | | calcite/quartz/pyrite/sphalerite in wisps veins brecciated chunks etc. the down hole | G023174 | 72.00 | 73.00 | 1.00 | 4.130 | 17.9 | 153 | 27100 | 4110 | 2020 |
| | | source of the zone is a 10+cm wide qtz vein "stem" where broken wallrock is | | | | | | | | | | |
| | | incorporated within and specks of py, gal, AsPy; sphalerite appears to be on the | | | | | | | | | | |
| | | wallrock edge | | | | | | | | | | |

Page: 5 of 49 pages



| From | То | | Sample | From | То | Length | | Ag | Cu | | | |
|------|------|--|---------|-------|-------|--------|--------|------|-----|--------|--------|--------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | Au ppb | ppm | ppm | Zn ppm | Pb ppm | As ppm |
| | | with the quartz vein | | | | | | | | | | |
| | | from 73.27 to 73.60 wallrock has bleaching of siltstone layering | G023175 | 73.00 | 75.00 | 2.00 | 0.520 | 2.0 | 129 | 1820 | 234 | 37 |
| 73.3 | 93.1 | GrW Sst/Arg crude bedding at 85°. The siltstone graininess may be due to | | | | | | | | | | |
| | | bleaching effects from the Grn-ser-chl alteration of the more argillaceous layering. | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | intermitten bleaching of wallrock to 75.70 crude bedding planes at 85° to CA at | | | | | | | | | | |
| | | 75.40 but at the end of the bleach zone where layering still recognizable and before | G023176 | 75.00 | 76.00 | 1.00 | 0.027 | 3.1 | 120 | 1710 | 441 | 34 |
| | | the intensive pervasive zone of grn-ser-chl alteration bedding is at 50° at 75.40 | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | at 76.10 to 88.0 intensive grn ser-chl alt zone with sections of lessor extent. Grn Ser- | G023177 | 76.00 | 77.00 | 1.00 | 0.197 | 70.4 | 144 | 22300 | 20900 | 18 |
| | | Chl Alteration Zone | G023178 | 77.00 | 78.00 | 1.00 | 0.099 | 11.1 | 97 | 2230 | 3280 | 20 |
| | | at 76.0 to 76.70 a fissure band of sph/ca/qtz // to CA | G023179 | 78.00 | 79.50 | 1.50 | 0.046 | 2.9 | 146 | 1640 | 404 | 27 |
| | | at 78.20 to 80.0 a bleached zone of the siltaceous layers to an argillaceous layer, | G023180 | STD 2 | STD 2 | STD 2 | NSS | NSS | NSS | NSS | NSS | NSS |
| | | bedding plane at 40° to CA. At 80.0 matrix becoming > grn ser-chl altered. At 81.55 | G023181 | 79.50 | 80.50 | 1.00 | 0.019 | 2.9 | 78 | 2640 | 411 | 38 |
| | | a band/channel of braided calcite, sphalerite to 81.40 | G023182 | 80.50 | 81.50 | 1.00 | 0.115 | 34.8 | 395 | 39800 | 4680 | 24 |
| | | at 81.40 to 82.80 matrix becomig < grn ser alt and more bleached, bedding | G023183 | 81.50 | 83.00 | 1.50 | 0.037 | 3.4 | 137 | 2690 | 537 | 8 |
| | | beginning to become noticeable | G023184 | 83.00 | 84.00 | 1.00 | 0.061 | 6.8 | 319 | 9410 | 1570 | 28 |
| | | at 82.0 faint and obscure bedding at 70° to CA | G023185 | 84.00 | 84.65 | 0.65 | 0.210 | 8.3 | 328 | 13450 | 2110 | 6130 |
| | | at 83.10 83.30 83.70 braided channels of ca/sph/qtz sinuous appears as extensional | G023186 | 84.65 | 85.25 | 0.60 | 0.541 | 34.6 | 170 | 70800 | 9920 | 5890 |
| | | features, matrix is extensively grn-ser-chl alt | G023187 | 85.25 | 86.25 | 1.00 | 0.029 | 3.9 | 151 | 3850 | 1030 | 576 |
| | | at 84.95 to 85.50 a sinuous braided channel (river) of sph/ca/sparse qtz | G023188 | 86.25 | 86.70 | 0.45 | 0.389 | 23.9 | 227 | 62700 | 5650 | 2370 |
| | | at 86.40 to 86.65 a braided channel of sph/ ca // to CA scims the core | G023189 | 86.70 | 87.40 | 0.70 | 0.110 | 9.5 | 170 | 14950 | 2720 | 1000 |
| | | at 88.10 grn ser-chl alteration < kspar> giving the core a "salt and pepper" | G023190 | 87.40 | 88.50 | 1.10 | 0.103 | 5.8 | 487 | 2550 | 899 | 221 |
| | | appearance. Very coarse grained possible SSt member of the overall unit. | G023191 | 88.50 | 90.00 | 1.50 | 0.029 | 2.4 | 124 | 4000 | 414 | 9 |
| | | at 88.90 a 4.0cm wide qtz/ca/with specks of sph/some vugs/vein at 60 with up hole | | | | | | | | | | |
| | | 1.0cm wide braided sph vein. Typical of a feeder stem vein with sph leaking up the | | | | | | | | | | |
| | | sides of the stem vein. | | | | | | | | | | |
| | | the salt and pepper appearance due to black bio. At 89.80, microveinlets of black | | | | | | | | | | |
| | | bio. | | | | | | | | | | |
| | | at 90.0 grn ser-chl alt > to intense | G023192 | 90.00 | 91.50 | 1.50 | 0.661 | 23.9 | 376 | 28600 | 5020 | 8940 |
| | | at 90.2 a braided sinuous channel of ca/sph/ qtz //to CA. at 91.0 | G023193 | 91.50 | 93.00 | 1.50 | 3.840 | 26.1 | 652 | 36800 | 4650 | 4280 |
| | | another channel of the same to 92.95 | | | | | | | | | | |
| 93.1 | 99.0 | GrW-Arg-Cgl Gradational Contact of with minor clasts | | | | | | | | | | |
| | | at 93.1 Grn Ser-chl alteration<, kspar black bio alt> | G023194 | 93.00 | 95.00 | 2.00 | 0.435 | 2.2 | 231 | 2920 | 162 | 667 |
| | | at 93.80 a 20cm bleach zone contains veinlets of qtz/py/selvages of grn-ser-chl. | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | at 96.0 at open fracture starts a zone to 98.70 of bleached rock to a lt grey colour, | G023195 | 95.00 | 97.00 | 2.00 | 0.083 | 1.8 | 134 | 793 | 81 | 42 |
| | | many open fractures with xtals of qtz, at 98.50 an open fr vuggy with | | | | | | | | | | |

Page: 6 of 49 pages



| From | То | | Sample | From | То | Length | | Ag | Cu | | | |
|------|-----|---|---------|-------|-------|--------|--------|-----|-----|--------|--------|--------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | Au ppb | ppm | ppm | Zn ppm | Pb ppm | As ppm |
| | | xtals of qtz, a white 2.0mm wide calcitic selvage at 45° to CA. | | | | | | | | | | |
| | | at 97.0 a open vuggy qtz 5.0mm wide has sphalerite xtals, vein appears as a steam | G023196 | 97.00 | 99.00 | 2.00 | 0.069 | 1.4 | 107 | 570 | 78 | 157 |
| | | gaseous fracture vent | | | | | | | | | | |
| | | from 98.70 to 99.0 matrix is grainy and appears brittle | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | EOH 99.0 | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 1 Finalized Date: 30- NOV- 2010 Account: BQL

CERTIFICATE TR10159289

Project: Bronson

P.O. No.: Red/Blue & Yellow Ribbon

This report is for 90 Drill Core samples submitted to our lab in Terrace, BC, Canada on 6- NOV- 2010.

The following have access to data associated with this certificate:

| DAVID JENSEN | DAVID YEAGER | JOHN ZBEETNOFF |
|--------------|--------------|----------------|
| | | |

| | SAMPLE PREPARATION | | | | | |
|----------|------------------------------------|--|--|--|--|--|
| ALS CODE | DESCRIPTION | | | | | |
| WEI- 21 | Received Sample Weight | | | | | |
| SPL- 34 | Pulp Splitting Charge | | | | | |
| LOG- 22 | Sample login - Rcd w/o BarCode | | | | | |
| BAG- 01 | Bulk Master for Storage | | | | | |
| CRU- 31 | Fine crushing - 70% < 2mm | | | | | |
| CRU- QC | Crushing QC Test | | | | | |
| PUL- QC | Pulverizing QC Test | | | | | |
| SPL- 21 | Split sample - riffle splitter | | | | | |
| PUL- 32m | Pulverize 500g - 85%<75um | | | | | |
| LOG-24 | Pulp Login - Rcd w/o Barcode | | | | | |
| LOG- 22d | Sample login - Rcd w/o BarCode dup | | | | | |
| SPL-21d | Split sample - duplicate | | | | | |
| PUL- 32d | Pulverize Split - Dup 85% < 75um | | | | | |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|-----------|--------------------------------|------------|
| Au- AA24 | Au 50g FA AA finish | AAS |
| Au- GRA22 | Au 50 g FA- GRAV finish | WST- SIM |
| ME- MS61 | 48 element four acid ICP- MS | |
| ME- ICP41 | 35 Element Aqua Regia ICP- AES | ICP- AES |
| ME- OG46 | Ore Grade Elements - AquaRegia | ICP- AES |
| Pb- OG46 | Ore Grade Pb - Aqua Regia | VARIABLE |
| Zn- OG46 | Ore Grade Zn - Aqua Regia | VARIABLE |

To: SKYLINE GOLD CORPORATION ATTN: DAVID YEAGER SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - A Total # Pages: 4 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

| | | | | | | | | С | ERTIFIC | CATE O | F ANA | _YSIS | TR101 | 59289 | | |
|---|-----------------------------------|--|--|--------------------------------|-------------------------------|-----------------------------|------------------------------|----------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|---------------------------|-------------------------------|
| ample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME- MS61 As ppm 0.2 | ME-MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME- MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME-MS61 Cr ppm 1 | ME- MS61 Cs ppm 0.05 |
| G023115 G023116 G023117 G023118 G023119 | | 4.29 3.05 2.36 2.66 2.68 | 0.037 0.097 0.063 0.026 0.328 | | | | | | | | | "a | | | | |
| G023120 G023121 G023122 G023122 G023123 G023124 | | 1.01 2.07 2.09 2.47 2.45 | <0.005 0.338 0.247 0.059 0.056 | | | | | | | | | | | | | |
| G023125 G023126 G023127 G023128 G023129 | | 2.20 2.31 2.64 2.38 2.51 | 0.071 0.054 0.024 0.457 0.075 | | | | | | | | | | | | | |
| G023130 G023131 G023132 G023133 G023133 | | 2.79 2.66 2.12 3.66 4.18 | 0.061 0.053 0.030 0.148 0.051 | | | | | | | | | · , <u> </u> | | | | |
| G023134- CRD G023135 G023135A G023135A G023136 G023137 | | <0.02 4.54 <0.02 4.70 2.19 | 0.044 0.053 0.050 0.044 0.093 | | 1.88 | 8.38 | 55.9 | 1410 | 1.25 | 0.77 | 2.72 | 5.06 | 35.6 | 8.5 | 51 | 2.27 |
| G023138 G023139 G023140 G023141 G023142 | | 2.03 4.80 0.09 4.25 4.28 | 0.409 0.560 NSS 0.167 0.223 | | | | | | | | | | | · | | |
| G023143 G023144 G023145 G023146 G023147 | | 4.97 4.51 2.69 2.51 2.84 | 0.102 0.051 0.139 0.403 0.145 | | | | | | | | | | | | | |
| G023148 G023149 G023150 G023151 G023152 | | 5.31 4.31 2.81 4.38 2.42 | 0.075 0.065 0.314 1.465 0.034 | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION **SUITE 212** 10451 SHELLBRIDGE WAY **RICHMOND BC V6X 2W8**

CERTIFICATE OF ANALYSIS

Page: 2 - B Total # Pages: $\overline{4}$ (A - F) **Plus Appendix Pages** Finalized Date: 30- NOV- 2010 Account: BOL

Project: Bronson

TR10159289 ME-MS61 ME- MS61 ME- MS61 Method ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME-MS61 ME- MS61 ME-MS61 ME-MS61 ME- MS61 ME- MS61 ME-MS61 ME- MS61 Cu Fe Analyte Ga Ge Hf In к La Li Mg Mn Мо Na Nb Ni Units % ppm ppm ppm ppm % ppm Sample Description ppm % ppm ppm ppm % ppm ppm LOR 0.2 0.01 0.05 0.05 0.1 0.005 0.01 0.5 0.2 0.01 5 0.05 0.01 0.1 0.2 G023115 G023116 G023117 G023118 G023119 G023120 G023121 G023122 G023123 G023124 G023125 G023126 G023127 G023128 G023129 G023130 G023131 G023132 G023133 G023134 G023134- CRD G023135 G023135A 104.0 4.58 20.2 0.15 0.9 0.265 4.36 20.5 31.1 2.21 2640 1.16 1.18 10.4 35.6 G023136 G023137 G023138 G023139 G023140 G023141 G023142 G023143 G023144 G023145 G023146 G023147 G023148 G023149 G023150 G023151 G023152



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

CERTIFICATE OF ANALYSIS

Page: 2 - C Total # Pages: 4 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

TR10159289

Project: Bronson

ME- MS61 ME- MS61 ME- MS61 Method ME- MS61 ME-MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 Ρ Pb Analyte Rb Re S Sb Sc Se Sn Sr Та Te Th Ti ΤI Units ppm ppm ppm ppm % ppm ppm Sample Description ppm ppm ppm ppm ppm % ppm ppm LOR 10 0.5 0.1 0.002 0.01 0.05 0.1 1 0.2 0.2 0.05 0.05 0.2 0.005 0.02 G023115 G023116 G023117 G023118 G023119 G023120 G023121 G023122 G023123 G023124 G023125 G023126 G023127 G023128 G023129 G023130 G023131 G023132 G023133 G023134 G023134- CRD G023135 G023135A 1570 244 130.0 0.003 0.83 5.42 14.7 2 1.8 341 0.59 0.32 3.6 0.366 2.75 G023136 G023137 G023138 G023139 G023140 G023141 G023142 G023143 G023144 G023145 G023146 G023147 G023148 G023149 G023150 G023151 G023152



Т

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - D Total # Pages: 4 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

CERTIFICATE OF ANALYSIS TR10159289

| Sample Description | Method Analyte Units LOR | ME- MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME-MS61 W ppm 0.1 | ME-MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME-MS61 Zr ppm 0.5 | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME-ICP41 B ppm 10 | ME-ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 | ME- ICP41 Cd ppm 0.5 |
|--|-----------------------------------|-----------------------------|---------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------------|--------------------------------------|----------------------------------|--|---------------------------------|--|---|---|---|
| G023115 G023116 G023117 G023118 G023119 | | | | - <u>-</u> | | | | 3.3 3.2 2.6 3.1 13.2 | 5.67 5.48 3.91 3.14 7.40 | 64 158 135 41 897 | <10 <10 <10 <10 <10 <10 | 160 160 180 110 70 | <0.5 <0.5 <0.5 <0.5 | <2 <2 2 3 | 0.91 1.18 2.92 6.11 | 18.5 15.3 15.0 7.1 |
| G023120 G023121 G023122 G023123 G023124 | | | | | | | | 4.7 5.9 4.1 4.7 1.5 | 0.06 5.62 4.97 4.37 3.30 | 8 3510 2920 95 38 | <10 <10 <10 <10 <10 <10 | 10 70 130 210 310 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <pre></pre> | >25.0 0.98 1.27 1.27 2.22 | <pre>>>.9 <0.5 31.9 7.5 19.3 1 8</pre> |
| G023125 G023126 G023127 G023128 G023129 | | | | | | | | 2.2 12.5 1.5 15.3 6.6 | 3.81 5.57 8.13 5.86 4.91 | 109 106 320 524 1640 | <10 <10 <10 <10 <10 <10 | 190 110 90 90 100 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <2 2 2 2 2 2 2 | 1.66 0.87 0.69 1.46 2.93 | 1.7 40.9 2.4 51.0 |
| G023130 G023131 G023132 G023133 G023133 G023134 | | | | | | | | 1.5 4.3 0.9 6.7 1.1 | 3.88 4.60 4.24 3.84 1.96 | 67 29 21 1540 77 | <10 <10 <10 <10 <10 | 140 160 170 150 250 | 0.5 0.5 0.5 <0.5 <0.5 <0.5 | <pre> </pre> <pre> <pre> </pre> </pre> <pre> </pre> </td <td>2.90 3.09 2.85 2.67 3.68</td> <td><0.5 15.0 <0.5 32.7</td> | 2.90 3.09 2.85 2.67 3.68 | <0.5 15.0 <0.5 32.7 |
| G023134- CRD G023135 G023135A G023136 G023137 | | 1.2 | 160 | 4.5 | 10.1 | 883 | 30.8 | 1.0 2.3 1.3 3.9 | 1.98 2.15 1.77 2.66 | 71 53 35 38 | <10 <10 <10 | 250 250 180 | <0.5 <0.5 <0.5 | <pre></pre> | 3.77 2.73 1.99 | <0.5 <0.5 4.6 1.9 |
| G023138 G023139 G023140 G023141 G023142 | | | | | | | | 4.3 1.6 NSS 1.0 1.2 | 1.32 1.29 NSS 1.00 1.08 | 426 23 NSS 46 34 | <10 <10 <10 NSS <10 <10 | 110 150 NSS 100 120 | <0.5 <0.5 <0.5 NSS <0.5 <0.5 | 2 <2 NSS 2 <2 | 1.80 3.41 1.37 NSS 1.65 1.89 | 8.2 32.6 0.5 NSS 3.5 |
| C023143 G023144 G023145 G023146 G023147 | | | | | | | | 1.0 0.9 1.1 3.1 1.7 | 1.36 1.34 1.28 1.47 1.24 | 49 80 39 196 109 | <10 <10 <10 <10 <10 <10 | 130 140 120 40 110 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 2 <2 <2 4 2 | 2.47 2.07 2.06 1.32 1.35 | <0.5 <0.5 0.5 0.5 1.6 |
| G023148 G023149 G023150 G023151 G023152 | | | | | | | | 1.3 1.3 1.4 32.0 1.8 | 1.16 1.14 1.36 1.20 1.98 | 116 91 92 123 28 | <10 <10 <10 <10 <10 | 130 130 170 100 210 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <pre></pre> | 1.39 1.39 1.25 2.84 3.12 | 1.2 1.0 1.0 481 19.1 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - E Total # Pages: 4 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

CERTIFICATE OF ANALYSIS TR10159289

| Sample Description | Method | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 |
|---|---------|-------------------------|----------------------------|---------------------------------|--------------------------------------|---------------------------------|----------------------------------|--------------------------------------|------------------------------|--------------------------------------|--------------------------------------|---------------------------------|--------------------------------------|----------------------------|----------------------------------|-------------------------------|
| | Analyte | Co | Cr | Cu | Fe | Ga | Hg | K | La | Mg | Mn | Mo | Na | Ni | P | Pb |
| | Units | ppm | ppm | ppm | % | ppm | ppm | % | ppm | % | ppm | ppm | % | ppm | ppm | ppm |
| | LOR | 1 | 1 | 1 | 0.01 | 10 | 1 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 |
| G023115 | | 13 | 109 | 38 | 9.79 | 10 | <1 | 1.20 | 10 | 4.19 | 3560 | <1 | 0.01 | 67 | 1560 | 1040 |
| G023116 | | 28 | 62 | 35 | 9.73 | 10 | 1 | 1.50 | 10 | 4.12 | 3670 | <1 | 0.01 | 55 | 1620 | 954 |
| G023117 | | 14 | 130 | 43 | 6.13 | 10 | 1 | 1.62 | 10 | 2.87 | 3960 | 1 | 0.02 | 105 | 1450 | 646 |
| G023118 | | 5 | 59 | 35 | 4.58 | 10 | <1 | 0.90 | 10 | 2.42 | 8440 | 4 | 0.02 | 44 | 1250 | 506 |
| G023119 | | 19 | 56 | 107 | 16.8 | 20 | 2 | 0.91 | <10 | 6.26 | 4800 | <1 | 0.02 | 47 | 1260 | 2850 |
| G023120 | | <1 | 1 | 1 | 0.08 | <10 | <1 | 0.01 | <10 | 1.23 | 52 | <1 | 0.01 | <1 | 40 | 23 |
| G023121 | | 30 | 42 | 146 | 13.30 | 10 | 1 | 0.74 | <10 | 4.67 | 3750 | <1 | 0.01 | 40 | 1340 | 803 |
| G023122 | | 25 | 54 | 160 | 9.37 | 10 | <1 | 1.37 | <10 | 4.18 | 3460 | <1 | 0.02 | 34 | 1430 | 559 |
| G023123 | | 17 | 33 | 127 | 7.40 | 10 | 1 | 1.79 | <10 | 3.41 | 3090 | 1 | 0.01 | 24 | 1390 | 855 |
| G023123 | | 12 | 28 | 61 | 5.19 | 10 | <1 | 1.89 | 10 | 2.48 | 3050 | 1 | 0.03 | 28 | 1530 | 152 |
| G023125 | | 15 | 44 | 142 | 6.50 | 10 | <1 | 1.31 | 10 | 3.00 | 3240 | <1 | 0.04 | 31 | 1390 | 162 |
| G023126 | | 19 | 44 | 164 | 9.39 | 10 | 1 | 0.93 | <10 | 4.38 | 3610 | <1 | 0.03 | 30 | 1490 | 2760 |
| G023127 | | 12 | 63 | 87 | 12.75 | 20 | 1 | 0.89 | <10 | 6.26 | 5060 | 1 | 0.01 | 27 | 1620 | 192 |
| G023128 | | 16 | 47 | 227 | 9.64 | 10 | <1 | 0.83 | <10 | 4.38 | 4600 | <1 | 0.02 | 28 | 1430 | 2930 |
| G023129 | | 18 | 31 | 192 | 8.88 | 10 | 1 | 1.08 | 10 | 4.00 | 4690 | <1 | 0.02 | 16 | 1410 | 1070 |
| G023130 | | 21 | 49 | 189 | 6.64 | 10 | <1 | 1.56 | <10 | 3.32 | 3130 | <1 | 0.03 | 30 | 1370 | 27 |
| G023131 | | 12 | 45 | 64 | 6.55 | 10 | 1 | 1.52 | 10 | 3.78 | 2620 | <1 | 0.03 | 24 | 1390 | 833 |
| G023132 | | 11 | 40 | 93 | 6.03 | 10 | 1 | 1.42 | 10 | 3.53 | 1625 | <1 | 0.04 | 22 | 1250 | 14 |
| G023133 | | 22 | 35 | 224 | 7.57 | 10 | <1 | 1.40 | <10 | 3.32 | 3220 | 1 | 0.02 | 29 | 1430 | 1740 |
| G023133 | | 9 | 29 | 83 | 3.98 | <10 | <1 | 1.43 | 10 | 1.86 | 2590 | <1 | 0.04 | 38 | 1390 | 81 |
| G023134- CRD G023135 G023135A G023136 G023137 | | 8 7 7 12 | 29 27 11 12 | 83 106 92 221 | 4.01 3.99 3.36 4.91 | <10 10 <10 <10 | <1 <1 <1 <1 | 1.45 1.71 1.40 2.10 | 10 10 10 10 | 1.91 1.93 1.56 2.21 | 2650 2600 1825 2230 | <1 <1 1 6 | 0.03 0.03 0.02 0.01 | 39 30 17 26 | 1430 1590 1680 1560 | 75 245 101 652 |
| G023138 | | 17 | 15 | 280 | 5.33 | <10 | <1 | 0.98 | 10 | 1.45 | 2440 | 2 | 0.01 | 23 | 1250 | 485 |
| G023139 | | 8 | 12 | 214 | 3.42 | <10 | <1 | 1.01 | <10 | 0.69 | 733 | <1 | 0.04 | 19 | 790 | 19 |
| G023140 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| G023141 | | 7 | 15 | 107 | 2.74 | <10 | <1 | 0.80 | 10 | 0.60 | 584 | <1 | 0.06 | 13 | 780 | 12 |
| G023142 | | 8 | 16 | 107 | 3.18 | <10 | <1 | 0.84 | <10 | 0.76 | 762 | <1 | 0.06 | 17 | 770 | 13 |
| G023143 G023144 G023145 G023146 G023147 | | 8 7 6 24 13 | 23 23 17 16 12 | 79 78 98 577 365 | 3.73 2.98 3.24 9.90 6.04 | 10 10 <10 <10 <10 | <1 <1 <1 <1 <1 <1 | 1.12 1.10 1.06 1.18 1.03 | 10 10 10 <10 <10 | 1.17 1.12 1.13 0.96 0.65 | 1015 1135 1690 1240 1195 | <1 <1 <1 2 <1 | 0.05 0.06 0.04 0.02 0.02 | 19 23 19 40 27 | 830 880 870 670 900 | 8 8 15 35 28 |
| G023148 G023149 G023150 G023151 G023152 | | 6 7 5 20 7 | 11 11 11 9 27 | 179 169 201 627 119 | 3.84 3.55 3.41 5.42 3.95 | <10 <10 <10 <10 <10 | <1 <1 <1 2 <1 | 0.94 0.93 1.06 0.91 1.61 | <10 <10 10 10 10 | 0.55 0.55 0.68 0.97 1.67 | 1090 1090 960 2900 3340 | <1 <1 <1 <1 <1 1 | 0.02 0.02 0.03 0.02 0.02 | 14 15 10 17 54 | 760 770 750 560 1180 | 49 50 51 7490 211 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - F Total # Pages: 4 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

| | . | | | | | | | C | ERTIFIC | CATE C | F ANAI | LYSIS | TR10159289 | | |
|--------------------|-----------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|-----------------------------|----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|----------|
| Sample Description | Method Analyte Units LOR | ME- ICP41 S % 0.01 | ME- ICP41 Sb ppm 2 | ME- ICP41 Sc ppm 1 | ME- ICP41 Sr ppm 1 | ME- ICP41 Th ppm 20 | ME- ICP41 Ti % 0.01 | ME-ICP41 TI ppm 10 | ME- ICP41 U ppm 10 | ME- ICP41 V ppm 1 | ME- ICP41 W ppm 10 | ME- ICP41 Zn ppm 2 | Pb- OG46 Pb % 0.001 | Zn- OG46 Zn % 0.001 | |
| G023115 G023116 | | 0.94 1.64 | 6 7 | 7 | 50 63 | <20 | 0.18 | <10 | <10 | 108 | 20 | 5070 | | | <u> </u> |
| G023117 | 1 | 1.17 | 6 | 5 | 168 | <20 | 0.20 | <10 <10 | <10 <10 | 110 80 | 10 10 | 2820 | | | 1 |
| G023118 | 1 | 0.41 | 4 | 4 | 845 | <20 | 0.11 | <10 | <10 | 56 | <10 | 1380 | | | |
| G023119 | ! | 7.5 | 11 | 11 | 115 | <20 | 0.13 | <10 | <10 | 145 | 40 | >10000 | | 1.105 | I |
| G023120 | 1 | <0.01 | <2 | <1 | 4960 | 20 | <0.01 | <10 | <10 | 1 | <10 | 146 | | | |
| G023121 | J | 7.0 | 18 | 8 | 67 | <20 | 0.10 | <10 | <10 | 105 | 20 | 5530 | | | ļ |
| G023122 G023123 | | 2.78 | 12 | (| 87 | <20 | 0.17 | <10 | <10 | 102 | 10 | 1560 | | | 1 |
| G023124 |) | 0,94 | 0 3 | о 5 | 83 139 | <20 <20 | 0.22 | <10 -10 | <10 | 90 | 10 | 3100 | | | ļ |
| G023125 | | 1.56 | | | | -20 | 0.23 | <10 | <10 | 87 | <10 | 510 | | | |
| G023126 |) | 1.32 | 5 14 | / 9 | 90 49 | <20 | 0.18 | <10 | <10 | 99 | <10 | 486 | | | |
| G023127 | ļ | 0.43 | 3 | 14 | 35 | <20 | 0.14 | <10 | <10 | 125 | 20 | 6510 | | | ļ |
| G023128 | | 1.01 | 16 | 8 | 77 | <20 | 0.13 | <10 | <10 | 102 | <10 20 | 1380 | | | |
| G023129 | ļ | 1.14 | 18 | 7 | 138 | <20 | 0.14 | <10 | <10 | 106 | 30 10 | 8450 2750 | | | |
| G023130 | | 1.23 | 6 | 7 | 145 | <20 | 0 19 | <10 | <10 | 07 | ~10 | 406 | | | |
| G023131 | | 0.57 | 5 | 9 | 170 | <20 | 0.20 | <10 | <10 | 97 113 | 10 | 190 | | | |
| G023132 | ļ | 0.60 | 3 | 8 | 167 | <20 | 0.18 | <10 | <10 | 115 | <10 | 124 | | | |
| G023133 | | 2.62 | 16 | 6 | 224 | <20 | 0.17 | <10 | <10 | 87 | 20 | 5320 | | | |
| G023134 | | 1.10 | 4 | 3 | 301 | <20 | 0.16 | <10 | <10 | 65 | <10 | 143 | | | |
| G023134- CRD | | 1.07 | 4 | 4 | 305 | <20 | 0.16 | <10 | <10 | 65 | <10 | 111 | | | |
| G023135 | | 0.86 | 5 | 3 | 228 | <20 | 0.19 | <10 | <10 | 58 | <10 | 858 | | | |
| G023135A | | 1 0.01 | c | 0 | | | | | | | | | | | |
| G023137 | | 1 20 | ю 7 | 2 | 239 | <20 | 0.14 | <10 | <10 | 43 | <10 | 328 | | | |
| C022120 | | 0.20 | 10 | | 203 | <20 | 0.21 | <10 | <10 | 64 | <10 | 1580 | | | |
| G023139 | | 2.64 | 10 5 | 3 | 622 | <20 | 0.10 | <10 | <10 | 32 | 20 | 4970 | | | |
| G023140 | | NSS | NSS | I NSS | 141 NSS | <20 | 0.10 | <10 | <10 | 25 | <10 | 119 | | | |
| G023141 | | 1.16 | 3 | 2 | 124 | NSS <20 | NSS 0.00 | NSS | NSS | NSS | NSS | NSS | | | |
| G023142 | | 1.27 | 4 | 2 | 168 | <20 | 0.10 | <10 | <10 <10 | 31 | <10 | 377 | | | 1 |
| G023143 | | 1.29 | 3 | 4 | 221 | <20 | 0.14 | <10 | | | <10 | 49 | | | |
| G023144 | | 0.77 | 3 | 4 | 161 | <20 | 0.14 | < 10 <10 | <10 | 50 | <10 -10 | 68 | | | |
| G023145 | | 1.23 | 4 | 2 | 129 | <20 | 0.13 | <10 | <10 | 41 | <1U ~10 | 88 | | | |
| G023146 | | 8.4 | 11 | 2 | 116 | <20 | 0.13 | <10 | <10 | 26 | <10 | 103 | | | |
| G023147 | | 4.24 | 8 | 2 | 86 | <20 | 0.12 | <10 | <10 | 21 | <10 | 211 | | | |
| G023148 | | 2.27 | 8 | 1 | 108 | <20 | 0.09 | <10 | <10 | 18 | <10 | 203 | | | [|
| G023149 | | 2.04 | 9 | 1 | 107 | <20 | 0.09 | <10 | <10 | 18 | <10 | 193 | | | |
| G023150 | | 1.55 | 5 | 1 | 94 | <20 | 0.11 | <10 | <10 | 20 | <10 | 221 | | | |
| G023151 C022152 | | 5.20 | 17 | 1 | 204 | <20 | 0.08 | <10 | <10 | 15 | <10 | >10000 | | 7.56 | |
| 0023132 | | 0.63 | 28 | 3 | 252 | <20 | 0.19 | <10 | <10 | 44 | 10 | 3050 | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - A Total # Pages: 4 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

CERTIFICATE OF ANALYSIS TR10159289

| Sample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME- MS61 As ppm 0.2 | ME- MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME- MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME- MS61 Cr ppm 1 | ME- MS61 Cs ppm 0.05 |
|---|-----------------------------------|--|---|--------------------------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|
| G023153 G023154 G023154- CRD G023155 G023155A | | 2.29 1.97 <0.02 2.67 <0.02 | 0.019 0.047 0.035 0.037 0.031 | | 1 66 | 0.21 | 42.9 | 2000 | 0.00 | | | | | | | |
| C023156 C023157 C023158 C023159 C023160 | | 5.04 2.23 2.84 2.46 0.09 | 0.020 0.034 0.114 0.305 NSS | | 1.00 | 0.31 | 43.0 | 2060 | 0.83 | 0.59 | 3.66 | 3.45 | 26.5 | 9.1 | 67 | 2.12 |
| G023161 G023162 G023163 G023164 G023165 | | 4.81 4.73 5.45 3.29 2.16 | 0.030 0.046 0.036 0.044 0.044 | | | | | | | | | | | | | |
| G023166 G023167 G023168 G023169 G023170 | | 2.26 2.74 2.23 2.63 2.47 | 0.032 0.065 0.096 0.350 0.116 | | | | | | | | | | | | | |
| G023171 G023172 G023173 G023174 G023174- CRD | | 2.22 2.59 2.92 2.58 <0.02 | 0.080 0.154 0.121 5.17 3.82 | 4.13 3.59 | | | | | | | | | | | | |
| G023175 G023175A G023176 G023177 G023178 | | 4.42 <0.02 2.53 2.73 2.52 | 0.520 0.554 0.027 0.197 0.099 | | 1.59 | 8.58 | 38.8 | 1190 | 1.09 | 1.29 | 2.74 | 12.15 | 33.2 | 5.8 | 19 | 2.23 |
| G023179 G023180 G023181 G023182 G023183 | | 3.85 0.14 2.66 2.48 3.42 | 0.046 NSS 0.019 0.115 0.037 | | | | | | | | | | | | | |
| G023184 G023185 G023186 G023187 G023188 | | 2.75 1.25 1.35 2.42 1.12 | 0.061 0.210 0.541 0.029 0.389 | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

CERTIFICATE OF ANALYSIS

Page: 3 - B Total # Pages: 4 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

TR10159289

Project: Bronson

ME-MS61 ME- MS61 ME- MS61 ME-MS61 Method ME- MS61 Cu Analyte Fe Ca Ge Ηf In К La Li Mg Mn Мо Na Nb Ni Units ppm % ppm ppm ppm % ppm % ppm ppm Sample Description ppm % ppm ppm ppm LOR 0.2 0.01 0.05 0.05 0.1 0.005 0.01 0.5 0.2 0.01 5 0.05 0.01 0.1 0.2 G023153 G023154 G023154- CRD G023155 G023155A 133.5 5.27 17.65 0.13 1.0 0.206 5.00 14.6 29.2 2.44 3340 1.35 0.07 4.8 43.5 G023156 G023157 G023158 G023159 G023160 G023161 G023162 G023163 G023164 G023165 G023166 G023167 G023168 G023169 G023170 G023171 G023172 G023173 G023174 G023174-CRD G023175 G023175A 121.5 4.75 22.9 0.14 1.3 1.395 4.25 17.4 24.2 1.96 2850 0.71 1.33 20.3 11.9 G023176 G023177 G023178 G023179 G023180 G023181 G023182 G023183 G023184 G023185 G023186 G023187 G023188



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - C Total # Pages: 4 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

CERTIFICATE OF ANALYSIS TR10159289

| Sample Description | Method Analyte Units LOR | ME-MS61 P ppm 10 | ME- MS61 Pb ppm 0.5 | ME- MS61 Rb ppm 0.1 | ME- MS61 Re ppm 0.002 | ME- MS61 S % 0.01 | ME- MS61 Sb ppm 0.05 | ME- MS61 Sc ppm 0.1 | ME- MS61 Se ppm 1 | ME- MS61 Sn ppm 0.2 | ME- MS61 Sr ppm 0.2 | ME- MS61 Ta ppm 0.05 | ME- MS61 Te ppm 0.05 | ME- MS61 Th ppm 0.2 | ME- MS61 Ti % 0.005 | ME- MS61 TI ppm 0.02 |
|---|-----------------------------------|---------------------------|------------------------------|------------------------------|--------------------------------|----------------------------|-------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-------------------------------|-------------------------------|------------------------------|------------------------------|-------------------------------|
| G023153 G023154 G023154- CRD G023155 G023155A | | 1040 | 336 | 124.5 | 0.002 | 0.76 | 7.11 | 12.9 | 1 | 14 | 390 | 0.28 | 0.11 | 24 | 0.345 | 0.02 |
| G023156 G023157 G023158 G023159 G023160 | | | | | | | | | | | | | | | 0.345 | 2.10 |
| G023161 G023162 G023163 G023164 G023165 | | | | | | | | | | | | | | | | |
| G023166 G023167 G023168 G023169 G023170 | | · | | | | | | | | | | | | | | |
| G023171 G023172 G023173 G023174 G023174- CRD | | | | | | | | | | | | | | | | |
| C023175 C023175A C023176 C023177 C023178 | | 1370 | 239 | 116.0 | <0.002 | 0.72 | 5.04 | 14.3 | 1 | 2.4 | 546 | 1.17 | 0.13 | 2.9 | 0.433 | 2.13 |
| G023179 G023180 G023181 G023182 G023183 | | | | | | | | | | | | | | <u> </u> | | |
| G023184 G023185 G023186 G023187 G023188 | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - D Total # Pages: 4 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

CERTIFICATE OF ANALYSIS TR10159289

| Sample Description | Method Analyte Units LOR | ME- MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME- ICP41 B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 | ME-ICP41 Cd ppm 0.5 |
|---|-----------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|-------------------------------------|--------------------------------------|-----------------------------------|--|---------------------------------|--|---|--------------------------------------|---------------------------------------|
| G023153 G023154 G023154- CRD G023155 G023155A | | 1.3 | 143 | 5.3 | 7.0 | 807 | 29.1 | 1.2 1.7 1.7 2.2 | 1.78 1.34 1.30 1.84 | 84 81 85 47 | <10 <10 <10 <10 | 220 190 190 250 | <0.5 <0.5 <0.5 <0.5 | <2 <2 <2 <2 <2 | 2.66 5.79 5.37 3.70 | 10.2 2.2 2.1 3.5 |
| G023156 G023157 G023158 G023159 G023160 | | | | | | | | 5.0 3.7 7.6 12.9 NSS | 2.35 2.72 1.86 1.08 NSS | 19 37 52 171 NSS | <10 <10 <10 <10 NSS | 260 250 180 60 NSS | <0.5 <0.5 <0.5 <0.5 <0.5 NSS | <2 2 2 2 NSS | 1.84 1.95 2.33 4.64 NSS | 23.4 17.8 37.2 88.8 NSS |
| C023161 C023162 G023163 G023164 G023165 | | | | | | | | 2.5 1.8 1.9 5.0 5.5 | 1.13 1.23 1.34 3.31 4.20 | 48 77 78 1880 2220 | <10 <10 <10 <10 <10 <10 | 160 160 170 190 140 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 2 2 <2 <2 <2 <2 | 1.84 2.32 2.21 2.82 1.65 | 6.4 1.5 2.8 157.5 68 7 |
| C023166 C023167 C023168 C023169 C023170 | | | | | | | | 4.0 7.5 4.5 5.4 12.4 | 3.00 3.18 1.82 2.47 3.20 | 604 39 42 135 76 | <10 <10 <10 <10 <10 | 170 210 180 180 110 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <pre> </pre> <pre> <pre> </pre> </pre> <pre> </pre> </td <td>2.30 0.97 2.07 2.18 4.95</td> <td>39.1 41.9 12.4 26.5 137.5</td> | 2.30 0.97 2.07 2.18 4.95 | 39.1 41.9 12.4 26.5 137.5 |
| G023171 G023172 G023173 G023174 G023174- CRD | | | | | | | | 8.6 13.3 16.1 17.9 17.3 | 3.99 2.46 3.58 1.83 1.79 | 34 549 1840 2020 2020 | <10 <10 <10 <10 <10 <10 | 130 100 120 70 70 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 2 2 3 4 4 | 3.63 4.77 3.48 3.81 3.75 | 135.0 335 278 163.0 |
| G023175 G023175A G023176 G023177 G023177 G023178 | | 1.4 | 189 | 6.5 | 8.3 | 1940 | 38.0 | 2.0 3.1 70.4 11.1 | 1.53 1.76 2.87 4.26 | 37 34 18 20 | <10 <10 <10 <10 <10 | 120 130 90 90 | <0.5 <0.5 <0.5 <0.5 <0.5 | 3 3 4 6 | 2.66 2.63 2.03 2.04 | 10.9 10.0 168.0 11.0 |
| G023179 G023180 G023181 G023182 G023183 | | | | | | | | 2.9 NSS 2.9 34.8 3.4 | 2.34 NSS 2.46 3.90 2.48 | 27 NSS 38 24 8 | <10 NSS <10 <10 <10 | 170 NSS 210 100 140 | <0.5 NSS <0.5 <0.5 <0.5 <0.5 | 3 NSS 4 38 4 | 2.23 NSS 1.61 1.24 1.82 | 8.9 NSS 16.6 260 16.7 |
| G023184 G023185 G023186 G023187 G023188 | | | | | | | | 6.8 8.3 34.6 3.9 23.9 | 4.05 3.81 2.52 3.13 2.85 | 28 6130 5890 576 2370 | <10 <10 <10 <10 <10 | 60 70 60 90 70 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 5 6 7 4 4 | 1.81 1.32 2.73 1.33 4.13 | 58.2 62.2 344 20.6 288 |



Т

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - E Total # Pages: 4 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

CERTIFICATE OF ANALYSIS TR10159289

| Sample Description | Method Analyte Units | ME-ICP41 Co ppm | ME- ICP41 Cr ppm | ME-ICP41 Cu ppm | ME- ICP41 Fe % | ME- ICP41 Ga ppm | ME- ICP41 Hg ppm | ME- ICP41 K % | ME- ICP41 La ppm | ME- ICP41 Mg % | ME- ICP41 Mn ppm | ME- ICP41 Mo ppm | ME- ICP41 Na % | ME- ICP41 Ni ppm | ME- ICP41 P ppm | ME- ICP41 Pb ppm |
|--------------------|----------------------------|-----------------------|------------------------|-----------------------|----------------------|------------------------|------------------------|---------------------|------------------------|----------------------|------------------------|------------------------|----------------------|------------------------|-----------------------|------------------------|
| | | | | | 0.01 | 10 | 1 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 |
| G023153 G023154 | | 6 | 28 | 52 | 3.37 | <10 | <1 | 1.47 | 10 | 1.72 | 2660 | 1 | 0.03 | 52 | 1050 | 88 |
| G023154-CRD | | 7 | 20 20 | 89 | 3.27 | <10 | <1 | 1.07 | 10 | 1.70 | 3790 | 1 | 0.02 | 39 | 990 | 161 |
| G023155 | | 8 | 20 | 0/ 140 | 3.22 | <10 | <1 | 1.04 | 10 | 1.65 | 3800 | 1 | 0.02 | 41 | 950 | 158 |
| G023155A | | U | 30 | 144 | 4.32 | <10 | <1 | 1.46 | 10 | 1.98 | 3280 | <1 | 0.02 | 40 | 1060 | 330 |
| G023156 | | 7 | 36 | 130 | 1 95 | | | | | | | | | | | |
| G023157 | | 8 | 44 | 226 | 5.81 | 10 | <1 | 1.82 | 10 | 1.94 | 2390 | 1 | 0.02 | 38 | 960 | 1130 |
| G023158 | 1 | 18 | 27 | 227 | 5.68 | <10 | 1 | 2.11 | 10 | 2.22 | 2720 | <1 | 0.02 | 46 | 1000 | 581 |
| G023159 | | 35 | 14 | 362 | 8.98 | <10 | <1 | 0.80 | 10 | 1.02 | 2460 | 1 | 0.02 | 68 | 1080 | 1360 |
| G023160 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | 4040 NSS | T NSS | U.U2 | 86 | 840 | 2480 |
| G023161 | | 6 | 18 | 139 | 3.13 | <10 | <1 | 0.87 | | | 1740 | | 0.00 | 00 | 000 | NSS |
| G023162 | | 8 | 18 | 129 | 3.71 | <10 | <1 | 0.93 | 10 | 0.90 | 3000 | <1 | 0.02 | 28 | 630 | 382 |
| G023163 | | 6 | 37 | 151 | 3.28 | <10 | <1 | 1.04 | 10 | 1.37 | 2730 | ~1 | 0.03 | 41 | 850 | 118 |
| G023164 | | 13 | 42 | 141 | 7.22 | 10 | 1 | 1.98 | 10 | 2.44 | 4150 | <1 | 0.04 | 40 | 000 | 162 |
| G023165 | | 7 | 52 | 221 | 9.27 | 10 | <1 | 1.56 | 10 | 2.62 | 3460 | <1 | 0.02 | 42 | 940 700 | 904 1520 |
| G023166 | | 7 | 45 | 98 | 6.12 | 10 | 1 | 1.69 | 10 | 2,25 | 3870 | <1 | 0.02 | | | 1010 |
| G023167 | | 12 | 45 | 296 | 7.15 | 10 | <1 | 2.33 | 10 | 2.14 | 2120 | <1 | 0.02 | 40 | 830 | 1950 |
| G023168 | | 14 | 27 | 310 | 5.33 | <10 | <1 | 1.45 | 10 | 1.51 | 2780 | <1 | 0.02 | 42 | 1200 | 950 |
| GU23169 | | 20 | 56 | 375 | 7.22 | 10 | <1 | 1.79 | 10 | 1.76 | 3000 | 11 | 0.02 | 40 | 1510 | 871 |
| G023170 | | У | 19 | 252 | 9.65 | 10 | 1 | 1.03 | 10 | 2.89 | 7390 | 2 | 0.02 | 16 | 1080 | 3080 |
| G023171 | | 7 | 18 | 133 | 9.77 | 10 | 1 | 1.24 | 10 | 2.93 | 5340 | <1 | 0.02 | 8 | 1750 | 2010 |
| GUZ3172 | | 3 | 8 | 96 | 7.37 | 10 | 2 | 0.88 | 10 | 2.34 | 6750 | <1 | 0.02 | 5 | 1230 | 3420 |
| 0025175 | | 3 | 8 | 141 | 8.39 | 10 | 1 | 1.22 | 10 | 2.45 | 4330 | <1 | 0.02 | 5 | 1440 | 4190 |
| C023174-CRD | | 9 | 9 | 153 | 6.25 | 10 | 1 | 0.71 | 10 | 1.94 | 4180 | <1 | 0.02 | 6 | 930 | 4110 |
| C022175 | | 9 | o | 149 | 6.15 | 10 | <1 | 0.70 | 10 | 1.91 | 4130 | 1 | 0.02 | 4 | 890 | 4060 |
| G023175A | | 4 | 8 | 129 | 3.75 | <10 | <1 | 1.01 | 10 | 1.58 | 2620 | 1 | 0.03 | 12 | 1350 | 234 |
| G023176 | | 4 | 15 | 120 | 4 57 | <10 | -1 | 4.04 | 10 | | | | | | | |
| G023177 | | 3 | 25 | 144 | 4.57 | 10 | 2 <`l | 1.21 | 10 | 1.61 | 3320 | 1 | 0.02 | 20 | 1400 | 441 |
| G023178 | | 2 | 18 | 97 | 9.38 | 10 | ∠ 1 | 0.75 | 10 | 1.97 | 3740 | <1 | 0.02 | 21 | 1130 | >10000 |
| G023179 | | 6 | 11 | 146 | 5.36 | 10 | | 0.50 | 10 | 2.11 | 4280 | <1 | 0.02 | 12 | 1380 | 3280 |
| G023180 | | NŠS | NSS | NSS | NSS | NSS | | 1.51 | 10 | 1.83 | 3300 | <1 | 0.03 | 9 | 1680 | 404 |
| G023181 | | 4 | 14 | 78 | 4 89 | 10 | 1000 | 1 94 | NS5 | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| G023182 | 1 | 8 | 10 | 395 | 9.24 | 10 | 2 | 1.04 | <10 | 1.07 | 2000 | <1 | 0.03 | 6 | 1640 | 411 |
| G023183 | | 4 | 10 | 137 | 4.98 | 10 | - 1 | 1.21 | 10 | 2.92 1.85 | 323U 3510 | <1 -1 | 0.02 | 8 | 1160 | 4680 |
| G023184 | | 5 | 15 | 319 | 9 14 | 10 | | 0.80 | | | 1000 | <u> </u> | 0.03 | 10 | 1430 | 537 |
| G023185 | | 8 | 14 | 328 | 9.33 | 10 | ∠ 1 | 0.85 | 10 | 2.92 | 4290 | <1 | 0.01 | 9 | 1180 | 1570 |
| G023186 | | 8 | 8 | 170 | 7.30 | 10 | 2 | 0.56 | 10 | ∠.40 1 Q/ | 3580 | <1 | 0.02 | 12 | 1310 | 2110 |
| G023187 | 1 | 5 | 9 | 151 | 6.74 | 10 | - | 0.84 | 10 | 1.94 | 3220 | ~1 | 0.02 | 6 | 860 | 9920 |
| G023188 | | 4 | 6 | 227 | 7.92 | 10 | 3 | 0.57 | <10 | 2.45 | 6260 | <1 | 0.02 | р Б | 1390 | 1030 |
| | L | | | | | | | | | | 0200 | | 0.02 | 5 | 110 | 0000 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - F Total # Pages: 4 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

CERTIFICATE OF ANALYSIS TR10159289

| Sample Description | Method Analyte Units LOR | ME- ICP41 S % 0.01 | ME- ICP41 Sb ppm 2 | ME- ICP41 Sc ppm 1 | ME- ICP41 Sr ppm 1 | ME- ICP41 Th ppm 20 | ME- ICP41 Ti % 0.01 | ME- ICP41 TI ppm 10 | ME- ICP41 U ppm 10 | ME- ICP41 V ppm 1 | ME-ICP41 W ppm 10 | ME- ICP41 Zn ppm 2 | Pb- OG46 Pb % 0.001 | Zn- OG46 Zn % 0.001 | |
|---|-----------------------------------|--------------------------------------|-----------------------------|-----------------------------|---------------------------------|--|--------------------------------------|--|--|-----------------------------|---------------------------------|--|------------------------------|--------------------------------------|--|
| G023153 G023154 G023154- CRD G023155 G023155A | | 0.53 0.67 0.68 0.78 | 3 4 4 7 | 2 2 2 2 | 241 534 509 372 | <20 <20 <20 <20 | 0.17 0.10 0.10 0.16 | <10 <10 <10 <10 | <10 <10 <10 <10 | 38 25 25 36 | 10 <10 <10 <10 | 1610 450 427 779 | | | |
| G023156 G023157 G023158 G023159 G023160 | | 0.89 1.16 2.75 8.4 NSS | 6 6 13 18 NSS | 2 3 2 1 NSS | 165 174 216 247 NSS | <20 <20 <20 <20 NSS | 0.20 0.22 0.17 0.09 NSS | <10 <10 <10 <10 NSS | <10 <10 <10 <10 NSS | 39 45 36 21 NSS | 10 10 20 <10 NSS | 4150 3210 6230 >10000 NSS | | 1.705 | |
| G023161 G023162 G023163 G023164 G023165 | | 1.02 1.37 0.69 2.23 1.59 | 6 7 6 7 7 | 1 2 2 4 4 | 146 191 197 172 112 | <20 <20 <20 <20 <20 <20 | 0.07 0.10 0.12 0.22 0.19 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 16 31 28 49 53 | <10 <10 <10 <10 <10 | 1290 320 568 >10000 >10000 | | 2.64 1.160 | |
| G023166 G023167 G023168 G023169 G023170 | | 1.00 1.79 1.66 2.56 2.59 | 10 7 6 10 15 | 3 3 2 3 6 | 195 83 183 198 388 | <20 <20 <20 <20 <20 <20 | 0.19 0.22 0.16 0.22 0.14 | <10 <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 45 50 35 63 67 | 20 20 10 10 <10 | 6450 7010 2410 4160 >10000 | | 2.36 | |
| G023171 G023172 G023173 G023174 G023174- CRD | | 2.44 3.25 3.09 2.26 2.22 | 10 18 17 21 22 | 10 6 7 3 3 | 287 409 332 517 507 | <20 <20 <20 <20 <20 <20 | 0.19 0.13 0.16 0.09 0.09 | <10 <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 <10 | 119 65 79 43 43 | <10 <10 <10 <10 <10 | >10000 >10000 >10000 >10000 >10000 | | 2.24 5.98 4.71 2.71 2.67 | |
| G023175 G023175A G023176 G023177 G023178 | | 0.72 0.86 2.30 0.98 | 5 3 66 12 | 2 2 3 5 | 399 275 182 161 | <20 <20 <20 <20 | 0.12 0.14 0.10 0.13 | <10 <10 <10 <10 | <10 <10 <10 <10 | 44 39 46 76 | <10 10 10 10 | 1820 1710 >10000 2230 | 2.09 | 2.23 | |
| G023179 G023180 G023181 G023182 G023183 | | 0.87 NSS 0.78 3.45 0.72 | 2 NSS 2 18 4 | 3 NSS 3 4 3 | 208 NSS 157 120 173 | <20 NSS <20 <20 <20 | 0.19 NSS 0.23 0.16 0.14 | <10 NSS <10 10 <10 | <10 NSS <10 <10 <10 | 68 NSS 67 81 55 | 10 NSS 10 <10 10 | 1640 NSS 2640 >10000 2690 | | 3.98 | |
| G023184 G023185 G023186 G023187 G023188 | | 1.74 2.45 3.48 0.94 2.74 | 6 22 49 3 27 | 4 4 3 3 2 | 153 113 177 106 359 | <20 <20 <20 <20 <20 <20 | 0.11 0.10 0.06 0.10 0.06 | <10 <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 <10 | 81 80 41 53 44 | 30 <10 10 10 <10 | 9410 >10000 >10000 3850 >10000 | | 1.345 7.08 6.27 | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - A Total # Pages: 4 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

CERTIFICATE OF ANALYSIS TR10159289

| Sample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME- MS61 As ppm 0.2 | ME-MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME- MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME- MS61 Cr ppm 1 | ME- MS61 Cs ppm 0.05 |
|---|-----------------------------------|--|---|--------------------------------|-------------------------------|-----------------------------|------------------------------|----------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|
| G023189 G023190 G023191 G023192 G023193 | | 1.53 2.24 3.85 4.85 2.47 | 0.110 0.103 0.029 0.661 3.39 | 3.84 | | | | | | | | ······ | | | | |
| G023194 G023194- CRD G023195 G023195A G023196 | | 5.26 <0.02 4.89 <0.02 4.97 | 0.435 0.641 0.083 0.083 0.069 | | 1.99 | 8.61 | 34.2 | 2210 | 0.81 | 1.20 | 2.14 | 4.70 | 24.2 | 7.8 | 38 | 1.45 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION **SUITE 212** 10451 SHELLBRIDGE WAY **RICHMOND BC V6X 2W8**

CERTIFICATE OF ANALYSIS

Page: 4 - B Total # Pages: 4 (A - F) **Plus Appendix Pages** Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

TR10159289 ME- MS61 ME- MS61 ME- MS61 ME- MS61 Method ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME-MS61 ME-MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 Cu Fe Ga Analyte Ge Hf In К Li La Mg Мn Мо Na Nb Ni Units ppm % ppm ppm ppm ppm % ppm % Sample Description ppm ppm ppm % ppm ppm LOR 0.2 0.01 0.05 0.05 0.1 0.005 0.01 0.5 0.2 0.01 5 0.05 0.01 0.1 0.2 G023189 G023190 G023191 G023192 G023193 G023194 G023194- CRD G023195 G023195A 131.0 4.88 21.3 0.12 1.2 0.838 4.61 11.1 27.1 1.47 2140 1.15 1.80 19.7 15.2 G023196



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - C Total # Pages: 4 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

| Mathad ME-MS61 ME-MS61 ME-MS61 ME-MS61 ME | | | | | | | | | C | ERTIFIC | CATE O | F ANA | LYSIS | TR101 | 59289 |) |
|---|-----------------------------------|---------------------------|------------------------------|------------------------------|--------------------------------|----------------------------|-------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-------------------------------|-------------------------------|------------------------------|------------------------------|-------------------------------|
| Sample Description | Method Analyte Units LOR | ME-MS61 P ppm 10 | ME- MS61 Pb ppm 0.5 | ME- MS61 Rb ppm 0.1 | ME- MS61 Re ppm 0.002 | ME- MS61 S % 0.01 | ME- MS61 Sb ppm 0.05 | ME- MS61 Sc ppm 0.1 | ME- MS61 Se ppm 1 | ME- MS61 Sn ppm 0.2 | ME- MS61 Sr ppm 0.2 | ME- MS61 Ta ppm 0.05 | ME- MS61 Te ppm 0.05 | ME- MS61 Th ppm 0.2 | ME- MS61 Ti % 0.005 | ME- MS61 Tl ppm 0.02 |
| G023189 G023190 G023191 G023191 G023192 G023193 | <u> </u> | | | | | | | | | | | | | | | |
| G023194 G023194- CRD G023195 G023195A G023195A G023196 | | 1140 | 83.8 | 93.6 | 0.002 | 1.08 | 4.50 | 15.3 | 1 | 2.3 | 439 | 1.26 | 0.12 | 2.1 | 0.408 | 1.94 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - D Total # Pages: 4 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

CERTIFICATE OF ANALYSIS TR10159289

| Sample Description | Method Analyte Units LOR | ME- MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME-ICP41 B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 | ME- ICP41 Cd ppm 0.5 |
|---|-----------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|-----------------------------------|--------------------------------------|----------------------------------|---------------------------------|-------------------------------|--|-----------------------------|---|--------------------------------------|
| G023189 G023190 G023191 G023192 G023193 | | | | | | | | 9.5 5.8 2.4 23.9 26.1 | 5.33 3.18 1.50 3.41 2.90 | 1000 221 9 8940 4280 | <10 <10 <10 <10 <10 | 70 100 160 120 50 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 6 5 3 15 21 | 1.29 1.47 2.64 1.17 1.02 | 65.0 14.9 26.1 171.5 224 |
| G023194 G023194- CRD G023195 G023195A G023195A G023196 | | 1.5 | 188 | 5.3 | 5.1 | 842 | 34.1 | 2.2 2.3 1.8 1.4 | 1.88 1.86 1.27 0.53 | 667 646 42 157 | <10 <10 <10 <10 | 180 190 200 90 | <0.5 <0.5 <0.5 <0.5 | 4 3 4 3 | 0.99 0.98 2.06 2.65 | 18.5 18.2 4.8 3.5 |
| | | | | | | | | | | | | | | | , <u>,,,</u> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | ĺ | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - E Total # Pages: 4 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

CERTIFICATE OF ANALYSIS TR10159289

| Sample Description | Method | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 |
|---|---------|--------------------|-------------------|--------------------------|------------------------------|------------------------|--------------------|------------------------------|------------------------|------------------------------|------------------------------|---------------|------------------------------|-------------------|---------------------------|------------------------|
| | Analyte | Co | Cr | Cu | Fe | Ga | Hg | K | La | Mg | Mn | Mo | Na | Ni | P | Pb |
| | Units | ppm | ppm | ppm | % | ppm | ppm | % | ppm | % | ppm | ppm | % | ppm | ppm | ppm |
| | LOR | 1 | 1 | 1 | 0.01 | 10 | 1 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 |
| G023189 | | 5 | 12 | 170 | 11.05 | 20 | 2 | 0.83 | 10 | 3.47 | 3950 | <1 | 0.02 | 6 | 1140 | 2720 |
| G023190 | | 13 | 9 | 487 | 7.57 | 10 | 1 | 0.99 | 10 | 2.21 | 3480 | <1 | 0.02 | 7 | 1050 | 899 |
| G023191 | | 6 | 5 | 124 | 4.31 | <10 | 1 | 1.16 | 10 | 1.41 | 3220 | <1 | 0.03 | 7 | 1130 | 414 |
| G023192 | | 15 | 15 | 376 | 9.16 | 10 | 2 | 2.08 | <10 | 2.20 | 2600 | 1 | 0.02 | 11 | 1030 | 5020 |
| G023193 | | 56 | 9 | 652 | 10.10 | 10 | 1 | 2.11 | <10 | 1.83 | 2560 | <1 | 0.02 | 22 | 650 | 4650 |
| G023194 G023194- CRD G023195 G023195A G023196 | | 18 18 7 7 | 8 8 13 3 | 231 227 134 107 | 5.19 5.15 3.84 3.13 | 10 10 <10 <10 | 1 <1 1 <1 | 1.46 1.46 0.88 0.37 | <10 <10 10 10 | 1.25 1.25 1.12 0.81 | 1595 1580 1920 1795 | <1 <1 1 | 0.03 0.03 0.04 0.04 | 8 9 13 7 | 900 900 1080 990 | 162 151 81 78 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - F Total # Pages: 4 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

CERTIFICATE OF ANALYSIS TR10159289

| Sample Description | Method Analyte Units LOR | ME- ICP41 S % 0.01 | ME- ICP41 Sb ppm 2 | ME- ICP41 Sc ppm 1 | ME- ICP41 Sr ppm 1 | ME- ICP41 Th ppm 20 | ME- ICP41 Ti % 0.01 | ME- ICP41 TI ppm 10 | ME- ICP41 U ppm 10 | ME- ICP41 V ppm 1 | ME- ICP41 W ppm 10 | ME- ICP41 Zn ppm 2 | Pb- OG46 Pb % 0.001 | Zn- OG46 Zn % 0.001 | |
|---|-----------------------------------|--------------------------------------|-----------------------------|-----------------------------|---------------------------------|---------------------------------|--------------------------------------|--------------------------------|---------------------------------|----------------------------|-----------------------------|----------------------------------|------------------------------|------------------------------|--|
| G023189 G023190 G023191 G023192 G023193 | | 1.64 1.28 0.91 3.11 4.38 | 12 4 2 38 25 | 5 3 2 4 3 | 103 146 316 110 112 | <20 <20 <20 <20 <20 | 0.11 0.12 0.13 0.22 0.19 | <10 <10 <10 10 <10 | <10 <10 <10 <10 <10 | 95 62 40 76 | <10 10 10 10 | >10000 2550 4000 >10000 | | 1.495 2.86 | |
| G023194 G023194- CRD G023195 G023195A G023195A G023196 | | 1.56 1.54 1.03 1.10 | <2 <2 2 <2 | 3 3 3 2 | 126 124 245 323 | <20 <20 <20 <20 | 0.20 0.20 0.11 0.01 | <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 51 51 44 14 | 10 10 <10 <10 | 2920 2780 793 570 | | 3.00 | |



Т

ALS Canada Ltd. 2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: Appendix 1 Total # Appendix Pages: 1 Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

CERTIFICATE OF ANALYSIS TR10159289

| Method | CERTIFICATE COMMENTS |
|-------------|--|
| ALL METHODS | NSS is non- sufficient sample. |
| ME- MS61 | REE's may not be totally soluble in this method. |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 1 Finalized Date: 18- DEC- 2010 This copy reported on 20- DEC- 2010 Account: BQL

CERTIFICATE TR10173713

Project: Bronson

P.O. No.: Red/Blue & Yellow Ribbon

This report is for 2 Other samples submitted to our lab in Terrace, BC, Canada on 22- NOV- 2010.

The following have access to data associated with this certificate:

| DAVID JENSEN | DAVID YEAGER | JOHN ZBEETNOFF |
|--------------|--------------|----------------|
| | | |

| SAMPLE PREPARATION | | | | | | | | |
|--------------------|--------------------------------|--|--|--|--|--|--|--|
| ALS CODE | DESCRIPTION | | | | | | | |
| LOG- 22 | Sample login - Rcd w/o BarCode | | | | | | | |
| BAG- 01 | Bulk Master for Storage | | | | | | | |
| WEI- 25 | Wt. of Crushed Reject | | | | | | | |
| SPL- 21 | Split sample - riffle splitter | | | | | | | |
| FND- 03 | Find Reject for Addn Analysis | | | | | | | |
| PUL- 32 | Pulverize 1000g to 85% < 75 um | | | | | | | |
| SCR- 21 | Screen to - 100 um | | | | | | | |
| | | | | | | | | |

| | ANALYTICAL PROCEDURE | ES |
|-----------|---------------------------------|------------|
| ALS CODE | DESCRIPTION | INSTRUMENT |
| Au- SCR24 | Au Screen FA Double Minus - 50g | WST- SIM |
| Au- AA26 | Ore Grade Au 50g FA AA finish | AAS |
| Au- AA26D | Ore Grade Au 50g FA AA Dup | AAS |

To: SKYLINE GOLD CORPORATION ATTN: DAVID YEAGER SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - A Total # Pages: 2 (A) Finalized Date: 18- DEC- 2010 Account: BQL

Project: Bronson

CERTIFICATE OF ANALYSIS TR10173713

| Sample Description | Method Analyte Units LOR | Au- SCR24 Au Total ppm 0.05 | Au- SCR24 Au (+) F ppm 0.05 | Au- SCR24 Au (-) F ppm 0.05 | Au- SCR24 Au (+) m mg 0.001 | Au- SCR24 WT. + Fr g 0.01 | Au- SCR24 WT Fr g 0.1 | Au- AA26 Au ppm 0.01 | Au- AA26D Au ppm 0.01 | WEI- 25 Reject W kg 0.001 | |
|--------------------|-----------------------------------|--------------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|------------------------------------|--------------------------------|-------------------------------|--------------------------------|------------------------------------|--|
| G023174 G023193 | | 4.29 4.25 | 121.5 27.9 | 3.30 3.51 | 0.923 0.726 | 7.59 26.06 | 895.0 828.0 | 3.35 3.13 | 3.25 3.88 | 0.903 0.854 | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |



DIAMOND DRILL HOLE LOG

Summary of Drill Hole SK-10-16

| HOLE: SK10-16 | | CONTRACTO | From(m) | To (m) | Unit | Description | | |
|---|---|--|---|--------|------|-------------|---|-----------|
| HOLE: | SK10-16 | C | Prilling Ltd. | 0.0 | 1.2 | | overburden | |
| COLLAR COORE Easting: Northing: | DINATES UTM (NAD 83) 373717.7 6280812.8 | : DATE STARTED: COMPLETED: | 23-Oct-10 23-Oct-10 | 12 | 23 5 | | minor shears at 7.2 Majority of the bedding layers are composed of a med- drk grey argillaceous material verses a coarser grained. It-med | 5.3 Sp |
| COLLAR COORE Northing: Easting: | DINATES MINE GRID: 11726.0 27543.7 | LOGGED BY: SAMPLE INTEL GEOTECH BY: | B. Hemingway RVALS: B.H./A. Burgert N/A | | 20.0 | GrW-Arg/Sst | grey layers assumed to be siltstone. Matrix generally is kspar-grn-ser altered with sparse pyrite in sections. | |
| COLLAR ELEVAT | ГІОN (m-ASL): 594.8 | SAMPLED BY: | D. Quock | 23.5 | 42.0 | GrW-Sst/Arg | Contact arbitrary, increasing silt grain size and It-gry colour of matrix; top of the Unit appears to be Cgl of siltstone clasts in a med any matrix | f pyrite- |
| FINAL DEPTH: | 42.0 | RIG: | SRS 3000 Hydraulic | | | | med gry matrix. | 1 |
| SURVEYS: Depth 0 12 42 Abbreviations Lithology GrW G Slt S Clt C Minerals | Azimuth 053.0 059.9 059.7 irreywacke iltstone lasts Phy Phy | Inclination -69.0 -70.8 -70.3 ation Argilliti Biotite r Feldsp Phyllic | Method compass, clinometer Reflex Reflex c or clay alteration (potassic) ar or Feldspathic (potassic) or sericitic | | | | | |
| AsPy A Ca C ChI C Gal G Py P Pyr P Qtz Q Sphal or sph S Barren B | rsenopyrite Ser alcite alt hlorite Stan valena STD- yrite STD- yrrhotite STD- yurhotite STD- uartz Othe phalerite // arren of sulphides CA Py/q | Sericit alterati dards 15 CDN-C 20A CDN-Q 2 CDN-N r Abbreviations Paralle To the z]Ca qtz/Py Center minera | e on CGS-15 SS-20A 1E-2 el core axis of vein (mineral) order of lization | | | | | |

Page: 2 of 4 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|------|---|---------|---------|---------|---------|---------|------|------|------|------|--------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| 0.0 | 1.2 | Overburden casing depth, rusty fr to 7.0 | | | | | | | | | | |
| | | from 1.2 to 2.1 Grn Ser-chl alteration zone all primary rock textures destroyed by | | | | | | | | | | |
| | | alteration. | | | | | | | | | | |
| 1.2 | 23.5 | GrW-Arg/Sst Grey wacke majority of the bedding layers are composed of a med- | | | | | | | | | | |
| | | drk grey argillaceous material verses a coarser grained, It-med grey layers assumed | | | | | | | | | | |
| | | to be siltstone. Matrix generally is kspar-grn ser altered with sparse pyrite in | | | | | | | | | | |
| | | sections. | | | | | | | | | | |
| | | at 2.7 bedding at 50° to CA | | | | | | | | | | |
| | | at 4.0 > grn ser-chl alteration of matrix over kspar | G023197 | 1.20 | 3.00 | 1.80 | 0.072 | 4.4 | 166 | 4300 | 1210 | 35 |
| | | at 4.9 to 5.95 intense grn ser-chl alteration primary rock textures outlines are barely | G023198 | 3.00 | 4.00 | 1.00 | 0.030 | 1.6 | 37 | 1545 | 330 | 72 |
| | | visible indicate slumping | G023199 | 3.00 | 4.00 | DUP | 0.029 | 1.1 | 29 | 1100 | 264 | 91 |
| | | at 5.3 to5.9 a pressure injected sph/ca/qtz irregular sinuous vein // to CA | G023200 | BLANK | BLANK | BLANK | < 0.005 | 4.7 | 1 | 11 | 2 | <2 |
| | | grn ser-chl alt < at 6.3 bedding outline at 40° | G023201 | 4.00 | 5.00 | 1.00 | 0.022 | 1.8 | 17 | 2950 | 585 | 34 |
| | | py in matrix rare interstitially | G023202 | 5.00 | 6.00 | 1.00 | 0.049 | 10.3 | 143 | 8810 | 3570 | 242 |
| | | at 7.1 pressure injected sph/ca/qtz at 25° grn ser-chl in matrix> | G023203 | 6.00 | 7.00 | 1.00 | 0.025 | 0.4 | 6 | 391 | 100 | 120 |
| | | at 7.2 a band of veinlets of ca/spy/qtz/ at 40° appears to be a healed fault fr with | G023204 | 7.00 | 8.00 | 1.00 | 0.034 | 2.3 | 204 | 2520 | 431 | 55 |
| | | slickens at 110° to perpendicular to CA | G023205 | 8.00 | 9.00 | 1.00 | 0.112 | 3.4 | 290 | 1835 | 410 | 38 |
| | | at 8.1 to 8.3 hornfels of matrix due to a fr | G023206 | 9.00 | 10.00 | 1.00 | 0.032 | 2.6 | 160 | 1460 | 521 | 33 |
| | | at 9.8 > Grn Ser-chl alt with a sinuous veinlet of ca/qtz/sph // to CA 10 followed by | G023207 | 10.00 | 11.00 | 1.00 | 0.026 | 1.5 | 145 | 338 | 168 | 54 |
| | | a rubble zone of broken rock clay gouge a 1.5 cm broken barren qtz vein | G023208 | 11.00 | 12.00 | 1.00 | 0.013 | 1.4 | 134 | 506 | 185 | 36 |
| | | | G023209 | 12.00 | 13.00 | 1.00 | 0.080 | 9.5 | 167 | 6900 | 2010 | 50 |
| | | at 12.8 a long sinuous veinlet of sph/ ca/qtz at 20° appears to be a "flow" channel | G023210 | 13.00 | 14.00 | 1.00 | 0.068 | 2.9 | 136 | 1930 | 439 | 44 |
| | | as sph form "islands" in the stream at a consistent 1.0cm apart. | G023211 | 14.00 | 15.00 | 1.00 | 0.036 | 5.3 | 119 | 3550 | 1045 | 19 |
| | | at 13.9 an irregular 1.5 cm wide flow vein at 40° has incorporated wallrock | G023212 | 15.00 | 16.00 | 1.00 | 0.071 | 8.8 | 163 | 5030 | 1690 | 21 |
| | | at 14.2 obscure outlines of siltstone clasts are made of lighter grn ser chl alteration | | | | | | | | | | |
| | | colour. | | | | | | | | | | |
| | | at 14.6 rudimentary bedding at 40° Grn Ser-chl alteration is gradational limiting to | | | | | | | | | | |
| | | the drk argillaceous bedding, it is patchy | | | | | | | | | | |
| | | at 16.25 outline of slump conditions in a pervasively alt grn ser chl matrix, sparse | G023213 | 16.00 | 17.23 | 1.23 | 0.027 | 3.9 | 160 | 2740 | 595 | 36 |
| | | py. | G023214 | 17.23 | 18.23 | 1.00 | 0.153 | 6.6 | 353 | 3750 | 683 | 1180 |
| | | matrix is becoming intensely grn ser-chl altered to 19.25 at 18.25 to 18.55 a 25 cm | G023215 | 18.23 | 18.53 | 0.30 | 6.880 | 51.4 | 3890 | 5670 | 1135 | 717 |
| | | wide zone of blebs of py/pyh/ca at 35° to CA is truncated by a fr at 35° on the down | G023216 | BLANK | BLANK | BLANK | < 0.005 | <0.2 | 10 | 18 | 2 | 2 |
| | | hole side. Matrix has numerous healed microfractures, at 18.9 1. cm wide | G023217 | 18.53 | 19.53 | 1.00 | 0.207 | 6.4 | 427 | 2330 | 558 | 81 |
| | | py/ca/vein at 60° | | | | | | | | | | |
| | | at 19.45 an open fr at 40° at 19.55 a py/ca/sparse sph/ veinlet at 40° to CA matrix | G023218 | 19.53 | 21.00 | 1.47 | 0.085 | 2.9 | 171 | 1970 | 282 | 453 |
| | | becoming <grn alt="" and="" ser-chl=""> kspar</grn> | | | | | | | | | | |
| | | at 21.0 to 22.35 intense grn ser-chl w/ clay alteration of matrix | G023219 | 21.00 | 22.00 | 1.00 | 0.306 | 3.2 | 71 | 2290 | 600 | 2400 |
| | | at 20.9 a very obscure bedding at 35° to CA marks the start of the contact of | G023220 | STD 20A | STD 20A | STD 20A | 21.100 | 6.0 | 119 | 269 | 1145 | >10000 |

Page: 3 of 4 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|------|--|---------|-------|-------|--------|-------|-----|-----|------|-----|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | the intense grn ser-chl alteration of the matrix | | | | | | | | | | |
| | | from 21.0 to 21.30 random veinlets of ca, pyh, py, | | | | | | | | | | |
| | | at 21.95 an 8.0cm band of chl-ser-ca-brn bio is cut by an open rusty fr at 30° | G023221 | 22.00 | 23.00 | 1.00 | 0.115 | 4.7 | 171 | 2760 | 820 | 180 |
| | | at 22.30 a zone of // veinlets of brn bio and a calcite vein at 50° | | | | | | | | | | |
| | | at 22.35 matrix GSC alt < kspar > | | | | | | | | | | |
| | | from 22.35 to 23.30 matrix now more kspar verses grn ser alt with no interstitial py. | | | | | | | | | | |
| | | | | | | 1.00 | 0.004 | | 105 | | 700 | |
| | | at 23.30 increasing grn ser-chl in matrix pervasive at 23.50 | G023222 | 23.00 | 24.00 | 1.00 | 0.034 | 4.5 | 135 | 4170 | 789 | 25 |
| 23.5 | 42.0 | GrW-Sst/Arg Contact arbitrary, increasing silt grain size and It gry colour of matrix | | | | | | | | | | |
| | | top of the Unit appears to be Cgl of siltstone clasts in a med gry matrix. Unit has > | | | | | | | | | | |
| | | interstitial py content | | | | | | | | | | |
| | | crude bedding planes at 50° at 26.30, 27.30, 27.70 | | | | | | | | | | |
| | | at 23.30 to 24.45 GSC alteration > kspar< pervasive GSC at 24.30 w/ a 2.0 cm wide | G023223 | 24.00 | 25.00 | 1.00 | 0.025 | 3.5 | 114 | 2450 | 634 | 32 |
| | | band of ca/py/sph at 60° | G023224 | 25.00 | 27.00 | 2.00 | 0.042 | 1.2 | 87 | 129 | 49 | 44 |
| | | at 23.7 a zone of random veins broken, irregular of sph,ca, | | | | | | | | | | |
| | | at 23.90 a rusty open fr at 20° the grn ser-chl alteration contact is diffused up hole | | | | | | | | | | |
| | | with GrW-Arg/Sst at 60° | | | | | | | | | | |
| | | at 27.5 an irregular 1.5 cm wide vein of ca/sph/py at 60° | G023225 | 27.00 | 29.00 | 2.00 | 0.079 | 4.1 | 120 | 1545 | 533 | 66 |
| | | at 29.95 siltstone layers 4.0cm wide at 40° to CA | G023226 | 29.00 | 31.00 | 2.00 | 0.080 | 1.3 | 115 | 147 | 70 | 53 |
| | | at 31.0 a 6.0cm wide "valley" like band with a sinuous discontinuous qtz vein within | | | | | | | | | | |
| | | a series of "river bend" like matrix. Band is at 30° to CA with sharp hornfelsic | | | | | | | | | | |
| | | selvage contact with the host rock | | | | | | | | | | |
| | | followed by a second 16cm wide zone of // foliation or lineation of py blebs/ca | | | | | | | | | | |
| | | /hornfels then gradational thereafter with the host siltstone | | | | | | | | | | |
| | | at 32.60 a 1.5 cm "river" channel of intermixed py,ca,qtz and sph at 75° to CA | G023227 | 31.00 | 33.00 | 2.00 | 0.056 | 1.2 | 122 | 701 | 122 | 88 |
| | | surrounding wallrock matrix is siliceous and tight | G023228 | 33.00 | 35.00 | 2.00 | 0.015 | 0.5 | 43 | 213 | 37 | 27 |
| | | at 33.4 crude bedding at 40° to CA | | | | | | | | | | |
| | | at 35.4 a 1.cm wide very sinuous qtz/py/ca vein "river bend like appearance" sparse | G023229 | 35.00 | 37.00 | 2.00 | 0.085 | 1.4 | 171 | 74 | 17 | 61 |
| | | sph surrounds py. Matrix overall showing hornfelsing increasing | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | at 36.3 increasing grn ser-chi ait., with nornfeising of matrix > py content at 36.5 a | | | | | | | | | | |
| | | 4.0cm wide band of py blebs/ca at 75° to CA | | | | | 0.000 | | | | | |
| | | at 36.60 to 37.25 a barren qtz/very rare ca/ with chl-ser alt within microfractures | G023230 | 37.00 | 39.00 | 2.00 | 0.083 | 1.7 | 110 | 117 | 22 | 48 |
| | | contained within/ band at 25° to CA. Down hole contact is with a "mess" of sinuous | | | | | | | | | | |
| | | qtz veiniets appearing to "feed off" the main qtz band // to CA then taper off to a | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | from 37.20 to 38.10 a variable thickness, sinuous, channel of slight grn ser chl alt | | | | | | | | | | |
| | | within, channel consists of ca/ minor qtz, altered wallrock fragments. | | | | | | | | | | |

Page: 4 of 4 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|-----|---|---------|-------|-------|--------|-------|-----|-----|-----|-----|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | The feature appears as a pressure injection band into a siliceous matrix. at 38.0 a 1.5 cm wide sinuous,discontinuous py "S" fold-shape at a ≈8° to CA at 40.3 crude bedding at 30° | 6023231 | 39.00 | 41.00 | 2.00 | 0.022 | 0.7 | 59 | 106 | 29 | 50 |
| | | at 40.10 > irregular qtz veins and blotches in matrix. At 40.50 a 3.0cm + wide at the wallrock edge of the quartz band is a unidentifable yellowish mineral and is not calcite, sulphur within? | 0020201 | 55100 | 11.00 | 2.00 | 0.022 | 0.7 | | 100 | 23 | 50 |
| | | at 41.50 a 1.0cm wide qtz/vein at 40° with 1.0cm shards of a drk mineral graphite? Calcite confined to wallrock edge contact. | G023232 | 41.00 | 43.00 | 2.00 | 0.108 | 1.6 | 255 | 52 | 24 | 58 |
| | | EOH 42.0 | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 1 Finalized Date: 22- NOV- 2010 This copy reported on 24- NOV- 2010 Account: BQL

CERTIFICATE TR10164320

Project: Bronson

P.O. No.: Blue- Blue/Yellow Ribbon

This report is for 38 Drill Core samples submitted to our lab in Terrace, BC, Canada on 6- NOV- 2010.

The following have access to data associated with this certificate:

| DAVID JENSEN | DAVID YEAGER | JOHN ZBEETNOFF | | | | |
|--------------|--------------|----------------|--|--|--|--|
| | | | | | | |

| SAMPLE PREPARATION | | | | | | |
|--------------------|------------------------------------|--|--|--|--|--|
| ALS CODE | DESCRIPTION | | | | | |
| WEI- 21 | Received Sample Weight | | | | | |
| SPL- 34 | Pulp Splitting Charge | | | | | |
| LOG- 22 | Sample login - Rcd w/o BarCode | | | | | |
| BAG- 01 | Bulk Master for Storage | | | | | |
| CRU- 31 | Fine crushing - 70% < 2mm | | | | | |
| SPL- 21 | Split sample - riffle splitter | | | | | |
| PUL- 32m | Pulverize 500g - 85%<75um | | | | | |
| LOG- 24 | Pulp Login - Rcd w/o Barcode | | | | | |
| LOG- 22d | Sample login - Rcd w/o BarCode dup | | | | | |
| SPL-21d | Split sample - duplicate | | | | | |
| PUL- 32d | Pulverize Split - Dup 85% < 75um | | | | | |

| ANALYTICAL PROCEDURES | | | | | | | | |
|-----------------------|--------------------------------|------------|--|--|--|--|--|--|
| ALS CODE | DESCRIPTION | INSTRUMENT | | | | | | |
| Au- AA24 | Au 50g FA AA finish | AAS | | | | | | |
| Au- GRA22 | Au 50 g FA- GRAV finish | WST- SIM | | | | | | |
| ME- MS61 | 48 element four acid ICP- MS | | | | | | | |
| ME- ICP41 | 35 Element Aqua Regia ICP- AES | ICP- AES | | | | | | |

To: SKYLINE GOLD CORPORATION ATTN: DAVID YEAGER SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - A Total # Pages: 2 (A - F) Plus Appendix Pages Finalized Date: 22- NOV- 2010 Account: BQL

Project: Bronson

CERTIFICATE OF ANALYSIS TR10164320

| Sample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME- MS61 As ppm 0.2 | ME-MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME- MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME- MS61 Cr ppm 1 | ME- MS61 Cs ppm 0.05 |
|---|-----------------------------------|--------------------------------------|--|--------------------------------|-------------------------------|-----------------------------|------------------------------|----------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|
| C023197 C023198 C023199 G023200 G023201 | | 4.14 2.67 2.33 0.99 2.29 | 0.072 0.030 0.029 <0.005 0.022 | | | | | | | | | | | | | |
| C023202 C023203 C023204 C023205 C023206 | | 1.89 2.29 2.24 1.98 2.68 | 0.049 0.025 0.034 0.112 0.032 | | | | | | | · | | | | | | |
| G023207 G023208 G023209 G023210 G023211 | | 2.56 2.80 2.58 2.34 2.17 | 0.026 0.013 0.080 0.068 0.036 | | | | | | | | | | | | | |
| G023213 G023214 G023215 G023216 G023217 | | 2.50 2.89 2.61 0.94 1.01 | 0.027 0.153 7.36 <0.005 | 7.88 | | | | | | | | | | | | |
| G023217- CRD G023218 G023218A G023219 | | <0.02 3.57 <0.02 2.27 | 0.207 0.245 0.085 0.094 0.306 | | 2.49 | 8.30 | 406 | 1650 | 0.67 | 0.94 | 1.74 | 10.45 | 16.90 | 20.2 | 53 | 1.59 |
| G023221 G023222 G023223 G023224 | | 0.16 2.43 2.99 2.42 5.01 | >10.0 0.115 0.034 0.025 0.042 | 21.1 | | | | | | | | | | | | |
| G023226 G023227 G023227 G023228 G023229 | | 4.87 4.32 4.01 4.65 5.10 | 0.079 0.080 0.056 0.015 0.085 | | | | | | | | | | | | | |
| G023231 G023232 | | 4.32 4.35 2.13 | 0.083 0.022 0.108 | | | | | | | | | | | | | |


2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - B Total # Pages: 2 (A - F) Plus Appendix Pages Finalized Date: 22- NOV- 2010 Account: BQL

Project: Bronson

| | | | | | | | | | C | ERTIFIC | CATE C | TR10164320 | | | | |
|---|-----------------------------------|------------------------------|-----------------------------|-------------------------------|------------------------------|-----------------------------|--------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|----------------------------|-------------------------------|---------------------|-----------------------|-----------------------|
| Sample Description | Method Analyte Units LOR | ME- MS61 Cu ppm 0.2 | ME- MS61 Fe % 0.01 | ME- MS61 Ga ppm 0.05 | ME-MS61 Ge ppm 0.05 | ME-MS61 Hf ppm 0.1 | ME- MS61 In ppm 0.005 | ME- MS61 K % 0.01 | ME- MS61 La ppm 0.5 | ME- MS61 Li ppm 0.2 | ME- MS61 Mg % 0.01 | ME- MS61 Mn ppm 5 | ME- MS61 Mo ppm 0.05 | ME- MS61 Na % | ME- MS61 Nb ppm | ME- MS61 Ni ppm |
| G023197 G023198 G023199 G023200 G023201 | | | | | | | | | | | | | | | 0.1 | 0.2 |
| C023202 C023203 C023204 C023205 C023206 | | | | | | | | | | | | | | | | |
| C023207 G023208 G023209 G023210 G023211 | | | | | | | | | | | | | | | | |
| G023212 G023213 G023214 G023215 G023216 | | | | | | | | | | | | | | | | |
| G023217 G023217- CRD G023218 G023218A G023219 | | 154.5 | 7.55 | 15.95 | 0.16 | 0.4 | 0.419 | 3.64 | 8.6 | 39.0 | 3.14 | 3700 | 1.03 | 1.53 | 6.0 | 31.7 |
| G023220 G023221 G023222 G023223 G023224 | | | | | | | | | | | | | | | | |
| G023226 G023227 G023228 G023229 G023230 | | | | | | | | | | | | | | <u></u> | | |
| G023231 G023232 | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - C Total # Pages: 2 (A - F) Plus Appendix Pages Finalized Date: 22- NOV- 2010 Account: BQL

Project: Bronson

CERTIFICATE OF ANALYSIS TR10164320 ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 Method ME- MS61 Ρ Pb Analyte Rb Re S Sb Sc Se Sn Sr Та Te Th Ti Π Units ppm ppm % ppm ppm ppm ppm Sample Description ppm ppm ppm % ppm ppm ppm ppm LOR 10 0.5 0.1 0.002 0.01 0.05 0.1 1 0.2 0.2 0.05 0.05 0.2 0.005 0.02 G023197 G023198 G023199 G023200 G023201 G023202 G023203 G023204 G023205 G023206 G023207 G023208 G023209 G023210 G023211 G023212 G023213 G023214 G023215 G023216 G023217 G023217- CRD G023218 G023218A 1380 284 47.4 0.002 1.23 6.97 15.9 1 1.2 280 0.35 0.18 1.1 0.316 1.60 G023219 G023220 G023221 G023222 G023223 G023224 G023225 G023226 G023227 G023228 G023229 G023230 G023231 G023232



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - D Total # Pages: 2 (A - F) Plus Appendix Pages Finalized Date: 22- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME-ICP41 B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 | ME- ICP41 Cd ppm 0.5 |
|---|-----------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|-----------------------------------|--------------------------------------|---------------------------------|--|---------------------------------|--|--------------------------------------|---------------------------------------|--------------------------------------|
| G023197 G023198 G023199 G023200 G023201 | | | | | | | | 4.4 1.6 1.1 4.7 1.8 | 4.82 3.64 3.56 0.04 4.17 | 35 72 91 <2 34 | <10 <10 <10 <10 <10 <10 | 200 270 270 <10 210 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 4 <2 2 <2 2 2 | 0.90 2.66 3.00 >25.0 1.75 | 25.3 8.2 5.2 <0.5 17.7 |
| G023202 G023203 G023204 G023205 G023206 | | | | | | | | 10.3 0.4 2.3 3.4 2.6 | 6.33 2.65 4.52 3.86 4.91 | 242 120 55 38 33 | <10 <10 <10 <10 <10 | 170 200 200 200 230 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 6 2 2 3 4 | 0.97 3.39 1.06 1.15 1.32 | 54.7 0.6 14.8 9.5 6.2 |
| G023207 G023208 G023209 G023210 G023211 | | | | | | | | 1.5 1.4 9.5 2.9 5.3 | 3.92 3.74 3.96 2.73 3.92 | 54 36 50 44 19 | <10 <10 <10 <10 <10 | 200 240 150 310 380 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 3 2 6 <2 <2 | 2.70 2.42 1.12 2.17 1.15 | 1.3 1.6 41.2 9.0 20.0 |
| G023212 G023213 G023214 G023215 G023216 | | | | | | | | 8.8 3.9 6.6 51.4 <0.2 | 4.35 5.88 6.39 1.41 0.03 | 21 36 1180 717 2 | <10 <10 <10 <10 <10 <10 | 430 370 200 30 10 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 2 <2 4 24 <2 | 0.98 0.68 0.43 3.17 >25.0 | 30.1 14.5 21.2 41.3 <0.5 |
| G023217 G023217- CRD G023218 G023218A G023219 | | 0.6 | 180 | 8.2 | 5.2 | 1990 | 13.0 | 6.4 6.7 2.9 3.2 | 4.07 4.30 4.14 6.92 | 81 93 453 2400 | <10 <10 <10 <10 | 150 100 280 200 | <0.5 <0.5 <0.5 | 2 3 <2 | 0.80 0.81 1.74 | 13.4 14.3 11.3 |
| G023220 G023221 G023222 G023223 G023224 | | | | | | | | 6.0 4.7 4.5 3.5 1.2 | 0.38 3.59 4.78 3.40 1.47 | >10000 180 25 32 44 | <10 <10 <10 <10 <10 <10 | 210 290 460 400 260 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 7 <2 <2 <2 <2 <2 | 1.95 2.71 1.34 1.29 2.39 | 1.4 15.7 26.2 13.4 <0.5 |
| G023225 G023226 G023227 G023228 G023229 | | | | | | | | 4.1 1.3 1.2 0.5 1.4 | 2.08 1.73 2.42 1.41 1.43 | 66 53 88 27 61 | <10 <10 <10 <10 <10 | 160 210 220 170 120 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 2 <2 2 <2 <2 <2 <2 | 1.79 2.01 2.82 3.04 2.96 | 9.4 <0.5 3.3 1.3 <0.5 |
| G023230 G023231 G023232 | | | | | | | | 1.7 0.7 1.6 | 1.47 1.44 1.18 | 48 50 58 | <10 <10 <10 | 130 120 120 | <0.5 <0.5 <0.5 | <2 <2 <2 | 3.60 3.62 3.04 | 0.6 0.5 <0.5 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY **RICHMOND BC V6X 2W8**

Page: 2 - E Total # Pages: 2 (A - F) Plus Appendix Pages Finalized Date: 22- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 Co ppm 1 | ME- ICP41 Cr ppm 1 | ME- ICP41 Cu ppm 1 | ME- ICP41 Fe % 0.01 | ME-ICP41 Ga ppm 10 | ME- ICP41 Hg ppm 1 | ME- ICP41 K % 0.01 | ME- ICP41 La ppm 10 | ME- ICP41 Mg % 0.01 | ME- ICP41 Mn ppm 5 | ME- ICP41 Mo ppm 1 | ME- ICP41 Na % 0.01 | ME- ICP41 Ni ppm 1 | ME- ICP41 P ppm 10 | ME- ICP41 Pb ppm 2 |
|---|-----------------------------------|-----------------------------|------------------------------|---------------------------------|---------------------------------------|------------------------------|----------------------------------|---------------------------------------|---------------------------------------|--------------------------------------|--------------------------------------|---------------------------------|--|-----------------------------|--|-----------------------------------|
| G023197 G023198 G023199 G023200 | | 22 13 12 <1 | 95 93 95 1 | 166 37 29 1 | 8.16 5.12 4.92 0.05 | 10 10 10 <10 | 1 1 <1 1 | 1.54 1.99 1.96 0.01 | <10 10 10 <10 | 3.49 2.61 2.57 1.66 | 2980 3070 3330 | 1 1 <1 | 0.02 0.04 0.04 | 100 103 111 | 1450 1460 1420 | 1210 330 264 |
| G023201 | | 5 | 148 | 17 | 6.58 | 10 | 1 | 1.52 | <10 | 2.87 | 2900 | 1 | 0.02 | 1115 | 40 1190 | 2 585 |
| G023202 G023203 G023204 G023205 G023206 | | 6 29 24 21 | 250 158 53 40 87 | 143 6 204 290 160 | 10.80 3.84 8.29 7.07 9.12 | 20 10 10 10 10 | 3 1 1 1 | 1.36 1.52 2.00 2.10 2.39 | <10 10 <10 <10 10 | 4.50 1.83 3.17 2.70 3.51 | 3260 3390 2460 2120 2570 | <1 1 <1 1 | 0.02 0.04 0.04 0.04 | 166 137 42 26 | 1190 1070 1490 1470 | 3570 100 431 410 |
| G023207 G023208 G023209 G023210 G023211 | | 15 12 14 11 10 | 60 56 55 17 27 | 145 134 167 136 119 | 7.01 6.40 7.57 5.40 6.83 | 10 10 10 <10 10 | <1 1 1 <1 1 | 1.82 1.82 2.20 1.94 2.44 | 10 <10 <10 <10 <10 <10 | 2.85 2.82 2.84 2.12 2.82 | 2710 3310 2660 3990 3570 | <1 <1 <1 2 <1 | 0.03 0.04 0.03 0.02 0.01 | 36 33 24 23 20 | 1320 1230 1320 1350 1100 1340 | 168 185 2010 439 1045 |
| G023212 G023213 G023214 G023215 G023216 | | 16 14 28 183 1 | 36 55 42 7 <1 | 163 160 353 3890 10 | 7.24 9.93 12.30 35.0 0.05 | 10 10 10 <10 <10 | <1 <1 1 <1 <1 | 2.50 2.12 1.86 0.41 <0.01 | <10 <10 <10 <10 <10 | 3.14 4.22 4.42 1.03 1.37 | 3860 3930 3620 5130 26 | 1 <1 1 <1 <1 | 0.01 0.01 0.01 0.02 0.01 | 25 29 28 68 | 1380 1290 1420 200 | 1690 595 683 1135 |
| G023217 G023217- CRD G023218 G023218A G023218A G023219 | | 21 23 20 9 | 42 44 46 41 | 427 470 171 71 | 8.22 8.65 7.36 11.60 | 10 10 10 10 | <1 <1 <1 <1 | 2.51 2.63 2.17 1.59 | 10 <10 <10 <10 | 2.86 2.99 3.26 5.10 | 2450 2530 3630 | 1 1 <1 <1 | 0.01 0.01 0.03 | 24 26 28 | 1270 1320 1380 | 558 584 282 |
| C023220 C023221 C023222 C023223 C023223 C023224 | | 16 10 14 11 8 | 33 28 17 15 17 | 119 171 135 114 87 | 3.57 6.21 7.61 5.55 2.66 | <10 10 10 10 <10 | <1 <1 <1 <1 <1 <1 | 0.08 1.94 3.69 2.82 1.19 | <10 <10 10 10 10 10 | 0.58 2.78 3.55 2.55 1.32 | 546 3950 3510 2790 2350 | 29 1 <1 <1 <1 <1 | 0.02 0.02 0.02 0.02 0.02 0.02 0.06 | 45 28 25 18 14 | 220 1340 1650 1580 1690 | 1145 820 789 634 49 |
| G023225 G023226 G023227 G023228 G023229 | | 13 12 14 6 15 | 14 15 44 11 14 | 120 115 122 43 171 | 4.09 3.22 5.06 2.10 3.80 | 10 10 10 <10 10 | <1 <1 <1 <1 <1 | 1.78 1.39 1.86 1.10 1.14 | <10 <10 <10 10 <10 | 1.51 1.27 2.34 1.31 1.28 | 1950 1885 2410 1660 1475 | 3 1 <1 1 | 0.04 0.04 0.01 0.02 | 22 26 30 19 | 1630 1750 1240 1470 | 533 70 122 37 |
| G023230 G023231 G023232 | | 9 13 10 | 11 14 28 | 110 59 255 | 3.91 3.28 4.70 | <10 <10 <10 | <1 <1 <1 | 1.18 1.17 0.85 | <10 <10 <10 | 1.41 1.49 1.04 | 1995 1940 1820 | 3 1 <1 | 0.02 0.02 0.03 | 19 26 29 | 1620 1380 1190 | 22 29 24 |





2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - F Total # Pages: 2 (A - F) Plus Appendix Pages Finalized Date: 22- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 S % 0.01 | ME- ICP41 Sb ppm 2 | ME- ICP41 Sc ppm 1 | ME- ICP41 Sr ppm 1 | ME- ICP41 Th ppm 20 | ME- ICP41 Ti % 0.01 | ME- ICP41 Tl ppm 10 | ME-ICP41 U ppm 10 | ME- ICP41 V ppm 1 | ME- ICP41 W ppm 10 | ME- ICP41 Zn ppm 2 | |
|---|-----------------------------------|--|---------------------------------------|-----------------------------|---------------------------------------|---|--|--|--|--------------------------------|---------------------------------|--------------------------------------|--|
| G023197 G023198 G023199 G023200 G023201 | | 0.82 0.33 0.16 <0.01 0.34 | 4 3 <2 <2 | 6 5 5 <1 | 55 159 170 4680 | <20 <20 <20 20 | 0.20 0.24 0.24 <0.01 | <10 <10 <10 <10 | <10 <10 <10 <10 | 92 79 77 <1 | 10 10 <10 <10 | 4300 1545 1100 11 | |
| C023202 C023203 C023204 C023205 | | 1.27 0.02 1.65 1.51 | 9 <2 5 2 | 8 4 10 9 | 64 194 78 81 | <20 <20 <20 <20 <20 | 0.19 0.19 0.25 0.23 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 72 105 65 134 122 | 10 30 <10 10 10 | 2950 8810 391 2520 1835 | |
| G023206 G023207 G023208 G023209 G023210 | | 1.77 1.62 0.87 2.10 1.09 | 4 2 7 2 | 11 8 9 9 4 | 94 213 165 80 154 | <20 <20 <20 <20 <20 | 0.26 0.22 0.21 0.23 0.18 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 134 100 102 104 58 | <10 <10 <10 20 <10 | 1460 338 506 6900 1930 | |
| G023211 G023212 G023213 G023214 G023215 C023215 | | 0.88 0.65 0.66 1.72 >10.0 | 2 3 3 3 7 | 5 7 10 8 3 | 86 71 47 30 283 | <20 <20 <20 <20 <20 | 0.22 0.26 0.24 0.24 0.24 0.04 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 81 105 123 124 23 | <10 <10 <10 <10 <10 | 3550 5030 2740 3750 5670 | |
| G023216 G023217 G023217- CRD G023218 G023218A G023218A | | <0.01 1.92 2.07 1.25 | <2 7 4 3 | <1 6 6 8 | 5020 67 66 144 | 20 <20 <20 <20 | <0.01 0.24 0.24 0.23 | <10 <10 <10 <10 | <10 <10 <10 <10 | <1 91 95 113 | <10 <10 <10 <10 | 18 2330 2490 1970 | |
| G023219 G023220 G023221 G023222 G023223 G023224 | | 0.99 0.89 0.66 0.73 0.59 0.65 | 13 <2 2 <2 <2 <2 <2 | 11 2 5 5 4 2 | 250 46 270 110 110 215 | <20 <20 <20 <20 <20 | 0.19 <0.01 0.20 0.29 0.23 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 141 13 80 90 64 | <10 <10 <10 <10 <10 | 2290 269 2760 4170 2450 | |
| G023225 G023226 G023227 G023228 G023229 | | 1.60 1.22 1.44 0.29 1.81 | 2 <2 <2 <2 <2 <2 2 | 3 3 5 2 2 | 163 172 274 373 427 | <20 <20 <20 <20 <20 <20 <20 | 0.13 0.22 0.16 0.15 0.09 0.11 | <10 <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 <10 | 39 66 59 60 29 | <10 <10 <10 <10 <10 | 129 1545 147 701 213 | |
| G023230 G023231 G023232 | | 1.73 0.76 2.93 | 2 <2 2 | 2 3 3 | 494 439 387 | <20 <20 <20 | 0.11 0.12 0.09 | <10 <10 <10 <10 | <10 <10 <10 <10 | 36 40 38 | <10 <10 <10 <10 | 117 106 52 | |
| | | | | | | | | | | | | | |



Т

ALS Canada Ltd. 2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: Appendix 1 Total # Appendix Pages: 1 Finalized Date: 22- NOV- 2010 Account: BQL

Project: Bronson

| Method | CERTIFICATE COMMENTS |
|----------|--|
| ME- MS61 | REE's may not be totally soluble in this method. |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 1 Finalized Date: 20- DEC- 2010 Account: BQL

CERTIFICATE TR10179953

Project: Bronson

P.O. No.: Blue- Blue/Yellow Ribbon

This report is for 1 Other sample submitted to our lab in Terrace, BC, Canada on 30- NOV- 2010.

The following have access to data associated with this certificate:

| DAVID JENSEN | DAVID YEAGER | JOHN ZBEETNOFF |
|--------------|--------------|----------------|
| | | |

| SAMPLE PREPARATION | | | | | | | | |
|--------------------|--------------------------------|--|--|--|--|--|--|--|
| ALS CODE | DESCRIPTION | | | | | | | |
| LOG- 22 | Sample login - Rcd w/o BarCode | | | | | | | |
| BAG- 01 | Bulk Master for Storage | | | | | | | |
| WEI- 25 | Wt. of Crushed Reject | | | | | | | |
| SPL- 21 | Split sample - riffle splitter | | | | | | | |
| FND- 03 | Find Reject for Addn Analysis | | | | | | | |
| PUL- 32 | Pulverize 1000g to 85% < 75 um | | | | | | | |
| SCR- 21 | Screen to - 100 um | | | | | | | |

| - | ANALYTICAL PROCEDURE | ES |
|-----------|---------------------------------|------------|
| ALS CODE | DESCRIPTION | INSTRUMENT |
| Au- SCR24 | Au Screen FA Double Minus - 50g | WST- SIM |
| Au- AA26 | Ore Grade Au 50g FA AA finish | AAS |
| Au- AA26D | Ore Grade Au 50g FA AA Dup | AAS |

To: SKYLINE GOLD CORPORATION ATTN: DAVID YEAGER SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

the second second Signature:

Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - A Total # Pages: 2 (A) Finalized Date: 20- DEC- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | Au- SCR24 Au Total ppm 0.05 | Au- SCR24 Au (+) F ppm 0.05 | Au- SCR24 Au (-) F ppm 0.05 | Au- SCR24 Au (+) m mg 0.001 | Au- SCR24 WT. + Fr 9 0.01 | Au- SCR24 WT Fr g 0.1 | Au- AA26 Au ppm 0.01 | Au- AA26D Au ppm 0.01 | WEI-25 Reject W kg 0.001 | |
|--------------------|-----------------------------------|--------------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|------------------------------------|--------------------------------|-------------------------------|--------------------------------|-----------------------------------|--|
| G023215 | | 6.88 | 29.4 | 6.41 | 0.368 | 12.51 | 598.9 | 6.66 | 6.16 | 0.611 | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | : | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |



DIAMOND DRILL HOLE LOG

0

2.4

21.8

41.4

66.7

117.6

130.6

41.4

66.7

117.6

130.6

150

| | SK10 17 | CONTRACTO | DR: Driftwood Diamond |
|--------------|-----------------------|-------------|-------------------------|
| HOLE: | SK10-17 | | Drilling Ltd. |
| COLLAR COOR | DINATES UTM (NAD 83): | DATE | |
| Easting: | 373754.3 | STARTED: | 23-Oct-10 |
| Northing: | 6280832.3 | COMPLETED | : 24-Oct-10 |
| COLLAR COOR | DINATES MINE GRID: | LOGGED BY: | B. Hemingway |
| Northing: | 11760.1 | SAMPLE INTI | ERVALS: B.H./A. Burgert |
| Easting: | 27567.3 | GEOTECH BY | : N/A |
| | | SAMPLED BY | : D. Quock |
| COLLAR ELEVA | TION (m-ASL): | | |
| | 568.6 | CORE SIZE: | NQ |
| FINAL DEPTH: | 150.0 | RIG: | SRS 3000 Hydraulic |
| SURVEYS: | | | |
| Depth | Azimuth | Inclination | Method |
| 0 | 233.0 | -54.8 | compass, clinometer |
| 24 | 238.6 | -45.4 | Reflex |
| 60 | 240.0 | -45.4 | Reflex |
| 105 | 240.5 | -45.5 | Reflex |
| 150 | 249.6 | -43.6 | Reflex |

| Abbreviations | | | |
|---------------|---------------------|------------------|------------------------------------|
| Lithology | | Alteration | |
| GrW | Greywacke | Arg | Argillitic or clay alteration |
| Slt | Siltstone | Bio | Biotite (potassic) |
| Clt | Clasts | Kspar | Feldspar or Feldspathic (potassic) |
| Minerals | | Phy | Phyllic or sericitic |
| AsPy | Arsenopyrite | Ser | Sericite |
| Ca | Calcite | alt | alteration |
| Chl | Chlorite | Standards | |
| Gal | Galena | STD-15 | CDN-CGS-15 |
| Py | Pyrite | STD-20A | CDN-GS-20A |
| Pyr | Pyrrhotite | STD-2 | CDN-ME-2 |
| Qtz | Quartz | Other Abbreviat | tions |
| Sphal or sph | Sphalerite | // | Parallel |
| Barrn | Barren of sulphides | CA | To the core axis |
| | | Dy/atalColata/Dy | Center of vein (mineral) order of |
| | | Py/qizjCalqtz/Py | mineralization |

To (m) Unit From(m) 2.4 overburden med-drk gry argillite massive in places w/minor siltstone. Argillite layering > siltstone layering in 21.8 GrW-Arg/Sst terms of total thickness within the Unit. A few siltstone clasts are usually It-gry with obscure edges, generally rounded.

GrW-Arg-CgI

GrW-Arg/Sst

GrW-Sst/Arg

GrW-Sst-Cal

GrW-Arg/Sst

gouge filled fractures at 11.75 & 13.2 Matrix is fine grained and in places slightly calcareous, siltstone layers are frequently calcareous however, some lamina are quartz bearing.

Description

> silt component in matrix, some sections a SSt, clasts are generally from 1.0cm to > 6cm + of guartzite. Unit has more calcite in matrix than the prior unit.

contacts are gradational, med-drk gry argillite massive in places w/siltstone. Argillite layering > siltstone layering in terms of total thickness within the Unit. A few siltstone clasts are usually It-gry with obscure edges, generally rounded.

76.0 to 76.50 Shear-Fault Zone 85.0 to 85.20 Fault breccia

siltstone component > argillitic layering, the siltstone matrix is in places a med gry w/ silt size particles in a coarse grain argillaceous matrix slightly calcitic

116.15 to 116.67 hornblende porphyric diabase dyke contacts sharp at 45°

some siltstone clasts within an argillaceous matrix as a minor component. The majority of the unit consists of a siltstone matrix w/arg sub-angular (ave 3.0cm) clasts. Recognition of the unit was only by a reduction in the intensity of alteration, clasts have diffused edges with surrounding siltstone

siltstone component within the siltstone matrix is coarse grained with argillaceous infillings, the siltstone matrix is in places a med gry w/ silt size particles in a coarse grain argillaceous matrix.

13.05 to 112.70 Zone of Sphalerite Mineralization

Summary of Drill Hole SK-10-17

Page: 2 of 9 pages



| From | То | | Sample | From | | Length | Au | Ag | Cu | Zn | Pb | As |
|------|------|--|---------|-------|--------|--------|-------|------|-----|------|------|-----|
| (m) | (m) | Description | No. | (m) | To (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| 0.0 | 2.4 | ovb, casing is to 1.54 rusty fractures to 5.1m | | | | | | | | | | |
| 2.4 | 21.8 | GrW-Arg/Sst med-drk gry argillite massive in places w/ minor siltstone. Argillite | | | | | | | | | | |
| | | layering > siltstone layering in terms of total thickness within the Unit. A few | | | | | | | | | | |
| | | siltstone clasts are usually lt-gry with obscure edges, generally rounded. Matrix is | | | | | | | | | | |
| | | fine grained and in places slightly calcareous, siltstone layers are frequently | | | | | | | | | | |
| | | calcareous however, some lamina are quartz bearing. interstitial py is very sparse; | | | | | | | | | | |
| | | py is confined to microfracturing which causes py to conjugate at microfr node | | | | | | | | | | |
| | | points that gives blebs, clusters, bands and zones of disseminated py. the matrix | | | | | | | | | | |
| | | is weakly altered by Kspar and a slight greenish hue of sericite. | | | | | | | | | | |
| | | | G023006 | 1.52 | 4.00 | 2.48 | 0.025 | 0.8 | 101 | 108 | 44 | 56 |
| | | at 4.3 wisps of py in matrix at 50° | G023007 | 4.00 | 6.00 | 2.00 | 0.041 | 1.0 | 157 | 135 | 41 | 85 |
| | | at 9.5 1.0cm wide band of blebby py at 60° | G023008 | 6.00 | 8.00 | 2.00 | 0.006 | 0.3 | 22 | 61 | 10 | 52 |
| | | at 10.3 py blebs | G023009 | 8.00 | 10.00 | 2.00 | 0.031 | 0.9 | 81 | 65 | 17 | 42 |
| | | at 11.15 blebs of py to 11.37 | G023010 | 10.00 | 12.00 | 2.00 | 0.149 | 1.9 | 211 | 181 | 40 | 34 |
| | | at 11.5 6cm of barren qtz vein at 70° py in band between two veins about 1.0cm | G023011 | 12.00 | 14.00 | 2.00 | 0.578 | 6.2 | 71 | 1485 | 614 | 126 |
| | | wide | | | | | | | | | | |
| | | at 11.75 a2.5cm+ qtz/ca/barren/vein at 50° followed by a 2.0 x 3.0cm bleb of py | | | | | | | | | | |
| | | followed by a fr w/ 1.ocm wide gouge filled. | | | | | | | | | | |
| | | at 12.4 a 1.0-2.0 wide sinuous blebbly py/qtz/ca vein at 0° to CA to 13.50 | | | | | | | | | | |
| | | pinches and swells tapers to a thin veilet at 13.4 | | | | | | | | | | |
| | | vein appears to have a 5.0mm hornfelses selvage | | | | | | | | | | |
| | | at 13.05 1.0cm wide irregular vein of sph together w/py to 13.4. wallrock is | | | | | | | | | | |
| | | hornfelds with muscovite instead of usual grn ser. | | | | | | | | | | |
| | | at 13.2 a fr slightly filled with gouge at 65° to CA | | | | | | | | | | |
| | | kspar alt of matrix > very sparse interstitial py in matrix | G023012 | 14.00 | 16.00 | 2.00 | 0.239 | 10.3 | 216 | 6190 | 1510 | 189 |
| | | at 16.70 irregular shape blebs 1.0 x 3.0 x 2.0cm in matrix microfracturing is visible | G023013 | 16.00 | 18.00 | 2.00 | 0.092 | 2.3 | 306 | 148 | 34 | 111 |
| | | in the siltstone layers but not in args | | | | | | | | | | |
| | | at 17.30 blebs of py to 17.50 | | | | | | | | | | |
| | | at 19.90 a 5.0 mm wide qtz/ca/barren veinlet at 50° | G023014 | 18.00 | 20.00 | 2.00 | 0.079 | 1.4 | 226 | 87 | 18 | 58 |
| | | at 21.0 same | G023015 | 20.00 | 22.00 | 2.00 | 0.097 | 2.0 | 214 | 81 | 32 | 48 |
| | | at 21.50 a 15cm wide contoured mixture of qtz/ca/py braided veinlets at 50° to | | | | | | | | | | |
| | | CA | | | | | | | | | | |
| 21.8 | 41.4 | GrW-Arg-Cgl with more of a silt component in matrix, some sections a SSt, clasts | | | | | | | | | | |
| | | are generally from 1.0cm to > 6cm+ of quartzite. Unit has more calcite in matrix | | | | | | | | | | |
| | | than the prior unit. | | | | | | | | | | |
| | | at 22.2 bedding at 60° | G023016 | 22.00 | 24.00 | 2.00 | 0.106 | 4.5 | 187 | 2790 | 669 | 54 |
| | | at 23.2 to 23.4 irregular contorted vein of sph/ca/py/qtz | | | | | | | | | | |
| | | at 24.3 a 1.0cm wide qtz/rare boulangerite? Lustre metallic w/ reddish | G023017 | 24.00 | 26.00 | 2.00 | 0.040 | 3.8 | 213 | 3320 | 736 | 313 |

Page: 3 of 9 pages



| From | То | | Sample | From | | Length | Au | Ag | Cu | Zn | Pb | As |
|------|------|--|---------|--------|--------|--------|-------|-----|------|------|------|-----|
| (m) | (m) | Description | No. | (m) | To (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | streak/ vein at 50° | | | | | | | | | | |
| | | at 25.40 1.0cm wide irregular qtz/ca/vei at 60° w // sph veinlets | | | | | | | | | | |
| | | at 25.70 wisps of sph irregular | | | | | | | | | | |
| | | at 26.00 10cm of wisps/veinlets of sph w/ blebs of py in matrix | G023018 | 26.00 | 28.00 | 2.00 | 0.106 | 4.7 | 280 | 2340 | 1060 | 871 |
| | | at 26.75 qtzite clasts show microveinlets w/ bio alteration | | | | | | | | | | |
| | | from 26.8 to 29.5 more qtzite clasts in arg-silt matrix calcite i matrix > from rare | | | | | | | | | | |
| | | to sparse or intermitten. At 29.3 lamia at 70° to CA with a fold axis of 90° to CA | | | | | | | | | | |
| | | | G023019 | 28.00 | 30.00 | 2.00 | 0.062 | 1.5 | 219 | 77 | 33 | 104 |
| | | at 31.70 a 1.5cm wide qtz/py/pyh/ vein at 40° followed by vienlets of sph | G023020 | STD 15 | STD 15 | STD 15 | 0.544 | 2.9 | 4780 | 175 | 35 | 74 |
| | | from 30.0 to 33.0 matrix appears darker with more of a hornfelsic nature. Very | G023021 | 30.00 | 32.00 | 2.00 | 0.056 | 3.9 | 266 | 1930 | 647 | 53 |
| | | little interstitial py , matrix with a slight kspar hue | | | | | | | | | | |
| | | at 32.10 a 2.0cm wide braided py/pyh/sph/qtz/ca/sparse Cpy/ vein at 30° to CA | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | at 33.20 a intermitten series of clusters of py blebs along a qtz veinlet at 10° to | G023022 | 32.00 | 34.00 | 2.00 | 0.094 | 5.6 | 228 | 3880 | 810 | 98 |
| | | CA. The py clusters are like bulbs along a stem | | | | | | | | | | |
| | | where a pressurized vein leaks out into the matrix a short distance | | | | | | | | | | |
| | | from 33.40 to 33.75 a long sinuous 1.2cm wide vein of py/ca/qtz w/sparse sph | | | | | | | | | | |
| | | at 33.80 hedding at 70° to CA a 4.0 cm subrounded clast is polymictic $w/$ | | | | | | | | | | |
| | | microfractures filled w/brn bio | | | | | | | | | | |
| | | from 34.20 to 41.40 slumping gradiation zone, bedding lamina random, coarser | G023023 | 34.00 | 36.00 | 2.00 | 0.026 | 0.8 | 81 | 95 | 31 | 47 |
| | | grained with more sand component, some polymictic clasts arg lamina bedding | | | | | | | | | | |
| | | from 10-70° to CA, slightly brn bio/kspar matrix alt. | | | | | | | | | | |
| | | at 36.85, 37.0 two // 1.0cm wide py/ca/gtz/rare sph/veins at 40° | G023024 | 36.00 | 38.00 | 2.00 | 1.175 | 3.7 | 489 | 98 | 26 | 97 |
| | | at 39.75 a 1.0cm wide irregular discontinous py/gtz/ca/ vein | G023025 | 38.00 | 40.00 | 2.00 | 0.115 | 1.4 | 169 | 86 | 18 | 46 |
| | | at 41.25 a 8.0cm wide gtz/odd speck of py/vein at 80° | G023026 | 40.00 | 42.00 | 2.00 | 0.050 | 1.1 | 131 | 77 | 27 | 426 |
| 41.4 | 66.7 | GrW-Arg/Sst contact is gradiational to 56.0 where the last siltstone clast is visible | | | | | | | | | | |
| | | in matrix. med-drk gry argillite massive in places w/siltstone. Argillite layering | | | | | | | | | | |
| | | >siltstone layering in terms of total thickness within the Unit. A few siltstone | | | | | | | | | | |
| | | clasts are usually lt-gry with obscure edges, generally rounded. Matrix is kspar alt | | | | | | | | | | |
| | | w/ slight interstitial calcite and py | | | | | | | | | | |
| | | at 42.90 blebs of py | G023027 | 42.00 | 44.00 | 2.00 | 0.348 | 1.7 | 273 | 59 | 25 | 96 |
| | | from 42.30 to 42.70 a sinuous 1-1.5cm wide py/qtz/ca/vein at 0° scims the side of | | | | | | | | | | |
| | | core. Calcite is > interstitially w/ kspar alt | | | | | | | | | | |
| | | from 43.0 to 44.0 a series of irregular ~1.0cm wide py/qtz/ca veins where it | | | | | | | | | | |
| | | appears qtz/ca has "shattered" the py clusters in the form of microveinlets. Order | | | | | | | | | | |
| | | of deposition py/ then qtz/ca | G023028 | 44.00 | 46.00 | 2.00 | 0.208 | 1.5 | 218 | 76 | 13 | 70 |
| | | at 46.50 a 2.0cm wide channel of py/qtz/ca at 20° followed by another | G023029 | 46.00 | 48.00 | 2.00 | 0.183 | 4.0 | 464 | 1095 | 287 | 94 |

Page: 4 of 9 pages



| From | То | | Sample | From | | Length | Au | Ag | Cu | Zn | Pb | As |
|------|-------|--|---------|--------|--------|--------|-------|------|------|-------|-----|-----|
| (m) | (m) | Description | No. | (m) | To (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | 2.0cm downhole but only 1.0cm wide and discontinuous. The apparent feature is | | | | | | | | | | |
| | | an extensional system of microfracturing. | | | | | | | | | | |
| | | at 47.80 a 2.0cm wide qtz/ca/blebs of sph w/pyh/vein at 40° | | | | | | | | | | |
| | | at 48.8 a sub-angular clast has py cubes unstrained. | G023030 | 48.00 | 50.00 | 2.00 | 0.087 | 2.3 | 338 | 358 | 101 | 67 |
| | | from 48.35 to 52.2 a zone of a mixture of massive arg and qtzite clasts no bedding | | | | | | | | | | |
| | | lamina, matrix kspar & calcite > | | | | | | | | | | |
| | | 48.70 py blebs in core | | | | | | | | | | |
| | | from 49.50 to 50.45 interval has more sinuous, discontinuous veinlets of py and | | | | | | | | | | |
| | | blebs. | G023031 | 50.00 | 52.00 | 2.00 | 0.065 | 1.6 | 171 | 68 | 28 | 56 |
| | | at 52.45 two // 1.0cm py veins at 20° are cut by a microfr at 60° | G023032 | 52.00 | 54.00 | 2.00 | 0.253 | 2.9 | 301 | 429 | 268 | 207 |
| | | at 53.05 a 1.0cm wide braided py/qtz/ca/ vein at 20° is cut by 5.0mm wide | | | | | | | | | | |
| | | py/qtz/ca vein at 70°, offset along the vein at 20° is ~2.0cm along the 70° vein. | | | | | | | | | | |
| | | The 20° vein continues to 53.60 the scims the core to 57.0 | | | | | | | | | | |
| | | at 54.95 a 1.0cm wide sph/qtz/ca/vein at 40° offsets a ca/veinlet by 1.0cm. Ca | G023033 | 54.00 | 56.00 | 2.00 | 0.024 | 2.0 | 226 | 3080 | 208 | 45 |
| | | veinlet is at 20° to CA | | | | | | | | | | |
| | | at 56.25 arg lamina bedding at 60° to CA | G023034 | 56.00 | 58.00 | 2.00 | 0.126 | 1.3 | 202 | 63 | 27 | 67 |
| | | at 57.5-57.85 a 1.0cm wide channel of py blebs at 10° is cut by qtz filled | | | | | | | | | | |
| | | microfractures. | | | | | | | | | | |
| | | at 59.30 lamina at 70° to CA, matrix is vfg, no interstitial py/ but calcite > in | G023035 | 58.00 | 60.00 | 2.00 | 0.012 | 0.5 | 56 | 134 | 23 | 27 |
| | | matrix, slight kspar altered with brn bio overprint. | G023036 | 60.00 | 62.00 | 2.00 | 0.046 | 0.7 | 102 | 54 | 9 | 37 |
| | | at 64.50 a 2.5cm wide qtz/ca/rare AsPy/vein at 45° w/sharp wallrock contact no | G023037 | 62.00 | 64.00 | 2.00 | 0.027 | 0.9 | 97 | 50 | 11 | 38 |
| | | hornfels selvage. Bedding lamina at 70° | G023038 | 64.00 | 66.00 | 2.00 | 0.018 | 0.8 | 95 | 78 | 18 | 32 |
| | | at 69.0 a few qtzite clasts. At 66.70 a wavy contact at 35° to CA | G023039 | 66.00 | 68.00 | 2.00 | 0.094 | 3.3 | 476 | 154 | 63 | 89 |
| 66.7 | 117.6 | GrW-Sst/Arg, siltstone component > argillitic layering, the siltstone matrix is in | G023040 | STD 2 | STD 2 | STD 2 | 2.210 | 14.4 | 5220 | 12650 | 247 | 27 |
| | | places a med gry w/ silt size particles in a coarse grain argillaceous matrix. Kspar | | | | | | | | | | |
| | | alteration weak but with grn-ser alteration, interstitial py rare, very slightly calcitic | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | from 69.30 to 70.60 short discontinuous calcite echelon veinlets at 80 to CA, | G023041 | 68.00 | 70.00 | 2.00 | 0.059 | 2.4 | 186 | 1075 | 199 | 28 |
| | | 3.0cm long max. From 69.40 to 70.50 a 1.2 cm wide sinuous braided, ribbon vein | | | | | | | | | | |
| | | of py/ca/qtz/sph/ vein at 0° is wavy | | | | | | | | | | |
| | | from 71.40 to 71.60 slight hornfels of matrix, veinlets show a slight hornfelsic | G023042 | 70.00 | 72.00 | 2.00 | 0.175 | 3.1 | 338 | 252 | 94 | 53 |
| | | selvage in a drk gry matrix. Also irregular py clusters and blebs. No calcite in | | | | | | | | | | |
| | | matrix. | | | | | | | | | | |
| | | at 72.50 matrix is kspar w/brn bio alteration | G023043 | 72.00 | 74.00 | 2.00 | 0.058 | 3.5 | 143 | 2390 | 527 | 37 |
| | | at 73.50 pyh blebs in core, a discontinuous veinlet of sph is cut by a fr at 70° | | | | | | | | | | |
| | | at 75.20 a 3.0 cm wide hand at 85° to CA appears to be a multiple coloured kenter | 6023044 | 7/1 00 | 75.00 | 1.00 | 0.026 | 2 2 | 160 | 585 | 282 | 10 |
| | | at 75.20 a 5.0011 whe band at 65 to CA appears to be a indave coloured Kspar | 0023044 | 74.00 | 75.00 | 1.00 | 0.020 | 2.0 | 109 | 202 | 207 | 40 |
| | | intensive alteration. At 75.50 matrix is coarse grained w/ 2 kspar | | | 1 |] | | | 1 | | | |

Page: 5 of 9 pages



| From | То | | Sample | From | | Length | Au | Ag | Cu | Zn | Pb | As |
|------|-----|--|---------|-------|--------|--------|-------|------|------|-------|-----|------|
| (m) | (m) | Description | No. | (m) | To (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | alteration. Py content is within veinlets, rare interstitial py and calcite. | | | | | | | | | | |
| | | at 75.50 a 2.0cm wide vein of massive sph at 30° has an irregular discontinuous | | | | | | | | | | |
| | | qtz/ca selvage. Vein also has grn ser-chl patches | | | | | | | | | | |
| | | at 75.80 a 5.0cm band of a mix of py/qtz/ca at 85° to CA | G023045 | 75.00 | 76.00 | 1.00 | 0.066 | 3.9 | 240 | 17200 | 373 | 43 |
| | | Shear-Fault Zone from 76.0 to 76.50 | G023046 | 76.00 | 77.00 | 1.00 | 0.516 | 7.4 | 306 | 12500 | 851 | 3980 |
| | | at 76.0 an irregular 3.0cm wide vein of qtz/ca/sparse py/ blebs of grn ser-chl | | | | | | | | | | |
| | | followed by a 5.0mm wide gouged filled fracture at 50° followed by rubble zone | | | | | | | | | | |
| | | of broken core with fragments of qtz and massive sph with the quartz and calcite. | | | | | | | | | | |
| | | Zone ends with a gouge filled fracture. matrix is slt grn ser-chl altered. | | | | | | | | | | |
| | | at 77.65 a 1.2cm braided band of ca/gtz/spb/ at 80° | G023047 | 77.00 | 78.00 | 1.00 | 0.200 | 6.9 | 177 | 5970 | 989 | 1970 |
| | | from 76.2 to 81.50 matrix is moderately It-grn ser altered with decreasing | 0010017 | | 10.00 | 1.00 | 0.200 | 0.0 | | 0070 | 505 | 2070 |
| | | intensity to 81.50 | | | | | | | | | | |
| | | at 78.80 a gouge filled fr at 20° to CA | G023048 | 78.00 | 79.00 | 1.00 | 0.256 | 8.0 | 223 | 6580 | 912 | 110 |
| | | at 79.1 kspar alt of matrix > at 80.0 pvh/sph irregular mesh channel to 80.5 blebs. | G023049 | 78.00 | 79.00 | DUP | 0.146 | 10.0 | 343 | 7310 | 995 | 130 |
| | | specks all controlled by anastomosing microfractures, general direction of band | G023050 | 79.00 | 80.00 | 1.00 | 0.210 | 11.1 | 509 | 5870 | 834 | 5 |
| | | or channel at 30° with ca/ gtz | G023051 | 80.00 | 81.00 | 1.00 | 1.050 | 8.4 | 580 | 3500 | 585 | 160 |
| | | at 81.3 a 1.0cm wide pyh/Cpy/ca vein at 30° to CA has variable thickness. Starts | G023052 | 81.00 | 82.00 | 1.00 | 0.057 | 6.8 | 550 | 2770 | 435 | 130 |
| | | off with ca/qtz then widens to accomodate the pyh blebs. A filled extensional | | | | | | | | | | |
| | | at 82.0 kspar is pervasive throughout matrix/ sparse py | G023053 | 82.00 | 84.00 | 2.00 | 0.122 | 3.2 | 216 | 170 | 65 | 49 |
| | | at 82.0 a 4.0 cm wide qtz/ca/barren vein at 85° | | | | | | | | | | |
| | | at 83.60 <kspar intensity="">brn bio and grn ser pervasive</kspar> | | | | | | | | | | |
| | | at 83.70 interstitial py >. A ca veinlet at 50° is cut by a wavy py veinlet at 0° | | | | | | | | | | |
| | | at 84.10 a few py clusters in matrix, matrix becoming more kspar altered w/ | G023054 | 84.00 | 85.00 | 1.00 | 0.056 | 4.5 | 234 | 1445 | 311 | 109 |
| | | sparse interstitial py. | | | | | | | | | | |
| | | at 84.80 a few py clusters | | | | | | | | | | |
| | | at 84.50 a qtz flooding band 9.0cm wide at 84.70 a 4.0cm wide band of bleb py at | | | | | | | | | | |
| | | 35° with a slight hornfelsing of matrix wallrock | | | | | | | | | | |
| | | at 84.50 to 84.70 est py content ~20% of core at 84.90 a healed shear with 3.0cm | | | | | | | | | | |
| | | of compacted gouge and wall rock fragments cemented with calcite and sparse py | | | | | | | | | | |
| | | is at 60° to CA, vuggy | | | | | | | | | | |
| | | at 85 to 85.20 is fault breccia of narled, healed, wallrock with py/ca/sparse sph | G023055 | 85.00 | 86.00 | 1.00 | 0.177 | 11.6 | 574 | 1535 | 294 | 147 |
| | | irregular veins ad breccia chunks. At 85.20 a compact gouge filled fracture at 80° | | | | | | | | | | |
| | | with crude alinement of slickenslides at 10° to the perpendicular from CA. | | | | | | | | | | |
| | | from 84.60 to 88.4 Grn Ser-chl alteration of matrix | | | | | | | | | | |
| | | at 86.20 a braided band of pyh/sph at 30° to ca up hole is a 1.0cm wide pyh vein | G023056 | 86.00 | 87.00 | 1.00 | 1.055 | 16.0 | 1155 | 11300 | 509 | 1000 |
| | | the followed by a 1.0cm wide vein of sph. | | | | | | | | | | |

Page: 6 of 9 pages



| From | То | | Sample | From | | Length | Au | Ag | Cu | Zn | Pb | As |
|------|-----|---|---------|---------|---------|---------|--------|------|------|--------|------|--------|
| (m) | (m) | Description | No. | (m) | To (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | from 87.70 to 88.10 extensional calcite veinlets at 35° to CA | G023057 | 87.00 | 88.00 | 1.00 | 0.049 | 7.3 | 252 | 2490 | 518 | 250 |
| | | from 84.80 matrix has the grainy appearance of a siltstone | G023058 | 88.00 | 89.00 | 1.00 | 0.050 | 7.3 | 303 | 2610 | 303 | 20 |
| | | at 89.3 interstitial py > in matrix, kspar alteration > | G023059 | 89.00 | 90.00 | 1.00 | 0.074 | 4.3 | 290 | 819 | 73 | 29 |
| | | from 90.1 to 91.1 a 1.5cm wide sinuous, irregular py/qtz/ca/vein at 0° to CA, at | G023060 | BLANK | BLANK | BLANK | <0.005 | 0.7 | 1 | 10 | <2 | <2 |
| | | 91.10 a few wisps of sph towards end of vein | G023061 | 90.00 | 91.00 | 1.00 | 6.180 | 28.1 | 1260 | 541 | 305 | 293 |
| | | at 92.20 a slump feature? | G023062 | 91.00 | 92.00 | 1.00 | 0.261 | 11.7 | 356 | 5270 | 1135 | 63 |
| | | at 92.50 a 1.0cm wide pyh/py/sparse sph vein at 30° has bleached calcitic selvage | G023063 | 92.00 | 93.00 | 1.00 | 0.332 | 20.7 | 754 | 11150 | 2890 | 2990 |
| | | of 1.0cm cuts and offsets by 1.0cm a qtz/Cpy/veinlet at 60 | | | | | | | | | | |
| | | at 93.10 a 5.0mm vuggy with open cavities of qtz xtals- qtz/ca/veinlet at 25° cuts | G023064 | 93.00 | 94.00 | 1.00 | 0.265 | 17.9 | 968 | 21100 | 1320 | 1340 |
| | | and has offsetted a sph/sparse Cpy/py/gal/veinlet at 30° | | | | | | | | | | |
| | | at 93.80 10cm of blebs of sph in a zone of qtz/ca wallrock grn-ser-chl alteration at | | | | | | | | | | |
| | | a lineation of 60° to CA | | | | | | | | | | |
| | | at 94.20 remnant siltstone bedding at 70° to CA a few relict argillitic clasts within | G023065 | 94.00 | 95.00 | 1.00 | 0.315 | 4.0 | 360 | 251 | 171 | 250 |
| | | the silstone matrix. | | | | | | | | | | |
| | | at 94.40 to 94.80 two 3.0cm wide irregular bands of py blebs at 30° to CA | | | | | | | | | | |
| | | at 95.10 a 10cm wide siltstone bed | G023066 | 95.00 | 96.00 | 1.00 | 0.076 | 5.5 | 120 | 2460 | 881 | 105 |
| | | from 96 to 98.5 Lt-drk grn ser-chl intensive and pervasive alteration | G023067 | 96.00 | 97.00 | 1.00 | 0.379 | 18.3 | 744 | 17300 | 2950 | 2600 |
| | | from 96.0 to 96.40 a gnarled 4.0cm wide band of ca/qtz/sph/sparse limonite/ at | | | | | | | | | | |
| | | 30° to CA. | | | | | | | | | | |
| | | from 96.65 to 97.10 a 4.0cm braided gnarled band of clusters, blebs | | | | | | | | | | |
| | | ca/qtz/py/pyh/sph at 0° to CA appears to be hosted in a relict slump feature. Grn | | | | | | | | | | |
| | | ser-chl alt pervasive and extreme | | | | | | | | | | |
| | | from 97.65 to 98.45 same a zone of blebs of py/sph/ca/sparse Cpy in an | G023068 | 97.00 | 97.60 | 0.60 | 0.948 | 48.3 | 1155 | 32500 | 8140 | >10000 |
| | | extensively altered gr-ser-chl matrix, est sph at 5% est py ~10% up hole contact at | G023069 | 97.60 | 98.50 | 0.90 | 2.960 | 96.5 | 4550 | 105500 | 6580 | >10000 |
| | | 20° down hole at 20°. | G023071 | BLANK | BLANK | BLANK | <0.005 | 1.1 | 9 | 242 | 32 | 45 |
| | | down hole contact appears to be hornfelsic | G023070 | STD 20A | STD 20A | STD 20A | 2.130 | 13.7 | 4820 | 14950 | 225 | 28 |
| | | at 98.60 a 1.0cm wide py filled tension gash at 25° to CA | G023072 | 98.50 | 99.50 | 1.00 | 0.589 | 15.9 | 1605 | 988 | 238 | 207 |
| | | 98.60 to 99.0 core has sporatically py/ wisps of sph in a general direction of 30° to | | | | | | | | | | |
| | | CA | | | | | | | | | | |
| | | at 99.10 a 1.5cm wide wavy pyqtz/ca/ vein at 10° to CA | | | | | | | | | | |
| | | at 99.35 to 100.7 a 2.0cm wide wavy, sinuous, band of ca/py/qtz at 0° scims the | G023073 | 99.50 | 100.50 | 1.00 | 0.860 | 21.8 | 1765 | 490 | 258 | 305 |
| | | core. Matrix is extremely kspar altered w/intensity of grn ser alteration < | G023074 | 100.50 | 101.50 | 1.00 | 2.140 | 11.9 | 681 | 862 | 286 | 124 |
| | | | | | | | | | | | | |
| | | interstitial calcite is low over the entire hole so far, more so around the | | | | | | | | | | |
| | | mineralized sections. Very few siltstone layers have contained calcite. | | | | | | | | | | |
| | | at 101.3 a 1.5 cm wide band of py/qtz/sparse ca/ at 30° | G023075 | 101.50 | 102.50 | 1.00 | 27.400 | 9.8 | 151 | 2750 | 721 | 109 |
| | | from 101.75 to 102.15 a 25cm wide zone of blebs py/qtz/ca/ at 50° is cut by a | | | | | | | | | | |
| | | 1.5cm wide ribbon qtz/sparse ca/pyh bleb/ vein at 40° | | | | | | | | | | |

Page: 7 of 9 pages



| From | То | | Sample | From | | Length | Au | Ag | Cu | Zn | Pb | As |
|-------|-------|--|---------|--------|--------|--------|-------|------|------|------|------|------|
| (m) | (m) | Description | No. | (m) | To (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | from 102.0 to 114.35 Zone of intense grn-chl-ser alteration | | | | | | | | | | |
| | | from 102.4 to 106.3 interstitial py > in matrix kspar alt > | G023076 | 102.50 | 103.50 | 1.00 | 0.253 | 3.1 | 135 | 327 | 138 | 35 |
| | | from 105 to 105.90 matrix has appearance of a spotty hornfels, at 105.7. a 1.0cm | G023077 | 103.50 | 104.50 | 1.00 | 0.505 | 1.4 | 97 | 111 | 22 | 15 |
| | | wide qtz/ca/sph/sparse py/vein at 15° | G023078 | 104.50 | 105.50 | 1.00 | 0.225 | 2.7 | 196 | 185 | 56 | 33 |
| | | at 106.45 to 106.80 a bleached zone w/ streaks of brn bio in matrix very sparse py | G023079 | 105.50 | 106.50 | 1.00 | 0.332 | 15.8 | 371 | 3100 | 1990 | 78 |
| | | | G023080 | STD 15 | STD 15 | STD 15 | 0.527 | 2.8 | 4810 | 188 | 32 | 70 |
| | | at 106.90 a 10cm wide zone of grn ser w/sph/ fr at 70° shows crude slickenslides | G023081 | 106.50 | 107.50 | 1.00 | 1.100 | 12.3 | 966 | 6140 | 657 | 279 |
| | | at 50°. 1.0cm wide sph wisps at 75° | | | | | | | | | | |
| | | at 107.1 a fr at 50° w/slickenslides at 50° is followed by an intensive 10cm zone of | | | | | | | | | | |
| | | grn ser chl calcite quartz sphalerite microveinlets at 50° A healed shear zone. | | | | | | | | | | |
| | | Followed by a band of ca/sph/ qtz/py to 107.35 that just scims the core. | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | from 107.25 to 111.0 a zone of extreme grn ser + brn bio alteration with specks of | G023082 | 107.50 | 108.50 | 1.00 | 0.272 | 8.4 | 753 | 2420 | 249 | 152 |
| | | interstitial py, rare blebs of py/pyh/cpy with microfr nodes of sph. From 109 to | G023083 | 108.50 | 109.50 | 1.00 | 3.670 | 4.8 | 394 | 2560 | 357 | 1855 |
| | | 111 clusters and irregular bands of py with sparse blebs of sph. | G023084 | 109.50 | 110.50 | 1.00 | 2.230 | 3.3 | 53 | 2770 | 536 | 618 |
| | | | G023085 | 110.50 | 111.50 | 1.00 | 2.050 | 7.5 | 127 | 7400 | 1135 | 559 |
| | | at 112.2 matrix extremely grn ser-chl altered taking on an appearance of | G023086 | 111.50 | 112.50 | 1.00 | 1.920 | 0.2 | 41 | 1010 | 82 | 631 |
| | | schistosity. Parent rock textures completely destroyed by the alteration | G023087 | 112.50 | 114.00 | 1.50 | 0.037 | 2.6 | 26 | 1405 | 447 | 1075 |
| | | at 112.40 several wisps or microveinlets of sph at 50° to CA | | | | | | | | | | |
| | | at 112.70 a 3.0cm wide qtz vein w/very rare sph cuts the altered ser/chl zone | | | | | | | | | | |
| | | | G023088 | 114.00 | 116.00 | 2.00 | 0.098 | 1.9 | 101 | 913 | 155 | 694 |
| | | at 114.35 grn ser-chl alt intensity< with >kspar | | | | | | | | | | |
| | | at 114.80 a 1.0cm wide pyh/sparse py+ca/ vein at 25° | | | | | | | | | | |
| | | at 115.2 kspar alt is > grn ser alt of matrix, sparse interstitial pys | | | | | | | | | | |
| | | matrix coarser grained taking on the appearance of a Sst | | | | | | | | | | |
| | | at 115.60 to 115.90 a siltstone layer at 60° to CA is slightly calcareous, followed | | | | | | | | | | |
| | | by a 10cm wide of hornfels at 116.0 w/ specks and blebs of py. | | | | | | | | | | |
| | | diabase dyke 116.15 to 116.67 contact sharp at 45°, hornblende (spinifax like), | G023089 | 116.00 | 117.00 | 1.00 | 0.032 | 1.1 | 120 | 122 | 43 | 63 |
| | | with calcite specks occurring as replacement of a lt greenish mineral apatite?, | | | | | | | | | | |
| | | groundmass texture is very porous | | | | | | | | | | |
| | | at 116.9 matrix is now coarser grained with outlines of It siltstone clasts, matrix | | | | | | | | | | |
| | | kspar > brn bio > grn ser <; py is very sparse | | | | | | | | | | |
| 117.6 | 130.6 | GrW-Sst-Cgl with some siltstone clasts within an argillaceous matrix is minor | G023090 | 117.00 | 119.00 | 2.00 | 0.052 | 1.7 | 86 | 368 | 101 | 93 |
| | | component. The majority of the unit consists of a siltstone matrix w/ arg sub- | G023091 | 119.00 | 121.00 | 2.00 | 0.027 | 1.4 | 114 | 105 | 42 | 53 |
| | | angular (ave 3.0cm) clasts. Recognition of the unit was only by a reduction in the | | | | | | | | | | |
| | | intensity of alteration, clasts have diffused edges with surrounding siltstone. | | | | | | | | | | |
| | | kspar alt is slight, w/ slight grn ser alt. interstitial py and ca is sparse | | | | | | | | | | |
| | | | | | | | | | | | | |

Page: 8 of 9 pages



| From | То | | Sample | From | | Length | Au | Ag | Cu | Zn | Pb | As |
|-------|-------|--|---------|--------|--------|--------|-------|------|------|-------|------|------|
| (m) | (m) | Description | No. | (m) | To (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | at 122.2 a 3.0cm wide qtz/rare sulphides/vein at 85° | G023092 | 121.00 | 123.00 | 2.00 | 0.024 | 4.2 | 330 | 1515 | 363 | 30 |
| | | at 122.40 and 122.50 1.0cm wide qtz/py/pyh/rare ca/vein at 55° | | | | | | | | | | |
| | | at 122.71 an irregular, disjointed vein of pyh w/ Cpy | | | | | | | | | | |
| | | at 122.75 a 1.0cm wide qtz/ca/barren/vein at 45° is followed by an intense grn | | | | | | | | | | |
| | | ser-chl alteration controlled by a microfr that separates the kspar alt from the grn | | | | | | | | | | |
| | | ser-chl alteration. | | | | | | | | | | |
| | | at 122.95 a brk qtz vein is barren/ vuggy | | | | | | | | | | |
| | | at 123.10 siltstone clasts in a slight argillaceous matrix, kspar alt is > matrix | | | | | | | | | | |
| | | slightly py | G023093 | 123.00 | 125.00 | 2.00 | 0.088 | 0.7 | 57 | 79 | 14 | 16 |
| | | at 125.95 a 1.0cm wide qtz vein shows a zig zag pattern offset | G023094 | 125.00 | 127.00 | 2.00 | 0.035 | 1.4 | 157 | 99 | 30 | 35 |
| | | at 126.05 intensive kspar alteration w/hydrothermal breccia with calcite infilling | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | from 126.40 to 127.25 arg clasts in siltstone matrix | | | | | | | | | | |
| | | gradiational contact from 127.25 of siltstone verses argillite layering with minor | G023095 | 127.00 | 129.00 | 2.00 | 0.058 | 2.3 | 164 | 107 | 43 | 58 |
| | | clasts intervals. | G023096 | 129.00 | 131.00 | 2.00 | 0.286 | 6.1 | 485 | 163 | 74 | 63 |
| | | at 129.0 a mottled slump feature of obscure bedding | | | | | | | | | | |
| 130.6 | 150.0 | GrW-Sst/Arg, siltstone component within the siltstone matrix is coarse grained | | | | | | | | | | |
| | | with an argillaceous infillings, the siltstone matrix is in places a med gry w/ silt | | | | | | | | | | |
| | | size particles in a coarse grain argillaceous matrix. Kspar alteration moderate but | | | | | | | | | | |
| | | with grn-ser alteration, interstitial py, very slightly calcitic | | | | | | | | | | |
| | | the darker electric are intensive black big altered w/w by bornblands outlines are | | | | | | | | | | |
| | | the darker clasts are intensive black bio altered w/ py, noriblende outlines are | | | | | | | | | | |
| | | at 132 30 matrix annears to have > hornfelsing of matrix A 5 0cm wide braided | 6023097 | 131.00 | 132.00 | 1 00 | 0.650 | 55 | 18/ | 881 | 2/19 | 1/17 |
| | | hand of ny hlebs at 25° w/otz/ca/snarse snh/yeinlets at 25° | 0023037 | 191.00 | 152.00 | 1.00 | 0.030 | 5.5 | 104 | 001 | 245 | 147 |
| | | at 132.60 a pyh/py/ca/ veinlet at 20° is sinuous | G023098 | 132.00 | 133.00 | 1.00 | 0.175 | 6.7 | 181 | 3660 | 945 | 62 |
| | | at 132.80 >grn ser alteration of matrix | G023099 | 132.00 | 133.00 | DUP | 0.354 | 8.0 | 161 | 3780 | 1000 | 135 |
| | | at 133.50 matrix is fine grained $w/ >$ kspar alteration sparse interstitial py. | G023100 | STD 2 | STD 2 | STD 2 | 2.150 | 13.7 | 4840 | 13200 | 236 | 28 |
| | | at 133.80 microfractures w/ sph black hornblend in matrix | G023101 | 133.00 | 134.00 | 1.00 | 0.161 | 4.7 | 251 | 2680 | 685 | 1400 |
| | | at 135.80-136.0 blebs of pyh in a grn ser matrix grn ser alt > kspar alt, micros are | G023102 | 134.00 | 135.00 | 1.00 | 0.234 | 9.5 | 361 | 4860 | 1635 | 4010 |
| | | healed | G023103 | 135.00 | 136.00 | 1.00 | 1.065 | 6.1 | 205 | 3870 | 1035 | 832 |
| | | at 136.0 grn ser alt extreme controlled by a fr at 40° followed by a wavy sinuous, | G023104 | 136.00 | 137.00 | 1.00 | 0.205 | 27.6 | 456 | 25700 | 5430 | 2830 |
| | | 1.50cm wide, channel // to CA of vein of sph with calcite, pyrite, minor qtz is cut | | | | | | | | | | |
| | | by a fracture shear with gouge at 20°, followed by a 3.0cm healed breccia zone. | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | at 137.10 a bleached with mottled hornfels zone to 139.60 | G023105 | 137.00 | 138.00 | 1.00 | 0.114 | 4.7 | 568 | 279 | 281 | 47 |
| | | at 139.60 vague outlines of siltstone clasts in a hornfels/argillaceous matrix. | | | | | | | | | | |
| | | | | | | | | | | | | |

Page: 9 of 9 pages



| From | То | | Sample | From | | Length | Au | Ag | Cu | Zn | Pb | As |
|------|-----|---|---------|--------|--------|--------|-------|------|------|------|------|-----|
| (m) | (m) | Description | No. | (m) | To (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | at 138.55 matrix becoming intensely kspar altered with > py | G023106 | 138.00 | 139.00 | 1.00 | 0.044 | 3.7 | 501 | 574 | 101 | 9 |
| | | at 139.7 a vein similar to 136.0 cuts through the core at 10° to 140.40. mineralogy | G023107 | 139.00 | 140.00 | 1.00 | 0.047 | 3.7 | 572 | 738 | 90 | 5 |
| | | same as in 136.0. the fracture has gouge, slickenslides at 30° from the downhole | | | | | | | | | | |
| | | base perpendicular side.matrix is grn-ser intense alt. | | | | | | | | | | |
| | | from 140.40 to 140.80 matrix is white ser with grn ser alt kspar is weak | G023108 | 140.00 | 141.00 | 1.00 | 0.863 | 33.0 | 2790 | 1020 | 495 | 42 |
| | | at 141.1 hydrothermal breccia w/ grn ser blebs in a matrix of qtz/ca followed by a | G023109 | 141.00 | 142.00 | 1.00 | 0.743 | 34.9 | 2000 | 6170 | 2300 | 149 |
| | | 10cm channel of massive bleb py | | | | | | | | | | |
| | | at 141.40 a 4cm wide channel of blebs of py/ qtz contained within a hornfels | | | | | | | | | | |
| | | matrix to 141.70 | | | | | | | | | | |
| | | at 142.25 a 15 cm wide band of qtz/ca/py with broken rock frags and grn gouge. | G023110 | 142.00 | 143.00 | 1.00 | 1.345 | 20.9 | 1490 | 307 | 607 | 530 |
| | | SHEAR cuts a1.5cm wide channel of py blebs with pyh and sparse sph at 20° to CA | | | | | | | | | | |
| | | to 143.0 | | | | | | | | | | |
| | | from 143.0 to 146.0 matrix is showing less hornfelsing with blotchy areas of It- | G023111 | 143.00 | 144.00 | 1.00 | 0.122 | 2.9 | 267 | 180 | 69 | 30 |
| | | med grey, kspar alt > grn ser-chl alt<, at 146.0 original rock textures are now | G023112 | 144.00 | 146.00 | 2.00 | 0.044 | 2.2 | 206 | 102 | 35 | 27 |
| | | visible siltstone clasts. Sandy grained matrix, odd bleb of py, py content of core is | G023113 | 146.00 | 148.00 | 2.00 | 0.090 | 2.8 | 378 | 220 | 51 | 82 |
| | | sparse, bedding lamina at 60° to CA | G023114 | 148.00 | 150.00 | 2.00 | 0.023 | 1.0 | 166 | 144 | 15 | 12 |
| | | | | | | | | | | | | |
| | | EOH 150.0 | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 1 Finalized Date: 24- NOV- 2010 Account: BQL

CERTIFICATE TR10159283

Project: Bronson

P.O. No.: Yellow Security Tag Batch

This report is for 121 Drill Core samples submitted to our lab in Terrace, BC, Canada on 2- NOV- 2010.

The following have access to data associated with this certificate:

| DAVID JENSEN | DAVID YEAGER | JOHN ZBEETNOFF |
|--------------|--------------|----------------|
| | | |

| | SAMPLE PREPARATION | |
|----------|------------------------------------|--|
| ALS CODE | DESCRIPTION | |
| WEI- 21 | Received Sample Weight | |
| SPL- 34 | Pulp Splitting Charge | |
| LOG- 22 | Sample login - Rcd w/o BarCode | |
| BAG- 01 | Bulk Master for Storage | |
| CRU- 31 | Fine crushing - 70% < 2mm | |
| CRU- QC | Crushing QC Test | |
| PUL- QC | Pulverizing QC Test | |
| SPL- 21 | Split sample - riffle splitter | |
| PUL- 32m | Pulverize 500g - 85%<75um | |
| LOG-24 | Pulp Login - Rcd w/o Barcode | |
| LOG- 22d | Sample login - Rcd w/o BarCode dup | |
| SPL-21d | Split sample - duplicate | |
| PUL- 32d | Pulverize Split - Dup 85% < 75µm | |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|-----------|--------------------------------|------------|
| Au- AA24 | Au 50g FA AA finish | AAS |
| Au- GRA22 | Au 50 g FA- GRAV finish | WST- SIM |
| ME- MS61 | 48 element four acid ICP- MS | |
| ME- OG62 | Ore Grade Elements - Four Acid | ICP- AES |
| Zn- OG62 | Ore Grade Zn - Four Acid | VARIABLE |
| ME- ICP41 | 35 Element Aqua Regia ICP- AES | ICP- AES |
| ME- OG46 | Ore Grade Elements - AquaRegia | ICP- AES |
| Zn- OG46 | Ore Grade Zn - Aqua Regia | VARIABLE |

To: SKYLINE GOLD CORPORATION ATTN: DAVID YEAGER SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - A Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME- MS61 As ppm 0.2 | ME- MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME-MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME- MS61 Cr ppm 1 | ME- MS61 Cs ppm 0.05 |
|---|-----------------------------------|--|---|--------------------------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|-----------------------------|------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|
| C023006 C023007 C023008 G023009 G023010 | | 3.63 4.00 4.49 4.32 4.46 | 0.025 0.041 0.006 0.031 0.149 | | | | | | | | | | | | | |
| G023011 G023012 G023013 G023014 G023015 | | 5.53 4.35 4.86 4.32 4.92 | 0.578 0.239 0.092 0.079 0.097 | | | | | | | | | | | | | |
| G023016 G023017 G023018 G023019 G023020 | | 4.68 4.87 4.72 4.21 0.09 | 0.106 0.040 0.106 0.062 0.544 | | | | | | | | | | | | - | |
| G023021 G023022 G023023 G023024 G023025 | | 4.79 4.43 5.56 4.76 5.38 | 0.056 0.094 0.026 1.175 0.115 | | | | | | | | | | | | | |
| G023025- CRD G023026 G023026A G023027 G023028 | | <0.02 4.78 <0.02 4.72 5.36 | 0.122 0.050 0.050 0.348 0.208 | | 0.97 | 8.14 | 330 | 2200 | 1.02 | 0.44 | 3.14 | 0.35 | 32.2 | 9.6 | 62 | 1.87 |
| G023029 G023030 G023031 G023032 G023033 | | 4.11 4.45 4.71 4.35 4.63 | 0.183 0.087 0.065 0.253 0.024 | | | | | | | | | | | | | |
| G023034 G023035 G023036 G023037 G023038 | | 4.28 4.56 4.33 4.92 4.88 | 0.126 0.012 0.046 0.027 0.018 | | | | | | | ····· | | | | | | |
| G023039 G023040 G023041 G023042 G023043 | | 4.57 0.15 4.94 4.68 4.74 | 0.094 2.24 0.059 0.175 0.058 | 2.21 | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - B Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS6 ? Cu ppm 0.2 | ME- MS61 Fe % 0.01 | ME- MS61 Ga ppm 0.05 | ME- MS61 Ge ppm 0.05 | ME- MS61 Hf ppm 0.1 | ME- MS61 In ppm 0.005 | ME- MS61 K % 0.01 | ME- MS61 La ppm 0.5 | ME- MS61 Li ppm 0.2 | ME- MS61 Mg % 0.01 | ME- MS61 Mn ppm 5 | ME- MS61 Mo ppm 0.05 | ME- MS61 Na % 0.01 | ME- MS61 Nb ppm 0.1 | ME- MS61 Ni ppm 0.2 |
|---|-----------------------------------|-------------------------------|-----------------------------|-------------------------------|---------------------------------------|------------------------------|--------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|----------------------------|-------------------------------|-----------------------------|------------------------------|------------------------------|
| G023006 G023007 G023008 G023009 G023010 | | | | | | | | <u>.</u> | | | | | | | | |
| C023011 C023012 C023013 G023014 C023015 | | | | | | | | ** <u></u> | | <u></u> | | | | | | |
| G023016 G023017 G023018 G023019 G023020 | | | | | | | | | | | | | | <u></u> | | |
| G023021 G023022 G023023 G023024 G023025 | | | | | | | | | | | | | | | | |
| G023025- CRD G023026 G023026A G023027 G023028 | | 116.0 | 4.53 | 18.75 | 0.13 | 1.0 | 0.328 | 4.73 | 17.6 | 29.0 | 1.82 | 2300 | 1.96 | 0.38 | 7.8 | 41.1 |
| G023029 G023030 G023031 G023032 G023033 | | | | | · · · · · · · · · · · · · · · · · · · | | | | | | | | | | | |
| G023034 G023035 G023036 G023037 G023038 | | | | | | · | | | | | | | <u></u> | | | |
| G023039 G023040 G023041 G023042 G023043 | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - C Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| | | | | | | | | | C | ERTIFIC | CATE C | F ANA | LYSIS | TR10 1 | 59283 | ; |
|--|-----------------------------------|---------------------------|------------------------------|------------------------------|--------------------------------|----------------------------|-------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-------------------------------|-------------------------------|------------------------------|------------------------------|-------------------------------|
| Sample Description | Method Analyte Units LOR | ME-MS61 P ppm 10 | ME- MS61 Pb ppm 0.5 | ME- MS61 Rb ppm 0.1 | ME- MS61 Re ppm 0.002 | ME- MS61 S % 0.01 | ME- MS61 Sb ppm 0.05 | ME- MS61 Sc ppm 0.1 | ME- MS61 Se ppm 1 | ME- MS61 Sn ppm 0.2 | ME- MS61 Sr ppm 0.2 | ME- MS61 Ta ppm 0.05 | ME- MS61 Te ppm 0.05 | ME- MS61 Th ppm 0.2 | ME- MS61 Ti % 0.005 | ME- MS61 Tl ppm 0.02 |
| G023006 G023007 G023008 G023009 G023010 | | | | | | | | | | . <u></u> | | | | | | |
| G023011 G023012 G023013 G023014 G023015 | | | | | 2 224 | | | | | | | | | | | |
| G023016 G023017 G023018 G023019 G023020 | | | | | | | | | | | | | | | | |
| G023021 G023022 G023023 G023023 G023024 G023025 | | | | | | | | | | | | | | | | |
| G023025- CRD G023026 G023026A G023027 G023028 | | 1280 | 33.8 | 89.8 | 0.002 | 1.09 | 5.59 | 14.4 | 2 | 2.5 | 516 | 0.45 | 0.16 | 2.7 | 0.333 | 2.46 |
| G023029 G023030 G023031 G023032 G023033 | | | | | | | | | | | | | | | , | |
| G023034 G023035 G023036 G023037 G023038 | | | | | | | | | - | | | | | | | |
| C023039 C023040 G023041 G023042 G023043 | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - D Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | Zn- OG62 Zn % 0.001 | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME- ICP41 B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 |
|--|-----------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|----------------------------------|--------------------------------------|-------------------------------|--|---------------------------------|--|-----------------------------|--------------------------------------|
| G023006 G023007 G023008 G023009 G023010 | | | | | | | | | 0.8 1.0 0.3 0.9 1.9 | 2.44 3.11 2.79 2.67 2.52 | 56 85 52 42 34 | <10 <10 <10 <10 <10 | 160 150 360 350 160 | <0.5 <0.5 <0.5 <0.5 <0.5 | 4 3 3 3 5 | 3.23 2.86 3.91 3.41 2.48 |
| G023011 G023012 G023013 G023014 G023015 | | | | | | | | | 6.2 10.3 2.3 1.4 2.0 | 2.92 3.69 3.76 3.37 2.91 | 126 189 111 58 48 | <10 <10 <10 <10 <10 | 40 70 70 90 120 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 6 7 5 3 5 | 1.48 1.50 1.77 1.26 2.10 |
| G023016 G023017 G023018 G023019 G023020 | | | | | | | | | 4.5 3.8 4.7 1.5 2.9 | 2.03 1.62 1.52 1.27 1.39 | 54 313 871 104 74 | <10 <10 <10 <10 <10 | 150 120 110 110 60 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 8 4 3 3 <2 | 2.35 2.36 2.59 2.67 4.22 |
| G023021 G023022 G023023 G023024 G023025 | | | | | | | | | 3.9 5.6 0.8 3.7 1.4 | 2.27 2.11 1.14 1.63 1.62 | 53 98 47 97 46 | <10 <10 <10 <10 <10 | 180 160 100 110 140 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 2 3 2 3 3 | 2.13 2.46 2.43 1.68 2.42 |
| G023025- CRD G023026 G023026A G023027 G023028 | | 1.5 | 151 | 8.1 | 8.4 | 109 | 35.2 | | 1.6 1.1 1.7 1.5 | 1.62 1.28 1.60 2.30 | 46 426 96 70 | <10 <10 <10 <10 | 140 130 50 50 | <0.5 <0.5 <0.5 <0.5 | 3 4 4 | 2.45 3.02 2.12 1.86 |
| C023029 C023030 C023031 C023032 C023032 C023033 | | | | | | | | | 4.0 2.3 1.6 2.9 2.0 | 2.21 1.83 1.40 1.41 2.61 | 94 67 56 207 45 | <10 <10 <10 <10 <10 <10 | 130 170 130 50 240 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 3 2 2 4 3 | 2.18 2.50 2.90 2.97 2.79 |
| G023034 G023035 G023036 G023037 G023038 | | | | | | | | | 1.3 0.5 0.7 0.9 0.8 | 2.08 1.89 1.87 1.62 1.54 | 67 27 37 38 32 | <10 <10 <10 <10 <10 <10 | 190 150 180 160 140 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 2 3 2 2 2 | 3.64 2.91 3.09 3.15 2.40 |
| G023039 G023040 G023041 G023042 G023043 | | | | | | | | | 3.3 14.4 2.4 3.1 3.5 | 1.80 1.00 1.75 1.74 2.49 | 89 27 28 53 37 | <10 <10 <10 <10 <10 | 80 40 170 120 230 | <0.5 <0.5 <0.5 <0.5 <0.5 | 2 <2 3 3 2 | 1.56 0.31 2.05 1.68 1.34 |



ALS)

Minerals

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY **RICHMOND BC V6X 2W8**

Page: 2 - E Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 Cd ppm 0.5 | ME- ICP41 Co ppm 1 | ME- ICP41 Cr ppm 1 | ME- ICP41 Cu ppm 1 | ME- ICP41 Fe % 0.01 | ME- ICP41 Ga ppm 10 | ME- ICP41 Hg ppm 1 | ME- ICP41 K % 0.01 | ME- ICP41 La ppm 10 | ME- ICP41 Mg % 0.01 | ME- ICP41 Mn ppm 5 | ME- ICP41 Mo ppm 1 | ME- ICP41 Na % 0.01 | ME- ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 |
|--------------------------------|-----------------------------------|-------------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|-----------------------------|------------------------------|-----------------------------|----------------------------|
| G023006 G023007 G023008 | | <0.5 <0.5 | 12 15 | 124 151 | 101 157 | 4.39 5.56 | 10 10 | 1 | 1.96 2.44 | <10 <10 | 2.14 2.86 | 1520 1970 | 1 <1 | 0.03 0.03 | 118 141 | 1080 1090 |
| G023009 G023010 | | <0.5 <0.5 1.1 | 13 10 | 78 24 | 22 81 211 | 3.53 3.80 5.13 | 10 10 10 | 1 <1 <1 | 2.36 2.30 2.12 | <10 <10 | 2.98 2.44 2.14 | 1410 1355 | <1 <1 | 0.03 0.03 | 125 80 | 1190 1170 |
| G023011 G023012 | | 7.9 36.6 | 50 38 | 25 28 | 71 216 | 7.88 7.36 | 10 | 1 | 2.48 | <10 | 2.14 | 2990 | <1 | 0.02 | 25 | 1390 |
| G023013 G023014 C023015 | | <0.5 <0.5 | 17 13 | 36 48 | 306 226 | 7.68 6.96 | 10 10 | 1 <1 | 2.93 2.76 | <10 <10 <10 | 3.47 2.71 | 2390 2140 1735 | <1 <1 <1 | 0.02 0.02 0.03 | 17 27 24 | 1290 1420 1410 |
| G023016 G023017 | | <0.5 17.5 | 10 | 28 | 214 | 6.50 4.68 | 10 | <1 | 2.42 | <10 <10 | 2.20 | 1715 1840 | <1 | 0.03 | 24 | 1270 810 |
| G023018 G023019 | | 20.1 12.4 <0.5 | 16 8 | 30 39 37 | 213 280 219 | 4.37 5.03 3.94 | <10 <10 <10 | <1 <1 <1 | 1.28 1.21 1.03 | <10 <10 <10 | 1.10 1.21 1.18 | 1810 2180 2270 | <1 <1 <1 | 0.02 0.02 | 59 70 | 810 930 |
| G023020 G023021 | | 1.8 | 16 6 | 25 33 | 4780 266 | 5.20 5.33 | 10 10 | <1 | 0.22 | 10 | 1.27 | 746 | 37 | 0.02 | 19 | 960 1140 1110 |
| G023022 G023023 G023024 | | 23.0 <0.5 0.6 | 5 3 12 | 38 28 27 | 228 81 489 | 5.11 2.67 5.45 | 10 <10 | 1 <1 | 1.69 0.92 | <10 <10 | 1.97 1.20 | 2780 1840 | <1 <1 | 0.02 | 45 36 | 1010 900 |
| G023025 G023025- CRD | | <0.5 <0.5 | 19 18 | 24 | 169 | 4.34 | <10 | <1 | 1.30 | <10 <10 | 1.35 | 1550 1885 | 1 6 | 0.02 | 44 30 | 1020 1020 |
| G023026 G023026A G023027 | | <0.5 | 9 | 22 | 131 | 3.55 | <10 | <1 | 1.04 | <10 | 1.34 | 1910 2060 | 5 <1 | 0.01 0.02 | 29 37 | 1010 1170 |
| G023027 G023028 | | <0.5 | 158 67 | 24 34 | 273 218 | 9.87 8.62 | <10 10 | <1 1 | 1.27 1.88 | <10 <10 | 1.17 1.74 | 1850 1930 | 5 1 | 0.01 0.02 | 33 23 | 950 1160 |
| G023029 G023030 G023031 | | 5.5 1.7 <0.5 | 8 4 12 | 34 20 13 | 464 338 171 | 6.12 4.64 3.58 | 10 <10 | <1 <1 | 1.83 1.43 | <10 <10 | 1.63 1.29 | 2090 2060 | <1 <1 | 0.02 0.02 | 45 19 | 1020 840 |
| G023032 G023033 | | 2.1 18.2 | 27 7 | 16 40 | 301 226 | 8.21 4.55 | <10 <10 10 | <1 1 | 1.13 2.13 | <10 <10 10 | 0.90 1.99 | 2150 2340 2500 | <1 3 2 | 0.03 0.02 0.02 | 13 56 46 | 790 790 1140 |
| G023034 G023035 G023036 | | <0.5 0.5 | 6 4 7 | 32 40 | 202 56 | 4.66 2.74 | 10 <10 | <1 <1 | 1.73 1.60 | <10 <10 | 1.69 1.61 | 2140 1640 | 1 <1 | 0.03 | 64 44 | 1210 980 |
| G023037 G023038 | | <0.5 <0.5 <0.5 | 7 5 | 30 50 38 | 102 97 95 | 3.16 2.96 2.88 | 10 <10 <10 | <1 <1 <1 | 1.59 1.32 1.25 | <10 <10 <10 | 1.49 1.29 | 1685 1605 | <1 <1 | 0.03 0.04 | 53 50 | 1130 880 |
| G023039 G023040 | <u>.</u> | <0.5 57.3 | 17 10 | 33 43 | 476 5220 | 6.15 9.24 | 10 <10 | 1 2 | 1.53 | <10 | 1.53 | 1495 | <1 12 | 0.03 | 91 | 960 |
| G023041 G023042 G023043 | | 6.3 0.7 13.4 | 24 14 8 | 35 26 28 | 186 338 143 | 4.20 5.01 4.36 | <10 <10 10 | <1 <1 <1 | 1.44 1.45 2.06 | <10 <10 <10 | 1.22 1.51 | 2170 1995 | 4 | 0.02 0.01 0.02 | 20 16 43 | 690 1070 |
| | | | | | | | | | 2.00 | <u> </u> | 2.04 | 2120 | <1 | 0.02 | 40 | 1450 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - F Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| | Method Analyte Units | ME- ICP41 Pb ppm | ME- ICP41 S % | ME-ICP41 Sb ppm | ME-ICP41 Sc | ME- ICP41 Sr | ME-ICP41 Th | ME- ICP41 Ti | ME- ICP41 Tl | ME- ICP41 U | ME- ICP41 V | ME- ICP41 W | ME- ICP41 Zn | Zn- OG46 Zn | | |
|---------------------|----------------------------|------------------------|---------------------|-----------------------|----------------|-----------------|----------------|-----------------|-----------------|----------------|----------------|----------------|-----------------|----------------|---------|---|
| Sample Description | LOR | 2 | 0.01 | 2 | 1 | 1 | 20 | 0.01 | 10 | 10 | ppm 1 | ppm 10 | ppm 2 | % 0.001 | | |
| G023006 | | 44 | 1.92 | <2 | 4 | 257 | <20 | 0.21 | <10 | <10 | 57 | <10 | 108 | | | |
| G023007 | | 41 | 2.28 | 4 | 5 | 221 | <20 | 0.23 | <10 | <10 | 71 | <10 | 135 | | | |
| 6023008 | | 10 | 0.34 | <2 | 5 | 344 | <20 | 0.23 | <10 | <10 | 67 | <10 | 61 | | | |
| G023009 C022010 | | 17 | 1.05 | 3 | 5 | 343 | <20 | 0.21 | <10 | <10 | 71 | <10 | 65 | | | |
| G023010 | | 40 | 2.40 | 4 | 4 | 315 | <20 | 0.18 | <10 | <10 | 71 | <10 | 181 | | | |
| G023011 | | 614 | 5.03 | 4 | 4 | 152 | <20 | 0.22 | <10 | <10 | 65 | <10 | 1485 | | <u></u> | |
| 6023012 | | 1510 | 3.37 | 7 | 5 | 152 | <20 | 0.22 | <10 | <10 | 76 | 10 | 6190 | | | |
| G023013 C023014 | | 34 | 3.67 | 5 | 6 | 172 | <20 | 0.22 | <10 | <10 | 102 | <10 | 148 | | | |
| G023014 C022015 | | 18 | 2.96 | 5 | 6 | 122 | <20 | 0.22 | <10 | <10 | 96 | <10 | 87 | | | |
| 6023015 | | 32 | 2.98 | 4 | 5 | 206 | <20 | 0.22 | <10 | <10 | 81 | <10 | 81 | | | |
| G023016 C023017 | | 669 | 1.96 | 4 | 3 | 192 | <20 | 0.17 | <10 | <10 | 50 | 10 | 2790 | | | |
| C023018 | | 1060 | 2.19 | 8 | 2 | 265 | <20 | 0.15 | <10 | <10 | 35 | 10 | 3320 | | | |
| 6023018 | | 1000 | 2.41 | 8 | 3 | 235 | <20 | 0.15 | <10 | <10 | 45 | <10 | 2340 | | | |
| 6023020 | | 35 | 2.01 | 5 | 3 | 191 | <20 | 0.14 | <10 | <10 | 43 | <10 | 77 | | | |
| 6023020 | | | 2.20 | 13 | 8 | 147 | <20 | 0.01 | <10 | <10 | 85 | <10 | 175 | | | |
| C023021 | | 647 | 1.41 | 7 | 3 | 151 | <20 | 0.21 | <10 | <10 | 61 | <10 | 1930 | | | |
| C023022 | | 810 | 1.80 | 14 | 3 | 207 | <20 | 0.20 | <10 | <10 | 56 | 10 | 3880 | | | |
| 6023023 | | 31 | 0.55 | 3 | 2 | 242 | <20 | 0.12 | <10 | <10 | 33 | <10 | 95 | | | |
| 6023024 | | 20 | 3.41 | 5 | 3 | 126 | <20 | 0.17 | <10 | <10 | 45 | <10 | 98 | | | |
| C022025 CDD | | 10 | 2.02 | 3 | 3 | 185 | <20 | 0.16 | <10 | <10 | 49 | <10 | 86 | | | |
| G023025-CKD | | 18 | 1.98 | 4 | 3 | 186 | <20 | 0.16 | <10 | <10 | 49 | <10 | 87 | | | |
| G023026 C023026A | | 27 | 1.12 | 3 | 2 | 359 | <20 | 0.13 | <10 | <10 | 33 | <10 | 77 | | | |
| C023020A | | 25 | 0.4 | | - | | | | | | | | | | | |
| 6023028 | | 20 | 9.1 | 8 | 2 | 178 | <20 | 0.17 | <10 | <10 | 42 | <10 | 59 | | | |
| C023020 | | 13 | 0.0 | | 3 | 156 | <20 | 0.23 | <10 | <10 | 71 | <10 | 76 | | | |
| G023029 C022020 | | 287 | 3.19 | 5 | 3 | 163 | <20 | 0.23 | <10 | <10 | 57 | <10 | 1095 | | | |
| C023031 | | 101 | 2.11 | 6 | 2 | 179 | <20 | 0.17 | <10 | <10 | 43 | <10 | 358 | | | |
| C023037 | | 20 | 1.77 | 3 | 2 | 214 | <20 | 0.14 | <10 | <10 | 38 | <10 | 68 | | | |
| C023033 | | 200 | 0.0 | 3 | 2 | 259 | <20 | 0.14 | <10 | <10 | 33 | <10 | 429 | | | |
| 6023033 | | 200 | 0.94 | 3 | 4 | 226 | <20 | 0.23 | <10 | <10 | 63 | 10 | 3080 | | | |
| G023034 C023035 | | 27 | 2.24 | 4 | 4 | 309 | <20 | 0.19 | <10 | <10 | 74 | <10 | 63 | ······· | | |
| C023035 | 1 | 23 | 0.34 | <2 | 3 | 227 | <20 | 0.18 | <10 | <10 | 45 | <10 | 134 | | | |
| C023037 | | 9 | 0.59 | <2 | 4 | 236 | <20 | 0.20 | <10 | <10 | 60 | <10 | 54 | | | |
| C023038 | | 10 | 0.72 | 2 | 3 | 252 | <20 | 0.17 | <10 | <10 | 49 | <10 | 50 | | | |
| 6023038 | | 10 | 0.59 | 2 | 3 | 206 | <20 | 0.15 | <10 | <10 | 42 | <10 | 78 | | | |
| G023039 C022040 | | 63 | 4.27 | 7 | 3 | 151 | <20 | 0.18 | <10 | <10 | 46 | <10 | 154 | | | |
| C022040 | | 247 | >10.0 | <2 | 2 | 8 | <20 | 0.02 | <10 | <10 | 16 | <10 | >10000 | 1.265 | | |
| 0023041 | | 199 | 1.81 | 4 | 2 | 187 | <20 | 0.15 | <10 | <10 | 36 | <10 | 1075 | | | |
| C022042 | | 94 | 2.91 | 4 | 2 | 177 | <20 | 0.16 | <10 | <10 | 40 | <10 | 252 | | | ļ |
| UV23V43 | | 527 | 0.62 | 2 | 3 | 150 | <20 | 0.21 | <10 | <10 | 49 | <10 | 2390 | | | |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - A Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME-MS61 As ppm 0.2 | ME- MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME- MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME- MS61 Cr ppm 1 | ME- MS61 Cs ppm 0.05 |
|---|-----------------------------------|--|---|--------------------------------|-------------------------------|-----------------------------|-----------------------------|-----------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|
| G023044 G023045 G023045- CRD G023046 G023046A | | 2.62 2.70 <0.02 3.02 <0.02 | 0.026 0.066 0.073 0.516 0.297 | | 6.51 | 8.10 | 3330 | 750 | 0.82 | 1.42 | 4.05 | 69.8 | 61.5 | 7.5 | 4 | 3.48 |
| C023047 C023048 C023049 C023050 C023051 | | 2.36 2.47 2.61 2.30 2.53 | 0.200 0.256 0.146 0.210 1.050 | | | | | | | | | | 01.0 | | | 0.40 |
| G023052 G023053 G023054 G023055 G023056 | | 2.54 3.99 2.54 2.60 2.55 | 0.057 0.122 0.056 0.177 1.055 | | | | | | | | | | | | | |
| G023058 G023059 G023060 G023061 | | 2.80 2.17 2.85 1.01 2.57 | 0.049 0.050 0.074 <0.005 6.36 | 5.88 | | | | | | | | | | | | |
| G023062 G023063 G023064 G023065 G023065- CRD | | 2.20 2.56 2.71 2.23 <0.02 | 0.261 0.332 0.265 0.315 0.313 | | | | | | | | | | | | | |
| G023066 G023066A G023067 G023068 G023069 | | 2.54 <0.02 2.82 1.76 2.92 | 0.076 0.099 0.379 0.948 3.16 | 2.96 | 5.47 | 9.74 | 77.0 | 2230 | 1.03 | 0.84 | 2.29 | 15.90 | 37.0 | 5.0 | 24 | 2.64 |
| G023071 G023070 G023072 G023073 G023074 | | 0.97 0.14 2.39 2.43 2.60 | <0.005 2.08 0.589 0.860 2.63 | 2.13 2.14 | | | | | | | | | | | | |
| G023075 G023076 G023077 G023078 G023079 | | 2.79 2.33 2.24 2.24 3.21 | >10.0 0.253 0.505 0.225 0.332 | 18.60 | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - B Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME-MS61 Cu ppm 0.2 | ME- MS61 Fe % 0.01 | ME- MS61 Ca ppm 0.05 | ME- MS61 Ge ppm 0.05 | ME- MS61 Hf ppm 0.1 | ME- MS61 In ppm 0.005 | ME- MS61 K % 0.01 | ME- MS61 La ppm 0.5 | ME- MS61 Li ppm 0.2 | ME- MS61 Mg % 0.01 | ME- MS61 Mn ppm 5 | ME- MS61 Mo ppm 0.05 | ME- MS61 Na % 0.01 | ME- MS61 Nb ppm 0.1 | ME-MS61 Ni ppm 0.2 | |
|--|-----------------------------------|-----------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|--------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|----------------------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|--|
| G023044 G023045 G023045-CRD G023046 G023046A | | 284 | 8.69 | 19.45 | 0.15 | 1.9 | 3.07 | 4.17 | 34.8 | 26.3 | 3.19 | 5240 | 4 23 | 0.10 | 14.3 | 7 7 | |
| G023047 G023048 G023049 G023050 G023051 | | | | | | | | | | | | | | | | | |
| G023052 G023053 G023054 G023055 G023056 | | | | | | | | | | | | | | | | | |
| C023057 G023058 G023059 G023060 C023061 | | | | | | | | | | | | | | | | | |
| C023062 G023063 G023064 G023065 G023065- CRD | | | | | | | | | | | | | <u> </u> | | | | |
| C023066 G023066A G023067 G023068 G023069 | | 115.5 | 6.45 | 23.7 | 0.14 | 1.1 | 0.473 | 5.17 | 21.3 | 40.0 | 2.20 | 3600 | 0,94 | 0.18 | 21.9 | 8.3 | |
| C023071 G023070 G023072 G023073 G023074 | | | | | | | | | | | | | | | | | |
| G023075 G023076 G023077 G023078 G023079 | | | | | | | | | | | <u></u> | | | - <u></u> | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - C Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME-MS61 P ppm 10 | ME- MS61 Pb ppm 0.5 | ME- MS61 Rb ppm 0.1 | ME- MS61 Re ppm 0.002 | ME- MS61 S % 0.01 | ME- MS61 Sb ppm 0.05 | ME- MS61 Sc ppm 0.1 | ME- MS61 Se ppm 1 | ME- MS61 Sn ppm 0.2 | ME- MS61 Sr ppm 0.2 | ME- MS61 Ta ppm 0.05 | ME- MS61 Te ppm 0.05 | ME- MS61 Th ppm 0.2 | ME- MS61 Ti % 0.005 | ME- MS61 Tl ppm 0.02 |
|---|-----------------------------------|---------------------------|------------------------------|------------------------------|--------------------------------|----------------------------|-------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-------------------------------|-------------------------------|------------------------------|------------------------------|-------------------------------|
| G023044 G023045 G023045- CRD G023046 G023046A | | 1430 | 888 | 138.5 | <0.002 | 2.13 | 21.5 | 10.2 | 3 | 3.1 | 619 | 0.77 | 0.60 | 4.2 | 0.346 | 2.59 |
| G023047 G023048 G023049 G023050 G023051 | | | | | | | | | | | | | | | 0.040 | 2.09 |
| G023052 G023053 G023054 G023055 G023056 | | | | | | | | | | | | | | | | |
| G023057 G023058 G023059 G023060 G023061 | | | | | | | | | | | | | | | | |
| G023062 G023063 G023064 G023065 G023065- CRD | | | | | | | | | | | | | | | | |
| G023066 G023066A G023067 G023068 G023069 | | 1050 | 922 | 105.0 | 0.002 | 1.11 | 6.99 | 14.8 | 2 | 2.9 | 227 | 1.25 | 0.42 | 2.6 | 0.432 | 3.04 |
| G023071 G023070 G023072 G023073 G023074 | | | | | | | | | | | | | | | | |
| G023075 G023076 G023077 G023078 G023079 | | | | | | | | | | | | | | | <u></u> | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - D Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 U ppm 0.1 | ME-MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | Zn- OG62 Zn % 0.001 | ME- ICP4 I Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME- ICP41 B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 |
|---|-----------------------------------|-----------------------------|--------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|-------------------------------------|--------------------------------------|----------------------------------|---|---------------------------------|--|------------------------------|---------------------------------------|
| G023044 G023045 G023045- CRD G023046 G023046A | | 2.3 | 164 | 6.3 | 10.7 | >10000 | 76.9 | 1.255 | 2.8 3.9 3.8 7.4 | 1.48 1.82 1.88 2.58 | 40 43 42 3980 | <10 <10 <10 <10 <10 | 160 110 110 100 | <0.5 <0.5 <0.5 <0.5 | 3 3 4 5 | 3.24 3.41 3.50 4.19 |
| G023047 G023048 G023049 G023050 G023051 | | | | | | | | | 6.9 8.0 10.0 11.1 8.4 | 3.98 4.82 5.50 4.33 4.56 | 1970 110 130 5 160 | <10 <10 <10 <10 <10 <10 | 120 150 160 210 190 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 4 5 5 4 5 | 1.68 0.87 0.73 0.87 0.97 |
| G023052 G023053 G023054 G023055 G023056 | | | | | | | | | 6.8 3.2 4.5 11.6 16.0 | 3.84 1.53 2.72 1.96 2.62 | 130 49 109 147 1000 | <10 <10 <10 <10 <10 | 210 180 200 100 80 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 2 2 4 3 4 | 0.93 1.98 2.33 3.16 1.92 |
| G023057 G023058 G023059 G023060 G023061 | | | | | | | | | 7.3 7.3 4.3 0.7 28.1 | 3.00 2.93 2.66 0.05 1.39 | 250 20 29 <2 293 | <10 <10 <10 <10 <10 | 230 290 330 10 20 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 3 4 3 2 11 | 0.95 0.98 1.20 >25.0 1.13 |
| G023062 G023063 G023064 G023065 G023065- CRD | | | | | | | | | 11.7 20.7 17.9 4.0 3.9 | 1.98 2.02 2.55 2.02 1.93 | 63 2990 1340 250 241 | <10 <10 <10 <10 <10 <10 | 110 140 150 60 70 | <0.5 <0.5 <0.5 <0.5 <0.5 | 6 4 6 5 7 | 1.88 1.86 2.58 2.92 2.85 |
| C023066 C023066A C023067 C023068 G023069 | | 1.8 | 187 | 10.2 | 5.9 | 2800 | 37.9 | | 5.5 18.3 48.3 96.5 | 2.14 3.89 4.10 1.50 | 105 2600 >10000 >10000 | <10 <10 <10 <10 <10 | 230 60 50 20 | <0.5 <0.5 <0.5 <0.5 | 5 6 12 26 | 2.83 2.23 3.50 0.84 |
| C023071 C023070 G023072 C023073 G023074 | | | | | | | | | 1.1 13.7 15.9 21.8 11.9 | 0.04 0.87 3.63 1.95 1.36 | 45 28 207 305 124 | <10 <10 <10 <10 <10 <10 <10 | 10 30 30 20 30 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 20 3 <2 5 4 3 | >25.0 0.32 0.76 0.88 2.00 |
| G023075 G023076 G023077 G023078 G023079 | | | | | | | | | 9.8 3.1 1.4 2.7 15.8 | 2.22 2.99 3.49 2.99 2.24 | 109 35 15 33 78 | <10 <10 <10 <10 <10 | 30 200 210 160 90 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 5 6 4 5 4 | 1.56 4.26 4.62 3.81 2.41 |



Т

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - E Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Samula Description | Method Analyte Units | ME- ICP41 Cd ppm | ME- ICP41 Co ppm | ME-ICP41 Cr ppm | ME-ICP41 Cu ppm | ME- ICP41 Fe % | ME-ICP41 Ga | ME- ICP41 Hg | ME- ICP41 K % | ME- JCP41 La | ME- ICP41 Mg % | ME- ICP41 Mn | ME- ICP41 Mo | ME- ICP41 Na | ME- JCP41 Ni | ME- ICP41 P |
|--------------------|----------------------------|------------------------|------------------------|-----------------------|-----------------------|----------------------|----------------|-----------------|---------------------|-----------------|----------------------|-----------------|-----------------|-----------------|-----------------|----------------|
| Sample Description | LOR | 0.5 | 1 | 1 | 1 | 0.01 | 10 | 1 | 0.01 | 10 | 0.01 | рріп 5 | ppm 1 | % 0.01 | ppm 1 | ppm 10 |
| G023044 | | 2.8 | 11 | 16 | 169 | 3.77 | <10 | <1 | 1.18 | <10 | 1.90 | 3790 | <1 | 0.02 | 50 | 1550 |
| | | 101.5 | 10 | 14 | 240 | 5.79 | <10 | 1 | 1.41 | <10 | 2.34 | 4370 | <1 | 0.01 | 29 | 1100 |
| G023045-CKD | | 99.9 | 11 | 15 | 245 | 5.94 | <10 | <1 | 1.45 | <10 | 2.41 | 4480 | <1 | 0.02 | 30 | 1130 |
| G023046A | | 63.3 | ю | 2 | 306 | 7.77 | 10 | 1 | 1.41 | <10 | 2.98 | 5270 | 2 | 0.02 | 5 | 1350 |
| G023047 | | 33.2 | 5 | 2 | 177 | 7 74 | 10 | <1 | 1 32 | 10 | 2.02 | 4400 | | | | |
| G023048 | | 37.6 | 5 | 12 | 223 | 8.92 | 10 | 1 | 1.52 | 10 | 3.03 | 4120 | <1 | 0.02 | <1 | 1610 |
| G023049 | | 44.4 | 4 | 14 | 343 | 10.25 | 10 | 1 | 1.50 | 10 | 3.82 | 3410 | <1 | 0.01 | 3 | 1680 |
| G023050 | | 35.7 | 3 | 9 | 509 | 8.16 | 10 | <1 | 1.98 | 10 | 3.02 | 3070 | <1 | 0.02 | 5 | 1640 |
| G023051 | | 20.3 | 6 | 12 | 580 | 9.47 | 10 | 1 | 1.93 | 10 | 3.26 | 3070 | <1 | 0.02 | 4 8 | 1290 |
| G023052 | | 15.3 | 3 | 10 | 550 | 8.10 | 10 | 1 | 1.94 | 10 | 2.83 | 2700 | <1 | 0.02 | 6 | 1180 |
| C023054 | | <0.5 | 2 | 5 | 216 | 3.44 | <10 | <1 | 1.16 | 10 | 1.33 | 2490 | <1 | 0.04 | 4 | 1110 |
| C023055 | | 7.5 | 3 | 10 | 234 | 5.58 | 10 | <1 | 2.04 | <10 | 2.45 | 3400 | <1 | 0.03 | 11 | 1650 |
| G023056 | | 9.0 | 12 | 0 | 574 | 6.96 | <10 | <1 | 1.46 | <10 | 1.98 | 4030 | <1 | 0.02 | 9 | 1370 |
| C023057 | | 12.2 | | 0 | 1155 | 7.89 | 10 | 1 | 1.52 | <10 | 2.07 | 3980 | <1 | 0.01 | 7 | 1010 |
| G023058 | | 13.3 | 2 | 10 | 252 | 5.89 | 10 | <1 | 1.80 | <10 | 2.06 | 3020 | <1 | 0.03 | 3 | 880 |
| G023059 | | 3.7 | 5 | 10 | 200 | 4.82 | 10 | 1 | 2.29 | <10 | 2.01 | 1765 | <1 | 0.02 | 3 | 1010 |
| G023060 | ľ | <0.5 | 1 | <1 | 230 | 4.73 | 10 | 1 | 2.17 | <10 | 1.96 | 2170 | <1 | 0.02 | 5 | 1080 |
| G023061 | | 2.5 | 93 | 8 | 1260 | 17.4 | <10 | <1 | 1.09 | <10 | 1.23 | 26 1580 | <1 | 0.02 | <1 | 30 |
| G023062 | | 30.8 | 13 | 15 | 356 | 6.85 | <10 | <1 | 1 58 | <10 | 1.54 | 2200 | | 0.02 | | 680 |
| G023063 | | 56.1 | 20 | 39 | 754 | 8.47 | <10 | 1 | 1.45 | <10 | 1.54 | 3230 | <1 | 0.02 | 9 | 1070 |
| G023064 | | 131.0 | 4 | 16 | 968 | 6.62 | 10 | 1 | 1.28 | <10 | 2 47 | 4480 | <1 | 0.01 | e II | 930 |
| G023065 | | <0.5 | 15 | 33 | 360 | 8.23 | 10 | 1 | 1.35 | <10 | 1.98 | 4300 | 1 | 0.01 | 12 | 1110 |
| G023065- CRD | | 0.5 | 15 | 32 | 359 | 8.22 | 10 | <1 | 1.28 | <10 | 1.91 | 4140 | 1 | 0.01 | 12 | 1060 |
| G023066 | | 13.4 | 4 | 14 | 120 | 4.70 | 10 | <1 | 1.72 | <10 | 1.69 | 3330 | <1 | 0.01 | 5 | 920 |
| G023067 | | 86.2 | 27 | 20 | 744 | 10.10 | | | | | | | | | | |
| G023068 | | 168 5 | 19 | 32 | 144 | 13.40 | 10 | 1 | 1.71 | <10 | 3.29 | 4740 | <1 | 0.02 | 13 | 740 |
| G023069 | | 638 | 137 | 20 | 1100 | 18.5 | 10 | 2 | 1.53 | <10 | 2.73 | 2970 | <1 | 0.02 | 19 | 730 |
| G023071 | | 12 | 1 | | | 23.7 | <10 | 3 | 0.26 | <10 | 1.18 | 2600 | <1 | 0.02 | 36 | 170 |
| G023070 | | 52.5 | 9 | 38 | 4820 | 0.10 | <10 | <1 | 0.01 | <10 | 1.24 | 29 | <1 | 0.01 | <1 | 40 |
| G023072 | | 4.6 | 14 | 54 | 4620 | 0.40 | 10 | 1 | 0.08 | <10 | 0.85 | 304 | 10 | 0.01 | 18 | 90 |
| G023073 | | 1.9 | 26 | 16 | 1765 | 15.2 | 10 | -1 | 2.30 | <10 | 2.27 | 2100 | <1 | 0.01 | 17 | 1200 |
| G023074 | | 4.2 | 68 | 20 | 681 | 14.8 | <10 | <1 | 0.98 | <10 | 1.14 | 1560 3040 | <1 <1 | 0.01 | 18 | 820 |
| G023075 | | 17.3 | 149 | 39 | 151 | 17.0 | 10 | 1 | 0.95 | 10 | 1.81 | 2270 | | 0.01 | 14 | 000 |
| G023076 | | 1.1 | 6 | 62 | 135 | 6.89 | 10 | <1 | 1.41 | 10 | 3.06 | 3950 | <1 | 0.01 | 15 7 | 840 |
| 6023077 | | <0.5 | 4 | 82 | 97 | 6.25 | 10 | <1 | 1.36 | 10 | 3.18 | 2820 | <1 | 0.02 | , G | 1120 |
| 6023078 | | <0.5 | 10 | 70 | 196 | 7.05 | 10 | <1 | 1.26 | 10 | 2.63 | 3290 | <1 | 0.03 | | 1210 |
| 0023079 | | 17.0 | 8 | 35 | 371 | 7.11 | 10 | 1 | 1.39 | 10 | 1.74 | 2590 | <1 | 0.02 | 17 | 1370 |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - F Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units | ME- ICP41 Pb ppm | ME- ICP41 S % | ME- ICP41 Sb ppm | ME- ICP41 Sc ppm | ME- ICP41 Sr ppm | ME- ICP41 Th ppm | ME- ICP41 Ti % | ME- ICP41 TI ppm | ME- ICP41 U ppm | ME-ICP41 V ppm | ME- ICP41 W | ME- ICP41 Zn | Zn- OG46 Zn % | |
|--------------------|----------------------------|------------------------|---------------------|---|------------------------|------------------------|------------------------|----------------------|------------------------|-----------------------|----------------------|----------------|-----------------|---------------------|--|
| | LOR | 2 | 0.01 | 2 | 1 | 1 | 20 | 0.01 | 10 | 10 | 1 | 10 | 2 | 0.001 | |
| G023044 G023045 | | 287 | 0.41 | <2 | 2 | 416 | <20 | 0.16 | <10 | <10 | 31 | <10 | 585 | | |
| G023045-CRD | | 394 | 1.60 | 4 | 2 | 460 | <20 | 0.14 | <10 | <10 | 35 | <10 | >10000 | 1.720 | |
| G023046 | | 851 | 2.08 | 18 | 2 | 471 | <20 | 0.15 | <10 | <10 | 36 | <10 | >10000 | 1.645 | |
| G023046A | | | 2.00 | 10 | 2 | 579 | ~ 20 | 0.17 | <10 | <10 | 55 | <10 | >10000 | 1.250 | |
| G023047 | | 989 | 0.81 | 13 | 3 | 176 | <20 | 0.17 | <10 | <10 | 76 | 10 | 5970 | | |
| G023048 | | 912 | 0.99 | 9 | 5 | 81 | <20 | 0.21 | <10 | <10 | 102 | 10 | 6580 | | |
| G023049 | | 995 | 1.23 | 9 | 6 | 66 | <20 | 0.22 | <10 | <10 | 116 | 10 | 7310 | | |
| G023050 C023051 | | 834 | 1.23 | 6 | 4 | 80 | <20 | 0.26 | <10 | <10 | 96 | 10 | 5870 | | |
| G023051 | | 585 | 1.82 | 7 | 4 | 88 | <20 | 0.26 | <10 | <10 | 88 | 10 | 3500 | | |
| G023052 C023052 | | 435 | 1.77 | 5 | 4 | 81 | <20 | 0.26 | <10 | <10 | 99 | <10 | 2770 | | |
| G023055 G023054 | | 00 211 | 1.07 | 4 | 2 | 201 | <20 | 0.15 | <10 | <10 | 50 | <10 | 170 | | |
| G023055 | | 294 | 1.45 | 5 7 | 5 | 134 | <20 | 0.27 | <10 | <10 | 94 | <10 | 1445 | | |
| G023056 | | 509 | 3 93 | 11 | 3 | 177 | <20 | 0.18 | <10 | <10 | 75 | <10 | 1535 | | |
| C022057 | | 500 | | | 2 | 139 | <20 | 0.19 | <10 | <10 | 53 | <10 | >10000 | 1.130 | |
| G023057 G023058 | | 303 | 1.15 | 7 | 3 | 71 | <20 | 0.22 | <10 | <10 | 66 | <10 | 2490 | | |
| G023059 | | 73 | 0.39 | 2 | 3 | /5 | <20 | 0.26 | <10 | <10 | 65 | <10 | 2610 | | |
| G023060 | | <2 | <0.49 | ~ | -1 | / Z 5200 | <20 | 0.26 | <10 | <10 | 62 | <10 | 819 | | |
| G023061 | | 305 | >10.0 | 8 | 2 | 07 | 20 | <0.01 | <10 | <10 | <1 | <10 | 10 | | |
| 6023062 | | 1135 | 2.56 | | | | ~20 | 0.14 | <10 | <10 | 28 | <10 | 541 | | |
| G023063 | | 2890 | 3.56 | 8 | 3 | 132 | <20 | 0.21 | <10 | <10 | 50 | 10 | 5270 | | |
| G023064 | | 1320 | 2 23 | 20 | 2 | 123 | <20 | 0.18 | <10 | <10 | 45 | 20 | >10000 | 1.115 | |
| G023065 | | 171 | 5.6 | 3 | 5 | 194 | <20 | 0.16 | <10 | <10 | 55 | <10 | >10000 | 2.11 | |
| G023065- CRD | i | 173 | 5.25 | 5 | 5 | 185 | <20 | 0.18 | <10 | <10 | 80 | <10 | 251 | | |
| G023066 | | 881 | 1.03 | 5 | 3 | 1/18 | <20 | 0.17 | <10 | -10 | | <10 | 223 | | |
| G023066A | | | | 0 | 0 | 140 | ~20 | 0.21 | <10 | <10 | 53 | 10 | 2460 | | |
| G023067 | | 2950 | 8.0 | 23 | 6 | 216 | <20 | 0.20 | <10 | <10 | 89 | 10 | >10000 | 4 700 | |
| G023068 | | 8140 | 6.8 | 93 | 6 | 67 | <20 | 0.22 | <10 | <10 | 87 | 10 | >10000 | 1.730 | |
| G023069 | | 6580 | >10.0 | 148 | 3 | 87 | <20 | 0.04 | <10 | <10 | 34 | 20 | >10000 | 10.55 | |
| G023071 | | 32 | <0.01 | <2 | <1 | 5340 | 20 | <0.01 | <10 | <10 | <1 | <10 | 242 | | |
| G023070 | | 225 | 9.9 | 2 | 2 | 13 | <20 | 0.02 | <10 | <10 | 14 | <10 | >10000 | 1 495 | |
| G023072 | | 238 | 7.4 | 7 | 8 | 60 | <20 | 0.31 | <10 | <10 | 118 | <10 | 988 | 1.400 | |
| G023073 | | 258 | >10.0 | 9 | 4 | 80 | <20 | 0.19 | <10 | <10 | 61 | <10 | 490 | | |
| 6023074 | | 286 | >10.0 | 3 | 3 | 200 | <20 | 0.12 | <10 | <10 | 47 | <10 | 862 | | |
| C023075 | | 721 | >10.0 | 4 | 6 | 163 | <20 | 0.13 | <10 | <10 | 90 | 10 | 2750 | | |
| C023070 | | 138 | 2.03 | 2 | 10 | 371 | <20 | 0.20 | <10 | <10 | 137 | <10 | 327 | | |
| C023078 | | 22 | 0.95 | <2 | 14 | 338 | <20 | 0.20 | <10 | <10 | 167 | <10 | 111 | | |
| G023079 | 1 | 1990 | 2.41 17 | 3 | 12 | 290 | <20 | 0.19 | <10 | <10 | 152 | <10 | 185 | | |
| | | 1000 | 4.17 | 14 | 0 | 207 | <20 | 0.18 | <10 | <10 | 64 | <10 | 3100 | | |



G023112

G023113

G023114

G024953

ALS Canada Ltd.

WEI- 21

Recvd Wt.

Method

Au- AA24

Au

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

ME- MS61

ME- MS61

ME- MS61

ME- MS61

Au- GRA22

Au

To: SKYLINE GOLD CORPORATION **SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8**

ME- MS61

CERTIFICATE OF ANALYSIS

ME- MS61

ME- MS61

ME- MS61

Page: 4 - A Total # Pages: $\overline{5}$ (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BOL

ME- MS61

ME- MS61

TR10159283

ME- MS61

Project: Bronson

ME- MS61

| Sample Description | Analyte Units LOR | Recvd Wt. kg 0.02 | Au ppm 0.005 | Au ppm 0.05 | Ag ppm 0.01 | AI % 0.01 | As ppm 0.2 | Ba ppm 10 | Be ppm 0.05 | Bi ppm 0.01 | Ca % 0.01 | Cd ppm 0.02 | Ce ppm 0.01 | Co ppm 0.1 | Cr ppm | Cs ppm 0.05 |
|---|-------------------------|--|---|-------------------|-------------------|-----------------|------------------|-----------------|-------------------|-------------------|-----------------|-------------------|-------------------|------------------|-----------|-------------------|
| G023080 G023081 G023082 G023083 G023084 | | 0.08 2.32 2.64 2.71 2.81 | 0.527 1.100 0.272 3.82 2.11 | 3.78 2.23 | | | | | | | | | | | | |
| G023085 G023085- CRD G023086 G023086A G023086A G023087 | | 2.08 <0.02 2.46 <0.02 3.52 | 2.87 2.16 0.084 0.041 0.037 | 2.05 1.92 | 0.82 | 8.49 | 546 | 710 | 0.79 | 0.27 | 0.93 | 4.16 | 24.7 | 7.1 | 11 | 1.43 |
| G023088 G023089 G023090 G023091 G023092 | | 5.53 2.64 4.93 5.22 4.87 | 0.098 0.032 0.052 0.027 0.024 | | | | | | | | | | | | | |
| G023093 G023094 G023095 G023096 G023097 | | 3.95 5.37 4.96 4.52 2.79 | 0.088 0.035 0.058 0.286 0.650 | | | | | | | | | | | | | |
| G023098 G023099 G023100 G023101 G023102 | | 2.58 2.39 0.15 2.41 2.46 | 0.175 0.354 2.22 0.161 0.234 | 2.15 | | | | | | | <u></u> . | | | | | |
| G023103 G023104 G023105 G023105- CRD G023106 | | 2.17 2.97 2.57 <0.02 2.65 | 1.065 0.205 0.114 0.129 0.044 | | | | | | | | | | | | | <u> </u> |
| G023106A G023107 G023108 G023109 G023110 | | <0.02 2.87 2.54 2.35 3.04 | 0.050 0.047 0.863 0.743 1.345 | <u> </u> | 3.67 | 9.25 | 5.7 | 2000 | 1.00 | 0.81 | 2.42 | 2.00 | 47.0 | 6.2 | 27 | 2.70 |
| G023111 | | 2.79 | 0.122 | | | | | | | | | | | | | |

5.01

5.01

4.41

5.10

0.044

0.090

0.023

0.322



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - B Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 Cu ppm 0.2 | ME- MS61 Fe % 0.01 | ME- MS61 Ga ppm 0.05 | ME- MS61 Ge ppm 0.05 | ME- MS61 Hf ppm 0.1 | ME- MS61 In ppm 0.005 | ME- MS61 K % 0.01 | ME- MS61 La ppm 0.5 | ME-MS61 Li ppm 0.2 | ME- MS61 Mg % 0.01 | ME- MS61 Mn ppm 5 | ME- MS61 Mo ppm 0.05 | ME- MS61 Na % 0.01 | ME- MS61 Nb ppm 0.1 | ME- MS61 Ni ppm 0.2 |
|---|-----------------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|--------------------------------|----------------------------|------------------------------|---|-----------------------------|----------------------------|-------------------------------|-----------------------------|------------------------------|------------------------------|
| G023080 G023081 G023082 G023083 G023084 | | | | | | | | | | <u>, , , , , , , , , , , , , , , , , , , </u> | | | | | | |
| G023085 G023085- CRD G023086 G023086A G023086A G023087 | | 41.7 | 10.75 | 23.7 | 0.15 | 1.3 | 0.540 | 3.38 | 12.6 | 29.5 | 3.66 | 4680 | 0.89 | 0.10 | 28.3 | 7.5 |
| G023088 G023089 G023090 G023091 G023092 | | | | | | | | | | | | | | | | |
| G023093 G023094 G023095 G023096 G023097 | | | | | | | | | | | | | | | | |
| G023098 G023099 G023100 G023101 G023102 | | | | | | | | | | <u></u> | | | | | | |
| G023103 G023104 G023105 G023105- CRD G023106 | | | | | | | | | | | | | | | | |
| C023106A C023107 G023108 G023109 G023110 | | 509 | 8.14 | 24.6 | 0.18 | 1.1 | 0.402 | 4.95 | 25.2 | 30.1 | 2.63 | 3150 | 1.14 | 0.51 | 29.2 | 11.5 |
| G023111 G023112 G023113 G023114 G024953 | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

CERTIFICATE OF ANALYSIS

Page: 4 - C Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

TR10159283

Project: Bronson

ME- MS61 ME- MS61 ME- MS61 ME- MS61 Method ME- MS61 Ρ Pb Rb Analyte Re S Sb Sc Se Sn Sr Та Te Τh Ti Tİ Units ppm ppm ppm ppm % ppm ppm Sample Description ppm ppm ppm ppm % ppm ppm ppm LOR 10 0.5 0.1 0.002 0.01 0.05 0.1 1 0.2 0.2 0.05 0.05 0.2 0.005 0.02 G023080 G023081 G023082 G023083 G023084 G023085 G023085- CRD G023086 G023086A 1200 108.5 49.7 0.002 0.69 5.29 9.3 1 2.6 124.0 1.64 0.11 2.0 0.522 2.57 G023087 G023088 G023089 G023090 G023091 G023092 G023093 G023094 G023095 G023096 G023097 G023098 G023099 G023100 G023101 G023102 G023103 G023104 G023105 G023105- CRD G023106 G023106A 117.5 1470 82.4 < 0.002 0.92 4.32 15.7 2 3.1 328 1.59 0.28 2.8 0.609 3.50 G023107 G023108 G023109 G023110 G023111 G023112 G023113 G023114 G024953



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - D Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | Zn- OG62 Zn % 0.001 | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME- ICP41 B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 |
|---|-----------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|----------------------------------|--------------------------------------|---------------------------------|--|---------------------------------|--|-----------------------------|--------------------------------------|
| G023080 G023081 G023082 G023083 G023084 | | | | | | | | , | 2.8 12.3 8.4 4.8 3.3 | 1.38 4.15 6.08 5.00 5.44 | 70 279 152 1855 618 | <10 <10 <10 <10 <10 | 70 70 50 40 60 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <2 5 5 8 7 | 4.32 1.69 1.00 0.92 0.75 |
| G023085 G023085- CRD G023086 G023086A G023087 | | 1.8 | 189 | 6.3 | 5.8 | 1160 | 43.8 | | 7.5 7.4 0.2 2.6 | 4.54 4.30 5.15 4.00 | 559 559 631 1075 | <10 <10 <10 <10 | 60 60 90 | <0.5 <0.5 <0.5 | 5 7 5 | 1.15 1.10 0.89 |
| G023088 G023089 G023090 G023091 G023092 | | | | | | | | | 1.9 1.1 1.7 1.4 4.2 | 2.81 1.89 2.15 1.37 1.83 | 694 63 93 53 30 | <10 <10 <10 <10 <10 | 130 140 210 150 210 | <0.5 0.6 <0.5 <0.5 <0.5 <0.5 | 3 2 3 3 2 | 1.92 2.98 2.21 2.35 2.12 |
| G023093 G023094 G023095 G023096 G023097 | | | | | | | | | 0.7 1.4 2.3 6.1 5.5 | 1.70 1.84 1.52 1.72 1.46 | 16 35 58 63 147 | <10 <10 <10 <10 <10 <10 | 340 290 240 190 90 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 2 3 3 2 5 | 3.50 3.70 2.46 1.25 1.33 |
| G023098 G023099 G023100 G023101 G023102 | | | | | | | | | 6.7 8.0 13.7 4.7 9.5 | 2.36 2.21 0.94 2.76 3.07 | 62 135 28 1400 4010 | <10 <10 <10 <10 <10 | 70 40 40 300 230 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 4 6 3 6 | 1.11 1.09 0.30 1.77 |
| G023103 G023104 G023105 G023105- CRD G023106 | | | | | | | | | 6.1 27.6 4.7 4.6 3.7 | 2.97 4.73 1.50 1.47 3.14 | 832 2830 47 45 9 | <10 <10 <10 <10 <10 <10 | 340 90 80 80 380 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 4 4 5 3 3 | 1.74 2.16 2.58 2.57 2.49 |
| G023106A G023107 G023108 G023109 G023110 | | 1.4 | 228 | 6.2 | 8.2 | 632 | 40.4 | | 3.7 33.0 34.9 20.9 | 3.81 2.09 2.24 2.66 | 5 42 149 530 | <10 <10 <10 <10 | 260 150 40 60 | <0.5 <0.5 <0.5 <0.5 <0.5 | 3 14 13 26 | 1.66 3.02 2.14 2.68 |
| G023111 G023112 G023113 G023114 G024953 | | | | | | | | | 2.9 2.2 2.8 1.0 1.0 | 2.35 1.64 2.65 2.14 2.73 | 30 27 82 12 37 | <10 <10 <10 <10 <10 | 150 250 80 260 160 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 5 2 4 <2 3 | 1.89 2.95 1.23 2.02 2.93 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - E Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 Cd ppm 0.5 | ME- ICP41 Co ppm 1 | ME- ICP41 Cr ppm 1 | ME- ICP41 Cu ppm 1 | ME- ICP41 Fe % 0.01 | ME-ICP41 Ga ppm 10 | ME- ICP41 Hg ppm 1 | ME- ICP41 K % 0.01 | ME- ICP41 La ppm 10 | ME- ICP41 Mg % 0.01 | ME- ICP41 Mn ppm 5 | ME- ICP41 Mo ppm 1 | ME- ICP41 Na % 0.01 | ME- ICP41 Ni ppm 1 | ME- ICP41 P ppm 10 |
|---|-----------------------------------|--|-----------------------------|-----------------------------|----------------------------------|---------------------------------------|----------------------------------|----------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|--------------------------------------|----------------------------------|--|-----------------------------|--------------------------------------|
| G023080 G023081 G023082 G023083 G023084 | | 1.9 45.2 12.7 12.6 14.4 | 18 14 12 205 95 | 25 54 82 71 35 | 4810 966 753 394 53 | 5.30 11.65 15.2 23.8 19.0 | 10 10 20 20 20 | <1 2 <1 1 1 | 0.22 0.63 0.54 0.57 0.86 | 10 <10 <10 <10 10 | 1.28 3.15 4.42 3.52 3.75 | 760 3620 4190 3700 3610 | 40 <1 <1 <1 <1 | 0.08 0.01 0.01 0.01 0.01 | 16 16 15 20 | 1140 1180 1170 940 |
| G023085 G023085- CRD G023086 G023086A G023086A G023087 | | 41.8 40.3 3.6 6.8 | 193 197 6 3 | 4 4 8 11 | 127 110 41 26 | 18.4 17.9 9.31 6.99 | 10 10 10 10 | 1 1 1 | 1.18 1.11 1.16 0.91 | <10 <10 <10 <10 | 3.21 3.08 3.57 2.92 | 3850 3690 3890 | <1 <1 <1 | 0.01 0.01 0.01 0.01 | 11 11 3 | 960 890 1080 |
| C023088 C023089 C023090 C023091 C023092 | | 4.9 <0.5 1.9 <0.5 9.6 | 3 13 11 5 9 | 12 25 19 18 16 | 101 120 86 114 330 | 6.09 5.81 5.03 3.66 4.75 | 10 10 10 10 10 10 | <1 <1 <1 <1 <1 <1 | 1.04 0.60 1.57 0.89 1.34 | <10 20 <10 10 <10 | 2.25 1.74 1.89 1.45 1.63 | 3650 2110 2570 2820 2530 | <1 <1 <1 <1 <1 <1 | 0.02 0.14 0.03 0.04 0.03 | 9 19 9 8 7 | 990 990 2410 1100 1110 |
| C023093 C023094 C023095 C023096 G023097 | | <0.5 <0.5 <0.5 0.6 6.1 | 4 5 6 13 38 | 31 34 19 9 4 | 57 157 164 485 184 | 3.72 4.91 4.00 4.20 5.06 | <10 10 <10 10 <10 | <1 <1 <1 <1 <1 <1 | 1.34 1.45 1.24 1.39 1.18 | 10 <10 <10 <10 <10 <10 | 1.81 1.68 1.39 1.21 1.02 | 1765 2770 2920 1925 1940 | <1 <1 <1 2 <1 | 0.04 0.04 0.02 0.03 0.03 | , 12 13 9 3 | 1130 1230 1040 710 810 |
| C023098 C023099 C023100 C023101 C023102 | | 22.6 23.0 55.5 14.3 29.3 | 23 67 10 5 9 | 7 6 41 17 12 | 181 161 4840 251 361 | 6.37 9.43 8.99 5.77 7.24 | 10 10 <10 10 10 | <1 <1 1 <1 <1 <1 | 1.91 1.78 0.10 2.30 2.55 | <10 <10 <10 <10 10 | 1.55 1.45 0.95 1.98 2.16 | 1955 1985 332 2950 3040 | 1 1 12 <1 <1 | 0.02 0.02 0.02 0.02 0.02 0.02 | 3 3 19 5 10 | 720 760 100 1120 1370 |
| G023103 G023104 G023105 G023105- CRD G023106 | | 24.6 146.0 0.7 0.6 1.8 | 5 23 14 13 5 | 13 35 6 7 16 | 205 456 568 574 501 | 6.55 12.30 6.93 7.01 6.97 | 10 10 <10 <10 10 | <1 1 <1 <1 <1 | 2.46 3.77 1.19 1.16 2.65 | 10 <10 <10 <10 10 | 2.00 3.07 1.32 1.31 2.31 | 2270 3800 3470 3480 2990 | <1 <1 <1 <1 <1 <1 | 0.02 0.01 0.02 0.02 0.02 0.02 | 9 10 17 17 17 | 1400 990 1330 1350 1430 |
| G023106A G023107 G023108 G023109 G023110 | | 2.6 6.6 39.1 0.9 | 9 15 75 72 | 13 4 9 9 | 572 2790 2000 1490 | 8.99 7.06 12.50 17.5 | 10 10 10 10 | 1 <1 <1 <1 | 3.17 0.91 1.75 1.45 | <10 <10 <10 <10 | 2.52 1.91 1.86 2.43 | 2020 2850 2190 2750 | <1 <1 <1 <1 | 0.02 0.02 0.01 0.02 | 5 7 12 32 | 1180 1170 1040 950 |
| G023111 G023112 G023113 G023114 G024953 | | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 11 4 13 5 12 | 17 11 15 5 35 | 267 206 378 166 104 | 6.96 4.30 8.09 4.40 5.90 | 10 10 10 10 10 | <1 <1 <1 <1 <1 | 1.91 1.30 2.12 1.72 1.30 | <10 10 <10 10 <10 | 2.02 1.39 1.81 1.62 2.83 | 2260 2080 1945 2060 1450 | <1 <1 <1 <1 <1 1 | 0.04 0.04 0.04 0.04 0.04 0.01 | 10 9 9 3 32 | 1230 1300 1110 1420 1300 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - F Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| | Method Analyte Units | ME-ICP41 Pb ppm | ME- ICP41 S % | ME- ICP41 Sb ppm | ME- ICP41 Sc | ME- ICP41 Sr | ME- ICP41 Th | ME- ICP41 Ti % | ME- ICP41 TI | ME- ICP41 U | ME- ICP41 V | ME- ICP41 W | ME- ICP41 Zn | Zn- OG46 Zn | |
|--------------------|----------------------------|-----------------------|---------------------|------------------------|-----------------|-----------------|-----------------|----------------------|-----------------|----------------|----------------|----------------|-----------------|----------------|------|
| Sample Description | LOR | 2 | 0.01 | 2 | 1 | 1 | 20 | 0.01 | 10 | 10 | ppm 1 | 10 | ppm 2 | % 0.001 | |
| G023080 G023081 | | 32 657 | 2.26 | 12 | 8 | 147 | <20 | 0.01 | <10 | <10 | 87 | <10 | 188 | | |
| G023082 | | 249 | 5.0 | 10 | 10 | 220 | <20 | 0.09 | <10 | <10 | 101 | 10 | 6140 | | |
| G023083 | | 357 | >10.0 | | 10 | 80 77 | <20 | 0.10 | <10 | <10 | 181 | 10 | 2420 | | |
| G023084 | | 536 | >10.0 | 6 | 5 | 61 | <20 | 0.09 | <10 | <10 | 161 | 10 | 2560 | | |
| C023085 | | 1105 | > 10.0 | | | 01 | ~20 | 0.13 | <10 | <10 | 120 | <10 | 2770 | | |
| G023085-CPD | | 1000 | >10.0 | 10 | 3 | 101 | <20 | 0.14 | <10 | <10 | 53 | 10 | 7400 | | |
| G023085-CKD | | 1090 | >10.0 | 10 | 2 | 96 | <20 | 0.13 | <10 | <10 | 50 | 10 | 7140 | | |
| G023086A | | 02 | 0.07 | 3 | 4 | 75 | <20 | 0.15 | <10 | <10 | 86 | <10 | 1010 | | |
| G023087 | | 447 | 0.28 | 6 | 3 | 137 | <20 | 0.12 | <10 | <10 | 57 | <10 | 1405 | | |
| G023088 | | 155 | 0.80 | 3 | 2 | 176 | <20 | 0.13 | <10 | <10 | 40 | <10 | | | |
| G023089 | ľ | 43 | 1.36 | <2 | 5 | 314 | <20 | 0.39 | <10 | <10 | 49 | <10 | 913 | | |
| G023090 | | 101 | 1.23 | <2 | 3 | 232 | <20 | 0.00 | <10 | <10 | 54 62 | <10 | 122 | | |
| G023091 | | 42 | 0.83 | <2 | 3 | 221 | <20 | 0.12 | <10 | <10 | 48 | <10 | 105 | | |
| G023092 | | 363 | 1.00 | <2 | 2 | 268 | <20 | 0.16 | <10 | <10 | 40 | <10 | 1515 | | |
| G023093 | | 14 | 0.32 | <2 | 4 | 343 | <20 | 0.19 | <10 | <10 | 62 | <10 | 79 | | |
| G023094 | | 30 | 1.22 | <2 | 5 | 345 | <20 | 0.20 | <10 | <10 | 70 | <10 | 99 | | |
| G023095 | | 43 | 1.31 | <2 | 3 | 270 | <20 | 0.16 | <10 | <10 | 40 | <10 | 107 | | |
| G023096 | | 74 | 1.71 | 3 | 1 | 121 | <20 | 0.15 | <10 | <10 | 34 | <10 | 163 | | |
| 0023097 | | 249 | 3.27 | 2 | 1 | 128 | <20 | 0.13 | <10 | <10 | 31 | <10 | 881 | | |
| G023098 | | 945 | 3.17 | 3 | 1 | 105 | <20 | 0.20 | <10 | <10 | 45 | <10 | 3660 | | |
| G023099 | | 1000 | 7.4 | 4 | 1 | 101 | <20 | 0.20 | <10 | <10 | 42 | <10 | 3780 | | |
| 6023100 | | 236 | 9.8 | <2 | 2 | 7 | <20 | 0.02 | <10 | <10 | 15 | <10 | >10000 | 1.320 | |
| 6023101 | | 685 | 1.10 | 4 | 4 | 174 | <20 | 0.29 | <10 | <10 | 77 | <10 | 2680 | | |
| 6023102 | | 1635 | 1.58 | 11 | 4 | 196 | <20 | 0.30 | <10 | <10 | 85 | <10 | 4860 | | |
| G023103 | | 1035 | 1.10 | 7 | 5 | 205 | <20 | 0.31 | <10 | <10 | 81 | <10 | 3870 | | |
| C023105 | | 291 | 3.49 | 23 | 7 | 211 | <20 | 0.35 | <10 | <10 | 119 | <10 | >10000 | 2.57 | |
| G023105- CRD | | 201 | 3.37 | <2 | 3 | 259 | <20 | 0.16 | <10 | <10 | 46 | <10 | 279 | | |
| G023106 | | 101 | 0.40 | ~2 | 3 | 257 | <20 | 0.16 | <10 | <10 | 45 | <10 | 234 | | |
| C022106A | | | 0.50 | ~2 | 4 | 257 | <20 | 0.34 | <10 | <10 | 86 | <10 | 574 | | |
| G023100A | | 00 | 1 50 | -0 | | 100 | | | | | | | | | |
| G023108 | | 90 | 1.52 | <2 | 4 | 169 | <20 | 0.35 | <10 | <10 | 77 | <10 | 738 | | |
| G023109 | | 2300 | 2.01 | 10 | 3 | 353 | <20 | 0.11 | <10 | <10 | 50 | <10 | 1020 | | Í |
| G023110 | | 607 | 9.2 | 10 | 3 | 263 | <20 | 0.22 | <10 | <10 | 57 | <10 | 6170 | | |
| C022111 | | | >10.0 | ~2 | 4 | 323 | <20 | 0.20 | <10 | <10 | 94 | <10 | 307 | | |
| C023112 | | 69 | 1.99 | <2 | 5 | 211 | <20 | 0.27 | <10 | <10 | 96 | <10 | 180 | | |
| 6023112 | | 30 | 1.04 | <2 | 3 | 278 | <20 | 0.18 | <10 | <10 | 62 | <10 | 102 | | |
| C023114 | | 51 15 | 3.29 | <2 | 4 | 112 | <20 | 0.30 | <10 | <10 | 84 | <10 | 220 | | |
| 6023114 | | 10 | 0.59 | <2 | 2 | 199 | <20 | 0.25 | <10 | <10 | 70 | <10 | 144 | | |
| 0027300 | | 12 | 2.30 | <2 | 4 | 246 | <20 | 0.13 | <10 | <10 | 57 | <10 | 160 | | |


2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 5 - A Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| | | | | | | | | CERTIFICATE OF ANA | | | | | LYSIS | TR10 | 59283 | |
|--------------------|-----------------------------------|------------------------------------|--------------------------------|--------------------------------|-------------------------------|-----------------------------|------------------------------|----------------------------|-------------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|
| Sample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME- MS61 As ppm 0.2 | ME-MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME-MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME- MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME- MS61 Cr ppm 1 | ME- MS61 Cs ppm 0.05 |
| G024954 | | 2.63 | 0.072 | | | | | | | 0.01 | 0.01 | 0.02 | 0.01 | 0.1 | 1 | 0.05 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 5 - B Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 Cu ppm 0.2 | ME- MS61 Fe % 0.01 | ME- MS61 Ga ppm 0.05 | ME- MS61 Ge ppm 0.05 | ME- MS61 Hf ppm 0.1 | ME- MS61 In ppm 0.005 | ME- MS61 K % 0.01 | ME- MS61 La ppm 0.5 | ME-MS61 Li ppm 0.2 | ME- MS61 Mg % 0.01 | ME- MS61 Mn ppm 5 | ME- MS61 Mo ppm 0.05 | ME- MS61 Na % 0.01 | ME-MS61 Nb ppm 0.1 | ME-MS61 Ni ppm 0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|--------------------------------|----------------------------|------------------------------|-----------------------------|-----------------------------|----------------------------|-------------------------------|-----------------------------|-----------------------------|-----------------------------|
| G024954 | | | | | | | | | | | | | | | - Marka | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 5 - C Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME-MS61 P ppm 10 | ME- MS61 Pb ppm 0.5 | ME- MS61 Rb ppm 0.1 | ME- MS61 Re ppm 0.002 | ME- MS61 S % 0.01 | ME- MS61 Sb ppm 0.05 | ME- MS61 Sc ppm 0.1 | ME-MS61 Se ppm 1 | ME-MS61 Sn ppm 0.2 | ME- MS61 Sr ppm 0.2 | ME- MS61 Ta ppm 0.05 | ME- MS61 Te ppm 0.05 | ME- MS61 Th ppm 0.2 | ME- MS61 Ti % 0.005 | ME- MS61 TI ppm 0.02 |
|--------------------|-----------------------------------|---------------------------|------------------------------|------------------------------|--------------------------------|----------------------------|-------------------------------|------------------------------|---------------------------|-----------------------------|------------------------------|-------------------------------|-------------------------------|------------------------------|------------------------------|-------------------------------|
| G024954 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 5 - D Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| | | | | | | _ | | | C | CERTIFIC | CATE C | F ANA | LYSIS | TR10 | 159283 | |
|--------------------|-----------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|-------------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-------------------------------|-----------------------------|------------------------------|
| Sample Description | Method Analyte Units LOR | ME- MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | Zn- OG62 Zn % 0.001 | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME- ICP41 B ppm 10 | ME-ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 |
| G024954 | | | | | | | | | 3.4 | 0.91 | 293 | <10 | 90 | <0.5 | 5 | 1.47 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 5 - E Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 Cd ppm 0.5 | ME- ICP41 Co ppm 1 | ME- ICP41 Cr ppm 1 | ME- ICP41 Cu ppm 1 | ME- ICP41 Fe % 0.01 | ME-ICP41 Ga ppm 10 | ME- ICP41 Hg ppm 1 | ME- ICP41 K % 0.01 | ME- ICP41 La ppm 10 | ME- ICP41 Mg % 0.01 | ME- ICP41 Mn ppm 5 | ME- ICP41 Mo ppm 1 | ME- ICP41 Na % 0.01 | ME- ICP41 Ni ppm 1 | ME- ICP41 P ppm 10 |
|--------------------|-----------------------------------|-------------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|-----------------------------|------------------------------|-----------------------------|-----------------------------|
| G024954 | | 37.8 | 9 | 8 | 234 | 5.52 | 10 | <1 | 0.62 | 10 | 0.62 | 1585 | <1 | 0.02 | 35 | 870 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 5 - F Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 Pb ppm 2 | ME- ICP41 5 % 0.01 | ME- ICP41 Sb ppm 2 | ME- ICP41 Sc ppm 1 | ME- ICP41 Sr ppm 1 | ME- ICP41 Th ppm 20 | ME- ICP41 Ti % 0.01 | ME- ICP41 TI ppm 10 | ME- ICP41 U ppm 10 | ME- ICP41 V ppm 1 | ME- ICP41 W ppm 10 | ME- ICP41 Zn ppm 2 | Zn- OG46 Zn % 0.001 | |
|--------------------|-----------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|-----------------------------|------------------------------|------|
| G024954 | | 199 | 4.30 | 5 | 1 | 64 | <20 | 0.05 | <10 | <10 | 14 | <10 | 5180 | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | Ì |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |



Т

ALS Canada Ltd. 2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: Appendix 1 Total # Appendix Pages: 1 Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Method | CERTIFICATE COMMENTS |
|----------|--|
| ME- MS61 | REE's may not be totally soluble in this method. |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



ALS Canada Ltd. 2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 1 Finalized Date: 20- DEC- 2010 Account: BQL

CERTIFICATE TR10171070

Project: Bronson

P.O. No.: Yellow Security Tag Batch

This report is for 4 Other samples submitted to our lab in Terrace, BC, Canada on 18- NOV- 2010.

The following have access to data associated with this certificate:

| DAVID JENSEN | DAVID YEAGER | JOHN ZBEETNOFF |
|--------------|--------------|----------------|
| | | |

| | SAMPLE PREPARATION | |
|----------|--------------------------------|--|
| ALS CODE | DESCRIPTION | |
| LOG- 22 | Sample login - Rcd w/o BarCode | |
| BAG- 01 | Bulk Master for Storage | |
| WEI- 25 | Wt. of Crushed Reject | |
| SPL- 21 | Split sample - riffle splitter | |
| FND- 03 | Find Reject for Addn Analysis | |
| PUL- 32 | Pulverize 1000g to 85% < 75 um | |
| SCR- 21 | Screen to - 100 um | |

| | ANALYTICAL PROCEDURE | ES |
|-----------|---------------------------------|------------|
| ALS CODE | DESCRIPTION | INSTRUMENT |
| Au- SCR24 | Au Screen FA Double Minus - 50g | WST- SIM |
| Au- AA26 | Ore Grade Au 50g FA AA finish | AAS |
| Au- AA26D | Ore Grade Au 50g FA AA Dup | AAS |

To: SKYLINE GOLD CORPORATION ATTN: DAVID YEAGER SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - A Total # Pages: 2 (A) Finalized Date: 20- DEC- 2010 Account: BQL

Project: Bronson

| г — | | T | | | | | | | CI | ERTIFIC | ATE OF ANALYSIS | TR10171070 | |
|-------------------------------|-----------------------------------|--------------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|------------------------------------|--------------------------------|-------------------------------|--------------------------------|------------------------------------|-----------------|------------|--|
| Sample Description | Method Analyte Units LOR | Au- SCR24 Au Total ppm 0.05 | Au- SCR24 Au (+) F ppm 0.05 | Au- SCR24 Au (-) F ppm 0.05 | Au- SCR24 Au (+) m mg 0.001 | Au- SCR24 WT. + Fr g 0.01 | Au- SCR24 WT Fr g 0.1 | Au- AA26 Au ppm 0.01 | Au- AA26D Au ppm 0.01 | WEI- 25 Reject W kg 0.001 | | | |
| G023061 G023075 G023083 | | 6.18 27.4 3.67 | 25.5 91.6 12.90 | 5.82 24.9 3.16 | 0.415 3.047 0.568 | 16.30 33.26 43.96 | 859.4 861.8 796.2 | 5.64 25.3 3.26 | 5.99 24.5 3.06 | 0.876 0.895 0.840 | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

Comments: **CORRECTED COPY FOR WEI- 25 ON ALL SAMPLES**



Summary of Drill Hole SK-10-18

| | | | | From(m) | To (m) | Unit | Description | 1 | |
|----------------------------|------------------------|---------------------|--------------------------------------|---------------------|--------|--------------|--|-----------|-------|
| 5 | KYLINE | | | 0.0 | 2.3 | | overburden | | |
| GOL | D CORPORATION | | D DRILL HOLE LOG | 23 | 19.2 | GrW-Arg/Sst | drk gry argillaceous layering is > than siltstone layering, argillite layers are at times massive, pyritic, calcareous, with a mild pinkish bue of kspar | | |
| HOLE: | SK10-18 | | Drilling Ltd. | 2.0 | 13.2 | Give-Aig/03t | alteration with grn sericite, the unit contains the | | |
| COLLAR CO | ORDINATES UTM (NAD 83) | : DATE | | | | | | <u></u> ! | |
| Easting: | 373755.0 | STARTED: | 24-Oct-10 | | | | orgillite eiltetene levering with an intermity of | 13.9 | I. |
| Northing: | 6280832.1 | COMPLETED: | 25-Oct-10 | 19.2 | 44.9 | GrW-Ara-Cal | siltstone clasts poorly sorted. Clasts are sub-to- |)0 to | i _ |
| | | | D. Hansin murri | | | | rounded $< 20\%$ of the volume of rock unit | 97. | rom |
| COLLAR COL | JRDINATES MINE GRID: | LOGGED BY: | B. Hemingway | | | | | 10 Z | 6.70 |
| Northing: | : 11/60.2 | SAMPLEINTE | RVALS: B.H./A. Burgert | | | | | Zone | ð |
| Easting: | 27568.1 | GEOTECH BY: | N/A | 44.9 | 66.0 | GrW-Sst/Arg | siltstone layering > W/ < siltstone clasts, contact arbitrary and obscure | ° of ≀ | 158 |
| | | SAMPLED BY: | D. Quock | | | | | Nea | .60 |
| COLLAR ELE | VATION (M-ASL): | | | | 70.0 | | gradational contact; > argillaceous layering with | κs | |
| | 568.6 | CORE SIZE: | NQ | 66.0 | 79.3 | Grvv-Arg/Sst | overprint of normalies w/< substone layering with an | ohal | |
| FINAL DEPT | H· 177 0 | RIG | SRS 3000 Hydraulic | | | | angular arg fragments in med gry siltstone matrix | arite | i |
| | | | | | | | with overprint of hornfels, up hole contact is at first | Mir | i i |
| SURVEYS: | | | | 79.3 | 93.4 | GrW-Sst-Cg | arg frag, down hole contact is gradational with | hera | |
| Depth | Azimuth | Inclination | Method | | | | alternating siltstone-argillite w/ silts being the | liza | |
| 0 | 210.0 | -59.5 | compass, clinometer | | | | dominant layer | tion | i |
| 24 | 212.5 | -59.1 | Reflex | | | | 95.0 Fracture Zone W/Slickenslides | | • |
| 99 | 216.6 | -59.4 | Reflex | 93.4 | 109.4 | GrW-Arg/Sst | gradational contact; > arg layering with < silt layers, | | |
| 147 | 222.2 | -58.4 | Reflex | | | | overprint of homstels as above Arg/Sst unit | | |
| 177 | 227.5 | -57.3 | Reflex | | | | siltstone layering with siltstone clasts rarely argillitic | | one |
| | | | | 109.4 | 120.0 | GrW-Sst-Cgl | clasts. Clasts < 20% rock volume siltstone clasts | | 악도 |
| Abbreviations Lithology | Alte | ation | | | | | up to 25 cm wide rounded some sub rounded | | yrite |
| GrW | Greywacke Arg | Argillit | ic or clay alteration | | | | arbitrary contact taken at first siltstone layering at | | M |
| Slt | Siltstone Bio | Biotite | (potassic) | 120.0 | 132.7 | GrW-Sst/Ara | 120.0m. Siltstone component > argillite component. | | hera |
| Minerals | Clasts Kspa | r Feldsp Phyllic | or sericitic | | | | Hornfels of arg overprint w/ silica alt of siltstone | | lliza |
| AsPy | Arsenopyrite Ser | Sericit | e | | | | | | tion |
| Са | Calcite alt | alterat | ion | 122.7 | 140.7 | | gradational top contact with layering to the interval | | |
| Gal | Galena STD | dards 15 CDN-C | GS-15 | 132.7 | 140.7 | GIW-Alg-Cgi | sorted. | | |
| Py | Pyrite STD | 20A CDN-0 | GS-20A | | | | contact is a slumping feature to 155.80 the intenal | | |
| Pyr | Pyrrhotite STD | 2 CDN-N | /IE-2 | 4.40 7 | 177.0 | | is contorted, with some siltstone clasts, crude | | |
| Qtz Sphal or sph | Quartz Othe | r Abbreviations | l. | 140.7 | 177.0 | Grvv-Arg/Sst | argillaceous bedding planes, siltstone layering | | |
| Barren | Barren of sulphides CA | To the | core axis | and fan gan gan gan | | | disorganized. | | |
| | Py/q | z Ca qtz/Py Center | of vein (mineral) order of alization | | | | 154.30 to 156.0 and 159.0 to 160.1 Fault Zones Matrix alteration is intense w/ extreme potassic and | | |
| | | | | | | | the general hornfelsing has obscure most rock textures | | |

Page: 2 of 9 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|------|---|---------|-------|-------|--------|-------|------|------|-------|------|------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| 0.0 | 2.3 | Over burden, casing depth, rusty fr to 7.70 | | | | | | | | | | |
| 2.3 | 19.2 | GrW-Arg/Sst drk gry argillaceous layering is > than siltstone layering, argillite layers | G023233 | 2.30 | 4.00 | 1.70 | 0.028 | 0.6 | 117 | 117 | 15 | 84 |
| | | are at times massive, pyritic, calcareous, with a mild pinkish hue of kspar alteration | | | | | | | | | | |
| | | with grn sericite, some layers have brn biotite alteration but are generally minor to | | | | | | | | | | |
| | | the grn sericite. interstitial py is variable | | | | | | | | | | |
| | | the unit contains the occasional lithic clasts of siltstone, the clasts matrix is at times | | | | | | | | | | |
| | | siliceous more often than not but when in the calcareous section of the Greywacke unit, the clasts are more calcitic. | | | | | | | | | | |
| | | at 2.90 massive Arg to 8.40 with occasional siltaceous bedding, interstitial py is | | | | | | | | | | |
| | | usual and easily noticeable. | G023234 | 4.00 | 5.00 | 1.00 | 0.019 | 0.3 | 62 | 82 | 12 | 53 |
| | | at 5.50 bedding at 70° at 6.30 py clusters in matrix. Microfr filled with calcite. | G023235 | 5.00 | 6.00 | 1.00 | 0.033 | 0.4 | 98 | 87 | 11 | 45 |
| | | at 6.70 blebs of py in a band 4.0cm wide w/ calcite. At 6.80 massive py irregular. | G023236 | 6.00 | 7.30 | 1.30 | 0.703 | 3.3 | 376 | 126 | 55 | 252 |
| | | From 6.70 to 7.00 py est 40% | G023237 | 7.30 | 8.50 | 1.20 | 0.468 | 4.4 | 828 | 169 | 37 | 176 |
| | | at 6.90 to 8.50 grn ser-chl alt., zone moderate intensity w/kspar | G023238 | 8.50 | 11.00 | 2.50 | 0.031 | 0.6 | 93 | 115 | 10 | 22 |
| | | at 8.05 to 8.50 a fracture starts off then slowly thinkens to 2.0cm wide filled w/ py | | | | | | | | | | |
| | | blebs/calcite | | | | | | | | | | |
| | | from 9.0 to 13.0 slump zone where crude bedding layers are mixed with calcareous | | | | | | | | | | |
| | | clasts, bedding is irregular | | | | | | | | | | |
| | | at 11.50 an open 5.0cm wide qtz vein at 50° contains grn-ser-chl wallrock extremely | G023239 | 11.00 | 12.00 | 1.00 | 0.196 | 1.7 | 148 | 103 | 32 | 76 |
| | | altered to clay with py. The vein has hornfels aureole 4.0cm from the vein into | G023240 | STD 2 | STD 2 | STD 2 | 2.130 | 14.7 | 5010 | 13300 | 231 | 25 |
| | | wallrock. | | | | | | | | | | |
| | | at 12.40 to 13.0 irregular and variable wide py veins in core | | | | | | | | | | |
| | | from 12.40 > grn ser alt and <kspar alt="" content="" in="" matrix,="" py="">matrix has a more</kspar> | G023241 | 12.00 | 13.00 | 1.00 | 0.221 | 4.7 | 411 | 159 | 89 | 116 |
| | | siliceous component. At 13.55 a 2.0cm wide band of py/ca/sph at 20° to CA. At | G023242 | 13.00 | 14.00 | 1.00 | 0.301 | 8.1 | 66 | 2480 | 874 | 61 |
| | | 13.90 a 3.0mm wide ca/py/sph veinlet at 20° shows a tapered width. | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | at 14.65 a 4.0cm wide variable, sinuous channel of py/ca/sph to 15.15. | G023243 | 14.00 | 15.00 | 1.00 | 0.340 | 9.7 | 197 | 7450 | 1130 | 1930 |
| | | from 15.25 to 15.45 irregular blebs veins clusters of py w/ca | | | | | | | | | | |
| | | at 16.60 a 4.0+ cm wide channel of py/ca/sph at // to CA until 16.80 est py ~60% | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | from 15.90 to `16.30 a wavy sinuous channel ofp/ca/sph. Sph encloses py. | G023244 | 15.00 | 16.00 | 1.00 | 0.286 | 9.1 | 186 | 3780 | 887 | 210 |
| | | at 16.60 a 4.0+ cm wide channel of py/ca/sph at // to CA until 16.80 est py ~60% | G023245 | 16.00 | 17.50 | 1.50 | 2.940 | 70.8 | 618 | 22900 | 7730 | 946 |
| | | from 16.90 to 17.15 same as above | | | | | | | | | | |
| | | at 17.20 a 1.0cm wide sinuous channel of py/ca to 17.40 | G023246 | 17.50 | 18.50 | 1.00 | 0.073 | 2.1 | 158 | 347 | 80 | 48 |
| | | matrix is slightly grn ser altered kspar dominant | G023247 | 18.50 | 20.00 | 1.50 | 0.182 | 4.3 | 180 | 566 | 179 | 50 |
| 19.2 | 44.9 | GrW-Arg-Cgl contact gradational | | | | | | | | | | |

Page: 3 of 9 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|------|---|---------|-------|-------|--------|-------|-----|-----|------|-----|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | at 19.40 a slump feature followed by sub rounded siltstone clasts to 21.0 | G023248 | 20.00 | 22.00 | 2.00 | 0.061 | 2.1 | 183 | 51 | 21 | 53 |
| | | then soft ductile siltsone clasts oblong shaped | G023249 | 20.00 | 22.00 | DUP | 0.050 | 1.6 | 143 | 49 | 18 | 49 |
| | | at 22.70 layering at 50° followed by a 6.0cm wide band of siltstone clasts ~1.0cm | G023250 | 22.00 | 23.50 | 1.50 | 0.091 | 1.6 | 111 | 52 | 19 | 58 |
| | | | G023251 | 23.50 | 24.50 | 1.00 | 0.231 | 5.2 | 206 | 1205 | 284 | 86 |
| | | at 23.65 a 18cm wide band of qtz/ca/py/grn ser-chl clasts/ wisps of sph/ Cpy/ at 85° | | | | | | | | | | |
| | | at 24.70 1.5 cm wide bands of blebs of py/90° | G023252 | 24.50 | 26.50 | 2.00 | 0.115 | 1.2 | 115 | 66 | 12 | 35 |
| | | at 25.22 a 22.0cm wide rounded siltstone clast with microfr of py/ca | G023253 | 26.50 | 27.50 | 1.00 | 0.062 | 1.5 | 217 | 86 | 33 | 44 |
| | | at 27.30 crude argillaceous layering at 30° to CA | | | | | | | | | | |
| | | at 27.5 py veinlets at 40° to CA | G023254 | 27.50 | 29.00 | 1.50 | 0.066 | 1.5 | 218 | 51 | 24 | 54 |
| | | at 28.30 anastomosing py fractures | | | | | | | | | | |
| | | at 29.0 core having larger size clasts of siltstone slightly calcareous | G023255 | 29.00 | 31.00 | 2.00 | 0.052 | 1.4 | 161 | 58 | 18 | 48 |
| | | at 30.6 a zone of py veinlets, a1.5cm qtz vein, to 30.80 | | | | | | | | | | |
| | | at 31.70 a 10cm band of qtz veins with py, ca | G023256 | 31.00 | 33.00 | 2.00 | 0.037 | 1.6 | 188 | 89 | 36 | 42 |
| | | from 33.50 to 37.45 a 1.5cm barren qtz // to CA, a siliceous flooding of core. | G023257 | 33.00 | 35.00 | 2.00 | 0.035 | 1.5 | 150 | 239 | 45 | 39 |
| | | Swirling mass of random bedding planes slump feature. Kspar alt very little grn ser | G023258 | 35.00 | 37.00 | 2.00 | 0.030 | 2.1 | 211 | 114 | 72 | 45 |
| | | alteration more silica. | | | | | | | | | | |
| | | core very brittle at 35.50 | | | | | | | | | | |
| | | at 37.90 to 38.05 a 1.0cm wide sinuous py/ca vein at 20° to CA | G023259 | 37.00 | 39.00 | 2.00 | 0.174 | 2.6 | 297 | 76 | 43 | 94 |
| | | matrix is very kspar altered slight grn ser, pyritic | G023260 | BLANK | BLANK | BLANK | NSS | NSS | NSS | NSS | NSS | NSS |
| | | at 39.60 to 39.80 an irregular 1.0cm wide py/ca vein | G023261 | 39.00 | 41.00 | 2.00 | 0.151 | 2.5 | 258 | 121 | 56 | 90 |
| | | at 39.90 a 10cm long 3.0cm wide py/ca vein | | | | | | | | | | |
| | | at 40.10 a 1.5 x 4.0cm long py bleb has a hornfels selvage | | | | | | | | | | |
| | | bedding // to CA | | | | | | | | | | |
| | | at 41.30 to 41.50 // veinlets of py/ca at 30° to CA with grn ser-chl veinlets | G023262 | 41.00 | 43.00 | 2.00 | 0.243 | 2.9 | 273 | 97 | 46 | 109 |
| | | from 42.2 to 42.55 a py/ca fr at 0° to CA cuts through a 15 cm wide qtzite clast with | G023263 | 43.00 | 45.00 | 2.00 | 0.105 | 1.9 | 170 | 157 | 67 | 225 |
| | | specks of py and chl | | | | | | | | | | |
| | | at 43.0 a 3.0cm wide qtz/ca vein at 80° with rare py cubes | | | | | | | | | | |
| 44.9 | 66.0 | GrW Sst/Arg contact is obscure | | | | | | | | | | |
| | | at 45.0 a band of qtzite to 45.40 core has large qtzite clasts to 46.0m | G023264 | 45.00 | 46.80 | 1.80 | 0.070 | 1.1 | 57 | 435 | 139 | 270 |
| | | at 46.0 a long fr cuts through a band of py at 42.20, fr at 10°, py band width is | G023265 | 46.80 | 47.80 | 1.00 | 0.145 | 1.9 | 50 | 789 | 418 | 80 |
| | | 2.0cm wide with calcite followed by a qtzite clast | | | | | | | | | | |
| | | at 44.90 minor contact of GrW Sst/Arg to 50.0 where hornfelsing of the matrix | | | | | | | | | | |
| | | obscures rock textures. | | | | | | | | | | |
| | | at 46.90 a 3.00m wide channel of blebs of pyrite // to CA to 47.60, at 47.60 the | | | | | | | | | | |
| | | channel starts off as a py veinlet then slowly widens to 3.0cm at 46.90 | | | | | | | | | | |
| | | at 47.00 a pleached zone with two open fractures at 20° filled with vuggy qtz and | | | | | | | | | | |
| | | calcite. A gas tr vent? | | | | | | | | | | |

Page: 4 of 9 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|-----|--|---------|-------|-------|--------|-------|------|-----|------|------|------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | at 47.80 to 48.55 a similar py/qtz/ca channel as described in the section 46.90 to | G023266 | 47.80 | 48.60 | 0.80 | 0.256 | 3.0 | 179 | 994 | 384 | 1220 |
| | | 47.60 matrix is very kspar altered | G023267 | 48.60 | 51.10 | 2.50 | 0.530 | 10.4 | 244 | 5670 | 1675 | 6930 |
| | | at 49.45 a 2.0cm wide qtz vein at 30° is followed down hole by a mesh of blebs of | | | | | | | | | | |
| | | py /ca/pyh until 49.65 | | | | | | | | | | |
| | | at 49.70 matrix is intensely grn ser-chl altered turning into a hornfelsic drk gry | | | | | | | | | | |
| | | character. At 49.95 a fissure starts off as a microveinlet then slowly widens to a | | | | | | | | | | |
| | | 1.0cm wide sinuous channel to 51.0 | | | | | | | | | | |
| | | at 51.70 a 3.0cm wide qtz/ca with blebs of grn ser-chl alt., at 60° | G023268 | 51.10 | 53.00 | 1.90 | 0.327 | 7.3 | 796 | 991 | 339 | 95 |
| | | at 51.90 a vuggy qtz vein at 85° to CA is followed by a bleached zone 10cm wide at | | | | | | | | | | |
| | | 25°. the cream coloured selvage (potassic alt) from the qtz vein appears to be | | | | | | | | | | |
| | | protruding into the wallrock irregularily. | | | | | | | | | | |
| | | at 52.50 to 53.0 a series of irregular blebs, clusters veinlets of py in core | | | | | | | | | | |
| | | at 53.30 to 53.90 a sinuous tapered channel up to 2.5cm wide of blebs of py // the | G023269 | 53.00 | 55.00 | 2.00 | 1.370 | 3.1 | 300 | 191 | 57 | 115 |
| | | CA the tapered point is up hole side | G023270 | 55.00 | 57.00 | 2.00 | 0.366 | 3.7 | 247 | 1165 | 311 | 39 |
| | | med gry matrix is now kspar alt to moderate intensity. No interstitial py | G023271 | 57.00 | 59.00 | 2.00 | 0.360 | 2.8 | 200 | 54 | 18 | 92 |
| | | the section appears to have remnant slump features. | G023272 | 59.00 | 61.00 | 2.00 | 0.211 | 2.3 | 200 | 68 | 35 | 92 |
| | | at 60.40 a 3.0 x 5.0 clast of qtzite appears "granitic" the matrix is massive args | G023273 | 61.00 | 62.50 | 1.50 | 0.077 | 1.4 | 136 | 80 | 15 | 34 |
| | | at 60.40 core is becoming more qtz appearance of a SST-Sst, very kspar alt with specks of py | | | | | | | | | | |
| | | at 57.20 a 3.0cm wide qtz/specks of rare py/vein at 40° | | | | | | | | | | |
| | | at 57.75 an irregular 3.00mm py veinlet is // to CA scims the core to 58.0 is cut and | | | | | | | | | | |
| | | offset by 1.0cm by a 1.0cm wide qtz/ca/vein at 60°. microfractures have dis-arrayed | | | | | | | | | | |
| | | the bedding but crude lamina are visible, the core is very siliceous | | | | | | | | | | |
| | | a 58.40 a 8.0cm wide hand of ny blobs, is by microfracturing | | | | | | | | | | |
| | | a 50.40 a sharp fr with rock gouge at 50° | | | | | | | | | | |
| | | at 59.60 core is more argillaceous and shows slump features | | | | | | | | | | |
| | | at 60.40 core has more argillaceous lavering appearing | | | | | | | | | | |
| | | at 60.40 a $\frac{dz}{ribbon}$ vein with wallrock ribbons at 60° cuts a pyritic flow channel | | | | | | | | | | |
| | | with calcite and gtz 1.0cm wide // to CA wavers in and out of core to 61.40 | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | at 62.50 a very irregular shaped qtz/sparse ca/ vein or band 8.0cm wide appears to | G023274 | 62.50 | 63.50 | 1.00 | 0.122 | 1.2 | 96 | 65 | 31 | 72 |
| | | cut a braided pyrite channel at 0° which continues to 63.25. to note the pyrite | G023275 | 63.50 | 64.50 | 1.00 | 0.062 | 1.1 | 111 | 119 | 28 | 23 |
| | | channel appears to have a white selvage of calcite and qtz. | | | | | | | | | | |
| | | matrix has an increase in dark argillaceous material but remains very coarse grain, is | | | | | | | | | | |
| | | slightly grn ser w/kspar hue | | | | | | | | | | |
| | | from 64.45 to 65.50 qtz veins have more yellow mineral associated within. | G023276 | 64.50 | 65.50 | 1.00 | 0.112 | 3.2 | 234 | 1660 | 332 | 3520 |

Page: 5 of 9 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|------|--|---------|--------|--------|--------|-------|------------|------|-------|------|------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | at 65.40 a 1.0cm wide qtz/ca/specks of AsPy/vein at 60° with yellowish sulphur? | G023277 | 65.50 | 66.60 | 1.10 | 0.523 | 4.4 | 397 | 1790 | 424 | 5050 |
| | | | | | | | | | | | | |
| | | at 65.70 a 4.0cm wide band of extremely grn ser-chl clay altered band at 60° has | | | | | | | | | | |
| | | cuts a 1.5cm channel of py blebs at 0° to CA. The zone also contains sph blebs and | | | | | | | | | | |
| | | within the matrix of the grn ser-chl band contains "incorporated" py from the bleb | | | | | | | | | | |
| | | channel of pyrite | | | | | | | | | | |
| 66.0 | 79.3 | GrW Arg/Sst Gradational Contact | | | | | | | | | | |
| | | from 66.0 to 66.50 a channel of py // to CA, hornfels of matrix | G023278 | 66.60 | 68.00 | 1.40 | 0.207 | 4.3 | 477 | 251 | 104 | 169 |
| | | from 68.10 to 68.70 massive quartz flooding of the matrix with wall rock fragments, | G023279 | 68.00 | 69.00 | 1.00 | 0.051 | 3.3 | 202 | 810 | 333 | 118 |
| | | yellow mineral sulphur? With the odd fragment bleb of sph, the qtz zone appears | G023280 | STD 15 | STD 15 | STD 15 | 2.130 | 19.1 | 5520 | 12900 | 309 | 28 |
| | | almost devoid of sulphides, the down hole contact is bleached with numerous | | | | | | | | | | |
| | | specks of py. | | | | | | | | | | |
| | | from 69.0 to 71.15 six qtz/sparse ca/ rare sulphides/ veins at 70° to 85 to CA, | G023281 | 69.00 | 71.00 | 2.00 | 0.093 | 2.6 | 244 | 195 | 49 | 43 |
| | | widths from 1.0cm to 5.0cm | | | | | | | | | | |
| | | siltstone contaicns very sparse py | | | | | | | | | | |
| | | at 71.90 argillitic matrix contains py, grn ser-chl has qtz, sph,py,Cpy but no calcite | G023282 | 71.00 | 73.00 | 2.00 | 0.343 | 5.8 | 301 | 1685 | 347 | 141 |
| | | association | | | | | | | | | | |
| | | fromn 72.60 to 73.70 a py fissure vein // to CA has 'pinch and swell" features, at | G023283 | 73.00 | 75.00 | 2.00 | 0.304 | 7.3 | 432 | 3220 | 443 | 1470 |
| | | 72.70 a 1.0cm wide qtz/ca/ vein at 85° cuts the py fissure vein completely and the | | | | | | | | | | |
| | | same at 73.20 & 73.50 | | | | | | | | | | |
| | | at 75.40 a 1.0cm wide qtz/ca/sph/vein at 40° with yellow mineral; at 75.50 a band | G023284 | 75.00 | 76.00 | 1.00 | 0.533 | 25.9 | 1030 | 18850 | 1080 | 1440 |
| | | of mixed spy/ca/qtz at 85°, at 77.10 a 4.0cm wide band of wallrock frags with | G023285 | 76.00 | 77.00 | 1.00 | 0.064 | 4.8 | 187 | 2740 | 481 | 646 |
| | | qtz/ca/sph/py/pyh at 40° matrix is moderately altered w/kspar/grn ser | | | | | | | | | | |
| | | at 77.85 > ser <kspar alt="" matrix="" of="" w="">interstitial py matrix drk gry argillaceous with</kspar> | G023286 | 77.00 | 78.00 | 1.00 | 0.407 | 7.3 | 210 | 3800 | 721 | 1050 |
| | | overprint of hornfelsing | | | | | | | | | | |
| | | at 78.40 a 10cm wide band of blebs of py /pyh/qtz | G023287 | 78.00 | 79.00 | 1.00 | 0.905 | 6.3 | 107 | 2670 | 756 | 9630 |
| | | at 79.40 to 80.0 a fissure of py,qtz/ca/pyh/sparse sph/wallrock frags. At 80.0 >kspar | G023288 | 79.00 | 80.00 | 1.00 | 1.935 | 15.3 | 305 | 12600 | 1720 | 3290 |
| 70.0 | 02.4 | <pre><ser alt="" matrix<="" of="" pre=""></ser></pre> | 6000000 | 00.00 | 01.00 | 1.00 | 0.000 | | 200 | 4020 | 500 | 24 |
| 79.3 | 93.4 | Grw-sst-cgL angular args in med gry slitstone matrix with over print of hornfels up | G023289 | 80.00 | 81.00 | 1.00 | 0.093 | 5.8 | 306 | 1920 | 536 | 34 |
| | | nole contact is at first arg frag, down hole contact is gradational with alternating | G023290 | 81.00 | 82.00 | 1.00 | 1.150 | 13.7 | 300 | 4180 | 1530 | 118 |
| | | siltstone-argilite with siltstone being the dominant layer | G023291 | 82.00 | 83.00 | 1.00 | 1.185 | 10.5 | 444 | 2270 | 833 | 635 |
| | | at 83.0 >grn ser alt of matrix < kspar w/ > interstitial py | G023292 | 83.00 | 85.00 | 2.00 | 0.401 | 7.1 | 230 | 3360 | 868 | 2930 |
| | | silisitone contains very sparse py verses the more argillaceous layers at 85.0 metres | | | | | | | | | | |
| | | a shear fracture at 30° followed by anastomosing fractures with py blebs calcite | | | | | | | | | | |
| | | at 86.0 arg lavor chows Nepar alt. At 86.40 to 86.60 irrogular processing injection | 6023202 | 85.00 | 87.00 | 2.00 | 0 132 | 6.1 | 338 | 2110 | 590 | 118 |
| | | at 00.0 arg rayer shows zhspar art. At 00.40 to 00.00 integular pressure injection | 6023293 | 87.00 | 89.00 | 2.00 | 0.132 | 5.2 | 316 | 982 | 350 | 86 |
| | | at 87.50 ciltstone bedding 3.0cm wide distinct at 70° | 6023294 | 89.00 | 91.00 | 2.00 | 0.130 | 9.5 8.7 | /18 | 4300 | 968 | 1890 |
| | | ומי מי.סט אונאנטויב שבעמווא איטני אומצ, מואנוווגנ, מג לט | 0023295 | 09.00 | 91.00 | 2.00 | 0.175 | 0.7 | 410 | 4300 | 300 | 1020 |

Page: 6 of 9 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|-------|-------|---|---------|--------|--------|--------|-------|------|------|-------|-----|------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | at 88.30 a pressure fissure of py/ca/qtz has hornfels the wallrock | | | | | | | | | | |
| | | at 90.60 another pressure injection w/sph qtz/ca9.0cm wide band at 50° to CA | G023296 | 91.00 | 93.00 | 2.00 | 0.121 | 4.0 | 155 | 1205 | 289 | 67 |
| | | with hornsfels from 90.0 to 91.0 | | | | | | | | | | |
| 93.4 | 109.5 | GrW Arg/Sst Gradational Contact with overprinting of hornfels | G023297 | 93.00 | 95.00 | 2.00 | 0.462 | 7.6 | 181 | 2800 | 698 | 1850 |
| | | at 95.0 a fr zone with gouge fr at 60° slickenslides at 95° to ppd | G023298 | 95.00 | 97.00 | 2.00 | 0.104 | 7.5 | 102 | 2330 | 631 | 340 |
| | | at 97.10 a 4.0cm wide band of py/ca/qtz/pyh with a sinuous, flow veinlet // to CA of | G023299 | 95.00 | 97.00 | DUP | 0.152 | 5.7 | 127 | 2450 | 614 | 1685 |
| | | ca/qtz/sph | G023300 | STD 2 | STD 2 | STD 2 | 2.090 | 14.5 | 5140 | 12600 | 243 | 25 |
| | | at 97.30 a 1.5cm wide band at 70° to CA w/qtz/ca/ grn ser | G023301 | 97.00 | 99.00 | 2.00 | 0.328 | 9.1 | 394 | 2850 | 480 | 1885 |
| | | matrix is slightly hornfels around band kspar> grn ser< | G023302 | 99.00 | 101.00 | 2.00 | 0.313 | 7.7 | 302 | 1400 | 343 | 94 |
| | | from 98 to 99 matrix is hornfels with 8 pressure injection veinlets of pyh/py/qtz/ca/ | | | | | | | | | | |
| | | sparse Cpy | | | | | | | | | | |
| | | at 100.3 to 100.1 a 11.0cm wide band of py/pyh/ ca/qtz at 50° to CA | | | | | | | | | | |
| | | from 101 to 101.50 four 2.0cm wide bands of py qt/ca/pyh at 30° | G023303 | 101.00 | 103.00 | 2.00 | 0.442 | 13.8 | 395 | 4440 | 945 | 510 |
| | | at 103.0 band of py/qtz/ca/pyh at 40° is cut by a fr w/polished surface at 55° w/ | G023304 | 103.00 | 105.00 | 2.00 | 0.377 | 8.6 | 203 | 2360 | 479 | 622 |
| | | vague outline of slicks at 110° to ppd matrix is intensely hornfels | | | | | | | | | | |
| | | at 104.4 fuzzy outline of siltstone clasts to 104.75 | | | | | | | | | | |
| | | at 105.20 arg bedding at 80° | G023305 | 105.00 | 107.00 | 2.00 | 0.048 | 2.0 | 86 | 417 | 127 | 56 |
| | | more siltstone layering appearing in core hornfelsing < kspar > brn bio > | | | | | | | | | | |
| | | at 106.50 two // py/ca veinlets at 30° has bleached selvages between them or | | | | | | | | | | |
| | | 4.0cm wide bleaching of wallrock | | | | | | | | | | |
| | | at 106.70 a 1.0cm wide ca vein w/ wallrock frags at 30° | G023306 | 107.00 | 109.00 | 2.00 | 0.065 | 1.5 | 134 | 300 | 42 | 37 |
| | | at 108.50 a 1.2cm wide ca/qtz vein at 80° to CA barren, the vein shows qtz in the | | | | | | | | | | |
| | | center as frags enclosed by calcite | | | | | | | | | | |
| 109.5 | 120.0 | GrW Sst-Cgl w/siltstone clasts | G023307 | 109.00 | 111.00 | 2.00 | 0.080 | 1.5 | 179 | 276 | 14 | 43 |
| | | at 111.50 a7 cm wide braided band of 1.5 cm wide py/ca veinlets at 35° | G023308 | 111.00 | 113.00 | 2.00 | 0.123 | 2.2 | 314 | 325 | 26 | 138 |
| | | at 112.90 a 1.0cm wide wavy py bleb/ca vein at 30° to CA | G023309 | 113.00 | 115.00 | 2.00 | 0.032 | 0.6 | 180 | 93 | 10 | 34 |
| | | kspar alt > slightly with sparse py of matrix from 110 to 116.80 siltstone clasts up to | G023310 | 115.00 | 117.00 | 2.00 | 0.040 | 1.3 | 203 | 97 | 11 | 49 |
| | | 25 cm wide rounded some sub rounded | G023311 | 117.00 | 119.00 | 2.00 | 0.024 | 0.9 | 136 | 177 | 12 | 129 |
| | | at 120.0 matrix becoming > kspar alt w/ brn bio > interstitial py< hornfels > at 120.5 | G023312 | 119.00 | 121.00 | 2.00 | 0.032 | 0.6 | 133 | 114 | 7 | 27 |
| | | to 123.2 | | | | | | | | | | |
| 120.0 | 132.7 | GrW-Sst/Arg Contact with first siltstone layering at 120.0 | | | | | | | | | | |
| | | from 122.10 to 122.70 a sinuous channel of py/qtz/ca irregular, a pressure injection | G023313 | 121.00 | 123.00 | 2.00 | 0.161 | 1.2 | 179 | 148 | 18 | 107 |
| | | feature that has hornfels the matrix | | | | | | | | | | |
| | | at 122.75 an open vuggy veinlet of calcite w/ numerous microfr at 35° to CA | | | | | | | | | | |
| | | at 124.40 to 124.90 a 3.0cm + sinuous channel of py/pyh/ ca/ qtz scims the core. | G023314 | 123.00 | 125.00 | 2.00 | 0.348 | 2.1 | 411 | 422 | 16 | 103 |
| | | The matrix shows hornfelsing | | | | | | | | | | |
| | | from 126.70 to 127.30 three ca/qtz/veinlets at 70°. one shows a slight brn bio | G023315 | 125.00 | 127.00 | 2.00 | 0.050 | 0.9 | 180 | 209 | 8 | 163 |
| | | selvage of the wallrock | | | | | | | | | | |

Page: 7 of 9 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|-------|-------|---|---------|--------|--------|--------|---------|-----|-----|-----|-----|------|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | at 127.30 a few blebs of py in core a crude contact // to CA?? | G023316 | 127.00 | 129.00 | 2.00 | 0.052 | 0.9 | 129 | 164 | 7 | 47 |
| | | at 128.25 1.5cm wide qtz/ca/vein barren at 50° w/sharp wallrock contact w/ very | | | | | | | | | | |
| | | slight hornfelsing | | | | | | | | | | |
| | | at 129.90 vague slump features | G023317 | 129.00 | 131.00 | 2.00 | 0.243 | 3.1 | 376 | 172 | 18 | 103 |
| | | at 130.60 to 130.80 veins of ca/qtz/py at 70° discontinuous, irregular, brecciated | G023318 | 131.00 | 133.00 | 2.00 | 0.050 | 1.6 | 167 | 178 | 15 | 71 |
| | | with microfractures with hornfelsing | | | | | | | | | | |
| | | shows pressure injection features of incorporated wallrock | | | | | | | | | | |
| | | at 132.40 crude bedding at 75° to CA | | | | | | | | | | |
| 132.7 | 140.7 | GrW-Arg-CgL gradational with layering to the interval of angular to rounded clasts | G023319 | 133.00 | 135.00 | 2.00 | 0.033 | 1.3 | 146 | 195 | 22 | 74 |
| | | of siltstone poorly sorted. | G023320 | BLANK | BLANK | BLANK | < 0.005 | 4.7 | 1 | <2 | <2 | <2 |
| | | from 132.3 to 135.0 slump feature of argillite & siltstone clasts | G023321 | 135.00 | 137.00 | 2.00 | 0.062 | 2.3 | 204 | 216 | 45 | 43 |
| | | at 133.5 a long sinuous veinlet of ca/qtz/ at 0° to CA pressure feature, has wallrock | | | | | | | | | | |
| | | incorporated fragments | | | | | | | | | | |
| | | at 136.1 siltstone clasts are distinct but with fuzzy edges | G023322 | 137.00 | 139.00 | 2.00 | 0.272 | 3.3 | 317 | 492 | 46 | 178 |
| | | at 139.0 clasts are now argillaceous with sub round edges | G023323 | 139.00 | 141.00 | 2.00 | 0.494 | 4.4 | 419 | 152 | 34 | 499 |
| | | at 139.90 a pressure injected py blebs irregular, wavy is cut by a qtz/ca vein then | | | | | | | | | | |
| | | the vein is cut by a py/qtz/ca vein. The feature carries on to 140.92 | | | | | | | | | | |
| 140.7 | 177.0 | GrW-Arg/Sst contact is a slumping feature to 155.80 the interval is contorted, with | | | | | | | | | | |
| | | some siltstone clasts, crude argillaceous bedding planes, siltstone layering | | | | | | | | | | |
| | | disorganized. | | | | | | | | | | |
| | | at 141.9 crude argillaceous bedding broken, discontinuous at 25° to CA, from | G023324 | 141.00 | 143.00 | 2.00 | 0.301 | 4.8 | 681 | 201 | 30 | 1670 |
| | | 141.35 to 141.85 a long sinuous veinlet of py/ca | | | | | | | | | | |
| | | at 141.50 a gouge filled fracture at 35° is filled with grainy frags | | | | | | | | | | |
| | | at 144.0 a 5.0cm wide braided band of qtz/ca/grn ser-chl/ w/a 1.5 cm wide band of | G023325 | 143.00 | 145.00 | 2.00 | 0.142 | 3.1 | 460 | 215 | 17 | 120 |
| | | disseminated sph in wallrock | | | | | | | | | | |
| | | at 144.30 a 15 cm wide zone of disseminated py, qtz, ca | | | | | | | | | | |
| | | at 144.50 core is very siliceous and brittle w/ interstitial py | | | | | | | | | | |
| | | at 145.50 a 5.0mm wide qtz/ca/veinlet at 35° shows a selvage of calcite 5.0mm | G023326 | 145.00 | 147.00 | 2.00 | 0.167 | 2.3 | 243 | 141 | 16 | 59 |
| | | wide disseminated into wall rock | | | | | | | | | | |
| | | at 146.10 to 146.40 a braided 1.0cm wide py vein // to CA | | | | | | | | | | |
| | | at 146.60 microfrs show tension features filled w/ brn bio | | | | | | | | | | |
| | | from 146.90 to 148.20 matrix very siliceous | G023327 | 147.00 | 148.00 | 1.00 | 0.040 | 1.1 | 116 | 88 | 8 | 32 |
| | | a hydrothermal alteration zone from 146.90 to 151.70 very siliceous injection, | | | | | | | | | | |
| | | micro fracs show selvages through out, py blebs, clusters veins discontinuous, at | | | | | | | | | | |
| | | 148.70 zone has a slight cream coloured alteration hue is potassic alteration | | | | | | | | | | |
| | | consisting of kspar | | | | | | | | | | |
| | | at 148.70 a partial circular feature of py/grn ser-chl alteration with an envelope of | G023328 | 148.00 | 149.35 | 1.35 | 0.227 | 3.4 | 479 | 127 | 14 | 60 |
| | | cream white alteration 2.0cm wide | | | | | | | | | | |

Page: 8 of 9 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|-----|--|---------|--------|--------|--------|-------|-----|-----|------|-----|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | at 149.80 microfr have selvages | G023329 | 149.35 | 150.35 | 1.00 | 0.136 | 2.4 | 273 | 72 | 10 | 45 |
| | | from 150 to 150.85 a long 1.0cm wide qtz vein // to CA has branches and cuts | G023330 | 150.35 | 151.70 | 1.35 | 0.179 | 2.3 | 289 | 317 | 13 | 24 |
| | | across all py bands | | | | | | | | | | |
| | | at 151.50 irregular veinlets of py ina very siliceous matrix. Anastomosing fractures | G023331 | 151.70 | 153.00 | 1.30 | 0.010 | 0.9 | 48 | 50 | 4 | 26 |
| | | partially healed with brn bio and tourmaline xtals | | | | | | | | | | |
| | | at 153.60 very indistinct bedding(?) at 70° to CA micro fractures show extensive | G023332 | 153.00 | 154.00 | 1.00 | 0.251 | 2.4 | 392 | 65 | 10 | 78 |
| | | selvages at 153.90 a qtz/ca/barren at 85° has py selvage 1.2cm wide , a cream | G023333 | 154.00 | 155.00 | 1.00 | 0.091 | 1.4 | 238 | 123 | 4 | 24 |
| | | colouration to core re: extreme potassic alteration. At 154.30 a rock gritty gouge | | | | | | | | | | |
| | | filled fr at 20°. at 154.50 core has many anastomosing fractures healed and unhealed | | | | | | | | | | |
| | | the siliceous section above is a healed compression FAULT ZONE | | | | | | | | | | |
| | | at 155.0 matrix becoming >grn ser w/ <kspar alteration<="" td=""><td>G023334</td><td>155.00</td><td>156.00</td><td>1.00</td><td>0.026</td><td>0.7</td><td>112</td><td>2950</td><td>6</td><td>23</td></kspar> | G023334 | 155.00 | 156.00 | 1.00 | 0.026 | 0.7 | 112 | 2950 | 6 | 23 |
| | | at 155.40 a wavy calcite fr at 85° shows vague slickens | | | | | | | | | | |
| | | at 156.0 a slightly polished fr at 70° has Cpy and calcite. | | | | | | | | | | |
| | | Grn ser alt of matrix > kspar< | | | | | | | | | | |
| | | at 156.1 a 2.5cm wide channel of py blebs/ ca/ at 20° to CA. | G023335 | 156.00 | 157.35 | 1.35 | 0.154 | 1.4 | 265 | 373 | 11 | 63 |
| | | at 156.90 a 2.0cm wide wavy bleb py/ca/pyh at 25° to CA | | | | | | | | | | |
| | | at 157.15 a 6.0cm wide band of bleb py/ ca/qtz at 40° to CA | | | | | | | | | | |
| | | at 157.40 an open fr at 30° to CA at 158.60 fine laminations of py at 80°, followed | G023336 | 157.35 | 158.35 | 1.00 | 0.170 | 0.4 | 87 | 1310 | 2 | 5 |
| | | by a 7.0cm wide band of py/ca/qtz at 60° with sparse sph. Also a 10cm wide calcitic | G023337 | 158.35 | 159.25 | 0.90 | 0.378 | 3.3 | 782 | 827 | 16 | 219 |
| | | clast | | | | | | | | | | |
| | | at 159.25 a 10cm wide band at 90° to CA has a 5.0cm wide qtz/ca/sparse py +Cpy/ | G023338 | 159.25 | 160.25 | 1.00 | 0.730 | 3.6 | 465 | 127 | 18 | 56 |
| | | followed by a 3.0 cm wide band of grn ser chl alt with a brecciated wallrock contact | | | | | | | | | | |
| | | of calcite and a slender black xtal tourmaline? Hornblende? | | | | | | | | | | |
| | | 159.3 to 160.1 the matrix shows extensive notassic alteration | 6023339 | 160 25 | 162.00 | 1 75 | 0 132 | 3 1 | 578 | 129 | 13 | 30 |
| | | at 160.1 matrix shows pinkish hue of kspar alt w/grn ser | G023340 | STD 15 | STD 15 | STD 15 | NSS | NSS | NSS | NSS | NSS | NSS |
| | | at 161.15 remnant argillaceous bedding at 75° | 0020010 | 0.0 10 | 0.0 10 | 0.0 10 | | | | | | |
| | | at 161.90 matrix extensively and pervasively kspar alt w/ specks of interstitial py | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | at 162.60 patches of cream coloured potassic alteration | G023341 | 162.00 | 164.00 | 2.00 | 0.077 | 2.7 | 378 | 91 | 13 | 36 |
| | | from 163.25 to 163.60 interstitial py excessive with kspar alt | | | | | | | | | | |
| | | micro fr at edge of the zone are hornfels | | | | | | | | | | |
| | | at 164.0 to 164.70 frs and veinlets show cream colored potassic alt of the matrix as | G023342 | 164.00 | 166.00 | 2.00 | 0.017 | 1.1 | 126 | 60 | 6 | 32 |
| | | selvages | | | | | | | | | | |
| | | at 164.35 an 8 cm wide zone of grn ser-chl with selvages of potassic alt | | | | | | | | | | |
| | | matrix is extensively kspar altered. | | | | | | | | | | |
| | | from 164.80 to 168.2 matrix has siliceous alt w/ kspar brittle | G023343 | 166.00 | 168.00 | 2.00 | 0.009 | 0.8 | 62 | 63 | 5 | 36 |

Page: 9 of 9 pages



| From | То | | Sample | From | То | Length | Au | Ag | Cu | Zn | Pb | As |
|------|-----|--|---------|--------|--------|--------|-------|-----|-----|-----|-----|-----|
| (m) | (m) | Description | No. | (m) | (m) | (m) | ppb | ppm | ppm | ppm | ppm | ppm |
| | | at 167.60 a fr w/ slight rock gouge at 25° the above section another healed FAULT | G023344 | 168.00 | 170.00 | 2.00 | 0.224 | 2.4 | 464 | 81 | 6 | 24 |
| | | COMPRESSION ZONE from 159.0 to 160.1 | | | | | | | | | | |
| | | at 168.70 matrix becoming less siliceous altered and >grn ser | | | | | | | | | | |
| | | at 169.0 a fr w/ slight gouge at 60° shows vague slickenslides | | | | | | | | | | |
| | | at 169.60 crude bedding at 70°. Also a fr w/slight rock gouge at 40°. | | | | | | | | | | |
| | | matrix is siliceous followed by hornfelsing then siliceous, a reflection of the original | | | | | | | | | | |
| | | rock type of argillaceous verses siltstone and the alteration is more of a heat | | | | | | | | | | |
| | | metamorphism? | | | | | | | | | | |
| | | at 169.70 a 6.0cm wide zone of microfractures filled w/py/ca | | | | | | | | | | |
| | | at 169.90 a zone of microfr w/py/ca/sparse Cpy/pyh/ at 30° | | | | | | | | | | |
| | | matrix is > hornfels | | | | | | | | | | |
| | | at 170.5 to 171.0 matrix is brn bio alt pervasively w/ py/ca/swirls/w/ slight grn ser | G023345 | 170.00 | 172.00 | 2.00 | 1.160 | 3.3 | 448 | 163 | 13 | 28 |
| | | alt | | | | | | | | | | |
| | | at 171.8 to 172.10 py/ca/pyh blebs/veins/clusters discontinuous micro fr | | | | | | | | | | |
| | | controlled. | | | | | | | | | | |
| | | at 172.40 a 2.0mm wide veinlet of qtz has a bleached selvage of 2.0mm wide with | G023346 | 172.00 | 174.00 | 2.00 | 0.121 | 1.2 | 215 | 168 | 7 | 15 |
| | | wallrock hornfels. | | | | | | | | | | |
| | | at 172.8 matrix has a grn ser overprint on the general hornfels alteration | | | | | | | | | | |
| | | at 174.10 vague outlines of siltstone clasts in matrix by a circular feature of specks | G023347 | 174.00 | 175.50 | 1.50 | 0.116 | 2.0 | 304 | 166 | 7 | 22 |
| | | of calcite within a lt coloured matrix. | | | | | | | | | | |
| | | interstitial py specks common in matrix. Almost schistosic | | | | | | | | | | |
| | | at 175 matrix is extensively and pervasively grn ser alt hornfelsing . Several veinlets | | | | | | | | | | |
| | | random of qtz/ca | | | | | | | | | | |
| | | at 175.70 a 8.0mm wide qtz/ca at 40° has very rare pin pricks of AsPy | G023348 | 175.50 | 177.00 | 1.50 | 0.093 | 1.3 | 115 | 239 | 11 | 22 |
| | | at 176.10 to 176.2 a zone of several discontinuous 1.0cm wide qtz/ca veins w/py | G023349 | 175.50 | 177.00 | DUP | 0.080 | 1.0 | 118 | 234 | 9 | 30 |
| | | blebs of pyh in zone | | | | | | | | | | |
| | | at 176.30 a 1.0cm braided vein of qtz/ca/py at 80° followed by a py vein at 40°. | | | | | | | | | | |
| | | interstitial py rare | | | | | | | | | | |
| | | from 176.70 to 176.85 py cubes in a grn ser extensively and pervasively altered | | | | | | | | | | |
| | | matrix. Py cubes! | | | | | | | | | | |
| | | at 176.95 grn ser alt intensive and pervasive no interstitial py, primary rock fabric | | | | | | | | | | |
| | | completely destroyed by the alteration. But appears to a former argillaceous layer | | | | | | | | | | |
| | | based upon lack of dtz. | | | | | | | | | | |
| | | FOUL 177 0 | | | | | | | | | | |
| | | EUH 177.0 | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 1 Finalized Date: 30- NOV- 2010 Account: BQL

CERTIFICATE TR10164321

Project: Bronson

P.O. No.: Green/Blue & Yellow Ribbon

This report is for 127 Drill Core samples submitted to our lab in Terrace, BC, Canada on 6- NOV- 2010.

The following have access to data associated with this certificate:

| DAVID JENSEN | DAVID YEAGER | JOHN ZBEETNOFF |
|--------------|--------------|----------------|
| | | |

| | SAMPLE PREPARATION | |
|----------|------------------------------------|--|
| ALS CODE | DESCRIPTION | |
| WEI- 21 | Received Sample Weight | |
| SPL- 34 | Pulp Splitting Charge | |
| LOG- 22 | Sample login - Rcd w/o BarCode | |
| BAG- 01 | Bulk Master for Storage | |
| CRU- 31 | Fine crushing - 70% < 2mm | |
| CRU- QC | Crushing QC Test | |
| PUL- QC | Pulverizing QC Test | |
| SPL- 21 | Split sample - riffle splitter | |
| PUL- 32m | Pulverize 500g - 85%<75um | |
| LOG- 24 | Pulp Login - Rcd w/o Barcode | |
| LOG- 22d | Sample login - Rcd w/o BarCode dup | |
| SPL-21d | Split sample - duplicate | |
| PUL- 32d | Pulverize Split - Dup 85% < 75um | |

| | ANALYTICAL PROCEDURE | ES |
|-----------|--------------------------------|------------|
| ALS CODE | DESCRIPTION | INSTRUMENT |
| Au- AA24 | Au 50g FA AA finish | AAS |
| Au- GRA22 | Au 50 g FA- GRAV finish | WST- SIM |
| ME- MS61 | 48 element four acid ICP- MS | |
| ME- ICP41 | 35 Element Aqua Regia ICP- AES | ICP- AES |
| ME- OG46 | Ore Grade Elements - AquaRegia | ICP- AES |
| Zn- OG46 | Ore Grade Zn - Aqua Regia | VARIABLE |

To: SKYLINE GOLD CORPORATION ATTN: DAVID YEAGER SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - A Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

CERTIFICATE OF ANALYSIS TR10164321

Project: Bronson

| Sample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME- MS61 As ppm 0.2 | ME- MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME- MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0,1 | ME- MS61 Cr ppm 1 | ME-MS61 Cs ppm 0.05 |
|--|-----------------------------------|--|---|--------------------------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|-----------------------------|--|-------------------------------|------------------------------|----------------------------|------------------------------|
| C023233 C023234 C023235 G023236 G023237 | | 4.22 2.40 2.34 3.20 3.62 | 0.028 0.019 0.033 0.703 0.468 | | | | | | | | | | | | | |
| G023238 G023239 G023240 G023241 G023242 | | 6.85 2.31 0.12 2.23 2.42 | 0.031 0.196 2.26 0.221 0.301 | 2.13 | | | | | | | | <u>. </u> | | | | |
| G023243 G023244 G023245 G023246 G023247 | | 2.66 2.73 4.04 3.11 3.57 | 0.340 0.286 3.54 0.073 0.182 | 2.94 | | | | | | | | | | | | |
| G023248 G023249 G023250 G023251 G023252 | | 5.24 4.96 3.48 2.44 4.53 | 0.061 0.050 0.091 0.231 0.115 | | | | | | | · | | | | | | |
| G023252- CRD G023253 G023253A G0232554 G023255 | | <0.02 2.69 <0.02 3.47 4.81 | 0.101 0.062 0.057 0.066 0.052 | | 1.41 | 7.35 | 44.7 | 830 | 0.87 | 1.09 | 2.72 | 0.24 | 26.2 | 11.9 | 70 | 1.94 |
| G023256 G023257 G023258 G023259 G023260 | | 5.13 4.73 5.67 5.11 0.14 | 0.037 0.035 0.030 0.174 NSS | | | | | | | | | | | | | |
| G023261 G023262 G023263 G023264 G023265 | | 4.82 4.95 5.18 4.75 2.84 | 0.151 0.243 0.105 0.070 0.145 | | | | | | | | | | | | <u></u> | |
| G023266 G023267 G023268 G023269 G023270 | | 1.83 6.43 4.78 5.98 5.02 | 0.256 0.530 0.327 1.370 0.366 | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

CERTIFICATE OF ANALYSIS

Page: 2 - B Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

TR10164321

Project: Bronson

ME- MS61 ME- MS61 ME- MS61 ME- MS61 Method ME- MS61 Cu Fe Ga Analyte Ge Hf In К La Li Mg Mn Мо Na Nb Ni Units ppm % ppm ppm ppm ppm % Sample Description ppm % ppm ppm ppm % ppm ppm LOR 0.2 0.01 0.05 0.05 0.1 0.005 0.01 0.5 0.2 0.01 5 0.05 0.01 0.1 0.2 G023233 G023234 G023235 G023236 G023237 G023238 G023239 G023240 G023241 G023242 G023243 G023244 G023245 G023246 G023247 G023248 G023249 G023250 G023251 G023252 G023252- CRD G023253 G023253A 204 6.28 16.50 0.22 1.5 0.344 5.83 14.3 21.1 1.35 1580 12.35 0.26 5.2 71.5 G023254 G023255 G023256 G023257 G023258 G023259 G023260 G023261 G023262 G023263 G023264 G023265 G023266 G023267 G023268 G023269 G023270



G023268 G023269 G023270 ALS Canada Ltd.

ME-MS61

Method

ME-MS61

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

ME-MS61

ME- MS61

ME- MS61

ME- MS61

ME- MS61

To: SKYLINE GOLD CORPORATION **SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8**

ME- MS61

CERTIFICATE OF ANALYSIS

Page: 2 - C Total # Pages: 5 (A - F) **Plus Appendix Pages** Finalized Date: 30- NOV- 2010 Account: BOL

TR10164321

Project: Bronson

ME- MS61

ME- MS61 ME- MS61 ME- MS61 ME- M\$61 ME- MS61 ME-MS61 Analyte Ρ Рb Rb Re s Sb Sc Se Sn Sr Та Te Τh Ti ТΙ Units ppm ppm ppm ppm % ppm ppm Sample Description ppm ppm ppm % ppm ppm ppm ppm LOR 10 0.5 0.1 0.002 0.01 0.05 0.1 0.2 1 0.2 0.05 0.05 0.2 0.005 0.02 G023233 G023234 G023235 G023236 G023237 G023238 G023239 G023240 G023241 G023242 G023243 G023244 G023245 G023246 G023247 G023248 G023249 G023250 G023251 G023252 G023252-CRD G023253 G023253A 1150 33.1 94.3 0.011 2.84 6.05 14.8 8 1.5 417 0.31 0.45 2.7 0.334 2.39 G023254 G023255 G023256 G023257 G023258 G023259 G023260 G023261 G023262 G023263 G023264 G023265 G023266 G023267



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - D Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 U ppm 0.1 | ME-MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME-MS61 Y ppm 0.1 | ME-MS61 Zn ppm 2 | ME-MS61 Zr ppm 0.5 | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME- ICP41 B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % | ME- ICP41 Cd ppm |
|---|-----------------------------------|-----------------------------|--------------------------|-----------------------------|----------------------------|---------------------------|-----------------------------|----------------------------------|--------------------------------------|---------------------------------|--|---------------------------------|--|-----------------------------|---|---|
| G023233 G023234 G023235 G023236 G023237 | | | | | | | | 0.6 0.3 0.4 3.3 4.4 | 2.79 2.63 2.77 2.79 4.04 | 84 53 45 252 176 | <10 <10 <10 <10 <10 <10 | 230 250 290 30 40 | <0.5 <0.5 <0.5 <0.5 | <2 <2 <2 6 | 2.91 2.94 2.95 1.96 | 0.6 <0.5 <0.5 <0.5 |
| G023238 G023239 G023240 G023241 G023242 | | | | | | | | 0.6 1.7 14.7 4.7 8.1 | 2.60 2.04 0.98 1.99 2.26 | 22 76 25 116 61 | <10 <10 <10 <10 <10 <10 | 370 110 40 50 80 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | | 2.69 2.35 0.28 2.17 | 0.6 <0.5 <0.5 55.2 0.6 |
| C023243 G023244 G023245 G023246 G023247 | | | | | | | | 9.7 9.1 70.8 2.1 4.3 | 5.26 2.91 4.15 2.80 2.51 | 1930 210 946 48 50 | <10 <10 <10 <10 <10 <10 | 60 40 40 240 210 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 3 5 35 2 6 | 0.80 1.32 1.53 1.93 3.10 | 40.7 21.9 123.0 <0.5 2 5 |
| G023248 G023249 G023250 G023251 G023252 | | | | | | | | 2.1 1.6 1.6 5.2 1.2 | 1.79 1.78 1.62 1.72 1.91 | 53 49 58 86 35 | <10 <10 <10 <10 <10 | 130 120 150 130 150 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 8 7 3 7 2 | 2.54 2.39 2.87 4.02 3.18 | <0.5 <0.5 <0.5 <0.5 6.3 <0.5 |
| G023252- CRD G023253 G023253A G023254 G023255 | | 3.8 | 386 | 3.3 | 9.4 | 93 | 41.5 | 1.4 1.5 1.5 1.4 | 2.00 1.81 1.69 1.41 | 32 44 54 48 | <10 <10 <10 | 160 130 130 | <0.5 <0.5 <0.5 | 3 2 | 3.20 2.90 2.80 | <0.5 <0.5 <0.5 |
| C023256 C023257 C023258 C023259 C023260 | | | | | | | | 1.6 1.5 2.1 2.6 NSS | 1.49 1.22 1.06 1.47 NSS | 42 39 45 94 NSS | <10 <10 <10 <10 <10 NSS | 140 110 110 100 NSS | <0.5 <0.5 <0.5 <0.5 <0.5 NSS | 2 3 <2 4 NSS | 2.58 2.88 3.17 3.70 2.78 NSS | <0.5 <0.5 1.3 <0.5 <0.5 NSS |
| G023261 G023262 G023263 G023264 G023265 | | | | | | | | 2.5 2.9 1.9 1.1 1.9 | 1.90 1.23 0.93 0.99 0.94 | 90 109 225 270 80 | <10 <10 <10 <10 <10 | 90 110 100 120 80 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 3 2 <2 2 2 2 | 2.19 2.47 2.11 1.77 1.87 | <0.5 <0.5 0.8 2.1 3.7 |
| G023266 G023267 G023268 G023269 G023270 | | | | | | | | 3.0 10.4 7.3 3.1 3.7 | 0.66 2.06 1.52 1.88 1.56 | 1220 6930 95 115 39 | <10 <10 <10 <10 <10 <10 | 70 100 60 40 140 | <0.5 <0.5 <0.5 <0.5 <0.5 | <2 3 4 4 2 | 2.14 2.38 1.87 1.40 2.02 | 5.0 36.2 5.9 0.6 6.6 |



Т

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - E Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

| | Method Analyte | ME- ICP41 Co | ME- ICP41 Cr | ME- ICP41 Cu | ME- ICP41 Fe | ME- ICP41 Ga | ME- ICP41 Hg | ME- ICP41 K | ME- ICP41 La | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 |
|--------------------|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------|-----------------|-----------|-----------|-----------|--------------|------------|-------------|-----------|
| Sample Description | Units | ppm | ppm | ppm | % | ppm | ppm | % | ppm | % % | maa | nnm | Na % | NI | ۲ | Pb |
| bampic bescription | LOR | 1 | 1 | I | 0.01 | 10 | ĩ | 0.01 | 10 | 0.01 | 5 |] | 0.01 | ppin 1 | 10 | ppm 2 |
| G023233 | | 15 | 117 | 117 | 5.03 | 10 | <1 | 2 3 3 | <10 | 2 70 | 1665 | | 0.00 | | | <u></u> |
| G023234 | | 12 | 139 | 62 | 4.72 | 10 | <1 | 2.33 | <10 | 2.70 | 1000 | <1 | 0.03 | 124 | 1290 | 15 |
| G023235 | | 13 | 138 | 98 | 4.92 | 10 | <1 | 2.39 | <10 | 2.01 | 2250 | < 1 1 | 0.03 | 92 | 1190 | 12 |
| G023236 | ļ | 236 | 124 | 376 | 15.1 | 10 | <1 | 2.00 | <10 | 2.33 | 1760 | 1 | 0.03 | 92 | 1230 | 11 |
| G023237 | | 37 | 158 | 828 | 10.40 | 10 | <1 | 3.34 | <10 | 3.37 | 1755 | 4 1 | 0.0∠ 0.02 | 170 184 | 980 1100 | 55 37 |
| G023238 | | 8 | 39 | 93 | 3.93 | 10 | <1 | 2.31 | <10 | 2.22 | 1970 | | 0.02 | | 1200 | |
| G023239 | | 40 | 16 | 148 | 5.11 | 10 | <1 | 1.61 | <10 | 1.87 | 1670 | 2 | 0.03 | 21 | 1290 | 10 |
| G023240 | | 10 | 41 | 5010 | 9.09 | <10 | 1 | 0.10 | <10 | 1.00 | 338 | 12 | 0.02 | 21 | 1320 | 32 |
| G023241 | 1 | 11 | 17 | 411 | 5.98 | <10 | <1 | 1.70 | <10 | 1.78 | 2720 | 7 | 0.02 | 21 | 1210 | 231 |
| G023242 | | 34 | 20 | 66 | 5.37 | <10 | <1 | 1.95 | <10 | 1.91 | 2660 | 5 | 0.01 | 20 | 1180 | 89 874 |
| G023243 | | 98 | 36 | 197 | 11.85 | 10 | <1 | 4.12 | <10 | 3.97 | 3320 | 1 | 0.02 | 19 | 1220 | 1130 |
| G023244 | Í | 94 | 25 | 186 | 8.06 | 10 | <1 | 2.38 | <10 | 2.37 | 3330 | 9 | 0.01 | 22 | 1230 | 887 |
| GU23245 | | 83 | 33 | 618 | 11.85 | 10 | 1 | 3.18 | <10 | 3.20 | 3540 | 3 | 0.02 | 30 | 1050 | 7730 |
| GU23246 | | 6 | 33 | 158 | 5.27 | 10 | 1 | 2.32 | <10 | 2.41 | 2670 | 5 | 0.02 | 29 | 1400 | 80 |
| G023247 | | 14 | 58 | 180 | 5.86 | 10 | 1 | 1.94 | 10 | 2.21 | 2590 | 1 | 0.02 | 82 | 1190 | 179 |
| G023248 | 1 | 15 | 43 | 183 | 5.09 | 10 | 1 | 1.46 | 10 | 1.22 | 1255 | <1 | 0.05 | 62 | 1010 | 21 |
| G025249 C032350 | | 14 | 45 | 143 | 4.55 | <10 | 1 | 1.44 | 10 | 1.17 | 1155 | <1 | 0.05 | 55 | 1010 | 18 |
| 0023230 | | 11 | 37 | 111 | 3.91 | 10 | 1 | 1.34 | 10 | 1.04 | 1255 | 1 | 0.04 | 53 | 940 | 19 |
| G023251 | I | 14 | 24 | 206 | 4.62 | 10 | <1 | 1.32 | 10 | 1.15 | 2300 | 1 | 0.03 | 47 | 1100 | 284 |
| 0023232 | | 9 | 40 | 115 | 4.45 | 10 | <1 | 1.55 | 10 | 1.30 | 1285 | 1 | 0.04 | 53 | 1130 | 12 |
| G023252-CKD | | 8 | 41 | 118 | 4.45 | 10 | 1 | 1.59 | 10 | 1.30 | 1300 | 1 | 0.05 | 52 | 1160 | 12 |
| 0023233 | | 10 | 30 | 217 | 5.62 | 10 | 1 | 1.52 | 10 | 1.15 | 1585 | 10 | 0.02 | 70 | 1170 | 33 |
| 0023233A | | • | | | _ | | | | | | | · | | | 11.5 | 00 |
| 0023234 | 1 | 9 | 32 | 218 | 5.22 | 10 | <1 | 1.38 | 10 | 1.08 | 1555 | 5 | 0.02 | 68 | 1180 | 24 |
| 0023235 | | 5 | 28 | 161 | 4.18 | <10 | <1 | 1.14 | 10 | 1.08 | 1655 | 1 | 0.02 | 47 | 920 | 18 |
| G023256 G023257 | | 3 | 33 | 188 | 3.87 | 10 | 1 | 1.24 | 10 | 1.21 | 1735 | 1 | 0.02 | 48 | 1000 | 36 |
| C023258 | 1 | 3 | 20 | 150 | 3.50 | <10 | <1 | 0.95 | 10 | 1.17 | 1530 | 2 | 0.03 | 62 | 1150 | 45 |
| C023250 | | 4 | 18 | 211 | 3.92 | <10 | <1 | 0.79 | 10 | 1.37 | 2040 | 2 | 0.03 | 56 | 1040 | 72 |
| G023260 | | NSS | 24 | 297 | 6.15 | <10 | 1 | 1.26 | 10 | 1.40 | 1880 | 3 | 0.02 | 44 | 1040 | 43 |
| C023261 | + | 40 | 00 | NS5 | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| G023267 | | 10 | 29 | 258 | 5.97 | 10 | 1 | 1.66 | 10 | 1.60 | 1665 | 2 | 0.02 | 40 | 1210 | 56 |
| G023263 | | 10 | 10 | 2/3 | 4.88 | <10 | <1 | 1.01 | <10 | 0.99 | 1830 | 3 | 0.02 | 21 | 930 | 46 |
| G023264 | 1 | 10 | 10 | 57 | 3.26 | <10 | 1 | 0.76 | <101 | 0.86 | 1470 | 2 | 0.03 | 14 | 720 | 67 |
| G023265 | | 83 | 6 | 5/ 50 | 3.34 | <10 | 1 | 0.79 | 10 | 0.85 | 1655 | 2 | 0.03 | 18 | 860 | 139 |
| C023266 | | | | 00 | 7.30 | <10 | <1 | 0.77 | <10 | 0.83 | 2190 | 3 | 0.01 | 13 | 820 | 418 |
| G023267 | | 116 | 5 | 179 | 8.33 | <10 | <1 | 0.54 | <10 | 0.74 | 2540 | 2 | 0.01 | 24 | 580 | 384 |
| C023268 | | 10 | 25 | 244 | 6.77 | 10 | 1 | 1.67 | <10 | 1.81 | 2390 | 4 | 0.02 | 43 | 960 | 1675 |
| 6023269 | | 12 | 22 | 796 | 8.53 | 10 | <1 | 1.24 | <10 | 1.49 | 1815 | 3 | 0.02 | 65 | 990 | 339 |
| 6023270 | | 40 | 29 | 300 | 7.87 | 10 | 1 | 1.55 | <10 | 1.46 | 1530 | 11 | 0.01 | 35 | 1130 | 57 |
| 3025270 | | 2 | 21 | 247 | 4.33 | <10 | 1 | 1.22 | 10 | 1.48 | 1630 | 4 | 0.01 | 35 | 1080 | 311 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - F Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

| <u></u> | | | | | | | | | С | ERTIFIC | CATE O | F ANA | LYSIS | TR10164321 |
|--------------------|-----------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|-----------------------------|------------------------------|------------|
| Sample Description | Method Analyte Units LOR | ME- ICP41 S % 0.01 | ME- ICP41 Sb ppm 2 | ME- ICP41 Sc ppm 1 | ME- ICP41 Sr ppm 1 | ME- ICP41 Th ppm 20 | ME- ICP41 Ti % 0.01 | ME- ICP41 Tl ppm 10 | ME- ICP41 U ppm 10 | ME- ICP41 V ppm 1 | ME- ICP41 W ppm 10 | ME- ICP41 Zn ppm 2 | Zn- OG46 Zn % 0.001 | |
| G023233 G023234 | | 1.41 | <2 | 4 | 222 | <20 | 0.24 | <10 | <10 | 67 | <10 | 117 | | |
| G023235 | | 1.39 | <2 | 4 | 231 | <20 | 0.22 | <10 | <10 | 62 | <10 | 82 | | |
| G023236 | | >10.0 | ~2 | 4 | 240 | <20 | 0.23 | <10 | <10 | 61 | <10 | 87 | | |
| G023237 | | 6.3 | 6 | 4 6 | 134 | <20 <20 | 0.21 0.26 | <10 <10 | <10 <10 | 58 82 | <10 <10 | 126 169 | | |
| G023238 | | 0.79 | <2 | 4 | 259 | <20 | 0.22 | <10 | <10 | 68 | <10 | 115 | | |
| G023239 | | 2.84 | 2 | 3 | 314 | <20 | 0.16 | <10 | <10 | 54 | <10 | 115 | | |
| G023240 | | 10.0 | <2 | 2 | 7 | <20 | 0.02 | <10 | <10 | 16 | 10 | 103 | 1 220 | |
| G023241 | | 3.76 | 2 | 3 | 203 | <20 | 0.17 | <10 | <10 | 60 | <10 | 159 | 1.330 | |
| G023242 | | 2.58 | 3 | 3 | 130 | <20 | 0.18 | <10 | <10 | 50 | <10 | 2480 | | |
| G023243 | | 4.69 | 6 | 7 | 65 | <20 | 0.26 | <10 | <10 | 112 | <10 | 7450 | | |
| G023244 | | 4.48 | 2 | 3 | 123 | <20 | 0.20 | <10 | <10 | 61 | <10 | 3780 | | |
| 6023245 | | 7.7 | 50 | 6 | 108 | <20 | 0.21 | 10 | <10 | 88 | 10 | >10000 | 2 29 | |
| GU23246 C022247 | | 1.69 | 2 | 4 | 187 | <20 | 0.19 | <10 | <10 | 70 | <10 | 347 | 2.20 | |
| G023247 | | 2.26 | 4 | 4 | 338 | <20 | 0.19 | <10 | <10 | 63 | <10 | 566 | | |
| G023248 | | 2.95 | 2 | 4 | 212 | <20 | 0.19 | <10 | <10 | 62 | <10 | 51 | | |
| G023249 | | 2.38 | 2 | 4 | 200 | <20 | 0.18 | <10 | <10 | 59 | <10 | 49 | | |
| G023250 | | 1.64 | 2 | 3 | 264 | <20 | 0.17 | <10 | <10 | 50 | <10 | | | |
| G023251 | | 2.11 | 3 | 3 | 450 | <20 | 0.14 | <10 | <10 | 49 | <10 | 1205 | | |
| G023252 | | 1.52 | 3 | 5 | 245 | <20 | 0.20 | <10 | <10 | 89 | <10 | 66 | | |
| G023252- CRD | | 1.62 | 2 | 5 | 256 | <20 | 0.20 | <10 | <10 | 89 | <10 | 68 | | |
| G023253 | | 2.97 | 4 | 3 | 205 | <20 | 0.19 | <10 | <10 | 143 | <10 | 86 | | |
| G023253A | | | | | | | | | | | | | | |
| G023234 C022255 | | 2.89 | 5 | 3 | 193 | <20 | 0.17 | <10 | <10 | 88 | <10 | 51 | | |
| 0023233 | | 1.81 | 3 | 3 | 192 | <20 | 0.13 | <10 | <10 | 67 | <10 | 58 | | |
| 6023256 | | 1.16 | <2 | 3 | 247 | <20 | 0.15 | <10 | <10 | 51 | <10 | 89 | | |
| C023237 | | 1.00 | 5 | 3 | 283 | <20 | 0.11 | <10 | <10 | 45 | <10 | 239 | | |
| C023250 | | 1.15 | 2 | 2 | 450 | <20 | 0.07 | <10 | <10 | 34 | <10 | 114 | | |
| G023260 | | 4.17 NSS | 5 | 3 | 270 | <20 | 0.15 | <10 | <10 | 43 | <10 | 76 | | |
| C022261 | | 0.54 | 1100 | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | | |
| G023261 G023262 | | 3.51 | 4 | 4 | 180 | <20 | 0.19 | <10 | <10 | 57 | <10 | 121 | - | |
| G023262 G023263 | | 3.20 | 3 | 2 | 189 | <20 | 0.11 | <10 | <10 | 32 | <10 | 97 | | |
| G023264 | | 1.37 | <2 | 2 | 169 | <20 | 0.08 | <10 | <10 | 27 | <10 | 157 | | |
| G023265 | | 6.4 | 5 | 1 | 148 | <20 | 0.07 | <10 | <10 | 21 | <10 | 435 | | |
| C022266 | | 0.4 | ~2 | 1 | 145 | <20 | 0.06 | <10 | <10 | 15 | <10 | 789 | | |
| G023267 | | 8.1 3.65 | 3 | 1 | 188 | <20 | 0.03 | <10 | <10 | 13 | <10 | 994 | | |
| G023268 | | 5.00 | 11 | 3 | 263 | <20 | 0.15 | <10 | <10 | 51 | 30 | 5670 | | |
| G023269 | | 5.5 | 13 | 3 | 202 | <20 | 0.12 | <10 | <10 | 46 | <10 | 991 | | |
| G023270 | | 1.51 | 4 | 3 | 159 | <20 | 0.18 | <10 | <10 | 45 | <10 | 191 | | |
| | | 1.01 | J | 2 | 308 | <20 | 0.12 | <10 | <10 | 31 | <10 | 1165 | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - A Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME- MS61 As ppm 0.2 | ME-MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME-MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME- MS61 Cr ppm 1 | ME- MS61 Cs ppm 0.05 |
|---|-----------------------------------|--|---|--------------------------------|-------------------------------|-----------------------------|------------------------------|----------------------------|-------------------------------|-------------------------------|-----------------------------|------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|
| G023271 G023272 G023272- CRD G023273 G023273A | | 5.05 4.97 <0.02 3.78 <0.02 | 0.360 0.211 0.266 0.077 0.069 | | 1.09 | 7.34 | 32.4 | 2000 | 1 13 | 0.50 | 2 13 | 0.10 | 26.2 | | | |
| G023274 G023275 G023276 G023277 G023278 | | 2.61 2.00 2.38 2.41 3.85 | 0.122 0.062 0.112 0.523 0.207 | | | | | | | | 2.10 | | | 10.0 | 0 | 2.06 |
| C023279 C023280 C023281 C023282 C023283 | | 2.54 0.14 4.77 4.74 5.66 | 0.051 2.16 0.093 0.343 0.304 | 2.13 | | | | | | | | | | | | |
| G023284 G023285 G023286 G023287 G023288 | | 2.92 3.12 2.91 2.24 2.35 | 0.533 0.064 0.407 0.905 1.935 | | | | | | | | | | | | | |
| G023290 G023290 G023291 G023292 G023292- CRD | | 3.02 2.59 2.14 5.58 <0.02 | 0.093 1.150 1.185 0.401 0.400 | | | | | | | | | | | | | |
| G023293A G023293A G023294 G023295 G023295 | | 5.56 <0.02 4.92 4.61 4.72 | 0.132 0.240 0.138 0.173 0.121 | | 5.32 | 7.35 | 87.3 | 950 | 0.94 | 1.85 | 3.58 | 9.98 | 33.4 | 9.1 | 57 | 1.79 |
| G023297 G023298 G023299 G023300 G023301 | | 5.21 5.83 4.75 0.14 4.31 | 0.462 0.104 0.152 2.04 0.328 | 2.09 | | | | | | | | | | | | |
| G023302 G023303 G023304 G023305 G023306 | | 5.00 5.42 5.14 4.40 4.68 | 0.313 0.442 0.377 0.048 0.065 | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - B Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 Cu ppm 0.2 | ME- MS61 Fe % 0.01 | ME- MS61 Ga ppm 0.05 | ME- MS61 Ge ppm 0.05 | ME- MS61 Hf ppm 0.1 | ME- MS61 In ppm 0.005 | ME- MS61 K % 0.01 | ME- MS61 La ppm 0.5 | ME- MS61 Li ppm 0.2 | ME- MS61 Mg % 0.01 | ME- MS61 Mn ppm 5 | ME- MS61 Mo ppm 0.05 | ME- MS61 Na % 0.01 | ME- MS61 Nb ppm 0.1 | ME- MS61 Ni ppm 0.2 |
|---|-----------------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|--------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|----------------------------|-------------------------------|-----------------------------|------------------------------|------------------------------|
| G023271 G023272 G023272- CRD G023273 G023273A | | 124.0 | 4.98 | 21.8 | 0.16 | 1.3 | 0.167 | 5.54 | 16.6 | 24.9 | 1 61 | 1460 | 0.06 | 1.04 | 14.0 | |
| G023274 G023275 G023276 G023277 G023278 | | | | | | | | | | | | | 0.90 | 1.04 | 14.0 | 4.9 |
| G023279 G023280 G023281 G023282 G023283 | | | | | | | | | | | | | | | | |
| G023284 G023285 G023286 G023287 G023288 | | | | | | | | | | | | | | | | |
| G023289 G023290 G023291 G023292 G023292- CRD | | | | | | | | | | | | | | | | |
| C023293 C023293A C023294 C023295 C023296 | | 279 | 7.20 | 19.50 | 0.23 | 1.6 | 0.755 | 4.41 | 19.1 | 28.8 | 1.65 | 3650 | 1.59 | 0.06 | 12.6 | 20.5 |
| G023297 G023298 G023299 G023300 G023301 | | | | | | | | | | | | | | · | <u> </u> | |
| G023302 G023303 G023304 G023305 G023306 | | | | | | | <u> </u> | | | | | | · | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - C Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME-MS61 P ppm 10 | ME- MS61 Pb ppm 0.5 | ME- MS61 Rb ppm 0.1 | ME- MS61 Re ppm 0.002 | ME- MS61 S % 0.01 | ME- MS61 Sb ppm 0.05 | ME- MS61 Sc ppm 0.1 | ME- MS61 Se ppm 1 | ME- MS61 Sn ppm 0.2 | ME- MS61 Sr ppm 0.2 | ME- MS61 Ta ppm 0.05 | ME- MS61 Te ppm 0.05 | ME- MS61 Th ppm 0.2 | ME- MS61 Ti % 0.005 | ME- MS61 TI ppm 0.02 |
|---|-----------------------------------|---------------------------|------------------------------|------------------------------|--------------------------------|----------------------------|-------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-------------------------------|-------------------------------|------------------------------|---------------------------------------|-------------------------------|
| G023271 G023272 G023272- CRD G023273 G023273A | | 1560 | 17.8 | 80.5 | 0.002 | 1.87 | 3.39 | 10.7 | 2 | 2.1 | 443 | 0 77 | 0 17 | 26 | 0.338 | 2.08 |
| G023274 G023275 G023276 G023277 G023278 | | | | | | | | | | | | | 0.17 | 2.0 | 0.336 | 3.06 |
| G023279 G023280 G023281 G023282 G023283 | | | | | | | | | | | | | | | | |
| G023284 G023285 G023286 G023287 G023288 | | | | | | | | | | | | | | | | |
| G023289 G023290 G023291 G023292 G023292- CRD | | | | | | | | | | | | | | | | |
| G023293 G023293A G023294 G023295 G023296 | | 1070. | 528 | 127.0 | 0.002 | 3.09 | 6.12 | 23.6 | 3 | 3.0 | 424 | 0.70 | 0.63 | 2.5 | 0.443 | 1.99 |
| G023297 G023298 G023299 G023300 G023301 | | | | | | | | | | | | | | | · · · · · · · · · · · · · · · · · · · | |
| G023302 G023303 G023304 G023305 G023306 | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - D Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME-MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | ME- ICP41 Ag ppm 0.2 | ME- ICP41 A! % 0.01 | ME- ICP41 As ppm 2 | ME- ICP41 B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 | ME- ICP41 Cd ppm 0.5 |
|---|-----------------------------------|----------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|-----------------------------------|--------------------------------------|-------------------------------------|--|--------------------------------|--|--------------------------------|--------------------------------------|---------------------------------------|
| G023271 G023272 G023272- CRD G023273 G023273A | | 1.5 | 192 | 5.2 | 8.0 | 88 | 40.0 | 2.8 2.3 2.4 1.4 | 0.84 0.95 0.98 1.56 | 92 92 93 34 | <10 <10 <10 <10 | 80 80 80 140 | <0.5 <0.5 <0.5 <0.5 | 3 5 3 3 | 2.64 1.90 1.93 2.38 | <0.5 <0.5 <0.5 <0.5 <0.5 |
| G023274 G023275 G023276 G023277 G023278 | | | | | | | | 1.2 1.1 3.2 4.4 4.3 | 1.22 1.34 1.58 2.56 2.03 | 72 23 3520 5050 169 | <10 <10 <10 <10 <10 <10 | 40 160 120 20 40 | <0.5 <0.5 <0.5 <0.5 <0.5 | 4 2 4 7 4 | 2.12 2.46 2.66 2.04 1.03 | <0.5 <0.5 11.8 13.4 0.6 |
| G023279 G023280 G023281 G023282 G023283 | | | | | | | | 3.3 19.1 2.6 5.8 7.3 | 0.57 1.01 0.87 1.63 2.74 | 118 28 43 141 1470 | <10 <10 <10 <10 <10 <10 | 100 30 150 50 70 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 4 <2 <2 2 3 | 2.36 0.31 2.21 1.33 1.28 | 4.7 62.4 0.7 11.4 21.6 |
| G023284 G023285 G023286 G023287 G023288 | | | | | | | ,,, | 25.9 4.8 7.3 6.3 15.3 | 4.91 5.36 3.76 5.10 4.24 | 1440 646 1050 9630 3290 | <10 <10 <10 <10 <10 <10 | 210 240 200 120 40 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 10 <2 2 <2 5 | 0.74 0.77 1.01 0.94 1.09 | 140.0 16.2 22.3 12.4 81.7 |
| G023289 G023290 G023291 G023292 G023292 C023292- CRD | | | | | | | | 5.8 13.7 10.5 7.1 6.9 | 2.98 3.26 3.51 4.01 3.86 | 34 118 635 2930 2980 | <10 <10 <10 <10 <10 <10 | 290 50 40 300 290 | <0.5 <0.5 <0.5 <0.5 <0.5 | <pre><2 4 3 <2 2 2</pre> | 1.88 1.68 1.97 1.83 | 9.2 21.7 10.5 16.5 |
| C023293 C023293A C023294 C023295 G023295 G023296 | | 1.8 | 190 | 9.4 | 9.7 | 1820 | 38.2 | 6.1 5.3 8.7 4.0 | 2.24 1.83 2.95 2.06 | 118 86 1890 67 | <10 <10 <10 <10 <10 | 110 110 110 220 | <0.5 <0.5 <0.5 <0.5 | 5 <2 <2 2 | 4.02 2.38 1.17 | 10.8 5.2 25.1 |
| C023297 C023298 C023299 C023209 C023300 G023301 | | | | | | | (<i>p</i>) | 7.6 7.5 5.7 14.5 9.1 | 2.94 3.67 2.81 1.01 4.40 | 1850 340 1685 25 1885 | <10 <10 <10 <10 <10 <10 | 180 280 180 40 180 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 2 4 <2 <2 <2 | 2.15 1.36 2.36 0.29 | 5.9 16.9 11.9 13.6 56.9 |
| C023302 C023303 C023304 C023305 C023306 | | | | | | | | 7.7 13.8 8.6 2.0 1.5 | 3.56 5.36 2.88 1.43 1.93 | 94 510 622 56 37 | <10 <10 <10 <10 <10 <10 | 90 100 170 190 210 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 2 9 7 <2 <2 | 1.73 1.53 1.33 2.07 2.67 | 7.2 26.1 12.6 2.2 1.7 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

CERTIFICATE OF ANALYSIS

Page: 3 - E Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

TR10164321

Project: Bronson

ME- ICP41 ME-ICP4 ME-ICP41 ME- ICP41 Method ME-ICP41 ME-ICP4 ME-ICP41 ME- ICP41 ME-ICP41 ME- ICP41 ME- ICP41 ME- ICP41 ME- ICP41 ME-ICP41 ME- ICP41 Co Cr Analvte Cu Fe Ga Hg К La Mg Mn Мо Na Ni P Pb Units ppm ppm ppm % ppm % ppm ppm % Sample Description ppm % ppm ppm ppm ppm LOR 1 1 1 0.01 10 0.01 1 10 0.01 5 1 0.01 1 10 2 G023271 8 15 200 4.99 <10 <1 0.68 <10 1.08 1690 17 0.01 53 1130 18 G023272 31 15 200 6.34 <10 1 0.78 <10 0.88 1230 3 0.02 34 1030 35 G023272- CRD 30 16 206 6.25 <10 <1 0.81 <10 0.91 1240 2 0.02 34 1050 26 G023273 14 2 136 4.57 10 1 1.29 10 1.44 1505 <1 0.03 3 1650 15 G023273A G023274 85 2 96 9.76 10 1.04 10 1 1.31 2020 1 0.02 7 1410 31 G023275 3 2 111 3.02 <10 1 1.10 10 1.41 2020 <1 0.02 3 1650 28 G023276 12 3 234 5.79 10 1 1.29 10 1.49 1900 8 0.02 6 1490 332 G023277 236 3 397 14.8 10 1 2.12 <10 2.11 1945 5 0.02 10 1310 424 G023278 9 7 477 7.33 10 1 1.71 <10 1.50 1550 4 0.01 7 1570 104 G023279 6 8 202 4.59 <10 0.46 1 10 1.00 1905 1 0.02 7 1010 333 G023280 10 43 5520 9.21 <10 2 0.10 <10 0.97 354 13 0.02 23 110 309 G023281 4 4 244 4.15 <10 <1 0.68 10 1.10 1810 <1 0.04 8 1180 49 G023282 22 5 301 5.94 <10 <1 1.31 10 1.31 1685 1 0.03 10 1200 347 G023283 21 13 432 7.07 10 <1 2.04 <10 1.93 2510 <1 0.03 9 1520 443 G023284 11 19 1030 9.54 10 3.36 <10 3.24 3210 <1 0.02 8 1410 1080 G023285 8 15 187 10.70 10 1 2.67 <10 3.57 3810 <1 0.02 12 1280 481 G023286 13 10 210 9.72 10 1 1.99 10 2.58 4270 <1 0.02 9 970 721 G023287 47 14 107 12.40 10 2 2.24 <10 3.33 4560 <1 0.02 8 920 756 G023288 144 14 305 20.6 10 2 1.93 <10 2.83 4200 <1 0.03 16 750 1720 G023289 8 30 306 6.72 10 <1 2.42 10 2.22 4270 <1 0.03 17 1100 536 G023290 57 17 300 10.25 10 1 2.28 <10 2.47 3930 <1 0.02 18 1000 1530 G023291 39 37 444 12.25 10 1 2.64 10 2.64 4410 1 0.03 25 1140 833 G023292 3 25 230 7.95 10 1 3.11 10 2.83 3760 1 0.03 13 1230 868 G023292-CRD 3 25 224 7.71 10 1 3.00 10 2.73 3670 1 0.02 12 1180 859 G023293 7 27 338 6.54 <10 1 1.68 10 1.47 3740 <1 0.02 19 1210 590 G023293A G023294 5 17 316 4.52 <10 <1 1.46 10 0.97 2280 <1 0.03 13 1090 354 G023295 8 8 418 6.95 10 <1 2.42 <10 1.82 2260 <1 0.02 7 1030 968 G023296 4 7 155 4.08 10 <1 1.61 10 1.32 2270 <1 0.05 7 980 289 G023297 7 11 181 5.75 10 <1 2.00 10 1.98 2940 <1 0.03 6 930 698 G023298 10 22 102 6.46 10 1 2.25 10 2.41 3780 <1 0.04 10 1050 631 G023299 6 12 127 5.42 10 1 1.91 10 1.94 2950 1 0.04 3 900 614 G023300 11 43 5140 9.10 <10 2 0.10 <10 0.98 347 14 0.03 21 110 243 G023301 18 30 394 9.10 10 <1 2.81 10 3.05 2960 1 0.03 8 1080 480 G023302 20 27 302 8.00 10 1 2.27 10 2.38 3640 1 0.04 10 1060 343 G023303 22 58 395 10.55 10 <1 2.72 10 3.57 4240 <1 0.02 19 1480 945 G023304 20 34 203 5.62 10 1 2.09 10 1.87 2610 <1 0.03 11 950 479 G023305 11 6 86 2.61 <10 <1 1.14 10 0.89 2010 <1 0.04 5 700 127 G023306 6 7 134 3.44 10 <1 1.61 10 1.25 1765 <1 0.04 10 990 42



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - F Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 S % 0.01 | ME- ICP41 Sb ppm 2 | ME- ICP41 Sc ppm 1 | ME- ICP41 Sr ppm 1 | ME- ICP41 Th ppm 20 | ME- ICP41 Ti % 0.01 | ME- ICP41 TI ppm 10 | ME- ICP41 U ppm | ME- ICP41 V ppm | ME- ICP41 W ppm | ME- ICP41 Zn ppm | Zn- OG46 Zn % | |
|--------------------|-----------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-----------------------|-----------------------|-----------------------|------------------------|---------------------|------|
| G023271 | | 3 39 | 3 | | 520 | -00 | 0.01 | 10 | | 1 | 10 | 2 | 0.001 | |
| G023272 | 1 | 5.35 | 2 | 2 | 538 200 | <20 | 0.05 | <10 | <10 | 22 | <10 | 54 | | |
| G023272- CRD | , j | 5.26 | 2 | 2 | 290 | <20 | 0.08 | <10 | <10 | 28 | <10 | 68 | | |
| G023273 | , | 1.98 | 2 | 2 | 291 | <20 <20 | 0.08 | <10 | <10 | 29 | <10 | 58 | | |
| G023273A | , | 1.00 | 4 | 2 | 204 | SZU | U.17 | <10 | <10 | 58 | <10 | 80 | | |
| G023274 | | 93 | 2 | | 270 | -00 | | | | | | | | |
| G023275 | ļ | 0.47 | 2 | 2 | 270 | ~20 | 0.13 | <10 | <10 | 47 | <10 | 65 | | |
| G023276 | ļ | 2.82 | 4 | 2 | 320 | <20 | 0.13 | <10 | <10 | 43 | <10 | 119 | | I |
| G023277 | , j | >10.0 | 4 | 3 | 300 | <20 | 0.15 | <10 | <10 | 49 | 10 | 1660 | | ł |
| G023278 | ļ | 4.26 | 4 | 3 | 127 | ~20 | 0.20 | 10 | <10 | 82 | 10 | 1790 | | l |
| G023279 | | 2.02 | | | 240 | 120 | 0.20 | <10 | <10 | 75 | <10 | 251 | | |
| G023280 | ļ | >10.02 | 13 | 2 | 342 | <20 | 0.04 | <10 | <10 | 18 | <10 | 810 | | |
| G023281 | ļ | 2 09 | 4 | 2 | 9 207 | <20 | 0.02 | <10 | <10 | 17 | 10 | >10000 | 1.290 | |
| G023282 | ļ | 4 11 | 7 | 2 | 321 172 | <20 | 0.07 | <10 | <10 | 34 | <10 | 195 | | ł |
| G023283 | 1 | 3.87 | 8 | 4 | 152 | <20 | 0.17 | <10 | <10 | 49 | <10 | 1685 | | ļ |
| C022284 | | 0.00 | | | | ~20 | 0.24 | <10 | <10 | 75 | <10 | 3220 | | |
| 0023204 | ļ | 2.68 | 12 | 6 | 78 | <20 | 0.34 | <10 | <10 | 119 | 20 | >10000 | 1.885 | |
| C023286 | | 2.23 | 1 | 6 | 87 | <20 | 0.30 | <10 | <10 | 113 | <10 | 2740 | | |
| C023287 | 1 | 3.10 | -14 50 | 3 | 105 | <20 | 0.22 | <10 | <10 | 65 | <10 | 3800 | | |
| C023288 | | 4. <i>∠1</i> | 50 | 4 | 104 | <20 | 0.26 | <10 | <10 | 93 | <10 | 2670 | | ļ |
| 60232380 | | -10.0 | 22 | 4 | 113 | <20 | 0.21 | <10 | <10 | 81 | 20 | >10000 | 1.260 | |
| 6023289 | 1 | 1.66 | 9 | 4 | 184 | <20 | 0.25 | <10 | <10 | 73 | <10 | 1920 | <u></u> | |
| GUZ3290 | | 6.9 | 9 | 4 | 140 | <20 | 0.22 | <10 | <10 | 77 | <10 | 4180 | | |
| 6023291 | 1 | 8.9 | 8 | 6 | 185 | <20 | 0.27 | <10 | <10 | 90 | <10 | 2270 | | |
| GUZ3292 | I | 1.69 | 6 | 5 | 248 | <20 | 0.28 | <10 | <10 | 91 | <10 | 3360 | | |
| G023292-CKD | | 1.66 | 9 | 5 | 243 | <20 | 0.27 | <10 | <10 | 88 | <10 | 3200 | | |
| G023293 | | 3.76 | 6 | 5 | 427 | <20 | 0.20 | <10 | <10 | 68 | <10 | 2110 | | |
| G025295A | I | 0.00 | _ | 2 | | | | | | | | | | |
| G023294 C033305 | 1 | 2.68 | 5 | 3 | 237 | <20 | 0.17 | <10 | <10 | 47 | <10 | 985 | | |
| 0023295 | | 3.28 | 15 | 2 | 112 | <20 | 0.24 | <10 | <10 | 58 | <10 | 4300 | | |
| 0023290 | | 1.56 | 4 | 2 | 176 | <20 | 0.19 | <10 | <10 | 53 | <10 | 1205 | | |
| G023297 | | 1.23 | 11 | 2 | 296 | <20 | 0.22 | <10 | <10 | 52 | <10 | 2800 | | |
| 6023298 | | 1.11 | 6 | 3 | 142 | <20 | 0.26 | <10 | <10 | 77 | <10 | 2330 | | |
| 0025233 | | 0.95 | 9 | 2 | 319 | <20 | 0.21 | <10 | <10 | 50 | 10 | 2450 | | |
| 6023300 | 1 | >10.0 | 2 | 2 | 8 | <20 | 0.02 | <10 | <10 | 16 | <10 | >10000 | 1.260 | |
| G025501 | | 2.32 | 11 | 4 | 94 | <20 | 0.31 | <10 | <10 | 92 | 20 | 2850 | | |
| G023302 | | 3.29 | 2 | 3 | 134 | <20 | 0.26 | <10 | <10 | 74 | 10 | 1400 | | |
| G023303 | 1 | 3.33 | 12 | 8 | 116 | <20 | 0.33 | <10 | <10 | 121 | <10 | 4440 | | |
| G023304 | | 2.14 | 6 | 4 | 131 | <20 | 0.23 | <10 | <10 | 69 | <10 | 2360 | | |
| 6023305 | | 1.28 | 3 | 1 | 196 | <20 | 0.13 | <10 | <10 | 30 | <10 | 417 | | |
| G023306 | | 1.40 | 2 | 2 | 322 | <20 | 0.18 | <10 | <10 | 49 | <10 | 300 | | |
| | | <u> </u> | | | | | | | | | | | | 1 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - A Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME- MS61 As ppm 0.2 | ME- MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME- MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME- MS61 Cr ppm 1 | ME- MS61 Cs ppm 0.05 |
|---|-----------------------------------|--|--|--------------------------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|
| C023307 C023308 C023309 C023310 C023311 | | 4.68 4.86 4.69 4.50 5.06 | 0.080 0.123 0.032 0.040 0.024 | | | | | | | | | | | | | |
| C023312 G023312- CRD G023313 G023313A G023314 | | 4.80 <0.02 4.84 <0.02 5.40 | 0.032 0.043 0.161 0.169 0.348 | | 1.36 | 7.44 | 96.9 | 280 | 1.13 | 1.80 | 1.86 | 0.20 | 42.1 | 52.5 | 29 | 1.94 |
| G023315 G023316 G023317 G023318 G023319 | | 4.70 4.97 5.06 4.37 5.79 | 0.050 0.052 0.243 0.050 0.033 | | | | | | | | | | | | | |
| G023320 G023321 G023322 G023323 G023324 | | 1.04 5.63 5.30 5.15 5.47 | <0.005 0.062 0.272 0.494 0.301 | | | | | | | | | | | | | |
| G023325 G023326 G023327 G023328 G023329 | | 5.18 5.41 2.67 3.74 2.11 | 0.142 0.167 0.040 0.227 0.136 | | | | | | | | | | | | | |
| G023330 G023331 G023332 G023332- CRD G023333 | | 3.93 3.47 2.59 <0.02 2.28 | 0.179 0.010 0.251 0.242 0.091 | | | | | | | | | | | | | |
| G023333A G023334 G023335 G023336 G023337 | | <0.02 2.41 3.67 2.77 2.27 | 0.049 0.026 0.154 0.170 0.378 | | 1.18 | 7.20 | 25.4 | 1900 | 0.86 | 1.02 | 3.29 | 0.15 | 23.3 | 9.7 | 218 | 2.61 |
| G023338 G023339 G023340 G023341 G023342 | | 2.39 5.04 0.10 5.26 4.85 | 0.730 0.132 NSS 0.077 0.017 | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

CERTIFICATE OF ANALYSIS

Page: 4 - B Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

TR10164321

Project: Bronson

ME- MS61 ME- MS61 ME- MS61 Method ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME-MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 Cu Fe Ga Analyte Ge Hf In к La Li Mg Mn Мо Na Nb Ni Units ppm % ppm ppm ppm ppm % ppm % Sample Description ppm ppm % ppm ppm ppm LOR 0.2 0.01 0.05 0.05 0.1 0.005 0.01 0.5 0.2 0.01 5 0.05 0.01 0.1 0.2 G023307 G023308 G023309 G023310 G023311 G023312 G023312- CRD G023313 G023313A 160.0 8.69 24.8 0.21 1.3 0.279 4.01 21.7 31.9 1.90 1880 1.76 1.28 24.5 13.8 G023314 G023315 G023316 G023317 G023318 G023319 G023320 G023321 G023322 G023323 G023324 G023325 G023326 G023327 G023328 G023329 G023330 G023331 G023332 G023332- CRD G023333 G023333A 231 6.70 17.35 0.19 0.9 0.351 5.22 13.4 29.6 2.58 1620 1.46 0.60 5.4 150.0 G023334 G023335 G023336 G023337 G023338 G023339 G023340 G023341 G023342



Sample Description

ALS Canada Ltd.

ME- MS61

Ρ

ppm

10

Method

Analyte

Units

LOR

ME- MS61

Pb

ppm

0.5

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

ME- MS61

Re

ppm

0.002

S

%

0.01

ME- MS61

Rb

ppm

0.1

To: SKYLINE GOLD CORPORATION **SUITE 212** 10451 SHELLBRIDGE WAY **RICHMOND BC V6X 2W8**

Page: 4 - C Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

ME- MS61

ΤI

ppm

0.02

Project: Bronson

CERTIFICATE OF ANALYSIS TR10164321 ME- MS61 Sb Sc Se Sn Sr Тa Te Τh Τi ppm ppm ppm ppm ppm % ppm ppm ppm 0.05 0.1 1 0.2 0.2 0.05 0.05 0.2 0.005

| 6022207 | | | | | | | | | | | | | | 0.005 | 0.02 |
|---|------|------|------|-------|------|------|------|---|-----|-----|--------------|------|-----|-------|------|
| G023307 G023308 G023309 G023310 G023311 | | | | _ | | | | | | | | | | | |
| G023312 G023312- CRD G023313 G023313A G023314 | 1200 | 19.9 | 88.6 | 0.002 | 4.63 | 3.44 | 15.4 | 2 | 2.5 | 303 | 1.33 | 0.56 | 2.4 | 0.503 | 2.24 |
| G023315 G023316 G023317 G023318 G023319 | | | | | | | | | | | | | | | |
| G023320 G023321 G023322 G023323 G023324 | | | | | | | | | | | | | | | |
| G023325 G023326 G023327 G023328 G023329 | | | | | | | | | | | · | | | | |
| G023330 G023331 G023332 G023332- CRD G023333 | | | | | | | | | | | - <u>10-</u> | | | | |
| G023333A G023334 G023335 G023336 G023337 | 1040 | 6.0 | 95.8 | 0.003 | 1.23 | 1.78 | 12.9 | 2 | 1.6 | 406 | 0.29 | 0.28 | 2.1 | 0.310 | 1.92 |
| G023338 G023339 G023340 G023341 G023342 | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - D Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 U ppm 0.1 | ME-MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME- ICP41 B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0,5 | ME- ICP41 Bi ppm 2 | ME-ICP41 Ca % | ME-ICP41 Cd ppm |
|---|-----------------------------------|-----------------------------|--------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|---------------------------------|--------------------------------------|--------------------------------|--|--------------------------------|--|---|---------------------------------------|---|
| G023307 G023308 G023309 G023310 G023311 | | | | | | | | 1.5 2.2 0.6 1.3 0.9 | 2.27 2.56 2.80 3.17 3.29 | 43 138 34 49 129 | <10 <10 <10 <10 <10 <10 | 250 60 360 290 330 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <2 3 2 <2 <2 | 3.35 2.74 3.82 3.57 3.44 | 1.2 1.4 <0.5 <0.5 |
| G023312 G023312- CRD G023313 G023313A G023314 | | 2.0 | 201 | 5.5 | 10.6 | 153 | 35.8 | 0.6 0.8 1.2 2.1 | 2.54 2.37 3.00 2.54 | 27 20 107 103 | <10 <10 <10 <10 | 320 290 40 | <0.5 <0.5 <0.5 <0.5 | <pre> </pre> <pre> <2 <2 <3 </pre> <pre> <pre> 4 </pre> </pre> | 3.49 3.47 2.00 | <0.5 <0.5 <0.5 <0.5 |
| G023315 G023316 G023317 G023318 G023319 | | | | | | | | 0.9 0.9 3.1 1.6 1.3 | 2.46 2.52 2.06 1.82 3.53 | 163 47 103 71 74 | <10 <10 <10 <10 <10 <10 | 240 260 50 190 230 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 2 2 5 3 <2 | 2.88 2.39 0.91 3.37 4.67 | <0.5 <0.5 0.5 1.6 <0.5 |
| G023320 G023321 G023322 G023323 G023324 | | | | | | | | 4.7 2.3 3.3 4.4 4.8 | 0.04 2.72 2.98 2.76 2.83 | <2 43 178 499 1670 | <10 <10 <10 <10 <10 | <10 190 80 30 50 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | <2 3 3 7 8 | >25.0 3.85 3.34 2.39 2.09 | <0.5 <0.5 2.4 <0.5 <0.5 |
| G023325 G023326 G023327 G023328 G023329 | | | | | | | | 3.1 2.3 1.1 3.4 2.4 | 3.11 1.72 0.97 1.78 1.09 | 120 59 32 60 45 | <10 <10 <10 <10 <10 | 60 100 110 70 | <0.5 <0.5 <0.5 <0.5 <0.5 | 5 4 2 3 | 2.62 2.82 4.08 1.22 | <0.5 0.8 <0.5 <0.5 |
| C023330 C023331 G023332 C023332- CRD G023333 | | | | | | | | 2.3 0.9 2.4 2.4 1.4 | 1.04 1.15 1.79 1.75 2.58 | 24 26 78 78 24 | <10 <10 <10 <10 <10 <10 | 100 90 110 110 240 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 3 2 4 3 3 | 2.92 3.61 3.09 3.05 3.52 | <0.5 2.1 <0.5 <0.5 <0.5 <0.5 |
| G023333A G023334 G023335 G023336 G023337 | | 1.3 | 165 | 4.6 | 7.5 | 127 | 24.4 | 0.7 1.4 0.4 3.3 | 4.76 4.78 4.29 3.65 | 23 63 5 219 | <10 <10 <10 <10 | 280 120 210 100 | 0.5 <0.5 <0.5 <0.5 | 3 4 3 8 | 4.65 5.18 4.16 4.12 | 22.2 1.1 8.0 4.0 |
| G023338 G023339 G023340 G023341 G023342 | | | | | | | | 3.6 3.1 NSS 2.7 1.1 | 2.62 4.18 NSS 2.66 1.37 | 56 30 NSS 36 32 | <10 <10 NSS <10 <10 | 160 180 NSS 130 80 | <0.5 <0.5 NSS <0.5 <0.5 | 5 4 NSS 6 3 | 4.50 3.23 NSS 4.23 3.56 | <0.5 <0.5 NSS <0.5 <0.5 <0.5 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - E Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 Co ppm 1 | ME- ICP41 Cr ppm 1 | ME- ICP41 Cu ppm 1 | ME- ICP41 Fe % 0.01 | ME- ICP41 Ga ppm 10 | ME- ICP41 Hg ppm 1 | ME- ICP41 K % 0.01 | ME- ICP41 La ppm 10 | ME- ICP41 Mg % 0.01 | ME- ICP41 Mn ppm 5 | ME- ICP41 Mo ppm 1 | ME- 1CP41 Na % 0.01 | ME- ICP41 Ni ppm 1 | ME- ICP41 P ppm 10 | ME- ICP41 Pb ppm 2 |
|--------------------|-----------------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|-----------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|
| G023307 G023308 | | 4 16 | 11 18 | 179 314 | 4.35 7.33 | 10 10 | 1 <1 | 1.92 2.13 | 10 10 | 1.42 | 1890 1690 | <1 <1 | 0.04 | 12 | 1330 | 14 |
| G023309 | | 8 | 21 | 180 | 4.84 | 10 | <1 | 2.31 | 10 | 1.80 | 1660 | <1 | 0.05 | 15 | 1440 | 20 |
| G023310 | | 8 | 20 | 203 | 5.50 | 10 | <1 | 2.60 | 10 | 2.04 | 1480 | <1 | 0.06 | 17 | 1410 | 10 |
| G023311 | | 5 | 82 | 136 | 5.57 | 10 | <1 | 2.56 | 10 | 2.24 | 1585 | <1 | 0.06 | 24 | 1360 | 12 |
| G023312 | | 5 | 20 | 133 | 4.38 | 10 | <1 | 1.95 | 10 | 1,50 | 1625 | <1 | 0.07 | 13 | 1350 | 7 |
| G023312- CRD | | 6 | 20 | 118 | 4.31 | 10 | 1 | 1.82 | 10 | 1.44 | 1540 | <1 | 0.06 | 16 | 1280 | 9 |
| G023313 | | 49 | 18 | 179 | 8.37 | 10 | <1 | 2.19 | 10 | 1.94 | 1705 | 1 | 0.04 | 13 | 1280 | 18 |
| G023313A | | 40 | - | | | | | | | | | | | | 1200 | 10 |
| 0025314 | | 13 | 8 | 411 | 8.17 | 10 | 1 | 1.93 | 10 | 1.61 | 1395 | <1 | 0.04 | 17 | 980 | 16 |
| G023315 C022216 | | 7 | 7 | 180 | 4.12 | 10 | 1 | 1.86 | 10 | 1.60 | 1470 | 1 | 0.04 | 7 | 1480 | 8 |
| 0023310 | | 8 | 9 | 129 | 4.38 | 10 | 1 | 2.07 | 10 | 1.62 | 1315 | <1 | 0.04 | 10 | 1540 | 7 |
| C023318 | | 15 | 78 | 376 | 6.71 | 10 | <1 | 1.75 | 10 | 1.08 | 769 | 16 | 0.03 | 64 | 1350 | 18 |
| C023310 | | 10 | 88 | 167 | 4.30 | 10 | 1 | 1.51 | 10 | 1.07 | 1570 | 3 | 0.04 | 68 | 1410 | 15 |
| 6023313 | | 10 | 54 | 146 | 6.98 | 10 | 1 | 2.84 | 10 | 2.67 | 2500 | <1 | 0.03 | 34 | 2740 | 22 |
| 6023320 | | <1 | 1 | 1 | 0.04 | <10 | <1 | 0.02 | <10 | 1.23 | 25 | <1 | 0.01 | 1 | 40 | <2 |
| 6023321 | | 10 | 38 | 204 | 6.74 | 10 | 1 | 2.21 | 10 | 2.49 | 2370 | 1 | 0.02 | 31 | 2770 | 45 |
| 0023322 | | 21 | 33 | 317 | 7.70 | 10 | 1 | 2.47 | 10 | 2.45 | 2060 | 2 | 0.02 | 28 | 2870 | 46 |
| C023324 | | 01 | 38 | 419 | 11.35 | 10 | <1 | 2.30 | 10 | 2.02 | 1740 | 5 | 0.02 | 32 | 2130 | 34 |
| 6023324 | | 20 | 194 | 681 | 9.47 | 10 | 1 | 2.35 | <10 | 1.98 | 1665 | 8 | 0.02 | 120 | 1390 | 30 |
| G023325 | | 12 | 226 | 460 | 9.52 | 10 | <1 | 2.57 | <10 | 2.39 | 1655 | 4 | 0.02 | 147 | 1140 | 17 |
| G023326 C033337 | | 45 | 41 | 243 | 6.72 | <10 | <1 | 1.46 | <10 | 1.29 | 1290 | 7 | 0.02 | 55 | 1130 | 16 |
| 6023327 | | 9 | 24 | 116 | 3.71 | <10 | <1 | 0.84 | 10 | 1.18 | 1835 | 1 | 0.02 | 41 | 1140 | 8 |
| 0023320 | | 28 | 36 | 479 | 7.85 | 10 | 1 | 1.34 | <10 | 1.20 | 914 | 3 | 0.03 | 47 | 900 | 14 |
| 0023323 | | 15 | 17 | 273 | 6.07 | <10 | 1 | 0.89 | <10 | 1.14 | 1555 | 1 | 0.02 | 67 | 1100 | 10 |
| 6023330 | | 12 | 22 | 289 | 5.50 | <10 | 1 | 0.87 | 10 | 1.16 | 1335 | <1 | 0.03 | 49 | 1130 | 13 |
| C023332 | | 6 | 32 | 48 | 2.66 | 10 | <1 | 1.03 | 10 | 1.47 | 1245 | 1 | 0.03 | 43 | 1140 | 4 |
| G023332- CPD | | 40 | 33 | 392 | 6.44 | 10 | 1 | 1.53 | 10 | 1.94 | 1165 | 1 | 0.03 | 75 | 1140 | 10 |
| G023333 | | 39 | 33 | 368 | 6.33 | 10 | <1 | 1.52 | 10 | 1.95 | 1155 | 1 | 0.03 | 75 | 1150 | 8 |
| | | | 155 | 230 | 6.21 | 10 | 1 | 2.01 | 10 | 2.50 | 1675 | <1 | 0.02 | 151 | 1090 | 4 |
| G023333A | | | | | | | | - | | | | | | | | |
| C023335 | | 11 | 417 | 112 | 8.33 | 20 | 1 | 1.98 | 10 | 4.39 | 3180 | <1 | 0.02 | 124 | 950 | 6 |
| 0023335 | | 53 | 435 | 265 | 11.60 | 20 | 1 | 1.41 | 10 | 3.95 | 2540 | <1 | 0.02 | 220 | 890 | 11 |
| 6023337 | | 5 40 | 480 | 8/ | 8.44 | 20 | 1 | 1.49 | 10 | 4.33 | 3290 | <1 | 0.03 | 158 | 1010 | 2 |
| 6020000 | | 49 | 318 | /82 | 12.50 | 10 | 1 | 2.49 | 10 | 3.84 | 2480 | <1 | 0.02 | 284 | 800 | 16 |
| G023338 | | 12 | 195 | 465 | 9.16 | 10 | <1 | 1.96 | <10 | 3.59 | 1705 | 1 | 0.02 | 288 | 1300 | 18 |
| 6023339 | | 9 | 347 | 578 | 8.94 | 10 | <1 | 3.40 | 10 | 4.11 | 1490 | 2 | 0.03 | 289 | 1040 | 13 |
| C022241 | | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS | NSS |
| C023347 | | 20 | 267 | 378 | 7.93 | 10 | 1 | 2.19 | 10 | 2.84 | 1425 | 6 | 0.04 | 210 | 970 | 13 |
| | | 1 | 00 | 126 | 3.82 | 10 | 1 | 1.14 | 10 | 1.93 | 1015 | 1 | 0.04 | 58 | 1250 | 6 |


2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 4 - F Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 S % 0.01 | ME- ICP41 Sb ppm 2 | ME- ICP41 Sc ppm 1 | ME- ICP41 Sr ppm 1 | ME- ICP41 Th ppm 20 | ME- ICP41 Ti % 0.01 | ME- ICP41 Tl ppm 10 | ME- ICP41 U ppm 10 | ME- ICP41 V ppm 1 | ME- ICP41 W ppm 10 | ME- ICP41 Zn ppm 2 | Zn- OG46 Zn % 0.001 | | |
|---|-----------------------------------|--------------------------------------|-----------------------------------|-----------------------------|----------------------------------|--|---------------------------------------|--|---------------------------------|-------------------------------|--|---------------------------------|------------------------------|----------|------|
| G023307 G023308 G023309 G023310 G023311 | | 1.91 5.6 1.33 1.60 1.51 | 3 4 3 <2 5 | 4 5 6 7 7 | 359 249 346 320 213 | <20 <20 <20 <20 <20 <20 | 0.28 0.29 0.32 0.35 0.32 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 75 89 104 118 117 | <10 <10 <10 <10 <10 <10 | 276 325 93 97 177 | | | |
| G023312 G023312- CRD G023313 G023313A G023314 | | 1.26 1.05 5.05 5.14 | 3 2 3 3 | 5 5 5 3 | 220 186 111 119 | <20 <20 <20 <20 | 0.26 0.25 0.27 0.24 | <10 <10 <10 <10 | <10 <10 <10 <10 | 92 90 100 71 | <10 <10 <10 <10 | 114 106 148 422 | - <u></u> | | |
| G023315 G023316 G023317 G023318 G023319 | | 1.16 1.13 3.83 1.94 1.69 | 2 2 4 3 2 | 3 3 3 3 9 | 191 199 68 258 369 | <20 <20 <20 <20 <20 <20 | 0.23 0.28 0.25 0.22 0.41 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 75 79 69 66 140 | <10 <10 <10 <10 <10 <10 | 209 164 172 178 195 | | | |
| G023320 G023321 G023322 G023323 G023324 | | <0.01 1.79 2.83 8.5 4.86 | <2 2 3 5 12 | <1 6 7 5 5 | 4770 395 377 233 169 | 20 <20 <20 <20 <20 | <0.01 0.30 0.36 0.34 0.30 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | <1 106 115 99 103 | <10 <10 <10 <10 <10 | <2 216 492 152 201 | | <u>.</u> | |
| G023325 G023326 G023327 G023328 G023329 | | 4.82 4.38 1.17 4.58 3.51 | 3 <2 <2 <2 <2 <2 | 5 4 3 3 2 | 233 172 285 110 265 | <20 <20 <20 <20 <20 <20 | 0.27 0.18 0.10 0.16 0.11 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 107 74 37 64 40 | <10 <10 <10 <10 <10 | 215 141 88 127 72 | | | |
| G023330 G023331 G023332 G023332-CRD G023333 | | 3.05 0.26 4.13 4.00 1.35 | <2 <2 <2 2 2 <2 | 3 3 4 4 4 | 253 220 209 206 270 | <20 <20 <20 <20 <20 <20 | 0.11 0.14 0.17 0.18 0.20 | <10 <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 41 48 56 56 81 | <10 <10 <10 <10 <10 | 317 50 65 64 123 | | | |
| G023333A G023334 G023335 G023336 G023337 | | 0.73 5.25 0.53 4.97 | <2 <2 <2 <2 <2 | 7 8 8 7 | 274 269 255 315 | <20 <20 <20 <20 | 0.25 0.20 0.20 0.22 | <10 <10 <10 <10 | <10 <10 <10 <10 | 120 143 123 99 | 10 <10 10 <10 | 2950 373 1310 827 | | | |
| G023339 G023340 G023341 G023342 | | 3.24 2.65 NSS 3.76 1.01 | <2 <2 NSS <2 <2 <2 | 5 7 NSS 6 5 | 415 254 NSS 322 235 | <20 <20 NSS <20 <20 | 0.13 0.26 NSS 0.21 0.13 | <10 <10 NSS <10 <10 | <10 <10 NSS <10 <10 | 58 89 NSS 69 72 | <10 <10 NSS <10 <10 | 127 129 NSS 91 60 | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 5 - A Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

| | | | | | | | | | C | ERTIFIC | CATE C | F ANA | LYSIS | TR10 | 164321 | |
|---|-----------------------------------|--------------------------------------|---|--------------------------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|
| Sample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 A! % 0.01 | ME- MS61 As ppm 0.2 | ME- MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME- MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME- MS61 Cr ppm 1 | ME- MS61 Cs ppm 0.05 |
| G023343 G023344 G023345 G023346 G023347 | | 5.25 5.30 5.43 5.13 4.06 | 0.009 0.224 1.160 0.121 0.116 | | | | | | | | | <u>.</u> | | | | |
| G023348 G023349 | | 4.06 4.01 3.60 | 0.116 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 5 - B Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

| | | | | | | | | | C | ERTIFI | CATE C | F ANA | LYSIS | TR10 | 64321 | |
|---|-----------------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|--------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|-------------------------------|---------------------|-----------------------|-----------------------|
| Sample Description | Method Analyte Units LOR | ME- MS61 Cu ppm 0.2 | ME- MS61 Fe % 0.01 | ME- MS61 Ga ppm 0.05 | ME- MS61 Ge ppm 0.05 | ME- MS61 Hf ppm 0.1 | ME- MS61 In ppm 0.005 | ME- MS61 K % 0.01 | ME- MS61 La ppm 0.5 | ME- MS61 Li ppm 0.2 | ME- MS61 Mg % 0.01 | ME-MS61 Mn ppm 5 | ME- MS61 Mo ppm 0.05 | ME- MS61 Na % | ME- MS61 Nb ppm | ME- MS61 Ni ppm |
| G023343 G023344 G023345 G023346 G023347 | | | | | | | ······ | | | | | | | | | |
| G023348 G023349 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 5 - C Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

| | | | | | | | | | C | ERTIFIC | CATE C | F ANA | LYSIS | TR101 | 64321 | | |
|---|-----------------------------------|----------------------------|-----------------------------|------------------------------|--------------------------------|----------------------------|-------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-------------------------------|------------------------------|-----------------------------|---------------------|-----------------------|---|
| Sample Description | Method Analyte Units LOR | ME- MS61 P ppm 10 | ME-MS61 Pb ppm 0.5 | ME- MS61 Rb ppm 0.1 | ME- MS61 Re ppm 0.002 | ME- MS61 S % 0.01 | ME- MS61 Sb ppm 0.05 | ME- MS61 Sc ppm 0.1 | ME- MS61 Se ppm 1 | ME- MS61 Sn ppm 0.2 | ME- MS61 Sr ppm 0.2 | ME- MS61 Ta ppm 0.05 | ME-MS61 Te ppm 0.05 | ME-MS61 Th ppm 0.2 | ME- MS61 Ti % | ME- MS61 TI ppm | - |
| G023343 G023344 G023345 G023346 G023347 | | | | | | | | | | <u> </u> | | | | | | | - |
| G023348 G023349 | | | | | <u>.</u> _ | . <u> </u> | . <u> </u> | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | 1 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 5 - D Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 U ppm 0.1 | ME- MS61 V ppm ใ | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME-ICP41 B ppm 10 | ME· ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 | ME- ICP41 Cd ppm 0.5 |
|---|-----------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|---------------------------------|--------------------------------------|-----------------------------|---------------------------------|--------------------------------|-------------------------------------|-----------------------------|--------------------------------------|--|
| G023343 G023344 G023345 G023346 G023347 | | | | | | | | 0.8 2.4 3.3 1.2 2.0 | 1.75 2.52 5.33 5.40 4.37 | 36 24 28 15 22 | <10 <10 <10 <10 <10 | 80 190 140 350 180 | <0.5 <0.5 0.5 <0.5 <0.5 | <2 4 7 4 4 | 3.23 3.39 3.63 2.32 2.91 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 |
| G023348 G023349 | | | | | | | | 1.3 1.0 | 6.24 6.06 | 22 30 | <10 <10 | 260 260 | 1.0 1.0 | <2 <2 | 3.36 3.35 | <0.5 <0.5 |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 5 - E Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 |
|--------------------|---------|-----------|-----------|------------|--------------|-----------|-----------|--------------|-----------|--------------|--------------|-----------|-----------|-----------|--------------|--------------|
| | Analyte | Co | Cr | Cu | Fe | Ga | Hg | K | La | Mg | Mn | Mo | Na | Ni | P | Pb |
| | Units | ppm | ppm | ppm | % | ppm | ppm | % | ppm | % | ppm | ppm | % | ppm | ppm | ppm |
| | LOR | 1 | 1 | 1 | 0.01 | 10 | 1 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 |
| C023343 | | 12 | 41 | 62 | 3.14 | 10 | 1 | 1.47 | 10 | 2.27 | 913 | 1 | 0.05 | 58 | 1170 | 5 |
| C023344 | | 19 | 45 | 464 | 5.47 | 10 | 1 | 2.01 | 10 | 2.22 | 1150 | 1 | 0.04 | 48 | 1510 | 6 |
| C023345 | | 14 | 8 | 448 | 9.90 | 20 | 1 | 3.00 | 10 | 3.88 | 1640 | <1 | 0.05 | 12 | 2600 | 13 |
| G023346 | | 6 | 10 | 215 | 8.45 | 20 | 1 | 2.71 | 10 | 4.30 | 1270 | <1 | 0.06 | 12 | 2760 | 7 |
| G023347 | | 13 | 11 | 304 | 7.63 | 20 | 1 | 1.90 | 10 | 3.78 | 992 | <1 | 0.07 | 12 | 2470 | 7 |
| G023348 G023349 | | 15 18 | 15 15 | 115 118 | 9.66 9.78 | 20 20 | 1 | 2.92 2.90 | 10 10 | 5.62 5.47 | 1405 1350 | <1 <1 | 0.05 | 19 17 | 3090 3000 | , 11 9 |



Т

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 5 - F Total # Pages: 5 (A - F) Plus Appendix Pages Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 | ME- ICP41 Th ppm 20 | ME- ICP41 Ti % 0.01 | ME- ICP41 Tl ppm 10 | ME-ICP41 U ppm 10 | ME- ICP41 V ppm 1 | ME-ICP41 W ppm 10 | ME- ICP41 Zn ppm 2 | Zn- OG46 Zn % 0.001 | | |
|---|-----------------------------------|--------------------------------------|----------------------------|----------------------------|-------------------------------|---------------------------------|--------------------------------------|---------------------------------|---------------------------------|--------------------------------|---------------------------------|-------------------------------|------------------------------|--|--|
| G023343 G023344 G023345 G023346 G023347 | | 0.42 2.09 2.74 1.15 2.10 | <2 <2 4 2 5 | 5 7 12 18 17 | 195 215 144 76 93 | <20 <20 <20 <20 <20 | 0.17 0.23 0.40 0.36 0.27 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 73 106 284 291 265 | <10 <10 <10 <10 <10 | 63 81 163 168 166 | | | |
| G023348 G023349 | | 0.81 1.16 | <2 <2 | 26 25 | 135 137 | <20 <20 | 0.37 0.37 | <10 <10 | <10 <10 | 355 346 | <10 <10 | 239 234 | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |



ALS Canada Ltd. 2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: Appendix 1 Total # Appendix Pages: 1 Finalized Date: 30- NOV- 2010 Account: BQL

Project: Bronson

| NSS is non-sufficient sample. |
|--|
| REE's may not be totally soluble in this method. |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| N R |

APPENDIX 4: TRENCHING ASSAY CERTIFICATES



ALS Canada Ltd. 2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 1 Finalized Date: 26- NOV- 2010 This copy reported on 29- NOV- 2010 Account: BQL

CERTIFICATE TR10159287

Project: Bronson

P.O. No.: Green/Black & Orange Ribbons

This report is for 43 Drill Core samples submitted to our lab in Terrace, BC, Canada on 6- NOV- 2010.

The following have access to data associated with this certificate:

| DAVID JENSEN | DAVID YEAGER | JOHN ZBEETNOFF |
|--------------|--------------|----------------|
| | | |

| | SAMPLE PREPARATION | | | | | | | | | | | |
|----------|------------------------------------|--|--|--|--|--|--|--|--|--|--|--|
| ALS CODE | DESCRIPTION | ······································ | | | | | | | | | | |
| WEI- 21 | Received Sample Weight | | | | | | | | | | | |
| SPL- 34 | Pulp Splitting Charge | | | | | | | | | | | |
| LOG- 22 | Sample login - Rcd w/o BarCode | | | | | | | | | | | |
| BAG- 01 | Bulk Master for Storage | | | | | | | | | | | |
| CRU- 31 | Fine crushing - 70% < 2mm | | | | | | | | | | | |
| PUL- QC | Pulverizing QC Test | | | | | | | | | | | |
| SPL- 21 | Split sample - riffle splitter | | | | | | | | | | | |
| PUL- 32m | Pulverize 500g - 85%<75um | | | | | | | | | | | |
| LOG- 24 | Pulp Login - Rcd w/o Barcode | | | | | | | | | | | |
| LOG- 22d | Sample login - Rcd w/o BarCode dup | | | | | | | | | | | |
| SPL-21d | Split sample - duplicate | | | | | | | | | | | |
| PUL- 32d | Pulverize Split - Dup 85% <75um | | | | | | | | | | | |

| | ANALYTICAL PROCEDURE | ES |
|-----------|--------------------------------|------------|
| ALS CODE | DESCRIPTION | INSTRUMENT |
| Au- AA24 | Au 50g FA AA finish | AAS |
| Au- GRA22 | Au 50 g FA- GRAV finish | WST- SIM |
| ME- MS61 | 48 element four acid ICP- MS | |
| ME- ICP41 | 35 Element Aqua Regia ICP- AES | ICP- AES |
| Ag- OG46 | Ore Grade Ag - Aqua Regia | VARIABLE |
| ME- OG46 | Ore Grade Elements - AquaRegia | ICP- AES |
| Pb- OG46 | Ore Grade Pb - Aqua Regia | VARIABLE |
| Zn- OG46 | Ore Grade Zn - Aqua Regia | VARIABLE |

To: SKYLINE GOLD CORPORATION ATTN: DAVID YEAGER SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - A Total # Pages: 3 (A - F) Plus Appendix Pages Finalized Date: 26- NOV- 2010 Account: BQL

CERTIFICATE OF ANALYSIS TR10159287

| Sample Description | Method Analyte Units | WEI- 21 Recvd Wt. kg | Au- AA24 Au ppm | Au- GRA22 Au ppm | ME- MS61 Ag ppm | ME- MS61 Al % | ME- MS61 As ppm | ME- MS61 Ba ppm | ME-MS61 Be ppm | ME-MS61 Bi | ME- MS61 Ca % | ME- MS61 Cd | ME- MS61 Ce | ME- MS61 Co | ME- MS61 Cr | ME- MS61 Cs |
|--------------------|----------------------------|----------------------------|-----------------------|------------------------|-----------------------|---------------------|-----------------------|-----------------------|----------------------|---------------|---------------------|----------------|----------------|---------------------------------------|----------------|----------------|
| Sample Description | LOR | 0.02 | 0.005 | 0.05 | 0.01 | 0.01 | 0.2 | 10 | 0.05 | 0.01 | 0.01 | 0.02 | 0.01 | 0.1 | 1 | 0.05 |
| 696844 | | 2.18 | 0.934 | | | | | | | | | | | | | |
| 696845 | | 3.25 | 1.580 | | | | | | | | | | | | | |
| 696846 | | 2.44 | 0.054 | | | | | | | | | | | | | |
| 696847 | | 3.03 | 0.077 | | | | | | | | | | | | | |
| 696848 | | 4.27 | 0.099 | | | | | | | | | | | | | |
| 696849 | | 1.86 | 0.102 | | | | | | | | | | | · · · · · · · · · · · · · · · · · · · | | |
| 696850 | | 3.48 | 0.018 | | | | | | | | | | | | | |
| 696851 | | 3.40 | 0.007 | | | | | | | | | | | | | |
| 696852 | | 3.28 | 0.250 | | | | | | | | | | | | | |
| 696853 | | 3.57 | 0.092 | | | | | | | | | | | | | |
| 696854 | | 3.44 | 0.160 | | | | | | | | | | | | | |
| 696855 | | 3.29 | 0.093 | | | | | | | | | | | | | |
| 696856 | | 3.47 | 0.294 | | | | | | | | | | | | | |
| 696857 | | 1.76 | 0.110 | | | | | | | | | | | | | |
| 696858 | | 1.99 | 0.080 | | | | | | | | | | | | | |
| 696859 | | 2.45 | 0.049 | | | | | | | | | | | | | |
| 696860 | | 3.35 | 0.079 | | | | | | | | | | | | | |
| 696861 | | 3.02 | 0.059 | | | | | | | | | | | | | |
| 696862 | | 2.37 | 0.128 | | | | | | | | | | | | | |
| 696863 | | 3.06 | 0.148 | | | | | | | | | | | | | |
| 696863- CRD | | <0.02 | 0.144 | | • • • • • | | | | | | | | | | | |
| 696864 | | 2.51 | 0.139 | | | | | | | | | | | | | |
| 696864A | | <0.02 | 0.127 | | 0.98 | 8.42 | 65.2 | 1930 | 1 74 | 0 44 | 0.26 | 0.22 | 27.0 | 10.0 | 454 | 0.00 |
| 696865 | | 1.81 | 0.045 | | | | | | | 0.44 | 0.20 | 0.22 | 27.9 | 10.0 | 151 | 2.39 |
| 696866 | | 2.97 | 0.036 | | | | | | | | | | | | | |
| 696885 | | 0.16 | >10.0 | 21.6 | | | | | | | | | | | | |
| 696867 | | 2.66 | 0.098 | | | | | | | | | | | | | |
| 696868 | | 1.84 | 0.092 | | | | | | | | | | | | | |
| 696869 | | 1.92 | 0.373 | | | | | | | | | | | | | |
| 696870 | | 1.63 | 0.752 | | | | | | | | | | | | | |
| 696871 | | 2.97 | 0.685 | | | | | | | | ····· | | | | | <u> </u> |
| 696872 | | 2.95 | 1.355 | | | | | | | | | | | | | |
| 696873 | | 3.18 | 1.460 | | | | | | | | | | | | | |
| 696874 | | 3.69 | 2.61 | 1.83 | | | | | | | | | | | | |
| 696875 | | 3.20 | 8.94 | 9.18 | | | | | | | | | | | | |
| 696876 | | 2.21 | >10.0 | 24.5 | | | | | | | | | | | | |
| 696877 | | 2.10 | 0.681 | | | | | | | | | | | | | |
| 696878 | | 1.40 | 0.208 | | | | | | | | | | | | | i |
| 696879 | | 1.15 | 0.047 | | | | | | | | | | | | | l |
| 696880 | | 2.53 | 1 460 | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - B Total # Pages: 3 (A - F) Plus Appendix Pages Finalized Date: 26- NOV- 2010 Account: BQL

| | | | | | - | | | | C | ERTIFIC | CATE O | F ANA | LYSIS | TR101 | 59287 | |
|--|-----------------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|-----------------------------|---|----------------------------|------------------------------|------------------------------|-----------------------------|----------------------------|-------------------------------|---------------------|-----------------------|-----------------------|
| Sample Description | Method Analyte Units LOR | ME- MS61 Cu ppm 0.2 | ME- MS61 Fe % 0.01 | ME- MS61 Ga ppm 0.05 | ME- MS61 Ge ppm 0.05 | ME-MS61 Hf ppm 0.1 | ME- MS61 In ppm 0.005 | ME- MS61 K % 0.01 | ME- MS61 La ppm 0.5 | ME- MS61 Li ppm 0.2 | ME- MS61 Mg % 0.01 | ME- MS61 Mn ppm 5 | ME- MS61 Mo ppm 0-05 | ME- MS61 Na % | ME- MS61 Nb ppm | ME- MS61 Ni ppm |
| 696844 696845 696846 696847 696848 | | | ······· | <u></u> | | | | | ··· | | | | | | | 0.2 |
| 696849 696850 696851 696852 696853 | | | | | | - <u>,</u> | <u>, </u> | | | | | | | | | |
| 696854 696855 696856 696857 696858 | | | | | | | | | | | | | | | | |
| 696859 696860 696861 696862 696863 | | | | | | <u> </u> | | | | | | · | | | | |
| 696863- CRD 696864 696864A 696865 696865 | | 107.5 | 5.62 | 20.3 | 0.19 | 0.9 | 0.435 | 4.63 | 14.6 | 29.4 | 1.12 | 789 | 0.37 | 0.69 | 7.7 | 51.9 |
| 696885 696867 696868 696869 696870 | | | | | | | | | | | | <u> </u> | | <u> </u> | | |
| 696871 696872 696873 696874 696875 | | | | | | | | | | | | | | | | |
| 696876 696877 696878 696879 696880 | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

CERTIFICATE OF ANALYSIS

Page: 2 - C Total # Pages: 3 (A - F) Plus Appendix Pages Finalized Date: 26- NOV- 2010 Account: BQL

TR10159287

Project: Bronson

ME-MS61 ME- MS61 ME- MS61 ME- MS61 Method ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME-MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 Р Рb Rb Analyte Re S Sb Sc Se Sn Sr Та Тe Th Ti Τl Units ppm ppm ppm ppm % ppm ppm Sample Description ppm ppm ppm ppm ppm ppm % LOR ppm 10 0.5 0.1 0.002 0.01 0.05 0.1 0.2 1 0.2 0.05 0.05 0.2 0.005 0.02 696844 696845 696846 696847 696848 696849 696850 696851 696852 696853 696854 696855 696856 696857 696858 696859 696860 696861 696862 696863 696863- CRD 696864 696864A 1230 48.1 144.0 < 0.002 1.35 3.70 15.6 2 3.2 129.5 0.41 0.29 2.7 0.435 2.57 696865 696866 696885 696867 696868 696869 696870 696871 696872 696873 696874 696875 696876 696877 696878 696879 696880



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - D Total # Pages: 3 (A - F) Plus Appendix Pages Finalized Date: 26- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME-MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME- ICP4 ? B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 | ME- ICP41 Cd ppm 0.5 |
|--|-----------------------------------|----------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|-------------------------------------|--------------------------------------|-----------------------------------|--|--------------------------------|--|--|--|-----------------------------------|
| 696844 696845 696846 696847 | | | | | | | | 25.5 8.3 2.0 2.5 | 2.39 3.11 2.18 2.09 | 164 97 84 90 | <10 <10 <10 <10 | 20 40 180 180 | <0.5 <0.5 0.6 <0.5 | 10 4 <2 <2 | 0.12 0.18 0.28 0.22 | 5.0 <0.5 0.5 <0.5 |
| 696848 696849 696850 696851 | | | <u> </u> | | | | <u> </u> | 3.4 1.4 0.8 | 2.56 2.00 2.44 | 121 252 53 | <10 <10 <10 | 50 140 100 | <0.5 0.6 1.0 | <2 <2 <2 <2 | 0.20 | <0.5 <0.5 1.4 |
| 696852 696853 696854 | | | | | | | | 0.4 5.8 2.6 | 2.60 2.22 2.47 | 16 410 68 | <10 <10 <10 | 80 40 30 | 1.1 <0.5 <0.5 | <2 3 4 | 2.52 0.32 0.17 | 1.3 <0.5 <0.5 |
| 696855 696856 696857 696858 | | | | | | | | 2.3 31.7 2.6 1.7 | 2.87 3.27 2.59 1.44 1.35 | 75 552 73 45 | <10 <10 <10 <10 <10 | 30 40 150 50 110 | <0.5 <0.5 <0.5 <0.5 | <2 <2 2 2 | 0.14 0.17 0.11 0.62 | <0.5 <0.5 34.3 0.7 |
| 696859 696860 696861 696862 | | | | | | | | 1.5 1.9 1.8 1.1 | 1.54 1.62 1.83 1.65 | 27 51 49 52 | <10 <10 <10 <10 <10 | 120 50 120 170 | <0.5 <0.5 <0.5 <0.5 <0.5 | <pre> </pre> <pre> <pre> <2 <2</pre></pre> | 1.00 0.55 1.22 2.76 | 0.7 0.6 0.9 0.7 |
| 696863 696863- CRD 696864 696864A | | 1.2 | 178 | | 74 | 136 | | 1.2 1.2 1.2 | 1.41 1.55 1.20 | 63 66 68 | <10 <10 <10 | 170 180 160 | <0.5 <0.5 <0.5 | <2 <2 <2 <2 <2 | 2.73 2.31 0.31 | 0.5 0.6 <0.5 |
| 696865 696866 696885 | | | | | · . | | 20.3 | 1.4 | 1.05 | 57 65 | <10 <10 | 140 160 | <0.5 <0.5 | <2 <2 | 2.87 2.44 | 2.6 0.6 |
| 696867 696868 696869 696870 | | | | | | | | 2.4 2.1 10.5 5.4 | 0.38 1.03 1.45 1.43 0.74 | >10000 123 61 171 128 | <10 <10 <10 <10 <10 | 110 130 150 140 70 | <0.5 <0.5 <0.5 <0.5 <0.5 | 10 3 2 9 8 | 2.01 2.44 1.72 1.10 0.45 | 1.4 3.7 2.5 16.0 4.3 |
| 696871 696872 696873 696874 696875 | | | | | | | | 3.4 33.9 34.0 83.1 34.6 | 0.60 0.49 0.55 0.43 0.53 | 147 250 280 346 224 | <10 <10 <10 <10 <10 | 90 20 20 40 30 | <0.5 <0.5 <0.5 <0.5 | 7 65 50 91 | 0.24 0.22 0.30 0.15 | 1.0 3.1 10.6 127.5 |
| 696876 696877 696878 696879 696880 | | | | | | | | 64.2 11.7 3.9 1.5 31.2 | 0.55 0.81 0.99 0.95 0.62 | 220 137 91 45 215 | <10 <10 <10 <10 <10 <10 | 80 40 120 150 70 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 128 13 5 2 46 | 0.27 0.08 1.24 1.16 1.12 0.30 | 0.6 4.1 4.3 <0.5 10.3 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - E Total # Pages: 3 (A - F) Plus Appendix Pages Finalized Date: 26- NOV- 2010 Account: BQL

Project: Bronson

 CERTIFICATE OF ANALYSIS
 TR10159287

 41
 ME-ICP41
 ME-ICP41
 ME-ICP41
 ME-ICP41
 ME-ICP41
 ME-ICP41

| Sample Description | Method Analyte Units LOR | ME- ICP41 Co ppm 1 | ME- ICP41 Cr ppm 1 | ME- ICP41 Cu ppm 1 | ME- ICP41 Fe % 0.01 | ME- ICP41 Ga ppm 10 | ME- ICP41 Hg ppm 1 | ME- ICP41 K % 0.01 | ME- ICP41 La ppm 10 | ME- ICP41 Mg % 0.01 | ME- ICP41 Mn ppm 5 | ME- ICP41 Mo ppm 1 | ME- ICP41 Na % 0.01 | ME- ICP41 Ni ppm 1 | ME- ICP41 P ppm 10 | ME- ICP41 Pb ppm 2 |
|--|-----------------------------------|-----------------------------|-------------------------------|------------------------------------|--|--|---|--------------------------------------|--------------------------------|--------------------------------------|------------------------------------|--------------------------------|--|-----------------------------|--------------------------------------|----------------------------------|
| 696844 696845 696846 696847 | | 70 42 18 23 | 228 188 80 67 | 673 437 179 257 | 12.75 9.32 3.73 4.96 | 10 10 <10 <10 | <1 <1 <1 1 | 1.78 2.13 0.99 1.01 | <10 <10 10 10 | 1.12 1.67 1.11 1.04 | 816 1280 1810 1630 | <1 <1 1 | 0.02 0.02 0.02 | 121 123 95 | 1220 1130 1480 | 3230 122 90 |
| 696848 696849 | | 24 | <u> </u> | 280 | 8.27 | 10 | <1 | 1.78 | <10 | 1.40 | 692 | 1 | 0.02 | 119 | 1320 | 18 |
| 696850 696851 696852 696853 | | 17 17 26 22 | 28 15 98 144 | 91 67 622 467 | 6.26 5.90 13.75 9.65 | 10 10 10 10 | <1 1 1 <1 | 0.69 0.18 0.19 1.32 1 77 | 10 40 40 <10 <10 | 0.77 1.41 1.22 0.94 1.11 | 583 1210 1045 548 760 | 7 1 <1 8 | 0.01 0.28 0.24 0.04 | 54 27 14 91 | 1130 3250 3580 1610 | 68 39 13 25 |
| 696854 696855 696856 696857 696858 | | 23 19 22 19 14 | 233 247 140 36 34 | 530 436 539 290 229 | 10.65 9.96 9.52 6.16 4.54 | 10 10 10 <10 <10 | <pre> <1 <1 <1 <1 <1 <1 <1 <1</pre> | 2.20 2.54 1.53 1.05 0.96 | <10 <10 <10 <10 10 | 1.40 1.74 1.30 0.82 0.82 | 946 1300 1050 781 | <pre></pre> | 0.03 0.02 0.01 0.01 | 134 117 75 72 | 1290 1430 1280 1510 | 15 22 39 3460 55 |
| 696859 696860 696861 696862 696863 | | 11 21 19 13 19 | 38 53 68 60 40 | 230 309 287 145 158 | 4.21 5.60 5.72 4.64 4.60 | <10 <10 <10 <10 <10 <10 | <1 <1 <1 <1 <1 1 | 1.18 1.26 1.22 1.07 1.07 | 10 10 10 10 10 | 0.98 0.99 1.40 1.81 | 1015 558 1085 1995 | <1 1 2 <1 | 0.03 0.03 0.03 0.03 0.03 | 45 63 65 67 | 2070 1310 1220 1230 | 33 52 60 119 41 |
| 696863- CRD 696864 696864A 696865 | | 18 16 12 | 41 33 34 | 162 120 108 | 4.74 4.58 3.86 | 10 <10 <10 | | 1.18 0.78 | 10 10 10 | 1.52 0.60 | 1760 770 | <1 <1 <1 | 0.02 | 68 67 43 | 1220 1330 1290 | 30 29 44 |
| 696866 | | 13 | 32 | 117 | 3.59 | <10 | <1 | 0.83 | 10 | 0.96 | 1645 | <1 | 0.01 | 50 58 | 980 1110 | 138 41 |
| 696867 696868 696869 696870 | | 21 19 11 14 | 34 18 11 42 25 | 214 156 567 189 | 3.70 4.76 4.30 6.21 8.34 | <10 <10 <10 <10 <10 | <1 <1 <1 <1 <1 | 0.08 0.79 1.08 1.10 0.49 | 10 10 20 10 10 | 0.58 1.26 1.28 1.13 0.32 | 555 1870 1305 1205 660 | 29 1 2 2 2 | 0.02 0.01 0.01 0.01 0.01 | 45 45 46 56 80 | 230 1210 1940 1400 1530 | 1180 57 49 205 195 |
| 696871 696872 696873 696874 696875 | | 4 17 32 44 118 | 8 9 11 18 17 | 420 1565 2670 6170 648 | 8.29 11.60 11.15 12.15 12.25 | <10 <10 <10 <10 <10 <10 | <1 <1 <1 1 <1 | 0.42 0.37 0.40 0.30 0.38 | 10 10 10 10 <10 | 0.14 0.07 0.10 0.08 0.17 | 396 70 114 260 420 | 1 1 2 10 5 | 0.01 0.01 0.01 0.01 0.01 0.01 | 43 59 73 58 68 | 2140 1660 1830 1060 1490 | 112 896 774 1490 613 |
| 696876 696877 696878 696879 696880 | | 35 44 17 4 15 | 19 6 10 17 46 | 146 208 268 99 1840 | 11.55 10.25 5.69 3.16 6.81 | <10 <10 <10 <10 <10 <10 | <1 <1 <1 <1 <1 <1 | 0.42 0.55 0.60 0.58 0.42 | <10 <10 10 10 <10 | 0.13 0.69 0.75 0.72 0.18 | 158 1395 1555 2050 926 | 22 1 <1 <1 <1 1 | 0.01 0.01 0.01 0.01 0.01 0.01 | 39 60 30 40 65 | 1450 1900 2110 1710 1610 | 656 416 77 53 635 |



Т

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - F Total # Pages: 3 (A - F) Plus Appendix Pages Finalized Date: 26- NOV- 2010 Account: BQL

Project: Bronson

| | Method | ME-ICP41 | ME- ICP41 | ME-ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | ME- ICP41 | Ag- 0646 | Ph- OC46 | 7n- 0C46 | |
|--------------------|---------|--|-----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|----------|----------------|---|
| | Analyte | S | Sb | Sc | Sr | Th | Ti | τı | U | v | W | Zn | Ag | Ph | 211-0040 7n | |
| Sample Description | Units | % | ppm | ppm | ppm | ppm | % | ppm | ppm | maa | ppm | nnm | nnm | % | 211 | |
| | LOR | 0.01 | 2 | 1 | 1 | 20 | 0.01 | 10 | 10 | 1 | 10 | 2 | 1 | 0.001 | 0.001 | |
| 696844 | | 8.3 | 14 | 4 | 13 | <20 | 0.32 | ~10 | -10 | | | | | | | |
| 696845 | | 3.69 | 2 | 5 | 10 | <20 | 0.32 | <10 | <10 | 83 | <10 | 389 | | | | |
| 696846 | | 0.05 | 3 | 4 | 10 | <20 | 0.20 | <10 | <10 | 78 | <10 | 168 | | | | |
| 696847 | | 0.73 | ē | 7 | 15 | ~20 | 0.22 | <10 | <10 | 56 | <10 | 241 | | | | |
| 696848 | | 3.12 | 5 | 3 | 10 | ~20 | 0.23 | <10 | <10 | 54 | <10 | 152 | | | | |
| 696840 | | 0.12 | | | 14 | ~20 | 0.28 | <10 | <10 | 70 | <10 | 75 | | | | |
| 606850 | 1 | 0.14 | 4 | 2 | 11 | <20 | 0.18 | <10 | <10 | 45 | <10 | 231 | | | | - |
| 606851 | | 0.10 | 5 | 8 | 162 | <20 | 0.54 | <10 | <10 | 133 | <10 | 251 | | | | |
| 606857 | | 0.09 | 5 | 7 | 230 | <20 | 0.54 | <10 | <10 | 139 | <10 | 194 | | | | |
| 696852 | | 4.54 | 6 | 3 | 26 | <20 | 0.30 | <10 | <10 | 81 | <10 | 80 | | | | |
| 090853 | | 4.60 | 5 | 3 | 12 | <20 | 0.28 | <10 | <10 | 66 | <10 | 41 | | | | |
| 696854 | | 4.37 | 3 | 5 | 12 | <20 | 0.33 | <10 | <10 | 87 | <10 | 68 | | | ······· | _ |
| 696855 | | 3.37 | 5 | 5 | 15 | <20 | 0.38 | <10 | <10 | 99 | <10 | 81 | | | | |
| 696856 | | 2.25 | 41 | 3 | 14 | <20 | 0.23 | <10 | <10 | 65 | 10 | 2910 | | | | |
| 696857 | | 3.78 | 3 | 3 | 54 | <20 | 0.15 | <10 | <10 | 51 | <10 | 162 | | | | |
| 696858 | | 2.28 | 3 | 3 | 64 | <20 | 0.14 | <10 | <10 | 53 | <10 | 98 | | | | |
| 696859 | | 1.84 | 2 | 3 | 117 | <20 | 0.17 | <10 | <10 | 54 | <10 | 107 | | | | |
| 696860 | ſ | 3.20 | 3 | 3 | 58 | <20 | 0.18 | <10 | <10 | 60 | <10 | 126 | | | | |
| 696861 | | 2.90 | <2 | 3 | 137 | <20 | 0.15 | <10 | <10 | 46 | <10 | 100 | | | | |
| 696862 | | 1.58 | 3 | 3 | 252 | <20 | 0.14 | <10 | <10 | 40 50 | <10 | 109 | | | | |
| 696863 | | 2.06 | 4 | 2 | 209 | <20 | 0.13 | <10 | <10 | 41 | <10 | 137 | | | | |
| 696863- CRD | | 2.08 | 4 | 3 | 217 | <20 | 0 14 | <10 | <10 | 49 | -10 | 107 | | | | |
| 696864 | | 1.42 | 4 | 2 | 37 | <20 | 0.14 | <10 | <10 | 40 | <10 | 147 | | | | |
| 696864A | 1 | | | | • | -20 | 0.11 | \$10 | <10 | 31 | <10 | 102 | | | | |
| 696865 | | 1.50 | 4 | 2 | 201 | <20 | 0.08 | ~10 | -10 | | | | | | | |
| 696866 | | 1.42 | 2 | 2 | 164 | <20 | 0.00 | <10 | <10 | 22 | <10 | 284 | | | | |
| 696885 | | 0.90 | 3 | | 46 | -20 | | | <10 | 28 | <10 | 121 | | | | |
| 696867 | | 2.69 | 4 | 2 | 40 | <20 | <0.01 | <10 | <10 | 13 | <10 | 264 | | | | |
| 696868 | | 2 23 | 3 | 2 | 110 | <20 | 0.07 | <10 | <10 | 26 | <10 | 521 | | | | |
| 696869 | | 2 77 | 5 | 2 | 101 | <20 | 0.11 | <10 | <10 | 34 | <10 | 405 | | | | |
| 696870 | | 54 | 3 | 2 | 101 | <20 | 0.12 | <10 | <10 | 37 | 10 | 2250 | | | | |
| 606971 | | 0.4 | | | 37 | <20 | 0.04 | <10 | <10 | 18 | <10 | 1080 | | | | |
| 696872 | | 3.21 | 3 | 1 | 34 | <20 | 0.03 | <10 | <10 | 16 | <10 | 353 | | | | - |
| 606972 | | >10.0 | 5 | 1 | 21 | <20 | 0.01 | <10 | <10 | 12 | <10 | 542 | | | | |
| 606974 | | >10.0 | 5 | 1 | 27 | <20 | 0.02 | <10 | <10 | 13 | 10 | 1730 | | | | |
| 606875 | | >10.0 | 10 | 1 | 13 | <20 | 0.02 | <10 | <10 | 11 | 10 | >10000 | | | 1 915 | |
| 090875 | | 9.4 | 4 | 1 | 27 | <20 | 0.02 | <10 | <10 | 12 | 20 | 6530 | | | 1.010 | 1 |
| 696876 | | 4.10 | 6 | 1 | 52 | <20 | 0.02 | <10 | <10 | 14 | <10 | 648 | | | | ᅴ |
| 0908// | | 7.9 | 2 | 1 | 125 | <20 | 0.04 | <10 | <10 | 19 | <10 | 712 | | | | |
| 696878 | | 2.42 | 2 | 2 | 117 | <20 | 0.06 | <10 | <10 | 25 | <10 | 631 | | | | |
| 696879 | | 0.28 | 2 | 2 | 120 | <20 | 0.05 | <10 | <10 | 18 | <10 | 176 | | | | |
| 696880 | | 4.29 | 5 | 1 | 29 | <20 | 0.03 | <10 | <10 | 21 | 10 | 1810 | | | | 1 |
| | | ······································ | | | | | | | | <u> </u> | 10 | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsgiobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - A Total # Pages: 3 (A - F) Plus Appendix Pages Finalized Date: 26- NOV- 2010 Account: BQL

CERTIFICATE OF ANALYSIS TR10159287

| Sample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME- MS61 As ppm 0.2 | ME-MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME- MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME- MS61 Cr ppm 1 | ME- MS61 Cs ppm 0.05 |
|---------------------------------|-----------------------------------|------------------------------------|--------------------------------|--------------------------------|-------------------------------|-----------------------------|------------------------------|----------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|
| 696881 696882 696882- CRD | LUK | 2.02 0.60 <0.02 | 8.75 1.270 1.320 | 9.09 | 0.01 | 0.01 | 0.2 | 10 | 0.05 | 0.01 | 0.01 | 0.02 | 0.01 | 0.1 | 1 | 0.05 |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

CERTIFICATE OF ANALYSIS

Page: 3 - B Total # Pages: 3 (A - F) Plus Appendix Pages Finalized Date: 26- NOV- 2010 Account: BQL

TR10159287

| Sample Description | Method Analyte Units LOR | ME- MS61 Cu ppm 0.2 | ME- MS61 Fe % 0.01 | ME- MS61 Ga ppm 0.05 | ME- MS61 Ge ppm 0.05 | ME- MS61 Hf ppm 0.1 | ME- MS61 In ppm 0.005 | ME- MS61 K % 0.01 | ME- MS61 La ppm 0.5 | ME- MS61 Li ppm 0.2 | ME- MS61 Mg % 0.01 | ME- MS61 Mn ppm 5 | ME- MS61 Mo ppm 0.05 | ME- MS61 Na % 0.01 | ME- MS61 Nb ppm 0.1 | ME- MS61 Ni ppm 0.2 |
|---------------------------------|-----------------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|--------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|----------------------------|-------------------------------|-----------------------------|------------------------------|------------------------------|
| 696881 696882 696882- CRD | | | | | | | | | | | | | 1999 (L | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - C Total # Pages: 3 (A - F) Plus Appendix Pages Finalized Date: 26- NOV- 2010 Account: BQL

CERTIFICATE OF ANALYSIS TR10159287

| Sample Description | Method Analyte Units LOR | ME- MS61 P ppm 10 | ME- MS61 Pb ppm 0.5 | ME- MS61 Rb ppm 0.1 | ME- MS61 Re ppm 0.002 | ME- MS61 S % 0.01 | ME- MS61 Sb ppm 0.05 | ME- MS61 Sc ppm 0.1 | ME- MS61 Se ppm 1 | ME- MS61 Sn ppm 0.2 | ME- MS61 Sr ppm 0.2 | ME- MS61 Ta ppm 0.05 | ME- MS61 Te ppm 0.05 | ME- MS61 Th ppm 0.2 | ME- MS61 Ti % 0.005 | ME- MS61 Tl ppm 0.02 |
|---------------------------------|-----------------------------------|----------------------------|------------------------------|------------------------------|--------------------------------|----------------------------|-------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-------------------------------|-------------------------------|------------------------------|------------------------------|-------------------------------|
| 696881 696882 696882- CRD | | | | | | | | | 144 | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.aisglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - D Total # Pages: 3 (A - F) Plus Appendix Pages Finalized Date: 26- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME-ICP41 B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 | ME- ICP41 Cd ppm 0.5 |
|---------------------------------|-----------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|-------------------------------|-----------------------------|------------------------------|-------------------------------|
| 696881 696882 696882- CRD | | | | | | | | 5.8 >100 >100 | 1.08 0.40 0.41 | 131 17 12 | <10 <10 <10 | 20 30 30 | <0.5 <0.5 <0.5 | 5 9 9 | 0.05 0.09 0.09 | 0.5 866 892 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

CERTIFICATE OF ANALYSIS

Page: 3 - E Total # Pages: 3 (A - F) Plus Appendix Pages Finalized Date: 26- NOV- 2010 Account: BQL

TR10159287

| Sample Description | Method Analyte Units LOR | ME- ICP41 Co ppm 1 | ME- ICP41 Cr ppm 1 | ME- ICP41 Cu ppm 1 | ME- ICP41 Fe % 0.01 | ME- ICP41 Ga ppm 10 | ME- ICP41 Hg ppm 1 | ME- ICP41 K % 0.01 | ME- ICP41 La ppm 10 | ME- ICP41 Mg % 0.01 | ME- ICP41 Mn ppm 5 | ME- ICP41 Mo ppm 1 | ME- ICP41 Na % 0.01 | ME- ICP41 Ni ppm 1 | ME- ICP41 P ppm 10 | ME- ICP41 Pb ppm 2 |
|---------------------------------|-----------------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-----------------------------|-----------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|
| 696881 696882 696882- CRD | LOR | 1 55 17 17 | 1 25 11 12 | 1 152 64 63 | 0.01 13.8 5.36 5.46 | 10 <10 <10 | <1 5 5 | 0.01 0.72 0.07 0.06 | 10 20 <10 <10 | 0.01 | 5 166 3390 3460 | 1 14 <1 <1 | 0.01 | 1 18 9 10 | 10 1230 160 160 | 2 71 >10000 >10000 |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - F Total # Pages: 3 (A - F) Plus Appendix Pages Finalized Date: 26- NOV- 2010 Account: BQL

| | | | | | | | | | C | ERTIFIC | CATE O | F ANA | LYSIS | TR10 | 59287 | |
|---------------------------------|-----------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|--|
| Sample Description | Method Analyte Units LOR | ME- ICP41 S % 0.01 | ME- ICP41 Sb ppm 2 | ME- ICP41 Sc ppm 1 | ME- ICP41 Sr ppm 1 | ME- ICP41 Th ppm 20 | ME- ICP41 Ti % 0.01 | ME- ICP41 TI ppm 10 | ME- ICP41 U ppm 10 | ME- ICP41 V ppm 1 | ME- ICP41 W ppm 10 | ME- ICP41 Zn ppm 2 | Ag- OG46 Ag ppm 1 | Pb- OG46 Pb % 0.001 | Zn- OG46 Zn % 0.001 | |
| 696881 696882 696882- CRD | | 8.1 8.7 9.2 | 3 168 169 | 2 <1 <1 | 21 45 47 | <20 <20 <20 | 0.08 0.01 0.01 | <10 <10 <10 <10 | <10 <10 <10 | 51 7 7 | <10 10 10 | 192 >10000 >10000 | 201 196 | 5.33 5.22 | 0.001 | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



Т

ALS Canada Ltd. 2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: Appendix 1 Total # Appendix Pages: 1 Finalized Date: 26- NOV- 2010 Account: BQL

Project: Bronson

| Method | CERTIFICATE COMMENTS |
|----------|--|
| ME- MS61 | REE's may not be totally soluble in this method. |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 1 Finalized Date: 24- NOV- 2010 Account: BQL

CERTIFICATE TR10159288

Project: Bronson

P.O. No.: Green & Orange/Green Ribbon

This report is for 49 Drill Core samples submitted to our lab in Terrace, BC, Canada on 2- NOV- 2010.

The following have access to data associated with this certificate:

| DAVID JENSEN | DAVID YEAGER | JOHN ZBEETNOFF |
|--------------|--------------|----------------|
| | | |

| | SAMPLE PREPARATION | 1 |
|----------|------------------------------------|---------------------------------------|
| ALS CODE | DESCRIPTION | |
| WEI- 21 | Received Sample Weight | |
| SPL- 34 | Pulp Splitting Charge | i i i i i i i i i i i i i i i i i i i |
| LOG- 22 | Sample login - Rcd w/o BarCode | |
| BAG- 01 | Bulk Master for Storage | |
| CRU- 31 | Fine crushing - 70% < 2mm | |
| CRU- QC | Crushing QC Test | |
| PUL- QC | Pulverizing QC Test | |
| SPL- 21 | Split sample - riffle splitter | |
| PUL- 32m | Pulverize 500g - 85%<75um | |
| LOG- 24 | Pulp Login - Rcd w/o Barcode | |
| LOG- 22d | Sample login - Rcd w/o BarCode dup | |
| SPL-21d | Split sample - duplicate | |
| PUL- 32d | Pulverize Split - Dup 85% < 75um | |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|-----------|--------------------------------|------------|
| Au- AA24 | Au 50g FA AA finish | AAS |
| Au- GRA22 | Au 50 g FA- GRAV finish | WST- SIM |
| ME- MS61 | 48 element four acid ICP- MS | |
| ME- ICP41 | 35 Element Aqua Regia ICP- AES | ICP- AES |
| ME- OG46 | Ore Grade Elements - AquaRegia | ICP- AES |
| Pb- OG46 | Ore Grade Pb - Aqua Regia | VARIABLE |
| Zn- OG46 | Ore Grade Zn - Aqua Regia | VARIABLE |

To: SKYLINE GOLD CORPORATION ATTN: DAVID YEAGER SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



696801

696802

696803

696804

696805

696806

696807

696808

696809

696810

696811

696812

696813

696814

696815

696816

696817

696818

696819

696820

696821

696822

696883

696823

696824

696825

696826

696827

696828

696829

696830

696831

696832

696833

696834

696835

696836

696837

696821A

ALS Canada Ltd.

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION **SUITE 212** 10451 SHELLBRIDGE WAY **RICHMOND BC V6X 2W8**

CERTIFICATE OF ANALYSIS

Page: 2 - A Total # Pages: $\overline{3}$ (A - F) **Plus Appendix Pages** Finalized Date: 24- NOV- 2010 Account: BQL

TR10159288

Project: Bronson

WEI- 21 Au- AA24 Au- GRA22 ME- MS61 ME- MS6 I Method ME- MS61 Recvd Wt. Analyte Au Au Ag AI As Ba Be Bi Ca Cd Ce Co Cr Cs Units kg ppm ppm ppm % ppm ppm % ppm ppm Sample Description ppm ppm ppm ppm ppm LOR 0.02 0.005 0.05 0.01 0.01 0.2 10 0.05 0.01 0.01 0.02 0.01 0.1 0.05 1 6.05 0.199 2.01 0.149 3.63 0.007 4.85 0.066 5.00 0.039 5.19 0.111 3.84 0.240 5.38 0.132 8.28 0.238 3.90 0.039 3.18 0.015 4.61 0.079 4.01 0.994 3.97 0.796 2.72 1.745 5.53 0.143 2.66 1.065 4.90 1.565 2.86 0.156 2.45 0.348 696820- CRD < 0.02 0.245 3.00 0.141 < 0.02 0.177 0.59 8.28 55.5 1070 1.35 0.70 0.28 1.29 28.6 21.8 2.22 167 2.70 0.039 0.15 2.16 2.19 4.38 0.597 3.57 0.148 2.97 0.515 2.71 0.144 2.85 0.123 4.95 0.137 3.51 0.452 3.71 0.071 3.15 0.012 2.14 0.091 1.64 0.889 1.77 0.018 2.80 0.050 4.95 0.032 3.74

0.105



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

CERTIFICATE OF ANALYSIS

Page: 2 - B Total # Pages: 3 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

TR10159288

Project: Bronson

ME-MS61 ME- MS61 ME- MS61 Method ME- MS61 ME-MS61 ME- MS61 Analyte Cu Fe Ga Ge Hf In к La Li Mg Mn Мо Na Nb Ni Units % ppm ppm ppm ppm % ppm ppm ppm % % Sample Description ppm ppm ppm ppm LOR 0.2 0.01 0.05 0.05 0.1 0.005 0.01 0.5 0.2 0.01 5 0.05 0.01 0.1 0.2 696801 696802 696803 696804 696805 696806 696807 696808 696809 696810 696811 696812 696813 696814 696815 696816 696817 696818 696819 696820 696820- CRD 696821 696821A 125.0 5.33 21.7 0.20 0.9 0.377 3.73 15.7 37.1 2.68 2380 1.18 0.62 5.9 78.0 696822 696883 696823 696824 696825 696826 696827 696828 696829 696830 696831 696832 696833 696834 696835 696836 696837



696821

ALS Canada Ltd.

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION **SUITE 212** 10451 SHELLBRIDGE WAY **RICHMOND BC V6X 2W8**

CERTIFICATE OF ANALYSIS

Page: 2 - C Total # Pages: $\overline{3}$ (A - F) **Plus Appendix Pages** Finalized Date: 24- NOV- 2010 Account: BQL

TR10159288

Project: Bronson

ME- MS61 ME- MS61 ME- MS61 Method ME- MS61 ME-MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 Ρ Рb Rb Analyte Re S Sb Sc Se Sn Sr Тα Te Τh Ti **T**1 Units ppm ppm ppm % ppm ppm ppm ppm ppm Sample Description ppm ppm % ppm ppm ppm LOR 10 0.5 0.1 0.002 0.01 0.05 0.1 1 0.2 0.2 0.05 0.05 0.2 0.005 0.02 696820- CRD 696821A 1280 116.5 72.9 < 0.002 0.02 3.42 16.3 2 1.9 121.5 0.32 0.11 2.1 0.393 2.47



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - D Total # Pages: 3 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | ME- ICP41 Ag ppm 0.2 | ME- ICP41 AI % 0.01 | ME- ICP41 As ppm 2 | ME- ICP41 B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 | ME-ICP41 Cd ppm 0.5 |
|--|-----------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--|---------------------------------|--|-----------------------------|--------------------------------------|--------------------------------------|
| 696801 696802 696803 696804 696805 | | | | | | | , | 3.3 31.0 0.6 1.6 3.7 | 7.35 6.97 3.44 3.23 4.70 | 224 194 45 170 38 | <10 <10 <10 <10 <10 <10 | 80 140 200 190 150 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 5 12 3 2 4 | 0.57 0.38 2.36 2.12 0.90 | 8.9 108.0 1.0 8.3 19.1 |
| 696806 696807 696808 696809 696810 | | | | | | | | 6.3 1.6 0.8 1.6 1.1 | 7.28 8.05 8.11 8.45 7.14 | 125 216 134 231 74 | <10 <10 <10 <10 <10 <10 | 80 70 60 60 60 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 6 6 5 6 4 | 0.40 0.29 0.33 0.27 0.27 | 16.8 <0.5 <0.5 <0.5 <0.5 |
| 696811 696812 696813 696814 696815 | | | | | | | | 0.4 1.7 2.6 4.4 2.2 | 5.49 5.21 5.84 5.32 5.00 | 39 44 108 402 68 | <10 <10 <10 <10 <10 | 90 180 160 150 260 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 3 3 7 5 3 | 0.25 0.41 0.33 0.21 0.36 | 0.5 2.4 3.7 2.5 17.2 |
| 696816 696817 696818 696819 696820 | | | | | | | | 2.1 1.7 2.8 1.1 0.9 | 3.64 3.50 3.36 2.99 3.75 | 99 102 200 48 63 | <10 <10 <10 <10 <10 | 300 140 60 220 200 | <0.5 <0.5 <0.5 <0.5 0.6 | 5 3 5 2 3 | 1.23 2.24 1.40 0.39 0.27 | 8.6 0.5 0.8 2.0 0.8 |
| 696820- CRD 696821 696821A 696822 696822 696883 | | 0.8 | 156 | 5.2 | 9.9 | 747 | 28.9 | 1.0 0.6 0.5 14.2 | 3.63 3.56 3.39 1.04 | 61 52 48 26 | <10 <10 <10 <10 | 190 170 170 40 | 0.5 0.6 0.7 <0.5 | 2 2 3 7 | 0.26 0.25 0.27 0.31 | 0.8 1.3 1.2 55.7 |
| 696823 696824 696825 696826 696827 | | | | | | | | 9.0 6.2 3.9 7.3 3.9 | 6.80 4.25 3.88 4.39 6.88 | 1000 62 147 60 29 | <10 <10 <10 <10 <10 | 170 270 180 150 130 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | | 0.23 0.46 0.39 0.84 0.45 | 54.1 59.0 8.5 104.0 58.7 |
| 696828 696829 696830 696831 696832 | | | | | | | | 3.7 3.3 2.9 0.5 2.0 | 5.19 6.08 5.53 2.68 4.11 | 86 49 21 35 68 | <10 <10 <10 <10 <10 <10 | 160 140 180 220 180 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 5 4 4 <2 3 | 0.35 0.29 0.29 2.41 2.99 | 21.0 17.3 15.2 <0.5 1.6 |
| 696833 696834 696835 696836 696837 | | | | | | | | 61.2 0.7 0.8 0.5 16.0 | 2.39 2.47 2.40 2.55 2.95 | 26 38 55 56 134 | <10 <10 <10 <10 <10 | 180 270 280 330 280 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 7 <2 3 3 5 | 1.98 2.36 3.03 2.25 1.93 | 184.5 1.8 2.0 2.0 74.4 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - E Total # Pages: 3 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units | ME- ICP41 Co ppm | ME- ICP4 I Cr ppm | ME- ICP41 Cu ppm | ME- ICP41 Fe % | ME- ICP41 Ga ppm | ME- ICP41 Hg ppm | ME- ICP41 K % | ME- ICP41 La ppm | ME- ICP41 Mg % | ME- ICP41 Mn ppm | ME- ICP41 Mo ppm | ME- ICP41 Na % | ME- ICP41 Ni ppm | ME-ICP41 P ppm | ME- ICP41 Pb ppm |
|--------------------|----------------------------|------------------------|-------------------------|------------------------|----------------------|------------------------|------------------------|---------------------|------------------------|----------------------|------------------------|------------------------|----------------------|------------------------|----------------------|------------------------|
| | | 1 | 1 | 1 | 0.01 | 10 | 1 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 |
| 696801 | | 10 10 | 276 | 119 | 12.40 | 20 | 1 | 0.56 | <10 | 6.80 | 3810 | <1 | 0.01 | 144 | 900 | 760 |
| 696803 | | 3 | 249 | 93 | 11.05 | 20 | 1 | 1.13 | 10 | 6.25 | 3080 | <1 | 0.01 | 176 | 1510 | 9840 |
| 696804 | | 12 | 1/18 | 0 | 4.20 | 10 | <1 | 1.42 | 10 | 2.92 | 3520 | <1 | 0.02 | 97 | 1230 | 168 |
| 696805 | | 6 | 125 | 84 | 7 9/ | 10 | <1 | 1.13 | <10 | 2.70 | 4200 | 1 | 0.02 | 161 | 1090 | 356 |
| 696806 | | 10 | 106 | 61 | 10.10 | | <u> </u> | 1.10 | 10 | 3.77 | 3760 | l | 0.02 | 93 | 1150 | 1185 |
| 696807 | | 5 | 65 | 39 | 12.10 | 20 | 1 | 0.70 | 10 | 5.90 | 5320 | 2 | 0.01 | 56 | 1620 | 1905 |
| 696808 | | 3 | 51 | 35 | 12.60 | 20 | 1 | 0.71 | 10 | 6.39 | 4010 | <1 | 0.01 | 21 | 1980 | 140 |
| 696809 | | 6 | 205 | 44 | 15.2 | 20 | - <1 | 0.58 | <10 | 7.09 | 4040 | <1 | 0.01 | 12 | 2110 | 98 |
| 696810 | | 9 | 264 | 30 | 9.76 | 20 | 1 | 0.46 | 10 | 6.10 | 5920 | <1 | 0.01 | 72 97 | 1710 | 161 |
| 696811 | | 7 | 197 | 25 | 7.00 | 10 | <1 | 0.67 | 10 | 1.58 | 3750 | -1 | 0.01 | | 1000 | 290 |
| 696812 | | 13 | 23 | 126 | 7.92 | 10 | 1 | 1.35 | 10 | 4.00 | 2780 | <1 | 0.01 | 118 | 1200 | 209 |
| 696813 | | 17 | 68 | 166 | 10.50 | 10 | <1 | 1.04 | 10 | 4.67 | 3550 | <1 | 0.01 | 33 | 1960 | 278 |
| 696814 | | 19 | 131 | 161 | 10.75 | 10 | <1 | 0.83 | 10 | 4.28 | 3120 | <1 | 0.01 | 61 | 1260 | |
| 696815 | | 16 | 133 | 311 | 7.63 | 10 | 1 | 1.80 | <10 | 4.00 | 2780 | 1 | 0.02 | 74 | 1220 | 94 |
| 696816 | | 13 | 147 | 193 | 5.68 | 10 | 1 | 2.76 | <10 | 2.95 | 2120 | <1 | 0.03 | 120 | 1360 | 63 |
| 696817 | | 18 | 170 | 257 | 6.51 | 10 | <1 | 2.52 | <10 | 2.61 | 2480 | <1 | 0.04 | 140 | 1240 | 23 |
| 696818 | | 35 | 213 | 367 | 7.16 | 10 | <1 | 2.69 | 10 | 2.46 | 1985 | <1 | 0.03 | 164 | 1210 | 39 |
| 696819 | | 15 | 78 | 144 | 4.61 | 10 | <1 | 1.23 | 10 | 1.89 | 2320 | <1 | 0.02 | 62 | 1420 | 152 |
| 030820 | | 14 | 71 | 108 | 4.54 | 10 | <1 | 1.47 | 10 | 2.36 | 2450 | <1 | 0.02 | 59 | 1410 | 167 |
| 696820- CRD | | 14 | 66 | 104 | 4.44 | 10 | <1 | 1.42 | 10 | 2.29 | 2410 | <1 | 0.01 | 55 | 1360 | 162 |
| 6968214 | | 17 | 97 | 125 | 4.53 | 10 | <1 | 1.30 | 10 | 2.35 | 2280 | <1 | 0.02 | 75 | 1250 | 104 |
| 696822 | | 21 | 79 | 113 | 4 46 | 10 | -1 | 1.00 | 10 | • • • | | | | | | |
| 696883 | | 10 | 42 | 4990 | 9 15 | <10 | 1 | 1.22 | 10 | 2.15 | 2440 | <1 | 0.02 | 69 | 1390 | 160 |
| 696823 | | 18 | 123 | 325 | 11.05 | -10 | | 0.11 | ~10 | 1.02 | 351 | 13 | 0.02 | 20 | 100 | 235 |
| 696824 | | 14 | 52 | 401 | 7 26 | 20 | 1 | 1.13 | <10 | 4.88 | 4330 | 1 | 0.01 | 73 | 1140 | 2900 |
| 696825 | | 14 | 55 | 317 | 7.20 | 10 | <1 | 1.04 | 10 | 3.03 | 2730 | <1 | 0.01 | 74 | 1410 | 1385 |
| 696826 | | 10 | 77 | 223 | 7.82 | 10 | 1 | 1.71 | <10 | 2.00 | 2350 | <1 | 0.01 | 74 | 1420 | 564 |
| 696827 | | 6 | 182 | 158 | 10.95 | 20 | 1 | 1.00 | <10 | 5.33 | 4080 | <1 | 0.01 | 61 Q1 | 980 1040 | 1730 |
| 696828 | | 15 | 165 | 270 | 8.62 | 10 | <1 | 1.07 | <10 | 4.02 | 3340 | | 0.01 | 447 | 1450 | 70.4 |
| 696829 | | 7 | 230 | 123 | 9.39 | 20 | 1 | 1.03 | <10 | 4 88 | 3790 | 1 | 0.01 | 117 | 1020 | 734 |
| 696830 | | 7 | 232 | 122 | 8.63 | 10 | <1 | 1.31 | 10 | 4.34 | 3060 | <1 | 0.01 | 104 | 1230 | 740 |
| 696831 | | 10 | 89 | 38 | 4.10 | 10 | <1 | 1.63 | <10 | 2.55 | 2550 | <1 | 0.03 | 78 | 1410 | 30 |
| 696832 | | 22 | 266 | 135 | 7.14 | 10 | <1 | 1.51 | 10 | 3.28 | 4430 | <1 | 0.02 | 238 | 1190 | 153 |
| 696833 | | 24 | 73 | 486 | 9.61 | <10 | 3 | 1.09 | 10 | 2.02 | 21500 | <1 | 0.01 | 58 | 690 | >10000 |
| 606836 | | 13 | 116 | 140 | 4.60 | 10 | <1 | 1.87 | <10 | 2.04 | 3120 | <1 | 0.03 | 98 | 1280 | 71 |
| 606026 | | 19 | 104 | 149 | 4.90 | 10 | <1 | 1.70 | <10 | 1.83 | 2610 | <1 | 0.04 | 124 | 1180 | 39 |
| 696837 | | 10 | 12 | 100 | 4.16 | 10 | <1 | 1.99 | <10 | 2.04 | 2030 | <1 | 0.04 | 91 | 1310 | 24 |
| 030037 | | 19 | | 239 | 5.21 | 10 | 1 | 1.97 | <10 | 2.49 | 3230 | <1 | 0.03 | 88 | 1200 | 2100 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 2 - F Total # Pages: 3 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

CERTIFICATE OF ANALYSIS TR10159288

| | | 1 | | | ····· | | | | | | | | | | |
|--|-----------------------------------|--------------------------------------|---------------------------------------|-----------------------------|--------------------------------|--|--|--|--|---------------------------------|---|--|------------------------------|------------------------------|---|
| Sample Description | Method Analyte Units LOR | ME- ICP41 S % 0.01 | ME- ICP41 Sb ppm 2 | ME- ICP41 Sc ppm 1 | ME- ICP41 Sr ppm 1 | ME- ICP41 Th ppm 20 | ME- ICP41 Ti % 0.01 | ME- ICP41 TI ppm 10 | ME-ICP41 U ppm 10 | ME- ICP41 V ppm I | ME- ICP41 W ppm 10 | ME-ICP41 Zn ppm 2 | Pb- OG46 Pb % 0.001 | Zn- OG46 Zn % 0.001 | |
| 696801 696802 696803 696804 696805 | | 3.42 3.26 0.04 1.03 1.06 | 4 17 <2 6 2 | 8 10 4 4 5 | 27 20 131 126 46 | <20 <20 <20 <20 <20 <20 | 0.10 0.17 0.18 0.14 0.16 | <10 <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 <10 | 95 113 64 61 80 | <10 10 <10 <10 <10 | 2010 >10000 426 1360 3300 | | 1.655 | i |
| 696806 696807 696808 696809 696810 | | 1.29 0.93 0.28 1.35 0.05 | 6 <2 <2 <2 <2 <2 <2 | 9 11 10 13 9 | 21 16 18 16 13 | <20 <20 <20 <20 <20 | 0.13 0.16 0.13 0.13 0.13 0.13 | <10 <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 <10 | 123 145 141 165 106 | <10 <10 <10 <10 <10 <10 | 2690 440 427 501 558 | | | |
| 696811 696812 696813 696814 696815 | | 0.02 0.54 0.81 1.39 1.00 | <2 6 2 6 <2 | 5 8 8 5 5 | 13 24 32 18 22 | <20 <20 <20 <20 <20 <20 | 0.15 0.20 0.18 0.15 0.24 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 81 114 132 78 85 | <10 <10 <10 <10 <10 | 495 623 875 781 1775 | | | |
| 696816 696817 696818 696819 696820 | | 1.41 2.05 3.14 0.10 0.03 | <2 <2 2 <2 <2 <2 | 5 5 4 4 | 76 138 107 27 18 | <20 <20 <20 <20 <20 | 0.29 0.27 0.32 0.23 0.27 | <10 <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 81 84 91 68 80 | <10 <10 <10 <10 <10 <10 | 660 123 200 585 525 | | | |
| 696820- CRD 696821 696821A 696822 696883 | | 0.03 0.04 0.03 >10.0 | <2 <2 <2 <2 <2 <2 | 4 4 4 2 | 17 15 17 6 | <20 <20 <20 <20 | 0.26 0.25 0.24 0.02 | <10 <10 <10 <10 | <10 <10 <10 <10 | 77 68 62 | <10 <10 <10 | 514 715 702 | | | |
| 696823 696824 696825 696826 696827 | | 1.60 1.34 1.84 2.06 1.18 | 9 2 3 6 3 | 9 4 4 5 9 | 13 34 24 49 25 | <pre><20 <20 <20 <20 <20 <20 <20 <20 <20 <20</pre> | 0.17 0.20 0.21 0.14 0.15 | <10 <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 <10 | 106 72 65 65 | <10 <10 <10 <10 <10 <10 | >10000 7500 8720 1635 >10000 8120 | | 1.300 | |
| 696828 696829 696830 696831 696832 | | 1.26 0.62 0.60 0.29 1.05 | <2 2 6 <2 2 | 5 7 6 4 6 | 20 16 16 168 168 | <pre><20 <20 <20 <20 <20 <20 <20 <20</pre> | 0.16 0.15 0.18 0.20 0.22 | <10 <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 <10 | 76 95 89 62 91 | <10 <10 <10 <10 <10 <10 <10 | 3000 2590 2250 180 621 | | | |
| 696833 696834 696835 696836 696837 | | 1.84 0.71 1.51 0.82 1.17 | 42 <2 <2 <2 <2 8 | 3 3 4 4 4 | 54 199 208 151 136 | <20 <20 <20 <20 <20 <20 | 0.14 0.23 0.21 0.23 0.21 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 36 56 63 60 60 | 10 <10 <10 <10 <10 <10 | >10000 480 360 345 >10000 | 1.270 | 3.31 | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - A Total # Pages: 3 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | WEI- 21 Recvd Wt. kg 0.02 | Au- AA24 Au ppm 0.005 | Au- GRA22 Au ppm 0.05 | ME- MS61 Ag ppm 0.01 | ME- MS61 Al % 0.01 | ME- MS61 As ppm 0.2 | ME- MS61 Ba ppm 10 | ME- MS61 Be ppm 0.05 | ME- MS61 Bi ppm 0.01 | ME- MS61 Ca % 0.01 | ME- MS61 Cd ppm 0.02 | ME- MS61 Ce ppm 0.01 | ME- MS61 Co ppm 0.1 | ME- MS61 Cr ppm 1 | ME- MS61 Cs ppm 0.05 |
|---|-----------------------------------|---------------------------------------|---|--------------------------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|
| 696838 696839 696840 696840- CRD 696841 | | 3.53 3.59 3.77 <0.02 3.67 | 0.017 <0.005 <0.005 <0.005 <0.005 | | | | | | | | | | | | | |
| 696841A 696842 696843 696884 | | <0.02 3.44 5.28 1.01 | <0.005 0.013 0.019 <0.005 | | 0.13 | 7.75 | 88.0 | 1330 | 1.31 | 0.13 | 3.62 | 0.25 | 30.6 | 11.1 | 171 | 2.54 |
| | | 1 | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

CERTIFICATE OF ANALYSIS

Page: 3 - B Total # Pages: 3 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

TR10159288

Project: Bronson

ME- MS61 ME- MS61 ME- MS61 Method ME- MS61 ME-MS61 ME- MS61 Cu Fe Ga Ge Analyte Ηf In к La Li Mg Mn Мо Na Nb Ni Units ppm % ppm ppm ppm ppm % % ppm ppm Sample Description % ppm ppm ppm ppm LOR 0.2 0.01 0.05 0.05 0.1 0.005 0.01 0.5 0.2 0.01 5 0.05 0.01 0.1 0.2 696838 696839 696840 696840- CRD 696841 696841A 29.8 4.21 19.90 0.25 0.6 0.259 3.98 17.8 33.3 2.71 1490 1.01 1.64 5.2 153.5 696842 696843 696884



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

CERTIFICATE OF ANALYSIS

Page: 3 - C Total # Pages: 3 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

TR10159288

Project: Bronson

ME- MS61 ME- MS61 ME- MS61 ME- MS61 Method ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 ME-MS61 ME- MS61 ME- MS61 ME- MS61 ME- MS61 Ρ Pb Rb Analyte Re S Sb Sc Se Sn Sr Та Те Τh Ti TI Units ppm ppm ppm ppm % ppm ppm ppm Sample Description ppm ppm ppm ppm % ppm ppm LOR 10 0.5 0.1 0.002 0.01 0.05 0.1 1 0.2 0.2 0.05 0.05 0.2 0.005 0.02 696838 696839 696840 696840- CRD 696841 696841A 1370 6.3 104.0 < 0.002 0.15 1.56 17.0 1 1.1 410 0.28 < 0.05 2.4 0.345 1.95 696842 696843 696884



-

2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - D Total # Pages: 3 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- MS61 U ppm 0.1 | ME- MS61 V ppm 1 | ME- MS61 W ppm 0.1 | ME- MS61 Y ppm 0.1 | ME- MS61 Zn ppm 2 | ME- MS61 Zr ppm 0.5 | ME- ICP41 Ag ppm 0.2 | ME- ICP41 Al % 0.01 | ME- ICP41 As ppm 2 | ME-ICP41 B ppm 10 | ME- ICP41 Ba ppm 10 | ME- ICP41 Be ppm 0.5 | ME- ICP41 Bi ppm 2 | ME- ICP41 Ca % 0.01 | ME- ICP41 Cd ppm 0.5 | |
|---|-----------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|----------------------------------|--------------------------------------|-----------------------------|---------------------------------|---------------------------------|--|-----------------------------|--------------------------------------|----------------------------------|--|
| 696838 696839 696840 696840- CRD 696841 | | | | | | | | 0.6 0.2 0.3 0.2 <0.2 | 2.70 2.67 2.87 2.90 3.00 | 50 36 58 57 88 | <10 <10 <10 <10 <10 | 290 320 340 350 330 | <0.5 <0.5 <0.5 <0.5 <0.5 <0.5 | 3 2 <2 2 2 | 2.50 1.90 2.98 2.95 3.63 | 1.7 1.5 0.6 0.5 <0.5 | |
| 696841A 696842 696843 696884 | | 0.7 | 135 | 3.8 | 11.8 | 83 | 20.8 | 0.2 0.4 1.1 | 2.95 3.05 0.05 | 87 56 <2 | <10 <10 <10 <10 | 330 340 350 10 | <0.5 <0.5 <0.5 <0.5 | 2 | 3.63 3.85 4.29 >25.0 | <0.5 <0.5 <0.5 <0.5 | |
| | | í. | | | | | | | | | | | | | | | |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - E Total # Pages: 3 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 Co ppm 1 | ME- ICP41 Cr ppm 1 | ME- ICP41 Cu ppm 1 | ME- ICP41 Fe % 0.01 | ME- ICP41 Ga ppm 10 | ME- ICP41 Hg ppm 1 | ME- ICP41 K % 0.01 | ME- ICP41 La ppm 10 | ME- ICP41 Mg % 0.01 | ME- ICP41 Mn ppm 5 | ME- ICP41 Mo ppm 1 | ME- ICP41 Na % 0.01 | ME- ICP41 Ni ppm 1 | ME- ICP41 P ppm 10 | ME- ICP41 Pb ppm 2 |
|---|-----------------------------------|-----------------------------|-------------------------------|-----------------------------|--------------------------------------|------------------------------|----------------------------------|--------------------------------------|---------------------------------|--------------------------------------|--------------------------------------|---------------------------------|--------------------------------------|-------------------------------|--------------------------------------|-----------------------------|
| 696838 696839 696840 696840- CRD 696841 | | 13 10 10 11 8 | 82 82 114 116 150 | 66 48 58 60 30 | 3.92 3.50 3.89 3.92 3.73 | 10 10 10 10 10 | <1 <1 <1 <1 <1 <1 | 2.10 2.12 2.25 2.29 2.40 | <10 <10 <10 <10 <10 | 2.14 2.11 2.37 2.38 2.50 | 2190 1460 1540 1535 1520 | <1 1 <1 <1 <1 <1 | 0.03 0.04 0.04 0.04 0.04 | 84 89 129 130 144 | 1350 1410 1490 1490 1430 | 28 8 6 7 4 |
| 696841A 696842 696843 696884 | | 11 10 1 | 174 177 1 | 41 48 <1 | 4.03 4.35 0.04 | 10 10 <10 | <1 <1 <1 | 2.34 2.56 <0.01 | <10 <10 <10 | 2.24 2.27 1.35 | 1610 1945 23 | <1 <1 <1 | 0.05 0.05 0.01 | 151 113 <1 | 1350 1290 40 | 9 6 <2 |



2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: 3 - F Total # Pages: 3 (A - F) Plus Appendix Pages Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

| Sample Description | Method Analyte Units LOR | ME- ICP41 S % 0.01 | ME- ICP41 Sb ppm 2 | ME- ICP41 Sc ppm 1 | ME- ICP41 Sr ppm 1 | ME- ICP41 Th ppm 20 | ME- ICP41 Ti % 0.01 | ME- ICP41 Tl ppm 10 | ME-ICP41 U ppm 10 | ME- ICP41 V ppm 1 | ME- ICP41 W ppm 10 | ME- ICP41 Zn ppm 2 | Pb- OG46 Pb % 0.001 | Zn- OG46 Zn % 0.001 | |
|---|-----------------------------------|--------------------------------------|----------------------------------|-----------------------------|---------------------------------|---------------------------------|--|---------------------------------|---------------------------------|----------------------------|---------------------------------|--------------------------------|------------------------------|------------------------------|--|
| 696838 696839 696840 696840- CRD 696841 | | 0.56 0.13 0.31 0.31 0.16 | <2 <2 <2 <2 <2 <2 | 4 4 5 5 5 | 164 116 198 197 249 | <20 <20 <20 <20 <20 | 0.23 0.24 0.24 0.24 0.24 0.24 | <10 <10 <10 <10 <10 | <10 <10 <10 <10 <10 | 58 59 67 68 70 | <10 <10 <10 <10 <10 | 367 300 133 135 82 | | | |
| 696841A 696842 696843 696884 | | 0.43 0.40 <0.01 | <2 <2 <2 | 5 6 <1 | 274 323 5610 | <20 <20 20 | 0.24 0.25 <0.01 | <10 <10 <10 | <10 <10 <10 | 75 79 <1 | <10 <10 <10 | 157 226 <2 | | | |


Т

ALS Canada Ltd. 2103 Dollarton Hwy North Vancouver BC V7H 0A7 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: SKYLINE GOLD CORPORATION SUITE 212 10451 SHELLBRIDGE WAY RICHMOND BC V6X 2W8

Page: Appendix 1 Total # Appendix Pages: 1 Finalized Date: 24- NOV- 2010 Account: BQL

Project: Bronson

CERTIFICATE OF ANALYSIS TR10159288

| Method | CERTIFICATE COMMENTS |
|----------|--|
| ME- MS61 | REE's may not be totally soluble in this method. |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |